U. S. DEPARTMENT OF COMMERCE

DANIEL C. ROPER, SECRETARY

BUREAU OF THE CENSUS

WILLIAM LANE AUSTIN, DIRECTOR



BIRTH, STILLBIRTH, AND INFANT MORTALITY STATISTICS

FOR

THE CONTINENTAL UNITED STATES
THE TERRITORY OF HAWAII
THE VIRGIN ISLANDS

1935

TWENTY-FIRST ANNUAL REPORT

PREPARED UNDER THE SUPERVISION OF DR. HALBERT L. DUNN Chief Statistician for Vital Statistics

UNITED STATES GOVERNMENT PRINTING OFFICE WASHINGTON: 1937

REPORTS ON BIRTH AND MORTALITY STATISTICS ISSUED BY THE BUREAU OF THE CENSUS

BIRTH, STILLBIRTH, AND INFANT MORTALITY STATISTICS (Annual):

Text and text tables, summary and rate tables, and general tables for continental United States, with supplemental statistics for Hawaii and the Virgin Islands.

MORTALITY STATISTICS (Annual):

Text and text tables, summary and rate tables, and general tables for continental United States, with supplemental statistics for Hawaii, Puerto Rico, and the Virgin Islands.

CONTENTS


BIRTH STATISTICS

| Introduction | Page | | Page |
|--|--|---|--|
| Growth of the registration area: 1915 to 1935 | | Annual birth rates by months | |
| Definition of "urban" and "rural" | | Number of children in the family | |
| Statistics of births and deaths in 1935 | | Country of birth of parents | 7 |
| Excess of births over deathsComparison of birth and death rates | | Plural births | |
| Comparison of birth rates, 1931 to 1935 | | Age of mother and father | 9. |
| | | | 9 |
| STILLE | IRTH | STATISTICS | |
| Introduction | Page | Stillbirths by legitimacy | Page |
| Comparison of stillbirth ratios: 1934 and 1935 | | Percent of stillbirths from certain causes at specified periods | |
| Stillbirths by months | 16 | of uterogestation | |
| Stillbirths by age of mother | 16 | | |
| INFANT MO | RTAL | ITY STATISTICS | |
| | Page | | Page |
| Introduction | 20 | Seasonal infant mortality—Continued | - |
| Infant mortality rates: 1931 to 1935 Infant mortality rates for cities and rural districts | | Influenza, pneumonia (all forms), and bronchitis | 24 |
| Comparison of infant mortality rates: 1930 to 1935 | | Premature birth and congenital debilityDiarrhea and enteritis | |
| Seasonal infant mortality | 24 | Infant mortality by race | |
| Measles and whooping-cough | 24 | Infant mortality rates of foreign countries | 26 |
| SUMMARY | AND | RATE TABLE | |
| | | | Page |
| Table I.—Births, deaths, infant mortality, and stillbirths: 193 | 5 | | 33 |
| tricts in the United States and each | Stete | cities of 2,500 to 10,000 inhabitants in 1930, and rural dis- | |
| Section B. — Each county (including cities of 10,000 | | | |
| | | | |
| GEN | ERAL | TABLES | |
| • | | | |
| • | | | |
| | | | Page |
| Table 1.—Births, by months: 1935 | | | Page 84 |
| Table 1.—Births, by months: 1935 |), citi | es of 2,500 to 10,000 inhabitants in 1930, and rural districts in | |
| In cities of 10,000 inhabitants or more in 1930 the United States and each State, and in cities of Table 2.—Births, by sex and race, and by parent nativity of white |), citic 100,000 :e: 193 | es of 2,500 to 10,000 inhabitants in 1930, and rural districts in 0 inhabitants or more in 1930. | |
| In cities of 10,000 inhabitants or more in 1930 the United States and each State, and in cities of Table 2.—Births, by sex and race, and by parent nativity of white | 0, citic 100,000 ce: 1935 apanese | es of 2,500 to 10,000 inhabitants in 1930, and rural districts in 0 inhabitants or more in 1930. | 84 |
| In cities of 10,000 inhabitants or more in 1936 the United States and each State, and in cities of Table 2.—Births, by sex and race, and by parent nativity of white Births of Whites, Negroes, Indians, Chinese, Jecities of 2,500 to 10,000 inhabitants in 1930, and | 0, citic 100,000 ce: 1933 apanese rural | es of 2,500 to 10,000 inhabitants in 1930, and rural districts in 0 inhabitants or more in 1930. | 84 |
| In cities of 10,000 inhabitants or more in 1936 the United States and each State, and in cities of Table 2.—Births, by sex and race, and by parent nativity of white Births of Whites, Negroes, Indians, Chinese, Jacities of 2,500 to 10,000 inhabitants in 1930, and Table 3.—Births of white children, by sex, and country of birth Tatle 4.—Births by sex, race, and age of mother, and for white the country of the sex of the country of the | o, citic 100,000 ce: 193 apanese rural of pare | es of 2,500 to 10,000 inhabitants in 1930, and rural districts in 0 inhabitants or more in 1930. 5 | 84 88 |
| In cities of 10,000 inhabitants or more in 1936 the United States and each State, and in cities of Table 2.—Births, by sex and race, and by parent nativity of white Births of Whites, Negroes, Indians, Chinese, Jecities of 2,500 to 10,000 inhabitants in 1930, and Table 3.—Births of white children, by sex, and country of birth Tatle 4.—Births by sex, race, and age of mother, and for white the Table 44.—Births by sex, race, and age of mother, and for white the Table 44.—Births by sex, race, and age of mother, and for white the table 44.—Births by sex, race, and age of mother, and for white the table 44.—Births by sex, race, and age of mother, and for white the table 44.—Births by sex, race, and age of mother, and for white the table 44.—Births by sex, race, and age of mother, and for white the table 44.—Births by sex, race, and age of mother, and for white table 44.—Births by sex, race, and age of mother, and for white table 44.—Births by sex, race, and age of mother, and for white table 44.—Births by sex, race, and age of mother, and for white table 44.—Births by sex, race, and age of mother, and for white table 44.—Births by sex, race, and age of mother, and for white table 44.—Births by sex, race, and age of mother, and for white table 44.—Births by sex, race, and age of mother, and for white table 44.—Births by sex, race, and age of mother, and for white table 44.—Births by sex, race, and age of mother, and for white table 44.—Births by sex, race, and age of mother, and for white table 44.—Births by sex, race, and age of mother, and for white table 44.—Births by sex, race, and age of mother, and for white table 44.—Births by sex, race, and age of mother, and for white table 44.—Births by sex, race, and age of mother, and for white table 44.—Births by sex, race, and age of mother, and for white table 44.—Births by sex, race, and age of mother, and for white table 44.—Births by sex, race, and age of mother, and age of mother and age of mother. | o, citic 100,000 se: 193 apanese rural of pare of pare by count | es of 2,500 to 10,000 inhabitants in 1930, and rural districts in 0 inhabitants or more in 1930. 5 | 84 88 95 95 96 |
| In cities of 10,000 inhabitants or more in 1936 the United States and each State, and in cities of Table 2.—Births, by sex and race, and by parent nativity of white Births of Whites, Negroes, Indians, Chinese, Jecities of 2,500 to 10,000 inhabitants in 1930, and Table 3.—Births of white children, by sex, and country of birth Tatle 4.—Births by sex, race, and age of mother, and for white the Table 44.—Births by sex, race, and age of mother, and for white the Table 44.—Births by sex, race, and age of mother, and for white the table 44.—Births by sex, race, and age of mother, and for white the table 44.—Births by sex, race, and age of mother, and for white the table 44.—Births by sex, race, and age of mother, and for white the table 44.—Births by sex, race, and age of mother, and for white the table 44.—Births by sex, race, and age of mother, and for white table 44.—Births by sex, race, and age of mother, and for white table 44.—Births by sex, race, and age of mother, and for white table 44.—Births by sex, race, and age of mother, and for white table 44.—Births by sex, race, and age of mother, and for white table 44.—Births by sex, race, and age of mother, and for white table 44.—Births by sex, race, and age of mother, and for white table 44.—Births by sex, race, and age of mother, and for white table 44.—Births by sex, race, and age of mother, and for white table 44.—Births by sex, race, and age of mother, and for white table 44.—Births by sex, race, and age of mother, and for white table 44.—Births by sex, race, and age of mother, and for white table 44.—Births by sex, race, and age of mother, and for white table 44.—Births by sex, race, and age of mother, and for white table 44.—Births by sex, race, and age of mother, and for white table 44.—Births by sex, race, and age of mother, and for white table 44.—Births by sex, race, and age of mother, and for white table 44.—Births by sex, race, and age of mother, and age of mother and age of mother. | o, citic 100,000 se: 193 apanese rural of pare of pare by count | es of 2,500 to 10,000 inhabitants in 1930, and rural districts in 0 inhabitants or more in 1930. 5 | 84 88 95 95 96 |
| In cities of 10,000 inhabitants or more in 1936 the United States and each State, and in cities of Table 2.—Births, by sex and race, and by parent nativity of whit Births of Whites, Negroes, Indians, Chinese, Je cities of 2,500 to 10,000 inhabitants in 1930, and Table 3.—Births of white children, by sex, and country of birth Tatle 4.—Births by sex, race, and age of mother, and for white the sex of the se | o, citic 100,000 ce: 1933 apanese rural of pare | es of 2,500 to 10,000 inhabitants in 1930, and rural districts in 0 inhabitants or more in 1930. 5 | 84 88 95 95 96 |
| In cities of 10,000 inhabitants or more in 1936 the United States and each State, and in cities of Table 2.—Births, by sex and race, and by parent nativity of whit Births of Whites, Negroes, Indians, Chinese, Je cities of 2,500 to 10,000 inhabitants in 1930, and Table 3.—Births of white children, by sex, and country of birth Tatle 4.—Births by sex, race, and age of mother, and for white the sex of the se | of pare of particular of pare | es of 2,500 to 10,000 inhabitants in 1930, and rural districts in 0 inhabitants or more in 1930. 5 | 84 88 95 95 96 |
| In cities of 10,000 inhabitants or more in 1936 the United States and each State, and in cities of Table 2.—Births, by sex and race, and by parent nativity of white Births of Whites, Negroes, Indians, Chinese, Je cities of 2,500 to 10,000 inhabitants in 1930, and Table 3.—Births of white children, by sex, and country of birth Table 4.—Births by sex, race, and age of mother, and for white to Table 4A.—Births by sex, race, and age of mother, and for white to Table 5.—Births, by age of parents: 1935———————————————————————————————————— | of pare of par | es of 2,500 to 10,000 inhabitants in 1930, and rural districts in 0 inhabitants or more in 1930. 5 | 84 88 95 95 96 100 |
| In cities of 10,000 inhabitants or more in 1936 the United States and each State, and in cities of Table 2.—Births, by sex and race, and by parent nativity of white Births of Whites, Negroes, Indians, Chinese, Je cities of 2,500 to 10,000 inhabitants in 1930, and Table 3.—Births of white children, by sex, and country of birth Tatle 4.—Births by sex, race, and age of mother, and for white the Table 4A.—Births by sex, race, and age of mother, and for white the Table 5.—Births, by age of parents: 1935———————————————————————————————————— | of, citical 100,000 ce: 1933 apanese rural coop pare by country nativated for water and for water an | es of 2,500 to 10,000 inhabitants in 1930, and rural districts in 0 inhabitants or more in 1930. 5 | 88 95 95 96 100 106 111 |
| In cities of 10,000 inhabitants or more in 1936 the United States and each State, and in cities of Table 2.—Births, by sex and race, and by parent nativity of white Births of Whites, Negroes, Indians, Chinese, Je cities of 2,500 to 10,000 inhabitants in 1930, and Table 3.—Births of white children, by sex, and country of birth Table 4.—Births by sex, race, and age of mother, and for white to Table 4A.—Births by sex, race, and age of mother, and for white to Table 5.—Births, by age of parents: 1935———————————————————————————————————— | of pare of par | es of 2,500 to 10,000 inhabitants in 1930, and rural districts in 0 inhabitants or more in 1930. 5 | 84 88 95 96 100 106 111 117 |
| In cities of 10,000 inhabitants or more in 1936 the United States and each State, and in cities of Table 2.—Births, by sex and race, and by parent nativity of white Births of Whites, Negroes, Indians, Chinese, Je cities of 2,500 to 10,000 inhabitants in 1930, and Table 3.—Births of white children, by sex, and country of birth Tatle 4.—Births by sex, race, and age of mother, and for white the Table 4A.—Births by sex, race, and age of mother, and for white the Table 5.—Births, by age of parents: 1935———————————————————————————————————— | o, citical 100,000 ce: 1933 apanese rural co of pare co | es of 2,500 to 10,000 inhabitants in 1930, and rural districts in 0 inhabitants or more in 1930. 5 | 84 88 95 96 100 106 111 117 |
| In cities of 10,000 inhabitants or more in 1936 the United States and each State, and in cities of Table 2.—Births, by sex and race, and by parent nativity of white Births of Whites, Negroes, Indians, Chinese, Je cities of 2,500 to 10,000 inhabitants in 1930, and Table 3.—Births of white children, by sex, and country of birth Table 4.—Births by sex, race, and age of mother, and for white the Table 4A.—Births by sex, race, and age of mother, and for white the Table 5.—Births, by age of parents: 1935———————————————————————————————————— | of, citie 100,000 ce: 1933 apanese rural of pare oy country native country native ce: 100,000 ce: 1933 ce: 100,000 ce: 1933 ce: 1 | es of 2,500 to 10,000 inhabitants in 1930, and rural districts in 0 inhabitants or more in 1930. 5 | 88 95 96 100 106 111 117 |
| In cities of 10,000 inhabitants or more in 1936 the United States and each State, and in cities of Table 2.—Births, by sex and race, and by parent nativity of white Births of Whites, Negroes, Indians, Chinese, Je cities of 2,500 to 10,000 inhabitants in 1930, and Table 3.—Births of white children, by sex, and country of birth Table 4.—Births by sex, race, and age of mother, and for white the Table 4A.—Births by sex, race, and age of mother, and for white the Table 5.—Births, by age of parents: 1935———————————————————————————————————— | of, citical 100,000 ce: 1933 apanese rural coordinates of parcel c | es of 2,500 to 10,000 inhabitants in 1930, and rural districts in 0 inhabitants or more in 1930. 5 | 88 95 96 100 106 111 117 |
| In cities of 10,000 inhabitants or more in 1936 the United States and each State, and in cities of Table 2.—Births, by sex and race, and by parent nativity of white Births of Whites, Negroes, Indians, Chinese, Je cities of 2,500 to 10,000 inhabitants in 1930, and Table 3.—Births of white children, by sex, and country of birth Tatle 4.—Births by sex, race, and age of mother, and for white to Table 4A.—Births by sex, race, and age of mother, and for white to Table 5.—Births, by age of parents: 1935———————————————————————————————————— | o, citical 100,000 ce: 1933 apanese rural co of pare co or pare co | es of 2,500 to 10,000 inhabitants in 1930, and rural districts in 0 inhabitants or more in 1930. 5 | 84 88 95 96 100 106 111 117 121 122 |
| In cities of 10,000 inhabitants or more in 1936 the United States and each State, and in cities of Table 2.—Births, by sex and race, and by parent nativity of white Births of Whites, Negroes, Indians, Chinese, Je cities of 2,500 to 10,000 inhabitants in 1930, and Table 3.—Births of white children, by sex, and country of birth Table 4.—Births by sex, race, and age of mother, and for white the Table 4A.—Births by sex, race, and age of mother, and for white the Table 5.—Births, by age of parents: 1935 | of, citied 100,000 ce: 1933 apanese rural of pare of p | es of 2,500 to 10,000 inhabitants in 1930, and rural districts in 0 inhabitants or more in 1930. 5 | 84 88 95 96 100 106 111 117 121 122 |

IV CONTENTS

| | Page |
|---|------------|
| Table 14.—Stillbirths, with the number of child in order of birth, by sex, race, and age of mother, and for white by country of birth of mother, in the United States: 1935 | f - 130 |
| Table 15.—Stillbirths by cause, in certain specified States and cities: 1935 | - 134 |
| Table 16.—Stillbirths by sex, cause, and period of uterogestation, in a selected orea: 1935 | - 135 |
| Table 17.—Stillbirths, by period of uterogestation, in certain specified States and cities: 1935 | - 137 |
| Table 18.—Deaths under 1 year of age from important causes, by sex and race, in the United States: 1935 | - 138 |
| Table 19 Deaths, for certain subdivisions of the first year of life, by sex and race, in the United States: 1935 | - 138 |
| Table 20 Deaths from important causes, by months and certain subdivisions of the first year of life, in the United States: 1935 | - 139 |
| Table 21.—Deaths from important causes, by certain subdivisions of the first year of life: 1935 | - 146 |
| Table 22.—Deaths under 1 year of age from important causes, by sex: 1935 | - 182 n |
| Table 23.—Deaths by sex and certain subdivisions of the first year of life: 1935 | - 193 n |
| MAP | |
| Growth of the registration area for births | - 2 |
| SUPPLEMENT | |
| Hawai1 | .99,200 |
| Virgin Islands | .99,204 |

BIRTH, STILLBIRTH, AND INFANT MORTALITY STATISTICS 1935



ORIGINAL REGISTRATION STATES, 1915

STATES ADDED SINCE 1915

BIRTH. STILLBIRTH. AND INFANT MORTALITY STATISTICS: 1935

BIRTH STATISTICS: 1935

INTRODUCTION

This volume presents statistics of live births, still-births, and infant mortality in the United States, the Territory of Hawail, and the Virgin Islands. The data were secured from transcripts of birth, death, and stillbirth certificates received from these areas.

As the text and general tables relate only to the United States, figures for Hawaii and the Virgin Islands are presented

States, figures for Hawaii and the Virgin Islands are presented in special tables, as a supplement.

The number of live births reported in the United States in 1935 was 2,155,105, equivalent to a birth rate of 16.9 per 1,000 estimated population; the number of stillbirths reported was 77,119 or a ratio of 3.6 per 100 live births; and the number of deaths under 1 year of age was 120,138, corresponding to an infant mortality rate of 55.7 (deaths under 1 year per 1,000 live births).

The compilation of these data makes it possible to compare statistics for the United States with those for foreign countries. Also, light is thrown on such matters as the natural increase of populations in the States and cities, the relation between birth rates and rates of infant mortality, ratio of stillbirths to live births, etc.

This report was prepared under the direction of Dr. Halbert L. Dunn, Chief Statistician for Vital Statistics, assisted by Dr. John Collinson, Assistant Chief Statistician for Vital Statistics.

Although it has again been necessary to present this volume in condensed form, the data eliminated are available in manuscript tables on file in the Bureau of the Census.

GROWTH OF REGISTRATION AREA: 1915

Table A shows the year. When each State was added to the registration area for births.

| | | | | , | |
|---------|--|------|---|------|----------------------------------|
| TABLE A | | | | | |
| YEAR | STATE | YEAR | STATE | YEAR | STATE |
| 1915 | | 1917 | | 1925 | West Virginia |
| | Maine Massachusetts Michigan | | Washington Wisconsin | 1926 | Arizona Idaho |
| | Minnesota New Hampshire New York Pennsylvania | 1919 | California Oregon South Carolina 3/ | 1927 | Alabama Arkansas Louisiana |
| | Hhode Island 1/ Vermont District of Co- | 1920 | Nebraska Delaware | | Missouri Tennessee |
| | lumbia 2/ | 1921 | Mississippi New Jersey | 1928 | Colorado Georgia |
| 1916 | haryland | 1922 | Illinois | ł | Oklahoma |
| 1917 | Indiana Kansas Kentucky | | Montana Wyoming | 1929 | Nevada New Mexico |
| | North Carolina | 1924 | Florida Iowa | 1932 | South Dakota |
| | Utah | | North Dakota | 1933 | Texas |

Dropped from the registration area in 1919: readmitted in 1921.

The birth registration area was established in 1915 and comprised but 10 States and the District of Columbia. Gradually, by the inclusion of other States, this area expanded until 1933 when the last State was admitted and the tables, for the first time, related to the entire continental United States. The Virgin Islands and the Territory of Hawaii became part of the registration area in 1924 and 1929, respectively.

DEFINITION OF "URBAN" AND "RURAL"

The term "urban" as used in the birth and mortality reports prior to 1930 included the population living in cities having 10,000 or more inhabitants. The definition was changed in 1930 to include as "urban" the population of all cities having 2,500 inhabitants or more, the rest of the population being classified as "rural." This conforms with the established practice of the population census reports. In order, however, to facilitate comparisons with the earlier classification the urban population as thus defined is usually subdivided into two groups, one comprising the population of cities of 10,000 or more and the other that of cities from 2,500 to 10,000. The former corresponds to the urban population as previously defined in the birth reports, and the latter when combined with the rural population as now defined corresponds to the population previously designated as rural.

rural. Unfortunately, however, in some States the Eureau of the Census did not succeed in obtaining for deaths the local detail necessary for applying the new classification and in such States the only distinction that can be shown for deaths is that between population living in cities having more than 10,000 inhabitants and the remainder of the population, formerly designated as rural. Ultimately, of course, it is expected that the new classification can be made to cover all the States.

States.

STATISTICS OF BIRTHS AND DEATHS IN 1935

BIRTHS. - In the United States in 1935 there were 2,155,105 BIRTHS.—In the United States in 1935 there were 2,155,105 live births, which represent a birth rate of 16.9 per 1,000 estimated population, as against 2,167,636 live births, with a rate of 17.1 reported in 1934. Of the 1935 births, 1,105,489 were males and 1,049,616 were females, or a proportion of 1,053 males to 1,000 females.

DEATHS.—The total deaths (exclusive of stillbirths) numbered 1,392,752, corresponding to a death rate of 10.9 per 1,000 estimated population; of these, 771,320 were males and 621,432 were females, or a proportion of 1.241 males to 1.000

621,432 were females, or a proportion of 1,241 males to 1,000

females.

STILLBIRTHS.—There were 77,119 stillbirths in the United States in 1935, with a ratio of 3.6 per 100 live births; of these stillbirths, 42,658 were males, 32,845 were females, and in 1,616 cases the sex was not stated or was unknown. These stillbirths show a proportion of 1,299 males to 1,000 females. INFANT MORTALITY.—Deaths of infants under 1 year: of age numbered 120,138 or 55.7 per 1,000 live births, a rate 4.4 lower than the corresponding rate of 1934. Of the total deaths under 1 year of age,68,305 were males and 51,333 were females, or a proportion of 1,340 males to 1,000 females. The infant mortality rates for the States ranged from 41.2 in Nebraska and Oregon to 129.3 in New Mexico.

Table B shows births, total deaths, stillbirths, and deaths under 1 year of age, with the proportion of males to 1,000 females, from 1915 to 1935.

Included in registration States.
Dropped from the registration area in 1925; readmitted in 1928.

| TABLE B | | | | · | | UNITED | STATES (B) | RTH REGI | STRATION | AREA) | | | | | | | | |
|--|---|--|--|--|--|---|---|---|--|--|--|--|---|--|--|--|---|--|
| CALENDAR | | Births | 1/ | | All deaths1/ | | | | Stillbirths | | | | | Deaths1/ under 1 year of age | | | | |
| YEAR | Total | Male | Female | Male per 1,000 female | Total | Male | Female | Male per 1,000 female | Total | Male | Female | Un- known sex | Male per 1,000 female | Total | Male | Female | Male per 1,000 female | |
| 1935 1934 1932 1931 1930 1929 1928 1927 | 2,167,636 2,061,232 2,074,042 2,112,760 2,203,958 2,169,920 2,233,149 2,137,836 | 1,105,489 1,112,703 1,066,871 1,065,885 1,084,404 1,131,976 1,114,814 1,147,625 1,099,287 953,638 | 1,049,616 1,054,933 1,012,361 1,010,157 1,029,356 1,071,982 1,055,106 1,085,521 1,038,549 902,430 | 1,053 1,055 1,056 1,053 1,055 1,056 1,057 1,057 1,058 1,057 | 1,396,903 1,342,106 1,293,269 1,301,405 1,321,367 1,369,757 1,361,987 1,176,805 | 771,320 772,595 737,312 704,506 714,277 723,315 745,491 738,891 638,080 589,653 | 621,432 624,308 604,794 588,763 587,128 598,052 624,266 623,096 538,725 503,858 | 1,241 1,238 1,219 1,197 1,217 1,209 1,194 1,186 1,184 1,170 | 77,119 78,503 77,059 78,351 80,616 86,466 85,678 89,765 82,931 70,716 | 42,658 43,768 42,857 43,673 45,090 48,604 48,074 50,666 47,150 39,809 | 32,845 33,137 32,581 33,133 33,933 36,459 36,046 37,695 34,478 29,746 | 1,616 1,598 1,621 1,545 1,593 1,403 1,558 1,404 1,303 1,161 | 1,299 1,321 1,315 1,318 1,329 1,333 1,334 1,344 1,368 1,338 | 120,138 130,165 120,887 119,431 130,134 142,413 146,661 153,492 138,017 136,118 | 68,805 73,950 68,331 67,839 74,056 80,744 83,144 87,676 78,652 77,366 | 65,816 | 1,340 1,315 1,300 1,315 1,321 1,509 1,309 1,332 1,332 1,325 | |
| 1925 1924 1925 1922 1920 1919 1917 1915 | 1,930,614 1,792,646 1,774,911 1,714,261 1,508,874 1,373,438 1,363,649 1,353,792 818,983 | 966,973 992,431 921,020 911,831 881,591 775,322 705,593 701,164 696,101 420,881 398,615 | 911,907 938,183 871,626 863,080 832,670 733,552 667,845 662,485 657,691 398,102 377,689 | 1,060 1,058 1,057 1,056 1,059 1,057 1,058 1,058 1,057 1,055 | | 555,267 542,637 528,429 497,967 434,019 438,201 422,252 534,720 423,359 264,498 234,871 | 475,251 464,357 463,808 440,578 391,492 397,933 375,852 461,907 352,863 222,184 201,722 | 1,168 1,169 1,139 1,130 1,109 1,101 1,123 1,158 1,200 1,190 1,164 | 71,519 75,817 69,757 70,010 (2/) (2/) (2/) 48,634 (2/) (2/) (2/) | 40,387 43,139 39,566 39,672 (2/) (2/) (2/) 28,127 (2/) (2/) (2/) | 29,999 31,377 29,235 29,173 (2/) (2/) (2/) 20,507 (2/) (2/) (2/) | 1,133 1,301 956 1,165 (2/) (2/) (3/) (3/) (2/) (2/) (2/) | 1,346 1,375 1,353 1,360 (<u>2</u> /) (<u>2</u> /) (<u>2</u> /) 1,372 (<u>2</u> /) (<u>2</u> /) (<u>2</u> /) | 134,652 136,730 138,259 135,228 129,531 119,000 137,647 126,950 82,734 77,572 | 76,902 78,085 78,309 77,105 73,582 73,737 67,580 77,736 72,192 46,790 43,818 | 57,750 58,645 59,950 58,123 56,006 55,794 51,420 59,911 54,758 35,944 33,754 | 1,332 1,331 1,306 1,327 1,314 1,322 1,314 1,298 1,318 1,302 1,298 | |

<u>L</u>/ Exclusive of stillbirths.
<u>2</u>/ Data not collected.
<u>3</u>/ Stillbirths of unknown sex distributed.

NOTE .- See tables A and C for growth of the registration area, etc.

The figures given in table B should be considered in relation to the growth of the birth registration area as snown in table C. Table C shows populations, births, and birth rates, table C. Table C shows populations, births, and birth rates, in the birth registration area of the United States from 1915 to 1935. As may be seen in this table, the original birth registration area included only 31.1 percent of the population of the United States and the percent included increased gradually until 1933 when the registration area comprised the whole United States. The data given in table B refer only to the area included in the birth registration area although for the years shown in table B, mortality data were collected for a larger area. Mortality figures for the mortality registration area are published separately. a larger area. Mortality figures for tion area are published separately.

| TABLE C | | REGISTRA | TION AREA STATES | IN THE UNITE | Ð |
|------------------|-------------------|-------------|---------------------|--------------|---------------------------------|
| CALENDAR YEAR | Population of the | Populati | Births <u>2</u> / | | |
| LIME | United States1/ | Number | Percent of total | Number | Per 1,000 popu- lation |
| L935 | 127,521,000 | 127,521,000 | 100.0 | 2,155,105 | 15.9 |
| L934 | 126,626,000 | 126,625,000 | 100.0 | 2,155,105 | 17.1 |
| 1933 | 125,693,000 | 125,693,000 | 100.0 | 2,081,232 | 16.6 |
| 932 | 124,822,000 | 118,858,000 | 95.2 | 2,074,042 | 17.4 |
| 1931 | 124,070,000 | 117,460,000 | 94.7 | 2,112,760 | 18.0 |
| 1930 | 123,191,000 | 116,644,000 | 94.7 | 2,203,958 | 18.9 |
| 929 | 121,526,429 | 115,097.972 | 94.7 | 2,169,920 | 18.9 |
| 1926 | 119,861,607 | 113,050,663 | 94.3 | 2,233,149 | 19.6 |
| 1927 | 118,196,785 | 103,575,656 | 87.6 | 2,137,836 | 20.6 |
| 1926 | 116,531,963 | 89,682,479 | 77.0 | 1,856,068 | 20.7 |
| 1925 | 114,867,141 | 87,486,096 | 76.2 | 1,878,880 | 21.5 |
| L924 | 113,202,319 | 86,256,025 | 76.2 | 1,930,614 | 22.4 |
| 1923 | 111,537,497 | 80,694,406 | 72.3 | 1,792,646 | 22. |
| 1922 | 109,872,675 | 79,415,841 | 72.3 | 1,774,911 | 22.3 |
| 1921 | 108,207,853 | 70,738,177 | 65.4 | 1,714,261 | 24. |
| .920 | 106,543,031 | 63,740,669 | 59.8 | 1,508,874 | 23. |
| 919 | 105,003,065 | 61,483,423 | 58.6 | 1,373,438 | 22. |
| 1918 | 103,587,955 | 55,515,241 | 53.6 | 1,363,549 | 24. |
| 917 | 102,172,845 | 54,771,416 | 53.6 | 1,353,792 | 24. |
| L916 | 100,757,735 | 72,788,670 | 32.5 | 818,983 | 25. |
| .915 | 99,342,625 | 30,936,179 | 31.1 | 776,304 | 25. |

1/ Estimated as of July 1. 2/ Exclusive of stillbirths.

EXCESS OF BIRTHS OVER DEATHS

In 1935 there was a substantial excess of births over deaths in every State.

According to the census of 1930 there were 913 cities in the United States having 10,000 or more inhabitants. There were also 47 towns and 23 townships with populations of 10,000 or more and with population densities of 1,000 or more per square mile which, for statistical purposes, are also considered within

ered urban.

In 171 of these 983 places the deaths outnumbered the births. Two factors were doubtless responsible for this apparent lack of natural increase in the population: First, many of these places have a State asylum, State hospital, or similar institution in which many deaths occur; second, many of them lack maternity hospital facilities causing their expectant mothers to use other areas.

If births to nonresident mothers were allocated to the mother's residence and deaths of nonresidents were credited to

mother's residence and deaths of nonresidents were credited to the decedent's usual place of abode instead of being charged to the areas in which they occur, the number of places where deaths outnumber births would be much smaller.

COMPARISON OF BIRTH AND DEATH RATES.—In 1935 the birth rate for the United States was 16.9, exceeding the death rate (10.9) by 6.0, or 55 percent. This signifies that if these rates were to remain unchanged and if there were no migration from or into this area the natural appual increase in the popfrom or into this area the natural annual increase in the population would be 6.0 per 1,000 inhabitants. In the States the greatest excess of births over deaths (16.4 per 1,000 population) was for New Mexico. Other large excesses were 14.9 for

tion) was for New Mexico. Other large excesses were 14.9 for Utah, 13.5 for Mississippi, 13.2 for North Carolina, 12.9 for West Virginia, and 11.9 for Alabama.

COMPARISON OF BIRTH RATES, 1931 TO 1935.—The birth rate (16.9 per 1,000 population) for the United States in 1935 was 0.2 lower than that for 1934. The rates for the individual States, as compared with those for 1934, were higher in only 12 States. The largest increase (0.8 per 1,000 population) was in the rate for Colorado. The largest decrease (1.6) was in the rate for Oklahoma.

The highest rate (31.3 for New Mexico) was followed by

the rate for Oklahoma.
The highest rate (31.3 for New Mexico) was followed by 24.7 for Utah and 24.1 for Mississippi as the next highest.
The lowest rate (12.7) was for New Jersey.
A comparison of the rates for the birth registration area from 1931 to 1935 shows a gradual decline from 18.0 in 1931 to 16.6 in 1933. This was followed by a rise to 17.1 in 1934 after which the rate declined again to 16.9 in 1935. Comparing the rates for 1935 with those for 1931 for the 46 States that were in the area in both years, it is found that only 8 States—Arizona, Michigan, Mississippi, Montana, Nevada, New Mexico, Utah, and West Virginia—had higher rates in the later year.

year.

Table D shows birth and death rates from 1931 to 1935.

| TABLE D | | | F | ATE PE | R 1,00 | O POPU | LATION | | | |
|--|--|--|--|--|--|--|---|---|--|--|
| AREA | В | | (exclu llbirt | sive o | f | D | eaths sti | (exclu llbirt | | of |
| | 1935 | 1934 | 1933 | 1932 | 1931 | 1935 | 1934 | 1933 | 1932 | 1931 |
| United States 1/ | 16.9 | 17.1 | 16.6 | 17.4 | 18.0 | 10.9 | 11.0 | 10.7 | 10.9 | 11.1 |
| Alabama | 22.0 22.5 17.9 13.4 17.7 | 22.7 22.0 19.0 13.9 16.9 | 22.0 17.9 19.1 12.4 16.3 | 23.5 19.0 20.1 13.1 16.8 | 23.5 21.1 22.0 13.9 17.7 | 10.1 15.0 8.1 12.1 12.4 | 10.5 14.6 8.6 12.1 11.8 | 10.0 12.2 8.9 11.2 11.4 | 10.3 12.1 8.7 11.4 12.0 | 10.7 13.7 9.6 11.5 |
| Delawars District of Columbia Florida Georgia Idaho | 15.8 18.2 17.4 20.8 | 13.1 15.8 18.1 16.8 19.8 19.8 | 13.6 16.3 20.1 16.5 20.9 19.1 13.8 | 14.5 17.9 20.6 17.9 21.9 19.5 14.4 | 15.7 17.7 19.0 18.0 21.2 20.3 15.4 | 12.5 14.3 12.4 11.3 9.5 10.9 | 10.3 13.3 14.8 12.8 10.9 9.3 11.2 | 10.6 13.7 15.9 12.1 10.7 9.1 10.5 | 13.2 16.1 12.0 11.0 8.8 10.7 | 10.6 13.8 15.8 12.0 11.3 9.0 |
| Indiana Indiana Iowa Kensas Kentucky Louisiana Maine | 15.4 16.2 16.3 20.3 | 15.4 16.8 17.6 21.3 20.3 18.8 | 15.3 15.9 16.2 20.9 18.5 18.9 | 16.2 16.3 16.7 22.6 20.3 20.1 | 17.2 16.9 17.4 21.7 20.4 20.4 | 11.5 10.4 10.8 10.3 | 12.0 10.6 10.8 10.7 11.0 | 11.5 10.3 10.3 10.8 10.7 13.8 | 11.8 10.4 10.3 11.0 10.9 | 11.9 10.4 9.9 11.0 11.1 |
| Maryland | 14.4 18.5 | 16.4 14.8 17.9 17.5 24.4 15.3 | 16.5 14.7 16.0 17.2 21.6 15.6 | 17.4 15.9 17.2 17.9 22.7 16.4 | 17.5 16.2 18.4 18.2 22.3 16.7 | 10.8 | 12.6 11.7 10.8 10.2 11.1 12.1 | 12.4 11.8 9.6 9.8 10.6 11.6 | 12.7 11.5 10.0 9.9 10.0 12.0 | 13.2 11.3 10.0 9.9 10.9 |
| Montana | 18.9 17.1 14.4 15.5 12.7 31.3 | 18.7 18.4 14.6 15.9 12.8 31.8 | 16.7 17.4 14.5 15.7 13.4 28.4 | 16.9 18.1 13.5 16.7 14.8 28.7 | 17.9 19.2 13.3 16.6 15.6 28.8 | 9.7 13.4 13.0 10.1 | 10.6 9.8 13.2 12.9 10.3 15.2 | 9.7 9.3 13.5 13.8 10.4 13.4 | 9.8 9.3 14.4 13.5 10.3 13.8 | 9.8 9.3 14.6 12.7 10.8 14.4 |
| New York———————————————————————————————————— | 23.0 19.5 15.1 17.4 | 14.5 23.6 20.9 14.9 19.0 | 14.4 23.0 19.2 14.1 17.8 12.4 | 15.4 24.0 20.5 15.1 16.8 13.2 | 16.1 23.3 21.1 16.1 17.9 13.7 | 11.5 9.8 8.4 11.5 8.4 11.3 | 11.6 10.4 8.4 11.5 8.6 10.6 | 11.5 9.3 8.0 10.7 8.3 10.6 | 11.5 9.6 7.5 11.3 7.9 10.6 | 11.7 10.3 7.5 11.3 7.8 10.6 |
| Pennsylvania | | 16.0 15.2 22.5 19.4 18.3 19.3 | 16.0 14.7 23.1 18.3 18.8 17.9 | 17.3 16.0 23.8 18.9 19.8 (2/) | 18.4 16.3 22.7 (<u>2</u> /) 19.8 (<u>2</u> /) | 10.8 11.5 11.1 9.1 10.6 10.1 | 11.0 11.3 10.8 9.5 10.6 9.9 | 10.8 11.2 11.1 8.7 10.6 9.8 | 11.2 11.6 11.4 8.2 10.8 (<u>2</u> /) | 11.5 11.5 12.1 (<u>2</u> /) 10.8 (<u>2</u> /) |
| | 17.5 19.5 13.7 23.0 | 24.6 17.6 20.1 13.9 23.0 17.7 | 23.0 17.0 21.0 13.1 20.4 16.8 18.2 | 13.5 22.0 17.8 | 23.5 18.5 21.7 14.0 22.5 18.4 19.8 | 9.8 12.7 11.5 11.1 10.1 10.6 9.8 | 10.0 | 8.5 12.8 11.7 10.4 9.4 9.9 8.5 | 8.6 13.2 11.9 10.4 10.2 10.2 9.0 | 8.7 12.5 12.4 10.5 10.1 10.2 8.9 |

1/ Exclusive of South Dakota and Texas in 1931; exclusive of Texas in 1932. (See tables A and C)
2/ Not added to the registration area until a later date.

| TABLE E MONTH | ANNUAL BIRTH HATE PER 1,000 ESTIMATED POPULATION IN THE UNITED STATES 1/ | | | | | | | | | | |
|---------------|--|----------------|--------------|--------------|------------|--|--|--|--|--|--|
| ĺ | 1935 | 1934 | 1933 | 1932 | 1931 | | | | | | |
| The year | 16.9 | 17.1 | 16.6 | 17.4 | 18.0 | | | | | | |
| anuary | 17.2 17.4 | 17.0 • 16.6 | 16.9 16.6 | 17.7 | 18.5 | | | | | | |
| ebruary | 17.2 | 16.7 | 17.3 | 18.0 | 18.7 | | | | | | |
| pril | 16.5 16.2 | 16.3 16.7 | 16.6 16.4 | 16.9 17.2 | 17.9 | | | | | | |
| 'une | 17.1 | 16.9 | 16.4 | 17.5 | 18.5 | | | | | | |
| fuly | 17.8 | 17.5 | 17.0 | 17.5 | 18.4 | | | | | | |
| ugust | 17.8 | 18.2 | 17.1 | 18.1 | 18. | | | | | | |
| September | 17.7 | 18.5 | 16.3 | 18.1 | 18.1 | | | | | | |
| October | 16.5 | 17.5 | 15.7 | 17.2 16.4 | 17. 16. | | | | | | |
| lovember | 16.0 15.9 | 16.9 | 16.1 16.2 | 16.4 | 16. | | | | | | |

^{1/} Exclusive of South Dakota and Texas in 1931; exclusive of Texas in 1932.

ANNUAL BIRTH RATES BY MONTHS

Table E, showing annual birth rates by months, indicates that the greatest natality occurred in the third quarter of the year, namely, July to September, inclusive. The highest rate in any month of 1935 was 17.8 for July and August, closely followed by 17.7 for September. The lowest rate in the same year was 15.9 for December.

A comparison of the rates for 1935 with those for 1934 shows a higher rate in 1935 for the first four months and again for June and July. The greatest increase (1.0 per 1,000 population) occurred in October.

BIRTHS AND DEATHS IN THE ORIGINAL REGISTRATION AREA

Table F shows birth, death, and infant mortality rates for the original birth registration area (exclusive of Rhode Island) from 1915 to 1935. All rates for 1935 are lower than the corresponding rates for 1934.

| 3 | ABLE F | THE O | RIGINAL B | IRTH REGI OF RHODE | | AREA (E | XCLUSIVE | |
|---|--------------------|--|-------------------------------|-------------------------------|--|--------------------------------------|----------------------------|------------------------|
| | YEAR | Popula- tion esti- | births (exclu- | Deaths (exclu- | Rate pe | r 1,000 etion | Deaths 1 year o | |
| | | mated as of July 1 | sive of still- births) | sive of still- births) | B1rths | Deaths | Total. | Per 1,000 births |
| - | 1935 | | | | | | | |
| | Total ies | 38,725,000 (1/) (1/) | 605,062 411,259 193,803 | 433,026 287,148 145,878 | 15.6 (<u>1</u> /) (<u>1</u> /) | 11.2 (<u>1/)</u> (<u>1/)</u> | 29,634 19,965 9,669 | 49.0 48.5 49.9 |
| | 1934 | | | | | | | |
| | Total ies al | 38,702,000 (1/) (1/) | 602,101 406,086 196,015 | 434,205 286,581 147,624 | 15.7 (1/) (1/) | 11.3 (1/) (1/) | 31,787 21,263 10,524 | 52.8 52.4 53.7 |
| | 1933 | | | | | | | |
| | Total ies al | 38,480,000 25,398,300 13,081,700 | 594,117 400,804 193,313 | 426,747 280,832 145,915 | 15.4 15.8 14.8 | 11.1 11.1 11.2 | 31,422 21,280 10,142 | 52.9 53.1 52.5 |
| 1 | 1932 ' | | | | | | | |
| | Total ies al | 38,214,000 25,201,000 13,013,000 | 631,467 429,520 201,947 | 428,350 281,578 146,772 | 16.5 17.0 15.5 | 11.2 11.2 , 11.3 | 34,794 23,311 11,483 | 55.1 54.3 56.9 |
| | 1931 | | : | | | | ŀ | |
| | Totalissal | 37,986,000 25,219,800 12,766,200 | 657,074 448,901 208,173 | 430,069 287,576 142,493 | 17.3 17.8 16.3 | 11.3 11.4 11.2 | 39,067 26,449 12,618 | 59.5 58.9 60.6 |
| | 1930 | | , | , | | | | |
| | Total | 37,719,000 24,810,600 12,908,400 | 694,433 475,864 215,569 | 432,479 287,440 145,039 | 18.4 19.3 16.7 | 11.5 11.6 11.2 | 43,129 29,329 13,800 | 62.1 61.2 64.0 |
| | 1929 | | : | | | | | |
| | Totaliesal | 37,211,173 23,641,790 13,569,363 | 693,545 464,987 228,558 | 453,976 295,225 158,751 | 18.6 19.7 16.8 | 12.2 12.5 11.7 | 44,746 29,534 15,212 | 64.5 63.5 66.6 |
| | 1928 | | | ľ | | | ĺ | |
| | Total desal | 36,704,193 23,277,184 13,427,009 | 719,569 476,545 243,024 | 450,564 294,205 156,359 | 19.6 20.5 18.1 | 12.3 12.6 11.6 | 48,003 32,251 15,752 | 66.7 67.7 64.8 |
| | 1927 | | | | | | | |
| | Total iesal | | 741,102 488,114 252,988 | 422,679 273,084 149,595 | 20.5 21.3 19.0 | 11.7 11.9 11.3 | 47,449 30,861 16,588 | 64.0 63.2 65.6 |
| | 1926 | | | | | | | |
| | Totaliesal | 35,690,232 22,513,414 13,176,818 | 735,708 483,863 251,845 | 453,386 294,286 159,098 | 20.6 21.5 19.1 | 12.7 13.1 12.1 | 54,961 36,092 18,869 | 74.7 74.6 74.9 |

^{1/} Not available.

| TABLE F-Contd. | THE | RIGINAL E | OF RHODE | STRATION E ISLAND) | | XCLUSIVE | | |
|-------------------------|-----------------------|---|------------------------------|-----------------------|------------------|---|------------------------|--|
| YEAR | Popula- tion esti- | Births (exclu- sive of still- births) | Deaths (exclu- | | r 1,000 ation | Deaths under l year of age | | |
| | mated as of July 1 | | sive of still- births) | Births | Deaths | Total | Per 1,000 births | |
| 1925 | | | | | | ,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,, | | |
| TotalCities | 35,183,251 | 757,082 | 432,008 | 21.5 | 12.3 | 55,731 | 73.6 | |
| | 22,163,368 | 492,961 | 279,298 | 22.2 | 12.6 | 36,129 | 73.3 | |
| | 13,019,883 | 264,121 | 152,710 | 20.3 | 11.7 | 19,603 | 74.2 | |
| Total | 34,676,271 | 778,525 | 420,300 | 22.5 | 12.1 | 55,781 | 71.6 | |
| | 21,821,222 | 505,605 | 272,001 | 23.2 | 12.5 | 36,432 | 72.1 | |
| | 12,855,049 | 272,920 | 148,299 | 21.2 | 11.5 | 19,349 | 70.9 | |
| 1923 Total Cities Rural | 34,169,292 | 760,130 | 437,157 | 22.2 | 12.8 | 60,290 | 79.3 | |
| | 21,497,511 | 493,120 | 278,728 | 22.9 | 13.0 | 38,523 | 78.1 | |
| | 12,671,781 | 267,010 | 158,429 | 21.1 | 12.5 | 21,767 | 81.5 | |
| TotalCitiesRural | 33,662,313 | 755,808 | 414,938 | 22.5 | 12.3 | 59,896 | 79.2 | |
| | 21,155,337 | 483,657 | 265,376 | 22.9 | 12.5 | 39,283 | 81.2 | |
| | 12,506,976 | 272,151 | 149,562 | 21.8 | 12.0 | 20,613 | 75.7 | |
| Total | 33,155,334 | 794,229 | 399,176 | 24.0 | 12.0 | 62,480 | 78.7 | |
| | 20,830,195 | 509,349 | 251,818 | 24.5 | 12.1 | 39,851 | 78.2 | |
| | 12,325,139 | 284,880 | 147,358 | 23.1 | 12.0 | 22,629 | 79.4 | |
| 1920 Total Cities Rural | 32,648,354 | 773,648 | 445,780 | 23.7 | 13.7 | 69,566 | 89.9 | |
| | 20,507,897 | 503,524 | 286,531 | 24.6 | 14.0 | 46,512 | 92.4 | |
| | 12,140,457 | 270,124 | 159,249 | 22.2 | 13.1 | 23,054 | 85.3 | |
| 1919 Total Cities Rural | 32,168,814 | 730,752 | 428,782 | 22.7 | 13.3 | 64,846 | 88.7 | |
| | 19,495,730 | 463,595 | 267,337 | 23.8 | 13.7 | 41,546 | 89.6 | |
| | 12,673,084 | 267,157 | 161,445 | 21.1 | 12.7 | 23,300 | 87.2 | |

| TABLE F-Contd. | THE O | RIGINAL B | OF RHODE | | | xclusive | |
|------------------|--|-------------------------------|-------------------------------|----------------------|----------------------|----------------------------|-------------------------|
| YEAR | Popula- tion esti- | Births (exclu- | Deaths (exclu- | | r 1,000 ation | Deaths 1 year c | |
| | mated as of July 1 | sive of still- births) | sive of still- births) | Births | Deaths | Total | Per 1,000 births |
| 1918 | | | | | | | |
| TotalCitiesRural | 31,716,715 19,125,220 12,591,495 | 783,997 493,949 290,048 | 607,605 382,084 225,521 | 24.7 25.8 23.0 | 19.2 20.0 17.9 | 82,971 53,248 29,723 | 105.8 107.8 102.5 |
| 1917 | | | | | | | |
| TotalCities | 31,264,615 18,771,641 12,492,974 | 786,890 496,138 290,752 | 461,847 289,156 172,691 | 25.2 26.4 23.3 | 14.8 15.4 13.8 | 75,604 48,867 26,787 | 96.1 98.5 92.0 |
| 1916 | | | | | | | |
| Total | 30,812,521 18,393,761 12,418,760 | 770,718 479,048 291,670 | 454,669 281,478 173,191 | 25.0 26.0 23.5 | 14.8 15.3 13.9 | 77,037 49,330 27,707 | 100.0 103.0 95.0 |
| 1916 | | i | | | | | |
| Total | 30,360,423 18,032,062 12,328,361 | 762,399 469,485 292,914 | 427,671 262,778 164,893 | 25.1 26.0 23.8 | 14.1 14.6 13.4 | 75,899 48,391 27,508 | 99.6 103.1 93.9 |

NOTE. - "Cities" includes cities with a population of 10,000 or more; "rural" includes the remainder of the State.

For the United States and certain foreign countries table G presents birth rates per 1,000 population from 1915 to 1935. Rates for 1935 are shown for 28 countries. A comparison of these rates with those for 1934 shows that only 10 countries had higher rates in the later year.

| TABLE G | | | | | | | | E | BIRTH F | RATE PE | ER 1,00 | O POPU | LATION | 1 | | | | | | | |
|---|------|------|------|------|------|------|------|------|---------|---------|---------|--------|--------|-------|------|------|-------|------------|--------|---|------|
| AREA | 1935 | 1934 | 1933 | 1932 | 1931 | 1930 | 1929 | 1928 | 1927 | 1926 | 1925 | 1924 | 1923 | 1922` | 1921 | 1920 | 1919 | 1918 | 1917 | 1916 | 1915 |
| United States (birth registration area) | 16.9 | 17.1 | 16.5 | 17.4 | 18.0 | 18.9 | 18.9 | 19.8 | 20.6 | 20.7 | 21.5 | 22.4 | 22.2 | 22.3 | 24.2 | 23.7 | 22.3 | 24.6 | 24.7 | 25.0 | 25.1 |
| Australia | 16.6 | 16.4 | 16.8 | 16.9 | 18.2 | 19.9 | 20.3 | 21.3 | 21.7 | 22.0 | 22.9 | 23.2 | 23.8 | 24.7 | 25.0 | 25.5 | 23.5 | 25.0 | 26.3 | 26.6 | 27.1 |
| Austria | 13.2 | 13.5 | 14.3 | 15.2 | 15.9 | 16.8 | 16.7 | 17.5 | 17.8 | 19.1 | 20.5 | 21.6 | 22.4 | | 23.2 | 22.3 | 18.0 | 14.1 | 13.9 | 14.7 | 18.4 |
| Belgium | (1/) | 16.0 | 16.5 | 17.6 | 18.2 | 18.7 | 18.1 | 18.4 | 18.3 | | 19.8 | 19.9 | 20.4 | | 21.8 | 22.1 | 16.3 | 11.3 | 11.3 | 12.9 | |
| British Guiana | 34.3 | 28.8 | 32.6 | 34.1 | 31.4 | 33.4 | 31.7 | 28.3 | 32.6 | 34.7 | 33.5 | 32.4 | 30.4 | | 34.5 | 31.9 | 25.9 | 25.1 | 28.4 | 26.5 | |
| British India | | (1/) | 36.2 | 34.1 | 34.4 | 36.0 | 35.5 | 36.8 | 35.3 | 34.8 | 33.7 | 34.4 | 35.1 | 31.9 | 32.2 | 33.0 | 30.2 | 35.4 | 39.3 | 37.1 | |
| Canada 2/ | | 20.5 | 20.9 | 22.5 | 23.2 | 23.9 | 23.5 | 24.1 | | 24.8 | 23.0 | 23.7 | 23.9 | | 26.4 | | (1/) | (1/) | (1/) | (1/) | (1/) |
| - ···· - | | | | | | | | | | | | | | | | | '=' ' | , <u> </u> | l .= . | , <u>, , , , , , , , , , , , , , , , , , </u> | 1,3, |
| Cevlon | 34.4 | 37.2 | 38.6 | 37.0 | 37.4 | 39.0 | 38.3 | 41.9 | 41.0 | 42.0 | 39.9 | 37.5 | 38.7 | 39.1 | 40.7 | 36.5 | 36.0 | 39.2 | 40.1 | 39.0 | 37.0 |
| Chile | 34.1 | 33.8 | 53.4 | 34.2 | 34.6 | 39.8 | 41.9 | 43.6 | 42.8 | 40.1 | 39.8 | 40.0 | 39.5 | 38.7 | 39.2 | 39.4 | 39.2 | 39.9 | 41.2 | 40.3 | |
| Colombia | | (1/) | 30.3 | 22.2 | 27.1 | 28.1 | 30.4 | 29.5 | 27.5 | 27.7 | 26.4 | 25.5 | 26.6 | 27.5 | 27,1 | 26.4 | 26.9 | 26.9 | 27.8 | 28.9 | 28.3 |
| Denmark | 17.7 | 17.8 | 17.3 | 18.0 | 18.0 | 18.7 | 18.6 | 19,6 | | 20.5 | 21.0 | 21.8 | 22.3 | 22.2 | 24.0 | 25.4 | 22.6 | 24.1 | 23.7 | 24.4 | 24.2 |
| | | (1/) | 44.1 | 41.1 | 43.2 | 44.6 | 43.7 | 43.3 | 44.0 | 43.2 | 42.8 | 43.3 | 43.0 | 43.2 | 42.3 | 42.8 | 38.3 | 39.0 | 40.3 | 41.6 | 43.4 |
| | | 14.8 | 14.4 | 15.3 | 15.8 | 16.3 | 16.3 | 16.7 | 16.6 | 17.8 | 18.3 | 18.8 | 19.7 | 20.4 | 22.4 | 25.5 | 18.5 | 17.7 | 17.8 | 21.0 | |
| | | | | 2010 | 2010 | 2010 | | | 1 | | 2010 | } ==== | | | | =0.0 | | | | , | |
| Estonia | 15.9 | 15.4 | 16.2 | 17.6 | 17.4 | 17.4 | 17.1 | 18.0 | 17.7 | 17.9 | 18.3 | 19.2 | 20.1 | 20.2 | 20.3 | 18.4 | 17.3 | 20.2 | 16.9 | 19.5 | 22.6 |
| | 18.5 | | 17.4 | 18.7 | 19.5 | 20.6 | 20.9 | 21.5 | 21.1 | 21.7 | 22.3 | 22.4 | 23.7 | 23.4 | 24.3 | 25.3 | 19.2 | 23.8 | 24.3 | 24.1 | 25.4 |
| France | | | 16.2 | 17.3 | 17.5 | 18.0 | 17.7 | 18.3 | 18.2 | 18.8 | 19.0 | 18.7 | 19.1 | 19.3 | 20.7 | 21.4 | 12.4 | 12.1 | 10.4 | 9.4 | 11.3 |
| Germany | | 18.0 | 14.7 | 15.1 | 16.0 | | 17.9 | 18.6 | 18.4 | 19.5 | 20.7 | 20.5 | 21.1 | 23.0 | 25.3 | 25.9 | 20.0 | 14.3 | 13.9 | 15.2 | 20.4 |
| Hungary | | 21.9 | 22.0 | 23.4 | 23.7 | 25.4 | 25.1 | 26.4 | 25.8 | 27.4 | 28.4 | 26.8 | 29.2 | 30.8 | 31.8 | 31.4 | 27.6 | 16.3 | 16.5 | 17.0 | 23.6 |
| | | | 19.4 | 19.1 | 19.5 | 19.9 | 19.8 | 20.1 | | 20.6 | 20.8 | 21.1 | 20.5 | 19.5 | 19.7 | 21.6 | 19.9 | 19.9 | 20.0 | 21.1 | 22.0 |
| 11201 1100 01000 | 10.0 | 23.0 | | | 13.0 | 13.5 | 10.0 | ~~~ | 20.0 | 20.0 | ~~~ | | 20.0 | ~~~ | | | **** | **** | 2010 | 2212 | |
| Italv | 23.3 | 23.4 | 23.7 | 23.8 | 24.9 | 26.7 | 25.6 | 26.7 | 27.4 | 27.2 | 27.8 | 28.4 | 29.4 | 30.2 | 30.3 | 31.8 | 21.4 | 18.1 | 19.5 | 24.0 | 30.5 |
| | 33.4 | 31.2 | 32.9 | 32.2 | 34.8 | 37.0 | 34.2 | 35.8 | 34.8 | 38.5 | 34.6 | 36.8 | 38.2 | 37.3 | 34.9 | 40.8 | 33.5 | 34.1 | 34.1 | 33.4 | 35.8 |
| Japan | | | 31.6 | 32.9 | 32.2 | 32.4 | 33.0 | 34.4 | 33.6 | 34.8 | 34.9 | 33.8 | 34.9 | 34.2 | 35.2 | 36.2 | 31.6 | 32.2 | 32.3 | 32.7 | 33.1 |
| Netherlands | | 20.7 | 20.8 | 22.0 | 22.2 | 23.1 | 22.8 | 23.3 | 23.1 | 23.8 | 24.2 | 25.1 | 26.0 | 25.9 | 27.4 | 28.3 | 24.4 | 25.0 | 26.2 | 26.6 | 26.3 |
| New Zealend | 16.1 | | 16.6 | 17.1 | 18.4 | 18.8 | 19.0 | 19.6 | 20.3 | 21.1 | 21.2 | 21.6 | 21.9 | 23.2 | 23.3 | 25.1 | 21.4 | 23.4 | 25.7 | 25.9 | 25.3 |
| Northern Ireland | | | 19.4 | 19.9 | 20.5 | 20.8 | 20.4 | 20.8 | 21.3 | 22.4 | 22.0 | 22.7 | 23.9 | 23.3 | 23.6 | 25.9 | 22.0 | 21.6 | 20.7 | 22.1 | 23.2 |
| 102 410 211 | | | 2012 | | | | | "" | | | | | | | | | | | | | |
| Norway | 14.6 | 14.6 | 14.8 | 16.0 | 15.3 | 17.0 | 17.3 | 17.9 | 16.1 | 19.5 | 19.6 | 21.2 | 22.6 | 23.2 | 24.0 | 26.2 | 22.7 | 24.6 | 25.1 | 24.2 | 23.6 |
| | 17.8 | | 17.6 | 18.6 | 19.0 | 19.6 | 19.2 | 20.0 | 19.9 | 21.1 | 21.4 | 21.9 | 23.0 | 23.6 | 25.2 | 28.1 | 22.0 | 20.5 | 20.3 | 22.9 | 23.9 |
| Spain | | | 27.8 | 28.3 | | 29.0 | 28.9 | 29.7 | 28.6 | 30.0 | 29.4 | 30.0 | 30.6 | 30.5 | 30.4 | 30.0 | 28.3 | 29.1 | 28.8 | 28.9 | 30.8 |
| Sweden | | 13.7 | 13.7 | 14.5 | 14.8 | | 15.2 | 16.1 | 16.1 | 15.8 | 17.6 | 18.1 | 18.9 | 19.6 | 21.5 | 23.6 | 19.8 | 20.3 | 20.9 | 21.2 | 21.6 |
| Switzerland | | | 15.4 | 16.7 | 16.7 | | 17.1 | 17.4 | 17.5 | 18.3 | 18.5 | 18.9 | 19.4 | 19.6 | 20.8 | 20.9 | 18.6 | 18.7 | 18.5 | 18.9 | 19.5 |
| Union of South Africa | | | 23.6 | 24.2 | 25.4 | 26.4 | 26.2 | 25.8 | 26.0 | 26.2 | 26.5 | 26.3 | 26.7 | 27.5 | 28.4 | 29.0 | 26.9 | 28.6 | | 29.3 | 29.3 |
| Uruguay | | | 21.0 | | 23.1 | | 24.2 | 25.0 | 24.6 | 25.4 | 25.4 | | 25.4 | 26.0 | 26.2 | | 27.2 | 27.4 | | 27.1 | 28.6 |
| n* mP.de*) | 20.4 | 20.0 | ~ | ~~ | ~0.1 | ~0 | ~~.~ | 22.0 | ~=.0 | ~~~ | 20.4 | 20.0 | 20.7 | ~~~~ | 20.2 | 20.0 | ~ | ~ | ~~~ | ~ | 1 |

^{1/} Figures not available.
2/ Exclusive of Yukon and the Northwest Territories; Quebec also excluded in the years previous to 1926.

NOTE. - These rates were procured from the annual reports on vital statistics of the various countries.

Some idea of the part played by the various nationalities in producing the coming generation in the registration area may be gained from table H, which shows the percent of births of white children with Tather, mother, or both parents born in specified country.

Of the white children born in the year 1935, 87.3 percent had native fathers, i.e., Tathers born in the United States, and 91.6 percent had native mothers. The increase shown by the table in the percentage of white children born of native parents is a natural result of the check to immigration in recent years. Of all children of specified foreign parentage born in the, United States in 1935, by far the largest number had parents born in Italy.

| TABLE H | PERCENT OF BIRTHS OF WHITE CHILDREN BORN IN TH UNITED STATES, WITH FATHER, MOTHER, OR BOT PARENTS BORN IN SPECIFIED COUNTRY | | | | | | | | | | |
|------------------------|---|---|--|---|--|--|--|---|--|--|--|
| COUNTRY OF BIRTH OF | | 1935 | 5 | | 1934 | ŧ | 1933 | | | | |
| PARENTS | Fathèr | Mother | Both parents | Father | Mother | Both. parents | Father | Lother | Both perents | | |
| All countries | 100.0 | 100.0 | 1/89.4 | 100.0 | 100.0 | 1/8916 | 100.0 | 100.0 | 1/89.4 | | |
| United States | 1.0 0.5 0.6 0.6 0.8 2.2 | 1.1 (0.3 0.5 0.7 0.5 1.3 | 84.6 0.2 0.3 0.1 0.2 0.4 0.3 | 87.3 0.7 1.0 0.5 0.7 0.7 0.8 2.5 | 91.5 0.6 1.1 0.3 0.6 0.7 0.6 | 84.6 0.3 0.3 0.2 0.2 0.5 0.3 | 86.2 0.8 1.1 0.6 0.7 0.7 0.8 | 90.5 0.6 1.1 0.3 0.7 0.8 0.6 1.9 | 83.5 0.4 0.4 0.2 0.2 0.5 0.4 | | |
| Poland | 0.7 0.9 3.1 1.7 | 0.6 0.6 2.2 0.1 | 0.3 0.3 1.5 0.1 | 0.8 1.0 2.3 1.7 | 0.77 0.7 1.6 0.1 | 0.4 0.4 1.0 0.1 | 0.9 1.1 2.4 1.6 | 0.8 0.8 1.7 0.1 | 0.5 0.5 1.2 0.1 | | |

^{1/} This number excludes the percent of "mixed parentage."

NUMBER OF CHILDREN'IN THE FAMILY

Data relating to the size of families are presented in table J. This table shows the average number of children born per mother, classified by age, race, and country of birth of mother. Only those women in the United States who bore children in 1935 are considered. The average number of children born to Italian mothers was 4.4; to mothers born in Poland and to those born in Austria and Hungary, 4.2. The lowest average (2.5) was for mothers born in Germany. The average number of children borne by Negro women who bore children in 1935 was 3.6; for "minor races" it was 3.8.

| TABLE :J | Average number of children ever born to women who bore children in 1935, by age of mather, in the united states 1/ | | | | | | | | | | | | |
|--|--|-------|-------|-------|------------|------------|------------|------------|-------------|------------|--|--|--|
| RACE AND COUNTRY OF BIRTH OF MOTHER | ages | er 20 | to 24 | to 29 | to 34 | to 59 | to 44 | to 49 | & over | stated | | | |
| | TTV | Under | 8 | 5g | ន្ត | 32 | 3 | £ | 8 | ğ | | | |
| | - | 1 | | ٠ | | | | | | | | | |
| Total | 3.0 | 1.2 | 1.9 | 2.8 | 4.0 | 5.7 | 7.4 | 8.9 | 7.7 | 3.3 | | | |
| White | 2.9 | 1.2 | 1,8 | 2.7 | 3.8 | 5.4 | 7.2 | 8.7 | 6.9 | 3.2 | | | |
| United States | 2.8 | 1.2 | 1.8 | 2.7 | 3.9 | 5.4 | 7.2 | 8.6 | 6.6 | 3.1 | | | |
| Foreign countries | | 1.3 | 1.8 | 2.6 | 3.7 | 5.5 | 7.5 | 9.2 | 7.8 | 4.5 | | | |
| Austria, Hungary Canada | 4.2 2.9 | 1.2 | 1.6 | 2.3 | 3.5 3.6 | 5.6 5.0 | 8.1 7.1 | 9.1 8.7 | 5.0 12.5 | 6.0 4.7 | | | |
| Denmark, Norway, | | | | | | 3.0 | 7.1 | **′ | | - *** | | | |
| Sweden | 3.1 | 1_1 | 1.5 | 2.0 | 2.8 | 4.1 | 5.7 | 7.4 | 3.0 | 3.5 | | | |
| Wales | 2.7 | 1.1 | 1.5 | 2.1 | 2.8 | 3.9 | 5.0 | 6.9 | | 3.0 | | | |
| Ireland | | 1.3 | 1.6 | 2.1 | 2.9 | 4.0 | 5.7 | 6.5 | | 3. | | | |
| Germany | 2.5 | 1.1 | 1.5 | 2.9 | 2.5 | 3.6 | 5.5 | 9.3 | 6.0 | 3. | | | |
| Poland | 4.2 | 1.1 | 1.5 | 2.9 | 3.4 | 5.8 | 7.8 | 9.6 | | 3. | | | |
| Russia | 2.9 | 1.3 | 1.5 | 1.9 | | 5.9 | 8.2 | 10.0 | 8.3 | 6. | | | |
| Other foreign | 4.4 | 1.4 | 2.2 | 3.4 | 2.B | 4.6 6.6 | 7.3 8.2 | 9.5 | 3.0 7.3 | 4. | | | |
| | | | | · ••• | 2.0 | ,0.0 | 0.0 | 5.0 | 7.5 | 2. | | | |
| Country not stated | 2.7 | 1,2 | 1.8 | 2.8 | 4.6 | 4.9 | 7.0 | 10.9 | 11.0 | 3. | | | |
| Other races | 3.6 | 1.3 | 2.5 | 4.1 | 5.8 | 7.5 | 9.2 | 10.0 | 9.2 | 3.6 | | | |
| Negro | 3.6 | 1.3 | 2.5 | 4.1 | .5.B | 7.6 | 9.3 | 10.0 | 9.7 | 3. | | | |
| Minor races | 3.8 | 1.3 | 2.1 | 3.7 | 5.4 | 6.8 | 8.1 | 9.3 | 6.1 | 4. | | | |

^{1/} Exclusive of Massachusetts and New Hampshire.

COUNTRY OF BIRTH OF PARENTS

Table K, in which the distribution per thousand by country of birth of father is shown for children classified by country of birth of mother, gives some idea of the extent to which the natives of the United States and various foreign countries have intermarried. Thus, of the children born in 1935 of mothers who were born in Ireland, 261 per thousand, or 26.1 percent, have fathers who were born in the United States, while 65.5 percent have fathers born in Ireland, and the remainder (8.4 percent) have fathers born in other foreign countries or in "country not stated." Of the children whose mothers were born in Canada, 65.1 percent have fathers who were born in the United States, while for the children whose mothers were born in Italy the corresponding percentage is only 15.7.

| TABLE K | | | COUNTR | Y OF BIRTH | OF MOTHER | S OF WHITE | CHILDREN | BORN IN | THE UNITE | D STATES: | 1935 | | |
|-----------------------------|------------------|------------------|---------------------|------------|-------------------------------|-------------------------------------|-----------|---------|-----------|-----------|---------|------------------------------------|----------------------------|
| COUNTRY OF BIRTH OF FATHERS | | | | | | Fore | ign count | ry | | | | | |
| of white children | United States | Total foreign | Austria, Hungary | Canada : | Denmark, Norway, Sweden | England, Scot- land, Wales | Ireland | Germany | Italy | Poland | Russia | Other foreign coun- tries | Coun- try not stated |
| . Total | 1,000.0 | 1,000.0 | 1,000.0 | 1,000.0 | 1,000.0 | 1,000.0 | 1,000.0 | 1,000.0 | 1,000.0 | 1,000.0 | 1,000.0 | 1,000.0 | 1,000.0 |
| United States | 923.1 | 319.5 | 289.2 | 651.0 | 416.5 | 543.8 | 260.7 | 297.9 | 156.7 | 243.0 | 310.0 | 245.8 | 401.0 |
| Foreign countries | 59.6 | 672.9 | 706.6 | 334.6 | 576.3 | 447.6 | 730.7 | 696.9 | 840.5 | 752.3 | 687.3 | 743.9 | 52.5 |
| Austria, Hungary | 3.3 | 36.8 | 517.3 | 2.7 | 2.1 | 5.7 | 1.4 | 20.2 | 1.3 | 18.5 | 30.9 | 5.6 | 4.3 |
| Canada | 7.1 | 38.6 | 3.0 | 261.0 | 5.5 | 32.8 | 11.2 | 4-8 | 1.2 | 3.8 | 5.2 | 2.9 | 5.4 |
| Denmark, Norway, Sweden | 3.7 | 19.61 | 3.3 | 5.8 | 529.5 | 8.8 | 4.4 | 10.6 | 0.3 | 1.0 | 1.4 | 3.3 | 2. |
| England, Scotland, Wales | | 28.1 | 5.4 | 21.8 | 9.1 | 292.1 | 34.9 | 5.6 | 1.1 | 3.4 | 11.2 | 3.7 | 2. |
| Ireland | 1.7 | 56.9 | 1.0 | 5.2 | 2.3 | 41.9 | 655.3 | 2.1 | 0.6 | 0.6 | 0.3 | 1.3 | 1.6 |
| Germany | 4.2 | 45.8 | -40.9 | 4.2 | 11.9 | 9.0 | 6.1 | 597.2 | 1.7 | 6.6 | 7.7 | 5.7 | 4.8 |
| Italy | 11,8 | 139.1 | 12.5 | .5.6 | 2.1 | 6.0 | 4.9 | 8.9 | 818.8 | 4.7 | 2.9 | 11.7 | 7.5 |
| Poland | 3.5 | 49.4 | 24.2 | 3.4 | 1.5 | 5.2 | 1.2 | 6.1 | 3.2 | 601.4 | 53.4 | 4.9 | 4.8 |
| Russia | 4.7 | 55.1 | 50.9 | 8.5 | 2.5 | 21.2 | 0.6 | 7.1 | 0.3 | 80.2 | 539.2 | 9.7 | 2.1 |
| Other foreign | 15.2 | 203.4 | 38.1 | 16.4 | 9.7 | 22.8 | 10.7 | 34.3 | 14.9 | 32.0 | 35.9 | 695.3 | 16.6 |
| Country not stated, | 17.3 | 7.6 | 4.2 | 14.4 | 7.2 | 8.5 | 8.6 | 5.2 | 2.8 | 4.6 | 2.7 | 10.3 | 546.5 |

PLURAL BIRTHS

In the United States, in 1935, there were 47,202 living plural births in 24,399 cases where at least one was a live birth. There were 22,391 cases of twins where both were living at birth and 1,776 cases where only one was born alive. In 193 cases of triplets all were born alive; in 26 cases

only 2 were living; and in 13 cases only 1 was a live birth.
There were no cases of quadruplets in 1935.
Tables 8 and 9 of this report relate to plural births.
Table L shows cases of single and plural births and also cases of plural births per 1,000 total cases, at specified age

of parents.

The relative frequency of plural births increases with aging of the mother up to the age period, 35 to 39.

| | | | | *************************************** | | | | | | | |
|----------------|---|---|---|---|--|---|--|--|---|---|---|
| L SJEAT | | r | , | | AGE | of father | - | | | | , |
| AGL OF MOTHER | All ages | Under 20 years | 20 to 24 years | 25 to 29 years | 30 to 34 years | 35 to 39 years | 40 to 44 years | 45 to 49 years | 50 to 54 years | 55 years and over | Not steted |
| | | | | TOTAL CASE | S OF BIRTH | S IN THE U | NITED STAT | ES: 1935 | | | |
| All ages | 2,132,302 | 31,763 | 403,665 | 578,918 | 443,075 | 311,008 | 174,922 | 80,980 | 29,480 | 17,021 | 61,470 |
| Under 20 years | 271,924 655,092 558,323 352,422 210,554 71,791 7,138 5,058 | 26,203 5,116 345 49 13 4 | 148,248 228,338 24,120 2,123 352 53 17 414 | 52,795 277,288 221,377 24,065 2,519 253 25 596 | 11,304 85,412 196,772 132,581 15,453 1,035 60 458 | 3,902 26,643 74,389 120,478 78,831 6,220 206 339 | 1,318 8,375 21,361 46,288 68,771 27,845 743 221 | 594 3,158 7,923 15,016 28,447 22,712 3,032 98 | 284 1,321 2,953 5,326 8,876 8,802 1,887 | 270 998 2,114 3,194 5,197 4,142 1,072 34 | 27,006 18,443 5,969 3,302 2,095 725 96 2,834 |
| | L | | | | CASES O | F SINGLE B | irths | | | | |
| All ages | 2,107,903 | 31,576 | 400,654 | 573,289 | 437,720 | 306,409 | 172,120 | 79,640 | 28,956 | 16,703 | 60,836 |
| Under 20 years | 270,249 649,373 551,827 347,076 206,604 70,688 7,075 5,011 | 26,060 5,077 342 49 13 4 | 147,342 226,529 23,851 2,103 349 53 17 410 | 52,436 274,827 218,954 23,729 2,477 248 24 594 | 11,248 84,605 194,471 130,701 15,166 1,014 59 456 | 3,879 26,391 73,446 118,603 77,404 6,145 204 337 | 1,306 8,280 21,082 45,563 67,517 27,417 734 221 | 586 3,129 7,828 14,733 27,910 22,347 3,010 97 | 282 1,304 2,916 5,230 8,646 8,677 1,870 | 270 987 2,076 3,116 5,090 4,067 1,063 | 26,840 18,244 6,861 3,249 2,032 716 94 2,800 |
| | CASES 1/ OF TWIN BIRTHS | | | | | | | | | | |
| All ages | _ 24,167 | 187 | 2,990 | 5,574 | 5,319 | 4,538 | 2,773 | 1,326 | 518 | 314 | 628 |
| Under 20 years | 1,668 5,669 6,434 5,291 3,901 1,094 63 | 143 39 3 | 903 1,793 267 20 3 | 357 2,432 2,403 332 42 5 1 2 | 56 804 2,285 1,867 283 21 1 | 23 251 930 1,849 1,406 75 2 | 11 95 272 721 1,241 424 9 | 8 29 93 281 530 362 22 | 2 17 37 93 226 124 17 | 11 38 76 106 74 9 | 165 198 106 52 62 9 2 4 34 |
| | | | | | CASES 1/ | OF TRIPLE | BIRTES | | | | |
| All ages | 232 | | 21 | 55 | 36 | 61 | 29 | 14 | 6 | 4 | 6 |
| Under 20 years | 7 50 62 55 49 9 | | 3 16 2 | 2 29 20 4 | 3 16 13 4 | 1 13 26 21 | 1 7 4 13 4 | 2 2 2 7 3 | 3 2 1 | 2 1 1 | 1 2 1 |
| | | CASE | S 1/ OF PI | URAL BIRTH | S PER 1,00 | O TOTAL CA | SES AT SPE | CIFIED AGE | OF PARENT | s | |
| All ages | 11.4 | 5.9 | 7.5 | 9.7 | 12.1 | 14.8 | 16.0 | 16.5 | 17.8 | 18.7 | 10.3 |
| Under 20 years | 6.2 8.7 11.6 15.2 18.8 15.4 8.8 9.3 | 5.5 7.6 8.7 | 6.1 7.9 11.2 9.4 8.5 | 6.8 8.9 10.9 14.0 16.7 19.8 40.0 | 5.0 9.4 11.7 14.2 18.6 20.3 16.7 4.4 | 5.9 9.5 12.7 15.6 18.1 12.1 9.7 5.9 | 9.1 11.3 13.1 15.7 18.2 15.4 12.1 | 13.5 9.2 12.0 18.8 18.9 16.1 7.3 10.2 | 7.0 12.9 12.5 18.0 25.9 14.2 9.0 | 11.0 18.0 24.4 20.6 18.1 8.4 | 6.1 10.8 15.5 16.1 30.1 12.4 20.8 |

^{1/} Only those cases where at least 1 was a live birth.

Table M shows for the United States and each State the number of cases of plural births per 1,000 women who bore children in 1935. In Arkansas, the rate was highest, there having been 15.3 cases of plural births in that State per 1,000 mothers or confinements. The next highest rates were 15.0 for Nevada, 14.9 for Mississippi, 14.3 for North Dakota, and 14.0 for Louisiana. The lowest rate (9.3) was for Rhode Island.

AGE OF MOTHER AND FATHER

The ages of both parents were reported on the transcripts of birth certificates of 2,090,838 of the children born in the United States in 1935. The fathers of 61 percent of these

children were in a higher-age group than were the mothers, whereas only 4 percent were in a lower-age group and 35 percent were of the same group.

In 1935, as in previous years, the number of children whose

fathers were 25 to 29 years of age, and mothers 20 to 24 was larger than that in any other group, as shown in table 5.

Verification of the age of the mother was sought when the age was given as 55 or more. As a result no mother was credited to this age period although 6 had been originally so reported.

Table N shows the distribution of births per 1,000, by age of parents.

In table 0 the distribution per 1,000, by age of father, is shown for children born in 1935 classified by age of mother.

| TABLE M | | 1935 | |
|----------------------|--------------------------------|--------------------------------------|-----------|
| AREA | Number of women who bore | Cases of plu having a mate box | t least |
| | children in 1935 | Number | Per 1,000 |
| The United States | 2,132,302 | 24,399 | 11.4 |
| | | | |
| Alabama | 61,609 | 706 | 11. |
| Arizona | 9,039 | 109 | 12. |
| Arkansas | 35,190 | 538 | 15. |
| California | 79,355 | 821 | 10. |
| Colorado | 18,656 | 190 | 10. |
| Connecticut | 22,052 | 212 | 9. |
| Delaware | 3,988 | 51 | 12. |
| District of Columbia | 10,702 | 109 | 10. |
| Flor1da | 27,760 | 312 |] 11. |
| Georgia | 62,614 | 708 | 11. |
| Idaho | 9,366 | 109 | 11. |
| Illinois | 110,809 | 1,156 | 10. |
| Indiana | 52,352 | 592 | 11. |
| Iowa | 40,657 | 505 | 12. |
| Kansas | 30,301 | 302 | 10. |
| Kentucky | 57,106 | 662 | 11. |
| Louisiana | 41,718 | 584 | 14. |
| Maine | 15,567 | 164 | 10. |
| Mary and | 26,973 | 283 | 10. |
| Massachusetts | 62,413 | 624 | 10. |
| Michigan | 86,555 | 913 | 10. |
| Minnesota | 45,396 | 606 | 13. |
| Mississippi | 47,693 | 711 | 14. |
| Missouri | 56,704 | 647 | 11. |
| Montana | 9,936 | 98 | 9. |
| Nebraska | 23,088 | 253 | 11. |
| Nevada | 1,403 | 21 | 15. |
| New Hampshire | 7,694 | 78 | 10. |
| New Jersey | 53,979 | 567 | 10. |
| New Mexico | 13,066 | 125 | 9. |
| New York | 182,582 | 1,820 | 10. |
| North Carolina | 77,801 | 1,032 | 13. |
| North Dakota | 13,475 | 193 | 14. |
| Ohio | 100,021 | 1,152 | . 11. |
| Oklahoma | 43,190 | 547 | 12. |
| Oragon | 13,058 | 128 | 9. |
| Pennsylvania | 159,639 | 1,634 | 10. |

| TABLE M—Continued | | 1935 | | | | |
|-------------------|--------------------------------|--|----------------------|--|--|--|
| area | Number of women who bore | Cases of plural birt having at least mate born alive | | | | |
| | children in 1935 | Number | Per 1,000 mothers | | | |
| Rhode Island | 10 106 | 94 | 9.3 | | | |
| Rhode Island | 10,125 | 510 | 12.7 | | | |
| South Dakota | 40,131 12,709 | 153 | 12.0 | | | |
| Tennessee | 52,663 | 722 | 13.7 | | | |
| Texas | 113,408 | 1,414 | 12.5 | | | |
| Utah | 12,564 | 138 | 11.0 | | | |
| Vermon t | 6,533 | 62 | 9.5 | | | |
| Virginia | 50,871 | 680 | 13.4 | | | |
| Washington | 22,178 | 225 | 10.1 | | | |
| West Virginia | | 510 | 12.3 | | | |
| Wisconsin | | 585 | 11.3 | | | |
| Wyoming | 4,318 | 44 | 10.2 | | | |

| TABLE N | DISTRIBUTION O | F BIRTHS PER GE OF PARENT, |
|-------------------|----------------|-------------------------------|
| AGE OF PARENT | | D STATES: 1935 |
| | Father | Mother |
| Total | 1,000.0. | 1,000.0 |
| 10 to 14 years | | 1.5 125.4 |
| 15 to 19 years | | 306.4 |
| 25 to 29 years | | 261.9 |
| 30 to 34 years | | 165.9 |
| 35 to 39 years | | 99.4 |
| 40 to 44 years | | 33.8 |
| 45 to 49 years | | 3.3 |
| 50 to 54 years | | 0.1 |
| 55 years and over | 8.0 | |
| Not stated | 28.8 | 2.4 |
| | | |

1/ Less than one-tenth of 1 per 1,000 births.

| TABLE O | | AGE OF MOTHERS OF CHILDREN BORN IN THE UNITED STATES: 1935 , | | | | | | | | | | |
|---|----------------|--|--|--|---|---|---|--|--|--|--|--|
| | AGZ OF FATHERS | 10 to 14 years | 15 to 19 years | 20 to 24 years | 25 to 29 years | 30 to 34 years | 35 to 39 years | 40 to 44 years | 45 to 49 years | 50 years and over | Not stated | |
| All ages | | 1,000.0 | 1,000.0 | 1,000.0 | 1,000.0 | 1,000.0 | 1,000.0 | 1,000.0 | 1,000.0 | 1,000.0 | 1,000.0 | |
| 15 to 19 years 20 to 24 years 25 to 29 years 30 to 34 years 40 to 44 years 45 to 49 years 50 years and over | | 73.3 21.9 10.1 6.0 4.4 | 95.1 548.6 195.7 41.7 14.4 | (1/) 7.8 348.3 423.3 130.5 40.7 12.8 4.8 3.5 28.2 | (1/) 0.6 43.2 396.2 352.5 133.4 38.3 14.2 9.1 | 0.1 6.0 68.2 375.9 342.0 131.4 42.8 24.3 | 0.1 1.7 11.9 73.4 374.2 326.5 135.1 67.1 | 0.1 0.7 3.5 14.5 86.3 387.9 316.6 180.3 | 2.3 2.8 8.1 27.4 105.1 431.2 409.9 | 6.4 38.5 25.6 96.2 76.9 96.2 628.2 | 6.9 81.6 117.2 90.1 66.9 43.4 19.2 12.8 | |

^{1/} Less than one-tenth of 1 per 1,000 mothers.

ILLEGITIMATE BIRTHS

Statistics relating to illegitimate births may be found in tables P, Q, and R. The ratio of illegitimate births to 1,000 total births, as shown in table P, varied in 1935 from 9.1 in Utah to 104.8 in South Carolina. The exceptionally high rates—104.8 in South Carolina, 87.4 in Mississippi, 86.0 in Alabama, 85.9 in Louisiana, 82.7 in the District of Columbia, and 81.4 in North Carolina—were due to the large number of illegitimate births among the populations of other races.

A comparison of the figures for 1935 with those for 1934 shows that rates for illegitimacy in 1935 were higher in 31

States. The largest increases (6.4, 5.4, and 4.2) were for Nevada, Arizona, and Connecticut, respectively. The largest decrease (3.5) was for New Mexico.

Table Q shows the number of illegitimate births, with ratios to 1,000 total births, by age and country of birth of mother. As usual, the ratios of illegitimacy were by far the highest for mothers below the age of 25. The highest ratio for illegitimate children of foreign-born mothers (16.6) was for children of mothers born in Canada, and the lowest (3.0) was for those of mothers born in Russia. Native mothers had a ratio of 21.6 against 163.8 for Negro mothers and 84.7 for mothers of minor races.

| TABLE P | | II | LEGITIMA | TE BIRTH | s | | TABLE P—Continued | | II | LEGITIM | DMATE BIRTHS | | | | |
|-----------------------------|----------------|---------------------------------------|----------------------------|----------------------|----------------------|----------------------|---------------------|----------------------------|----------------------------|----------------------------|------------------------------|------------------------------|------------------------------|--|--|
| AREA, SEX, AND RACE | | Number | | Per 1,0 | 00 total | . births | AREA, SEX, AND RACE | ************ | Number | | Per 1,0 | 000 total | births | | |
| | 1935 | 1934 | 1933 | 1935 | 1934 | 1933 | | 1935 | 1934 | 1933 | 1935 | 1934 | 1933 | | |
| UNITED STATES 1/Female | 40,195 | 78,798 40,134 38,664 | 77,167 39,394 37,773 | 39.2 39.0 39.5 | 38.9 38.6 39.2 | 39.7 39.5 40.0 | MAINE | 532 258 274 2,041 | 504 253 251 1,966 | 503 274 229 2,024 | 33.8 32.2 35.6 74.9 | 32.0 31.4 32.6 71.9 | 33.3 35.0 31.4 73.8 | | |
| White | 18,820 | 35,547 18,120 | 34,890 18,060 | 20.9 | 20.4 | 20.9 21.0 | Female | 1,048 993 541 | 988 978 510 | 1,004 1,020 559 | 75.2 74.6 25.4 | 71.4 72.4 24.0 | 72.2 75.4 26.3 | | |
| FemaleOther races | 17,835 | 17,427 43,251 | 16,830 42,277 | 21.0 | 20.6 151.5 | 20.7 156.0 | MaleFemale | 264 257 | 263 247 | 254 305 | 25.9 24.8 | 24.5 23.5 | 23.5 29.1 | | |
| MaleFemale | 21,375 | 22,014 | 21,334 | 160.6 161.6 | 151.5 151.5 | 155.1 157.0 | Other races | 1,500 764 | 1,456. 725 | 1,465 750 | 253.6 256.3 | 239.6 235.2 | 238.1 241.2 | | |
| ALABAMA | | · · · · · · · · · · · · · · · · · · · | | | | | Female | 736 | 731 | 715 | 250.9 | 244.2 | 235.0 | | |
| Male | 5,354 2,729 | 5,607 2,861 | 5,623 2,825 | 85.8 85.8 | 88.3 | 94.8 92.8 | Me1e | 2,235 | 2,139 | 2,124 | 25.6 25.4 | 25.5 26.3 | 26.2 25.8 | | |
| Female | 2,625 | 2,746 774 | 2,798 705 | 86.3 18.5 | 88.3 19.6 | 96.8 19.4 | Female | 1,092 | 1,010 | 1,049 | 25.7 24.7 | 24.6 | 26.7 25.6 | | |
| MaleFemale | 367 343 | 383 391 | 364: 341 | 18.5 | 18.9 20.3 | 19.3 19.5 | MaleFemale | 574 560 | 585 550 | 584 555 | 24.4 | 24.7 | 25.4 25.9 | | |
| Other races | 4,644 | 4,833 | 4,918 | 194.5 | 201.8 | 214.0 | MTSSTSSTPPI | 4,221 | 4,140 | 3,867 | 25.0 87.4 | 24.8 86.5 | 87.3 | | |
| MaleFemale | 2,362 | 2,478 2,355 | 2,461 | 196.5 | 204.0 | 212.8 | MaleFemale | 2,151 | 2,094 | 1,954 | 87.7 87.0 | 85.6 87.4 | 86.2 88.5 | | |
| ARIZONA | 221 | 160 | 153 | 24.2 | 18.8 | 18.8 | White | 269 | 293 | 275 | 12.2 | 13.1 | 13.4 | | |
| Female | 124 | 91 69 | 79 74 | 26.6 | 20.5 | 18.9 18.7 | Femple | 132 137 | 148 145 | 145 130 | 11.8 | 12.8 | 13.8 | | |
| ARKANSAS | 1,688 | 1,675 | 1,536 | 47.3 | 44.6 | 42.9 | Other races | 3,952 | 3,847 | 3,592 | 150.0 | 150.5 | 151.1 | | |
| Female | 870 818 | 848 827 | 808 728 | 47.1 47.5 | 43.9 45.4 | 43.9 41.8 | Female | 2,019 1,933 | 1,946 | 1,809 | 151.4 | 150.4 150.6 | 148.9 153.4 | | |
| White | 393 205 | 414 203 | 427 219 | 14.5 14.5 | 14.3 13.7 | 15.4 15.4 | MISSOURI | 1,848 971 | 1,923 987 | 1,755 905 | 32.3 | 32.5 32.4 | 30.6 | | |
| Female | 188 | 211 | 208 | 14.4 | 15.1 | 15.5 | Female | 877 | 936 | 850 | 31.4 | 32.6 | 30.6 | | |
| Other races | 1,295 | 1,261 | 1,109 589 | 152.2 | 145.7 144.5 | 136.8 | Male | 210 109 | 197 104 | 190 107 | 20.9 | 19.8 | 21.2 | | |
| Female | 630 | 616 | 520 | 150.7 | 146.9 | 131.6 | Female | 101 | 93 | 83 | 20.5 | 19.4 | 19.0 | | |
| COLORADO | 488 249 | 417 208 | 371 182 | 25.9 25.8 | 23.4 22.8 | 20.9 | Male | 428 229 | 426 228 | 485 262 | 18.3 | 17.0 17.8 | 20.1 | | |
| FemaleCONNECTICUT | 239 | 209 | 189 379 | 26.0 | 24.0 17.4 | 22.3 16.9 | Pemale | 199 22 | 198 | 223 19 | 17.5 15.5 | 16.1 9.1 | 18.9 14.0 | | |
| Male | 481 241 | 387 208 | 195 | 21.6 | 18.2 | 17.0 | Male | 8 | 13 6 | 16 | 10.9 | 8.1 | 23.0 | | |
| DELAWARE | 240 284 | 179 274 | 184 254 | 22.1 | 16.6 68.7 | 16.8 64.8 | Female | 14 181 | 7 157 | 3 152 | 20.3 | 10.1 20.0 | 4.6 20.6 | | |
| Male | 143 | 135 | 129 | 68.8 | 64.8 | 63.8 | Male | 99 | 71 | 74 | 25.1 | 17.5 | 19.5 | | |
| Female DISTRICT OF COLUMBIA | 141 893 | 139 824 | 125 800 | 72.0 | 73.0 81.3 | 65.8 80.4 | Female | 82 1,323 | 1,290 | 78 1,262 | 21.4 | 22.6 23.7 | 21.7 | | |
| Male | 469 | 378 | 406 | 84.2 | 73.8 | 78.2 | MaleFemale | 657 | 655 | 623 | 23.4 | 23.5 | 21.6 | | |
| Female | 424 148 | 446 128 | 394 157 | 81.0 | 89.0 19.3 | 82.7 24.1 | NEW MEXTCO | 666 494 | 635 524 | 639 438 | 25.2 37.5 | 23.8 41.0 | 23.5 35.6 | | |
| MaleFemale | 82 | 55 | 77 | 22.1 | 16.1 | 22.5 25.8 | MaleFemale | 233 261 | 266 258 | 218 220 | 34.8 40.2 | 41.0 41.0 | 34.5 36.8 | | |
| Other races | 56 745 | 73 696 | 80 643 | 19.1 204.6 | 22.8 198.1 | 187.1 | NEW YORK | 3,733 | 3,446 | 3,778 | 20.3 | 18.6 | 20.2 | | |
| Male Female | 387 358 | 323 373 | 329 314 | 208.7 | 189.1 206.6 | 185.4 | MaleFemale | 1,901 | 1,787 | 1,775 | 20.1 | 18.8 | 20.8 19.5 | | |
| ET OPTDA | 1,837 | 1,722 | 1,694 | 65.5 | 64.5 | 66.0 | NORTH CAROLINA | 6,414 | 6,514 | 6,460 | 81.4 | 81.7 | 85.7 | | |
| Maic | 947 890 | 877 845 | 891 803 | 65.8 65.2 | 63.4 65.6 | 68.0 63.9 | MeleFemale | 3,237 3,177 | 3,335 | 3,258 | 80.2 82.7 | 81.8 81.7 | 83.8 87.6 | | |
| White | 341 | 318 | 342 191 | 17.4 17.8 | 17.1 17.1 | 19.4 21.1 | White | 1,562 828 | 1,547 780 | 1,458 761 | 29.1 29.9 | 28.4 28.0 | 28.3 28.5 | | |
| Female | 180 161 | 165 153 | 151 | 17.0 | 17.1 | 17.7 | Female | 734 | 767 | 697 | 28.2 | 28.8 | 28.1 | | |
| Other races | 1,496 767 | 1,404 712 | 1,352 | 176.6 | 173.2 169.9 | 167.8 173.1 | Other races | 4,852 2,409 | 4,967 2,555 | 5,002 2,497 | 193.4 189.6 | 197.1 198.4 | 209.5 205.9 | | |
| Female | 729 | 692 | 652 | 173.5 | 176.7 | 162.4 | Female | 2,443 | 2,412 | 2,505 | 197.3 | 195.7 | 213.2 | | |
| GEORGIA | 4,963 2,470 | 5,254 2,659 | 5,152 2,536 | 78.5 76.5 | 81.3 80.6 | 84.5 | NORTH DAKOTA | 340 161 | 315 156 | 314 170 | 24.9 22.9 | 21.7 | 23.8 25.1 | | |
| Female | 2,493 | 2,595 | 2,616 | 80.5 | 81.9 18.3 | 87.5 | CHIO | 179 2,464 | 159 | 144 2,449 | 27.0 24.4 | 22.6 24.3 | 22.4 25.6 | | |
| Male | 662 343 | 700 363 | 603 294 | 17.7 | 18.4 | 16.8 15.0 | Male | 1,257 | 2,436 | 1,263 | 24.3 | 24.2 | 25.6 | | |
| Female | 319 4,301 | 337 4,554 | 309 4,549 | 17.7 165.9 | 18.1 173.0 | 17.6 181.2 | FemaleOKIAHOMA | 1,207 | 1,191 | 1,186 | 24.5 | 24.4 19.3 | 25.5 19.3 | | |
| Male | 2,127 | 2,296 | 2,242 | 163.3 | 172.8 | 176.3 | Male | 450 | 450 | 419 | 20.1 | 18.5 | 18.6 | | |
| TDAHO | 2,174 | 2,258 98 | 2,307 | 168.5 | 173.3 10.5 | 186.2 | Female | 458 209 | 461 222 | 424 215 | 21.5 15.9 | 20.1 17.0 | 20.0 17.6 | | |
| Male | 48 | 50 | 58 | 9.9 | 10.3 | 13.2 | MaleFemale | 100 | 119 | 108 | 14.7 | 17.7 | 17.1 18.1 | | |
| ILINOIS | 52 2.801 | 48 2,870 | 59 2,667 | 25.0 | 10.6 26.0 | 14.1 24.7 | PENNSYTUANTA | 109 5,489 | 103 5,216 | 107 5,256 | 17.2 34.1 | 16.2 32.6 | 33.5 | | |
| MaleFemale | 1,500 | 1,468 | 1,341 | 26.2 | 25.9 | 24.1 | Mele | 2,826 | 2,664 | 2,758 2,498 | 34.2 33.9 | 32.6 32.5 | 34.1 32.8 | | |
| INDIANA | 1,301 | 1,402 1,135 | 1,326 996 | 23.8 | 26.2 21.7 | 25.4 19.7 | PHOTE ISLAND | 308 | 299 | 249 | 30.2 | 28.9 | 24.1 | | |
| MaleFemale | 582 522 | 570 565 | 523 473 | 21.4 | 21.2 | 20.2 | MaleFemale | 155 153 | 147 152 | 122 127 | 29.5 30.8 | 27.5 30.4 | 23.0 25.2 | | |
| IOWA | 741 | 789 | 752 | 18.0 | 18.6 | 19.0 | SOUTH CAROLINA | 4,256 | 4,682 | 4,519 | 104.8 | 105.8 | 112.1 | | |
| Male Female | 365 376 | 382 407 | 392 360 | 17.3 | 17.5 19.7 | 19.2 | Male | 2,145 2,111 | 2,362 | 2,242 | 102.9 | 103.5 | 109.5 114.8 | | |
| KANSAS | 525 | 565 | 539 | 17.2 | 17.4 | 17.5 | White | 417 | 507 | 478 | 21.3 | 23.2 | 24.4 | | |
| MaleFemale | 272 253 | 290 275 | 292 247 | 17.4 16.9 | 17.4 | 18.5 16.5 | Fema 1 6 | 203 214 | 241 266 | 249 229 | 20.2 22.4 | 21.3 25.3 | 24.9 23.8 | | |
| KENTUCKY | 1,135 | 1,055 | 1,079 | 19.7 | 17.6 18.3 | 19.5 20.0 | Other races | 3,839 1,942 | 4,175 2,121 | 4,041 1,993 | 182.7 | 186.3 184.6 | 195.1 | | |
| Female | 558 577 | 570 485 | 569 510 | 20.8 | 16.9 | 19.0 | Femal 8 | 1,897 | 2,054 | 2,048 | 185.5 | 188.0 | 200.1 | | |
| White | 836 401 | 795 441 | 742 396 | 15.2 14.1 | 14.0 | 14.2 14.8 | SOUTH DAKOTA | 226 123 | 256 126 | 240 116 | 17.6 18.6 | 19.4 18.8 | 18.7 17.6 | | |
| Female | 435 | 354 | 346 | 16.5 | 13.0 | 13.7 | Female | 103 | 130 | 124 | 16.5 | 20.1 | 19.8 | | |
| Other races | 299 157 | 260 129 | 337 173 | 106.9 | 85.4 81.7 | 103.9 103.2 | TENNESSEE | 2,226 1,126 | 2,114 | 2,121 | 41.8 41.1 | 40.3 | 42.3 43.2 | | |
| Female | 142 | 131 | 164 | 02.4 | 89.3 | 104.7 | Female | 1,100 | 1,016 967 | 1,010 946 | 42.4 22.2 | 39.8 21.7 | 41.4 22.4 | | |
| LOUISIANA | 3,633 | 3,814 | 3,510 | 85.9 87.1 | 88.7 86.1 | 88.3 87.6 | Male | 518 | 518 | 491 | 22.4 | 22.7 | 22.5 | | |
| Female | 1,752 | 1,880 | 1,733 | 84.7 | 89.3 | 89.1 20.4 | FamaleOther races | 481 1,227 | 449 1,147 | 455 1,175 | 22.0 | 20.7 145.0 | 22.2 149.5 | | |
| Male | 464 236 | 527 279 | 475 241 | 19.0 | 21.2 | 20.3 | Male | 608 | 580 | 620 | 140.6 | 144.4 | 158.1 | | |
| FemaleOther races | 228 3,169 | 248 3,287 | 234 3,035 | 18.9 177.5 | 20.5 181.3 | 20.6 183.9 | Female | 619 3,541 | 567 3,586 | 555 3,505 | 154.4 | 145.6 30.8 | 141.0 32.5 | | |
| Male | 1,645 | 1,655 | 1,536 | 178.2 | 179.9 | 182.6 | Male | 1,788 | 1,869 | 1,806 | 30.4 | 30.8 | 32.6 | | |
| Female | 1,524 | 1,632 | 1,499 | 176.7 | 182.9 | 185.1 | Female | 1,753 | 1,717 | 1,697 | 31.4 | 30.7 | 32.3 | | |

^{1/} Exclusive of California and Massachusetts. These States do not require a statement concerning legitimacy of child.

| TABLE P—Continued | | II | LEGITIMA | TE BIRTH | s | | | |
|---------------------|-------|--------|----------|------------------------|------|------|--|--|
| AREA, SEX, AND RACE | | Number | | Per 1,000 total births | | | | |
| | 1935 | 1934 | 1933 | 1935 | 1934 | 1933 | | |
| TEXAS—Continued | | | | | | | | |
| White | 1,753 | 1,192 | 1,243 | 17.4 | 13.6 | 15.2 | | |
| Male | 906 | 607 | 624 | 17.5 | 13.3 | 14.9 | | |
| Female | 847 | 585 | 619 | 17.3 | 14.0 | 15.6 | | |
| Other races | 1.788 | 2,394 | 2,260 | 128.1 | 82.1 | 85.7 | | |
| Male | 882 | 1,262 | 1,182 | 123.6 | 83.8 | 87.1 | | |
| Female | 905 | 1,132 | 1,078 | 132.9 | 80.3 | 84.1 | | |
| UTAH | 116 | 125 | 125 | 9.1 | 9.9 | 10.5 | | |
| Mele | 54 | 67 | 73 | 8.3 | 10.4 | 11.8 | | |
| Femals | 62 | 58 | 52 | 10.0 | 9.3 | 9.0 | | |
| vermont | 207 | 189 | 151 | 31.4 | 28.7 | 24.6 | | |
| Male | 105 | 100 | 78 | 31.3 | 30.1 | 24.7 | | |
| Femele | 102 | 89 | 73 | 31.6 | 27.2 | 24.6 | | |
| VIRGINIA | 3,802 | 3,822 | 3,968 | 73.8 | 73.0 | 77.4 | | |
| Male | 1,908 | 1,910 | 2,012 | 72.6 | 71.1 | 76.9 | | |
| Female | 1,894 | 1,912 | 1,956 | 75.1 | 75.0 | 77.9 | | |
| White | 1,068 | 1,034 | 1,045 | | 27.8 | 29.2 | | |
| Mal.e | 544 | 491 | 538 | 29.1 | 25.6 | 29.2 | | |
| Female | 524 | 543 | 507 | 29.3 | 30.1 | 29.2 | | |

| TABLE PContinued | | . п | LEGITIMA | TE BIRTE | ıs | | | |
|---------------------|-------|--------|----------|-----------------------|-------|-------|--|--|
| AREA, SEX, AND RACE | | Number | • | Per 1,000 total birth | | | | |
| | 1935 | 1934 | 1933 | 1935 | 1934 | 1933 | | |
| VIRGINIA—Continued | | | | | | | | |
| Other races | 2,734 | 2,788 | 2.923 | 183.8 | 184.2 | 188.9 | | |
| Male | 1,364 | 1,419 | 1,474 | 180.0 | 185.0 | 190.5 | | |
| Female | 1,370 | 1,369 | 1,449 | 187.7 | 183.3 | 187.4 | | |
| WASHINGTON | 478 | 496 | 497 | 21.3 | 22.0 | 23.8 | | |
| Male | 230 | 251 | 258 | 19.8 | | 24.4 | | |
| Female | 248 | 245 | 239 | 23.0 | | | | |
| WEST VIRGINIA | 2,003 | 1,902 | 1,682 | 47.9 | 45.9 | 46.4 | | |
| Male | | 946 | 861 | 49.8 | 44.2 | | | |
| Female | 937 | 956 | 821 | 46.0 | 47.6 | 46.5 | | |
| WISCONSIN | 1,174 | 1,142 | 1,155 | 22.3 | | .22.9 | | |
| Male | 600 | 573 | 599 | 22.1 | | 23.0 | | |
| Female | 574 . | 569 | 556 | | 22.8 | | | |
| WYOMING | 63 | 65 | 62 | 14.4 | | | | |
| Male | 35 | 34 | 38 | 15.7 | | 17.1 | | |
| Female | 28 | 31 | 24 | 13.1 | 14.1 | 12.1 | | |

| TABLE Q | | | | | | | ILLEGIT | IMATE E UNITED | irths State | (EXCLUSI S, <u>1</u> / BY | VE OF ST AGE OF M | ILLBIRT OTHER: | HS), IN L935 | THE | | | | | | |
|--|-----------------------|----------------------|----------------------------|---|---------------------------------------|-------------------------------------|-----------------------------------|-----------------------------------|-----------------------------|------------------------------|---|------------------------------|---------------------------------------|---|--|---|---|---|----------------------------|---------------|
| COUNTRY OF BIRTH OF MOTHER | | Number | | | | | | | Ratio to 1,000 total births | | | | | | | | | | | |
| | All ages | 10 to 14 years | 15 to 19 years | 20 to 24 years | 25 to 29 years | 30 to 34 years | 35 to 39 years | 40 to 44 years | 45 yrs. and over | Not stated | All ages | 10 to 14 years | 15 to 19 years | 20 to 24 years | 25 to 29 years | 30 to 34 years | 35 to 39 years | 40 to 44 years | 45 yrs. and over | Not stated |
| Total | 78,874 | 1,864 | 35,167 | 24,512 | 8,979 | 4,214 | 2,650 | 888 | 137 | 463 | 39.2 | (<u>2</u> /) | 136.7 | 39.7 | 17.1 | 12.7 | 13.3 | 13.0 | 20.0 | 95.7 |
| Whi.te | 36,655 | 524 | 15,258 | 13,171 | 4,080 | 1,819 | 1,082 | 449 | 63 | 209 | 20.9 | (2/) | 77.0 | 24.7 | 8.7 | 6.1 | 6.1 | 7.3 | 10.8 | 54.7 |
| United States | 34,983 | 506 | 14,892 | 12,615 | 3,797 | 1,637 | 952 | 384 | 52 | 148 | 21.6 | (2/) | 76.2 | 24.6 | 8.8 | 6.2 | 6.3 | 7.4 | 11.3 | 45.0 |
| Foreign countries Austria, Hungary Canada Denmark,Norway,Sweden England, Scotland, | 45 240 | 10 | 179 3 78 7 | 395 17 102 9 | 229 8 32 5 | 165 10 9 4 | 112 5 11 5 | 58 1 2 3 | 10 1 2 1 | 5 3 | 8.9 5.2 16.6 8.0 | (<u>2</u> /) | 71.2 83.3 86.6 137.3 | 19.2 18.7 26.5 24.7 | 6.3 4.0 7.8 4.9 | 4.8 4.3 3.0 3.1 | 4.5 2.4 6.1 5.3 | 5.9 0.9 3.4 6.3 | 8.3 7.1 34.5 14.5 | 18.6 30.3 |
| Wales | 104 73 70 57 | 2 1 5 | 12 4 6 8 2 | 33 45 17 30 10 11 121 | 17 27 13 9 10 12 96 | 8 19 23 8 10 4 70 | 8 6 7 8 10 3 49 | 5 2 4 5 14 2 20 | 1 1 1 1 2 | | 9.6 10.2 7.6 3.1 5.6 3.0 13.6 | (2/) (2/) (2/) (2/) | 64.2 125.0 60.0 35.4 95.2 | 26.0 42.6 13.8 9.6 7.2 8.1 20.2 | 6.5 7.4 4.0 1.8 4.0 3.4 11.2 | 3.1 5.8 7.6 1.4 4.6 1.2 9.1 | 5.1 3.5 4.9 1.4 4.2 1.7 8.6 | 10.5 4.2 8.3 2.2 9.5 3.8 10.1 | 21.7 14.9 3.4 7.1 | 21.7 |
| Country not stated | i 1 | 8 | 187 | 161 | 54 | 17 | 18 | 7 | 1 | 56 | 279.4 | (2/) | 548.4 337.0 | 334.7 | 172.0 90.2 | 79.1 | 142.9 | 122.8 | 90.9 | 209.0 |
| Negro Minor races | 41,444 | - | 19,909 19,658 251 | 11,341 11,041 300 | 4,899 4,795 104 | 2,395 2,338 57 | 1,56B 1,533 35 | 439 432 7 | 74 73 1 | 254 247 7 | 161.1 163.8 84.7 | (2/) (2/) (2/) | 340.0 199.0 | 137.6 | 91.7 52.0 | 75.4 39.3 | 71.6 34.2 | 66.6 | 75.7 17.9 | 260.3 |

^{1/} Exclusive of California and Massachusetts. These States do not require a statement concerning legitimacy of child.

Table R shows the number of legitimate and illegitimate births by race and by nativity of mother, with the ratio of illegitimate births to 1,000 total births, in cities of 10,000 inhabitants or more in 1930, cities of 2,500 to 10,000 inhabitants, and rural districts of each State.

Although the ratio (41.9) of illegitimate births for the rural part of the United States was higher than the ratios for both the larger and the smaller cities (38.4 and 30.5, respectively), the reverse was true in 14 States, and in 22 of the remaining States the ratios for rural districts were lower than those for the larger cities.

remaining States the ratios for rural districts were lower than those for the larger cities.

Considering only the illegitimate births to white mothers in each State, ratios were generally highest for the larger cities. In Maryland and New York ratios were highest for the smaller cities (those having from 2,500 to 10,000 inhabitants) and in Connecticut, Florida, New Hampshire, New Jersey, Virginia, and West Virginia ratios were highest for the rural part of the State. The highest ratio for illegitimate births to all white mothers (62.3) was for the larger cities of North Dakota. The highest ratio for illegitimate births to native mothers (55.3) was also for the larger cities of North Dakota. For children of foreign-born mothers, the highest ratio of illegitimate births (55.6 per 1,000 total births) was for the larger cities of Idaho.

Considering only the illegitimate births in each State to mothers of other races, ratios were highest for the larger cities in the majority of States. In 9 States ratios were highest in the smaller cities and in 9 other States the highest ratios were for the rural districts.

highest ratios were for the rural districts.

| TABLE R | | | 1935 | | |
|--|---|--|---|---|---|
| . AREA | | | WHITE | | |
| ,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,, | Total births1/ | Total.1/ | Mother native | Mother foreign- born | Other races |
| | | LEGIT | IMATE, BIRTH | s - | |
| UNITED STATES 2/Cities of 10,000 or moreCities of 2,500 to 10,000Rural | | 1,713,178 785,480 185,188 742,510 | 1,582,831 686,577 176,059 720,195 | 129,034 98,511 8,931 21,592 | 219,921 70,744 13,849 135,328 |
| AIABAMA————————————————————————————————— | 43,030 8,918 2,833 2,015 4,070 33,996 3,587 | 37,654 7,238 2,434 27,982 7,659 2,739 1,966 2,954 26,782 3,023 2,418 | 37,555. 7,181 2,428 2,7,946 6,094 2,299 1,470 2,325 26,660 2,995,2401 | 79 52 1, 26 1,555 438 493 624 61 23 | 19,231 3,457 726 15,048 1,259 94 49 7,214 564 |

^{1/} Includes "Country not stated." 2/Exclusive of California and Massachusetts. These States do not require a statement concerning legitimacy of child.

| TABLE R—Continued | | | 1935 | | | TABLE R—Continued | | | 1935 | | |
|--|--|--|---|--|--|---|---|--|--|--|---|
| AREA | | | WHITE | | | AREA | | | WHITE | | |
| | Total births1/ | Total1/ | Mother native | Mother foreign- born | Other races | | Total births1/ | Total1/ | Mother native | Mother foreign- born | Other races |
| | | LEGITI | MATE BIRTE | is | 1 | | | LEGITI | MATE BIRTE | s | |
| COLORADO Cities of 10,000 or more— Cities of 2,500 to 10,000— Rural— Cities of 10,000 or more— Cities of 2,500 to 10,000— Rural— DELAWARE— Cities of 10,000 or more— Cities of 2,500 to 10,000— Rural— DISTRICT OF COLUMBIA— FLORIDA— Cities of 10,000 or more— Cities of 2,500 to 10,000— Rural— Cities of 10,000 or more— Cities of 2,500 to 10,000— Rural— Cities of 10,000 or more— Cities of 2,500 to 10,000— Rural— Cities of 10,000 or more— Cities of 2,500 to 10,000— Rural— ILINUIS— Cities of 10,000 or more— Cities of 2,500 to 10,000— Rural— INDIANA— Cities of 10,000 or more— Cities of 2,500 to 10,000— Rural— INDIANA— Cities of 10,000 or more— Cities of 2,500 to 10,000— Rural— IOWA— Cities of 10,000 or more— Cities of 2,500 to 10,000— Rural— ICHINOSA— Cities of 10,000 or more— Cities of 2,500 to 10,000— Rural— KANASA— Cities of 10,000 or more— Cities of 2,500 to 10,000— Rural— LOUISIANA— Cities of 10,000 or more— Cities of 2,500 to 10,000— Rural— MANISA— Cities of 10,000 or more— Cities of 2,500 to 10,000— Rural— MANISA— Cities of 10,000 or more— Cities of 2,500 to 10,000— Rural— MANISA— Cities of 10,000 or more— Cities of 2,500 to 10,000— Rural— MANISA— Cities of 10,000 or more— Cities of 2,500 to 10,000— Rural— MANISA— Cities of 10,000 or more— Cities of 2,500 to 10,000— Rural— MANINESOTA— Cities of 10,000 or more— Cities of 2,500 to 10,000— Rural— MINNESOTA— Cities of 10,000 or more— Cities of 2,500 to 10,000— Rural— MINNESOTA— Cities of 10,000 or more— Cities of 2,500 to 10,000— Rural— MINNESOTA— Cities of 10,000 or more— Cities of 2,500 to 10,000— Rural— MINNESOTA— Cities of 10,000 or more— Cities of 2,500 to 10,000— Rural— MINNESOTA— Cities of 10,000 or more— Cities of 2,500 to 10,000— Rural— MINNESOTA— Cities of 10,000 or more— Cities of 2,500 to 10,000— Rural— MINNESOTA— Cities of 10,000 or more— Cities of 2,500 to 10,000— Rural— MINNESOTA— Cities of 10,000 or more— Cities of 2,500 to 10,000— Rural— Cities of 2,500 to 10,000— Rural— MINNESOTA— Cities of 10,000 or more— Cities of 2, | 18, 349 7, 825 3, 145 7, 379 21, 777 18, 255 3, 745 3, 752 2, 1, 199 3, 740 4, 299 12, 227 58, 297 12, 407 6, 204 39, 568 4, 299 12, 227 58, 297 12, 407 6, 204 39, 568 6, 214 4, 005 109, 063 74, 545 9, 951 104, 545 109, 951 104, 545 107, 568 114, 565 109, 951 107, 568 114, 565 109, 951 107, 568 114, 565 115, 191 115, 294 116, 294 117, 285 118, 284 118, 284 118, 284 118, 284 118, 284 118, 284 118, 284 118, 284 118, 284 118, 284 118, 288 118, | 18,111 7,690 3,120 7,301 21,281 17,771 1,038 2,472 3,285 1,946 314 1,025 7,014 1,025 7,014 19,238 7,475 3,269 8,494 36,672 8,449 4,281 23,941 9,250 1,259 4,087 3,904 104,020 69,963 9,776 24,281 50,137 23,579 20,801 40,160 14,666 6,004 19,490 29,238 9,753 4,244 15,241 54,082 8,841 4,259 40,962 23,953 8,181 24,259 12,551 15,151 4,705 1,977 8,469 20,781 12,376 1,307 7,098 82,467 50,358 7,501 24,508 21,708 26,6064 21,708 26,6064 21,708 26,6064 21,708 26,6064 21,708 26,6064 21,708 26,6064 21,708 26,6064 21,708 26,6064 21,708 26,6064 21,708 26,6064 21,708 26,146 | 16, 843 7, 278 2, 679 14, 231 843 3, 993 1, 791 1, 6, 559 18, 7139 3, 180 6, 559 18, 7139 3, 180 36, 518 8, 367 4, 276 23, 784 9, 368 25, 692 20, 540 27, 28, 787 28, | 1,041 376 181 484 4.179 3,537 190 164 13 3 151 475 324 153 324 17 10,672 200 203 34 142 117 10,672 150 1,230 1,013 451 101 101 101 101 101 101 101 101 101 1 | 238 135 78 496 464 492 33 30 244 2,896 6,976 2,213 1,030 32,44 2,896 6,976 1,922 15,745 1,922 15,745 1,922 15,745 1,923 1,625 3,988 1,583 | NEW YORK | 180,611 149,154 9,347 22,110 72,359 12,048 5,812 54,479 13,315 2,458 1,586 9,171 98,539 60,734 42,763 10,767 7,841 124,155 12,970 2,861 4,122 155,577 28,644 20,370 48,862 9,907 9,105 546 36,342 2,530 11,180 35,968 12,624 4,879 28,646 12,624 1,531 1,897 12,624 1,531 1,999 12,579 13,555 12,918 13,743 12,555 | 172,688 141,872 9,195 21,621 52,103 9,020 4,792 38,291 12,920 2,454 1,679 8,787 94,026 56,785 8,068 29,173 39,746 9,859 7,229 22,658 12,775 5,876 2,887 4,032 148,766 80,396 20,139 48,231 9,703 8,927 2542 12,139 48,231 9,703 8,927 13,940 12,030 2,542 14,19 8,069 43,982 9,806 3,448 30,728 9,806 3,448 30,728 9,901 12,715 5,685 12,475 5,685 12,475 5,685 12,475 5,685 12,475 5,685 12,477 6,379 1,551 1,241 3,607 35,542 7,943 3,152 24,447 21,282 24,447 21,282 24,447 21,282 24,447 21,282 24,447 21,282 24,477 6,579 | 133,406 105,571 8,167 19,668 51,995 38,255 11,870 2,340 1,554 7,820 28,558 39,352 9,729 7,157 22,466 12,071 5,450 2,758 3,853 18,597 45,688 71,301 18,597 45,688 7,594 1,903 19,156 12,24 1,903 13,929 11,581 2,466 12,071 5,450 2,758 3,863 19,156 13,292 11,581 2,437 19,1581 2,437 19,1581 2,447 1,903 13,929 11,581 2,467 1,385 7,729 11,581 2,467 1,385 7,731 3,442 30,710 89,703 21,367 31,581 3,442 30,710 89,703 31,463 51,363 53,266 1,378 1,379 19,416 11,593 55,326 55,326 7,514 3,1379 19,416 12,152 2,145 5,109 | 39,262 35,285 1,028 1,949 90 63 5 5 22 1,047 114 125 808 5,864 4,216 606 246 6107 44 4,212 9,068 1,569 4,255 108 1,681 41 88 446 107 75 103 33 388 89 69 5 15 9,206 4,458 1,1,642 1,562 1,563 1,562 1,563 1, | 7,923 7,222 489 20,235 3,028 1,020 16,188 4,613 3,949 4,613 3,949 4,613 3,949 4,613 3,037 4,57 3,037 1,527 1 |
| MISSOURI | 55,451 22,985 5,204 27,262 9,819 2,904 1,749 5,166 22,899 7,171 | 52,428 20,692 4,933 26,603 9,195 2,885 1,741 4,569 22,603 6,993 | 51,378 19,990 4,888 26,500 8,390 2,662 1,623 4,105 21,792 6,611 | 1,034 894 43 97 803 223 118 462 805 379 | 3,023 2,093 271 659 624 19 8 597 296 178 | WISCONSIN- Cities of 10,000 or more Cities of 2,500 to 10,000 Rural- WYOMING Cities of 10,000 or more Cities of 2,500 to 10,000 Rural | 51,388 23,252 6,427 21,709 4,299 688 859 2,752 | 50,909 23,154 6,417 21,335 4,192 682 852 2,658 | 48,136 21,376 6,241 20,519 3,959 647 801 2,511 | 2,739 1,769 171 799 219 31 50 | 479 98 10 371 107 6 7 94 |
| Cities of 2,500 to 10,000 Rural NEVADA | 3,031 12,697 1,401 | 3,021 12,589 1,310 | 2,924 12,257 1,195 | 97 329 114 | 10 108 91 | | | TLLEGIT | IMATE BIRT | ES . | |
| Cities of 10,000 or more Cities of 2,500 to 10,000 Rurel | 235 378 788 7,587 4,280 | 231 366 713 7,580 4,275 | 209 340 646 6,513 3,558 | 22 26 66 1,056 708 | 4 12 75 7 5 | UNITED STATES 2/Cities of 10,000 or more Cities of 2,500 to 10,000 kural | 78,874 34,188 6,270 38,416 | 36,655 19,640 3,330 13,685 | 34,983 18,604 3,216 13,163 | 1,163 887 74 202 | 42,219 14,548 2,940 24,731 |
| Cities of 2,500 to 10,000 Rural | 818 2,489 53,191 42,682 4,564 5,945 12,696 1,595 2,297 8,804 | 818 2,487 49,441 39,617 4,279 5,545 12,181 1,587 2,280 8,314 | 709 2,246 41,138 32,496 3,717 4,925 11,499 1,542 2,137 7,820 | 108 240 8,232 7,085 550 597 664 44 140 | 2 3,750 3,065 285 400 515 8 17 490 | AIABAMA | 5,354 1,142 261 3,951 221 65 36 120 | 710 225 34 451 148 59 33 56 | 705 223 34 448 119 51 25 | 1 1 | 4,644 917 227 3,500 73 6 3 |

^{1/} Includes "Country not stated." 2/ Exclusive of California and Massachusetts. These States do not require a statement concerning legitimacy of child.

| TABLE R—Continued | | | 1935 | | - | TABLE R-Continued | | | 1935 | | |
|--|--|---|---|--|--|--|------------------------------|------------------------------|------------------------------|----------------------------|------------------------------|
| area | | | WHITE | | | AREA | | | WHITE | | |
| ARSK | Total births1/ | Total1/ | Mother native | Mother foreign- born | Other races | Allan | Total ₁ / | Total1/ | Mother native | Mother foreign- born | Other races |
| | | ILLEGIT | imate biri | TES | | | ILLEGITIMATE BIRTHS | | | | |
| ARKANSAS— Cities of 10,000 or more— Cities of 2,500 to 10,000— Rural— COLORADO— Cities of 10,000 or more— Cities of 2,500 to 10,000— Rural— DELAWARE— Cities of 10,000 or more— Cities of 2,500 to 10,000— Rural— Cities of 10,000 or more— Cities of 2,500 to 10,000— Rural— Cities of 10,000 or more— Cities of 2,500 to 10,000— Rural— Cities of 10,000 or more— Cities of 2,500 to 10,000— Rural— Cities of 10,000 or more— Cities of 2,500 to 10,000— Rural— Cities of 10,000 or more— Cities of 2,500 to 10,000— Rural— Cities of 10,000 or more— Cities of 2,500 to 10,000— Rural— Cities of 10,000 or more— Cities of 2,500 to 10,000— Rural— Cities of 10,000 or more— Cities of 2,500 to 10,000— Rural— Cities of 10,000 or more— Cities of 2,500 to 10,000— Rural— Cities of 10,000 or more— Cities of 2,500 to 10,000— Rural— Cities of 10,000 or more— Cities of 2,500 to 10,000— Rural— Cities of 10,000 or more— Cities of 2,500 to 10,000— Rural— Cities of 10,000 or more— Cities of 2,500 to 10,000— Rural— MANIME— Cities of 10,000 or more— Cities of 2,500 to 10,000— Rural— MANIME— Cities of 10,000 or more— Cities of 2,500 to 10,000— Rural— MINISSORA— Cities of 10,000 or more— Cities of 2,500 to 10,000— Rural— MINISSORA— Cities of 10,000 or more— Cities of 2,500 to 10,000— Rural— MINISSORA— Cities of 10,000 or more— Cities of 2,500 to 10,000— Rural— MINISSORA— Cities of 10,000 or more— Cities of 2,500 to 10,000— Rural— MINISSORA— Cities of 10,000 or more— Cities of 2,500 to 10,000— Rural— MINISSORA— Cities of 10,000 or more— Cities of 2,500 to 10,000— Rural— MINISSORA— Cities of 10,000 or more— Cities of 2,500 to 10,000— Rural— Cities of 10,000 or more— Cities of 2,500 to 10,000— Rural— Cities of 10,000 or more— Cities of 2,500 to 10,000— Cities of 2,500 to 1 | 1,252 1,924 532 1,99 62 271 2,041 1,138 113 790 2,225 1,723 1,44 368 1,134 657 142 355 4,221 1,134 3,518 1,286 1,184 1,286 1,286 1,184 1,286 1,286 1,184 1,286 1,184 1,286 1,184 1,286 1,287 141 210 20 23 107 428 250 41 137 22 7 | 393 66 38 289 461 331 355 315 321 12 82 94 63 8 23 148 341 135 362 188 422 94 422 94 719 2,100 1,530 523 324 719 2,100 1,530 | 385 644 388 283 3400 3166 319 321 316 319 321 321 321 321 321 321 321 321 321 321 | 14 100 3 3 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 | 1,295 1,201 1,016 27 21 1,016 27 21 1,016 55 66 52 2 1,20 1,090 67 745 1,496 554 241 1,496 554 241 1,500 1,097 2,811 1 1,299 1,46 1,765 2 21 1 1,299 1,46 46 46 1,765 2 1 1,500 652 2 11 1,500 652 2 11 1,500 652 2 11 1,500 653 2 1,500 653 2 1,500 6 | NEW MEXICO Cities of 10,000 or more— Cities of 2,500 to 10,000— Rural— NEW YORK— Cities of 10,000 or more— Cities of 2,500 to 10,000— Rural— NORTH CARGLINA— Cities of 10,000 or more— Cities of 2,500 to 10,000— Rural— NORTH DAKOTA— Cities of 10,000 or more— Cities of 2,500 to 10,000— Rural— NORTH DAKOTA— Cities of 10,000 or more— Cities of 2,500 to 10,000— Rural— CITIES OF 10,000 or more— Cities of 2,500 to 10,000— Rural— CRIAGCMA— Cities of 10,000 or more— Cities of 2,500 to 10,000— Rural— CREGON— Cities of 10,000 or more— Cities of 2,500 to 10,000— Rural— HHODE ISLAND— Cities of 10,000 or more— Cities of 2,500 to 10,000— Rural— SOUTH DAKOTA— Cities of 10,000 or more— Cities of 2,500 to 10,000— Rural— SOUTH GAROLINA— Cities of 10,000 or more— Cities of 2,500 to 10,000— Rural— TENNESSE— Cities of 10,000 or more— Cities of 2,500 to 10,000— Rural— TENNESSE— Cities of 10,000 or more— Cities of 2,500 to 10,000— Rural— TENNESSE— Cities of 10,000 or more— Cities of 2,500 to 10,000— Rural— TENNESSE— Cities of 10,000 or more— Cities of 2,500 to 10,000— Rural— VIRGINIA— Cities of 10,000 or more— Cities of 2,500 to 10,000— Rural— VIRGINIA— Cities of 10,000 or more— Cities of 2,500 to 10,000— Rural— WISCONSIN— Cities of 10,000 or more— Cities of 2,500 to 10,000— Rural— WASHINGTON— Cities of 10,000 or more— Cities of 2,500 to 10,000— Rural— WASHINGTON— Cities of 10,000 or more— Cities of 2,500 to 10,000— Rural— WASHINGTON— Cities of 10,000 or more— Cities of 2,500 to 10,000— Rural— WISCONSIN— Cities of 10,000 or more— Cities of 2,500 to 10,000— Rural— WISCONSIN— Cities of 10,000 or more— Cities of 2,500 to 10,000— Rural— WISCONSIN— Cities of 10,000 or more— Cities of 2,500 to 10,000— Rural— WISCONSIN— Cities of 2,5 | 39.2 | 20.9 | AL BIRTHS | THS TO 1,00 | 161.: |
| Rural | 10 181 91 15 | 181 91 15 | 173 87 14 | 8 4 1 | 6 | Cities of 10,000 or more Cities of 2,500 to 10,000 Rural | 38.4 30.5 41.9 | 24.4 17.7 18.1 | 26.4 17.9 17.9 | | 170. |
| Cities of 2,500 to 10,000 Rural Cities of 10,000 or more Cities of 2,500 to 10,000 Rural | 75 1,323 1,023 100 200 | 75 863 659 63 | 72 812 622 58 | 3 45 35 4 | 460 364 | ALARAMA | 86.0 96.5 76.3 84.1 | 18.5 30.1 13.8 15.9 | 18.4 30.1 13.8 15.8 | 18.9 | 194. 209. 238. 168. |

^{1/} Includes "Country not stated." 2/ Exclusive of California and Massachusetts. These States do not require a statement concerning legitimacy of child.

^{1/} includes "Country not stated."

STILLBIRTH STATISTICS: 1935

INTRODUCTION

The annual presentation of stillbirth statistics was begun in 1922. Previous to that time the Eureau of the Census had published such data but once, in 1918.

The interpretation of the statistics relating to still-births should be made with caution. There is no single defi-nition for "stillbirth" in general use, and the application of the term varies widely in the law and practices of the differ-

Therefore, it is suggested that persons interested in stillbirth statistics study table S before drawing conclusions from the figures presented in tables relating to stillbirths.

| TABLE S | PERIOD OF UTEROCESTATION TO WHICH A STILLBORN CHILD MUST HAVE ADVANCED REFORE A CERTIFICATE IS REQUIRED TO BE REGISTERED | | | | | | |
|--|--|-----------------------------------|--|--|--|--|--|
| / | Period | Authority | | | | | |
| AlabamaArizonaCalifornia | Advanced to 5th month |] | | | | | |
| Connecticut District of Columbia Florida | Not less than 28 weeks Passed the 5th month | | | | | | |
| Georgia | Advenced to 5th month | | | | | | |
| Indiana | 7 months and over | | | | | | |
| Iowa Louisiana- Michigan- Minnesota- Mississippi Nebraska- New Mexico- New York 1/ North Garolina- Ożlehoma- Oregon- South Dakota- Tennessee- Texas- Wachington- | Advanced to 5th month | } Law | | | | | |
| West Virginia | Advanced to 5th month |) | | | | | |
| Colorado | ľ | , | | | | | |
| Delaware | No definite ruling 4 months Passed the 25th week 1/2 months 5 months After 4 1/2 months Any period Passed 4th month or 15th week | \Letter, State Board | | | | | |
| New Hampshire | 8 months | of Health | | | | | |
| Rhode Island | Arter the oth month- 5 months- 6 months- 5 months- 5 months- About the 5th month- After the 5th month- Advanced to 5th month- | | | | | | |
| Maryland | Any product of conception | Letter to doctors of Maryland | | | | | |
| Pennsylvania | Passed the 4th month | Instructions for local registrers | | | | | |

1/ Exclusive of New York City, where any product of conception is required to be registered.

NOTE.-Connecticut, Illinois, New Jersey, New York, North Cerolina, Oregon, and the District of Columbia report a stillbirth as a stillbirth. In the remaining States a stillbirth is reported either as a birth or as both a birth and a death.

COMPARISON OF STILLBIRTH RATIOS: 1934 AND 1935

In 1935 the highest stillbirth ratio (6.1 per 100 live births) was for both Georgia and South Carolina. Ratios for the white populations of these States were 4.0 and 3.7, respectively, and for the populations of other faces, 9.3 and 8.3, respectively. The next highest ratio (5.6 per 100 live births) was for both Florida and Maryland. In these States a large proportion of the population is of other races, for which the ratios were, respectively, 10.1 and 8.4, whereas the ratios for the white populations were only 3.7 and 4.8, respectively. The lowest stillbirth ratio (2.0 per 100 live births) was for Wyoming. A comparison of the figures for 1935 with those for 1934 shows that ratios were higher in 1935 in only 15 States and lower in 21.

In table T stillbirths per 100 live births are presented by race for certain States, and by cities of 10,000 inhabitants or more, cities of 2,500 to 10,000 inhabitants, and rural districts of each State, for the years 1934 and 1935. In 1935 the rates for the rural and the smaller cities were identical with those for 1934, but that for the larger cities was slightly lower in 1935. Considering the States separately, rates in 1935 were lowest for rural districts in 31 States.

The stillbirth ratio for the population of other races in the United States (6 0 per 100 live births) was more than

The stillbirth ratio for the population of other races in the United States (6.9 per 100 live births) was more than double that for the white (3.1) and for each State shown by race this marked difference prevailed, the greatest (6.4) being

| TABLE T | STILLBURTHS PER 100 LIVE BURTHS | | | | | | | | | | | | |
|--|--|---|--|--|--|--|--|---|--|--|--|--|--|
| | | 193 | 15 | | 1934 | | | | | | | | |
| AREA | Total. | Cities of 10,000 or more | Cities of 2,500 to 10,000 | Rural | Total | Cities of 10,000 or more | Cities of 2,500 to 10,000 | Rural | | | | | |
| United States White Other races | 5.6 3.1 6.9 | 3.6 3.3 7.4 | 3.7 3.3 8.1 | 3.5 2.9 6.5 | 3.6 3.1 6.7 | 3.7 3.3 7.1 | 3.7 3.3 7.2 | 3.5 2.9 6.4 | | | | | |
| Alabama White- Other races- Arizona- Arkansas- White- Other races- California- Colorado- Connecticut- Delaware- District of Columbia- White- Cher races- Florida- | 3.4 7.1 2.8 3.9 6.6 2.4 2.9 2.6 3.7 3.1 5.1 | 5.6 3.7 8.8 3.7 2.4 3.7 2.4 3.4 3.8 3.1 2.7 | 5.7 4.6 8.5 2.5 4.7 3.1 9.5 2.2 6.0 | 4.6 3.2 6.7 2.5 2.5 2.5 2.5 2.5 2.5 2.7 | 5.4.5.7.6.7.4.4.2.8.4.8.0.2.9.5.5.5.5.5.5.5.5.5.5.5.5.5.5.5.5.5.5 | 5.7 3.8 8.7 3.0 4.7 3.2 11.0 2.4 3.8 3.0 5.8 3.0 5.8 | 5.7 3.9 10.1 3.8 3.9 2.7 7.6 2.3 3.6 4.8 5.9 | 4.7 3.3 7.1 2.0 3.4 2.7 5.6 2.5 2.5 2.4 3.6 | | | | | |
| White- Other races- Ceorgia- White- Other races- Idaho- Illinois- Indiana- Inowa- Kansas- Kentucky- White- | 3.7 10.1 6.1 4.0 9.3 2.3 3.0 2.7 2.7 2.7 3.3 | 3.4 11.8 6.9 4.6 10.9 2.4 2.9 3.0 3.0 3.1 3.5 | 3.4 9.7 6.0 4.2 9.5 2.3 3.3 3.3 2.9 1.9 | 4.0 9.1 5.9 3.7 8.3 2.2 2.2 2.3 3.4 3.6 | 3.9 10.4 5.9 3.8 9.0 2.7 2.7 2.7 2.7 3.1 3.1 | 3.7 11.6 6.1 3.8 10.0 2.2 3.1 2.8 3.3 2.9 3.8 3.2 | 3.8 10.9 9.6 5.8 15.9 2.3 3.1 2.8 3.0 3.7 3.2 8.8 | 4.1 9.6 5.4 3.8 8.0 2.2 2.3 2.3 3.1 6.0 | | | | | |
| Other races Louisiana | 6.4 4.9 3.4 7.0 5.6 4.8 | 6.3 5.1 3.9 6.9 3.2 5.3 4.6 7.8 | 5.0 5.4 3.6 8.2 3.6 8.5 7.4 | 6.9 4.7 3.0 6.9 3.5 5.5 4.6 8.5 | 4.8 5.3 6.9 3.5 5.8 4.9 9.1 | 4.8 3.4 6.8 2.8 5.4 4.5 8.9 | 5.2 3.6 7.6 3.6 10.1 9.4 14.1 | 3. 6. 3. 5. | | | | | |

| TABLE T-Continued | | s | TILLBIRT | HS PER | 100 LIV | E BIRTHS | | |
|--|--|---|--|--|---|---|--|--|
| | | 193 | 5 | | | 193 | 4 | |
| AREA | Total | Cities of 10,000 or more | Cities of 2,500 to 10,000 | Rural | Total | Cities of 10,000 or more | Cities of 2,500 to 10,000 | Rural |
| Massachusetts | 4.8 3.12 3.8 2.8 2.8 2.8 2.9 4.0 3.5 2.9 4.0 3.5 2.9 2.7 2.7 2.9 2.7 3.7 3.6 6.6 6.8 3.7 2.8 2.9 4.0 3.7 4.0 6.0 6.0 6.0 6.0 6.0 6.0 6.0 6.0 6.0 6 | 3.1 3.2 3.2 3.2 3.2 4.3 4.2 5.8 4.2 5.8 4.3 5.9 4.3 3.3 2.9 4.3 3.3 2.9 4.3 3.5 2.9 4.3 3.5 2.9 4.3 3.5 3.6 4.3 4.3 4.3 4.3 4.3 4.3 4.3 4.3 4.3 4.3 | 2.52.9.6.3.1.6.1.6.5.2.6.9.2.1.3.7.4.7.8.9.8.6.3.7.9.9.5.3.4.7.8.9.8.6.3.7.9.9.5.3.4.4.1.6.3.6.5.9.0.9.2.1.3.7.4.7.8.8.6.3.7.9.9.5.3.4.4.1.6.3.7.4.8.8.6.3.7.3.3.5.3.4.4.1.6.3.7.3.3.5.3.4.4.1.6.3.7.3.3.5.3.4.4.1.6.3.7.3.3.5.3.4.4.1.6.3.7.3.3.5.3.4.4.1.6.3.7.3.3.5.3.4.4.1.6.3.7.3.3.5.3.4.4.1.6.3.7.3.3.5.3.4.4.1.6.3.3.3.3.3.3.3.3.3.3.3.3.3.3.3.3.3.3 | 2.4 2.9 4.5 2.8 3.6 2.5 3.1 3.3 2.5 2.5 2.7 2.7 2.5 4.2.7 2.5 4.2.7 2.5 4.3 3.1 3.1 3.1 3.1 3.1 3.1 3.1 3.1 3.1 3 | 3.1 3.1 3.1 3.1 3.2 3.3 3.1 3.3 3.3 3.1 4.1 4.3 3.3 3.3 4.1 4.3 3.3 3.3 3.3 3.3 3.3 3.3 3.3 | 3.1 3.2 6.9 4.8 10.4 4.5 2.9 4.1 2.9 3.6 5.6 10.5 3.1 2.7 6.5 3.1 3.6 3.6 3.6 3.1 3.6 4.8 3.6 4.8 3.6 4.8 3.6 4.8 3.6 4.8 3.6 4.8 4.8 5.6 6.6 6.6 6.6 6.6 6.6 6.6 6.6 6.6 6.6 | 3.47 5.57 3.43 5.51 3.65 5.51 3.65 5.65 5.65 6.65 6.65 6.65 6.65 6.65 | 3.2 2.9 2.5 4.3 2.6 3.4 2.5 2.4 2.9 3.5 3.1 3.0 3.7 2.6 5.3 3.1 2.6 5.3 3.1 2.6 5.3 3.1 2.6 5.3 3.1 2.6 5.3 3.1 2.6 5.3 3.1 2.6 5.3 3.1 2.6 5.3 3.1 2.6 5.3 5.1 5.1 5.1 7.1 7.1 7.1 7.1 7.1 7.1 7.1 7.1 7.1 7 |
| Other races Washington West Virginie Wisconsin Wyoming | 2.1 | 10.4 2.4 4.7 2.4 1.7 | 6.8 1.9 5.7 3.0 1.5 | 5.7 1.7 3.6 2.2 2.2 | 7.1 2.3 3.9 2.5 1.9 | 9.6 2.2 4.3 2.5 1.8 | 8.6 2.7 6.3 3.6 2.0 | 6.2 2.4 3.6 2.3 2.0 |

STILLBIRTHS BY MONTHS

Table U shows stillbirths per 100 live births by month of birth for the years 1934 and 1935. A comparison of the ratios for the 2 years shows the differences to be very slight. Rates were higher in 1935 for only 2 months—October and November.

| TABLE U MONTH OF BIRTH | | S PER 100 RTHS IN THE STATES IN— |
|-------------------------|------------|--|
| | 1935 | 1934 |
| Total | 3.6 | 3.6 |
| JenuaryFebruary | 3.7 3.6 | 3.7 |
| April | 3.6 3.8 | 3.8 |
| MayJuneJune | 3.7 3.6 | 3.7 3.7 |
| JulyAugust | 3.4 3.3 | 3.6 3.4 |
| September | 3.3 3.6 | 3.3 3.5 |
| NovemberDecember | 3.7 3.5 | 3.5 |

STILLBIRTHS BY AGE OF MOTHER

Table V shows stillbirths per 100 live births, by age of mother, and plainly indicates that as mothers grow older the tendency for stillbirths among them becomes greater, especially after the age of 30. The ratios of 8.8 for mothers 45 to 49 years of age, and 8.3 for those in the 50 to 54 age-group are in marked contrast with 3.0 for mothers in the age periods 20 to 24 and 25 to 29 years.

| fable V | UNITED | STATES: 1935 | |
|----------------|---|--|---|
| age of mother | Live births | Stillbirths | Still- births per 100 live births |
| All ages | 2,155,105 | 77,119 | 3.6 |
| 10 to 14 years | 3,155 270,288 660,381 564,425 357,474 214,267 72,822 7,043 7,043 5,096 | 211 10,272 19,786 16,676 12,728 9,979 4,358 622 13 | 6.7 3.8 3.0 3.0 4.7 6.8 8.3 48.5 |

Table W shows the distribution of births and $% \left(1\right) =\left(1\right) +\left(1\right$

| AGE OF MOTHER | AGE OF | N PER 1,000, BY MOTHER, IN THE STATES: 1935 |
|---------------|--------------|--|
| | Live births | Stillbirths |
| All ages | 1,000.0 | 1,000.0 |
| 0 to 14 years | 99.4 33.8 | 2.7 133.2 256.6 216.2 165.0 129.4 56.5 8.1 0.2 |

STILLBIRTHS BY LEGITIMACY

Table X shows the number of stillbirths, with the ratio to 100 live births, by legitimacy, for cities of 10,000 inhabitants or more in 1930, cities of 2,500 to 10,000, and rural districts of the United States and each State.

Ratios were higher for illegitimates in all States except two—Utah and Washington. In 22 States rates of illegitimacy were highest in the smaller cities and in 15 States the highest rates were for the larger cities.

| TABLE X | | | 1935 | | | | |
|--|--|---|---|--|---|--|--|
| AREA | ST | ILLBIRTHS | | STILLBIRTHS PER 100 LIVE BIRTHS | | | |
| | Total | Legiti- mate | Ille- giti- mate | Total | Le- giti- mate | Ille- giti- mate | |
| UNITED STATES 1/ WhiteOther races | 73,262 55,030 18,232 | 67,201 53,001 14,200 | 6,061 2,029 4,032 | 3.6 3.1 7.0 | 3.5 3.1 6.5 | 7.7 5.5 9.6 | |
| Cities of 10,000 or more———————————————————————————————————— | 25,714 6,494 7,770 6,366 1,404 32,284 21,950 | 30,620 25,709 4,911 7,209 6,141 1,068 29,372 21,151 8,221 | 2,588 1,005 1,583 561 225 336 2,912 799 2,113 | 3.7 3.6 3.6 3.4 8.4 3.9 6.5 | 3.6 3.3 6.9 3.6 3.3 7.7 3.3 2.8 6.1 | 7.6 5.1 10.9 8.9 6.8 11.4 7.6 5.8 | |
| ALABAMA- White | 1,706 663 279 384 | 2,510 1,241 1,269 554 265 289 166 105 61 | 493 56 437 109 14 95 28 8 20 | 4.8 3.4 7.1 5.6 3.7 8.5 4.6 8.5 | 4.4 3.3 6.6 5.2 3.7 8.4 5.3 4.3 8.4 | 9.: 7.: 9.: 6.: 10.: 23.: 8.: | |

 $\underline{1}/$ Exclusive of California and Massachusetts. These States do not require a statement concerning legitimacy of child.

| | | | | | | = | | | | 1935 | | <u> </u> | |
|--|--|--|--|---|---|--|---|---|---|------------------------|--|---|--|
| TABLE X-Continued | | | 1935 | | | | TABLE K-Continued | | | 1300 | · · · · · · | | |
| AREA | ST | LLBIRTES | | | BIRTHS I | | AREA | ST | illbirths | | | BIRTHS LIVE BIR | |
| | Total | Legiti- mate | Ille- giti- mate | Total | Le- giti- mate | Ille- giti- mate | | Total | Legiti- mate | Ille- giti- mate | Total. | Le- giti- mate | Ille- giti- mate |
| ARIZONA— Cities of 10,000 or more— Cities of 2,500 to 10,000— Rural— Other races— Cities of 10,000 or more— White— Other races— Cities of 2,500 to 10,000— White— Other races— Cities of 10,000 or more— Cities of 2,500 to 10,000— Rural— Cities of 10,000 or more— Cities of 2,500 to 10,000— Rural— DISTRICT OF COLUMBIA— White— Other races— Cities of 10,000 or more— Cities of 2,500 to 10,000— Rural— DISTRICT OF COLUMBIA— White— Other races— Cities of 10,000 or more— Cities of 2,500 to 10,000— Rural— Cities of 10,000 or more— Cities of 2,500 to 10,000— Rural— Cities of 10,000 or more— Cities of 2,500 to 10,000— White— Other races— Cities of 2,500 to 10,000— White— Other races— Cities of 2,500 to 10,000— Rural— White— Other races— Cities of 2,500 to 10,000— Rural— White— Other races— Cities of 2,500 to 10,000— Rural— Cities of 10,000 or more— Cities of 2,500 to 10,000— Rural— Cities of 10,000 or more— Cities of 2,500 to 10,000— Rural— Cities of 2,500 t | 114 123 748 346 402 1477 1,477 2,400 940 182 182 182 1900 1,631 1,631 1,631 1,631 1,437 1,631 1,631 1,437 1,1450 403 1,437 1,1450 1,1 | 465 1,055 425 197 433 800 311 1,827 1,666 144 1,322 1,67 80 87 1,400 1,400 1,400 1,5 | 30 86 86 10 75 50 12 30 31 14 30 31 14 31 14 31 31 31 31 31 31 31 31 31 31 | 5.4.8.2.4.7.7.6.1.0.9.0.9.9.9.9.0.0.9.9.9.9.0.0.9.9.9.9.0.0.9.9.9.9.0.0.9.9.9.9.0.0.9.9.9.9.0.9.9.9.0.0.9.9.9.9.0.9 | 1.5 3.3 3.3 3.4 4.1 3.4 5.1 4.1 3.1 | 11.4 6.0 1.7 11.1 12.5 5.2 4.9 5.2 4.9 5.2 4.9 5.2 4.9 5.2 6.3 6.5 11.4 6.8 3.9 10.3 11.4 6.8 8.1 11.4 12.5 6.4 11.1 11.1 11.5 11.1 11.5 11.5 11.5 11 | Ottles of 10,000 or more- Ottles of 2,500 to 10,000 | 168 155 155 169 169 169 169 169 169 169 169 169 169 | 353 10.33 1.,80 1.,80 81.33 33.33 5.31 2.11 2.11 1.,00 | 6 1 1 13 | 5.52 3.45 5.65 2.25 3.94 4.23 5.25 2.45 5.65 2.25 3.94 4.23 5.56 5.65 2.25 5.45 2.25 5.25 2.25 2.25 5.25 2 | 5.0 5.3 5.4 10.1 10.1 2.1 2.1 2.1 2.1 2.1 2.1 2.1 2.1 2.1 2 | 5.0 7.0 7.0 9.2.9 14.8 8.5 7.2 8.5 9.6 9.3 4.9 9.5 4.9 9.5 4.9 9.5 4.9 11.3 9.5 4.9 11.3 9.5 4.9 11.2 9.5 11.2 11.2 11.2 11.2 11.2 11.2 11.2 11 |

| The Day To County of the Count | | **** | | | | | |
|--|---|--|---|---|--|---|--|
| TABLE X—Continued | | | 1935 | | | | |
| AREA | ST | ILLBIRIHS | | STILLBIRTHS PER 100 LIVE BIRTHS | | | |
| | Total | Legiti- mate | Ille- giti- mate | Total | Le- giti- mațe | Ille- giti- mate | |
| ORECON- Cities of 10,000 or more- Cities of 2,500 to 10,000- Rural- RHODE ISLAND- Cities of 2,500 to 10,000- RURAL- SOUTH CARCLINA- White- Cities of 10,000 or more- Cities of 10,000 or more- Cities of 2,500 to 10,000- RURAL- SOUTH CARCLINA- White- Cities of 10,000 or more- Cities of 10,000 or more- White- Cities of 10,000 or more- Cities of 10,000 or more- Cities of 2,500 to 10,000- White- Cities of 2,500 to 10,000- Cities of 2,500 to 10,000- Cities of 2,500 to 10,000- Cities of 10,000 or more- Cities of 10,000 or more- Cities of 2,500 to 10,000- Rival- FENNESSEE- White- Cities of 2,500 to 10,000- Rival- Cities of 2,500 to 10,000- Rival- Cities of 10,000 or more- Cities of 2,500 to 10,000- Cities of 10,000 or more- Cities of 10,000 or more- Cities of 10,000 or more- White- Cities of 10,000 or more- White- Cities of 10,000 or more- White- Cities of 10,000 or more- | 295 142 77 76 5,212 2,939 710 1,563 283 285 722 1,752 449 139 310 239 95 144 1,786 468 1,288 3,41 218 2,153 546 661 397 284 | 288 139 74 75 4,936 2,790 661 1,485 281 285 693 1,323 1,323 1,34 208 198 92 106 1,476 467 1,009 332 79 1,343 47 1,546 442 1,546 442 1,546 | 7 7 3 3 1 1 276 6 149 49 7 10 10 10 10 10 10 10 10 10 10 10 10 10 | 2.37.8.23.4.19.87.33.3.4.19.87.33.3.4.19.87.38.80.00.00.00.00.00.00.00.00.00.00.00.00 | 2.2 2.3 2.6 3.2 3.2 3.2 3.2 3.2 3.5 5.5 5.5 7.7 4.0 4.8 11.6 5.2 3.5 3.5 5.5 7.0 4.0 13.4 7.0 4.8 11.6 5.2 3.2 3.2 3.2 3.2 3.2 3.5 5.6 7.7 7.0 4.0 4.0 5.0 5.0 5.0 5.0 5.0 5.0 5.0 5.0 5.0 5 | 3.2 2.C 23.L1. 5.C 6.4.3.9 3.4.4.5.4 10.8.6.7 11.2 11.6.6.6.7 15.8 6.7 9.6 9.6 4.4.5 4.5 8.7 9.6 8.7 9.6 9.6 9.6 9.6 9.6 9.6 9.6 9.6 9.6 9.6 | |
| Citles of 2,500 to 10,000 White Other races Rural White | 178 132 46 1,300 1,084 | 163 128 35 1,231 1,045 | 63 15 4 11 69 39 | 4.3 3.7 7.9 3.7 3.5 | 7.6 4.1 3.7 7.2 3.6 3.4 | 9.1 8.7 5.2 11.6 6.9 6.9 | |
| Other races | 216 4,370 3,346 1,024 1,540 1,191 349 | 186 4,071 3,257 814 1,412 1,148 264 | 30 299 89 210 128 43 | 5.2 3.8 3.3 7.3 4.1 3.6 8.5 | 5.0 3.7 3.3 6.7 3.9 3.5 | 6.8 8.4 5.1 11.7 7.9 4.2 14.0 | |

PERCENT OF STILLBIRTHS FROM CERTAIN CAUSES AT SPECIFIED PERIODS OF UTEROGESTATION

In table Y the percentage distribution by sex and by cause is shown for the number of stillbirths reported in 7 States, the District of Columbia, and Baltimore, Md., the total number being 15,738. Similar tabulations are not available for other States or cities, as information concerning the cause of still-births and the period of gestation is not returned on a sufficient number of transcripts to warrant its tabulation.

Note the much greater preponderance of males in the still-births of the first 4 months of uterogestation as compared with those of the later months. The following comments apply to male stillbirths presented for the seventh, eighth, and ninth months of uterogestation, these being the months for which stillbirths are believed to be best reported.

For stillbirths of 7 months, only 18.1 percent were due to causes not specified or unknown, though this percentage would change to 26.2 if the terms "abortion, miscarriage, and premature birth" were included. For stillbirths of 8 and 9 months, 18.8 and 14.5 percent, respectively, were due to unknown or not specified causes

Of the well-defined causes of stillbirths of 7 months' uterogestation, separation of the placente was the principal

of the Well-delined causes of stillibrins of 7 months; uterogestation, separation of the placents was the principal cause, being responsible for 11.3 percent of the total. Next in importance were malformations, 6.8 percent; prolapse and compression of cord, 6.5 percent; other deaths in utero, 5.9 percent; toxemia of pregnancy, 5.8 percent; and placenta praevia, 5.7 percent.

| TABLE X—Continued | | | 1935 | | | |
|--|--|---|--------------------------------|--|--|-----------------------------------|
| area | ST | ILLBIRTHS | | | LBIRTHS LIVE BI | |
| | Total | Legiti- mate | Ille- giti- mate | Total | Le- giti- mate | Ille- giti- mate |
| TEXAS—Continued Cities of 2,500 to 10,000 White- Other races Rural | 548 456 92 2,282 1,699 | 515 443 72 2,144 1,666 | 33 13 20 138 33 | 3.9 3.5 8.3 3.6 3.1 | 3.8 3.5 7.6 3.5 3.1 | 10.2 8.0 12.3 8.7 5.8 |
| Other races | 563 274 119 62 93 189 | 478 273 119 62 92 181 | 105 | 6.7 2.2 2.3 2.4 1.9 2.9 | 6.2 2.2 2.3 2.4 1.9 2.8 | 10.3 0.9 2.8 3.9 |
| Cities of 10,000 or more | 46 43 100 2,182 1,166 1,016 | 43 43 95 1,897 1,108 789 | 3 5 285 58 227 | 2.9 3.4 2.7 4.2 3.2 6.8 | 2.8 3.5 2.6 4.0 3.1 6.5 | 3.7 5.2 7.5 5.4 8.3 |
| Cities of 10,000 or more White | 690 341 349 157 116 | 565 328 237 144 112 | 125 13 112 13 4 | 6.0 4.2 10.4 4.1 3.6 | 5.4 4.1 9.3 4.0 3.6 | 12.5 6.5 14.0 6.2 4.4 |
| Rural | 41 1,335 709 626' 476 | 32 1,188 668 520 470 | 9 147 41 106 6 | 6.8 3.7 2.8 55.7 | 6.6 3.5 2.7 5.7 | 7.5 5.7 5.3 588 |
| Cities of 10,000 or more Cities of 2,500 to 10,000 Rurel | 332 45 99 1,645 | 329 44 97 1.519 | 3 1 2 126 | 2.4 1.9 1.7 3.9 | 2.4 1.9 1.7 | 0.9 5.0 1.8 6.3 |
| Cities of 10,000 or more Cities of 2,500 to 10,000 Rural | 332 207 1,106 | 309 197 1,013 | 23 10 93 | 4.7 5.7 3.6 | 4.6 5.7 3.4 | 6.8 6.0 6.2 |
| WISCONSIN | 1,251 576 195 480 | 1,206 554 189 463 | 45 22 6 17 | 2.4 2.4 3.0 2.2 | 2.3 2.4 2.9 2.1 | 3.8 3.5 4.8 4.0 |
| WYOMING | 86 12 13 61 | 83 12 12 59 | 3 1 2 | 2.0 1.7 1.5 2.2 | 1.9 1.7 1.4 2.1 | 4.8 14.3 5.0 |

Of the well-defined causes of 8 months' uterogestation, prolapse and compression of cord was of first importance, responsible for 13.9 percent of the total. Next in importance were other difficult labor, 11.1 percent; separation of placenta, 7.8 percent; and malformations, 5.7 percent. Of the well-defined causes of 9 months' uterogestation, prolapse and compression of cord was the principal cause, responsible for 17.6 percent of the total. Next in importance were other difficult labor, 15.3 percent; malformations, 6.2 percent; and separation of placenta and asphyxia of child, each 6.0 percent. 6.0 percent.
From table Z, which shows the percent of stillbirths at

From table Z, which shows the percent of stilloirths at specified periods of uterogestation by sex and cause of still-birth, it is found that 30.8 percent of the male and 30.7 percent of the female stillbirths reported were at the ninth month, and that for 19 of the 20 groups of causes there were more stillbirths of males than females. Malformations, as usual, was the only cause responsible for more stillbirths of females than males.

As causes of stillbirths among males, albuminuria, nephritis, and other diseases incident to pregnancy played their most important role at the seventh and eighth months; the higher percentages of stillbirths from abortion, miscarriage, and prepercentages of stillbirths from abortion, miscarriage, and premature birth were credited to the fifth and sixth months; the higher percentages from both eclampsia of pregnancy and toxemia of pregnancy were credited to the sixth, seventh, eighth, and ninth months; from traumatism to the seventh month; from placenta praevia to the seventh and eighth months; from separation of placenta to the seventh, eighth, and ninth months; from syphilis to the seventh month; from other deaths in utero to the eighth and ninth months, and for all other causes listed the higher percentages were for the ninth month.

| TABLE Y | | | | AS | ELECTED AR | EA: <u>1</u> / 1935 | | | | |
|--|---|---|-----------------------|--|---|---|---|--|---|---|
| SEX AND CAUSE OF STILLBIRTH | | | | Perio | od of utero | gestation | of stillbi | rth | | |
| | Total | Under 4 months | 4 months | 5 months | 6 months | 7 months | 8 months | 9 months | 10 months and over | Un- known |
| Stillbirths, number | 15,738 | 354 | 693 | 1,290 | 1,669 | 2,197 | 3,703 | 4,841 | 119 | 872 |
| MaleFemale | 8 9 901 6,837 | 256 98 | 453 240 | 730 560 | 925 744 | 1,200 997 | 2,037 1,666 | 2,739 2,102 | 70 49 | 491 381 |
| | <u> </u> | | | P | PERCENT OF | EACH SEX | | | q | |
| MaleFemale | 56.6 43.4 | 72.3 27.7 | 65.4 34.6 | 56.6 43.4 | 55.4 44.6 | 54.6 45.4 | 55.0 45.0 | 56.6 43.4 | 58.8 41.2 | 56.3 43.7 |
| | | | PERCE | NT OF EACH | CAUSE TO | ALL CAUSES | OF EACH S | EX | | |
| All causes | 100.0 100.0 | 100.0 100.0 | 100.0 100.0 | 100.0 100.0 | 100.0 100.0 | 100.0 100.0 | 100.0 100.0 | 100.0 100.0 | 100.0 100.0 | 100.0 100.0 |
| Mark | 2.1 1.5 1.4 5.3 3.6 2.1 2.7 4.7 2.9 2.4 7.5 | 3.1 3.1 1.5 1.0 0.4 1.0 2.0 0.4 1.0 4.3 3.1 | 2.0 2.1 0.7 | 1.4 2.0 1.1 1.8 2.2 3.4 1.9 2.7 0.8 3.4 2.9 7.9 | 3.7 2.6 1.9 2.8 4.8 5.9 3.0 6.6 3.1 7.1 4.2 9.7 8.7 | 3.8 3.3 2.4 2.4 5.8 6.6 3.5 4.8 6.8 10.8 10.8 5.7 3.6 | 1.6 2.0 2.0 1.3 3.5 2.9 2.3 2.0 5.7 9.1 3.2 1.7 7.8 | 1.4 1.2 1.0 2.7 2.6 1.4 1.4 6.2 9.7 1.5 1.8 6.0 | 1.4 2.0 5.7 4.1 1.4 4.1 8.6 12.2 | 2.0 1.8 0.6 1.4 1.6 2.4 1.0 2.4 5.2 2.2 1.6 |
| Other diseases of the placenta and membranes | 2.1 1.9 7.6 | 0.8 1.0 32.8 | 2.6 1.7 23.4 | 2.5 2.5 21.1 | 2.1 1.9 16.8 | 2.3 2.3 8.1 | 1.7 1.9 2.2 | 2.4 1.9 0.3 | 1.4 | 0.2 1.0 5.5 |
| F | 7.5 10.8 10.6 | 31.6 0.4 | 27.9 1.5 2.1 | 23.2 3.7 2.1 | 16.1 4.0 3.0 | 9.3 6.5 6.3 | 1.7 13.9 13.2 | 0.3 17.6 17.8 | 2.0 20.0 22.4 | 8.9 6.5 4.5 |
| Breech presentation | 2.5 | | 0.2 | 0.4 0.2 0.4 | 0.3 0.5 0.5 | 1.0 0.6 0.9 | 3.4 3.6 2.4 | 4.6 4.9 4.1 | 7.1 4.1 1.4 | 0.8 1.8 1.0 |
| F Deformed pelvig | 1.7 | | | | 0.4 | 0.9 0.1 | 2.8 1.6 | 2.8 3.1 | 2.0 | 0.6 |
| Cther difficult labor | 1.0 8.1 | 0.4 | 0.2 | 0.4 | 1.4 | 0.3 | 1.0 11.1 | 2.1 15.3 | 17.1 | 0.5 5.1 |
| F Asphyxia of child (cause not stated) | 6.5 4.6 | 4.3 | 3.3 | 0.4 4.0 | 1.1 2.6 | 1.5 3.1 | 9.2 4.9 | 11.7 6.0 | 12.2 5.7 | 3.9 5.3 |
| MacerationM | | 2.0 | 1.3 | 4.1 1.0 | 3.4 1.5 | 4.0 2.4 | 4.9 1.5 | 7.6 2.0 | 4.1 4.3 | 0.8 |
| Other deaths in utero | 1.7 | 6.3 | 1.3 6.0 | 0.9 6.0 | 1.6 7.4 | 1.9 5.9 | 1.7 4.4 | 2.0 3.2 | 2.0 | 1.4 |
| Traumatiam (exclusive of overwork) | 2.2 | 8.2 6.6 | 6.3 | 7.0 4.7 | 5.1 3.4 | 6.9 3.3 | 5.5 0.8 | 3.3 0.7 | 5.1 1.4 | 1.2 |
| Other specified causes | | 7.1 | 10.2 | 3.2 | 3.6 9.4 | 2.9 7.4 | 1.1 7.1 | 0.7 6.0 | 8.6 | 4.3 |
| Causes not specified and unknown | 7.1 20.7 20.0 | 7.1 27.3 31.6 | 7.1 30.7 31.3 | 7.3 26.6 25.0 | 7.1 19.9 18.3 | 8.1 18.1 13.3 | 7.6 18.8 19.3 | 6.6 14.5 15.2 | 10.2 11.4 8.2 | 4.2 51.9 54.1 |

^{1/} Including Connecticut, Illinois, New Jersey, New York, Oregon, Washington, West Virginia, Baltimore, (Md.), and the District of Columbia.

| TABLE Z | A SELECTED AREA: 1/ 1935 Stillbirths Percent of stillbirths at specified period of uterogestation for total of each sex | | | | | | | | | | | | | | | | | | | | | | | |
|-----------------------------|--|-------|---------|------|-------|----------------|------------|---------------|-------|--------|-------|-------|--------|--------|---------|--------|---------|--------|---------|--------------|-------|---------------|------------|--------|
| | | Sti | llbirth | 8 | | | I | ercen | tofs | st111t | irths | at sp | ecifie | d peri | od of | uterog | estati | on for | total | of ea | ch se | x | | |
| CAUSE OF STILLBIRTH | N | umber | | | nt of | All periods | Und mon | er 4 ths | 4 mor | nths | 5 mor | iths | ,6 mc | nthś | 7 mo | nths | 8 100 | nths | 9 до | nths | | onths over | Unkr | nown |
| | Total | м | F | М | F | M and F | М | F | М | F | M | F | М | F | Ni. | F | lii | F | М | F | M | F | M | F |
| All causes | 15,738 | 8,901 | 6,837 | 56.6 | 43.4 | 100.0 | 2.9 | 1.4 | 5.1 | 3.5 | 8.2 | 8.2 | 10.4 | 10.9 | 13.5 | 14.6 | 22.9 | 24.4 | 30.8 | 30.7 | 0.8 | 0.7 | 5.5 | 5.6 |
| Syphilis | 327 | 186 | 141 | 56.9 | 43.1 | 100.0 | 4.3 | 2.1 | 4.8 | 3.5 | 5.4 | | | 13.5 | 24.2 | 23.4 | 17.2 | 23.4 | 19.9 | 21.3 | 0.5 | | 5.4 | |
| Eclampsia of pregnancy | 234 | 136 | 98 | 58.1 | 41.9 | 100.0 | | | 2.2 | | | 10.2 | 13.2 | 21.4 | 21.3 | 24.5 | 29.4 | 22.4 | 25.0 | 20.4 | 0.7 | 1.0 | 2.2 | |
| Toxemia of pregnancy | 544 | 297 | 247 | 54.6 | 45.4 | 100.0 | 1.3 | 0.4 | 1.3 | 2.4 | 5.4 | 7.7 | 14.8 | 17.8 | 23.6 | 25.7 | 24.9 | 19.4 | 24.9 | 22.3 | 1.3 | 0.8 | 2.4 | 2.4 |
| Albuminuria, nephritis, and | | ı | 1 | 1 | l | | 1 | | ŀ | | | ļ | | 1 | | | | | 1 | | l | | | 1 |
| other diseases incident | | i | | | | l i | 1 | | | l | | | l | | | | | | | | | | | 1 |
| . to pregnancy | 367 | 184 | 183 | 50.1 | 49.9 | 100.0 | 0.5 | 0.5 | 1.6 | | 7.6 | | | | | 26.2 | 25.0 | 18.0 | 20.1 | | | 1.1 | 6.5 | |
| Malformations | 985 | 4,22 | 563 | 42.8 | 57.2 | 100.0 | | 0.4 | 0.2 | | 1.4 | | | 9.4 | 19.4 | 19.2 | 27.7 | 26.8 | 40.0 | | 1.4 | 1.1 | | 3.6 |
| Placenta praevia | 424 | 257 | 157 | 60.6 | 39.4 | 100.0 | 0.4 | 0.6 | 3.9 | | | 11.4 | 15.2 | | | 21.6 | 25.7 | 17.4 | 16.0 | | | | | 3.6 |
| Separation of placenta | 1,151 | 672 | 479 | 56.4 | 41.6 | 100.0 | 1.6 | 0.6 | 5.1 | 2.9 | 8.6 | 8.8 | 13.4 | 13.6 | 20.1 | 20.7 | 23.7 | 26.3 | 24.4 | 23.4 | 0.1 | | 3.0 | 3.8 |
| Otner diseases of the pla- | | ł | 1 1 | 1 : | | | 1 | | | 1 | i | | | l | l | i | | | l | | l | l | | 1 . |
| centa and membranes | 31,6 | 183 | 133 | 57.9 | 42.1 | 100.0 | 1.1 | 0.8 | 6.6 | 3.0 | 9.8 | 10.5 | 10.4 | 10.5 | 15.3 | 17.3 | 19.1 | 24.1 | 36.6 | 29.3 | 0.5 | 1.5 | 0.5 | 3.0 |
| Abortion, miscarriage, and | | | 1 1 | 1 | | | I. | | : | L | | | l | l | l ; | | ۱ | ۔ ۔ ا | ١ | | l | ا ۾ ا | ٠., | ١., |
| premature birth | 1,186 | 675 | 510 | 57.0 | 43.0 | 100.0 | 12.4 | 6.1 | 15.7 | 13.1 | 22.8 | 25.5 | 22.9 | 23.5 | 14.3 | 18.2 | 6.7 | 5.5 | 1.2 | 1.2 | | 0.2 | 4.0 | 6.1 |
| Prolapse and compression | i | ł | 1 1 | 1 | l | · [| | | | l | | ١ ـ ـ | | | ا ـ ـ ا | | l | ١ | ١ | l | ١ | | | ١., |
| of cord | 1,684 | 960 | 724 | 57.0 | 43.0 | 100.0 | 0.1 | | 0.7 | 0.7 | 2.8 | | 3.9 | 3.0 | 8.1 | 8.7 | 29.5 | 30.4 | 50.1 | 51.7 | 1.5 | | 3.3 | |
| Breach presentation | 407 | 223 | 184 | 54.8 | 45.2 | 100.0 | | | 0.4 | | 1.3 | 0.5 | 1.3 | 2.2 | 5.4 | 3.3 | 31.4 | 32.6 | 56.1 | 56.5 | 2.2 | | | |
| Other malpresentations | 303 | 185 | 118 | 51.1 | 38.9 | 100.0 | | | | | 1.6 | | 2.7 | 2.5 | 5.9 | 7.6 | | 39.8 | 60.0 | | | 0.8 | 2.7 | |
| Deformed pelvis | 191 | 125 | 66 | 65.4 | 34.6 | 100.0 | | | | | | | 2.4 | | 0.8 | 4.5 | 25.6 | | 68.3 | 66.2 | | | 2.4 | |
| Other difficult labor | 1,164 | 719 | 445 | 61.8 | 38.2 | 100.0 | 0.1 | - | 0.1 | | 0.4 | 0.4 | 1.8 | 1.8 | 2.6 | 3.4 | 31.4 | 34.4 | 58.3 | 55.3 | 1.7 | 1.3 | 3.5 | 3.4 |
| Asphyxia of child (cause | · I | | | 1 | | | l | ١ ا | | | | ۱ | ۱., | ۱., | ١., ١ | ,, , | | 67. 77 | 40.0 | 45.7 | ١,, | 0.6 | | 3.7 |
| not stated) | 756 | 40B | 348 | 54.0 | 46.0 | 100.0 | 2.7 | 0.6 | 3.7 | 0.9 | 7.1 | | 5.9 | 7.2 | 9.1 | 11.5 | 24.3 | | 40.0 | 36.8 | 2.0 | 0.9 | 6.4 2.6 | |
| Maceration | 265 | 151 | 114 | 57.0 | 43.0 | 100.0 | | | 4.6 | 2.6 | 4.6 | 4.4 | 9.3 | 10.5 | 19.2 | 16.7 | 20.5 | 25.4 | 37.1 | | | | | |
| Other deaths in utero | 745 | 411 | 334 | 55.2 | 44.8 | 100.0 | 3.9 | 2.4 | 6.6 | 4.5 | 10.7 | 11.7 | 16.5 | 11.4 | 17.3 | 20.7 | 21.7 | 27.5 | 21.4 | 20.7 | 0.2 | 0.9 | 1.7 | 0.5 |
| Traumatism (exclusive of | | I | 1 | l | l | l l | l | l | ۱ | L | ۱ | l | ١,,, | ۔ ۔ ا | | | | 35. 6 | ا ء ء ۔ | ا ا | ا ہ د | l l | 3.1 | 1.5 |
| overwork) | 326 | 194 | 132 | 59.5 | 40.5 | 100.0 | 8.8 | 5.3 | 14.4 | | 17.5 | | 16.0 | 20.5 | 20.6 | 22.0 | 8.8 | 13.6 | 10.3 | 11.4 28.7 | 0.5 | 1.0 | | 3.3 |
| other specified causes | 1,151 | 666 | 485 | 57.9 | 42.1 | 100.0 | 4.4 | 1.4 | 6.9 | 3.5 | 12.2 | 8.5 | 13.1 | 10.9 | 13.4 | 16.7 | 21.6 | 26.0 | 24.5 | 28.7 | 0.9 | 1.0 | 5.2 | 3. |
| Causes not specified and | | L | L l | l | ۱ | | I | ا ـ ـ ا | ۱ ـ ـ | l | ۱., - | ١ | ١., , | ١,,, | ا | | ا م م ا | | ا و | | ا م ا | ا ۾ ا | 30.0 | h., |
| unknown | 3,212 | 1,846 | 1,366 | 57.5 | 42.5 | 100.0 | 3.8 | 2.3 | 7.5 | 5.5 | 13.5 | 10.2 | 10.0 | 10.1 | 11.8 | 9.7 | 20.7 | 23.6 | 21.5 | 23.4 | 0.4 | 0.3 | T3*R | 1750-7 |

^{1/} Including Connecticut, Illinois, New Jersey, New York, oregon, Washington, West Virginia, Baltimore, (Md.), and the District of Columbia.

INFANT MORTALITY STATISTICS: 1935

INTRODUCTION

The infant mortality rate is the number of deaths of infants under 1 year of age per 1,000 born alive. In 1935 the rate of infant mortality for the United States was 55.7. This is 4.4 lower than the 1934 rate and is practically equivalent to saying that of every 18 infants born alive 1 dies before reaching the age of 1 year.

INFANT MORTALITY RATES: 1931 TO 1935

Table AA shows, for the years 1931 to 1935, infant mortality rates for each State, and each city having 100,000 or more inhabitants in 1930.

For the States, the rates in 1935 ranged from 41.2 in Nebraska and Oregon to 129.3 in New Mexico. A comparison of the rates for 1935 with those for 1934 shows that rates in 1935 were lower for 35 States and higher for only 12. The greatest decreases (10.9 and 10.6) were in the rates for Mississippi and Georgia, respectively. The greatest increase (11.7) was in the rate for Nevada.

For the 93 cities that had populations in 1930 of 100,000 or more, the infant mortality rates varied from 28.8 in Duluth, Minn. to 103.8 in El Paso, Texas. In 1935 the rates for 63 cities were lower than in the preceding year and those for 30 cities were higher. The greatest decreases were 22.4 in the rate for Memphis, Tenn., 22.2 for Chattanooga, Tenn., and 22.0 for Hartford, Conn.

The greatest increases (37.0 and 27.2) were in the rates for Lynn, Mass., and South Bend, Ind., respectively.

| TABLE AA | | MORTALI | | | |
|------------------|--------|----------|----------|-----------|--------|
| AREA | 1 YEAR | R OF AGE | PER 1,00 | OO TIAE I | urins) |
| | 1935 | 1934 | 1933 | 1932 | 1931 |
| UNITED STATES2/ | 55.7 | 60.1 | 58.1 | 57.6 | 61.6 |
| White | 51.9 | 55.6 | 54.1 | 53.9 | 57.4 |
| Other races | 83.2 | 91.6 | 86.4 | 84.4 | 93.1 |
| ALARAVA | 62.8 | 67.8 | 65.1 | 60.9 | 61.4 |
| White | 51.6 | 57.4 | 55.7 | 51.9 | 52.7 |
| Other races | 80.B | 84.9 | 80.1 | 76.1 | 76.7 |
| ARIZONA | 111.7 | 103.5 | 111.4 | 95.9 | 109.6 |
| White | 97.0 | 92.7 | 101.2 | 89.1 | 101.5 |
| Other races | 198.2 | 179,1 | 182.1 | 142.7 | 177.5 |
| ARKANSAS | 47.1 | 54.1 | 54.4 | 45.3 | 49.0 |
| White | 46.7 | 52.1 | 51.2 | 43.4 | 48.4 |
| Other races | 48.5 | 60.7 | 65.2 | 51.6 | 51.1 |
| CALIFORNIA | 49.6 | 51.7 | 53.7 | 52.7 | 56.1 |
| White | 49.3 | 51.3 | 53.3 | 52.3 | 56.5 |
| Other races | 56.5 | 59.3 | 60.6 | 59.4 | 58.4 |
| COLORADO | 72.7 | 72.7 | 68.9 | 71.5 | 81.0 |
| White | 72.4 | 72.4 | 67.9 | 71.0 | 80.8 |
| Other races | 98.1 | 93.1 | 146.3 | 110.1 | 98. |
| CONNECTICUT | 42.7 | 48.8 | 48.4 | 49.4 | 53.8 |
| White | 42.0 | 48.1 | 47.7 | 48.2 | 52.4 |
| Other races | 71.2 | 75.6 | 73.9 | 95.4 | 103.3 |
| ELAWARE | 66.4 | 61.4 | 60.4 | 67.1 | 81.7 |
| White | 53.3 | 51.5 | 54.4 | 62.4 | 67.6 |
| Other races | 133.9 | 107.3 | 91.8 | 90.9 | 154. |
| LORIDA | 61.9 | 68.2 | 62.9 | 61.1 | 63.9 |
| White | 50.5 | 54.5 | 49,8 | 49.4 | 51,8 |
| Other races | 88.3 | 99.5 | 91.6 | 86.9 | 90. |
| EORGIA | 68.3 | 78.9 | 66.7 | 64.4 | 68. |
| White | 59.7 | 68.0 | 59.0 | 55.5 | 56.1 |
| Other races | 80.7 | 94.7 | 77.8 | 77.7 | 86. |
| DAHQ | 51.0 | 50.3 | 47.2 | 43.4 | 55.9 |
| White | 48.9 | 47.9 | 45.1 | 41.4 | 52.9 |
| Other races | 208.0 | 222.2 | 193,5 | 157.9 | 224.4 |
| LLINOIS | 45.9 | 52.8 | 49.0 | 52.8 | 58.6 |
| White | 44.6 | 51.6 | 47.1 | 51.3 | 56.5 |
| Other races | 69.6 | 76.6 | 83.3 | 81.2 | 98 |
| NDIANA | 50,8 | 56.5 | 53.0 | 54.7 | 57.6 |
| White | 49.3 | 55.4 | 52.0 | 53.7 | 56.8 |
| Other races | 92.8 | 92.1 | 82.1 | 83.7 | 80.8 |
| OWA | 47.1 | 50.6 | 48.3 | 47.9 | 49.0 |
| White | 46.8 | 50.4 | 47.9 | 47.4 | 48.6 |
| Other races | 96.9 | 83.0 | 139.8 | 169.8 | 112.4 |
| ANSAS | 50.3 | 48.5 | 53.5 | 48.1 | 47.9 |
| White | 49.2 | 46.8 | 52.0 | 46.2 | 46.9 |
| Other races | 83.8 | 97.7 | 99.6 | 108.4 | 80.4 |
| ENTUCKY | 58.7 | 64.9 | 58.1 | 63.3 | 65.0 |
| White | 56.6 | 62.1 | 55.6 | 60.7 | 60.7 |
| Other races | 99.4 | 116.5 | 98.4 | 108.2 | 136.7 |
| OUISIANAAMAIRIUO | 69.4 | 69.1 | 70.1 | 64.8 | 65.9 |
| White | 57.7 | 55.6 | 56.8 | 52.8 | 53.5 |
| Other races | 85.4 | 87.6 | 88.8 | 82.0 | 84.8 |
| MAINE | 63.0 | 70.7 | 66.3 | 63.1 | 71.5 |
| White | 62.9 | 70.8 | 66.2 | 62.9 | 71.4 |
| Other races | 95.2 | | 76.9 | 121.2 | 125.0 |

| AREA | | MORTALIT R OF AGE | | | |
|---|--|--------------------------------------|-------------------------------|-------------------------------|----------------------------|
| ARDA | 1935 | 1934 | 1933 | 1932 | 193 |
| MARYLAND | 62.0 | 70.4 | 65.8 | 69.0 | 80 |
| White | 51.7 | 59.8 | 54.7 | 57.3 | 66 |
| Other racesMASSACHUSETTS | 99.1 | 107.3 | 104.0 | 110.4 | 131 |
| White | 48.3 | 49.0 48.5 | 52.0 51.6 | 52.9 52.4 | 54 54 |
| Other races | 47.6 91.4 | 78.1 | 78.6 | 84.1 | 81 |
| AICHIGAN | 47.7 | 52.0 | 50.5 | 54.0 | 57 |
| White | 47.1 | 51.4 | 49.B | 53.5 | 55 |
| Other races | 64.2 | 67.5 | 70.3 | 67.1 | 93 |
| ATNNESOTA | 44.7 | 47.2 | 47.6 | 47.2 | 50 |
| White | 44.0 | 46.5 | 46.9 | 45.5 | 49 |
| Other races | 92.0 | 105.1 | 114.6 63.6 | 109.0 | 113 |
| White | 53.9 47.8 | 64.8 54.9 | 50.9 | 53.6 44.5 | 55 43 |
| Other races | 59.0 | 73.5 | 74.7 | 61.7 | 67 |
| ISSOURI | 56.9 | 63.1 | 55.4 | 57.2 | 62 |
| White | 55.2 | 60.1 | 52.7 | 53.7 | 60 |
| Other races | 83.1 | 109.7 | 100.3 | 110.7 | 106 |
| ONTANA | 60.0 | 53.5 | 51.5 | 51.4 | 60 |
| White | 54.3 | 47.1 | 46.1 | 46.2 | 53 |
| Other racesEBRASKA | 138.0 41.2 | 153.8 | 125.8 | 125.4 | 184 |
| White | 40.3 | 45.5 44.8 | 49.3 48.9 | 43.4 42.9 | 48 48 |
| Other races | 102.7 | 88.5 | 78.7 | 74.5 | 95 |
| EVADA | 71.0 | 59.3 | 73.2 | 69.8 | 74 |
| White | 61.1 | 48.4 | 68.2 | 60.3 | 68 |
| Other races | 204.1 | 165.4 | 132.1 | 204.8 | 142 |
| EW HAMPSHIRE | 53.9 | 60.7 | 55.9 | 58.9 | 57 |
| White | 54.0 | 60.8 | 55.9 | 59.0 | 57 |
| Other races | | | | | |
| EW JERSEYWhite | 46.2 | 49.1 45.3 | 46.3 43.7 | 50.2 46.8 | 56 53 |
| Other races | 76.5 | 94.3 | 77.1 | 92.4 | 98 |
| EW MEXICO | 129.3 | 126.3 | 136.1 | 119.4 | 134 |
| White | 124.7 | 120.9 | 132.8 | 116.3 | 130 |
| Other races | 227.1 | 246.0 | 213.4 | 204.6 | 229 |
| EW YORK | 48.0 | 51.9 | 53.6 | 52.8 | 57 |
| White | 46.3 | 50,1 | 51.6 | 50.8 | 55 |
| Other races | 82.4 | 89.9 | 89.6 | 93.1 | 104 |
| White | 68.8 | 77.9 | 66.0 | 66.5 | 72 |
| Other races | 59.6 88.5 | 67.2 101.1 | 55.0 89.8 | 57.2 87.2 | 102 |
| ORTH DAKOTA | 59.4 | 57.3 | 60.0 | 55.5 | 58 |
| White | 57.3 | 56.2 | 56.4 | 54.6 | 57 |
| Other races | 122.7 | 95.0 | 198.8 | 96.6 | 113 |
| HI0 | 50.4 | 53.7 | 52.7 | 58.5 | 60 |
| WhiteOther races | 48.8 | 52.2 | 50.7 | 56.6 | 57 |
| WLAHOMA | 78.9 54.6 | 81.6 60.5 | 88.3 56.4 | 97.3 50.0 | 105 51 |
| White | 50.5 | 56.5 | 53.1 | 47.2 | 48 |
| Other races | 103.6 | 106.2 | 95.5 | 81.0 | 82 |
| REGON | 41.2 | 39.8 | 40.3 | 41.3 | 43 |
| White | 39.7 | 37.5 | 39.4 | 40.0 | 42 |
| Other races | 134.3 | 170.3 | 84.7 | 103.1 | 94 |
| ENNSYLVANIA | 50.8 | 55.0 | 53.4 | 60.0 | 66 |
| WhiteOther races | 49.3 | 53.0 | 52.1 | 58.1 | 64 |
| HODE ISLAND | 80.5 47.2 | 92.6 53.9 | 79.2 55.5 | 98.3 57.2 | 114 60 |
| White | 46.9 | 53.3 | 55.4 | 56.6 | 60 |
| Other races | 59.6 | 79.7 | 61.2 | 86.5 | 68 |
| OUTH CAROLINA | 79.3 | 83.0 | 78.2 | 77.2 | 81 |
| White | 61.6 | 67.3 | 60.9 | 61.5 | 58 |
| Other races | 95.8 | 98,3 | 94.6 | 91.9 | 102 |
| OUTH DAKOTA | 52.5 | 58.0 | 54.B | 50.4 | (3/ |
| White | 47.2 | 53.3 | 46.7 | 46.6 | (3/, |
| Other racesENNESSEE | 152.3 64.0 | 151.9 73.7 | 204.2 69.3 | 126.4 67.6 | (<u>3</u> / |
| White | 60.4 | 67.4 | 63.2 | 62.7 | 61 |
| Other races | 83.8 | 109.3 | 101.9 | 94.9 | 101 |
| EXAS | 71.7 | 71.9 | 75.5 | (3/) | (3/ |
| White | 70.2 | 70.3 | 75.1 | (3/) (3/) | (3/ |
| Other races | 82.7 | 82.5 | 78.9 | (<u>3</u> /) | (3/ |
| rah | 49.3 | 49.2 | 47.6 | 44.2 | 51 |
| White | 47.0 | 47.9 | 47.2 | 43.1 | 51 |
| Other racesERMONT | 309.1 | 181.1 | 131.1 | 195.4 | 107 |
| White | 48.6 48.6 | 52.6 52.7 | 53.0 | 63.2 63.2 | 59 59 |
| Other races | 40.0 | 52.7 | 55.0 | 03.2 | 59 |
| IRGINIA | 69.6 | 72.6 | 68.5 | 67.2 | 76 |
| White | 58.8 | 62.2 | 59.2 | 57.7 | 63 |
| Other races | 96.1 | 98.4 | 90.0 | 90.1 | 107 |
| other races | 45.2 | 43.2 | 38.8 | 45.2 | 48. |
| ASHINGTON | 43.3 | 41.3 | 36.8 | 43,7 | 45 |
| ASHINGTON | | 108.0 | 102.0 | 88.3 | 122 |
| ASHINOTONWhiteOther races | 105.4 | | 68.2 | 75.0 | 77. |
| ASHINGTON | 60.6 | 67.4 | en a | 70 01 | |
| ASHINGTON- White- Other races- SET VIRGINIA- White- | 60.6 60.0 | 65.9 | 67.3 | 73.3 | |
| ASHINGTON | 60.6 60.0 72.1 | 65.9 92.4 | 84.1 | 103.5 | 111. |
| ASHINGTON- White- Other races- EST VIRGINIA- White- Other races | 60.6 60.0 72.1 46.0 | 65.9 92.4 49.4 | 84.1 48.5 | 103.5 50.4 | 75. 111. 53. |
| ASHINGTON | 60.6 60.0 72.1 46.0 45.5 | 65.9 92.4 49.4 48.9 | 84.1 48.5 48.0 | 103.5 50.4 50.0 | 111. 53. 52. |
| ASHINGTON- White Other races EST VIRGINIA White Other races ISCONSIN White Other races | 60.6 60.0 72.1 46.0 45.5 91.7 | 65.9 92.4 49.4 48.9 97.9 | 84.1 48.5 48.0 113.8 | 103.5 50.4 50.0 98.6 | 111. 53. 52. 134. |
| ASHINGTON- White- Other races- EST VIRGINIA- White- Other races STSONSIN- White- White- | 60.6 60.0 72.1 46.0 45.5 | 65.9 92.4 49.4 48.9 | 84.1 48.5 48.0 | 103.5 50.4 50.0 | 111. 53. |

See footnotes at end of table.

| ARLE AA.—Continued | INFANT I | MORTALITY OF AGE 1 | rate (1 PER 1,00 | DEATHS 1 O LIVE B | / UNDE LRTHS) |
|---|---------------|-----------------------|---------------------|-----------------------|--------------------|
| AREA- | 1935 | 1934 | 1933 | 1932 | 1931 |
| Cities having 100,000 or more inhabitants in 1930 | | | | | - |
| JONE OF TO | 47.8 | 47.6 | 47.3 | 45.8 | 53. |
| LBANY, N. Y | 47.2 73.5 | 54.1 82.9 | 46.5 82.7 | 48.8 69.3 | 57. 83. |
| | 56.5 | 65.1 | 61.2 | 61.9 | 74. |
| IRMINGHAM, ALA. | 63.8 51.4 | 77.3 54.9 | 70.5 59.0 | 65.0 59.4 | 65. 60. |
| RIDGEPORT, CONN. | 30.2 | 45.5 | 42.6 | 46.8 | 51. |
| UFFALO, N. Y | | | 68.4 48.5 | 67.0 56.8 | 66. 50. |
| UFFALO, N. Y | 56.8 57.9 | 46.6 57.4 | 57.2 | 67.8 | 69. |
| | 52.5 82.6 | 57.6 104.8 | 39.0 93.3 | 69.1 89.7 | 59. 89. |
| HICAGO, ILL. | 1 40 7 | 47.7 64.2 | 48.6 57.1 | 49.0 54.5 | 56. 71. |
| | | 44.6 | 44.2 | 52.8 | 53. |
| CLEVEIAND, OHIOOLUMBUS, OHIO | 55.3 | 58.0 | 69.2 | 60.5 | 61. |
| ALLAS, TEL. | 72.7 | 71.3 44.7 | 86.3 50.6 | (<u>3</u> /) 54.5 | (<u>3</u> / 61 |
| MAYTON, OHIO | 60.4 | 63.4 51.8 | 54.5 44.9 | 69.1 57.2 | 69. 53 |
| ETROIT, MICH | 43.2 44.8 | 50.4 | 50.8 | 51.8 | 56 |
| ULUTH, MINN | 28.8 | 48.2 | 46.9 | 51.6 | 58 |
| LIZABETH, N. J: | 44.1 103.8 | 40.4 104.4 | 46.6 125.7 | 47.0 (<u>3</u> /) | 46 (<u>3</u> / |
| | | 40.0 64.1 | 47.3 65.0 | 54.3 44.5 | 49 72 |
| ALL RIVER, MASS. | 56.7 | 41.6 | 62.7 | 52.9 | 58 49 |
| | 50.9 | 64.5 | 59.5 | 61.0 | |
| ORT WAYNE, IND | 37.5 64.2 | 48.5 66.0 | 33.9 76.4 | | 46 (<u>3</u> / |
| | | 51.6 48.4 | 53.2 53.3 | 55.0 40.2 | 63 42 |
| ARTFORD, CONN | 46.7 | 68.7 | 55.9 | 54.2 | 72 |
| RAND RAFIES, MICH | 57.5 66.5 | 68.1 66.9 | 61.4 60.8 | (<u>3</u> /) 61.1 | (<u>3</u> / 58 |
| | 55.2 | 54.9 | 55.2 | 54.3 | 56 |
| | 40.6 | 45.0 53.4 | 41.3 58.8 | 54.0 59.4 | 73 66 |
| ERSEY CITY, N. J. | 58.3 | 59.0 | 52.1 | 56.8 | 68 |
| OND THACH GATTE | 72.2 | 77.3 31.3 | 70.9 34.6 | | |
| OS ANGELES, CALIF. | 52.9 | 53.3 71.0 | 56.8 65.7 | 56.1 67.1 | 59 77 |
| OWEIL, MASS | 67.7 | 62.6 | 61.1 | 67.3 | 76 |
| YNN, MASS. | 70.5 | 33.5 112.4 | 48.8 111.4 | 42.3 96.0 | 102 |
| EMPHIS, TENN | 63.3 | 61.9 | 58.4 | 57.7 | 57 |
| MANI, FLA. MINWAUNEE, WIS. MINNEAPOLIS, MINN. VASHVILLE, TENN. | 45.8 43.0 | 45.3 47.4 | 47.2 48.5 | 47.4 52.5 | 58 61 |
| ASHVILLE, TENN. | 75.7 | 87.3 | 85.1 | 78.3 | 87 |
| EWARK, N. J | 50.9 55.8 | 45.1 60.8 | 43.4 56.5 | 41.1 56.2 | 48 82 |
| EW HAVEN, CONN | 40.6 | 35.2 81.6 | 44.1 80.7 | 43.5 74.8 | |
| EW YORK, N. Y | 47.8 | 52.1 | 53.0 | 50.8 | 55 |
| ERONX BOROUGH | 45.4 45.3 | 45.0 48.1 | 44.4 49.7 | 40.8 | 42 55 |
| MANHATTAN BOROUGHQUEENS BOROUGH | 52.8 46.2 | 62.0 49.1 | 64.7 43.9 | 62.6 42.5 | 64 48 |
| RICHMOND BOROUGH | 45,0 | 51.2 | 53.4 | 59.1 | 55 |
| ORFOLK, VA | 71.8 | 81.3 40.4 | 69.2 38.1 | 60.2 40.1 | 71 41 |
| KLAHOMA CITY, OKLA | 64.1 | 65.0 | 62.2 | 63.6 | 61 |
| MALAHOMA OTTY, OXLAAXAHA, NEBRAXEESON, N. J | 42.2 | 47.8 46.2 | 46.5 46.2 | 41.9 49.1 | 53 58 |
| EORIA, ILL | 54.0 | 59.5 54.1 | 48.9 49.2 | 56.5 51.8 | 71 64 |
| TTTSBURGH, PA. | 50.0 | 54.6 | 53.4 | 66.5 | 69 |
| ORTLAND, OREG. | 34.0 41.0 | 35.5 49.7 | 37.7 54.6 | 33.7 59.6 | 35 59 |
| EADING PA | 52.8 | 46.0 | 50.4 | 69.5 | 67 |
| ICHMOND, VA | 78.8 46.1 | 73.3 42.0 | 64.0 50.9 | 63.7 48.3 | 77 53 |
| T. 1001S, MU | 51.9 | 60.9 | 44.6 | 56.4 | 63 |
| T. PAUL, MINNALT LAKE CITY, UTAH | 36.9 50.3 | 42.9 48.3 | 45.9 50.5 | 39.1 43.4 | 44 41 |
| AN ANTONIO, TEX. | 96.3 | 109.0 | 113.3 | (<u>3</u> /) | (<u>3</u> / |
| AN FRANCISCO, CALIF. | 38.7 35.4 | 47.0 33.0 | 50.4 39.9 | 47.2 39.2 | 46 41 |
| ALT LAKE CITY, UTAH— AIN ANTONIO, TEX. AN DIEGO, CALIF.———————————————————————————————————— | 52.5 41.4 | 59.8 41.3 | 53.8 37.6 | 64.6 43.3 | 68 40 |
| OMERVILLE, MASS | 34.8 | 46.3 | 50.9 | 46.9 | 48 |
| OMERVILLE, MASS | 63.3 53.9 | 36.1 51.8 | 41.1 38.3 | 49.5 39.6 | 47 48 |
| | 1 4 | 52.2 | 52.2 | 56.8 | 48 |
| YRACUSE, N. Y | 46.7 | 47.6 45.4 | 39.5 34.5 | 48.9 47.5 | 59 48 |
| ACOMA, WASH. | 57.4 | 63.2 52.8 | | 52.0 61.8 | 66 56 |
| | | | | | |

| TABLE AA—Continued AHEA | INFANT I | MORTALITY OF AGE I | Y RATE (1 PER 1,00 | DEATES <u>1</u> O LIVE B | / UNDER IRTHS) |
|---|--------------|--|--|--|--|
| • | 1935 | 1934 | 1933, | 1932 | 1931 |
| TUISA, OKIA. UTIGA, N. Y. WASHINGTON, D. C. WIGHITA, KANS. WILMINGTON, DEL. WORCESTER, MASS. YONKERS, N. Y. | 50.8 58.6 | 72.5 52.0 65.3 49.1 55.1 60.8 46.7 48.8 | 60.2 54.2 67.2 43.0 55.2 55.1 51.6 | 52.9 59.9 72.9 46.2 62.3 52.7 45.8 61.8 | 52.3 45.3 67.0 43.2 69.5 50.1 54.3 58.3 |

^{1/} Exclusive of stillbirths.
2/ Exclusive of South Dekota and Texas in 1931; exclusive of Texas in 1932.
5/ Not added to the registration area until a later date.

INFANT MORTALITY RATES FOR CITIES AND RURAL DISTRICTS

RURAL DISTRICTS

In table AB the infant mortality rates of 1917 and 1935 in the registration area of 1917 are shown for cities of 10,000 inhabitants or more and for smaller cities and rural districts combined. There was in this interval a much greater improvement in the rate for larger cities than in that for the smaller cities and rural districts, the table showing a decrease of 48.3 in the former rate as compared with 34.1 in the latter. This greater decline for the larger cities was largely due to the greater decrease (20.3) in the rate from diarrhea and enteritis. Both in the larger cities and in the smaller cities and rural districts injury at birth was the only cause which produced greater infant mortality in 1935 than in 1917.

| | TABLE AB | | NT MOI UNDER I LIVE B ISTRATI CLUSIVI | YEAR (RTHS) (ON AR | OF AGE IN THE EA OF | PER BIRTH 1917 | 1,000 |
|---------------------|------------------------------------|------|---|--------------------------|---------------------------|----------------------|---------------------|
| List no. | CAUSE OF DEATH | Tot | al | 10,0 | es of 00 or re | | 0 to 000 ural |
| | | 1935 | 1917 | 1935 | 1917 | 1935 | 1917 |
| | All causes | 52.3 | 93.6 | 51.1 | 99.4 | 53.7 | 87.8 |
| 7 . | Keasles | 0.4 | 1.2 | 0.2 | 1.0 | 0.6 | 1.4 |
| a | Scarlet fever | | 0.1 | (4/) | 0.1 | 0.1 | 0.1 |
| ğ | Whooping-cough | 1.3 | 2.4 | 0.8 | 2.1 | 1.8 | 2.7 |
| 10 | Diphtheria | 0.1 | 0.5 | 0.1 | 0.6 | 0.1 | 0.5 |
| 11,108, | • • | | | l · | | ļ | |
| 109 | Influenza and pneumonia | 3.1 | 5.0 | 2.5 | 5.1 | 3.8 | |
| 13 | Dysentery | 0.2 | 0.3 | 0.1 | 0.2 | 0.3 | 0.5 |
| 15 | Erysipelas | 0.3 | 0.5 | 0.3 | | 0.2 | 0.4 |
| 22 23-32 | TetamusTuberculosis (all forms) | | 0.1 | (<u>4</u> /) | 0.1 | (<u>4</u> /) | 0.1 |
| 23-32 | Tuberculosis (all lorms) | 0.5 | 1.2 | 0.6 | 1.7 | | |
| 86 | Syphilis | 0.3 | 1.0 | 0.1 | 0.8 | | |
| 106,107 | Bronchitis and bronchopneumonia | 5.8 | 10.5 | 6.2 | 12.4 | | |
| 117,118 | Diseases of the stomach | 0.2 | 1.2 | 0.1 | 1.0 | 0.3 | 1.5 |
| 119 | Diarrhea and enteritis | 4.0 | 20.0 | 3.6 | 23.9 | 4.4 | |
| 157 | Congenital malformations | 5.5 | 6.3 | 5.8 | 6.5 | 5.2 | 6.1 |
| 158,161 | Congenital debility and other dis- | | | l | ١ | | |
| [| eases of early infancy.2/ | 3.7 | 8.7 | 3.3 | 8.7 | 4.2 | 8.7 |
| 159 | Premature birth | 15.6 | 19.1 | 16.0 | 20.1 | 15.1 | 18.1 |
| 160 | Injury at birth | 4.8 | 3.8 | 5.5 | 4.6 | 3.9 | 3,0 |
| 172-198, 201-214 | External causes 3/ | 1.0 | 1.3 | 0.8 | 1.3 | 1.2 | 1.4 |
| 199,200 | Unknown or ill-defined diseases | 1.2 | 2.9 | 0.3 | 0.6 | 2.2 | 5.2 |
| 100,200 | All other causes | 4.1 | 6.0 | 4.4 | 6.3 | 3.7 | 5.7 |

Table AC presents infant mortality rates, by sex, for certain subdivisions of the first year of life, for the class of cities having 10,000 inhabitants or more, and for smaller cities combined with rural districts, in the birth registration area of 1917 (exclusive of Rhode Island), from 1929 to 1935. The table shows that year by year, with one exception, the rate of infant mortality declined gradually from 1929 to 1935, the difference in rates for this six-year interval being 14.4 per 1,000 for cities of 10,000 or more, and 13.8 per 1,000 for the smaller cities and rural districts.

The table also shows that in 1935 all rates under 1 year had either declined since 1934 or had remained the same.

^{1/} Exclusive of stillbirths.
2/ Excludes lack of care, desertion, etc., in 1935.
3/ Includes lack of care, desertion, etc., in 1935.
4/ Less than one-tenth of 1 per 1,000 births.

| TABLE AC | | infan | T MORTALIT | Y RATE (DE | aths <u>1</u> / UN | DER 1 YEAR (EXC | OF AGE PER LUSIVE OF R | R 1,000 LIV RHODE ISLAN | e births) D) | FOR THE RE | GISTRATION | AREA OF 1 | 917 | |
|---------------------------------|-------------------|-------------------|-------------------|-------------------|--------------------|--------------------|---------------------------|----------------------------|-------------------|-------------------|-------------------|-------------------|-------------------|-------------------|
| AGE AND SEX | · · | | In cities | of 10,000 | or more | | | | In cities | of 2,500 t | o 10,000 a | nd rural d | istricts | |
| | 1935 | 1934 | 1933 | 1932 | 1931 | 1930 | 1929 | 1935 | 1934 | 1933 | 1932 | 1931 | 1930 | 1929 |
| Under l year Male | 51.1 57.6 | 54.9 61.1 | 54.4 60.4 | 55.8 61.8 | 60.1 67.0 | 61.9 68.7 | 65.5 72.4 | 53.7 59.9 | 58.2 64.9 | 55.0 61.0 | 58.1 64.7 | 62.0 68.3 | 64.7 70.9 | 67.5 74.4 |
| Female | 44.3 | 48.4 | 48.0 | 49.6 | 52.9 | 54.7 | 58.2 | 47.1 | 51.2 | 48.5 | 51.1 | 55.4 | 58.1 | 60.1 |
| Under 1 day Male | 15.4 17.6 | 16.1 17.8 | 15.7 17.2 | 15.8 17.5 | 15.5 17.3 | 15.4 17.2 | 15.5 17.4 | 14.1 16.0 | 14.7 16.5 | 14.2 15.8 | 14.0 15.8 | 14.3 16.4 | 14.1 15.9 | 14.7 16.6 |
| Female | 13.1 3.9 | 14.3 | 14.2 4.1 | 14.1 4.0 | 13.7 4.2 | 13.5 4.3 | 13.5 4.6 | 12.1 | 12.8 3.5 | 12.5 3.5 | 12.2 3.7 | 12.1 3.9 | 12.2 4.0 | 12.8 4.2 |
| Male Female | 4.5 3.3 | 4.6 3.4 | 4.6 3.5 | 4.6 3.4 | 4.6 3.7 | 4.9 3.7 | 5.1 4.1 | 3.9 3.0 | 4.0 3.0 | 4.0 3.0 | 4.3 3.0 | 4.4 3.4 | 4.4 3.7 | 4.8 3.5 |
| 2 daysMale | 2.4 | 2.4 | 2.7 3.2 | 2.6 3.1 | 2.8 3.3 | 3.0 3.5 | 3.0 3.5 | 2.5 | 2.7 3.2 | 2.7 3.2 | 3.1 | 3.2 | 2.9 3.4 2.4 | 3.1 3.5 2.7 |
| Female3 to 6 days | 2.0 3.9 | 2.0 4.1 | 2.3 4.4 4.9 | 2.2 4.4 5.0 | 2.4 4.6 5.2 | 2.4 4.9 5.4 | 2.5 5.1 5.8 | 1.9 4.5 5.3 | 2.1 4.7 5.4 | 2.1 4.8 5.2 | 2.3 4.9 5.9 | 2.2 4.9 5.6 | 5.2 6.0 | 5.5 6.2 |
| Female | 4.4 3.4 2.7 | 4.6 3.4 2.7 | 3.7 2.7 | 3.7 3.0 | 3.9 3.2 | 4.3 3.5 | 4.5 | 3.7 3.1 | 4.0 3.5 | 4.4 | 4.0 | 4.3 4.1 | 4.5 4.2 | 4.7 4.1 |
| MaleFemale | 3.0 | 3.0 | 3.0 2.5 | 3.1 2.8 | 3.4 2.8 | 3.7 3.2 | 3.9 | 3.3 | 4.0 3.1 | 3.8 3.1 | 4.0 3.1 | 4.4 | 4.5 4.0 | 4.6 3.6 |
| 2 weeks | 1.8 | 2.1 | 1.9 | 2.0 | 2.2 | 2.4 | 2.4 | 2.0 | 2.3 | 2.2 | 2.3 | 2.6 | 2.6 | 2.9 |
| Female3 weeks but under 1 month | 1.7 | 1.9 | 1.7 | 1.8 | 2.0 1.8 | 2.2 | 2.2 | 1.9 | 2.1 | 2.0 | 2.1 | 2.4 2.3 | 2.4 | 2.6 |
| MaleFemale | 1.7 | 1.9 | 1.9 | 1.8 | 1.9 | 2.2 | 2.2 | 2.0 | 2.3 | 2.1 | 2.2 | 2.5 | 2.4 | 2.7 |
| Under 1 month | 31.7 | 33.1 | 33.3 | 33.6 | 34.3 | 35.4 | 36.2 | 31.4 | 33.5 | 32.9 | 33.3 | 34.9 | 35.4 | 36.9 |
| Mele Female | 36.0 27.3 | 37.1 28.9 | 36.9 29.4 | 37.4 29.5 | 38.8 30.1 | 39.4 31.1 | 40.3 32.0 | 35.7 26.8 | 37.9 28.8 | 36.4 29.2 | 37.8 28.6 | 39.3 30.3 | 39.4 31.2 | 41.5 32.1 |
| Male | 3.6 4.1 | 3.9 4.5 | 3.9 4.4 | 4.1 4.7 | 4.6 5.3 | 4.7 5.4 | 5.0 5.6 | 4.6 5.1 | 4.9 5.5 | 5.5 5.0 | 4.9 5.7 | 5.4 6.0 | 5.6 6.1 | 5.8 6.2 |
| Female2 months | 3.1 2.9 | 3.3 | 3.4 3.0 | 3.6 3.2 | 3.9 3.8 | 4.0 3.8 | 4.4 | 4.0 3.6 | 4.2 | 3.9 3.1 | 4.1 3.7 | 4.8 | 5.1 4.4 | 5.3 4.3 |
| Male Female | 3.2 2.6 | 3.5 2.9 | 3.5 2.7 | 3.5 2.7 | 4.3 3.2 | 4.3 3.3 | 4.5 3.5 | 4.0 3.1 | 4.2 3.2 | 3.6 2.9 | 3.9 | 4.5 3.8 | 4.8 3.9 | 4.7 |
| 3 to 5 months | 5.8 | 6.5 7.2 | 6.3 7.0 | 6.7 7.2 | 7.5 B.4 | 8.0 8.9 | 8.8 9.6 | 6.8 7.3 | 7.5 8.1 | 6.6 7.0 | 7.5 8.1 | 7.8 8.3 | 8.9 9.5 | 9.4 10.3 |
| Female6 to 8 months | 5.1 3.9 | 5.7 4.7 | 5.5 4.5 | 6.1 4.7 | 6.7 · 5.6 | 7.1 5.8 | 7.9 6.5 | 6.2 4.2 | 6.9 5.0 | 6.2 4.3 | 6.9 4.8 | 7.3 5.6 | 8.1 6.0 | 8.6 6.3 |
| MaleFemale | 4.5 3.4 | 4.9 | 4.9 | 5.0 4.4 | 6.2 5.0 | 6.3 5.3 | 7.1 5.7 | 4.5 3.8 | 5.4 4.5 | 4.6 4.0 | 5,2 | 6.0 5.2 | 6.4 5.6 | 6.7 5.7 |
| 9 to 11 months | 3.1 3.3 | 3.5 3.9 | 3.4 3.7 | 3.6 3.9 | 4.3 4.6 | 4.2 4.4 | 5.0 5.3 | 3.2 | 3.7 3.8 | 3.3 3.6 | 3.7 4.0 | 4.1 4.2 | 4.4 4.6 | 4.8 5.1 |
| Female | 2.8 | 3.1 | 3.0 | 3.3 | 4,1 | 3.9 | 4.7 | 3.1 | 3.6 | 3.2 | 3.5 | 4.0 | 4.1 | 4.5 |

^{1/} Exclusive of stillbirths.

COMPARISON OF INFANT MORTALITY RATES: 1930 TO 1935

Table AD shows infant mortality rates from certain important causes for each year from 1930 to 1935. A comparison of the rates for 1935 with those for 1934 shows very slight increases in the rates for scarlet fever, influenza and pneumonia, erysipelas, and "all other" causes in the expanding area and for influenza and pneumonia, unknown or ill-defined diseases, and "all other" causes in the area of 1915. All other rates declined or remained the same.

Table AE shows infant mortality rates from important causes for certain subdivisions of the first year of life by sex.

sex. Only slight differences between the rates for 1935 and those for 1934 are indicated by the figures in this table. Except for 4 causes—scarlet fever, influenza, erysipelas, and "all other" causes—the rates either declined in 1935 or remained the same. The greatest increase (0.3 per 1,000 births) was in the rate for influenza. The greatest decrease (1.2) was in the rate for diarrhea and enteritis.

| List | TABLE AD CAUSE OF DEATH | PEF | 1,000 LIV | (RATE (DEA /E BIRTHS) THE UNITED | IN THE EXE | | | PER | 1,000 LIVE | RATE (DEAT BIRTHS) I SIVE OF RE | n THE REC | ISTRATION | |
|--|--|--|--|---|---|---|---|---|---|--|---|--|--|
| | | 1935 | 1934 | 1933 | 1932 | 1931 | 1930 | 1935 | 1934 | 1933 | 1932 | 1931 | 1930 |
| | All causes | 55.7 | 60.1 | 58.1 | 57.6 | 61.6 | 64,6 | 49.0 | 52.8 | 52.9 | 55,1 | 59.5 | 62.1 |
| 7 8 9 10 | Measles | 0.4 0.1 1.4 0.1 | 0.7 (<u>2</u> /) 2.1 0.2 | 0.3 (<u>2</u> /) 1.3 0.2 | 0.2 (<u>2</u> /) 1.5 0.2 | 0.4 0.1 1.2 0.2 | 0.4 0.1 1.5 0.2 | 0.3 (<u>2/)</u> 1.0 (<u>2/)</u> | 0.3 (<u>2</u> /) 1.2 (<u>2</u> /) | 0.2 (<u>2</u> /) 0.9 (<u>2</u> /) | 0.3 (<u>2</u> /) 1.2 0.1 | 0.3 (<u>2</u> /) 1.1 0.1 | 0.3 (<u>2</u> /) 1.2 0.1 |
| 109 13 15 22 23-32 34 86 | Influenza and pneumonia | 3.6 0.4 0.3 0.1 0.3 0.7 | 3.5 0.4 0.2 0.1 0.3 0.7 | 4.1 0.4 0.3 0.1 0.4 0.8 0.3 | 4.0 0.2 0.3 0.1 0.4 0.8 0.3 | 4.2 0.3 0.3 0.1 0.5 0.8 0.3 | 3.8 0.4 0.3 0.1 0.5 0.8 0.4 | 2.7 (<u>2</u> /) 0.3 (<u>2</u> /) 0.3 0.4 0.2 | 2.6 0.1 0.3 (<u>2</u> /) 0.4 0.5 0.2 | 3.0 0.1 0.4 (2/) 0.3 0.5 0.3 | 3.3 0.1 0.3 (<u>2</u> /) 0.4 0.6 0.3 | 3.8 0.1 0.4 (<u>2</u> /) 0.5 0.7 | 3.5 0.1 0.4 (2/) 0.5 0.7 0.4 |
| 106,107 117,118 119 157 158,161 | Bronchitis and bronchopneumonia Diseases of the stomach Diarrhea and enteritis | 5.8 0.2 4.9 4.8 | 6.2 0.3 6.1 5.2 | 5.7 0.3 5.6 5.1 | 6.0 0.2 5.2 5.3 | 6.8 0.3 6.6 5.4 | 6.8 0.3 7.8 5.3 | 6.1 0.1 3.1 5.9 | 6.5 0.1 4.1 6.4 | 6.0 0.1 4.0 6.4 | 6.9 0.1 4.3 6.6 | 7.8 0.2 5.6 6.6 | 7.9 0.2 7.0 6.5 |
| 159 160 172-198, 201-214 199,200 | Premature birth | 15.4 4.5 1.0 3.4 4.2 | 16.2 4.5 1.0 3.5 4.0 | 15.8 4.6 1.0 3.8 3.9 | 15.8 4.6 0.9 3.6 3.8 | 16.0 4.8 1.0 3.7 4.3 | 16.7 4.8 1.1 4.0 4.5 | 14.9 5.1 0.8 0.3 4.1 | 16.1 5.4 0.8 0.2 4.0 | 15.8 5.6 0.8 0.3 4.0 | 15.7 5.8 0.7 0.4 4.1 | 15.9 5.9 0.8 0.4 4.7 | 16.4 6.1 0.8 0.4 5.0 |

^{1/} Exclusive of stillbirths.

^{2/} Less them one-tenth of 1 per 1,000 births.

INFANT MORTALITY STATISTICS

٥

| List no. | | | | | | | | | | | | | | | | |
|----------------|--|----------------------|-----------------------------|-------------------------------------|---|--|--|---|--|--|--|---|--|-------------------------------------|--------------------------------|--|
| | CAUSE OF DEATH AND SEX | Uni 1 ye | | Under 1 day | 1 day | 2 days | 3 to 6 days | l week | 2 weeks | 3 weeks | Under 1 month | 1 month | 2 months | 3 to 5 months | 6 to 8 months | 9 to 11 months |
| | | 1935 | 1934 | 1935 | 1935 | 1935 | 1935 | 1935 | 1935 | 1935 | 1935 | 1935 | 1935 | 1935 | 1935 | 1935 |
| | All canses Male Female | 55.7 62.2 48.9 | 50.1 65.5 53.3 | 15.0 17.0 12.8 | 3.7 4.2 3.1 | 2.4 2.9 2.0 | 4.4 5.1 3.7 | 3.1 3.4 2.9 | 2.0 2.2 1.9 | 1.8 2.0 1.6 | 32.4 36.7 27.9 | 4.4 4.9 3.8 | 3.5 3.9 3.2 | 7.1 7.8 6.4 | 4.8 5.2 4.4 | 3.5 3.8 3.2 |
| 7 | Weasles | 0.4 0.4 | 0.7 0.8 | (2/) (2/) (2/) | | | (2/) (2/) (2/) | (<u>2/)</u> (<u>2/)</u> | (2/) (2/) | (2/) (2/) | (2/) (2/) | (2/) (2/) | (2/) (2/) | 0.1 | 0.1 0.1 | 0.1 0.1 |
| 8 | Female | 0.3 0.1 0.1 | 0.6 (<u>2</u> /) | (2/) | | | (2/) | () () () () () () () () () () () () () (| (2) (2) (3) | (2/) (2/2/) (2/2/) (2/2/) | (8/) (8/) (8/) | (2)(2)(2)(2)(2)(2)(2)(2)(2)(2)(2)(2)(2)(| | 0,1 (<u>2/)</u> (<u>2/)</u> | (2/) (2/) | (2/) (2/) |
| 9 | Female | (<u>1</u> /) 1.4 | (2/) (2/) 2.1 2.0 | | | (2/) (2/) | (<u>2/)</u> (<u>2/)</u> | | (8/) (8/) | (2/) (2/) 0.1 | (2/) 0.1 0.1 | (2/) 0.2 0.2 | (<u>2</u> /) 0.2 0.2 | (2/) (2/) 0.4 0.4 | (2/) 0.3 0.3 | (<u>2</u> /) 0.2 0.2 |
| 10 | Female Diphtheria | 1.3 1.4 0.1 | 2.3 0.2 | | (2/) | (2/) | | (8/) (8/) | (8/) (8/) | (<u>2/)</u> | 0.1 (2/) | 0.2 | 0.2 | (2/) | 0.3 | 0.2 |
| 11 | Male Female Influenza | 0.1 0.1 1.5 | 0.2 0.2 1.2 | (2/) | (2/) | | \\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\ | <u> </u> | | (2/) (2/) (2/) (2/) | (8/) (8/) | (2/) (2/) (2/) 0.2 | (2/) (2/) (2/) 0.2 | ②/) ②/) 0.4 | (2/) (2/) (2/) 0•3 | (<u>2</u> /) 0.1 0.2 |
| | MaleFomele | 1.7 1.3 | 1.4 1.1 | (A) (A) (A) (A) (A) | (2/) (2/) (2/) | <u>સાલાલાલાલાલા</u> | (<u>2/)</u> (<u>2/)</u> | 10.1 (2() (2(2)) | 0.1 0.1 | 0.1 | 0.2 | 0.2 | 0.2 | 0.4 0.3 0.1 | 0.4 0.3 0.1 | 0.2 0.2 0.1 |
| 13 | Dysentery Male Femele | 0.4 0.4 0.3 | 0.4 0.5 0.4 | | | (2/) | होता होता होता होता होता होता होता होता | (S) | | | (3/) (3/) | (2/) (2/) (2/) 0.1 | | 0.1 | 0.1 | 0.1 0.1 |
| 15 | Erysipelas | 0.3 0.3 | 0.2 | | | | (E/) | (1) | | (<u>2/)</u> (<u>2/)</u> | 0.1 0.1 (2/) | 0.1 0.1 0.1 | | (2/) (2/) 0.1 | (2/) | (2/) (2/) (2/) |
| 18 | Epidemic cerebrospinel meningitis | 0.2 0.1 0.1 | 0.2 0.1 0.1 | | | | | (S) | | | (2/) | (2/) | | (2/) 0.1 | | (2) (2) (2) (2) (2) (2) (3) (4) (4) (4) (4) (4) (4) (4) (4) (4) (4 |
| 22 | Female Totanus Male | 0.1 0.1 0.1 | 0.1 0.1 0.1 | | | (2/) (2/) (2/) | (2) (2) (2) (2) (2) (3) (3) (4) (4) (4) (4) (4) (4) (4) (4) (4) (4 | (2/) (2/) (2/) | | (2/) (2/) | (8/) 0.1 0.1 | (A) | (2/) | (2/) | (2/) | (2/) (2/) (2/) |
| 23 | FemaleTuberculosis of the respiratory system | 0.1 0.1 | 0.1 0.1 | (2/) | (2/) (2/) | (2/) (2/) | (E/) | (<u>2</u> /) | (2) (2) (2) (2) (2) (3) | (8/) (8/) | (8/) (8/) | | | (8/) (8/) | (Z/) (Z/) | |
| 24 | Kale | 0.2 0.1 0.1 | 0.1 0.1 0.1 | (2/) | (2/) | (2/) (2/) | (2/) | | (2/) | | (2/) | (2/) (2/) (2/) | | | (2/) (2/) | (2/) (2/) |
| | Male Female | 0.1 | 0.2 | | | | | | (2/) (<u>2</u> /) | | (A) (A) (A) (A) (A) (A) (A) (A) (A) (A) | સાંસોઓઓઓઓઓઓ સાંસોઓઓઓઓઓઓઓઓઓઓઓઓઓઓઓઓઓઓઓઓઓઓઓઓઓઓઓઓઓઓઓઓઓઓઓ | | | (<u>2/)</u> (<u>2/)</u> | |
| 25 to 32 | Other forms of tuberculosis Male Female | 0.1 0.1 (1/) | 0.1 0.1 (<u>2</u> /) | | (2/) | | (2) (2) | | (<u>2</u> /) | (S/) | (10/) (10/) | (2/) (2/) | | 188 | (2/) | (2/) (2/) |
| 34 | Syphilis | 0.7 0.8 | 0.7 0.8 | 0.1 0.1 | (8) | (S) | (E/) | (S/) | (S) | | 0.3 | 0.1 | 0.1 | 0.1 | (<u>2</u> /) (<u>2</u> /) | (<u>2</u> /) (<u>2</u> /) |
| 86 | Fomale | 0.6 0.3 0.3 | 0.6 0.3 0.3 | 0.1 (<u>2/)</u> (<u>2/)</u> | | (8) | | (2/) (2/) | (S) | (2/) (2/) | 0.3 0.2 0.2 | 0.1 (<u>2/)</u> (<u>2/)</u> | (2/) | 0.1 (2/) 0.1 | (2/) | |
| 106 | Female | 0.2 0.3 | 0.2 | | | (%) (%) (%) (%) (%) (%) (%) (%) (%) (%) | (2/) (2/) (2/) (2/) | | <u> </u> |) (((((((((((((((((((| 0.1 (2/) 0.1 | | (a)(a)(a)(a)(a)(a)(a)(a)(a)(a)(a)(a)(a)(| (2/) 0.1 0.1 | (<u>8/)</u> | (<u>2/)</u> (<u>2/)</u> (<u>2/)</u> |
| 107 | Mele Female Bronchopneumonia | 0.3 0.2 5.5 | 0.3 0.2 5.9 | | | 0.1 | 0.2 | 0.2 | (<u>2</u> /) 0.2 | 0.3 | (2/) I.0 | 0.7 | V•1 | 0.1 1.5 | 0.9 | (<u>2</u> /) |
| . | ' Female | 6.1 4.9 2.2 | 5.6 5.3 2.3 | <u> </u> | (2/) (2/) (2/) | 0.1 | 0.2 0.2 0.1 | 0.2 0.2 0.1 | 0.3 0.2 0.1 | 0.3 0.2 0.1 | 1.1 0.9 0.4 | 0.9 0.6 0.3 | 0.7 0.6 0.2 | 1.6 1.3 0.5 | 1.0 0.8 0.4 | 0.7 0.6 0.3 |
| 108,109 | Lobar and unspecified pneumonia MaleFomal c | 2.5 1.8 | 2.6 2.1 | | (a) | (%) (%) (%) (%) (%) (%) (%) (%) (%) (%) | 0.1 | 0.1 | 0.1 | 0.1 0.1 | 0.4 | 0.3 | 0.2 | 0.6 0.5 | 0.5 | 0.4 |
| 117,118 | Diseases of the stomach | 0.2 0.3 0.2 | 0.3 0.3 0.2 | (<u>2/)</u> | (2/) | (<u>2/)</u> (<u>2/)</u> (<u>2/)</u> | (2/) (2/) (2/) | (2/) (2/) (2/) (2/) | (2/) (2/) (2/) | (2/) (2/) (2/) | 0.1 0.1 0.1 | (2/) (2/) (2/) | (2/) (2/) (2/) | 0.1 0.1 (2/) | (2/) (2/) (2/) | (2/) (2/) (2/) |
| 119 | Diarrhea and enteritis | 4.9 5.4 | 6.1 6.7 | (8/) | (<u>2</u> /) | (8/) (8/) | 0.1 | 0.2 | 0.2 | 0.2 | 0.6 | 0.6 | 0.6 | 1.4 | 1.0 | 0.7 |
| 122ъ | Female Intestinal obstruction Male | 4.4 0.4 0.5 | 5.5 0.4 0.5 | | | | (2/) (2/) (2/) | 0.1 (2/) (2/2/) (2/2/) | o.ଥ ଅଧି ଅଧି | ଦ୍ଧୁ (୬) ବ୍ୟୁକ୍ତାନ୍ଧ୍ର | 0.6 0.1 0.1 | 0.5 (2/) 0.1 | 0.5 (2/) 0.1 | 0.1 0.1 | 0.9 0.1 0.1 | (2/) (2/) (2/) (2/) |
| 157 | Female | 0.3 4.8 | 0.3 5.2 | 1.2 | 0.4 | 0.3 | 0.6 | 0.4 | 0.2 | 0.2 | 0.1 3.4 | (2/) 0.4 | (<u>2/)</u> 0.3 | 0.1 0.4 | 0.1 | 0.1 |
| 158,161 | Female | 5.2 4.4 2.1 | 5.6 4.7 2.4 | 1.2 1.1 0.3 | 0.5 0.3 0.1 | 0.4 0.3 0.1 | 0.7 0.5 0.3 | 0.4 0.4 0.2 | 0.3 0.2 0.1 | 0.2 0.2 0.1 | 3.7 3.0 1.3 | 0.5 0.4 0.3 | 0.3 0.2 0.2 | 0.5 0.4 0.2 | 0.2 0.2 0.1 | 0.1 0.1 (<u>2</u> /) |
| b,c 159 | MaleFemale | 2.4 1.8 15.4 | 2.7 2.1 16.2 | 0.4 0.3 9.3 | 0.1 0.1 1.8 | 0.1 0.1 0.9 | 0.4 0.2 1.2 | 0.2 0.2 1.0 | 0.1 0.1 0.4 | 0.1 0.1 0.3 | 1.5 1.1 14.9 | 0.3 0.2 0.3 | 0.2 0.1 0.1 | 0.2 0.2 0.1 | 0.1 0.1 (2/) | 0.1 |
| | MaleFomale | 17.1 13.6 | 17.8 14.5 | 10.5 8.0 | 2.0 1.6 | 1.0 0.8 | 1.3 | 1.0 0.9 | 0.4 0.4 | 0.3 | 16.5 13.1 | 0.3 | 0.1 | 0.1 | (2/) | (2/) (2/) (2/) (2/) |
| 160 | Injury at birth | 4.5 5.4 3.5 | 4.5 5.4 3.6 | 2.3 2.8 1.9 | 0.6 0.8 0.5 | 0.5 0.6 0.3 | 0.7 0.8 0.5 | 0.2 0.2 0.2 | 0.1 0.1 (2/) | (2/) (2/) (2/) | 4.4 5.3 3.5 | (2/) (2/) (2/). | (3/2) (3/2) (3/3) (3/3) (3/3) (3/3) | | | |
| 161a,d | Other diseases of early infancy | 1.8 2.1 | 1.9 | 0.8 | 0.5 | 0.3 | 0.5 | 0.1 | (2/) 0.1 0.1 | | 1.8 | (2/) (2/) | | | | |
| 172-198, | FemaleExternal causes | 1.5 1.0 | 1.6 1.0 | 0.7 | 0.2 | 0.2 | 0.3 (<u>2</u> /) | 0.1 (<u>2</u> /) | (2/) (2/) | | 1.5 0.3 | (<u>2</u> /) (<u>2</u> /) 0.1 | 0.1 | 0.2 | 0.1 | 0.1 |
| 199,200 | Male | 1.1 1.0 3.4 | 1.1 1.0 3.5 | 0.1 0.1 0.7 | (2/) (2/) 0.3 | (<u>2</u> /) | (2/) 0.4 | (2/) (2/) 0.3 | (<u>2</u> /) (<u>2</u> /) 0•2 | (2/) (2/) 0.1 | 0.3 0.2 2.1 | 0.1 0.1 0.3 | 0.1 0.1 0.3 | 0.2 0.2 0.4 | 0.2 0.1 0.2 | 0.2 0.1 0.1 |
| | MaleFemale | 3.7 3.0 | 3.9 3.2 | 0.8 0.6 | 0.3 | 0.2 | 0.5 0.3 | 0.3 | 0.2 | 0.1 | 2.3 | 0.4 | 0.3 | 0.4 | 0.2 | 0.1 |
| | All other causes Male Female | 3.7 4.2 3.1 | 3.5 4.0 3.0 | 0.1 0.1 0.1 | 0.1 0.1 0.1 | 0.1 0.1 0.1 | 0.2 0.3 0.2 | 0.2 0.3 0.2 | 0.2 0.2 0.1 | 0.1 0.2 0.1 | 1.1 1.3 0.9 | 0.4 0.5 0.4 | 0.4 0.4 0.3 | 0.8 0.9 0.6 | 0.6 0.7 0.5 | 0.5 0.5 0.4 |

 $[\]frac{1}{2}$ Exclusive of stillbirths. $\frac{1}{2}$ Less than one-tenth of 1 per 1,000 births.

SEASONAL INFANT MORTALITY

Table AF shows infant mortality rates from important causes, by sex and month of death, in the United States.

MEASLES AND WHOOPING-COUGH.—The rates from measles and whooping-cough were highest in the first quarter of the year. The highest rates from measles were for March and April, but the highest mortality from whooping-cough occurred from February to April.

ruary to April.
INFLUENZA, PNEUMONIA (all forms) AND BRONCHITIS.—Rates from these causes were highest in the first 3 months of the

PREMATURE BIRTH AND CONGENITAL DEBILITY.—The rates from premature birth and congenital debility show very slight variations from month to month, the highest rate from premature birth appearing for May and the highest from congenital debility appearing for November. As in previous years more deaths resulted from premature birth than from any other cause, 27.6 percent of all deaths of infants having been attributed to this cause.

DIARRHEA AND ENTERITIS.—As usual, the highest mortality from these diseases occurred from June to October. The highest rate was for the month of July.

| List | TABLE AF | | | infant 1 | KORTALITY | | | NDKR 1 Y | | | ,000 LIVE | BIRTHS) | | |
|----------|---|----------------------|--------------------------------|-----------------------|---------------|----------------------|----------------------|----------------------|-------------------------------------|---|--------------------------------|--------------|------------------------------|----------------------|
| no. | CAUSE OF DEATH AND SEX | All | Jan- uary | Feb- ruary | March | April | Мау | June | July | August | Septem- | October | Novem- | Decem- |
| - | All causes | 55.7 | 66.7 | 65.0 | 62.3 | 58.6 | 57.3 | 53.4 | 49.2 | 47.7 | 45.7 | E1 0 | E2 0 | 58.7 |
| | Male | 62.2 | 74.6 | 73.0 | 70.2 | 65.3 | 64.1 | 59.8 | 54.8 | 52.7 | 46.3 51.8 | 51.0 56.0 | 53.9 59.7 | 66.3 |
| | Female | 48.9 | 58.4 | 56.7 | 54.0 | 51.6 | 50.2 | 46.6 | 43.3 | 42.3 | 40.5 | 45.7 | 47.7 | 50.9 |
| 7 | Measles | 0.4 | 0.5 | 0.7 | 0.9 | 0.8 | 0.7 | 0.4 | 0.1 | (2/) | (2/) | 0.1 | (2/) | 0.1 |
| | Male | 0.4 | 0.6 | 0.9 | 1.0 | 0.8 | 0.8 | 0.4 | 0.1 | (2/) (2/) (2/) (2/2/) (2/2/) 1.0 | (2/) | (2/) | (<u>2</u> /) | 0.1 |
| 8 | FemaleScarlet fever | 0.3 | 0.4 | 0.6 | 0.9 | 0.7 | (2/) | (2/) | 0.1 | (2/) | (2/) | 0.1 | (<u>2/)</u> (<u>2/)</u> | (2/) |
| | Male | 0.1 | 0.1 | 0.1 | 0.1 | 0.1 | 0.1 | 0.1 | (2/) | (<u>z</u> /) | (2/) (2/) (2/) (2/) | 0.1 | (2/) | 0.1 |
| 9 | Female | (2/) 1.4 | (<u>2</u> /) 1.8 | (<u>2</u> /) 2.0 | 0.1 2.0 | 2.0 | (2/) | (2/) | (2/) (2/) (2/) (2/) 1.2 | (2/) | (<u>2</u> /) | 0.1 | (<u>2</u> /) 0.8 | 0.1 |
| | Male | 1.3 | 1.8 | 1,9 | 1.9 | 1.9 | 1.6 | 1.5 | 1.2 | 0.8 | 0.7 | 0.7 | 0.7 | 0.7 |
| 10 | FemaleDiphtheria | 0.1 | 0.2 | 2.1 0.2 | 2.1 | 2.0 0.1 | 1.9 | 1.9 | 1.2 | 1.2 | 0.8 | 0.8 | 0.8 | 0.8 |
| | Male | 0.1 | 0.2 | 0.3 | 0.2 | 0.1 | 0.1 | 0.1 | (<u>2</u> /) | (2/) 0.1 | 0.2 | 0.1 | 0.2 | 0.2 |
| 11 | Female Influenza | 0.1 | 0.3 | 0.2 | 0.2 | 0.2 | 0.1 | 0.1 | 0.1 | (2/) | 0.1 | 0.2 | 0.1 | 0.2 |
| | Male | 1.5 | 4.3 | 4.7 | 2.9 3.3 | 1.5 | 0.B 1.0 | 0.4 | 0.2 | 0.3 | 0.4 | 0.5 | 0.8 | 1.5 |
| 13 | Female Dysentery | 1.3 | 3.7 | 3.8 | 2.5 | 1.2 | 0.6 | 0.4 | 0.2 | 0.2 | 0.4 | 0.4 | 0.7 | 1.2 |
| 10 | Male | 0.4 | 0.1 | (2/) (<u>2</u> /) | 0.1 | 0.1 | 0.4 | 0.7 | 0.7 | 0.7 | 0.5 | 0.5 | 0.3 | 0.1 |
| 15 | Female | 0.3 | 0.1 | 0.1 | (<u>2</u> /) | 0.2 | 0.3 | 0.6 | 0.7 | 0.7 | 0.4 | 0.4 | 0.3 | 0.1 |
| 15 | Erysipeles Male | 0.3 | 0.3 | 0.3 | 0.4 | 0.4 | 0.3 | 0.3 | 0.1 | 0.1 | 0.2 | 0.2 | 0.3 | 0.3 |
| | Female | 0.2 | 0.2 | 0.2 | 0.4 | 0.4 | 0.4 | 0.3 | 0.1 | 0.1 | 0.1 | 0.2 | 0.2 | 0.3 |
| 18 | Epidemic cerebrospinal meningitis Male | 0.1 0.1 | 0.2 | 0.1 | 0.2 | 0.1 | 0.1 0.1 | 0.1 | 0.1 | 0.1 | 0.1 0.1 | 0.1 | 0.1 | 0.2 |
| | Female | 0.1 | 0.1 | 0.1 | 0.1 | 0.1 | 0.1 | 0.1 | 0.1 | (2/1 | 0.1 | 0.1 | 0.1 | 0.1 |
| 22 | Tetanus | 0.1 | 0.1 | 0.1 | 0.1 | 0.1 | 0.1 | 0.1 | 0.1 | (<u>2</u> /) | 0.1 | 0.1 | 0.1 | 0.1 |
| | Female | 0.1 | 0.1 | 0.1 | 0.1 0.1 | 0.1 (<u>2</u> /) | 0.1 (<u>2</u> /) | (2/) | 0.1 (<u>2</u> /) | ોલીલીલી સાલાલી | 0.1 (<u>2</u> /) | 0.1 | 0.1 | 0.1 |
| 23 | Tuberculosis of the respiratory system Male | 0.1 | 0.1 | 0.1 | 0.2 | 0.1 | 0.2 | (<u>2</u> /) 0.2 | 0.1 | 0.1 | 0.1 | 0.1 | 0.1 | 0.1 |
| İ | Female | 0.2 | 0.1 | 0.1 | 0.3 | 0.2 | S.0 2.0 | 0.2 | 0.2 | 0.1 0.2 | 0.1 | 0.1 | 0.1 | 0.1 |
| 24 | Tuberculosis of the meninges, etc | 0.1 | 0.2 | 0.1 | 0.2 | 0.1 | 0.1 | 0.1 | 0.1 | 0.1 | 0.1 | 0.1 | 0.1 | 0.1 |
| | Female | 0.1 | 0.2 | 0.2 | 0.2 | 0.2 | 0.1 | 0.1 | 0.1 | 0.1 | 0.1 | 0.2 | 0.1 | 0.1 0.1 |
| 25 to | Other forms of tuberculosis | 0.1 | (2/) | 0.1 | 0.1 | 0.1 | 0.1 | 0.1 | 0.1 | 0.1 | (2/) | 0.1 | 0.1 | (<u>2</u> /) |
| 32 | MaleFemale | 0.1 (<u>2</u> /) | (<u>2</u> /) (<u>2</u> /) | (<u>2</u> /) | 0.1 | (<u>2</u> /) 0.1 | 0.1 | 0.1 (<u>2</u> /) | 0.1 | 0.1 0.1 | (<u>2</u> /) (<u>2</u> /) | 0.1 | 0.1 (<u>2</u> /) | 0.1 (<u>2</u> /) |
| 34 | Syphilis | 0.7 | 0.8 | 0.7 | 0.7 | 8.0 | 0.9 | 0.6 | 0.6 | 0.6 | 0.5 | 0.7 | 0.7 | 0.8 |
| | Male Female | 0.8 | 0.8 | 0.B 0.6 | 0.7 | 0.8 0.8 | 0.9 | 0.6 0.5 | 0.7 | 0.6 | 0.5 0.4 | 0.8 | 0.8 0.6 | 0.9 0.7 |
| 86 | Convulsions | 0.3 | 0.3 | 0.3 | 0.3 | 0.3 | 0.3 | 0.2 | 0.2 | 0.2 | 0.3 | 0.2 | 0.3 | 0.4 |
| | MaleFemale | 0.3 | 0.4 | 0.4 | 0.4 | 0.4 | 0.4 | 0.3 | 0.3 | 0.2 | 0.3 0.2 | 0.2 | 0.3 | 0.4 0.3 |
| 106 | Bronchitis | 0.3 | 0.5 | 0.5 | 0.4 | 0.3 | 0.2 | 0.2 | 0.1 | 0.1 | 0.1 | 0.2 | 0.2 | 0.3 |
| | MaleFemale | 0.3 | 0.5 | 0.7 | 0.4 | 0.3 | 0.2 | 0.2 | 0.1 | 0.1 | 0.1 | 0.2 | 0.2 | 0.4 |
| 107 | Bronchopneumonia | 5.5 | 10.8 | 0.3 9.4 | 9.1 | 0.3 6.9 | 0.3 5.1 | 0.1 3.3 | 0.1 2.2 | 2.0 | 0.1 2.5 | 4.0 | 0.3 4.8 | 0.3 6.8 |
| 1 | MaleFemale | 6.1 | 12.2 | 10.6 | 10.2 | 7.9 | 5,5 | 3.6 | 2.3 | 2,2 | 2.8 | 4.4 | 5.1 | 7.5 |
| 108,109 | Lobar and unspecified pneumonia | 2.2 | 9.3 | 8.2 | 8.1 3.2 | 5.7 2.8 | 4.8 1.9 | 2.9 | 2.1 0.8 | 1.8 | 2.2 | 3.6 1.4 | 4.5 1.9 | 6.1 3.1 |
| | MaleFemale | 2.5 | 4.4 | 4.3 | 4.0 | 3.2 | 2.2 | 1.5 | 0.8 | 0.7 | 1.2 | 1.5 | 2.3 | 3.6 |
| 117,118 | Diseases of the stomach | 1.8 | 3.7 0.3 | 0.3 | 0.2 | 2,4 0,2 | 1.7 | 0.2 | 0.7 | 0.7 | 0.7 | 0.3 | 0.2 | 2.6 0.3 |
| | Male | 0.3 | 0.3 | 0.3 | 0.3 | 0.3 | 0.4 | 0.3 | 0.2 | 0.2 | 0.3 | 0.3 | 0.3 | 0.3 |
| 119 | Female Diarrhea and enteritis | 0.2 4.9 | 0.2 2.5 | 2.5 | 0.1 2.8 | 0.2 3.7 | 0.2 5.4 | 7.3 | 7.6 | 7.2 | 0.2 6.4 | 0.3 5.8 | 0.1 4.6 | 0.3 3.0 |
| | Male | 5.4 | 2.8 | 2.8 | 2.9 | 4.0 | 5.8 | 8.1 | 8.3 | 7.9 | 7.3 | 6.3 | 5.1 | 3.3 |
| 1226 | Female Intestinal obstruction | 0.4 | 2.2 0.4 | 2.3 0.5 | 2.6 | 3.4 0.4 | 4.9 0.5 | 6.4 0.3 | 6.9 0.4 | 6.4 0.4 | 5.4 0.4 | 5.3 0.4 | 4.1 0.4 | 2.7 0.4 |
| | Male | 0.5 | 0.5 | 0.6 | 0.6 | 0.5 | 0.6 | 0.3 | 0.4 | 0.5 | 0.5 | 0.6 | 0.5 | 0.5 |
| 157 | FemaleCongenital malformations | 0.3 4.8 | 0.2 5.3 | 0.4 5.1 | 0.3 4.9 | 0.3 | 0.4 | 0.3 | 0.4 | 0.3 | 0.3 | 0.2 | 0.3 | 0.4 |
| 20. | Mele | 5.2 | 5.7 | 5.3 | 5.3 | 5.1 | 5.0 | 4.5 | 4.8 5.4 | 4.5 | 4.3 5.0 | 4.7 5.2 | 4.8 5.1 | 5.1 5.8 |
| 158,161 | Female | 4.4 | 4.8 | 4.8 | 4.6 | 4.7 | 4.4 | 4.1 | 4.2 | 3.9 | 3.6 | 4.2 | 4.6 | 4.4 |
| b, c | Congenital debility, icterus, sclerema | 2.1 | 2.1 | 2.2 | 2.2 | 2.2 | 2.1 | 2.0 | 2.0 | 2.1 | 2.1 | 2.2 | 2.5 | 2.2 2.4 |
| | Female Premature birth | 1.8 | 1.7 | 1.7 | 1.5 | 1.8 | 1.7 | 1.6 | 1.8 | 2.0 | 1.7 | 1.9 | 2.1 | 1.9 |
| 159 | Male | 15.4 | 15.3 | 15.3 | 15.3 | 15.7 17.4 | 16.8 | 16.0 | 15.1 17.0 | 14.6 16.2 | 13.8 | 14.9 16.0 | 16.0 17.8 | 16.1 17.9 |
| , | Female | 13.6 | 14.0 | 13.3 | 13.5 | 13.9 | 14.5 | 13.6 | 13.0 | 13.0 | 12.7 | 13.7 | 14.2 | 14.1 |
| 160 | Injury at birth | 4.5 5.4 | 4.8 5.7 | 4.8 5.9 | 4.9 5.8 | 4.8 5.9 | 4.6 5.3 | 4.4 5.3 | 4.3 5.1 | 4.9 | 4.0 5.1 | 4.2 5.0 | 4.3 5.2 | 4.7 5.7 |
| | Female | 3.5 | 3.8 | 3.5 | 3.9 | 3.6 | 3.9 | 3.6 | 3.5 | 3.0 | 2.9 | 3.3 | 3.4 | 3.7 |
| 16la,d | Other diseases of early infancy | 1.8 | 1.9 | 2.1 | 2.0 | 1.9 | 1.8 | 1.8 | 1.6 | 1.8 | 1.7 | 1.8 | 1.7 | 1.9 |
| | Female | 2.1 | 2.3 | 2.4 | 2.3 | 2.0 | 2.2 | 2.1 | 1.2 | 2.1 | 1.9 | 2.1 | 2.0 1.5 | 2.2 1.7 |
| 172-198, | External causes | 1.0 | 1.3 | 1.1 | 1.0 | 1.0 | 0.8 | 0.9 | 0.9 | 0.8 | 0.9 | 1.0 | 1.1 | 1.6 |
| 201-214 | MaleFemale | 1.1 | 1.4 | 1.2 | 0.9 | 0.9 | 0.9 | 0.8 | 0.9 | 0.7 | 1.0 | 1.2 | 1.1 | 1.7 1.5 |
| 199,200 | Unknown or ill-defined diseases | 3.4 | 4.2 | 4.2 | 3.8 | 3.3 | 3.2 | 2.8 | 2.7 | 3.1 | 2.8 | 2.9 | 3.4 | 4.1 |
| ļ | MaleFemale | 3.7 | 4.8 3.5 | 4.8 3.6 | 4.2 3.4 | 3.7 | 3.5 2.8 | 3.2 | 3.0 2.3 | 3.4 2.8 | 2.9 | 2.6 | 3.7 | 4.4 3.7 |
| 1 | All other causes | 3.7 | 4.4 | 4.3 | 4.1 | 3.8 | 3.8 | 3.6 | 2.8 | 3.0 | 3.0 | 3.5 | 3.8 | 4.2 |
| l | Male | 4.2 | 5.0 | 4.8 | 5.0 | 4.3 | 4.8 | 4.0 | 3.1 | 3.4 | 3.3 | 3.7 | 4.2 | 5.1 |
| | | 3.1 | 3.7 | 3.7 | 3.1 | 3.3 | 2.9 | 3.1 | 2.4 | 2.5 | 2.6 | 3.4 | 3.3 | 3.3 |

· INFANT MORTALITY BY RACE

Table AG presents infant mortality rates by age, sex, and

Table AG presents infant mortality rates by age, sex, and race.

With a rate of 55.7 per 1,000 live births for the total, rates for white and Negro children and for those of other races were 51.9, 81.9, and 110.8, respectively.

For "under 1 day", rates for children of other races were lower than those for white and Negro children, but in every other instance rates for the white were lower than those for both Negroes and other races.

For the first 2 age-periods—under 1 day and 1 day—rates for children of other races were lower than those for Negroes but for all other ages rates for Negroes are lower than those for other races.

Except for 2 ages—2 weeks for other races and 11 months for white—rates throughout the table are higher for males than for females.

| TABLE AG | | ORTALITY R | NOTE /TOPAN | |
|---------------------------|---------------|--------------------------|--------------|-------------|
| | THEAM! NO | ORTALITY R. R. OF AGE | HEE (DEAT | |
| | T TEAT |) in the u | NTTED STA | TES: 1935 |
| AGE AND SEX | סיונותנים | , 0 | | |
| AND AND UPA | 1 | | | |
| | Total | White | Negro | Other |
| | | | | races |
| | | - | | |
| | [| | | 110.8 |
| Under 1 year | 55.7 | 51.9 58.1 | 81.9 90.0 | 126.8 |
| MaleFemale | 62.2 48.9 | 45.2 | 73.6 | 94.7 |
| Female | 20.0 | | | |
| | | | | |
| Under 1 day | 15.0 | 14.8 | 16.5 | 11.4 |
| Male | 17.0 | 16.8 | 18.2 14.6 | 15.1 9.7 |
| Female | 12.8 3.7 | 3.6 | 4.7 | 3.7 |
| Vol A | 4.2 | 4.1 | 5.2 | 4.7 |
| Parale | 3.1 | 3.0 | 4.2 | 2.7 |
| 2 days | 2.4 | 2.3 | 3.3 | 5.2 |
| Kale | 2.9 | 2.7 | 3.8 | 6.2 4.2 |
| Female | 2.0 | 1.9 | 2.8 6.7 | 8.7 |
| 3 to 6 days | 5.1 | 4.7 | 7.9 | 9.5 |
| Female | 3.7 | 3.4 | 5.4 | 7.9 |
| 1 week | 3.1 | 2.8 | 5.4 | 6.1 |
| Val a | 3.4 | 3.1 | 5:7 | 6.3 |
| Pemalo | 2.9 2.0 | 2.6 | 5.0 3.3 | 5.9 3.3 |
| Z wocks | 2.2 | 2.0 | 3.3 | 3.2 |
| Female | 1.9 | 1.7 | 3.2 | 3.5 |
| 3 weeks but under 1 month | 1.8 | 1.6 | 2.9 | 3.3 |
| Malo | 2.0 | 1.8 | 3.2 | 3.7 |
| Female | 1.6 | 1.4 | 2.7 | 3.0 |
| Under 1 month | 32.4 | 31.0 | 42.8 | 41.7 |
| Vo) | 36.7 | 35.2 | 47.3 | 46.7 |
| 7 | 27.9 | 26.5 | 38.0 | 36.8 |
| 1 month | 4.4 | 4.0 | 6.9 | 9.9 |
| MeleFamale | 4.9 3.8 | 4.5 3.5 | 7.7 6.1 | 8.5 |
| Fomale2 months | 3.5 | 3.2 | 5.6 | 8.6 |
| Vel 6 | 3.9 | 3.5 | 6.1 | 10.5 |
| Tems? a | 3.2 | 2.9 | 5.2 | 6.7 |
| 3 months | 2.9 | 2.5 | 4.9 | 7.1 |
| Male | 3.1 | 2.8 | 5.3 4.6 | 9.0 5.2 |
| Female4 months | 2.5 2.3 | 2.0 | 4.3 | 5.9 |
| Male | 2.5 | 2.2 | 4.6 | 7.2 |
| Female | 2.1 | 1.8 | 3.9 | 4.7 |
| 5 months | 2.0 | 1.7 | 3.5 | 6.7 |
| Vol 4 | 2.1 | 1.9 | 3.9 | 7.5 5.9 |
| Female | 1.8 | 1.6 | 3.1 | 6.5 |
| 6 months | 2.0 | 1.7 | 3.6 | 7.5 |
| Famale | 1.6 | 1.4 | 3.0 | 5.5 |
| 7 monthis | 1.6 | 1.4 | 2.6 | 5.4 |
| Male | 1.7 | 1.5 | 2.8 | 5.8 |
| Remale | 1.4 | 1.2 | 2.5 | 5.0 5.1 |
| Male | 1.4 | 1.3 | 2.7 | 5.5 |
| Pama 1 0 | 1.3 | 1.2 | 2.4 | 4.9 |
| 0 | 1.3 | 1.2 | 2.0 | 5.7 |
| Wale | 1.5 | 1.3 | 2.4 | 7.2 |
| KeleFemale | 1.1 | 1.0 | 1.7 | 4.2 |
| 10 months | 1.1 | 1.0 | 1.6 | 3.8 |
| Male | 1.1 | 1.0 | 1.7 | 3.5 |
| Female | 1.1 | 1.0 | 1.8 | 4.2 |
| Male | 1.2 | 1.0 | 1.9 | 4.5 |
| Female | 1.1 | 1.0 | 1.8 | 3.9 |
| | | Ц | | |

^{1/} Exclusive of stillbirths.

Table AH presents rates of infant mortality, by sex and cause, for white and Negro children and for those of other races, in the United States in 1935.

The table shows that the only diseases causing a higher mortality among white children than among Negroes were scarlet fever, erysipelas, congenital malformations, and injury at birth. A comparison of the rates for white children with those of other races shows that there was higher mortality among whites from scarlet fever, diphtheria, tetanus, congenital malformations, premature birth, and injury at birth.

| | TABLE AH | | RTALITY R | ATE (DEATE | is ¹ /under |
|---------------------|---|------------------------------------|-------------------------------|-----------------------------|-----------------------------|
| List | CANADA ON THE SAME AND OTHER | l YEAR BIRTHS) | OF AGE | PER 1,0 | 000 Live CES:- 1935 |
| no. | cause of death and sex | Total | White | Negro | Other |
| _ | All causes | 55.7 62.2 48.9 | 51.9 58.1 45.2 | 81.9 90.0 73.6 | 110.8 125.8 94.7 |
| 7 | Meesles | 0.4 0.4 | 0.3 | 0.4 0.5 | 2.7 5.3 |
| 8 | Female | 0.3 0.1 0.1 | 0.3 0.1 0.1 | 0.3 (<u>2</u> /) | 2.0 |
| 9 | FemaleFemale | (<u>2</u> /) 1.4 1.3 1.4 | (2/) 1.2 1.1 1.3 | (2/) 2.2 2.3 2.2 | 4.0 3.5 4.5 |
| 10 | Diphtheria | 0.1 | 0.1 0.1 | 0.2 | |
| n | FemaloInfluenza | 0.1 1.5 1.7 | 0.1 1.3 1.5 | 0.2 2.8 3.0 | 3.2 4.8 |
| 13 | Female Dysentery | 1.3 0.4 0.4 0.3 | 0.3 0.3 0.3 | 2.5 0.6 0.6 0.5 | 1.5 1.2 1.3 1.0 |
| 15 | Erysipelas | 0.3 0.3 0.2 | 0.3 0.3 0.3 | 0.1 0.1 0.1 | 0.4 0.5 0.3 |
| 18 | Epidemic cerebrospinal meningitis Male Female | 0.1 0.1 0.1 | 0.1 0.1 0.1 | 0.1 0.1 0.1 | 0.3 0.3 0.2 |
| 22 | Tetanus | 0.1 0.1 0.1 | 0.1 0.1 (2/) | 0.2 0.3 0.1 | |
| 23 | Tuberculosis of the respiratory system | 0.1 | 0.1 0.1 | 0.4 0.4 | 2.2 2.8 |
| 24 | Female | 0.1 0.1 0.1 | 0.1 0.1 0.1 | 0.4 0.2 0.2 | 1.5 1.4 1.8 |
| 25 to 32 | FemaleFamale | 0.1 0.1 0.1 (<u>2</u> /) | 0.1 (2/) (2//) (3//) | 0.2 0.1 0.2 0.1 | 1.0 0.8 1.2 0.5 |
| 34 | Syphilis | 0.7 0.8 | 0.4 0.4 0.4 | 2.8 3.1 2.5 | 2.6 3.8 1.3 |
| 86 | FemaleConvulsions | 0.6 0.3 0.3 0.2 | 0.2 | 0.6 0.8 0.5 | 0.9 0.8 1.0 |
| 106 | Female | 0.3 0.3 0.2 | 0.2 0.3 0.2 | 0.4 0.4 0.4 | 0.6 0.5 0.7 |
| 107 | Bronchopneumonia | 5.5 6.1 | 5.1 5.7 | 8.0 8.7 | 18.6 21.2 |
| 108;109 | Female——————————————————————————————————— | 4.9 2.2 2.5 1.8 | 4.5 1.8 2.0 1.5 | 7.3 4.6 5.4 3.9 | 15.9 7.7 9.7 5.7 |
| 117,118 | Diseases of the stomach | 0.2 0.3 0.2 | 0.2 0.2 0.2 | 0.5 0.7 0.4 | 0.9 1.0 1.0 |
| 119 | Diarrhea and enteritis | 4.9 5.4 4.4 | 4.6 5.0 4.2 | 7.1 7.9 6.2 | 10.5 12.0 9.0 |
| 122b | Intestinel obstruction | 0.4 0.5 0.3 | 0.4 0.5 0.3 | 0.4 0.5 0.4 | 0.6 0.8 0.3 |
| 157 | Congenital malformations | 4.8 5.2 4.4 | 5.2 5.6 4.7 | 2.0 2.2 1.9 | 4.6 5.3 3.9 |
| 158,161 b,c | Congenital debility, ictorus, sclerema | 2.1 2.4 | 1.8 2.0 | 4.5 4.6 | 4.3 · 4.5 |
| 159 | Female | 1.8 15.4 17.1 | 1.5 15.0 16.8 | 3.9 18.1 19.3 | 4.0 12.6 14.5 |
| 160 | Female | 13.6 4.5 5.4 | 13.2 4.7 5.6 | 16.8 3.1 3.7 | 10.5 3.3 3.0 |
| 161a,d | Female | 3.5 1.8 2.1 | 3.7 1.8 2.0 1.5 | 2.5 2.2 2.6 1.8 | 3.5 4.6 4.7 4.5 |
| 172-198, 201-214 | Male | | 0.9 | 1.8 | 2.3 |
| 199,200 | Female | 3.7 | 0.6 1.9 2.2 | 1.7 13.8 14.9 12.5 | 2.7 15.0 17.5 12.6 |
| | Female All other causes Male Female Female | 3.0 3.7 4.2 3.1 | 1.6 5.5 4.0 3.0 | 4.7 5.3 4.1 | 5.6 5.5 5.5 |

^{1/} Exclusive of stillbirths.

^{2/} Less than one-tenth of 1 per 1,000 births.

TABLE AI-Continued

INFANT MORTALITY RATES OF FOREIGN COUNTRIES

FOREIGN COUNTRIES

Infant mortality rates for the United States and certain foreign countries are presented in tables AI, AJ, and AK.

For 18 countries rates are shown for both 1934 and 1935. Of these, all but 7 had lower rates in 1935, namely, Ceylon, Denmark, Irish Free State, Jamaica, New Zealand, Northern Ireland, and Switzerland.

New Zealand in 1935 had a rate of 32.3 or 23.4 less than the 1935 rate for the United States. Of this difference, 63 percent is found in the rates for the first 3 months of life, and the other 37 percent distributed over the other 9 months. Considering the difference by cause of death, it is found that the rates in the United States were higher for all but three causes. The rates in the United States from congenital debility and other diseases of early infancy, convulsions, and diphtheria were 0.3, 0.2, and 0.1, respectively, lower than the rates for the same causes in New Zealand and the rate for diseases of the stomach was the same in both countries.

The diseases chiefly responsible for the difference between the rates of the two countries are premature birth, diarrhea and enteritis, bronchitis and bronchopneumonia, and unknown or ill-defined diseases.

Chile and British Guiana had rates of 250.9 and 121.8, or 195.2 and 66.1, respectively, higher than that for the United States. In Chile, 28 percent of the difference was caused by the high rates from influenza and pneumonia, and bronchitis and bronchopneumonia, 26 percent from congenital debility and other diseases of early infancy, and 17 percent from diarrhea and enteritis.

British Guiana's nigh mortality from congenital debility

and enteritis.

British Guiana's nigh mortality from congenital debility and other diseases of early infancy was responsible for 45 percent of the difference between the rates of the two countries, and the large number of deaths from bronchitis and bronchopneumonia, diarrhea and enteritis, and premature birth caused 12, 10, and 7 percent, respectively, of the difference.

| | | 1 | T |
|------------------------|-----------------------|-----------------------------|--|
| COUNTRY, YEAR, AND SEX | Birthe ¹ / | Deaths under 1 yearl/ | Infant mortality rate (deaths under l year of age per 1,000 live births) |
| UNITED STATES: | | | |
| 1935Total | 2,155,105 | 120,138 | 55.7 |
| Male | 1,105,489 | 68,805 | 62.2 |
| Female | 1,049,616 | 51,333 | 48.9 |
| 1934Total | 2,167,636 | 130,185 | 60.1 |
| Male | 1,112,703 | 73,950 | 66.5 |
| Female | 1,054,933 | 56,235 | 53.3 |
| 1933Total | 2,081,232 | 120,887 | 58.1 |
| Mele | 1,068,871 | 68,331 | 63.9 |
| Female | 1,012,361 | 52,556 | 51.9 |
| USTRALIA: | | | i |
| 1935Total | 111,325 | 4,429 | 39.8 |
| Male | 56,892 | 2,537 | 44.6 |
| Female | 54,433 | 1,892 | 34.8 |
| 1934Total | 109,475 | 4,772 | 43.6 |
| Male | 55,848 | 2,697 | 48.3 |
| Female- | 53,627 | 2,075 | 38.7 |
| 1933Total | 111,269 | 4,397 | 39.5 |
| Male Female | 57,160 54,109 | 2,500 | 43.7 |
| | 54,109 | 1,897 | 35.1 |
| ELGIUM: | | | ļ |
| 1934Total | 132,568 | 10,067 | 75.9 |
| Male | 67,746 | 5,808 | 85.7 |
| Female | 64,822 | 4,259 | 65.7 |
| 1933Total | 135,769 | 11,597 | 85.4 |
| Mele | 69,728 | 6,650 | 95.4 |
| Female | 66,041 | 4,947 | 74.9 |
| RITISH GUIANA: | | | |
| 1935Total | 11 969 | 1 000 | 100 0 |
| Male | 11,262 | 1,372 727 | 121.8 |
| Female | 3,605 | 727 645 | 128.5 115.1 |
| 1934Total | 9,301 | 1,567 | 168.5 |
| Male | 4,727 | 846 | 179.0 |
| Female- | 4,574 | 721 | 157.6 |
| 1933Total | 10,461 | 1,613 | 154.2 |
| Male | 5,339 | 865 | 162.0 |
| Female | 5,122 | 748 | 146.0 |
| NADA: 2/ | | ĺ | |
| 1935Total | 221,226 | 15,723 | 71.1 |
| Male | 113,188 | 9,064 | 80.1 |
| Female- | 108,038 | 6,659 | 61.6 |
| 1934Total | 221,303 | 15,870 | 71.7 |
| Male | 113,323 | 9,124 | 80.5 |
| Female- | 107,980 | 6,746 | 62.5 |
| 1933Total | 222,868 | 16,284 | 73.1 |
| Male | 114,388 | 9,340 | 81.7 |
| Female- | 108,480 | 6,944 | 64.0 |

| TABLE AI—Continued COUNTRY, YEAR, AND SEX | Births ¹ ∕ | Deaths under 1 year1/ | Infant mortality rate (deaths under l year of age per l,000 live births) |
|--|-----------------------|-----------------------|--|
| CEYLON: | | | |
| 1935Total | 192,755 | 50,733 | 263.2 |
| Male Female-~ | 98,209 94,546 | 26,136 24,597 | 266.1 260.2 |
| 1934Total | 206,512 | 35,719 | 173.0 |
| Male Female | 105,298 101,214 | 19,161 16,558 | 182.0 |
| 1933Total | 209,032 | 32,866 | 157.2 |
| Male Female | 107,054 101,978 | 17,731 15,135 | 165.6 148.4 |
| | | | |
| CHILE: 1935Total | 153,151 | 38,432 | 250.9 |
| Male Female | 78,689 | 20,213 | 256.9 |
| 1934Total | 74,462 150,362 | 18,219 39,383 | 244.7 261.9 |
| Mele Female | 77,056 | 20,720 | 268.9 254.6 |
| 1933Total | 73,306 147,733 | 18,663 38,106 | 257.9 |
| Male Female | 76,276 71,457 | 20,155 17,951 | 264.2 251.2 |
| | , 20 | 27,502 | 202.2 |
| DENMARK: 1935Total | 65,223 | 4,634 | 71.0 |
| 1934Total Male | 65,116 | 4,194 | 64.4 |
| Female | 33,600 31,516 | 2,469 1,725 | 73.5 54.7 |
| 1933Total Male | 62,780 | 4,246 | 37.6 |
| Male Female | 32,409 30,371 | 2,465 1,781 | 76.1 58.6 |
| ENGLAND, SCOTIAND, AND WALES: | | | |
| 1935Total | 686,684 | 40,846 | 59.5 |
| Male Female | 352,517 334,167 | 23,563 17,283 | 66.8 51.7 |
| 1934Total | 686,478 | 41,918 | 61.1 |
| Male Female | 352,288 334,190 | 24,009 17,909 | 68,2 53,6 |
| 1933Total | 666,959 | 43,979 | 65.9 |
| Male Female | 341,496 325,463 | 25,307 18,672 | 74.1 57.4 |
| ENGLAND AND WALES: | | ,, | |
| 1935Total | 598,756 | 34,092 | 56.9 |
| Male Female | 307,552 291,204 | 19,654 14,438 | 63.9 49.6 |
| 1934Total | 597,642 | 35,017 | 58.6 |
| Male Female | 306,874 290,768 | 20,061 14,956 | 55.4 51.4 |
| 1933Total Male | 580,413 296,729 | 36,960 21,311 | 63.7 71.8 |
| Female | 283,684 | 15,649 | 55.2 |
| SCOTLAND: | | | |
| 1935Total Male | 87,928 | 6,754 | 76.8 |
| Female | 44,965 42,963 | 3,909 2,845 | 86.9 66.2 |
| 1934 | 88,836 | 6,901 | 77.7 |
| Female | 45,414 43,422 | 3,948 2,953 | .86.9 68.0 |
| 1933 Total Male | 86,546 44,767 | 7,019 3,996 | 81.1 89.3 |
| Female | 41,779 | 3,023 | 72.4 |
| ESTONIA: | | | |
| 1934 | 17,305 8,959 | 1,576 931 | 91.1 103.9 |
| Female | 8,346 | 645 | 77.3 |
| 1933 Total Male | 18,208 9,439 | 1,711 951 | 94.0 100.8 |
| Female | 8,769 | 760 | 86.7 |
| FINLAND: | | | |
| 1935Total | 69,942 | 4,669 | 66.8 |
| Male Female | 36,178 33,764 | 2,586 2,083 | 71.5 61.7 |
| 1934Total | 67,713 | 4,944 | 73.0 |
| Male Female | 34,576 33,137 | 2,825 2,119 | 81.7 63.9 |
| 1933Total | 65,047 | 4,922 | 75.7 |
| Male Female | 33,419 31,628 | 2,729 2,193 | 81.7 69.3 |
| FRANCE: | | | |
| 1934Total | 677,878 | 47,075 | 69.4 |
| Male Female | 345,780 332,098 | 27,019 | 78.1 60.4 |
| 1933Total | 678,700 | 50,772 | 74.8 |
| Male Female | 345,751 332,949 | 28,777 21,995 | 83.2 66.1 |
| CERMANY: | · | | |
| 1934Total | 1,182,789 | 77,848 | 65.8 |
| | | | |
| Mal e Female | 611,027 | 44,867 | 73.4 57.7 |
| Male | | | |

See footnotes on page 27.

| MABLE AI—Continued | | | Infant | TABLE AI—Continued | | | Infent |
|------------------------|------------------------|----------------------------|---|---|--------------------|-----------------------------|--|
| COUNTRY, YEAR, AND SEX | Births½/ | Deaths under 1 year1 | mortality rate (deaths under 1 year of age per 1,000 live births) | COUNTRY, YEAR, AND SEX | Births <u>l</u> / | Deaths under 1 year1/ | mortality rate (deaths under 1 year of age per 1,000 liv births) |
| UNGARY: | · | | | NEW ZEALAND: | | | |
| 1934Total | 194,279 | 28,721 | 147.8 | 1935Total | 23,965 | 773 | 32. |
| 1933Total | 193,911 | 25,426 | 136.3 | Male | 12,316 | 444 | 36. |
| | • | | 1 | .Femal'e | 11,649 | 329 | 28. |
| rish free state: | | | 1 | 1934Total | 24,322 | 781 | 32. |
| 1935Total Male | 58,266 29,898 | 3,988 2,337 | 68.4 78.2 | Male Female | 12,554 11,768 | 456 325 | 36. 27. |
| Female- | 28,368 | 1,651 | 58.2 | 1933Total | 24,334 | 770 | 31. |
| 1934Total | 57,897 | 3,664 | 63.3 | Male | 12,419 | 455 | 36. |
| Male | 29,825 | 2,086 | 69.9 | Female | 11,915 | 315 | 26. |
| Female- | 28,072 | 1,578 | 56.2 | | | Ì | |
| 1933 | 57,364 | 3,742 | 65.2 | NORTHERN IRELAND: | 24,742 | 2,136 | 86. |
| Male Female | 29,381 27,983 | 2,150 1,592 | 73.2 56.9 | Male | 12,780 | 1,227 | 96 |
| Politors- | 27,500 | 1,002 | 30.3 | Female | 11,962 | 909 | 76. |
| TALY: | | į . | İ | 1934Total | 25,365 | 1.767 | 69. |
| 1934Total | 992,966 | 98,023 | 98.7 | Male | 13,165 | 1,054 | 80. |
| Male | 508,814 | 53,192 | 104.5 | Female- | 12,200 | 713 | 58. |
| Female 1933Total | 484,152 995,979 | 44,831 99,746 | 92.6 | 1933Total | 24,501 12,648 | 1,960 1,106 | 79. 87. |
| Male | 511,032 | 54,075 | 105.8 | Female | 11,953 | 854 | 71. |
| Female- | 484,947 | 45,671 | 94.2 | | , | | |
| | _ | | | NORWAY: | | | 1 |
| AMATCA: | | | | 1934Total | 41,833 | 1,645 | 39. |
| 1935Total Male | 37,379 18,898 | 5,144 2,722 | 137.6 144.0 | Male Female | 21,589 20,244 | 922 723 | 42. 35. |
| Female- | 18,481 | 2,422 | 131.1 | 1933Total | 42,114 | 2,003 | 47. |
| 1934Total | 34,247 | 4,507 | 131.5 | Male | 21,834 | 1,179 | 54. |
| Male | 17,291 | 2,447 | 141.5 | Female | 20,280 | 824 | 40. |
| Female- | 16,956 | 2,060 | 121.5 | | | | 1 |
| 1933Total | 35,668 | 5,342 | 149.8 | SPAIN: 1934Total | 200 440 | B0 000 | |
| Male Female | 18,173 17,495 | 2,887 2,455 | 158.9 140.3 | 1933Total | 637,446 667,818 | 72,027 75,014 | 113. |
| 2. Daniel C. | 1, 430 | 2,200 | 1,0,0 | 1300 | 007,010 | 70,014 | |
| | | | | SWEDEN: | | | |
| APAN: | | | l | 1935Total | 85,902 | 4,020 | 46. |
| 1934Total | 2,043,783 | 255,063 | 124.8 | 1934Total | 85,036 85,020 | 4,027 | 47. |
| Female- | 1,042,736 1,001,047 | 138,736 116,327 | 116.2 | Male | 43,819 | 4,210 2,472 | 49. 56. |
| 1933Total | 2,121,253 | 257,251 | 121.3 | Female | 41,201 | 1,738 | 42. |
| Male | 1,087,688 | 139,571 | 128.3 | | | | |
| Female- | 1,033,565 | 117,680 | 113.9 | SWITZERLAND: 1935Total | | | |
| | | - | | Male | 66,378 | 3,179 | 47. 53. |
| ITHUANIA: | | | 1 | Female | 34,241 32,137 | 1,826 1,353 | 42. |
| 1935Total | 57,970 | 7,146 | 123.3 | 1934Total | 67,277 | 3,077 | 45. |
| Male | 29,821 | 4.024 | 134.9 | Male | 34,591 | 1,809 | 52. |
| Female- | 28,149 | 3,122 | 110.9 | Female | 32,686 | 1,268 | 36. |
| 1934Total | 60,770 | 10,059 | 165.5 | 1933Total | 67,509 | 3,224 | 47. |
| Male Female | 31,247 29,523 | 5,576 4,483 | 178.4 | Male Female | 34,314 | 1,837 | 53. |
| 1933Total | 62,145 | 7,537 | 121.3 | remale | 4 33,195 | 1,387 | 41. |
| Male | 31,999 | 4,319 | 135.0 | UNION OF SOUTH AFRICA (EUROPEAN): | | | [|
| Female- | 30,146 | 3,218 | 106.7 | 1934Total | 44,878 | 2,728 | 60. |
| | | | | Male | 22,924 | 1.513 | 66. |
| etherlands: | | | | Female | 21,954 | 1,215 | 55. |
| 1935Total | 170,425 | 6,819 | 40.0 | 1933Total | 44,519 | 2,716 | 61. |
| Male | 87,910 | 3,977 | 45.2 | MAIG Female | 22,994 21,525 | 1,515 1,201 | 65. 55. |
| Female- | 82,515 | 2,842 | 34.4 | [| , | _,~~_ | |
| 1934Total | 172,214 | 7,334 | 42.6 | | | | |
| Male | 88,725 | 4,218 | 47.5 | $\frac{1}{2}$ Exclusive of stillbirths. $\frac{2}{2}$ Exclusive of Yukon and the Northwes | | | |
| Female | 83,489 171,289 | 3,116 | 37.3 | 2/ Exclusive of Yukon and the Northwes | t Territories. | | |
| | 171,289 88,136 | 7,518 4,364 | 43.9 49.5 | NOTEThese data were procured from t | | | |
| Male | | | | | | | |

| TABLE AJ | | | | deaths1 | - - - - - - - - - - - - - - - - - - - | F AGE IN 193 | 55 IN | | | |
|--|--|---|--|--|--|--------------------------------|---------------------------------|---------------------------------|---------------------------------|---|
| AGE AND SEX | United States | England and Wales | New Zealand | Scotland | Chile | Northern Ireland | Australia | Irish Free State | Nether- lands | Ceylon |
| Under 1 year MeleFemale | 120,138 68,805 51,333 | 34,092 19,654 14,438 | 773 444 329 | 6,754 3,909 2,845 | 38,432 20,213 18,219 | 2,136 1,227 909 | 4,429 2,537 1,892 | 3,988 2,337 1,651 | 6,819 3,977 2,842 | 50,733 26,136 24,597 |
| Under 1 dayTotal Male Fomale | 32,237 18,782 13,455 | 6,438 3,676 2,762 | 196 120 76 | 1,028 616 412 | 4,121 2,250 1,871 | 287 166 121 | | | | |
| 1 dayTotk1 | 7,945 4,657 3,288 5,250 | 2,041 1,181 860 1,751 | 72 40 32 | \$\frac{1}{9}\bigg\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\ | 5,654 2,978 | 86 278 | | | | |
| Mele Female 3 to 6 days | 3,169 2,081 9,445 5,597 | 1,039 712 2,953 1,750 | 2-6 da 48 de | 678 477 | 2,978 | 152 | | | | |
| Female Under 1 week | 3,848 54,877 32,205 22,672 | 1,203 13,183 7,646 5,537 | 429 253 176 | 2,183 1,294 889 | 9,775 5,228 4,547 | 565 318 247 | 2,528 1,427 1,101 | | | 18,581 10,186 8,395 |
| l weekTotal Male Female 2 weeksTotal | 6,759 3,750 3,009 4,396 | 2,191 1,221 970 1,615 | 54 27 27 35 | 487 265 222 417 | skap 4,678 2,429 2,249 | 283 283 160 | 304 186 118 124 | | | ths |
| Male Female 3 weeks but under 1 monthTotal Male Female | 2,432 1,964 3,802 2,176 1,626 | 930 685 1,203 693 510 | 16 19 10 3 7 | 218 199 302 175 127 | 61-8 2,249 1,661 1,661 1,580 | ¥ 160 | 77 47 108 70 38 | | | 8 15,604 2 7,927 |
| Under 1 month | 69,834 40,563 29,271 | 18,192 10,490 7,702 | 528 299 229 | 3,389 1,952 1,437 | 17,694 9,318 8,376 | 848 478 370 | 3,064 1,760 1,304 | 1,591 941 650 | 3,809 2,231 1,578 | 7,677 ⊕ 7,677 |
| 1 monvn | 9,477 5,451 4,026 7,571 | 5,460 3,236 2,224 | 45 25 20 41 33 | 2 months 2 2 2 390 | 4,819 2,563 2,256 2,884 | 206 118 88 153 103 | 239 148 91 155 95 | 498 294 204 377 213 | 491 309 182 429 254 | Ветжееп |
| mail 5 to 5 months | 4,250 3,321 15,370 8,609 | 4,606 2,632 | 35 8 74 36 38 | 1,045 | 1,525 1,359 5,531 2,904 | 50 388 219 169 | 60 342 191 | 164 781 453 328 | 175 889 529 360 |) 0 0 16,548 |
| 6 to 8 months | 6,761 10,325 5,757 4,568 7,561 | 1,974 3,248 1,859 1,389 2,586 | 55 30 25 30 | 433 771 446 325 554 | 2,627 4,027 2,115 1,912 3,477 | 541 309 | 151 320 182 138 309 | 741 436 | 1,201 654 | Botween 3 mo end 1 yr. 8,252 8,252 |
| Male Female | 4,175 3,386 | 1,437 1,149 | 21 9 | 304 260 | 1,788 1,689 | [, | 161 148 | [2] | [-9] | B B B B B B B B B B B B B B B B B B B |
| Under 1 year | 55.7 | 56.9 | 32.3 | 76.8 | 250.9 | 86.3 | 39.8 | 68.4 | 40.0 | 263.2 |
| Male | 62.2 48.9 | 63.9 49.6 | 36.1 28.2 | 86.9 66.2 | 256.9 244.7 | 96.0 76.0 | 44.6 34.8 | 78.2 59.2 | 45.2 34.4 | 266.1 260.2 |
| Under 1 day | 15.0 17.0 12.8 | 10.8 12.0 9.5 | 8.2 9.7 6.5 | 11.7 13.7 9.6 | 25.9 28.6 25.1 | 11.6 13.0 10.1 | | | | |
| l dayTotal | 3.7 4.2 3.1 2.4 | 3.4 3.8 3.0 2.9 | 3.0 3.2 2.7 | 2 13.1 | 8 36.9 | lirs | | | | |
| Male 5 to 5 days | 2.9 2.0 4.4 5.1 | 3.4 2.4 4.9 5.7 | 6.7 7.8 5.8 | 9 15.1 | 37.8 35.9 | 11.9 | | | | |
| Female Under 1 week | 3.7 25.5 29.1 21.6 | 4.1 22.0 24.9 19.0 | 17.9 20.5 15.1 | 24.8 28.8 20.7 | 63.8 66.4 61.1 | 22.8 24.9 20.6 | 22.7 25.1 20.2 | | | 96.4 103.7 88.8 |
| 1 weekTotal Mele Female 2 weeks | 3.1 3.4 2.9 2.0 | 3.7 4.0 3.3 2.7 | 2.3 2.2 2.3 1.5 | 5.5 5.9 5.2 4.7 | 90.5 30.5 | s 2 11.4 12.5 | 2.7 3.3 2.2 1.1 | | | ths |
| Male 3 weeks but under 1 month | 2.2 1.9 1.8 2.0 | 3.0 2.4 2.0 2.3 | 1.3 1.6 0.4 0.2 | 4.8 4.6 3.4 3.9 | 20 days tunder 1 most 2 most 30.5 most 2 mo | ž 10.3 | 1.4 1.0 1.0 | | | and 3 months |
| Female Under 1 monthTotal Male | 32.4 | 30.4 | 22.0 | 38.5 | 115.5 | 34.3 | 27.5 | 27.3 | 22.4 | 81.2 81.2 |
| Female 1 month | 36.7 27.9 4.4 4.9 | 34.1 | 24.3 19.7 1.9 2.0 | 43.4 33.4 | 118.4 112.5 31.5 32.6 | 37.4 30.9 8.3 9.2 | 30.9 24.0 2.1 2.6 | 31.5 22.9 8.5 9.8 | 25.4 19.1 2.9 3.5 | Between 1 |
| Female Female Female | 3.8 3.5 3.8 3.2 | 3.1 10.5 7.6 | 1.7 1.7 2.7 0.7 | 13.2 | 30.3 18.8 19.4 18.3 | 7.4 6.2 8.1 4.2 | 1.7 1.4 1.7 1.1 | 7.2 6.5 7.1 5.8 | 2.2 2.5 2.9 2.1 | m |
| 5 to 5 monthsTotal Male Female | 7.1 7.8 6.4 | 7.7 8.6 6.8 | 3.1 2.9 3.3 | 11.9 13.6 10.1 | 36.1 36.9 35.3 | 15.7 17.1 14.1 | 3.1 3.4 2.8 | 13.4 15.2 11.6 | 5.2 6.0 4.4 | 3 mos. |
| 5 to 8 months | 4.8 5.2 4.4 3.5 3.8 | 5.4 6.0 4.8 4.3 4.7 | 2.3 2.4 2.1 1.3 1.7 | 8.8 9.9 7.6 6.4 6.8 | 26.3 26.9 25.7 22.7 22.7 | 21.9 24.2 24.2 19.4 | 2.9 3.2 2.5 2.8 2.8 | 12.7 14.6 21.9 | 7.0 7.4 6.6 | Between 3 and 1 yr 89 80 90 80 90 80 90 90 90 90 90 90 90 90 90 90 90 90 90 |
| Female | 3.2 | 3.9 | 0.8 | 6.1 | 22.7 | <u> </u> | 2.7 | <u> </u> | _ J | |

^{1/} Exclusive of stillbirths.

ACTE.—These data were procured from the annual reports on vital statistics of the various countries.

| TABLE AK | | | | | | INFA | NT MOF | TALITY | RATE | (DEATE | is ¹ /oni | ER 1 1 | EAR OF | PAGE F | ER 1,0 | 000 LT | VE BIR | THS) 10 | N | | | | | |
|---|--|--|--|--|--|---|--|--|---|--|---|--|--|--|--|--|---|---|--|---|---|---|---|---|
| CAUSE OF DEATH AND SEX | | ited ites | Engl er Wal | ıd | Can- ada2/ | Austi | alia | Scot | land | Ne Zeal | ew Land | | her- mds | Iri Fr Sta | ee | Ch | ile | | thern eland | Bri: | tish Lana | Ja- pan | | tzer- |
| | 1935 | 1934 | 1935 | 1934 | 1934 | 1935 | 1934 | 1935 | 1934 | 1935 | 1934 | 1935 | 1934 | 1935 | 1934 | 1935 | 1934 | 1935 | 1934 | 1935 | 1934 | 1934 | 1935 | 1934 |
| All causes | 55.7 62.2 48.9 | 60.1 66.5 53.3 | 56.9 63.9 49.6 | 58.6 65.4 51.4 | 71.7 80.5 62.5 | 39.8 44.6 34.8 | 43.6 48.3 38.7 | 76.8 86.9 66.2 | 77.7 86.9 68.0 | 32.3 36.1 28.2 | 32.1 36.3 27.6 | 40.0 45.2 34.4 | 42.6 47.5 37.3 | 68.4 78.2 58.2 | 69.9 | | 261.9 268.9 254.6 | 86.3 96.0 76.0 | 80.1 | | | 133.0 | 47.9 53.3 42.1 | 45.7 52.3 38.8 |
| Measles (?) Mele | 0.4 0.3 0.1 0.1 (<u>3</u> /) 1.4 1.3 | 0.7 0.8 0.6 (3/) (3/) 2.1 2.0 2.3 0.2 0.2 | 0.5 0.5 0.4 (3/) (3/) 1.4 1.2 1.5 0.1 0.1 | 1.1 1.2 1.1 (3/) (3/) (3/) 1.5 1.8 0.1 0.1 | 0.3 0.4 0.3 (3/) 0.1 (3/) 2.7 2.6 2.9 (3/) 0.1 (3/) | 0.1 0.2 (3/) (3/) 0.9 0.8 1.0 0.2 0.2 | 0.1 0.1 (3/) (3/) 0.1 2.4 2.2 2.6 0.2 0.3 | 0.4 0.3 0.5 0.1 0.1 3.4 3.3 3.4 0.4 0.3 | 3.4 3.8 3.1 0.2 0.3 0.1 2.0 2.0 2.0 2.0 2.0 | (3/) 0.1 1.0 1.0 0.2 | 0.3 0.5 0.2 0.8 0.3 1.3 | 0.2 0.2 0.2 (3/) (3/) 1.1 0.9 1.3 (3/) (3/) | 0.4 0.5 0.4 (3/) 1.5 1.3 1.8 (3/) | 1.0 0.9 1.0 0.1 0.1 1.0 1.0 1.1 0.4 0.4 | 0.2 0.3 0.2 (3/) 3.0 2.6 3.3 0.2 0.1 | 2.6 2.6 (3/) (3/) (3/) (3/) 8.5 8.2 8.8 0.3 | 3.5 3.5 3.5 (3/) (3/) (3/) (3/) (3/) (3/) (3/) (3/) | 4.7 4.9 4.4 0.1 0.2 0.1 1.6 1.4 1.8 0.3 0.3 | 0.1 2.1 2.0 2.2 0.3 0.4 | 3.6 3.4 3.9 0.2 0.2 | 0.2 0.2 0.2 0.2 0.1 | 1.5 1.5 (3/) (3/) (3/) 2.2 2.0 2.5 0.2 0.1 | 0.1 (3/) 0.1 0.9 0.8 0.9 (3/) (3/) | 0.2 0.2 0.2 (3/) (3/) 0.6 0.5 0.6 0.1 (3/) |
| (11,108,109) Male-Female-Temale-Temale-Temale-Temale-Temale-Temale-Temale-Temale-Temale-Temale-Temale-Tuberculosis (all forms) | 3.6 4.1 3.1 0.4 0.3 0.3 0.3 0.2 0.1 0.1 | 3.5 4.0 3.2 0.4 0.5 0.4 0.2 0.3 0.2 0.1 | 1.6 1.8 1.3 (3) (3) (3) (3) (3) (3) (4) (5) (6) (7) (7) (7) (7) (8) (8) (8) (9) (9) (9) (9) (9) (9) (9) (9) (9) (9 | 1.4 1.7 1.2 (3) (3) (3) (3) (3) (3) (3) (3) (3) | 4.5 4.7 3.9 0.2 0.1 0.3 0.3 (3/) | 1.6 1.8 1.4 (3/) 0.1 (3/) 0.1 0.1 (3/) 0.1 | 1.5 1.8 1.2 (3/) (3/) (3/) (3/) (3/) (3/) | 3.1 3.3 2.8 (3/) (3/) 0.4 0.5 | 2.69 2.3)) 0.55 0.6) 0.55 0.6) | 1.2 | 1.1 1.3 0.8 | 2.1 2.7 1.5 (3/) (3/) 0.1 0.2 0.1 (3/) | 2.0 2.4 1.6 0.1 0.1 (3/) (3/) | 2.6 3.1 2.0 | 2.3 2.5 2:1 0.1 (3/) (3/) | 30.3 31.3 29.2 0.3 0.3 0.3 0.4 (3) | 28.1 28.8 27.3 0.3 0.3 0.2 0.2 0.2 (3/) (5/) | 413.5 15.3 11.5 | 4/7.8 8.4 7.2 | 3.7 3.9 3.6 0.5 0.7 0.1 0.2 0.4 0.7 | 5.4 6.8 3.9 3.3 3.0 0.1 0.2 0.4 0.9 | 14.9 16.3 13.5 (3/) (3/) (3/) 1.2 1.2 1.1 0.7 0.6 | 4.1 4.4 3.8 0.1 0.1 (3/) 0.1 (3/) | 2.8 3.2 2.4 |
| (23-32) | 0.3 0.4 0.3 0.7 0.8 0.6 0.3 0.4 0.2 | 0.3 0.4 0.2 0.7 0.8 0.6 0.3 0.3 | 0.6 0.5 0.3 0.3 0.3 1.7 2.0 | 0.7 0.8 0.6 0.3 0.4 0.3 1.8 2.1 | 0.6 0.7 0.6 0.7 0.8 0.7 0.9 1.1 | 0.2 0.2 0.1 0.1 0.1 0.2 0.2 | 0.2 0.2 0.2 0.3 0.1 0.3 0.3 | 1.0 1.1 0.8 0.3 0.3 1.8 2.2 1.4 | 0.9 1.2 0.7 0.2 0.1 0.2 1.9 2.1 1.8 | 0.2 0.2 0.1 0.2 0.5 0.8 0.2 | 0.3 0.6 0.1 0.2 0.2 0.2 0.5 0.7 | 0.5 0.5 0.1 0.1 0.1 1.4 1.6 | 0.6 0.6 0.2 0.2 0.2 1.3 1.7 | 1.3 1.4 1.3 0.1 0.1 4.5 5.0 3.9 | 1.1 1.0 0.1 0.1 0.1 5.4 6.3 4.5 | 1.9 1.8 2.1 7.2 7.7 6.5 0.8 0.8 | 2.3 2.1 2.4 7.0 7.6 6.4 0.9 1.0 | 1.0 1.3 0.7 0.3 0.3 0.5 (5) | 1.2 1.4 0.9 0.4 0.5 0.2 (5/) | 0.5 0.4 0.7 2.0 2.5 1.4 2.6 3.7 | 0.8 0.7 2.8 4.0 1.5 4.8 6.3 3.3 | 0.5 0.5 1.5 1.6 1.5 1.6 | 0.6 0.8 0.4 0.1 0.1 0.2 0.9 1.1 | 0.6 0.7 0.5 .0.4 0.4 0.3 1.0 1.3 |
| Bronchitis and bronchopneu- monia (106,107) Male Female Diseases of the stomach | 5.8 6.4 5.1 | 6.2 6.9 5.5 | 9.1 10.1 8.1 | 9.1 10.1 7.9 | 5.9 6.7 5.1 | 3.5 4.0 3.0 | 4.3 4.6 4.0 | 13.2 14.7 11.8 | 14.7 16.4 13.0 | 2.5 2.5 2.6 | 2.5 2.7 2.2 | 4.0 4.3 3.7 | 4.7 5.2 4.1 | 9.5 11.5 7.3 | 8.1 9.5 6.6 | 34.1 35.3 32.8 | 35.8 36.4 35.2 | 6/3.3 3.1 3.6 | 6/2.5 2.4 2.5 | 14.0 13.8 14.3 | 13.0 13.5 12.5 | 13.0 13.8 12.1 | 2.6 3.2 1.9 | 2.6 3.1 2.0 |
| (117,118) | 0.2 0.3 0.2 | 0.3 0.3 2.0 | 0.3 0.3 0.2 | 0.3 0.3 0.2 | 0.5 0.6 0.5 | 0.1 0.1 (<u>3</u> /) | 0.1 0.1 0.1 | 0.3 0.2 0.3 | 0.3 0.2 0.3 | 0.2 0.2 0.2 | 0.1 0.1 0.1 | 0.1 0.2 (<u>3</u> /) | 0.1 0.1 (<u>3</u> /) | 1.1 1.2 0.9 | 1.2 1.3 1.1 | | == | | | 0.4 0.4 0.5 | 0.5 | 0.4 0.4 0.4 | | (<u>3/)</u> (<u>3/)</u> |
| (119) | 4.9 5.4 4.4 | 6.1 6.7 5.5 | 5.1 5.9 4.2 | 4.8 5.5 4.1 | 12.3 13.7 10.6 | 2.0 2.5 1.5 | 2.6 2.7 2.5 | 6.8 7.8 5.7 | 6.2 7.4 4.8 | 0.7 0.6 0.8 | 0.9 0.7 1.0 | 2.2 2.8 1.6 | 2.8 3.1 2.5 | 10.7 12.2 9.0 | 7.5 8.1 6.9 | 37.8 38.2 37.4 | 43.1 44.1 42.0 | 13.1 16.0 10.1 | 6.7 7.7 5.7 | 11.8 12.0 11.6 | 21.6 22.0 21.2 | 22.5 23.8 21.2 | 4.5 5.1 3.8 | 4.1 4.5 3.7 |
| (157) | 4.8 5.2 4.4 | 5.2 5.6 4.7 | 5.9 6.4 5.4 | 6.1 6.5 5.6 | 5.5 5.8 5.1 | 4.6 5.3 3.9 | 4.8 5.4 4.2 | 5.4 6.1 4.6 | 4.9 5.0 4.8 | 4.6 4.5 4.8 | 4.6 5.3 4.0 | 5.2 5.2 5.2 | 5.1 4.8 5.3 | 3.9 4.4 3.3 | 3.5 3.8 3.3 | 0.5 0.6 0.5 | 0.4 0.4 0.5 | 5.3 5.8 4.8 | 5.6 6.1 5.1 | 1.6 1.9 1.2 | 0.5 0.6 0.4 | 1.7 1.9 1.4 | 3.0 3.1 2.8 | 2.8 2.9 2.8 |
| other diseases of early infancy (158,161) Male | 3.9 4.5 3.3 15.4 17.1 13.6 4.5 5.4 3.5 | | 5.6 6.5 4.6 17.2 19.1 15.3 2.4 2.9 1.8 | 4.8 17.6 19.5 | | 5.9 6.7 5.0 13.0 14.0 12.0 3.7 4.5 2.9 | 7.3 5.3 13.1 | 11.7 13.5 9.8 18.8 21.6 16.0 2.7 2.9 2.4 | 11.5 13.5 9.4 18.8 20.5 16.9 2.2 2.6 1.7 | 4.2 4.4 4.0 10.8 12.4 9.1 2.5 3.1 | 4.3 5.2 3.4 11.0 12.2 9.7 2.7 3.5 1.8 | 5.8 6.6 4.9 7.8 9.1 6.4 3.3 3.7 2.8 | 4.9 7.8 | 18.4 | | | 54.4 56.6 52.1 8.0 8.2 7.7 6.0 6.1 5.9 | 12.8 15.7 | 16.9 | 19.7 | 27.4 | 2.9 | | 21.8 25.3 18.1 |
| External causes (172-198, 201-214) | 1.0 1.1 1.0 | 1.0 1.1 1.0 | 1.1 1.2 0.9 | 1.2 1.2 1.2 | 0.8 1.0 0.6 | 0.8 1.1 0.5 | 0.8 0.9 0.8 | 1.1 1.1 1.0 | 1.1 1.1 1.0 | 0.7 0.9 0.4 | 0.7 0.8 0.7 | 0.3 0.4 0.2. | 0.4 0.4 0.3 | 0.9 0.8 1.0 | 0.8 0.8 0.7 | 0.7 0.7 0.6 | 1.3 1.5 1.1 | 1.4 1.6 1.2 | 1.6 1.8 1.3 | 0.2 0.4 | 0.4 0.4 0.4 | 0.7 0.7 0.7 | 0.7 0.6 0.9 | 0.7 0.7 0.7 |
| Unknown or ill-defined dis- eases (199,200) Male | 3.4 3.7 3.0 4.2 4.9 3.5 | 3.9 3.2 4.0 .4.6 3.4 | (3/) (3/) (3/) 3.8 4.5 3.1 | (3/) (3/) 0.1 4.0 4.7 3.3 | 0.8 0.8 0.7 4.6 5.3 3.8 | 0.1 0.1 0.1 2.7 2.9 2.5 | 0.1 0.1 0.1 2.7 3.4 2.0 | 0.5 0.6 0.3 5.7 6.8 4.6 | 0.3 0.4 0.3 5.7 6.8 4.7 | (3/) 0.1 2.8 3.3 2.2 | (3/) 0.1 2.1 2.3 1.9 | 3.2 3.7 2.6 2.5 3.0 1.9 | 3.5 4.0 2.9 2.6 3.0 2.2 | 0.2 0.2 0.2 4.1 5.2 3.0 | 0.2 0.1 0.3 4.5 5.6 3.3 | 31.0 31.1 | 27.7 29.1 26.3 34.2 35.2 35.1 | 0.2 0.2 0.3 9.8 10.7 8.9 | (3/) 0.1 8.4 9.9 6.8 | 2.6 2.7 2.5 23.5 23.9 23.2 | 3.5 4.4 2.6 33.7 36.4 30.8 | 2.8 3.0 2.5 17.7 19.2 16.1 | 4.2 4.6 3.7 3.9 4.7 3.0 | 3.4 4.1 2.6 4.4 4.8 3.9 |

^{1/} Exclusive of stillbirths.
2/ Exclusive of Yukon and the Northwest Territories.
3/ Less than one-tenth of 1 per 1,000 births.
4/ Includes bronchopneumonia (107).
5/ Included with "All other causes".
6/ Bronchitis only (106).

NOTE.—Numbers after causes of death correspond to those of the detailed International List. These data were procured from the annual reports on vital statistics of the various countries.

155010 0-37-3




TABLE I.—BIRTHS, DEATHS, INFANT MORTALITY, AND STILLBIRTHS: 1935

(White and other races are shown separately for minor areas only when the populations of other races in 1930 formed at least 10 percent of the total or numbered 10,000 or more)

| | | | ND DEATHS f stillbi | | MORE | of in- | STIL | LBIRTHS | | | BIRTHS AN | | | MORTA | of in- | stul | BIRTHS |
|---|--------------------------------|----------------------------------|---------------------------------------|------------------------------------|-------------------------------------|---------------------------------|-----------------------------------|------------------------------------|--|------------------------------------|-----------------------------------|---------------------------------------|--|--------------------------------|--------------------------------|--------------------------------|------------------------------------|
| AREA. | Nu | mber | Excess of | Births per | year o | of age, | Num- | Per 100 | AREA | Nw | nber | Excess of | Births per | year o | f.age, | Num- | Per 100 |
| | Births | Deaths | births over deaths ¹ | 100 deaths | Number | Per 1,000 live births | ber | live births | | Births | Deaths | births over deaths ¹ | 100 deaths | Number | Per 1,000 live births | ber | live births |
| UNITED STATES White Other races- | 1888012 | 1207359 | 680,653 | 155 156 144 | 120,138 97,907 22,231 | 51.9 | 77,119 58,767 18,352 | 3.6 3.1 6.9 | Sec. A (States)—Con. CONNECTICUT White | 22,258 | | 4,599 4,535 | 126 126 | 951 911 | 42.7 42.0 | 587 564 | 2.6 2.6 |
| Cities, 10,000 or more White | 997,332 908,562 88,770 | 726,317 638,590 | 271,015 269,972 | 137 142 101 | 53,839 45,892 7,947 | 50.5 | 36,173 29,594 6,579 | 3.6, 3.3 7.4 | Other races Cities,10,000 or more | 562 18,608 | 498 12,649 12,245 | 5,959 5,847 | 113 147 | 40 776 | 71.2 | 23 501 | 4.1 2.7 |
| White Other races- Cities, 2,500-10,0002/ White Other races- Rural 3/ White | 207,153 192,703 14,450 | 142,148 128,717 13,431 | 65,005 63,986 1,019 | 146 150 108 181 | 12,145 10,817 1,328 54,154 | 58.6 56.1 91.9 | 7,574 6,400 1,174 33,372 | 3.7 3.3 8.1 3.5 | Other races Cities, 2,500-10,000- White Other races | 516 | 404 755 734 21 | 112 306 316 -10 | 148 128 141 143 | 741 35 37 36 | 41.0 67.8 34.9 34.3 | 479 22 23 23 | 2.6 4.3 2.2 2.2 |
| White | 786,747 163,873 | 440,052 84,235 | 346,695 79,638 | 179 195 | 41,198 12,956 | 52.4 | 22,773 10,599 | 2.9 6.5 | Rurel | 2,589 2,554 35 | 4,255 4,182 73 | -1,666 -1,628 -38 | (<u>4</u> /) 61 61 (<u>4/</u>) | 1 138 134 4 | 90.9 53.3 52.5 114.3 | 63 62 1 | 2.4 2.4 (<u>5</u> /) |
| ALABAMA | 38,364 | 15,861 | 33,654 22,503 11,151 | 218 242 188 | 3,910 1,980 1,930 | 52.8 51.6 80.8 | 3,003 1,297 1,706 | 4.8 3.4 7.1 | DELAWARE White Other races | 4,036 3,379 657 | 3,208 2,546 662 | 828 833 -5 | 126 133 99 | 268 180 88 | 66.4 53.3 133.9 | 148 101 47 | 3.7 3.0 7.2 |
| Cities, 10,000 or more | 11,837 | 8,941 4,849 4,092 | 2,896 2,614 282 | 132 154 107 | 888 453 435 | 75.0 60.7 99.5 | 663 279 384 | 5.6 3.7 8.8 | Cities,10,000 or more White Other races Cities, 2,500-10,000- | 2,269 2,009 260 367 | 1,484 1,197 287 345 | 785 81.2 - -27 22 | 153 168 91 106 | 133 107 26 38 | 58.6 53.3 100.0 103.5 | 77 59 18 22 | 3.4 2.9 6.9 6.0 |
| Other races- Cities, 2,500-10,000- White Other races | 953 | 2,243 1,395 848 17,401 | 1,178 1,073 105 29,580 | 153 177 112 270 | 249 153 96 2,773 | 72.8 62.0 100.7 59.0 | 194 113 81 2,146 | 5.7 4.6 8.5 4.6 | White | 322 45 1,400 | 270 75 1,379 1,079 | 52 -30 21 | 119 (<u>4</u> /) 102 97 | 22 16 97 | 68.3 355.6 69.3 48.7 | 14 8 49 28 | 4.3 (<u>5</u> /) 3.5 |
| White Other races | 28,433 | 9,617 | 18,816 10,764 | 296 238 | 1,374 | . 48.3 75.4 | 905 | 3.2 5.7 | Other races | 1,048 352 10,803 | 300 8,483 | -31 52 2,320 | 117 | 51 46 642 | 130.7 | 21 21 409 | 2.7 6.0 3.8 |
| ARIZONA | 7,807 | 6,077 4,874 1,203 | 3,062 2,933 129 | 150 160 111 | 1,021 757 264 | 111.7 97.0 198.2 | 255 222 33 | 2.8 2.8 2.5 | WhiteOther races- | 7,162 3,641 | 5,258 3,225 | 1,904 | 136 | 292 350 | 40.8 96.1 | 222 | 3.1 5.1 |
| Cities,10,000 or more White Other races- | 2,798 100 | 1,972 1,820 152 | 926 978 -52 | 147 154 66 | 276 256 20 | 95.2 91.5 200.0 | 98 89 9 | 3.4 3.2 9.0 | White Other races | | 20,046 12,963 7,083 | 8,005 6,616 1,389 | 140 151 120 | 1,736 988 748 | 61.9 50.5 88.3 | 1,573 721 852 | 5.6 3.7 10.1 |
| Cities, 2,500-10,000- White Other races | 52 4,190 | 1,322 1,266 56 2,783 | 729 733 -4 1,407 | 155 158 (<u>4</u> /) 151 | 207 202 5 538 | 100.9 101.1 96.2 128.4 | 51 47 4 106 | 2,5 2,4 (<u>5</u> /) 2,5 | Cities,10,000 or more White Other races Cities, 2,500-10,000- | 7,610 2,767 4,577 | 8,878 5,879 2,999 3,692 | 1,499 1,731 -232 885 | 117 129 92 124 | 648 405 243 245 | 62.4 53.2 87.8 53.5 | 588 261 327 237 | 5.7 3.4 11.8 5.2 |
| White Other races | 1,180 35,684 | 1,788 995 16,176 | 1,222 185 19,508 | 168 119 221 | 299 239 1,681 | 99.3 202.5 47.1 | 86. 20 | 2.9 1.7 3.8 | White | 1,271 13,097 8,663 | 2,499 1,193 7,476 4,585 | 807 78 5,621 4,078 | 132 107 175 189 | 152 93 843 431 | 45.0 73.2 64.4 49.8 | 114 123 748 346 | 3.4 9.7 5.7 4.0 |
| WhiteOther races | 3,812 | 11,446 4,730 3,995 | 15,729 3,779 -183 | 237 180 95 | 1,268 413 260 | 46.7 48.5 68.2 | 785 565 142 | 2.9 6.6 3.7 | White | 63,260 37,334 | | 1,543 28,972 18,661 | 153 184 200 | 412 4,320 2,229 | 59.7 | 402 3,877 1,477 | 9.1 6.1 4.0 |
| White Other races Cities, 2,500-10,000- White | | 2,848 1,147 2,170 1,520 | 241 -424 1,051 936 | 108 63 148 162 | 192 68 162 125 | 62.2 94.1 50.3 50.9 | 87 55 150 77 | 2.8 7.6 4.7 3.1 | Other races Cities, 10,000 or more White | | 15,615 11,847 6,042 | 1,845 2,595 | 166 116 143 | 2,091 1,100 579 | 80.7 80.3 67.0 | 944 395 | 9.3 6.9 4.6 |
| Other races Rural | 765 28,651 21,630 | 650 10,011 7,078 | 115 18,640 | 118 286 306 239 | 37 1,259 951 308 | 48.4 | 73 1,058 621 437 | 9.5 3.7 2.9 6.2 | Other races | 5,055 49,568 28,697 | 5;205 22,441 12,631 | -750 27,127 16,066 | 87 221 227 213 | 521 3,220 1,650 1,570 | 57.5 | 549 2,933 1,082 1,651 | 10.9 5.9 3.8 8.9 |
| | 80,131 76,097 4,034 | 72,456 69,108 3,348 | 7,675 6,989 686 | 111 110 120 | 3,978 3,750 228 | 49.6 49.3 56.5 | 1,957 1,859 98 | 2.4 2.4 2.4 | IDAHO White Other races | 9,469 9,344 125 | 4,531 4,412 119 | 4,938 4,932 6 | 209 212 105 | 483 457 26 | 51.0 48.9 208.0 | 217 215, 2 | 2.3 2.3 1.6 |
| Cities,10,000 or more White Other races- | 47,822 2,697 | 45,464 43,520 1,944 | 5,055 4,302 753 | 111 110 139 | 2,277 2,148 129 | 45.1 44.9 47.8 | 1,226 1,162 64 | 2.4 2.4 2.4 | Cities,10,000 or more White Other races- | 1,318 1,316 2 | 707 696 11 | 611 620 -9 | 186 159 (<u>4</u> /) | 60 · 59 | 45.5 44.8 (7/) | 32 32 | 2.4 |
| Other races | 10,502 339 18,771 | 6,963 6,703 260 20,029 | 3,878 3,799 79 -1,258 | 156 157 130 94 | 561 538 23 1,140 | 51.7 51.2 67.8 60.7 | 260 252 8 471 | 2.4 2.4 2.4 2.5 | Cities, 2,500-10,000- White Other races Rural | 4,122 4,105 17 4,029 | 1,980 1,968 12 1,844 | 2,142 2,137 5 2,185 | 208 209 (<u>4</u> /) 218 | 207 206 1 216 | 50.2 50.2 58.8 53.6 | 93 92 1 92 | 2.3 2.2 (<u>5</u> /) 2.3 |
| | 998 | 18,885 | -1,112 -146 5,703 | 94 87 143 | 1,064 76 | 59.9 76.2 72.7 | 445 26 539 | 2.5 | White | | 1,748 96 85,518 | 2,175 10 26,366 | 224 (<u>4</u> /) | 192 24 5,138 | 48.9 226.4 45.9 | 3,308 | 2.3 0.9 3.0 |
| WhiteOther races | 18,572 265 8,177 | 12,840 294 6.325 | 5,732 -29 1,852 | 145 90 129 | 1,344 25 538 | 72.4 98.1 65.8 | 533 6 251 | 2.9 | White | 5,764 | 79,358 6,160 55,410 | 26,762 -396 21,298 | 134 94 138 | 4,737 401 3,391 | 44.6 69.6 | 3,064 244 2,249 | 2.9 |
| White Other races Cities, 2,500-10,000- White | 8,021 156 3,181 3,155 | 6,160 155 1,939 1,920 | 1,861 -9 1,242 1,235 | 130 95 164 164 | 529 9 230 230 | 66.0 57.7 72.3 72.9 | 246 5 102 102 | 3.1 3.2 3.2 3.2 | White Other races- Cities, 2,500-10,000- White | 71,493 5,215 10,171 9,977 | 50,387 5,023 7,678 7,434 | 21,106 192 2,493 2,543 | 142 104 132 134 | 3,060 331 531 507 | 42.8 63.5 52.2 50.8 | 2,037 212 335 324 | 2.8 4.1 3.3 3.2 |
| Other races Kural White Other races | 26 7,479 7,396 83 | 19 4,870 4,760 110 | 7 2,609 2,636 -27 | (<u>4</u> /) 154 155 75 | 602 585 17 | 80.5 79.1 204.8 | 186 185 1 | 2.5 2.5 (<u>5</u> /) | Other races Rural | 194 25,005 24,650 | 244 22,430 21,537 893 | -50 2,575 3,113 -538 | 50 111 114 40 | 24 1,216 1,170 46 | 123.7 48.6 47.5 129.6 | 12 723 703 20 | 6.2 2.9 2.9 5.6 |
| otner races-4 | 83 1 | 1101 | -27 | ı 75 l | 17] | 204.8 | 1; | (5/) | utner races-4 | 355 [| 999 [| -538 [| 40 | 40 [| Tease | 20 | 3.0 |

BIRTHS, STILLBIRTHS, AND INFANT MORTALITY

TABLE I.—BIRTHS, DEATHS, INFANT MORTALITY, AND STILLBIRTHS: 1935—Continued (See note at head of this table)

| Sec. A. (2 takes) | | | | ND DEATHS | | (Deat | ALITY | STIL | LBIRTHS | | | | | ND DEATHS stillbir | | (Deat | ALITY | STILL | BIRTHS |
|--|--|---|---|--|---|---|---|---|---|---------|--|---|--|---|--|---|--|--|--|
| Sec. A (States) | AREA | Nun | ber | | | l year excl | of age, | Nam | | | AREA | Num | ber | | | l year | of age, uding | Num | Per 100 |
| MATERIAL 1.00 1.0 | | Births | Deaths | over | 100 | | 1,000 live | | live | | | Births | Deaths | over | 100 | | 1,000 live | | live births |
| ## State | • | | | | | | | | | | | | | | | | | | |
| Cattley 1,000 or more 27,74 17,400 177 1,400 1,0 | White | 51,077 | 37,407 | 13,670 | 137 | 2,520 | 49.3 | 1,345 | 2.6 | | 2,500-10,000 White | 1,350 | 854 | 496 | 158 | 72 | 53.3 | 100 | 8.5 7.4 15.0 |
| Other messes 50 | White Other races Cities, 2,500-10,000 | 24,102 1,672 5,900 | 16,971 1,774 4,390 | 7,131 -102 1,510 | 142 94 134 | 1,296 159 265 | 53.8 95.1 44.9 | 680 81 192 | 2.8 4.8 3.3 | | White Other races | 9,648 7,310 2,338 | 7,325 5,584 1,741 | 2,323 1,726 597 | 132 131 134 | 667 388 279 | 69.1 53.1 119.3 | 535 337 198 | 5.5 4.6 8.5 |
| TON | Other races Rural | 50 21,235 21,125 | 59 16,380 16,105 | -9 4,855 5,020 | (<u>4</u> /) 130 131 | 970 962 | 60.0 45.7 45.5 | 2 477 475 | (<u>5</u> /) 2.2 2.2 | | White Other races | 62,082 919 | 49,320 917 | 12,762 | 126 100 | 2,957 84 | 47.6 91.4 | 1,878 22 | 3.0 3.0 2.4 3.1 |
| Cities, 19,000 or more 15,575 10,005 5,879 728 51.5 46.1 5.0 18 5 | IOWAWhite | 41,137 40,879 | 26,364 26,028 | 14,773 14,851 | 156 157 | 1,937 1,912 | 47.1 46.8 | 1,105 | 2.7 2.7 | | White Other races 2,500-10,000 White | 55,620 781 3,614 3,594 | 40,346 784 3,164 3,137 | 15,274 -3 450 457 | 138 100 114 115 | 2,663 67 137 135 | 47.9 85.8 37.9 37.6 | 1,718 21 90 89 | 3.1 2.7 2.5 2.5 |
| White | WhiteOther races | 15,157 218 | 9,833 263 | 5,324 -45 | 154 83 | 775 18 | 51.1 82.6 | 451 10 | 3.0 4.6 | Rural | White | 2,986 2,868 | 5,943 5,837 | -2,957 -2,969 | 49 | 174 159 | 58.3 55.4 | 71 71 | (<u>5</u> /) 2.4 2.5 |
| Milton | White Other races Rurel White | 6,083 8 19,671 19,639 | 4,836 29 11,403 11,359 | 1,247 -21 8,258 6,280 | 126 (<u>4</u> /) 173 173 | 318 1 825 819 | 52.3 125.0 41.9 41.7 | 200 1 443 441 | 3.3 (<u>5</u> /) 2.3 2.2 | MIC | White | 84,377 | 48,301 | 36,076 | 175 | 3,975 | 47.1 | 2,565 | 3.1 3.0 5.0 |
| Cities, 10,000 or more 10,689 7,177 3,512 149 534 50.0 333 5.1 winter messes 5.90 170 27 20 20 20 20 20 20 20 20 20 20 20 20 20 | KANSAS White | 30,589 29,634 | 20,334 | 10,255 | 150 154 | 1,539 1,459 | 50.3 49.2 | 836 778 | 2.7 2.6 | | White Other races | 51,792 2,750 | 26,769 2,135 | 25,023 615 3,102 | 193 129 167 | 2,476 165 397 | 47.8 60.0 51.4 | 1,611 138 249 | 3.2 3.1 5.0 3.2 |
| white | Cities, 10,000 or more White Other races | 9,987 | 7,177 6,423 754 | 3,512 3,564 -52 | 155 93 | 487 47 | 48.8 67.0 | 287 46 | 3.1 2.9 6.6 | Kural | Uther races white | 90 25,182 24,953 | 70 17,526 16,982 | 7,656 7,971 | (<u>4</u> /) 144 147 | 14 1,134 1,116 | 155.6 45.0 44.7 | 719 708 | 5.2 (<u>5</u> /) 2.9 2.8 4.8 |
| ### White | White Other races Rural white | 4,311 87 15,502 15,336 | 3,014 70 10,073 9,774 | 1,297 17 5,429 5,562 | 143 (<u>4</u> /) 154 157 | 250 13 742 722 | 58.0 149.4 47.9 47.1 | 143 2 358 348 | 3.3 (<u>5</u> /) 2.3 2.3 | MIN | NESOTA White | 45,962 45,364 | 26,247 25,826 | 19,715 19,538 | 175 176 | 2,053 | 44.7 44.0 | 1,263 1,249 | 2.7 2.8 2.3 |
| Cities, 10,000 or more 10,064 | white | 54,918 | 25,219 | 29,700 | 218 | 3,110 | 56.6 | 1,737 | 3.2 | | WhiteOther races | 17,831 111 | 11,759 | 6,072 -65 | 152 63 | 743 6 | 41.7 54.1 | 573 3 | 3.2 3.2 2.7 2.9 |
| LOUISIANA | white Other races Rural 8/ White | 9,019 1,045 47,651 45,899 | 7,293 1,975 20,102 17,925 | 1,726 -930 27,549 27,974 | 124 53 237 256 | 557 110 2,721 2,553 | 61.8 105.3 57.1 55.6 | 288 65 1,562 1,449 | 3.2 6.2 3.3 3.2 | | White White | 6,202 26 21,792 21,331 | 3,826 19 10,467 10,241 | 2,376 7 11,325 11,090 | 162 (<u>4</u> /) 208 208 | 309 2 993 946 | 49.8 76.9 45.6 44.3 | 177 1 509 499 | (5/) 2.3 2.3 2.3 2.2 |
| White Secondary Secondar | White | 24,417 | 12,835 | 11,582 | 190 | 1,408 | 57.7 | 830 | 3.4 | MIS | White | 21,977 | 9,223 | 12,754 | 238 | 1,050 | 47.8 | 675 | 4.8 3.1 6.2 |
| White | White Other maces Cities, 2,500-10,000 White Other races Rural White | 8,433 5,468 5,450 3,274 2,176 22,919 12,710 | 6,719 4,975 2,724 1,430 1,294 9,293 4,686 | 1,714 493 2,726 1,844 882 13,626 8,024 | 126 110 200 229 168 247 271 | 573 579 308 152 156 1,473 683 | 67.9 105.9 56.5 46.4 71.7 64.3 53.7 | 331 379 296 118 178 1,061 381 | 3.9 6.9 5.4 3.6 8.2 4.7 3.0 | uities, | White | 3,201 1,885 2,139 1,150 989 41,095 17,626 | 2,186 2,176 1,807 847 960 15,170 6,190 | 1,015 -291 332 303 29 25,925 11,436 | 146 87 118 136 103 271 285 | 215 173 175 84 91 2,042 751 | 67.2 91.8 81.8 73.0 92.0 49.7 42.6 | 139 206 99 49 50 1,865 487 | 6.8 4.3 10.9 4.6 4.3 5.1 4.5 2.8 5.9 |
| White | White | 15,681 | 10,982 | 4,699 | 143 | 986 | 62.9 | 530 | 3.4 | MIS | White | 53,724 | 38,955 | 14,769 | 138 | 2,965 | 55.2 | 1,923 | 3.8 3.6 7.9 |
| White 8,739 5,695 8,044 155 539 61.7 305 3.51 White 20,700 10,500 10,500 | White Other races Cities, 2,500-10,000 White Other races Rural | 4,904 13 2,046 2,038 8 8,760 | 3,776 16 1,520 1,511 9 5,712 | 1,128 -3 526 527 -1 3,048 | 130 (4/) 135 135 (4/) 153 | 308 2 139 139 541 | 52.8 153.8 67.9 68.2 | 158 73 72 1 303 | 3.2 3.6 3.5 (5/) 3.5 | Cities, | White Other races 2,500-19,000 White Other races | 21,749 2,524 5,323 5,010 313 27,703 | 17,950 2,951 4,850 4,393 457 17,450 | 3,799 -427 473 617 -144 10,253 | 121 86 110 114 68 159 | 1,181 168 363 324 39 1,550 | 54.3 66.6 58.2 54.7 124.6 55.0 | 811 217 194 176 18 984 | 4.2 3.7 8.6 3.6 3.5 5.8 3.6 3.5 |
| MARYTAND | Other races | 21 | 17 | 4 | (<u>4</u> /) | 2 | 95.2 | | | MON | Otner races | 738 | 6,291 | -100 | 86 | 90 602 | 122.0 | 48 232 | 6.5 2.3 |
| White | White Other races | 21,322 5,914 | 16,208 4,974 | 5,114 940 | 132 119 | 1,103 586 | 51.7 99.1 | 1,022 494 | 4.8 8.4 | | WhiteOtner races | 9,348 681 2,984 | 5,880 411 1,893 | 3,468 270 1,091 | 166 158 | 94 | 138.0 48.3 | 13 75 | 2.3 1.9 2.5 2.5 |

TABLE I.—BIRTHS, DEATHS, INFANT MORTALITY, AND STILLBIRTHS: 1935—Continued (See note at head of this table)

| *************************************** | | | | ND DEATES | | MORT (Deat | ANT ALITY hs of s under | STIL | LBIRTES | | | (exc. | | AND DEATES | | MORT (Deat | ANT ALITY ha of | STILI | BIRTES |
|---|---|---|---|---|---|---|--|---|---|---------|--|---|---|--|--|--|--|--|---|
| | AREA | Num | iber | Excess | births per | | of age, uding irths) | Num- | Per 100 | | AREA | Nun | aber | Excess | Births per | axcl | of age uding pirths) | Num- | Per 100 |
| | | Births | Deaths | births over deaths1/ | 100 deaths | Num- ber | Per 1,000. live births | ber | live births | | | Births | Deaths | births over deaths1/ | 100° deaths | Num- ber | Per 1,000 live births | ber | live births |
| | (States)—Con. | | | | | | | | | Sec. A | (States)—Con. | | | | | | | | |
| | NTANA Con. 2,500-10,000 White White White Other races | 1,772 1,764 8 5,273 4,621 652 | 967 951 16 3,431 3,072 359 | 805 813 -8 1,842 1,549 293 | 183 185 (<u>4</u> /) 154 150 182 | 82 79 3 376 286 90 | 46.3 44.8 375.0 71.3 61.9 138.0 | 37 35 2 120 109 11 | 2.1 2.0 (5/) 2.3 2.4 1.7 | | Y YORK-Con. , 2,500-10,000 White Other races Other races | 9,555 9,389 166 22,628 22,070 558 | 7,852 7,747 105 27,615 26,966 649 | 1,703 1,642 61 -4,987 -4,896 | 122 121 158 82 82 86 | 459 443 16 1,105 1,070 35 | 48.0 47.2 96.4 48.8 48.5 62.7 | 314 300 14 615 589 26 | 3.3 3.2 8.4 2.7 2.7 4.7 |
| NE | RASKA White Other races | 23,327 22,996 531 | 13,181 12,811 370 | 10,146 10,185 -39 | 177 180 89 | 960 926 34 | 41.2 40.3 102.7 | 644 629 15 | 2.8 2.7 4.5 | NO | White Other races | 78,753 53,665 25,088 | 33,485 21,249 12,236 | 45,268 32,416 12,852 | 235 253 205 | 5,422 3,201 2,221 | | 3,255 1,634 1,621 | 4.1 3.0 6.5 |
| Citles, | 10,000 or more White Other races 2,500-10,000 White White White | 7,421 7,223 198 3,072 3,061 11 12,834 12,712 | 4,914 4,675 239 1,865 1,837 28 6,402 6,299 | 2,507 2,548 -41 1,207 1,224 -17 6,432 6,413 | 151 155 63 165 167 (<u>4</u> /) 200 202 | 338 327 11 173 171 2 449 428 | 45.5 45.3 55.6 56.3 55.9 181.8 35.0 | 211 203 8 112 112 321 314 | 2.8 2.8 4.0 3.6 3.7 2.5 | | No.000 or more white | 13,615 9,378 4,237 6,269 4,904 1,365 58,869 39,383 | 9,201 5,407 3,794 3,255 2,206 1,049 21,029 13,636 | 4,414 3,971 443 3,014 2,698 316 37,840 25,747 | 148 173 112 193 222 130 280 289 | 1,274 772 502 448 306 142 3,700 2,123 | 93.6 82.3 118.5 71.5 62.4 104.0 62.9 53.9 | 784 342 442 380 245 135 2,091 | 5.8 3.6 10.4 6.1 5.0 9.9 3.6 2.7 |
| nev. | Other races ADA White | 1,423 1,325 | 103 1,324 1,182 | 19 99 143 | 118 107 112 | 21 101 81 | 71.0 61.1 | 7 31 30 | 5.7 2.2 2.3 | NOR | Other races TH DAKOTA White | 19,486 13,655 13,215 | 7,393 5,860 5,671 | 12,093 7,795 | 264 253 233 | 1,577 811 757 | | 350 337 | 5.4 2.6 2.6 |
| Cities, | Other races | 98 242 238 | 142 232 | 10 | 104 | 20 | 204.1 57.9 | 1 | (<u>5</u> /) 0.4 | Cities, | Other races | 2,622 | 189 | 7,544 251 | 233 220 | 54 123 | 122.7 46.9 | 13 76 . | 2.9 |
| Cities, | Other races 2,500-10,000 White Other races | 238 4 383 370 13 | 222 10 333 307 26 | 16 -6 50 63 -13 | 107 (4/) 115 121 (4/) | 13 1 35 33 2 | 54.6 250.0 91.4 89.2 153.8 | 5 5 | 1.3 | Cities, | White Other races 2,500-10,000 White Other races | 2,617 5 1,712 1,704 | 1,180 10 1,021 1,015 | 1,437 -5 691 689 | 222 (<u>4</u> /) 168 168 (<u>4</u> /) | 121 2 104 104 | 46.2 400.0 60.7 61.0 | 76 51 51 | 3.0 3.0 |
| Rural | WhiteOther Faces | 798 717 81 | 759 653 106 | 39 64 -25 | 105 110 76 | 52 35 17 | 65.2 48.8 209.9 | 25 24 1 | 3.1 3.5 (<u>5</u> /) | Rural | White Other races | 9,321 8,894 427 | 3,649 3,476 173 | 5,572 5,418 254 | 255 256 247 | 584 532 52 | 62.7 59.8 121.8 | 223 210 13 | 2.4 2.4 3.0 |
| NEW | HAMPSHIRE White Other races | 7,768 7,761 7 | 6,532 6,521 11 | 1,236 1,240 -4 | 119 119 (<u>4</u> /) | 419 419 | 53.9 54.0 | 265 265 | 3.4 3.4 | OHI | | 101,103 95,878 5,225 | 77,356 71,696 5,660 | 23,747 24,182 -435 | 131 134 92 | 5,093 4,681 412 | 50.4 48.8 78.9 | | 3.2 3.0 6.2 |
| • | 10,000 or more White Other races 2,500-10,000 White Other races | 4,371 4,366 5 833 833 | 3,155 3,151 4 554 553 1 2,823 | 1,216 1,215 1 279 280 -1 -259 | 139 139 (4/) 150 151 ⁽⁾ (4/) | 232 232 43 43 144 | 53:1 53:1 51:6 51:6 56:2 | 154 154 27 27 27 | 3.5 3.5 3.2 3.2 3.3 | | 10,000 or more White Other races 2,500-10,000 White Other races | 62,484 57,991 4,493 8,440 8,210 230 30,179 | 47,393 42,746 4,647 6,869 6,630 239 23,094 | 15,091 15,245 -154 1,571 1,580 -9 7,085 | 97 123 124 96 | 3,252 2,892 360 464 445 19 1,377 | 52.0 49.9 80.1 55.0 54.2 82.6 45.6 | 2,077 1,801 276 330 313 17 818 | 3.3 3.1 6.1 3.9 3.8 7.4 2.7 |
| nura | WhiteOther races | 2,562 | 2,817 | -255 -4 | 91 (<u>4</u> /) | 144 | 56.2 | 84 | 3.3 | nui uz | White Other races | 29,677 | 22,320 | 7,357 -272 | 133 65 | 1,344 | 45.3 65.7 | 789 29 | 2.7 |
| new | | 54,514 50,304 4,210 | 43,284 39,924 3,360 | 11,230 10,380 850 | 126 126 125 | 2,520 2,198 322 | 46.2 43.7 76.5 | | 3.4 3.3 5.3 | ORT. | AHOMA White Other races | 43,691 40,360 3,331 | 21,091 18,179 2,912 | 22,600 22,161 419 | 207 222 114 | 2,384 2,039 345 | 54.6 50.5 103.6 | | 2.9 2.7 5.1 |
| Cities, | 10,000 or more White Other races 2,500-10,000 White White Other races | | 29,219 26,823 2,396 5,416 5,093 323 8,649 8,008 641 | 14,486 13,453 1,033 -752 -751 -1 -2,504 -2,322 -182 | 150 150 143 86 85 100 71 71 | 2,028 1,763 265 217 196 21 275 239 36 | 46.4 43.8 77.3 46.5 45.1 65.2 44.8 42.0 78.4 | | 3.5 3.3 5.4 3.6 3.4 6.2 2.5 2.4 3.7 | Cities, | 10,000 or more White Other races 2,500-10,000- White Other races White Other races | 10,081 | 7,132 5,933 1,199 4,684 4,212 472 9,275 8,034 1,241 | 3,961 4,148 -187 3,290 3,093 197 15,349 14,940 409 | 156 170 84 170 173 142 625 286 133 | 728 610 118 469 400 69 1,187 1,029 158 | 65.6 60.5 116.6 58.8 54.8 103.1 48.2 44.8 95.8 | 356 291 65 259 230 29 654 579 75 | 3.2 2.9 6.4 3.2 3.1 4.3 2.7 2.5 4.5 |
| | MEXICO White Other races | 13,190 12,600 590 | 6,272 5,830 442 | 6,918 6,770 148 | | 1,705 1,571 134 | 129.3 124.7 227.1 | 379 378 1 | 2.9 3.0 0.2 | ORE | GON | 13,179 12,963 216 | 11,430 11,204 226 | 1,749 1,759 -10 | 115 116 96 | 543 514 29 | 41.2 39.7 134.3 | 295 286 9 | 2.2 2.2 4.2 |
| • | 10,000 or more White Other races | 1,664 1,656 B | 1,174 1,114 60 | 490 542 -52 | 142 149 (<u>4</u> /) | 217 204 13 | 130.4 123.2 (7/) | 65 64 1 | 3.9 3.9 (<u>5</u> /) | | 10,000 or more White Other races | 6,021 94 | 5,591 5,491 100 | 524 530 -6 | 109 110 94 | 228 222 6 | 37.3 36.9 63.8 | 142 137 5 | 2.3 2.3 (<u>5</u> /) |
| Cities, | 2,500-10,000 White Other races white | 2,378 2,358 20 9,148 8,586 | 1,245 1,222 23 3,853 3,494 | 1,133 1,136 -3 5,295 5,092 | 191 193 (<u>4</u> /) 237 246 | 250 225 5 1,258 1,142 | 96.7 95.4 250.0 137.5 133.0 | 93 93 221 221 | 3.9 3.9 2.4 2.6 | | 2,500-10,000 White Other races White Other races | 2,894 2,879 15 4,170 4,063 107 | 2,187 2,155 32 3,652 3,558 94 | 707 724 -17 518 505 13 | 132 134 (<u>4</u> /) 114 114 (<u>4</u> /) | 125 121 5 189 171 18 | 43.5 42.0 333.3 45.3 42.1 168.2 | 77 76 1 76 73 | 2.7 2.6 (5/) 1.8 1.8 2.8 |
| NEW | Other races YORKl Whitel Other races | 75,658 1 | 40,848 | 203 35,882 34,810 1,072 | | 8,652 8,136 716 | 48.0 7 46.3 6 82.4 | ,326 ,629 | 4.0 3.8 8.0 | 'PEN | NSYLVANIA White Other races | L61,166 L53,062 | 108,555 | 52,611 51,201 1,410 | 148 | 8,194 7,542 652 | 50.8 49.3 80.5 | 5,212 | 3.2 3.1 5.0 |
| Cities, | 10,000 or morel White1 Other races | 52,161 1 44,199 1 | 12,995 .06,135 | 39,166 38,064 | 135 136 | 7,288 6,623 665 | 47.9 45.9 83.5 | ,397 ,740 | 4.2 4.0 8.3 | Cities, | 10,000 or more White Other races | 89,901 82,782 | 63,208 57,711 | 26,693 25,071 | 142 143 | 4,526 3,973 553 | 50.3 48.0 | 2,939 | 3.3 3.1 4.9 |

TABLE I.—BIRTHS, DEATHS, INFANT MORTALITY, AND STILLBIRTHS: 1935—Continued . (See note at head of this table)

| | {exc] | | ND DEATHS | | MORT (Deat infant | ANT ALITY hs of | STII | lbirths | | (excl | | ND DEATHS | | MORT (Deat | ANT ALITY hs of | STILI | BIRTES |
|---|----------------------------------|-----------------------------------|----------------------------------|------------------------------------|--------------------------------|--------------------------------|---------------------------|---------------------------|---|---------------------------------|----------------------------------|---------------------------------|--|-----------------------------|--------------------------------|---------------------------|------------------------------------|
| area | Nus | nber | Excess of births | Births per | | of age, uding frths) | Num- | Per 100 | AREA | Nun | ber | Excess | Births per | | of age uding irths) | Num- | Per 100 |
| | Births | Deaths | over deaths1/ | 100 deaths | Num- ber | Per 1,000 live births | ber | live births | | Births | Deaths | births over deeths1/ | 100 deaths | Num- ber | Per 1,000 live births | ber | live births |
| Sec. A (States)—Con. | | | | | | | | | Sec. A (States)—Con. | | | | | | | | |
| Cities, 2,500-10,000 White Other races | 20,953 20,686 267 | 13,579 13,327 252 | 7,374 7,359 15 | 154 155 136 | 1,107 1,080 27 | 52.8 52.2 101.1 | 710 697 13 | 3.4 3.4 4.9 | UTAH—Con. Cities, 2,500-10,000 White Other races | 2,632 2,628 | 828 825 3 | 1,804 1,803 | 318 319 (<u>4</u> /) | 120 | 45.6 45.7 | 62 62 | 2.4 |
| Rural | 50,312 49,594 718 | 31,768 30,823 945 | 19,544 18,771 -227 | 158 161 76 | 2,561 2,489 72 | 50.9 50.2 100.3 | 1,563 1,521 42 | 3.1 3.1 5.8 | Rural | 4,899 4,809 90 | 1,775 1,678 97 | 3,124 3,131 -7 | 276 287 (4/) | 262 235 26 | 53.5 49.1 286.9 | 93 92 1 | 1.9 1.9 (<u>5</u> /) |
| RHODE ISLAND White Other reces | | 7,838 7,642 196 | 2,377 2,338 39 | 131 131 130 | 482 468 14 | 47.2 46.9 59.6 | 293 286 7 | 2.9 2.9 3.0 | VERMONT White Other races | 6,591 6,586 5 | 4,777 4,772 5 | 1,814 1,814 | 138 138 (<u>4</u> /) | 320 320 | 48.6 48.6 | 189 189 | 2.9 |
| Cities, 10,000 or more White Other races | | 6,923 6,747 176 | 2,473 2,440 33 | 136 136 119 | 441 428 13 | 46.9 46.6 62.2 | 265 258 7 | 2.8 2.8 3.3 | Cities, 10,000 or more White Other races | 1,613 | 897 895 | 716 718 -2 | 190 180 | 71 71 | 44.0 44.0 | 46 46 | 2.9 2.9 |
| Cities, 2,500-10,000 White Other races Rural | 259 257 2 560 | 336 327 9 579 | -77 -70 -7 -19 | 77 79 (<u>4</u> /) 97 | 10 10 31 | 38.9 38.9 5p.4 | 7 7 21 | 2.7 2.7 | Rurel 9/ | 4,978 4,973 5 | 3,880 3,877 3 | 1,098 1,096 2 | 128 128 (<u>4</u> /) | 249 249 | 50.0 50.1 | 143 143 | 2.9 |
| WhiteOther races | 536 24 | 568 11 | -32 13 | 94 (<u>4</u> /) | 30 1 | 56.0 41.7 | 21 | 3.9 | | 51,487 36,610 14,877 | 30,358 19,272 11,086 | 21,129 17,338 3,791 | 170 190 134 | 3,583 2,153 1,430 | | 2,182 1,166 1,016 | 4.2 3.2 6.8 |
| SOUTH CAROLINA White Other races | 19,590 21,008 | 20,353 9,154 11,199 | 20,245 10,436 9,809 | 199 214 188 | 3,219 1,206 2,013 | 79.3 61.6 95.8 | 722 1,752 | 6.1 3.7 8.3 | Cities, 10,000 or more White Other races | 8,144 3,344 | 9,916 5,902 4,014 | 1,572 2,242 -670 | 116 138 83 | 904 531 373 | 75.7 60.2 111.5 | 690 341 349 | 6.0 4.2 10.4 |
| Other races Cities, 2,500-10,000 | 5,603 3,436 2,167 3,077 | 5,149 2,618 2,531 1,865 | 454 818 -364 1,212 | 109 131 86 165 | 565 276 289 224 | 100.8 80.3 133.4 72.8 | 449 139 310 239 | 8.0 4.0 14.3 7.8 | Cities, 2,500-10,000 White Other races Rural | 3,845 3,243 602 36,154 | 2,540 2,035 605 17,802 | 1,205 1,208 -3 18,352 | 146 159 100 203 | 279 223 56 2,400 | 72.6 68.8 93.0 66.4 | 157 116 41 1,355 | 4.1 3.6 6.8 3.7 |
| White Other races Rural White | 1,952 1,125 31,918 | 945 920 13,339 | 1,007 205 18,579 | 207 122 239 254 | 113 111 2,430 817 | 57.9 98.7 76.1 57.5 | 95 144 1,786 488 | 4.9 12.8 5.6 3.4 | #hite | 25,223 10,931 | 11,355 6,467 18,203 | 15,888 4,464 4,193 | 223 169 | 1,399 1,001 | 50.5 91.6 45.2 | 709 626 476 | 2.8 5.7 2.1 |
| Other races | | 5,591 7,748 | 8,611 9,968 | 229 | 1,613 | 91.0 | 1,298 | 7.3 | WhiteOther races | 21,713 683 | 17,582 621 | 4,131 62 | 123 110 | 940 72 | 43.3 105.4 | 463 13 | 2.1 |
| SOUTH DAKOTA White Other races | | 6,316 5,856 460 | 6,534 6,357 177 | 203 209 138 | 674 577 97 | 52.5 47.2 152.3 | 342 325 17 | 2.7 2.7 2.7 | Cities, 10,000 or more White Other races Cities, 2,500-10,000 | | 10,519 10,185 334 1,667 | 3,570 3,615 -45 704 | 134 135 87 142 | 615 597 18 117 | 43.7 43.3 62.3 49.3 | 332 322 10 45 | 2.4 2.3 3.5 1.9 |
| Cities, 10,000 or more White Other races Cities, 2,500-10,000 | 2,631 8 | 1,410 1,402 8 1,020 | 1,229 1,229 | 187 198 (<u>4</u> /) 142 | 134 133 1 77 | 50.8 50.6 125.0 53.2 | 83 83 41 | 3.1 3.2 | White Other races Rural White | 2,321 50 5,936 5,592 | 1,632 35 5,017 5,765 | 689 15 -81 -173 | 142 (<u>4</u> /) 99 97 | 111 6 280 232 | 47.8 120.0 47.2 41.5 | 44 1 99 97 | 1.9 (<u>5</u> /) 1.7 1.7 |
| White Other races Rural | 1,448 1,437 11 8,763 | 1,010 10 3,886 | 427 1 4,877 | 142 (<u>4</u> /) 226 | 75 2 463 | 52.2 181.8 52.8 | 41 218 | 2.9 | Other races | 344 41,774 | 252 18,340 | 92 23,434 | 137 228 | 48 2,533 | 139.5 | 2 | 0.6 3.9 |
| White Other races | 8,145 618 | 3,444 442 | 4,701 176 | 236 140 | 369 94 | 45.3 152.1 | 201 17 | 2.5 2.8 | Other races | 39,512 2,262 7,112 | 16,608 1,732 5,331 | 22,904 530 | 238 131 | 2,370 | 72.0 | 332 | 4.9 |
| TENNESSEE White Other races | 53,314 44,981 8,333 | 30,002 22,120 7,882 | 23,312 22,861 451 | 178 203 106 | 3,414 2,716 698 | 64.0 60.4 83.8 | | 4.0 3.6 6.6 | White Other races Cities, 2,500-10,000 White | 6,799 313 3,609 3,422 | 4,845 486 2,869 2,516 | 1,954 -173 740 906 | 140 64 126 136 | 488 24 290 267 | 71.8 76.7 80.4 78.0 | 20 207 189 | 4.6 6.4 5.7 5.5 |
| Cities, 10,000 or more White Other races | 10,159 3,585 | 11,383 7,102 4,281 | 2,361 3,007 -696 | 143 84 | 1,104 756 348 | 80.3 74.4 97.1 | 681 397 284 | 5.0 3.9 7.9 | Other races Rural | 187 31,053 29,291 | 353 10,140 9,247 893 | -16u 20,913 20,044 869 | 53 306 | 23 1,731 1,615 116 | 123.0 50.7 55.1 65.8 | | 9.6 3.6 3.5 4.1 |
| Cities, 2,500-10,000 White Other races | 3,525 580 | 2,826 2,098 728 15,793 | 1,279 1,427 -148 19,672 | 145 168 80 225 | 299 237 62 2,011 | 72.8 67.2 106.9 56.7 | 178 132 46 1,300 | 4.3 3.7 7.9 3.7 | Other races WISCONSIN White | 52,562 52,017 | 30,694 30,317 | 21,868 21,700 | 171 172 | 2,419 2,369 | 40.0 45.5 | 1,251 1,228 | 2.4 2.4 |
| WhiteOther races | 31,297 | 12,920 | 18,377 1,295 | 242 145 | 1,723 288 | 50.1 69.1 | | 3.5 5.2 | Other races Cities, 10,000 or more: White | 23,872 | 377 13,364 13,273 | 10,508 10,489 | 179 | 1,075 1,069 | 91.7 40.0 40.0 | 576 573 | 2.4 |
| TEXAS White Other races | 100,755 | 50,055 | 53,058 50,711 2,547 | 201 | 8,230 7,076 1,154 | 71.7 70.2 82.7 | 3,346 | 3.8 3.3 7.3 | Other reces Cities, 2,500-10,000 | 110 | 91 3,860 3,846 19 | 19 2,687 2,696 -9 | (<u>4</u> /) 170 170 (<u>4</u> /) | 6 345 342 3 | 52.7 52.3 300.0 | 3 193 195 | 2.7 3.0 3.0 |
| Cities, 10,000 or more White Other races | 33,426 4,110 | | 13,303 13,840 -537 | 88 | 2,054 2,629 425 | 81.4 78.7 103.4 | 1,191 349 | 4.1 3.6 8.5 | Fural: | 22,138 21,713 425 | 13,465 13,198 267 | 8,673 8,515 158 | 164 165 159 | 999 958 41 | 45.1 44.1 90.3 | 480 460 20 | 2.2 2.1 4.7 |
| Cities, 2,500-10,000 White Other races Rural | 13,990 12,878 1,112 | 8,793 7,228 1,565 28,637 | 5,197 5,650 453 34,558 | | 1,143 1,031 112 4,033 | 81.7 80.1 100.7 63.8 | 548 456 92 2,282 | 3.9 3.5 8.3 3.6 | | 4,362 4,243 119 | 2,284 2,196 68 | 2,078 2,047 31 | 191 193 (<u>4</u> /) | 223 211 12 | 51.1 49.7 100.8 | 86 94 2 | 2.0 2.0 1.7 |
| White Other races | 54,462 8,733 | 23,241 5,396 | 31,221 3,337 | 234 162 | 3,415 617 | 62.7 70.7 | 1,699 583 | 3.1 6.7 | Cities, 10,000 or more White Other races | 704 697 7 | 495 482 13 | 209 215 -6 | 142 145 (<u>4</u> /) | 45 45 | 64.6 | 12 12 | 1.7 |
| UTAH | 12,585 | 5,066 4,915 151 | 7,629 7,670 -41 | 251 256 73 | 626 502 34 | 49.3 47.0 309.1 | 274 273 1 | 2.2 2.2 0.9 | Cities, 2,500-10,000 White Other races | 866 859 7 | 577 562 15 | 289 297 -8 | 150 153 (<u>4</u> /) | 44 43 1 | 50.8 50.1 142.9 48.0 | 13 13 61 | 1.5 1.5 2.2 |
| Cities, 10,000 or more White Other races | 5,148 | 2,463 2,412 51 | 2,701 2,736 -35 | 210 213 (<u>4</u> /) | 244 236 8 | 47.3 45.8 (<u>7</u> /) | 119 119 | 2.3 | Rural | 2,792 2,687 105 | 1,212 1,152 60 | 1,580 1,535 45 | 230 233 (<u>4</u> /) | 134 123 11 | 45.8 104.8 | 59 2 | 2.2 |

TABLE I.—BIRTHS, DEATHS, INFANT MORTALITY AND STILLBIRTHS: 1935—Continued (See note at head of this table)

| | | | | | | | (200 TC | ore at He | nd of this table) | | | | | | | | |
|--|-------------------|-------------------|-------------------------------------|-----------------------------|-------------------------|----------------------------------|----------------|-----------------------------|-----------------------------------|--------------------|-----------------------|-------------------------------------|------------------------------|---------------------|----------------------------------|---------------------|-----------------------------|
| | | | ND DEATES | | MORT (Deat infant | ANT ALITY hs of s under | STII | lbirtes | | | | ND DEATHS | | MORT (Deat | ANT ALITY hs of s under | STILL | BIRTES |
| AREA. | Мл | nber | Excess | Births | | of age uding irths) | | Per | AREA. | Num | ber | Excess | Births | 1 year | of age, uding | | Per |
| | Births | Deaths | births over deaths <u>l</u> / | per 100 deaths | Num- ber | Per 1,000 live births | Num- ber | 100 live births | | Births | Deaths | births over deaths <u>l</u> / | per 100 deaths | Num- ber | Per 1,000 live births | Num- ber | 100 live births |
| Section B (Counties including cities of 10,000 or more in 1930) | | | | | | | | | Section B—Continued ALABAMA—Con. | | | | | | | | |
| ALABAMA (total) | 62,239 | 28,585 | 33,654 | 218 | 3,910 | 62.8 | 3,003 | 4.8 | Etowah | 1,365 704 | 588 213 | 777 491 | 232 331 | 66 33 | 48.4 46.9 | · 36 | 2.6 2.0 |
| Autauga | 518 | 208 | 310 | 249 | 38 | 73.4 | 35 | 6.8 | Gadsden | 661 548 | 375 274 | 286 274 | 176 200 | 33 23 | 49.9 42.0 | 22 17 | 3.3 |
| .White Other races | 182 336 | 128 | 102 208 | (<u>4</u> /) 263 | 12 26 | 65.9 77.4 | 28 28 | 3.8 8.3 | Other races Fayette | 113 469 | 101 134 | 12 335 | 112 350 | 10 14 | 88.5 29.9 | 5 17 | 4.4 3.6 |
| Baldwin | 674 464 | 330 244 | 220 | 190 | ·54 32 | 80.1 69.0 | 28 14 | 3.0 | White Other races | 419 50 | 115 19 | 304 31 | 364 (<u>4</u> /) | 10 4 | 23.9 80.0 | 16 1 | 3.8 2.0 |
| Other races | 210 699 | 86 368 | · 124 | (<u>4</u> /) 190 | 22 40 | 104.8 57.2 | . 50 | 7.2 | Franklin | 780 669 | 213 215 | 567 454 | 366 311 | 32 40 | 41.0 59.8 | 30 24 | 3.8 3.6 |
| White Other races Bibb | 290 409 431 | 164 204 160 | 126 205 271 | 177 200 269 | 15 25 | 51.7 61.1 | 12 38 | 9.3 | White Other races | 553 116 | 165 50 | 388 66 | 335 (<u>4</u> /) | 29 11 | 52.4 94.8 | 20 4 | 3.6 3.4 |
| White Other races | 306. 125 | 104 56 | 202 | 294 | 18 14 4 | 41.8 45.8 32.0 | 22 11 11 | 5.1 3.6 8.8 | Greens | 498 50 | 244 33 | 254 | 204 | 49 | 98.4 | 40 | 8.0 |
| Blount | 752 | 221 | 531 | (<u>4</u> /) 340 | 39. | 51.9 | 22 | 2.9 | Other races | 448 599 | 211 323 | 17 237 276 | (<u>4</u> /) 212 185 | 3 46 52 | 60.0 102.7 86.8 | 3 37 49 | (<u>5</u> /) 8.3 8.2 |
| Bullock | ·658 73 | 231 37 | 427 36 | 285 (<u>4</u> /) | 36 2 | 54.7 27.4 | 41 2 | 6.2 (<u>5</u> /) | White Other races | 102 497 | 62 261- | 40 236 | (<u>4</u> /) | 7 45 | 68.6 90.5 | 4 45 | 3.9 9.1 |
| Other races | 585 672 | 194 295 | 391: 377 | 302 228 | 34 · 37 | 58.1 55.1 | 39 35 | 6.7 5.2 | Henry | 550 232 | 233 124 | 317 108 | 236 187 | 39 15 | 70.9 64.7 | 39 10 | 7.1 4.3 |
| White Other races | 285 387 | 130 165 | 155 222 | 219 235 | 10 27 | 35.1 69.8 | 10 25 | 3.5 6.5 | Other races | 318 | 109 | 209 | 292 | 24 | 75.5 | 29 | 9.1 |
| Calhoun | 1,331 827 | 600 303 | 731 524 | 222 | 81 49 | 60.9 59.3 | 73 37 | 5.5 4.5 | Houston | 971 720 | 506 235 | 465 485 | 192 306 | 61 40 | 62.8 55.6 | 45 27 | 4.6 3.8 |
| White Other races | 667 160 | 245 58 | 422 102 | 272 (<u>4</u> /) | 36 13 | 54.0 81.3 | 22 15 | 3.3 9.4 | White Other races | 522 198 | 176 59 | 346 139 | 297 (<u>4</u> /) | 27 13 | 51.7 65.7 | 17 | 3.3 5.1 |
| Anniston White | 504 362 | 297 166 | 207 196 | 170 218 | 32. 20 | 63.5 55.2 | 36 19 | 7.1 5.2 | Dothen | 251 167 | 271 177 | -20 -10 | 93 94 | 21 10 | 83.7 59.9 | 18 9 | 7.2 5.4 |
| Other races | 142 | 131 | 11 | 108 | 12 | 84.5 | 17 | 12.0 | Other races Jackson | 84 1,078 | 94 383 | -10 695 | (<u>4</u> /) 281 | 68 11 | 131.0 63.1 | 9 29 | (<u>5</u> /) 2.7 |
| Chambers | 808 395 | 363 219 | 445 176 | 223 180 | 39 15 | 48.3 38.0 | 47 20 | 5.8 5.1 | Jefferson | 7,680 1,993 | 4,975 | 2,705 | 154 179 | 504 115 | 65.6 | 358 | 4.7 |
| Cherokee | 413 532 696 | 144 167 234 | 269 365 462 | 287 319 297 | 24 34 29 | 58.1 63.9 41.7 | 27 23 24 | 6.5 4.3 3.4 | White Other races | 1,190 | 1,114 551 563 | 879 639 240 | 216 143 | 50 65 | 57.7 42.0 60.9 | 66 23 43 | 3.3 1.9 5.4 |
| WhiteOther races | . 568 128 | 176 | 392 70 | 323 (<u>4</u> /) | 23 | 40.5 | 13 | 2.3 | Bessemer | 265 115 | 231 80 | 34 35 | 115 (<u>4</u> /) | 26 7 | 98.1 60.9 | 14 | 5.3 4.3 |
| Choctaw | 463 182 | 177 | 286 111 | 262 (<u>4</u> /) | 28 9 | 60.5. 49.5 | 22 | 4.8 | Other races Birminghem | 150 4,952 | 151 3,348 | -1 1,604 | 99 148 | 19 316 | 126.7 63.8 | 9 259 | 6.0 5.2 |
| Other races | 2B1 666 | 106 276 | 175 390 | 265 241 | 19 49 | 67.6 73.6 | 20 28 | 7.1 | White Other races | 2,938 2,014 | 1,711 | 1,227 577 | 172 123 | 169 147 | 57.5 73.0 | 101 158 | 3.4 7.8 |
| WhiteOther races | 264 402 | 99 177 | 165 225 | (<u>4</u> /) 227 | 12 37 | 45.5 92.0 | 6 22 | 2.3 5.5 | Fairfield | 470 273 | 282 121 | 188. 152 | 167 226 | 47 16 | 100.0 58.6 | 19 6 | 4.0 2.2 |
| Cley | 380 | 147 | 233 | 259 | 16 | 42.1 | 13 . | 3.4 | Other races | 197 | 161 | 36 | 122 | 31 | 157.4 | 13 | 6.6 |
| WhiteOther races | 322 58 | 120 27 | 202 | (<u>4</u> /) | 12 | 37.3 69.0 | 7 | 2.2 (<u>5</u> /) | Lamar | 488 417 | 141 | 347 305 | 346 372 | 22 14 | 45.1 33.6 | 23 13 | 4.7 3.1 |
| Coffee | 302 628 533 | 103 243 196 | 199 385 337 | 293 258 272 | 21 36 | 69.5 57.3 58.2 | 7 36 30 | 2.3 5.7 | Other races Lauderdale | 71 1,177 839 | 29 424 196 | 42 753 643 | { <u>4</u> /} 278 428 | 8 76 39 | 112.7 64.6 46.5 | 10 41 25 | (<u>5</u> /) 3.5 3.0 |
| Other races | 95 774 | 47 347 | 48 427 | (<u>4</u> /) 223 | 31 5 46 | 52'.6 59.4 | 6 33 | 5.6 (<u>5</u> /) 4.3 | White Other races | 709 130 | 150 | 559 84 | 473 (<u>4</u> /) | 33 | 46.5 46.2 | 18 | 2.5 5.4 |
| White Other races | 582 192 | 221 | 361 66 | 263 152 | 36 10 | 61.9 52.1 | 21 | 3.6 | Florence | 338 278 | 228 158 | 110 120 | 148 176 | 37 29 | 109.5 | 16 12 | 4.7 |
| Conecuh | 764 356 | 247 125 | 517 231 | 309 285 | 46 16 | 60.2 | 50 13 | 6.5 3.7 | Other races Lawrence | 60 701 | 70 262 | -10 439 | (<u>4</u> /) 268 | 8 38 | 133.3 54.2 | 4 20 | (<u>5</u> /) 2.9 |
| Other races | 408 | 122 | 286 | 334 | 30 | 73.5 | 37 | 9.1 | White | 554 147 | 178 84 | 376 63 | 311 (<u>4</u> /) | 31 7 | 56.0 47.6 | 11 9 | 2.0 6.1 |
| Coose | 297 139 | 102 65 | 195 74 | 291 (<u>4/)</u> | 18 8 | 60.6 57.6 | 15 5 | 5.1 3.6 | Lee | (10/) | (10/) | (10/) | (10/) | (10/) | (10/) | 10/) | (<u>10/</u>) |
| Other races | 158 959 | 37 320 | 121 639 | (<u>4</u> /) 300 | 10 52 | 63.3 54.2 | 10 45 | 6.3 4.7 | Rural part | 818 232 | 333 127 | 485 105 | 246 183 | 48 11 | 58.7 47.4 | 43 7 | 5.3 3.0 |
| White Other races | 791 168 | 258 62 | 533 106 | 307 (<u>4</u> /) | 39 13 | 49.3 77.4 | 28 17 | 10.1 | Other races Phenix City (part) | 986 (10/) | 206 (<u>10</u> /) | (10/) | 284 (10/) | 37 (<u>10/)</u> | 63.1 (<u>10</u> /) | 36 (<u>10/)</u> | (<u>10/</u>) |
| Crenshaw | 506 294 212 | 217 140 77 | 289 154 135 | 233 210 | 39 16 23 | 77.1 54.4 108.5 | 25 7 18 | 4.9 2.4 8.5 | Limestone | 985 710 275 | 416 269 147 | 569 441 128 | 237 264 187 | 75 49 26 | 76.1 69.0 94.5 | 23 8 | 3.1 3.2 2.9 |
| CullmanDale | 1,115 | 340 216 | 775 340 | (<u>4</u> /) 328 257 | 52 26 | 46.6 46.8 | 27 14 | 2.4 2.5 | Lowndes | 763 | 298 | 465 2 | 256 (<u>4</u> /) | 79 | 103.5 | 56 | 7.3 |
| White Other races | 431 125 | 155 61 | 276 64 | 278 (<u>4</u> /) | 19 | 44.1 56.0 | 10 | 2.3 | Other races | 728 919 | 265 459 | 463 380 | 275 187 | 79 62 | 108.5 75.7 | 56 54 | 7.7 6.6 |
| Dallas | 1,459 | 932 | 527 | 157 | 148 | 101.4 | 124 | 8.5 | White Other races | 76 743 | 54 385 | 22 358 | (<u>4</u> /) 193 | 7 5ສ | 92.1 74.0 | 4 50 | (<u>5</u> /) 5.7 |
| Rural part White | 1,041 51 | 470 42 | 571 9 | 221 (<u>4</u> /) | 90 2 | 86.5 39.2 | 86 | 8.3 | Medison | 1,630 | 710 | 920 | 250 | 92 | 56.4 | 73 | 4.5 |
| Other races Selma | 990 418 | 428 462 | 562 -44 | 231 90 | 88 38 | 88.9 138.6 | 86 38 | 8.7 9.1 | Rural part White | 1,363 942 | 480 322 | 878 620 | 281 293 | 73 50 | 53.6 53.1 | 51 33 | 3.7 3.5 |
| White Other races | 217 201 | 190 272 | 27 -71 | 114 74 | 17 41 | 78.3 | 14 24 | 11.9 | Other reces | 421 267 | 163 225 | 258 42 | 258 119 | 23 19 | 54.6 71.2 | 18 22 | 4.3 8.2 |
| De KalbElmore | 977 695 | 270 294 | 707 401 | 362 235 | 45 45 | 44.0 64.7 | 29 29 | 3.C 4.2 | White Other races | 196 71 821 | 141 84 355 | 55 -13 466 | .139 (<u>4</u> /) 231 | 11 8 44 | 56.1 112.7 53.6 | 10 12 61 | 5.1 (<u>5</u> /) 7.4 |
| White Other races Escambia | 324 371 767 | 153 141 303 | 171 230 464 | 212 263 253 | 18 27 50 | 55.6 72.8 65.2 | 7 22 56 | 2.2 5.9 7.3 | Marengo | 192 | 97 258 | 95 371 | (<u>4</u> /) 244 | 6 38 | 31.3 60.4 | 11 50 | 5.7 7.9 |
| White Other races | 530 237 | 185 118 | 345 119 | 286 201 | 30 20 | 56.6 84.4 | 27 29 | 5.1 12.2 | Marion | 756 1,006 | 161 351 | 595 650 | 470 287 | 29 | 38.4 | 24 +2 | 3.2 4.2 |
| Owner races= | - wit | . 110) | 7131 | | 1 | U4.4 I | 45 1 | 3, au 4 fu | | _,,,,,,,,, | 1 | | | ' | | 1 | , |

TABLE I.—BIRTHS, DEATHS, INFANT MORTALITY, AND STILLBIRTHS: 1935—Continued

(See note at head of this table)

| | | | ND DEATHS | | MORT (Deat | ANT ALITY hs of s under | STIL | LBIRTHS | | | | ND DEATHS stillbir | | (Deat | ALITY | STILL | BIRTES |
|--|---|---|--|--|---|--|--|---|---|---|--|--|--|--|---|--|---|
| AREA | Num | ber | Excess of | Births | l year | of age, uding | | Per | AREA | Num | ber | Excess | Births | l year | of age, uding | | Per |
| | Births | Deaths | births over deathsl/ | per 100 deaths | Num- ber | Per 1,000 live births | Num- ber | 100 live births | | Births | Deaths | births over deaths1/ | per 100 deaths | Num- ber | Per 1,000 live births | Num- ber | 100 live births |
| Section B—Continued | | | | | | | | | Section B-Continued ARIZONA-Con. | | | | | | | | |
| Mobile | 2,584 1,113 640 473 1,471 981 490 855 343 512 | 1,917 743 223 520 1,174 652 522 264 129 135 | 667 370 417 -47 297 329 -32 591 214 377 | 135 150 287 91 125 150 94 324 266 379 | 154 55 19 36 99 58 41 38 9 | 59.6 49.4 29.7 76.1 67.3 59.1 83.7 44.4 26.2 56.6 | 130 50 17 33 80 30 50 34 11 23 | 5.0 4.5 2.7 7.0 5.4 3.1 10.2 4.0 3.2 4.5 | Cochise | 621 602 19 318 252 66 533 414 119 372 | 400 374 26 192 132 60 250 192 68 134 123 | 221 228 -7 126 120 6 273 222 51 238 226 | 155 161 (4/) 166 191 (4/) 205 216 (4/) 278 284 | 58 55 3 34 17 17 38 25 13 37 | 93.4 91.4 157.9 106.9 67.5 257.6 71.3 60.4 109.2 99.5 86.0 | 20 20 10 8 2 9 7 2 7 | 3.2 3.3 |
| Montgomery Rural part White Other races Montgomery White Other races Worgan White Other races Decatur White Other races | 1,915 684 110 574 1,251 698 533 1,015 693 598 95 322 256 66 | 1,399 350 87 263 1,049 487 562 537 262 218 44 275 199 76 | 516 334 23 311 182 211 -29 478 431 380 51 47 57 -10 | 137 195 (4/) 218 117 143 95 189 265 274 (4/) 117 129 (4/) | 152 43 3 40 109 50 59 72 46 37 9 26 17 | 79.4 62.9 27.3 69.7 88.5 71.6 110.7 70.9 66.4 61.9 94.7 80.7 66.4 136.4 | 97 29 7 22 68 19 49 45 28 23 5 17 12 5 | 5.1 4.2 6.4 3.8 5.5 2.7 9.2 4.4 4.0 (5/) 5.3 4.7 (5/) | Other races | 23 116 116 3,185 1,336 1,221 115 1,849 1,777 72 110 96 14 | 11 56 55 1 2,191 938 846 92 1,253 1,148 105 119 91 28 | 12 60 61 -1 994 398 375 23 596 629 -33 -9 5 -14 | (4/) (4/) (4/) 145 142 144 (4/) 148 155 69 92 (4/) (4/) | 7 7 7 354 177 104 13 177 166 11 7 4 | 304.3 60.3 60.3 111.1 132.5 134.3 113.0 95.7 93.4 152.8 63.6 41.7 214.3 | 96 34 33 1 62 54 8 2 | 3.0 2.5 2.7 0.9 3.4 3.0 (5/) 1.8 (5/) |
| Perry White | 768 144 624 670 317 353 745 371 374 498 386 112 | 283 41 242 236 111 125 318 153 165 221 160 61 | 485 103 382 434 206 228 427 218 209 277 226 51 | 271 (4/) 258 284 286 282 234 242 227 225 241 (4/) | 56 7 49 36 9 27 51 18 33 30 19 | 72.9 48.6 78.5 53.7 28.4 76.5 68.5 48.5 88.2 60.2 49.2 98.2 | 68 10 58 23 10 13 33 13 20 19 9 | 8.9 9.3 9.3 9.3 9.3 9.3 9.3 9.3 9.3 9.3 9 | Nevajo | 546 263 283 1,405 356 105 201 1,049 1,021 28 448 299 | 371 116 255 1,020 301 164 137 719 672 47 309 175 | 1.75 147 28 385 55 -9 64 330 349 -19 139 | 147 227 111 138 119 95 147 146 152 (4/) 145 171 | 86 27 59 148 49 17 32 99 90 9 | 157.5 102.7 208.5 105.3 137.6 109.7 159.2 94.4 88.1 321.4 149.6 117.1 | 11 7 4 43 7 6 1 36 35 1 12 | 2.0 2.7 1.4 3.1 2.0 3.9 0.5 3.4 (5/) 2.7 |
| Russell | (10/) 503 45 458 242 129 113 644 522 122 705 531 174 | (10/) 216 34 182 190 102 88 218 162 56 245 150 | (10/) 287 11 276 52 27 25 426 360 66 460 381 79 | (10/) 233 (4/) 252 127 126 (4/) 295 322 (4/) 288 354 (4/) | (10/) 37 1 36 18 7 11 32 18 14 40 24 16 | (10/) 73.6 22.2 78.6 74.4 54.3 97.3 49.7 34.5 114.8 56.7 45.2 92.0 | (10/) 42 2 40 28 8 20 22 15 7 21 14 7 | (10/) 8.3 (5/) 8.7 11.6 6.2 17.7 3.4 2.9 5.7 3.0 4.0 | Other races Santa Cruz White Cther races Yavapai White Other races White ARKANSAS (total) | 149 197 190 7 546 534 12 400 353 47 | 134 145 135 10 389 374 15 241 207 34 | 15 52 55 -3 157 160 -3 159 146 13 | 111 136 141 (4/) 140 143 (4/) 166 171 (4/) 221 | 32 20 20 38 36 2 48 41 7 | 214.8 101.5 105.3 69.6 67.4 166.7 120.0 116.1 148.9 47.1 | 7 3 2 1 13 13 15 12 3 | 4.7 1.5 1.1 (5/) 2.4 2.4 2.4 (5/) 3.8 3.4 (5/) |
| Sumter Other races Talladega Other races Talleposs White Other races Tuscaloosa Rural part White Other races Tuscaloosa White Other races Tuscaloosa Other races Tuscaloosa Other races Tuscaloosa Other races Other races Other races Other races Other races Other races | 745 650 1,344 824 520 783 524 259 1,284 839 552 287 445 305 140 | 304 52 252 252 209 314 221 93 943 409 264 145 534 391 | 441 13 428 843 532 311 469 303 166 341 430 286 142 -89 -86 -3 | 245 (4/) 270 288 282 249 249 237 (4/) 136 205 205 209 198 83 78 98 | 55 5 5 50 103 52 51 38 27 11 111 54 27 47 19 28 | 73.8 76.6 63.1 98.1 48.5 51.5 42.5 86.4 76.3 67.0 94.1 105.6 62.3 200.0 | 50 1 49 53 33 22 33 23 10 55 29 14 15 26 17 9 | 6.7 (5/) 2 4.1 4.0 4.2 4.4 3.5 5.8 5.6 6.4 | Arkunsis | 294 248 46 618 318 300 216 637 315 342 228 114 188 66 310 | 121 94 27 145 69 76 6 29 444 145 124 97 27 52 32 30 127 | 173 154 19 473 249 224 187 193 170 218 131 87 122 86 36 183 | 243 (4/) 426 (4/) (4/) (4/) 143 217 276 (4/) (4/) (4/) (4/) (4/) 244 | 7 7 7 7 9 6 2 36 13 19 12 7 8 3 5 15 | 23.8 28.2 24.3 20.0 9.3 56.5 41.3 55.6 52.6 61.4 43.5 25.4 75.8 48.4 | 9 5 4 37 14 23 7 22 8 7 6 4 2 8 | 3.1 2.0 (5/) 6.0 4.4 7.7 3.2 3.5 2.0 2.6 0.9 3.3 3.4 (5/) 2.6 |
| Walker | 1,520 1,402 118 482 295 187 776 92 684 459 | 495 425 70 138 79 59 336 46 290 95 | 1,025 977 48 344 215 128 440 46 394 364 | 307 330 (4/) 349 (4/) (4/) 231 (4/) 236 (4/) | 78 74 4 22 15 7 68 4 64 18 | 51.3 52.8 33.9 45.6 50.8 37.4 87.6 43.5 93.6 39.2 | 64 59 5 29 13 16 52 6 46 15 | 4.2 4.2 6.0 4.4 8.6 6.7 (5/) 6.7 3.3 | Chicot | 449 191 258 340 228 112 670 264 222 184 38 342 175 | 224 75 149 187 129 58 267 67 59 49 10 125 70 | 225 116 109 153 99 54 403 197 163 135 28 217 106 111 | 200 (4/) 173 182 177 (4/) 251 (4/) (4/) (4/) (4/) 274 (4/) (4/) | 25 12 13 13 9 4 43 8 4 4 | 55.7 62.8 50.4 38.2 39.5 35.7 64.2 30.3 18.0 21.7 32.2 45.5 18.1 | 24 20 9 5 4 28 7 5 2 3 10 8 | 5.3 2.1 7.8 2.6 2.2 3.6 4.2 2.7 2.3 1.1 (5/) 2.9 1.1 |
| Apache White Other races | 342 165 177 | 250 70 180 | 92 95 -3 | 137 (<u>4</u> /) 98 | 79 23 56 | 231.0 139.4 316.4 | 14 11 '5 | 4.1 6.7 1.7 | Conway | 538 387 151 | 173 106 67 | 365 281 84 | 311 365 (<u>4</u> /) | 27 18 9 | 50.2 46.5 59.6 | 24 13 11 | 4.5 5.4 7.3 |

TABLE I.—BIRTHS, DEATHS, INFANT MORTALITY, AND STILLBIRTHS: 1935—Continued (See;note at head-of-this table)

| | | | | | | | 1 | | eactor this table; | | | | | • | * | | |
|--|--|--|--|--|--|--|--|---|--|---|--|--|--|---|---|---|--|
| | | | ND DEATHS | | MORT (Deat | ANT ALITY hs of s under | stii | LBIRTHS | | (exc | BIRTHS A | AND DEATH | | MOR! | FANT FALITY ths of ts under | STIL | LBIRTHS |
| AREA. | Nun | (ber | Excess of | Births | excl | of age, uding irths) | Num- | Per | AREA | Nu | mber | Excess | Births | 1 year | r of age luding pirths) | | Per |
| | Births | Deaths | births over deaths1/ | 100 deaths | Num- ber | Per 1,000 live births | ber | live births | | Births | Deaths | births over deathsl | per 100 deaths | Num- ber | Per 1,000 live births | Num- ber | live births |
| Section B—Continued ARKANSAS—Con. | | | | | | | | | Section B—Continued ARKANSAS—Con. | - | | | | | | | |
| Craighead———————————————————————————————————— | 1,059 813 246 236 10 535 725 136 589 437 264 173 | 453 217 236 218 18 191 393 81 312 190 103 87 | 606 596 10 18 -8: 344 332 55 277 247 161 86 | 234 375 104 108 (4/) 280 184 (4/) 189 230 256 (4/) | 64 38 26 25 1 19 55 14 41 21 15 6 | 60.4 46.7 105.7 105.9 100.0 35.5 75.9 102.9 69.6 48.1 56.8 34.7 | 31 20 11 11 16 .32 3 29 25 6 | 2.9 2.5 4.5 4.7 3.0 4.4 2.2 4.9 5.7 2.3 11.0 | Mississippi Rural part White- Other races Blytheville- White- Other races White- White- White- Monroe- White- Montgomery Nevada White- | 1,856 1,703 1,250 458 148 123 25 446 225 221 210 135 | 734 589 350 239 145 106 :39 214 98 116 40 62 46 | 1,122 1,119 900 219 3 17 -14 232 127 105 170 73 | 253 290 357 192 102 116 (4/) 208 (4/) 191 (4/) (4/) | 144 133 102 31 11 7 4 21 16 5 4 4 | 77.6 77.9 81.6 67.7 74.3 56.9 160.0 47.1 71.1 22.6 19.0 29.6 21.1 | 83 77 47 30 6 5 1 17 5 12 6 4 | 4.5 4.5 3.8 6.6 4.1 (5/) 3.8 2.2 5.4 2.9 3.0 (5/) |
| White- Other races- Drew- White- Other races- Faulkner- Other races- Other races- Other races- Other races- | 111 81 370 99 271 429 248 181 528 461 67 | 62 44 18 122 41 81 148 77 71 230 189 41 | 130 67 63 248 58 190 281 171 110 298 272 26 | (4/) (4/) (4/) 303 (4/) (4/) 290 (4/) (4/) 230 244 (4/) | 5 2 5 6 5 3 2 10 2 1 1 5 5 6 0 | 26.0 18.0 37.0 16.2 30.3 11.1 51.3 40.3 58.7 54.2 89.6 | 4 3 1 27 5 22 16 5 11 17 | 2.1 2.7 (5/) 7.3 (5/) 8.1 3.7 2.0 6.1 3.2 2.4 (5/) | Newton- Ouachita- Outher races- Perry- Phillips- White- Other races- Pike- Poinsett- White- White- | 40 323 524 257 257 138 825 297 528 175 802 723 | 72 228 125 103 31 560 167 393 55 281 235 | 24 251 296 132 164 107 265 130 135 120 521 488 | (4/) 230 206 259 (4/) 147 178 134 (4/) 285 308 | 2 10 20 10 10 4 36 15 21 4 57 | 50.0 31.0 38.2 38.9 37.5 29.0 43.5 50.5 39.8 22.9 71.1 71.9 | 3 7 24 8 16 3 54 9 45 2 33 25 | (5/) 2.2 4.6 3.1 6.0 2.2 6.5 3.0 8.5 1.1 4.1 |
| Franklin- Fulton- Garland- Rural part- Hot Springs- White- Other races- White- Other races- Hot Springs- White- Other races- Hot Springs- White- Other races- Howard- White- | 327 240 187 355 355 25 242 606 581 331 250 353 304 49 320 222 | 102 49 673 79 594 478 116 70 261 123 123 123 137 121 16 102 | 225 191 -131 108 -239 -148 -91 172 345 325 198 127 216 183 33 218 | 321 (4/) 60 69 22 (4/) 232 227 249 203 258 251 (4/) 314 (4/) | 8 10 38 5 33 27 6 7 32 27 13 14 15 15 | 24.5 41.7 7.0.1 26.7 93.0 81.8 240.0 28.9 52.8 46.5 39.3 56.0 42.5 49.3 31.3 27.0 | 5 8 16 1 15 14 1 12 10 25 10 15 13 8 5 3 2 | 1.5 3.3 3.0 0.5 4.2 4.2 (5/) 5.0 1.7 4.3 3.0 6.0 3.7 2.6 (5/) 0.9 | Other races— Polk— Polk— Polk— White— Other races— Pulaski— Rural part— Other races— Little Rock— White— Other races— North Little Rock— White— Cother races— Randolph— | 79 303 626 307 228 79 2,182 643 355 288 1,501 1,014 287 238 138 100 388 | 125 126 86 40 2,173 336 141 1,695 1,122 573 142 87 55 137 | 33 178 444 181 142 39 9 307 160 147 -394 -108 -285 51 45 5251 | (4/) 242 344 (4/) (4/) 100 191 182 204 77 90 168 (4/) (4/) 283 | 5 16 19 9 4 5 133 33 17 16 85 57 28 15 8 7 26 | 63.3 52.8 30.4 29.3 17.5 63.5 61.0 55.6 65.3 56.2 97.6 63.0 70.0 | 8 13 20 13 6 7 90 26 4 22 25 27 12 5 7 12 15 7 | (5/) 4.3 3.2 4.2 2.6 (5/) 4.1 4.0 1.6 4.0 2.5 9.4 5.0 3.6 7.0 3.1 |
| Other races | 98 517 228 636 554 92 1,220 862 212 650 358 227 131 382 184 | 33 209 61 257 206 51 369 80 189 323 168 155 133 61 | 65 308 167 379 348 31 628 593 132 461 35 59 -24 249 123 | 247 (4/) 247 269 (4/) 206 320 (4/) 344 111 135 85 | 4 23 1 40 35 5 25 11 14 20 10 15 5 | 40.8 44.5 4.4 62.9 63.2 61.0 36.9 29.0 51.9 21.5 55.9 44.1 76.3 39.3 27.2 | 1 9 5 21 14 7 57 45 4 12 5 7 17 | (5) 1.7 2.3 2.5 (5) 4.7 2.9 4.7 2.9 4.7 2.3 2.5 4.7 2.3 2.5 4.7 2.3 2.5 4.7 2.3 2.5 4.7 2.3 2.5 4.7 2.3 2.5 4.7 2.5 4.7 2.5 4.7 4.7 4.7 4.7 4.7 4.7 4.7 4.7 4.7 4.7 | St. Francis White- Other races Saline- Scott- Searcy- Sebastian part Fort Saith- White- Other races- Sevier- White- Other races- Sharp- | 633 - 196 437 339 308 241 1,166 443 723 6-0 63 303 258 45 234 | 317 111 206 154 62 51 614 103 511 426 85 140 123 17 | 316 85 231 185 246 190 552 340 212 234 -22 163 135 28 | 200 177 212 220 (4/) 190 430 141 155 (4/) 216 (4/) (4/) | 33 13 20 14 5 9 51 13 48 41 7 8 6 2 | 52.1 66.3 45.8 41.3 16.2 37.3 52.3 29.3 66.4 62.1 111.1 25.4 23.3 44.4 42.7 | 34 9 25 12 12 8 23 6 17 13 4 12 8 4 3 | 5.4 4.6 5.7 3.5 3.9 3.3 2.0 1.4 2.4 2.0 (5/) 4.0 3.1 (5/) |
| White | 85 99 492 496 178 318 467 142 325 274 199 75 422 | 31 30 131 249 54 195 162 29 133 71 45 26 | 54 69 361 247 124 123 305 113 192 203 154 49 253 | (4/) (4/) 376 199 (4/) 153 288 (4/) 244 (4/) (4/) (4/) 250 242 | 1 4 20 30 8 22 15 4 11 7 5 2 9 | 11.8 40.4 40.7 50.5 44.9 69.2 32.1 28.2 33.8 25.5 25.1 26.7 21.3 | 2 9 26 30 9 21 18 6 12 12 5 7 12 28 | (5/) (5/) 5.3 6.0 5.1 6.6 3.9 4.2 3.7 4.4 2.5 (5/) 2.8 4.5 | Stone Union | 198 540 357 227 130 263 256 47 226 791 528 299 117 182 526 | 44 272 128 95 33 144 107 37 61 449 282 94 41 53 75 | 154 368 229 132 97 139 10 165 342 346 205 76 129 251 | (4/) 2355 279 (4/) 197 221 (4/) 223 (4/) (4/) (4/) (4/) | 5 27 17 12 5 10 9 1 11 43 30 6 3 | 25.3 42.2 47.6 52.9 38.5 35.3 38.1 21.3 48.7 54.4 47.8 20.1 25.6 16.5 33.7 | 8 15. 7 1 6 8 6 2 8 21 22 20 8 | 4.0 2.3 2.0 0.4 4.6 2.8 2.5 3.5 4.3 3.5 4.3 7.4 1.7 11.0 2.5 |
| White-Other races-Madison-Marion-Miller-White-Other races-Texarkana Other races-Other races-Other races-Other races- | 407 222 282 210 446 286 224 62 160 125 35 | 158 102 49 46 307 102 61 41 205 136 69 | 249 120 233 164 139 184 163 21 -45 -11 | 258 218 (4/) (4/) 145 280 (4/) (4/) 78 92 (4/) | 17 16 6 11 25 13 10 3 12 8 4 | 41.8 72.1 21.3 52.4 56.1 45.5 44.6 48.4 75.0 64.0 114.3 | 10 18 10 7 15 6 4 2 9 | 2.5 8.1 3.5 3.3 3.4 2.1 1.8 (5/) 5.6 2.4 (5/) | CALIFORNIA (total) Alemeda | - 1 | 72,456 5,696 1,070 278 725 3,529 3,369 160 94 | 7,675 59 -486 -4 -1 556 498 58 -6 | _ | 3,978 230 30 2 23 171 160 11 | 49.6 1 40.0 51.4 7.3 31.8 41.9 41.4 50.5 40.5 | Ì | 2.4 2.5 2.4 3.6 1.1 2.7 2.7 1.8 (<u>5</u> /) |

TABLE I.—BIRTHS, DEATHS, INFANT MORTALITY, AND STILLBIRTHS: 1935—Continued (See note at head of this table)

| | | | ND DEATHS stillbir | | MORT (Deat | ANT ALITY ha of | STIL | LBIRTHS | | | | ND DEATHS | | (Deat | ALITY | STILL | BIRTHS |
|-------------------------------------|----------------|----------------|---------------------------|----------------------|---------------|--------------------------------|------------|--------------------------------|---------------------------------------|--------------|-------------|---------------------------|--------------------------------|-------------|--------------------------------|-----------|--------------------------------|
| AREA | Nun | iber | Excess of | Births per | l year | of age, uding | Num- | Per 100 | AREA | Num | ber | Excess of | Births per | 1 year | of age, uding | Num- | Per 100 |
| | Births | Deaths | births over deathsl | 100 deaths | Num- ber | Per 1,000 live oirths | ber | live births | | Births | Deaths | births over deathsl | 100 deaths | Num- ber | Per 1,000 live births | ber | live births |
| Section B—Continued CALIFORNIA—Con. | | | | | | | | | Section B—Continued CALIFORNIA—Con. | | | | | | | | |
| Alpine | | 3 | -3 | | | | | | Madera | 273 | 220 | 53 | 124 | 28 | 102.6 | 5 | 1.8 |
| WhiteOther races | | 2 | -2 -1 | | | | | | White Other races | 250 23 | 200 | 50 | 125 (<u>4</u> /) | 26 | 104.0 | 4 | 1.6 (<u>5</u> /) |
| Amador | 68 67 | 86 92 | -18 -15 | (<u>4</u> /) | 2 | 29.4 | | | Marin | 279 30 | 420 32 | -141 -2 | 56 (<u>4</u> /) | 7 2 | 25.1 66.7 | 5 | 2.2 (<u>5</u> /) |
| Other races | 1 609 | 539 | -3 70 | (4/) 113 | 38 | 52.5 | | 1.8 | Mendocino | 313 676 | 436 419 | -123 257 | 72 161 | 11 39 | 35.1 57.7 | 10 16 | 3.2 |
| Calaveras | 49 163 | 101 154 | -52 9 | 49 106 | | 61.3 | 2 3 | (<u>5</u> /) | WhiteOther races | 654 22 | 409 10 | 245 12 | 160 | 37 2 | 56.6 90.9 | 15 | 2.3 4.5 |
| White Other races | 159 | 136 | 23 -14 | 117 | 10 | 62.9 | 3 | 1.9 | ModocWhite | 88 84 | 70 55 | 18 29 | (4/) (4/) | 8 4 | 90.9 | 3 | (<u>5</u> /) (<u>5</u> /) |
| Contra Costa Rural part | 1,002 | 710 | 292 | 141 140 | 52 38 | 51.9 51.6 | 25 17 | 2.5 | Other races | 4 | 15 | -11 | (<u>4</u> /) | 4 | (2/) | 2 | (<u>5</u> /) |
| White Other races | 708 | 503 24 | 205 | 141 | 31 7 | 43.8 | 17 | 2.4 | Mono | 7 | 35 | -28 | (<u>4</u> /) | 1 | 142.9 | | |
| Richmond | 266 | 183 | 83 | (<u>4</u> /) 145 | 14 | 52.6 | В | 3.0 | White Other races | | 30 5 | -23 -5 | (<u>4</u> /) | 1 | | | |
| Del Norte | 72 | 57 | 15 | (4/) | 2 | 27.8 | 3 | (<u>5</u> /) (<u>5</u> /) | Monterey | 902 705 | 636 558 | 206 147 | 142 126 | 52 45 | 57.6 63.8 | 21 19 | 2.3 |
| Other races | 64 8 | 48 | 16 -1 | (4/) (4/) | 2 | 250.0 | 3 | | White Other races | 648 57 | 521 37 | 127 20 | 124 (<u>4</u> /) | 42 3 | 54.8 52.6 | 19 | 2.9 |
| Fresno | 2,475 | 1,694 | -48 781 | 69 146 | 129 | 28.0 52.1 | 2 71 | 1.9 2.9 | Salinas White | 197 176 | 78 71 | 119 105 | (<u>4</u> /) (<u>4</u> /) | 7 6 | 35.5 34.1 | 2 2 | 1.0 |
| Rural part White | 1,725 | 1,237 | 555 593 | 145 152 | 97 92 | 54.1 53.3 | 55 53 | 3.1 | Other races | 21 241 | 637 | 14 -396 | (<u>4</u> /) 38 | 1 8 | 47.6 33.2 | 3 | 1.2 |
| Other races Fresno | 67 583 | 105 457 | -38 226 | 64 149 | 5 32 | 74.6 46.9 | 16 | (<u>5</u> /) 2.3 | Nevada | 219 | 226 | -7 | 97 | 18 | 82.2 | 6 | 2.7 |
| White Other races | 526 57 | 431 26 | 195 31 | 145 (<u>4</u> /) | 31 1 | 49.5 17.5 | 15 1 | 2.4 (<u>5</u> /) | Orange | | 1,247 | 629 | 150 | 124 | 66.1 | 57 | 3.0 |
| Glenn | 146 | 121 | 25 | 121 | 8 | 54.8 | 5 | 3.4 | Rural pert White | 1,141 | 817 801 | 347 340 | 142 142 | 88 88 | 75.6 77.1 | 42 42 | 3.6 3.7 |
| Humboldt Rural part | 632 253 | 569 202 | 63 51 | 111 125 | 31 13 | 49.1 51.4 | 17 4 | 2.7 1.6 | Other races Anaheim | 23 126 | 16 81 | 7 45 | (<u>4/)</u> | 5 | 39.7 | 3 | 2.4 |
| Eureke Imperial | 379 1,363 | 367 560 | 12 803 | 103 243 | 18 142 | 47.5 104.2 | 13 24 | 3.4 | White Other races | | 81 | 45 | (<u>4</u> /) | 5 | 39.7 | 3 | 2.4 |
| Pural part White | 969 863 | 417 365 | 552 498 | 232 236 | 83 79 | 85.7 91.5 | 15 14 | 1.5 | Fullerton Santa Ana | 173 413 | 267 | 91 146 | (<u>4</u> /) 155 | 4 27 | 23.1 65.4 | 7 | 2.9 |
| Other races Brawley | 106 394 | 52 143 | 54 251 | (<u>4</u> /) 276 | 4 59 | 37.7 149.7 | 1 9 | 0.9 2.3 | White Other races | 407 6 | 264 3 | 143 3 | 154 (<u>4</u> /) | 27 | 66.3 | 7 | 1.7 |
| White Other races | 374 20 | 140 | 234 17 | 267 (<u>4</u> /) | 59 | 157.8 | 9 | 2.4 | Placer | 260 | 425 | -165 | 61 | 13 | 50.0 | 7 | 2.7 |
| Inyo | 69 67 | 70 56 | -1 11 | (4/) (4/) | 7 6 | 101.4 | 1 | (<u>5</u> /) (<u>5</u> /) | White Other races | 236 24 | 384 41 | -148 -17 | 61 | 12 | 50.8 41.7 | 7 | 3.0 |
| Other reces | 2 | 14 | -12 | (<u>4</u> /) | 1 | (<u>7</u> 7) | | | Plumas Riverside | 91 1,608 | 1,042 | -8 566 | (<u>4</u> /) 154 | 3 97 | 33.0 60.3 | 44 | (<u>5</u> /) 2.7 |
| Kern | 1,657 1,086 | 1,060 835 | 597 251 | 156 130 | 140 109 | 84.5 | 52 35 | 3.1 3.2 | Rural part | 839 791 | 565 526 | 274 265 | 148 150 | 64 58 | 76.3 73.3 | 26 24 | 3.1 |
| White Other races | 1,035 | 775 60 | 260 | 134 (<u>4</u> /) | 104 | 100.5 | 32 3 | 3.1 | Other races Riverside | 48 769 | 39 477 | 9 292 | (<u>4</u> /) 161 | 6 33 | 125.0 42.9 | 18 | (<u>5</u> /) 2.3 |
| Bakersfield White | 571 557 | 225 215 | 346 342 | 254 259 | 31 30 | 54.3 53.9 | 17 | 3.0 | White Other races | 741 28 | 455 22 | 286 6 | 163 (<u>4</u> /) | 31 2 | 41.8 71.4 | 18 | 2.4 |
| Other races | 14 519 | 10 | 4 233 | (<u>4</u> /) 181 | 1 44 | 71.4 | 10 | 1.9 | Sacramento | 2,142 | 1,903 | 239 | 113 | 110 | 51.4 | 55 | 2.6 |
| White | 503 | 267 | 236 -3 | 188 | 43 | 85.5 62.5 | 10 | 2.0 | Rural part | 205 | 276 243 | -71 -107 | 74 56 | 9 | 43.9 44.1 | 5 3 | 2.4 |
| Other races | 80 | 116 | -36 | (<u>4</u> /) 69 | 2 | 25.0 | 2 6 | (<u>5</u> /) | Other races | 69 | 33 | 36 310 | (<u>4</u> /) 119 | 3 101 | 43.5 52.1 | 2 50 | (<u>5</u> /) 2.6 |
| Lassen | 230 226 | 107 98 | 123 128 | 215 (<u>4/)</u> | 13 | 56.5 44.2 | 6 | 2.6 | White Other races | | 1,485 | 274 36 | 118 | 91 10 | 51.7 56.2 | 45 5 | 2.6 |
| Other races Los Angeles | 30,079 | 27,374 | -5 2,705 | (<u>4</u> /) 110 | 1,316 | (<u>7</u> /) 43.8 | 703 | 2.3 | San Benito | 129 | 112 | 17 | 115 | 14 | 108.5 | 7 | 5.4 5.7 |
| Rural part White | 5,573 | 5,297 5,132 | 276 291 | 105 105 | 172 169 | 30.9 31.2 | 118 | 2.1 | Other races | 7 | 2 | 5 | (<u>4</u> /) | | | | |
| Other races | 160 | 165 239 | -5 -18 | 97 92 | 3 7 | 18.8 | 4 | 2.5 1.8 | San Bernardino | 2,451 | 1,911 | 540 | 128 | 144 55 | 58.8 51.4 | 64 16 | 2.6 1.5 |
| Belvedere (twp.) White | 528 514 | 163 158 | 3 ₀ 5 356 | 324 325 | 13 13 | 24.6 25.3 | 10 10 | 1.9 | Hural part White | 1,070 | 934 905 | 136 154 | 115 | 55 | 51.4 51.9 | 15 | 1.4 |
| Other races Beverly Hills | 14 6 | 5 105 | 9 -99 | (<u>4</u> /) | 2 | 333.3 | | | Other races | 11 154 | 104 154 | -18 50 | (<u>4</u> /) 148 | 9 | 58.4 | 4 9 | (<u>5</u> /) 2.6 |
| Burbank | 175 214 | 147 113 | 28 101 | 119 189 | 7 9 | 40.0 | 4 5 | 2.3 2.3 | Redlancs | 238 238 | 154 154 | 84 84 | 155 155 | 11 | 46.2 46.2 | 9 | 3.8 3.8 |
| Gardena (twp.) Clendale | 41 996 | 98 814 | -57 172 | (<u>4</u> /) | 2 23 | 46.8 | 20 | 2.0 | Cther races San Bernardino | 989 | 719 | 270 | 138 | 69 | 69.8 | 35 | 3.5 |
| Huntington Park | 330 | 196 | 134 | 168 | 15 | 45.5 | 5 | 1.5 | White Other races | 963 26 | 707 | 256 14 | 136 (<u>4</u> /) | | 71.7 | 35 | 3.6 |
| Inglewood Long Beach | | 1:8 | 264 658 | 267 143 | 10 83 | 23.7 38.0 | 9 56 | 2.1 | San Diego | | 2,964 | 589 | 120 | 143 32 | 40.2 | 105 14 | 3.0 2.0 |
| Los Angeles White | 15,601 | 16,112 | 753 404 | 105 103 | 892 826 | 52.9 52.8 | 413 380 | 2.4 | Rural part | 686 640 | 683 662 | -22 | 100 | 29 | 46.6 45.3 | 14 | 2.2 |
| Other races Monrovia | 1,234 85 | 885 170 | 349 -85 | 139 50 | 56 2 | 53.5 23.5 | 33 6 | 2.7 (<u>5/</u>) | Other races San Diego | 46 2,867 | 2,281 | 25 586 | (<u>4</u> /) 126 | 111 | 65.2 38.7 | 91 | 3.2 |
| WhiteOther races | 84 1 | 160 10 | -76 -9 | 53 (<u>4</u> /) | 2 | 23.8 | 6 | (5/) | White Other races | 2,748 119 | 2,196 85 | 552 34 | 125 (<u>4</u> /) | 105 | 38.2 50.4 | 89 2 | 3.2 1.7 |
| Pasadena Pomona | 681 324 | 954 274 | -273 50 | 71 118 | 12 15 | 17.6 49.4 | 6 7 | 0.9 | San Francisco, co- extensive with: | | | | | | | | |
| Santa Monica South Cate | 76ò 372 | 590 116 | 176 256 | 130 321 | 22 | 28.7 26.9 | 20 11 | 2.6 | San Francisco (city) | 7,116 | 6,502 | -1,386 | 84 | 252 | 35.4 | 146 | 2.1 |
| South Pasadena | 8 | 140 | -132 | 6 | 1 | 125.0 | 1 8 | (5/) | White Other races | 6,709 | 8,122 | -1,413 | 83 107 | 235 17 | 35.0 41.8 | 135 11 | 2.0 |

TABLE I.—BIRTHS, DEATHS, INFANT MORTALITY, AND STILLBIRTHS: 1935—Continued (See note at head of this table)

| | | | ND DEATHS | | (Deat | ALITY hs of | šti. | LBIRTES | | | | ND DRATHS | | (Deat | ALITY hs of | STILL | BIRTHS |
|--|--|--|--|--|---|--|--|---|--|--|--|--|---|---|---|------------------------------------|--|
| AREA | Nun | iber | Excess of births | Births per | l year | s under of age, uding irths) | Num- | Per 100 | AREA | Num | ber | Excess of births | Births per | 1 year | s under of age, uding irths) | Num- | Per 100 |
| | Births | Deaths | over deaths1/ | 100 deaths | Num- ber | Per 1,000 live births | ber | live births | | Births, | Deaths | over deaths1/ | 100 deaths | Num- ber | Per 1,000 11ve births | ber | live births |
| Section B—Continued CALIFORNIA—Con. | | | | | | | | | Section B—Continued COLORADO—Con. | | | | | | | | |
| San Joaquin———————————————————————————————————— | 1,577 962 894 68 615 545 70 439 409 | 1,755 1,236 1,098 138 519 475 44 362 345 17 | -178 -274 -204 -70 96 70 26 77 64 | 90 78 81 49 118 115 (4/) 121 119 (4/) | 105 71 68 3 34 30 4 29 27 | 66.6 73.8 76.1 44.1 55.3 55.0 57.1 66.1 66.0 | 42 26 23 3 16 13 3 11 11 | 2.7 2.6 (5/) 2.6 2.4 (5/) 2.5 2.7 | Chaffee | 170 170 68 35 147 102 93 92 1 | 132 132 28 21 67 15 62 62 | 58 38 40 14 80 87 31 30 1 | 129 129 (4/) (4/) (4/) (4/) (4/) (4/) (4/) | 10 10 2 2 13 8 11 11 | 58.8 58.8 29.4 57.1 88.4 78.4 118.3 119.6 | 8848 33 | 1.2 1.2 (5/) 2.0 3.9 (5/) (5/) |
| San Mateo Rural part Burlingame San Mateo Santa Barbara Rural part White Other races Senta Barbara White Other races | 558 160 3 395 1,116 642 587 55 474 471 3 | 779 402 73 304 748 412 375 37 336 330 | -221 -242 -70 91 368 230 212 18 138 141 -3 | 72 40 (4/) 130 149 156 (4/) 141 143 (4/) | 18 4 1 13 59 37 31 6 22 22 | 32.3 25.0 333.3 32.9 57.6 52.8 109.1 46.4 46.7 | 9 5 4 29 15 15 14 14 | 1.6 3.1 1.0 2.6 2.3 2.6 | Delta Denver, coextonsive with: Denver (city) White Dougles Dougles Eagle Other races Cother races Other races Other races | 5,530 5,410 120 16 30 69 69 | 4,369 4,241 128 5 14 41 | 1,161 1,169 -8 11 16 28 28 | 127 128 94 (4/) (4/) (4/) | 334 325 9 6 6 | 71.7 60.4 60.1 75.0 87.0 87.0 | 167 164 3 | 3.3 3.0 3.0 2.5 |
| Santa Clara | 256 516 528 | 2,257 1,549 156 552 591 | -228 -292 100 -36 -63 | 90 81 164 93 89 | 114 93 7 14 27 | 56.2 74.0 27.3 27.1 51.1 | 44 31 8 5 | 2.2 2.5 3.1 1.0 2.5 | Elbert | 77 869 91 778 331 | 30 906 253 653 239 | 47 -37 -162 125 92 | (4/) 96 36 119 138 | 2 58 4 54 26 | 25.0 66.7 44.0 69.4 78.5 | 3 21 4 17 7 | (<u>5/)</u> 2.4 (<u>5/)</u> 2.2 2.1 |
| Rural part White Other races Santa Cruz Shasta Sierra Siekiyou | 359 333 26 169 255 35 344 | 348 323 25 243 259 28 282 | 11 10 1 -74 -4 7 62 | 103 103 (4/) 70 98 (4/) 122 | 21 20 1 6 14 2 18 | 58.5 60.1 38.5 35.5 54.9 57.1 52.3 | 9 8 1 4 3 | 2.5 2.4 (<u>5/)</u> 2.4 1.2 | Garfield | 213 22 41 95 3 393 388 5 | 116 13 19 64 6 186 183 3 | 97 9 22 31 -3 207 205 2 | 184 (4/) (4/) (4/) (4/) 211 212 (4/) | 13 1 1 6 1 23 23 | 61.0 45.5 24.4 63.2 333.3 58.5 59.3 | 5 1 2 9 9 | 2.3 (<u>5/</u>) (<u>5/</u>) 2.3 2.3 |
| Rural part | 411 190 168 22 221 689 | 393 193 186 7 200 917 | 18 -3 -18 15 21 -228 | 105 98 90 (<u>4</u> /) 111 75 | 21 10 10 10 | 51.1 52.6 59.5 49.8 43.5 | 6 2 2 4 19 | 1.5 1.1 1.2 1.8 2.8 | Jackson | 18 149 43 191 78 | 10 225 23 66 105 | 8 -76 20 125 -27 | (4/) (4/) 66 (4/) (4/) 74 | 13 4 9 7 | 87.2 93.0 47.1 89.7 | 3 4 3 | 2.0 2.1 (<u>5</u> /) |
| Rural part Santa Rosa Stanislaus Rural part Modesto | | 755 162 695 321 374 | -267 39 357 167 190 | 65 124 151 152 151 | 22 8 51 20 31 | 45.1 39.8 48.5 41.0 55.0 | 15 4 30 12 18 | 3.1 2.0 2.9 2.5 3.2 | La Plata | 308 291 17 570 481 89 | 193 173 20 352 263 89 | 115 118 -3 218 218 | 160 168 (<u>4</u> /) 162 183 (<u>4</u> /) | 16 13 3 34 30 4 | 51.9 44.7 176.5 59.6 62.4 44.9 | 9 8 1 11 10 | 2.9 2.7 (<u>5/)</u> 1.9 2.1 (<u>5/)</u> |
| White Tehema | 224 | 181 178 3 197 43 39 | 97 91 6 27 4 7 | 154 • 151 (4/) 114 (4/) (4/) | 20 20 7 2 | 71.9 74.3 31.3 42.6 43.5 | 4 4 6 1 1 | 2.7 (5/) | Les Animes Rural part White Other races Trinidad Lincoln Logan | 582 356 354 2 226 137 367 | 408 281 277 4 127 36 178 | 174 75 77 -2 99 101 189 | 143 127 128 (4/) 178 (4/) 206 | 88 55 55 33 7 28 | 151.2 154.5 155.4 146.0 51.1 76.3 | 23 16 16 7 3 | 4.0 4.5 4.5 3.1 2.2 2.2 |
| Tulare | 1,568 1,526 42 106 1,059 | 900 868 32 160 | 668 658 10 ~54 430 | 174 176 (4/) 66 | 112 107 5 8 | 71.4 70.1 119.0 75.5 | 32 31 1 2 | 2.0 2.0 (<u>5</u> /) 1.9 2.8 | Mesa | 579 265 314 18 81 | 368 199 169 15 | 211 66 145 3 49 | 157 133 186 (<u>4/</u>) (<u>4/</u>) | 48 26 22 | 82.9 98.1 70.1 | 13 3 10 | 2.2 |
| Rural part | 903 887 16 156 307 292 15 180 164 16 | 534 518 16 95 277 266 11 209 185 24 | 369 369 61 30 26 4 -29 -21 -8 | 169 171 (4/) (4/) 111 110 (4/) 86 89 (4/) | 74 74 3 13 11 2 14 13 | 81.9 83.4 | 27 27 3 9 8 1 14 13 | 3.0 3.0 1.9 2.9 2.7 (5/) 7.8 7.9 (5/) | Montezume White Paces Montrose White Morgan Ctero White Ctero Cter | 269 251 18 236 235 1 419 488 476 12 | 93 76 17 150 147 3 192 315 307 | 176 175 1 86 88 -2 227 173 169 | (4/) (4/) (4/) 157 160 (4/) 218 155 155 (4/) | 22 16 6 25 23 2 35 53 51 2 | 81.8 63.7 333.3 105.9 97.9 (7/) 83.5 108.6 107.1 166.7 | 2 2 5 5 12 17 17 | 0.7 0.8 2.1 2.1 2.9 3.5 3.6 |
| COLORADO (total) Adams | 258 211 183 45 44 | 299 131 190 33 30 | 5,703 -41 80 -7 12 14 | 143 36 161 96 (4/) | 1,370 18 25 12 8 8 | 72.7 69.8 118.5 65.6 177.8 181.8 | 559 9 13 7 3 3 | 2.9 3.5 6.2 3.8 (5/) (5/) | Ouray | 24 41 138 19 354 353 | 29 42 57 23 186 185 | -5 -1 81 -4 168 168 | (4/) (4/) (4/) (4/) (4/) 190 191 (4/) | 2 7 3 30 30 | 83.3 170.7 21.7 21.7 84.7 85.0 | 1 5 1 9 | (5/) (5/) 3.6 (5/) 2.5 2.5 |
| Other races— Bent———————————————————————————————————— | 1 167 186 184 2 659 500 159 | 3 57 145 143 2 470 316 154 | -2 110 41 41 189 184 5 | (4/) (4/) 128 129 (4/) 140 158 103 | 10 14 14 14 | 59.9 75.3 76.1 62.2 74.0 25.2 | 3 7 7 7 17 11 6 | 1.8 3.8 3.8 3.8 2.6 .2.2 3.8 | Pueblo | 992 293 288 5 699 26 208 161 | 986 489 472 17 497 22 135 | 6 -196 -184 -12 202 4 73 61 | 101 60 61 (4/) 141 (4/) 154 161 | 76 23 22 1 53 31 15 | 76.6 78.5 76.4 200.0 75.8 149.0 93.2 | 37 9 9 28 4 | 3.7 3.1 3.1 4.0 1.9 2.5 |

TABLE I.—BIRTHS, DEATHS, INFANT MORTALITY, AND STILLBIRTHS: 1935—Continued (See note at head of this table)

| _ | | | ND DEATHS | | (Deat infant | ALITY hs of s under | STIL | lbirtas | | (exc) | | IND DEATHS | | (Deat | ALITY hs of s under | STILL | BIRTHS |
|--|--|--|---|--|---|---|---|--|--|--|--|---|---|---|---|---|--|
| AREA | Nun | ber | Excess of | Births per | | of age, uding irths) | Num- | Per 100 | AREA | Nun | ber | Excess | Births per | | of age, uding irths) | Num- | Per 100 |
| | Births | Deaths | births over deathsl/ | 100 deaths | Num- ber | Per 1,000 live births | ber | live births | | Births | Deaths | births cver deaths1/ | 100 deaths | Num- ber | Per 1,000 live births | ber | live births |
| Section B-Continued | | | | | | | | | Section B-Continued | | | | | | | | |
| COLORADO—Con. | | | | | | | | | FLORIDA (total) | 28,051 | 20,046 | 8,005 | 140 | 1,736 | 61.9 | 1,573 | 5.6 |
| Saguachessan Juansan Miguelssan Miguelssan Sedgwickssan Summit | 71 29 37 150 15 89 121 1,268 | 43 22 31 37 18 90 47 551 | 28 7 6 113 -3 -1 74 717 | (4/) (4/) (4/) (4/) (4/) (4/) 230 | 9 1 2 6 4 7 5 96 | 126.8 34.5 54.1 40.0 266.7 78.7 41.3 75.7 | 3 1 7 1 7 6 32 | (5/) (5/) 4.7 (5/) (5/) 5.0 2.5 | Alachus | 688 389 157 232 299 189 110 180 | 462 221 82 139 241 125 116 64 | 226 168 75 93 58 64 -6 | 149 176 (<u>4</u> /) 167 124 151 95 (<u>4</u> /) | 46 31 8 23 15 5 10 | 66.9 79.7 51.0 99.1 50.2 26.5 90.9 72.2 | 45 31 10 21 14 9 5 | 6.5 8.0 6.4 9.1 4.7 4.8 4.5 |
| Rural part White | 886 871 | 284 278 | 602 593 | 312 | 62 59 | 70.0 67.7 | 17 17 | 1.9 2.0 | White Other races | 124 56 | 28 36 | 96 20 | (4/) (4/) | 5 8 | 40.3 142.9 | 6 2 | 4.8 (<u>5</u> /) |
| Other races GreeleyYuma | 15 382 214 | 267 118 | 9 115 96 | (<u>4</u> /) 143 181 | 3 34 17 | 200.0 89.0 79.4 | 15 3 | 3.9 .1.4 | Bay White Other races | 460 386 | 181 134 | 279 252 27 | 254 288 | 25 18 7 | 54.3 46.6 | 26 14 | 5.7 3.6 |
| CONNECTICUT (total) | 22,258 | 17,659 | 4,599 | 126 | 951 | 42.7 | 587 | 2.6 | Bradford | 74 185 133 52 | 47 79 52 27 | 106 81 25 | (4/) (4/) (4/) (4/) | 13 7 6 | 94.6 70.3 52.6 115.4 | 12 10 4 6 | (<u>5</u> /) 5.4 3.0 (<u>5</u> /) |
| Fairfield | 5,293 485 | 4,054 789 | 1,239 -304 | 131 | 190 17 | 35.9 35.1 | 144 | 2.7 | Breverd | 200 118 | 154 96 | 46 22 | 130 (<u>4</u> /) | 13 4 | 65.0 33.9 | 6 1 | 3.0 0.8 |
| Bridgeport Danbury Norwalk | 2,581 507 685 | 1,581 359 516 | 1,000 148 169 | 163 141 133 | 78 28 22 | 30.2 55.2 32.1 | 71 9 12 | 2.8 1.8 1.8 | Other races | 92 426 | 58 295 | 131 | (4/) 144 | 38 | 109.8 | 34 | (<u>5</u> /) 8.c |
| SheltonStamford | 63 919 53 5,972 745 475 | 132 568 109 4,412 1,022 276 | -69 351 -56 1,560 -277 199 | 48 162 49 135 73 | 306 42 16 | 79.4 43.5 51.2 56.4 33.7 | 1 43 1 154 15 | (<u>5</u> /) 4.7 (<u>5</u> /) 2.6 2.0 2.7 | White Other races Calhoun White Other races Charlotte | 223 203 217 183 34 39 | 183 112 69 58 11 26 | 40 91 148 125 23 13 | 122 181 (4/) (4/) (4/) (4/) (4/) | 12 26 17 14 3 | 53.8 128.1 78.3 76.5 88.2 51.3 | 5 29 7 4 3 2 | 2.2 14.3 3.2 2.2 (5/) (5/) |
| East Hartford (town) | 26 3,684 | 94 2,252 | -68 1,432 | (<u>4</u> /) | 3 172 | 115.4 46.7 | 4 99 | (<u>5</u> /) | WhiteOther races | 29 10 | 20 6 | 9 | (4/) (4/) | 2 | 69.0 | 2 | (<u>5</u> /) |
| New Britain West Hartford (town) Litchfield | 962 80 1,023 | 588 180 834 | 374 -100 189 | 164 44 123 | 59 14 49 | 61.3 175.0 47.9 | 21 2 39 | 2.2 (<u>5</u> /) 3.8 | Citrus | 92 64 28 80 56 | 75 38 37 99 72 | 17 26 -9 -19 -16 | (4/) (4/) (4/) (4/) (4/) | 10 4 6 3 3 | 108.7 62.5 214.3 37.5 53.6 | 4. 4 1 | (5/) (5/) (5/) (5/) |
| Rural part Middlesex Rural part Middletown | 583 440 611 115 496 | 565 269 785 227 558 | 18 171 -174 -112 -62 | 103 164 78 51 89 | 23 26 31 6 25 | 39.5 59.1 50.7 52.2 50.4 | 19 20 13 2 | 3.3 4.5 2.1 1.7 2.2 | White Collier White Other races | 24 52 39 13 | 27 23 15 8 | -3 29 24 5 | (4/) (4/) (4/) (4/) | 1 1 | 19.2 25.6 | 1 | (5/) (5/) |
| New Haven Rural part Ansonia Derby Meriden | 6,451 370 65 356 602 | 5,020 629 125 213 396 | 1,431 -259 -60 143 206 | 129 59 52 167 152 | 256 18 4 16 17 | 39.7 48.6 61.5 44.9 28.2 | 152 12 9 18 | 2.4 3.2 2.5 3.0 | Columbia White Other races | 323 215 108 2,521 | 289 158 131 2,093 | 34 57 -23 428 | 112 136 82 120 | 13 10 3 161 | 40.2 46.5 27.8 63.9 | 25 8 17 117 | 7.7 3.7 15.7 4.6 |
| Naugatuck New Haven Wallingford | 29 3,081 43 | 2,170 117 | -78 911 -74 | 27 142 37 | 2 125 4 | 69.0 40.6 93.0 | 64 1 | (<u>5</u> /) 2.1 (<u>5</u> /) | Rural part White Other races Miami | 610 448 162 1,911 | 549 428 121 1,544 | 51 20 41 367 | 111 105 134 124 | 40 19 21 121 | 65.6 42.4 129.6 63.3 | 28 16 12 89 | 4.6 3.6 7.4 4.7 |
| Waterbury | 1,797 108 1,817 531 | 1,061 202 1,656 1,047 | 736 -94 161 -516 | 169 53 110 51 | 67 3 73 39 | 37.3 27.8 40.2 73.4 | 45 2 50 5 | 2.5 1.9 2.8 0.9 | White Other races De Soto | 1,444 467 177 | 1,114 430 114 | 330 37 63 | 130 109 155 | 76 45 15 | 52.6 96.4 84.7 | 43 46 6 | 3.0 9.9 3.4 |
| New London Norwich Tolland Windham Rurel part Willimantic | 792 494 293 798 528 270 | 414 195 301 597 430 167 | 378 299 -8 201 98 103 | 191 253 97 134 123 162 | 28 6 5 41 25 16 | 35.4 12.1 17.1 51.4 47.3 59.3 | 21 24 5 30 21 9 | 2.7 4.9 1.7 3.8 4.0 3.3 | White Other races Dixie White Other races Rural part White Cher races | 146 31 118 86 32 2,872 282 197 | 86 28 61 37 24 2,369 194 124 70 | 60 3 57 49 8 503 88 73 | (4/) (4/) (4/) (4/) (4/) 121 145 159 (4/) | 14 1 9 4 5 154 11 5 6 | 95.9 32.3 76.3 46.5 156.3 53.6 39.0 25.4 70.6 | 14 1 13 196 12 6 | 2.7 (5/) 9 (5/) (5) 6.8 4.3 (5/) (5/) |
| DELAWARE (total) | 647 | 3,208 | 16 | 103 | 55 | 85.0 | 23 | 3.6 | Jacksonville | 2,590 | 2,175 | 415 | 119 | 143 | 55.2 | 184 | 7.1 |
| White Other races Wilmington Other races White White White | 499 148 2,660 391 314 77 2,269 2,009 260 | 475 156 2,042 558 461 97 1,484 1,197 287 | 24 -8 618 -167 -147 -20 785 812 -27 | 105 95 130 70 68 (4/) 153 168 91 | 28 27 157 24 12 133 107 26 | 56.1 182.4 59.0 61.4 38.2 155.8 58.6 53.3 100.0 | 15 7 92 15 7 8 77 59 18 | 3.2 4.7 3.5 3.8 2.2 (<u>5/)</u> 3.4 2.9 6.9 | White Cther races Rural part White Other races Pensacola White Other races | 1,717 873 1,227 426 334 92 801 626 175 | 1,131 1,044 785 234 161 73 551 340 211 | 586 -171 442 192 173 19 250 286 -36 | 152 84 156 182 207 (4/) 145 184 83 | 83 60 105 31 20 11 74 57 | 48.3 68.7 85.6 72.8 59.9 119.6 92.4 91.1 97.1 | 67 117 73 20 10 10 53 30 23 | 3.9 13.4 5.9 4.7 3.0 (<u>5/)</u> 6.6 4.8 13.1 |
| Sussex | 729 557 172 | 535 413 122 | 194 144 50 | 136 135 141 | 56 33 23 | 76.8 59.2 133.7 | 33 19 14 | 4.5 3.4 8.1 | Flagler | 42 14 28 155 | 39 15 24 71 | 3 -1 4 84 | (4/) (4/) (4/) (4/) | 5 1 4 10 | 119.0 71.4 142.9 64.5 | 4 4 8 | (<u>5</u> /) (<u>5</u> /) 5.2 |
| DIST. OF COLUMBIA- | 10,803 | 8,483 | 2,320 | 127 | 642 | 59.4 | 409 | 3.8 | White Other races | 102 53 | 35 36 | 67 17 | (<u>4</u> /) (<u>4</u> /) | 6 4 | 58.8 75.5 | 4 | 3.9 (<u>5</u> /) |
| Washington White Other races | 7,162 | 8,483 5,258 3,225 | 2,320 1,904 416 | 127 136 113 | 642 292 350 | 59.4 40.8 96.1 | 409 222 187 | 3.8 3.1 5.1 | Jadsden | 579 197 362 | 603 267 336 | -24 -70 46 | 96 74 114 | 55 13 42 | 95.0 66.0 109.9 | 14 29 | 7.4 7.1 7.6 |

TABLE I.—BIRTHS, DEATHS, INFANT MORTALITY, AND STILLBIRTHS: 1935—Continued (See note at head of this table)

| | | | ND DEATHS | | MORT (Deat | ANT ALITY hs of s under | STIL | LBIRTHS | | | | ND DEATHS | | (Deat | ALITY | STILL | BIRTHS |
|---|---|---|--|---|--|--|--|---|--|---|---|--|---|---|---|---|--|
| AREA. | Nun | ber | Excess of | Births per | 1 year | of age, uding | Num- | Per 100 | AREA. | Num | ber | Excess | Births | 1 year | of age, uding | Num- | Per 100 |
| | Births | Deaths | births over deaths1/ | 100 deaths | Num- ber | Per 1,000 live births | ber | live births | | Births | Deaths | births over deaths <u>l</u> / | per 100 deaths | Num- ber | Per 1,000 live births | ber | live births |
| Section B—Continued FIGRIDA—Con. Gilchrist———————————————————————————————————— | 124 110 14 44 5 75 43 32 223 138 85 210 5 9 48 11 | 34 22 12 22 22 14 8 300 17 13 107 59 48 80 34 18 16 | 90 88 2 27 30 -5 45 26 19 116 79 37 130 25 30 -5 | (4/) (4/) (4/) (4/) (4/) (4/) (4/) (4/) | 84422 6243859514 6422 | 64.5 36.4 285.7 40.8 46.5 125.0 46.5 125.0 58.0 58.0 58.0 58.0 58.0 58.0 58.0 5 | 3 1 1 1 10 4 6 14 7 7 12 1 1 | 2.4 (5/) (5/) (5/) (5/) (5/) (5/) (5/) (5/) | Section B-Continued FIORIDA-Con. Okaloosa | 287 259 28 65 58 7 818 299 216 83 519 416 103 111 52 825 369 210 | 127 113 14 18 14 4 714 226 163 63 488 381 107 144 117 27 727 727 727 155 | 160 146 14 44 3 104 73 53 35 -4 -1 -6 5 98 82 55 | 226 229 (4/) (4/) (4/) (115 132 133 (4/) 106 109 95 (4/) 113 129 125 120 | 22 19 3 4 3 1 49 13 4 96 329 7 5 29 7 5 29 61 32 120 | 76.7 73.4 107.1 61.5 51.7 142.9 43.5 18.5 108.4 69.4 69.4 69.7 68.0 35.0 93.8 73.9 86.7 57.1 | 14 13 1 4 3 1 16 5 11 19 12 4 1 1 3 5 0 86 13 | 4.9 5.0 (5/) (5/) (5/) (5/) 5.7 5.4 2.3 (5/) 6.0 11.7 2.8 (5/) 6.1 7.0 8.2 |
| Highlands— White— Other races— Hillsborough— Runal part— White— Other races— Tampa— White———— White———— Indian River—— White——— Other races— Other races— | 183 134 49 2,502 864 695 1638 1,638 1,348 290 343 140 95 45 | 114 71 43 1,849 566 402 164 1,283 967 316 133 92 59 33 | 69 63 6 653 298 293 355 381 -26 210 48 36 | 161 (4/) (4/) 135 153 173 103 128 139 92 258 (4/) (4/) | 14 6 8 144 500 37 13 94 61 33 21 13 5 8 | 76.5 44.8 163.3 57.6 57.9 53.2 76.9 57.4 45.3 113.8 61.2 92.9 52.6 177.8 | 8 4 4 117 40 29 11 77 43 34 19 12 7 | 4.4 3.0 (5/) 4.7 4.6 4.2 6.5 4.7 5.5 8.6 (5/) | West Palm Heach White Other races Pacco | 456 325 131 184 159 25 862 311 266 45 551 414 137 | 440 261 179 149 121 28 1,177 346 295 51 831 716 115 | 16 64 -48 -35 38 -315 -315 -29 -5 -280 -302 -22 637 | 104 125 73 123 131 (4/) -73 90 90 (4/) 66 58 119 | 29 18 11 5 2 8 9 8 19 12 7 93 | 63.6 55.4 84.0 27.2 18.9 80.0 32.5 28.9 30.1 22.2 34.5 29.0 51.1 | 24 4 20 7 3 42 11 9 2 31 16 15 77 | 5.3 1.2 15.3 4.4 (<u>5/</u>) 4.9 3.5 3.4 (<u>5/</u>) 5.6 3.9 10.9 5.1 |
| Jackson— Other races— Jefferson— Other races— Cher races— Lafayette— Other races— Cther races— Lother races— Cther races— Cther races— Other races— Other races— | 861 527 334 325 69 256 67 60 7 476 328 148 282 227 55 | 320 171 149 162 44 118 13 7 6 355 228 127 212 154 58 | 541 355 185 163 25 138 54 53 1 121 100 21 70 73 | 269 308 224 201 (4/) (4/) (4/) (4/) (4/) 134 144 117 133 147 (4/) | 33 14 19 24 2 22 1 1 1 | 38.3 26.6 56.9 73.8 29.0 85.9 14.9 16.7 67.2 48.8 108.1 63.9 66.1 54.5 | 43 23 20 26 4 22 4 4 7 21 14 7 22 10 | 5.0 4.4 6.0 8.0 (5/) 8.6 (5/) 4.4 4.3 4.7 7.8 4.4 (5/) | Rural part White | 1,153 923 230 370 297 73 311 170 141 354 69 14 55 285 213 | 575 398 177 311 231 80 286 147 139 287 56 19 37 231 242 | 578 525 53 56 -7 25 22 67 13 -5 18 54 -17 | 201 232 130 129 (4/) 109 116 101 123 (4/) (4/) (4/) (4/) | 59 39 20 34 22 21 21 10 33 9 1 8 24 11 13 | 51.2 42.3 87.0 91.9 74.1 164.4 67.5 64.7 70.9 93.2 130.4 71.4 145.5 84.2 51.6 180.6 | 57 43 14 20 10 26 11 15 9 3 | 4.9 4.7 5.1 5.4 3.4 (5/) 8.4 6.5 10.6 2.5 (5/) 2.1 (5/) 2.1 (5/) |
| Rural part———————————————————————————————————— | 577 314 53 261 263 140 123 205 124 82 96 57 29 358 175 183 | 316 156 26 130 160 81 79 134 55 79 32 23 9 176 69 107 | 261 158 27 131 103 59 44 72 69 3 64 44 20 182 106 76 | 183 201 (4/) 201 164 (4/) (4/) (4/) (4/) (4/) (4/) 203 (4/) 171 | 40 23 3 20 17 9 8 23 14 9 5 4 18 6 | 69.3 73.2 56.6 76.6 64.6 64.3 65.0 111.7 112.9 109.8 52.1 59.7 34.5 50.3 34.3 | 39 20 4 16 19 4 15 13 3 10 3 1 25 5 80 | 6.8 6.4 (5/) 6.1 7.2 2.9 12.2 6.3 2.4 (5/) (5/) (5/) 7.0 2.9 10.9 | St. Lucie White Other races Santa Rose White Other races Sarasota White Other races Rural part White Other races Santord White Other races Santord White Other races | 161 116 45 343 299 44 223 171 52 375 172 66 106 203 114 | 97 70 27 128 104 24 137 99 38 256 98 45 55 55 158 71 | 64 46 18 215 20 86 72 14 119 74 21 53 45 43 | (4/) (4/) (4/) 288 (4/) 165 (4/) (4/) (4/) (4/) (4/) (4/) (4/) (4/) | 6 5 1 24 21 3 8 5 3 27 12 3 9 | 37.3 43.1 22.2 70.0 68.2 35.9 29.2 77.0 69.8 45.5 84.9 73.9 52.6 101.1 | 6 3 10 6 4 3 1 2 38 22 5 17 16 4 12 | 3.7 2.6 (5/) 2.9 2.0 (5/) 10.6 (5/) 10.1 12.8 (5/) 16.0 7.9 3.5 (5/) |
| Manatee White- Other races- Marion- White- Other races- Martin- White- Other races- White- Other races- Key West- White- Other races- White- Other races- White- Other races- Other races- Other races- Nassau- White- Other races- | 368 235 133 568 285 283 64 40 24 219 | 299 210 89 423 222 201 50 31 19 485 295 286 9 190 60 97 41 56 | 69 25 44 145 63 82 14 9 5 -266 -235 -286 -9 29 40 -11 84 61 23 | 123 112 (4/) 134 128 141 (4/) (4/) (4/) 15 131 (4/) (4/) (4/) (4/) (4/) | 13 8 5 37 16 21 5 2 3 14 1 1 13 8 5 8 | 35.3 34.0 37.6 65.1 56.1 74.2 78.1 50.0 125.0 63.9 59.4 47.1 102.0 44.2 39.2 50.5 | 22 8 14 23 7 16 2 1 5 3 2 11 2 9 | 6.0 3.4 10.5 4.0 2.5 5.7 (5/) (5/) 2.3 1.8 (5/) 6.1 2.0 (5/) | Sunter— White— Other races— Suwannee— White— Other races— Taylor— White— Other races— Union— White— Cother races— Rural part— White— Other races— Daytona Beach— White— Cother races— Cother races— Union— White— Cother races— Co | 177 119 58 412 284 128 211 155 56 140 101 39 619 347 240 107 75 75 | 90 58 32 178 91 87 108 57 51 78 45 33 580 305 216 89 275 189 86 | 87 61 266 234 193 41 103 98 5 62 56 66 39 42 24 18 -3 8 | (4/) (4/) (4/) (231 (4/) (4/) (4/) (4/) (4/) (4/) (4/) (111 (4/) 99 104 (4/) | 12 7 5 29 15 14 15 9 6 6 2 4 28 14 10 4 14 14 8 6 | 67.8 58.8 86.2 70.4 52.8 109.4 71.1 58.1 107.1 42.9 19.5 102.6 45.2 40.3 41.7 37.4 51.5 80.0 | 10 2 8 20 10 10 10 6 4 10 4 6 38 19 7 7 12 | 5.6 1.7 4.9 3.5 7.8 4.7 3.9 (5/) 6.1 5.5 2.5 12.1 7.0 3.6 (b/) |

TABLE I.—BIRTHS, DEATHS, INFANT MORTALITY, AND STILLEIRTHS: 1935—Continued (See note at head of this table)

| | | | AND DEATHS | | MORT (Deat | FANT FALITY The of | STIL | LBIRTHS | | | | ND DEATHS | | (Deat | ANT ALITY hs of s under | STILL | LBIRTHS |
|---|---|---|--|--|--|--|--|---|--|--|--|--|---|---|--|--|--|
| AREA | Num | iber | Excess | Birthe per | l year | of age, | Num- | Per 100 | area | Nuz | ber | Excess | Births per | l year | of age, uding | Num- | Per 100 |
| | Births | Deaths | births over deaths1/ | 100 deaths | Num- ber | Per 1,000 live births | ber | live births | | Births | Deaths | births over deathsl/ | 100 deaths | Num- ber | Per 1,000 live births | ber | live births |
| FLORIDA—Con. Wakulla—Con. White—Cother races—Walton—White—Cother races—Washington—Cother races—Other races—Other races—Other races—Other races— | 87 55 32 317 275 42 311 253 58 | 53 23 30 149 124 25 97 68 29 | 34 32 2 168 151 17 214 185 29 | (4/) (4/) (4/) 213 222 (4/) (4/) (4/) | 10 5 5 20 18 2 10 7 | 114.9 90.9 156.3 63.1 65.5 47.6 32.2 27.7 51.7 | 18 9 18 14 4 18 13 | (5/) (5/) (5/) 5.7 5.1 (5/) 5.8 5.1 (5/) | Section B—Continued GEORGIA—Con. Chatham— Rurel part— White— Other races— Sevannah— White——— Other races— Chattalocchee— White——— White——— White———— | 1,846 220 71 149 1,626 868 758 174 | 2,010 269 96 173 1,741 721 1,020 73 44 | -164 -49 -25 -24 -115 147 -262 101 72 | 92 82 (4/) 86 93 120 74 (4/) (4/) | 156 20 2 18 136 60 76 9 | 84.5 90.9 28.2 120.8 83.6 69.1 100.3 51.7 60.3 | 102 9 1 8 93 33 60 5 | 5.5 4.1 (5/) 5.4 5.7 3.8 7.9 2.9 |
| Appling | 63,260 350 299 61 209 150 59 198 167 31 192 66 126 302 94 208 | 34,288 102 64 38 58 37 21 70 61 9 76 62 48 603 298 305 | 248,972 248 225 23 151 113 38 128 106 22 116 38 78 -301 -204 | 343 (4/) (4/) (4/) (4/) (4/) (4/) (4/) (4/) | 18 10 8 11 8 3 15 14 1 15 5 10 27 7 20 | 68.3 51.4 34.6 131.1 52.6 53.3 50.8 83.8 32.3 76.1 75.8 79.4 89.4 96.2 | 17 13 4 9 6 3 9 7 2 15 2 13 17 1 | 6.1 4.9 4.5 [5/) 4.3 4.0 (5/) 4.5 4.2 (5/) 7.8 (5/) 10.3 5.6 (5/) 17.7 | Other races— Chattooga— White— Other races— Cherokee— Clarke— White— Other races— Athens— White— Clay— White— Clay— White— Clay— White— Clayton— White— Clayton— White— Clayton— Cher races— Clayton— Cher races— Clayton— Cher races— | 58 450 399 51 503 441 145 71 74 296 90 139 22 117 152 91 | 29 190 166 24 130 413 86 46 40 327 175 151 56 18 38 105 63 | 29 260 253 27 373 28 5 59 25 34 -31 30 -61 83 4 79 47 28 19 9 | (4/) 237 240 (4/) 387 107 (4/) (4/) (4/) 911 60 (4/) (4/) (4/) (4/) (4/) (4/) (4/) (4/) | 2 26 23 3 14 42 10 5 5 32 17 15 7 2 5 12 7 5 | 34.5 57.8 57.8 57.8 95.2 69.0 70.4 67.6 108.1 82.5 166.7 50.4 90.9 42.7 78.9 76.9 | 4 19 17 2 21 32 32 6 23 16 7 11 6 5 | (5/) 4.2 4.3 (5/) 4.2 7.3 6.2 (5/) 7.8 (5/) 5.8 (5/) 6.0 7.2 (5/) (5/) |
| Banks- Barrow- White- Other races- Bertow- White- Other races- Ben Hill Cother races- Bibb- Rural part- White- Other races- Macon- White- Other races- Bleckley- White- Other races- Brooks- Brooks- Brooks- Brooks- White- Other races- Butter- White- Other races- Butter- White- Other races- Butter- White- Other races- Calhoun- White- Other races- Candler- White- Other races- Catoosa- Catoosa- Catoosa- Catoosa- Catoosa- Catoosa- Catoosa- Catoosa- Catoosa- Chiler- Catoosa- Catoosa- Chiler- Catoosa- Catoosa- Chiler- Catoosa- | 207 216 180 36 551 459 92 309 188 121 399 351 48 1,351 202 61 141 1,149 666 483 251 149 102 176 146 57 79 674 357 317 7551 102 2448 161 102 178 161 287 136 57 79 674 357 317 551 102 103 186 186 103 186 186 188 186 188 188 188 188 | 79 122 95 27 282 204 153 87 66 129 108 21 1,228 21 1,228 25 43 96 95 45 74 62 12 201 76 75 75 62 233 86 43 43 108 18 90 102 27 75 101 63 328 244 848 75 | 128 94 65 9 269 2655 155 160 146 160 160 165 165 30 185 165 30 135 165 30 135 165 30 165 165 165 165 165 165 165 165 165 165 | (4/) 177 (4/) 177 (4/) 2025 (4/) 203 325 (4/) 106 128 85 (4/) 106 (4/) 223 (4/) 243 276 187 243 276 187 (4/) (4/) 257 243 276 187 (4/) (4/) 257 243 276 187 (4/) (4/) 253 (4/) (4/) 257 261 187 (4/) (4/) 203 (4/) (4/) 203 (4/) (4/) (4/) 203 (4/) (4/) (4/) 203 (4/) (4/) (4/) 203 (4/) (4/) | 18 16 15 3 3 54 43 43 43 45 11 2 2 2 6 6 7 7 12 2 2 5 7 7 15 2 2 2 5 7 7 7 15 2 2 2 5 7 7 15 2 2 2 2 5 7 7 15 2 2 2 2 5 7 7 15 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2 | 87.0 74.1 72.2 83.3 98.0 93.7 119.6 29.1 31.9 24.8 62.7 68.4 29.6 104.0 32.8 89.6 104.0 32.8 87.0 79.6 97.3 75.7 47.0 117.6 54.8 54.8 55.8 49.7 55.8 49.7 55.8 49.7 55.8 49.7 55.8 49.7 55.8 49.0 68.4 40.1 23.7 13.9 40.1 40.1 40.1 40.1 40.1 40.1 40.1 40.1 | 8 11 6 5 5 31 23 8 21 1 1 31 20 7 7 13 12 6 6 6 36 4 32 7 7 1 20 6 6 18 18 2 1 1 1 1 1 2 5 2 3 3 1 1 2 5 2 3 3 1 1 2 5 3 3 1 1 2 5 3 3 1 1 2 5 3 3 1 1 2 5 3 3 1 1 2 5 3 3 1 1 2 5 3 3 1 1 2 5 3 3 1 1 2 5 3 3 3 1 1 2 5 3 3 3 1 1 2 5 3 3 3 1 1 2 5 3 3 3 1 1 2 5 3 3 3 1 1 2 5 3 3 3 1 1 2 5 3 3 3 1 1 3 5 3 9 1 1 5 3 3 9 1 1 5 3 3 9 1 1 5 3 3 9 1 1 5 3 3 9 1 1 5 3 3 9 1 1 5 3 3 9 1 1 5 3 3 9 1 1 5 3 3 9 1 1 5 3 3 9 1 1 5 3 3 9 1 1 5 3 3 9 1 1 5 3 9 1 5 3 9 1 1 5 3 9 1 1 5 3 9 1 1 5 3 9 1 1 5 3 9 1 1 5 3 9 1 1 5 3 9 1 1 5 3 9 1 1 5 3 9 1 1 5 3 9 1 1 5 3 9 1 1 5 3 9 1 1 5 3 9 1 5 3 9 1 1 5 3 9 1 1 5 3 9 1 1 5 3 9 1 1 5 3 9 1 1 5 3 9 1 1 5 3 9 1 1 5 3 9 1 1 5 3 9 1 1 5 3 9 1 1 5 3 9 1 1 5 3 9 1 1 5 3 9 1 5 3 9 1 1 5 9 9 1 1 5 9 9 1 1 5 9 9 1 1 5 9 9 1 1 5 | 3.9 5.1 3.3 (5/) 5.6 5.0 (5/) 6.8 1.6 14.9 5.5 6.0 (5/) 9.7 9.9 14.2 9.7 15.1 6.0 4.7 12.7 12.7 12.7 15.1 (5/) 8.0 12.6 5.0 12.6 | Clinch- White- Other races- Cothes- White- Other races- Colquitt- White- Other races- Columbia- White- Other races- Coweta- White- Other races- Crawford- White- Other races- Cher races- Deason- Decatur- White- Other races- Defar races- Defar races- Decatur- White- Other races- Other races- Other races- Decatur- White- Other races- Other races- Decatur- White- Other races- Atlanta (part)- Dodgs- White- Other races- Dougherty- Rural part- White- Other races- Other races- Dougherty- Cher races- Other races- | 147 97 50 6000 477 123 425 315 110 674 478 196 249 72 177 77 237 294 247 217 77 237 212 66 146 367 210 137 78 580 2580 2580 (11/) 853 88 27 61 (11/) 522 297 225 445 159 286 442 177 11 66 365 368 277 11 66 365 368 277 11 66 365 368 | 47 26 21 243 258 85 170 117 53 282 90 61 105 71 34 235 99 136 81 32 82 130 35 13 289 12 136 43 21 289 136 43 21 289 12 136 43 21 289 12 136 137 136 137 137 138 139 136 130 130 130 130 130 130 130 130 | 100 100 71 29 287 289 38 285 198 285 198 286 106 189 42 116 189 148 100 103 185 75 80 103 185 (11/) 302 287 173 160 287 177 170 183 287 177 170 183 286 41 121 | (4/) (4/) (4/) (4/) (26) (4/) (26) (4/) (26) (4/) (4/) (4/) (4/) (4/) (4/) (4/) (4/ | 4 2 2 46 32 42 32 46 32 47 7 1 6 8 7 1 9 7 2 5 33 6 27 1 7 1 6 8 27 1 2 6 27 1 2 6 27 1 2 6 27 1 2 6 27 1 2 6 2 7 1 2 6 2 7 1 2 6 2 7 1 2 6 2 7 1 2 6 2 7 1 2 6 2 7 1 2 6 2 7 1 2 6 2 7 1 2 6 2 7 1 2 6 2 7 1 2 6 2 7 1 | 27.2 20.6 40.0 76.7 67.1 113.8 58.8 63.5 59.3 48.1 13.9 27.2 32.3 13.0 53.7 28.3 13.0 30.3 30.3 30.3 34.2 89.9 38.2 128.6 36.5 59.3 36.5 59.3 36.7 28.1 128.6 36.5 59.3 36.9 36.9 36.9 36.9 36.9 36.9 36.9 3 | 13 20 29 6 4 11 12 29 6 6 12 14 17 7 2 2 6 6 28 27 4 4 23 7 15 8 6 | (5/) (5/) (5/) (5/) (5/) (5/) (5/) (1.7) (5/) (6.2) (5/) (6.2) (5/) (1.1) (6.4) (1.1) (6.4) (1.1) (6.4) (1.1) (6.4) (1.1) (6.4) (1.1) (6.4) (1.1) (6.4) (1.1) (6.4) (1.1) (6.4) (1.1) (6.4) (1.1) (6.4) (1.1) (6.4) (1.1) (6.4) (1.1) (6.4) (1.1) (6.4) (1.1) (6.4) (1.1) (6.4) (6.4) (7.1) (6.4) (7.1) (6.4) (7.1) (6.4) (7.1) (6.4) (7.1) |

TABLE I.—BIRTHS, DEATHS, INFANT MORTALITY, AND STILLBIRTHS: 1935—Continued (See note at head of this table)

| | | | | | | | | 700 40 110 | id of this table) | | | | | | | | |
|----------------------------------|-------------------|------------------|----------------------------|---------------------------------------|-------------------------|--------------------------------|---------------------|---------------------------------------|----------------------------------|--------------------|-------------------|-------------------------------------|------------------------------|-------------------------|----------------------------------|---------------|--|
| | | | ND DEATHS stillbir | | MORT (Dest infant | s under | stii | lbirths | | | | ND DEATHS | | MORT (Deat infant | ANT ALITY hs of s under | STILL | BIRTES |
| AREA | Num | ber | Excess | Births | | of age, uding irths) | | Per | AREA | Num | ber | Excess | Births | | of age, uding irths) | | Per |
| | Births | Deaths | births over deathsl/ | per 100 deaths | Num- ber | Per 1,000 live births | Num- ber | 100 live births | | Births | Deaths | births over deaths <u>l</u> / | per 100 deaths | Num- ber | Per 1,000 live births | Num- ber | 100 live births |
| Section B—Continued GEORGIA—Con. | | | | | | | | | Section B-Continued GEORGIA-Con. | | | | | | | | |
| Early | 452 | 181 | 271 | 250 | 29 | 64.2 | 28 | 6.2 | Irwin | 346 | 114 | 232 | 304 | 22 | 63.6 | 25 | 7.2 |
| White Other races | 179 273 | 72 109 | 107 164 | (<u>4</u> /) 250 | 13 16 | 72.6 58.6 | 2 26 | 1.1 9.5 | White Other races | 170 176 | 63 51 | 107 125 | (4/) (4/) | 9 13 | 52.9 73.9 | 8 17 | 4.7 9.7 |
| Echols | 76 59 | 14 | 62 47 | (<u>4/)</u> (<u>4/)</u> | 1 | 13.2 16.9 | . 1 | (<u>5</u> /) | Jackson | 551 440 | 179 132 | 372 308 | 308 333 | 34 23 | 61.7 52.3 | 23 19 | 4.2 |
| Other races | 17 223 108 | 124 59 | 15 99 | (<u>4</u> /) 180 | 23 | 103.1 | 26 4 | (<u>5</u> /) | Other races Jasper | 111 222 57 | 47 113 | 64 109 8 | (<u>4</u> /) | 11 15 | 99.1 67.6 | 7 | 3.6 3.2 |
| White Other races Elbert | 115 477 | 65 203 | 49 50 274 | (<u>4</u> /) (<u>4</u> /) 235 | 15 31 | 74.1 130.4 65.0 | 22 17 | 3.7 19.1 3.6 | White Other races Jeff Davis | 165 192 | 49 64 83 | 101 109 | (4/) (4/) (4/) | 11 15 | 70.2 66.7 78.1 | 1 6 7 | (<u>5</u> /) 3.6 3.6 |
| WhiteOther races | 210 267 | 109 | 101 173 | 193 | 15 16 | 71.4 59.9 | 2 15 | 1.0 | White Other races | 1,52 40. | 67 16 | 85 24 | (4/) (4/) | 11 4 | 72.4 | 5 2 | 3.3 (<u>5</u> /) |
| Emanuel | 511 272 | 250 120 | 261 152 | 204 | 37 12 | 72.4 44.1 | 31 10 | 6.1 3.7 | Jefferson | 447 131 | 157 78 | 290 53 | 285 (4/) | 16 6 | 35.8 45.8 | 25. 2 | 5.6 1.5 |
| Other races | 239 | 130 | 109 | 184 | 25 | 104.6 | 21 | 8.8 | Other races Jenkins | 316 327 | .139 | 237 188 | (<u>4</u> /) 235 | 10 | 31.6 55.0 | 23 21 | 7.3 6.4 |
| Evans | 158 106 | 73 36 | 85 70 | (4/) (4/) | 8 5 | 50.6 47.2 | 18 | 6.6 | White | 126 201 | 63 76 | 63 125 | (4/)· (4/) | 9 | 71.4 44.8 | 5 16 | 4.0 8.0 |
| Other races | 52 432 182 | .37 125 77 | 15 307 105 | (4/) 346 | 3 34 15 | 57.7 78.7 82.4 | 11 17 8 | (<u>5</u> /) 3.9 | Johnson | 282 158 | 103 50 | 179 108 | (4/) | 12 5 | 42.6 31.6 | 19 4 | 6.7 2.5 |
| Fayette | 97 | 52 25 | 45 60 | (4/) (4/) (4/) | 13 8 7 | 82.5 82.4 | 3 5 | (5/) (5/) | Jones | 124 209 | 53 88 | 71 121 | (<u>a</u> /) | 7 23 | 56.5 110.0 | 15 16 | 12.1 7.7 |
| Floyd | 1,121 | 586 165 | 535 476 | 191 388 | 91 34 | 81.2 53.0 | 54 22 | 4.8 | White Other races | 45 164 | 22 66 | 23° | (4/) (4/) | 21 21 | 44.4 128.0 | 3 13 | (<u>5</u> /) 7.9 |
| White Other races | 562 79 | 140 25 | 422 54 | 401 (<u>4</u> /) | 26 8 | 46.3 101.3 | 17 5 | 3.0 (<u>5</u> /) | Lamar | 210 92 | 113 52 | 97 4 0 | 186 (<u>4</u> /) | 16 5 | 76.2 54.3 | 24 11 | 11.4 (<u>5</u> /) |
| Roms | 480 401 | 421 301 | 59 100 | 114 | 57 41 | 118.8 102.2 | 32 19 | 6.7 4.7 | Other races Lanier | 118 46 | 61 25 | 57 21 | (4/) (4/) | 11. | 93.2 108.7 | 13 | 11.0 (<u>5/)</u> |
| Other races Forsyth | 79 284 | 120 43 | -41 241 | 66 (<u>4</u> /) | 16 9 | 202.5 | 13 8 | (<u>5</u> /) 2.8 | White Other races Laurens | 18 28 793 | 13 12 398 | 5 16 395 | (4/) (4/) 199 | 2 3 30 | 111.1 107.1 37.8 | 2 4 44 | (<u>5</u> /) (<u>5</u> /) 5 . 5 |
| Franklin | 361 317 | 142 117 | 219 200 | 254 271 | 16 10 | 44.3 31.5 | 9 | 0.9 | WhiteOther races | 438 355 | 215 183 | 223 172 | 204 194 | 11 | 25.1 53.5 | 18 | 4.1 7.3 |
| Other races | (11/) 622 | (11/) 728 | (11/) | (4/) (11/) 85 | (<u>11</u> /) 57 | 136.4 (11/) 91.6 | (<u>11/)</u> 37 | | Les | 176 29 | 113 14 | 63 15 | 156 (4/) | 21 3 | 119.3 | 20 | 11.4 (5/) |
| Rural part White Other races | 486 136 | 513 215 | -106 -27 -79 | 95 63 | 41 16 | 84.4 | 24 13 | 4.9 | Other races | 147 | 99 | 48 | (4/) | 18 | 122.4 | 19 | 12.9 |
| Atlanta 11/ White | 5,549 3,585 | 4,340 | 1,209 | 128 | 408 217 | 73.5 60.5 | 280 132 | 5.0 | Liberty | 189 43 | 138 24 | 51 19 | 137 (<u>4/)</u> | 35 6 | 185.2 | 22 | 11.6 (<u>5</u> /) |
| Other races | | 2,055 67 | -91 173 | 96 (<u>4</u> /) | 191 10 | 97.3 41.7 | 148 8 | 7.5 3.3 | Other races Lincoln White | 146 195 79 | 114 40 19 | 32 155 60 | 128 (4/) (4/) | 29 8 3 | 198.6 41.0 38.0 | 19 6 1 | 13.0 3.1 (<u>5</u> /) |
| Glascock | 104 74 | 39 23 | 65 51 | (4/) (4/) | 4 2 | 38.5 27.0 | 7 5 | 6.7 (5/) | Other races | 116 63 | 21 36 | 95 27 | (4/) (4/) | 5 6 | 43.1 95.2 | 5 8 | 4.3 (5/) |
| Other races | 30 350 | 16 304 | 14 46 | (<u>4</u> /) 115 | 18 | 65.7 51.4 | 2 26 | (5/) (5/) 7.4 | White Other races | 32 31 | 15 21 | 17 10 | (4/) | 2 4 | 62.5 129.0 | 3 5 | (<u>5</u> /) (<u>5</u> /) |
| Rural part White | 88 49 | 55 30 | 33 19 | (4/) (4/) | 3 | 34.1 61.2 | 5 | (5/) | Lowndes | 654 310 | 405 115 | 249 195 | 161 270 | 34 8 | 52.0 25.8 | 49 14 | 7.5 4.5 |
| Other races Brunswick | 39 262 176 | 25 249 120 | 14 13 56 | (<u>4</u> /) 105 147 | 15 | 57.3 39.8 | 5 21 7 | (<u>5</u> /) 8.0 4.0 | White Other races Valdosta | 135 175 344 | 59 56 290 | 76 119 54 | (4/) (4/) | 4 4 26 | 29.6 22.9 75.6 | 1 13 35 | 0.7 7.4 10.2 |
| White | 86 423 | 129 | -43 266 | 67 269 | 8 27 | 93.0 63.8 | 14 | (<u>5</u> /) 2.6 | White Other races | 186 158 | 130 160 | 56 -2 | 143 99 | 9 | 48.4 107.6 | 10 25 | 5.4 15.8 |
| GradyWhite | 440 259 | 221 146 | 219 113 | 199 177 | 38 23 | 86.4 88.8 | 30 10 | 6.8 3.9 | Lumpkin | 114 | 39 | 75 | (4/) | 7 | 61.4 | 4 | .3.5 |
| Other races | 181 | 75 146 | 106 | (<u>4</u> /) 210 | 15 27 | 82.9 87.9 | 20 16 | 11.0 5.2 | McDuffie | 191 56 - 135 | 116 43 75 | 73 13 60 | 162 (4/) | 21 5 16 | 109.9 89.3 118.5 | 18 3 15 | 9.4 (<u>5</u> /) 11.1 |
| WhiteOther races | 125 182 | 60 86 | 65 96 | (4/) (4/) | 8 19 | 64.0 104.4 | 3 13 | 2.4 7.1 | Other races McIntosh White | 116 36 | 98 24 | 18 | (4/) (4/) | 13 | 112.1 | 18 | 15.5 |
| Gwinnett | 664 564 | 242 205 | 422 359 | 274 275 | 47 38 | 70.8 67.4 | 25 24 | 3.8 4.3 | Other races | 80 397 | 74 179 | 6 218 | (4/) 222 | 10 36 | 125.0 | 17 42 | (<u>5</u> /) (<u>5</u> /) 10.6 |
| Other races | 100 329 | 37 145 | 184 | (<u>4</u> /) 227 | 9 16 | 90.0 48.6 | 10 | 3.0 | White Other races | 82 315 | 53 126 | 29 189 | (<u>4</u> /) 250 | 3 33. | 36.6 104.8 | 3 39 | (<u>5</u> /) 12.4 |
| White | 613 542 | 340 289 | 273 253 20 | 180 | 55 47 8 | 89.7 86.7 112.7 | 36 34 2 | 5.9 6.3 | Madison | 355 276 | 115 88 | 240 188 | 309 (<u>4</u> /) | 15 8 | 42.3 29.0 | 23 17 | 6.5 6.2 |
| Other races Hancock White | 71 372 52 | 51 112 33 | 260 | (<u>4</u> /) 332 (<u>4</u> /) | 17 5 | 45.7 96.2 | 29 5 | (<u>5</u> /) 7.8 (<u>5</u> /) | Other races | 79 196 | 27 95 | 52 101 | (4/) (4/) | 7 15 | 68.6 76.5 | 81 4 | (<u>5</u> /) 10.7 |
| Other races | 320 275 | 79 120 | 241 155 - | (<u>4</u> /) 229 | 12 16 | 37.5 58.2 | 24 13 | 7.5 4.7 | White Other races | 70 126 | 42 53 | 28 73 | (<u>4</u> /) | 11 | 57.1 87.3 | 4 17 | (<u>5</u> /) 13.5 |
| Harris | 261 54 | 119 50 | 142 | 219 (<u>4/</u>) | 12 | 46.0 37.0 | 15 1 | 5.7 (<u>5</u> /) | Meriwether | 495 194 | 233 99 | 262 95 | 212 (<u>4</u> /) | 28 9 | 56.6 46.4 | 32 6 | 6.5 3.1 |
| Other races | 207 | 69 140 | 138 196 | (4/) 240 | 10 27 | 48.3 80.4 | 14 | 6.8 4.8 | Other races | 301 202 | 134 79 | 167 123 | 225 (4/) | 19 13 | 63.1 64.4 | 26 15 | 8.6 7.4 |
| White Other races | 268 68 | 99 · 41 | 169 27 | (4/) (4/) | 20 | 74.6 102.9 | 12 4 | 4.5 (<u>5</u> /) | White Other races | 105 97 | 50 29 | 55 68 | (<u>4/)</u> (<u>4/)</u> | 8 5 | 76.2 51.5 | 11 11 | 3.8 (<u>5</u> /) |
| HeardWhite | 218 145 | 78 53 | 140 92 | (4/) (4/) | 20 | 91.7 75.9 | 9 | 4.1 | Mitchell | 605 243 362 | 243 101 142 | 362 142 220 | 249 241 255 | 51 18 33 | 84.3 74.1 91.2 | 51 8 43 | 8.4 3.3 11.9 |
| Other races | 73 393 | 25 140 | 253 | (<u>4</u> /) 281 | 10 | 123.3 25.4 | 35 4 | (<u>5</u> /) 8.9 | Monroe | 263 67 | 142 137 50 | 126 17 | 192 (4/) | 13 4 | 49.4 59.7 | 20 | 7.6 |
| White Other races | 145 248 233 | 68 72 93 | 77 176 140 | (4/) (4/) (4/) | 3 7 14 | 20.7 28.2 60.1 | 31 18 | 2.8 12.5 7.7 | Other races Montgomery | 196 256 | 87 88 | 109 168 | (4/) (4/) | 9 17 | 45.9 66.4 | 20 21 | 10.2 8.2 |
| Houston | 65 | 25 68 | 40 100 | | 2 12 | 30.8 | 3 | (<u>5</u> /) 8.9 | White | 130 126 | 47 41 | 83 | ·(4/) (4/) | 8 9 | 61.5 | 4 17 | 3.1 13.5 |
| | | | | | | _ | | | • | | | | ı | | | | |

See footnotes at end of table.

¹⁵⁵⁰¹⁰ O-37---4

TABLE I.—BIRTHS, DEATHS, INFANT MORTALITY, AND STILLBIRTHS: 1935—Continued (See note at head of this table)

| | (exc | | ND DEATHS | | MORT (Deat | FANT FALITY the of | STII | LBIRTHS | | (exc) | | ND DEATHS | | MORT (Deat | ANT ALITY hs of s under | STILL | BIRTES |
|--|---|--|---|--|--|--|--|--|--|---|---|--|--|---|--|---|--|
| AREA | Nur | nber | Excess | Births per | l year | of age, uding irths) | Num- | Per 100 | AREA | Nun | ber | Excess of | Births | l year | of age, uding | | Per |
| | Births | Deaths | births over deeths <u>l</u> / | 100 deaths | Num- ber | Per 1,000 live births | ber | live births | | Births | Deaths | births over deaths1/ | per 100 deaths | Num- ber | Per 1,000 live births | Num- ber | 100 live births |
| Section B—Continued GEORGIA—Con. Morgan————— White————— Other races—— Murray——————————————————————————————————— | 273 82 191 267 | 148 64 84 71 | 125 18 107 196 | 184 (<u>4</u> /) (<u>4</u> /) (<u>4</u> /) | 19 8 11 19 | 69.6 97.6 57.6 71.2 | 16 1 15 10 | 5.9 (<u>5/)</u> 7.9 3.7 | GEORGIA—Con. Talbot | 174 25 149 160 | 111 37 74 82 | 63 -12 75 78 | 157 (<u>4</u> /) (<u>4</u> /) (<u>4</u> /) | 14 2 12 11 | 80.5 80.0 80.5 68.8 | 6 1 5 | 3.4 (<u>5</u> /) 3.4 6.3 |
| Muscogee- Rural part White Columbus White Newton White Other races | 1,124 197 101 96 927 614 313 398 228 170 | 889 102 55 47 787 435 352 169 88 81 | 235 95 46 49 140 179 -39 229 140 89 | 126 193 (4/) (4/) 118 141 89 236 (4/) (4/) | 81 12 7 5 69 39 30 27 12 15 | 72.1 60.9 69.3 52.1 74.4 63.5 95.8 67.8 52.6 88.2 | 97 7 1 6 90 36 54 20 5 15 | 8.6 3.6 1.0 (5/) 9.7 5.9 17.3 5.0 2.2 8.8 | White Other races Tatnall White Taylor Other races Telfair Other races | 32 128 338 251 87 264 121 143 346 202 144 | 22 60 111 80 31 115 60 55 154 88 66 | 10 68 227 171 56 149 61 88 192 114 78 | (4/) (4/) 305 (4/) 230 (4/) (4/) 225 (4/) (4/) | 11 19 16 3 19 8 11 20 7 | 85.9 56.2 63.7 34.5 72.0 66.1 76.9 57.8 34.7 90.3 | 10 20 12 8 18 5 13 29 12 | 7.8 5.9 4.8 (<u>5</u> /) 6.8 4.1 9.1 8.4 5.9 |
| White- Other races- Oglethorpe- White- Other races- Paulding- Peach- White- Other races- Pickens- Pickens- Other races- Other races- | 75 68 341 158 183 234 255 101 154 206 319 245 74 | 113 24 89 57 113 24 89 57 113 78 | 77 43 212 100 112 151 142 77 65 149 206 167 39 | (4/) (4/) 264 (4/) (4/) (4/) 226 (4/) (4/) 282 (4/) (4/) | 10 4 27 14 13 10 25 2 23 14 12 | 133.3 58.8 79.2 88.6 71.0 42.7 98.0 19.8 149.4 68.0 37.6 44.9 13.5 | 11 6 5 13 10 24 4 20 7 28 14 | 7.7 (5/) (5/) 3.8 7.1 4.3 9.4 4.0 13.0 3.4 8.8 5.7 (5/) | Terrell— White— Other races— Thomas— Rural part— White— Other races— Thomasville— White— Other races— Tift— White— Other races— | 431 57 374 622 407 182 225 215 104 111 340 212 128 | 194 48 146 456 206 108 98 250 121 129 197 121 | 237 9 228 166 201 127 -35 -17 -18 143 91 52 | 222 (4/) 256 136 198 169 (4/) 86 86 173 175 (4/) | 29 2 27 57 33 15 18 24 13 11 35 19 | 67.3 35.1 72.2 91.6 81.1 82.4 80.0 111.6 125.0 99.1 102.9 89.6 125.0 | 33 2 31 67 32 8 24 35 15 20 23 10 | 7.7 (5/) 8.3 10.8 7.9 4.4 10.7 16.3 14.4 18.0 6.8 4.7 |
| Pike | 278 99 179 579 477 102 195 70 125 204 51 | 122 47 75 211 158 53 96 36 60 114 42 | 156 52 104 368 319 49 99 34 65 90 | 228 (4/) (4/) 274 302 (4/) (4/) (4/) (4/) (4/) | 24 7 17 38 31 7 16 5 11 21 | 86.3 70.7 95.0 65.6 65.0 68.6 82.1 71.4 88.0 102.9 58.8 | 14 2 12 21 15 6 14 6 8 | 5.0 (5/) 6.7 3.6 3.1 5.9 7.2 (5/) 6.4 3.9 (5/) | Toombs | 342 219 123 111 191 134 57 770 377 138 239 | 198 121 77 25 60 41 19 459 179 68 111 | 144 98 45 86 131 93 38 311 198 70 128 | 173 181 (4/) (4/) (4/) (4/) (4/) 168 211 (4/) 215 | 29 18 11 4 14 9 5 61 24 9 | 84.8 82.2 89.4 36.0 73.3 67.2 87.7 79.2 63.7 65.2 62.8 | 26 13 13 3 9 6 3 42 18 8 | 7.6 5.9 10.6 2.7 4.7 4.5 (5/) 5.5 4.8 5.8 4.2 |
| Quitman White Races Rabun Other races Rabun Other races Richmond Rural part Rural pert | 153 85 21 64 132 447 122 325 1,486 178 | 72 35 11 24 41 203 78 125 1,384 129 | 50 10 40 91 244 44 200 102 49 | (4/) (4/) (4/) (4/) (4/) 220 (4/) 260 107 138 | 18 8 2 6 7 39 10 29 138 9 | 94.1 95.2 93.8 53.0 87.2 82.0 89.2 92.9 50.5 | 6 4 4 32 3 29 129 9 | 3.9 (5/) (5/) 3.0 7.2 2.5 8.9 8.7 5.1 | Turner | 393 303 90 262 168 94 249 51 196 221 | 280 170 110 87 42 45 66 23 43 56 | 113 133 -20 175 126 49 183 28 155 165 | 140 178 82 (4/) (4/) (4/) (4/) (4/) (4/) (4/) (4/) | 37 26 11 16 11 5 11 2 9 | 94.1 85.8 122.2 61.1 65.5 53.2 44.2 39.2 45.5 49.8 | 24 9 15 15 2 13 14 2 12 5 | 6.1 3.0 (5/) 5.7 1.2 (5/) 5.6 (5/) 6.1 2.3 |
| White Other races Augusta White Other races | 73 105 1,308 818 490 | 71 58 1,255 631 624 | 2 47 53 187 -134 | (4/) (4/) 104 130 79 | 2 7 129 62 67 | 27.4 66.7 98.6 75.8 136.7 | 2 7 120 47 73 | (5/) 6.7 9.2 5.7 14.9 | White Walker Walton White | 589 398 191 644 513 303 | 243 129 114 260 239 137 | 345 269 77 384 274 166 | 242 309 158 248 215 221 | 36 22 14 35 35 20 | 61.1 55.3 73.3 54.3 68.2 66.0 | 38 18 20 14 27 10 | 6.5 4.5 10.5 2.2 5.3 |
| Rockdale | 137 71 66 125 20 105 485 158 327 218 124 94 | 95 46 39 52 19 33 200 78 122 78 45 | 52 25 27 73 1 72 285 80 205 140 79 51 | (4/) (4/) (4/) (4/) (4/) 243 (4/) 258 (4/) (4/) (4/) (4/) | 9 6 3 8 1 7 34 9 25 19 | 65.7 84.5 45.5 64.0 50.0 66.7 70.1 57.0 76.5 87.2 88.7 85.1 | 11 7 4 6 1 5 26 4 22 14 7 | 8.0 (5/) (5/) 4.8 (5/) 4.8 5.4 2.5 6.7 6.4 5.6 (5/) | Other races Ware White Other races Wayeross Wite Other races Warren White Other races | 210 556 212 173 39 344 261 83 216 64 152 | 102 358 75 61 14 283 164 119 97 36 61 | 108 198 137 112 25 61 97 -36 119 28 91 | 206 155 (4/) (4/) (4/) 122 159 70 (4/) (4/) (4/) | 15 26 12 11 1 14 9 5 17 2 | 71.4 45.8 56.6 63.6 25.6 40.7 34.5 60.2 78.7 31.3 98.7 | 17 27 4 1 3 23 14 9 12 1 | 8.1 4.9 1.9 0.6 (5/) 6.7 5.4 (5/) 5.6 (5/) 7.2 |
| Spalding | 543 197 97 100 346 244 102 274 226 48 244 220 629 170 459 | 349 141 81 60 208 129 79 121 95 26 118 28 90 313 81 232 | 194 56 16 40 138 115 23 153 151 22 126 -4 130 316 89 227 | 156 156 (4/) (4/) 166 189 (4/) 226 (4/) (4/) 207 (4/) (4/) (4/) 201 (4/) 198 | 44 15 10 5 29 18 11 17 14 3 19 2 17 36 4 32 | 81.0 76.1 103.1 50.0 83.8 73.8 107.8 62.0 61.9 62.5 77.9 83.3 77.9 83.3 77.3 57.2 23.5 69.7 | 56 24 8 16 32 11 21 8 4 12 12 57 8 49 | 10.3 12.2 (5/) 16.0 9.2 4.5 20.6 2.9 1.8 (5/) 4.9 5.5 9.1 4.7 | Washington | 562 221 341 326 253 73 121 32 69 203 121 82 164 538 301 152 149 | 264 119 145 131 86 45 36 23 13 76 41 35 66 238 99 45 54 | 298 102 196 195 167 28 85 9 75 127 80 47 98 300 202 107 95 | 213 196 235 249 (4/) (4/) (4/) (4/) (4/) (4/) (2/) (4/) (2/) (4/) (4/) (4/) (4/) | 28 12 16 22 18 4 7 3 4 16 10 5 9 40 13 3 10 | 49.8 54.3 46.9 67.5 71.1 54.8 57.9 93.8 44.9 73.8 82.6 73.2 54.9 74.3 43.2 19.7 67.1 | 35 5 30 24 15 9 3 6 18 8 10 5 30 15 5 | 6.2 2.3 8.8 7.4 5.9 (5/) (5/) 8.9 (5/) 8.9 (5/) 8.5 (5/) 3.0 5.6 5.6 5.7 |

TABLE I.—BIRTHS, DEATHS, INFANT MORTALITY, AND STILLBIRTHS: 1935—Continued (See note at head of this table)

| | | | ND DEATS | | (Deat | ALITY hs of | STIT | LBIRTHS | | | | ND DEATHS | | MORT (Deat | ANT ALITY hs of | STILI | BIRTHS |
|--|--|---|---|---|---|--|---|---|--|---|--|---|---|---|--|--|---|
| AREA | Мил | ber | Excess | Births | 1 year | s under of age, uding irths) | Num- | Per 100 | AREA | Num | ber | Excess of | Births per | l year | s under of age, uding irths) | Num- | Per 100 |
| | Births | Deaths | births over deathsl/ | 100 deaths | Num- ber | Per 1,000 live births | ber | live births | | Births | Deaths | births over deathsl/ | 100 deaths | Num- ber | Per 1,000 live births | ber | live births |
| Section B-Continued GEORGIA-Con. Wilkes | 381 | 162 | 219 | 235 | 15 | 39.4 | 18 | 4.7 | Section B—Continued ILLINOIS—Con. Christien————— | 627 | 410 | 217 | 153 | 30 | 47.8 | 22 | 3.5 |
| White | 114 257 226 100 126 546 265 281 | 49 113 91 27 64 226 94 132 4,531 | 65 154 135 73 62 320 171 149 | (4/) 236 (4/) (4/) (4/) 242 (4/) 213 | 4 11 16 4 12 43 13 30 | 35:1 41:2 70:8 40:0 95:2 78:8 49:1 106:8 | 1 17 12 3 9 33 9 24 | 0.9 6.4 5.3 3.0 7.1 6.0 3.4 8.5 | Clark- Clay- Clinton- Rural part- Centrelia (part)- Coles- Rural part- Mattoon- Cook- Rural part- | 608 347 261 (<u>13</u> /) 1,603 | 191 157 (12/) 222 (12/) 477 255 222 (13/) 3,459 | 83 88 (12/) 175 (12/) 131 92 39 (13/) -1,856 | 143 156 (12/) 179 (12/) 127 136 118 (13/) 46 | 14 7 (12/) 19. (12/) 32 17 15 (13/) 75 | 51.1 28.6 (12/) 47.9 (12/) 52.6 49.0 57.5 (13/) | 7 15 (12/) 7 (12/) 16 9 7 (13/) 49 9 | 2.6 6.1 (12/) 1.8 (12/) 2.6 2.6 2.7 (13/) 3.1 2.1 |
| Ada | 808 50 758 69 679 119 | 523 57 466 27 284 43 241 | 285 -7 292 42 395 76 319 | 154 (4/) 163 (4/) 239 (4/) 232 | 34, 6 28 3 37 5 52 | 42.1 120.0 36.9 43.5 54.5 42.0 57.1 | 21 3 18 2 18 4 14 | 2.6 (5/) 2.4 (5/) 2.7 3.4 2.5 | Berwyn Blue Island Brookfield Calumet City Chicago White Other races | 4,384 | 311 183 65 55 35,431 31,395 4,036 | 111 143 -5 34 13,995 13,647 348 | 136 178 (4/) (4/) 139 143 109 | 16 1,994 1,745 249 | 37.9 49.1 16.7 40.3 38.7 56.8 | 11 1,342 1,179 163 | (5/) 2.7 2.6 3.7 |
| Benr Lake Benewah Blaghem Blaghem Boise Bonnor Bonnoville Boundary Butte | 118 127 493 74 7 263 715 111 | 45 84 225 42 10 126 233 46 15 | 73 43 268 32 -3 137 482 65 | (4/) (4/) 219 (4/) 209 307 (4/) (4/) | 7 7 38 4 11 43 3 | 59.3 55.1 77.1 54.1 41.8 60.1 27.0 | 4 14 1 1 16 1 | 3.1 2.8 (<u>5</u> /) 1.5 2.2 0.9 | Chicago Hoights— White— Other races— Cicero— Elgin (part)— Elmwood Park— Evenston— Forest Park— Harvey— La Grange————— | 447 412 35 184 (13/) 52 1,632 33 523 | 221 205 16 344 (13/) 46 689 110 193 53 | 226 207 19 -160 (13/) 6 943 -77 :330 -46 | 202 201 (4/) 53 (13/) (4/) 237 30 271 (4/) | 27 25 2 16 (13/) 3 62 2 27 3 | 60.4 60.7 57.1 87.0 (13/) 57.7 38.0 60.6 51.6 428.6 | 12 9 3 4 (13/) 2 35 11 | 2.7 2.2 (5/) 2.2 (13/) (5/) 2.1 |
| Camas | 305 | 6 371 67 130 6 99 27 | 20 317 -32 175 -1 32 | (4/) 185 (4/) 235 (4/) (4/) (4/) | 2 31 6 23 8 3 | 76.9 45.1 171.4 75.4 61.1 96.8 | 13 8 5 1 | (5/) 1.9 2.6 3.8 (5/) | Maywood Melrose Park Oek Park Park Ridge Wilmette Winnetka | 71 277 1,736 4 13 2 | 123 95 766 57 106 63 | -52 182 970 -53 -93 -61 | 58 (4/) 227 (4/) 12 (4/) | 2 13 51 | 28.2 46.9 29.4 76.9 | 2 57 1 | (5/) 0.7 3.3 (5/) |
| Elmore- Franklin- Fromont- Gem- Gooding- Idaho- Jefferson- Jerome- Kootenai | 213 - 184 - 171 - 213 - 202 - 163 | 35 69 45 66 62 109 57 38 236 | 35 193 168 118 109 104 145 125 36 | (4/) (4/) (4/) (4/) (4/) (4/) (4/) (115 | 3 11 2 6 14 14 15 12 17 | 42.9 42.0 9.4 32.6 81.9 65.7 74.3 73.6 62.5 | 1 5 3 4 4 5 4 3 4 | (5/) 1.9 1.4 2.2 2.3 2.8 2.0 1.8 1.5 | Crawford- Cumberland- De Kalb- De Witt- Douglas- Du Page- Rural part- Edgar- Edwards- | 349 192 489 255 304 727 439 288 378 144 | 241 141 340 218 201 754 618 136 294 | 108 51 149 37 103 -27 ~179 152 84 54 | 145 136 144 117 151 96 71 212 129 (4/) | 18 7 13 14 12 26 20 6 26 26 | 51.6 36.5 26.6 54.9 39.5 35.8 45.6 20.8 68.8 48.6 | 14 4 12 8 16 27 13 14 10 | 4.0 2.1 2.5 3.1 5.9 3.7 3.0 4.9 2.6 6.9 |
| Latah | 91 69 58 256 192 | 147 68 17 23 71 45 255 | 124 23 52 35 185 147 129 | 184 (4/) (4/) (4/) (4/) (4/) 151 | 6 3 1 2 11 5 | 22.1 33.0 14.5 34.5 43.0 25.0 41.7 | 8 3 1 6 5 1 | 3.0 (5/) (5/) (5/) (5/) 2.0 0.5 3.9 | Effinghem | 340 485 175 910 586 324 | 259 282 170 502 337 165 | 81 203 5 408 249 159 | 131 172 103 181 174 196 | 15 21 7 73 42 31 | 44.1 43.3 40.0 80.2 71.7 95.7 | 11 17 3 30 16 14 | 3.2 3.5 1.7 3.3 2.7 4.3 |
| Oneida | 122 32 143 93 242 53 748 | 26 23 68 44 205 12 320 27 97 | 96 9 75 49 37 41 428 24 82 | (4/) (4/) (4/) (4/) 118 (4/) 234 (4/). (4/) | 2 12 13 13 2 40 7 6 | 16.4 62.5 83.9 10.8 53.7 37.7 53.5 137.3 33.5 | 1 8 3 19 2 1 | 0.8 | Fulton—Rural part—Canton—Gallatin—Green—Grundy—Hemilton—Hancok—Hendin—Hendorson—Hendor | 619 384 235 191 361 255 240 304 124 | 494 303 191 104 239 203 170 285 89 81 | 125 81 44 87 122 52 70 19 35 | 125 127 123 184 151 125 141 107 (4/) | 39 24 15 8 29 11 13 10 10 | 63.0 62.5 63.8 41.9 80.3 43.1 54.2 32.9 80.6 24.0 | 24 12 12 7 9 5 13 5 6 | 3.9 3.1 5.1 3.7 2.5 2.0 5.4 1.6 4.8 3.2 |
| ILLINOIS (total)-: Adams Rural part Quincy Alexander | 957 144 813 444 | 85,518 809 215 594 366 | 26,366 148 -71 219 78 | 131 118 67 137 121 | 5,138 47 3 44 35 | 45.9 49.1 20.8 54.1 78.8 | 3,308 32 3 29 14 | 3.0 3.3 2.1 3.6 3.2 | Henry | 611 271 340 442 675 | 511 285 226 333 390 113 | 100 -14 114 109 285 75 | 120 95 150 133 173 166 | 14 13 15 39 8 | 22.9 3.7 38.2 33.9 57.8 42.6 | 18 2 16 12 23 9 | 2.9 0.7 4.7 2.7 3.4 4.8 |
| Rural part | 244 192 52 200 | 111 70 41 255 149 106 | 133 122 11 -55 17 -72 | 220 (4/) (4/) 78 111 32 | 22 13 9 13 6 | 90.2 67.7 173.1 65.0 36.1 205.9 | 6 4 2 8 7 1 | 2.5 2.1 (<u>5</u> /) 4.0 4.2 (<u>5</u> /) | Jefferson | 532 301 231 186 244 213 | 387 184 203 137 228 | 145 117 28 49 16 101 | 137 164 114 136 107 | 31 11 20 12 13 17 | 58.3 36.5 86.6 64.5 53.3 79.8 | 7 2 | 4.3 2.7 6.5 3.8 0.8 4.2 |
| Bond | 161 202 275 961 363 299 | 129 184 101 512 76 197 223 643 278 190 | 99 38 27 2 85 5 52 318 85 109 | 177 121 127 100 (4/) 103 123 149 131 157 | 6 10 7 29 7 11 16 45 13 16 | 26.3 45.0 54.7 56.4 43.5 54.5 58.2 46.8 35.8 53.5 | 6 5 5 33 12 13 | 3.1 3.2 0.8 2.9 3.7 2.5 1.8 3.4 3.3 4.3 2.7 | Kane- Rural part Aurora- Elgin 13/ Kenkekee- Rural part Kankakee- Kendall- Knox Rural part | (13/) 339 1,073 657 694 315 379 54 710 203 | (13/) 424 622 962 925 654 271 117 604 202 | (13/) -85 451 -305 -231 -339 -108 -63 106 | (13/) 80 173 68 75 48 140 46 118 100 | (13/) 16 47 31 25 7 18 2 33 9 | (13/) 47.2 43.8 47.2 36.0 22.2 47.5 37.0 46.5 44.3 | (13/) 8 36 26 21 9 12 1 24 5 | (13/) 2.4 3.4 4.0 3.0 2.9 3.2 (5/) 3.4 2.5 3.7 |

TABLE I.—BIRTHS, DEATHS, INFANT MORTALITY, AND STILLBIRTHS: 1935—Continued

(See note at head of this table)

| | (exc | | AND DEATH. | | MORT (Deat | FANT PALITY the of | STI | LLBIRTHS | | (exc | | AND DEATHS | | MOR! | FANT PALITY ths of | STIL | BIRTHS |
|--|--|--|---|---|--|---|--|--|--|---|---|---|---|--|---|---|---|
| AREA | Nur | mber | Excess | Births per | l year excl | of age uding irths) | Num- | Per 100 | AREA | Nur | nber | Excess | Births | l year | s under of age luding pirths) | | Per |
| | Births | Deaths | births over deathsl/ | 100 deaths | Num- ber | Per 1,000 live births | ber | live births | | Birthe | Deaths | births over deathsl/ | per 100 deaths | Num- ber | Per 1,000 live births | Num- ber | 100 live births |
| Section B—Continued ILLINOIS—Con. | | | | | | | | | Section B—Continued ILLINGIS—Con. | | | | | | | | |
| Lake | 1,560 1,004 206 350 1,480 550 262 329 329 425 492 501 413 163 | 1,009 699 116 194 1,096 500 184 187 225 207 493 403 392 113 | 551 305 90 156 384 50 78 142 114 218 -1 98 21 | 155 144 178 180 135 110 142 176 151 205 100 124 105 | 53 36 9 8 62 17 7 20 18 23 20 24 31 | 34.0 35.9 43.7 22.9 41.9 30.9 26.7 60.8 53.1 54.1 40.7 47.9 75.1 | 47 28 5 14 49 18 13 7 11 10 17 12 16 | 3.8 4.0 3.3 5.0 2.1 2 4.5 2.4 | Tazewell- Rurel part- Pekin- Union- Vermilion- Rurel part- Danville- Webash- Warren- Washington- Weyne- White- | 645 293 352 388 1,370 665 704 192 327 219 398 321 | 399 215 124 506 1,181 490 691 130 229 151 205 240 | 246 78 168 -118 189 176 13 62 98 68 193 81 | 162 136 191 77 115 136 102 148 143 145 194 | 28 7 21 25 86 30 56 13 17 6 21 | 43.4 23.9 59.7 64.4 62.8 45.0 79.5 67.7 52.0 27.4 52.8 | 15 6 9 15 35 15 20 6 14 6 | 2.3 2.0 2.6 3.9 2.3 2.8 3.1 4.3 2.7 4.3 |
| Lincoln | 250 466 389 1,098 474 624 1,343 200 1,143 525 2,292 1,239 | 322 387 913 401 512 982 210 772 415 1,565 | -29 144 2 185 73 112 361 -10 371 110 727 359 | 90 145 101 120 118 122 137 95 148 127 146 146 | 23 30 20 51 27 24 66 10 56 23 110 | 49.1 92.0 64.4 51.4 46.4 57.0 38.5 49.1 50.0 49.0 43.8 48.0 42.0 | 3 13 14 12 33 9 24 40 7 33 12 63 30 | 1.8 5.2 3.0 3.1 3.0 1.9 3.8 3.0 3.5 2.9 2.7 2.4 | Whitesido— Rural part— Sterling— Will— Rural part— Joliet— Williamson— Winnebago— Rural part— Rockford— Woodford— TNDVANA (rotal) | 664 353 311 1,443 678 765 853 1,587 306 1,281 225 | 429 262 1,174 645 529 527 1,182 334 848 170 | 235 91 144 269 33 236 336 405 -28 433 55 | 155 135 186 123 105 145 164 134 92 151 132 | 31 18 13 68 29 39 56 77 16 61 | 46.7 51.0 41.8 47.1 42.8 51.0 64.9 48.5 52.3 47.6 31.1 | 14 6 8 37 15 22 36 43 7 36 4 | 2.1 1.7 2.6 2.6 2.2 2.9 4.2 2.7 2.3 2.8 1.8 |
| AltonGranite City | 613 440 (<u>12</u> /) | 447 238 (<u>12</u> /) | 166 202 (<u>12</u> /) | 137 185 (<u>12</u> /) | 36 22 (<u>12</u> /) | 58.7 50.0 | 18 15 <u>12</u> /) | 2.9 3.4 (<u>12</u> /) | INDIANA (totel) AdemsAllen | 382 2,267 430 | 190 1,044 346 | 13,394 192 623 84 | 201 138 124 | 2,690 15 84 15 | 50.8 39.3 37.1 34.9 | 1,430 4 55 8 | 1.0 2.4 1.9 |
| Rural part Contralia 12/ Marshall Mason White Other races Mercer Monroe Motgomory Morgan | 411 235 155 220 179 168 11 137 233 150 598 540 | 287 191 138 144 207 166 41 99 210 118 472 753 | 124 44 17 76 -28 2 -30 48 23 32 126 | 143 123 112 153 86 101 (4/) (4/) 111 127 127 | 28 14 9 7 24 20 4 10 10 3 23 25 | 58.1 59.6 58.1 31.8 134.1 119.0 363.6 73.0 42.9 20.0 38.5 46.3 | 15 13 1 5 11 11 8 10 15 25 16 | 3.6 5.5 0.6 2.3 6.1 6.5 5.8 4.3 3.3 4.2 3.0 | Fort Wayne Bartholomew Benton Benton Bentor Boone Brown Carroll Cass Rural part Logansport | 1,837 458 96 248 304 118 145 509 203 306 | 1,298 337 103 165 248 60 161 614 300 314 | 539 121 -7 83 56 58 -16 -105 -97 -8 | 142 136 93 150 123 (4/) 90 83 68 97 | 69 18 3 20 8 3 7 29 11 18 | 37.6 39.3 31.3 80.6 26.3 25.4 48.3 57.0 54.2 56.8 | 47 19 3 2 6 4 3 17 5 12 | 2.6 4.1 (5/) 0.8 2.0 3.4 2.1 3.3 2.5 3.9 |
| Rural part | 176 364 198 323 2,262 337 1,925 450 182 362 143 272 170 | 150 603 160 304 1,993 576 1,417 265 149 254 91 208 110 | 26 -239 38 19 269 -239 508 195 33 108 52 64 60 | 117 60 124 106 113 59 136 174 122 143 (4/) 131 | 7 18 8 16 126 22 104 21 9 12 10 26 9 | 39.8 49.5 40.4 49.5 55.7 65.3 54.0 45.7 49.5 33.1 69.6 52.9 | 6 10 7 6 63 6 57 11 5 12 9 17 14 | 3.4 2.7 3.5 1.9 2.8 1.8 3.0 2.4 2.7 3.3 6.3 8.2 | Rural part— Jeffersonville— White———————————————————————————————————— | 291 223 202 21 376 440 172 268 201 512 307 277 | 236 204 178 26 308 327 167 160 133 317 239 247 | 55 19 24 -5 68 113 5 108 68 195 68 30 | 123 109 113 (4/) 122 135 103 168 151 162 128 112 | 17 13 12 1 22 19 9 10 8 30 10 6 | 58.4 58.3 59.4 47.6 58.5 43.2 52.3 37.3 39.8 58.6 32.6 21.7 | 4 6 6 15 11 4 7 9 16 9 10 | 1.4 2.7 3.0 4.0 2.5 2.3 2.6 4.5 3.1 2.9 3.6 |
| Other races Putnam | 102 57 432 342 1,367 130 58 768 411 2,388 649 438 1,301 1,043 | 98 43 321 248 1,278 157 261 454 406 1,801 521 332 948 741 | 4 111 94 89 -27 -203 314 5 587 128 106 353 302 | (4/) (4/) 135 138 107 83 22 169 101 133 125 132 137 | 17 3 21 27 73 9 2 40 22 134 32 19 83 54 | 166.7 52.6 48.6 78.9 53.4 69.2 34.5 52.1 53.5 56.1 49.5 43.4 53.8 51.8 | 3 2 14 12 38 10 1 18 9 90 26 15 49 32 | 2.9 (5/) 3.2 3.5 2.8 7.7 (5/) 2.3 2.2 3.8 4.0 3.4 3.4 3.1 | Delaware- Rural part- Bubols- Elkhart- Elkhart- Coshen- Fayette- Rural part- Connersvile- Floyd- Rural part- Connersvile- Rural part- Rural part- Rural part- Connersvile- Rural part- Rural part- Rural part- New Albany- | 1,119 197 922 416 1,125 382 514 229 369 88 281 519 100 419 | 790 197 593 186 706 244 329 133 247 61 186 456 103 353 | 329 230 419 138 185 96 122 27 95 63 -3 66 | 142 100 155 224 159 157 156 172 149 (4/) 151 114 97 | 58 10 48 19 45 17 25 3 20 4 16 24 6 | 51.8 50.8 52.1 45.7 48.6 13.1 54.2 45.5 56.9 46.2 60.0 43.0 | 30 5 25 12 36 9 19 8 12 2 10 14 2 | 2.7 2.5 2.7 2.9 3.2 2.4 3.7 3.5 (5) 3.6 2.9 |
| Other reces | 348 | 207 413 251 162 1,511 332 1,179 120 81 275 90 508 149 359 | 51 265 216 49 133 16 117 64 30 178 22 187 24 163 | 125 164 186 130 109 105 110 153 (4/) 165 (4/) 137 116 145 | 29 55 41 14 14 97 15 8 13 10 29 7 22 | 81.1 87.8 66.4 67.5 40.2 74.8 81.5 72.1 28.7 89.3 41.7 40.5 42.1 | 17 19 13 6 88 7 81 3 10 3 31 7 24 | 6.6 2.8 2.8 2.8 5.4 2.0 6.3 2.7 2.2 2.7 4.5 4.0 | Fountain- Franklin- Franklin- Fulton- Gibson- Grant- Rural part- Marion- Greens- Hamilton- Hancock- Harrison- Hendricks- Hendricks- Henry- Rural part- New Castle- | 237 203 251 524 938 413 525 564 289 210 304 227 673 308 305 | 185 140 206 340 663 350 313 348 296 246 199 219 465 334 131 | 52 63 45 184 275 63 212 216 -7 -36 105 8 208 34 174 | 128 145 122 154 141 118 168 162 98 85 153 104 145 110 233 | 5 6 13 20 55 22 23 27 13 6 17 2 29 18 11 | 21.1 29.6 51.8 38.2 58.6 03.3 02.9 47.9 45.0 28.6 50.9 8.8 43.1 48.9 36.1 | 5 6 6 20 25 10 15 11 4 6 2 16 6 | 2.1 3.0 2.4 3.7 2.9 2.7 3.9 2.9 2.9 2.9 2.9 2.9 2.9 2.9 2.9 2.6 3.3 |

TABLE I.—BIRTHS, DEATHS, INFANT MORTALITY, AND STILLBIRTHS: 1935—Continued (See note at head of this table)

| | | | | | | | | | | | | | | | | | |
|---|---|--|--|--|---|--|--|--|--|---|--|---|---|--|--|--|--|
| | | | ND DEATHS stillbir | | (Deat | ANT ALITY hs of s under | STIL | LBIRTHS | | | | ND DEATHS | | (Deat | ALITY | STILL | BIRTES |
| AREA | Num | ber | Excess of | Births per | | of age uding irths) | Num- | Per 100 | AREA. | Num | ber | Excess | Births per | | of age, uding irths) | Num- | Per 100 |
| | Births | Deaths | births over deaths <u>l</u> / | 100 deaths | Num- ber | Per 1,000 live births | ber | live births | | Births | Deaths | births over deaths1/ | 100 deaths | Num- ber | Per 1,000 live births | ber | live births |
| Section B-Continued INDIANA-Con. | | | | | | | | | Section B—Continued INDIANA—Con. | | | | | | | | |
| Ruwal partt Kokomo Huntington Rural part Euntington Jackson Jasper Jay Jefferson Jennings Johnson | 816 162 654 478 222 256 508 253 309 257 222 316 | 520 136 384 369 183 186 288 191 261 360 187 282 | 296 26 270 109 39 70 220 62 48 -103 35 | 157 119 170 130 121 138 176 132 118 71 119 | 45 7 38 21 6 15 24 18 12 13 9 | 55.1 43.2 58.1 43.9 27.0 58.6 47.2 71.1 38.8 50.6 40.5 31.6 | 27 4 23 12 4 8 16 7 8 10 8 | 3.5 3.5 2.5 1.8 3.1 2.6 3.9 3.5 | Switzerland Tippecanoe Rural part Lafayette Tipton Union Vanderburg Rural part Evansville Vermillion Rural part | 122 881 124 757 228 74 1,900 326 1,574 322 1,479 458 | 133 781 226 555 162 68 1,643 374 1,269 274 | -11 100 -102 202 66 6 257 -48 305 48 | 92 113 55 136 141 (<u>4</u> /) 116 87 124 118 | 3 40 7 · 33 5 7 106 14 92 19 | 24.6 45.5 43.6 21.9 94.6 55.8 42.9 58.4 59.0 | 2 22 20 20 20 66 60 7 39 | 1.6 2.5 1.6 2.6 0.9 3.5 1.8 2.2 2.6 2.8 |
| Knox—Rural part Vincennes—Kosciusko—Lagrange—Lake—Rural part East Chicago—White—Cher races—Gary—White—Cher races—Hemmond— | 785 472 313 478 258 4,453 520 973 875 98 1,873 1,564 309 1,205 | 553 253 300 345 151 2,374 300 488 410 78 974 717 257 564 | 232 219 15 133 107 2,079 20 485 465 20 899 847 52 641 | 142 187 104 139 171 188 107 199 213 (4/) 192 218 120 214 | 52 24 28 23 13 224 11 59 50 9 101 75 26 47 | 66.2 50.8 89.5 48.1 50.4 50.3 34.4 60.6 57.1 91.8 53.9 48.0 84.1 | 31 17 14 12 10 125 4 25 25 25 25 44 13 35 | 3.9 3.6 4.5 2.5 3.9 2.8 1.3 2.6 2.9 | Terre Haute | | 998 336 116 179 188 784 476 308 233 161 183 26,364 | 23 24 32 89 88 39 15 24 26 78 56 | 102 107 128 150 147 105 108 111 148 131 | 65 17 8 21 21 48 27 21 11 10 13 | 63.7 47,2 54.1 78.4 76.1 58.3 55.0 63.3 42.5 41.8 47.1 | 26 14 1 11 6 22 10 12 4 6 4 | 2.5 3.9 0.7 4.1 2.2 2.7 2.0 3.6 1.5 2.5 1.7 |
| Whiting La Porte Rural part Bedford Madison Rural part Anderson Elwood Marion Rural part Anderson Hural part Anderson Hural part 475 684 305 6,835 969 5,866 5,111 | 48 732 164 280 283 407 230 177 922 287 484 151 6,000 707 5,293 4,406 887 | 192 200 74 98 274 203 71 542 188 200 154 835 262 573 705 | 126 112 126 127 167 188 140 159 166 141 202 114 137 111 1116 85 | 48 7 19 22 39 23 16 86 26 43 17 420 390 390 397 | 73.2 51.9 38.0 53.7 57.0 57.3 53.1 64.5 58.7 62.9 55.7 61.4 31.0 64.0 83.4 | 23 3 13 7 21 12 9 46 6 28 12 179 12 167 40 | (5/) 2.5 1.6 3.7 1.8 3.6 3.1 2.8 3.6 3.1 1.3 4.1 3.9 2.6 1.2 2.8 2.5 | Adair Adamakee Allamakee Appanoose Audubon Benton Black Hawk Rural part Waterloo Boone Rural part Boone Buchann Buchann Buena Vista Butler Calhoun | 268 831 419 | 114 81 186 283 89 207 648 212 436 514 155 159 173 337 165 140 | 121 77 110 112 100 130 451 56 395 105 17 88 128 -4 | 206 (4/) 159 140 (4/) 150 126 191 133 111 155 174 99 166 161 176 | 15 62 28 8 12 41 10 6 14 15 15 17 9 8 | 63.8 38.0 70.9 42.3 35.3 37.3 37.3 47.7 59.8 45.0 55.4 59.8 28.5 | 64527295484496 958 | 2.6 5.7 3.0 7.6 5.5 9.1 9.3 1.9 2.6 2.9 2.8 |
| Marshall | 462 258 393 | 276 115 365 193 172 330 130 200 364 180 184 243 | 186 143 28 6 22 261 207 54 58 -10 68 114 | 167 224 108 103 113 179 259 127 116 94 137 147 | 18 19 18 10 8 28 8 20 20 6 6 14 16 | 39.0 73.6 45.8 50.3 41.2 47.4 23.7 78.7 47.4 35.6 44.8 79.4 | 16 1 9 4 5 20 11 9 15 14 9 | 3.5 0.4 2.3 2.0 2.6 3.4 3.3 3.5 3.6 0.6 5.6 2.5 0.8 | Carroll Cass | 573 278 163 781 200 581 285 239 198 316 353 | 302 203 144 394 102 292 265 151 109 159 233 504 133 | 271 75 19 387 98 289 20 88 89 157 120 | 190 137 113 198 196 199 108 158 182 199 152 | 35 14 36 10 26 10 11 10 18 17 43 7 | 61.1 50.4 245.1 50.0 44.8 35.1 46.0 57.0 48.2 63.1 970.0 | 15 11 5 23 8 15 9 10 15 20 2 18 | 2.6 4.0 2.9 4.0 2.2 4.2 5.2 4.2 2.9 2.5 4.2 2.9 |
| Noble———————————————————————————————————— | 409 51 316 225 225 238 315 330 276 180 305 366 357 | 304 61 202 145 220 167 177 242 204 126 238 306 279 | 105 -10 114 80 5 171 138 88 72 54 67 60 78 | 135 (4/) 156 155 102 202 178 136 135 143 128 120 128 | 15 3 24 7 11 18 11 12 19 11 15 19 15 | 36.7 58.8 75.9 31.1 48.9 53.3 34.9 36.4 68.1 49.2 51.9 42.0 | 6 2 8 3 5 12 10 12 7 2 7 14 8 | 1.5 (5/) 2.5 1.3 2.2 3.6 2.5 2.5 1.1 2.3 3.8 2.2 | Ciinton Crawford Dallas Davis Decatur Delaware Des Moines Rural part Burlington Dickinson Dubuque Rural part Dubuque | 920 232 688 | 371 186 251 128 168 165 488 -82 406 118 760 140 620 | 143 114 80 17 105 142 62 -15 77 61 160 92 68 | 161 132 113 163 186 113 (4/) 119 152 121 166 111 | 12 17 6 6 16 31 5 26 7 52 16 36 | 40.0 51.4 41.4 22.0 52.1 56.4 74.6 53.8 39.1 56.5 69.0 52.3 49.4 | 10 12 2 12 6 14 1 13 5 28 6 22 | 3.5 3.6 1.4 4.5 2.5 (5/) 2.7 2.8 3.0 2.6 3.2 |
| Rush———————————————————————————————————— | 173 368 194 174 281 171 240 | 231 1,505 250 264 991 76 367 194 173 200 96 199 315 | 7 1,053 120 343 590 97 1 | 103 170 148 230 160 (4/) 100 100 101 141 (4/) 121 149 | 9 135 11 24 100 6 19 6 13 17 14 8 | 57.8 52.8 29.7 39.5 63.3 34.7 51.6 30.9 74.7 60.5 81.9 33.3 36.3 | 4 40 5 13 22 6 12 5 7 6 6 3 | 1.7 1.6 1.4 2.1 1.4 3.5 3.3 2.6 4.0 2.1 3.5 1.3 | Emmet Frayette Floyd Franklin Fremont Creene Grundy Guthrie Henilton Hencok Herdin Harrison Henry Hemry Howard | 278 354 204 322 342 229 | 109 268 184 141 152 122 91 197 200 112 227 188 303 122 | 154 197 106 124 81 110 53 81 154 92 95 154 -74 | 241 174 158 188 153 190 (4/) 141 177 182 142 192 76 211 | 13 24 12 10 7 6 16 20 17 18 21 9 | 51.6 48.3 45.3 42.9 30.2 41.7 57.6 56.5 83.3 55.9 61.4 39.3 | 13 8 7 10 3 5 5 5 6 14 8 8 | 2.8 2.8 2.6 4.3 2.1 1.8 1.4 1.5 1.9 4.1 3.5 |

TABLE I.—BIRTHS, DEATHS, INFANT MORTALITY, AND STILLBIRTHS: 1935—Continued

(See note at head of this table)

| - The state of the | (exc) | | AND DEATHS | | MORT (Deat | ANT ALITY hs of | stil | LBIRTHS | | | | ND DEATHS | | (Deat | ANT ALITY hs of s under | STILI | BIRTAS |
|--|--|---|--|--|---|--|---|--|--|---|---|--|---|--|---|---|---|
| AREA | Nun | nber | Excess of | Births per | l year excl | of age, uding irths) | Num- | Per 100 | AREA | Num | ber | Excess | Births per | l year | of age, uding | Num- | Per 100 |
| | Births | Deaths | births over deaths1/ | 100 deaths | Num- ber | Per 1,000 live births | ber | live births | | Births | Deaths | births over deathsl | 100 deaths | Num- ber | Per 1,000 live births | ber | live births |
| Section B-Continued | | | | | | | | | Section B—Continued | | | | | | | | |
| IOWA-Con. | | : | | | | | | | KANSAS (total) | 30,589 | 20,334 | 10,255 | 150 | 1,539 | 50.3 | 836 | 2.7 |
| Humboldt- Ida- Iowa- Jackson- Jasper- Rural part- Newton- Jefferson- Johnson- Rural part- | 177 | 101 96 157 207 300 171 129 161 871 148 | 93 84 72 101 205 66 139 35 795 29 | 192 (4/) 146 149 168 139 208 122 191 120 | 8 7 7 21 28 14 14 5 71 | 41.2 38.9 30.6 66.2 55.4 59.1 52.2 25.5 42.6 22.6 | 1 5 4 13 8 2 6 10 57 | 0.5 2.8 1.7 4.2 1.6 0.8 2.2 5.1 3.4 2.8 | Anderson———————————————————————————————————— | 324 205 366 68 298 281 17 103 421 353 | 237 136 267 88 179 155 24 85 201 | 87 69 99 -20 119 126 -7 18 220 -18 | 137 151 137 (4/) 166 181 (4/) (4/) 209 95 | 29 12 12 2 10 9 1 6 17 20 | 89.5 58.5 32.8 29.4 33.6 32.0 58.8 58.3 40.4 56.7 | 12 8 10 2 8 7 1 2 11 14 | 3.7 3.9 2.7 (5/) 2.7 2.5 (5/) 1.9 2.6 4.0 |
| Iowa City Jones Keokuk Kosauth | 1,489 287 204 562 | 723 205 154 195 | 766 82 50 367 | 206 140 132 288 | 67 12 11 24 | 45.0 41.8 53.9 42.7 | 52 8 5 15 | 3.5 2.8 2.5 2.7 | Fort Scott | 128 225 291 | 102 269 194 | 26 -44 97 | 125 84 150 | 6 14 16 | 46.9 62.2 55.0 | 5 9 10 | 3.9 4.0 3.4 |
| Lee- Rural part Fort Madison- Kockuk- Linn- Rural part Cedar Rapids- Lucas- Lucas- Lyon- Mahaska- Rural part Oskaloosa- | 698 159 190 349 1,193 210 983 146 246 267 220 405 189 216 | 544 126 180 238 941 256 685 102 141 108 151 237 92 145 | 154 33 10 111 252 -46 298 44 105 159 69 168 97 | 128 126 106 147 127 82 144 143 174 247 146 171 (4/) | 27 8 7 12 58 9 49 9 7 10 6 19 8 | 38.7 50.3 36.8 34.4 48.6 42.8 61.6 28.5 37.3 46.9 42.3 50.9 | 22 9 11 29 1 28 6 6 5 2 9 6 3 | 3.2 1.3 4.7 3.2 2.4 0.5 2.8 4.1 2.4 1.9 2.2 3.2 | Rural part | 500 243 257 97 177 524 132 120 205 326 212 63 734 436 298 | 273 144 129 55 83 349 62 39 149 213 37 507 335 172 | 227 99 128 42 94 175 70 81 56 113 81 26 227 101 | 183 169 199 (4/) (4/) 150 (4/) 138 153 162 (4/) 145 130 173 | 20 5 15 4 7 22 6 3 11 19 10 2 31 15 16 | 40.0 20.6 58.4 41.2 39.5 42.0 45.5 25.0 53.7 56.3 47.2 31.7 42.2 34.4 | 17 8 9 2 5 15 4 4 11 4 2 23 14 9 | 3.4 3.3 3.5 (5/) 2.8 2.9 3.0 3.3 2.0 3.4 1.9 (5/) 3.1 3.2 3.0 |
| Marion Mershall Rural part Marshalltown Mills Mitchell Monnos Monros Montgomery Muscatine Rural part Mascatine O'Brien O'Scola | 346 602 181 421 248 180 310 253 221 488 116 372 338 175 | 244 407 136 271 124 121 138 164 188 423 108 315 179 | 102 195 45 150 124 59 172 89 33 65 8 57 159 68 | 142 148 133 155 200 149 225 154 118 115 107 118 189 164 | 15 24 3 21 9 10 12 14 11 22 2 20 15 12 | 43.4 39.9 16.6 49.9 36.3 55.6 38.7 55.3 49.8 45.1 17.2 53.8 44.4 68.6 | 7 23 4 19 6 6 11 4 11 10 8 5 | 2.0 3.8 2.2 4.5 2.4 3.5 2.4 1.8 2.3 0.9 2.7 2.4 2.9 | Crawford- Rural part- Pittsburg- Decatur- Dickinson- Donijhan- Douglas- Rural part- Lawrence- White- Cther races- Edwards- Elk- Ellis- | 685 487 198 151 339 193 348 85 263 244 19 94 120 521 | 586 414 172 80 248 127 279 107 172 148 24 64 84 | 99 73 26 71 91 66 69 -22 91 96 -5 30 36 300 | 117 118 115 (4/) 137 152 125 79 153 165 (4/) (4/) (4/) (4/) 236 | 31 26 5 9 25 12 9 4 5 4 15 6 4 | 45.3 53.4 25.3 59.6 73.7 62.2 .25.9 47.1 19.0 16.4 52.6 53.2 50.0 65.3 | 15 12 3 6 8 8 12 3 9 9 | 2.2 2.5 1.5 4.0 2.4 4.1 3.4 (5/) 3.7 (5/) |
| Page | 402 337 463 253 3,133 240 2,893 1,071 280 791 301 203 238 1,087 | 382 120 231 95 2,106 190 1,916 753 162 591 182 103 158 | 20 217 232 158 1,027 50 977 318 118 200 119 100 80 | 105 281 200 (4/) 149 126 151 142 173 134 165 197 151 | 16 14 30 11 133 8 125 69 10 59 10 9 | 39.8 41.5 64.8 43.5 42.5 33.3 43.2 64.4 35.7 74.6 33.2 44.3 | 10 9 11 5 91 2 89 24 5 19 4 3 8 | 2.5 2.7 2.4 2.0 2.9 0.8 3.1 2.2 1.8 2.4 1.3 1.5 | Ellsworth | 196 258 443 163 280 355 249 135 143 37 116 49 287 88 | 111 139 247 74 173 264 145 63 49 17 27 14 157 | 85 119 196 89 107 91 104 20 89 35 130 53 | 177 186 179 (4/) 162 134 172 (4/) (4/) (4/) (4/) (4/) 183 (4/) | 8 17 32 12 20 14 7 9 5 5 3 2 16 5 | 40.8 65.9 72.2 73.6 71.4 39.4 28.1 66.7 35.0 135.1 25.9 40.8 55.7 56.8 | 1 9 12 6 6 5 10 5 4 8 1 | 0.5 3.5 2.7 3.7 2.1 1.4 4.0 3.7 (5/) |
| Rural part | 119 968 285 599 443 263 180 297 209 261 184 787 144 643 | 134 780 121 210 283 168 95 174 136 198 137 548 149 399 | -15 188 164 389 160 75 85 123 73 63 47 239 -5 244 | 89 124 236 285 157 140 (4/) 171 154 132 134 144 97 161 | 6 34 8 20 14 6 8 8 15 10 9 41 3 | 50.4 35.1 28.1 33.4 31.6 22.8 44.4 26.9 71.8 38.3 48.9 52.1 20.8 59.1 | 3 13 2 16 11 5 6 3 6 10 2 21 4 | 2.5 1.3 0.7 2.7 2.5 1.9 3.3 1.0 2.9 3.8 1.1 2.7 2.8 2.6 | Harper | 281 467 132 335 75 88 174 154 201 251 63 235 96 | 158 280 133 147 22 24 136 91 136 234 35 90 | 123 187 -1 188 53 64 38 63 65 17 28 145 | 178 167 99 228 (4/) (4/) 128 (4/) 148 107 (4/) (4/) (4/) | 18 26 7 19 4 2 13 7 10 12 4 7 | 64.1 55.7 53.0 56.7 53.3 22.7 74.7 45.5 49.8 47.8 63.5 29.8 52.1 | 4 14 5 9 1 2 6 5 10 2 3 | 1.4 3.0 3.8 2.7 (5/) (5/, 1.1 3.9 2.5 4.0 (5/, |
| Warren Washington Wayne Webster Rurel pert Fort Dodge Winnebago Winneshiek Woodbury Furel part Sioux City Wright | 258 309 218 746 177 569 296 348 1,986 287 1,699 1,22 308 | 174 204 134 458 115 343 128 207 1,166 164 1,002 87 148 | 84 105 84 288 62 226 168 141 820 123 697 35 160 | 148 151 163 163 154 166 231 168 170 175 170 (4/) 208 | 8 12 7 58 11 47 14 10 127 15 112 | 31.0 38.8 32.1 77.7 62.1 82.6 47.3 28.7 63.9 52.3 65.9 41.0 26.0 | 5 5 7 24 2 22 6 12 55 51 4 8 | 1.9 1.5 3.2 1.1 3.9 2.0 3.4 2.8 1.7 3.0 3.3 | Labette | 464 309 155 143 12 50 526 178 165 13 348 318 30 | 427 238 189 164 25 17 623 329 278 51 294 250 44 | 37 71 -34 -21 -13 -33 -97 -151 -113 -38 54 68 -14 | 109 130 82 87 (4/) (4/) 84 54 59 (4/) 118 127 (4/) | 19 12 7 6 1 1 21 5 5 16 13 3 | 40.9 38.8 45.2 42.0 83.3 20.0 39.9 28.1 30.3 46.0 40.9 100.0 | 23 10 13 12 1 1 18 4 4 4 11 3 | 5.0 3.2 8.4 (5/) (5/) 3.4 2.2 4.0 3.5 (5/) |

TABLE I.—BIRTHS, DEATHS, INFANT MORTALITY, AND STILLBIRTHS: 1935—Continued (See note at head of this table)

| | (exc] | | IND DEATHS | | MORT (Deat | ANT ALITY hs of s under | STII | LBIRTHS | | | | ND DEATHS | | (Deat | ALITY | STILL | BIRTHS |
|---|--|--|--|--|---|--|--|---|--|---|---|---|---|--|---|--|--|
| AFCEA. | Nun | iber | Excess | Births per | 1 year | of age. | Num- | Per 100 | AREA. | Nun | ber | Excess | Births per | l year | of age, uding | Num- | Per 100 |
| | Births | Deaths | births over deaths <u>l</u> / | 100 deaths | Num- ber | Per 1,000 live births | ber | live births | | Births | Deaths | births nover deaths <u>l</u> / | 100 deaths | Num- ber | Per 1,000 live births | ber | live births |
| Section B-Continued | | | | | | | | | Section E-Continued | | | | | | | | |
| KANSAS—Con. | | | | | | | | | KENTUCKY (total) | 57,715 | 29,370 | 28,345 | 197 | 3,388 | 58.7 | 1,915 | 3.3 |
| Lincoln Linn Linn Lyon Rural part Emporia Marion Marshall Moade Miami Mitchell | 116 174 64 497 146 351 347 358 397 112 244 192 | 72 139 25 308 88 220 208 182 229 46 275 166 | 44 35 39 189 58 131 139 176 168 66 -31 26 | (4/) 125 (4/) 161 (4/) 160 167 197 173 (4/) 89 116 | 5 9 6 23 6 17 16 13 16 8 14 | 43.1 51.7 93.8 46.3 41.1 48.4 46.1 36.3 71.4 57.4 | 2 6 1 12 2 10 12 3 10 1 8 8 | 1.7 3.4 (5/) 2.4 1.4 2.8 3.5 0.8 2.5 0.9 3.3 4.2 | Adair Allen Anderson Ballard Barren White- Other races Bath- Bell Rural part Middlesborough Boone- | 421 309 190 176 589 543 46 306 1,034 722 312 141 | 142 172 88 123 361 320 41 120 335 167 168 116 | 279 137 102 53 228 223 5 186 699 555 144 25 | 296 180 (4/) 143 163 170 (4/) 255 309 432 186 122 | 23 12 12 50 45 5 15 59 35 24 8 | 54.6 38.8 63.2 68.2 84.9 82.9 108.7 49.0 57.1 48.5 76.9 56.7 | 19 10 2 11 13 12 1 6 31 21 10 2 | 4.5 3.2 1.1 6.3 2.2 2.2 (5/) 2.0 3.0 2.9 3.2 1.4 |
| Montgomery Rural pert Coffeyville White- Other races- Independence- Morris- Morton Nemaha Necaho- Rural pert- Chanute- Norton- Osage- | 868 309 334 307 27 225 134 91 370 376 193 108 177 | 588 228 190 164 26 170 107 55 165 263 96 167 60 164 | 280 81 144 143 1 55 27 36 205 113 97 16 48 13 | 148 136 176 187 (4/) 132 125 (4/) 224 143 (4/) 110 (4/) 108 | 44 16 17 14 3 11 10 12 13 21 9 12 7 15 | 50.7 51.8 50.9 45.6 111.1 48.9 74.6 131.9 35.1 55.9 46.6 65.6 64.8 84.7 | 33 15 16 10 6 2 1 | 3.8 4.9 4.8 3.3 (5/) 0.9 0.7 3.0 1.6 1.0 2.2 4.6 1.7 | Bouroon— White— Other races— Eoyd— Rural part— Ashland— Boyle— White— Other races— Bracken— Breathitt— Breckinridge— Bullitt— Butler— Caldwell— White————— | 329 284 45 552 245 607 31.2 287 25 188 722 423 178 277 277 277 | 265 177 88 474 82 392 206 155 51 89 129 234 102 99 164 | 64 107 -43 378 163 215 106 132 -26 100 593 189 76 178 113 | 124 160 (4/) 180 (4/) 155 151 185 (4/) (4/) 181 175 (4/) 169 | 18 15 77 11 66 22 20 12 18 29 16 15 18 | 54.7 52.8 66.7 90.4 44.9 108.7 70.5 69.7 69.0 63.8 24.9 68.6 89.9 54.2 65.0 67.7 | 9 6 30 4 16 7 6 1 8 24 19 5 6 23 20 | 2.7 2.7 2.1 3.6 2.2 2.1 (5/2) 3.3 4.5 2.3 4.5 2.3 5/3 2.5 2.5 2.5 2.5 2.5 2.5 2.5 2.5 2.5 2.5 |
| Osborna | 181 149 186 169 214 177 127 963 207 756 221 287 | 102 77 164 110 148 141 68 468 139 329 160 181 | 79 72 22 59 66 36 59 495 68 427 61 106 | 177 (4/) 113 154 145 126 (4/) 206 149 230 138 159 | 12 3 10 3 9 12 5 25 7 25 13 7 | 66.3 20.1 53.8 17.8 42.1 67.8 39.4 33.2 33.8 33.1 58.8 24.4 | 4 7 10 3 4 26 5 21 6 4 | 2.2 2.7 3.8 5.9 1.4 2.7 2.4 2.8 2.7 1.4 | Calloway- Campbell- Rural part- Fort Thomas- Newport- Carlisle- Carroll- Carier- Casey- Christian- Rural part- | 11 300 733 437 37 259 145 124 776 475 561 405 | 27 238 733 393 61 279 113 105 212 129 772 522 | -16 62 | (4/) 126 100 111 (4/) 93 128 118 366 368 73 | 21 34 21 1 12 9 10 54 22 49 28 | 70.0 46.4 48.1 27.0 46.3 62.1 80.6 69.6 46.3 87.3 69.1 | 3 9 19 15 1 3 2 6 24 22 17 | (5/) 3.0 2.6 3.4 (5/) 1.2 4.8 3.0 2.5 |
| Riley—Rural part———————————————————————————————————— | 269 77 192 139 161 151 485 80 405 112 2,287 317 1,970 | 185 74 111 83 93 75 340 51 289 42 1,492 295 1,197 | 84 3 81 56 68 75 145 29 116 70 795 22 773 | 145 (4/) 173 (4/) (4/) (4/) 143 (4/) 140 (4/) 153 107 165 | 10 3 7 4 18 5 25 23 23 124 24 100 | 37.2 29.0 36.5 28.8 33.1 51.5 25.0 56.8 44.6 75.7 50.8 | 10 2 8 3 7 2 15 1 14 5 53 1 52 | 3.7 (5/) 4.2 2.2 4.3 1.3 3.1 (5/) 3.5 4.5 2.3 0.3 2.6 | White- Other races- Hopkinsville- White- Other races- Clark- White- Other races- Cley- Clinton- Crittenden- Cumberland- | 319 86 156 108 48 320 294 26 616 256 255 239 | 383 139 250 125 125 277 213 64 86 67 121 | -64 -53 -94 -17 -77 -43 81 -38 530 189 134 163 | 83 62 62 86 38 116 138 (4/) (4/) (4/) (4/) | 20 8 21 7 14 24 21 3 16 23 7 | 62.7 93.0 134.6 64.8 291.7 75.0 71.4 115.4 26.0 89.8 27.5 79.5 | 4 6 7 4 3 23 17 6 12 13 9 | 1.3 (5/) 4.5 3.7 (5/) 7.2 5.8 (5/) 1.9 5.1 3.5 5.4 |
| Seward | 163 1,364 178 1,186 1,127 59 134 142 184 193 28 431 152 | 116 1,289 357 932 828 104 54 80 120 106 122 29 286 63 | 47 75 -179 254 299 -45 80 62 64 87 16 49 145 | 141 106 50 127 136 57 (4/) (4/) 153 182 (4/) (4/) 151 (4/) | 16 76 8 68 61 7 10 3 4 20 | 98.2 55.7 44:9 57.3 54.1 1186 74.6 21.1 21.7 103.6 38.5 37.1 52.6 | 3 43 3 40 33 7 1 5 3 1 | 1.8 3.2 1.7 3.4 2.9 (5/) 0.7 3.5 1.6 (5/) | Daviess | 953 383 570 533 37 301 298 509 1,117 207 172 35 910 745 165 | 616 180 436 562 74 92 49 161 1,286 215 171 44 1,071 715 356 | 337 203 134 171 -37 209 249 249 -169 -8 1 -9 -161 30 -191 | 155 213 131 147 (4/) (4/) (4/) 316 87 95 101 (4/) 85 104 46 | 89 31 58 52 6 13 15 34 72 8 7 1 64 44 20 | 93.4 80.9 101.8 97.6 162.2 43.2 50.3 66.8 64.5 38.6 40.7 28.6 70.3 59.1 121.2 | 35 7 28 23 5 12 13 13 41 5 3 2 36 29 7 | 3.7 1.8 4.9 4.3 (5/) 4.0 4.4 2.6 3.7 2.4 1.7 (5/) 4.0 3.9 4.2 |
| Trego- Wabaunsee- Wallace- Washington- Wichita- Wilson- Wyondotte- Rural part- White- Other races- Other races- Other races- | 108 117 48 241 18 287 132 2,573 143 135 8 2,430 2,090 340 | 39 81 23 120 15 193 76 1,820 144 110 34 1,676 1,336 340 | 69 36 25 121 3 94 56 753 -1 25 -26 754 | (4/) (4/) 201 (4/) 149 (4/) 141 99 123 (4/) 145 156 100 | 6 4 6 12 1 12 4 131 4 4 | 55.6 34.2 125.0 49.8 55.6 41.8 30.3 50.9 28.0 29.6 52.3 52.6 50.0 | 2 4 1 9 5 79 2 1 77 61 | 1.9 3.4 (5/) 1.7 3.1 3.8 3.1 1.4 0.7 (5/) 5.2 2.9 4.7 | Fleming-Floyd-Franklin-Rurel part-Frankfort-White-Cher races-Fulton-White-Callatin-Garrard-White-Cother races-Other races-Other races-Other races- | 318 1,336 333 166 167 148 19 303 266 37 68 202 183 | 146 245 313 101 212 156 56 196 146 50 119 87 | 172 1,091 20 65 -45 -8 -37 107 120 -13 8 83 96 | 218 545 106 164 79 95 (4/) 155 182 (4/) (4/) 170 (4/) (4/) | 14 71 24 15 9 9 | 44.0 53.1 72.1 90.4 53.9 60.8 | 9 31 16 8 8 8 15 10 5 2 7 5 | 2.8 2.3 4.8 4.8 5.4 |

TABLE I.—BIRTHS, DEATHS, INFANT MORTALITY, AND STILLBIRTHS: 1935—Continued (See note at head of this table)

| | (ava) | | AND DEATHS | | | PANT PALITY | | LLBIRTHS | ad of this table) | | | AND DEATHS | | | FANT PALITY | STUI | BIRTHS |
|--------------------------|--------------|--------------|---|--------------------------------|--------------------------|---|-------------|-----------------------|------------------------|------------|------------|---------------------------------|--------------------------------|-----------------------------------|--|-------------|-----------------------|
| AREA | Num | | Excess , | Births | infant l year excl | ths of a under of age, uding irths) | | Per | AREA | | lusive of | Excess | Births | (Deat infant l year excl | ths of s under of age luding airths) | <u> </u> | Per |
| | Births | Deaths | of births over deaths <u>l</u> / | per 100 deaths | Num- | Per 1,000 live births | Num- ber | 100 live births | | Births | Deaths | of births over deathsl | per 100 deaths | Num- ber | Per 1,000 live births | Num- ber | 100 live births |
| Section B—Continued | | | | | | | | | Section B—Continued | | | | | | | | |
| KENTUCKY-con. | | | | | | | | | KENTUCKY—Con. | | Ì | | | | | | |
| Grent | 159 | 128 | 31 | 124 | 9 | 56.6 | f | 3.8 | Muhlenberg | 973 | 459 | 514 | 212 | 84 | 86.3 | 39 | 4.0 |
| Graves Grayson | 508 412 | 352 143 | 156 269 | 144 288 | 27_ 14 | 53.1 34.0 | 18 17 | 3.5 4.1 | Nelson | 360 337 | 192 160 | 168 177 | 188 | 16 13 | 44.4 38.6 | 11 | 3.1 3.0 |
| Greenup | 289 598 | 91 207 | 198 391 | (<u>4</u> /) 289 | 9 | 31.1 73.6 | 7 | 2.4 | Other races | 23 | 32 | -9 | (4/) | 3 | 130.4 | 1 | (<u>5</u> /) |
| Hencock | 110 | 80 | 30 | (<u>4</u> /) | 44 9 | 81.8 | 13 5 | 2.2 4.5 | Nicholas | 175 472 | 111 252 | 64 220 | 158 187 | 11 45 | 62.9 95.3 | 5 13 | 2.9 |
| Hardin Harlan | 457 1,722 | 251 552 | 206 1,170 | 182 312 | 21 152 | 46.0 88.3 | 13 57 | 2.8 | Oldham | 119 194 | 95 | 24 79 | (4/) | 7 | 58.8 | 2 | 1.7 |
| Harrison | 248 | 207 | 41 | 120 | 13 | 52.4 | 7 | 2.8 | Owsley | 214 | 115 41 | 173 | 169 (<u>4</u> /) | 9 | 20.6 | 2 | 2.1 |
| Henderson | 354 506 | 130 373 | 224 133 | 272 136 | 16 41 | 45.2 | 11 | 3.1 | Pendleton | 1,289 | 131 332 | 47 957 | 136 388 | 777 | 39.3 59.7 | 3 34 | 1.7 2.6 |
| Rural part | 298 | 170 | 128 | 175 | 26 | 81.0 87.2 | 26 11 | 5.1 3.7 | Pike | 2,147 | 499 | 1,648 | 430 | 131 | 61.0 | 66 | 3.1 |
| White Other races | 250 48 | 149 21 | 101 27 | 168 (<u>4</u> /) | 21 5 | 84.0 104.2 | 8 | 3.2 (<u>5</u> /) | Powell | 208 | 51 | 157 | (4/) | 4 | 19.2 | 13 | 6.3 |
| Henderson White | 208 170 | 203 154 | 5 | 102 | 15 | 72.1 | 15 | 7.2 | Pulaski | 933 70 | 298 36 | 635 34 | 313 | 37 2 | 39.7 28.5 | 36 1 | 3.9 |
| Other races | 38 | 49 | 16 -11 | 110 (<u>4</u> /) | 12 | 70.6 78.9 | | 3.5 (<u>5</u> /) | Rockcastle | 474 | 94 | 380 | (<u>4</u> /) | 18 | 38.0 | 15 | (<u>5</u> /) 3.2 |
| Henry | 236 187 | 137 114 | 99 73 | 172 164 | 10 14 | 42.4 74.9 | 4 4 | 2.1 | Russell | 345 286 | 95 55 | 250 231 | (<u>4</u> /) (<u>4</u> /) | 21 6 | 60.9 | 11 8 | 3.2 2.8 |
| White | 164 | 85 | 79 | (4/) | 11 | 67.1 | 3 | 1.8 | Scott | 270 247 | 206 157 | 64 90 | 131 157 | 13 11 | 48.1 44.5 | 9 | 3.3 3.6 |
| Other races | 23 771 | 29 411 | -6 360 | (4/) 188 | 3 47 | 130.4 | 1 29 | (<u>5</u> /) 3.8 | Other races | 23 | 49 | -26 | (<u>4</u> /) | 2 | 87.0 | | |
| White | 706 | 331 | 375 | 213 | 40 | 56.7 | 18 | 2.5 | Shelby | 267 231 | 235 198 | 32 33 | 114 117 | 20 15 | 74.9 64.9 | 7 6 | 2.6 |
| Other races Jackson | 65 403 | 80 47 | ~15 356 | (<u>4</u> /) (<u>4</u> /) | 7 11 | 27.3 | 11 15 | (5/) 3.7 | Other races | 36 | 37 | -1 | (<u>4</u> /) | 5 | 138.9 | 1 | (<u>5</u> /) |
| Jefferson | 5,500 493 | 5,126 643 | 374 -150 | 107 | 293 24 | 53.3 48.7 | 191 16 | 3.5 3.2 | Simpson | 174 153 | 152 114 | 22 39 | 114 134 | 20 15 | 114.9 | 3 | 1.7 |
| Louisville | 5,007 | 4,483 | 524 | 112 | 269 | 53.7 | 175 | 3.5 | Other races | 21 | 38 | -17 | (<u>4/)</u> | 5 | 238.1 | 3 | 2.0 |
| White Other races | 4,414 593 | 3,537 946 | 877 ~353 | 125 63 | 222 47 | 50.3 79.3 | 140 35 | 3.2 5.9 | Spencer | 144 304 | 69 156 | 75 148 | (4/) 195 | 7 17 | 48.6 55.9 | 7 11 | 4.9 3.6 |
| Jessamine | 229 206 | 109 86 | 120 | 210 | 8 7 | 34.9 34.0 | 4 | 1.7 | Todd | 262 215 | 153 98 | 109 117 | 171 (<u>4</u> /) | 13 7 | 49.6 32.6 | 7 | 2.7 |
| Other races | 23 | 23 | | (<u>4</u> /) (<u>4</u> /) | i | 43.5 | | | Other races | 47 | 55 | -8 | (4/) | 6 | 127.7 | 3 | (5/) |
| Johnson | 689 | 256 | 433 | 269 | 48 | 69.7 | 16 | 2.6 | Trigg | 273 241 | 121 89 | 152 152 | 226 (4/) | 17 13 | 62.3 53.9 | 7 4 | 2.6 1.7 |
| Kenton | 1,280 202 | 1,177 | 103 -28 | 109 | 90 10 | 70.3 | 30 6 | 2.3 | Other races Trimble | 32 99 | 32 55 | 44 | (<u>4</u> /) (<u>4</u> /) | 4 8 | 125.0 80.8 | 3 | (<u>5</u> /) |
| Covington | 1,078 | 947 | 131 | 114 | 80 | 74.2 | 24 | 2.2 | | | | | | | | | |
| Knott | 559 920 | 82 220 | 477 700 | (<u>4</u> /) 418 | 27 52 | 48.3 56.5 | 11 31 | 2.0 3.4 | Union | 381 334 | 182 151 | 199 183 | 209 221 | 15 14 | 39.4 41.9 | 15 13 | 3.9 3.9 |
| Larue | 206 499 | 92 141 | 114 358 | (<u>4</u> /) 354 | 5 25 | 24.3 | 3 13 | 1.5 2.6 | Other races | 47 647 | 31 441 | 16 206 | (<u>4</u> /) 147 | 1 34 | 21.3 | 2 26 | (<u>5</u> /) 4.0 |
| Lawrence | 470 241 | 157 | 313 | 299 | 29 | 61.7 | 12 | 2.6 | Rural part | 390 | 204 | 186 | 191 | 16 | 41.0 | 12 | 3.1 |
| Leslie | 479 | 46 81 | 195 398 | (<u>4</u> /) (<u>4</u> /) | 9 30 | 37.3 62.6 | 8 7 | 3.3 1.5 | White Other races | 348 42 | 179 25 | 169 17 | 194 (<u>4</u> /) | 14 2 | 40.2 47.6 | 9 3 | 2.6 (<u>5</u> /) |
| Letcher | 1,318 | 283 137 | 1,035 248 | 466 281 | 77 24 | 58.4 52.3 | 62 17 | 4.7 | Bowling Green White | 257 227 | 237 186 | 20 41 | 108 | 18 15 | 70.0 66.1 | 14 11 | 5.4 4.8 |
| | | | | I | | 1 | - 1 | l | Cther races | 30 | 51 | -21 | (<u>4</u> /) | 3 | 100.0 | 3 | (<u>5</u> /) |
| LincolnLivingston | 486 173 | 213 89 | 273 84 | 228 (<u>4</u> /) | 37 13 | 76.1 75.1 | 12 | 2.5 4.0 | Washington | 301 275 | 125 112 | 176 163 | 241 246 | 14 | 46.5 47.3 | 7 6 | 2.3 |
| Logan | 452 402 | 275 210 | 177 192 | 164 191 | 22 13 | 48.7 32.3 | 15 14 | 3.5 3.5 | Other races | 26 | 13 | 13 | (<u>4</u> /) | 1 | 38.5 | 1 | (<u>5</u> /) |
| Other races | 50 124 | 65 7b | -15 | (<u>4</u> /) | 9 | 180.0 | 2 | (5/) | Wayne | 506 | 118 | 388 | 429 | 24 | 47.4 | 24 20 | 4.7 |
| White | 121 | 54 | 49 67 | (<u>4/)</u> | 2 | 16.1 | 4 4 | 3.2 3.3 | Webster | 395 375 | 200 171 | 195 204 | 198 219 | 22 | 55.7 56.0 | 19 | 5.1 |
| Other races McCracken | 3 679 | 21 643 | -18 36 | (<u>4</u> /) 106 | 42 | 61.9 | 34 | 5.0 | Other races Whitley | 20 895 | 29 262 | -9 633 | (<u>4</u> /) 342 | 1 44 | 50.0 49.2 | 23 | (<u>5</u> /) 2.6 |
| Rural part Peducah | 183 | 114 | 69 | lol | 12 | 65.6 | 18 | 9.8 | Wolfe | 272 | 28 | 244 | (<u>4</u> /) | 2 | 7.4 | 7 | 2.6 |
| White | 496 436 | 529 377 | -33 59 | 94 116 | 30 23 | 60.5 52.8 | 16 14 | 3.2 3.2 | Woodford White | 202 169 | 130 101 | 72 68 | 155 167 | 11 | 54.5 59.2 | 8 | 4.0 4.7 |
| Other races | 60 | 152 | -92 | 39 | 7 | 116.7 | 2 | (<u>5</u> /) | Other races | 33 | 29 | 4 | (<u>4</u> /) | 1 | 50.3 | | |
| McCreary | 383 204 | 104 | 279 | 368 | 27 | 70.5 | 11 | 2.9 | LOUISIANA (total)- | 42,270 | 23,711 | 18,559 | 178 | 2,933 | 69.4 | 2,087 | 4.9 |
| Madison | 594 | 100 295 | 104 299 | 204 201 | 10 29 | 49.0 48.8 | 15 | 2.5 | Acadia | 1,221 | 373 | 848 | 327 | 102 | 83.5 | 38 | 3.1 |
| White Other races | 551 43 | 225 70 | 326 -27 | 245 (4/) | 26 | 47.2 69.8 | 14 | 2.5 (<u>5</u> /) | White Other races | 919 302 | 269 104 | 650 198 | 342 290 | 73 29 | 79.4 96.0 | 24 14 | 2.6 4.5 |
| Magoffin | 543 392 | 84 | 459 | (<u>4</u> /) | -26 | 47.9 | 28 | 5.2 | Allen | 377 | 134 | 243 | 281 | 14 | 37.1 | 21 | 5.6 |
| Marshall | 267 | 191 129 | 201 138 | 205 | 26 14 | 52.4 | 10 | 2.6 4.1 | White Other races | 279 98 | 91 43 | 188 55 | (<u>4</u> /) (<u>4</u> /) | 9 5 | 32.3 51.0 | 14 7 | 5.0 (<u>5</u> /) |
| Mertin Meson | 358 371 | 75 268 | 283 | (<u>4</u> /) 138 | 24 41 | 67.0 | 14 16 | 3.9 4.3 | Ascension | 398 227 | 199 94 | 199 133 | 200 (<u>4</u> /) | 29 12 | 72.9 52.9 | 11 | 2.8 |
| White | 339 | 216 | 123 | 157 | 32 | 94.4 | 12 | 3.5 | Other races | 171 | 105 | 66 | 163 | 17 | 99.4 | 8 | 4.7 |
| Other races | | 52 | -20 | (<u>4</u> /) | - 1 | 281.3 | 4 | (<u>5</u> /) | Assumption | 363 | 181 | 182 | 201 | 32 | 88.2 | 9 | 2.5 |
| Meade Menifee | 215 156 | 83 41 | 132 | (<u>4</u> /) (<u>4</u> /) | 9 8 | 41.9 51.3 | 9 3 | 1.9 | White Other races | 190 173 | 76 105 | 114 68 | (<u>4</u> /) 165 | 7 25 | 36.8 144.5 | 5 4 | 2.6 2.3 |
| Mercer | 196 187 | 157 | 39 58 | 125 145 | 16 14 | 81.6 74.9 | 9 | 4.6 | Avoyelles | 665 396 | 226 128 | 439 268 | 294 309 | 32 17 | 48.1 42.9 | 29 9 | 4.4 2.3 |
| Other races | 9 | 28 | -19 | (4/) | 2 | 222,2 | 1 | (5/) | Other races | 269 | 98 | 171 | (4/) | 15 | 55.8 | 20 | 7.4 |
| Metcalfe | 220 375 | 99 116 | 121 259 | (<u>4</u> /) 323 | 12 | 54.5 48.0 | 5 14 | 2.3 | Beauregard | 267 241 | 74 64 | 193 177 | (<u>4</u> /) (<u>4</u> /; | 8 | 30.0 24.9 | 16 14 | 6.0 5.8 |
| Montgomery | 247 229 | 157 | 90 113 | 157 | 16 | 64.8 56.8 | 16 13 | 6.5 5.7 | Other races | 26 389 | 10 152 | 16 237 | (<u>4</u> /) 256 | 20 | 76.9 51.4 | 2 20 | (<u>5</u> /) 5.1 |
| Other races | 18 | 41 | -23 | (4/) | 13 | 166.7 | 3 | (5/) | Bienville White | 203 | 89 | 114 | (4/) | 11 | 54.2 | 10- | 4.9 |
| Morgan | 454 | 127 | 327 1 | 357 | 19 | 41.9 | 13 | 2.9 | Other races | 186 l | 63 I | 123 | (<u>4</u> /) | 9 | 48.4 | 10 | 5.4 |

TABLE I.—BIRTHS, DEATHS, INEANT MORTALITY, AND STILLBIRTHS: 1935—Continued (See note at head of this table)

| | | | | | | | ове до | TE AT DE | ad of this table) | | | | | | | | |
|--------------------------------|-------------------|------------------|-------------------------------------|--------------------------------|--------------------------|----------------------------------|--------------|----------------------|-------------------------------------|-------------------|------------------|-------------------------------------|--------------------------------|-------------------------|----------------------------------|---------------|--------------------------------|
| | | | ND DEATHS stillbir | | MORT (Deat infent | ANT ALITY hs of s under | STII | LBIRTHS | | (exc) | | ND DEATHS | | MORT (Deat infant | ANT ALITY hs of s under | STILL | BIRTHS |
| AREA. | Num | ber | Excess of | Births per | l year excl stillb | of age, uding irths) | Num- | Per 100 | AREA | Nun | ber | Excess of | Births per | | of age, uding irths) | Num- | Per 100 |
| | Births | Deaths | births over deaths <u>l</u> / | 100 deaths | Num- ber | Per 1,000 live births | ber | live births | | Births | Deaths | births over deaths <u>l</u> / | 100 deaths | Num- ber | Per 1,000 live births | ber | live · births |
| Section B—Continued | | | | | | | | | Section B—Continued | | | | | | | | |
| LOUISIANA—Con. | | | | | | | | | LOUISIANA-Con. | | | ł | | | | | |
| Bossier | 284 161 123 | 188 69 119 | 96 92 4 | 151 (4/) 103 | 18 4 14 | 63.4 24.8 113.8 | 9 1. 8 | 3.2 0.6 6.5 | Lincoln | 447 234 213 | 177 109 68 | 270 125 145 | 253 215 (4/) | 20 12 8 | 44.7 51.3 37.6 | 17 4 13 | 3.8 1.7 6.1 |
| Rural part | 2,971 714 | 2,403 411 | 568 303 | 124 174 | 296 57 | 99.6 79.8 | 221 63 | 7.4 8.8 | Livingston | 277 244 | 97 87 | 180 157 | (4/) (4/) (4/) | 16 14 | 57.6 57.4 | 2 | 0.7 |
| White Other races | 197 517 | 133 278 | 64 239 | 148 186 | 16 41 | 81.2 79.3 | 11 52 | 5.6 10.1 | Other races | 33 235 | 10 139 | 23 96 | 169 | 2 | 50.6 46.8 | 1 25 | (<u>5</u> /) 10.6 |
| Shreveport White | 2,257 1,283 | 1,992 960 | 265 323 | 113 134 | 239 120 | 105.9 93.5 | 158 56 | 7.0 | White Other races | 58 177 | 34 105 | 24 72 | (<u>4</u> /) 169 | 3 8 | 51.7 45.2 | 5 20 | (<u>5</u> /) 11.3 |
| Other races Calcasieu | 974 1,067 | 1,032 | -58 584 | 94 221 | 119 86 | 122.2 80.6 | 102 53 | 10.5 5.0 | Morehouse | 575 236 | 245 81 | 330 155 | 235 (<u>4</u> /) | 39 14 | 67.8 59.3. | 40 14 | 7.0 5.9 |
| Rural part White | 566 461 | 193 128 | 373 333 | 293 360 | 41 25 | 72.4 54.2 | 19 9 | 3.4 2.0 | Other races Natchitoches | 339 981 | 164 398 | 175 583 | 207 246 | 25 54 | 73.7 55.0 | 26 55 | 7.7 5.6 |
| Other races | 105 | 65 | 40 | (<u>4</u> /) | 16 | 152.4 | 10 | 9.5 | White Other races | 444 537 | 153 245 | 291 292 | 290 219 | 20 34 | 45.0 63.3 | 10 45 | 2.3 8.4 |
| Lake Charles White | 501 312 | 290 185 | 211 127 | 173 169 | 45 17 | 89.8 54.5 | 34 8 | 2.6 | Orleans, coextensive with: | | -10 | | | | | | ••• |
| Other races Caldwell | 189 218 | 105 87 | 84 131 | 180 (<u>4</u> /) | 28 12 | 148.1 55.0 | 26 14 | 13.8 6.4 | New Orleans White | 8,959 5,377 | 7,924 4,743 | 1,035 634 | 113 113 | 691 331 | 77.1 61.6 | 393 206 | 4.4 3.8 |
| White Other races | 133 85 | 56 31 | 77 54 | ·(4/) | 7 5 | 52.6 58.8 | 10 4 | 7.5 (5/) | Other races | 3,582 986 | 3,181 | 401 386 | 113 | 360 72 | 100.5 | 187 | 5.2 |
| Cameron | . 88 . 252 | 25 69 | . 63 183 | (4/) (4/) | 3 7 | 34.1 27.8 | 2 6 | (<u>5</u> /) 2.4 | Quachita | 378 | 600 128 · | 250 | 164 295 | 17 | 73.0 45.0 | 55 11 | 5.6 2.9 |
| WhiteOther races | 148 104 | 31 38 | 117 66 | (4/) | 5 2 | 33.8 19.2 | 3 | 2.0 | White Other races | 228 150 | 72 56 | 156 94 | (<u>4/)</u> (<u>4/)</u> | 9 | 35.1 60.0 | 5 6 | 2.2 4.0 |
| Claiborne | 587 149 | 180 66 | 407 83 | 326 (<u>4</u> /) | 23 4 | 39.2 | 59 11 | 10.1 | Monros Whits | 60B 409 | 472 269 | 136 140 | 129 152 | 55 39 | 90.5 95.4 | 44 17 | 7.2 4.2 |
| Other races | 438 | 114 | 324 | 384 | 19 | 43.4 | 48 | 11.0 | Other races Plaquemines | 199 221 | 203 84 | 137 | 98 (<u>4</u> /) | 16 21 | 80.4 95.0 | 27 7 | 13.6 3.2 |
| Concordia | 253 69 | 127 16 | 126 53 | 199 (<u>4</u> /) | 9 2 | 35.6 29.0 | 21 1 | 8.3 (<u>5</u> /) | White Other races | 82 139 | 28 56 | `54 83 | (4/) (4/) | 3 18 | 36.6 129.5 | 1 6 | (<u>5</u> /) 4.3 |
| Other races | 184 673 | 111 226 | 73 447 | 166 298 | 7 27 | 38.0 40.1 | 20 28 | 10.9 | Pointe Coupec | 442 | 213 | 229 | 208 | 40 | 90.5 | 31 | 7.0 |
| White Other races | 213 460 | 85 141 | 128 319 | (<u>4</u> /) 326 | 5 22 | 23.5 47.8 | 2 26 | 0.9 5.7 | White Other races | 158 284 | 59 154 | 99 130 | (<u>4</u> /) 184 | 35 · | 31.6 | 5 26 | 3.2 9.2 |
| East Baton Rouge Rural part | 1,254 851 | 718 445 | 536 406 | 175 191 | 78 44 | 62.2 51.7 | 68 52 | 5.4 6.1 | Rapides | 1,259 757 | 968. 609 | 291 148 | 130 124 | 64 31 | 50.8 41.0 | 79 50 | 6.3 6.6 |
| White Other races | 503 348 | 200 245 | 303 103 | 252 142 | 16 28 | 31.8 80.5 | 22 | 4.4 8.6 | White Other races | 431 326 | 355 254 | 76 72 | 121 128 | 10 21 | 23.2 64.4 | 26 24 | 6.0 7.4 |
| Baton Rouge | 403 234 | 273 161 | 130 73 | 148 145 | 34 22 | 84.4 94.0 | 16 8 | 4.0 3.4 | Alexandria White | 502 330 | 359 191 | 143 139 | 140 173 | 33 18 | 65.7 54.5 | 29 16 | 5.8 4.8 |
| Other races | 169 | 112 | 57 | 151 | 12 | 71.0 | 8 | 4.7 | Other races Red River | 172 355 | 168 91 | 264 264 | 102 (<u>4</u> /) | 15 14 | 87.2 39.4 | 13 9 | 7.6 2.5 |
| East Carroll | 281 81 | 147 25. | 134 55 | 191 (<u>4</u> /) | 12 5 | 42.7 61.7 | 20 | 7.1 (<u>5</u> /) | White Other races | 175 180 | 28 63 | 147 117 | (4/) (4/) | 8 | 34.3 44.4 | 4 5 | 2.3 2.8 |
| Other races East Feliciana | .200 | 121 384 | 79 -54 | 165 86 | 7 | 35.0 | 19 24 | 9.5 | Richland | 606 349 | 193 63 | 413 286 | 314 (<u>4</u> /) | 35 17 | 57.8 48.7 | 40 6 | 6.6 1.7 |
| White Other races | 53 277 | 159 225 | -106 52 | 33 123 | 1 6 | 18.9 | | 8.7 | Other races | 257 362 | 130 140 | 127 222 | 198 259 | 18 17 | 70.0 47.0 | 34 12 | 13.2 3.3 |
| Evangeline | 359 217 | 82 67 | 277 ⁻ 150 | (4/) (4/) | 14 9 | 39.0 | 11 5 | 3.1 | White | 316 46 | 110 | 206 16 | 287 (4/) | 13 4 | 41.1 87.0 | 5 | 1.6 (<u>5</u> /) |
| Other races Franklin | 142 794 | 15 · 194 | 127 600 | (4/) 409 | 5 31 | 35.2 | 6 28 | 4.2 | St. Bernard | 34 29 | 34 22 | 7 | (4/) (4/) | î | 29.4 | | |
| White | . 498 296 | 126 | 372 228 | . 395 (4/) | 24 | 48.2 23.6 | 10 | 2.0 | Other races St. Charles | 5 194 | 12 79 | -7 115 | (4/) (4/) | 1 9 | 200.0 46.4 | | 3.6 |
| Other races Grant | 251 | 109 | 142 | 230 | 14 | 155.8 | 1.3 | 5.2 | White | 138 56 | 37 42 | 101 | (4/) (4/) | 5 4 | 36.2 71.4 | 6 | 4.3 (<u>5</u> /) |
| White Other races | 170 81 | . 44 | 105 37 | (4/) (4/) | 7 | 41.2 86.4 | 9 4 | 5.3 (<u>5</u> /) | St. Helena | 146 56 | 46 27 | 100 29 | (4/) | 10 7 | 68.5 125.0 | 10 | 6.8 |
| Iberia | 662 | 326 | 336 | 203 | 50 | 75.5 | 18 | 2.7 | Other races | 90 | 19 | 71 | (4/) (4/) | 3 | 35.3 | 7 | (<u>5</u> /) (<u>5</u> /) |
| White Other races | 353 309 | 180 | 173 163 | 196 212 | - 21 29 | 59.5 93.9 | 13 | 4.2 | St. Jemes | 367 167 | 174 58 | 193 109 | 211 (<u>4</u> /) | 42 5 | 114.4 29.9 | 20 3 | 5.4 1.8 |
| Tberville | 465 220 | 276 107 | 190 113 | 169 206 | 41 14 | 88.0 63.6 | 28 B | 6.0 3.6 | Other races St. John the Beptist | 200 248 | 116 · 116 | 84 132 | 172 214 | 37 27 | 185.0 | 17 14 | 8.5 5.6 |
| Other races Jackson | 246 239 | 169 76 | 77 163 | 146 (<u>4</u> /) | 27 | 109.8 37.7 | 20 9 | 8.1 3.8 | White | 112 136 | 46 70 | 56 66 | (<u>4</u> /) (<u>4</u> /) | 8 19 | 71.4 139.7 | 10 | 3.6 7.4 |
| White Other races | 143 | 55 21 | 88 75 | (<u>4</u> /) (<u>4</u> /) | 6 3 | 42.0 31.3 | 4 5 | 2.8 (<u>5</u> /) | St. Lendry | 1,500 582 | 621 257 | 879 325 | 242 226 | 133 52 | 88.7 89.3 | 57 20 | 3.8 3.4 |
| Jefferson | 311 282 | 240 158 | -71 124 | 130 | 20 13 | 64.3 46.1 | 15 10 | 4.8 3.5 | Other races St. Martin | 918 519 | 364 186 | 554 333 | 252 279 | 81 43 | 88.2 82.9 | 37 | 4.0 |
| Other races Jefferson Davis | 29 555 | 82 173 | -53 382 | (<u>4</u> /; 321 | 7 39 | 241.4 70.3 | 5 26 | (<u>5</u> /) 4.7 | White Other races | 317 202 | 106 | 211 122 | 299 (<u>4</u> /) | 22 | 69.4 104.0 | 8 | 2.5 |
| White Other races | 383 172 | 112 61. | 271 111 | 342 (<u>4</u> /) | 27 12 | 70.5 69.8 | 13 13 | 3.4 7.6 | St. Mary | 628 284 | 305 126 | 323 158 | 206 225 | 44 17 | 70.1 59.9 | 42 12 | 6.7 |
| Lafayette | 823 | 350 | 473 | 235 | 68 | 82.6 | 37 | 4.5 | Other races | 344 | 179 | 165 | 192 | 27 | 78.5 | 30 | 8.7 |
| Rural part White | 544 301 | 170 95 | 374 206 | 320 (<u>4</u> /) | 39 15 | 71.7 49.8 | 28 22 | 5.1 7.3 | St. Tammany | 362 231 | 187 116 | 175 115 | 194 199 | 19 6 | 52.5 25.0 | 23 10 | 6.4 4.3 |
| Other races Lafayette | 243 279 | 75 180 | 168 99 | (<u>4</u> /) 155 | 24 29 | 98.8 103.9 | 6 | 2.5 | Other races Tangipahoa | 131 643 | 71 296 | 60 347 | (<u>4</u> /). 217 | 13 35 | .99.2 54.4 | 13 22 | 9.9 3.4 |
| White Other races | 181 | 86 94 | 95 4 | (<u>4</u> /) (<u>4</u> /) | 8 21 | 44.2 | 3 | 1.7 (<u>5</u> /) | White Other races | 425 218 | 180 . 116 | 245 102 | 236 188 | 15 20 | 35.3 91.7 | 10 12 | 2.4 |
| Lefourche | 830 695 | 321 | 509 462 | 259 298 | 67 49 | 80.7 | 9 | 1.1 | Tensas | 294 68 | 133 | 161 43 | 221 (<u>4</u> /) | 6 3 | 20.4 | 20 | 6.8 (<u>5</u> /) |
| Other races | 135 | 68 | 47 | (4/) | 18 | 133.3 | 5 | 3.7 | Other races Terrebonne | 226 827 | 108 | 118 536 | 209 284 | 3 81 | 13.3 | 16 | 7.1 5.2 |
| La Salle | 221 184 | 67 57 | 154 | (4/) (4/) | 6 | 36.2 | 26 | 6.5 | White | 577 | 159 | 418 | 363 189 | 45 36 | 79.0 144.0 | 19 | 3.3 9.6 |
| Other races | 37 | 10 / | 27 | (<u>4</u> /) | 2 | 54.1 | 14 | (<u>6</u> /) II | Other races | 250 l | 132 1 | 118 | TQA (| , 35 J | T44.0 | 24 | 3.0 |

TABLE I.—BIRTHS, DEATHS, INFANT MORTALITY, AND STILLBIRTHS: 1935—Continued

(See note at head of this table)

| | | | | | T | | | | | | | | | | | | |
|-----------------------------------|-------------------|-----------------|----------------------------|--------------------------------|-------------------------|----------------------------------|------------|----------------------|---|---------------------|---------------------|----------------------------|-------------------------------|---------------|----------------------------------|-------------|-----------------------|
| | (exc | | ND DEATHS | | MORT (Deat infant | ANT ALITY hs of s under | STIL | LBIRTHS | | (exc) | | ND DEATHS | | MORT (Deat | ANT ALITY hs of s under | STILI | BIRTHS |
| AREA | Nun | nber | Excess | Births per | l year excl | of age, uding irths) | Nun- | Per 100 | AREA | Nun | iber | Excess | Births per | 1 year | of age uding | | Per |
| | Births | Deatns | births over deaths1/ | 100 deaths | Num- ber | Per 1,000 live births | ber | live oirths | | Births | Leaths | births over deaths1/ | 100 deaths | Num- ber | Per 1,000 live births | Num- ber | 100 live births |
| Section B-Continued | | | | | | | | | Section B—Continued | | | | | | | | |
| LOUISIANA—Con. | | | | | | | | | MARYLAND-Con. | | | | | | | | |
| Union | 332 | 149 | 183 | 223 | 11 | 33.1 | 15 | 4.5 | Calvert | 234 | 110 | 124 | 213 | 21 | 89.7 | 31 | 13.2 |
| White Other races Vermilion | 215 117 700 | 96 53 309 | 119 64 391 | (4/) (4/) 227 | 7 | 18.6 | 6 | 5.1 | WhiteOther races | 99 135 | 50 60 | 49 75 | (<u>4/)</u> (<u>4/)</u> | 19 | 20.2 | 7 24 | (<u>5</u> /) 17.8 |
| White Other races | 574 125 | 256 53 | 318 73 | 224 | 61 45 16 | 79.4 | 28 15 | 2.6 | Caroline | 305 229 | 200 152 | 105 | 153 151 | 21 | 68.9 48.0 | 6 | 2.6 |
| Vernon | 332 | 85 62 | 247 238 | (4/) (4/) (4/) | 18 | 127.0 | 13 16 | 10.3 | Other races | 76 491 | 48 587 | 28 -96 | (<u>4</u> /) 84 | 10 22 | 131.6 44.8 | 3 23 | (<u>5</u> /) 4.7 |
| Other races Washington | 32 689 | 23 | 9 | (<u>4</u> /) | 15 | 50.0 93.8 | 12 | 4.0 (<u>5/</u>) | White | 449 386 | 365 319 | 84 67 | 123 | 29 22 | 64.6 57.0 | 26 23 | 5.8 6.0 |
| Rural part | 297 | 102 | 383 195 | 225 | 49 23 | 71.1 | 38 11 | 5.5 3.7 | Other reces Charles | 63 372 | 46 156 | 17 216 | (<u>4</u> /) 238 | 37 | 99.5 | 26 | (<u>5</u> /) 7.0 |
| White Other races | 188 | 59 43 | 129 | (<u>4</u> /) (<u>4</u> /) | 10 13 | 53.2 119.3 | 5 | 2.7 5.5 | White Other races | 149 223 | 90 | 83 133 | (<u>4/)</u> (<u>4</u> /) | 5 32 | 33.6 143.5 | 5 21 | 3.4 9.4 |
| Bogslusa White | 392 307 | 204 124 | 188 183 | 192 248 | 26 18 | 66.3 58.6 | 27 17 | 6.9 5.5 | Dorchester | 449 | 376 | 73 | 119 | 44 | 98.0 | 58 | 15.1 |
| Other races | 85 | 80 | 5 | (<u>4</u> /) | 8 | 94.1 | 10 | (<u>5</u> /) | White Other races | 295 154 | 250 126 | 45 28 | 118 122 | 22 | 74.6 142.9 | 40 28 | 13.6 18.2 |
| White | 488 219 | 157 81 | 331 138 | 311 (<u>4/)</u> | 24 9 | 49.2 41.1 | 23 8 | 4.7 3.7 | Frederick | 983 754 | 845 622 | 138 132 | 116 121 | 78 53 | 79.3 70.3 | 50 37 | 5.1 4.9 |
| Other races West Baton Rouge | 269 177 | 76 111 | 193 66 | (<u>4</u> /) 159 | 15 12 | 55.8 67.8 | 15 4 | 5.6 2.3 | Frederick White | 229 214 | 223 198 | 6 16 | 103 108 | 25 21 | 109.2 | 13 12 | 5.7 5.6 |
| White Other races | 48 129 | 33 78 | 15 51 | (<u>4/)</u> (<u>4/)</u> | 3 9 | 62.5 69.8 | 4 | 3.1 | Other races Garrett | 15 488 | 25 198 | -10 290 | (<u>4</u> /) 245 | 4 32 | 266.7 65.6 | 1, 19 | (<u>5</u> /) 3.9 |
| West Carroll White | 296 230 | 81 54 | 215 176 | (<u>4</u> /) (<u>4</u> /) | 18 13 | 60.8 56.5 | 12 6 | 2.6 | Harford | 482 406 | 409 334 | 73 72 | 118 122 | 23 20 | 47.7 49.3 | 16 14 | 3.3 3.4 |
| Other races West Feliciana | ' 66 195 | 27 103 | 39 92 | (<u>4</u> /) 189 | 5 11 | 75.B 56.4 | 6 16 | (<u>5</u> /) 8.2 | Other reces | 76 | 75 | 1 | (<u>4</u> /) | 3 | 39.5 | 2 | (<u>5</u> /) |
| White Other races | 20 175 | 17 86 | 3 89 | (<u>4/)</u> (<u>4/)</u> | 11 | 62.9 | 2 14 | (<u>5</u> /) 8.0 | Howard | 250 183 | 118 63 | 132 100 | 212 (<u>4</u> /) | 11 8 | 44.0 43.7 | 11 6 | 4.4 3.3 |
| White | 145 101 | 62 62 | 6 2 39 | (<u>4</u> /) (<u>4</u> /) | 9 | 62.1 69.3 | 5 3 | 3.4 3.0 | Other races Kent | 67 202 | 35 198 | 32 4 | (<u>4</u> /) 102 | 3 21 | 44.8 104.0 | 5 12 | (<u>5</u> /) 5.9 |
| Other races | 44 | 21 | 23 | (<u>4</u> /) | 2 | 45.5 | 2 | (<u>5</u> /) | White Other races | 115 87 | 117 61 | -2 6 | 98 (<u>4</u> /) | 7 14 | 60.9 160.9 | 7 5 | 6.1 (<u>5</u> /) |
| MAINE (total) | 15,723 | 11,024 | 4,699 | 143 | 990 | 63.0 | 531 | 3.4 | Montgomery White | 882 722 | 618 506 | 264 216 | 143 143 | 43 31 | 48.8 42.9 | 31 23 | 3.5 3.2 |
| Androscoggin | 1,538 | 1,041 | 497 | 148 | 101 | 65.7 | 49 | 3.2 | Other races Prince Georges | 160 679 | 112 550 | 48 129 | 143 123 | 12 45 | 75.0 66.3 | 8 26 | 5.0 3.8 |
| Rural part | 252 170 | 202 178 | 50 -8 | 125 96 | 17 10 | 67.5 58.8 | 9 5 | 2.9 | White Other races | 410 269 | 385 165 | 25 104 | 106 163 | 18 27 | 43.9 100.4 | 14 12 | 3.4 4.5 |
| Lewiston Aroostook | 2,594 | 661 998 | 455 1,596 | 169 260 | 74 245 | 66.3 94.4 | 35 101 | 3.1 | Queen Annes | 215 | 182 | 33 | 118 | 23 | 107.0 | 7 | 3.3 |
| Cumberland | 525 | 2,009 532 | 258 -7 | 113 99 | 127 23 | 56.0 43.8 | 65 20 | 2.9 3.8 | White Other reces | 133 82 | 106 76 | 27 6 | 125 (<u>4</u> /) | 9 14 | 67.7 170.7 | 4 3 | 3.0 (<u>5/</u>) |
| Portland South Portland | 36 | 1,243 | 307 -82 | 125 31 | 93 2 | 60.0 55.6 | 39 1 | 2.5 (<u>5</u> /) | St. Marys | 386 250 | 186 93 | 200 157 | 208 (<u>4</u> /) | 36 13 | 93.3 52.0 | 20 10 | 5.2 4.0 |
| Westbrook Franklin | 156 363 | 116 223 | 40 140 | 134 163 | 9 19 | 57.7 52.3 | 5 18 | 3.2 5.0 | Other reces Somerset | 136 403 | 93 317 | 43 86 | (<u>4</u> /) 127 | 23 43 | 169.1 106.7 | 10 36 | 7.4 8.9 |
| Han cock Kennebec | 532 1,325 | 441 1,062 | 91 263 | 121 125 | 29 78 | 54.5 58.9 | 19 47 | 3.6 3.5 | White Other races | 222 181 | 172 145 | 50 36 | 129 125 | 11 32 | 49.5 176.8 | 22 14 | 9.9 7.7 |
| Rural part Augusta | 613 348 | 510 312 | 103 36 | 120 112 | 30 22 | 48.9 63.2 | 26 9 | 4.2 2.6 | Telbot | 346 217 | 315 205 | 31 12 | 110 106 | 23 10 | 66.5 46.1 | 30 22 | 8.7 10.1 |
| Waterville | 364 | 240 | 124 | 152 | 26 | 71.4 | 12 | 3.3 | Other races | 129 | 170 | 19 | 117 | 13 | 100.8 | 8 | 6.2 |
| Knox | 407 252 | 403 221 | 4 31 | 101 114 | 10 19 | 24.6 75.4 | 13 7 | 3.2 2.8 | Washington Rural part | 1,203 | 728 310 | 475 330 | 165 206 | 65 35 | 54.0 54.7 | 78 35 | 6.5 5.5 |
| Oxford Penobscot | 751 1,922 | 467 1,386 | 284 536 | 161 139 | 35 125 | 46.6 65.0 | 16 59 | 2.1 | Hagerstown | 563 528 | 4 <u>1</u> 8 513 | 145 15 | 135 103 | 30 53 | 53.3 100.4 | 43 49 | 7.6 9.3 |
| Rural Bangor | 1,296 626 | 733 653 | 563 -27 | 177 96 | 80 45 | 61.7 71.9 | 34 25 | 2.6 | Rural part | 223 145 | 236 173 | -13 -28 | 94 84 | 26 12 | 116.6 82.8 | 17 6 | 7.6 4.1 |
| Piscataquis | 583 319 | 238 267 | 145 52 | 161 119 | 20 18 | 52.2 56.4 | 9 13 | 2.3 | Other races Salisbury | 78 305 | 63 277 | 15 28 | (<u>4</u> /) 110 | 14 27 | 179.5 88.5 | 11 32 | (<u>5</u> /) 10.5 |
| Somerset | 643 361 | 467 323 | 176 38 | 138 | 36 22 | 56.0 60.9 | 32 9 | 5.0 2.5 | White Other races | 217 88 | 214 63 | 3 25 | 101 (<u>4</u> /) | 16 11 | 73.7 125.0 | 22 10 | 10.1 |
| Washington | 670 1,396 | 498 980 | 172 416 | 135 142 | 36 70 | 53.7 50.1 | 18 56 | 2.7 | Worcester | 296 141 | 277 157 | 19 -16 | 107 90 | 32 13 | 108.1 | 31 6 | 10.5 |
| Rural part Biddeford | 845 501 | 709 271 | 136 280 | 119 203 | 41 29 | 48.5 52.6 | 32 24 | 3.8 | Other races | 155 | 120 | 35 | 129 | 19 | 122.6 | 25 | 16.1 |
| | | | | | | l | | | MASSACHUSETTS | 68 601 | -0.03p | 10 064 | 105 | 5 041 | 10 7 | 900 | 3.0 |
| MARYLAND (total) | 1,702 | 21,192 | 6,054 817 | 129 | 1,689 | 62.0 1 | 118 | 6.9 | (total) | 485 | 50,237 | 12,764 -29 | 125 94 | 3,041 | 48.3 | 1,900 | 2.5 |
| Rural part Cumberland | 828 874 | 371 314 | 457 360 | 223 170 | 60 51 | 72.5 58.4 | 54 | 6.5 | Berkshire | 1,866 | 1,318 | 548 -77 | 142 78 | 74 11 | 39.7 39.1 | 66 5 | 3.5 1.8 |
| Anne Arundel | 951 615 | 589 492 | 262 123 | 138 125 | 49 30 | 51.5 | 54 40 | 5.7 | Adems (town) North Adems | 219 454 | 102 259 | 117 195 | 215 175 | 12 | 54.8 48.5 | 5 24 | 2.3 |
| White | 363 | 252 | 111 | 144 | 11 | 30.3 | 10 | 2.8 | Pittsfield Bristol | 912 5,448 | 599 4,338 | 313 | 152 126 | 29 | 31.8 55.6 | 32 197 | 3.5 |
| Other races | 252 336 | 197 | 12 139 | 105 171 | 19 19 | 75.4 56.5 | 30 14 | 11.9 | Rural part | 5,448 590 421 | 572 299 | 16 | 103 | 35 21 | 59.3 49.9 | 15 14 | 2.5 |
| WhiteOther races | 267 69 | 126 71 | 141 -2 | 212 (<u>4</u> /) | 10 | 33.7 | 10 | 3.7 (<u>5/)</u> | Attleboro | 74 2,012 | 73 1,460 | 1 1 552 | (<u>4</u> /) 138 | 3 114 | 40.5 | 1 74 | (<u>5</u> /) 3.7 |
| Baltimore | 1,235 | 1,211 | 24 -11 | 102 | 53 43 | 38.6 | 54 54 | 5.2 4.8 | Fell River New Bedford North Attleborough | 1,737 | 1,267 | 470 | 137 | 97 | 35.8 | 73 | 4.2 |
| Other races Baltimore (city) | | 86 11,149 | 35 2,556 | (<u>4</u> /) 123 | 10 774 | 56.5 | 10 681 | 5.0 | North Attleborough (town) Taunton | 69 545 | 78 589 | -9 -44 | (<u>4</u> /) 93 | 3 30 | 43.5 55.0 | 20 | 3.7 |
| White Ctner races | | 8,353 2,796 | 2,210 346 | 126 | 519 255 | 49.1 81.2 | 435 246 | 7.8 | Dukes | 94 | 93 | 1 | (<u>4</u> /) | 6 | 63.8 | | |
| | | | | | | | | | | | | | | | | | |

TABLE I.—BIRTHS, DEATHS, INFANT MORTALITY, AND STILLBIRTHS: 1935—Continued (See note at head of this table)

| | | | ND DEATHS stillbir | | (Dent) | TITY | STIL | LBIRTHS | | | | D DEATES | ths) | INF/ MORT/ (Deat) infant: | YTTY | STIL | LBIRTHS |
|---|--|---|---|---|---|--|--|---|---|---|--|--|---|---|---|--|--|
| AREA | Num | ber | Excess | Births | 1 year | of age, iding | | Per | AREA | Num | per | Excess | Births per | l year exclustillb | | Num- | Per 100 |
| | Births | Deaths | births over deaths1/ | per 100 deaths | Nun- ber | Per 1,000 live births | Num- ber | 100 live births | | Births | Deaths | births over deaths1/ | 100 deaths | Num- ber | Per 1,000 live births | ber | live births |
| Section B-Continued | | | | | | | | | Section B-Continued | | | | | | | | |
| MASSACHUSETTS-Con. | | | | | | | | | MICHIGAN (total) | | 51,050 | 36,396 | 171 | 4,172 | - | 2,717 | 3.1 |
| Essex- Rural part Amesbury (town)- Beverly- Danvers (town)- Glouosster- Haverhill- Lawrenco- Lynn- Methuen (town)- Nawburyport- | 387 111 332 732 1,291 1,418 219 259 | 5,739 709 124 341 427 284 560 949 1,013 188 213 221 | 929 -257 32 46 -316 48 172 342 405 31 46 | 116 67 126 113 26 117 131 136 140 115 122 162 | 379 11 4 18 1 15 26 77 100 8 14 | 56.8 23.3 25.6 46.5 9.0 45.2 35.5 59.5 59.5 59.5 54.1 | 234 10 6 17 4 5 25 59 46 7 14 | 3.5 2.1 3.8 4.4 3.6 1.5 3.4 4.6 3.2 3.2 3.2 | Alcona Alger Allegan Alpena Rurel pert Alpene Abrina Arenac Barnga Berry Bay Rurel pert | 115 191 639 442 139 303 242 139 146 343 1,434 | 56 109 473 196 42 154 .136 108 . 97 263 785 | 59 82 166 246 97 149 106 31 49 80 649 | (4/) 175 135 226 (4/) 197 178 129 (4/) 130 183 240 | 1 16 29 13 5 8 14 10 13 12 75 | 8.7 83.8 45.4 29.4 36.0 26.4 57.9 71.9 89.0 35.0 52.3 36.8 | 3 4 13 7 2 5 9 2 2 8 52 8 | 2.6 2.1 2.0 1.5 1.7 3.7 1.4 1.4 2.3 2.0 |
| Peabody Salem Saugus (town) Swampscott (town) | 688 103 | 513 118 79 | 175 -15 | 134 87 (<u>4</u> /) | 75 7 | 109.0 68.0 28.2 | 22 3 4 | 3.2 2.9 2.8 | Bay City | 1,026 | 615 101 | 411 96 | 167 195 | 60 | 58.5 55.8 | 44 10 | 4.3 5.1 |
| Swampsott (town) Franklin Creenfield (town) Hampden Rural part Chicopee Holyoke Springfield Westfield West Springfield (town) Hampshire Rural part | 689 404 285 4,658 443 316 943 2,555 327 74 919 | 591 368 225 3,478 463 279 692 1,747 185 | 98 38 60 1,180 -20 37 251 808 142 -38 | 117 110 127 134 96 113 136 146 177 | 30 14 16 229 21 20 43 134 8 3 39 22 | 43.5 34.7 56.1 49.2 47.4 63.3 45.6 52.4 24.5 | 24 12 12 147 12 10 38 72 13 2 35 | 3.5 3.0 4.2 3.2 2.7 3.2 4.0 2.8 4.0 (5/) 3.8 2.6 | Berrien Rural part Benton Herbor Niles Branch Calhoun Rural part Battle Creek Cass Charlevoix Cheboygan Chippewa Rural part Rural part Sault Ste. Marie- Sault Ste. Marie- | 1,297 694 367 236 408 1,645 686 959 332 233 277 662 210 452 | 903 546 233 124 326 1,132 550 582 307 152 136 288 85 203 | 394 148 134 112 82 513 136 377 25 81 141 374 125 249 | 144 127 158 190 125 145 165 108 153 204 230 (4/) | 68 38 17 13 18 73 27 46 19 16 17 30 | 52.4 54.8 46.3 55.1 44.1 44.4 39.0 57.2 68.7 61.4 45.3 33.3 50.9 | 45 32 7 6 6 46 22 24 11 8 12 22 26 16 | 3.5692 2.551.82 2.532 2.5334 3.395 |
| Resthempton (town Northempton | 65 434 434 13,187 1,045 379 300 2,236 1,699 742 290 894 425 233 | 472 9,828 1,699 297 143 1,426 420 221 1,316 512 475 268 156 | -38 3,359 -654 82 -113 810 351 261 383 230 131 419 157 | 92 134 62 128 21 157 184 218 218 129 145 188 188 159 | 1 16 585 63 7 127 25 20 115 26 8 27 15 33 | 30.0 | 11 54 25 10 23 23 | 3.4 2.6 5.4 2.6 | Clare Clinton Crawford Delta Rurel part Escanaba Dickinson Rurel part Iron Mountain Eston Eston Emmet Genese Rurel part Flint | 183 448 106 757 269 488 522 299 223 552 402 4,437 998 3,439 | 111 298 62 338 135 203 234 127 107 390 262 1,826 437 1,389 | 72 150 44 419 134 285 288 172 116 162 140 2,611 561 2,050 | 165 150 (4/) 224 199 240 223 235 208 142 153 243 228 248 | 6 18 6 45 15 15 8 21 23 207 32 175 | 32.8 40.2 56.6 60.8 55.8 44.1 50.2 35.9 38.0 57.2 46.7 32.1 50.9 | 4 9 4 25 4 21 12 3 9 24 26 146 22 124 | 2.2 2.0 3.8 3.3 1.5 4.3 2.3 4.0 4.5 6.3 2.2 3.6 |
| Somervillo Stoneham (town)- Waltham- Watertown (town)- Waltham- Watertown (town)- Winchester (town) Woburn- Nentucket- Norfolk- Braintree (town)- Brockine (town)- Brockine (town)- Milton (town)- Norwood (town)- Quincy- Wellesley (town)- Plymouth (town)- Bural part- Brockton- Plymouth (town)- Suffolk- Boston- Other races- Other races- | 1,206 291 114 282 883 357 502 2,612 2,612 2,612 2,005 63 1,203 1,2 | 8686 8686 155 128 155 128 155 128 155 156 156 156 156 156 156 156 156 156 | 1386 | 140 190 955 141 192 209 (4/) 193 34 45 37 45 45 37 47 44/) 162 42 42 42 42 44/) 162 44/) 162 44/) 163 45 46 47 48 48 48 48 48 48 48 48 48 48 48 48 48 | 42 11 6 66 33 19 4 111 21 55 55 56 40 0 12 23 40 848 848 814 732 | 34.9 37.8 31.5 31.5 31.5 31.5 31.9 31.5 31.8 31.8 41.8 41.8 41.6 41.8 41.8 41.8 32.3 33.5 33.5 33.5 33.5 33.5 33.5 33.5 | 47, 99 22 23 26 6 144 | 3.9 3.18 2.8 (5/) 2.4 3.9 2.6 2.2 2.7 2.8 (5/) 2.9 2.7 2.7 2.7 2.7 2.1 2.2 2.5 2.2 2.7 2.7 2.2 2.2 2.7 2.4 2.2 2.2 2.4 2.4 2.8 2.8 2.8 2.8 2.8 2.8 2.8 2.8 2.8 2.8 | Gladwin- Gogebic- Rural part- Ironwood- Grand Traverse City- Gratiot- Hillsdele- Houghton- Huron- Ingham- Rural part- Lansing- Ionia- Iron- Isabella- Jackson- Kalemazoo- Rural part- Kalemazoo- Rural part- Kalemazoo- Kalkaske- Kent- Rural part- Kent- Kent- Rural part- Kalemazoo- Kent- Rural part- Rural part- | 538 174 286 524 1,408 376 1,032 1,622 401 1,221 116 4,096 1,420 | 80 325 213 113 299 404 403 99 589 337 1,152 808 453 811 1,050 327 734 348 893 1,241 348 893 56 2,597 844 | 100 241 132 109 12 250 36 222 356 1,327 234 1,093 85 93 117 233 348 49 299 381 53 328 60 1,499 579 | (4/) 174 162 196 103 92 164 111 138 206 215 169 169 169 119 (4/) 169 133 115 141 131 131 145 147 147 158 | 8 27 188 9 17 6 11 53 21 53 30 121 23 26 28 20 26 88 89 19 69 71 16 55 51 22 25 26 36 36 36 36 36 36 36 36 36 36 36 36 36 | 44.4 47.6 52.2 40.5 40.1 40.3 40.0 79.8 47.5 70.3 48.8 39.8 51.6 52.0 62.5 50.5 66.9 43.8 39.9 45.0 8.6 45.9 | 5 18 8 9 9 12 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 | 2.8 3.2 4.1 2.6 4.0 4.0 2.7 1.8 5.5 2.9 2.3 1.4 2.5 2.9 2.1 4.0 2.5 2.9 2.1 2.5 2.9 2.7 2.2 2.9 3.5 2.9 2.7 2.9 2.7 2.9 2.7 2.9 2.7 2.9 2.9 2.7 2.9 2.9 2.9 2.9 2.9 2.9 2.9 2.9 2.9 2.9 |
| Cholsea- Revers- Winthrop (town)- Worcester- Winal part- Athol (town)- Clinton (town)- Fitchburg- Gardner- Lecminster- Milford (town)- Southbridge (tow Webster (town)- Worcester- | 7,280 1,231 1,231 130 212 714 417 364 1,) 256 | 179 190 1,790 1,790 100 153 44 430 47 27 20 12 14 15 14 12 14 15 | -50 1,384 1,384 2 28 5 59 1 285 1 149 1 119 1 119 | 72 163 123 124 125 127 139 139 139 139 139 149 154 179 141 179 141 179 178 178 178 178 178 178 178 178 178 178 | 7 342 58 3 11 41 42 22 22 3 4 12 | 22.4 47.0 47.1 23.1 51.9 57.4 52.8 25.8 15.6 45.1 | 4 11 239 26 4 6 21 13 13 19 9 | 3.1 3.5 3.3 2.3 3.1 2.8 2.9 3.1 2.9 5.1 3.5 3.5 3.5 3.5 3.5 3.5 3.5 3.1 3.5 3.1 3.1 3.5 3.1 3.5 3.1 3.5 3.5 3.5 3.5 3.5 3.5 3.5 3.5 3.5 3.5 | Grand Rapids Keweenaw Lake White Other races Lapeor Leclanau Lenawee Rural part Adrian Livingston Luce Mackinac | 2,676 82 81 74 7 463 165 792 512 280 272 189 215 | 1,756 42 49 40 9 381 84 584 584 238 196 238 195 85 | 920 40 32 34 -2 82 81 208 124 84 34 -6 130 | (4/) (4/) (4/) (4/) 122 (4/) 136 132 143 114 97 (4/) | 153 4 2 1 17 8 28 19 9 8 15 | 57.2 48.8 24.7 13.5 142.9 36.7 48.5 37.1 32.1 29.4 79.4 51.2 | 98 4 1 17 7 24 17 7 7 5 | 3.7 (5/) (5/) (5/) (5/) 3.7 4.2 3.3 2.5 2.6 2.3 |

TABLE I.—BIRTHS, DEATHS, INFANT MORTALITY, AND STILLBIRTHS: 1935—Continued (See note at head of this table)

| | | | | | | | 1 | | ad of this table; | | | | | | | | |
|-----------------------------------|-----------------|-----------------|-------------------------|--------------------------------|-------------------------|----------------------------------|------------|-----------------------|---------------------------------|-----------------------|-----------------------|-----------------------|--------------------------------|----------------------|----------------------------|----------------------|-----------------------------|
| | (exc | | ND DEATHS | | MORT (Deat infant | ANT ALITY hs of s under | STII | LBIRTHS | | | | ND DEATHS stillbir | | (Deat | ALITY hs of s under | STIL | LBIRTHS |
| AREA | Mu | mber | ±xcess | dirths | | of age, uding irths) | | Per | AREA | Num | ber | Excess | Births | | of age, uding irths) | | Per |
| | | | of births over 1/ | per 100 deaths | Nura- | Per 1,000 | Nun- | 100 live births | | | | of birthe over | per 100 deaths | Num- | Per 1,000 | her ber | 100 live |
| | Births | Deaths | deaths=/ | | ber | live births | | | | Births | Deaths | deaths | | ber | live births | | |
| Section s—Continued | | | | | | | | | Section B—Continued | | | | | | | | |
| MICHIGAN—Con. | | | | | | | | | MINNESOTA—Con. | | | | | : | | | |
| Macomb Rural part | 935 | 721 513 | 520 422 | 172 182 | 61 46 | 49.2 49.2 | 35 24 | 2.8 | Beltrami Benton | 604 (<u>14</u> /) | 229 (<u>14</u> /) | 375 (<u>14</u> /) | 264 (<u>14</u> /) | 36 (<u>14</u> /) | 59.6 (<u>14</u> /) | 18 (<u>14</u> /) | 3.0 (14/) |
| Mount Clemens | - 306 - 324 | 208 | 98 83 | 147 134 | 15 18 | 49.0 55.6 | 11 5 | 3.6 | Rural part St. Cloud (part)- | 225 (<u>14</u> /) | 80 (<u>14</u> /) | 145 (<u>14</u> /) | (<u>4/)</u> (<u>14/)</u> | (<u>14</u> /) | 31.1 (14/) | (14/) | 0.9 |
| Marquette Rural part | - 765 - 459 | 555 329 | 210 130 | 138 140 | 58 38 | 75.8 82.8 | 31 19 | 4.1 4.1 | Big StoneBlue Marth | 260 660 | 102 371 | 158 289 | 255 178 | 7 38 | 26.9 57.6 | 20 | 2.7 |
| Marquette Mason | 338 | 226 215 | 123 | 135 157 | 20 13 | 65.4 38.5 | 12 | 3.9 3.3 | Rural part Mankato | 187 473 | 138 233 | 49 240 | 136 203 | 8 30 | 42.8 63.4 | 5 15 | 2.7 3.2 |
| Mecosta Menominee | 350 550 | 200 255 | 150 295 | 175 216 | 14 29 | 40.0 52.7 | 8 13 | 2.3 | Brown | 592 514 | 281 193 | 311 321 | 211 266 | 28 24 | 47.3 46.7 | 6 | 1.0 |
| Rural part Menominee | | 122 133 | 122 173 | 200 230 | 10 19 | 41.0 62.1 | 2 11 | 0.8 3.6 | Carver | 271 445 | 128 237 | 143 208 | 212 | 6 24 | 22.1 53.9 | 6 | 2.2 |
| Midland | | 195 | 348 | 278 | 24 | 44.2 | 15 | 2.8 | ChippewaChisego | 324 125 | 160 134 | 164 9 | 203 | 18 | 55.6 48.0 | 12 6 | 3.7 4.8 |
| Missaukee Monroe | 1,012 | 74 566 | 119 446 | (<u>4</u> /) 179 | 6 42 | 31.1 41.5 | 4 32 | 2.1 3.2 | Clay | 416 | 203 | 213 | 205 | 29 | 69.7 | 14 | 3.4 |
| Rural part Monroe | | 322 244 | 197 249 | 161 202 | 14 28 | 27.0 56.8 | 9 23 | 1.7 4.7 | Clearwater | 212 26 | 84 23 | 128 3 | (<u>4</u> /) (<u>4</u> /) | 9 | 42.5 115.4 | 8 | 3.8 |
| Montcalm Montmorency | 523 76 | 341 41 | 182 35 | 153 (<u>4</u> /) | 23 4 | 44.0 52.6 | 11 | 2.1 | Cottonwood | 343 543 | 120 261 | 223 282 | 286 208 | 12 36 | 35.0 | 8 18 | 2.3 |
| Miskegon | 252 | 839 169 | 836 83 | 200 149 | 73 | 43.6 27.8 | 49 | 2.9 0.8 | Rural part Brainerd | 255 288 | 105 156 | 150 132 | 243 185 | 12 | 47.1 83.3 | 6 | 2.4 |
| Miskegon Miskegon Heights | 1,286 | 598 72 | 688 65 | 215 (<u>4</u> /) | 62 4 | 48.2 29.2 | 43 4 | 3.3 2.9 | Dakota | 377 324 | 291 259 | 86 65 | 130 125 | 23 19 | 61.0 58.6 | 12 | 3.2 |
| Newaygo | 371 | 244 | 127 | 152 | 22 | 59.3 | 16 | 4.5 | South St. Paul | 53 184 | 32 108 | 21 76 | (<u>4</u> /) 170 | 4 | 75.5 | 10 | 3.1 (<u>5</u> /) |
| Oakland | 3,545 | 1,743 | 1,802 | 203 158 | 164 53 | 46.3 38.2 | 121 45 | 3.4 3.2 | DouglasFaribault | 350 416 | 198 | 152 227 | 177 220 | 5 19 | 32.6 54.3 | 8 | 0.5 2.3 |
| Pontiac | | 607 78 | 951 218 | 257 (<u>4</u> /) | 90 13 | 57.8 43.9 | 56 11 | 3.6 | Fillmore | 345 | 192 | 153 | 180 | 12 10 | 28.8 29.0 | 14 | 3.4 2.6 |
| Royel Cak Oceana | 305 263 | 180 180 | 125 83 | 169 146 | 8 13 | 26.2 49.4 | 9 | 3.0 | Freeborn | 533 192 | 226 102 | 307 90 | 236 188 | 15 | 28.1 36.5 | 12 2 | 2.3 |
| OgemawOntonagon | 192 211 | 97 96 | 95 115 | (<u>4</u> /) (<u>4</u> /) | 11 14 | 57.3 66.4 | 5 4 | 2.6 | Albert Lea Goodhue | 341 458 | 124 | 217 134 | 275 141 | 8 | 23.5 | 10 | 2.9 |
| Osceola | 274 53 | 169 25 | 105 28 | 162 | 15 | 54.7 75.5 | 10 | 3.6 (<u>5</u> /) | Grant | 179 | 75 5,747 | 104 | (4/) | 13 | 28.4 72.6 | 18 | 2.8 |
| Otsego | 160 | 56 | 104 | (<u>4</u> /) | 5 | 31,3 | 6 | 3.8 | Rural pert Minneapolis | 353 7,355 | 626 | 1,961 -273 | 134 56 | 324 | 42.0 22.7 | 242 | 3.1 |
| Ottawa | 944 689 | 508 380 | 436 309 | 186 181 | 33 25 | 35.0 36.3 | 30 20 | 3.2 2.9 | Houston | 247 | 5,121 | 2,234 | 182 | 316 | 43.0 52.6 | 236 | 1.6 |
| Hollend Presque Isle | 255 247 | 128 110 | 127 137 | 199 | 8 16 | 31.4 64.8 | 10 | 3.9 | Isenti | 172 | 100 | 112 63 | 212 158 | 16 3 | 75.5 17.4 | 11 | 5.2 2.9 |
| Roscommon | 60 2,405 | 23 | 37 1,134 | (<u>4</u> /) 189 | 3 137 | 50.0 | 1 90 | (5/) | Jackson | 572 266 | 257 130 | 315 136 | 223 205 | 35 13 | 61.2 48.9 | 15 | 2.6 4.1 |
| Rural part Saginaw | 610 | 330 941 | 280 | 185 | 31 | 50.8 | 22 | 3.7 3.6 | Kanabec | 172 | 57 | 115 | (4/) | 12 | 69.8 | 3 | 1.7 |
| St. Clair | 1,243 | 817 | 854 426 | 191 | 106 | 59.1 53.1 | 68 62 | 5.0 | KandiyohiKittson | 426 197 | 260 119 | 166 78 | 164 166 | 20 19 | 46.9 96.4 | 10 | 2.3 4.1 |
| Port Huron | 651 | 401 416 | 191 235 | 148 156 | 27 39 | 45.6 59.9 | 27 35 | 4.6 5.4 | Koochiching Lac qui Parle | 371 240 | 122 | 249 104 | 304 176 | 18 | 48.5 50.0 | 6 | 1.6 |
| St. Joseph | 585 | 413 | 172 | 142 | 24 | 41.0 | 20 | 3.4 | Lake of the Woods | 89 75 | 84 36 | 5 39 | (<u>4</u> /) (<u>4</u> /) | 6 6 | 67.4 80.0 | 2 | (5/) |
| Sanilac | 546 195 | 350 111 | 216 84 | 165 176 | 25 12 | 45.8 61.5 | 20 10 | 3.7 5.1 | Lincoln | 280 235 | 149 | 131 135 | 188 235 | 11 | 39.3 42.6 | 7 | (<u>5</u> /) 2.5 1.3 |
| Shiawassee | 708 303 | 483 265 | 325 38 | 147 | 39 14 | 55.1 46.2 | 21 12 | 3.0 4.0 | Lyon | 411 376 | 159 186 | 252 190 | 258 202 | 15 9 | 36.5 | 7 | 1.7 4.3 |
| Cwosso | 405 611 | 218 484 | 187 127 | 186 | 25 31 | 61.7 50.7 | 25 | 3.8 | Wahnomen | 146 118 | 66 52 | 80 66 | $(\frac{4}{4})$ | 13 11 | 89.0 93.2 | 3 2 | 2.1 |
| Van Buren Washtenaw | | 423 1,652 | 31 ~356 | 107 78 | 23 100 | 50.7 77.2 | 12 47 | 3.6 | Other races | 28 354 | 14 146 | 14 208 | (4/) 242 | 2 | 71.4 50.8 | 1 7 | (<u>5</u> /) 2.0 |
| Rural part Ann Arbor | 283 831 | 395 1,119 | -112 -288 | 72 74 | 10 85 | 35.5 | 8 34 | 2.8 | Martin | 460 | 187 | 273 | 246 | 17 | 37.0 | 9 | 2.0 |
| Ypsilanti White | 182 168 | 138 121 | 44 47 | 132 139 | 5 5 | 27.5 29.8 | 5 | 2.7 5.0 | Meeker | 352 290 | 149 150 | 203 | 236 | 11 | 31.3 | 12 | 1.1 |
| Other races | 14 | 17 | -3 | (4/) | | | | | Morrison | 592 688 | 237 | 355 394 | 250 | 32 | 54.1 | 14 | 4.1 2.4 2.6 |
| Wayne Rural part | 1,316 | 16,971 1,761 | 14,675 -465 | 186 74 | 1,374 | 43.4 34.2 | 965 44 | 3.0 3.3 | Rural part | 266 422 | 133 | 133 | 200 | 12 20 | 45.1 47.4 | 10 B | 3.0 2.4 |
| Dearborn Detroit | 757 26,168 | 203 13,644 | 554 12,524 | 373 192 | 20 1,173 | 26.4 44.8 | 15 800 | 2.0 | Murray Nicollet | 275 | 82 294 | 193 | (<u>4</u> /) 73 | 12 | 43.6 | 4 | 1.5 |
| White Other races | 23,974 2,194 | 11,929 1,715 | 12,045 479 | | 1,042 | 43.5 59.7 | 698 102 | 2.9 | Nobles | 445 303 | 169 | 276 | 263 | 14 | 42.1 31.5 | 16 | 1.9 3.6 |
| Ecorse White | 211 190 | 51 46 | 160 144 | (<u>4</u> /) (<u>4</u> /) | 10 | 47.4 42.1 | 7 6 | 3.3 | Olmsted | 851 216 | 1,026 | 165 -175 | 257 83 | 12 51 | 39.6 59.9 | 27 | 2.6 3.2 |
| Other races Grosse Pointe Park | 21 32 | 5 62 | 16 -30 | (4/) (4/) | 2 | 95.2 125.0 | 1 | (<u>5</u> /) | Rochester | 635 | 104 922 | -287 | 208 69 | 5 46 | 23.1 72.4 | 23 | 1.9 3.5 |
| Hamtramck Fighland Park | 673 1,330 | 265 566 | 408 764 | 254 235 | 20 52 | 29.7 | 32 37 | 4.8 2.8 | Otter Tail | 1,051 | 706 | 545 | 149 | 54 | 51.4 | 26 | 2.5 |
| Lincoln Park River Rouge | 174 259 | 33 69 | 141 | (4/) (4/) | 6 | 34.5 | 3 2 | 1.7 | Pine | 347 | 160 | 149 | 208 | 11 | 38.3 | 10 | 2.4 |
| Wyandotte Wexford | 726 415 | 297 207 | 429 208 | 244 | 38 24 | 52.3 57.8 | 25 8 | 3.4 | Pipestone | 259 663 | 379 | 135 284 | 209 175 | 11 35 | 42.5 52.8 | 7 17 | 2.7 |
| MINNESOTA (total)- | - | 26,247 | 19,715 | | 2,053 | 44.7 | ļ | 1.9 | Ramsey | 203 4,840 | 3,235 | 93 1,605 | 185 150 | 12 179 | 59.1 37.0 | 9 140 | 4.4 2.9 |
| Altkin | 314 | 114 | 200 | 275 | 12 | 38.2 | _ | 2.7 | Rural part St. Paul | 43 | 3,113 | -79 1,684 | 35 154 | 177 | 46.5 36.9 | 1 139 | (<u>5</u> /) 2.9 |
| Anoka | 209 594 | 217 263 | -8 331 | 96 226 | 9 | 43.1 | 5 4 | 1.6 | Red Lake | 144 401 | 133 | 101 268 | (<u>4</u> /) 302 | 12 21 | 83,3 52.4 | 3 5 | 2.1 1.2 |
| | 334 | 1 000 | 201 | 660 | 46 | 70.7 | 15 | 2.5 | Renville | 382 | 172 | 210 | 222] | 14 | 36.6 | 2 | 0:5 |

TABLE I.—BIRTHS, DEATHS, INFANT MORTALITY, AND STILLBIRTHS: 1935—Continued

(See note at head of this table)

| | | | ND DEATHS | | MORT (Deat | ANT ALITY hs of | STIL | LBIRTHS | | (excl | | ND DEATHS | | MORT (Deat | ANT PALITY | STILE | BIRTHS |
|---|--|--|---|--|--------------------------------------|--|---|---|--|---|---|--|---|--|--|--|--|
| -area | Nun | iber | Excess | Births per | l year | s under of age, uding irths) | Num- | Per | AREA | Nin | ber | Excess | Births | l year excl | s under of ege, uding irths) | Num- | Per 100 |
| | Births | Deaths | births over deaths1/ | 100 deaths | Num- ber | Per 1,000 live births | ber | live births | | Births | Deaths | births over deaths | 100 deaths | Num- ber | Per 1,000 live births | ber | live births |
| Section B—Continued MINNESOTA—Con. Rice——Rural part——Faribault——Rock—Roseau——St. Louis—Rural part——Duluth—Hibbing—Virginia—Scott——Sherburne—Rural part——St. Cloud (part)—Sthey—St. Cloud (part)—Sthey—St. Cloud 14/—Steele—Stevens——St. Cloud 14/—Steele—Stevens——St. Cloud 14/—Steele—Stevens——Swift——Todd——Traveros—Wabasha—Wadena—Waseca—Washington—Watcowan—Wilkin——Winona—Rural part—Winona—Rural part—Winona—Rural part—Winona—Rural part—Winona—Rural part—Winona—Rural part—Winona—Rural part—Winona—Rural part—Winona—Rural part—Winona—Steele—Natolez—Mite—Cother races—Alcorn—Winte—Cother races—Alcorn—Winte—Cother races—Alcorn—Winte—Cother races—Cother races—Belivar—Winte—Cother races—Cother races—Carroll——White—Cother races—Cother races—Calcorn—White—Cother races—Carroll——White—Cother races—Carroll——White—Cother races—Carroll——White—Cother races—Carroll——White—Cother races—Carroll——White—Cother races—Carroll——White—Cother races—Carroll——White—Cother races—Carroll———Carroll——Carroll———Carroll—————————————————————————————————— | 2252 (14/2) (14/2) (15/2) (14/2) (15/ | 312 131 181 183 1,870 513 1,157 114 86 86 86 (14/) 251 128 (14/) 250 129 123 120 120 120 120 120 120 120 120 120 120 | 224 95 129 116 263 1,139 328 8 511 218 8 (14/) 1111 (14/) 590 330 150 121 167 380 62 136 181 133 309 725 209 159 26,981 161 146 72 724 208 16 72 724 208 16 181 121 121 121 121 121 121 121 121 121 | 172 173 171 (4/) 555 161 164 291 (4/) 179 (14/) 179 216 300 (4/) 297 216 26 183 248 201 123 236 (4/) 196 186 183 248 205 (4/) 263 293 26 (4/) 263 293 26 (4/) 263 293 26 (4/) 263 293 26 (4/) 263 293 26 (4/) 263 293 26 (4/) 263 293 26 (4/) 263 293 294 205 (4/) 263 293 294 205 (4/) 263 293 294 205 (4/) 263 293 294 205 (4/) 263 293 294 205 (4/) 263 293 294 205 (4/) 263 293 294 205 295 295 295 295 295 295 295 295 295 29 | 17 70 64 117 848 118 13 | 59.3 67.9 76.3 63.5 44.6 45.5 71.1 71.4 69.4 75.3 85.7 67.2 38.3 32.3 44.9 91.1 91.1 91.1 91.1 91.1 91.1 91.1 | 15 6 6 9 8 8 10 95 122 6 7 7 5 5 18 1 17 3 7 7 5 5 18 1 17 3 7 7 9 2 2 2 16 6 8 10 2 2 2 2 2 16 6 8 10 2 2 2 2 2 16 6 8 10 0 2 2 3 5 5 5 5 4 1 1 1 7 7 7 3 16 16 16 16 16 16 16 16 16 16 16 16 16 | 2.8 2.7 2.9 4.2 2.7 3.2 4.0 1.5 5.5 1.3 (14/) 3.1 (14/) 3.1 2.1 3.5 2.1 3.5 2.1 2.8 0.6 3.5 2.7 2.0 2.8 6.3 1.5 2.7 2.1 2.8 6.3 3.5 2.1 3.5 2.1 3.5 2.1 3.5 2.1 3.5 2.1 3.5 2.1 3.5 2.1 3.5 2.1 3.5 2.1 3.5 2.1 3.5 2.1 3.5 2.1 3.5 2.1 3.5 2.1 3.5 2.1 3.5 2.1 3.5 2.1 3.5 2.1 3.5 2.1 3.5 3.7 3.1 3.5 3.7 3.1 3.5 3.7 3.1 3.5 3.7 3.1 3.5 3.7 3.1 3.5 3.7 3.1 3.5 3.7 3.1 3.6 3.9 3.9 3.1 3.0 3.9 3.9 3.1 3.0 3.9 3.9 3.1 3.0 3.9 3.1 3.0 3.9 3.1 3.0 3.9 3.9 3.1 3.0 3.9 3.9 3.1 3.0 3.9 3.9 3.1 3.0 3.9 3.9 3.1 3.0 3.9 3.9 3.1 3.0 3.9 3.9 3.1 3.0 3.9 3.9 3.0 3.0 3.9 3.0 3.0 3.9 3.0 3.0 3.0 3.0 3.0 3.0 3.0 3.0 3.0 3.0 | Section B—Continued MISSISSIPPI—Con. Clay—White—Con. Cher races—Conlema—Rural part—White—Cother races—Clerksdale—White—Cother races—Covington—White—Cother races—Forrest—Rural part—White—Cother races—Forrest—Rural part—White—Cother races—Franklin—White—Cother races—Franklin—White—Cother races—George—White—Cother races—Greens—White—Cother races—Greens—White—Cother races—Greens—Hancok—White—Cother races—Gulfport—White—Cother races—Hunden—Cother races—Hunden—Cother races—Humphreys—White—Cother races—Humphreys—White—Cother races—Humphreys—White—Cother races—Humphreys—White—Cother races—Humphreys—White—Cother races—Issequena—White—Cother races—Issequena—Whit | 446 115 351 1,012 795 1217 95 122 832 263 252 150 432 263 164 167 260 147 260 147 260 148 128 128 128 128 128 128 128 128 128 12 | 162 64 98 510 510 510 510 510 510 510 510 510 510 | 284 51 233 2502 437 58 60 268 268 62 258 634 -90 662 258 471 524 653 471 524 653 653 654 654 655 655 655 655 655 655 655 655 | 275 (4/) (4/) 198 222 (4/) 143 (4/) 115 249 210 279 (4/) (4/) 252 (4/) (4/) 178 (4/) (4/) (4/) (4/) (4/) (4/) (4/) (4/) | 21 77 14 45 32 27 25 11 2 2 9 47 14 3 3 3 6 5 1 17 11 10 8 2 2 8 8 14 8 6 8 7 2 4 4 1 2 7 2 4 7 8 1 10 7 4 7 2 5 8 1 4 8 6 8 7 7 2 4 4 1 3 7 8 4 1 7 7 8 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 | 47.1 60.9 42.3 36.0 7 21.1 73.8 40.3 36.0 7 35.5 45.9 30.5 9 41.8 42.3 71.4 42.5 62.9 84.7 240.2 97.6 84.7 14.3 18.6 65.4 43.7 14.3 18.6 65.9 84.1 24.2 69.0 69.2 68.9 841.4 73.4 71.4 124.2 69.2 68.9 841.4 75.6 841.4 75.6 841.4 75.6 841.4 75.6 841.4 75.6 841.4 75.6 841.4 75.6 841.4 75.6 841.4 75.6 841.4 75.6 841.4 75.6 841.4 75.6 841 | 26 6 6 20 52 52 52 52 52 52 52 52 52 52 52 52 52 | 5.20 5.17 5.20 5.17 6.22 5.20 6.22 6.22 6.23 6.35 |
| White | 186 301 481 226 255 282 170 112 275 36 239 | 66 107 204 107 97 94 63 31 119 25 | 120 194 277 119 158 188 107 81 156 | (4/) 281 236 211 (4/) (4/) (4/) (4/) 231 (4/) (4/) | 20 9 13 20 9 11 10 | 21.5 36.5 45.7 39.8 51.0 70.9 98.2 36.4 27.8 | 12 20 7 13 12 6 6 7 | 2.2 4.0 4.2 3.1 5.1 4.3 5.5 5.4 2.5 | Other races Itawamba | 123 427 366 294 72 518 230 268 332 48 | 132 184 127 57 140 65 75 135 | 295 182 167 15 378 165 213 197 16 | 123 323 199 231 (4/) 370 (4/) (4/) 246 (4/) | 17 25 21 4 21 9 12 20 2 | 138.2 39.8 68.3 71.4 55.6 40.5 39.1 41.7 60.2 | 12 10 16 7 9 21 6 15 20 | 9.8 2.3 4.4 2.4 (<u>5/</u>) 4.1 2.6 5.2 6.0 |
| Clarke | 452 217 235 | 165 99 66 | 287 118 169 | (4/) (4/) (4/) | 9 17 7 10 | 37.7 37.6 32.3 42.6 | 7 19 5 14 | 2.9 4.2 2.3 6.0 | Other races Jefferson Davis White Other races | 284 459 199 260 | 103 103 45 58 | 181 356 154 202 | 276 446 (<u>4</u> /) (<u>4</u> /) | 18 22 10 12 | 63.4 47.9 50.3 46.2 | 20 23 6 17 | 7.0 5.0 3.0 6.5 |

TABLE I.—BIRTHS, DEATHS, INFANT MORTALITY, AND STILLBIRTHS: 1935—Continued (See note at head of this table)

| | | | ND DEATHS | | (Deat | ALITY | STII | LBIRTES | | | | ND DEATHS | ths) | INFA | LITY | STILI | BIRTHS |
|---|---|--|--|--|---|--|---|--|---|---|--|---|--|--|---|--|---|
| AREA | Num | ber | Excess of | Births per | l year | of age, | Num- | Per 100 | AREA | Num | oer | Excess of | Births per | l year exclu stillbi | of age, ding | Num- | Per 100 |
| | Births | Deaths | births over deaths1/ | 100 deaths | Num- ber | Per 1,000 live births | ber | live births | | Births | Deaths | over deaths1/ | 100 deaths | Num- ber | Per 1,000 live births | ber | live births |
| Section B-Continued MISSISSIPPI-Con. | | | | | | | | | Section B—Continued | | | | | | | | |
| Jones | 1,028 592 449 143 436 306 130 529 187 342 488 265 223 | 468 160 130 308 173 135 159 76 83 227 123 104 | 560 432 319 113 128 133 -5 370 111 259 261 142 119 | 220 370 345 (<u>4</u> /) 142 177 96 333 (<u>4</u> /) 215 215 | 55 17 12 5 38 28 10 25 12 13 19 15 4 | 53.5 28.7 26.7 35.0 91.5 76.9 47.3 64.3 38.9 56.6 17.9 | 61 22 15 7 39 25 14 22 4 18 28 9 | 5.9 3.7 3.3 4.9 8.9 8.2 10.8 4.2 2.1 5.7 3.4 8.5 | MISSISSIPFI—Con. Perry- White- Other races- Pike- White- Other races- McComb- White- Other races- Pontotoc- White- Other races- Other races- | 216 148 68 785 582 193 389 203 155 48 558 435 | 92 59 33 345 217 89 128 128 45 183 153 30 | 124 89 35 440 365 104 261 75 72 3 375 282 93 | (4/) (4/) (4/) 228 268 (4/) 304 159 (4/) 305 284 (4/) | 12 6 6 51 39 14 25 12 8 4 15 | 55.6 40.5 68.2 65.0 67.5 64.3 59.1 51.6 83.3 26.9 34.5 | 10 4 6 34 24 5 19 10 7 3 18 10 8 | 4.6 2.7 (5/) 4.3 4.16 4.9 4.9 4.5 (5/) 3.2 6.5 |
| Lemar | 304 238 66 1,223 554 206 348 669 426 243 332 207 125 | 92 77 15 903 194 99 95 709 422 287 125 75 | 212 161 51 320 360 107 253 -40 4 -44 207 132 75 | (4/) (4/) 135 286 (4/) (4/) 94 101 85 266 (4/) (4/) | 17 15 2 90 22 12 10 68 40 28 15 10 | 55.9 63.0 30.3 73.6 39.7 58.3 28.7 101.6 93.9 115.2 45.2 48.3 40.0 | 12 8 4 62 17 4 13 45 20 25 14 5 9 | 3.9 3.4 (5/) 5.1 3.1 1.9 3.7 6.7 4.7 10.3 4.2 2.4 7.2 | Prentiss | 516 457 59 574 192 382 575 192 383 536 264 272 | 167 141 26 245 61 184 452 191 261 162 81 | 349 316 33 529 131 198 123 1 122 374 183 | 309 324 (4/) 234 (4/) 208 127 101 147 331 (4/) (4/) | 29 19 3 28 8 20 23 5 18 35 14 21 | 42.6 41.6 50.8 48.8 41.7 52.4 40.0 26.0 47.0 53.3 77.2 | 19 16 3 27 5 22 31 5 26 16 7 | 3.7 (5/) 4.7 2.6 5.8 5.4 2.6 6.8 3.0 2.7 3.3 |
| Leake | 635 321 314 753 522 231 1,120 933 131 802 187 103 84 | 137 85 52 324 183 141 551 380 49 331 171 73 98 | 498 236 262 429 339 90 569 553 82 471 16 30 | 464 (4/) (4/) 232 285 164 203 246 (4/) 242 109 (4/) (4/) | 19 8 11 40 28 12 53 43 3 40 10 5 | 29.9 24.9 35.0 53.6 51.9 47.3 46.1 49.9 53.5 48.5 59.5 | 23 9 14 35 15 20 68 77 5 72 11 10 | 3.8 4.5 4.6 2.9 8.7 7.9 8.3 3.8 9.9 1.0 | Sharkey- White- Other races- Simpson- Other races- Smith- Other races- Stone- White- Other races- Stone- White- Other races- White- White- White- White- White- | 355 80 275 513 320 193 507 387 120 137 102 35 1,396 | 138 30 108 177 101 76 80 62 18 58 34 24 546 102 | 217 500 167 336 219 117 427 325 102 79 68 11 850 223 | 257 (4/) 255 290 317 (4/) (4/) (4/) (4/) (2/) (2/) 256 319 | 20 3 17 21 7 14 12 7 5 7 4 3 76 15 | 56.3 37.5 61.8 40.9 72.5 23.7 18.1 41.7 51.1 39.7 54.4 46.2 | 17 16 24 12 12 25 19 6 3 1 2 65 7 | 4.8 (5/) 5.8 4.7 3.8 6.2 4.9 5.0 2.2 (5/) 4.7 2.2 |
| Lincoln— Whits— Other races— Eural part— White— Coher races— Columbus— White— Other races— Madison— Mite— Coher races— Coher races— Madison— Coher races— | 621 345 276 718 409 100 309 309 124 185 801 126 675 | 263 147 116 408 181 51 130 227 93 134 361 73 288 | 358 198 160 510 228 49 179 82 31 51 440 53 387 | 236 235 238 176 226 (4/) 238 136 (4/) 138 222 (4/) 234 | 39 16 23 46 23 5 18 23 8 15 40 5 | 62.8 46.4 83.3 64.1 56.2 50.0 58.3 74.4 64.5 81.1 49.9 39.7 51.9 | 41 15 26 38 19 2 17 19 3 16 28 3 25 | 6.6 4.3 9.4 5.3 2.0 5.5 6.1 8.6 3.5 2.7 | Other races Tallehatchie | 1,071 760 264 496 435 152 283 486 381 105 430 465 41 424 | 337 95 242 152 46 106 137 109 28 133 250 23 | 423 169 254 283 106 177 349 272 77 297 215 18 | 241 226 (4/) 205 286 (4/) 267 355 350 (4/) 323 186 (4/) 187 | 54 19 35 20 5 15 15 11 4 28 28 | 57.0 71.1 72.0 70.6 46.0 32.9 53.0 28.9 38.1 65.1 60.2 73.2 | 58 37 11 26 18 4 14 22 16 6 19 20 1 | 5.4 9.2.2.1.6.9.5 4.5.2.7.4.3 5.4.5.7.4.3 5.4.5.7.4.3 5.4.5.7.4.3 |
| Marion- White- Other races- Marshall- White- Other races- White- Other races- White- Other races- Montgomery- White- Other races- White- Other races- Other races- Other races- Other races- Other races- | 497 294 203 640 132 508 824 388 436 416 202 214 680 491 189 | 196 120 76 299 70 229 347 167 180 171 90 81 175 124 51 | 301 174 127 341 62 279 477 221 256 245 112 133 505 367 138 | 254 245 (4/) 214 (4/) 222 237 232 242 243 (4/) (4/) 389 396 (4/) | 23 23 10 45 10 35 29 9 20 23 10 13 32 20 12 | 66.4 78.2 49.3 70.3 75.8 68.9 35.2 23.2 45.9 55.3 49.5 60.7 47.1 40.7 63.5 | 6 4 2 36 33 39 13 26 16 8 24 14 | 1.2 1.4 1.0 5.6 2.3 6.5 4.7 3.4 6.0 3.8 4.0 3.7 3.5 2.9 5.3 | Union | 497 411 86 464 249 215 759 216 45 170 543 303 240 | 203 150 53 103 62 41 756 172 19 153 584 209 375 | 294 261 33 361 187 174 27 17 -41 94 -135 | 245 274 (4/) 450 (4/) 100 126 (4/) 111 93 145 64 | 27 25 2 14 7 7 58 16 1 15 42 14 28 | 54.3 60.8 23.3 30.2 28.1 32.6 76.4 74.1 21.7 88.2 77.3 46.2 116.7 | 13 11 2 18 8 10 59 11 1 10 48 8 | 2.6 2.7 (5/) 3.9 3.2 4.7 7.8 5.1 (5/) 5.9 8.8 2.6 |
| Newton | 597 339 258 781 112 669 501 124 377 780 212 568 438 353 85 | 188 112 76 262 54 208 221 72 149 299 109 139 92 47 | 409 227 182 519 58 461 280 52 228 481 103 378 299 261 38 | 318 303 (4/) 298 (4/) 322 227 (4/) 253 261 194 299 315 (4/) (4/) | 22 10 12 43 3 40 4 27 43 13 30 24 18 6 | 36.9 29.5 46.5 55.1 26.8 59.8 61.9 32.3 71.6 55.1 61.3 52.8 54.8 51.0 70.6 | 19 7 12 47 6 41 24 2 22 43 10 33 18 11 | 3.2 2.1 4.7 6.0 5.4 6.1 4.8 1.6 5.8 5.5 4.7 5.8 4.1 2.1 (5/) | Washington | 1,187 782 101 681 405 210 195 423 274 149 330 238 92 403 101 302 | 721 378 44 334 343 119 224 133 83 50 101 71 30 203 49 154 | 466 404 57 347 62 91 -29 290 191 99 229 167 62 200 52 | 165 207 (4/) 204 118 176 87 318 (4/) (4/) 199 (4/) 199 (4/) | 84 49 11 38 35 18 17 12 9 3 15 10 5 22 5 | 70.8 62.7 108.9 55.8 86.4 85.7 87.2 28.4 32.8 20.1 45.5 54.3 54.6 49.5 | 80 52 2 50 28 7 21 10 6 4 13 11 2 17 2 | 6.7 6.6 2.0 7.3 6.9 3.3 10.8 2.2 2.7 3.9 4.6 (5/) 4.2 2.0 5.0 |

TABLE I.—BIRTHS, DEATHS, INFANT MORTALITY, AND STILLBIRTHS: 1935—Continued (See note at head of this table)

| | | | | | | | | TO AU HO | ad of this table; | | | | | | | | |
|--|---|---|--|--|--|---|--|---|--|---|--|---|---|--|---|--|---|
| | | | ND DEATHS stillbir | | (Deat | ALITY | STIL | LBIRTES | | (exc) | | ND DEATHS | | MORT (Deat | ANT ALITY hs of s under | STILL | ERRES |
| AREA | Num | ber | Excess | Births | | of age, uding irths) | Num- | Per 100 | AREA | Nun | iber | Excess | Births | excl | of age, uding births) | Num- | Per 100 |
| | Births | Deaths | births over deathsl | per 100 deaths | Num- ber | Per 1,000 live births | ber | live births | | Births | Deaths | births over deaths1/ | per 100 deaths | Num- | Per 1,000 live births | ber | live births |
| Section B—Continued MISSISSIPPI—Con. | | | | | | | | | Section B—Continued MISSCURI—Con'. | | | | | | | | |
| Winston— White— Other races— Yalobusha— Other races— Yazoo— White— Other races— Missouri (total)— | 558 312 246 439 179 260 1,004 255 749 | 167 102 65 196 103 93 409 118 291 | 391 210 161 243 76 167 595 137 458 | 334 306 (4/) 224 174 (4/) 245 216 257 | 28 11 17 21 8 13 59 12 47 | 50.2 35.3 69.1 47.8 44.7 50.0 58.8 47.1 62.8 | 18 5 13 22 6 16 57 11 46 | 3.2 1.6 5.3 5.0 3.4 6.2 5.7 4.3 6.1 | Jackson- Jackson- Rurel part- Independence- Kansas City- White- Other racos- Jasper Rurel part- Joplin 15/- Jefferson- Johnson- Knox- | 6,663 519 413 5,731 5,256 465 (15/) 654 624 321 275 | 5,823 545 246 5,033 4,189 843 (<u>15</u> /) 550 577 226 272 81 | 840 -26 167 699 1,077 -378 (15/) 104 67 95 3 | 114 95 168 114 126 55 (15/) 119 112 142 101 (4/) | 362 13 15 334 292 42 (15/) 31 50 14 | 54.3 25.0 36.3 58.3 55.5 90.3 (15/) 47.4 77.6 43.6 50.9 61.9 | 194 9 15 170 145 25 (15/) 24 32 12 11 | 2.9 1.7 3.6 3.0 2.8 5.4 (<u>15</u> /) 5.7 5.0 3.7 |
| Adeir | 371 158 193 370 435 | 300 135 102 258 188 156 229 100 59 | 71 23 91 112 247 32 105 92 137 | 124 117 189 142 231 121 146 192 (<u>4</u> /) | 21 9 8 25 22 8 17 11 | 56.6 57.0 41.5 67.6, 50.6 42.6 50.7 57.3 | 5 4 2 16 13 4 14 15 | 1.3 2.5 1.0 4.3 3.0 2.1 4.2 7.8 3.6 | Lecleds | 339 424 407 155 198 302 300 282 289 176 | 196 306 349 137 151 291 204 137 272 | 143 118 58 18 47 11 96 145 17 | 173 139 117 113 131 104 147 206 106 174 | 21 19 29 12 11 18 19 20 17 | 61.9 44.8 71.3 77.4 55.6 59.6 63.3 70.9 58.8 56.8 | 17 17 12 5 12 6 11 2 | 5.0 4.0 2.9 3.2 6.1 2.0 3.7 0.7 4.8 2.3 |
| Boone | 530 248 282 247 35 1,490 198 1,292 767 163 | 398 156 242 185 57 1,500 160 1,340 362 131 | 132 92 40 63 -22 -10 38 -48 405 | 133 159 117 134 (4/) 99 124 96 212 124 | 29 10 19 16 3 68 7 61 54 | 54.7 40.3 67.4 64.8 85.7 45.6 35.4 47.2 70.4 67.5 | 23 15 8 7 1 61 65 55 34 2 | 4.3 6.0 2.8 2.8 (5/) 4.1 3.0 4.3 4.4 | Marios | 151 499 93 406 151 284 482 367 115 | 68 463 125 338 97 153 245 153 163 | 83 36 -32 68 54 131 237 214 23 | (4/) 108 74 120 (4/) 186 197 240 (4/) 119 | 30 10 20 11 17 44 27 17 | 53.0 60.1 107.5 49.3 72.8 59.9 91.3 73.6 147.8 47.1 | 14 14 3 11 23 18 4 | 2.8 2.8 3.4 2.0 5.9 4.6 4.9 3.5 2.1 |
| Callaway White | 261 219 42 158 708 274 434 298 106 280 192 284 | 359 304 55 62 478 119 359 266 46 194 134 192 | -98 -85 -13 95 230 155 75 32 60 86 86 92 | 73 72 (4/) (4/) 148 230 121 112 (4/) 144 143 148 | 14 11 3 5 47 8 39 20 6 5 8 14 | 53.6 50.2 71.4 31.6 66.4 29.2 89.9 67.1 56.6 17.9 41.7 49.3 | 532488012459 | 1.9 1.4 (5/) 2.5 4.0 2.9 4.6 3.7 1.9 2.6 3.2 | Monroe- Montgomery | 168 187 205 726 661 65 (15/) 556 (15/) 446 236 225 | 182 142 105 425 347 78 (15/) 290 (15/) 280 99 107 | -14 45 100 301 314 -13 (15/) 266 (15/) 156 137 118 | 92 132 195 171 190 (<u>4/</u>) (<u>15/</u>) 192 (<u>15/</u>) 159 (<u>4/</u>) 210 | 7 3 103 85 18 (15/) 32 (15/) 20 13 | 41.7 16.0 63.4 141.9 128.6 276.9 (15/) 57.6 (15/) 44.8 55.1 88.9 | 7 6 8 48 36 12 (15/) 27 (15/) 7 6 4 | 3.9 5.6 5.4 (5/) (15/) 4.9 (15/) 1.6 2.5 1.8 |
| Christian Clark Clary Clinton Cole Rural part Jefferson City White Cohor races Cooper White Cother races | 218 131 354 173 473 132 541 327 14 287 264 23 | 108 97 405 144 388 75 313 271 42 261 234 27 | 110 34 -51 29 85 57 28 -28 26 30 | 202 (4/) 87 120 122 (4/) 109 121 (4/) 110 113 (4/) | 8 5 12 9 24 5 19 18 1 16 12 4 | 36.7 38.2 36.7 52.7 50.7 37.9 55.7 55.0 71.4 55.7 45.5 173.9 | 7 2 7 25 7 18 15 7 5 2 7 5 7 5 7 | 3.2 1.5 2.0 1.7 5.3 5.3 4.6 (5/) 2.4 1.9 (5/) | Czark | 268 636 508 128 328 462 155 307 281 26 289 | 71 465 335 130 117 449 110 339 299 40 236 | 197 171 173 -2 211 13 45 -32 -18 -14 53 | (4/) 137 152 98 280 103 141 91 94 (4/) 122 | 12 82 63 19 13 39 14 25 20 5 | 128.9 124.0 148.4 39.6 84.4 90.3 81.4 71.2 192.3 69.2 | 7 32 25 9 12 12 5 7 4 3 | 2.6 5.0 4.5 7.0 3.7 2.6 3.2 2.3 1.4 (<u>5</u> /) 3.5 |
| Crswford | 173 131 190 205 116 161 257 1,074 606 156 172 | 93 105 96 162 83 118 107 445 381 117 170 | 80 26 94 43 28 43 150 629 225 39 | (4/) 125 (4/) 127 (4/) 136 240 241 159 133 101 | 15 3 1 13 7 13 9 100 29 9 | 86.7 22.9 5.3 63.4 60.3 80.7 35.0 93.1 47.9 57.7 75.6 | 6 10 8 14 1 6 7 52 25 8 6 | 3.5 7.6 4.2 6.8 0.9 3.7 2.7 4.8 4.1 5.1 3.5 | Pike | 239 212 27 188 261 217 200 126 345 137 208 308 | 245 210 35 114 197 103 139 105 339 143 196 197 | -6 2 -8 74 64 114 61 21 6 -6 12 | 98 101 (4/) 165 132 211 144 120 102 96 106 156 | 7 5 2 7 11 10 11 9 20 9 11 | 29.3 23.6 74.1 37.2 42.1 46.1 55.0 71.4 58.0 65.7 52.9 42.2 | 11 83 9 7 6 4 9 4 5 7 | 4.6 3.8 (5/) 4.8 3.4 3.2 3.2 3.2 3.2 2.4 2.3 |
| Green Rural part Springfield Grundy Herrison Henry Hickory Holt Howard Other races Howell | 1,363 331 1,032 237 231 379 95 199 153 126 27 380 184 | 1,140 221 919 215 198 243 55 97 133 101 32 214 | 223 110 113 22 33 136 40 102 20 25 -5 166 | 120 150 112 110 117 156 (4/) (4/) 115 125 (4/) 178 180 | 99 22 77 18 11 13 4 5 4 2 16 11 | 72.6 66.5 74.6 75.9 47.6 31.7 42.1 25.1 26.1 15.9 74.1 42.1 | 54 12 42 7 18 11 3 8 9 7 1 12 6 | 4.0 3.6 4.1 3.0 7.8 2.9 (<u>5</u> /) 4.0 5.2 5.6 (<u>5</u> /) 3.2 3.3 | Raynolds | 190 220 391 180 211 220 676 2,024 1,881 52 38 53 | 56 98 284 124 160 129 442 2,107 1,800 52 133 122 | 134 122 107 56 51 91 234 -83 81 | (4/) (4/) 138 145 132 171 153 96 105 (4/) 29 43 | 14 13 14 7 7 6 43 109 103 | 73.7 59.1 35.8 38.9 33.2 27.3 63.6 53.9 54.8 | 11 5 15 7 8 8 29 48 45 | 5.8 5.8 2.3 5.8 3.8 3.6 4.3 2.4 (5/) |

TABLE I.—BIRTHS, DEATHS, INFANT MORTALITY, AND STILLBIRTHS: 1935—Continued (See note at head of this table)

| | | | | | | | | | of this table; | | | | | | | | |
|--|--|--|---|---|---|---|---|--|--|--|---|--|--|--|---|---|--|
| | | | ND DEATHS | | (Deat | ANT ALITY hs of s under | STII | LBIRTHS | | | | ND DEATHS | | (Deat | ALITY | STILL | BIRTES |
| AREA | Num | ber | Excess | Births | | of age, uding irths) | | Per | AREA | Nom | ber | Excess | Births | | of age, iding irths) | | Per |
| | Births | Deaths | births over deaths1/ | per 100 deaths | Num- ber | Per 1,000 live births | Num- ber | live births | | Births | Deaths | births over deaths1/ | per 100 deaths | Num- ber | Per 1,000 live births | Num- ber | 100 live births |
| Section B-Continued | | | | | | | | | Section B-Continued | | | | | | | | |
| MISSOURI-Con. | | | | | | | | | MONTANA—Con. | | | - | | | | | |
| St. Louis (city) Whits Other races Ste. Genevieve Schupler Scott | 10,995 | 10,533 8,837 1,696 115 339 79 81 230 59 143 306 | 2,296 2,158 138 92 57 30 15 259 145 335 | 122 124 108 180 117 (4/) (4/) 213 (4/) 103 209 | 666 563 103 12 20 5 5 5 35 7 5 | 51.9 51.2 56.2 58.3 50.5 45.9 52.1 71.6 34.3 33.8 79.6 | 631 455 176 2 15 3 21 4 3 | 4.9 4.1 9.6 1.0 3.8 2.8 4.3 2.0 2.0 5.6 | Roosevelt | 298 192 106 149 88 61 694 79 615 122 | 135 80 55 90 57 33 587 57 530 64 177 | 163 112 51 59 31 28 107 22 85 58 -82 | 221 (4/) (4/) (4/) (4/) (4/) 118 (4/) 116 (4/) | 33 15 18 15 5 10 33 3 30 8 6 | 110.7 78.1 169.8 100.7 56.8 163.9 47.6 38.0 48.8 65.6 63.2 | 5 4 1 21 1 20 3 | 1.7 2.1 0.9 3.0 (5/) 3.3 2.5 (<u>5</u> /) |
| Stons | 250 235 185 412 344 76 309 217 298 80 364 | 89 141 76 213 387 77 167 86 142 67 157 | 161 94 109 199 -43 -1 142 131 156 13 | (4/) 167 (4/) 193 89 (4/) 185 (4/) 210 (4/) 232 | 10 8 6 23 9 4 27 14 15 5 | 40.0 34.0 32.4 55.8 26.2 52.6 87.4 64.5 50.3 62.5 74.2 | 10 4 2 14 12 4 9 5 22 6 | 4.0 1.7 1.1 3.4 3.5 (<u>5/)</u> 2.9 2.3 7.4 (<u>5/)</u> 4.4 | Stillwater | 101 67 57 111 23 563 66 49 786 218 | 53 27 45 48 9 207 30 25 401 99 302 | 48 40 12 63 14 356 36 24 385 119 266 | (4/) (4/) (4/) (4/) 272 (4/) (4/) 196 (4/) 188 | 6 2 5 6 2 3 9 5 3 1 4 3 9 | 59.4 29.9 87.7 54.1 87.0 69.3 45.5 183.7 64.2 68.7 | 2 3 12 2 16 4 12 | 2.0 (5/) 0.9 2.1 (5/) 2.0 1.8 2.1 |
| MONTANA (total) | | 6,291 | 3,738 | 159 | 602 | 60.0 | 232 | 2.3 | NEBRASKA (total) | | 13,181 | 10,146 | 177 | 960 | 41.2 | 644 | 2.8 |
| Beaverhead Big horn White Other races Broadwater Carter Cascade Rural part Chouteau Chouteau | 56 215 128 87 280 191 89 28 200 58 833 34 799 71 | 73 140 65 75 79 43 36 29 88 21 448 51 397 60 | 13 75 63 12 201 148 53 -1 112 37 385 -17 402 | (4/) 154 (4/) (4/) (4/) (4/) (4/) (4/) 186 (4/) 201 (4/) | 17 9 18 7 5 2 1 8 2 40 5 5 5 5 | 11.6 125.6 70.3 206.9 25.0 26.2 22.5 35.7 40.0 34.5 48.0 147.1 43.8 70.4 | 1 6 5 4 1 5 1 20 20 | (5/) 2.8 (5/) 1.8 2.1 (5/) 2.5 (5/) 2.4 2.5 | Adems- Rural part- Hastings- Antelope- Arthur- Benner Bleine- Boone- Box Butte- Boyd- Brown- duffalo- Hurt- Butler | 452 100 352 284 7 11 23 255 278 123 130 418 245 222 | 353 152 201 132 7 5 12 83 136 66 61 259 108 120 | 99 -52 151 152 | 128 66 175 215 (4/) (4/) (4/) 204 (4/) (1/) | 25 6 19 10 1 1 3 11 14 3 1 23 4 | 55.3 60.0 54.0 35.2 142.9 90.9 130.4 43.1 50.4 24.4 7.7 55.0 16.3 18.0 | 9 2 7 5 1 15 5 3 1 11 7 2 | 2.0 2.0 2.0 1.8 |
| Custer | 260 113 189 179 5 174 92 289 435 299 59 211 56 155 | 162 58 98 410 241 169 33 163 240 188 31 102 30 72 | 98 55 91 -201 -236 5 49 126 195 111 28 109 26 83 | 160 (4/) (4/) 2 105 (4/) 177 181 159 (4/) 207 (4/) (4/) | 14 11 8 10 10 3 7 18 21 7 26 | 55.8 97.3 42.3 55.9 57.5 36.6 24.2 41.4 70.2 118.6 123.2 | 5 5 1 5 17 6 22 9 6 3 | 0.4 2.6 2.8 (5/) 1.7 3.9 2.0 (5/) 4.3 (5/) 1.9 | Cass Codar Chase Cherry Cheyenne Cley- Colfax Cuning Custer Dakota Dawes Dawson Leuel Dixon | 192 299 132 169 188 161 179 244 483 154 163 350 63 199 | 135 90 45 69 73 126 77 119 209 90 109 161 25 | 57 209 87 100 115 35 102 125 274 64 54 189 38 109 | 142 (4/) (4/) (4/) (4/) 128 (4/) 205 231 (4/) 150 217 (4/) (4/) | 3 15 9 2 2 2 2 3 4 12 15 5 | 41.7 33.4 79.8 55.9 11.2 28.7 41.4 58.4 24.5 34.3 15.9 25.1 | 2 4 1 6 4 4 6 5 1 6 6 8 2 1 | 1.0 0.8 3.6 2.1 2.5 3.4 2.0 3.3 3.9 3.7 2.3 (5/) |
| Golden Velley Granite Hil- Jeffarson Judith Hasin Leke Rural part White- Other races- Helena- Lewis and Clark Liberty- Linoln Liberty- Mincolne- MacCone- MacCone- MacMary Missoula- Missoula- Missoula- Missoula- Missoula- Park Petroloum Philips- Pondera- Ponder niver- Powell- Prafrie- Ravall- R | 13 19 251 32 16 623 245 5 177 68 378 25 117 34 59 26 19 17 450 76 185 111 151 144 47 76 57 176 208 | 16 37 51 22 321 111 111 116 83 88 8 8 79 1143 88 | | (4/) (4/) (4/) (4/) (4/) (4/) (4/) (4/) | 1 2 3 3 3 3 3 0 1 2 2 7 5 1 8 4 2 2 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 | 76.9 105.3 383.5 90.9 187.5 48.2 49.0 39.5 72.5 47.6 178.6 | 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2 | (5/) (5/) (5/) (5/) 1.9 1.9 2.3 2.1 (5/) (5/) (5/) (5/) 2.1 2.1 2.1 (5/) 3.5 2.1 (5/) 1.6 (5/) | Dodge- Hurel part- Fremont- Dougles- Hurel part- Cmaha- White- Combine- Fundy- Fillmore- Frankin- Frontier- Funds- Gage- Gural part- Bestrice- Uarden- Garfield- Gosper- Creat- Greeley- Hall- Kural part- Grand Island- humilton- Harlan- Hayes- Hitchcock- Holt- Hooker- | 410 159 251 4,373 82 4,291 4,100 158 120 159 220 333 90 66 59 40 175 544 143 40 115 40 40 40 40 40 40 40 40 40 40 | 276 107 169 2,995 1155 2,878 2,661 217 17 48 80 80 150 314 167 147 6 5 5 5 11 62 249 101 74 162 | 134 52 1,380 1,413 1,443 52 73 57 58 191 59 38 192 253 36 121 253 36 121 253 36 121 253 36 121 253 36 121 253 36 121 253 36 121 253 36 122 253 36 122 253 36 122 253 36 122 253 36 122 253 36 122 253 36 122 253 122 253 122 253 122 253 122 253 122 253 122 253 122 253 122 253 122 253 122 253 122 253 122 253 122 253 122 253 253 253 253 253 253 253 253 253 2 | 149 149 146 149 146 84 (4/) (4/) (4/) (4/) (4/) (4/) (4/) (4/ | 12 57 186 57 181 172 14 4 3 3 3 3 4 4 24 10 14 4 2 7 28 1 27 6 5 5 181 18 18 18 18 18 18 18 18 18 18 18 18 | 29.3 31.4 27.9 42.5 61.0 42.2 41.9 5 40.0 13.0 25.5 26.7 43.6 44.4 67.8 51.5 7.0 67.3 39.5 25.2 27.0 50.8 | 17 5 12 129 3 3 126 119 7 7 7 9 5 5 6 9 9 2 5 1 1 3 3 20 2 6 14 4 5 5 1 1 4 2 2 5 | 4.1 3.8 2.9 2.9 2.8 7.0 4.2 2.7 2.7 2.7 2.7 2.7 2.7 2.7 3.3 3.3 3.4 4.0 (5/) |

TABLE I.—BIRTHS, DEATHS, INFANT MORTALITY, AND STILLBIRTHS: 1935—Continued (See note at head of this table)

| | | | | | | | | | I of this table? | <u> </u> | | | | 1 | | | |
|----------------------------|------------------|------------------|----------------------------|---|-------------|--------------------------------|---------|--------------------------------|--|---------------------|-----------------------|----------------------------|--------------------------------|----------------|--------------------------------|---------------|--------------------------------|
| , | | | ND DEATHS stillbir | | (Deat | ALITY | STIL. | LBIRTES | | | | ND DEATES stillbir | ths) | (Deat) | ALITY hs of s under | STILL | BIRTES |
| AREA | Num | ber | Excess of | Births per | | of age, uding irths) | Num- | Per 100 | AREA | Num | ber | Excess | Births per | | of age, iding irths) | Num- | Per 100 |
| | Births | Deaths | births over deaths1/ | 100 deaths | Num- ber | Per 1,000 live births | ber | live births | | Births | Deaths | births over deaths1/ | 100 deaths | Mun- ber | Per 1,000 live births | ber | live births |
| Section B-Continued | | | | | | | | | Section 3—Continued | | | | | | | | |
| NEBRASKA-Con. | | | | | | | | | NEVADA-Con. | | | | | | | | |
| Howard | 143 249 | 79 144 | 64 105 | (<u>4</u> /) 173 | 6 15 | 42.0 60.2 | 3 | 2.1 | Lyon | 50 43 | 43 37 | 7 6 | (4/) (4/) | 7 2 | 40.0 46.5 | 3 3 | (<u>5</u> /) (<u>5</u> /) |
| Johnson Kearney | 146 112 | 77 88 | 69 24 | (4/) (4/) | 4 8 | 27.4 71.4 | 2 | 1.4 | Other races | 7 40 | 6 49 | 1 -9 | (<u>4</u> /) (<u>4</u> /) | 5 5 | (2/) 125.0 | 1 | (5/) |
| Keith Keyapaha | 166 66 | 63 14 | 103 52 | (4/) (4/) | 2 | 48.2 30.3 | 8 2 | 4.8 (<u>5/</u>) | White Other races | . 21 19 | 20 29 | 1 -10 | (4/) (4/) | <u>-</u> | 263.2 | 1 | |
| KimballKnox | 123 273 | 131 | 79 142 | (<u>4</u> /) 208 | 11 7 | 89.4 25.6 | 9 | 2.4 3.3 | White | 48 44 | 101 92 | -53 -48 | (<u>4</u> /) | 3 | 62.5 68.2 | 2 | (<u>5</u> /) (<u>5</u> /) |
| Lancaster | 1,400 | 1,156 | 244 -73 | 121 69 | . 59 4 | 42.1 25.0 | 32 3 | 2.3 | Other races | 4 49 | 9 46 | -5 3 | (4/) (4/) | 3 | 61.2 | | (5/) (5/) |
| Lincoln | 1,240 498 | 923 248 | 317 250 | 134 201 | 55 24 | 44.4 48.2 | 12 | 2.3 2.4 | WhiteOther races | 37 12 | 29 17 | 8 -5 | (4/) (4/) | 2 | 27.0 166.7 | 1 | (<u>5</u> /) |
| Rural part North Platte | 230 268 | 75 173 | 155 95 | (<u>4</u> /) 155 | 7 17 | 30.4 63.4 | 5 7 | 2.2 | Pershing | 24 17 | . 30 . 30 | -6 -13 | (4/) (4/) | 1 | 41.7 58.8 | 1 | (<u>5</u> /) |
| Loup | 27 31 13 | 11 10 7 | 16 21 6 | (4/) (4/) | | | 2 | (<u>5</u> /) (<u>5</u> /) | Other races Storey | 7 7 | 18 | 7 -11 | (4/) (4/) | | | | |
| Madison | 480 200 | 334 160 | 146 40 | (<u>4</u> /) 144 125 | 21 | 43.8 15.0 | 12 | 2.5 2.5 | Washoe | 421 179 | 453 221 | -32 -42 | 93 | 22 8 | 52.3 44.7 | 7 6 | 1.7 |
| Norfolk | 280 | 174 | 106 66 | 161 (<u>4</u> /) | 18 | 64.3 15.2 | 7 2 | 2.5 | White Other races | 168 11 | 206 15 | -38 -4 | 82 (<u>4</u> /) | 7 | 41.7 90.9 | 5 | 3.0 (<u>5</u> /) |
| Morrill | 205 | 74 | 131, | (₫/) | 13 | 63.4 | ĩ | 0.5 | Reno | 242. 156 | 252 76 | 10 80 | 104 (<u>4</u> /) | 14 11 | 57.9 70.5 | 1 2 | 0.4 |
| Nance Nemaha | 144 221 | 57 100 | 87 121 | (<u>4</u> /) 221 | 2 5 | 15.9 22.6 | 3 5 | 2.1 2.3 | | | | | _ | | | | |
| Nuckolls | 181 283 | 91 199 | 90 84 | (<u>4</u> /) 142 | 12 12 | 66.3 42.4 | 7 10 | 3.9 3.5 | NEW HAMPSHIRE (total) | 7,768 | 6,532 | 1,236 | 119 | 419 | 53.9 | 265 | 5.4 |
| Pawnee | 159 •78 | 70 27 | 89 51 | (<u>4</u> /) (<u>4</u> /) | 9 | 56.6 38.5 | 2 | 1.3 | Belknap | 351 | 350 | 1 | 100 | 16 | 45.6 | 11 | 3.1 |
| PhelpsPierce | 139 | 109 74 | 106 | 128 (<u>4</u> /) | 8 | 57.6 33.3 | 2 | 3.6 | Rural part | 66 285 247 | 133 217 233 | -67 68 | 50 131 106 | 12 13 | 60.6 42.1 | 3 8 | (<u>5</u> /) 2.8 |
| Platte | 480 145 | 204 65 113 | 276 80 132 | 235 (<u>4/)</u> | 19 5 | 39.6 34.5 | 15 4 | 3.1 2.8 | Cheshire | 520 241 | 409 228 | 14 111 13 | 127 | 21 10 | 52.6 40.4 41.5 | 1B 6 | 2.4 3.5 2.5 |
| Richardson | 245 350 | 197 | 153 | 178 | 16 | 24.5 45.7 | 6 5 | 2.4 | Keene | 279 768 | 181 435 | 98 333 | 154 177 | 11 40 | 39.4 52.1 | 12 31 | 4.5 4.0 |
| Rock | 50 213 | 14 | 36 83 | (<u>4</u> /) | 4 8 | 80.0 37.9 | 1 2 | (<u>5</u> /) | Rural part | 350 418 | 277 158 | 73 260 | 126 265 | 15 25 | 42.9 59.8 | 14 | 4.0 4.1 |
| Sarpy | 63 233 | 63 149 | 84 | (<u>4</u> /) 156 | 1 | 15.9 | 1 7 | (<u>5</u> /) | Grafton | 849 2,370 | 577 1,830 | 172 540 | 125 130 | 50 146 | 58.9 61.6 | 25 94 | 2.9 |
| Scotts Bluff Sewerd | 747 275 | 298 124 | 449 151 | 251 222 | 54 6 | 72.3 21.8 | 26 9 | 3.5 3.3 | Rural part Manchester | 449 1,281 | 513 899 | -64 392 | 88 144 | 31 65 | 69.0 50.7 | 21 56 | 4.7 |
| Sheridan | 186 153 | 80 56 | 106 97 | (<u>4</u> /) | 8 | 43.0 6.5 | 9 | 4.8 3.9 | Nashua | 640 | 428 | 212 | 150 | 50 | 78.1 | 17 | 2.7 |
| Sioux | 52 100 | 22 47 | 30 53 | (<u>4</u> /) | 3 2 | 57.7 20.0 | 2 | (<u>5</u> /) | Kerrimack | 865 396 | 1,079 455 | -214 -59 | 80 87 | 45 22 | 52.0 55.6 | 27 11 | 3.1 2.8 |
| Theyer | 182 | 104 | 78 | 175 | 5 | 27.5 | 6 | 5.3 | Concord | 469 735 | 624 718 | ~155 17 | 75 102 | 23 39 | 49.0 53.1 | 16 22 | 3.4 3.0 |
| Thomas Thurston White | 16 243 150 | 7 116 59 | 9 127 91 | (<u>4</u> /) 209 | 21 81 | 62.5 86.4 53.3 | 6 | 2.5 | Rural part Portsmouth | 483 252 | 545 173 | -62. 79 | 89 146 | 25 14 | 51.8 55.6 | 13 9 | 2.7 3.6 |
| Other races Valley | 93 146 | 57 53 | 36 83 | (<u>4</u> /) (<u>4</u> /) (<u>4</u> /) | 13 | 139.8 27.4 | 2 4 3 | 1.3 (<u>5</u> /) 2.1 | Strafford | 678 136 | 511 159 | 167 -23 | 153 86 | 27 | 39.8 51.5 | 17 5 | 2.5 3.7 |
| Washington | 128 179 | 104 68 | 34 111 | 123 (<u>4/)</u> | 3 4 | 21.7 | n n | 8.0 | Rochester | 324 21B | 198 -154 | 126 64 | 164 | 8 12 | 24.7 55.0 | 7 5 | 2.2 |
| Webster | 132 49 | 59 12 | 73 37 | (4/) (4/) | 3 | 22.7 | 2 | 1.5 (<u>5</u> /) | Sulliven | 385 180 205 | 290 157 133 | 95 23 72 | 133 115 154 | 10 | 57.1 55.6 | 14 | 3.6 3.9 |
| York | 270 | 174 | 96 | 155 | 10 | 37.0 | 11 | 4.1 | | | 100 | ,. | 10* | 12 | 58.5 | 7 | 3.4 |
| NEVADA (total) | 1,423 | 1,324 | 99 | 107, | 101 | 71.0 | 31 | 2.2 | NEW JERSEY (total) | | 43,284 | 11,230 | 126 | 2,520 | | 1,857 | 3.4 |
| Churchill | 52 52 | 43 42 | . 10 | (4/) (4/) | 2 | 38.5 19.2 | 3 | (<u>5</u> /) (<u>5</u> /) | Atlantic | 1,603 512 982 | 1,950 683 1,140 | -347 -171 -15B | 82 75 86 | 93 25 62 | 58.0 48.8 63.1 | 60 9 47 | 3.7 1.8 4.8 |
| Cther races | 314 | 200 | -1 114 | 157 | 1 29 | 92.4 | 2 | 0.6 | lhite Other races | 730 252 | 858 282 | -128 -30 | 85 89 | 42 | 57.5 79.4 | 27 20 | 3.7 7.9 |
| WhiteOther races | 303 11 | 187 | 116 -2 | 162 (<u>4</u> /) | 28 | 92.4 90.9 | 2 | 0.7 | Pleasantville White | 109 96 | 127 104 | -18 -8 | 86 92 | 6 5 | 55.0 52.1 | 4 3 | 3.7 (<u>5</u> /) |
| Douglas White Other races | 12 8 4 | 17 14 3 | -5 -6 1 | (4/) (4/) (4/) | | | | | Other races | 3,679 | 23 3,037 | -10 642 | (<u>4</u> /) 121 | 1 163 | 76.9 44.3 | 1 129• | ⟨ <u>5</u> /⟩ 3.5 |
| ElkoWhite | 108 99 | 117 93 | -9 6 | 92 (<u>4</u> /) | 11 9 | 101.9 | 2 | 1.9 | Rural part Cliffside Park | 81.6 52 | 1,286 | -470 -25 | 63 (<u>4</u> /) | 29 | 35.5 38.5 | 28 4 | 3.4 (<u>5</u> /) |
| Other races | , B | 24 | , -15 | (<u>4</u> /) | 2 | 222.2 | | | Englewood | 841 789 | 340 309 | 501 479 | 247 255 | 33 29 | 39.2 36.8 | 24 22 | 2.9 2.8 |
| Esmeralda | 8 5 5 | 22 12 11 | -14 -7 -8 | (4/) (4/) | | | | | Other races Garfield | 53 169 | 31 83. | 22 86 | (4/) (4/) | · 4 | 75.5 59.2 | 2 8 | (<u>5</u> /) 4.7 |
| Other races | 52 | 1 48 | -6 -1 4 | (<u>4/)</u> (<u>4/)</u> | | 76.9 | 3 | | Hackensack Whit e | 933 841 | 518 470 | 415 371 | 180 179 | 44 38 | 47.2 45.2 | 34 32 | 3.6 3.8 |
| White Other races | 49 3 | 47 1 | 2 | (4/) (4/) | 4 | 81.6 | 3 | (<u>5</u> /) | Cother races | 92 92 | 48 49 | 44 43 | (4/) (4/) | 5 | 65.2 54.3 | 3 | (5/) (5/) |
| LanderWhite | 15 11 | 22 17 | -7 -6 | (4/) (4/) | | | 1 | (5/) (5/) | Lyndhurst (twp.) Ridgefield Park Ridgewood | 63 25 73 | 93 57 89 | -30 -32 -16 | (4/) (4/) | 2 | 31.7 40.0 | 5 | (<u>5</u> /) |
| Other races Lincoln | 4 62 | 5 27 | -1 35 | (4/) (4/) | <u>-</u> | 48.4 | 4 | (5/) | Rutherford Feaneck (twp.) | 9 606 | 116 | -16 -107 277 | (<u>4/.)</u> 8 184 | 34 | 41.1 56.1 | 22 | (<u>5</u> /) 3.6 |
| San footpotor at a | | | | | | | - 1 | | | 550 | 023 | 217 | TQ4 | J4 | 20.1 | 22 | ۵,6 |

See footnotes at and of table.

155010 O—37——3

TABLE I.—BIRTHS, DEATHS, INFANT MORTALITY, AND STILLBIRTHS: 1935—Continued (See note at head of this table)

| | (excl | | ND DEATHS | | MORT | ANT ALITY | STII | lbirths | | (exc) | | AND DEATHS | | MORT | PANT | STILI | BIRTHS |
|--|--|--|---|--|--|---|---|--|---|---|---|---|--|--|--|--|--|
| AREA | Num | ber | Excess | Births | infant 1 year | s under of age, uding | | Per | AREA | Nun | iber | Excess | Births | infant l year excl | ths of s under of age luding oirths) | | Per |
| | Births | Deaths | births over deaths1/ | per 100 deaths | Num- ber | Per 1,000 live births | Num- ber | 100 live births | | Births | Deaths | births over deaths=/ | per 100 deaths | Num- ber | Per 1,000 live births | Num- ber | 100 live births |
| Section B—Continued NEW JERSEY—Con. Burlington— Rural part— Other races— Canden————— Canden———— White———— White————— Canden——————— White———————————————————————————————————— | 1,208 1,079 129 107 22 3,755 581 2,935 2,582 | 1,160 1,073 87 76 11 2,903 981 1,591 1,384 | 48 6 42 31 11 852 -400 1,344 1,198 | 104 101 (4/) (4/) (4/) 129 59 184 187 | 50 45 5 5 214 34 170 141 | 41.4 41.7 38.8 46.7 | 34 32 2 2 2 149 13 132 | 2.8 3.0 1.6 1.9 4.0 2.2 4.5 4.2 | Section B—Continued NEW JERSEY—Con. Salem———————————————————————————————————— | 529 437 92 801 462 4,163 134 119 2,066 | 389 327 62 743 363 2,926 279 1,220 | 140 110 30 58 99 1,237 -145 40 846 | 136 134 (4/) 108 127 142 48 (4/) | 30 25 5 34 24 154 6 2 | 56.7 57.2 54.3 42.4 51.9 37.0 44.8 16.8 | 26 17 9 27 21 145 5 1 81 | 4.9 3.9 (5/) 3.4 4.5 3.5 3.7 0.8 3.9 |
| Other races— Collingswood— Gloucester— Pensauken (twp.)— Cape hay— Cumberland— Burel part— Bridgeton— Millville— Esser— Rural part— Belleville— East Orange— Lyrington— | 353 36 107 96 297 1,122 479 353 290 | 207 113 101 117 468 949 500 262 187 8,536 920 249 190 506 398 | 146 -77 6 -21 -171 173 -21 91 103 3,287 -230 -127 -94 102 20 | 171 32 106 82 63 118 96 135 155 155 139 75 49 51 120 | 29 | 37.4 62.5 43.8 57.9 54.3 56.7 65.5 47.3 42.0 245.9 31.3 21.4 | 23 4 11 44 13 15 16 391 19 4 1 11 11 | (5/) 3.7 3.9 2.7 4.2 5.5 3.3 (5/) 1.8 | Hillside (twp.)- Linden | 57 140 838 747 91 317 38 30 8 341 71 42 634 338 | 86 91 512 443 69 176 53 51 204 102 124 568 350 218 | -29 49 326 304 22 141 -16 -21 -6 137 -31 -82 -66 -12 78 | (4/) (4/) 164 169 (4/) 180 (4/) (4/) (4/) 167 70 34 112 97 136 | 1 8 20 17 3 13 2 2 2 | 17.5 57.1 23.9 23.9 33.0 41.0 52.6 66.7 42.3 71.4 58.4 47.3 70.9 | 1 3 22 16 6 14 4 1 3 10 3 1 10 5 5 | (5/) 2.1 2.6 2.1 (5/) 4.4 (5/) (5/) (5/) 2.9 (5/) (5/) 1.6 1.5 |
| Meplewood (twp.) Montclair White- Other races- Newrit- Other races- Nutley- Orange- White- Other races- South Orange- Whet Orange- Hudson- Rural part- Beyonne- Harrison- | 24 466 437 29 %,648 6,756 892 147 12 46 6,921 46 724 37 | 128 350 301 4,792 4,199 633 94 685 585 585 102 73 151 677 6,450 505 505 | -104 116 136 -20 2,856 2,597 -16 930 8855 -61 -105 206 2,471 -459 135 -37 | 19 133 145 (4/) 160 162 141 (4/) 236 252 144 (4/) 300 138 9 123 (4/) | 2 13 12 1 389 323 66 55 40 15 1 36 394 6 28 4 | 83.3 27.9 27.5 34.5 56.9 47.8 74.0 21.2 102.0 21.7 40.8 44.2 130.4 38.7 108.1 | 14 12 22 274 40 20 47 30 343 20 343 25 20 | (5/) 3.0 2.7 (5/) 3.6 3.5 4.5 4.5 (5/) 2.0 (5/) 2.3 3.6 (5/) 2.3 3.6 (5/) 5/) | NEW MEXICO (total) Bernslillo | 13,190 1,602 794 808 148 575 172 403 440 462 76 936 546 434 247 126 | 1,046 311 735 49 233 46 187 172 35 359 204 257 96 47 89 | 6,918 556 483 73 99 342 126 216 193 2 90 41 577 342 177 151 79 39 | 210 155 255 110 (4/) 247 (4/) 216 178 269 (4/) 261 261 268 169 (4/) (4/) (4/) | 1,705 234 109 125 20 32 8 24 47 25 11 137 41 60 38 10 | 129.3 146.1 137.3 154.7 135.1 55.7 45.5 59.6 106.8 54.1 144.7 146.4 75.1 138.2 153.8 79.4 | 379 64 28 36 6 22 3 19 15 15 2 41 20 6 11 | 2.9 4.0 3.5 4.1 3.8 1.7 4.7 3.5 (5/) 4.4 3.7 1.4 3.5 (5/) 4.5 3.3 |
| Hoboken Jersey City White Other races Kearny North Bergen (twp.) Union City Weethewken (twp.) West New York Hunterdon Rural part Trenton Middless | 563 6,724 6,434 290 212 132 190 172 121 344 2,886 550 2,336 2,766 | 583 3,490 5,291 199 255 193 296 333 132 387 2,472 704 1,768 1,875 | -20 3,234 3,143 -61 -106 -161 -11 -43 414 -154 568 | 97 193 196 146 83 68 64 52 92 89 117 78 132 148 | 31 273 252 21 10 8 10 17 7 20 141 14 127 138 | 55.1 40.6 39.2 72.4 47.2 60.6 52.6 98.8 57.9 58.1 48.9 25.5 54.4 | 28 251 229 22 8 2 10 7 6 7 94 17 77 | 5.0 3.7 3.6 7.6 3.8 1.5 5.3 4.1 5.0 2.0 3.3 3.1 3.6 | Lea- Lincoln- Luna- McKinley- Mora- Otero- Quy- Rio Arriba- Roosevelt- Sandovel San Jun- San Miguel- Sante Fe- | 1336 224 181 438 395 256 266 754 265 399 199 199 782 | 88 252 146 109 126 305 100 131 152 468 422 | 146 122 93 186 247 147 140 449 165 268 47 391 360 | (4/) 220 (4/) 174 267 235 211 247 265 305 131 184 184 | 13 15 14 81 51 32 22 116 16 55 37 145 132 | 55.1 67.0 77.3 184.9 129.1 125.0 82.7 153.8 60.4 137.8 185.9 168.8 | 5 10 7 4 9 17 7 2 20 20 | 2.5 3.6 2.8 2.3 1.8 1.6 2.3 2.6 0.5 1.03 2.6 |
| Rural part Carteret New Brunswick Perth Amboy South River Woodbridge (twp.) Monnouth Rural part Asbury Park White Other reces- | 641 114 894 815 113 189 1,991 435 93 81 12 | 595 52 565 436 75 152 2,208 1,107 146 117 29 | 46 62 329 379 38 37 -217 -672 -53 -36 -17 | 108 (4/) 158 187 (4/) 124 90 39 64 69 (4/) | 29 5 47 40 7 10 84 17 4 | 45.2 43.9 52.6 49.1 61.9 52.9 42.2 39.1 43.0 12.3 250.0 | 21 5 27 17 2 2 74 10 2 | 3.3 4.4 3.0 2.1 1.8 | Rural part Santa Fe | 329 453 146 397 457 287 271 658 | 170 252 87 211 162 97 129 259 | 159 201 59 186 295 190 142 399 | 194 180 (4/) 188 282 (4/) 210 254 | 64 68 17 65 52 41 30 102 8,852 | 194.5 150.1 116.4 166.2 112.8 142.9 110.7 155.0 | 10 10 2 11 10 8 13 10 | 3.0 2.2 1.4 2.8 2.2 2.8 4.8 1.5 |
| Long Branch Neptune (twp.) White Other reces- Red Bank White Other races- Morris- Rural part Dover- Norristown Ocean Passaic Raral part Clifton Hawthorne Passaic- Paterson | 837 459 366 93 167 157 10 1,430 452 349 629 4,760 283 198 67 1,708 2,504 | 476 349 302 47 130 116 1,666 1,166 1,166 192 328 516 3,021 373 199 76 689 1,684 | 361 110 64 46 37 41 -4 -255 -714 157 301 -59 1,739 -90 -1 -9 1,019 820 | 176 132 121 (4/) 128 135 (4/) 85 39 182 192 89 158 76 99 (4/) 248 149 | 29 25 19 6 9 7 2 62 20 15 28 30 178 9 6 | 34.6 54.5 51.9 64.5 53.9 44.6 200.0 44.1 44.2 43.0 44.5 65.6 37.4 31.8 20.3 | 35 23 18 5 4 4 | 4.2 5.0 4.9 (5/) 2.4 2.5 3.1 2.0 4.0 2.5 2.5 2.5 1.0 (5/) 2.7 3.2 | New York City White Other reces Broax Borough White Other races Broaklyn borough White Other races Manhattan Borough White Other races Ricamond Borough White Other races Other races Other races Other races Other races Other races Other races Other races Other races Other races | 93,749 6,326 15,826 14,850 976 40,096 38,190 1,906 31,858 28,270 3,588 10,394 10,103 291 2,401 2,336 | 75,080 69,064 5,016 11,429 10,799 10,799 25,798 24,532 1,266 27,539 23,812 3,727 8,089 7,897 202 2,225 2,225 2,2034 191 | 25,495 24,685 810 4,397 4,051 346 14,298 13,658 640 4,319 4,458 -139 2,305 2,216 89 176 302 -126 | 134 136 113 138 155 155 156 151 116 119 96 128 128 144 108 115 34 | 4,807 4,212 595 718 638 80 1,818 1,644 174 1,683 1,562 321 480 465 15 108 | 44.9 87.2 45.4 43.0 82.0 45.3 43.0 91.3 | 4,754 4,147 607 637 583 54 1,821 1,637 184 1,744 1,442 352 417 404 13 85 81 4 | 4.7 4.4 8.9 4.0 5.5 4.3 9.7 5.1 9.8 4.0 4.5 3.5 5.5 |

TABLE I.—BIRTHS, DEATHS, INFANT MORTALITY, AND STILLBIRTHS: 1935—Continued (See note at head of this table)

| | | | | | | (| See no | te at he | ad of this table) | | | | ٠, | | | | |
|---|---|--|--|---|--|--|--|--|--|--|---|--|--|---|--|---|--|
| 2 | | | ND DEATHS | | (Deat) | ALITY hs of s under | STIL | lbirtes | | (exc. | | ND DEATHS | | MORI (Deat infant | ANT ALITY hs of s under | STILL | BIRTHS |
| AREA | Nun | iber | Excess of | Births | | of age, uding irths) | | Per | AREA | Nu | ıbər | Excess | Births | excl | of age, uding drths) | | Per |
| | Births | Deaths | births over deaths | per 100 deaths | Num- | Per 1,000 live births | Num- ber | 100 live births | | Births | Deaths | births over deaths | per 100 deaths | Num- ber | Per 1,000 live births | Num- ber | 100 live births |
| Section B—Continued | | | | | | | | - | Section B—Continued NEW YORK—Con. | | | | | | | | |
| Albany | 2,907 184 2,309 328 86 663 | 2,911 505 2,016 268 122 572 | -4 -321 293 60 -36 91 | 100 36 115 122 70 116 | 140 10 109 15 6 37 | 48.2 54.3 47.2 45.7 69.8 55.8 | 57 4 42 10 1 | 2.0 2.2 1.6 3.0 (5/) 2.0 | Monroe | 5,775 715 4,968 92 763 199 564 3,869 | 4,686 970 3,640 76 714 323 391 2,859 | 1,089 -255 1,328 16 49 -124 173 1,010 | 123 74 136 (4/) 107 62 144 135 | 263 34 229 34 10 24 159 | 45.5 47.6 46.1 44.6 50.3 42.6 | 145 19 123 3 10 | 2.5 2.7 2.5 (5/) 1.3 1.5 1.2 |
| Bronx Borough White Other races Broome Rural part Binghamton Ladicott Johnson City Cattaraugus Rural part | 14,850 976 2,755 377 1,161 616 601 1,396 758 | 11,429 10,799 630 1,935 406 1,091 212 226 1,039 712 | 4,397 4,051 346 820 -29 70 404 375 357 46 | 138 138 155 142 93 106 291 266 134 106 | 718 638 80 144 18 50 36 40 87 44 | 45.4 43.0 82.0 52.3 47.7 43.1 58.4 66.6 62.3 58.0 | 637 583 54 65 8 25 17 15 40 | 4.0955 5.4128 5.222 2.22 | Rural part- Floral Park- Freeport- Glen Cove- Hempstead- Lynbrook- Rockville Centre- Vexley Stream- New York, coox- tensive with: | 2,670 136 184 460 272 64 34 49 | 2,010 81 156 198 137 87 117 73 | 660 55 28 262 135 -23 -83 -24 | 133 (4/) 118 232 199 (4/) 29 (4/) | 118 2 8 19 8 2 | 41.1 44.2 14.7 43.5 41.3 29.4 31.3 29.4 20.4 | 113 70 1 6 18 11 1 4 | 2.9 2.6 0.7 3.3 3.9 4.0 (5/) (5/) |
| Clean———————————————————————————————————— | 973 298 675 1,662 613 288 756 1,137 133 1,004 | 327 400 487 1,422 705 168 549 925 239 686 535 | 311 86 -102 188 240 -87 120 207 212 -106 318 | 195 110 75 139 117 88 171 138 123 56 146 119 | 43 41 10 31 65 19 8 38 56 9 47 | 67.4 42.1 33.6 45.9 39.1 30.7 27.8 50.3 49.3 67.8 62.8 | 23 24 4 20 50 22 10 18 32 5 27 18 | 3 | Manhattan Borough White- Other races- Niegara- Rural part Lockport- Niegara Falls- North Tonawanda- Conida- Rural part- Rume- Utica- Onondega- | 31,858 28,270 3,588 2,354 396 1,312 342 2,909 466 657 1,786 4,236 | 27,539 23,812 3,727 1,453 404 270 602 177 3,047 924 592 1,531 3,381 | 4,319 4,458 -139 901 -100 126 710 165 -138 -458 65 255 855 | 116 119 96 162 75 147 218 193 95 50 111 117 125 | 1,683 1,362 321 96 18 18 48 12 162 30 41 91 192 | 52.8 48.2 89.5 40.8 59.3 45.5 35.1 55.7 64.4 62.4 51.0 | | 5.6 1 8 2 0 6 6 5 5 5 5 9 8 4 5 5 4 5 5 5 5 9 8 4 |
| Clinton | 1,126 579 547 561 206 355 620 154 466 668 | 582 319 263 618 384 234 506 201 305 543 | 544 260 284 -57 -178 121 114 -47 161 | 193 182 208 91 54 152 123 77 153 123 | 75 39 36 31 17 14 36 9 27 | 66.6 67.4 65.8 55.3 82.5 39.4 58.1 58.4 57.9 | 46 17 29 17 9 8 21 4 17 | 4.1 2.9 5.3 3.0 4.4 2.3 2.6 3.6 | Rural part———————————————————————————————————— | 635 3,601 868 564 304 1,976 985 357 468 166 | 953 2,428 760 558 202 1,923 802 511 454 156 | -318 1,173 108 6 102 53 183 -154 14 | 67 148 114 101 150 103 123 70 103 106 | 24 168 37 19 18 94 42 22 25 5 | 37.8 46.7 42.6 33.7 59.2 47.6 42.6 61.6 53.4 30.1 | 16. 127 17 15 2 59 24 15 | 2.55 2.77 2.77 3.04 4.28 4.2 |
| Dutchess | 573 165 629 12,155 1,338 10,080 9,744 | 2,181 1,421 212 548 9,033 1,432 7,187 6,911 276 108 | -814 -848 -47 81 3,122 -94 2,933 2,833 60 -81 | 63 40 78 115 135 140 141 122 25 | 58 29 5 24 629 57 524 505 19 3 | 42.4 50.6 30.3 38.2 51.7 42.6 52.0 51.8 56.5 | 25 9 6 10 424 32 361 350 11 2 | 1.6 3.6 1.5 2.4 3.5 3.5 3.5 5 | Orleans Oswago Oswago Otsago Rural part Fulton Oswago Otsago Rural part Cneonta Putnam Queens, coextensive with: | 390 1,126 429 285 412 685 442 243 136 | 378 929 474 146 309 750 535 215 | 12 197 -45 139 103 -65 -93 28 -62 | 103 121 91 195 133 91 83 113 | 15 62 20 11 31 48 25 23 | 38.5 55.1 46.6 38.6 75.2 70.1 56.6 94.7 80.9 | 14 31 8 6 17 22 13 9 | 3.6 2.8 1.9 2.1 4.1 3.2 2.9 3.7 |
| Lackawanna | | 212 203 9 94 512 700 661 153 401 | 405 384 21 -1 179 198 -32 -3 | 291 289 (4/) (4/) 135 128 95 98 | 42 40 2 3 37 50 42 15 | 68.1 66.7 32.3 53.5 55.7 66.8 100.0 54.7 | 28 27 1 23 35 18 4 | 4.5 4.6 (5/) (5/) 3.9 2.9 2.7 2.9 | Queens Berough— White———— Other reces— Rural part——— Rensselser——— Troy————— Richmond, coex— tensive with: Richmond Borough— | 10,103 291 1,593 242 38 1,313 | 8,089. 7,887 202 1,882 467 100 1,315 | 2,305 2,216 89 -289 -225 -62 -2 | 128 128 144 85 52 38 100 | 480 465 15 83 12 3 68 | 46.2 46.0 51.5 52.1 49.6 78.9 51.8 | 417 404 13 61 12 2 47 | 4.0 4.5 3.8 5.0 (<u>5/)</u> 3.6 |
| Johnstown | 95 678 226 452 307 43 806 460 147 199 | 107 618 265 353 444 51 807 510 137 160 | -12 60 -39 99 -137 -8 -1 -50 39 | 110 85 128 69 (4/) 100 90 107 124 | 33 10 23 17 3 33 20 6 | 49.7 44.2 50.9 55.4 69.8 40.9 43.5 40.8 35.2 | 15 5 10 6 1 21 10 4 | (5/) 2.2 2.2 2.2 2.0 (5/) 2.6 2.2 1.7 | White- Other races- Rockland- St. Lawrence- Rural part- Massena- Ogdensburg- Saratoga- Rural part- Saratoga Springs- | 2,401 2,336 65 788 1,648 1,065 198 585 744 529 215 | 2,225 2,034 191 1,140 1,373 846 76 451 854 592 262 | 176 302 -126 -352 275 219 122 -66 -110 -63 -47 | 108 115 34 69 120 126 (4/) 85 87 89 82 | 108 103 5 40 82 50 13 19 37 25 | 45.0 44.1 76.9 50.8 49.8 46.9 65.7 49.4 49.7 47.3 55.8 | 85 81 4 27 63 34 8 21 27 20 7 | 3.5 3.5 (5/) 3.4 3.2 4.0 5.5 3.8 3.3 |
| Jefferson———————————————————————————————————— | 1,452 754 698 40,096 38,190 1,906 423 413 628 416 212 | 1,207 628 579 25,798 24,532 1,266 308 538 543 543 376 167 | 14,298 13,658 640 115 -125 85 40 | 120 120 121 155 156 151 137 •77 116 | 1,818 1,644 174 30 18 29 10 | 47.5 47.7 47.3 45.3 43.0 91.3 70.9 43.6 46.2 24.0 89.6 | 42 22 20 | 3.5 2.9 2.9 4.3 4.3 4.3 1.4 | Schenectady | 1,585 160 1,425 250 196 321 1,389 788 357 244 2,428 440 392 | 1,336 248 1,083 305 193 563 1,252 784 220 248 3,027 539 451 | 249 -88 337 -45 3 -242 137 4 137 -4 -599 -99 -99 | 119 65 131 85 102 57 111 101 162 98 80 80 82 87 | 68 2 56 13 15 18 80 41 25 14 103 10 35 | 42.9 12.5 46.3 50.0 76.5 56.1 57.6 52.0 70.0 57.4 42.4 22.7 89.3 | 44 7 .6 11 47 22 15 10 73 13 | 3.1 2.7 3.1 3.4 3.4 2.8 4.2 4.1 5.0 5.0 |

TABLE I.—BIRTHS, DEATHS, INFANT MORTALITY, AND STILLBIRTHS: 1935—Continued (See note at head of this table)

| | | | ND DEATHS | | INF MORT (Deat | ANT ALITY | | LBIRTHS | d or this table; | | | ND DEATHS | | INF MORT (Dest | ALITY | STILI. | BIRTHS |
|--|---|---|---|--|---|---|--|---|--|--|--|--|--|--|---|---|--|
| AREA | Nus | ber | Excess of | Births per | infant l year | s under of age, uding | Num- | Per 100 | AREA | Num | ber | Excess | Births per | infant 1 year | s under of ege, uding | Num- | Per 100 |
| | sirths | Deaths | births over deaths1 | 100 deaths | Num- ber | Per 1,000 live births | ber | live births | | Births | Deaths | births over deaths2/ | 100 deaths | Num- ber | Per 1,000 live births | ber | live births |
| Section B-Continued | | | | | | | | | Section B—Continued | | | | | | | | |
| NEW YORK-Con. | | i | | | | | | | NORTH CAROLINA-Con. | | | | | | | | |
| Tompkins | 640 220 420 1,090 487 603 629 222 407 727 707 | 541 248 293 1,281 649 652 554 219 335 621 694 | 99 -28 127 -191 -162 -29 75 3 72 106 | 118 69 143 85 75 95 114 101 121 117 | 17 5 12 54 14 40 47 27 20 30 | 26.6 22.7 28.6 49.5 28.7 66.3 74.7 121.6 49.1 41.3 45.3 | 24 6 18 50 16 24 30 13 17 21 | 5.8 2.7 4.6 5.6 4.8 5.9 4.9 2.1 | Cley | 123 1,342 1,014 728 286 228 279 49 1,140 735 405 | 37 349 232 176 56 117 84 23 392 252 140 | 86 993 782 552 230 211 195 16 748 483 265 | (4/) 385 437 414 (4/) 280 (4/) (4/) 291 292 289 | 9 61 41 61 10 20 17 2 78 44 54 | 73.2 45.5 40.4 42.6 35.0 61.0 54.5 40.8 68.4 59.9 84.0 | 1 20 21 9 16 7 49 20 29 | 0.8 5.4 3.0 2.9 3.1 4.9 2.5 (<u>5</u> /) 4.2 7.2 |
| Westchester Rural pert Memeronock | 494 257 | 4,944 1,817 56 518 428 177 225 269 343 1,111 405 271 | 1,815 -259 -28 -233 -214 -66 -144 -311 -295 -639 -89 -14 | 157 86 (4/) 164 150 137 164 215 215 158 122 95 | 235 69 | 34.6 44.3 24.7 23.4 37.0 56.5 34.5 25.7 34.5 66.1 | 215 46 2 21 36 5 12 17 22 54 13 7 | 3.2 3.0 (5/) 2.5 5.6 2.1 3.3 2.9 3.0 3.1 2.6 2.7 | Crayen Rural part White Cther races New Bern- White Other races Cunberiand Rural part White Other races Fayettaville White Other races Other races Gunter | 670 446 220 206 204 112 1,152 783 490 291 269 240 129 | 417 195 88 107 222 84 138 539 277 162 115 362 217 145 | 253 251 132 119 2 28 -26 513 506 328 178 7 23 -16 | 161 229 (4/) 211 101 (4/) 81 180 283 302 255 102 111 89 | 54 26 11 15 28 5 23 92 48 24 24 44 30 | 80.6 58.3 50.0 66.4 125.0 44.6 205.4 79.9 61.3 49.0 81.9 119.2 125.0 108.5 | 40 19 5 14 21 2 19 48 27 12 15 21 8 13 | 6.0 4.3 6.2 9.4 17.0 4.2 3.4 2.4 5.7 7.3 |
| Alamance | 1,052 | 575 | 677 | 281 | 50 | 47.5 | 38 | 3.6 | Currituck | 126 74 | 55 41 | 71 33 | (<u>4</u> /) (4/) | 2 2 | 15.9 27.0 | 6 5 | 4.8 (<u>5</u> /) |
| White | 805 247 233 147 706 322 384 536 449 925 578 | 290 85 118 59 300 146 154 164 82 514 257 | 515 162 215 89 406 176 230 372 367 411 321 | 278 (4/) 282 (4/) 235 221 249 327 (4/) 160 235 | 41 9 19 8 42 16 26 34 17 81 | 50.9 36.4 57.1 54.4 59.5 49.7 67.7 63.4 37.9 87.6 62.3 | 26 12 12 5 32 6 26 19 19 43 | 3.4 4.5 1.9 6.8 3.5 4.6 2.4 | Other races Dero Other races Devidson | 52 102 1,088 843 245 190 55 368 293 | 14 43 442 328 114 83 21 128 95 | 58 53 646 515 131 107 24 240 198 42 | (4/) (4/) 246 257 215 (4/) (4/) 288 (4/) (4/) | 1 89 57 32 24 8 14 7 | 9.8 81.8 67.6 130.6 126.3 145.5 38.0 23.9 92.3 | 29 20 9 7 2 12 11 | (5/) 2.9 2.7 2.4 3.7 (5/) 3.3 5.8 (5/) |
| Other races Bertie | 347 743 247 496 709 405 304 449 252 197 1,983 | 257 337 111 226 218 117 101 168 101 67 1,291 | 90 406 136 270 491 288 202 281 151 130 692 | 105 280 242 219 325 346 301 267 250 (4/) 154 | 45 91 20 71 52 31 21 25 12 13 128 | 129.7 122.5 81.0 143.1 73.3 76.5 69.1 55.7 47.6 66.0 64.5 | 29 47 12 35 41 20 32 17 15 70 | 8.4 6.3 4.9 7.1 5.8 5.2 6.6 7.1 6.7 7.6 3.5 | Duplin | 1,044 624 420 1,728 329 220 109 1,399 867 532 | 374 202 172 1,227 156 90 66 1,071 629 442 | 670 422 248 501 173 130 43 328 238 90 | 279 309 244 141 211 (4/) (4/) 131 138 120 | 79 32 47 193 8 4 185 119 66 | 75.7 51.3 111.9 111.7 24.3 18.2 56.7 132.2 137.3 124.1 | 47 22 25 109 15 7 6 96 41 55 | 4.5 3.5 6.0 6.3 4.0 3.2 5.5 6.9 4.7 |
| Rurel part | 987 996 796 200 757 974 670 538 132 245 | 598 693 480 215 467 338 198 141 57 140 105 | 389 303 316 -13 290 626 472 297 75 164 140 24 | 165 144 166 94 162 288 338 382 (4/) 217 233 (4/) | 54 74 51 23 39 49 31 17 14 18 | 54.7 74.3 64.1 115.0 51.5 50.0 46.3 31.6 106.1 59.2 65.2 | 20 50 28 25 25 25 12 57 45 | 2.0 5.0 2.8 14.0 2.2 2.2 2.3 2.3 1.0 (5/) | Edgecombe | (16/) 1,112 398 714 (16/) 2,497 816 716 100 1,681 985 696 | (16/) 424 175 248 (16/) 1,190 289 232 55 901 424 477 | (16/) 688 222 466 (16/) 1,307 527 483 44 780 561 219 | (16/) 262 226 288 (16/) 210 282 307 (4/) 187 232 146 | (16/) 119 55 66 (16/) 165 39 32 6 126 60 66 | (16/) 107.0 123.2 92.4 (16/) 55.1 47.8 46.1 60.0 75.0 60.9 94.8 | (16/) 56 14 52 (16/) 114 16 14 4 96 41 55 | (16/) 5.9 3.5 7.3 (16/) 4.6 2.2 2.0 4.0 5.7 4.2 7.9 |
| Caldwell Camden White Other races Carteret White Other races Caswell | 912 105 46 59 385 309 76 | 315 58 36 22 214 184 30 | 599 47 10 37 171 125 46 | 2±1 (4/) (4/) (4/) 180 168 (4/) 275 | 52 5 2 3 19 15 4 | 57.0 47.6 43.5 50.8 49.4 48.5 52.6 | 29 5 1 4 12 10 2 | 3.2 4.8 (5/) (5/) 3.1 3.2 (5/) | Frenklin- White- Other races- Gaston- Rural part- White- Other races- Gastonia- White- | 669 335 334 1,833 1,363 1,205 158 470 409 | 240 115 127 724 494 396 98 250 170 | 429 222 207 1,109 869 809 60 240 | 279 296 263 253 276 304 (<u>4</u> /) 204 241 | 37 13 24 141 90 79 11 51 | 55.3 38.8 71.9 76.9 66.0 65.6 69.6 108.5 95.4 | 23 10 13 52 35 24 9 19 | 3.4 3.0 3.9 P.8 2.4 2.0 5.7 4.0 |
| White | 186 249 1,088 973 115 410 225 185 471 265 131 | 75 83 402 343 59 201 117 84 124 108 60 48 | 111 165 686 630 56 209 108 101 347 157 71 86 | (4/) (4/) 271 284 (4/) 204 192 (4/) 380 245 (4/) (4/) | 6 19 62 53 9 32 12 20 20 19 9 | 32.3 76.3 57.0 54.5 78.0 53.3 108.1 42.5 71.7 68.7 74.6 | 5 10 32 26 6 8 2 6 15 10 5 | 2.7 4.0 2.9 2.7 5.0 0.3 2.2 3.8 3.9 | Other races Gutes | 256 84 172 169 727 290 437 656 338 | 60 117 58 59 37 210 168 142 142 56 | 1 139 26 113 132 417 122 295 513 282 231 | (4/) 219 (4/) (4/) (4/) 235 173 308 459 (4/) (4/) | 12 22 6 16 10 46 15 31 39 15 24 | 196.7 85.9 71.4 93.0 59.2 63.3 51.7 70.9 59.5 44.4 75.5 | 4 17 6 11 3 30 7 23 21 4 | (5/) 6.6 (5/) 6.4 1.8 4.1 2.4 5.3 2.2 1.2 |

TABLE I.—BIRTHS, DEATHS, INFANT MORTALITY, AND STILLBIRTHS: 1935—Continued (See note at head of this table)

| | , | | | | | | See no | te at he | nd of this table) | | | | | | | | |
|---|---|--|---|---|--|---|---|---|--|--|---|--|--|---|---|--|---|
| | (excl | | ND DEATHS | | (Deat | ANT ALITY hs of s under | stii | LBIRTHS | | | | ND DEATHS stillbir | | MORT (Deat | ANT ALITY hs of s under | STILL | BIRTHS. |
| AREA | Nur | iber | Excess | sirt hs | l year | of age, uding | | Per | AREA | Num | ber | Excess | Births | l year | of age, uding irths). | | Per |
| | Births | Deaths | births over deaths1/ | per 100 deaths | Num- ber | Per 1,000 live births | Num- ber | 100 live births | | Births | Deaths | births over deaths1/ | per 100 deaths | Num- ber | Per 1,000 live births | Num- ber | 100 live births |
| Section B—Continued NORTH CAROLINA—Con. Guilford | 2,695 856 | 1,404 573 | 1,291 483 | 192 229 | 174 42 | 64.6 49.1 | 106 | 5.9 3.4 | Section B—Continued NORTH CAROLINA—Con. New Hanover———— Rural part———— | 893 48 | 697 . 105 | 196 -57 | , 128 46 | 97 16 | 108.5 333.3 | 53 1 | 5.9 |
| White | 698 158 1,114 890 224 725 616 109 | 293 80 702 475 227 329 238 91 | 405 78 412 415 -3 396 378 | 238 (4/) 159 187 99 220 259 (4/) | 33 9 95 66 29 37 31 6 | 47.3 57.0 85.3 74.2 129.5 51.0 50.3 55.0 | 26 3 42 20 22 35 18 17 | 3.7 1.9 5.8 2.2 9.8 4.8 2.9 15.6 | White- Other races- Wilmington- White- Other races- Northempton- White- Other races- Onslow- | 29 19 845 498 347 604 141 463 462 | 54 51 592 288 304 180 67 113 153 | -25 -32 253 210 43 424 74 350 309 | (4/) (4/) 143 173 114 336 (4/) 410 302 | 10 6 81 36 45 34 9 25 29 | 344.8 315.8 95.9 72.3 129.7 56.3 63.8 54.0 62.8 | 52 16 36 18 1 17 | (5/) (5/) |
| Halifax White | 1,562 514 1,048 1,165 831 334 862 607 433 133 500 | 504 183 321 357 232 125 266 252 175 55 120 | 1,058 331 727 808 599 209 596 255 258 78 180 | 310 281 326 326 358 267 324 241 247 (4/) 250 | 115 28 87 81 45 36 59 27 30 6 24 | 73.6 54.5 83.0 69.5 54.2 107.8 45.2 44.5 69.3 45.1 80.0 | 70 20 50 .32 13 19 21 31 19 3 | 4.5 3.9 4.8 2.7 1.6 5.7 2.4 5.1 4.4 2.3 5.3 | White | 318 144 339 197 142 227 120 107 361 173 64 | 102 51 153 85 68 81 43 38 273 83 | 215 93 186 112 74 145 77 69 88 90 | 312 (4/) 222 (4/) (4/) (4/) (4/) 132 (4/) (4/) | 17 12 16 8 8 16 6 10 37 21 | 55.5 83.3 47.2 40.6 56.3 70.5 50.0 93.5 102.5 121.4 93.8 | 11 4 18 8 10 10 10 22 8 3 | 3.5 2.8 5.3 4.1 7.0 4.4 9.3 6.1 4.6 (5/) |
| Hoke | 381 83 293 194 77 117 1,148 910 715 195 238 208 30 | 154 62 92 52 32 20 540 343 240 103 197 162 35 | 227 26 201 142 45 97 608 567 475 475 42 41 46 ~5 | 247 (4/) (4/) (4/) (4/) 213 265 298 189 121 128 (4/) | 23 5 18 6 3 50 36 22 14 10 4 | 50.4 56.8 61.4 30.9 39.0 25.6 43.6 30.8 71.8 58.8 48.1 133.3 | 22 20 7 1 6 74 57 30 27 17 | 5.8 (5/) 6.8 3.6 (5/) 5.1 6.4 6.3 4.2 13.8 7.1 4.3 (5/) | Other races— Elizabeth City— White———— Other races— Pender— White——— Other races— Perguimans———— White———— Other races— Person— White———— Cther races— Pitt————— | 109 188 120 68 351 135 216 237 101 136 665 350 350 351 51536 | 52 190 94 96 182 84 98 112 60 192 115 77 | 57 -2 26 -28 169 51 118 125 49 76 473 235 238 962 | (4/) 99 (4/) 193 (4/) 212 (4/) 346 304 (4/) 268 | 15 16 12 4 30 9 21 19 7 12 29 15 14 | 137.6 85.1 100.0 58.8 85.5 66.7 97.2 80.2 69.3 88.2 43.6 42.9 481.4 | 5 14 5 9 20 8 12 19 1 18 25 5 20 65 | 5.7 5.7 5.6 8.0 1.0 13.2 3.8 1.4 4.2 |
| Jackson | 501 1,584 1,257 327 293 138 155 381 259 | 172 591 441 150 94 44 50 169 115 54 | 329 993 816 177 199 94 105 212 144 68 | 291 268 285 216 (4/) (4/) 225 225 (4/) | 38 125 94 31 25 10 15 18 12 | 75.8 78.9 74.8 94.8 85.3 72.5 96.8 47.2 46.3 49.2 | 14 78 57 21 13 3 10 15 10 | 2.8 4.9 4.5 6.4 4.4 2.2 6.5 3.9 3.9 | White | 713 823 214 188 26 828 749 79 886 | 270 304 106 86 20 318 281 37 358 | 443 519 108 102 6 510 468 42 528 | 264 271 202 (4/) (4/) 260 267 (4/) 247 | 56 69 23 22 1 45 40 5 48 | 78.5 83.8 107.5 117.0 38.5 54.3 53.4 63.3 54.2 | 22 43 8 6 2 15 14 1 | 3.1 5.2 3.7 3.2 (<u>5</u> /) 1.8 1.9 (<u>5</u> /) 4.5 |
| Lenoir | 959 563 263 300 396 287 109 558 472 | 517 247 105 142 270 165 105 208 168 | 442 316 158 158 126 122 4 350 | 185 228 250 211 147 174 104 268 | 101 56 18 38 45 35 10 34 26 | 105.3 99.5 68.4 126:7 113.6 122.0 91.7 60.9 55.1 | 42 25 3 22 17 5 12 19 | 4.4 4.4 1.1 7.3 4.3 1.7 11.0 | White | 296 2,165 882 1,283 1,249 1,010 239 | 202 156 643 308 335 485 318 167 | 388 140 1,522 574 948 764 692 72 | 292 190 337 286 383 258 318 143 | 27 21 136 59 77 61 35 26 | 45.8 70.9 62.8 66.9 60.0 48.8 34.7 108.8 | 15 25 129 46 83 55 35 | 2.5 8.4 6.0 5.2 6.5 4.4 3.5 8.4 |
| Other races McDowell Macon | 86 616 423 | 181 137 168 | 46 435 286 | (<u>4</u> /) 340 309 364 | 8 30 15 | 95.0 48.7 35.5 | 18 1 18 13 | 3.8 (<u>5</u> /) 2.9 3.1 | Rowan | 1,221 865 684 181 356 291 | 530 299 232 67 231 169 | 691 566 452 114 125 122 | 230 289 295 (<u>4</u> /) 154 172 | 74 46 38 8 28 28 | 53.2 55.6 44.2 78.7 85.9 | 25 15 10 13 | 3.1 2.9 2.2 5.5 3.7 3.4 |
| Martin White-cos- Other races- Mecklenburg- Rural pert- White- Cher races- White- Cher races- Whito- Other races- Mitchell- | 779 354 425 2,443 710 440 270 1,733 1,196 537 450 | 214 83 131 1,405 356 219 137 1,049 578 471 99 | 565 271 294 1,038 354 221 133 684 618 66 351 | 364 (4/) 324 174 199 201 197 165 207 114 (4/) | 58 16 42 157 34 17 17 123 79 44 21 | 74.5 45.2 98.8 64.3 47.9 38.6 63.0 71.0 66.1 81.9 46.7 | 25 10 16 104 22 12 10 82 45 37 | 2.8 3.8 4.3 3.1 2.7 4.7 3.8 6.9 2.4 | Other races— Rutherford— White— Other races— Sampson— Other races— Scotland— Other races— Other races— | 65 953 816 137 1,179 715 464 495 220 275 | 62 310 267 43 378 225 153 234 97 137 | 3 643 549 94 801 490 311 261 123 138 | (4/) 307 306 (4/) 312 318 303 212 (4/) 201 | 38 38 33 5 94 51 43 48 12 | 46.2 39.4 36.5 79.7 71.3 92.7 97.0 54.5 | 30 24 6 44 19 25 26 6 | (5/) 3.1 2.9 4.4 5.7 2.7 5.4 5.3 7.3 |
| Montgomery White- Other races- Moore White- Other races- Rural part- Vite- Other races- Rocky Mount 16/ White- Other races- Cother races- Cother races- Cother races- | 338 268 70 513 359 155 (<u>16</u> /) 1,094 526 568 511 325 186 | 133 96 37 256 167 89 (16/) 263 152 111 452 236 216 | 205 172 33 257 191 66 (16/) 831 374 457 59 89 -30 | 254 (4/) (4/) 200 214 (4/) (16/) 416 346 512 113 138 86 | 27 21 6 33 23 10 (16/) 48 23 25 63 29 34 | 79.9 78.4 85.7 64.3 64.2 64.5 (16/1 43.9 43.7 44.0 125.3 89.2 182.8 | 13 8 5 17 8 9 (16/) 53 26 27 49 19 | 3.8 3.0 (5/) 3.3 2.2 5.8 (16/) 4.8 4.9 4.8 9.6 5.8 16.1 | Stanly- White- Other races- Stokes- White- Other races- Surry- Swain- White- Transylvania- Tyrrell- White- Other races- Other races- | 650 587 63 475 436 39 975 348 284 64 271 137 72 | 263 215 48 138. 122 16 396 115 91 24 62 32 | 387 572 15 337 314 23 579 253 193 40 187 75 40 | 247 273 (4/) 344 357 (4/) 246 303 (4/) (4/) (4/) (4/) (4/) (4/) | 35 29 6. 23 20 3 74 20 15 5 12 11 | 53.8 49.4 95.2 48.4 45.9 75.9 57.5 52.8 78.1 44.3 80.3 55.6 | 18 15 2 15 12 3 39 11 9 2 8 8 | 2.8 2.6 (5/) 3.2 2.8 (5/) 4.0 3.2 3.2 (5/) 5.8 (5/) 5.8 (5/) |

TABLE I.—BIRTHS, DEATHS, INFANT MORTALITY, AND STILLBIRTHS: 1935—Continued

(See note at head of this table)

| | | | ND DEATHS | | (Deat | ALITY hs of s under | STIL | lbirths | | | | ND DEATHS | ths) | (Deat | ALITY hs of s under | STILL | BIRTHS |
|---------------------------------|--------------------------|---------------------|----------------------------|---|-----------------|--------------------------------|-----------------|-----------------------|-----------------------------------|-------------------|-------------------|----------------------------|------------------------------|---------------|--------------------------------|------------------|--------------------------------|
| AREA | Num | ber | Excess | Births | | of age, uding irths) | | Per | AREA | Num | red | Excess of | Births | | of age, uding irths) | Num- | Per 100 |
| | Births | Deaths | births over deaths1/ | per 100 deaths | Num- ber | Per 1,000 live births | per Num- | 100 live births | | Births | Deaths | births over deaths1/ | per 100 deaths | Num- ber | Per 1,000 live births | ber | live births |
| Section B-Continued | | | | | | | | | Section B—Continued | | | | | | | | |
| NORTH CAROLINA-Con. | 0.00 | 304 | 663 | 318 | 55 | 56.9 | 23 | 2,4 | NORTH DAKOTA-Con. | 172 | 85 | 87 | (4/) | 13 | 75.6 | 2 | 1.2 |
| White Other races Vance | 967 709 258 622 | 196 108 340 | 513 150 282 | 362 239 183 | 35 20 71 | 49.4 77.5 114.1 | 17 6 31 | 2.4 2.3 5.0 | Renville | 102 283 343 | 29 162 120 | 73 121 223 | (4/) 175 286 | 3 14 21 | 29.4 49.5 61.2 | 1 4 7 | 1.0 1.4 2.0 |
| White Other races Wake | | 181 159 1,220 | 106 176 765 | 159 211 163 | 36 35 149 | 125.4 104.5 75.1 | 11 20 100 | 3.8 6.0 5.0 | White | 147 196 125 | 76 44 64 | 71 152 61 | (4/) (4/) (4/) | 5 16 12 | 34.0 81.6 96.0 | 3 4 2 | 2.0 3.0 1.6 |
| Rural part White | | 479 | 737 429 | 254 261 | 71 29 | 58.4 41.7 | 42 | 3.5 | SheridanSioux | 138 | 31 70 | 107 | (4/) (4/) | 11 15 | 79.7 123.0 | 6 3 | 4.3 |
| Other races Raleigh | 520 769 | 212 741 | 308 28 | 245 104 | 42 78 | 80.8 101.4 | 29 58 | 5.6 7.5 | White Other races | 48 74 | 10 60 | 38 14 | (<u>4/)</u> (<u>4/)</u> | 15 | 202.7 | 1 2 | (<u>5</u> /) (<u>5</u> /) |
| White Other races | 458 311 | 470 271 | -12 40 | 97 115 | 38 40 | 83.0 128.6 | 23 35 | 5.0 11.3 | Slope | 52 | 15 | 37 | (<u>4</u> /) | 5 | 96.2 | 2 | (5/) |
| Warren | 703 | 258 | 445 77 | 272 | 73 5 | 103.8 | 33 5 | 4.7 3.5 | Stark | 369 119 429 | 178 49 336 | 211 70 93 | 219 (<u>4</u> /) 128 | 29 5 26 | 74.6 42.0 60.6 | 11 4 18 | 2.8 3.4 4.2 |
| Other races Washington | 143 560 288 | 66 192 153 | 368 135 | (<u>4</u> /) 292 188 | 68 32 | 121.4 | 28 | 5.0 4.2 | Towner | 145 | 44 111 | 101 89 | (<u>4</u> /) 180 | 10 | 69.0 30.0 | 4 8 | 2.8 |
| White Other races | 139 149 | 63 90 | 76 59 | (4/) (4/) | 13 19 | 93.5 | 3 9 | 2.2 | WalshWard | 446 819 | 179 374 | 267 445 | 249 219 | 15 38 | 33.6 46.4 | 7 24 | 1.6 |
| Watauga | 366 1,168 | 102 863 | 264 305 | 359 135 | 21 125 | 57.4 107.0 | 6 68 | 1.6 5.8 | Rural part | 255 564 | 75 299 | 180 265 | (<u>4</u> /) 189 | 14 24 | 54.9 42.6 | 7 17 | 2.7 3.0 |
| Rural part White | 864 493 | 584 192 | 280 301 | 148 257 | 71 43 | 92.2 87.2 | 33 12 | 3.8 2.4 | WellsWilliams | 197 384 | 92 194 | 105 190 | (<u>4</u> /) 199 | 10 27 | 50.8 70.3 | 4 10 | 2.0 |
| Other races Goldsboro | 371 304 | 392 279 | -21 25 | 95 109 | 28 54 | 75.5 177.6 | 21 35 | 5.7 11.5 | | | | | | | | | |
| White Other races | 163 141 | 117 | 46 -21 | 139 87 | 24 30 | 147.2 212.6 | 13 22 | 8.0 15.6 | OHIO (total) | 397 | 77,356 243 | 23,747 | 131 | 5,093 | 50.4 | 3,225 26 | 6.5 |
| WilkesWilson | 1,042 | 33 <u>1</u> 617 | 711 728 | 315 218 | 46 140 | 44.1 104.1 | 27 66 | 2.6 4.9 | Allen | 1,244 | 949 367 | 295 67 | 131 | 67 24 | 53.9 | 36 | 2.9 |
| Rural part White | 925 541 | 298 171 | 627 370 | 310 316 | 78 28 | 84.3 51.8 | 31 18 | 3.4 3.3 | Lime | 810 427 | 582 322 | 228 105 | 139 133 | 43 23 | 53.1 53.9 | 27 14 | 3.3 3.3 |
| Other races | 384 420 | 127 319 | 257 101 | 302 132 | 50 62 | 130.2 147.6 | 13 35 | 3.4 8.3 | Rural part Ashland | 212 215 | 177 145 | 35 70 | 120 148 | 11 12 | 51.9 55.8 | 4 10 | 1.9 4.7 |
| White Other races | 203 217 | 139 180 | 64 37 | 146 121 | 26 36 | 128.1 165.9 | 12 23 | 5.9 10.6 | Ashtabula | 959 634 | 875 598 | 84 36 | 110 106 | 57 39 | 59.4 61.5 | 35 23 | 3.4 3.6 |
| YadkinYancey | 417 391 | 136 85 | 281 306 | 307 (<u>4</u> /) | 19 21 | 45.6 53.7 | 6 9 | 2.3 | AshtabulaAthens | 325 839 | 277 580 | 48 259 | 117 145 | 18 53 | 55.4 63.2 | 10 36 | 3.1 4.3 |
| NORTH DAKOTA | 18 666 | 5,860 | 7,795 | 233 | 811 | 59,4 | 550 | 2.6 | AuglaizeBelmont | 401 1,554 | 297 1,059 | 104 495 | 135 | 14 | 34.9 63.7 | 1.5 43 | 3.2 |
| Adems | 134 | 41 | 93 | (<u>4</u> /) | 3 | 32.4 | 4 | 3.0 | Rural part Bellaire | 983 276 | 628 | 355 105 | 157 161 | 59 18 | 60.0 65.2 | 31 | 3.2 |
| Barnes Benson | 331 230 | 162 99 | 169 131 | 204 (<u>4</u> /) | 14 18 | 42.3 78.3 | 7 | 2.1 | Martins Ferry Brown | 295 309 | 260 270 | 35 39 | 113 | 22 13 | 74.6 42.1 | 6 7 | 2.0 |
| Billings Bottineau | 47 267 | 19 106 | 28 161 | (<u>4</u> /) 252 | 4 8 | 85.1 30.0 | 8 | 3.0 | Butler | 1,957 269 | 1,236 259 | 721 10 | 158 104 | 102 | 52.1 37.2 | 75 4 | 3.7 1.5 |
| Burke | 98 116 | 43 56 | 55 60 | (<u>4/)</u> (<u>4/)</u> | 7 14 | 71.4 120.7 | 1 3 | (<u>5</u> /) 2.6 | Hamilton Middletown | 981 707 | 633 344 | 348 363 | 155 206 | 48 44 | 48.9 62.2 | 42 27 | 4.3 3.8 |
| Burleigh Rurel part | 570 52 | 291 35 | 279 17 | 196 (<u>4</u> /) | 27 5 | 47.4 96.2 | 21 1 | 3.7 (<u>5</u> /) | Carroll | 189 395 | 155 317 | 34 78 | 122 125 | 7 14 | 37.0 35.4 | 7 15 | 3.7 3.8 |
| BismarckCass | _,, | 256 559 | 262 655 | 202 217 | 22 57 | 42.5 47.0 | 20 29 | 3.9 2.4 | Clark | | 1,104 | 169 | 115 | 65 | 51.1 | 34 | 2.7 |
| Rural part Fargo Caválier | 268 946 269 | 185 374 112 | 83 572 157 | 145 253 240 | 10 47 14 | 37.3 49.7 52.0 | 27 | 0.7 2.9 2.2 | Rural part Springfield | 238 1,035 | 290 814 718 | -52 221 226 | 127 | 10 55 | 42.0 53.1 | 28 25 | 2.5 |
| Dickey | 173 | 73 | 100 | (<u>4</u> /) | 15 | 86.7 | 6 8 | 4.6 | White Other races Clermont | 944 91 449 | 96 392 | -5 57 | 131 (<u>4</u> /) 115 | 46 9 15 | 48.7 99.9 33.4 | 3 17 | 2.6 (<u>5</u> /) 3.8 |
| DivideDunn | 158 146 | 60 42 | 98 104 | (4/) (4/) | 4 | 25.3 95.9 | 3 | 1.9 | Clinton | 318 1,518 | 290 1,065 | 28 453 | 110 143 | 15 66 | 47.2 | 7 46 | 2.2 |
| Eddy Emmons | 97 300. | 59 84 | 38 216 | (4/) | 6 25 | 61.9 83.3 | 1 | (<u>5</u> /) 2.7 | Rural part East Liverpool | 757 509 | 556 327 | 201 | 136 156 | 30 23 | 39.6 45.2 | 19 18 | 2.5 3.5 |
| Foster Golden Valley | 153 60 | 59 40 | 94 20 | (4/) (4/) (4/) | 7 5 | 45.8 83.3 | 1 | 0.7 (<u>5</u> /) | Salem | 252 | 182 | 70 | 138 | 13 | 51.6 | 9 | 3.6 |
| Grand Forks Rural part | 759 165 | 397 136 | 362 29 | 191 | 35 5 | 46.1 30.3 | 17 5 | 2.2 3.0 | Coshocton | 520 297 | 385 212 | 135 85 | 135 140 | 27 14 | 51.9 47.1 | 20 10 | 3.8 3.4 |
| Grand Forks Grant | 594 181 | 261 52 | 333 129 | 228 (<u>4</u> /) | 30 12 | 50.5 66.3 | 12 | 2.2 | Coshocton Crawford | 225 492 | _73 415 | 50 77 | 119 | 12 26 | 53.3 52.9 | 10 15 | 4.5 3.0 |
| Griggs | 91 269 | 44 51 | 47 218 | (4/) (4/) | 9 15 | 98.) 55. 8 | 1 4 | (<u>5</u> /) 1.5 | Rural part Bucyrus | 356 156 | 274 141 | 15 | 123 | 15 | 44.6 70.5 | 8 | 2.1 5.1 |
| Kidder | 156 | 42 | 114 | (<u>4</u> /) | 16 | 102.5 | 5 | 3.2 | Rural part | 15,860 578 | 12,352 852 | 3,508 | 128 68 | 596 15 | 45.9 25.0 | 13 | 3.1 2.2 |
| La Moure Logan McHenry | 214 200 242 | 67 40 78 | 147 160 164 | (4/) (4/) (4/) | 5 18 19 | 23.4 90.0 78.5 | 8 6 7 | 3.7 3.0 2.9 | Cleveland White Other races | 14,489 | 9,986 8,753 | 4,503 4,476 27 | 145 151 102 | 548 92 | 44.2 41.4 | 451 373 78 | 3.1 2.8 |
| McIntosh McKenzie | 213 | 49 43 | 161 73 | (4/) (4/) (4/) | 10 | 47.6 77.6 | 4 | 1.9 | Cleveland Heights | 1,260 | 302 | -284 | 102 | 92 | 73.0 | 78 | 6.2 |
| McLean | 353 227 | 88 57 | 265 170 | (4/) (4/) | 27 15 | 76.5 66.1 | 14 5 | 4.0 | East Cleveland Euclid | 195 54 | 323 323 | -128 -38 | 60 | 12 | 61.5 | 5 | 2.6 (<u>5</u> /) |
| Morton Mountrail | 514 184 | 209 71 | 305 113 | 246 | 45 12 | 97.5 65.2 | 12 | 2.3 0.5 | Garfield Heights Lakewood | 77 371 | 68 585 | 9 -214 | (4/) 63 | 4 15 | 51.9 40.4 | 15 | (<u>5</u> /) 4.0 |
| Nelson Oliver | 198 36 | 95 14 | 105 22 | (<u>4</u> /) (<u>4</u> /) (<u>4</u> /) | 15 | 75.8 | 6 | 3.0 (<u>5</u> /) | Parma Shaker Heights | 77 | 69 75 | 8 -74 | (<u>4/)</u> (<u>4/)</u> | 4 3 | 51.9 (<u>7</u> /) | 1 | (<u>5</u> /) |
| Pembina Pierce | 253 327 | 124 110 | 129 217 | 204 297 | 13 17 | 51.4 52.0 | 9 6 | 3.6 | Darke | 587 392 | 440 311 | 147 81 | 133 126 | 25 19 | 42.5 48.5 | 16 18 | 2.7 4.6 |
| Remsey | 297 | 191 | 106 | 155 | 17 | 57.2 | 12 | 4.0 | Delaware | 380 | 342 | 38 | 111 | 3 | 23.7 | 12 | 3.2 |

TABLE I.—BIRTHS, DEATHS, INFANT MORTALITY, AND STILLBIRTHS: 1935—Continued (See note at head of this table)

| | | | | | TNE | ANT | | | an of this table) | | | | | | | <u> </u> | |
|--|--|--|--|---|---|--|--|--|--|--|---|---|--|---|--|---|--|
| | | | ND DEATHS | | MORT (Deat infant | ANI ALITY hs of s under of age, | STII | LBIRTES | | (exc) | | ND DEATHS stillbir | | MORT (Deat infant | ANT LALITY hs of s under of age, | STILL | BIRTES |
| AREA | Nun | ber | Excess of | Births | excl stillb | uding | | Per | AREA | Nun | ber | Excess | Births | | uding | | Per |
| | Births | Deaths | births over deathsl/ | per 100 deaths | Num- ber | Per 1,000 live births | Num- ber | 100 live births | | Births | Deaths | births over deaths <u>l</u> / | per 100 deaths | Num- ber | Per 1,000 live births | Num- ber | 100 live births |
| Section B—Continued | | | | | | | | | Section B-Continued | | | | | | | | |
| CHIO-Con. Erie-Rural part-Sandusky-Fairfield-Rural part-Lancaster Fayette-Franklin-Rural part-Columbus-White-Columbus-Fulton-Gallia-Geauga-Greene-Rural part-Xonia-White-Cournesy-Rural part-Combridge-Cambridge-Manuliton- | 551 420 787 430 557 4,30 5,407 5,75 4,284 548 548 357 459 200 494 313 181 165 16 646 370 276 8,783 | 524 211 313 555 254 301 655 4,406 653 4,406 641 299 487 188 389 237 152 119 19 33 4786 2486 28,181 | 27 -80 107 232 103 129 911 346 -80 426 519 -93 58 -28 12 105 766 29 466 -17 168 104 | 105 62 134 142 141 143 136 1107 88 1100 114 85 119 94 106 127 152 119 139 (4/) 139 139 | 19 3 3 16 48 15 33 22 291 24 267 222 45 11 39 10 10 10 10 10 10 11 506 | 34.5 22.9 38.1 61.0 42.0 76.7 63.6 53.8 41.7 55.3 82.1 30.8 51.8 85.0 50.0 40.5 51.9 55.2 60.6 61.9 55.4 76.1 57.6 | 18 4 14 21 1 7 14 8 8 183 129 4 13 5 5 3 20 7 5 1297 | 3.3 3.1 3.3 2.7 2.0 3.3 2.3 3.4 3.5 3.5 3.5 3.5 3.0 6.2 3.1 5.0 2.0 2.0 2.0 1.6 4.4 3.0 1.9 1.9 1.9 | Monroe Montgonery Rural part Dayton White Other races Morgan Morrow Muskingum Rural part Zanesville Noble Ottawa Paulding Perry Pickaway Pritege Protege Protege Putlam Rural part Rural part Mansfield Ross | 327 4,056 691 3,365 3,046 319 221 213 1,147 750 246 332 277 418 352 277 418 455 501 279 416 1,1518 547 | 200 3,502 846 2,656 2,657 299 203 177 881 328 563 151 147 335 346 148 469 239 235 741 351 351 351 | 127, 554, -155, 709, 689, 20, 29, 366, 266, 571, 130, 833, 40, 159, 132, 40, 461, 424, 167, 257, 362, 564, 567, 257, 362, 564, 567, 257, 362, 564, 564, 567, 257, 362, 564, 567, 257, 362, 564, 567, 257, 362, 564, 567, 257, 362, 564, 564, 567, 257, 362, 564, 564, 567, 257, 362, 564, 564, 564, 564, 564, 564, 564, 564 | 164 116 82 127 129 107 114 120 130 121 126 167 128 127 128 127 128 127 128 127 128 127 128 126 127 128 126 127 128 126 127 128 | 15 175 16 159 135 24 46 10 36 10 36 10 25 16 30 12 14 14 22 44 46 30 46 46 46 46 46 46 46 46 46 46 46 46 46 | 45.9 43.2 47.3 44.3 34.5 34.5 42.3 40.1 36.1 59.8 63.6 63.6 49.9 49.9 49.9 42.5 52.1 49.9 40.1 52.1 49.9 53.7 53.7 53.8 | 7 116 15 101 88 13 7 7 45 10 35 9 7 8 6 16 9 16 7 6 5 30 10 20 20 20 20 20 20 20 20 20 20 20 20 20 | 2.11 2.92 3.09 4.11 3.33 2.55 4.77 3.71 2.94 3.59 2.75 1.46 2.75 1.49 3.59 |
| Rural part Cincinhati White Other races- Norwood Hencock- Rural part Findlay- Fostoria (part) Hardin Harrison Henry | 1,020 7,645 6,724 921 118 (17/) 217 346 (17/) 444 326 364 448 386 573 523 1,593 | 904 7,105 6,000 1,105 172 (17/) 171 288 (17/) 361 187 254 349 230 200 470 330 958 | 11.6 540 724 -1.84 -54 (17/) 46 58 (17/) 83 139 110 99 156 168 103 193 635 | 113 108 112 83 69 (17/) 120 (17/) 123 174 143 128 168 164 165 | 34 468 398 70 4 (17/) 26 (17/) 25 13 13 20 19 16 35 48 86 | 33.3 61.2 76.0 33.9 (17/) 32.3 75.1 (17/) 56.3 38.9 44.6 49.2 61.1 91.8 54.0 | 29 267 207 60 1 (17/) 6 12 (17/) 19 7 11 21 14 6 17 12 61 | 2.8 3.5 0.8 (17/) 2.8 3.5 (17/) 4.7 3.0 4.7 3.6 3.0 2.3 3.8 | Rural part Chillicothe Sandusky Rural part Fromont Scioto Rural part Portamouth Sencea Rural part Fostoria 17/ Tiffin Shelby Stark Rural part Allience Canton Massillon | 576 351 590 462 128 1,781 971 810 (17/) 282 248 256 385 3,421 709 408 1,865 439 | 303 257 443 288 155 958 333 625 (17/) 233 160 255 292 2,597 7774 279 1,200 | 268 94 147 174 -27 823 638 185 (17/) 49 88 | 187 137 133 160 83 186 292 130 (17/) 121 155 100 132 146 155 155 | 37 17 29 18 11 134 52 82 (17/) 15 16 14 24 186 36 24 98 28 | 64.2 48.4 49.2 39.0 53.6 101.2 (17/) 55.2 64.5 54.4 50.8 58.8 58.8 | 14 18 14 10 4 64 26 38 (17/) 9 7 19 87 17 8 42 20 | 2.4 5.1 2.2 3.1 3.6 2.7 4.7 4.9 2.2 3.2 4.7 4.9 2.1 2.2 3.4 2.0 2.3 4.6 |
| Rural part | 831 762 450 620 246 374 931 602 329 828 290 538 423 1,538 467 | 429 529 379 496 277 219 531 276 255 791 316 475 377 1,118 403 333 | 402 233 51 124 -31 155 400 326 74 37 -26 63 420 -36 420 | 194 144 125 89 171 175 218 129 103 112 138 91 140 | 49 37 26 9 17 92 58 34 51 12 39 25 59 17 | 59.0 48.6 62.8 41.9 36.6 45.5 98.8 96.3 103.3 61.6 41.4 72.5 59.1 ,38.4 46.3 36.4 | 27 34 21 14 5 9 40 22 18 34 13 21 18 42 11 | 3.2 4.5 2.0 2.0 2.3 3.7 5.1 5.9 2.0 4.3 7.5 4.3 7.5 4.3 7.5 4.5 9.3 9.3 9.3 9.3 9.3 9.3 9.3 9.3 9.3 9.3 | Rural part | 1,081 923 158 | 2,921 372 2,207 2,044 163 200 142 (<u>18</u> /) 491 116 (16/) 825 717 108 | 2,173 41 1,892 1,858 34 241 (18/) 249 79 320 (18/) 256 206 50 | 174 111 186 191 221 99 (18/) 151 168 175 (18/) 131 129 | 22.1 96 178 18 16 10 38 11 36 11 56 11 58 58 58 | 43.4 19.4 47.8 45.6 91.4 36.3 7.1 (18/) 51.4 47.3 (18/) 56.4 62.8 19.0 | 156 12 127 118, 9 15 2 (16/) 22 35 (18/) 42 35 7 | 3.1 2.9 3.1 3.0 4.5 5.4 (<u>1B</u> /) 3.0 1.5 (<u>1B</u> /) 3.9 3.8 4.4 |
| Lorain—Lucas—Rural part———— Toledo————— White———————————————————————————————————— | 704 5,143 641 4,502 4,240 262 336 (18/) 425 | 382 3,940 349 3,591 3,368 223 243 (18/) | 322 1,203 292 911 872 39 93 (18/) | 184 131 184 125 126 117 138 (18/) | 25 264 23 241 222 19 20 (<u>18</u> /) | 35.5 51.3 35.9 53.5 52.4 72.5 59.5 (18/) 32.9 | 21 148• 16 132 115 17 6 (18/) | 3.0 2.9 2.5 2.9 2.7 6.5 1.8 (18/) 4.2 | Union | 257 348 218 387 737 443 294 720 558 162 | 244 285 105 312 567 319 248 523 357 166 | 13, 63 113 75 170 124 46 197 201 | 105 122 208 124 130 139 119 138 156 | 14 18 12 18 37 19 18 35 24 | 54.5 51.7 55.0 46.5 50.2 42.9 61.2 48.6 43.0 67.9 | 10 15 6 11 19 11 8 27 13 14 | 3.9 4.3 2.8 2.5 2.7 3.3 2.6 |
| Youngstown 18/ White Other races Campbell White Cther races | 2,772 2,528 244 205 172 33 | 1,841 1,591 250 69 52 | 931 937 -6 136 - 120 | 151 159 98 (4/) (4/) (4/) | 117 93 24 14 9 | 42.2 36.8 98.4 68.3 52.3 151.5 | 119 100 19 4 1 | 4.3 4.0 7.8 2.0 0.6 (<u>5</u> /) | Williams | 421 760 308 | 273 549 221 21,091 | 148 211 87 22,600 | 154 138 139 | 18 25 10 2,384 | 42.8 32.9 32.5 54.6 | 9 18 6 1,269 | 2.1 2.4 1.9 |
| Struthers | 118 730 182 548 493 358 394 892 559 333 | 60 560 169 391 352 235 251 687 440 247 | 170 13 157 161 123 143 205 119 | (4/) 130 108 140 148 152 157 130 127 135 | 6 33 7 26 22 22 20 43 27 16 | 50.8 45.2 38.5 47.4 44.6 61.5 50.8 48.2 48.3 48.0 | 2 10 1 17 4 41 24 17 | 1.7 1.4 0.5 1.6 2.2 4.7 1.0 4.6 4.3 5.1 | Adair———————————————————————————————————— | 272 225 47 254 370 350 20 182 562 | 137 98 39 128 137 120 17 84 256 | 135 127 8 126 233 230 3 98 306 | 199 (4/) (4/) 198 270 292 (4/) (4/) 220 | 26 15 11 11 20 20 | 95.6 66.7 234.0 43.3 54.1 57.1 54.9 64.1 | 8 6 2 1 14 14 14 | 2.9 2.7 (5/) 0.4 3.8 4.0 |

TABLE I.—BIRTHS, DEATHS, INFANT MORTALITY, AND STILLBIRTHS: 1935—Continued (See note at head of this table)

| | (exc | | AND DEATHS | | MOR | FANT FALITY the of | STI | LLBIRTHS | | (exc) | | UD DEATHS | | MORT | FANT FALITY The of | STILL | BIRTHS |
|---|--|---|--|--|--|--|---|---|--|---|--|--|---|--|--|--|---|
| AREA | Nuz | nber | Excess | Births | infant l year excl | ts under r of age, luding births) | | Per | AREA | Nu | nber | Excess | Births | infant l year excl | s under of age, luding oirths) | | Per |
| | Births | Deaths | births over deathsl/ | per 100 deaths | Num- ber | Per 1,000 live births | Num- ber | 100 live births | | Births | Deaths | births over deaths1/ | per 100 deaths | Num- ber | Per 1,000 live births | Num- ber | 100 live births |
| Section B—Continued CKIAHOMA—Con. Plaine— White— Other races— Eryan— White— Other races— Caddo—— White— Carer— Rural part— Ardmore— White— Other races— Cherokee— White— Other races— Cherokee— White— Cother races— Cimarron— Clevelend—— Coal—— White—— Coal—— Coal—— White—— Cother races— Comanche—— Rural part—— Lawton—— Cother races— Craig——— Craig————— White———— Other races— Crace—————— Other races— Crace———————————————————————————————————— | ### Births #### #### #### #### #### #### #### | 173 173 139 34 312 291 21 352 290 62 244 50 158 292 241 102 399 198 161 377 42 357 56 53 357 133 224 80 350 350 354 26 525 360 324 26 525 360 324 27 93 | | 257 291 (4/) 242 251 (4/) 208 156 241 110 (1) 28 259 (4/) 242 247 (4/) (4/) 283 259 (4/) 103 (4/) 283 357 357 334 (4/) 103 (4/) 1174 184 205 174 184 205 (4/) 1173 (4/) 1173 (4/) 1173 (4/) 1173 (4/) 1173 (4/) 1173 (4/) 1173 (4/) 1173 (4/) 1173 (4/) 1173 (4/) 1174 1184 1174 1184 1175 1174 1175 1174 1174 1174 1174 117 | | live | 144 122 2 13 3 12 11 17 13 100 1 1 13 100 1 1 15 12 12 12 16 15 1 16 15 12 12 12 16 15 10 10 10 10 10 10 10 10 10 10 10 10 10 | 3.1 3.0 (5/) 1.7 1.6 (5/) 1.3 (5/) 3.4 (5/) 2.7 2.5 (5/) 2.7 2.8 2.9 4.5 (5/) 2.7 2.8 2.9 4.5 (5/) 2.8 2.9 4.5 (5/) 2.9 2.9 2.9 2.9 2.9 2.9 2.9 2.9 | Section B—Continued OKLAHOMA—Con. Logan— White— Other races— McClain— McCurtain— White— Other races— Major— Marshell— Mayes— Muray— Muskogee— Rural part— White— Other races— Muskogee— White— Other races— Other r | 81rths 465 374 91 176 546 141 135 461 374 87 241 1412 205 329 988 337 299 58 631 519 112 185 252 231 21 547 439 108 4,391 618 3,773 3,477 296 62 62 817 612 462 | Deaths 301 222 79 46 120 225 169 56 186 132 54 84 82 158 207 669 433 236 115 145 1115 300 209 136 63 22,254 1,986 268 268 268 268 268 211 173 20 123 47 47 47 315 389 | | 154 168 (4/) (4/) 256 261 (4/) (4/) (4/) (4/) 208 224 (4/) 201 96 98 192 28 8 8 94 120 (4/) 201 (4/) 262 323 (4/) 169 181 169 181 169 181 169 181 169 181 169 298 298 298 298 299 299 299 299 299 29 | | live | 21 14 7 7 13 22 12 14 8 4 4 7 1 1 1 2 1 2 1 2 1 2 1 2 1 2 1 1 3 2 2 1 2 1 | births 4.5 3.7 (5/) 3.9 2.4 4.7 4.5 5.9 4.8 5.7 (5/) 2.8 4.6 3.4 2.2 (5/) 2.8 3.0 2.2 1.9 2.8 1.6 3.3 3.5 1.9 2.7 (5/) 3.9 3.5 3.5 3.5 3.5 3.5 3.5 3.5 3.5 3.5 3.5 |
| Deweys Ellis Gerfield Rural part Enid Gervin Crady Rural part Chickasha White- Other races Grant Harper Hasper Harper Haskell Hughes Other races Jackson Jefferson Johnston White- Other races Kay Rural part Ponca Gity Kingfisher White- Other races Kiowa Latiner Le Flore Lincoln White- Other races Cher races Kiowa Cher races Kiowa Cher races Kiowa Cher races 273 699 179 520 825 964 678 286 282 24 139 295 316 105 313 375 543 322 488 348 348 322 230 20 22 20 80 80 80 80 80 80 80 80 80 80 80 80 80 | 78 122 115 55 87 193 73 73 70 265 215 129 122 112 17 190 85 278 230 209 21 | 202 150 213 73 140 606 580 582 58 58 58 59 204 50 225 384 -22 394 205 249 205 249 221 392 231 392 231 393 240 250 260 275 277 287 287 287 287 287 287 287 287 287 | (4/) 242 144 169 137 377 251 435 125 128 (4/) (4/) 242 282 (4/) (4/) 273 243 (4/) (4/) (4/) 169 187 146 206 204 (4/) 225 (4/) 25 243 (4/) (4/) 26 26 26 26 26 26 26 26 26 26 26 26 26 | 9 42 2 7 7 35 5 27 7 7 9 10 0 10 10 10 10 10 10 10 10 10 10 10 1 | 33.0 60.1 39.1 67.3 32.7 44.6 39.8 55.9 57.3 41.6 30.5 31.6 33.1 44.7 36.0 48.9 24.8 26.7 53.2 42.3 70.3 33.8 53.9 24.7 53.9 24.6 25.9 26.7 53.2 42.3 70.3 43.9 49.7 53.2 49.7 56.2 | 4 311 9 9 222 17 31 200 11 100 1 1 5 5 9 9 7 7 2 100 13 3 7 7 6 6 6 17 15 13 2 2 | 1.5 4.4 5.0 4.2 2.1 3.2 2.9 3.8 (5/) 2.0 3.7 3.9 1.6 1.3 (5/) 2.0 3.7 2.0 1.6 1.3 (5/) 2.0 3.7 2.0 3.7 2.0 3.7 2.0 3.7 2.0 3.7 3.7 3.7 3.7 3.7 3.7 3.7 3.7 3.7 3.7 | Payne— Payne— Rurel part— White— Other races— McAlester— White— Other races— Pontotoc— Rurel part— Ada— Pottawatomie— Rurel pert— Snawee— Pushmetaha— Other races— Roger Mils— Rogers— White— Other races— Seminole— Rurel part— Seminole— Rurel part— Seminole— Seminole— Seminole— Seminole— White— Other races— Sequoyah— Other races— Sequoyah— Other races— Stephens— Texas— Tillman— White— Other races— | 885 817 5717 24 246 227 79 60 406 331 41 440 408 32 238 505 304 11,038 45,03 200 215 404 357 47 47 440 408 32 408 32 408 408 32 408 408 408 408 408 408 408 408 408 408 | 294 413 199 183 16 214 177 37 324 95 229 482 218 264 147 127 20 63 236 195 41 43 200 116 137 88 49 1.25 128 27 202 24 | 391 404 372 364 8 32 500 -18 435 511 125 210 293 281 112 175 269 100 585 217 113 127 249 229 20 41 127 282 277 5 | 233 198 287 299 (4/) 115 128 (4/) 150 235 (4/) 150 234 300 299 321 (4/) 214 187 (4/) 229 229 229 287 188 (4/) 261 279 (4/) 261 279 (4/) 262 282 (4/) 262 282 (4/) 263 282 (4/) 264 282 (4/) 264 282 (4/) 265 282 (4/) 266 282 (4/) 282 (4/) | 29 20 19 8 1 41 44 22 5 6 1 62 22 22 12 10 27 7 28 12 21 10 27 7 28 11 22 11 22 16 6 6 6 6 6 6 6 6 6 6 6 6 | 35.0 35.0 35.0 34.7 41.7 35.2 52.6 52.6 52.6 52.6 76.3 45.2 47.4 42.2 68.2 63.7 125.0 23.4 42.2 63.7 125.0 23.4 42.6 72.3 50.6 50.6 50.6 50.6 50.6 50.6 50.6 50.6 | 23 12 12 12 12 12 12 12 12 12 12 12 12 12 | 2.0 2.1 2.2 4.5 3.6 3.7 2.7 2.3 2.7 2.2 2.2 2.1 2.2 2.1 2.8 2.1 2.8 2.1 2.5 3.1 2.7 2.1 2.2 2.1 2.1 2.2 2.1 2.1 2.1 2.1 2.1 |

TABLE I.—BIRTHS, DEATHS, INFANT MORTALITY, AND STILLBIRTHS: 1935—Continued (See note at head of this table)

| | | | | | | | | - | | | | | | | | <u> </u> | |
|-----------------------------|-------------------------|--------------|-------------------------------------|--------------------------------|-------------------------|----------------------------------|-------------|-----------------------|--|----------------|-----------------------|----------------------------|--------------------------------|-------------------------|--------------------------------------|---------------|-----------------------|
| | | | AND DEATHS | | MORT (Dest infant | ANT ALITY hs of s under | STII | lbirtes | | | | ND DEATHS | | MORT (Deat infant | FANT FALITY ths of ts under | STILI | BIRTHS |
| AREA | Nur | mber | Excess | Births | excl | of ege, uding irths) | | Per | AREA | Nun | ber | Excess | Births | excl | of ege, uding pirths) | | Per |
| | Births | Deaths | births over deaths <u>l</u> / | per 100 deaths | Num- ber | Per 1,000 live births | Num- ber | 100 live births | | Births | Deaths | births over deaths1/ | per 100 deaths | Num- ber | Per 1,000 live births | Num- ber | 100 live births |
| Section B—Continued | | | | | | | | | Section B—Continued | | | | | | | | |
| OKTAHOMA—Con. | | | | | | | | | PENNSYLVANIA—Con. Allegheny—Continued | | | | | | | | |
| Tulsa | 2,958 717 | 1,717 | 1,241 443 | 172 262 | 185 35 | 62.5 48.8 | 103 27 | 3.5 3.8 | Clairton | 216 180 | 60 50 | 156 130 | (<u>4</u> /) (<u>4</u> /) | 9 | 41.7 | 6 | 2.8 |
| White | 581 | 243 | 438 | 280 | 34 | 49.9 | 25 | 3.7 | Other races | 36 | 10 | 26 | (4/) | 6 3 | 33.3 83.3 | 2 4 | 1.1 (<u>5</u> /) |
| Other races | 35 2,241 | 31 1,443 | 798 | (<u>4</u> /) 155 | 150 | 27.B 56.9 | 2 76 | (<u>5</u> /) 3.4 | Coraopolis Dormont | 127 17 | 65 82 | 62 -65 | (4/) (4/) | 10 | 78.7 58.8 | 4 1 | 3.1 (<u>5</u> /) |
| White | 2,066 | 1,184 259 | 882 | 174 | 126 | 61.0 | 61 | 3.0 | Duquesne | 225 | 90 | 135 | (<u>4</u> /) | 1:0 | 44.4 | 8 | 3.6 |
| Other races Wagoner | 175 450 | 200 | -84 250 | 68 225 | 24 35 | 137.1 77.8 | 15 25 | 8.6 5.6 | Harrison (twp.) Homestead | 377 399 | 171 238 | 206 161 | 220 168 | 19 19 | 50.4 47.6 | 14 12 | 3.7 3.0 |
| White Other races | 336 114 | 119 | 217 | 282 (<u>4</u> /) | 28 7 | 83.3 61.4 | 16 9 | 4.8 7.9 | White Other races | 353 46 | 193 45 | 160 | 183 (<u>4</u> /) | 14 5 | 39.7 | 10 | 2.8 |
| Washington | 444 | 245 | 199 | 181 | 23 | 51.8 | 5 | 1.1 | McKeesport | 1,122 | 647 | 475 | 173 | 60 | 53.5 | 40 | (<u>5</u> /) 3.6 |
| Rural part White | 184 175 | 93 87 | 91 88 | (4/) | 7 7 | 38.0 40.0 | 2 | 1.1 | McKees Rocks Mount Lebenon(twp) | 136 18 | 82 82 | 54 -64 | (4/) (4/) | 8 | 58.8 | 7 | 5.1 (5/) |
| Other races Bartlesville | 9 260 | 6 152 | 108 | (4/) 171 | 16 | 61.5 | 3 | 1.2 | Munhall North Braddock | 89 159 | 67 73 | 22 86 | (4/) (4/) | 2 | 22.5 12.6 | 2 5 | (<u>5</u> /) |
| Washita | 526 | 164 | 362 | 321 | 27 | 51.3 | jı | 2.1 | Pittsburgh | 12,292 | 8.404 | 3,888 | 145 | 614 | 50.0 | 370 | 3.1 3.0 |
| Woods | 292 [.] 275 | 129 292 | 163 -17 | 226 94 | 9 20 | 30.8 72.7 | 4 8 | 1.4 2.9 | White | 11,228 | 7,536 | 3,692 | 149 | 527 | 46.9 | 317 | 2.8 |
| ,, | | |] - | | | | | | Other races Stowe (twp.) | 1,064 282 | 868 118 | 196 164 | 123 239 | 87 14 | 81.8 49.5 | 53 9 | 5.0 3.2 |
| OREGON (total) | 13,179 | 11,430 | 1,749. | 115 | 543 | 41.2 | 295 | 2.2 | Swissvale Turtle Creek | 92 107 | 104 60 | -12 47 | 88 (<u>4</u> /) | 8 | 65.2 74.8 | 2 | (<u>5</u> /) 3.7 |
| Baker | 287 | 216 | 71 | 133 | 12 | 41.8 | 5 | 1.7 | Wilkinsburg | 576 | 409 | 167 | 141 | 34 | 59.0 | 20 | 3.5 |
| Benton | 221 | 162 | 59 | 136 | 6 | 27.1 | 7 | 3.2 | Armstrong | 1,533 | 688 (<u>19</u> /) | 845 (<u>19</u> /) | 223 (<u>19</u> /) | 84 (19/) | 54.8 (19/) | 35 ((19/) | 2.3 (19/) |
| Clackamas Clatsop | 455 305 | 485 239 | -30 66 | 94 128 | 17 8 | 37.4 26.2 | 10 9 | 2.2 3.0 | Rural part | 1,413 | 896 150 | 517 257 | 158 271 | 63 28 | 44.6 68.8 | 55 9 | 3.9 |
| Rural part | 72 233 | 80 159 | -8 74 | (<u>4</u> /) 147 | 3 5 | 41.7 21.5 | 1 8 | (<u>5</u> /) 3.4 | Aliquippa Ambridge | 280 | 70 | 210 | (4/) | 4 | 14.3 | 4 | 1.4 |
| Columbia | 231 | 132 | 99 | 175 | 9 | 39.0 | 2 | 0.9 | Beaver Falls Elwood City (part) | 304 (19/) | 186 (<u>19</u> /) | 118 (<u>19</u> /) | 163 (<u>19</u> /) | 14 (<u>19</u> /) | 46.1 (19/) | 9 (19/) | 3.0 (19/) |
| Crook | 480, 47 | 287 | 193 18 | 167 (4/) | 18 2 | 37.5 42.6 | 13 | 2.7 | Bedford | 801 3,483 | 474 2,862 | 327 621 | 169 122 | 52 191 | 64.9 54.8 | 32 | 4.0 |
| Curry Deschutes | 45 252 | 37 140 | 8 112 | (4/) (4/) 180 | 12 | 47.6 | 1 7 | (<u>5</u> /) 2.8 | Rural part | 2,100 | 1,627 | 473 | 129 | 118 | 56.2 | 63 | 3.0 |
| Douglas | 335 | 285 | 50 | 118 | 12 | 35.8 | 8 | 2.4 | Reading | 1,383 | 1,235 | 148 | 112 | 73 | 52.8 | 54 | 3.9 |
| Gilliam | 33 | 25 | В | (<u>4</u> /) | 3 | 90.9 | | | Blair | 2,495 1,057 | 1,576 637 | 919 420 | 158 166 | 138 56 | 55.3 53.0 | 77 31 | 3.1 2.9 |
| Grant Harney | 72 99 | 72 60 | 39 . | (<u>4</u> /) (<u>4</u> /) | 9 | 125.0 70.7 | | | Altoona Bradford | 1,438 935 | 939 780 | 499 155 | 153 120 | 82 54 | 57.0 57.8 | 46 45 | 3.2 4.8 |
| Hood River | 169 | 92 | 77 | (₹/) | 8 | 47.3 | 3 | 1.8 | Bucks | 1,263 | 1,001 | 262 | 126 | 59 | 46.7 | 31 | 2.5 |
| Jackson | 475 163 | 386 211 | 89 48 | 123 | 21 9 | 44.2 55.2 | 9 | 1.9 | Rural part Bristol | 1,026 237 | 901 100 | 125 137 | 114 237 | 48 11 | 46.8 46.4 | 24 | 2.3 3.0 |
| Medford Jefferson | 312 15 | 175 12 | 137 | 178 | 12 | 38.5 133.3 | 3 | 1.0 | Butler | 1,448 | 852 663 | 596 510 | 170 177 | 75 61 | 51.8 52.0 | 50 40 | 3.5 3.4 |
| White | 6 | 7 | -1 | (<u>4</u> /) | | | | | Butler | 275 | 189 | 86 | 146 217 | 14 221 | 50.9 | 10 | 3.6 |
| Other races Josephine | 9 218 | 5 194 | .4 24 | (<u>4</u> /) 112 | 2 7 | 222.2 | Б | 2.8 | Rural part | 4,380 2,619 | 2,020 | 2,360 1,479 | 230 | 138 | 50.5 52.7 | 133 85 | 3.0 3.2 |
| Klamath | 537 155 | 334 122 | · 203 | 161 127 | 36 9 | 67.0 58.1 | 9 | 1.7 | Johnstown | 1,761 | 880 62 | 881 19 | 200 (<u>4</u> /) | 83 | 47.1 37.0 | 48 | 2.7 (<u>5</u> /) |
| Klamath Falls | 382 | 212 | 170 | 180 | 27 | 70.7 | 6 | 1.6 | Carbon | 885 | 599 | 286 | 148 | 38 | 42.9 | 24 | 2.7 |
| Lake | 87 | 46 | 41 | (<u>4/)</u> | 4 | 46.0 | 1 | (<u>5</u> /) | Chester | 1,147 2,167 | 587 1.516 | 560 651 | 195 143 | 70 125 | 61.0 57.7 | 47 61 | 4.1 2.8 |
| Lene | 813 282 | 621 246 | 192 | 131 115 | 37 11 | 45.5 39.0 | 22 6 | 2.7 | Rural part | 1,133 | 979 | 154 | 116 | 71 | 62.7 | 33 | 2.9 |
| Eugene | 531 | 375 | 156 | 142 | 26 | 49.0 | 16 | 3.0 | Coatesville White | 147 116 | 104 86 | 43 30 | 141 (4/) (4/) | 2 | 27.2 17.2 | 6 3 | 4.1 2.6 |
| Lincoln | 180 389 | 138 324 | 42 65 | 130 120 | 6 25 | 33.3 64.3 | 2 6 | 1.1 | Other races Phoenixville | 31 243 | 18 130 | 13 113 | (<u>4</u> /) 187 | 2 14 | 64.5 57.6 | 3 7 | (<u>5</u> /) 2.9 |
| Malheur Marion | 262 915 | 126 995 | 136 -80 | 208 92 | 11 28 | 42.0 30.6 | 3 24 | 2.6 | West Chester | 644 | 303 | 341 | 213 | 36 | 55.9 | 15 | 2.3 |
| Rural part | 433 | 345 | 88 | 126 | 12 | 27.7 | 16 | 3.7 | White Other races | 556 88 | 251 52 | 305 36 | 222 (<u>4</u> /) | 30 6 | 54.0 68.2 | 11 4 | 2.0 (<u>5</u> /) |
| Salem Morrow | 482 96 | 650 46 | -168 50 | (<u>4</u> /) | 16 7 | 33.2 72.9 | В | 1.7 | Clarion | 751 | 332 852 | 419 1,071 | 226 226 | 40 104 | 53.3 54.1 | 15. 72 | 2.0 3.7 |
| Multnomeh | 4,257 | 4,390 | -133 | 97 | 148 | 34.8 | 102 | 2.4 | Rural part | 1,597 | 678 | 919 152 | 236 187 | 86 | 53.9 55.2 | 60 | 3.8 3.7 |
| Rural part | 82 | 370 | -288 | 22 104 | 6 | 73.2 34.0 | 101 | (<u>5</u> /) 2.4 | Du Bois | 692 | 174 387 | 305 | 179 | 18 43 | 62.1 | . 21 | 3.0 |
| Portland | 4,175 | 4,020 136 | 155 51 | 138 | 142 | 42.8 | 8 | 4.3 | Columbia Rural part | 846 597 | 593 464 | 253 133 | 143 129 | 44 32 | 52.0 53.6 | 25 15 | 3.0 2.5 |
| Sherman | 12 179 | 12 88 | 91 | (<u>4/)</u> (<u>4</u> /) | 1 5 | 83.3 27.9 | 1 3 | (<u>5</u> /) 1.7 | Berwick | 249 | 129 | 120 | 193 | 12 | 48.2 | 10 | 4.0 |
| Umatilla | 307 | 305 | 2 | 101 | 20 | 65.1 | 8 | 2.6 | Crawford | 1,229 | 939 603 | 290 | 131 | 64 32 | 52.1 47.8 | 33 22 | 2.7 . 3.3 |
| Union | 257 126 | 187 55 | 70 71 | 137 (<u>4</u> /) | 14 | 7.9 | 6 6 | 4.8 | Rural part Meadville | 569 560 | 336 | 56 224 | 167 | 32 | 57.1 | 11 | 2.0 |
| Wasco | 203 343 | 187 300 | 16 43 | 109 | 7 15 | 34.5 43.7 | 3 4 | 1.5 | Cumberland | 1,099 719 | 781 550 | 518 169 | 141 131 | 48 29 | 43.7 | 28 13 | 2.5 1.8 |
| Wheeler | 25 | 11 | 14 | (<u>4</u> /) | 2 | 80.0 | | | Carlisle | 380 | 251 | 149 328 | 165 | 19 | 50.0 48.3 | 15 94 | 5.9 3.8 |
| Yemhill | 265 | 276 | -11 | 96 | 15 | 56.6 | 7 | 2.6 | Dauphin | 2,504 | 2,176 789 | 216 | 115 | 36 | 35.8 | 27 | 2.7 |
| PENNSYLVANIA (total) | 161.166 | 108,555 | 52,611 | 148 | 8,194 | 50.8 | 5,212 | 3.2 | Harrisburg Steelton | 1,363 | 1,295 92 | 68 44 | 105 (<u>4</u> /) | 83 2 | 60.9 | 56 | 4.8 0.7 |
| Adems | 707 | 413 | 294 | 171 | 27 | 38.2 | 13 | 1.8 | WhiteOther races | 116 | 74 18 | 42 2 | (4/) (4/) | 1 | 8.6 | 1 | 0.9 |
| Allegheny | 21,212 | 15,114 | 6,098 | 140 | 1,087 | 51.2 | 686 | 3,2 | Delaware | 3,245 | 2,517 | 728 | 129 | 154 | 47.5 | 100 | 3.1 |
| Rural part Bellevue | 4,102 | 3,847 154 | 255 139 | 107 190 | 225 | 54.9 23.9 | 140 | 3.4 3.4 | Rural part Haverford (twp.) | 1,676 69 | 1,379 | 297 -74 | 122 48 | | 45.9 | 43 2 | 2.6 (<u>5</u> /) |
| Braddock | 439 36B | 269 218 | 170 150 | 163 169 | 31 21 | 70.6 57.1 | 26 24 | 5.9 6.5 | Upper Darby (twp.) Chester | 408 1,092 | 373 622 | 35 470 | 109 176 | 19 58 | 46.6 53.1 | 13 42 | 3.2 3.8 |
| White Other races | 71 | 51 | 20 | (4/) | 10 | 140.8 | 2 | (<u>5</u> /) | White | 883 | 479 | 404 | 184 | 38 20 | 43.0 | 28 | 3.2 |
| Carnegie | 144 | 92 | 52] | (₹/) | 8 | 55.6 | 5 | 3.5 | Other races | 209 [| 143 | 66 | 146 | 201 | 95.7 | 14) | 6.7 |

TABLE I.—BIRTHS, DEATHS, INFANT MORTALITY, AND STILLBIRTHS: 1935—Continued

(See note at head of this table)

| | (exc) | | AND DEATHS | | MORT (Deat infant | ANT ALITY hs of s under | STI | LBIRTHS | | (exc) | | AND DEATHS | | MORT (Deat | ANT ALITY hs of | STILI | BIRTAS |
|--|---|--|--|--|---|---|--|---|--|--|--|---|---|--|---|---|--|
| AREA | Num | iber | Excess of | Births | | of age, uding irths) | | Per | AREA | Nur | mber | Excess | Births | excl | of age, uding irths) | | Per |
| | Births | Deaths | births over deathsl/ | per 100 deaths | Num- ber | Per 1,000 live births | Num- ber | 100 live births | | Births | Deaths | births over deathal | per 100 deaths | Num- ber | Per 1,000 live births | Num- ber | 100 live births |
| Section E—Continued PENNSYLVANIA—Con. Elk Erie Erie Erie | 701 2,864 786 2,078 | 364 1,949 669 1,280 | 337 915 117 798 | 193 147 117 162 | 38 130 44 86 | 54.2 45.4 56.0 41.4 | 15 80 15 65 | 2.1 2.8 1.9 | Section B—Continued PENNSYLVANIA—Con. Northumberland———— Rural part——— Mount Carmel———— Shamokin————— | 1,911 1,201 201 217 | 1,327 756 129 | 584 445 72 33 | 144 159 156 | 122 83 11 | 63.8 69.1 54.7 | 56 33 4 | 2.9 2.7 2.0 |
| Fayette- Rural part- Connellsville Uniontown- Forest Franklin Rural part Chambersburg | 3,917 3,081 396 440 111 1,293 697 | 1,759 1,196 191 372 54 832 480 | 2,158 1,885 205 68 57 461 217 | 223 258 207 118 (<u>4</u> /) 155 145 | 207 162 20 25 5 61 34 | 52.8 52.6 50.5 56.8 45.0 47.2 48.8 | 180 129 21 30 4 42 16 | 3.1 4.6 4.2 5.3 6.8 3.6 3.2 2.3 | Sunbury———————————————————————————————————— | 292 378 29,944 25,469 4,475 | 258 273 24,118 20,634 3,484 | 34 105 5,826 4,835 991 | 118 113 138 124 123 128 | 14 14 14 1,453 1,118 335 | 64.5 47.9 37.0 48.5 43.9 74.9 | .894 683 211 | 3.2 4.1 3.4 3.0 2.7 4.7 |
| Waynesboro Fulton Greene | 355 241 235 878 853 1,629 1,091 | 200 152 93 396 477 666 587 | 155 69 142 482 376 963 504 | 178 159 (<u>4</u> /) 222 179 245 186 | 21 6 12 56 46 57 63 | 59.2 24.9 51.1 63.8 53.9 35.0 | 16 10 8 34 31 61 32 | 4.5 4.1 3.4 3.9 3.6 3.7 2.9 | Pike- Pottsr- Schuylkill- Rural part- Mahanoy City- Pottsville- Shenadoah- Temaqua- | 57 305 4,399 3,211 150 6B3 262 93 | 93 212 2,727 1,858 113 490 158 108 | -36 93 1,672 1,353 37 193 104 | (<u>4</u> /) 144 161 173 133 139 166 86 | 5 17 249 171 5 51 16 6 | 87.7 55.7 56.6 53.3 33.3 74.7 61.1 64.5 | 10 147 98 2 40 2 | (5/) 3.3 3.3 3.1 1.3 5.9 0.8 (5/) |
| Lackewanna Rural pert Cerbondale Dickson City Dumnore Old Forge Olyphant Scratton Taylor | 279 5,220 1,129 492 167 227 153 107 2,725 220 | 122 3,534 773 334 59 220 103 58 1,878 109 | 157 1,686 356 158 108 7 50 49 847 111 | 229 148 146 147 (4/) 103 149 (4/) 145 202 | 11 314 60 41 8 41 10 3 143 | 39.4 60.2 53.1 83.3 47.9 180.6 65.4 28.0 52.5 36.4 | 9 199 43 21 5 11 3 4 98 14 | 3.2 3.8 3.8 4.3 3.0 4.8 2.0 3.7 3.6 6.4 | Snyder | 356 1,828 113 521 622 296 1,131 585 139 407 | 201 755 88 411 479 259 775 393 118 264 | 155 1,073 25 110 143 37 356 192 21 | 177 242 (4/) 127 130 114 146 149 118 154 | 13 87 12 21 45 9 60 31 8 | 36.5 47.6 106.2 40.3 72.3 30.4 53.1 53.0 57.6 51.6 | 11 61 3 22 25 10 27 16 2 | 3.1 3,3 2.7 4.2 4.0 3.4 2.4 2.7 1.4 2.2 |
| Lencaster———————————————————————————————————— | 3,699 2,086 199 1,414 (19/) 454 262 978 1,232 630 602 | 2,409 1,307 130 972 (19/) 295 96 552 762 355 407 | 1,290 779 69 442 (19/) 159 166 426 470 275 195 | 154 160 153 145 (19/) 154 (4/) 177 162 177 148 | 158 73 14 71 (19/) 23 4 47 74 39 35 | 42.7 35.0 70.4 50.2 (19/) 50.7 15.3 48.1 60.1 61.9 58.1 | 102 50 7 45 (19/) 9 32 42 22 20 | 2.8 2.4 3.5 3.2 (19/) 2.0 1.1 3.3 3.4 3.5 3.3 | Warren | 637 236 401 3,674 2,438 346 118 191 581 413 | 659 470 189 1,902 1,249 128 63 70 392 378 | -22 -234 212 1,772 1,189 218 50 121 189 35 | 97 50 212 193 195 270 (4/) (4/) 148 109 | 20 8 12 205 134 17 3 10 41 | 31.4 33.9 29.9 55.8 55.0 49.1 25.4 70.6 38.7 | 20 9 11 137 88 14 6 5 24, | 3.1 3.8 2.7 3.7 3.6 4.0 5.1 2.6 4.1 2.7 |
| Lehigh | (20/) 1,340 1,733 (20/) 7,974 2,945 | (20/) 742 1,407 (20/) 4,565 1,682 | (20/) 598 326 (20/) 3,409 1,263 | (20/) 181 123 (20/) 175 175 | (20/) 73 97 (20/) 376 133 | (20/) 54.5 56.0 (20/) 47.2 45.2 | (20/) 55 78 (20/) 244 77 | (20/) 4.1 4.5 (20/) 3.1 2.6 | Westmoreland | 5,078 2,969 164 524 193 290 | 2,618 1,607 54 311 99 | 2,460 1,362 110 213 94 140 | 194 185 (4/) 168 (4/) 193 | 262 147 8 26 7 | 51.6 49.5 48.8 49.6 36.3 58.6 | 187 98 6 27 6 16 | 3.7 3.3 3.7 5.2 3.1 5.5 |
| Hanover (twp.) Hazleton Xingston Nanticoke Plttston Plains (twp.) Plymouth Lyooming | 200 1,041 436 549 245 170 204 2,184 1,523 | 122 508 261 321 198 98 126 1,249 1,158 | 78 533 175 228 47 72 78 935 465 | 164 205 167 171 124 (<u>4</u> /) 162 175 140 | 7 42 19 32 19 8 16 100 78 | 35.0 40.3 43.6 58.3 77.6 47.1 78.4 45.8 48.1 | 4 31 11 27 6 5 7 75 40 | 2.0 3.0 2.5 4.9 2.4 2.9 3.4 3.5 2.5 | Monessen- New Kensington- Vendergrift- Wyoming- York- Rural part- Hanover- York- | 309 482 147 250 3,017 1,583 363 1,071 | 100 229 68 189 1,852 935 176 741 | 209 253 79 61 1,165 648 187 330 | 309 210 (4/) 132 163 169 206 145 | 16 33 8 9 147 78 19 | 51.8 68.5 54.4 36.0 48.7 49.3 52.3 | 12 18 4 7 97 47 9 | 3.9 3.7 2.7 2.8 3.2 3.0 2.5 3.8 |
| Rural part Williamsport | 641 982 | 490 668 | 151 314 | 131 147 | 21 57 | 32.8 58.0 | 15 25 | 2.3 2.5 | RHODE ISLAND (total) | 10,215 | 7,838 | 2,377 | 130 | 482 | 47.2 | 293 | 2.9 |
| McKean | 999 586 413 1,683 952 153 134 | 701 423 278 1,118 731 68 55 | 298 163 135 565 221 85 79 | 143 139 149 151 130 (4/) | 64 40 24 90 52 5 | 64.1 68.3 58.1 53.5 54.6 32.7 29.9 | 35 19 16 43 28 1 | 3.5 3.2 3.9 2.6 2.9 0.7 0.7 | Bristol | 218 96 122 489 118 134 | 167 88 79 475 99 243 | 51 8 43 14 19 -109 | 131 (4/) (4/) 103 (4/) 5b | 8 4 19 2 10 | 36.7 41.7 32.8 38.9 16.9 74.6 | 6 3 3 18 3 5 | 2.8 (5/) 2.5 3.7 2.5 3.7 |
| Other races Sharon Mifflin Rural part Lewistown Monroe | 19 578 947 704 243 491 | 13 319 467 340 127 381 | 6 259 480 364 116 110 | (4/) 181 203 207 191 129 | 1 33 51 46 5 21 | 52.6 57.1 53.9 65.3 20.6 42.8 | 14. 42 32 10 20 | 2.4 4.4 4.5 4.1 4.1 | (town) | 237 546 121 425 8,434 231 408 | 133 513 167 346 6,285 331 209 | 104 33 -46 79 2,149 -100 199 | 178 106 72 123 134 70 195 | 7 23 1 22 398 13 20 | 29.5 42.1 8.3 51.8 47.2 56.3 49.0 | 10 13 3 10 242 9 15 | 4.2 2.4 2.5 2.4 2.9 3.9 3.7 |
| Montgomery | 3,665 1,146 686 20 | 3,101 1,101 381 115 | 564 45 305 -95 | 118 104 180 17 | 193 70 31 | 52.7 61.1 45.2 | 25 30 2 | 3.1 2.2 4.4 (5/) | Cranston | 272 91 183 | 872 83 208 | -600 8 -25 | (<u>4</u> /) 68 | 10 | 90.9 44.0 54.6 | 10 4 3 | (<u>5</u> /) 1.6 |
| Conshohocken | 90 542 798 383 494 (<u>20</u> /) 1,546 462 353 | 68 374 762 300 489 (<u>20</u> /) 1,053 380 307 | 22 168 36 83 5 (20/) 493 82 46 | (4/) 145 105 128 101 (20/) 147 122 115 | 6 24 37 25 26 (20/) 80 15 | 66.7 44.3 46.4 65.3 52.6 (20/) 51.7 32.5 19.8 | 2 20 16 18 21 (20/) 50 14 12 | (5/) 3.7 2.0 4.7 4.3 (20/) 3.2 3.0 3.4 | Lincoln (twwn) North Providence (town) Fawtucket Frovidence Woonsocket Washington Rural part Westerly (town) | 56 1,070 5,192 641 528 253 275 | 67 764 3,166 501 398 230 168 | -11 306 2,026 340 130 23 107 | (4/) 140 168 133 110 164 | 2 56 213 54 34 21 | 35.7 52.3 41.0 64.2 b4.4 83.0 47.3 | 1 28 137 30 14 10 | (5/), (5/) 2.6 2.6 3.6 2.7 4.0 1.5 |

SUMMARY AND RATE TABLE

TABLE I.—BIRTHS, DEATHS, INFANT MORTALITY, AND STILLBIRTHS: 1935—Continued (See note at head of this table)

| | | | ND DEATES | | MORT (Deat | CANT PALITY ths of , | STI | LBIRTHS | | | | AND DEATHS | | MORS (Deat | ANT VALITY the of | STILI | BIRTES |
|-----------------------------|--------------|---------------|------------------------|----------------------|---------------|--------------------------------|-----------|-----------------------|--------------------------|--------------|------------|----------------------------|----------------------|----------------|--------------------------------|-----------|----------------------|
| AREA ' | Nun | ber | Excess of births | Births per | . 1 year | of ags, luding pirths) | Num- | Per 100 | AREA. | Nun | ber | Excess of | Births per | l year excl | of age, uding irths? | Num- | Per 100 |
| | Births | Deaths | over deaths1/ | 100 deaths | Num- ber | Per 1,000 live births | теб | live births | | Births | Deaths | births over deathsl/ | 100 deaths | Num- | Per I,000 live births | ber | live births |
| Section B-Continued | | | | | | | | | Section B-Continued | | | , | , | | • | | |
| SOUTH CAROLINA (total) | 40,598 | 20,353 | 20,245 | 199 | 3,219 | 79.3 | 2,474 | 6.1 | SOUTH CAROLINA—Con. | | | | | | | | |
| Abbeville | 473 201 | 230 112 | 243 | 206 | 35 | 74.0 | 25 | 5.3 | Greenwood | 626 489 | 384 187 | 242 302 | 163 261 | 30 18 | 47.9° 36.8 | 19 16 | 3.0 3.5 |
| Other races | 272 | 118 | 189 154 | 179 231 | 15 20 | 74.6 73.5 | 10 15 | 5.0 5.5 | White | 246 243 | .93 ,94 | 155 149 | (4/) (4/) | 12 | 24.4 49.4 | .11 | 2.0 4.5 |
| Aiken | 917 471 | 541 256 | 376 215 | 170 184 | . 75 . 39 | *81.8 82.8 | 40 16 | 3.4 | Greenwood | 137 106 | 197 102 | -60 4 | 70 104 | 12 | 87.6 56.6 | 3 | 2.2 0.9 |
| Other races | 446 293 | 285 157 | 161 136 | 156 187 | 36 14 | 80.7 47.8 | 24 24 | 5.4 8.2 | Other races | .31 .356 | .95 250 | -64 106 | (<u>4</u> /) 142 | 6 35 | 193.5 98.3 | 2 30 | (<u>5</u> /) 8.4 |
| White Other races | 42 251 | 42 115 | 136 | (4/) | 10 | 95.2 | 2 | (5/) | White | 95 | 69 | .26 | {4/} | 4 | 42.1 | 3 | (5/) |
| Anderson | 1,862 | 783 | 1,079 | 218 238 | 118 | 39.8 .63.4 | 22 71 | 8.8 | Other races | 251 1,467 | 181 429 | 80 1,038 | 144 342 | 31 88 | 118.8 60.0 | 27 78 | 10.3 5.3 |
| Rural part White | 1,260 834 | 445 268 | 815 566 | 283 311 | 69° | 54.8 46.8 | 46 27 | 3.7 3.2 | White Other races | 1,101 366 | 287 142 | 814 224 | 384 258 | 54 34 | 49.0 92.9 | 34 44 | 3.1 12.0 |
| Other races Anderson | 426 602 | 177 338 | 249. 264 | 241 178 | 30 49 | 70.4 81.4 | 19 25 | 4.5 | Jasper | 255 | 117 | 138 | 218 | 18 | 70.6 | 28 | 11.0 |
| White Other races | 521 81 | 219 119 | 302 -38 | ,238 68 | 32 17 | 61.4 209.9 | 18 | 3.5 | WhiteOther races | 70 185 | 28 89 | 42 96 | (4/) | 2 | 28.6 | 3 25 | (<u>5</u> /) |
| Bemberg | 404 | 214 | 190 | 189 | 24 | 59.4 | 31 | (<u>5/.)</u> 7.7 | Kershaw | 578 | 215 | 363 | (<u>4</u> /) 269 | 16 27 | 86.5 46.7 | 30 | 13.5 5.2 |
| White Other races | 105 299 | 75 138 | 29 161 | (<u>4</u> /) 217 | 6 18 | 57.1 60.2 | 25 | 5.7 8.4 | WhiteOther races | 172 406 | 103 | 69 294 | 167 363 | 14 13 | 81:4 32.0 | 8 22 | 4.7´ 5.4 |
| Bernwell | 474 | 181 | 293 | 262 | 27 | 57.0 | 35 | 7.4 | Lencaster | 750 508 | 253 140 | 497 368 | 296 363 | 32 18 | 42.7 35.4 | 27 | 3.6 2.6 |
| White Other races | 110 364 | 54 127 | 56 237 | (<u>4</u> /) 287 | 19 | 72.7 52.2 | ·31 | 3.6 8.5 | Other races | 242 714 | 113 377 | 129 337 | 214 189 | 14 47 | 57.9 65.8 | 13 25 | 5.4 3.5 |
| Beaufort | 485 75 | 356 41 | 129 34 | 136 (<u>4</u> /) | 51 2 | 105.2 26.7 | -66 3 | 13.6 (<u>5</u> /) | .White | 351 | 206 - | 145 | 170 | 25 | 71.2 | 15 | 4.3 |
| Other races Berkeley | 410 712 | 315 358 | 95 354 | 130 199 | 49 86 | 119.5 120.8 | 63 48 | 15.4 6.7 | Other, races | 363 | 171 | 192 | 212 | 22 | 60.6 | 10 | 2.8 |
| White Other races | 151 561 | 72 286 | 79 275. | (<u>4</u> /) 196 | 10 76 | 66.2 135.5 | 6 42 | 4.0 | Lee | 638 129 | 226 47 | 412 82 | 282 (<u>4</u> /) | 47 5 | 73.7 38.9 | 67 8 | 10.5 6.2 |
| Calhoun | 490 | 243 | 247 | 202 | - 60 | 122.4 | 47 | 7.5 9.6 | Other races Lexington | 509 665 | 179 350 | 330 315 | 284 190 | 42 70 | 82.5 105.3 | 59 51 | 11.6 7.7 |
| White Other races | 69 421 | 30 213 | 208 | (<u>4</u> /) 198 | 59 | 14.5 | 43 | (<u>5</u> /) 10.2 | White Other races | 445 220 | 239 | 206 109 | 186 | 44 | 98.9 | 25 | 5.6 |
| Charleston | 2,573 765 | 1,808 576 | 765 189 | 142 133 | 249 95 | 96.8 124.2 | 266 76 | 10.3 | McCormick | 289 | 120 | 169 | 198 241 | 26 13 | 118.2 45.0 | 26 14 | 11.8 4.8 |
| White Other races | 130 635 | 101 475 | 29 160 | 129 134 | 3 92 | 23.1 144.9 | 4 72 | 3.1 11.3 | White Other races | 54 .235 | 34 86 | 20 149 | (4/) (4/) | 4 9 | 74.1 38.3 | 12 | (<u>5</u> /) 5.1 |
| Charleston | 1,808 | 1,232 | 576 | 147 | 154 | 85.2 | 190 | 10.5 | Marion | 771 333 | 297 111 | 474 222 | 260 300 | 62 15 | 80.4 45.0 | 43 14 | 5.6 4.2 |
| White Other races | 789 1,019 | 468 764 | 321 255 | 169 133 | 25. 129 | 31.7 | 19 171 | 2.4 16.8 | Other races | 438 | 186 | 252 | 235 | 47 | 107.3 | 29 | 6.6 |
| Cherokee | 768 593 | 296 184 | 472 409 | 259 322 | 43 32 | 56.0 54.0 | 35 20 | 4.6 3.4 | Marlboro | 878 357 | 412 169 | 466 188 | 213 211 | 88 | 100.2 | 57 | 6.5 |
| Other races | 175 | 112 | 63 | 155 | בג | 62.9 | 15 | 8.6 | Other races | 521 | 243 | 278 | 214 | 34 54 | 95.2 | 17 | 4.8 7.7 |
| Chester | 742 324 | 303 126 | 439 198 | 245 257 | 29 5 | 39.1 15.4 | 37 15 | 5.0 4.6 | Newberry | 704 332 | 320 157 | 384 175 | 220 (211 | 54 22 | 76.7 66.3 | 33 | 4.7 3.6 |
| Other races Chesterfield | 418 859 | 177 294 | .241 565 | 235 292 | 24 59 | 57.4 68.7 | 22 40 | 5.3 4.7 | Other races | 372 770 | 163 309 | 209 | 228 249 | 32 65 | 86.0 | 21 41 | 5.6 5.3 |
| WhiteOther races | 457 402 | 141 153 | 316 249 | 324 263 | 19 40 | 41.6 99.5 | 14 26 | 3.1 6.5 | White Other races | 636 134 | 229 80 | 407 54 | 278 | 43 22 | 67.6 164.2 | 34 | 5.3 5.2 |
| Clarendon | 727 | 370 | 357 | 196 | 96 | 132.0 | 28 | 3.9 | Orangeburg | 1,562 | 756 | 806 | (<u>4</u> /) 207 | 170 | 108.8 | 131 | 8.4 |
| White Other races | 153 574 | 64 306 | 89 258 | (<u>4</u> /) 188 | 13 83 | 85.0 144.6 | 22 | 3.9 3.8 | White | 372 | 222 534 | 150 656 | 168 223 | 28 142 | 75.3 | 20 111 | 5.4 9.3 |
| White | 614 190 | 328 153 | 286 37 | 187 124 | 39 | 63.5. 36.8 | 45 13 | 7.3 6.8 | Pickens | 916 | 297 | 619 | 308 | 30 | 32.8 | 30 | 3.3 |
| Other races | 424 | 175 | 249 | 242 | 32 | 75.5 | 32 | 7.5 | White Other races | 793 123 | 232 65 | 561 58 | 342 (<u>4</u> /) | 24 6 | 30.3 48.8 | 23 | 2.9 5.7 |
| Darlington | 1,161 484 | 430 163 | 731 321 | 270 297 | 101 33 | 87.0 68.2 | 86 20 | 4.1 | Richland | 1,445 | 1,718 | -273 151 | 84 134 | 123 40 | 85.1 67.7 | 90 31 | 5.2 5.2 |
| Other races | 677 736 | 267 281 | 410 455 | 254 262 | 68 58 | 100.4 78.8 | 66 27 | 9.7 3.7 | WhiteOther races | 134 | 182 | -48 199 | 74 | 10 | 74.6 | 4 27 | 3.0 |
| White Other races | 344 392 | 117 164 | 227 228 | 294 239 | 28 30 | 81.4 76.5 | 8 19 | 2.3 4.8 | Columbia | 854 | 1,278 | -424 | 67 | 63 | 65.6 97.2 | 59 | 5.9 6.9 |
| Dorchester | 484. 167 | 240 88 | 244 79 | 202 (<u>4</u> /) | 37 6 | 76.4 35.9 | 51. 5 | 10.5 | White Other races | 534 320 | 687 591 | -153 -271 | 78 54 | 46 37 | 86.1 115.6 | 23 36 | 4.3 11.3 |
| Other races Edgefield | 317 426 | 152 221 | 165 205 | 209 193 | 31 35 | 97.8 82.2 | 46 23 | 14.5 | Salude | 322 | 130 | 192 | 248 | 22 | 68.3 | 19 | 5.9 |
| White | 87 | 56 | 31 | (<u>4</u> /) | 4 | 46.0 | 4 | 5.4 (<u>5/</u>) | WhiteOther races | 149 173 | 65 65 | 84 10B | (4/) (4/) | 10 | 67.1 69.4 | 13 | 8.7 3.5 |
| Other races Fairfield | 339 687 | 165 212 | 174 475 | 205 324 | 31 37 | 91.4 53.9 | 19 32 | 5.6 4.7 | Spartanburg | 2,375 | 1,105 | 1,270 | 215 306 | 171 | 72.0 61.9 | 108 52 | 4.5 3.4 |
| White Other races | 185 502 | 69. 143 | 116 359 | (<u>4</u> /) 351 | 8 29 | 43.2 57.8 | 9· 23 | 4.9 4.6 | White | 1,167 | 351 | 816 | 332 | 62 | 53.1 | 24 | 2.1 |
| Florence | 1,647 | -981 | 666 | 1.68 | 202 | 122.6 | 136 | 8.3 | Other races | 385 823 | 157 597 | 228 226 | 245 138 | 34 75 | 91.1 | 28 56 | 7.3 6.8 |
| Rural part White | 1,251 577 | '513 . 205 | 738 372 | 244 281 | 139 46 | 79.7 | 83 16 | 2.8 | White Other races | 626 197 | 360 237 | 266 -40 | 174 83 | 53 22 | 84.7 111.7 | 26 ° | 4.2 15.2 |
| Other races Florence | 674 396 | 308 468 | 366 -72 | 219 85 | 93 63 | 138.0 159.1 | 67 53 | 9.9 13.4 | Sumter | 1,232 | 663 | 569 | 186 | 127 | 103.1 | 71 | 5.8 |
| White | 243 153 | 254 214 | -11 | 96 71 | 42 | 172.8 | 25 28 | 10.3 | Rural part | 1,027 | 391 | 636 | 263 | 97 | 94.4 | 57 | 5.6 |
| Other races | 615 | 253 | -61 362 | 243 | 46 | 74.8 | 39 | 18.3 | Other races | 182 845 | 323 | 114 522 | (<u>4</u> /) 262 | 13 84 | 71.4 | 54 | 1.6 6.4 |
| White Other races | 162 453 | .202 | 111 251 | (<u>4</u> /) 224 | 7 39 | 43.2 86.1 | 28 | 6.8 | .Sumter | 205 95 | 272 | -67 -17 | 75 85 | 30 9 | 94.7 | 3 | 6.8 (<u>5</u> /) |
| Greenville | 2,281 | 1,271 | 1,010 | 179 246 | 180 104 | 78.79 | 102 | 4.5 3.5 | Other races | 110 655 | 160 242 | ~50 413 | 69 271 | 21 | 190.9 41.2 | 11 | 10.0 2.7 |
| White Other races | 1,465 | 564 148 | 901 | 260 193 | 83 21 | 56.7 73.4 | 44 17 | .3.0 5.9 | White Other races | 399 256 | 172 | 227 186 | 232 (<u>4</u> /) | 22 | 55.1 19.5 | 7 | 1.8 |
| Greenville | , 530 | 559 | -29 | 95 97 | 76 48 | 143.4 | 41 | 7.7 6.5 | Williamsburg White | 1,078 | 408 103 | 670 177 | 264 272 | 91 19 | 84.4 67.9 | 73 14 | 6.8 |
| White Other races | 293 237 | 256 | -10 -19 | 93 | 28 | 118.1 | 22 | 9.3 | Other races- | 798 | 305 | 493 | 262 | 72 | 90.2 | 59 | 7.4 |

TABLE I.—BIRTHS, DEATHS, INFANT MORTALITY, AND STILLBIRTHS: 1935—Continued

(See note at head of this table)

| | (exe) | | ND DEATHS | | MORT (Deat infant | ANT ALITY hs of s under | STI | LBIRTHS | | (exc) | | AND DEATH: | | MORT (Deat | ANT ALITY hs of | STILI | BIRTHS |
|--|---|---|--|---|--|---|---|---|--|---|---|--|---|--|--|--|--|
| AREA. | Nur | nber | Excess of | Births | | of age, uding irths) | Num- | Per 100 | AREA | Nun | iber | Excess of | Births | excl | of age, uding irths) | | Per |
| | Births | Deaths | births over deathsl | per 100 deaths | Num- ber | Per 1,000 live births | ber | live births | | Births | Deaths | births over deathsly | per 100 deaths | Num- ber | Per 1,000 live births | Num- ber | 100 live births |
| Section B—Continued SOUTH CARCLINA—Con. | 1,122 | 624 | 498 | 180 | | 72.2 | 57 | | Section B—Continued SOUTH DAKOTA—Con. | 561 | 050 | | | | 50.0 | | |
| Rural part | 874 473 401 248 229 19 | 416 196 220 208 113 95 | 458 277 181 40 116 -76 | 210 241 182 119 203 (4/) | 81 58 34 24 23 15 8 | 66.4 71.9 59.9 92.7 65.5 421.1 | 49 14 35 8 5 | 5.1 5.6 3.0 8.7 3.2 2.2 (<u>5</u> /) | Pomnington- Rural part Rapid City Perkins Potter Roberts Sanborn Shannon White | 524 123 401 135 82 306 65 179 21 | 260 64 196 58 51 137 37 104 | 264 59 205 77 31 169 28 75 | 202 (4/) 205 (4/) (4/) 223 (4/) 172 (4/) | 31 10 21 10 6 17 2 21 | 59.2 81.3 52.4 74.1 73.2 55.6 30.8 117.3 190.5 | 15 3 12 3 2 6 2 | 2.9 2.4 3.0 2.2 (5/) 2.0 (5/) 1.1 |
| (total) | 12,850 | 6,316 | 6,534 | 203 | 674 | 52.5 | 342 | 2.7 | Other races | 158 | 98 | 60 | (4/) | 17 | 107.6 | 2 | 1.3 |
| Armstrong- Aurora- Beadle- Rurel part- Huron- Bennett- White- Other races- Brookings- Brown- Rural part- Abordeen- | 78 375 113 262 96 86 10 164 273 522 95 427 | 44 213 50 163 31 15 16 80 159 289 58 231 | 34 162 63 99 65 71 -6 84 114 233 37 196 | (4/) 176 (4/) 161 (4/) (4/) (4/) (4/) 172 181 (4/) 185 | 5 17 4 13 5 3 2 14 12 29 7 22 | 64.1 45.3 35.4 49.6 52.1 34.9 200.0 85.4 44.0 55.6 73.7 51.5 | 2 5 6 15 4 | (5/) 4.8 2.7 5.7 (5/) (5/) 3.0 2.2 2.9 (5/) 2.6 | Spink Stanley | 215 18 49 176 50 126 215 229 187 158 | 150 17 16 57 10 47 86 72 62 67 | 65 1 33 119 40 79 129 157 125 91 | 143 (4/) (4/) (4/) (4/) (4/) (4/) (4/) (4/) | 10 2 1 15 3 12 16 8 7 3 | 46.5 111.1 20.4 85.2 60.0 95.2 74.4 34.9 37.4 19.0 | 3226243524 | 1.4 (5/) (5/) 3.4 (5/) 3.2 1.4 2.2 1.1 |
| Brule | 122 45 6 39 235 116 277 147 151 | 64 26 1 25 99 34 116 56 | 58 19 5 14 136 82 161 91 | (4/) (4/) (4/) (4/) (4/) 239 (4/) | 4 6 15 5 14 5 8 | 32.8 133.3 153.8 63.8 43.1 50.5 34.0 53.0 | 4 2 2 6 3 8 6 3 | 3.3 (5/) (5/) 2.6 2.6 2.9 4.1 2.0 | Other races Washington | 21 23 23 343 87 72 15 | 17 14 14 324 20 15 5 | 9 19 67 57 10 23,312 | (4/) (4/) 106 (4/) (4/) (4/) (4/) | 3 20 7 5 2 | 238.1 130.4 130.4 58.3 80.5 69.4 133.3 | 7 4 2 2 2,159 | 2.0 (5/) (5/) (5/) |
| Codington | 599 77 322 | 192 26 166 | 207 51 156 | (<u>4</u> /) 208 (<u>4</u> /) 194 | 23 3 20 | 57.6 39.0 62.1 | 18 2 16 | 4.5 (<u>5</u> /) 5.0 | AndersonBedford | 679 345 290 | 192 251 200 | 487 94 90 | 354 137 145 | 47 30 22 | 69.2 87.0 75.9 | 25 15 13 | 3.7 4.3 4.5 |
| Corson | 163 142 21 95 448 51 397 297 125 167 78 | 86 35 51 62 252 27 225 115 57 61 23 38 | 77 107 -30 33 196 24 172 182 68 106 55 | (4/) (4/) (4/) 178 (4/) 176 258 (4/) (4/) (4/) (4/) | 16 7 9 28 18 16 12 7 11 5 6 | 98.2 49.3 428.6 21.1 40.2 40.3 40.4 66.0 65.9 64.1 67.4 | 6 6 3 18 2 16 6 1 2 1 1 | 3.7 4.2 | Other races Benton | 55 214 163 795 648 758 176 418 356 62 624 | 51 117 39 258 156 92 255 198 57 249 | 4 97 124 493 390 602 84 163 158 5 | (4/) 183 (4/) 263 251 486 (4/) 164 180 (4/) 251 (4/) | 6 12 3 61 39 35 10 20 15 5 | 145.5 56.1 18.4 76.7 50.2 46.2 56.8 47.8 42.1 80.6 70.5 | 2 7 10 29 28 30 8 9 4 5 5 | (5/) 3.3 6.1 3.6 4.3 4.0 4.5 2.2 1.1 (5/) 4.2 1.8 |
| Douglas Edminds Fall River Fall River Faulk Grat Gregory Heakon Hamlin Hend Hend Hend Hend Hend Hend | 104 199 208 117 193 187 63 134 145 86 47 233 | 38 55 169 56 83 85 32 69 63 43 30 | 66 144 39 61 110 102 31 65 82 43 17 | (4/) (4/) (4/) (4/) (4/) (4/) (4/) (4/) (4/) (4/) 175 | 5 11 8 5 8 13 5 4 4 3 4 14 | 48.1 55.3 38.5 42.7 41.5 69.5 29.9 27.6 34.9 85.1 60.1 | 4 6 10 2 4 1 1 3 3 1 3 6 | 3.8 3.0 4.8 1.7 2.1 0.5 (5/) 2.2 2.1 (5/) 2.6 | Chester——————————————————————————————————— | 173 160 13 405 192 543 520 324 286 38 | 98 75 23 111 51 250 158 138 100 38 | 75 85 -10 294 141 288 162 186 186 | (4/) (4/) (4/) 365 (4/) 213 203 235 286 (4/) (4/) | 10 7 3 24 8 39 23 10 6 4 11 294 | 57.8 43.8 230.8 59.3 41.7 71.8 71.9 30.9 21.0 105.3 34.8 68.0 | 3 2 1 8 7 27 9 15 12 3 | 1.7 1.3 (5/) 2.0 3.6 5.0 2.8 4.6 4.2 (5/) |
| Hutchinson—Hyde—Jackson—Jorauld—Jones—Kingsbury—Lake—Jincoln—Jyman—McCook—Jyman—McCook—Jyman—Jym | 220 65 40 96 65 155 250 432 216 59 170 | 93 26 8 26 21 85 97 228 104 27 69 | 127 39 32 70 44 70 153 204 112 32 101 | (4/) (4/) (4/) (4/) (4/) (4/) 189 208 (4/) (4/) | 12 2 1 2 1 2 11 25 7 1 6 | 54.5 30.8 25.0 20.8 15.4 12.9 44.0 57.9 32.4 16.9 35.3 | 10 3 1 1 4 9 6 5 1 5 | 4.5 (5/) (5/) (5/) 2.6 3.6 1.4 2.3 (5/) 2.9 | Devidson | 4,325 995 915 80 3,330 2,478 852 189 290 373 649 605 | 3,572 839 632 207 2,733 1,764 969 70 142 150 412 335 79 | 753 156 283 -127 597 714 -117 119 148 223 237 272 | 121 119 145 39 122 140 204 249 158 162 (4/) | 42 42 36 6 252 184 68 7 20 8 | 42.2 39.3 75.0 75.7 74.3 79.8 37.0 69.0 21.4 77.0 74.4 113.6 | 24 199 5 163 98 65 3 12 10 | 2.4 2.1 (5/) 4.9 4.0 1.6 4.1 2.7 4.6 (5/) |
| McFherson- Marshall- Meade- Wallette- White- Other races- Minnehaha- Rurul part- Sioux Falla- Moody- | 211 250 228 67 42 25 127 1,029 199 830 129 | 63 106 92 30 11 19 86 562 133 429 82 | 148 144 136 37 31 6 41 467 66 401 47 | (4/) 236 (4/) (4/) (4/) (4/) (4/) 183 150 193 (4/) | 15 18 4 7 7 50 10 40 7 | 71.1 72.0 17.5 104.5 280.0 55.1 48.6 50.3 48.2 54.3 | 8 8 6 3 2 1 5 17 4 13 2 | 3.8 3.2 2.6 (5/) (5/) (5/) 3.9 1.7 2.0 1.6 | Fayette White- Other races- Fentress- Franklin- Other races- Gibson- White- Other races- | 597 138 459 264 446 406 40 872 727 | 261 81 180 46 218 184 34 434 344 90 | 336 57 279 218 228 222 5 438 383 | 229 (4/) 255 (4/) 205 221 (4/) 201 211 | 38 5 33 18 29 23 6 47 39 8 | 63.7 36.2 71.9 68.2 60.0 56.7 150.0 53.9 53.6 | 33 4 29 10 17 16 1 39 34 | 5.5 2.9 6.3 3.8 3.8 3.9 (<u>5</u> /) 4.5 4.7 |

SUMMARY AND RATE TABLE

TABLE I.—BIRTHS, DEATHS, INFANT MORTALITY, AND STILLBIRTHS: 1935—Continued (See note at head of this table)

| | | | | | 777 | 'ANT | 1 | | ad of this table) | , | | | | <u> </u> | | | |
|---|--|--|---|--|--|--|---|--|--|--|--|--|---|---|---|---|--|
| | (exc | | AND DEATH: P stillbi: | | MORT (Deat | ANT ALITY hs of s under | STI | LBIRTHS | | (exc | | AND DEATHS stillbi | | MOR! | FANT FALITY ths of ts under | STILI | LBIRTES |
| AREA | Nur | mber | Excess of | Births | l year | of age, uding irths) | | Per | AREA | Nu | nber | Excess | Births | l year | of age, Luding Lirths) | | Per |
| | Births | Deaths | births over deaths <u>l</u> / | per 100 deaths | Num- ber | Per 1,000 live births | Num- ber | 100 live births | | Births | Deaths | of births over deaths <u>l</u> / | per 100 deaths | Num- ber | Per 1,000 live births | Num- ber | 100 live births |
| Section B-Continued | | | | | | | | | Section B—Continued | | | | | | | | |
| TENNESSEE—Con. | | | | | | | | | TENNESSEE—Con. | | | | | | | | |
| Giles— White— Other races— Crainger Creene— Grundy— Hamblen— White———— Hamilton——— Rural part——— Chattanooga——— | 579 439 140 275 823 362 335 27 2,824 572 2,252 | 290 193 97 110 342 58 183 155 28 2,233 346 1,887 | 289 246 43 165 491 175 179 180 -1 591 226 365 | 200 227 (4/) 250 241 (4/) 198 216 (4/) 126 165 119 | 36 22 14 17 50 13 38 32 6 211 25 186 | 62.2 50.1 100.0 61.8 60.8 55.8 105.0 95.5 222.2 74.7 43.7 82.6 | 22 11 11 8 34 13 18 16 2 154 17 | 3.8 2.5 7.9 2.9 4.1 5.6 5.0 4.8 (5/) 5.5 3.0 | Rhea- Rcane- Robertson- White- Cother races- Rutherford- White- Other races- Scott- Sequatchie- Sevier- | 338 595 616 509 107 726 539 187 239 118 534 | 139 251 265 199 66 341 248 93 92 35 | 199 344 351 310 41 385 291 94 147 83 388 | 243 237 252 256 (4/) 213 217 (4/) (4/) 366 | 13 43 27 21 6 26 18 8 16 7 | 58.5 72.3 43.8 41.3 56.1 35.8 33.4 42.8 66.9 59.3 59.9 | 14 12 19 16 33 23 20 8 3 28 | 4.1 2.0 3.1 3.8 4.5 5.3 5.3 2.5 5.2 |
| WhiteOther races | 1,742 | 1,122 | 620 255 | 155 67 | 125 61 | 71.8 119.6 | 85 52 | 4.9 | Shelby | 5,549 907 192 | 5,066 663 229 | 483 244 -37 | 110 137 84 | 463 45 | 83.4 49.6 36.5 | 274 56 6 | 4.9 6.2 3.1 |
| Hancock | 454 286 168 | 65 396 229 167 161 133 329 116 213 165 262 200 62 114 | 54 58 57 1 75 582 154 57 97 156 117 121 -4 239 | (4/) 115 125 101 147 387 149 146 195 145 145 (4/) 310 | 11 23 11 12 25 25 44 12 20 16 4 12 | 50.2 50.7 38.5 71.4 105.9 48.5 91.1 69.4 103.2 59.2 59.2 49.8 69.0 34.0 | 4 10 9 1 7 24 21 6 15 9 21 17 4 14 | 1.8 2.2 3.1 0.6 3.0 4.7 4.3 3.5 4.8 2.8 5.5 (5/) | Other races— Memphis— White— Other races— Smith———————————————————————————————————— | 715 4,542 2,814 1,828 248 319 1,399 679 239 481 640 555 85 | 434 4,403 2,344 2,059 168 137 484 212 119 153 358 291 67 | 281 239 470 -231 80 182 915 467 120 328 282 264 18 | 165 105 120 89 148 233 289 320 201 314 179 191 (<u>4/</u>) | 38 418 234 184 12 21 75 38 9 28 26 24 2 | 53.1 90.0 83.2 100.7 48.4 65.8 53.6 56.0 37.7 58.2 40.6 43.2 23.5 | 50 218 88 130 8 11 53 18 9 26 19 16 2 | 7.0 4.7 3.1 7.1 3.2 3.4 5.8 2.7 5.4 2.9 (5/) |
| Houston | 130 266 339 363 317 2,989 855 2,134 1,844 290 275 240 35 | 42 109 85 204 90 1,995 575 1,420 1,127 293 99 72 | 88 157 254 159 227 994 280 714 717 -3 176 168 | (4/) 244 (4/) 178 (4/) 150 149 150 164 99 (4/) (4/) | 3 16 17 52 17 205 51 154 132 22 13 | 23.1 60.2 50.1 88.2 53.6 68.6 59.6 72.2 71.6 75.9 47.3 41.7 | 5 11 16 18 10 113 22 91 70 21 17 | 3.8 4.7 5.0 3.2 3.8 2.6 4.3 7.2 6.2 6.7 | Tipton- White- Other races- Trousdale- White- Other races- Unicoi- Union- Van Buren- Warren- Washington- Rural part- Johnson City- | 466 305 161 79 61 18 319 192 81 426 830 416 414 | 235 114 121 54 36 18 129 50 26 196 554 214 340 | 231 191 40 25 25 25 190 142 55 230 276 202 74 | 198 268 133 (4/) (4/) 247 (4/) 217 150 150 122 | 31 18 13 8 6 2 35 7 6 21 63 29 34 | 66.5 59.0 80.7 101.3 98.4 111.1 109.7 36.5 74.1 49.3 75.9 69.7 82.1 | 21 17 4 4 4 12 6 2 20 36 17 19 | 4.5 5.6 5.5 (5/) (5/) 3.8 3.1 (5/) 4.7 4.3 4.1 |
| Cther races— Lauderdale———————————————————————————————————— | 417 300 117 668 109 545 450 95 447 655 388 322 | 257 152 105 209 35 258 205 53 196 290 197 | 8 150 148 12 459 74 287 245 42 251 365 191 | (4/) 162 197 111 320 (4/) 211 220 (4/) 228 226 197 233 | 27 20 7 25 3 39 28 11 27 53 24 23 | 85.7 64.7 65.8 37.4 27.5 71.6 62.2 115.8 60.4 80.9 71.4 | 1 13 9 4 18 8 19 12 7 24 26 4 8 | (5/) 3.1 3.0 3.4 2.7 7.3 3.5 (5/) 5.4 4.0 2.5 | Wayne | 334 444 376 470 344 126 366 301 65 | 94 371 138 211 133 78 283 236 47 61,663 | 240 73 238 259 211 48 83 65 18 53,058 | (4/) 120 272 223 259 (4/) 129 128 (4/) | 19 31 21 20 9 11 23 17 6 8,230 | 56.9 69.8 55.9 42.6 26.2 87.3 62.8 56.5 92.3 71.7 | 14 11 6 23 14 9 5 7 | 4.2 2.5 1.6 4.9 4.1 7.1, 2.5 2.3 (5/) 3.8 |
| Madison | 793 541 328 213 252 211 41 384 223 190 33 687 504 183 | 562 234 148 86 328 211 117 148 182 145 37 420 277 143 | 231 307 180 127 -76 236 236 41 45 -4 257 227 40 | 141 231 222 (4/) 77 100 35 259 123 131 (4/) 164 182 128 | 58 35 25 20 23 16 7 23 12 11 1 38 25 13 | 73.1 64.7 76.2 46.9 91.3 75.8 170.7 59.9 53.8 57.9 30.3 55.3 49.6 71.0 | 38 20 11 9 18 9 12 10 2 32 16 14 | 4.8 3.7 3.4 4.2 7.1 5.3 (5/) 3.1 5.4 5.3 (5/) 4.7 3.5 7.7 | Rural part White- Other races- Palestine- White- Androws- Angeline- White- Other races- Aransas- White- Other races- Aransas- Ara | 437 282 155 167 136 31 24 568 524 44 29 29 168 | 195 114 82 177 121 55 7 261 241 40 22 19 3 40 | 241 168 73 -10 15 -25 17 287 283 4 7 10 -3 128 | 223 247 (4/) 94 112 (4/) 202 217 (4/) (4/) (4/) (4/) 265 | 35 20 15 9 8 1 26 24 4 4 | 80.1 70.9 96.8 53.9 58.8 32.3 | 15 11 4 11 3 8 2 22 19 3 1 1 | 3.4 3.9 2.6 6.6 2.2 (5/) (5/) 3.5 (5/) (5/) (5/) (5/) (5/) (5/) (5/) |
| Montgomery | 540 587 411 176 98 294 568 519 49 432 161 113 379 563 | 192 374 235 139 43 101 368 302 65 128 56 18 108 | 448 213 176 37 55 193 200 217 -17 304 105 95 271 349 | 333 157 175 127 (<u>4</u> /) 291 154 172 (<u>4</u> /) 338 (<u>4</u> /) (<u>4</u> /) 351 263 | 38 39 25 14 6 7 37 32 5 28 6 5 28 28 | 59.4 66.4 60.8 79.5 61.2 23.8 65.1 102.0 64.8 37.3 44.2 68.6 49.7 | 28 29 18 11 30 28 2 16 2 4 8 14 | 4.4 4.9 6.3 5.7 5.3 5.4 (5/) 3.7 1.2 3.5 2.1 | White | 342 3 301 192 109 128 49 458 267 191 166 378 371 | 128 2 162 108 54 25 32 235 138 97 72 235 226 | 214 1 139 84 55: 103 17 223 129 94 94 143 145 | 267 (4/) 186 178 (4/) (4/) (4/) 195 193 (4/) (4/) 161 164 (4/) | 27 18 11 7 8 4 24 12 12 10 47 46 1 | 78.9 59.8 57.3 64.2 62.5 81.6 52.4 44.9 62.8 60.2 124.3 124.3 142.9 | 12 11 4 70 6 21 8 15 11 10 9 | 3.5 |

TABLE I.—BIRTHS, DEATHS, INFANT MORTALITY, AND STILLBIRTHS: 1935—Continued (See note at head of this table)

| | (exc | | and Dwaths | | MORT | ANT ALITY | | LBIRTES | ad of this table) | (exc) | | AND DEATHS | | MORT | ANT ALITY | STILI | BIRTHS |
|--|--|--|---|--|---|---|---|--|---|---|--|---|---|--|---|---|--|
| AREA | Nu | nber | Excess of | Births per | infant l year | s under of age, uding | Num- | Per 100 | ARRA | Nus | ıber | Excess of | Births per | infent l year excl | s under of age, uding irths) | Num- | Per 100 |
| | Births | Deaths | births over deaths1 | 100 deaths | Num- ber | Per 1,000 live births | ber | live births | | Birthe | Deaths | births over deaths1/ | 100 deaths | Num- ber | Per 1,000 live births | ber | live births |
| Section B—Continued TEXAS—Con. | | | | | | | | | Section B-Continued TEXAS-Con. | | | | | | | | |
| Bell- Rurel part- White- Cther races- Temple- White- Sexar- Rurel part- White- Cther races- San Antonic- White- Other races- San Cher races- San Cher races- San Cher races- Cher races- Other races- | 794 567 515 52 227 215 12 6,270 745 725 20 5,525 5,301 | 802 286 243 43 316 263 53 3,997 746 711 35 3,251 2,969 282 | 192 281 272 9 -89 -48 -41 2,273 14 -15 2,274 2,332 -58 | 132 198 212 (4/) 72 82 (4/) 157 100 102 (4/) 179 79 | 48 20 13 7 28 26 606 74 72 2 532 516 16 | 50.5 35.3 25.2 134.6 123.3 120.9 166.7 96.7 99.3 100.0 96.3 97.3 71.4 | 23 12 10 2 11 10 1 271 19 19 19 252 241 | 2.9 2.1 1.9 (5/) 4.8 4.7 (5/) 4.5 2.6 2.6 4.5 4.5 | Coleman | | 195 402 103 218 89 161 151 10 138 64 62 2 | 171 396 172 59 50 9 96 100 -4 117 56 58 -2 | 188 199 267 127 139 (4/) 160 (4/) 185 (4/) (4/) | 13 38 23 20 14 6 6 19 18 14 12 12 | 35.5 47.6 33.6 72.2 78.2 61.2 70.0 71.7 54.9 100.0 | 8 21 9 22 9 13 6 6 - 4 4 4 4 | 2.2 2.6 3.3 7.9 5.0 (<u>5/)</u> 2.3 2.4 1.6 3.3 3.3 |
| Blanco Borden Bosque Bowie Rural part White Other races Texarkana White Other races Brazoria White Other races | 38 16 298 836 609 443 166 227 172 55 322 247 75 | 25 1 131 484 259 162 97 225 129 96 219 139 | 13 15 167 352 350 281 69 2 43 -41 103 108 | (4/) (4/) 227 173 235 273 (4/) 101 133 (4/) 147 178 (4/) | 5 36 28 19 9 8 5 3 18 12 6 | 16.8 43.1 46.0 42.9 54.2 35.2 29.1 54.5 55.9 48.6 80.0 | 1 3 8 36 26 15 11 10 6 4 14 7 | (5/) (5/) 2.7 4.3 3.4 6.6 4.4 3.5 (5/) 4.3 2.8 (5/) | Cooks | 476 348 213 42 45 45 202 30 30 156 5,529 | 192 158 77 14 16 16 16 16 14 14 14 14 552 | 284 190 136 28 29 29 118 16 16 | 248 220 (4/) (4/) (4/) (4/) (4/) (4/) (4/) 149 72 | 14 13 16 3 3 3 3 16 2 2 2 13 | 29.4 37.4 75.1 66.7 66.7 79.2 66.7 66.7 83.3 72.2 65.8 | 14 11 4 4 4 1 2 2 2 10 | 2.9 3.2 1.9 (5/) (5/) (5/) 1.5 (5/) 1.3 |
| Brazos | . 79 215 215 | 284 134 150 70 69 1 32 69 69 | 215 142 74 107 108 -1 47 145 146 175 116 59 | 176 206 149 (4/) (4/) (4/) (4/) (4/) 157 (4/) | 31 15 16 21 21 21 26 26 26 27 | 62.0 54.3 71.4 118.6 118.5 38.0 120.9 120.9 52.6 30.6 70.5 | 17 8 9 6 6 1 5 5 14 5 9 | 3.4 2.9 4.0 3.4 3.4 | Rural part White- Other races- Dallas- White- Other races- Dewson- Deaf Smith- Delta- Denton- De Witt- White- Other races- | 354 41 5,134 4,270 864 328 138 227 572 515 446 69 | 3,148 2,364 784 85 51 113 285 346 289 57 | -137 -87 -70 1,986 1,906 80 243 87 114 287 169 157 | 80 37 163 181 110 (4/) 201 201 149 154 (4/) | 21 5 373 253 120 11 11 15 22 56 50 6 | 59.3 122.0 72.7 59.3 136.9 33.5 79.7 66.1 38.5 108.7 112.1 87.0 | 202 118 84 6 2 13 20 16 12 | 2.3 (5/) 3.9 2.8 9.7 1.8 1.4 5.7 3.5 3.1 2.7 (5/) |
| Burleson— Other reces— Burnet— Caldwell— White— Other races— Calhoun— White— Calhoun— Ca | 379 224 155 156 686 588 98 158 | 223 100 123 95 323 267 56 32 31 1 | 156 124 32 61 363 321 42 126 121 5 | 170 224 126 (4/) 212 220 (4/) (4/) (4/) (4/) | 28 8 20 7 79 68 11 3 | 73.9 35.7 129.0 44.9 115.2 115.6 112.2 19.0 19.7 | 16 7 9 3 27 21 6 3 1 2 | 4.2 3.1 5.8 1.9 3.6 (5/) 0.7 (5/) 3.2 | Dickens | 197 267 266 1 230 429 429 772 114 63 63 | 40 114 114 59 144 144 341 41 28 28 | 157 153 152 1 171 285 285 285 431 73 35 35 | (4/) 234 233 (4/) (4/) 298 298 226 (4/) (4/) (4/) | 5 39 39 8 41 41 | 30.5 146.1 146.6 34.8 95.6 95.6 53.5 43.9 127.0 127.0 | 12 12 12 8 16 16 23 3 | 4.5 4.5 3.7 3.7 3.7 3.0 2.6 |
| Rural part White | 2,237 1,045 1,038 7 712 711 1 225 222 3 255 255 142 100 42 | 1,004 424 423 1 345 344 1 134 126 8 101 99 2 79 44 35 | 1,233 621 615 6 367 367 367 91 96 -5 154 156 -2 63 63 | 223 246 245 (4/) 206 207 (4/) 168 176 (4/) 252 (4/) | 284 113 113 102 102 38 38 31 31 31 8 6 | 127.0 108.1 108.9 | 96 33 33 35 35 35 14 14 14 14 8 8 | 4.3 3.2 4.9 4.9 | White | 903 731 172 3,598 880 875 2,718 2,681 37 339 639 462 177 | 573 385 188 1,883 428 419 1,455 1,399 56 168 408 241 167 | 330 346 -16 1,715 452 456 -4 1,263 1,282 -19 171 231 10 | 158 190 91 191 206 209 (4/) 187 192 (4/) 202 157 192 106 | 57 37 20 400 118 118 | 63.1 50.6 116.3 111.2 134.1 134.9 | 36 27 9 130 34 34 34 37 96 93 37 18 19 | 4.0 3.7 5.2 3.6 3.9 3.9 |
| Carson | 71 413 282 131 102 114 73 41 742 593 149 323 280 89 78 | 22 207 125 82 31 40 27 13 519 321 198 133 112 15 | 49 206 157 49 71 74 46 28 223 272 -49 190 166 74 50 | (4/) 200 226 (4/) (4/) (4/) (4/) (4/) 143 165 75 243 250 (4/) (4/) | 2 19 15 4 1 3 2 1 35 26 9 16 18 6 | 28.2 46.0 53.2 30.5 9.6.3 27.4 47.2 43.5 60.4 43.5 67.4 76.9 | 19 11 8 1 3 24 15 9 9 4 1 2 | 4.6 3.9 6.1 1.0 2.5 | White-cos- Fayete-White-cos- Fisher-Ford- Ford- Fort Bend- White-cos- Franklin- Freeson- Other races- Other races- Other races- | 721 63 538 398 140 344 199 127 443 306 137 160 384 200 | 335 50 284 205 79 85 79 37 339 205 134 90 190 93 | 396 13 254 193 61 259 120 90 104 101 3 70 194 | 205 (4/) 189 194 (4/) (4/) (4/) 102 (4/) 202 (4/) (4/) | 31 31 20 11 16 10 6 36 19 6 12 | 43.0 47.6 57.6 50.3 78.5 50.3 47.2 124.2 117.6 138.7 37.5 31.3 20.9 | 10 5 27 16 11 11 18 3 15 10 5 11 5 5 | 5.5 (5/) 5.0 4.0 7.9 5.2 9.0 2.4 3.3 3.6 3.1 2.9 1.2 |

SUMMARY AND RATE TABLE

TABLE I.—BIRTHS, DEATHS, INFANT MORTALITY, AND STILLBIRTHS: 1935—Continued (See note at head of this table)

| | loma | | AND DEATHS | | | 'ANT | STIL | lbirths | | | | AND DEATHS | | | PANT | STITT | BIRTHS |
|-----------------------------------|---------------------|--------------------|--|---------------------------------------|-----------------------------------|--------------------------------------|----------------|------------------------------|------------------------------------|---------------------|---------------------|--|-------------------------------------|-----------------------------------|--------------------------------------|----------------|------------------------------------|
| AREA . | | ber | | | (Deat infant l year excl | hs of s under of age, uding | | | area | | ber | stillbir | | (Deat infant 1 year excl | hs of s under of age, uding | | - |
| | Births | Deaths | Excess of births over deaths | Births per 100 deaths | Stillb Num- ber | Per 1,000 | Num- ber | Per 100 11ve births | | Births | Deaths | excess of births over deaths | Births per 100 deaths | Num- | Per 1,000 | Num- ber | Per 100 live births |
| | | | - 4- | | ger | live births | | | | | | | | | births | | |
| Section B—Continued TEXAS—Con. | | | | | | | | | Section B—Continued TEXAS—Con. | | | | | | | | |
| Frio | 320 | 136 | 184 | 235 | 33 | 103.1 | 11 | 3.4 | Howard | 434 | 162 | 272 | 268 | 33 | 76.0 | 20 | 4.6 |
| White Other races Gaines | 316 4 57 | 136 12 | 180 4 45 | 232 (<u>4</u> /) (<u>4</u> /) | 33 2 | 104.4 35.1 | 11 | 3.5 - <u>(5</u> /) | Rural part Big Spring White | 98 336 330 | 19 143 137 | 79 193 193 | (<u>4</u> /) 235 241 | 30 30 | 30.6 89.3 90.9 | 2 18 17 | (<u>5</u> /) 5.4 5.2 |
| Galveston | 1,062 149 | 940 89 | 122 60 | 113 (4/) (4/) | 43 7 | 40.5 47.0 | 42 8 | 4.0 5.4 | Other races—— Hudspeth | 6 71 | 6 23 | 48 | (4/) (4/) (4/) | 5 | 70.4 | 1 2 | (5/) (5/) (5/) |
| White Other races Galveston | 140 9 913 | 71. 18 851 | 69 -9 62 | (4/) (4/) 107 | 6 1 36 | 42.9 111.1 39.4 | 7 1 34 | 5.0 (<u>5</u> /) 3.7 | White | 71 833 | 23 483 | 48 350 | (<u>4</u> /) 172 | 5 46 | 70.4 55.2 | 2 44 | (<u>5</u> /) 5.3 |
| White Other races | 712 201 105 | 590 261 33 | 122 -60 72 | 121 77 | 26 10 4 | 36.5 49.8 38.1 | 19 15 3 | 2.7 7.5 2.9 | Rurel part White Other races | 558 588 70 | 294 249 45 | 364 339 25 | 236 | 35 27 8 | 53.2 45.9 114.3 | 34 31 3 | 5.2 5.3 (<u>5</u> /) |
| Gillespie | 201. 7 | 96 1 | 105 6 | (4/) (4/) (4/) | 9 | 44.8 | 9 | 4.5 | Creenville White | 175 139 | 189 139 | -14 | (<u>4</u> /) 93 100 | 11 5 | 62.9 36.0 | 10 9 | 5.7 6.5 |
| . White Other races | 7 | | 6 | (4/) | | | | | Other races | 36 412 | 50 108 | -14 304 | (<u>4</u> /) 381 | 6 22 | 166.7 53.4 | 1 13 | (<u>5</u> /) 3.2 |
| Goliad | 215 205 10 | 107 96 11 | 10B 109 -1 | 201 (<u>4</u> /) (<u>4</u> /) | 23 21 2 | 107.0 102.4 200.0 | 6 3 3 | 2.8 1.5 (<u>5</u> /) | Irion | 40 | 13 13 | 27 27 | (<u>4</u> /) (<u>4</u> /) | 5 5 | 125.0 125.0 | 3 | (<u>5</u> /) (<u>5</u> /) |
| Gonzales | 526 420 106 | 314 237 77 | 212 183 29 | 168 177 | 69 56 13 | 131.2 133.3 122.6 | 24 20 4 | 4.6 4.8 3.8 | Jack Jackson | 172 196 | 89 89 | 83 107 | (4/) (4/) (4/) | 1 | 5.8 40.8 | 8 | 0.6 4.1 |
| Other races Gray | 442 75 | 203 41 | 239 34 | (<u>4</u> /) 218 (<u>4</u> /) | 35 5 | . 79.2 65.7 | 끄 | 2.5 (<u>5</u> /) | White Other races Jasper | 173 23 357 | 65 24 153 | 108 -1 204 | (<u>4/)</u> (<u>4/)</u> 233 | 8 20 | 46.2 55.0 | 5 3 14 | 2.9 (<u>5</u> /) 3.9 |
| PampaGrayson | 367 1,242 682 | 162 802 325 | 205 440 357 | 227 155 210 | 30 81 36 | 81.7 65.2 52.8 | 10 48 18 | 2.7 3.9 2.6 | WhiteOther races | 264 93 56 | 116 37 28 | 148 56 28 | 228 (<u>4/)</u> | 14 6 11 | 53.0 64.5 196.4 | 10 1 | 1.5 (<u>5/)</u> |
| Denison | 239 196 | 214 161 | 25 35 | 112 122 | 15 9 | 62.8 45.9 | 13 | 5.4 3.6 | Jeff Davis | 55 1 | 28 | 27 1 | (4/) (4/) (4/) | <u> </u> | 200.0 | 1 | (<u>5</u> /) (<u>5</u> /) |
| Other races Sherman White | 43 321 290 | 263 231 | 10 58 59 | (<u>4</u> /) 122 126 | 5 30 25 | 139.5 93.5 89.7 | 17 14 | (<u>5</u> /) 5.3 4.8 | Jefferson | 2,449 482 380 | 1,227 188 116 | 1,222 294 264 | 200 256 328 | 167 22 10 | 68.2 45.6 25.3 | 114 15 7 | 4.7 3.1 1.8 |
| Other races Gregg | 31 1,101 | 32 536 | -1 565 | (<u>4</u> /) 205 | 4 71 | 129.0 64.5 | 3 58 | (<u>5</u> /) 5.3 | Other races | 102 | 72 | 30 | (<u>4</u> /) | 12 | 117.6 | 8 | 7.8 |
| White Other races Grimes | 969 132 332 | 368 168 216 | 601 -36 116 | 263 79 154 | 50 21 23 | 51.6 159.1 69.3 | 50 8 23 | 5.2 6.1 6.9 | Beaumont White Other races | 1,077 756 321 | 673 414 259 | 404 342 62 | 160 183 124 | 85 48 37 | 78.9 63.5 115.3 | 60 23 37 | . 5.6 3.0 11.5 |
| WhiteOther races | 172 160 | 113 103 296 | 59 57 | 152 _. 155 | 15 8 | 87.2 50.0 | 6 17 | 3.5 10.6 | Port Arthur White | 890 743 | 366 273 93 | 524 470 54 | 243 272 | 60 46 | 67.4 61.9 95.2 | 39 20 19 | 4.4 2.7 12.9 |
| Guadalupe | 467 403 64 | 252 44 | 171 151 20 | 158 160 (<u>4</u> /) | 48 44 4 | 102.8 109.2 62.5 | 13 11 2 | 2.8 2.7 (<u>5</u> /) | Other races Jim Hogg White | 147 175 175 | 60 60 | 115 115 | (4/) (4/) (4/) | 14 14 14 | 80.0 80.0 | 10 | 5.7 5.7 |
| Hall | 387 266 237 | 173 116 106 | 214 150 131 | 224 229 224 | 25 19 8 | 64.6 71.4 33.8 | 12 6 10 | 3.1 2.3 4.2 | Other races Jim Well:s White | 296 290 | 180 179 | 116 | 164 | 48 48 | 162.2 165.5 | 14 14 | 4.7 4.8 |
| Hansford Hardeman | 60 279 | 20 119 | 40 160 | (<u>4</u> /) 234 | 5 13 | 83.3 46.5 | 3 12 | (<u>5</u> /) 4.3 | Other races Johnson | 567 | 319 | 5 248 | (<u>4</u> /) 178 | 28 | 49.4 | 19 | 3.4 |
| Hardin | 268 225 43 | 116 85 31 | 152, 140 12 | 231 (<u>4</u> /) (<u>4</u> /) | 9 7 . 2 | 33.5 31.1 46.5 | 4 | 1.5 1.8 | Rural part Cleburne Jones | 377 190 561 | 193 126 274 | 184 64 287 | 195 151 205 | 19 9 43 | 50.4 47.4 76.6 | 16 3 21 | 4.2 1.6 3.7 |
| Harris | 6,345 693 | 4,153 390 | 2,192 303 | 153 178 | 358 33 | 56.4· 47.6 | 222 23 | 3.5 3.3 | Karnes | 539 523 | 252 235 | 287 288 | 214 223 | 70 58 | 129.9 | 13 11 | 2.4 2.1 |
| White Other races Houston | 514 79 5,652 | 316 74 3,763 | 298 5 1,889 | 194 (<u>4</u> /) 150 | 24 9 325 | 39.1 113.9 57.5 | 18 5 199 | (<u>5</u> /) 3.5 | Other races Kaufman | 16 721 | 17 557 | -1 164 97 | (<u>4</u> /) 129 | 2 47 | 125.0 65.2 | 2 24 | (<u>5</u> /) 3.3 |
| White Other races | 4,573 1,079 | 2,615 1,148 | 1,958 -69 | 175 94 | 239 86 | 52.3 79.7 | 121 78 | 2.6 7.2 | White Other races Kendall | . 519 202 58 | 422 135 52 | 67 6- | 123 150 (<u>4</u> /) | 27. 20 3 | 52.0 99.0 51.7 | 11 13 2 | 2.1 6.4 (<u>5/</u>) |
| Harrison | 1,004 728 206 | 569 270 77 | 435 458 129 | 176 270 (<u>4</u> /) | 43 33 5 | 42.8 45.3 24.3 | 58 38 2 | 5.8 5.2 1.0 | White Other races Kenedy | 58 11 | 52 4 | 7 | (4/) | 3 2 | 51.7 181.8 | 2 1 | (<u>5</u> /) (<u>5</u> /) |
| Other races Marshall White | 522 276 185 | 193 299 141 | 329 -23 44 | 270 92 131 | 28 10 2 | 53.6 36.2 10.8 | 36 20 5 | 6.9 7.2 2.7 | White Other races | 11 | 4 | 7 | (4/) (4/) | 2 | 181.8 | 1 | (5/) (5/) |
| Other races Hertley | 91 18 | 158 14 | -67 4 | 58 (<u>4</u> /) | 8 | 87.9 166.7 | 15 2 | (<u>5/)</u> (<u>5/)</u> | Kent | 87 184 180 | 19 213 207 | 68 -29 -27 | (<u>4</u> /) 86 87 | 15 13 | 11.5 70.7 72.2 | 8 6 | (<u>5</u> /) 3.3 3.3 |
| Hays | 346 277 | 113 | 233 126 | 306 183 | 21 24 | 60.7 86.6 | 11 | 1.7 | Other races Kimble | 4 55 | 6 36 | -2 19 | (<u>4</u> /) (<u>4</u> /) | 4 | 72.7 | 1 | (5/) |
| White Other races Hemphill | 257 20 100 | 129 22 40 | 128 -2 60 | 199 (4/) (4/) | 22 2 4 | 85.6 100.0 40.0 | 10 1 2 | 3.9 (<u>5</u> /) 2.0 | KingKinney | 20 87 | 4 40 | 16 47 | (<u>4/)</u> (<u>4/)</u> | 4 | . 46.0 | 6 | (5/) |
| Henderson | 571 460 111 | 236 164 72 | 335 296 39 | 242 280 (<u>4</u> /) | 30 22 8 | 52.5 47.8 72.1 | 22 16 6 | 3.9 3.5 5.4 | White Other races Kleberg | 80 7 313 | 28 12 145 | 52 -5 168 | (4/) (4/) (4/) (4/) 216 | 4 42 | (7/) 134.2 | 5 1 5 | (5/) (5/) (5/) 1.6 |
| HidelgoWhite | 2,025 2,015 | 958 953 | 1,067 1,062 | 211 | 277 277 | 136.8 | 79 79 | 3.9 3.9 | White Other races | 311 | 138 7 | 173 -5 | (4/) | 42 | 135.0 | 5 | 1.6 |
| Other races Hill | 10 693 618 | 5 363 297 | 330 321 | (<u>4</u> /) 191 208 | 39 27 | 56.3 43.7 | 17 12 | 2.5 | White Other races | 295 293 2 | 66 66 | 229 227 2 | (4/) (4/) (4/) | 9 | 30.5 30.7 | 8 | 2.7 |
| Other races Hockley Hood | 75 250 122 | 66 46 53 | 9 204 69 | (4/) (4/) (4/) | 12 8 6 | 160.0 32.0 49.2 | 5 4 3 | (<u>5</u> /) 1.6 2.5 | Rural pert White | 1,031 684 558 | 583 242 152 | 448 442 376 | 177 283 307 | 55 27 21 | 53.3 59.5 37.6 | 43 28 21 | 4.2 4.1 3.8 |
| Hopkins | 576 595 | 266 320 | 510 275 | 217 186 | 29 12 | 20.2 | 30 22 | 5.2 3.7 | Other races Paris | 125 347 | 60 341 | 66 6 | (<u>4</u> /) 102 | 6 29 | 47.6 80.7 | 7 15 | 5.6 4.3 |
| White Other races | 376 219 | 163 157 | 213 62 | 231 139 | 6 6 | 15.0 27.4 | 10 12 | 2.7 5.5 | WhiteOther races | 312 35 | 267 74 | 45 -39 | 117 (<u>4</u> /) | 20 8 | 64.1 228.6 | 11 | 3.5 (<u>5</u> /) |

TABLE I.—BIRTHS, DEATHS, INFANT MORTALITY, AND STILLBIRTHS: 1935—Continued (See note at head of this table)

| | (exc | | AND DEATHS | | MORT (Deat infant | PANT PALITY ths of ts under | STI | LLBIRTHS | | (exc | | AND DEATHS | | MORT (Deat infant | FANT FALITY ths of ts under | STILI | LBIRTES |
|-------------------------|--------------|--------------|----------------------------|--------------------------------|-------------------------|--------------------------------------|-------------|--------------------------------|---------------------------|----------------------|----------------------|--------------------------------|--|-------------------------|--------------------------------------|----------------|--|
| AREA | Nur | nber | Excess | Births | excl | of age, uding pirths) | | Per | AREA | Nu | aber | Excess | Births | exc] | r of age luding pirths) | | Per |
| | Births | Deaths | births over deaths1/ | per 100 deaths | Num- ber | Per 1,000 live births | Num- ber | live live births | | Births | Deaths | of births over deaths | per 100 deaths | Num- ber | Per 1,000 live births | Num- | 100 live births |
| Section B—Continued | | | | | | | | | Section B—Continued | | | | | | | | |
| | | | | | | | | | TEXAS—Con. | | | | | | | | |
| Lampasas | 459 156 | 98 106 | 361 50 | (<u>4</u> /) 147 | 14 | 30.5 70.5 | 13 3 | 2.8 | Nacogdoches | 572 482 | 278 205 | 294 277 | 206 235 | 29 | 50.7 45.6 | 22 16 | 3.8 3.3 |
| La Salle | 505 505 | 98 95 | 104 107 | (<u>4/)</u> (<u>4/)</u> | 33 33 | 163.4 163.4 | 5 5 | 2.5 | Other races | 90 949 | 73 555 | 17 394 | (<u>4</u> /) 171 | 7 71 | 77.8 74.8 | 6 46 | (<u>5</u> /) 4.8 |
| Other races | 501 | 261 | 240 | 192 | 25 | 49.9 | 20 | 4.0 | Rural part | 743 570 | 316 215 | 427 355 | 235 265 | 48 33 | 64.6 57.9 | 39 22 | 5.2 3.9 |
| White Other races | 439 62 | 214 47 | 225 15 | 205 (<u>4</u> /) | 20 5 | 45.6 80.6 | 17 3 | 3.9 (<u>5</u> /) | Other races Corsicana | 173 206 | 101 239 | 72 -33 | 171 86 | 15 23 | 86.7 111.7 | 17 7 | 9.8 3.4 |
| Lee | 302 192 | 122 | 180 121 | 248 (<u>4</u> /) | 16 8 | 53.0 41.7 | 17 9 | 5.6 4.7 | White Other races | 189 17 | 163 76 | 26 -59 | 116 (4/) | 16 7 | 84.7 411.8 | 5 | 2.6 (<u>5</u> /) |
| Other races | 110 297 | 51 122 | 59 175 | (<u>4</u> /) 243 | 8 12 | 72.7 40.4 | 8 | 7.3 3.0 | Newton | 253 147 | 87 47 | 166 100 | (4/) (4/) | 10 8 | 39.5 54.4 | 18 5 | 7.1 3.4 |
| White Other races | 154 143 | 64 58 | 90 85 | (<u>4/)</u> (<u>4/</u>) | 6 6 | 39.0 42.0 | 3 6 | 1.9 | Other races | 106 | 40 | 66 | (<u>4</u> /) | 2 | 18.9 | 13 | 12.3 |
| Liberty | 402 | 195 | 207 | 206 | 15 | 37.3 | 21 | 5.2 | Nolan | 389 163 | 154 45 | 235 118 | 253 (<u>4</u> /) | 31 5 | 79.7 30.7 | 9 | 2.3 |
| White Other races | 272 130 | 131 64 | 141 66 | 208 (<u>4</u> /) | 9 | 33.1 46.2 | 9 | 3.3 9.2 | Sweetwater | 226 210 | 109 | 117 108 | 207 206 | 26 24 | 115.0 114.3 | 7 | 3.1 |
| Limestone | 574 430 | 329 207 | 245 223 | 174 208 | 33 21 | 57.5 48.8 | 39 22 | 6.8 5.1 | Other races | 16 | 780 | 9 631 | (<u>4</u> /) 181 | 212 | 125.0 | 1 49 | (<u>5</u> /) 3.5 |
| Other races | 144 | 122 | 22 43 | 118 | 12 | 83.3 | 17 | 11.8 | Rural part | 715 | 349 338 | 366 370 | 205 209 | 112 | 156.6 | 17 | 2.4 |
| Live Oak | 211 211 | 65 65 | 146 146 | (<u>₹</u> /) | 19 19 | 90.0 | 7 7 | (<u>5</u> /) 3.3 | Other races | 7 | 11 | -4 265 | (<u>4</u> /) | 2 | 285.7 | | |
| Other races | | | | (<u>4</u> /) | | | | 3.3 | Corpus Christi White | 696 676 | 431 407 | 269 | 161 | 100 97 | 143.7 | 32 30 | 4.4 |
| Llano Loving | 91 | 42 2 | 49 -2 | (<u>4</u> /) | 5 | 54.9 | | 1.1 | Other races Ochiltree | 20 70 | 24 28 | -4 42 | (<u>4/)</u> (<u>4/)</u> | 2 | 150.0 28.6 | 2 | (<u>5</u> /) (<u>5</u> /) (<u>5</u> /) |
| Lubbock Rural part | 809 243 | 435 84 | 374 159 | 186 (<u>4</u> /) | 74 18 | 91.5 74.1 | 30 8 | 3.7 3.3 | Oldham | 26 | 10 | 16 | (<u>4</u> /) | 1 | 38.5 | 1 | |
| Lubbock | 566 | 351 | 215 | 161 | 56 | 98.9 | 22 | 3.9 | Orange | 298 255 | 159 116 | 139 139 | 187 220 | 28 15 | 94.0 58.8 | 11 6 | 3.7 2.4 |
| Lynn McCulloch | 260 281 | 48 136 | 212 145 | (<u>4</u> /) 207 | 10 22 | 38.5 78.3 | 6 8 | 2.3 2.8 | Other races Palo Pinto | 43 370 | 43 209 | 161 | (<u>4</u> /) 177 | 13 19 | 302.3 51.4 | 5 14 | (<u>5</u> /) 3.8 |
| White Other races | 274 | 134 2 | 140 5 | 204 (<u>4</u> /) | 22 | 80.3 | 8 | 2.9 | Panola | 299 184 | 127 83 | 172 | 235 (4/) | 19 13 | 53.5 70.7 | 18 13 | 6.C 7.1 |
| McLennan | 1,735 772 | 1,103 336 | 632 436 | 157 230 | 111 33 | 64.0 42.7 | 63 17 | 3.6 2.2 | Other races Parker | 115 264 | 44 184 | 71 80 | (<u>4</u> /) 143 | 6 13 | 52.2 49.2 | 5 11 | 4.3 4.2 |
| White Other races | 560 212 | 238 98 | 322 114 | 235 (<u>4</u> /) | 23 10 | 41.1 47.2 | 13 4 | 2.3 1.9 | Parmer | 74 188 | 24 55 | 50 1 33 | (<u>4</u> /) (<u>4</u> /) | 4 14 | 54.1 74.5 | 2 2 | (<u>5</u> /) 1.1 |
| Waco White | 963 | 767 585 | 196 218 | 126 | 78 58 | 81.0 72.2 | 46 36 | 4.8 4.5 | White Other races | 188 | 54 1 | 134 -1 | (<u>4</u> /) | 14 | 74.5 | 2 | 1.1 |
| Other races | 160 15 | 182 | -22 6 | 88 | 20 | 125.0 133.3 | 10 | 6.3 | Polk | 337 247 | 173 99 | 164 148 | 195 (<u>4</u> /) | 20 8 | 59.3 32.4 | 16 10 | 4.7 |
| White Other races | 15 | 7 | 8 | (<u>4</u> /) | 2 | 133.3 | | | Other races | 90 | 74 | 16 | (4/) | 12 | 133.3 | 6 | (<u>5</u> /) |
| Madison | 263 | 141 | 122 | 167 | 19 | 72.2 | 4 | 1.5 | Potter | (<u>21</u> /) 54 | (<u>21</u> /) 32 | (<u>21</u> /) 22 | (<u>21</u> /) (<u>4</u> /) | (<u>21</u> /) | (<u>21</u> /) 18.5 | (<u>21</u> /) | (<u>z1/)</u> (<u>5</u> /) |
| White Other races | 152 111 | 96 45 | 56 66 | (4/) (4/) | 12 | 78.9 63.1 | 2 2 | 1.3 | Amarillo 21/ Presidio | 824 267 | 467 101 | 357 166 | 176 264 | 51 26 | 61.9 97.4 | 26 8 | 3.2 |
| Marion | 174 | 112 | 62 | 155 | 6 | 34.5 | 21 | 12.1 | White | 267 | 101 | 166 | 264 | 26 | 97.4 | 8 | 3.0 |
| Other races | 94 | 43 69 | 37 25 | (4/) (4/) | 3 | 31.9 | 16 | (5/) (5/) | Other races | 161 | 04 | 107 | (<u>4/)</u> | 7 | 43.5 (21/) | 2 (21/) | 1.2 |
| Mason | 106 83 | 37 38 | 69 45 | (4/) (4/) | 13 5 | 122.6 60.2 | 16 | 9.4 | Rural part | (<u>21</u> /) 65 | (21/) | (<u>21</u> /) 29 | (<u>21</u> /) (<u>4</u> /) | (21/) | 15.4 | 2 | 75/1 |
| Matagorda White | 397 307 | 162 107 | 235 200 | 245 287 | 20 15 | 50.4 48.9 | 16 | 3.6 | Amarillo (part) | 46 | (<u>21</u> /) 21 | (<u>21</u> /) 25 | (<u>21</u> /) (<u>4</u> /) | (<u>21</u> /) | (<u>21</u> /) 130.4 | (21/) | (<u>21</u> /) (<u>5</u> /) (<u>5</u> /) |
| Other races Maverick | 90 225 | 55 109 | 35 116 | (<u>4</u> /) 206 | 5 29 | 55.6 128.9 | 5 6 | (<u>5</u> /) 3.6 | Real | 35 35 | 5 5 | 30 30 | (4/) (4/) | 4 | 114.3 | 1 | (<u>5</u> /) |
| White Other races | 225 | 108 | 117 -1 | 208 | 28 1 | 124.4 | 6 2 | 2.7 (<u>5</u> /) | Other races | | | | | | | | |
| Medina | 343 | 159 | 184 | 216 | 50 | 145.8 | 7 | 2.0 | Red River | 716 568 | 284 199 | 432 369 | 252 285 | 34 27 | 47.5 47.5 | 40 30 | 5.6 5.3 |
| White Other races | 337 | 157 2 | 180 | 215 (<u>4/)</u> | 50 | 148.4 | 7 | 2.1 | Other races | 148 | 85 98 | 63 87 | (<u>4/)</u> (<u>4/)</u> | 7 16 | 47.3 86.5 | 10 | 6.8 6.5 |
| Menard | 51 49 | 39 36 | 12 13 | (4/) (4/) (4/) (4/) | 6 | 117.6 122.4 | 1 | (<u>5</u> /) (<u>5</u> /) | WhiteOther races | 181 | 96 | 85 2 | (<u>4</u> /) (<u>4</u> /) | 14 | 77.3 | 12 | 6.6 |
| Other races Midland | 2 186 | 3 71 | -1 115 | (4/) | 15 | 80 f | 6 | 3,2 | Refugio | 218 206 | 65 57 | 153 149 | (4/) (4/) (4/) (4/) | 16 16 | 73.4 | 5 5 | 2.3 2.4 |
| White Other races | 180 5 | 65 6 | 115 | (4/) (4/) | 15 | 83.3 | 5 1 | 2.8 (<u>5</u> /) | Other races Roberts | 12 10 | 8 | 9 | (<u>4</u> /) | | | | |
| Milem | 700 549 | 375 262 | 324 287 | 186 210 | 51 38 | 72.9 69.2 | 31 19 | 4.4 3.5 | Robertson | 529 277 | 303 153 | 226 124 | 175 181 | 31 16 | 58.6 57.8 | 25 14 | 4.7 5.1 |
| Other races | 151 147 | 114 65 | 37 92 | 132 (<u>4</u> /) | 13 5 | 86.1 34.0 | 12 5 | 7.9 3.4 | Other races | 252 | 150 | 102 | 168 | 15 | 59.5 | 11 | 4.4 |
| Mitchell | 344 | 141 | 203 | 244 | 28 | 81.4 | 14 | 4.1 | Rockwall | 113 78 | 64 40 | 49 38 | (4/) (4/) | 5 | 12.8 | 2 | 2.7 (5/) |
| White Other races | 329 15 | 128 13 | 201 2 | 257 (<u>4</u> /) | 27 1 | 82.1 66.7 | 13 1 | 4.0 (<u>5</u> /) | Other races Runnels | 35 432 | 24 203 | 11 229 | (<u>4</u> /) 213 | 29 | 67.1 | 11 | (<u>5</u> /) 2.5 |
| Montague Montgomery | 440 313 | 204 184 | 236 129 | 216 170 | 27 17 | 61.4 54.3 | 14 11 | 3.2 | Rusk | 878 756 | 416 271 | 462 485 | 211 279 | 46 29 | 54.7 38.4 | 34 24 | 3.9 |
| White Other races | 232 81 | 111 73 | 121 8 | 209 (<u>4</u> /) | 10 | 43.1 86.4 | 7 4 | 3.0 | Other races Sabine | 122 235 | 145 65 | -23 170 | 84 (<u>4</u> /) | 19 12 | 155.7 | 10 | 8.2 4.7 |
| Moore | 33 130 | 11 80 | 22 50 | (4/) (4/) | 1 7 | 30.3 | 1 6 | (5/) (5/) 4.6 | White | 203 32 | 49 16 | 154 16 | (4/) (4/) | 8 | 39.4 125.0 | 6 5 | 3.0 (<u>5</u> /) |
| White | 86 | 52 | 34 | $(\overline{4}/)$ | 6 | 69.8 | 1 5 | (5/) (5/) | San Augustine | 232 182 | 66 27 | 166 153 | (4/) (4/) | 7 | 30.2 27.5 | 8 | 3.4 2.9 |
| Other races Motley | 125 | 28 32 | 16 93 | (<u>4</u> /) (<u>4</u> /) | 1 | 8.0 | 2 | 1.6 | Other races | 50 | 37 | 13 | $(\underline{\underline{\underline{a}}}/)$ | 2 | 40.0 | 4 | (<u>5</u> /) |
| | | | | | | | | | | | | | | | | | |

SUMMARY AND RATE TABLE

TABLE I.—BIRTHS, DEATHS, INFANT MORTALITY, AND STILLBIRTHS: 1935—Continued (See note at head of this table)

| | | | ND DEATHS | | (Deat | ALITY hs of s under | stii | lbirtes | | | | ND DEATHS stillbir | | (Deat | s under hs of | STILL | BIRTHS |
|-----------------------------|--------------|--------------|--------------------------------|--------------------------------|----------------|--------------------------------|-------------|----------------------------|-----------------------|--------------|--------------|--------------------------------|---|-------------|--------------------------------|-------------|-----------------------|
| AREA | Num | ber | Excess | Births | | of age, uding irths) | | Per | AREA | Num | ber | Excess | Births | | of age, uding irths) | | Per |
| | Births | Deaths | of births over deaths | per 100 deaths | Num- ber | Per 1,000 live births | Num- ber | 100 live. births | | Births | Deaths | of births over deaths | per 100 deaths | Num- ber | Per 1,000 live births | Num- ber | 100 live births |
| Section B—Continued | | | | | , | | | | Section B—Continued | | | | | | | | |
| TEXAS—Con. | | | | | | | | | TEXAS—Con. | | | | | | | - | |
| San Jacinto | 157 74 | 77 30 | 80 44 | (<u>4/)</u> (<u>4/)</u> | 10 3 | 63.7 40.5 | 11 | 7.0 (<u>5</u> /) | Van Zendt Victoria | 695 462 | 233 268 | 462 194 | 298 172 | 33 45 | 47.5 97.4 | 21 21 | 3.0 4.5 |
| Other races San Patricio | · 83 625 | 47 273 | 36 352 | (<u>4</u> /) 229 | 7 80 | 84.3 128.0 | 10 15 | (<u>5</u> /) 2.4 | WhiteOther races | 415 47 | 218 50 | 197 -3 | 190 (<u>4</u> /) | 41 4 | 98.8 85.1 | 16 5 | 3.9 (<u>5</u> /) |
| WhiteOther races | 611 14 | 266 7 | 345 7 | 230 (4/) | 79 1 | 129.3 71.4 | 15 | 2.5 | Walker | 272 129 | 173 99 | 99 | 157 | 9 | 33.1 31.0 | 13 | 4.8 1.6 |
| San Saba | 225 65 | 58 16 | 167 49 | (4/) (4/) | 6 | 26.7 76.9 | 8 | 3.6 (<u>5</u> /) | Other races | 143 197 | 74 150 | 69 47 | (<u>4</u> /) (<u>4</u> /) 131 | 5 13 | 35.0 66.0 | 11 | 7.7 4.6 |
| White | 63 | 16 | 47 | (<u>4</u> /) | 5 | 79.4 | 3 | (<u>§</u> /i | White | 91 106 | 43 107 | 48 -1 | (<u>4</u> /) | 5 8 | 54.9 75.5 | 9 | 8.5 |
| Other races Scurry | 2 259 | 90 | 169 | (<u>4</u> /) (<u>4</u> /) | 10 | 38.6 | 13 | 5.0 | Ward | 94 | 48 | 46 | (4/) | 11 | 117.0 | 4 | (5/) (5/) |
| Shackelford | 81 558 | 287 | 38 271 | (4/) 194 | 29 29 | 24.7 52.0 | 23 | (<u>5</u> /) 4.1 | White Other races | 93 1 | 48 | · 45 | (4/) (4/) | | 118.3 | | (2/) |
| White | 456 102 | 211 76 | 245 26 | 216 (4/) | 23 6 | 50.4 58.8 | 19 4 | 4.2 3.9 | Washington | 451. | 317 | 134 | 142 | 26 | 57.6 | 23 | 5.1 |
| Sherman | . 22 | 13 | 9 | (₹/) | | | | | WhiteOther races | 252 199 | 167 150 | 85 49 | 151 133 | 13 | 51.6 65.3 | 5 18 | 2.0 9.0 |
| Smith | 1,104 | 658 374 | 446 348 | 168 193 | 58 38 | 52.5 52.6 | 56 42 | 5.1 5.8 | Webb | 1,222 | 663 59 | 559 109 | 184 (<u>4</u> /) | 162 24 | 132.6 142.9 | 78 5 | 6.4 3.0 |
| White | 483 | 192 | 291 | 252 | 21 17 | 43.5 71.1 | 18 24 | 3.7 | White Other races | 166 2 | 58 1 | 108 1 | (4/) (4/) | 23 1 | 138.6 (7/) | 5 | 3.0 |
| Other races | 382 | 182 284 | 57 98 | 131 .135 | 20 | 52.4 | 14 | 3.7 | Laredo | 1,054 | 604 603 | 450 448 | 175 174 | 138 138 | 130.9 | 73 73 | 6.9 6.9 |
| White Other races | | 189 95 | 120 -22 | 163 (<u>4/)</u> | -14 6 | 45.3 82.2 | 10 | 3.2 (<u>5/)</u> | Other races | 1,051 | 1 | 2 | (4/) | | | 25 | 3.7 |
| Somervell | 66 492 | 26 141 | 40 351 | (<u>4</u> /) 349 | 2 35 | 30.3 71.1 | 3 7 | (<u>5</u> /) 1.4 | Wharton | 679 492 | 335 206 | 344 286 | *203 239 | 61 42 | 89.8 85.4 | 15 | 3.0 |
| White Other races | | 141 | 351 | 349 | 35 | 71.1 | 7 | 1.4 | Other races | 187 | 129 | 58 | 145 | 19 | 101.6 | 10 | 5.3 |
| StephensSterling | 170 | 102 | 68 9 | 167 | 10 | 58.8 55.6 | 8 | 4.7 | Wheeler | 358 1,369 | 159 724 | 199 645 | 225 189 | 20 65 | 55.9 47.5 | 10 36 | 2.8 2.6 |
| Stonewell | 143 69 | 31 26 | 112 | (4/) (4/) (4/) (4/) | 6 | 87.0 | 5 3 | 3.5 (5/) | Rural part | 426 943 | 289 435 | 137 | 147 217 | 19 46 | 44.6 48.8 | 9 27 | 2.1 2.9 |
| WhiteOther races | 68 | 26 | 42 | (4/) (4/) | 6 | 88.2 | 3 | (5/) (5/) | WhiteOther races | 883 60 | 398 37 | 485 23 | 222 (<u>4</u> /) | 41 5 | 46.4 83.3 | 23 4 | 2.6 (5/) |
| Swisher | 149 | 53 | 96 | (<u>4</u> /) | 6 | 40.3 | 3 | 2.0 | WilbargerWillacy | 428 284 | 189 108 | 239 176 | 226 263 | 24 28 | 56.1 98.6 | . 11 | 2.6 1.4 |
| Tarrant | 3,102 | 2,205 | 897 | 141 | 188 | 60.6 | 102 | 3.3 | WhiteOther races | 282 | 108 | 174 | 261 (<u>4</u> /) | 28 | 99.3 | 4 | 1.4 |
| Rural part Fort Worth | 361 2,741 | 292 1,913 | 69 828 | 124 143 | 176 | 64.2 | 92 | 3,4 | Williamson | 727 609 | 419 337 | 308 272 | 174 181 | 58 50 | 79.8 82.1 | 29 22 | 4.0 3.6 |
| White Other races | 289 | 1,535 378 | 917 -89 | 160 76 | 145 31 | 59.1 107.3 | 72 20 | 2.9 6.9 | White Other races | 118 | 82 | 36 | (<u>4</u> /) | 8 | 67.8 | 7 | 5.9 |
| Taylor | 779 305 | 455 177 | 324 126 | 171 172 | 64 16 | 82.2 52.5 | 18 7 | 2.3 | Wilson | 414 | 168 | 246 | 246 | 43 | 103.9 | 20 | 4.8 |
| Abilene | 474 42 | 278 29 | 196 13 | (4/) | 48 7 | 101.3 | 11 | (5/) | WhiteOther races | 405 9 | 164 4 | 241 5 | 247 (4/) (4/) | 43 | 106.2 | 20 | 4.9 |
| WhiteOther races | 42 | 29 | 13 | (4/) (4/) | 7 | 166.7 | 1 | (5/) | Winkler | 116 339 | 29 145 | 87 194 | (4/) 234 | 7 13 | 60.3 38.3 | 7 | 6.0 2.1 |
| Terry | 282 | 65 27 | 217 51 | (<u>4</u> /) (<u>4</u> /) | 14 3 | 49.6 38.5 | 13 3 | 4.6 (<u>5</u> /) | Wood | 425 378 | 201 155 | 224 223 | 211 244 | 14 10 | 32.9 26.5 | 16 14 | 3.8 3.7 |
| Titus | 302 269 | 143 115 | 159 154 | 211 234 | 14 12 | 46.4 44.6 | 15 13 | 5.0 4.8 | Other races | 47 20 | 46 2 | 1 18 | (4/) (4/) | 4 | 85.1 | 2 | (<u>5</u> /) |
| Other races | 33 | 28 | 5 | (<u>4</u> /) | ž | 50.6 | 2 | (5/) | Young | 432 88 | 154 42 | 278 46 | 281 | 11 8 | 25.5 90.9 | 11 2 | 2.5 (5/) |
| Tom Green | | 446 | 352 | 179 | 44 | 55.1 | 27 | 3.4 | Zapata | 88 | 41 | 47 -1 | (4/) (4/) | 8 | 90.9 | 2 | (<u>5</u> /) |
| Rural part White | 145 144 | 106 | 39 38 | 137 135 | 5 5 | 34.5 34.7 | 3 | 2.1 | Other races Zavala | 272 | 129 | 143 | 211 | 44 | 161.8 | 14 | 5.1 |
| Other races San Angelo | 653 | 340 | 313 | (<u>4</u> /) 192 | 39 | 59.7 | 24 | 3.7 | WhiteOther races | 272 | 128 | 144 -1 | 213 | 44 | 161.8 | 14 | 5.1 |
| White Other races | 630 | 314 26 | 316 | 201 (<u>4</u> /) 118 | 38 | 60.3 43.5 | 22 2 | 3.5 (<u>5/)</u> 3.9 | UTAH (total) | 12,695 | 5,066 | 7,629 | 251 | 625 | 49.3 | 274 | 2.2 |
| Travis | 1,464 | 1,236 169 | 228 65 | 118 138 | 127 24 | 86.7 102.6 | 57 10 | 3.9 4.3 | Beaver | 136 | 36 | 100 | (<u>4</u> /) | 8 | 58.8 | 1 | 0.7 |
| WhiteOther races | 151 83 | 130 39 | 21 44 | 116 | 19 5 | 125.8 | 6 4 | 4.0 (<u>5</u> /) | Box Elder | 455 792 | 182 232 | 273 560 | 250 341 | 30 40 | 65.9 50.5 | 10 18 | 2.3 |
| Austin | 1,230 | 1,067 | 163 261 | (<u>4</u> /) 115 133 | 103 84 | 83.7 78.9 | 47 38 | 3.8 | Carbon | 423 12 | 145 | 278 5 | 292 (4/) | 25 3 | 59.1 250.0 | 9 | 2.1 |
| Other races | 166 | 264 | -98 65 | 63 150 | 19 | 114.5 66.4 | 9 | 5.4 | Davis | 189 269 | 94 92 | 95 177 | | 7 22 | 37.0 81.8 | 3 9 | 1.6 3.3 |
| Trinity | 256 193 | 171 | 63 | 148 | 13 | 67.4 | 12 | 6.2 | Emery | 158 | 55 35 | 133 101 | (<u>4/</u>) | 10 | 53.2 29.4 | 4 5 | 2.1 3.7 |
| Other races | 63 | 41 | 22 | (<u>4</u> /) | 4 | 63.5 | 1 | (5/) | Grand | 55 | 16 | 40 | (4/) | 2 | 35.7 50.7 | 5 | 1.8 |
| Tyler | 211 169 | 109 91 | 102 | 194 (<u>4/)</u> | 11 | 52.1 65.1 | 8 8 | 3.8 4.7 | Juab | 276 176 | 80 71 | 196 105 | (क्रि) (क्रिक्र) (क्रिक्र) (क्रिक्र) | 14 | 51.1 | 3 | 1.7 |
| Other races Upshur | 42 529 | 18 202 | | (<u>4</u> /) 262 | 20 | 37.8 | 17 | 3.2 | Kane | 76 | 14 | 62 | | 7 | 92.1 | 1 | (<u>5</u> /) |
| White Other races | 386 143 | 136 66 | 250 77 | 284 (<u>4</u> /) | 16 4 | 41.5 28.0 | 8 9 | 2.1 6.3 | Millard | 250 44 | 67 20 | 183 24 | (<u>4/)</u> (<u>4/)</u> | 13 | 52.0 45.5 | 7 | 2.8 |
| Upton | 69 277 | 26 124 | 43 153 | (<u>4</u> /) 223 | 4 28 | 58.0 101.1 | 2 12 | (<u>5</u> /) 4.3 | Piute | 58 42 | 17 10 | 41 32 | (<u>4/)</u> (<u>4/)</u> | 3 | 51.7 71.4 | 1 | (<u>5</u> /) |
| White Other races | 275 2 | 121 | 154 -1 | 227 (<u>4</u> /) | 28 | 101.8 | 11 | 4.0 (<u>5</u> /) | Salt Lake | 4,303 842 | 2;110 304 | 2,193 538 | 204 277 | 203 29 | 47.2 34.4 | 112 25 | 2.6 3.0 |
| Val Verdo | 368 | 234 10 | 134 | 157 | 61 | 165.8 | 20 | 5.4 | Salt Lake City | 3,461 | 1,806 | 1,655 47 | 192 (<u>4</u> /) | 174 3 | 50.3 46.2 | 87 3 | 2.5 |
| Rural part | 4 4 | 10 | -6 | (4/) (4/) | | | | | White | 61 | 12 | 49 | (4/) (4/) | 2 | 32.8 | -3 | (5/) (5/) |
| Other races Del Rio | 364 | 224 | 140 | 163 | 61 | 167.6 | 20 | 5.5 | Other races | 420 | 131 | 289 235 | 321 322 | 14 15 | 50.3 44.0 | 6 5 | 1.4 |
| White Other races | 356 8 | 221 | 135 5 | 161 (<u>4</u> /) | 60 1 | 168.5 125.0 | 20 | 5.6 | Sevier | 341 263 | 106 81 | 182 | | 11 | | 8 | |

See footnotes at end of table.

155010 O--37----

TABLE I.—BIRTHS, DEATHS, INFANT MORTALITY, AND STILLBIRTHS: 1935—Continued (See note at head of this table)

| | | | | | | | | | ead of this table) | | | | | | | | |
|-------------------------------|--------------|------------|----------------------------|--------------------------------|-------------------------|-------------------------------------|-------------|------------------------|----------------------------|------------|------------|----------------------------|--------------------------------|---------------|------------------------------------|----------|--------------------------------|
| | (exc | BIRTHS . | AND DEATHS | orths) | MORT (Deat infant | MANT MALITY ths of s under | STI | LLBIRTHS | | (exc | | AND DEATHS | | MORT (Deat | ANT FALITY the of s under | STILL | BIRTHS |
| AREA | Nur | nber | Excess | Births | | of age, luding lirths) | | Per | AREA | Nus | aber | Excess | Births | excl | of age, uding irths) | | Per |
| | Births | Deaths | births over deaths1/ | per 100 deaths | Num- ber | Per 1,000 live births | Num- ber | live live births | | Births | Deaths | births over deaths1/ | per 100 deaths | Num- ber | Per 1,000 live births | Num- | 100 live births |
| Section B—Continued UTAH—Con. | | | | | | | | | Section B—Continued | | | | | | | | |
| | | | | | | | | | VIRGINIA-Con. | | } | | | | | | |
| Tooele Uintah | 166 321 | 75 141 | 91 180 | (<u>4</u> /) 228 | 1,3 28 | 78.3 67.2 | 2 7 | 1.2 | Brunswick | 489 153 | 192 76 | 297 77 | 255 (<u>4</u> /) | 22 | 45.0 26.1 | 23 5 | 4.7 3.3 |
| Utah | 1,388 | 557 340 | 631 631 | 249 286 | 57 44 | 41.1 45.3 | 24 17 | 1.7 | Other races Buchanen | 336 773 | 116 186 | 220 587 | 290 416 | 18 | 53.6 | 18 | 5.4 |
| Provo | 417 119 | 217 65 | 200 54 | 192 | 13 | 31.2 | 7 | 1.7 | Buckingham | 337 | 164 | 173 | 205 | 31 | 77.6 92.0 | 28 21 | 3.6 6.2 |
| Washington | 255 | 87 | 168 | (4/) (4/) | 10 7 | 84.0 27.5 | 2 3 | 1.7 | White Other races | 171 166 | 76 88 | 95 78 | (<u>4</u> /) (<u>4</u> /) | 12 19 | 70.2 | 10 | 5.8 6.6 |
| Wayne Weber | 86 1,390 | 16 506 | 70 884 | (<u>4</u> /) 275 | 2 61 | 23.3 43.9 | 3 25 | (<u>5</u> /) 1.8 | Rural part | 1,397 | 836 203 | 561 207 | 167 241 | 96 33 | 68.7 67.3 | 70 14 | 5.0 2.9 |
| Rural part | 104 | 56 440 | 38 846 | (<u>4</u> /) 292 | 4 57 | 38.5 44.3 | 25 | 1.9 | White Other races | 308 | 126 | 180 | 241 | 16 | 51.9 | 6 | 1.9 |
| | | | | | | | | | Lynchburg | 182 907 | 75 633 | 107 274 | (<u>4</u> /) 143 | 17 63 | 93.4 69.5 | 8 56 | 4.4 6.2 |
| VERMONT (total) | | 4,777 | 1,814 | 138 | 320 | 48.6 | 189 | 2.9 | White Other races | 703 204 | 432 201 | 271 3 | 163 101 | 46 17 | 65.4 83.3 | 34 22 | 4.8 10.8 |
| AddisonBennington | 303 349 | 220 288 | 83 61 | 138 121 | 12 | 39.6 48.7 | 10 | 2.6 2.9 | Caroline | 322 | 167 | 155 | 193 | 30 : | 93.2 | 13 | 4.0 |
| Caledonia Chittenden | 411 1,290 | 375 703 | 36 587 | 110 183 | 21 51 | 51.1 39.5 | 14 30 | 3.4 2.3 | White Other races | 112 | 74 93 | 38 117 | (4/) (4/) | 7 23 | 62.5 | 11 | 1.8 |
| Rural part Burlington | 351 939 | 250 453 | 101 486 | 140 207 | 17 34 | 48.4 36.2 | 8 22 | 2.3 | Carroll | 585 | 143 | 442 | 409 | 34 | 58.1 | 10 | 1.7 |
| Essex | 311 | 78 | 33 | (4/) | 5 | 45.0 | 1 | 0.9 | Charles City | 133 10 | 54 10 | 79 | (4/) (4/) | 5 | 37.6 | 3 | 2.3 |
| Grand Isle | .531 47 | 398 47 | 133 | 133 (<u>4</u> /) | 41 2 | 77.2 42.6 | 18 | 3.4 (<u>5</u> /) | Other races Charlotte | 123 372 | 44 190 | 79 182 | (<u>4</u> /) 196 | 5 31 | 40.7 83.3 | 3 14 | 2.4 3.8 |
| Lamoille | 222 | 143 | 79 | 155 | 14 | 63.1 | 7 | 3.2 | White Other races | 162 210 | 76 114 | 86 96 | (<u>4</u> /) 184 | 9 22 | 50.6 104.8 | 6 8 | 3.7 3.8 |
| Orange | 303 459 | 226 287 | 77 172 | 134 160 | 14 20 | 46.2 43.6 | 12 13 | 4.0 2.8 | Chesterfield | 327 | 272 | 55 | 120 | 18 | 55.0 | 1.7 | 5.2 |
| Rutland | 743 | 603 | 140 | 123 | 36 | 48.5 | 23 | 3.1 | Other races | 215 112 | 170 102 | 45 10 | 126 110 | 10 | 37.2 89.3 | 9 8 | 4.2 7.1 |
| Rural part Rutland | 352 391 | 311 292 | 41 99 | 113 | 14 22 | 39.8 56.3 | 8 15 | 2.3 3.8 | Clarke | 110 | 70 | 40 | (<u>4</u> /) | 4 | 36.4 | 3 | 2.7 |
| Washington | 851 568 | 585 433 | 266 135 | 145 131 | 34 19 | 40.0 33.5 | 30 21 | 3.5 | White Other races | 83 27 | 49 21 | 34 6 | (4/) (4/) | 2 2 | 24.1 | 1 2 | (5/) (5/) |
| Barre | 283 510 | 152 411 | 131 99 | 186 124 | 15 28 | 53.0 54.9 | 9 | 3.2 2.5 | Craig | 70 239 | 40 130 | 30 109 | (<u>4</u> /) | 5 | 71.4 | 4 | (<u>5</u> /) |
| Windsor | 461 | 413 | 48 | 112 | 25 | 54.2 | 9 | 2.0 | White | 154 | 77 | 77 | 184 (<u>4</u> /) | 15 B | 62.8 51.9 | 1 | 0.6 |
| VIRGINIA (total) | 51,487 | 30,358 | 21,129 | 170 | 3,583 | 69.6 | 2,182 | 4.2 | Other races Cumberland | 85 200 | 105 | 32 95 | (<u>4</u> /) 190 | 7 24 | 120.0 | 3 14 | (<u>5</u> /) 7.0 |
| Accomac | 510 | 432 | 78 | 118 | 46 | 90.2 | 39 | 7.6 | White Other races | 46 154 | 39 66 | 7 88 | (<u>4</u> /) (<u>4</u> /) | 21 | 65.2 136.4 | 13 | (<u>5</u> /) 8.4 |
| White Other races | 253 257 | 205 227 | 48 30 | 123 | 14 32 | 55.3 124.5 | 8 31 | 3.2 | Dickenson | 683 | 116 | 567 | 589 | 29 | 42.3 | 23 | 3.4 |
| Albemarle | 1,061 | 763 598 | 298 232 | 139 139 | 84 66 | 79.2 | 51 39 | 4.8 | Dinwiddie | 709 277 | 869 380 | ~160 | 82 73 | 62 | 87.4 57.8 | 39 6 | 5.5 2.2 |
| White Other races | 611 | 437 | 174 | 140 | 49 | 80.2 | 26 | 4.3 | White | 79 | 48 | -103 31 | (4/) | 16 5 | 63.3 | 1 | (5/) |
| Charlottesville | 219 231 | 161 165 | 58 66 | 136 140 | 17 18 | 77.6 | 13 12 | 5.9 5.2 | Other races Petersburg | 198 432 | 332 489 | -134 -57 | 88 | 11 46 | 55.6 106.5 | 33 | 2.5 7.6 |
| WhiteOther races | 203 28 | 116 49 | 67 -21 | 175 (<u>4</u> /) | 15 | 75.9 107.1 | 11 | 5.4 (<u>5</u> /) | White Other races | 239 193 | 200 289 | 39 -96 | 120 | 2≿ 24 | 92.1 124.4 | 12 21 | 5.0 10.9 |
| Alleghany | 695 | 332 | 363 | 209 | 52 | 74.8 | 27 | 3.9 | Elizabeth City | 465 | 454 | 11 | 102 | 26 | 55.9 | 12 | 2.6 |
| Rural part | 534 | 190 | 344 | 281 | 33 | 61.8 | 20 | 3.7 | Rural part | 267 182 | 291 174 | -24 6 | 105 | 12 | 22.0 | 6 3 | 2.2 |
| Clifton Forge 22/- White | 161 133 | 142 104 | 19 29 | 113 | 19 15 | 118.0 | 7 5 | 4.3 3.8 | Other races Hempton 22/ | 85 198 | 117 163 | -32 35 | 73 121 | 8 14 | 94.1 70.7 | 5 | (<u>5</u> /) 3.0 |
| Other races | 28 190 | 38 115 | -10 75 | (<u>4</u> /) 165 | 19 | 142.9 | 2 5 | (<u>5</u> /) 2.6 | White Other races | 120 78 | 75 88 | 45 ~10 | (<u>4</u> /) (<u>4</u> /) | 6 8 | 50.0 | 3 | 2.5 (<u>5</u> /) |
| White Other races | 69 121 | 34 81 | 35 40 | (<u>4</u> /) (<u>4</u> /) | 3 16 | 43.5 132.2 | 1 4 | (<u>5</u> /) 3.3 | Essex | 133 | 94 | 39 | (4/) | 12 | 90.2 | 5 | 3.8 |
| Amherst | 396 243 | 245 179 | 151 | 162 | 22 | 55.6 | 12 | 3.0 | White | 45 | 36 | 9 | 4/ | 2 | 44.4 | 2 | (5/) (<u>5</u> /) |
| Other races | 153 | 66 | 64 87 | 136 (<u>4</u> /) | 12 10 | 49.4 65.4 | 8 | 3.3 2.6 | Other races Fairfax | 313 | 58 232 | 30 81 | (<u>4</u> /) 135 | 10 | 28.6 | 12 | (<u>5/)</u> 3.8 |
| Appomettox | 171 98 | 77 42 | 94 56 | (<u>4</u> /) (<u>4</u> /) | 11 5 | 54.3 51.0 | 7 3 | 4.1 (<u>5</u> /) | White Other races | 251 62 | 186 46 | 65 16 | 13ა (<u>4</u> /) | 5 4 | 19.9 64.5 | 6 | 2.4 (<u>5</u> /) |
| Other races | 73 | 35 | 38 | (<u>4</u> /) | 6 | 62.2 | 4 | (<u>5</u> /) | Fauquier | 384 254 | 260 175 | 124 79 | 148 | 26 12 | 67.7 47.2 | 15 | 3.9 3.5 |
| Arlington | 712 188 | 559 191 | 153 -3 | 127 98 | 57 11 | 80.1 58.5 | 32 | 4.5 0.5 | Other races | 130 | 85 | 45 | (4/) | 14 | 107.7 | 6 | 4.6 |
| White | 154 | 150 | 4 | 103 | 9 | 58.4 | 1 | 0.6 | Fluvanna | 141 | 115 71 | 70 | 250 (4/) | 23 | 80.1 63.8 | 10 | 2.8 7.1 |
| Other races Alexandria | 34 524 | 41 368 | -7 156 | 142 | 2 46 | 58.8 67.8 | 31 | 5.9 | WhiteOther races | 73 68 | 39 32 | 34 36 | (<u>4</u> /) (<u>4</u> /) | 3 6 | 41.1 88.2 | 5 5 | (<u>5</u> /) (<u>5</u> /) |
| White Other races | 432 92 | 261 107 | 171 -15 | 166 86 | 38 8 | 88.0 67.0 | 25 6 | 5.8 (<u>5</u> /) | Franklin | 540 448 | 233 190 | 307 258 | 232 | 30 27 | 55.6 60.3 | 15 12 | 2.8 |
| Auguste | 981 755 | 749 398 | 232 | 131 | 66 53 | 67.3 | 18 | 1.8 | Other races | 92 | 43 | 49 | (<u>4</u> /) | 3 | 32.6 | 3 | (<u>5</u> /) |
| Staunton | 226 | 351 | -125 | 64 | 13 | 57.5 | 9 | 4.0 | Frederick | 508 | 341 | 167 | 149 | 40 | 78.7 | 21 | 4.1 |
| Other races | 191 35 | 310 41 | -119 -6 | 62 (<u>4</u> /) | 12 | 62.8 26.6 | B 1 | 4.2 (<u>5</u> /) | Rural part Winchester | 213 295 | 107 234 | 106 61 | 199 | 12 28 | 56.3 94.9 | 8 13 | 3.8 4.4 |
| Bath | 167 | 75 | 92 | (<u>4</u> /) | 10 | 59.9 | 3 | 1.8 | GilesGloucester | 326 153 | 131 131 | 195 21 | 249 116 | 21 5 | 54.4 32.7 | 12 | 3.7 4.6 |
| WhiteOther races | 160 | 65 10 | 95 -3 | (4/) (4/) | 10 | 62.5 | 2 | 1.3 (<u>5</u> /) | White Other races | 90 63 | 61 71 | 29 | (<u>4</u> /) (<u>4</u> /) | 1 4 | 11.1 | 2 | (<u>5/)</u> (<u>5</u> /) |
| Bedford | 557 390 | 311 | 246 | 179 | 31 | 55.7 | 13 | 2.3 | Goochland | 161 | 117 | 44 | 1.38 | 11 | b8.3 | 10 | 6.2 |
| Other races | 167 | 90 | 169 77 | 176 (<u>4/)</u> | 18 | 46.2 77.8 | 6 5 | 3.0 | White Other races | 63 98 | 51 65 | 12 32 | (<u>4</u> /) | 4 7 | 53.5 71.4 | 3 7 | (<u>5/)</u> (<u>5</u> /) |
| Bland | 156 357 | 55 148 | 209 | (<u>4</u> /) 241 | 7 19 | 44.9 53.2 | 12 | 3.8 3.4 | Grayson | 485 116 | 234 53 | 251 63 | 207 (<u>4</u> /) | 35 3 | 72.2 43.1 | 17 | 3.5 4.3 |
| White Other races | 320 37 | 120 28 | 200 | 267 (<u>4</u> /) | 16 | 56.3 27.0 | 10 | 3.1 (<u>5</u> /) | White Other races | 106 10 | 39 14 | 67 -4 | (4/) (4/) | 5 | 47.2 | 4 | 3.8 (<u>5</u> /) |
| See footnotes at er | | | - 1 | 1 | ~1 | | ~ (| \2 C 11 | 2222 140003-7 | | 73 (| | 1211 | - (| (| - 1 | (2) |

SUMMARY AND RATE TABLE

TABLE I.—BIRTHS, DEATHS, INFANT MORTALITY, AND STILLBIRTHS: 1935—Continued (See note at head of this table)

| | | | | | | <u> </u> | See no | ote at ne | ad of this table; | | | | | | | | |
|--|---------------------|-------------------|----------------------------|---------------------------------------|-------------------------|----------------------------------|----------------|-----------------------------|-----------------------------------|---------------------|-------------------|----------------------------|--|---------------------|----------------------------------|--------------|---------------------------------------|
| | | | ND DEATHS | | MORT (Deat infant | ANT ALITY hs of s under | STII | lbirths | | (exe) | | ND DEATHS | | MORT (Deat | ANT ALITY he of s under | STILL | BIRTHS |
| AREA | Ипп | ber | Excess of | Births | | of age, uding irths) | | Per | AREA | Nun | ber | Excess | Births | 1 year | of age, uding | _ | Per |
| • | Births | Deaths | births over deaths1/ | 100 deaths | Num- ber | Per 1,000 live births | Num- ber | 100 live births | | Births | Deaths | births over deaths1/ | per 100 deaths | Num- ber | Per 1,000 live births | Num- ber | 100 live births |
| Section B—Continued | ! | | | | | | | | Section B-Continued | | | | | | | | |
| VIRGINIA—Con. | 700 | ,,, | | 046 | | 5 5 0 | | | VIRGINIA—Con. | 775 | | | | | 45.1 | | |
| Greensville | 369 94 | 150 41 | 219 53 | 246 (<u>4</u> /) | 28 | 75.9 31.9 | 14 | 3.8 (<u>5/)</u> | White | 209 | 158 99 | 180 | 214 (4/) | 22 8 | 65.1 38.3 | 16 6 | 2.9 |
| Other races Halifax White | 275 1,032 495 | 109 456 227 | 166 576 268 | 252 226 218 | 25 86 39 | 90.9 83.3 78.8 | 10 47 12 | 3.6 4.6 2.4 | New Kent | 129 68 15 | 59 51 19 | 70 17 -4 | (4/) (4/) (4/) (4/). (4/). | 14 7 1 | 108.5 102.9 66.7 | 10 5 1 | 7.8 (<u>5</u> /) (5/) |
| Other races | 537 320 | 229 | 308 123 | 234 162 | 47 25 | 87.5 78.1 | 35 19 | 6.5 5.9 | Other races | 53 3,462 | 32 2,971 | 21 491 | (4/) 117 | 6 278 | 113.2 | 250 | (<u>5</u> /) (<u>5</u> /) 7.2 |
| White Other races | 156 164 | 112 | 44 79 | 139 (<u>4</u> /) | 11 14 | 70.5 85.4 | 7 12 | 4.5 7.3 | Rural part | 467 163 | 352 151 | 115 | 133 108 | 48 14 | 102.8 | 21 | 4.5 0.6 |
| Henrico | 3,393 349 | 3,193 252 | 200 97 | 106 138 | 258 18 | 76.0 51.6 | 169 14 | 5.0 4.0 | Other races | 304 2,048 | 201 | 103 197 | 151 | 34 147 | 111.8 71.8 | 20 155 | 6.6 7.6 |
| WhiteOther races | 219 130 | 185 67 | 34 63 | 118 (<u>4</u> /) | 11 7 | 50.2 53.8 | 7 | 3.2 5.4 | White Other races | 1,322 726 | 956 895 | 366 -169 | 138 81 | 60 87 | 45.4 119.8 | 59 96 | 4.5 13.2 |
| Richmond | 3,044 | 2,941 | 103 | 104 | 240 | 78.8 | 155 | 5.1 | Portsmouth White | 833 492 | 690 280 | 143 212 | 121 176 | 77 30 | 92.4 61.0 | 68 15 | 8.2 3.0 |
| White Other races | 2,015 | 1,762 | 253 -150 | 114 87 | 129 111 | 64.0 107.9 | 74 81 | 3.7 7.9 | Other races South Norfolk 22/- | 341 114 | 410 78 | ~69 36 | 83 (<u>4/</u>) | 47 6 | 137.8 52.6 | 53 6 | 15.5 5.3 |
| Henry Rural part | 966 744 | 325 210 | 641 534 | 297 354 | 47 32 | 48.7 43.0 | 22 15 | 2.3 | WhiteOther races | 82 32 | 51 27 | 31 5 | (4/) (4/) | | 73.2 | 3 | (<u>5/)</u> (<u>5</u> /) |
| White Other races | 487 257 | 123 67 | 364 170 | 396 (<u>4</u> /) | 17 15 | 34.9 58.4 | 9 | 2.3 | Northampton | 381 | 260 | 121 | 147 | 39 | 102.4 | 16 | 4.2 |
| Martinsville 22/ White | 222 156 | 115 71 | 107 85 | 193 (<u>4/)</u> | 15 | 67.6 70.5 | 7 | 3.8 | WhiteOther races | 112 269 135 | 102 | 10 111 -9 | 110 | 6 33 | 53.6 122.7 | 12 7 | 3.6 4.5 |
| Other races Highland Isle of Wight | 66 121 303 | 44 51 157 | 722 70 146 | (4/) (4/) 193 | 4 7 19 | 60.6 57.9 62.7 | 1 3 17 | (<u>5</u> /) 2.5 5.6 | Northumberland | 49 86 | 144 85 59 | -36 27 | 94 (4/) (4/) | 18 3 15 | 133.3 61.2 174.4 | 7 | 5.2 |
| White Other races | 112 191 | 56 101 | 56 90 | (<u>4</u> /) 189 | 2 17 | 17.9 89.0 | 3 14 | 2.7 | Nottoway | 264 88 | 227 76 | 57 12 | 125 (<u>4</u> /) | 18 | 63.4 45.5 | 11 3 | 3.9 (<u>5</u> /) |
| James City | | (23/) | (23/) | (23/) | (23/) | (23/) | (23/) | (23/) | Other races | 196 203 | 151 135 | 45 68 | 130 150 | 14 11 | 71.4 | 8 8 | 4.1 3.9 |
| Rural part White | 87 27 | 62 23 | 25 4 | (4/) (4/) | 7 | 80.5 37.0 | - 4 2 | 175/\ I | WhiteOther races | 122 | 76 59 | 46 22 | (4/) (4/) | 4 7 | 32.8 86.4 | 2 | 1.6 (<u>5</u> /) |
| Other races Williamsburg22/23/ | 60 53 | 39 157 | 21 104 | (4/) 34 | 6 · | 100.0 56.6 | 2 2 | | Page | 342 464 | 136 139 | 206 325 | 251 334 | 26 18 | 76.0 38.8 | 9 7 | 2.6 1.5 |
| White Other races | 32 21 | 142 15 | -110 6 | 23 (<u>4/)</u> | 3 | 142.9 | 2 | (5/) | Pittsylvania Rural part | 2,040 1,333 | 1,016 486 | 1,024 847 | 201 274 | 147 83 | 72.1 62.3 | 83 44 | 4.1 3.3 |
| King and Queen White | 142 57 | 84 31 | . 58 26 | (4/) (4/) | 12 | 84.5 70.2 | 8 2 | 5.6 (5/) | White Other races | 771 562 | 283 203 | 488 359 | 272 277 | 44 39 | 57.1 69.4 | 19 25 | 2.5 4.4 |
| Other races King George | 85 71 | 53 60 | 32 11 | (4/) (4/) | 8 | 94.1 84.5 | 6 3 | | Danville | 707 | 530 | 177 | 133 177 | 64 42 | 90.5 | 39 22 | 5.5 3.9 |
| White Other races | 29 42 | 25 35 | 7 | (4/) (4/) | 1 5 | 34.5 119.0 | 2 | | White | 561 146 104 | 317 213 62 | 244 -67 42 | 69 (4/) | 22 | 74.9 150.7 28.8 | 17 | 11.6 |
| King William | 144 45 | 117 44 | 27 1 | 123 (4/) | 13 1 | 90.3 22.2 | 7 | 4.9 (<u>5</u> /) | WhiteOther races | 40 64 | 18 44 | 22 20 | (4/) (4/) | 3 | 46.9 | 2 5 | (<u>5</u> /) (<u>5</u> /) |
| Other races Lancaster | 99 145 | 73 115 | 26 30 | (<u>4</u> /) 126 | 12 12 | 121.2 82.8 | 4 5 | (5/) 3.4 | Prince Edward | 362 146 | 218 92 | 144 54 | 166 (<u>4</u> /) | 26 4 | 71.8 27.4 | 17 3 | 4.7 2.1 |
| White Other races | 74 71 | 45 70 | 29 1 | (4/) (4/) | 3 9 | 40.5 126.8 | 3 2 | (5) | Other races Prince George | 216 346 | 126 204 | 90 142 | 171 170 | 22 32 | 101.9 92.5 | 14 22 | 6.5 6.4 |
| Loudoun | 1,026 | 309 227 | 717 156 | 332 169 | 65 29 | 63.4 75.7 | 34 12 | 3.3 | Rural part | 207 83 | 122 58 | 85 25 | 170 (<u>4/)</u> | 19 5 | 91.8 | 14 5 9 | 6.8 (<u>5/</u>) |
| White Other races | 274 109 281 | 173 54 157 | 101 55 | 158 (<u>4</u> /) 179 | 20 9 22 | 73.0 82.6 78.3 | 8 4 5 | 2.9 3.7 1.8 | Other races | 124 139 124 | 64 82 61 | 60 57 63 | (4/) (4/) | 14 13 8 | 112.9 93.5 64.5 | 8 | 7.3 5.8 4.8 |
| White Other races | 122 | 83 74 | 124 39 85 | (4/) (4/) | 7 15 | 57.4 94.3 | 1 4 | 0.8 | White Other races | 15 | 21 | -6 | (4/) | 5 | 333.3 | 2 | (<u>5</u> /) |
| Lunenburg | 295 108 | 173 82 | 122 | 171 (4/) | 19 | 64.4 46.3 | 11 | 3.7 | Princess Anne | 318 122 | 495 198 | -177 -76 | 6 <u>4</u> 62 | 30 10 | 94.3 82.0 | 26 6 | 8.2 4.9 |
| Other races | 187 | 91 | 96 | (4/) | 14 | 74.9 | 10 | 5.3 | Other races Prince William | 196 261 | 297 140 | -101 121 | 66 186 | 20 16 | 102.0 | 20 | 10.2 |
| Medison White | 165 111 | 92 62 | 73 49 | (4/) (4/) | 8 5 | 48.5 45.0 | 5 | 3.6 4.5 | White Other races | 200 61 | 106 34 | 94 27 | 189 (<u>4/)</u> | 10 | 50.0 98.4 | 3 | 0.5 (<u>5/</u>) |
| Other races | 54 100 | 30 88 | 12 | (4/) (4/) (4/) (4/) | 3 6 | 55.6 60.0 | 1 | 1.0 | Pulaski | 540 497 | 180 216 | 324 317 | 250 276 | 30 24 6 | 55.6 48.3 | 17 | 3.1 3.2 |
| White Other races | 73 27 775 | 71 17 | 2 10 442 | (<u>4</u> /) (<u>4</u> /) 233 | 2 | 54.78 74.1 59.4 | 1 49 | (<u>5</u> /) | Other races Rappahannock White | 43 167 128 | 36 73 54 | 7 94 74 | (4/) (4/) (4/) | 9 | 139.5 53.9 70.3 | 4 1 | (<u>5</u> /) 2.4 0.8 |
| Mecklenburg White Other races | 775 278 497 | 333 148 185 | 130 312 | 188 269 | 46 12 34 | 43.2 58.4 | 10 | 3.6 7.B | Other races | 39 122 | 19 82 | 20 40 | (4/) (4/) | 15 | 123.0 | 3 5 | (<u>5</u> /) 4.1 |
| Middlesex | 110 48 | 82 37 | 28 11 | (4/) (4/) (4/) | 10 | 90.9 | 8 | 7.3 (<u>5</u> /) | WhiteOther races | 63 59 | 51 31 | 12 28 | (4/) | 7 8 | 111.1 | 2 3 | (<u>5</u> /) (<u>5</u> /) |
| Other races | 62 | 45 | 17 | 1 | 7 | 112.9 | 7 | (5/) | Rosnoke | 1,826 | 1,195 | 631 | 153 | 125 | 68.5 | 66 | 3.6 |
| Montgomery | 611 489 | 336 284 | 275 205 | 182 172 | 44 38 | 72.0 77.7 | 26 17 | 4.3 3.5 | Rural part | 1,223 | 329 866 | 274 357 | 183 141 | 28 97 | 46.4 79.3 | 12 54 | 2.0 4.4 |
| White | 463 26 | 248 36 | 215 -10 | 187 (<u>4</u> /) | 35 3 | 75.6 115.4 | 16 1 | 3.5 (<u>5/)</u> | WhiteOther races | 1,028 195 523 | 669 197 252 | 359 -2 271 | 154 99 208 | 73 24 33 | 71.0 123.1 63.1 | 21 16 | 3.2 10.8 3.1 |
| Radford 22/ White | 122 107 15 | 52 46 6 | 70 61 9 | (4/) (4/) (4/) (4/) | 6 | 49.2 56.1 | 9 | 7.4 8.4 | Rockbridge | 523 ; 411 367 | 252 211 175 | 200 | 195 210 | 27 25 | 65.7 68.1 | 10 | 2.4 |
| Other races Nansemond Rural part | 656 457 | 538 303 | 118 154 | 122 | 72 52 | 109.8 | 39 24 | 5.9 5.3 | Other races Buena Vista 22/ | 44 112 | 36 41 | 8 71 | (4/) (4/) | 2 6 | 45.5 | 2 6 | (<u>5</u> /) 5.4 |
| White Other races | 86 371 | 53 240 | 23 | (<u>4</u> /) 155 | 2 50 | 23.3 | 24 | 6.5 | Rockingham | 843 585 | 463 261 | 380 324 | 182 224 | 41 23 | 48.6 39.3 | 22 15 | 2.6 |
| Suffolk White | 199 136 | 235 114 | -36 22 | 85 119 | 20 12 | 100.5 | 15 8 | 7.5 5.9 | Harrisonburg 22/ White | 258 239 | 202 181 | 56 58 | 128 132 | 18 16 | 69.8 66.9 | 7 | 2.7 2.5 |
| Other races | 63 | 121 | -58 | 52 | 8 | 127.0 | 7 | (5/) | Other races | 19 | 21 | -2 | (4/) | 2 | 105.3 | 1 | (<u>5</u> /) |

TABLE I.—BIRTHS, DEATHS, INFANT MORTALITY, AND STILLBIRTHS: 1935—Continued

(See nots at head of this table)

| | T | DIMP | AND WA | | TAT | FANT | | | ed 31 outs outle) | | | | | | | T | |
|-----------------------------------|-----------------------|----------------------|----------------------------|--------------------------------|-----------------------|--------------------------------|--------------|---------------------------------------|------------------------------|-----------------------|-----------------------|---------------------------|--------------------------------|----------------|--------------------------------|-----------------|----------------------|
| | (exc | | AND DEATHS | | MOR (Dea- infan | TALITY ths of ta under | STI | LLBIRTHS | | (exc | | AND DEATH: f stillbi: | | MORT (Deat | MALITY ths of s under | STILI | BIRTHS |
| AREA | Nu | mber | Excess of | Births per | exc | r of age, luding births) | Num- | Per 100 | AREA | Nur | nber | Excess | Births per | excl | of age uding pirths) | Num- | Per |
| | Births | Deaths | births over deaths1/ | 100 deaths | Num- ber | Per 1,000 live births | ber | live births | | Births | Deaths | births over deathsl | 100 deaths | Num- ber | Per 1,000 live births | ber | live births |
| Section B-Continued | | | | | | | | | Section B—Continued | | | | | | | | |
| VIRGINIA—Con. | | | | | İ | | | | WASHINGTON-Con. | | | | | | | | |
| Russell | 647 | 211 239 | 613 408 | 391 271 | 34 33 | 41.3 51.0 | 25 23 | 3.0 3.6 | Kitsap | 482 134 | 375 248 | 107 -114 | 129 54 | 20 10 | 41.5 74.6 | 13 | 2.7 |
| ShenandoahSmyth | 755 | 191 328 | 189 427 | 199 230 | 8 37 | 21.1 49.0 | 11 26 | 2.9 | BremertonKittitas | 348 285 | 127 176 | 221 109 | 274 162 | 10 10 | 28.7 35.1 | 13 5 | 3.7 1.8 |
| Southempton | 156 | 335 105 | 283 51 | 184 149 | 53 5 | 85.8 32.1 | 34 | 5.5 0.6 | Klickitat Lewis | 125 646 | 77 385 | 48 261 | (<u>4</u> /) 168 | 5 24 | 40.0 37.2 | 4 <u>.</u> 9 | 3.2 1.4 |
| Other races Spotsylvania | 422 | 230 298 | 232 124 | 201 142 | 48 29 | 103.9 68.7 | 33 19 | 7.1 4.5 | Lincoln | 136 158 | 97 109 | 39 49 | (<u>4</u> /) 145 | 4 5 | 29.4 31.6 | 1 4 | 0.7 2.5 |
| Rural part | 119 | 103 | 100 53 | 197 (<u>4</u> /) | 13 7 | 64.0 58.8 | 5 | 2.5 | Okanogan | 462 163 | 200 127 | 262 36 | 231 128 | 25 10 | 54.1 61.3 | 6 2 | 1.7 |
| Other races Fredericksburg 22/ | 219 | 37 195 | 47 24 | (<u>4</u> /) 112 | 6 16 | 71.4 | 5 14 | (<u>5</u> /) 6.4 | Pierce | 104 2,198 | 69 2,113 | 35 85 | (<u>4</u> /) 104 | 4 79 | 38,5 35,9 | 2 35 | 1.9 1.6 |
| White Other races Stafford | | 156 39 | 36 -12 | 123 (<u>4</u> /) | 14 2 | 72.9 74.1 | 11 | 5.7 (<u>5/</u>) | Rural part Tacoma | 364 1,834 | 1,436 | -313 398 | 54 128 | 13 66 | 35.7 36.0 | 6 29 | 1.6 1.6 |
| White Other races | 154 101 53 | 76 61 | 78 40 | (4/) (4/) | 8 4 | 51.9 39.6 | 2 | 1.0 | San Juan | 29 | 35 | -6 | (<u>4</u> /) | | | | |
| Surry | | 15 | 38 37 | (<u>4</u> /) | 19 | 75.5 | 1 | (5/) | Skagit | 451 53 | 487 35 | -36 18 | (<u>4</u> /) | 19 | 42.1 113.2 | 15 2 | 3.3 (<u>5</u> /) |
| White Other races | 38 | 30 69 | 8 29 | (4/) (4/) (4/) | 3 16 | 78.9 163.3 | 10 1 9 | 7.4 (<u>5</u> /) | Snohomish | 1,162 503 659 | 875 476 | 287 27 | 133 106 | 58 20 | 49.9 39.8 | 20 6 | 1.7 |
| Sussex | 280 | 163 36 | 117 | 172 | 27 | 96.4 | 21 | (<u>5</u> /) 7.5 (<u>5</u> /) | Spokene | | 399 2,348 627 | 260 -114 -469 | 165 95 2 5 | 38 115 3 | 57.7 51.5 19.0 | 14 48 2 | 2.1 2.1 1.3 |
| Other races Tazewell | 235 | 127 312 | 108 875 | 185 | 26 64 | 110.6 | 20 36 | 8.5 | Spokane | | 1,721 | 355 86 | 121 148 | 112 | 53.9 41.4 | 46 | 2.2 |
| Warren | 180 767 | 98 590 | 82 177 | (<u>4</u> /) 130 | 17 36 | 94.4 | 8 45 | 4.4 | Thurston | 439 174 | 315 141 | 124 | 139 | 18 | 41.0 57.5 | 20 | 4.6 1.7 |
| Rural part White | 87 45 | 109 50 | -22 -5 | BO (4/) | 4 2 | 46.0 44.4 | 3 2 | (<u>5</u> /) (<u>5</u> /) | Olympia | 265 | 174 | 91 | 152 | 8 | 30.2 | 17 | 6.4 |
| Other races Newport News | 42 580 | 59 481 | -17 199 | (<u>4</u> /) | 2 32 | 47.6 47.1 | 1 42 | (<u>5</u> /) 6.2 | Wahkiakum | 26 465 | 30 426 | -4 39 | (<u>4</u> /) 109 | 1 28 | 38.5 60.2 | 12 | 2.6 |
| White Other races | 422 258 | 226 255 | 196 | 187 101 | 21 11 | 49.8 42.6 | 21 21 | 5.0 8.1 | Rural part Walla Walla | 32 433 | 154 272 | -122 161 | 21 159 | 4 24 | 125.0 55.4 | 12 | 2.6 |
| Washington | | 568 | 709 | 225 | 88 | 68.9 | 40 | 3.1 | Whatcom | 862 233 | 646 277 | 216 -44 | 133 84 | 29 13 | 33.6 55.8 | 14 | 1.6 0.4 |
| Rural part Bristol 22/ | 951 326 | 399 169 | 552 157 | 238 193 | 59 29 | 62.0 89.0 | 31 | 2.8 | Bellingham Whitman | 529 370 | 369 264 | 260 106 | 170 140 | 16 12 | 25.4 32.4 | 13 | 2.1 |
| White Other races Westmoreland | 313 13 216 | 157 | 156 | 199 (<u>4</u> /) | 27 | 86.3 153.8 | 8 | 2.6 (<u>5</u> /) | Yekima | 1,710 748 | 952 548 | 758 200 | 180 136 | 124 67 | 72.5 89.6 | 31 11 | 1.8 |
| WhiteOther races | 82 134 | 145 73 72 | 71 9 62 | 149 (<u>4</u> /) | 33 10 23 | 152.8 122.0 171.6 | 10 2 8 | (<u>5</u> /) | Yakima | 962 | 404 | 558 | 238 | 57 | 59.3 | 20 | 2.1 |
| Wise | 1,562 | 484 178 | 1,078 | (<u>4</u> /) 323 295 | 126 | 80.7 | 53 | 6.0 3.4 5.8 | WEST VIRGINIA (total) | 41,774 | 18,340 | 23,434 | 228 | 2,533 | 60.6 | 1,645 | 3.9 |
| York | (<u>23</u> /) 162 | (<u>23</u> /) 85 | (<u>23</u> /) | (25/) | (<u>23</u> /) 8 | (<u>23</u> /) (| 23/) 10 | (<u>23</u> /) | BarbourBerkeley | 432 504 | 173 350 | 259 154 | 250 144 | 19 30 | 44.0 59.5 | 17 33 | 3.9 6.5 |
| White Other races | 69 93 | 39 46 | 30 47 | (4/) (4/) (4/) | 3 5 | 43.5 53.8 | 3 7 | (5/) (5/) | Rural part Martinsburg | 206 298 | 85 265 | 121 | (<u>4</u> /) | 1 29 | 4.9 | 8 25 | 3.9 8.4 |
| Williamsburg(part) | (23/) | (<u>23</u> /) | (<u>23</u> /) | (23/) | (23/) | | 23/) | (<u>23</u> /) | Braxton | 797 526 | 168 | 629 335 | 474 275 | 46 25 | 57.7 47.5 | 20 | 2.5 |
| WASHINGTON (total) | 22,396 | 18,203 | 4,193 | 123 | 1,012 | 45.2 | 476 | 2.1 | Brooke | 390 (<u>24</u> /) | 175 (<u>24</u> /) | 215 | 223 (<u>24</u> /) | 19 (24/) | 48.7 (24/) | 17 | 4.4 |
| Adams | 84 | 46 | 38 | (4/) | 6 | 71.4 | 3 | (5/) | Rural part Huntington 24/ | 448 1,497 | 154 1,072 | 294 425 | 291 | 17 | 37.9 58.8 | 10 | 2.2 |
| AsotinBenton | 64 94 | 51 82 | 13 12 | (<u>4</u> /) (<u>4</u> /) | 2 5 | 31.3 53.2 | 2 | (<u>5</u> /) (<u>5</u> /) | CalhounClay | 290 434 | 88 71 | 202 363 | (<u>4</u> /) (<u>4</u> /) | 18 15 | 62.1 34.6 | 9 13 | 3.1 3.0 |
| Rural part | 673 173 | 365 168 | 308 5 | 184 | 34 10 | 50.5 57.8 | 10 | 0.6 | Doddridge | 220 | 80 | 140 | (<u>4</u> /) | 8 | 36.4 | 10 | 4.5 |
| WenatcheeClallam | 500 354 | 197 226 | 303 128 | 254 157 | 24 25 | 70.6 | 12 | 3.4 | Fayette | 2,122 | 781 601 | 1,341 | 272 308 | 143 124 | 67.4 67.0 | 73 64 | 3.4 3.5 |
| Rural part Port Angeles | 236 | 91 135 | 101 | 175 | 16 | 76.3 67.8 | 10 | 1.7 | Other races | 271 275 | 180 76 | 91 199 | 151 (<u>4/)</u> | 19 | 70.1 69.1 | 9 4 | 3.3 1.5 |
| Rural part | 187 | 413 175 | 188 | 107 | 10 | 34.9 53.5 | 2 | 1.8 | Grant | 962 | 90 400 | 100 562 | (<u>4</u> /) 241 | 18 60 | 94.7 62.4 | 42 | 2.1 |
| Vancouver | 414 78 | 238 46 | 176 32 | 174 (<u>4</u> /) | 3 | 26.6 38.5 | 9 | 2.2 | Hampshire | 221 514 | 206 | 66 308 | 250 | 18 25 | 81.4 | 29 | 6.3 5.6 |
| Rural part | 586 245 | 286 | 300 33 | 205 | 19 | 32.4 | 19 | 3.2 | Hardy | 228 | 77 | 151 868 | (<u>4</u> /) 210 | 13 98 | 57.0 59.2 | 12 51 | 5.3 3.1 |
| Longview | 341 57 | 74 63 | 267 -6 | (<u>4</u> /) | 8 | 23.5 | 11 4 | 3.2 (<u>5</u> /) | Rural part | 989 666 | 400 387 | 589 279 | 172 | 54 44 | 54.6 | 35 16 | 3.5 2.4 |
| Farry | 72 38 | 37 23 | 35 15 | (<u>4/)</u> (<u>4/)</u> | 6 2 | 83.3 52.6 | 3 3 | (<u>5</u> /) (<u>5</u> /) | Jefferson | 383 | 142 | 241 | 171 | 25 | 73.3 | 15 | 3.9 |
| Other races Franklin | 34 129 | 14 | 20 | (4/) (4/) | 4 8 | 117.6 | z | 1.6 | WhiteOther races | 286 | 156 | 130 | 183 (<u>4</u> /) | 23 | 50.4 36.4 | 8 | 2.8 (<u>5</u> /) |
| Garfield | 65 84 | 30 61 | 35 23 | (4/) (4/) | 1 5 | 15.4 59.5 | 1 | (5/) (5/) | Kanawha | 3,887 2,443 | 1,837 799 | 2,050 1,644 | 212 306 | 269 149 | 69.2 61.0 | 173 88 | 4.5 3.6 |
| Grays Harbor | 706 216 | 504 154 | 202 62 | 140 | 33 11 | 46.7 50.9 | 20 | 2.8 | Charleston White | 1,444 | 1,038 879 | 406 474 | 139 154 | 120 113 | 83.1 83.5 | 85 75 | 5.9 5.5 |
| Aberdeen Hoquiam | 330 160 | 233 117 | 97 4 3 | 142 | 14 8 | 42.4 50.0 | 11 6 | 3.3 | Other races | 91 377 | 159 316 | -68 61 | 57 119 | 7 25 | 76.9 66.3 | 10 18 | (<u>5</u> /) 4.8 |
| Island | 79 131 | 50 72 | 29 59 | (<u>4</u> /) (<u>4</u> /) | 5 6 | 63.3 45.8 | 1 | 0.8 | Lincoln | 584 1,918 | 134 510 | 450 1,408 | 436 376 | 31 105 | 53.1 54.7 | 12 68 | 2.1 3.5 |
| King | 5,713 811 | 5,456 833 | 257 -22 | 105 97 | 225 22 | 39.4 27.1 | 125 | 2.2 | WhiteOther races | 1,741 | 432 78 | 1,309 | 403 (<u>4</u> /) | 99 | 56.9 33.9 | 62 | 3.6 |
| Seattle | 4,902 | 4,623 | 279 287 | 106 | 193 | 41.4 | 107 | 2.3 | McDowell | 2,674 | 837 565 | 1,837 | 319 379 | 152 | 55.5 | 83 | 4.2 3.9 |
| Other races | 192 | 200 | -8 | 96 | 10[| 52.1 | 5 | 2.6 | Other races | 530 | 272 | 258 | 195 | 33 | 62.3 | 29 | 5.5 |

SUMMARY AND RATE TABLE

TABLE I.—BIRTHS, DEATHS, INFANT MORTALITY, AND STILLBIRTHS: 1935—Continued (See note at head of this table)

| | | | | | | (| See no | te at hea | d of this table) | | | | | | | | |
|--|--|---|---|--|---|--|--|--|---|--|---|--|---|--|--|---|--|
| | | | ND DEATHS | thsJ | (Deat) | ALITY | stil | LBIRTHS | | | | ND DEATHS stillbir | | (Deat | ALITY hs of s under | STILL | BIRTES |
| AREA | Num | iber | Excess of | Births | | of age, iding irths) | | Per | AREA. | Num | ber | Excess | Births | | of age, iding irths) | Num- | Per 100 |
| | Births | Deaths | births over deaths1/ | per 100 deaths | Num- ber | Per 1,000 live births | Num- | 100 live births | | Births | Deaths | births over deaths | per 100 deaths | Num- ber | Per 1,000 live births | ber | live births |
| Section B-Continued | | | | | | | | | Section B—Continued | | | | | | | | |
| WEST VIRGINIA-Con. | | | | | | | i | | WISCONSIN-Con. | | | | | | | | |
| Marion | 1,074 83 401 352 49 | 645 305 340 408 243 163 253 719 374 324 50 345 267 78 | 659 575 84 223 145 78 271 839 783 750 33 56 85 -29 | 202 289 125 155 160 148 207 217 309 331 (4/) 116 132 (4/) | 70 39 31 28 17 132 109 71 8 30 27 3 | 53.7 44.3 73.1 44.5 43.8 45.6 61.1 70.0 68.3 66.1 96.4 74.8 76.2 | 59 35 24 27 19 8 11 67 35 32 29 3 | 4.5 4.0 5.7 4.3 4.9 3.3 2.1 4.3 3.0 (5/) 8.0 (5/) | Dunn- Eau Claire- Rural part- Eau Glaire- Florènce- Fond du Lac- Kural part- Frend du Lac- Grent- Creen- Creen- Leve- Lowe- | 505 938 170 768 69 1,039 454 585 318 712 354 175 370 126 | 251, 518, 94, 424, 40, 663, 265, 398, 112, 407, 231, 154, 231, 63, | 254 420 76 344 29 376 189 187 206 305 123 21 139 63 | 201 181 (4/) 187 177 171 147 284 175 153 114 160 (4/) | 25 · 48 9 39 52 22 40 22 28 12 7 14 11 | 49.5 51.2 52.9 50.8 72.5 59.7 48.5 68.4 69.2 39.3 33.9 40.0 87.3 | 13 24 3 21 23 3 20 9 21 8 6 | 2.6 2.6 2.7 2.2 0.7 3.4 2.9 2.3 4.8 2.7 |
| Mingo- Mingo- Mingo- Rurel part- Morgantown Morroe- Morgan Nicholas Chio- Rurel part- Vheeling Fendleton Fleasants | 1,055 | 244 298 462 249 213 123 87 185 1,152 116 1,036 71 57 | 231 808 593 457 136 95 50 398 244 65 179 147 | 195 371 228 284 164 177 (4/) 315 121 156 117 (4/) (4/) | 31 51 66 43 23 16 12 34 82 78 85 | 65.3 46.1 62.6 60.9 65.9 87.6 58.3 58.7 22.1 64.2 36.7 | 25 44 38 31 7 8 6 11 46 3 43 6 3 | 5.3 4.0 3.4 2.0 3.7 4.4 1.9 3.3 1.7 3.5 2.8 | Jackson Jefferson Rural part Watertomm 25/ Junean Kenosha Rural part Kenosha Kenosha Kenosha Kenosha Kenosha La Crosse Rural part La Crosse Lafayetto | 324 (25/) 319 245 343 972 111 861 299 1,222 167 1,055 285 | 160 (25/) 292 172 203 476 104 372 139 746 119 627 163 | 164 (25/) 27 73 140 496 7 489 160 476 48 428 122 | 203 (25/) 109 142 169 204 107 231 215 164 140 168 175 | 10 (25/) 18 10 15 38 4 34 14 54 7 47 | 30.9 (25/) 56.4 40.8 39.1 36.0 39.5 46.8 44.2 41.9 44.5 49.1 | 2 (25/) 7 4 6 24 6 18 14 39 3 36 5 | 0.6 (25/) 2.2 1.6 1.7 2.5 5.4 2.1 4.7 3.2 1.8 3.4 |
| Focahontas | 299 687 426 2,241 1,978 263 681 289 463 472 393 286 | 173 324 154 760 603 157 319 145 315 222 243 112 | 126 363 272 1,481 1,375 106 362 144 148 250 150 174 | 173 212 277 295 328 168 213 199 147 213 162 255 | 26 54 33 153 127 26 46 17 28 29 31 24 | 87.0 78.6 77.5 68.3 64.2 98.9 67.5 58.8 60.5 61.4 78.9 | 11 24 20 93 77 16 31 7 26 24 23 | 3.7 3.5 4.7 4.1 3.1 4.6 2.4 5.6 5.1 5.9 | Langlade Lincolm Manitowoc Rural part Manitowoc Two Rivers Marathon Rural part Wausau Marinette Rural part Marinette Marinette Marguette | 498 470 1,018 377 424 217 1,481 837 644 586 316 270 100 | 220 234 537 196 245 96 639 286 353 367 165 202 31 | 278 236 481 181 179 121 842 551 291 219 151 68 | 226 201 190 192 173 (<u>4</u> /) 232 293 162 160 192 134 (<u>4</u> /) | 50 31 54 18 24 12 75 38 37 30 18 12 | 60.2 66.0 53.0 47.7 56.6 55.3 50.6 45.4 57.5 51.2 57.0 44.4 10.0 | 14 12 22 6 9 7 31 21 10 11 3 8 | 2.8 2.6 2.2 1.6 2.1 2.1 2.5 1.6 0.9 |
| Tyler- Upshur- Waynd- Rurel part- Huntington (part) Webster- Wetzel- Wirt- Wood- Rurel part- Farkorsburg- Wyoming- WISCONSIN (total) | 512 458 125 1,131 554 577 622 | | 104 220 (24/) 587 (24/) 397 221 63 452 347 105 482 21,868 | 167 220 (24/) 354 (24/) 445 193 (4/) 167 268 122 444 | 17 26 (24/) 45 (24/) 33 28 9 73 15 58 21 | 65.6 64.5 (24/) 55.0 (24/) 64.5 61.1 72.0 64.5 27.1 100.5 33.8 | 8 9 (24/) 24 (24/) 26 21 66 24 22 27 | 3.1 2.2 (<u>24/</u>) 2.9 (<u>24/</u>) 5.1 4.6 4.8 4.1 4.3 3.8 4.3 | Milwaukee Rural part Cuddhy- Milwaukee Shorewood South Milwaukee Wauwatose West Allis Monroe Oconto- Oneida Outegamte Rural part Appleton | | 7,334 1,850 34 5,087 66 54 110 133 316 240 190 639 299 | 4,362 -17 119 3,947 -50 126 216 268 236 213 799 455 | 159 99 (4/) 178 (4/) (4/) 165 225 185 198 212 225 252 201 | 542 105 4 414 11 1 7 10 36 28 21 57 33 | 46.3 57.3 26.1 45.8 62.5 38.9 5.5 33.4 61.6 58.8 52.1 39.6 43.8 35.1 | 260 44 4 196 7 2 7 10 14 9 35 23 13 | 2.2 2.4 2.6 2.2 3.9 1.1 2.3 1.7 2.9 2.9 2.5 3.1 |
| Adams | 313 634 | 252 62 190 | 72 216 93 123 276 63 756 154 602 159 69 147 316 | (4/) 186 (4/) 165 177 150 189 166 198 250 164 226 169 | 5 29 8 21 27 6 75 18 57 7 4 | 33.3 62.0 51.6 67.1 42.6 31.9 46.8 46.5 46.5 46.9 26.4 22.7 30.3 67.4 | 3 10 3 7 13 4 32 3 29 5 4 5 | 1.9 2.2 2.1 2.1 2.0 0.8 2.4 1.9 2.3 | Ozaukee | 219 173 325 533 697 344 353 318 1,435 217 1,218 440 | 142 82 205 278 344 163 151 144 891 272 619 205 | 77 91 120 255 353 181 172 174 544 -55 599 235 | 197 215 | 60 27 | 45.7 11.6 27.7 46.9 45.9 49.4 42.5 28.3 52.3 69.1 49.3 | 18 | 2.3 2.3 1.5 3.4 2.3 1.7 2.8 2.5 2.9 0.5 3.4 |
| Clark— Columbis— Crawford— Dane— Rural part— Madison— Dodge— Rural part— Watertown (part)— Door— Douglas— Rural part— Superior——— | 381 755 119 | 254 425 170 1,650 619 1,031 (25/) 462 (25/) 178 571 133 438 | 338 105 208 387 -114 501 (25/) 263 (25/) 203 184 -14 198 | 233 125 222 123 82 149 (25/) 157 (25/) 214 132 89 145 | 17 21 15 77 24 53 (25/) 45 (25/) 16 40 8 | 28.7 39.6 39.7 37.8 47.5 34.6 (25/) 52.1 (25/) 42.0 53.0 67.2 50.3 | 17 20 12 34 11 23 (25/) 16 (25/) 5 29 8 | 3.2 1.7 2.2 1.5 (25/) 1.8 (25/) 1.3 3.8 6.7 | Rock— Rural part— Beloit— Jenesvillu— Rusk— Sauk— Sauk— White— Other races— Shebygen— Rural part— Sheboygen— | 1,372 359 515 496 354 341 605 253 153 100 698 1,263 386 877 | 81.0 283 277 250 138 213 359 93 60 33 298 702 301 401 | 561 85 | 199 257 160 169 (4/) (4/) (4/) 234 180 128 | 23 23 10 9 22 15 9 6 31 47 18 | 38-6 19-5 44-7 46-2 28-2 26-4 36-4 59-3 59-3 60-0 44-4 37-2 46-6 33-1 | 13 4 3 1 16 38 14 | 2.0 2.2 2.0 3.4 2.9 1.6 2.0 1.3 5.6 2.7 |

TABLE I.—BIRTHS, DEATHS, INFANT MORTALITY, AND STILLBIRTHS: 1935—Continued

(See note at head of this table)

| | | | ND DEATHS stillbir | ths) | (Deat | ANT ALITY hs of s under | STIL | LBIRTHS | | | | ND DEATHS f stillbi | | (Deat | ALITY hs of s under | STILI | BIRTHS |
|---------------------|--------|--------|---------------------------|-------------------|-------------|----------------------------------|------|----------------|----------------------|--------|--------|--------------------------|-------------------|-------------|--------------------------------|-------|----------------|
| AREA | Num | iber | Excess of | Births | | of age, uding irths) | Num- | Per | AREA | Nun | ber | Excess of | Births per | | of age, uding irths) | Num- | Per 100 |
| | Births | Deaths | births over deaths1 | 100 deaths | Num- ber | Per 1,000 live births | ber | live births | | Births | Deaths | births over deaths | 100 deaths | Num- ber | Per 1,000 live births | ber | live births |
| Section B-Continuec | | | | | | | | | Section B-Continued | | | | | | | | |
| WISCONSIN-Con. | | | | | | | | | WYOMING-Con. | | | | | | | | |
| Taylor | 406 | 154 | 252 | 264 | 24 | 59.1 | 6 | 0.5 | Fremont | 282 | 175 | 107 | 161 | 27 | 95.7 | 3 | 1.1 |
| Trempealeau | 411 | 208 | 203 | 198 | 30 | 73.0 | l a | 1.9 | White | 186 | 125 | 61 | 149 | 17 | 91.4 | 2 | 1.1 |
| Vernon | 477 | 261 | 216 | 183 | 25 | 52.4 | 10 | 2.1 | Other races | 96 | 50 | 46 | (4/) | 10 | 104.2 | 1 | (5/) |
| Vilas | 136 | 82 | 54 | | 11 | 80.9 | ¯2 | 1.5 | . Goshen | 248 | 71 | 177 | (4/) | 13 | 52.4 | 3 | 1.2 |
| White | 119 | 65 | 54 | (4/) (4/) | 9 | 75.6 | 2 | 1.7 | Hot Springs | 108 | 79 | 29 | (4/) | 6 | 55.6 | 4 | 3.7 |
| Other races | 17 | 17 | | (4 /) | 2 | 117.6 | | | Johnson | 83 | 43 | 40 | (4/) | 1 | 12.0 | 3 | (5/) |
| Walworth | 398 | 372 | 26 | 107 | 15 | 37.7 | 6 | 1.5 | Laramie | 462 | 324 | 138 | 143 | 24 | 51.9 | 7 | 1.5 |
| Washburn | 207 | 75 | 132 | (4/) | 8 | 38.6 | 4 | 1.9 | Rural part | 109 | 50 | 59 | (4/) | 3 | 27.5 | 1 | 0.9 |
| Washington | 467 | 272 | 195 | 172 | 21 | 45.0 | 7 | 1.5 | Cheyenne | 353 | 274 | 79 | 129 | 21 | 59.5 |) 6 | 1.7 |
| | | | | | | | | | Lincoln | 256 | 85 | 171 | (4/) | 13 | 50.8 | 7 | 2.7 |
| Waukesha | 824 | 596 | 228 | 138 | 26 | 31.6 | 18 | 2.2 | Natrona | 425 | 239 | 186 | 178 | 29 | 68.2 | 10 | 2.4 |
| Rural part | 403 | 410 | -7 | 98 | 11 | 27.3 | 4 | 1.0 | Rural part | 74 | 18 | 56 | (4/) | 5 | 67.6 | 4 | (5/) |
| Waukesha | 421 | 186 | 235 | 226 | 15 | 35.6 | 14 | 3.3 | Casper | 351 | 221 | 130 | 159 | 24 | 68.4 | 6 | 1.7 |
| Waupaca | 535 | 375 | 160 | 143 | 24 | 44.9 | 17 | 3.2 | 1 | ì | ľ | 1 | 1 | 1 | ì | ì | 1 |
| Waushere | 193 | 117 | 76 | 165 | 7 | 36.3 | 74 | 2.1 | Niobrara | 93 | 57 | 36 | (4/) | 4 | 43.0 | | |
| Winnebego | 1.186 | 875 | 311 | 136 | 45 | 37.9 | 36 | 3.0 | Park | 191 | 76 | 115 | (<u>4</u> /) | 14 | 73.3 | 3 | 1.6 |
| Rural part | 508 | 410 | 98 | 124 | 14 | 27.6 | 10 | 2.0 | Platte | 151 | 87 | 64 | (4/) | 9 | 59.6 | 7 | 4.6 |
| Oshkosh | 678 | 465 | 213 | 146 | 31 | 45.7 | 26 | 3.8 | Sheridan | 336 | 193 | 143 | 174 | 9 | 26.8 | 3 | 0.9 |
| Wood | 1,014 | 430 | 584 | 236 | 51 | 50.3 | 26 | 2.6 | Sublette | 26 | 10 | 16 | (4/) | 1 | 38.5 | 2 | (5/) |
| | | | | | | | | | Sweetwater | 287 | 147 | 140 | 195 | 15 | 52.3 | 7 | 2.4 |
| WYOMING (total) | 4,362 | 2,284 | 078,د | 191 | 223 | 51.1 | 86 | 2.0 | Teton | 45 | 22 | 23 | (4/) | 1 | 22.2 | 2 | (5/) |
| | | -, | , | | | | | | Uinte | 106 | 109 | -3 | 97 | 4 | 37.7 | 3 | 2.8 |
| Albany | 211 | 126 | 85 | 167 | 12 | 56.9 | 3 | 1.4 | Washakie | 132 | 36 | 96 | (4/) | 4 | 30.3 | 1 | 0.8 |
| Big Horn | 293 | 101 | 192 | 290 | 9 | 30.7 | 4 | 1.4 | White | 131 | 35 | 96 | (4 /) | 4 | 30.5 | 1 | 0.8 |
| Cumpbell | 130 | 42 | 88 | (4/) | 1 | 7.7 | 5 | 3.8 | Other races | 1 | 1 | | (4/) | | | | |
| Carbon | 175 | 140 | 35 | 125 | 14 | 80.0 | 3 | 1.7 | Weston | 105 | 24 | 81 | (4/) | 2 | 13.0 | 1 | 1.0 |
| Converse | 132 | 62 | 70 | (4/) | 7 | 53.0 | 4 | 3.0 | Yellowstone National | | | | ' | 1 | l | 1 | |
| Crook | 83 | 34 | 49 | (4/) | 4 | 48.2 | 1 | (5/) | Park (part) 26/ | 2 | l 2 | | (4/) | I | l | | |

```
A minus sign (-) indicates an excess of deaths ever births.

Exclusive of 100 cities in 3 States (Georgia, Entucky, and Vermont).

Including 100 cities of 2,500 to 10,000 population in 3 States (Georgia, Kentucky, and Vermont).

Kate not computed when the number of deaths is less than 100.

Rate not computed when the number of births is less than 100.

Including 49 cities of 2,500 to 10,000 population in 1930.

Including 40 cities of 2,500 to 10,000 population in 1930.

Including 41 cities of 2,500 to 10,000 population in 1930.

Figures for Phenix City in Russell County include those for that part of Phenix City in Lee County.

Figures for Phenix City in Russell County include those for that part of Atlanta in De Kalb County.

Figures for Centralia in Marion County include those for that part of Centralia in Clinton County.

Figures for Centralia in Marion County include those for that part of English in Cook County.

Figures for St. Cloud in Stearns County include those for that part of English in Cook County.

Figures for St. Cloud in Stearns County include those for that part of Rocky Mount in Rest County include those for that part of Rocky Mount in Edgecombe County.

Figures for Fostoria in Sence County include those for that part of Rocky Mount in Edgecombe County.

Figures for Fostoria in Sence County include those for that part of Fostoria in Hancock County.

Figures for Edwood City in Lewrence County include those for that part of Fostoria in Hancock County.

Figures for Edwood City in Lewrence County include those for that part of Fostoria in Hancock County.

Figures for Edwood City in Lewrence County include those for that part of Fostoria in Hancock County.

Figures for Edwood City in Lewrence County include those for that part of Fostoria in Hancock County.

Figures for Edwood City in Lewrence County include those for that part of Fostoria in Hancock County.

Figures for Edwood City in Lewrence County include those for that part of Fostoria in Hancock County.

Figures for Edwood City in James City
```

GENERAL TABLES

GENERAL TABLES

TABLE 1.-BIRTHS, BY MONTHS: 1935

| | • | - | | (EXCIUSI | .ve or stil | Tolling | | | | | | | |
|--|---|--|--|--|--|--|--|---|---|--|--|--|--|
| area and sex | All births | Jan. | Feb. | Mar. | Apr. | Мау | June | July | Aug. | Sept. | Oct. | Nov. | Dec. |
| United States | 2,155,105 1,105,489 1,049,616 | 186,051 95,732 90,319 | 171,058 87,400 83,658 | 185,375 95,379 89,996 | 172,177 87,857 84,320 | 174,705 89,651 85,054 | 178,786 91,763 87,023 | 191,888 98,781 93,107 | 192,449 98,943 93,506 | 185,218 94,940 90,278 | 177,945 91,163 86,782 | 167,643 86,133 81,510 | 171,810 87,747 84,063 |
| Cities of 10,000 or more | 997,332 512,618 484,714 219,762 112,624 107,138 938,011 480,247 457,764 | 85,814 44,260 41,554 18,854 9,765 9,089 81,383 41,707 39,676 | 78,390 39,934 38,456 17,405 9,007 6,396 75,263 38,459 36,804 | 84,639 43,707 40,932 18,669 9,616 9,053 82,067 42,056 40,011 | 78,141 39,961 38,180 17,122 8,775 8,347 76,914 39,121 37,793 | 61,262 41,910 39,352 17,403 8,951 8,452 76,040 38,790 37,250 | 83,877 43,194 40,683 18,203 9,301 6,902 76,706 39,268 37,438 | 89,361 46,140 43,221 19,645 10,031 9,614 82,882 42,610 40,272 | 88,673 45,734 42,939 19,714 10,138 9,576 84,062 43,071 40,991 | 83,783 43,053 40,730 18,924 9,627 9,297 82,511 42,260 40,251 | 82,260 42,294 39,966 18,296 9,343 8,953 77,389 39,526 37,863 | 79,371 40,712 38,859 17,502 8,903 8,599 70,770 36,518 34,252 | 81,761 41,719 40,042 18,025 9,167 8,858 72,024 36,861 35,163 |
| ALABAMA | 62,239 | 5,332 | 5,066 | 5,576 | 5,245 | 4,788 | 5,013 | 5,2≿3 | 5,565 | 5,517 | 5,054 | 4,823 | 5,037 |
| Cities of 10,000 or more Cities of 2,500 to 10,000 Rural | 11,837 3,421 46,981 | 1,067 317 3,948 | 985 288 3,793 | 1,034 308 4,234 | 902 268 4,075 | 873 248 3,667 | 937 266 3,810 | 999 264 3,960 | 1,068 292 4,205 | 1,017 296 4,204 | 990 278 3,786 | 941 303 3,579 | 1,024 293 3,720 |
| ARIZONA | 9,139 | 864 | 651 | 762 | 765 | 651 | 745 | 891 | 811 | 748 | 792 | 666 | 793 |
| Cities of 10,000 or more Cities of 2,500 to 10,000 Rural | 2,898 2,051 4,190 | 270 169 425 | 217 116 318 | 246 151 365 | 258 161 346 | 176 161 314 | 222 134 389 | 261 £17 413 | 261 217 333 | 262 164 322 | 246 215 331 | 207 161 298 | 272 185 336 |
| Cities of 10,000 or more Cities of 2,500 to 10,000 Rural | 35,684 3,812 3,221 28,651 | 3,201 348 274 2,579 | 2,944 279 293 | 3,000 321 299 | 2,708 277 216 | 2,628 257 206 | 2,778 314 258 | 3,359 324 327 | 3,477 362 273 | 3,297 361 292 | 3,034 348 269 | 2,728 318 259 | 2,530 303 255 |
| CALIFORNIA | 80,131 | 6,565 | 2,372 5,873 | 2,380 6,644 | 2,215 6,531 | 2,165 6,518 | 2,206 6,670 | 2,708 7,055 | 2,842 7,285 | 2,644 6,898 | 2,417 6,848 | 2,151 6,486 | 1,972 6,758 |
| Cities of 10,000 or more Cities of 2,500 to 10,000 | 50,519 10,841 18,771 | 4,135 874 1,556 | 3,651 825 1,397 | 4,117 876 1,651 | 4,121 867 1,543 | 4,148 838 1,532 | 4,254 912 1,504 | 4,442 980 1,633 | 4,623 972 1,690 | 4,329 974 1,595 | 4,290 907 1,651 | 4,122 850 1,514 | 4,287 966 1,505 |
| COLORADO | 18,837 | 1,653 | 1,507 | 1,631 | 1,619 | 1,576 | 1,618 | 1,635 | 1,618 | 1,615 | 1,506 | 1,475 | 1,384 |
| Cities of 10,000 or more Cities of 2,500 to 10,000 Rurel | 8,177 3,181 7,479 | 720 251 682 | 659 270 578 | 712 266 653 | 713 252 654 | 661 286 629 | 722 273 623 | 708 283 644 | 699 301 616 | 673 277 665 | 625 265 616 | 645 264 566 | 640 193 551 |
| CONNECTICUT | 22,258 | 1,894 | 1,801 | 1,984 | 1,780 | 1,892 | 1,931 | 1,954 | 1,988 | 1,817 | 1,764 | 1,733 | 1,720 |
| Cities of 10,000 or more Cities of 2,500 to 10,000 Rurel | 18,608 1,061 2,589 | 1,549 94 251 | 1,477 89 235 | 1,627 111 246 | 1,459 88 233 | 1,548 87 257 | 1,641 76 214 | 1,647 84 223 | 1,665 108 215 | 1,547 72 198 | 1,520 80 164 | 1,462 85 186 | 1,466 87 167 |
| DELAWARE | 4,036 | 359 | 382 | 338 | 317 | 336 | 354 | 368 | 350 | 346 | 317 | 297 | 312 |
| Cities of 10,000 or more Cities of 2,500 to 10,000 Rural | 2,269 367 1,400 | 186 38 135 | 171 32 119 | 195 23 120 | 174 31 112 | 190 29 117 | 195 32 127 | 206 40 142 | 205 26 119 | 199 29 118 | 198 26 93 | 163 27 107 | 187 34 91 |
| DISTRICT OF COLUMBIA | 10,803 | 928 | 830 | 934 | 779 | 874 | 863 | 969 | 1,039 | 681 | 890 | 880 | 936 |
| Cities of 10,000 or more | 28,051 | 2,682 | 2,433 | 2,358 834 | 2,019 | 1,986 | 1,917 | 2,160 | 2,395 | 2,459 | 2,610 | 2,462 | 2,570 |
| Cities of 2,500 to 10,000 | 4,577 13,097 | 965 477 1,240 | 861 432 1,140 | 347 1,177 | 685 326 1,008 | 709 284 993 | 733 315 869 | 812 338 1,010 | 925 391 1,079 | 919 392 1,148 | 974 432 1,204 | 967 400 1,095 | 993 443 1,134 |
| Cities of 10,000 or more Cities of 2,500 to 10,000 Rural | 13,692 6,649 42,919 | 1,222 645 3,615 | 1,183 595 3,262 | 5,538 1,196 583 3,759 | 5,238 1,030 476 3,732 | 5,009 1,024 545 3,440 | 1,049 576 3,412 | 1,135 563 3,664 | 5,673 1,234 592 3,847 | 5,568 1,189 516 3,863 | 5,206 1,144 579 3,483 | 1,074 477 3,343 | 5,213 1,212 502 3,499 |
| IDAH0 | 9,469 | 760 | 722 | 799 | 790 | 818 | 875 | 866 | 875 | 832 | 755 | 705 | 672 |
| Cities of 10,000 or more Cities of 2,500 to 10,000 | 1,318 4,122 4,029 | 1:07 330 323 | 95 292 33 5 | 115 348 336 | 104 343 343 | 117 379 322 | 113 386 376 | 98 397 371 | 132 351 392 | 119 345 368 | 104 349 302 | 113 308 284 | 101 294 277 |
| ILLINOIS | 111,884 | 9,533 | 8,833 | 9,301 | 8,370 | 8,334 | 9,457 | 10,706 | 10,257 | 9,718 | 9,671 | 9,822 | 8,882 |
| Cities of 10,000 or more Cities of 2,500 to 10,000 | 76,708 10,171 25,005 | 6,407 927 2,199 | 6,022 803 2,008 | 6,445 794 2,062 | 5,870 678 1,822 | 5,765 750 1,819 | 6,493 855 2,109 | 7,327 960 2,419 | 6,855 988 2,414 | 6,563 900 2,255 | 6,573 875 2,223 | 6,098 860 1,864 | 6,290 781 1,811 |
| INDIANA | 52,909 | 4,553 | 4,064 | 4,458 | 3,895 | 3,940 | 4,484 | 4,859 | 4,905 | 4,565 | 4,536 | 4,277 | 4,373 |
| Cities of 10,000 or more Cities of 2,500 to 10,000 | 25,774 5,900 21,235 | 2,238 475 1,840 | 1,994 451 1,619 | 2,150 483 1,825 | 1,894 436 1,565 | 1,943 441 1,556 | 2,207 477 1,800 | 2,375 540 1,944 | 2,343 552 2,010 | 2,183 509 1,874 | 2,187 506 1,843 | 2,125 505 1,647 | 2,135 526 1,712 |
| 10WA | 41,137 | 3,477 | 3,180 | 3,314 | 3,021 | 3,192 | 3,539 | 3,863 | 3,818 | 3,640 | 3,453 | 3,310 | 3,330 |
| Cities of 10,000 or more Cities of 2,500 to 10,000 Rural | 15,375 6,091 19,671 | 1,306 459 1,712 | 1,199 462 1,519 | 1,240 469 1,605 | 1,042 447 1,532 | 1,144 498 1,550 | 1,329 532 1,678 | 1,485 557 1,821 | 1,407 594 1,817 | 1,408 567 1,665 | 1,322 493 1,638 | 1,216 522 1,572 | 1,277 491 1,562 |

TABLE 1.—BIRTHS, BY MONTHS: 1935—Continued

| | | | · | | | | | | | | | | |
|---|---------------------------|-----------------------------|------------------------|-------------------------|------------------------|------------------------|------------------------|------------------------|------------------------|------------------------|------------------------|------------------------|---------------------------|
| . AREA AND SEX | All births | Jen. | Feb. | Mar. | Apr. | Mey | June | July | Aug. | Sept. | Oct. | Nov. | Dec. |
| KANSAS | 30,589 | 2,861 | 2,428 | 2,557 | 2,104 | 2,221 | 2,473 | 2,855 | 2,841 | 2,754 | 2,687 | 2,420 | 2,388 |
| Cities of 10,000 or more Cities of 2,500 to 10,000 | 10,689 4,398 15,502 | 963 362 1,536 | 811 324 1,293 | 882 360 1,315 | 734 312 1,058 | 779 322 1,120 | 862 383 1,228 | 1,046 437 1,372 | 1,015 425 1,401 | 935 385 1,434 | 919 399 1,369 | 874 349 1,197 | 869 340 1,179 |
| XENTUCKY | 57,715 | 5,178 | 4,905 | 5,188 | 4,712 | 4,674 | 4,748 | 4,843 | 4,904 | 5,081 | 4,756 | 4,356 | 4,370 |
| Cities of 10,000 or more Cities of 2,500 to 10,000 | 10,064 4,690 42,961 | 870 427 3, 881 | 818 407 3,680 | 839 435 3,914 | 773 383 3,556 | 760 396 3,518 | 843 429 3,476 | 919 370 3,554 | 950 359 3,595 | 875 398 3,808 | 825 358 3,573 | 796 375 3,185 | 796 .353 3,221 |
| LOUISIANA | 42,270 | 3,955 | 3,423 | 3,452 | 2,919 | 2,758 | 3,159 | 3,264 | 3,929 | 4,148 | 3,834 | 3,488 | 3,441 |
| Cities of 10,000 or more | 13,901 5,450 22,919 | 1,307 505 2,143 | 1,106 439 1,878 | 1,035 475 1,942 | 858 382 1,679 | 902 342 1,514 | 1,053 447 1,659 | 1,273 460 2,031 | 1,331 516 2,082 | 1,347 541 2,260 | 1,277 474 2,083 | 1,214 433 1,841 | 1,198 436 1,807 |
| MAINE | 15,723 | 1,314 | 1,280 | 1,369 | 1,415 | 1,486 | 1,304 | 1,313 | 1,423 | 1,263 | 1,250 | 1,123 | 1,183 |
| Cities of 10,000 or more | 4,917 2,046 8,760 | 433 174 707 | 396 170 714 | 406 184 779 | 397 167 851 | 457 178 851 | 412 173 719 | 415 168 730 | 447 184 792 | 407 169 687 | 402 158 690 | 353 167 603 | 392 1 <u>54</u> 637 |
| MARYLAND | 27,236 | 2,410 | 2,204 | 2,324 | 2,131 | 2,211 | 2,263 | 2,398 | 2,334 | 2,331 | 2,228 | 2,207 | 2,195 |
| Cities of 10,000 or more Cities of 2,500 to 10,000 | 16,012 1,576 9,648 | 1,422 127 861 | 1,269 134 781 | 1,363 136 825 | 1,197 139 795 | 1,269 121 821 | 1,334 133 796 | 1,355 138 905 | 1,420 130 784 | 1,372 129 830 | 1,359 113 756 | 1,317 143 747 | 1,315 133 747 |
| MASSACHUSETTS | 63,001 | 5,275 | 5,037 | 5,475 | 5,247 | 5,525 | 5,439 | 5,571 | 5,499 | 5,210 | 5,046 | 4,789 | 4,888 |
| Cities of 10,000 or more Cities of 2,500 to 10,000 | 56,401 3,614 2,986 | 4,721 297 257 | 4,491 301 245 | 4,904 315 256 | 4,710 311 226 | 4,933 324 268 | 4,863 290 286 | 4,990 320 261 | 4,908 334 257 | 4,668 312 230 | 4,528 269 249 | 4,296 277 216 | 4,389 264 235 |
| MICHIGAN | 87,446 | 7,261 | 7,061 | 7,603 | 7,403 | 7,649 | 7,521 | 7,910 | 7,461 | 7,121. | 6,826 | 6,664 | 6,966 |
| Cities of 10,000 or more Cities of 2,500 to 10,000 | 54,542 7,722 25,182 | 4,611 629 2,021 | 4,460 627 1,974 | 4,777 668 2,158 | 4,594 666 2,143 | 4,785 635 2,229 | 4,685 692 2,144 | 4,947 655 2,308 | 4,542 665 2,254 | 4,332 660 2,129 | 4,292 614 1,920 | 4,130 554 1,980 | 4,387 657 1,922 |
| MINNESOTA | 45,962 | 3,868 | 3,530 | 4,063 | 3,773 | 3,871 | 3,929 | 4,240 | 4,026 | 3,772 | 3,705 | 3,488 | 3,697 |
| Cities of 10,000 or more Cities of 2,500 to 10,000 | 17,942 6,228 21,792 | 1,528 472 1,868 | 1,343 486 1,701 | 1,523 573 1,967 | 1,478 473 1,822 | 1,478 520 1,873 | 1,595 538 1,796 | 1,657 589 1,994 | 1,592 572 1,862 | 1,443 508 1,821 | 1,502 510 1,693 | 1,350 453 1,685 | 1,453 534 1,710 |
| MISSISSIPPI | 48,320 | 4,188 | 3,918 | 4,141 | 3,871 | 3,508 | 3,811 | 4,370 | 4,449 | 4,564 | 4,181 | 3,605 | 3,714 |
| Cities of 10,000 or more Cities of 2,500 to 10,000 | 5,086 2,139 41,095 | 496 200 3,492 | 433 143 3,342 | 392 177 3,572 | 337 132 3,402 | 347 124 3,037 | 392 131 3,288 | 435 171 3,764 | 453 151 3,845 | 498 205 3,861 | 423 181 3,577 | 430 259 2,916 | 450 265 2,999 |
| MISSOURI | 57,299 | 5,225 | 4,730 | 4,582 | 4,037 | 3,995 | 4,733 | 5,441 | 5,417 | 5,124 | 4,919 | 4,502 | 4,594 |
| Cities of 10,000 or more | 24,273 5,323 27,703 | 2,158 536 2,531 | 1,938 433 2,359 | 1,809 415 2,358 | 1,596 329 2,112 | 1,680 340 1,975 | 2,071 446 2,216 | 2,315 541 2,585 | 2,360 505 2,552 | 2,142 432 2,550 | 2,149 487 2,283 | 2,024 402 2,076 | 2,031 457 2,106 |
| MONTANA | 10,029 | 819 | 768 | 861 | 838 | 812 | 858 | 851 | 885 | 901 | 846 | 802 | 788 |
| Cities of 10,000 or more Cities of 2,500 to 10,000 | 2,984 1,772 5,273 | 246 167 406 | 222 135, 411 | 259 146 456 | 238 135 465 | 224 132 456 | 259 158 441 | 247 145 459 | 288 140 457 | 253 159 489 | 258 158 420 | 233 157 412 | 247 140 401 |
| NEBRASKA | 23,327 | 2,089 | 1,902 | 1,953 | 1,720 | 1,801 | 1,940 | 2,160 | 2,052 | 2,032 | 1,913 | 1,853 | 1,912 |
| Cities of 10,000 or more | 7,421 3,072 12,834 | 652 279 1,158 | 595 263 1,044 | 568 240 1,145 | 517 219 984 | 551 256 j 994 | 645 238 1,057 | 697 291 1,172 | 662 270 1,120 | 633 260 1,139 | 659 238 1,016 | 607 274 972 | 635 244 1,033 |
| NEVADA | 1,423 | 120 | 109 | 123 | 105 | 144 | . 119 | 141 | 130 | 94 | 129 | 113 | 96 |
| Cities of 10,000 or more | - 242 - 383 - 798 | 28 27 65 | 29 35 45 | 33 25 64 | 16 21 68 | 24 38 82 | 19 31 69 | 15 47 79 | 24 46 60 | 9 22 63 | 17 42 70 | 11 29 73 | 17 19 60 |
| NEW HALAPSHIRE | 7,768 | 711 | 614 | 687 | 630 | 711 | 700 | 671 | 661 | 628 | 611 | 557 | 587 |
| Cities of 10,000 or more Cities of 2,500 to 10,000 | 4,371 833 2,564 | 429 80 202 | 325 75 214 | 379 73 235 | 346 59 225 | 400 74 237 | 394 78 228 | 380 86 205 | 388 63 210 | 349 69 210 | 334 59 218 | 325 58 174 | 322 59 206 |
| NEW JERSEY | 54,514 | 4,564 | 4,219 | 4,688 | 4,345 | 4,675 | 4,630 | 5,014 | 4,783 | 4,548 | 4,334 | 4,320 | 4,393 |
| Cities of 10,000 or more Cities of 2,500 to 10,000 | | 3,610 397 557 | 3,376 372 471 | 3,731 435 522 | 3,483 357 505 | 3,768 378 530 | 3,722 438 470 | 4,000 439 575 | 3,842 362 579 | 3,623 384 541 | 3,495 344 495 | 3,487 387 446 | 3,568 371 454 |
| NEW MEXICO | 13,190 | 1,156 | 1,034 | 1,100 | 1,118 | 1,241 | 1,129 | 1,268 | 1,168 | 1,063 | 1,062 | 909 | 942 |
| Cities of 10,000 or more Cities of 2,500 to 10,000 | 2,378 | 152 198 806 | 145 184 705 | 147 196 757 | 143 224 751 | 158 199 884 | 131 196 802 | 151 217 900 | 113 225 830 | 133 188 742 | 134 207 721 | 115 176 618 | 142 168 632 |
| NEW YORK | 184,344 | 15,731 | 14,362 | 16,058 | 15,379 | 16,187 | 15,776 | 16,270 | 15,807 | 14,997 | 14,866 | 14,275 | 14,636 |
| Cities of 10,000 or more Cities of 2,500 to 10,000 | 9,555 | 13,038 779 1,914 | 11,848 697 1,817 | 13,227 816 '2,015 | 12,713 805 1,861 | 13,406 824 1,957 | 12,880 869 2,027 | 13,330 905 2,035 | 13,008 818 1,981 | 12,385 755 1;857 | 12,311 800 1,755 | 11,918 699 1,658 | 12,097 788 1,751 |

TABLE 1.—BIRTHS, BY MONTHS: 1935—Continued

| | | , | | (1202401 | | | | | | | | | |
|--|----------------------------|-----------------------|-------------------------|-----------------------|-----------------------|-----------------------|-----------------------|-------------------------|-------------------------|-------------------------|-------------------------|-------------------------|-----------------------|
| AREA AND SEX | All births | Jan. | Feb. | Mar. | Apr. | Мау | June | July | Aug. | Sept. | Oct. | Nov. | Dec. |
| NORTH CAROLINA | 78,753 | 6,715 | 6,259 | 6,792 | 6,580 | 6,860 | 6,484 | 6,680 | 7,098 | 5,968 | 6,364 | 5,903 | 6,050 |
| Cities of 10,000 or more | 13,615 6,269 58,869 | 1,241 547 4,927 | 1,062 509 4,688 | 1,186 535 5,071 | 1,049 495 5,036 | 1,128 507 5,225 | 1,088 483 4,913 | 1,251 548 4,881 | 1,225 573 5,300 | 1,148 550 5,270 | 1,066 520 4,778 | 1,081 502 4,320 | 1,090 500 4,460 |
| NORTH DAKOTA | 13,655 | 1,136 | 1,054 | 1,191 | 1,179 | 1,169 | 1,212 | 1,206 | 1,245 | 1,116 | 1,085 | 1,066 | 996 |
| Cities of 10,000 or more | 2,622 1,712 9,321 | 224 124 788 | 182 150 722 | 210 122 859 | 221 137 821 | 227 144 798 | 262 156 794 | 212 170 824 | 252 168 825 | 220 135 761 | 194 137 754 | 220 135 711 | 198 134 664 |
| 0HIO | 101,103 | 8,679 | 7,883 | 8,573 | 7,977 | 8,205 | В,735 | 8,966 | 9,023 | 8,440 | 8,131 | 8,052 | 8,339 |
| Cities of 10,000 or more Cities of 2,500 to 10,000 Rural | 62,484 8,440 30,179 | 5,439 676 2,564 | 4,829 682 2,372 | 5,350 723 2,600 | 4,843 684 2,450 | 5,135 549 2,421 | 5,451 704 2,580 | 5,534 704 2,728 | 5,536 752 2,735 | 5,082 748 2,610 | 5,002 701 2,428 | 5,065 712 2,274 | 5,217 705 2,417 |
| OKLAHOMACities of 10,000 or more | 43,691 | 4,077 | 3,636 | 3,569 | 3,179 | 3,194 | 3,274 | 3,844 | 4,055 | 4,015 | 3,798 | 3,466 | 3,584 |
| Cities of 2,500 to 10,000 Rural | 11,093 7,974 24,624 | 1,006 840 2,231 | 934 593 2,109 | 807 609 2,153 | 739 546 1,894 | 770 596 1,828 | 837 583 1,854 | 1,011 734 2,099 | 1,045 721 2,289 | 1,040 718 2,257 | 935 703 2,160 | 962 634 1,870 | 1,007 697 1,880 |
| Cities of 10,000 or more | 13,179 | 1,153 | 1,023 | 1,147 | 1,110 | 1,172 | 1,094 | 1,172 | 1,154 | 1,113 | 986 443 | 1,018 | 1,037 |
| Cities of 2,500 to 10,000 Rural | 2,894 4,170 | 236 389 13,619 | 202 358 12,689 | 246 367 | 221 385 | 275 377 | 238 326 | 260 386 | 268 330 | 243 349 | 241 302 | 215 • 318 | 249 283 |
| Cities of 10,000 or more | 89,901 | 7,592 | 7,130 | 7,809 | 7,182 | 7,464 | 7,690 | 14,265 8,026 | 8,022 | 13,265 7,349 | 12,936 7,132 | 7,188 | 7,317 |
| Cities of 2,500 to 10;000 Rural | 20,953 50,312 10,215 | 1,719 4,308 893 | 1,648 3,911 803 | 1,818 4,509 | 1,721 4,207 | 1,761 4,192 889 | 1,764 4,194 883 | 1,852 4,387 | 1,849 4,507 | 1,752 4,164 806 | 1,683 4,121 611 | 1,637 3,869 783 | 1,749 3,943 804 |
| Cities of 10,000 or more | 9,396 | 801 | 738 | 828 | 776 | 827 | 805 | 829 | 829 | 742 | 752 | 725 | 744 |
| Cities of 2,500 to 10,000 | 259 560 | 31 61 | 22 43 | 20 43 | 24 47 | 16 46 | 19 59 | 25 48 | 25 49 | 20 44 | 19 40 | 16 42 | 22 38 |
| SOUTH CAROLINA | 40,598 | 3,469 | 3,143 | 3,384 | 3,441 | 3,433 | 3,182 | 3,537 | 3,686 | 3,626 | 3,281 | 3,138 | 3,278 |
| Cities of 10,000 or more Cities of 2,500 to 10,000 Rural | 5,603 3,077 31,918 | 517 247 2,705 | 473 264 2,406 | 521 282 2,581 | 397 232 2,812 | 248 231 2,754 | 392 218 2,572 | 477 264 2,796 | 522 291 2,873 | 452 259 2,915 | 448 275 2,558 | 477 243 2,418 | 479 271 2,528 |
| SOUTH DAKOTA | 12,850 | 1,077 | 961 | 1,094 | 1,038 | 1,099 | 1,123 | 1,194 | 1,143 | 1,096 | 1,057 | 968 | 1,000 |
| Cities of 10,000 or more Cities of 2,500 to 10,000 Rurel | 2,639 1,448 8,763 | 206 113 758 | 200 113 648 | 228 118 748 | 213 120 705 | 220 118 761 | 233 115 775 | 244 137 813 | 210 131 802 | 229 138 729 | 248 126 683 | 208 110 650 | 200 109 691 |
| TENNESSEE | 53,314 | 4,465 | 4,325 | 4,720 | 4,404 | 4,562 | 4,486 | 4,734 | 4,646 | 4,679 | 4,379 | 3,874 | 4,040 |
| Cities of 10,000 or more Cities of 2,500 to 10,000 Rural | 13,744 4,105 35,465 | 1,267 330 2,868 | 1,170 340 2,815 | 1,166 366 3,188 | 1,029 353 3,022 | 1,070 331 3,161 | 1,166 336 2,984 | 1,210 346 3,178 | 1,203 369 3,074 | 1,166 374 3,139 | 1,142 286 2,951 | 1,066 320 2,488 | 1,089 354 2,597 |
| Cities of 10,000 or more | 37,536 | 3,473 | 9,361 | 9,665 3,052 | 8,640 2,659 | 8,274 2,606 | 8,550 2,711 | 10,047 | 10,536 | 10,448 | 10,045 | 9,111 | 9,443 3,340 |
| Rural | 13,990 63,195 | 1,272 5,856 | 3,041 1,113 5,207 | 1,229 5,384 | 1,038 4,933 | 1,029 4,639 | 996 4,843 | 3,250 1,197 5,600 | 3,526 1,266 5,744 | 3,440 1,287 5,721 | 3,329 1,274 5,442 | 3,099 1,177 4,835 | 1,112 4,991 |
| Cities of 10,000 or more | 12,695 | 1,067 | 924 | 1,182 | 1,026 | 1,086 | 1,062 | 1,052 | 1,104 | 1,110 | 1,034 | 1,008 | 1,040 |
| Cities of 2,500 to 10,000Rurel | 5,164 2,632 4,899 | 445 196 426 | 368 196 360 | 512 238 432 | 405 227 394 | 458 199 429 | 437 229 396 | 415 208 429 | 449 232 423 | 454 241 415 | 422 225 387 | 384 208 416 | 415 233 392 |
| Cities of 10,000 or more | 1,613 | 130 | 522 | 130 | 585 142 | 599 135 | 574 151 | 505 163 | 565 144 | 155 | 522 | 107 | 113 |
| Cities of 2,500 to 10,000 Rural VIRGINIA | 1,270 3,708 51,487 | 115 287 4,349 | 92 299 4,265 | 126 330 4,712 | 124 319 4,206 | 117 347 4,370 | 125 298 4,253 | 102 340 4,423 | 87 334 4,527 | 103 310 4,398 | 108 302 4,085 | 85 299 3,890 | 86 243 4,009 |
| Cities of 10,000 or more | 11,488 | 1,044 | 906 | 964 | 849 | 904 | 957 | 1,012 | 1,035 | 969 | 922 | 936 | 990 |
| Cities of 2,500 to 10,000 | 3,845 36,154 | 303 | 306 3,053 | 344 3,404 | 340 3,017 | 325 3,141 | 312 2,984 | 328 3,083 | 370 3,122 | 324 3,105 | 2,852 | 293 2,661 | 289 2,730 |
| WASHINGTON | 22,396 | 1,943 | 1,611 | 2,002 | 1,867 | 1,964 | 1,938 | 2,054 | 1,955 | 1,819 | 1,767 | 1,713 | 1,763 |
| Cities of 10,000 or more Cities of 2,500 to 10,000 Rural | 14,089 2,371 5,936 | 1,177 220 546 | 1,027 172 412 | 1,226 213 563 | 1,183 199 485 | 1,298 197 469 | 1,212 200 526 | 1,292 221 541 | 1,202 222 531 | 1,155 177 487 | 1,141 167 459 | 1,102 195 416 | 1,074 188 501 |
| WEST VIRGINIA | 41,774 | 3,650 | 3,473 | 3,799 | 3,357 | 3,497 | 3,569 | 3,581 | 3,654 | 3,463 | 3,420 | 3,096 | 3,215 |
| Cities of 10,000 or more Cities of 2,500 to 10,000 Rural | 7,112 3,609 31,053 | 584 352 2,734 | 626 290 2,557 | 565 305 2,929 | 516 305 2,536 | 572 298 2,627 | 586 323 2,660 | 648 313 2,620 | 676 288 2,690 | 591 307 2,565 | 611 287 2,522 | 546 270 2,280 | 591 291 2,333 |
| WISCONSIN | 52,562 | 4,268 | 4,016 | 4,572 | 4,442 | 4,514 | 4,564 | 4,856 | 4,553 | 4,383 | 4,235 | 4,022 | 4,137 |
| Cities of 10,000 or more Cities of 2,500 to 10,000 Rural | 23,872 6,552 22,138 | 1,963 504 1,801 | 1,807 477 1,732 | 2,055 567 1,950 | 1,917 573 1,952 | 2,063 577 1,874 | 2,085 569 1,910 | 2,237 619 2,000 | 2,017 592 1,944 | 1,960 561 1,862 | 2,000 484 1,751 | 1,859 480 1,683 | 1,909 549 1,679 |
| WYOMINGCities of 10,000 or more | 4,362 | 350 | 320 | 399 | 365 | 389 | 34.2 | 400 | 399 | 373 | 380 | 321 | 324 |
| Cities of 2,500 to 10,000 | 704 866 2,792 | 65 63 222 | 55 63 202 | 56 80 263 | 69 80 216 | 67 78 244 | 52 71 219 | 64 88 248 | 63 88 248 | 56 79 238 | 56 64 260 | 49 57 215 | 52 55 217 |

TABLE 1.—BIRTHS, BY MONTHS: 1935—Continued

| | | | | | | | | | | | | | |
|--|--|--|---|--|---|---|---|--|---|---|--|--|--|
| AREA AND SEX | All births | Jan. | Feb. | Mer. | Apr. | May | June | July | Aug. | Sept. | Oct. | Nov. | Dec. |
| Cities having 100,000 or more inhabitants in 1930 | | | | | | | | | | | | | |
| Birmingham, Ala, Long Beach, Calif. Los Angeles, Calif. Cakland, Calif. San Diego, Calif. San Francisco, Calif. Denver, Colo. Bridgeport, Conn. Hartford, Conn. Hartford, Conn. Humington, Del. Weshington, Del. Meamington, Del. M | 4,952 2,182 15,865 4,035 2,887 7,116 5,530 2,581 3,684 3,081 2,269 10,803 2,590 1,911 1,638 5,549 49,426 1,925 1,574 1,873 1,873 1,873 1,873 1,873 1,873 1,873 1,873 | 444 162 1,446 375 200 538 479 212 212 215 928 928 254 4187 151 150 131 1173 525 129 250 | 410 138 1,212 285 190 493 3447 187 334 226 171 830 214 148 136 473 3,896 137 140 138 445 142 143 143 143 143 143 143 143 143 144 143 144 145 147 147 147 147 147 147 147 147 147 147 | 428 175 1,389 326 233 589 468 235 312 257 195 934 200 140 125 462 4,218 149 115 149 152- 44 24 255 | 374 1.67 1.403 338 210 618 465 217 220 240 174 779 156 114 1.05 411 3.928 1.29 100 139 128 435 113 | 378 160 1,425 351 205 563 441 210 334 225 190 874 178 121 122 455 3,738 116 110 145 138 430 141 225 | 394 164 1,397 660 490 220 307 292 195 863 180 115 100 446 4,225 158 100 172 172 181 158 | . 430 1.85 1,439 254 6511 488 239 206 969 175 147 140 487 4,671 157 157 157 157 157 | 446 222 1,513 308 649 461 230 270 270 270 210 29 1,039 182 144 4,356 182 157 176 178 523 143 280 | 402 210 1,448 330 266 613 454 183 300 269 199 881 177 141 4,159 197 141 158 140 495 158 140 495 132 248 | 411 208 1,448 328 279 586 428 251 193 890 292 251 161 161 176 147 4,214 145 168 168 165 444 4,24 4,24 145 168 165 165 166 165 165 165 165 165 165 165 | 378 196 1,374 246 5452 457 184 282 249 163 860 178 178 132 135 142 443 443 132 155 142 246 860 178 132 142 142 142 142 142 142 143 144 144 144 144 144 144 144 144 144 | 457 195 1,365 279 574 452 213 278 216 187 936 230 221 121 464 464 4,025 150 147 157 470 128 238 |
| Kansas City, Kans. Wachita, Kens. Louisville, Ky. New Orleans, La. Beltimore, Md. Boston, Mass. Fall River, Mass. Lyun, Mass. Lyun, Mass. Lyun, Mass. Lyun, Mass. Smarville, Mass. Springfield, Mass. Springfield, Mass. Detroit, Mich. Flint, Mich. Grand Rapids, Mich. Duluth, Minn. St. Paul, Minn. St. Paul, Minn. St. Louis, Mo. Omaha, Nobr. Camden, N. J. | 2,430 1,970 5,007 8,959 15,705 15,848 2,236 2,012 1,639 1,418 1,737 1,208 2,555 3,541 26,168 7,355 4,297 5,731 1,688 7,355 4,297 5,731 12,829 4,51,2829 | 241 172 454 832 1,227 1,317 175 149 116 144 98 220 220 221 225 275 243 150 636 424 524 1,128 396 243 | 194 142 378 778 78 1,106 1,244 173 140 110 156 82 201 255 2,191 292 229 112 555 346 427 1,047 660 238 | 199 167 389 765 1,172 1,432 1,185 158 108 216 300 2,317 238 154 637 391 430 309 245 | 154 137 359 5,009 1,309 1,309 1,309 143 122 154 113 222 203 2,166 290 212 163 605 590 390 307 233 | 166 168 387 570 1,092 1,359 168 154 145 133 146 233 205 2,326 337 210 152 607 380 412 880 332 214 | 212 170 429 1,156 1,357 200 200 183 141 131 160 238 302 2,221 313 246 141 141 141 143 436 473 1,075 | 264 1766 481 1,156 1,396 164 138 122 155 94 234 2,339 303 246 159 648 455 533 1,246 353 1,246 | 230 187 476 476 1,219 1,393 205 204 142 124 153 202 2,185 204 142 202 2,185 204 143 207 453 556 1,281 | 203 175 455 1,186 1,306 1,306 1,43 113 133 133 219 263 2,018 277 280 131 606 371 542 1,084 372 2,55 | 190 157 404 833 1,176 1,300 165 125 125 122 195 270 2,055 277 218 199 289 388 496 1,151 376 229 | 191 166: 397: 79: 1,106: 1,204: 176: 136: 136: 138: 129: 200: 200: 200: 256: 2,025: 241: 186: 115: 363: 479: 1,084: 363: 234: | 186 173 398 771 1,150 1,251 179 161 150 93 142 119 175 2,090 292 164 120 591 402 591 402 591 402 592 402 593 402 593 402 593 593 |
| Hizabeth, N. J. Jersey City, N. J. Newerk, N. J. Peterson, N. J. Trenton, N. J. Albany, N. Y. Buffalo, N. Y. Buffalo, N. Y. By Ork, N. Y. Bronx Borough Manhitten Borough Manhitten Borough Richmond Borough Richmond Borough Rochester, N. Y. Syracuse, N. Y. Utica, N. Y. Vonkers, N. Y. Akron, Ohio Canton, Ohio Cineinnati, Ohio Cilevelend, Ohio Columbus, Ohio Dayton, Ohio Toledo, Ohio Toledo, Ohio Toledo, Ohio | 2,066 6,724 7,648 2,504 2,336 2,309 10,080 10,575 15,826 40,095 31,858 10,394 2,401 4,983 3,601 1,786 1,785 1,855 7,645 14,489 4,832 3,355 4,632 2,772 | . 161 5566 633 209 929 8,635 1,355 2,745 924 209 432 313 165 1,428 432 369 1,428 469 469 469 469 469 469 469 469 469 469 | 152 . 516' 593 194 206 6 129: 9,854 1,255 2,430 649 1184 386 273 133 127 304 1,593 272 304 1,593 272 304 1,593 272 304 1,593 273 371 272 371 272 371 272 | 183 585 5971 222 189 192 189 192 189 192 289 425 310 161 141 142 142 142 142 142 142 142 142 14 | 170 490 621 197 178 182 887 8,325 1,352 2,554 2,554 316 143 143 147 143 157 1,226 1,226 2,354 | 180 585 682 237 187 198 8,888 1,413 3,554 2,767 911 320 147 145 165 169 1,298 237 388 237 388 237 369 235 | 166 570 209 196 187 893 8,433 1,379 2,642 821 218 444 299 178 169 658 1,306 658 287 408 | 182 649 728 231 208 206 9,747 1,335 2,433 2,433 200 414 333,159 149 396 162 724 1,200 | 193 619 635 196 205 228 8,511 1,286 3,408 2,744 867 210 424 322 160 133 341 1,270 687 1,270 314 352 687 | 173 572 608 189 189 197 202 799 8,096 1,291 3,225 2,521 830 199 434 292 149 145 149 145 153 610 1,153 396 280 372 211 | 165 512 607 193 193 193 1,296 8,223 1,296 2,640 817 171 397 183 152 140 100 655 1,139 305 655 1,139 305 305 305 305 305 305 305 305 305 305 | 179 526 591 183 224 173 7,969 1,250 3,167 2,557 805 190 273 123 113 149 658 1,137 400 273 331 1,27 | 161 534 622 209 163 162 1,251 3,199 2,613 888 199 587 262 116 149 144 1678 1,103 413 502 400 219 |
| Oklahoma City, Okla. Tulsa, Okla. Portlend, Oreg. Erie, Pa. Philedelphia, Pa. Phitaburgh, Pa. Reading, Pa. Scranton, Pa. Providence, R. I. Chattencoga, Tomn. Knoxville, Tenn. Memphis, Tenn. Nashville, Tenn. Dallas, Tex. El Paso, Tex. Fort Worth, Tex. Houston, Tex. San Antonio, Tex. San Antonio, Tex. San Astonio, Tex. San Astonio, Tex. San Astonio, Tex. San Astonio, Tex. Sattlake City, Utah Norrolk, Va. Richmond, Va. Sasttle, Wash. Spokene, Wash. Tacoma, Wash. Milwaukee, Wis. | 3,773 2,241 4,175 2,078 29,944 12,292 1,383 2,725 5,192 2,125 2,124 4,642 3,303 5,134 2,718 2,741 5,652 5,525 5,461 2,048 4,902 2,076 1,834 9,034 | 324 209 347 189 2,501 9700 123 213 3411 228 149 512 247 259 516 533 313 185 267 403 152 768 | 309 210 318 155 2,384 94 202 225 400 225 197 359 272 425 214 438 427 248 166 238 349 146 136 679 | 203 154 355 199 2,664 1,008 110 257 424 195 179 389 286 375, 226 210 443 495 325 167 261 434 163 161 748 | 223 144 321 161 2,326 1,008 1,008 457 173 155 322 257 331 242 184 385 413 286 172 251 1430 159 160 172 173 173 | 292 1300 379 170 2,402 1,030 1300 257 452 172 184 510 276 343 229 184 376 376 379 229 149 250 465 203 203 149 747 | 304 182 357 200 2,549 1,073 114 229 456 177 227 162 415 395 279 164 238 411 1,85 163 791 | 350 222 368 175 2,661 1,148 115 249 499 181 161 425 322 450 239 279 522 464 188 276 461 181 181 181 | 325 209 381 1,83 2,627 1,142 235 463 192 166 434 273 496 221 248 545 514 291 184 279 418 1,729 | 335 207 357 356 2,390 1,063 117 218 425 206 174 388 290 502 228 243 510 495 299 170 271 387 163 | 336 171 295 147 2,551 110 214 400 174 200 401 257 444 223 269 502 472 294 150 228 394 139 787 | 315 215 342 179 2,518 9123 109 217 410 170 148 379 236 428 209 236 477 446 257 145 257 145 261 275 275 275 275 275 275 275 275 275 275 | 357 168 357 144 2,465 989 101 201 395 159 370 261 457 213 256 523 471 1280 168 250 362 1188 250 362 1188 |

| | | | | (Exclusive | of sti | llbirths) | | | | | | | | |
|---|---|--|---|---|---|---|---|---|---|---|---|---|---|--|
| | | | | WHI | TE | | | | | | OTHER RAC | ŒS | | |
| ADIOA AND CON | All | | Both | parents- | | Mixe | d parents | age | | 1 | | | | |
| AREA AND SEX | births | Total | Native | Foreign | Un- known | Native and foreign | Native and un- known | Foreign and un- known | Total | Negro | Indian | Chi- nese | Japa- nese | Minor races |
| United States Male Female | 2,155,105 1,105,489 1,049,616 | 1,888,012 969,916 918,096 | 1,596,642 820,312 776,330 | 105,263 54,018 51,245 | 1,021 580 441 | 153,060 78,591 74,469 | 30,736 15,754 14,982 | 1,290 661 629 | 267,093 135,573 131,520 | 255,124 129,578 125,546 | 8,355 4,186 4,169 | 970 492 478 | 1,960 981 979 | 684 336 348 |
| Cities of 10,000 or more- Male Cities of 2,500 to 10,000- Male Fomale Male | 997,332 512,618 484,714 219,762 112,624 107,138 938,011 480,247 457,764 | 908,562 467,400 441,162 202,614 103,958 98,656 776,836 398,558 378,278 | 697,947 359,179 338,768 179,755 92,288 87,467 718,940 368,845 350,095 | 81,797 41,966 39,831 7,189 3,700 3,489 16,277 8,352 7,925 | 290 162 128 139 80 59 592 338 254 | 110,080 56,611 53,469 12,871 6,539 6,332 30,109 15,441 14,668 | 17,433 8,963 8,470 2,588 1,321 1,267 10,715 5,470 5,245 | 1,015 519 496 72 30 42 203 112 91 | 68,770 45,218 43,552 17,148 8,666 8,482 161,175 81,689 79,486 | 85,732 43,741 41,991 16,170 8,152 8,018 153,222 77,685 75,537 | 607 280 327 608 326 282 7,140 3,580 3,560 | 859 444 415 48 21 27 63 27 36 | 1,133 546 587 265 137 128 562 298 264 | 439 207 232 57 30 27 188 99 |
| ALABAMA Male Female | 62,239 31,825 30,414 | 38,364 19,806 18,558 | 37,381 19,300 18,081 | 44 27 17 | 14 5 9 | 182 89 93 | 742 384 358 | 1 1 | 23,875 12,019 11,856 | 23,862 12,013 11,849 | 9 4 5 | <u>1</u> | | 3 2 1 |
| Cities of 10,000 or more- Male | 11,837 6,097 5,740 3,421 1,705 1,716 46,981 24,023 22,958 | 7,463 3,894 3,569 2,468 1,242 1,226 28,433 14,670 13,763 | 7,068 3,689 3,379 2,420 1,215 1,205 27,893 14,396 13,497 | 32 19 13 | 4 2 4 2 2 6 1 5 | 123 60 63 6 3 53 26 27 | 235 123 112 38 22 16 469 239 230 | 1 | 4,374 2,203 2,171 953 463 490 18,548 9,353 9,195 | 4,371 2,202 2,169 952 462 490 18,539 9,349 9,190 | 1 1 8 3 5 | 1 | | 1 1 1 1 1 1 1 1 1 1 1 1 |
| ARIZONA | 9,139 4,655 4,484 | 7,807 3,993 3,814 | 5,356 2,742 2,614 | 1,038 535 503 | 7 7 | 1,319 657 662 | 72 42 30 | 15 10 5 | 1,332 662 670 | 152 76 76 | 1,125 560 565 | 22 9 13 | 16 7 9 | 17 10 7 |
| Cities of 10,000 or more— Male———————————————————————————————————— | 2,898 1,490 1,408 2,051 1,037 1,014 4,190 2,128 2,062 | 2,798 1,430 1,368 1,999 1,018 981 3,010 1,545 1,465 | 2,073 1,051 1,022 1,263 644 619 2,020 1,047 973 | 250 133 117 340 178 162 448 224 224 | 3 3 2 2 | 430 219 211 382 187 195 507 251 256 | 37 21 16 11 6 5 24 15 9 | 6 4 2 9 6 3 | 100 50 40 52 19 33 1,180 583 597 | 62 39 23 32 13 19 58 24 34 | 13 8 5 6 3 3 1,106 549 557 | 12 5 7 6 1 5 4 3 | 5 2 3 4 1 3 7 4 3 | 8 6 2 4 1 3 5 3 2 |
| ARKANSAS Mele Female | 35,684 18,457 17,227 | 27,175 14,129 13,046 | 26,712 13,893 12,819 | 24 15 9 | 22 15 7 | 119 62 57 | 298 144 154 | | 8,509 4,328 4,181 | 8,502 4,324 4,178 | 4 3 1 | 3 1 2 | | |
| Cities of 10,000 or more-Male | 3,812 1,941 1,871 3,221 1,719 1,502 28,651 14,797 | 3,089 1,594 1,495 2,456 1,316 1,140 21,630 11,219 10,411 | 2,967 1,532 1,435 2,405 1,292 1,113 21,340 11,069 10,271 | 6 3 5 3 2 13 9 | 2 1 1 1 20 14 6 | 42 21 21 22 6 16 55 35 20 | 72 37 35 24 15 9 202 92 110 | | 723 347 376 765 403 362 7,021 3,578 3,443 | 723 347 376 765 403 362 7,014 3,574 3,440 | 4 3 1 | 3 1 2 | | |
| CALIFORNIA | 80,131 41,166 38,965 | 76,097 39,152 36,945 | 55,018 28,370 26,648 | 8,960 4,592 4,368 | 3 | 11,548 5,898 5,650 | 524 270 254 | 44 19 25 | 4,034 2,014 2,020 | 1,258 629 629 | 318 161 157 | 523 260 263 | 1,500 752 748 | 435 212 223 |
| Cities of 10,000 or more- Male Cities of 2,500 to 10,000- Male | 50,519 25,934 24,585 10,841 5,593 5,248 18,771 9,639 9,132 | 47,822 24,592 23,230 10,502 5,422 5,080 17,773 9,138 8,635 | 34,921 17,994 16,927 7,581 3,989 3,692 12,416 6,387 6,029 | 4,891 2,498 2,393 1,362 684 678 2,707 1,410 1,297 | 2 2 1 1 | 7,583 3,880 3,703 1,424 737 687 2,541 1,281 1,260 | 389 205 184 34 12 22 101 53 48 | 36 13 23 1 7 6 | 2,697 1,342 1,355 339 171 168 998 501 497 | 1,055 528 527 40 16 24 163 85 78 | 60 35 25 25 14 11 233 112 121 | 456 232 224 30 13 17 37 15 22 | 890 434 455 200 106 94 410 212 198 | 236 113 123 44 22 22 155 77 78 |
| COLORADO | 18,837 9,651 9,186 | 18,572 9,512 9,060 | 15,921 8,170 7,751 | 716 375 341 | 165 85 80 | 1,315 653 662 | 435 219 216 | 20 10 10 | 265 139 126 | 164 92 72 | 48 25 23 | 2 | 42 18 24 | 9 4 5 |
| Cities of 10,000 or more | 8,177 4,148 4,029 3,181 1,651 1,530 7,479 3,852 3,627 | 8,021 4,064 3,957 3,155 1,637 1,518 7,396 3,811 3,585 | 6,911 3,511 3,400 2,729 1,428 1,301 6,281 3,231 3,050 | 234 124 110 124 63 61 358 188 170 | 16 8 8 59 34 25 90 43 | 568 275 293 197 89 108 550 289 261 | 279 140 139 43 21 22 113 58 55 | 13 6 7 3 2 1 4 2 | 156 84 72 26 14 12 83 41 42 | 136 77 59 11 7 4 17 8 | 5 3 2 1 1 42 22 20 | 2 | 6 1 5 14 7 7 22 10 12 | 7 3 4 2 1 1 |
| CONNECTICUT Male Female | 22,258 11,398 10,860 | 21,696 11,121 10,575 | 14,487 7,480 7,007 | 2,877 1,443 1,434 | 7 2 5 | 3,977 2,026 1,951 | 316 158 158 | 32 12 20 | 562 277 285 | 554 272 282 | 3 3 | 2 | 2 1 1 | 1 1 |
| Cities of 10,000 or more | 18,608 9,526 9,082 1,061 529 532 2,589 1,343 1,246 | 18,092 9,275 8,817 1,050 522 528 2,554 1,324 1,230 | 12,008 6,195. 5,812 740 359 381 1,739 925 814 | 2,442 1,212 1,230 123 65 58 312 166 146 | 5 1 4 2 2 1 | 3,366 1,732 1,634 181 93 88 430 201 229 | 243 123 120 6 5 1 67 30 37 | 28 11 17 4 1 | 516 251 265 11 7 4 35 19 | 508 246 262 11 7 4 35 19 | 3 5 | 2 | 2 1 | 1 |

| | | | | WHO | THE . | | | | | | OTHER RAC | ES | | |
|--|--|--|--|---|--|---|--|--|--|---|---------------------------------------|---|-----------------------------------|--------------------|
| | All | 1 | Both | parents— | TE | Mixe | d parents | ge | | <u> </u> | JIMER RAC | ₩ | | |
| AREA AND SEX | births | Total | Native | Foreign | Un- known | Native and foreign | Native and un- known | Foreign and un- known | Total | Negro | Indian | Chi- nese | Japa- nese | Minor races |
| DELAWARE | 4,036 2,079 1,957 | 3,379 1,748 1,631 | 2,938 1,526 1,412 | 136 69 67 | 3 1 2 | 207- 106 101 | 92 44 48 | 3 2 1 | 657 331 326 | 656 331 325 | | 1 | | |
| Cities of 10,000 or more- Male | 2,269 1,164 1,105 367 201 166 1,400 714 686 | 2,009 1,035 974 322 174 148 1,048 539 509 | 1,652 852 800 292 158 134 994 515 | 122 54 58 7 3 4 7 2 | 1 | 169 83 86 15 9 6 23 14 | 61 33 28 8 4 4 23 7 | 3 2 1 | 260 129 131 45 27 18 352 175 177 | 259 129 130 45 27 18 352 175 | | 1 | | |
| DISTRICT OF COLUMBIA MaleFemale | 10,803 5,568 5,235 | 7,162 3,714 3,448 | 6,249 3,232 3,017 | 266 155 111 | 40 22 18 | 481. 236 245 | 118 67 51 | 8 2 6 | 3,641 1,854 1,787 | 3,617 1,837 1,780 | 1 | 12 10 2 | 2 | 9 7 2 |
| FLORIDA | 28,051 14,403 13,648 | 19,579 10,133 9,446 | 18,196 9,407 8,789 | 237 121 116 | 25 13 12 | 740 388 352 | 375 200 175 | 6 4 2 | 8,472 4,270 4,202 | 8,448 - 4,257 4,191 | 13 9 4 | 3 1 2 | 3 2 1 | 5 1 4 |
| Cities of 10,000 or more- Male Female Cities of 2,500 to 10,000- Male Female Male | 10,377 5,406 4,971 4,577 2,321 2,256 13,097 6,676 6,421 | 7,610 3,967 3,643 3,306 1,684 1,622 8,663 4,482 4,181 | 6,766 3,538 3,228 3,101 1,571 1,530 8,329 4,298 4,031 | 164 80 84 37 22 15 36 19 | 3 1 2 4 2 2 18 10 8 | 518 270 248 125 69 56 97 49 | 155 75 80 38 20 18 182 105 | 4 3 1 1 1 | 2,767 1,439 1,328 1,271 637 634 4,434 2,194 2,240 | 2,756 1,435 1,321 1,271 637 634 4,421 2,185 2,236 | 2 1 1 11 8 3 | 1 | 1 | 5 1 4 |
| GEORGIA | 63,260 32,299 30,961 | 37,334 19,276 18,058 | 36,297 18,740 17,557 | 46 23 23 | 31 17 14 | 187 100 67 | 773 396 377 | | 25,926 13,023 12,903 | 25,919 13,020 12,899 | 1 | 6 2 4 | | |
| Cities of 10,000 or more- Malo | 13,692 6,892 6,800 6,649 3,437 3,212 42,919 21,970 20,949 | 8,637, 4,365 4,272 4,334 2,292 2,042 24,363 12,619 11,744 | 8,219 4,162 4,057 4,266 2,256 2,010 23,812 12,322 11,490 | 37 17 20 1 1 1 8 5 | | 130 74 56 11 2 9 46 24 22 | 238 107 131 55 33 22 480 256 224 | | 5,055 2,527 2,528 2,315 1,145 1,170 18,556 9,351 9,205 | 5,048 2,524 2,524 2,315 1,145 1,170 18,556 9,351 9,205 | 1 | 4 | | |
| IDAHO | 9,469 4,838 4,631 | 9,344 4,773 4,571 | 8,658 4,429 4,229 | 106 48 58 | | 516 261 255 | 61 32 29 | 3 3 | 125 65 60 | | 109 55 54 | 2 1 1 | 14 9 5 | |
| Cities of 10,000 or more- Male | 1,318 650 668 4,122 2,123 1,999 4,029 2,065 1,964 | 1,316 649 667 4,105 2,111 1,994 3,923 2,013 1,910 | 1,223 599 624 3,785 1,953 1,832 3,650 1,877 | 13 7 6 44 24 20 49 17 32 | | 65 37 28 251 118 133 200 106 94 | 13 4 9 25 16 9 23 12 | 2 2 2 1 1 | 2 1 17 12 5 106 52 54 | | 1 4 3 1 104 52 52 | 1 1 | 12 9 3 2 | |
| III.INOIS | 111,884 57,294 54,590 | 106,120 54,336 51,784 | 86,092 44,091 42,001 | 7,659 5,876 3,783 | 46 28 18 | 10,556 5,410 5,145 | 1,707 903 804 | 60 28 32 | 5,764 2,958 2,806 | 5,686 2,916 2,770 | 4 4 | 34 16 18 | 3 2 1 | 37 20 17 |
| Cities of 10,000 or more— Male———————————————————————————————————— | 76,708 39,320 37,388 10,171 5,173 4,998 25,005 12,801 12,204 52,909 27,214 | 71,493 36,640 34,853 9,977 5,070 4,907 24,650 12,626 12,024 51,077 26,317 | 53,713 27,537 25,176 9,114. 4,639 4,475 23,265 11,915 11,350 48,223 24,838 25,385 | 7,065 3,576 3,489 231 107 124 363 193 170 797 411 | 39 25 14 2 1 5 2 3 12 6 | 9,298 4,774 4,524 495 254 241 763 382 381 1,521 778 743 | 1,321 701 620 133 68 65 253 134 119 514 280 234 | 57 27 30 2 1 1 1 10 4 6 | ,5,215 2,680 2,535 194 103 91 355 175 180 1,832 897 935 | 5,138 2,639 2,499 193 102 91 355 175 180 1,828 896 952 | 1 | 33 15 18 1 1 1 2 2 | 3 2 1 1 1 | 37 20 17 |
| Cities of 10,000 or more- Male Female Cities of 2,500 to 10,000- Male Female Male | 25,695 25,774 13,242 12,552 5,900 3,053 2,847 21,225 10,919 10,316 | 24,750 24,102 12,424 11,678 5,850 3,029 2,821 21,125 10,864 10,261 | 21,868 11,264 10,604 5,690 2,957 2,733 20,665 10,617 10,048 | 700 358 542 21 9 12 76 44 32 | 6 3 3 2 1 1 4 2 2 | 1,189 618 571 94 42 52 238 118 120 | 331 177 154 43 20 23 140 83 57 | 8 4 4 | 1,672 818 854 50 24 26 110 55 55 | 1,669 818 851 50 24 26 109 54 55 | 1 1 | 2 | 1 | |
| Male | 41,137 21,106 20,031 15,375 7,885 7,490 6,091 3,111 2,980 19,671 10,110 9,561 | 40,879 20,972 19,907 15,157 7,766 7,391 6,083 3,107 2,976 19,639 10,099 9,540 | 37,699 19,345 18,354 13,679 7,012 6,667 5,726 2,913 2,813 18,294 9,420 8,874 | 532 270 262 262 137 125 39 16 23 231 117 | 20 13 12 6 6 10 7 3 11 | 1,812 936 876 667 342 325 216 124 929 470 459 | 786 394 392 527 265 262 91 47 44 168 82 86 | 17 7 10 10 4 6 1 1 6 3 3 | 134 124 218 119 99 8 4 4 32 | 124 112 211 115 96 7 4 3 18 | 9 10 5 3 2 14 6 | 1 1 | 1 1 | 1 |

| | | T | | WHE | ITE | | | | <u> </u> | | OTHER RAC | TS | | |
|---|---|---|---|--|--------------------------------|---|---|---|--|--|---|----------------|---|----------------------------|
| ADMA AND CON | All | | Both | parents- | | Mixe | d parente | ige | | Π | | | Γ | <u> </u> |
| AREA AND SEX | births | Total | Native | Foreign | Un- known | Native and foreign | Native and un- known | Foreign and un- known | Total | Negro | Indian | Chi- nese | Japa- nese | Minor races |
| KANSAS | 30,589 15,611 14,978 | 29,634 15,147 14,487 | 28,118 14,346 13,772 | 475 251 224 | 10 6 4 | 779 414 365 | 251 129 122 | 1 1 | 955 464 491 | 912 448 464 | 42 15 27 | | | 1 |
| Cities of 10,000 or more- Male | 10,689 5,480 5,209 | 9,987 5,132 4,855 | 9,314 4,784 4,530 | 240 125 115 | 10 6 4 | 276 137 139 | 147 80 67 | | 702 348 354 | 694 344 350 | 8 4 4 | | | |
| Cities of 2,500 to 10,000- Melo Female Rurel Female Female | 4,398 2,226 2,172 15,502 7,905 7,597 | 4,311 2,182 2,129 15,336 7,833 7,503 | 4,125 2,083 2,042 14,679 7,479 7,200 | 66 34 32 169 92 77 | | 90 50 40 413 227 186 | 29 14 15 75 35 40 | 1 | 87 44 43 166 72 94 | 83 41 42 135 63 72 | 3 2 1 31 9 22 | | | 1 |
| KENTUCKY | 57,715 29,919 27,796 | 54,918 28,509 26,409 | 54,305 28,207 26,098 | 40 19 21 | 3 1 2 | 203 102 101 | 367 180 187 | | 2,797 1,410 1,387 | 2,791 1,410 1,381 | 4 | 2 | | |
| Cities of 10,000 or more— Mmle————— Female——————————————————————————————————— | 10,064 5,176 4,888 4,690 2,434 2,256 42,961 22,309 20,552 | 9,019 4,654 4,365 4,308 2,240 2,068 41,591 21,615 19,976 | 8,777 4,551 4,246 4,261 2,218 2,043 41,267 21,458 19,809 | 31 15 16 4 1 3 5 | 3 1 2 | 119 58 61 21 11 10 63 33 | 92 50 42 22 10 12 253 120 133 | | 1,045 522 523 382 194 188 1,370 694 676 | 1,043 522 521 382 194 188 1,365 694 672 | 4 | 2 | | |
| LOUISIANA Malo Female | 42,270 21,596 20,674 | 24,417 12,366 12,051 | 23,672 12,001 11,671 | 121 50 71 | 2 1 1 | 401 201 200 | 221 113 108 | | 17,853 9,230 8,623 | 17,782 9,196 8,586 | 64 30 34 | 4 3 1 | <u>1</u> | 2 1 1 |
| Cities of 10,000 or more- Male Cities of 2,500 to 10,000- Male Female Rural Fomale Fomale | 13,901 7,109 6,792 5,450 2,727 2,723 22,919 11,760 11,159 | 8,433 4,277 4,156 3,274 1,598 1,676 12,710 6,491 6,219 | 7,919 4,033 3,886 3,215 1,564 1,651 12,538 6,404 6,134 | 80 29 51 11 8 3 30 13 | 2 1 | 286 141 145 33 16 17 82 44 38 | 148 74 74 15 10 5 58 29 | | 5,468 2,832 2,636 2,176 1,129 1,047 10,209 5,269 4,940 | 5,460 2,827 2,633 2,173 1,127 1,046 10,149 5,242 4,907 | 2 2 3 2 1 59 26 33 | 4 3 1 | 1 | 1 1 1 1 |
| MAINE | 15,723 8,022 7,701 | 15,681 8,000 7,681 | 11,953 6,084 5,869 | 888 427 461 | | 2,532 1,344 1,188 | 291 137 154 | 17 8 9 | 42 22 20 | 15 7 8 | 26 14 12 | 1 1 | | |
| Cities of 10,000 or more- Male Fomale Cities of 2,500 to 10,000- Male | 4,917 2,511 2,406 2,046 1,052 994 8,760 4,459 4,301 | 4,904 2,505 2,399 2,038 1,047 991 8,739 4,448 4,291 | 3,408 1,745 1,663 1,511 774 737 7,034 3,565 3,469 | 408 190 218 128 68 60 352 169 183 | | 953 507 446 362 185 177 1,217 652 565 | 124 57 67 37 20 17 130 60 70 | 11 6 5 6 2 4 | 13 6 7 8 5 3 21 11 | 12 5 7 3 3 2 | B 5 3 18 9 | 1 | | |
| MARYLAND Male Female | 27,236 13,928 13,308 | 21,322 10,947 10,375 | 19,568 10,041 9,527 | 525 260 263 | 8 3 5 | 1,022 533 489 | 196 109 87 | 3 1 2 | 5,914 2,981 2,933 | 5,893 2,970 2,923 | 2 1 1 | 12 5 7 | 2 1 1 | 5 4 1 |
| Cities of 10,000 or more- Male | 16,012 8,205 7,806 1,576 808 768 9,648 4,914 4,734 | 12,662 6,520 6,142 1,350 691 659 7,310 3,736 3,574 | 11,267 5,793 5,474 1,267 653 614 7,034 3,595 3,439 | 470 235 235 16 6 10 39 19 20 | 2 2 2 6 1 5 | 817 430 387 48 22 26 157 81 76 | 104 59 45 19 10 9 73 40 | 2 1 1 1 | 3,350 1,686 1,664 226 117 109 2,338 1,178 1,160 | 3,332 1,677 1,655 225 116 109 2,336 1,177 1,159 | 2 1 1 | 12 5 7 | 1 | 3 2 1 1 1 1 |
| MASSACHUSETTS | 63,001 32,398 30,603 | 62,082 31,956 30,126 | 40,249 20,739 19,510 | 8,271 4,296 3,975 | 9 4 5 | 11,840 6,073 5,767 | 1,540 757 783 | 1 7 3 87 86 | 919 442 477 | 878 421 457 | 6 4 2 | 31 15 16 | 1 | 3 2 1 |
| Cities of 10,000 or more- Male | 56,401 29,024 27,377 3,614 1,866 1,748 2,996 1,508 1,478 | 55,620 28,644 26,976 3,594 1,851 1,743 2,868 1,461 1,407 | 36,725 18,412 17,313 2,559 1,323 1,236 1,965 1,004 961 | 169 248 135 | 9 4 5 | 10,762 5,542 5,220 608 300 308 470 231 239 | 1,312 640 672 59 32 27 169 85 64 | 153 80 73 4 1 3 16 6 | 781 380 401 20 15 5 118 47 71 | 746 363 383 20 15 5 112 43 | 6 4 | 31 15 16 | 1 | 3 2 1 |
| MICHIGAN Male Female | 87,446 45,034 42,412 | 84,377 43,445 40,932 | 66,200 34,152 32,048 | 5,963 3,081 2,882 | 31 12 19 | 10,567 5,367 5,200 | 1,525 788 737 | 91 45 46 | 3,069 1,589 1,480 | 2,883 1,497 1,386 | 155 80 75 | | | 19 6 13 |
| Cities of 10,000 or more | 54,542 28,163 26,379 7,722 4,041 3,681 20,182 12,230 12,352 | 51,792 26,733 25,059 7,632 3,933 3,639 24,953 12,719 12,234 | 37,510 19,450 18,060 6,674 3,491 3,163 22,016 11,211 10,805 | 4,997 2,560 2,437 206 118 88 760 403 357 | 25 10 15 1 5 2 | 8,057 4,078 3,979 636 330 306 1,874 959 915 | 1,124 595 529 111 52 59 290 141 149 | 79 40 39 4 2 2 8 3 | 2,750 1,430 1,320 90 48 42 229 111 118 | 2,591 1,405 1,286 79 41 38 113 51 62 | 7 4 114 58 | 6 6 | | 17 4 13 |

| | · | <u> </u> | | WHI | TE | | | | | | OTHER RAC | ES . | | |
|--|---|---|---|---|----------------------------|---|--|---------------------------------------|--|--|---|---|---------------------------------|---------------------------|
| 1974 119 2774 | All | | Both | parents- | | Mixe | ed parents | ıge | | | | | | |
| AREA AND SEX | births | Total | Native | Foreign | Un- known | Native and foreign | Native and un- known | Foreign and un- known | Total | Negro | Indian | Chi- nese | Japa- nese | Minor races |
| MINNESOTA | 45,962 23,563 22,399 | 45,364 23,263 22,101 | 39,401 20,188 19,213 | 1,081 566 515 | 6 1 5 | 3,823 1,976 1,847 | 1,029 520 509 | 24 12 12 | 598 300 298 | 102 48 54 | 481 248 233 | 7 3 4 | | 8 1 7 |
| Cities of 10,000 or more- Male | 17,942 9,209 8,733 6,228 3,187 3,041 21,792 11,167 10,625 | 17,831 9,158 8,673 6,202 3,176 3,026 21,331 10,929 10,402 | 14,813 7,571 7,242 5,494 2,815 2,679 19,094 9,802 9,292 | 582 315 257 115 62 53 384 189 195 | 3 1 1 2 1 1 | 1,775 935 840 454 232 222 1,594 809 785 | 639 327 312 137 67 70 253 126 | 19 10 9 1 | 111 50 26 .11 15 461 238 223 | 90 44 46 8 1 7 4 3 | 6 3 3 18 10 8 457 235 222 | 7 3 4 | | *8 |
| MISSISSIPPI | 48,320 24,514 23,806 | 21,977 11,179 10,798 | 21,633 11,014 10,619 | 41 14 . 27 | 5 1 4 | 96 54 42 | 202 96 106 | | 26,343 13,335 13,008 | 26,259 13,291 12,968 | 74 39 35 | 10 5 5 | | |
| Cities of 10,000 or more- Male Female Rural | 5,086 2,566 2,320 2,139 1,125 1,014 41,095 20,823 20,272 | 3,201 1,632 1,569 1,150 598 552 17,626 8,949 8,677 | 3,099 1,589 1,510 1,123 585 538 17,411 8,640 8,571 | 17 8 9 5 2 3 19 4 15 | 1 | 45 21 24 14 7 7 37 26 11 | 39 14 25 8 4 155 78 | | 1,885 934 951 989 527 462 23,469 11,874 11,595 | 1,884 934 950 958 509 449 23,417 11,848 11,569 | 30 17 13 44 22 22 | 1 1 1 1 8 4 | | |
| MISSOURI | 57,299 29,404 27,895 | 53,724 27,557 25,167 | 50,394 25,803 24,591 | 657 340 317 | 7 4 3 | 1,266 674 592 | 1,385 725 660 | 15 11 4 | 3,575 1,847 1,728 | 3,550 1,836 1,714 | 8 4 4 | 8 4 4 | 4 4 | 5 3 2 |
| Cities of 10,000 or more- Male Cities of 2,500 to 10,000- Male Female Rural Fomale | 24,273 12,549 11,724 5,323 2,707 2,616 27,703 14,148 13,555 | 21,749 11,196 10,553 5,010 2,567 2,443 26,965 13,794 13,171 | 19,192 9,852 9,340 4,838 2,480 2,358 25,364 13,471 12,893 | 586 300 286 27 16 11 44 24 | 1 1 1 1 1 | 1,035 547 488 61 35 26 170 92 | 917 483 434 82 35 47 386 207 179 | 15 11 4 | 2,524 1,353 1,171 313 140 173 738 354 384 | 2,502 1,344 1,158 312 139 173 736 353 383 | 5 2 3 1 1 2 2 1 | 8 4 4 | 4 | 5 3 2 |
| Male Female | 10,029 5,103 4,926 | 9,348 4,767 4,581 | 7,714 3,927 3,787 | 399 202 197 | 1 1 | 1,173 599 574 | 58 37 21 | 3 1 2 | 681 336 345 | 8 5 3 | 662 324 338 | 1 1 | 5 2 3 | 5 4 1 |
| Cities of 10,000 or more- Male | 2,984 1,470 1,514 1,772 883 889 5,273 2,750 2,523 | 2,963 1,460 1,503 1,764 878 886 4,621 2,429 2,192 | 2,488 1,216 1,272 1,517 750 757 5,709 1,951 1,758 | 101 50 51 50 28 22 248 124 124 | 1 | 352 163 169 187 83 104 634 333 301 | 20 10 10 7 3 28 20 8 | 1 2 1 1 | 21 10 11 8 5 3 652 321 331 | 4 3 1 1 1 2 | 13 4 9 5 3 2 644 317 327 | 1 | 1 2 1 2 1 1 | 2 2 3 2 1 |
| NEBRASKA Kale Female | 23,327 11,947 11,380 | 22,996 11,778 11,218 | 21,126 10,824 10,302 | 463 226 237 | ===== | 1,156 599 557 | 246 127 119 | 5 2 3 | 331 169 162 | 207 104 103 | 111 57 54 | 4 2 2 | 8 5 3 | 1 |
| Cities of 10,000 or more- Male Female | 7,421 3,784 3,637 3,072 1,614 1,458 12,834 6,549 6,285 | 7,223 3,686 3,537 3,061 1,607 1,454 12,712 6,485 6,227 | 6,411 3,287 3,124 2,844 1,489 1,355 11,871 6,048 5,823 | 229 114 115 58 30 28 176 82 94 | | 457 224 233 131 74 57 568 301 267 | 122 59 63 27 14 13 97 54 | 1 | 198 98 100 11 7 4 122 64 . 58 | 193 95 98 8 6 2 5 3 | 111 57 54 | 2 2 | 1 1 3 1 2 4 3 | 1 |
| NEVADAFemalo | 1,423 733 690 | 1,325 684 641 | 1,097 566 531 | 75 40 35 | 1 | 138 72 66 | 13 4 9 | 1 1 | 98 49 49 | 6 3 3 | 85 41 44 | 2 | 4 3 1 | 1 |
| Cities of 10,000 or more— Male | 242 124 118 383 186 197 798 423 375 | 238 123 115 370 181 189 717 380 337 | 197 101 96 319 153 166 581 312 269 | 15 8 7 17 11 6 43 21 22 | 1 1 | 22 13 9 28 13 15 88 46 42 | 4 13 4.2 25 14 | 1 1 1 | 4 1 3 13 5 8 81 43 38 | 1 4 2 2 1 1 | 3 1 2 6 1 5 76 39 | 1 | 1 1 1 2 2 1 | 1 1 |
| NEW HAMPSHIRE | 7,768 3,943 3,825 | 7,761 3,941 3,820 | 5,760 2,924 2,835 | 487 238 249 | 5 3 2 | 1,278 643 635 | 214 121 93 | 17 12 5 | 7 2 5 | 6 2 4 | ·1 | | | |
| Cities of 10,000 or more | 4,371 2,232 2,139 833 434 399 2,564 1,277 1,287 | 4,366 2,231 2,135 833 434 399 2,562 1,276 1,286 | 3,097 1,584 1,513 631 324 307 2,032 1,016 1,016 | 349 172 177 46 22 24 92 44 48 | 5 3 2 | 805 405 400 133 77 56 340 161 179 | 100 . 60 40 21 . 9 12 . 93 52 41 | 10 7 3 2 2 5 3 2 | 5 1 4 2 1 1 | 2 1 1 | 1 | | | |

TABLE 2.—BIRTHS, BY SEX AND RACE, AND BY PARENT NATIVITY OF WHITE: 1935—Continued (Exclusive of stillbirths)

| | | | | (Exclusive | or stil | lbirths) | | | | | | | | |
|---|---|---|---|--|---|--|--|---|--|--|---|-------------------------------|------------------------------|----------------|
| | | | | WEI | ITE | | | | r | 1 | OTHER RAC | ES | r | |
| AREA AND SEX | All births | Total | Both Native | rerents— | Un- known | Native and foreign | Native and un- known | Foreign and un- known | Total | Negro | Indian | Chi- nese | Japa- nese | Minor races |
| NEW JERSEY | 54,514 28,104 26,410 | 50,304 25,990 24,314 | 35,979 18,586 17,393 | 5,882 3,065 2,817 | 17 11 6 | 7,773 4,010 3,763 | 607 303 304 | 46 15 31 | 4,210 2,114 2,096 | 4,183 2,094 2,089 | 1 | 19 15 4 | 7 5 2 | |
| Cities of 10,000 or more- Male | 42,705 22,522 21,083 4,664 2,364 2,366 5,145 3,118 3,027 | 40,276 20,902 19,374 4,342 2,207 2,135 5,686 2,881 2,805 | 28,016 14,548 13,468 3,358 1,699 1,659 4,600 2,339 2,266 | 5,087 2,672 2,415 381 190 191 414 203 211 | 8 6 2 1 1 1 | 6,660 3,434 3,226 556 293 263 557 283 274 | 470 231 239 42 23 19 95 49 46 | 35 12 24 1 3 7 3 4 15 | 3,429 1,720 1,709 322 157 163 459 237 222 | 3,407 1,703 1,704 318 154 164 458 237 221 | 1 552 | 17 13 4 2 2 | 54 1 2 1 1 5 | |
| Male | 6,692 6,498 1,664 876 788 2,378 1,161 1,217 9,148 4,655 4,493 | 6,405 6,195 1,656 873 783 2,358 1,156 1,202 8,586 4,376 4,210 | 5,558 5,459 1,519 812 707 2,049 1,000 1,049 7,549 3,846 3,703 | 221 237 27 11 16 83 37 46 348 173 175 | 83 | 367 323 61 31 30 161 85 76 468 251 217 | 143 166 47 17 30 60 31 29 202 95 107 | 5 3 2 10 5 | 287 303 8 3 5 20 5 15 562 279 283 | 13 19 7 2 5 16 4 12 9 7 2 | 272 280 1 1 1 1 1 550 270 280 | 1 | 3 2 2 | |
| NEW YORK | 184,344 94,620 69,724 | 175,658 90,212 85,446 | 114,050 58,645 55,405 | 29,481 15,056 14,425 | 7 3 4 | 29,644 15,233 14,411 | 2,280 1,181 1,099 | 196: 94 102 | 8,686 4,408 4,278 | 8,348 4,243 4,105 | 173 87 86 | 112 51 61 | 30 19 11 | 23 8 15 |
| Cities of 10,000 or more- Male- Female- Cities of 2,500 to 10,000- Male- Female- Rural- Male- Female- | 152,161 78,262 73,899 9,555 4,935 4,620 22,628 11,423 11,205 | 144,199 74,219 69,980 9,389 4,857 4,532 22,070 11,136 10,934 | 88,118 45,438 42,680 7,488 3,885 3,603 18,444 9,322 9,122 | 27,617 14,119 13,498 685 352 333 1,179 585 594 | 7 3 4 | 26,425 13,618 12,807 1,079 549 530 2,140 1,066 1,074 | 1,856 956 900 132 70 62 292 155 | 176 85 91 5 1 4 15 8 | 7,962 4,043 3,919 166 78 68 558 287 271 | 7,736 3,939 3,797 155 72 83 457 232 225 | 65 27 38 10 6 4 98 54 | 109 51 58 1 2 | 29 18 11 1 1 | 23 8 15 |
| NORTH CAROLINA Mele Femele | 78,753 40,354 38,399 | 53,665 27,651 26,014 | 52,106 26,842 25,264 | 42 18 24 | 289 172 117 | 168 84 84 | 1,060 535 525 | | 25,088 12,703 12,385 | 24,357 12,319 12,038 | 726 382 346 | 2 2 | | <u>1</u> |
| Cities of 10,000 or more- Male- Female Cities of 2,500 to 10,000- Male- Female Rurel- Mele- Female | 13,615 7,092 6,523 6,269 3,140 0,129 58,669 30,122 28,747 | 9,378 4,910 4,468 4,904 2,439 2,435 39,383 20,272 19,111 | 8,938 4,669 4,269 4,787 2,416 2,371 38,381 19,757 18,624 | 32 14 18 5 2 3 5 2 | 2 1 25 13 12 262 158 104 | 97 51 46 20 7 13 51 26 25 | 309 175 134 67 31 36 684 329 355 | | 4,237 2,182 2,055 1,365 671 694 19,486 9,850 9,636 | 4,231 2,177 2,054 1,313 644 669 18,813 9,498 9,315 | 5 4 1 51 27 24 672 351 321 | 1 1 1 1 | | 1 1 |
| NORTH DAKOTA Male Femele | 13,655 7,018 6,637 | 13,215 6,806 6,409 | 10,566 5,496 5,070 | 504 243 261 | | 1,848 924 924 | 288 136 152 | 9 7 2 | 440 212 228 | 5 3 2 | 432 207 225 | 1 | 2 1 1 | |
| Cities of 10,000 or more- Male Female Funale Rurel | 2,622 1,404 1,218 1,712 878 834 9,321 4,736 4,585 | 2,517 1,401 1,216 1,704 876 828 8,894 4,529 4,365 | 2,155 1,170 985 1,378 715 663 7,033 3,611 3,422 | 42 15 27 59 30 29 403 198 205 | | 258 141 117 242 118 124 1,348 665 663 | 157 70 87 24 13 11 107 53 | 5 5 1 1 3 2 1 | 5 3 2 8 2 6 427 207 220 | 2 1 1 3 2 1 | 2 2 6 6 424 205 219 | 1 1 | 1 1 1 1 | |
| OHIO | 101,103 51,770 49,333 | 95,878 49,177 46,701 | £3,779 42,840 40,939 | 3,849 2,024 1,825 | 6 2 4 | 6,516 3,300 3,016 | 1,886 989 897 | 42 22 20 | 5,225 2,593 2,632 | 5,196 2,579 2,617 | 7 5 2 | 21 9 12 | | 1 |
| Cities of 10,000 or more- Male | 62,484 32,092 30,392 8,440 4,264 4,176 30,179 15,414 14,765 | 57,991 29,868 28,123 8,210 4,161 4,049 29,677 15,148 14,529 | 48,183 24,722 23,461 7,561 3,831 3,750 28,035 14,287 13,748 | 3,291 1,723 1,568 164 91 73 394 210 184 | 5 2 3 | 5,238 2,748 2,490 342 168 174 736 384 352 | 1,233 651 582 142 71 71 511 267 244 | 41 22 19 1 | 4,493 2,224 2,269 230 103 127 502 266 236 | 4,467 2,212 2,255 230 103 127 499 264 235 | 5 3 2 2 2 | 20 9 11 1 | | 1 |
| OKIAHOMA Male Female | 43,691 22,343 21,348 | 40,350 20,676 19,684 | 39,082 20,031 19,051 | 123 62 61 | 70 43 27 | 364 186 178 | 719 353 366 | 2 1 1 | 3,331 1,667 1,664 | 1,965 993 972 | 1,364 674 690 | 1 | | 1 |
| Cities of 10,000 or more | 11,093 5,664 5,429 7,974 4,095 3,879 24,624 12,584 12,040 | 10,081 5,170 4,911 7,305 3,754 3,551 22,974 11,752 11,222 | 9,622 4,929 4,693 7,095 3,645 22,365 11,452 10,913 | 62 32 30 20 10 10 41 20 21 | 8 6 2 15 9 6 47 28 19 | 134 67 67 77 40 37 153 79 | 253 135 118 98 45 53 368 173 195 | 2 1 1 | 1,012 494 518 669 341 328 1,650 832 818 | 742 385 357 318 154 164 905 454 451 | 269 109 160 351 187 164 744 378 366 | 1 | | 1 |

TABLE 2.—BIRTHS, BY SEX AND RACE, AND BY PARENT NATIVITY OF WHITE: 1935—Continued (Exclusive of stillbirths)

| | | ī | | WHI | | | | | | | | | | |
|--|--|--|--|---|--|---|---|--|--|---|---|----------------------|--|--------------------------------|
| | | <u> </u> | Both | perents- | TP | Mixe | d parenta | ge ' | | | THER RAC | , S | | |
| AREA AND SEX | All births | Total | *Netive | Foreign | Un⇒ known | Native and foreign | Native and un- known | Foreign and un- known | Total | Negro | Indien | Chi- nese | Japa- nese | Minor races |
| OREGON | 13,179 6,825 6,354 | 12,963 6,718 6,245 | 11,434 5,903 5,531 | 268 155 113 | 1 1 | 1,151 599 552 | 104 57 47 | 5 3 2 | 216 107 109 | 21 10 11 | 107 48 59 | 25 15 10 | 49 26 23 | 14 8 6 |
| Cities of 10,000 or more— Male———————————————————————————————————— | 6,115 3,160 2,955 2,894 1,470 1,424 4,170 2,195 1,975 | 6,021 3,114 2,907 2,879 1,462 1,417 4,063 2,142 1,921 | 5,107 2,626 2,491 2,631 1,335 1,296 3,696 1,942 1,754 | 183 106 77 24 12 12 61 37 | 1 | 667 346 321 210 107 103 274 146 | 59 33 26 13 7 6 32 17 | 4 2 2 1 1 | 94 46 48 15 8 7 107 53 | 21 10 11 | 9 4 5 13 6 7 85 38 47 | 24 . 14 10 | 29 13 16 2 2 18 . 11 | 3 3 3 |
| PENNSYLVANIA | 161,166 82,698 78,468 | 153,062 78,506 74,556 | 127,969 65,635 62,334 | 9,872 5,089 4,783 | 27 18 9 | 13,478 6,897 6,581 | 1,659 838 821 | 57 29 28 | 8,104 4,192 3,912 | 8,061 4,166 3,895 | 9 5 4 | 18 12 6 | 4 1 3 | 12 8 4 |
| Cities of 10,000 or more- Male | 89,901 46,139 43,762 20,953 10,764 10,189 50,312 25,795 24,517 | 82,782 42,448 40,334 20,686 10,651 10,055 49,594 25,427 24,167 | 65,909 33,771 32,138 17,641 9,052 8,589 44,419 22,812 21,607 | 6,729 3,490 3,239 1,177 609 568 1,986 990 | 18 14 4 1 1 8 3 | 8,983 4,599 4,384 1,678 862 816 2,817 1,436 1,381 | 1,099 552 547 180 101 79 380 185 195 | 44 22 29 63 413 | 7,119 3,691 3,428 267 133 134 718 368 350 | 7,081 3,667 3,414 266 132 134 714 367 347 | 2 2 | 17 11 6 1 | 1 2 1 1 | 11 7 4 |
| RHODE ISLAND | 10,215 5,246 4,969 | 9,980 5,130 4,850 | 6,436 3,339 3,097 | 1,199 606 593 | 1 1 | 2,049 1,031 1,018 | 269 140 129 | 26 13 13 | 235 116 119 | 230 113 117 | 4 2 2 | 1 1 | | |
| Cities of 10,000 or more— Male———————————————————————————————————— | 9,396 4,826 4,570 259 150 109 560 270 290 40,598 20,837 | 9,187 4,723 4,464 257 149 108 536 258 278 19,590 10,057 | 5,863 3,043 2,820 177 106 71 396 190 206 | 1,131 573 558 31 17 14 37 16 21 | 1 1 | 1,918 963 955 45 23 22 66 45 41 | 249 131 118 4 3 1 16 6 10 423 208 | 26 13' 13 | 209 103 106 2 1 1 24 12 12 12 21,008 10,780 | 207 102 105 2 1 1 21 10 11 20,989 10,770 | 1 1 3 2 1 18 | 111 | | |
| Female Cities of 10,000 or more— Male———————————————————————————————————— | 19,761 5,603 2,900 2,703 3,077 1,606 1,471 31,918 16,331 15,587 | 9,533 3,436 1,777 1,559 1,952 1,016 936 14,202 7,264 6,938 | 9,275 3,268 1,690 1,576 1,900 988 912 13,910 7,125 6,785 | 22 11 11 3 1 2 2 2 | | 30 31 16 15 4 2 2 27 14 13 | 215 60 55 45 25 20 263 123 140 | | 10,228 2,167 1,123 1,044 1,125 590 535 17,716 9,067 8,649 | 10,219 2,167 1,123 1,044 1,125 590 535 17,697 9,057 8,640 | 18 10 8 | | | 1 |
| SOUTH DAKOTA MaleFemale | 12,850 6,604 6,246 | 12,213 6,261 5,952 | 10,918 5,597 5,321 | 194 86 108 | 1 | 896 462 434 | 202 115 87 | 2 1 1 | 637 343 294 | 7 3 4 | 630 340 290 | | | |
| Cities of 10,000 or more | 2,639 1,355 1,284 1,448 737 711 8,763 4,512 4,251 | 2,631 1,353 1,278 1,437 731 705 8,145 4,177 3,968 | 2,346 1,204 1,142 1,322 665 656 7,250 3,727 3,523 | 34 14 20 13 7 6 147 65 82 | 1 | 156 83 73 79 43 36 661 336 325 | 94 51 43 22 15 7 86 49 37 | 1 1 1 1 1 | 8 2 6 11 6 5 618 335 283 | 3 1 2 3 2 1 1 | 5 1 4 8 4 617 335 282 | | | |
| TENNESSEE Male Female | 53,314 27,400 25,914 | 44,981 23,077 21,904 | 43,697 22,414 21,283 | 41 20 21 | 6 5 1 | 202 106 96 | 1,034 531 503 | 1 1 | 8,333 4,323 4,010 | 8,329 4,321 4,008 | 4 2 2 | | | |
| Cities of 10,000 or more | 13,744 7,050 6,694 4,105 2,095 2,010 35,465 18,255 17,210 | 10,159 5,172 4,987 3,525 1,803 1,722 31,297 16,102 15,195 | 9,572 4,881 4,691 3,435 1,756 1,679 30,690 15,777 14,913 | 35 18 17 2 2 4 2 2 | 4 3 1 2 2 2 | 162 80 82 9 6 3 31 20 11 | 385 189 196 79 41 38 570 301 269 | 1 1 | 3,585 1,878 1,707 580 292 288 4,168 2,153 2,015 | 3,585 1,878 1,707 580 292 288 4,164 2,151 2,013 | 4 2 2 | | | |
| TEXAS | 114,721 58,836 55,885 | 100,766 51,699 49,067 | 84,353 43,280 41,073 | 6,573 3,394 3,179 | 37 24 13 | 7,740 3,936 3,804 | 1,804 920 884 | 259 145 114 | 13,955 7,137 6,818 | 13,876 7,089 6,787 | 38 24 14 | 20 13 7 | 9 7 2 | 12 4 8 |
| Cities of 10,000 or more— Male———————————————————————————————————— | 37,536 19,181 18,355 13,990 7,180 6,910 63,195 32,475 30,720 | 33,426 17,050 16,376 12,878 6,615 6,263 54,462 28,034 26,428 | 25,521 13,059 12,462 10,933 5,643 5,290 47,899 24,578 23,321 | 3,173 1,595 1,578 752 385 367 2,648 1,414 1,234 | 11 5 6 3 2 1 23 17 6 | 3,537 1,797 1,740 981 484 497 3,222 1,655 1,567 | 1,010 497 513 189 94 95 605 329 276 | 174 97 77 20 7 13 65 41 24 | 4,110 2,131 1,979 1,112 565 547 8,733 4,441 4,292 | 4,067 2,107 1,960 1,107 563 544 8,702 4,419 4,283 | 9 3 6 4 2 2 25 19 6 | 20 13 7 | 1 2 1 | 8 2 6 4 2 2 |

155010 0---37-----7

| | | | | WHI | ITE | | | | | (| OTHER RAC | ES | | |
|---|---|---|--|--|---|---|---|-----------------------------------|--|--|--|-------------------------------|---|------------------------------------|
| area and sex | All | | Both | perents- | | Mixe | d parente | ge | | | | | | F ⁻ |
| AREA ANU SEX | births | Total | Native | Foreign | Un- known | Native and foreign | Native and un- known | Foreign and un- known | Total | Negro | Indian | Chi- nese | Japa- nese | Minor races |
| UTAH Male Female | 12,695 6,509 6,186 | 12,585 6,453 6,132 | 11,303 5,786 5,517 | 295 152 143 | 1 | 911 481 430 | 72 32 40 | 3 1 2 | 110 56 54 | 6 3 3 | 65 32 33 | 44 | 33 20 13 | 2 1 1 |
| Cities of 10,000 or more | 5,164 2,649 2,515 2,632 1,341 1,291 4,849 2,519 2,380 | 5,148 2,641 2,507 2,628 1,340 1,288 4,809 2,472 2,337 | 4,426 2,265 2,160 2,388 1,209 1,179 4,489 2,311 2,178 | 182 92 90 48 31 17 65 29 36 | 1 | 494 263 231 181 96 85 236 122 114 | 43 19 24 11 4 7 18 9 | 3 1 2 | 16 8 8 4 1 3 90 47 43 | 5 3 2 1 | 1 1 1 64 31 33 | 1 1 1 2 | 9 5 4 2 2 22 15 | 1 1 1 1 |
| VERMONT | 6,591 3,360 3,231 | 6,586 3,356 3,230 | 5,193 2,627 2,566 | 408 216 192 | 4 3 1 | 844 444 400 | 127 61 66 | 10 5 5 | 5 4 1 | 5 4 1 | | | | |
| Cities of 10,000 or more- Male Fémale Female Rural | 1,613 619 794 1,270 647 623 3,708 1,994 1,814 | 1,613 819 794 1,269 646 623 3,704 1,891 1,813 | 1,302 655 647 981 501 480 2,910 1,471 1,439 | 74 35 39 63 35 28 271 146 125 | 3 3 1 1 | 195 109 86 204 101 103 445 234 | 36 15 21 19 9 10 72 37 35 | 2 2 2 5 3 2 2 | 1 1 1 2 4 3 1 | 1 1 1 3 1 | | | | |
| VIRGINIA Male Female | 51,487 26,275 25,212 | 36,610 18,698 17,912 | 35,398 18,103 17,295 | 119 47 72 | 3 2 1 | 342 169 173 | 745 376 369 | 3 1 2 | 14,877 7,577 7,300 | 14,839 7,555 7,284 | 26 14 12 | 1 | 1 | 10 6 4 |
| Cities of 10,000 or more- Male Female Female Rural Male Female | 11,488 5,851 5,657 3,845 1,993 1,852 36,154 16,431 17,723 | 8,144 4,146 3,998 3,243 1,688 1,555 25,223 12,864 12,359 | 7,719 3,942 3,777 3,146 1,603 1,503 24,633 12,518 12,015 | 73 30 43 12 5 7 34 12 22 | 1 2 2 2 | 196 95 101 24 11 13 122 63 59 | 153 78 75 61 29 32 531 269 262 | 2 1 1 1 1 | 3,344 1,705 1,639 602 305 297 10,931 5,567 5,364 | 3,332 1,697 1,635 602 305 297 10,905 5,553 5,352 | 1 1 1 25 13 12 | 1 1 | 1 1 | 9 5 4 1 1 |
| WASHINGTON Mele Female | 22,396 11,591 10,805 | 21,713 11,258 10,455 | 17,928 9,318 8,610 | 734 395 339 | 7 3 4 | 2,824 1,432 1,392 | 202 101 101 | 18 9 9 | 683 333 350 | 65 30 35 | 347 170 177 | 33 22 11 | 202 94 108 | 36 17 19 |
| Cities of 10,000 or more- Male Femele Gities of 2,500 to 10,000- Male | 14,089 7,281 6,808 2,371 1,226 1,145 5,936 3,084 2,852 | 13,800 7,144 6,656 2,321 1,199 1,122 5,592 2,915 2,677 | 11,159 5,763 5,376 2,012 1,046 966 4,757 2,489 2,268 | 527 286 241 50 29 21 157 80 77 | 3 1 2 4 2 2 | 1,952 993 969 247 119 128 615 320 295 | 134 75 61 12 5 7 56 23 33 | 15 8 7 3 1 2 | 289 1.47 152 50 27 23 344 169 175 | 61 28 33 4 2 2 | 40 21 19 32 18 14 .275 131 144 | 30 20 10 2 1 1 | 128 54 74 14 6 8 60 34 26 | 30 14 16 2 2 4 1 |
| WEST VIRGINIA | 41,774 21,395 20,379 | 39,512 20,239 19,273 | 36,553 18,712 17,841 | 523 282 241 | 20 11 9 | 837 404 433 | 1,577 829 748 | 2 1 1 | 2,262 1,156 1,106 | 2,259 1,153 1,106 | 2 2 | | | 1 1 |
| Cities of 10,000 or more- Male Female Female Rural Female Female | 7,112 3,725 3,387 3,609 1,806 1,603 31,053 15,864 15,169 | 6,799 3,568 3,231 3,422 1,711 1,711 29,291 14,960 14,331 | 6,177 3,230 2,947 3,122 1,569 1,555 27,254 13,913 13,341 | 116 65 51 62 29 33 345 188 157 | 7 5 2 1 1 12 5 7 | 229 112 117 105 44 61 503 248 255 | 270 156 114 131 68 63 1,176 605 571 | 1 1 1 1 | 313 157 156 187 95 92 1,762 904 858 | .312 156 156 186 94 92 1,761 903 858 | 1 1 1 1 | | | 1 |
| WISCONSIN Male Female | 52,562 27,113 25,449 | 52,017 26,845 25,172 | 45,548 23,406 22,142 | 1,609 633 776 | 13 7 6 | 3,860 2,076 1,784 | 967 505 462 | 20 18 2 | 545 268 277 | 167 87 80 | 374 178 196 | 3 3 | | <u>1</u> |
| Cities of 10,000 or more | 23,672 12,434 11,438 6,552 3,393 3,159 22,138 11,286 10,852 | 23,762 12,377 11,385 6,542 3,387 3,155 21,713 11,081 10,632 | 19,871 10,297 9,574 6,022 3,122 2,900 19,655 9,987 9,668 | 1,095 587 508 81 40 41 433 206 227 | 4 2 2 2 1 1 7 4 3 | 2,246 1,202 1,044 322 167 155 1,292 707 585 | 534 278 256 114 56 58 319 171 148 | 12 11 1 1 1 7 6 | 110 57 53 10 6 4 425 203 220 | 84 46 38 1 1 82 40 42 | 22 8 14 9 5 4 343 165 178 | 3 3 | | 1 |
| WYOMING | 4,362 2,231 2,131 | 4,243 2,181 2,062 | 3,738 1,912 1,826 | 138 70 68 | 4 3 1 | 307 167 140 | 51 25 26 | 5 4 1 | 119 50 69 | 10 5 5 | 98 40 58 | | 9 3 6 | 2 2 |
| Cities of 10,000 or more— Male———————————————————————————————————— | 704 370 334 865 436 430 2,792 1,425 1,367 | 697 365 332 659 433 426 2,687 1,383 1,304 | 622 327 295 739 370 369 2,377 1,215 1,162 | 17 8 9 27 12 15 94 50 | 4 3 1 | 41 21 20 80 46 34 186 100 86 | 16 9 7 13 5 8 22 11 | 1 1 4 4 4 | 7 5 2 7 3 4 105 42 63 | 6 4 2 2 2 1 1 2 | 98 40 58 | | 1 1 4 1 3 4 1 3 | 1 1 1 |

TABLE 3.—BIRTHS OF WHITE CHILDREN, BY SEX, AND COUNTRY OF BIRTH OF PARENTS, IN THE UNITED STATES: 1935 (Exclusive of stillbirths)

| • | • | | | | | COL | MIRY OF BI | RTH OF FA | TETER | | | | | |
|-------------------------------------|---------------------------------|---------------------------------|-------------------------------|--------------------------|--------------------------|------------------------------------|-------------------------------------|--------------------------|--------------------------|----------------------------|--------------------------|--------------------------|------------------------------------|----------------------------|
| AREA, SEX OF CETLD, AND | All white | | | | | | Fóreig | n countr | Ŋ | | | | | |
| COUNTRY OF BIRTH OF MOTHER | births . | United States | Total | Austria, Hungary | Canada | Den- mark, Norway, Sweden | kngland, Scot- land, Wales | Ireland | Germany | Italy | Polend | Russia | Other foreign coun- tries | Country not stated |
| United States MeleFemale | 1,888,012 969,916 918,096 | 1,647,374 846,240 801,134 | 208,438 107,122 101,316 | 11,461 5,930 5,531 | 18,291 9,391 8,900 | 9,475 4,752 4,723 | 11,988 6,316 5,672 | 11,807 6,002 5,805 | 14,484 7,481 7,003 | 42,250 21,636 20,614 | 13,767 7,042 6,725 | 16,729 8,659 8,070 | 58,186 29,913 28,273 | 32,200 16,554 15,646 |
| United States | 888,729 840,97% | 820,312 776,330 | 53,056 50,021 | 2,916 2,780 | 6,293 5,952 | 3,181 3,215 | 3,964 3,628 | 1,491 1,417 | 3,739 3,566 | 10,508 9,967 | 3,097 2,926 | 4,251 3,847 | 13,616 12,723 | 15,361 14,626 |
| otal foreign | 80,166 76,272 | 25,635 24,448 | 54,018 51;245 | 3,011 2,746 | 3,092 2,944 | 1,569 1,505 | 2,349 2,042 | 4,509 4,387 | 3,738 3,432 | 11,120 | 3,940 3,795 | 4,406 4,221 | 16,284 15,532 | 613 579 |
| Austrie, Hungary | 4,653 4,201 | 1,367 | 3,266 2,990 | 2,394 2,186 | 16 | 12 17 | 27 . 21 | 6 | 189 173 | 50 61 | 119 95 | 268 271 | 185 152 | 20 |
| CanadaM | 10,163 9,761 | 6,604 6,366 | 3,427 | 27 | 2,678 | 46 | 250 | 54 | 37 | 58 | 34 | 74 | 169 | 132 |
| Denmark, Norway, Sweden-M | 2,432 | 1,006 | 3,241 1,412 | 27 4 | 2,522 | 70 1,306 | 185 25 | 49 6 | · 47 25 | 5 <u>4</u> 5 | 34 4 | 96 5 | 157 21 | 154 14 |
| F England, Scotland, WalesM R | 2,291 5,383 4,949 | 961 2,919 2,700 | 1,310 2,413 2,212 | 6 31 28 | 15 .173 166 | 1,195 40 51 | 18 1,603 1,415 | 5 218 215 | . 52 . 41 | 5 40 43 | 3 22 32 | 7 121 98 | 25 113 123 | 20 51 37 |
| IrelandM | 6,388 6,184 | 1,685 | 4,650 | 8 | 64 77 | 26 | 221 | 4,179 | 41 | 32 | 7 | 3 | 69 | 53 |
| GermanyM | 5,235 | 1,507 | 3,702 | 110 | 15 | 29 53 | 218 32 | 4,059 11 | 36 3,180 | 29 46 | 8 31 | 4 36 | 66 188 | 55 26 |
| ItelyM | 4,903 12,867 | 1,513 1,977 | 3,363 10,852 | 17 | 34 21 | 54 1 | 25 11 | 10 7 | 2,874 21 | 44 10,580 | 31 2 | 36 3, | 160 189 | 27 38 |
| F Poland | 12,436 5,557 | 1,987 1,366 | 10,416 4,166 | 17 103 | 9 20 | 7 4 | 17 25 | 9 2 | 23 33 | 10,138 23 | 2 3,302 | 5 473 | 189. 181 | 33 25 |
| RussiaM | 5,215 5,971 | 1,252 1,855 | 3,938 4,099 | 96 188 | 21 33 | 7 13 | 12 76 | 5 2 | 38 39 | 28 19 | 3,176 317 | 391 3,190 | 164 222 | 25. 17 |
| F Other foreign countries-M F | 5,790 21,517 20,542 | 1,791 5,249 5,091 | 3,984 16,031 15,255 | 176 129 105 | 28 61 61 | 4 68 71 | 56 79 75 | 24 30 | 52 121 117 | 15 267 224 | 311 102 103 | 3,140 233 173 | 200 14,947 14,296 | 15 237 196 |
| ountry not stated | 1,021 | 393 356 | 45 | 3 5 | 6 | 2 3 | 3 2 | 2 1 | 4 5 | 8 | 5 4 | 2 2 | 13 | 580 441 |

TABLE 4.—BIRTHS BY SEX, RACE, AND AGE OF MOTHER, AND FOR WHITE BY COUNTRY OF BIRTH OF MOTHER, IN THE UNITED STATES: 1935 (Exclusive of stillbirths)

| | | | | | | 110 01 1 | | | | | | | | | | |
|---|--|--|--|--|--|--|--|---|--|--|--|--|--|--|-------------------------------------|--|
| | ٠. | | • | | , | | | WHITE | - | | | | | | | |
| | | | | | | | Cour | try of b | irth of r | nother | | | | | | |
| AREA, SEX OF CHILD, AND AGE OF MOTHER | All births | | | | | | | Foreig | n count | ry | | | | | | Other |
| AND AND OF ROTHER | SIFTIB | Total | United States | Totel | Austria, Hungary | Canada | Den- mark, Nor- way, Swe- den | Eng- lend, Scot- land, Wales | Ire- land | Ger- many | Italy | Polend | Russia | Other foreign coun- tries | Coun- try not stat- ed | races |
| United States Mals Female | 2,155,105 1,105,489 1;049,616 | 1,888,012 969,916 918,096 | · 1,729,706 888,729 840,977 | 156,438 80,166 . 76,272 | 8,854 4,653 4,201 | 19,924 10,163 9,761 | 4,723 2,432 2,291 | 10,332 5,383 4,949 | 12,572 6,386 6,184 | 10,138 5,235 4,903 | 25,303 12,867 12,436 | 10,772 5,557 5,215 | 11,761 5,971 5,790 | 42,059 21,517 20,542 | 1,868 1,021 847 | 267,093, 135,573 131,520 |
| | | | | | | | | , | | | | | | | | |
| 10 to 14 yearsM F 15 to 19 yearsM 20 to 24 yearsF | 1,559 1,594 138,266 132,022 339,199 321,182 | 641 678 108,103 102,484 296,228 279,447 | 622 660 106,238 100,719 282,979 266,932 | 15 1,671 1,610 12,975 12,296 | 14 22 512 423 | 2 573 567 2,587 2,550 | 30 25 220 196 | 112 105 770 713 | 18 19 641 622 | 1 56 `47 708 588 | 122 143 1,811 1,730 | 9 15 769 692 | 10 15 795 715 | 9 10 727 652 4,162 4,067 | 4 5 194 155 274 219 | - 918 916 30,163 29,538 42,971 41,735 |
| 25 to 29 yearsM F 30 to 34 yearsM 55 to 39 yearsM F | 289,713 274,712 183,752 173,722 109,465 104,802 | 261,594 247,479 166,609 157,530 97,852 93,428 | 239,178 225,672 145,264 137,559 82,494 78,629 | 22,250 21,447 21,221 19,873 15,287 14,542 | 1,086 994 1,242 1,136 1,149 1,033 | 2,912 2,772 2,231 2,086 1,320 1,274 | 595 568 732 727 544 494 | 1,581 1,502 1,580 1,461 1,013 | 2,205 2,165 2,080 1,926 1,096 1,065 | 1,739 1,677 1,662 1,554 780 738 | 2,987 2,875 3,262 3,164 3,163 3,060 | 1,395 1,257 1,208 1,105 1,280 1,265 | 1,970 1,931 1,870 1,821 1,004 957 | 5,780 5,706 5,354 4,893 3,938 3,782 | 166 160 124 98 71 57 | 28,119 27,233 17,143 16,192 11,613 11,374 |
| 40 to 44 yearsM F 45 to 49 yearsM F 50 to 54 yearsK F | 37,203 35,619 3,569 3,474 88 68 | 33,622 32,088 3,082 2,972 59 43 | 27,737 26,375 2,377 2,326 50 | 5,857 5,681 698 643 | 565 525 79 64 | 429 423 45 30 2 | 269 244 38 35 1 | 292 269 27 19 | 316 347 22 34 | 249 257 33 34 | 1,334 1,294 168 156 1 | 813 804 79 72 | 273 304 44 42 1 | 1,317 1,214 163 157 5 | 28 32 7 3 | 3,581 3,531 487 502 29 25 |
| Not stated | 2,675 | 2,125 1,947 | 1,790 1,672 | 163 158 | * 6 3 | 62 57 | 2 2 | 7 6 | 10 6 | . 7 6 | 18 14 | 4 2 | 5 4 | 62 58 | 153 117 | 549 474 |

of lowed you + colored you + colored you + colored you - c

TABLE 4A.—BIRTHS BY SEX, RACE, AND AGE OF MOTHER, AND FOR WHITE BY NATIVITY OF MOTHER, IN EACH STATE: 1935

| | | | WHITE | | | | | | WHITE | | |
|--|---|---|---|--------------------------------------|--|---|--|--|--|--|---------------------------------------|
| AREA, AND AGE OF MOTHER | All births | Total ¹ | Mother native | Mother foreign-born | Other races | AREA, AND AGE OF MOTHER | All births | Total1/ | Mother native | Mother foreign-born | Other races |
| AIABAMA | 62,239 31,825 30,414 | 38,364 19,806 18,558 | 38,260 19,750 18,510 | 80 45 35 | 23,875 12,019 11,856 | DELAWARE—Continued 25 to 29 years-30 to 34 years-35 to 39 years-40 to 44 years- | 1,042 667 404 108 | 912 568 351 • 87 | 864 527 291 78 | 48 40 60 9 | 130 99 53 21 |
| 10 to 14 years 15 to 19 years 20 to 24 years 25 to 29 years 35 to 39 years 40 to 44 years | 11,150 19,828 14,426 8,641 5,677 1,882 | 5,616 11,938 9,414 6,004 3,824 1,272 | 5,611 11,918 9,393 5,982 3,806 1,260 | 2 13 17 19 16 12 | 5,534 7,890 5,012 2,637 1,853 610 | 45 to 49 years- 50 to 54 years- Not stated DISTRICT OF COLUMBIA | 11 2 10,803 5,568 | 7,162 3,714 | 6,664 3,447 | 457 245 | 3,641 1,854 |
| 45 to 49 years 50 to 54 years Not stated | 219 10 198 | 123 6 109 | 123 5 104 6,213 | 1,583 | 96 4 89 | .Female 10 to 14 years 15 to 19 years 20 to 24 years | 5,235 27 1,625 3,355 | 3,448 2 730 2,169 | 3,217 2 711 2,082 | 212 | 25 895 1,186 |
| MaleFemale | 9,139 4,655 4,484 | 7,807 3,993 3,814 | 3,183 3,030 | 802 781 | 662 670 3 | 25 to 29 years 30 to 34 years 35 to 39 years 40 to 44 years | 2,953 1,708 852 212 | 2,160 1,281 526 164 5 | 2,017 1,141 553 141 5 | 136 139 72 22 | 793 427 226 48 7 |
| 15 to 19 years 20 to 24 years 25 to 29 years 30 to 34 years 35 to 39 years | 1,313 2,842 2,219 1,439 892 | 1,127 2,434 1,932 1,223 756 | 1,046 2,103 1,492 842 499 | 78 328 438 379 256 | 186 408 287 216 136 | 45 to 49 years 50 to 54 years Not stated FLORIDA | 12 59 28,051 14,403 | 25 19,579 10,133 | 12 19,055 9,858 | 2 478 251 | 34 8,472 4,270 |
| 40 to 44 years 45 to 49 years 50 to 54 years Not stated | 307 43 4 67 | 245 34 3 43 | 171 21 30 | 74 13 3 13 | 62 9 1 24 | Male Female 10 to 14 years 15 to 19 years | 13,648 130 5,151 | 9,446 28 3,010 6,428 | 9,197 28 2,981 6,328 | 227 24 85 | 108 2,141 2,503 |
| Male Female 10 to 14 years | 35,684 18,457 17,227 | 27,175 14,129 13,046 | 27,045 14,059 12,986 | 61 31 30 | 8,509 4,328 4,181 71 | 20 to 24 years 25 to 29 years 30 to 34 years 35 to 39 years 40 to 44 years | 8,931 6,700 3,956 2,342 667 | 4,940 2,938 1,643 491 | 4,784 2,818 1,555 466 44 | 143 116 82 24 | 1,760 1,018 699 176 25 |
| 15 to 19 years 20 to 24 years 25 to 29 years 30 to 34 years 35 to 39 years | 6,482 10,965 8,099 5,118 3,180 | 4,428 8,467 6,380 4,042 2,502 | 4,417 8,442 6,357 4,024 2,483 | 2 13 17 11 11 | 2,054 2,498 1,719 1,076 678 | 45 to 49 years 50 to 54 years Not stated GEORGIA | 73 3 98 63,260 32,299 | 48 53 37,334 19,276 | 51 37,165 19,186 | 1 100 53 | 25,926 13,023 |
| 40 to 44 years 45 to 49 years 50 to 54 years Not stated | 1,138 122 3 466 | 917 86 2 311 | 907 85 2 288 | 5 1 | 221 36 1 155 | Male Female 10 to 14 years 15 to 19 years | 226 11,867 | 15,270 18,058 45 5,572 11,850 | 17,979 43 5,558 11,809 | 47 2 2 21 | 12,903 181 6,295 8,822 |
| CALIFORNIAFemale | 80,131 41,166 38,965 | 76,097 39,152 36,945 | 63,154 32,550 30,604 | 6,592 6,336 | 4,034 2,014 2,020 8 | 20 to 24 years 25 to 29 years 30 to 34 years 35 to 39 years 40 to 44 years | 14,452 8,390 5,540 1,759 | 9,291 5,638 3,583 1,174 | 9,246 5,605 3,561 1,166 | 30 24 18 5 | 5,161 2,752 1,957 585 103 |
| 15 to 19 years 20 to 24 years 25 to 29 years 30 to 34 years | 8,913 26,331 22,334 13,259 7,057 | 8,429 25,037 21,451 12,531 6,621 | 7,863 22,129 17,841 9,471 4,471 | 2,905 3,605 3,060 | 484 1,294 883 728 436 | 45 to 49 years- 50 to 54 years- Not stated | | 106 4 71 9,344 | 104 4 69 9,042 | 296 | 3 67 125 |
| 35 to 39 years 40 to 44 years 45 to 49 years 50 to 54 years Not stated | 1,973 | 1,798 139 6 30 | 1,227 80 3 20 | 569 59 3 | 175 22 1 3 | Male Female 10 to 14 years 15 to 19 years | 4,838 4,631 8 | 4,773 4,571 7 1,281 | 4,626 4,416 4 1,267 | 153 3 13 | 1 19 |
| COLORADO Male Female | 18,837 9,651 9,186 | 18,572 9,512 9,060 | 17,283 8,844 8,439 | 542 513 | 265 139 126 | 20 to 24 years- 25 to 29 years- 30 to 34 years- 35 to 39 years- 40 to 44 years- | 2,417 1,349 818 | 3,113 2,395 1,331 800 362 | 3,040 2,324 1,263 762 333 | 69 68 36 29 | 37 22 16 16 |
| 10 to 14 years 15 to 19 years 20 to 24 years 25 to 29 years 30 to 34 years 35 to 39 years 40 to 44 years | 2,502 6,157 4,818 2,811 1,661 587 | 2,451 6,085 4,763 2,771 1,628 578 | 2,399 5,865 4,452 2,486 1,426 498 | 34 181 288 269 194 76 | 51 72 55 40 33 9 | 45 to 49 years- 50 to 54 years- Not stated ILLINOIS Female | - 40 | 15 106,120 54,336 51,784 | 95,322 48,865 46,457 | 1 10,736 5,437 | 5,764 2,958 2,806 |
| 45 to 49 years 50 to 54 years Not stated CONNECTICUT Male | 225 225 22,258 11,398 | 21,696 11,121 | 17,466 8,998 8,476 | 4,219 2,126 | 1 562 277 | 10 to 14 years- 15 to 19 years- 20 to 24 years- 25 to 29 years- 30 to 34 years- | 11,395 - 33,549 - 31,257 - 20,314 | 40 10,073 31,821 30,066 19,459 10,799 | 9,939 30,301 26,967 16,338 8,754 | 121 1,503 3,087 3,112 | 493 |
| Female 10 to 14 years 15 to 19 years 20 to 24 years 25 to 29 years | - 1,504 - 6,321 - 6,662 | 10,575 13 1,413 6,163 6,508 | 1,370 1,370 5,594 5,390 | 2 41 567 1,117 | 1 91 158 154 | 35 to 39 years- 40 to 44 years- 45 to 49 years- 50 to 54 years- Not stated INDIANA | 3,657 281 5 63 | 3,529 273 4 56 51,077 | 2,75; 18; 4 49,80 | 2 776 7 86 2 2 2 7 4 1,240 | 1,83 |
| 30 to 34 years 35 to 39 years 40 to 44 years 45 to 49 years 50 to 54 years | 4,319 - 2,493 - 848 - 78 | 4,229 2,446 832 76 | 3,166 1,485 416 28 | 6 1,063 2 964 8 414 8 48 | 47 16 2 | Male Female 10 to 14 years- | 27,214 25,695 | 26,317 24,760 29 6,684 | 25,65 24,14 2 | 8 641 599 9 | 93 |
| Not stated DELAWARE Male Female | - 19 - 4,036 - 2,079 | 3,379 1,748 1,631 | 3,18: 1,64: 1,54: | 3 192 3 104 | 657 331 | 20 to 24 years- 25 to 29 years- 30 to 34 years- | 16,543 13,412 8,632 5,157 | 16,014 13,025 8,356 4,969 | 15,79 12,69 8,02 4,71 1,71 | 8 206 9 321 9 316 2 255 1 99 | 36 27 |
| 10 to 14 years- 15 to 19 years- 20 to 24 years- | 12 563 | 5 391 1,057 | 38 | | | 45 to 49 years 50 to 54 years | 169 3 | 164 | 15 | 3 | |

TABLE 4A.—BIRTHS BY SEX, RACE, AND AGE OF MOTHER, AND FOR WHITE BY NATIVITY OF MOTHER, IN EACH STATE: 1935—Continued

| | | | | | | 1 | | | | | |
|--|---|--|--|--------------------------------------|--|--|--|--|--|---|---|
| AREA, AND AGE OF MOTHER | All births | Total1/ | WHITE Mother native | Mother foreign-born | Other races | AREA, AND AGE OF MOTHER | All births | Total ¹ / | WHITE Mother native | Mother foreign-born | Other races |
| IOWA Male Female | 41,137 21,106 20,031 | 40,679 20,972 19,907 | 39,763 20,398 19,365 | 1,026 527 499 | 258 134 124 | MASSACHUSETTS—Cont. 25 to 29 years— 30 to 34 years— 35 to 39 years— | 18,458 13,157 7,687 | 18,276 13,010 7,562 | 14,610 9,372 4,836 | 3,659 3,631 2,724 | 182 147 125 |
| 10 to 14 years 15 to 19 years 20 to 24 years 25 to 29 years 30 to 34 years 35 to 39 years | 27 4,062 12,353 10,905 7,203 4,526 | 25 4,009 12,266 10,859 7,162 4,508 | 25 3,973 12,107 10,584 6,879 4,296 | 25 131 254 272 205 | 2 53 87 46 41 18 | 40 to 44 years 45 to 49 years 50 to 54 years Not stated | 2,482 167 4 224 87,446 | 2,444 167 4 220 84,377 | 1,326 79 3 156 74,420 | 1,117 88 1 62 9,878 | 38 |
| 40 to 44 years 45 to 49 years 50 to 54 years Not stated | 1,608 130 3 320 | 1,601 129 3 317 | 1,482 111 3 303 | 113 18 | 7 1 3 | Male Female 10 to 14 years | 45,034 42,412 47 9,808 | 43,445 40,932 37 9,152 | 38,351 36,069 34 8,816 | 5,058 4,820 3 | 1,589 1,480 10 656 |
| KANSASFamale | 30,589 15,611 14,978 | 29,634 15,147 14,487 | 28,882 14,753 14,129 | 730 380 350 | 955 464 491 4 | 15 to 19 years- 20 to 24 years- 25 to 29 years- 30 to 34 years- 35 to 39 years- 40 to 44 years- | 27,631 22,938 15,026 8,473 3,029 | 26,757 22,283 14,553 8,177 2,945 | 24,885 19,674 12,009 6,397 2,261 | 1,846 2,589 2,533 1,776 682 | 874 655 473 296 84 |
| 15 to 19 years 20 to 24 years 25 to 29 years 30 to 34 years 35 to 39 years | 3,336 9,245 8,254 5,327 3,159 | 3,113· 8,957 8,077 5,204 3,059 | 3,088 8,816 7,884 5,019 2,923 | 19 137 188 161 135 | 223 288 177 123 100 | 45 to 49 years- 50 to 54 years- Not stated MINNESOTA | 279 5 210 45,962 | 275 4 193 45,364 23,263 | 191 4 149 43,120 22,072 | 85- 38 2,231 1,187 | 3 1 17 598 300 |
| 40 to 44 years 45 to 49 years 50 to 54 years Not stated | 1,142 94 1 17 | 1,108 90 1 15 | 1,047 81 1 14 | 61 9 | 34 4 2 2 | Female 10 to 14 years 15 to 19 years | 23,563 22,399 16 3,333 | 22,101 13 3,246 | 21,048 13 3,193 | 1,044 | 298 3 87 |
| MaleFemale | 57,715 29,919 27,796 | 54,918 28,509 26,409 | 54,831 28,464 26,367 | 77 37 40 | 2,797 1,410 1,387 | 20 to 24 years- 25 to 29 years- 30 to 34 years- 35 to 39 years- 40 to 44 years- | 12,850 12,842 8,915 5,589 2,195 211 | 12,649 12,718 8,821 5,517 2,162 207 | 12,286 12,225 8,259 5,064 1,905 | 359 492 561 453 277 39 | 201 124 94 72 13 |
| 15 to 19 years 20 to 24 years 25 to 29 years 30 to 34 years 35 to 39 years 40 to 44 years | 9,072 17,465 13,330 8,814 6,194 2,354 | 8,396 16,663 12,776 8,460 5,921 2,255 | 8,396 16,650 12,756 8,434 5,897 2,255 | 11 20 23 23 | 576 802 554 354 273 99 | 45 to 49 years 50 to 54 years Not stated MISSISSIPPI Male | 48,320 24,514 | 21,977 11,179 | 21,904 11,151 | 1 1 59 23 | 26,343 13,335 |
| 45 to 49 years 50 to 54 years Not stated | 267 5 94 | 262 5 89 | 262 5 85 | | 5 | 10 to 14 years 15 to 19 years | 23,806 234 9,047 | 26 3,003 6,971 | 10,753 26 3,000 6,957 | 36 | 208 6,044 8,255 |
| IOUISIANA | 42,270 21,596 20,674 | 24,417 12,366 12,051 | 24,185 12,262 11,923 | 223 100 123 | 17,853 9,230 8,623 | 20 to 24 years 25 to 29 years 30 to 34 years 35 to 39 years 40 to 44 years | 15,226 10,983 6,527 4,461 1,403 | 5,460 3,373 2,196 768 | 5,445 3,354 2,183 764 | 14 17 12 4 | 5,523 3,154 2,265 635 |
| 15 to 19 years 20 to 24 years 25 to 29 years 30 to 34 years 35 to 39 years 40 to 44 years 45 to 49 years | 7,250 13,346 10,113 6,083 3,934 1,211 136 | 3,361 7,771 6,341 3,788 2,325 707 63 | 5,354 7,735 6,289 3,725 2,276 683 62 | 7 34 50 61 48 22 | 3,889 5,575 3,772 2,295 1,609 504 | 45 to 49 years- 50 to 54 years- Not stated MISSOURI Female | 164' 9 266 57,299 29,404 27,895 | 71 108 53,724 27,557 26,167 | 70 1 104 52,658 26,998 25,660 | 1,048 547 501 | 93 8 158 3,575 1,847 1,728 |
| 50 to 54 years Not stated MAINE Male Female | 6 73 15,723 8,022 7,701 | 15,681 8,000 7,681 | 39 13,578 6,955 6,623 | 2,102 1,044 1,058 | 6 34 42 22 20 | 10 to 14 years 15 to 19 years 20 to 24 years 25 to 29 years 30 to 34 years | 96 8,193 17,456 14,684 9,385 | 60 7,231 16,418 14,006 8,910 | 59 7,212 16,241 13,697 8,602 | 1 17 170 308 304 | 36 962 1,038 678 475 |
| 10 to 14 years 15 to 19 years 20 to 24 years 25 to 29 years 30 to 34 years | 17 1,797 4,729 3,778 2,521 | 17 1,793 4,716 3,767 2,516 | 17 1,701 4,317 3,231 2,035 | 92 399 535 481 | 4 13 11 5 | 35 to 39 years- 40 to 44 years- 45 to 49 years- 50 to 54 years- Not stated | 5,379 1,898 182 4 22 | 5,088 1,817 170 3 21 | 4,914 1,747 163 3 20 | 172 69 7 | 291 81 12 1 1 |
| 35 to 39 years 40 to 44 years 45 to 49 years 50 to 54 years Not stated | 1,514 584 45 1 | 1,508 582 45 1 | 1,160 442 29 1 645 | 348 140 16 | 6 2 | MONTANA | 10,029 5,103 4,926 2 1,097 | 9,348 4,767 4,581 2. 992 | 8,539 4,347 4,192 2 957 | 806 418 388 | 336 345 |
| MARYLAND Male Female | 27,236 13,928 13,308 | 21,322 10,947 10,375 | 20,475 10,517 9,958 | 834 426 408 | 5,914 2,981 2,933 | 20 to 24 years- 25 to 29 years- 30 to 34 years- 35 to 39 years- 40 to 44 years- | 3,464 2,639 1,514 908 360 | 3,237 2,475 1,427 841 330 | 3,053 2,260 1,267 699 269 | 183 215 158 142 61 | 227 164 87 67 30 |
| 10 to 14 years 15 to 19 years 20 to 24 years 25 to 29 years 30 to 34 years 40 to 44 years | 69 4,159 8,321 6,735 4,253 2,670 935 | 7 2,722 6,649 5,538 3,491 2,091 754 | 7 2,707 6,522 5,322 3,257 1,916 683 | 14 124 215 232 173 70 | 62 1,437 1,672 1,197 762 579 181 | 45 to 49 years— 50 to 54 years— Not stated——— NEERASKA———— Female——— | 23,327 11,947 11,380 | 22,996 11,778 11,218 | 29 3 22,177 11,363 10,814 | 11 1 813 410 403 | 331 169 162 |
| 45 to 49 years 50 to 54 years Not stated | 68 2 24 63,001 32,398 | 55 1 14 62,082 | 49 1 11 48,738 25,092 | 13,313 6,852 | 13 1 10 919 442 | 10 to 14 years 15 to 19 years 20 to 24 years 25 to 29 years 30 to 34 years | 8 2,137 7,013 6,491 4,161 | 7 2,074 6,914 6,414 4,115 | 7 2,053 6,787 6,210 3,916 | 21 127 202 198 | 1 63 99 77 46 |
| Mele Female 10 to 14 years 15 to 19 years 20 to 24 years | 23 4,057 | 31,956 30,126 21 3,922 16,456 | 23,646 19 3,712 14,625 | 6,461 2 207 1,822 | 2 135 286 | 35 to 39 years 40 to 44 years 45 to 49 years 50 to 54 years | 2,544 877 82 2 12 | 2,513 864 81 2 | 2,344 788 59 2 | 167 76 22 | 31 13 1 . |

^{1/} Includes "Country not stated."

TABLE 4A.—BIRTHS BY SEX, RACE, AND AGE OF MOTHER, AND FOR WHITE BY NATIVITY OF MOTHER, IN EACH STATE: 1935—Continued

| | | | WHITE | | | | | | WHITE | · · · · · · · · · · · · · · · · · · · | |
|---|--|--|--|--|--|--|---|--|--|--|--|
| AREA, AND AGE OF MOTHER | All births | Total ¹ / | Mother nativé | Mother foreign-born | Other races | AREA, AND AGE OF MOTHER | All births | Total ¹ / | Mother native | Mother foreign-born | Other races |
| NEVADA Male Female 10 to 14 years | 1,423 733 690 | 1,325 664 641 | 1,209 620 589 | 114 62 52 | 98 49 49 | NORTH DAKOTA—Contd. 25 to 29 years— 30 to 34 years— 35 to 39 years— 40 to 44 years— | 3,778 2,536 1,727 677 | 3,693 2,460 1,674 652 | 3,514 2,200 1,362 508 | 178 260 312 144 | 85 76 53 25 |
| 15 to 19 years 20 to 24 years 25 to 29 years 30 to 34 years 35 to 39 years | 181 498 364 215 | 171 458 340 203 113 | 168 434 304 174 94 | 3 23 36 29 18 | 10 40 24 12 9 2 | 45 to 49 years— 50 to 54 years— Not stated———— | 70 2 28 101,103 | 68 2 28 95,878 | 40 2 25 90,153 | 28 3 5,699 | 5,225 |
| 40 to 44 years 45 to 49 years 50 to 54 years | 33 2 | 31 | 27 1 | 4 | 2 1 | Male Female | 51,770 49,333 | 49,177 46,701 | 46,181 43,972 | 2,983 2,716 | 2,593 2,632 |
| Not stated NEW HAMPSHIRE Male Female | 4 7,768 3,943 3,825 | 7,761 3,941 3,820 | 6,686 3,410 3,276 | 1,064 524 540 | 7 2 5 | 10 to 14 years- 15 to 19 years- 20 to 24 years- 25 to 29 years- 30 to 34 years- 35 to 39 years- | 90 11,493 30,825 27,472 17,308 10,063 | 47 10,314 29,269 26,415 16,558 9,567 | 46 10,239 28,386 24,873 15,115 8,385 | 1 71 878 1,535 1,440 1,179 | 43 1,179 1,556 1,057 750 496 |
| 10 to 14 years 15 to 19 years 20 to 24 years 25 to 29 years 30 to 34 years 35 to 39 years | 2 753 2,316 2,180 1,368 832 | 2 753 2,315 2,176 1,367 831 | 2 724 2,152 1,906 1,094 597 | 28 161 269 270 232 | 1 4 1 1 | 40 to 44 years 45 to 49 years 50 to 54 years Not stated | 3,476 319 3 54 43,691 | 3,345 309 3 51 40,360 | 2,810 249 2 48 39,962 | 532 60 1 2 | 131 10 3 3 |
| 40 to 44 years 45 to 49 years 50 to 54 years | 266 29 | 266 29 | 175 18 | 90 | | Male Female | 22,343 21,348 | 20,676 19,684 | 20,466 19,496 | 124 124 | 1,667 1,664 |
| Not stated NEW JERSEY Mele Female | 54,514 28,104 26,410 | 50,304 25,990 24,314 | 17 41,950 21,664 20,286 | 8,277 4,288 3,989 | 4,210 2,114 2,096 | 10 to 14 years 15 to 19 years 20 to 24 years 25 to 29 years 30 to 34 years 35 to 39 years | 7,234 14,341 10,471 6,251 3,696 | 46 6,525 13,332 9,752 5,790 3,414 | 46 6,483 13,246 9,654 5,712 3,359 | 8 49 69 56 45 | 21 709 1,009 719 461 282 |
| 10 to 14 years 15 to 19 years 20 to 24 years 25 to 29 years 30 to 34 years | 39 4,562 16,017 16,016 10,305 | 15 3,767 14,696 15,037 9,708 | 15 3,683 13,566 12,784 7,420 | 79 1,111 2,236 2,265 | 24 795 1,321 979 597 | 40 to 44 years 45 to 49 years 50 to 54 years Not stated | 1,345 147 6 133 | 1,249 137 5 110 | 1,225 133 5 99 | 16 3 2 2 | 96 10 1 23 |
| 35 to 39 years 40 to 44 years 45 to 49 years 50 to 54 years | 5,634 1,785 119 4 | 5,269 1,669 111 3 | 3,474 935 50 1 | 1,788 729 61 2 | 365 116 8 1 | OREGON | 13,179 6,825 6,354 | 12,963 6,718 6,245 | 12,252 6,337 5,915 | 375 329 | 107 109 |
| Not stated NEW MEXICO Male Female | 13,190 6,692 6,498 | 12,600 6,405 6,195 | 22 11,890 6,049 5,841 | 6 685 341 344 | 590 287 303. | 10 to 14 years- 15 to 19 years- 20 to 24 years- 25 to 29 years- 30 to 39 years- | 5 1,510 4,443 3,602 2,039 1,138 | 5 1,482 4,381 3,561 2,001 1,105 | 1,444 4,231 3,361 1,841 | 36 148 198 159 112 | 1 28 62 41 38 33 |
| 10 to 14 years 15 to 19 years 20 to 24 years 25 to 29 years 30 to 34 years | 11 1,723 4,086 3,301 2,066 | 10 1,652 3,917 3,159 1,957 | 10 1,619 3,776 2,940 1,609 | 26 134 215 | 1 71 169 142 1009 | 40 to 44 years 45 to 49 years 50 to 54 years Not stated | 386 40 1 14 | 375 39 1 13 | 332 31 1 | 43 8 | 11 1 |
| 35 to 39 years 40 to 44 years 45 to 49 years 50 to 54 years Not stated | 1,448 470 53 2 | 1,395 441 48 | 1,270 407 42 | 124 33 6 | 53 29 5 2 9 | PENNSYLVANIA Male Female 10 to 14 years | 161,166 82,698 78,468 | 155,062 78,506 74,556 | 139,791 71,652 68,139 | 13,213 6,622 6,391 | 8,104 4,192 3,912 |
| NEW YORK Male Female | 184,344 94,620 89,724 | 175,658 90,212 85,446 | 136,134 70,054 66,080 | 39,501 20,147 19,354 | 8,686 4,408 4,278 | 15 to 19 years 20 to 24 years 25 to 29 years 30 to 34 years 35 to 39 years | 17,914 48,886 42,581 27,526 16,913 | 16,115 46,509 40,806 26,355 16,195 | 15,995 44,815 37,881 23,021 13,024 | 115 1,678 2,914 3,327 3,162 1,759 | 1,799 2,377 1,775 1,171 718 177 |
| 10 to 14 years 15 to 19 years 20 to 24 years 25 to 29 years 30 to 34 years 35 to 39 years 40 to 44 years 45 to 49 years | 89 12,845 51,969 58,010 36,671 18,904 5,374 457 | 47 11,524 49,132 55,795 35,296 18,199 5,202 441 | 44 11,086 43,358 43,142 23,937 11,295 3,031 228 | 3 432 5,771 12,647 11,357 6,899 2,171 213 | 42 1,321 2,837 2,215 1,375 705 172 16 | 40 to 44 years- 45 to 49 years- 50 to 54 years- Not stated RHODE ISLAND Msle Female | 6,291 603 11 310 10,215 5,246 4,969 | 6,114 583 11 291 9,980 5,130 4,850 | 4,353 346 11 262 7,945 4,093 3,852 | 237 21 2,023 1,030 993 | 20 19 235 116 119 |
| 50 to 54 years Not stated NORTH CAROLINA Male Female | 2 23 78,753 40,354 38,399 | 2 20 53,665 27,651 26,014 | 13 53,274 27,432 25,842 | 2 6 90 42 48 | 25,086 12,703 12,385 | 10 to 14 years- 15 to 19 years- 20 to 24 years- 25 to 29 years- 30 to 34 years- 35 to 39 years- | 702 2,808 3,073 2,029 1,183 | 4 667 2,718 3,019 1,999 1,166 | 4 640 2,460 2,452 1,451 730 | 27 256 562 546 435 | 35 90 54 30 17 |
| 10 to 14 years 15 to 19 years | 227 13,037 24,812 | 52 7,511 16,738 | 48 7,384 16,626 | 2 19 | 175 5,526 8,074 | 40 to 44 years 45 to 49 years 50 to 54 years | 367 40 | 358 40 | 186 14 | 170 26 | 9 |
| 20 to 24 years 25 to 29 years 30 to 34 years 35 to 39 years 40 to 44 years 45 to 49 years | 24,812 18,230 11,288 7,756 2,861 306 | 16,738 13,234 8,314 5,431 2,099 201 | 13,164 8,283 5,405 2,093 200 | 35 18 13 3 | 4,996 2,974 2,325 762 105 | Not stated SOUTH CAROLINA Male Female | 9 40,598 20,837 19,761 | 9 19,590 10,057 9,533 | 19,543 10,034 9,509 | 1 43 21 22 | 21,008 10,780 10,228 |
| 50 to 54 years Not stated | 9 227 13,655 | 2 83 13,215 | 2 69 12,156 | 1,056 | 7 144 440 | 10 to 14 years 15 to 19 years 20 to 24 years 25 to 29 years | 100 7,538 13,872 9,079 | 17 2,786 6,327 4,883 | 17 2,784 6,316 4,871 | 10 | 83 4,752 7,545 4,196 |
| Male Female | 7,018 6,637 | 6,806 6,409 | 6,280 5,876 | 524 532 | 212 228 | 30 to 34 years 35 to 39 years 40 to 44 years | 5,018 3,600 1,144 | 2,928 1,938 630 | 2,915 1,931 628 | 13 6 2 | 2,090 1,662 514 |
| 10 to 14 years 15 to 19 years 20 to 24 years | 1,023 3,805 | 960 3,671 | 7 934 3,564 | 26 105 | 2 63 134 | 45 to 49 years 50 to 54 years Not stated | , 156 3 88 | 53 28 | 53 28 | | 103 3 60 |

^{1/} Includes "Country not stated".

TABLE 4A.—BIRTHS BY SEX, RACE, AND AGE OF MOTHER, AND FOR WHITE BY NATIVITY OF MOTHER, IN EACH STATE: 1935—Continued

| | | | | | | 1 | | · | | | |
|---|---|---|--|--|--|--|---|--|---|---|--|
| AREA, AND AGE | All | | WHITE | | Other | AREA, AND AGE | All . | | WHITE | | Other |
| OF MOTHER | births | Total1/ | Mother native | Mother foreign-born | races | OF MOTHER | births | Total1/ | Mother native | Mother foreign-born | races |
| SOUTH DAKOTA Male Female | 12,850 6,604 6,246 | 12,213 6,261 5,952 | 11,764 6,046 5,718 | 446 213 233 | 637 343 294 | Virginia Male Female | 51,487 26,275 25,212 | 36,610 18,698 17,912 | 36,387 18,601 17,786 | 214 93 121 | 14,877 7,577 7,300 |
| 10 to 14 years 15 to 19 years 20 to 24 years 25 to 29 years 30 to 34 years 35 to 39 years 40 to 44 years 45 to 49 years 50 to 54 years Not stated | 3 1,088 3,679 3,496 2,374 1,539 594 53 1 | 3 1,030 3,487 3,347 2,262 1,452 566 50 | 3 1,020 3,430 3,250 2,143 1,353 509 40 | 10 57 96 117 99 57 10 | 58 192 149 112 87 28 3 1 | 10 to 14 years- 15 to 19 years- 20 to 24 years- 25 to 29 years- 30 to 34 years- 35 to 39 years- 40 to 44 years- 45 to 49 years- 50 to 54 years- Not stated | 179 8,254 15,577 11,945 7,863 5,359 2,006 251 3 28 | 42 5,004 10,934 9,069 5,936 3,917 1,516 173 2 | 42 4,997 10,695 9,011 5,865 3,886 1,500 172 2 | 6 34 57 70 31 15 1 | 137 3,250 4,643 2,876 1,947 1,442 492 78 1 |
| TENNESSEE Male Female | 53,314 27,400 25,914 | 44,981 23,077 21,904 | 44,880 23,028 21,852 | 90 43 47 | 8,333 4,323 4,010 | WASHINGTON Male Female | 22,396 11,591 10,805 | 21,713 11,258 10,455 | 19,813 10,261 9,552 | 1,887 994 893 | 683 333 350 |
| 10 to 14 years 15 to 19 years 20 to 24 years 25 to 29 years 30 to 34 years 35 to 39 years 40 to 44 years 45 to 49 years 50 to 54 years Not stated | 119 8,791 16,545 12,668 7,927 5,125 1,885 216 3 | 58 6,719 14,022 10,958 6,895 4,448 1,680 175 | 58 6,717 13,998 10,930 6,857 4,436 1,675 175 | 20 25 28 12 5 | 61 2,072 2,523 1,710 1,032 677 205 41 3 | 10 to 14 years- 15 to 19 years- 20 to 24 years- 25 to 29 years- 35 to 39 years- 40 to 44 years- 45 to 49 years- 50 to 54 years- Not stated | 15 2,640 7,508 6,143 3,522 1,879 631 48 2 | 11 2,549 7,292 5,995 3,427 1,792 597 42 2 6 | 10 2,430 6;800 5,506 3,011 1,529 495 28 2 | 1 116 488 488 415 262 102 14 | 4 91 216 148 95 87 34 6 |
| TEXAS | 114,721 58,836 55,885 | 100,766 51,699 49,067 | 91,204 46,780 44,424 | 9,450 4,858 4,592 | 13,955 7,137 6,818 | WEST VIRGINIA Male Female | 41,774 21,395 20,379 | 39,512 20,239 19,273 | 38,817 19,876 18,941 | 669 350 319 | 2,262 1,156 1,106 |
| 10 to 14 years 15 to 19 years 20 to 24 years 30 to 34 years 30 to 34 years 45 to 49 years 45 to 49 years 50 to 54 years Not stated | 223 17,081 36,819 28,585 17,676 10,552 3,174 316 7 288 | 112 13,738 32,476 25,745 15,952 9,426 2,796 274 4 | 107 13,270 30,262 22,957 13,873 7,892 2,431 212 3 197 | 4 455 2,177 2,760 2,065 1,527 362 61 1 | 111 3,343 4,343 2,840 1,724 1,126 378 42 3 | 10 to 14 years 15 to 19 years 20 to 24 years 25 to 29 years 30 to 34 years 35 to 39 years 40 to 44 years 45 to 49 years 50 to 54 years- Not stated | 71 6,874 13,216 9,568 6,159 4,035 1,484 176 2 189 | 44 6,368 12,572 9,095 5,841 3,822 1,421 170 2 | 44 6,346 12,457 8,943 5,691 3,672 1,340 156 2 | 16 112 145 149 148 81 14 | 27 506 644 473 318 213 63 6 |
| WaleFemale | 12,695 6,509 6,186 | 12,585 6,453 6,132 | 11,920 6,106 5,814 | 663 346 317 | 110 56 54 | WISCONSIN Male Female | 52,562 27,113 25,449 | 52,017 26,845 25,172 | 49,222 25,367 23,855 | 2,758 1,452 1,306 | 545 268 277 |
| 10 to 14 years 15 to 19 years 20 to 24 years 25 to 29 years 30 to 34 years 35 to 39 years 40 to 44 years 45 to 49 years 50 to 54 years Not stated | 1 1,372 3,873 3,372 2,170 1,324 510 64 2 | 1 1,352 3,841 3,353 2,156 1,304 507 62 2 | 1 1,335 3,738 3,176 1,988 1,168 452 53 2 | 16 103 176 168 136 55 9 | 20 32 19 14 20 3 2 | 10 to 14 years- 15 to 19 years- 20 to 24 years- 25 to 29 years- 30 to 34 years- 35 to 39 years- 40 to 44 years- 45 to 49 years- 50 to 54 years- Not stated | 20 4,216 15,379 14,725 9,776 5,953 2,191 201 2 99 | 16 4,110 15,220 14,612 9,684 5,901 2,177 201 1 | 16 4,075 14,836 13,871 8,970 5,308 1,897 165 | 30 375 735 706 589 279 35 1 | 106 159 113 92 52 14 |
| VERMONT Male Female | 6,591 3,360 3,231 | 6,586 3,356 3,230 | 5,821 2,955 2,866 | 756 396 360 | 5 4 1 | WYOMING Male Female | 4,362 2,231 2,131 | 4,243 2,181 2,062 | 4,005 2,053 1,952 | 223 117 1 06 | 119 50 69 |
| 10 to 14 years 15 to 19 years 20 to 24 years 30 to 34 years 30 to 39 years 40 to 44 years 45 to 49 years 50 to 54 years Not stated | 5 708 1,927 1,744 1,200 715 256 19 | 5 707 1,926 1,742 1,199 715 256 19 1 | 5 676 1,759 1,547 1,024 581 199 15 1 | 30 165 192 172 134 57 4 | 1 1 2 | 10 to 14 years- 15 to 19 years- 20 to 24 years- 25 to 29 years- 30 to 34 years- 35 to 39 years- 40 to 44 years- 45 to 49 years- 50 to 54 years- Not stated | 2 579 1,468 1,081 678 369 156 16 | 2 564 1,442 1,060 650 352 146 15 | 2 549 1,391 1,000 599 319 124 13 | 13 46 57 50 32 22 2 2 | 15 26 21 28 17 10 1 |

^{1/} Includes "Country not stated."

TABLE 5.—BIRTHS, BY AGE OF PARENTS: 1935

| | | <u> </u> | | | | AGI | OF FATHER | | | | | |
|-------------------------|--|-----------------------|---|---|--|--|--|--|--|--|---|--|
| AREA, AND AGE OF MOTHER | All births | 10 to 14 years | 15 to 19 years | 20 to 24 years | 25 to 29 years | 30 to 34 years | 35 to 39 years | 40 to 44 years | 45 to 49 years | 50 to 54 years | 55 years and over | Not stated |
| United States | 2,155,105 1,105,489 1,049,616 | 17 7 10 | 31,912 16,451 15,461 | 406,442 208,869 197,573 | 584,130 299,647 284,483 | 448,124 230,249 217,875 | 315,353 161,788 153,565 | 177,565 90,880 86,685 | 82,241 41,880 40,361 | 29,970 15,239 14,731 | 17,317 8,874 8,443 | 62;034 31,605 30,429 |
| 10 to 14 years | 1,559 1,594 138,266 132,022 339,199 321,182 289,713 274,712 183,752 173,722 109,465 104,802 37,203 35,619 3,569 3,474 88 | 3 3 4 5 1 | 310 304 13,276 12,423 2,627 2,525 161 165 25 24 8 5 2 | 375 417 75,995 72,295 118,294 111,713 12,508 11,782 1,144 21,508 22 31 97 7 | 102 27,009 27,009 28,883 143,433 136,136 114,821 108,811 12,561 1,269 1,269 1,269 1,26 1,26 1,26 1,26 1,26 1,26 1,26 1,26 | 32 37 5,681 5,603 44,286 41,879 96,578 69,027 65,338 8,086 7,644 516 538 18 | 21 1,967 1,922 13,829 13,046 38,386 36,905 63,043 59,217 40,985 3,274 3,013 3,013 8,013 101 8 | 11 8 682 622 4,349 4,114 11,031 10,597 23,980 22,987 35,856 34,102 14,460 13,789 393 347 75 | 5 9 284 304 1,640 1,547 4,131 3,883 7,773 7,516 14,720 14,223 11,732 11,732 11,539 1,539 1,498 9 6 | 6 6 5 151 123 684 652 1,547 1,441 2,792 2,629 4,538 4,538 935 917 30 2 | 4 4 4 139 123 522 485 1,093 1,057 1,559 2,691 2,696 2,606 2,164 2,048 2,048 2,048 2,048 2,048 2,048 2,048 | 690 13,078 12,715 9,535 9,084 3,876 3,492 1,710 1,638 1,069 379 379 349 44 43 3 |
| F | 2,675 2,421 | | 22 15 | 240 177 | 302 295 | 242 217 | 183 158 | 111 110 | 47 51 | 13 | 16 18 | 1,499 |
| 10 to 14 years | 62,239 208 11,150 19,828 14,426 8,641 5,677 1,882 219 10 198 9,139 | | 1,182 20 946 185 24 5 1 | 13,831 43 5,582 7,353 750 73 12 1 1 | 15,280 10 1,731 7,513 5,362 556 78 4 | 10,065 1 323 2,114 4,484 2,798 316 18 1 | 7,527 | 4,281 34 217 596 1,083 1,748 578 15 | 2,735 24 135 352 542 919 666 89 | 1,036 6 42 131 201 315 274 63 2 2 187 | 783 8 48 118 156 260 153 37 3 | 5,519 134 2,363 1,480 763 346 231 82 7 2 111 162 |
| 10 to 14 years | 13 1,313 2,842 2,219 1,459 892 307 43 4 67 | 1 | 2 116 25 5 | 5 724 902 102 13 4 | 4 292 1,190 791 105 12 3 | 94 436 752 459 57 9 | 1 28 170 340 455 284 27 2 1 | 12 45 128 219 287 118 6 | 6 20 47 117 132 88 21 1 | 1 8 24 37 72 37 6 | 2 7 9 18 32 23 7 1 | 1 38 39 20 16 12 2 1 |
| 10 to 14 years | 35,684 111 6,482 10,965 8,099 5,118 3,180 1,138 122 3 466 80,131 | 1 | 1,009 24 836 123 8 4 1 1 12 738 | 8,236 48 3,635 3,995 462 44 10 1 40 14,064 | 9,264 15 1,270 4,536 3,031 322 35 5 2 | 6,072 4 282 1,294 2,678 1,617 156 9 32 18,792 | 4,482 1 113 507 1,102 1,690 969 65 5 | 2,947 2 50 174 398 798 1,107 382 14 | 1,633 22 99 197 351 523 388 43 10 2,861 | 1 15 35 79 142 196 164 32 1 3 | 519 11 35 70 106 150 111 26 1 | 853 15 248 167 74 44 33 12 260 323 |
| 10 to 14 years | 63 8,913 26,331 22,334 13,259 7,057 1,973 161 7 33 | 1 | 12 634 82 10 | 21 5,146 8,111 706 65 10 | 6 2,258 11,716 8,728 888 95 8 1 | 4 547 4,342 8,113 5,069 663 46 2 1 5 | 1 1,428 3,303 4,403 2,594 201 6 1 4 2,678 | 2 374 966 1,768 2,104 711 20 2 | 2 22 119 330 708 1,023 594 62 1 | 1 3 41 92 238 388 264 49 2 | 1 6 15 48 94 160 143 20 2 | 13 105 103 38 26 20 6 |
| 10 to 14 years | 17 2,502 6,157 4,818 2,811 1,661 587 58 | | 5 217 38 | 6 1,415 2,157 208 20 3 | 2 593 2,644 1,855 173 24 2 | 1 140 864 1,636 966 105 9 | 1 48 256 731 982 616 30 2 | 13 79 213 409 524 206 5 | 7 41 90 172 252 211 27 | 2 19 35 53 84 94 13 | 5 18 18 41 31 9 | 2 67 54 32 18 12 4 2 |
| CONNECTICUT | 225 22,258 | | 1 149 | 10 3,245 | 14 6,331 | 20 5,351 | 12 3,682 | 2,007 | 5 830 | 212 | 91 | 153 360 |
| 10 to 14 years | 14 1,504 6,321 6,662 4,319 2,493 848 78 | | 1110 38 | 3 876 2,093 250 17 2 1 | 339 2,825 2,801 326 35 3 | 59 855 2,396 1,818 205 15 | 11 258 882 1,422 1,020 87 1 | 3 78 212 544 808 345 14 | 1 23 53 120 319 274 40 | 12 30 69 84 16 | 1 2 11 13 24 33 7 | 10 103 149 45 29 11 6 |

TABLE 5.—BIRTHS, BY AGE OF PARENTS: 1935—Continued

| | | <u> </u> | | | | • | | | | | | |
|--|------------------|-------------------|-------------------|-------------------------|-------------------|-------------------|-------------------|-------------------|-------------------|-------------------|----------------------|---------------|
| | IIA | | | | | AG | OF FATHER | | | | | |
| AREA, AND AGE OF MOTHER | births | 10 to 14 years | 15 to 19 years | 20 to 24 years | 25 to 29 years | 30 to 34 years | 35 to 39 years | 40 to 44 years | 45 to 49 years | 50 to 54 years | 55 years and over | Not stated |
| ELAWARE | 4,036 | | 43 | 769 | 1,050 | 819 | 566 | 309 | 120 | 44 | 29 | 287 |
| 10 to 14 years | 12 | | 39 | 2 | 83 | 20 | | | | | | 10 |
| 20 +0 24 10000000000000000000000000000000000 | 563 1,227 | | 39 | 272 453 | 490 | 138 | 45 | 2 12 | 1 2 | 4 | 2 | 140 78 |
| 25 to 29 years | 1,042 | | | 40 | 428 | 350 | 130 | 45 | 8 | | 3 | 35 |
| 35 to 39 years | 667 404 | | | Z | 44 5 | 272 36 | 217 160 | 84 122 | 21 44 | 8 21 | 5 11 | 14 5 |
| 40 to 44 veens | 108 | | | | | 2 | ' 9 | 43 | 39 | 6 | 5 | 4 |
| 45 to 49 years | 11 | | | | | | 1 | 1 | 5 | 2 | 2 | |
| Not stated | 2 | | | | | 1 | | | | | | 1. |
| ISTRICT OF COLUMBIA | 10,803 | | 184 | 2,009 | 3,073 | 2,277 | 1,435 | 681 _. | 237 | 83 | 36 | 787 |
| 10 to 14 years | 27 | | 5 | 1 | | | | | | · | | 21 |
| 15 to 19 years | 1,625 3,355 | | 168 7 | 780 1,108 | 231 1,418 | 55 427 | 23 139 | 3 34 | 2 9 | 2 | . 1 | 361 209 |
| 25 to 29 years | 2,953 | | i | 105 | 1,275 | 982 | 351. | 109 | 18 | 13 | 2 | 97 |
| 30 to 34 years | 1,708 | | | 9 | 130 15 | 723 73 | 534 361 | 184 260 | 60 84 | 16 25 | 7 18 | 45 16 |
| 40 to 44 years | 212 | | | | i | 5 | 24 | 87 | 58 | 22 | 6 | 9 |
| 45 to 49 years50 to 54 years | 12 | | | | | | 2 | | 6 | 4 | | |
| Not stated | 59 | | 3 | 6 | 3 | 12 | 2 | 4 | | | | 29 |
| ORIDA | 28,051 | | 500 | 5,652 | 7,142 | 5,026 | 3,693 | 2,103 | 1,113 | 465 | 413 | 1,944 |
| 10 to 14 years | 130 | | 13 | 26 | 9 | 2 | 2 | | | 1: | ** | 77 |
| 15 to 19 years | 5,151 | | 431 | 2,476 | 982 | 243 | 90 468 | 43 | 19 76 | 6 22 | 6 | 855 479 |
| 25 to 29 years | 8,931 6,700 | | 51 1 | 2,794 315 | 3,595 2,253 | 1,238 2,129 | 1,064 | 178 366 | 196 | 73 | 30 67 | 236 |
| 25 to 29 years | 3,956 | | 2 | 25 | 251 | 1,210 | 1,321 | 581 711 | 244 361 | 89 152 | 108 108 | 125 103 |
| 35 to 39 years | 2,342 667 | | | 7 | 39 2 | 172 14 | 49 | 212 | 186 | 110 | 74 | 20 |
| 45 to 49 years | 73 | | | | 1 | | ī | 9 | 28 | 11 | 17 | 6 |
| 50 to 54 yearsNot stated | 3 98 | | 2 | 9 | 1 9 | 18 | 9 | 3 | 3 | 1 | 2 | 43 |
| ORGIA | 63,260 | 1 | 1,487 | 14,757 | 15,785 | 9,970 | 7,524 | 4,385 | 2,259 | 1,220 | 909 | 4,963 |
| | | | <u> </u> | <u> </u> | | 3,370 | 7,002 | 4,000 | 2,203 | 1,220 | 303 | |
| 10 to 14 years | 226 11,867 | 1 | 30 1,239 | 5,879 | 1,772 | 4 328 | 124 | 42 | 20 | 13 | 13 | 138 2,436 |
| 20 to 24 years | 20,672 | | 206 | 7,905 | 7,813 | 2,120 | 744 | 291 | 126 | 73 | 55 | 1,339 |
| 25 to 29 years | 14,452 8,390 | | 5 | 813 78 | 5,540 556 | 4,464 2,705 | 1,940 2,781 | 569 1,121 | 287 461 | 154 254 | 132 189 | 549 240 |
| 35 to 39 years | 5,540 | | 2 | | 70 | 316 | 1,821 | 1,741 | 771 | 363 | 298 | 143 |
| 40 to 44 years | 1,759 | | ı | 3 | 7 | 17 | 103 | 595 | 529 | 295 | 161 | 48 9 |
| 45 to 49 years | 209 | | | | ž | | 2 2 | 15 1 | 62 | 64 | 55 4 | |
| Not stated | 138 | | | 17 | 18 | 16 | 8 | 10 | 3 | 3 | 2 | 61 |
| ΩΗQ | 9,469 | | 138 | 1,987 | 2,744 | 1,858 | 1,253 | 826 | 405 | 145 | 69 | 44 |
| 10 to 14 years | 1,300 | | 2 | 750 | 1 304 | 2 70 | 28 | 11 | | 1 | 1 | 1 19 |
| 20 to 24 years | 3,150 | | 18 | 1,114 | 1,358 | 437 | 145 | 44 | 14 | 10 | 1 | 9 |
| 25 to 29 years | 2,417 1,349 | | 1 | 108 | 1,002 | 920 ⊿76 | 300 482 | 111 215 | 43 71 | 17 17 | 10 15 | 5 |
| 35 to 39 years | 818 | | | | 13 | 45 | 279 | 289 | 139 | 36 | 15 | 2 |
| 40 to 44 years | 371 40 | | | | 2 | 5 1 | 18 | 1.50 | 122 | 54 10 | 20 | |
| 50 to 54 years | | | | | | | | | | | | |
| Not stated | 16 | | 1 | 3 | 1 | 2 | 1 | 1 | | | | 7 |
| IINOIS | 111,884 | | 1,233 | 18,623 | 31,670 | 25,732 | 17,493 | 9,256 | 3,900 | 1,158 | 544 | 2,275 |
| 10 to 14 years | 73 | | 17 | 12 | 3 207 | | 1 | 50 | 1 21 | 8 | 7 | 38 960 |
| 20 to 24 Veers | 11,395 33,549 | | 1,027 177 | 6,44 <u>1</u> 11,100 | 2,297 15,156 | 460 4,388 | 124 1,367 | 50 379 | 112 | 40 | 21 | 809 |
| 25 to 29 years | 31,257 | | 9 | 976 | 12,854 | 11,672 | 4,018 | 1,033 | 311 | 87 | 53 | 244 |
| 30 to 34 years | 20,314 11,290 | | 2 | 71 10 | 1,245 | 8,298 850 | 7,040 4,598 | 2,577 3,657 | 677 1,464 | 195 358 | 99 181 | 112 74 |
| 40 to 44 veers | 3,657 | | | 4 | 6 | | 331 | 1,529 | 1,172 | 389 | 147 | 23 |
| 45 to 49 years50 to 54 years | 281 | | | | | | 5 | 23 1 | 139 | 78 | 34 2 | 2 |
| Not stated | 63 | | 1 | 9 | 13 | 7 | 9 | 7 | 2 | 2 | | 13 |
| DIANA | 52,909 | 1 | 1,024 | 11,192 | 14,840 | 10,845 | 7,524 | 4,156 | 1,814 | 723 | 357 | 433 |
| 10 to 14 years | 43 | | 17 | 14 | 1 | 3 | | 1 | | 2 | | |
| 15 to 19 years | 7,057 | 1 | 848 | 4,247 | 1,341 | 277 | 95 601 | 24 181 |) a | 8 34. | 4 23 | 204 133 |
| 25 to 29 years | 16,543 13,412 | | 151 8 | 6,284 587 | 7,091 5,710 | 1,975 4,772 | 1,545 | 466 | 161 | 55 | 50 | 38 |
| 30 to 34 years | 8,632 | | | 52 | 636 | 3,421 | 2,994 | 971 | 320 | 147 | 64 105 | 2 |
| 35 to 39 years | 5,157 1,871 | | | 1 1 | 51 5 | 373 23 | 2,106 176 | 1,723 765 | 580 584 | 207 | 105 90 | |
| 45 to 49 years | 169 | | | | | | 4 | 24 | 69 | 49 | 21 | |
| 50 to 54 yearsNot stated | 22 | | | 3 | 5 | 1 | 3 | 1 | | 2 | | |
| A | 41,137 | | 494 | 7,316 | 11,323 | 8,916 | 6,322 | 3,588 | 1,572 | 506 | 235 | 86 |
| 10 to 14 years | 27 | | 4 | 7 | 2 | | | | | | | 1. |
| 15 to 19 years | 4,062 | | 388 | 2,304 | 841 | 167 | 61 | 8 | 10 | 1 | | 28 |
| 20 to 24 years25 to 29 years | 12,353 10,905 | | 94 5 | 4,438 501 | 5,402 4,463 | 1,531 3,930 | 422 1,350 | 125 346 | 49 137 | 23 44 | 8 21 | 261 108 |
| 30 to 34 years | 7,203 | | | 29 | 505 | 2,878 | 2,504 | 874 | 241 | 79 | 46 | 4 |
| 35 to 39 years | 4,526 | | | 2 | 43 | 336 | 1,781 | 1,570 | 539 | 149 | 72 | 3- |
| 40 to 44 years | 1,608 | | | 1 | 3 1 | 16, 3 | 157 | 642 9 | 530 60 | 175 33 | 65 20 | |
| 50 to 54 years | 3 | | | | | | 1 | | | 1 | 1 | |
| Not stated | 320 | | l g | 34 | 63 | 53 | 43 | 14 | 6 | 1 | 1 2 | 101 |

TABLE 5.—PIRTHS, BY AGE OF PARENTS: 1935—Continued

| | 433 | | | | | AGE | OF FATHER | | | | | |
|------------------------------|------------------|-------------------|-------------------|-------------------|-------------------|-------------------|-------------------|-------------------|-------------------|-------------------|----------------------|---------------|
| AREA', AND AGE OF MOTHER | All births | 10 to 14 years | 15 to 19 years | 20 to 24 years | 25 to 29 years | 30 to 34 years | 35 to 39 years | 40 to 44 years | 45 to 49 years | 50 to 54 years | 55 years and over | Not stated |
| KANSAS | 30,589 | | 437 | 5,687 | 8,687 | 6,522 | 4,537 | 2,723 | 1,201 | 386 | 219 | 19 |
| 10 to 14 years | 14 | | 3 | 2 | ı | ı | | | | | | |
| 15 to 19 years | 3,336 | | 361 | 1,945 | 707 | 157 | 41 | 23 | 11 | 2 | 2 | 8 |
| 20 to 24 years25 to 29 years | 9,245 8,254 | | 58 5 | 3,335 372 | 4,072 | 1,185 | 337 | 116 | 37 | 23 | 10 | 6 |
| 30 to 34 years | 5,327 | | | 29 | 3,494 380 | 2,910 2,035 | 1,013 | 298 702 | 99 229 | 35 60 | 17 52 | 1 |
| 35 to 39 years | 3,159 | | | ĩ | 30 | 220 | 1,314 | 1,100 | 392 | 127 | 67 | |
| 40 to 44 years | 1,142 | | | | 1 | 10 | 95 | 479 | 383 | 112 | 58 | |
| 45 to 49 years | 94 | | | | | | | 5 | 50 | 26 | 13 | |
| 50 to 54 yearsNot stated | 1 17 | | | | 2 | | 2 | | | 1 | | |
| KENTUCKY | 57,715 | 1 | 1,423 | 12,536 | 14,564 | 10,650 | 8,201 | 5,272 | 2,611 | 1,103 | 821 | 53 |
| 10 to 14 years | 120 | | 38 | 54 | 10 | 6 | 3 | | 1 | | 1 | |
| 15 to 19 years | 9,072 | 1 | 1,043 | 5,215 | 1,888 | 386 | 163 | 77 | 42 | 22 | 16 | 21 |
| 20 to 24 years | 17,465 | | 294 | 6,333 779 | 7,028 | 2,251 | 826 | 306 617 | 125 274 | 83 118 | 73 108 | 14 |
| 30 to 34 years | 13,330 8,814 | | 43 3 | 122 | 4,535 610 | 4,671 2,949 | 1,881 | 1,256 | 461 | 215 | 167 | 5 |
| 35 to 39 years | 6,194 | | ĭ | 18 | 120 | 432 | 2,085 | 2,088 | 895 | 309 | 221 | ž |
| 40 to 44 years | 2,354 | | 1 | 6 | 13 | 42 | 222 | 895 | 716 | 276 | 179 | |
| 45 to 49 years50 to 54 years | 267 | | | | 1 | | 10 | 30 | 94 | 77 | 52 | |
| Not stated | 5 94 | | | 9 | 9 | 11 | 6 | 3 | 3 | 3 | 2 2 | 5 |
| LOUISIANA | | | 1 010 | - | 1 | | _ | | 1 | 662 | 426 | 88 |
| | 42,270 | 3 | 1,019 | 9,688 | 11,335 | 7,579 | 5,692 | 3,292 | 1,691 | 662 | 426 | 88 |
| 10 to 14 years | 118 | 2 | 47 | 39 | 14 | 1 | 3 | | | | 1 | 1 |
| 15 to 19 years | 7,250 | 1 | 630 | 4,101 | 1,406 | 326 | 151 | 54 | 22 | 8 | 7 | 34 |
| 20 to 24 years25 to 29 years | 13,346 10,113 | | 127 14 | 4,926 534 | 5,447 3,967 | 1,612 3,315 | 610 1,412 | 220 433 | 89 189 | 36 71 | 25 59 | 25 11 |
| 30 to 34 years | 6,083 | | 14 | 65 | 418 | 2,042 | 2,073 | B56 | 339 | 141 | 86 | е |
| 35 to 39 years | 3,934 | | | 9 | 59 | 256 | 1,355 | 1,272 | 594 | 220 | 128 | 4 |
| 40 to 44 veers | 1,211 | | | 2 | 10 | 20 | 78 | 439 | 400 | 151 | 94 | 1 |
| 45 to 49 years | 136 | | | 3 | | | 5 | 15 1 | 56 | 31 3 | 24 | |
| Not stated | 73 | | | 9 | 14 | 7 | 4 | 2 | 2 | | ī | 3 |
| AINE | 15,723 | | 267 | 3,040 | 4,057 | 3,021 | 2,146 | 1,247 | 638 | 240 | 145 | 92: |
| 10 to 14 years | 17 | | 2 | 3 | 3 | -, | | | | 1 | | |
| 15 to 19 years | 1,797 | | 201 | 968 | 366 | 86 | 35 | 13 | 7 | 6 | 1 | 11 |
| 20 to 24 years | 4,729 | | 62 | 1,746 | 1,913 | 567 | 196 | 74 | 27 | 11 | 7 | 12 |
| 25 to 29 years | 3,778 | | | 264 | 1,481 | 1,253 | 467 | 152 | 68 | 22 | 27 | 4 |
| 30 to 34 years | 2,521 1,514 | | 1 | 23 2 | 214 30 | 936 140 | 816 552 | 330 437 | 112 228 | 48 69 | 21 43 | 2 |
| 40 to 44 years | 584 | | | ĺ | 4 | 12 | 58 | 222 | 177 | 66 | 35 | _ |
| 45 to 49 vears | 45 | | | | | | 1 | 6 | 15 | 15 | 8 | |
| 50 to 54 years | 1 | | | | | | | | | 1 | | |
| Not stated | 737 27,236 | | 1 646 | 33 5,867 | 46 7,504 | 27 5,489 | 21 3,865 | 13 2,147 | 935 | 1 304 | 175 | 58 30 |
| | | | · | | | | - | 2,147 | | 30% | 1/5 | |
| 10 to 14 years | 69 4,159 | | 32 551 | 14 2,422 | 803 | 5 151 | 1 58 | 8 | 2 9 | 8 | 2 | 1 14 |
| 20 to 24 years | 8,321 | | 60 | 3,095 | 3,599 | 1,035 | 299 | 100 | 37 | 15 | 12 | 6 |
| 25 to 29 years | 6,735 | | 3 | 290 | 2,740 | 2,437 | 883 | 221 | 77 | 33 | 22 | 2 |
| 30 to 34 years | 4,253 | | | 36 9 | 309 | 1,637 195 | 1,456 1,080 | 571 866 | 156 324 | 49 83 | 30 56 | 1 |
| 40 to 44 years | 2,670 935 | | | 1 | 42 5 | 26 | 83 | 375 | 297 | 105 | 38 | - |
| 45 to 49 years | 68 | | | | | 1 | 3 | 6 | 33 | 11 | 14 | |
| 50 to 54 years | 2 | | | | | | 1 | | | | 1 | |
| Not stated | 24 | | | | 4 | 2 | 1 | | | | | 1 |
| iassachusetts | 63,001 | | 434 | 8,981 | 16,872 | 15,237 | 10,801 | 5,646 | 2,193 | 590 | 239 | 2,00 |
| 10 to 14 years | 23 | | 2 | | 1 | | 3 | | | | | 1 |
| 15 to 19 years20 to 24 years | 4,057 | | 333 94 | 2,199 5,937 | 711 7,138 | 142 2,061 | 42 591 | 17 146 | 6 36 | 4 14 | 2 7 | 60 71 |
| 25 to 29 years | 18,458 | | 5 | 779 | 7,841 | 6,573 | 2,209 | 559 | 146 | 41 | 19 | 28 |
| 30 to 34 years | 13,157 | | | 51 | 1,062 | 5,664 | 4,279 | 1.468 | 371 | 92 | 45 | 12 |
| 35 to 39 years | 7,687 | | | 7 | 94 | 740 | 3,360 | 2,332 | 813 | 183 | 84 | 7 |
| 40 to 44 years | 2,482 | | | | 8 | 37 | 305 | 1,097 | 722 96 | 223 29 | 66 15 | 2 |
| 50 to 54 years | 167 | | | 1 | | | | | | 3 | 1 | |
| Not stated | 224 | | | 7 | 17 | 20 | 9 | 5 | 3 | 1 | | 16 |
| ICHIGAN | 87,446 | | 1,063 | 15,629 | 24,652 | 19,554 | 13,176 | 7,308 | 3,080 | 958 | 381 | 1,64 |
| 10 to 14 years | 47 | | 7 | 11 | 2 | 2 | | 1 | | | | 2 |
| 15 to 19 years | 9,808 | | 867 | 5,445 | 2,166 | 454 | 138 | 37 | 13 | 10 | 6 | 67 |
| 20 to 24 years | 27,631 | | 179 | 9,245 849 | 12,187 9,188 | 3,955 8,533 | 1,089 2,959 | 326 859 | 85 258 | 28 72 | 16 38 | 5: 1' |
| 30 to 34 years | 15,026 | | | 49 | 1,006 | 5,856 | 5,260 | 1,953 | 561 | 194 | 57 | |
| 35 to 39 years | 8,473 | | | 7 | 62 | 679 | 3,421 | 2,743 | 1,114 | 275 | 113 | |
| 40 to 44 vears | 3,029 | | | 4 | 9 | 39 | 289 | 1,323 | 908 | 319 | 116 | |
| 45 to 49 years50 to 54 years | 279 5 | | | | | 1 1 | 6 | 46 1 | 132 | 59 | 34 | |
| Not stated | 210 | | 1 | 19 | 32 | 34 | 13 | 19 | e e | 1 | | |
| INNESOTA | 45,962 | | 21.5 | 5,914 | 11,821 | 10,855 | 7,942 | 4,874 | 2,205 | 724 | 298 | 1,13 |
| 10 to 14 years | 16 | | 1 | 3 | 1 | | | | | | | : |
| 15 to 19 years | 3,333 | | 164 | 1,633 | 843 | 205 | 61 622 | 19 197 | 69 | 4 20 | 1 2 | 31 |
| 25 to 29 years | 12,850 12,842 | | 48 2 | 3,807 444 | 5,526 4,754 | 4,781 | 1,928 | 551 | 170 | 54 | 28 | 1 |
| 30 to 34 years | 8,915 | | | 22 | 635 | 3,307 | 3,062 | 1,320 | 362 | 103 | 53 | |
| 35 to 39 years | 5,589 | | | 5 | 50 | 457 | 2,070 | 1,932 | 761 | 208 | 71 | |
| 40 to 44 years | 2,195 | | | | 9 | 26 | 191 | 830 25 | 743 94 | 270 62 | 115 23 | |
| 40 to 49 years | 211 | | | | 1 | | 6 | 25 | 94 | 62 3 | 20 | |
| 50 to 54 years | 3 | | | | | | | | | | | |

TABLE 5.—BIRTHS, BY AGE OF PARENTS: .1935—Continued (Exclusive of stillbirths)

| | | | (Exc. | lusive of st | (11101rths) | | | | | | | |
|------------------------------|------------------|-------------------|-------------------|-------------------|-------------------|-------------------|-------------------|-------------------|-------------------|-------------------|----------------------|-----------------------|
| | | | | | | AGE | OF FATHER | | | | | |
| AREA, AND AGE OF MOTHER | All births | 10 to 14 years | 15 to 19 years | 20 to 24 years | 25 to 29 years | 30 to 34 years | 35 to 39 years | 40 to 44 years | 45 to 49 years | 50 to 54 years | 55 years and over | Not stated |
| MISSISSIPPI | 48,320 | | 1,215 | 11,395 | 11,993 | 7,860 | 6,220 | 3,588 | 1,893 | 996 | 880 | 2,280 |
| 10 to 14 years | 234 | | 60 | 69 | 22 | . 2 | 3 | 2 | 1 | | 1 | 74 |
| 20 to 24 years | 9,047 15,226 | | 945 184 | 4,976 5,593 | 1,596 5,853 | 327 1,744 | 164 729 | .49 265 | 24 114 | 16 56 | 14 70 | 936 618 |
| 25 to 29 years | 10,983 | | 19 | 635 79 | 3,955 | 3,467 | 1,582 | 532 906 | 251 367 | 159 | 125 173 | 258 125 |
| 35 to 39 years | 4,461 | | 2 2 | 11 | 437 71 | 2,016 264 | 2,214 1,416 | 1,365 | 639 | 208 293 | 289 | 111 |
| 40 to 44 years | 1,403 | | | 1 2 | 6 | 22 3 | 88 | 454 9 | 429 60 | 225 37 | 155 | 23 3 |
| 50 to 54 years | 9 | | | | l | |] 1 | | 2 | 1 | 46 4 | |
| Not stated | 266 | | 3 | 29 | 51 | 15 | 20 | 6 | 6 | 1 | 3 | 132 |
| MISSOURI | 57,299 | 1 | 1,002 | 11,356 | 15,462 | 11,718 | 7,856 | 4,511 | 2,230 | 792 | 474 | 1,897 |
| 10 to 14 years | 96 | 1, | 12 848 | 26 | 14 | 2 | | 37 | 19 | 11 | | 42 |
| 20 to 24 years | 8,193 17,456 | | 128 | 4,415 6,183 | 1,513 7,278 | 346 2,248 | 615 | 239 | 95 | 37 | 6 34 | 586 601 |
| 25 to 29 years | 14,684 | | 11 | 646 | 5,977 | 5,106 | 1,847 | .541 | 226 | 94 | 51 | 185 |
| 35 to 39 years | 9,385 5,379 | | 2 | 74 9 | 601 63 | 3,597 392 | 3,158 1,969 | 1,180 1,783 | 436 735 | 152 225 | 99 139 | 86 63 17 |
| 40 to 44 years | 1,898 182 | | | 1 | 9 | 24 3 | 150 .3 | 716 15 | 641 80 | 228 44 | 112 31 | 17 5 |
| 50 to 54 years | 4 | | | | | | ī | 70 | | 1 | 2 | |
| Not stated | 22 | | | 1 | 7 | | 2 | | | | | 12 |
| MONTANA | 10,029. | | 104 | 1,697 | 2,840 | 2,086 | 1,425 | 951 | 583 | 202 | 85 | 55 |
| 10 to 14 years | 2 207 | | 78 | n. :551 | .306 | 1 91 | 29 | 8 | 5 | | | 26 |
| con +o 24 mana | 1,097 3,464 | | 24 | 1,035 | 1,498 | 557 | 207 | 76 | 33 | 10 | 3 | 26 |
| 25 to 29 years | 2,639 | | 1 | 103 | 938 | 880 | 436 | 170 | 71 | 24 | 12 | 4 |
| 35 to 30 veers | 1,514 908 | | 1 | 2 | 86 10 | ,500 54 - | 466 261 | 284 296 | 120 193 | 40 61 | 11 30 | 2 1 |
| 40 to 44 vears | 360 | | | 1 | 2 | 3 | 24 | 115 | 138 | 51 | 26 | |
| 45 to 49 years50 to 54 years | 41 1 | | | | | | 1 | 2 | . 22 | 12 | 4 | |
| Not stated | 3 | | | | | | 1 | | | 1 | | 1 |
| NEBRASKA | 23,327 | | 258 | 3,979 | 6,637 | 5,124 | 3,654 | 2,044 | 948 | 297 | 158 | 228 |
| 10 to 14 years | 8 2,137 | | 209, | 4 1,249 | 448 | 91 | 32 | 13 | 4 | | | 3 91 |
| 20 to 24 years | 7,013 | | .48 | 2,419 | 3,123 | 986 | 247 | 59 | 33 | 7 | 13 | 78 |
| 25 to 29 years | 6,491 4,161 | | | 282 19 | 2,762 278 | 2,245 1,623 | 1,477 | 221 513 | 80 157 | 30 50 | 27 17 | 27 13 |
| 35 to 39 verre | 2,544 | | | 4 | 18 | 166 | 993 | 864 | 368 | 83 | 41 | 7 |
| 40 to 44 years | 877 82 | | | . 1 | 5 | 10 | 72 | 367 | 264 42 | 105 20 | 50 12 | 3 1 |
| 50 to 54 years | 2 | | | | | | | | | 2 | | |
| Not stated | 12 1,423 | | 7 | 1 243 | 3. 412 | 3 295 | 223 | 134 | 53 | 32 | 5 | 5 19 |
| 10 to 14 years | 4 | <u> </u> | | 1 | | 1 | | | 1 | | | |
| 15 to 19 years | 181 | | 5 | 93 | 51 | 17 | 8 | 2 | | | | 1 5 5 3 1 |
| 20 to 24 years | 498 364 | | 1 | 133 13 | 234 107 | 69 134 | 35 57 | 14 36 | 4.9 | 3 3 | 1 | 5 3 |
| 30 to 34 years | 215 | | | 1 | 18 | 60 | 78 | 31. | ` 15 | 11 | | i |
| 35 to 39 years | 122 | | | 2 | 2 | 13 | 39 5 | 41 10 | 14 9 | 5 5 | 2 2 | 1 |
| 45 to 49 years | 2 | | | | | | | | 1 | ĭ | | |
| 50 to 54 yearsNot stated | 4 | | | | | 1 | 1 | | | | | 2 |
| NEW, HAMPSETRE | 7,768 | | 85 | 1,405 | 2,137 | 1,730 | 1,152 | 573 | 275 | 126 | 74 | 211 |
| 10 :to 114 years | 2 | | .2 | | | | | | | | | |
| 15 to 19 years20 to 24 years | 753 2,316 | | 64 18 | 412 844 | 149 932 | 33 303 | 10 109 | 4 30 | 1 9 | 1 3 | 1 6 | 78 . 62 . |
| 25 to 29 years | 2,180 | | ī | 138 | 901 | 726 | 253 | 83 | 29 | . 10 | 9 | . 30 |
| 30 to 34 years35 to 39 years | 1,368 | | | 8 | 137 15 | 564 91 | 424 312 | 130 233 | 43 105 | 30 45 | 15 21 | 17 10 |
| 40. to 44 years | 266 | | | | ī | 11 | 41 | 90 | 76 | 27 | .18 | 2 |
| 45 to 49 years | 29 | | | | | | <u>,</u> | 3 | 12 | 10 | 3 | |
| Not stated | zī | | ' | 3 | .2 | 2 | 2 | | | | | 12 |
| NEW JERSEY | 54,514 | | 437 | 8,367 | 16,030 | 13,155 | 8,793 | 4,555 | 1,746 | 503 | 195 | 733 |
| 10 to 14 years | 39 | | 8 | 8 | 2 | 2 : | 2 | 20 | 7 | 3 | | 17 300 |
| 15 to 19 years | 4,562 16,017 | | 376 51 | 2,673 5,198 | 958 7,444 | 175 2,221 | 46 600 | 150 | .53 | 13 | 12 | 275 |
| 25 to 29 years | 16,016 10,305 | | 1 | 446 33 | 6,891 659 | 5,925 4,366 | 2,036 3,541 | 458 1,259 | 134. 297 | 34 82 | 24 30 | 67 38 |
| 35 to 39 years | 5,634 | | | 4 | 63 | 433 | 2,368 | 1,897 | 643 | 157 | 52 | 17 |
| 40 to '44 years | 1,785 | | | 2 | 3 | 26 | 196. | 7.52 | 554 57 | 177 35 | 64 7 | 11 |
| 45.to 49.years50:to 54 years | 119 4 | | | | | 1 | 2 | 17 | | 1 | 2 | |
| Not stated | 33 | | 1 | 3 | 10 | 6 | 1 | 2 | 1 | 1 | | 8 |
| NEW, MEKICO | 13,190 | | 137 | 2,376 | 3,332 | 2,505 | 1,985 | 1,361 | 683 | 250 | 175 | 386 |
| 110 to 14 years | 11 | | 1 108 | 939 | 5 418 | 105 | 33 | 17 | 5 | | 4 | 5 94 |
| 20 to 24 years | 4,086 | | 26 | 1,275 | 1,669 | 623 | 207 | 94 | 45 | 11 | 9 | 127 |
| 25 to 29 years | 3,301 2,066 | | 2 | 135 18 | 1,097. 124 | 1,124 550 | 575 718 | 194 405 | 75 126 | 23 49 | 17 39 | 59 36 27 |
| 35 to 39 years | 1,448 | | | 7 | 16: | .96 | 421 | 489 | 244 | 89 | 59 | 27 16 |
| 40 to 44 years | 470 53 | | | | 1 | 6 1 | 27 2 | 157 | 172 15 | 59 18 | 32 14 | 2 |
| 50 to 54 years | 2 30 | | | .2 | 2 | | 2 | 3 | 1 | 1 | 1 | 20 |
| Not stated | 30 1 | | 1 | ا کے | . 2 | | . 2 | . 3 | | . 1 | , | . 20 |

TABLE 5.—BIRTHS, BY AGE OF PARENTS: 1935—Continued

| | All | | | | | AGE | OF FATHER | | | | | |
|------------------------------|------------------|-------------------|-------------------|-------------------|-------------------|---------------------------------------|-------------------|-------------------|-------------------|-------------------|----------------------|---------------|
| AREA, AND AGE OF MOTHER | births | 10 to 14 years | 15 to 19 years | 20 to 24 years | 25 to 29 years | 30 to 34 years | 35 to 39 years | 40 to 44 years | 45 to 49 years | 50 to 54 years | 55 years and over | Not stated |
| VEW YORK | 184,344 | | 1,063 | 24,467 | 52,643 | 48,208 | 31,682 | 15,212 | 5,769 | 1,645 | 679 | 2,976 |
| 10 to 14 years | 89 | | 4 | 13 | 8 | 3 | 1 | 1 | | | | 59 |
| 15 to 19 years | 12,845 51,969 | | 858 191 | 7,058 | 2,919 23,979 | 528 8,041 | 189 2,233 | 52 556 | 28 158 | 3 53 | 6 35 | 1,104 |
| 25 to 29 years | 58,010 | | 197 | 15,614 1,648 | 22,997 | 22,374 | 8,089 | 1,815 | 491 | 135 | 70 | 362 |
| 30 to 34 years | 36,671 | | 1 | 108 | 2,474 | 15,343 | 12,620 | 4,404 | 1,150 | 281 | 116 | 174 |
| 35 to 30 veerg | 18,904 | | | 22 | 241 | 1,688 | 7,928 | 6,008 | 2,164 | 539 | 225 | 89 |
| 40 to 44 years | 5,374 | | | 1 | 19 | 118 | 599 | 2,310 | 1,562 | 530 | 189 | 4 |
| 45 to 49 years | 457 | | | 1 | | 12 | 20 | 66 | 215 | 104 | 37 1 | |
| Not stated | 23 | | | 2 | 6 | 1 | 3 | | | | | 1 |
| ORTH CAROLINA | 78,753 | | 2,082 | 18,352 | 18,935 | 13,257 | 9,908 | 6,182 | 3,151 | 1,453 | 1,010 | 4,42 |
| 10 to 14 years | 227 | | 45 | 45 | 15 | 3 | 2 | 2 | 1 | 1 | | 11 |
| 15 to 19 years | 13,037 | | 1,640 | 6,856 | 1,882 | 400 | 152 | 59 | 28 | 10 | 20 | 1,99 |
| 20 to 24 years | 24,812 | | 374 17 | 10,051 | 9,149 | 2,564 5,878 | 772 2.350 | 294 718 | 138 312 | 76 173 | 64 139 | 1,33 |
| 30 to 34 years | 18,230 11,288 | | 5 | 1,223 | 6,949 792 | 3,836 | 3,765 | 1,590 | 563 | 248 | 170 | 18 |
| 35 to 39 veerg | 7,756 | | | 24 | 120 | 525 | 2,636 | 2,471 | 1,107 | 421 | 326 | 12 |
| 40 +a 44 vaara | 2,861 | | | 3 | 10 | 40 | 220 | 1,006 | 875 | 437 | 241 | 2 |
| 45 to 49 veers | 306 | | | 1 | 1 | 3 | 5 | 35 2 | 125 | 85 1 | 47 | |
| 50 to 54 yearsNot stated | 9 227 | | 1 | 16 | 1 16 | 8 | 1 5 | - ~ | | ı | ĺ | 17 |
| | | 1 | | | 1 | | 2,367 | 1 | 781 | 297 | 147 | 35 |
| DRIH DAKOTA | 13,655 | | 71 | 1,640 | 3,467 | 2,974 | 2,367 | 1,558 | ,91 | 697 | 14/ | |
| 10 to 14 years | 9 | | | 2 | 1 200 | e | | | 1 | 2 | 2 | 12 |
| 15 to 19 years | 1,023 3,805 | | 50 19 | 469 987 | 1,692 | 57 643 | 17 207 | 8 70 | 23 | 13 | 6 | 14 |
| 25 to 29 years | 3,778 | | 2 | 161 | 1,323 | 1,344 | 603 | 201 | 73 | 15 | 16 | 4 |
| 30 to 34 veers | 2,536 | | | 11 | 145 | 817 | 929 | 423 | 140 | 31 | 27 | 1 |
| 35 to 39 vears | 1,727 | | | 4 | 11 | 102 | 577 | 609 | 266 247 | 115 | 33 57 | 1 |
| 40 to 44 years | 677 70 | | | | 3 | , , , , , , , , , , , , , , , , , , , | 29 | 235 11 | 29 | 23 | 6 | |
| 50 to 54 veara | 2 | | | | 1 | | | | | 1 | | |
| Not stated | 28 | | | 6 | 3 | 4 | 4 | 1 | 2 | | | |
| IIO | 101,103 | | 1,300 | 18,941 | 28,598 | 21,656 | 14,799 | 8,226 | 3,468 | 1,120 | 492 | 2,50 |
| 10 to 14 years | 90 | | 10 | 16 | 6 | 1 | | | | 12 | 1 | 5 |
| 15 to 19 years | 11,493 | | 1,069 | 6,508 | 2,169 | 408 3,661 | 131 1,097 | 44 355 | 22 129 | 37 | 36 | 1,12 |
| 20 to 24 years | 30,825 27,472 | | 212 | 11,225 | 13,247 | 9,797 | 3,200 | 908 | 301 | 99 | 56 | 24 |
| 30 to 34 years | 17,308 | | ĺí | 85 | 1,263 | 6,992 | 5,910 | 2,098 | 599 | 153 | 90 | 11 |
| 35 to 39 vears | 10,063 | | | 9 | 123 | 739 | 4,117 | 3,306 | 1,197 | 322 | 109 | 8. |
| 40 to 44 years | 3,476 | | | | 11 | 48 | 333 | 1,477 | 1,070 | 401 95 | 116 | 2 |
| 45 to 49 years | 319 | | | 1 | | 3 | 9 | 34 | 149 | 1 | | |
| 50 to 54 yearsNot stated | 3 54 | | 1 | 11 | 7 | 7 | 2 | 4 | | | | 2 |
| KTAHOMA | 43,691 | 1 | 968 | 10,158 | 12,075 | 8,276 | 5,422 | 3,378 | 1,626 | 703 | 455 | 62 |
| 10 to 14 years | 67 | 1 | 21 | 26 | 6 | 1 | | | 2 | 1 | 1 | |
| 15 to 10 veers | 7,234 | | 769 | 4,309 | 1,433 | 306 | 109 | 27 | 9 | 10 | | 25 |
| 20 to 24 years | 14,341 | | 167 | 5,273 | 6,063 | 1,833 | 505 1,281 | 197 435 | 67 167 | 25 83 | 24 51 | 18 |
| 25 to 29 years | 10,471 6,251 | | 9 | 502 36 | 4,167 348 | 3,717 2,180 | 2,211 | 882 | 316 | 150 | 95 | 1 3 |
| 35 to 39 treeze | 3,596 | | | 2 | 30 | 212 | 1,229 | 1,326 | 559 | 195 | 1 23 | 2 |
| 40 to 44 troops | 1,345 | | | 1 | 9 | 9 | 74 | 490 | 443 | 186 | 125 | |
| 45 to 49 years | 147 | | | | | 2 | 4 | 10 | 58 | 46 | 27 | |
| 50 to 54 years | 6 133 | | 1 | 9 | 19 | 16 | 9 | 11 | 5 | 2 | 2 | 1 8 |
| REGON | 13,179 | | 130 | 2,401 | 3,959 | 2,815 | 1,878 | 1,067 | 537 | 210 | 113 | 6 |
| | | - | 1 | 2 | | 1 | | | | 1 | | |
| 10 to 14 years | 1,510 | | 111 | 858 | 387 | 89 | 23 | 6 | 5 | 3 | 6 | 2 |
| 20 to 24 years | 4,443 | | 18 | 1,403 | 1,985 | 687 | 218 | 76 | 30 | 7 | | 1 3 |
| 25 to 29 years | 3,602 | | | 125 | 1,428 | 1,224 | 537 | 177 313 | 67 101 | 22 43 | | į , |
| 30 to 34 years | 2,039 | | | 9 2 | 1 39 15 | 723 80 | 689 375 | 381 | 192 | 64 | | |
| 40 to 44 years | 1,138 386 | | | 1 | 1 1 | 11 | 36 | 111 | 124 | 59 | | |
| 45 to 49 years | 40 | | | | ī | | | 2 | 17 | 10 | 10 | |
| 50 to 54 years | 1 | | | | | | | | 1 | | | |
| Not stated | 14 | | | 1 | 3 | | | 1 | | 1 | 1 | |
| ennsylvania | 161,166 | 3 | 2,371 | 31,082 | 44,950 | 33,883 | 24,237 | 14,053 | 6,090 | 1,791 | 753 | 1,95 |
| 10 to 14 years | 131 | 1 | 45 | 33 | 9 | 4 | | 3 75 | | 1 11 | 2 12 | |
| 15 to 19 years | 17,914 | 1 | 1,917 380 | 10,662 | 3,556 | 5,850 | 213 | 486 | | | | 57 |
| 25 to 29 years | 48,886 42,581 | | 24 | 1,787 | 18,035 | 15,069 | | 1,510 | | | | 24 |
| 30 to 34 years | 27,526 | | 4 | 156 | 1,805 | 10,951 | 9,663 | 3,538 | | 221 | | 12 |
| 35 to 39 years | 16,913 | | | 28 | | 1,224 | | 5,684 | | 553 649 | | |
| 40 to 44 veers | 6,291 | | 1 | 5 | 16 | 54 5 | 573 15 | 2,658 | | 163 | | , |
| 45 to 49 years50 to 54 years | 603 11 | | | | | 1 1 | 2 | | 2 | 2 | | İ |
| Not stated | 310 | | | 40 | | 39 | 36 | 24 | 1 | | | 11 |
| HODE ISLAND | 10,215 | | 96 | 1,524 | 2,819 | 2,459 | 1,634 | 875 | 379 | 85 | 32 | 31 |
| 10 to 14 years | 4 | | | 1 | | | | | | | | 1 |
| 15 to 19 years | 702 | | 75 | 356 | | | | 20 | | 2 | | 1: |
| 20 to 24 years | 2,808 3,073 | | 21 | 984 173 | | | | | 1 ' | | | |
| 30 to 34 veers | 2,029 | | | 8 | | | | 207 | 65 | 20 | 4 | |
| 35 to 39 vears | 1,183 | | | | 6 | 126 | 485 | 381 | 140 | | | |
| 40 to 44 years | 367 | | | | 2 | 7 | 44 | | | | | |
| 45 to 49 years | 40 | | | | | | 2 | 6 | له ا | 1 | 1 | 1 |
| 50 to 54 years | | 11 | ł | | | | | | | | | |

TABLE 5.—BIRTHS, BY AGE OF PARENTS: 1935—Continued (Exclusive of stillbirths)

| | | T | | | | AGI | OF FATHER | | | | | |
|-------------------------|---|-------------------|----------------------------------|---|--|---|---|--|---|---|--|---|
| AREA, AND AGE OF MOTHER | All births | 10 to 14 years | 15 to 19 years | 20 to 24 years | 25 to 29 years | 30 to 34 | 35 to 39 years | 40 to 44 years | 45 to 49 years | 50 to 54 years | 55 years and over | Not stated |
| SOUTH CAROLINA | 40,598 | | 773 | 9,964 | 9,497 | 5,830 | 4,715 | 2,896 | 1,535 | 601 | 482 | 4,305 |
| 10 to 14 years | 100 7,538 13,872 9,079 5,018 3,600 1,144 156 | | 13 630 122 7 1 | 14 3,751 5,692 455 39 11 1 | 2 802 4,913 3,432 298 41 6 | 153 1,168 2,841 1,478 176 11 | 1 68 410 1,220 1,801 1,133 77 | 1 29 152 360 718 1,267 353 16 | 11 75 175 301 513 392 68 | 2 37 72 117 173 170 29 | 5 33 61 94 167 97 22 | 69 2,086 1,270 456 171 119 37 |
| Not stated | 88 12,850 | | 89 | 1,815 | 2 3,240 | 2,898 | 1 2,262 | 1,311 | 665 | 227 | 91 | 85 252 |
| 10 to 14 years | 3 1,088 3,679 3,496 2,374 1,539 594 53 | | 59 29 1 | 544 1,117 140 10 | 1 295 1,542 1,199 189 8 2 | 66 621 1,285 806 111 3 | 22 193 600 864 532 49 | 7 38 169 353 519 222 1 | 1 26 51 101 247 213 26 | 1 6 15 27 75 85 17 | 1 6 10 10 39 18 7 | 2 92 101 26 14 8 1 |
| Not stated | 23 53,314 | 2 | 1,227 | 11,647 | 13,785 | 5 9,355 | 6,996 | 4,205 | 2,019 | 1,073 | 703 | 2,302 |
| 10 to 14 years | 119 8,791 16,545 12,668 7,927 5,125 1,885 216 3 | 2 | 23 976 199 25 3 1 | , 27 4,504 6,136 774 80 22 3 | 8 1,611 6,534 4,946 595 81 8 | 2 348 1,916 4,068 2,660 323 36 1 | 104 683 1,659 2,676 1,722 143 7 | 43 232 530 1,056 1,664 671 8 | 18 89 204 382 708 539 79 | 12 52 103 203 314 318 69 1 | 10 39 98 148 210 149 48 | 59 1,063 665 261 124 80 18 3 |
| 10 to 14 years | 114,721 | | 1,824 | 23,457 68 | 30,773 15 | 22,616 5 | 15,986 | 8,906 | 4,502 | 1,681 | 1,120 | 3,654 |
| 15 to 19 years | 17,081 36,819 28,585 17,676 10,552 3,174 316 7 | | 1,453 325 22 2 1 | 9,293 12,505 1,400 136 18 2 2 | 3,526 15,427 10,467 1,153 134 10 2 | 801 5,029 10,017 6,025 683 41 4 | 2 279 1,504 4,117 6,157 3,554 223 13 | 3,484 1,148 21 1,17 | 1 30 198 548 926 1,649 1,017 125 | 20 88 190 356 517 421 84 3 | 20 58 150 207 366 257 57 | 1,562 1,075 471 290 156 55 8 |
| UTAH | 12,695 | | 167 | 2,428 | 3,642 | 2,703 | 1,918 | 1,073 | 428 | 196 | 91 | 49 |
| 10 to 14 years | 1 1,372 3,873 3,972 2,170 1,324 510 64 2 7 | | 142 24 1 | 856 1,438 121 8 1 | 275 1,773 1,452 132 9 | 52 455 1,231 879 80 4 | 14 115 399 786 568 33 2 | 7 41 107 243 434 231 10 | 1 2 11 30 77 136 143 28 | 3 15 32 67 62 16 1 | 2 1 10 11 23 36 8 | 22 12 6 2 6 1 |
| 10 to 14 years | 5,031 5,708 1,927 1,744 1,200 715 256 19 | | 2 69 19 1 | 1,377 522 83 10 1 | 174 821 698 128 9 2 | 1 43 276 601 445 69 2 | 14 83 229 387 249 35 | 2 39 72 143 240, 93 3 | 2. 15 27 44 91 80 9 | 1 3 5 18 35 22 4 | 2 7 9 15 18 18 2 | 1 44 42 19 10 3 3 3 4 |
| VIRGINIA | 51,487 | | 1,043 | 10,950 | 12,679 | 9,244 | 7,098 | 4,335 | 2,222 | 1,015 | 735 | 2,156 |
| 10 to 14 years | 179 8,254 15,577 11,945 7,883 5,359 2,008 251 | | 53 794 172 18 5 1 | 43 4,437 5,666 733 58 19 2 | 11 1,517 6,109 4,405 550 77 5 | 1 335 1,902 3,985 2,623 363 28 6 | 118 657 1,617 2,710 1,830 156 10 | 1 45 216 502 1,140 1,687 717 23 | 19 100 228 359 805 608 102 | 1 8 64 119 192 275 298 57 | 1 21 47 105 124- 220 170 47 | 67 960 642 233 122 82 24 5 |
| WASHINGTON | 28 22,396 | 1 | 221 | 4,146 | 6,551 | 1 5,030 | 3,185 | 1,777 | 871 | 341 | 158 | 21 115 |
| 10 to 14 years | 15 2,640 7,508 6,143 3,522 1,879 651 48 2 | 1 | 5 184 31 1 | 1,509 2,412 204 14 2 | 1 677 3,249 2,363 243 17 1 | 143 1,203 2,215 1,299 159 10 | 2 60 366 927 1,128 658 43 1 | 1 7 133 276 535 598 218 8 | 8 41 106 190 291 223 12 | 21 30 65 114 93 14 | 3 10 14 40 36 41 13 | 1 47 42 7 7 4 2 5 |

TABLE 5.—BIRTHS, BY AGE OF PARENTS: 1935—Continued
(Exclusive of stillbirths)

| | | | | | | | | | | | | |
|------------------------------|--------|-------------------|-------------------|-------------------|-------------------|-------------------|-------------------|-------------------|-------------------|-------------------|----------------------|---------------|
| | All | | | | | AGI | OF FATHER | | | | | |
| AREA, AND AGE OF MOTHER | births | 10 to 14 years | 15 to 19 years | 20 to 24 years | 25 to 29 years | 30 to 34 years | 35 to 39 years | 40 to 44 years | 45 to 49 years | 50 to 54 years | 55 years and over | Not stated |
| WEST VIRGINIA | 41,774 | | 678 | 8,414 | 10,680 | 7,638 | 5,725 | 3,558 | 1,899 | 720 | 450 | 2,014 |
| 10 to 14 years | 71 | | 5 | 23 | 6 | 2 | 1 | | | | | 34 |
| 15 to 19 years | 6,874 | | 520 | 3,557 | 1,460 | 290 | 119 | 46 | 16 | 10 | 11 | 845 |
| 20 to 24 years | 13,216 | | 145 | 4,300 | 5,414 | 1,820 | 592 | 212 | 81 | 36 | 38 | 578 |
| 25 to 29 years | 9,568 | | 8 | 472 | 3,333 | 3,282 | 1,441 | 487 | 194 | 87 | 63 | 201 |
| 30 to 34 years | 8,159 | | | 54 | 413 | 1,980 | 2,133 | 902 | 370 | 131 | 81 | 95 |
| 35 to 39 years | 4,035 | | | 7 | 47 | 239 | 1,326 | 1,380 | 645 | 210 | 127 | 54 |
| 40 to 44 years | 1,484 | | | 1 | 6 | 22 | 104 | 511 | 516 | 195 | 106 | 23 |
| 45 to 49 years50 to 54 years | 176 | | | | 1 | | . 5 | 19 | 76 | 50 | 24 | 1 |
| Not stated | 2 | | | | | | | 1 | | 1 | | |
| NOT SCREET | 189 | | | | | 3 | 2 | | 1 | ~ | | 183 |
| WISCONSIN | 52,562 | | 329 | 7,757 | 14,463 | 12,286 | 8,642 | 4,974 | 2,148 | 675 | 244 | 1,044 |
| 10 to 14 years | 20 | | | 1 | 5 | | 1 | | | | | 13 |
| 15 to 19 years | 4,216 | | 248 | 2,218 | 970 | 276 | 71 | 24 | 9 | 2 | 1 5 | 393 |
| 20 to 24 years | 15,379 | | 81 | 4.877 | 6.809 | 2,255 | 694 | 180 | 57 | 24 | 9 | 393 |
| 25 to 29 years | 14,725 | | | 605 | 5,892 | 5,415 | 1.926 | 527 | 160 | 47 | 21 | 132 |
| 30 to 34 years | 9,776 | | | 43 | 689 | 3,799 | 3,405 | 1,308 | 358 | 91 | 36 | 47 |
| 36 to 39 years | 5,953 | | | 6 | 68 | 495 | 2,321 | 2,009 | 766 | 190 | 75 | 23 |
| 40 to 44 years | 2,191 | | | | 10 | 33 | 204 | 892 | 699 | 262 | 80 | 11 |
| 45 to 49 years | 201 | | | | | | 8 | 25 | 94 | 56 | 17 | 1 |
| 50 to 54 years | 2 | | | | | | | | | 2 | | |
| Not stated | 99 | | | 7 | 20 | 13 | 12 | 9 | 5 | 1 | 1 | 31 |
| WYOMING | 4,362 | | 50 | 800 | 1,281 | 896 | 638 | 367 | 201 | 56 | 41 | 32 |
| 10 to 14 years | 2 | | | 1 | | | | 1 | | | | |
| 15 to 19 years | 579 | | 37 | 325 | 160 | 33 | 13 | 3 | , | 1 | | 5 |
| 20 to 24 years | 1,468 | | 12 | 423 | 657 | 220 | 99 | i 31 | 7 | 1 4 | 3 | 12 |
| 25 to 29 years | 1,081 | | 12 | 46 | 400 | 373 | 177 | 52 | 23 | 3 | 3 | 3 |
| 30 to 34 years | 678 | | | 2 | 54 | 243 | 214 | 97 | 44 | 11 | 12 | , , |
| 35 to 39 years | 369 | | | 1 1 | J-2 | 25 | 130 | 121 | 59 | 16 | 7 | , |
| 40 to 44 years | 156 | | | | | | 130 | 61 | 57 | 17 | 13 | 3 |
| 45 to 49 years | 16 | | | | | | | " | J, | 1 | 3 | |
| 50 to 54 years | 10 | | | | ********* | | | l | | | | |
| Not stated | 13 | | | 2 | 2 | , | , | | 1 | | | 6 |
| | 10 | | | 1 | | ا * | | | · | | | 1 |

TABLE 6.—BIRTHS, BY NUMBER OF CHILD, AGE OF MOTHER, AND RACE, AND FOR WHITE BY NATIVITY OF MOTHER, IN THE UNITED STATES: $\underline{1}/$ 1935

| NUMBER OF CHILD AND AGE OF MOTHER | All births | WHITE | | | | | | WHITE | | | 2434 |
|--------------------------------------|-------------------------------|-----------------------------------|-----------------------------------|----------------------------------|----------------------------|--------------------------------------|----------------------------|----------------------------|-----------------------------|----------------------------|---------------------------|
| | | Total ² / | Mother native | Mother foreign- born | Other races | NUMBER OF CHILD AND AGE OF MOTHER | All births | Total ² | Mother native | Mother foreign- born | Other - races |
| All births | 2,064,336 | 1,818,169 | 1,674,282 | 142,061 | 266,167 | All births-Contd, | 1,651 | 1,452 | 1,139 | 309 | 199 |
| 12 years13 years | 29 542 | 17 170 | 17 161 | 5 | 12 372 | 47 years 48 years 49 years | 882 492 255 | 755 373 186 | 586 291 143 | 168 82 40 | 127 119 69 |
| 15 years 16 years | 2,557 9,189 23,974 | 1,109 5,025 15,668 | 1,083 4,957 15,474 | 21 46 160 | 1,448 4,164 8,306 | 50 years 51 years 52 years | 76 21 21 | 14 14 16 | 37 11 12 | 10 2 4 | 29 7 5 |
| 17 years | 47,534 79,810 104,971 | 35,602 62,764 86,853 | 35,117 61,777 85,196 | 411 892 1,537 | 11,932 17,046 18,118 | 53 years 54 years Not stated | 20 13 4.851 | 12 8 3,632 | 12 7 3,289 | 1 276 | 8 5 1,019 |
| 20 years 21 years 22 years | 121,337 127,778 132,297 | 102,400 111,168 114,716 | 99,789 107,703 109,745 | 2,492 3,391 4,874 | 18,937 16,590 17,581 | FIRST CHILD | 729,019 | 650,413 | 614,913 | 34,790 | 78,606 |
| 23 years 24 years 25 years | 132,118 127,793 | 115,624 112,976 | 109,680 | 5,865 6,666 | 16,494 14,817 | 12 years | 29 542 2,528 | 17 170 1,101 | 17 161 1,075 | 5 21 | 12 372 1,427 |
| 26 years27 years | 123,713 114,366 108,143 | 109,661 102,976 97,789 | 102,154 95,336 89,995 | 7,425 7,573 7,734 | 14,052 11,390 10,354 | 15 years | 8,826 22,301 | 4,882 14,830 | 4,817 14,652 | 44 146 | 3,944 7,471 |
| 28 years | 105,347 92,218 89,573 | 94,725 83,470 79,932 | 86,113 74,936 70,662 | 8,552 8,485 9,223 a | 10,622 8,748 9,641 | 17 yeers | 41,677 64,011 74,528 | 32,031 52,005 64,356 | 31,613 51,231 63,127 | 355 695 1,132 | 9,646 12,006 10,172 |
| 31 years 32 years 33 years | 68,608 69,262 58,344 | 63,137 62,631 52,838 | 56,234 54,873 46,160 | 6,863 7,714 4 6,642 | 5,471 6,631 5,506 | 20 years | 74,275 68,335 62,034 | 66,084 62,461 57,350 | 64,409 _60,380 54,671 | 1,586 2,026 2,633 | 8,191 5,874 4,684 |
| 34 years 35 years 36 years | 57,162 | 51,224 50,550 38,231 | 44,428 43,287 32,849 | 6,751 5 7,227 5 | 5,938 6,895 4,432 | 23 years 24 years | 54,249 46,313 39,954 | 50,702 43,873 38,001 | 47,823 40,886 35,134 | 2,847 2,949 2,841 | 3,547 2,440 1,953 |
| 37 years | 37,759 37,838 | 33,871 33,490 | 28,885 28,366 22,503 | 4,959 5,104 4,224 | 3,888 4,348 3,298 | 26 years | 33,789 28,437 24,014 | 32,429 27,349 23,055 | 29,717 24,888 20,717 | 2,695 2,450 2,322 | 1,360 1,088 959 |
| 39 years | 24,696 15,581 | 26,745 21,836 14,311 | 18,150 12,092 | 3,664 2,208 | 2,860 1,270 | 29 years | 18,439 15,708 10,690 | 17,781 15,086 10,403 | 15,782 13,177 9,161 | 1,991 1,902 1,239 | 658 622 287 |
| 42 years | 9,466 5,688 | 13,125 8,603 5,125 3,092 | 10,960 7,238 4,171 2,447 | 2,153 1,355 951 643 | 1,518 863 563 475 | 31 years32 years33 years34 years | 9,174 6,361 | 8,830 6,136 5,221 | 7,671 5,311 4,495 | 1,154 823 722 | 344 225 247 |

 $[\]underline{1}/$ Exclusive of Massachusetts and New Hampshire.

TABLE 6.—BIRTHS, BY NUMBER OF CHILD, AGE OF MOTHER, AND RACE, AND FOR WHITE BY NATIVITY OF MOTHER, IN THE UNITED STATES: 1/1935—Continued

| | I | | WHITE | -00 | | | | T | WHITE | | |
|---|--|---|---|--|--|---|--|--|--|--|---|
| NUMBER OF CHILD AND AGE OF MOTHER | All births | | T | Mother | Other races | NUMBER OF CHILD AND AGE OF LOTHER | All births | | l | Mother | Other races |
| | births | Total2/ | Mother native | foreign- born | races | | DITTE | Total ² / | Mother native | foreign- born | races |
| FIRST CHID—Contd. 35 years 36 years 37 years 38 years 39 years 40 years 41 years 42 years 45 years 46 years 50 years 51 years 52 years Not stated 14 years 15 years 16 years 17 years 18 years 19 years 20 years 22 years | 2,394 1,329 1,389 926 593 449 284 110 105 31 9 9 4 2 2 1 1,264 461,664 29 344 1,558 5,351 13,761 13,761 24,805 33,953 38,285 39,711 | 4,449 3,001 2,306 1,828 1,324 869 426 252 104 95 6 2 2 2 2 11 981 413,369 8 139 798 3,317 9,650 19,006 27,541 32,970 34,563 34,726 | 3,821 2,535 1,992 1,583 1,143 739 482 358 217 89 78 20 8 6 6 2 2 2 1 1 912 382,416 8 136 782 3,262 9,475 18,693 2,695 18,693 2,695 18,693 2,695 18,693 2,695 18,693 2,695 18,693 2,695 18,693 1 | 623. 465 312 241 180 129 86 65 35 1.5 7 7 1 35 30,647 159 292 620 891 1,555 1,537 | 253 134 88 101 65 57 25 23 12 6 10 4 | THIRD CHILD—Contd. 44 years 45 years 46 years 47 years 48 years 50 years 51 years 52 years 53 years 54 years 77 years 18 years 19 years 10 years 20 years 21 years 22 years 23 years 24 years 27 years 28 years 29 years 30 years 31 years 33 years | 235 134 62 33 19 5 5 2 1 2 625 187,049 11 56 7,049 206 716 62,210 4,283 7,443 10,778 13,420 14,326 13,985 14,205 14,326 13,985 14,205 12,524 9,569 9,665 8,018 | 221 126 58 28 16 5 4 1 1 2 2 512 160,270 4 28 1,293 2,915 5,159 7,918 10,449 11,627 12,063 12,389 11,262 12,970 8,853 8,886 7,431 | 190 105 44 23 8 5 3 | 31. 21. 14. 5 8 | 14 8 4 5 3 |
| 24 years 25 years 26 years 27 years 27 years 29 years 30 years 31 years 32 years 33 years 34 years 35 years 36 years 37 years 36 years 37 years 39 years 40 years 41 years 41 years 42 years 42 years 44 years 45 years 46 years 46 years 47 years 46 years 47 years 48 years 49 years 49 years 49 years 49 years 49 years 46 years 47 years 48 years 49 | 36,215 33,974 30,543 25,068 25,899 21,594 19,263 14,289 12,787 9,655 8,158 7,053 4,656 3,756 2,967 2,013 1,405 759 607 314 168 87 44 | 32,981 31,494 26,580 26,580 24,691 29,745 18,428 13,651 12,304 9,259 7,829 6,714 4,484 3,606 2,852 1,948 1,344 732 577 579 599 163 39 | 31,085 29,283 26,512 24,358 22,186 16,347 15,872 12,096 10,458 7,949 6,551 5,674 3,820 3,056 2,453 1,654 1,139 622 261 1,651 1,674 3,120 622 55 30 1,554 1,139 622 55 30 1,554 1,554 1,555 8 | 1,870 2,212 2,274 2,303 2,490 2,359 2,551 1,746 1,305 1,172 1,038 650 548 398 293 204 110 90 38 26 14 9 | 3,234 2,480 1,739 1,380 1,208 849 835 438 438 396 329 162 150 115 61 27 30 15 5 61 27 30 15 5 | 34 years 35 years 36 years 37 years 39 years 39 years 39 years 40 years 41 years 45 years 45 years 46 years 46 years 47 years 50 years 50 years 51 years 52 years 51 years 74 years 75 | 7,775 7,286 5,371 4,503 4,190 3,055 2,251 1,374 1,114 579 182 78 40 19 10 2 1 1 3 3 3 441 | 7,232 6,742 5,061 4,249 3,929 2,937 2,120 1,329 1,050 360 165 74 16 10 1 1 1 3 1 354 106,021 | 6,280 5,727 4,277 3,509 2,422 1,756 1,125 887 504 306 133 55 1 1 1 1 1 3 3 95,489 | 945 1,008 781 639 605 473 361 203 163 91 54 32 18 12 6 5 1 41 10,442 | 543 544 310 254 261 158 131 45 64 18 19 17 4 6 3 2 87 20,087 |
| 50 years | 4 5 3 1 859 | 4 3 2 1 698 | 4 3 1 1 638 | 1 42 | 2 1 161 34,609 | 18 years | 36 90 436 895 2,075 3,515 5,599 7,618 8,429 | 11 47 202 483 1,233 2,301 3,910 5,596 5,616 | 9 46 191 461 1,160 2,167 3,654 5,262 6,233 | 2 1 11 22 71 132 252 327 378 | 25 43 234 412 842 1,214 1,689 2,022 1,813 |
| 15 years | 14 98 417 1,785 4,749 10,195 15,323 19,909 22,983 23,148 | 2 32 209 956 3,026 7,133 11,966 15,781 18,909 | 2 32 200 937 2,927 6,924 11,635 15,212 18,084 | 6 29 97 200 322 562 810 911 | 12 66 208 769 1,723 3,062 3,357 4,128 4,074 3,289 | 27 years 28 years 29 years 20 years 20 years 22 years 32 years 24 years 25 years 26 years 26 years 26 years 26 years 26 years 26 years 26 years 26 years 26 years 26 years 26 years 26 years 26 years 26 years 26 years 26 years 26 years 26 years 26 years 27 | 9,234 10,300 9,500 9,606 7,486 7,827 6,793 6,791 6,660 4,775 | 7,478 8,522 8,010 8,207 6,699 6,984 6,158 6,153 5,959 4,403 | 7,042 7,957 7,361 7,509 6,072 6,276 5,441 5,383 5,150 3,818 | 432 559 649 690 620 702 710 747 602 590 | 1,756 1,778 1,490 1,399 787 843 635 656 701 |
| 25 years 26 years 27 years 28 years 30 years 31 years 33 years 34 years 35 years 36 years 37 years 38 years 39 years 39 years 39 years 39 years 39 years 39 years 40 years 41 years 42 years 44 years 44 years 44 years 36 | 2,827 1,961 1,159 913 | 19,859 19,675 18,645 17,887 17,378 15,371 14,394 11,592 10,959 8,883 8,143 7,578 5,213 4,300 3,568 2,698 1,866 1,122 863 453 | 18,928 18,531 17,455 15,530 13,817 12,727 10,279 9,509 7,590 6,383 4,431 3,554 2,959 2,254 1,531 949 740 384 | 911 1,130 1,178 1,305 1,438 1,543 1,560 1,309 1,443 1,289 1,240 1,193 778 741 607 441 331 172 123 68 | 2,857 2,116 1,655 1,529 1,085 1,114 569 592 450 389 460 268 170 190 129 95 37 50 | 35 years | 4,225 4,089 3,122 2,393 1,557 702 400 400 223 88 34 31 13 6 2 1 1 3 296 | 3,924 3,765 2,692 2,219 1,472 1,173 655 394 202 82 29 24 6 5 | 3,319 3,159 2,423 1,225 1,248 981 542 311 163 73 24 18 6 4 1 3 192 | 550 500 605 4e7 392 224 197 111 73 39 9 5 6 1 | 301 323 230 174 85 65 47 16 21 6 9 7 7 1 1 2 |

 $[\]underline{1}/$ Exclusive of Massachusetts and New Hempshire.

^{2/} Includes "Country not stated."

TABLE 6.—BIRTHS, BY NUMBER OF CHILD, AGE OF MOTHER, AND RACE, AND FOR WHITE BY NATIVITY OF MOTHER, IN THE UNITED STATES: $\underline{1}/$ 1935—Continued

| | | | WHITE | | | | | | WHITE | | |
|---|--|---|---|---|--|--|--|---|--|---|--|
| NUMBER OF CHILD AND AGE OF MOTHER | All births | Total2/ | Mother netive | Mother foreign- born | Other races | NUMBER OF CHILD AND AGE OF MOTHER | All births | Total ² / | Mother native | Mother foreign- born | Other races |
| SIXTH CHILD | 89,261 | 73,941 | 56 130 | | 15 390 | FIGHTH CHILD—Contd | | | | 50111 | |
| 18 years | 12 35 137 221 481 1,025 1,899 2,972 3,937 5,073 6,246 6,596 7,439 5,611 6,546 5,902 5,957, 6,004 4,595 | 7 10 70 111 227 552 1,195 1,934 2,803 3,804 4,835 5,293 6,001 5,032 5,608 5,142 5,214 5,214 5,214 | 66,130 6 9 69 106 198 504 1,081 1,771 2,581 3,550 4,449 4,881 5,456 4,640 5,094 4,625 4,657 3,578 | 7,746 1 1 1 5 27 48 103 161 220 253 384 409 542 384 509 511 549 646 530 | 15,320 5 25 67 110 254 473 714 1,038 1,134 1,269 1,411 1,303 1,438 709 938 760 743 786 486 486 | EIGHTE CHILD—Contd. 37 years—38 years—39 years—40 years—41 years—42 years—44 years—45 years—46 years—47 years—48 years—50 years—51 years—51 years—52 years—53 years—53 years—50 years—51 years—51 years—51 years—51 years—51 years—51 years—51 years—51 years—52 years—51 years— | 3,345 3,670 3,010 2,476 1,587 1,446 985 550 319 150 65 45 20 9 2 2 3 1 109 | 2,841 3,138 2,610 2,180 1,454 1,312 1,312 1,312 277 137 54 36 12 4 2 3 | 2,516 2,663 2,234 1,557 1,236 1,101 760 417 213 119 43 31 9 2 2 2 2 | 320 452 376 320 218 209 137 85 64 18 11 5 3 2 | 504 532 400 296 133 134 488 47 42 13 11 9 8 5 |
| 37 years | | 3,555 3,700 2,700 2,700 1,451 1,253 773 383 262 90 46 26 15 2 1 165 | 3,165 2,306 1,951 1,219 1,026 645 312 222 75 39 19 11 2 | 487 555 391 349 212 204 126 71 39 15 7 7 4 | 379 367 270 216 91 89 42 28 27 9 10 1 2 46 | 21 years | 32,767 13 26 23 72 125 175 293 511 778 1,128 1,708 2,023 2,529 3,196 2,802 | 26,192 7 13 11 28 47 95 157 288 493 732 834 1,209 1,552 1,967 2,481 2,236 | 22,454 6 11 8 25 43 80 134 237 430 610 748 1,052 1,354 1,715 2,122 1,956 | 3,728 1 2 3 3 4 16 23 51 63 122 86 157 196 251 359 278 278 | 6,575 6 13 22 44 78 79 136 223 285 425 427 562 715 566 |
| 19 years 20 years 21 years 22 years 23 years 24 years 25 years 26 years 27 years 28 years 29 years 30 years 31 years 32 years 33 years 34 years 35 years 36 years 36 years 37 years | 1 57 64 144 290 539 1,017 1,459 2,181 3,195 3,717 4,728 4,002 5,045 4,810 5,028 5,517 4,255 3,728 3,883 | 25 36 66 134 289 561 911 1,479 2,259 2,800 3,369 3,286 4,193 4,098 4,442 4,557 3,701 3,253 3,253 | 24 35 61 116 259 496 826 1,321 2,517 3,205 2,993 3,795 3,696 3,787 4,102 3,250 2,783 2,783 2,783 | 1 1 5 18 30 62 85 157 225 281 393 397 446 450 450 469 503 | 1 32 28 78 156 250 456 558 702 936 917 1,159 714 852 712 786 860 554 475 | 37 years 38 years 39 years 40 years 41 years 42 years 43 years 44 years 45 years 46 years 47 years 50 years 51 years 52 years 53 years 54 years 55 years 57 years 58 years 59 years 59 years 51 years 51 years 52 years | 2,798 3,176 2,634 2,369 1,387 1,441 977 612 380 152 90 43 18 5 2 1 1 1 91 | 2,372 2,556 2,258 2,086 1,271 1,298 900 547 379 138 72 32 12 4 1 1 63 | 2,065 2,882 1,930 1,756 1,092 1,078 450 264 111 55 29 3 3 1 1 49 | 300 374 328 327 177 220 155 97 65 27 17 3 3 1 | 426 520 376 303 115 143 77 65 51 14 16 11 6 1 1 |
| 39 years | 3,114 2,407 1,581 1,417 497 302 138 86 42 21 6 2 2 157 | 8,802 2,1b5 1,477 1,309 787 455 276 126 81 34 19 4 2 2 116 | 2,370 1,821 1,251 1,110 683 385 224 101 65 29 15 3 2 2 95 | 428 343 225 198 104 68 52 25 16 5 4 1 | 312 242 104 108 60 42 25 112 5 8 2 2 2 | 22 years | 5 25 30 49 84 118 214 301 561 926 996 1,542 1,994 | 17,948 14 11 20 41 63 105 154 334 375 528 692 1,105 | 11 11 18 34 54 84 128 272 324 535 599 945 | 3 7 9 21 25 61 51 93 93 93 160 228 | 5,042 5 11 19 29 43 55 109 147 247 186 298 304 437 570 |
| 19 years | 1 8 28 62 120 163 392 497 826 1,414 1,821 2,655 2,385 3,197 3,419 3,937 4,652 3,564 | 6 12 31 59 86 188 285 495 697 1,228 1,828 1,828 2,480 2,787 3,168 3,758 3,036 | 4 9 25 56 76 165 257 436 775 1,073 1,617 1,654 2,203 2,499 2,820 3,289 2,688 | 2 3 6 3 10 23 27 59 122 155 209 194 275 287 343 468 345 | 1 2 16 16 31 61 77 204 212 331 517 593 827 534 717 632 769 894 528 | 36 years 37 years 39 years 39 years 40 years 41 years 42 years 43 years 45 years 46 years 47 years 49 years 50 years 50 years 51 | 1,805 1,891 2,483 2,237 2,018 1,320 1,410 978 594 387 193 105 48 22 2 1 60 | 1,435 1,495 1,990 1,841 1,692 1,154 1,238 886 539 347 169 93 36 16 4 1 | 1,244 1,311 1,700 1,535 1,414 975 1,048 752 438 291 132 74 28 13 3 1 1 | 191 184 290 305 278 177 189 134 101 56 37 19 8 | 370 596 493 396 326 166 172 92 55 40 24 12 6 4 1 1 1 |

 $[\]underline{1}/$ Exclusive of Massachusetts and New Hempshire.

TABLE 6.—BIRTHS, BY NUMBER OF CHILD, AGE OF MOTHER, AND RACE, AND FOR WHITE BY NATIVITY OF MOTHER, IN THE UNITED STATES: 1/ 1935—Continued

| NUMBER OF CHILD AND | All | | WHITE | | 0+1 | NED OF COURT AND | | | WHITE | - | |
|---|---|--|--|---|--|--|--|--|--|--|---|
| AGE OF MOTHER | births | Total ² / | Mother native | Mother foreign- born | Other races | NUMBER OF CHILD AND AGE OF MOTHER | All births | Total ² / | Mother native | Mother foreign- born | Other races |
| ELEVENTH CHILD | 14,441 | 11,145 | 9,113 | 2,019 | 3,296 | THIRTEENTH CHILD-Con. | | | 15 | | |
| 23 years | 4 27 25 25 39 86 121 248 210 372 487 702 1,130 1,163 1,560 1,491 1,535 1,036 1,114 795 523 337 184 90 45 22 8 | 4 17 15 17 18 45 67 129 133 231 321 489 800 752 874 1,180 1,192 1,255 932 707 458 290 154 81 36 19 4 | 17 13 15 13 34 60 109 107 192 267 403 612 720 980 987 999 763 756 597 552 210 0123 64 30 14 4 | 3 2 2 5 11 6 20 24 39 52 88 167 140 154 200 236 236 151 166 79 31 17 6 5 | 10 10 8 21 41 54 119 77 141 166 213 330 261 289 380 299 300 121 182 89 65 47 30 9 | 49 years- 50 years- Not stated- FOURTEENIH CHIID- 27 years- 29 years- 30 years- 31 years- 32 years- 32 years- 34 years- 35 years- 35 years- 40 years- 40 years- 41 years- 42 years- 42 years- 43 years- 44 years- 45 years- 47 years- 48 years- 49 years- 49 years- 49 years- 49 years- 49 years- 49 years- 49 years- 49 years- 49 years- 49 years- 49 years- 49 years- 49 years- 49 years- 49 years- | 22 3 2 9 2,957 6 8 8 29 16 26 40 65, 117 158 193 257 267 249 374 262 208 138 59 44 30 131 131 | 18 1 7 7 7 2,109 2 5 4 12 9 13 27 39 65 187 2216 228 191 2216 169 113 38 36 19 8 | 15 1,632 2 5 4 9 9 24 33 51 72 98 138 162 178 126 168 128 79 33 33 | 3 1 2 473 3 4 4 3 5 14 222 28 49 53 50 55 48 1 34 5 5 10 6 1 1 | 4 2 2 2 2 848 4 3 4 4 3 4 4 1 7 7 1 3 1 3 6 5 2 6 4 7 8 0 8 3 1 0 6 5 8 8 3 1 5 8 1 1 5 |
| 53 yearsNot stated | 2 1 44 | 1 1 27 | 1 1 20 | 5 | 1 17 | 50 years 51 years 53 years Not stated | 2 2 1 9 | 2 1 8 | 1 1 6 | 1 | 1 1 |
| TWELFTH CHILD | 9,000 | 6,786 | 5,475 | 1,305 | 2,214 | FIFTEENTH CHILD | 1,476 | 1,007 | 764 | 240 | 469 |
| 24 years 25 years 26 years 27 years 28 years 29 years 30 years 31 years 32 years 33 years 34 years 35 years 39 years 39 years 40 years 41 years 42 years 43 years 44 years 45 years 46 years 50 years 17 years 48 years 49 years 49 years 40 years 41 years 42 years 43 years 44 years 45 years 46 years 50 years 50 years 51 years 52 years 53 years 53 years 53 years 54 years 26 years 27 years 28 years 29 years 29 years 30 years 31 years 32 years 33 years 34 years 35 years 36 years 37 years 38 years 37 years 38 years 39 years 39 years 39 years 31 years 31 years 32 years 33 years 34 years 35 years 36 years 37 years 38 years 39 years 39 years 31 years 31 years 32 years 33 years 34 years 35 years 36 years 37 years 38 years 39 years 39 years 39 years 40 years 41 years 42 years 44 years 45 years | 1 7 7 16 22 40 86 95 84 167 22 16 309 549 552 682 943 1,057 690 840 845 437 286 147 80 25 2 2 33 5,191 1 8 10 15 19 40 42 87 95 156 257 272 327 496 563 416 563 312 211 114 | 1 4 4 12 21 35 400 54 93 143 189 359 390 487 707 705 809 587 685 569 379 229 127 66 10 11 12 2 1 1 25 3 813 25 8 173 25 158 173 25 158 173 218 333 408 453 359 454 338 270 169 104 | 1 3 4 10 14 30 33 42 79 116 116 121 39 41 125 136 164 278 318 350 16 16 16 16 16 16 16 16 16 16 16 16 16 | 1 1 2 4 4 1 1 1 2 4 4 1 1 1 2 4 4 1 1 1 2 4 4 1 1 1 2 4 4 1 1 1 2 4 4 1 1 1 1 | 3 12 10 19 30 56 30 74 73 120 190 192 195 235 238 248 103 185 89 58 57 20 14 1 | 28 years 29 years 30 years 31 years 32 years 33 years 35 years 36 years 36 years 37 years 38 years 40 years 41 years 42 years 44 years 45 years 46 years 47 years 50 years 30 years 48 years 49 years 30 years 31 years 32 years 33 years 34 years 49 years 36 years 37 years 38 years 38 years 36 years 37 years 38 years 36 years 37 years 38 years 38 years 39 years 39 years 39 years 39 years 39 years 39 years 39 years 39 years 39 years 39 years 39 years 39 years 39 years 40 years 41 years 42 years 43 years 44 years 45 years 47 years 48 years 49 years 49 years 50 years | 7 7 7 15 17 15 28 57 51 69 129 125 164 181 103 90 47 26 13 11 1 1 775 1 1 8 12 15 27 23 38 16 72 82 67 106 28 16 16 76 28 16 16 76 36 28 16 77 105 38 16 16 77 4 38 16 76 38 16 76 38 16 77 4 38 16 76 38 16 76 38 16 76 38 38 36 36 36 36 36 36 36 36 36 36 36 36 36 | 2 1 3 6 7 1 8 26 29 43 83 83 83 83 83 83 83 83 83 83 83 83 83 | 2 1 3 5 5 12 20 24 35 64 72 81 94 104 64 54 54 104 61 54 11 22 3 3 17 2 3 17 2 3 17 2 3 17 2 3 17 2 3 5 16 16 16 16 16 16 16 16 16 16 | 1 2 8 6 6 5 7 7 19 17 34 18 300 30 18 15 19 6 5 3 3 1 1 | 5 |

^{1/} Exclusive of Massachusetts and New Hampshire.

^{2/.} Includes "Country not stated."

TABLE 6.—BIRTHS, BY NUMBER OF CHILD, AGE OF MOTHER, AND RACE, AND FOR WHITE BY NATIVITY OF MOTHER, IN THE UNITED STATES: $\underline{1}/$ 1935—Continued

| | | | WHITE | | | | | | WHITE | | |
|--|--|---|--|---|---|---|---|--|--|---------------------------------|--|
| NUMBER OF CHILD AND AGE OF MOTHER | All births | Total2/ | Mother native | Mother foreign- born | Other races | NUMBER OF CHILD AND AGE OF LICTHER | All births | Total2/ | Mother native | Mother foreign- born | Other races |
| SEVENTENTH CHILD—Con. 35 years———————————————————————————————————— | 15 17 24 26 45 43 37 35 41 29 | 9- 9 13 15 25 29 26 24 28 21 19 | 9 8 11 10 18 23 19 19 20 14 | 1 2 5 7 6 7 5 8 7 | 6 8 11 11 20 14 11 11 13 8 12 | TWENTY-FIRST CHILD— Continued 42 years———— 43 years———— 44 years———— 45 years————— 46 years————— 48 years————— 49 years———— | 5 4 2 2 1 1 | 5 3 2 1 | 2 1 | 1 1 1 | 1 21 |
| 46 years | 12 8 2 4 1 | 9 7 - 2 3 | 8 4 1 3 | 3 1 | 3 1 1 1 1 | 74 years | 9 1 1 3 2 1 | 1 1 2 2 2 | 1 1 2 2 1 | 1 | 1 |
| EIGHTEENTH CHILD | 191 | 124 | 90 | 34 | 67 | TWENTY-THIRD CHILD | 5 | 2 | 1 | 1 | 3 |
| 30 years | 1 2 | 1 1 1 6 7 | 1 5 3 | 1 1 4 | 1 1 3 4 4 | 41 years 42 years 43 years 45 years 46 years | 1 1 1 1 1 1 4 | 1 1 | 1 | 1 | 1 1 1 |
| 38 years | 20 15 19 20 | 16 8 10 10 15 | 11 6 7 9 11 13 | 5 2 3 1 4 2 | 6 6 10 5 4 5 | 41 years44 years46 yearsTWLWIY-FIFTH CHILD | 1 2 1 | 1 24 | 1 | 2 | 1 |
| 44 years45 years46 years47 years49 years50 years | 10 13 4 2 | 12 4 11 4 1 | 8 4 5 3 1 | 6 1 | 6 6 2 1 1 | 38 years 39 years 40 years 42 years | 1 1 1 3 | 1 1 1 1 | 1 1 1 2 | 1 | 1 |
| 52 years | 1 88 | 54 | 41 | 13 | , 1 34 | 39 years 40 years 43 years | 1 1 1 | 1 1 | 1 | | 1 |
| 32 years | 3 6 7 4 | 1 5 3 5 2 | 1 5 3 4 2 | 1 | 2 3 3 3 2 2 | TWENTY-SEVENTH CHILD- 42 years NUMBER OF CHILD NOT | 1 | | | | 1 |
| 40 years | 7 15 6 8 2 | 9 5 11 4 6 1 | 8 8 1 4 1 | 1 3 3 3 2 | 7 2 4 2 2 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 | 15 years | 5,578 5 6 19 49 46 66 | 4,345 2 4 11 28 30 46 | 3,819 2 4 11 27 30 45 | 325 | 3 2 8 21 16 20 |
| 48 years | 2 1 52 | 30 | 24 | 6 | 1 1 22 | 21 years 22 years 23 years 24 years 25 years | 331 407 393 367 397 | 227 293 294 287 298 | 217 284 283 268 282 | 7 7 10 17 14 | 104 114 99 80 |
| 35 years 36 years 37 years | 3 2 1 | 2 1 | 2 1 | | 1 1 | 26 years 27 years 28 years 29 years | 305 299 285 258 225 | 238 238 223 214 | 224 227 199 184 | 11 9 21 28 | o? ol o& 44 |
| 38 yerrs | 6 3 7 4 7 5 5 5 | 3 4 1 5 4 2 3 | 3 3 1 4 3 1 2 | 1 1 1 1 | 3 3 3 2 1 3 | 30 years | 166 182 169 159 161 111 | 184 135 153 138 128 124 89 | 157 119 127 129 118 105 75 | 27 15 25 9 10 19 | 41 31 29 31 31 37 22 22 |
| 46 years47 years49 years | 32 | 1 23 | 1 | 5 | 1 1 | 38 years 38 years 40 years 41 years 42 years 43 years | 108 89 75 56 39 25 | 63 69 62 51 30 22 | 76 62 45 39 26 | 7 7 17 12 3 | 25 20 13 5 9 |
| 36 years | 1 1 6 3 1 5 | 1 4 3 | 1 4 2 2 | 1 | 1 | 44 years 45 years 46 years 47 years Not stated | 9 10 6 5 4 640 | 7 6 3 4 2 336 | 7 7 1 3 2 341 | 1 1 21 | 2 2 3 1 2 104 |

 $[\]underline{1}/$ Exclusive of Massachusetts and New Hampshire.

^{2/} Includes "Country not stated."

| | ı | | | | * | | | 34, | 斯特特特人的 | 15 | 1 . | ou ! |
|---|-------------------------|-------------------------------|-------------------------------|----------------------------|----------------------------|--|----------------------------|---------------------------|---------------------------|-------------------------|--|-----------|
| | | | | | | | | | ا المراجع الما | F2 | (C.C.) | |
| | | | | | | | | , | 7 | a, i | art | Jour |
| | | | (| GENER | AL TA | BLES-BIRTHS | | | , | , La | $\nu_1 = 111$ | , |
| | TABLE 7 | —BIRTHS, W | ITH THE N | | | IN ORDER OF BIRTH, B | Y RACE, AN | ND FOR WHIT | E BY | | | |
| | | | | | | f stillbirths) | | | | Č | | |
| | | | WHITE | | | | | | WHITE | **** | | en e |
| AREA, AND NUMBER OF CHILD | All births | Total 1/ | Mother native | Mother foreign- | Other reces | AREA, AND NUMBER OF CHILD | All births | Total 1/ | Mother native | Mother foreign- | Other races | Jan |
| | | | | born | | | | | Hative | born | | late 1. |
| United States | | 1,888,012 | 1,729,706 | 156,438 | 267,093 | ARKANSAS—Continued Fifteenth child Sixteenth child | 18 10 | 5 4 | 5 | | 13 | whate for |
| First child Second .child Third child | 463,392 | 653,160 415,095 250,535 | 617,415 383,933 229,157 | 35,031 30,855 21,187 | 78,606 48,297 34,610 | Seventeenth child Bighteenth child Nineteenth child | 6 2 | 2 | 2 | | 4 | |
| Fourth child Fifth child Sixth child | 187,772 126,577 | 160,992 106,490 | 146,215 95,869 | 14,651 | 26,780 20,087 | Twenty-first child- Not stated | 1 1 314 | 217 | 208 | | 1 1 97 | |
| Seventh child Eighth child | 64,528 47,080 | 74,240 52,863 37,875 | 66,365 46,549 33,043 | 7,820 6,255 4,800 | 15,322 11,665 9,205 | CALIFORNIA | 80,131 | 76,097 | 63,154 | 12,928 | 4,034 | |
| Ninth child Tenth child Eleventh child | 25,060 14,483 | 26,300 18,018 11,187 | 22,530 15,253 9,135 | 3,759 2,756 2,039 | 6,575 5,042 3,296 | First child Second child Third child | 33,341 20,447 10,024 | 32,203 19,664 9,468 | 29,092 17,053 7,814 | 3,103 2,609 1,652 | 1,138 783 556 | |
| Twelfth child Thirteenth child Fourteenth child | 5,209 | 6,826 3,831 2,119 | 5,501 3,021 1,638 | 1,319 805 477 | 2,214 1,378 848 | Fourth child Fifth child Sixth child | 5,468 3,397 | 5,051 3,075 | 3,786 2,090 | 1,264 984 | 417 322 | |
| Fifteenth child Sixteenth child Seventeenth child | 1,485 779 | 1,016 509 | 768 375 | 245 134 | 469 270 | Seventh child Bighth child | 2,223 1,643 1,182 | 1,935 1,458 1,049 | 1,190 789 524 | 744 669 525 | 288 185 133 | |
| Eighteenth child Nineteenth child | 388 191 88 | 251 124 54 | 185 90 41 | 66 34 13 | 137 67 34 | Ninth child Tenth child Elsventh child | 848 556 392 | 768 495 357 | 329 198 120 | 439 297 237 | 80 81 35 | |
| Twentieth child Twenty-first child Twenty-second child | 52 32 9 | 30 23 7 | 24 18 6 | 6 5 1 | 22 9 2 | Twelfth child Thirtsenth child Fourteenth child | 255 145 112 | 241 137 107 | 71 35 36 | 170 102 71 | 14 8 5 | |
| Twenty-third child Twenty-fourth child Twenty-fifth child | 5 4 | 2 3 4 | 1 1 3 | 1 2 1 | 3 1 | Fifteenth child Sixteenth child | 45 20 | 40 20 | 16 1 | 24 19 | 5 | |
| Twenty-sixth child Twenty-seventh child- | 3 1 | 2 | 2 | | 1 | Seventeenth child Eighteenth child Nineteenth child | 15 8 1 | 15 8 1 | 2 | 11 6 1 | | |
| Not stated | 68,608 | 66,456 38,364 | 52,578 38,260 | 13,646 | 2,152 | Twentieth child Twenty-fourth child Not stated | 1 1 7 | 1 | 4 | 1 | 1 | |
| First childSecond child | 19,412 11,876 | 12,487 7,711 | 12,461 7,686 | 19 18 | 6,925 4,165 | COLORADO | 18,837 | 18,572 | 17,283 | 1,055 | 265 | |
| Third childFourth childFifth child | 8,255 6,400 4,541 | 5,118 3,842 2,678 | 5,104 3,837 2,665 | 11 5 11 | 3,137 2,558 1,863 | First shild Second child Third shild | 6,584 4,225 | 6,526 4,159 | 6,341 3,981 | 145 155 | 58 66 | |
| Sixth child Seventh child Eighth child | 3,360 2,531 | 1,920 1,499 | 1,917 1,495 | 3 3 | 1,440 | Fourth child | 2,551 1,579 1,076 | 2,526 1,550 1,053 | 2,357 1,453 953 | 153 89 91 | 25 29 23 | |
| Ninth child Tenth child | 1,970 1,300 963 | 1,136 765 492 | 1,134 762 491 | 3 | 834 535 471 | Sixth child Seventh child Eighth child | 774 518 379 | 764 503 364 | 654 410 301 | 105 86 59 | 10 15 15 | |
| Eleventh child Twelfth child Thirteenth child | 592 340 233 | 277 141 97 | 276 141 95 | 2 | 315 199 136 | Ninth child Tenth child Eleventh child | 266 207 112 | 254 204 110 | 211 160 84 | 43 42 25 | 12 3 2 | |
| Fourteenth child Fifteenth child Sixteenth child | 121 73 41 | 44 21 8 | 44 19 8 | 2 | 77 52 33 | Twelfth child Thirteenth child Fourteenth child | 99 54 31 | 98 54 29 | 71 43 19 | 27 10 10 | 1 2 | |
| Seventeenth child Eighteenth child Nineteenth child | 21 13 | 9 5 | 9 4 | 1 | 12 8 | Fifteenth child Sixteenth child | 10 6 | 10 6 | 10 6 | | | |
| Twentieth child Twenty-first child | 3 1 1 | 1 | 1 | | 2 1 1 | Seventeenth child Eighteenth child Twenty-first child- | 1 2 1 | 1 2 1 | 1 1 | 1 | | |
| Twenty-third child Twenty-sixth child Not stated | 1 1 190 | 113 | 111 | | 1 1 77 | Twenty-second child Not stated | 361 | 1 357 | 226 | 13 | 4 | |
| ARIZONA | 9,139 | 7,807 | 6,213 | 1,583 | 1,332 | First child | 22,258 | 21,696 8,530 | 17,468 7,562 | 4,219 | 562 154 | |
| First childSecond childThird child | 2,872 1,767 1,236 | 2,480 1,551 1,084 | 2,225 1,356 | 249 195 191 | 392 216 | Second child Third child | 5,404 3,088 | 5,302 3,006 | 4,442 2,358 | 859 648 | 102 82 | |
| Fourth childFifth child | 862 631 | 715 508 | 893 522 357 | 191 151 | 152 147 123 | Fifth child Sixth child | 1,778 1,102 658 | 1,722 1,059 629 | 1,248 723 391 | 474 336 238 | 56 43 29 | |
| Sixth child Seventh child Eighth child | 468 375 273 | 384 304 226 | 255 183 135 | 126 121 91 | 84 71 47 | Seventh child Eighth child Ninth child | 464 (1 356 258 | 440 330 242 | 255 170 130 | 185 160 112 | 24 26 16 | |
| Ninth child Tenth child Eleventh child | 195 143 92 | 158 128 74 | 81 52 36 | 77 76 38 | 27 15 18 | Tenth child Eleventh child Twelfth child | 171 94 69 | 159 87 63 | 72 40 20 | 87 47 43 | 12 7 6 | |
| Twelfth child Thirteenth child Fourteenth child | 66 40 24 | 60 34 22 | 35 15 13 | 25 19 9 | 6 6 2 | Thirteenth child Fourteenth child Fifteenth child | 44 32 15 | 42 31 15 | 16 13 4 | 26 18 11 | 2 | |
| Fifteenth child Sixteenth child | 13 4 | 13 4 | 6 2 | 7 2 | | Sixteenth child Seventeenth child | 7 3 | 5 3 | 2 | 3 2 | 2 | |
| Seventeenth child Eighteenth child Nineteenth child | 4 2 1 | 4 2 1 | 2 | 2 | | Not stated | 30 | 30 | 21 | 7 | | |
| Not stated | 35,684 | 55 27,175 | 27,045 | 11 61 | 8,509 | DELAWAREFirst child | 1,485 | 1,281 | 3,183 1,237 | 192 | 204 | |
| First childSecond child | 11,248 7,072 | 8,800 5,564 | 8,765 5,542 | 15 13 | 2,448 1,508 | Second child Third child Fourth child | 875 564 363 | 768 470 291 | 730 437 262 | 38 33 29 | 1 [.] 07 94 72 | |
| Third child Fourth child | 4,783 3,505 | 3,704 2,665 | 3,691 2,654 | 8 8 | 1,079 840 | Fifth child | 222 152 | 181 118 | 173 110 84 | 8 7 9 | 41 34 17 | |
| Fifth child Sixth child Seventh child | 2,625 1,915 1,412 | 1,934 1,406 1,017 | 1,924 1,399 1,008 | 2 | 691 509 395 | Seventh child Eighth child Ninth child | 110 84 53 | 93 60 32 | 52 27 | 8 | 24 21 | |
| Eighth child Ninth child Tenth child | 954 715 492 | 685 507 322 | 680 503 320 | 2 4 2 | 269 208 170 | Tenth child Eleventh child Twelfth child | 35 35 16 | 29 22 9 | 23 20 6 | 6 2 3 | 6 13 7 | |
| Eleventh child Twelfth child Thirteenth child | 283 161 111 | 161 87 66 | 159 86 66 | 2 | 122 74 45 | Thirtsenth child Fourteenth child Fifteenth child | 10 9 4 | 7 4 3 | 7 4 | 2 | 3 5 1 | |
| Fourteent: child | | | ,28 | | 28 | | 4 | 2 | 2 | | 2 | |

TABLE 7.—BIRTHS, WITH THE NUMBER OF CHILD IN ORDER OF BIRTH, BY RACE, AND FOR WHITE BY NATIVITY OF MOTHER: 1935—Continued

| | | | | | | l scillottes, | | I | | | |
|---|-----------------|----------------|------------------|----------------------------|----------------|--|------------------|------------------|------------------|----------------------------|------------|
| AREA, AND NUMBER | All | ļ | WHITE | Mashan | Other | AREA, AND NUMBER | All | | WHITE | 1000 | Other |
| OF CHILD | births | Total 1/ | Mother native | Mother foreign- born | races | OF CHILD | births | Total 1/ | Mother native | Mother foreign- born | races |
| DELAWARE-Continued | | | | | | ILLINOIS | 111,884 | 106,120 | 95,322 | 10,736 | 5,764 |
| Twentieth child Twenty-second child | 1 1 | 1 | 1 | | 1 | First child | 43,564 | 41,794 | 38,854 | 2,902 | 1,770 |
| Not stated | 13 | 8 | 7 | 1 | 5 | Second child Third child | 27,478 15,220 | 26,334 14,391 | 23,738 12,656 | 2,587 1,730 | 1,144 |
| DISTRICT OF COLUMBIA | 10,803 | 7,162 | 6,664 | 457 | 3,641 | Fourth child Fifth child | 8,954 5,476 | 8,390 5,060 | 7,320 4,308 | 1,067 | 564 416 |
| First child Second child | 4,570 2,499 | 3,402 1,808 | 3,221 1,675 | 153 131 | 1,168 | Sixth child Seventh child | 3,693 2,556 | 3,356 2,322 | 2,868 1,939 | 488 381 | 337 234 |
| Third child Fourth child | 1,436 787 | 920 427 | 836 380 | 82 47 | 516 360 | Eighth child | 1,744 | 1,569 | 1,325 | 244 | 175 |
| Fifth child | 485 291 | 224 130 | 207 120 | 17 | 261 161 | Ninth child | 1,180 | 1,075 | 881 575 | 194 146 | 105 82 |
| Seventh child | 205 | 80 | 75 | 5 | 125 | Eleventh child Twelfth child | 504 276 | 466 252 | 372 188 | 92 64 | 38 24 |
| Eighth child | 136 79 | 50 30 | 46 26 | 4 | 86 49 | Thirteenth child Fourteenth child | 159 72 | 144 64 | 107 53 | 37 11 | 15 8 |
| Tenth child Eleventh child | 72 41 | 16 17 | 15 16 | 1 | 56 24 | Fifteenth child Sixteenth child | 39 24 | 34 20 | 23 14 | 11 6 | 5 4 |
| Twelfth child Thirteenth child | 15 13 | 3 4 | 3 4 | | 12 | Seventeenth child Eighteenth child | 15 4 | 12 | 9 2 | 3 2 | 3 |
| Fourteenth child Fifteenth child | 11 5 | 3 2 | 3 | 1 | 8 3 | Nineteenth child Twentieth child | 2 | 1 1 | 1 | 1 | 1 |
| Seventeenth child Eighteenth child | 1 2 | | | | 1 2 | Twenty-first child- Twenty-third child- | 1 2 | 1 1 | 1 | 1 | 1 |
| Not stated | 155 | 46 | 36 | 1 | 109 | Twenty-fourth child Not stated | 115 | 106 | 1 86 | 19 | 9 |
| FLORIDA | 28,051 | 19,579 | 19,055 | 478 | 8,472 | INDIANA | 52,909 | 51,077 | 49,804 | 1,240 | 1,832 |
| First child Second child | 10,207 5,871 | 7,571 4,358 | 7,403 4,232 | 155 117 | 2,636 1,513 | First child | 18,151 | 17,671 | 17,407 | 254 | 480 |
| Third child Fourth child | 3,717 2,457 | 2,635 1,642 | 2,549 1,600 | 79 39 | 1,082 | Second child Third child | 11,769 | 11,435 7,228 | 11,194 7,019 | 237 205 | 334 243 |
| Fifth child | 1,785 1,272 | 1,116 | 1,092 | 20 23 | 669 479 | Fourth child | 4,689 3,270 | 4,689 3,121 | 4,530 3,013 | 156 101 | 200 149 |
| Seventh child Eighth child | 876 623 | 501 349 | 484 342 | 15 7 | 375 274 | Sixth child | 2,312 | 2,211 | 2,139 1,457 | 72 65 | 101 |
| Ninth child | 446 271 | 250 139 | 242 134 | 8 | 196 132 | Eighth child | 1,268 | 1,192 | 1,138 | 53 29 | 76 56 |
| Eleventh child Twelfth child | 188 129 | 85 52 | 80 48 | 4 | 103 | Tenth child Eleventh child | 569 301 | 526 287 | 505 269 | 21 18 | 43 14 |
| Thirteenth child | 62 | 21 | 19 | 2 | 41 18 | Twelfth child | 206 | 192 | 177 106 | 15 | 14 |
| Fourteenth child | 13 | | 2 | | 13 | Thirteenth child | 121 48 | 112 45 | 41 | 4 | 3 |
| Sixteenth child Seventeenth child | 8 | 2 2 | 2 | | 6 | Fifteenth child Sixteenth child | 28 | 28 13 | 27 12 | 1 | 4 |
| Eighteenth child | 2 2 | 1 1 | 1 | | 1 | Seventeenth child Eighteenth child | 6 5 | 6 | 5 | 1 | |
| Not statedGEORGIA | 63,260 | 37,334 | 37,165 | 100 | 38 25,926 | Nineteenth child | 2 2 | 2 | 2 | | 2 |
| First child | 20,239 | 12,575 | 12,520 | 30 | 7,664 | Not stated | 33 | 32 | 30 | 2 | 1 |
| Second child Third child | 12,215 8,505 | 7,543 4,974 | 7,505 4,951 | 28 15 | 4,672 3,531 | IOWA | 41,137 | 40,879 | 39,763 | 1,026 | 258 |
| Fourth childFifth child | 5,926 4,327 | 3,365 2,462 | 3,347 2,454 | 10 4 | 2,561 1,865 | First child Second child | 14,086 9,453 | 14,008 | 13,770 9,204 | 210 177 | 78 46 |
| Sixth child Seventh child | 3,277 2,407 | 1,861 1,356 | 1,855 1,352 | 4 3 | 1,416 1,051 | Third child | 6,062 3,658 | 6,031 3,633 | 5,871 3,509 | 153 117 | 31. 25 |
| Eighth child | 1,801 1,307 | 965 683 | 960 682 | 3 | 836 624 | Fifth child Sixth child | 2,479 1,659 | 2,465 1,642 | 2,358 1,577 | 100 60 | 14 17 |
| Tenth child Eleventh child | 874 580 | 44B 277 | 446 275 | 1 | 426 303 | Seventh child Eighth child | 1,100 751 | 1,087 | 1,034 697 | 50 42 | 13 10 |
| Twelfth child | 349 214 | 150 81 | 150 81 | | 199 133 | Ninth child Tenth child | 530 314 | 523 307 | 493 287 | 30 20 | 7 7 |
| Thirteenth child | 140 | 49 | 48 | 1 | 91 | Eleventh child Twelfth child | 229 | 224 119 | 196 109 | 27 10 | 5 |
| Fifteenth child Sixteenth child Seventeenth child | 79 43 30 | 11 9 | 18 11 9 | | 59 32 21 | Thirteenth child Fourteenth child | 64 25 | 63 1 25 | 57 23 | 5 2 | 1 |
| Eighteenth child | 19 | 7 | 7 | | 12 | Fifteenth child Sixteenth child | 17 10 | 16 10 | 15 9 | 1 | 1 |
| Nineteenth child Twentieth child | 6 | 1 | 1 | | 5 | Seventeenth child Eighteenth child | 1 | 1 | 1 1 | | |
| Twenty-first child Twenty-third child | 3 | 1 | 1 | | 3 | Nineteenth child Not stated | 1 578 | 1 575 | 1 551 | 21 | 3 |
| Twenty-fourth child Twenty-fifth child | 1 | 1 | 1 | | 1 | KANSAS | 30,589 | 29,634 | 28,882 | 730 | 955 |
| Twenty-sixth child Not stated | 907 | 1 493 | 1 489 | 1 | 414 | First child | 10,474 | 10,176 | 10,064 | 101 | 298 |
| IDAH0 | 9,469 | 9,344 | 9,042 | 296 | 125 | Second child Third child | 7,080 4,430 | 6,892 4,311 | 6,804 4,215 | 92 95 | 188 119 |
| First child | 3,227 | 3,199 2,206 | 3,129 2,142 | 67 64 | 28 16 | Fourth child | 2,823 1,866 | 2,742 1,794 | 2,655 1,720 | 87 73 | 81 72 |
| Third child | 1,354 | 1,332 | 1,286 | 45 41 | 22 18 | Sixth child Seventh child | 1,250 891 | 1,187 858 | 1,123 791 | 61 57 | 63 33 |
| Fifth child Sixth child | 528 380 | 524 374 | 500 360 | 23 14 | 4 6 | Fighth child | 641 436 | 608 417 | 561 373 | 47 44 | 33 19 |
| Seventh child | 274 | 267 200 | 254 | 1.2 | 7 | Tenth child Eleventh child | 286 191 | 262 181 | 241 159 | , 21 | 24 10 |
| Eighth child | 211 134 | 131 | 195 127 | 5 | 11 3 | Twelfth child Thirteenth child | 106 55 | 98 51 | 89 41 | 9 10 | 8 4 |
| Tenth child Eleventh child | 75 46 | 69 45 | 60 38 | 9 7 | 6 | Fourteenth child Fifteenth child | 27 10 | 26 10 | 20 | 6 3 | 1 |
| Twelfth child Thirteenth child | 34 19 | 33 | 30 19 | 3 | | Sixteenth child Seventeenth child | 7 1 | 8 | 4 | 2 | |
| Fourteenth child Fifteenth child | 9 3 | 9 3 | 7 3 | 2 | | Not stated | 15 | 14 | 14 | | 1 |
| Sixteenth child Seventeenth child | 4 2 | 4 2 | 2 | | | KENTUCKY | 57,715 | 54,918 | 54,831 | 77 | 2,797 |
| Twenty-second child Not stated | 1 8 | 1 6 | 1 6 | | 2 | First child Second child | 17,573 | 16,673 | 16,648 10,570 | 22 17 | 900 548 |

TABLE 7.—BIRTHS, WITH THE NUMBER OF CHILD IN ORDER OF BIRTH, BY RACE, AND FOR WHITE BY NATIVITY OF MOTHER: 1935—Continued

| | | | WHITE | | | | | | WEITE | | |
|--|--|---|---|---|--|--|--|--|---|--|---|
| AREA, AND NUMBER OF CHILD | All births | Total 1/ | Mother native | Mother foreign- born | Other races | AREA, AND NUMBER OF CHILD | All births | Total 1/ | Mother native | Mother foreign- born | Other races |
| KENTUCKY—Continued Third child—Fourth child—Firth child—Sixth child—Seventh child—Eighth child—Eighth child—Eighth child—Tenth child—Tenth child—Thirteenth child—Fourteenth child—Firteenth child—Firteenth child—Firteenth child—Firteenth child—Firteenth child—Seventeenth child—Seventeenth child—Twenty-first child—Not stated—LOUISIANA—L | 7,728 5,862 4,559 3,466 2,551 1,892 1,267 836 390 224 100 42 16 8 3 1 1 60 42,270 | 7,371 5,617 4,354 3,301 2,442 1,787 1,200 784 370 208 94 40 13 7 3 1 1 54 24,417 | 7,354 5,506 4,356 3,301 2,438 1,785 1,199 783 370 208 94 40 13 7 3 1 1 1 54 | 16 11 6 2 2 2 1 1 | 357 245 195 165 109 105 67 52 20 16 6 2 3 1 | First child | 87,446 30,278 20,006 12,397 8,133 5,245 3,569 2,391 1,604 1,152 479 313 171 89 64 52 8 2 2 2 1 | 84,377 29,435 19,492 12,012 7,826 4,960 5,355 2,250 1,499 1,075 438 290 161 83 62 30 7 2 2 2 1 | 74,420 26,942 17,256 10,505 6,740 4,241 2,831 1,857 1,521 870 568 347 215 129 60 47 18 3 11 | 9,878 2,461 2,223 1,496 716 726 727 205 145 91 75 32 23 15 12 4 1 1 | 5,069 845 514 385 527 285 214 141 105 77 58 41 25 10 6 2 2 1 |
| First child Second child Third child Fourth child | 13,966 8,260 5,570 4,005 | 8,722 5,085 3,327 2,200 | 8,668 5,042 3,303 2,174 | 53 41 23 25 | 5,244 3,174 2,243 1,805 | Twenty-first child- Not stated | 1 718 | 1 683 | 1 567 | 113 | -35 |
| Fifth child———————————————————————————————————— | 5,004 1,208 1,224 1,210 835 648 365 262 146 97 50 29 14 2 2 2 1 1 | 1,542 1,158 736 584 406 287 155 84 55 33 14 6 2 | 1,521 1,144 730 566 401 149 76 54 33 12 5 2 | 21 14 6 17 5 3 6 7 1 1 | 1,482 1,050 -786 626 429 361 210 178 91 64 35 -23 12 2 2 1 | MINUSOTA First child Second child Third child Fourth child Fifth child Sixth child Eighth child Tenth child Tenth child Tenth child Tenth child Tenth child Tenth child Fifteenth child Fifteenth child Fifteenth child Fifteenth child Sixteenth child Sixteenth child Seventeenth child Seventeenth child Seventeenth child Eighteenth child Righteenth child | 45,962 15,268 10,539 6,832 4,435 2,927 1,924 1,308 976 625 435 627 173 101 62 31 15 8 1 | 45,364 15,117 10,422 6,755 4,384 2,874 1,888 1,279 943 603 425 286 171 100 59 30 15 8 1 | 43,120 14,684 9,955 6,412 4,130 2,679 1,750 1,174 857 538 369 252 149 80 48 25 10 5 | 2,231 427 485 341 195 138 105 85 65 65 34 22 20 21 5 5 3 | 598 151 117 77 51 55 36 29 33 22 11 2 11 2 1 3 1 |
| First child———————————————————————————————————— | 5,350 2,205 2,205 2,502 1,077 772 562 389 298 226 157 124 20 65 34 15 10 5 2 2 2 36 | 4,778 3,343 2,198 1,520 1,072 769 561 388 295 226 157 123 80 65 34 16 10 5 2 2 2 36 21,322 | 4,356 2,982 1,904 1,294 872 627 433 313 230 178 109 91 64 43 27 10 7 2 1 1 1 33 20,475 | 226 200 142 128 75 65 48 48 32 16 22 7 5 3 | 1 1 | First child Second child First child First child First child First child First child Sixth child Sixth child Fifth child Fisth child First child First child First child First child First child Fourteenth child Fourteenth child First child Sixteenth child Sixteenth child First child First child First child First child Sixteenth child First c | 48,320 14,564 8,908 6,312 4,893 3,668 2,779 2,062 1,615 1,113 790 524 338 206 148 75 741 18 | 21,977 6,980 4,453 2,997 2,194 1,664 1,198 809 607 386 241 171 87 37 36 11 4 | 21,904 6,963 4,439 2,987 2,188 1,656 1,196 803 604 229 169 87 37 36 11 4 | 2 2 2 | 1,253 1,008 727 549 |
| First child———————————————————————————————————— | 5,792 3,629 2,459 1,748 1,222 942 556 482 376 254 169 105 64 33 20 10 4 4 29 65,001 | 7,702 4,793 2,863 1,827 1,265 851 632 436 314 243 157 65 31 18 10 4 1 1 1 1 1 1 1 1 9 | 7,479 4,614 2,731 1,780 1,194 604 410 288 225 144 82 56 27 15 10 41 11 11 11 11 48,738 | 1781 1781 1781 1781 1781 1781 1781 1781 | 999 766 532 463 371 310 220 168 133 97 82 40 33 15 10 6 3 2 | Thirteenth child— Fourteenth child— Fifteenth child— Sixteenth child— Seventeenth child— Eighteenth child— Nineteenth child— | 1 242 57,299 21,122 12,894 7,753 4,989 3,253 2,344 1,585 1,184 792 550 327 178 105 68 24 | 3 1 | 95 52,658 19,655 11,946 7,142 4,511 2,928 2,112 1,507 1,038 474 286 155 8 46 19 9 | 1,048 306 222 150 117 74 44 42 29 22 15 15 15 15 | 1 146 3,575 1,154 720 458 360 250 188 136 117 55 61 26 17 7 7 4 3 |

^{1/} Includes "Country not stated." 2/ The birth cortificate of this State does not require the number of child in order of birth.

TABLE 7.—BIRTHS, WITH THE NUMBER OF CHILD IN ORDER OF BIRTH, BY RACE, AND FOR WHITE BY NATIVITY OF MOTHER: 1935—Continued

| | | 1 | | | 7 | | | | | | |
|------------------------------------|----------------|----------------|------------------|----------------------------|----------------|---|------------------|----------------|------------------|----------------------------|----------------|
| | | | WHITE | | | | | | WHITE | | |
| AREA, AND NUMBER OF CHILD | All births | Total 1/ | Mother native | Mother foreign- born | Other reces | AREA, AND NUMBER OF CLIID | All births | Total 1/ | Mother native | Mother foreign- born | Other races |
| MONTANA | 20,020 | 9,348 | 8,539 | 806 | 681 | NEW JERSEY-Continued Fourteenth child | 44 | 31 | 20 | 11 | 13 |
| First child Second child | 3,603 2,347 | 3,439 2,230 | 3,259 2,071 | 179 159 | 104 117 | Fifteenth child | 21 | 15 | 7 | 8 | , 5 5 |
| Third child | 1,375 | 1,287 | 1,172 | 115 | 88 | Sixteenth child Seventeenth child | 17 | 11 6 | 6 4 | 5 2 | 5 3 |
| Fourth child Fifth child | 890 552 | 814 506 | 745 431 | 59 75 | 76 56 | Eighteenth child | 3 | | | | 3 |
| Sixth child | 384 | 341 | 290 | 51 | 43 | Twentieth child Not stated | 2 129 | 1 122 | 98 | 1 23 | 1 7 |
| Seventh child Eighth child | | 256 159 | 208 | 48 27 | 50 33 | NEW MEXICO | ĺ | į | | | |
| Ninth child | 145 | 118 | 93 | 25 | 27 | | 13,190 | 12,600 | 13,890 | 685 | 590 |
| Tenth child Eleventn child | | 70 51 | 58 36 | 15 14 | 10 | First child Second child | 3,450 | 3,297 | 3,216 | 73 | 153 |
| Twelfth child Thirteenth child | | 32 22 | 20 | 12 | 8 | Third child | 2,327 1,828 | 2,234 1,740 | 2,164 1,659 | 65 80 | 93 88 |
| Fourteenth child | 11 | 11 | 15 | 7 2 | 4 | Fourth child Fifth child | 1,395 | 1,329 | 1,238 | 89 | 66 |
| Fifteenth child Sixteenth child | 1 1 | 4 | 2 | 2 | | Sixth child | 838 | 1,096 788 | 1,026 | 57 80 | 45 50 |
| Seventeenth child | - z i | 2 | ī | 1 | | Seventh child Eighth child | 636 507 | 613 488 | 544 434 | 68 53 | 50 23 19 |
| Eighteenth child Not stated | 1 4 | 1 4 | 3 | 1 1 | | Ninth child | 374 | 353 | 320 | 33 | 21 |
| NEBRASKA | 23,327 | 22,996 | 22,177 | 813 | .331 | Tenth child Eleventh child | 255 157 | 244 151 | 216 136 | 28 l 15 | 11 6 |
| | | | | | | Twelfth child Thirteenth child | 99 63 | 95 62 | 80 | 15 | 4 |
| First child Second child | | 8,017 5,347 | 7,871 5,200 | 146 145 | 99 51 | Fourteenth child | 39 | 37 | 56 32 | 6 5 | 1 2 |
| Third child Fourth child | 3,437 2,186 | 3,392 | 3,275 | 114 | 45 | Fifteenth child Sixteenth child | 23 13 | 22 13 | 21 | 1 2 | 1 |
| Fifth child | 1,415 | 2,158 | 2,073 1,322 | 85 72 | 28 21 | Seventeenth child | 5 | 5 | 4 | 1 | |
| Sixth child Seventh child | 934 601 | 904 584 | 844 532 | 60 51 | 30 17 | Eighteenth child | 5 | 5 | 3 1 | 2 | |
| Eighth child | 420 | 409 | 373 | 36 | ii l | Twentieth child Twenty-fifth child- | 3 1 | 3 1 | 3 1 | | |
| Ninth child Tenta child | 289 221 | 280 215 | 256 188 | 24 27 | 9 6 | Not stated | 30 | 23 | 18 | 2 | 7 |
| Eleventh child Twelfth child | 123 78 | 118 | 103 | 15 | 5 | NLW YORK | 184,344 | 175,658 | 136,134 | 39,501 | 8,686 |
| Thirteenth child | 51 | 74 48 | 60 37 | 14 11 | 4 3 | First child | 71,980 | 69,336 | - 57,321 | 12,003 | 2,644 |
| Fourteenth child Fifteenth child | 19 14 | 18 14 | 15 11 | 3 | 1 | Second child | 48,630 | 46,679 | 35,972 | 10,703 | 1,951 |
| Sixteenth child | 7 | 6 | 5 | 1 | 1 | Third child Fourth child | 25,730 14,050 | 24,418 | 16,203 9,528 | 6,214 3,620 | 1,312 901 |
| Seventeenth child Eighteenth child | 3 | 3 | 2 2 | 2 | | Fifth child | 8,373 5,339 | 7,744 4,900 | 5,543 3,432 | 2,201 | 629 439 |
| Nineteenth child Not stated | 3 8 | 3 8 | 1 7 | 2 | | Seventh child | 3,516 | 3,220 | 2,193 | 1,468 | 29 5 |
| | _ | | | - 1 | | Eighth child Ninth child | 2,266 | 2,096 | 1,349 971 | 746 520 | 170 123 |
| NEVADA | 1,423 | 1,325 | 1,209 | 1,14 | 98 | Tenth child Eleventh child | 1,142 | 1,048 | 672 390 | 376 266 | 94 51 |
| First child Second child | 568 329 | 549 307 | 523 283 | 26 24 | 19 22 | Twelfth child | 394 | 368 | 218 | 150 | 26 |
| Third childFourth child | 199 | 183 | 162 | 19 | 16 | Thirteenth child Fourteenth child | 248 152 | 229 140 | 146 83 | 83 57 | 19 12 |
| Fifth child | 125 78 | 115 65 | 107 57 | 8 | 10 13 | Fifteenth child | 74 | 68 | 45 | 23 | 6 |
| Sixth child Seventh child | 33 34 | 30 31 | 23 14 | 7 7 | 3 3 | Sixteenth child Seventeenth chila | 34 17 | 33 16 | 22 7 | 11 | 1 |
| Eighth child | 22 | 17 | 13 | 4 | 5 | Righteenth child | 7 4 | 7 | 6 2 | 1 2 | |
| Ninth child Tenth child | 12 6 | 10 | 5 5 | 5 1 | 2 | Twentieth child | 6 | 6 | 4 | 2 | |
| fleventh child Twelith child | 10 2 | 7 1 | 4 | 3 | 3 1 | Twenty-first child- Twenty-second, child | 2 | 2 | 1 1 | 1 | |
| Fourteenth child | 2 | 2 | 1 | ī | | Twenty-fourth child Twenty-fifth child- | 1 | 1 1 | | 1 | |
| Not stated | 3 | 2 | 2 | | 1 | Not stated | 56 | 45 | 25 | 17 | 11 |
| NEW HAMPSHIRE | 7,768 | 7,761 | 6,686 | 1,064 | 7 | NORTH CAROLINA | 78,753 | 53,665 | 53,274 | 90 | 25,088 |
| First child Second child | 2,747 1,728 | 2,747 1,726 | 2,502 1,517 | 241 208 | 2 | First child | 24,551 14,671 | 17,238 | 17,007 | 31 24 | 7,313 4,389 |
| Third child | 1,079 | 1,078 | 937 | 140 | 1 | Third child Fourth child | 10,309 | 7,271 | 7,241 | 16 | 3,038 |
| Fourth childFifth child | 723 469 | 722 469 | 603 380 | 118 | 1 | Fifth child | 7,786 5,586 | 5,289 3,718 | 5,270 3,709 | 10 | 2,497 1,868 |
| Sixth child | 301 239 | 299 239 | 225 192 | 74 47 | 2 | Sixth child Seventh child | 4,274 3,372 | 2,367 | 2,859 2,189 | 2 | 1,407 1,180 |
| Eighth child | 149 | 148 | 104 | 42 | 1 | Eighth child | 2,614 | 1,616 | 1,614 | 1 | 998 |
| Ninth child Tenth child | 108 | 108 70 | 76 48 | 31 22 | | Ninth child Tenth child | 1,860 | 1,121 | 1,119 | 1 | 739 565 |
| Eleventh child Twelfth child | 42 | 42 | 22 | 20 | | Lleventh child Twelftn child | 867 568 | 475 287 | 472 287 | 1 | 392 281 |
| Thirteenth child | 40 18 | 40 18 | 26 16 | 14 2 | | Thirteenth child | 327 | 148 | 148 | | 179 |
| Fourteenth child Fifteenth child | 10 | 10 9 | 6 4 | 5 | | rourteenth child | 102 | 32 33 | | | 100 68 |
| Sixteenth child | 4 | 4 | 4 | | | Sixteenth child Seventeenth child | 44 23 | 16 | 16 | | 28 17 |
| Seventeenth child Not stated | 3 29 | 3 29 | 3 21 | 8 | | Eighteenth chila | 13 | 4 | 4 | | 9 |
| NEW JERSEY | 54,514 | 50,304 | 41,950 | 8,277 | 4,210 | Nineteent: chila Twentieth chila | 3 | 1 2 | | | 3 |
| First child | 21,281 | 20,127 | 18,013 | 2,095 | 1,154 | Twenty-first child- Not stated | 2 42 | 27 | 1 | | 1 15 |
| Second child Third child | 13,590 | 12,807 | 10,959 | 1,831 | 783 | i | į į | [] | | 1 | •440 |
| Fourth child | 7,426 4,308 | 6,850 3,826 | 5,551 2,927 | 1,281 | 576 482 | NORTH DAKOTA | 13,655 | 13,215 | 12,156 | 1,056 | 440 |
| Fifth child | 2,507 | 2,173 | 1,595 | 572 449 | 334 277 | First child Second child | 4,025 | 3,926 | 3,798 | 126 | 99 |
| Seventh child | 1,164 | 997 | 645 | 348 | 167 | Third child | 2,768 | 2,639 | 2,587 1,748 | 108 | 89 57 |
| Eighth childNinth child | 602 | 690 497 | 430 292 | 258 204 | 139 105 | Fourth child Fifth child | 1,391 | 1,355 961 | 1,242 | 113 84 | 36 16 |
| Tenth child Eleventh child | 383 244 | 320 | 179 | 141 | 63 | Sixth chila | 655 | 651 | 555 | 96 | 34 |
| Twelfth child | 145 | 197 | 117 72 | 79 46 | 47 26 | Seventh child Eighth child | 516 392 | 490 364 | 419 284 | 71 80 | 26 28 |
| Thirteenth child | 11 38 | 5811 | 28 | 30 1 | 18 1 | Einth child | 325 [] | 337 11 | 232 | 75 | 18 |

TABLE 7.—BIRTHS, WITH THE NUMBER OF CHILD IN ORDER OF BIRTH, BY RACE, AND FOR WHITE BY NATIVITY OF MOTHER: 1935—Continued

| | | | WHITE | | | | | | WHITE | , | |
|---|--|--|--|--|---|--|--|---|---|---|---|
| AREA, AND NUMBER OF CHILD | All births | Total 1/ | Mother netive | Mother foreign- born | Other races | AREA, AND NUMBER OF CHILD | All births | Total 1/ | Mother native | Mother foreign- born | Other races |
| NORTH DAKOTA—Continued Tenth child———————————————————————————————————— | 214 161 106 68 26 25 8 3 | 197 153 100 65 23 25 8 3 | 145 110 61 36 14 14 3 1 | 52 43 39 29 9 11 5 2 | 17 8 6 3 3 | FENNSYLVANIA—Continued Fifteenth child— Sixteenth child— Seventeenth child— Eighteenth child— Nineteenth child— Twentieth child— Twenty-first child— Not stated——————————————————————————————————— | 129 74 29 16 10 4 1 192 | 124 68 26 12 8 3 1 185 | 79 43 17 10 . 6 3 ——————————————————————————————————— | 45 25 9 2 2 1 25 | 5 6· 3 4 2 1 7 235 |
| First child | 5,869 2,717 1,915 1,414 971 1,603 342 189 106 46 23 12 4 4 6 3 3 | 95,878 36,165 22,052 13,226 8,031 5,194 3,556 2,490 1,739 1,276 891 544 315 164 94 39 19 11 2 6 3 2 1 | 90,153 34,834 20,819 12,320 7,447 4,767 3,238 2,212 1,555 1,119 777 453 276 133 78 31 16 11 2 5 2 2 2 1 | 38 31 16 8 3 | 5,225 1,613 990 654 492 401 313 227 176 158 80 27 25 12 7 4 1 2 | First child— Second child— Third child— Fourth child— Fifth child— Sixth child— Sixth child— Eighth child— Eighth child— The child— Tenth child— Tenth child— Tenth child— Tenth child— Tenth child— Tenth child— Tenth child— Tirteenth child— Fourteenth child— Sixteenth child— Sixteenth child— Seventeenth child— Seventeenth child— Seventeenth child— Tirteenth child— Seventeenth child— Tirte child— Second child— Third child— | 3,751, 2,404 1,385 908 572 358 248 136 135 56 42 22 9 14 2 1 12 40,598 | 3,687 2,360 1,349 886; 553 349 235 185 123 94 22 22 9 14 2 2 2 1 11 19,590 | 3,224 1,945 1,068 648 377 233 137 105 68 53 26 24 12 3 10 11 19,543 6,385 3,988 2,682 | 459 412 280 237 176 115 79 55 41 30 18 18 10 6 3 1 1 43 | 64 44 36 22 19 9 13 11 12 4 |
| Not stated | 43,691 14,957 9,659 6,148 4,136 2,750 1,866 1,376 995 648 474 275 174 79 46 22 13 | 58 40,360 13,905 9,035 5,727 3,759 2,510 1,683 1,259 895 582 418 236 144 69 39 17 9 | 54 39,962 13,800 8,965 5,672 3,727 2,473 1,669 1,235 881 570 413 2322 139 66 37 17 | 248 57 38 36 28 27 10 15 10 11 5 3 2 2 | 3,331 1,052 624 421 367 240 183 117 100 66 56 39 30 | Fourth child Fourth child Sixth child Seventh child Eighth child Tenth child Tenth child Tenth child Treith child Treith child Treith child Fourteenth child Fourteenth child Fifteenth child Sixteenth child Sixteenth child Nineteenth child Twenty-second child Not stated SOUIS DAKOTA | 3,887 2,146 1,593 1,233 1,233 1,233 810 642 259 42 26 42 22 22 11 35 | 2,881 1,372 1,075 1,075 1,075 1,075 330 261 155 32 11 2 2 1 | 1,879 1,369 1,369 1,369 1,369 1,369 1,369 261 155 95 47 32 11 2 1 | 1 2 2 1 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2 | 2,006 1,506 1,110 875 698 480 381 169 102 51 31 24 11 2 1 1 1 15 |
| Zighteenth child- Ninsteenth child- Ninsteenth child- Not stated- OREGON- First child- Second child- Third child- Fourth child- Fifth child- Seventh child- Seventh child- Third child- Tenth child- Tenth child- Tenth child- Tenth child- Tenth child- Tenth child- Twelfth child- Twelfth child- Twelfth child- Twelfth child- Fourteenth child- Fourteenth child- Fifteenth child- Fourteenth child- Fourteenth child- Not stated- | 2 2 1 67 13,179 5,564 5,333 1,743 957 560 344 237 156 104 42 19 9 5 5 4 1 1 | 2 2 2 1 57 57 12,963 5,501 3,299 1,714 928 548 334 222 150 95 74 44 18 9 5 | 2 2 2 1 51 51 51 51 52 55 52 66 3,112 1,598 67 514 306 203 136 84 64 38 15 5 5 3 1 15 | 1 704 211 186 115 61 34 27 19 14 11 100 6 3 3 | 53 34 29 29 12 10 15 6 9 8 | Sixteenth child | 2,868 1,888 1,294 882 631 486 309 192 134 179 9 9 9 3 4 1 1 4 53,314 | 3,803 2,766 1,797 1,232 830 573 444 276 61 33 7 8 3 4 1 1 4 4 4,981 | 3,748 2,698 1,734 1,183 771 541 409 249 1159 114 60 54 23 6 4 4 1 1 3 | 555 68 62 49 58 58 322 335 277 16 13 8 8 7 7 100 11 4 4 1 | 152 102 91 62 52 58 42 32 17 7 11 5 3 2 1 |
| First child | 56,797 35,334 21,584 14,267 9,642 6,871 5,078 3,654 2,630 1,904 1,324 902 | 20,478 13,445 8,997 6,407 4,702 3,398 2,428 1,762 1,243 757 451 | . 139,791 52,052 31,654 16,690 12,100 7,856 5,494 3,912 2,711 1,855 1,306 857 530 277 194 | 2,357 2,203 1,781 1,335 1,139 916 686 686 574 456 386 227 | 2,370 1,520 1,106 822 645 464 376 266 266 202 142 81 45 | Second child | 10,610 6,952 5,410 3,663 2,614 2,014 1,562 1,061 744 422 255 124 70 26 | 8,999 5,873 4,553 3,082 2,372 1,709 1,282 869 603 324 196 85 44 15 7 | 8,973 5,855 4,547 3,078 2,370 1,707 1,282 867 602 324 1966 85 44 15 7 | 2 2 2 1 1 1 | 280 192 141 98 59 |

^{1/} Includes "Country not stated."

TABLE 7.—BIRTHS, WITH THE NUMBER OF CHILD IN ORDER OF BIRTH, BY RACE, AND FOR WHITE BY NATIVITY OF MOTHER: 1935—Continued

| | | | WHITE | | | | | T | | | |
|---------------------------------------|------------------|------------------|------------------|------------------|----------------|--|-----------------|-------------------------|------------------|----------------------------|---------------------|
| AREA, AND NUMBER OF CHILD | All | | | Mother | Other | AREA, AND NUMBER | All | | WHITE | Yasha- | Other |
| OF CALLED | births | Total 1/ | Mother native | foreign- born | races | OF CHILD | births | Total 1/ | Mother native | Mother foreign- born | races |
| TENNESSEE-Continued | | | | | | VIRGINIA—Continued | | | | | |
| Eighteenth child Twentieth child | 8 | 5 | 5 | | 3 | Nineteenth child Twentieth child | 8 | 4 | 4 | | 4 |
| Not stated | 29 | 25 | 24 | | 4 | Twenty-first child- Twenty-second child | 5 | 4 | 4 | | 1 |
| TEXAS | 114,721 | 100,766 | 91,204 | 9,450 | 13,955 | Twenty-third child- | | 20 | | | 1 |
| First child Second child | 39,779 24,024 | 35,324 21,498 | 33,762 20,293 | 1,527 | 4,455 2,526 | WASHINGTON | İ | | 20 | | 15 |
| Third child Fourth child | 15,265 10,690 | 13,532 | 12,283 8,185 | 1,234 | 1,733 | 1 | | 21,713 | 19,813 | 1,887 | 683 |
| Fifth child | 7,237 | 6,273 | 5,287 | 1,129 | 1,363 964 | First child | 5,765 | 9,083 5,638 | 8,405 5,190 | 671 448 | 175 127 |
| Seventh child | 5,350 3,723 | 4,546 3,162 | 3,671 2,491 | 868 668 | 804 561 | Third child Fourth child | 1,716 | 2,962 | 2,654 1,462 | 306 185 | 90 69 |
| Eighth child | 2,794 1,995 | 2,355 1,640 | 1,803 | 550 425 | 439 355 | Fifth child Sixth child | 961 603 | 902 556 | 803 496 | 99 | 59 47 |
| Tenth child Eleventh child | 1,329 847 | 1,084 | 794 447 | 289 238 | 245 162 | Seventh child Eighth child | 387 238 | 353 211 | 304 193 | 48 18 | 34 27 |
| Twelfth child Thirteenth child | 551 287 | 435 227 | 301 158 | 133 69 | 116 60 | Ninth child Tenth child | 158 100 | 141 79 | 123 66 | 18 13 | 17 21 |
| Fourteenth child Fifteenth child | 178 88 | 132 71 | 73 48 | 58 23 | 46 17 | Eleventh child Twelfth child | 48 42 | 42 38 | 3 9 28 | 3 10 | 6 |
| Sixteenth child Seventeenth child | 47 21 | 38 15 | 21 | 17 4 | 9 | Thirteenth child Fourteenth child | 29 18 | 24 | 80 14 | 4 2 | 5 |
| Eighteenth child Nineteenth child | 13 2 | 11 | 5 | 6 1 | 2 | Fifteenth child Sixteenth child | 4 2 | 3 2 | 2 | 1 | 1 |
| Twentieth child Twenty-first child | 3 3 | 2 3 | 2 | | 1 | Not stated | 15 | 15 | 2 12 | 1 | |
| Twenty-sixth child Not stated | 1 494 | 1 404 | 1 353 | 43 | 90 | WEST VIRGINIA | 41,774 | 39,512 | 38,817 | 669 | 2,262 |
| UTAE | 12,695 | 12,585 | 11,920 | 663 | 110 | First child Second child | 12,688 | 12,036 | 11,937 | 94 | 652 |
| First child | 3,968 | 3,948 | 3,813 | 134 | 20 | Third child Fourth child | 7,913 5,538 | 7,544 5,246 | 7,449 5,163 | 91 78 | 369 292 |
| Second child Third child | 2,827 | 2,808 1,931 | 2,698 1,817 | 109 114 | 19 11 | Fifth child Sixth child | 4,238 3,005 | 4,024 2,818 | 3,946 2,754 | 78 64 | 214 187 |
| Fourth child Fifth child | 1,349 | 1,333 | 1,245 | 88 65 | 16 | Seventh child | 2,257 | 2,126 1,694 | 2,069 1,656 | 55 37 | 131 120 |
| Sixth child | 579 370 | 569 364 | 524 326 | 45 38 | 10 | Ninth child | 1,376 | 1,282 953 | 1,233 | 49 40 | 94 59 |
| Eighth child | 278 169 | 274 164 | 251 147 | 23 17 | 4 5 | Tenth child Eleventh child | 726 455 | 668 420 | 639 402 | 29 18 | 58 35 |
| Tenth child Eleventh child | 134 | 131 | 116 | 15 6 | 3 | Twelfth child Thirteenth child | 278 1,52 | 262 139 | 248 132 | 14 7 | 16 13 |
| Twelfth child Thirteenth child | 39 29 | 37 28 | 36 24 | 1 | 2 | Fourteenth child Fifteenth child | 81 38 | 70 35 | 65 31 | 5 4 | 11 3 |
| Fourteenth child Fifteenth child | 15 | 12 | 10 | 2 | 3 | Sixteenth child Seventeenth child | 17 12 | 16 12 | 15 12 | 1 | 1 |
| Sixteenth child Not stated | 3 1 7 | 3 1 | 1 | 2 | | Eighteenth child | 6 1 | 6 1 | 6 | 1 | |
| VERMONT | 6,591 | 5,586 | 5,821 | 756 | 5 | Not stated | 167 52,562 | 160 52,017 | 147 49,222 | 4 2,758 | 7 545 |
| First child | 2,051 | 2,050 | 1,887 | 159 | 1 | First child | 17,873 | 17,724 | 17,132 | 577 | 149 |
| Second child Third child | 1,400 | 1,399 908 | 1,269 812 | 127 94 | 1 | Second child Third child | 12,251 7,757 | 12,155 7,681 | 11,614 7,224 | 538 454 | 96 76 |
| Fourth child | 678 439 | 677 438 | 584 377 | 93 61 | 1 | Fourth child | 4,833 3,216 | 4,776 3,178 | 4,452 2,941 | 319 233 | 57 38 |
| Sixth child | 361 240 | 361 259 | 306 196 | 55 43 | 1 | Sixth child Seventh child | 2,091 1,475 | 2,065 1,440 1,093 | 1,904 | 160 124 | 26 35 |
| Eighth childNinth child | 179 122 | 179 122 | 146 92 | 33 30 | | Eighth child Ninth child | 1,116 | 1,093 675 | 989 593 | 103 81 | 23 17 |
| Tenth child | 75 45 | 75 45 | 57 34 | 18 11 | | Tenth child Eleventh child | 468 304 | 457 297 | 404 253 | 52 44 | 11 7 |
| Twelfth child Thirteenth child | 45 19 | 45 19 | 31 12 | 14 | | Twelfth'child Thirteenth child | 205 | 199 110 | 161 97 | 38 13 | 6 2 |
| Fourteenth child Fifteenth child | 8 9 | 8 9 | 6 | 2 | | Fourteenth child Fifteenth child | 54 17 | 52 17 | 42 14 | 10 | 2 |
| Sixteenth child | 3 | 3 | 6 1 | 1 2 | | Sixteenth child Seventeenth child | 13 7 | 13 | 12 6 | 1 | |
| Seventeenth child | 4 | 1 | | 4 1 | | Eighteenth child Nineteenth child | 4 | 4 4 | 3 4 | i | |
| Not statedVIRGINIA | 51,487 | 36,610 | 36,387 | 214 | 14,877 | Not stated | 70 4,362 | 70 4,243 | 63 4,005 | 6 223 | 119 |
| First child | 16,033 | 11,867 | 11,797 | 66 | 4,166 | First child | 1,571 | 1,553 | 1,504 | 45 | 18 |
| Second child Third child | 9,790 6,619 | 7,141 4,730 | 7,086 4,705 | 52 24 | 2,649 1,889 | Second child Third child | 994 | 977 600 | 936 557 | 40 40 | 17 13 |
| Fourth child Fifth child | 4,901 3,614 | 3,468 2,525 | 3,447 2,513 | 21 12 | 1,433 | Fourth child | 422 234 | 412 223 | 386 207 | 20 15 | 10 11 |
| Sixth child Seventh child | 2,764 2,253 | 1,928 1,536 | 1,919 | 9 | 936 717 | Sixth child Seventh child | 178 119 | 166 107 | 153 96 | 12 | 12 12 |
| Eighth child | 1,723 | 1,151 | 1,146 | 5 | 572 450 | Eighth child | 57 55 | 48 | 44 39 | 4 | 9 |
| Tenth child | 932 | 554 | 551 | 3 | 378 | Tenth child | 37 | 49 35 | 24 | 10 | 2 |
| Twelfth child | 646 410 | 376 246 | 373 244 | 2 | 270 164 | Eleventh child Twelfth child | 28 13 | 25 11 | 20 8 | 5 3 | 3 2 |
| Thirteenth child Fourteenth child | 243 142 | 123 84 | 119 84 | 3 | 120 58 | Tairteenth child Fourteenth child | 9 4 | 8 4 | 7 3 | 1 | 1 |
| Fifteenth child Sixteenth child | 60 34 | 31 19 | 31 18 | 1 | 29 15 | Fifteenth child Sixteenth child | 4 | 3 4 | 2 2 | 1 2 | 1 |
| Seventeenth child Eighteenth child | 24 13 | 12 | 12 4 | | 12 9 | Nineteenth child Not stated | 1 | 1 17 | 15 | î | 2 |
| | | L | | | | | | | | | |

^{1/} Includes "Country not stated."

TABLE 8.—CASES OF PLURAL BIRTHS AND PLURAL STILLBIRTHS, BY SEX AND RACE: 1935

| | TRDD | | ACES OF | PLORAL BIRTHS AND PLO | TAB OIL | 30021111 | J, DI G | 1 | wes | | a/ |
|---|--|---|--|---|--|--|--|---|---|---|--|
| area and sex | PLI | TRAL BIR | THS | AREA AND SEX | PLU | TRAL BIRT | HS | AREA AND SEX | PLI | JRAL BIRI | HS . |
| Add Ab on | Total | White | Other races | | Total | White | Other races | | Total | White | Other races |
| CASES OF TWINS United States | 25,218 | 21,297 | 3,921 | CASES OF TWINS—Cont. | | • | | CASES OF TWINS—Cont. | | , | • |
| 2 males Both living 1 ·living Both stillborn 1 living 1 living 2 females Both living 2 females Both living Both living Both living Both stillborn Both stillborn | 8,678 7,560 655 463 8,397 7,606 259 299 234 8,122 | 7,385 6,563 492 330 6,983 6,458 190 209 126 6,911 6,228 436 247 | 1,293 997 163 133 1,414 1,148 68 90 108 1,211 997 128 | 2 females———————————————————————————————————— | 65 61 3 1 17 14 3 14 14 20 20 | 12 12 11 10 10 15 | 2 1 1 5 3 2 4 4 5 5 | 2 males———————————————————————————————————— | 176 158 12 6 179 168 5 4 2 157 144 9 | 176 158 12 6 177 166 5 4 2 154 141 9 | 2 2 2 3 3 3 |
| Both unknown | 21 21 259 211 28 20 243 209 | 159 135 15 15 141 2 6 3 141 117 | 100 76° 13 11 95 72 7 10 6 | 2 meles- Both living- Both stillborn- 1 mele, I female- 1 living- 1 living- 2 females- Both living- FLORIDA: 2 meles- Both living- 1 living- 1 living- 1 living- | 37 35 2 42 34 4 4 32 32 32 98 82 7 | 19 18 1 25 22 1 19 19 69 52 2 | 18 17 1 17 12 3 2 13 13 29 20 5 | 2 males | 91 94 3 4 110 104 4 1 1 106 96 7 | 88 81 3 4 108 103 4 1 104 95 7 | 2 1 2 1 |
| 1 living——————————————————————————————————— | 28 15 36 30 5 1 36 31 2 2 37 32 | 14 10 35 30 4 1 32 28 2 2 35 30 | 14 5 | Both stillborn | 117 101 4 8 4 111 96 2 2 | 68 63 1 3 1 69 62 4 3 2 2 2 | 49 38 3 5 42 34 3 5 | 2 males- Both living- 1 living- Both stillborn- 1 male, 1 female- Both living- 1 living- 2 females- * Both living- 1 living- Living- Living- Living- Living- Living- Both stillborn- LOUISIANA: | 243 207 20 16 238 208 8 15 7 202 181 16 5 | 232 200 18 14 225 198 7 15 5 187 166 16 5 | 11 7 2 2 13 10 1 2 15 15 |
| 1 living——————————————————————————————————— | 189 166 193 164 6 100 | 143 127 13 3 136 119 5 7 5 139 | 46 39 6 1 57 45 1 | l living——————————————————————————————————— | 29 30 254 224 6 8 ,16 239 205 19 15 | 14 11 131 123 1 2 5 122 109 4 9 | 15 19 123 101 5 6 11 117 96 15 6 | 2 males | 210 180 12 18 213 190 2 11 10 195 170 12 13 | 101 91 5 5 114 108 2 1 3 105 97 6 | 109 89 7 13 99 82 10 7 90 73 6 |
| l living— Both stillborn— CALIFORNIA: Z meles— Both living— 1 living— Both stillborn— 1 mele, 1 female— 1 living— 1 living— For the stillborn— Both stillborn— For the stillborn— Both stillborn— Both stillborn— Both stillborn— | 11 | 5 | 6 | Both living l living Both stillborn l male, I female both living l living l living l living Both living l living Both stillborn | 36 2 1 37 36 1 37 31 31 3 3 | 36 2 1 37 36 31 37 31 33 | | MAINE: 2 males Both living 1 living 1 male, l female 2 females Foth living 1 living Eoth living Both living Eoth living Both stillborn | 55 46 4 5 52 59 3 52 49 2 | 55 46 4 5 62 59 3 52 49 2 | |
| 2 females———————————————————————————————————— | 288 260 21. 7 73 67 2 4 65 | 267 243 19 5 72 66 2 4 65 63 1 1 58 | 21 17 2 2 2 | Z males———————————————————————————————————— | 425 375 32 18 374 344 6 20 4 387 339 31 | 394 348 32 14 346 319 4 19 4 371 326 30 15 | 31 27 28 28 25 1 1 16 13 1 2 | MARYLAND: 2 males Both living 1 living Both stillborn 1 male, l female Eoth living 1 living F Both stillborn 2 females Both living 1 living Both stillborn Both stillborn Both unknown Both stillborn Both stillborn | 2 86 78 | 87 70 7 10 74 69 | 25 17 5 3 24 21 2 1 |
| Both living l living Both stillborn 2 males 1 living 1 living Both stillborn 1 male, 1 famale Both living Living | 50 5 3 85 80 2 5 65 61 2 | 50 5 3 85 80 2 3 62 58 2 1 | 3 3 | INDIAWA: 2 males Both living 1 living Eoth stillborn 1 male, 1 female 1 living 1 living Eoth living 2 females Eoth living Eoth stillborn Eoth stillborn Eoth stillborn Eoth stillborn Eoth stillborn Eoth stillborn Eoth stillborn | 197 178 13 6 202 187 7 7 1 198 183 12 | 190 172 12 6 190 175 7 7 1 191 191 177 | 7 6 1 12 12 12 7 6 1 | MASSACHUSETTS: 2 males 1 living 1 living Both stillborn 1 male, 1 female 1 living 1 living 5 Both stillborn 2 females Both stillborn 2 females Both stillborn 2 females Both stillborn Both stillborn | 229 214 5 10 207 193 5 7 2 198 172 | 228 213 5 10 205 191 5 7 2 196 170 | 2 2 2 2 2 |

iso year rece of wither, as have been by race of wither, as have all other years (at least rotter years) and 1930, and 1939.

TABLE 8.—CASES OF PLURAL BIRTHS AND PLURAL STILLBIRTHS, BY SEX AND RACE: 1935—Continued

| AREA AND SEX | PL | URAL BIR | THS | AREA AND SEX | PL | URAL BIR | THS | area and sex | PLI | JRAL BIRT | THS |
|--|-----------------------------|-----------------------------|-----------------------------|---|-------------------------------|-------------------------------|-----------------------------|--|-------------------------------|-------------------------------|---------------------------|
| | Total | White | Other reces | | Total | White | Other races | Mille Mill Sile | Total | White | Other races |
| CASES OF TWINS—Cont. | 200 | | | CASES OF TWINS—Cont. NEW HAMPSHIRE: | | | | CASES OF TWINS—Cont. OKLAHOMA: | | | |
| 2 males Both living 1 living Both stillborn 1 mele, 1 femele | 328 310 9 9 303 | 310 296 5 9 287 | 18 14 4 | 2 males Both living l living Both stillborn l male, l female | 29 24 4 1 23 | 29 24 4 1 23 | | 2 males Both living l living Hoth stillborn 1 male, l female | 184 161 18 5 195 | 167 148 16 3 178 | 17 13 2 2 17 |
| Both living | 288 5 2 8 | 273 5 2 7 | 15 1 | Both living Both stillborn 2 females Both living | 22 1 31 28 | 22 1 31 28 | | Both living 1 livingM F Both stillborn | 177 5 7 6 | 163 5 7 | 14 |
| Both living l living Roth stillborn | 305 269 8 8 | 293 278 7 8 | 12 11 1 | Both stillborn NEW JERSEY: 2 males | 233 | 210 | 23 | 2 females Both living l living Both stillborn | 181 155 20 6 | 164 143 16 | 17 12 4 1 |
| MINNESOTA: 2 males Both living 1 living Both stillborn | 202 179 15 | 201 178 15 | 1 | Both living l living Both stillborn l male, l female Both living | 201 16 16 164 149 | 184 13 13 145 132 | 17 3 3 19 17 | OREGON: 2 males Both living 1 living | 43 40 3 | 43 40 3 | |
| l mele, l female soth living l living | 219 202 8 6 | 212 196 8 5 | 7 6 1 | l livingM F Both stillborn 2 females Both living | 4 6 5 188 175 | 4 4 5 167 155 | 2 2 21 20 | l male, l female Both livingM l livingM 2 females Both living | 37 36 1 47 41 | 36 35 1 44 38 | 1 1 3 3 |
| Both stillborn 2 females Both living 1 living Both stillborn | 3 200 179 14 7 | 3 196 175 14 7 | 4 4 | l living Both stillborn Both unknown Both stillborn | 11 2 1 | 10 2 1 | 1 | l living Both stillborn PENNSYLVANIA: 2 males | 5 1 609 | 5 1 580 | |
| MISSISSIPPI: 2 males Both living 1 living | 215 168 27 | 69 61 4 | 146 107 23 | NEW MEXICO: 2 males Both living 1 living | 37 34 1 | 35 32 1 | 2 | Both living l living Both stilltorn l mele, l femele | 528 61 30 532 | 508 45 27 481 | 29 20 6 3 51 |
| Both stillborn l male, l female Both living | 20 264 222 15 | 105 99 | 16 159 123 15 | both stillborn l male, l female Both living l living Both stillborn | 2 50 48 1 | 2 49 47 1 | 1 | Both living | 490 17 13 12 544 | 446 13 10 12 520 | 44 4 3 |
| Both stillborn 2 females Both living 1'living | 18 9 263 223 30 | 3 3 122 110 12 | 15 6 141 113 16 | 2 females Both living Both stillborn | 41 40 1 | 38 37 1 | 3 3 | Both living 1 living Both stillborn Both unknown | 479 39 26 1 | 459 37 24 1 | 20 2 2 |
| Both stillborn Both unknown Both stillborn MISSOURI: | 10 1 | 1 | 10 | NEW YCHK: 2 males Both living 1 living Both stillborn | 666 606 24 36 | 622 567 23 32 | 44 39 1 4 | Both stillborn RHODE ISLAND: 2 males Both living | 30 26 | 30 26 | |
| 2 meles Both living l living Both stillborn | 223 194 14 15 | 198 177 10 11 | 25 17 4 4 | l male, l female Both livingM F | 567 539 10 8 | 531 505 9 | 36 34 1 | l living Both stilloorn l male, l femele Both living | 3 1 32 31 | 3 1 32 31 | |
| l male, l female Both living l living | 236 208 13 11 4 | 222 194 13 11 4 | 14 | Both stillborn 2 femules Both living 1 living | 10 649 585 32 | 10 622 563 30 | 27 22 2 | l livingF 2 females Both living 1 living | 1 31 28 3 | 1 31 28 3 | |
| 2 femeles Both living l living Both stillborn | 210 185 17 8 | 196 175 13 8 | 14 ·10 4 | Both stillborn Both unknown Both stillborn NORTH CAROLINA: | 32 8 8 | 29 6 6 | 3 2 2 | SOUTH CAROLINA: 2 meles Both living 1 living | 193 156 20 | 91 78 6 | 102 78 14 |
| Both unknown Both stillborn MONTANA: 2 malea | 5 5 39 | 5 5 38 | 1 | 2 males Both living l living Both stillborn l male, l female | 331 289 25 17 386 | 214 191 14 9 | 117 98 11 8 160 | Both stillborn l male, l female Both living l living F | 17 209 167 11 | 7 77 68 5 | 10 132 99 6 4 |
| Both living l living Both stillborn l male, l female | 34 4 1 37 | 33 4 1 35 | 1 | Both livingM l livingM F Both stillborn | 337 14 14 21 | 211 6 5 4 | 126 8 9 17 | Both stillborn 2 femeles Both living 1 living | 26 158 130 14 | 3 59 50 3 | 23 99 80 11 |
| Both living l living Both stillborn 2 femeles Both living | 35 1 1 24 22 | 33 1 1 23 21 | 1 | 2 females Both living l living Both stillborn | 350 301 36 13 | 220 197 20 3 | 130 104 16 10 | Both stillborn SOUTH DAKOTA: 2 males | 52 | 46 | 8 |
| l living Both stillborn | 1 | 1 | | NORTH DAKOTA: 2 males Both living 1 living | 59 53 4 | 58 52 4 | 1 | Both living l living Both stillborn l male, l female | 45 6 1 62 | 41 4 1 59 | 4 2 3 |
| Both stillborn | 100 89 9 | 97 86 9 2 | 3 3 | Both stillborn l male, l female Both living l living | 2 76 72 2 | 2 71 67 2 | 5 5 | Both livingM I livingM F both stillborn | 55 3 1 3 | 52 3 1 | 3 |
| 1 male, 1 female Both livingM F | 79 74 2 3 | 78 73 2 3 | 1 | 2 females Both living l living | 2 60 5b 5 | 2 56 53 3 | 4 2 2 | 2 females Both living l living Both stillborn | 45 40 2 3 | 41 36 2 3 | 4 |
| 2 females | 73 68 4 1 | | 3 3 | OHIO: 2 males Both living l living Both stillborn I male, l femule | 397 345 32 20 388 | 378 330 29 19 366 | 19 15 3 1 22 | TENNESSED: 2 mules Both living l living Both stillborn l mele, l female | 287 236 33 16 237 | 241 203 26 12 201 | 46 33 7 6 36 |
| NEVADA: 2 males Both living 1 living 1 male, 1 female | 7 6 1 8 | 6 5 1 | 1 | Both livingM I livingM F Both stillborn 2 females | 356 9 13 10 | 336 9 12 9 | 20 1 1 27 | Both living l living | 203 16 11 7 219 | 173 14 11 3 183 | 30 2 4 36 |
| Both living 2 females Both living | 6 | 7 5 5 | 1 | Both living l living Both stillborn | 365 23 9 | 341 22 7 | 24 | Both living 1 living Both stillborn | 196 16 | 163 14 6 | 33 2 1 |

TABLE 8.—CASES OF PLURAL BIRTHS AND PLURAL STILLBIRTHS, BY SEX AND RACE: 1935—Continued

| | , bri | JRAL BIRT | HS | | PLI | RAL BIRT | THS | ADDA AND COV | PL | URAL BIRT | HS |
|--|--|--|--|---|---|------------------------------------|---|--|---------------------------------|---|----------------------|
| area and sex | Total | White | Other races | area and sem | Total | White | Other races | AREA AND SEX | Total | White | Other |
| CASIS OF TWINS—Cont. | | | | CASIS OF TWINS—Cont. | | | , | CASES OF TRIPLETS—Cont. | | | |
| Both living | 493 418 42 33 522 467 22 18 15 | 417 358 35 24 440 400 18 15 | 76 60 7 9 82 67 4 3 | 2 males Both living 1 male, 1 female Both living 2 females Both living 1 living | 11 11 11 21 20 | 11 11 11 21 20 | | 3 males | 5 4 1 1 2 1 1 | 5 4 1 1 2 2 1 1 3 | |
| E females Both living 1 living Both stillborn Both unknown Soth stillborn | 467 400 32 35 1 | . 403 348 26 29 1 | 64 52 6 6 | CASES OF TRIPLETS United States 3 males | 246 | 194 | 52 | All living INDIANA: 3 males All living 2 males, 1 female | 3 2 2 2 | 2 2 2 | |
| UTAH: 2 males Both living 1 living Both stillborn | 53 47 5 | 53 47 5 | | All living 2 living 1 living All stillborn 2 meles, 1 female All living | 55 4 5 9 51 42 | 47 4 2 6 42 34 | 8 3 3 9 8 | All living24- 2 living24- 3 females All living | 1 1 1 | . 1 | 1 |
| l mele, l femele Both living 2 femeles Both living 1 living Both stillborn | 47 47 41 37 2 2 | 47 47 41 37 2 | | 2 living2M 1 M,1F 1 living 1 male, 2 females All living | 3 5 1 53 40 2 | 2, 5 1 41 33 1 2 | 12 7 12 4 | 3 males | 1 1 1 3 3 3 | 1 1 1 1 3 3 | |
| VERMONT: 2 msles Both living 1 living toth living both living 2 oth stillborn | 23 20 3 21 19 1 | 23 20 3 20 19 1 | 1 | 1 livingF- All stillborn 3 femmles All living 1 living All stillborn | 2 3 69 56 5 5 | 2 3 52 42 6 3 | 17 14 | 3 males | 1 1 1 1 | . 1 1 1 1 1 | |
| 2 females Both living VIRGINIA: 2 males Both living 1 living Both stillborn | 233 195 26 | 19 13 153 138 10 | 80 57 16 | ALABANA: 3 males All living 2 males, l female All living 1 male, 2 females All living | 2 | 2 2 2 1 | 2 2 1 1 1 | KENTUCKY: 2 neles, 1 female All living 1 male, 2 females All living 3 females All living 2 living | 2 2 2 3 2 | 1 1 2 2 3 2 | 1 |
| 1 male, 1 female Both living 1 living F Both stillborn 2 females Both living | 256 222 9 15 10 219 | 159 146 5 4 162 143 | 97 76 4 11 6 57 48 | 3 females | 1 1 3 2 1 | 2 1 1 1. | 1 | IOUISIANA: 3 males All living 2 males, 1 female All living 1 male, 2 females All living | 1 1 1 1 1 | 1 1 | 1 1 1 1 |
| 1 living Both stillborn Both unknown Both stillborn WASHINGTON: | 10 | 12 7 | 6 3 1 | All living ARKANSAS: 3 meles All stillborn 2 meles, l female All living | 1 1 2 1 | 1 | ‡ 17 1 1 1 1 1 1 1 | 3 females | . 1 1 | 2 1 1 | 2 2 |
| 2 males Both living 1 living Eoth stillborn 1 male, 1 female Both living 1 living | 65 4 2 70 | 69 63 4 2 69 67 | 2 2 2 1 1 1 | 2 livingM,1F 3 females All living CALIFORNIA: 3 mules | | 1 . 1 1 | | All living MARYLAND: 3 males 1 living 3 females All living | 1 1 4 4 | 1 1 3 3 3 | 1 1 |
| 2 females | 83 77 | 1 81 75 5 | 2 | All living 2 males, l female All living 1 male, 2 females All living 3 females All living | 2 2 2 | 2 1 2 2 2 2 | | MASSACHUSETTS: 3 males 2 living 2 males, 1 female All living 1 male, 2 females | 1 3 3 | 1 1 3 3 3 | |
| WEST VIRGINIA: 2 males Both living l living both stillborn l male, 1 female Both living | 15 10 164 | 170 147 14 9 162 143 | 9 7 1 1 2 2 | COLORADO: 3 males 2 living CONNECTICUT: 3 males | | 1 | | All living 1 living | 1 1 1 | 1 2 1 1 1 | |
| 1 livingM-F- Both stillborn2 femeles | 4 12 3 186 168 | 12 3 172 154 7 | 14 | All living 2 males, l female All living FLORIDA: 3 meles All living 2 males, l female | 1 2 2 2 | 1 1 1 1 1 1 1 1 | 1 1 1 | All living MINNESOTA: 3 males All living 1 male, 2 females All living 3 females | 1 1 1 1 | 1 | |
| WISCONSIN: 2 males Both living 1 living both stillborn 1 male, 1 female | · 196 · 15 · 9 · 201 | 213 195 15 8 198 | 2 1 1 3 3 | All living l male, 2 females All living 2 livingla, lF UEORGIA: 3 males | 3 1 2 | 1 2 1 1 | 1 | All living MISSISSIPFI: 3 males All living 2 males, 1 female All living | . 2 | 1 1 | 1 1 1 |
| Both living 1 living | 2 2 172 167 | 4 2 2 171 156 3 | 1 1 | 1 living 1 mnle, 2 females All living All living All living All stillborn | 1 1 3 1 | 1 | 3 1 1 1 | l male, 2 females All living | 1 1 1 | 1 1 1 1 | 4 2 1 1 |

TABLE 3.—CASES OF PLURAL BIRTHS AND PLURAL STILLBIRTHS, BY SEX AND RACE: 1935—Continued

| | | | | | | . | | | | | |
|--|-------|----------|-------|------------------------------------|-------|--------------|----------------|---------------------------------|--------|----------|----------------|
| area and sex | PI | URAL BIR | THS - | ARRA AND SEX | P | LURAL BIR | THS | area and sex | PI | URAL BIR | THS |
| | Total | White | Other | | Total | White | Other races | | Total | White | Other races |
| CASES OF TRIPLETS—Cont. | | | | CASES OF TRIPLETS—Cont. | | | | CASES OF TRIPLETS—Cont. | | | |
| MISSOURI: | | | | OHIO: | | | | TENNESSEE—Continued | | | |
| 3 males All living | 2 | 1 | 1 | 3 males | 1 1 | 1 | | 2 males, 1 female All living | 3 2 | 3 2 | |
| l living | 1 | | 1 | 2 males, 1 female | | 3 | | l livingM | 1 | 1 1 | |
| 2 males, 1 female | 2 | 2 | | All living | 2 | 2 | 1 | l male, 2 females | 1 | | : |
| All living3 females | 2 | 2 | | 2 livinglM,1F l male, 2 females | 1 3 | 1 2 | | All living3 females | 1 | | - |
| All living | ī | 1 | | All living | 3 | 2 | | All living | 5 | 5 | |
| , and the second | | | | 3 females | 2 | | | l living | 2 | 2 | } |
| MONTANA: | | | | All living | 1 | 1 | | | - | | ĺ |
| 3 malesAll living | 1 | 1 | | 2 living | 1 |] 1 | | TEXAS: | 5 | | ١, |
| 721 11111g | | 1 * | | OKLAHOMA: | | | | All living | 4 | 4 3 | 1 1 |
| Nesraska: | 1 | | | 3 males | 1 | 1 | | l living | î | li | |
| 3 males | 1 | 1 | | All living | 1 | 1 | | 2 males, 1 female | 2 | 1 | 1 |
| All living | J. | 1 | | 2 males, 1 female | 2 | 2 |] | All living | 2 | 1 | 1 |
| 1 male, 2 females All living | 2 2 | 2 2 | | All living l male, 2 females | 2 | 2 | | l male, 2 females All living | 4 | 4 4 | |
| 3 females | ĩ | ī | | All living | 1 | i | | 3 females | 4 | 1 1 | 3 |
| All living | 1 | 1 | | | _ | 1 | | All living | 4 | ī | 3 |
| NEW TROOTER | İ | | | OREGON: | | Ī | 1 | l | | 1 | |
| NEW JERSEY: 3 males | 3 | 3 | | l male, 2 females | 2 | 2 | | VIRGINIA: | , | Ι, | ł |
| All living | 2 | 2 | | All living | 2 | 2 | | All living | 1 | 1 1 | |
| All stillborn | ī | ĩ | | PENNSYLVANIA: | | ļ | | 2 males, 1 female | ı | l i | |
| 2 males, 1 female | 2 | 2 | | 3 males | 9 | 7 | 2 | All living | ī | ī | |
| All living | 2 | 2 | | All living | 8 | 7 | וג | l male, 2 females | 1 | 1 | |
| 3 femalesAll living | 2 | 2 | | All stillborn 2 males, 1 female | 1 2 | 2 | 1 | All living3 femsles | 1 | 1 1 | |
| All stillborn | ī | î | | All living | ı | 1 | | All living | i | li | |
| | 1 | | | 2 living2M | 1 | 1 | | | - | ~ | |
| NEW MEXICO: 3 males | | | | 1 male, 2 females | 3 | 2 | 1 1 | WASHINGTON: | | l . | |
| All living | 1 | 1 1 | | All living 2 livinglM,lF | 2 | 2 | 1 | 3 malesAll living | 1 | i | |
| 122.23 | - 1 | 1 ^ | | 3 females | 4 | 4 | | 2 males, 1 female | i | 1 | |
| NEW YORK: | | 1 | | All living | 2 | 2 | | All living | īĺ | ī | |
| 3 meles | 5 | 5 | | 2 living | 2 | 2 | | 3 females | 2 | 2 | |
| All livingAll stillborn | 4 | 1 | | RHODE ISLAND: | i | | | All living | 2 | 2 | |
| 2 males, 1 female | 3 | 3 | | 2 males, 1 female | ı | 1 | | WEST VIRGINIA: | İ | | |
| All living | 3 | 3 | | All living | î | ī | | 3 males | 3 | 3 | |
| 1 male, 2 females | 4 | 4 | | 3 females | 1 | 1 | | All living | 1 | 1 | |
| All livingAll stillborn | 3 | 3 | | All living | 1 | 1 | | All stillborn | 2 | 2 | |
| 3 females | 6 | 5 | | SOUTH CAROLINA: | | | | 2 males, 1 female All living | 1 | 1 | |
| All living | 6 | 6 | | 3 males | 1 | 1 | | l male, 2 females | 3 | 3 | |
| | | | | All living | ī | i | | All living | 3 | 3 | |
| NORTH CAROLINA: | | | | 2 males, 1 female | 2 | 1 | 1 | WISCONSIN: | | | |
| All living | 6 4 | 3 3 | 3 | All living | 2 | 1 | 1 | 3 males | 2 | 2 | |
| l living | īl | | il | 3 females | 4 | 1 1 | 3 3 | All living | 1 (| 1 | |
| All stillborn | ī | | 1 | | * | * | " | 2 living 2 males, 1 female | 1 | 1 | |
| 2 males, 1 female | 5 | 3 | 2 | SOUTH DAKOTA: | 1 | | | All living | ı | 1 | |
| All living2M | 2 | 1 | 1 1 | 3 males | 1 | 1 | | l male, 2 females | 1 | i | |
| lM,1F | ž | 2 | I | 2 living | 1 | 1 | | Ali living | 1 | 1 | |
| l male, 2 females | 1 | | 1 | | ĺ | | | 3 females | 1 | 1 | |
| 2 livinglM, 1F | 1 | | ı] | TENNESSEE: | | | | All living | 1 | 1 | |
| 3 females | 5 | 2 | 3 | 3 males | . 3 | 2 | 1 | WYOMING: | | | |
| All living 2 living | 1 | 1 | 3 | All livingAll stillborn | 2 | 1 | 1 | l male, 2 females | 1 | 1 | |
| 2 11,1115 | | | | ALL SULLIOUTH | , | 1 | | All living | 1 | 1 | |

TABLE 9.—NUMBER OF PLURAL BIRTHS AND PLURAL STILLBIRTHS, BY RACE, AND FOR WHITE BY COUNTRY OF BIRTH OF MOTHER, IN THE UNITED STATES: 1935

| | | | | * | | | | | | | | | | | | | |
|---------------------|--------------------------------|---------------------------|---------------------------|-----------------------|-------------------------------|------------------|--|--|------------------|-----------------|------------------|-----------------|------------------|------------------------------------|---------------------------|-------------------------|--|
| | | | | | | | | WHITE | | | | | | | | | |
| | | | | | - | | Coun | try of | birth of | mother | • | | | | | | clionge |
| LIVING OR STILLBORN | All | | | | | | | Fore | ign coun | try | | | | | 1 | Other | The state of the s |
| | births | Total | United States | Total | Aus- tria, Hun- gary | Cenada | Den- mark, Nor- way, Swe- den | Eng- land, Scot- land, Wales | Ire- lend | Ger- many | Italy | Polend | Russie | Other foreign coun- tries | try not stat- ed | races |) |
| | | | | | NUMBER O | F TWINS | | | | | | | | | | | |
| Total | 50,436 - 46,558 - 3,678 | 42,594 39,625 2,769 | 38,776 36,194 2,582 | 3,794 3,609 185 | 218 204 14 | 410 391 19 | 138 120 18 | 264 . 248 16 | 354 334 20 | 250 241 9 | 586 571 15 | 272 266 6 | 252 239 13 | 1,050 995 55 | 24 22 2 | 7,842 6,733 1,109 | |
| Both living | - 44,782 - 1,776 - 2,102 | 38,498 1,327 1,442 | 34,964 1,230 1,352 | 3,514 95 90 | 196 8 6 | 382 9 10 | 112 8 10 | 240 8 8 | 326 8 12 | 234 7 2 | 562 9 6 | 262 4 2 | 236 3 10 | 964 31 24 | 20 | 6,284 449 660 | |
| | | | | i | UMBER OF | TRIPLET | s | • | | | | | | | | | |
| Totel | | 582 516 66 | 525 462 63 | 57 54 3 | | 3 3 | 3 3 | 3 3 | 9 | 3 3 | 12 11 1 | 6 6 | | 18 16 2 | | 156 128 28 | |
| All living | - 52 | 468 40 8 30 | 420 34 8 30 | 48 6 | | 3 | .3 | | 9 | 3 | 9 2 | 6 | | 12, 4 | | 111 12 5 12 | • |

TABLE 10.—STILLBIRTHS, BY MONTHS: 1935

| | | | ···· | | | | | | | | | | |
|---------------------------------|--|-------------------------------------|----------------------------------|-------------------------------------|-------------------------------------|------------------------------------|------------------------------------|----------------------------------|------------------------------------|-------------------------------------|----------------------------------|----------------------------------|-------------------------------------|
| AREA AND SEX | All still- births | Jan. | Feb. | Mar. | Apr. | May | June | July | Aug. | Sept. | Oct. | Nov. | Dec. |
| United States | 32,545 | 6,823 3,760 2,902 101 | 6,230 3,388 2,717 125 | 6,751 3,714 2,905 | 6,508 3,580 2,778 | 6,542 3,608 2,719 | 6,455 3,587 2,721 | 6,558 3,650 2,775 | 6,418 3,577 2,711 | 6,203 3,447 2,630 | 6,379 3,497 2,757 | 6,230 3,471 2,633 | 6,022 3,319 2,597 |
| Cities of 10,000 or more | | 3,112 1,681 | 2,884 1,536 | 3,101 1,677 | 2,929 1,552 | 2,978 1,641 | 3,065 1,637 | 3,141 1,713 | 3,018 1,608 | 2,963 1,608 | 2,998 1,601 | 3,035 1,680 | 2,949 1,605 |
| Not steted | 1,091 - 8,120 - 4,647 - 3,373 | 1,333 98 733 424 298 | 1,255 93 642 363 273 | 1,338 86 713 406 297 | 1,282 95 647 386 251 | 1,228 109 680 381 292 | 1,320 108 640 371, 260 | 1,347 81 738 427 306 | 1,263 87 724 415 304 | 1,260 95 655 374 271 | 1,311 86 69d 409 281 | 1,267 88 618 347 263 | 1,279 65 632 344 277 |
| Not stated | | 11 2,978 1,655 1,271 52 | 2,704 1,489 1,189 26 | 10 2,937 1,631 1,270 36 | 10 2,932 1,642 1,245 45 | 7 2,884 1,646 1,199 39 | 2,750 1,579 1,141 30 | 2,679 1,510 1,122 47 | 5 2,676 1,494 1,144 38 | 10 2,585 1,465 1,099 21 | 2,683 1,487 1,165 31 | 2,577 1,444 1,103 | 11 2,441 1,370 1,041 30 |
| ALABAMA | - 3,003 | 251 | 259 | 293 | 281 | 253 | 258 | 248 | 260 | 207 | 215 | 247 | 221 |
| Cities of 10,000 or more | 2,146 | 56 21 184 | 67 20 172 | 43 19 231 | 54 10 217 | 55 13 185 | 56 24 178 | 50 14 184 | 58 14 188 | 49 17 141 | 54 14 147 | 69 19 159 | 52 9 180 |
| ARIZO14 | - | 25 | 24 | 18 | 23 | 22 | 22 | 16 | 24 | 24 | 22 | 16 | 19 |
| Cities of 10,000 or more | 106 | 12 4 9 | 10 4 10 | 5 4 9 | 7 5 11 | 6 3 13 | 7 4 11 | 5 3 8 | 10 9 5 | 12 4 8 | 11 5 6 | 5 3 8 | 8 3 8 |
| Cities of 10,000 or more | - 1,350 - 142 | 112 | 126 | 126 | 128 | 116 | 119 | 112 | 96 13 | 95 8 | 95 | 103 | 122 |
| Cities of 2,500 to 10,000Rural | - 150 - 1,058 | 97 | 10 96 | 20 95 | 17 102 | 12 92 | 7 101 | 9 85 | 12 71 | 11 76 | 7 75 | 16 76 | 15 92 |
| CALIFORNIA | 1,957 | 163 | 147 | 156 | 171 | 165 | . 156 | 160 | 191 | 154 | 150 | 188 | 176 |
| Cities of 10,000 or more | - 471 | 107 27 29 | 86 11 50 | 96 24 36 | 111 22 38 | 99 22 44 | 86 18 52 | 107 19 34 | 126 24 41 | 94 22 38 | 91 24 35 | 118 18 32 | 105 29 42 |
| Cities of 10,000 or more | - 539 - 251 | 53 26 | 44 20 | 44 | 47 | 41 | 50 | 45 | 47 | 45 | 47 | 48 | 28 |
| Cities of 2,500 to 10,000 | - 102 - 186 | 10 17 | 11 13 | 19 13 12 | 24 5 18 | 14 10 17 | 26 10 14 | 23 7 15 | 21 6 20 | 24 6 15 | 19 5 23 | 21 14 13 | 14 5 9 |
| Cities of 10,000 or more | 501 | 42 | 46 | 60 51 | 50 47 | 51 41 | 39 | 58 48 | 52 45 | 44 | 54 44 | 48 | 43 34 |
| Cities of 2,500 to 10,000Rurel | - 23 - 63 | 1 2 | 1 5 | 2 7 | 3 | 6 4 | 2 6 | 2 8 | 1 6 | 1 3 | 3 7 | 1 6 | 3 6 |
| DELAVARE | | 12 | 10 | 16 | 15 | 11 | 14 | 9 | 12 | 12 | 16 | 10 | 11 |
| Cities of 10,000 or more | 77 - 22 - 49 | 8 3 | 4 1 5 | 8 2 6 | 7 2 6 | 6 1 4 | 8 2 4 | 4 2 3 | 6 1 5 | 4 4 4 | 11 1 4 | 6 1 3 | 5 2 4 |
| DISTRICT OF COLUMBIA | 409 | 3∪ | 33 | 37 | 28 | 37 | 32 | 38 | 29 | 29 | 38 | 35 | 43 |
| FLORIDACities of 10,000 or more | 1,573 | 160 | 115 | 128 | 117 | 118 | 103 | 133 | 145 | 134 | 146 | 129 | 143 |
| Cities of 2,500 to 10,000Rural | 237 748 | 62 22 76 | 57 12 46 | 45 26 57 | 41 19 57 | 35 22 61 | 33 10 60 | 56 16 59 | 56 21 68 | 65 18 61 | 53 23 72 | 40 18 71 | 55 28 60 |
| Cities of 10,000 or more | | 332 93 | 316 6ò | 328 | 343 61 | 74 | 313 | 347 90 | 352 92 | 324 35 | 350 83 | 300 73 | 238 |
| Cities of 2,500 to 10,000Rural | 402 - 2,531 | 34 205 | 36 214 | 42 224 | 25 237 | 26 234 | 36 208 | 40 217 | 35 225 | 45 184 | 40 227 | 21 204 | 22 152 |
| Cities of 10,000 or more | - | 19 | 14 | 18 | 10 | 25 5 | 31 | 20 | 14 | 20 | 20 | 17 3 | 3 |
| Cities of 2,500 to 10,000Rural | 93 92 | 11 8 | 5 8 | 8 7 | 2 5 | 8 1~ | 14 11 | 9 10 | 5 ნ | 11 8 | 7 8 | 10 4 | 3 3 |
| Cities of 10,000 or more | <u></u> | 182 | 245 168 | 263 183 | 256 172 | 252 176 | 265 183 | 323 | 288 193 | 308 209 | 297 | 276 186 | 258 |
| Cities of 2,500 to 10,000 | 336 723 | 24 61 | 27 50 | 26 54 | 23 61 | 26 50 | 26 56 | 41 71 | 30 65 | 20 79 | 29 57 | 31 59 | 33 60 |
| INDIANA | | 147 | 112 | 124 | 116 | 118 | 110 | 114 | 122 | 125 | 118 | 118 | 106 |
| Cities of 10,000 or more | 761 192 477 | 80 22 45 | 56 19 37 | 62 11 51 | 61 20 35 | 63 15 40 | 63 14 33 | 52 21 41 | 13 32 | 06 14 45 | 67 14 37 | 36 16 36 | 48 13 45 |
| IOWA | | 108 | 85 | 93 | 89 | 79 | 98 | 102 | 82 | 89 | 105 | 92 | 83 |
| Cities of 10,000 or more | 461 201 443 | 42 17 49 | 36 18 31 | 42 14 37 | 32 16 41 | 33 14 32 | 36 16 46 | 36 21 45 | 32 20 30 | 39 20 30 | 50 19 36 | 42 13 37 | 41 13 29 |
| KANSAS | 836 | 86 | 54 | 75 | òl | 62 | 68 | 78 | 88 | ٥٥ | 83 | 64 | 51 |
| Cities of 10,000 or more | 145 | 36 17 33 | 23 10 21 | 34 10 31 | 32 7 22 | 17 12 33 | 31 10 27 | 24 18 36 | 32 13 43 | 29 12 25 | 31 17 35 | 25 3 31 | 19 11 21 |

TABLE 10.—STILLBIRTHS, BY MONTHS: 1935—Continued

| AREA AND SEX | All still- births | Jan. | Feb. | Mar. | Apr. | May | June | July | Aug. | Sept. | Oct. | Nov. | Dec. |
|---------------------------|---------------------------|------------------|-----------------|-----------------|-----------------|-----------------|------------------|------------------|-------------------|------------------|-----------------|-----------------|-----------------|
| KENTUCKY | 1,915 | 200 | 143 | 160 | 164 | 184 | 185 | 160 | 144 | 155 | 139 | 143 | 138 |
| Cities of 10,000 or more | - 353 - 101 - 1,461 | 41 8 151 | 25 6 112 | 24 6 130 | 27 12 125 | 34 7 143 | 33 10 142 | 24 9 127 | 36 7 101 | 29 11 115 | 25 10 104 | 25 11 106 | 29 4 105 |
| LOUISIANA | 2,087 | 178 | 160 | 192 | 183 | 162 | 162 | 185 | 173 | 196 | 183 | 158 | 155 |
| Cities of 10,000 or more | 710 296 1,061 | 52 29 97 | 57 24 79 | 66 23 103 | 56 24 103 | 50 la 96 | 57 23 82 | 64 27 94 | 54 25 94 | 55 36 105 | 70 24 89 | 55 20 83 | 74 25 56 |
| MAINE | 531 | 49 | 53 | 49 | 48 | 43 | 51 | 46 | 42 | 32 | 44: | 42 | 32 |
| Cities of 2,500 to 10,000 | 155 73 303 | 8 9 32 | 14 1 38 | 15 9 24 | 15 8 25 | 11 7 25 | 13 6 32 | 13 10 23 | 9 7 26 | 18 2 12 | 18 1 25 | 13 8 21 | 7 5 20 |
| MARYLAND | | 147 | 125 | 113 | 125 | 151 | 118 | 122 | 100 | 127 | 117 | 117 | 154 |
| Cities of 10,000 or more | 847 - 134 - 535 | 87 9 51 | 66 11 48 | 68 7 38 | 65 14 46 | 81 15 55 | 61 8 49 | . 72 15 35 | 47 10 43 | 67 9 51 | 66 16 35 | 76, 8 33 | 91 12 51 |
| MASSACHUSETTS | | 163 | 140 | 157 | 159 | 181 | 166 | 148 | 172 | 158 | 167 | 146 | 143 |
| Cities of 10,000 or more | 90 71 | 153 6 4 | 131 5 4 | 152 2 3 | 146 5 8 | 167 7 7 | 159 4 3 | 125 12 11 | 155 8 9 | 145 8 . 5 | 147 14 6 | 134 8 4 | 125 11 7 |
| MICHIGAN | 2,717 | 227 | 214 | 253 | 246 | 269 | 231 | 210 | 208 | 186 | 211 | 224 | 238 |
| Cities of 10,000 or more | 249 | 147 14 56 | 138 22 54 | 162 24 67 | 159 19 68 | 167 33 69 | 148 19 64 | 151 17 42 | . 124 23 61 | 127 15 44 | 124 22 65 | 147 17 60 | 155 24 59 |
| MINNESOTA | 1,263 | 98 | 97 | 96 | 106 | 105 | 111 | 110 | 105 | 111 | 105 | 108 | 111 |
| Cities of 10,000 or more | - 509 | 10 39 | 49 13 35 | 39 14 43 | 48 9 49 | 50 15 40 | 52 15 44 | 50 14 36 | 42 21 42 | 50 14 47 | 46 10 49 | 45 20 43 | 46 23 42 |
| MISSISSIPPI | | 180 | 187 | 214 | 204 | 173 | 186 | 196 | 175 | 193 | 201 | 207 | 193 |
| Cities of 10,000 or more | | 23 17 140 | 32 6 149 | 26 5 183 | 30 10 164 | 19 11 143 | 21 5 160 | 36 8 152 | 34 6 135 | 34 7 152 | 24 13 164 | 32 8 167 | 34 3 156 |
| MISSOURT | | 186 | 169 | 165 | 178 | 174 | 190 | 197 | 204 | 186 | 187 | 183 | 187 |
| Cities of 10,000 or more | - 194 | 79 24 83 | 81 12 76 | 81 12 72 | 67 21 90 | 90 15 69 | . 85 16 89 | 96 14 87 | 90 21 93 | 97 7 62 | 65 15 87 | 95 13 75 | 62 24 61 |
| MOLITA,NIA | — | 18 | 23 | 21 | 23 | 21 | 18 | 18 | 19 | 19 | 16 | 13 | 23 |
| Cities of 10,000 or more | - 37 | 6 4 8 | 9 3 11 | 8 5 8 | 7 5 11 | 5 5 11 | 1 13 | 10 8 | 2 5 12 | 6 3 10 | 8 2 6 | 4 1 8 | 6 3 14 |
| NEBRASKA | 644 | 64 | 55 | 56 | 56 | 53 | 54 | 63 | 53 | 47 | 44 | 52 | 47 |
| Cities of 2,500 to 10,000 | 112 | 22 12 · 30 | 16 12 27 | 15 10 31 | 13 17 26 | 18 11 24 | 18 8 28 | 26 4 33 | 19 11 23 | 21 8 18 | 17 3 24 | 10 11 31 | 16 5 26 |
| NEVADA | - 31 | 2 | 1 | 3 | 4 | 2 | 4 | . 4 | 3 | 1 | 4 | 2 | 1 |
| Cities of 10,000 or more | - 1 - 5 - 25 | 2 | 1 | 3 | 1 3 , | 2 | 3 | 2 2 | 3 | 1 | 2 2 | 2 | 1 |
| NEW HAMPSHIRE | 265 | 25 | 23 | 25 | 25 | 15 | 24 | 19 | 21 | 26 | 20 | 19 | 23 |
| Cities of 10,000 or more | 154 27 84 | 17 3 5 | 12 3 8 | 13 5 7 | 15 2 7 | 8 2 5 | 16 2 6 | 8 2 9 | 13 2 6 | 3 13 | 15 1 4 | 8 2 9 | 15 6 |
| NEW JERSEY | 1,857 | 156 | 155 | 155 | 165 | 151 | 164 | 150 | 136 | 165 | 159 | 146 | 155 |
| Cities of 10,000 or more | 1,534 168 155 | 129 16 11 | 129 13 13 | 128 13 14 | 137 13 15 | 121 18 12 | 137 13 14 | 125 17 8 | 1)2 10 14 | 140 16 9 | 125 16 18 | 123 10 13 | 128 13 14 |
| NEW MEXICO | 379 | 18 | 41 | 30 | 33 | 40 | 29 | 30 | 36 | 38 | 30 | 25 | 29 |
| Cities of 10,000 or more | 65 93 221 | 5 3 10 | 5 15 23 | 5 4 21 | 5 4 24 | 7 7 26 | 3 10 16 | 9 7 14 | 4 13 19 | 7 10 21 | 7 6 17 | 2 5 18 | 6 11 12 |
| NEW YORK | 7,326 | 636 | 641 | 623 | 596 | 594 | 654 | 634 | 631 | 526 | 592 | 634 | 555 |
| Cities of 10,000 or more | 6,397 314 615 | 546 28 62 | 547 29 66 | 573 21 39 | 514 31 51 | 512 26 54 | 586 22 46 | 540 38 56 | 554 26 51 | 458 18' 50 | 515 27 50 | 563 26 45 | 489 21 45 |
| NORTH CAROLINA | 3,255 | 306 | 276 | 326 | 312 | 303 | 282 | 275 | 276 | 234 | 272 | 213 | 180 |
| Cities of 10,000 or more | 784 380 2,091 | 77 34 195 | 61 29 186 | 81 48 197 | 66 38 208 | 62 33 208 | 81 29 172 | 76 34 165 | 68 38 170 | 52 23 159 | 56 35 181 | 48 23 142 | 56 16 108 |

TABLE 10.—STILLBIRTHS, BY MONTHS: 1935—Continued

| AREA AND SEX | All still- births | Jan. | Feb. | Mar. | Apr. | Мау | June | July | Aug. | Sept. | Oct. | Nov. | Dec. |
|--------------------------|---------------------------|------------------|------------------|------------------|------------------|------------------|------------------|------------------|------------------|------------------|------------------|------------------|------------------|
| NORTH DAKOTA | - 350 | 31 | 31 | 34 | 36 | 28 | 22 | 36 | 21 | 27 | 39 | 25 | 20 |
| Cities of 10,000 or more | - 51 | 7 3 21 | 3 6 22 | 9 5 20 | 6 7 23 | 6 6 16 | 6 1 15 | 10 7 19 | 3 2 16 | 3 5 19 | 10 3 26 | 7 2 16 | 6 4 10 |
| OH IO | 3,225 | 301 | 244 | 289 | 270 | 208 | 297 | 255 | 289 | 256 | 241 | 252 | 263 |
| Cities of 10,000 or more | | 180 29 92 | 150 23 71 | 1 94 30 65 | 169 33 68 | 173 25 70 | 195 31 71 | 174 26 55 | 189 30 70 | 157 29 70 | 157 30 54 | 161 24 67 | 178 20 65 |
| OKT.AHOMA | 1,269 | 113 | 95 | 121 | 103 | 98 | 98 | 96 | 105 | 112 | 98 | 102 | 128 |
| Cities of 10,000 or more | 356 259 654 | 24 28 61 | 28 13 54 | 31 25 65 | 27 22 54 | 27 13 58 | 32 20 46 | 33 18 45 | 26 27 52 | 38 20 54 | 23 24 51 | 22 21 59 | 45 28 55 |
| OREGON | 295 | 28 | 28 | 12 | 29 | 27 | 36 | 30 | 28 | 22 | 18 | 17 | 20 |
| Cities of 10,000 or more | - 77 | 8 12 8 | 9 12 7 | 7 2 3 | 15 8 6 | 15 9 3 | 16 5 15 | 14 7 9 | 9 8 11 | 14 4 4 | 12 1 5 | 11 4 2 | 12 5 3 |
| PENNSYLVANIA | 5,212 | 462 | 418 | 459 | 442 | 422 | 458 | 415 | 399 | 399 | 474 | 445 | 419 |
| Cities of 10,000 or more | 2,939 710 1,563 | 262 63 137 | 226 60 132 | 248 59 152 | 250 58 134 | 238 52 132 | 250 65 143 | 264 57 94 | 217 56 126 | 223 62 114 | 257 76 141 | £54 53 138 | 250 49 120 |
| RHODE ISLAND | 293 | 19 | 22 | 28 | 34 | 24 | 15 | 26 | 33 | 28 | 20 | 22 | 22 |
| Cities of 10,000 or more | 265 7 - 21 | 18 | 20 2 | 26 1 1 | 28 2 4 | 21 1 2 | 14 | 25 1 | 30 1 2 | 23 1 4 | 19 1 | 21 1 | 20 2 |
| SOUTH CAROLINA | 2,474 | 211 | 190 | 232 | 224 | 239 | 193 | 192 | 203 | 227 | 190 | 181 | 192 |
| Cities of 10,000 or more | - 449 - 239 - 1,786 | 43 19 149 | 33 16 139 | 41 21 170 | 40 17 167 | 31 21 187 | 40 21 132 | 36 20 136 | 45 27 131 | 44 23 160 | 34 18 138 | 32 15 134 | 30 19 143 |
| SOUTH DAKOTA | 342 | 29 | 27 | 25 | 24 | 39 | 30 | 26 | 21 | 36 | 40 | 26 | 19 |
| Cities of 10,000 or mora | 83 41 218 | 2 3 24 | 8 4 15 | 5 4 16 | 11 1 12 | 6 5 28 | 11 4 15 | 5 2 18 | 5 2 14 | 7 5 24 | 9 7 24 | 7 2 17 | 6 2 11 |
| TENNESSEE | 2,159 | 209 | 179 | 211 | 160 | 171 | 180 | 180 | 160 | 179 | 185 | 165 | 160 |
| Cities of 10,000 or more | 681 178 1,300 | 55 19 135 | 55 12 112 | 71 22 118 | 10 106 | 50 9 112 | 57 9 114 | 52 18 110 | 50 26 104 | 74 16 89 | 60 11 114 | , 58 11 96 | 55 15 90 |
| TEXAS | 4,370 | 419 | 337 | 367 | 315 | 389 | 331 | 416 | 351 | 348 | 370 | 383 | 344 |
| Cities of 10,000 or more | 1,540 548 2,282 | 130 56 233 | 121 42 174 | 124 47 196 | 109 33 173 | 142 50 197 | 122 42 167 | 141 61 214 | 125 43 183 | 121 40 187 | 127 54 189 | 157 42 184 | 121 38 185 |
| UTAH | 274 | 21 | 24 | 17 | 24 | 24 | 23 | 21 | 35 | 17 | 19 | 23 | 26 |
| Cities of 10,000 or more | - 62 | 8 6 7 | 11 3 10 | 8 4 5 | 8 8 8 | 10 3 11 | 10 7 6 | 12 6 3 | 11 11 13 | 10 2 5 | 10 1 8 | 10 4 9 | 11 7 6 |
| VERMONT | 189 | 16 | 17 | 11 | 11 | 19 | 20 | 18 | 10 | 19 | 18 | 12 | 18 |
| Cities of 10,000 or more | - 43 | 2 2 12 | 2 8 7 | 4 2 5 | 3 1 7 | 6 1 12 | 5 2 13 | 6 3 9 | 1 3 6 | 10 5 | 6 4 8 | 2 2 8 | 5 5 8 |
| VIRGINIA | 2,182 | 204 | 177 | 193 | 209 | 190 | 167 | 168 | 164 | 187 | 156 | 172 | 195 |
| Cities of 10,000 or more | - 157 | 60 6 138 | 53 13 111 | 57 22 114 | 56 10 143 | 64 15 111 | 53 10 104 | 56 10 102 | 51 15 98 | 71 9 107 | 12 100 | 57 15 100 | 68 20 107 |
| WASHINGTON | 476 | 47 | 39 | 41 | 31 | 38 | 42 | 44 | 41 | 43 | 32 | 45 | 33 |
| Cities of 10,000 or more | - 45 | 33 3 11 | 27 3 9 | 29 4 8 | 21 2 8 | 23 6 9 | 28 3 11 | 30 3 11 | 27 6 8 | 32 4 7 | 18 3 11 | 34 5 6 | 30 |
| WEST VIRGINIA | 1,645 | 123 | 157 | 153 | 127 | 140 | 130 | 157 | 133 | 132 | 133 | 137 | 123 |
| Cities of 10,000 or more | 207 - 1,106 | 9 16 98 | 35 19 103 | 30 18 105 | 16 13 98 | 36 20 84 | 30 19 81 | 34 25 98 | 26 13 94 | 30 17 85 | 34 16 83 | 30 21 86 | 22 10 91 |
| WISCONSIN | 1,251 | 115 | 103 | 121 | 101 | 110 | 99 | 102 | 95 | 90 | 93 | 115 | 107 |
| Cities of 10,000 or more | 195 | 50 20 45 | 48 14 41 | 57 17 47 | 45 14 42 | 53 21 36 | 43 17 39 | 49 21 32 | 47 14 34 | 39 13 38 | 49 12 32 | 47 15 53 | 49 17 41 |
| WYOMING | - 86 | 5 | 9 | 10 | 6 | 11 | 7 | 6 | 10 | 5 | 4 | 5 | 8 |
| Cities of 10,000 or more | 12 13 61 | 1 4 | 27 | 2 1 7 | 1 2 3 | 2 3 6 | 7 | 1 5 | 2 3 5 | 5 | 1 3 | 1 1 3 | 1 1 6 |

TABLE 10.—STILLBIRTHS, BY MONTHS: 1935—Continued

| AREA AND SEX | All still- births | Jen. | Feb. | Mar. | Apr. | Mey | June | July | Aug. | Sept. | Oct. | Nov. | Dec. |
|---|--|--|--|--|--|---|--|---|---|---|---|--|---|
| Cities having 100,000 or more inhabitants in 1930 | | | | | | | | | | | | | |
| Birmingham, Ala. Long Beach, Calif. Los Angeles, Calif. Cakland, Calif. San Diego, Calif. San Francisco, Calif. Denver, Colo. Bridgeport, Conn. Hartford, Conn. Now Rieven, Conn. Wilmington, Del. Washington, Del. Washington, D. C. Jacksonville, Fla. Mimmi, Fla. Tampa, Fla. Atlanta, Ga. Chicago, Ill. Peoria, Ill. Feernswille, Ind. Fort Wayne, Ind. Gary, Ind. Indienapolis, Ind. South Bend, Ind. | 259 56 413 109 91 146 167 71 99 64 77 409 184 99 77 280 1,342 57 60 47 57 167 22 89 | 16 •5 33 7 10 16 13 5 8 30 25 7 6 28 115 5 7 8 7 10 10 10 10 10 10 10 10 10 10 | 26 29 9 9 3 14 14 5 11 1 4 33 15 6 6 14 19 105 5 3 4 4 13 | 16 38 28 10 7 14 12 6 8 8 8 8 37 17 3 7 14 113 3 6 2 3 3 14 | 20 75 10 8 13 18 13 19 11 7 28 10 28 11,7 3 7 4 3 6 2 8 | 15 25 55 11 9 12 9 12 9 5 10 5 6 8 37 8 6 13 100 2 4 3 6 6 15 2 9 9 | 17 10 66 65 17 66 88 32 14 106 4 35 5 5 17 | 25 45 35 8 9 14 14 8 10 3 4 3 13 12 5 28 127 5 14 14 15 16 16 16 16 16 16 16 16 16 16 16 16 16 | 25 7 35 15 11 14 15 6 7 3 6 9 20 8 5 25 116 7 3 5 5 15 117 7 3 5 10 10 10 10 10 10 10 10 10 10 10 10 10 | 20 55 55 10 18 4 8 4 4 22 10 2 55 10 2 5 10 6 6 4 5 14 5 14 5 14 7 7 7 7 8 7 8 7 8 7 8 7 8 7 8 7 8 7 8 | 28 7 43 8 3 7 14 6 6 5 11 38 8 6 24 123 8 8 14 1 8 14 1 8 1 1 8 14 1 8 1 1 | 31 9 40 15 13 15 3 8 5 6 5 3 14 17 117 117 115 6 4 21 22 10 | 19 4 35 5 11 8 3 8 6 5 43 10 25 101 7 7 2 2 88 |
| Kansas City, Kans. Wichita, Kans. Louisville, Ky. New Orleans, La. Beltimore, Ma. Boston, Mass. Cambridge, Mass. Fall River, Mass. Lowell, Mass. Lynn, Mass. New Bedford, Mass. Somerville, Mass. Springfield, Mass. Detroit, Mich. Crand Rapids, Minh. Duluth, Minn. St. Faul, Minn. Kansas City, Mo. St. Louis, Mo. Omaha, Nebr. Comden, N. J. | 74 46 46 73 47 72 123 800 124 98 67 236 139 | 77 21 30 76 38 3 9 4 1 1 6 5 7 9 3 1 1 2 2 7 1 1 2 2 1 2 1 2 1 2 1 2 1 2 1 | 6 3 11. 21. 47 34 4 7 2 2 3 6 5 12 65 14 8 5 5 10 19 49 8 15 | 47 130 533 30 53 77 75 73 4 77 16 73 19 10 17 47 71 | 76 100 356 308 885 223 317 704 111 174 142 348 13 | 3 2 21 26 1 34 5 5 7 6 6 8 7 1 1 82 7 9 7 22 14 5 56 1 1 7 | 10 4 10 27 52 40 5 7 5 5 5 5 10 70 8 10 10 22 12 5 6 14 13 | 63 163 356 234 55 151 155 11.75 11.186 244 17.1364 200 12.12 | 6 4 23 27 20 7 5 6 3 4 1 9 9 7 5 16 6 13 57 8 9 | 5 7 11 39 60 28 6 7 2 13 5 6 8 10 62 6 5 3 18 119 57 13 15 | 10 2 9 37 50 34 6 5 5 5 5 5 5 8 6 4 17 120 50 128 128 138 148 159 169 179 189 189 189 189 189 189 189 18 | 85 142 359 333 52 3 9 2 2 5 8 8 68 14 9 9 13 10 14 63 7 11 | 5 2 16 47 69 31 10 5 7 2 7 4 4 9 60 14 10 3 22 11 14 43 10 8 |
| Elizabeth, N. J. Jensey City, N. J. Newark, N. J. Paterson, N. J. Trenton, N. J. Trenton, N. J. Buffalo, N. Y. Buffalo, N. Y. Bronx Borough Brooklyn Borough Manhetten Borough Queens Borough Richmond Horough Rochester, N. Y. Syracuse, N. Y. Utica, N. Y. Akron, Ohio Canton, Ohio Clevelend, Ohio Columbus, Ohio Dayton, Ohio Toledo, Ohio Toledo, Ohio Toledo, Ohio Toledo, Ohio Toledo, Ohio Toledo, Ohio Toledo, Ohio | 79 77 42 361 4,754 637 1,821 1,794 417 65 123 127 50 54 127 427 427 427 451 163 | 1 24 23 9 9 6 3 3 34 410 53 148 166 34 9 111 11 6 5 3 20 37 13 9 8 8 | 8 22 23 | 10 18 28 5 5 5 25 5 436 166 176 153 42 4 4 10 6 6 17 47 17 17 | 6 18 23 11 7 7 7 7 7 7 7 7 9 8 10 140 28 8 4 4 4 4 4 10 11 11 11 11 11 | 10 14 23 9 4 6 24 50 155 139 34 6 10 14 5 14 15 15 11 18 42 15 15 15 11 11 11 11 11 11 11 11 11 11 | 5 20 29 6 8 3 5 55 5 5 11 16 5 2 21 4 26 48 14 6 11 10 | 5, 21, 19, 3, 7, 24, 41, 24, 41, 24, 41, 24, 41, 24, 41, 24, 41, 24, 41, 24, 27, 36, 15, 66, 11, 7 | 7 23 20 2 6 5 5 4 49 150 33 13 17 15 6 4 10 6 6 23 34 11 11 16 18 | 5 25 25 21 1 6 4 26 346 40 125 141 30 10 3 8 1 1 3 6 3 22 27 14 8 5 14 14 8 15 14 15 16 10 10 10 10 10 10 10 10 10 10 10 10 10 | 6 21 24 5 7 3 22 385 157 39 4 10 2 2 4 10 1 222 36 12 4 9 12 | 69 19 16 16 17 48 387 54 158 26 6 7 12 6 7 11 2 21 39 3 3 12 | 12 26 21 3 9 1 24 354 45 138 131 10 10 12 8 2 11 7 6 25 41 14 8 9 7 |
| Oklehoma City, Okla. Tulsa, Okla. Furlsa, Okla. Fortland, Oreg. Erie, Pe. Fhiladelphia, Pa. Fhiladelphia, Pa. Flitsburgh, Pa. Reading, Pa. Scranton, Pa. Frovidence, R. I. Chattencoga, Tenn. Knoxville, Tenn. Memphis, Tenn. Nashville, Tenn. Dallad, Tex. El Paso, Tex. Fort Worth, Tex. Houston, Tex. San Antonio, Tex. San Antonio, Tex. Sat Lake City, Utah Norfolk, Va. Richmond, Va. Scattle, Wash. Spokane, Wash. Milwaukee, Wis. | 370 54 98 137 137 91 218 163 202 96 | 7 3 8 4 4 77 38 4 4 12 10 19 4 11 13 20 6 6 9 15 24 7 16 8 11 2 2 4 14 | 10 4 4 1 80 31 3 7 7 11 9 6 21 10 10 14 5 11 24 7 10 10 10 10 10 10 10 10 10 10 | 8 9 2 2 11 88 35 2 9 15 20 14 14 11 14 24 6 6 12 20 9 5 5 | 13 5 9 4 60 28 9 10 11 12 13 11 14 7 8 12 10 12 11 12 11 11 12 11 11 11 | 6 4 11 3 68 28 1 21 11 7 6 14 17 16 7 10 19 18 8 10 13 18 8 4 4 15 | 8 10 10 2 2 5 4 9 11 17 11 120 8 6 15 15 14 12 17 17 17 17 17 17 17 17 17 17 17 17 17 | 16 5 15 5 92 38 4 2 15 15 17 19 10 17 12 7 21 24 9 16 12 10 5 5 3 | 7 8 8 5 72 22 27 4 4 9 9 10 16 5 3 20 10 10 10 3 3 2 22 | 9 10 11 3 61 28 6 10 12 9 6 34 20 17 4 7 15 22 6 6 14 7 3 10 | 7 67 8 73 29 9 5 9 120 20 5 7 16 20 8 9 6 8 8 4 18 | 12 37 9 83 34 36 111 6 22 8 8 23 23 25 9 14 16 8 6 11 11 11 12 13 | 10 9 11 10 84 28 5 3 7 9 4 18 20 14 7 11 17 19 5 18 15 10 5 3 |

TABLE 11.—STILLBIRTHS, BY RACE, AND PARENT NATIVITY OF WHITE: 1935

| | 1 | T | | | | | | | | | | | | |
|--|--|--|---|--|--|--|---|--|---|--|-------------------|--------------------|--|-------------------|
| | | ļ, | | | WHITE | | | | - | | OTHER I | ACES | | |
| area and sex | All still- | | Bot (| h parents | _ | Mix / | ed parent | age | | | | | | |
| | births | Total | Native | Foreign | Unknown | Native and foreign | Native and unknown | Foreign and unknown | Total | Negro | Indian | Chinese | Japanese | Minor |
| United States | 77,119 42,658 32,845 | 58,767 32,407 25,076 | 47,801 26,526 20,361 | 4,324 2,299 1,874 | 179 109 65 | 4,684 2,542 2,000 | 1,692 890 737 | 87 41 39 | 18,352 10,251 7,769 | 18,063 10,102 7,631 | 206 109 98 | 16 5 10 | 44 24 20 | 21 11 10 |
| Not stated | 1,616 | 1,284 | 914 | 151 | 5 | 142 | 65 | 7 | 332 | 330 | 1 | 1 | | |
| Cities of 10,000 or more | 36,173 19,599 15,483 1,091 8,120 4,647 3,373 100 32,826 18,412 13,989 425 | 29,594 15,961 12,714 919 6,707 3,824 2,798 85 22,466 12,622 9,564 280 | 21,616 11,736 9,292 588 5,650 3,337 2,438 75 20,335 11,453 8,631 251 | 3,412 1,799 1,471 142 303 168 130 5 609 332 273 4 | 92 55 33 4 19 13 6 68 41 26 | 3,484 1,880 1,472 132 350 201 157 2 840 461 371 8 | 920 458 416 46 171 104 64 3 601 328 257 16 | 70 33 30 7 4 1 3 | 6,579 3,638 2,769 172 1,413 823 575 15 10,360 5,790 4,425 145 | 6,501 3,607 2,723 171 1,380 803 562 15 10,182 5,692 4,346 144 | 21 8 13 | 16 5 10 1 | 26 13 13 4 3 1 1 | 15 5 10 |
| ALABANA | 3,003 | 1,297 | 1,222 | 1 | 4 | 11 | 59 | | 1,706 | 1,706 | | | | |
| Cities of 10,000 or more | 663 194 2,146 | 279 113 905 | 256 105 861 | 1 | 1 1 2 | 6 5 | 15 7 37 | | 384 81 1,241 | 384 81 1,241 | | | | |
| ARIZONA | 255 | 222 | 126 | 43 | 1 | 43 | 9 | | 33 | 11 | 21 | 1 | | |
| Cities of 10,000 or more | 98 51 106 | 89 47 86 | 55 27 44 | 52 12 9 | 1 | 17 8 18 | 2 | | 9 4 20 | 3 | 1 20 | | | |
| Cities of 10,000 or more | 1,350 | 785 | 759 83 | | 2 | 3 | 21 | | 565 55 | 565 | | | | |
| Cities of 2,500 to 10,000 Rural | 150 1,058 1,957 | 77 621 1,859 | 75 601 1,281 | 284 | 1 | 3 269 | 1 16 23 | 2 | 73 437 98 | 73 437 37 | 9 | 7 | 33 | 12 |
| Cities of 10,000 or more | 1,226 260 471 539 | 1,162 252 445 533 | 812 176 293 402 | 146 40 98 27 | 51 | 184 34 51 48 | 18 2 3 33 | 2 2 | 64 8 26 6 | 30 1 6 5 | 3 6 1 | 7 | 20 2 11 | 7 2 3 |
| Cities of 10,000 or more | 251 102 186 587 | 246 102 185 564 | 179 84 139 351 | 7 2 18 116 | 17 1 3 | 21 9 18 | 21 6 6 | 1 | 5 1 23 | 5 | 1 | | | |
| Cities of 10,000 or more | 501 23 63 | 479 23 62 | 302 11 38 | 100 4 12 | | 68 6 11 | 9 2 1 | | 22 | 22 | | | | |
| DRIAWARE | 148 | 101 | 86 | 3 | | 8 | 4 | | 47 | 47 | | | | |
| Cities of 10,000 or more Cities of 2,500 to 10,000 Rurel | 77 22 49 409 | 59 14 28 222 | 46 14 26 182 | 3 | 3 | 7 1 1 18 | 1 10 | 1 | 16 8 21 187 | 18 8 21 187 | | | | |
| FLORIDA | 1,573 | 721 | 666 | 8 | 1 | 51 | 24 | 1 | 852 | 852 | | | | |
| Cities of 10,000 cr more | 588 237 748 3,877 | 261 114 346 1,477 | 228 108 330 1,417 | 4 3 1 3 | 1 | 17 | 11 2 11 49 | 1 | 327 123 402 2,400 | 327 123 402 2,399 | | | | |
| Cities of 10,000 or more | 944 402 2,531 | 395 182 900 | 373 175 869 | 3 | 1 | 5 2 | 13 5 31 | | 549 220 1,631 | 548 220 1,631 | | 1 | | |
| TDAHO | 217 | 215 | 189 | 2 | 2 | 17 | 4 | 1 | 2 | | 2 | | | |
| Cities of 10,000 or more | 32 93 92 3,308 | 32 92 91 3,064 | 27 83 79 2,428 | 2 251 | 1 1 12 | 5 4 8 294 | 2 2 76 | 1 3 | 1 1 244 | 242 | 1 1 | | | 2 |
| Cities of 10,000 or more | 2,249 336 723 1,430 | 2,037 324 703 1,345 | 1,467 292 669 1,240 | £29 15 7 30 | 10 1 1 | 273 9 12 45 | 56 7 13 29 | 2 | 212 12 20 85 | 210 12 20 85 | | | | 2 |
| Cities of 10,000 or more | 761 192 477 1,105 | 680 190 475 1,092 | 599 181 460 982 | 29 1 | 1 | 35 5 5 | 16 3 10 44 | 2 | 81 2 2 13 | 81 2 2 13 | | | | |
| Cities of 10,000 or more | 461 201 443 | 451 200 441 | 393 182 407 | 8 4 5 | 1 | 18 10 18 | 30 4 10 | 1 | 10 1 2 | 10 1 2 | | | | |
| <pre>KANSAS Cities of 10,000 or more Cities of 2,500 to 10,000 Rural</pre> | 836 333 145 358 | 778 287 143 348 | 712 257 135 320 | 18 11 1 6 | 1 2 1 | 8 2 14 | 16 10 2 4 | 1 3 | 58 46 2 10 | 58 46 2 10 | | | | |

TABLE 11.—STILLBIRTHS, BY RACE, AND PARENT NATIVITY OF WHITE: 1935—Continued

| | | | | | WHITE | | | | | | OTHER E | RACES | | |
|--|---------------------|---------------------|--------------------------|-----------------------|--------------|--------------------------|--------------------------|---------------------------|---------------------|---------------------|---------------|---------|----------|----------------|
| area and sex | All still- | | Во | th parents | ı <u> </u> | Міл | ted parent | tage | | | | | | · |
| and an oak | births | Total | Native | Foreign | Unknown | Native and foreign | Native and unknown | Foreign end unknown | Total | Negro | Indian | Chinese | Japanese | Minor races |
| KENTUCKY | 1,915 | 1,737 | 1,710 | 4 | | 4 | 19 | | 178 | 178 | | | | |
| Cities of 10,000 or more | 353 101 1,461 | 288 82 1,367 | 278 81 1,351 | 2 1 1 | | 22 | 6 | | 65- 19 94 | 65 19 94 | | | | |
| _ LOUISIANA | 2,087 | 830 | 785 | 6 | 5 | 15 | 18 | 1 | 1,257 | 1,254 | 2 | | | 1 |
| Cities of 10,000 or more | 710 296 1,081 | 331 118 381 | 304 112 369 | 5 | 3 2 | 5 3 7 | 13 3 2 | 1 | 379 178 700 | 379 178 697 | 2 | | | 1 |
| MAINE | 531 | 530 | 402 | 26 | | 89 | ìz | 1 | 1 | | 1 | | | |
| Cities of 10,000 or more | 155 73 303 | 155 72 303 | 109 57 236 | 11 5 10 | | 33 9 47 | 2 1 9 | 1 | 1 | | 1 | | | |
| - MARYLAND | 1,516 | 1,022 | 916 | 28 | | 48 | 29 | 1 | 494 | 493 | | | | / 1 |
| Cities of 10,000 or more | 134 | 585 100 337 | 501 93 322 | 26 2 | | 39 3 6 | 19 4 6 | 1 | 262 34 198 | 261 34 198 | | | | |
| - MASSACHUSETTS | , | 1,878 | 1,119 | 325 | 2 | 347 | 75 | 9 | 22 | 20 | 1 | 1 | | |
| Cities of 10,000 or more | 90 | 1,718 89 71 | 1,017 55 47 | 303 14 9 | 2 | 321 16 10 | 66 4 5 | | 21 1 | 19 1 | 1 | 1 | | |
| MICHIGAN | 2,717 | 2,565 | 1,935 | 227 | 3 | 341 | 56 | 3 | 152 | 145 | 7 | | | |
| Cities of 10,000 or more | 1,749 249 719 | 1,511 246 708 | 1,124 208 603 | 180 16 31 | 1 1 | 267 16 58 | 36 5 15 | 3 | 138 3 11 | 136 3 6 | 2 5 | | | |
| MINNESOTA | 1,263 | 1,249 | 1,018 | 50 | 1 | 127 | 50 | 3 | 14 | 3 | 10 | | | 1 |
| Cities of 10,000 or more | 576 178 509 | 573 177 499 | 433 154 431 | 32 4 14 | 1 | 70 15 42 | 35 4 11 | 3 | 10 | . 1 | <u>-</u> 9 | | | 1 |
| MISSISSIPPI | | 675 | 664 | | | 1. | 10 | | 1,634 | 1,634 | | | | |
| Cities of 10,000 or more———————————————————————————————————— | 345 99 1,865 | 139 49 487 | 136 49 479 | | | 1 | 2 8 | | 206 50 1,378 | 206 50 1,378 | | | | |
| Cities of 10,000 or more | 2,206 | 1,923 | 1,763 | 23 22 | . 1 | 46 | 89 |] | 283 | 280 | 1 | 1 | | 1 |
| Cities of 2,500 to 10,000 | 194 984 | 176 936 | 170 902 | 1 | 1 | 36 2 8 | 60 3 26 | 1 | 217 18 48 | 214 18 48 | 1 | 1 | | 1 |
| MONTANA | 232 | 219 | 170 | 11 | | 52 | 6 | | 13 | | 12 | | 1 | |
| Cities of 10,000 or more | 75 37 120 | 75 35 109 | 57 28 85 | 5 1 5 | | 9 6 17 | 2 | | 2 11 | | 11 | | 1 | |
| NEBRASKA | 644 211 | 629 203 | 553 167 | . 19 8 | 1 | 42 19 | 14 | | 15 8 | В | 7 | | * | |
| Cities of 2,500 to 10,000 | 112 321 31 | 112 314 30 | 100 286 23 | 5 6 3 | 1 | 5 18 3 | 2 3 | | 7 | 8 | 7 | | | |
| Cities of 10,000 or more Cities of 2,500 to 10,000 | 1 5 | 1 5 | 1 5 | | | | | | | | | | | |
| Rural | 25 265 | 24 265 | 17 186 | 3 12 | | 3 49 | 1 17 | 1 | 1 | | 1 | | | |
| Cities of 10,000 or more | 154 27 84 | 154 27 84 | 102 24 50 | 8 1 3 | | 34 1 14 | 9 1 7 | 1 | | | | | | |
| Cities of 10,000 or more | 1,857 | 1,635 | 1,083 | 265 | 5 | 236 | 43 | 3 | 222 | 222 | | | | |
| Cities of 2,500 to 10,000 | 168 155 379 | 148 138 378 | 870 108 105 321 | 231 22 12 14 | 2 | 210 12 14 20 | 32 6 5 22 | 3 | 185 20 17 | 165 20 17 | | | | |
| Cities of 10,000 or more | 65 93 221 | 64 93 221 | 59 72 | 1 6 | | 3 6 | 1 8 | 1 | 1 | 1 | | | | |
| NEW YORK | 7,326 | 6,629 | 190 3,949 | 7 | 42 | 1,026 | 13 | 26 | 697 | 682 | 9 | 3 | 1 | 2 |
| Cities of 10,000 or more | 6,397 314 615 | 5,740 300 589 | 3,246 215 488 | 1,343 36 36 | 42 | 940 38 48 | 143 11 17 | 26 | 657 14 26 | 647 14 21 | 4 | 3 | 1 | 2 |
| NORTH CARCLINA | 3,255 | 1,634 | 1,553 | 1 | 54 | 8 | 18 | | 1,621 | 1,596 | 25 | | | |
| Cities of 10,000 or more | 764 380 2,091 | 342 245 1,047 | 323 235 995 | 1 | 1 9 44 | 6 1 1 | 7 | | 442 135 1,044 | 442 128 1,026 | 7 18 | | | |

TABLE 11.—STILLBIRTHS, BY RACE, AND PARENT NATIVITY OF WHITE: 1935—Continued

| | | | | | WHITE | | | | | | OTHER I | RACES | | |
|--|-----------------------|-----------------------|-----------------------|------------------|---------|--------------------------|--------------------------|---------------------------|-----------------|-----------------|----------------|---------|----------|----------------|
| area and sex | All still- | | Bot | h parents | ı | Mi | ed parent | tage | | | | | | |
| | births | Total | Native | Foreign | Unknown | Native and foreign | Native and unknown | Foreign and unknown | Total | Negro | Indian | Chinese | Japanese | Minor races |
| NORTH DAKOTA | 350 | 337 | 241 | 24 | | 58 | 14 | | 13 | | 13 | | | |
| Cities of 10,000 or more | 76 51 223 | 76 51 210 | 52 39 150 | 3 21 | | 13 11 34 | 8 1 5 | | 13 | | 13 | | | |
| OHIO | 3,225 | 2,903 | 2,472 | 162 | | 190 | 76 | 3 | 322 | 322 | | | | |
| Cities of 10,000 or more | 2,077 330 818 | 1,801 313 789 | 1,467 288 717 | 132 11 19 | | 161 6 23 | 38 8 30 | 3 | 276 17 29 | 276 17 29 | | | | |
| OKIAHOMA | 1,269 | 1,100 | 1,068 | 4 | 1 | 7 | 20 | | 169 | 121 | 48 | | | |
| Cities of 10,000 or more | 356 259 654 | 291 230 579 | 281 222 565 | 1 1 2 | 1 | 3 3 1 | 5 4 11 | | 65 29 75 | 55 17 49 | 10 12 26 | | | |
| OREGON | 295 | 286 | 248 | 11 | | 24 | 3 | | 9 | 3 | 3 | 1 | 2 | |
| Cities of 10,000 or more | 142 77 76 | 137 76 73 | 117 67 64 | 8 2 1 | | 11 5 8 | 2 | | 5 1 3 | 3 | 1 2 | 1 | 1 | |
| PENNSYLVANIA | 5,212 | 4,809 | 3,901 | 406 | 2 | 406 | 91 | 3 | 403 | 402 | | | | 1 |
| Cities of 10,000 or more | 2,939 710 1,563 | 2,591 697 1,521 | 2,014 576 1,311 | 256 50 100 | 11 | 270 49 87 | 49 21 21 | 1 1 1 | 348 13 42 | 347 13 42 | | | | 1 |
| RHODE ISLAND | 293 265 | 286 | 164 | 54 49 | | 59 56 | 9 | | 7 | 7 | | | | |
| Cities of 2,500 to 10,000 | 7 21 | 7 21 | 5 13 | 2 3 | | 3 | 2 | | | | | | | |
| Cities of 10,000 or more | 2,474 | 722 139 | 132 | | | 1 | 29 6 | | 1,752 310 | 310 | 1 | | | |
| Cities of 2,500 to 10,000Rural | 239 1,786 | 95 488 | 92 468 | | | | 3 20 | | 144 1,298 | 144 | 1 | | | |
| SOUTH DAKOTACities of 10,000 or more | 342 83 | 325 83 | 73 | 8 2 | 2 | 24 | 7 | | 17 | | 17 | | | |
| Cities of 2,500 to 10,000 Rural | 41 218 | 41 201 | 39 172 | 6 | 2 | 1 19 | 1 2 | | 17 | | 17 | | | |
| TENNESSEE | 2,159 | 1,613 | 1,520 | 1 | 1 | 8 | 83 27 | | 546 284 | 546 284 | | | | |
| Cities of 2,500 to 10,000Rurel | 178 | 132 | 126 | | 1 | 1 | 5 51 | | 46 216 | 46 216 | | | | |
| TEXAS | 4,370 | 3,346 | 821 | 296 165 | 5 | 284 146 | 101 | 12 | 1,024 | 1,024 | | | | |
| Citles of 10,000 or more | 1,540 548 2,282 | 1,191 456 1,699 | 384 1,443 | 30 101 | 1 3 | 26 112 | 14 39 | 1 | 92 583 | 92 583 | | | | |
| UPAH | 274 119 | 119 | 101 | 8 | | 12 | | | 1 | | 1 | | | |
| Cities of 10,000 or more Cities of 2,500 to 10,000 Rural | 62 93 189 | 62 92 189 | 56 86 148 | 2 | | 6 4 20 | 7 | | 1 | | 1 | | | |
| Cities of 10,000 or more | 46 43 | 46 43 | 34 31 | 4 5 | | 5 7 | 2 | | | | | | | |
| RuralVIRGINIA | 100 | 100 | 83 1,105 | 5 | | 7 | 5 46 | | 1,016 | 1,016 | | | | |
| Cities of 10,000 or more | 690 157 | 341 116 | 321 111 | 2 | | 7 | 11 5 | | 349 41 | 349 41 | | | | |
| Rural WASHINGTON | 1,335 476 | 709 463 | 673 382 | 2 19 | | 58 | 30 4 | | 626 13 | 626 | 3 | 1 | 6 | |
| Cities of 10,000 or more | 332 45 99 | 322 44 97 | 264 37 81 | 13 2 4 | | 41 5 12 | 4 | | 10 1 2 | 3 | 2 1 | 1 | 1 1 | |
| WEST VIRGINIA | 1,645 | 1,534 | 1,374 279 | 26 | 1 | 30 5 | 20 | 1 | 20 | 20 | | | | |
| Cities of 10,000 or more———————————————————————————————————— | 207 1,106 1,251 | 189 1,033 1,228 | 176 919 1,043 | 1 17 40 | 1 | 5 20 106 | 7 75 37 | 1 2 | 18 73 23 | 18 73 11 | 12 | | | |
| Cities of 10,000 or more | 576 195 480 | 573 195 460 | 463 175 405 | 25 2 13 | | 65 13 28 | 19 5 13 | 1 | 3 20 | 3 | 12 | | 1 | |
| WYOMING | B6 12 | 12 | 75 | 1 | | 3 | | | 2 | | | | | |
| Cities of 2,500 to 10,000 | 13 61 | 13 59 | 12 52 | 1 4 | | 3 | | | 2 | | 1 | | 1 | |

TABLE 12.—STILLBIRTHS OF WHITE CHILDREN, BY SEX, AND COUNTRY OF BIRTH OF PAPENTS, IN THE UNITED STATES: 1935

| • | | - | | | | cor | NTRY OF I | BIRTH OF I | ATHER | | | | | |
|--|---|--|---|--|---|--|--|-----------------------------------|---|--|--|--|------------------------------------|---|
| | All | | | | | | Fore | gn Countr | y. | | | | | |
| COUNTRY OF BIRTH OF MOTHER | white still- births | United States | Total | Austria, Hungary | Canada | Den- mark, Nor- way, Swe- den | Eng- land, Scot- land, Wales | Ireland | Germany | Italy | Poland | Russia | Other foreign coun- tries | Country not stated |
| Total | 58,767 32,407 25,076 1,284 | 49,405 27,395 21,034 976 | 7,482 4,013 3,236 233 | 466 241 207 18 | 550 290 253 7 | 339 167 158 14 | 380 205 164 11 | 460 241 191 28 | 453 256 175 22 | 1,693 921 712 60 | 535 288 239 | 564 328 210 26 | 2,042 1,076 927 39 | 1,880 999 806 75 |
| United States | 52,573 | 47,801 | 3,144 | 161 | 361. | 212 | 215 | 119 | 214 | 671 | 190 | 233 | 768 | 1,628 |
| Total foreign Austria, Hungary Canada Dommark, Norway, Sweden England, Scotland, Wales Iroland Gormany Italy Poland Russia Other foreign countries | 5,937 402 600 179 366 484 339 1,140 466 403 1,558 | 1,540 77 362 72 192 121 93 133 87 101 | 4,524 322 223 104 166 359 242 1,002 374 298 1,234 | 303 256 2 1 2 1 10 1 11 15 4 | 189. 2 168 9 2 1 4 3 | 127 4 95 4 6 | 165 | 341 -4 -15 320 -1 | 237 11 6 2 1 206 2 3 1 5 | 1,020 1 2 1 1 1 2 983 3 5 21 | 344 9 1 1 306 18 9 | 327 21 4 3 6 2 35 242 14 | 1,271 18 14 | 73 3 15 3 8 4 4 5 5 5 4 22 |
| Country not stated | 257 | 64 | 14 | 2 | | | | | 2 | 2 | ı | 4 | 3 | 179 |

TABLE 13.—STILLBIRTHS, BY SEX, AND AGE OF PARENTS, IN THE UNITED STATES: 1935

| SEX OF STILLBIRTH AND | All | | | | | AG | e of father | - | | | | |
|---|-------------------------------------|-------------------|---------------------------|---------------------------------|---------------------------------|---------------------------------|---------------------------------|--------------------------------|-------------------------------|---------------------------|-------------------------|--------------------------------|
| AGE OF MOTHER | still- births | 10 to 14 years | 15 to 19 years | 20 to 24 years | 25 to 29 years | 30 to 34 years | 35 to 39 years | 40 to 44 years | 45 to 49 years | 50 to 54 years | 55 years and over | Not stated |
| . Total | 77,119 42,658 32,845 1,616 | 1, | 1,262 706 535 21 | 13,251 7,511 5,539 201 | 16,532 9,149 7,040 343 | 13,352 7,364 5,668 320 | 11,354 6,253 4,827 274 | 7,674 4,154 3,349 171 | 4,115 2,257 1,768 90 | 1,613 906 685 22 | 955 523 421 11 | 7,010 3,835 3,012 163 |
| 10 to 14 years | 124 84 3 | 1 | 27 14 | 24 17 | 8 3 | 2 | 2 1 | 1 | 1 | <u>, 1</u> | | 58 48 -3 |
| 15 to 19 years | 5,715 4,393 164 | | 548 412 13 | 2,930 2,205 78 | 918 721 . 22 | 231 180 2 | 86 66 | 28 19 2 | 15 11 2 | 4 3 1 | 4 8 | 951 768 44 |
| 20 to 24 years | 11,054 8,328 404 | | 123 102 8 | 3,998 2,886 111 | 4,177 3,203 170 | 1,229. 967 50 | 458 351 14 | 168 97 7 | 65 51 1 | 30 24 1 | 30 18 | 776 629 42 |
| 25 to 29 years | 9,173 7,145 358 | | 5 3 | 464 357 11 | 3,440 2,643 136 | 3,118 2,342 121 | 1,189 988 47 | 373 308 20 | 130 132 4 | 54 55 2 | 36 37 | 364 280 17 |
| 30 to 34 yearsKale Female Not stated- | 6,952 5,441 335 | | 2 | 57 46 | 502 376 12 | 2,361 1,854 133 | 2,395 1,811 114 | 887 740 45 | 339 [/] 264 18 | 141 89 1 | 84 , 78 | 186 181 12 |
| 35 to 39 years | 5,500 4,265 214 | | 2 1 | 13 9 | 72 65 1 | 381 292 10 | 1,895 1,419 92 | 1,766 1,470 62 | 819 592 26 | 276 176 7 | 161 121 4 | 115 120 12 |
| 40 to 44 years | 2,356 1,914 68 | | | 3 2 | 10 8 | 26 21 2 | 195 170 5 | 885 680 35 | 730 602 31 | 305 257 10 | 141 122 5 | 61 42 |
| 45 to 49 years | 361 252 9 | | | | 2 | 2 | 11 6 | 31 26 | 150 111 7 | 91 67 | 64 36 2 | 12 |
| 50 to 54 years | 8 5 | | | | | 1 | 1 1 | 1 | | 3 2 | 3 1 | |
| Not stated | 1,415 1,018 41 | | 1 1 | 22 17 1 | 22 19 2 | 13 12 2 | 21 14 `2 | 15 8 | 8 5 1 | 1 2 | | 1,312 940 33 |



TABLE 14.—STILLBIRTHS, WITH THE NUMBER OF CHILD IN ORDER OF BIRTH, BY SEX, RACE, AND AGE OF MOTHER, AND FOR WHITE BY COUNTRY OF BIRTH OF MOTHER, IN THE UNITED STATES: $\frac{1}{2}$ / 1935

| | | T T | | n or wa | | | | WHO | | | • | | | | _ | |
|-------------------------------------|---|---|---|--|--|---|------------------------------------|--|--|---------------------------------------|--|---|----------------------------------|---|--------------------------------------|---|
| | | | | | | | | ountry | of birth | of mother | • | ********* | *** | | | |
| NUMBER AND SEX OF CHILD AND | All still- | | | | | | | I | oreign co | untry | | | | | | Other races |
| AGE OF MOTHER | births | Total | United States | Total | Aus- tria, Hun- gary | Canada | Den- mark, Norway, Sweden | Eng- land, Scot- land, Wales | Ireland | Gerrany | Italy | Poland | Russia | Other foreign coun- tries | Coun- try not stated | |
| Total | 75,219 41,654 31,958 1,607 | 56,889 31,414 24,200 1,275 | 51,169 28,334 21,780 1,055 | 5,465 2,931 2,321 213 | 399 208 173 18 | 484 255 216 13 | 168 83 73 12 | 344 184 146 14 | 411 220 162 29 | 334 167 145 22 | 1,052 580 432 40 | 436 254 169 13 | 364 206 156 22 | 1,453 774 649 30 | 255 149 99 7 | 18,330 10,240 7,758 332 |
| 10 to 14 years | 211 10,163 19,421 16,220 12,316 9,634 4,205 602 13 2,434 | 56 6,392 14,123 12,788 10,000 7,780 3,551 493 10 1,696 | 55 6,291 13,513 11,671 8,625 6,393 2,766 347 7 1,501 | 1 71 556 1,098 1,355 1,380 774 145 3 | 3 25 58 82 110 96 23 | 21 86 111 113 86 54 3 | 10 31 48 40 34 4 | 7 42 78 95 79 37 4 | 1 34 112 136 87 36 2 | 1 27 87 111 59 38 7 | 6 91 147 241 316 199 42 2 | 1 33 83 76 136 80 22 1 | 32 84 134 76 41 9 | 32 176 307 319 391 159 29 | 30 54 19 20 7 11 1 | 155 3,771 5,298 3,432 2,316 1,854 654 109 3 |
| FIRST CHILD | 27,279 15,237 11,574 468 | 21,770 12,071 9,333 366 | 20,350 11,302 8,723 325 | 1,272 680 555 37 | 68 43 24 1 | 163 89 69 5 | 38 15 21 2 | 139 74 62 3 | 132 77 53 2 | 126 72 48 6 | 157 82 71 4 | 82 46 32 4 | 101 50 47 4 | 266 132 128 6 | 148 89 55 4 | 5,509 3,166 2,241 102 |
| 10 to 14 years | 202 7,843 9,865 5,101 2,354 940 250 21 1 | 54 5,241 8,141 4,598 2,114 849 226 18 1 | 53 5,151 7,793 4,170 1,824 707 189 14 1 | 1 60 308 419 283 141 35 4 | 3 18 22 16 7 1 | 18 56 46 25 13 4 | 4 9 14 8 2 | 7 29 42 32 20 6 1 | 1 22 46 38 22 2 | 1 | 3 50 50 32 12 4 | 1 18 38 15 7 1 | 24 45 24 5 2 2 | 24 72 73 50 28 8 1 | 30 40 9 7 1 2 | 148 2,602 1,724 503 240 91 24 3 |
| SECOND CHILD Male Fummle Not stated | 12,390 6,882 5,217 291 | 9,505 5,311 3,955 239 | 6,758 4,919 3,637 202 | 727 381 309 37 | 45 25 16 4 | 72 36 34 2 | 39 19 17 3 | 57 35 21 1 | 64 26 31 7 | 67 27 34 6 | 100 60 39 1 | 68 39 26 3 | 75 39 32 4 | 140 75 59 6 | 20 11 9 | 2,885 1,571 1,262 52 |
| 10 to 14 years | 9 1,770 4,566 3,167 1,746 807 191 12 2 120 | 2 948 3,252 2,721 1,581 718 179 11 2 91 | 2 941 3,124 2,504 1,337 606 152 8 2 | 7 118 213 241 112 26 3 | 5 17 12 9 1 | 2 14 16 22 14 3 | 5 11 12 7 2 1 | 9 18 20 8 2 | 8 18 30 6 1 | 8 19 24 8 5 | 20 30 25 17 8 | 10 22 22 12 2 | 4 18 44 8 | 5 35 44 29 23 3 | 10 4 3 | 7 822 1,314 446 165 99 12 1 |
| THIRD CHILD | 8,291 4,519 3,538 234 | 6,201 3,396 2,601 204 | 5,539 3,038 2,332 169 | 654 357 263 34 | 52 29 20 3 | 62 33 27 2 | 16 9 8 2 | 44 20 22 2 | 64 39 20 5 | 38 15 20 3 | 105 53 49 3 | 39 24 13 2 | 64 37 20 7 | 167 98 64 5 | 8 1 6 1 | 2,090 1,123 937 30 |
| 15 to 19 years | 417 2,511 2,459 1,683 899 252 15 | 162 1,533 1,915 1,490 e13 234 14 | 157 1,469 1,754 1,270 653 187 13 | 3 63 161 217 159 46 1 | 1 10 13 19 9 | 1 9 23 16 10 3 | 1 4 8 4 2 | 2 9 16 11 6 | 3 21 25 10 5 | 8 16 11 2 1 | 10 21 35 33 5 | 2 9 15 11 2 | 3 14 30 14 1 | 2 32 42 43 36 11 | 1 3 1 1 | 255 978 544 193 86 18 1 |
| FOURTH CHILD Male Female Not stated | 6,301 3,408 2,708 185 | 4,721 2,526 2,050 145 | 4,141 2,233 1,801 107 | 573 290 246 37 | 42 18 19 5 | 49 29 19 1 | 20 10 7 3 | 34 16 15 3 | 51 21 24 6 | 33 14 15 4 | 129 72 52 5 | 37 24 10 3 | 41 25 12 4 | 137 61 73 3 | 7 3 3 | 1,580 862 655 40 |
| 15 to 19 years | 93 1,299 1,937 1,533 1,008 352 28 2 | 29 705 1,439 1,297 871 321 24 | 28 667 1,311 1,112 715 258 18 | 1 36 125 185 155 63 6 | 1 4 10 14 11 2 | 5 15 17 7 5 | 3 6 5 6 | 2 4 10 14 3 1 | 1 16 22 7 5 | 2 b 16 5 3 | 7 13 38 49 15 2 | 8 11 13 4 | 5 18 12 6 | 1 18 46 37 29 5 | 2 3 1 1 | 594 498 236 137 31 4 2 |
| FIFTH CHILD | 4,664 2,641 1,911 112 | 3,420 1,904 1,427 89 | 2,978 1,659 1,251 68 | 438 241 175 21 | 24 9 11 4 | 38 17 20 1 | 11 6 4 1 | 19 9 7 3 | 27 18 9 | 17 8 7 2 | 115 67 42 6 | 27 15 11 1 | 22 12 10 | 138 80 55 3 | 4 4 | 1,244 737 484 23 |
| 15 to 19 years | 22 587 1,375 1,290 962 359 36 33 | 5 251 917 1,030 829 333 30 25 | 5 241 837 903 688 260 22 22 | 10 78 127 140 72 8 | 1 8 7 7 | 8 14 10 5 | 2 4 3 2 | 9 6 4 | 6 8 8 5 | 1 1 6 5 | 1 11 41 41 17 3 | 2 16 7 ? | 1 1 5 7 6 1 | 7 46 32 37 15 1 | 2 | 17 336 458 260 133 26 6 |

^{1/} Exclusive of Massachusetts.

TABLE 14.—STILLBIRTHS, WITH THE NUMBER OF CHILD IN ORDER OF BIRTH, BY SEX, RACE, AND AGE OF MOTHER, AND FOR WHITE BY COUNTRY OF BIRTH OF MOTHER, IN THE UNITED STATES: 1/ 1935—Continued

| | | | | | | | LED SIK | WED | TE | | | | | | | |
|---|---|--|--|---------------------------------------|-------------------------|----------------------|----------------------|------------------------|--------------------|------------------|-------------------------------|-----------------------|-------------------|--------------------------------|-------------------------------|--|
| | | | | | • | | | | | of mother | | | | • | | |
| NUMBER AND SEX OF CHILD AND | All still- | | | | | | | | foreign co | | | | | | | Other |
| · AGE OF MOTHER | births | Total | United States | Total | Aus- tria, | Canada | Den- | Eng- land, Scot- | Ireland | Germany | Italy | Poland | Russia | Other foreign | Coun- try not stated | races |
| | | | ļ | | Hun- gary | | Norway, Sweden | land, Wales | | | | | | coun- tries | | |
| SIXTH CHILD | 3,604 1,968 1,544 92 | 2,603 1,428 1,102 73 | 2,249 1,230 967 52 | 351 197 133 21 | 31 15 16 | 20 12 7 1 | 11 5. 6 | 21 12 7 2 | 28 14 7 7 | 13 9 4 | 93 52 34 7 | 25 14 11 | 15 7 8 | 94 57 33 4 | 3 1 2 | 1,001 540 442 19 |
| 15 to 19 years | 9 280 859 1,084 907 386 46 1 | 2 99 499 828 763 348 43 1 | 2 92 461 742 621 284 30 1 | 7 38 85 142 62 13 | 2 10 12 6 1 | 1 7 5 2 | 1 4 5 1 | 3 5 6 7 | 2 5 13 7 | 2 5 4 2 | 1 7 22 44 13 5 | 2 6 7 7 3 3 | 1 5 7 2 | 5 18 23 38 8 1 | 1 2 | 7 181 360 256 144 38 3 |
| SEVENTH CHILD-1 | 2,816 1,569 1,187 60 | 2,034 1,119 869 46 | 1,733 952 743 3B | 298 165 125 8 | 19 8 10 1 | 15 10 5 | 7 3 5 | 6 3 3 | 15 11 3 1 | 9 7 2 | 80 44 33 3 | 28 15 13 | 13 9 4 | 106 55 49 2 | 3 2 1 | 782 450 31.8 14 |
| 20 to 24 years | 95 531 859 910 , 353 42 26 | 21 288 614 731 320 38 22 | 17 260 555 603 248 29 | 4 28 57 128 71 9 | 1 2 8 8 | 2 6 4 2 | 1 3 3 | 1 5 | 1 3 5 5 | 1 3 4 1 | 1 6 16 34 19 4 | 1 16 11 | 4 5 4 | 3 15 25 45 15 3 | 2 | 74 243 245 179 33 4 |
| EIGHTH CHILD MaleFemale Not stated | 2,199 1,218 933 48 | 1,534 850 649 35 | 1,260 700 532 28 | 274 150 117 7 | 25 18 7 | 14 8 6 | 4 3 1 | 10 6 4 | 16 6 9 1 | 6 4 2 | 70 41 25 4 | 31 16 15 | 11 7 2 2 | 87 41 46 | | 665 368 284 13 |
| 20 to 24 years 25 to 29 years 30 to 34 years 35 to 39 years 40 to 44 years 45 to 49 years 50 to 54 years Not stated | 39 316 623 801 349 59 1 | 10 158 404 606 299 50 1 | 9 142 347 489 228 40 | 1 16 57 117 71 10 1 | 2 13 9 1 | 1 4 4 5 | 1 3 | 1 4 4 1 | 1 3 10 2 | 2 2 2 | 13 32 22 3 | 2 16 9 3 | 3 4 4 | 1 14 27 31 11 2 | | 29 158 219 195 50 9 |
| NINTE CHILD | 1,749 963 761 25 | 1,176 637 523 16 | 954 525 418 11 | 218 110 103 5 | 22 8 14 | 7 2 4 1 | 5 4 1 | 6 3 3 | 3 2 1 | 6 2 3 1 | 53 28 24 1 | 32 20 12 | 12 6 5 1 | 72 35 36 1 | 4 2 2 | 573 326 238 9 |
| 20 to 24 years | 32 138 440 680 380 65 14 | 12 51 259 500- 303 45 6 | 10 48 208 423 231 29 5 | 2 3 50 76 - 71 15 | 1 4 5 10 2 | 3 3 1 | 1 2 1 1 | 1 2 3 | 2 1 | 1 3 2 | 1 12 15 22 3 | 19 13 | 1 6 3 2 | 1 2 27 22 14 5 | 1 1 1 | 20 87 181 180 77 20 8 |
| TENTH CHILD | 1,290 697 577 16 | 884 486 388 10 | 731 406 317 8 | 152 \80 70 2 | 13 6 7 | 7 2 5 | 2 2 | 1 | 5 2 3 | 4 1 3 | 37 21 14 2 | 15 11 4 | 5 5 | 61 35 26 | 1 1 | 406 211 189 6 |
| 20 to 24 years | 11 73 244 561 341 53 7 | 3 21 143 399 274 41 3 | 3 18 126 329 223 29 3 | 3 17 69 51 12 | 2 3 5 3 | 1 2 4 | 1 3 | 1 | 3 1 | | 1 3 12 16 5 | 5 6 4 2 | 3 2 | 2 8 37 13 1 | 1 | 8 52 101 162 67 12 |
| ELEVENTH CHILD | 862 466 584 12 | 592 324 263 5 | 469 258 206 5 | 123 66 57 | 21 9 12 | 6 3 3 | 4 2 2 | 1 1 | | 1 | 36 20 16 | 14 9 5 | 4 3 1 | 36 18 18 | | 270 142 121 7 |
| 20 to 24 years | 5 22 138 373 265 55 4 | 1 8 68 261 203 49 2 | 1 60 218 147 33 2 | 8 43 56 16 | 1 5 11 4 | 4 2 | 1 2 . | 1 | | 1 | 2 12 18 4 | 4 8 2 | 2 2 2 | 4 15 12 4 | | 4 14 70 112 62 6 |
| TWELFTH CHILD | 676 363 301 12 | 434 238 195 10 | 325 179 138 8 | 107 57 48 2 | 12 9 3 | 8 8 | 3 2 1 | 2 2 | 1 1 | . 4 1 3 | 25 12 9 2 | 6 2 4 | 6 3 3 | 42 26 16 | · 2 | 242 125 115 2 |
| 25 to 29 years | 22 89 275 235 49 6 | 9 40 164 181 38 2 | 8 32 133 129 22 1 | 1 7 31 51 16 1 | 4 4 4 | 1 5 1 | 1 2 2 | 1 1 | 1 | 3 1 | 6 13 4 | 1 2 3 | 2 3 1 | 1 .5 16 18 2 | 1 1 | 13 49 111 54 11 |

 $[\]underline{1}$ / Exclusive of Massachusetts.

TABLE 14.—STILLBIRTHS, WITH THE NUMBER OF CHILD IN ORDER OF BIRTH, BY SEX, RACE. AND AGE OF MOTHER, AND FOR WHITE BY COUNTRY OF BIRTH OF MOTHER, IN THE UNITED STATES: 1/ 1935—Continued

| | | OF, | BIRTH OF | , MOTUR | 1, IN . | LHE UN | ILED SI | KIES. | T) 1190 | J—COII (| illued | | | | | |
|--|--------------------------------|---------------------------------------|--------------------------------|------------------------------|-------------------------------|----------------|------------------------------------|--|------------|-----------|-------------------|---------------------|----------------|------------------------------------|----------------------|-----------------------------------|
| | | | | | | | | WHI | TE | | | | | | _ | |
| | | | | | | | (| Country | of birth | of mother | • | | | | | |
| NUMBER AND SEX OF CHILD AND AGE OF MOTHER | All still- births | Total | - | | | | | For | eign cour | try | | | | | Coun- | Other races |
| | | 10041 | United States | Total | Aus- tria, Hun- gary | Canada | Den- mark, Norway, Sweden | Eng- land, Scot- land, Wales | Ireland | Germany | Italy | Polend | Russia | Other foreign coun- tries | try not stated | |
| THIRTEENTH CHILD | 470 263 199 8 | 277 154 119 4 | 191 105 81 4 | 86 48 38 | 9 3 6 | 7 4 3 | 1 1 | | 1 1 | | 21 11 10 | 12 7 5 | 4 2 2 | 31 19 12 | | 195 109 80 4 |
| 25 to 29 years | 53 191 176 38 | 2 15 100 125 32 2 1 | 2 11 70 87 18 2 | 4 30 38 14 | 3 5 1 | 4 3 | 1 | | 1 | | 1 4 10 6 | 2 7 3 | 1 2 1 | 3 15 10 3 | | 4 38 91 51 6 |
| FOURTEENTH CHILD | 265 150 113 2 | 150 87 63 | 101 61 40 | 48 25 23 | 8 5 3 | 3 1 2 | | | | | 8 3 5 | 4 3 1 | 3 2 1 | 22 11 11 | 1 1 | 115 63 50 2 |
| 25 to 29 years | 23 94 113 | 1 6 40 78 24 1 | 4 28 53 16 | 1 2 12 25 8 | 1 5 2 | 3 | | | | | 1 5 2 | 1 2 1 | 2 1 | 1 10 8 2 | 1 | 3 17 54 35 5 |
| FIFTEENTH CHILD | 166 84 78 4 | 100 54 44 2 | 70 33 35 2 | 30 21 9 | 2 1 1 | 4 4 | 1 1 | | 1 1 | | 5 4 1 | 6 4 2 | 3 3 | 8 6 2 | | 66 30 34 2 |
| 25 to 29 years | 2 15 57 72 14 2 | 7 37 43 10 1 | 6 26 32 6 | 1 11 11 4 1 2 | 2 | 3 1 | 1 | | 1 | | 1 2 1 | 2 2 2 | 2 1 | 1 5 2 | | 2 8 20 29 4 1 2 |
| SIXTEENTH CHILD Mele Female Not stated | 103 57 43 3 | 54 28 23 3 | 41 21 18 2 | 13 7 5 1 | | 2 2 | | | | | 3 2 1 | 2 1 1 | | 6 4 2 | | 49 29 20 |
| 30 to 34 years | 11 | 2 15 28 9 | 2 10 22 7 | 5 6 2 | | 2 | | | | | 2 1 | 2 | | 1 3 2 | | 8 20 18 2 1 |
| SEVENTEENTH CHILD | 57 29 26 2 | 28 16 10 2 | 21 14 5 1 | 7 2 4 1 | 1 1 | | | 1 1 | | | 4 1 2 1 | | | 1 | | 29 13 16 |
| 30 to 34 years | | 1 8 13 5 | 1 8 8 4 | 5 1 | 1 | | | 1 | | | 3 | | | 1 | | 4 15 5 5 |
| EIGHTEENTH CHILD | 32 13 19 | 15 8 7 | 9 4 5 | 6 4 2 | | | | | | | 2 1 1 | 1 | 1 | 2 1 1 | | 17 5 12 |
| 30 to 34 years 35 to 39 years 40 to 44 years 45 to 49 years | 11 | 1 1 8 5 | 1 5 3 | 1 3 2 | | | | | | | 1 1 | 1 | 1 | 1 1 | | 1 10 3 3 |
| NINETEENTH CHILD Mele Female | 24 12 12 | 15 7 8 | 10 5 5 | 5 2 3 | | | | | | 1 | 1 1 | <u>-</u> 1 | 1 1 | 1 | | 9 5 4 |
| 30 to 34 years | 5 16 | 4 10 1 | 3 7 | 3 1 | | | | | | 1 | 1 | 1 | 1 | 1 | | 1 1 6 1 |
| TWENTIETH CHILD | 4 2 1 1 | 1 1 | 1 1 | | | | | | | | | | | | | 3 1 1 |
| 35 to 39 years40 to 44 years45 to 49 years | 2 1 1 | 1 | 1 | | | | | | | | | | | | | 2 1 |
| TWENTY-FIRST CHILD | 4 3 1 | | | | | | | | | | | | | | | 4 3 1 |
| 40 to 44 years45 to 49 years | 1 1 | | | | | | | | | | | | | | | 2 1 |
| 1/ Exclusive of Massachus | | | | | | | | | | | | | | | | |

^{1/} Exclusive of Massachusetts.

TABLE 14.—STILLBIRTHS, WITH THE NUMBER OF CHILD IN ORDER OF BIRTH, BY SEX, RACE, AND AGE OF MOTHER, AND FOR WHITE BY COUNTRY OF BIRTH OF MOTHER, IN THE UNITED STATES: 1/ 1935—Continued

| | | | | | | | | | | | | | 4 | | | |
|--|------------------------------------|---|--|-------------------------|-------------------------------|------------------------------|------------------------------------|--|-------------|-----------------------|-------------|-------------|-------------|------------------------------------|-------------------------------|-------------------------------------|
| | | | | | | | | WHI | TE | | _ | | | | | |
| | | | | | | | (| Country | of birth | of mother | | | | | | |
| NUMBER AND SEX OF CHILD AND AGE OF MOTHER | All still- births | | | | | • | | For | eign cour | try | | | | | | Other |
| NOE OF ACCIDEN | our ths | Total | United States | Total | Aus- tria, Hun- gary | Canada | Den- mark, Norway, Sweden | Eng- land, Scot- land, Wales | Ireland | Germany | Italy | Poland | Russia | Other foreign coun- tries | Coun- try not stated | |
| TWENTY-SECOND CHILD Mele Female | 2 | 1 1 | | 1 1 | | | | | | | 1 1 | | | | | 2 1 1 |
| 35 to 39 years40 to 44 years | | 1 | | 1 | | | | = | | | 1 | | | | | 1 1 |
| TWENTY-THIRD CHILD | 1 1 | | | | | | | | | | | | | | | 1 |
| 40 to 44 years | 1 | | | | | | | | | , | | | - | | | 1 |
| TWENTY-FOURTH CHILDFemale | | 3 3 | 2 2 | 1 1 | | | | | | | | 1 | | | | |
| 35 to 39 years | | 1 2 | 2 | 1 | | | | | | | | 1 | | | | |
| TWENTY-FIFTH CHILDFemale | | | | | | | | | | | | | | | | 1 |
| 40 to 44 years | 1 | | | | | | | | | | | | | | | 1 |
| NUMBER OF CHILD NOT STATED- Male Female Not stated | 1,108 825 | 1,371 768 577 26 | 1,236 688 523 25 | 81 47 34 | 5 2 3 | 7 5 2 | 1 | 3 2 1 | 3 2 1 | 9 5 4 | 9 5 4 | 5 3 2 | 3 2 1 | 36 20 16 | 54 33 20 1 | 594 340 248 6 |
| 15 to 19 years | 131 208 124 91 30 7 | 5 95 161 100 70 21 6 1 | 5 87 148 84 63 13 6 1 | 7 12 14 6 7 | 2 2 | 1 1 1 4 | 1 | 2 1 | 1 2 | 1 2 4 1 1 | 3 1 3 | 3 1 1 | 3 | 2 3 4 2 | 1 1 2 1 1 | 4 36 47 24 21 9 1 |

^{1/} Exclusive of Massachusetts.

TABLE 15.—STILLBIRTHS, BY CAUSE, IN CERTAIN SPECIFIED STATES AND CITIES: 1935

| TABLE 13.—SITURDINING, BY CAC | | 3.(17121(0. | BOIL IN | JIMIBO | AND CI. | 1155; 1 | 900 | | | |
|--|--------------|------------------|------------|---------------|-------------|----------|-----------------|------------------|----------------------------|------------------------|
| CAUSE OF STILLBIRTH | Total | Connec- ticut | Illinois | New Jersey | New York | Oregon | Wash- ington | West Virginia | District of Columbia | Balti- more, Md. |
| All causes | 16,584 | 587 | 3,308 | 1,857 | 7,326 | 295 | 476 | 1,645 | 409 | 681 |
| General diseases | 505 |]] ,, | 99 | 4.6 | .,, | | | | | |
| Syphilis | 331 | 10 | 54 | 46 35 | 211 135 | | 12 | 54 33 | 19 16 | 48 43 |
| Other general diseases | 174 | 6 | 45 | 11 | 76 | 1 | 6 | 21 | 3 | 5 |
| Extra-uterine pregnancy | 36 | | 3 | 2 | 27 | 1 | | | | 3 |
| Albuminurie and other diseases incident to pregnancy | 1,160 | 59 | 225 | 117 | 601 | 22 | 37 | 47 | 21 | 31 |
| AlbuminuriaEclamaia | 35 235 | 1 6 | 14 67 | 4 | 104 | | 9 | | | |
| Nephritis | 266 | 19 | 45 | ,23 29 | 128 | 5 5 | 7 | 12 | 5 3 | 5 17 |
| ToxemiaOther diseases incident to pregnancy | | 33 | 87 12 | 52 9 | 317 | 9 | 12 | 20 | 12 | 7 2 |
| Antepartum hemorrhage | | | 1 | | 45 | | _ | | 1 | 2 |
| Hemorrhage of uterus | _ | 3 | 10 | 5 | 22 | | 2 | | | |
| Inertia of uterus | 42 | | 7 | 3 | 30 | 1 2 | | 3 | | 1 |
| Prolapse of uterus | 1 | | , | | 2 | | | | | |
| Retroversion of uterus | 1 | | 3 | | 12 | | | | | |
| Rupture of uterus | 27 | | 2 | 7 | 12 | 1 | | 9 | | |
| Malformations | | l | | | | _ | | 2 | | 2 |
| Hydrocephalus | 1,000 282 | 58 17 | 213 58 | 103 25 | 488 144 | 16 3 | 22 5 | 69 19 | 13 5 | 18 6 |
| Spina bifida Other malformations | 113 605 | 10 31 | 21 134 | 16 62 | 55 289 | 1 12 | 1 16 | 7 | 1 7 | 1 |
| Diseases of the placenta and membranes | 1,954 | 90 | 426 | 155 | 1,004 | 46 | 57 | 101 | 31 | 44 |
| Placenta praevia | 430 | 17 | 109 | 34 | 192 | 11 | 15 | 34 | 9 | 9 |
| Diseases of the placenta | 211 | 52 17 | 254 37 | 90 24 | 631 112 | 32 2 | 34 5 | 58 6 | 16 5 | 30 3 |
| Premature runture of membranes | | 4 | 26 | 7 | 69 | 1 | 3 | 3 | ı | 2 |
| Abortica, miscarriage, premature birth | 1,625 | 30 | 147 | 142 | 1,054 | 12 | 22 | 99 | 28 | 91 1 |
| Abortion, miscarriage, premature birth, induced, therapeutic | 196 | 1 | | | 180 | 1 | | | 1 | 13 |
| Abortion, miscarriage, premature birth, self-induced | 12 9 | | 1 | 1 2 | 7 5 | 1 | | | 1 | 3 |
| Abortion, miscarriege, premature birth, spontaneous | 165 | | 4 | 13 | 134 | 1 | | | | 13 |
| Other abortions and miscarriagesOther premature births | 641 596 | 5 24 | 70 72 | 61 63 | 432 293 | 2 7 | 22 | 30 69 | 6 20 | 35 26 |
| Prolapse and compression of cord | 1,689 | 89 | 445 | 166 | 753 | 48 | 50 | 81 | 23 | 34 |
| Compression of cordCord around neck | 347 500 | 12 25 | 118 116 | 29 49 | 134 253 | 19 14 | 12 15 | 13 19 | 3 4 | 7 5 |
| Knot in cord | 135 | 3 | 31 | 13 | 72 | 5 | 4 | 7 | 2 | 1 |
| Prolapsed cord | 616 91 | 40 | 147 33 | 63 12 | 267 27 | 10 | 16 3 | 39 3 | 14 | 20 1 |
| Thrombosis of cord | 55 | 1 | 15 | 4 | 32 | | | 1 | 2 | |
| Malpresentation | 711 | 22 | 185 | 73 | 298 | 22 | 3£ | 54 | 4 | 21 |
| BreechFoot | 407 | 9 | 98 | 45 | 166 | 14 | 23 | 38 | ş | 12 |
| Brow | 40 | 3 1 | 10 | 4 | 1 5 | 3 | 3 | 2 | | |
| FaceTransverse | 32 62 | 2 | 10 | 2 | 12 | 2 | 1 | 2 | | 1 |
| Shoulder | 32 | | 16 11 | 7 | 30 9 | | 1 | 7 | 2 | 5 |
| HandOther and unspecified | 17 119 | 6 | 5 35 | 1 10 | 9 56 | 3 | 2 | 5 | | 3 |
| Difficult labor | 1,355 | 39 | 370 | 164 | 523 | 31 | 51 | 111 | 17 | 49 |
| Deformed pelvis | 191 | 6 | 47 | 14 | 90 | 4 | 12 | 15 | 2 | 1 |
| Version | 134 32 | 1 | 34 12 | 14 | 57 16 | 2 | 8 | 8 | 3 | 4 |
| Other and Unspecified | 998 | 28 | 277 | 135 | 360 | 25 | 3Ô | 87 | 12 | 44 |
| Asphyxia of child (cause not stated) | 785 | 35 | 131 | 95 | 373 | 10 | 5 | 36 | 6 | 91 |
| Hydramnios | 76 | 2 | 6 | 17 | 37 | 4 | 2 | 5 | 2 | 1 |
| Death in utero | 1,055 | 30 | 370 | 215 | 288 | 14 | 39 | 10 | 17 | 72 |
| Other deaths in utero | 278 777 | 16 14 | 43 327 | 20 195 | 166 122 | 14 | 5 33 | 5 | 17 | 5 67 |
| Traumatism and overwork | 371 | 13 | 70 | 39 | 158 | 6 | 10 | 50 | 2 | 23 |
| BlowFall | 6 | | | 2 | 3 | | | | | 1 |
| Shock | 184 | 6 | 35 2 | 20 | 76 l | 2 | 5 | 29 | ss | 9 |
| OverworkOtherOther | 25 151 | 1 6 | 5 28 | 3 13 | 8 70 | | 5 | 4 | | 4 9 |
| Predisposition of mother to abortion | 11 | | 1 | | 7 | 2 | ı | | | |
| Other diseases or conditions of mother | 379 | 9 | 69 | 38 | 169 | 7 | 1 | 32 | 5 | 9 |
| Other specified causes | 37₽ | 26 | 119 | 37 | 146 | 9 | 11 | 21 | 1 | 8 |
| Causes not seecified and unknown | 3,341 | 71 | 391 | 429 | 1,074 | 35 | 119 | 869 | 21.8 | 135 |
| | | | | | , | | | | | |

TABLE 16.—STILLBIRTHS, BY SEX, CAUSE, AND PERIOD OF UTEROGESTATION. IN A SELECTED AREA: 1935 (Connecticut, Illinois, New Jersey, New York, Oregon, Washington, West Virginia, District of Columbia, and Baltimore, Ma.)

| CAUSE AND SEX OF STILLBIRTH | Total | Under 2 months | 2 months | 3 months | 4 months | 5 months | 6 months | nonths | 8 months | 9 months | 10 months | ll months |
|--|---------------------------------|----------------------|------------------------|-------------------------|--------------------------|----------------------------|---------------------------|------------------------------|------------------------------|-------------------------------|----------------------|------------------------|
| All causes Male Not stated | 16,584 8,901 6,837 846 | 147 7 5 135 | 305 34 20 251 | 495 215 73 207 | 820 453 240 127 | 1,347 730 560 57- | 1,693 925 744 24 | 2,211 1,200 997 14- | 3,712 2,037 1,666 9 | 4,854 2,739 2,102 13 | 121 70 49 2 | 879 491 381 7 |
| General diceases | 275 ,211 '19 | | 4 7 | 12 4 4 | 16 13 | 25 20 | 49 24 2 | 61 -49 | 46 47 | 48 47 | 1 | 13 7 1 |
| SyphilisMale | 186 141 4 | | 1 | 7 3 1 | 9 .5 | 10 . 11 i | 34 19 | 45 33 | 32 33 | 37 30 | 1 | 10 7 |
| Other general diseases | 89 70 15 | 1 | 3 7 | , 5 1 3 | 7 8 2 | 15 9 | 15 .5 1 | 16 16 | 14 14 | 11 17 | | 3 |
| Extra-uterine pregnancy | 6 4 25 | 14 | | 1 3 | 1 | | 1 1 | | 1 | 2- | 1 | 1 |
| Albuminuria and other diseases incident to pregnancy | 617 528 | 2 | 1 | 4 | 10 B | 38 44 | 90 114 | 141 138 | 160 103 | 145 104 | 6 5 | 22 10 |
| .Not stated Albuminuria | 15 16 | 3 | | 4 | | . 2 . 1 | 1 5 | 1 5 | 3 | | | 2 |
| Eclampsia | 19 136 98 1 | | | | 3 | 1 8 10 | 1 18 21 1 | 6 29 24 | 8 40 22 | 2 34 20 | 1 | 3 |
| Nephritis | 124 141 1 | 1 | | | 3 2 | 9 | 17 41 | 25 40 | · 33 | 29 22 | 2 | 8 3 |
| Toxemia | 257 247 5 | 1 | 1 | 3 | 4 6 | 16 19 2 | 44 44 | 70 66 1 | 74 48 | 74 55 | 4 2 | 7 6 |
| Other diseases incident to pregnancy | 44 23 8 | 3 | 2 | 13 | | 4 5 | 6 7 | 12 2 | 10 4' | 8 5 | 1 | 2 |
| Antepartum hemorrhage | 3 2 | | | | | 1 | 1 | 1 | 1 | | | |
| Hemorrhage of uterusMale Female Not stated | 30 16 1 | | 1 | | 3 2 1 | 7 4 | 4 2 | 2 4 | 6 3 | 3 1 | 1 | 3 |
| Inertia of uterus | 24 18 | | | | 1 | 1 | 1 | | 3 2 | . 17 15 | | 1 |
| Prolapse of uterus Not stated Not stated | 1 | | 1 | 1 | | | | | | | | |
| Retroversion of uterus | 8 3 4 | 1 | 1 2 | 2 1 | 1 | | 2 1 | | 2 | | | |
| Rupture of uterus | 16 10 1 | | | | | 1 | 1 | | 7 1 | 7 8 | | |
| 'Malformations | 422 563 15 | | 1 | 1 | 1 | 6 19 1 | 29 53 3 | 62 108 4 | 117 151 3 | 169 203 4 | 6 6 | 12 |
| HydrocephalusFemale Female Not stated | 150 130 2 | | | | | 4 2 | 5 4 | 21 13 | 35 32 | 81 72 2 | 2 | 2 6 |
| Spina bifida | 32 80 1 | | 1 | | | 3 | 11 | 7 16 1 | 10 21 | 12 27 | | 2 |
| Other malformations | 240 353 | | | 1 | 1 | 2 14 | 23 38 3 | 54 79 3 | 72 98 | 76 104 2 | 4 5 | 8 13 |
| Not stated Diseases of the placenta and membranes | 12 1,112 779 | 1 | 2 | 11 5 | 56 25 | 1 97 75 | 148 110 | 231 158 | 260 187 | 272 189 | 2 2 | 32 28 |
| Not stated Placenta praevia | 63 257 167 | | 14 | 18 | 15 10 7 | 8 21 19 | 1 39 31 | 3 68 36 | 66 29 | 1 41 38 | 1 | 2 11 6 |
| Not stated | .572 47.9 | 1 | 1 | 9 | 1 34 14 | 2 58 42 | 90 65 | 1 135 99 | 159 126 | 1 164 112 | 1 | 20 |
| Not stated- Diseases of the placenta | 46 112' 91 | | 10 | 16 | 14 :5 :3 ' | .5 8 8 | 13 8 | 21 19 | 25 24 | 42 25 | 2 | .18 .1 |
| Not stated | 8 1 | 1] | 1 | 1 | | 3 | ĭl | | | | ī | ĩ |

TABLE 16.—STILLBIRTHS, BY SEX, CAUSE, AND PERIOD OF UTEROGESTATION, IN A SELECTED AREA: 1935—Continued (Connecticut, Illinois, New Jersey, New York, Oregon, Washington, West Virginia, District of Columbia, and Baltimore, Md.)

| | | 1 | | | i i | ··· | | | | | | |
|---|-----------|----------------------|-------------|-------------|-------------|-------------|-------------|-------------|-------------|-----------------|--------------|--------------|
| CAUSE AND SEX OF STILLBIRTH | Total | Under 2 months | 2 months | 3 months | 4 months | 5 months | 6 months | 7 months | 8 months | 9 months | 10 months | 11 months |
| Diseases of the placenta and membranes—Continued | | | | | | | | | | | | |
| Premature rupture of membranes | 71 | | | 2 | 9 | 10 | 6 | 7 | 10 | 25 | 1 | 1 |
| Famale Not stated- | 42 | | 2 | 1 | | | | | 8 | 14 | | 2 |
| Abortion, miscarriage, and premature birthMale | | 2 | 12 | 70 | 106 | 154 | 155 | 97 | 45 | 8 | | 27 |
| Female Not stated- | | 88 | 157 | 24 104 | 67 54 | 130 26 | 120 4 | 93 | 28 3 | | 1 | 34 3 |
| Abortion, miscarriage, premature birth, in- duced, oriminal | 1 | | | | | | 1 | | | | | |
| Female Not stated- | 2 | | 22 | 1 | | 1 | | | | | | 1 |
| Abortion, miscarriage, premature birth, in- duced, therapeuticMale | 16 | | 1 | 2 | 8 | 4 | 1 | | | | | |
| Female Not stated- | 12 | 53 | 71 | 2 30 | 3 9 | 5 1 | 2 2 | | 1 | | | 1 |
| Abortion, miscarriage, premature birth, self- | | | , | , | 3 | 2 | | ~~~ | | | | |
| induced | 4 | | 1 1 | 1 1 | 1 | 1 | | | | | | |
| Abortion, miscarriage, premature birth, in- | | | | | | | | | | | | |
| duced, unspecified | - 2 | | 1 | 1 2 | 1 | 1 | 1 | 1 | | | | 1 |
| Abortion, miscarriage, premature birth, spon- | | | | • | | | | | | | | |
| taneousFemale | 24 | 1 | 2 | 21 6 | 16 7 | 8 | 3 2 | 2 | 1 | 1 | 1 | |
| Not stated- Other abortions and miscarriagesMale | | 10 | 39 7 | 27 46 | 9 78 | 139 | 1 | | | | | 2 |
| Female Not stated- | 194 | 1 25 | 5 44 | 14 44 | 56 35 | 117 | î | | | | | 2 |
| Other premature birthsMale | 319 | | | | | | 149 | 94 | 45 | 7 | | 24 |
| Female Not stated- | | | | | 1 | | 114 2 | 92 | 27 2 | | | 33 |
| Prolapse and compression of cordMale | 960 | | | ı | 7 | 27 | 37 | 78 | 283 | 481 | 14 | 32 |
| Female Not stated- | | | | | 5 2 | | 22 1 | 63 | 220 | 374 2 | | 17 |
| Compression of cordMaleFemale | 153 | | | | | 1 2 | 4 2 | 17 15 | 74 57 | 90 71 | 4 3 | 3 3 |
| Not stated. | | | | 1 | 3 | 6 | 1 6 | 17 | 69 | 141 | 7 | 8 |
| Female Not stated | - 241 | | | | | 2 | 6 | 17 | 64 | 143 1 | 4 | 5 |
| Knot in cord | | | | | 1 | 4 | 1 | 12 | 21 18 | 32 29 | | 7 3 |
| Prolapsed cordMale | 1 385 | | | | 4 | 14 | 21 | 19 | 106 | 206 | 3 | 12 |
| Female Not stated | | | | | 2 | 5 | 11 | 18 | | 115 1 | | 5 |
| Twisted cord | 48 43 | | | | | 2 3 | 6 2 | 13 6 | 13 15 | 12 16 | | 2 1 |
| Management and and | 96 | | | | | | 4 | 4 | 7 | 11 | | |
| Thrombosis of cord | 28 | | | | | 1 | 1 | 3 | 8 | 13 | 1 | 1 |
| | | | | | | | | | | 07.5 | _ | 9 |
| Malpresentation | | | | ~ | 1 | 1 | 8 7 | 23 15 | 119 107 | 236 162 1 | 6 3 | 7 |
| BreachMale | | | | | 1 | 3 | 3 | 12 | 70 | 125 | 5 | 4 |
| Female | | | | | | 1 | 4 | 6 | 60 | 104 | 2 | 7 |
| Foot | | | | | | | 1 | 1 4 | 2 11 | 10 | | |
| BrowMale Female | | | | | | | | | | 1 1 | | |
| Face | | | | | | | | | 7 6 | 11 8 | | |
| TransverseMale | 42 | | | | | 2 | 2 | 2 | 10 | 25 | | 1 |
| Female | İ | | | | | | 1 2 | 1 2 | 10 | 10 | | 2 |
| Shoulder | | | | | | | | ī | 4 | 5 | | |
| HandMaleFemale | | | | | | | 1 | | 2 4 | 8 2 | | |
| Other and unspecifiedMale | | | | | | 1 | 1 | 6 | 18 14 | 51 22 | ₁ | 1 |
| Temale Not stated | | | | | | | | | | 1 | | |

TABLE 16.—STILLBIRTHS, BY SEX, CAUSE, AND PERIOD OF UTEROGESTATION, IN A SELECTED AREA: 1935—Continued (Connecticut, Illinois, New Jersey, New York, Oregon, Washington, West Virginia, District of Columbia, and Baltimore, Md.)

| CAUSE AND SEX OF STILLBIRTH | Total | Under 2 months | 2 months | 3 months | 4 months | 5 months | 6 months | 7 months | 8 months | 9 months | 10 months | 11 months |
|---|-----------------------|----------------------|--------------|----------------|-----------------|------------------|-----------------|-----------------|-----------------|-----------------|--------------|-----------------|
| Difficult laborFemale | 844 511 | | | 1 | 1 | 3 2 | 16 8 | 20 18 | 258 169 | 505 291 | 12 | 28 17 |
| Deformed pelvisFemale | · 125 | | | | | | 3 | 1 3 | 32 16 | 86 45 | | 3 2 |
| Instrumental delivery | 101 33 | | | 1 | | 1 | 1 | 1 | 29 12 | 63 18 | 2 | 3 2 |
| VersionFemale | 23 9 | | | | | | | | 10 | 11 5 | 2 | |
| Other and unspecified | 595 403 | | | | 1 | 2 . | 12 8 | 18 15 | 187 137 | 345 223 | 8 5 | 22 13 |
| Asphyxia of child (cause not stated) | 408 348 29 | 1 2 | 1 1 5 | 9 1 12 | 15 3 5 | 29 23 1 | 24 25 2 | 37 40 1 | 99 81 1 | 163 159 | 4 2 | 26 13 |
| Hydramnios | 46 28 2 | | | | | 11 3 | 7. 3 | 3 6 | 10 11 | 13 4 2 | 1 | 2 |
| Death in utero | 562 448 45 | 1 5 | 2 13 | 14 7 10 | 34 18 9 | 51. 44 2 | 82 50 3 | 100 | 120 121 2 | 144 111 1 | 4 4 | 11 4 |
| Maceration | 151 114 13 | | 2 | 2 | 7 3 2 | 7 5 2 | 14 12 3 | 29 19 | 31 29 1 | 56 42 1. | 3 1 | 4 3 |
| Other deaths in utero | 411 334 32 | 1 5 | 2 11 | 14 7 8 | 27 15 7 | 44 39 | 68 38 | 71 69 | 89 92 1 | 88 69 | 1 3 | 7 |
| Traumatism and overwork | 210 136 25 | 1 3 | 2 2 8 | 16 4 4 | 30 17 7 | 39 19 2 | 34 27 1 | 42 31 | 18 18 | 21 15 | 2 | 6 2 |
| BlowMale Female Not stated | 3 2 1 | | 1 | | 1 | 1 | | 1 2 | | | | |
| FallMale | 101 78 5 | 1 | 2 1 | 5 3 1 | 10 7 | 18 9 1 | 20 17 1 | 26 19 | 8 12 | 11 8 | 1 | 2 1 |
| Shock | 2 2 1 | | | 1 | | 1 | | 1 | | | ==== | |
| Overwork | 16 4 5 | | 1 | | 2 1 3 | 5 1 | 3 | 2 2 | 1 | 1 | 1 | |
| OtherMnle Female Not stated- | 88 50 13 | 1 2 | 1 4 | 11 1 2 | 17 9 4 | 14 9 1 | 11 10 | 12 7 | 9 5 | 9 7 | | 4 1 |
| Predisposition of mother to abortion | 5 4 2 | | 1 | | 1 | 4 1 | | | 2 | 1 | | 1 |
| Other diseases or conditions of mother | 186 132 21 | 7 | 2 5 | 11 3 2 | 20 4 2 | 26 16 1 | 35 29 2 | 36 27 1 | 28 31 | 24 16 1 | 1 | 3 6 |
| Other specified causesKele Female Not stated- | 210 166 2 | | 1 1 1 | 2 | 11 2 | 9 5 | 15 10 | 24 20 | 66 51 | 74 64 1 | 3 2 | 7 9 |
| Causos not specified and unknown | 1,846 1,366 129 | 3 10 | 5 9 26 | 62 22 45 | 139 75 27 | 194 140 13 | 184 136 2 | 217 133 4 | 383 322 | 396 319 | 8 4 1 | 255 206 1 |

TABLE 17.—STILLBIRTHS, BY PERIOD OF UTEROGESTATION, IN CERTAIN SPECIFIED STATES AND CITIES: 1935

| AREA | Total | Under 2 months | 2 months | 3 months | 4 months | 5 months | 6 months | 7 months | 8 months | 9 months | 10 months and over | Not stated |
|----------------------|--------|----------------------|-------------|-------------|-------------|-------------|-------------|-------------|-------------|-------------|--------------------------|---------------|
| Total | 16,584 | 147 | 305 | 495 | 820 | 1,347 | 1,693 | 2,211 | 3,712 | 4,854 | 121 | 879 |
| • | | 1 | | 1 | | · | i | | | | | |
| Connecticut | 587 | | 1 | | 9 | 22 | 58 | 88 | 96 | 289 | ! в | 16 |
| Illinois | 3,308 | 3 | 4 | 34 | 151 | 315. | 473 | 630 | 1,531 | 151 | 4 | 12 |
| New Jersey | 1,857 | 3 | 9 | 32 | 51 | 141 | 162 | 237 | 256 | 817 | 15 | 134 |
| New York | 7,326 | -116 | 238 | 361 | 472 | 667 | 706 | 832 | 863 | 2,918 | 84 | 69 |
| Oregon | 295 | | | | 2 | 19 | 20 | 29 | 40 | 170 | 8 | 7 |
| Washington | 476 | | | | | | | 80 | 50 | 235 | 1 | 100 |
| West Virginia | 1,645 | | 6 | 13 | 61 | 111 | 156 | 191 | 694 | 34 | | 379 |
| District of Columbia | 409 | | | | 3 | 28 | 53 | 75 | 54 | 154 | 1 | 41 |
| Baltimore, Md | 681 | 25 | 47 | 55 | 71 | 44 | 65 | 49 | 118 | 86 | | 121 |

TABLE 18.—DEATHS UNDER 1 YEAR OF AGE, FROM IMPORTANT CAUSES, BY SEX AND RACE, IN THE UNITED STATES: 1936
(Exclusive of stillbirths)

| CAT | TOTAL TOTAL CONTROL | DEA | THIS UNDER 1 | YEAR OF A | CE | CALTERNA CHA THROUT AND CHITY | DEAT | HAS UNIDER 1 | YEAR OF AC | æ |
|----------------|-----------------------------|------------|--------------|-----------|----------------|--|--------|--------------|------------|----------------|
| CALO | SE OF DEATH AND SEX | Total | White | Negro | Other races | CAUSE OF DRACE AND SEX | Total | White | Negro | Other races |
| | uses | | 97,907 | 20,905 | 1,326 | Convulsions (86): | | | | |
| | 10 | | 56,580 | 11,665 | 760 | Male | 373 | 269 | 99 | 1 |
| P• | male | 51,333 | 41,527 | 9,240 | 566 | Penale | 222 | 153 | 63 | 1 |
| | | | L | | l | Bronchitis (106): | | ļ | 1 | 1 |
| | | — — | | | | 362.0 | 308 | 253 | 52 | j : |
| | | 1 | į. | Į | 1 | Feen 10 | 249 | 193 | 52 | 1 4 |
| Measles (7): | | 1 1 | 1 | j | 1 | Bronchopneumonia (107): | l i | l . | i | ŀ |
| | | 460 | 373 | 67 | 20 | M10 | 6,798 | 5,544 | 1,127 | 127 |
| | | 338 | 287 | 39 | 12 | Females | 5,156 | 4,145 | 916 | 95 |
| Scarlet fever | | ۱ ۱ | 1 | [| 1 | Lober and unspecified pneumonia (108,109): | | 1 | |] |
| | | 66 | 66 | | | Male | 2,714 | 1,958 | 698 | 56 |
| | | 43 | 42 | 1 | | Jene 10 | 1,981 | 1,412 | 485 | 34 |
| Mhooping-cough | | | | | | Diseases of the stomoh (117,118): | | 1 | l | Ι. |
| | | 1 | 1,110 | 298 | 21 | <u>halo</u> | 320 | 228 | 86 | 1 5 |
| | | 1,511 | 1,212 | 272 | 27 | Pmais | 21.8 | 150 | 68 | , , |
| Diphtheria (10 | / : | i 1 | 1 | | 1 | Diarrhea and enteritis (119): | | | | l |
| | | , , | 132 | 30 | | 1 | 5,988 | 4,897 | 1,018 | 73 |
| Influenza (11) | | 149 | 121 | 28 | | Fonale | 4,650 | 3,817 | 779 | 54 |
| | : | | | | | Intestinal obstruction (182b): | | 400 | 62 | |
| | | _, { | 1,424 | 392 | 29 | <u> </u> | 559 | 492 289 | 52 | |
| | | 1,528 | 1,004 | 315 | ا تا | Tomale | 343 | 200 | 30 | • |
| Dysentery (13) | ; | 1 | | | | Congenital malformations (157): | | - 4. | 003 | |
| | | | 338 277 | 84 69 | 8 6 | <u> </u> | 5,774 | 5,461 | 281 235 | 33 |
| Erysipelas (15 | | 302 | 277 | 69 | 0 | Fenale- | 4,569 | 4,511 | 200 | |
| | /; | 310 | ₹88 | 19 | 3 | Congenital debility, isterus, sclerema |] | j | ļ | j |
| | | | 245 | | 2 | (156, 161 b, c): | n 404 | 2 000 | 601 | 27 |
| | rospinal meningitis (18); | 202 | 260 | 15 | | Pone Lennaum and a series and a | 2,604 | 1,976 | 489 | 24 |
| | cosbinst manifects (10): | 160 | *144 | 14 | 2 | Preseture birth (159); | 1,867 | 1,354 | 403 | 1 " |
| | | | 89 | 14 | î | My Separation (Tob): | 18,861 | 16,267 | 2,507 | 87 |
| Tetanus (22): | | 104 | 6 | 1 | | remitarion de la company de la | 14,286 | 12,110 | 2,113 | 63 |
| | | 95 | 57 | 38 | | Injury at birth (160): | 12,200 | 1 - | , 2,110 | " |
| | | 56 | 39 | 17 | | TELEGRAPH (Tex): | 5.961 | 5,460 | 483 | 16 |
| | f the respiratory system | 1 % | 3 | 1 ., | | Penalerananananananananananananananananananan | 3,685 | 3,352 | 310 | 21 |
| (25): | t the respiratory system | ! | | } | 1 | Other diseases of early infancy (161 a, d): | 3,000 | 3,000 | 525 | |
| | | 168 | 96 | * 55 | 17 | Miles diseases of early inventy (101 a, 0): | 8,340 | 1.975 | 337 | 22 |
| | | 142 | 89 | 44 | 1 4 | Ten: | 1,612 | 1,359 | 286 | 27 |
| | f the meninges, etc. (R4): | 1 | 1 | | • | External causes (172-198, 201-214): | 1,022 | 1,000 | | 1 ~ |
| | t the sentinges, etc. (24): | 144 | 110 | 23 | 11 | Wilderson (1/2-120' sor-wfe): | 1,245 | 985 | 248 | 1 18 |
| | | | 89 | 26 | 1 4 | Penale | 1,003 | 776 | 211 | 1 16 |
| | tubercuiosis (25-32); | 7 | , · | | , , | Unknown or ill-defined diseases (199,800): | 1,000 | , | 1 | 1 |
| | | 76 | 47 | 22 | 7 | This | 4,187 | 2.086 | 1,956 | 1.05 |
| | | | 36 | 1.0 | 3 | 700010 | 3,151 | 1,508 | 1,573 | 75 |
| Syphilia (34): | |] " | " | l -:0 | " | All other causes: | 0,101 | 1 -,000 | 1 2,5.0 | l '' |
| | | l l | 420 | 396 | 23 | Mild | 4.649 | 3.924 | 692 | 3 |
| W-1 | | 839 | | | | | | | | |

TABLE 19.—DEATHS, FOR CERTAIN SUBDIVISIONS OF THE FIRST YEAR OF LIFE, BY SEX AND RACE, IN THE UNITED STATES: 1935
(Exclusive of stillbirths)

| | DEAS | MIS UNDER 1 | YEAR OF A | GE | | DRATE | HS UNDER 1 | YEAR OF AG | R |
|---------------------------|-----------------------------|----------------------------|---------------------------|---------------------|------------------|-------------------------|-------------------------|---------------------|-----------------|
| AGE AND SEX | Total | White | Negro | Other races | AGE AND SEC | Total | White | Hegro | Other races |
| Under 1 year | 120,138 68,805 51,333 | 97,907 56,580 41,587 | 20,905 11,665 9,840 | 1,386 760 566 | 8 months | 7,571 4,259 5,312 | 6,032 3,407 2,685 | 1,456 789 647 | 103 63 40 |
| Under 1 day | | 27,902 16,340 11,562 | 4,198 2,360 1,838 | 137 79 58 | 3 months | 6,147 3,473 2,674 | 4,804 8,736 2,068 | 1,258 683 575 | 85 54 31 |
| 1 day | | 6,705 5,955 2,750 | 1,196 671 525 | 44 86 16 | 4 months Male | 4,964 2,784 2,170 | 3,795 2,143 1,652 | 1,088 598 490 | 71 43 28 |
| 8 days Male | 3,172 | 4,341 2,638 1,705 | 847 497 350 | 68 39 25 | 5 months | 4,269 2,354 1,915 | 3,291 1,802 1,489 | 898 507 391 | 80 45 35 |
| 3 to 6 days | 5,599 | 7,640 4,523 3,117 | 1,701 1,019 682 | 104 57 47 | 6 months | 3,870 2,175 1,695 | 2,947 1,664 1,283 | 845 466 379 | 78 45 33 |
| likile | 6,759 5,748 5,011 | 5,316 2,973 2,345 | 1,368 737 631 | 75 36 35 | 7 months | 3,386 1,877 1,479 | 2,616 1,479 1,137 | 675 363 312 | 65 35 30 |
| leleFemale | 4,396 2,428 1,968 | 3,528 1,978 1,544 | 834 431 403 | 40 19 21 | 8 months | 3,099 1,705 1,594 | 2,387 1,319 1,068 | 650 353 297 | 62 33 29 |
| 3 weeks but under 1 month | 3,802 2,172 1,630 | 3,011 1,738 1,273 | 751 412 339 | 40 22 18 | 9 months | 2,828 1,630 1,198 | 2,840 1,277 963 | 520 510 210 | 68 43 25 |
| Under 1 month | 40,552 | 58,459 34,145 24,294 | 10,895 6,127 4,768 | 500 280 280 | 10 months | 2,384 1,860 1,064 | 1,871 1,010 861 | 408 226 182 | 45 24 21 |
| 1 month | 9,477 5,454 4,085 | 7,595 4,389 3,806 | 1,763 997 766 | 119 68 51 | 11 months | 2,409 1,282 1,127 | 1,890 1,009 881 | 469 246 223 | 50 27 23 |

GENERAL TABLES-INFANT MORTALITY

TABLE 20.—DEATHS FROM IMPORTANT CAUSES, BY MONTHS AND CERTAIN SUBDIVISIONS OF THE FIRST YEAR OF LIFE, IN THE UNITED STATES: 1935

(Exclusive of stillbirths)

| (Numbers after cause | B OI GEAGN | COILOSPO | 10 00 011 | 036 01 01 | ic dovar. | Ten Ture: | ma crona. | r man) | | | | | |
|---|----------------|--------------|--------------|------------|--------------|--------------|--------------|--------------|--------------|--------------|--------------|--------------|--------------|
| CAUSE OF DEATH | All deaths | Jan. | Feb. | Mar. | Apr. | May | June | July | Aug. | Sept. | Oct. | Nov. | Dec. |
| | | UNDER 1 | L YEAR O | FACE | | | | | • | | | | |
| All causes | 120,138 | 12,418 | 11,122 | 11,555 | 10,090 | 10,017 | 9,541 | 9,442 | 9,178 | 8,574 | 9,073 | 9,035 | 10,092 |
| Measles (7) | 798 | 100 | 126 | 173 | 135 | 127 | 69 | 26 | 5 | 8 | 9 | | 14 |
| Scarlet fever (8) | 2,940 | 13 326 | 9 338 | 15 | 16 | 5 | 6 | 4 | 3 191 | 1 6 | 10 | | 15 131 |
| Diphtheria (10) | 711 | 45 | 38 | 368 39 | 338 21 | 304 16 | 301 10 | 233 | 191 | 144 | 134 24 | | 37 |
| Influenza (11) | 3,173 | 799 | 727 | 539 | 250 | 146 | 73 | 40 | 51 | 78 | 84 | 128 | 258 |
| Dysentery (13) | | 24 | 8 | 16 | 25 | 77 | 118 | 129 | 126 | 95 | 88 | | 20 57 |
| Epidemic cerebrospinal meningitis (18) | 264 | 59 30 | 50 25 | 72 31 | 64 22 | 59 17 | 45 22 | 24 18 | 27 10 | 29 18 | 38 22 | | 29 |
| Tetanus (22) | 151 | 20 | 12 | 14 | 10 | 13 | 111 | 12 | 8 | 12 | 13 | 14 | 12 |
| Tuberculosis of the respiratory system (23) | 310 | 16 | 17 | 39 | 25 | 33 26 | 35 | 27 | 28 | 22 | 24 | 21 | 23 |
| Other forms of tuberculosis (25-32) | 265 125 | 31 7 | 22 | 36 13 | 21 9 | 12 | 15 15 | 21 14 | 24 14 | 15 4 | 26 10 | 15 10 | 13 E |
| Syphilis (34) | 1,508 | 148 | 128 | 129 | 137 | 153 | 102 | 124 | 110 | 89 | 132 | 116 | 140 |
| Bronchitis (106) | 595 557 | 63 91 | 54 85 | 61 69 | 57 49 | 49 39 | 38 35 | 37 15 | 42 17 | 48 27 | 36 34 | 47 39 | 63 57 |
| Bronchopneumonia (107) | 11,954 | 2,011 | 1,612 | 1,696 | 1,180 | 898 | 582 | 424 | 392 | 458 | 714 | 812 | 1,175 |
| Lobar and unspecified pneumonia (108,109) | 4,645 | 754 | 675 | 585 | 482 | 339 | 231 | 151 | 138 | 178 | 254 | 321 | 537 |
| Diseases of the stomach (117,118) | 538 10,638 | 466 | 43 435 | 41 512 | 40 638 | 54 941 | 1,300 | 43 1,460 | 39 1,381 | 46 1,179 | 51 1,036 | 36 777 | 55 513 |
| Intestinal obstruction (122b) | 902 | 74 | 87 | 78 | 74 | 85 | 53 | 79 | 78 | 73 | 75 | 73 | 73 |
| Consenital malformations (157) | 10,343 | 980 | 870 | 914 | 876 | 817 | 808 | 923 | 823 | 803 | 836 | 809 | 884 |
| Congenital debility, icterus, sclerema (158,161b,c) | 4,471 | 384 2,846 | 330 2,610 | 2,835 | 372 2,703 | 369 2,941 | 349 2,852 | 384 2,889 | 407 2,818 | 354 2,562 | 388 2,643 | 414 2,690 | 371 2,758 |
| Injury at birth (160) | 9,644 | 889 | 813 | 903 | 819 | 806 | 795 | 830 | 765 | 742 | 741 | 729 | 81.2 |
| Other diseases of early infancy (161a,d) | 3,952 | 359 | 355 | 368 | 324 | 31.6 | 327 | 303 | 339 | 311 | 329 | 290 | 331 |
| Unknown or ill-defined diseases (199,200) | 2,248 7,278 | 248 776 | 194 723 | 189 711 | 167 576 | 148 556 | 158 509 | 178 510 | 159 603 | 175 517 | 176 516 | 180 577 | 276 704 |
| All other causes | 7,918 | 811 | 727 | 760 | 660 | 670 | 639 | 534 | 571 | 552 | 630 | 637 | 727 |
| | | UNE | ER 1 DAY | ? | | <u> </u> | | | | | <u> </u> | | |
| All causes | 32,237 | 2,706 | 2,477 | 2,773 | 2,622 | 2,875 | 2,866 | 2,964 | 2,793 | 2,484 | 2,594 | 2,508 | 2,575 |
| Measles (7) | 4 | | | 3 | | 1 | | | | | | | |
| Scarlet fever (8) | | | | | | | | | | | | | |
| Dinhthenia (10) | | | | | | | | | | | | | |
| Influenza (11) | 8 | 1 | 3 | 3 | | 1 | | | | | | | |
| Dysentery (13) | | | | | | | | | | | | | |
| Epidemic cerebrospinal meningitis (18) | | | | | | | | | | | | | |
| Tetanus (22) | | | | | | | | | | | | | |
| Tuberculosis of the respiratory system (23) Tuberculosis of the meninges, etc. (24) | 1 1 | | | | | | | 1 | | | | | |
| Other forms of tuberculosis (25-32) | | | | | | | | | | | | | |
| Syphilis (34) | 249 | 16 | 13 | 15 | 23 | 36 | 21 | 27 | 21 | 10 | 15 | 26 | 26 |
| Convulsions (86) | 29. 2 | 3 | | 3 | 5 | 3 | 3 | 3 | 3 | 1 | | 2 | 3 |
| Bronchopneumonia (107) | 36 | 4 | 3 | 3 | 2 | 4 | 1 2 | 5 | 4 | 4 | 3 | 1 | 1 |
| Tohom and unamostfied anormania (100 100) | 22 | 2 | 6 | 2 | 3 | 1 | 2 | `∙2 | | 1 | 3 | | |
| Diseases of the stomach (117,118) | 1 17 | 3 | 2 | | 1 | | | 2 | 3 | | 1 | | 2 |
| Intestinal obstruction (122h) | 2 | 1 1 | | | î | | | | | | | | |
| Congenital malformations (157) | 2,512 | 221 | 183 | 191 | 224 | 198 | 227 | 252 | 230 | 191 | 218 | 189 | 188 |
| Premature birth (159) | 715 19,961 | 1,581 | 55 1,517 | 1,744 | 75 1,599 | 71 1,838 | 56 1,795 | 63 1,849 | 1,722 | 48 1,563 | 50 1,585 | 1,593 | 48 1,575 |
| Injury at birth (160) | 5,008 | 451 | 385 | 432 | 405 | 414 | 444 | 459 | 416 | 385 | 390 | 396 | 431 |
| Other diseases of early infency (151a,d) | 1,781 193 | 164 25 | 143 | 142 | 133 | 148 | 160 | 148 | 157 | 149 | 156 | 135 | 146 |
| Unknown or ill-defined diseases [199,200] | 1,435 | 147 | 18 132 | 19 138 | 12 117 | 16 119 | 13 116 | 20 114 | 12 143 | 15 99 | 15 116 | 7 86 | 21 108 |
| All other causes | 261 | 24 | 17 | 22 | 22 | 25 | 26 | 19 | 21 | 18 | 28 | 13 | 26 |
| | I | | 1 DAY | | | | | l | | | | | |
| All causes | 7,945 | 703 | 665 | 703 | 671 | 625 | 632 | 672 | 694 | 643 | 665 | 591 | 681. |
| Measles (7) | | | | | | | | | | | | | |
| Scarlet fever (8) | | | | | | | | | | | | | |
| Whocping-cough (9) | 1 | 1 | | | | | | | | | | | |
| Influenza (11) | 11 | 3 | 4 | 1 | | | 1 | | | | | | 2 |
| Dysentery (13) | | | | | | | | | | | | | |
| Erysipelas (15) Epidemic cerebrospinal meningitis (16) | | | | | | | | | | | | | |
| Tetanus (22) | | | | | | | | | | | | | |
| Tuberculosis of the respiratory system (23) | '1 | | | | [| | 1 | | | | | | |
| Tuberculosis of the meninges, etc. (24) | 1 | | | | | | | ī | | | | | |
| Syphilis (34) | 62 | 4 | 5 | 4. | 6 | n n | 4 | 8 | 5 | 2 | 5 | 2 | 6 |
| Convulsions (86) | 34 | 3 | 1 | 1] | 5 | | 4 | 4 | 2 | 4 | 3 | 1 | 6 |
| Bronchopneumonia (107) | 3 67 | 6 | 1 4 | 1 9 | 3 | 2 | 7 | 1 6 | 6 | 8 | 6 | 5 | 5 |
| Lobar and unspecified pneumonia (108,109) | 25 | 5 | 2 | 2 | 2 | 1 | 1 | | 4 | 2 | 2 | 3 | ĭ |
| Diseases of the stomach. (117,118) | 11 | 2 | 1 1 | 1 | 1 | 1 | 1 | 2 | 1 2 | 1 | 2 | 1 | 1 |
| Intestinal obstruction (122b) | 4 | 1 | | | 1 | 2 | | | | | | <u></u> | |
| Congenital malformations (157) | 854 | 72 | 81 | 78 | 67 | 82 | 62 | 74 | 74 | 63 | 74 | 54 | 73 |
| Congenital debility, ictorus, sclerema (158,161b,c) | 247 3,890 | 21 345 | 20 308 | 16 311 | 28 326 | 15 323 | 16 316 | 24 31.4 | 24 360 | 27 307 | 18 327 | 16 325 | 22 325 |
| Injury at birth (160) | 1,394 | 121 | 116 | 139 | 112 | 105 | 121 | 132 | 103 | 120 | 123 | 95 | 107 |
| Other diseases of early infancy (16la,d) | 530 | 45 | 46 | 51 | 51 | 34 | 44 | 37 | 57 | 40 | 47 | 33 | 45 8 |
| Unknown or ill-defined diseases (199,200) | 58 555 | 5 49 | 8 48 | 8 64 | 7 48 | 39 | 5 36 | 4. | 1 43 | 2 45 | 39 | 5 35 | 8 65 |
| All other causes | 167 | 20 | 19 | 17 | 14 | 7 | 13 | , 19 | 12 | 22 | 16 | 13 | 15 |
| | | | | | | | | | | | | | |

TABLE 20.—DEATHS FROM IMPORTANT CAUSES, BY MONTHS AND CERTAIN SUBDIVISIONS OF THE FIRST YEAR OF LIFE, IN THE UNITED STATES: 1935—Continued

(Exclusive of stillbirths)

| (Numbers after causes of death correspond to those of the detailed International List) | | | | | | | | | | | | | |
|--|---------------|-------------|-----------|-----------|-----------|-----------|-----------|-------------|-----------|-----------|------------|-----------|-----------|
| CAUSE OF DEATH | All deaths | Jan. | Feb. | Mar. | Apr. | May | June | July | Aug. | Sept. | Oct. | Nov. | Dec. |
| 2 DAYS | | | | | | | | | | | | | |
| All causes | 5,250 | 506 | 512 | 499 | 454 | 428 | 386 | 412 | 398 | 376 | 377 | 419 | 483 |
| Measles (7) | | | | | | | | | | | | | |
| Whooping-cough (9) Diphtheria (10) | 1 | 1 | | | | | | | | | | | |
| Diphtheria (10) | 2 | 1 | 6 | 2 | 1 | | | 1 | | 1 | | | 1 |
| Dysentery (13) | ٦ ، | | | | | | ī | | | | | | |
| Erysipelas (15) | | | | | | | | | | | | | |
| Epidemic cerebrospinal meningitis (18) | 4 | 1 | | 1 | 1 | | | | 1 | | | | |
| Tuberculosis of the respiratory system (23) | 4 | l | | | | | 1 | | | 1 | | | 1 |
| Tuberculosis of the meninges, etc. (24) | | | | | | | | | | | | | |
| Syphilis (34) | 37 | 3 | 1 | 4 | 5 | 2 | 1 | 3 | 7 | 1 | | 3 | 7 |
| Convulsions (86) | 47 | 2 | 1 | 2 | 7 | 6 | 3 | 6 | 9 | 4 | 4 | 1 1 | 2 |
| Bronchopneumonia (107) | 120 | 18 | 7 | 8 | 5 | 7 | 8 | 12 | 6 | 12 | 13 | 8 | 16 |
| Lobar and unspecified pneumonia (108.109) | 48 | 7 | 10 | 4 | 2 | 5 | 3 | 2 | 3 | 3 | 2 | 6 | 1 |
| Diseases of the stomach (117,118) | 10 | 1 | 1 | 4 2 | 1 | 1 2 | 1 | 2 | 1 | 1 | 1 | 1 | 1 |
| Intestinal obstruction (122b) | 17 | 1 | 2 | 2 | 3 | 2 | 2 | 1 | 2 | 4 | 1 | | 1 |
| Congenital malformations (157) | 679 | 65 | 50 | 64 | 50 | 46 | 51 | 69 | 52 | 61 | 50 | 45 | 56 |
| Congenital debility, icterus, sclerema (158,161b,c) | 1,929 | 17 199 | 23 173 | 22 161 | 17 164 | 15 175 | 16 148 | 19 144 | 22 129 | 16 126 | 19 138 | 25 175 | 18 197 |
| Injury at birth (160) | 298 | 86 | 91 | 106 | 90 | 92 | 148 | 80 | 85 | 64 | 64 | 81 | 78 |
| Other diseases of early infancy (161a.d) | 421 | 38 | 56 | 45 | 36 | 36 | 28 | 27 | 22 | 33 | 32 | 31 | 37 |
| External causes (172-198, 201-214) | 43 403 | 35 | 10 45 | 7 49 | 6 46 | 2 24 | 2 18 | 2 28 | 2 37 | 1 26 | 27 | 1 27 | 4 40 |
| All other causes | 223 | 25 | 24 | 16 | 18 | 13 | 21 | 14 | 20 | 21 | 15 | 14 | 22 |
| 3 TO 6 DAYS | | | | | | | | | | | | | |
| All causes | 9,445 | 1,033 | 878 | 931 | 820 | 725 | 698 | 691 | 718 | 692 | 706 | 735 | 818 |
| Measles (7) | - 5 | 1 | | 1 | | 2 | | | | | | | 1 |
| Scarlet fever (8) | | | | | | | | | | | | | |
| Whooping-cough (9)Diphtheria (10) | 1 3 | | | 1 | 1 | | | | | 1 | 1 | | |
| Influenza (11) | 56 | 8 | 16 | 11 | 6 | 4 | 1 | | | 2 | | 2 | 6 |
| Dysentery (13) | 5 | | | | | i ' | | | | 1 | 1 | 2 | |
| Erysipelas (15) | 5 | 1 | 1 | | | 1 | 1 | | | | 1 | | 1 |
| Tetanus (22) | 48 | 11 | 5 | 5 | 2 | 4 | 2 | 3 | 1 | 3 | 3 | 6 | 3 |
| Tuberculosis of the respiratory system (23) | 1 | | | | | | 1 | | | - | | | |
| Tuberculosis of the meninges, etc. (24) | 1 3 | | 1 | | | | | | 2 | | | | |
| Syphilis (34) | 90 | 13 | 5 | 9 | 7 | 7 | 7 | 6 | 12 | 5 | 5 | 5 | 9 |
| Convulsions (86) | 105 | 7 | 10 | 14 | 10 | 7 | 8 | 6 | 8 | 10 | 10 | 7 | 9 2 |
| Bronchopneumonia (107) | 14 420 | 61 | 52 | 3 45 | 1 35 | 26 | 20 | 28 | 20 | 22 | 40 | 40 | 31 |
| Lobar and unspecified pneumonia (108, 109) | 150 | 23 | 20 | 15 | 16 | 8 | 7 | 7 | 8 | 13 | 11 | 12 | 10 |
| Diseases of the stomach (117,118) | 45 163 | 5 13 | 3 15 | 13 | 5 15 | 5 13 | 20 20 | 3 15 | 18 | 5 13 | 10 | 8 | 4 10 |
| Intestinal obstruction (122b) | 67 | 8 | 5 | 4 | 8 | 5 | 7 | 2 | 5 | 8 | 6 | 6 | 3 |
| Congenital malformations (157) | 1,362 | 157 | 125 | 134 | 127 | 92 | 99 | 112 | 102 | 93 | 97 | 104 | 120 |
| Congenital debility, icterus, sclerema (158, 161b,c) Premature birth (159) | 635 2,682 | 74 271 | 46 224 | 69 224 | 50 230 | 51 207 | 43 221 | 49 ! 190 | 80 212 | 50 191 | 41 212 | 53 240 | 49 260 |
| Injury at birth (160) | 1.452 | 155 | 143 | 140 | 142 | 127 | 92 | 120 | 107 | 109 | 101 | 102 | 114 |
| Other diseases of early infancy (161a,d)External causes (172-198, 201-214) | | 63 | 62 | 83 | 47 | 48 | 51 | 56 7 | 59 | 45 | 50 | 43 | 56 12 |
| Unknown or 111-defined diseases (199.200) | 90 939 | 14 93 | 88 | 10 93 | 66 | 7 57 | 8 56 | 59 | 64 | 6 64 | 68 | 3 60 | 71 |
| All other causes | 538 | 55 | 53 | 53 | 45 | 52 | 46 | 28 | 33 | 50 | 37 | 39 | 47 |
| | | | l week | | | | | | | | | | |
| All causes | 6,759 | 709 | 646 | 660 | 548 | 555 | 518 | 481 | 515 | 499 | 500 | 515 | 613 |
| Measles (7) | ,,, | 2 | | | | | - , | | | 1 | | | 1 |
| Scarlet fever (8) | 12 | 1 | 3 | 2 | 2 | | 1 | | | | | | |
| Whooping-cough (9) | 16 | 4 | | 4 | 1 | 3 | | 1 | 1 | 1 | | 1 | |
| Diphtheria (10) | | | 1 | 1 | | 2 | 1 | | 1 | | | 3 | |
| Dysentery (13) | 13 | 31 | 23 | 20 | 8 | 4 | 2 | 1 2 | 2 3 | 2 | 4 | | 6 |
| Erysipelas (15) | ! 22 | i | 3 | 2 | l i | 6 | | 1 | 2 | ì | 1 | 3 | ĩ |
| Epidemic cerebrospinal meningitis (18) | 72 | 6 | | 1 6 | 3 | | a | 2 | 5 | 5 | 1 8 | 6 | 6 |
| Tuberculosis of the respiratory system (23) | l l | | | ь | | | | | | | | | |
| Puberculosis of the meninges, etc. (24) | l | | | | | | | | | | , | | |
| Other forms of tuberculosis (25-32) | 99 | 13 | 10 | 10 | 6 | 6 | 5 | 10 | 9 | 7 | 9 | 6 | 8 |
| Convulsions (86) | 70 | 7 | 6 | 8 | 7 | 3 | 3 | 3 | 4 | 6 | 4 | 6 | 10 |
| Bronchitis (106)Bronchopneumonia (107) | 20 | 5 69 | 5 62 | 4 48 | 1 | | 28 | 19 | | 1 | 2 | 41 | 2 51 |
| Lobar and unspecified pneumonia (108.109) | 466 191 | 36 | 20 | 29 | 40 12 | 24 9 | 13 | 11 | 23 11 | 28 9 | 32 11 | 12 | 18 |
| Diseases of the stomach (117.118) | 36 | 3 | 3 | 3 | 2 | 4 | 4 | 2 | 5 | 2 | 4 | 1 | 3 |
| Diarrhea and enteritis (119) | 305 | 22 | 18 | 26 | 25 | 22 | 33 | 34 | 25 | 29 | 27 | 19 | 25 |
| Intestinal obstruction (122b) | 41 896 | 9 80 | 77 | 3 91 | 70 | 2 74 | 2 76 | 73 | 69 69 | 67 | 2 64 | 1 78 | 8 77 |
| Congenitul debility, icterus, sclerema (158, 161b.c) | 468 | 40 | 42 | 42 | 43 | 36 | 42 | 31 | 40 | 32 | 42 | 38 | 40 |
| Premature birth (159) | 2,056 | 189 | 177 | 190 | 177 | 191 | 156 | 167 | 166 | 161 | 145 | 166 | 171 |
| | 474 | 51 | 46 | 50 | 39 | 39 | 35 | 31 | 34 | 30 | 38 | 27 | 54 22 |
| Other diseases of early infancy (161a.d) | 27.2 | 25 | 181 | 221 | (30) | :51. 1 | 22.1 | 17 1 | 181 | 21 1 | 25 1 | 21.1 | |
| Other diseases of early infancy (161a,d) | 272 61 | 25 9 | 18 6 | 22 3 | 30 5 | 31 3 | 22 5 | 17 | 18 | 21 3 | 25 2 | 21 5 | 9 |
| Injury at 5174 (160) other diseases of early infancy (161s,d) | | | | | | | | | | | | | |

GENERAL TABLES-INFANT MORTALITY

TABLE 20.—DEATHS FROM IMPORTANT CAUSES, BY MONTHS AND CERTAIN SUBDIVISIONS OF THE FIRST YEAR OF LIFE, IN THE UNITED STATES: 1935—Continued

(Exclusive of stillbirths)

| CAUSE OF DEATH | All deaths | Jan. | Feb. | Mar. | Apr. | May | June | July | Aug. | Sept. | Oct. | Nov. | Dec. |
|--|--|---|---|--|---|--|--|--|---|---|--|---|--|
| 2 WEEKS | | | | | | | | | | | | | |
| All causes | 4,396 | 520 | 446 | 473 | 379 | 328 | 302 | , 287 | 330 | 289 | 313 | 336 | 393 |
| Measles (7)— Scarlet fover (8)— Scarlet fover (8)— Diphtheria (10)— Diphtheria (10)— Diphtheria (10)— Dysentery (13)— Expsipelas (15)— Expidente cerebrospinal meningitis (18)— Tetanus (22)— Tuberculosis of the respiratory system (23)— Tuberculosis of the maninges, etc. (24)— Other forms of tuberculosis (25-32)— Syphilis (34) Convulsions (86)— Bronchitis (106)— Bronchitis (106)— Bronchitis (106)— Bronchetia (107)— Lober and unspecified pneumonia (108,109)— Diseases of the stomach (117,118)— Diseases of the stomach (117,118)— Litestinal obstruction (122b)— Congenital malformations (157) Congenital debility, icterus, sclerema (158, 16lb,c)— Premature birth (159)— Liquiy at birth (160)— Cother diseases of early infancy (161a,d)— External causes (172-198, 201-214)— Unknown or ill—defined diseases (199,200)— All other causes | 25 5 39 12 135 12 44 10 1 1 2 1 68 30 29 532 173 29 432 275 529 275 529 275 118 108 74 365 368 | 5 6 | 6 1 3 2 2 32 32 32 31 1 1 1 1 1 1 1 1 1 1 | 4 1 1 6 1 20 7 7 6 2 5 5 81 22 2 3 38 8 56 28 8 11 1 9 5 5 47 7 30 | 5 1 1 8 2 4 4 1 1 2 2 49 18 18 19 4 42 22 22 22 22 22 22 25 80 80 80 80 80 80 80 80 80 80 80 80 80 | 3 1 7 7 1 7 7 1 3 3 3 3 40 27 7 7 2 12 5 5 5 2 2 2 2 8 | 1 1 1 4 | 2 1 1 2 1 1 1 19 6 2 48 1 37 29 80 4 4 1 9 | 2 2 2 1 1 1 2 2 2 2 2 2 2 2 2 2 2 2 2 2 | 2 3 3 3 2 2 3 3 3 1 18 13 3 22 20 00 72 16 8 6 9 19 9 10 10 10 10 10 10 10 10 10 10 10 10 10 | 1 1 5 3 2 1 | 2 2, 10 10 2 3 46 11 43 22 10 5 1 1 36 23 | 1 1 7 2 8 8 1 1 1 5 5 5 0 18 8 1 30 2 2 5 7 7 1 7 9 9 1 1 9 9 9 9 40 30 |
| All causes | 3,802 | 494 | 400 | 339 | 324 | 275 | 262 | 275 | 230 | 281 | 285 | 292 | 345 |
| Measles (7)———————————————————————————————————— | 23 1 106 13 117 18 49 4 4 4 1 3 67 24 20 562 184 21 447 447 447 429 556 79 70 68 79 310 322 | 10 10 16 11 10 16 11 10 38 8 44 21 53 53 54 10 39 34 | 7 9 1 30 | 4 11 18 3 14 15 2 2 2 4 69 17 1 37 13 37 13 44 44 9 9 9 24 22 | 1 12 7 16 6 50 16 11 33 3 442 18 50 44 4 66 67 26 | 1 6 6 2 2 2 | 1 2 2 4 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 | 8 1 5 1 2 2 2 2 2 4 4 37 7 5 41 1 4 4 7 9 33 | 1 4 3 1 2 2 2 2 3 3 44 5 3 3 3 16 5 11 4 5 3 3 3 3 3 3 3 3 3 3 3 3 3 3 3 3 3 3 | 1 5 3 4 1 1 2 2 29 11 148 3 3 3 3 3 17 48 6 5 5 19 25 | 1 8 2 1 3 5 5 5 5 5 5 5 5 5 5 5 5 5 5 5 5 5 5 | 5 1 4 1 7 7 | 3 2 10 1 4 4 1 1 1 6 2 1 5 2 1 5 5 5 5 5 1 10 42 25 |
| | 1 | | R 1 MONT | | | | ı | | | | | | · |
| Measles (7)———————————————————————————————————— | 69,834 69 7 183 37 444 49 124 9 136 12 4 8 672 340 101 12,203 793 153 1,392 206 7,279 2,795 32,021 9,514 3,843 598 4,475 2,385 | 6,671 14 12 32 4 124 13 11 19 11 1 | 16,024 16 11 12 4 114 10 11 12 16 276 117 73 15 608 225 2,533 804 349 60 448 242 | 6,378 14 2 28 8 6 71 14 14 13 50 32 17 12 263 91 15 112 18 651 2,757 887 3598 61 4711 199 | 5,818 8 1. 21 30 3 11 16 6 10 11 11 11 11 12 20 30 31 11 11 12 20 30 31 11 12 20 30 30 31 11 11 12 20 30 30 30 30 30 30 30 30 30 3 | 7, 11 16 3 22 5 5 12 | 5,664 3 7 3 111 2 7 11 4 50 23 7 113 600 2066 2,766 786 321 48 331 1193 | 5,782 11 2 5 7 2 11 1 2 58 25 21 11 40 15 140 9 658 229 2,797 827 294 46 316 316 6168 | 1 | 5,264 2 11 7 8 11 2 37 29 5 121 52 9 16 540 2,468 730 301 31 199 | 1 1 1 9 4 10 7 9 1 12 | 5,396 1 8 3 14 4 20 14 1 53 22 6 179 53 7 101 15 553 232 2,607 715 278 27 3188 165 | 5,908 2 1 3 4 31 6 14 11 17 73 77 9 199 69 13 101 15 609 226 2,659 800 73 414 215 |

TABLE 20.—DEATHS FROM IMPORTANT CAUSES, BY MONTHS AND CERTAIN SUBDIVISIONS OF THE FIRST YEAR OF LIFE, IN THE UNITED STATES: 1935—Continued

(Exclusive of stillbirths)

| Marie 17 | (Numbers after causes of death correspond to those of the detailed International List) | | | | | | | | | | | | | |
|--|--|---------|-------------|--------|------|------|-----|------|------|------|-------|------|------|----------------|
| All colors | CAUSE OF DEATH | | Jan. | Feb. | Mer. | Apr. | May | June | July | Aug. | Sept. | Oct. | Nov. | Dec. |
| Section Column | 1. MONTH | | | | | | | | | | | | | |
| Secrit S | All causes | 9,477 | 1,208 | 996 | 937 | 801 | 764 | 609 | 605 | 638 | 660 | 734 | 719 | 806 |
| Second S | | 68 | 10 | 10 | 14 | 11 | 9 | 6 | 3 | | 2 | 1 | | 2 |
| Digital (10) | Whooping-cough (9) | | | | | | | | 41 | | | 1 | | 20 |
| Dynamory (19) | | 25 | 3 | 2 | 2 | 3 | 2 | 2 | 1 | | 3 | 2 | 1 | 4 |
| Process 18 19 19 10 11 17 20 13 10 10 11 11 11 11 1 | Dysentery (13) | 54 | | | | | | | | | | | | 32 1 |
| The control of the co | | 187 | | | 22 | 24 | 18 | 9 | | 11 | | 14 | 14 | 21 |
| Tablementates of the meriuses, see, [45] 11 | Tetanus (22) | 3 | | | 1 | | | | 1 | | | | 2 | 2 |
| Observations Company of tubercolorist (20-20) | Tuberculosis of the meninges, etc. (24) | | | | | | | 1 | | 2 | | | 1 | |
| Secretarion 100 1 | Other forms of tuberculosis (25-32) | 6 | | [| 1 | 1 | 1 | | | | | | | |
| ## STROMENT (1987) 10 10 10 10 10 10 10 1 | Convulsions (86) | | | | 16 | | | | | | | | | 16 3 |
| Solid Register Soli | | | | 11 | 13 | 9 | 2 | 6 | 3 | 5 | 4 | 5 | 8 | 6 |
| | Lobar and unspecified pneumonia (108,109) | | | | | | | | | | | | | 129 64 |
| Intesting Service 1890 | Diseases of the stomach (117,118) | | | 5 | 11 | 10 | 7 | 5 | 4, | 9 | 14 | 6 | 1 | 12 |
| Second S | Intestinal obstruction (122b) | | 8 | 13 | | | | | | | | | | 76 7 |
| Presenting Strict (159) | Congenital malformations (157) | | | | | | | | | 67 | 60 | | 68 | 68 |
| Other diseases of whity infrarey (idla_c) | Premature birth (159) | 686 | 80 | 46 | 45 | 53 | 51 | 42 | | | | 79 | | 48 58 |
| External causes (17-100, 200-244) Section | Other diseases of early infancy (161a,d) | | | | | | | | | | | | | 8 5 |
| All other causes 91 95 85 82 74 86 82 43 97 65 75 76 76 76 76 75 76 75 76 75 76 75 76 75 76 75 76 75 76 75 76 75 76 75 76 75 75 76 75 76 75 76 75 76 75 76 75 76 75 76 75 76 75 76 75 76 75 75 76 75 75 76 75 76 75 76 75 76 75 76 75 76 75 76 75 76 75 76 75 76 75 76 75 76 76 76 76 76 76 76 76 76 76 76 76 76 | External causes (172-198, 201-214) | 276 | 35 | 32 | 24 | 20 | 16 | 13 | 14 | 15 | 19 | 16 | 29 | 43 |
| All causes | All other causes | | | | | | | | | | | | | 87 94 |
| Noneles (7) | | <u></u> | 2 | MONTHS | | 1 | | | | | | l | | |
| Searlet force (6) | All causes | 7,571 | 900 | 769 | 744 | 620 | 577 | 567 | 493 | 471 | 492 | 609 | 612 | 697 |
| Whopping-ough 9 | | 46 | 10 | 10 | 9 | 8 | 7 | 1 | | | | | | 1 |
| Dightheria (10) | Scarlet fover (8) | | | | | | | | | | | | | 1 |
| Dymenstry (13) | Diphtheria (10) | 18 | 1 | | | | | | | | | | | 26 2 |
| Expression (15) | Influenze (11) | | | 93 | 59 | | | | | | | | | 35 |
| Tetanus (28)— Theoreticals of the respiratory system (23) | Erysipelas (15) | 77 | 7 | | 13 | 7 | 8 | | | | | | | 1 6 |
| TitlePressions of the prespiratory system (23) | Tetanus (22) | | 1 | 2 | 1 | 2 | 2 | - 1 | 2 | | | 2 | 2 | 6 1 |
| Cher forms of twberoulosis (25-38) | | 22 | | | | | - 1 | 2 | | 2 | 1 | | 2 | 2 |
| Symilia (34) | Other forms of tuberculosis (25-32) | | | | 2 | 2 | 1 | | | 1 | | 2 | 2 | 1 |
| Broachitis (106) | | 210 | | | | | | 10 | 14 | | | | 16 | 17 |
| Lobar and unspecified pneumonia (108, 109) | Bronchitis (106) | | | | 10 | | | | | | | | | 7 4 |
| Diseases of the stomach (117,118) | Bronchopneumonia (107) (108 109) | | | | 237 | | | 51 | 38 | 31 | 52 | 102 | 100 | 133 |
| ThreatInal Obstruction (122b) | Diseases of the stomach (117.118) | 66 | 8 | 3 | | | | | | | | | | 70 9 |
| Congenital maintenance (157) 551 61 43 59 52 41 39 45 45 56 48 57 | Diarrhea and enteritis (119) | | | | | | | | | | | | | 68 6 |
| Presentive birth (159) | Congenital malformations (157) | 551 | 61 | 43 | 39 | 52 | 41 | 39 | 45 | 43 | 56 | | | 49 |
| Injury at birth (160) Taylor at birth (160) | Premature birth (159) | | | | | | | | | | | | | 32 21 |
| External causes (172-198, 201-2h) - 254 22 20 21 17 15 12 15 17 23 31 Indianom or 111-defined diseases (199, 200) - 573 74 61 52 37 48 45 30 51 40 40 54 Indianom or 111-defined diseases (199, 200) - 573 74 61 52 57 48 45 30 51 40 40 54 Indianom or 111-defined diseases (199, 200) - 575 79 63 82 59 67 77 35 44 43 52 75 Indianom or 111-defined diseases (199, 200) - 575 79 63 82 59 67 77 35 44 43 52 75 Indianom or 111-defined diseases (199, 200) - 575 79 63 82 59 67 77 35 44 43 52 75 Indianom or 111-defined diseases (199, 200) - 575 79 63 82 59 67 77 77 77 77 77 77 7 | | 34 | 2 | 5 | 3 | 2 | 2 | 3 | 7 | 1 | 5 | 2 | 4 | 4 |
| Common or 111-defined diseases (199, 200) | External causes (172-198, 201-214) | | | | | | | | | | | | | 6 45 |
| All causes | Unknown or ill-defined diseases (199, 200) | 573 | 74 | 61 | 52 | 37 | 48 | 45 | 30 | 31 | 40 | 40 | 54 | 61 |
| All causes——————————————————————————————————— | 000.2 00.000 | 759 | | | 02 | 29 | 67 | 77 | 35 | 44 | 43 | 52 | 75 | 83 |
| Measles (7)———————————————————————————————————— | £11 caucac | 6.145 | | | 505 | | | | | | | · | | |
| Scenitat fewer (8) - | | | | | | | | | | 379 | - | | 476 | 605 |
| Whooping-cough (9) | Scarlet fever (8) | | | | | | 7 | 2 | | | | | | 1 |
| Indituenze (11) - 296 91 62 50 25 14 2 1 2 8 6 14 2 1 2 8 6 14 2 1 2 8 8 6 14 2 1 3 9 11 8 12 14 1 2 8 1 1 2 8 1 1 2 8 1 1 2 1 1 2 8 1 1 2 1 1 2 8 1 1 2 1 1 1 2 1 1 1 2 1 1 1 1 2 1 | | | | | | | | 38 | 23 | | 7 | 12 | 16 | 15 |
| Dysentery (13) State Sta | Influenza (11) | | | | | | | 2 | | , | | | | 4 20 |
| Spidemic corebrospinal meningitis (18) | Dysentery (13) | | | | - 1 | 2 | 5 | 18 | 9 | 13 | 9 | 11 | 8 | 3 |
| Verbanus (22) | Cpidemic cerebrospinal meningitis (18) | | | | | | 3 | | | | | | 3 | 8 3 |
| Puber calcists of the meninges, stc. (24) 16 4 3 2 1 3 2 1 3 3 2 1 3 3 2 1 3 3 2 3 3 3 3 3 3 3 | | | | | | | - 1 | | | - 1 | | | | |
| Symphilis (34) 122 | Suberculosis of the meninges, etc. (24) | 16 | 4 | | | | | 1 | | - 1 | | - 1 | , | 2 2 |
| Somethits 106 | Other forms of tuberculosis (25-32) | | | | | 20 | | | | | | | | 1 |
| 1,321 218 187 174 124 91 59 45 28 60 69 91 170 174 | onvulsions (86) | 38 | 4 | 3 | 5 | 3 | 5 | 3 | | | - | | | 8 2 |
| obar and unspecified pneumonia (108, 109) 452 76 69 48 45 27 21 6 12 16 30 34 6 insenses of the stomach (117, 118) 49 4 2 4 4 6 2 5 1 6 6 3 1 6 6 5 3 insenses of the stomach (117, 118) 52 49 54 65 119 123 143 149 137 119 87 6 intestinal obstruction (122b) 73 5 10 5 5 4 6 8 6 4 5 9 ongenital malformations (157) 386 40 27 31 27 76 18 37 27 42 32 27 4 0 27 0 27 0 27 0 27 0 27 0 27 0 2 | ronchopneumonia (107) | 1.321 | | | | | | | | | | | | 9 |
| iarrhee and enteritis (119) | obar and unspecified pneumonia (108, 109) | 452 | 76 | 69 | 48 | 45 | 27 | 21 | 6 | 12 | 16 | 30 | 34 | 68 |
| Intestinal obstruction (122b) | plarrhea and enteritis (1191 | | | | | | | | | | | | | 6 60 |
| ongenital debility, icterus, scierema (158, 161b,c) | ntestinal obstruction (122b) | 73 [| 5 | 1.0 | 5 | 5 | 4 | 5 | 8 | 6 | 4 | 5 | 9 | 6 |
| remature birth (159) | ongenital debility, icterus, sclerema (158, 161b,c) | | | | | | | | | | | | | 42 25 |
| ther diseases of early infancy (161a,d) | remature birth (159) | | | | | | | | | | | | | 25 9 |
| | ther diseases of early infancy (16la,d) | | | | | | | | | | | | | |
| External causes (172-198, 201-214) | External causes (172-198, 201-214) | | | | | | | | | | 18 | | | 33 |
| 111 other source | dl other causes | | | | | | | | | | | | | 43 58 |

TABLE 20.—DEATHS FROM IMPORTANT CAUSES, BY MONTHS AND CERTAIN SUBDIVISIONS OF THE FIRST YEAR OF LIFE, IN THE UNITED STATES: 1935—Continued

(Exclusive of stillbirths)

(Numbers after causes of death correspond to those of the detailed International List)

| (Numbers after causes | or death | correspon | d to the | ose of th | e detail | ed Inter | national | List) | | | | | |
|---|---------------|-----------|-----------|-----------|----------|--------------|----------|--|-----------|----------|----------|---------------|-----------|
| CAUSE OF DEATH | All deaths | Jan. | Feb. | Mar. | Apr. | May | June | July | Aug. | Sept. | Oct. | Nov. | Dec. |
| | | 4 | MONTES | | | | | - | | | ' | | |
| All causes | 4,954 | 555 | 490 | 481 | 373 | 382 | 411 | 382 | 348 | 339 | 395 | 583 | 415 |
| Measles (7) | 55 | 9 | 8 | 16 | В | 3 | 4 | | | | 3 | 2 | 2 |
| Scarlet fever (8) | 6 245 | 1 36 | 1 24 | 34 | 1 21 | 19 | 1 20 | 18 | 19 | 16 | 15 | 1 10 | 1 13 |
| D4_b4banda (20) | 17 | 2 | 5 | 3 | 1 | | | | | 3 | 1 | 1 | 1 |
| Diphtheria (10) | 255 77 | 58 4 | 51 2 | 38 1 | 26 2 | 8 | 7 13 | 3 11 | 8 12 | 5 11 | 7 | 12 7 | 32 2 |
| Persinal as /151 | 27 | 2 | ĩ | 3 | 4 | 3 | 1 | 2 | 2 | 1 | ន | 3 | 3 |
| Epidemic cerebrospinal meningitis (18) | 41. | 5 | 1 | 4 | 4 | 2 | 5 | 4 | 1 | | - 6 | 4 | 5 |
| Muhamani anin of the memimetems sustant (2%) | 30 | 3 | 1 | 4 | 3 | 3 | 2 | 4 | 1 | 3 | 3 | | 4 |
| Tuberculosis of the meninges setc. (24) | 21 | 2 | 3 | 2 | 1 | 5 | | 3 | 1. | | 2 | | 2 |
| Other forms of tuberculosis (25-32) | 11 71 | 1 9 | 1 8 | 9 | 4 | 10 | 1 7 | 4 | 2 | 4 | 2 6 | 2 3 | 1 6 |
| Commit of one (96) | 33 | 8 | 6 | | 2 | 2 | 1 | 2 | | 2 | 3 | 3 | 4 |
| Bronchitis (106)———————————————————————————————————— | 1,002 | 170 | 128 | 136 | 3 94 | 4 74 | 2 66 | 1 24 | 38 | 3 34 | 6 58 | 3 74 | 5 102 |
| Lobar and unspecified pneumonia (108, 109) | 367 | 57 | 58 | 51 | 32 | 26 | 16 | 10 | 12 | 15 | 18 | 33 | 39 |
| Diseases of the stomach (117, 118) | 48 1,039 | 31 | 6 42 | 45 | 2 47 | 4 93 | 4 140 | 7 172 | 4 119 | 121 | 5 109 | 2 80 | 7 |
| Intestinal obstruction (122b) | 1,039 | 6 | 5 | 9 | 5 | 11 | 3 | 172 | 1179 | 7 | 109 | 5 | 40 7 |
| Congenital malformations (157) | 297 168 | 24 | 21 10 | 26 10 | 28 8 | 23 16 | 25 | 18 17 | ,15 20 | 23 | 31 17 | 38 15 | 25 |
| Prompting high (150) | 52 | 13 | 10 2 | , 5 | 3 | 10 | 17 5 | 6 | 4 | 16 2 | 9 | 5 | 9 4 |
| Injury at birth (160) | | [| [| | | | | | | | | | |
| Other diseases of early infancy (161a,d) | 156 | 12 | 18 | 14 | 7 | 11 | 9 | 14 | 13 | 10 | 23 | 12 | 13 |
| Unknown or ill-defined diseases (199, 200) | 280 | 37 | 37 | 15 | 19 | 15 | 19 | 18 | 29 | 21 | 19 | 20 | 31 |
| All other causes | 533 | 54 | 44 | 50 | 48 | 40 | 43 | 33 | 39 | 38 | 39 | 48 | 57 |
| | | 5 | MONTHS | | | | | | | | | | |
| All causes | 4,269 | 485 | 441 | 452 | 335 | 335 | 319 | 326 | 337 | 268 | 274 | 326 | 371 |
| Measles (7) | 39 6 | 10 | 6 | 7 2 | 8 | 3 | 1 | 4 | | 1 | | | |
| Whoming-cough (9) | 240 | 23 | 27 | 32 | 25 | 24 | 25 | 19 | 18 | 8 | 10 | 11 | 18 |
| Diphtheria (10) | . 13 255 | 1 60 | 4 59 | | | | 1 | 1 2 | 7 | 1 | | 2 | 3 |
| Dysantery (13) | 74 | 4 | 29 | 45 2 | 22 4 | 11 8 | 5 8 | 7 | 12 | 7 8 | 4 15 | 12 | 21 1 |
| Erysipelas (15) | 27 | 4 | 5 | 5 | 1 | 5 | 1 | ī | 1 | 1 (| 1 | 1 [| 1 |
| Epidemic cerebrospinal meningitis (18) | 33 2 | 3 | 3 | 2 | 2 | 3 | 2 | 3 | 2 | 3 | 1 | 2 | 5 |
| Muhammil agie of the reenimetams exetem (23) | 26 | 1 | | 4 | 6 | 2 | 3 | | .3 | 3 | 2 | 1 | 1 |
| Tuberculosis of the meninges, etc. (24)———————————————————————————————————— | 20 16 | 1 | 1 | 3 1 | 1 2 | 3 | 1 | 2 | 2 | 2 | 2 | 5 2 | 1 |
| | 57 | 7 | 7 | 4 | 4 | 7 | 5 | ŝ | 2 | ĩ | 5 | 4 | 6 |
| Syphils (34) | 12 | 1 7 | 2 4 | 3 2 | 1 | 1 3 | 3 | 1 2 | 1 2 | 1 | 1 2 | 1 | 5 |
| Bronchopneumonia (107) | 903 | 155 | 128 | 153 | 81 | 58 | 35 | 27 | 31 | 25 | 50 | 57 | 103 |
| Lobar and unspecified pneumonia (108, 109) | 355 29 | 63 4 | 51 2 | 41 | 37 2 | 25 1 | 13 4 | 13 | 13 1 | 13 | 18 3 | 26 6 | 42 1 |
| Diseases of the stomach (117, 118) | 908 | 34 | 30 | 40 | 42 | 78 | 117 | 139 | 135 | 98 | 77 | 77 | 41 |
| Intestinal obstruction (122b) | 80 | 23 | 11 | 8 | 9 | 10 | 1 | 9 | 4 | 7 | 7 | 7 | 6 |
| Congenital debility, ictorus, sclerema (158, 161b.c) | 255 91 | 23 | 21. 3 | 21 | 18 | 12 10 | 25 7 | 27 10 | 20 13 | 20 12 | 20 | 25 13 | 23 8 |
| Congenital debility, icterus, sclerema (158, 161b,c) | 18 | 1 | ī | 3 | | 2 | 1 | | ž | 4 | ĭ | ī | 2 |
| Injury at birth (160) | | | | | | | | | | | | | ~~~~~ |
| External causes (172-198, 201-214) | 135 | 22 | 16 | 4 | 9 | 15 | , 9 | 3 | 9 | 10 | 10 | 6 | 22 |
| Unknown or ill-defined diseases (199, 200) | 179 464 | 14 44 | 14 39 | 20 46 | 10 39 | 20 34 | 11 40 | 9 37 | 22 35 | 14 27 | 6 36 | 21 • 45 | 18 42 |
| ATT OTHER CARSES | 404 | 14 | | 40 | | | 40 | | - 00 | | | 140 | |
| | | 6 | MONTES | · | | | | ······································ | | | | , | |
| All causes | 3,870 | 407 | 430 | 424 | 316 | 320 | 316 | 333 . | .283 | 242 | 268 | 249 | 282 |
| Measles (7) | 53 12 | 2 | 9 | 11 | 9 3 | 10 2 | 5 | 3 | | | 1 | 1 | 2 |
| Whoming-cough (9) | 21.6 | 20 | 31 | 1 35 | 30 | 24 | 1 18 | 18 | 15 | 6 | 1 6 | 6 | 1 7 |
| Diphtheria (10) | 27 | 2 | 4 | 3 | 2 | 3 | 1 | | | 2 | 2 | 6 | 2 |
| Influenza (11) | 267 85 | 60 | 62 1 | 45 | 22 3 | 13 10 | 6 15 | 7 17 | 5 10 | 9 13 | 10 | 8 | . 20 1 |
| Erysipelas (15) | 22 | 6 | | 3 | 1 | 2 | 5 | ່ຊໍ | 1 | | | 2 | |
| Epidemic cerebrospinal meningitis (18) | 27 | 3 | 4 | 6 | 1 | 2 | 1 | | 2 | 2 | 2 | 4 | |
| Tuberculosis of the respiratory system (23) | 26 | 2 | 1 | 4 | 2 | | 2 | 5 | 2 | 1 | 4 | 2 | 1 |
| Tuberculosis of the meninges, etc. (24) | 24 | 5 | 2. | 1 | 2 | 3 | 2 | T | 2 2 | 2 | 1 | 2 | 1 |
| Other forms of tuberculosis (25-32) | 12 41 | 1 | 1 5 | 2 9 | 1 2 | 1 | 1 | 5 | 3 | 2 | 2 3 | 1 5 | 1 3 |
| Convolsions (86) | 15 | | 2 | 2 | ī | 3 | 1 [| 1 | i | | 1. | 1 | 2 |
| Bronchitis (105) | 36 764 | 127 | 9 117 | 3 117 | 76 | 57 | 1 39 | 2 27 | 1 23 | 25 | 1 40 | 4 52 | 5 63 |
| Lobar and unspecified pneumonia (108, 109) | 339 | 56 | 46 | 55 | 32 | 22 | 14 | 11 | 8 | 10 | 1,5 | 28 | . 42 |
| Diseases of the stomach (117, 118) | 21 809 | 26 | 3 33 | 22 | 50 | 4 83 | 1 115 | 122 | 111 | 1 87 | 1 82 | 1 49 | 29 |
| Intestinal obstruction (122b) | 69 | 3 | . 5 | 6 | 3 | 6 | 4 | 6 | 7 | 6 | 9 | 7 | 7 |
| Congenital malformations (157) | 163 | 11 | 24 | 9 | 15 | 11 | 16 | 13 | 10 | 15 | 14 | 13 | 11 |
| Congenital debility, icterus, sclerema (158, 161b,c) | 57 11 | 3 2 | 2 | 2 | 3 | 7 1 | 3 | - 5 | | 5 | 9 | | 8 2 |
| Injury at birth (160) | | <u>-</u> | | | | - -] | | } | | |] | | |
| Other diseases of early infancy (161a,d) | 108 | 6 | 7 | 14 | 4 | 6 | 11 | 10 | 15 | В | 11 | z | 14 |
| Unknown or 111-defined diseases (199, 200) | 174 | 13 | 10 | 23 | 15 | 9 | 11 | 29 | 18 | 11 | 11 | 11 | 13. |
| All other causes | 491 | 48 | 47 | 48 | 38 | 37 | 41 | 47 | 37 | 34 | 33 | 34 | 47 |

TABLE 20.—DEATHS FROM IMPORTANT CAUSES, BY MONTHS AND CERTAIN SUBDIVISIONS OF THE FIRST YEAR OF LIFE, IN THE UNITED STATES: 1935—Continued

(Exclusive of stillbirths)

| (Numbers after cause | s of death | correspor | d to the | se of th | ø detail | ed Inter | national | List) | | | | | |
|---|------------------|---------------|---------------|---------------|---------------|---------------|---------------|--------------|---------------|--------------|---------------|---------------|---------------|
| CAUSE OF DEATH | All deaths | Jan. | Feb. | Mar. | Apr. | May | June | July | Aug. | Sept. | Oct. | Nov. | Dec. |
| | | 7 | MONTHS | | | | _ | | | | | | |
| All couses | 3,356 | 338 | 310 | 389 | 333 | 290 | 277 | 271 | 260 | 230 | 202 | 210 | 246 |
| Measles (7) | 65 12 | 10 | 11 | 12 2 | 9 | 14 | 4 2 | 2 | | | 1 | 1 | 1 |
| Whooping-cough (9) | 200 | 23 | 24 | 18 | 29 1 | 23 | 19 | 19 | 14 | 9 1 | 7 | 6 1 | 9 |
| Influenza (11) | 224 | 36 | 50 | 50 2 | 19 1 | 17 6 | 5 12 | 3 10 | 4 13 | 5 10 | 11 5 | 8 | 16 |
| Erysipelas (15) | 20 | 1 3 | 1 1 | 4 | 2 | 3 1 | 3 1 | 2 | 1 | 1 4 | 1 2 | 1 | |
| Tetanus (22) Tuberculosis of the respiratory system (23) | 37 | | 2 | 6 | 1 2 | 3 | 3 | 4 | 4 | 7 | 1 2 | 2 | 2 |
| Tuberculosis of the meninges, etc. (24) | 28 9 | | 3 | 5 2 | 2 | 1 | 1 | 2 | 1 | 2 | 3 | | 1 |
| Syphils (34) | 31 14 21 | 5 1 1 | 1 | 5 4 4 2 | 2 5 | 2 | 3 1 2 | 4 | 1 | 2 | 2 | 2 1 | |
| Bronchoneumonia (107) | 688 | 105 | 83 32 | 107 45 | 79 30 | 3 65 25 | 34 21 | 28 | 27 | 24 | 25 1 2 | 1 48 | 65 |
| Disease of the stomach (117, 118) | 18 | 1 23 | 2 18 | 1 26 | 47 | 1 54 | 21 98 | 102 | 5 1 108 | 4 1 89 | 61 | 14 2 45 | 34 |
| Intestinal obstruction (122b) Congenital malformations (157) | 80 | 6 8 | 6 | 6 17 | 12 | 9 8 | 4 6 | 10 | 4 9 | 7 13 | 5 9 | 3 11 | 20 |
| Congenital debility, icterus, sclerema (158, 161b,c) | - 55 15 | 3 3 | 2 | 3 | 4 | 3 | 4 3 | 7 2 | 3 | 7 | Ď | 9 | 4 |
| Injury at birth (160) | - | | | | | | | | | | | | |
| External causes (172-198, 201-214) | 107 | 11 4 | 4 10 | 8 12 | 14 18 | 8 14 | 12 11 | 15 10 | 8 19 | 8 11 | 6 12 | 7 8 | 6 9 |
| All other causes | 379 | 35 | 37 | 49 | 36 | 27 | 26 | 28 | 32 | 23 | 25 | 33 | 28 |
| All causes | 3,099 | 299 | MONTHS 308 | 320 | 294 | 302 | 270 | 245 | 230 | 21.5 | 192 | 209 | 215 |
| Measles (7) | 77 | 8 | | 17 | 15 | 15 | 7 | 2 | | | 132 | 502 | 1 |
| Meaging (/) Whooping-cough (9) | 10 | 17 | 11 1 32 | 1 30 | 19 | 19 | 26 | 1 20 | 2 12 | 1 2 7 | 7 | 2 14 | 1 3 |
| Diphtheria (10) | 32 | 7 | 5 40 | 6 27 | 3 | 2 13 | 6 | 1 3 | 1 2 | 1 5 | 2 | 2 7 | 14 |
| Dysentery (13) Erysipelas (15) | ا ده ل | 1 4 | 1 | 1 | 3 5 | 9 | 10 | 9 | 10 | 7 | 7 | 4 | 1 |
| Epidemic cerebrospinal meningitis (18) Tetanus (22) | 15 | 2 | 1 | | 2 | ĩ | 1 | J | ĩ | 2 | | 2 | 2 |
| Tuberculosis of the respiratory system (23) | 29 | 2 | 3 2 | 3 7 | 4 2 | 6 4 | 4 2 | 3 | 1 3 | <u>-</u> | 2 3 | 2 | 1 2 |
| Other forms of tuberculosis (25-32) | 12 | 1 2 | 5 | 1 | 1 | 2 | 1 3 | 2 2 | 1 | 2 | 2 2 | 1 | 1 |
| Convulsions (86) | 16 28 | 1 5 | 2 4 | 3 | | 3 | 1 4 | 2 | 2 2 | 1 2 | 2 | 3 | 1 5 |
| Bronchopneumonia (107) | 568 312 | 88 41 | 85 39 | 79 45 | 68 45 | 48 32 | 28 21 | 20 13 | 16 5 | 17 14 | 23 13 | 39 18 | 57 26 |
| Diseases of the stomach (117, 118) | 16 660 | 19 | 16 | 2 26 | 3 36 | 1 67 | 1 98 | 103 | 2 92 | 2 85 | 3 52 | 3 41 | 1 24 |
| Intestinal obstruction (122b) | 46 | 4 5 | 7 7 | 4 8 | 2 | 3 12 | 3 9 | 5 10 | 5 9 | 3 13 | 4 5 | 3 11 | 3 12 |
| Congenital debility, icterus, sclerema (158, 161b,c) | 40 8 | 1 | 2 | 2 | 3 | 4 | 5 | 5 1 | 1 | 2 | 2 | 8 | |
| Injury at birth (160) | | | | | | | | | | | | | |
| External causes (172-198, 201-214) | 80 137 | 12 | 2 9 | 7 9 | 12 | 5 16 | 5 4 | 4 11 | 7 15 | 14 7 | 9 11 | 8 15 | 16 |
| All other causes | 375 | 32 | 33 | 41 | 31 | 36 | 29_ | 24 | 38 | 20 | 36 | 24 | 31 |
| All causes | n eee | 265 | MONTHS | 306 | 276 | 294 | 273 | 225 | 205 | 170 | 173 | 168 | 199 |
| Measles (7) | 2,828 | 7 | 274 | | | = | | 225 | 1 | 170 | 173 | 100 | 175 |
| Measiss (/) | 87 | 19 | 11 | 22 2 19 | 11 2 22 | 18 1 19 | 13 1 23 | 12 | 7 | 1 | 1 7 | | 1 |
| whooping-cough (9) | 169 30 | 2 35 | 2 | 4 30 | 3 | 2 | | 2 6 | 1 | 4 | 3 5 | 2 | 5 10 |
| Dysentery (13) | 172 64 | 1 | 39 | 2 | 2 | 6 | 6 14 | 11 | 12 | 6 | 4 | 5 | |
| Enidemic cerebrospinal meningitis (18) | 10 | | 1 2 | 1 2 | 1 | | 2 5 | ε | 1 | 1 | | 2 | 3 |
| Tetanus (22) | 36 | 1 | 3 | 4 | 1 | 8 | 3 | 1 | 7 | 1 2 | 1 | 2 | 4 |
| Tuberculosis of the meninges, etc. (24) | 34 | 4 | 5 1 | 1 | 1 | 1 3 | 4 1 2 | 2 2 | 2 1 3 | | 4 2 1 | ı | 5 |
| Syphils (34) | 23 | | 2 | 2 | 1 | 3 | | | | 1 | 2 | 2 | 1 3 |
| Bronchopneumonia (107) | 28 532 | 91 31 | 5 51 | 3 85 | 4 58 38 | 50 29 | 1 27 | 20 | 14 | 16 | 2 33 10 | 31 | 56 34 |
| Lober and unspecified pneumonia (108, 109) | 277 15 | 4 | 48 | 33 | 26 27 | 1 | 16 1 | 1 | 10 | 2 60 | 3 | 1 28 | 34 1 22 |
| Diarrhea and enteritis (199 | 563 38 134 | 19 2 11 | 18 1 14 | 16 4 12 | 27 2 17 | 56 7 11 | 94 7 13 | 92 1 8 | 28 2 8 | 2 9 | 49 2 8 | 3 | 22 5 11 |
| Congenital malformations (157) | 33 | 1 | 5 | 6 | 3 | 2 | 2 | 4 | 2 | 2 | 3 | 2 | 1 |
| Premature Sirth (169) | | | | | | | | | | | | | |
| Other diseases of early initancy (161a,d) | 96 92 | 5 6 | 6 | 9 | 12 | 7 9 | 5 | 10 | 12 | 11 4 | 6 5 | 10 | 4 5 |
| All other causes | 341 | 24 | 30 | 39 | 35 | 40 | 21 | 27 | 28 | 24 | 23 | 28 | 22 |

TABLE 20.—DEATHS FROM IMPORTANT CAUSES, BY MONTHS AND CERTAIN SUBDIVISIONS OF THE FIRST YEAR OF LIFE, IN THE UNITED STATES: 1935—Continued

(Exclusive of stillbirths)

(Numbers after causes of death correspond to those of the detailed International List)

| | | 1 | | | | | | | | | | | |
|--|--|---|--|---|--|--------------------------------|--|--|---|---|---|--|---|
| CAUSE OF DEATH | All deaths | Jan. | Feb. | Mer. | Apr. | May | June | July | Aug. | Sept. | Oct. | Nov. | Dec. |
| | | 10 | MONTES | | | | | | | | | | |
| All causes | 2,324 | 236 | 21.3 | 249 | 214 | 203 | 232 | 200 | 158 | 139 | 152 | 146 | 182 |
| Measles (7) Scarlet fever (8) Mhooping-cough (9) Diphtheria (10) Influenza (11) Dysentery (13) Erysipelas (15) Erysipelas (15) Erysipelas (15) Totanus (22) Tuberculosis of the respiratory system (23) Tuberculosis of the meninges, etc. (24) Other forms of tuberculosis (25-32) Syphilis (34) Convulsions (86) Bronchitis (306) Eronchitis (306) Eronchitis (106) Discases of the stomach (117, 118) Diarrhea and enteritis (119) Intestinal obstruction (122b) Congenital melformations (157) Congenital melformations (157) Congenital melformations (159) Injury at birth (159) Injury at birth (150) Other diseases of early infancy (161a,d) External causes (172-198, 201-214) Unknown or ill-defined diseases (199, 200) All other causes | 95 14 137 27 138 52 9 15 | 6 4 111 5 29 2 1 2 1 63 37, 2 10 3 4 4 12 6 6, 27 | 9 2 2 30 0 1 1 1 1 2 2 3 1 1 1 1 1 1 1 1 1 1 1 1 1 | 23 1 22 2 7 26 | 19 2 11 12 12 12 12 12 12 12 12 12 12 12 1 | 20 8 2 7 6 2 3 3 | 11 11 1 3 4 1 2 3 5 1 1 1 2 2 3 5 1 1 2 2 3 3 1 2 3 5 1 2 2 3 1 2 3 5 1 2 2 3 3 1 2 2 3 3 3 3 3 3 3 3 3 3 3 3 | 1 11 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 | 2 3 10 2 1 60 2 3 5 2 2 1 10 4 22 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2 | 10 4 4 2 2 1 1 1 2 3 1 10 6 | 1 2 2 4 1 1 1 2 2 2 2 1 1 37 2 2 2 2 11 4 4 | 1 23 10 2 29 4 11 7 7 14 9 16 | 1 3 9 1 1 1 1 2 4 4 50 20 1 1 1 1 3 9 4 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 |
| All causes | 2,409 | 303 | MONTES 233 | 280 | 202 | 220 | 191 | 166 | 191 | 138 | 177 | 141 | 167 |
| Measles (7)———————————————————————————————————— | 97 19 143 46 154 45 6 13 24 25 15 18 6 464 225 12 441 18 68 24 6 | 8 3 15 9 45 2 2 2 2 4 4 76 6 37 | 16 19 4 29 1 | 16 3: 25 22 2 2 2 1 1 5 5 2 1 1 4 4 5 7 36 1 20 3 3 3 1 1 | 22 3 12 4 12 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 | 14 11 23 1 5 6 | 12 12 16 6 6 11 1 | 7 | 1 10 2 | 2 6 3 7 3 | 1 7 4 8 5 5 3 3 4 2 2 7 4 4 1 1 4 1 1 4 | 22 7 6 3 1 1 2 2 2 2 2 2 2 2 2 2 2 2 12 2 2 2 | 1, 4 4 4 6 12 11 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 |
| External causes (172-198, 201-214) | 111 54 348 | 15 10 41 | 8 4 37 | 10 3 45 | 2 26 | 3 | 3 20 | 4 21 | 10 31 | 15 4 15 | 2 27 | 15 S | 4 23 |

TABLE 21.—DEATHS FROM IMPORTANT CAUSES, BY CERTAIN SUBDIVISIONS OF THE FIRST YEAR OF LIFE: 1935

(Exclusive of stillbirths)

(Numbers after causes of death correspond to those of the detailed International List of Causes of Death. Refer to this list for complete definition of each cause and for causes included in "All other causes." Washington, D. C., end cities having 500,000 inhabitants or more on April 1, 1930, are included, and those with a minimum of 25,000 inhabitants other than white are shown by race.)

| AREA AND CAUSE OF DEATH | Total deaths under l year | Under 1 day | 1 day | 2 days | 3 to 6 days | 1 week | 2 wks. | З wks. | Under 1 month | 1 mo. | 2 mos. | 3 mos. | 4 mos. | 5 mos. | 6 mos. | 7 mos. | 8 mos. | 9 mos. | 10 mos. | ll mos. |
|-------------------------|--|---|---|---|--|--|--|--|---|---|--|--|--|--|---|--|--|--|--|--|
| UNITED STATESAll causes | 120,138 | 32,237 | 7,945 | 5,250 | 9,445 | 6,759 | 4,396 | 3,802 | 69,834 | 9,477 | 7,571 | 6,147 | 4,954 | 4,269 | 3,870 | 3,356 | 3,099 | 2,628 | 2,324 | 2,409 |
| Measles | 798 109 2,940 311 3,173 782 572 264 151 310 2655 1,558 595 11,954 4,645 596 10,638 10,638 10,638 4,471 33,147 9,644 3,952 2,248 7,278 7,918 | 249 29 29 20 36 22 11 17 24,512 25,512 7,561 5,008 1,781 1,93 1,435 261 | 1 11 11 11 11 11 11 11 11 11 11 11 11 1 | 229 | 55 55 55 5 1 48 1 1 3 90 106 14 420 45 163 67 71,362 2,682 1,452 60 839 839 839 839 | 12 1 1 16 6 104 13 22 2 4 4 72 2 70 20 20 466 191 36 305 41 896 474 272 61 5688 486 | 25 5 39 12 135 12 48 4 10 1 2 1 6 8 30 29 9 432 27 29 432 173 527 29 118 74 108 74 108 74 108 74 108 74 108 74 108 74 108 74 108 74 108 74 108 74 74 74 74 74 74 74 74 74 74 74 74 74 | 23 1 106 13 117 16 49 | 69 7 163 37 444 49 124 9 138 12 4 6 672 240 101 2,203 793 1,392 206 7,279 2,795 32,021 9,514 3,843 598 4,475 2,385 | 688 3 477 255 413 54 187 17 3 8 11 6 227 47 49 1,604 548 92 1,291 94 875 558 686 96 72 276 799 911 | 466 551 397 18 374 777 1 1 222 5 210 50 788 1,4611,372 242 34 37 375 9 759 | 47 6 347 424 296 84 43 3 22 16 9 122 38 64 41,321 452 49 1,157 73 386 6 239 86 | 55 6 245 177 255 77, 275 41 | 39 6 240 13 255 74 27 33 2 266 20 16 57 77 12 32 29 90 33 55 29 90 80 255 57 12 32 29 16 16 16 17 17 18 18 18 18 18 18 18 18 18 18 18 18 18 | 533 12 2166 27 2677 1267 1266 2441 155 369 369 163 57 11 | 655 122 2000 155 2244 633 200 199 2 2 377 311 44 211 688 283 18 65 695 15 15 107 138 379 379 | 777 10 206 32 181 61 200 15 29 35 12 22 22 16 28 312 18 68 66 66 66 111 40 8 | 87 9 169 300 1722 644 100 18 1 1 23 344 111 23 314 28 532 277 15 563 38 134 33 31 1 | 95 14 137 27 138 52 52 11 14 200 17 437 31 86 39 1 1 110 65 288 288 | 97 199 143 46 6 154 45 6 6 13 35 15 18 24 43 12 12 441 18 68 88 24 46 6 |
| WHITEAll causes | 97,907 | 27,902 | 6,705 | 4,341 | 7,640 | 5,318 | 3,522 | 3,011 | 58,439 | 7,595 | 6,032 | | 3,795 | | | | | | | _ |
| Messles | 660 108 2,322 253 2,428 615 533 95 185 199 83 768 422 446 9,689 3,370 370 8,714 761 9,772 3,330 28,377 8,812 3,334 1,334 1,358 9,649 | 11.5 22 1. 29 9 14 1. 16 1. 2, 393 5. 509 17, 546 1. 573 1.40 7.14 2.35 | 1 10 1 1 32 26 5 3 57 21 6 6 8 17 16 24 17 1, 282 45 233 167 | 1 8 1 1 2 3 3 5 5 7 7 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 | 2 2 | 10 1 13 4 87 9 9 21 4 49 | 21 5 29 10 107 9 41 4 6 1 1 28 19 27 457 1132 22 373 31 506 81 199 722 107 81 81 95 82 196 83 83 83 84 84 85 86 86 86 86 86 86 86 86 86 86 86 86 86 | 20 1 90 9 96 11 45 1 | 57 7 132 26 352 35 110 9 88 9 4 7 309 245 83 1,851 570 1,168 1,77 1,168 27,513 8,699 3,247 42,114 2,114 | 52 3 412 200 3344 422 174 15 6 8 5 5 1355 26 70 1,352 410 50 1,079 50 1,079 50 1,079 50 1,079 50 1,079 50 1,079 50 1,079 50 1,079 50 1,079 50 1,079 50 1,079 50 1,079 50 50 50 50 50 50 50 50 50 50 50 50 50 | 39 5 5 340 144 289 60 72 22 2-15 9 2 2127 37 64 41,205 64 11,205 188 31 32 203 321 634 | 43 6 2866 199 225 67 41 29 2 2 11 11 8 8 67 67 65 13330 333 957 60 352 174 65 540 | 45 6 6 164 411 185 566 24 40 | 28 6 189 11 187 61 25 17 26 10 28 691 250 19 740 74 234 58 13 | 41 12 158 21 177 69 22 19 21 8 24 4 12 26 6595 22 29 17 638 57 150 44 10 | 51 12 155 14 180 49 2 20 20 6 16 10 18 527 207 207 207 207 207 207 207 207 207 2 | 65 9 154 25 130 46 20 9 11 12 18 451 209 13 546 44 101 23 8 60 305 | 74 9 127 29 136 500 10 16 1 21 23 3 5 14 13 3 23 431 1 213 3 5 125 22 2 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 | 83 14 101 24 46 9 12 19 6 5 9 18 371 11 364 28 75 25 37 242 | 82 19 104 39 123 34 6 6 12 |
| OTHER RAGES | 22,231 138 1,618 58 745 167 39 31 55 125 66 42 740 173 111 2,265 1,275 160 1,924 121 1,141 4,770 838 638 648 487 3,689 1,269 | 4,335 | 1,240 | 1 1 5 | 3 3 3 1 1 2 1 1 1 1 1 1 1 1 1 1 1 1 1 1 | 2 2 3 2 17 4 1 1 2 2 3 2 2 5 5 5 9 2 6 6 1 8 5 1 7 4 9 1 1 4 3 9 8 5 6 6 7 0 1 3 3 1 8 7 2 | 874 4 10 22 83 7 4 40 11 27 53 41 75 41 23 76 76 71 18 151 62 | 791 3 16 4 21 7 4 4 2 2 2 2 3 5 6 9 9 5 5 4 3 8 8 1 6 6 2 9 9 1 1 1 1 1 1 1 1 1 1 1 1 1 | 11,395 12 31 11 92 14 14 50 3 1 363 95 18 352 223 36 224 29 365 664 2,361 64 2,361 | 1,882 | 1,539 7 7 4 85 14 5 5 1 1 7 7 3 3 3 14 17 12 24 10 10 5 11 10 5 5 11 12 24 25 25 26 21 25 26 26 26 26 26 26 26 26 26 26 26 26 26 | 1,343 4 81 57 71 17 2 1 11 55 12 16 2268 122 200 13 23 23 55 21 53 176 104 | 1,159 10 61 67 70 21 31 12 4 2 43 15 6 11 224 108 11 25 13 25 49 14 27 127 127 | 978 11 21 51 22 68 13 22 9 22 9 31 24 4212 105 10 168 62 23 5 28 88 86 | 923 12 58 6 9 9 1 1 7 7 3 4 17 16 9 110 4 171 12 13 13 1 1 1 2 2 7 8 8 8 8 8 8 8 8 8 8 8 8 8 | 740 14 45 1 44 14 4 17 8 3 15 161 76 4 4 3 103 113 116 12 7 7 16 17 16 17 16 16 17 16 16 16 17 16 16 16 16 16 16 16 16 16 16 | 712 12 1 | 588 13 42 1 36 14 2 15 11 6 9 1 1 5 101 64 5 18 3 9 11 13 47 62 | 453 12 36 3 28 6 6 - 3 3 19 6 5 9 9 - 4 73 53 6 73 73 73 73 11 14 11 | 519 15 39 7 31 11 11 15 11 4 12 3 2 80 49 49 48 3 47 7 3 |

| AREA AND CAUSE OF DEATH | Total deaths under l year | Under 1 day | l dey | 2 days | 3 to 6 days | 1 week | 2 wks. | 3 wks. | Under 1 month | 1 mo. | 2 mos. | 3 mos. | 4 mos. | 5 mos. | 6 mos. | 7 mos. | B mos. | 9 mos. | 10 mos. | ll mos. |
|--|--|---|--|---|--|---|---|---|--|---|--|---|--|---|---|---|--|---|--|--|
| CITIES OF 10,000 OR MORE IN 1930All causes | 53,839 | 16,066 | 4,008 | 2,420 | 4,028 | 2,734 | 1,873 | 1,616 | 32,745 | 3,844 | 3,096 | 2,542 | 2,059 | 1,780 | 1,604 | 1,484 | 1,397 | 1,256 | 991 | 1,041 |
| Mensles | 201 31. 848 82. 242. 212. 303 201. 31. 180 148. 182. 136. 230 6,088 1,892 1,892 1,992 1,992 1,992 1,309 16,565 5,515 5,515 5,515 5,515 2,206 848 649 | 1 1 2 3 10 1 1 3 2 1 1,236 160 10,123 2,942 1,086 655 122 | 377 6 6 39 4 4 2 397 828 321 21 46 6 | 1 1 1 1 15 5 68 18 3 3 5 8 949 949 209 143 39 | 9 9 2 3 3 6 1 1 205 54 12 57 31 662 12 795 331 660 60 | 1 1 1 1 4 4 1 3 3 2 1 4 1 7 1 8 8 1 1 4 1 7 1 4 6 8 1 2 8 8 1 2 2 0 5 1 2 5 9 9 4 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2 | 3 4 2 26 6 6 6 26 3 3 3 1 1 1 38 8 6 14 270 7 8 8 263 3 3 1 4 270 7 8 4 438 4 38 6 2 2 3 2 2 9 | 4 15 2 19 6 25 | 20 5 71 18 67 5 24 6 | 10 11 131 98 133 92 14 1 1 3 3 3 3 119 7 28 762 26 5788 47 47 47 533 538 170 333 58 170 98 187 187 187 187 187 187 187 187 187 18 | 18 | 11 107 4 477 26 20 24 2 15 5 4 4 622 11 126 697 166 697 3 479 9 3 80 3 3 3 479 166 3 3 479 166 169 169 169 169 169 169 169 169 16 | 17 69 1 61' 20 13 39 8 8 8 8 12 24 13 396 64 168 51 12 21 | 6 1 1 73 6 6 78 16 16 16 28 2 10 0 12 1 9 3 2 4 112 158 3 3 3 3 4 4 149 1 158 5 5 5 5 5 16 6 219 | 200 22 699 83 326 833 226 144 122 373 373 373 139 15 44 900 16 4 2 255 | 13 6 6 63 1 64 4 12 2 23 15 6 6 .15 3 15 150 6 261 15 24 9 9 43 2 1193 | 25 2 72 72 72 72 75 75 75 75 75 75 75 75 75 75 75 75 75 | 28 5 48 100 661 177 6 5 179 12 25 5 7 24 132 1 1 43 3 9 192 | 27 5 47 12 48 7 6 10 | 30 8 41 16 47 16 23 12 13 4 8 243 114 4 141 9 38 4 4 141 5 5 5 5 176 |
| All other causes | 3,928 45,892 | 145 | 99 3,533 | 2,134 | 245 3,452 | 227 | 180 1,539 | 152 | 28,452 | 3,251 | 392 2,598 | 2,103 | 253 | 1,455 | 1,328 | 1,191 | 1,128 | 1,057 | 832 | 854 |
| Neasles | 177 30 7111 700 675 175 223 178 221 113 110 54 451 112 189 4,927 1,443 100 3,700 3,700 446 5,174 1,013 14,315 5,024 1,896 703 332 3,470 | 1 1 1 1 1 54 4 7 7 1 1,186 9,05 2,690 949 515 5137 | 19 6 6 32 7 2 4 4 2 387 759 279 17 24 92 | 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 | 3 20 20 1 1 178 40 11 47 26 62 91 10 10 10 10 10 10 20 20 20 20 20 20 20 20 20 20 20 20 20 | 1 1 1 1 1 1 1 4 4 1 3 2 8 8 | 3 3 2 2 19 5 5 22 2 1 1 19 2 14 218 43 6 6 236 5 32 2 2 2 2 1 1 5 5 5 32 2 2 1 5 5 5 32 2 1 5 5 6 7 1 2 1 5 7 1 5 | 3 3 1 1 4 2 2 1 6 4 2 3 5 2 2 2 1 6 7 2 2 1 6 7 2 2 1 6 7 2 2 1 6 7 2 2 2 1 6 7 2 2 1 6 7 2 1 | 7 18 5 5 5 5 5 5 5 5 5 5 5 6 | 8 1 1 120 5 77 133 83 13 | 99 3 3 79 13 36 56 14 1 10 4 4 1 1 83 16 6 25 592 143 312 23 23 23 23 24 1 344 | 10 1 1 90 3 3 3 23 22 22 2 6 3 3 4 4 34 8 8 20 564 129 1413 38 215 25 23 217 19 271 | 15 52 49 13 13 29 13 8 6 16 9 21 415 111 10 321 321 35 14 15 15 15 17 218 | 5 1. 57 6 65 14 15 26 6 10 0 367 113 3 288 41 1. 135 13 4 1 1. 135 13 13 15 15 15 15 15 15 15 15 15 15 15 15 15 | 13 2 61 7 63 23 14 12 1 15 14 3 3 15 3 106 4 251 144 4 4 4 4 1 17 18 18 18 18 19 19 19 19 19 19 19 19 19 19 19 19 19 | 13 6 6 51 1 1 52 9 12 14 2 2 11 13 3 5 5 212 270 116 8 91 18 91 16 16 6 | 21. 1 50 6 40 18 15 5 11 1 16 16 7 7 24 99 96 2 2 238 30 64 5 5 5 5 31 10 180 | 24 5 40 10 48 15 6 13 14 4 7 7 5 12 239 106 3 177 20 9 9 1 | 27 5 5 39 11 140 5 6 6 8 | 28 8 34 40 14 4 10 |
| Measles | 7,947 24 1 137 122 167 37 20 23 10 67 34 42 27 378 24 41 1,161 1,161 49 29 263 296 2,345 2,345 310 145 311 458 | 1,865 | 475 | 286 | 576 1 2 2 24 11 10 5 33 31 231 73 49 7 42 24 | 483 | 354 | 274 1 3 2 2 1 23 2 2 68 610 10 13 319 17 52 5 7 4 8 14 | 4,293 1 2 12 3 8 9 11 195 7 4 209 60 8 82 12 164 171 2,224 482 296 38 197 108 | 593 2 11 11 21 9 11 42 2 142 2 5 129 35 67 5 29 39 97 9 19 19 30 44 | 498 9 1 17 2 2 4 1 3 40 3 4 119 42 5 81 44 13 28 26 5 18 23 48 | 439 1 17 1 14 3 | 416 2 17 1 12 7 7 5 3 2 2 22 22 22 22 27 7 10 13 12 7 | 325 1 16 13 2 1 2 4 12 2 110 45 3 14 5 6 6 32 | 276 7 | 293 | 269 4 1 1 22 3 18 6 6 5 5 8 6 60 47 1 1 3 9 2 2 5 4 4 3 3 22 | 199 4 | 159 8 1 8 2 2 2 11 3 5 4 4 1 39 266 2 14 13 3 3 1 1 | 187 2 7 7 7 2 10 6 3 9 2 11 26 31 2 2 29 |

TABLE 21.—DEATHS FROM IMPORTANT CAUSES, BY CERTAIN SUBDIVISIONS OF THE FIRST YEAR OF LIFE: 1935—Continued (Exclusive of stillbirths)

| | | | , | | | | | | | | | | | | | | | | | |
|------------------------------|--|--|---|--|---|--|--|-----------------|---------------------|--|---|---|---|--|---|--|--|--|--|---|
| AREA AND CAUSE OF DEATH | Total deaths under l year | Under 1 day | l day | 2 days | 3 to 6 days | l week | 2 wks. | 3 wks. | Under 1 month | l mo. | 2 mos. | 3 mos. | 4 mos. | 5 mos. | 6 mos. | 7 mos. | 8 mos. | g mos. | 10 mos. | ll mos. |
| CITIES OF 2,500 TO 10,000 IN | 12,145 | 3,448 | 830 | 562 | 967 | 637 | 379 | 343 | 7,166 | 938 | 759 | 586 | 489 | 463 | 390 | 327 | 293 | 269 | 242 | 223 |
| Neasles | 80 13 301 22 354 16 19 21 25 51 155 51 1,132 1,100 1,068 492 3,546 1,137 388 228 288 363 | 31 4 1 289 70 2,179 598 150 19 | 33 2 2 7 1 1 98 32 2 421 1566 52 5 5 30 0 | 1 1 2 2 2 85 23 3209 124 488 5 11 | 7 7 6 2 2 43 3 12 6 5 155 74 4 8 48 | 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 | 2 2 1 1 1 1 6 2 3 53 34 5 547 18 62 14 16 67 7 25 | 2 | 4 1 14 | 7 51 2 51 10 10 12 2 2 18 2 10 181 53 7 14 66 62 62 62 62 62 64 12 | 9 1 43 1 10 4 4 4 6 6 132 11 157 46 6 24 2 2 2 2 2 2 2 2 1 1 1 2 3 2 4 4 4 5 6 6 1 1 2 1 2 1 2 1 3 2 3 2 4 3 2 4 3 2 3 2 4 3 2 3 2 4 3 2 3 2 | 29 3 3 6 9 7 3 3 1 1 1 1 1 3 6 2 127 38 8 119 3 29 34 1 1 1 1 2 2 2 2 2 2 2 2 2 2 | 3 4 4 20 1 29 8 1 4 4 3 3 3 3 3 1 1 5 5 2 2 6 9 9 9 2 6 6 1 1 2 2 3 2 0 0 9 9 9 9 9 9 9 9 9 9 9 9 9 9 9 9 9 | 32 1 27 15 2 2 2 2 2 11 1 1 22 11 1 1 1 1 1 1 1 | 24 22 22 22 22 1 1 1 6 78 39 33 93 7 7 12 11 7 | 5 1 23 25 5 1 1 1 1 2 2 2 2 1 61 29 90 90 910 7 7 | 5 1 23 5 18 11 2 2 1 1 1 4 57 2 69 7 8 7 1 | 10 22 4 21 1 1 2 1 1 4 4 37 26 60 4 7 2 2 | 13 10 1 1 1 1 1 2 2 6 6 1 1 1 1 1 9 2 2 5 3 4 1 1 1 1 9 2 1 1 1 1 1 1 1 1 1 1 1 1 1 1 | 13 1 10 2 16 5 1 1 1 1 1 44 16 1 1 49 2 5 4 1 1 1 1 2 1 1 2 1 1 2 1 2 1 1 1 1 2 1 1 1 2 1 1 1 1 2 1 |
| WHITEAll causes | 10,817 | 3,202 | 763 | 513 | 64 872 | 58 550 | 331 | 26 | 239 6,525 | 811 | 69 658 | 58 504 | 418 | 387 | 329 | 282 | 249 | 229 | 222 | 29 |
| Neasles | 75 13 272 19 301 93 42 16 17 14 23 6 85 44 45 1,049 97 1,024 23 333 40 956 97 1,024 21 3,282 1,081 349 193 193 704 | 1 | 3 3 2 2 26 393 147 47 47 47 42 20 | 1 2 7 7 12 3 1 8 8 2 23 3 186 4 4 9 19 | 3 7 7 7 3 4 5 1 3 4 7 3 9 9 6 5 26 4 15 6 6 2 5 2 8 5 8 8 8 8 8 8 8 8 8 8 8 8 8 8 8 | 11 11 3 1 1 1 2 3 5 3 1 3 5 9 1 1 1 5 4 4 0 1 7 8 4 9 1 9 1 9 1 9 1 9 1 9 1 9 1 9 1 9 1 9 | 2 1 7 1 2 1 1 3 2 3 49 15 3 29 4 46 14 72 13 12 12 13 12 13 14 15 15 15 16 16 17 18 18 18 18 18 18 18 18 18 18 18 18 18 | 2 | 4 1 12 | 7 | 9 1 40 1 1 42 100 4 4 4 4 5 117 15 5 34 4 21 1 3 30 217 5 9 | 4 266 2 30 7 7 3 3 | 2 4 18 1 22 7 1 4 4 1 3 3 1 3 3 1 5 5 85 1000 11 16 6 6 56 6 56 | 27 1 22 13 3 1 2 2 3 1 1 2 7 9 30 0 102 11 100 1 1 21 109 4 39 | 2 4 22 1 18 8 8 | 3 1 20 22 5 1 1 1 1 2 2 2 1 5 3 4 4 2 7 7 1 1 1 1 3 3 4 1 1 1 1 1 1 1 1 1 1 1 1 1 | 5 1 21 4 4 15 9 9 1 2 1 1 4 50 21 1 1 63 7 7 8 5 5 1 1 2 2 2 26 | 9 | 13 9 1 16 7 1 1 5 5 1 1 1 2 2 38 17 2 49 6 12 2 2 29 | 13 10 2 14 4 |
| Measles | 1,328 5 29 3 3 53 15 2 7 2 2 50 7 8 141 83 15 146 63 9 35 170 66 | 246 12 12 131 24 4 40 2 | 67 | 1 1 2 2 3 9 2 1 2 2 2 | 95 95 95 95 95 95 95 95 95 95 95 95 95 9 | 37 22 3 2 1 2 2 1 2 2 1 5 4 4 23 5 6 6 1 15 3 | 48 | 49 3 2 2 | 541 | 127 | 101 3 3 3 3 1 1 10 16 8 4 15 12 3 3 11 10 | 3 1 6 2 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 | 71 1 2 7 1 1 2 2 1 1 1 4 6 1 2 2 3 6 | 76 5 5 2 1 1 1 4 13 5 20 1 1 1 3 6 8 | 61 1 | 8 5 1 1 1 2 2 2 3 3 3 3 3 3 3 3 3 3 3 3 3 3 | 1 1 2 1 3 2 2 1 1 7 5 3 6 6 | 1 6 4 11 1 1 2 2 1 1 4 | 20 | 20 2 1 1 |

 $[\]underline{\textbf{1}}/$ Excluding 100 cities in 3 States (Georgia, Kentucky, and Vermont).

| area and cause of death | Total deaths under 1 year | Under 1 day. | 1 day d | 2 2 | | 1 2 veek wks | 3 wks. | Under 1 month | l mo. | 2 mos. | 3 mos. | 4 mos. | 5 mos. | 6 mos. | 7 mos. | 8 mos. | 9 mos. | 10 mos. | ll mos. |
|---|--|--------------------|---|---|--|--|---|---|---|--|---|---|--|---|--|--|---|--|--|
| HURAL PART OF THE UNITED STATES!/All causes | 54,154 | 12,723 | 3,107 2, | ,268 4 | 4,450 3, | ,388 2,14 | 4 1,843 | 29,923 | 4,695 | 3,716 | 3,019 | 2,406 | 2,026 | 1,876 | 1,545 | 1,409 | 1,303 | 1,091 | 1,145 |
| Measles | 517 65 1,791 1,977 462 225 467 101 109 96 36 36 446 408 274 4,576 2,337 354 2,670 12,941 12,992 1,358 | | 135 1,352 410 | 2 11 1 3 3 3 1 19 33 1 26 6 11 7 275 118 771 1 118 771 1 118 24 | 85 30 94 30 545 370 ,132 493 | 14 3 5 1 76 10 6 7 2 1 48 | 5 | 57 6 129 32 328 24 2 2 96 6 3 3 3 3 234 462 96 536 2,965 1,717 12,452 1,233 1,233 | 51 2 2955 17 264 33 31 31 35 36 5 66 1 308 51 366 33 326 229 129 | 31 246 133 233 49 35 1 1 1 68 27 43 584 43 600 32 169 201 106 106 106 | 32 5 211 17 183 49 16 6 10 5 5 47 21 248 38 35 559 26 134 42 125 44 47 215 | 35 2 156 155 49 13 8 | 29 5 135 6 150 43 9 3 7 6 18 6 18 334 162 26 453 25 84 62 12 | 30 6 123 17 162 50 6 7 7 1 16 6 7 7 6 14 10 11 18 31 3 161 13 41 7 18 2 4 17 18 2 18 18 18 18 18 18 18 18 18 18 18 18 18 | 47 5 114 135 44 7 4 13 12 3 14 9 5 266 104 17 33 24 17 5 5 | 47 7 111 18 105 26 5 3 | 49 49 99 16 90 35 3 3 16 2 9 10 210 119 10 296 119 145 18 | 55 9 80 14 71 38 2 5 5 5 6 1 7 5 9 177 84 10 241 3 26 24 | 54 10 92 28 91 24 2 1 |
| Unknown or ill-defined diseases199,200 All other causes | 6,266 3,220 41,198 | 1,234 | 479 68 | 353 89 | 731 229 | 501 31: 201 16: | 274 | 3,885 985 | 626 403 | 481 298 | 316 275 | 241 218 | 153 198 | 148 189 | 116 150 | 118 142 | 173 87 | 54 106 | 143 |
| Monsiles | 408 655 1,339 1442 208 39 58 66 23 222 266 212 3,713-1,594 1,995 10,780 2,707 1,089 855 3,064 2,475 | 3 | 1 7 7 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 | 9 28 1 31 19 4 5 7 262 90 585 281 122 15 | 2 2 1 28 3 2 1 1 8 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 | 517 1,655 9 16 9 16 11 2: 13 6 62 2 2 6 7 7 1: 14 1 | 15 16 66 67 69 69 11 12 9 10 7 188 140 147 189 190 189 190 189 190 189 190 189 190 189 190 190 190 190 190 190 190 190 190 19 | 23,462 46 6 102 21 256 15 37 2 57 3 3 3 3 3 41 763 314 72 468 69 2,693 1,245 10,419 2,673 1,061 2,675 1,062 | 3,533 37 242 13 213 21 79 2 1 5 6 6 20 40 555 218 22 455 29 230 242 216 27 22 216 27 28 29 20 20 20 20 20 20 20 20 20 20 | 2,776 24 4 4 201 10 1688 37 32 4 4 3 1 35 17 33 465 190 35 488 24 460 140 160 160 17 18 19 19 19 19 19 19 19 19 19 19 | 29 150 14 132 14 3 5 7 4 23 13 168 25 439 90 165 214 | 28 28 28 2114 100 114 36 100 7 7 4 6 8 8 100 128 24 115 15 157 157 | 1,449 19 105 4 100 34 9 3 3 4 16 16 245 107 16 350 22 22 7 8 8 7 7 2 3 4 100 6 7 100 100 100 100 100 100 100 100 100 1 | 25 6 75 13 95 8 8 6 6 5 5 13 225 97 10 303 13 145 | 1,143 35,5 5,84 13,108 35,7 1,1 | 1,010 39 7 83 15 75 75 1 1 5 7 7 7 1 1 5 7 7 7 7 7 7 7 7 7 7 7 7 7 | 954 41 470 15 59 25 3 3 3 4 8 1 5 8 8 161 85 7 219 12 40 83 | 59 6 186 3 20 12 40 30 | 41 10 66 24 69 16 2 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 |
| Measles | 12,956 109 452 43 525 116 17 8 43 51 30 13 312 142 62 963 743 116 1.156 49 264 774 2,161 285 269 3,207 3,207 745 | | 1 | 2 1 - 10 5 8 7 2 6 13 28 88 31 42 9 | 3 | 371 492 2 4 3 8 2 2 2 14 19 4 2 2 | 2 | 6,461 11 | 1,162 14 53 4 11 10 4 18 11 106 90 37 131 4 25 84 475 5 7 35 284 68 | 940 7 45 35 65 12 3 10 10 121 74 8 9 67 25 3 3 3 3 3 10 12 11 2 3 3 10 10 10 10 11 11 12 13 14 15 16 16 17 16 16 17 16 16 17 16 16 17 16 16 16 17 16 16 16 16 16 16 16 16 16 16 | 8222 3 61 3 51 12 2 1 1 1 24 8 10 116 80 120 7 122 123 144 145 146 146 146 147 147 147 147 147 147 147 147 | 572 7 42 5 5 13 3 1 19 11 2 9 3 10 11 2 3 13 1 19 11 2 3 10 11 2 10 10 10 10 10 10 10 10 10 10 | 577 10 30 2 50 9 4 15 2 2 2 89 103 3 6 103 27 4 20 20 20 20 20 20 20 20 20 20 | 586 4 48 46 66 12 11 1 2 5 88 64 3 7 10 1 | 402 12 30 1 29 9 | 399 8 28 3 3 7 7 2 2 2 3 5 1 4 5 5 1 1 6 9 5 1 1 1 6 7 7 7 7 7 8 8 8 8 8 8 8 8 8 8 8 8 8 | 349 '8 29 11 21 10 9 8 11 4 1 2 49 34 37 77 8 8 41 30 | 12 27 2 17 4 1 1 - 7 2 2 31 25 4 55 6 12 | 312 13 32 4 22 8 |

 $[\]underline{1}$ / Including 100 cities of 2,500 to 10,000 inhabitants in 3 States (Georgie, Kentucky, and Vermont).

TABLE 21.—DEATHS FROM IMPORTANT CAUSES, BY CERTAIN SUBDIVISIONS OF THE FIRST YEAR OF LIFE: 1935—Continued (Exclusive of stillbirths)

| | _ | | | | | | | | | | | | | | | | | _ | | |
|---------------------------------|---|---|-------------------------|---|---|--|---------------------------|---|---|---------------------------|--|--|--|---|---|--|--|----------------------------|---|--|
| AREA AND CAUSE OF DEATH | Potal deaths under l year | Under 1 day | l day | 2 days | 3 to 6 days | l week | 2 wks. | 3 wks. | Under 1 month | l mo. | 2 mos. | 3 mos. | 4 mos. | 5 mos. | 6 mos. | 7 mos. | e mos. | 9 mos. | 10 mos. | ll mos. |
| ALABAMA (white)All causes | 1,980 | 597 | 110 | 98 | 147 | 113 | 81 | 58 | 1,204 | 136 | 109 | 84 | 73 | 65 | 68 | 50 | 51 | 52 | 42 | 46 |
| Measles | 20 5 54 10 81 7 11 2 1 1 2 | 2 | 2 | 1 | 2 | 1 | 6 | 4 | 2 | 2 | 1 4 2 8 1 1 1 2 | 3 2 7 8 1 | 5 6 1 | 5 1 7 2 | 3 1 8 | 1 1 2 | 3 1 | 3 1 3 4 1 | 3 1 6 1 | 2 2 5 1 |
| Convulsions | 15 7 120 65 9 172 12 131 74 620 157 41 38 201 110 | 33 12 404 77 19 4 43 3 | 7 4 48 26 5 | 2 1 1 13 6 27 20 4 | 7 1 5 3 1 1 15 14 43 17 9 1 22 5 | 1 11 1 1 | 2 2 3 5 2 3 3 2 2 3 1 5 2 | 8 1 1 5 2 1 4 4 6 | 15 4 31 11 4 13 3 79 49 599 155 40 12 136 23 | 13 6 1 19 12 10 1 1 15 11 | 2 10. 2 1 19 2 7 6 4 1 1 6 17 12 | 14 8 1 13 2 1 3 | 10 6 1 14 6 1 2 2 8 9 9 | 8 6 20 2 2 1 | 1 6 7 1 6 1 9 2 3 3 8 | 5 3 1 16 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 | 7 5 1 13 2 2 2 5 7 | 3 7 14 1 1 5 3 5 5 | 9 2 7 1 2 2 2 2 1 5 | 2 2 2 2 11 1 1 1 1 2 2 2 10 |
| ALABAMA (other races)All causes | 1,930 | 452 | 101 | 82 | 181 | 134 | 82 | 64 | 1,096 | 128 | 115 | 112 | 82 | 94 | 66 | 58 | 52 | 39 | 39 | 39 |
| Measles | 27 33 5 70 0 1 3 1 10 4 3 1 58 27 8 111 101 7 131 131 131 41 66 407 40 43 55 587 78 | 15 | 2 2 2 2 1 1 | 1 1 29 4 4 2 2 3 3 4 1 1 | 2 2 3 5 2 2 2 8 47 5 12 15 76 5 | 1 1 1 2 5 1 5 6 6 21 2 2 2 2 2 5 3 | 1 | 1 1 1 1 5 1 1 3 3 3 2 2 2 4 4 9 9 1 5 5 22 3 | 3 | 2 | 1 3 9 1 7 1 10 10 2 10 1 5 5 7 2 6 6 | 2 4 4 4 4 5 5 1 1 1 1 1 6 6 1 1 1 1 1 1 6 6 1 1 1 1 | 2 2 2 5 5 1 1 4 4 4 12 11 1 1 2 2 3 3 2 17 2 | 4 6 6 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 | 3 13 13 1 1 1 1 1 1 1 9 7 7 | 1 | 2 1 2 2 1 1 2 2 5 10 10 11 1 1 1 1 1 1 1 1 1 1 1 1 1 1 | 3 3 6 1 1 | 1 3 1 3 1 3 1 1 2 4 4 1 7 2 1 | 5 1 1 3 3 3 1 1 1 2 3 3 1 1 1 5 3 3 |
| ARIZONAAll causes | 1,021 | 150 | 42 | 22 | 53 | 46 | 44 | 29 | 386 | 90 | 75 | 80 | 60 | 58 | 49 | 50 | 53 | 43 | 46 | 31 |
| Measles | 42 7 201 | 5 1 | 2 | 2 | 1 | 1 | 1 4 | 1 1 1 8 1 1 1 2 2 2 2 3 3 | 3 1 4 4 1 1 2 1 2 3 5 1 1 1 7 2 3 2 8 1 5 1 5 1 3 5 3 2 7 3 5 1 5 1 5 1 5 1 5 1 5 1 5 1 5 1 5 1 5 | 10 | 1 2 2 | 4 1 6 2 1 1 1 1 6 3 23 | 1 - 1 - 2 - 1 - 1 - 2 6 6 | 12 2 23 1 - 3 | 1 14 2 | 4 9 2 | 3 9 1 14 | 1 1 1 5 5 2 | 10 1 2 | 2 |

compose cause certification by states. - 40 for rank canc

GENERAL TABLES-INFANT MORTALITY

TABLE 21.—DEATHS FROM IMPORTANT CAUSES, BY CERTAIN SUBDIVISIONS OF THE FIRST YEAR OF LIFE: 1935—Continued (Exclusive of stillbirths)

| AREA AND CAUSE OF DEATH | Total desths under 1 year | Under 1 dey | 1 day | 2 days | 3 to 6 days | l week | 2 wks. | 3 wks. | Under 1 month | l mo. | 2 mos. | 3 mos. | 4 mos. | 5 mos. | 6 mos: | 7 mos. | 8 mos. | 9. mos: | 10 mos. | ll mos. |
|---|------------------------------------|-------------------|----------|-----------|-------------------|-----------|-----------|-----------|---------------------|----------|-----------|-----------|-----------|-----------|--------------|-----------|-----------|------------|------------|------------|
| ARKANSAS (white)All causes | 1,268 | 306 | 85 | 56 | 100 | 63 | 52 | 32 | 714 | . 100 | 74 | · 63 | 55 | 38 | 51 | 38 | 38 | 38 | 28 | 31 |
| Measles7 | | | | | | | | | 1 | | | | | | | | | | | |
| Scarlet fever8 Whooping-cough9 | 39 | | | | | | 1 1 | 2 | 3 | 8 | 3 | 4 | 3 | 4 | 6 | 3 | 3 | 1 | | 1 |
| Diphtherial0 | 10 | | | | | | ī | | i | | | l ī | | | 2 | 2 | | | 1 | 3 |
| Influenza11 | 49 | | | | 3 | 4 | 5 | 2 | 14 | 6 | 7 | 5 | 1 | 2 | 4 | 1 | 3 | | 3 | 3 |
| Dysentery13 | 18 | | | | | 1 | | 1 1 | 2 | | 1 | 2 | 2 | 3 | 1 | 2 | 1 | 1 1 | 2 | 1 |
| Erysipelas15 | 6 2 | | | | | | | 1 | 1 | 3 | 1 | | 1 | | | | | 2 | | |
| Epidemic cerebrospinal meningitis18 Tetanus22 | ı | | | | | 1 | | | 1 | | | | | | | | | | | |
| Tuberculosis of the respiratory system-23 | | | | | | | | | | | | | | | | | | | | |
| Tuberculosis of the meninges, etc 24 | 1 1 | | | | i | | | | | 1 | | | | | | | | | | |
| Other forms of tuberculosis25-32 | 2 | | | | | | | | 2 | 2 | 1 2 | | 1 | | | | 1 | | | |
| Syphilis34 Convulsions86 | 8 | 2 | 2 | | 2 | 1 | | | 6 | | | 1 | | | | | | | | |
| Bronchitis106 | 7 | | | | | | | | | 3 | | 2 | | | 1. | 1 1 | | | | |
| Bronchopneumonia107 | 104 | | 2 | 1 | 5 | 10 | 6 | 3 | 27 | 12 | 9 | 8 | 8 | 5 | 12 | 6 | 6 | 9 | | . 2 |
| Lobar and unspecified pneumonia 108,109 | 45 | | | | 2 | 1 | 3 | | 6 | 5 | 8 | 2 | 6 | 2 | 5 | 2 | 2 | 1 | 1 | _4 |
| Diseases of the stomach117,118 | 12 | | | 1 | 3 | 1 | 1 | | 16 | 1 14 | 8 | 15 | 12 | 1 | 11. | 16 | 9 | 15 | 8 | 11 |
| Diarrhea and enteritis19 Intestinal obstruction122b | 141 | | | 2 | 5 | 5 | 4 | 2 | 16 | 14 | " | 15 | 12 | 5 | | 10 | | 15 | ı | 1 |
| Congenital malformations | 67 | 17 | 8 | 5 | 6 | 8 | 7 | 4 | 55 | 1 | 5 | 1 | 3 | | 1 | | 1 | | | |
| Congenital debility, etc158,161b,c | 60 | 11 | 3 | 7 | 9 | 11 | 1 | 3 | 45 | 5 | 2 | 3 | 4 | 1 | | | | | | |
| Premature birth159 | 321 | 204 | 35 | 18 | 21 | 19 | 8 | | 311 | 3 | 3 | 2 | 1 | 1 | | | | | | |
| Injury at birth160 Other diseases of early infancy161a,d | 87 25 | 37 | 19 | 8 | 16 4 | 3 | 2 2 | | 87 24 | 1 | | | | | | | | | | |
| External causes172-198,201-214 | 16 | 3 | | 2 | | | | | 5 | 1 | 4 | 1 | 1 | | | 1 | 1 | | 2 | |
| Unknown or ill-defined diseases199,200 | 130 | 1.9 | 10 | 7 | 19 | 12 | 5 | | 77 | 17 | 12 | 8 | 4 | 2 | 2 | . 1 | 4 | 1 | 1 | 1 |
| All other causes | 103 | 1 | 3 | 1 | 5 | 6 | 5 | | 21 | 13 | 7 | 8 | 7 | 10 | 6 | 3 | 7 | 8 | 9 | 4 |
| ARKANSAS (other races)All causes | 413 | 67 | 22 | 10 | 40 | 31 | 15 | 19 | 204 | 37 | 28 | 31 | 16 | 18 | 19 | 11 | 17 | 12 | 10 | 10 |
| | | | | | | | | | | | | | Ī | | | | | Ī | | |
| Measles7 Scarlet fever8 | | | | | | | | | | | | | | | | | | | | |
| Whooping-cough9 | 15 | | | | | | 1 | | 1 | 1 | 1 | 1 | 2 | 2 | 3 | 1 | 1 | | 1 | 1 |
| Diphtheria10 | 4 | | | | | | | | | | | 2 | 1 | | | | 1 | | | |
| Influenza | 23 8 | | | 1 | 2 | 1 | 2 | 1 | 5 2 | 1 2 | | 2 | 3 | 3 | 1 | 2 | 3 | 1 | 2 | J- |
| Dysentery13 Erysipelas15 | | | | | | | | | | | | | | | | | | | | |
| Epidemic cerebrospinal meningitis18 | | | | | | | | | | | | | | | | | | | | |
| Tetanus22 | 1 | | | | | | 1 | | 1 | | | | | | - | | | | | |
| Tuberculosis of the respiratory system-23 Tuberculosis of the meninges, etc24 | 2 | | | | | | | | | | | 1 | | | | | 1 | | | |
| Other forms of tuberculosis25-32 | 1 | | | | | | | | | | | | | | | | | 1 | | |
| Syphilis34 | 6 | 1 | | | | 2 | | | 3 | 1 | 1 | | | | | | | | 1 | |
| Convulsions86 | 5 | | | | 2 | 1 | | 1 | 1 | 1 1 | | | | | | | | | | |
| Bronchitis | 37 | | 2 | | 1 | 1 | | 2 | . 6 | 5 | 5 | 6 | | 5 | 2 | 2 | | 2 | 3 | 1 |
| Lobar and unspecified pneumonia108,109 | 26 | | | | 1 | 3 | 1 | 1 | 6 | 3 | 3 | 2 | 2 | | 5 | | 1 | 3 | 1 | |
| Diseases of the stomach117,118 | 3 | | | | | 1 | | | 1 | 7 | | 2 | 2 | 1 5 | | 3 | 3 | 1 3 | 1 | 2- |
| Diarrhea and enteritisll9 Intestinal obstructionl22b | 36 | | | 1 | 1 | 1 | | 2 | 5 | | 1 | | | | 2 | | | | | |
| Congenital malformations | 6 | 3' | | | 1 | 1 | | | 5 | | 1 | | | | | | | | | |
| Congenital debility, etc 158,161b,c | 19 | 4 | 1. | | 3 | 4 | 2 | | 15 | | | 2 | | | | | 1 | | | 1 |
| Premature birth159 | 54 | 29. | | 2 | 6 | 3 | 2 | 1 | 51 | | 2 | 1 | | | | | | | | <u></u> |
| Injury at birth160 Other diseases of early infancy151a,d | 14 | 8 1 | 2 | 2 | 2 3 | | | | 14 5 | 1 | 1 | | | | | | | | | |
| External causes172-198,201-214 | ءُ ا | ž | | | | | | | 2 | ž | î | | | | | | | | | 1 |
| Unknown or ill-defined diseases199,200 | 111 | 19 | 7 | 3 | 16 | 10 | 4 | | 65 | 12 | 9 | 8 | 3 | 2 | 4 | 1 | 4 | 1 | | 2 |
| All other causes | 28 | | 3 | | 1 | 3 | 2 | 3 | 12 | 1 | 3 | 3 | 3 | | 1 | 2 | 2 | | | 1 |
| CALIFORNIAAll causes | 3,978 | 1,215 | 275 | 178 | 257 | 174 | 97 | 95 | 2,291 | 277 | 239 | 237 | 169 | 164 | 134 | 129 | 93 | 91 | 83 | 71 |
| Measles7 | 12 | | | | | | 1 | | 1 | | | | 1 | | | | 4 | 3 | 2 | 1 |
| Scarlet feverS | 1 | | | | | | | | | | | | | | | | | | | 1 |
| Whooping-cough9 | 40 | | | | | | | | | 5 | 7 | 6 | 4 | 1 | 3 | 3 | 2 | 4 | 5. | |
| Diphtheria10 Influenza11 | 3 33 | | | 1 | 2 | 1 | | | 4 | 2 | 5 | 3 | 2 | 1 4 | 3 | 2 | 2 4 | 2 | | 2 |
| Dysentery13 | 29 | | | | | li | 1 | | 2 | 5 | li | 5 | 2 | 4 | ı | 4 | 3 | ĩ | 1 | |
| Erysipelas15 | 21 | | | | | 1 | 1 | | 2 | 5 | | 2 | 1 | 1 | 1 | . 2 | | 1 | | |
| Epidemic cerebrospinal meningitis18 | 9 | | | | | | 1 | | 1 1 | 1 | 5 | | 1 | | 1 | | | | | |
| Tetanus22 Tuberculosis of the respiratory system-23 | 28 | | | | 1 | | | | ,1 | | 3 | 2 | 3 | 2 | 3 | 2 | 1 | 3 | 7 | 2 |
| Tuberculosis of the meninges, etc24 | 12 | | | | | | 1 | | 1 | | 1 | | | 4 | | 1 | 2 | 1 | | 2 |
| Other forms of tuberculosis25-32 | 9 | | | | 1 | | 1 | | 2 | 1 | | | | 2 | 1 | | | | 1 1 | 2 |
| Syphilis34 | 49 | 7 | 3 | | 1 | | 1 | | 16 2 | 7 | 9 | 9 | 3 | 3 | | | 1 | 1 | | |
| Convulsions86 Bronchitis106 | 3 13 | | | | 2 | | 1 | 2 | 3 | | 2 | 2 | | 2 | | | | 3 | 1 | |
| Bronchopneumonia107 | 542 | 1 | 2 | 6 | 13 | 16 | 16 | 17 | 71 | 59 | 74 | 82 | 50 | 44 | 30 | 43 | 30 | 22 | 20 | 17 |
| Lobar and unspecified pneumonia 108,109 | 130 | 1 | | 3 | 1 | 1 | 3 | 1 | 10 | 19 | В | 11 | 6 | | 14 | .11 | 9 | 10 | 8 | 8 |
| Diseases of the stomach117,118 | 14 | | 1 | 2 | 2 9 | 1 6 | 12 | | 44 | 1 43 | 1 43 | 1 46 | 34 | | 36 | 26 | 13 | 14 | 11 | 12 |
| Diarrhea and enteritis119 Intestinal obstruction12b | 365 47 | 1 | | | 9 | 1 | 12 | | 13 | 5 | 3 | 8 | 3 | | 3 | 4 | 3 | 1 | 2 | |
| Congenital malformations157 | 413 | 99 | 48 | 27 | 54 | 33 | 18 | | 297 | 42 | 14 | 12 | 11 | 9 | 5 | 9 | 4 | 7 | 2 | 1 |
| Congenital debility, etc158,161b,c | 119 | 13 | 7 | 10 | 10 | 11 | 3 | 4 | 58 | 15 | 13 | 9 | 111 | 1 | 3 | | 1 | | 4 | |
| Premature birth159 | 1,211 | 804 | 129 | | 82 35 | 66 | 19 | | 1,184 308 | 19 | 5 | 1 | 1 | | | 1 | | | | |
| Injury at birth | 312 163 | 176 97 | 48 23 | 28 | 20 | 14 | 1 | | 176 | | | | | | | | | | | |
| External causes172-198,201-214 | 75 | 2 | | | ı | 2 | | 5 | 13 | 9 | 7 | 4 | 6 | 7 | 4 | 2 | 3 | 6 | - 6 | 8 |
| Unknown or ill-defined diseases 199,200 | 12 | 4 | 1 | 2 | 1 | | | | 8 | | 1 | | | 1 | 1 | | | 1 | | |
| All other causes | 292 | 10 | 1 10 | 1 6 | 13 | 9 | l 10 | 10 | 11 68 | 33 | 1 25 | 34 | 28 | ! 16 | 25 | 15 | 10 | 10 | 13 | 15 |

TABLE 21.—DEATHS FROM IMPORTANT CAUSES, BY CERTAIN SUBDIVISIONS OF THE FIRST YEAR OF LIFE: 1935—Continued (Exclusive of stillbirths)

| AREA AND CAUSE OF DEATH | Total deaths under l year | Under 1 day | l day | 2 days | 3 to 6 days | l week | 2 wks, | 3 wks. | Under 1 Month | l mo. | 2 mos, | 3 mos. | 4 mos. | 5 mos. | 6 mos. | 7 mos. | e mos. | 9 mos. | 10 mos. | 11 mos. |
|-------------------------|---|--|---------------|-----------------------|---|---|---|-----------------------|---|---|--|---|---|---|----------------|---|---|-----------|---|-----------------------------------|
| COLORADOAll causes | 1,370 | 359 | 74 | 42 | 105 | 79 | 46 | 41 | 746 | 106 | 102 | 87- | 71 | 52 | 56 | 34 | 27 | 30 | 23 | 35 |
| Measles | 25 3 3 3 48 7 18 2 | 1 1 26 6 9 236 54 24 3 3 3 | 1 1 6 6 6 1 | 2 1 1 2 3 3 3 3 3 1 1 | 1 1 1 2 2 1 1 10 | 2 2 | 1 | 1 | 1 1 11 7 | 3 1 2 1 1 15 9 1 17 1 10 5 3 2 2 2 8 8 | 3 | 1 2 1 1 1 1 1 1 1 2 1 8 1 2 4 4 1 1 5 5 6 | 2 1 5 7 1 1 1 1 1 1 2 18 4 4 | 2 | 2 3 1 4 2 2 | 1 1 1 1 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2 | 1 1 2 2 2 2 2 2 1 1 | 1 2 4 1 1 | 3 1 1 1 5 3 3 1 1 1 2 | 3 1 2 1 3 3 1 1 5 2 2 5 1 1 1 7 7 |
| CONNECTICUTAll causes | 951 | 345 | 82 | 47 | 82 | 49 | 23 | 21 | 649 | 47 | 46 | 38 | 34 | 20 | 22 | 24 | 18 | 16 | 15 | 22 |
| Measles | 14 | 39 180 92 28 1 2 | 1 2 48 16 7 7 | 1 1 2 2 2 | 1 1 1 1 1 5 5 5 5 5 5 5 5 5 5 5 5 5 5 5 | 1 1 1 2 15 5 8 3 2 1 | 1 2 2 1 2 2 1 3 3 | 1 1 1 1 7 7 2 1 1 2 2 | 3 4 4 9 5 1 100 166 282 144 48 4 3 3 23 | 10 4 1 8 2 3 1 1 1 6 | 5 1 1 1 2 6 6 6 | 1 1 1 2 3 6 6 2 2 2 1 1 1 | 1 2 2 1 1 9 2 2 3 3 - 9 1 1 2 2 4 4 | 1 1 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2 | 1 4 2 1 1 1 7 | 1 1 | 2 3 3 3 3 3 2 2 | 1 1 2 | 1 2 2 | 1 1 5 6 1 1 1 1 2 2 |
| DELAWAREAll causes | 268 | 47 | 18 | 11 | 16 | 12 | 9 | 6 | 119 | 24 | 23 | 27 | 13 | 13 | 9 | 12 | 10 | 9 | 4 | 5 |
| Measles | 1 | 3 30 9 2 | | 3 1 2 2 3 1 1 1 | 1 1 1 3 3 3 4 4 2 2 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 | 1 | 1 | 3 | 1 1 15 7 54 16 7 2 1 4 | 2 2 | 2 4 5 5 3 1 | | 2 2 | 3 1 1 1 1 2 2 | 1 | 1 | 1 1 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2 | | | 1 |

| AREA AND CAUSE OF DEATE | Total deaths under l year | Under 1 day | l day | 2 days | 3 to 6 days | 1 week | 2 wks. | 3 wks. | Under 1 month | l mo. | 2 mos. | 3 mos. | 4 mos. | 5 mos. | 6 mos. | 7 mos. | B mos. | 9 mos. | 10 mos. | ll mos. |
|---|------------------------------------|-------------------|----------|-----------|-------------------|-----------------|-----------|-----------|---------------------|------------------|-----------|-----------|-----------|-----------|-----------|-----------|-----------|-------------|------------|------------|
| FLORIDA (*hite)All causes | 988 | 331 | 81 | 43 | 66 | 37 | 24 | 19 | 601 | 74 | 58 | 42 | 45 | 43 | 21 | 27 | 21 | 23 | 18 | 15 |
| Measles7 | . 6 | | | | | | | | | 1 | 2 | | | | | 1 | | ı | | 1 |
| Scarlet fever8 | -, | | | | | | | | | | | | | | | | | | | |
| Whooping-cough9 | 24 | | | | | | | | | 4 | 2 | 2 | 3 | 3 | 2 | 3 | 2 | 2 | | 1 |
| Diphtheria10 | 2 | | | | | | | | |] 1 | | | | | | | | 1 | | |
| Influenzall Dysentery13 | 27 | | 1 | | 1 | 1 | | 1 | 4 | 7 | 2 | 4 | 3 | | 1 | | 2 | 2 | 2 | |
| Erysipelas15 | 5 | | | | | | | | | | | 1 | | | | | | | | |
| Epidemic cerebrospinal meningitis18 | 1 | | | | | | | | | | 3 | | | 1 | 1 | | 1 | | | |
| Tetanus22 | | | | | | | | | | | | | | | | | | 1 | | |
| Tuberculosis of the respiratory system-23 | | | | | i i | | | | | | ! | | | | | | | | | |
| Tuberculosis of the meninges, etc 24 | 2 | | | | | | | | | | | | | | | | | 1 1 | ~ | lı |
| Other forms of tuberculosis25-32 | | | | | | | | | | | | | | | | | | | | |
| Syphilis34 Convulsions86 | 12 | | 2 | 1 | | 1 | | 1 | 5 | 4 | 1 | 2 | | | | | | | | |
| Bronchitis106 | 6 | | | | 2 | 2 | | 1 | 5 | | 2 | | | | | 1 | | | į | |
| Bronchopneumonia107 | 56 | , 1 | 1 | | 3 | 3 | 1 | 1 | 10 | 6 | ່ຼຖື | 1 6 | 7 | 2 | | 5 | 1 | 1 4 | 1 2 | 1 |
| Lobar and unspecified pneumonia108,109 | 28 | ī | l ī | | 4 | | 2 | ĩ | 9 | 4 | 2 | 3 | 2 | ĩl | 1 | 3 | z | | ī | |
| Diseases of the stomach117,118 | 4 | | | | | | | | | 2 | | | | īl | | | | - 1 | | |
| Diarrhea and enteritis119 | 96 | | | | 2 | 1 | 3, | 2 | 8 | 8 | 10 | 9 | 11 | 17 | 5 | 6 | 6 | 5 | 6 | 5 |
| Intestinal obstruction122b | 9 | | | 1 | | 2 | | | 3 | | 1 1 | 2 | 1 | 2 | | - | | | | i |
| Congenital malformations | 90 | 29 11 | 6 | 10 | 11 | 6 4 | 2 | 1 | 65 22 | 7 3 | 4 | 2 2 | 3 | 4 | J | 1 | 2 | | 1 | 1 |
| Premature birth159 | 316 | 210 | 42 | 14 | 17 | 9 | 6 | 4 | 302 | 11 | 2 | | i | | | | | | | |
| Injury at birth160 | 85 | 50 | 16 | 5 | 8 | 4 | 2 | | 85 | | | | | | | | | | | |
| Other diseases of early infancy16la,d | 30 | 16 | 2 | 3 | 4 | | 1 | 2 | 28 |] 1 | · 1 | | | | | · | | | | |
| External causes172-198,201-214 | 20 | 1 | | | | | | [| 1 | 4 | <u> </u> | 2 | 3 | 2 | 3 | | | [[| 2 | 2 |
| Unknown or ill-defined diseases199,200 All other causes | 51 78 | 11 | 8 | 5 3 | 8 | 2 | 2 | | 36 | 4 | 5 | 1. | 4 | 1 | | | | | | |
| ATT OTHER CHROS | 76 | 1 | 2 | 3 | 8 | 2 | 4 | 4 | 18 | 7 | 5 | 5 | 6 | 9 | 7 | 6 | 5 | 5 | 2 | 3 |
| | | | | | | | | | | 1 | | | | | | | | . | | l |
| FIORIDA (other races)All causes | 748 | 160 | . 47 | 30 | 72 | 61 | 27 | 22 | 419 | 56 | 56 | 33 | 34 | 34 | 38 | 25 | 23 | 12 | 10 | 8 |
| Weasles7 | | | | | | | | | | | | | | | l | | | l | | |
| Scarlet fever8 | | | | | | | | | | | | | | | | | | | | |
| Whooping-cough9 | 1.3 | | | | | ı | | | 1 1 | 3 | 1 | 2 | . 1 | 1 | 1 | 1 | 1 | 1 1 | | |
| Diphtheria10 | | | | | | | | | | | | | | | | | | - | | |
| Influenza | 30 | | | | | | 2 | 3 | 5 | 4 | 7 | 1 | 3 | 1 | 3 | 3 | 1 | 1 | | 1 |
| Dysentery13 Erysipelas15 | 10 | | | | | | | ا د | 1 | | 1 | 2 | 1 | 3 | | | 1 | 1 | ~ | |
| Epidemic cerebrospinal meningitis18 | | | | | | | | | | | | | 1 | | | | | | | |
| Tetanus22 | 4 | | | | 3 | 1 | | | 4 | | | | | | | | | | | |
| Tuberculosis of the respiratory system-23 | 2 | | | | | | | | í í | 1 1 | | | [| [| | | 1 | | [| |
| Tuberculosis of the meninges, etc24 | 2 | ~~~~ | | | | | | | | 1 | | | | | | | 1 | | | |
| Other forms of tuberculosis25-32 Syphilis34 | 1 1 | | 3 | | | | | | | | | | | | | | | 1 1 | | |
| Convulsions86 | 36 8 | 5 | | 2 | 1 | 5 3 | 3 | 1 | 23 4 | 2 2 | 2 | 3 | 1 | 1 | 3 | | | 1 | | |
| Bronchitis106 | 4 | | | | | | | | | | | | | | 2 | | 1 | | 1 | |
| Bronchopneumonia107 | 40 | | | [| 2 [| 2 | 1 | [| 5 | 5 | 6 | 2 | 6 | 5 | 5 [| 2 | 3 | [| ī | |
| Lobar and unspecified pneumonia108,109 | 46 | 1 | | 1 | 1 | 5 | 1 | 1 | 10 | 3 | 3 | 5 | 3 | 3 | 9 | 3 | 3 | 1 | 3 | |
| Diseases of the stomach117,118 | 9 | | | | 1 | | 2 | | 3 | 2 | 1 | | 1 | | 1 | | 1 | | | |
| Diarrhea and enteritis | 71 4 | | | | 2 | 2 | 3 | 3 | 10 | 6 | 9 | 7 | 6 | 7 | 9 | 8 | 1 | 1 | 1 | 6 |
| Congenital malformations157 | 18 | 5 | | | 2 | 3 | 1 | 1 | 12 | 1 | 3 | | | 1 | | 3 | 1 | 1 | | |
| Congenital debility, etc158,161b,c | 70 | 13 | 5 | 3 | ã | 4 | 5 | ž | 40 | 7 | 6 | 5 | . 4 | î | 3 | | 2 | | 2 | |
| Premature birth159 | 171 | 95 | 22 | 12 | 15 | 17 | 3 | 4 | 168 | 3 | | | | | | | | } | | |
| Injury at birth160 | 164 | 7 | 4 | 2 | 3 | | | | 16 | | 1 | | |] | | | | | | |
| Other diseases of early infancy15la,d | 2B | 4 | | 7 | 10 | 4 | 2 | | 27 | 1 | | | | | | | | | | |
| External causes172-198,201-214 Unknown or ill-defined diseases199,200 | 14 105 | 27 | 12 | 1 2 | 16 | 14 | 1 | 1 4 | 76 | 2 8 | 2 7 | 2 3 | 3 | 3 2 | 1 | 3 | 1 | 1 | | |
| All other causes | 45 | ~i | - Ti | | 4 | | 3 | ī | 10 | 5 | βĺ | ĭ | 3 | 5 | i | ž | 1 4 | 3 | 2 | 1 |
| | | - | - | . | - 1 | - I | i • I | ~ | - | | | - | - 1 | ١- | - 1 | ~ | - 1 | - | ~ | _ |
| GEORGIA (white)All causes | 2,229 | 642 | 166 | 97 | 176 | 110 | 81 | E0 | 1,352 | 177 | 124 | 115 | 84 | 68 | 64 | 60 | 56 | 46 | 39 | 44 |
| · | <u> </u> | J-20 | -30 | | | -20 | 31 | | 1,002 | -"" | 202 | | | 30 | - J-2 | - 30 | | -20 | - 35 | |
| Measles | 2 | | | | | | | | | | 1 | | | | | 1 | | | | |
| Whooping-cough9 | 3 50 | | | | | | 1 | | 1 1 | <u>-</u> | | | | | 1 | | 1 5 | | | |
| Diphtherialo | 15 | | | | | | 2 | 4 | 4 2 | 9 | 8 | 9 | 2 | 3 | 2 | 2 | 5 | 4 | 1 2 | 2 |
| Influenza11 | 54 | 1 | } | | 1 | 5 | 5 | 1 | 13 | 4 | 8 | 4 | 4 | 2 | 2 | 4 | 3 | 1 | 5 | 4 |
| Dysentery13 | 18 | | | | | | | | | i | ĭ | ī | 3 | 2 | 4 | ī | 2 | ī | ī | ī |
| Erysipelas15 | 14 | | | | | | | 1 | 1 | 5 | 2 | | | | 5 | | | 1 | | |
| Epidemic cerebrospinal meningitis18 | 6 | | | | | | | 1 | | | 2 | | 1 | 1 | | | 1 | | | 1 |
| Tetanus22 | 2 | | | | | | | | | | | | | | | | | | | |
| Tuberculosis of the respiratory system-23 Tuberculosis of the meninges, etc24 | 3 | | | | | | 1 | | 1 | 1 | | | 1 | | | | | | | |
| Other forms of tuberculosis25-32 | 1 | | | | | | | | | | | 1 | i | | | | | | | 1 |
| Syphilis34 | 13 | 2 | | | 1 | 1 | | | 4 | 3 | 2 | 1 | | 1 | 1 | | | 1 | | |
| Convulsions86 | . 15 | 2 | 1 | 3 | 4 | ī | 1 | 1 | 13 | | | | | | ī | 1 | | | | |
| Bronchitis106 | 6 | | | | | | | 1 |] 1] | | 2 | | | 1 |] |] | | | 1 | 1 |
| Bronchopneumonia107 | 146 | | | 1 | 6 | 5 | 2 | 9 | 23 | 24 | 12 | 23 | 15 | 9 | 8 | 30 | 6 | 10 | 2 | 4 |
| Lobar and unspecified pneumonia108,109 Diseases of the stomach117,118 | 67 10 | 1 | | | 2 | | 1 | 3 | 13 | 9 | 5 | 8 | 9 | 6 | 4 | 2 | 6 | | 1 | 4 |
| Diarrhea and enteritis119 | 230 | 1 | | | 3 | - 6 | 1 5 | 7 | 22 | 20 | 23 | 30 | 24 | 22 | 16 | 20 | 17 | 15 | 10 | 11 |
| Intestinal obstruction122b | 19 | | | 1 | 2 | ì | 1 | | 5 | | | 2 | 1 | 22 | 26 | 4 | 17 | 15 | 2 | |
| Congenital malformations157 | 102 | 23 | 10 | 5 | 15 | 9 | 5 | 3 | 70 | 7 | 6 | ĩ | 5 | 6 | | ī | | 3 | ĩ | 2 |
| Congenital debility, etc 158,161b,c | 95 | 19 | 5 | 3 | 12 | 3 | 8 | 5 | 55 | 20 | 5 | 8 | 1 | 3 | | . 1 | 2 | | | |
| Premature birth159 | 690 | 421 | 86 | 40 | 60 | 39 | 19 | 9 | 674 | 1.3 | 2 | 1 | | | | | } | | | |
| Injury at birth150 | 142 | 57 | 25 | 19 | 29 | 7 | 2 | 1 | 140 | 1 1 | 1 | | | | | | | | | |
| Other diseases of early infancy161a,d External causeq172-198,201-214 | 58 59 | 21 | 12 | 2 | 10 | 5 | 2 | 3 | 55 | 3 8 | 10 | | 1 | | | 3 | 5 | | | |
| Unknown or ill-defined diseases199,200 | 288 | 82 | 24 | 17 | 25 | 17 | 17 | 17 | 14 199 | 29 | 24 | 2 15 | 10 | 2 2 | 2 5 | 3 | 1 | 1 | 6 | 5 |
| All other causes | 121 | 5 | ĩl | -5 | 6 | 5 | - B | Ξí | 41 | 17 | 9 | 9 | 4 | 6 | 7 | 8 | 5 | 5 | 4 | 6 |
| ** * | | | | | - • | | | 1 | | | | | - • | | | - • | | - ' | - • | - |

TABLE 21.—DEATHS FROM IMPORTANT CAUSES, BY CERTAIN SUBDIVISIONS OF THE FIRST YEAR OF LIFE: 1935—Continued (Exclusive of stillbirths)

| | | | | | | | | | - | | | | | | | | | | | |
|---|------------------------------------|-------------------|----------|-----------|-------------------|-----------|-----------|-----------|---------------------|----------|-----------|------------|-----------|-----------|-----------|-----------|-----------|-----------|------------|-------------|
| AREA AND CAUSE OF DEATH | Total deaths under l year | Under 1 day | l day | 2 days | 3 to 6 days | l week | 2 wks. | 3 wks. | Under 1 month | l mo. | 2 mos. | 3 mos. | 4 mos. | 5 mos. | 6 mos. | 7 mos. | 8 mos. | 9 mos. | 10 mos. | 11 mos. |
| GEORGIA (other races)All causes | 2,091 | 440 | 130 | 88 | 193 | 137 | 73 | 81 | 1,142 | 172 | 154 | 127 | 98 | 84 | 63 | 55 | 59 | 49 | 53 | 35 |
| Measles7 | 4 | | | | | | | | | | 1 | | | | | | | | 3 | |
| Scarlet fever | | | | | | | | | | | | | | | | | | | | |
| Whooping-cough9 Diphtheria10 | 43 12 | | | | | | 1 | 2 | 3 | 3 | 1 1 | 8 | 5 | 1 | 4 | 3 | 4 | 4 | 4 | 3 |
| Influenza11 | 57 | | | | 1 | 1 4 | 1 3 | 3 1 | 6 | 10 | 1 5 | 1 4 | 5 | 6 | 8 | 1 | 4 | | 3 | 2 |
| Dysentery13 | 22 | | | | | | | 2 | 2 | 1 | i | 3 | 3 | ī | ı | 3 | 1 | 4 | 2 | |
| Erysipelas15 | | | | | | | | | | | | | | | | | | | | |
| Epidemic cerebrospinal meningitis18 Tetanus22 | 3 | | | | | | | | | | | | | | | 1 | | | 1 | 1 |
| Tuberculosis of the respiratory system-23 | 3 | | | | | | | | | 1 | | | | | | | | | | |
| Tuberculosis of the meninges, etc 24 | 3 | | | | | | | | | | | 1 | 1 | | 1 | 1 | | 1 | | |
| Other forms of tuberculosis25-32 | 5 | | | | | | | 1 | 1 | | | | | 2 | | | | | 1 | 1 |
| Syphilis34 Convulsions86 | 59 22 | 12 | 3 | 2 | 4 | 3 | 4 | 2 | 30 | 9 | 8 | 3 | 3 | 2 | | | 2 | 1 | | 1 |
| Bronchitis106 | 4 | 2 | | 1 | 4 | 1 | 2 | 2 | 11 | 1 | 3 | 2 | 2 | 1 | | 2 | 1 1 | | | |
| Bronchopneumonia107 | 151 | | 2 | | 3 | 5 | 4 | 5 | 19 | 1 11 | 18 | 19 | 16 | 18 | 9 | 13 | 1 6 | 9 | 7 | 6 |
| Lobar and unspecified pneumonia108,109 | 114 | 3 | | 2 | 6 | 8 | 4 | 8 | 31 | 12 | 11 | 8 | 6 | 11 | 3 | 5 | 9 | 7 | 6 | 5 |
| Diseases of the stomach117,118 Diarrhea and enteritis119 | 19 | | 1 | | | 1 | 2 | | 4 | 4 | 1 | 3 | 2 | 2 | | | | | 3 | |
| Intestinal obstruction122b | 150 | | 1 | | 3 | 2 | 3 | 4 | 12 | 14 | 25 | 70 | 16 | 15 | 13 | 7 | 9 | 10 | 10 | 9 |
| Congenital malformations157 | 30 | 7 | 2 | 1 | 4 | | 2 | 2 | 18 | 3 | | 2 2 | 1 1 | 3 | 1 | 1 | | 1 | 1 2 | |
| Congenital debility, etc 158,161b,c | 138 | 37 | 3 | 4 | 17 | 9 | В | 8 | 86 | 19 | 12 | 6 | 2 | 5 | 1 | 1 | 3 | | 3 | |
| Premature birth | 425 | 222 | 46 | 23 | 47 | 39 | 11 | 14 | 402 | 12 | 6 | 2 | 1 | 1 | | | | - | | 1 |
| Other diseases of early infancyl6la,d | 36 41 | 18 | 6 | 4 | 5 12 | 3 7 | | 3 | 36 37 | 4 | | | | | | | | | | |
| External causes172-198,201-214 | 63 | 7 | ì | 4 | 5 | í | 4 | 3 | 25 | 6 | 6 | 11 | 4 | 3 | 4 | 1 | 2 | | | 1 |
| Unknown or ill-defined diseases199,200 | 561 | 118 | 58 | 43 | 77 | 46 | 20 | 17 | 379 | 50 | 40 | 27 | 17 | a | 12 | 10 | 8 | 6 | 2 | 2 |
| All other causes | 116 | 7 | 3 | | 4 | 7 | 4 | 4 | 29 | ٥ | 15 | 15 | 13 | 5 | 4 | 5 | 9 | 5 | 5 | 3 |
| IDAHOAll causes | 483 | 143 | 28 | 25 | 52 | 23 | 20 | 10 | 301 | 41 | 19 | 22 | 19 | 17 | 15 | 5 | 14 | 10 | 9 | 11 |
| | | | | | | | | | | | | | | | | | | | <u> </u> | |
| Measles7 Scarlet fever8 | 2 | | | | | | | | | | | 1 | | | | | | | 1 | |
| Whooping-cough9 | 33 | | | | | | | | | 7 | 2 | | 1 | | | | | | | |
| Diphtheria10 | | | | | | | | | | | | 2 | 3 | 4 | 3 | 2 | 2 | 3 | 2 | 3 |
| Influenza11 | 23 | | | | 1 | | 2 | 2 | 5 | 5 | 2 | 3 | 2 | 1 | | 1 | | 2 | | 2 |
| Dysentery13 | 1 | | | | | | | | | 1 | | | |] | | | | | | |
| Erysipelas15 Epidemic cerebrospinal meningitis18 | 2 | | | | | | | | | 1 | | | | | | | 1 | | | |
| Tetanus22 | | | | | | | | | | | | | | | | | 1 | | | |
| Tuberculosis of the respiratory system-23 | | | | | | | | | | | | | | | | | | | | |
| Tuberculosis of the meninges, etc24 | 2 | | | | | | | | | | | | | | | | ι | 1 | | |
| Other forms of tuberculosis25-32 Syphilis34 | | | | | | | | | | | | | | | | | | | - - | |
| Convulsions86 | 5 | 1 | | | 1 | | | | 2 | | 1 | | | | | | | | | |
| Bronchitis106 | 4 | | | | | | | | | | | | 2 | 1 | | | | | 1 | 1 |
| Bronchopneumonia107 | 46 | | 1 | 1 | | 1 | 4 | 1 | 8 | 14 | 2 | 6 | 3 | 3 | 3 | 1 | 3 | 1 1 | 1 | ī |
| Lobar and unspecified pneumonia108,109 Diseases of the stomach117,118 | 18 | | | 2 | | | 2 | | 4 | 2 | 1 | 2 | 1 | 4 | 1 | | 2 | 1 | | |
| Diarrhea and enteritis119 | 15 | | | | | | 1 | 1 | 1 1 | 1 3 | 3 | 1 | 3 | | 3 | | | | 1 | |
| Intestinal obstruction122b | 4 | | | | | | il | | 1 | | ĭ | | | | 2 | | | | 1 | |
| Congenital malformations157 | 50 | 10 | 6 | 7 | 9 | 5 | 2 | 1 | 40 | 3 | 3 | 1 | | 1 | | 1 | | | | 1 |
| Congenital debility, etc158,161b,c Premature birth159 | 15 137 | 1 1 | 2 | | 7 | 2 | 2 | 1 | 15 | | | | | | | | | | | |
| Injury at birth160 | 48 | 98 22 | 12 | 3 6 | 12 | 7 3 | 3 | 2 | 137 | | | | | | | | | | | |
| Other diseases of early infancyl6la,d | 20 | 8 | 1 | 4 | 4 | 1 | il | 1 | 20 | | | | | | | | | | | |
| External causes172-198,201-214 | 8 | | | | | | 1 | ī | 2 | | | | 2 | | 1 | | | | 1 | 2 |
| Unknown or ill-defined diseases199,200 All other causes | 12 | 1 | | 1 | 1 | 1 | | | 4 | 1 | 2 | 2 | 1 | 1 | | | 1 | | | |
| ALI Other causes | 34 | 2 | | 1 | 7 | 3 | | | 13 | 3 | 2 | 4 | 1 | 2 | 2 | | 3 | 2 | 2 | |
| ILLINOISAll causes | 5,138 | 1,730 | 422 | 252 | 397 | 269 | 169 | 141 | 3,380 | 353 | 250 | 208 | 167 | 146 | 138 | 122 | 105 | 113 | 73 | 83 |
| Measles7 | 32 | | | | | 1 | 2 | | 2 | 2 | | 1 | 4 | 2 | 3 | 2 | 3 | 5 | 6 | 2 |
| Scarlet fever8 | 6 | | | | | | | | | | | | | 1 | 2 | | | 1 | | 2 |
| Whooping-cough9 | 125 | | | | | | 2 | 2 | 4 | 29 | 20 | 18 | 6 | 11 | 6 | 7 | 9 | a | 3 | 4 |
| Diphtheria10 Influenza1 | 10 | | | | | 1 | | 1 | 2 | 1 | | 2 | | | 1 | | | 1 | 2 | 1 |
| Influenza11 Dysentery13 | 79 | 1 | | | | 2 | 4 | 2 | 9 | 9 | 13 | 3 | 10 | 2 | 9 | 4 | 10 | 1 | 1 | 8 |
| Erysipelas15 | 17 | | | , | | 1 | 2 | 2 | 5 | 7 | 3 | | 1 | 3 | 1 | | | | 1 | 2 1 |
| Epidemic cerebrospinal meningitis18 | 12 | | | | | î | | | 1 | ź | 2 | 2 | ī | 1 | 1 | 2 | | | | |
| Tetenus22 | 2 | | | | | | 1 | | 2 | | | | | | | | | | | |
| Tuberculosis of the respiratory system-23 Tuberculosis of the meninges, etc24 | 12 | - 1 | | | | | | | 1 | 1 | 1 | | | | 1 | 2 | 2 | 1 | | 2 |
| Other forms of tuberculosis25-32 | 8 | | | | | | | | | 1 | 1 | | z | 1 | | 1 | 1 | 2 | 2 | 4 |
| Syphilis34 | 41 | 9 | 1 | 1 | 3 | 4 | 2 | 1 | 21 | 7 | 6 | 1 | ĩ | 1 | - 1 | | | i | | |
| Convulsions86 | 12 | | 1 | 1 | 3 | 1 | | 1 | 7 | 2 | | 1 | | | | | | 2 | | |
| Bronchitis106 Bronchopneumonia107 | 44 562 | 3 | | 10 | 1 | | 2 | 4 | 7 | 5 | 6 | 5 | 5 | 2 | 4 | 2 | 3 | 2 | 2 | 1 |
| Lobar and unspecified pneumonia108,109 | 131 | | | | 18 | 22 | 29 4 | 26 | 109 15 | 81 | 65 9 | 61 19 | 48 8 | 45 9 | 35 13 | 35 10 | 23 | 24 18 | 19 | 17 6 |
| Diseases of the stomach117,118 | 9 | - 1 | | 2 | | ĭ | 1 | | 4 | | 1 | | ů | | 3 | | | | | |
| Diarrhea and enteritis119 | 273 | | | 2 | 7 | 10 | 20 | 15 | 54 | 36 | 32 | 30 | 21 | 21 | 18 | 21 | 17 | 9 | 7 | 7 |
| Intestinal obstruction122b | 44 | | | 2 | 4 | 2 | 2 | 2 | 12 | 2 | 7 | 5 | 4 | 4 | | 2 | 2 | 3 | 2 | 1 |
| Congenital malformations157 Congenital debility, etc158,161b,c | 588 125 | 165 | 60 8 | 41 5 | 77 30 | 48 16 | 21 11 | 28 | 440 86 | 51 14 | 19 13 | 17 | 11 | 16 | 9 | B 4 | 7 | 8 | 1 | 1 |
| Premature birth159 | 1,595 | 992 | 212 | 79 | 128 | 86 | 38 | 23 | 1,558 | 23 | 7 | 1 | 4 | 1 | 1 | 1 | 1 | | 1 | 1 |
| Injury at birth160 | 702 | 413 | 106 | 70 | 71 | 27 | 6 | 1 | 694 | 8 | | | | | | | |] . | | |
| Other diseases of early infancy161a,d | 201 | 104 | 23 | 26 | 26 | 8 | 3 | 3 | 193 | 6 | 2 | | | | | | | | | |
| External causes172-198,201-214 Unknown or ill-defined diseases199,200 | 93 25 | 11 | 3 | 1 | 3 | 1 | | 8 | 27 | 6 | 14 | 13 | 8 | 6 | 4 | 4 | 2 | 4 | 1 | 4 |
| All other causes | 370 | 16 | 7 | 10 | 24 | 28 | 19 | 10 | 13 114 | 4 44 | 27 | 28 | 3 25 | 17 | 25 | 16 | 18 | 22 | 15 | 19 |
| | | | | | | | , | | | ' | | | | | 1 | | | | | |

TABLE 21.—DEATHS FROM IMPORTANT CAUSES, BY CERTAIN SUBDIVISIONS OF THE FIRST YEAR OF LIFE: 1935—Continued (Exclusive of stillbirths)

| AREA AND CAUSE OF DEATH | Total deaths under 1 year | Under 1 day | l day | 2 days | 3 to 6 days | l week | 2 wks. | 3 wks. | Under 1 month | l mo. | 2 mos. | 3 mos. | 4 mos. | 5 mos. | 6 mos. | 7 mos. | 8 mos. | 9 mos. | 10 mos. | ll mos. |
|-------------------------|--|--|----------|---------------------------------|---|---|---|-----------|--|--|---|---|---|---|---|--------------------------------|--|---|--|---------------------------|
| INDIANAAll causes | 2,690 | 748 | 190 | 110 | 226 | 168 | 104 | 91 | 1,637 | 203 | 183 | 116 | 101 | 71 | 83 | 60 | 71 | 61 | 49 | 55 |
| Measles | 25 4 4 55 9 75 4 11 8 10 2 39 9 11 12 8 8 278 98 18 222 225 324 76 76 779 726 108 5 5 | 3 1 3 1 1 2 1 91 91 91 106 469 499 6 6 | 2 | 1 2 20 3 344 226 16 1 | 1 2 4 13 4 3 3 4 5 8 62 46 19 | 1 1 2 1 10 2 2 9 15 10 56 15 15 | 2 3 3 3 1 2 5 16 3 10 23 1 10 23 1 1 2 5 | 1 | 11 3 2 11 1 2 | 21 2 6 6 2 2 | 1 15 | 2 8 1 1 27 9 1 25 5 6 2 | 3 16 6 | 6 | 2 5 1 8 1 2 2 16 5 16 3 5 1 | 2 | 3 8 1 2 2 2 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 | 2 9 1 6 | 1 3 6 1 2 2 8 6 7 2 | 2 2 3 1 3 3 1 1 1 7 5 9 1 |
| All other causes | 174 | 3 7 | 6 | 8 | 14 | 12 | 14 | 7 | 4 68 | 13 | 1 14 | 16 | 8 | 8 | 9 | 8 | 9 | 4 | 7 | 10 |
| Ecasies | 1,937 27 28 28 46 | 534 | 124 | 1 1 3 3 3 3 3 3 2 0 7 7 1 4 3 3 | 152 | 107 | 67 2 2 1 1 6 3 10 117 5 6 8 1 | 59 | 1,228 | 141 -4 -3 3 10 11 -17 10 9 1 3 5 2 16 16 16 17 10 10 11 10 10 10 10 10 10 10 | 116 3 6 4 -1 -1 -2 2 133 12 -8 8 2 10 0 8 8 2 -1 14 4 4 4 4 4 4 4 4 4 4 4 4 4 | 2 2 5 8 2 1 1 1 1 1 1 1 5 2 6 6 - 2 2 1 2 1 1 1 1 1 1 1 5 2 6 6 - 2 2 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 | 2 2 5 1 1 1 2 2 2 7 2 2 1 1 1 1 1 1 1 1 1 1 1 | 3 2 5 5 1 1 29 6 1 8 | 2 1 2 2 3 3 1 1 16 4 4 1 1 1 1 2 2 19 | 1 2 2 1 2 2 | 38 3 1 1 1 1 1 14 3 2 1 2 1 2 1 2 | 39 1 2 1 2 2 2 2 8 5 6 1 2 2 5 1 5 | 2 2 1 3 3 3 3 1 1 2 2 1 4 4 | 27 2 1 3 3 |
| KANSASAll causes | 1,539 | 456 | 95 | 68 | 124 | 95 | 40 | 47 | 925 | 109 | 104 | 63 | 66 | 51 | 49 | 38 | 30 | 39 | 27 | 38 |
| Leasles | 44 3 3 58 1 7 7 3 | | 1 | 1 15 6 18 14 5 1 2 4 | | 1 1 2 2 2 2 5 38 10 2 2 1 7 | 2 2 1 1 4 6 10 2 2 4 1 2 2 2 1 2 | 2 | 5 3 5 3 27 3 1 1 2 146 37 405 155 155 42 100 14 35 | 7 | 2 1 7 1 9 1 1 1 1 1 24 7 1 13 2 4 4 1 1 | 2 14 2 5 1 10 1 10 1 10 1 10 1 10 1 10 1 10 | 2 | 3 6 | 3 4 5 5 14 3 1 6 2 2 | | 1 1 1 1 1 2 1 1 9 1 4 | } | 1 | 7 1 1 5 5 |

TABLE 21.—DEATHS FROM IMPORTANT CAUSES, BY CERTAIN SUBDIVISIONS OF THE FIRST YEAR OF LIFE: 1935—Continued (Exclusive of stillbirths)

| AREA AND CAUSE OF DEATH | Total deaths under l year | Under 1 day | l day | 2 days | 3 to 6 days | l week | 2 wks. | 3 wks. | Under 1 month | l mo. | z mos. | 3 mos. | 4 mos. | 5 mos. | 6 mos. | mos. | 8 mos. | 9 mos. | 10 mos. | ll mos. |
|----------------------------------|---|---|-------------------------------------|----------------------------|---|---|------------|-----------------------|---|--------------------|---|---|------------|----------------------------------|---|---|--|---|---------------------------|---|
| KENTUCKY (white)All causes | 3,110 | 737 | 187 | 112 | 238 | 182 | 119 | 114 | 1,689 | 282 | 198 | 151 | 127 | 102 | 95 | 108 | 89 | 93 | 90 | 86 |
| Massles | 67 7 143 26 92 66 22 8 8 2 6 6 11 3 28 13 6 6 227 102 17 413 24 4199 1991 77 53 166 185 | 1 | 1 1 2 2 1 1 1 2 2 1 1 2 2 1 1 4 4 4 | 10 3 3 51 22 6 6 | 1 3 1 1 2 2 3 30 0 15 79 30 10 1 3 0 12 | 2 1 d 2 2 2 1 1 1 1 1 7 7 1 1 6 2 0 5 5 8 8 4 4 4 1 0 1 8 | 4 4 | 3 1 10 2 | 15 1, 1, 1, 1, 4, 22, 1, 7, | 8 | 6 1 1 17 2 2 11 4 4 2 2 4 1 1 1 5 5 4 6 6 2 2 1 1 1 5 5 8 1 8 1 9 | 16 2 3 9 9 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 | 14 5 7 4 4 | 1 1 1 2 1 1 2 2 2 2 | 2 2 11 1 1 2 1 2 1 2 3 30 2 2 2 1 1 9 | 6 1 9 9 9 9 7 2 2 11 5 1 32 2 3 1 1 1 3 1 12 | 100 11 8 4 4 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 | 55 | 4 2 4 3 3 8 1 1 2 2 1 6 6 | 8 1 8 4 9 2 2 |
| KENTUCKY (other races)All causes | 278 | 39 | 17 | 13 | 14 | 19 | 15 | 15 | 132 | 34 | 15 | 15 | 14 | 10 | 17 | 7 | 11 | 14 | 3 | 6 |
| Measles | 6 | 1 1 2 2 2 4 6 2 1 | 11 1 1 1 2 2 | 1 | 2 1 2 3 3 2 2 2 2 2 | 1 1 3 3 2 1 2 | 1 1 | 1 | 2 | 2 | 1 1 1 3 3 1 5 5 2 2 | 1 5 5 | 1 | 1 1 1 | 1 | 1 | 1 3 3 3 | 1 2 2 1 4 2 2 1 | 2 | 1 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2 |
| LOUISIANA (white)All causes | 1,408 | 357 | 92 | 49 | 97 | 90 | 51 | 48 | 784 | 122 | 87 | 71 | 64 | 56 | 48 | 40 | 44 | 42 | 22 | 28 |
| | 16 1 1 21 9 9 50 12 3 3 4 4 2 5 160 70 70 5 153 9 90 41 1 380 117 41 22 43 317 | 5 | 1 1 1 45 22 2 4 2 2 3 3 5 | 2 2 2 1 1 20 6 6 4 2 3 6 6 | 2 | 1 1 2 6 2 2 5 7 7 | 1 | 1 1 | 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 | 2 27 8 8 8 6 8 6 2 | 4 | 1 1 1 5 3 1 1 3 7 7 1 1 1 9 1 1 3 3 1 1 2 1 1 1 1 1 1 1 1 1 1 1 1 1 1 | 11 2 2 | 1 2 5 5 2 1 3 1 10 9 9 4 4 1 1 8 | 3 1 2 2 1 1 8 5 15 1 1 1 | 4 3 1 1 1 1 2 2 2 1 1 2 1 2 1 3 3 3 3 2 7 | 1 3 3 1 1 3 3 1 1 4 4 7 7 6 1 2 2 1 8 8 | 2 1 1 1 1 4 4 1 1 1 1 0 5 1 3 1 1 1 5 5 | 1 7 1 1 2 2 2 | 1 1 1 1 1 1 7 3 1 1 1 |

TABLE 21.—DEATHS FROM IMPORTANT CAUSES, BY CERTAIN SUBDIVISIONS OF THE FIRST YEAR OF LIFE: 1935—Continued (Exclusive of stillbirths)

| AREA AND CAUSE OF DEATH | Total deaths under 1 year | Under 1 day | 1 day | 2 days | 3 to 6 days | 1 week | 2 wks. | 3 wks. | Under 1 month | l mo. | e mos. | 3 mos. | 4 mos. | 5 mos. | 6 ·mos. | 7 mos. | 8 mos. | g mos. | 10 mos. | 11 mos. |
|-----------------------------------|--|-------------------------------|-----------------------|--|-----------------------------------|--|----------------------|--|---|------------|---|--|--|-----------|--|-----------------|--|--|------------|--|
| LOUISIANA (other races)All causes | 1,525 | 315 | 72 | 58 | 123 | 117 | 69 | 62 | 816 | 138 | 108 | 83 | 89 | 54 | 60 | 35 | 42 | 39 | 24 | 37 |
| Measles | 9 | 18 | | 1 3 3 2 1 4 6 21 7 5 8 | 1 6 6 2 1 2 8 44 7 7 9 9 2 6 6 6 | 5 2 3 1 1 9 47 9 3 1 1 0 6 | 1 2 2 3 3 29 1 3 2 2 | 2 3 3 | 3 3 3 12 1 1 51 4 39 9 1 19 2 31 52 352 352 352 362 444 449 765 24 | 3 | 1 7 7 1 1 1 3 21 7 7 7 3 3 22 2 6 6 6 | 2 2 1 2 1 5 2 2 1 1 2 1 1 0 0 0 0 0 0 0 0 0 0 0 0 0 | 2 5 8 1 1 1 2 3 4 1 1 2 7 7 | 1 6 1 | 1 7 2 | 1 3 | 1 1 1 1 3 3 1 1 1 1 1 1 2 9 9 | 2 1,7 1 1,1 2,1 4,5 6,0 7,7 | 1 | 1 2 1 2 1 1 2 2 1 1 2 2 1 2 1 2 2 1 2 1 |
| MAINEAll causes | 990 | 234 | 112 | 47 | 90 | 59 ⁻ | .30 | 34 | 606 | 79 | 81 | 51 | 39 | 25 | 21 | 18 | 17 | 19 | 17 | 17 |
| Measles | 21 2 17 1 19 | | 77 4 455 23 8 8 | 1 1 3 3 22 8 6 1 | 3 11 13 25 125 129 | 1 | 1 2 2 2 9 1 1 1 2 | 1 2 1 1 2 1 3 5 5 3 6 6 1 2 | 2 2 2 2 2 2 3 4 5 1 1 1 0 1 6 5 5 1 1 1 6 5 2 2 9 9 9 1 4 4 5 2 2 3 4 5 4 5 4 5 4 5 4 5 4 5 4 5 4 5 4 5 4 | 2 4 | 3 1, 3 2 1 2 4 133 5 3 16 6 5 5 3 2 2 4 | 2 2 1 | 2 1 | 1 3 3 | 2 1 1 1 | 2 1 1 2 1 2 1 4 | 1 3 3 | 2 2 2 1 4 2 1 4 4 2 1 1 2 2 | 1 1 2 2 | 1 3 1 1 4 1 4 1 |
| MARYIAND (white)All causes | 1,103 | 322 | 85 | 46 | 65 | 60 | 35 | 34 | 647 | 78 | 70 | 63 | 41 | 19 | 43 | 37 | 35 | 33 | 19 | 18 |
| Neasles | 16. 11. 16. 13. 5. 2. | 300 4 209 52 24 1 | 15 1 43 15 8 1 1 1 | 3 3 1 5 3 19 7 6 | 1 3 3 1 2 2 17 5 16 10 3 3 | 111111111111111111111111111111111111111 | | 1 | 2 1 2 22 7 7 1 8 4 99 14 4 327 91 48 4 2 2 14 | 33 | 3 1 1 1 2 5 1 1 3 4 1 6 6 1 1 1 1 3 5 | 2 2 3 3 3 1 1 2 2 13 7 7 2 1 1 3 4 | 2 1 1 1 1 1 2 2 7 1 1 1 1 1 2 2 3 5 5 5 | 1 3 4 | 1 1 1 1 1 7 7 3 1 14 2 2 1 1 2 | 1 1 1 | 1 1 2 1 1 1 1 1 7 7 7 4 4 2 3 3 | 2 2 3 3 4 2 2 4 4 2 1 5 5 | 1 2 2 | 1 1 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2 |

TABLE 21.—DEATHS FROM IMPORTANT CAUSES, BY CERTAIN SUBDIVISIONS OF THE FIRST YEAR OF LIFE: 1935—Continued (Exclusive of stillbirths)

| AREA AND CAUSE OF DEATH | Total deaths under l year | Under l dey | l day | 2 days | 3 to 6 days | l week | 2 wks. | 3 wks. | Under 1 month | l mo. | 2 mos. | 3 mos. | 4 mos. | 5 mos. | 6 mos. | 7 mos. | 8 mos. | 9 mos. | 10 mos. | ll mos. |
|----------------------------------|---|------------------------------|---|--------------------------|-----------------------------------|---|--|------------------------------------|--|---|--|-------------------------------------|-----------------------|---|--|---|---|--|---|--|
| MARYLAND (other races)All causes | 586 | 102 | 28 | 22 | 36 | 28 | 18 | 20 | 254 | 56 | 42 | 39 | 34 | 39 | 26 | 27 | 21 | 23 | 6 | 19 |
| Measles | 11 | 3 | 1 | 1 | 3 | 1 | 1 | 1 5 1 1 | 1 | 1 | 1 1 1 4 9 2 | 2 1 1 1 1 6 5 | 9 4 | 1 1 1 1 1 10 10 | 2 1 1 1 1 8 2 | 1 | 1 2 | 1 | 1 1 1 1 | 2 |
| Diarrhee and enteritis | 88 3 22 23 134 20 30 15 6 35 | 4 4 68 12 9 2 | 2 1 11 5 6 | 1 1 1 1 1 1 1 1 1 1 1 1 | 3 1 14 2 6 1 | 2 2 | 1 2 6 1 | 4 3 1 2 | 7 1 11 9 124 19 29 6 2 6 | 6 7 5 1 1 3 1 2 | 15 1 3 1 2 1 | 9 1 1 2 2 2 | 13 | 12 1 1 1 5 | 7 | 1 1 5 | 5 | 6 1 1 2 | 1 | 1 1 3 |
| Massachuserts7 Scarlet fever8 | 7 2 | 896 | 205 | 155 | 257 | 157 | 97 | 83 | 1,850 | 219 | 169 | 141 | 116 3 | 112 | 1 | 79 1 1 | 84 | 58 | | 2 |
| Whooping-cough | 47 1 23 1 19 14 1 1 6 16 11 17 426 93 4203 16 389 52 887 342 176 58 10 218 | 1 | 1 2 5 5 107 46 16 | 3 1 225 3 60 344 21 21 8 | 2 1 16 57 52 38 2 15 548 548 | 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 | 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 | 1 | 2 2 2 1 1 3 3 3 3 62 9 9 48 2 246 354 173 8 3 59 2,560 | 8 | 3 | 5 | 3 -1 1 2 | 5 -2 | 5 1 1 1 1 26 5 15 15 14 | 22 10 4 3 8 1 1 | 4 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 | 3 3 | 2 2 2 | 1 1 1 1 1 2 2 1 1 1 1 1 1 1 1 1 1 1 1 1 |
| Situation. | *,112 | 1,217 | 304 | 220 | 340 | 202 | 116 | 101 | 2,560 | 301 | 603 | 203 | 100 | 125 | 125 | 97 | 103 | 101 | 97 | |
| Messles | 32 389 25 75 5 188 7 | 5 | 3 1 4 4 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 | 1 1 1 | 7 1 13 4 5 56 16 101 63 30 5 4 27 | 2 2 2 3 2 1 14 6 6 3 4 2 7 80 11 7 7 2 1 1 25 | 1 1 2 2 9 5 1 28 9 30 1 1 1 2 17 | 1 4 4 16 5 11 15 8 17 3 5 5 1 1 14 | 2 | 19 8 1 5 5 58 16 4 24 3 3 47 17 23 4 4 3 3 41 | 1 9 2 1 6 1 3 54 24 24 23 27 1 1 1 1 1 1 1 1 1 1 1 1 1 | 2 8 | 4 8 6 | 100 4 1 1 2 2 1 2 355 11 12 5 10 4 4 1 1 1 | 3 1 6 - 4 2 2 - 1 1 1 1 2 6 13 16 5 14 2 2 2 - 6 6 - 2 0 1 | 1 5 7 7 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 | 5 4 2 2 1 2 1 3 32 7 16 3 7 2 1 2 1 3 4 1 2 1 3 3 2 7 2 1 4 4 4 5 7 7 8 7 8 8 8 8 8 8 8 8 8 8 8 8 8 | 7 7 2 5 1 2 2 2 2 2 2 10 8 1 9 2 2 | 4 8 2 1 1 15 6 6 4 7 1 1 15 | 1 1 2 1 1 1 3 1 1 1 1 7 1 7 1 7 1 7 1 7 1 7 1 |

TABLE 21.—DEATHS FROM IMPORTANT CAUSES, BY CERTAIN SUBDIVISIONS OF THE FIRST YEAR OF LIFE: 1935—Continued (Exclusive of stillbirths)

| AREA AND CAUSE OF DEATH | Total deaths under l year | Under 1 day | 1 day | 2 days | 3 to 6 days | l week | 2 wks. | 3 wks. | Under 1 month | 1 mo. | 2 mos. | 3 mos. | 4 mos. | 5 mos. | 6 mos. | 7 mos. | 8 mos. | 9 mos. | lo mos. | 11 mos. |
|-------------------------------------|--|--|--|--|---|---|--------------|---|---|--|---|---|--|--------------------------------|---|--|--|-----------------|---|-------------------------|
| MINNESOTAAll causes | 2,053 | 707 | 133 | 107 | 191 | 93 | 75 | 65 | 1,371 | 141 | 124 | 98 | 66 | 50 | 58 | 30 | 41 | 27 | 35 | 32 |
| Measles | 14 3 54 5 6 6 3 4 15 2 3 4 15 8 181 254 697 254 697 218 697 218 | 2 54 14 468 122 29 6 | 1 2 2 1 14 8 69 24 9 | 1 1 2 1 13 6 39 27 9 1 | 1 | 1 1 1 1 3 3 6 1 1 5 7 7 3 3 3 7 7 5 5 2 | 2 | 1 | 1 | 1 -7 -11 -2 -1 -335 -6 -12 -2 -24 -5 -8 8 1 | 3 -9 -12 -1 | 2 2 3 1 1 2 2 2 1 2 2 8 1 7 7 2 1 2 2 1 2 2 1 2 2 1 2 2 1 2 2 3 1 | 3 4 1 1 1 16 7 7 13 7 | 12 2 10 11 12 2 | 1 1 5 5 6 6 6 4 | 1 3 2 2 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 | 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 | 1 1 5 5 | 2 2 2 3 3 | 1 2 |
| All other causes | 144 | 303 | 1 85 | 4 | 2 4 | 9 | 9 | 2 9 | 17 39 | 21 | 13 | 16 | 10 | 10 | 4 | 4 | 7 | 4 | 4 | 12 |
| Measles7 | 2 | 303 | 85 | 48 | 81 | | 36 | 32 | 649 | 80 | 76 | 44 | 25 | 32 | 34 | 30 | 30 | 18 | 17 | 15 |
| Scarlet favor | 27 27 55 45 86 4 4 4 1 32 4 71 32 4 9 13 69 13 69 103 26 103 26 117 74 | 13 9 169 42 16 2 2 31 1 | 1 1 1 34 22 4 2 12 | 1 1 2 1 2 1 1 2 1 1 2 2 1 7 8 8 2 2 | 1 2 2 1,10 4,25 22,1 2,25 21,2 2,2 | 1 1 3 | 111133110012 | 2 1 1 1 5 3 3 2 2 2 2 | 1 4 4 5 1 5 1 5 3 4 2 2 4 4 2 9 7 1 1 0 0 2 5 4 6 3 1 5 | 1 2 1 1 1 1 1 5 8 1 1 1 2 8 | 2 | 1 4 2 1 | 3 8 | 4 4 1 4 3 3 1 1 2 7 7 | 1 2 5 5 1 1 2 2 2 2 2 2 1 | 1 1 2 2 1 1 5 5 | 2 2 2 1 2 2 3 2 1 8 1 1 | 1 2 2 4 | 1 | 1 1 2 |
| MISSISSIPPI (other races)All causes | 1,555 | 275 | 118 | 69 | 138 | 111 | 59 | 44 | 814 | 122 | 104 | 102 | 81 | 58 | 81 | 51 | 52 | 41 | 19 | 30 |
| Mossles | 42 77 77 3 3 5 3 5 40 8 6 6 87 62 2 2 97 9 19 54 185 40 28 37 67 68 68 68 68 68 68 68 68 68 68 | 5 | 1 1 31 6 2 72 1 | 1 1 3 11 5 2 3 4 1 1 | 1 3 3 1 2 2 2 2 6 6 15 7 7 10 1 181 4 | 2 1 1 3 2 2 3 1 1 5 5 1 1 8 14 2 3 3 | 3 3 | 1 1 2 2 2 3 1 1 29 1 | 7 | 1 6 5 1 1 2 4 4 57 3 | 111111111111111111111111111111111111111 | 77 6 1 2 2 | 55 9 1 1 2 2 7 | 1 8 5 8 2 1 21 5 | 3 10 1 3 13 8 11 2 11 2 15 3 | 3 8 1 1 1 3 3 4 1 1 1 1 1 7 3 1 1 | 1 10 10 11 15 7 6 11 1 2 12 4 | 2 2 1 | 1 2 3 1 1 2 2 1 4 4 | 2 1 1 2 3 3 3 5 1 5 8 8 |

TABLE 21.—DEATHS FROM IMPORTANT CAUSES, BY CERTAIN SUBDIVISIONS OF THE FIRST YEAR OF LIFE: 1935—Continued (Exclusive of stillbirths)

| area and cause of death | Total deaths under l year | Under 1 day | l day | 2 days | 3 to 6 days | l week | 2 wks. | 3 wks. | Under 1 month | l mo. | 2 mos. | 3 mos. | 4 mos. | 5 mos. | 6 mos. | 7 mos. | 8 mos. | 9 mos. | 10 mos. | ll mos. |
|--|---|---------------------|---------------------------|--|--|---|---|--------------|--|---|---|--|-----------|-----------------|---|---|--------------|---------------------|--|---|
| MISSOURIAll causes | 3,262 | 789 | 186 | 127 | 280 | 213 | 155 | 130 | 1,880 | 306 | 172 | 151 | 120 | 129 | 118 | 97 | 91 | 68 | 70 | 60 |
| Measles | 28 7 105 10 93 21 17 5 11 13 4 4 4 4 4 4 4 38 393 119 14 357 34 357 34 38 899 21 899 899 21 21 21 21 21 21 21 21 21 21 | 6 | 1 2 1 2 2 103 300 8 | 1 6 1 25 4 50 24 4 | 1 2 21 3 3 6 1 55 20 92 32 32 35 | 1 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2 | 1 3 5 1 1 2 2 3 3 2 1 1 25 4 | 1 | 2 1 1 7 15 2 9 9 4 12 3 3 101 27 8 8 244 73 867 215 76 | 2 1 21 22 33 1 1 8 8 2 60 017 5 23 6 6 24 4 1 4 | 1 10 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 | 11 12 12 1 3 13 13 13 13 2 9 7 1 | 3 | 4 | 4 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 | 1 7 2 7 2 2 1 2 2 1 6 6 7 1 1 1 1 1 1 1 1 1 1 1 | 3 | 1 | 5 2 2 7 7 2 2 2 2 1 1 1 1 1 15 1 1 1 1 3 3 | 3 6 |
| External causes172-198,201-214 Unknown or ill-defined diseases199,200 All other causes | 58 59 238 | 13 8 | 1 5 6 | 5 4 | 6 18 | 1 5 16 | 5 18 | 1 2 12 | 6 41 82 | 9 9 31 | 5 2 19 | 6 2 11 | 13 | 5 1 15 | 1 2 14 | 6 1 8 | 5 1 18 | 5 | 10 | 11 |
| MONTANAAll causes | 602 | 160 | 26 | 25 | 51 | 30 | 21 | 23 | 336 | 62 | 45 | 20 | 19 | 35 | 23 | 15 | 12 | 17 | 10 | 8 |
| Measles | 9 | 100 66 118 17 4 4 2 | 1 1 1 1 2 1 1 2 2 1 2 2 2 | 1 3 2 4 9 2 2 2 | 3 3 3 11 10 5 5 3 3 2 | 2 | 1 | 44333311 | 18 3 1 5 1 1 6 4 8 1 1 1 | 2 | 1 7 7 2 2 1 1 3 5 5 2 3 1 2 2 1 3 3 5 5 | 1 1 2 2 2 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 | 1 | 2 | 2 | 1 1 1 1 1 2 2 2 1 1 1 2 2 2 2 1 2 2 | 5 2 2 | 3 3 4 4 1 1 1 1 1 1 | 1 4 4 | 1 |
| NEERASKAAll causes | 960 | 321 | 64 | 51 | 75 | 47 | 32 | 29 | 619 | 62 | 62 | 42 | 25 | 33 | 29 | 18 | 21 | 18 | 19 | 12 |
| Measles | 12 3 8 3 27 1 1 3 3 | 2 2 | 33 11 6 1 | 4 3 25 8 4 2 | | | 3 | 1 | 1 3 4 14 10 1 7 2 81 25 303 97 300 12 6 6 2 3 | 1 2 2 3 2 9 5 5 11 2 2 2 8 8 | 1 | 2 5 1 3 | 1 1 1 | 1 1 1 3 1 1 5 5 | 1 | 1 2 | 1 1 | 1 1 2 | | 1 |

| AREA AND CAUSE OF DEATH | Total deaths under l year | Under 1 day | l day | 2 days | 3 to 6 days | l week | 2 wks. | 3 wks. | Under 1 month | l mo. | 2 .mos. | 3 mos. | 4 mos. | 5 mos. | 6 mos. | 7 mos. | 8 mos. | 9 mos. | 10 mos. | ll mos. |
|---|------------------------------------|-------------------|----------|-----------|-------------------|-----------|-----------|-----------|---------------------|-----------|------------|-----------|-------------|-----------------|----------------|-----------|-------------|-----------|------------|------------|
| NEVADAAll causes | 101 | 44 | 5 | 3 | 5 | 7 | 5 | 6 | 75 | 6 | 1 | 5 | 2 | | 3 | 1 | 2 | 2 | 2 | 2 |
| Measles7 Scarlet fever8 | | | | | | | | | | <u></u> . | | | | | | | | | | |
| Whooping-cough9 | 2 | | | | | | | 1 | 1. | | | | | | | , | | | | 1 |
| Diphtheria10 Influenza11 | | | | | | | | | | | | | | | | | | | | i |
| Dysentery13 | 3 | | | | | | | 1 | 1 | | | 1 | | | 1 | | | | | |
| Erysipelas15 | 1 | | | | | | ı | | 1 1 | | | | | | | | | -, | | |
| Epidemic cerebrospinal meningitis18 | | | | | | | | | | | | | | | . | | | | | |
| Tetanus22 | | | | | | | | | | | | | | | | | | | | |
| Tuberculosis of the respiratory system-23 | 1 | | | | | | | | | | | | | | 1, | | | | | |
| Tuberculosis of the meninges, etc24 Other forms of tuberculosis25-32 | | | | | | | | | | | | | | | | | | | | |
| Syphilis34 | 2 | 1 | | | | | | 1 | 2 | | | | | | | | | | | |
| Convulsions86 | | | | | | | | | | | | | | | 4 | | | | | |
| Bronchitisl06 | 1 | | | | | | | | | | | | | | | ` | 1 | ļ | | |
| Bronchopneumonia | 8 | | | | 1 | | | 1 | 2 | 3 | | 1 | | , | | 1 | | 1 | | |
| Diseases of the stomach117.118 | | | | | | | | | | | | 1 | | | 1 | | | | | 1 |
| Diarrhea and enteritis119 | 4 | | | | | 1 | | 1 | 2 | | | | | ! | | | | . 1 | 1 | |
| Intestinal obstruction122b | 2 | | | | 1 | | | ī | 2 | | | | | : | : - | | | | ` | |
| Congenital malformations | 빌 | 5 | | 2 | | | 1 | | 8 | | 1 | 1 | 1 | | | | 7 | | | |
| Congenital debility, etc158,161b;c Premature birth159 | 8 38 | 33 | | 1 | 2 | 2 | 1 | | 5 38 | 1 | | | 1 | | | | | | | |
| Injury at birth160 | 5 | 1 | 3 | | | 1 | | | 5 | , | | | | | | | , | | | |
| Other diseases of early infancyl6la,d | 1 | | i | | | | | | i | | | | | | <u></u> | ' | \ <u></u> - | | | |
| External causes172-198,201-214 | 1 1 | | | | | | | | | | | | | | · | | | | 1 | |
| Unknown or ill-defined diseases199,200 | 3 7 | 2 | 1 | | 1 | | 2 | | 2 4 | 1 | | 1 | | | | | 1 | | | |
| ALL 01101 004001 | ' | | - | | _ | | _ | | | _ | | _ | | | | | - | | | |
| NEW HAMPSHIREAll causes | 419 | 125 | 51 | 22 | 39 | 18 | 8 | 13 | 276 | 34 | 23 | 13 | 16 | 13 | 6 | 10 | 12 | 7 | 4 | 5 |
| Measles7 | 1 1 | | | | | | | | | | | | _ : | | | | | | 1 | |
| Scarlet fever8 | | | | | | | | | | | | | | | | | | | | |
| Whooping-cough9 | 10 | | | | | | | 1 | 1 | 2 | | 2 | 1 | 3 | | | 1 | | | |
| Diphtheria10 Influenza11 | 10 | | | | | | | | | | | | | | | | | | | |
| Dysontery13 | | | | | | | | 1 | 1 | 3 | 2 | | | | 3 | 1 | | | | |
| Erysipelas15 | 1 | | | | | | | | | 1 | | | | | | | | | | |
| Epidemic cerebrospinal meningitis18 | 2 | | | | | | | | | | 1 | | | | 1 | | | | | |
| Tetamus22 Tuberculosis of the respiratory system-23 | | | | | | | | | | | | | | | | | | | | |
| Tuberculosis of the meninges, etc24 | | | | | | | | | | | | | | | | | | | | |
| Other forms of tuberculosis25-32 | | | | | | | | | | | | | | | | | | | | |
| Syphilis34 | | | | | | | | | | | | | | | | | | | | |
| Convulsions | 2 2 | | | 1 | | | | | 1 | 1 | | | 1 | | | 1 | | | | |
| Bronchopneumonia107 | 43 | | | 1 | | <u>-</u> | 2 | 2 | 6 | 9 | 8 | 2 | 3 | 3 | 1 | 3 | 4 | | 2 | 2 |
| Lobar and unspecified pneumonia108,109 | 14 | | | | | | | 2 | 2 | 2 | | 1 | 1 | 3 | | 1 | 1 | 2 | | 1 |
| Diseases of the stomach117,118 | | | | | | ' | | | | | | | | | | | | | | |
| Diarrhes and enteritis | 13 | | | | 1 | | | | 1 1 | 5 | 1 | 1 | 1 | | | 1 2 | 1 | 1 | | 1 |
| Congenital malformations157 | 40 | 12 | 6 | 3 | 2 | 1 | 1 | 1 | 26 | 2 | 2 | 4 | | 2 | | | 2 | 1 | | 1 |
| Congenital debility, etc158,161b,c | 1.5 | 2 | 3 | 1 | 2 | | | 1 | 9 | 4 | 1 | | 1 | | | | | | | |
| Premature birth159 | 148 | 83 | 26 | 10 | 9 | 10 | 3 | 2 | 143 | 1 | 2 | 1 | 1 | | | | | | | 1 |
| Injury at birth160 Other disesses of early infancy161a,d | 54 24 | 20 | 9 7 | 4 2 | 15 6 | 3 | 1 | 2 | 54 24 | | | | | | | | | | | |
| External causes | 14 | | | | | | | | | 2 | 3 | 1 | 3 | 2 | | 1 | 1 | | 1 | |
| Unknown or ill-defined diseases199,200 | 2 | | | | | | | | | | | | | | ı | | | 1 | | |
| All other causes | 20 | | | | 3 | 2 | 1 | 1 | 7 | 2 | 3 | | 4 | | | | 2 | 2 | | |
| NEW JERSEYAll causes | 2,520 | 801 | 168 | 380 | 181 | ,,,, | | 73 | 1,555 | | ,,, | 95 | B.C. | 71 | | | 63 | E. | 43 | ٠. |
| NEW JERODIT | 2,520 | 801 | 100 | 138 | 101 | 119 | 75 | 73 | 1,555 | 212 | 144 | 35 | 76 | | 80 | 76 | - 63 | 56 | 43 | 49 |
| Measles7 | 7 | | | | | | | · | | | | | | <u></u> | 3 | | 1 | | 1 | 2 |
| Scarlet fever8 | 2 | | | | | | | | | | | | | | | | ī | 1 | | |
| Whooping-cough9 | 57 | | | | | | | 1 | 1 | 14 | 9 | 5 | 1 | 6 | 5 | 4 | - 6 | 2 | 4 | |
| Diphthoria10 Influenza11 | 26 | | | | | 3 | | | 3 | 3 | 4 | 1 | z | 5 | 3 | <u>-</u> | 1 | 2 | 1 | |
| Dysentery13 | 1 | | | | | | | | 3 | 1 | 4 | | | 5 | | | | 2 | | |
| Erysipelas15 | 13 | | | | | 1 | | 2 | 3 | 5 | 1 | | | | | 2 | 1 | 1 | | |
| Epidemic cerebrospinal meningitis18 | 3 | | | | | | | | | | | | 1 | 1 | | | | 1 | | |
| Tetanus22 | | | | | | | | | | | | | | | | | | | | |
| Tuberculosis of the respiratory system-23 Tuberculosis of the meninges, etc24 | 8 3 | | | | | | | | | | 1 | | 1 | | | 1 | 1 | 2 | 2 | 1 |
| Other forms of tuberculosis25-32 | 5 | | | | | | | | | | | | | | 1 | 1 | | 1 | 1 | . 3 |
| Syphilis34 | 25 | 3 | 1 | | 3 | 2 | 2 | 2 | 13 | 3 | 3 | 1 | | | 2 | î | | | 1 | ī |
| Convulsions86 | 16 | 2 | ī | 1 | i | | 2 | | 7 | 2 | 2 | 1 | 1 | 1 | 1 | | | 1 | | |
| Bronchitis106 | 9 | | | | | | | 1 | 1 | 2 | | 2 | 1 | | | 2 | 1 ,1 | | | |
| Bronchopneumonia | 298 | | 4 | 2 | 11 | 3 | 8 | 10 | 38 | 43 | 34 | 30 | 27 | 2 <u>4</u> 8 | 24 | 26 | 18 | 14 | 8 | 12 10 |
| Lobar and unspecified pneumonia108,109 Diseases of the stomach117,118 | 135 | 2 | 1 | 3 | 1 | 2 | 5 | 5 | 21 | 14 2 | 12 | 9 | 11 | | 16 | 10 | | 6 | | 10 |
| Diarrhea and enteritis119 | 125 | | | 1 | 3 | 4 | 10 | 4 | 22 | 23 | 18 | 8 | 11 | 4 | 7 | 10 | 6 | 7 | 6 | 3 |
| Intestinal obstruction122b | 18 | | | | | | | 3 | 3 | 2 | 1 | | 3 | 2 | 1 | 2 | 2 | | 1 | 1 |
| Congenital malformations157 | 267 | 71 | 17 | 20 | 27 | 26 | 4 | 20 | 185 | 28 | 16 | 9 | 4 | 9 | 2 | 14 | | 4 | 3 | 2 |
| Congenital debility, etc158,161b,c | 77 | 5 | | 8 | 11 | 9 | 5 | 4 | 42 | 14 | 6 | 5 | | 1 | 2 | . 2 | | 2 | 1 | 2 |
| Premature birth159 Injury at birth160 | 772 268 | 500 126 | 84 37 | 47 35 | 43 50 | 41 8 | 21 6 | 9 4 | 745 266 | 19 | 5 | 1 | 1 | | | | 1 | | | |
| Other diseases of early infancy16la,d | 140 | 75 | 15 | 16 | 13 | 14 | ı | 1 1 | 135 | 5 | | | | | | | | | | |
| External causes172-198,201-214 | 38 | 4 | 3 | | 2 | ; | 1 | 1 | 11 | 6 | 3 | 5 | 2 | | 2 | 3 | 1 | 1 | 1 | 3 |
| Unknown or ill-defined diseases199,200 | 17 | 7 | 1 | | | | 1 | 1 | 10 | 2 | 2 | 2 | | - | | | 1 | | | |
| All other causes | 181 | l 6 | 4 | 5 | 1 12 | l 6 | 8 | l 5 | 46 | 11 23 | 25 | 16 | 1 10 | 10 | 11 | 6 | 1 10 | 111 | 4 | 9 |

TABLE 21.—DEATHS FROM IMPORTANT CAUSES, BY CERTAIN SUBDIVISIONS OF THE FIRST YEAR OF LIFE: 1935—Continued (Exclusive of stillbirths)

| AREA AND CAUSE OF DEATH | Total deaths under l year | Under 1 day | l day | 2 days | 3 to 6 days | l week | 2 wks. | 3 wks. | Under 1 month | l mo. | z mos. | 3 mos. | 4 mos. | 5 mos. | 6 mos. | 7 mos. | B mos. | g mos. | 10 mos. | ll mos. |
|--|---|---------------------------------------|-------------------------------------|---|---|---|---|---|---------------------|--|--|--|---|---|-----------|--|--|--|--|--------------------------------|
| NEW MEXICOAll ceuses | 1,705 | 259 | 54 | 46 | 88 | 77 | 65 | 56 | 645 | 150 | 168 | 130 | 120 | 103 | 81 | 78 | 68 | 62 | 46 | 54 |
| Measles | 10. 65 1 14 11 14 1 1 5 29 2 8 11.8 51 10 268 8 6 37 47 164 37 32 8 | 5 109 19 | 1 | 1 | 1 1 2 1 1 1 3 4 18 9 8 | 2 | 3 3 3 5 3 | 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 | 1 4 | 16 63 27 1 2 4 | 1 | 1 17 5 2 2 1 17 5 2 32 1 2 | 1 1 1 1 1 1 27 | 1 2 2 1 1 2 3 2 1 1 1 | 1 | 2 | 1 5 1 4 2 2 2 2 4 5 5 24 1 1 1 | 1 5 | 1 3 1 1 3 5 16 1 | 1 5 2 2 2 |
| External causes172-198,201-214 Unknown or ill-defined diseases199,200 All other causes | 15 681 43 | 99 | 24 | 15 4 | 3 33 2 | 42 3 | 38 | 28 | 279 12 | 3 66 3 | 71 4 | 51 3 | 50 6 | 35 6 | 35 1 | 4 25 5 | 20 | 2 23 1 | 18 | 13 1 |
| NEW YORKAll causes | 8,852 | 2,643 | 617 | 425 | 632 | 463 | 365 | 354 | 5,499 | 673 | 555 | 440 | 308 | 263 | 221 | 204 | 191 | 198 | 135 | 165 |
| Measles | 33 2 214 4 92 6 85 26 22 10 13 81 14 39 1,139 2,92 13 705 63 1,080 2,588 1,027 1,080 1,081 | 8 | 55 | 1 1 2 63 16 69 641 20 | 1 1 2 2 1 3 3 4 1 4 2 1 1 9 3 0 1 9 7 1 2 6 5 5 5 1 2 3 5 | 2 3 3 3 3 3 3 3 3 3 3 3 3 3 3 3 3 3 3 3 | 1 | 3 2 2 1 777 100 1 6 6 6 6 6 5 2 2 2 | 5 15 | 26 8 2 24 1 1 16 8 151 15 4 11 196 6 23 44 7 7 13 1 7 8 | 144 | 10 5 3 3 3 11 10 11 127 23 127 73 2 2 4 9 | 2 2 4 4 3 2 2 7 7 900 28 4 41 5 3 3 4 5 3 3 4 5 3 3 4 5 3 3 12 1 40 | 2 2 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 | 11 | 2 1 1 1 2 1 1 2 5 5 5 2 7 4 4 19 5 5 5 5 3 3 3 | 6 1 1 12 1 1 7 1 4 4 58 24 24 25 1 1 1 9 9 26 | 7 7 13 1 1 1 1 1 1 3 3 | 36 11 2 2 2 2 2 2 3 3 6 12 2 5 2 2 2 2 2 2 2 5 12 2 | 14 1 1 1 3 3 3 4 4 1 20 15. |
| NORTH CAROLINA (white)All causes | 3,201 | 906 | 219 | 128 | 236 | 159 | 106 | 86 | 1,840 | 281 | 221 | 178 | 127 | 114 | 109 | 70 | 82 | 75 | 57 | 47 |
| Mossles | 88 16 74 33 15 2 2 2 1 1 14 15 12 212 106 13 416 19 247 145 984 244 60 61 233 180 | 5 1 1 1 1 1 1 2 5 6 7 1 2 6 6 4 3 3 7 | 1 1 2 2 1 1 1 3 3 4 1 1 1 3 3 9 1 1 | 1 1 1 24 9 51 1 2 21 1 2 2 1 5 5 2 | 1' 1 1 3 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 | 5 | 1 1 2 2 1 1 2 2 1 1 5 5 5 1 1 6 6 2 7 7 4 4 2 2 2 1 9 7 | 1 1 1 4 4 - 3 1 1 5 6 6 1 3 2 2 2 1 1 6 8 | 1 | 18 4 8 2 7 7 | 12 11 3 1 1 3 1 4 30 15 4 51 2 18 6 6 9 1 | 1 | 21 10 44 2 2 4 9 14 | 1 1 2 2 2 7 7 | 9 1 5 7 7 | 9962211 | 10 3 5 5 1 1 37 1 37 1 1 2 3 6 | 2 2 14 7 23 1 4 4 | 5 1 1 3 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 | 10 4 2 1 1 |

TABLE 21.—DEATHS FROM IMPORTANT CAUSES, BY CERTAIN SUBDIVISIONS OF THE FIRST YEAR OF LIFE: 1935—Continued

| AREA AND CAUSE OF DEATH | Total deaths under l year | Under 1 dey | l day | 2 deys | 3 to 6 days | l week | 2 wks. | 3 wks. | Under 1 month | l mo. | 2 mos. | 3 mos. | 4 mos. | 5 mos. | 6 mos. | 7 mos. | B mos. | 9 mos. | 10 11 mos. mos |
|--|---|---|--|---|---|--|--|--|--|----------------------------|---|---|--|---|---|---|--|---|-----------------------|
| NORTH-CAROLINA (other races)All causes | 2,221 | 414 | 119 | 91 | 156 | i35 | 105 | 84 | 1,104 | 221 | 166 | 147 | 116 | 104 | 72 | 79 | 72 | 50 | 40 5 |
| Massles | 12 94 95 65 19 11 6 4 11 19 180 130 130 130 159 535 87 38 281 131 | 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 | 55 | 1 1 2 2 3 2 2 5 5 5 2 2 23 3 5 | 2 | 1 2 3 5 7 5 18 44 5 6 3 21 9 | 1 1 1 5 7 6 1 15 41 3 3 3 1 11 6 | 2 1 1 1 | 5 1 7 2 1 1 29 9 4 26 30 22 24 25 94 497 82 37 17 173 39 | 1. 1.4 2.5 5. 2 2 | 8 1 9 4 4 | 11 -9 2 | 3 4 4 4 1 1 22 5 5 2 4 4 5 5 12 8 8 | 10 10 3 | 2 8 1 1 1 1 | 1 12 11 12 11 1 1 6 1 10 10 10 10 10 10 10 10 10 10 10 10 1 | 1 7 1 6 1 1 2 1 1 2 1 4 8 8 | 1 1 2 2 4 4 | 1 |
| NORTH DAKOTAAll causes | 811 | 217 | 33 | 51 | 58 | 43 | 27 | 33 | 442 | 90 | 64 | 51 | 37 | 23 | 22 | 20 | 17 | 15. | 19 1 |
| Sourlet fever | 9 | 16 100 1259 41 7 7 4 | 1. 1. 1. 4. 1. 1. 2. 5. 6. 1. | 1 1 1 2 2 12 7 1 1 1 | 1 2 2 1 1 2 2 1 1 1 1 2 1 1 1 2 1 1 1 2 1 2 1 2 1 1 2 1 2 1 | 1 1 2 5 3 12 5 3 12 1 1 | 2 2 2 1 2 5 3 3 4 | 2 2 5 2 2 1 1 1 5 1 1 2 2 | 1 | 8 7 13 | 1 1 2 21 4 10 5 3 1 | 1 | 3 4 3 | 1 5 3 2 1 1 2 2 | 1. 1. 7. 5. 1 | 2 2 1 1 2 2 | 1 1 2 2 | 1 | 1 |
| OHIOAll causes | 5,093 | 1,536 | 366 | 242 | 462 | \$66 | 191 | 141 | 3,204 | 372 | 246 | 216 | 176 | 177 | 137 | 144 | 115 | 129 | 82 9 |
| Mossles | 29 9 101 9 150 6 19 19 15 16 7 42 17 57 11 133 18 339 50 557 168 1,632 462 201 114 48 341 | 137 1,024 211 94 5 5 12 | 2 1 4 2 2 1 52 8 174 72 32 2 3 11 | 7 3 1 1 2 1 2 1 2 1 2 1 2 1 2 1 2 1 2 1 2 | 1 2 3 4 35 5 5 72 23 128 94 33 6 6 | 7 7 2 4 4 6 6 15 1 45 15 15 19 15 23 | 19 13 23 13 38 15 45 6 4 4 9 1 | 4 8 3 1 1 1 2 3 1 1 1 1 1 1 1 1 1 1 1 1 1 1 | 21 | 14 120 | 2 15 8 2 2 3 1 1 1 7 7 15 2 2 33 3 13 9 3 2 2 2 2 2 2 | 3 1 10 1 15 1 1 | 1 12 12 1 1 3 2 2 2 1 2 2 3 3 7 9 9 1 3 4 5 5 6 6 7 7 7 7 7 7 7 7 7 7 7 7 7 7 7 7 | 11 15 15 1 1 2 2 3 | 2 11 10. 1 1 1 43 9 1 9 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2 | 13 8 11 11 2 2 2 2 2 3 8 9 17 4 4 7 7 3 1 19 | 12 2 15 2 2 15 25 8 28 27 7 2 | 2 1 1 7 2 2 1 1 1 3 3 5 1 1 1 2 0 4 4 3 2 2 4 1 6 | 3 2 6 6 1 1 1 1 2 2 2 |

TABLE 21.—DEATHS FROM IMPORTANT CAUSES, BY CERTAIN SUBDIVISIONS OF THE FIRST YEAR OF LIFE: 1935—Continued (Exclusive of stillbirths)

| | | | | | | | | | | | - | | | | | | | | | |
|----------------------------------|---|-------------------------|----------------|-----------------------|--|---|-----------|---------------------------|--|-------------------------------|--|-------------------------|---------------------------------|---|--------------------------------|-------------|---|---------------|---------------------------------|---|
| AREA AND CAUSE OF DEATH | Total deaths under 1 year | Under 1 day | 1 day | 2 days | 3 to 6 days | l week | 2 wks. | ვ wks. | Under 1 month | l mo. | 2 mos. | 3 mos. | 4 mos. | 5 mos. | 6 mos. | 7 mos. | 8 mos. | 9 mos. | 10 mos. | ll mos. |
| OXLAHOMA (white)All causes | 2,039 | 482 | 143 | 82 | 144 | 121 | 74 | 76 | 1,122 | 179 | 126 | 106 | 94 | 76 | 66 | 69 | 62 | 42 | 42 | 55 |
| Missales | 7 2 70 199 83 37 15 5 5 2 5 5 3 12 12 20 199 18 127 93 571 122 51 39 83 156 | 40 18 317 59 21 17 6 | 1 2 2 | 1 1 1 1 7 2 2 | 1 1 10 2 2 50 50 7 1 12 8 | 1 1 2 2 2 3 3 2 2 1 1 5 6 4 4 4 1 5 5 1 4 | 1 13 2 2 | 1 3 5 4 4 | 1 5 1 15 3 8 1 1 47 7 17 6 6 13 1 10 6 59 553 119 49 7 7 56 51 | 14 22 11 35 5 | 13 1 10 3 1 1 2 2 20 7 3 26 5 6 3 3 2 2 18 | 1 1 2 2 3 3 11 | 1 1 2 5 3 3 4 4 3 3 3 11 | 1 1 14 4 3 18 8 2 2 1 7 | 2 2 3 3 3 3 18 3 3 1 1 2 1 9 9 | 8 2 5 5 1 1 | 6 6 6 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 | 2 2 2 6 2 1 1 | 1 2 2 1 1 8 5 1 6 6 1 1 1 4 4 4 | 3 1 1 3 3 4 4 2 2 2 2 1 1 1 2 2 3 3 1 1 8 3 1 1 6 |
| OKLAHOMA (other races)All causes | 345 | 31 | 20 | 19 | 22 | 34 | 19 | 10 | 155 | 27 | 33 | 15 | 33 | 16 | 21 | 13 | 12 | 4 | 8 | 8 |
| Messles | 23 1 19 9 3 3 3 12 4 4 -4 4 4 4 4 4 4 4 4 4 4 4 1 5 5 2 2 4 4 1 9 1 9 1 9 1 9 1 9 1 9 1 9 1 9 1 9 | 6 | 1 2 10 1 1 5 5 | 1 3 1 3 4 4 2 2 2 2 | 1 1 2 2 3 4 4 5 5 2 | 2 2 | 1 2 2 | 3 | 1 1 1 9 2 2 13 3 1 6 6 3 13 44 8 10 2 2 9 6 | 1 | 1 8 8 2 1 5 5 | 2 2 5 5 | 1 2 8 7 2 2 1 | 2 2 | 1 5 1 | 5 5 1 | 2 2 2 1 2 3 5 5 | 1 | 2 2 | 2 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 |
| OREGONAll causes | 543 | 192 | 36 | 20 | 54 | 33 | 17 | 12 | 364 | 25 | 44 | 28 | 17 | 12 | 15 | 7 | 9 | 7 | 8 | 7 |
| Measles | 3 | 1 19 3 119 30 122 2 2 1 | | 2 2 3 1 5 3 2 2 1 1 1 | 1 1 2 2 2 1 1 2 1 9 7 2 2 5 | | 1 | 1 3 | 2 | 2 | 1 5 3 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 | 2 2 3 1 1 2 2 3 1 2 3 5 | 1 1 | 1 2 1 1 1 1 2 2 1 1 1 1 1 1 1 1 1 1 1 1 | 1 1 5 2 | 1 1 1 1 | 1 1 1 | 1 1 | 2 2 1 1 2 2 | 1 1 |

TABLE 21.—DEATHS FROM IMPORTANT CAUSES, BY CERTAIN SUBDIVISIONS OF THE FIRST YEAR OF LIFE: 1935—Continued (Exclusive of stillbirths)

| area and cause of death | Total deaths under 1 year | Under 1 | l day | 2 days | 3 to 6 days | l week | 2 wks. | 3 wks. | Under 1 month | l mo. | 2 mos. | 3 mos. | 4 mos. | 5 mos. | 6 mos. | 7 mos. | 8 mos. | 9 mos. | 10 mos. | 11 mos. |
|--|------------------------------------|---------------------------------------|----------------------------------|-------------------------------|--------------------------------|-----------------------------|-------------------------------|-----------------------------|---|----------------------------|---------------------------------|--------------------------------|---------------------------|--------------------------|--------------------------|------------------------------|---|-------------------------|-------------------|---------------------|
| PENNSYLVANIAAll causes | 8,194 | 2,148 | 644 | 419 | 701 | 436 | 298 | 243 | 4,889 | 548 | 528 | 417 | 303 | 279 | 224 | 227 | 208 | 169 | 154 | 148 |
| Measles | 48 5 125 4 | | | | | | 1 1 2 | 3 | 1 1 6 1 | 5 1 22 | 3 16 | 2 15 | 1 2 11 | 12 | 2 | 7 6 | 8 7 | 8 6 | 6 | 5 1 6 |
| Influenza | 222 4 42 26 3 | | | | 1 | 6 1 1 | 1 | 1 4 | 14 2 2 1 | 28 1 17 2 | 30 6 | 18 6 5 | 15 1 3 | 22 4 4 2 | 19 1 | 21 1 1 3 | 12 | 1 13 1 3 | 18 | 12 1 1 1 |
| Tuberculosis of the respiratory system-23 Tuberculosis of the meninges, etc24 Other forms of tuberculosis25-32 Syphilis | 30 27 5 81 43 | 12 2 | 2 2 | 1 3 | 1 3 2 | 6 1 | 2 3 | 3 2 | 1 1 29 15 | 13 | . 2 1 18 9 | 5 3 6 6 | 2 4 4 3 | 1 2 1 3 3 | 3 3 4 1 | 2 3 3 | 4 5 2 2 2 | 1 | 7 3 | 2 2 1 |
| Bronchitis | 1,041 421 26 501 | 2 1 | 1 6 2 | 7 1 2 1 | 1 26 3 17 2 | 29 14 1 14 2 | 5 51 12 2 24 3 | 3 51 7 29 1 | 14 172 46 6 86 10 | 10 134 47 5 77 | 10 153 42 3 73 4 | 7 121 54 2 45 4 | 5 74 44, 6 45 | 90 34 1 37 2 | 5 54 33 1 29 | 3 61 32 27 4 | 2 53 27 27 12 | 3 47 24 17 | 2 33 22 | 49 16 2 21 |
| Congenital malformations | 986 188 2,385 781 330 | 205 23 1,406 348 124 8 | 92 9 338 114 54 1 | 81. 20 143 104 37 | 141 34 187 150 .66 | 84 20 138 43 25 | 53 13 61 10 9 | 44 9 40 5 8 | 700 128 2,313 774 323 25 | 99 23 47 6 5 | 58 12 9 1 2 14 | 38 10 10 10 | 23 ? 2 | 15 3 6 | 12 2 | 11 1 2 5 | 8 1 2 | 10 | 7 1 7 | 5 |
| Unknown or ill-defined diseases199,200 All other causes | 45 594 | 3 14 152 | 3 19 44 | . 1 18 | 2 49 51 | 1 41 21 | 5 32 16 | 1 30 | 16 203 318 | 8 71 34 | 7 55 23 | 2 48 18 | 3 35 22 | 1 33 | 3 30 | 3 30 16 | 1 27 | 23 | 1 21 | 18 |
| Measles7 | 1 | | | | | | | | | | | | 1 | | | | | | | |
| Scarlet fevor -8 Whooping-cough -9 Diphtheria -10 Influenza -11 Dysentery -13 Erysipolas -15 | 3 8 5 | | | | | 2 | 2 | 1 | 5 | 1 2 | 2 | 2 | 1 | 1 | 1 | | | | | |
| Epidemic cerebrospinal meningitis18 Tetenus | 1 3 1 2 | | | | | | | === | | | | 1 | | | 1 | | ======================================= | 1 | | 1 |
| Convulsions | 1 4 48 15 1 | | === | | 7 | | 3 | 1 | 1 11 1 1 | 8 1 | 1 3 2 3 | 1 2 1 | 6 | 3 3 | 4 1 | 2 4 4 2 | 5 1 | 1 | 1 | 1 1 |
| Intestinal obstruction | 3 72 10 140 72 | 13 2 76 46 | 7 23 8 | 2 | 9 2 16 11 | 8 - 4 | 5 2 2 | 2 2 | 1 46 6 134 72 | 7 1 4 | 8 1 1 | 2 1 1 | 1 1 | | 1 | 3 | | 2 | 1 | 1 |
| Other diseases of early infancy161a,d External causes172-198,201-214 .Unknown or ill-defined diseases199,200 All other causes | 27 ; 4 3 24 | 14 | 2 | 1 2 | 5 | 3 1 1 | .1 1 | | 27 2 1 7 | 1 | 2 | 2 | 1 1 2 | 1 2 | | 1 | 1 2 | 3 | 1 | 1 |
| SOUTH CAROLINA (white)All causes | 1,206 | 276 | 75 | 45 | 88 | 64 | 49 | 35 | 632 | 114 | 89 | 70 | 49 | 45 | 49 | 36 | 38 | 35 | 27 | 22 |
| Measles | 39 5. 68 9 | | | | 2 | 2 | 3 | 2 5 | 2 12 2 | 9 1 9 | 8 6 1 | 11 | 1 5 1 | 7 1 | 2 1 2 2 | 6 1 2 | 4 7 | 1 3 3 | 1 2 1 | 2 1 2 |
| Epidemic terebrospinal meningitis | 3 2 | 2 | | | | 1 | 1 | 1 | . 6 | 1 | | 1 | | | 1 | | | | | |
| Syminate | 4 2 203 44 1 | 1 | 1 | 1 | 1 2 1 | 5 | 5 4 | 1 6 2 | 21 7 | 13 7 | 1 13 4 | 16 4 | 6 3 | 5 5 5 | 11 1 1 | 8 2 | 1 3 4 | 5 5 | 1 3 | 1 1 1 9 |
| Intestinal obstruction | 159 9 68 36 318 73 | 12 5 178 30 | 6 39 13 | 5 15 11 | 1 11 6 29 13 | 3 7 2 23 5 | 3 5 1 14 | 1 1 6 | 2 47 15 304 72 | 12 2 5 9 1 | 2 2 4 4 | 9 6 2 1 | 1 2 3 | 15 2 | 1 1 | | | 1 | 1 | |
| Other diseases of sarly infancy161a,d fixernal causes | 26 16 124 81 | 15 31 2 | 11 1 | 2 1 5 5 | 14 4 | 7 4 | 2 6 5 | 1 2 4 | 26 2 76 25 | 5 16 12 | 11 9 | 1 9 7 | 1 5 3 | . 2 | 2 1 4 | 1 7 | 1 2 | 3 | 2 2 | 3 |

| | | | | | es not | 5 at 1 | lead OI | this | | | | | | | | | | | | |
|--|---|----------------------------|-----------------|--|--|-------------------------------------|---|---|--|--|--|--|--|---|---|---|---|---|---|---|
| AREA AND CAUSE OF DEATH | Total deaths under 1 year | Under 1 dey | 1 day | 2 days | 5 to 6 days | l week | 2 wks. | 3 wks. | Under 1 month | l mo. | 2 mos. | 3 mos. | 4 mos. | 5 mos. | 6 mos. | 7 mos. | 8 mos. | 9 mos. | 10 mos. | 11 mos. |
| SOUTH CAROLINA (other races)All causes | 2,013 | 320 | 105 | 75 | 172 | 123 | 69 | 75 | 939 | 208 | 179 | 143 | 115 | 82 | 94 | 69 | 57 | 46 | 28 | 53 |
| Measles | 7 73 5 94 22 3 3 4 2 1 1 1 4 118 158 22 147 7 23 89 268 16 37 23 666 138 | 1 2 140 3 | 2 2 3 3 3 5 5 5 | 1 1 1 24 41 2 2 | 1 1 2 2 9 9 7 7 7 30 88 6 8 | 1 3 1 1 2 2 8 8 8 1 1 1 2 2 5 5 5 5 | 111111111111111111111111111111111111111 | 4 6 | 7 1 1 15 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 | 2 | 3 | 11 2 11 2 2 11 1 2 2 1 1 1 1 1 1 1 1 1 | 6 4 4 7 2 2 6 11 1 2 6 6 1 1 2 6 1 2 1 2 6 1 1 2 6 1 2 6 1 1 | 1 | 10 4 4 | 1 3 3 4 3 3 3 4 4 4 4 1 2 2 2 1 9 9 9 | 5 5 1 1 1 8 7 8 1 2 15 3 | 1 8 3 3 5 | 2 2 3 5 5 1 1 5 5 5 5 5 5 5 5 5 5 5 5 5 5 5 | 2 1 3 4 4 1 1 1 1 1 1 3 3 8 8 |
| SOUTH DAKOTAAll causes | 674 | 169 | 48 | 29 | 60 | 32 | 32 | 24 | 394 | 50 | 38 | 37 | 30 | 25 | 19 | 16 | 14 | 26 | 10 | 15 |
| Measles | 20 20 21 | 14 22 112 28 9 | 3 2 25 5 3 3 | 1 1 2 2 2 3 3 | 3 3 3 2 4 11 9 6 1 4 7 | 1 1 1 3 3 7 4 4 1 1 1 | 3 | 1 1 2 2 1 1 1 2 1 1 1 1 1 1 1 1 1 1 1 1 | 1 5 1 7 2 11 18 10 3 50 15 169 57 23 1 16 15 | 1 1 1 1 1 1 8 3 1 4 2 2 | 1 2 1 2 1 8 4 1 1 | 2 5 5 1 7 8 5 4 | 3 | 2 2 | 1 4 1 1 3 2 | 1 | 1 2 2 3 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 | 1 1 1 1 | 1 1 1 1 1 1 1 1 1 1 1 1 1 1 | 2 |
| TENNESSEE (white)All causes | 2,716 | 650 | 132 | 89 | 216 | 161 | 137 | 90 | 1,475 | 213 | 182 | 151 | 119 | 88 | 109 | 100 | 75 | 69 | 69 | 66 |
| Measles | 9 5 109 12 87 46 122 17 4 8 9 9 17 5 4 194 83 10 321 12 160 47 34 423 169 | 1 | 3 3 | 2 2 2 5 30 19 1 17 6 | 1 1 1 1 4 2 2 5 3 6 3 6 3 6 9 9 2 2 4 7 1 3 | 1 5 5 | 1 4 4 1 1 2 2 2 2 0 4 1 1 2 2 6 6 2 3 7 7 2 2 3 0 9 | 1 5 5 1 1 5 1 7 7 11 1 2 1 2 6 7 | 2 | 13 16 1 1 1 26 5 27 2 12 16 14 1 | 13 16 6 7 1 1 1 1 10 10 10 10 10 10 10 8 11 10 8 | 2 16 1 5 6 6 1 1 | 6 1 1 1 5 2 4 4 | 2 6 4 4 4 1 2 2 1 1 1 7 7 6 6 1 1 9 7 7 | 8 2 9 6 6 3 3 3 5 5 5 5 5 5 5 5 5 5 5 5 5 5 5 | 10 2 7 3 1 1 12 4 4 2 1 1 1 1 9 7 7 | 1 7 2 2 5 5 5 | 3 1 1 1 1 1 1 1 1 1 1 3 3 27 1 1 3 2 27 1 3 2 2 1 1 1 3 2 1 1 1 1 1 1 1 1 1 1 1 | 2 1 8 5 3 3 3 3 1 1 1 9 3 2 18 1 4 6 6 | 2 2 5 2 6 5 2 2 2 2 2 2 2 6 6 6 6 6 6 6 |

TABLE 21.—DEATHS FROM IMPORTANT CAUSES, BY CERTAIN SUBDIVISIONS OF THE FIRST YEAR OF LIFE: 1935—Continued (Exclusive of stillbirths)

| | | | | | | | | | | | | | | | | | | | | — |
|-----------------------------------|---|-----------------------------|--|--|--|--|--|---|--|--|--|--|---|---|--|---|---|---|--|--|
| AREA AND CAUSE OF DEATH | Total deaths under l year | Under 1 day | 1 day | 2 days | 3 to 6 days | l week | 2 wks. | 3 wks. | Under 1 month | l mo. | 2 mos. | 3 mos. | 4 mos. | 5 mos. | 6 mos. | 7 mos. | e mos. | 9 mos. | 10 mos. | ll mos. |
| TENNESSEE {other races}All causes | 698 | 146 | 28 | 29 | 62 | 42 | 22 | 26 | 355 | 55 | 45 | 45 | 37 | 31 | 30 | 25 | 21 | 25 | 16 | 15 |
| Measles | 24 5 1 2 1 8 1 | 8 | 1 2 12 5 1 | 1 1 15 6 2 - 4 | 2 2 2 1 1 4 8 11 3 1 1 20 4 | 1033 | 1 1 2 2 2 1 8 1 1 | 1 1 2 2 1 1 2 2 1 1 6 6 2 2 | 12 2 2 3 15 3 7 7 2 15 24 124 129 129 129 129 129 129 129 129 129 129 | 2 4 1 1 2 2 2 2 3 3 3 3 3 17 7 7 | 1 100 2 2 7 7 | 3 3 4 6 1 1 3 4 | 3 3 1 2 4 1 2 5 1 | 5 5 5 1 1 6 6 3 | 3 3 3 3 1 1 | 1 1 2 2 3 3 1 1 | 2 2 2 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 | 2 1 1 2 2 3 3 7 7 2 3 3 | 1 1 3 3 3 1 1 1 2 2 | 1 1 2 2 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 |
| TEXAS (white)All :causes | 7,076 | 1,555 | 369 | 240 | 544 | 403 | 226 | 208 | 3,545 | 587 | 475 | 444 | 368 | 319 | 269 | 249 | 230 | 213 | 186 | 191 |
| Measles | 37 9 121 28 234 168 33 8 53 13 14 4 9 9 90 36 29 598 285 7 1,315 49 398 365 1,535 1,625 1,625 1,625 1,625 1,700 130 243 462 | 1. | 3 3 5 2 2 2 1 1 1 177 799 23 1 177 111 | 2 1 3 5 4 1 1 1 1 1 1 1 1 1 1 1 8 1 8 1 8 1 1 8 1 1 8 1 8 1 1 1 8 1 8 1 1 8 1 8 1 1 8 1 8 1 1 8 1 8 1 1 8 1 8 1 1 8 1 8 1 1 8 1 8 1 8 1 1 8 1 8 1 8 1 1 8 1 1 8 1 8 1 8 1 1 8 1 8 1 1 8 1 1 8 1 1 1 1 8 1 1 1 1 1 8 1 | 8 3 2 1 1 23 3 6 1 1 28 1 1 2 3 9 2 1 1 4 2 7 8 3 6 5 3 1 3 7 | 5 2 2 1 1 28 8 6 6 7 7 35 3 41 29 3 30 12 6 20 3 3 2 | 11 2 2 2 2 3 1 1 2 2 9 1 4 4 2 9 9 3 3 2 7 1 6 6 4 4 4 2 9 5 6 6 1 3 1 8 | 8 2 2 5 4 4 2 2 300 16 6 6 33 4 4 22 19 26 2 2 1 5 14 | 2 2 33 12 2 7 1 152 41 25 4 122 15 289 190 1,578 462 162 51 140 | 2 1 36 100 111 1 1 1 1 1 1 1 1 1 1 1 1 1 | 2 2 27 18 5 5 5 5 6 8 30 8 145 4 19 33 11 1 2 2 15 14 42 | 3 2 11 3 3 25 19 3 1 1 1 1 1 9 9 2 160 2 16 28 5 5 14 41 | 3 16 1 1,7 12 3 1 2 2 5,5 1 48 24 4 13 18 2 2 13 18 2 2 8 6 8 8 8 8 8 8 8 8 8 8 8 8 8 8 8 | 1 18 19 1 1 2 3 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 | 1 1 5 3 19 15 1 1 3 3 1 1 4 2 9 7 3 4 10 10 10 10 10 10 10 10 10 10 10 10 10 | 5 1 4 2 16 12 1 1 3 | 33 8 3 12 9 1 1 2 2 97 2 3 3 3 1 2 97 2 2 97 2 3 3 1 1 | 4 1 8 2 14 14 1 1 1 1 2 2 3 7 3 7 3 1 1 8 5 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 | 5 4 4 7 16 1 1 1 1 1 24 10 2 73 5 5 4 2 2 19 | 5 1 5 4 10 12 1 2 1 2 1 2 2 1 2 6 1 1 2 2 1 2 2 1 2 2 2 3 4 4 1 2 2 3 1 2 3 1 2 3 1 3 1 2 3 1 3 1 3 2 3 3 3 3 |
| TEXAS (other races)All causes | 1,154 | 234 | 70 | 43 | 106 | 85 | 44 | 50 | 632 | 94 | 76 | 47 | 59 | 41 | 59 | 39 | 24 | 31 | 26 | 26 |
| Measles | 21 10 48 18 18 1 1 1 1 1 1 46 10 4 4 76 90 14 123 71 218 44 38 44 47 67 | 9 1 1 1 1 1 1 1 1 2 1 1 1 1 | 2 2 1 1 1 2 4 5 5 4 7 7 | 1 1 2 2 19 4 6 6 1 1 2 3 | 3 3 3 1 2 1 1 1 4 1 1 4 1 1 2 4 1 5 1 0 4 1 5 1 7 5 | 2 1 3 3 5 1 1 3 3 6 6 2 2 9 2 4 3 3 8 6 | 2 1 1 3 2 4 4 1 1 1 1 1 2 6 | 2 1 1 3 3 1 7 7 8 1 2 9 3 3 3 1 1 4 2 | 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 | 1 | 5 5 2 1 | 2 2 2 1 1 6 10 2 7 7 2 4 1 | 3 1 4 1 1 1 1 3 10 12 4 1 4 2 5 5 | 1 1 1 4 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 | 1 2 5 2 2 1 1 1 1 1 5 1 4 5 2 2 9 | 1 | 1 1 3 3 3 1 1 1 3 3 2 2 | 1 2 1 1 1 1 3 4 4 1 7 7 | 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 | 2 2 3 3 1 1 1 1 4 4 1 1 1 1 1 1 1 1 2 2 |

TABLE 21.—DEATHS FROM IMPORTANT CAUSES, BY CERTAIN SUBDIVISIONS OF THE FIRST YEAR OF LIFE: 1935—Continued (Exclusive of stillbirths)

| | | | | | | | | | | | | | | | | | | | | |
|---|---|--|---------------------|---|---|--|-----------------------------------|--|---|--|---|--|--|---|---|--|-----------|---|---------------------------------|---|
| AREA AND CAUSE OF DEATH | Total deaths under 1 year | Under 1 day | l day | 2 days | 3 to 6 days | l week | 2 wks. | 3 wks. | Under 1 month | l mo. | 2 mos. | 3 mos. | 4 mos. | 5 mos. | 6 mos. | 7 шов. | 8 mos. | 9 mos. | 10 mos. | ll mos. |
| UTAHAll causes | 626 | 220 | 33 | 25 | 48 | 59 | 30 | 15 | 430 | 30 | 26 | 24 | 21 | 15 | 16 | 12 | 9 | 11 | 17 | 13 |
| Measles | 3 2 26 | 25 3 149 31 11 | 7 | 1 2 2 8 5 1 | 2 2 5 16 8 6 | 1 3 3 3 3 3 3 2 2 2 2 4 4 1 | 1 2 2 1 7 1 3 3 | 1 1 2 2 2 3 3 3 | 2 1 12 4 1 1 5 5 27 2 2 7 2 | 4 | 111 4 1 2 2 1 1 1 1 1 1 1 1 1 1 1 1 1 1 | 5 | 1 1 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2 | 1 2 1 2 1 1 2 1 | 1 2 2 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 | 7 2 | 1 1 | 1 3 | 1 2 2 1 1 1 1 1 3 3 3 3 1 1 2 2 | 2 |
| Unknown or ill-defined diseases199,200 All other causes | 24 38 | | 2 | 3 | 5 2 | 2 2 | 2 3 | 2 | 13 | 5 | 3 | 3 | 2 | 1 | 1 2 | 2 | 2 4 | 3 | 1 | 4 |
| Measles | 320 2 1 7 | 116 | 19 | 13 | 23 | 14 | 18 1 1 1 3 1 4 1 4 1 1 | 2 2 | 211 1 2 1 1 1 1 4 1 1 3 3 6 4 113 23 14 1 2 4 | 22 1 1 1 2 1 1 2 3 1 1 2 1 1 2 1 1 1 1 2 1 | 19 | 18 1 1 2 5 1 1 1 2 1 1 2 1 2 1 2 1 2 1 2 1 2 | 12 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 | 1 | 7 | 1 | 1 | 1 1 | 1 | 1 1 |
| VIRGINIA (white)All causes | 2,153 | 681 | 132 | 92 | 150 | 131 | 84 | 63 | 1,333 | 178 | 127 | 72 | 68 | 69 | 53 | 48 | 43 | 55 | 46 | 41 |
| Measles | 22 11 65 11 60 24 7 7 5 2 6 6 7 11 15 16 14 12 143 12 163 133 681 147 47 43 15 113 | 3 1 1 46 33 436 88 30 5 5 7 2 | 19 7 64 26 2 2 11 1 | 3 1 2 2 111 7 39 11 4 2 9 3 | 2 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 | 1 2 2 1 2 2 1 1 6 15 37 12 2 2 4 4 12 6 | 1 1 3 3 10 3 1 1 11 10 20 2 2 9 4 | 4 4 2 4 1 1 1 1 1 1 5 1 1 1 4 4 2 7 10 5 6 | 7 3 11 1 2 2 1 5 12 4 28 14 3 8 1 1 123 95 651 163 46 17 103 28 | 28 h | 1 | 1 | 1 8 1 4 4 3 1 1 2 2 11 6 1 2 2 1 2 2 7 7 | 5 2 1 1 2 2 5 2 2 1 1 1 1 1 6 2 2 5 2 2 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 | 2 3 1 1 7 3 3 1 1 9 4 4 1 1 1 1 1 7 | 1 3 1 5 1 1 9 3 3 7 2 1 1 1 | 3 | 2 2 3 3 3 3 3 3 3 4 4 1 1 1 1 1 1 1 1 1 1 1 | 1 5 3 1 1 | 3 2 4 4 2 3 3 9 4 4 9 1 1 |

TABLE 21.—DEATHS FROM IMPORTANT CAUSES, BY CERTAIN SUBDIVISIONS OF THE FIRST YEAR OF LIFE: 1935—Continued (Exclusive of stillwirths)

| AREA AND CAUSE OF DEATH | Total deaths under l year | Under 1 yab | 1 day | 2 days | 3 to 6 days | l week | 2 wks. | 3 wks. | Under 1 month | l mo. | 2 mos. | 3 mos. | 4 mos. | 5 mos. | 6 mos. | 7 mos. | 8 mos. | 9 mos. | 10 . | ll mos. |
|----------------------------------|---|--------------------------------------|---|-------------------------------|---|--|--|---|--|---|---|--|---|--|------------------------|---|---|---|--|------------|
| VIRGINIA (other races)All causes | 1,430 | 244 | 66 | 65 | 115 | 90 | 63 | 45 | 688 | 132 | 95 | 101 | 87 | 76 | 67 | .43 | 40 | 33 | 29 | 39 |
| Measles | 12 | 1 1 | 1 3 9 26 10 22 1 13 1 | 1 2 1 1 5 7 7 8 1 7 7 5 5 | 1 2 2 3 1 6 168 399 111 4 2 2 9 4 | 1 2 2 18 30 2 1 3 6 6 4 | 2 2 1 1 13 21 1 1 3 3 6 | 2 3 3 1 1 1 1 6 2 2 6 8 1 2 5 | 2 1 9 1 1 2 3 1 9 3 3 19 16 10 0 3 2 2 9 5 3 0 4 5 4 3 0 9 9 9 9 9 9 9 9 9 9 9 9 9 9 9 9 9 9 | 8 2 2 17 9 1 200 2 2 7 6 13 3 | 5 11 2 3 3 3 11 2 13 12 13 11 1 | 8 1 1 2 2 1 8 6 6 1 1 6 4 4 1 1 9 9 | 3 -4 -6 2 2 2 2 2 12 9 1 15 -1 7 2 2 | 2 6 | 3 -6 -9 1 | 100 4 1 1 2 2 2 2 2 3 3 3 3 3 3 3 3 3 3 3 3 3 | 11655,15 | 1 1 2 2 1 1 1 5 5 | 4 1 1 2 1 1 2 1 1 2 1 1 1 1 1 1 1 1 1 1 | 1 8 |
| WASHINGTONAll causes | 1,012 | 344 | 82 | 46 | 69. | 73 | 44 | 22 | 680 | 58 | 65 | 40 | 35 | 26 | 30 | 21 | 10 | 15 | 20 | 12 |
| Mensles | 2 17 1 13 3 1 1 2 4 4 5 7 6 6 130 37 306 6 115 46 39 16 79 | 1 1 37 8 197 66 28 | 2 10 41 14 8 2 2 3 | 1 1 2 2 15 9 1 1 2 2 2 2 | 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 | 1 1 4 2 2 2 3 5 5 2 2 1 1 5 5 | 1 1 1 5 2 2 2 1 1 6 6 2 2 2 1 1 7 7 | 1 3 6 3 3 3 1 1 3 5 | 1 1 1 2 2 3 3 1 1 1 1 5 5 7 7 3 1 | 1 1 2 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 | 2 1 1 1 3 1 1 1 7 4 4 1 1 9 9 3 2 2 7 3 11 | 1 1 1 1 1 1 1 1 1 1 2 2 1 4 1 1 | 3 3 1 1 2 9 1 1 2 4 1 1 2 | 3 1 1 1 | 1 2 2 | 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 | 1 1 1 1 1 3 | 1 2 3 1 1 1 1 1 2 3 3 | 1 1 2 2 1 1 1 3 3 1 1 5 5 2 2 | 1 |
| WEST VIRGINIAAll causes | 2,533 | 638 | 177 | 112 | 177 | 162 | 110 | 90 | 1,466 | 208 | 170 | 113 | 99 | 98 | 84 | 73 | 68 | 49 | 59 | 46 |
| Messles | 26 57 72 18 69 25 12 6 39 15 4 195 20 217 128 709 161 57 37 202 217 202 217 | 1 | 3 1 2 21 6 82 30 8 | 3 3 3 2 2 2 500 111 7 7 8 7 7 | 1 1 2 22 17 54 4 19 13 | 2 3 1 1 1 10 2 3 9 2 2 11 15 5 5 5 11 14 2 2 18 4 | 3 3 1 5 2 12 7 1 6 3 3 11 7 21 2 1 5 | 77 1 1 1 | 10 2 9 11 1 1 20 9 2 45 5 19 64 3 155 79 679 160 128 44 | 1 | 11 11 1 4 3 1 1 5 1 1 1 22 12 2 3 3 3 3 3 10 12 6 6 6 6 21 14 | 2 1 6 2 2 3 3 2 2 6 2 2 3 3 5 5 11 6 | 11 4 2 2 1 1 1 1 5 5 2 4 4 1 5 7 7 | 2 3 5 4 1 1 1 2 2 2 2 2 4 10 6 | 11 19 9 1 1 6 6 | 1 1 4 4 4 1 1 1 1 1 1 2 6 1 1 1 1 1 1 1 1 1 1 1 1 | 4 1 9 3 3 1 1 1 1 2 1 1 1 1 1 1 5 5 5 5 5 5 5 5 5 | 2 4 4 2 4 1 1 1 1 3 7 7 | 6 1 1 5 3 3 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 | 1 3 1 6 |

TABLE 21.—DEATHS FROM IMPORTANT CAUSES, BY CERTAIN SUBDIVISIONS OF THE FIRST YEAR OF LIFE: 1935—Continued (Exclusive of stillbirths)

| | | | | | | | | | | | | | | , | | | , | | | = |
|---|------------------------------------|-------------------|----------|-----------|-------------------|-----------|-----------|-----------|---------------------|----------|-----------|-----------|-----------|-----------|-----------|-----------|-----------|-----------|------------|------------|
| area and cause of death | Total deaths under l year | Under 1 day | 1 day | 2 days | 3 to 6 days | l week | 2 wks. | 3 wks. | Under 1 month | l mo. | 2 mos. | 3 mos. | 4 mos. | 5 mos. | 6 mos. | 7 mos. | 8 mos. | 9 mos. | 10 mos. | ll mos. |
| WISCONSINAll causes | 2,419 | 848 | 168 | 117 | 213 | 123 | 75 | 74 | 1,638 | 168 | 131 | 100 | 77 | 61 | 47 | 57 | 46 | 34 | 29 | 31 |
| Measles7 | 8 | | | | | | | | | 1 | 1 | | 1 | | | 1 | 3 | 1 | | |
| Scarlet fever8 | 3 | | ~ | | | | | | | | | ~ | ~ | | 1 | 3 | 5 | 2 | 1 2 | 2 |
| Whooping-cough9 Diphtheria10 | 37 | | | | | | 1 | 2 | 3 | 5 | 4 | 5 | 4 | 1 | 1 | | | | | |
| Influenza1 | 48 | | | | | 1 | 1 | 1 | 3 | 6 | 7 | 6 | 2 | 7 | 2 | 7 | 2 | 1 | 2 | 3 |
| Dysentery13 | 3 | | | | 1 | | | | i | | 1 | | | | 1 | | | | | |
| Erysipelas15 | 6 | | | | | | 1 | | 1 | 3 | 1 | | | 1 | | | | | | |
| Epidemic cerebrospinal meningitis18 | 7 | | | | | ~ | | | | | 2 | | 1 | 1 | | | | 2 | 1 | |
| Tetanus22 | 1 | | | | | | | | | | | | | | | 1 | 2 | | 1 | |
| Tuberculosis of the respiratory system-23 Tuberculosis of the meninges, etc24 | 4 2 | | | | | | | | | | | | | | | ī | ı | | | |
| Other forms of tuberculosis25-32 | 2 | | | | | | | | | 1 | | | | 1 | | | | | | |
| Symbilis34 | 10 | 1 | | | | 1 | | | 2 | 2 | 2 | | | | | 3 | | | | 1 |
| Convulsions | 23 | | 1 | 2 | 2 | 3 | 2 | 1 | 11 | l | | 2 | 1 | 1 | 3 | 1 | 3 | 1 1 | | 1 |
| Bronchitis106 | 18 254 | 1 | | 1 5 | 8 | 1 | 17 | 15 | 57 | 42 | 3 33 | 3 29 | 2 18 | 15 | 2 16 | 14 | 10 | 1 6 | 7 | 7 |
| Bronchopneumonia | 63 | | 1 | | 2 | 1 | 1 3 | 2 | ا و ا | 6 | 8 | 12 | 17 | 5 | 2 | î | 2 | 6 | i | 4 |
| Diseases of the stomach117,118 | , 5 | | | | 1 | | | | i | 2 | 1 | | 1 | | | | | | | |
| Diarrhea and enteritis119 | 112 | | | 1 | 4 | ۰6 | 2 | 12 | 25 | 27 | 11 | 10 | 6 | 13 | 3 | 2 | 6 | 6 | 1 | 2 |
| Intestinal obstruction122b | 15 | | | | 1 | | 2 | 2 | 5 | 3 | 3 | 1 | 1 | | 8 | 1 7 | 5 | 3 | 1 6 | 4 |
| Congenital malformations157 | 355 54 | 91 | 21 | 23 | 48 12 | 35 8 | 10 | 10 | 238 | 30 | 22 | 9 | 15 1 | 8 | | | | | | |
| Congenital debility, etc158,161b,c Premature birth159 | 776 | 503 | 88 | 40 | 67 | 31 | 18 | 9 | 756 | 10 | 7 | 1 | i | | | | | | | 1 |
| Injury at birth160 | 275 | 167 | 37 | 19 | 36 | 10 | 2 | 2 | 273 | 2 | | | | | | | | | | |
| Other diseases of early infancyl6la,d | 127 | 63 | 29 | 111 | 14 | 4 | 3 | 1 | 125 | | 2 | | | | | | | | | |
| External causes172-198,201-214 | 38 | 3 | | 1 | 2 | 2 | 1 | 2 | 11 | 3 | 3 | 4 | 3 | 1 | 1 | 4 | 2 | 2 | 1 | 2 |
| Unknown or ill-defined diseases199,200 All other causes | 20 153 | 3 8 | 3 6 | 3 | 2 13 | 9 | 2 7 | 10 | 15 f | 16 | 15 | 14 | 13 | 7 | 7 | 10 | 4 | 2 | 5 | 4 |
| ALL OWG. Causes | 100 | | Ĭ | _ | | 1 | | | | | | | | | | | | | | |
| WYOMINGAll causes | 223 | 59 | 12 | 15 | 13 | 16 | 4 | В | 127 | 15 | 14 | 6 | 13 | 7 | 9 | 10 | 6 | 7 | 5 | 4 |
| Measles7 | 7 | | | | | | l | | | | | | 1 | l | 1 | | 1 | z | 1 | 1 |
| Scarlet fever | 2 | | | | | | | | | | | | | | ī | 1 | | | | |
| Whooping-cough9 | 8 | | | | | | | | | 1 | 3 | | | | | 1 | 2 | | | 1 |
| Diphtherial0 | | | | | | | | | | | | | | | | 2 | 1 | | | |
| Influenza11 | 10 | | | | | | | | | 2 | 1 | 1 | | | 3 2 | | | | 1 | |
| Dysentery13 Erysipelas15 | 3 6 | | | | | | | 1 | 1 | 3 | | | | | ĩ | 1 | | | | |
| Epidemic cerebrospinal meningitis18 | | | | | | | | | | | | | | | | | | | | |
| Tetanus22 | | | | | | | | | | | | | | | | | | | | |
| Tuberculosis of the respiratory system-23 | 2 | | | | | | | | | | | | | 2 | | | | | | |
| Tuberculosis of the meninges, etc24 | | | | | | | | | | | | | | | | | | | | |
| Other forms of tuberculosis25-32 Syphilis34 | 2 | | | | | 1 | | | 1 | | | | | | | 1 | | | | |
| Convulsions86 | | | | | | | | | | | | | | | | | | | | |
| Bronchitisl06 | 1 | | | | | | | | | | | | | 2 | 1 | | 1 | 2 | 2 | 2 |
| Bronchopneumonia107 | 10 | | | 1 | | 1 | 1 | | 3 | 3 | 3 | 2 | 6 | | | 2 | i | 2 | | |
| Lobar and unspecified pneumonia108,109 Diseases of the stomach117,118 | 1 2 | | | | | | | | | | li | 1 | | | | | | | | |
| Diarrhea and enteritis119 | 6 | | | | | 1 | | | 1 | 2 | | 1 | | | | 2 | | | | |
| Intestinal obstruction122b | 1 | | | | | | | | | | | | 1 | | | | | | | |
| Congenital malformations157 | 16 | 5 | 2 | 1 | 2 | 1 2 | 2 | 2 2 | 15 | | | 1 | 3 | 1 | | | | | | |
| Congenital debility, etc158,161b,c Premature birth159 | 74 | 47 | 7 | 7 | 4 | آ ة | | 2 | 73 | 1 | | | | | | | | | | |
| Injury at birth160 | 10 | 4 | 1 | 4 | | | 1 | | 10 | | | | | | | | | | | |
| Other diseases of early infancy16la,d | 7 | 2 | 1 | 1 | 2 | 1 | | | ? | | | | | | | | | 1 | | |
| External causes172-198,201-214 | 3 | 1 | 1 | | | | | | 1 | 1 | 1 | | | 1 | | | | | | |
| Unknown or ill-defined diseases199,200 All other causes | 10 | | | | 2 | 3 | | 1 | [] <u>6</u> , | ī | | | 1 | 1 | | | | | 1 | |
| | | | | | | | | | | | | | | | | | 1 ,, | ,= | ,, | 1.0 |
| LOS ANGELES, CALIF. (white) All causes | 826 | 256 | 69 | 32 | 58 | 26 | 22 | 21 | 484 | 54 | 65 | 43 | 44 | 22 | 25 | 28 | 16 | 15 | 14 | 16 |
| Measles7 | | | | | | | | | | | | | | | -~ | | | | | |
| Scarlet fever | | | | | | | | | | 2 | 4 | | | | | 1 | 1 | 2 | | |
| Whooping-cough9 Diphtheria10 | 10 | | | | | | | | | | | | | | | | | | | |
| Influenza11 | 2 | | | | | | | | | | 1 | | | | | } | | 1 | | |
| Dysentery13 | 4 | | | | | | 1 | | 1 | | | | | 1 | ~ | | 2 | | | |
| Erysipelas15 | 5 |] | | | | | | | | 1 1 | 3 2 | | 1 | 1 | | | | | | |
| Epidemic cerebrospinal meningitis18 Tetanus22 | 1 | | | | 1 | | | | 1 | | z | | | | | | | | | |
| Tuberculosis of the respiratory system-23 | 8 | | | | | | | | | | 1 | 1 | 1 | | 2 | | 1 | | 1 |] 1 |
| Tuberculosis of the meninges, etc24 | ı | | | | | | | | | | ~ | | | | | | | | | 1 |
| Other forms of tuberculosis25-32 | 3 | | | | | | 1 | | 1 1 | | | | | | | | | | 1 | 1 |
| Synhilis34 | 10 | 1 | | | | | | | 1 | 2 | 3 | 2 | 2 | | | | | | | |
| Convulsions86 | | | | | | | | | | | | | | | | | | | 1 | |
| Bronchitis105 Bronchopneumonia107 | 130 | | <u>1</u> | 1 | 2 | 5 | 7 | 5 | 21 | 14 | 19 | 21 | 13 | 11 | 7. | 9 | 6 | 3 | î | 5 |
| Lobar and unspecified pneumonia108,109 | 130 | <u>-</u> | | | | | | | 1 | | | 1 | 1 | 1 | 2 | 3 | 2 | | 1 | 2 |
| Diseases of the stomach117,116 | 3 | | | | 1 | 1 | | | 2 | | 1 | | | | | | | | | |
| Diarrhea and enteritis119 | 64 | | | | 5 | 1 | 4 | 3 | 13 | 9 | 8 | 5 | 6 | 4 | 7 | | 2 | 2 | 1 | 2 |
| Intestinal obstruction122b | 13 | | | | 2 | 1 | | | 3 50 | 1 1 | 2 3 | 2 3 | 1 6 | | 1 | 2 4 | | 1 | | |
| Congenital malformations157 | 86 | 19 | | | 11 | 5 | 3 | 6 | 58 | 10 | 3 | 3 | 3 | | | 1 | | | 1 | |
| Congenital debility, etc158,161b,c Premature birth159 | 14 256 | 173 | | | 19 | 11 | 4 | 2 | 251 | 3 | | 1 | | | | | | | | |
| Injury at birth160 | 66 | 34 | | | 9 | | | | 66 | | | | | | | | | | | |
| Other diseases of early infancyl6la,d | 38 | 20 | | | 4 | | | | 37 | | 1 | | | | | | | | | |
| External causes172-198,201-214 | 10 | 1 | 1 | | | | | | 2 | | 2 | | | | | | | 1 | 2 | 3 |
| Unknown or ill-defined diseases199,200 | 3 | 1 | | | | | | |] 3 | | | | 10 | 4 | 6 | 4 | 1 | 5 | 4 | 1 |
| All other causes | 60 | 4 | 2 | 1 | 3 | 1 2 | 2 | 5 | 18 | ii 10 | i 10 | 1 7 | 1 10 | , 4 | , 0 | . 4 | , 1 | | , * | |
| | | | | | | | | | | | | | | | | | | | | |

| . AREA AND CAUSE OF DEATH | Total deaths under l year | Under 1 year | l day | 2 days | 3 to 6 days | l week | 2 wks. | 3 wks. | Under 1 month | l mo. | 2 mos. | 3 mos. | 4 mos. | 5 mos. | 6 mos. | 7 mos. | 8 mos. | g mos. | 10 mos. | 11 mos. |
|--|------------------------------------|--------------------|-------------|-----------|-------------------|-----------|-----------|--------------|---------------------|----------|-----------|-----------|-----------|-----------|-----------|---------------|---------------|-----------|---------------|------------|
| IOS ANGELES, CALIF. (other races)All causes | 66 | 18 | 5 | 2 | 2 | 2 | 3 | 1 | 33 | 5 | 3 | . 2 | 9 | 5 | 1 | 4 | 2 | 1 | | 1 |
| Measles7 | | | | | | | | | | | | | | | | | | | | |
| Scarlet fever8 Whooping-cough9 | 1 | | | | | | | | | | | | 1 | | | | | | | |
| Dinhthania | | | | | | | | | | | | | | | | | | 122 | | |
| Influenze11 | 2 | | | | | | | | | | | | | 2 | | | | | | |
| Dysentery13 | | | | | | | | | | | | | | | | | | | | |
| Erysipelas15 | 1 | | | | | | | | | | 1 | | | | | - | | | | |
| Epidemic cerebrospinal meningitis18 Tetanus22 | | | | | | | | | | | | | | | | | | | | |
| Tuberculosis of the respiratory system-23 | 1 | | | | | | | | | | | | 1 | | | | | | | |
| Tuberculosis of the meninges, etc 24 | | | | | | | | | | | | | | | | | | | | |
| Other forms of tuberculosis25-32 | | | | | | | | | | | | | | | | | | | ' | |
| Syphilis34 Convulsions | 1 | | | | | | | | | | | | 1 | | | | | | | |
| Bronchitis106 | | | | | | | | | | | | | | | | | | | | |
| Bronchopneumonia107 | 9 | | | | | | | | | | 1 | 1 | 4 | 1 | | 1 | 1 | | | |
| Lobar and unspecified pneumonia108,109 | 4 | | | | | | | | | | | | | 2 | | l î | | 1 | | |
| Diseases of the stomach117,118 | | | | | | | | | | | | | | | | | | | | |
| Dierrhee and enteritis119 | 4 | | | | | | | | | 1 | 1 | 1 | | | 1 | | | | | |
| Intestinal obstruction122b Congenital malformations157 | 2 6 | 2 | | | | | 1 | | 1 3 | 1 | | | | | | 1 | 1 | | | |
| Congenital debility, etc158,161b.c | ı | ī | | | | | | | ı | | | | | | | | | | | |
| Premature birth | 20 | 10 | 4 | 1 | 1 | 2 | 1 |] [| 19 | 1 | | | | | | | | | | |
| Injury at birth | 3 | 2 | 1 | | | | | | 3 | | | | | | | | | | | |
| Other diseases of early infancy161a,d Externel causes172-198,201-214 | 5 1 | 3 | | 1 | 1 | | | | 5 | | | | | | | 1 | | | | |
| Unknown or ill-defined diseases199,200 | | | | | | | | | | | | | | | | | | | | |
| All other causes | 5 | | | | | | 1 | | 1 | 1 | | | 2 | | | | | | | 1 |
| SAN FRANCISCO, CALIF. (white)All causes | 235 | 94 | 24 | 12 | 22 | 16 | 5 | 7 | 180 | п | 7 | 9 | 7 | 4 | 3 | 2 | 2 | 4 | 2 | 4 |
| Moasles7 | | | | | | | | | | | | | | | | | | | | |
| Scarlet fever | | | | | | | | | | | | | | | | | | | | |
| Whooping-cough9 | 1 | | | | | | | | | | | 1 | | | | | | | | |
| Diphtheria10 Influenza11 | 2 | | | | | | | | | | | | | | | | | | | |
| Dysontery | 2 | | | | | | | | | | | | | | 1 | | | | | 1 |
| Dysantery | 2 | | | | | | | | | | | | 1 | | | 1 | | | | |
| Epidemic cerebrospinal meningitis18 | | | | | | | | | | | | | | | | | | | | |
| Tetanus22 Tuberculosis of the respiratory system-23 | 1 | | | | | | | | | | 1 | | | | | | | | | |
| Tuberculosis of the meninges, etc24 | 1 | | | | | | | | | | | | | 1 | | | | | | |
| Other forms of tuborculosis25-32 | | | | | | | | | | | | | | | | | | | | |
| Syphilis | 3 | 2 | | | | | | | 2 | | | | | | | | | 1 | | |
| Bronchitis106 | | | | | | | | | | | | | | | | | | | | |
| Bronchopneumonia107 | 16 | | | | 1 | 2 | | | 3 | 3 | 3 | 2 | 1 | 1 | | | 1 | | 2 | |
| Lobar and unspecified pnoumonia108,109 | 2 | | | | | | | | | | | | | 1 | | | | 1 | | |
| Diseases of the stomach117,118 Diarrhon and enteritis119 | 1 4 | | | | | 1 | | | 2 | | | | 1 | | | | | 1 | | 1 |
| Intestinal obstruction122b | 3 | | | | 1 | | 1 | 1 | ž | | | | | | | | 1 | | | i |
| Congenital malformations157 | 35 | 8 | 6 | 2 | 5 | 4 | 2 | | 27 | 4 | 1 | 2 | 1 | | | | | | | |
| Congenital debility, etc158,161b,c | -86 | 59 | 2 10 | 1 4 | 1 | 5 | 1 | - | 4 | | | | | | | | | | | |
| Premature birth159 Injury at birth160 | 32 | 17 | 3 | 2 | 5 4 | 3 | i | 1 | 85 31 | 1 | | | | | | | | | | |
| Other diseases of early infancyl6la,d | 18 | 8 | 3 | 1 | 4 | ı | | l l | 17 | | 1 | | | | | | | | | |
| External causes172-198,201-214 | 7 | | | | | | | 2 | 2 | 1 | 1 | 2 | 1 | | | | | | | |
| Unknown or ill-defined diseases199,200 All other causes | 17 | | | 2 | 1 | | | 2 | 5 | 1 | | 2 | z | 1 | 2 | 1 | | 1 | | 2 |
| | - | | | | ٠ - | | | | | - | | ~ | - | - | | - | | - | | |
| SAN FRANCISCO, CALIF. (other races) | - 17 | 9 | 2 | | | | | | 11 | 1 | | | 3 | 1 | | | 1 | | <u> </u> | |
| Measles7 | 1 | | | | | | | <u></u> | | | | | | | | | 1 | | | |
| Scarlet fever8 | | | | | | | | | | | | | | | | | | | ı 1 | |
| Whooping-cough9 Diphtheria | 1 | | | | | | | | | | | | 1 | | | | | | | |
| Influenza1 |] | | | | | | | | | | | | | | | | | | | |
| Dysentery13 | | | | | | | | | | | | | | | | | | | | |
| Erysipeles15 | | | | | | | | | | | | | | | | | | | - | |
| Epidemic cerebrospinal meningitis18 Tetamus22 | | | | | | | | | | | | | | | | | | | | |
| Tuberculosis of the respiratory system-23 | | | | | | | | | | | | | | | | | | | | |
| Tuberculosis of the meninges, etc 24 | | | | | | | | | | | | | | | | | | | , l | |
| Other forms of tuberculosis25-32 Syphilis34 | 1 | | | | | | | | | | | | | | | | | | | |
| Convulsions86 | | | | | | | | | | | | | | | | | | | | |
| Bronchitis106 | | | | | | | | | | | | | | | | | | | | |
| Bronchopneumonia107 | 1 | | | | | | | | | | | | 1 | | | | | | | |
| Lobar and unspecified pneumonia108,109 Diseases of the stomach117,118 | . 1 | | | | | | | | | | | | 1 | | | | | | | |
| Diarrhes and enteritis119 | | | | | | | | | | | | | | | | | | | | |
| Intestinal obstruction122b | | | | | | | | | | | | | | | | | | | | |
| Congenital malformations157 Congenital debility, etc158,161b,c | 2 | 2 | | | | | | | 2 | | | | | | | | | | | |
| Premature birth159 | 5 | 5 | 1 | | | | | | 6 | | | | | | | | | | | |
| Injury at birth160 | | | | | | | | | | | | | | | | | | | | |
| Other diseases of early infancyl6le,d | 1 | 1 | | | | | | | 1 | | | | | | | | - | | | |
| External causes172-198,201-214 Unknown or ill-defined diseases199,200 | 1 | 1 | | | | | | | 1 | | | | | | | | | | | |
| All other causes | . 2 | | | | | | | | 1 | 1 | | | | 1 | | | | | | |

TABLE 21.—DEATHS FROM IMPORTANT CAUSES, BY CERTAIN SUBDIVISIONS OF THE FIRST YEAR OF LIFE: 1935—Continued (Exclusive of stillbirths)

| AREA AND CAUSE OF DEATH | Total deaths under l year | Under 1 day | l dey | 2 deys | 3 to 6 days | l week | 2 wks. | 3 wks. | Under 1 month | l mo. | 2 mos. | 3 mos. | 4 mos. | 5 mos. | 6 mos. | 7 mos. | 8 mos. | 9 mos. | 10 mos. | ll mos. |
|---|------------------------------------|-------------------|----------|-----------|-------------------|-----------|-----------|-----------|---------------------|----------|-----------|-----------|-----------|-----------|-----------|-----------|-----------|-----------|------------|------------|
| WASHINGTON, D. C. (white)All causes | 292 | 115 | 15 | 14 | 11 | 11 | 9 | 9 | 184 | 15 | 15 | 15 | 10 | 13 | 9 | 8 | 4 | 10 | 3 | 6 |
| Measles7 | | | | | | | | | | | | | | | | | | | | |
| Scarlet fever | 1 | | | | | | | | | | | | | | | | | | | |
| Diphtheria10 | li | | | | | | | | | 1 | | 1 | | | | | | | | |
| Influenza11 | 2 | | | | | | | | | | | | | | | | | 1 | 1 | |
| Dysentery13 Erysipelas15 | 2 | | | | | | | | | 1 | | | | | | | | | | |
| Epidemic cerebrospinal meningitis18 | 4 | | | | | | | | | | | 1 | | 1 | | 1 | 1 | | | |
| Tetanus22 | | | | | | | | | | | | | | | | | | | | |
| Tuberculosis of the respiratory system-23 Tuberculosis of the meninges, etc24 | 1 2 | | | | | | | | | ~ | | | | | 1 | | | 1 | 1 | |
| Other forms of tuberculosis25-32 | | | | | | | | | | | | | | | | | | | | |
| Syphilis34 Convulsions86 | 1 | | | | | | | | | | | 1 | | | | | | | | |
| Bronchitis106 | 1 | | | | | | | 1 | 1 | | | | | | | | | | | |
| Bronchopneumonia107 | 38 | | | 1 | | | | 2 | 3 | 5 | 5 | 5 | 2 | 7 | 3 | 1 | 2 | 2 | | 3 |
| Lobar and unspecified pneumonia108,109 Diseases of the stomach117,118 | 9 | | | | | | | | | 1 | 2 | 1 | | 1 | 1 | | | 2 | | 1 |
| Diarrhea and enteritis119 | 21 | | | | | | 3 | 1 | 4 | 1 | 2 | 2 | 3 | 3 | 2 | | 1 | 1 | 1 | li |
| Intestinal obstruction122b | 2 | | | | | | | | | | 1 | | | | | 1 | | | | |
| Congenital malformations157 Congenital debility, etc158,161b,c | 31 | 10 | 3 | 2 | | 3 | 1 | 1 | 20 | 2 | 2 | 3 | 2 | | 1 | | | 1 | | |
| Premature birth159 | 100 | 72 | 4 | 6 | 4 | 6 | 3 | 4 | 99 | | 1 | | | | | | | | | |
| Injury at birth160 Other diseases of early infancy16ha,d | 41 14 | 24 8 | 6 2 | 2 2 | 5 2 | 1 | | | 38 14 | 3 | | | | | | | | | | |
| External causes172-198,201-214 | 14 | ı | | | | | 1 | | 2 | | 1 | | 2 | | | | ~ | 1 | | |
| Unknown or ill-defined diseases199,200 | | | | | | | | | | | | | | | | | | <u>-</u> | | |
| All other causes | 11 | | | ~ | | | 1 | | 1 | | 1 | 1 | 1 | 1 | | 5 | | 1 | | |
| WASHINGTON, D.C. (other races)-All causes | 350 | 76 | 19 | 18 | 26 | 38 | 25 | 14 | 216 | 25 | 16 | 14 | 17 | 17 | 8 | 8 | 9 | 7 | 7 | 6 |
| Measles7 | | | | | | | | | | | | | | | | | | | | |
| Scarlet fever | | | | | | | | | | | | | | | | | | | | |
| Whooping-cough9 | | | | | | | | | | | | | | | | | | | | |
| Diphtheria10 | 2 | | | | | | | | | | | | 1 | | | | 1 | | | |
| Dysentery13 | 1 | | | | | | | | | | | | | | | | 1 | | | |
| Erysipelas15 | 3 | | | | | | 1 | | 1 | 2 | | | | | | | | | | |
| Epidemic cerebrospinal meningitis18 Tetanus22 | 5 | | | | | | | | | | | 1 | | 1 | 8 | | | | 1 | |
| Tuberculosis of the respiratory system-23 | 3 | | | | | | | | | | | 1 | | | | 1 | 1 | | | |
| Tuberculosis of the meninges, etc24 Other forms of tuberculosis25-32 | 3 | | | | | | | | | | | | | | | | | | 1 | 1 |
| Syphilis34 | 20 | 1 | | | 1 | 4 | 2 | | 8 | 4 | 5 | | 1 | | | | 1 | | | î |
| Convulsions | | | | | | | | | | | | | | | | | | | | |
| Bronchopneumonia107 | 49 | | | | | 3 | 2 | 4 | 9 | 5 | 3 | 7 | 7 | 5 | 4 | 4 | | | 4 | 1 |
| Lobar and unspecified pneumonia108,109 | 12 | | | | 2 | 1 | | | 3 | 1 | 1 | 1 | 2 | 2 | 1 | 1 | | | | |
| Diseases of the stomach117,118 Diarrhea and enteritis119 | 1 36 | | | | | 1 | 1 5 | 3 | 1 9 | 4 | 1 | 2 | 2 | 7 | 1 | 2 | 3 | 3 | 1 | 1 |
| Intestinal obstruction122b | | | | | | | [| | | | | | | | | | | | | |
| Congenital malformations157 Congenital debility, etc158,161b,c | 9 | 1 | | 1 | 1 | | | 2 | 3 3 | 2 3 | 3 | | 1 | 2 | | | 1 | 1 | | |
| Premature birth159 | 142 | 58 | 17 | 12 | 16 | 25 | 12 | 1 | 141 | 1 | | | | | | | | | | |
| Injury at birth160 | 19 | 9 | 1 | 3 | 3 | 2 | | 1 | 19 | | | | | | | | | | | |
| Other diseases of early infancy161a,d External causes172-198,201-214 | 12 | 6 | 1 | 1 | 3 | 1 | | | 12 | 2 | 1 | 2 | 1 | | | | ~ | | | 1 |
| Unknown or ill-defined diseases199,200 | | | | | | | | | | | | | | | | | | | | |
| All other causes | 15 | | | 1 | | 1 | 2 | 3 | 7 | 1 | 2 | | 2 | | | | | 2 | | 1 |
| CHICAGO, ILL. (white)All causes | 1,745 | 677 | 126 | 82 | 144 | 85 | 51 | 49 | 1,214 | 109 | 75 | 65 | 43 | 39 | 37 | 35 | 33 | 37 | 21 | 37 |
| Measles7 | 4 | | | | | | | | | | | | | | | | 2 | 1 | 1 | |
| Scarlet fever | 3 | | | | | | | | | | | | | | į | | | | [| 2 |
| Whooping-cough9 | 22 | | | | | 1 | | | 1 | 11 | 4 | 1 | 2 | | 1 | 2 | | | 1 | 1 |
| Influenzall | 6 | | | | | | | | | | 1 | | 2 | | 1 | | 2 | | | |
| Dysentery13 Erysipelas15 | 2 8 | | | | | 1 | | 2 | 3 | 3 | | | | 1 | | | | | | 1 |
| Epidemic cerebrospinal meningitis18 | 5 | | | | | | | | | 1 | 1 | 1 | | 1 | | 1 | | | | |
| Tetsnus22 | 1 | | | 1 | | | | | 1 | | | | | | | | | | | |
| Tuberculosis of the respiratory system-23 Tuberculosis of the meninges, etc24 | 3 | 11 | | | | | | | 1 | | | | | 1 | 1 | | 1 | 1 | 1 | 1 |
| Other forms of tuberculosis25-32 | 3 | | | | | | | | | | 1 | | 1 | | | | | | 1 | |
| Syphilis34 Convulsions36 | 14 | 2 | 1 | 1 | 1 | 3 | 2 | | 9 2 | 1 | 3 | | | | | | | 1 | | |
| Bronchitis105 | 17 | | | | | | 2 | 1 | 3 | 1 | 3 | 1 | 2 | | 2 | 1 | 1 | 2 | 1 | |
| Bronchopneumonis | 206 | 1 | | 6 | 6 | 10 | 12 | 11 | 4.5 | 35 3 | 26 | 25 3 | 14 | 12 2 | 8 | 11 4 | 5 1 | B 7 | 8 | 8 4 |
| Diseases of the stomach117,118 | 39 | | | | 1 | . 3 | 1 | 2 | 7 | | 1 | 3 | 4 | 2 | | | | | | |
| Dierrhea and enteritis119 | 64 | | | 1 | 1 | 3 | 6 | 5 | 16 | 6 | 8 | 7 | 4 | 4 | 3 | 5 | 5 | 1 | 1 | 4 |
| Intestinal obstruction122b Congenital malformations157 | 19 | 56 | 15 | 10 | 2 32 | 21 | 1 7 | 13 | 154 | 19 | 4 9 | 2 10 | I | 1 5 | 7 | 1 4 | 1 4 | 1 2 | 1 1 | 1 |
| Congenital debility, etc158,161b,c | 21 | 2 | 1 | 1 | 8 | 3 | 2 | 2 | 19 | 1 | | | 1 | | | | | | | |
| Promature birth159 | 550 | 377 | 69 | 22 | 45 | 17 | 7 | 5 | 542 | 6 | 1 | | | | | 1 | | | | |
| Injury at birth | 277 80 | 179 46 | 30 10 | 31 3 | 29 11 | - 5 5 | 2 | 1 | 276 | 1 | 2 | | | | | | | | | |
| External causes172-198,201-214 | 28 | 5 | | ĭ | | 1 | | 1 | a | 2 | ž | 3 | 4 | 2 | 1 | | 2 | . 1 | 1 | 2 |
| Unknown or ill-defined diseases199,200 | | | | | | | | | 42 | 17 | | 12 | 5 | 10 | 9 | 5 | 9 | 11 | 4 | 10 |
| All other causes | 141 1 | 1 81 | | 3 | 7 1 | 11 | 8 | 5 (| 1 44 | 177 | 7 1 | 141 | ان | TO ! | 7 1 | اد | 3] | TT } | # | 10 |

| | | | | | | | | | | | | | | , | | | | · | | |
|---|------------------------------------|-------------------|----------|-----------|-------------------|-----------|-----------|-----------|---------------------|---------------|-----------|-----------|---------------|-----------|-----------|---------------|-----------|-----------|------------|------------|
| AREA AND CAUSE OF DEATH | Total deaths under 1 year | Under 1 day | l day | 2 days | 3 to 6 days | 1 week | 2 wks. | 3 wks. | Under 1 month | l mo. | 2 mos. | 3 mos. | 4 mos. | 5 mos. | 6 mos. | 7 mos. | 8 mos. | 9 mos. | 10 mos. | ll mos. |
| CHICAGO, ILL. (other races)All causes | 249 | 83 | 12 | 6 | 15 | 12 | 11 | 7 | 146 | 18 | 12 | . 9 | 15 | . 9 | 11 | 7 | 6 | 9 | . 4 | 3 |
| Mensles7 | 1 | | | | | | | | | | · | | | | 1 | | | | | |
| Scarlet fever8 | | | | | | | | | | - | | | | | | | | | | |
| Whooping-cough9 Diphtheria10 | 7 | | | | | | | | | | 1 | 2 | 1 | 1 | | | 1 | 1 | | |
| Influenza11 | 3 | | | | | | | | | 1 | 2 | | | | | | | | | |
| Dysentery13 | | | | | | | | | | | | | , | | | | | | | |
| Erysipelas15 Epidemic cerebrospinal meningitis18 | 2 | | | | | | | | | 1 | .1. | | | | 1 | | | | | |
| Tetanus22 | | | | | | | | | | | | | · | | | | | | | |
| Tuberculosis of the respiratory system-23 | 2 | | | | | | | | | | | | | | | 2 | | | | |
| Tuberculosis of the meninges, etc24 Other forms of tuberculosis25-32 | 5 | | | | | , | | | | | | | | | | 1 | 1 | 1 1 | 1 | 2 |
| Syphilis34 | 10 | 4 | | | | 1 | | 1 | 6 | î | 1 | 1 | | | | | | | ī | , |
| Convulsions86 | | | | | | | | | | | | | | | | | | | | |
| Bronchitis106 Bronchopneumonia107 | 2 59 | 2 | | | 3 | 2 | 6 | 3 | 16 | 7 | 4 | 5 | 1 8 | 6 | 1 6 | 1 | 3 | 1 | 1. | . 1 . |
| Lobar and unspecified pneumonia108,109 | 6 | | | | | | | | | | ī | | | ī | | | 1 | 2 | ī | |
| Diseases of the stomach117,118 | | | | | | | | 1 | | | | | | | | 3 | | | | |
| Diarrhea and enteritis119 Intestinal obstruction122b | 8 | | | | 1 | | 2 | 2 | 5 | | | | 1 | | | | | | | |
| Congenital malformations157 | 16 | 3 | 2 | 1 | . 1 | 2 | 1 | 1 | 11 | 2 | 1 | | î | 1 | | ' | | | | |
| Congenital debility, etc158,161b,c Premature birth159 | 63 | 50 | 4 | 1 | 4 | 2 | | | 62 | 1 | | | | | | | | | | |
| Injury at birth160 | 30 | 14 | 5 | | 5 | 3 | | | 27 | 3 | | | | | | | | | | |
| .Other diseases of early infancyl6la,d | 15 | . 8 | | 4 | ī | 1 | | | 14 | 1 | | | | | | | | | | |
| External causes172-198,201-214 Unknown or ill-defined diseases199,200 | 3 | 1 | | | | | | | 1 | | 1 | | | | | | | 1 | | · |
| All other causes | 12 | . 1 | 1 | | | 1 | 1 | | 4 | | | 1 | 3 | | 2 | | | 2 | | |
| | | | | | | | | | | | | | | | | | | | | |
| BALTIMORE, MD. (white)All causes | 519 | 161 | 48 | 24 | 25 | 31, | 14 | 11 | 314 | 30 | 29 | 23 | . 15 | 9 | 23 | 14 | 23 | 20 | ,10 | 9 |
| Measles7 Scarlet fever8 | 1 | | | | | | | | | | | 1 | | | | | | | | |
| Whooping-cough9 | 2 | | | | | | | | | | | | | | | | | 1 | 1 | |
| Diphtheria10 | | | | | | | | | | | | | | | | | ~ | | | |
| influenza11 Dysentery13 | 5 10 | | | | | | | | 1 | 1 | 1 | 2 | 1 | | 1 | | 1 2 | 1 2 | | 1 |
| Erysipelas15 | 4 | | | | | | | | | î | | | 1 | | ī | | 1 | | | |
| Epidemic cerebrospinal maningitis18 | 2 | | | | | | | | | | | | 1 | | | | 1 | | | |
| Tetanus22 Tuberculosis of the respiratory system-23 | 1 | | | | | | | | | | | | | | 1 | | | | | |
| Tuberculosis of the meninges; etc 24 | 1 | | | | | | | | | | | | | | | 1 | | | | |
| Other forms of tuberculosis25-32 Syphilis34 | 4 | 1 | | | | | | | 1 | 2 | | 1 | | | | | | | | |
| Convulsions86 | 4 | | | | | | | | | | 3 | | 1 | | | | | | | |
| Bronchitis106 Bronchopneumonia107 | 53 | | | 1 | 3 | 3 | 4 | 3 | 14 | 4 | 5 | 4 | 3 | 3 | 3 | 4 | 5 | 4 | 2 | 2 |
| Lobar and unspecified pneumonia108,109 | 29 | | | | i | | | l i | 2 | î | 2 | 2 | 1 | 3 | 2 | 4 | 6 | 2 | 2 | 2 |
| Diseases of the stomach117,118 Diarrhea and enteritis119 | 42 | | | | | 1 | | | 2 | 8 | 5 | 5 | 3 | 2 | 8 | 1 | 1 | 3 | 3 | 1 |
| Intestinal obstruction122b | 4 | | | 1 3 | 1 | | | 1 | 3 | | i | | | | | | | | | |
| Congenital malformations157 | 72 | 10 | 5 | | 6 | 9 | 3 | 2 | 38 | 9 2 | 5 | 5 | 2 | ļ | 2 2 - | 2 | 3 | 3 | 1 | 1 |
| Congenital debility, etc158,161b,c Premature birth159 | 10 163 | 102 | 1 27 | 10 | 2 5 | 10 | 5 | 2 | 161 | | i | | | | 1 | | | | | |
| Injury at birth150 | 55 | 36 | 10 | 4 | 2 | 3 | | | 55 | | 1 | | | | | | | | | |
| Other diseases of early infancy161a,d External comses172-198,201-214 | 23 | 10 | 1 | 3 | 3 | 3 | | | 23 | | 1 | 1 | | | | 1 | | 1 | | |
| Unknown or ill-defined diseases199,200 | ĭ | | | | | | | | | 1 | | | | | | | | | | |
| All other causes | 26 | | | 1 | 2 | 2 | 2 | | 7 | 1 | 3 | 2 | 2 | | 1 | 1 | 3. | . 3 | 1 | 2 |
| BALTIMORE, MD. (other races)All causes | 255 | 50 | 11 | 8 | 10 | 13 | 9 | 13 | 124 | 25 | 12 | 7.6 | 15 | 10 | 6 | 14 | 10 | 8 | 4 | 11 |
| Veasles7 | | | | | | | | | | | | | | | l | | | | | |
| Scarlet faver8 | | | | | | | | | | | | | | | | | | | | |
| Whooping-cough9 | 3 | | | | | | | | | | | 2 | | | | 1 | | | | |
| Diphtheria10 Influenza11 | | | | | | | | | | | | | | | | | | | | |
| Dysentery13 | 4 | | | | | | | | | | | 1 | | 1 | | , | 2 | | | |
| Erysipelas15 Epidemic cerebrospinal meningitis18 | . 2 | | | | | | | | | 2 | 1 | | | | , | | | | | |
| Tetanus22 | ĩ | | | | | | 1 | | ı, i | | | | | | | | | | | |
| Tuberculosis of the respiratory system-23 Tuberculosis of the meninges, etc24 | 5 2 | | | | | | | | | | | 1 | | | | 1 | 1 | | 1 | 2 |
| Other forms of tuberculosis25-32 | | | | | | | | | | | | | | | | · | | | | |
| Syphilis34 | 17 | 3 | 1 | | 1 | 2 | 1 | 4 | 12 | 2 | 2 | 1 | | | | | | | | |
| Convulsions | 1 | | | | | | | | | | | 1 | | | | | | | | |
| Bronchopneumonia107 | 38 | | | | 1 | 1 | 3 | 1 | 6 | 4 | 3 | 3 | 5 | 3 | 2 | 6. | 1 | 3 | 1 | 1 |
| Lobar and unspecified pneumonia108,109 Diseases of the stomach117,118 | 22 | | | | | 1 | 1 | | 2 | 1 | | 3 | 4 | | 1 | 3 | 4 | | 1 | 3 |
| Diarrhea and enteritis119 | 24 | | | | | | | 3 | 3 | 3 | 4 | 1, | 4 | 3 | 2 | | 1 | 2 | | 1 |
| Intestinal obstruction122b | 1 ,1 | <u>-</u> | | | | | | | | 3 | 1 | | | | | | | | | |
| Congenital malformations157 Congenital debility, etc158,161b,c | 13 | 2 | | 1 | 2 | | 1 | | 5 | 3 | | | | | | | | l i | | |
| Premature birth159 | 73 | 44 | 7 | 5 | 4 | 7 | 2 | 2 | 71 | | 1 | | | | | | | | | 1 |
| Injury at birth160 Other diseases of early infancy161a.d | 11 | 8 3 | 1 2 | 2 | 1 | 1 | | 1 | 10 10 | 1 | | | | | | | | | | |
| External causes172-198,201-214 | 5 | | | | | | | 1 | 10 | 3 | | | | | | | | | | 1 |
| Unknown or ill-defined diseases199,200 | | | | | | | | | | | | | - | | | | | | | 2 |
| All other causes | 15 | } | | | ı - | 1 | | 1 | 11 2 | 1 1 | | 2 | 1 | 3 | | 3 | ļ | 1 1 | | ız |

TABLE 21.—DEATHS FROM IMPORTANT CAUSES, BY CERTAIN SUBDIVISIONS OF THE FIRST YEAR OF LIFE: 1935—Continued (Exclusive of stillbirths)

| AREA AND CAUSE OF DEATH | Total deaths under 1 year | Under 1 day | l day | 2 days | 3 to 6 days | 1 week | 2 wks. | 3 wks. | Under 1 month | l mo. | 2 mos. | 3 mos. | 4 mos. | 5 mos. | 6 mos. | 7 mos. | 8 mos. | 9 mos. | 10 mos. | ll mos. |
|---|------------------------------------|----------------------|-------------------|-------------------|-------------------------|------------------------|-------------------|-------------|----------------------------|--------------------|------------------|-----------------------|--------------|-----------------------|------------------|----------------------|----------------------|----------------------|-----------------|------------|
| BOSTON, MASSAll causes | 814 | 221 | 62 | 44 | 56 | 35 | 33 | 38 | 489 | 7≿ | 50 | 45 | 33 | 22 | 25 | 22 | 16 | 11 | 13 | 16 |
| Neasles | 10 | | | | | | | | | 1 | | 1 | | 2 | 2 | | 2 | | | 1 |
| Influenza | 5 5 | | | | | | 1 | | 1 | | 1 4 | 1 | | | | 1 | | | | 1 |
| Tetenus22 Tuberculosis of the respiratory system-23 Tuberculosis of the meninges, etc24 Other forms of tuberculosis25-32 | 1.1 | | | | | 1 | | | 1 | | | | 2 | | | | | 1 | | 1 |
| Syphilis 34 Convulsions 66 Bronchitis 106 Bronchopneumonia 107 | 7 3 117 | | 1 | | 1 4 | 2 | 5 | 7 | 2 | 1 1 18 | 2 11 | 15 | 1 2 11 | 1 a | 7 | | | | 4 | 4 |
| Lobar and unspecified pneumonia108,109 Diseases of the stomach | 29 52 3 115 | | | | | | | 10 | 10 | 11 | 2 9 1 | 9 | 5 | 1 | 3 | 2 | 1 | 2 | 1 | 1 |
| Congenital debility, etc158,161b,c Premature birth169 Injury at birth160 Other diseases of early infancy161a,d | 5 243 86 44 | 120 48 19 | 36 14 4 | 2 16 8 7 | 11 16 11 7 | 11 16 1 2 | 7 12 2 2 | 14 | 75 2 230 84 42 | 12 11 1 2 | 7 3 1 1 | 8 | 2 | 3 | 1 | 3 | 2 | 1 | | 1 |
| External causes172-198,201-214 Unknown or ill-defined diseases199,200 All other causes | 16 67 | 2 6 | 1 | | 6 | 2 | 4 | | 19 | 7 | 3 5 | 7 | 2 5 | 2 | 8 | 5 | 2 2 | 2 | 3 1 | 1 4 |
| DETRUIT, MICH. (white)All causes Measles7 | 1,042 | 296 | 68 | 52 | 76 | 49 | 37 | 28 | 628 | 65 | 55 | 44 | 42 | 36 | 32 | 25 | 31 | 32 | 29 | 23 |
| Scarlet fever | 7 2 24 9 | | | | | | 1 | | 1 | 3 | 2 | 1 | 2 | 2 | 2 | 1 2 | 2 2 | 3 | 1 2 | 1 3 |
| Erystpelas | 7 6 3 | | | | | 1 | 1 | | 2 | 1 | 1 | 1 2 | 1 | 1 | 1 | 1 | 1 | 1 | 2 | |
| Other forms of tuberculosis25-32 Syphilis86 Convulsions86 Bronchitis106 | 1 2 12 3 6 | 2 | 1 | 1 | 1 | 2 | | | 6 1 | 1 | 1 1 1 | 1 2 | 1 | 1 | | 1 | 1 | 1 | 1 | 1 |
| Bronchopneumonia | 122 38 2 40 13 | | 1 | 2 | 1 | 3 | 1 3 2 | 5 | 15 4 9 | 14 6 2 6 | 15 8 4 | 11 3 7 1 | 17 | 12 1 4 1 | 5 3 4 2 | 4 3 2 3 | 9 1 1 1 | 9 3 2 1 | 7 2 3 | 3 |
| Congenital melformations | 118 15 347 103 | 23 2 204 46 | 8 48 24 | 5 25 7 | 13 2 23 19 | 6 1 23 2 | 8 1 10 1 | 6 4 2 | 69 6 337 101 | 10 3 5 1 | 5 3 2 | 7 | 6 1 1 | 5 | 2 2 | 1 | 4 | 3 | 4 | 1 |
| Other diseases of early infancy161e, d External causes | 33 14 1 1 112 | 14 1 4 | 2 | 6 | 1 7 | 1 8 | 8 | 1 5 | 33 2 1 40 | 10 | 1 8 | 7 | 3 7 | 1 6 | 8 | 4 | 1 7 | 2 4 | 4 | 2 7 |
| DETROIT, MICH. (other races)All causes | 131 | 43 | 14 | 4 | 11 | 4 | 4 | 1 | 81 | 7 | 5 | 9 | 3 | 6 | 5 | 5 | 6 | 1 | 3 | |
| Measles 7 Scarlet fever 8 Whooping-cough 9 Diphtheria 10 Influenza 11 | 2 | | | | | | | | | | | | | 1 | | 1 | 1 | | | |
| Dysentery- | | | | | | | | | | | | | | | | | | | | |
| Tuberculosis of the respiratory system-23 Tuberculosis of the meninges, etc24 Other forms of tuberculosis25-32 Syphilis34 Convulsions86 | 1 1 1 | | | | | | | | | | | 1 | | 1 | | | 1 | | | |
| Bronchitis | 16 12 | | | | | | 1 | 1 | 1 1 | 1 | 2 1 | 3 2 | 1 | 1 2 | 2 2 | 1 1 2 | 2 1 | 1 | 2 | |
| Intestinal obstruction | 1 4 2 54 | 2 31 | 13 | | 1 4 | 4 | 1 | | 3 1 54 | 1 | 1 | 1 | | | | | | | | |
| Injury at Girti | 16 2 1 | | | 2 | i | | | | 15 2 4 | | 1 | | 1 | | | | | | | |

| AREA AND CAUSE OF DEATH | Total deaths under l year | Under 1 day | 1 dey | 2 days | 3 to 6 days | week 1 | 2 wks. | 3 Wks. | Under 1 month | ı mo. | 2 mos. | 3 mos. | 4 mos. | 5 mos. | 6 mos. | 7 mos. | B mos. | 9 mos. | 10 mos. | ll mos. |
|--|------------------------------------|-------------------|--------------|-----------|-------------------|-----------|-----------|-------------|---------------------|----------|-----------|-----------|-----------|-----------|-----------|-----------|---|-----------|-------------|------------|
| ST. LOUIS, MO. (white)All causes | 563 | 143 | 24 | 20 | 53 | 42 | 57 | 23 | 362 | 54 | 31 | 23 | 13 | 16 | 18 | 10 | 1.2 | 11 | 6 | 7 |
| Weasles7 | | | | | | | | | 1 | İ | | | | | | | 1 | | 1 | 1 |
| Scarlet fever8 | 1 | | | | | | | | | | | | | | | | | | 1 | |
| Whooping_cough9 | 4 | | | | - | | | | | 1 | | 1 | | | 1 | 1 1 | | | | |
| Diphtheria10 | 1 | | | | | | | | | | 1 | | | | | | | | | |
| Influenza11 Dysentery13 | 3 | | | | | 1 | | | 1 1 | | 1 | 1 | | | | | | | | |
| Erysipelas15 | 4 | | | | | | | 2 | 2 | 1 | 1 | 1 | | | 1 | | 1 | | | 1 |
| Epidemic cerebrospinal meningitis18 | i i | | | | | | | | | | | | | | 1 | | <u>ــــــــــــــــــــــــــــــــــــ</u> | | | |
| Tetanuś22 | 1 | | | | | | | | | | | | | | | 1 | | | | |
| Tuberculosis of the respiratory system-23 | 1 | | ¹ | | | | | | | | 1 | | | | | | | | | |
| Tuberculosis of the meninges, etc24 Other forms of tuberculosis25-32 | 1 1 | | | | | | | | | | | | | | | | | 1 1 | | |
| Syphilis34 | 10 | 2 | | | 1 | 1 | | | 4 | 2 | 2 | 1 | | 1 | | | | 1 | | |
| Convulsions86 | | | | | | | | | | | | | | | | | | | | |
| Bronchitis106 | 2 | | | | | | 1 |]] |] 1] | | 1 | | | | | | J | | J] | |
| Bronchopneumonia107 | 67 | | | 2 | 5 | 4 | 9 | 3 | 23 | 12 | 6 | 4 | 5 | 4 | 3 | 1 | 5 | 2 | 1 | 1 1 |
| Lobar and unspecified pneumonia108,109 Diseases of the stomach117,118 | l 11 2 | | | 1 | | 1 | | 11 | 3 | 1 1 | | 3 | | 1 | 1 | | | 1 | | |
| Diarrhea and enteritis119 | 79 | | | | 1 | 6 | 24 | 7 | 38 | 16 | 5 | 7 | 3 | 2 | 3 | 2 | 2 | 1 | | |
| Intestinal obstruction122b | 4 | | | | 1 | 1 | | | 2 | | | | | | | | ļ — . | 2 | ا ا | |
| Congenital malformations | 68 | 17 | 3 | 2 | 11 | 2 | 6 | 3 | 44 | 4 | 2 | 2 | 4 | 4 | 3 | 4 | | 1 | | |
| Congenital debility, etc158,161b,c Premature birth159 | 12 175 | 90 | 16 | 9 | 24 | 17 | 7 | 4 | 11 167 | 5 | 1 3 | | | | | | | | | |
| Injury at birth160 | 35 | 20 | 3 | 5 | 4 | 4 | | | 36 | | | | | | | | | | | |
| Other diseases of early infancy161a,d | 16 | 11 | 2 | 1 | 2 | | | | 16 | | , l | | | | | | | | , [| |
| External causes172-198,201-214 | 1 5 | | | | | | | | | | 1 | 1 | | ı | | | | | 1 | 1 |
| Unknown or ill-defined diseases199,200 All other causes | 53 | 1 | | | 2 | | 7 | 3 | 13 | 11 | 6 | 2 | 1 | 3 | 5 | 1 | 4 | 2 | 2 | 3 |
| | " | _ | | | - | | | | ~ | | ١ ١ | ~ | | | Ŭ | 1 | ~ | ~ | ~ | 1 |
| ST. LOUIS, MD. (other races) All causes | 103 | 34 | 10 | 1 | 8 | 5 | 3 | | 61 | 6 | 4 | 6 | 3 | 2 | 2 | 5 | 3. | 3 | 3 | 5 |
| , , | | | | | | | | | | | | | | | | | | - | | |
| Measles7 | Í Í | | i i | | i i | | | i i | 11 | 11 | | | | | | | | | | l |
| Scarlet fever8 | | | | | | | | | | | | | | | | | | | ' | |
| Whooping-cough9 Diphtheria10 | | | | | | | | | | | | | | | | | | | | |
| Influenze | | | | | | | | | | | | | | | | | | | | |
| Dysentery13 | | | | | | | | | | | | | | | | | | | | |
| Erysipelas15 | | | | | | | | | | | | | | | | | | | | |
| Epidemic cerebrospinal meningitis18 Tetanus22 | | | | | | | | | | | | | | | | | | | | |
| Tuberculosis of the respiratory system-23 | 3 | | | | | | | | | | | 1 | | 1 | | 1 | | | | |
| Tuberculosis of the meninges, etc24 | 1 1 | | | | | | | | | | | | | | 1 | | | | | |
| Other forms of tuberculosis25-32 Syphilis34 | 2 5 | 2 | | | | i | 1 | | | | 1 | | 1 | | | | | | | |
| Convulsions86 | | | | | | | | | 4 | | | | | | | | | | | 1 |
| Bronchitis106 | 1 1 | | | | | | | | | | | | | | 1 | | | | | |
| Bronchopneumonia | 17 | | 1 | | | | 1 | | 2 | 2 | 1 | 2 | 2 | 1 | | 2 | 3 | 1 | 2 | 2 |
| Diseases of the stomach117,118 | ° | | | | | | | | | 1 | 1 | | | | | 2 | | | | 1 |
| Diarrhea and enteritis119 | 2 | | | | [[| [| | [| | | | 1 | [| [| | | [| 1 | | |
| Intestinal obstruction122b Congenital malformations157 | 5 | | | | 2 | | | | 3 | 2 | | | | | | | | | | |
| Congenital debility, etc158,161b,c | 2 | 1 1 | | | ııı | | | | 2 | | } | | | | | | | | | |
| Premature birth159 | 41 | 24 | 8 | 1 | 3 | 3 | 1 | | 40 | | | 1 | | | | | | | | |
| Injury at birth160 Other diseases of early infancy161a,d | 6 4 | 2 | 1 | | | 1 | | | 6 3 | | | | | | | | | | | |
| External causes172-198,201-214 | ı | | | | 1 | | | | | 1 | | 1 | | | | | | | | |
| Unknown or ill-defined diseases199,200 | | | | | [| | [| [| | | (| | [| | | | [| [| | |
| All other causes | 5 | | | | 1 | | | | 1 | | 1 | | | | | | | 1 | 1 | 1 |
| FUFFAIO. N. YAll causes | 524 | 166 | 42 | 21 | 40 | 26 | 21 | ,, | 332 | 30 | 34 | 32 | 16 | 18 | 20 | | 8 | 9 | 8 | _ |
| LOLLING, IN ASSESSED | - JE T | 100 | 76 | | -20 | _ 20 | | 16 | 332 | | | 36 | - 10 | - 10 | 40 | 10 | | 3 | | |
| Measles7 | 1 | | | | | | | | | | | | | ı | | <u></u> _ | | <u></u> | | |
| Scarlet faver8 | | | | | | | | | | | | | | | | | | | | |
| Whooping-cough9 | 18 | | | | | | 1 | | 1 | 2 | 3 | 6 | 1 | 1 | 1 | | | 1 | 1 | ı |
| Diphtheria10 Influenza11 | | | | | | | | | | | | | | | | | | | | |
| Dysentery13 | | | | | | | | | | | | | | | | | | | | |
| Erysipelas | 5 | | | | | 1 | [| | 1 1 | 3 | | | [| 1 | | | (| | { | |
| Epidemic cerebrospinal meningitis18 Tetamus22 | 1 1 | | | | | | | | | | 1 | | | | | | | | | |
| Tuberculosis of the respiratory system-23 | ,1 | | | | | | | 1 | 1 | | | | | | | | | | | |
| Tuberculosis of the meninges, etc24 | 2 | | | | | | | | <u>-</u> | | 1 | | | | | | | | 1 | |
| Other forms of tuberculosis25-32 | | | | | | | | | | | | | | | | | | | | |
| Syphilis86 | 3 1 | | 1 | | 1 | | | | 2 | 1 | | | | | | | | | | |
| Bronchitis106 | 8 | | | | | | 2 | | ž | | | | 2 | 2 | | 1 | | 1 | | |
| Bronchopneumonia107 | 70 | 1 | 1 | | 1 | 1 | 1 | 3 | В | 8 | 7 | 9 | 3 | 6 | 10 | 6 | 5 | 3 | 3 | 2 |
| Lober and unspecified pneumonia108,109 Diseases of the stomach117,118 | 8 | | | | 1 | | | | 1 | 1 | 2 | 1 | 1 | | 1 | | | 1 | | |
| Diseases of the stomach | 51 | | | | 1 | 1 | 9 | 5 | 16 | 6 | 10 | 7 | 2 | 3 | 3 | 1 | 1 | 1 | | 1 |
| Intestinal obstruction122b | 2 | | | | | | | | | | | | ī | [| | | | | 1 | |
| Congenital malformations | . 59 | 16 | 6 | 3 | 7 | 7 | 2 | 2 | 43 | 3 | 4 | 3 | 1 | 3. | 2 | | | | | |
| Congenital debility, etc158,161b,c Premature birth159 | 10 | 92 | 16 | 7 | 5 11 | 2 | 2 | 1 | 140 | 1 | 1 | | 1 | 1 | | | | | | |
| Injury at birth160 | 78 | 46 | 15 | 9 | 7 | 1 | | | 78 | | | | | | | | | | | |
| Other diseases of early infancy161a,d | 16 | 7 | 1 | 1 | 4 | | 2 | 1 | 16 | | | | | | | | | | | |
| External causes172-198,201-214 Unknown or ill-defined diseases199,200 | 5 2 | 2 2 | | | | | | | 2 2 | | | 1 | 1 | | | | 1 | | | |
| All other causes | 42 | | 2 | 1 | 1 | 2 | 2 | 3 | 11 | 5 | 5 | 5 | 3 | | 3 | 2 | ı | 2 | 2 | 3 |
| | - | | | | | - | | | - | | | | | | | | | • | | |

TABLE 21.—DEATHS FROM IMPORTANT CAUSES, BY CERTAIN SUBDIVISIONS OF THE FIRST YEAR OF LIFE: 1935—Continued (Exclusive of stillbirthm)

| AREA AND CAUSE OF DEATH | Total deaths under l year | Under 1 day | l day | 2 days | 3 to 6 days | l week | 2 wks. | 3 wks. | Under 1 month | l mo. | 2 mos. | z mos. | 4 mos. | 5 mos. | 6 mos. | 7 mos. | 8 mos. | 9 mos. | 10 mos. | ll mos. |
|--|------------------------------------|-------------------|----------|-----------|-------------------|-----------|-----------|----------------|---------------------|----------|---------------------------------------|-----------|-----------|-----------|-----------|-----------|-----------|-----------|------------|------------|
| NEW YORK, N. Y. (white)All causes | 4,212 | 1,140 | 292 | 209 | 292 | 219 | 224 | 207 | 2,583 | 366 | 260 | 204 | 139 | 123 | 93 | 102 | 102 | 95 | 63 | 82 |
| Measles7 | 16 | | | | | | - | | | | | | | | | | 4 | 3 | 3 | 6 |
| Scarlet fever8 Whooping-cough9 | | | | | | | | | | | 3.5 | 12 | | 8 | 4 | 8 | 5 | 6 | 4 | 5 |
| Diphtheria10 | 84 | | | | | | | | | 10 | 15 | 13 | 6 | 1 | | | | 1 | ı | |
| Influenza11 | 22 | | | | | | | | | 2 | 1 | | 2 | 3 | 3 | 4 | 3 | 2 | 1 | 1 |
| Dysentery13 | 2 | | | | | | | | 7 | 1 | | 5 | | | | | 4 | 1 | 1 | 1 |
| Erysipelas15 Epidemic cerebrospinal meningitis18 | 55 19 | | | | | 2 | 1 | 4 | / / / | 12 | 10 | 2 | 2 2 | 6 4 | 2 | 1 | | 2 | 1 | 3 |
| Tetanus22 | | | | | | | | | | | | | | | | | | | | |
| Tuberculosis of the respiratory system-23 | 12 | | | 1 | | | | | 1 | | | | | | 2 | 2 | 2 | 2 | 2 | 1 2 |
| Tuberculosis of the meninges, etc24 Other forms of tuberculosis25-32 | 4 5 | | | | | | | | | 1 | | 1 | | | | 1 | 1 | 1 | | 3 |
| Syphilis34 | 35 | | 2 | | 2 | 1 | 1 | 2 | 8 | 9 | 9 | 6 | 2 | | 1 | | | | | |
| Convulsions86 | 4 | | | | | | | | 1 | | • • • • • • • • • • • • • • • • • • • | | 2 | | | | | 1 | | |
| Bronchitis106 Bronchopneumonia107 | 5 584 | 4 | 4 | 8 | 23 | 27 | 1 45 | 47 | 158 | 79 | 63 | 60 | 46 | 34 | 26 | 26 | 30 | 30 | 16 | 16 |
| Lobar and unspecified pneumonia 108,109 | 155 | | | 3 | 9 | 5 | 4 | 7 | 28 | 6 | 15 | 10 | 11 | 9 | 10 | 16 | 12 | 15 | 9 | 14 |
| Diseases of the stomach117,118 Diarrhea and enteritis119 | 442 | | 1 | | 4 | 31 | 66 | 1 43 | 1 145 | 97 | 51 | 40 | 26 | 20 | 15 | 13 | 17 | 5 | , | 6 |
| Intestinal obstruction122b | 32 | | | 1 | 2 | 31 | 1 | 1 | 8 | 9 | 1 | | 4 | 3 | 2 | 2 | | 2 | ĺí | |
| Congenital malformations157 | 482 | 90 | 27 | 26. | 52 | 42 | 29 | 37 | 303 | 60 | 29 | 33 | 14 | 13 | 5 | 8 | 4 | 5 | 3 | 5 |
| Congenital debility, etc158,161b,c Premature birth159 | 1,215 | 708 | 155 | 82 82 | 10 | 8 i 65 | 8 40 | 5 35 | 1,173 | 24 | 16 | 1 | 1 | | | | | | | |
| Injury at birth160 | 437 | 226 | 64 | 50 | 67 | 12 | 5 | 7 | 431 | 4 | 2 | | | | | | | | | |
| Other diseases of early infancy161a,d | 184 | 86 | 28 | 21 | 27 | 14 | 3 | 2 | 181 | | 3 | | | | | | | | | |
| External causes172-198,201-214 Unknown or ill-defined diseases199,200 | 58 | 11 | 3 | | 2 | 1 | | 3 | 19 | 5 | 3 1 | 8 | 3 | 7 | | 2 | 5 | | 2 | 4 |
| All other causes | 283 | 10 | 4 | 9 | 6 | 8 | 20 | 13 | 70 | 34 | 29 | 23 | 16 | 15 | 76 | 19 | 15 | 19 | 12 | 15 |
| NEW YORK, N. Y. (other races)All causes | 595 | 134 | 34 | 24 | 36 | 64 | 32 | 27 | 351 | 45 | 32 | 44 | 30 | 15 | 15 | 13 | 16 | 11 | 10 | 13 |
| Measles7 | 1 | | | | | | | | | | | | | | | | | 1 | | |
| Scarlet fever8 Whooping-cough9 | 11 | | | | | | | | | 1 | | 2 | 3 | | 1 | | 1 2 | | 1 | 1 |
| Diphtheria10 | | | | | | | | | | | | | | | | | | | | |
| Influenza11 | 3 | | | | | | | | | | | | 1 | | | | 1 | | 1 | |
| Dysentery13 Erysipelas15 | 2 3 | | | | 1 | | | | 1 | 2 | | | | | | | 1 | | 1 | |
| Epidemic cerebrospinal meningitis18 | | | | | | | | | | | | | | | | | | | | ~ |
| Tetanus22 Tuberculosis of the respiratory system-23 | 3 | | | | | | | | | | | | | | | | | 1 | | 2 |
| Tuberculosis of the meninges, etc24 | | | | | | | | | | | | | | | | | | | | |
| Other forms of tuberculosis25-32 | 4 | | | | | | | | | 3 | 1 2 | | | | | | | 1 | 2 | |
| Syphilis34 Convulsions86 | 20 | 3 | 1 | 1 | | | 1 | 4 | 10 | | ı | 3 | 1 | | 1 | | | | | |
| Bronchitis106 | 2 | | | | : | | ~ | - - | | | 1 | 1 | | | | | | | | 5 |
| Bronchopneumonia | 118 26 | 2 | | | 1 | 9 | 8 | 9 | 29 | 12 | 13 | 19 1 | 10 | 8 | 2 | 6 | 8 | 1 | 1 | |
| Diseases of the stomach117,118 | 1 | | | | | | | | | 1 | | | | | | | | | | |
| Diarrhea and enteritis119 Intestinal obstruction122b | 50 | | | | | 3 | 8 | 4 | 15 | 9 | 5 | 7 | 2 | | 4 | 2 | 2 | 1 | 11 | 2 |
| Congenitel malformations157 | 24 | 3 | | 2 | 1 | 7 | | 2 | 15 | 2 | 1 | 4 | | 2 | | | | | | |
| Congenital debility, etc158,161b,c Premature birth159 | 187 | 2 | | | 2 | 1 | | 5 | 5 | 1 6 | 3 | 2 | 1 | | | | | | | |
| Injury at birth160 | 61 | 82 26 | 26 5 | 11 | 18 10 | 23 11 | 10 | | 175 58 | 3 | | | | | | | | | | ~ |
| Other diseases of early infancy16la,d | 25 | 15 | 1 | 5 | 2 | 3 | | | 26 | | | | | | | | | | ' | |
| External causes172-198,201-214 Unknown or ill-defined diseases199,200 | 5 | 1 | | | | | | | 1 | | | 1 | 2 | 1 | | | | | | |
| All other causes | 39 | | 1 | | 1 | 6 | 1 | 1 | 10 | 5 | 4 | 4 | 4 | 3 | 3 | 1 | | 1 | 1 | 3 |
| NEW YORK, N. Y., ERONX BOROUGH TotalAll causes | 718 | 174 | 43 | 25 | 56 | 77 | 56 | 59 | 500 | 47 | 24 | 29 | 19 | 17 | 10 | 20 | 20 | 19 | 5 | 8 |
| Megsles7 | 1 | | | | | | | | | | | | | | | | 1: | | | |
| Scarlet fever8 | | | | | | | | | | | | | | | | | | | | |
| Whooping-cough9 | 13 | | | | | | | | | 3 | | 2 | 1 | | | 4 | | 1 | 1 | 1 |
| Diphtheria10 Influenza11 | 1 2 | | | 2 | | | | | | | | | | 1 | | 1 | | 1 | | |
| Dysentery13 | | | | | | | | | | | | | | | | | | | | |
| Erysipeles15 Epidemic cerebrospinal meningitis18 | 1 | | | | | | | | | 1 | | | | | | | | | | |
| Tetanus22 | | | | | | | | | | | | | | | | | | | | |
| Tuberculosis of the respiratory system-23 | | | | | | | | | | | | | | | | | | | | |
| Tuberculosis of the meninges, etc24 Other forms of tuberculosis25-32 | 1 | | | | | | | | | | | | | | | | | | | 1 |
| Syphilis34 | 5 | | 1 | | 1 | | | | 2 | | 2 | 1 | | | ~ | | | | | |
| Convulsions86 Bronchitis106 | 2 | | | | | | | | | | 1 | | 1 | | | | | | | |
| Bronchopneumonia107 | 134 | 3 | | | 5 | 11 | 20 | 15 | 54 | 10 | 9 | 13 | 7 | 9 | 5 | 5 | 9 | 7 | 2 | 4 |
| Lobar and unspecified pneumonia 108,109 | 30 | | | | 2 | 1 | 4 | 3 | 10 | 1 | 1 | 2 | 3 | 1 | 2 | 4 | 2 | 4 | | |
| Diseases of the stomach117,118 Diarrhea and enteritis119 | 97 | | | | 2 | 20 | 22 | 15 | 59 | 12 | 6 | 6 | 4 | 2 | | 2 | 3 | 2 | | 1 |
| Intestinal obstruction122b | 7 | | | | 2 | 1 | | | 3 | 2 | | | 1 | 1 | | | | | | |
| Congenital malformations157 Congenital debility, etc158,161b,c | 60 24 | 15 | 4 | 1 | 5 | 6 5 | 5 5 | 7 | 20 | 7 | | 3 | 1 | 2 | 1 | 1 | 2 | | | |
| Premature birth159 | 225 | 121 | 25 | 12 | 19 | 23 | 10 | 11 | 221 | 2 | 3 | | | | | | | | | |
| Injury at birth160 | 53 | 20 | 11 | 4 | 12 | 3 | | 3 | 53 | | ; | | | | | | | | | |
| Other diseases of early infancy161a,d External causes172-198,201-214 | 26 | 11 | 1 | 5 | 4 | 4 | | | 25 | | 1 | 1 | 1 | | | | | | | |
| Unknown or ill-defined diseases199,200 | 1 1 | | 1 | | <u>-</u> | | | | 1 9 | | | | | | | | | | | |
| All other causes | 32 | 1 | | 2 | 1 | 3 | | 2 | 1 9 1 | 5 | 1 | 1 | | 1 | 2 | 3 | 3 | 4 | 2 | l 1 |

. TABLE 21.—DEATHS FROM IMPORTANT CAUSES, BY CERTAIN SUBDIVISIONS OF THE FIRST YEAR OF LIFE: 1935—Continued (Exclusive of stillbirths)

| <u> </u> | | | | | | | | | | | | | | | | | | | | |
|--|------------------------------------|-------------------|----------|-----------|-------------------|-----------|-----------|-------------|---------------------|----------|-----------|-----------|-----------|-----------|-----------|-----------|-----------|-----------|------------|------------|
| AREA AND CAUSE OF DEATH | Total deaths under l year | Under 1 day | 1 day | 2 days | 3 to 6 days | l week | 2 wks. | 3 wks. | Under 1 month | 1 mo. | 2 mos. | 3 mos. | 4 mos. | 5 mos. | 6 mos. | 7 mos. | 8 mos. | g mos. | 10 mos. | ll mos. |
| NEW YORK, N. Y., EROOKLYN BOROUGH WhiteAll causes | 1,644 | 414 | 130 | 82 | 126 | 61 | 62 | 65 | 940 | 154 | 111 | 87 | 60 | 58 | 44 | 44 | 40 | 38 | 32 | 36 |
| Measles7 | 8 | | | | | | | | | | | | | | | | 2 | | | 6 |
| Scarlet fever8 | | | | | | | | | | | | | | | | | | | | |
| Whooping-cough9 | 34 | | | | | | | | | 3 | 3 | 9 | 3 | 5 | 2 | 1 | 1 | . 5 | 2 | |
| Diphtheria10 Influenza11 | 1 8 | | | | | | | | | 2 | 1 | | 1 | 1 | 1 | | | 1 | | 1 |
| Dysentery13 | 2 | | | | | | | | | ĩ | | | | | | | | | | î |
| Ervsipelas15 | 34 | | | | | 1 | 1 | 1 | 3. | 8 | 5 | 4 | 1 | 3 | 6 | | 3 | | ı | |
| Epidemic cerebrospinal meningitis18 | 9 | | | | | | | | | | | 1 | 1 | 2 | 1 | | | 2 | 1 | 1 |
| Totanus22 | | | | | | | | | | | | | | | | | | | | |
| Tuberculosis of the respiratory system-23 | 7 | | | 1 | | | | | 1 | | | | | | 2 | 1 | 1 | | 2 | |
| Tuberculosis of the meninges, etc24 Other forms of tuberculosis25-32 | 4 | | | | | | | | | | | 1 | | | | | 1 | | | 2 |
| Syphilis34 | 14 | | 1 | | | 1 | | | 2 | 5 | 3 | 3 | 1 | | | | | | | |
| Convulsions86 | | | | | | | | | | | | | | | | | | | | |
| Bronchitis106 | 1 1 | | | | | | | | | | 1 | | | | | | | | | |
| Bronchopneumonia107 | 216 | 2 | 1 | 1 | 111 | 8 | 5 | 10 | 38 | 31 | 23 | 26 | 19 | 16 | 13 | 15 | 13 | 13 | 5 | 4 |
| Lobar and unspecified pneumonia108,109 Diseases of the stomach117,118 | 61 | | | 1 | 7 | | | 1 | 9 | 2 | 5 | 2 | 5 | 5 | 3 | 8 | 4 | 6 | 7 | 5 |
| Diarrhea and enteritis119 | 181 | | 1 | | 1 | 5 | 23 | 12 | 42 | 40 | 24 | 20 | 11 | 9 | 10 | 6 | 8 | 1 | 6 | 4 |
| Intestinal obstruction122b | 10 | | | | | | | 1 | 1 | 2 | 1 | | ī | 2 | 1 | 1 | | 1 | | |
| Congenital malformations157 | 196 | 31 | 13 | 10 | 24 | 14 | 15 | 13 | 120 | 31 | 13 | 9 | 4 | 7 | 1 | 3 | 1 | 2 | 2 | 3 |
| Congenital debility, etc158,161b,c | 21 | 2 | 2 | 3 | 3 | 1 | | 1 | 12 | 3 | 5 | 1 | | | | | | | | |
| Premature birth159 Injury at birth160 | 483 135 | 278 65 | 72 23 | 36 17 | 37 24 | 21 3 | 11 | 16 2 | 471 134 | 9 | 3 | | | | | | | | | |
| Other diseases of early infancyl6la.d | 77 | 32 | 15 | 9 | 15 | 4 | | ı | 76 | | ī | | | | | | | | | |
| External causes172-198,201-214 | 13 | | | | | | | | | 2 | 1 | | 2 | 2 | | 1 | 2 | | 1 | 2 |
| Unknown or ill-defined diseases199,200 | 1 | | | | | | | | | | | 1 | | | | | | | | |
| All other causes | 127 | 4 | 2 | 4 | 4 | 3 | 7 | 7 | 31 | 14 | 21 | 10 | 11 | 5 | 4 | 8 | 4 | 7 | 5 | 7 |
| • | | 1 | | | | | | | 1 1 | | 1 | | İ | | | | | | | |
| NEW YORK, N. Y., BROOKLYN BOROUGH | | | | _ | | _ | | _ | | | ١ | | | | _ ا | | _ | ١. | _ | _ |
| Other racesAll causes | 174 | 38 | 5 | 7 | 9 | 8 | . 7 | 7 | 81 | 15 | 10 | 18 | 11 | 9 | 7 | 2 | 7 | 4 | 5 | 5 |
| | | | | | | | | | | | | | | | | | 1 | | | |
| Measles7 Scarlet fever8 | 1 | | | | | | | | | | | | | | | | 1 | 1 | | |
| Whooning-cough9 | 5 | | | | | | | | | | | | 1 | | 1 | | ī | | 1 | 1 |
| Diphtheria10 | | | | | | | | | | | | | | | | | | | | |
| Influenza11 | | | | | | | | | | | ľ | | | | | | | | | |
| Dysentery13 Erysipelas15 | 1 | | | | | | | | | | | | | | | | | | 1 | |
| Epidemic cerebrospinal meningitis18 | 1 | | | | 1 | | | | 1 | | | | | | | | | | | |
| Tetanus22 | | | | | | | | | | | | | | | | | | | | |
| Tuberculosis of the respiratory system-23 | 1 | | | | | | | | | | | | | | | | | | | 1 |
| Tuberculosis of the meninges, etc24 | | | | | | | | | | | | | | | | | | | 1 | |
| Other forms of tuberculosis25-32 Syphilis34 | 2 3 | 1 | | | | | | | 1 | 2 | 1 | 2 | 1 | | | | | | 1 | |
| ConvulsionsB6 | | | | | | | | | | | | | | | | | | | | |
| Bronchitis106 | | | | | | | | | | | | | | | | | | | | |
| Bronchopneumonia107 | 35 | | | | | | 1 | 1 | 2 | 3 | 3 | 9 | 1 | 5 | 2 | 1 | 3 2 | 3 | 1 | 1 |
| Lobar and unspecified pneumonia103,109 Diseases of the stomach117,118 | 9 | | | | | | 1 | | 1 | | | | 4 | 1 | | 1 | | | | |
| Diarrhea and enteritis119 | 17 | | | | | | 1 | 3 | 4 | 3 | 2 | 3 | 2 | | 2 | | | | | 1 |
| Intestinal obstruction122b | | | | | | | | | 1 | [] | | | | | | | | | | |
| Congenital malformations157 | 8 | 2 | | 1 | | 1 | | 2 | 6 | | 1 | | | 1 | | | | | | |
| Congenital debility, etc158,161b,c Premature birth159 | 55 | 25 | 4 | 4 | 6 | 4 | 3 | 1 | 47 | 4 | 2 | 1 | 1 | | | | | | | |
| Injury at birth160 | 10 | 6 | l ī | î | l | | | | 9 | ll î | | | | | | | | | | |
| Other diseases of early infancy16la,d | 5 | 4 | | 1 | | | | | 5 | | | | | | | | | | | |
| External causes172-198,201-214 | | | | | | | | | |] | | | | | | | | | | |
| Unknown or ill-defined diseases199,200 All other causes | 15 | | | | 1 | 3 | 1 | | 5 | 2 | | 3 | 1 | 1 | 2 | | | | | 1 |
| | | | | | | | | | | H | | | | | | | | | | |
| NEW YORK, N. Y., MANHATTAN BOROUGH | | | ŀ | | | | | | | . | | | | | | | | | | |
| WhiteAll causes | 1,362 | 397 | 70 | 72 | 79 | 62 | 71 | 56 | 817 | 127 | 91 | 76 | 51 | 32 | 31 | 31 | 29 | 29 | 20 | 28 |
| | | | 1 | | | | | | 1 | | | | ļ | 1 | 1 | | ١. | | - | |
| Measles7 Scarlet fever8 | 7 | | | | | | | | | | | | | |] | | 1 | 3 | 3 | |
| Whooping-cough9 | 27 | | | | | | | | | 3 | 9 | 2 | 3 | 1 | 2 | 3 | 2 | | | 2 |
| Diphtheria10 | 1 | | | | | | | | | | | | | | | | | | 1 | |
| Influenza11 | 10 | | | | | | | | | | | | 1 | | 2 | 3 | 2 | | 1 | |
| Dysentery13 | | | | | | ; | | | 2 | 3 | 5 | 1 | 1 | 3 | 1 | | 1 | 1 | | |
| Erysipelas15 Epidemic cerebrospinal meningitis18 | 18 | | | | | 1 | | 1 | | ll i | li | i | l i | 2 | li | 1 | | | | 1 |
| Tetanus22 | | | | | | | | | | | | | | | | | | | | |
| Tuberculosis of the respiratory system-23 | 3 | | | | | | | | | | | | | | | 1 | | 1 | | 1 |
| Tuberculosis of the meninges, etc24 | 3 | | | | | | | | | | | | | | | | | 1 | | 2 |
| Other forms of tuberculosis25-32 | 1 1 | | | | | | | 2 | 4 | 1 2 | 4 | 2 | 1 | | | | | | | |
| Syphilis34 Convulsions86 | 14 | | | | 1 | | 1 | 2 | | | 4 | 2 | 1 | | | | | | | |
| Bronchitis106 | 3 | | | | | | 1 | | 1 | 1 | | 1 | | | | | | 1 | | |
| Bronchopneumonis107 | 194 | 1 | 3 | 6 | 6 | 9 | 18 | 19 | 62 | 31 | 21 | | 18 | 7 | 5 | 4 | 8 | 6 | 8 | 5 |
| Lobar and unspecified pneumonia108,109 | 47 | | | 1 | | 3 | 1 | 3 | 8 | 2 | 5 | 5 | 2 | 2 | 5 | 2 | 3 | 4 | 1 | 7 |
| Diseases of the stomach117,118 Diarrhea and enteritis119 | 119 | | | | | 1 | 12 | 12 | 25 | 36 | 19 | 9 | 9 | 6 | 4 | 4 | 4 | 2 | | 1 |
| Intestinal obstruction122b | 119 | | | | | ī | | | 1 | 2 | | | 1 | | ı | ı | | l ī | 1 | |
| Congenital malformations157 | 173 | 32 | 9 | 12 | 15 | 15 | 7 | 14 | 104 | 16 | 11 | 18 | 8 | 3 | 2 | 4 | 1 | | 1 | 2 |
| Congenital debility, etc158,161b,c | 14 | | | 1 | 4 | 2 | 2 | | 9 | 2 | | | | | | | | | | |
| Premature birth159 | 356 | 222 | 34 | 22 | 23 | 18 | 15 | 6 | 340 | 11 | 4 | | 1 | | | | | | | |
| Injury at birth160 | 161 | 94 34 | | 21 | 20 | 5 5 | 3 2 | 1 | 159 63 | 1 | 1 | | | | | | | | | |
| Other diseases of early infancy161a,d External causes172-198,201-214 | 32 | 10 | | | 2 | | | 2 | 14 | 2 | | 7 | | 3 | | | 3 | 1 | 1 | 2 |
| Unknown or ill-defined diseases199,200 | | | | | | | | | | | | | | | | | | | | |
| All other causes | 96 | 4 | | 3 | 1 | 2 | 9 | 1 5 | 24 | 13 | 1 6 | 12 | 4 | 5 | 7 | 1 8 | 1 4 | I 5 | 1 3 | 5 |

| | | | | | 266 700 | | teau () | r this | rante, | | | | | | | | | | | |
|---|------------------------------------|-------------------|--------------|-------------|-------------------|--------------|-----------|-----------|---------------------|----------|-----------|------------|------------|-----------|-----------|-----------|-----------|-----------|------------|------------|
| AREA AND CAUSE OF DEATH | Total deaths under l year | Under 1 day | l day | 2 days | 3 to 6 days | l week | 2 wks. | 3 wks. | Under 1 month | l mo. | 2 mos. | 3 mos. | 4 mos. | 5 mos. | 6 mos. | 7 mos. | 8 mos. | 9 mos. | 10 mos. | ll mos. |
| NEW YORK, N. Y., MANHATTAN BOROUGH Other racesAll causes | 321 | 69 | 23 | 12 | 23 | 42 | 19 | 14 | 202 | 25 | 20 | 20 | 11 | 4 | 6 | 10 | 7 | 3 | 5 | 8 |
| Measles7 Scarlet fever8 | | | | | | | | | | | | | | | | | | | | |
| Whooping-cough9 Diphtheria10 Influenza11 | 2 | | | | | | | | | 1 | | 2 | | | | | 1 | | 1 | |
| Dysentery | 1 | | | | | | | | | 1 | | | | | | | | | | |
| Tuberculosis of the respiratory system-23 Tuberculosis of the meninges, etc24 Other forms of tuberculosis25-32 | 11 | | | | | | | | | | | | | | | | | | | 1 |
| Syphilis34 Convulsions86 Bronchitis105 | 12 1 2 | 2 | 1 | 1 | | | 1 | 4 | 9 | 1 | 1 1 1 | <u>1</u> | | | | | | | | |
| Bronchopneumonia | 64 12 1 | | | | 1 | 6 | | 6 1 | 19 2 | 1 | 1 | 7 1 | 7 2 | | 1 | 5 2 | 1 | 2 | 1 | 4 |
| Diarrhea and onteritis119 Intestinal obstruction122b Congenital malformations157 Congenital debility, etc158,161b,c | 24 13 4 | 1 | | 1 | 1 1 | 5 | | | 8 3 | 1 | 3 | 2 3 | | 1 | 2 | 2 | 2 | | 1 | 1 |
| Premature birth | 94 43 20 | 37 16 11 | 17 3 1 | 4 3 3 | 9 9 | 15 9 3 | 7 | 2 | 91 41 20 | 1 2 | 1 | 1 | | | | | | | | |
| External causes172-198,201-214 Unknown or ill-defined diseases199,200 All other causes | 17 | 1 | 1 | | | 1 | | | 2 | 3 | 4 | 1 1 | 1 1 | 1 | 1 | 1 | | | 1 | 2 |
| NEW YORK, N. Y., QUEENS BOROUGH TotalAll causes | 480 | 146 | 45 | 28 | 25 | 28 | 25 | 22 | 319 | 37 | 28 | 15 | 15 | 15 | 9 | 7 | 14 | 10 | 4 | 7 |
| Messles7 Scarlet fever8 | | | | | | | | | | | | | | | | | | | | |
| Whooping-cough9 Divhtheria10 | 9 | | | | | | | | | | 2 | | 1 | 2 | | | 2 | | | 2 |
| Influenza11 | 3 | | | | | | | | | | | | 1 | 1 | | | 1 | | | |
| Dysentsry13 Erysipelas15 | 2 | | | | | | | 1 | 1 | 1 | | | | | | | | | | |
| Epidemic cerebrospinal meningitis18 Tetanus22 | 1 | | | | | | | | | | | | | | | | | | | 1 |
| Tuberculosis of the respiratory system-23 | 1 | | | | | | | | | | | | | | | | | 1 | | |
| Tuberculosis of the meninges, etc24 Other forms of tuberculosis25-32 | 1 | | | | | | | | | | | | | | | 1 | | | | |
| Syphilis34 Convulsions86 | 2 | | | | | | | | | 2 | | | | | | | | | | |
| Bronchitis106 | 1 | | | | | | | | | | | | 1 | | 1 | | | | | |
| Bronchopneumonia107 | 45 | | | 1 | 1 | 2 | 2 | 5 | 11 | 6 | 10 | 5 | 2 | 2 | 2 | 1 | 2 | 3 | | 1 |
| Lobar and unspecified pneumonia108,109 Diseases of the stomach117,118 | 21 | | | 1 | | 1 | 1 | 1 | 4 | 1 | 3 | 1 | 1 | 1 | 1 | 3 | 3 | 1 | 1 | 1 |
| Diarrhea and enteritisll9 | 48 | | | | | ? | 11 | 4 | 22 | 10 | | 5 | s | 3 | 1 | 1 | 2 | 1 | 1 | |
| Intestinal obstruction122b Congenital malformations157 | 5 47 | 11 | 1 | 2 | 6 | 1 6 | 1 2 | 3 | 31 | 2 6 | 4 | 3 | 1 | 1 | 1 | | | | | |
| Congenital debility, etc 158,161b,c | 9 | 1 | 1 | 3 | 1 | | 1 | 1 | 8 | | | | 1 | | | | | | | |
| Premature birth159 Injury at birth160 | 155 75 | 85 43 | 24 11 | 13 | 9 7 | 7 | 2 | 2 | 145 73 | 3 2 | | 1 | | | | | | | | |
| Other diseases of early infancy161a,d External causes172-198,201-214 | 13 | 5 | 3 3 | 2 | 1 | 1 | 1 | 1 | 13 4 | 1 | 2 | | 1 | | | | | | | |
| Unknown or ill-defined diseases199,200 All other causes | 31 | 1 | 2 | | | 1 | 1 | | 5 | 1 2 | 1 | | 3 | 5 | 3 | | 4 | 4 | 2 | 2 |
| NEW YORK, N. Y., RICHMOND BOROUGH TotalAll causes | 108 | 36 | 70 | 7 | 10 | 5 | 6 | 1 | 75 | 5 | 8 | 3 | 2 | 3 | 1 | 1 | 1 | 5 | 2 | 3 |
| Measles7 | | | | | | | | | | | | | | | | | | | | |
| Scarlet fever8 Whooping-cough9 | 3 | | | | | | | | | 1 | 1 | | | | | | | | 1 | |
| Diphtheria10 | | | | | | | | | | | | | | | | | | | | |
| Influenza11 Dysentery13 | | | | | | | | | | | | | | | | | | | | |
| Erysipelas15 | 1 | | | | | | | 1 | 1 | | | | | | | | | | | |
| Epidemic cerebrospinal meningitis18 Tetanus22 | | | | | | | | | | | | | | | | | | | - 1 | |
| Tuberculosis of the respiratory system-23 | 2 | | | | | | | | | | | | | | | | 1 | 1 | , | |
| Tuberculosis of the meninges, etc24 Other forms of tuberculosis25-32 | 1 | | | | | | | | | | | | | | | | | | - 1 | |
| Syphilis34 | | | | | | | | [| | | | | | | | | | 1 | | |
| Convulsions | 1 | | | | | | | | | | 1 | | | | | | | | | |
| Bronchopneumonia10? | 14 | | | | | | 1 | | 1 | 2 | 2 | | 2 | 1 | 1 | 1 | | 1 | 1 | 2 |
| Lobar and unspecified pneumonia108,109 Diseases of the stomach117,118 | 1 | | | | | | | | | | | | | | | | | | | 1 |
| Diarrhea and enteritis119 | 6 | | | | | | - 1 | | 2 | | 2 | 2 | | | | | | | | |
| Intestinal obstruction122b Congenital malformations157 | 2 9 | 1 | | 1 | 2 | 2 | | | 1 6 | 1 | 1 | 1 | | | | | | | | |
| Congenital debility, etc158,161b,c | | | | | | | | | | | | | | | | | | | | |
| Premature birth159 Injury at birth160 | 33 21 | 22 | 5 4 | 2 | 3 4 | i | 1 | | 33 20 | 1 | | | | | | | | | | |
| Other diseases of early infancyl6la,d | 5 | 4 | 1 | | | | | | 5 | | | | | | | | | | | |
| External causes172-198,201-214 Unknown or ill-defined diseases199,200 | 3 2 | 1 | | | | 1 | | | 1 1 | | 1 | | | 2 | | | | | | |
| All other causes | 4 | 1 | - 1 | | | 1 | | | 4 | | | | | | | - 1 | - 1 | | | |
| | | | | | | | • | | | | | | | | | | | | | |

TABLE 21.—DEATHS FROM IMPORTANT CAUSES, BY CERTAIN SUBDIVISIONS OF THE FIRST YEAR OF LIFE: 1935—Continued (Exclusive of stillbirths)

(See note at head of this table)

| | | | | | | • | | | | | | | | | | | | | | |
|---|------------------------------------|-------------------|----------|-----------|-------------------|-----------|-----------|-----------|---------------------|----------|-----------|-------------|--------|------------|-----------|-----------|-----------|-----------|------------|---------|
| AREA AND CAUSE OF DEATH | Total deaths under l year | Under 1 day | l | 2 days | 3 to 6 days | l week | 2 wks. | 3 wks. | Under 1 month | 1 mo. | 2 mos. | 3 . mos. | 4 mos. | 5 2008. | 6 mos. | 7 mos. | 8 mos. | 9 mos. | 10 mos. | 11 mos. |
| CLEVELAND, OHIO (white)All causes | 548 | 225 | 31 | 29 | 49 | 24 | 18 | 11 | 387 | 36 | 25 | 13 | 16 | 10 | 10 | 5 | 14 | 11 | 6 | 15 |
| Measles7 | 1 | | | | | | | | | | | | | | | | | | | 1 |
| Scarlet fever | | | | | | | | | | | | | | | | | | | | |
| Whooping-cough9 | 3 | | | | | | | | | | 1 | | | | 1 | | | | | . 1 |
| Diphtheria10 Influenzall | 1 4 | | | | | | | | 2 | 1 | | | | 1 | 1 | | | | | |
| Dysentery13 | | | | | | | | | | | | | | | | | | | | |
| Erysipelas15 | 4 | | | | | | | | | 2 | 1 | | | | | | | | | 1 |
| Epidemic cerebrospinal meningitis18 | 4 | | | | | | | | | | | | 2 | | | | 1 | 1 | | |
| Tetanus22 | | | | | | | | | | | | | 2 | | | | | | ļ, | |
| Tuberculosis of the respiratory system-23 Tuberculosis of the meninges, etc24 | 2 1 | | | | | | | | | 1 | | | | 1 | | | | | | |
| Other forms of tuberculosis25-32 | | | | | | | | | | | | | | | | | | | | |
| Syphilis34 Convulsions86 | 3 | 3 | | · | | | | | 3 | | | | | | | | | | | |
| Convulsions | 2 | | | | 1 | | | | 1 | 1 | | | | | | | i | | | |
| Bronchitis | 2 58 | | | | | 2 | | 5 | 11 | 1 4 | В | 6 | 1 3 | 4 | 4 | 1 | 5 | 6 | 3 | 3 |
| lobar and unspecified pneumonia108,109 | 7 | | | | 4 | ı | | | 1 1 | ľ | ı | | l i | | | | | | ī | 2 |
| Diseases of the stomach117,118 | i | | | 1 | | | | | l îl | | | | | | | | | | | |
| Diarrhea and enteritis119 | 24 | 1 | | | | 1 | 4 | 2 | 8 | 3 | 4 | | 2 | 1 | | 1 | 3 | 1 | | 1 |
| | 6 | | | | 1 | | | | 1 | | | 1 | | 1 | 1 | | 1. | 1 | | 2 |
| Congenital matrices | 54 9 | 15 | 2 | 4 | 5 2 | 7 2 | 4 | 1 | 38 | 5 1 | 2 | 2 | 2 | | | 2 | | | 1 | 1 |
| Congenital debility, etc158,161b,c | 211 | 145 | 16 | 14 | 16 | 6 | 5 | li | 203 | 8 | | | | | | | | | | |
| Premature birth | 57 | 35 | 10 | 7 | 11 | 2 | i | | 56 | | 1 | | | | | | | | | |
| Other diseases of early infancy16la,d | 31 | 22 | 2 | 1 | 5 | 1 | | | 31 | | | | | | | | | | | |
| External causes172-198,201-214 | ·5 5 | <u>1</u> | | | 1 | | | | 1 2 | 1 | 1 2 | | | | 1 | | | | | 1 |
| Unknown or ill-defined diseases199,200 All other causes | 43 | 2 | | 1 | 3 | 2 | 2 | 1 | 1 11 | 8 | 4 | 4 | 3 | 2 | î | 1 | 4 | 2 | 1 | 2 |
| ALL STATE COMMON | - | | | _ | | - | | _ | | | | | | | | | | | | |
| CLEVELAND, OHIO (other races)All causes | 92 | 31 | 6 | 3 | 7 | . 2 | 5 | | 54 | 8 | 4 | 3 | 5 | 3 | 5 | 2 | 3 | 3 | 1 | 1 |
| Measles7 Scarlet fever8 | | | | | | | | | | | | | | | | | | | | |
| Whoming-cough9 | 4 | | | | | | | | | 1 | | | | | | 1 | 1 | | ı | |
| Dishthoris | | | | | | | | , | | | | | | | | | | | | |
| Influenzall | | | | | | | | | | | | | | | | | | | | |
| Dysentery13 Erysipelas15 | | | | | | | | | | | | | | | | | | | | |
| Epidemic cerebrospinal meningitis18 | | | | | | | | | | | | | | | |] | | | | |
| Teterus22 | | | | | | | | | | | | | ļ | | | | | | | |
| Tuberculosis of the respiratory system-23 | 2 | | | | | | | | | | | | | | | 1 | 11 | | | |
| Tuberculosis of the meninges, etc24 | 1 | | | | | | | | | | | | 1 | | | | | | | |
| Other forms of tuberculosis25-32 Syphilis34 Convulsions86 | 3 | 2 | | | | | | | 2 | | 1 | | | | | | | | | |
| Convulsions86 | 1 | | | | | | | | | 1 | | | | | | | | | | |
| Bronchitis | 15 | | 1 | | | | 2 | | 3 | 2 | 1 | 1 | 2 | 2 | 2 | | | 1 | | 1 |
| Lobar and unspecified pneumonia108,109 | 5 | | | | | | | | | | | | ĩ | | ž | | 1 | ī | | |
| Diseases of the stomach117.118 | ı | | | | | | | | | | | | | | | | | 1 | | |
| Diarrhea and enteritis119 | 1 | | | | | | | | | | | 1 | | | | | | | | |
| Intestinal obstruction | 6 | 1 | | | 1 | 1 | | | 3 | | ī | | | 1 | 1 | | | | | |
| Congenital debility, etc158,161b,c | | | | | | | | | | | | |] | | | | | | | |
| Premature birth | 32 | 20 | 4 | 2 | 1 | 1 | 2 | | 30 | 2 | | | | | | | | | |] |
| Injury at birth160 | 5 3 | 3 2 | | | 3 | | | | 6 3 | | | | | | | | | | | |
| Other diseases of early infancy161a,d External causes172-198,201-214 | 1 | | | | | | | | | | 1. | | | | | | | | | |
| Unknown or ill-defined diseases199,200 | 8 | 2 | 1 | 1 | 1 | | | | 5 | 2 | | 1 | | | | | | | | |
| All other causes | 3 | 1 | | | | | 1 | | 2 | | - | | 1 | | | | | | | |
| PHILADELPHIA, PA. (white)All causes | 1;118 | 258 | 75 | 52 | 74 | 75 | 56 | 46 | 636 | 98 | 73 | 60 | 43 | 43 | 35 | 30 | 38 | 25 | 18 | 19 |
| Measles7 | ı | | | | | | | | | | | | | | | | 1 | | | |
| Soonlot forerR | | | | | | | | | | | | | | | | | | | | |
| Whooping-cough9 | 13 | | | | | 1 | | | 1 | 2 | | 4 | | 1 | 1 | | 1 | | 1 | 1 |
| Diphtheria10 Influenza11 | 16 | | | | | | | | | | 2 | 3 | 1 | 4 | 2 | | | 1 | 2 | 1 |
| Dysentery13 | 16 | | | | | | | | | | | 1 | | | | | | | | |
| Erysipelas15 | 8 | | | | | | | | | 3 | | | 1 | | | 1 | | | | |
| Epidemic cerebrospinal meningitis18 | 7 | | | | | | | | | 1 | | 2 | | 2 | | 1 | | | | 1 |
| Tetanus22 Tuberculosis of the respiratory system-23 | 1 4 | | | | 1 | | | | 1 | 11 | | 1 | | | 1 | 1 | | | | |
| Tuberculosis of the meninges, etc 24 | . 4 | | | | | | | | | | | ï | | 1 | | | | | 1 | 1 |
| Other forms of tuberculosis25-32 Syphilis34 | 1 1 | | | | | | | | 1 | | | | | 1 | | | | | | |
| Syphilis34 Convulsions86 | 5 | | | 1 | | | | | 1 | 2 | 1 | | | 1 | | | | | | |
| Bronchitis106 | 5 | | | | | | | | | | li | 2 | | | | 1 | | 1 | | |
| Bronchopneumonia107 | 154 | 1 | 3 | 1 | 2 | 5 | 11 | 12 | 35 | 21 | 13 | | 8 | | 111 | | | | 4 | 3 |
| Lobar and unspecified pneumonia108,109 | 61 | | 1 | | | 5 | 4 | | 12 | 7 | 4 | | 5 | 1 | 6 | 6 | 4 | 5 | 2 | 1 |
| Diseases of the stomach117,118 Diarrhea and enteritis119 | 90 | | | 1 | 1 2 | 6 | 1 4 | | 19 | 16 | 18 | 5 | . 7 | 5 | 3 | 3 | 5 | 2 | 1 | 1 6 |
| Intestinal obstruction122b | 12 | | | | | ı | ı | | 2 | 2 | 1 | | | 1 | 1 | 1 | 3 | | | 1 |
| Congenital malformations157 | 161 | 33 | 9 | 8 | 17 | 16 | В | 7 | 98 | 21 | 15 | | 6 | | 2 | 2 | 2 | 3 | 2 | |
| Congenital debility, etc158,161b,c | 16 | 1 149 | 1 | | 75 | 2 | | | 257 | 2 6 | | 2 | | | | 1 | 1 | | | |
| Premature birth159 Injury at birth160 | 268 125 | 143 | 36 15 | 20 15 | 15 23 | 22 | 13 | | 124 | ll i | | | 1 | | | 1 | 1 | | | |
| Other diseases of early infencyl6la,d | 45 | 19 | 7 | 5 | 9 | 2 | | 1 | 45 | | | | | | | | | | | |
| External causes172-198,201-214 | 15 | | | | | | | 1 | 1 1 | 1 | 2 | 3 | 2 | 1 | 1 | | 1 | 1 | 1 | 1 |
| Unknown or ill-defined diseases199,200 | 1 101 | | | 1 | | 6 | 1 7 | | 1 28 | 13 | 8 | 7 | 11 | . 7 | 7 | 5 | 6 | . 3 | 4 | 2 |
| All other causes | 101 | 2 | 3 | | 4 | , 6 | . 7 | , 5 | 65 | 11 . 79 | , 0 | | | | . ′ | | , , | | | |

TABLE 21.—DEATHS FROM IMPORTANT CAUSES, BY CERTAIN SUBDIVISIONS OF THE FIRST YEAR OF LIFE: 1935—Continued (Exclusive of stillbirths)

(See note at head of this table)

| area and cause of death | Total deaths under l year | Under 1 dey | 1 day | 2 days | 3 to 6 days | l week | 2 wks. | 3 wks. | Under 1 month | l mo. | 2 mos. | 3 mos. | 4 mos. | 5 mos. | 6 mos. | 7 mos. | 8 mos. | 9 mos. | 10 mos. | ll mos. |
|---|------------------------------------|-------------------|----------|-----------|-------------------|-----------|-----------|-----------|---------------------|----------|-----------|-----------|-----------|-----------|-----------|-----------|-----------|--------------|------------|------------|
| PHILADELPHIA, PA. (other races)-All causes | 335 | 80 | 17 | 7 | 26 | 11 | 16 | 10 | 167 | 21 | 20 | 22 | 24 | 16 | 10 | 13 | 18 | 5 | 9 | 10 |
| Messles7 | | | | | | | | | | | | | | | | | | | | |
| Scarlet fever8 Whooping-cough9 | 3 | | | | | | | | | | | | | | | | | | | |
| Diphtheria10 | i | | | | | | | | | | | | | 1 | 1 | | 1 | | 1 | |
| Influenzall | 3 | | | | | | | | | | | | | | 1 | | 1 | | | 1 |
| Dysentery13 Erysipelas15 | | | | | | | | | | | | | | | | | | | | |
| Epidemic cerebrospinal meningitis18 | 1 | | | | | | | | | | | | | | 1 | | | | | |
| Tetenus22 | | | | | | | | | | | | | | | | | | | | |
| Tuberculosis of the respiratory system-23 | 10 | | | | | | | | | 1 | | 2 | | | | 1 | 2 | | 2 | 2 |
| Tuberculosis of the meninges, etc24 Other forms of tuberculosis25-32 | 1 | | | | | | | | | | | 1 | | | | | | | | |
| Syphilis34 | 14 | 3 | 1 | | | 1 | | | 5 | 2 | 3 | | 3 | 1 | | | | | | |
| Convulsions | | | | | | | | | | | | | | | | ~ | | | | |
| Bronchopneumonia | 69 | | | | 5 | 1 | 2 | 7 | 15 | 6 | 8 | 7 | 12 | 1 6 | 1 | 5 | 2 | 3 | | 3 |
| Lobar and unspecified pneumonia 108,109 | 33 | | | | 2 | | ĩ | | 3 | | 2 | 4 | 4 | | 3 | 3 | 7 | li | 4 | 2 |
| Diseases of the stomach117,118 | | | | | | | | | | | | | | | |] | | | | |
| Diarrhea and enteritis | 18 | | | | | 1 | | 1 | 2 | 3 | 1 1 | 5 | 1 | 3 | 1 | 1 | 1 | | | |
| Congenital malformations157 | 18 | 1 | | 2 | 2 | 2 | 1 | | 8 | 2 | l i | | 2 | 2 | 1 | 1 | | | | 1 |
| Congenital debility, etc158,161b,c | 6 | | | | 3 | | | | 3 | 2 | | | | | 1 | | | | | |
| Premature birth159 Injury at birth160 | 91 15 | 58 12 | 12 | 2 | 7 2 | 5 | 4 | | 88 15 | 1 | | | 1 | | | 1 | | | | |
| Other diseases of early infancyl6la,d | 19 | 5 | 2 | 2 | 3 | | 4 | 2 | 18 | | 1 | | | | | | | | | |
| External causes172-198,201-214 | 2 | 1 | | | | | | | 1 | 1 | | | | | | | | | | |
| Unknown or ill-defined diseases199,200 All other causes | 29 | | 1 | 1 | 2 | 1 | 4 | | 9 | 3 | 3 | 3 | 1 | 2 | | 1 | 4 | 1 | 1 | 1 |
| PITTSBURGH, PA. (white)All causes | | 160 | | | | | 16 | 26 | | | | | 10 | 15 | | ,, | | | | |
| | 527 | 168 | 50 | 28 | 44 | 19 | 16 | 16 | 341 | 33 | 27 | 30 | 18 | 17 | 7 | 14 | 7 | 14 | 9 | 10 |
| Measles7 | 3 | | | | | | | | | | 1 1 | | | | 1 | | | 1 | | |
| Scarlet fever8 Whooping-cough9 | 3 | | | | | | | | | | | 1 | | 1 | | 1 | | | | |
| Diphtherie10 | | | | | | | | | | | | | | | | | | | | |
| Influenza11 | 9 | | | | | | | | | 1 | 1 | | 2 | 1 | 1 | | 1 | | 1 | 1 |
| Dysentery13 Erysipelas15 | 1 | | | | | | | | | | | | | | ~~ | | | | | |
| Epidemic cerebrospinal meningitis18 | 3 | | | | | | | | | 1 | | | 1 | | | | | 1 | | |
| Tetanus22 | | | | | | | | | | | | | | | | | | | | |
| Tuberculosis of the respiratory system-23 Tuberculosis of the meninges, etc24 | 2 2 | ~~~~ | | | | | | | | | 1 | | | | | | | 1 | 1 | |
| Other forms of tuberculosis25-32 | 1 | | | | | | | | | | | | | | | 1 | | | | |
| Syphilis34 | 5 | 1 | | | | | | | 1 | 2 | | | | 1 | 1 | | | | | |
| Convulsions86 dronchitis106 | 2 3 | | | | | | 1 | 1 | 2 | | 1 | 1 | | | | | | 1 | | |
| Bronchopneumonia107 | 77 | | | 1 | 2 | 2 | 4 | 2 | ıı | 8 | 10 | 17 | 5 | 5 | 2 | 6 | 2 | 3 | 2 | 6 |
| Lober and unspecified pneumonia108,109 | 24 | | | | | 1 | 1 | | 2 | 2 | . 2 | 4 | 3 | 1 | 7 | | 2 | 4 | 3 | |
| Diseases of the stomach | 8 | | | | 1 | | | 1 | 2 | 2 | | 2 | 1 | | | | | | | 1 |
| Intestinal obstruction122b | 2 | | | | | 1 | | | ı | ı | | | | | | | | | | |
| Congenital malformations157 | 52 | 10 | - 6 | 3 | 7 | 5 | 4 | 2 | 37 | 4 | - 5 | 2 | | 1 | | 7 | | 1 | | 1 |
| Congenital debility, etc158,161b,c Premature birth159 | 166 | 102 | 29 | 10 | 12 | 2 | 1 3 | 1 | 1.61 | 2 4 | 1 | | | 1 | | | ==== | | | |
| Injury at birth160 | 67 | 36 | 9 | 8 | 12 | î | ĭ | | 67 | | | | | | | | | | | |
| Other diseases of early infancy16la,d | 30 | 16 | 4 | 4 | 5 | 1 | | | 30 | | | | | | | | | | | |
| External causes172-198,201-214 Unknown or ill-defined diseases199,200 | 4 4 | 1 | | | | | | 1 | 1 | 1 | | | 2 | | 1 | 1 | | | 1 | |
| All other causes | 50 | 2 | 2 | 2 | 4 | 2 | 1 | 7 | 20 | 5 | 4 | 3 | 3 | 6 | | 4 | 1 | 2 | 1 | 1 |
| PITTSBURGH, PA. (other races) All causes | 87 | 21 | 7 | 2 | 3 | 2 | 1 | 4 | 40 | 3 | 8 | 5 | 4 | 5 | 4 | 4 | 5 | | 5 | 3 |
| | | | | _ | | | | | | | | | | | | _ | <u> </u> | | | _ |
| Measles7 Scarlet fever8 | | | | | | | | | | | | | | | | | | | | |
| Whooping-cough9 | 1 | | | | | | | | | | | | | | | | 1 | | | |
| Diphtheria10 | | | | | | | | | | | | | | | | | | | | |
| Influenza11 Dysentery13 | 1 | | | | | | | | | | 1 | | | | | | | | | |
| Erysipelas15 | 1 | | | | | | 1 | | 1 | | | | | | | | | | ~ | |
| Epidemic cerebrospinal meningitis18 | 1 | | | | | | | | | | | | | | 1 | | | | | |
| Tetanus22 Tuberculosis of the respiratory system-23 | 3 | | | | | | | | | | | | | | 1 | | | | 2 | |
| Tuberculosis of the meninges, etc24 | ı | | | | | | | | | | | | | | | | 1 | | | |
| Other forms of tuberculosis25-32 | 1 | | | | | | | | | | | | | | | 1 | | | | |
| Syphilis86 | | | | | | | | | | | | | | | | | | | | |
| Bronchitis106 | 1 | | | | | | | | | | | | | | | 1 | | | | |
| Bronchopneumonia107 | 24 | | | | | | | 4 | 4 | 1 | 5 | 5 | 2 | 3 | 1 | 1 | 1 | | 1 | |
| Lobar and unspecified pneumonia108,109 Diseases of the stomach117,118 | 9 | | | 1 | | | | | 1 | 1 | | | | 2 | 1 | 1 | 1 | | | 2 |
| Diarrhea and enteritis119 | 1 | | | | | | | | | | | | | | | | | | | 1 |
| Intestinal obstruction122b | 1 | | | | | | | | | | 1 | | | | | | | | | |
| Congenital malformations | 3 | 1 | | | | 1 | | | 2 | | | | 1 | | | | | | | |
| Premeture birth159 | 18 | 14 | 3 | | 1 | | | | 1.8 | | | | | | | | | | | |
| Injury at birth160 | 10 | 5 | 3 | 1 | 1 | | | | 10 | | | | | | | | | | | |
| Other diseases of early infancy15la,d External causes172-198,201-214 | 2 | | 1 | | 1 | | | | 2 | | | | | | | | | | | |
| Unknown or ill-defined diseases199,200 | 4 | 1 | | | | 1 | | | 2 | 1 | | | | | | | | | 1 | |
| All other causes | 5 | | | | | | | | | | 1 1 | | 1 | | | | 1 | | 2 | |
| | | | | | | | | | | | | | | | | | | | | |

TABLE 21.—DEATHS FROM IMPORTANT CAUSES, BY CERTAIN SUBDIVISIONS OF THE FIRST YEAR OF LIFE: 1935—Continued (Exclusive of stillbirths)

(See note at head of this table)

| AREA AND CAUSE OF DEATH | Total deaths under l year | Under 1 day | 1 day | 2 days | 3 to 6 days | 1 week | 2 wks. | 3 wks. | Under 1 month | 1 mo. | 2 mos. | 3 mos. | 4 mos. | 5 mos. | 6 mos. | 7 mos. | 8 mos. | 9 mos. | 10 mos. | ll mos. |
|--|--|-------------------|----------|-------------|-------------------|-------------|-----------|-----------|---------------------|---------------|-----------|-----------|-----------|-----------|-----------|-----------|-----------|-----------|------------|------------|
| MILWAUKEE, WIS. (total)All causes | 414 | 161 | 44 | 16 | 42 | 21 | ,8 | 9 | 301 | 19 | 16 | 10 | .11 | 10 | 9 | 8 | 8 | 9 | 4 | 9 |
| Measles | 1 1 3 3 43 12 14 11 12 6 138 60 35 | 1 1 86 377 222 | 1 22 9 | 1 1 2 3 2 2 | 2 | 1 1 6 1 8 2 | 2 1 2 2 | 1 | 1 | 1 2 3 4 4 1 1 | 1 | 2 1 3 | 1 | 7 | 1 | 2 | 1 | 2 | 1 | 1 1 2 2 |
| Other diseases of early infuncylbia,d External causes | 5 5 28 | 22 | 3 | | 3 | | === | 1 | | 1 | 1 2 | 1 | 3 | 1 | 3 | 1 4 | | | 1 | 2 2 |

TABLE 22.—DEATHS UNDER 1 YEAR OF AGE FROM IMPORTANT CAUSES, BY SEX: 1935

(Exclusive of stillbirths)

| | · · · · · · · · · · · · · · · · · · · | | | | <u> </u> | | | 1 | | | 1 | | | | | |
|--|---------------------------------------|--------------------------------------|---------------------------------------|----------------------------|--------------------------------------|---------------------------------------|---------------------|--------------------------------------|---------------------------------------|--------------------|--------------------------------------|---------------------------------------|---------------------|--------------------------------------|---------------------------------------|---------------------|
| | | UNITED | STATES | | | ALABAMA | | | ARIZONA | | | arkansas | | CJ | LIFORNIA | . |
| CAUSE OF DEATH AND SEX | Total | Cities of 10,000 or more | Cities of 2,500 to 10,000 | Rural ^{2/} | Cities of 10,000 or more | Cities of 2,500 to 10,000 | Rurel | Cities of 10,000 or more | Cities of 2,500 to 10,000 | Rural | Cities of 10,000 or more | Cities of 2,500 to 10,000 | Rural | Cities of 10,000 or more | Cities of 2,500 to 10,000 | Rural |
| All causes | 120,138 68,805 51,333 | 53,839 31,035 22,804 | 12,145 6,939 5,206 | 54,154 30,831 23,323 | 888 505 383 | 249 130 119 | | 276 151 125 | 207 115 92 | 538 301 237 | 260 155 105 | 162 87 75 | 1,259 700 559 | 2,277 1,334 943 | 561 342 219 | 1,140 675 465 |
| Measles (7): Male Femmle Scorlet fever (8): | 460 338 | 111 90 | 50 30 | 299 218 | 5 2 | 1 | 25 14 | <u>1</u> | 1 | 13 6 | | | | 2 | 1 | 4 3 |
| Male | 66 43 | 18 13 408 | 9 4 149 | 39 26 872 | ? | 2 | 3 2 38 | 3 | 1 | 10 | 3 | 1 | 1 19 | 10 | 3 | 7 |
| Diphtheria (10): Male Femmle | 1,511 162 149 | 440 46 36 | 152 12 10 | 919 104 103 | 1 2 | 1 | 31 8 4 | | 4 | 17 1 | 3 | 1 | 25 7 3 | 2 1 | 5 | 7 |
| Influenza (11): Mele | 1,845 1,328 | 491 351 113 | 207 147 60 | 1,147 830 257 | 13 17 | 8 5 | 68 40 4 | 5 3 | 3 5 | 21 11 | 2 4 4 | 4 5 | 25 32 | 11 9 8 | 3 1 2 | 7 2 7 |
| Female | 352 310 262 | 99 163 140 | 48 24 20 | 205 123 102 | 1 | 1 2 1 | 2 5 4 | 3 | 1 | 1 1 | 2 | 1 | 6 | 3 5 5 | 4 | 5 6 4 |
| Epidemic cerebrospinal meningitis (18): Male Femalo Tetanus (22): | 160 104 | 119 82 | 12 4 | 29 18 | 2 | | | 2 | | | 1 | | l, | 5 1 | 1 | 2 |
| Male | 95 56 168 142 | 17 14 88 92 | 11 8 12 9 | 67 34 68 41 | 1 5 | | 3 2 2 1 | | 1 | 2 1 | | | 1 1 1 | 7 8 | 2 | 7 3 |
| Tuberculosis of the meninges, etc. (24): Male | 144 | 70 74 | 15 10 | 59 37 | 2 2 | | 1 | 1 | 1 | 2 | | 1 | | 3 2 | 1 | 3 2 |
| Mele | 76 49 839 | 50 31 456 | 5 3 80 | 21 15 303 | 18 | 4 | 1 18 | 1 4 | 1 | 1 | 1 | | 3 5 | 3 1 19 | 1 1 2 | 10 |
| Female- Female | 669 373 222 | 373 86 50 | 55 34 17 | 241 253 155 | 11 4 2 | 3 1 | 19 16 | 1 | 1 | 1 1 | 4 | 2 | 2 4 7 | | 1 | 3 |
| Bronchitis (106): Male Female | 308 249 5,798 | 136 94 3,487 | 27 26 666 | 145 129 2,645 | 3 46 | 1 1 12 | 8 2 63 | 1 2 30 | | 1 1 29 | 1 20 | 4 | 5 2 65 | 4 2 183 | 1 1 46 | 3 2 92 |
| Female | 5,156 2,714 1,931 | 2,601 1,114 778 | 524 224 192 | 2,031 1,376 961 | 22 25 11 | 8 5 3 | · 60 73 49 | 26 6 | 10 2 5 | 33 16 | 8 4 5 | 11 3 4 | 33 32 23 | 118 37 23 | 23 15 | 80 31 15 |
| Diseases of the stomach (117, 118): Male Fommle Diarrhea and enteritis (119): | 320 218 | 76 53 | 32 23 | 212 142 | 2 1 | | 7 6 | 1 | 3 1 | 1 | 2 | | - 7 4 | 6 2 | 1 | 4 1 |
| Male | 5,988 4,650 559 343 | 2,486 1,836 314 191 | 631 501 71 39 | 2,871 2,313 | 37 30 3 8 | 12 8 2 1 | 122 94 7 4 | 34 27 2 | 27 21 | 53 39 3 | 12 11 2 1 | 9 10 | 58 77 3 1 | 76 62 21 12 | 45 24 3 2 | 88 70 5 4 |
| Congenital malformations (157): Male | 5,774 4,569 | 3,032 2,405 | 590 478 | 2,152 | 31 17 | 4 5 | 72 43 | 9 | 5 2 | 13 5 | 9 | 5 1 | 33 23 | 139 114 | 41 23 | 51 45 |
| (158,161 b, c): Male | 2,604 | 765 544 | 291 201 | 1,548 | 12 | 8 | 65 42 | 1 7 | 6 3 | 15 10 | 12 | 1 3 | 32 25 | 27 24 | 13 10 | 24 21 |
| Male | 18,861 14,286 5,961 | 9,526 7,134 3,359 | 1,997 1,549 | 7,338 5,603 | 148 123 41 | 32 39 12 | 359 326 75 | 22 22 10 4 | 29 13 9 2 | 32 39 7 3 | 34 34 20 | 28 21 8 | 135 123 38 | 447 317 107 83 | 88 76 36 | 173 110 45 |
| Other diseases of early infancy (161 n, d): Male | 3,683 2,340 1,612 | 2,156 1,294 912 | 226 162 | 1,120 820 538 | 21 11 | 6 3 3 | 25 21 | 4 | 3 3 | 10 | 10 4 2 | . 3 1 2 | 13 10 | 77 41 | 15 15 6 | 26 21 23 |
| Male | 1,245 1,003 4,127 | 475 373 381 | 121 107 197 | 649 523 3,549 | 8 39 | 4 5 14 | 34 34 372 | 1 2 3 | 7 | 4 4 43 | 3 1 7 | 5 10 | 8 5 129 | 24 11 2 | 6 5 2 | 19 10 4 |
| FemaleAll other causes: Male | 3,151 4,649 3,269 | 2,354 1,574 | 166 456 314 | 2,717 1,839 1,381 | 34 36 22 | 19 4 8 | 310 58 60 | 3 7 4 | 6 7 5 | 30 15 9 | 2 10 8 | 3 6 6 | 90 62 39 | 3 108 81 | 14 9 | 1 55 25 |

^{1/} Excluding 100 cities in 3 States (Georgie, Kentucky, and Vermont).
2/ Including 100 cities of 2,500 to 10,000 inhabitants in 3 States (Georgia, Kentucky, and Vermont).

TABLE 22.—DEATHS UNDER 1 YEAR OF AGE FROM IMPORTANT CAUSES, BY SEX: 1935—Continued (Exclusive of stillbirths)

| | c | OLORADO | | co | NNECTICU | T | D | ELAVARE | | | | FLORIDA | | GEOR | GIA |
|--|------------------------------|-----------------------------|------------------|------------------------------|-------------|--------------|------------------------------|----------|--------------|----------------------------|------------------------------|--------------|-----------------|----------------|------------------|
| CAUSE OF DEATH AND SEX | Cities of 10,000 or | Cities of 2,500 to | Rural | Cities of 10,000 or | to | Rural | Cities of 10,000 or | to | Rural | DISTRICT OF COLUMBIA | Cities of 10,000 or | to | Rural | or | Rural 1/ |
| . All causes | more 538 | 10,000 | 602 | 776 | 10,000 | 138 | more | 10,000 | 97 | 642 | more | 245 | 843 | 1,100 | 3,220 |
| Male | 303 235 | 136 94 | 361 241 | 438 338 | •21 16 | 89 49 | 73 60 | 28 10 | 50 47 | 359 283 | . 354 294 | 133 | 499 344 | 608 492 | 1,815 |
| Keasles (7): | 4 | 2 | 10 | ı | | 1 | | 1 | | | | 1 | 2 | | . |
| Female | 3 | 2 | | 1 | 1 | | | | | | | 1 | 2 | | 6 2 |
| Female | 3 2 | 4 | 10 | 3 8 | | 2 1 | 1 | | 1 | 1 | 7 5 | 1 4 | 14 | 5 14 | 1 44 29 |
| Diphtheria (10): KaleFemale | 1 | | 1 1 | | | | | | | 2 | <u>1</u> | | | . 2 | 11 |
| Influenza (11). Male | 4 4 | 3 2 | 25 10 | 8 3 | | | 3 | 2 | <u>z</u> | 1 | 9 3 | 7 6 | 16 16 | 10 7 | 54 40 |
| Male | | 3 | 1 2 | | | | · | | | 1 | 1 | 3 1 | 3 3 | 1 | 19 14 |
| Male | 5 | z | 2 2 | 3 | | | z | | === | 3 2 | 1 | 1 | <u>4</u> | 1 2 | 8 3 |
| Male | 1 | | | 3 | | | | | | 3 6 | 1 | | 2 | 2 3 1 | 2 2 |
| Temale | 1 | | 1 | | | | | | | | 1 | 1 | | 3 | |
| Fomale———————————————————————————————————— | 1 | 1 | 1 | <u>2</u> | | | | | | <u>2</u> | 3 | | 1 | 2 1 2 | 3 |
| Other forms of tuberculosis (25-32): MaleFomale | 3 | | | | | | | | | 3 | 1 | | | 3 | |
| Syphilis (34): Male Formic | 2 4 | 4 | 4 | , 1 , 4 | | | 4 2 | 1 | 1 | 70 17 | 11 11 | 4 3 | 16 3 | 23 17 | 17 15 |
| Convulsions (86): Male | | 1 | | 2 2 | | s | | | | | 2 2. | 1 | 6 3° | 1 | 25 11 |
| Male | 2 2 | <u> </u> | 3 | 3 | | 2 3 | | 1 | 1 | 1 | 4. 2 | 1 | 1 | 2 | 3 4 96 |
| Male | 30 12 12 | 12 7 | 43 ; 35 21 | 29 31 18 | 1 | 4 6 4 | 3 15 2 | 2 | 11 1 | 47 40 9 | 31. 20 15 | 5 2 | 21 15 26 | 62 55 26 | 84 76 |
| Female | 10 | 4 | 4 2 | 14 | | 1 | 4 | | 3 | 12 2 | 13 3 | 3 | 15 | 20 | 59 13 |
| Female | 30 | 19 | 30 · 35 | ,13 6 | 1 | 5 1 | 8 7 | 7 | 7 | 33 24 | 25 26 | 1 . 19 | 49 33 | 1 66 37 | 14 153 124 |
| Female | 33 5 3 | 15 2 3 | 1 3 | 6 1 | | | | | 1 | 2 | 4 7 | | 2 | - 10 3 | 8 |
| Congenital malformations (157): MaleFomale | 19 18 | 4 5 | 25 20 | 66 50 | 3 2 | 13 12 | 4 7 | 1 2 | 5 4 | 24 16 | 28 20 | 3 17 | 22 18 | 25 17 | 45 45 |
| Congenital debility, icterus, sclerema (158,161b,c): Male | 10 | 2 4 | 19 11 | 9. 9 | 1 | 5 | 5. 1 | ر. | 5 4 | B 6 | 14 16 | ù. | 34 24 | 17 19 | 112 85 |
| Male | * 86 64 | 45 35 | 83 52 | 125 114 | 7 5 | 24 11 | 25 11 | 7 1 | 10 3 | 158 104 | 118 | 28 34 | 115 90 | 202 173 | 435 305 |
| Female Other diseases of early infancy (161 a, d): | 34 21 13 | 7 6 2 | 27 13 18 | 82 45 22 | 4 2 1 | 11 3 3 | 5 2 1 | 1 | 3· 4 3 | 35 25 . 16 | 28 20 10 | 17 7 5 | 16 13. 21 | 45 31 21 | 68 34 39 |
| Male | 11 | 2 2 7 | 7 11 | 19 | 1 | .3 3 | 3 2 | 2 | 3 | . 10 5 | 7 8 | 4 3 | 11 | 14 | 25 59 |
| Female- Unknown or ill-defined diseases (199, 200): Male | 5 | 3 | 5 | 3 | 1 | 4 | 1 | 1, | | 8 | 3 6 4 | 2 8 7 | 81 50 | 10 28 22 | 39 425 374 |
| Female | 25 21 | 2 7 2 | 2 18 16 | 2 38 20 | 2 3 | 1 10 2 | 8 5 | 1 | 3 2 | 18 | 26 23 | 5 4 | 37 26 | 35 31 | 98 73 |
| MaleFemale | | | | | | | | | | | | | | | |

^{1/} Including 49 cities of 2,500 to 10,000 inhabitants.

TABLE 22.—DEATHS UNDER 1 YEAR OF AGE FROM IMPORTANT CAUSES, EY SEX: 1935—Continued (Exclusive of stillbirths)

| | T | IDAHO | | 7 | ILLINOIS | | | INDIANA | | | IOWA | | | KANSAS | |
|---|--------------------------------------|---------------------|-------------------|--------------------------------------|----------------------|------------------------|--------------------------------------|---------------------------------------|-------------------|--------------------------------------|---------------------------------------|-----------------------|--------------------------------------|---------------------------------------|-----------------------|
| CAUSE OF DEATH AND SEX | Cities of 10,000 or more | of | Rural | Cities of 10,000 or more | of | Rural | Cities of 10,000 or more | Cities of 2,500 to 10,000 | Rural | Cities of 10,000 or more | Cities of 2,500 to 10,000 | Rural | Cities of 10,000 or more | Cities of 2,500 to 10,000 | Rural |
| All causes | 60 31 29 | 207 122 85 | 216 112 104 | 3,391 1,970 1,421 | 531 287 244 | 1,216 701 515 | 1,455 683 572 | 265 144 121 | 970 588 382 | 793 467 326 | 319 210 109 | 825 453 372 | 534 308 226 | 263 152 111 | |
| Measles (7): Male | | 2 1 | | 4 7 2 | 1 2 | 12 6 | 3 2 | 4 | 11 5 | 8 6 | 4 | 5 4 | 5 3 | 4 5 | 14 13 |
| Female | 2 | 9 10 | 9 3 | 26 29 | 7 12 | 23 26 1 | 19 8 6 | 5 5 | 23 25 1 | 6 4 | 3 2 | 1 2 11 | 1 5 | 4 4 | 5 14 |
| Female | 2 | 6 2 | 7 6 | 20 12 4 | 5 6 | 1 21 15 3 | 2 15 16 | 6 3 | 22 11 2 | 1 4 4 | 5 2 | 20 11 | 7 6 | 5 5 | 20 |
| Female | 1 | 1 | | 1 6 5 | 1 | 2 | 4 2 7 | 1 | 3 1 | 4 4 4 | | 2 3 | 3 1 | 1 | 1 1 |
| Female | | | | 4 1 4 | | 1 | | | 2 | 2 | | 1 | 2 | | |
| Female— Tuberculosis of the meninges, etc. (24): Male———————————————————————————————————— | | 1 | 1 | 7 7 3 | | 1 | 4 3 3 | 1 | 3 1 | 3 1 3 | | | | | 1 |
| Female | | 1 | 1 | 17 14 3 | 3 2 1 | 1 4 | 1 12 16 | 2 3 | 3 2 | 1 5 | 1 | 2 1 | 6 3 | 1 | 2 1 |
| Female | 1 2 | 1 10 | 2 1 9 | 1 10 11 223 | 2 2 35 | 3 8 11 73 | 5 100 | 1 16 | 1 1 60 | 3 57 | 1 2 32 | 1 1 54 | 1 1 41 | 1 | 1 1 40 |
| Female Lobar and unspecified pneumonia (108, 109): Male Female Diseases of the stomach (117, 118): Male | 1 | 7 1 4 | 14 4 8 | 160 52 30 4 | 22 4 5 | 49 22 18 | 62 29 22 5 | 8 1 5 | 32 25 16 | 40 13 8 | 9 8 4 | 51 17 16 | 28 8 4 | 7 5 | 32 11 8 2 |
| Female | 1 | 5 2 | 3 5 | 89 53 | 1 17 19 | 2 60 35 9 | 76 51 10 | 13 11 1 | £ 45 26 | 16 17 | 10 5 | 26 14 | 19 14 3 | 9 9 | 29 31 |
| Female | 13 1 | 11 5 | 11 9 5 | 240 161 27 | 1 35 24 9 | 70 58 33 | 5 96 59 26 | 2 17 17 2 | 72 63 | 2 49 34 14 | 1 19 13 | 2 51 69 22 | 3 29 24 6 | 26 10 | 65 34 21 |
| Femele | 4 10 2 | 2 41 22 14 | 33 27 | 631 477 294 | 11 88 78 43 | 23 186 135 63 | 15 271 192 74 | 36 31 21 | 161 88 42 | 154 110 55 | 3 64 38 24 | 15 124 92 57 | 5 85 78 45 | 37 37 21 21 | 13 119 77 38 |
| Female Other diseases of early infancy (161 a, d): Male | 3 2 1 | 14 - 4 2 | 6 3 2 | 202 90 61 28 | 39 7 3 | 61 26 14 | 46 36 12 18 | 8 4 | 32 32 16 | 28 13 11 8 | 16 10 5 2 | 30, 19 11 | 20 11 9 | 12 2 4 | 11 5 |
| Female | 1 | 2 | 2 5 5 | 32 4 1 | 1 | 9 10 8 | 9 1 2 | 3 | 3 | 6 6 2 | 2 | 6 9 9 | 3 | 3 1 | 5 9 6 |

TABLE 22.—DEATHS UNDER 1 YEAR OF AGE FROM IMPORTANT CAUSES, BY SEX: 1935—Continued (Exclusive of stillbirths)

| Campaigness of privage Add maximum Campaigness Campa | | | | | | | | , | | 1 | | | | | | | | |
|--|---|--------------------|---------------------|--------------------|-------------------|-------|--------------------|-------------------|----------|--------------------|-------------------|-------|--------------------|-------------------|----------|---------------------|--------------------|-------|
| Part | | KENT | UCKY | I | OUISIANA | L | | MAINE | | N | ARYLAND | | MAS | SACHUSÉT | TS. | M | ICHIGAN | |
| Ministry | CAUSE OF DEATH AND SEX | of 10,000 or | Rural ^{1/} | of 10,000 or | of 2,500 to | Rurel | of 10,000 or | of 2,500 to | Rural | of 10,000 or | of 2,500 to | Rural | 01 10,000 or | of 2,500 to | Rural | of 10,000 -or | of, 2,500 to | Rural |
| French | | | | 1,152 | | 1,473 | | | | | | | 2,730 | | | | | |
| Beauty (77) | | | | | | | | | | | | | 1,598 | | | 1,530 | | |
| Male | | _ | - | | | | | | | | | | | | | | | |
| Figure | | 12 | 32 | ١, | , | 14 | , | , , | 7 | 1. | 1 | 6 | 2 | | 2 | 12 | 1 | 5 |
| Miles 1 1 2 3 3 3 3 3 4 1 1 2 4 3 3 3 4 1 1 3 3 3 3 5 4 1 1 3 3 3 3 5 5 5 5 5 5 | Female | | | | | | | | | | | | | | | | | 8 |
| Newsylest cond. | Male | | | | | | | | | | | | | | - | | | |
| Front Fron | Whooping-cough (9): | | | | | | | | | | | | | | | 1 | | |
| Maintenness 11 | MaleFemale | | | | | | _ | | | | | | | 3 | | | | |
| Exercises (11): | Vele | | 15 | | | 5 | | | _ | 1 | | | . 1 | | | 1 | | |
| Mailanness | | 2 | 11 | 1 | 2 | 4 | | | 1 | | | | | | | | | 1 |
| Presenting (13): | Vn16 | | | | | | | | | | | | | | | | | |
| Freezisch | Dysentery (13): | | | i | | 1 | | | | 7 | 1 | 3 | 1 | | | | | |
| Maile | Female | | | | | | | | | | | | | | | 3 | | 2 |
| Packet of the recognized manufaction (18): | Male | | | | | | | | 3 | | | | | | | | | |
| Temple | Epidemic cerebrospinel meningitis (18): |] | | | | - | | | | | | _ | | , | | } | | - |
| Male | Female | | | | | | | | | | | | | | | | | |
| Comparison of the respiratory system 1 | Male | | 1 | | 2 | | | | | | | 2 | | | | | | |
| (20); | | | 1 | | | 7 | | | | 1 | | | ~ | 1 | | | | |
| Theorem Theo | (23): | , | | 3 | | | | | | 4 | | 3 | 1 | | | 1 | | 1 |
| Mole | Femelc | 1 | | | 1 | 3 | 1 | | | | | | | | | | | |
| Chief Town of tuberculosis (25-30): 2 | Male | 1 | | | | | | 1 | | | | | | <u>-</u> | 1 | | 1 | 3 |
| Spails | Other forms of tuberculosis (25-32): | z | | 2 | | | | | - | | | _ ^ | ~ | 1 | | - | | |
| No. State | Female | | | | | | | | | | | | 1 | | | | | |
| School- S | Mele | | | | | | 1 | 1 | | | | | | | 2 | | | |
| Frenchest 1 | Convulsions (86): | | | 22 | 1 | | | | | ł | 1 | | | - | | | | |
| Male | MaleFemale | | | | 1 | | 2 | 1 | | | | | | | | | | |
| Second composition of the first interval o | Male | 1 | 4 | 1 | 1 | | | | | | | | | 1 | | | | |
| Maile | | 1 | 2 | 2 | | 3 | | } | _ | | | | | | | | | |
| Lober and unspecified pneumonia (106, 109); Male | Male | | | | | | | | | | | | | | | | | |
| Maile | Lobar and unspecified pneumonia (108, | | | | | | | } | | | ٠. | | | | | | | |
| Disperse of the storach (117, 118): Male | Male | | | | | | | | | | | | | 3 | | | | |
| Fomale | Diseases of the stomach (117, 118): | 1 | | | | 8 | | | 4 | 1 | | 1. | 1 | 1 | ı | | 1 | |
| Maile | Female | | | | 1 | | . 5 | | | | | | | | | 2 | | 4 ' |
| Thestinal obstructions (122b): | Male | 1 | | | | | | | | | | | | | | | | |
| Male | Intestinal obstructions (122b): | 1 | l | 1 | | | | | } | ٠٠. | | 1 | | 1 | | | 3 | 4 |
| Male | Female | | | | 1 | | | 1 | | | 1 | | | | | 10 | | . 4 |
| Female | Male | | | | | | | | | | | | | | | | | |
| Male———————————————————————————————————— | | 15 | 70 | 26 | " | 33 | 12 | , | 13 | 120 | " | | 100 | | | | | |
| Premature birth (159): Male | (158, 161 b, c): | 10 | 77 | 28. | | | | | | | | | | 13 | | | | |
| Male———————————————————————————————————— | Female | 7 | 56 | 18 | 8 | 31 | | 1 | | | | | | | 1 | 1 | l . | 1 |
| Injury at birth (160): Male | Male | | | | | | | | | | | | | | | | | |
| Second Color of the Color of | Injury at birth (160): | | | | 1. | | 29 | 5 | 25 | | | | | | | | | |
| (161 a, d): Male | Female | | | | | | | | | | | | 107 | 8 | 6 | 101 | 13 | 3,6 |
| Male———————————————————————————————————— | (161 a, d): | 10 | 30 | 30 | , | 19 | 5 | 5 | 111 | 25 | 3 | 21 | | | 1 - | | | |
| Male———————————————————————————————————— | Female | | | | | | | | | | | 12 | 57 | 2 | 2 | | | Į. |
| Fomale———————————————————————————————————— | Male | | | | | | | | | | | | | | | | | |
| Male | Unknown or ill-defined diseases (199, | 4 | 22 | 9 | " | 1 | " | | ໍ | | | | | | 1 | | | |
| Female | Mele | | | | | | | | | | 1 | | | 1 | 1 | | | |
| Male | All other causes: | | 1 | | | 1 | | | | | Α. | 1 | - | 6 | | 1 | | 46 |
| romate- | MaleFemale | 26 23 | 85 65 | | | | | | | | | | | | | | | |

 $[\]underline{\underline{\mathbf{J}}}/$ Including 40 cities of 2,500 to 10,000 inhabitants.

TABLE 22.—DEATHS UNDER 1 YEAR OF AGE FROM IMPORTANT CAUSES, BY SEX: 1935—Continued (Exclusive of stillbirths)

| | | MINNESOT/ | | Ī | SSISSIP | | 1 | MISSOURI | | | MONTANA | | 1 | JEBRASKA | |
|---|--------------------------------------|-------------------|----------------------|--------------------------------------|--------------------|------------------------|--------------------------------------|--------------------|-----------------------|--------------------------------------|------------------|----------------------|--------------------------------------|---------------------------------------|--------------------|
| CAUSE OF DEATH AND SEX | Cities of 10,000 or more | of | Rural | Cities of 10,000 or more | of | Rural | Cities of 10,000 or more | of | Rural | Cities of 10,000 or more | of | Rural | Cities of 10,000 or more | Cities of 2,500 to 10,000 | Rural |
| All causes | 749 449 300 | 311 186 125 | 993 585 408 | 388 220 168 | 175 97 78 | 2,042 1,142 900 | 1,349 784 565 | 363 209 154 | 1,550 894 656 | 144 76 68 | 82 46 36 | 376 224 152 | 338 204 134 | 173 100 73 | 449 265 184 |
| Measles (7); MeloFomale | 3 | 1 | 7 3 | | | 2 2 | 2 3 | 3 2 | 12 | 1 | | 3 5 | 1 1 | 1 3 | 2 4 |
| Scarlet fever (8): Male | 1 1 | 3 | 1 | 1 | | 1 29 | 2 | 9 | 3 2 42 | 1 | 1 | 3 | 1 | 2 | 1 2 3 |
| Female Diphtheria (10): Male Female | 4 | | 22 | 2 | 1 | 35 1 2 | 3 | B | 30 3 | 2 | | 7 | 2 | 1 | 1 |
| Influenze (11): Male Female | 4 | 4 3 1 | 22 12 3 | 4 7 3 | 3 4 | 60 44 6 | 18 5 | 5 4 2 | 31 30 5 | 3 1 | 2 | 8 6 | 4 5 | 3 2 | 8 5 |
| Femele- Erysipelas (15): Male Female | 3 | 1 | 1 1 1 | 1 | 1 | 4 3 5 | 3 4 3 | 1 | 7 7 3 | 2 | | 2 | | | 11 |
| Male | 1 | | 1 2 2 | 1 2 | 1 | 1 2 7 2 | 2 3 | | 1 1 1 3 | | | 1 | 1 | | 1 |
| Tuberculosis of the respiratory system (23): Male | 3 | | 2 | 1 1 | 1 | 1 | 1 5 2 | 1 | 3 2 | | | 5 | 2 | | 1 |
| Female | 1 2 | 1 | 1 | | | 1 | 1 2 2 | | | | | 1 | 1 | | 1 |
| Syphilis (34): Male | 1 | 2 | 1 2 8 | 6 4 1 | 1 2 | 18 15 5 | 16 7 | 3 4 | 5 3 | 1 | | 2 1 | 2 4 | 1 1 2 | 2 |
| Female | 1 | 1 | 4 2 4 | 2 | 1 | 4 4 4 | 1 2 1 | | 1 4 1 | 1 | | 2 | | 1 | 1 |
| Mele | 44 22 10 | 12 8 3 5 | 52 43 22 13 | 12 5 6 3 | 7 3 5 | 90 41 45 28 | 94 77 31 16 | 23 21 6 5 | 100 78 42 19 | 6 6 3 | 8 4 | 30 22 10 11 | 15 12 8 2 | 10 6 4 3 | 31 17 8 9 |
| Diseases of the stomach (117, 118): Male | | 1 | 1 1 | | 1 | 1 4 | 1 | | 9 3 | | | 1 1 | | 1 | 1 1 |
| Male- Female- Intestinal obstructions (122b): Male- Female- | 9 8 7 2 | 5 | 32 2 2 | 15 14 2 3 | 8 6 2 | 63 60 7 8 | 75 56 11 4 | 18 18 5 4 | 107 83 3 | 2 | | 7 | 3 | 5 6 | 11 3 |
| Congenital malformations (157): Male | 63 42 7 | 24 18 6 | 67 40 31 | 12 4 | 2 3 5 | 30 32 40 | 78 61 14 | 23 17 | 88 64 30 | 12 12 | 1 8 1 | 17 12 11 | 28 12 6 | 16 8 5 | 33 17 11 |
| Female- Premature birth (159): Malo- Female- Injury at birth (160): | 163 120 | 1° 70 53 | 14 166 125 | 58 50 | 19 | 45 188 153 | 253 176 | 9 44 38 | 24 218 170 | 2 25 21 | 3 15 11 | 5 46 47 | 68 40 | 5 29 27 | 7 81 64 |
| Male | 58 40 17 | 27 14 | 59 22 15 | 32 17 | 9 4 3 | 51 30 33 | 58 46 22 | 22 5 | 61 24 19 | 9 6 2 | 2 2 | 15 | 18 27 6 | 10 6 | 24 12 10 |
| Female | 9 8 9 | 3 5 1 | 16 17 9 | 7 1 | 1 | 10 19 21 | 15 8 7 | 3 6 4 | 20 13 | 1 | 2 | 11 4 | 8 4 7 | 2 | 3 6 9 |
| Male | 45 17 | 8 9 | 13 7 35 30 | 33 36 21 8 | 21 17 6 6 | 386 300 51 45 | 2 1 72 50 | 3 2 18 8 | 24 27 53 37 | 1 1 6 6 | 1 1 5 2 | 14 1 13 5 | 2 27 10 | 5 | 3 4 21 10 |

TABLE 22.—DEATHS UNDER 1 YEAR OF AGE FROM IMPORTANT CAUSES, BY SEX: 1935—Continued (Exclusive of stillbirths)

| (Numbers afte | T Causes | | | T. | | | talled 3 | | TORAL L. | | | | 1 | | |
|---|--------------------------------------|----------------|---------|--------------------------------------|----------------|-----------------|--------------------------------------|---------------------------------------|-------------------|--------------------------------------|---------------------------------------|---------------------|--------------------------------------|---------------------------------------|---------------------|
| | | NEVADA | | NET | T HAMPSHI | RE | NE | W JERSE | Y | NE | W MEXICO | · | 1 | NEW YORK | |
| . CAUSE OF DEATH AND SEX | Cities of 10,000 or more | of | Rural | Cities of 10,000 or more | of | Rural | Cities of 10,000 or more | Cities of 2,500 to 10,000 | Rural | Cities of 10,000 or more | Cities of 2,500 to 10,000 | Rural | Cities of 10,000 or more | Cities of 2,500 to 10,000 | Rural. |
| All causes | 14 7 7 | 35 18 17 | 33 | | 43 25 18 | 144 93 51 | 2,028 1,171 857 | 217 119 98 | 275 155 120 | 217 130 87 | 230 119 111 | 1,258 720 538 | 7,288 4,217 3,071 | 459 264 195 | 1,105 526 479 |
| Weasles (7): | | | | | | | | _ | | | | | | | |
| Female | | | | 1 | | | 2 4 | 1 | | 1 | 1 | 5 | 16 11 | 1 | 3 2 |
| NeleFemale | | | | | | | 1 | | | | | | 1 | | : |
| Whooping-cough (9): Male | | 1 | 1 | | 2 | 2 | 19 | 5 | 4 | 5 | 4 | 21 | 82 | 3 | 19 |
| FemaleDiphtheria (10): | ******* | | | 4 | | 2 | 21 | 3 | 5 | 6 | 8 | 21 | 76 | 8 | 26 |
| KeleFemele | | | | | | | 1 | | | | | 1 | 3 | | |
| Influonza (11): MaloFemale | | . 1 | 1 | | | 4 | 14 | 2 | 4 | 4 | 5 | 17 | 31 | 5 | 18 |
| Dysentery (13): Male | 1 | | | 3 | 1 | 2 | 4 | 2 | | 3 | 1 | 11 | 23 | 2 | 13 |
| Female | | | | | | | | | 1 | 2 3 | 4 | 3 2 | 3 | | |
| MaleFemale | | | 1 | 1 | | | 9 4 | | | | | 1 | 36 | 1 | 3 |
| Spidemic cerebrospinal meningitis (18): | | | | 2 | | | 2 | | | | | | 43 17 | 1 | 2. |
| Female | | | | | | ; | ĩ | | | | | | 6 | | i |
| MaleFomale | | | | | | | | | | | | | | | |
| uberculosis of the respiratory system (23): | | | 1 | | | | 6 | | | | 1 | 2 | 12 | | |
| Female | | | | | | | 2 | | | 2 | | | 10 | | |
| Mole | | | | | | | 2 | | | | | | 3 4 | 1 | 1 |
| ther forms of tuberculosis (25-32); 'Mole | | | | | | | 3 | | | | | | 6 | 1 | ı |
| Fémaleyphilis (34): | | | | | | | 3" | | | | | | 5 | | |
| MaleFemale | | | 1 | | | | 13 9 | | 1 2 | 3 | 2 | 10 8 | 38 29 | 5 | 5 3 |
| Onvulsions (86): Male | | | ļ | | 1 | | 7 | 2 | 1 | | | 1 | 6 | | 2 |
| ronehitis (106): | | | 1 | | | 1 | 3 | 1 | 2 | | | 1 | 5 | | 1 |
| Female | | | | 2 | | | 4 | 1 | | 1 | 2 | 2 | 13 | 2 | 7 5 |
| KaleFomale | <u>1</u> | 2 | 4 | 17 4 | 1 | 15 | 128 93 | 15 13 | 23 26 | 20 11 | 8 10 | 42 27 | 561 405 | 18 23 | 72 50 |
| obar and unspecified pneumonia (108, 109): | | | ı | 7 | | 2 | 56 | 6 | 9 | 4 | 5 | 22 | 124 | 12 | 23 |
| Femaleiseasos of the stomach (117, 118): | | 1 | ĩ | 3 | | ž | 54 | 4 | 5 | 2 | 2 | 16 | 114 | 6 | 13 |
| MaleFemale | | | | | | | 2 2 | | 2 | | 1 2 | 3 4 | 7 2 | 1 | 1 |
| iarrhea and enteritis (119): | | 2 | 1 | 4 | ı | 3 | 60 | 6 | 12 | 24 | 23 | 98 | 380 | 7 | 39 |
| Femalotestinal obstruction (122b): | | | 1 | 2 | 2 | 1 | 38 | 4 | 5 | 19 | 29 | 75 | 251 | 9 | 19 |
| KaleFemale | | 1 | 1 | 2 2 | | | 12 | | 1 | 1 | 2 | 2 | 37 17 | 2 | 4 |
| ongenital malformations (157); Male | | 1 | 6 | 14 | 1 | 10 | 127 | 9 | 13 | 3 | 4 | 12 | 437 | 29 | 91 |
| Femaleongenital debility, icterus, sclerema (158,161 b, c): | 1 | 3 | | 8 | 4 | 3 | 93 | 14 | 11 | 5 | 2 | 11 | 402 | 18 | 73 |
| MaleFemale | | 2 1 | 3 | 2 | 2 | 4 | 31. 27 | 5 4 | 6 4 | 2 | 8, 6 | 13 14 | 72 46 | 7 | 28 16 |
| emature birth (159): Malo | 4 2 | 9 | 11 6 | 52 40 | 8 | 25 17 | 368 265 | 36 33 | 42 27 | 23 10 | 21 | 57 50 | 1,225 | 91 69 | 156 139 |
| funde | | 1 | | 16 | 5 | 12 | 133 | -13- | 12 | 5 | 9 | 7 | 535 | 32 | 75 |
| Female | 1 | 3 | | 11 | ĭ | 9 | 95 | 5 | 10 | 5 | 2 | ģ | 325 | 18 | 42 |
| MaleFormale | 1 | | | 12 4 | 3 | 3 2 | 70 44 | 5 8 | 10 | 5 2 | 2 | 18 4 | 173 | 15 9 | 14 12 |
| xternal causes (172-198, 201-214): | 1 | | | 4 | 1 | 4 | 15 | 2 | 6 | 1 | | 9 | 59 | | 21 |
| Female | | | | i | | 4 | 14 | | 1 | | 1 | 4 | 35 | 4 | 10 |
| MaleFemale | | | 1 2 | | | 2 | 7 5 | 2 | 2 | 22 10 | 13 16 | 358 262 | 8 | 2 | 3 2 |
| Male | 1 | 1 | 1 | 5 | | 7 | 80 | 9 | 7 | 5 | 4 | 17 | 332 | ಚಿತಿ | 40 |
| Female | 1 [| | 3 | 2 | 4 | 2 | 65 | 6 | 14 | 1 | 4 | 12 | 195 | 15 | 38 |

TABLE 22.—DEATHS UNDER 1 YEAR OF AGE FROM IMPORTANT CAUSES, BY SEX: 1935—Continued (Exclusive of stillbirths)

| | | (Number | s after | causes | of death | corres | pond to | those of | the de | tailed J | nternati | onel Li | st) | | | | | |
|---|--------------------------------------|-------------------|-------------------------|--------------------------------------|---------------------------------------|-------------------|--------------------------------------|---------------------------------------|---------------------|--------------------------------------|---------------------------------------|---------------------|--------------------------------------|---------------------------------------|------------------|--------------------------------------|---------------------------------------|-------------------------|
| | NORT | TH CAROLI | INA | NOF | TH DAKOT | 'A | | OHIO | | c | KLAHOMA | | | OREGON | | PEN | nsylvani | ĹA. |
| CAUSE OF DEATH AND SEX | Cities of 10,000 or more | of | Rural | Cities of 10,000 or more | Cities of 2,500 to 10,000 | Rural | Cities of 10,000 or more | Cities of 2,500 to 10,000 | Rural | Cities of 10,000 or more | Cities of 2,500 to 10,000 | Rural | Cities of 10,000 or more | Cities of 2,500 to 10,000 | Rural | Cities of 10,000 or more | Cities of 2,500 to 10,000 | Rural |
| All causes Male Femele | 1,274 751 523 | 448 254 194 | 3,700 2,096 1,604 | 123 71 52 | 104 57 47 | 584 313 271 | 3,252 1,818 1,434 | 464 258 206 | 1,377 770 607 | 728 419 309 | 469 253 216 | 1,187 651 536 | 228 137 91 | 126 68 58 | 189 106 83 | 4,526 2,648 1,878 | 1,107 617 490 | 2,561 1,466 1,095 |
| Measles (7): | | _ | | | 4. | _ | _ | | | | | | | | | | _ | |
| MaleFemale | 2 | 1 | 12 | | | 2 7 | 7 5 | 4 1 | 6 | 2 | 1 | 2 | 1 | 2 | | 6 12 | 5 2 | 13 10 |
| Scarlot fever (8): Male Female | | | | | | | 3 | 1 | 2 2 | | | 1 | | | | 1 | | 2 2 |
| Whooping-cough (9): | 7 | 6 | 74 | 2 | | 13 | 21 | 6 | 16 | 7 | 1 8 | 26 | | 2 | 3 | 26 | 7 | 32 |
| Female Diphtheria (10): | 21 | 5 | 69 | | 1 | 19 | 21 | 8 | 29 3 | 13 | 6 | 33 | 2 | ĩ | 3 | 23 | 11 | 26 |
| Female | 3 | | 12 | | | | i | 1 | ĭ | 2 | 2 | 5 | | | | ī | 1 | |
| MaleFemale | 22 | 2 | 51 51 | 1 | 2 | 15 10 | 31 31 | 13 5 | 42 28 | 15 8 | 13 13 | 27 26 | 2 | 1 | 7 | 46 35 | 18 17 | 60 46 |
| Dysentery (13): | 14 | | 17 | | 1 | | 3 | 1 | 1 | 6 | 4 | 13 | | | | 1 | | 1 |
| FemaleErysipelas (15): | 6 | 3 | 12 | | | | 1 | | | 9 | 3 | 11 | | | | | 1 | 1 |
| MaleFemale | 1 | -~ | 8 9 | 1 | 1 | 3 | 5 7 | 1 | 3 | 2 3 | 3 | 4 2 | 1 | | 1 | 13 6 | 3 | 6 10 |
| Epidemic cerebrospinal meningitis (18): | | | | | | | | | | | | | | | | | | |
| MaleFomale | 2 | | | | 1 | 1 | 10 | 1 | 1 | 2 | 1 | 1 | 1 | | | 12 | 3 | 2 |
| Tetanus (22): Male | | | | | | | | | | | | | | | | 2 | | 1 |
| Tuberculosis of the respiratory | | | 1 | | | | | | | | | | | | | | | |
| system (23): Male Female | 1 | | 2 5 | 1 | | 1 | 8 5 | | 1 | 2 | 1 | 2 | | 1 | | 14 10 | 2 1 | 1 2 |
| Tuberculosis of the meninges, etc. (24): | | | , | | | | 3 | | | ~ | 1 | - | | 1 | | 10 | _ | _ |
| Male Female | 1 | | 1 2 | | | 2 | 8 6 | 1 | 1 | 2 | 2 | 1 | | | | 7 13 | 3 | 2 2 |
| Other forms of tuberculosis (23-32): Mele | 2 | | | | | 1 | 2 | | | 1 | 1 | 2 | 1 | | | 2 | | |
| FemaleSyphilis (34): | | | | | | 2 | 3 | 1 | 1 | ĩ | | 1 | ī | | | 2 | | 1 |
| MaleFemale | 16 8 | 6 3 | 17 14 | | | 3 3 | 15 18 | 2 | 3 4 | 6 5 | 2 | 6 3 | 1 | 1 | | 36 22 | 5 1 | 7 10 |
| Convulsions (86): | 2 | 1 | 20 | | 2 | 7 | 7 | | 4 | 2 | | 9 | | | | 10 | 2 | 16 |
| FemaleBronchitis (106): | 1 | 1 | 11 | | | 7 | 2 | | 4 | 1 | 2 | 2 | 1 | | 1 | 6 | 3 | 13 |
| Male Female | 3 3 | 2 | _11 | 1 | | 1 2 | 9 5 | | 2 | 1 | 1 | 1 | 1 | 1 | 1 | 16 11 | 5 4 | 15 |
| Bronchopneumonia (107): Male | 61 | 30 | 140 | 12 | 4 | 32 | 203 170 | 33 13 | 62 70 | 49 24 | 27 26 | 55 58 | 13 7 | 3 3 | 16 11 | 351 242 | 67 67 | 186 128 |
| Lobar and unspecified pneumonia | 43 | 19 | 99 | 12 | 7 | 43 | 170 | 13 | / / | 24 | 20 | " | · | | <u> </u> | "" | " | 1.00 |
| (108,109): Male | 18 16 | 12 8 | 116 66 | 2 | 2 6 | 20 14 | 50 19 | 2 3 | 42 17 | 18 8 | 19 8 | 35 15 | 3 | 2 | 4 5 | 149 105 | 22 16 | 68 61 |
| Diseases of the stomach (117, 118): | 1 | | 14 | | | 1 | 1 | ı | 6 | 2 | 3 | 12 | | | | 4 | | 8 |
| Male Femals Diarrhea and enteritis (119): | ī | | 7 | | | | 3 | | 7 | ĩ | 2 | 5 | 1 | | 2 | 5 | 3 | 6 |
| MaleFemale | 102 69 | 35 27 | 246 199 | 2 | 3 5 | 33 21 | 133 84 | 15 17 | 42 48 | 69 44 | 22 15 | 51 42 | 4 3 | 3 2 | 2 2 | 149 120 | 30 24 | 99 79 |
| Intestinal obstruction (122b): | 7 | 2 | 10 | | 1 | 4 | 18 | 2 | 9 | 6 | 2 | 3 | 3 | | 2 | 25 | 4 | 6 |
| Female | 7 | 1 | 1 | 1 | 1 | 1 | 13 | - | 8 | 2 | 2 | 3 | 2 | 1 | 2 | 15 | 4 | 5 , |
| MaleFemale | 55 30 | 10 15 | 99 76 | 5 | 5 | 21 27 | 179 157 | 29 32 | 85 75 | 22 22 | 6 13 | 44 35 | 16 | 8 | 16 | 268 246 | 64 52 | 201 155 |
| Congenital debility, icterus, sclerms (158, 161 b, c): | | | | | | | | | | | | | _ | | | 56 | 8 | 49 |
| MaleFemale | 28 25 | 12 | 136 94 | 2 | 1 | 20 | 47 23 | 12 | 43 32 | 20 10 | 9 | 38 29 | 5 3 | 3 4 | 1 4 | 27 | 9 | 39 |
| Premature birth (159): | 212 | 64 | 575 | 25 | 17 | 71 57 | 604 505 | 81 75 | 206 164 | 97 84 | 73 65 | 165 131 | 49 34 | 28 18 | 29 23 | 785 535 | 206 159 | 404 296 |
| Female | 149 | 47 28 | 472 98 | 14 | 14 | 29 | 194 | 30 | 67 | .25 | 19 | 32 | 10 | 8 | 7 | 301 | 74 | 115 |
| Male | 71 52 | 16 | 66 | 10 | i | 20 | 127 | 4 | 40 | 15 | 12 | 27 | 13 | 2 | 6 | 175 | 53 | 63 |
| (161 a, d): Male Female External causes (172-198, 201- | 24 | 8 6 | 31 21 | 2 2 | 2 4 | 3 7 | 72 76 | 8 5 | 24 16 | 12 7 | 4 6 | 16 16 | 8 4 | 2 4 | | 112 84 | 28 20 | 48 38 |
| 214): Mele | 16 | 5 | 38 37 | 2 | 1 | 4 | 37 29 | 5 13 | 20 10 | 4 6 | 6 | 14 8 | 5 2 | 2 | 4 5 | 32 18 | 7 6 | 17 28 |
| Female | 38 | 13 | 249 | 1 | | 8 | 16 | 13 | 11 | 7 | e e | 49 | 3 | | 2 | 14 | 3 | 14 |
| Male Female All other causes: | 23 | | | | 1 | 10 | ii | 2 | 7 | 8 | 9 | 41 | | ,1 | 2 | 9 | | 5 |
| MaleFemale | 46 29 | 17 12 | 122 85 | 4 5 | 5 4 | 17 10 | 135 101 | 10 14 | 50 31 | 45 18 | 17 11 | 37 37 | 12 7 | 5 5 | | 208 148 | 50 32 | |

TABLE 22.—DEATHS UNDER 1 YEAR OF AGE FROM IMPORTANT CAUSES, BY SEX: 1935—Continued (Exclusive of stillbirths)

| | RHC | DE ISLAN | n . | SOUT | H CAROLI | NA | sou | TH DAKOT | 'A. | 1 | ENNESSEE | | | TEXAS | | | UTAH | |
|--|--------------------------------------|---------------------------------------|----------------|--------------------------------------|---------------------------------------|-------------------------|--------------------------------------|---------------------------------------|-------------------|--------------------------------------|---------------------------------------|-----------------------|--------------------------------------|---------------------------------------|-------------------------|--------------------------------------|---------------------------------------|-------------------|
| CAUSE OF DEATH AND SEX | Cities of 10,000 or more | Cities of 2,500 to 10,000 | Rural | Cities of 10,000 or more | Cities of 2,500 to 10,000 | Rural | Cities of 10,000 or more | Cities of 2,500 to 10,000 | Rural | Cities of 10,000 or more | Cities of 2,500 to 10,000 | Rural | Cities of 10,000 or more | Cities of 2,500 to 10,000 | Rural | Cities of 10,000 or more | Cities of 2,500 to 10,000 | Rural |
| All causes Male Famale | 441 252 189 | 10 8 2 | 31 21 10 | 565 324 241 | 224 134 90 | 2,430 1,393 1,037 | 134 78 56 | 77 41 36 | 463 274 189 | 1,104 643 461 | 299 173 126 | 2,011 1,140 871 | 3,054 1,720 1,334 | 1,143 673 470 | 4,033 2,263 1,770 | 244 133 111 | 120 73 47 | 262 149 113 |
| Measles (7): | | | | | | 4 | | | 2 | | | 6 | 4 | 2 | 16 | | | . 3 |
| Female | 1 | | | | | 4 | | | 1 | | 1 | 2 | 4 | 1 | 14 | | 1 | 1 |
| Female | 1 | | | 7 | 3 | - - | 2 | 2 | 5 | 1 12 | 6 | 2 39 | 1 11 | 14 | 39 | 5 | 3 | 3 |
| Female Diphtheria (10): | 2 | | | 9 | 2 | 36 6 | 4 | 2 | 3 | 14 | 3 | 60 3 | 14 | 15 | 49 | 5 | 2 | 8 |
| FemaleInfluenza (11): | | | | 1 | | 2 | | | | 1 | 1 | 5 | 7 | 1 | 13 | | | |
| Female Dysentery (13): Male | 1 | 1 | | 17 | 9 4 | 72 50 | 2 | 1 | 13 | 12 | 6 4 | 43 35 | 53 27 | 22 14 | 99 67 | 2 | 2 | 1 |
| Female | | | | 2 | 4 | 12 13 | | | 1 | 16 12 | 2 | 13 8 | 19 15 | 24 25 | 61 42 | 1 4 | | |
| Male Female Epidemic cerebrospinel meningitis | 5 | | | 2 | | 2 | | | 1 | 3 | | 4 | 3 7 | 3 2 | 10 9 | 1 | 1 | 6 |
| (18): Malo Female | | | | | | | | | | 6 9 | <u>-</u> | 2 1 | 3 3 | 1 | 1 | 1 | | |
| Tetanus (22): Male Female | | | | 2 | 2 | 2 | <i></i> | | | | 1 | 2 2 | 7 4 | 6 5 | 26 11 | | | |
| Tuberculosis of the respiratory system (23): | 1 | | | | 1 | 1 | | | 4 | 4 | 1 | 5 | 4 | 1 | 5 | | | |
| FemaleTuberculosis of the meninges, etc. (24): | | | | | | 2 | | | 4 | 2 | | 4 | 5 | 2 | 2 | | | |
| Male | 1 2 | | | | | 1 | 1 | 1 | 2 | 3 1 | 1 | 3 2 | 6 | 1 | 2 | | | |
| 32): Malo Female | 1 | | | | | | | | 2 | | | | 5 1 | 1 | 2 | | | |
| Syphilis (34): Male Female | 2 | | | 19 15 | 3 6 | 26 14 | | | 1 | 23 10 | 2 1 | 3 6 | 42 42 | 8 7 | 20 17 | 1 3 | | 1 |
| Convulsions (86): MaleFemale | 1 | | | 1 | 1 | 7 6 | 1 | 1 | 5 3 | 1 | | 7 | 5 3 | 5 1 | 24 8 | | 1 | |
| Bronchitis (106): Male Female | 3 | | | 2 | | 2 2 | | | 2 2 | 1 | | 2 2 | 7 7 | 1 | 12 | | | 1 1 |
| Bronchopneumonia (107): Male | 22 20 | 2 | 1 2 | 36 23 | 12 | 75 66 | | 1 2 | 37 22 | 71 43 | 10 | 76 60 | 156 132 | 56 40 | 155 135 | 6 10 | 7 | 19 |
| Lobar and unspecified pneumonia (108, 109): | | • | | | | 90 | 4 | | 17 | 19 | 7 | 47 | 84 | 22 | 96 | 5 | 1 | 6 |
| Female | 7 4 | * | | 11 | 5 1 | 85 | 1 | 1 | 10 | 15 | 6 | 24 | 54 | 25 | 94 | ĭ | ž | 6 |
| 118): Mele Female | 1 | | | 1 | 1 | 15 5 | 1 | | | 3 | 2 | 7 5 | 10 10 | 9 4 | 35 25 | 1 | | |
| Diarrhea and enteritis (119): Male | 21 12 | | 1 | 40 32 | . 16 . 12 | 114 92 | 4 | 3 1 | 33 16 | 83 52 | 18 14 | 122 99 | 328 281 | 114 86 | 341 285 | 3 5 | 4 2 | 2 6 |
| Intestinal obstruction (122b): Male Female | 3 | | | 5 2 | 1 | 3 5 | . 2 | 2 | 1 2 | 9 4 | | 2 | 15 12 | 7 7 | 12 10 | 2 | 2 | |
| Congenital malformations (157): Male Female | 35 32 | | 1 4 | 12 10 | -1 ₃ | 41 24 | 9 6 | 2 2 | 29 19 | 33 38 | ? 6 | 57 38 | 98 85 | 36 21 | 102 79 | 14 9 | 6 6 | 15 9 |
| Congenital debility, icterus, sclerema (158, 161 b, c): | 5 | 1 | 1 | 22 | 6 | 37 | | 1 | 10 | 15 | 11 | 61 | 61 | 46 | 159, | 2 | 2 | 3 |
| Female Premature birth (159): Mele | 3 82 | 2 | 5 | 26 84 | 3 29 | 220 | 3 29 | 13. | 3 55 | 12 | 7 53 | 41 204 | 42 452 | 156 | 98 482 | 2 59 | 1 27 | 7 62 |
| Female Injury at birth (160): Male | 49 34 | 1 | 1 5 | 58 15 | 25 12 | 170 28 | 17 | 14 8 | 15 | 126 58 | 37 11 | 176 55 | 346 142 | 99 54 | 139 | 13 | · 16 | 25 |
| Female Other diseases of early infancy (161 a, d): | 29 | | 3 | 13 | 5 | 16 | 2 | 7 | 15 | 30 | 7 | 41 | 78 | 22 | 80 | . 13 | 6 | 6 |
| Male | 7 18 | 1 | 1 | 12 3 | 6 3 | 26 13 | 1 5 | 1 | 12 4 | 18 12 | 1 | 14 12, | 50 40 | 115 | 50 42 | 5 6 | 2 | 11 |
| %14): Male Fommle | 1 3 | | | 5 2 | 1 | 17 13 | 1 | | 2 4 | 9 7 | 1 | 17 12 | 23 18 | 15 6 | 60 52 | 3 3 | 2 | 1 2 |
| Unknown or ill-defined diseases (199, 200): | 1 | | | 10 | 13 | 440 | 1 | | 14 | 39 | 22 | 270 | 27 | 13 | 142 | <u>1</u> | 3 | 8 |
| FemaleAll other causes: | 2 17 | | | 5 | 8 | 314 | 6 | <u>5</u> | 22 | 22 35 | 15 | 185 | 21 | 11 39 | 116 | 2 8 | 5 | 5 |
| MaleFemale | 7 | | | 17 | , 8 | 71 | 4 | 2 | 9 | 35 | 9 | 43 | 69 | 32 | 130 | 11 | | 7 |

TABLE 22.—DEATHS UNDER 1 YEAR OF AGE FROM IMPORTANT CAUSES, BY SEX: 1935—Continued (Exclusive of stillbirths)

| | | ers alter | T | | | T. | | | | | | | | | 1 | | |
|--|--------------------------------------|------------------|--------------------------------------|---------------------------------------|-----------------|--------------------------------------|-----------------|-------------------|--------------------------------------|---------------------------------------|-----------------------|--------------------------------------|---------------------------------------|-------------------|--------------------------------------|----------------|-----------------|
| | VERI | MONT | , | /1PGINIA | | WA | ASHINGTON | 1 | WES | ST VIRGIN | TIA | 1 | VISCONSI | 1 | 1 | VYOMING | , |
| CAUSE OF DEATH AND SEX | Cities of 10,000 or more | Rural 1/ | Cities of 10,000 or more | cities or 2,500 to 10,000 | Rural | Cities of 10,000 or more | of | Rural | Cities of 10,000 or more | Cities of 2,500 to 10,000 | Rural | Cities of 10,000 or more | Cities of 2,500 to 10,000 | Rural | Cities of 10,000 or more | of | Rurel |
| All causes Mele Female | 71 36 35 | 249 153 96 | 904 490 414 | 279 155 124 | | 615 361 254 | 117 61 56 | 280 156 124 | 512 297 215 | 290 165 125 | 1,731 1,035 696 | 1,075 644 431 | 345 197 148 | 999 574 425 | 45 24 21 | 44 21 23 | 134 62 72 |
| | | | | | -, | - | | | | | | 401 | | 200 | - | - | /2 |
| Measles (7): Male Female | | 1 | 1 2 | 1 | 15 15 | 1 | | 1 | 3 2 | 2 | 15 3 | 2 | 2 | 3 | 1 1 | | 1 4 |
| Scerlet fewer (8): Male Female | | 1 | | | 1 | | | | | | 3 | 1 | 1 | 1 | 1 | 1 | |
| Whooping-cough (9): MaleFemale | | 4 3 | 10 | 3 3 | 56 55 | 3 | 1 | 7 5 | 4 3 | 1 1 3 | 32 29 | 7 | 2 | 8 7 | 1 | 1 | 2 |
| Diphtheria (10): MaleFemale | | | | | 4 | | | | 1 | 2 | 5 | 9 | 4 | | | | 4 |
| Influenza (11): Male | | 2 | 12 | 3 | 49 | 5 | 2 | 4 | 3 | 2 | 9 39 | 6 | В | 11 | | | 3 |
| Female Dysentery (13): Male | | 3 | 11 | 4 | 39 14 | 3 | 1 | 3 | 4 | 5 | 20 6 | 1 | 6 | 12 | 2 | 2 | 3 |
| Female | 1 | 1 | 2 | 1 | 13 | 4 | 1 | 1 | 1 2 | 3 | 6 5 | 1 | | 3 | 1 | 1 | 1 |
| Female Epidemic cerebrospinal meningitis (18): Male | 1 2 | 1 | 1 | 1 | 1 4 | 1 | | 1 | 2 | | 2 | 1 5 | | 2 | | 1 | 2 |
| Female | | | 1 | | 3 | | | | 1 | 1 | | 1 | | 1 | | | |
| Tuberculosis of the respiratory system (23): | | | | | 1 | | | | | | | | | | | | |
| Male Female Tuberculosis of the meninges, etc. (24): | | | 2 | | 3 | 1 | 1 | | 1 | 1 | | 1 2 | | 1 | | | £ |
| Mele | | 2 | 1 | 1 | 6 5 | 2 | 1 | 1 | 3 | | 3 2 | 1 | | | | | |
| Male | | 1 | 1 | | 2 | 1 | | 1 | | 1 | 1 | 1 | | 1 | | | |
| Male | | 2 | 11 16 | 3 1 | 18 11 | 3 | | 1 | 8 | 1 | 14 14 | 3 2 | 1 | 3 | 1 | | 1 |
| Male Female Bronchitis (106): | | 1 | 2 | 1 | 18 11 | 2 | | 2 | 2 | 1 | 7 5 | 2 | 2 | 10 7 | | | |
| Mele | 1 | 3 | 1 | 1 | 5 11 | 2 | 1 | 2 | | 1 | 2 1 | 6 2 | 1 | 3 6 | | 1 | |
| Bronchopneumonia (107): Male Female Lober and unspecified pneumonia (108, | 1 2 | 17 9 | 50 50 | 15 11 | 102 67 | 22 18 | 1 | 18 14 | 23 12 | 11 18 | 82 48 | 58 40 | 20 12 | 71 53 | 1 4 | 4 2 | 6 10 |
| 109): Male Female | | 3 | 18 7 | 1 3 | 60 52 | 4 7 | 1 3 | 7 2 | 11 8 | 6 5 | 41 24 | 20 10 | 4 | 14 15 | | 2 | 5 3 |
| Diseases of the stomach (117, 118): Male | | 1 | 2 | 3 1 | 6 5 | 1 | | 1 | 3 | 2 | 6 5 | 1 | | 2 | | | 2 |
| Diarrhea and enteritis (119): Male Female | 4 | 2 5 | 48 36 | 11 11 | 90 70 | 19 16 | 5 | 7 10 | 34 29 | 23 16 | 90 60 | 23 14 | 7 4 | 36 28 | 1 | 1 | 3 |
| Intestinal obstruction (122b): Male Female | | 1 | 7 2 | 3 | 7 3 | 3 2 | | 1 | 1 3 | 5 1 | 3 7 | 4 | 4 | 6 1 | | | ₁ |
| Congenital malformations (157): Mele Female | 4 9 | 21 13 | 32 33 | 7 8 | 74 48 | 56 31 | 10 11 | 8 12 | 28 23 | 10 11 | 82 63 | 93 80 | 20 25 | 73 64 | 1 2 | 2 3 | 4 |
| (158, 161 b, c): Male | 1 1 | 6 2 | 21 12 | 9 7 | 131 103 | 12 | 3 | 11 | 8 | 10 | 57 39 | 14 8 | 5 1 | 17 9 | | 1 | 4 <u>.</u> |
| Premature birth (159): | 17 | 51 | 151 | 50 | 369 | 113 | 24 | 36 24 | 102 | 41 24 | 278 194 | 206 154 | 75 60 | 164 117 | 12. | 6 9 | 22 17 |
| Female | 12 | 35 14 6 | 139 53 32 | 44 19 12 | 263 68 35 | 50 26 | 21 8 3 | 17 11 | 24 28 | 15 4 | 61 | 92 46 | 20 19 | 57 41 | 1 1 | | 3 5 |
| Other diseases of early infancy (161 a, d): Male | | 8 | 14 | 12 | 34 | 24 | 2 | 4 | 8 | 4 | 20 | 48 | 8 | 25 | | 1 | 4 |
| Female | 2 | 4 | 17 | 1 3 | 12 25 | 11 | 2 | 3 8 | 5 | 6 | 13 | 15 | 5 | 25 14 | 1 | î 1 | |
| Female | 2 | 2 | 12 | 3 | 19 | 12 | 1 | 9 | | î | 15 | 6 | 1 | 8 | | | 2 |
| Male | | 2 | 13 9 | 10 6 | 130 106 | 1 | 1 | 10 | 6 | 4 7 | 112 73 | 3 2 | 1 | 11 3 | 1 | 1 | 1 |
| MaleFemale | 4 1 | 8 6 | 26 20 | 11 4 | 80 64 | 29 21 | 3 5 | 7 14 | 17 14 | 16 11 | 49 33 | 38 27 | 19 6 | 40 23 | 3 | 2 | 2 3 |

 $[\]underline{1}\!/$ Including 11 cities of 2,500 to 10,000 inhabitants.

TABLE 23.—DEATHS BY SEX AND CERTAIN SUBDIVISIONS OF THE FIRST YEAR OF LIFE: 1935 (Exclusive of stillbirths)

| | | UNITED | STATES | | | ALA BAMA | | | ARIZONA | | A | rkansas | | C | ALIFORNI | A | | COLORADO | , |
|--|---------------------------|--------------------------------------|---------------------------------------|-------------------------|--------------------------------------|---------------------------------------|-----------------|--------------------------------------|---------------------------------------|----------------|--------------------------------------|---------------------------------------|----------------|--------------------------------------|---------------------------------------|----------------|--------------------------------------|---------------------------------------|----------------|
| AGE AND SEX | Total | Cities of 10,000 or more | Cities of 2,500 to 10,000 | Rural 2/ | Cities of 10,000 or more | Cities of 2,500 to 10,000 | Rural | Cities of 10,000 or more | Cities of 2,500 to 10,000 | Rural | Cities of 10,000 or more | Cities of 2,500 to 10,000 | Rural | Cities of 10,000 or more | Cities of 2,500 to 10,000 | Rural | Cities of 10,000 or more | Cities of 2,500 to 10,000 | Rural |
| Under 1 year | | 53,839 | 12,145 | 54,154 | 888 | 249 | 2,773 | 276 | ·207 | 538 | 260 | 162 | 1,259 | 2,277 | 561 | 1,140 | 538 | 230 | 602 |
| . Male | | 31,035 | 6,939 | 30,831 | 505 | 130 | 1,554 | 151 | 115 | 301 | 155 | 87 | 700 | 1,334 | 342 | 675 | 303 | 136 | 361 |
| Female | | 22,804 | 5,206 | 23,323 | 383 | 119 | 1,219 | 125 | 92 | 237 | 105 | 75 | 559 | 943 | 219 | 465 | 235 | 94 | 241 |
| Under 1 day | 32,237 | 16,066 | 3,448 | 12,723 | 270 | 64 | 715 | 46 | 32 | 72 | 65 | 44 | 264 | 761 | 177 | 277 | 152 | 71 | 136 |
| Male | 18,779 | 9,345 | 1,979 | 7,455 | 155 | 28 | 418 | 29 | 23 | 38 | 35 | 27 | 147 | 447 | 105 | 160 | 82 | 41 | 83 |
| Female | 13,458 | 6,721 | 1,469 | 5,268 | 115 | 36 | 297 | 17 | 9 | 34 | 30 | 17 | 117 | 314 | 72 | 117 | 70 | 30 | 53 |
| l day Male Fomale | 7,945 4,654 3,291 | 4,008 2,374 1,634 | 830 480 350 | 3,107 1,800 1,307 | 47 28 19 | 11 8 3 | 153 87 66 | . 5 . 8 | 14 10 4 | 15 10 5 | 18 11 7 | 9 5 4 | 80 38 42 | 191 123 68 | 31 22 9 | 53 40 13 | 38 27 11 | , B 6 2 | |
| 2 days | 5,250 | 2,420 | 562 | 2,269 | 41 | 14 | 125 | 9 | 6 | 7 | 16 | 9 | 41 | 94 | 34 | 50 | 18 | 7 | 17 |
| Male | 3,172 | 1,439 | 349 | 1,384 | 26 | 7 | 72 | 5 | 5 | 3 | 11 | 7 | 24 | 52 | 21 | 34 | 10 | 4 | 12 |
| Female | 2,078 | 981 | 213 | 884 | 15 | 7 | 53 | 4 | 1 | 4 | 5 | 2 | 17 | 4 2 | 13 | 16 | 8 | 3 | 5 |
| 3 to 6 days | 9,445 | 4,028 | 967 | 4;450 | 63 | 25 | 240 | 9 | 10 | 34 | 18 | 15 | 107 | 152 | 42 | 63 | 38 | 19 | 48 |
| Mald | 5,599 | 2,355 | 575 | 2,669 | 34 | 11 | 141 | 7 | 9 | 18 | 11 | 9 | 65 | 85 | 28 | 35 | 22 | 12 | 28 |
| Female | 3,846 | 1,673 | 392 | 1,781 | 29 | 14 | 99 | 2 | 1 | 16 | 7 | 6 | 42 | 67 | 14 | 28 | 16 | 7 | 20 |
| l week | 6,759 | 2,734 | 637 | 3,388 | 42 | 9 | 196 | 12 | 11 | 23 | 1B | 7 | 89 | 96 | 27 | 51 | 27 | 12 | 40 |
| Male | 3,748 | 1,539 | 350 | 1,859 | 25 | 5 | 87 | 8 | 2 | 10 | 9 | 6 | 57 | 50 | 15 | 28 | 13 | 6 | 24 |
| Female | 3,011 | 1,195 | 287 | 1,529 | 17 | 4 | 109 | 4 | 9 | 13 | 9 | 1 | 32 | 46 | 12 | 23 | 14 | 6 | 16 |
| 2 weeks | 4,396 | 1,873 | 379 | 2,144 | 26 | 9 | 128 | 10 | 10 | 24 | 15 | 5 | 47 | 53 | 13 | 31 | 23 | 2 | 19 |
| Male | 2,428 | 1,043 | 210 | 1,175 | 14 | 5 | 69 | 5 | 5 | 14 | 12 | 1 | 28 | 29 | 8 | 23 | 13 | 2 | 9 |
| Female | 1,968 | 830 | 169 | 969 | 12 | 4 | 59 | 5 | 5 | 10 | 3 | 4 | 19 | 24 | 5 | 8 | 10 | 2 | 10 |
| 3 weeks but under 1 month- Male Female | 3,802 2,172 1,630 | 1,616 935 681 | 343 201 142 | 1,843 1,036 807 | 30 16 14, | 10 6 4 | 82 44 38 | 13 5 8 | 4 1 3 | 12 8 4 | 6 4 2 | 2 1 1 | 43 25 18 | 58 33 25 | 9 8 1 | 28 16 12 | 14 B 6 | 7 2 - 5 | 20 12 8 |
| Under 1 month | 69,834 | 32,745 | 7,166 | 29,923 | 519 | 142 | 1,639 | 112 | 87 | 187 | 156 | 91 | 671 | 1,405 | 333 | 553 | 310 | 128 | 308 |
| Male | 40,552 | 19,030 | 4,144 | 17,378 | 298 | 70 | 918 | 64 | 55 | 101 | 93 | 56 | 384 | 819 | 207 | 336 | 175 | 73 | 189 |
| Female | 29,282 | 13,715 | 3,022 | 12,545 | 221 | 72 | 721 | 48 | 32 | 86 | 63 | 35 | 287 | 586 | 126 | 217 | 135 | 55 | 119 |
| l month | 9,477 | 3,844 | 938 | 4,695 | 49 | 21 | 194 | 1B | 15 | 57 | 19 | 12 | 106 | 150 | 37 | 90 | 41 | 17 | 48 |
| Male | 5,454 | 2,268 | 541 | 2,645 | 32 | 13 | 107 | 9 | 7 | 31 | 11 | 6 | 53 | 89 | 20 | 47 | 20 | 10 | 30 |
| Female | 4,023 | 1,576 | 397 | 2,050 | 17 | 8 | 87 | , 9 | 8 | 26 | 8 | 6 | 53 | 61 | 17 | 43 | 21 | 7 | 18 |
| 2 months | 7,571 | 3,096 | 759 | 3,716 | 56 | 8 | 160 | 22 | 15 | 38 | 15 | 8 | 79 | 127 | 30 | 82 | 38 | 22 | 42 |
| Male | 4,259 | 1,727 | 434 | 2,098 | 27 | 5 | 100 | 12 | 5 | 23 | 8 | 3 | 44 | 75 | 18 | 52 | 18 | 16 | 24 |
| Female | 3,312 | 1,369 | 325 | 1,618 | 29 | 3 | 60 | 10 | 10 | 15 | 7 | 5 | 35 | 52 | 12 | 30 | 20 | 6 | 18 |
| 3 months Male Female | 6,147 | 2,542 | 586 | 3,019 | 37 | 14 | 145 | 19 | 21 | 40 | . B | 6 | 80 | 117 | 35 | 85 | 31 | 16 | 40 |
| | 3,473 | 1,472 | 330 | 1,671 | 22 | 7 | 71 | 8 | 11 | 24 | . 6 | 2 | 51 | 71 | 22 | 50 | 21 | 8 | 27 |
| | 2,674 | 1,070 | 256 | 1,348 | 15 | 7 | 74 | 11 | 10 | 16 | 2 | 4 | 29 | 46 | 13 | 35 | 10 | 8 | 13 |
| 4 months Male Female | 4,954 | 2,059 | 489 | 2,406 | 37 | 11 | 107 | 21 | 12 | 27 | 4 | . 8 | 59 | 92 | 27 | 50 | 17 | 11 | 43 |
| | 2,784 | 1,185 | 271 | 1,328 | 22 | 8 | 64 | 13 | 7 | 17 | 3 | 3 | 32 | 57 | 17 | 31 | 7 | 8 | 23 |
| | 2,170 | 874 | 218 | 1,078 | 15 | 3 | 43 | 8 | 5 | 10 | 1 | 5 | 27 | 35 | 10 | 19 | 10 | 3 | 20 |
| 5 months | 4,269 | 1,780 | 463 | 2,026 | 34 | 17 | 108 | 23 | 9 | 26 | 10 | 6 | 40 | 73 | 23 | 68 | 19 | 10 | 23 |
| Male | 2,354 | 980 | 242 | 1,132 | 22 | 9 | 55 | 12 | 5 | 13 | 5 | 1 | 20 | 45 | 12 | 30 | 14 | 5 | 14 |
| Female | 1,915 | 800 | 221 | 894 | 12 | 8 | 53 | 11 | 4 | 13 | 5 | 5 | 20 | 28 | 11 | 38 | 5 | 5 | 9 |
| 6 months Male Female | 3,870 2,175 1,695 | 1,604 935 669 | 390 217 173 | 1,876 1,023 853 | 28 12 16 | 5 3 2 | 101 62 39 | 9 6 3 | 11 6 5 | 29 18 11 | 1 5 6 | 9 4 5 | 50 30 20 | 66 38 28 | 20 9 11 | 48 27 21 | 29 18 11 | 3 3 | 24 12 12 |
| 7 months | 3,356 | 1,484 | 327 | 1,545 | 35 | 7 | 66 | 15 | 8 | 27 | 8 | 5 | 36 | 74 | 13 | 42 | 10 | 4 | 20 |
| Male | 1,877 | 824 | 191 | 862 | 14 | 4 | 35 | 8 | 4 | 15 | 4 | 3 | 17 | 42 | 7 | 26 | 6 | 2 | 9 |
| Female | 1,479 | 660 | 136 | 683 | 21 | 3 | 31 | 7 | 4 | 12 | 4 | 2 | 19 | 32 | 6 | 16 | 4 | 2 | 11 |
| 8 months | 3,099 | 1,397 | 293 | 1,409 | 27 | 6 | 80 | 14 | 10 | 29 | 8 | 4 | 43 | 47 | 11 | 35 | 11 | 5 | 11 |
| | 1,705 | 798 | 142 | 765 | · 15 | 1 | 47 | 6 | 5 | 11 | 5 | 1 | 19 | 28 | 9 | 16 | 4 | 3 | 9 |
| | 1,394 | 599 | 151 | 644 | 12 | 5 | 53 | 8 | 5 | 18 | 3 | 3 | 24 | 19 | 2 | 19 | 7 | 2 | 2 |
| 9 months Mele Female | 2,828 1,630 1,198 | 1,256 728 528 | 269 160 109 | 1,303 742 561 | 26 15 11 | 7 4 3 | 58 34 24 | 9 6 3 | 11 6 5 | 23 17 6 | 9 7 2 | 3 3 | 38 17 21 | 54 32 22 | 11 8 3 | 26 19 7 | 10 7 3 | 5 3 2 | 15 6 9 |
| 10 months | 2,324 | 991 | 242 | 1,091 | 21 | 2 | 58 | 9 | 7 | 30 | 6 | • 5 | 27 | 35 | 14 | 34 | 7 | 5 | 11 |
| Male | 1,260 | 532 | 131 | 597 | 14 | 1 | 35 | 5 | 4 | 17 | 3 | 4 | 18 | 21 | 7 | 23 | 3 | 2 | 8 |
| Female | 1,064 | 459 | 111 | 494 | 7 | 1 | 23 | 4 | 3 | 13 | 3 | 1 | 9 | 14 | 7 | 11 | 4 | 3 | '3 |
| . 11 months Male Female | 2,409 1,282 . 1,127 | 1,041 556 485 | 223 136 87 | 1,145 590 555 | 19 12 7 | 9 5 4 | 57 26 31 | 5 2 3 | 1 | 25 14 11 | 6 5 1 | 5 1 4 | 30 15 15 | 37 17 20 | 7 6 1 | 27 18 9 | 15 10 5 | 4 3 1 | |

^{1/} Excluding 100 cities in 3 States (Georgia, Kentucky, and Vermont).

^{2/} Including 100 cities of 2,500 to 10,000 inhabitants in 3 States (Georgia, Kentucky, and Vermont).

TABLE 23.—DEATHS BY SEX AND CERTAIN SUBDIVISIONS OF THE FIRST YEAR OF LIFE: 1935—Continued (Exclusive of stillbirths)

| | cc | NNECTICU | л | I | ELAWARE | | | | FLORIDA | | GEC | RGIA | | IDAHO | | 3 | LLINOIS | |
|---|--------------------------------------|---------------------------------------|-----------------|--------------------------------------|---------------------------------------|----------------|----------------------------|--------------------------------------|---------------------------------------|-------------------|--------------------------------------|-------------------------|--------------------------------------|---------------------------------------|-------------------|--------------------------------------|---------------------------------------|---------------------|
| AGE AND SEX | Cities of 10,000 or more | Cities of 2,500 to 10,000 | Rural | Cities of 10,000 or more | Cities of 2,500 to 10,000 | Rural | DISTRICT OF COLUMBIA | Cities of 10,000 or more | Cities of 2,500 to 10,000 | Rural | Cities of 10,000 or more | Rural 1 | Cities of 10,000 or more | Cities of 2,500 to 10,000 | Rural | Cities of 10,000 or more | Cities of 2,500 to 10,000 | Rural |
| Under 1 year Mele Female | 776 438 338 | 37 21 16 | 138 89 49 | 133 73 60 | 38 28 10 | 97 50 47 | 642 359 283 | 648 354 294 | 245 133 112 | 843 499 344 | 1,100 608 492 | 3,220 1,815 1,405 | 60 31 29 | 207 122 85 | 216 112 104 | 3,391 1,970 1,421 | 531 267 244 | 1,216 701 515 |
| Under l day Mele Female | 287 159 128 | 13 8 5 | 45 32 13 | 27 20 7 | 5 3 2 | 15 12 3 | 191 106 85 | 201 106 95 | 84 42 42 | 206 119 87 | 286 156 130 | 796 462 334 | 15 6 9 | 61 36 25 | 67 39 28 | 1,247 721 526 | 171 96 75 | 312 183 129 |
| l day Male Female | 72 39 34 | 1 1 | 9 7 2 | 11 5 6 | 3 3 | 4 1 3 | 34 22 12 | 47 25 22 | 17 11 6 | 64 31 33 | 97 53 44 | 199 115 84 | 3 3 | 17 11 6 | 8 4 4 | 284 168 116 | 44 20 24 | 94 53 41 |
| 2 days Male Female | 42 30 12 | 2 | 3 3 | 3 2 1 | 2 1 1 | 6 3 3 | 32 16 16 | 25 15 10 | 7 3 4 | 41 28 13 | 32 20 12 | 153 87 66 | 5 4 1 | 10 6 4 | 10 7 3 | 163 101 62 | 32 21 11 | 57 36 21 |
| 3 to 6 days Male Female | 65 39 26 | | 17 10 7 | 10 6 4 | | 6 5 1 | 37 23 14 | 48 33 15 | 15 9 6 | 75 55 20 | 78 42 36 | 291 178 113 | 6 3 3 | 26 17 9 | 20 11 9 | 261 153 108 | 41 25 16 | 95 51 44 |
| l week Male Female | 36 20 16 | 1 2 | 11 6 5 | 7 5 2 | 3 2 1 | 2 2 | 49 27 22 | 32 16 16 | 9 4 5 | 57 31 26 | 62 30 32 | 185 99 86 | 4 3 1 | 8 7 1 | 11 8 3 | 159 90 69 | 23 11 12 | 87 54 33 |
| 2 weeks Mele Female | 18 10 8 | * | 5 3 2 | 5 4 1 | | 4 1 3 | 34 19 15 | 20 13 7 | 8 4 4 | 23 11 12 | 41 22 19 | 113 67 46 | 4 2 2 | 5 3 2 | 11 4 7 | 109 64 45 | 15 10 5 | 45 22 23 |
| 3 weeks but under 1 month Male Female | 16 10 8 | 1 | 2 2 | 4 1 3 | | 2 2 | 23 14 9 | 14 5 9 | 4 2 2 | 23 14 9 | 39 21 18 | 122 63 59 | 2 | 5 3 2 | 3 1 2 | 89 57 32 | 14 8 6 | 38 18 20 |
| Under 1 month | 538 306 232 | 19 11 8 | 92 61 31 | 67 43 24 | 13 9 4 | 39 22 17 | 400 227 173 | 387 213 174 | 144 75 69 | 489 289 200 | 635 344 291 | 1,859 1,071 788 | 39 23 16 | 132 83 49 | 130 74 56 | 2,312 1,354 958 | 340 191 149 | 728 417 311 |
| l month Male Female | 34 19 15 | 7 5 2 | 6 4 2 | 9 7 2 | 4 3 1 | 11 5 6 | 40 26 14 | 40 27 13 | 18 8 10 | 72 47 25 | 83 51 32 | 266 142 124 | 4 2 2 | 25 16 9 | 12 4 8 | 215 124 91 | 39 22 17 | 99 58 41 |
| 2 months Male Female | 35 19 16 | 3 2 1 | 8 6 2 | 9 5 4 | 4 3 1 | 10 5 5 | 31 11 20 | 40 24 16 | 15 9 6 | 59 39 20 | 66 35 31 | 212 123 89 | 1 1 | 5 2 3 | 13 10 3 | 145 88 57 | 29 17 12 | 76 40 36 |
| 3 months Male Female | 29 20 9 | | 9 6 3 | 13 6 7 | 2 2 | 12 7 5 | 29 17 12 | 30 15 15 | 9 4 5 | 36 21 15 | 59 32 27 | 183 102 81 | 3 | 6 3 3 | 13 7 6 | 129 70 59 | 17 9 8 | 62 41 21 |
| 4 months Male Female | 29 14 15 | 2 | 3 2 1 | 4 1 3 | 2 | 7 2 5 | 27 15 12 | 29 13 16 | 6 3 3 | 23 21 | 47 27 20 | 135 79 56 | 1 | 11 5 6 | 7 2 5 | 97 58 39 | 21 9 12 | 49 31 18 |
| 5 months Male Female | 14 5 9 | 1 | 5 2 3 | 7 2 5 | 1 | 4 3 1 | 30 20 10 | 34 19 15 | 14 10 4 | 29 22 7 | 37 19 18 | 115 62 53 | 3 1 2 | 4 1 3 | 10 5 5 | 86 54 32 | 19 12 7 | 41 28 13 |
| 6 months Male Female 7 months | 17 9 8 | 2 | 3 1 2 | 3 | 2 1 1 | 4 2 2 | 17 7 10 | 25 13 12 | 5 2 3 | 29 12 17 | 37 22 15 | 90 43 47 | 3 1 2 | 7 2 5 | 5 2 3 | 89 52 37 | 18 8 10 | 31 16 15 |
| ValeFemale | 20 11 9 | 1 | 3 1 2 | 1 3 | 1 | 3 1 2 | 16 7 9 | 19 8 11 | 6 5 1 | 27 17 10 | 36 25 11 | 79 41 38 | | 3 1 2 | 2 2 | 74 42 32 | 16 8 8 | 32 19 13 |
| Male Female 9 months | 15 9 6 | 1 | 3 1 2 | 4 2 2 7 | 2 1 1 | 4 1 3 | 13 7 6 | 15 8 7 | 10 7 3 | 19 10 9 | 34 20 14 | 81 41 40 | 2 2 1 | 2 2 | 6 1 5 | 69 29 40 73 | 12 6 6 | 24 12 12 |
| Male Female | 8 7 | 1 | | 3 4 3 | 2 | 1 | 10 7 10 | 8 7 8 | 6 2 4 | 14 8 6 | 19 11 8 | 76 43 33 | 1 | 1 5 | 8 2 6 | 44 29 | 8 4 4 | 32 15 17 |
| Male Female | 8 5 | 1 | 2 | 1 2 3 | | 1 2 | 5 5 12 | 3 5 | 5 2 5 | 13 7 6 | 25 9 16 | 34 33 57 | 1 | 3 2 4 | 4 | 25 19 58 | 7 | 12 10 20 |
| Male | 10 7 | 1 | 3 | 2 | | 1 1 | 7 5 | 3 | 3 2 | 4 8 | 13 | 34 23 | 1 | 3 1 | 3 | 30 28 | 1 4 | 12 8 |

 $[\]underline{1}$ / Including 49 cities of 2,500 to 10,000 inhabitants in 1930.

TABLE 23.—DEATHS BY SEX AND CERTAIN SUBDIVISIONS OF THE FIRST YEAR OF LIFE: 1935—Continued (Exclusive of stillbirths)

| | | INDIANA | | | IOWA | | | Kansas | | KEMI | UCKY | I | OUISIANA | | | MAINE | |
|---------------------------|--------------------------------------|---------------------------------------|----------------|--------------------------------------|---------------------------------------|----------------|--------------------------------------|---------------------------------------|----------------|--------------------------------------|-----------------|--------------------------------------|---------------------------------------|-----------------|--------------------------------------|---------------------------------------|----------------|
| AGE AND SEX | Cities of 10,000 or more | Cities of 2,500 to 10,000 | Rurel | Cities of 10,000 or more | Cities of 2,500 to 10,000 | Rural | Cities of 10,000 or more | Cities of 2,500 to 10,000 | Rural | Cities of 10,000 or more | Rural1/ | Cities of 10,000 or more | Cities of 2,500 to 10,000 | Rural | Cities of 10,000 or more | Cities of 2,500 to 10,000 | Rural |
| Under 1 year Male Female | 1,455 | 265 | 970 | 793 | 319 | 825 | 534 | 263 | 742 | 667 | 2,721 | 1,152 | 308 | 1,473 | 310 | 139 | 541 |
| | 883 | 144 | 588 | 467 | 210 | 453 | 308 | 152 | 436 | 401 | 1,505 | 620 | 175 | 818 | 171 | 85 | 306 |
| | 572 | 121 | 382 | 326 | 109 | 372 | 226 | 111 | 306 | 266 | 1,216 | 532 | 133 | 655 | 139 | 54 | 235 |
| Under 1 day MaleFemale | 396 | 82 | 270 | 264 | 110 | 260 | 170 | 77 | 209 | 164 | 612 | 325 | 79 | 268 | 103 | 32 | 99 |
| | 238 | 53 | 171 | 150 | 67 | 142 | 95 | 49 | 127 | 103 | 364 | 174 | 52 | 157 | 53 | 23 | 49 |
| | 158 | 29 | 99 | 114 | 43 | 118 | 75 | 28 | 82 | 61 | 248 | 151 | 27 | 111 | 50 | 9 | 50 |
| l day | 107 | 20 | 63 | 53 | 25 | 46 | 33 | 15 | 47 | 46 | 158 | 58 | 15 | 91 | 47 | 15 | 50 |
| | 66 | 9 | 41 | 33 | 16 | 31 | 21 | 11 | 28 | 29 | 82 | 32 | 7 | 52 | 28 | 7 | 31 |
| | 41 | 11 | 22 | 20 | 9 | 15 | 12 | 4 | 19 | 17 | 76 | . 26 | 8 | 39 | 19 | 8 | 19 |
| MaleFemale | 60 | 12 | 38 | 30 | 13 | 42 | 25 | 12 | 31 | 17 | 108 | 49 | 13 | 45 | 17 | 9 | 21 |
| | 38 | 6 | 19 | 21 | 11 | 25 | 16 | 6 | 21 | 14 | 68 | 27 | 9 | 21 | 9 | 4 | 17 |
| | 22 | 6 | 19 | 9 | 2 | 17 | 9 | 6 | 10 | 3 | 40 | 22 | 4 | 24 | 8 | 5 | 4 |
| % to 6 days | 133 | 18 | 75 | 52 | 33 | 67 | 34 | 20 | 70 | 40 | 212 | 91 | 25 | 104 | 34 | 17 | 39 |
| | 84 | 7 | 44 | 30 | 25 | 37 | 20 | 11 | 48 | 26 | 125 | 52 | 12 | 61 | 14 | 9 | 24 |
| | 49 | 11 | 31 | 22 | 8 | 30 | 14 | 9 | 22 | 14 | 87 | 39 | 13 | 43 | 20 | 8 | 15 |
| l week | 89 52 37 | 13 7 6 | 66 30 36 | 39° 23 16 | 13 9 4 | 55 32 23 | 41 23 18 | 12 8 4 | 42 25 17 | 32 22 10 | 169 87 82 | 76 48 28 | 18 12 6 | 113 54 59 | 14 10 4 | 7 7 | 38 18 20 |
| 2 weeks | 57 | 11 | 36 | 26 | 8 | 33 | 16 | 12 | 12 | 19 | 115 | 56 | 12 | 52 | 7 | 6 | 17 |
| | 37 | 3 | 21 | 16 | 2 | 22 | 7 | 4 | 9 | ,10 | 56 | 31 | 5 | 26 | 3 | 3 | 14 |
| | 20 | 8 | 15 | 10 | 6 | 11 | 9 | 8 | 3 | 9 | 59 | 25 | 7 | 26 | 4 | 3 | 3 |
| 3 weeks but under 1 month | 48 | 8 | 35 | 19 | 13 | 27 | 20 | 7 | 20 | 22 | 107 | 42 | 8 | 60 | 8 | 3 | 23 |
| | 29 | 5 | 25 | 9 | 10 | 15 | 13 | 4 | 11 | 13 | 57 | 24 | 3 | 30 | 4 | 1 | 11 |
| | 19 | 3 | 10 | 10 | 3 | 12 | 7 | 3 | 9 | 9 | 50 | 18 | 5 | 30 | 4 | 2 | 12 |
| Under 1 month | 890 | 164 | 583 | 483 | 215 | 530 | 339 | 155 | 431 | 340 | 1,481 | 697 | 170 | 733 | 230 | 89 | 287 |
| | 544 | 90 | 351 | 282 | 140 | 304 | 195 | 93 | 269 | 217 | 839 | 388 | 100 | 401 | 121 | 54 | 164 |
| | 346 | 74 | 232 | 201 | 75 | 226 | 144 | 62 | 162 | 123 | 642 | 309 | 70 | 332 | 109 | 35 | 123 |
| 1 month | 110 | 17 | 76 | 61 | 19 | 61 | 28 | 22 | 59 | 69 | 247 | 74 | 29 | 157 | 14 | 11 | 54 |
| | 69 | 10 | 53 | 39 | 15 | 28 | 16 | 15 | 28 | 40 | 141 | 44 | 18 | 84 | 9 | 6 | 27 |
| | 41 | 7 | 23 | 22 | 4 | 33 | 12 | 7 | 31 | 29 | 106 | 30 | 11 | 73 | 5 | 5 | 27 |
| 2 months | 96 | 15 | 72 | 52 | 11 | 53 | 51 | 18 | 55 | 36 | 177 | 52 | 24 | 119 | 18 | 10 | 53 |
| | 55 | 10 | 41 | 25 | 5 | 27 | 25 | 14 | 29 | 14 | 111 | 27 | 12 | 66 | 11 | 8 | 33 |
| | 41 | 5 | 31 | 27 | 6 | 26 | 6 | 4 | 26 | 22 | 66 | 25 | 12 | 53 | 7 | 2 | 20 |
| 3 months | 55 | 14 | 47 | 40 | 13 | 36 | 24 | 7 | 32 | 43 | 123 | 53 | 15 | 86 | 11 | 7 | 33 |
| | 33 | 6 | 26 | 23 | 7 | 22 | 14 | 5 | 19 | 28 | 68 | 28 | 5 | 56 | 7 | 6 | 21 |
| | 22 | 8 | 21 | 17 | 6 | 14 | 10 | 2 | 13 | 15 | 55 | 25 | 10 | 30 | 4 | 1 | 12 |
| 4 months | 53 35 18 | 11 5 6 | 37 26 11 | 25 18 7 | 7 5 2 | 32 13 19 | 26 11 15 | 12 3 9 | 28 19 9 | 31 17 14 | 110 54 56 | 56 27 29 | 16 10 6 | 81 39 42 | 9 6 3 | 5 3 | 25 15 10 |
| 5 months | 36 | 6 | 29 | 31 | 16 | 23 | 17 | 9 | 25 | .18 | 94 | 38 | 13 | 59 | 5 | 3 | 17 |
| | 13 | 2 | 14 | 18 | 10 | 9 | 7 | 3 | 14 | 8 | 47 | 17 | 7 | 33 | 4 | 2 | 10 |
| | 23 | 4 | 15 | 13 | 6 | 14 | 10 | 6 | 11 | 10 | 47 | 21 | 6 | 26 | 1 | 1 | 7 |
| 6 months Male Female | 48 30 18 | 7 4 3 | 28 16 12 | 30 21 9 | 9 9 | 19 12 7 | 13 10 3 | 7 5 2 | 29 19 10 | 25 14 11 | 87 49 38 | 34 17 17 | 11 6 5 | 63 36 27 | 5 3 2 | 3 3 3 | 13 7 6 |
| 7 months | 32 16 16 | 6 2 4 | 22 16 6 | 16 7 9 | 6 4 2 | 13 5 8 | 11 6 5 | 10 6 4 | 17 9 8 | 28 13 15 | 87 50 37 | 23 12 11 | 13 6 7 | 39 27 12 | 6 5 1 | 1 | 11 6 5 |
| 8 months Male Female | 38 27 11 | 7 5 2 | 26 15 11 | 17 12 5 | 6 3 3 | 15 8 7 | 10 5 5 | 4 1 3 | 16 7 9 | 19 16 3 | 81 39 42 | 46 23 23 | 7 4 3 | 33 12 21 | 4 2 2 | 3 3 | 10 5 5 |
| 9 months Male Female | 33 22 11 | 10 6 4 | 18 14 4 | 16 10 6 | 6 3 3 | 17 10 7 | 16 9 7 | 7 1 6 | 16 7 9 | 26 14 12 | 81 39 42 | 32 16 16 | 2 2 | 45 28 17 | 3 1 2 | 1 3 | 12 8 4 |
| 10 months | 33 20 13 | 3 1 2 | 13 8 5 | 16 8 8 | 5 4 1 | 11 6 5 | 9 4 5 | 4 3 1 | 14 7 7 | 13 6 7 | 80 39 41 | 19 11 8 | 3 3 | 24 13 11 | 2 2 | 1 | 14 5 9 |
| 11 months | 31 | 5 | 19 | 6 | 6 | 15 | 10 | 8 | 20 | 19 | 73 | 28 | 3 | 34 | 3 | 2 | 12 |
| | 19 | 3 | 8 | 4 | 5 | 9 | 6 | 3 | 9 | 14 | 29 | 10 | 2 | 23 | 2 | 1 | 5 |
| | 12 | 2 | 11 | 2 | 1 | 6 | 4 | 5 | 11 | 5 | 44 | 18 | 1 | 11 | 1 | 1 | 7 |

 $[\]underline{1}/$ Including 40 cities of 2,500 to 10,000 inhabitants in 1930.

TABLE 23.—DEATHS BY SEX AND CERTAIN SUBDIVISIONS OF THE FIRST YEAR OF LIFE: 1935—Continued (Exclusive of stillbirths)

| | И | ARYLAND | | MAS | SACHUSET | TS | М | ICHIGAN | | м | INNESOTA | | MI | SSISSIPP | r | N | ISSOURI | |
|---------------------------------------|--------------------------------------|---------------------------------------|-------------------|--------------------------------------|---------------------------------------|------------------|--------------------------------------|---------------------------------------|---------------------|--------------------------------------|---------------------------------------|-------------------|--------------------------------------|---------------------------------------|-----------------------|--------------------------------------|---------------------------------------|---------------------|
| age and sex | Cities of 10,000 or more | Cities of 2,500 to 10,000 | Rural | Cities of 10,000 or more | Cities of 2,500 to 10,000 | Rural | Cities of 10,000 or more | Cities of 2,500 to 10,000 | Rural | Cities of 10,000 or more | Cities of 2,500 to 10,000 | Rural | Cities of 10,000 or more | Cities of 2,500 to 10,000 | Rural | Cities of 10,000 or more | Cities of 2,500 to 10,000 | Rural |
| Under 1 year Male Female | 926 528 398 | 96 60 36 | 667 384 283 | 2,730 1,598 1,132 | 137 77 60 | 174 103 71 | 2,641 1,530 1,111 | 397 244 153 | 1,134 645 489 | 749 449 300 | 311 186 125 | 993 585 408 | 388 220 168 | 175 97 78 | 2,042 1,142 900 | 1,349 784 565 | 363 209 154 | 1,550 894 656 |
| Under 1 day Male Female | 268 163 105 | 24 14 10 | 132 67 65 | 819 489 330 | 36 18 18 | 41 28 13 | 784 477 307 | 116 74 42 | 317 172 145 | 307 187 120 | 101 61 40 | 299 181 118 | 97 53 44 | 47 24 23 | 434 259 175 | 373 227 146 | 74 44 30 | 342 202 140 |
| l day Male Female | 68 38 30 | 4 2 2 | 41 24 17 | 184 99 85 | 11 7 4 | 10 6 4 | 248 152 96 | 35 21 14 | 71 48 23 | 43 27 16 | 25 15 10 | 65 38 27 | 43 26 17 | 13 9 4 | 147 80 67 | 79 42 37 | 26 18 8 | 81 43 38 |
| 2 days Mele Female | 39 22 17 | 6 5 1 | 23 18 5 | 143 85 58 | 7 6 1 | 5 3 2 | 128 69 59 | 28 16 12 | 64 40 24 | 39 21 16 | 24 13 11 | 28 16 | 23 14 9 | 2 1 1 | 92 56 36 | 52 26 26 | 15 13 2 | 60 40 20 |
| 3 to 6 days Mele Female | 43 19 24 | 13 9 4 | 45 28 17 | 233 133 100 | 18 11 7 | 6 4 2 | 202 120 82 | 36 21 15 | 110 70 40 | 55 34 21 | 41 26 15 | 95 58 37 | 32 20 12 | 10 7 3 | 177 109 68 | 111 65 46 | 29 16 13 | 140 82 58 |
| l week MaleFemale | 53 32 21 | 2 2 | 33 18 15 | 143 89 54 | 7 3 4 | 7 4 3 | 130 77 53 | 18 10 8 | 54 25 29 | 29 11 18 | 12 6 6 | 52 31 21 | 17 9 8 | 15 9 6 | 143 79 64 | 75 47 28 | 18 9 9 | 120 76 44 |
| 2 weeks MaleFemale | 33 13 20 | 2 1 1 | 18 11 7 | 90 47 43 | 4 3 1 | 3 3 | 76 46 30 | 4 | 38 20 18 | 21 13 8 | 10 7 3 | 44 24 20 | 11 8 3 | 8 4 4 | 76 38 38 | 81 36 45 | 12 5 7 | 62 34 28 |
| 3 weeks but under 1 month Male Female | 27 15 12 | 2 2 | 25 15 10 | 76 40 36 | 4 | 3 | 62 34 28 | 7 3 4 | 32 20 12 | 22 16 6 | 10 7 3 | 33 17 16 | 11 5 6 | 5 2 3 | 60 29 31 | 49 32 17 | 9 4 5 | 72 37 35 |
| Under 1 month | 531 302 229 | 53 33 20 | 317 181 136 | 1,688 982 706 | 87 52 35 | 75 45 30 | 1,630 975 655 | 244 149 95 | 686 395 291 | 516 309 207 | 223 135 88 | 632 377 255 | 234 135 99 | 100 56 44 | 1,129 650 479 | 820 475 345 | 183 109 74 | 877 514 363 |
| l month | 68 35 33 | 8 7 1 | 58 34 24 | 188 114 74 | 13 9 4 | 18 10 8 | 176 85 91 | 31 19 12 | 94 56 38 | 37 22 15 | 21 11 10 | 83 47 36 | 28 18 10 | 13 8 5 | 161 86 75 | 117 73 44 | 35 19 16 | 154 90 64 |
| 2 months Male Female | 46 32 14 | 6 2 4 | 60 40 20 | 144 82 62 | 5 3 3 | 19 13 6 | 149 87 62 | 14 8 6 | 76 40 36 | 33 13 20 | 16 12 4 | 75 47 28 | 27 10 17 | 7 5 2 | 146 71 75 | 68 40 28 | 23 13 10 | 81 43 38 |
| 3 months | 49 29 20 | 3 | 50 24 26 | 123 81 42 | 9 4 5 | 9 6 3 | 118 65 53 | 19 14 5 | 66 39 27 | 42 28 14 | 13 7 6 | 43 25 18 | 14 9 5 | 13 7 6 | 119 53 66 | 59 29 30 | 22 12 10 | 70 39 31 |
| 4 months | 33 21 12 | 3 1 2 | 39 20 19 | 105 67 38 | 1 | 10 7 3 | 103 55 48 | 17 9 8 | 40 20 20 | 19 12 7 | 11 5 6 | 36 22 14 | 19 14 5 | 8 5 | 79 45 34 | 48 27 21 | 16 7 9 | 56 37 19 |
| 5 months | 24 12 12 | 5 2 3 | 29 19 10 | 93 50 43 | 11 4 7 | 8 5 3 | 80 47 33 | 14 10 4 | 32 20 12 | 20 14 6 | 5 3 2 | 25 16 9 | 15 7 8 | 6 3 3 | 69 41 28 | 51 31 20 | 13 9 4 | 65 37 28 |
| 6 months | 33 13 20 | 4 | 32 19 13 | 73 48 25 | | 7 3 4 | 78 36 42 | 16 8 8 | 31 16 15 | 16 10 6 | 3 2 1 | 19 12 7 | 10 5 5 | 6 3 3 | 99 64 35 | 45 28 17 | 21 10 11 | 52 23 29 |
| 7 months | 34 18 16 | 6 3 3 | 24 13 11 | 70 42 28 | 2 2 | 7 3 4 | 59 39 20 | 12 9 3 | 26 13 13 | 13 11 2 | 4 3 1 | 13 7 6 | 15 7 8 | 4 3 1 | 62 30 32 | 32 17 15 | 13 5 8 | 52 28 24 |
| 8 months | 38 22 16 | 2 2 | 16 11 5 | 75 43 32 | 2 2 | 7 5 2 | 69 43 26 | 8 4 4 | 26 14 12 | 16 8 8 | 5 3 2 | 20 10 10 | 9 6 3 | 5 3 2 | 68 43 25 | 30 19 11 | 12 8 4 | 49 27 22 |
| 9 months | 29 21 8 | 2 1 1 | 25 15 10 | 51 30 21 | 2 2 | 5 3 2 | 68 41 27 | 12 8 4 | 21 11 10 | 13 10 3 | 3 1 2 | 11 6 5 | 10 5 5 | 4 | 45 25 20 | 32 20 12 | 9 7 2 | 27 15 12 |
| 10 months Male Female | 17 8 9 | 2 2 | 6 3 3 | 62 33 29 | 2 2 | 3 1 2 | 59 30 29 | 4 1 3 | 18 11 7 | 15 7 8 | 2 1 1 | 18 8 10 | 1 | 5 1 4 | 30 17 13 | 24 15 9 | 10 6 4 | 36 25 11 |
| ll months Male Female | 24 15 9 | 2 2 | 11 5 6 | 58 26 32 | 2 1 1 | 6 2 4 | 52 27 25 | 6 5 1 | 18 10 8 | 9 5 4 | 5 3 2 | 18 8 10 | 6 3 3 | 4 3 1 | 35 17 18 | 23 10 13 | 6 4 2 | 31 16 15 |

TABLE 23.—DEATHS BY SEX AND CERTAIN SUBDIVISIONS OF THE FIRST YEAR OF LIFE: 1935—Continued (Exclusive of stillbirths)

| | | MONTANA | | N | EBRASKA | | | NEVADA | | NEW | HAMPSHI | RE | NE | W JERSEY | | NE | W MEXICO | |
|---------------------------------------|--------------------------------------|---------------------------------------|-------------------|--------------------------------------|---------------------------------------|-------------------|--------------------------------------|---------------------------------------|----------------|--------------------------------------|---|-----------------|--------------------------------------|---------------------------------------|-------------------|--------------------------------------|---------------------------------------|---------------------|
| AGE AND SEX | Cities of 10,000 or more | Cities of 2,500 to 10,000 | Rural | Cities of 10,000 or more | Cities of 2,500 to 10,000 | Rural | Cities of 10,000 or more | Cities of 2,500 to 10,000 | Rural | Cities of 10,000 or more | Cities . of 2,500 to 10,000 | Rural. | Cities of 10,000 or more | Cities of 2,500 to 10,000 | Rural | Cities of 10,000 or more | Cities of 2,500 to 10,000 | Rural |
| Under 1 year Male Female | 144 76 68 | 82 46 36 | 376 224 152 | 338 204 134 | 173 100 73 | 449 265 184 | 14 7 7 | 35 18 17 | 52 33 19 | 232 144 88 | 43 25 18 | 144 93 51 | 2,028 1,171 857 | 217 119 98 | 275 155 120 | 217 130 87 | 230 119 111 | 1,258 720 538 |
| Under 1 day | 44 28 16 | 25 12 13 | 91 56 35 | 133 72 61 | 57 32 25 | 131 81 50 | 7 3 4 | 14 7 7 | 23 15 8 | 76 45 31 | 14 7 7 | 35 21 14 | 657 380 277 | 69 36 33 | 75 43 32 | 34 22 12 | 49 22 27 | 176 109 67 |
| l day Male Female | 6 2 4 | 4 3 1 | 16 9 7 | 17 13 4 | 19 10 9 | 28 20 8 | 1 | 4 1 3 | | 33 21 12 | 6 4 2 | 12 7 5 | 144 84 60 | 13 7 6 | 11 7 4 | 12 7 5 | 9 6 3 | . 25 . 8 |
| 2 days Male Female | 5 1 4 | 1 1 | 19 8 11 | 21 13 8 | 7 5 2 | 23 10 13 | 1 1 | | 2 2 | 13 8 5 | 4 2 2 | 5 3 2 | 120 72 48 | 11 10 1 | 7 3 4 | 3 1 2 | 6 5 1 | 37 24 13 |
| 3 to 6 days Male Female | 10 5 5 | 10 2 8 | 31 19 12 | 22 17 5 | 9 5 4 | 44 20 24 | <u>1</u> | 2 1 1 | 2 2 . | 23 15 8 | 4 2 2 | 12 7 5 | 147 88 59 | 19 9 10 | 15 10 5 | 9 6 3 | 13 9 4 | 66 36 30 |
| l week Male Female | 8 3 5 | 4 2 2 | 18 7 11 | 13 7 6 | 8 3 5 | 26 14 12 | | 4 3 1 | 3 1 . 2 | 6 4 2 | 3 2 1 | 9 6 3 | 94 53 41 | 9 4 5 | 16 10 6 | 0 6 4 | 7 6 1 | 60 36 24 |
| 2 weeks Mele Female | 6 4 2 | 4 3 1 | 11 8 3 | 10 8 2 | 5 2 3 | 17 11 6 | 1 | 2 2 | 2 1 1 | 3 1 2 | 1 1 | 4 3 1 | 61 36 25 | 7 5 2 | 7 6 1 | 2 2 | 5 3 2 | 58 41 17 |
| 3 weeks but under 1 month Male Female | 5 2 3 | 3 2 1 | 15 11 4 | 11 7 4 | 6 5 1 | 12 6 6 | 1 | 3 2 1 | 2 1 1 | 5 4 1 | 1 1 | 7 6 1 | 61 41 20 | 1 3 | 8 3 5 | 8 4 4 | 4 2 2 | 23 21 |
| Under 1 month Mele Female | 84 45 39 | 51 24 27 | 201 118 83 | 227 137 90 | 111 62 49 | 281 162 119 | 12 6 6 | 29 16 13 | 34 20 14 | 159 98 61 | 33 19 14 | 84 53 31 | 1,284 754 530 | · 132 72 60 | 139 82 57 | 78 48 30 | 93 53 40 | 474 294 180 |
| 1 month | 19 12 7 | 10 7 3 | 33 17 16 | 15 12 3 | 12 8 4 | 35 22 13 | | <u>1</u> | 5 5 | 15 8 7 | 3 1 2 | 16 10 6 | 169 85 84 | 17 11 6 | 26 14 12 | 23 20 3 | 15 6 9 | 112 65 47 |
| Z months | 13 5 8 | 2 2 | 30 18 12 | 28 13 15 | 11 9 2 | 23 12 11 | | | 1 | 9 7 2 | 3 2 1 | 11 6 5 | 107 58 49 | 14 9 5 | 23 13 10 | 25 17 8 | 20 9 11 | 123 71 52 |
| 3 months | 4 2 2 | 2 1 1 | 14 9 5 | 12 9 3 | 7 5 2 | 23 16 7 | | 4 1 3 | <u>1</u> | 6 3 3 | | 7 6 1 | 72 46 26 | 12 8 4 | 11 8 3 | 20 12 8 | 18 8 10 | 92 42 50 |
| 4 months | 3 1 2 | 4 4 | 12 6 6 | 8 6 2 | 6 2 4 | 11 6 5 | | | 2 1 1 | 6 4 2 | 3 | 7 5 2 | 58 35 23 | 5 1 4 | 13 6 7 | 11 8 3 | 15 4 9 | 96 48 48 |
| 5 months | 3 1 2 | 5 4 1 | 27 12 15 | 7 5 2 | 7 5 2 | 19 13 6 | | | | 7 4 3 | | 6 5 1 | 57 36 21 | 8 4 4 | 6 4 2 | 16 10 6 | 15 10 5 | 72 35 37 |
| 6 months | 7 3 4 | 3 2 1 | 13 9 4 | 13 5 8 | 6 3 3 | 10 9 1 | 1 | | 2 | 3 2 1 | | 3 2 1 | 57 32 25 | 8 7 1 | 15 7 8 | 7 2 5 | 12 1 4 8 | 62 35 27 |
| 7 months Male Female | 3 2 1 | | 12 7 5 | 4 2 2 | . 2 . 2 | 10 4 6 | ,,,,,,,, | | 1 | 9 6 3 | | 1 | 62 38 24 | 5 1 4 | 9 6 3 | 10 3 7 | 14 7 7 | 54 28 26 |
| 8 months | 3 | 2 1 1 | 7 6 1 | 9 5 4 | 4 .2 2 | 8 5 3 | | | 2 1 1 | 6 5 1 | 1 | 5 3 2 | 49 27 22 | <u>5</u> 5 | 9 3 6 | 6 2 4 | 11 6 5 | 51 24 27 |
| 9 months | 2 1 1 | 1 | 14 11 3 | 4 2 2 | 1 | 13 7 6 | | | 2 1 1 | 4 2 2 | | 3 | 44 27 17 | 6 3 3 | 6 3 5 | 5 3 2 | 5 2 3 | 52 36 16 |
| Male | 1 | 2 2 | 7 6 1 | 6 5 1 | 4 1 3 | 9 6 3 | 1 | 1 | | 4 2 2 | | | 28 11 17 | 3 2 1 | 12 6 6 | 7 1 6 | 7 6 1 | 32 21 11 |
| MaloFemale | 2 1 1 | | 6 5 1 | 5 3 2 | | 7 3 4 | | | 2 1 1 | 4 3 1 | | 1 | 41 22 19 | 2 1 1 | 6 3 3 | 9 4 5 | 7 4 3 | 38 21 17 |

TABLE 23.—DEATHS BY SEX AND CERTAIN SUBDIVISIONS OF THE FIRST YEAR OF LIFE: 1935—Continued (Exclusive of stillbirths)

| | N | EW YORK | | NORT | H CAROLI | NA . | NOR | TH DAKOT | A | | OHIO | | c | KLAHOMA | | | OREGON | |
|---------------------------------------|--------------------------------------|---------------------------------------|----------------|--------------------------------------|---------------------------------------|-----------------|--------------------------------------|---------------------------------------|----------------|--------------------------------------|---------------------------------------|----------------|--------------------------------------|---------------------------------------|----------------|--------------------------------------|---------------------------------------|-------------|
| AGE AND SEX | Cities of 10,000 or more | Cities of 2,500 to 10,000 | Rurel | Cities of 10,000 or more | Cities of 2,500 to 10,000 | Rural | Cities of 10,000 or more | Cities of 2,500 to 10,000 | Rural | Cities of 10,000 or more | Cities of 2,500 to 10,000 | Rural | Cities of 10,000 or more | Cities of 2,500 to 10,000 | Rural | Cities of 10,000 or more | Cities of 2,500 to 10,000 | Rural |
| Under 1 year | 4,217 | 459 | 1,105 | 1,274 | 448 | 3,700 | 123 | 104 | 584 | 3,252 | 464 | 1,377 | 728 | 469 | 1,187 | 228 | 126 | 189 |
| Male | | 264 | 626 | 751 | 254 | 2,096 | 71 | 57 | 313 | 1,818 | 258 | 770 | 419 | 253 | 651 | 137 | 68 | 106 |
| Female | | 195 | 479 | 523 | 194 | 1,604 | 52 | 47 | 271 | 1,434 | 206 | 607 | 309 | 216 | 536 | 91 | 58 | 83 |
| Under 1 day | 2,138 | 168 | 337 | 333 | 101 | 886 | 47 | 28 | 142 | 1,053 | 147 | 336 | 138 | 113 | 262 | 86 | 42 | 64 |
| Male | 1,244 | 94 | 198 | 204 | 52 | 503 | 23 | 18 | 85 | 583 | 82 | 196 | 79 | 61 | 156 | 52 | 22 | 36 |
| Female | 894 | 74 | 139 | 129 | 49 | 383 | 24 | 10 | 57 | 470 | 65 | 140 | 59 | 52 | 106 | 34 | 20 | 28 |
| l day | 508 | 37 | 72 | 89 | 35 | 214 | 8 | 5 | 20 | 243 | 34 | 89 | 63 | 31 | 69 | 23 | 10 | 3 |
| Male | 300 | 23 | 37 | 58 | 22 | 131 | 6 | 1 | 10 | 143 | 18 | 48 | 37 | 18 | 33 | 14 | 9 | 2 |
| Female | 208 | 14 | 35 | 31 | 13 | 83 | 2 | 4 | 10 | 100 | 16 | 41 | 26 | 13 | 36 | 9 | 1 | 1 |
| 2 days Mele Female | 342 203 139 | 26 16 10 | 57 32 25 | 45 22 23 | 15 12 3 | 159 97 62 | 2 2 | 3 2 1 | 26 11 15 | 159 85 74 | 21 14 7 | 62 38 24 | 25 14 11 | 18 7 11 | 58 27 31 | 10 4 6 | 6 2 4 | 4 4 |
| 3 to 5 days | 509 | 38 | 85 | 82 | 38 | 272 | 7 7 | 9 | 42 | 269 | 32 | 161 | 46 | 24 | 96 | 22 | 11 | 21 |
| Male | 290 | 21 | 44 | 45 | 25 | 169 | | 7 | 23 | 147 | 17 | 89 | 31 | 9 | 62 | 12 | 5 | 13 |
| Female | 219 | 17 | 41 | 37 | 13 | 103 | | 2 | 19 | 122 | 15 | 72 | 15 | 15 | 34 | 10 | 6 | 8 |
| l week | 395 | 24 | 44 | 61 | 16 | 217 | 7 | 6 | 30 | 153 | 27 | 86 | 39 | 33 | 83 | 12 | 14 | 7 |
| Mele | 213 | 13 | 28 | 39 | 9 | 123 | 4 | 2 | 15 | 96 | 18 | 49 | 21 | 16 | 46 | 7 | 5 | 3 |
| Female | 182 | 11 | 16 | 22 | 7 | 94 | 3 | 4 | 15 | 57 | 9 | 37 | 18 | 17 | 37 | 5 | 9 | 4 |
| 2 Weeks | 324 | 8 | 33 | 40 | 12 | 159 | 1 | 5 | 21 | 121 | 13 | 57 | 26 | 14 | 53 | 8 | 2 | 7 |
| Mel6 | 175 | 6 | 15 | 21 | 10 | 88 | | 3 | 8 | 71 | 9 | 34 | 12 | 6 | 27 | 7 | 1 | 4 |
| Female | 149 | 2 | 18 | 19 | 2 | 71 | | 2 | 13 | 50 | 4 | 23 | 14 | 8 | 26 | 1 | 1 | 3 |
| 3 weeks but under 1 month Male Female | 168 | 9 6 3 | 38 22 16 | 30 20 10 | 19 10 9 | 121 71 50 | 3 2 1 | 4 1 3 | 26 16 10 | 79 36 43 | 20 14 6 | 42 25 17 | 24 14 10 | 21 13 8 | 41 25 16 | 5 4 1 | 2 1 1 | 5 4 1 |
| Under 1 month | 4,523 | 310 | 666 | 680 | 236 | 2,028 | 75 | 60 | 307 | 2,077 | 294 | 833 | 361 | 254 | 662 | 166 | 87 | 111 |
| Male | 2,593 | 179 | 376 | 409 | 140 | 1,182 | 45 | 34 | 168 | 1,161 | 172 | 479 | 208 | 130 | 376 | 100 | 45 | 66 |
| Female | 1,930 | 131 | 290 | 271 | 96 | 846 | 30 | 26 | 139 | 916 | 122 | 354 | 153 | 124 | 286 | 66 | 42 | 45 |
| 1 month | 570 | 19 | 84 | 122 | 52 | 328 | 10 | 9 | 71 | 213 | 38 | 121 | 65 | 47 | 94 | 10 | 6 | 9 |
| | 343 | 11 | 50 | 73 | 29 | 177 | 8 | 6 | 45 | 128 | 15 | 72 | 41 | 29 | 46 | 5 | 4 | 6 |
| | 227 | 8 | 34 | 49 | 23 | 151 | 2 | 3 | 26 | 85 | 23 | 49 | 24 | 18 | 48 | 5 | 2 | 3 |
| 2 months | 443 | 35 | 77 | 99 | 28 | 260 | 9 | 8 | 47 | 153 | 25 | 68 | 53 | 32 | 74 | 10 | 10 | 24 |
| | 266 | 17 | 41 | 51 | 13 | 153 | 5 | 4 | 22 | 83 | 12 | 33 | 29 | 17 | 41 | 5 | 7 | 14 |
| | 177 | 18 | 36 | 48 | 15 | 107 | 4 | 4 | 25 | 70 | 13 | 35 | 24 | 15 | 33 | 5 | 3 | 10 |
| 3 months Male Female | 360 | 14 | 66 | 76 | 25 | 224 | 8 | 3 | 40 | 132 | 19 | 65 | 41 | 23 | 57 | 12 | 4 | 12 |
| | 209 | 7 | 35 | 48 | 16 | 121 | 1 | 1 | 21 | 64 | 14 | 33 | 29 | 13 | 22 | 11 | 2 | 5 |
| | 151 | 7 | 31 | 28 | 9 | 103 | 7 | 2 | 19 | 68 | 5 | 32 | 12 | 10 | 35 | 1 | 2 | 7 |
| 4 months MaleFemale | 253 147 106 | 20 13 7 | 35 19 16 | 54 33 21 | 20 11 9 | 169 94 75 | 2 2 | 3 1 2 | 32 9 23 | 116 68 48 | 15 8 7 | 45 24 21 | 46 21 25 | 23 15 8 | 58 31 27 | 5 4 1 | 3 2 1 | 9 4 5 |
| 5 months | 212 | 11 | 40 | 46 | 18 | 154 | 4 | 3 | 16 | 112 | 15 | 50 | 35 | 13 | 44 | 4 | 4 | 4 |
| | 115 | 7 | 22 | 24 | 7 | 81 | 2 | 1 | 6 | 58 | 9 | 27 | 20 | 6 | 30 | 2 | 2 | 2 |
| | 97 | 4 | 18 | 22 | 11 | 73 | 2 | 2 | 10 | 54 | 6 | 23 | 15 | 7 | 14 | 2 | 2 | 2 |
| 6 months | 183 106 77 | 13 6 7 | 25 14 11 | 41 30 11 | 23 13 10 | 117 64 53 | 2 2 | 3 2 1 | 17 8 9 | 91 58 33 | 8 4 4 | 38 19 19 | 24 12 12 | 20 12 8 | 43 24 19 | 5 3 2 | 4 2 2 | 6 2 4 |
| 7 months | 167 | 13 | 24 | 38 | 7 | 104 | 4 | 2 | 14 | 87 | 13 | 44 | 32 | 15 | 35 | 2 | 2 | 3 |
| | 101 | 9 | 15 | 16 | 2 | 61 | 2 | 1 | 10 | 46 | 6 | 22 | 18 | 9 | 20 | 1 | 1 | 1 |
| | 66 | 4 | 9 | 22 | 5 | 43 | 2 | 1 | 4 | 41 | 7 | 22 | 14 | 6 | 15 | 1 | 1 | 2 |
| 8 months Male Female | 166 107 59 | 4 1 3 | 21 16 5 | 39 22 17 | 14 6 8 | 101 52 49 | 4 1 3 | 1 | 12 7 5 | 80 44 36 | 6 1 5 | 29 14 15 | 25 13 12 | 14 4 10 | 35 22 13 | 4 2 2 | 2 | 3 2 1 |
| 9 months MaleFomale | 161 91 70 | 8 6 2 | 29 18 11 | 36 22 14 | 5 5 | 84 49 35 | 1 | 4 3 1 | 10 5 5 | 76 40 36 | 17 10 7 | 36 21 15 | 15 10 5 | 9 6 3 | 22 13 9 | 3 | 1 | 3 1 2 |
| 10 months | 115 61 54 | 4 3 1 | 16 9 7 | 22 12 10 | 9 5 4 | 66 33 33 | 1 | 7 3 4 | 11 9 2 | 57 37 20 | 8 5 3 | 17 7 10 | 11 7 4 | 11 7 4 | 28 13 15 | 4 2 2 | 2 1 1 | 2 |
| MaleFemale | 135 78 57 | 8 5 3 | 22 11 11 | 21 11 10 | 11 7 4 | 65 29 36 | 3 3 | 1 1 | 7 3 4 | 58 31 27 | 6 2 4 | 31 19 12 | 20 11 9 | 8 5 3 | 35 13 22 | 3 2 1 | 1 | 3 1 2 |

TABLE 23.—DEATHS BY SEX AND CERTAIN SUBDIVISIONS OF THE FIRST YEAR OF LIFE: 1935—Continued (Exclusive of stillbirths)

| | PEN | nsylvani | A | RHO | DE ISLAN | D . | SOUT | H CAROLI | NA. | sot | TH DAKOT | A | T | ENNESSEE | | | TEXAS | |
|---------------------------------------|--------------------------------------|---------------------------------------|-------------------------|--------------------------------------|---------------------------------------|----------------|--------------------------------------|---------------------------------------|-------------------------|--------------------------------------|---------------------------------------|-------------------|--------------------------------------|---------------------------------------|-----------------------|--------------------------------------|---------------------------------------|-------------------------|
| AGE AND SEX | Cities of 10,000 or more | Cities of 2,500 to 10,000 | Rurel | Cities of 10,000 or more | Cities of 2,500 to 10,000 | Rural | Cities of 10,000 or more | Cities of 2,500 to 10,000 | Rural | Cities of 10,000 or more | Cities of 2,500 to 10,000 | Rural | Cities of 10,000 or more | Cities of 2,500 to 10,000 | Rural | Cities of 10,000 or more | Cities of 2,500 to 10,000 | Rural |
| Under 1 year Male Female | 4,526 2,648 1,878 | 1,107 617 490 | 2,561 1,466 1,095 | 441 252 189 | 10 8 2 | 31 21 10 | 555 324 241 | 224 134 90 | 2,430 1,393 1,037 | 134 78 56 | 77 41 36 | 463 274 189 | 1,104 643 461 | 299 173 126 | 2,011 1,140 871 | 3,054 1,720 1,334 | 1,143 673 470 | 4,033 2,263 1,770 |
| Under 1 day Male Female | 1,215 724 491 | 323 190 133 | 610 349 261 | 139 76 63 | 3 2 1 | 10 9 1 | 122 72 50 | 56 34 22 | 418 249 169 | 34 18 16 | 27 13 14 | 108 69 39 | 288 174 114 | 84 48 36 | 424 245 181 | 703 411 292 | 249 152 97 | 837 490 347 |
| l day Male Female | 383 213 170 | 96 51 45 | 165 100 65 | 41 26 15 | 1 | 2 1 1 | 34 19 15 | 5 3 2 | 141 94 47 | 13 7 6 | 10 6 4 | 25 10 15 | 50 29 21 | 18 11 7 | 92 50 42 | 189 110 79 | 52 29 23 | 198 117 81 |
| 2 days Male Fomale | 208 139 69 | 63 39 24 | 148 97 51 | 22 11 11 | 1 1 | 1 1 | 13 6 7 | 10 3 7 | 97 58 39 | 4 3 1 | 4 2 2 | 21 14 7 | 43 28 15 | 14 10 4 | 61 47 14 | 111 71 40 | 35 26 9 | 137 74 63 |
| 3 to 6 days Male Femmle | 379 229 150 | 89 52 37 | 233 137 96 | 46 28 18 | | 5 2 3 | 45 30 15 | 12 6 6 | 203 121 82 | 15 9 6 | 6 3 3 | 39 22 17 | 84 53 31 | 22 14 8 | 172 116 56 | 211 118 93 | 75 50 25 | 364 216 148 |
| l week Mele Female | 220 120 100 | 60 30 30 | 156 75 81 | - 21 10 11 | | | 23 15 8 | 18 14 4 | 146 83 63 | 6 3 3 | 4 2 2 | 22 11 11 | 50 28 22 | 13 8 5 | 140 76 64 | 136 65 71 | 73 38 35 | 279 155 124 |
| 2 Weeks Male Female | 160 86 74 | 42 20 22 | 96 53 43 | 14 10 4 | | 2 1 1 | 18 11 7 | 10 5 5 | 90 49 41 | 8 6 2 | 2 2 | 20 11 9 | 44 27 17 | 12 6 6 | 103 45 58 | 76 39 37 | 37 27 10 | 157 82 75 |
| 3 weeks but under 1 month Mele Female | 135 80 55 | 31 16 15 | 77 43 34 | 10 5 5 | | | 15 6 9 | 12 7 5 | 83 57 26 | 1 | 5 2 3 | 18 10 8 | 30 19 11 | 5 4 1 | 81 36 45 | 94 58 36 | 29 16 13 | 135 80 55 |
| Under 1 month Male Female | 2,700 1,591 1,109 | 704 398 306 | 1,485 854 631 | 293 166 127 | 5 4 1 | 20 13 7 | 270 159 111 | 123 72 51 | 1,178 711 467 | 81 47 34 | 60 30 30 | 253 147 106 | 589 358 231 | 168 101 67 | 1,073, 613 460 | 1,520 872 648 | 550 338 212 | 2,107 1,214 893 |
| 1 month | 322 188 134 | 87 42 45 | 239 137 102 | 32 18 14 | 1 | 1 | 55 36 19 | 15 10 5 | 252 137 115 | 13 9 4 | 2 1 1 | 35 18 17 | 71 42 29 | 17 10 7 | 180 104 76 | 242 141 101 | 90 49 41 | 349 202 147 |
| 2 months | 288 166 122 | 66 41 25 | 174 99 75 | 20 15 5 | 2 2 | 1 | 39 22 17 | 17 11 6 | 212 114 98 | 6 2 4 | 4 3 1 | 28 20 8 | 74 41 33 | 20 8 12 | 133 65 68 | 195 100 95 | 93 51 42 | 263 129 134 |
| 3 months | 245 144 101 | 47 21 26 | 125 78 47 | 14 12 2 | 1 | 3 2 1 | 32 13 19 | 15 9 6 | 166 80 86 | 7 3 4 | 4 2 2 | 26 19 7 | 63 39 24 | 20 12 8 | 113 70 43 | 192 102 90 | 58 38 20 | 241 139 102 |
| 4 months Male Female Female | 174 103 71 | 34 19 15 | 95 52 43 | 20 8 12 | 1 | 1 | 32 17 15 | 12 8 4 | 120 66 54 | 8 4 4 | 1 | 21 12 9 | 50 30 20 | 9 4 5 | 97 60 37 | ¥167 90 77 | 58 32 26 | 202 107 95 |
| 5 months | 151 86 65 | 26 9 17 | 102 59 43 | 10 4 6 | | 1 1 | 25 11 14 | 12 5 7 | 90 58 32 | 5 3 2 | | 19 13 6 | 42 27 15 | 15 8 7 | 62 37 25 | 129 66 63 | 64 33 31 | 167 91 • 76 |
| 6 months Mele Female | 118, 75 43 | 29 14 15 | 77 40 37 | 10 6 4 | | 1 | 23 16 7 | 7 6 1 | 113 67 46 | 6 4 2 | | 13 7 6 | 41 23 18 | 14 11 3 | 84 46 38 | 142 87 55 | 46 25 21 | 140 65 75 |
| 7 months Mele | 125 71 54 | 29 21 8 | 73 43 30 | 15 9 6 | | 1 | 27 14 13 | 3 1 | 74 41 33 | | | 16 7 9 | 48 20 28 | 5 4 1 | 72 49 23 | 115 71 44 | 23 13 | 137 71 66 |
| 8 months Male Female | 124 72 52 | 22 12 10 | 62 43 19 | 11 5 6 | | | 19 8 11 | 7 2 5 | 69 40 29 | 2 | | 12 7 5 | 34 14 20 | 12 6 6 | 50 22 28 | 112 67 45 | 37 20 17 | 105 58 47 |
| 9 months | 102 54 48 | 18 11 7 | 49 29 20 | 8 4 4 | | | 20 14 6 | 3 2 1 | 58 33 25 | 2 | 2 1 1 | 22 14 8 | 32 21 11 | 7 5 2 | 53 23 30 | 89 48 41 | 43 23 20 | 112 63 49 |
| 10 months Male Female | 86 48 38 | 23 13 10 | 45 16 29 | 4 2 2 | | | 12 6 6 | 6 3 3 | 37 17 20 | 1 | | 9 5 4 | 33 14 19 | 2 2 | 50 29 21 | 81 44 37 | 33 17 16 | 98 58 40 |
| MaleFomale | 91 50 41 | 22 16 6 | 35 16 19 | 3 1 | | 1 1 | 11 8 3 | 3 3 | 61 29 32 | 3 1 2 | 3 2 1 | 9 5 4 | 27 14 13 | 10 4 6 | 22 22 | 70 32 38 | 35 24 11 | 112 66 46 |

TABLE 23.—DEATHS BY SEX AND CERTAIN SUBDIVISIONS OF THE FIRST YEAR OF LIFE: 1935—Continued (Exclusive of stillbirths)

| | | UTAH | | VER | ONT. | | TRGINIA | | WA | SHINGTON | r | WERE | T VIRGIN | IIA | T T | ISCONSIN | | | YYOMING- | |
|---------------------------------------|--------------------------------------|---------------------------------------|-------------------|--------------------------------------|----------------------|--------------------------------------|---------------------------------------|-------------------------|--------------------------------------|---------------------------------------|-------------------|--------------------------------------|---------------------------------------|-----------------------|--------------------------------------|---------------------------------------|-------------------|--------------------------------------|---------------------------------------|-----------------|
| AGE AND SEX | Cities of 10,000 or more | Cities of 2,500 to 10,000 | Rural | Cities of 10,000 or more | Rural ¹ / | Cities of 10,000 or more | Cities of 2,500 to 10,000 | Rural | Cities of 10,000 or more | Cities of 2,500 to 10,000 | Rurel | Cities of 10,000 or more | Cities of 2,500 to 10,000 | Rural | Cities of 10,000 or more | Cities of 2,500 to 10,000 | Rural | Cities of 10,000 or more | Cities of 2,500 to 10,000 | Rural |
| Under l year- Male Female | 244 133 111 | 120 73 47 | 262 149 113 | 71 36 35 | 249 153 96 | 904 490 414 | 279 155 124 | 2,400 1,377 1,023 | 615 361 254 | 117 61 56 | 280 156 124 | 512 297 215 | 290 165 125 | 1,731 1,035 696 | 1,075 644 431 | 345 197 148 | 999 574 425 | 45 24 21 | 44 21 23 | 134 62 72 |
| Under 1 day Male Female | 91 55 36 | 39 24 15 | 90 63 27 | 26 13 13 | 90 56 34 | 280 158 122 | 87 47 40 | 558 320 238 | 233 147 86 | 46 28 18 | 65 42 23 | 155 80 75 | 58 34 24 | 425 268 157 | 400 242 158 | 138 71 67 | 310 170 140 | 16 9 7 | 11 3 8 | 32 16 16 |
| 1 day Male Female | 15 10 5 | 9 5 4 | 9 6 3 | 4 1 3 | 15 10 5 | 54 35 19 | 19 10 9 | 125 74 51 | 60 34 26 | 10 4 6 | 12 4 8 | 53 37 16 | 18 10 8 | 106 53 53 | 98 65 33 | 25 9 16 | 65 36 29 | 3 1 2 | <u>1</u> | 8 5 3 |
| 2 days Male Female | 13 7 6 | 5 3 2 | 7 3 4 | 4 2 2 | 9 7 2 | 39 18 21 | 17 9 8 | 101 75 26 | 30 20 10 | 4 3 1 | 12 8 4 | 24 14 10 | 10 4 6 | 78 44 34 | 57 37 20 | 14 7 7 | 46 29 17 | 4 3 1 | 3 2 1 | 8 4 4 |
| 3 to 6 days Male Female | 12 8 4 | 14 11 3 | 22 11 11 | 9 5 4 | 14 11 3 | 56 32 24 | 26 13 13 | 183 112 71 | 41 26 15 | 9 5 4 | 19 11 8 | 28 15 13 | 21 13 8 | 128 74 54 | 108 64 44 | 27 20 7 | 78 52 26 | 2 2 | 4 2 2 | 7 5 2 |
| Male Female | 27 14 13 | 7 3 4 | 25 12 13 | 4 3 1 | 10 5 5 | 46 16 30 | 13 8 5 | 162 100 62 | 41 20 21 | 11 4 7 | 21 12 9 | 25 16 9 | 21 12 9 | 116 67 49 | 52 36 16 | 14 9 5 | 57 37 20 | 3 1 2 | 2 2 | 11 5 6 |
| 2 weeks Male Female | 11. 5 6 | 5 2 3 | 14 7 7 | 2 | 16 9 7 | 24 12 12 | 11 7 4 | 112 61 51 | 26 14 12 | 3 | 15 6 9 | 13 8 5 | 7 2 5 | 90 57 33 | 23 12 11 | 12 9 3 | 40 21 19 | | | 4 1 3 |
| 3 weeks but under 1 month Male Female | 7 5 2 | 2 1 1 | 6 4 2 | 2 1 1 | 6 5 1 | 18 14 4 | 5 4 1 | 85 54 31 | 15 8 7 | 1 1 | 6 4 2 | 9 8 1 | 8 6 2 | 73 37 36 | 24 17 7 | 15 10 5 | 35 21 14 | 1 1 | 2 2 | 5 4 1 |
| Under 1 month Male Female | 176 104 72 | 81 49 32 | 173 106 67 | 51 25 26 | 160 103 57 | 517 285 232 | 178 98 80 | 1,326 796 530 | 446 269 177 | 84 44 40 | 150 87 63 | 307 178 129 | 143 81 62 | 1,016 600 416 | 762 473 289 | 245 135 110 | 631 366 265 | 29 15 14 | 23 7 16 | 75 40 35 |
| l month Male Female | 12 7 5 | 3 1 2 | 15 7 8 | 4 1 3 | 18 13 5 | 79 48 31 | 17 12 5 | 214 118 96 | 20 10 10 | 9 5 4 | 29 15 14 | 29 20 9 | 29 17 12 | 150 96 54 | 57 29 28 | 21 17 4 | 90 52 38 | 5 3 2 | 4 2 2 | 6 4 2 |
| 2 months Male Female | 7 3 4 | 9 6 3 | 10 5 5 | 1 | 18 11 7 | 52 27 25 | 13 9 4 | 157 80 77 | 35 17 18 | 10 3 7 | 20 10 10 | 43 23 20 | 22 11 11 | 105 71 34 | 49 28 21 | 21 11 10 | 61 38 23 | 1 | 5 5 | 8 3 5 |
| 3 months Male Female | 9 3 6 | 6 3 3 | 9 5 4 | 4 3 1 | 14 7 7 | 31 13 18 | 15 5 10 | 127 64 63 | 22 17 5 | 1 | 17 6 11 | 14 9 5 | 12 8 4 | 87 49 38 | 31 18 13 | 14 9 5 | 55 26 29 | | 1 | 5 3 2 |
| 4 months Male Female | 5 2 3 | 6 6 | 10 4 6 | 4 3 1 | 8 4 4 | 38 21 17 | 10 7 3 | 127 74 53 | 18 9 9 | 2 2 | 15 11 4 | 20 13 7 | 14 6 8 | 65 38 27 | 29 18 11 | 6 5 1 | 42 21 21 | | 3 2 1 | 10 2 8 |
| 5 months Male Female | 5 1 4 | 6 3 3 | 4 2 2 | 1 | 6 3 3 | 43 21 22 | 9 6 3 | 93 56 37 | 14 6 8 | 2 1 1 | 10 4 6 | 24 13 11 | 17 8 9 | 57 35 22 | 29 17 12 | 6 2 4 | 26 14 12 | 1 1 | | 6 3 3 |
| 6 months Male Female | 7 2 5 | 1 | 10 5 5 | 2 1 1 | 5 3 2 | 32 20 12 | 8 5 3 | 80 38 42 | 15 12 3 | | 15 8 7 | 8 4 4 | 11 6 5 | 65 35 30 | 22 12 10 | 3 3 | 22 11 11 | | 2 1 1 | 7 2 5 |
| 7 months Male Female | 6 2 4 | 1 | 5 3 2 | 3 2 1 | 3 2 1 | 22 11 11 | 6 3 3 | 63 34 29 | 11 4 7 | | 10 6 4 | 17 B 9 | 13 9 4 | 43 27 16 | 25 14 11 | 10 5 5 | . 22 13 9 | 2 | 3 2 1 | 5 5 |
| 8 months Male Female | 1 | 1 | 7 7 | 1 | 1 1 | 24 13 11 | 8 3 5 | 51 28 23 | 7 5 2 | | 3 | 16 9 7 | 11 6 5 | 41 25 16 | 21 10 11 | 4 1 3 | 21 18 3 | 2 1 1 | 2 1 1 | 2 1 1 |
| 9 months Male Female | 2 | 3 | 6 3 3 | | 7 4 3 | 28 14 14 | 2 2 | 58 35 23 | 8 3 5 | 5 3 2 | 2 1 1 | 11 5 6 | 6 5 1 | 32 18 14 | 19 12 7 | 4 | 11 6 5 | | 1 | 6 3 3 |
| Male Female | 6 2 4 | 2 1 1 | 9 6 3 | | 4 | 16 10 6 | 8 4 4 | 51 26 25 | 12 6 6 | 3 2 1 | 5 2 3 | 15 11 4 | 9 7 2 | 35 19 16 | 15 7 8 | 5 2 3 | 9 6 3 | 2 1 1 | | 3 1 2 |
| Male Female | 8 5 3 | 1 | 4 3 1 | | 5 2 3 | 22 7 15 | 5 3 2 | 53 28 25 | 7 3 4 | 1 | 4 3 1 | 8 4 4 | 3 1 2 | 35 22 13 | 16 6 10 | 6 3 3 | 9 3 6 | 3 1 2 | | 1 1 |

 $[\]underline{1}$ / Including 11 cities of 2,500 to 10,000 inhabitants in 1930.

SUPPLEMENT -

HAWAII

The Territory of Hawaii was admitted to the birth registration area of the United States in 1929. From this Territory, in 1935, 9,196 births were reported. Of these, 3,443, or 37 percent, were Japanese; 1,992, or 22 percent, were part Hawaiian; 1,577, or 17 percent, were Caucasian; 1,159, or 13 percent, were Filipinos; 521, or 6 percent, were Chinese; and 388, or 4 percent, were Hawaiian.

peaths under 1 year occurring in Hawaii in 1935 numbered 622, indicating an infant mortality rate of 67.6 per 1,000 live births. One hundred and forty-nine or 24 percent of these deaths were caused by premature birth; 89, or 14 percent, by bronchopneumonia; and 66, or 11 percent, by diarrhea and enteritis. The rates for these 3 causes were 16.2, 9.7, and 7.2, respectively.

VIRGIN ISLANDS

The Virgin Islands—St. Croix, St. Thomas, and St. John—were admitted to the registration area of the United States in

In 1935, 656 births were reported in these islands and of this number the Negro births represented 75 percent. Deaths under 1 year numbered 112 and represent an infant mortality rate of 170.7. This was 73.3 per 1,000 higher than the rate (97.4) for 1934. Forty-nine percent of all deaths occurring among infants under 1 year of age were caused by diarrhea and enteritis, and 21 percent by premature birth and bronchopneumonia, the rates from these causes being 83.8, 19.8, and 15.2, respectively, per 1,000 live births. The infant mortality rate for Negroes was 183.7 or 76.6 higher than the corresponding rate (107.1) for 1934.

HAWAII

TABLE 1.—ENUMERATED POPULATION IN THE TERRITORY OF HAWAII: 1930

| RACE | Hawaii Territory | Hilo city | Honolulu city | Hawaii County (exclusive of Hilo city) | Honolulu County (exclusive of Hono- lulu city) | Kausi County | Maui County |
|-----------|---------------------|------------------------------------|---|--|--|--|--|
| All reces | 368,336 | 19,468 | 137,562 | 53,857 | 65,341 | 35,942 | 56,146 |
| Hawaiian | | 1,155 1,881 986 895 | 9,675 14,242 8,263 5,959 | 3,709 3,190 1,537 1,653 | 2,428 2,117 1,213 904 | 1,363 1,758 996 762 | 4,306 5,036 2,617 2,419 |
| Caucasian | 27.588 | 3,806 2,467 158 1,181 | 39,043 15,297 2,211 24,535 | 6,552 3,703 1,490 1,359 | 18,659 2,138 818 15,703 | 4,770 2,554 841 1,375 | 7,543 4,429 1,153 1,961 |
| Chinese | 6,461 | 897 9,356 288 2,055 30 | 19,334 47,468 2,604 4,776 440 | 1,201 24,392 843 13,901 69 | 2,734 22,117 1,545 15,614 127 | 1,201 13,905 362 12,562 21 | 1,812 22,393 819 14,144 93 |

TABLE 2.—BIRTHS, DEATHS, INFANT MORTALITY, AND STILLBIRTHS, BY SEX, IN THE TERRITORY OF HAWAII: 1935

| 1077 J. 1077 J. 1077 | Births1/ | Deaths1/ | Excess of | Births | | OF INFANTS YEAR OF AGE | STII | LLBIRTHS |
|--|----------|-----------|----------------|-------------------|----------|---------------------------|--------|------------------------|
| AREA AND SEX | Births= | Deaths= | over deaths | per 100 deaths | Number | Per 1,000 live births | Number | Per 100 live births |
| Territory of Hawaii | 9.196 | 3,306 | 5,890 | 278 | 622 | 67.6 | 232 | 2.5 |
| Male | 4,704 | 2,069 | 2,635 | 227 | 344 | 73.1 | 134 | 2.8 |
| Female | 4,492 | 1,237 | 3,255 | 363 | 278 | 61.9 | 98 | 2.2 |
| Hilo city | Eno | 205 | 005 | 073 | | 21.6 | 12 | = |
| Mele | | 225 | 295 123 | 231 184 | 44 | 84.6 | 13 | 2.5 |
| Female | 251 | 146 79 | 172 | | 23 21 | 85.5 | 4 | 1.5 |
| 1 01107 0 | 251 | 79 | 172 | (<u>2</u> /) | 21 | 83.7 | , , | 3.6 |
| Honolulu city | 3,760 | 1,398 | 2,362 | 269 | 245 | 65.2 | 106 | 2.8 |
| Male | 1.907 | 818 | 1,089 | 233 | 129 | 67.6 | 61 | 3.2 |
| Female | 1,853 | 580 | 1,273 | 319 | 116 | 62.6 | 45 | 2.4 |
| Hawaii County (exclusive of Hilo City) | | 446 | 904 | 303 | 81 | 60.0 | 39 | 2.9 |
| Male | 707 | 301 | 406 | 235 | 42 | 59.4 | 22 | 3.1 |
| Female | 643 | 145 | 498 | 443 | 39 | 60.7 | 17 | 2.6 |
| Honolulu County (exclusive of Honolulu City) | 1,247 | 399 | 848 | 313 | 85 | 68.2 | 21 | 1.7 |
| Male | 662 | 270 | 392 | 245 | 56 | 84.6 | 14 | 2.1 |
| Female | 585 | 129 | 456 | 453 | 29 | 49.6 | 7 | 1.2 |
| Kauai County | | 286 | 485 | 270 | 55 | 71.3 | 14 | 1.8 |
| Male | 379 | 192 | 187 | 197 | 29 | 76.5 | 8 | 2.1 |
| Female | 392 | 94 | 298 | (2/) | 26 | 66.3 | 6 | 1.5 |
| Maui County | 1,548 | 552 | 996 | 260 | 112 | 72.4 | 39 | 2.5 |
| Male | 780 | 342 | 436 | 228 | 65 | 83.3 | 25 | 3.2 |
| Female | 768 | 210 | 558 | 366 | 47 | 61.2 | 14 | 1.8 |

^{1/} Exclusive of stillbirths.

TABLE 3.—BIRTHS (EXCLUSIVE OF STILLBIRTHS) BY RACE, IN THE TERRITORY OF HAWAII: 1935

| RACE | Hawaii Territory | Hilo city | Honolulu city | Hawaii County (exclusive of Hilo city) | Honolulu County (exclusive of Hono- lulu city) | Kauai County | Maui County |
|--------------------|---------------------|-----------|------------------|--|--|-----------------|----------------|
| All races | 9,196 | 520 | 3,760 | 1,350 | 1,247 | 771 | 1,548 |
| jeweiian | 388 | 16 | 98 | 104 | 34 | 36 | 100 |
| Part Hawaiian | 1,992 | 123 | 1,040 | 239 | 155 | 80 | 355 |
| Caucasian-Hawaiian | | 50 | 463 | 86 | 63 | 35 | 137 |
| Asiatic-Hawaiian | 1,158 | 73 | 577 | 153 | 92 | 45 | 218 |
| Caucasian |) F@B | 92 | 842 | 100 | 159 | 170 | |
| Portuguese | 2,0,,,, | 21 | 71 | 161 | 19 | 132 25 | 191 |
| Puerto Rican | | 41 | 97 | 59 | 19 | 28 | 53 |
| Other Caucasian | | 67 | 674 | 69 | 121 | 79 | 89 |
| Chinese | 521 | | | ,,, | | 10 | 28 |
| Japanese | | 20 218 | 408 | 13 616 | 34 529 | 18 291 | 618 |
| Corean | | 218 | 1,171 | 972 | 21 | 291 | 11 |
| Filipino | | 46 | 144 | 21.0 | 310 | 207 | 242 |
| All other | | 1 ** | 3 | 210 | 310 | 207 | 244 |
| | 1 | 1 * | 1 | | | l " | " |

 $[\]underline{2}/$ Figures not shown when the number of deaths is less than 100.

SUPPLEMENT-HAWAII

TABLE 4.—BIRTHS BY SEX AND MONTH, IN THE TERRITORY OF HAWAII: 1935 (Exclusive of stillbirths)

| . Area and sex | All births | Jan. | Feb. | Mar. | Apr. | Меу | June | July | Aug. | Sept. | Oct. | Nov. | Dec. |
|---------------------|--|--|---|---|--|---|---|---|---|---|---|---|---|
| Territory of Hawaii | 9,196 4,704 4,492 | 838 423 415 | 744 394 350 | 762 390 392 | 761 383 378 | 795 424 371 | 727 374 353 | 738 375 363 | 771 379 392 | 720 360 360 | 757 394 363 | 783 400 383 | 780 408 372 |
| Hilo City | 520 269 251 3,760 1,907 1,853 1,350 707 643 1,247 662 585 771 379 392 1,548 780 768 | 47 22 25 330 151 179 128 68 60 135 80 55 62 34 136 68 | 42 21 304 167 111 64 47 107 56 51 52 31 127 63 | 52 26 26 301 145 155 156 65 115 64 64 33 31 129 661 | 28 16 12 287 149 136 124 65 58 116 55 61 75 34 41 131 | 44 22 325 178 147 105 53 95 47 48 91 51 40 135 73 | 54 24 30 281 152 129 101 55 46 95 54 41 58 28 28 138 61 | 38 20 18 305 150 155 109 48 61 95 55 40 70 39 31 121 63 58 | 37 14 23 346 160 110 54 55 114 47 58 30 28 106 48 58 | 46 26 20 293 137 156 103 52 51 91 43 55 28 132 70 62 | 48 27 21 321 165 156 97 49 48 109 61 48 53 19 34 129 73 | 41 26 15 363 176 187 107 63 44 94 55 39 52 26 126 52 | 43 25 18 304 150 154 134 79 55 81 43 38 80 36 44 138 75 |

TABLE 5.—BIRTHS, STILLBIRTHS, AND STILLBIRTHS PER 100 LIVE BIRTHS, BY LEGITIMACY, IN THE TERRITORY OF HAWAII: 1935

| | | BIRTES | | | STILLBIRTH | s | STILLE | irths per Births | 100 LIVE |
|--|---|---|--|---|--|---|--|---|---|
| RACE | Totel | Legiti- mate | Illegiti- mate | Total | Legiti- mate | Illegiti- mate | Total | Legiti- mate | Illegiti- mate |
| All races | 9,196 | 8,730 | 466 | 232 | 204 | 28 | 2.5 | 2.3 | 6.0 |
| Hawaiian— Part Hawaiian— Caucasian—Hawaiian— Asiatic-Hawaiian— Caucasian— Portuguese— Puerto Rican— Other Caucasian— Chinese— Jepanese— Korean— Filipino— All other— | 1,992 834 1,158 1,577 218 260 1,099 521 3,443 | 343 1,761 743 1,018 1,527 209 242 1,076 501 3,384 97 1,106 | 45 231 91 140 50 9 18 23 20 59 5 53 | 20 33 17 16 45 8 10 27 9 78 3 | 14 28 16 12 40 7 8 25 7 75 3 | 6 5 1 4 5 1 2 2 2 3 3 | 5.2 1.7 2.0 1.4 2.9 3.7 3.8 2.5 1.7 2.9 3.5 2.9 | 4.1 1.6 2.2 1.2 2.6 3.3 3.3 1.4 2.2 3.1 3.2 | 13.3 2.2 1.1 2.9 10.0 11.1 11.1 8.7 10.0 5.1 |

TABLE 6.—BIRTHS BY RACE, AND AGE OF MOTHER BY AGE OF FATHER, IN THE TERRITORY OF HAWAII: 1935 (Exclusive of stillbirths)

| | All | | | | | AGE OF F | ATHER | | | | |
|--|--|-------------------|--------------------------|---------------------------|--------------------------------|-----------------------------------|-----------------------------|----------------------------------|----------------------------|----------------------|---------------------------------|
| RACE OF CHILD AND AGE OF MOTHER | ages | 15 to 19 years | 20 to 24 years | 25 to 29 years | 30 to 34 years | 35 to 39 years | 40 to 44 years | 45 to 49 years | 50 to 54 years | 55 years and over | Not stated |
| All races | 9,196 | 71 | 1,258 | 2,181 | 2,128 | 1,581 | 729 | 640 | 297 | 180 | 131 |
| Age of mother: 10 to 14 years | 10 1,081 | 55 | 2 499 | 2 308 | 1 107 | 1 40 | | | 1 | | 4 62 |
| 20 to 24 years | 2,802 2,169 1,601 | 14 | 678 75 3 | 1,187 626 52 | 611 882 477 | 199 422 6Q5 | 36 91 231 | 20 45 135 | 8 13 57 | 5 2 38 | 44 11 3 |
| 35 to 39 years | 1,063 417 49 4 | | 1 | 6 | 45 4 1 | 292 20 2 | 265 94 5 | 267 158 14 | 121 84 13 | 63 56 15 | |
| HAWAIIAN | 388 | 1 | 51 | 78 | 64 | 79 | 40 | 29 | 13 | 7 | 26 |
| Age of mother: 15 to 19 years— 20 to 24 years— 25 to 29 years— 30 to 34 years— 40 to 44 years— 45 to 49 years— CAUCASIAN-HAWAIIAN— | 57 97 92 65 49 22 6 | 1 | 23 24 4 205 | 11 41 25 1 | 3 12 25 19 4 1 | 2 8 26 29 12 2 | 2 9 9 13 6 1 | 1 1 2 4 13 6 2 | 1 1 2 4 3 2 | 1 1 4 1 | 16 7 1 2 25 |
| Age of mother: 10 to 14 years | 1 156 290 186 119 60 19 2 | 13 4 1 | 84 107 13 1 | 32 104 65 4 2 | 10 41 63 44 4 1 | 5 15 26 49 21 1 | 5 11 14 18 9 | 5 4 3 5 7 | 1 2 1 5 1 | 2 4 | 1 12 8 1 1 1 |

TABLE 6.—BIRTHS BY RACE, AND AGE OF MOTHER BY AGE OF FATHER, IN THE TERRITORY OF HAWAII: 1935—Continued (Exclusive of stillbirths)

| | A11 | | | | | AGE OF E | 'ATHER | | | | |
|---------------------------------|------------|-------------------|-------------------|-------------------|-------------------|-------------------|-------------------|-------------------|-------------------|----------------------|---------------|
| RACE OF CHILD AND AGE OF MOTHER | ages | 15 to 19 years | 20 to 24 years | 25 to 29 years | 30 to 34 years | 35 to 39 years | 40 to 44 years | 45 to 49 years | 50 to 54 years | 55 years and over | Not stated |
| ASIATIC-HAWAIIAN | 1,158 | 27 | 295 | 300 | 214 | 153 | 70 | 34 | 19 | 20 | 26 |
| Age of mother: 10 to 14 years | 2 | | ١, | Ι, | | | | | | | |
| 15 to 19 years | 235 | 23 | 1 120 | 55 | 17 | 6 | 1 | | | 1 | 12 |
| 20 to 24 years | | 4 | 160 | 144 | 55 | 33 | 7 | 3 | 1 | | 7 |
| 30 to 34 years | 139 | | 12 | 93 7 | 86 45 | 39 44 | 9 23 | 9 | 3 | 1 7 | 4 |
| 35 to 39 years | 81 | | | | 10 | 28 | 23 | 7 | 9 | 3 | ι . |
| 45 to 49 years | | | 1 | | 1 | 3 | 6 1 | 6 | 1 | 7 | |
| Not stated | ž | | | | | | | | | | 2 |
| PORTUGUESE | 218 | 3 | 45 | 73 | 40 | 28 | 17 | 7 | 1 | | 4 |
| Age of mother: 15 to 19 years | | 2 | | | | | | İ | | | |
| 20 to 24 years | 40 64 | 1 | 28 15 | 8 34 | 2 10 | 1 | | | | | 2 |
| 25 to 29 years | 67 | | 2 | 29 | 22 | 12 | 2 | | | | |
| 30 to 34 years | 19 18 | | | 2 | 6 | 5 10 | 5 6 | 1 | 1 | | 1 |
| 40 to 44 years | 10 | | | | | | 4 | 6 | | | |
| PUERTO RICAN | 260 | 6 | 63 | 83 | 34 | 24 | 13 | 24 | 3 | 6 | 4 |
| Age of mother: | | | | | | | | | | | |
| 10 to 14 years | 1 57 | 5 | 29 | 16 | 4 | 2 | | | | | 1 |
| 20 to 24 years | 95 | 1 | 29 | 46 | 10 | 6 | 1 | | | | Z |
| 25 to 29 years | 47 | | 4 | 16 5 | 12 | 5 4 | 4 6 | 5 5 | 1 | 1 | |
| 35 to 39 years | . 17 | | 1 | | | 5 | 2 | 9 | 1 | i | |
| 40 to 44 years | 8 | | | | | 2 | | 4 | 1 | 1 3 | |
| Not stated | 1 | | | | 1 | | | 1 | | | |
| OTHER CAUCASIAN | 1,099 | 4 | 162 | 388 | 271 | 145 | 74 | 28 | 11 | 7 | 9 |
| Age of mother: | | | | | | | | | | | |
| 15 to 19 years | 131 358 | 4 | 65 83 | 43 196 | 9 62 | 19 | 2 3 | | 1 | | 4 |
| 25 to 29 years | 317 | | 14 | 137 | 111 | 41 | 10 | 3 | | | 1 |
| 30 to 34 years | 169 | | | 10 | 84 | 50 | 17 | 3 | 4 | 1 2 | |
| 40 to 44 years | 84 30 | | | 2 | 5 | 29 2 | 30 12 | 14 8 | 2 4 | 4 | |
| CHINESE | 521 | 1 | 45 | 94 | 127 | 127 | 61 | 11 | 20 | 27 | 8 |
| Age of mother: | | | | | | | | ļ | | | |
| 15 to 19 years | 34 | | 17 | 6 | 4 | 3 | 1 | | | | 3 |
| 20 to 24 years | 145 139 | 1 | 26 2 | 59 28 | 30 62 | 20 32 | 2 11 | 1 | 2 2 | 2 | 3 |
| 30 to 34 years | 117 | | ~~ | . 1 | 30 | 55 | 18 | 4 | 4 | 4 | ī |
| 35 to 39 years | 61 | | | | 1 | 16 | 24 5 | 2 | 5 6 | 11 6 | |
| 45 to 49 years | 6 | | | | | 1 | | | ì | 4 | |
| JAPANESE | 3,443 | 11 | 295 | 699 | 866 | 600 | 254 | 427 | 178 | 96 | 17 |
| Age of mother: | | | | | | | | | | | |
| 10 to 14 years | 197 | 8 | 1 77 | 69 | 29 | 6 | 1 | | | | 1 7 |
| 20 to 24 years | 1.035 | 2 | 198 | 446 | 303 | 60 | 7 | 7 | 2 | 2 | 8 |
| 25 to 29 years | 764 655 | 1 | 19 | 175 | 380 144 | 152 265 | 17 94 | 13 92 | 5 34 | 17 | 1 |
| 35 to 39 years | 523 | | | | 9 | 113 | 96 | 194 | 73 | 38 | |
| 40 to 44 years45 to 49 years | 242 | | | | 1 | 4 | 37 2 | 111 | 57 7 | 32 | |
| KOREAN | 25 | | | 15 | 9 | 6 | 5 | 10 | 29 | 11 | 4 |
| Age of mother: | 102 | | 13 | 15 | | | | 1 | | | |
| 15 to 19 years | 12 | | 5 | 3 | 1 | | | | | | 3 |
| 20 to 24 years | 20 | | 7 | 7 3 | 2 | 1 2 | 1 | 2 | 1 | 1 | 1 |
| 30 to 34 years | - 21 | | | 1 | 2 | 2 | 3 | 2 | 6 | 5 | |
| 35 to 39 years | 29 | | | 1 | | 1 | 1 | 6 | 17 5 | 3 2 | |
| 40 to 44 years | | | | | İ | | | | | 1 | |
| FILIPINO | 1,159 | | 82 | 241 | 339 | 299 | 133 | 46 | 12 | | 7 |
| Age of mother: 10 to 14 years | . 4 | | | 1 | 1 | 1 | | | | | 1 |
| 15 to 19 years | 1.60 | | 50 | 64 | 28 | 12 | 2 | | | | 4 |
| 20 to 24 years | 268 287 | | 28 4 | 110 53 | 86 116 | 33 87 | 7 | 4 6 | 1 | | 2 |
| 30 to 34 years | 267 | | | 12 | 96 | 102 | 4.2 | 13 | 2 | | |
| 35 to 39 years | 141 | | | 1 | 12 | 57 6 | 52 12 | 14 8 | 5 3 | | |
| 40 to 44 years | 29 | | | | | 1 | | 1 | 1 | | |
| ALL OTHER | - 14 | | 2 | 3 | 1 | 3 | 4 | | | | 1 |
| Age of mother: | | | | | | | | | | | |
| 15 to 19 years | . 2 | | 1 | 1 | | 3 | 1 | | | | 1 |
| 25 to 29 years | 3 | | | 2 | 1 | | | | | | |
| 40 to 44 years | - 3 | | | | | l | 3 | l | | | |

SUPPLEMENT-HAWAII

TABLE 7.—DEATHS FROM IMPORTANT CAUSES, BY CERTAIN SUBDIVISIONS OF THE FIRST YEAR OF LIFE, IN THE TERRITORY OF HAWAII: 1935

(Exclusive of stillbirths)

(Numbers after causes of death correspond to those of the detailed International List)

| CAUSE OF DEATH | Under 1 year | Under 1 day | 1 day | 2 days | 3 to 6 days | l wk. | 2 wks. | 3 wks. | Under 1 mo. | l mo. | 2 mos. | 3 mos. | 4 mos. | 5 mos. | 6 mos. | 7 mos. | 8 mos. | 9 mos. | 10 mos. | ll mos. |
|--|---|-------------------|----------|-----------|----------------|-----------|-----------|-------------------|-------------------|--|-------------------------|----------------------|-----------------|-----------|-----------|---------------|-----------|-----------|------------|---------------------------------------|
| All causes | 622 | 139 | 397 | 23 | 33 | 22 | 13 | 19 | 286 | 64 | 50 | 34 | 19 | 28 | 37 | 33 | 28 | 17 | 14 | 12 |
| Whooping-cough (9)———————————————————————————————————— | 3 1 4 1 9 3 89 34 1 63 49 17 149 35 9 | 8 1 96 20 9 1 4 | 7 | 1 1 3 2 1 | 1 | 1 3771114 | 2 3 | 1 1 2 1 3 2 1 3 3 | 2 1 | 3 3 1 1 1 3 8 2 11 6 4 2 2 1 1 1 7 | 2 2 1 1 1 2 6 1 2 1 1 1 | 1 1 2 11 5 3 1 4 1 3 | 1 1 3 3 4 1 1 4 | 2 | 2 | 1344-22-11115 | 1 5 4 2 8 | 1 | 4 3 6 -1 | 2 1 3 3 1 |

TABLE 8.—INFANT MORTALITY RATE (DEATHS UNDER 1 YEAR OF AGE PER 1,000 LIVE BIRTHS) FROM IMPORTANT CAUSES, IN THE TERRITORY OF HAWAII: 1929-1935

| CAUSE OF DEATH | 1935 | 1934 | 1933 | 1932 | 1931 | 1930 | 1929 | CAUSE OF DEATH | 1935 | 1934 | 1933 | 1932 | 1931 | 1930 | 1929 |
|---|------|------|------|------|------|------|-------|---|------|------|------|------|------|----------------------|------|
| All causes | 67.6 | 75.3 | 72.1 | 76.1 | 76,1 | 82.3 | 100.8 | Convulsions (86) | | | | 1.4 | | 0,6 | |
| | | | | | | | | Bronchopneumonia (107) | | | 12.0 | | | 12.3 | |
| Measles (7) | | 0.1 | 0.2 | | 1.3 | | | Lober and unspecified pneumonia (108,109) | | | 4.6 | | | 5.6 | |
| Whooping-cough (9) | 1.1 | 4.2 | 2.8 | | 0.1 | 0.9 | | Diseases of the stomach (117, 118) | | | | | | | 0.4 |
| Diphtheria (10) | | | 0.2 | | 0.1 | 0.3 | | Diarrhea and enteritis (119) | | | 11.6 | | | 19.6 | |
| Influenza (11) | 1.7 | | | | 0.6 | 1.1 | 0.9 | Intestinal obstruction (122b) | | | 0.2 | | | (<u>1</u> /) 3.3 | (ī/j |
| Dysentery (13) | | 0.1 | 0.2 | | 0.3 | | 0.1 | Congenital malformations (157) | 5.3 | 4.9 | 5.1 | 5.1 | 5.4 | 3.3 | 3.7 |
| Erysipelas (15) | | | 0.4 | | | 0.6 | 0.3 | Congenital debility, icterus, sclerema | | | 1 | | | | |
| Epidemic cerebrospinal meningitis (18) | 0.1 | | | 0.2 | 0.1 | 0.1 | | (158, 161b,c) | | | | | | | |
| Tetanus (22) | | 0.1 | 0.3 | 0.4 | 0.6 | 0.3 | 0.4 | Premature birth (159) | 16,2 | 14.4 | 13.7 | 13.0 | 14.6 | 12.0 | 13.9 |
| Tuberculosis of the respiratory system | | 1 | ì | | 1 | 1 | 1 1 | Injury at birth (160) | 3.8 | | 5.2 | | | 3.2 | 3.9 |
| (23) | 0.1 | 0.2 | 0.1 | 0.2 | 0.2 | 0.6 | 0.4 | Other diseases of early infancy (16la,d)- | 2.9 | 1.7 | 1.5 | 2.6 | 2.7 | 3.4 | 2.6 |
| Tuberculosis of the meninges, etc. (24) | 0.4 | 0.3 | 0.3 | 0.1 | 0.2 | 0.6 | 0.3 | External causes (172-198, 201-214) | 1.0 | 0.9 | 0.7 | 0.7 | 1.1 | 0.8 | 0.6 |
| Other forms of tuberculosis (25-32) | 0.1 | 0.3 | 0.1 | 0.2 | | 0.1 | | Unknown or ill-defined diseases (199,200) | | 0.2 | | 0.1 | | 0.3 | 0.1 |
| Syphilis (34) | 1.0 | | 0.6 | 0.8 | | 1.2 | | All other causes | | | | 9.4 | | 7.6 | 12.1 |

^{1/} Included in "All other causes."

VIRGIN ISLANDS

TABLE 1.—ENUMERATED POPULATION IN THE VIRGIN ISLANDS: 1930

| AREA AND SEX | Total | White | Negro | Mixed | Other races |
|----------------|-------------------|---------------|-------------------|----------------|----------------|
| VIRGIN ISLANDS | 22,012 | 2,010 | 17,243 | 2,719 | 40 |
| | 10,208 | 1,156 | 7,841 | 1,182 | 29 |
| | 11,804 | 854 | 9,402 | 1,537 | 11 |
| ST. CROIX | 11,413 | 414 | 9,59° | 1,386 | 21 |
| | 5,441 | 222 | 4,561 | 640 | 18 |
| | 5,972 | 192 | 5,031 | 746 | 3 |
| ST. JOHN | 765 395 370 | 18 15 3 | 653 338 315 | 94 42 52 | |
| ST. THOMAS | 9,834 | 1,578 | 6,998 | 1,239 | 19 |
| | 4,372 | 919 | 2,942 | 500 | 11 |
| | 5,462 | 659 | 4,056 | 739 | 8 |

NOTE.—"Mixed" designates a mixture of white and Negro.

TABLE 2.—BIRTHS, DEATHS, INFANT MORTALITY, AND STILLBIRTHS, BY SEX AND RACE, IN THE VIRGIN ISLANDS: 1935

| area, sex, and race | Births ¹ / | Deaths1/ | Excess of births | Births per 100, | | OF INFANTS 1 YEAR OF AGE | STI | LLBIRTHS |
|---------------------|---|---|----------------------------------|--|----------------------------------|---|-------------------|---------------------------------|
| | | | over_deaths2/ | deaths3/ | Number | Per 1,000 birthsl | Number | Per 100 live births |
| VIRGIN ISLANDS | 656 329 327 | 492 237 255 | 164 92 72 | 133 139 128 | 112 59 53 | 170.7 179.3 162.1 | 31 20 11 | 4.7 6.1 3.4 |
| White | 21 19 244 246 63 62 1 | 21 26 201 187 14 42 1 | -7 -43 59 -49 20 | (3/) (3/) 121 132 (3/) (3/) (3/) | 4 5 48 42 7 6 | 190.5 263.2 196.7 170.7 111.1 96.8 | 18 9 1 2 | 4.8 7.4 3.7 1.6 3.2 |
| ST, CROIX | 333 160 173 | 278 126 152 | 55 34 21 | 120 127 114 | 58 27 31 | 174.2 168.8 179.2 | 15 9 6 | 4.5 5.6 3.5 |
| White | 5 2 109 128 45 43 1 | 3 8 115 111 7 33 1 | 2 6 6 17 38 10 | (3/) (3/) 95 115 (3/) (3/) (3/) | 1 23 24 4 6 | 500.0 211.0 187.5 88.9 139.5 | 8 5 1 1 | 7.3 3.9 2.2 2.3 |
| ST. JOHN | 19 7 12 | 17 8 9 | 2 -1 3 | (<u>3</u> /) (<u>3</u> /) (<u>3</u> /) | 5 1 4 | 263.2 142.9 333.3 | | |
| White | 7 12 | 1 5 8 2 1 | 2 4 2 1 | (3/) (3/) (3/) (3/) (3/) | 4 1 | 333.3 | | |
| ST. THOMAS | 304 162 142 | 197 103 94 | 107 59 48 | 154 157 (<u>3</u> /) | 49 31 18 | 161.2 191.4 126.8 | 16 11 5 | 5.3 6.8 3.5 |
| White | 16 17 128 106 18 | 17 18 81 68 5 | 1 1 47 38 13 11 | (3/) (3/) (3/) (3/) (3/) (3/) | 4 25 14 2 | 250.0 235.3 195.3 132.1 111.1 | 104 | 7.8 3.8 |

 ^{1/} Exclusive of stillbirths.
 2/ A minus sign (-) indicates an excess of deaths over births.
 3/ Figures not shown when the number of deaths is less than 100.

NOTE.—"Mixed" designates a mixture of white and Negro.

SUPPLEMENT-VIRGIN ISLANDS

TABLE 3.—BIRTHS BY SEX, RACE, AND MONTH, IN THE VIRGIN ISLANDS: 1935 (Exclusive of stillbirths)

| AREA, SEX, AND RACE | All births | Jan. | Feb. | Mar. | Apr. | Мау | June | July | Aug. | Sept. | Oct. | Nov. | Dec. |
|---------------------|---|------------------------------|------------------------------|-------------------------------|------------------------------|------------------------------|---------------------------------|---------------------------|------------------------------|------------------------|-------------------------|------------------------------|----------------------|
| VIRGIN ISLANDS | 656 329 327 | 57 27 30 | 48 27 21 | 55 24 31 | 47 21 26 | 50 28 22 | 41 19 22 | 61 27 34 | 59 34 25 | 56 29 27 | 52 29 23 | 56 38 28 | 64 26 38 |
| White | 21 19 244 246 63 62 1 | 3 1 18 21 6 8 | 3 3 23 16 1 2 | 1 4 19 20 4 7 | 1 2 17 21 3 3 | 2 2 21 15 5 5 | 1 16 19 2 3 | 2 19 27 6 7 | 5 1 22 18 6 1 | 1 22 26 7 | 19 18 10 5 | 3 1 29 20 6 7 | 4 19 25 7 |
| ST. CROIX | 333 160 173 | 26 12 14 | 23 13 10 | 30 15 15 | 22 7 15 | 24 12 12 | 16 . 5 11 | 38 16 22 | 28 15 13 | 31 16 15 | 29 17 12 | 35 19 16 | 31 13 18 |
| White | 5 2 109 128 45 43 | 1 9 10 2 4 | 1 12 8 1 | 1 11 11 11 4 3 | 7 13 2 | 8 8 4 4 | 1 4 9 2 | 10 16 6 6 | 1 10 8 3 5 | 9 15 7 | 9 9 8 3 | 2 13 9 4 7 | 7 12 6 6 |
| ST. JOHN | 19 7 12 | 4 2 2 | 1 1 | 1 1 | 2 2 | 2 1 1 | 1 -1 | 2 1 1 | 2 2 | <u>-</u> 1 | 1 -1 | 1 -1 | 1 |
| NegroFemale | 7 12 | 2 2 | 1 | | 2 | 1 | <u>-</u> | 1 | 2 | 1 | 1 | 1 | 1 |
| ST. THOMAS | 304 162 142 | 27 13 14 | 24 13 11 | 24 9 15 | 23 12 11 | 24 15 9 | 24 14 10 | 21 10 11 | 29 19 10 | 24 13 11 | 22 12 10 | 30 19 11 | 32 13 19 |
| White | 128 | 2 1 7 9 4 4 | 3 2 10 8 | 1 3 8 8 | 1 2 8 8 3 1 | 2 2 12 6 1 | 12 9 2 | 2 8 10 1 | 4 1 12 8 3 | 1 13 10 | 10 8 2 2 | 1 16 10 2 | 12 12 12 13 |

NOTE. — "Mixed" designates a mixture of white and Negro.

TABLE 4.—BIRTHS, STILLBIRTHS, AND STILLBIRTHS PER 100 LIVE BIRTHS, BY LEGITIMACY, IN THE VIRGIN ISLANDS: 1935

| AREA AND RACE | | BIRTHS | | s | TILLBIRTÄS | | | BIRTHS PER IVE BIRTHS | 100 |
|----------------|-----------------|--------------------|---------------------|--------------|-----------------|-------------------|-------------------|--------------------------|-------------------|
| AREA AND TAGE | Total | Legiti- mate | Illegiti- mate | Total | Legiti- mate | Illegiti- mate | Total | Legiti- mate | Illegiti- mate |
| VIRGIN ISLANIS | 656 | 268 | 368 | 31 | 11 | 20 | 4.7 | 4.1 | 5.2 |
| White | | 37 153 78 | 3 337 47 1 | 27 3 | 1 9 1 | 18 2 | 2.5 5.5 2.4 | 2.7 5.9 1.3 | 5.3 4.3 |
| ST. CROIX | 333 | 127 | 206 | 15 | 4 | 11 | 4.5 | 3,1 | 5.3 |
| White | 88 1 | 6. 67 54 | 1 170 34 1 | 13 2 | 4 | 9 2 | 5.5 | 6.0 | 5.3 5.9 |
| Negro | 19 | 7 | 12 | | | | | | |
| ST. THOMAS | 304 | 134 | 170 | 16 | 7 | 9 | • 5.3 | 5.2 | 5.3 |
| White | 33 234 37 | 31 79 24 | 2 155 13 | 1 14 1 | 1 5 1 | 9 | 3.0 6.0 2.7 | 3.2 6.3 4.2 | 5,8 |

NOTE. -- "Mixed" designates a mixture of white and Negro.

165010 O -- 37-----14

TABLE 5.—BIRTHS BY AGE OF PARENTS, IN THE VIRGIN ISLANDS: 1935 (Exclusive of stillbirths)

| | .,, | | | | | AGE OF F | ATHER | | | | |
|----------------------------|-------------|-------------------|-------------------|-------------------|-------------------|-------------------|-------------------|-------------------|-------------------|----------------------|-----|
| age of mother | All ages | 15 to 19 years | 20 to 24 years | 25 to 29 years | 30 to 34 years | 35 to 39 years | 40 to 44 years | 45 to 49 years | 50 to 54 years | 55 years and over | |
| All births | 656 | 13 | 101 | 118 | 90 | 69 | 37 | 39 | 15 | 7 | 167 |
| 0 to 14 years5 to 19 years | 4 137 | 2 9 | 40 | 16 | 14 | 3 | 2 | | | | 51 |
| O to 24 years | 202 | 2 | 46 | 60 | 24 | В | 3 | 4 | 2 | 2 | 51 |
| 5 to 29 years | 132 | | 13 | 33 | 26 | 14 | 9 | 5 | 2 | | 30 |
| O to 34 years | 84 | | 2 | 8 | 22 | 21. | 7 | 5 | 3 | | 16 |
| 5 to 39 years | 66 | | | 1 | 4 | 20 | 11 | 13 | 3 | 4 | 10 |
| 0 to 44 years | 26 | | | | | 3 | 5 | 10 | 4 | 1 1 | 1 : |
| 5 to 49 years | 3 | | | | | | | 1 | 1 | | 1 : |
| ot stated | 2 | | | | | | | | | | 1 / |

TABLE 6.—DEATHS FROM IMPORTANT CAUSES, BY CERTAIN SUBDIVISIONS OF THE FIRST YEAR OF LIFE, IN THE VIRGIN ISLANDS: 1935 (Exclusive of stillbirths)

(Numbers after causes of death correspond to those of the detailed International List)

| CAUSE OF DEATH | Un- der 1 year | Un- der 1 day | l day | 2 days | 3 to 6 days | l wk. | 2 wks. | 3 wks. | Un- der 1 mo. | l mo. | 2 mos. | 3 mos. | 4 mos. | 5 mos. | 6 mos. | 7 mos. | 8 mos. | 9 mos. | 10 mos. | ll mos. |
|---|--|-------------------------------------|-------------------|---|-------------|----------|-----------|-------------------------|---|----------|-----------|-----------|-----------|--------------------------|-----------|-----------|-----------|-----------|------------|------------|
| All causes | 112 | 13 | 2 | 4 | 7 | 4 | 2 | 4 | 36 | 6 | 12 | 10 | 8 | 11 | 7 | 6 | 6 | 4 | 4 | 2 |
| Tuberculosis of the respiratory system (23) | 6 10 5 1 55 4 4 13 1 | 1 1 1 1 7 1 2 | 1 | 1 | | 1 1 1 1 | 1 | 1 2 1 | 3 3 4 3 2 13 1 6 | 3 2 | 1 8 1 | 7 | 7 | 1 1 8 1 | 1 | 5 | 4 | 2 | 2 | 1 |

TABLE 7.—INFANT MORTALITY RATE (DEATHS $^{\!\perp\!/}$ UNDER 1 YEAR OF AGE PER 1,000 LIVE BIRTHS) FROM IMPORTANT CAUSES, IN THE VIRGIN ISLANDS: 1924—1935

| CAUSE OF DEATH | 1935 | 1934 | 1933 | 1932 | 1931 | 1930 | 1929 | 1928 | 1927 | 1926 | 1925 | 1924 |
|--|-----------------|--------------------|-------------------|--------------------|-------------------|-----------------|-----------------|--------------------|--------------------|-------------------|--------------------|--------------------|
| All causes | 170.7 | 97.4 | 157.4 | 133.8 | 119.2 | 119.9 | 145.2 | 214.9 | 210.2 | 119,3 | 142.0 | 178.5 |
| Measles (7) Whooping-cough (9) Dysentery (13) | | | 1.7 3.5 1.7 | 7.2 | | | | 16.0 5.3 | 1.8 | 3.3 | 9.5 | 3.0 |
| Tetanus (22) | 1.5 9.1 | 1.5 1.5 1.5 | 1.7 | 1.8 | 2.1 | 3.4 | | 7.1 | 1.8 | 3.3 | 4.7 | 1.5 |
| Convulsions (86) | 15.2 | 1.5 | 5.2 | 1.8 10.8 9.0 | 16.7 | 3.4 5.1 | 4.0 18.1 | 1.8 3.6 32.0 | 1.8 3.7 23.8 | 4.9 24.5 | 1.6 1.6 30.0 | 1.5 4.5 25.7 |
| Lobar and unspecified pneumonia (108, 109) Diseases of the stomach (117, 118) | 7.6 1.5 | 1.5 | 10.4 | 3.6 | 2.1 | | 2.0 | 1.8 | 1.8 | 1.6 | 1.6 1.6 | 1.5 |
| Diarrhea and enteritis (119) | 83.8 6.1 | 28.9 1.5 4.6 | 45.0 10.4 | 27.1 5.4 | 39.7 | 65.9 5.1 | 52.4 6.0 | 79.9 1.8 | 64.0 7.3 | 14.7 8.2 | 33.1 1.6 | 42.4 4.5 |
| Congenital debility, icterus, sclerema 2/ (158, 161b,c) | 6.1 19.8 | 1.5 24.4 | 3.5 24.2 | 7.2 28.9 | 12.6 18.8 | 1.7 | 8.1 | 17.8 19.5 | 21.9 29.3 | 14.7 24.5 | 12.6 17.4 | 33.3 33.3 |
| Injury at birth (160) | 1.5 | 1.5 9.1 3.0 | 3.5 6.9 3.5 | 1.8 | 2.1 6.3 2.1 | 8.4 1.7 | 4.0 14.1 | 5.3 7.1 5.3 | 3.7 12.8 3.7 | 1.6 4.9 3.3 | 3.2 7.9 | 3.0 4.5 |
| Sternal causes of (172-196, 201-214)All other causes | 1.5 | 1.5 6.1 | 1.7 | 9.0 | 8.4 2.1 | 5.1 | 2.0 | 3.6 7.1 | 7.3 11.0 | 6.5 | 3.2 11.0 1.6 | 3.0 9.1 4.5 |

^{1/} Exclusive of stillbirths.
2/ Includes lack of care, desertion, etc., previous to 1930.
3/ Excludes lack of care, desertion, etc., previous to 1930.

SUPPLEMENT-VIRGIN ISLANDS

TABLE 8.—BIRTHS, DEATHS, AND STILLBIRTHS, IN THE VIRGIN ISLANDS: 1924—1935

| CALENDAR YEAR AND SEX | births ¹ / | | | | ALL DEATHS1/ | | | | deaths ¹ / under 1 year | | | | STILLBIRTHS | | | |
|-----------------------|-----------------------|-------------------|-----------------|------------------|----------------|-------------------|----------------|-------------|------------------------------------|-----------------|---------------|-------|-------------|-------------------|-------------|-------|
| | White | Negro | Mixed | Other | White | Negro | Mixed | Other | White | Negro | Mixed | Other | White | Negro | Mixed | Other |
| Total | 40 21 19 | 490 244 246 | 125 63 62 | 1 1 | 47 21 26 | 388 201 187 | 56 14 42 | 1 | 9 4 5 | 90 48 42 | 13 7 6 | | 1 | 27 18 9 | 3 1 2 | |
| 1934 Total | 52 29 23 | 495 244 251 | 110 53 57 | | 29 16 13 | 342 157 185 | 48 15 33 | | 6 3 3 | 53 30 23 | 5 2 3 | | 2 2 | 30 12 18 | 7 2 5 | |
| 1933 Total | 47 24 23 | 463 240 223 | 67 28 39 | 1 1 | 37 19 18 | 389 183 206 | 53 24 29 | 2 2 | 6 3 3 | 80 43 37 | 5 4 1 | === | 1 1 | 2/ 29 11 17 | 5 2 3 | 1 |
| 1932 Total | 53 23 30 | 500 276 224 | | = | 23 13 10 | 423 196 227 | 6 3 3 | 2 1 1 | 2 1 1 | 72 44 28 | | | === | 32 19 13 | | |
| Total | 54 23 31 | 423 205 218 | | - - 1 | 32 20 12 | 417 200 217 | | === | 7 5 2 | 50 25 25 | . | | 3 1 2 | 34 18 16 | | |
| 1930 Total | 73 41 32 | 517 253 264 | | 2 1 1 | 28 15 13 | 452 214 238 | | 4 4 | 4 1 3 | 67 34 33 | | = | === | 45 26 19 | | |
| Total | 54 33 21 | 441 228 213 | 1 | === | 35 17 18 | 496 238 258 | 1 1 | 1 1 | 4 2 2 | 68 40 28 | | == | 1 1 | 42 27 15 | == | |
| Total | 74 35 39 | 487 231 256 | 2 1 1 | == | 37 16 21 | 615 290 325 | | 1 | 8 5 3 | 113 58 55 | | | 2 1 1 | 42 24 18 | 2 2 | |
| Total | 41 25 16 | 506 243 263 | | | 43 23 20 | 551 265 286 | | == | .4 | 111 69 42 | | == | === | 53 29 24 | | |
| 1926 Total | 53 27 26 | 538 262 276 | 19 11 8 | 2 2 | 29 17 12 | 469 223 246 | | 1 1 | 1 1 | 72 35 37 | | | 1 1 | 55 26 29 | | |
| 1925 Total | 60 28 32 | 493 235 258 | 79 43 36 | 2 1 1 | 27 14 13 | 473 225 248 | == | 1 1 | 3 1 2 | 87 46 41 | | === | 2 2 | 52 32 20 | 6 1 5 | |
| Totel | 59 29 30 | 507 240 267 | 95 50 45 | == | 31 12 19 | 496 245 251 | 74 27 47 | == | 12 4 8 | 96 47 49 | 10 6 4 | | 4 4 | 65 36 29 | 5 4 1 | |

^{1/} Exclusive of stillbirths. 2/ Includes 1 of unknown sex.

NOTE. -- "Mixed" designates persons of mixed white and Negro.