U. S. DEPARTMENT OF HEALTH, EDUCATION, AND WELFARE
MARION B. FOLSOM, SECRETARY

PUBLIC HEALTH SERVICE
LEROY E. BURNEY, SURGEON GENERAL

VITAL STATISTICS OF THE UNITED STATES

1955

VOLUME I

INTRODUCTION AND SUMMARY TABLES
TABLES FOR ALASKA, HAWAII, PUERTO RICO, AND VIRGIN ISLANDS
MARRIAGE, DIVORCE, NATALITY, FETAL MORTALITY
AND INFANT MORTALITY DATA

PREPARED UNDER THE SUPERVISION OF
HALBERT L. DUNN, M. D.
Chief, National Office of Vital Statistics

UNITED STATES GOVERNMENT PRINTING OFFICE
WASHINGTON : 1957

For sale by the Superintendent of Documents, U. S. Government Printing Office, Washington 25, D. C. - - - - - - - - - Price $4.00

NATIONAL OFFICE OF VITAL STATISTICS

HALBERT L. DUNN, M. D., *Chief*

ROBERT D. GROVE, *Assistant Chief*

CARL C. DAUER, M. D., *Medical Adviser*

IWAO M. MORIYAMA, *Mortality Analysis*

DEWARD E. WAGGONER, *Natality Analysis*

HUGH CARTER, *Marriage and Divorce Analysis*

MONROE G. SIRKEN, *Actuarial Analysis*

HAZEL V. AUNE, *National Consulting Service*

EDWIN S. PARKER, *Statistical Processing*

MYRTLE E. BURGDORF, *Administrative Officer*

LESTER GOLDNER, *Program Management Officer*

PREFACE

This is one of two volumes presenting final vital statistics for the United States, its Territories, and two possessions for the year 1955. Their subject matter consists of vital events that occurred in these areas during the year—marriages, divorces, births, fetal deaths, infant deaths, and deaths among the general population.

This annual report is organized as follows:

Volume I. Introduction and Summary Tables.
Tables containing data for Alaska, Hawaii, the Commonwealth of Puerto Rico, and the Virgin Islands (U. S.).
Marriage, Divorce, Natality, Fetal Mortality, and Infant Mortality Data for the United States and each State.

Volume II. Mortality Data for the United States and each State.

In using statistics from either volume, it is recommended that reference be made to the explanatory text in Volume I, which describes the sources and limitations of the data.

FIGURE I

FLOW OF VITAL RECORDS AND STATISTICS IN THE UNITED STATES

RESPONSIBLE PERSON OR AGENCY	BIRTH CERTIFICATE	DEATH CERTIFICATE	FETAL DEATH CERTIFICATE (Stillbirth)	NOTIFIABLE DISEASE REPORT	REPORTING OFFICIALS	MARRIAGE RECORD	DIVORCE OR ANNULMENT RECORD
Physician or Other Professional Attendant	Completes entire certificate in consultation with parent(s). Files certificate with local registrar of district in which birth occurs.	1. Completes medical certification and signs certificate. 2. Returns certificate to funeral director.	Certifies to the cause of fetal death and signs certificate. Returns it to funeral director.	Reports each case by telephone or by mail on special form to local or State health department.	Clerk of Local Government	1. Receives application for marriage license. 2. Verifies information from serological tests. 3. Issues marriage license. 4. Sends completed record of marriage to State registrar.	
Funeral Director		1. Obtains personal facts about the deceased. 2. Takes certificate to physician for medical certification. 3. Delivers completed certificate to local registrar and obtains burial permit.	1. Obtains facts about the fetal death. 2. Takes certificate to physician for entry of causes of fetal death. 3. Delivers completed certificate to local registrar and obtains burial permit.		Marriage Officiant	1. Performs the marriage ceremony. 2. Certifies to facts of marriage and sends the record to license clerk.	
Local Registrar of Vital Statistics	Verifies completeness and accuracy. Makes copy, ledger entry, or index for local use. Sends certificates to local health department or to State registrar.	1. Verifies completeness and accuracy. Makes copy, ledger entry, or index for local use. Sends certificates to local health department or to State registrar. 2. Issues burial permit to funeral director. 3. Verifies returns of burial permits.	1. Verifies completeness and accuracy. Makes copy, ledger entry, or index for local use. Sends certificates to local health department or to State registrar. 2. Issues burial permit to funeral director. 3. Verifies returns of burial permits.		Clerk of Court		1. Provides form for report to petitioner or attorney, or uses petition for decree to make entries on such form. 2. Verifies entries on returned form. 3. Enters final decree facts. 4. Sends completed report to State registrar.
City or County Health Department	1. Uses certificates in allocating medical and nursing services, follow up of infectious diseases, planning programs, and measuring effectiveness of activities. 2. Forwards certificates and case reports to State registrar.				Attorney for Petitioner		1. Enters personal facts relative to spouses. 2. Returns form to clerk of court.
State Health Department Bureau of Vital Statistics	1. Queries incomplete or inconsistent information. 2. Maintains files for permanent reference and source of certified copies. 3. Compiles statistics for State and civil divisions of State for use of the health department and other interested agencies or groups. 4. Prepares transcripts or microfilm copies of birth, death, and fetal death certificates, and summary reports of marriage, divorce, and notifiable disease records for transmission to National Office of Vital Statistics.						
Public Health Service National Office of Vital Statistics	1. Prepares and publishes national statistics of births, deaths, fetal deaths, marriages, divorces, and notifiable diseases for official and voluntary consumers. 2. Publishes analyses of data as they relate to public health and social problems. 3. Provides services needed to foster more complete and uniform registration.						

NOTE.—In some States certificates of birth, death, and fetal death and reports of notifiable diseases are not routed through local health departments; in others, there is no central file for marriage and divorce records at the State level.

CONTENTS

Introduction

	Page
Sources of data	XI
Birth, death, and fetal death statistics	XI
Marriage and divorce statistics	XI
Notifiable disease statistics	XI
Standard certificates	XI
History	XVII
Births, deaths, and fetal deaths	XVII
Marriages and divorces	XVIII
Notifiable diseases	XIX
Classification of data	XX
Geographic classification	XXI
Age	XXI
Nativity	XXI
Race and color	XXII
Births in hospitals	XXII
Birth weight	XXII
Illegitimate births	XXIII
Gestation period	XXIII
Fetal deaths	XXIII
Cause of death	XXIV
Control of errors	XXV
Interpretation of data	XXVI
Small frequencies	XXVI
Sampling of birth records	XXVI
Completeness of registration	XXVII
Population bases	XXVII
Residence statistics	XXVII
Territories and possessions	XXVIII
Guide to tabulations	XXIX
Marriage statistics	XXIX
Median age at marriage	XXX
Median age by previous marital status	XXXI
Median age by number of present marriage	XXXII
Percentage distribution of marriages by previous marital status and age	XXXII
Previous marital status of bride by previous marital status of groom	XXXIII
Marriage trend	XXXIII
Marriages by State	XXXIII
Methods of estimating marriages	XXXIII
Divorce and annulment statistics	XXXIII
Duration of marriage	XXXIV
Median age at time of divorce	XXXV
Children reported in divorces and annulments	XXXV
Divorce trend	XXXV
Divorces and annulments by State	XXXVI
Methods of estimating divorces	XXXVI
Natality statistics	XXXVI
Trend of the crude birth rate	XXXVI
The general fertility rate	XXXVI
Birth rates by age of mother and live-birth order	XXXVII
General fertility and live-birth order rates for native white women	XXXIX
Gross and net reproduction rates	XL
Plural births (registered births)	XL
Attendant at birth (registered births)	XL
Illegitimate births (registered births)	XLI
Birth weight (registered births)	XLI
Crude birth rates by State	XLII
Fetal death statistics	XLIII
Reporting of fetal deaths in 1955	XLIII
Trend of fetal death ratios	XLIII
Fetal deaths among plural sets	XLIV
Fetal deaths by legitimacy status	XLIV
Fetal deaths by sex	XLV
Fetal deaths by birth order and age of mother	XLV
Fetal deaths by State	XLVI
Life tables	XLVI
Life table values for 1955	XLVI
Trends of life table values	XLVI
Mortality statistics	XLVII
Cause of death in 1955	XLVII
General mortality trends	L
Trend by cause of death	LI
Crude death rates by geographic division	LIII
Mortality by State and age	LIV
Infant mortality	LIV
Explanation of the columns of the life table	LXXXIII

FIGURES

Figure	Page
1. Flow of vital records and statistics in the United States	IV
2. Certificate of live birth	XII
3. Certificate of death	XIII
4. Certificate of fetal death	XIV
5. Standard record of marriage	XV
6. Standard record of divorce or annulment	XVI

FIGURES—Continued

Figure		Page
7.	41 areas maintaining centralized marriage records: 1955	XXX
8.	Median age of bride and of groom at first marriage and remarriage, by color: 20 reporting States, 1955	XXXI
9.	Median age of bride and of groom at marriage, by previous marital status: 20 reporting States, 1955	XXXI
10.	Marriage and divorce rates: United States, 1920-55	XXXII
11.	36 areas maintaining centralized divorce records: 1955	XXXIV
12.	Divorces and annulments by number of children reported: 22 reporting States, 1955	XXXV
13.	Live births and birth rates adjusted for underregistration: United States, 1909-55	XXXVII
14.	Birth rates adjusted for underregistration, by age of mother: United States, 1940-55	XXXVIII
15.	Birth rates adjusted for underregistration, by live-birth order: United States, 1940-55	XXXVIII
16.	Birth rates adjusted for underregistration, by live-birth order for native white women: United States, 1920-55	XXXIX
17.	Percent of registered live births in hospitals, by color: United States, 1940-55	XLI
18.	Fetal death ratios by color: Birth-registration States, 1922-55	XLIV
19.	Death rates by age, color, and sex: United States, 1955	XLVIII
20.	The 10 leading causes of death by color and sex: United States, 1955	XLIX
21.	Death rates: Death-registration States, 1900-1955	L
22.	Age-adjusted death rates by color and sex: Death-registration States, 1900-1955	LI
23.	Infant mortality rates by age: Birth-registration States, 1915-55	LV

TEXT TABLES

Table		
A.	Important dates in the history of birth and death registration: United States	XVII
B.	Growth of the birth- and death-registration areas: United States	XVIII
C.	Year in which each State was admitted to the birth-registration area	XVIII
D.	Year in which each State was admitted to the death-registration area	XIX
E.	Year in which the central filing of marriage and divorce records began	XIX
F.	Sources of marriage and divorce data: United States, 1867-1955	XX
G.	Guide to the tabulations for 1955	LVI
H.	Population of continental United States and registration States: 1900-1955	LVII
J.	Estimated population of the United States, including Armed Forces overseas, by age, color, and sex: July 1, 1955	LVIII
K.	Estimated population residing in continental United States (excluding Armed Forces overseas), by age, color, and sex: July 1, 1955	LVIII
L.	Estimated population (excluding Armed Forces overseas) by age: United States, each division and State, July 1, 1955	LIX
M.	Live births to nonresidents in each State and live births to residents in other States: United States, 1955	LX
N.	Deaths of nonresidents in each State and deaths of residents in other States: United States, 1955	LXI
O.	Number and percentage distribution of marriages by State of occurrence, by resident status of bride and groom: 29 reporting States, 1955	LXII
P.	Marriages, divorces, and rates: United States, each division and State, 1955	LXIII
Q.	Marriages, divorces, and rates: United States, 1920-55	LXIII
R.	Median age of bride and of groom by specified age of spouse, at first marriage of both: Total of 28 reporting States, 1955	LXIII
S.	Median age of bride and of groom at marriage, by previous marital status: 20 reporting States, 1955	LXIV
T.	Median age of bride and of groom by number of present marriage: 15 reporting States, 1955	LXIV
U.	Median age of bride and of groom at first marriage and at remarriage, by color: 20 reporting States, 1955	LXV
V.	Percentage distribution of marriages by age of bride and of groom by previous marital status: Total of 21 reporting States, 1955	LXV
W.	Percentage distribution of divorces and annulments by number of children reported: 22 reporting States, 1955	LXVI
X.	Estimates of the total number of children reported in divorces and annulments: United States and total of 22 reporting States, 1953-55	LXVI
Y.	Divorces and annulments by median duration of marriage in years: 23 reporting States, 1955	LXVI
Z.	Median age of husband and of wife at time of divorce: 6 reporting States, 1955	LXVI
AA.	Marriage and divorce rates: United States, each division and State, 1951-55	LXVII

TEXT TABLES—Continued

Table		Page
AB.	Total registered live births and birth rates, and live births and birth rates adjusted for underregistration by color: Birth-registration States and United States, 1915-55	LXVIII
AC.	Birth rates adjusted for underregistration, by age of mother and color: United States, 1940-55	LXIX
AD.	Birth rates adjusted for underregistration, by live-birth order and color: United States, 1940-55	LXX
AE.	Birth rates adjusted for underregistration, by age of mother, live-birth order, and color: United States, 1955	LXXI
AF.	Birth rates adjusted for underregistration, by age of mother, for married women: United States, 1950-55	LXXI
AG.	Gross and net reproduction rates by color: United States, 1940-55	LXXI
AH.	Birth rates adjusted for underregistration, by live-birth order for native white women: United States, 1920-55	LXXII
AJ.	Total registered live births, and cases of plural births in which at least one child was born alive: United States, 1940-55	LXXII
AK.	Number and percentage distribution of registered live births by attendant, by color: United States, 1940-55	LXXIII
AL.	Percentage distribution of registered live births by attendant, by color: United States, each division and State, 1955	LXXIV
AM.	Ratio of illegitimate live births by color: 35 reporting States, 1953-55	LXXV
AN.	Estimated number of illegitimate live births by color, and illegitimacy rates and ratios: United States, 1940-55	LXXVI
AO.	Estimated number and ratio of illegitimate live births, by age of mother and color: United States, 1955	LXXVI
AP.	Distribution of registered live births by birth weight, by color: United States and each geographic division, 1955	LXXVI
AQ.	Distribution of registered live births by birth weight, by age of mother, sex of child, and color: United States, 1955	LXXVII
AR.	Birth rates: United States, each division and State, 1951-55	LXXVIII
AS.	Minimum periods of gestation for fetal death registration and fetal deaths by period of gestation: United States and each State, 1955	LXXIX
AT.	Fetal deaths and fetal death ratios by color: Birth-registration States, 1922-55	LXXX
AU.	Fetal deaths and fetal death rates by age of mother, plurality of birth, and color: United States, 1955	LXXX
AV.	Fetal deaths and fetal death ratios by legitimacy status, age of mother, and color: 34 reporting States, 1955	LXXX
AW.	Fetal deaths by number of children previously born alive to mother, age of mother, and color: United States, 1955	LXXXI
AX.	Fetal death rates by number of children previously born alive to mother, age of mother, and color: United States, 1955	LXXXI
AY.	Fetal death ratios by color: United States, each division and State, 1951-55	LXXXII
AZ.	Abridged life table for the total population: United States, 1955	LXXXIII
BA.	Abridged life tables by color and sex: United States, 1955	LXXXIV
BB.	Life table values for specified ages, by color and sex: United States, 1949-51, 1954, and 1955	LXXXV
BC.	Average remaining lifetime in years at specified ages, by color and by sex: Death-registration States, 1900-1902 to 1949-51	LXXXV
BD.	Reported cases of specified notifiable diseases: United States, 1946-55	LXXXVI
BE.	Reported cases of specified notifiable diseases: United States, each division and State, 1955	LXXXVII
BF.	Total deaths, and death rates by color and sex: Death-registration States, 1900-1955	LXXXVIII
BG.	Age-adjusted death rates by color and sex: Death-registration States, 1900-1955	LXXXIX
BH.	Death rates by age, color, and sex: United States, 1946-55	LXXXIX
BJ.	Death rates by age, color, and sex: United States, 1955	XCI
BK.	Mortality for leading causes of death: United States, 1955	XCI
BL.	Deaths at ages 85 years and over, by single years of age, color, and sex: United States, 1955	XCI
BM.	Deaths and death rates for males, including deaths among Armed Forces overseas, by color: United States, 1955	XCI
BN.	Death rates for 64 selected causes: United States, 1946-55	XCII
BO.	Death rates for 64 selected causes, by age, color, and sex: United States, 1955	XCIII
BP.	Death rates: United States, each division and State, 1951-55	CI
BQ.	Death rates by age: United States, each division and State, 1955	CI
BR.	Death rates for 64 selected causes: United States, each division and State, 1955	CII
BS.	Infant mortality rates by age and color: United States, 1946-55	CVI
BT.	Infant mortality rates by age, color, and sex: United States, 1955	CVII
BU.	Infant mortality rates for selected causes: United States, 1946-55	CVII
BV.	Infant mortality rates by color: United States, each division and State, 1951-55	CVIII

Territories and Possessions

Table		Page
1.	Marriages by age of bride, by age of groom: Specified areas, 1955	3
2.	First marriages of both bride and groom, by age of bride, by age of groom: Specified areas, 1955	4
3.	First marriages and remarriages, by age and color of bride and of groom: Specified areas, 1955	5
4.	Marriages by age and number of present marriage of bride and of groom: Specified areas, 1955	6
5.	Marriages by age and previous marital status of bride and of groom: Specified areas, 1955	7
6.	Marriages by previous marital status of bride, by previous marital status of groom: Specified areas, 1955	8
7.	Marriages by resident status of bride and groom: Specified areas, 1955	8
8.	Marriages by month: Specified areas, 1955	8
9.	Divorces and annulments by month: Specified areas, 1955	8
10.	Divorces and annulments by legal grounds for decree: Specified areas, 1955	9
11.	Divorces and annulments by party to whom granted: Specified areas, 1955	9
12.	Divorces and annulments by number of children reported: Specified areas, 1955	9
13.	Divorces and annulments by duration of marriage in years: Specified areas, 1955	9
14.	Live births and deaths by specified race and sex: Specified areas, 1955	9
15A.	Live births by attendant and birth weight; fetal deaths; and total, infant, and neonatal deaths; by color: Alaska, each judicial division and district, and specified urban places, 1955	10
15B.	Live births by attendant and birth weight; fetal deaths; and total, infant, and neonatal deaths; by color: Hawaii, each county, and specified urban places, 1955	13
15C.	Live births by attendant and birth weight; fetal deaths; and total, infant, and neonatal deaths; by color: Puerto Rico, each municipality, and specified urban places, 1955	14
15D.	Live births by attendant and birth weight; fetal deaths; and total, infant, and neonatal deaths; by color: Virgin Islands, each municipality, and specified urban places, 1955	18
16.	Live births by month, color, and sex: Specified areas, 1955	19
17.	Live births by age of mother, color, and live-birth order: Specified areas, 1955	20
18.	Cases of plural births classified by number of children born alive and born dead, by color: Specified areas, 1955	22
19.	Live births by birth weight and color: Specified areas, 1955	22
20.	Fetal deaths by month and color: Specified areas, 1955	23
21.	Fetal deaths by age of mother and color: Specified areas, 1955	23
22.	Fetal deaths by birth weight and color: Specified areas, 1955	24
23.	Fetal deaths by period of gestation and color: Specified areas, 1955	24
24.	Deaths under 1 year, by age, color, and sex: Specified areas, 1955	25
25.	Deaths under 1 year and under 28 days, by month and color: Specified areas, 1955	26
26.	Deaths under 1 year, under 28 days, and 28 days to 11 months, from 45 selected causes, by color: Specified areas, 1955	27
27.	Deaths by month, color, and sex: Specified areas, 1955	29
28.	Deaths from 64 selected causes, by age, color, and sex: Specified areas, 1955	30

Marriages and Divorces

1.	Marriages by month: 36 reporting States, 1955	49
2.	Marriages by age of bride, by age of groom: Total of 28 reporting States, 1955	50
3.	First marriages of both bride and groom, by age of bride, by age of groom: Total of 23 reporting States, 1955	51
4.	All marriages, first marriages, and remarriages, by age and race of bride and of groom: Total of 20 reporting States, 1955	52
5.	First marriages and remarriages, by age and color of bride and of groom: 22 reporting States, 1955	54
6.	Marriages by age (single years 15 through 44) and previous marital status of bride and of groom: Total of 20 reporting States, 1955	59
7.	Marriages by age and previous marital status of bride and of groom: 21 reporting States, 1955	60
8.	Marriages by previous marital status of bride, by previous marital status of groom: 23 reporting States, 1955	65
9.	Marriages by age (single years 15 through 44) and number of present marriage of bride and of groom: Total of 15 reporting States, 1955	66
10.	Marriages by age and number of present marriage of bride and of groom: 16 reporting States, 1955	67
11.	Marriages by State of occurrence distributed according to State of residence of bride and of groom: 22 reporting States, 1955	71

MARRIAGES AND DIVORCES—Continued

Table Page
12. Divorces and annulments by month: 30 reporting States, 1955 74
13. Divorces and annulments by legal grounds for decree: 25 reporting States, 1955 75
14. Divorces and annulments by party to whom granted: 24 reporting States, 1955 76
15. Divorces and annulments by number of children reported under 18 years of age: 22 reporting States, 1955 76
16. Divorces and annulments by duration of marriage in years: 23 reporting States, 1955 77
17. Divorces by age of husband and of wife and number of times married: Total of 6 reporting States, 1955 78
18. Divorces and annulments by State of occurrence distributed by State where marriage was performed: 12 reporting States, 1955 79

General Natality and Mortality

19. Live births by attendant and birth weight; fetal deaths; and total, infant, and neonatal deaths; by color: United States, each State and county, and specified urban places, 1955 83
20. Live births by attendant and birth weight; fetal deaths and ratios; total deaths; and infant and neonatal deaths and rates; by color for urban and rural areas in metropolitan and nonmetropolitan counties: United States and each State, 1955 184

Live Births

21. Live births by State of occurrence distributed according to State of residence: United States and each State, 1955 203
22. Live births by month: United States and each State, 1955 206
23. Live births by month, color, and sex: United States and each State, 1955 207
24. Live births by specified race and sex: United States and each State, 1955 212
25. Live births by age of father, color, and sex of child for the United States and each State; and by age of mother for the United States: 1955 213
26A. Live births by age of mother, live-birth order, sex of child, race, and nativity of white mother: United States, 1955 220
26B. Live births by age of mother, live-birth order, race, and nativity of white mother: Each State, 1955 223
27. Live births by single year of age of mother, live-birth order, color, and nativity of white mother: United States, 1955 264
28. Cases of plural births classified by number of children born alive and born dead, by race and sex for the United States and each State; and by age of mother for the United States: 1955 267
29. Illegitimate live births by age of mother and color: 35 reporting States, 1955 272
30. Live births by birth weight and color for the United States and each State; and by sex for the United States: 1955 274

Fetal Deaths

31. Fetal deaths by State of occurrence distributed according to State of residence: United States and each State, 1955 279
32. Fetal deaths by month and color: United States and each State, 1955 282
33. Fetal deaths by age of mother and race: United States and each State, 1955 284
34. Fetal deaths by age of father, color, sex of child, and age of mother: United States, 1955 288
35. Fetal deaths by attendant, gestation group, and color: United States and each State, 1955 290
36. Fetal deaths by birth weight and color for the United States and each State; and by sex for the United States: 1955 293
37. Fetal deaths by period of gestation and color for the United States and each State; and by sex for the United States: 1955 296

Infant Deaths

Table		Page
38.	Deaths under 1 year, by age, race, and sex: United States and each State, 1955	300
39.	Deaths under 1 year and under 28 days, by month and color for the United States and each State; and by age and sex for the United States: 1955	316
40.	Deaths under 1 year, under 28 days, and 28 days to 11 months, from 45 selected causes, by month: United States, 1955	323
41.	Deaths under 1 year and under 28 days, from 45 selected causes, by color for urban and rural areas in metropolitan and nonmetropolitan counties: United States, 1955	326
42.	Deaths under 1 year from 45 selected causes, by age, color, and sex: United States, 1955	332
43.	Deaths under 1 year, under 28 days, and 28 days to 11 months, from 45 selected causes, by color: United States and each State, 1955	350

Volume II

Total Deaths (Exclusive of fetal deaths)

44.	Deaths by State of occurrence distributed according to State of residence: United States and each State, 1955	2
45.	Deaths by month: United States and each State, 1955 (by place of occurrence)	5
46.	Deaths by month, color, and sex: United States and each State, 1955	6
47.	Deaths by specified race and sex: United States and each State, 1955	12
48.	Deaths by color and sex for metropolitan and nonmetropolitan counties: United States and each State, 1955	13
49.	Deaths by age for metropolitan and nonmetropolitan counties: United States and each State, 1955	15
50.	Deaths and death rates for each cause, by color and sex: United States, 1955	17
50.	Supplement A: Deaths from motor-vehicle accidents by color, sex, and type of motor vehicle involved: United States, 1955	33
50.	Supplement B: Deaths from nontransport accidents by color, sex, and place of accident: United States, 1955	35
51.	Deaths from 256 selected causes, by month: United States, 1955	39
52.	Deaths from 256 selected causes, by specified race and sex: United States, 1955	44
53.	Deaths from 256 selected causes, by age, race, and sex: United States, 1955	52
54.	Deaths from 256 selected causes, by color and sex: United States and each State, 1955	102
55A.	Deaths from 64 selected causes, by age, color, and sex: United States, 1955	170
55B.	Deaths from 64 selected causes, by age, color, and sex: Each State, 1955	180
56.	Deaths from 64 selected causes: United States and each State, 1955 (by place of occurrence)	376
57.	Deaths from selected causes: United States, each State and county, metropolitan and nonmetropolitan counties and specified urban places, 1955	380
58A.	Deaths from specified infective diseases: United States, specified States and counties, 1955	508
58B.	Deaths from specified infective diseases: Specified urban places in the United States, 1955	515

Symbols

Class or item not applicable (3 dots)	. . .
Data not available (3 dashes)	- - -
Quantity is zero, in frequency tables (1 dash)	-
Quantity is zero, in rate or percent tables (1 cipher)	0
If rate or percent is more than 0, but less than 0.05	0.0
If both frequency and population base are zero in rate or percent tables (1 dash)	-

Vital Statistics of the United States

INTRODUCTION

This report has been expanded somewhat compared with the reports issued for the years 1951 through 1954. Data for live births in 1955 were tabulated on a 100-percent basis, and the live birth statistics for 1951 through 1954 were obtained from a 50-percent sample of all records received. An analytical text with additional text tables, similar to those included in the reports for 1950 and prior years, has been included in this report. Tables A-F are included in this section; for location of other tables mentioned, see Contents.

Most of the rate tables show data for the past 10 or 15 years; a few give figures back to the earliest year for which data are available. For more complete statistics for earlier years reference should be made to Volume I of Vital Statistics of the United States, 1950.

SOURCES OF DATA

Birth, death, and fetal death statistics

All live birth, death, and fetal death tabulations for 1955, with the exceptions noted in the next paragraphs, are based on information from transcripts or microfilm copies of the original certificates. These copies were received from the registration offices of all States, certain cities, the District of Columbia, and Alaska, Hawaii, Puerto Rico, and the Virgin Islands. The statistical information on these records was edited, classified, placed on punchcards, and tabulated in the National Office of Vital Statistics.

The 1955 live birth statistics for California, Colorado, Delaware, Illinois, Indiana, Louisiana, Maine, Michigan, Montana, New Hampshire, Oregon, South Carolina, Vermont, West Virginia, Baltimore (city), New York City, Alaska, and the Territory of Hawaii were produced by a somewhat different procedure. The State vital statistics offices coded the information on their certificates according to the rules followed in the National Office of Vital Statistics. From the punchcards prepared for their own use, the State offices reproduced the information required for national tabulations on punchcard forms supplied by the National Office. The reproduced punchcards were verified in the National Office by reference to microfilm copies of the original certificates and were then tabulated with the cards prepared for all of the other States.

A similar procedure was followed in the case of punched cards for 1955 deaths supplied by the California and Oregon State vital statistics offices.

The statistics in this report cover only events occurring within the reporting areas. Deaths of, and births to, American nationals that occurred in other parts of the world are excluded. Events occurring to foreign nationals within the United States are included.

Marriage and divorce statistics

Marriage statistics for the United States are based on reports from State registration offices, local officials, the District of Columbia, and Alaska, Hawaii, Puerto Rico, and the Virgin Islands. For States or areas for which numbers of marriages are not available, numbers of marriage licenses are used as the nearest approximations to marriages. Marriage statistics on personal characteristics are based on tabulations received from the registration offices of those States which maintain central registers of marriage.

Divorce statistics for the United States are based on reports from those State registration offices which maintain central registers of divorces, from other sources in a few additional States, from the District of Columbia, and from Alaska, Hawaii, Puerto Rico, and the Virgin Islands. The number of reports received in the National Office of Vital Statistics varies from year to year. National totals are estimated.[1] Whenever reported, annulments are included in State figures.[2]

Notifiable disease statistics

Tabulations of notifiable diseases are limited to the number of cases of certain infectious diseases which are reported to the Public Health Service by the State departments of health.

Standard certificates

Standard Certificates of Live Birth, Death, and Fetal Death, issued by the National Office of Vital Statistics, have served for many years as the principal means for gaining uniformity in the content of the documents used to collect information on these events. They have been modified in each State to the extent made necessary by the particular needs of the State or by special provisions of the State vital statistics law. However, the certificates of most States conform closely, in content and arrangement, to the standard certificates.

The first issues of the Standard Certificates of Birth and Death appeared shortly before the formation of the registration areas. Since then, they have been revised period-

---

[1] For an explanation of the methods used in estimating national and State figures, see National Office of Vital Statistics, "Marriages and Divorces: United States and Each State, and Alaska, Hawaii, Puerto Rico, and the Virgin Islands (U. S.), 1954," Vital Statistics—Special Reports, Vol. 44, No. 5, 1956, p. 98.

[2] Ibid., p. 98.

FIGURE 2

U. S. DEPARTMENT OF HEALTH, EDUCATION, AND WELFARE
Public Health Service

(1949 Revision of Standard Certificate)

CERTIFICATE OF LIVE BIRTH

STATE OF BIRTH NO.

1. PLACE OF BIRTH
a. COUNTY
b. CITY (If outside corporate limits, write RURAL and give township) OR TOWN
c. FULL NAME OF HOSPITAL OR INSTITUTION (If NOT in hospital or institution, give street address or location)

2. USUAL RESIDENCE OF MOTHER (Where does mother live?)
a. STATE b. COUNTY
c. CITY (If outside corporate limits, write RURAL and give township) OR TOWN
d. STREET ADDRESS (If rural, give location)

3. CHILD'S NAME *(Type or print)* a. (First) b. (Middle) c. (Last)

4. SEX
5a. THIS BIRTH SINGLE ☐ TWIN ☐ TRIPLET ☐
5b. IF TWIN OR TRIPLET (This child born) 1ST ☐ 2ND ☐ 3RD ☐
6. DATE OF BIRTH (Month) (Day) (Year)

FATHER OF CHILD

7. FULL NAME a. (First) b. (Middle) c. (Last)
8. COLOR OR RACE
9. AGE (At time of this birth) YEARS
10. BIRTHPLACE (State or foreign country)
11a. USUAL OCCUPATION
11b. KIND OF BUSINESS OR INDUSTRY

MOTHER OF CHILD

12. FULL MAIDEN NAME a. (First) b. (Middle) c. (Last)
13. COLOR OR RACE
14. AGE (At time of this birth) YEARS
15. BIRTHPLACE (State or foreign country)
16. CHILDREN PREVIOUSLY BORN TO THIS MOTHER (Do NOT include this child)
a. How many OTHER children are now living?
b. How many OTHER children were born alive but are now dead?
c. How many children were stillborn (born dead after 20 weeks pregnancy)?
17. INFORMANT

I hereby certify that this child was born alive on the date stated above.

18a. SIGNATURE
18b. ATTENDANT AT BIRTH M. D. ☐ MIDWIFE ☐ OTHER (Specify)
18c. ADDRESS
18d. DATE SIGNED

19. DATE REC'D BY LOCAL REG.
20. REGISTRAR'S SIGNATURE
21. DATE ON WHICH GIVEN NAME ADDED BY (Registrar)

FOR MEDICAL AND HEALTH USE ONLY
(This section MUST be filled out)

22a. LENGTH OF PREGNANCY WEEKS
22b. WEIGHT AT BIRTH LBS. OZS.
23. LEGITIMATE YES ☐ NO ☐

(SPACE FOR ADDITION OF MEDICAL AND HEALTH ITEMS BY INDIVIDUAL STATES)

FIGURE 3

U. S. DEPARTMENT OF HEALTH, EDUCATION, AND WELFARE
Public Health Service

(1949 Revision of Standard Certificate)

CERTIFICATE OF DEATH

BIRTH NO. STATE OF STATE FILE NO.

1. PLACE OF DEATH
a. COUNTY
b. CITY OR TOWN (If outside corporate limits, write RURAL and give township)
c. LENGTH OF STAY (in this place)
d. FULL NAME OF HOSPITAL OR INSTITUTION (If not in hospital or institution, give street address or location)

2. USUAL RESIDENCE (Where deceased lived. If institution: residence before admission).
a. STATE
b. COUNTY
c. CITY OR TOWN (If outside corporate limits, write RURAL and give township)
d. STREET ADDRESS (If rural, give location)

3. NAME OF DECEASED (*Type or Print*) a. (First) b. (Middle) c. (Last)
4. DATE OF DEATH (Month) (Day) (Year)

5. SEX
6. COLOR OR RACE
7. MARRIED, NEVER MARRIED, WIDOWED, DIVORCED (Specify)
8. DATE OF BIRTH
9. AGE (In years last birthday) IF UNDER 1 YEAR Months Days IF UNDER 24 HRS. Hours Min.

10a. USUAL OCCUPATION (Give kind of work done during most of working life, even if retired)
10b. KIND OF BUSINESS OR INDUSTRY
11. BIRTHPLACE (State or foreign country)
12. CITIZEN OF WHAT COUNTRY?

13. FATHER'S NAME
14. MOTHER'S MAIDEN NAME

15. WAS DECEASED EVER IN U.S. ARMED FORCES? (Yes, no, or unknown) (If yes, give war or dates of service)
16. SOCIAL SECURITY NO.
17. INFORMANT

18. CAUSE OF DEATH
Enter only one cause per line for (a), (b), and (c)

**This does not mean the mode of dying, such as heart failure, asthenia, etc. It means the disease, injury, or complication which caused death.*

MEDICAL CERTIFICATION

I. DISEASE OR CONDITION DIRECTLY LEADING TO DEATH* (a)

ANTECEDENT CAUSES

Morbid conditions, if any, giving rise to the above cause (a) stating the underlying cause last.

DUE TO (b)

DUE TO (c)

II. OTHER SIGNIFICANT CONDITIONS

Conditions contributing to the death but not related to the disease or condition causing death.

INTERVAL BETWEEN ONSET AND DEATH

19a. DATE OF OPERATION
19b. MAJOR FINDINGS OF OPERATION
20. AUTOPSY? YES ☐ NO ☐

21a. ACCIDENT SUICIDE HOMICIDE (Specify)
21b. PLACE OF INJURY (e.g., in or about home, farm, factory, street, office bldg., etc.)
21c. (CITY, TOWN, OR TOWNSHIP) (COUNTY) (STATE)

21d. TIME OF INJURY (Month) (Day) (Year) (Hour) m.
21e. INJURY OCCURRED WHILE AT WORK ☐ NOT WHILE AT WORK ☐
21f. HOW DID INJURY OCCUR?

22. *I hereby certify that I attended the deceased from _____, 19____, to _____, 19____, that I last saw the deceased alive on _____, 19____, and that death occurred at _____ m., from the causes and on the date stated above.*

23a. SIGNATURE (Degree or title)
23b. ADDRESS
23c. DATE SIGNED

24a. BURIAL, CREMATION, REMOVAL (Specify)
24b. DATE
24c. NAME OF CEMETERY OR CREMATORY
24d. LOCATION (City, town, or county) (State)

DATE REC'D BY LOCAL REG.
REGISTRAR'S SIGNATURE
25. FUNERAL DIRECTOR
ADDRESS

FIGURE 4

U. S. DEPARTMENT OF HEALTH,
EDUCATION, AND WELFARE
Public Health Service

CERTIFICATE OF FETAL DEATH[1]

STATE OF — STATE FILE NO.

1. PLACE OF DELIVERY
a. COUNTY
b. CITY (If outside corporate limits, write RURAL and give township) OR TOWN
c. FULL NAME OF HOSPITAL OR INSTITUTION (If not in hospital or institution, give street address or location)

2. USUAL RESIDENCE OF MOTHER (Where does mother live?)
a. STATE b. COUNTY
c CITY (If outside corporate limits, write RURAL and give township) OR TOWN
d. STREET ADDRESS (If rural, give location)

3. NAME OF FETUS (if given)

4. SEX OF FETUS MALE ☐ FEMALE ☐ UNDETERMINED ☐

5a. THIS DELIVERY SINGLE ☐ TWIN ☐ TRIPLET ☐

5b IF TWIN OR TRIPLET, WAS THIS FETUS DELIVERED 1ST ☐ 2ND ☐ 3RD ☐

6. DATE OF DELIVERY (Month) (Day) (Year)

FATHER

7 NAME a. (First) b. (Middle) c. (Last)

8. COLOR OR RACE

9. AGE (At time of delivery) _____ YEARS

10. BIRTHPLACE (State or foreign country)

11a USUAL OCCUPATION

11b. KIND OF BUSINESS OR INDUSTRY

MOTHER

12. MAIDEN NAME a. (First) b. (Middle) c. (Last)

13. COLOR OR RACE

14. AGE (At time of delivery) _____ YEARS

15. BIRTHPLACE (State or foreign country)

16. PREVIOUS DELIVERIES TO MOTHER (Do NOT include this fetus)
a. How many children are now living? _____
b. How many children were born alive but are now dead? _____
c. How many PREVIOUS fetal deaths (*fetuses born dead at* ANY *time after conception*)? _____

17. INFORMANT

18a. LENGTH OF PREGNANCY _____ COMPLETED WEEKS

18b. WEIGHT OF FETUS _____ LB _____ OZ.

19. LEGITIMATE YES ☐ NO ☐

20. WHEN DID FETUS DIE BEFORE LABOR ☐ DURING LABOR OR DELIVERY ☐ UNKNOWN ☐

21. AUTOPSY YES ☐ NO ☐

22. CAUSE OF FETAL DEATH

I DIRECT AND ANTECEDENT CAUSES (Enter only one cause per line)

DIRECT CAUSE
State fetal or maternal condition directly causing fetal death (do not use such terms as stillbirth or prematurity).
(a)

Due to

ANTECEDENT CAUSES
State fetal and/or maternal conditons, if any, GIVING RISE TO THE ABOVE CAUSE (a) *stating* THE UNDERLYING CAUSE LAST.
(b)

Due to
(c)

II OTHER SIGNIFICANT CONDITIONS *of fetus or mother which may have* CONTRIBUTED *to fetal death, but, in so far as is known, were not related to direct cause of fetal death.*

I hereby certify that this delivery occurred on the date stated above and the fetus was born dead.

23a. ATTENDANT'S SIGNATURE (Specify if M. D., D. O., midwife, or other)

23b. DATE SIGNED

23c ATTENDANT'S ADDRESS

If not attended by physician

24. SIGNATURE OF AUTHORIZED OFFICIAL TITLE

25a BURIAL, CREMATION, REMOVAL (Specify)

25b. DATE

25c. NAME OF CEMETERY OR CREMATORY

25d. LOCATION (City, town, or county) (State)

26. FUNERAL DIRECTOR ADDRESS

DATE REC'D BY LOCAL REG.

REGISTRAR'S SIGNATURE

[1] Optional heading—CERTIFICATE OF FETAL DEATH (STILLBIRTH).

FIGURE 5

U. S. DEPARTMENT OF HEALTH, EDUCATION, AND WELFARE
Public Health Service

_____ (State) DEPARTMENT OF PUBLIC HEALTH
_____ (Division) OF VITAL STATISTICS

COUNTY

STANDARD RECORD OF MARRIAGE

STATE FILE NO.

APPLICATION FOR MARRIAGE LICENSE

GROOM

1. NAME a. (First) b. (Middle) c. (Last)
2. DATE OF BIRTH (Month) (Day) (Year)
3. USUAL RESIDENCE a. STATE b. COUNTY
4. PLACE OF BIRTH (State or foreign country)
c. CITY OR TOWN (If outside corporate limits write RURAL and give township)
5. PREVIOUS MARITAL STATUS NEVER MARRIED ☐ LAST MARRIAGE ENDED BY: DEATH ☐ DIVORCE ☐ ANNULMENT ☐
6. NUMBER OF PREVIOUS MARRIAGES____ ☐ NONE
7. COLOR OR RACE WHITE ☐ NEGRO ☐ OTHER ☐ (specify)_____
8a. USUAL OCCUPATION
8b. KIND OF BUSINESS OR INDUSTRY

BRIDE

9a. NAME a. (First) b. (Middle) c. (Last)
10. DATE OF BIRTH (Month) (Day) (Year)
9b. MAIDEN NAME IF DIFFERENT
11. USUAL RESIDENCE a. STATE b. COUNTY
12. PLACE OF BIRTH (State or foreign country)
c. CITY OR TOWN (If outside corporate limits write RURAL and give township)
13. PREVIOUS MARITAL STATUS NEVER MARRIED ☐ LAST MARRIAGE ENDED BY: DEATH ☐ DIVORCE ☐ ANNULMENT ☐
14. NUMBER OF PREVIOUS MARRIAGES____ ☐ NONE
15. COLOR OR RACE WHITE ☐ NEGRO ☐ OTHER ☐ (specify)_____
16a. USUAL OCCUPATION
16b. KIND OF BUSINESS OR INDUSTRY

DATE
SIGNATURE(S) OF APPLICANT(S)

CERTIFICATION

DATE OF MARRIAGE (Month) (Day) (Year)
PLACE OF MARRIAGE (County) (State)
DATE OF RECORDING
SIGNATURE AND TITLE OF OFFICIAL MAKING RETURN TO STATE DEPARTMENT OF HEALTH

ically by the national vital statistics agency, in consultation with State health officers and registrars; Federal agencies concerned with vital statistics; national, State, and county medical societies; and others working in the fields of public health, social welfare, demography, and insurance. This revision procedure has assured careful evaluation of each item in terms of its current and future usefulness for registration, identification, legal, medical, and research purposes. New items have been added when necessary, and old items have been modified to ensure better reporting or in some cases dropped when their usefulness appeared to be limited.

Standard Certificates of Live Birth and Death recommended to the States for adoption starting with 1949 are shown in figures 2 and 3.

A new Standard Certificate of Fetal Death was recommended for adoption by the States beginning with 1955 (figure 4). Several major developments since 1949 had made revision of the earlier standard certificate necessary. Among these was the World Health Organization's action in 1950 recommending a new definition of "fetal death" and the use of this term in place of "stillbirth."[3] In addition, the relatively recent upsurge of interest in studying fetal loss had led to a critical appraisal of the certificate by groups working in this field.[4]

[3]For details, see section on Fetal deaths under "Classification of Data."

[4]For recommendations of the U. S. National Committee on Vital and Health Statistics, see "Recommendations for the Improvement of Fetal Death Statistics," Public Health Reports, Vol. 70, No. 11, November 1955.

FIGURE 6

U. S. DEPARTMENT OF HEALTH, EDUCATION, AND WELFARE
Public Health Service

_____ (State) DEPARTMENT OF PUBLIC HEALTH
_____ (Division) OF VITAL STATISTICS

STATE FILE NO.

LOCAL FILE NO.

COUNTY

STANDARD RECORD OF
☐ DIVORCE OR ☐ ANNULMENT

HUSBAND

1. NAME a. (First) b. (Middle) c. (Last)
2. DATE OF BIRTH (Month) (Day) (Year)
3. USUAL RESIDENCE a. (City) b. (County) c. (State)
4. PLACE OF BIRTH (State or foreign country)
5. NUMBER OF THIS MARRIAGE
6. RACE OR COLOR WHITE ☐ NEGRO ☐ OTHER ☐ (specify)_____
7a. USUAL OCCUPATION
7b. KIND OF BUSINESS OR INDUSTRY

WIFE

8. MAIDEN NAME a. (First) b. (Middle) c. (Last)
9. DATE OF BIRTH (Month) (Day) (Year)
10. USUAL RESIDENCE a. (City) b. (County) c. (State)
11. PLACE OF BIRTH (State or foreign country)
12. NUMBER OF THIS MARRIAGE
13. COLOR OR RACE WHITE ☐ NEGRO ☐ OTHER ☐ (specify)_____
14a. USUAL OCCUPATION
14b. KIND OF BUSINESS OR INDUSTRY

15. PLACE OF THIS MARRIAGE a. (County) b. (State or foreign country)
16. DATE OF MARRIAGE (Month) (Day) (Year)
17. NUMBER OF CHILDREN UNDER 18
18. PLAINTIFF HUSBAND ☐ WIFE ☐ _____
19. DECREE GRANTED TO HUSBAND ☐ WIFE ☐ _____
20. LEGAL GROUNDS FOR DECREE

I hereby certify that the above persons were divorced on: (Month) (Day) (Year)

DATE OF RECORDING (Month) (Day) (Year)

SIGNATURE OF COURT OFFICIAL

TITLE OF COURT OFFICIAL

Changes embodied in the revised Standard Certificate of Fetal Death are:

1. Substitution of the terms "fetus" and "fetal death" for "birth" and "stillbirth";
2. Addition of items relating to time of death and whether there was an autopsy;
3. Change of the medical certification section from the earlier two-part structure (fetal causes, maternal causes) to the sequential arrangement used on the death certificate;
4. Change in the item on previous fetal deaths to elicit information on all fetal deaths rather than just those with gestations of 20 weeks or more.

A Standard Record of Marriage and a Standard Record of Divorce or Annulment (figures 5 and 6) were approved by the Public Health Service and Public Health Conference on Records and Statistics in 1954 and have been recommended for adoption in all States.

The items in these records were selected on the basis of a questionnaire survey and discussions with State officials concerned with the registration and statistics of marriages, divorces, and annulments, and persons working in the fields of public health, medicine, social welfare, demography, sociology, and insurance. The records will be reviewed periodically with the cooperation of State registration and statistical officials and users of data on the American family.

HISTORY

Births, deaths, and fetal deaths

The first birth and death statistics published by the Federal Government concerned events in 1850 and were for the entire United States. These statistics were based on information collected during the decennial census of that year. Similar decennial collections were made by census enumerators at each census up to and including the census of 1900, but because of the time interval between the occurrence of a birth or a death and the census enumeration, these reports were inaccurate and incomplete.

In 1880, the Bureau of the Census established a national "registration area" for deaths. This original area consisted of only two States—Massachusetts and New Jersey—the District of Columbia, and several large cities having efficient systems for the registration of deaths, but by 1900 eight other States had been admitted. For the years 1880, 1890, and 1900, mortality data were received from the States and cities included in this expanding area, but birth and death figures for the entire country were still compiled from the reports of census enumerators.

The annual collection of mortality statistics for the registration area began with the calendar year 1900. In 1902, the Bureau of the Census, which had previously functioned only in census years, was made a permanent agency by an act of Congress. This act authorized the Director of the Bureau of the Census to obtain, annually, copies of records filed in the vital statistics offices of those States and cities having adequate death-registration systems. At that time not all States had enacted laws requiring the registration of deaths, and in many States the existing laws were poorly enforced. The important dates in the historical development of birth and death registration in various States and the year in which each State was admitted to the national registration areas, are given in table A.

The death-registration area for 1900 consisted of 10 States, the District of Columbia, and a number of cities located in nonregistration States. The registration area in 1900 included 40.5 percent of the population of the continental United States. The original registration area was predominantly urban and characterized by a high proportion of white persons. If those reporting cities located in nonregistration States are excluded, the population coverage of the death-registration States is much lower, representing 26.2 percent of the total population of the United States.

Inasmuch as it is more difficult to obtain accurate and complete registration of births as compared with deaths, the national birth-registration area was not established until 1915, and no birth statistics were published by the Bureau of the Census from 1900 to 1914. The original birth-registration area of 1915 consisted of 10 States and the District of Columbia. The growth of this area is indicated in table B.

Statistics of fetal deaths (the term "stillbirths" was used for many years) were first published for the birth-registration area in 1918. However, they were not included in the reports issued for the succeeding 3 years. Beginning with 1922, statistics of fetal deaths (stillbirths) have been published each year for the birth-registration area, and beginning with 1933, for the entire United States.

Table B also presents for each year through 1933 the estimated midyear population of the continental United States and the estimated midyear population of those States included in the registration system. Beginning with 1933, the birth- and death-registration areas have included all 48 States and the District of Columbia. The year in which each State was admitted to the birth-registration area is shown in table C and to the death-registration area in table D.

Table A. IMPORTANT DATES IN THE HISTORY OF BIRTH AND DEATH REGISTRATION: UNITED STATES

AREA	RECORDS ON FILE FOR ENTIRE AREA		ADMITTED TO REGISTRATION AREA	
	Deaths	Births	Deaths	Births
Alabama	1908	1908	1925	1927
Arizona	1909	1909	1926	1926
Arkansas	1914	1914	1927	1927
California	1905	1905	1906	1919
Colorado	1907	1907	1906	1928
Connecticut	1897	1897	1890	1915
Delaware	1881	1881	1890	1921
District of Columbia	1855	1871	1880	1915
Florida	1899	1899	1919	1924
Georgia	1919	1919	1922	1928
Idaho	1911	1911	1922	1926
Illinois	1916	1916	1918	1922
Indiana	1900	1907	1900	1917
Iowa	1880	1880	1923	1924
Kansas	1911	1911	1914	1917
Kentucky	1911	1911	1911	1917
Louisiana	1914	1914	1918	1927
Maine	1892	1892	1900	1915
Maryland	1898	1898	1906	1916
Massachusetts	1841	1841	1880	1915
Michigan	1867	1867	1900	1915
Minnesota	1900	1900	1910	1915
Mississippi	1912	1912	1919	1921
Missouri	1910	1910	1911	1927
Montana	1907	1907	1910	1922
Nebraska	1905	1905	1920	1920
Nevada	1911	1911	1929	1929
New Hampshire	1850	1850	1890	1915
New Jersey	1848	1848	1880	1921
New Mexico	1919	1919	1929	1929
New York	1880	1880	1890	1915
North Carolina	1913	1913	1910	1917
North Dakota	1908	1908	1924	1924
Ohio	1909	1909	1909	1917
Oklahoma	1908	1908	1928	1928
Oregon	1903	1903	1918	1919
Pennsylvania	1906	1906	1906	1915
Rhode Island	1852	1852	1890	1915
South Carolina	1915	1915	1916	1919
South Dakota	1905	1905	1906	1932
Tennessee	1914	1914	1917	1927
Texas	1903	1903	1933	1933
Utah	1905	1905	1910	1917
Vermont	1857	1857	1890	1915
Virginia	1912	1912	1913	1917
Washington	1907	1907	1908	1917
West Virginia	1917	1917	1925	1925
Wisconsin	1907	1907	1908	1917
Wyoming	1909	1909	1922	1922
Alaska	1913	1913	1950	1950
Hawaii	1896	1896	1917	1929
Puerto Rico	1931	1931	1932	1943
Virgin Islands	1919	1919	1924	1924

NOTE.—See tables C and D for footnote references to several States.

430007 O -57 -2

Prior to 1940, most of the national mortality tabulations published by the Bureau of the Census were based on data collected from the registration areas, but beginning with 1940 all published material given in statistical series for the United States prior to the completion of the death-registration area in 1933 omits data for registration cities located in nonregistration States, and includes only statistics for the registration States. This change decreases the mortality statistics coverage of the United States by the exclusion of cities in nonregistration States, but it has its advantages in that more reliable population estimates are available for the registration States than for the registration areas. No change in coverage has been made for natality statistics since the birth-registration area at no time included cities in nonregistration States.

Because of the growth of the areas for which data have been collected and tabulated, a national series of geographically comparable data prior to 1933 can be obtained only by estimation. Annual estimates of births have been prepared by P. K. Whelpton for the period 1909 to 1934 (table AB). These estimates include an adjustment for States not in the birth-registration area prior to 1933 and for underregistration. In conjunction with annual estimates prepared by the National Office of Vital Statistics for the period 1935 through 1955, they constitute a series of data consistent with respect to geographic coverage and registration completeness. Corresponding estimates for deaths are not available. However, rates for the expanding groups of death-registration States are approximations to complete national rates, and general comparisons over a long period of years are made. More exact trends for parts of the United States can be secured through the use of some constant area, such as the original registration States, or the registration States of 1920. The marriage and divorce rates; birth rates; fetal death ratios; and death and infant mortality rates for geographic divisions, and individual States for a series of years are given in tables AA, AR, AY, BP, and BV.

Table B. GROWTH OF THE BIRTH- AND DEATH-REGISTRATION AREAS: UNITED STATES

(Beginning with 1933, areas include entire continental United States. Population estimated as of July 1)

YEAR	Population of continental United States	BIRTH-REGISTRATION STATES		DEATH-REGISTRATION STATES	
		Population	Percent of total	Population	Percent of total
1933------	125,578,763	125,578,763	100.0	125,578,763	100.0
1932------	124,840,471	118,903,899	95.2	118,903,899	95.2
1931------	124,039,648	117,455,229	94.7	118,148,987	95.3
1930------	123,076,741	116,544,946	94.7	117,238,278	95.3
1929------	121,769,939	115,317,450	94.7	115,317,450	94.7
1928------	120,501,115	113,636,160	94.3	113,636,160	94.3
1927------	119,038,062	104,320,830	87.6	107,084,532	90.0
1926------	117,399,225	90,400,590	77.0	103,822,683	88.4
1925------	115,831,963	88,294,564	76.2	102,031,555	88.1
1924------	114,113,463	87,000,295	76.2	99,318,098	87.0
1923------	111,949,945	81,072,123	72.4	96,788,197	86.5
1922------	110,054,778	79,560,746	72.3	92,702,901	84.2
1921------	108,541,489	70,807,090	65.2	87,814,447	80.9
1920------	106,466,420	63,597,307	59.7	86,079,263	80.9
1919------	104,512,110	61,212,076	58.6	83,157,982	79.6
1918------	103,202,801	55,153,782	53.4	79,008,412	76.6
1917------	103,265,913	55,197,952	53.5	70,234,775	68.0
1916------	101,965,984	32,944,013	32.3	66,971,177	65.7
1915------	100,549,013	31,096,697	30.9	61,894,847	61.6
1914------	99,117,567	---	---	60,963,309	61.5
1913------	97,226,814	---	---	58,156,740	59.8
1912------	95,331,300	---	---	54,847,700	57.5
1911------	93,867,814	---	---	53,929,644	57.5
1910------	92,406,536	---	---	47,470,437	51.4
1909------	90,491,525	---	---	44,223,513	48.9
1908------	88,708,976	---	---	38,634,759	43.6
1907------	87,000,271	---	---	34,552,837	39.7
1906------	85,436,556	---	---	33,782,288	39.5
1905------	83,819,666	---	---	21,767,980	26.0
1904------	82,164,974	---	---	21,332,076	26.0
1903------	80,632,152	---	---	20,943,222	26.0
1902------	79,160,196	---	---	20,582,907	26.0
1901------	77,585,128	---	---	20,237,453	26.1
1900------	76,094,134	---	---	19,965,446	26.2
1890------	[1]62,947,714	---	---	19,659,440	31.2
1880------	[1]50,155,783	---	---	8,538,366	17.0

[1]Population enumerated in the Federal census of May 31.

Marriages and divorces

The earliest Federal statistics on marriages and divorces in the United States were collected in a field survey by the Commissioner of Labor, covering the 20-year period 1867 to 1886. A survey covering the next 20 years, and single-year collections for 1916 and for each year from 1922 to 1932 were made by the Bureau of the Census. In all these studies, marriage statistics were confined to numbers of occurrences, by county, with considerable incompleteness for the first 20 years. Divorce data were considered practically complete, and included detailed statistics on such items as legal grounds ("causes"), duration of marriage prior to divorce, etc.

Table C. YEAR IN WHICH EACH STATE WAS ADMITTED TO THE BIRTH-REGISTRATION AREA

YEAR	State	YEAR	State
1915-----	Connecticut	1921-----	Delaware
	Maine		Mississippi
	Massachusetts		New Jersey
	Michigan	1922-----	Illinois
	Minnesota		Montana
	New Hampshire		Wyoming
	New York	1924-----	Florida
	Pennsylvania		Iowa
	Rhode Island[1]		North Dakota
	Vermont	1925-----	West Virginia
	District of Columbia[2]	1926-----	Arizona
1916-----	Maryland		Idaho
1917-----	Indiana	1927-----	Alabama
	Kansas		Arkansas
	Kentucky		Louisiana
	North Carolina		Missouri
	Ohio		Tennessee
	Utah	1928-----	Colorado
	Virginia		Georgia
	Washington		Oklahoma
	Wisconsin	1929-----	Nevada
1919-----	California		New Mexico
	Oregon	1932-----	South Dakota
	South Carolina[3]	1933-----	Texas
1920-----	Nebraska		

[1]Dropped from the registration area in 1919; readmitted in 1921.
[2]Included in States.
[3]Dropped from the registration area in 1925; readmitted in 1928.

Table D. YEAR IN WHICH EACH STATE WAS ADMITTED TO THE DEATH-REGISTRATION AREA

YEAR	State	YEAR	State
1880-----	Massachusetts	1911-----	Missouri
	New Jersey	1913-----	Virginia
	District of Columbia[1]	1914-----	Kansas
1890-----	Connecticut	1916-----	South Carolina
	Delaware[2]	1917-----	Tennessee
	New Hampshire	1918-----	Illinois
	New York		Louisiana
	Rhode Island		Oregon
	Vermont	1919-----	Florida
1900-----	Maine		Mississippi
	Michigan	1920-----	Nebraska
	Indiana	1922-----	Georgia[5]
1906-----	California		Idaho
	Colorado		Wyoming
	Maryland	1923-----	Iowa
	Pennsylvania	1924-----	North Dakota
	South Dakota[3]	1925-----	Alabama
1908-----	Washington		West Virginia
	Wisconsin	1926-----	Arizona
1909-----	Ohio	1927-----	Arkansas
1910-----	Minnesota	1928-----	Oklahoma
	Montana	1929-----	Nevada
	North Carolina[4]		New Mexico
	Utah	1933-----	Texas
1911-----	Kentucky		

[1]Included in States.
[2]Dropped from the registration area in 1900; readmitted in 1919.
[3]Dropped from the registration area in 1910; readmitted in 1930.
[4]Included only municipalities with populations of 1,000 or more in 1900 (about 16 percent of the total population); the remainder of the State was added to the area in 1916.
[5]Dropped from the registration area in 1925; readmitted in 1928.

Table E. YEAR IN WHICH THE CENTRAL FILING OF MARRIAGE AND DIVORCE RECORDS BEGAN

AREA	Marriage	Divorce	AREA	Marriage	Divorce
Alabama----------	1908	1908	New Hampshire------	1858	1881
Arizona----------	-	-	New Jersey---------	1848	1795
Arkansas----------	1917	1923	New Mexico---------	-	-
California---------	1905	-	New York[2]----------	1880	-
Colorado----------	-	-	North Carolina-----	-	-
Connecticut--------	1897	1947	North Dakota-------	1925	1949
Delaware----------	1913	1935	Ohio----------	1949	1949
Dist. of Columbia--	1811	1802	Oklahoma----------	-	-
Florida----------	1927	1927	Oregon----------	1907	1925
Georgia----------	1952	1952	Pennsylvania-------	1906	1943
Idaho----------	1947	1947	Rhode Island-------	1852	-
Illinois----------	-	-	South Carolina-----	1950	-
Indiana----------	-	-	South Dakota-------	1905	1905
Iowa----------	1880	1914	Tennessee----------	1945	1945
Kansas----------	1913	1951	Texas----------	-	-
Kentucky----------	-	-	Utah----------	1919	1953
Louisiana----------	1937	[1]1942	Vermont----------	1857	1896
Maine----------	1892	1892	Virginia----------	1853	1918
Maryland----------	1914	1914	Washington---------	-	-
Massachusetts------	1841	1882	West Virginia------	1921	-
Michigan----------	1867	1897	Wisconsin----------	1907	1907
Minnesota----------	-	-	Wyoming----------	1941	1941
Mississippi--------	1926	1926			
Missouri----------	1948	1948			
			Alaska----------	1913	1949
Montana----------	1943	1943	Hawaii----------	1896	1951
Nebraska----------	1909	1909	Puerto Rico--------	1931	1931
Nevada----------	-	-	Virgin Islands-----	1953	1953

[1]Not all parishes report.
[2]Excludes New York City.

In 1940, the Bureau of the Census, through its Vital Statistics Division, undertook a new program of marriage and divorce statistics, following the pattern used for birth and death statistics. Transcripts of marriage and divorce records were collected, chiefly from those States which could provide them through their State offices of vital statistics. For the first time, the Federal program provided some detailed statistics on marriages in addition to mere numbers of occurrences. However, the data were for fewer than 30 States. Some detailed statistics on divorces were obtained for 6 to 12 States. Marriage data for 1939 and 1940 were published, as well as divorce data for 1939. This program was discontinued, owing to war conditions. Meanwhile, numbers or estimated numbers of occurrences by State were obtained and published for the years 1937 to 1940.

Beginning in 1944, the Bureau of the Census, at first through its Population Division and later through its Vital Statistics Division, resumed efforts to provide numbers of occurrences. This program has been continued by the former Vital Statistics Division, designated the National Office of Vital Statistics since its transfer to the Public Health Service in 1946.[5] In addition, a program of detailed statistics of marriages and divorces, based on State tabulations, was inaugurated by the National Office of Vital Statistics in 1949.

Table E shows for each State the year in which central filing of marriage and divorce records was started.

Table F summarizes some of the preceding discussion, and shows the sources of the national marriage and divorce totals from 1867 to 1955.

Notifiable diseases

The collection of data on notifiable diseases by the Public Health Service had its beginning nearly 80 years ago when, by an act of Congress in 1878, such collection was

[5]For specific references to published reports of earlier surveys, see National Office of Vital Statistics, ''Marriage and Divorce Statistics: United States, 1946.'' Vital Statistics--Special Reports, Vol. 27, No. 10, 1947, pp. 171,172.

Table F. SOURCES OF MARRIAGE AND DIVORCE DATA: UNITED STATES, 1867-1955

TIME PERIOD	Marriage	Divorce[1]
1867-86	Estimates prepared by National Office of Vital Statistics based on results of field survey covering 20-year period conducted in 1887-88 under auspices of Commissioner of Labor.	Numbers and detailed statistics (legal grounds, duration of marriage, number of children reported, etc.) obtained in field survey covering 20-year period conducted in 1887-88 under auspices of Commissioner of Labor.
1887-1906	Estimates based on data from field survey covering 20-year period conducted in 1906-07 by the Bureau of the Census.	Numbers and detailed statistics (legal grounds, duration of marriage, number of children reported, etc.) obtained in field survey covering 20-year period conducted in 1906-07 by the Bureau of the Census.
1907-15	Estimates prepared by the Bureau of the Census based on records from selected States.	Same as for marriage.
1916	Numbers collected through mail survey conducted in 1917-18 by the Bureau of the Census.	Numbers and detailed statistics collected through mail survey conducted in 1917-18 by the Bureau of the Census.
1917-21	Estimates prepared by the Bureau of the Census based on records from selected States.	Same as for marriage.
1922-32	Annual collection by Bureau of the Census through mail query to States with central files and to counties in the remaining States.	Numbers and detailed statistics collected annually by Bureau of the Census through mail query to States with central files and to counties in the remaining States.
1933-36	Estimates by S. A. Stouffer and L. M. Spencer on basis of data available from selected States (American Journal of Sociology, January 1939)	Same as for marriage.
1937-40	Estimates based on transcript returns and mail surveys of State and county offices conducted by the Bureau of the Census. Some detailed statistics for 1940 based on transcript program.	Same as for marriage.
1941-43	Estimates based on data from published State reports, files of Bureau of the Census, and of the Federal Home Loan Bank Board.	Same as for marriage.
1944-47	Estimates based on figures on marriages and marriage licenses obtained by mail by the National Office of Vital Statistics from State and local registration offices.	Same as for marriage.
1948-55	Estimates based on figures on marriages and marriage licenses obtained by mail by the National Office of Vital Statistics from State and local registration areas, and some detailed statistics, published annually, based on tables provided by State offices of vital statistics.	Same as for marriage.

[1]Includes reported annulments.

authorized for use in connection with quarantine measures against such pestilential diseases as cholera, smallpox, plague, and yellow fever. One year later, a specific appropriation was made for the collection and publication of reports of notifiable diseases, principally from foreign ports. In 1893, an act provided for the collection of information each week from State and municipal authorities throughout the United States. In order to secure uniformity in the registration of morbidity statistics, Congress enacted a law in 1902, which directed the Surgeon General of the Public Health Service to provide forms for the collection, compilation, and publication of such data.

Reports on notifiable diseases were received from a very few States and cities prior to 1900, but gradually more and more States submitted monthly and annual summaries. It was not until after 1925 that all States reported regularly.

Until 1942, the collection, compilation, and publication of morbidity statistics were under the direction of the Division of Sanitary Reports and Statistics of the Public Health Service. These functions were transferred to the Division of Public Health Methods in 1942, and to the National Office of Vital Statistics in 1949.

CLASSIFICATION OF DATA

The principal value of vital statistics data depends upon the computation of rates in which the vital events of a class are related to the population of a similarly defined class. Vital statistics and population statistics must, therefore, be classified according to similarly defined systems and tabulated in comparable groups. Even when the variables common to both, such as geographic area, age, race, and sex, have been similarly classified and tabulated, differences between the enumeration method of obtaining population data and the registration method of obtaining vital statistics data may result in significant discrepancies.

The classification of certain important items is discussed in this section.[6]

[6]The complete rules followed in the classification of geographic and personal items for births and deaths are set forth in a printed manual. See National Office of Vital Statistics, Vital Statistics Instruction Manual, "Part I, Coding and Punching Geographic and Personal Particulars of Births, Deaths, and Fetal Deaths Occurring in 1955," Washington, D. C., 1956.

Geographic classification

The geographic code[7] used in the tabulation of live birth, death, and fetal death data gives a separate identifying number to each city having, in 1950, a population of 10,000 or more, and to certain towns, townships, and districts which under special rules are classified as urban.

The places classified as urban under special rules are of two types. One type is limited to the States of New Hampshire, Massachusetts, and Rhode Island. It is made up of towns (townships) in which there is a village or thickly settled area having 2,500 inhabitants or more and comprising, either by itself or when combined with other villages within the same town, more than 50 percent of the total population of the town. In this report, only those towns of this type having 10,000 inhabitants or more are shown. A second type is made up of townships and other political subdivisions (not incorporated as municipalities, nor containing areas so incorporated) with a total population of 10,000 or more and a population density of 1,000 or more per square mile.

The geographic code also gives a separate number to each county. Although villages and cities having populations of less than 10,000 are not individually identified, urban places of 2,500 to 10,000 as a group and the remainder of the county (places under 2,500 and rural area) are tabulated separately. The classification of urban places used in tabulations for 1955 was based on their populations enumerated in the 1950 census.

The growth of the urban fringe during the last decade has increased the need for an area classification that can discriminate adequately between the population living in, and served by the facilities of, large urban centers, and the population of more isolated areas. The States have been divided into metropolitan and nonmetropolitan counties, the division being based on the "standard metropolitan area" definition established by the Federal Committee on Standard Metropolitan Areas.[8]

A county is classified as "metropolitan" or "nonmetropolitan" depending on whether it is included or excluded from the standard metropolitan areas developed by the Bureau of the Census in cooperation with other Federal agencies. Except in New England, a county is included in a standard metropolitan area, if it contains at least one city of 50,000 population or more in the 1950 census, or if it is contiguous to a metropolitan county, is essentially metropolitan in character, and its population is socially and economically integrated with the central city or cities of the area, according to specified criteria.

In New England, the towns and cities, rather than the counties, are the units used to define the standard metropolitan area. However, since vital statistics are not tabulated by town in this Office, all counties with more than half their population in standard metropolitan areas, are classified as "metropolitan."[9]

[7]National Office of Vital Statistics, Vital Statistics Instruction Manual, "Part IV, Uniform Geographic Code, 1955," geographic classification used in coding and tabulating vital statistics data.

[8]For a more complete discussion of these areas, see U. S. Bureau of the Census, United States Census of Population: 1950, Volume II, Characteristics of the Population, Part 1, United States Summary, U. S. Government Printing Office, Washington, D. C., 1953, pp. 27-31.

[9]This classification corresponds to State economic areas in New England. See U. S. Bureau of the Census, State Economic Areas, by Donald J. Bogue, 1951.

Age

Very little direct evidence of the accuracy of age information on vital records is available. Some sources of error in the age data are apparent. A small number of vital records are filed with age not reported, and some vital events are not registered. Measures of the variation of completeness of registration with age are available only for "age of mother" and "age of father" for live births. These figures were derived from nationwide tests of birth registration completeness and have been shown in a previous report.[10] For deaths, in the absence of quantitative measures, it has been assumed for some purposes that for the United States as a whole, the registration of deaths under 1 year is incomplete to the same extent as births; while at other ages, all deaths are registered. The exact amount of error in these assumptions is unknown.

Misstatement of age, another type of error on vital records, has been evaluated for the most part on the basis of internal consistency of the data in any one year, or from year to year. There is some evidence of overstatement at certain ages, such as age 18 for brides, age 21 for grooms, and age 30 for mothers. There is also evidence of overstatement of age on the death certificates of persons reported as 65-69 years and at the oldest ages, particularly for nonwhites, which is sufficiently frequent to affect seriously death rates at these ages.[11]

At ages 85 years and over, reported ages seem to be subject to particularly large errors. Since exaggeration of age is apparently greater in the enumerated population than on the death certificate, it has been suggested that death rates be based on the "method of extinct generations," which makes use only of death statistics.[12] This method identifies each death with a particular generation determined by the year of birth. The population exposed to death at a certain age within one generation is then equal to the sum of all deaths that occur at or after that age, within the same generation, up to its extinction. The application of this method requires the tabulation of deaths by single years of age, accumulated over a series of years. Table BL continues the series of these data. The first was published in the report for 1951.

Nativity

Early mortality reports published by the Bureau of the Census contained extensive tables showing nativity of the parents as well as nativity of the decedent, but the publication of these tables was discontinued in 1933. Mortality data showing nativity of decedent were again published in the annual reports for 1939 to 1941, and for 1950, when comparable population figures were available.

In the reports on birth statistics prior to 1937, more emphasis was placed upon country of birth of parents. Detailed tables showing specific country of birth of mother and

[10]See Vital Statistics of the United States, 1950, Volume I, ch. 6. In the computation of rates, errors arising in the population base through underenumeration at particular ages are also of importance. These errors have been described in the United States Census of Population, 1950, Volume II.

[11]For a more detailed discussion, see Vital Statistics of the United States, 1950, Volume I, U. S. Government Printing Office, Washington, D. C., 1954, ch. 8, p. 161.

[12]Vincent, Paul, "La Mortalité Des Vieillards," Population, 6e année, numéro 2, Avril-Juin, 1951.

of father, as well as more abridged classifications, have been published for each year through 1936. These data have been of historical importance in tracing the changing composition of the population of the United States. However, the number of births to foreign-born parents has become a relatively small proportion of the total. Accordingly, since 1937, tables on births showing nativity of parents have been abridged.

Race and color

Births and deaths in the continental United States are classified in detail by white, Negro, American Indian, Chinese, Japanese, and a residual group of numerically minor races. The classification white included persons reported as Mexican and Puerto Rican. In the Negro group is included a reported mixture of Negro with any other race. Other mixed parentage is classified according to the race of the nonwhite parent and mixtures of nonwhite races to the race of the father.

In some tables an extended classification is not needed and the divisions are "White," "Negro," and "Other." In tables where the main purpose is to isolate the major group, the classifications are simply "White" and "Nonwhite."

Marriages are classified by race by the individual States. In this report, they are shown for the "White," "Negro," and "Other" groups, or for the two groups "White" and "Nonwhite."

The correct designation of race is a difficult and complex problem, but classification from vital statistics records into the broad groups used in these volumes is relatively simple. Difficulties may arise in computing rates based on populations classified by race or color because of differences resulting from the registration and enumeration methods of collecting this information.

The procedures used in completing vital statistics records result, in general, in an entry of race on the certificate that is accepted by the family. Race reported in the Census of Population is recorded on the basis of observation by the enumerator. Serious differences arise for Indians, and for the "other nonwhite" group. In several Southern States, groups of persons of mixed stock of Indian and other races, who for the purpose of reporting vital events consider themselves Indian, have been classified in the 1950 census as other nonwhite.[13] These groups contain about 32,000 persons.[14] For the most part, they were enumerated as "Indian" in the 1940 census.

In other areas of the country, where Indians live among the general population, census figures are lower than estimates made by the Bureau of Indian Affairs. The population enumerated as Indian for the entire country numbered 342,226, while the Bureau of Indian Affairs has estimated the 1950 population at 421,600. The latter figure was obtained by adding the natural increase to the Indian population enumerated in 1930 and is subject to the inaccuracies of the source figures. It is obvious that such differences in population estimates will produce large differences in rates.

Observed differences in vital statistics rates for various racial groups should not be interpreted as necessarily due to inherent racial causes. Race is not independent of other factors, and the economic, social, and medical circumstances of one racial group may be quite different from those of another. For example, an observed difference in mortality by race may in actuality be no more than a difference of mortality for different economic classes.

Births in hospitals

Births are classified as occurring in hospitals on the basis of entries on the birth certificate. This classification is unrelated to American Medical Association (AMA) registered hospital listings. In comparing data from the National Office of Vital Statistics with those published by the AMA, it should also be borne in mind that the surveys on which AMA figures are based cover a reporting period from October 1 to September 30, whereas the data of this Office are for the calendar year.

Birth weight

The possibility of obtaining national statistics on birth weight is only a recent development, dating from the 1949 Revision of the Standard Certificates of Live Birth and Fetal Death (stillbirth). By 1950, the birth certificates in all but one State (Massachusetts)[15] and the fetal death certificates in most States included an item on birth weight, and national tabulations based on this item were prepared for the first time in that year.

Several qualitative factors enter into the consideration of birth weight statistics. Data relating to events occurring in hospitals are unquestionably the most accurate. The lack of means in many cases for weighing babies delivered at home is reflected in a sizable proportion of "not stated" weights for certain groups. In addition, in some instances, particularly among midwives, those who did weigh infants born at home used fairly crude scales graduated by quarter pounds.

Still another factor is underreporting of infants who die shortly after birth. Many of these infants are small, and therefore their omission would affect the distribution of live births by weight. It is believed that this also is most serious for groups where a significant proportion of the deliveries are attended by nonphysicians.

In practically all areas, birth weight is reported in terms of pounds and ounces rather than in grams. However, the metric system classification has been used in tabulating and presenting the statistics to facilitate comparison with data published by other groups in the United States. The equivalents in pounds and ounces of the gram intervals are given in each table containing weight data.

Although the "not stated" birth weight groups for live births were relatively small for both white and nonwhite races, there is evidence that they were biased in the direction of failures to report weight for small babies. For this reason before computing the percentage distributions

[13] U. S. Bureau of the Census, United States Census of Population: 1950, Volume IV, Special Reports, Part 3, Chapter B, Nonwhite Population by Race, U. S. Government Printing Office, Washington, D. C., 1953.

[14] Beale, Calvin L., The Enumeration of Mixed-Blood Racial Groups of the Eastern United States in the Census of 1950. Unpublished paper presented at the annual meeting of the Population Association of America, May 1953.

[15] Weight data for live births in Connecticut were recorded in a section of the birth record which was not available for tabulation by the National Office of Vital Statistics for 1950 through 1955.

of live births by weight shown in this volume, the "not stated" weights were distributed, utilizing information available for 1951 on the bias in reporting.

At the present time birth weight information is much less completely reported for fetal deaths than for live births.

For purposes of classification, the term "immature" is defined as referring to infants weighing 2,500 grams or less at birth. This definition was recommended by the American Academy of Pediatrics in 1935, and later adopted in the Sixth Revision of the International Lists of Diseases and Causes of Death (1948). "Premature," although containing the concept of duration of pregnancy, has also been used for many years in connection with the birth weight criterion. In terms of gestation age, it relates to pregnancies of less than 37 completed weeks. It is recognized that there may be basic differences in physical development for some of the subgroupings of births, which would affect the general applicability of the criteria for classifying births as "immature" or "premature."

Illegitimate births

The following States do not now have a birth record item concerning the legitimacy of the birth: Arizona, Arkansas, California, Colorado, Connecticut, Idaho, Maryland, Massachusetts, Nebraska, New Hampshire, New Mexico, New York, Oklahoma, and Vermont. Estimates for the United States were derived by adding an estimate of the number of illegitimate live births in States for which legitimacy data were not available, to the number of illegitimate live births tabulated for the reporting States. No estimates were included for misstatements on the birth record or for failures to register births. For 1951 to 1954, the estimates are based on a 50-percent sample of live births in the reporting States.

There is no direct knowledge as to the characteristics of the unwed mothers who may be misreporting legitimacy status. It seems likely, however, that the decision to conceal the illegitimacy of the birth is conditioned by attitudes in the mother's social group toward her and towards children born out of wedlock. Also, the ability (economic or otherwise) to leave a community before the birth of the child is an important consideration. These factors are generally believed to operate in the direction of a proportionately greater understatement of illegitimacy in the white race than in the nonwhite and in the older age group of women as compared with the younger. Another source of error is the failure to register births at all. It may well be that underregistration is appreciably greater in the illegitimate group than in the legitimate.

Gestation period

Information on length of gestation as given on the vital record has been seriously deficient. The comparatively large proportions at 36 weeks of gestation resulted principally from the erroneous conversion of 9-month gestations to 36 weeks. This type of error was also present at earlier gestations although the broad intervals into which the data are grouped reduce its effect. In addition, the heavy concentrations at 40 weeks are indicative, in part, of a failure to calculate period of gestation for the newborn infants or fetuses of normal size. Although the main result of this is to lessen the numbers in the adjacent gestation intervals, some understatement of gestations of less than 36 weeks may also occur as a consequence. Because of the distortion in the data at 36 weeks, the tables (AS and 37) in this volume show statistics for this gestation age separately.

Fetal deaths

The minimum gestation age for which the registration of a fetal death was called for in 1955 is given in table AS for each State. It will be noted that by the end of 1955 in only one area (Rhode Island) was the lower limit for reporting fetal deaths above 20 weeks (or 5 months). In contrast, there were eight areas (Colorado, Georgia, Maine, Mississippi, Oregon, South Dakota, Vermont, and New York City) requiring the registration of all fetal deaths regardless of gestation age. All except two of the remaining areas specified the minimum period as 20 weeks (or 5 months). For these areas there were variations in terminology which may also have given rise to some differences in interpretation and reporting.

Another aspect in which the State registration requirements for fetal deaths have differed is in the specification of the criteria for determining the absence of life at time of birth. In most areas, requirements specified that any one of the following criteria—heart action, breathing, and movement of voluntary muscles—was evidence of life. The regulations of about a third of the areas, however, were not specific but merely identified fetal death as "not a live birth" or "showing no evidence of life."

While differences in regulations have caused a large degree of incomparability in the past, it is believed that, at the present time, underregistration is of far greater significance. A measure of underreporting of fetal deaths is available only for New York City.[16] In this area, where reporting of fetal deaths, for the period of the test, 1943 through 1945, was probably more complete than in the rest of the country in 1955, it was found that 14 percent of the fetal deaths occurring in the "third trimester of pregnancy" were not registered.

An effect, counter to that of underreporting, probably exists in some areas because of the reporting of some liveborn children who die almost immediately after birth as fetal deaths. The perinatal rate, which is frequently based on fetal deaths at gestations of 20 or 28 weeks or more and early neonatal deaths combined, has been used in some investigations to overcome the effect of this factor.

Periodically, over the past 15 to 20 years, consideration has been given to methods for improving comparability of fetal death statistics. However, the most concerted action started in 1950. In an effort to introduce consistency in terminology and at the same time to stimulate the collection of data on total fetal loss, the World Health Organization in May 1950 recommended for adoption the following definition of fetal death: "Fetal death is death prior to the complete expulsion or extraction from its mother of a product of conception, irrespective of the duration of pregnancy; the death is indicated by the fact that after such separation, the fetus does not breathe or show any other evidence of life such as beating of the heart, pulsation of the umbilical cord, or definite movement of voluntary muscles."[17] The term "fetal death" was defined on an all-inclusive basis to end confusion arising from the variety of usages of such terms as stillbirth, abortion, miscarriage, etc.

---

[16] Baumgartner, Leona; Wallace, Helen M.; Landsberg, Eva; and Pessin, Vivian, "The Inadequacy of Routine Reporting of Fetal Deaths," American Journal of Public Health, Vol. 39, No. 12, December 1949, pp. 1549-1552.

[17] Public Health Service, National Office of Vital Statistics, International Recommendations on Definitions of Live Birth and Fetal Death, PHS Publication No. 39, Washington, D. C., October 1950.

The definition of fetal death issued by the World Health Organization has been adopted in the United States as the nationally recommended standard for use in State and municipal registration laws and regulations.[18] As a further step toward increasing the comparability of data on fetal deaths for different countries, the World Health Organization recommended that in classifying fetal deaths for statistical purposes they be grouped as early, intermediate, and late fetal deaths. These groups are defined as follows:

Less than 20 completed weeks of gestation (early fetal deaths)	Group I
20 completed weeks of gestation but less than 28 (intermediate fetal deaths)	Group II
28 completed weeks of gestation and over (late fetal deaths)	Group III
Gestation period not classifiable in Groups I, II, and III	Group IV

Fetal deaths of less than 20 weeks of gestation have been excluded in preparing most of the tables in this volume in order to obtain data on a consistent basis for comparison from year to year and from State to State. Fetal deaths of unknown gestation, however, are included in these tables since it is reasonable to assume that very few relate to fetal deaths at gestations of less than 20 weeks.[19] Data on this basis (that is, including only those fetal deaths for which the period of gestation was stated to be 20 weeks or more, or was not stated) were first shown in publications relating to fetal deaths for 1945. Limited information for this group is also available for 1942 to 1944.

Cause of death

The Sixth Revision.—Beginning with 1949, the data in the mortality reports published by the National Office of Vital Statistics are tabulated according to the numbers and titles of the International Statistical Classification of Diseases, Injuries, and Causes of Death. The International Lists, in use in this country since 1900, have been revised decennially in order that the terminology by which deaths are classified may be consistent with advances in medical science and changes in diagnostic practice. The classification used since 1949 is the Sixth Revision of the International Lists of Diseases and Causes of Death, adopted by the World Health Assembly in July 1948.[20]

The Manual of the International Statistical Classification of Diseases, Injuries, and Causes of Death includes special lists of causes recommended for mortality tabulations. These are: the Detailed List, consisting of all three-digit categories; List A, the Intermediate List of 150 Causes for Tabulation of Morbidity and Mortality; and List B, the Abbreviated List of 50 Causes for Tabulation of Mortality. Each of these lists has been adapted to serve the needs for mortality data in the United States. The extensions of the lists, however, have been designed so that the original groups can be obtained by a simple addition of titles.

Complete titles and official list numbers are given in tables 50, 52, and 55A in Volume II. Table 50 shows each three-digit category to which a death was assigned in the United States in 1955, and selected four-digit subcategories. The extension of List A, which is used in mortality reports prepared by the National Office, is shown in table 52; and the expansion of List B in table 55A. In other tables using the same lists, it was necessary because of space limitations to abbreviate some cause-of-death titles.

Selection of cause of death.—A large proportion of the death certificates filed annually in the United States report two or more diseases or conditions as causes of death. General statistical practice requires that cases involving more than one cause of death be assigned to a single cause, and it is necessary to employ a selection process to determine the one cause to be assigned. The method of selection used has an important effect upon the resulting statistics.

In 1948, the World Health Assembly adopted, along with the Sixth Revision of the International Lists, a form of medical certification and rules for classification of the underlying cause of death to be used internationally. The form of medical certification is shown in the Standard Certificate of Death (figure 3).

It is designed to elicit information which will facilitate the selection of the underlying cause of death when two or more causes are jointly recorded. If the certification is completed properly, the underlying cause of death indicated by the physician is the cause used in the tabulation. This procedure, used in the United States beginning with deaths in 1949, differs sharply from that used in previous years. Formerly, definite priority relationships were set up for combinations of causes reported on the death certificate. The single cause to be tabulated was chosen according to these fixed rules.

Effect of the decennial list revisions.—Each decennial revision of the International List has produced some break in comparability of cause-of-death statistics. For the most part, the degree of discontinuity in the trend has not been considered a problem of great concern. Van Buren[21] described some of the major shifts in the cause-of-death statistics up to the 1938 Revision due to changes in the classification of cause of death. In connection with the Fifth Revision of the International List of Causes of Death (1938), Dunn and Shackley[22] measured the change in mortality by cause due to the revision. This was done by coding mor-

[18] Prior to the adoption of this definition the nationally recommended definition of a fetal death (stillbirth) for registration purposes was as follows: ''A fetus showing no evidence of life after complete birth (no action of heart, breathing, or movement of voluntary muscle), if the 20th week of gestation has been reached, should be registered as a stillbirth.''

[19] Exceptions are the eight areas requiring registration of all fetal deaths regardless of gestation period. In these areas, a considerable proportion of the not stated group probably relate to fetal deaths of gestations of less than 20 weeks. Inclusion of the not stated groups, therefore, tends to overstate fetal mortality for these areas in relation to other areas.

[20] For a history and description of the Sixth Revision, see Manual of the International Statistical Classification of Diseases, Injuries, and Causes of Death, Volume 1, World Health Organization, Geneva, Switzerland, 1948.

[21] Van Buren, George H., ''Some Things You Can't Prove by Mortality Statistics,'' Vital Statistics—Special Reports, Vol. 12, No. 13, 1940.

[22] Dunn, Halbert L., and Shackley, William, ''Comparison of Cause-of-Death Assignments by the 1929 and 1938 Revisions of the International List: Deaths in the United States, 1940,'' Vital Statistics—Special Reports, Vol. 19, No. 14, 1944.

tality data for 1940 by the 1929 and 1938 Revisions. The results of the study have been useful in evaluating the effects of the Fifth Revision of the International List and changes in the joint-cause selection procedure.

The Sixth Revision represents a more sweeping change than any of the previous revisions. In order to make it possible to compute a comparable time series of mortality rates by cause, the International Conference for the Sixth Revision of the International Lists recommended that deaths for a country as a whole in the year 1949 or 1950 should be coded according to both the Sixth Revision and the Fifth Revision. In the United States, 1950 deaths are being used for dual coding. Until data for deaths in 1950 coded by both revisions become available, provisional comparability ratios obtained from a 10-percent sample of deaths in 1949 and 1950 will be used. These ratios, and a series of comparable death rates for 1939 to 1948 are shown in an earlier report.[23]

Coding in 1955.—While no major changes in classification are made between International List revisions, problems in cause-of-death coding frequently arise in the interim period. The World Health Center for Classification of Diseases was established in January 1951 to ensure, among other things, uniform interpretations of these cases.

The National Office of Vital Statistics prepares annually for its cause-of-death coding clerks an Instruction Manual[24] which contains decisions and interpretations that will apply in that year. Most of the changes serve to clarify existing rules; a few of them may affect the number of deaths assigned to particular causes.

Several important changes were introduced in the 1955 Instruction Manual. For the years, 1949-54, deaths from aneurysm of the aorta were included with deaths from syphilis, except when the aneurysm was specified as nonsyphilitic in origin. For 1955, aneurysm of the aorta, not specified as syphilitic was classified to International List No. 451, Aortic aneurysm specified as nonsyphilitic, and dissecting aneurysm, when the aneurysm was reported with arteriosclerosis or as due to hypertension. If the physician indicates that the underlying cause of the aneurysm is arteriosclerotic or hypertensive heart disease, the assignment is made to the underlying cause.

A second change resulted in an increase in the number of deaths assigned to neonatal disorders arising from maternal toxemia, with immaturity (769). A decision was made in coding deaths for 1955 that prematurity caused by maternal toxemia is a condition which may be considered a neonatal disorder.

It was also decided that certain nonspecific terms describing exposure to excessive heat would not be considered the underlying cause of death, unless they were the only causes reported. This decision resulted in a decrease in the number of deaths assigned to List No. 931, Excessive heat and insolation.

Medical certification.—The use of a standard classification list, although essential for State, regional, and international comparisons, does not assure strict comparability of the tabulated figures. A high degree of comparability could be attained only if all of the data on cause of death were reported with equal accuracy and completeness. Since the medical certification of death can be made only by a qualified person, usually a physician or a coroner, the reliability and accuracy of cause-of-death statistics are, to a large extent, governed by the acumen and ability of the medical attendant to make the proper diagnosis and by the care with which the death certificate is filled out.

The quality of the basic data reported on the death certificate is, of course, of fundamental importance in the interpretation of cause-of-death statistics. Although a number of notable studies have been made of the accuracy of medical diagnoses, there is an unfortunate lack of national statistics on the subject. All of these investigations are extremely limited in scope since they are based upon comparison of autopsy and clinical records in certain hospitals and pertain only to those cases that came up for postmortem examinations. Despite the paucity of data regarding the accuracy of certification of death, the cause-of-death information given on the death certificate is, for the most part, probably fairly reliable.

One index of the quality of cause-of-death statistics is the proportion of death certificates coded to the Sixth Revision category numbers 780-793 and 795, which are the rubrics for ill-defined and unknown causes of death. This percentage indicates the care and consideration given to the certification of cause of death by the attending physician. It may also be used as a rough measure of the specificity of the medical diagnoses made by the physicians in the various areas. In 1955, only 1.1 percent of all reported deaths in the United States were assigned to ill-defined or unknown causes. However, this percentage varies among the States from 0.1 to 8.7 percent, reflecting differences in the quality of reporting.

Control of errors

For many years the assignment of codes for the items to be classified and tabulated from copies of the birth, death, and fetal death certificates, as well as the preparation of punched cards, was verified completely. Review of these verifying procedures in 1947 and of the amount of error which was eliminated by them clearly showed that relatively little was gained for the effort involved. Therefore, beginning with the data for 1947, varying portions of the coding and punching have been verified on a sample basis.

The coding and punching of birth data were performed simultaneously and the major portion of the work verified using a partial sequential sample. This procedure was used in verifying the work of employees whose performance (as indicated by complete verification) was such as to produce consistently less than 4 percent error distributed among all the items. For any one item, less than 1 percent error would be expected under these procedures. The sample procedure coupled with certain mechanical checks of the punched cards achieved an average error level of 2.2 percent for the operation. The procedure involved the verification of the coding and punching of every 10th card throughout each lot of 2,000 cards. If the 4 percent level of error (8 cards containing one or more incorrectly coded or punched columns) was reached, each succeeding card in the lot was verified. In such lots no review was made of that portion preceding the 8th error card. The work of employees (trainees) whose performance was such as to produce more than 4

[23] See National Office of Vital Statistics, "The Effect of the Sixth Revision of the International Lists of Diseases and Causes of Death Upon Comparability of Mortality Trends," Vital Statistics—Special Reports, Vol. 36, No. 10, 1951, and Vital Statistics of the United States, 1950, Volume I, 1954, ch. 2.

[24] National Office of Vital Statistics, Vital Statistics Instruction Manual, "Part II, Cause-of-Death Coding, 1955," Washington, D. C., 1955.

percent error was verified completely. Errors determined in either procedure were reviewed to detect and control bias.

Coding of all items for deaths was verified in the same manner and according to the same tolerance levels as described above for births. Death data were coded in two separate operations (one entirely devoted to the classification of the underlying cause of death), and then key punched. The procedure for verifying the determination and coding of deaths achieved average error levels of 1.7 percent in cause-of-death coding and 1.6 percent in the combined coding and punching of the other mortality items. As with the punched cards for births, certain mechanical checks, designed to assure compatibility of the items, further reduced the error introduced in the coding and punching operations.

The coding and simultaneous punching of the fetal deaths, because of their relatively small number, were completely verified.

Tabulating, computing, table preparation, and all other operations subsequent to the preparation of punched cards were verified according to procedures designed to eliminate all processing errors.

INTERPRETATION OF DATA

While vital statistics data are useful for a variety of administrative and scientific purposes, they cannot be correctly interpreted unless various qualifying factors, in addition to methods of classification, are taken into account. The factors to be considered depend upon the specific purposes for which the data are to be used. It is not feasible to discuss all of the pertinent factors in the use of vital statistics tabulations, but some of the more important should be mentioned.

Most of the factors limiting the use of the data arise from imperfections in the original records or from the impracticability of tabulating these data in very detailed categories. These defects should not be ignored, but their existence does not vitiate the value of the data for most general purposes. Analysis of small differences or exact evaluation of vital statistics requires careful study of many related elements. However, the major trends and differences will not usually be changed materially by finer analysis.

Small frequencies

The numbers of births or deaths reported for a community, or the numbers of illnesses, marriages, or divorces, represent complete counts of such events.[25] As such, they are not subject to sampling error, although they are subject to errors in the registration process. However, when the figures are used for analytical purposes, such as the comparison of rates over a time period, or for different areas, the number of events that actually occurred may be considered as one of a large series of possible results that could have arisen under the same circumstances. The probable range of values may be estimated from the actual figures according to certain statistical assumptions.

In general, distributions of vital events may be assumed to follow the binomial distribution. Estimates of standard error and tests of significance under this assumption are described in most standard statistics texts. When the number of events is large, the standard error, expressed as a percent of the number or rate, is usually small.

When the number of events is small (perhaps less than 100) and the probability of such an event is small, considerable caution must be observed in interpreting the conditions described by the figures. Events of rare nature may be assumed to follow a Poisson probability distribution. For this distribution, a simple approximation may be used to estimate the error, as follows:

If N is the number of births,[26] deaths, or other vital events, and R is the corresponding rate, the chances are 19 in 20 that

1. The "true" number of events lies between

$$N - 2\sqrt{N} \text{ and } N + 2\sqrt{N}$$

2. The "true" rate lies between

$$R - 2\sqrt{\frac{R}{N}} \text{ and } R + 2\sqrt{\frac{R}{N}}$$

If the rate R corresponding to N events is compared with the rate S corresponding to M events, the difference between the two rates may be regarded as statistically significant, if it exceeds

$$2\sqrt{\frac{R^2}{N} + \frac{S^2}{M}}$$

For example, suppose that the observed death rate for Community A was 10.0 per 1,000 population and that this rate was based on 20 recorded deaths. Given prevailing conditions, the chances are 19 in 20 that the "true" or underlying death rate for that community lies between 5.5 and 14.5 per 1,000 population. Let it be further supposed that the death rate for Community A of 10.0 per 1,000 population were being compared with a rate of 20.0 per 1,000 population for Community B which is based on 10 recorded deaths. While the difference between the rates for the two communities is 10.0, this difference is less than twice the standard error of the difference

$$2\sqrt{\frac{(10.0)^2}{20} + \frac{(20.0)^2}{10}}$$

of the two rates which is computed to be 13.4. From this, it is concluded that the difference between the rates for the two communities is not statistically significant.

Sampling of birth records

Final natality data for 1955 are derived from all of the birth records. Therefore, there is no sampling error involved except of the type discussed in the preceding paragraphs. However, the corresponding statistics for 1951 through 1954 are based on 50-percent samples. For a discussion of the sampling errors in the data for these years, reference may be made to Volume I of Vital Statistics of the United States, 1954, page XXI.

[25] Exceptions to this are birth data for 1951 through 1954. As discussed later, these statistics are based on a 50-percent sample of birth records, and therefore they vary from complete counts.

[26] Birth data for 1951 through 1954 are derived from a 50-percent sample, and N should therefore be taken as one-half of the number of births given in the tables of the volumes for those years.

Completeness of registration

Although every State has adopted a law requiring the registration of births, deaths, and fetal deaths, these laws are not uniformly observed. In most areas, practically all births and deaths are registered. For some areas, however, there is enough underregistration to affect the use of the statistics for certain purposes.

Nationwide tests of completeness of birth registration were made in both 1940 and 1950. For the United States as a whole, these tests indicated that birth registration was respectively 92.5 and 97.9 percent complete. A detailed discussion of the results of these tests was given in Volume I of Vital Statistics of the United States, 1950, chapter 6. On the basis of results of the 1950 test, it is estimated that in 1955, birth registration completeness was 98.6 percent for the country as a whole--99.2 for the white group and 95.5 for the nonwhite.

Quantitative information on completeness of death registration is not available. One condition for admission to the national registration areas was a demonstrated registration completeness of at least 90 percent, although the method used in testing completeness was subject to considerable error. On the basis of this criterion, all of the States were admitted to both the birth- and the death-registration areas by 1933. It is believed that in the past death registration for the United States has been more complete than birth registration, although the difference now may be rather small. There is evidence, however, that in certain isolated areas, incomplete registration is still a problem. For example, a study made in a few selected counties of Tennessee where the death rates for 1949 to 1951 were unusually low, served to locate a number of unregistered deaths.[27] A similar situation may exist in other States.

Registration of fetal deaths is probably significantly incomplete in all areas. Further discussion of fetal death registration is contained in the section on Fetal deaths.

Central registration of marriages and divorces is not required in all States, and no comprehensive study of the completeness of marriage and divorce registration in the United States has yet been made.

Completeness of reporting of the notifiable diseases varies greatly by disease and by area. In general, reporting is significantly incomplete, but exact information on this subject is not available.

Population bases

Vital rates shown in this report for the United States and the individual States are based on the populations present in the respective areas. These populations exclude the Armed Forces and civilian personnel overseas, but include the Armed Forces stationed in each area. (On July 1, 1955, it was estimated that there were 968,000 persons in the Armed Forces overseas, or 0.6 percent of the total population.) The estimates of the total population of the United States by age, race, and sex in 1955, are shown in tables J and K.[28] They are based on data from the 1950 census, and statistics of births, deaths, immigration, and emigration since April 1, 1950. Estimates of the population in each State by age in 1955 (table L)[29] are based on the population enumerated in the 1950 census, estimates of births, deaths, net civilian migration, movement into the Armed Forces, and data on State of preservice residence of persons in the Armed Forces.

All population estimates used in this report were prepared by the United States Bureau of the Census.

Residence statistics

Data given in these volumes are tabulated according to place of occurrence and place of residence, with much greater emphasis upon the latter. Figures for individual urban places and counties or for population groups by place of occurrence do not give an accurate indication of relative health and fertility conditions. However, for a larger area such as a State, the tabulations compiled on the two bases do not usually show a substantial difference. The tabulations by place of occurrence and by place of residence are identical for the total United States, because births and deaths of United States residents occurring outside of the country and of foreign residents occurring in the country are not reallocated to the country of residence.

Tests made in 1950 indicate that for the country as a whole, errors in residence reporting result in a significant overstatement of births to residents of urban places, and a corresponding understatement in the number to residents of areas classified as rural. The extent of bias varies from State to State. Residence errors occur largely because of the major growth in population areas close to cities. Frequently, parts of these surrounding areas have city mailing addresses, and unless special care is taken in asking for residence information, they could be identified as being inside the cities. This situation has assumed special importance because of a concomitant development, the increased utilization of hospitals in cities by residents of nearby places. Misstatements of residence are more likely to remain undetected in such cases than when the birth occurs in the place of residence.

Corresponding measures of the accuracy of residence reporting on death records are not available; however, it is believed that the foregoing qualifications would also generally apply to resident death statistics. A more detailed discussion of residence reporting error is presented in Volume I of Vital Statistics of the United States, 1950.

Most of the tabulations on marriages and divorces provided by the individual States are classified by place where the event occurred. It is not possible at the present time to allocate these data by place of residence.

The practice of allocating notifiable diseases by residence varies not only with respect to diseases but also among the States. Corrections usually are not made for diseases of high frequency such as measles and whooping cough. In some States, an attempt is made to allocate by residence cases of typhoid fever, poliomyelitis, diphtheria, smallpox, and certain other diseases, but this practice is not uniform.

Natality.—A birth in 1955 is classified as "nonresident" if it did not occur in the urban place of 10,000 or

---

[27] Tennessee Department of Public Health, "Results of Survey of Death Registration Completeness," The Spotlight, January 1954.

[28] U. S. Bureau of the Census, "Estimates of the Population of the United States, by Age, Color, and Sex: July 1, 1950 to 1956," Current Population Reports, Series P-25, No. 146, 1956.

[29] U. S. Bureau of the Census, "Estimates of the Population of States and Selected Outlying Areas of the United States: July 1, 1950 to 1955," Current Population Reports, Series P-25, No. 145, 1956, and official records.

more, or cities of 2,500 to 10,000 as a group within the same county, or the rural part of the county in which the mother usually resided. This represents a change from preceding years when each city of 2,500 to 10,000 was considered as an individual unit for purposes of residence classification. It has the effect of reducing slightly the number classified as "nonresident" as compared with the number that would have been so classified under the former rule. Of the 4,047,295 live births registered in the continental United States in 1955, 46 percent were nonresident. Many of the nonresident births undoubtedly were to mothers who lived in the rural area of one county but gave birth in hospitals of a city in another county. Only a small percentage of mothers who gave birth elsewhere than in their usual residence crossed State lines.

A summary of births in 1955 by place of occurrence and by place of residence is given for each State in table M. The total amount of intrastate and interstate movement for individual States is given. This table also shows the number of births to residents of each State occurring in other areas, and the total number of births to residents wherever occurring. More detailed information concerning interstate movement is found in table 21.

A comparison between the occurrence and residence totals of births is shown for individual States in the table. Excluding the District of Columbia, three States—Maryland, Rhode Island, and Virginia—had the largest differences. For two of these States (Maryland and Virginia), the occurrence figures were below the residence by 6.6 and 4.8 percent respectively. For Rhode Island, the occurrence total exceeded the residence total by 7.9 percent.

Mortality.—A death in 1955 is classified as "nonresident" if the information on the death certificate indicated that it did not occur in the urban place of 10,000 or more, or cities of 2,500 to 10,000 as a group within the same county, or the rural part of the county in which the decedent had usually resided. This represents a change from preceding years when each city of 2,500 to 10,000 was considered as an individual unit for purposes of residence classification. It has the effect of reducing slightly the number classified as "nonresident" as compared with the number that would have been so classified under the former rule. Of the 1,528,717 deaths registered in the continental United States in 1955, 31 percent were nonresident (table N). About 9 in 10 of the nonresident deaths occurred in the State of residence.

A summary of deaths in 1955 by place of occurrence and by place of residence is given for each State in table N. The total amount of intrastate and interstate movement for individual States is given. This table also shows the total number of deaths that occurred in each State, the number of these that were of nonresidents, the number of deaths of residents that occurred in other areas, and the total number of deaths of residents. Table 44, Volume II, contains more detailed information on the interstate movement.

In most cases, the number of residents of other States who die in a State is approximately balanced by the reverse type of movement. There are a few exceptions. In Nevada, the recorded death total for 1955 exceeded the resident figure by 9.0 percent and the comparable excesses (excluding the District of Columbia) for Florida and Arizona were 4.4 and 4.1 percent respectively. While relatively unimportant in the statistics for most States, reallocating interstate nonresident deaths has a major effect on the data for certain communities lying close to State borders.

Marriages.—Numbers and percentage distributions of marriages classified according to whether either the bride or the groom, or both, or neither, resided in the State where the marriage occurred are shown in table O for 29 States for 1955. This table is a compilation of all available data on the subject. It is not necessarily representative of the United States as a whole.

The data reveal the importance and need of tabulations by place of residence. Of the 721,636 marriages recorded in 1955 in the 29 specified States, 161,987 or 22.4 percent, occurred in a State where neither party resided. In Mississippi, nonresident couples constituted 62.2 percent of the total number married in the State during 1955; in South Carolina 54.2 percent, and in Maryland 45.9 percent. North Dakota was at the other extreme with a negligible number of marriages between nonresidents (0.2 percent). The percentages of marriages where only one of the parties was a nonresident ranged from 19.8 percent in Delaware to 5.0 percent in Michigan. In each instance, marriages of resident brides and nonresident grooms were more numerous than the reverse combination.[30] It should be pointed out that the criteria determining residence are not necessarily uniform in all reporting States.

While these data indicate a considerable degree of inmigration to certain States for the purpose of getting married, they do not show the corresponding out-migration. It is therefore, impossible to ascertain the effect of allocating marriages according to place of residence, and such classification will not be possible until tabulations of marriages by residence are available for all States.

The crude marriage rates shown in subsequent pages of this volume are based on the number of marriages occurring in a State and on its resident population. Although data on marriages by place of occurrence are useful and necessary for many purposes, tabulations by place of residence and the computation of resident rates would provide data of greater value and meaning for many uses.

Territories and possessions

Geographic classification.—Data on births and deaths for geographic subdivisions of these areas are shown in tables 15A-D. In these tables, the primary subdivision is the county or the equivalent of the county, which is designated as the "judicial division" in Alaska, the "county" in Hawaii, and the "municipality" in Puerto Rico and the Virgin Islands.

A further geographic subdivision for which data are shown separately is the individual urban place. Figures for births and deaths are given for each place in Hawaii and Puerto Rico, having a population of 10,000 or more, and for each place in Alaska and the Virgin Islands with a population of 2,500 or more according to the 1950 census. For Alaska, information is also presented for recording districts which correspond to minor civil divisions.

All geographic data for these areas are by place of occurrence. Because of the movement from rural to urban place for hospitalization, statistics of births and deaths by place of occurrence cannot be used for many local areas as indicative of the levels of fertility and mortality.

---

[30] Data on characteristics of recently married couples by resident status, such as age at marriage, number of previous marriages, number of times widowed and divorced, and years of school completed, were collected through a sample survey in June 1954. See National Office of Vital Statistics, "Socioeconomic Characteristics of Persons Who Married Between January 1947 and June 1954: United States," by Hugh Carter, Sarah Lewit, and William F. Pratt, Vital Statistics—Special Reports, Vol. 45, No. 12, 1957.

Race and color.—Births and deaths are classified in detail by special classifications adopted in accordance with the composition of the population of each area. These classifications correspond to those used by the Bureau of the Census in the 1950 census. However, in this report, figures are shown only for the two major groups, "White" and "Nonwhite," with the exception of one summary table for births and deaths where the detailed classifications are shown.

The classifications used for Alaska, Hawaii, Puerto Rico, and the Virgin Islands are indicated below together with an explanation of some of the groups.

Alaska:
- White
- Native (including Eskimo, Aleut, Indian, and mixed, except part Negro)
- Other races

Hawaii:
- Hawaiian and Part-Hawaiian
- Caucasian
- Chinese
- Japanese
- Filipino
- Other races (including Negro, Korean, and those described as "Puerto Rican")

Puerto Rico (same as for continental United States):
- White
- Nonwhite

Virgin Islands:
- White
- Negro
- Mixed (any combination) and other races

There is a problem of comparability between census and vital record information on race in some areas. Differences in reporting race may also arise between birth and death records, and lack of comparability here would affect infant and maternal mortality rates.

Attendant at birth.—In Alaska and Hawaii, birth data are shown for the customary three categories—"physician in hospital," "physician not in hospital," and "midwife." In Puerto Rico and the Virgin Islands, however, a slight modification was made in the classification because of the large proportion of births in hospitals attended by other than physicians. In these areas, births were classified as occurring "in hospital" or "not in hospital." For those births "not in hospital" the distribution by attendant is also shown.

Cause of death.—For rules governing the classification by cause of death see p. XXIV.

Completeness of registration.—All of the data for Alaska, Hawaii, Puerto Rico, and the Virgin Islands refer to registered events. Completeness of registration of births, deaths, marriages, and divorces is therefore a factor to be considered in the interpretation of the data. Tests of birth registration were made for all of these areas in 1950, and for all, except Alaska, in 1940. The results of these tests are given in Volume I of Vital Statistics of the United States, 1950, chapter 6.

Guide to tabulations

The National Office of Vital Statistics tabulates a large volume of statistical material. Since only the tabulations that seem most important or of general interest can be published, some of the data available are never printed. Nevertheless, the unpublished data are available to research workers and to many others having specialized interests.

Table G, "Guide to the Tabulations for 1955," is printed here for the use of those persons who may need certain statistical data which have not been published.

In the tabular outline, each tabulation is described separately. Column headings show all of the different classifications of subject matter used in the general body of data being described, and the stub shows the scope of the tabulation. The notations in the stub indicate whether the tabulation was made for the United States, each State, or for selected areas only.

The many interrelations of data within this framework are shown by simple notations. In the horizontal rows for each tabulation, and under each subject-classification are placed alphabetical notations which indicate the interrelations within the particular tabulation. Within each tabulation, subjects noted by X are cross-tabulated with each other and with all lettered subjects; for example, in mortality tabulation IV (see table) deaths for each State are tabulated by cause of death and the cause groups in turn are cross-tabulated by race and sex. The resulting cause-race-sex groups are then tabulated by age, by month of death, and by autopsy. However, the lettered subjects (age, month of death, and autopsy) are not cross-tabulated with each other.

The only exception to this general principle is the case where two or more lettered subjects are cross-tabulated with each other but are not crossed with other lettered subjects in the tabulation. In such cases, the same letter is used to indicate those which are cross-tabulated. For example, in natality tabulation I, race is cross-classified with sex, with attendant at birth and legitimacy, and with birth weight; also, attendant at birth is cross-classified with legitimacy. However, sex, month of birth, and birth weight are not cross-classified with each other.

The detail in which some of the items have been tabulated is not indicated in this guide. Class intervals for the same item vary between tabulations. The purpose of the guide is to indicate the scope of data included in the vital statistics tabulating program. Specific information on the detail available for any item can be obtained from the National Office of Vital Statistics.

MARRIAGE STATISTICS

There were 1,531,000 marriages in the United States in 1955, and a crude marriage rate of 9.3 per 1,000 population, according to estimated figures.[31] These figures compare with an estimated 1,490,000 marriages and a marriage rate of 9.2 in 1954. On the basis of these figures, the number of marriages in 1955 increased 2.8 percent compared with marriages in 1954; and the marriage rate advanced 1.1 percent. The number of marriages and the marriage rate in 1955 were the lowest since 1944 with the exception of figures for 1954.

The detailed statistics on marriages presented in this volume in tables 1-11, text tables R-V (for location, see Contents), and figures 8 and 9 are based on tables furnished annually to the National Office of Vital Statistics by State offices of vital statistics. For the most part, the tables came from States with central files of marriage records (figure 7). Data were not available from such populous areas as Illinois, Texas, and New York City. The States providing data are not to be considered as necessarily representative of the United States.

[31] The estimate of the number of marriages is based on data on marriages for 43 States reported by State registrars of vital statistics, and on marriage licenses for 5 States and the District of Columbia reported by State officials for 2 States and by local officials for the remaining areas.

FIGURE 7



Median age at marriage

Median ages at marriage of brides and grooms, cross-classified by various characteristics, are presented in tables R-U, and in figures 8 and 9. Since data on marriages by age crossed with other characteristics were provided by varying groups of States, the median ages differ slightly from table to table.

Comparability of the basic data on age at marriage are affected by any variations in procedures for recording age at marriage, methods of computing age at marriage, and the accuracy of ages as reported to registrars. The concentration of marriages at age 18 for first-married brides and at age 21 for first-married grooms, the legal ages for marriage in a majority of the States, may indicate an overstatement of age to meet legal requirements (table 3). A survey based on an analysis of the stated ages of brides in the records of their marriages and in the later records made at the time of registering a birth, in one county in Indiana for 9 selected years (1919-21, 1929-31, and 1939-41), indicated a high incidence of errors in the reporting of age.[32]

First marriage.—Median ages of brides and grooms for specified ages of spouses, based on the data on first marriages of both spouses shown in table 3, are given in table R. In general, the ages shown are as of the last birthday. Differences between the ages of spouses at first marriage decreased with increasing age of bride at first marriage. The reverse was true for grooms, that is, the age differences increased with increasing age of groom at first marriage. Brides of 18 or 19 years of age married grooms

[32] Christensen, Harold T., Andrews, Robert, and Freiser, Sophie, "Falsification of Age at Marriage," Marriage and Family Living, Vol. XV, No. 4, November 1953, pp. 301-304.

who were, on the average, about 3 years older, while grooms who were 18 or 19 years of age married brides of about the same age. On the other hand, brides of 31 years of age married grooms of about the same age, on the average, while grooms of 31 years of age married brides who were, on the average, 6 years younger than themselves.

In comparing the ages of brides and grooms, the data on marriages distributed by age and sex, shown in table 3, indicate the divergent pattern of changes in age at first marriage. About one-third of all first-married brides married at ages 18 and 19, while about one-seventh of the grooms married at these ages. At ages 30 and 31, there were more than twice as many grooms as there were brides.

First marriage and remarriage by race and color.—Median ages at first marriage and at remarriage for brides and grooms by color, are shown in table U and in figure 8. Data on first marriage and remarriage by single year of age and race for the combined group of States are shown in table 4, and by 5-year age groups and color for 22 States in table 5.

FIGURE 8



These data show a higher median age both at first marriage and at remarriage for grooms as compared with brides, and for the nonwhite groups as compared with the white. This was similar to the pattern in 1954 when comparable data were available for 19 States.

FIGURE 9



Median age by previous marital status

Median ages of brides and grooms differed markedly by previous marital status at time of marriage, as shown in table S and in figure 9, for 20 States in 1955. The data in table 6 show the age distribution by single year of age by previous marital status for the combined group of States, and by 5-year age groups for 21 States in table 7. The marital status classification covers status at termination of the last marriage and does not take into account any prior marriages and their terminations by death or divorce. The inclusion in the previously widowed and previously divorced categories of persons with more than one previous marriage may affect the median ages for these groups.

Previously widowed brides and grooms were the oldest, with median ages more than twice those for brides and grooms in their first marriages; while the previously divorced were in an intermediate position with median ages about 10 years older than those for the first married group and 15 and 20 years younger than those for the widowed group.

Differences between median ages of spouses were smallest for the previously single; somewhat larger for the previously divorced; and largest for the previously widowed.

Median age by number of present marriage

Data for 15 States on age by number of present marriage were the bases for the median ages by number of the marriage given in table T. Table 9 contains data on age distribution by single year of age by number of previous marriage for the combined group of States and by 5-year age groups for 16 States in table 10.

As may be expected median ages of both brides and grooms increased with the increasing number of present marriage. The interval between the median ages of brides decreased as the number of the marriage increased, with the largest interval occurring at median age at second marriage as compared with median age at first marriage. The pattern for grooms was similar.

Differences between median ages of brides and grooms increased with both advancing age and higher order of marriage.

Percentage distribution of marriages by previous marital status and age

The percentage distribution of marriages by previous marital status and age shown in table V, is based on the data in table 7 for 21 States in 1955, and includes an age distribution of persons for whom previous marital status was not reported representing 3.0 percent of all marriages.

Single brides and grooms made up the largest proportions of all marriages at ages below 25 years, while previously widowed brides and grooms made up the bulk of the marriages at ages above 55 years.

In general, brides were younger than grooms in each of the marital status categories. Close to one-half of the first-married brides married before reaching their 20th birthday compared with about one-seventh of the first-married grooms. Somewhat more than one-half of the first-married grooms were in the 20-24 year age group, while less than two-fifths of the first-married brides were in that age group. About 1 out of 10 brides and grooms married for the first time after reaching age 30.

About three-fifths of the brides who were widows at the time of current marriage (table V) remarried before reaching their 50th birthday, compared with one-third of the widowed grooms. On the other hand, about two-fifths of the grooms who were widowers at time of current marriage remarried after reaching their 60th birthday, compared with less than one-fifth of the previously widowed brides. Thirteen percent of the widowed grooms remarried at ages 70 and over.

For the previously divorced groups, 3 out of 5 brides were in the 20-34 year age group at time of current marriage, compared with about one-half of the grooms. About three-fourths of the marriages of the previously divorced groups occurred before age 40 for brides and age 45 for grooms. Four percent of the previously divorced brides were younger than 20 years of age at time of remarriage.

FIGURE 10



Previous marital status of bride by previous marital status of groom

About 9 out of 10 single (never-married) persons married single (never-married) persons in the 23 States for which these data were available. (See table 8.) Widowed persons more frequently married widowed persons than any other marital status group, and the divorced more frequently married other divorced persons than they did the single or the widowed. At the same time, two-fifths of the previously divorced brides married grooms who had never previously been married, and well over one-third of the previously divorced grooms married single (never-married) brides.

Marriage trend

Numbers of marriages and rates for each year from 1920 through 1955 are given in table Q. For all years, the number of marriages include estimates for some States and marriage licenses for those States from which figures on marriages were not available.

Over the 36-year period covered in table Q, the marriage rate of 7.9 per 1,000 population in 1932 was the lowest for any year, and the rate of 16.4 in 1946 was the highest. The marriage rate was less than 9.0 in the 3 years 1931-33 and less than 10.0 in 6 additional years, 4 of which were since 1950. In the remaining 27 years since 1920, the rate exceeded 10.0 in each year.

The low rates of the 1930 decade have been associated with the economic depression of that period, while the decrease in the rates in the present decade is generally attributed to (1) the decrease in the number of young people following the small number of births in the 1930 decade and (2) the decrease in the number of single people, partly the result of the large number of marriages in the immediate postwar years.[33]

Between 1920 and 1932, the marriage rate declined from 12.0 per 1,000 population in 1920 to 7.9 in 1932 (see figure 10). Except for a decrease in 1938, the rate increased steadily from the low in 1932 to 13.2 in 1942. The decrease in the rate for the years 1943 and 1944 is attributed to the departure from this country of large numbers of young men for overseas service. The rate rose sharply to a peak of 16.4 in 1946 from which it declined rather steadily, except for slight increases in 1950 and in 1955.[34]

Marriages by State

The numbers of marriages and marriage rates for the United States, each division and State, for 1955, are presented in table P. Marriage rates vary considerably from State to State. The highest rate per 1,000 population for any State was 223.1 recorded in Nevada[35] and the lowest, 5.7 in Delaware. The second highest marriage rate was 31.1 in Mississippi, and in three additional States (Arizona, New Mexico, and South Carolina) the rates were in excess of 20.0. All of the States having rates exceeding 20.0 lack premarital health legislation. Marriage rates by division and State for each year, 1951-55 are shown in table AA.[36]

Methods of estimating marriages

State estimates.—Estimates of marriages in Indiana and in Massachusetts were made in the State office of vital statistics. The estimate for New Mexico was based on the provisional figures provided monthly by the State registrar, and on late reports from counties received in the State offices in a subsequent reporting month.

United States.—The total number of marriages includes data on marriage licenses for 5 States (Colorado, Illinois, Kentucky, Nevada, and North Carolina) and the District of Columbia, and incomplete figures on marriages for 4 States (Arkansas, Missouri, Oklahoma, and Texas).

DIVORCE AND ANNULMENT STATISTICS

The number of divorces and annulments in the United States in 1955 was estimated at 377,000 with a crude divorce rate of 2.3 per 1,000 population,[37] slightly below the estimated total of 379,000 divorces and the rate of 2.4 for 1954. The number of divorces and the rate in 1955 were the lowest since 1943.

The detailed statistics on divorces and annulments pre-

---

[33]The Bureau of the Census has estimated that the population of the United States in the 18-24 year age group has decreased markedly in the years since 1950, particularly among the male population, while the number in the 14-17 year age group has increased. See Bureau of the Census, "Marital Status and Family Status: April 1955," Current Population Reports, Series P-20, No. 62, 1955.

[34]The marriage rate, when computed per 1,000 unmarried female population aged 15-44 years, was 154.5 in 1954 and 161.0 in 1955 compared with 9.2 and 9.3 per 1,000 total population for the same respective years. See National Office of Vital Statistics, "Marriages and Divorces: United States and Each State, and Alaska, Hawaii, Puerto Rico, and the Virgin Islands (U. S.), 1955," Vital Statistics—Special Reports, Vol. 46, No. 12, 1957.

[35]It should be noted that the data for Nevada represent marriage licenses. Comparison of data on the number of marriages and the number of marriage licenses for a group of States for which comparable data were available for the years 1951-55 indicates that the difference, on the average, is less than 2 percent. However, differences for individual States may be larger. See reference cited in footnote 34.

[36]Marriage rates by State are computed by dividing the number of marriages occurring in the State (or the number of marriage licenses issued if no marriage figure is available) by the estimated resident population of the State, including military personnel stationed in the area. The effect of migration for the purposes of marriage is reflected in the marriage rates by State, some of which are considerably higher than the national average of 9.3 per 1,000 population, while in some States the rates are much lower than the national average. Other factors which affect State marriage rates are the age composition of the population, the marital status distribution, and the sex ratio.

[37]The number of divorces in the United States in 1955 was estimated from reports for 41 States sent by State registrars of vital statistics, from the District of Columbia, and from local officials for 1 State.

430007 O -57 -3

FIGURE 11



sented in this volume were obtained from State offices of vital statistics in response to an annual request from the National Office of Vital Statistics. In general, completed tables of data were furnished by those areas that maintain central files of divorce records (see figure 11). These States were not selected through a sampling procedure and the data should not be interpreted as necessarily representative of the United States. Populous areas from which no detailed statistics were available are New York, Illinois, California, and Texas.

The detailed statistics were tabulated in the individual State offices according to State rules, definitions, and practices. The data are presented in tables 12-18, text tables W-Z (for location, see Contents), and figure 12.

Duration of marriage

Median durations of marriages terminated by divorce or annulment, computed from data in table 16 are shown in table Y for 23 States. These States reported slightly less than two-fifths of the estimated total of 377,000 divorces and annulments in the United States in 1955. The medians have been computed from data which include marriages of all orders, that is, first marriages and all remarriages combined. The medians are computed for marriages that were terminated by divorce and exclude marriages terminated by death. Also excluded from the computations is the small number of divorces for which duration of marriage was not reported (see table 16).

It is important to note that the data in table 16 do not indicate the probability of termination of all marriages in the reporting areas. For instance, 700 marriages lasting 40 years and over were terminated by divorce compared with 8,700 marriages of less than 1 year's duration. A distribution of marriages terminated by death would undoubtedly show larger proportions of older marriages and smaller proportions of recent marriages terminated by the death of either or both spouses. The detailed data necessary to measure accurately the relative chances of the termination of marriage by death or divorce are lacking.

For the 23 States combined, the median duration of marriage for couples divorced in 1955 was 6.4 years. The same group of States reported the same median duration of marriage at divorce in 1954. For the individual States, the range from shortest to longest median duration was 4.2 years in Idaho to 9.6 years in Delaware. Connecticut and Vermont were the only other States with median durations of marriage of 9 years or more prior to divorce. The same 3 States had the longest median durations of marriage at time of divorce in 1953 and in 1954. One-fourth of all divorces in the 23 reporting States occurred within the first 3 years of marriage and three-fourths, in the first 12 years (see table 16). A small proportion of the total represented marriages of 40 years duration which were terminated by divorce. This pattern was the same in 1954.

Median age at time of divorce

Age of husband and of wife at time of divorce by number of times previously married is shown in table 17 for 6 reporting States. Four of these States reported age at time of divorce and 2 States, at time of divorce and annulment.

In almost one-half of the cases the husband had been married once; in about one-fifth of the cases, he had been married twice; and in about 1 case out of 12, he had been married 3 times or more. In nearly one-fourth of the cases, the number of marriages of the husband was not given. The distribution by number of previous marriages was similar for the wife. These data do not show how previous marriages were terminated, that is, whether by death or by divorce.

Median ages of husbands and wives at time of divorce for persons in their first marriage for six States are shown in table Z. For husbands in their first marriage, the median age at divorce was 30.3 years, and for wives, 26.8 years. For persons previously married more than once the median ages were 40.0 years for husbands and 36.1 years for wives. The youngest median ages at time of divorce were in Tennessee, where the median age at divorce of husbands in their first marriage was 29.1 years, and of wives, 25.0 years. The oldest median ages were in Connecticut, where husbands in their first marriage were 33.8 years and wives, 31.2 years of age.

Children reported in divorces and annulments

The percentage distribution of divorces and annulments by number of children reported presented in table W and the data in figure 12 are based on the numbers shown for 22 reporting States in table 15. These States together reported 37 percent of all divorces in 1955.

Definitions of children reported in divorces varied according to the laws of the individual States. Several States included with their data definitions of children as provided for in the State law. In Connecticut, New Hampshire, and North Dakota, the figures cover children under 21 years of age. The data for Michigan refer to children under 17 years of age. In Mississippi and Virginia, minor children are reported with no specific definition as to the meaning of "minor children." In Nebraska, the figures cover "number of children affected," and in Oregon and Vermont, the total number of children is reported.

In more than one-half of the cases for the 22 States combined, no children were reported; in more than one-fifth of the cases (22.8 percent) 1 child was reported; and in one-fourth, 2 children or more were reported. The proportions ranged from two-thirds of all divorces reported with children for Connecticut to nearly three-fifths of all divorces reported without children for Florida.

FIGURE 12



The total number of children reported in divorces and annulments in the United States for each year from 1953 through 1955 has been estimated from data for 22 reporting States and is shown in table X. The ratio of children to divorces has increased in each of these years from 85 children per 100 divorces in 1953 to 90 in 1954, and to 92 in 1955. The estimated number of children reported increased from 330,000 in 1953 to 347,000 in 1955. In estimating the number of children reported in divorces in the United States, it was assumed that the ratio for the United States was the same as for the 22 States for which these data were available.

Divorce trend

The numbers of divorces, including reported annulments, and the divorce rates per 1,000 population for the years 1920-55 are shown in table Q.

From 1920 through 1929, the divorce rates ranged between 1.4 and 1.7 followed by a decline to 1.3 in 1932 and 1933, the lowest rate in the 36-year period (figure 10). In

the years that followed and through the war years, divorces more than tripled, climbing to a peak of 4.3 per 1,000 population in 1946, which was also the peak year for marriages. Since 1946, the divorce rate has decreased 47 percent to 2.3 in 1955.[38]

Divorces and annulments by State

Data on divorces and annulments and divorce rates for 42 States and the District of Columbia are shown in table P.

The highest divorce rate for any State in 1955 was 40.7 per 1,000 population reported for Nevada, and the lowest rates were 0.8 and 0.9 reported for North Dakota and New Jersey respectively. Other States with rates that were more than twice the national average of 2.3 were Florida with a rate of 5.6 and Oklahoma with 5.7. Divorce rates by State for each year, 1951-55, are shown in table AA.

The largest numbers of divorces and annulments for the reporting States in 1955 were granted in California (41,599), Texas (34,921), and Ohio (22,259). Together these States accounted for one-fourth of the estimated total for the United States. Factors related to the number of divorces and annulments by State include size of population, legal residence requirements for purposes of divorce, legal grounds on which divorces may be granted, and the number of court sessions during the year.

Methods of estimating divorces

State estimates.—Estimates of divorces and annulments in Indiana, Massachusetts, and Washington were made in the State office of vital statistics. The total for New Mexico is based on provisional monthly figures supplied by the State registrar and on late reports from clerks of court received in the State office in a subsequent reporting month. The estimate for Colorado is based on returns from a survey of district and county clerks of court conducted by the National Office of Vital Statistics.

United States.—The total number of divorces was estimated on the basis of the assumption that the States for which total data were not available (Illinois, Kentucky, Louisiana, New York, North Carolina, and West Virginia) represented the same proportion of the national total in 1955 as in 1950 when partial or complete figures were available for every State.

NATALITY STATISTICS

In 1955, an estimated total of 4,104,000 live births occurred in the United States. This represents a rise of about 1 percent over the figure (4,078,000) for the previous year, making 1955 the fifth successive year in which the number of births has increased. The continuing large numbers of births during the current period can be attributed chiefly to increases in the numbers of third, fourth, and fifth births. For the most part, births of first and second children have remained about the same or declined slightly since 1950.

[38] Divorces per 1,000 married females 15 years of age and over were 9.5 in 1954 and 9.3 in 1955. See reference cited in footnote 34.

The crude birth rate per 1,000 population was 25.0 in 1955 and 25.3 in 1954. During each of the 10 years from 1946 to 1955 the rate has exceeded 24.0, well above the level in the decade before World War II. Since 1951 it has averaged 25.1.

Most of the birth statistics discussed including the foregoing figures, are based on births adjusted for underregistration. The sections of the text dealing with registered births are so noted. Trends showing data for the early years of the birth-registration area include, in addition to adjustments for underregistration of births, estimates for States not in the area. For the years prior to the establishment of the birth-registration area in 1915, data are estimates based on tabulations made by each of the 10 original registration States.[39]

Trend of the crude birth rate

Estimates of the total number of births and the birth rate in the continental United States have been made for each year since 1909. As shown in table AB and figure 13, the midthirties separate two contrasting periods of change in the crude rate. (For location of tables mentioned in this section, see Contents.) In the earlier period, 1909 to 1933, the rate underwent a marked decline, dropping from 30.0 to 18.4. This represents a continuation of the downward trend that had apparently started many years before. The only appreciable interruption in this decline occurred in the post World War I period. Following a sharp drop in 1919, the rate climbed in the next 2 years before again turning downward to reach an all-time low during the depression.

In the years since the midthirties, the rate has recovered much of the loss that occurred previously. Initially, there was a slow, irregular, upward movement through 1940. This was succeeded by a more rapid rise during the early years of World War II, and by 1943 the rate was at its wartime peak. Although some decreases occurred during the latter years of the war (in part due to the absence of large numbers of young men from the country for prolonged periods of time), the rate remained well above the prewar level. With the end of World War II, the rate rose sharply until 1947, when it reached the highest point in 25 years. This peak reflects the demobilization of the Armed Forces at the end of 1945 and early 1946, the record number of marriages that followed, and the high levels of employment and income. The decrease in the following 3 years was moderate. In 1951, the rate again moved upward then leveled off at about 25 per 1,000 population.

The general fertility rate

A useful measure of fertility is the rate representing the total number of live births per 1,000 female population aged 15-44 years. In 1955, this rate was 118.0, nearly half again as large as it was in 1940. Table AC shows that the upward movement in the fertility rate since the beginning of World War II was characterized by irregular fluctuations, with sharp increases during the early years of the war and during the immediate postwar period. During 1948, 1949, and 1950, the rate declined, but since 1951 it has been moving upward. In 1952 it passed the postwar peak of 113.3, and by 1955 exceeded the latter figure by 4.1 percent.

[39] See reference cited in footnote 2, table AB.

FIGURE 13



Birth rates by age of mother and live-birth order

Rates by age of mother.—The rise in the fertility rate since the beginning of the present decade reflects the increases that have occurred in the age-specific birth rates for women in virtually all the reproductive ages (table AC and figure 14), the largest gain—an increase of 22 percent—was observed in the 20-24 year age group, the rate per 1,000 females rising from 196.6 to 240.4 between 1950 and 1955. This situation resulted only partly from the higher proportion of women at these ages in 1955 who were married. As shown in table AF, the age-specific rate for married women at these ages also gained substantially (16 percent) between these years, rising from 287.9 to 332.7.

Among all women (without regard to marital status) the most fertile ages in 1955, as in previous years, were 20-24 years. Nearly 1 out of 4 women in these ages bore a child in 1955. For women 25-29 years old—the second most fertile group—1 out of 5 gave birth during this year. Standing third and fourth, according to this measure of fertility, were women 30-34 years and 15-19 years respectively. The lower rank order of this latter group is heavily influenced, of course, by the relatively smaller proportion married. Actually, the fertility of married women is far greater at ages 15-19 than at any other age; in 1955, 46 percent of these women bore a child, compared with 33 percent at ages 20-24, and 22 percent at ages 25-29. This percentage continued to decrease rapidly with age.

Rates by live-birth order.—In 1955, births of first children declined, following the decrease in the number of marriages in the preceding year. There were also fewer second births than in 1954. These decreases, however, were more than offset by increases in the numbers of third and subsequent births. About 1.1 million families had a first child during the year, and approximately the same number had a second child. There were 800,000 third births, while births of fourth order and above occurred in about 1.1 million families.

Birth rates by live-birth order, per 1,000 female population aged 15-44 years, are given in table AD and figure 15 for each year from 1940 through 1955. These figures show

FIGURE 14



that the rates for the third and higher birth order groups were greater in 1955 than in 1950. The steady increase in the rate for sixth and seventh birth orders is particularly noteworthy. While the rates for other birth orders have been climbing since at least the early 1940's, those for sixth and seventh births remained fairly stable until 1950. Since then the rate has risen by 34 percent.

Increases in the birth order rates for third through seventh births were found in both color groups. However, with regard to the rates for births of eighth and higher orders, the rise is attributable to increases in nonwhite births of these orders. For the white group, the rate remained virtually constant between 1950 and 1955.

The base populations used in computing the birth order rates shown in this report include segments of the female population in which the probability of having a child of a specified order is very low, or is zero. For example, in computing rates for first births in a given year, the population base includes all females aged 15-44 years, regardless of whether they were married or had had any previous children. At least part of the variation in the birth order rates in recent years is, therefore, attributable to changes in composition of the female population by parity.[40]

[40]The term ''parity'' denotes the number of children a woman has previously borne as of a given time, and is used to indicate the order of birth the woman's next child would be, if she were to have one. For example, only women of zero parity are ''at risk'' of having a first child.

Rates by age of mother and live-birth order.—Table AE shows birth rates for 1955, adjusted for underregistration, by age of mother and birth order. These data may be compared with corresponding rates for earlier years to assess the effect of changing age composition of the female population on the rates for specified birth orders. For example, the following comparison of first birth order rates shows that while the rate for all age groups combined was somewhat lower in 1955 than in 1950—32.7 and 33.3 respectively—the rates for women aged 15-19 and 20-24 years were substantially higher in the more recent year:

	1955	1950
15-44 years	32.7	33.3
15-19 years	63.1	57.7
20-24 years	90.0	80.2
25-29 years	33.0	37.1
30-34 years	11.5	14.5
35-39 years	4.6	5.7
40-44 years	1.0	1.2

On the other hand, the increases in the rates for third and higher birth orders which occurred between 1950 and 1955 reflected gains in each 5-year age group. The effect on the first birth order rate of changes in the age composition of the female population can be gauged by standardizing the 1955 first birth order rate using the 1950 age distribution

FIGURE 15



of the female population. The resultant rate—34.3—is higher than the actual rate in 1950.

The marked disparity in ages of white and nonwhite mothers at childbirth is also illustrated by the data on age of mother by birth order. At all ages, low birth orders were more prominent in the overall rates for white women than for nonwhite. Data in table AE indicate that first, second, and third children formed the major component of the births among white women even in their late thirties. On the other hand, fertility rates among nonwhite women 30 years of age and over were maintained to a large extent by the addition of a fifth or subsequent birth. For age groups near the end of the fertility cycle, sixth births and above almost completely dominated the picture. At ages 40-44, for example, these births contributed 69 percent of the nonwhite birth rate (21.3) compared with only 36 percent of the white (15.0).

General fertility and live-birth order rates for native white women

Fertility rates for native white women in the United States since 1920 are given in table AH and figure 16. For years prior to 1933, these data have been adjusted for States missing from the birth-registration area, as well as for underregistration. By limiting this series of rates to the native white group, it is possible to study changes in fertility without the effect of the varying fertility patterns of the many foreign-born women who came to this country in the early part of the present century.

Sharp declines occurred in all birth order rates for native white women during the 1920's and early 1930's. First and second birth order rates began to recover shortly after 1933. Third births did not do so until 1940, and fourth births not until 1943. The rates for fifth and sixth births remained virtually constant during the war and immediate postwar period, but have been rising since the early 1950's. The downward movement of the rate for seventh births was not halted until 1953, while for eighth births and above, the long term gradual decline has not yet been reversed.

The rate for first births not only responded quickly to changing conditions between 1933 and 1950, but its fluctuations were far greater than ever before. From 24 in 1933, the rate rose to 31 in 1938 and to 40 in 1942. After the end of World War II, the rate again shot upward, and within the next 2 years it reached a figure of 49. This rate was over a third higher in 1947 than in 1921, and about twice as high as in 1933. By 1955 it had leveled off at 33—about the same as in the early twenties.

The rates for second births in the years since World War II were the highest in over 35 years, as were the rates for third and fourth births of the past few years. Despite recent increases in the rates for sixth and seventh births, however, they are still below the 1920 levels.

FIGURE 16

BIRTH RATES ADJUSTED FOR UNDERREGISTRATION, BY LIVE-BIRTH ORDER FOR NATIVE WHITE WOMEN: UNITED STATES, 1920-55

(Rates per 1,000 native white female population aged 15-44 years)



Gross and net reproduction rates

A measure frequently used to summarize fertility conditions in an area or color group is the gross reproduction rate. This rate represents the number of daughters a hypothetical cohort of 1,000 women entering the childbearing period together would have during their lives (a) if they were subject to a given set of age-specific birth rates, and (b) none of the cohort were to die between birth and completion of the childbearing period.[41] Thus, a cohort of 1,000 women would bear 1,741 daughters in their lifetime if they experienced the 1955 age-specific birth rates and no deaths occurred before the end of the reproductive age span. Table AG shows a marked increase in the gross reproduction rate since 1940. The rate for nonwhite women has been consistently much higher than that for white women, and in 1955, it was about a third higher.

The net reproduction rate is based on the specific fertility and mortality conditions existing in a time period. A rate of 1,000 means that with the age-specific birth and death rates experienced in a certain year (or years), a cohort of 1,000 newly born girls would bear just enough daughters to replace themselves.[42]

It will be noted that in each year the difference between the gross reproduction rates for white and nonwhite women is greater than the difference between the net reproduction rates. This is due to the higher age-specific mortality rates for nonwhite women. With the relatively large improvement in nonwhite mortality during the past decade, however, this difference has been diminishing.

The net reproduction rate, useful as it is in describing fertility and mortality conditions, is of limited value as an indicator of future population growth. For one thing, it does not take into account such factors as nuptiality, marital duration, and parity. In addition, in nations such as the United States, which experience major changes in marriage and fertility rates over short periods of time, variations in the reproduction rate will tend to be deceptively large in the light of long-run movements of family formation.[43]

Plural births (registered births)

The number of live births reported for any year is somewhat greater than the number of women having children, since in some cases the confinement results in the delivery of more than one child. In 1955, a total of 4,005,257 confinements resulted in 3,961,776 single live births and 85,519 live births from plural sets. The total number of plural sets in which at least one member was born alive was 43,481; of this group, twin sets accounted for 43,082; triplets, 392; and quadruplets, 7.

Table AJ shows data on cases of single and plural births with at least one liveborn infant, and the rate of occurrence of plural births for each year since 1940. This rate is derived by relating the number of plural sets with at least one infant born alive, to the sum of this figure and the number of single births. Thus, the base of the rate does not include plural cases in which all individuals were born dead. Until reporting of fetal deaths becomes more complete, this measure will probably remain the most meaningful of the various rates that might be used to express relative frequency of plural cases.

Attendant at birth (registered births)

Since 1940, there has been a sharp rise in the proportion of births delivered in hospitals, and a smaller but nevertheless important increase on the proportion attended by physicians.[44] These advances have, without doubt, been important factors in the continuous decline of infant and maternal mortality rates.

The striking increase in the utilization of hospital facilities since 1940 may be seen in table AK and figure 17. In 1955, a total of 3,818,810 registered live births, 94 percent of the total occurring during the year, were delivered in hospitals. Fifteen years earlier, in 1940, only 56 percent of the births were hospital deliveries. The trend between these 2 years is characterized by a rapid rise in the proportion through 1946, when it reached 82 percent. Since then, there has been a noticeable slackening in the annual increase.

During the 10 years from 1946 through 1955, the proportion of births delivered by physicians rose from 94.6 percent to 96.8. The corresponding figure for 1940 was 90.7 percent. This increase in the percent of physician-attended births, although relatively small, meant a marked reduction in the proportion of births delivered by nonphysicians. In 1955, only 3.2 percent of the births were not medically attended, as compared with 9.3 percent in 1940.

The proportion of white births delivered in hospitals is approaching 100 percent. This has been accomplished over a relatively short span of years; as recently as 1940, only 3 out of 5 white births occurred in hospitals. However, during the war years considerable progress was made in hospital utilization for obstetrical care, and by 1948 the proportion had risen to 90 percent. Since then, it has continued to increase, and in 1955, stood at 98 percent. For the nonwhite group, the proportion of births in hospitals also made important gains during the past 15 years, rising from 27 percent in 1940 to 76 percent in 1955.

For the latter group there have been important gains since 1940 in the proportion of births attended by physicians (in, and not in hospitals combined). Eighty-three percent of the nonwhite births were medically attended in 1955, as compared with only 51 percent in 1940. The proportion of births in the white group attended by physicians has been near 100

---

[41] The gross reproduction rate may also be defined as the sum of the age-specific birth rates of female infants per 1,000 women of each single year of age. In computing the gross reproduction rates for this report, the age-specific rates for the 5-year age groups have been multiplied by 5, summed, and the total multiplied by the proportion which female births formed of all births.

[42] To obtain the net reproduction rate, the birth rate for each specified 5-year age group was multiplied by 5 and by the probability (as determined from the life table for the year) of women surviving to that age group. The sum of those products was then multiplied by the proportion of births that were female.

[43] For a detailed discussion of this point, see Population Association of America, Inc., Population Index, Vol. 15, No. 2, April 1949.

[44] The term ''attended by physicians'' as used in this publication, includes births attended by physicians out of hospitals and all births in hospitals or institutions. Births are classified as occurring ''in hospital or institution'' on the basis of entries on the birth certificate. The classification is unrelated to American Medical Association (AMA) registered hospital listings. In comparing data from the NOVS with those published by the AMA, is should also be borne in mind that the surveys on which the AMA figures are based cover a reporting period from October 1 to September 30, whereas the data of this Office are for the calendar year.

FIGURE 17

PERCENT OF REGISTERED LIVE BIRTHS IN HOSPITALS, BY COLOR: UNITED STATES, 1940-55



percent for a number of years, and the increase in hospital births since 1940 has resulted principally from a shift in the medically-attended group from place of birth "at home" to "in hospital."

Illegitimate births (registered births)

Estimates of illegitimate births, based on information from the live birth records in those States that require reporting on legitimacy are presented for each year from 1940 to 1955 in table AN. These figures are for the United States as a whole, and include an allowance for the States not reporting this item. There are no adjustments for misstatements concerning legitimacy status on birth certificates or for illegitimate births not registered, because of the present lack of adequate knowledge about these two groups.[45]

It was estimated that 183,300 children were born out of wedlock in 1955. This number is 3.8 percent larger than in 1954, and more than twice as large as in 1940, the last prewar year. More than half of the change during the 1940 to 1955 period occurred since the end of World War II.

The increase was appreciable both in the white and nonwhite groups. Until 1943, well after the start of World War II, there was little variation in the number of illegitimate births among white women. Between 1943 and 1946, however, the number rose from 42,800 to 61,400. Although this figure declined during the next 5 years, it remained well above prewar levels. Beginning with 1952, the number of white births occurring out of wedlock again moved upward, increasing each year to reach successively new record figures of 62,700 in 1954 and 64,200 in 1955. In the nonwhite group, illegitimate births rose in each of the years shown, climbing from 49,200 in 1940 to a figure nearly 2½ times as large (119,200) in 1955.

While the trend in the number of births occurring out of wedlock is of considerable value, for many analytical purposes rates per 1,000 unmarried women aged 15-44 years form a better basis for measuring change in the illegitimate birth problem. In 1940, the estimated illegitimacy rate was 7.1; by 1955 it was almost three times as large (19.3). The increase reflects not only the rise in the number of illegitimate births, but also the decrease in the unmarried female population during the war and postwar years.

Another valuable measure for certain types of comparison is the illegitimacy ratio, that is, the number of illegitimate live births per 1,000 total live births. This measure is not a substitute for the illegitimacy rate, but is useful in the administration of programs concerned with children born out of wedlock. The ratio has been rising during the past 3 years, and in 1955 it was 45.3, the highest figure on record. In prior years it appears to have fluctuated more or less erratically, varying from 33.4 to 42.9.

The illegitimacy ratio for the nonwhite group is over 10 times larger than that for the white. It is generally believed that there is a relatively greater understatement of illegitimacy in the white group than in the nonwhite. This understatement, however, can be only partly responsible for the wide difference between the illegitimacy ratios for these two groups.

In 1955, teen-age girls had a substantial proportion of the births out of wedlock. The illegitimacy ratio among the 15-19 year age group was 142.3 compared to 43.7 for the 20-24 year age group, and 25.0 at ages 25-29. A total of 38,600 of the illegitimate live births in 1955 occurred among very young girls, only 17 years of age or younger (table AO).

Data on illegitimate live births reported for individual States are given in table AM. The number of such births allocated to the State of the mother's usual place of residence, by color, and the number of illegitimate live births per 1,000 total births are shown. State comparisons based on the data are affected by differences among the States in such important factors as: (1) marital status and age composition of the female population, (2) birth registration completeness, and (3) amount of misstatements on the birth record to conceal legitimacy status. The last point is undoubtedly by far the most serious source of error in legitimacy statistics, and may vary appreciably from State to State. The second factor (underregistration) is minimized when illegitimacy ratios are used, and considering the present level of registration completeness, it is probably significant in only a few areas.

Birth weight (registered births)

A great majority of the children born in 1955 (92.3 percent) weighed over 2,500 grams (table AP). The balance (7.7 percent) represented immature births according to the weight criterion.[46] This group, although constituting only a small portion of total births, includes about two-thirds of

[45] National Office of Vital Statistics, "Illegitimate Birth Statistics: United States, 1938-47," by Sam Shapiro, Vital Statistics—Special Reports, Vol. 33, No. 5, 1950.

[46] For discussion of this criterion, see section in Introduction on Birth weight.

all the children who die in the neonatal period and are the group requiring special care for long periods after birth.

The area of peak concentration of births was between 3,001 and 4,000 grams. Nearly two-thirds of the births in 1955 were at these weights. The median weight for all children was 3,310 grams.

Only a comparatively small proportion of infants (1.6 percent) weighed over 4,500 grams. Extremely large babies, those weighing 5,001 grams or more, represented 0.2 percent of all births. This group, with its related high mortality, has also been of particular concern to medical groups.

Nonwhite babies weighed, on the average, 140 grams less at birth than white babies. In terms of proportions of births at weights that are of particular interest from the view of obstetric and pediatric problems—that is, at immature and heavy weights—the nonwhite group was at some disadvantage. Infants weighing 2,500 grams or less at birth represented 11.8 percent of all nonwhite births as compared with 6.9 percent of the white, while at the other end of the weight scale (4,501 grams or more), the proportion of nonwhite births was also slightly higher (1.9 as compared with 1.6 percent).

Since 1950, the first year for which data on birth weight were available, the percentage of immature babies among all births in this country has varied only slightly (between 7.5 and 7.7). During this same period the comparable proportion dropped a little among white births (from 7.2 percent in 1950 to 6.9 in 1955), but the percentages among the nonwhite group increased substantially (from 10.4 in 1950 to 11.8 in 1955). It is interesting to note that the increase in the percentage of immature babies among the nonwhite group was compensated for by a corresponding decrease (from 3.3 to 1.9) at the very heavy weights (4,501 grams or more). These changes for nonwhite births may be partially an artifact of reporting in view of the substantial reduction for the nonwhite in the percentage of births with weight not stated during this same period (from 6.4 to 2.4).

Birth weight by geographic division.—The distribution of births by weight varied appreciably from area to area (table AP). Among the nonwhite, the proportion of children born prematurely ranged from a high of 14.4 percent for the Middle Atlantic Division to a low of 10.5 for the Mountain Division. In the white group, the percentage weighing 2,500 grams or less was, however, highest in the Mountain Division (8.4) and lowest in the West North Central (6.2).

In all divisions, the percentages of immature births were greater among nonwhite births than among white. The differential between these proportions, however, varied considerably, being particularly small in the Mountain Division.

Also noteworthy are the comparatively high proportions of nonwhite births in the Southern divisions falling into the high birth weight groups (4,501 grams or more). In other divisions, the percentages of nonwhite children weighing this much were considerably smaller and were, in fact, generally lower than for the white group.

There are several factors which might give rise to these differences among the divisions. For example, there are indications that the incidence of immature birth and the average weight of offspring varies with such characteristics as birth order, age of mother, nutritional status of mother, and adequacy of prenatal care.

Birth weight by age of mother.—Distributions of births by birth weight and age of mother in table AQ indicate that immature birth was comparatively frequent among very young mothers (under 20 years), dropped to a minimum at 25-29 years, and then increased somewhat. Average birth weight, however, varied directly with age of mother and did not reflect the effect of the rise in the percent of immature births in the later reproductive years. Because of the high correlation between age of mother and birth order, it is likely that some of these differences may be related to concomitant variations in birth order.

The experience for the white group with respect to changes with age of mother closely paralleled that for all births. But, for the nonwhite, there was no comparable increase in prematurity at the higher ages.

Birth weight by sex.—In 1955, female babies weighed, on the average, 120 grams less at birth than male babies (table AQ). When the full distribution of births by weight are examined, it is evident that the differences in the weight distributions for male and female infants began at weight group 2,001-2,500 grams. Greater percentages of female than male births occurred at all weights from 2,001 to 3,500 grams.

In view of the generally lower weight of female infants, the greater proportion of immature babies among this group than among male infants probably signifies a developmental difference rather than a difference having importance in a medical sense.[47]

Crude birth rates by State

In 1955, the crude birth rate varied considerably throughout the country, from 34.1 in New Mexico, to 21.5 in New York State (table AR). This follows the pattern of earlier years, with rates generally highest in the Southern and Mountain States, and lowest in the New England and Middle Atlantic States. The marked changes in the birth rate by geographic divisions that have occurred since before World War II are indicated below. The relative increase in the 1955 rate over that for 1940 was in general greater for the areas having low birth rates:

AREA	1955	1940	Percent increase
UNITED STATES	25.0	19.4	28.9
New England	23.4	15.9	47.2
Middle Atlantic	22.0	15.6	41.0
East North Central	25.2	17.7	42.4
West North Central	24.6	18.4	33.7
South Atlantic	26.6	24.1	10.4
East South Central	26.6	25.4	4.7
West South Central	27.6	23.8	16.0
Mountain	29.1	24.0	21.3
Pacific	24.2	16.6	45.8

[47]Data on mortality among the newborn for births in January-March 1950 support this. They indicate that the proportionate mortality at weights of 2,500 grams or less, which takes account of both the difference in frequency of premature birth and in mortality at these weights, was about the same for male and female infants. For complete data, see National Office of Vital Statistics, "Weight at Birth and Its Effect on Survival of the Newborn in the United States, Early 1950," Vital Statistics—Special Reports, Vol. 39, No. 1, 1954.

FETAL DEATH STATISTICS

Reporting of fetal deaths in 1955

A total of 91,907 fetal deaths was registered in the continental United States in 1955. Because of limitations in reporting requirements,[48] the great majority (69,153) represent fetal deaths at gestations of 20 weeks or more or not stated.[49]

The statistics in table AS point to some of the present shortcomings of registration data on fetal deaths. (For location of tables mentioned in this section, see Contents.) With regard to underreporting of fetal deaths at the lower gestations (20-27 weeks), a comparison of the figures for New York City and other areas having registration of fetal deaths of all gestations with similar data for the remaining areas, indicates that registration of fetal deaths of 20-23 weeks is markedly less complete in the latter. In New York City, fetal deaths at gestations of 20-23 weeks far exceeded the number in the next higher interval, 24-27 weeks. At 28-31 weeks, the number continued to drop off slightly. In most areas, however, fewer fetal deaths were reported at the 20-23 week period than at 24-27 weeks, and in some the number continued to increase substantially at 28-31 weeks.

The effect of extension of registration of fetal deaths in several States from "20 weeks and over" to "all fetal deaths" also emphasizes the probable deficiency in the reporting of fetal deaths at the lower limit of registration. In 1950, before unrestricted registration, the number of fetal deaths at 20-23 weeks in Colorado, Georgia, Maine, Mississippi, Oregon, and South Dakota amounted to only 61 percent of fetal deaths at 24-27 weeks, while in 1955 the comparable figure was 130 percent. Judging alone from the experience in these areas, it seems likely that at least between 5,000 and 10,000 fetal deaths at gestations of 20-27 weeks are not registered each year.

Some appreciation of the total fetal loss can be obtained from the large numbers of fetal deaths at gestations of less than 20 weeks reported in New York City and other areas which more recently adopted registration of all fetal deaths. Allowing for incompleteness of reporting at this and higher gestation levels, it has been estimated that possibly as many as 20 percent of pregnancies end in fetal deaths.[50]

The gestation periods for a fairly high proportion of fetal deaths are not recorded. Excluding Massachusetts, which did not require the reporting of this item, gestation age was lacking for about 6 percent of the fetal deaths in 1955. In 8 States, the "not stated" group represented more than 15 percent of the total fetal deaths.

There are also certain inaccuracies in reporting information on length of gestation that are evident in the data shown in table AS. The comparatively large proportion of fetal deaths at 36 weeks of gestation is believed to result from erroneous conversion of 9-month gestations to 36 weeks. In addition, the heavy concentrations at 40 weeks are indicative, in part, of a failure to calculate the exact period of gestation for fetuses of normal size.

Fetal deaths at gestations of less than 20 weeks have been excluded in preparing most of the tables in this volume in order to obtain data on a more consistent basis for comparison from year to year and from State to State. Fetal deaths of not stated gestation, however, are included in these tables since it is reasonable to assume that for most areas very few relate to fetal deaths at gestations of less than 20 weeks. Exceptions would be areas requiring registration of all fetal deaths regardless of gestation. Inclusion of all fetal deaths of not stated gestation for these areas results in some degree of incomparability (for detailed discussion, see section on Fetal deaths by State).

Trend of fetal death ratios

Fetal deaths and ratios by color for 1922 to 1955 based on all reported fetal deaths are shown in table AT. The ratios based on only those fetal deaths for which the period of gestation was given as 20 weeks or more or was not stated are also included in this table for 1942 to 1955.

Lack of uniformity in the definition of fetal death and variation in completeness of registration undoubtedly influence to a considerable extent the comparability of the data over the years—especially in the series based on all reported fetal deaths. However, considering the probable total effect of these factors, as well as that of incompleteness of the registration area until 1933, it appears likely that the ratios in table AT based on all reported fetal deaths understate any decline in fetal mortality for the years shown. Changes in the regulations during this period have more often been in the direction of broadening the base of fetal death reporting than in the other direction. With respect to completeness of reporting, the situation has probably improved because of the increase in the number of women receiving hospital and medical care at childbirth, and also because of the general strengthening of the vital registration system. However, there are no data indicating whether this change has kept pace with (or exceeded) the improvement in registration completeness of live births.

For both the white and nonwhite groups, the fetal death ratios based on all reported events have generally shown a downward trend since the early 1930's (figure 18). During this period the decrease appears to have been relatively greater for the nonwhite group than for the white.

For recent years the series in the table based on fetal deaths at gestations of 20 weeks or more or not stated gives a more comparable basis for determining changes in fetal mortality than does the series based on all reported fetal deaths. The former eliminates to a certain degree the extraneous effect of changes in regulations during the past few years and efforts during the period to obtain more complete reporting of the early fetal deaths. Comparison of the ratios in this series indicates a reduction of 33 percent between 1942 and 1955 as contrasted with 20 percent in the data on all fetal deaths.

For the white group there has been a fairly steady decline since 1945 in the ratio based on fetal deaths at 20 weeks or more. For the nonwhite group the ratio dropped substantially between 1945 and 1950, was fairly stable between 1950 and 1952, decreased sharply in 1953, and somewhat less in 1954 and 1955.

---

[48] For discussion of reporting requirements, see section in Introduction on Fetal deaths.

[49] The registration of a small number of fetal deaths at gestations of less than 20 weeks in areas not requiring their registration may be due in part to a fairly common practice (in a few cases covered by the regulations) of using birth weight and/or fetal length criteria to determine whether a fetal death record should be filed. See Potter, Edith L., and Shapiro, Sam, "Survey of Opinions of Obstetricians Concerning Official Reporting of Fetal Mortality," American Journal of Obstetrics and Gynecology, Vol. 67, No. 3, March 1954, pp. 651-660.

[50] Erhardt, Carl L., "Reporting of Fetal Deaths in New York City" Public Health Reports, Vol. 67, No. 12, December 1952, pp. 1161-1167.

FIGURE 18



Fetal deaths among plural sets

The risk of a fetal death at 20 weeks or more in 1955 was comparatively high among children in plural sets, being about $2\frac{1}{2}$ times greater for twins than for all births and for triplets than for twins (table AU).[51]

Data on fetal mortality for twins by age of mother in table AU indicate that the rate for this group actually varied relatively little with age of mother in the interval 20-44 years when compared with the experience for total births. Among twins, the lowest level of fetal mortality occurred at maternal ages of 25-34 years or slightly older than in the case of total births.

[51]Both ratios and rates have been used in analyzing the data on fetal deaths in this section. The ''ratios'' represent the number of fetal deaths per 1,000 live births while ''rates'' are fetal deaths per 1,000 live births and fetal deaths combined. The latter have been used to show statistics on fetal loss for certain characteristics where it was thought of greater importance to indicate accurately differences in the risk of fetal mortality.

Fetal deaths by legitimacy status

The fetal mortality ratio relating to illegitimate births in States reporting legitimacy status in 1955 was close to twice the ratio among legitimate births (table AV).[52] A difference of this magnitude however, was found only in the white group.

Among the nonwhite, the overall ratios for legitimate and illegitimate births were very close. But, when data by age of mother are examined, it is evident that differences in the age distributions for legitimate and illegitimate births have the effect of dampening the variations found at specific ages. The detailed age data show that among the nonwhites the ratios for illegitimate births exceeded those for legitimate by at least 30 percent at two age groups (20-24 and 30-34).

[52]Live births and fetal deaths for which legitimacy was not stated are included in the legitimate group. All data are based on registered events. It is possible that there may be differences in the degree of registration completeness and misstatement of legitimacy status for live births and fetal deaths.

For all ages of women in the white group, except the youngest, where frequencies were small, the fetal death ratios for illegitimate births were over 1½ times those for legitimate.

Fetal deaths by sex

Fetal death ratios by sex, which are shown below, indicate that the loss among males was 12 percent higher than among females. These ratios are based on fetal deaths for which the period of gestation was given as 20 weeks or more or was not stated. Fetal deaths with sex not stated were distributed according to the stated. This was done separately for those at gestations of 20-27 weeks and the remainder.

	Total	White	Nonwhite
Male	18.0	15.8	31.0
Female	16.1	14.5	25.8

The relative difference in the ratios for the nonwhite group (20 percent), however, far exceeded the comparable figure for the white group (9 percent). It is interesting to note that in the case of neonatal mortality the excess in the rate for males was relatively greater for the white (34 percent) than for the nonwhite group (25 percent).

Fetal deaths by birth order and age of mother

The data by birth order in tables AW and AX differ in an important respect from other recent data published on fetal deaths by birth order.[53] In these tables birth order refers to number of children previously born alive to mother. In other data on fetal deaths, birth order has related to total-birth order (all live births and fetal deaths at gestations of 20 weeks or more including the current one).[54] This change was made of necessity because of technical limitations to tabulating both live-birth order and total-birth order for live births in 1955. In terms of fetal mortality, the rates by total-birth order are still considered more appropriate from certain points of view, but rates by previous live-birth order should also be of interest. To understand the significance of the latter it is helpful to consider in detail the relation of the two sets of data.

With respect to inclusions, birth order relating to previous children born alive would coincide with the next total-birth order unless the mother has had one or more fetal deaths in previous pregnancies. In the latter case the previous live-birth order would be two or more degrees lower than the total-birth order. Thus, the women in the zeroth previous live-birth order group would include, in addition to all those reported as of first total-birth order, the women in their second, third, or higher pregnancy where all previous pregnancies had ended in fetal deaths. Because of the generally poorer prognosis for this latter group, one would expect the rate for the zeroth previous live-birth order to be higher than the rate for the first total-birth order. Comparison of rates on both bases for 1952-53 indicates just this relationship—a rate of 19.7 for zeroth previous live-birth order and 18.2 for first total-birth order. In addition, the rate for first previous live-birth order was slightly above that for second total-birth order. Here again the percentage of women with one or more previous fetal deaths was greater in the case of the first previous live-birth order group than the other group. At other corresponding orders, the percentages of women having previous fetal loss was much smaller with respect to the previous live-birth orders than the total-birth orders and, as would be expected, the rates for the former were also much smaller.

During the next few years there will be added significance to the use of live-birth order rates because of a change in the item on previous fetal loss introduced in the 1955 Standard Certificate of Fetal Death.[55] On this new certificate the item has been altered to require the reporting of previous fetal deaths of all gestations. This change may cause some degree of discontinuity in any series based on total-birth order. In addition, data on fetal mortality may be of interest in making estimates of fetal loss from information on fertility relating to live-birth order.

The fetal mortality rates by age of mother for 1955 for each previous live-birth order shown in table AX indicate that both characteristics have an important influence on fetal loss.

For each age group of women, the risk of a fetal death occurring at gestations of 20 weeks or more was lowest among those with one previous live birth. Among women with no previous live births, the overall fetal death rate was almost 50 percent higher. This difference at the low orders was comparatively more marked among women 25 years of age and over than among younger women.

At higher orders, the chance of a fetal death occurring increased at each successive birth order. Nevertheless, for women past 25 years of age the zeroth live-birth order remained one of the highest risk groups.

Fetal mortality was lowest among deliveries to mothers aged 20-24 years. With increase in birth order, however, the age of mother group carrying with it the minimum chance of fetal mortality in 1955 shifted from 20-24 years to 25-29 years. For each successive age group of women, the risk of a fetal death occurring became progressively greater and at the higher ages reached levels far above the minimum rates.

For all birth orders, the fetal death rates for the nonwhite group were higher than those for the white. However, the greatest relative differences occurred at the two lowest birth orders. At these orders, the rates among the nonwhite births were nearly double those among the white, while at orders above the first, the rates among nonwhite births were about 1½ times those for the white. In pregnancies among both the white and the nonwhite groups, the fetal death rate dropped sharply after the birth of one liveborn child.

At each age the fetal death rate was also much higher among the nonwhites than the whites. Considering age and birth order simultaneously, the differential by color persisted.

---

[53] See National Office of Vital Statistics, ''Fetal Death Statistics: United States, Each Division and State, Alaska, Hawaii, Puerto Rico, and Virgin Islands, 1951.'' Vital Statistics—Special Reports, Vol. 38, No. 16, 1954.

[54] In this section, for simplicity in terminology, total-birth order is sometimes referred to as the total number of pregnancies. However, the restriction on inclusion of fetal deaths (except in New York City) to those at gestations of 20 weeks or more should always be understood.

[55] See section in Introduction on Standard certificates.

Fetal deaths by State

Table AY shows fetal death ratios by color for 1951-55 for each State and geographic division by place of residence. Fetal deaths at gestations of less than 20 weeks have been excluded in computing these ratios but all fetal deaths of not stated gestation are included.

Fetal mortality ratios for States are of principal interest for comparing levels of mortality but use of the data for this purpose is somewhat circumscribed by limitations relating to comparability. A second important use of the data is in the evaluation of the effect of changes in regulations. This was illustrated in the comparison of reporting of intermediate fetal deaths before and after registration of all fetal deaths was required in a State.

Limitations on the comparability of State data, as indicated earlier, relate to differences in completeness of reporting of fetal deaths and in registration requirements. Another restriction, which is associated with variations in reporting requirements, concerns the effect of including the not stated gestation group. Inclusion of these fetal deaths in computing the ratios in table AY tends to overstate the ratios for areas having registration of all fetal deaths in comparison with those for areas with more limited registration. In order to provide some measure of the effect of this factor, ratios adjusted to take account of the overstatement are given in a footnote to the table.

Progress in the reduction of fetal mortality between 1951 and 1955 in most areas is incontrovertible. Comparison of the ratios by color for 1951 and 1955 for each division indicates that fetal mortality was reduced by at least 5 percent over this period in all but a few cases. In many instances, the data in table AY probably understate the true reduction in view of the effect of revisions in requirements for registration and improvement in completeness of registration that have occurred since 1951.

LIFE TABLES

Life table values for 1955

The rates of mortality during a specific period may be summarized by the life table method to obtain measures of comparative longevity. The basis of these measures is a closed cohort for each of the population groups under examination which is assumed to be subject throughout life to the mortality rates of that period. For example, table AZ presents a life table for the total population showing the progress of a cohort starting with 100,000 live births and subject throughout life to the mortality rates for the year 1955.

The most usual measure of the comparative longevity of different populations is the average duration of life, also called the expectation of life at birth. This is the average number of years lived by the members of the life table cohort. In tables AZ and BA, the average duration of life appears, in each case, opposite age 0 in the column which gives the average remaining lifetime. (For location of tables mentioned in this section, see Contents.) In 1955, the average duration of life was 67.3 years for white males, 73.6 for white females, 61.2 for nonwhite males, and 65.9 for nonwhite females. These values indicate that females, on the average, live longer than males, and white persons longer than nonwhite.

There is, however, some objection to the use of the average duration of life as a standard of comparison because the method of calculating it gives great weight to the relatively large number of deaths occurring in the first year of life. This influence may be entirely eliminated by considering instead the average lifetime remaining to those members of the cohort surviving to age 1, or, in other words, the expectation of life at age 1. As a result of this change, the differences between these various groups are somewhat reduced. Nevertheless, in 1955, white females still live, on the average, 6.0 years longer than white males, and 6.7 years longer than nonwhite females, while white males live 5.0 years longer than nonwhite males.

Another possible standard for comparing the longevity of different populations is provided by the median length of life, or "probable lifetime," which is the age at which half of the original members of the cohort have died. When the life table cohort starts with 100,000 births, this would be the age at which there are just 50,000 survivors. In other words, it is the age to which an infant born alive has just an even chance of surviving. In computing this median length of life, the deaths in the age group in which the median age lies are assumed to be evenly distributed. Thus, from table BA, the median length of life on the basis of 1955 mortality rates for white males is determined to be 71.2 years; for white females, 77.6; for nonwhite males, 65.0; and for nonwhite females, 68.7. It is evident that the median length of life is longer than the average duration of life for all groups.

Still another measure of comparative longevity is the number of persons surviving to stated ages in a cohort of, say, 100,000 live births. For example, it is of some interest to examine the proportion of survivors to ages 20 and 65, since these ages may be taken as representing, respectively, the attainment of manhood or womanhood, and the minimum retirement age prescribed by the Social Security Act. At age 20 the ratio of nonwhite male to white male survivors in the 1955 life tables is 97 percent, while at age 65 the ratio is 76 percent. This marked difference indicates the cumulative effect of higher mortality among nonwhite males in the intervening years. For white and nonwhite females the corresponding ratios are 97 percent and 74 percent.

The death statistics used in calculating the mortality rates were obtained from the regular tabulations of the National Office of Vital Statistics, and include only deaths occurring in the continental United States. The estimated populations on July 1 were obtained from the Bureau of the Census[56] and exclude the estimated number of persons in the Armed Forces overseas.

Trends of life table values

Life table values have been prepared at 10-year intervals for the United States between 1900 and 1950. Each of these is based on a census of population and deaths during a 3-year period containing the census year. Selected values from these life tables are shown in table BC for subdivisions of the population by color and by sex.

During the half century covered by table BC, the average duration of life has increased by 19.4 years for whites, 27.0 for nonwhites, 17.6 for males, and 20.3 for females.

Selected life table values for 1949-51, 1954, and 1955, are shown in table BB. In this period of 5 years, the average duration of life has increased 1.0 years for white males,

[56] Same as footnote 28, p. XXVII.

1.6 for white females, 2.3 for nonwhite males, and 3.2 for nonwhite females. The proportion reaching age 65 has increased 3.4 percent for white males, 4.2 for white females, 10.6 for nonwhite males, and 12.6 for nonwhite females.

In using the life table values covering the period since 1900 (table BC), it must be remembered that the values for periods prior to 1929-31 are not strictly comparable with those for later periods. The area covered at each period prior to 1929-31 was limited by the size of the death-registration area, and the tables for 1929-31 and succeeding periods cover the entire continental United States. This cause of variation could at most account for only a small part of the spectacular improvement observed over the entire period covered; however, it is believed that the fluctuations shown at certain ages in the values for Negroes during the first 30 years of the century may be attributable, in part, to the character of the expanding death-registration area, and, in part, to progressive improvement in the completeness of death reporting.

MORTALITY STATISTICS

There were 1,528,717 deaths registered in the United States in 1955. The crude death rate, based on the estimated midyear population residing in the United States, was 9.3 per 1,000 population. This figure is slightly above the rate of 9.2 recorded for 1954. The rise for 1955 may be accounted for in part by the increase in reports of the occurrence of influenza in the winter months of this year[57] as compared with 1954, when no outbreaks were reported. A severe heat wave in July and August[58] of 1955 also resulted in additional deaths for this year.

Outbreaks of acute upper respiratory disease, particularly influenza, and unusual weather conditions generally affect adversely mortality among older persons. A comparison of death rates for 1955 and 1954 shows that the rates for persons 65 years old and over were higher this year than last. Although the majority of the death rates for the age groups below 65 years have decreased, the impact of the change in the rates at the older ages was sufficient to result in a rise of the crude death rate.

Death rates by age for 1955 are shown in figure 19 for white and nonwhite males and females. The characteristics of the curves are similar for all four color-sex groups, with high rates in infancy followed by successively lower rates for children until the minimum death rate is reached during childhood; then rising rates for every subsequent age group. The mortality curves are in general higher for nonwhites than for whites and higher for males than for females. The excess mortality for nonwhites is evident at every age under 75 years; but beyond this age the rates for whites are higher. The reversal may be the result of bias in reporting age on the death certificate among the nonwhite population.

At every age throughout the life span, death rates for males are higher than for females. The ratio of the death rates for the two sexes is higher for the white than for the nonwhite population. For both color groups, the greatest proportionate differences in death rates between the sexes occur at ages 15-24 years.

The relative difference in the mortality rates for the two color groups is the same for both males and females. The death rates for nonwhites is about 10 percent more than for whites in both sex groups.

Cause of death in 1955

While of little importance in the total mortality of the United States, the major medical event of 1955 was mass vaccination against poliomyelitis in the general childhood population. Both reported cases and deaths from this disease declined in 1955 from the figures reported for 1954; and an unknown part of the drop may be attributed to the use of the vaccine. Three drugs now in wide use in the control of tuberculosis—streptomycin, isoniazid, and para-aminosalicylic acid have probably contributed to the continued decline in mortality from this disease. Other new drugs made available during the year may have affected conditions of low fatality or illnesses of long duration, so that their use is not immediately evident in mortality figures. Some of these drugs are rauwolfia serpentina and its various related derivatives, used since 1953 in hypertensive diseases; chlorpromazine, used since 1954 in treatment of mental disorders; and nystatin, an antibiotic active against fungus infections, introduced in 1955.

The slight rise in mortality in 1955 is reflected in an increase of about 2 percent in the death rate for the major cardiovascular-renal diseases over the figure recorded for 1954. The increase was concentrated in the age groups 65 years and over. The components of the cause group which contributed to the increase were diseases of heart, vascular lesions affecting central nervous system, and general arteriosclerosis. These three causes accounted for 52 percent of all deaths in 1955; and, as shown in table BK, rank[59] as first, third, and seventh leading causes of death in the United States. (For location of tables mentioned in this section, see Contents.)

Several other components of the major cardiovascular-renal diseases declined in 1955. The death rates for rheumatic fever, for hypertension without mention of heart, and for chronic and unspecified nephritis were lower than in 1954.

The outbreaks of influenza in 1955 were associated with an increase in the death rate for pneumonia, except pneumonia of the newborn. The death rate for this cause was 23.8 per 100,000 population for 1954, and 25.4 for 1955. The rise in mortality was evident at ages 55 years and over.

Several important chronic diseases showed almost no change in mortality. The death rate in 1955 for malignant neoplasms, including neoplasms of lymphatic and hematopoietic tissues was 146.5 per 100,000 population, or less than 1 percent higher than the rate for 1954. This change was also the result of small increases in rates among persons 65 years of age and over. Death rates for diabetes mellitus and for cirrhosis of liver remained about the same as in 1954. These diseases have risen in rank position be-

[57] National Office of Vital Statistics, Morbidity and Mortality Weekly Report, Vol. 4, Nos. 7, 11, and 14, 1955.

[58] Ibid., Nos. 28 and 31.

[59] For method of ranking, see National Office of Vital Statistics, "Leading Causes of Death: United States and Each State, and Alaska, Hawaii, Puerto Rico, and the Virgin Islands (U. S.), 1955," Vital Statistics—Special Reports, Vol. 46, No. 8, 1957.

FIGURE 19


DEATH RATES BY AGE, COLOR, AND SEX: UNITED STATES, 1955
(Rates per 1,000 population)
RATES FOR AGES 1-29 YEARS
AGE
WHITE MALE
WHITE FEMALE
NONWHITE MALE
NONWHITE FEMALE
AGE IN YEARS

FIGURE 20

THE 10 LEADING CAUSES OF DEATH BY COLOR AND SEX: UNITED STATES, 1955

(Rates per 100,000 population)



430007 O - 57 - 4

cause of the concomitant decline in the death rates for tuberculosis and chronic nephritis. The death rate for tuberculosis in 1955 was 9.1 per 100,000 population; while for chronic nephritis, it was 9.6. The rank of the leading causes by color and sex is shown in figure 20.

Deaths among infants still represent a sizable proportion of the total annual population loss through death. The death rate for certain diseases of early infancy, a group of causes affecting chiefly babies under 1 year of age, was 39.0 per 100,000 total population. Deaths from congenital malformations, of which 75 percent occur among infants under 1 year of age, were responsible for 12.5 deaths per 100,000 total population.

Accidents, suicide, and homicide accounted for 7.7 percent of all deaths in 1955. The death rate for all accidents rose almost 2 percent above the figure for 1954 to a rate of 56.9 per 100,000 population. The rise was the result almost entirely of an increase of about 6 percent in the death rate for motor-vehicle accidents, which represent 41 percent of all accidents. The increase in motor-vehicle accident deaths occurred for both males and females, whites and nonwhites, and in many age groups throughout the life span. The death rate for suicide is 10.2 per 100,000 population, the same as the figure for cirrhosis of liver, and higher than the rate for tuberculosis. Deaths from suicide occur chiefly among white males. The rate for this group is 17.2. Homicide, on the other hand, is of greatest importance among nonwhite males. The death rate for the total population in 1955 is 4.5, but for nonwhite males, it is 36.9 per 100,000 population.

General mortality trends

Crude death rates.—Table BF and figure 21 show the crude death rate for the death-registration States for each year from 1900 to 1955. In this period, the crude death rate has decreased by 46 percent from 17.2 per 1,000 population in 1900 to 9.3 in 1955. The decline has been fairly continuous, the only major interruption being the influenza pandemic of 1918, when the rate rose to 18.1. It is apparent, however, from figure 21 that the rate of decline was not uniform throughout this period. Between 1900 and 1917, the rate declined almost three times faster than it did for the period 1921 to 1937. Probably as a result, in part, of the successive introduction of serum therapy, the chemotherapeutic drugs, and antibiotic agents, the trend accelerated beginning in 1938. The fall in the crude death rate from 1938 to 1955 was almost twice as rapid as that for the preceding period.

The decline in the crude death rate since 1900 reflects both changes in mortality and changes in the age composition of the population. The proportion of the population in each age group is a result of the contributions to the population by births and immigration and losses through emigration and death. From 1900 to 1950, the combinations of these events served to increase the median age of the population of the death-registration States from 26.1 years in 1900 to 30.2 years in 1950. By 1955, however, the continued high level of the birth rate checked the rise in the median age, holding that figure to 30.2.

A rate free of the influence of the change in age composition of the population is needed to evaluate the trend of mortality. Table BG shows the age-adjusted rates for the expanding group of death-registration States from 1900 to 1955. These rates are abstract figures, and while they cannot be compared with the crude rates for the same year,

FIGURE 21



they may be compared with other age-adjusted rates based on the same standard population. The trend of the crude death rates discussed earlier showed that the rate of decline had decreased following the 1918 epidemic, and had resumed at an increasing pace after 1938. From the age-adjusted rates (figure 22), it may be seen that the rate of decline in the period from 1921 to 1937 was only slightly lower than that for the period from 1900 to 1917. However, the decline since 1938 was even more rapid than that shown by the crude death rate.

Death rates by age, color, and sex.—Death rates by age, color, and sex are shown for the last decade in table BH. The table continues the series shown in Volume I of Vital Statistics of the United States, 1950, table 8.40 for 1900-1950. These figures show that the trends noted for the first half of the century have been maintained with only slight deviations. For white males, death rates for ages below 65 years have continued to decline. With two exceptions the rate of change is successively smaller for each age group above 5-14, the years at which the minimum death rates are found. At ages 55-64 years, the trend is very slowly downward, while at older ages (65-74 and 75-84) there has been almost no change in the last 10 years.

For white females, the pattern of ever smaller declines with increasing age may also be observed, but for this population group, rates have fallen both since the beginning of the century and in the last decade in every age group. The mortality curve for white females falls below that for white males of the same age.

Mortality among the nonwhites at every age below 75 years is higher than for the comparable group of whites. For males under the ages of 55 years, the decline in rates begun in the 1930's has continued through 1955. For the age group 55-64, the slow decline has continued, while for the age groups 65-74 and 75-84, a tendency for the rates to rise has been evident in the last decade.

Rates for nonwhite females fall below those for males in the same age group, but the disparity is not so great as for the white population. The rapid decline in death rates for nonwhite females has been maintained at ages under 65 years. The rise in the rate noted for nonwhite males at ages 65-74 in the last 10 years also occurs for females; while at ages 75-84, the rate has not declined during this period.

Death rates in table BH are based on deaths in the continental United States, and the population residing in the area, excluding the Armed Forces overseas. These rates differ from rates based on all deaths, both in the United States and overseas, and on the total population including the Armed Forces overseas for men in the age groups 15-34 years during the years of World Wars I and II, and the Korean action. Detailed data have been shown for this group in each annual report beginning with 1950, and figures for 1955 are shown in table BM. As a result of the Korean action, death rates for 1950-53 for the age groups 15-34 including events and population overseas are higher than rates for the continental United States. The rates for the total male population at these ages are:

	1953	1952	1951	1950
15-24 years-------	2.1	2.0	2.5	2.4
25-34 years-------	2.3	2.3	2.4	2.4

FIGURE 22



Trend by cause of death

A comparison of death rates for 1955 for selected causes of death with the corresponding rates for 1946-54 is given in table BN. The rates for 1949-55 are classified according to the Sixth Revision of the International Lists. Rates for 1946-48 shown in this table are based on deaths classified by the Fifth Revision and adjusted for comparability with the Sixth Revision.[60] Data for earlier years have been shown in Volume I of Vital Statistics of the United States, 1950. The years since the end of World War II have been a period of relatively stable health conditions enhanced by the continued discovery of new drugs and their wider dissemination. Death rates for diseases that respond to the new or increased use of drugs, and those that reflect the full employment of the last decade have continued to decline, while rates for some of the chronic diseases associated with aging have remained almost level, or even increased slightly.

Infectious diseases.—The death rate for tuberculosis, all forms, dropped from 34.9 per 100,000 population in 1946 to 9.1 in 1955 (table BN). Mortality from this disease has been curtailed in every age group. The rate for white women has long been lower than that for the other population groups, and it has also fallen more rapidly. It is now 4.1 per 100,000 population. The age-specific rates for white males and white females (table BO) are about the same between the ages of 1 and 34 years. Beginning with 35-44 years, the rates for white males rise quite rapidly to a peak in old age (75-84 years), while those for white females increase slowly to reach a maximum of 24.3 at ages 85 years and over. Rates for nonwhites have declined steadily to the present figures of 28.4 for nonwhite males and 15.0 for nonwhite females. For nonwhites, rates among females are higher than for males between the ages of 5 and 24 years, after which the rise with age for males is extremely rapid, while it is much more gradual for females. The highest rates are reached in both sexes at younger ages than for the whites.

Part of the drop in the death rate for syphilis and its sequelae between 1954 and 1955 is the result of a change in cause-of-death classification,[61] but the general trend is still unmistakably downward. The death rate in 1955, 2.3 per 100,000 population, is almost one-fifth the figure recorded for 1939, the year which marks approximately the beginning of the rapid decline for this cause. Rates for males in 1955 are about 3 times those for females. For nonwhites, the rates are more than 4 times those for whites.

Death rates for dysentery, and for gastritis, duodenitis, enteritis, and colitis, except diarrhea of the newborn, after showing almost no change for several years, dropped again in 1954 and 1955. Deaths from these causes now occur chiefly in the age groups under 5 and 70 years and over.

The swift decline in death rates for pneumonia, except pneumonia of newborn, observed with the introduction of chemotherapy in 1938 seems to have been halted. In the past 4 years, the annual rates have fluctuated with the occurrence of outbreaks of respiratory disease, and have shown no definite trend for the population as a whole. Among children under 15 years of age, the rates have dropped slightly since 1952.

Death rates for scarlet fever, measles, and whooping cough, reflect the cyclical nature of outbreaks of these diseases, and the constantly improving case fatality ratio. The death rate for measles has been below 1 per 100,000 population in the last decade, as compared with rates between 7 and 13 per 100,000 in the early part of the century. Mortality from this cause is found almost entirely at ages under 15 years. For this age group, rates have been brought down

[60] See reference cited in footnote 1, table BN.

[61] National Office of Vital Statistics, Vital Statistics Instruction Manual "Part II, Cause-of-Death Coding, 1955," Washington, D. C., 1955.

from 30.8 per 100,000 population under 15 in 1900-1904 to 1.0 per 100,000 population under 15 in 1951-55. The death rates for whooping cough have also fallen below 1 per 100,000 population in the last 5 years, although rates for this disease among infants have been much higher than for measles. Among children of preschool (1-4 years) and school age (5-14), measles causes more fatalities than whooping cough. The decline in the death rate for diphtheria since the early part of the century has been associated with a decrease in the number of cases and has been even more dramatic than that for measles or whooping cough. In recent years diphtheria has caused fewer deaths than the latter diseases. Deaths from scarlet fever and streptococcal sore throat have now reached the low level of 2 or fewer per 1,000,000 population.

As noted earlier, deaths from acute poliomyelitis in 1955 fell below those for any year since 1947. While the drop was coincidental with the introduction of poliomyelitis vaccine, very little of the decline may be attributed to its use in 1955. This disease causes deaths among young adults as well as among children and the rates for almost every age group declined in 1955.

Deaths from meningococcal infections have fluctuated directly with the incidence for this disease. While there is no evidence of decreasing mortality in the last two decades, rates for these years have remained below the level experienced in 1929 and 1930.

Infectious hepatitis is a relatively minor cause of death, with a rate of 0.5 per 100,000 population in 1955, but it is of interest because it is one of the few communicable diseases that has shown an increase in deaths since 1949. Deaths from this disease occur at every age, the rate rising continuously during the adult years, to reach a peak at ages 85 years and over. Small rises in the death rate since 1949 are evident at ages 60 years and over.

Chronic diseases.—More than half of all deaths in 1955 were caused by the major cardiovascular-renal diseases, reflecting the rise in importance of this group since 1900, when it was responsible for 20 percent of all deaths. The death rate for the group as a whole has increased almost annually, but the trend in mortality for the component parts of this complex of diseases varies. The differing trends may be to some degree the result of changes in practices in completing the medical certifications. Deaths from two causes, vascular lesions affecting central nervous system, and from arteriosclerotic heart disease, including coronary disease, have increased; while rates for almost all other causes in the major cardiovascular-renal group have declined. Death rates for rhuematic fever and for chronic rheumatic heart disease have dropped, particularly among children. Death rates for general arteriosclerosis, which is of little importance until ages 35 years and over, have declined in every age group. Compared with rates for 1949-53, figures for 1954 and 1955 for hypertension without mention of heart and with heart disease have also declined at every age. This is equally true of death rates for nonrheumatic chronic endocarditis and other myocardial degeneration. For chronic and unspecified nephritis, the long term decline has continued among all groups and ages of the population.

The death rate for arteriosclerotic heart disease is now 247.0 per 100,000 population. For white males, the rate is 334.6 or 1.8 times the rate for white females, and more than twice the rate for nonwhite males. As may be expected from this wide variation in rates, the proportion of all deaths assigned to this cause differs greatly by age for the four color-sex groups. Beginning with persons 25 years of age, the percent of total deaths due to arteriosclerotic heart disease in each age group is:

AGE	WHITE		NONWHITE	
	Male	Female	Male	Female
25-34 years	6.4	2.1	3.7	4.5
35-44 years	24.5	6.4	10.8	7.7
45-54 years	36.1	13.1	17.8	13.4
55-64 years	39.1	23.6	20.4	17.0
65-74 years	37.3	30.4	20.9	19.0
75-84 years	33.7	30.7	21.4	20.8
85 years and over	30.0	28.7	19.9	19.9

Relatively, mortality from arteriosclerotic heart disease becomes a major problem among white males at ages 35-44, and remains one of greater magnitude than for females or nonwhites throughout all older ages.

The death rates for white males for every age group beyond 34 years have also risen rapidly since 1949, the first year for which arteriosclerotic heart disease was classified separately. For white females, a rise in rates is evident only at ages 65 years and over. Rates for nonwhite males 35 years of age and over have also increased, while for nonwhite females, the rise begins at 55 years of age. Practically no change has been noted in the death rates for vascular lesions affecting central nervous system for the total population of each color and sex group in the last 5 years, but when the trends by age are examined, it may be seen that the slow downward movement of the age-specific rates seems to have received some added impetus in 1954 and 1955 at ages 45-64. The recent decline may be seen also in each of the four sex-color groups of the population.

The crude death rate for malignant neoplasms, including neoplasms of lymphatic and hematopoietic tissues as a whole has continued its slow rise, but data for broad site groups show divergent trends. Death rates for malignant neoplasms of the digestive organs and peritoneum which had remained fairly level for white males between 1925 and 1945 declined in the decade, 1946-55, at all ages 25 years and over. The decline for white females began in the 1930's and has continued to the present. Rates for the total nonwhite population, on the other hand, have not shown a drop. For nonwhite males, rates for this site do not seem to have leveled off; while for nonwhite females, rates for the age groups 25-59 years are lower for the past decade than for the preceding 10 years.

Death rates for malignant neoplasm of the respiratory system have increased sharply since 1930, the first year this group of sites was separately classified. The rise is particularly evident at ages 45 years and over for males. Increases in death rates are not quite so marked for females.

The death rate for malignant neoplasm of breast has also continued to rise slowly. While the rates are almost level at some ages, there is no age group in which the rates show a definite decline. For the female population, rates for malignant neoplasms of genital organs have continued to fall slowly at ages between 35-84, while for males, there

has been a slight rise, except for ages 45-64 years. Death rates for malignant neoplasms of the urinary organs have increased somewhat for all groups except for nonwhite females. Death rates for the leukemias have been increasing, particularly in the age groups 65 years and over.

Death rates for diabetes mellitus were about the same for 1955 as for 1954, both figures falling slightly below the level of the death rates for the previous 5 years. When the rates are examined by age, it is found that the figures for these last 2 years differ from those for 1949-53, chiefly at ages 45-84 years, with rates in every age group lower than those for the earlier period.

Death rates for cirrhosis of liver and for ulcer of the stomach and duodenum have also been rising slowly for many years. The trend for cirrhosis of liver has been upward since the middle 1930's. Rates for white males exceed by far those for the other color-sex groups and are rising at ages 35-64 years. Increases for white females have occurred at 25-64 years; while for nonwhites the age span 25-54 has recorded higher rates recently as compared with a period 20 years ago. The level of death rates for ulcer of stomach and duodenum is lower under the Sixth Revision, used since 1949, than it had been when deaths were classified according to the Fifth Revision of the International Lists. The total rate has risen slightly since 1949 as a result of increases in the death rates for the white population 65 years and over. There has been some fluctuation, but no definite rise in the rates for the nonwhite population.

Deaths from external causes.—Advances in public health and medical knowledge have only indirectly affected the death rates for accidents, suicide, and homicide. The death rate for nonmotor-vehicle accidents has dropped 59 percent from 82.4 in 1910 to 33.5 in 1955, probably as a result of improved housing conditions, control of industrial hazards, and better medical treatment of injuries. The circumstances producing deaths from nonmotor-vehicle accidents vary considerably by age and as a result, the reductions achieved in each age group reflect the type of accident brought under control. At ages under 1 year, there has been only a very small decline in the death rates for this group of accidents since 1920, while among children at ages 1-4, the decline was 69 percent. This has been the greatest reduction at any age. While the declines in death rates for nonmotor-vehicle accidents since 1920 were smaller at all other ages, in no case was the decline less than 33 percent.

The experience for motor-vehicle accidents has not paralleled that of the nonmotor-vehicle accidents. Since 1920, the number of automobiles and the number of vehicle-miles driven have risen annually. The risk of death from a motor-vehicle accident depends on these factors rather than on the size of the population, so that the death rate based on the population does not reflect the hazards involved. The figures shown in table BN indicate the loss of population through motor-vehicle accidents and are thus comparable with figures for other causes of death. The data show that the death rate for motor-vehicle accidents rose almost without interruption through the 1930 decade. The wartime restrictions produced some decline in rates in the next decade, but rates increased following the end of World War II. In recent years the rate seems to have stabilized at a lower level than the highest rates preceding World War II. The rates for males are now more than three times those for females; the figures for nonwhite males are even higher than those for white males.

The peak mortality among white males under 75 is at ages 15-24 and among nonwhite males at ages 25-34. In the last decade, rates for all males in these two age groups have risen, but the figures have decreased or remained about level for white males at other ages. Among females and among nonwhite males, the increases in the last decade have been more general, affecting almost every age group.

Death rates for suicide have fluctuated less than for any other cause shown in table BN. As a whole, the figures are currently lower than they were in the 1930's in every age group. The rates are comparatively high for white males, 17.2 per 100,000 population for 1955. For white females the figure was about one-quarter the rate for white males. The difference was almost as great among nonwhites; the rate for males was 6.1 in 1955, and for females, 1.5.

Death rates for homicide have declined slowly from the peak reached in the 1930's. For this cause, differences by color are even larger than for suicide. The highest rates are found among nonwhite males. The figure for that group in 1955, 36.9 per 100,000 population was 3.9 times the figure for nonwhite females, 10.9 times the rate for white males, and 30.8 times the rate for white females. In spite of the large differences in the rates for the four groups, in each of them the peak mortality occurs within approximately the same ages. For white females, it occurs at ages 35-54, while in the other three color-sex groups, the highest rates are in the age groups 25-44 years.

Crude death rates by geographic division

The death rate in the United States in 1955 was 9.3 per 1,000 population, less than 2 percent higher than last year. This increase in the crude rate is the result of a rise in the rates for three divisions (table BP): New England, Middle Atlantic, and East North Central. The largest increase, 4.3 percent, occurred for the New England Division. Decreases in mortality occurred for the West South Central and Mountain Divisions, the largest of which was 2.2 percent for the West South Central Division. Mortality for the remaining divisions was almost the same as in 1954. Death rates for residents of each State varied from a low of 6.7 deaths per 1,000 population for Utah to a high of 11.7 for New Hampshire.

The effect of age on mortality in the United States discussed in the previous section also applies to the determination of the level of mortality for each division and State. The median ages (in years) of the population in the geographic divisions of the United States in 1955 were:

New England	31.8
Middle Atlantic	32.3
East North Central	30.3
West North Central	30.5
South Atlantic	27.3
East South Central	26.5
West South Central	27.5
Mountain	26.5
Pacific	30.3

The crude death rate for these areas varies directly with the median age of the population residing in each division. Apparently, the effect of the differences in age distribution among the geographic areas is sufficient to obscure variations in mortality caused by the color, sex, and socioeconomic composition of the population.

Mortality by State and age

Because of the variation in age composition of the population in each State and geographic division, the differences in mortality may be seen more clearly in the death rates by age than in the crude rates. The Bureau of the Census has estimated the population of each State in age groups designed to meet specialized requests; and death rates for these age groups are shown in table BQ. For the United States, the death rate for the group under 5 years of age is 6.8 per 1,000 population. The rate for ages 5-19, 0.6, is considerably lower; and for successive age groups the rates increase continuously, until at ages 65 years and over the rate is highest, 61.5.

The range of rates for children under 5 years extends from 5.4 for Iowa and Utah to 11.2 for New Mexico. For the next two age groups, 5-19 and 20-44, the death rates for Rhode Island, 0.4 and 1.5, respectively are lowest. The highest rate at ages 5-19 is 0.8 and at ages 20-44, 3.1. For ages 45-64 the rate varies from 9.2 for South Dakota and Nebraska to 16.5 for South Carolina; and finally, for ages 65 years and over, the rate varies from 46.4 for Arkansas to 72.0 for Nevada.

The distribution of rates by State may also be examined by computing the average rate $(\bar{X})$ of each series of rates, and the standard deviation (s) of the rates from this average. The average used here is the arithmetic mean. If rates are distributed normally, then 68 percent of the rates will fall within one standard deviation on either side of the mean and 95 percent within two.

The standard deviation, like the range, is an absolute measure of dispersion. The standard deviation of rates at ages 65 years and over cannot be compared with that for rates at ages 5-19 years because of the difference in magnitude of the rates themselves. To relate the measures of dispersion at the various ages, a relative measure, the coefficient of variation, has been computed for each series. This is the ratio of the standard deviation for the series to the mean for the same series expressed as a percent.

The coefficient of variation of rates per 100,000 population by State[62] is shown below for each age group:

All ages	12.4
Under 5 years	16.8
5-19 years	13.6
20-44 years	18.6
45-64 years	13.5
65 years and over	10.5

The figures fell between 10 and 20 percent, reaching a minimum of 10.5 for ages 65 years and over. As might be expected, the rates for most States fell within two standard deviations of the mean. For the total rate, the rate for Utah fell below 6.9 per 1,000 population (the average rate minus two standard deviations), and the rates for New Hampshire and Vermont were more than two standard deviations above the mean. The following are the States in each age group for which the rates were more than two standard deviations from the mean:

AGE	Lower than $\bar{X} - 2s$	Higher than $\bar{X} + 2s$
All ages	Utah	New Hampshire Vermont
Under 5 years	—	New Mexico Arizona
5-19 years	Rhode Island	—
20-44 years	—	South Carolina Georgia Alabama
45-64 years	—	South Carolina
65 years and over	Florida Arkansas	—

It may be seen that the factors which determine the level of mortality for a State at one age do not necessarily produce the same relative level of mortality for that State at another age. Only in a few States was the relative level of mortality for every age group consistently above or below the average. Rates for 4 States (Minnesota, Iowa, North Dakota, and Kansas) in the West North Central Division were below the mean at each age. This was also true for Utah and California. For California alone were the death rates consistently within one standard deviation below the mean. The rates for only 1 State (Nevada) were consistently above the mean, and they were always between one and two standard deviations from the mean.

Rates for the New England, Middle Atlantic, and East North Central Divisions were below the average for the United States at ages under 45 years and above the average at ages 45-64 and 65 years and over. This pattern was also observed for each State in the Middle Atlantic Division, but some exceptions occurred in the States of the New England and East North Central Divisions.

Death rates were higher than the mean for ages under 65 years in the South Atlantic and East South Central Divisions and below average for ages 65 years and over. In the West South Central and Mountain Divisions, the rates were above average at ages under 45 and below average at ages 45 years and over; while in the Pacific Division, the rates were below average at every age.

Infant mortality

In 1955, there were 106,903 deaths of infants under 1 year of age or an infant mortality rate of 26.4 per 1,000 live births. This is the lowest rate ever recorded for the United States since the formation of the birth-registration area in 1915 (figure 23). The rate for white infants in 1955 was 23.6 and that for nonwhites, 42.8.

The infant mortality rates for 1955 are shown by age, color, and sex in table BT. The rates for nonwhite infants are higher than for whites in every age group shown in the table; similarly, rates for males exceed those for females. The excess mortality for nonwhites is more than 50 percent for the first 4 weeks of life and is even greater in the remaining months of the first year. For males, the excess

[62] For rates per 100,000 population, see National Office of Vital Statistics, "Mortality From Selected Causes by Age: United States and Each State, 1955," Vital Statistics—Special Reports, Vol. 46, No. 13, 1957.

mortality compared with females is 32 percent for ages under 28 days, and is considerably smaller from 2-11 months.

When the differences in death rates for the first 4 weeks are examined for smaller age intervals, it is found that the rates for the nonwhites are about 50 percent higher than for the whites in the first day of life. For infants 1-6 days old the excess is much smaller. The figure then rises rapidly until, at the end of the first year of life, the rate for nonwhites is more than double that for whites. The sex differences, on the other hand, are greatest in the period, 1-6 days, and decrease to their minimum value by the last month of infancy.

The infant mortality rates by age and color are shown for 1946-55 in table BS. When the rates for each of these years are compared with the year following, it is found that the changes in rates are generally not statistically significant. However, over the entire decade, there has been a substantial decline in mortality. Deaths per 1,000 live births dropped by 15 percent for the first week of life, and by more than 40 percent for the second, third, and fourth weeks. For each of the remaining months of the first year of life, the decline in rates from 1946 to 1955 varied between 20 and 33 percent. In most of the age groups shown, the percentage improvement was greater for the whites than for the nonwhites, but the pattern of decreasing rates was the same, with the second, third, and fourth weeks of life showing the largest fall in rates since 1946.

Infant mortality by cause of death.—The great declines in infant mortality since the early part of the century were achieved chiefly through control of the respiratory, enteric, and other communicable diseases, and more recently, through improved prenatal and natal care. The infant mortality rates for the last decade, 1946-55, are shown in table BU. The rates for 1949-55 are classified according to the Sixth Revision of the International Lists. Rates for 1946-48 shown in this table are based on deaths classified by the Fifth Revision and adjusted for comparability with the Sixth Revision.[63] The table shows a continued small decline for the infective and parasitic diseases, and enteric diseases. The infant mortality rate for congenital malformations has shown almost no change in the last 5 years, but the present level is 12 percent below the rate recorded for 1946.

The group of causes, certain diseases of early infancy, applies particularly to the conditions producing death in the first 28 days of life. The death rate for the group as a whole has declined by 20 percent since 1946, but it is still responsible for over half the infant deaths. Within this group, the death rates for postnatal asphyxia and atelectasis, and for immaturity with mention of any other subsidiary condition have increased between 1946 and 1955, but since the death rate for immaturity unqualified has declined during the same period, these changes may be the result of improved reporting of causes of death. A drop of 46 percent has been recorded in the rate for symptoms and ill-defined conditions, again reflecting improved medical certification.

A more detailed distribution of the causes of infant death for 1955 is shown in table 42. More than 70 percent of the deaths under 1 year of age now take place in the first 4 weeks of life, and concomitantly, 60 percent of all infant deaths are assigned to the group of causes, certain diseases of early infancy. The causes in this group are further characterized by whether or not immaturity of the infant was reported on the death certificate. About 73 percent of the

FIGURE 23



deaths due to certain diseases of early infancy are associated with immaturity of the infant at birth. A discussion of the relationship between causes of death and birth weight has been presented in a previous report.[64] Congenital malformations is also an important cause of death both in the first 4 weeks, and in the remainder of the first year of life. Influenza and pneumonia, gastritis, duodenitis, enteritis, colitis, and accidents are also major causes of death at ages 28 days-11 months.

Infant mortality by State.—Infant mortality rates by State of residence are shown for the last 5 years for white and nonwhite infants in table BV. For the United States, there have been small but consistent declines in infant mortality each year for the whites and every year, except 1952, for the nonwhites. When the figures are compared for 1955 and 1951 by State, it is found that there are many exceptions to the general pattern of slowly declining rates. For the white infants, rates for New Hampshire, Connecticut, New York, South Dakota, Maryland, Washington, and Oregon are not lower in 1955 than in 1951. However, there has not been a significant increase in any area. In comparing rates for States in which there were at least 75 deaths of nonwhite infants, it is found that for Ohio, Illinois, Maryland, Arkansas, and the District of Columbia, the infant death rate for nonwhites rose between 1951 and 1955. It is of interest to note that except for Maryland and the District of Columbia, these States are among those with infant mortality rates below those for the United States for whites and nonwhites in 1955.

[63] See Volume I of Vital Statistics of the United States, 1950, ch. 2, table 2.03 and pp. 33-35.

[64] National Office of Vital Statistics, "Weight at Birth and Its Effect on Survival of the Newborn in the United States, Early 1950," Vital Statistics—Special Reports, Vol. 39, No. 1, 1954.

Table G. Guide to the Tabulations for 1955

MORTALITY

Tabulation number	AREA	County and city	Population-size groups	Metropolitan and nonmetropolitan groupings of counties	CAUSE OF DEATH: Complete International List	CAUSE OF DEATH: 256 selected causes	CAUSE OF DEATH: 64 selected causes	CAUSE OF DEATH: 33 selected causes	CAUSE OF DEATH: Infant, 45 selected causes	Race	Sex	Age	Month of death	Autopsy
I	United States				X					X	X			
II	Each State[1]				X									
III	Each State[2]	X	X	X				a		b	b	c		
IV	Each State[3]					X				X	X	a	b	c
V	Each urban place of 100,000 or more and each metropolitan area[1]						X			X	X	X		
VI	Each State (deaths under 1 year)[1]		a	b					X	X	X	X	c	

NATALITY

Tabulation number	AREA	County and city	Population-size groups	Metropolitan and nonmetropolitan groupings of counties	Race	Sex	Nativity of white mother	Age of mother	Age of father	Month of birth	Attendant at birth	Period of gestation[4]	Legitimacy[4]	Birth weight[4]	Number of children born alive[4]	PLURAL SETS (incl. fetal deaths): Twins, triplets, etc.	PLURAL SETS (incl. fetal deaths): Number born alive	PLURAL SETS (incl. fetal deaths): Sex of mates	Plurality (single or plural births)
I	Each State[2]	X	X	X	a,c,d	a				b	c		c	d					
II	Each State[1]				X	X	X	X	a	b			c	d	e				
III	Each State (plural births)[1]				X			X								X	X	X	
IV	Each State[1]				X	X		a	a			b	c	X	X				d

FETAL MORTALITY[5]

I	Each State[6]	X	X	X	X						X	X							
II	Each State[1]				X	X		X	a	b		c	d	e	f				

[1]Data available on a residence basis only.
[2]Data available on an occurrence basis and on a residence basis for each urban place of 10,000 population or more, and totals are provided for each county for urban places under 10,000 population and for rural areas.
[3]Data available on both an occurrence and a residence basis.
[4]Data available only for States reporting this item.
[5]All tabulations include only fetal deaths for which the period of gestation was given as 20 weeks or more, or was not stated. Gestation age data for all fetal deaths including those under 20 weeks of gestation are available for each State of occurrence and State of residence.
[6]Data available on a residence basis only for each urban place of 10,000 population or more, and totals are provided for each county for urban places under 10,000 population and for rural areas.

Table H. Population of Continental United States and Registration States: 1900-1955

(Enumerated as of April 1 for 1940 and 1950 and estimated as of July 1 for all other years. Beginning with 1933, registration areas include entire continental United States)

YEAR	UNITED STATES		REGISTRATION STATES			
			Birth		Death	
	Population including Armed Forces overseas	Population residing in United States	Number of States[1]	Population[2]	Number of States[1]	Population[3]
1955	165,271,000	164,303,000	48	164,303,000	48	164,303,000
1954	162,409,000	161,183,000	48	161,183,000	48	161,183,000
1953	159,643,000	158,320,000	48	158,320,000	48	158,320,000
1952	157,028,000	155,761,000	48	155,761,000	48	155,761,000
1951	154,360,000	153,384,000	48	153,384,000	48	153,384,000
1950	151,132,000	150,697,361	48	150,697,361	48	150,697,361
1949	149,188,000	148,665,000	48	148,665,000	48	148,665,000
1948	146,631,000	146,093,000	48	146,093,000	48	146,093,000
1947	144,126,000	143,446,000	48	143,446,000	48	143,446,000
1946	141,389,000	140,054,000	48	141,389,000	48	140,054,000
1945	139,928,000	132,481,000	48	139,928,000	48	132,481,000
1944	138,397,000	132,885,000	48	138,397,000	48	132,885,000
1943	136,739,000	134,245,000	48	136,739,000	48	134,245,000
1942	134,860,000	133,920,000	48	134,860,000	48	133,920,000
1941	133,402,000	133,121,000	48	133,402,000	48	133,121,000
1940	131,820,000	131,669,275	48	131,669,275	48	131,669,275
1939	131,028,000	130,879,718	48	130,879,718	48	130,879,718
1938	129,969,000	129,824,939	48	129,824,939	48	129,824,939
1937	128,961,000	128,824,829	48	128,824,829	48	128,824,829
1936	128,181,000	128,053,180	48	128,053,180	48	128,053,180
1935	127,362,000	127,250,232	48	127,250,232	48	127,250,232
1934	126,485,000	126,373,773	48	126,373,773	48	126,373,773
1933	125,690,000	125,578,763	48	125,578,763	48	125,578,763
1932	124,949,000	124,840,471	47	118,903,899	47	118,903,899
1931	124,149,000	124,039,648	46	117,455,229	47	118,148,987
1930	123,188,000	123,076,741	46	116,544,946	47	117,238,278
1929	---	121,769,939	46	115,317,450	46	115,317,450
1928	---	120,501,115	44	113,636,160	44	113,636,160
1927	---	119,038,062	40	104,320,830	42	107,084,532
1926	---	117,399,225	35	90,400,590	41	103,822,683
1925	---	115,831,963	33	88,294,564	40	102,031,555
1924	---	114,113,463	33	87,000,295	39	99,318,098
1923	---	111,949,945	30	81,072,123	38	96,788,197
1922	---	110,054,778	30	79,560,746	37	92,702,901
1921	---	108,541,489	27	70,807,090	34	87,814,447
1920	---	106,466,420	23	63,597,307	34	86,079,263
1919	105,062,747	104,512,110	22	61,212,076	33	83,157,982
1918	104,549,886	103,202,801	20	55,153,782	30	79,008,412
1917	103,413,743	103,265,913	20	55,197,952	27	70,234,775
1916	---	101,965,984	11	32,944,013	26	66,971,177
1915	---	100,549,013	10	31,096,697	24	61,894,847
1914	---	99,117,567	---	---	24	60,963,309
1913	---	97,226,814	---	---	23	58,156,740
1912	---	95,331,300	---	---	22	54,847,700
1911	---	93,867,814	---	---	22	53,929,644
1910	---	92,406,536	---	---	20	47,470,437
1909	---	90,491,525	---	---	18	44,223,513
1908	---	88,708,976	---	---	17	38,634,759
1907	---	87,000,271	---	---	15	34,552,837
1906	---	85,436,556	---	---	15	33,782,288
1905	---	83,819,666	---	---	10	21,767,980
1904	---	82,164,974	---	---	10	21,332,076
1903	---	80,632,152	---	---	10	20,943,222
1902	---	79,160,196	---	---	10	20,582,907
1901	---	77,585,128	---	---	10	20,237,453
1900	---	76,094,134	---	---	10	19,965,446

[1]The District of Columbia is not included in the "Number of States," but it is represented in all data shown for each year.
[2]For 1941-46, includes Armed Forces overseas; for all other years population residing in area.
[3]Population residing in area.

Source: U. S. Bureau of the Census. Vital Statistics Rates in the United States, 1900-1940; Historical Statistics of the United States, 1789-1945; Statistical Abstract of the United States, 1956; and Current Population Reports, Series P-25, Nos. 98, 121, and 146.

Table J. Estimated Population of the United States, Including Armed Forces Overseas, by Age, Color, and Sex: July 1, 1955

(Figures represent the sum of the total population residing in continental United States and of the Armed Forces overseas. Estimates were rounded to the nearest thousand without being adjusted to totals which were independently rounded)

AGE	TOTAL			WHITE			NONWHITE		
	Both sexes	Male	Female	Both sexes	Male	Female	Both sexes	Male	Female
ALL AGES	165,271,000	82,016,000	83,255,000	147,423,000	73,287,000	74,136,000	17,848,000	8,729,000	9,119,000
Under 1 year	3,612,000	1,839,000	1,772,000	3,120,000	1,595,000	1,526,000	491,000	245,000	247,000
1-4 years	14,693,000	7,485,000	7,209,000	12,702,000	6,486,000	6,216,000	1,992,000	998,000	993,000
5-9 years	17,151,000	8,765,000	8,386,000	14,950,000	7,658,000	7,292,000	2,201,000	1,107,000	1,094,000
10-14 years	13,342,000	6,787,000	6,556,000	11,729,000	5,982,000	5,747,000	1,613,000	804,000	809,000
15-19 years	11,191,000	5,684,000	5,507,000	9,769,000	4,971,000	4,798,000	1,421,000	713,000	709,000
20-24 years	10,775,000	5,404,000	5,371,000	9,483,000	4,775,000	4,708,000	1,293,000	630,000	663,000
25-29 years	11,752,000	5,811,000	5,941,000	10,442,000	5,200,000	5,242,000	1,311,000	612,000	699,000
30-34 years	12,400,000	6,075,000	6,325,000	11,090,000	5,456,000	5,634,000	1,310,000	619,000	691,000
35-39 years	11,608,000	5,690,000	5,918,000	10,466,000	5,154,000	5,312,000	1,142,000	536,000	606,000
40-44 years	11,217,000	5,501,000	5,716,000	10,067,000	4,959,000	5,108,000	1,150,000	542,000	608,000
45-49 years	10,096,000	4,991,000	5,105,000	9,125,000	4,517,000	4,608,000	971,000	473,000	498,000
50-54 years	8,815,000	4,351,000	4,464,000	7,979,000	3,941,000	4,038,000	836,000	411,000	426,000
55-59 years	7,854,000	3,847,000	4,007,000	7,192,000	3,517,000	3,675,000	662,000	330,000	333,000
60-64 years	6,694,000	3,258,000	3,436,000	6,196,000	3,012,000	3,184,000	498,000	246,000	252,000
65-69 years	5,349,000	2,582,000	2,767,000	4,986,000	2,402,000	2,584,000	362,000	180,000	183,000
70-74 years	4,067,000	1,888,000	2,179,000	3,804,000	1,760,000	2,044,000	263,000	127,000	135,000
75-79 years	2,545,000	1,150,000	1,396,000	2,373,000	1,067,000	1,306,000	172,000	83,000	89,000
80-84 years	1,326,000	582,000	743,000	1,241,000	541,000	700,000	85,000	41,000	44,000
85 years and over	782,000	326,000	456,000	709,000	294,000	415,000	74,000	32,000	42,000

Source: U. S. Bureau of the Census, "Estimates of the Population of the United States, by Age, Color, and Sex: July 1, 1950 to 1956," Current Population Reports, Series P-25, No. 146, 1956.

Table K. Estimated Population Residing in Continental United States (Excluding Armed Forces Overseas), by Age, Color, and Sex: July 1, 1955

(Figures include persons in the Armed Forces stationed in continental United States. Estimates were rounded to the nearest thousand without being adjusted to totals which were independently rounded)

AGE	TOTAL			WHITE			NONWHITE		
	Both sexes	Male	Female	Both sexes	Male	Female	Both sexes	Male	Female
ALL AGES	164,303,000	81,054,000	83,249,000	146,536,000	72,406,000	74,130,000	17,767,000	8,648,000	9,119,000
Under 1 year	3,612,000	1,839,000	1,772,000	3,120,000	1,595,000	1,526,000	491,000	245,000	247,000
1-4 years	14,693,000	7,485,000	7,209,000	12,702,000	6,486,000	6,216,000	1,992,000	998,000	993,000
5-9 years	17,151,000	8,765,000	8,386,000	14,950,000	7,658,000	7,292,000	2,201,000	1,107,000	1,094,000
10-14 years	13,342,000	6,787,000	6,556,000	11,729,000	5,982,000	5,747,000	1,613,000	804,000	809,000
15-19 years	11,029,000	5,523,000	5,506,000	9,622,000	4,825,000	4,797,000	1,407,000	698,000	709,000
20-24 years	10,310,000	4,941,000	5,369,000	9,057,000	4,351,000	4,706,000	1,253,000	590,000	663,000
25-29 years	11,600,000	5,659,000	5,940,000	10,304,000	5,063,000	5,241,000	1,296,000	597,000	699,000
30-34 years	12,315,000	5,990,000	6,324,000	11,011,000	5,377,000	5,634,000	1,304,000	613,000	691,000
35-39 years	11,546,000	5,628,000	5,917,000	10,407,000	5,096,000	5,311,000	1,139,000	533,000	606,000
40-44 years	11,192,000	5,476,000	5,716,000	10,043,000	4,935,000	5,108,000	1,149,000	541,000	608,000
45-49 years	10,085,000	4,980,000	5,105,000	9,114,000	4,507,000	4,607,000	971,000	473,000	498,000
50-54 years	8,812,000	4,348,000	4,464,000	7,976,000	3,938,000	4,038,000	836,000	411,000	426,000
55-59 years	7,853,000	3,846,000	4,007,000	7,191,000	3,516,000	3,675,000	662,000	330,000	333,000
60-64 years	6,694,000	3,258,000	3,436,000	6,196,000	3,012,000	3,184,000	498,000	246,000	252,000
65-69 years	5,349,000	2,582,000	2,767,000	4,986,000	2,402,000	2,584,000	362,000	180,000	183,000
70-74 years	4,067,000	1,888,000	2,179,000	3,804,000	1,760,000	2,044,000	263,000	127,000	135,000
75-79 years	2,545,000	1,150,000	1,396,000	2,373,000	1,067,000	1,306,000	172,000	83,000	89,000
80-84 years	1,326,000	582,000	743,000	1,241,000	541,000	700,000	85,000	41,000	44,000
85 years and over	782,000	326,000	456,000	709,000	294,000	415,000	74,000	32,000	42,000

Source: U. S. Bureau of the Census, "Estimates of the Population of the United States, by Age, Color, and Sex: July 1, 1950 to 1956," Current Population Reports, Series P-25, No. 146, 1956.

Table L. Estimated Population (Excluding Armed Forces Overseas) by Age: United States, Each Division and State, July 1, 1955

(Figures include persons in the Armed Forces stationed in each area. Estimates were rounded to the nearest thousand without being adjusted to totals which were independently rounded)

AREA	Total	Under 5 years	5-19 years	20-44 years	45-64 years	65 years and over
UNITED STATES	164,303,000	18,305,000	41,522,000	56,963,000	33,444,000	14,069,000
GEOGRAPHIC DIVISIONS						
New England	9,619,000	990,000	2,243,000	3,298,000	2,109,000	979,000
Middle Atlantic	32,244,000	3,184,000	7,315,000	11,470,000	7,404,000	2,869,000
East North Central	33,604,000	3,756,000	8,247,000	11,652,000	7,013,000	2,937,000
West North Central	14,843,000	1,687,000	3,718,000	4,794,000	3,116,000	1,527,000
South Atlantic	23,447,000	2,750,000	6,461,000	8,378,000	4,162,000	1,697,000
East South Central	11,668,000	1,408,000	3,418,000	3,776,000	2,139,000	927,000
West South Central	15,694,000	1,904,000	4,315,000	5,291,000	2,969,000	1,214,000
Mountain	5,931,000	756,000	1,664,000	2,051,000	1,028,000	432,000
Pacific	17,253,000	1,870,000	4,139,000	6,253,000	3,504,000	1,487,000
NEW ENGLAND						
Maine	906,000	101,000	235,000	284,000	186,000	99,000
New Hampshire	553,000	57,000	135,000	180,000	120,000	61,000
Vermont	370,000	42,000	97,000	112,000	76,000	42,000
Massachusetts	4,773,000	486,000	1,067,000	1,638,000	1,067,000	496,000
Rhode Island	817,000	82,000	186,000	292,000	178,000	78,000
Connecticut	2,200,000	221,000	503,000	792,000	482,000	202,000
MIDDLE ATLANTIC						
New York	16,021,000	1,546,000	3,516,000	5,694,000	3,844,000	1,421,000
New Jersey	5,324,000	520,000	1,197,000	1,941,000	1,211,000	456,000
Pennsylvania	10,898,000	1,119,000	2,602,000	3,835,000	2,349,000	993,000
EAST NORTH CENTRAL						
Ohio	8,945,000	999,000	2,194,000	3,138,000	1,827,000	788,000
Indiana	4,329,000	495,000	1,093,000	1,483,000	863,000	396,000
Illinois	9,301,000	970,000	2,146,000	3,222,000	2,100,000	862,000
Michigan	7,326,000	868,000	1,876,000	2,601,000	1,445,000	536,000
Wisconsin	3,702,000	424,000	938,000	1,208,000	778,000	354,000
WEST NORTH CENTRAL						
Minnesota	3,190,000	380,000	822,000	1,013,000	663,000	311,000
Iowa	2,671,000	307,000	674,000	827,000	562,000	302,000
Missouri	4,201,000	438,000	999,000	1,397,000	926,000	441,000
North Dakota	643,000	84,000	183,000	202,000	120,000	54,000
South Dakota	683,000	87,000	184,000	214,000	133,000	65,000
Nebraska	1,394,000	159,000	345,000	450,000	295,000	146,000
Kansas	2,060,000	232,000	511,000	691,000	417,000	210,000
SOUTH ATLANTIC						
Delaware	390,000	43,000	95,000	147,000	75,000	29,000
Maryland	2,744,000	300,000	696,000	1,040,000	522,000	186,000
District of Columbia	857,000	92,000	141,000	356,000	207,000	61,000
Virginia	3,579,000	427,000	980,000	1,299,000	628,000	245,000
West Virginia	1,984,000	226,000	585,000	643,000	371,000	159,000
North Carolina	4,344,000	528,000	1,291,000	1,543,000	716,000	266,000
South Carolina	2,308,000	305,000	730,000	792,000	345,000	137,000
Georgia	3,662,000	453,000	1,070,000	1,251,000	635,000	254,000
Florida	3,580,000	376,000	873,000	1,307,000	663,000	361,000
EAST SOUTH CENTRAL						
Kentucky	3,011,000	347,000	868,000	972,000	561,000	263,000
Tennessee	3,414,000	389,000	957,000	1,165,000	640,000	264,000
Alabama	3,110,000	380,000	935,000	1,013,000	554,000	229,000
Mississippi	2,133,000	293,000	658,000	626,000	384,000	172,000
WEST SOUTH CENTRAL						
Arkansas	1,802,000	215,000	526,000	519,000	365,000	178,000
Louisiana	2,934,000	388,000	843,000	975,000	528,000	200,000
Oklahoma	2,210,000	235,000	590,000	704,000	457,000	224,000
Texas	8,748,000	1,067,000	2,356,000	3,093,000	1,619,000	612,000
MOUNTAIN						
Montana	629,000	77,000	169,000	203,000	120,000	60,000
Idaho	612,000	78,000	177,000	192,000	112,000	53,000
Wyoming	312,000	39,000	85,000	106,000	59,000	23,000
Colorado	1,547,000	179,000	399,000	551,000	286,000	132,000
New Mexico	793,000	115,000	246,000	270,000	119,000	42,000
Arizona	1,007,000	127,000	290,000	368,000	161,000	61,000
Utah	797,000	114,000	239,000	267,000	126,000	49,000
Nevada	235,000	26,000	59,000	94,000	45,000	12,000
PACIFIC						
Washington	2,607,000	291,000	662,000	892,000	521,000	241,000
Oregon	1,685,000	187,000	423,000	566,000	354,000	155,000
California	12,961,000	1,391,000	3,054,000	4,795,000	2,629,000	1,091,000

Source: U. S. Bureau of the Census, official records.

Table M. Live Births to Nonresidents in Each State and Live Births to Residents in Other States: United States, 1955

(Includes only births occurring within the continental United States. Unit of residence is defined as the individual urban place of 10,000 or more, or cities of 2,500 to 10,000 as a group, or the rural area of the county, of which the mother was a resident. Urban places include every incorporated place having a population of 2,500 or more in 1950, as well as certain unincorporated places classified as "urban" under special rules)

AREA	Total births in area	BIRTHS						Total births to residents
		To nonresidents in area			To residents in other areas			
		Total	From same State	From other States	Total	In same State	In other States	
UNITED STATES	4,047,295	1,843,163	1,731,574	111,589	1,843,163	1,731,574	111,589	4,047,295
Alabama	81,517	32,073	30,183	1,890	32,367	30,183	2,184	81,811
Arizona	28,140	12,821	12,070	751	12,628	12,070	558	27,947
Arkansas	42,058	17,858	16,216	1,642	17,602	16,216	1,386	41,802
California	312,265	169,002	168,123	879	170,103	168,123	1,980	313,366
Colorado	41,269	17,817	15,952	1.865	16,565	15,952	613	40,017
Connecticut	51,336	23,576	22,830	746	24,717	22,830	1,887	52,477
Delaware	10,569	7,200	6,507	693	7,218	6,507	711	10,587
District of Columbia	32,362	12,966	...	12,966	1,527	...	1,527	20,923
Florida	88,978	36,310	35,117	1,193	36,666	35,117	1,549	89,334
Georgia	101,767	44,041	40,818	3,223	42,716	40,818	1,898	100,442
Idaho	16,730	7,373	6,672	701	7,629	6,672	957	16,986
Illinois	217,041	91,448	88,246	3,202	95,028	88,246	6,782	220,621
Indiana	108,686	53,728	50,585	3,143	53,656	50,585	3,071	108,614
Iowa	64,413	32,718	30,258	2,460	32,052	30,258	1,794	63,747
Kansas	50,949	21,447	19,214	2,233	23,410	19,214	4,196	52,912
Kentucky	75,008	34,983	30,845	4,138	33,872	30,845	3,027	73,897
Louisiana	85,504	38,530	37,928	602	39,180	37,928	1,252	86,154
Maine	22,215	13,029	12,623	406	13,234	12,623	611	22,420
Maryland	63,418	30,371	24,904	5,467	34,841	24,904	9,937	67,888
Massachusetts	110,663	51,192	48,862	2,330	50,792	48,862	1,930	110,263
Michigan	195,251	104,720	103,573	1,147	106,092	103,573	2,519	196,823
Minnesota	81,271	39,349	37,378	1,971	39,783	37,378	2,405	81,705
Mississippi	63,830	19,214	17,642	1,572	18,750	17,642	1,108	63,366
Missouri	97,509	48,869	41,902	6,967	45,361	41,902	3,459	94,001
Montana	17,206	6,101	5,929	172	6,369	5,929	440	17,474
Nebraska	34,057	12,770	11,624	1,146	12,971	11,624	1,347	34,258
Nevada	6,037	2,176	2,001	175	2,414	2,001	413	6,275
New Hampshire	12,291	5,811	4,755	1,056	6,002	4,755	1,247	12,482
New Jersey	116,959	70,632	68,912	1,720	75,100	68,912	6,188	121,427
New Mexico	25,565	8,747	7,633	1,114	8,941	7,633	1,308	25,759
New York	344,728	130,440	125,280	5,160	128,278	125,280	2,998	342,566
North Carolina	114,583	53,472	52,131	1,341	54,254	52,131	2,123	115,365
North Dakota	17,341	8,112	6,843	1,269	8,008	6,843	1,165	17,237
Ohio	222,652	106,178	102,462	3,716	106,996	102,462	4,534	223,470
Oklahoma	50,956	21,859	19,301	2,558	21,005	19,301	1,704	50,102
Oregon	38,184	21,271	20,401	870	21,875	20,401	1,474	38,788
Pennsylvania	243,236	119,041	113,321	5,720	118,557	113,321	5,236	242,752
Rhode Island	19,313	10,489	8,336	2,153	9,071	8,336	735	17,895
South Carolina	63,043	27,834	26,511	1,323	28,374	26,511	1,863	63,583
South Dakota	18,646	8,794	7,843	951	8,782	7,843	939	18,634
Tennessee	85,951	37,788	34,137	3,651	36,874	34,137	2,737	85,037
Texas	239,362	70,857	68,350	2,507	71,368	68,350	3,018	239,873
Utah	25,020	11,326	10,818	508	11,197	10,818	379	24,891
Vermont	9,187	5,870	5,109	561	5,828	5,109	719	9,345
Virginia	89,985	45,109	42,013	3,096	49,672	42,013	7,659	94,548
Washington	64,600	26,309	23,193	3,116	24,131	23,193	938	62,422
West Virginia	45,188	24,378	20,944	3,434	23,362	20,944	2,418	44,172
Wisconsin	91,993	44,406	42,626	1,780	44,840	42,626	2,214	92,427
Wyoming	8,463	2,958	2,653	305	3,105	2,653	452	8,610

Table N. Deaths of Nonresidents in Each State and Deaths of Residents in Other States: United States, 1955

(Includes only deaths occurring within the continental United States. Excludes fetal deaths. Unit of residence is defined as the individual urban place of 10,000 or more, or cities of 2,500 to 10,000 as a group, or the rural area of the county, of which the decedent was a resident. Urban places include every incorporated place having a population of 2,500 or more in 1950, as well as certain unincorporated places classified as "urban" under special rules)

AREA	Total deaths in area	DEATHS						Total deaths of residents
		Of nonresidents in area			Of residents in other areas			
		Total	From same State	From other States	Total	In same State	In other States	
UNITED STATES	1,528,717	471,337	423,192	48,145	471,337	423,192	48,145	1,528,717
Alabama	26,240	6,903	6,281	622	7,043	6,281	762	26,380
Arizona	7,914	3,035	2,380	655	2,721	2,380	341	7,600
Arkansas	14,977	4,520	3,936	584	4,761	3,936	825	15,218
California	114,463	42,332	40,850	1,482	42,384	40,850	1,534	114,515
Colorado	13,850	4,526	3,610	916	4,019	3,610	409	13,343
Connecticut	21,558	6,943	6,384	559	7,168	6,384	784	21,783
Delaware	3,859	1,554	1,208	346	1,425	1,208	217	3,730
District of Columbia	9,142	1,567	...	1,567	774	...	774	8,349
Florida	34,983	12,161	9,394	2,767	10,672	9,394	1,278	33,494
Georgia	31,064	9,122	8,115	1,007	8,977	8,115	862	30,919
Idaho	4,814	1,704	1,430	274	1,825	1,430	395	4,935
Illinois	94,227	27,436	25,454	1,982	28,737	25,454	3,283	95,528
Indiana	41,698	12,507	11,247	1,260	12,902	11,247	1,655	42,093
Iowa	26,914	8,824	7,718	1,106	8,682	7,718	964	26,772
Kansas	18,954	5,743	4,746	997	5,831	4,746	1,085	19,042
Kentucky	27,299	7,566	6,595	971	7,858	6,595	1,263	27,591
Louisiana	24,468	7,170	6,520	650	7,014	6,520	494	24,312
Maine	10,110	2,894	2,645	249	2,997	2,645	352	10,213
Maryland	24,289	7,127	5,557	1,570	7,059	5,557	1,502	24,221
Massachusetts	53,509	14,733	13,411	1,322	14,569	13,411	1,158	53,345
Michigan	62,985	21,754	20,722	1,032	22,131	20,722	1,409	63,362
Minnesota	29,140	9,788	8,423	1,365	9,289	8,423	866	28,641
Mississippi	19,257	4,879	4,331	548	5,075	4,331	744	19,453
Missouri	43,505	112,776	10,719	2,057	12,373	10,719	1,654	43,102
Montana	6,129	2,111	1,873	238	2,133	1,873	260	6,151
Nebraska	13,009	3,913	3,423	490	4,019	3,423	596	13,115
Nevada	2,166	815	444	371	636	444	192	1,987
New Hampshire	6,539	2,089	1,606	483	2,014	1,606	408	6,464
New Jersey	53,138	20,258	18,573	1,685	21,410	18,573	2,837	54,290
New Mexico	5,667	1,968	1,461	507	1,845	1,461	384	5,544
New York	165,643	43,376	40,480	2,896	43,503	40,480	3,023	165,770
North Carolina	32,300	10,421	9,569	852	10,395	9,569	826	32,274
North Dakota	5,190	1,946	1,641	305	2,026	1,641	385	5,270
Ohio	85,175	24,889	23,039	1,850	25,192	23,039	2,153	85,478
Oklahoma	19,224	5,663	5,210	453	6,163	5,210	953	19,724
Oregon	15,297	5,838	5,319	519	5,919	5,319	600	15,378
Pennsylvania	113,281	34,291	31,963	2,328	34,574	31,963	2,611	113,564
Rhode Island	8,625	3,078	2,719	359	3,150	2,719	431	8,697
South Carolina	18,011	5,775	5,312	463	5,916	5,312	604	18,152
South Dakota	5,856	2,080	1,728	352	2,154	1,728	426	5,930
Tennessee	30,123	8,808	6,929	1,879	7,698	6,929	769	29,013
Texas	65,637	17,166	15,702	1,464	16,946	15,702	1,244	65,417
Utah	5,382	1,668	1,383	285	1,597	1,383	214	5,311
Vermont	4,270	1,499	1,217	282	1,470	1,217	253	4,241
Virginia	29,801	9,358	8,195	1,163	9,772	8,195	1,577	30,215
Washington	24,564	7,414	6,728	686	7,367	6,728	639	24,517
West Virginia	16,920	6,015	4,959	1,056	5,882	4,959	923	16,787
Wisconsin	35,012	12,379	11,407	972	12,401	11,407	994	35,034
Wyoming	2,539	955	636	319	869	636	233	2,453

Table O. Number and Percentage Distribution of Marriages by State of Occurrence, by Resident Status of Bride and Groom: 29 Reporting States, 1955

(Includes only marriages occurring within the reporting area)

AREA	Total marriages in area	RESIDENT BRIDE		NONRESIDENT BRIDE		Residence not stated for one or both
		Resident groom	Nonresident groom	Resident groom	Nonresident groom	
	NUMBER					
TOTAL	721,636	482,272	59,434	17,616	161,987	327
Alabama	19,791	16,291	1,777	355	1,368	-
Connecticut	17,534	13,587	1,460	405	2,082	-
Delaware	2,232	1,585	329	113	204	1
Florida	29,904	24,564	2,592	1,332	1,414	2
Georgia	54,780	30,714	2,860	1,279	19,751	176
Idaho	8,879	4,108	693	315	3,761	2
Iowa	24,493	17,399	1,649	490	4,937	18
Kansas	17,667	13,022	2,254	744	1,647	-
Louisiana[1]	17,562	15,444	1,378	303	437	-
Maine	8,263	6,603	1,071	179	410	-
Maryland	42,743	18,778	2,858	1,489	19,605	3
Massachusetts[2]	37,079	14,805	12,661	2,292	7,321	-
Michigan	55,698	51,833	2,109	654	1,102	-
Mississippi	66,423	21,507	2,176	1,451	41,289	-
Missouri[3]	34,162	28,069	2,814	1,103	2,176	-
Montana	6,514	4,937	489	167	921	-
Nebraska	11,892	9,241	1,224	286	1,141	-
New Hampshire	7,061	3,428	641	225	2,767	-
New York[4]	54,636	49,003	3,182	748	1,700	3
North Dakota	4,241	3,641	495	97	8	-
Ohio	61,862	55,685	3,237	119	2,752	69
Oregon	10,632	9,087	845	254	415	31
South Carolina	48,227	18,188	2,792	1,064	26,163	20
South Dakota	6,122	4,081	661	137	1,243	-
Tennessee	23,258	16,192	2,137	481	4,447	1
Utah	6,724	5,108	639	259	717	1
Vermont	3,378	2,318	480	142	438	-
Virginia	36,849	21,226	3,577	1,038	11,008	-
Wyoming	3,030	1,828	344	95	763	-
	PERCENT					
TOTAL	100.0	66.8	8.2	2.4	22.4	0.0
Alabama	100.0	82.3	9.0	1.8	6.9	0
Connecticut	100.0	77.5	8.3	2.3	11.9	0
Delaware	100.0	71.0	14.7	5.1	9.1	0.0
Florida	100.0	82.1	8.7	4.5	4.7	0.0
Georgia	100.0	56.1	5.2	2.3	36.1	0.3
Idaho	100.0	46.3	7.8	3.5	42.4	0.0
Iowa	100.0	71.0	6.7	2.0	20.2	0.1
Kansas	100.0	73.7	12.8	4.2	9.3	0
Louisiana[1]	100.0	87.9	7.8	1.7	2.5	0
Maine	100.0	79.9	13.0	2.2	5.0	0
Maryland	100.0	43.9	6.7	3.5	45.9	0.0
Massachusetts[2]	100.0	39.9	34.1	6.2	19.7	0
Michigan	100.0	93.1	3.8	1.2	2.0	0
Mississippi	100.0	32.4	3.3	2.2	62.2	0
Missouri[3]	100.0	82.2	8.2	3.2	6.4	0
Montana	100.0	75.8	7.5	2.6	14.1	0
Nebraska	100.0	77.7	10.3	2.4	9.6	0
New Hampshire	100.0	48.5	9.1	3.2	39.2	0
New York[4]	100.0	89.7	5.8	1.4	3.1	0.0
North Dakota	100.0	85.9	11.7	2.3	0.2	0
Ohio	100.0	90.0	5.2	0.2	4.4	0.1
Oregon	100.0	85.5	7.9	2.4	3.9	0.3
South Carolina	100.0	37.7	5.8	2.2	54.2	0.0
South Dakota	100.0	66.7	10.8	2.2	20.3	0
Tennessee	100.0	69.6	9.2	2.1	19.1	0.0
Utah	100.0	76.0	9.5	3.9	10.7	0.0
Vermont	100.0	68.6	14.2	4.2	13.0	0
Virginia	100.0	57.6	9.7	2.8	29.9	0
Wyoming	100.0	60.3	11.4	3.1	25.2	0

[1]Excludes New Orleans.
[2]Data estimated.
[3]Data incomplete.
[4]Excludes 68,615 marriages for which licenses had been issued in New York City.

Table P. Marriages, Divorces, and Rates: United States, Each Division and State, 1955

(By place of occurrence. Includes only events occurring within the continental United States. Rates per 1,000 estimated midyear population in each area)

AREA	MARRIAGES		DIVORCES[1]	
	Number	Rate	Number	Rate
UNITED STATES[2]	1,531,000	9.3	377,000	2.3
GEOGRAPHIC DIVISIONS				
New England[2]	79,672	8.3	12,993	1.4
Middle Atlantic	241,121	7.5	---	---
East North Central[2]	292,943	8.7	---	---
West North Central[3]	122,277	8.2	29,286	2.0
South Atlantic	263,223	11.2	---	---
East South Central	131,356	11.3	---	---
West South Central[3]	154,688	9.9	---	---
Mountain[2]	134,345	22.7	27,635	4.7
Pacific	111,479	6.5	[2]56,544	[2]3.3
NEW ENGLAND				
Maine	8,263	9.1	1,960	2.2
New Hampshire	7,061	12.8	1,076	1.9
Vermont	3,378	9.1	533	1.4
Massachusetts[2]	37,079	7.8	5,892	1.2
Rhode Island	6,357	7.8	827	1.0
Connecticut	17,534	8.0	2,705	1.2
MIDDLE ATLANTIC				
New York	123,251	7.7	---	---
New Jersey	40,327	7.6	4,844	0.9
Pennsylvania	77,543	7.1	11,160	1.0
EAST NORTH CENTRAL				
Ohio	61,862	6.9	22,259	2.5
Indiana[2]	66,963	15.5	11,317	2.6
Illinois[4]	82,877	8.9	---	---
Michigan	55,698	7.6	[3]17,676	[3]2.4
Wisconsin	25,543	6.9	4,720	1.3
WEST NORTH CENTRAL				
Minnesota	23,700	7.4	3,804	1.2
Iowa	24,493	9.2	5,195	1.9
Missouri[3]	34,162	8.1	11,351	2.7
North Dakota	4,241	6.6	543	0.8
South Dakota	6,122	9.0	868	1.3
Nebraska	11,892	8.5	2,424	1.7
Kansas	17,667	8.6	5,101	2.5
SOUTH ATLANTIC				
Delaware	2,232	5.7	509	1.3
Maryland	42,743	15.6	5,422	2.0
District of Columbia	[4]8,031	[4]9.4	1,085	1.3
Virginia	36,849	10.3	7,116	2.0
West Virginia	14,339	7.2	---	---
North Carolina[4]	26,118	6.0	---	---
South Carolina	48,227	20.9	[3]3,055	[3]1.3
Georgia	54,780	15.0	[3]7,547	[3]2.1
Florida	29,904	8.4	19,999	5.6
EAST SOUTH CENTRAL				
Kentucky[4]	21,884	7.3	---	---
Tennessee	23,258	6.8	8,342	2.4
Alabama	19,791	6.4	9,721	3.1
Mississippi	66,423	31.1	4,845	2.3
WEST SOUTH CENTRAL				
Arkansas[3]	14,888	8.3	5,113	2.8
Louisiana[2]	21,300	7.3	---	---
Oklahoma[3]	27,290	12.3	12,521	5.7
Texas[3]	91,210	10.4	34,921	4.0
MOUNTAIN				
Montana	6,514	10.4	1,909	3.0
Idaho	8,879	14.5	2,414	3.9
Wyoming	3,030	9.7	1,127	3.6
Colorado	[4]12,647	[4]8.2	[2]4,900	[2]3.2
New Mexico[2]	22,300	28.1	2,140	2.7
Arizona	21,831	21.7	3,526	3.5
Utah	6,724	8.4	2,060	2.6
Nevada	[4]52,420	[4]223.1	9,559	40.7
PACIFIC				
Washington	18,908	7.3	[2]8,787	[2]3.4
Oregon	10,632	6.3	6,158	3.7
California	81,939	6.3	41,599	3.2

[1]Includes reported annulments.
[2]Data estimated.
[3]Data incomplete.
[4]Marriage licenses.

Table Q. Marriages, Divorces, and Rates. United States, 1920-55

(Includes only events occurring within the continental United States. Rates per 1,000 population residing in area except as noted. Rates for 1940 and 1950 based on population enumerated as of April 1, for all other years estimated as of July 1)

YEAR	MARRIAGES[1]		DIVORCES[2]	
	Number	Rate	Number	Rate[3]
1955	1,531,000	9.3	377,000	2.3
1954	1,490,000	9.2	379,000	2.4
1953	1,546,000	9.8	390,000	2.5
1952	1,539,318	9.9	392,000	2.5
1951	1,594,694	10.4	381,000	2.5
1950	1,667,231	11.1	385,144	2.6
1949	1,579,798	10.6	397,000	2.7
1948	1,811,155	12.4	408,000	2.8
1947	1,991,878	13.9	483,000	3.4
1946	2,291,045	16.4	610,000	4.3
1945	1,612,992	12.2	485,000	3.5
1944	1,452,394	10.9	400,000	2.9
1943	1,577,050	11.7	359,000	2.6
1942	1,772,132	13.2	321,000	2.4
1941	1,695,999	12.7	293,000	2.2
1940	1,595,879	12.1	264,000	2.0
1939	1,403,633	10.7	251,000	1.9
1938	1,330,780	10.3	244,000	1.9
1937	1,451,296	11.3	249,000	1.9
1936	1,369,000	10.7	236,000	1.8
1935	1,327,000	10.4	218,000	1.7
1934	1,302,000	10.3	204,000	1.6
1933	1,098,000	8.7	165,000	1.3
1932	981,903	7.9	164,241	1.3
1931	1,060,914	8.6	188,003	1.5
1930	1,126,856	9.2	195,961	1.6
1929	1,232,559	10.1	205,876	1.7
1928	1,182,497	9.8	200,176	1.7
1927	1,201,053	10.1	196,292	1.6
1926	1,202,574	10.2	184,678	1.6
1925	1,188,334	10.3	175,449	1.5
1924	1,184,574	10.4	170,952	1.5
1923	1,229,784	11.0	165,096	1.5
1922	1,134,151	10.3	148,815	1.4
1921	1,163,863	10.7	159,580	1.5
1920	1,274,476	12.0	170,505	1.6

[1]Estimated for 1920, 1921, 1933-36, and 1953-55. Includes estimates and marriage licenses for some States for all years.
[2]Estimated for 1920, 1921, and 1933-55. Includes reported annulments.
[3]For 1941-46, based on population including Armed Forces overseas.

Table R. Median Age of Bride and of Groom by Specified Age of Spouse, at First Marriage of Both: Total of 28 Reporting States, 1955

(Includes only marriages occurring within the reporting area. Computed on data by single years of age. For basic data, see table 2)

SPECIFIED AGE OF BRIDE	Median age of groom	SPECIFIED AGE OF GROOM	Median age of bride
15 years	19.8	18 years	18.1
16 years	20.4	19 years	18.5
17 years	20.8	20 years	18.9
18 years	21.4	21 years	19.4
19 years	22.0	22 years	20.2
20 years	22.8	23 years	20.6
21 years	23.3	24 years	21.1
22 years	24.2	25 years	21.6
23 years	24.9	26 years	22.0
24 years	25.8	27 years	22.7
25 years	26.6	28 years	23.3
26 years	27.3	29 years	23.9
27 years	28.1	30 years	24.7
28 years	29.1	31 years	25.3
29 years	30.1	32 years	26.2
30 years	30.9	33 years	26.7
31 years	31.9	34 years	27.4

Table S. Median Age of Bride and of Groom at Marriage, by Previous Marital Status: 20 Reporting States, 1955

(By place of occurrence. Includes only marriages occurring within the reporting area. Median age under 45 years computed on data by single years of age; 45 years and over, on data by 5-year age groups)

AREA	MEDIAN AGE OF BRIDE				MEDIAN AGE OF GROOM			
	Total[1]	Previous marital status			Total[1]	Previous marital status		
		Single	Widowed	Divorced		Single	Widowed	Divorced
TOTAL	21.6	20.5	47.5	31.4	24.6	23.4	56.8	35.7
Alabama	20.6	[2]19.7	44.8	29.7	23.8	[2]22.8	54.8	34.7
Connecticut	23.3	22.0	47.8	33.4	26.1	24.7	55.9	37.8
Delaware	22.0	21.1	50.0	31.8	24.6	23.6	55.8	35.0
Florida	23.3	[2]20.5	48.7	33.0	26.6	[2]23.6	59.1	38.2
Idaho	20.4	19.1	45.2	30.1	23.7	22.2	54.6	34.7
Kansas	20.7	[2]19.7	49.5	29.9	23.6	[2]22.5	57.8	33.9
Louisiana[3]	20.9	19.5	47.1	31.2	23.9	22.5	57.0	37.2
Maine	20.9	20.0	50.5	29.4	23.8	22.9	58.2	34.0
Maryland	21.8	20.3	46.8	32.3	25.1	23.5	54.9	36.1
Missouri[4]	21.9	20.4	50.1	31.0	25.1	23.4	59.0	35.5
Montana	21.2	19.7	47.4	30.5	25.0	23.4	57.0	35.2
New Hampshire	22.5	20.8	48.5	31.8	25.6	23.7	56.1	35.6
New York[5]	21.8	21.1	48.8	32.0	24.7	24.0	57.0	35.0
Oregon	20.9	19.6	48.9	32.4	24.1	22.7	59.9	35.8
South Dakota	20.9	20.1	47.1	29.2	24.3	23.5	57.1	33.3
Tennessee	21.3	20.2	46.1	29.2	23.9	22.7	56.9	34.1
Utah	20.0	19.5	48.0	29.6	23.1	22.3	57.8	32.7
Vermont	21.4	20.6	48.5	33.0	24.2	23.4	57.0	36.6
Virginia	21.7	21.1	44.4	31.0	24.5	23.4	54.3	35.4
Wyoming	21.7	19.8	45.2	30.8	25.2	23.3	53.5	35.3

[1]Includes marriages for which previous marital status was not stated.
[2]Includes previous marriages annulled.
[3]Excludes New Orleans.
[4]Data incomplete.
[5]Excludes New York City.

Table T. Median Age of Bride and of Groom by Number of Present Marriage: 15 Reporting States, 1955

(By place of occurrence. Includes only marriages occurring within the reporting area. Median age under 45 years computed on data by single years of age; 45 years and over, on data by 5-year age groups)

AREA	MARRIAGE OF BRIDE					MARRIAGE OF GROOM				
	Total[1]	First	Second	Third	Fourth or more	Total[1]	First	Second	Third	Fourth or more
TOTAL	21.6	20.6	33.9	41.2	43.9	24.5	23.4	38.5	47.3	51.5
Alabama	20.6	[2]19.7	32.4	40.6	43.9	23.8	[2]22.8	37.9	48.4	52.7
Connecticut	23.3	22.0	35.9	42.3	42.8	26.1	24.7	40.3	49.1	55.8
Delaware	22.0	21.1	34.0	45.0	44.5	24.6	23.6	38.8	51.7	62.5
Iowa	20.8	20.0	33.2	40.7	41.3	23.8	22.8	36.9	45.8	48.3
Maine	20.9	20.0	31.1	40.1	45.6	23.8	22.9	36.9	46.0	53.3
Michigan	21.3	20.3	33.8	41.2	45.5	24.3	23.2	38.0	47.0	50.1
Montana	21.2	19.7	33.1	40.3	40.5	25.0	23.4	37.2	43.5	47.5
New Hampshire	22.5	20.8	33.0	41.8	44.5	25.6	23.7	37.7	46.3	44.8
New York[3]	21.8	21.1	37.3	46.5	53.8	24.7	24.0	42.4	54.8	58.2
Ohio	22.0	20.9	33.8	40.1	42.3	24.8	23.5	38.1	46.4	52.3
South Dakota	20.9	20.1	32.4	45.0	32.0	24.3	23.5	37.5	48.8	0
Tennessee	21.3	20.2	31.2	39.7	41.5	23.9	22.7	36.2	46.9	49.4
Utah	20.0	19.5	31.5	41.5	40.5	23.1	22.3	35.3	44.1	63.8
Vermont	21.4	20.6	36.1	45.9	47.5	24.2	23.4	41.5	48.8	60.0
Virginia	21.7	21.1	33.5	41.4	47.2	24.5	23.4	38.4	47.2	51.6

[1]Includes figures for number of marriage not stated.
[2]Includes previous marriages annulled.
[3]Excludes New York City.

Table U. Median Age of Bride and of Groom at First Marriage and at Remarriage, by Color: 20 Reporting States, 1955

(By place of occurrence. Includes only marriages occurring within the reporting area. Computed on data by single years of age. Data for white and nonwhite are shown separately for those States in which the 1950 populations for nonwhite formed 10 percent or more of the total, or numbered 50,000 or more. Medians based on fewer than 100 cases are underlined)

AREA AND COLOR	MEDIAN AGE AT FIRST MARRIAGE		MEDIAN AGE AT REMARRIAGE	
	Bride	Groom	Bride	Groom
TOTAL	20.4	23.3	35.1	39.8
White	20.3	23.2	34.9	39.5
Nonwhite	20.9	23.9	36.9	42.3
Alabama	[1]19.7	[1]22.8	33.7	39.7
White	[1]19.5	[1]22.7	32.2	37.9
Nonwhite	[1]20.0	[1]22.9	37.2	43.3
Connecticut	22.0	24.7	36.7	41.1
White	22.0	24.7	36.7	41.2
Nonwhite	22.0	25.1	36.6	40.0
Delaware	21.1	23.6	34.9	39.6
White	21.0	23.5	34.4	39.5
Nonwhite	22.0	24.4	39.0	43.5
Florida	[1]20.5	[1]23.6	36.2	41.8
White	[1]20.4	[1]23.5	36.0	41.6
Nonwhite	[1]20.9	[1]23.9	37.2	42.5
Idaho	19.1	22.2	32.3	36.2
Iowa	20.0	22.8	34.6	38.3
Kansas	[1]19.7	[1]22.5	33.0	37.1
White	[1]19.7	[1]22.5	32.9	36.8
Nonwhite	[1]20.4	[1]23.3	33.3	39.5
Louisiana[2]	19.5	22.5	35.2	41.6
White	19.3	22.4	33.0	39.6
Nonwhite	19.9	22.9	38.6	44.6
Maryland	20.3	23.5	35.4	39.9
White	20.0	23.2	34.9	39.1
Nonwhite	22.3	25.4	38.3	43.8
Michigan	20.3	23.2	35.6	39.7
White	20.3	23.1	35.6	39.7
Nonwhite	20.5	24.0	35.5	40.0
Missouri[3]	20.4	23.4	34.5	39.3
White	20.4	23.3	34.1	38.8
Nonwhite	20.9	23.8	37.0	42.3
Montana	19.7	23.4	33.5	37.5
New Hampshire	20.8	23.7	34.2	38.4
New York[4]	21.1	24.0	38.1	43.4
White	21.1	23.9	38.2	43.4
Nonwhite	21.7	24.7	37.3	42.7
Oregon	19.6	22.7	35.6	39.2
South Dakota	20.1	23.5	32.0	36.9
Tennessee	20.2	22.7	32.7	38.4
White	20.2	22.7	32.2	38.1
Nonwhite	21.0	23.4	36.3	41.0
Utah	19.5	22.3	33.0	36.6
Vermont	20.6	23.4	36.8	42.3
Wyoming	19.8	23.3	33.0	37.1

[1]Includes previous marriages annulled.
[2]Excludes New Orleans.
[3]Data incomplete.
[4]Excludes New York City.

Table V. Percentage Distribution of Marriages by Age of Bride and of Groom by Previous Marital Status: Total of 21 Reporting States, 1955

(Includes only marriages occurring within the reporting area. In computing percents, cases for which age was not stated were omitted. For basic data, see table 7)

AGE	BRIDE					GROOM				
	Total	Previous marital status				Total	Previous marital status			
		Single	Widowed	Divorced	Not stated		Single	Widowed	Divorced	Not stated
TOTAL	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0
Under 15 years	0.3	0.3	0	0.0	0.8	0.0	0.0	0	0.0	0
15-19 years	36.0	46.0	0.6	4.4	47.3	10.6	13.5	0.0	0.3	15.0
20-24 years	32.6	36.1	3.8	20.1	32.2	42.7	52.9	1.0	9.9	50.3
25-29 years	10.6	8.6	6.6	21.3	7.0	19.7	21.0	2.9	19.9	17.7
30-34 years	6.1	3.2	8.7	17.7	3.7	8.1	6.3	4.7	18.2	5.5
35-39 years	4.4	1.7	11.3	13.9	2.4	5.2	2.8	6.8	15.5	3.2
41-44 years	3.3	1.0	13.1	9.9	2.3	3.8	1.5	8.7	12.5	2.3
45-49 years	2.5	0.6	15.1	6.3	1.7	2.9	0.9	10.7	9.4	1.6
50-54 years	1.6	0.3	12.5	3.3	0.9	2.1	0.5	11.9	6.2	1.4
55-59 years	1.1	0.2	10.5	1.7	0.8	1.7	0.3	13.8	3.7	1.0
60-64 years	0.7	0.1	8.0	0.8	0.5	1.2	0.2	13.3	2.1	0.8
65-69 years	0.5	0.0	6.1	0.5	0.3	1.1	0.1	12.9	1.4	0.7
70-74 years	0.2	0.0	2.5	0.1	0.1	0.6	0.0	8.1	0.6	0.3
75 years and over	0.1	0.0	1.1	0.0	0.1	0.4	0.0	5.2	0.2	0.2

430007 O -57 -5

Table W. Percentage Distribution of Divorces and Annulments by Number of Children Reported: 22 Reporting States, 1955

(By place of occurrence. Includes only divorces and annulments occurring within the reporting area. Data relate to children under 18 years of age except as noted. In computing percents, cases for which the number of children was not stated were omitted)

AREA	Total	NUMBER OF CHILDREN REPORTED							
		None	1	2	3	4	5	6	7 or more
TOTAL	100.0	51.9	22.8	14.5	6.8	2.3	0.9	0.4	0.4
Alabama	100.0	54.2	23.2	13.6	5.7	2.1	0.7	0.4	0.2
Connecticut[1]	100.0	33.1	30.9	22.4	8.5	3.1	1.1	0.6	0.2
Florida	100.0	58.4	21.7	12.5	[2]7.4	---	---	---	---
Georgia[3]	100.0	50.5	24.8	14.8	6.0	2.3	1.0	0.4	0.3
Idaho	100.0	49.6	23.2	13.9	8.6	3.2	0.8	0.4	0.3
Iowa	100.0	45.3	24.9	16.3	8.2	3.3	1.3	0.3	0.5
Kansas	100.0	48.8	22.7	15.3	7.0	2.9	1.5	0.8	0.9
Maine	100.0	43.8	23.5	16.9	8.1	4.4	1.9	0.8	0.7
Michigan[3 4]	100.0	52.4	22.3	14.4	6.9	2.6	1.0	0.3	0.2
Mississippi[5]	100.0	55.3	21.9	12.2	5.6	2.4	1.3	0.7	0.7
Missouri[3]	100.0	56.3	22.0	12.6	5.5	2.1	1.0	0.3	0.3
Montana	100.0	49.8	23.0	14.5	8.0	3.2	1.0	0.4	0.2
Nebraska[6]	100.0	47.1	22.4	16.9	8.6	3.3	0.9	0.4	0.3
New Hampshire[1]	100.0	40.2	25.1	18.5	8.8	5.0	1.0	1.1	0.2
North Dakota[1]	100.0	40.0	21.7	17.7	10.9	6.1	1.5	1.3	0.9
Ohio	100.0	50.4	22.7	15.0	6.9	2.7	1.1	0.5	0.8
Oregon[7]	100.0	51.0	22.1	15.9	7.2	2.6	0.8	0.2	0.3
South Dakota	100.0	43.4	21.9	16.8	8.3	4.6	2.6	1.5	0.8
Tennessee	100.0	52.1	22.7	13.8	6.1	2.8	1.3	0.6	0.5
Vermont[7]	100.0	40.7	25.1	19.3	9.8	3.2	0.9	0.8	0.2
Virginia[5]	100.0	50.8	24.4	15.5	5.5	2.3	0.8	0.3	0.3
Wyoming	100.0	48.3	22.2	16.5	8.3	3.2	1.0	0.4	0.2

[1]Children under 21 years of age.
[2]Three children or more.
[3]Data incomplete.
[4]Children under 17 years of age.
[5]Minor children (specific definition of "minor" not given).
[6]Number of children affected.
[7]Total number of children.

Table X. Estimates of the Total Number of Children Reported in Divorces and Annulments: United States and Total of 22 Reporting States, 1953-55

(For method of estimating, see text. For basic data, see table 15)

ITEM	1955	1954	1953
UNITED STATES			
Divorces and annulments[1]	377,000	379,000	390,000
Children reported	347,000	341,000	330,000
22 REPORTING STATES			
Divorces and annulments	140,869	137,982	142,593
Children reported	130,000	124,000	121,000

[1]Data estimated.

Table Y. Divorces and Annulments by Median Duration of Marriage in Years: 23 Reporting States, 1955

(By place of occurrence. Includes only divorces and annulments occurring within the reporting area. Computed on figures for duration of marriage in single years)

AREA	Median duration	AREA	Median duration
TOTAL	6.4	Mississippi	5.5
		Missouri[1]	5.9
Alabama	6.5	Montana	4.8
Connecticut	9.2	Nebraska	5.6
Delaware	9.6	New Hampshire	7.0
Florida	6.7	North Dakota	7.3
Georgia[1]	5.6	Ohio	6.4
		Oregon	5.1
Idaho	4.2	South Dakota	5.7
Iowa	5.0	Tennessee	5.6
Kansas	5.7	Vermont	9.0
Maine	6.5	Virginia	7.9
Michigan[1]	7.2	Wyoming	4.7

[1]Data incomplete.

Table Z. Median Age of Husband and of Wife at Time of Divorce: 6 Reporting States, 1955

(By place of occurrence. Includes only divorces occurring within the reporting area. Computed on data by single years of age)

AREA	HUSBAND—MEDIAN AGE AT TIME OF DIVORCE		WIFE—MEDIAN AGE AT TIME OF DIVORCE	
	First marriage	Re-marriage	First marriage	Re-marriage
TOTAL	30.3	40.0	26.8	36.1
Connecticut[1]	33.8	44.2	31.2	39.8
Georgia[2]	29.7	39.8	26.6	35.0
Idaho	29.3	41.8	25.5	36.8
Kansas	29.6	41.8	26.3	37.7
Missouri[2]	31.1	39.4	27.7	35.6
Tennessee[1]	29.1	39.8	25.0	36.9

[1]Data include annulments.
[2]Data incomplete.

Table AA. Marriage and Divorce Rates: United States, Each Division and State, 1951-55

(By place of occurrence. Includes only events occurring within the continental United States. Rates per 1,000 estimated midyear population in each area)

AREA	MARRIAGE RATE					DIVORCE RATE[1]				
	1955	1954	1953	1952	1951	1955	1954	1953	1952	1951
UNITED STATES	[2]9.3	[2]9.2	[2]9.8	9.9	10.4	[2]2.3	[2]2.4	[2]2.5	[2]2.5	[2]2.5
GEOGRAPHIC DIVISIONS										
New England	[2]8.3	[2]7.9	---	8.7	9.3	[2]1.4	---	1.5	1.5	1.5
Middle Atlantic	7.5	7.4	7.9	7.9	8.6	---	---	---	---	---
East North Central	[2]8.7	[2]8.6	[2]9.0	9.0	9.8	---	---	[2]2.5	---	2.5
West North Central	[3]8.2	[3]8.1	8.4	7.9	8.5	[3]2.0	[3]2.1	2.2	2.2	2.1
South Atlantic	11.2	[3]11.1	11.6	[2]11.6	12.2	---	---	---	---	---
East South Central	11.3	10.9	11.1	10.9	11.0	---	---	---	---	---
West South Central	[3]9.9	[2]9.9	[2]10.8	[2]12.2	12.4	---	---	---	---	---
Mountain	[2]22.7	[2]22.3	24.4	24.7	24.8	[2]4.7	[2]5.1	---	[2]5.5	[2]5.6
Pacific	6.5	7.0	7.4	7.6	7.9	[2]3.3	[2]3.4	[2]3.4	3.6	3.5
NEW ENGLAND										
Maine	9.1	8.9	9.2	9.0	9.0	2.2	2.3	2.4	2.5	2.3
New Hampshire	12.8	12.6	12.8	13.5	14.2	1.9	1.9	2.0	2.1	2.1
Vermont	9.1	8.5	9.0	8.7	9.2	1.4	1.4	1.3	1.6	1.6
Massachusetts	[2]7.8	[2]7.1	---	8.2	8.8	[2]1.2	[2]1.2	1.4	1.3	1.4
Rhode Island	7.8	7.6	7.9	8.3	9.0	1.0	---	1.0	1.3	1.3
Connecticut	8.0	8.2	8.6	8.7	9.4	1.2	1.3	1.3	1.4	1.3
MIDDLE ATLANTIC										
New York	7.7	7.8	8.1	8.2	8.8	---	---	---	---	---
New Jersey	7.6	7.6	8.0	8.1	8.9	0.9	0.9	0.9	1.0	1.1
Pennsylvania	7.1	6.7	7.5	7.5	8.2	1.0	1.1	1.1	1.1	1.1
EAST NORTH CENTRAL										
Ohio	6.9	6.7	7.4	7.5	8.4	2.5	2.4	2.7	2.7	2.6
Indiana	[2]15.5	[2]15.8	[2]15.6	15.7	15.9	[2]2.6	[2]2.8	[2]3.0	3.1	3.0
Illinois	[4]8.9	[4]9.0	[4]9.2	[4]9.2	[4]10.0	---	---	2.4	2.7	2.7
Michigan	7.6	7.2	7.8	7.6	8.2	[3]2.4	[3]2.3	[3]2.4	[3]2.2	[3]2.4
Wisconsin	6.9	6.9	7.2	7.1	[4]7.9	1.3	1.3	1.4	---	1.2
WEST NORTH CENTRAL										
Minnesota	7.4	7.4	7.9	7.7	[4]8.8	1.2	1.3	1.3	1.3	1.3
Iowa	9.2	8.7	8.7	8.6	9.3	1.9	2.0	2.0	2.1	2.0
Missouri	[3]8.1	[3]8.1	8.1	7.1	7.6	[3]2.7	[3]2.8	3.0	3.2	[3]3.0
North Dakota	6.6	7.0	7.1	6.6	7.0	0.8	0.9	0.9	1.0	1.0
South Dakota	9.0	9.1	9.1	9.1	9.4	1.3	1.4	1.4	1.4	1.3
Nebraska	8.5	8.3	8.7	8.7	9.4	1.7	1.8	1.8	1.8	1.8
Kansas	8.6	8.5	9.0	8.1	8.4	2.5	2.6	2.7	2.7	2.4
SOUTH ATLANTIC										
Delaware	5.7	6.2	7.1	7.1	7.9	1.3	1.8	1.7	1.6	1.9
Maryland	15.6	16.0	17.7	18.1	19.9	2.0	2.0	2.1	2.0	2.0
District of Columbia	[4]9.4	[4]9.7	[4]10.5	[4]11.5	[4]12.2	1.3	1.3	1.9	1.4	1.9
Virginia	10.3	10.3	10.6	10.6	10.8	2.0	2.1	2.3	2.3	1.8
West Virginia	7.2	[3]6.8	[4]7.7	7.5	[4]8.1	---	---	---	---	---
North Carolina	[4]6.0	[4]6.1	[4]6.4	[4]6.4	[4]6.9	---	---	---	1.4	---
South Carolina	20.9	20.0	20.0	20.8	21.1	[3]1.3	[3]1.1	[3]1.0	---	[3]1.0
Georgia	15.0	14.2	14.6	[2]13.5	13.8	[3]2.1	[3]1.9	[3]1.9	[2]2.5	[3]3.1
Florida	8.4	8.3	8.4	8.7	9.2	5.6	5.7	6.2	6.6	6.3
EAST SOUTH CENTRAL										
Kentucky	[4]7.3	[4]7.6	[4]8.1	[4]8.6	[4]9.3	---	---	---	---	---
Tennessee	6.8	6.7	6.7	6.5	6.4	2.4	2.3	2.3	2.3	2.3
Alabama	6.4	6.4	6.5	6.6	7.0	3.1	2.9	3.0	2.9	[3]2.9
Mississippi	31.1	28.8	28.6	26.6	26.1	2.3	2.3	2.4	2.5	2.5
WEST SOUTH CENTRAL										
Arkansas	[3]8.3	[4]8.9	15.1	[4]28.6	[4]27.9	[3]2.8	[3]4.4	4.5	---	---
Louisiana	[2]7.3	7.8	8.3	7.5	8.3	---	---	---	---	---
Oklahoma	[3]12.3	[2]11.2	[2]11.0	[2]9.8	[4]9.4	[3]5.7	[2]5.9	[2]6.0	[2]6.0	---
Texas	[3]10.4	10.5	[2]10.6	[2]10.8	10.9	[3]4.0	[3]4.3	[2]4.6	[3]4.5	[3]4.6
MOUNTAIN										
Montana	10.4	10.6	10.8	10.7	10.6	3.0	3.2	3.2	3.3	3.1
Idaho	14.5	14.9	14.3	13.9	13.4	3.9	4.2	4.4	4.4	4.4
Wyoming	9.7	10.4	10.7	10.8	10.8	3.6	[3]4.0	[3]4.1	[3]4.2	[3]3.9
Colorado	[4]8.2	[4]8.2	[4]8.5	[4]9.2	[4]9.7	[2]3.2	[2]2.9	[2]3.0	[2]3.3	[2]3.3
New Mexico	[2]28.1	[2]25.4	[4]29.7	30.4	30.5	[2]2.7	[2]3.3	---	4.0	4.1
Arizona	21.7	22.1	26.3	26.5	25.5	3.5	[2]5.2	5.7	5.8	5.4
Utah	8.4	8.3	[4]9.2	9.2	9.6	2.6	2.8	3.2	3.1	3.2
Nevada	[4]223.1	[4]233.2	[4]263.9	[4]274.4	[4]289.5	40.7	44.8	51.7	49.9	55.7
PACIFIC										
Washington	7.3	[4]11.4	[4]12.1	12.4	[4]13.2	[2]3.4	[2]3.3	[2]3.6	3.8	3.5
Oregon	6.3	5.8	6.5	6.3	6.4	3.7	3.7	3.9	3.9	3.9
California	6.3	6.2	6.6	6.7	6.9	3.2	3.4	3.3	3.5	3.5

[1]Includes reported annulments.
[2]Estimated.
[3]Incomplete.
[4]Marriage licenses.

Table AB. Total Registered Live Births and Birth Rates, and Live Births and Birth Rates Adjusted for Underregistration by Color: Birth-Registration States and United States, 1915-55

(Includes only births occurring within the specified area. Rates per 1,000 population residing in area for specified group except as noted. Beginning with 1933, the birth-registration area includes the entire continental United States. Births adjusted for underregistration include adjustments for States not in the registration area prior to 1933. Rates for 1940 and 1950 based on population enumerated as of April 1, for all other years estimated as of July 1)

YEAR	REGISTERED BIRTHS, BIRTH-REGISTRATION STATES		LIVE BIRTHS ADJUSTED FOR UNDERREGISTRATION, UNITED STATES[2]					
			Number			Rate[3]		
	Number	Rate[1]	Total	White	Nonwhite	Total	White	Nonwhite
1955	4,047,295	24.6	4,104,000	3,488,000	617,000	25.0	23.8	34.7
1954[4]	4,017,362	24.9	4,078,000	3,475,000	603,000	25.3	24.1	34.9
1953[4]	3,902,120	24.6	3,965,000	3,389,000	575,000	25.0	24.0	34.1
1952[4]	3,846,986	24.7	3,913,000	3,358,000	555,000	25.1	24.1	33.6
1951[4]	3,750,850	24.5	3,823,000	3,277,000	546,000	24.9	23.9	33.8
1950	3,554,149	23.6	3,632,000	3,108,000	524,000	24.1	23.0	33.3
1949	3,559,529	23.9	3,649,000	3,136,000	513,000	24.5	23.6	33.0
1948	3,535,068	24.2	3,637,000	3,141,000	495,000	24.9	24.0	32.4
1947	3,699,940	25.8	3,817,000	3,347,000	469,000	26.6	26.1	31.2
1946	3,288,672	23.3	3,411,000	2,990,000	420,000	24.1	23.6	28.4
1945	2,735,456	19.5	2,858,000	2,471,000	388,000	20.4	19.7	26.5
1944	2,794,800	20.2	2,939,000	2,545,000	394,000	21.2	20.5	27.4
1943	2,934,860	21.5	3,104,000	2,704,000	400,000	22.7	22.1	28.3
1942	2,808,996	20.8	2,989,000	2,605,000	384,000	22.2	21.5	27.7
1941	2,513,427	18.8	2,703,000	2,330,000	374,000	20.3	19.5	27.3
1940	2,360,399	17.9	2,559,000	2,199,000	360,000	19.4	18.6	26.7
1939	2,265,588	17.3	2,466,000	2,117,000	349,000	18.8	18.0	26.1
1938	2,286,962	17.6	2,496,000	2,148,000	348,000	19.2	18.4	26.3
1937	2,203,337	17.1	2,413,000	2,071,000	342,000	18.7	17.9	26.0
1936	2,144,790	16.7	2,355,000	2,027,000	328,000	18.4	17.6	25.1
1935	2,155,105	16.9	2,377,000	2,042,000	334,000	18.7	17.9	25.8
1934	2,167,636	17.2	2,396,000	2,058,000	338,000	19.0	18.1	26.3
1933	2,081,232	16.6	2,307,000	1,982,000	325,000	18.4	17.6	25.5
1932	2,074,042	17.4	2,440,000	2,099,000	341,000	19.5	18.7	26.9
1931	2,112,760	18.0	2,506,000	2,170,000	335,000	20.2	19.5	26.6
1930	2,203,958	18.9	2,618,000	2,274,000	344,000	21.3	20.6	27.5
1929	2,169,920	18.8	2,582,000	2,244,000	339,000	21.2	20.5	27.3
1928	2,233,149	19.7	2,674,000	2,325,000	349,000	22.2	21.5	28.5
1927	2,137,836	20.5	2,802,000	2,425,000	377,000	23.5	22.7	31.1
1926	1,856,068	20.5	2,839,000	2,441,000	398,000	24.2	23.1	33.4
1925	1,878,880	21.3	2,909,000	2,506,000	403,000	25.1	24.1	34.2
1924	1,930,614	22.2	2,979,000	2,577,000	401,000	26.1	25.1	34.6
1923	1,792,646	22.1	2,910,000	2,531,000	380,000	26.0	25.2	33.2
1922	1,774,911	22.3	2,882,000	2,507,000	375,000	26.2	25.4	33.2
1921	1,714,261	24.2	3,055,000	2,657,000	398,000	28.1	27.3	35.8
1920	1,508,874	23.7	2,950,000	2,566,000	383,000	27.7	26.9	35.0
1919	1,373,438	22.4	2,740,000	2,387,000	353,000	26.1	25.3	32.4
1918	1,363,649	24.7	2,948,000	2,588,000	360,000	28.2	27.6	33.0
1917	1,353,792	24.5	2,944,000	2,587,000	357,000	28.5	27.9	32.9
1916	818,983	24.9	2,964,000	2,599,000	---	29.1	28.5	---
1915	776,304	25.0	2,965,000	2,594,000	---	29.5	28.9	---

[1]For 1941-46, based on population including Armed Forces overseas.

[2]Estimates for 1915-34, prepared by P. K. Whelpton. See National Office of Vital Statistics, "Births and Birth Rates in the Entire United States, 1909 to 1948," Vital Statistics—Special Reports, Vol. 33, No. 8, 1950. Estimates for 1909 to 1914 shown in this report were based on tabulations made by each of the 10 original registration States. These estimated births and birth rates are as follows: 1909, 2,718,000 (30.0); 1910, 2,777,000 (30.1); 1911, 2,809,000 (29.9); 1912, 2,840,000 (29.8); 1913, 2,869,000 (29.5); 1914, 2,966,000 (29.9).

[3]For 1917-19 and 1941-46, based on population including Armed Forces overseas.

[4]Based on a 50-percent sample of births.

Table A.C. Birth Rates Adjusted for Underregistration, by Age of Mother and Color: United States, 1940-55

(Includes only births occurring within the continental United States. Rates are live births per 1,000 female population in specified group, enumerated as of April 1 for 1940 and 1950 and estimated as of July 1 for all other years. Figures for age of mother not stated are distributed)

COLOR AND YEAR	15-44 years[1]	AGE OF MOTHER							
		10-14 years	15-19 years	20-24 years	25-29 years	30-34 years	35-39 years	40-44 years	45-49 years[2]
TOTAL									
1955	118.0	0.9	89.7	240.4	190.8	115.8	59.5	15.7	1.1
1954[3]	117.6	1.0	89.8	235.6	188.5	116.4	58.8	15.8	1.1
1953[3]	114.7	0.9	87.5	224.5	183.8	113.0	57.3	15.5	1.1
1952[3]	113.5	0.9	85.4	218.1	180.4	113.1	56.1	15.3	1.2
1951[3]	111.3	1.0	86.9	212.0	174.2	108.3	54.1	15.3	1.2
1950	106.2	1.0	81.6	196.6	166.1	103.7	52.9	15.1	1.2
1949	107.1	1.0	83.4	200.1	165.4	102.1	53.5	15.3	1.3
1948	107.3	1.0	81.8	200.3	163.4	103.7	54.5	15.7	1.3
1947	113.3	0.9	79.3	209.7	176.0	111.9	58.9	16.6	1.4
1946	101.9	0.7	59.3	181.8	161.2	108.9	58.7	16.5	1.5
1945	85.9	0.8	51.1	138.9	132.2	100.2	56.9	16.6	1.6
1944	88.8	0.8	54.3	151.8	136.5	98.1	54.6	16.1	1.4
1943	94.3	0.8	61.7	164.0	147.8	99.5	52.8	15.7	1.5
1942	91.5	0.7	61.1	165.1	142.7	91.8	47.9	14.7	1.6
1941	83.4	0.7	56.9	145.4	128.7	85.3	46.1	15.0	1.7
1940	79.9	0.7	54.1	135.6	122.8	83.4	46.3	15.6	1.9
WHITE									
1955	113.2	0.4	78.6	233.7	188.0	113.4	57.2	15.0	1.0
1954[3]	113.1	0.4	78.5	229.4	186.0	114.2	56.8	15.1	1.0
1953[3]	110.6	0.4	76.5	218.9	181.8	111.2	55.6	14.7	1.0
1952[3]	109.8	0.4	74.3	212.9	179.2	111.7	54.7	14.6	1.0
1951[3]	107.4	0.4	75.5	206.5	173.1	107.0	52.5	14.5	1.0
1950	102.3	0.4	70.0	190.4	165.1	102.6	51.4	14.5	1.0
1949	103.6	0.4	72.1	194.6	165.2	101.5	52.2	14.6	1.1
1948	104.3	0.4	71.1	195.5	163.9	103.6	53.5	15.2	1.1
1947	111.8	0.4	69.8	207.9	179.1	113.0	58.4	16.1	1.2
1946	100.4	0.3	50.6	179.8	164.0	110.0	58.4	15.9	1.3
1945	83.4	0.3	42.1	134.7	133.1	100.5	56.3	16.0	1.4
1944	86.3	0.3	45.3	147.9	137.7	98.2	54.1	15.5	1.2
1943	92.3	0.3	52.1	161.1	150.7	100.2	52.2	15.0	1.3
1942	89.5	0.3	51.8	162.9	145.6	92.3	47.2	14.1	1.3
1941	80.7	0.2	47.6	141.6	130.1	85.2	45.1	14.3	1.4
1940	77.1	0.2	45.3	131.4	123.6	83.4	45.3	15.0	1.6
NONWHITE									
1955	155.1	4.9	164.9	288.7	211.7	135.9	79.9	21.3	2.1
1954[3]	152.9	5.3	166.5	280.4	207.6	134.0	76.9	21.4	2.1
1953[3]	147.0	4.8	162.7	264.6	199.0	128.1	72.0	21.9	2.3
1952[3]	143.1	4.8	161.4	255.8	189.5	124.8	68.2	21.2	2.3
1951[3]	141.9	5.0	165.8	252.6	182.4	119.6	67.4	22.4	2.4
1950	137.3	5.1	163.5	242.6	173.8	112.6	64.3	21.2	2.6
1949	135.1	5.1	162.8	241.3	167.0	107.3	63.9	21.1	2.5
1948	131.6	4.9	157.3	237.0	159.6	104.1	62.5	20.4	2.8
1947	125.9	4.6	146.6	223.7	150.6	102.4	62.7	21.4	3.1
1946	113.9	3.7	121.9	197.3	139.2	99.3	61.0	21.8	3.5
1945	106.0	3.9	117.5	172.1	125.4	97.1	61.3	22.3	3.7
1944	109.5	3.9	121.5	182.4	126.8	97.3	58.4	21.5	3.2
1943	111.0	4.0	133.4	187.2	125.1	93.9	56.9	21.5	3.7
1942	107.6	3.9	131.8	182.3	119.6	88.1	54.0	20.8	4.0
1941	105.4	4.0	128.3	175.0	118.1	86.2	54.1	21.5	4.1
1940	102.4	3.7	121.7	168.5	116.3	83.5	53.7	21.5	5.2

[1]Rates computed by relating total births, regardless of age of mother, to female population aged 15-44 years.
[2]Rates computed by relating births to mothers aged 45 years and over, to female population aged 45-49 years.
[3]Based on a 50-percent sample of births.

Table A D. Birth Rates Adjusted for Underregistration, by Live-Birth Order and Color: United States, 1940-55

(Includes only births occurring within the continental United States. Rates are live births per 1,000 female population aged 15-44 years in specified group, enumerated as of April 1 for 1940 and 1950 and estimated as of July 1 for all other years. Live-birth order refers to number of children born alive to mother. Figures for births of order not stated are distributed, including births that occurred in Massachusetts which did not require reporting of birth order)

COLOR AND YEAR	Total	LIVE-BIRTH ORDER						
		1st	2d	3d	4th	5th	6th and 7th	8th and over
TOTAL								
1955	118.0	32.7	31.7	23.0	13.3	7.2	6.3	3.8
1954[1]	117.6	33.5	32.3	22.6	12.8	6.8	6.0	3.7
1953[1]	114.7	33.3	32.4	21.8	11.9	6.3	5.5	3.6
1952[1]	113.5	33.9	32.5	21.3	11.2	5.8	5.2	3.6
1951[1]	111.3	34.8	32.5	20.0	10.2	5.2	5.0	3.6
1950	106.2	33.3	32.1	18.4	9.2	4.8	4.7	3.6
1949	107.1	36.2	32.1	17.1	8.6	4.7	4.7	3.7
1948	107.3	39.6	30.9	16.1	8.0	4.5	4.6	3.6
1947	113.3	46.7	30.3	15.6	7.9	4.5	4.6	3.7
1946	101.9	38.5	27.9	14.5	7.8	4.5	4.7	3.8
1945	85.9	28.9	22.9	13.4	7.5	4.5	4.8	4.0
1944	88.8	30.2	23.8	13.8	7.6	4.5	4.9	4.0
1943	94.3	34.7	25.5	13.5	7.4	4.4	4.8	4.0
1942	91.5	37.5	22.9	11.9	6.6	4.1	4.6	3.9
1941	83.4	32.2	20.7	11.2	6.4	4.1	4.7	4.1
1940	79.9	29.3	20.0	10.9	6.4	4.1	4.8	4.3
WHITE								
1955	113.2	32.5	31.9	22.8	12.5	6.2	4.9	2.5
1954[1]	113.1	33.2	32.6	22.4	12.0	5.8	4.6	2.5
1953[1]	110.6	33.2	32.8	21.5	11.1	5.3	4.2	2.4
1952[1]	109.8	34.0	33.0	20.9	10.4	5.0	4.0	2.5
1951[1]	107.4	34.9	32.8	19.5	9.4	4.5	3.9	2.5
1950	102.3	33.3	32.3	17.9	8.4	4.1	3.7	2.5
1949	103.6	36.3	32.2	16.6	7.9	4.0	3.8	2.7
1948	104.3	39.9	31.1	15.7	7.4	3.9	3.7	2.6
1947	111.8	47.8	30.8	15.3	7.4	4.0	3.8	2.7
1946	100.4	39.5	28.5	14.4	7.3	4.0	3.9	2.8
1945	83.4	29.0	23.3	13.2	7.0	3.9	4.0	3.0
1944	86.3	30.4	24.2	13.6	7.1	4.0	4.1	3.1
1943	92.3	35.2	25.9	13.2	6.9	3.9	4.0	3.1
1942	89.5	38.3	23.1	11.5	6.1	3.6	3.8	3.1
1941	80.7	32.5	20.7	10.7	5.9	3.6	3.9	3.2
1940	77.1	29.4	20.0	10.5	5.9	3.6	4.1	3.5
NONWHITE								
1955	155.1	34.9	30.6	24.5	19.2	14.5	17.3	14.0
1954[1]	152.9	35.5	29.8	24.2	19.1	14.2	16.6	13.5
1953[1]	147.0	34.0	29.3	23.8	18.5	13.4	15.3	12.8
1952[1]	143.1	33.1	29.1	23.9	18.0	12.3	14.2	12.4
1951[1]	141.9	34.0	30.0	24.0	16.9	11.3	13.5	12.3
1950	137.3	33.8	30.3	22.9	15.3	10.4	12.6	12.0
1949	135.1	35.4	30.8	21.2	14.0	9.8	12.2	11.8
1948	131.6	37.3	29.5	19.4	12.9	9.2	11.7	11.6
1947	125.9	38.4	26.2	17.3	12.1	8.8	11.4	11.6
1946	113.9	31.1	23.4	16.0	11.8	8.7	11.3	11.7
1945	106.0	27.9	20.1	14.7	11.3	8.7	11.3	11.9
1944	108.5	28.7	21.1	15.6	11.7	8.6	11.3	11.6
1943	111.0	31.0	22.2	15.5	11.4	8.4	11.0	11.6
1942	107.6	31.0	21.1	14.9	10.8	8.1	10.5	11.1
1941	105.4	29.8	20.6	14.5	10.6	8.0	10.6	11.3
1940	102.4	28.6	19.6	14.1	10.5	7.8	10.4	11.3

[1]Based on a 50-percent sample of births.

Table A.E. Birth Rates Adjusted for Underregistration, by Age of Mother, Live-Birth Order, and Color: United States, 1955

(Includes only births occurring within the continental United States. Rates are live births per 1,000 female population in specified group, estimated as of July 1. Live-birth order refers to number of children born alive to mother. Figures for age of mother and births of order not stated are distributed, including births that occurred in Massachusetts which did not require reporting of birth order)

LIVE-BIRTH ORDER AND COLOR	15-44 years[1]	AGE OF MOTHER							
		10-14 years	15-19 years	20-24 years	25-29 years	30-34 years	35-39 years	40-44 years	45-49 years[2]
TOTAL	118.0	0.9	89.7	240.4	190.8	115.8	59.5	15.7	1.1
First child	32.7	0.9	63.1	90.0	33.0	11.5	4.6	1.0	0.1
Second child	31.7	0.0	21.0	82.0	55.7	24.3	9.0	1.7	0.1
Third child	23.0	0.0	4.6	42.0	47.3	28.9	12.1	2.4	0.1
Fourth child	13.3	0.0	0.8	17.2	27.0	20.5	10.4	2.3	0.1
Fifth child	7.2	0	0.1	6.4	14.2	12.1	7.1	1.9	0.1
Sixth and seventh child	6.3	0	0.0	2.7	11.0	12.0	8.2	2.5	0.2
Eighth child and over	3.8	0	0.0	0.2	2.6	6.7	8.2	3.9	0.4
White	113.2	0.4	78.6	233.7	188.0	113.4	57.2	15.0	1.0
First child	32.5	0.4	58.1	93.5	34.7	11.8	4.7	1.1	0.1
Second child	31.9	0.0	17.1	82.7	58.9	25.4	9.3	1.8	0.1
Third child	22.8	0.0	2.9	38.7	48.7	30.3	12.6	2.5	0.1
Fourth child	12.5	0	0.4	13.4	25.6	20.7	10.6	2.3	0.1
Fifth child	6.2	0	0.0	4.0	11.6	11.4	7.0	1.9	0.1
Sixth and seventh child	4.9	0	0.0	1.3	7.2	9.7	7.3	2.4	0.2
Eighth child and over	2.5	0	0.0	0.1	1.2	4.0	5.7	3.0	0.3
Nonwhite	155.1	4.9	164.9	288.7	211.7	135.9	79.9	21.3	2.1
First child	34.9	4.6	96.9	64.8	20.5	9.0	4.1	0.8	0.1
Second child	30.6	0.3	47.8	77.1	31.3	14.6	6.1	1.2	0.1
Third child	24.5	0.0	15.7	65.5	36.2	17.5	7.5	1.4	0.1
Fourth child	19.2	0.0	3.7	43.8	37.2	18.4	8.2	1.6	0.2
Fifth child	14.5	0	0.7	23.3	33.4	17.9	8.1	1.7	0.1
Sixth and seventh child	17.3	0	0.2	12.8	39.6	30.1	15.9	3.4	0.3
Eighth child and over	14.0	0	0.0	1.4	13.4	28.5	29.9	11.2	1.3

[1]Rates computed by relating total births, regardless of age of mother, to female population aged 15-44 years.
[2]Rates computed by relating births to mothers aged 45 years and over to female population aged 45-49 years.

Table A.F. Birth Rates Adjusted for Underregistration, by Age of Mother, for Married Women: United States, 1950-55

(Includes only births occurring within the continental United States. Rates are legitimate live births per 1,000 married female population in specified group, enumerated as of April 1 for 1950 and estimated as of July 1 for 1951-55. Figures for age of mother not stated are distributed)

YEAR	15-44 years[1]	AGE OF MOTHER					
		15-19 years	20-24 years	25-29 years	30-34 years	35-39 years	40-44 years
1955	155.1	461.4	332.7	218.1	128.0	66.9	18.1
1954[2]	155.8	501.5	335.4	213.3	130.6	66.1	18.2
1953[2]	151.5	459.2	312.7	210.2	126.0	64.8	18.0
1952[2]	151.4	451.9	306.4	209.4	127.3	63.9	18.0
1951[2]	148.8	461.7	304.0	199.3	123.8	61.4	17.8
1950	143.9	421.5	287.9	195.0	118.0	60.7	17.9

[1]Rates computed by relating total legitimate births, regardless of age of mother, to married female population aged 15-44 years.
[2]Based on a 50-percent sample of births.

Table A.G. Gross and Net Reproduction Rates by Color: United States, 1940-55

(Based on births adjusted for underregistration)

YEAR	GROSS REPRODUCTION RATE			NET REPRODUCTION RATE		
	Total	White	Nonwhite	Total	White	Nonwhite
1955	1,741	1,671	2,251	1,673	1,613	2,097
1954[1]	1,723	1,657	2,212	1,654	1,598	2,058
1953[1]	1,665	1,603	2,114	1,594	1,543	1,955
1952[1]	1,635	1,577	2,059	1,561	1,514	1,894
1951[1]	1,591	1,532	2,025	1,519	1,471	1,864
1950	1,505	1,446	1,940	1,435	1,387	1,780
1949	1,515	1,461	1,906	1,439	1,396	1,741
1948	1,514	1,468	1,846	1,435	1,401	1,680
1947	1,593	1,568	1,766	1,505	1,492	1,594
1946	1,430	1,406	1,600	1,344	1,331	1,435
1945	1,212	1,175	1,493	1,132	1,106	1,323
1944	1,249	1,214	1,520	1,163	1,139	1,334
1943	1,323	1,294	1,543	1,228	1,211	1,348
1942	1,277	1,250	1,487	1,185	1,171	1,293
1941	1,168	1,131	1,458	1,075	1,052	1,242
1940	1,121	1,082	1,422	1,027	1,002	1,209

[1]Based on a 50-percent sample of births.

Table A H. Birth Rates Adjusted for Underregistration, by Live-Birth Order for Native White Women: United States, 1920-55

(Includes only births occurring within the continental United States. Rates are live births per 1,000 native white female population aged 15-44 years. Includes adjustments for States not in the birth-registration area prior to 1933. Live-birth order refers to number of children born alive to mother. Figures for births of order not stated are distributed, including births that occurred in Massachusetts which did not require reporting of birth order)

YEAR	Total	LIVE-BIRTH ORDER							
		1st	2d	3d	4th	5th	6th	7th	8th and over
1955	114	33	32	23	13	6	3	2	2
1954[1]	114	33	33	23	12	6	3	2	2
1953[1]	111	33	33	22	11	5	3	2	2
1952[1]	110	34	33	21	10	5	3	1	2
1951[1]	108	35	33	20	9	5	2	1	2
1950	103	34	32	18	8	4	2	1	2
1949	105	37	33	17	8	4	2	1	3
1948	106	41	31	16	8	4	2	1	3
1947	114	49	31	16	8	4	2	1	3
1946	103	41	29	15	7	4	2	2	3
1945	85	30	24	13	7	4	2	2	3
1944	89	32	25	14	7	4	3	2	3
1943	95	37	27	14	7	4	2	2	3
1942	92	40	24	12	6	4	2	2	3
1941	83	34	21	11	6	4	2	2	3
1940	78	30	20	11	6	4	2	2	3
1939	76	30	19	10	6	4	2	2	3
1938	78	31	19	10	6	4	3	2	4
1937	75	29	18	10	6	4	3	2	4
1936	74	28	18	10	6	4	3	2	4
1935	75	28	17	10	7	4	3	2	4
1934	76	26	18	11	7	5	3	2	4
1933	74	24	17	11	7	5	3	2	4
1932	79	26	18	11	7	5	4	2	5
1931	82	27	19	12	8	5	4	3	5
1930	86	29	20	12	8	6	4	3	5
1929	86	28	20	13	8	6	4	3	5
1928	90	29	20	13	9	6	4	3	6
1927	95	30	21	14	9	6	5	3	6
1926	96	30	22	14	10	6	5	3	6
1925	100	31	22	15	10	7	5	3	7
1924	104	32	23	16	10	7	5	4	7
1923	103	31	24	15	10	7	5	4	7
1922	104	32	24	15	10	7	5	4	7
1921	112	36	23	16	11	8	6	4	8
1920	109	35	23	16	11	7	5	4	7

NOTES:

Estimates for 1920-39 prepared by P. K. Whelpton. See National Office of Vital Statistics, "Births and Birth Rates in the Entire United States, 1909 to 1948," Vital Statistics—Special Reports, Vol. 33, No. 8, 1950.

Population bases for 1920-39, estimated as of July 1 by P. K. Whelpton; for 1940 and 1950, enumerated as of April 1; for 1941-49, estimated as of April 1 by the National Office of Vital Statistics; and for 1951-55, estimated as of July 1 by the Bureau of the Census.

Table A J. Total Registered Live Births, and Cases of Plural Births in Which at Least One Child Was Born Alive: United States, 1940-55

(Includes only births occurring within the continental United States. The term "cases" refers to confinements resulting in either single or plural issue and is synonymous with "sets" in figures for plural births. Total number of cases is necessarily less than total number of births for any given period)

YEAR	Total live births	Total cases (single and plural)	CASES OF PLURAL BIRTHS IN WHICH AT LEAST ONE CHILD WAS BORN ALIVE				Plural cases per 1,000 total cases
			Total	Twins	Triplets	Quadruplets	
1955	4,047,295	4,005,257	43,481	43,082	392	7	10.9
1954[1]	4,017,362	3,976,225	42,641	42,240	398	3	10.7
1953[1]	3,902,120	3,861,946	41,883	41,520	359	4	10.8
1952[1]	3,846,986	3,807,979	40,529	40,154	371	4	10.6
1951[1]	3,750,850	3,713,180	38,576	38,256	313	7	10.4
1950	3,554,149	3,517,755	38,116	37,759	352	5	10.8
1949	3,559,529	3,524,367	36,819	36,479	337	3	10.4
1948	3,535,068	3,499,906	[2]36,586	36,246	336	3	10.5
1947	3,699,940	3,662,811	38,630	38,286	340	4	10.5
1946	3,288,672	3,253,114	37,114	36,782	327	5	11.4
1945	2,735,456	2,707,574	[3]28,862	28,604	257	-	10.7
1944	2,794,800	2,767,323	28,885	28,591	286	8	10.4
1943	2,934,860	2,906,456	29,787	29,470	316	1	10.2
1942	2,808,996	2,780,989	29,421	29,139	277	5	10.6
1941	2,513,427	2,488,022	26,711	26,443	256	12	10.7
1940	2,360,399	2,336,604	25,226	24,976	247	3	10.8

[1]Total live births and cases of twin births in which only one child was born alive are based on a 50-percent sample.
[2]Includes 1 case of quintuplets (2 males born alive, 3 females stillborn) in Kentucky.
[3]Includes 1 case of quintuplets (4 females born alive, 1 female stillborn) in the District of Columbia.

Table A K. Number and Percentage Distribution of Registered Live Births by Attendant, by Color: United States, 1940-55

(Includes only births occurring within the continental United States)

COLOR AND YEAR	Total live births	NUMBER ATTENDED BY—			PERCENT ATTENDED BY—		
		Physician in hospital[1]	Physician not in hospital	Midwife, other and not specified	Physician in hospital[1]	Physician not in hospital	Midwife, other and not specified
TOTAL							
1955	4,047,295	3,818,810	100,756	127,729	94.4	2.5	3.2
1954[2]	4,017,362	3,759,518	118,478	139,366	93.6	2.9	3.5
1953[2]	3,902,120	3,621,362	135,700	145,058	92.8	3.5	3.7
1952[2]	3,846,986	3,529,156	162,000	155,830	91.7	4.2	4.1
1951[2]	3,750,850	3,376,996	204,548	169,306	90.0	5.5	4.5
1950	3,554,149	3,125,975	251,539	176,635	88.0	7.1	5.0
1949	3,559,529	3,087,080	289,981	182,468	86.7	8.1	5.1
1948	3,535,068	3,025,206	323,434	186,428	85.6	9.1	5.3
1947	3,699,940	3,136,930	375,407	187,603	84.8	10.1	5.1
1946	3,288,672	2,708,223	402,759	177,690	82.4	12.2	5.4
1945	2,735,456	2,155,594	402,890	176,972	78.8	14.7	6.5
1944	2,794,800	2,112,963	493,463	188,374	75.6	17.7	6.7
1943	2,934,860	2,115,582	615,754	203,524	72.1	21.0	6.9
1942	2,808,996	1,906,833	693,921	208,242	67.9	24.7	7.4
1941	2,513,427	1,537,719	759,986	215,722	61.2	30.2	8.6
1940	2,360,399	1,316,768	825,271	218,360	55.8	35.0	9.3
WHITE							
1955	3,458,448	3,371,416	60,738	26,294	97.5	1.8	0.8
1954[2]	3,443,630	3,340,372	73,690	29,568	97.0	2.1	0.9
1953[2]	3,356,772	3,238,180	86,500	32,092	96.5	2.6	1.0
1952[2]	3,322,658	3,181,098	106,458	35,102	95.7	3.2	1.1
1951[2]	3,237,072	3,056,516	141,602	38,954	94.4	4.4	1.2
1950	3,063,627	2,841,930	181,279	40,418	92.8	5.9	1.3
1949	3,083,721	2,825,078	214,198	44,445	91.6	6.9	1.4
1948	3,080,316	2,784,865	248,093	47,358	90.4	8.1	1.5
1947	3,274,620	2,925,374	300,198	49,048	89.3	9.2	1.5
1946	2,913,645	2,538,882	327,585	47,178	87.1	11.2	1.6
1945	2,395,563	2,018,929	329,147	47,487	84.3	13.7	2.0
1944	2,454,700	1,987,082	414,895	52,723	81.0	16.9	2.1
1943	2,594,763	2,002,313	534,177	58,273	77.2	20.6	2.2
1942	2,486,934	1,808,121	616,503	62,310	72.7	24.8	2.5
1941	2,204,903	1,448,132	688,188	68,583	65.7	31.2	3.1
1940	2,067,953	1,238,677	754,746	74,530	59.9	36.5	3.6
NONWHITE							
1955	588,847	447,394	40,018	101,435	76.0	6.8	17.2
1954[2]	573,732	419,146	44,788	109,798	73.1	7.8	19.1
1953[2]	545,348	383,182	49,200	112,966	70.3	9.0	20.7
1952[2]	524,328	348,058	55,542	120,728	66.4	10.6	23.0
1951[2]	513,778	320,480	62,946	130,352	62.4	12.3	25.4
1950	490,522	284,045	70,260	136,217	57.9	14.3	27.8
1949	475,808	262,002	75,783	138,023	55.1	15.9	29.0
1948	454,752	240,341	75,341	139,070	52.9	16.6	30.6
1947	425,320	211,556	75,209	138,555	49.7	17.7	32.6
1946	375,027	169,341	75,174	130,512	45.2	20.0	34.8
1945	339,893	136,665	73,743	129,485	40.2	21.7	38.1
1944	340,100	125,881	78,568	135,651	37.0	23.1	39.9
1943	340,097	113,269	81,577	145,251	33.3	24.0	42.7
1942	322,062	98,712	77,418	145,932	30.6	24.0	45.3
1941	308,524	89,587	71,798	147,139	29.0	23.3	47.7
1940	292,446	78,091	70,525	143,830	26.7	24.1	49.2

[1]It is assumed that all births in hospitals or institutions are attended by physicians.
[2]Based on a 50-percent sample.

Table A L. Percentage Distribution of Registered Live Births by Attendant, by Color: United States, Each Division and State, 1955

(By place of residence. Includes only births occurring within the continental United States)

AREA	TOTAL				WHITE				NONWHITE			
	Physician in hospital[1]	Physician not in hospital	Midwife	Other and not specified	Physician in hospital[1]	Physician not in hospital	Midwife	Other and not specified	Physician in hospital[1]	Physician not in hospital	Midwife	Other and not specified
UNITED STATES	94.4	2.5	2.9	0.3	97.5	1.8	0.6	0.2	76.0	6.8	16.5	0.7
GEOGRAPHIC DIVISIONS												
New England	99.2	0.7	0.0	0.0	99.2	0.7	0.0	0.0	99.1	0.9	0.0	0
Middle Atlantic	98.7	1.2	0.1	0.1	98.8	1.1	0.1	0.1	97.3	2.3	0.1	0.3
East North Central	98.3	1.6	0.0	0.1	98.8	1.1	0.0	0.1	94.1	5.5	0.1	0.2
West North Central	98.0	1.7	0.2	0.1	98.3	1.5	0.1	0.1	92.6	4.9	2.1	0.4
South Atlantic	86.8	4.3	8.5	0.4	96.7	2.4	0.7	0.2	63.7	8.8	26.4	1.1
East South Central	80.0	7.0	12.5	0.4	92.6	5.1	2.0	0.3	50.9	11.4	37.0	0.7
West South Central	89.5	4.1	5.9	0.5	92.9	3.5	3.2	0.4	76.8	6.3	16.2	0.7
Mountain	96.2	1.9	1.2	0.7	96.5	1.9	1.1	0.5	91.7	1.4	2.3	4.7
Pacific	98.8	0.8	0.0	0.3	98.9	0.8	0.0	0.3	98.0	1.4	0.0	0.6
NEW ENGLAND												
Maine	96.7	3.3	0.0	0.0	96.6	3.3	0.0	0.0	98.7	1.3	0	0
New Hampshire	99.4	0.6	0	0.0	99.4	0.6	0	0.0	97.4	2.6	0	0
Vermont	97.9	2.0	0	0.1	97.9	2.0	0	0.1	100.0	0	0	0
Massachusetts	99.6	0.4	0.0	0.0	99.6	0.4	0.0	0.0	98.7	1.3	0	0
Rhode Island	99.5	0.3	0.0	0.1	99.5	0.3	0.0	0.1	99.6	0.4	0	0
Connecticut	99.8	0.2	0.0	0.0	99.8	0.2	0.0	0.0	99.5	0.4	0.1	0
MIDDLE ATLANTIC												
New York	98.9	1.0	0.1	0.0	99.1	0.8	0.1	0.0	97.2	2.6	0.1	0.1
New Jersey	99.1	0.8	0.1	0.1	99.3	0.5	0.1	0.1	97.0	2.6	0.1	0.3
Pennsylvania	98.1	1.7	0.0	0.1	98.2	1.7	0.0	0.1	97.6	1.7	0.1	0.6
EAST NORTH CENTRAL												
Ohio	98.6	1.4	0.0	0.1	98.6	1.3	0.0	0.1	98.3	1.6	0.1	0.1
Indiana	97.9	2.0	0.0	0.1	98.3	1.6	0.0	0.0	93.5	6.3	0.0	0.2
Illinois	97.3	2.6	0.0	0.1	98.6	1.3	0.0	0.0	88.9	10.5	0.2	0.5
Michigan	99.1	0.8	0.0	0.1	99.3	0.7	0.0	0.0	97.4	2.4	0.1	0.1
Wisconsin	99.4	0.6	0.0	0.1	99.4	0.5	0.0	0.0	97.6	2.2	0.1	0.1
WEST NORTH CENTRAL												
Minnesota	99.1	0.7	0.1	0.1	99.2	0.7	0.1	0.1	97.5	1.4	0.3	0.8
Iowa	98.8	1.1	0.0	0.0	98.9	1.1	0.0	0.0	96.9	3.1	0	0
Missouri	95.1	4.1	0.6	0.2	95.8	3.7	0.3	0.2	90.1	6.5	3.1	0.3
North Dakota	99.1	0.6	0.1	0.2	99.2	0.6	0.1	0.1	95.9	1.3	1.9	0.9
South Dakota	98.6	0.8	0.5	0.2	98.8	0.8	0.3	0.1	95.2	0.6	2.6	1.7
Nebraska	99.1	0.8	0.0	0.1	99.2	0.8	0	0.0	97.6	1.6	0.3	0.4
Kansas	99.0	1.0	0.0	0.0	99.2	0.8	0.0	0.0	95.8	4.0	0.1	0.1
SOUTH ATLANTIC												
Delaware	96.5	1.0	2.4	0.1	98.9	0.6	0.5	0.0	84.9	2.6	12.2	0.3
Maryland	96.0	2.1	1.4	0.5	98.0	1.5	0.3	0.2	88.6	4.4	5.6	1.4
District of Columbia	98.7	1.1	0.0	0.2	99.4	0.5	0.0	0.1	98.1	1.7	0.0	0.2
Virginia	87.0	4.6	8.0	0.4	95.6	3.2	1.1	0.1	82.2	8.7	28.0	1.1
West Virginia	90.6	7.3	1.6	0.5	91.1	6.9	1.5	0.5	81.6	14.1	4.0	0.3
North Carolina	85.1	6.0	8.8	0.2	97.2	2.1	0.6	0.1	60.8	13.7	25.1	0.4
South Carolina	74.1	7.1	18.3	0.5	96.6	2.7	0.5	0.2	45.6	12.7	40.8	0.8
Georgia	83.1	2.9	13.0	1.0	97.8	1.3	0.8	0.1	57.1	5.6	34.9	2.4
Florida	89.0	2.9	7.8	0.4	98.0	1.1	0.7	0.2	65.9	7.4	25.9	0.8
EAST SOUTH CENTRAL												
Kentucky	88.1	8.0	3.5	0.4	88.8	7.3	3.5	0.4	80.9	15.5	3.2	0.4
Tennessee	90.8	5.3	3.5	0.5	94.4	3.9	1.2	0.4	77.3	10.2	11.9	0.7
Alabama	76.0	6.0	17.5	0.5	93.9	4.5	1.5	0.2	48.1	8.5	42.5	0.8
Mississippi	61.2	9.4	28.9	0.4	95.2	3.8	0.9	0.2	34.9	13.8	50.6	0.7
WEST SOUTH CENTRAL												
Arkansas	78.4	9.4	11.5	0.7	92.6	5.9	0.8	0.7	46.4	17.2	35.5	0.8
Louisiana	92.9	1.5	5.5	0.1	98.7	0.8	0.5	0.0	84.0	2.7	13.1	0.1
Oklahoma	95.2	3.2	1.1	0.5	96.9	2.6	0.2	0.3	83.2	7.5	7.0	2.4
Texas	89.1	4.3	6.0	0.6	90.7	4.0	4.8	0.5	79.7	5.6	13.7	0.9
MOUNTAIN												
Montana	99.0	0.4	0.5	0.1	99.2	0.4	0.4	0.1	96.6	0.8	2.1	0.6
Idaho	99.0	0.7	0.1	0.2	99.0	0.7	0.1	0.2	98.4	1.0	0.3	0.3
Wyoming	99.3	0.4	0.1	0.2	99.4	0.3	0.1	0.1	95.6	1.1	1.5	1.8
Colorado	97.7	1.5	0.4	0.4	97.6	1.6	0.4	0.4	98.4	0.6	0.1	0.8
New Mexico	86.8	6.5	4.8	1.8	86.8	7.0	5.0	1.2	86.5	2.1	2.8	8.5
Arizona	95.0	1.7	1.9	1.3	96.0	1.7	1.7	0.6	89.7	1.3	3.5	5.5
Utah	98.9	0.6	0.0	0.5	99.1	0.6	0.0	0.3	90.1	1.2	0.4	8.2
Nevada	99.3	0.5	0.0	0.2	99.6	0.3	0	0.1	96.9	1.8	0.3	1.0
PACIFIC												
Washington	99.4	0.5	0.0	0.1	99.4	0.5	0.0	0.1	98.1	1.3	0.2	0.4
Oregon	99.2	0.5	0.0	0.3	99.2	0.5	0.0	0.3	97.9	1.4	0.5	0.2
California	98.7	1.0	0.0	0.3	98.7	0.9	0.0	0.3	98.0	1.4	0.0	0.6

[1]It is assumed that all births in hospitals or institutions are attended by physicians.

Table A M. Ratio of Illegitimate Live Births by Color: 35 Reporting States, 1953-55

(By place of residence. Includes only births occurring within the reporting area. Ratios are illegitimate births per 1,000 total live births in specified group. Ratios for frequencies less than 20 are underlined)

AREA	1955			1954[1]			1953[1]		
	Total	White	Non-white	Total	White	Non-white	Total	White	Non-white
TOTAL	50.2	18.6	212.4	34.9	12.8	167.6	45.6	16.9	199.6
Alabama	106.2	13.2	251.6	102.9	13.9	244.7	95.2	13.2	226.2
Delaware	69.4	18.6	323.1	75.1	21.9	319.1	73.7	22.6	316.5
District of Columbia	165.8	43.3	266.9	161.1	44.0	268.7	146.5	40.9	256.3
Florida	87.6	21.5	256.6	82.3	18.9	250.8	82.2	19.2	249.0
Georgia	95.0	15.1	237.4	90.9	15.4	225.7	88.0	13.7	217.3
Illinois	48.3	17.9	234.9	45.3	17.7	225.7	42.2	17.5	217.3
Indiana	29.4	18.9	162.5	28.0	18.9	148.5	24.6	16.4	138.0
Iowa	18.9	17.2	155.2	16.6	14.8	178.0	15.4	14.2	119.9
Kansas	20.4	13.9	135.8	17.7	11.5	136.1	17.5	11.6	136.3
Kentucky	41.9	25.4	223.0	39.9	24.7	216.7	37.2	22.7	208.5
Louisiana	80.9	13.3	183.6	82.6	11.7	191.3	81.6	12.6	188.9
Maine	31.2	30.9	72.8	29.7	29.2	125.0	27.4	27.3	66.7
Michigan	30.4	17.1	139.0	29.6	16.5	138.1	26.4	14.9	129.7
Minnesota	21.8	18.7	209.0	21.3	18.5	204.9	19.1	16.7	182.5
Mississippi	123.8	10.3	211.7	118.9	9.5	207.2	115.6	10.0	198.8
Missouri	45.9	17.3	250.6	42.6	15.1	246.5	39.8	16.4	228.6
Montana	23.3	15.1	156.5	23.2	13.3	199.1	18.3	11.5	149.9
Nevada	28.5	17.4	115.8	28.7	17.2	126.2	21.1	11.5	108.5
New Jersey	25.9	11.6	140.1	23.8	11.4	131.0	23.4	11.0	135.1
North Carolina	88.2	21.8	221.6	86.1	21.2	216.6	83.7	20.7	209.2
North Dakota	18.1	14.7	142.2	18.6	14.8	154.2	20.2	6.3	168.9
Ohio	34.8	19.9	173.7	33.0	19.4	161.3	31.8	18.6	162.2
Oregon	22.8	19.7	128.6	24.8	22.2	124.7	18.4	15.9	112.0
Pennsylvania	37.3	20.0	206.4	36.0	20.3	196.6	34.6	19.5	199.5
Rhode Island	19.0	15.4	144.8	21.5	18.1	142.9	18.5	15.4	128.6
South Carolina	112.9	17.4	233.6	106.4	17.1	220.5	97.2	16.8	200.5
South Dakota	21.4	13.3	179.3	20.3	13.4	144.1	18.6	11.9	141.6
Tennessee	72.6	23.8	254.1	72.6	24.7	251.2	67.4	22.1	240.3
Texas	41.4	17.4	188.2	38.8	15.3	185.8	33.1	11.4	175.2
Utah	9.2	8.2	59.8	8.5	7.8	43.1	9.8	9.2	40.0
Virginia	72.1	22.1	216.5	70.7	21.3	214.7	69.4	22.4	209.3
Washington	21.2	17.9	89.3	20.3	17.0	94.5	19.4	16.7	86.1
West Virginia	54.9	44.8	219.3	56.4	45.6	230.2	50.6	41.5	183.3
Wisconsin	17.7	14.6	116.2	18.6	15.5	125.9	17.1	14.4	117.2
Wyoming	17.3	14.4	105.8	15.9	14.1	76.3	14.8	12.4	102.6

[1]Based on a 50-percent sample of births.

Table AN. Estimated Number of Illegitimate Live Births by Color, and Illegitimacy Rates and Ratios: United States, 1940-55

(Includes only births occurring within the continental United States. Estimates were rounded to the nearest hundred without being adjusted to group totals which were independently rounded)

YEAR	NUMBER			Rate[1]	RATIO[2]		
	Total	White	Non-white		Total	White	Non-white
1955	183,300	64,200	119,200	19.3	45.3	18.6	202.4
1954[3]	176,600	62,700	113,900	18.3	44.0	18.2	198.5
1953[3]	160,800	56,600	104,200	17.0	41.2	16.9	191.1
1952[3]	150,300	54,100	96,200	15.6	39.1	16.3	183.4
1951[3]	146,500	52,600	93,900	15.2	39.1	16.3	182.8
1950	141,600	53,500	88,100	14.2	39.8	17.5	179.6
1949	133,200	53,500	79,700	13.4	37.4	17.3	167.5
1948	129,700	54,800	74,900	12.7	36.7	17.8	164.7
1947	131,900	60,500	71,500	12.1	35.7	18.5	168.0
1946	125,200	61,400	63,800	11.0	38.1	21.1	170.1
1945	117,400	56,400	60,900	10.0	42.9	23.6	179.3
1944	105,200	49,600	55,600	8.9	37.6	20.2	163.4
1943	98,100	42,800	55,400	8.2	33.4	16.5	162.6
1942	96,500	42,000	54,500	7.9	34.3	16.9	169.2
1941	95,700	41,900	53,800	7.7	38.1	19.0	174.5
1940	89,500	40,300	49,200	7.1	37.9	19.5	168.3

[1]Per 1,000 unmarried female population aged 15-44 years, enumerated as of April 1 for 1940 and 1950 and estimated as of July 1 for all other years.
[2]Per 1,000 total live births in specified group.
[3]Based on a 50-percent sample of births.

Table AO. Estimated Number and Ratio of Illegitimate Live Births, by Age of Mother and Color: United States, 1955

(Includes only births occurring within the continental United States. Estimates were rounded to the nearest hundred without being adjusted to group totals which were independently rounded. Ratios per 1,000 total live births in specified group)

AGE OF MOTHER	NUMBER			RATIO		
	Total	White	Non-white	Total	White	Non-white
TOTAL	183,300	64,200	119,200	45.3	18.6	202.4
Under 15 years	3,900	900	3,000	662.9	421.3	800.6
15-19 years	68,900	23,700	45,300	142.3	63.6	406.6
15-17 years	34,700	10,600	24,200	231.8	102.4	523.6
18 and 19 years	34,200	13,100	21,100	102.3	48.7	323.6
20-24 years	55,700	21,000	34,700	43.7	19.3	199.4
25-29 years	28,000	9,100	18,900	25.0	9.3	133.4
30-34 years	16,100	5,400	10,700	22.3	8.5	119.9
35-39 years	8,300	3,000	5,300	24.0	10.0	117.1
40 years and over	2,400	1,000	1,400	25.9	12.5	108.6

Table AP. Distribution of Registered Live Births by Birth Weight, by Color: United States and Each Geographic Division, 1955

(By place of residence. Includes only births occurring within the continental United States. Figures for birth weight not stated are distributed)

AREA AND COLOR	Median weight in grams[1]	PERCENT DISTRIBUTION BY BIRTH WEIGHT[2]											
		Total	1,000 grams or less	1,001-1,500 grams	1,501-2,000 grams	2,001-2,500 grams	2,500 grams or less	2,501-3,000 grams	3,001-3,500 grams	3,501-4,000 grams	4,001-4,500 grams	4,501-5,000 grams	5,001 grams or more
UNITED STATES[3]	3,310	100.0	0.6	0.7	1.4	5.0	7.7	18.4	38.1	26.8	7.4	1.4	0.2
White	3,330	100.0	0.5	0.6	1.3	4.6	6.9	17.5	38.4	27.9	7.7	1.4	0.2
Nonwhite	3,190	100.0	0.9	1.1	2.3	7.6	11.8	23.7	36.6	20.6	5.5	1.6	0.3
New England[3]	3,320	100.0	0.5	0.6	1.3	4.6	7.0	17.9	38.8	27.4	7.4	1.4	0.2
White	3,320	100.0	0.4	0.6	1.3	4.6	6.9	17.8	38.9	27.5	7.4	1.4	0.2
Nonwhite	3,140	100.0	2.7	0.5	1.5	5.8	10.6	29.3	34.9	19.8	4.4	1.1	0
Middle Atlantic	3,280	100.0	0.6	0.6	1.4	5.2	7.9	19.7	39.1	25.6	6.5	1.1	0.1
White	3,300	100.0	0.5	0.6	1.3	4.8	7.1	18.9	39.3	26.6	6.8	1.2	0.1
Nonwhite	3,100	100.0	1.5	1.3	2.7	9.0	14.4	27.1	37.6	17.0	3.3	0.6	0.1
East North Central	3,330	100.0	0.6	0.6	1.4	4.7	7.3	17.6	37.9	27.7	7.9	1.4	0.2
White	3,350	100.0	0.5	0.6	1.3	4.3	6.7	16.7	37.9	28.8	8.4	1.5	0.2
Nonwhite	3,130	100.0	1.2	1.2	2.7	7.8	12.8	26.2	38.3	18.2	3.8	0.7	0.1
West North Central	3,360	100.0	0.5	0.6	1.2	4.3	6.5	16.1	37.4	29.4	8.7	1.6	0.2
White	3,370	100.0	0.5	0.5	1.1	4.1	6.2	15.6	37.4	30.0	8.9	1.6	0.2
Nonwhite	3,160	100.0	1.1	1.2	2.2	7.7	12.3	24.7	37.5	20.0	4.3	1.1	0.2
South Atlantic	3,290	100.0	0.6	0.7	1.6	5.6	8.4	19.2	37.7	25.8	7.1	1.6	0.2
White	3,320	100.0	0.5	0.6	1.3	4.8	7.3	17.9	38.5	27.5	7.4	1.3	0.2
Nonwhite	3,230	100.0	0.7	1.0	2.1	7.3	11.1	22.3	35.7	22.0	6.4	2.1	0.4
East South Central	3,320	100.0	0.5	0.7	1.5	5.3	8.0	18.0	36.5	26.9	8.2	2.0	0.3
White	3,360	100.0	0.4	0.6	1.3	4.6	6.9	16.4	36.9	29.0	8.7	1.8	0.3
Nonwhite	3,240	100.0	0.7	1.0	1.9	7.1	10.7	21.9	35.5	22.1	7.1	2.3	0.4
West South Central	3,310	100.0	0.6	0.7	1.5	5.2	7.9	18.2	37.7	26.9	7.5	1.6	0.2
White	3,340	100.0	0.5	0.6	1.3	4.6	6.9	17.1	38.2	28.3	7.9	1.5	0.2
Nonwhite	3,220	100.0	0.9	1.1	2.3	7.4	11.7	22.6	35.7	21.7	6.1	1.9	0.3
Mountain	3,240	100.0	0.5	0.6	1.6	5.9	8.6	21.7	39.8	23.6	5.4	0.8	0.1
White	3,250	100.0	0.5	0.6	1.5	5.8	8.4	21.4	39.9	23.8	5.5	0.8	0.1
Nonwhite	3,180	100.0	0.6	0.8	1.8	7.3	10.5	25.4	38.8	20.1	4.2	0.9	0.2
Pacific	3,310	100.0	0.6	0.6	1.4	4.7	7.3	17.9	38.8	27.4	7.3	1.2	0.1
White	3,330	100.0	0.6	0.6	1.3	4.5	6.9	17.4	38.7	28.0	7.6	1.2	0.2
Nonwhite	3,180	100.0	0.8	1.0	2.2	7.1	11.1	24.1	39.6	20.0	4.4	0.7	0.1

[1]Computed to nearest 10 grams on basis of exact conversion of interval limits from pounds and ounces.
[2]The equivalents of the gram weights in terms of pounds and ounces are as follows:

1,000 grams or less = 2 lb. 3 oz. or less
1,001-1,500 grams = 2 lb. 4 oz.-3 lb. 4 oz.
1,501-2,000 grams = 3 lb. 5 oz.-4 lb. 6 oz.
2,001-2,500 grams = 4 lb. 7 oz.-5 lb. 8 oz.
2,500 grams or less = 5 lb. 8 oz. or less
2,501-3,000 grams = 5 lb. 9 oz.-6 lb. 9 oz.
3,001-3,500 grams = 6 lb. 10 oz.-7 lb. 11 oz.
3,501-4,000 grams = 7 lb. 12 oz.-8 lb. 13 oz.
4,001-4,500 grams = 8 lb. 14 oz.-9 lb. 14 oz.
4,501-5,000 grams = 9 lb. 15 oz.-11 lb. 0 oz.
5,001 grams or more = 11 lb. 1 oz. or more.

[3]Excludes births to residents of Connecticut and Massachusetts since birth weight data were not available for births that occurred in these States.

Table AQ. Distribution of Registered Live Births by Birth Weight, by Age of Mother, Sex of Child, and Color: United States, 1955

(Includes only births occurring within the continental United States. Births to residents of Connecticut and Massachusetts are excluded since birth weight data for these births were not available. Figures for birth weight not stated are distributed. Percents for frequencies less than 20 are underlined)

AGE OF MOTHER,[1] SEX OF CHILD, AND COLOR	Median weight in grams[2]	PERCENT DISTRIBUTION BY BIRTH WEIGHT[3]											
		Total	1,000 grams or less	1,001-1,500 grams	1,501-2,000 grams	2,001-2,500 grams	2,500 grams or less	2,501-3,000 grams	3,001-3,500 grams	3,501-4,000 grams	4,001-4,500 grams	4,501-5,000 grams	5,001 grams or more
TOTAL	3,310	100.0	0.6	0.7	1.4	5.0	7.7	18.4	38.1	26.8	7.4	1.4	0.2
Under 15 years	3,090	100.0	1.5	1.9	3.1	9.8	16.3	26.6	36.4	17.2	3.1	0.4	0.0
15-19 years	3,230	100.0	0.7	0.9	1.9	6.2	9.7	21.5	39.7	23.4	5.0	0.7	0.1
20-24 years	3,290	100.0	0.5	0.6	1.4	5.0	7.5	19.4	39.7	26.0	6.3	1.0	0.1
25-29 years	3,320	100.0	0.5	0.6	1.3	4.7	7.0	17.8	38.3	27.5	7.7	1.5	0.2
30-34 years	3,350	100.0	0.6	0.6	1.4	4.7	7.2	16.7	36.3	28.6	8.9	1.9	0.3
35-39 years	3,370	100.0	0.6	0.7	1.6	5.1	8.0	16.2	34.3	28.7	9.9	2.4	0.4
40-44 years	3,390	100.0	0.5	0.7	1.7	5.5	8.4	15.9	32.7	28.6	10.8	3.1	0.6
45 years and over	3,390	100.0	0.4	0.8	1.6	5.7	8.5	15.6	32.5	27.7	11.1	3.5	1.0
Male	3,370	100.0	0.6	0.7	1.4	4.4	7.0	15.7	36.3	29.7	9.2	1.9	0.3
Under 15 years	3,130	100.0	1.4	2.3	2.8	8.8	15.3	23.7	38.0	18.9	3.6	0.5	0.0
15-19 years	3,280	100.0	0.7	0.9	1.9	5.6	9.1	18.6	38.5	26.4	6.3	1.0	0.1
20-24 years	3,350	100.0	0.5	0.6	1.3	4.3	6.8	16.5	38.1	29.1	8.0	1.4	0.1
25-29 years	3,390	100.0	0.5	0.6	1.2	4.0	6.3	15.0	36.4	30.5	9.6	2.0	0.2
30-34 years	3,430	100.0	0.5	0.6	1.3	4.2	6.6	14.3	34.3	31.1	10.9	2.5	0.4
35-39 years	3,440	100.0	0.6	0.7	1.5	4.6	7.4	14.0	32.2	30.8	11.9	3.1	0.6
40-44 years	3,460	100.0	0.5	0.7	1.6	4.9	7.7	13.9	30.7	30.4	12.7	3.8	0.8
45 years and over	3,460	100.0	0.5	0.7	1.7	4.7	7.7	14.0	30.6	29.5	12.6	4.3	1.4
Female	3,250	100.0	0.6	0.6	1.5	5.7	8.4	21.3	40.0	23.8	5.5	0.9	0.1
Under 15 years	3,030	100.0	1.6	1.6	3.4	10.8	17.4	29.6	34.7	15.3	2.5	0.4	0.0
15-19 years	3,180	100.0	0.6	0.9	1.9	6.9	10.3	24.5	40.9	20.1	3.6	0.5	0.0
20-24 years	3,230	100.0	0.5	0.6	1.4	5.7	8.2	22.5	41.5	22.7	4.5	0.6	0.1
25-29 years	3,260	100.0	0.5	0.6	1.3	5.3	7.7	20.8	40.3	24.4	5.7	0.9	0.1
30-34 years	3,290	100.0	0.6	0.6	1.4	5.3	7.9	19.3	38.5	25.9	6.9	1.3	0.2
35-39 years	3,310	100.0	0.6	0.7	1.6	5.6	8.6	18.5	36.5	26.6	7.8	1.7	0.3
40-44 years	3,330	100.0	0.6	0.7	1.8	6.1	9.2	17.9	34.6	26.8	8.8	2.3	0.4
45 years and over	3,330	100.0	0.2	0.9	1.6	6.7	9.4	17.2	34.6	25.9	9.6	2.8	0.6
WHITE	3,330	100.0	0.5	0.6	1.3	4.6	6.9	17.5	38.4	27.9	7.7	1.4	0.2
Male	3,390	100.0	0.5	0.6	1.2	4.0	6.4	14.8	36.3	30.8	9.6	1.9	0.2
Female	3,270	100.0	0.5	0.6	1.3	5.2	7.5	20.4	40.6	24.9	5.7	0.9	0.1
Under 15 years	3,210	100.0	1.0	1.6	2.9	7.7	13.2	20.5	38.2	23.5	4.0	0.5	0.1
15-19 years	3,270	100.0	0.6	0.8	1.7	5.3	8.3	19.4	40.5	25.5	5.5	0.7	0.1
20-24 years	3,310	100.0	0.4	0.6	1.2	4.5	6.8	18.4	40.0	27.1	6.6	1.0	0.1
25-29 years	3,340	100.0	0.5	0.5	1.1	4.3	6.5	17.2	38.5	28.4	7.9	1.4	0.2
30-34 years	3,370	100.0	0.5	0.6	1.2	4.4	6.7	16.3	36.5	29.3	9.2	1.8	0.3
35-39 years	3,380	100.0	0.6	0.7	1.5	4.8	7.5	15.8	34.5	29.4	10.1	2.3	0.4
40-44 years	3,400	100.0	0.5	0.7	1.6	5.3	8.0	15.5	32.8	29.1	11.0	2.9	0.6
45 years and over	3,400	100.0	0.2	0.8	1.7	5.5	8.3	15.3	32.2	28.6	11.1	3.5	1.0
NONWHITE	3,190	100.0	0.9	1.1	2.3	7.6	11.8	23.7	36.6	20.6	5.5	1.6	0.3
Male	3,250	100.0	0.9	1.0	2.1	6.6	10.7	21.0	36.6	23.0	6.5	1.9	0.3
Female	3,130	100.0	0.9	1.1	2.4	8.5	13.0	26.5	36.7	18.1	4.4	1.2	0.2
Under 15 years	3,020	100.0	1.8	2.1	3.2	10.9	17.9	30.0	35.5	13.6	2.6	0.4	0
15-19 years	3,090	100.0	1.0	1.4	2.8	9.3	14.6	28.3	37.0	16.1	3.2	0.8	0.1
20-24 years	3,160	100.0	0.9	1.1	2.2	7.6	11.7	25.3	37.9	19.4	4.4	1.1	0.1
25-29 years	3,230	100.0	1.0	1.0	2.0	6.9	10.8	22.2	37.0	22.1	6.0	1.7	0.3
30-34 years	3,270	100.0	0.8	0.9	2.1	6.8	10.7	20.1	35.3	23.7	7.4	2.3	0.5
35-39 years	3,300	100.0	0.7	1.0	2.2	6.7	10.6	19.0	33.4	24.4	8.9	3.1	0.7
40-44 years	3,330	100.0	0.5	0.9	2.5	6.9	10.9	17.8	31.6	25.4	9.7	3.8	0.8
45 years and over	3,340	100.0	1.0	0.6	1.1	6.8	9.5	17.1	34.0	23.7	10.7	3.7	1.2

[1]Figures for age of mother not stated are included in group totals but are not distributed among age groups.
[2]Computed to nearest 10 grams on basis of exact conversion of interval limits from pounds and ounces.
[3]The equivalents of the gram weights in terms of pounds and ounces are as follows:

1,000 grams or less = 2 lb. 3 oz. or less
1,001-1,500 grams = 2 lb. 4 oz.-3 lb. 4 oz.
1,501-2,000 grams = 3 lb. 5 oz.-4 lb. 6 oz.
2,001-2,500 grams = 4 lb. 7 oz.-5 lb. 8 oz.
2,500 grams or less = 5 lb. 8 oz. or less
2,501-3,000 grams = 5 lb. 9 oz.-6 lb. 9 oz.
3,001-3,500 grams = 6 lb. 10 oz.-7 lb. 11 oz.
3,501-4,000 grams = 7 lb. 12 oz.-8 lb. 13 oz.
4,001-4,500 grams = 8 lb. 14 oz.-9 lb. 14 oz.
4,501-5,000 grams = 9 lb. 15 oz.-11 lb. 0 oz.
5,001 grams or more = 11 lb. 1 oz. or more.

Table A.R. Birth Rates: United States, Each Division and State, 1951-55

(By place of residence. Includes only births occurring within the continental United States. Rates are live births per 1,000 estimated midyear population in each area)

AREA	RATES BASED ON REGISTERED BIRTHS					RATES BASED ON BIRTHS ADJUSTED FOR UNDERREGISTRATION				
	1955	1954[1]	1953[1]	1952[1]	1951[1]	1955	1954[1]	1953[1]	1952[1]	1951[1]
UNITED STATES	24.6	24.9	24.6	24.7	24.5	25.0	25.3	25.0	25.1	24.9
White	23.6	23.9	23.7	23.9	23.6	23.8	24.1	24.0	24.1	23.9
Nonwhite	33.1	33.2	32.3	31.8	31.8	34.7	34.9	34.1	33.6	33.8
GEOGRAPHIC DIVISIONS										
New England	23.4	22.9	22.5	22.9	22.1	23.4	22.9	22.5	23.0	22.2
Middle Atlantic	21.9	21.9	21.7	21.9	21.6	22.0	22.0	21.8	22.0	21.7
East North Central	25.0	25.3	24.8	25.1	24.8	25.2	25.5	25.0	25.3	25.0
West North Central	24.4	24.7	24.6	24.8	24.8	24.6	24.8	24.7	25.0	25.0
South Atlantic	25.9	26.5	26.0	25.9	25.9	26.6	27.3	26.9	26.8	26.9
East South Central	26.1	26.6	26.2	26.3	26.7	26.6	27.3	26.9	27.0	27.6
West South Central	26.6	27.4	27.1	26.3	26.2	27.6	28.4	28.2	27.5	27.5
Mountain	28.3	28.9	29.0	29.2	28.8	29.1	29.8	29.9	30.1	29.8
Pacific	24.0	24.4	24.6	24.3	23.6	24.2	24.6	24.8	24.5	23.8
NEW ENGLAND										
Maine	24.7	25.1	24.6	24.0	23.7	24.9	25.3	24.8	24.2	23.9
New Hampshire	22.6	22.2	21.4	22.5	22.6	22.6	22.2	21.4	22.6	22.6
Vermont	25.3	24.9	24.8	24.7	24.0	25.3	24.9	24.9	24.8	24.1
Massachusetts	23.1	22.3	22.1	22.9	21.8	23.1	22.4	22.1	22.9	21.9
Rhode Island	21.9	22.4	21.4	21.6	21.8	21.9	22.4	21.4	21.6	21.8
Connecticut	23.9	23.1	22.8	22.8	21.6	23.9	23.2	22.8	22.8	21.6
MIDDLE ATLANTIC										
New York	21.4	21.2	21.0	21.5	21.0	21.5	21.3	21.1	21.6	21.1
New Jersey	22.8	22.7	22.0	21.8	21.1	22.9	22.8	22.0	21.8	21.2
Pennsylvania	22.3	22.5	22.4	22.7	22.6	22.4	22.6	22.5	22.8	22.7
EAST NORTH CENTRAL										
Ohio	25.0	25.2	24.8	25.6	25.1	25.1	25.3	24.9	25.7	25.3
Indiana	25.1	25.7	25.4	25.3	24.6	25.3	25.9	25.6	25.6	24.8
Illinois	23.7	23.8	23.0	23.1	23.0	23.9	23.9	23.2	23.3	23.2
Michigan	26.8	27.2	26.7	26.7	26.6	27.1	27.4	26.9	27.0	26.9
Wisconsin	25.0	25.3	25.1	25.6	25.6	25.0	25.4	25.2	25.7	25.7
WEST NORTH CENTRAL										
Minnesota	25.6	25.9	25.9	26.1	26.5	25.6	25.9	25.9	26.2	26.6
Iowa	23.9	23.7	23.6	24.3	25.2	24.0	23.8	23.7	24.4	25.4
Missouri	22.4	22.7	22.6	22.6	22.4	22.6	23.0	22.9	22.9	22.8
North Dakota	26.8	27.4	27.1	28.0	28.4	26.9	27.4	27.2	28.1	28.5
South Dakota	27.3	27.0	27.3	27.9	27.6	27.5	27.3	27.7	28.2	27.9
Nebraska	24.6	24.9	24.5	25.7	25.5	24.6	25.0	24.6	25.8	25.6
Kansas	25.7	26.4	26.3	25.4	24.2	25.8	26.5	26.4	25.5	24.4
SOUTH ATLANTIC										
Delaware	27.1	26.3	25.8	25.6	24.7	27.2	26.4	25.9	25.7	24.8
Maryland	24.7	25.5	24.9	25.1	24.6	24.9	25.6	25.1	25.3	24.8
District of Columbia	24.4	24.7	25.0	24.8	25.1	24.7	25.1	25.4	25.1	25.4
Virginia	26.4	27.2	26.1	25.5	25.7	26.8	27.7	26.6	26.0	26.3
West Virginia	22.3	23.4	23.3	24.6	25.2	22.8	24.0	24.1	25.5	26.4
North Carolina	26.6	27.2	26.7	26.8	26.8	27.3	28.0	27.5	27.7	27.7
South Carolina	27.5	28.7	28.3	28.2	27.8	29.8	31.2	30.8	30.9	30.7
Georgia	27.4	27.7	27.3	27.1	27.0	28.5	28.8	28.6	28.4	28.4
Florida	25.0	25.1	24.8	24.0	23.9	25.4	25.5	25.3	24.6	24.5
EAST SOUTH CENTRAL										
Kentucky	24.5	25.1	24.5	25.0	25.6	25.2	25.9	25.3	26.0	26.8
Tennessee	24.9	25.5	25.0	24.6	25.1	25.3	25.9	25.5	25.2	25.8
Alabama	26.3	26.8	26.7	27.0	27.3	27.0	27.6	27.5	27.8	28.3
Mississippi	29.7	30.3	29.7	29.5	29.9	30.2	30.8	30.2	30.1	30.5
WEST SOUTH CENTRAL										
Arkansas	23.2	24.0	23.5	23.5	23.7	25.5	26.5	26.1	26.2	26.7
Louisiana	29.4	29.9	29.3	28.5	29.1	30.2	30.8	30.3	29.5	30.2
Oklahoma	22.7	23.4	23.6	23.0	23.2	23.2	24.0	24.3	23.7	24.0
Texas	27.4	28.3	28.1	27.1	26.6	28.2	29.1	29.0	28.0	27.7
MOUNTAIN										
Montana	27.8	28.0	27.2	27.5	26.5	27.9	28.1	27.3	27.6	26.7
Idaho	27.8	28.7	28.3	28.8	27.9	28.0	29.0	28.6	29.2	28.2
Wyoming	27.6	30.0	29.8	27.5	27.6	27.8	30.3	30.0	27.8	27.8
Colorado	25.9	26.1	26.4	27.2	27.2	26.3	26.6	27.0	27.8	28.0
New Mexico	32.5	33.3	33.1	32.8	32.8	34.1	35.1	34.9	34.6	34.8
Arizona	27.8	28.8	28.8	29.2	28.5	29.5	31.3	31.3	31.8	31.0
Utah	31.2	30.8	32.3	32.5	32.2	31.5	31.1	32.6	32.8	32.5
Nevada	26.7	27.6	26.6	24.8	23.9	27.3	28.2	27.2	25.3	24.5
PACIFIC										
Washington	23.9	24.8	24.9	25.1	23.9	24.1	25.0	25.1	25.2	24.0
Oregon	23.0	23.5	24.6	25.0	23.8	23.2	23.6	24.8	25.2	24.0
California	24.2	24.5	24.5	24.1	23.5	24.4	24.7	24.7	24.3	23.7

[1]Based on a 50-percent sample of births.

Table A5. Minimum Periods of Gestation for Fetal Death Registration and Fetal Deaths by Period of Gestation: United States and Each State, 1955

(By place of occurrence. Includes only fetal deaths occurring within the continental United States)

AREA	Minimum period of gestation for fetal death registration	Total fetal deaths	PERIOD OF GESTATION[1]											
			Under 16 weeks	16-19 weeks	20-23 weeks	24-27 weeks	28-31 weeks	32-35 weeks	36 weeks	37-39 weeks	40 weeks	41-42 weeks	43 weeks and over	Not stated
UNITED STATES		91,907	19,407	3,347	7,470	7,101	7,695	8,113	5,257	6,582	17,647	1,592	691	7,005
Alabama	After 5 months	1,839	9	18	176	175	212	208	146	116	555	21	11	192
Arizona	Advanced to 5th month	465	1	7	43	46	40	57	38	48	154	17	4	10
Arkansas	Advanced to 5th month	720	5	18	49	54	83	57	53	35	193	11	3	159
California	Advanced to 5th month	4,410	2	31	432	508	571	620	333	522	1,150	122	74	45
Colorado	Any product of conception	2,146	[2]1,139	194	116	86	78	87	56	91	97	30	8	164
Connecticut	After not less than 20 weeks	724	-	2	83	65	80	86	48	94	198	16	6	46
Delaware	After at least 20 weeks	179	-	2	21	17	20	13	15	9	64	1	-	17
District of Columbia	After 5 months	584	4	4	53	48	65	64	30	56	94	21	5	140
Florida	Reached 20 weeks	1,660	-	-	146	183	201	215	177	144	510	28	17	39
Georgia	Any product of conception	4,287	[3]1,565	361	346	280	292	256	211	177	584	25	13	177
Idaho	After at least 20 weeks	206	-	1	10	10	22	24	16	32	28	10	-	53
Illinois	Advanced to 5th month	3,354	5	36	282	382	400	477	298	312	1,036	80	31	15
Indiana	After at least 20 weeks	1,678	5	9	139	150	193	181	114	138	487	34	17	211
Iowa	Reached 20 weeks	785	2	1	70	81	92	97	51	119	167	34	13	58
Kansas	After at least 20 weeks	765	1	7	80	72	89	121	61	87	179	31	9	28
Kentucky	After at least 20 weeks	1,135	-	4	94	90	130	124	121	77	293	18	7	177
Louisiana	After at least 20 weeks	1,675	2	22	119	197	257	231	149	173	452	23	15	35
Maine	Any product of conception	652	[4]189	51	42	36	36	31	27	46	100	9	-	85
Maryland	After at least 20 weeks[5]	1,142	42	19	111	109	139	147	71	104	272	34	23	71
Massachusetts	After at least 20 weeks[5]	1,569	---	---	---	---	---	---	---	---	---	---	---	1,569
Michigan	Advanced to 5th month	3,057	5	22	258	342	362	408	268	304	828	83	33	144
Minnesota	After at least 20 weeks	1,165	2	9	76	101	125	159	72	146	246	48	19	162
Mississippi	Any product of conception	2,632	[6]605	191	254	198	238	140	121	81	639	16	3	146
Missouri	After at least 20 weeks	1,663	10	22	207	192	164	172	138	169	444	36	19	90
Montana	After at least 20 weeks	223	-	6	17	15	29	33	23	15	50	3	5	27
Nebraska	Advanced to 5th month	481	-	6	42	54	53	71	25	59	89	19	7	56
Nevada	After at least 20 weeks	102	-	2	9	11	14	11	11	11	22	1	-	10
New Hampshire	Reached 20 weeks	222	-	-	13	32	20	28	23	43	41	9	3	10
New Jersey	After at least 20 weeks	2,046	19	32	189	200	235	239	133	209	558	71	26	135
New Mexico	After at least 20 weeks	427	-	6	29	34	38	51	32	53	115	8	5	56
New York (excl. N. Y. C.)	After at least 20 weeks	2,787	7	22	301	274	312	385	224	406	672	110	45	29
New York City	Any product of conception	20,319	[7]14,701	1,206	996	490	390	388	194	369	700	126	64	695
North Carolina	Advanced to 5th month	2,384	-	9	175	261	268	306	169	182	865	15	14	120
North Dakota	Reached 20 weeks	246	1	5	16	22	22	27	26	39	75	8	1	4
Ohio	At least 4½ months	3,796	14	117	464	381	416	454	301	353	779	91	39	387
Oklahoma[8]	After at least 20 weeks	746	3	4	43	77	82	99	2	16	299	1	-	120
Oregon	Any product of conception	1,285	[8]526	115	113	69	45	63	53	65	80	14	4	138
Pennsylvania	After 16 weeks	5,044	19	577	679	465	483	500	345	445	1,082	96	49	304
Rhode Island	Completed 6 months	297	2	4	18	26	23	44	17	22	123	2	5	11
South Carolina	Reached 20 weeks	1,325	4	8	63	117	123	133	143	70	426	9	4	225
South Dakota	Any product of conception	847	[10]439	96	46	34	32	37	21	33	65	8	2	34
Tennessee	After at least 20 weeks	1,539	-	1	164	145	201	192	109	130	568	21	8	-
Texas	Advanced to 5th month	3,924	4	40	366	440	424	421	343	392	941	87	28	438
Utah	Advanced to 5th month	316	1	1	40	25	20	30	14	26	65	15	3	76
Vermont	Any product of conception	246	[11]66	11	22	10	17	20	11	22	29	7	1	30
Virginia	Reached 20 weeks	1,804	2	26	205	183	205	229	174	160	504	29	16	71
Washington	After at least 20 weeks	841	2	8	61	109	108	113	87	106	172	19	3	53
West Virginia	Advanced to 5th month[12]	809	4	14	63	63	87	85	67	62	227	14	6	117
Wisconsin	After at least 20 weeks	1,247	-	-	114	138	150	169	90	200	304	57	21	4
Wyoming	After at least 20 weeks	112	-	-	15	4	9	10	6	14	26	4	2	22

[1]Period of gestation reported in months allocated to gestation intervals in weeks as follows: 1-3 months to "Under 16 weeks"; 4 months to "16-19 weeks"; 5 months to "20-23 weeks"; 6 months to "24-27 weeks"; 7 months to "28-31 weeks"; 8 months to "32-35 weeks"; 9 months to "40 weeks"; 10 months to "43 weeks and over."
[2]Under 16 weeks of gestation distributed as follows: Under 4 weeks, 56; 4-7 weeks, 180; 8-11 weeks, 544; 12-15 weeks, 359.
[3]Under 16 weeks of gestation distributed as follows: Under 4 weeks, 66; 4-7 weeks, 263; 8-11 weeks, 663; 12-15 weeks, 573.
[4]Under 16 weeks of gestation distributed as follows: Under 4 weeks, 4; 4-7 weeks, 22; 8-11 weeks, 95; 12-15 weeks, 68.
[5]In Maryland, further specified that at 20 weeks, "fetus averages 10 inches in length, and 9 ounces in weight."
[6]Under 16 weeks of gestation distributed as follows: Under 4 weeks, 23; 4-7 weeks, 87; 8-11 weeks, 269; 12-15 weeks, 226.
[7]Under 16 weeks of gestation distributed as follows: Under 4 weeks, 495; 4-7 weeks, 2,308; 8-11 weeks, 7,856; 12-15 weeks, 4,042.
[8]Fetal death certificate used in this State required the reporting of period of gestation in months.
[9]Under 16 weeks of gestation distributed as follows: Under 4 weeks, 20; 4-7 weeks, 81; 8-11 weeks, 251; 12-15 weeks, 174.
[10]Under 16 weeks of gestation distributed as follows: Under 4 weeks, 13; 4-7 weeks, 57; 8-11 weeks, 218; 12-15 weeks, 151.
[11]Under 16 weeks of gestation distributed as follows: 4-7 weeks, 5; 8-11 weeks, 29; 12-15 weeks, 32.
[12]Also includes "or total length of 10 inches."

Table AT. Fetal Deaths and Fetal Death Ratios by Color: Birth-Registration States, 1922-55

(Includes only fetal deaths occurring within the registration area. Ratios per 1,000 live births in specified group. Beginning with 1933, area includes the entire continental United States)

YEAR	NUMBER			RATIO		
	Total	White	Non-white	Total	White	Non-white
ALL FETAL DEATHS REPORTED, REGARDLESS OF PERIOD OF GESTATION						
1955	91,907	69,174	22,733	22.7	20.0	38.6
1954	92,144	70,043	22,101	22.9	20.3	38.5
1953	86,313	65,636	20,677	22.1	19.6	37.9
1952	85,549	64,702	20,847	22.2	19.5	39.8
1951	84,696	64,629	20,067	22.6	20.0	39.1
1950	81,300	62,092	19,208	22.9	20.3	39.2
1949	81,489	62,599	18,890	22.9	20.3	39.7
1948	83,021	64,262	18,759	23.5	20.9	41.3
1947	87,831	69,013	18,818	23.7	21.1	44.2
1946	84,270	67,677	16,593	25.6	23.2	44.2
1945	72,854	57,690	15,164	26.6	24.1	44.6
1944	75,495	60,053	15,442	27.0	24.5	45.4
1943	78,485	62,776	15,709	26.7	24.2	46.2
1942	79,174	63,301	15,873	28.2	25.5	49.3
1941	75,133	58,467	16,666	29.9	26.5	54.0
1940	73,802	57,220	16,582	31.3	27.7	56.7
1939	72,598	55,892	16,706	32.0	28.2	59.0
1938	73,467	56,306	17,161	32.1	28.1	61.1
1937	73,609	56,242	17,367	33.4	29.2	63.2
1936	73,735	56,156	17,579	34.4	29.8	66.9
1935	77,119	58,767	18,352	35.8	31.1	68.7
1934	78,503	59,643	18,860	36.2	31.4	70.1
1933	77,059	58,749	18,310	37.0	32.2	71.1
1932	78,351	59,641	18,710	37.8	32.7	74.4
1931	80,616	62,417	18,199	38.2	33.4	74.1
1930	86,466	66,440	20,026	39.2	34.0	79.9
1929	85,678	66,124	19,554	39.5	34.4	79.7
1928	89,765	69,317	20,448	40.2	35.0	81.5
1927	82,931	67,056	15,875	38.8	34.8	74.8
1926	70,716	59,842	10,874	38.1	35.1	73.0
1925	71,519	60,762	10,757	38.1	35.1	73.1
1924	75,817	63,029	12,788	39.3	35.8	76.2
1923	69,757	59,089	10,668	38.9	35.9	71.8
1922	70,010	59,329	10,681	39.4	36.4	73.4
FETAL DEATHS OF GESTATIONS OF 20 WEEKS OR MORE, OR NOT STATED						
1955	69,153	52,411	16,742	17.1	15.2	28.4
1954	70,109	53,532	16,577	17.5	15.5	28.9
1953	69,393	53,252	16,141	17.8	15.9	29.6
1952	70,447	53,541	16,906	18.3	16.1	32.2
1951	70,569	54,071	16,498	18.8	16.7	32.1
1950	68,262	52,319	15,943	19.2	17.1	32.5
1949	70,584	54,114	16,470	19.8	17.5	34.6
1948	72,838	56,232	16,606	20.6	18.3	36.5
1947	77,917	61,072	16,845	21.1	18.7	39.6
1946	74,849	59,494	15,355	22.8	20.4	40.9
1945	65,513	51,242	14,271	23.9	21.4	42.0
1944	68,374	---	---	24.5	---	---
1943	71,873	---	---	24.5	---	---
1942	72,017	---	---	25.6	---	---

Table AU. Fetal Deaths and Fetal Death Rates by Age of Mother, Plurality of Birth, and Color: United States, 1955

(Includes only fetal deaths occurring within the continental United States for which the period of gestation was given as 20 weeks or more, or was not stated. Rates per 1,000 live births and fetal deaths in specified group)

AGE OF MOTHER AND PLURALITY	NUMBER			RATE[1]		
	Total	White	Non-white	Total	White	Non-white
TOTAL FETAL DEATHS	69,153	52,411	16,742	16.8	14.9	27.6
Age of mother						
Under 15 years	159	44	115	27.0	20.6	30.7
15-19 years	7,120	4,696	2,424	14.8	12.7	21.7
20-24 years	16,510	12,596	3,914	13.0	11.6	21.2
25-29 years	16,745	12,992	3,753	14.9	13.3	26.1
30-34 years	14,106	10,913	3,193	19.4	17.2	34.9
35-39 years	9,592	7,397	2,195	27.4	24.4	46.7
40-44 years	3,531	2,741	790	39.2	35.4	62.4
45 years and over	340	246	94	63.0	55.5	97.0
Not stated	1,050	786	264	...	...	...
Fetal Deaths in Plural Deliveries						
Twins	3,698	2,759	939	42.0	38.4	57.8
Triplets	125	74	51	102.1	81.1	163.5
Quadruplets	2	-	2	71.4	0	250.0
Fetal Deaths in Twin Deliveries by Age of Mother						
Under 15 years	11	4	7	177.4	153.8	194.4
15-19 years	381	257	124	61.2	57.0	72.1
20-24 years	946	714	232	42.0	39.2	53.8
25-29 years	982	751	231	39.0	36.1	52.3
30-34 years	771	581	190	38.5	34.7	57.9
35-39 years	468	355	113	42.6	39.0	59.8
40-44 years	93	68	25	42.2	37.6	64.1
45 years and over	13	7	6	151.2	100.0	375.0
Not stated	33	22	11	...	...	...

[1]Figures for age of mother not stated are distributed.

Table AV. Fetal Deaths and Fetal Death Ratios by Legitimacy Status, Age of Mother, and Color: 34 Reporting States, 1955

(By place of residence. Includes only fetal deaths occurring within the reporting area for which the period of gestation was given as 20 weeks or more, or was not stated. Ratios per 1,000 live births in specified group. Includes data for all States, except Rhode Island, reporting legitimacy status as shown in table AM)

AGE OF MOTHER AND COLOR	NUMBER			RATIO[2]		
	Total	Legitimate[1]	Illegitimate	Total	Legitimate[1]	Illegitimate
TOTAL	49,734	45,523	4,211	17.2	16.6	28.9
Under 15 years	132	33	99	28.1	22.3	30.8
15-19 years	5,548	4,264	1,284	15.4	14.0	23.1
20-24 years	11,945	10,888	1,057	13.2	12.6	24.6
25-29 years	11,739	11,074	665	15.2	14.7	31.2
30-34 years	9,902	9,344	558	20.1	19.4	46.1
35-39 years	6,896	6,547	349	28.9	28.2	55.0
40 years and over	2,832	2,697	135	43.0	42.2	71.9
Not stated	740	676	64	...	...	...
White	36,211	35,038	1,173	15.0	14.8	26.0
Under 15 years	34	14	20	21.2	15.1	29.3
15-19 years	3,504	3,148	356	13.0	12.5	21.2
20-24 years	8,792	8,496	296	11.6	11.4	20.6
25-29 years	8,787	8,614	173	13.3	13.1	28.5
30-34 years	7,379	7,217	162	17.4	17.2	45.8
35-39 years	5,077	4,980	97	25.0	24.8	47.9
40 years and over	2,102	2,058	44	37.9	37.6	66.2
Not stated	536	511	25	...	...	...
Nonwhite	13,523	10,485	3,038	28.6	28.2	30.2
Under 15 years	98	19	79	31.7	34.1	31.1
15-19 years	2,044	1,116	928	22.3	21.1	24.0
20-24 years	3,153	2,392	761	21.6	20.4	26.6
25-29 years	2,952	2,460	492	28.8	25.9	32.2
30-34 years	2,523	2,127	396	36.5	35.2	46.2
35-39 years	1,819	1,567	252	51.0	50.0	58.3
40 years and over	730	639	91	70.2	69.6	75.0
Not stated	204	165	39	...	...	...

[1]Includes legitimacy not stated.
[2]Figures for age of mother not stated are distributed.

Table AW. Fetal Deaths by Number of Children Previously Born Alive to Mother, Age of Mother, and Color: United States, 1955

(Includes only fetal deaths occurring within the continental United States for which the period of gestation was given as 20 weeks or more, or was not stated. Fetal deaths which occurred in Massachusetts are included in the "Not stated" classification for "Number of children previously born alive to mother" because this State did not require reporting on the item)

AGE OF MOTHER AND COLOR	Total	NUMBER OF CHILDREN PREVIOUSLY BORN ALIVE TO MOTHER									
		None	1	2	3	4	5	6	7	8 or more	Not stated
TOTAL	69,153	20,665	13,134	11,116	7,512	4,710	2,837	2,079	1,355	2,972	2,773
Under 15 years	159	149	6	1	-	-	-	-	-	-	3
15-19 years	7,120	5,215	1,310	326	76	11	2	4	-	-	176
20-24 years	16,510	6,895	4,251	2,644	1,268	548	167	69	28	21	619
25-29 years	16,745	4,042	3,659	3,306	2,185	1,332	774	441	208	167	631
30-34 years	14,106	2,298	2,310	2,726	2,156	1,376	890	681	436	691	542
35-39 years	9,592	1,263	1,195	1,583	1,295	1,020	677	605	455	1,139	360
40-44 years	3,531	383	286	431	428	347	273	243	199	809	132
45 years and over	340	31	21	26	28	34	23	25	19	117	16
Not stated	1,050	389	96	73	76	42	31	11	10	28	294
White	52,411	16,310	10,740	8,980	5,674	3,239	1,724	1,177	705	1,445	2,417
Under 15 years	44	44	-	-	-	-	-	-	-	-	-
15-19 years	4,696	3,628	751	151	25	5	-	-	-	-	136
20-24 years	12,596	5,707	3,422	1,904	707	235	49	17	6	8	541
25-29 years	12,992	3,394	3,164	2,719	1,619	858	371	174	68	55	570
30-34 years	10,913	1,869	2,021	2,352	1,755	1,014	550	375	205	295	477
35-39 years	7,397	1,033	1,038	1,394	1,106	791	496	396	265	554	324
40-44 years	2,741	332	246	374	374	281	224	191	143	455	121
45 years and over	246	26	18	23	26	28	16	19	13	65	12
Not stated	786	277	80	63	62	27	18	5	5	13	236
Nonwhite	16,742	4,355	2,394	2,136	1,838	1,471	1,113	902	650	1,527	356
Under 15 years	115	105	6	1	-	-	-	-	-	-	3
15-19 years	2,424	1,587	559	175	51	6	2	4	-	-	40
20-24 years	3,914	1,188	829	740	561	313	118	52	22	13	78
25-29 years	3,753	648	495	587	566	474	403	267	140	112	61
30-34 years	3,193	429	289	374	401	362	340	306	231	396	65
35-39 years	2,195	230	157	189	189	229	181	209	190	585	36
40-44 years	790	51	40	57	54	66	49	52	56	354	11
45 years and over	94	5	3	3	2	6	7	6	6	52	4
Not stated	264	112	16	10	14	15	13	6	5	15	58

Table AX. Fetal Death Rates by Number of Children Previously Born Alive to Mother, Age of Mother, and Color: United States, 1955

(Includes only fetal deaths occurring within the continental United States for which the period of gestation was given as 20 weeks or more, or was not stated. Rates per 1,000 live births and fetal deaths in specified group. Figures for "Not stated" classifications are distributed)

AGE OF MOTHER AND COLOR	Total	NUMBER OF CHILDREN PREVIOUSLY BORN ALIVE TO MOTHER							
		None	1	2	3	4	5	6 and 7	8 or more
TOTAL	16.8	18.8	12.4	14.5	16.9	19.6	21.2	27.4	37.4
Under 15 years	27.0	27.2	21.2	66.7	0	-	-	-	-
15-19 years	14.8	15.7	11.8	13.6	17.7	17.0	19.2	102.6	0
20-24 years	13.0	15.1	10.1	12.3	14.5	17.1	16.0	24.7	49.4
25-29 years	14.9	21.8	11.6	12.3	14.3	16.6	18.5	21.9	29.0
30-34 years	19.4	33.1	15.8	15.6	17.4	18.8	20.2	24.4	31.0
35-39 years	27.4	47.9	23.5	23.2	22.1	25.2	24.8	31.4	36.0
40-44 years	39.2	65.4	30.7	33.1	34.3	33.1	34.8	40.6	48.2
45 years and over	63.0	96.1	58.0	49.5	51.1	65.3	52.9	62.3	67.8
White	14.9	16.9	11.4	13.3	15.3	17.6	18.3	23.5	32.2
Under 15 years	20.6	21.2	0	0	-	-	-	-	-
15-19 years	12.7	13.6	9.6	11.2	14.0	23.9	0	0	0
20-24 years	11.6	13.8	9.3	11.0	11.8	13.4	10.7	17.5	65.6
25-29 years	13.3	19.8	10.8	11.2	12.7	14.8	14.6	16.7	26.4
30-34 years	17.2	29.5	14.9	14.5	15.8	16.5	16.5	19.7	26.6
35-39 years	24.4	43.4	22.1	21.8	20.6	22.2	22.0	26.5	29.6
40-44 years	35.4	62.2	28.7	30.8	32.5	29.6	32.7	37.6	40.6
45 years and over	55.5	90.6	54.3	48.1	53.5	61.9	43.5	54.9	53.0
Nonwhite	27.6	32.1	20.4	22.9	25.2	26.8	28.5	34.5	44.5
Under 15 years	30.7	30.8	26.3	76.9	0	-	-	-	-
15-19 years	21.7	24.6	17.4	16.7	20.4	13.7	24.4	142.9	0
20-24 years	21.2	28.9	17.1	18.0	20.5	21.6	20.3	28.4	42.9
25-29 years	26.1	45.8	23.3	24.1	23.0	21.5	24.6	27.0	30.5
30-34 years	34.9	69.5	29.4	32.0	32.8	31.1	32.0	33.0	35.5
35-39 years	46.7	91.6	42.9	43.0	39.5	48.5	38.8	46.2	45.5
40-44 years	62.4	101.1	56.6	66.1	56.7	67.7	49.9	54.6	64.0
45 years and over	97.0	142.9	103.4	63.8	32.3	90.9	111.1	96.3	103.1

430007 O - 57 - 6

Table A Y. Fetal Death Ratios by Color: United States, Each Division and State, 1951-55

(By place of residence. Includes only fetal deaths occurring within the continental United States for which the period of gestation was given as 20 weeks or more, or was not stated. Ratios per 1,000 live births in specified group. Ratios for frequencies less than 20 are underlined)

AREA	1955			1954			1953			1952			1951		
	Total	White	Non-white	Total	White	Non-white	Total	White	Non-white	Total	White	Non-white	Total	White	Non-white
UNITED STATES	17.1	15.2	28.4	17.5	15.5	28.9	17.8	15.9	29.6	18.3	16.1	32.2	18.8	16.7	32.1
GEOGRAPHIC DIVISIONS															
New England	15.0	14.8	23.2	14.6	14.4	20.1	15.6	15.5	20.0	14.9	14.6	24.6	16.0	15.8	24.4
Middle Atlantic	19.2	17.7	33.2	19.7	18.2	33.8	19.9	18.2	36.6	20.8	18.8	41.0	21.1	19.4	38.4
East North Central	15.5	14.6	22.7	15.9	15.0	24.3	16.4	15.8	24.6	16.5	15.6	25.7	17.1	16.2	27.5
West North Central	14.6	13.9	27.0	14.9	14.3	25.2	15.6	14.9	29.3	15.3	14.6	29.4	15.8	15.1	31.7
South Atlantic	19.9	15.4	30.4	20.2	15.7	30.8	19.9	15.5	30.1	21.5	16.3	33.6	22.2	17.5	33.2
East South Central	20.7	15.7	32.1	21.5	16.4	33.6	21.9	16.7	33.9	23.5	17.7	37.2	22.9	17.7	35.0
West South Central	16.8	14.1	26.8	17.3	14.9	26.5	18.0	15.5	28.3	18.5	15.8	29.0	19.8	16.9	30.8
Mountain	15.7	15.4	20.3	15.5	15.4	18.3	14.7	14.4	18.5	15.2	15.0	19.8	14.9	14.6	20.7
Pacific	14.1	13.5	20.7	14.4	13.9	19.5	14.8	14.4	20.3	14.7	14.3	20.5	14.6	14.2	20.0
NEW ENGLAND															
Maine[1]	18.7	18.6	26.5	15.8	15.8	26.8	17.5	17.4	44.4	17.4	17.4	35.7	16.6	16.6	0
New Hampshire	17.5	17.5	0	17.6	17.7	0	17.5	17.5	0	18.1	18.1	0	17.0	17.0	0
Vermont[1]	18.0	18.0	0	18.2	18.1	41.7	16.8	16.9	0	16.2	16.2	0	17.0	17.0	0
Massachusetts	14.1	13.8	22.0	13.9	13.8	17.5	15.4	15.3	20.2	13.9	13.6	26.7	16.3	16.0	28.9
Rhode Island	16.0	15.8	23.8	14.5	14.1	30.6	14.1	13.9	22.8	14.5	14.4	17.5	16.5	16.1	31.4
Connecticut	14.0	13.4	25.1	14.0	13.7	20.8	15.0	14.8	18.6	14.9	14.5	23.6	14.3	14.1	18.3
MIDDLE ATLANTIC															
New York	20.8	18.6	39.1	21.8	19.6	40.8	22.0	19.6	44.7	23.1	20.0	53.4	23.0	20.7	45.8
New Jersey	16.9	15.9	25.1	16.2	15.2	24.3	17.7	16.5	28.5	17.9	16.8	27.9	18.6	17.2	31.8
Pennsylvania	18.3	17.2	28.6	18.7	17.7	28.3	18.2	17.2	28.2	19.0	18.1	28.9	19.6	18.6	30.6
EAST NORTH CENTRAL															
Ohio	16.5	15.5	25.1	16.6	15.9	23.2	17.1	16.3	24.7	17.1	16.4	25.5	17.6	16.6	28.7
Indiana	15.3	14.5	25.7	15.8	14.9	27.8	15.2	14.5	25.3	14.7	13.8	29.1	16.5	15.6	31.8
Illinois	15.3	14.5	20.3	15.4	14.5	21.6	16.3	15.6	21.8	16.1	15.3	22.5	16.7	15.7	24.8
Michigan	15.5	14.7	22.6	17.0	15.7	27.7	17.5	16.3	28.4	18.2	17.0	29.3	18.3	17.3	28.6
Wisconsin	13.5	13.1	23.4	13.4	13.1	25.1	14.3	14.1	22.5	14.3	14.0	25.5	15.3	15.1	23.9
WEST NORTH CENTRAL															
Minnesota	14.1	14.0	18.8	13.9	13.8	18.7	15.0	14.9	25.0	14.7	14.6	26.0	15.8	15.6	31.3
Iowa	12.2	12.1	17.8	13.4	13.3	20.8	14.2	14.1	21.8	13.9	13.7	29.7	14.3	14.2	16.3
Missouri	16.7	14.8	30.2	17.2	15.8	27.6	17.8	15.9	33.2	17.8	16.3	30.4	18.4	16.5	35.1
North Dakota	13.9	13.9	12.9	14.3	13.8	31.3	14.1	13.8	25.1	14.0	13.8	21.7	15.3	15.0	27.5
South Dakota[1]	16.5	15.9	28.6	20.1	20.2	18.8	16.0	15.4	25.8	11.9	11.6	20.1	12.8	12.5	18.9
Nebraska	13.9	13.6	21.1	13.8	13.8	15.8	13.3	13.1	19.5	14.4	14.0	30.9	13.8	13.5	27.1
Kansas	14.7	14.2	24.5	13.2	12.6	24.5	15.8	15.5	23.0	15.5	14.8	31.4	16.1	15.4	29.9
SOUTH ATLANTIC															
Delaware	17.4	14.3	32.8	17.6	16.1	24.8	16.6	14.6	25.9	17.1	15.0	27.1	16.6	14.0	29.7
Maryland	16.9	15.1	23.3	17.7	15.2	27.0	16.7	14.4	25.1	18.0	15.4	28.1	17.4	15.5	24.5
District of Columbia	20.4	16.6	23.5	18.7	14.2	22.8	19.1	15.1	23.3	21.5	17.4	26.1	18.8	14.4	24.0
Virginia	19.7	15.6	31.3	20.0	16.5	30.4	20.4	17.0	30.6	22.6	18.0	36.3	22.9	18.4	35.7
West Virginia	17.5	17.3	21.4	18.4	18.2	21.3	19.7	19.3	25.2	21.6	20.8	33.9	22.5	21.7	36.1
North Carolina	20.5	15.2	31.2	20.5	15.2	31.2	19.9	15.1	29.5	22.4	15.7	35.7	23.4	18.0	33.8
South Carolina	21.0	13.1	30.9	21.6	13.9	31.4	22.9	14.7	33.4	24.5	14.9	36.7	25.8	16.2	37.3
Georgia[1]	23.1	16.5	35.0	23.4	16.8	35.3	20.1	14.1	30.5	20.5	14.1	31.8	22.1	16.5	31.5
Florida	18.8	14.9	28.9	18.5	13.9	30.6	19.6	14.6	32.7	20.7	15.9	33.3	22.1	16.6	36.2
EAST SOUTH CENTRAL															
Kentucky	15.3	14.4	25.2	16.9	16.2	25.4	17.9	17.0	28.7	17.8	17.0	26.6	17.3	16.4	29.2
Tennessee	17.8	15.4	26.5	18.4	16.0	27.1	18.5	15.9	28.5	20.0	17.6	29.9	20.3	17.9	30.0
Alabama	22.3	16.5	31.4	22.7	16.1	33.1	23.1	17.3	32.4	25.4	17.9	37.6	26.2	19.5	36.5
Mississippi[1]	28.7	18.2	36.9	29.7	18.6	38.7	29.1	16.8	38.7	31.9	18.9	41.9	28.4	17.2	36.7
WEST SOUTH CENTRAL															
Arkansas	17.0	13.2	25.6	16.9	13.9	23.5	17.3	13.8	25.7	16.1	13.2	23.5	18.1	15.8	24.2
Louisiana	19.2	13.8	27.3	19.1	13.7	27.5	21.3	15.0	31.1	21.6	15.9	30.3	22.9	16.1	33.0
Oklahoma	14.8	13.1	27.1	15.5	14.3	24.4	16.0	14.8	24.2	15.8	14.3	26.5	15.4	14.1	25.1
Texas	16.2	14.5	26.6	17.0	15.4	27.1	17.5	16.0	27.1	18.4	16.6	30.4	20.0	18.0	32.5
MOUNTAIN															
Montana	12.6	12.3	17.7	13.9	13.7	17.3	14.1	13.8	20.9	15.5	15.2	21.7	15.6	15.6	15.1
Idaho	12.3	12.1	22.6	12.8	12.9	3.4	11.7	11.8	8.2	13.8	13.6	24.1	13.0	12.8	25.7
Wyoming	12.5	12.7	7.3	11.9	11.6	19.1	15.0	14.9	17.1	14.3	14.4	11.9	15.2	14.9	24.0
Colorado[1]	19.9	19.9	19.7	18.4	18.1	27.6	14.3	14.2	19.2	15.7	15.5	22.6	14.8	14.8	16.1
New Mexico	16.6	16.3	18.9	16.7	16.8	16.0	17.3	17.4	17.1	17.8	17.5	21.1	17.1	16.3	25.3
Arizona	16.4	15.2	23.3	16.6	16.0	19.6	16.3	15.7	20.2	15.7	15.2	18.4	17.0	16.6	19.6
Utah	12.7	12.6	16.6	13.5	13.5	15.1	12.1	12.1	13.3	12.5	12.3	21.5	12.1	11.8	29.7
Nevada	15.6	15.4	16.9	13.3	13.8	9.7	18.4	18.5	17.4	16.1	16.2	15.1	12.8	12.5	15.9
PACIFIC															
Washington	13.3	12.9	23.1	13.6	13.3	20.4	14.0	13.6	23.9	14.1	14.0	16.3	14.9	14.9	13.5
Oregon[1]	16.7	16.4	27.2	18.7	18.7	21.5	19.1	19.0	26.0	15.9	15.7	25.2	13.3	13.0	26.1
California	14.0	13.3	20.3	14.0	13.4	19.4	14.4	13.9	19.7	14.7	14.1	20.7	14.7	14.2	20.4

[1]In recent years, certain States have required the reporting of all fetal deaths regardless of gestation period. The States are: Maine (1955), Vermont (latter part of 1951), South Dakota (1953), Georgia (1954), Mississippi (1952), Colorado (1954), and Oregon (latter part of 1952). For these States, and also for New York, where New York City has required registration of all fetal deaths for several years, inclusion of all fetal deaths for which gestation was not stated may result in comparative overstatement of fetal mortality. The following adjusted ratios for 1955 (except for New York), based on experience in years prior to adoption of total reporting, take account of this: Maine, 17.3; Vermont, 17.0; South Dakota, 16.6; Georgia, 21.9; Mississippi, 27.0; Colorado, 16.3, and Oregon, 14.3.

EXPLANATION OF THE COLUMNS OF THE LIFE TABLE

Column 1—Age interval (x to x + n).—The age interval, shown in column 1, is the interval between the two exact ages indicated. For instance, "20-25" means the 5-year interval between the 20th birthday and the 25th.

Column 2—Proportion dying ($_nq_x$).—This column shows the proportion dying during the indicated age interval among those alive on the birthday which marks the beginning of the interval. For example, the proportion dying in the age interval 20-25 for the total population is .0066. In other words, if the age-specific mortality rates prevailing in 1955 should continue in effect over a 5-year period, then, out of every 1,000 persons alive and exactly 20 years old at the beginning of the period 6.6 would die before reaching their 25th birthday. The "proportion dying" column forms the basis of the life table, all the other columns being derived from it.

Column 3—Number living (l_x).—This column shows the number of persons who survive to the exact age marking the beginning of each age interval out of a cohort of 100,000 live births, among whom the proportions dying in each age interval throughout their lives are exactly those shown in column 2. Thus, out of 100,000 babies born alive, 97,354 will complete the first year of life and enter the second; 96,921 will begin the sixth year; 95,996 will reach age 20; and 17,469 will live to age 85.

Column 4—Number dying ($_nd_x$).—This column shows the number dying in each successive age interval out of 100,000 live births. Out of 100,000 babies born alive 2,646 die in the first year of life, 433 in the succeeding 4 years, 635 in the 5-year period between exact ages 20 and 25, and 17,469 die after reaching age 85. Each figure in column 4 is the difference between two successive figures in column 3.

Columns 5 and 6—Stationary population ($_nL_x$ and T_x).—Suppose that a group of 100,000 individuals like that assumed in columns 3 and 4 is born every year, and that the proportions dying in each such group in each age interval throughout the lives of the members are exactly those shown in column 2. If there were no migration and if the births were evenly distributed over the calendar year, the survivors of these births would make up what is called a stationary population—stationary because in such a population the number of persons living in any given age group would never change. When an individual left the group, either by death or by growing older and entering the next higher age group, his place would immediately be taken by someone entering from the next lower age group. Thus, a census taken at any time in such a stationary community would always show the same total population and the same numerical distribution of that population among the various age groups. In such a stationary population supported by 100,000 annual births, column 3 shows the number of persons who, each year, reach the birthday which marks the beginning of the age interval indicated in column 1, while column 4 shows the number of persons who die each year in the indicated age interval.

Column 5 shows the number of persons in the stationary population in the indicated age interval. For example, the figure given for the total population in the age interval 20-25 is 478,429. This means that in a stationary population supported by 100,000 annual births and with proportions dying in each age group always in accordance with column 2, a census taken on any date would show 478,429 persons between exact ages 20 and 25.

Column 6 shows the total number of persons in the stationary population (column 5) in the indicated age interval and all subsequent age intervals. For example, in the stationary population referred to in the last illustration, column 6 shows that there would be at any given moment a total of 5,019,695 persons who have passed their 20th birthday. The population at all ages 0 and above (in other words, the total population of the stationary community) would be 6,953,799.

Column 7—Average remaining lifetime ($\mathring{e}_x$).—The average remaining lifetime (also called the complete expectation of life) at any age is the average number of years remaining to be lived by those surviving to that age, on the basis of a given set of age-specific rates of dying. In order to arrive at this value, it is first necessary to observe that the figures in column 5 of the life tables can also be interpreted in terms of a single life table cohort, without introducing the concept of the stationary population. From this point of view, each figure in column 5 represents the total time (in years) lived between the two indicated birthdays by all those reaching the earlier birthday among the survivors of a cohort of 100,000 live births. Thus, the figure 478,429 for the total population in the age interval 20-25 is the total number of years lived between the 20th and 25th birthdays by the 95,996 (column 3) who reach the 20th birthday out of 100,000 persons born alive. The corresponding figure in column 6 (5,019,695) is the total number of years lived after attaining age 20 by the 95,996 persons reaching that age. This number of years divided by the number of persons (5,019,695 divided by 95,996) gives 52.3 years as the average remaining lifetime of the total population at age 20.

Care must be exercised in drawing conclusions from the figures in column 7. For example, in table BA it is observed that the average lifetime of white persons is greater than that of nonwhite. However, one should not conclude that the oldest ages reached by white persons necessarily exceed those attained by the most long-lived nonwhite. The difference in the average length of life is due to the fact that a greater proportion of nonwhites die before reaching old age. For example, the number surviving at age 65 out of 100,000 born alive is far greater among whites than among nonwhites; yet the average length of life remaining at age 65 is about the same for both groups.

Table AZ. ABRIDGED LIFE TABLE FOR THE TOTAL POPULATION: UNITED STATES, 1955

AGE INTERVAL	PROPORTION DYING	OF 100,000 BORN ALIVE		STATIONARY POPULATION		AVERAGE REMAINING LIFETIME
Period of life between two exact ages stated in years	Proportion of persons alive at beginning of age interval dying during interval	Number living at beginning of age interval	Number dying during age interval	In the age interval	In this and all subsequent age intervals	Average number of years of life remaining at beginning of age interval
(1)	(2)	(3)	(4)	(5)	(6)	(7)
x to $x + n$	$_nq_x$	l_x	$_nd_x$	$_nL_x$	T_x	$\mathring{e}_x$
0-1	0.0265	100,000	2,646	97,670	6,953,799	69.5
1-5	.0045	97,354	433	388,370	6,856,129	70.4
5-10	.0024	96,921	236	483,972	6,467,759	66.7
10-15	.0024	96,685	232	482,887	5,983,787	61.9
15-20	.0047	96,453	457	481,205	5,500,900	57.0
20-25	.0066	95,996	635	478,429	5,019,695	52.3
25-30	.0068	95,361	648	475,219	4,541,266	47.6
30-35	.0082	94,713	773	471,722	4,066,047	42.9
35-40	.0121	93,940	1,138	467,035	3,594,325	38.3
40-45	.0185	92,802	1,717	460,011	3,127,290	33.7
45-50	.0294	91,085	2,682	449,139	2,667,279	29.3
50-55	.0458	88,403	4,048	432,488	2,218,140	25.1
55-60	.0675	84,355	5,693	408,283	1,785,652	21.2
60-65	.1017	78,662	8,000	374,126	1,377,369	17.5
65-70	.1562	70,662	11,040	326,753	1,003,243	14.2
70-75	.2142	59,622	12,771	267,102	676,490	11.3
75-80	.3146	46,851	14,738	197,588	409,388	8.7
80-85	.4560	32,113	14,644	122,861	211,800	6.6
85 and over	1.0000	17,469	17,469	88,939	88,939	5.1

Table B A. Abridged Life Tables by Color and Sex: United States, 1955

AGE INTERVAL	PROPORTION DYING	OF 100,000 BORN ALIVE		STATIONARY POPULATION		AVERAGE REMAINING LIFETIME
Period of life between two exact ages stated in years	Proportion of persons alive at beginning of age interval dying during interval	Number living at beginning of age interval	Number dying during age interval	In the age interval	In this and all subsequent age intervals	Average number of years of life remaining at beginning of age interval
(1)	(2)	(3)	(4)	(5)	(6)	(7)
x to $x+n$	${}_nq_x$	l_x	${}_nd_x$	${}_nL_x$	T_x	$\mathring{e}_x$
WHITE MALE						
0-1----------	0.0267	100,000	2,675	97,609	6,733,933	67.3
1-5----------	.0043	97,325	419	388,308	6,636,324	68.2
5-10----------	.0027	96,906	265	483,827	6,248,016	64.5
10-15----------	.0029	96,641	281	482,560	5,764,189	59.6
15-20----------	.0064	96,360	617	480,369	5,281,629	54.8
20-25----------	.0089	95,743	852	476,612	4,801,260	50.1
25-30----------	.0080	94,891	757	472,573	4,324,648	45.6
30-35----------	.0088	94,134	827	468,696	3,852,075	40.9
35-40----------	.0130	93,307	1,215	463,711	3,383,379	36.3
40-45----------	.0207	92,092	1,909	455,164	2,919,668	31.7
45-50----------	.0348	90,183	3,139	443,605	2,464,504	27.3
50-55----------	.0558	87,044	4,856	423,844	2,020,899	23.2
55-60----------	.0841	82,188	6,912	394,541	1,597,055	19.4
60-65----------	.1272	75,276	9,572	353,355	1,202,514	16.0
65-70----------	.1876	65,704	12,329	298,594	849,159	12.9
70-75----------	.2555	53,375	13,640	233,363	550,565	10.3
75-80----------	.3615	39,735	14,363	162,448	317,202	8.0
80-85----------	.4988	25,372	12,655	93,880	154,754	6.1
85 and over-----	1.0000	12,717	12,717	60,874	60,874	4.8
WHITE FEMALE						
0-1----------	0.0204	100,000	2,037	98,197	7,363,767	73.6
1-5----------	.0036	97,963	349	391,007	7,265,570	74.2
5-10----------	.0019	97,614	185	487,571	6,874,563	70.4
10-15----------	.0016	97,429	158	486,765	6,386,992	65.6
15-20----------	.0026	97,271	258	485,744	5,900,227	60.7
20-25----------	.0032	97,013	310	484,313	5,414,483	55.8
25-30----------	.0037	96,703	361	482,648	4,930,170	51.0
30-35----------	.0050	96,342	482	480,569	4,447,522	46.2
35-40----------	.0078	95,860	747	477,550	3,966,953	41.4
40-45----------	.0120	95,113	1,144	472,897	3,489,403	36.7
45-50----------	.0185	93,969	1,734	465,781	3,016,506	32.1
50-55----------	.0279	92,235	2,573	455,140	2,550,725	27.7
55-60----------	.0425	89,662	3,808	439,402	2,095,585	23.4
60-65----------	.0684	85,854	5,872	415,430	1,656,183	19.3
65-70----------	.1154	79,982	9,227	378,237	1,240,753	15.5
70-75----------	.1715	70,755	12,134	324,920	862,516	12.2
75-80----------	.2791	58,621	16,364	253,090	537,596	9.2
80-85----------	.4319	42,257	18,252	164,848	284,506	6.7
85 and over-----	1.0000	24,005	24,005	119,658	119,658	5.0

AGE INTERVAL	PROPORTION DYING	OF 100,000 BORN ALIVE		STATIONARY POPULATION		AVERAGE REMAINING LIFETIME
Period of life between two exact ages stated in years	Proportion of persons alive at beginning of age interval dying during interval	Number living at beginning of age interval	Number dying during age interval	In the age interval	In this and all subsequent age intervals	Average number of years of life remaining at beginning of age interval
(1)	(2)	(3)	(4)	(5)	(6)	(7)
x to $x+n$	${}_nq_x$	l_x	${}_nd_x$	${}_nL_x$	T_x	$\mathring{e}_x$
NONWHITE MALE						
0-1----------	0.0472	100,000	4,722	95,990	6,118,900	61.2
1-5----------	.0081	95,278	772	379,179	6,022,910	63.2
5-10----------	.0035	94,506	335	471,623	5,643,731	59.7
10-15----------	.0041	94,171	381	469,999	5,172,108	54.9
15-20----------	.0079	93,790	744	467,284	4,702,109	50.1
20-25----------	.0150	93,046	1,397	461,892	4,234,825	45.5
25-30----------	.0185	91,649	1,692	454,120	3,772,933	41.2
30-35----------	.0211	89,957	1,898	445,222	3,318,813	36.9
35-40----------	.0320	88,059	2,822	433,548	2,873,591	32.6
40-45----------	.0427	85,237	3,636	417,568	2,440,043	28.6
45-50----------	.0627	81,601	5,119	395,871	2,022,475	24.8
50-55----------	.0915	76,482	6,999	365,650	1,626,604	21.3
55-60----------	.1277	69,483	8,871	325,733	1,260,954	18.1
60-65----------	.1750	60,612	10,607	276,636	935,221	15.4
65-70----------	.2499	50,005	12,494	218,571	658,585	13.2
70-75----------	.2864	37,511	10,743	160,362	440,014	11.7
75-80----------	.3040	26,768	8,136	113,006	279,652	10.4
80-85----------	.3969	18,632	7,395	73,944	166,646	8.9
85 and over-----	1.0000	11,237	11,237	92,702	92,702	8.2
NONWHITE FEMALE						
0-1----------	0.0389	100,000	3,886	96,700	6,589,135	65.9
1-5----------	.0072	96,114	691	382,751	6,492,435	67.5
5-10----------	.0028	95,423	270	476,356	6,109,684	64.0
10-15----------	.0026	95,153	246	475,226	5,633,328	59.2
15-20----------	.0044	94,907	422	473,584	5,158,102	54.3
20-25----------	.0083	94,485	787	470,548	4,684,518	49.6
25-30----------	.0112	93,698	1,053	465,956	4,213,970	45.0
30-35----------	.0163	92,645	1,509	459,635	3,748,014	40.5
35-40----------	.0256	91,136	2,331	450,153	3,288,379	36.1
40-45----------	.0320	88,805	2,845	437,294	2,838,226	32.0
45-50----------	.0504	85,960	4,336	419,465	2,400,932	27.9
50-55----------	.0747	81,624	6,096	393,475	1,981,467	24.3
55-60----------	.1004	75,528	7,580	359,175	1,587,992	21.0
60-65----------	.1325	67,948	9,004	317,474	1,228,817	18.1
65-70----------	.2031	58,944	11,969	264,829	911,343	15.5
70-75----------	.2217	46,975	10,413	208,775	646,514	13.8
75-80----------	.2461	36,562	9,000	160,021	437,739	12.0
80-85----------	.3321	27,562	9,153	114,293	277,718	10.1
85 and over-----	1.0000	18,409	18,409	163,425	163,425	8.9

Table BB. Life Table Values for Specified Ages, by Color and Sex: United States, 1949-51, 1954, and 1955

AGE, COLOR, AND SEX	NUMBER OF SURVIVORS OUT OF 100,000 BORN ALIVE (l_x)			AVERAGE NUMBER OF YEARS OF LIFE REMAINING ($\mathring{e}_x$)		
	1955	1954	1949-51	1955	1954	1949-51
WHITE MALE						
0	100,000	100,000	100,000	67.3	67.4	66.31
1	97,325	97,294	96,931	68.2	68.3	67.41
5	96,906	96,856	96,403	64.5	64.6	63.77
10	96,641	96,585	96,069	59.6	59.8	58.98
15	96,360	96,301	95,728	54.8	55.0	54.18
20	95,743	95,712	95,104	50.1	50.3	49.52
25	94,891	94,863	94,294	45.6	45.7	44.93
30	94,134	94,103	93,489	40.9	41.1	40.29
35	93,307	93,257	92,543	36.3	36.4	35.68
40	92,092	92,046	91,173	31.7	31.8	31.17
45	90,183	90,135	89,002	27.3	27.5	26.87
50	87,044	86,953	85,601	23.2	23.4	22.83
55	82,188	82,083	80,496	19.4	19.6	19.11
60	75,276	75,206	73,172	16.0	16.2	15.76
65	65,704	65,657	63,541	12.9	13.1	12.75
70	53,375	53,464	51,735	10.3	10.5	10.07
75	39,735	40,141	38,104	8.0	8.2	7.77
WHITE FEMALE						
0	100,000	100,000	100,000	73.6	73.6	72.03
1	97,963	97,934	97,645	74.2	74.2	72.77
5	97,614	97,566	97,199	70.4	70.5	69.09
10	97,429	97,369	96,960	65.6	65.6	64.26
15	97,271	97,203	96,756	60.7	60.7	59.39
20	97,013	96,957	96,454	55.8	55.9	54.56
25	96,703	96,651	96,072	51.0	51.0	49.77
30	96,342	96,283	95,605	46.2	46.2	45.00
35	95,860	95,789	94,977	41.4	41.4	40.28
40	95,113	95,028	94,080	36.7	36.7	35.64
45	93,969	93,867	92,725	32.1	32.2	31.12
50	92,235	92,070	90,685	27.7	27.7	26.76
55	89,662	89,364	87,699	23.4	23.5	22.58
60	85,854	85,502	83,279	19.3	19.4	18.64
65	79,982	79,553	76,773	15.5	15.7	15.00
70	70,755	70,468	67,545	12.2	12.4	11.68
75	58,621	58,391	54,397	9.2	9.4	8.87
NONWHITE MALE						
0	100,000	100,000	100,000	61.2	61.0	58.91
1	95,278	95,250	94,911	63.2	63.1	61.06
5	94,506	94,447	93,921	59.7	59.6	57.69
10	94,171	94,093	93,453	54.9	54.8	52.96
15	93,790	93,688	92,965	50.1	50.0	48.23
20	93,046	92,842	91,941	45.5	45.5	43.73
25	91,649	91,432	90,285	41.2	41.1	39.49
30	89,957	89,638	88,327	36.9	36.9	35.31
35	88,059	87,649	85,940	32.6	32.7	31.21
40	85,237	84,859	82,832	28.6	28.7	27.29
45	81,601	81,232	78,686	24.8	24.8	23.59
50	76,482	76,144	72,891	21.3	21.3	20.25
55	69,483	68,659	65,122	18.1	18.4	17.36
60	60,612	59,919	55,535	15.4	15.7	14.91
65	50,005	49,377	45,198	13.2	13.5	12.75
70	37,511	37,626	35,018	11.7	11.9	10.74
75	26,768	27,501	25,472	10.4	10.4	8.83
NONWHITE FEMALE						
0	100,000	100,000	100,000	65.9	65.8	62.70
1	96,114	96,104	95,913	67.5	67.4	64.37
5	95,423	95,403	95,055	64.0	63.9	60.93
10	95,153	95,122	94,679	59.2	59.1	56.17
15	94,907	94,878	94,343	54.3	54.2	51.36
20	94,485	94,388	93,544	49.6	49.5	46.77
25	93,698	93,594	92,336	45.0	44.9	42.35
30	92,645	92,525	90,799	40.5	40.4	38.02
35	91,136	90,925	88,805	36.1	36.1	33.82
40	88,805	88,595	86,052	32.0	31.9	29.82
45	85,960	85,560	82,257	27.9	28.0	26.07
50	81,624	81,118	77,007	24.3	24.4	22.67
55	75,528	74,567	70,196	21.0	21.3	19.62
60	67,948	67,364	61,758	18.1	18.3	16.95
65	58,944	58,355	52,358	15.5	15.7	14.54
70	46,975	46,841	42,612	13.8	14.0	12.29
75	36,562	37,052	32,981	12.0	12.0	10.15

Table BC. Average Remaining Lifetime in Years at Specified Ages, by Color and by Sex: Death-Registration States, 1900-1902 to 1949-51

AGE, COLOR, AND SEX	1949-51	1939-41[1]	1929-31[1]	1919-21[1]	1909-11[1]	1900-1902[1]
WHITE						
0	69.02	64.92	60.73	57.37	51.86	49.60
1	69.95	66.84	63.35	60.85	57.43	55.47
5	66.29	63.52	60.65	58.85	56.48	55.20
10	61.48	58.83	56.18	54.64	52.40	51.34
15	56.65	54.09	51.57	50.19	47.98	47.00
20	51.91	49.47	47.16	46.02	43.76	42.95
25	47.22	44.92	42.91	42.06	39.80	39.26
30	42.52	40.40	38.64	38.15	35.87	35.63
35	37.86	35.93	34.42	34.27	32.04	32.02
40	33.29	31.54	30.26	30.37	28.31	28.43
45	28.88	27.29	26.24	26.46	24.63	24.84
50	24.70	23.26	22.38	22.65	21.05	21.32
55	20.77	19.47	18.73	18.99	17.60	17.92
60	17.15	15.98	15.35	15.59	14.45	14.78
65	13.86	12.80	12.28	12.48	11.62	11.87
70	10.89	9.96	9.58	9.73	9.12	9.30
75	8.34	7.55	7.29	7.46	6.99	7.08
NONWHITE						
0	60.73	53.85	48.46	47.03	35.83	33.78
1	62.65	57.15	51.66	51.02	43.80	43.00
5	59.25	54.13	49.22	49.44	45.33	45.54
10	54.50	49.50	44.77	45.25	41.72	42.44
15	49.73	44.89	40.31	41.05	37.95	39.00
20	45.19	40.73	36.54	37.76	34.76	36.01
25	40.85	36.91	33.25	34.96	31.66	33.00
30	36.59	33.17	30.00	32.01	28.44	29.95
35	32.44	29.53	26.88	29.09	25.39	26.83
40	28.48	26.06	23.79	26.10	22.42	23.71
45	24.75	22.82	20.94	23.12	19.61	20.70
50	21.38	19.94	18.22	20.14	16.92	17.95
55	18.41	17.43	15.82	17.30	14.40	15.30
60	15.87	15.18	13.64	14.72	12.13	13.11
65	13.59	13.02	11.51	12.24	10.28	10.91
70	11.48	10.93	9.52	9.91	8.62	9.01
75	9.48	8.97	7.76	7.98	7.11	7.30
MALE						
0	65.47	61.60	57.71	55.50	49.86	47.88
1	66.73	64.00	60.75	59.47	55.94	54.35
5	63.12	60.76	58.14	57.60	55.11	54.22
10	58.35	56.12	53.73	53.44	51.07	50.39
15	53.56	51.43	49.18	49.05	46.66	46.06
20	48.92	46.91	44.88	44.99	42.48	42.03
25	44.36	42.51	40.79	41.11	38.59	38.38
30	39.78	38.13	36.71	37.26	34.70	34.76
35	35.23	33.79	32.65	33.43	30.94	31.19
40	30.79	29.57	28.68	29.63	27.32	27.65
45	26.55	25.52	24.87	25.84	23.77	24.14
50	22.59	21.72	21.23	22.11	20.32	20.70
55	18.96	18.20	17.79	18.53	16.98	17.38
60	15.68	14.99	14.62	15.22	13.95	14.33
65	12.74	12.07	11.72	12.20	11.24	11.50
70	10.11	9.46	9.18	9.52	8.83	9.02
75	7.83	7.22	7.02	7.31	6.75	6.84
FEMALE						
0	70.96	65.89	60.99	57.40	53.24	50.70
1	71.84	67.73	63.37	60.45	58.37	56.10
5	68.21	64.43	60.66	58.41	57.39	55.80
10	63.38	59.73	56.16	54.16	53.31	51.94
15	58.52	54.97	51.54	49.71	48.87	47.60
20	53.73	50.37	47.21	45.63	44.66	43.60
25	48.99	45.87	43.11	41.86	40.69	39.92
30	44.28	41.41	39.02	38.15	36.79	36.30
35	39.63	37.01	34.92	34.40	32.95	32.71
40	35.06	32.68	30.86	30.58	29.15	29.08
45	30.64	28.46	26.89	26.71	25.36	25.44
50	26.40	24.40	23.05	22.92	21.67	21.84
55	22.33	20.54	19.38	19.28	18.13	18.39
60	18.50	16.92	15.94	15.87	14.90	15.21
65	14.95	13.57	12.78	12.73	11.96	12.22
70	11.71	10.56	9.99	9.96	9.38	9.59
75	8.94	8.01	7.61	7.65	7.20	7.34

[1]Figures for nonwhite cover only Negroes. However, in no case did the Negro population comprise less than 95 percent of the corresponding nonwhite population.

NOTE.—For 1900-1902 and 1909-11, data are for the death-registration States of 1900 (10 States and the District of Columbia); and for 1919-21, for the death-registration States of 1920 (34 States and the District of Columbia). Beginning with 1929-31, data are for the entire continental United States.

Table BD. Reported Cases of Specified Notifiable Diseases: United States, 1946-55

(Includes only cases of notifiable diseases occurring within the continental United States. Numbers after diseases are category numbers of the Sixth Revision of the International Lists, 1948)

DISEASE	1955	1954	1953	1952	1951	1950	1949	1948	1947	1946
Tuberculosis, all forms----------001-019	98,737	100,540	106,925	109,837	116,491	121,742	134,865	137,006	134,946	119,256
Typhoid fever----------040	1,704	2,169	2,252	2,341	2,128	2,484	2,795	2,840	3,075	3,268
Paratyphoid fever and other Salmonella infections----------041,042	5,447	5,375	3,946	2,596	1,773	1,233	1,243	882	951	723
Brucellosis (undulant fever)----------044	1,444	1,823	2,032	2,537	3,139	3,510	4,235	4,991	6,321	5,887
Bacillary dysentery----------045	13,912	13,846	16,533	23,197	32,215	23,367	29,080	23,753	17,048	24,286
Amebiasis----------046	3,348	3,523	4,444	4,280	3,550	4,568	5,543	4,871	3,365	4,093
Botulism----------049.1	16	18	18	18	33	20	24	39	44	---
Scarlet fever and streptococcal sore throat----------050,051	147,502	147,785	132,935	113,677	84,151	64,494	87,220	91,295	93,595	125,511
Diphtheria----------055	1,984	2,041	2,355	2,960	3,983	5,796	7,969	9,493	12,262	16,354
Whooping cough----------056	62,788	60,886	37,129	45,030	68,687	120,718	69,479	74,715	156,517	109,860
Meningococcal infections----------057	3,455	4,436	5,077	4,884	4,164	3,788	3,519	3,376	3,420	5,693
Plague----------058	-	-	-	-	1	3	3	-	1	-
Tularemia----------059	584	681	601	668	702	927	1,179	1,086	1,401	1,355
Leprosy----------060	75	56	60	57	57	44	41	63	56	43
Tetanus----------061	462	524	506	484	506	486	579	601	560	---
Anthrax----------062	39	22	45	47	60	49	54	60	69	40
Leptospirosis----------072	24	48	42	62	9	30	17	18	14	---
Acute poliomyelitis----------080	28,985	38,476	35,592	57,879	28,386	33,300	42,033	27,726	10,827	25,698
Acute infectious encephalitis----------082	2,166	2,606	1,935	1,912	1,123	1,135	903	730	785	728
Smallpox----------084	[1]2	[1]9	4	21	11	39	49	57	176	337
Measles----------085	555,156	682,720	449,146	683,077	530,118	319,124	625,281	615,104	222,375	695,843
Dengue----------090	1	6	8	5	16	26	46	24	35	40
Infectious hepatitis[2]----------092	31,961	50,093	33,700	17,428	7,349	2,820	2,027	709	1,092	---
Rabies[3]----------094	4	13	12	24	18	18	10	24	26	34
Trachoma----------095	1,130	1,172	773	3,088	2,916	1,584	1,475	2,565	1,540	---
Psittacosis and ornithosis----------096.2	334	563	169	135	25	26	35	32	27	26
Flea-borne endemic typhus (murine)[4]----------101	135	163	221	205	378	685	985	1,171	2,050	3,365
Rocky Mountain spotted fever----------104A	295	294	313	327	347	464	570	547	596	587
Q fever----------108 pt.	63	8	4	7	8	-	2	1	-	---
Malaria----------110-117	522	715	1,310	7,023	5,600	2,184	4,151	9,606	15,116	48,610
Trichiniasis----------128	264	277	395	367	393	327	353	487	451	---

[1]These cases do not fulfill the generally accepted criteria for a diagnosis of smallpox.
[2]Includes a few cases of serum hepatitis.
[3]Figures represent registered deaths.
[4]Includes a few cases reported as Brill's disease.

Table BE. Reported Cases of Specified Notifiable Diseases: United States, Each Division and State, 1955

(Includes only cases of notifiable diseases occurring within the continental United States. Numbers under diseases are category numbers of the Sixth Revision of the International Lists, 1948)

AREA	Typhoid fever 040	Brucellosis (undulant fever) 044	Scarlet fever and streptococcal sore throat 050,051	Diphtheria 055	Whooping cough 056	Meningococcal infections 057	Tularemia 059	Acute poliomyelitis 080	Acute infectious encephalitis 082	Measles 085	Infectious hepatitis[1] 092	Psittacosis and ornithosis 096.2	Rocky Mountain spotted fever 104A	Malaria 110-117
UNITED STATES	1,704	1,444	147,502	1,984	62,786	3,455	584	28,985	2,166	555,156	31,961	334	295	522
GEOGRAPHIC DIVISIONS														
New England	40	22	9,760	21	4,045	172	4	5,590	79	112,020	2,828	6	3	9
Middle Atlantic	166	42	14,908	54	6,030	547	10	4,072	439	115,412	7,944	61	26	20
East North Central	166	287	19,763	136	12,048	695	64	6,871	487	110,016	4,406	73	15	11
West North Central	108	660	4,100	218	3,151	224	42	2,111	256	27,596	3,618	47	6	15
South Atlantic	303	92	16,804	662	7,841	525	93	2,390	113	18,179	2,562	39	161	52
East South Central	238	88	7,143	453	5,783	391	143	1,028	97	12,300	1,732	8	29	4
West South Central	440	137	40,201	349	13,035	387	154	2,799	133	46,643	1,876	22	8	243
Mountain	126	44	20,583	25	4,394	139	66	1,088	98	27,153	2,820	23	37	17
Pacific	117	72	14,240	66	6,459	375	8	3,036	464	85,837	4,175	55	10	151
NEW ENGLAND														
Maine	7	2	796	-	640	21	-	203	4	7,036	399	-	-	1
New Hampshire	4	1	391	1	280	20	1	241	1	7,801	163	-	-	-
Vermont	1	4	225	1	230	13	-	121	-	7,735	257	-	-	-
Massachusetts	12	9	6,734	19	1,521	73	2	3,950	37	50,619	896	3	3	6
Rhode Island	[2]5	1	343	-	534	16	-	421	5	6,971	389	1	-	2
Connecticut	11	5	1,271	-	840	29	1	654	32	31,858	724	2	-	-
MIDDLE ATLANTIC														
New York	43	23	7,732	30	2,493	256	2	2,614	394	39,979	4,244	36	9	12
New Jersey	27	1	1,546	6	1,214	101	2	662	44	52,665	482	10	10	8
Pennsylvania	96	18	5,630	18	2,323	190	6	796	1	22,768	3,218	15	7	-
EAST NORTH CENTRAL														
Ohio	70	10	4,530	43	1,885	172	1	1,296	68	15,643	777	14	8	5
Indiana	31	9	3,266	21	1,966	82	9	446	182	3,854	624	-	5	1
Illinois	33	140	3,183	10	1,801	188	50	1,408	130	14,742	1,028	40	2	3
Michigan	24	60	5,880	59	4,249	170	2	1,177	81	23,882	1,244	1	-	2
Wisconsin	8	68	2,904	3	2,147	83	2	2,544	26	51,895	733	18	-	-
WEST NORTH CENTRAL														
Minnesota	7	116	1,300	54	594	50	1	593	117	7,619	1,286	32	-	4
Iowa	28	405	692	19	911	22	9	561	5	8,083	967	8	2	4
Missouri	53	39	540	17	504	56	26	271	16	4,273	342	2	3	1
North Dakota	-	20	881	2	424	28	1	63	35	2,783	318	3	-	-
South Dakota	13	49	93	45	55	18	-	76	10	424	387	-	-	1
Nebraska	4	8	59	78	84	17	4	276	21	[3]190	99	-	-	-
Kansas	3	23	535	3	579	33	1	271	52	4,224	219	2	1	5
SOUTH ATLANTIC														
Delaware	2	-	188	1	71	5	-	58	2	80	48	1	3	-
Maryland	21	-	2,315	12	398	38	6	279	11	2,415	350	3	23	2
District of Columbia	7	2	262	2	106	10	1	53	3	482	44	-	-	2
Virginia	48	30	6,516	45	1,481	104	26	335	51	4,573	1,056	10	50	12
West Virginia	39	9	1,888	20	1,970	25	3	180	-	3,957	239	-	9	1
North Carolina	37	2	2,164	85	1,366	144	9	460	16	1,385	313	9	43	18
South Carolina	48	2	813	188	344	56	4	310	4	1,211	82	2	3	4
Georgia	45	35	1,932	210	1,025	55	39	249	7	2,581	168	14	29	-
Florida	56	12	726	99	1,080	88	5	466	19	1,495	262	-	1	13
EAST SOUTH CENTRAL														
Kentucky	92	22	3,953	49	2,326	126	27	414	13	2,288	362	3	6	-
Tennessee	84	34	2,166	42	1,382	92	99	248	42	6,293	697	3	17	1
Alabama	41	11	587	311	1,810	126	5	185	18	2,205	310	2	3	1
Mississippi	21	21	437	51	265	47	12	181	24	1,514	363	-	3	2
WEST SOUTH CENTRAL														
Arkansas	87	26	3,426	11	1,680	47	84	186	16	3,119	222	2	3	6
Louisiana	94	29	368	49	165	84	18	383	5	182	137	4	2	7
Oklahoma	67	31	1,205	29	869	48	15	299	16	3,055	201	3	1	13
Texas	192	51	35,202	260	10,321	208	37	1,931	96	40,287	1,316	13	2	217
MOUNTAIN														
Montana	5	6	398	5	343	20	12	150	8	3,253	682	3	1	1
Idaho	15	6	728	-	169	9	5	262	4	719	272	15	9	1
Wyoming	7	3	1,755	-	128	7	16	35	11	593	161	-	6	-
Colorado	16	12	3,050	5	599	60	2	223	36	5,082	528	2	6	4
New Mexico	56	3	3,194	4	766	13	-	128	7	5,308	331	2	3	2
Arizona	23	6	9,160	8	1,675	17	2	131	6	10,872	748	-	4	6
Utah	3	8	1,675	1	699	9	29	86	7	838	76	1	7	3
Nevada	1	-	633	2	15	4	-	73	19	488	22	-	1	-
PACIFIC														
Washington	5	6	[4]4,034	23	1,005	56	-	517	21	11,584	894	9	-	13
Oregon	13	10	2,640	1	504	28	1	449	34	5,077	1,090	6	5	6
California	99	56	7,566	42	4,950	291	7	2,070	409	69,176	2,191	40	5	132

[1]Includes a few cases of serum hepatitis. [2]Includes cases of paratyphoid fever. [3]Includes cases of rubella. [4]Includes cases of erysipelas.

NOTE.—For reported cases of certain other notifiable diseases by State, see Annual Supplement, Morbidity and Mortality Weekly Report, Vol. 4, No. 53, 1956, published by the National Office of Vital Statistics.

Table B F. Total Deaths, and Death Rates by Color and Sex: Death-Registration States, 1900-1955

(Includes only deaths occurring within the registration area. Excludes fetal deaths. Rates per 1,000 population residing in area for specified group, enumerated as of April 1 for 1940 and 1950 and estimated as of July 1 for all other years. Beginning with 1933, area includes the entire continental United States)

YEAR	Total deaths	DEATH RATES								
		Total			White			Nonwhite		
		Both sexes	Male	Female	Both sexes	Male	Female	Both sexes	Male	Female
1955	1,528,717	9.3	10.8	7.9	9.2	10.7	7.8	10.0	11.3	8.8
1954	1,481,091	9.2	10.7	7.8	9.1	10.6	7.6	10.1	11.4	8.8
1953	1,517,541	9.6	11.1	8.1	9.4	11.0	7.9	10.8	12.3	9.4
1952	1,496,838	9.6	11.1	8.1	9.4	11.0	8.0	11.0	12.5	9.6
1951	1,482,099	9.7	11.1	8.2	9.5	11.0	8.0	11.1	12.5	9.8
1950	1,452,454	9.6	11.1	8.2	9.5	10.9	8.0	11.2	12.5	9.9
1949	1,443,607	9.7	11.1	8.3	9.5	11.0	8.1	11.2	12.5	10.0
1948	1,444,337	9.9	11.3	8.5	9.7	11.2	8.3	11.4	12.7	10.1
1947	1,445,370	10.1	11.5	8.7	9.9	11.4	8.5	11.4	12.5	10.3
1946	1,395,617	10.0	11.3	8.6	9.8	11.2	8.5	11.1	12.2	10.0
1945	1,401,719	10.6	12.6	8.8	10.4	12.5	8.6	11.9	13.5	10.5
1944	1,411,338	10.6	12.4	9.0	10.4	12.2	8.8	12.4	13.8	11.1
1943	1,459,544	10.9	12.4	9.4	10.7	12.2	9.2	12.8	14.0	11.6
1942	1,385,187	10.3	11.7	9.0	10.1	11.4	8.7	12.7	14.0	11.4
1941	1,397,642	10.5	11.8	9.2	10.2	11.4	8.9	13.5	14.8	12.2
1940	1,417,269	10.8	12.0	9.5	10.4	11.6	9.2	13.8	15.1	12.6
1939	1,387,897	10.6	11.7	9.5	10.3	11.3	9.2	13.5	14.7	12.4
1938	1,381,391	10.6	11.7	9.6	10.3	11.3	9.2	14.0	15.2	12.9
1937	1,450,427	11.3	12.5	10.0	10.8	12.0	9.6	14.9	16.4	13.4
1936	1,479,228	11.6	12.7	10.4	11.1	12.3	9.9	15.4	16.9	13.9
1935	1,392,752	10.9	12.0	9.9	10.6	11.6	9.5	14.3	15.6	13.0
1934	1,396,903	11.1	12.1	10.0	10.6	11.7	9.6	14.8	16.0	13.5
1933	1,342,106	10.7	11.6	9.7	10.3	11.2	9.3	14.1	15.1	13.1
1932	1,293,269	10.9	11.7	10.0	10.5	11.3	9.6	14.5	15.4	13.5
1931	1,307,273	11.1	12.0	10.1	10.6	11.5	9.6	15.5	16.5	14.5
1930	1,327,240	11.3	12.3	10.4	10.8	11.7	9.8	16.3	17.4	15.3
1929	1,369,757	11.9	12.8	11.0	11.3	12.2	10.4	16.9	18.0	15.8
1928	1,361,987	12.0	12.8	11.1	11.4	12.3	10.5	17.1	18.0	16.2
1927	1,211,627	11.3	12.1	10.5	10.8	11.6	10.0	16.4	17.2	15.6
1926	1,257,256	12.1	12.9	11.3	11.6	12.3	10.8	17.8	18.7	16.9
1925	1,191,809	11.7	12.4	10.9	11.1	11.8	10.4	17.4	18.2	16.6
1924	1,151,076	11.6	12.3	10.9	11.0	11.8	10.3	17.1	17.9	16.3
1923	1,174,065	12.1	12.7	11.5	11.7	12.3	11.0	16.5	17.0	16.0
1922	1,063,952	11.7	12.3	11.1	11.3	11.9	10.7	15.2	15.7	14.8
1921	1,009,673	11.5	11.9	11.0	11.1	11.6	10.6	15.5	15.7	15.4
1920	1,118,070	13.0	13.4	12.6	12.6	13.0	12.1	17.7	17.8	17.5
1919	1,072,263	12.9	13.5	12.3	12.4	13.0	11.8	17.9	18.1	17.8
1918	1,430,079	18.1	19.8	16.4	17.5	19.3	15.8	25.6	26.7	24.4
1917	981,239	14.0	15.0	12.9	13.5	14.6	12.4	20.4	21.4	19.4
1916	924,971	13.8	14.8	12.8	13.4	14.4	12.4	19.1	19.9	18.4
1915	815,500	13.2	14.0	12.3	12.9	13.7	12.0	20.2	20.8	19.5
1914	810,914	13.3	14.2	12.4	13.0	13.9	12.1	20.2	20.9	19.4
1913	802,909	13.8	14.8	12.8	13.5	14.5	12.5	20.3	21.0	19.6
1912	745,771	13.6	14.5	12.7	13.4	14.3	12.4	20.6	21.3	19.7
1911	749,918	13.9	14.7	13.0	13.7	14.5	12.8	21.3	21.9	20.6
1910	696,856	14.7	15.6	13.7	14.5	15.4	13.6	21.7	22.3	21.0
1909	630,057	14.2	15.1	13.4	14.0	14.9	13.2	21.8	22.3	21.2
1908	567,245	14.7	15.5	13.8	14.5	15.3	13.6	22.4	22.8	22.0
1907	550,245	15.9	17.0	14.8	15.7	16.8	14.5	24.3	25.0	23.5
1906	531,005	15.7	16.7	14.7	15.5	16.5	14.4	24.2	24.7	23.6
1905	345,863	15.9	16.7	15.0	15.7	16.5	14.8	25.5	26.8	24.3
1904	349,855	16.4	17.3	15.5	16.2	17.1	15.3	26.1	27.6	24.7
1903	327,295	15.6	16.4	14.8	15.4	16.2	14.6	24.5	25.5	23.4
1902	318,636	15.5	16.4	14.6	15.3	16.2	14.4	23.6	24.8	22.3
1901	332,203	16.4	17.3	15.6	16.2	17.1	15.4	24.3	25.6	23.1
1900	343,217	17.2	17.9	16.5	17.0	17.7	16.3	25.0	25.7	24.4

Table B G. Age-Adjusted Death Rates by Color and Sex: Death-Registration States, 1900-1955

(Includes only deaths occurring within the registration area. Excludes fetal deaths. Rates per 1,000 population. Computed by the direct method using as the standard population the age distribution of the population of the United States as enumerated in 1940. Based on age-specific rates shown in Volume I of Vital Statistics of the United States as follows: Rates for 1900-1939 are shown in table 8.40 of the 1950 report; for 1940-45, in table AK of the 1953 report; and for 1946-55, in table BH of this report. Beginning with 1933, area includes the entire continental United States)

YEAR	TOTAL			WHITE			NONWHITE		
	Both sexes	Male	Female	Both sexes	Male	Female	Both sexes	Male	Female
1955	7.7	9.5	6.2	7.4	9.2	5.8	10.8	12.3	9.4
1954	7.7	9.4	6.2	7.4	9.1	5.8	10.9	12.3	9.5
1953	8.1	9.8	6.5	7.7	9.5	6.1	11.7	13.3	10.2
1952	8.2	9.9	6.6	7.8	9.5	6.2	11.9	13.4	10.5
1951	8.3	10.0	6.8	7.9	9.6	6.3	12.1	13.4	10.7
1950	8.4	10.0	6.9	8.0	9.6	6.5	12.3	13.6	10.9
1949	8.5	10.1	7.0	8.1	9.7	6.6	12.3	13.5	11.1
1948	8.8	10.3	7.3	8.3	10.0	6.8	12.5	13.8	11.2
1947	9.0	10.5	7.5	8.6	10.1	7.1	12.5	13.6	11.4
1946	9.1	10.6	7.7	8.8	10.2	7.3	12.4	13.5	11.3
1945	9.5	11.1	8.0	9.1	10.7	7.5	13.1	14.5	11.9
1944	9.7	11.2	8.3	9.3	10.8	7.8	13.8	14.9	12.6
1943	10.2	11.6	8.7	9.7	11.2	8.2	14.5	15.7	13.4
1942	9.9	11.4	8.5	9.4	10.9	8.0	14.5	15.8	13.3
1941	10.3	11.7	8.9	9.7	11.2	8.3	15.6	16.9	14.3
1940	10.8	12.1	9.4	10.2	11.6	8.8	16.3	17.6	15.0
1939	10.7	12.0	9.5	10.2	11.4	8.9	16.0	17.1	14.9
1938	10.9	12.1	9.7	10.3	11.5	9.1	16.6	17.7	15.5
1937	11.7	13.1	10.3	11.1	12.4	9.7	17.8	19.2	16.3
1936	12.2	13.5	10.8	11.5	12.8	10.1	18.5	20.1	17.0
1935	11.6	12.9	10.4	11.1	12.3	9.8	17.3	18.5	16.1
1934	11.9	13.1	10.7	11.3	12.5	10.0	17.9	19.0	16.7
1933	11.6	12.7	10.5	11.0	12.2	9.9	17.2	18.1	16.4
1932	11.9	12.9	10.8	11.3	12.3	10.2	17.8	18.6	17.0
1931	12.1	13.2	11.0	11.4	12.5	10.3	19.0	19.9	18.1
1930	12.5	13.5	11.3	11.7	12.8	10.6	20.1	21.0	19.2
1929	13.2	14.2	12.1	12.4	13.5	11.4	21.0	21.9	20.0
1928	13.4	14.4	12.3	12.6	13.6	11.5	20.9	21.7	20.2
1927	12.6	13.5	11.6	11.9	12.8	10.9	19.8	20.4	19.3
1926	13.5	14.3	12.5	12.7	13.6	11.8	21.4	22.1	20.8
1925	13.0	13.8	12.2	12.3	13.2	11.4	20.9	21.4	20.4
1924	12.9	13.7	12.1	12.2	13.1	11.3	20.5	21.1	20.0
1923	13.5	14.2	12.8	12.9	13.7	12.1	19.8	20.0	19.7
1922	13.0	13.7	12.4	12.6	13.3	11.8	18.3	18.4	18.4
1921	12.7	13.2	12.1	12.2	12.7	11.6	18.2	18.0	18.6
1920	14.2	14.7	13.8	13.7	14.2	13.1	20.6	20.4	21.0
1919	14.0	14.6	13.4	13.4	14.1	12.8	20.5	20.3	20.8
1918	19.0	20.9	17.3	18.4	20.2	16.6	28.0	28.9	27.1
1917	15.3	16.5	14.0	14.7	16.0	13.4	23.4	24.1	22.7
1916	15.1	16.2	13.9	14.7	15.8	13.4	22.2	22.6	21.6
1915	14.4	15.4	13.4	14.1	15.1	13.0	23.1	23.5	22.6
1914	14.5	15.6	13.4	14.1	15.2	13.0	22.6	23.3	21.9
1913	15.0	16.1	13.7	14.6	15.8	13.4	22.7	23.3	22.0
1912	14.8	16.0	13.7	14.6	15.7	13.4	23.1	24.0	22.2
1911	15.2	16.2	14.1	14.9	15.9	13.8	23.7	24.4	22.9
1910	15.8	16.9	14.6	15.6	16.7	14.4	24.1	24.8	23.2
1909	15.3	16.3	14.2	15.0	16.1	14.0	24.1	24.8	23.3
1908	15.8	16.8	14.6	15.5	16.6	14.4	24.7	25.3	24.1
1907	17.1	18.4	15.7	16.8	18.2	15.4	26.6	27.5	25.7
1906	16.7	17.9	15.4	16.4	17.6	15.1	26.2	27.0	25.5
1905	16.7	17.8	15.7	16.5	17.6	15.4	28.3	29.7	26.9
1904	17.3	18.4	16.2	17.1	18.1	16.0	29.1	30.7	27.4
1903	16.5	17.4	15.5	16.2	17.2	15.3	27.2	28.5	25.9
1902	16.2	17.2	15.1	16.0	17.0	14.9	25.9	27.5	24.5
1901	17.2	18.2	16.2	17.0	18.0	16.0	26.9	28.4	25.5
1900	17.8	18.6	17.0	17.6	18.4	16.8	27.8	28.7	27.1

Table B H. Death Rates by Age, Color, and Sex: United States, 1946-55

(Includes only deaths occurring within the continental United States. Excludes fetal deaths. Rates per 1,000 population residing in area for specified group, enumerated as of April 1 for 1950 and estimated as of July 1 for all other years)

COLOR, SEX, AND YEAR	Total[1]	Under 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over
TOTAL												
1955	9.3	29.6	1.1	0.5	1.1	1.5	3.1	7.5	17.3	39.6	89.4	186.2
1954	9.2	30.3	1.2	0.5	1.1	1.5	3.1	7.7	17.4	39.0	87.6	174.6
1953	9.6	31.4	1.3	0.5	1.2	1.6	3.3	8.1	18.4	40.2	92.5	186.7
1952	9.6	32.7	1.4	0.6	1.3	1.7	3.4	8.3	18.6	40.0	92.1	186.3
1951	9.7	32.6	1.4	0.6	1.3	1.8	3.5	8.4	18.8	40.5	93.3	194.4
1950	9.6	33.0	1.4	0.6	1.3	1.8	3.6	8.5	[2]19.0	[2]41.0	93.3	202.0
1949	9.7	35.2	1.5	0.7	1.3	1.8	3.7	8.7	19.3	40.8	93.0	203.2
1948	9.9	35.7	1.6	0.7	1.4	2.0	3.9	9.0	19.7	41.4	95.1	213.2
1947	10.1	34.5	1.6	0.7	1.5	2.1	4.1	9.2	20.1	42.1	97.0	216.9
1946	10.0	46.3	1.8	0.8	1.7	2.3	4.2	9.2	19.8	41.2	95.1	210.6

See footnotes on p. XC.

Table BH. Death Rates by Age, Color, and Sex: United States, 1946-55—Con.

(See headnote on p. LXXXIX)

COLOR, SEX, AND YEAR	Total[1]	Under 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over
MALE												
1955	10.8	33.4	1.2	0.6	1.6	1.9	3.8	9.7	22.7	49.2	101.9	191.1
1954	10.7	34.1	1.3	0.6	1.6	2.0	3.8	9.9	22.7	48.0	99.3	181.4
1953	11.1	35.5	1.4	0.7	1.7	2.1	4.1	10.4	23.9	49.1	104.3	195.8
1952	11.1	36.8	1.5	0.7	1.8	2.2	4.2	10.5	24.0	48.5	103.3	193.9
1951	11.1	37.0	1.5	0.7	1.7	2.2	4.3	10.6	23.9	49.1	104.3	207.4
1950	11.1	37.3	1.5	0.7	1.7	2.2	4.3	10.7	[2]24.0	[2]49.3	104.3	216.4
1949	11.1	39.6	1.6	0.8	1.7	2.2	4.4	10.8	24.2	48.4	103.8	215.0
1948	11.3	40.2	1.7	0.8	1.8	2.3	4.7	11.2	24.6	48.8	105.1	226.4
1947	11.5	38.8	1.8	0.8	1.9	2.4	4.8	11.3	25.0	49.2	106.6	229.3
1946	11.3	52.1	2.0	1.0	2.1	2.6	4.9	11.2	24.3	47.5	104.1	221.1
FEMALE												
1955	7.9	25.7	1.0	0.4	0.7	1.1	2.4	5.4	12.2	31.0	79.2	182.7
1954	7.8	26.2	1.1	0.4	0.7	1.1	2.4	5.7	12.3	30.7	78.0	170.2
1953	8.1	27.2	1.2	0.4	0.7	1.2	2.6	6.0	13.1	32.1	82.8	180.4
1952	8.1	28.4	1.3	0.5	0.8	1.3	2.7	6.1	13.4	32.1	82.6	180.9
1951	8.2	28.1	1.3	0.5	0.9	1.4	2.8	6.3	13.8	32.5	84.1	185.4
1950	8.2	28.5	1.3	0.5	0.9	1.4	2.9	6.4	[2]14.0	[2]33.3	84.0	191.9
1949	8.3	30.6	1.4	0.5	0.9	1.5	3.0	6.6	14.3	33.6	83.8	194.4
1948	8.5	31.0	1.5	0.6	1.1	1.6	3.2	6.8	14.8	34.3	86.4	203.1
1947	8.7	30.0	1.5	0.6	1.2	1.8	3.3	7.1	15.2	35.3	88.5	207.2
1946	8.6	40.1	1.7	0.7	1.3	1.9	3.5	7.1	15.3	35.1	87.3	203.0
WHITE												
1955	9.2	26.2	1.0	0.5	1.1	1.3	2.7	6.8	16.4	38.6	90.6	195.3
1954	9.1	26.8	1.1	0.5	1.0	1.3	2.7	7.0	16.5	38.1	88.6	182.7
1953	9.4	28.1	1.2	0.5	1.1	1.4	2.9	7.3	17.4	39.2	93.4	194.1
1952	9.4	29.1	1.3	0.6	1.2	1.4	3.0	7.4	17.7	39.1	92.8	192.9
1951	9.5	29.6	1.2	0.6	1.1	1.5	3.0	7.6	17.8	39.6	94.1	200.8
1950	9.5	29.9	1.2	0.6	1.1	1.5	3.1	7.7	18.0	40.2	94.2	206.8
1949	9.5	32.2	1.4	0.6	1.1	1.5	3.2	7.8	18.3	40.1	94.0	208.7
1948	9.7	33.0	1.5	0.6	1.2	1.6	3.3	8.0	18.8	40.8	96.2	219.3
1947	9.9	31.9	1.5	0.7	1.3	1.8	3.5	8.3	19.3	41.7	98.4	223.2
1946	9.8	43.6	1.7	0.8	1.5	1.9	3.6	8.3	19.0	40.9	96.8	218.0
WHITE MALE												
1955	10.7	29.8	1.1	0.6	1.5	1.7	3.4	9.1	21.9	48.3	103.6	200.6
1954	10.6	30.5	1.1	0.6	1.5	1.7	3.4	9.2	21.8	47.3	100.6	189.5
1953	11.0	32.1	1.3	0.6	1.6	1.8	3.6	9.6	23.0	48.2	105.4	203.1
1952	11.0	32.9	1.4	0.7	1.6	1.9	3.7	9.7	23.1	47.8	104.3	200.7
1951	11.0	33.6	1.3	0.7	1.6	1.9	3.8	9.8	23.0	48.4	105.3	213.7
1950	10.9	34.0	1.4	0.7	1.5	1.9	3.8	9.8	23.0	48.6	105.3	221.2
1949	11.0	36.4	1.5	0.8	1.5	1.9	3.9	10.0	23.4	47.9	105.1	220.1
1948	11.2	37.2	1.6	0.8	1.6	2.0	4.1	10.3	23.8	48.4	106.4	232.0
1947	11.4	36.1	1.6	0.8	1.7	2.1	4.3	10.5	24.3	49.0	108.3	234.6
1946	11.2	49.4	1.8	0.9	1.9	2.3	4.3	10.4	23.6	47.4	105.9	227.5
WHITE FEMALE												
1955	7.8	22.4	0.9	0.4	0.6	0.9	2.0	4.6	11.2	29.9	80.3	191.6
1954	7.6	23.0	1.0	0.4	0.6	0.9	2.0	4.8	11.4	29.7	78.9	177.9
1953	7.9	23.9	1.1	0.4	0.6	1.0	2.1	5.1	12.1	31.1	83.4	187.3
1952	8.0	25.1	1.2	0.5	0.7	1.0	2.2	5.2	12.4	31.1	83.4	187.9
1951	8.0	25.4	1.1	0.4	0.7	1.1	2.3	5.4	12.7	31.6	84.8	191.8
1950	8.0	25.7	1.1	0.5	0.7	1.1	2.4	5.5	12.9	32.4	84.8	196.8
1949	8.1	27.8	1.2	0.5	0.7	1.2	2.4	5.6	13.2	32.8	84.7	200.7
1948	8.3	28.5	1.3	0.5	0.8	1.3	2.6	5.8	13.7	33.6	87.5	210.3
1947	8.5	27.5	1.3	0.5	0.9	1.4	2.7	6.1	14.2	34.8	89.9	215.0
1946	8.5	37.6	1.5	0.6	1.0	1.5	2.9	6.2	14.4	34.7	88.9	211.0
NONWHITE												
1955	10.0	51.4	2.0	0.6	1.7	3.3	6.7	14.1	28.1	53.7	72.1	96.2
1954	10.1	52.7	2.0	0.7	1.8	3.5	6.8	14.9	28.0	50.8	72.6	97.1
1953	10.8	53.3	2.2	0.7	2.1	3.8	7.4	16.1	30.0	53.0	80.1	112.0
1952	11.0	56.8	2.5	0.8	2.3	4.1	7.7	16.4	30.4	52.0	80.5	117.0
1951	11.1	52.3	2.5	0.9	2.4	4.2	7.8	16.8	30.8	52.4	81.1	128.2
1950	11.2	53.7	2.5	0.9	2.5	4.4	8.1	17.1	[2]31.3	[2]52.0	80.4	144.7
1949	11.2	55.9	2.5	0.9	2.7	4.5	8.3	17.7	30.6	50.1	78.2	139.0
1948	11.4	56.1	2.6	0.9	3.0	4.8	8.8	18.4	31.1	49.3	77.6	141.8
1947	11.4	56.4	2.6	1.0	3.3	5.1	8.8	18.7	30.3	47.4	75.6	139.5
1946	11.1	66.0	2.9	1.1	3.4	5.4	9.2	18.3	29.2	44.8	70.1	133.1
NONWHITE MALE												
1955	11.3	57.0	2.1	0.7	2.3	4.0	7.6	15.7	32.0	60.8	80.8	103.3
1954	11.4	58.5	2.2	0.8	2.4	4.3	7.6	16.4	32.0	57.2	81.3	105.5
1953	12.3	58.6	2.4	0.9	2.7	4.6	8.4	17.9	34.5	59.8	88.1	123.3
1952	12.5	63.5	2.6	0.9	2.8	4.8	8.6	18.0	34.8	58.1	90.3	125.3
1951	12.5	59.2	2.7	1.0	2.8	4.8	8.5	18.3	34.4	58.4	88.9	139.4
1950	12.5	59.9	2.7	1.0	2.9	5.0	8.6	18.6	[2]34.8	[2]57.9	90.3	160.2
1949	12.5	62.2	2.7	1.0	3.1	5.0	8.9	19.3	33.7	55.0	86.3	155.7
1948	12.7	62.4	2.7	1.0	3.3	5.2	9.5	20.3	34.5	54.0	86.0	161.6
1947	12.5	62.5	2.7	1.1	3.6	5.3	9.4	20.2	32.7	51.7	83.1	166.2
1946	12.2	73.2	3.1	1.3	3.6	5.7	9.7	20.1	31.4	48.7	76.9	157.6
NONWHITE FEMALE												
1955	8.8	45.6	1.8	0.5	1.3	2.8	5.8	12.6	24.2	46.8	63.9	90.8
1954	8.8	46.8	1.9	0.6	1.4	2.9	6.1	13.4	23.9	44.6	64.2	90.7
1953	9.4	48.1	2.0	0.6	1.6	3.1	6.5	14.3	25.5	46.3	72.4	106.5
1952	9.6	49.9	2.3	0.7	1.8	3.5	6.9	14.8	26.1	46.0	70.7	110.8
1951	9.8	45.6	2.3	0.7	2.0	3.6	7.2	15.2	26.9	46.1	73.5	120.0
1950	9.9	47.5	2.3	0.7	2.2	3.9	7.5	15.5	[2]27.6	[2]46.1	70.6	133.7
1949	10.0	49.2	2.3	0.8	2.4	4.1	7.8	16.1	27.4	45.2	70.3	127.0
1948	10.1	49.6	2.4	0.9	2.7	4.4	8.1	16.5	27.6	44.2	67.9	127.8
1947	10.3	50.5	2.4	0.9	3.1	4.9	8.2	17.1	27.8	42.8	67.4	121.7
1946	10.0	58.9	2.6	1.0	3.2	5.0	8.6	16.6	26.8	40.9	63.4	117.0

[1]Figures for age not stated included in the "Total" but not distributed among age groups.
[2]Based on enumerated population adjusted for age bias in the nonwhite population at ages 55-69 years.

Table BJ. Death Rates by Age, Color, and Sex: United States, 1955

(Includes only deaths occurring within the continental United States. Excludes fetal deaths. Rates per 1,000 estimated midyear population residing in area for specified group)

AGE	TOTAL			WHITE			NONWHITE		
	Both sexes	Male	Female	Both sexes	Male	Female	Both sexes	Male	Female
ALL AGES[1]	9.3	10.8	7.9	9.2	10.7	7.8	10.0	11.3	8.8
Under 1 year	29.6	33.4	25.7	26.2	29.8	22.4	51.4	57.0	45.6
1-4 years	1.1	1.2	1.0	1.0	1.1	0.9	2.0	2.1	1.8
5-9 years	0.5	0.6	0.4	0.5	0.6	0.4	0.6	0.7	0.6
10-14 years	0.5	0.6	0.3	0.4	0.6	0.3	0.7	0.8	0.5
15-19 years	1.0	1.3	0.6	0.9	1.3	0.5	1.2	1.6	0.9
20-24 years	1.3	2.0	0.8	1.2	1.8	0.6	2.3	3.0	1.7
25-29 years	1.4	1.8	0.9	1.2	1.6	0.7	2.9	3.7	2.3
30-34 years	1.6	2.0	1.3	1.4	1.8	1.0	3.8	4.3	3.3
35-39 years	2.4	3.0	1.9	2.1	2.6	1.6	5.6	6.3	5.0
40-44 years	3.7	4.6	2.9	3.3	4.2	2.4	7.7	8.8	6.6
45-49 years	5.9	7.6	4.3	5.4	7.1	3.7	11.3	12.6	10.1
50-54 years	9.3	12.2	6.6	8.5	11.4	5.6	17.4	19.3	15.6
55-59 years	13.9	18.3	9.7	13.0	17.5	8.6	24.2	27.3	21.0
60-64 years	21.4	27.9	15.2	20.4	27.0	14.1	33.3	38.3	28.5
65-69 years	33.6	42.2	25.5	32.3	41.1	24.2	50.5	56.7	44.1
70-74 years	47.6	58.7	37.9	46.9	58.1	37.1	58.0	66.6	50.4
75-79 years	74.3	87.0	63.7	75.0	88.2	64.3	63.6	71.7	56.0
80-84 years	118.5	131.5	108.5	120.5	133.9	110.1	89.3	99.3	79.9
85 and over	186.2	191.1	182.7	195.3	200.8	191.6	96.2	103.3	90.8

[1]Figures for age not stated included in "All ages" but not distributed among age groups.

Table BK. Mortality for Leading Causes of Death: United States, 1955

(Includes only deaths occurring within the continental United States. Excludes fetal deaths. Rates per 100,000 estimated midyear population. Ranked on the basis of the List of 64 Selected Causes of Death, see table BN. For purposes of ranking, the titles Major cardiovascular-renal diseases; Diseases of cardiovascular system; Symptoms, senility, and ill-defined conditions; and all residual titles are omitted. The remaining titles are ranked, omitting titles that form part of a subtotal)

Rank order	CAUSE OF DEATH		Rate	Percent of total deaths
	ALL CAUSES		930.4	100.0
1	Diseases of heart	410-443	355.8	38.2
2	Malignant neoplasms, including neoplasms of lymphatic and hematopoietic tissues	140-205	146.5	15.7
3	Vascular lesions affecting central nervous system	330-334	106.0	11.4
4	Accidents	E800-E962	56.9	6.1
...	Motor-vehicle accidents	E810-E835	23.4	2.5
...	All other accidents	E800-E802, E840-E962	33.5	3.6
5	Certain diseases of early infancy	760-776	39.0	4.2
6	Influenza and pneumonia, except pneumonia of newborn	480-493	27.1	2.9
7	General arteriosclerosis	450	19.8	2.1
8	Diabetes mellitus	260	15.5	1.7
9	Congenital malformations	750-759	12.5	1.3
10	Cirrhosis of liver	581	10.2	1.1
11	Suicide	E963, E970-E979	10.2	1.1
12	Chronic and unspecified nephritis and other renal sclerosis	592-594	9.6	1.0
13	Tuberculosis, all forms	001-019	9.1	1.0
14	Other diseases of circulatory system	451-468	7.3	0.8
15	Hypertension without mention of heart	444-447	6.8	0.7
...	All other causes		98.2	10.6

Table BL. Deaths at Ages 85 Years and Over, by Single Years of Age, Color, and Sex: United States, 1955

(Includes only deaths occurring within the continental United States)

AGE	Total	WHITE		NONWHITE	
		Male	Female	Male	Female
85 YEARS AND OVER	145,602	58,987	79,498	3,304	3,813
85 years	26,196	11,254	13,708	635	599
86 years	22,008	9,516	11,623	442	427
87 years	19,304	8,227	10,326	362	389
88 years	16,345	6,821	8,902	295	327
89 years	13,843	5,674	7,611	277	281
90 years	11,378	4,270	6,354	328	426
91 years	8,427	3,307	4,788	158	174
92 years	6,814	2,654	3,849	142	169
93 years	5,864	2,133	3,453	124	154
94 years	4,669	1,685	2,745	92	147
95 years	3,344	1,163	1,965	88	128
96 years	2,304	770	1,386	65	83
97 years	1,671	583	964	58	66
98 years	1,133	334	690	51	58
99 years	708	229	414	19	46
100 years	550	143	295	40	72
101 years	282	82	152	17	31
102 years	230	55	108	22	45
103 years	121	26	54	14	27
104 years	112	25	44	16	27
105 years	98	11	31	14	42
106 years	50	10	9	15	16
107 years	23	2	7	5	9
108 years	31	6	7	8	10
109 years	15	-	6	2	7
110 years	21	1	2	2	16
111 years	15	2	1	4	8
112 years	10	2	1	1	6
113 years	8	-	1	-	7
114 years	5	1	-	1	3
115 years	7	-	-	3	4
116 years	5	-	-	2	3
117 years	4	1	-	-	3
118 years	1	-	-	1	-
120 years	3	-	1	-	2
122 years	2	-	-	1	1
130 years	1	-	1	-	-

Table BM. Deaths and Death Rates for Males, Including Deaths Among Armed Forces Overseas, by Color: United States, 1955

(Rates per 1,000 estimated midyear population in specified group, including Armed Forces overseas)

AGE	NUMBER			RATE		
	Total	White	Non-white	Total	White	Non-white
15-19 years	7,418	6,304	1,114	1.3	1.3	1.6
20-24 years	10,352	8,507	1,845	1.9	1.8	2.9
25-29 years	10,634	8,400	2,234	1.8	1.6	3.7
30-34 years	12,322	9,666	2,656	2.0	1.8	4.3
35-39 years	16,853	13,473	3,380	3.0	2.6	6.3
40-44 years	25,455	20,678	4,777	4.6	4.2	8.8
45-49 years	37,839	31,882	5,957	7.6	7.1	12.6
50-54 years	52,918	44,983	7,935	12.2	11.4	19.3
55-59 years[1]	70,524	61,527	8,997	18.3	17.5	27.3

[1]Includes deaths among Armed Forces overseas at ages 60 years and over. Rates based on male population aged 55-59 years.

Table BN. Death Rates for 64 Selected Causes: United States, 1946-55

(Includes only deaths occurring within the continental United States. Excludes fetal deaths. Rates per 100,000 population residing in area, enumerated as of April 1 for 1950 and estimated as of July 1 for all other years. Numbers after causes of death are category numbers of the Sixth Revision of the International Lists, 1948. Rates for frequencies less than 20 are underlined)

CAUSE OF DEATH	1955	1954	1953	1952	1951	1950	1949	1948[1]	1947[1]	1946[1]
ALL CAUSES	930.4	918.9	958.5	961.0	966.3	963.8	971.0	988.6	1,007.6	996.5
Tuberculosis, all forms---001-019	9.1	10.2	12.3	15.8	20.1	22.5	26.3	28.8	32.1	34.9
Tuberculosis of respiratory system---001-008	8.3	9.3	11.3	14.4	18.4	20.6	24.2	26.5	29.7	32.1
Tuberculosis, other forms---010-019	0.8	0.8	1.1	1.4	1.7	1.9	2.1	2.3	2.4	2.7
Syphilis and its sequelae---020-029	2.3	3.0	3.3	3.7	4.1	5.0	5.8	5.9	6.6	6.9
Typhoid fever---040	0.0	0.0	0.0	0.1	0.1	0.1	0.1	[2]0.1	[2]0.2	[2]0.2
Cholera---043	0	0	0	0	0	0	0	0	0	0
Dysentery, all forms---045-048	0.3	0.4	0.6	0.6	0.7	0.6	1.0	0.8	0.7	0.7
Scarlet fever and streptococcal sore throat---050,051	0.1	0.2	0.2	0.2	0.2	0.2	0.3	0.4	0.4	0.6
Diphtheria---055	0.1	0.1	0.1	0.1	0.2	0.3	0.4	0.4	0.6	0.9
Whooping cough---056	0.3	0.2	0.2	0.3	0.6	0.7	0.5	0.8	1.4	0.9
Meningococcal infections---057	0.6	0.6	0.8	0.9	0.7	0.6	0.6	0.6	0.6	0.9
Plague---058	0	0	0	0	0	0.0	0.0	0	0.0	0
Acute poliomyelitis---080	0.6	0.8	0.9	2.0	1.0	1.3	1.8	1.3	0.4	1.3
Smallpox---084	0	0	0.0	0	0.0	0.0	0.0	0.0	0.0	0.0
Measles---085	0.2	0.3	0.3	0.4	0.4	0.3	0.6	0.6	0.3	0.9
Typhus and other rickettsial diseases---100-108	0.0	0.0	0.0	0.0	0.0	0.0	0.0	[2]0.1	[2]0.2	[2]0.2
Malaria---110-117	0.0	0.0	0.0	0.0	0.0	0.1	0.1	[2]0.1	[2]0.1	[2]0.2
All other infective and parasitic dis.----030-039,041,042,044,049,052-054,059-074,081-083,086-096,120-138	2.5	2.6	2.6	2.8	2.7	2.5	2.6	2.9	2.9	3.1
Malignant neoplasms, including neoplasms of lymphatic and hematopoietic tissues---140-205	146.5	145.6	144.7	143.3	140.5	139.8	138.8	136.2	133.5	131.0
Malignant neoplasm of buccal cavity and pharynx---140-148	3.4	3.3	3.2	3.2	3.2	3.4	3.4	3.3	3.3	3.3
Malignant neoplasm of digestive organs and peritoneum, not specified as secondary---150-156A,157-159	52.3	53.0	53.3	53.4	53.3	54.2	55.3	55.5	55.2	55.0
Malignant neoplasm of respiratory system, not specified as secondary---160-164	18.2	17.1	16.7	15.6	14.7	14.1	13.1	12.3	11.4	10.3
Malignant neoplasm of breast---170	13.4	13.0	13.0	12.8	12.5	12.6	12.5	12.3	11.8	11.7
Malignant neoplasm of genital organs---171-179	22.8	22.9	22.9	22.7	22.5	23.1	23.2	22.8	22.8	22.6
Malignant neoplasm of urinary organs---180,181	7.0	6.9	6.9	6.9	6.6	6.7	6.6	6.6	6.4	6.1
Malignant neoplasm of other and unspecified sites---156B,165,190-199	16.4	16.5	16.3	16.6	16.1	14.7	14.2			
Leukemia and aleukemia---204	6.6	6.5	6.3	6.3	6.1	5.9	5.4	23.4	22.6	22.0
Lymphosarcoma and other neoplasms of lymphatic and hematopoietic tissues---200-203,205	6.5	6.3	6.1	5.8	5.5	5.2	4.9			
Benign neoplasms and neoplasms of unspecified nature---210-239	3.1	3.2	3.3	3.3	3.4	3.6	3.9	3.8	4.2	4.5
Diabetes mellitus---260	15.5	15.6	16.3	16.4	16.3	16.2	16.9	15.1	14.9	14.1
Anemias---290-293	1.9	2.0	2.3	2.6	2.6	2.7	3.0	2.9	3.1	3.2
Meningitis, except meningococcal and tuberculous---340	1.1	1.1	1.3	1.2	1.2	1.2	1.4	1.6	1.7	1.8
Major cardiovascular-renal diseases---330-334,400-468;592-594	506.0	495.1	514.6	511.6	513.0	510.8	502.1	506.1	507.2	490.0
Diseases of cardiovascular system---330-334,400-468	496.4	484.6	502.7	498.3	498.3	494.4	484.6	487.8	488.0	469.9
Vascular lesions affecting central nervous system---330-334	106.0	104.1	107.3	106.8	106.6	104.0	100.9	101.7	103.6	101.7
Rheumatic fever--- 400-402	0.7	0.8	1.0	1.0	1.1	1.3	1.5	1.7	1.9	2.1
Diseases of heart---410-443	355.8	347.5	360.2	356.4	355.8	355.5	348.8	350.7	348.7	332.7
Chronic rheumatic heart disease---410-416	11.3	11.3	12.4	12.7	13.0	13.5	13.7	14.5	15.1	15.3
Arteriosclerotic heart disease, including coronary disease---420	247.0	235.6	236.0	226.1	219.5	213.0	201.2			
Nonrheumatic chronic endocarditis and other myocardial degeneration---421,422	39.9	41.0	46.3	49.2	52.6	56.5	61.5	336.2	333.6	317.4
Other diseases of heart---430-434	12.6	13.0	14.3	14.5	15.1	15.9	16.0			
Hypertension with heart disease---440-443	45.0	46.6	51.3	53.9	55.6	56.5	56.4			
Hypertension without mention of heart---444-447	6.8	7.1	7.8	8.0	8.6	8.3	8.2	8.7	8.7	8.5
General arteriosclerosis---450	19.8	18.8	20.4	20.3	20.8	20.4	20.5	20.1	20.2	20.3
Other diseases of circulatory system---451-468	7.3	6.4	6.0	5.7	5.4	4.9	4.7	5.0	4.8	4.5
Chronic and unspecified nephritis and other renal sclerosis---592-594	9.6	10.6	11.9	13.3	14.7	16.4	17.4	18.2	19.3	20.0
Influenza and pneumonia, except pneumonia of newborn---480-493	27.1	25.4	33.0	29.7	31.4	31.3	30.0	34.2	38.7	40.3
Influenza---480-483	1.7	1.7	6.0	3.6	4.5	4.4	3.1	4.3	6.7	7.9
Pneumonia, except pneumonia of newborn---490-493	25.4	23.8	27.0	26.1	26.9	26.9	26.9	29.8	32.0	32.4
Bronchitis---500-502	1.9	1.8	1.9	1.9	1.9	2.0	2.2	2.2	2.3	2.1
Ulcer of stomach and duodenum---540,541	5.9	5.8	5.8	5.6	5.5	5.5	5.3	5.1	5.1	5.0
Appendicitis---550-553	1.4	1.4	1.5	1.7	1.9	2.0	2.5	2.6	3.1	3.5
Hernia and intestinal obstruction---560,561,570	5.3	5.3	5.5	5.4	5.6	5.9	6.6	7.3	8.0	8.5
Gastritis, duodenitis, enteritis, and colitis, except diarrhea of newborn---543,571,572	4.7	4.9	5.4	5.6	5.2	5.1	6.7	6.1	5.7	5.8
Cirrhosis of liver---581	10.2	10.1	10.4	10.2	9.8	9.2	9.2	9.2	8.5	7.8
Acute nephritis and nephritis with edema, including nephrosis---590,591	1.5	1.6	1.8	2.0	2.1	2.3	2.4	2.6	2.6	3.1
Hyperplasia of prostate---610	3.7	3.8	3.9	4.0	4.2	4.2	4.6	4.7	5.0	5.3
Deliveries and complications of pregnancy, childbirth, and the puerperium---640-689	1.2	1.3	1.5	1.7	1.8	2.0	2.2	2.6	3.2	3.3
Abortion---650-652	0.2	0.2	0.2	0.2	0.2	0.2	0.3	0.3	0.4	0.5
All other complications---640-649,660-689	1.0	1.1	1.3	1.5	1.6	1.8	1.9	2.3	2.8	2.9
Congenital malformations---750-759	12.5	12.5	12.6	12.7	12.3	12.2	12.7	12.8	13.8	12.4
Certain diseases of early infancy---760-776	39.0	39.4	40.1	40.9	41.1	40.5	43.2	44.4	48.0	46.5
Birth injuries, postnatal asphyxia, and atelectasis---760-762	17.8	17.8	17.9	17.6	17.6	16.6	17.2	[3]17.4	[3]18.9	[3]17.6
Infections of newborn---763-768	2.6	2.7	2.6	2.6	2.6	2.6	3.0	[3]2.9	[3]3.3	[3]3.2
Other diseases peculiar to early infancy, and immaturity unqualified---769-776	18.6	18.9	19.6	20.7	21.0	21.3	23.0	[3]24.2	[3]26.1	[3]26.0
Symptoms, senility, and ill-defined conditions---780-795	12.1	12.5	13.7	14.1	14.8	14.9	15.8	18.6	19.1	19.6
All other diseases---Residual	42.1	41.2	42.6	43.2	42.8	41.0	43.8	[4]47.1	[4]50.0	[4]52.7
Accidents---E800-E962	56.9	55.9	60.0	61.7	62.5	60.6	60.6	63.6	65.8	66.3
Motor-vehicle accidents---E810-E835	23.4	22.1	24.0	24.3	24.1	23.1	21.3	22.1	22.8	23.8
All other accidents---E800-E802,E840-E962	33.5	33.8	36.1	37.5	38.4	37.5	39.3	41.5	43.0	42.5
Suicide---E963,E970-E979	10.2	10.1	10.1	10.0	10.4	11.4	11.4	11.2	11.6	11.6
Homicide---E964,E980-E985	4.5	4.8	4.8	5.2	4.9	5.3	5.4	5.9	6.1	6.4
Injury resulting from operations of war---E965,E990-E999	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0	0	[2]0.0

[1]Provisional; based on estimated deaths computed by applying the provisional comparability ratio to deaths coded by the Fifth Revision. See Vital Statistics of the United States, 1950, Vol. I, table 2.02, p. 32.

[2]Based on deaths coded by the Fifth Revision. No comparability ratio available.

[3]Based on estimated deaths under 1 year derived from detailed tabulations by cause, and comparability ratios computed for deaths under 1 year of age. Subdivisions of the group, International List Nos. 760-776, Certain diseases of early infancy, do not add to total.

[4]Computed from the difference between total deaths and sum of estimated deaths for specified causes.

Table BO. Death Rates for 64 Selected Causes, by Age, Color, and Sex: United States, 1955

(Includes only deaths occurring within the continental United States. Excludes fetal deaths. Rates per 100,000 estimated midyear population residing in area for specified group. Numbers after causes of death are category numbers of the Sixth Revision of the International Lists, 1948)

CAUSE OF DEATH, COLOR, AND SEX	Total[1]	Under 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over
ALL CAUSES	930.4	2,959.7	113.6	48.4	113.9	149.8	306.7	752.8	1,734.3	3,961.7	8,940.0	18,619.2
Male	1,076.6	3,339.6	123.2	58.4	162.4	192.4	378.7	972.3	2,271.8	4,916.8	10,194.9	19,107.7
Female	788.1	2,567.0	103.6	38.0	67.4	109.3	238.0	539.0	1,221.3	3,098.4	7,923.8	18,270.0
White	921.9	2,618.0	100.5	46.1	105.3	127.2	266.6	682.9	1,641.1	3,862.2	9,063.1	19,532.4
Male	1,070.0	2,975.4	109.9	56.1	153.5	168.1	338.1	909.5	2,190.2	4,831.9	10,357.8	20,063.6
Female	777.2	2,242.8	90.6	35.6	58.7	87.9	197.7	461.7	1,118.5	2,990.1	8,025.3	19,156.1
Nonwhite	1,001.0	5,136.7	196.9	64.6	174.6	334.9	665.5	1,414.0	2,810.3	5,367.2	7,208.2	9,617.6
Male	1,131.8	5,697.6	209.4	74.8	225.2	401.9	758.1	1,571.0	3,196.7	6,083.7	8,083.1	10,325.0
Female	876.9	4,559.5	184.6	54.3	127.0	276.6	583.6	1,262.2	2,425.0	4,675.5	6,392.5	9,078.6
Tuberculosis, all forms (001-019)	9.1	2.7	1.7	0.3	1.6	4.9	8.9	14.9	21.6	33.2	40.4	38.6
Male	13.0	3.3	1.8	0.3	1.3	4.9	10.8	23.3	36.2	54.1	59.8	57.4
Female	5.3	2.0	1.7	0.3	1.9	4.8	7.0	6.8	7.7	14.4	24.7	25.2
White	7.6	1.6	1.1	0.2	0.6	2.7	6.3	11.8	18.8	30.4	38.6	37.0
Male	11.2	1.9	1.1	0.2	0.6	2.8	7.6	18.8	31.9	50.3	57.0	54.8
Female	4.1	1.4	1.1	0.2	0.7	2.7	5.1	4.9	6.3	12.6	23.9	24.3
Nonwhite	21.5	9.2	5.9	1.1	8.5	22.1	31.7	44.4	54.3	72.3	65.8	54.1
Male	28.4	12.7	6.7	1.0	6.6	23.1	40.4	65.4	85.1	105.5	96.0	81.3
Female	15.0	5.7	5.0	1.1	10.2	21.2	24.1	24.2	23.9	40.3	37.6	33.3
Tuberculosis of respiratory system (001-008)	8.3	1.1	0.6	0.1	1.3	4.5	8.1	13.9	20.2	31.5	38.3	37.5
Male	12.1	1.3	0.5	0.1	1.0	4.5	9.9	22.0	34.4	51.7	56.8	56.7
Female	4.7	0.8	0.7	0.1	1.7	4.4	6.5	6.1	6.7	13.2	23.4	23.7
White	7.1	0.8	0.3	0.1	0.5	2.6	5.9	11.2	17.8	29.1	36.7	36.0
Male	10.5	0.8	0.2	0.1	0.4	2.6	7.1	18.0	30.5	48.4	54.3	54.1
Female	3.7	0.8	0.5	0.0	0.6	2.5	4.8	4.6	5.6	11.6	22.5	23.1
Nonwhite	18.6	3.1	2.0	0.4	7.2	19.7	28.1	39.3	48.6	65.8	61.5	51.4
Male	24.9	4.9	1.9	0.3	5.3	20.2	36.0	59.5	78.6	97.1	88.7	81.3
Female	12.6	1.2	2.0	0.4	9.0	19.3	21.2	19.9	19.0	35.5	36.1	28.6
Tuberculosis, other forms (010-019)	0.8	1.6	1.2	0.2	0.3	0.4	0.7	1.0	1.4	1.7	2.1	1.2
Male	0.9	2.0	1.3	0.2	0.3	0.5	0.9	1.3	1.8	2.3	3.0	0.6
Female	0.6	1.1	1.0	0.2	0.3	0.3	0.6	0.7	1.0	1.2	1.4	1.5
White	0.5	0.9	0.7	0.2	0.1	0.2	0.4	0.6	1.1	1.4	1.9	1.0
Male	0.6	1.1	0.8	0.2	0.1	0.2	0.5	0.8	1.4	1.9	2.7	0.7
Female	0.4	0.6	0.7	0.1	0.1	0.1	0.3	0.4	0.7	1.0	1.3	1.2
Nonwhite	3.0	6.1	3.9	0.7	1.3	2.4	3.6	5.1	5.7	6.6	4.3	2.7
Male	3.5	7.8	4.8	0.7	1.3	2.9	4.4	5.9	6.4	8.5	7.3	0
Female	2.4	4.5	3.0	0.7	1.2	1.9	2.9	4.3	5.0	4.7	1.5	4.8
Syphilis and its sequelae (020-029)	2.3	0.9	0.0	0.0	0.0	0.2	1.0	4.0	7.9	11.7	10.8	7.2
Male	3.5	1.1	0.1	0.0	0.1	0.3	1.5	5.8	12.7	18.5	16.9	8.9
Female	1.2	0.8	0.0	0.0	0.0	0.2	0.6	2.2	3.4	5.4	6.0	5.9
White	1.7	0.3	0.0	0	0.0	0.1	0.5	2.2	5.5	9.2	9.2	5.8
Male	2.5	0.5	0.0	0	0.0	0.2	0.7	3.2	9.0	14.9	14.5	7.5
Female	0.8	0.1	0	0	0.0	0.1	0.3	1.2	2.3	4.1	5.0	4.6
Nonwhite	7.9	5.1	0.2	0.1	0.2	1.2	6.3	21.1	35.7	46.2	33.5	20.3
Male	11.6	4.9	0.2	0.1	0.3	1.3	9.7	30.7	55.2	68.4	47.6	21.9
Female	4.3	5.3	0.1	0.1	0.1	1.0	3.2	12.0	16.4	24.8	20.3	19.0
Typhoid fever (040)	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.1	0
Male	0.0	0	0.0	0.0	0.0	0.0	0.0	0.0	0.1	0.0	0.1	0
Female	0.0	0.1	0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0	0
White	0.0	0	0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.1	0
Male	0.0	0	0	0.0	0.0	0	0	0.0	0.0	0.0	0.1	0
Female	0.0	0	0	0	0.0	0.0	0.0	0	0.0	0.0	0	0
Nonwhite	0.1	0.2	0.1	0.1	0.1	0.1	0.1	0.2	0.1	0	0	0
Male	0.1	0	0.2	0.1	0.2	0.1	0.2	0.1	0.2	0	0	0
Female	0.1	0.4	0	0.1	0	0.1	0	0.2	0	0	0	0
Dysentery, all forms (045-048)	0.3	7.5	0.4	0.1	0.0	0.0	0.1	0.1	0.2	0.5	1.1	3.3
Male	0.4	7.5	0.5	0.1	0.0	0.0	0.1	0.1	0.3	0.6	0.9	3.7
Female	0.3	7.5	0.4	0.1	0.0	0.0	0.0	0.1	0.2	0.4	1.2	3.1
White	0.2	5.4	0.3	0.1	0.0	0.0	0.1	0.1	0.1	0.3	0.9	3.1
Male	0.3	5.1	0.4	0.1	0.0	0.0	0.1	0.1	0.2	0.4	0.9	3.4
Female	0.2	5.8	0.3	0.1	0.0	0.0	0.0	0.1	0.1	0.3	0.9	2.9
Nonwhite	1.1	20.8	1.3	0.2	0.1	0.1	0.2	0.1	1.1	3.2	3.5	5.4
Male	1.2	23.3	1.5	0.2	0.1	0	0.3	0.1	1.4	3.3	1.6	6.3
Female	1.0	18.2	1.0	0.2	0.1	0.1	0.1	0.1	0.9	3.1	5.3	4.8
Scarlet fever and streptococcal sore throat (050,051)	0.1	0.8	0.3	0.1	0.1	0.1	0.1	0.1	0.1	0.2	0.4	0.8
Male	0.2	1.0	0.3	0.1	0.1	0.1	0.1	0.1	0.1	0.2	0.3	1.2
Female	0.1	0.5	0.2	0.1	0.0	0.1	0.1	0.1	0.1	0.2	0.5	0.4
White	0.1	0.7	0.3	0.1	0.1	0.1	0.1	0.1	0.1	0.2	0.4	0.8
Male	0.1	1.1	0.3	0.1	0.1	0.1	0.0	0.1	0.1	0.2	0.3	1.4
Female	0.1	0.3	0.3	0.1	0.1	0.1	0.1	0.1	0.1	0.2	0.5	0.5
Nonwhite	0.2	1.2	0.3	0.2	0.0	0.1	0.1	0.2	0.1	0.3	0.4	0
Male	0.2	0.8	0.5	0.2	0.1	0.1	0.3	0.2	0	0.7	0	0
Female	0.1	1.6	0	0.2	0	0.1	0	0.1	0.2	0	0.8	0
Diphtheria (055)	0.1	0.2	0.4	0.2	0.0	0.0	0.0	0.0	0.0	0.1	0.0	0
Male	0.1	0.2	0.4	0.2	0.0	0.0	0.0	0.1	0.1	0.1	0.1	0
Female	0.1	0.1	0.4	0.2	0	0.0	0.0	0.0	0.0	0.0	0	0
White	0.1	0.2	0.3	0.1	0.0	0.0	0.0	0.0	0.1	0.1	0.0	0
Male	0.1	0.3	0.3	0.1	0.0	0.0	0.0	0.1	0.1	0.1	0.1	0
Female	0.0	0.1	0.3	0.1	0	0.0	0.0	0.0	0.0	0.0	0	0
Nonwhite	0.3	0	1.4	0.8	0	0	0	0	0	0	0	0
Male	0.3	0	1.5	0.6	0	0	0	0	0	0	0	0
Female	0.3	0	1.2	0.9	0	0	0	0	0	0	0	0

[1]Figures for age not stated included in the "Total" but not distributed among age groups.

Table BO. Death Rates for 64 Selected Causes, by Age, Color, and Sex: United States, 1955—Continued

(See headnote on p. XCIII)

CAUSE OF DEATH, COLOR, AND SEX	Total[1]	Under 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over
Whooping cough (056)	0.3	9.2	0.8	0.0	0.0	0	0	0	0.0	0	0	0
Male	0.3	8.4	0.6	0.0	0.0	0	0	0	0	0	0	0
Female	0.3	10.2	1.1	0.0	0.0	0	0	0	0.0	0	0	0
White	0.2	4.9	0.5	0.0	0.0	0	0	0	0.0	0	0	0
Male	0.1	4.2	0.3	0.0	0.0	0	0	0	0	0	0	0
Female	0.2	5.6	0.7	0.0	0	0	0	0	0.0	0	0	0
Nonwhite	1.4	37.1	2.9	0.1	0.1	0	0	0	0	0	0	0
Male	1.3	35.5	2.5	0.1	0.1	0	0	0	0	0	0	0
Female	1.4	38.5	3.3	0.1	0.1	0	0	0	0	0	0	0
Meningococcal infections (057)	0.6	7.1	2.3	0.3	0.3	0.1	0.1	0.2	0.2	0.2	0.3	0.6
Male	0.6	8.2	2.4	0.3	0.4	0.1	0.1	0.2	0.3	0.2	0.2	0.6
Female	0.5	6.0	2.1	0.3	0.2	0.1	0.1	0.1	0.1	0.3	0.4	0.7
White	0.5	7.1	2.2	0.3	0.2	0.1	0.1	0.2	0.2	0.2	0.3	0.7
Male	0.6	8.1	2.4	0.4	0.3	0.1	0.1	0.2	0.3	0.1	0.2	0.7
Female	0.4	6.0	2.0	0.3	0.1	0.1	0.0	0.1	0.1	0.3	0.3	0.7
Nonwhite	0.9	7.3	2.7	0.4	0.7	0.1	0.3	0.4	0.5	0.8	0.8	0
Male	0.9	8.6	2.9	0.3	0.9	0.2	0.4	0.2	0.5	0.3	0	0
Female	0.8	6.1	2.4	0.6	0.4	0.1	0.3	0.5	0.5	1.3	1.5	0
Acute poliomyelitis (080)	0.6	1.1	0.8	0.9	0.9	1.1	0.4	0.2	0.1	0.0	0.0	0
Male	0.7	1.3	0.8	1.0	0.9	1.3	0.6	0.2	0.1	0	0.1	0
Female	0.6	0.8	0.8	0.9	0.9	0.9	0.3	0.1	0.1	0.0	0	0
White	0.7	1.1	0.9	1.0	1.0	1.2	0.5	0.2	0.1	0.0	0.0	0
Male	0.8	1.3	0.8	1.1	1.0	1.4	0.6	0.2	0.1	0	0.1	0
Female	0.6	0.9	0.9	0.9	1.0	1.0	0.3	0.1	0.0	0.0	0	0
Nonwhite	0.2	1.0	0.4	0.3	0.3	0.2	0.2	0.1	0.1	0	0	0
Male	0.3	1.6	0.6	0.4	0.2	0.1	0.1	0.1	0	0	0	0
Female	0.2	0.4	0.2	0.3	0.4	0.3	0.2	0	0.2	0	0	0
Measles (085)	0.2	2.2	1.0	0.3	0.0	0.0	0.0	0.0	0	0.0	0.0	0.1
Male	0.2	2.5	1.1	0.2	0.0	0.0	0.0	0	0	0.0	0	0
Female	0.2	2.0	1.0	0.3	0.0	0.0	0.0	0.0	0	0.1	0.0	0.2
White	0.2	1.6	0.9	0.3	0.0	0.0	0.0	0.0	0	0.0	0.0	0.1
Male	0.2	1.9	0.9	0.2	0.0	0.0	0.0	0	0	0	0	0
Female	0.2	1.4	0.8	0.3	0.1	0.0	0.0	0.0	0	0.1	0.0	0.2
Nonwhite	0.5	6.1	2.2	0.3	0	0.0	0.0	0	0	0.2	0	0
Male	0.5	6.5	2.1	0.2	0	0	0	0	0	0.3	0	0
Female	0.5	5.7	2.3	0.5	0	0.1	0.1	0	0	0	0	0
Typhus and other rickettsial diseases (100-108)	0.0	0	0.0	0.0	0	0.0	0.0	0.0	0.0	0.0	0.1	0
Male	0.0	0	0.0	0.0	0	0.0	0.0	0.0	0.0	0	0.1	0
Female	0.0	0	0	0	0	0	0	0	0.0	0.0	0.0	0
White	0.0	0	0.0	0	0	0.0	0.0	0.0	0.0	0.0	0.1	0
Male	0.0	0	0.0	0	0	0.0	0.0	0.0	0.0	0	0.1	0
Female	0.0	0	0	0	0	0	0	0	0.0	0.0	0.0	0
Nonwhite	0.0	0	0	0.0	0	0	0	0	0	0	0.4	0
Male	0.0	0	0	0.1	0	0	0	0	0	0	0.8	0
Female	0	0	0	0	0	0	0	0	0	0	0	0
Malaria (110-117)	0.0	0.1	0	0	0.0	0.0	0.0	0.0	0.0	0.0	0.1	0
Male	0.0	0.1	0	0	0.0	0.0	0.0	0.0	0.0	0.0	0	0
Female	0.0	0.1	0	0	0.0	0	0	0	0.0	0	0.1	0
White	0.0	0.1	0	0	0	0.0	0.0	0.0	0.0	0.0	0.1	0
Male	0.0	0.1	0	0	0	0.0	0.0	0.0	0	0.0	0	0
Female	0.0	0.1	0	0	0	0	0	0	0.0	0	0.1	0
Nonwhite	0.0	0	0	0	0.1	0	0.1	0	0.3	0	0	0
Male	0.1	0	0	0	0.1	0	0.2	0	0.3	0	0	0
Female	0.0	0	0	0	0.1	0	0	0	0.2	0	0	0
All other infective and parasitic diseases (030-039,041,042,044,049,052-054,059-074,081-083,086-096,120-138)	2.5	18.0	2.4	1.0	0.9	1.1	1.6	2.4	3.5	5.6	8.8	19.3
Male	2.8	20.2	2.4	1.1	1.0	1.1	1.8	2.8	4.2	6.7	9.9	16.9
Female	2.3	15.7	2.4	1.0	0.8	1.2	1.5	2.0	2.9	4.7	7.9	21.1
White	2.2	14.2	2.1	0.9	0.8	0.9	1.3	2.1	3.3	5.3	9.0	20.2
Male	2.5	16.6	2.1	1.0	0.8	0.9	1.5	2.4	3.9	6.3	10.1	16.0
Female	2.0	11.7	2.1	0.9	0.8	0.9	1.2	1.8	2.7	4.4	8.0	21.7
Nonwhite	4.8	42.0	4.6	1.9	2.0	3.0	4.4	5.3	6.4	9.8	6.6	10.8
Male	5.2	43.7	4.8	1.7	2.6	2.8	4.4	6.2	7.8	11.7	7.3	6.3
Female	4.5	40.1	4.4	2.0	1.5	3.2	4.4	4.3	5.0	7.9	6.0	14.3
Malignant neoplasms, including neoplasms of lymphatic and hematopoietic tissues (140-205)	146.5	8.0	11.1	7.0	9.1	19.3	61.3	173.7	393.3	739.6	1,165.4	1,437.2
Male	155.8	8.8	12.2	8.2	11.0	17.5	46.1	163.6	440.1	883.8	1,394.5	1,652.5
Female	137.4	7.2	10.0	5.7	7.2	21.0	75.7	183.7	348.8	609.4	979.8	1,283.3
White	150.4	8.2	11.9	7.3	9.2	18.8	58.0	166.7	386.6	738.4	1,193.9	1,519.0
Male	160.1	9.0	13.1	8.5	11.2	17.5	44.2	157.7	432.0	883.1	1,431.0	1,746.9
Female	141.0	7.5	10.6	5.9	7.3	19.9	71.3	175.5	343.3	608.3	1,003.7	1,357.6
Nonwhite	114.0	6.5	6.4	4.9	8.1	23.5	90.4	240.3	471.6	758.1	764.6	633.8
Male	119.8	7.3	6.6	5.8	9.5	16.9	64.1	219.3	530.9	895.1	921.0	784.4
Female	108.5	5.7	6.2	4.1	6.8	29.3	113.8	260.1	412.3	625.8	618.8	519.0
Malignant neoplasm of buccal cavity and pharynx (140-148)	3.4	0.1	0.1	0.1	0.1	0.2	1.1	4.2	9.5	17.1	27.2	39.3
Male	5.4	0.1	0.1	0.1	0.1	0.3	1.6	6.6	16.2	29.2	46.7	66.9
Female	1.4	0.1	0.1	0.1	0.1	0.2	0.7	1.9	3.1	6.2	11.5	19.5
White	3.5	0.1	0.1	0.1	0.1	0.2	1.1	4.1	9.5	17.2	28.3	41.5
Male	5.6	0.1	0.1	0.1	0.1	0.3	1.5	6.4	16.2	29.7	48.9	71.4
Female	1.4	0.1	0.0	0.1	0.1	0.2	0.7	1.8	3.2	5.9	11.8	20.2
Nonwhite	2.4	0.2	0.1	0.1	0.2	0.2	1.9	5.6	9.6	16.2	12.5	17.6
Male	3.5	0	0	0.1	0.2	0.3	2.8	8.0	16.5	22.5	18.5	25.0
Female	1.3	0.4	0.2	0.1	0.2	0.1	1.1	3.4	2.7	10.1	6.8	11.9

[1]Figures for age not stated included in the "Total" but not distributed among age groups.

Table BO. Death Rates for 64 Selected Causes, by Age, Color, and Sex: United States, 1955—Continued

(See headnote on p. XCIII)

CAUSE OF DEATH, COLOR, AND SEX	Total[1]	Under 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over
Malignant neoplasms, including neoplasms of lymphatic and hematopoietic tissues—Continued												
Malignant neoplasm of digestive organs and peritoneum, not specified as secondary (150-156A,157-159)	52.3	1.1	0.2	0.2	0.6	2.8	12.6	47.1	134.2	302.8	519.2	642.3
Male	58.4	1.8	0.3	0.2	0.8	3.0	12.8	54.1	159.9	367.0	597.8	669.0
Female	46.3	0.5	0.2	0.1	0.5	2.7	12.4	40.3	109.6	244.7	455.5	623.2
White	53.7	1.1	0.2	0.1	0.6	2.6	11.7	44.0	130.0	301.4	533.7	681.5
Male	59.3	1.7	0.3	0.2	0.8	2.7	11.6	50.1	153.5	363.8	614.4	709.2
Female	48.2	0.4	0.2	0.1	0.5	2.5	11.8	38.1	107.6	245.3	468.9	661.9
Nonwhite	40.2	1.6	0.2	0.3	0.8	4.5	20.1	76.3	182.7	321.9	315.2	258.1
Male	50.1	2.4	0.3	0.5	1.1	4.8	23.6	92.1	233.0	410.7	382.3	300.0
Female	30.7	0.8	0.1	0.2	0.5	4.2	17.0	61.0	132.8	236.2	252.6	226.2
Malignant neoplasm of respiratory system, not specified as secondary (160-164)	18.2	0.2	0.1	0.1	0.3	1.0	5.9	27.3	68.7	96.6	89.7	64.6
Male	31.2	0.2	0.0	0.1	0.3	1.5	9.4	47.9	124.7	172.9	152.3	98.2
Female	5.6	0.1	0.1	0.1	0.2	0.6	2.7	7.2	15.1	27.7	38.9	40.6
White	18.9	0.2	0.1	0.1	0.3	1.0	5.7	26.7	69.1	98.2	92.3	68.5
Male	32.5	0.3	0.0	0.1	0.3	1.4	8.9	47.1	126.2	176.9	157.6	105.1
Female	5.7	0.1	0.1	0.1	0.2	0.6	2.6	6.8	14.8	27.4	39.9	42.7
Nonwhite	12.3	0	0.1	0.1	0.3	1.3	8.2	32.7	63.5	74.1	53.3	25.7
Male	20.5	0	0	0	0.5	2.1	13.7	55.7	108.2	118.6	83.9	34.4
Female	4.5	0	0.1	0.1	0.2	0.6	3.3	10.6	19.5	31.1	24.8	19.0
Malignant neoplasm of breast (170)	13.4	0.1	0.0	0.0	0.1	2.0	10.9	25.1	36.7	51.5	80.5	115.7
Male	0.3	0.1	0	0	0	0.0	0.1	0.3	0.9	1.6	2.3	4.6
Female	26.1	0.1	0.0	0.0	0.2	3.8	21.2	49.3	70.9	96.6	143.9	195.2
White	13.9	0.1	0.0	0.0	0.1	1.8	10.7	25.3	37.2	52.0	82.9	124.1
Male	0.3	0.1	0	0	0	0.0	0.1	0.3	1.0	1.5	2.4	4.4
Female	27.2	0.1	0.0	0.0	0.2	3.6	20.8	49.8	71.8	97.4	147.5	208.9
Nonwhite	8.9	0	0.1	0	0.1	2.9	13.2	23.0	30.7	43.7	46.3	33.8
Male	0.2	0	0	0	0	0	0.1	0.3	0.5	2.0	0.8	6.3
Female	17.1	0	0.1	0	0.1	5.5	24.7	44.7	60.3	84.0	88.7	54.8
Malignant neoplasm of genital organs (171-179)	22.8	0.1	0.1	0.1	1.0	4.0	12.5	28.1	53.8	108.7	205.7	267.6
Male	17.9	0.1	0.2	0.1	0.9	1.9	1.8	4.5	26.8	110.5	300.6	454.3
Female	27.7	0.1	0.1	0.2	1.1	5.9	22.7	51.2	79.7	107.1	128.8	134.2
White	22.4	0.1	0.2	0.1	1.0	3.6	10.9	25.3	50.2	104.5	205.4	277.2
Male	17.9	0.1	0.2	0.1	1.0	2.0	1.7	3.6	23.3	105.2	301.7	475.5
Female	26.8	0.1	0.1	0.1	0.9	5.1	19.8	46.4	75.8	104.0	128.1	136.6
Nonwhite	26.2	0	0.1	0.1	1.1	6.8	26.7	55.1	95.7	167.7	209.7	173.0
Male	17.7	0	0.1	0	0.2	0.7	2.6	12.6	65.6	183.1	286.3	259.4
Female	34.2	0	0.1	0.3	1.9	12.2	48.0	95.7	125.1	152.8	138.3	107.1
Malignant neoplasm of urinary organs (180,181)	7.0	0.5	1.1	0.3	0.1	0.3	1.3	5.9	18.0	39.8	68.7	84.5
Male	9.3	0.5	1.2	0.3	0.1	0.4	1.7	8.4	26.0	57.4	93.0	108.3
Female	4.7	0.5	1.0	0.3	0.1	0.3	1.0	3.6	10.4	23.9	49.0	67.5
White	7.4	0.6	1.1	0.3	0.1	0.3	1.3	5.9	18.1	40.8	71.5	90.1
Male	9.9	0.6	1.2	0.3	0.1	0.3	1.6	8.4	26.3	59.4	97.4	117.0
Female	5.0	0.6	1.1	0.4	0.1	0.3	0.9	3.4	10.4	24.0	50.8	71.1
Nonwhite	3.8	0	0.9	0.3	0.2	0.5	2.0	6.5	16.8	26.9	28.8	29.7
Male	4.7	0	1.2	0.3	0.1	0.5	2.5	7.9	23.3	30.9	35.5	28.1
Female	2.9	0	0.5	0.3	0.2	0.6	1.5	5.2	10.4	23.0	22.6	31.0
Malignant neoplasm of other and unspecified sites (156B,165,190-199)	16.4	2.5	3.2	2.5	2.8	3.9	9.0	21.3	42.1	68.8	106.5	165.7
Male	17.8	2.8	3.3	2.6	3.5	4.4	9.2	23.9	48.5	77.9	118.8	176.7
Female	15.1	2.1	3.0	2.3	2.1	3.5	8.9	18.8	35.9	60.5	96.6	157.9
White	16.9	2.6	3.3	2.6	2.9	4.0	8.9	20.8	41.6	68.5	109.0	174.3
Male	18.3	2.9	3.5	2.8	3.6	4.5	9.3	23.7	48.1	77.7	121.7	183.7
Female	15.5	2.2	3.1	2.4	2.1	3.5	8.6	18.0	35.4	60.2	98.8	167.7
Nonwhite	12.6	1.8	2.2	1.8	2.3	3.4	10.1	26.4	47.7	73.1	72.0	81.1
Male	13.3	2.0	1.9	1.8	2.6	3.3	8.9	26.1	52.8	80.5	80.6	112.5
Female	11.9	1.6	2.5	1.7	2.0	3.5	11.1	26.6	42.6	66.0	63.9	57.1
Leukemia and aleukemia (204)	6.6	2.8	5.4	2.9	2.2	2.2	3.4	5.9	13.0	26.0	38.2	38.4
Male	7.8	2.7	5.8	3.6	2.8	2.6	3.9	6.9	15.5	33.1	48.2	51.8
Female	5.4	3.0	5.0	2.3	1.6	1.9	3.0	5.0	10.6	19.7	30.1	28.7
White	7.0	2.9	5.9	3.1	2.3	2.3	3.5	5.9	13.2	27.0	39.8	41.2
Male	8.2	2.7	6.4	3.8	2.8	2.7	3.9	7.0	15.8	34.2	50.4	56.1
Female	5.7	3.1	5.4	2.4	1.7	1.9	3.0	4.9	10.8	20.4	31.3	30.6
Nonwhite	3.5	2.2	2.2	1.6	1.7	1.5	3.2	6.1	9.7	13.3	15.6	10.8
Male	4.3	2.4	2.3	2.1	2.6	1.7	3.6	6.3	12.0	18.6	19.4	12.5
Female	2.8	2.0	2.0	1.1	0.9	1.2	2.9	5.8	7.5	8.2	12.0	9.5
Lymphosarcoma and other neoplasms of lymphatic and hematopoietic tissues (200-203,205)	6.5	0.7	1.0	0.8	1.9	2.8	4.4	8.7	17.4	28.3	29.8	19.1
Male	7.8	0.7	1.3	1.2	2.4	3.5	5.7	10.9	21.5	34.3	34.9	22.7
Female	5.2	0.8	0.6	0.4	1.4	2.2	3.2	6.5	13.5	23.0	25.6	16.4
White	6.7	0.7	1.0	0.8	2.0	2.9	4.3	8.7	17.6	28.9	31.1	20.6
Male	8.1	0.7	1.4	1.2	2.5	3.5	5.7	11.0	21.7	34.7	36.5	24.5
Female	5.4	0.8	0.6	0.4	1.5	2.3	3.0	6.4	13.7	23.6	26.7	17.8
Nonwhite	4.3	0.6	0.7	0.7	1.5	2.3	5.1	8.6	15.2	21.3	11.3	4.1
Male	5.5	0.4	0.8	1.0	2.3	3.4	6.1	10.3	19.1	28.3	13.7	6.3
Female	3.1	0.8	0.6	0.5	0.7	1.4	4.2	7.0	11.3	14.5	9.0	2.4
Benign neoplasms and neoplasms of unspecified nature (210-239)	3.1	4.5	1.0	0.7	1.0	1.5	3.1	5.0	6.4	9.0	13.0	19.4
Male	2.7	4.7	0.9	0.6	0.9	1.1	1.9	4.1	6.5	9.2	13.2	16.6
Female	3.5	4.3	1.1	0.7	1.0	1.9	4.2	5.9	6.3	8.9	12.8	21.5
White	3.0	4.1	1.0	0.7	0.9	1.3	2.5	4.6	6.2	8.7	12.9	20.3
Male	2.7	4.5	0.9	0.6	0.9	1.0	1.9	4.0	6.5	8.9	13.1	18.4
Female	3.2	3.6	1.1	0.7	1.0	1.5	3.1	5.1	5.9	8.6	12.7	21.7
Nonwhite	4.5	7.3	1.1	0.9	1.2	3.4	8.5	9.2	8.9	13.4	14.8	10.8
Male	2.8	5.7	1.0	0.7	0.9	1.5	2.4	5.0	6.8	13.4	14.5	0
Female	6.3	8.9	1.2	1.0	1.5	5.1	13.9	13.2	10.9	13.5	15.0	19.0

[1]Figures for age not stated included in the "Total" but not distributed among age groups.

Table BO. Death Rates for 64 Selected Causes, by Age, Color, and Sex: United States, 1955—Continued

(See headnote on p. XCIII)

CAUSE OF DEATH, COLOR, AND SEX	Total[1]	Under 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over
Diabetes mellitus (260)	15.5	0.6	0.3	0.4	1.0	2.4	3.9	10.8	37.4	95.3	153.1	160.0
Male	12.4	0.8	0.3	0.4	0.9	2.6	4.4	9.8	30.0	73.5	133.2	139.9
Female	18.5	0.5	0.2	0.4	1.1	2.2	3.3	11.8	44.5	115.0	169.2	174.3
White	15.7	0.4	0.3	0.4	1.0	2.3	3.3	9.2	35.3	94.5	156.8	169.7
Male	12.8	0.6	0.3	0.3	0.9	2.5	4.1	9.4	29.3	73.8	136.6	150.3
Female	18.5	0.3	0.3	0.4	1.1	2.1	2.5	8.9	41.1	113.1	173.0	183.4
Nonwhite	14.3	1.8	0.2	0.5	1.4	3.1	9.2	26.7	61.4	106.7	100.8	64.9
Male	9.7	2.0	0.3	0.5	1.3	3.4	7.7	14.0	37.8	69.7	88.7	43.8
Female	18.6	1.6	0.1	0.5	1.5	2.9	10.5	38.7	84.4	142.5	112.0	81.0
Anemias (290-293)	1.9	3.7	1.0	0.4	0.4	0.4	0.5	1.0	2.3	7.3	21.7	47.2
Male	1.9	4.4	1.2	0.4	0.3	0.4	0.4	1.0	2.5	7.4	22.5	46.9
Female	1.9	3.0	0.8	0.3	0.4	0.4	0.6	0.9	2.1	7.1	21.0	47.4
White	1.8	2.5	0.5	0.3	0.2	0.3	0.3	0.8	2.2	7.2	22.5	50.6
Male	1.7	2.8	0.6	0.3	0.2	0.3	0.2	0.9	2.4	7.5	23.4	50.0
Female	1.9	2.2	0.5	0.3	0.3	0.2	0.5	0.8	2.0	7.0	21.8	51.1
Nonwhite	2.7	11.2	4.0	1.0	1.4	2.0	1.8	2.5	3.9	7.8	10.1	13.5
Male	3.0	14.3	4.9	1.4	1.1	1.9	2.0	2.6	4.5	6.5	10.5	18.8
Female	2.4	8.1	3.0	0.6	1.6	2.1	1.7	2.4	3.2	9.1	9.8	9.5
Meningitis, except meningococcal and tuberculous (340)	1.1	18.7	2.5	0.4	0.3	0.3	0.5	0.7	1.0	1.4	1.7	1.7
Male	1.4	22.2	2.6	0.5	0.4	0.2	0.5	0.8	1.3	1.7	2.1	2.8
Female	0.9	15.1	2.3	0.4	0.2	0.3	0.4	0.5	0.7	1.1	1.4	0.9
White	0.9	14.7	2.2	0.4	0.2	0.2	0.3	0.5	0.8	1.1	1.5	1.3
Male	1.1	17.4	2.5	0.4	0.3	0.2	0.4	0.6	1.1	1.4	1.9	2.0
Female	0.7	11.8	1.9	0.3	0.1	0.2	0.2	0.3	0.4	1.0	1.1	0.7
Nonwhite	3.0	44.4	4.1	0.7	0.7	0.5	1.7	2.7	4.0	4.5	4.7	5.4
Male	3.4	53.5	3.5	0.7	1.0	0.3	2.0	3.2	3.5	6.2	4.0	9.4
Female	2.6	35.2	4.6	0.7	0.4	0.6	1.3	2.2	4.4	2.8	5.3	2.4
Major cardiovascular-renal diseases (330-334,400-468,592-594)	506.0	15.5	3.1	3.4	10.6	27.8	105.6	353.9	960.9	2,498.3	6,322.0	13,949.6
Male	576.3	16.9	3.4	3.4	11.3	32.9	144.2	497.0	1,309.1	3,087.1	7,027.0	13,983.1
Female	437.5	14.1	2.8	3.4	9.9	23.0	68.8	214.4	628.6	1,966.1	5,751.2	13,925.7
White	511.8	12.9	2.6	3.0	9.1	22.7	88.4	314.3	898.3	2,428.1	6,415.6	14,674.0
Male	586.5	14.7	2.9	3.0	10.1	29.0	129.4	467.7	1,263.5	3,036.0	7,151.6	14,731.3
Female	438.8	11.0	2.3	3.0	8.2	16.8	48.9	164.3	550.8	1,881.4	5,825.6	14,633.5
Nonwhite	458.2	32.0	6.4	5.8	20.8	69.6	259.7	728.4	1,683.3	3,489.6	5,006.6	6,820.3
Male	490.8	30.6	7.1	5.5	19.9	66.9	282.0	775.5	1,825.9	3,790.2	5,411.3	7,109.4
Female	427.3	33.2	5.7	6.1	21.7	71.9	240.0	682.7	1,540.0	3,199.4	4,629.3	6,600.0
Diseases of cardiovascular system (330-334,400-468)	496.4	14.9	2.7	2.7	8.4	24.7	100.3	344.3	943.1	2,460.0	6,230.1	13,752.6
Male	565.9	15.8	2.9	2.7	8.7	29.2	137.9	486.3	1,289.5	3,043.7	6,920.0	13,761.0
Female	428.7	14.0	2.5	2.6	8.2	20.4	64.4	205.9	612.5	1,932.5	5,671.4	13,746.5
White	503.1	12.3	2.2	2.3	7.1	20.0	84.3	306.9	883.8	2,394.5	6,329.2	14,480.8
Male	577.0	13.7	2.4	2.4	7.5	25.5	124.3	456.9	1,246.9	2,997.8	7,051.2	14,510.2
Female	431.0	10.9	2.0	2.2	6.7	14.7	45.8	158.3	538.3	1,852.0	5,750.5	14,460.0
Nonwhite	440.6	31.6	5.7	5.1	18.1	62.8	243.0	698.7	1,627.4	3,385.4	4,835.4	6,589.2
Male	472.9	29.8	6.2	4.8	17.2	60.6	265.0	747.2	1,771.7	3,676.5	5,217.7	6,878.1
Female	410.0	33.2	5.1	5.4	18.9	64.7	223.6	651.6	1,482.6	3,104.4	4,478.9	6,369.0
Vascular lesions affecting central nervous system (330-334)	106.0	5.9	0.9	0.7	1.8	5.0	16.6	56.0	163.7	526.0	1,522.4	3,227.5
Male	104.0	6.2	1.1	0.8	1.8	5.1	16.3	56.3	181.3	576.1	1,576.4	3,107.4
Female	107.9	5.5	0.7	0.6	1.9	4.8	16.9	55.7	146.8	480.8	1,478.6	3,313.4
White	104.3	4.7	0.9	0.7	1.6	3.8	11.6	42.7	138.2	494.4	1,538.2	3,384.5
Male	102.3	5.1	1.0	0.7	1.5	4.2	11.6	45.2	157.5	546.4	1,594.3	3,262.6
Female	106.2	4.2	0.7	0.6	1.6	3.5	11.5	40.2	119.8	447.6	1,493.2	3,470.8
Nonwhite	119.9	13.4	1.4	0.8	3.7	14.3	61.5	181.4	458.0	971.7	1,300.0	1,679.7
Male	117.8	13.1	1.8	0.9	3.5	13.2	60.1	161.5	451.7	979.8	1,344.4	1,681.3
Female	121.9	13.8	0.9	0.7	3.9	15.2	62.9	200.1	463.4	963.8	1,258.6	1,678.6
Rheumatic fever (400-402)	0.7	0.2	0.3	1.0	0.6	0.4	0.6	0.7	0.8	0.9	1.3	1.2
Male	0.7	0.4	0.3	1.0	0.6	0.5	0.7	0.8	1.1	0.9	1.4	1.2
Female	0.6	0.1	0.2	1.0	0.6	0.4	0.6	0.6	0.6	0.9	1.3	1.1
White	0.6	0.2	0.2	0.8	0.5	0.4	0.6	0.7	0.8	0.9	1.4	1.1
Male	0.7	0.3	0.2	0.8	0.5	0.4	0.7	0.8	1.1	0.9	1.4	1.4
Female	0.5	0.1	0.1	0.8	0.5	0.4	0.5	0.6	0.6	0.8	1.4	1.0
Nonwhite	1.3	0.6	0.9	2.5	1.2	0.8	1.0	1.1	0.9	1.4	0.8	1.4
Male	1.3	0.8	1.0	2.2	1.1	0.8	0.9	1.6	1.6	1.0	1.6	0
Female	1.3	0.4	0.8	2.8	1.2	0.9	1.1	0.6	0.3	1.9	0	2.4
Diseases of heart (410-443)	355.8	7.4	1.3	0.8	4.9	16.8	76.8	273.3	740.1	1,807.6	4,211.5	8,745.0
Male	425.1	7.4	1.3	0.8	5.4	21.4	114.1	410.5	1,056.7	2,309.5	4,782.9	8,821.5
Female	288.4	7.3	1.4	0.8	4.5	12.4	41.2	139.5	437.8	1,353.9	3,748.8	8,690.4
White	364.3	6.2	1.0	0.7	4.1	14.1	68.3	252.3	710.8	1,780.7	4,289.6	9,221.2
Male	437.9	6.6	1.0	0.7	4.7	19.3	107.5	397.8	1,042.3	2,301.0	4,887.4	9,314.6
Female	292.4	5.8	1.1	0.7	3.6	9.1	30.5	110.2	395.3	1,312.7	3,810.4	9,154.9
Nonwhite	285.9	14.9	3.3	1.6	10.7	38.5	152.8	471.7	1,078.0	2,188.6	3,112.8	4,064.9
Male	317.6	12.7	3.4	1.6	10.3	39.0	175.4	532.4	1,220.3	2,432.2	3,427.4	4,280.6
Female	255.8	17.0	3.2	1.6	11.1	38.0	132.8	413.1	936.1	1,953.5	2,819.5	3,892.9
Chronic rheumatic heart disease (410-416)	11.3	0.2	0.0	0.2	2.5	5.5	11.3	21.0	29.7	36.0	47.7	76.6
Male	11.3	0.1	0.0	0.1	2.5	5.4	12.0	21.1	31.2	37.6	48.2	67.8
Female	11.4	0.3	0.1	0.2	2.6	5.6	10.7	20.9	28.3	34.5	47.4	82.9
White	11.6	0.2	0.0	0.1	2.2	5.4	11.2	21.2	30.3	36.2	48.6	78.8
Male	11.6	0	0.0	0.1	2.1	5.4	11.9	21.3	31.8	37.8	49.3	70.7
Female	11.7	0.4	0.0	0.2	2.2	5.3	10.5	21.1	28.9	34.7	48.2	84.6
Nonwhite	8.8	0.2	0.2	0.5	4.8	6.7	12.7	18.7	22.6	33.4	35.0	54.1
Male	8.6	0.4	0.1	0.3	4.7	5.2	13.1	18.8	24.5	35.2	34.7	40.6
Female	8.9	0	0.2	0.7	5.0	8.1	12.4	18.6	20.7	31.8	35.3	64.3

[1]Figures for age not stated included in the "Total" but not distributed among age groups.

Table BO. Death Rates for 64 Selected Causes, by Age, Color, and Sex: United States, 1955—Continued

(See headnote on p. XCIII)

CAUSE OF DEATH, COLOR, AND SEX	Total[1]	Under 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over
Major cardiovascular-renal diseases—Continued												
Diseases of cardiovascular system—Continued												
Diseases of heart—Continued												
Arteriosclerotic heart disease, including coronary disease (420)	247.0	1.3	0.1	0.1	1.0	7.0	48.6	196.0	551.1	1,315.8	2,826.3	5,362.8
Male	316.2	1.3	0.1	0.1	1.3	11.2	82.9	324.1	839.8	1,766.1	3,361.3	5,635.3
Female	179.6	1.4	0.2	0.1	0.7	3.1	16.0	71.2	275.6	908.9	2,393.1	5,168.0
White	260.4	1.0	0.1	0.1	0.8	6.2	47.1	193.1	552.7	1,333.0	2,919.1	5,715.1
Male	334.6	1.1	0.1	0.1	1.1	10.8	82.9	328.7	856.3	1,803.2	3,487.2	6,024.8
Female	188.0	0.8	0.2	0.1	0.4	1.9	12.6	60.7	263.8	910.3	2,463.7	5,495.7
Nonwhite	136.2	3.5	0.2	0.2	2.5	13.5	62.4	223.6	532.5	1,075.5	1,522.2	1,914.9
Male	162.7	2.0	0.4	0.2	2.3	14.8	82.2	279.9	653.0	1,268.7	1,729.0	2,056.3
Female	111.1	4.9	0	0.2	2.7	12.4	44.9	169.5	413.0	889.0	1,329.3	1,807.1
Nonrheumatic chronic endocarditis and other myocardial degeneration (421,422)	39.9	2.0	0.4	0.1	0.5	1.2	4.2	14.5	45.3	165.0	624.7	1,920.1
Male	40.9	1.8	0.4	0.2	0.5	1.4	5.2	18.1	56.6	196.8	676.6	1,855.5
Female	39.0	2.1	0.3	0.1	0.4	1.1	3.2	11.0	34.6	136.3	582.7	1,966.2
White	40.1	1.8	0.3	0.1	0.4	0.8	2.9	10.9	38.6	154.8	630.8	2,025.2
Male	40.8	1.7	0.3	0.2	0.5	1.0	3.9	14.8	49.5	186.3	681.7	1,955.4
Female	39.4	1.9	0.2	0.1	0.3	0.6	2.0	7.1	28.2	126.5	590.1	2,074.7
Nonwhite	38.4	3.1	0.9	0.2	0.8	4.6	15.2	49.1	123.7	308.8	538.5	886.5
Male	41.7	2.9	0.7	0.3	0.8	4.6	17.1	50.1	137.2	340.1	611.3	937.5
Female	35.3	3.2	1.1	0.2	0.7	4.6	13.4	48.1	110.3	278.6	470.7	847.6
Other diseases of heart (430-434)	12.6	3.9	0.8	0.3	0.8	1.6	4.3	11.4	25.6	59.2	132.3	278.8
Male	15.5	4.3	0.8	0.4	0.9	1.9	5.5	15.7	35.4	81.7	162.6	299.7
Female	9.7	3.5	0.8	0.3	0.7	1.3	3.1	7.2	16.2	38.9	107.7	263.8
White	11.7	3.3	0.6	0.3	0.7	1.2	3.2	8.8	21.9	53.7	128.4	281.8
Male	14.5	3.8	0.6	0.3	0.8	1.4	4.4	12.9	31.6	74.5	159.1	299.3
Female	8.9	2.7	0.6	0.3	0.5	0.9	2.0	4.9	12.7	35.0	103.8	269.4
Nonwhite	20.1	7.9	2.1	0.7	1.9	5.1	13.9	35.5	68.5	136.3	186.4	245.9
Male	23.8	7.3	2.2	0.8	1.8	5.9	15.6	42.1	79.5	179.5	208.1	303.1
Female	16.5	8.5	1.9	0.6	2.0	4.5	12.4	29.1	57.6	94.7	166.2	202.4
Hypertension with heart disease (440-443)	45.0	0.0	0.0	0.0	0.2	1.4	8.4	30.3	88.3	231.6	580.4	1,106.8
Male	41.1	0	0	0.0	0.2	1.5	8.6	31.6	93.7	227.3	534.1	963.2
Female	48.7	0.1	0.0	0.0	0.1	1.3	8.3	29.1	83.2	235.4	618.0	1,209.4
White	40.4	0	0.0	0.0	0.1	0.6	3.9	18.2	67.3	202.9	562.6	1,120.2
Male	36.4	0	0	0.0	0.1	0.7	4.4	20.1	73.2	199.2	510.1	964.3
Female	44.4	0	0.0	0.0	0.1	0.4	3.4	16.4	61.7	206.3	604.7	1,230.6
Nonwhite	82.5	0.2	0	0.0	0.7	8.5	48.6	144.8	330.7	634.6	830.7	963.5
Male	80.8	0	0	0.1	0.8	8.5	47.3	141.5	326.2	608.8	844.4	953.1
Female	84.0	0.4	0	0	0.7	8.4	49.8	147.8	334.5	659.4	818.0	971.4
Hypertension without mention of heart (444-447)	6.8	0	0.0	0.0	0.2	1.0	3.1	5.3	10.3	27.4	87.2	222.5
Male	7.0	0	0	0.0	0.2	1.0	3.4	6.3	11.4	30.2	91.7	246.9
Female	6.6	0	0.0	0.0	0.1	0.9	2.8	4.2	9.3	24.9	83.5	205.0
White	6.0	0	0.0	0.0	0.1	0.4	1.3	3.2	8.2	23.8	85.9	228.8
Male	6.2	0	0	0.0	0.1	0.5	1.6	4.0	9.5	26.1	90.3	252.4
Female	5.9	0	0.0	0.0	0.0	0.3	1.0	2.3	6.9	21.7	82.4	212.0
Nonwhite	13.2	0	0	0	0.9	5.7	18.8	25.2	34.9	77.9	105.8	159.5
Male	13.9	0	0	0	1.2	5.5	19.9	28.7	33.0	85.0	110.5	196.9
Female	12.5	0	0	0	0.6	5.8	17.7	21.9	36.8	71.1	101.5	131.0
General arteriosclerosis (450)	19.8	0	0.0	0	0.0	0.1	0.3	1.8	10.1	61.0	345.9	1,462.8
Male	19.9	0	0.0	0	0.0	0.0	0.4	2.6	12.9	74.4	389.6	1,469.6
Female	19.7	0	0	0	0.0	0.1	0.2	1.0	7.4	48.9	310.4	1,457.9
White	20.6	0	0.0	0	0.0	0.0	0.2	1.4	8.5	57.9	351.4	1,547.7
Male	20.5	0	0.0	0	0.0	0.0	0.2	2.1	11.2	70.4	398.1	1,559.9
Female	20.7	0	0	0	0.0	0.0	0.1	0.8	5.8	46.7	313.9	1,539.0
Nonwhite	12.9	0	0	0	0.1	0.1	1.2	5.5	29.1	105.1	268.5	629.7
Male	14.2	0	0	0	0.2	0.1	1.4	7.7	32.1	130.0	279.0	640.6
Female	11.7	0	0	0	0	0.1	1.1	3.5	26.0	81.1	258.6	621.4
Other diseases of circulatory system (451-468)	7.3	1.4	0.1	0.2	0.9	1.5	3.0	7.3	18.2	37.2	61.8	93.6
Male	9.2	1.8	0.1	0.1	0.6	1.1	3.1	9.7	26.0	52.6	77.9	114.4
Female	5.5	1.0	0.1	0.2	1.1	1.8	2.8	5.0	10.7	23.2	48.7	78.7
White	7.3	1.2	0.1	0.2	0.8	1.2	2.4	6.6	17.4	36.9	62.8	97.6
Male	9.3	1.6	0.2	0.1	0.6	1.0	2.6	9.1	25.4	53.0	79.7	119.4
Female	5.3	0.9	0.1	0.2	1.0	1.4	2.2	4.2	9.9	22.5	49.3	82.2
Nonwhite	7.4	2.6	0.1	0.2	1.5	3.5	7.7	13.8	26.5	40.6	47.5	54.1
Male	8.0	3.3	0	0.1	0.9	2.0	7.3	15.3	33.0	48.5	54.8	68.8
Female	6.8	2.0	0.2	0.3	2.0	4.7	8.1	12.4	20.0	33.0	40.6	42.9
Chronic and unspecified nephritis and other renal sclerosis (592-594)	9.6	0.6	0.4	0.7	2.2	3.2	5.3	9.5	17.8	38.2	92.0	197.1
Male	10.5	1.0	0.5	0.7	2.6	3.7	6.2	10.6	19.6	43.4	107.0	222.1
Female	8.8	0.1	0.3	0.7	1.7	2.6	4.4	8.5	16.1	33.6	79.8	179.2
White	8.7	0.6	0.4	0.7	2.1	2.7	4.0	7.4	14.5	33.5	86.3	193.2
Male	9.6	1.1	0.5	0.6	2.6	3.4	5.1	8.8	16.5	38.2	100.4	221.1
Female	7.6	0.1	0.3	0.7	1.6	2.0	3.1	6.0	12.5	29.3	75.1	173.5
Nonwhite	17.6	0.4	0.8	0.7	2.7	6.8	16.7	29.7	55.9	104.2	171.2	231.1
Male	17.9	0.8	0.9	0.7	2.6	6.4	17.0	28.3	54.2	113.7	193.5	231.3
Female	17.3	0	0.6	0.7	2.8	7.1	16.4	31.1	57.4	95.0	150.4	231.0
Influenza and pneumonia, except pneumonia of newborn (480-493)	27.1	230.3	14.9	2.5	2.7	3.1	6.8	14.1	29.6	79.4	253.9	776.0
Male	30.9	251.9	15.7	2.5	3.0	3.6	8.6	19.2	41.0	102.7	300.8	815.3
Female	23.4	208.0	14.2	2.5	2.4	2.7	5.0	9.1	18.8	58.3	215.9	747.8
White	24.5	168.7	11.5	2.2	2.2	2.2	5.1	11.0	25.4	73.2	253.4	810.6
Male	27.8	185.6	11.9	2.2	2.5	2.5	6.4	15.3	35.9	95.0	300.4	846.6
Female	21.3	150.8	11.1	2.1	2.0	1.8	3.9	6.8	15.5	53.7	215.7	785.1
Nonwhite	48.6	622.4	36.6	4.6	5.8	11.0	21.7	43.6	78.1	166.2	260.7	433.8
Male	57.5	682.0	40.1	4.6	6.3	12.8	29.5	56.8	99.0	207.5	305.6	528.1
Female	40.1	560.7	33.1	4.6	5.2	9.4	14.8	31.0	57.4	126.4	218.8	361.9

[1]Figures for age not stated included in the "Total" but not distributed among age groups.

430007 O - 57 - 7

Table BO. Death Rates for 64 Selected Causes, by Age, Color, and Sex: United States, 1955—Continued

(See headnote on p. XCIII)

CAUSE OF DEATH, COLOR, AND SEX	Total[1]	Under 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over
Influenza and pneumonia, except pneumonia of newborn—Continued												
Influenza (480-483)	1.7	10.2	0.8	0.2	0.2	0.2	0.3	0.9	1.8	5.1	17.1	57.8
Male	1.6	10.9	0.7	0.2	0.2	0.2	0.4	1.0	2.0	5.7	17.1	54.0
Female	1.7	9.5	1.0	0.2	0.3	0.2	0.3	0.8	1.6	4.6	17.0	60.5
White	1.4	5.9	0.6	0.1	0.1	0.2	0.2	0.6	1.3	4.0	16.3	57.5
Male	1.3	6.3	0.4	0.1	0.1	0.2	0.3	0.7	1.4	4.5	16.6	53.4
Female	1.4	5.6	0.7	0.1	0.2	0.1	0.2	0.5	1.1	3.6	16.1	60.5
Nonwhite	4.1	37.5	2.4	0.3	0.9	0.9	1.2	3.8	8.2	20.2	27.6	59.5
Male	4.2	41.2	2.0	0.3	0.8	0.8	1.5	3.6	9.2	22.1	24.2	59.4
Female	3.9	33.6	2.8	0.3	0.9	1.0	1.0	4.0	7.2	18.2	30.8	59.5
Pneumonia, except pneumonia of newborn (490-493)	25.4	220.1	14.1	2.3	2.4	2.9	6.4	13.2	27.8	74.3	236.8	718.2
Male	29.3	240.9	15.0	2.4	2.8	3.4	8.2	18.2	38.9	97.0	283.7	761.3
Female	21.7	198.5	13.2	2.3	2.1	2.5	4.7	8.3	17.2	53.8	198.9	687.3
White	23.1	162.7	11.0	2.1	2.1	2.0	4.9	10.4	24.1	69.2	237.1	753.0
Male	26.4	179.4	11.5	2.1	2.4	2.4	6.1	14.6	34.5	90.5	283.6	793.2
Female	19.9	145.2	10.5	2.0	1.8	1.7	3.6	6.3	14.3	50.0	199.6	724.6
Nonwhite	44.5	584.9	34.2	4.3	4.9	10.0	20.5	39.8	69.9	146.1	233.1	374.3
Male	53.3	640.8	38.1	4.3	5.5	12.0	28.0	53.2	89.8	185.3	281.5	468.8
Female	36.1	527.1	30.3	4.3	4.3	8.3	13.8	26.9	50.3	108.2	188.0	302.4
Bronchitis (500-502)	1.9	18.6	2.3	0.2	0.1	0.1	0.3	0.7	2.7	6.0	12.8	34.3
Male	2.4	21.9	2.7	0.3	0.1	0.1	0.3	0.9	4.6	9.5	15.6	37.1
Female	1.4	15.2	1.9	0.2	0.1	0.1	0.3	0.5	1.0	2.8	10.5	32.2
White	1.8	15.8	2.3	0.2	0.1	0.1	0.2	0.6	2.7	6.1	13.2	36.1
Male	2.4	18.8	2.7	0.3	0.1	0.1	0.2	0.8	4.6	9.8	16.3	39.1
Female	1.3	12.7	2.0	0.2	0.1	0.1	0.2	0.5	0.8	2.8	10.8	34.0
Nonwhite	2.1	36.3	2.2	0.3	0.2	0.3	1.0	1.1	3.8	3.7	6.6	16.2
Male	2.5	42.0	2.6	0.3	0.1	0.5	1.1	1.4	4.2	5.2	6.5	18.8
Female	1.8	30.4	1.7	0.3	0.2	0.1	0.8	0.9	3.4	2.2	6.8	14.3
Ulcer of stomach and duodenum (540,541)	5.9	1.6	0.1	0.0	0.2	0.8	2.9	7.7	16.1	29.3	45.6	54.7
Male	9.3	2.2	0.1	0.0	0.3	1.2	4.7	13.0	27.4	48.2	72.5	74.2
Female	2.6	1.0	0.1	0.0	0.1	0.4	1.1	2.6	5.3	12.2	23.9	40.8
White	6.1	1.2	0.1	0.0	0.2	0.7	2.7	7.6	16.1	29.7	46.9	59.0
Male	9.7	1.8	0.1	0.0	0.3	1.1	4.5	12.9	27.8	49.3	74.8	80.3
Female	2.7	0.6	0.1	0.0	0.1	0.3	1.1	2.4	5.1	12.2	24.5	43.9
Nonwhite	4.2	4.3	0.1	0	0.5	1.6	4.4	9.1	15.4	23.4	28.0	13.5
Male	6.3	5.3	0.1	0	0.5	2.3	7.4	14.0	22.9	33.9	41.9	18.8
Female	2.2	3.2	0.1	0	0.4	0.9	1.7	4.4	8.0	13.2	15.0	9.5
Appendicitis (550-553)	1.4	0.5	0.6	0.4	0.4	0.5	0.7	1.7	2.7	5.5	8.5	12.4
Male	1.8	0.7	0.7	0.5	0.5	0.6	0.9	2.5	3.8	7.3	10.3	15.6
Female	1.0	0.3	0.5	0.4	0.3	0.4	0.5	1.0	1.7	3.9	7.0	10.1
White	1.3	0.5	0.6	0.4	0.4	0.4	0.6	1.5	2.6	5.3	8.6	12.7
Male	1.7	0.6	0.7	0.4	0.5	0.5	0.9	2.2	3.6	7.1	10.3	16.3
Female	1.0	0.3	0.4	0.4	0.3	0.3	0.4	0.8	1.5	3.7	7.2	10.1
Nonwhite	1.8	0.8	0.4	0.7	0.7	1.3	1.7	3.5	4.4	8.2	7.4	9.5
Male	2.2	1.2	0.2	0.9	0.7	1.7	1.3	4.6	5.7	10.4	10.5	9.4
Female	1.5	0.4	0.6	0.5	0.7	0.9	2.0	2.4	3.1	6.0	4.5	9.5
Hernia and intestinal obstruction (560,561,570)	5.3	26.5	0.7	0.1	0.3	0.5	1.6	3.9	9.1	22.0	53.6	102.4
Male	5.5	29.9	1.0	0.2	0.3	0.4	1.4	3.8	10.5	23.8	61.3	107.1
Female	5.0	22.9	0.5	0.1	0.2	0.7	1.7	4.0	7.7	20.3	47.3	99.1
White	5.2	25.6	0.7	0.1	0.2	0.4	1.2	3.2	8.4	21.3	54.5	110.0
Male	5.4	28.9	1.0	0.2	0.3	0.4	1.1	3.1	9.5	22.8	61.5	115.0
Female	5.0	22.1	0.4	0.1	0.2	0.5	1.3	3.2	7.3	19.9	48.9	106.5
Nonwhite	6.0	32.2	1.1	0.2	0.6	1.5	4.8	10.6	17.1	32.0	40.5	28.4
Male	6.8	36.3	1.2	0.3	1.0	1.0	4.0	9.8	22.0	38.8	58.1	34.4
Female	5.2	27.9	1.0	0.2	0.1	1.9	5.4	11.4	12.1	25.5	24.1	23.8
Gastritis, duodenitis, enteritis, and colitis, except diarrhea of newborn (543,571,572)	4.7	90.2	4.4	0.3	0.4	0.6	1.0	2.1	4.7	9.5	24.4	48.5
Male	5.0	97.3	4.9	0.3	0.3	0.6	1.1	2.5	5.5	10.2	22.2	40.2
Female	4.5	82.8	3.9	0.3	0.5	0.5	1.0	1.7	3.9	8.9	26.2	54.4
White	4.0	59.6	3.6	0.2	0.4	0.6	1.0	2.0	4.5	9.4	25.1	51.1
Male	4.2	65.0	4.1	0.2	0.3	0.7	1.1	2.5	5.4	10.2	22.7	43.2
Female	3.8	53.9	3.0	0.2	0.5	0.5	0.9	1.6	3.6	8.7	27.0	56.6
Nonwhite	10.8	284.9	9.8	0.5	0.3	0.4	1.7	2.6	6.8	10.9	14.4	23.0
Male	11.7	307.8	10.0	0.4	0.4	0.2	1.8	2.9	6.8	10.7	15.3	12.5
Female	10.0	261.1	9.7	0.6	0.2	0.6	1.7	2.3	6.8	11.0	13.5	31.0
Cirrhosis of liver (581)	10.2	1.1	0.2	0.1	0.3	2.1	10.5	22.7	28.8	37.5	36.5	36.3
Male	13.6	1.3	0.1	0.1	0.2	2.1	12.9	30.9	41.7	54.5	50.9	42.6
Female	6.9	0.8	0.2	0.1	0.3	2.1	8.1	14.7	16.6	22.2	24.8	31.8
White	10.5	0.9	0.1	0.1	0.2	1.8	10.2	22.8	29.5	38.5	37.5	38.5
Male	14.2	1.2	0.1	0.1	0.2	1.8	12.7	31.4	42.7	55.9	52.5	44.6
Female	7.0	0.6	0.2	0.1	0.3	1.7	7.7	14.4	16.9	22.8	25.4	34.2
Nonwhite	7.5	2.0	0.3	0.2	0.3	5.0	13.4	21.6	21.4	24.6	22.2	14.9
Male	9.0	2.0	0.2	0.1	0.3	4.4	14.9	25.7	29.3	35.8	29.8	25.0
Female	6.0	2.0	0.3	0.2	0.4	5.5	12.1	17.6	13.5	13.8	15.0	7.1
Acute nephritis and nephritis with edema, including nephrosis (590,591)	1.5	1.4	0.9	0.4	0.5	0.7	1.0	1.7	2.5	4.5	9.1	16.0
Male	1.7	1.5	1.1	0.5	0.6	0.8	1.1	2.1	2.7	5.4	11.9	15.0
Female	1.3	1.2	0.6	0.4	0.5	0.6	0.9	1.3	2.3	3.7	6.9	16.7
White	1.2	1.1	0.7	0.4	0.4	0.5	0.7	1.2	2.0	3.8	8.8	15.9
Male	1.4	1.1	1.0	0.4	0.5	0.7	0.9	1.7	2.3	4.5	11.2	15.6
Female	1.0	1.2	0.5	0.4	0.4	0.4	0.6	0.8	1.7	3.2	6.8	16.1
Nonwhite	3.2	3.1	1.7	0.6	1.0	2.2	3.2	6.1	8.0	14.4	14.4	16.2
Male	3.5	4.5	2.3	0.6	0.9	2.1	3.4	6.6	7.3	17.3	21.0	9.4
Female	3.0	1.6	1.0	0.7	1.1	2.2	3.0	5.7	8.7	11.6	8.3	21.4

[1]Figures for age not stated included in the "Total" but not distributed among age groups.

Table BO. Death Rates for 64 Selected Causes, by Age, Color, and Sex: United States, 1955—Continued

(See headnote on p. XCIII)

CAUSE OF DEATH, COLOR, AND SEX	Total[1]	Under 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over
Hyperplasia of prostate (610)	3.7	0	0	0	0.0	0.0	0.0	0.4	3.6	19.6	65.2	139.1
Male	7.5	0	0	0	0.0	0.0	0.1	0.8	7.4	41.2	145.7	333.7
White	3.7	0	0	0	0	0	0.0	0.3	3.0	18.0	65.3	144.6
Male	7.5	0	0	0	0	0	0.0	0.5	6.2	38.0	146.8	348.6
Nonwhite	3.6	0	0	0	0.0	0.0	0.1	1.4	10.4	41.8	63.4	85.1
Male	7.4	0	0	0	0.1	0.1	0.2	2.9	21.0	85.0	131.5	196.9
Deliveries and complications of pregnancy, childbirth, and the puerperium (640-689)	1.2	...	...	0.0	2.3	3.5	2.4	0.2	0.0	0	0	0.1
Female	2.3	...	...	0.0	4.4	6.8	4.7	0.3	0.0	0	0	0.2
White	0.8	...	...	0.0	1.5	2.3	1.7	0.1	0.0	0	0	0.1
Female	1.5	...	...	0.0	2.9	4.5	3.3	0.2	0.0	0	0	0.2
Nonwhite	4.3	...	...	0.1	7.7	13.2	9.2	0.4	0	0	0	0
Female	8.4	...	...	0.2	14.9	24.6	17.3	0.9	0	0	0	0
Abortion (650-652)	0.2	...	...	0	0.3	0.5	0.3	0.0	0	0	0	0
Female	0.3	...	...	0	0.7	1.0	0.6	0.0	0	0	0	0
White	0.1	...	...	0	0.2	0.3	0.2	0.0	0	0	0	0
Female	0.2	...	...	0	0.4	0.6	0.5	0.0	0	0	0	0
Nonwhite	0.7	...	...	0	1.4	2.2	1.0	0	0	0	0	0
Female	1.3	...	...	0	2.7	4.0	1.9	0	0	0	0	0
All other complications (640-649,660-689)	1.0	...	...	0.0	1.9	3.0	2.1	0.1	0.0	0	0	0.1
Female	2.0	...	...	0.0	3.7	5.8	4.1	0.3	0.0	0	0	0.2
White	0.7	...	...	0.0	1.3	2.0	1.4	0.1	0.0	0	0	0.1
Female	1.3	...	...	0.0	2.5	3.9	2.8	0.2	0.0	0	0	0.2
Nonwhite	3.7	...	...	0.1	6.3	11.0	8.2	0.4	0	0	0	0
Female	7.1	...	...	0.2	12.2	20.6	15.4	0.9	0	0	0	0
Congenital malformations (750-759)	12.5	425.1	12.1	2.7	2.0	1.7	2.0	2.7	2.5	2.7	2.8	2.6
Male	13.7	456.3	12.4	2.8	2.4	1.8	2.0	3.1	2.7	3.2	3.4	1.8
Female	11.3	393.0	11.9	2.6	1.6	1.6	1.9	2.2	2.4	2.2	2.3	3.1
White	12.4	434.0	11.9	2.8	2.1	1.7	2.0	2.6	2.6	2.7	2.9	2.7
Male	13.6	464.5	12.2	2.9	2.5	1.8	2.0	3.1	2.7	3.1	3.5	2.0
Female	11.2	401.8	11.7	2.7	1.7	1.6	1.9	2.2	2.5	2.3	2.4	3.1
Nonwhite	13.4	369.9	13.4	1.8	1.7	1.8	1.9	2.8	1.8	2.4	1.6	1.4
Male	14.9	401.2	13.7	2.1	1.9	2.1	2.1	3.3	2.6	3.6	1.6	0
Female	11.9	337.2	13.0	1.5	1.5	1.7	1.6	2.4	1.0	1.3	1.5	2.4
Certain diseases of early infancy (760-776)	39.0	1,772.3	0.2	0.0	0	0	0	0	0	0	0	0
Male	46.1	2,033.1	0.2	0.0	0	0	0	0	0	0	0	0
Female	32.0	1,502.7	0.2	0.0	0	0	0	0	0	0	0	0
White	34.2	1,604.2	0.1	0.0	0	0	0	0	0	0	0	0
Male	40.8	1,852.4	0.2	0.0	0	0	0	0	0	0	0	0
Female	27.7	1,343.7	0.1	0.0	0	0	0	0	0	0	0	0
Nonwhite	78.6	2,844.2	0.2	0	0	0	0	0	0	0	0	0
Male	90.7	3,201.2	0.2	0	0	0	0	0	0	0	0	0
Female	67.2	2,478.5	0.2	0	0	0	0	0	0	0	0	0
Birth injuries, postnatal asphyxia, and atelectasis (760-762)	17.8	809.7	0.1	0	0	0	0	0	0	0	0	0
Male	21.7	954.2	0.0	0	0	0	0	0	0	0	0	0
Female	14.1	660.1	0.1	0	0	0	0	0	0	0	0	0
White	16.3	766.2	0.1	0	0	0	0	0	0	0	0	0
Male	20.1	910.7	0.0	0	0	0	0	0	0	0	0	0
Female	12.7	614.7	0.1	0	0	0	0	0	0	0	0	0
Nonwhite	30.1	1,087.4	0.2	0	0	0	0	0	0	0	0	0
Male	35.0	1,233.5	0.1	0	0	0	0	0	0	0	0	0
Female	25.4	938.1	0.2	0	0	0	0	0	0	0	0	0
Infections of newborn (763-768)	2.6	116.3	0.0	0	0	0	0	0	0	0	0	0
Male	3.1	135.7	0	0	0	0	0	0	0	0	0	0
Female	2.0	96.2	0.0	0	0	0	0	0	0	0	0	0
White	1.9	88.0	0.0	0	0	0	0	0	0	0	0	0
Male	2.3	103.8	0	0	0	0	0	0	0	0	0	0
Female	1.5	71.6	0.0	0	0	0	0	0	0	0	0	0
Nonwhite	8.2	295.9	0	0	0	0	0	0	0	0	0	0
Male	9.7	342.9	0	0	0	0	0	0	0	0	0	0
Female	6.7	248.2	0	0	0	0	0	0	0	0	0	0
Other diseases peculiar to early infancy, and immaturity unqualified (769-776)	18.6	846.4	0.1	0.0	0	0	0	0	0	0	0	0
Male	21.4	943.2	0.1	0.0	0	0	0	0	0	0	0	0
Female	15.9	746.3	0.0	0.0	0	0	0	0	0	0	0	0
White	16.0	749.9	0.1	0.0	0	0	0	0	0	0	0	0
Male	18.5	837.9	0.1	0.0	0	0	0	0	0	0	0	0
Female	13.5	657.5	0.0	0.0	0	0	0	0	0	0	0	0
Nonwhite	40.4	1,460.9	0.1	0	0	0	0	0	0	0	0	0
Male	46.0	1,624.9	0.1	0	0	0	0	0	0	0	0	0
Female	35.0	1,292.3	0	0	0	0	0	0	0	0	0	0
Symptoms, senility, and ill-defined conditions (780-795)	12.1	77.2	3.0	0.6	1.9	2.6	4.8	10.0	17.2	35.5	89.2	393.5
Male	14.6	84.9	3.3	0.7	2.3	3.2	6.2	13.8	24.4	49.1	113.9	409.5
Female	9.7	69.4	2.7	0.4	1.5	2.1	3.5	6.4	10.3	23.3	69.2	382.0
White	9.0	38.5	1.8	0.3	1.4	1.6	3.3	7.0	12.5	25.8	72.9	354.4
Male	11.2	45.5	2.0	0.5	1.9	2.1	4.5	10.5	19.2	37.7	95.0	370.1
Female	6.8	31.2	1.5	0.2	0.8	1.1	2.2	3.6	6.1	15.1	55.2	343.4
Nonwhite	38.1	323.4	11.0	2.1	5.7	10.7	18.4	38.8	71.3	172.6	318.3	762.2
Male	42.5	340.8	11.3	2.3	5.5	12.2	22.3	45.0	84.0	204.6	358.9	771.9
Female	33.9	304.9	10.7	2.0	5.8	9.4	14.9	32.8	58.6	141.8	280.5	754.8

[1]Figures for age not stated included in the "Total" but not distributed among age groups.

Table BO. Death Rates for 64 Selected Causes, by Age, Color, and Sex: United States, 1955—Continued

(See headnote on p. XCIII)

CAUSE OF DEATH, COLOR, AND SEX	Total[1]	Under 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over
All other diseases (Residual)	42.1	118.8	11.8	4.9	7.5	11.4	21.6	40.7	86.0	173.7	302.5	520.1
Male	49.5	139.9	12.8	5.3	8.3	11.6	23.9	49.5	111.8	225.4	365.4	572.7
Female	34.9	97.0	10.7	4.5	6.7	11.2	19.4	32.2	61.5	127.0	251.6	482.5
White	41.5	109.5	11.1	4.8	6.6	9.1	18.6	37.7	83.4	172.2	308.5	544.6
Male	49.0	129.5	11.9	5.2	7.6	9.4	21.1	46.6	108.9	224.0	372.1	599.0
Female	34.3	88.4	10.4	4.4	5.6	8.8	16.2	29.0	59.1	125.7	257.5	506.0
Nonwhite	46.6	178.6	15.8	5.7	13.8	30.1	48.0	69.8	116.6	195.2	218.3	278.4
Male	53.4	206.9	18.9	6.2	13.1	30.5	50.3	77.4	144.1	245.3	279.0	331.3
Female	40.1	149.8	12.7	5.3	14.4	29.7	46.0	62.4	89.2	146.9	161.7	238.1
Accidents (E800-E962)	56.9	91.6	32.6	20.0	59.7	45.6	44.0	51.9	64.6	105.4	266.4	767.9
Male	79.8	103.3	36.6	27.8	100.7	77.4	71.7	82.4	97.5	144.3	283.9	651.5
Female	34.5	79.5	28.5	11.9	20.3	15.4	17.5	22.1	33.1	70.4	252.3	851.1
White	55.3	75.4	28.4	18.9	59.7	42.8	40.8	48.5	61.9	103.0	272.1	817.8
Male	77.3	87.0	32.9	26.6	100.8	72.9	66.4	76.9	93.8	141.4	290.5	693.9
Female	33.8	63.2	23.7	10.9	20.1	13.9	16.2	20.8	31.5	68.4	257.3	905.5
Nonwhite	70.0	194.5	59.3	27.4	59.7	68.7	72.6	83.8	95.6	140.2	186.8	279.7
Male	100.8	208.6	60.4	35.9	100.2	115.8	121.7	135.2	139.9	182.7	198.4	262.5
Female	40.8	179.8	58.3	18.8	21.7	27.6	29.2	34.6	51.8	99.1	175.9	292.9
Motor-vehicle accidents (E810-E835)	23.4	9.1	10.5	7.9	40.6	27.1	21.9	22.7	28.1	36.7	47.9	40.3
Male	35.5	9.6	11.6	10.5	66.7	44.8	34.9	33.9	40.9	54.5	74.1	72.7
Female	11.6	8.5	9.4	5.2	15.4	10.2	9.5	11.7	15.9	20.6	26.6	17.1
White	23.1	9.0	10.3	7.9	41.6	25.9	20.7	21.6	27.4	36.2	48.8	41.3
Male	35.0	9.5	11.3	10.5	68.5	42.7	32.8	32.0	39.6	53.7	75.7	74.8
Female	11.5	8.5	9.2	5.2	15.6	9.8	9.1	11.5	15.8	20.5	27.2	17.6
Nonwhite	25.7	9.8	12.2	7.7	33.4	36.3	32.6	32.9	36.5	43.0	35.4	29.7
Male	40.1	10.6	13.5	10.0	54.6	62.5	54.3	52.5	55.9	64.2	53.2	53.1
Female	12.1	8.9	10.9	5.4	13.5	13.5	13.4	14.1	17.3	22.6	18.8	11.9
All other accidents (E800-E802,E840-E962)	33.5	82.5	22.1	12.1	19.1	18.5	22.1	29.2	36.5	68.8	218.5	727.6
Male	44.3	93.6	25.0	17.3	34.0	32.6	36.9	48.5	56.6	89.8	209.8	578.8
Female	23.0	71.0	19.1	6.7	4.9	5.2	8.0	10.4	17.2	49.7	225.6	834.0
White	32.2	66.4	18.1	11.0	18.1	16.9	20.1	26.9	34.5	66.7	223.3	776.4
Male	42.3	77.6	21.6	16.1	32.3	30.2	33.6	44.9	54.2	87.7	214.7	619.0
Female	22.3	54.8	14.5	5.7	4.4	4.1	7.1	9.3	15.7	47.9	230.2	888.0
Nonwhite	44.2	184.7	47.1	19.7	26.4	32.3	40.0	51.0	59.1	97.1	151.4	250.0
Male	60.7	198.0	46.9	25.9	45.7	53.3	67.4	82.7	84.0	118.6	145.2	209.4
Female	28.7	170.9	47.4	13.4	8.2	14.1	15.8	20.6	34.5	76.4	157.1	281.0
Suicide (E963,E970-E979)	10.2	0	0	0.1	4.0	8.4	12.3	19.5	24.9	26.0	27.9	27.4
Male	16.0	0	0	0.2	6.1	12.4	18.8	29.7	40.6	44.5	52.5	56.4
Female	4.6	0	0	0.1	2.0	4.6	6.1	9.5	9.8	9.2	8.0	6.6
White	11.0	0	0	0.1	4.0	8.7	13.1	20.8	26.3	27.3	29.4	29.6
Male	17.2	0	0	0.2	6.1	12.7	19.8	31.7	43.1	46.9	55.5	61.2
Female	4.9	0	0	0.1	2.0	4.9	6.6	10.2	10.4	9.7	8.5	7.2
Nonwhite	3.8	0	0	0.1	3.9	5.9	5.7	6.5	7.6	7.8	7.0	5.4
Male	6.1	0	0	0.1	6.2	9.5	10.1	10.4	12.7	12.7	12.9	12.5
Female	1.5	0	0	0	1.8	2.8	1.7	2.7	2.6	3.1	1.5	0
Homicide (E964,E980-E985)	4.5	3.6	0.5	0.4	5.4	8.8	7.7	5.9	4.0	2.5	2.6	2.9
Male	6.9	3.9	0.5	0.5	8.4	13.9	12.1	9.2	6.7	4.2	3.8	4.3
Female	2.1	3.3	0.6	0.3	2.6	4.0	3.5	2.6	1.5	0.9	1.5	2.0
White	2.3	3.0	0.4	0.3	2.3	3.5	3.8	3.2	2.6	1.9	2.3	2.1
Male	3.4	3.4	0.4	0.4	3.5	5.3	5.7	4.6	4.2	3.1	3.4	3.4
Female	1.2	2.6	0.5	0.3	1.2	1.7	1.9	1.9	1.1	0.8	1.4	1.2
Nonwhite	22.8	6.9	1.2	1.0	27.2	52.4	42.9	30.7	20.5	10.9	6.2	10.8
Male	36.9	6.5	1.1	1.4	43.1	88.2	71.8	52.4	35.2	18.9	8.9	12.5
Female	9.5	7.3	1.2	0.6	12.3	21.3	17.4	10.0	6.0	3.1	3.8	9.5
Injury resulting from operations of war (E965,E990-E999)	0.0	0	0	0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0
Male	0.0	0	0	0	0.0	0.0	0.1	0.0	0.1	0.1	0.1	0
Female	0	0	0	0	0	0	0	0	0	0	0	0
White	0.0	0	0	0	0.0	0.0	0.0	0.0	0.1	0.0	0.0	0
Male	0.0	0	0	0	0.0	0.0	0.1	0.0	0.1	0.1	0.1	0
Female	0	0	0	0	0	0	0	0	0	0	0	0
Nonwhite	0.0	0	0	0	0	0.0	0.0	0	0	0	0	0
Male	0.0	0	0	0	0	0.1	0.1	0	0	0	0	0
Female	0	0	0	0	0	0	0	0	0	0	0	0

[1]Figures for age not stated included in the "Total" but not distributed among age groups.

NOTE.—The list of 64 selected causes includes cholera (043), plague (058), and smallpox (084). There were no deaths reported from these causes.

Table B P. Death Rates: United States, Each Division and State, 1951-55

(By place of residence. Includes only deaths occurring within the continental United States. Excludes fetal deaths. Rates per 1,000 estimated midyear population in each area)

AREA	1955	1954	1953	1952	1951
UNITED STATES	9.3	9.2	9.6	9.6	9.7
White	9.2	9.1	9.4	9.4	9.5
Nonwhite	10.0	10.1	10.8	11.0	11.1
GEOGRAPHIC DIVISIONS					
New England	10.9	10.4	10.6	10.8	11.2
Middle Atlantic	10.3	10.0	10.5	10.5	10.5
East North Central	9.6	9.4	10.0	10.0	10.0
West North Central	9.6	9.6	10.1	10.0	9.9
South Atlantic	8.5	8.4	8.6	8.7	8.6
East South Central	8.8	8.7	9.1	9.2	9.1
West South Central	7.9	8.1	8.3	8.2	8.5
Mountain	8.0	8.1	8.5	8.6	8.8
Pacific	8.9	8.8	9.1	9.3	9.4
NEW ENGLAND					
Maine	11.3	11.0	11.1	11.1	11.2
New Hampshire	11.7	11.2	11.2	11.6	11.7
Vermont	11.5	10.8	10.7	11.0	11.4
Massachusetts	11.2	10.7	10.9	11.2	11.7
Rhode Island	10.6	10.1	10.2	10.4	10.5
Connecticut	9.9	9.4	9.8	9.9	9.9
MIDDLE ATLANTIC					
New York	10.3	10.1	10.6	10.6	10.5
New Jersey	10.2	9.8	10.3	10.2	10.1
Pennsylvania	10.4	10.0	10.6	10.5	10.7
EAST NORTH CENTRAL					
Ohio	9.6	9.4	10.1	10.3	10.3
Indiana	9.7	9.5	9.9	10.0	10.0
Illinois	10.3	10.1	10.7	10.6	10.7
Michigan	8.6	8.6	9.1	8.9	9.1
Wisconsin	9.5	9.3	9.9	9.8	9.8
WEST NORTH CENTRAL					
Minnesota	9.0	8.9	9.6	9.2	9.2
Iowa	10.0	9.6	10.1	10.1	10.1
Missouri	10.3	10.7	11.2	11.3	10.9
North Dakota	8.2	7.9	8.3	8.0	8.4
South Dakota	8.7	8.6	8.8	8.9	8.9
Nebraska	9.4	9.5	10.0	9.9	9.8
Kansas	9.2	9.5	9.8	9.9	9.8
SOUTH ATLANTIC					
Delaware	9.6	9.5	10.1	10.2	10.3
Maryland	8.8	8.8	9.3	9.6	8.7
District of Columbia	9.7	9.5	10.1	10.2	10.3
Virginia	8.4	8.4	8.5	8.7	8.7
West Virginia	8.5	8.1	8.3	8.6	8.5
North Carolina	7.4	7.5	7.6	7.8	7.6
South Carolina	7.9	7.8	8.3	8.4	8.2
Georgia	8.4	8.5	8.6	8.6	8.8
Florida	9.4	9.3	9.5	9.4	9.4
EAST SOUTH CENTRAL					
Kentucky	9.2	9.0	9.3	9.6	9.3
Tennessee	8.5	8.5	8.8	8.8	8.8
Alabama	8.5	8.5	8.8	8.8	9.0
Mississippi	9.1	9.1	9.5	9.5	9.6
WEST SOUTH CENTRAL					
Arkansas	8.4	8.4	8.5	8.4	8.3
Louisiana	8.3	8.4	8.8	8.7	9.0
Oklahoma	8.9	9.2	9.2	9.0	9.2
Texas	7.5	7.7	7.9	7.8	8.2
MOUNTAIN					
Montana	9.8	9.8	10.1	10.0	10.0
Idaho	8.1	8.3	8.5	8.3	8.5
Wyoming	7.9	8.1	8.0	8.5	8.0
Colorado	8.6	8.7	9.0	9.4	9.6
New Mexico	7.0	7.0	7.4	7.4	7.8
Arizona	7.5	7.8	8.7	8.7	9.0
Utah	6.7	6.8	7.1	7.2	7.2
Nevada	8.5	8.5	9.6	9.3	9.8
PACIFIC					
Washington	9.4	9.2	9.4	9.4	9.6
Oregon	9.1	8.9	9.0	9.1	9.3
California	8.8	8.8	9.1	9.3	9.4

Table B Q. Death Rates by Age: United States, Each Division and State, 1955

(By place of residence. Includes only deaths occurring within the continental United States. Excludes fetal deaths. Rates per 1,000 estimated midyear population in each area for specified group)

AREA	Total[1]	Under 5 years	5-19 years	20-44 years	45-64 years	65 years and over
UNITED STATES	9.3	6.8	0.6	2.1	11.8	61.5
GEOGRAPHIC DIVISIONS						
New England	10.9	6.0	0.5	1.8	12.0	67.7
Middle Atlantic	10.3	6.2	0.5	1.9	12.6	67.8
East North Central	9.6	6.4	0.6	2.0	11.7	63.8
West North Central	9.6	5.9	0.6	1.8	9.9	59.1
South Atlantic	8.5	7.6	0.6	2.6	13.4	56.3
East South Central	8.8	8.0	0.7	2.6	11.9	57.6
West South Central	7.9	7.7	0.7	2.2	10.8	52.2
Mountain	8.0	7.9	0.7	2.2	10.6	57.1
Pacific	8.9	6.1	0.6	1.9	11.2	59.9
NEW ENGLAND						
Maine	11.3	6.5	0.5	2.0	11.8	67.2
New Hampshire	11.7	6.6	0.7	1.9	11.6	69.7
Vermont	11.5	6.7	0.8	1.8	11.3	66.7
Massachusetts	11.2	5.7	0.5	1.8	12.2	68.5
Rhode Island	10.6	6.0	0.4	1.5	12.6	69.9
Connecticut	9.9	5.9	0.5	1.8	11.7	65.2
MIDDLE ATLANTIC						
New York	10.3	6.2	0.5	1.9	12.2	67.8
New Jersey	10.2	6.5	0.5	1.9	12.9	67.8
Pennsylvania	10.4	6.1	0.6	1.9	13.0	67.7
EAST NORTH CENTRAL						
Ohio	9.6	6.4	0.6	1.9	11.6	64.2
Indiana	9.7	6.3	0.7	1.9	11.3	64.8
Illinois	10.3	6.5	0.6	2.2	12.3	64.0
Michigan	8.6	6.5	0.6	2.0	11.8	64.1
Wisconsin	9.5	6.0	0.6	1.7	10.4	61.4
WEST NORTH CENTRAL						
Minnesota	9.0	5.5	0.6	1.6	9.7	58.1
Iowa	10.0	5.4	0.6	1.8	9.5	59.4
Missouri	10.3	6.3	0.6	2.0	10.9	60.8
North Dakota	8.2	6.2	0.6	1.9	9.3	58.2
South Dakota	8.7	6.5	0.7	1.9	9.2	55.3
Nebraska	9.4	6.0	0.7	1.7	9.2	58.0
Kansas	9.2	6.2	0.6	1.7	9.4	58.0
SOUTH ATLANTIC						
Delaware	9.6	7.2	0.6	2.3	13.2	70.1
Maryland	8.8	7.1	0.5	2.1	13.0	68.6
District of Columbia	9.7	8.1	0.5	2.4	12.4	66.9
Virginia	8.4	7.4	0.6	2.5	12.8	61.8
West Virginia	8.5	6.2	0.6	2.3	11.3	58.8
North Carolina	7.4	7.7	0.7	2.5	12.1	55.4
South Carolina	7.9	8.4	0.7	3.1	16.5	50.6
Georgia	8.4	7.8	0.7	3.0	14.4	53.5
Florida	9.4	8.2	0.6	2.5	14.5	47.1
EAST SOUTH CENTRAL						
Kentucky	9.2	7.4	0.6	2.4	11.4	59.8
Tennessee	8.5	7.4	0.6	2.4	11.4	58.6
Alabama	8.5	8.0	0.7	3.0	12.8	54.5
Mississippi	9.1	9.2	0.8	3.0	12.0	56.7
WEST SOUTH CENTRAL						
Arkansas	8.4	6.4	0.7	2.4	10.8	46.4
Louisiana	8.3	8.1	0.7	2.5	13.0	56.8
Oklahoma	8.9	6.7	0.6	2.1	9.7	52.8
Texas	7.5	8.0	0.7	2.1	10.4	52.2
MOUNTAIN						
Montana	9.8	6.9	0.7	2.7	11.4	59.6
Idaho	8.1	5.5	0.8	2.3	9.7	53.6
Wyoming	7.9	7.6	0.8	2.3	9.5	55.8
Colorado	8.6	7.6	0.7	1.8	9.8	59.8
New Mexico	7.0	11.2	0.7	2.4	10.1	51.0
Arizona	7.5	9.5	0.7	2.6	12.5	52.8
Utah	6.7	5.4	0.6	1.8	9.7	58.2
Nevada	8.5	8.1	0.7	2.9	13.1	72.0
PACIFIC						
Washington	9.4	6.1	0.5	1.9	11.1	61.8
Oregon	9.1	5.9	0.7	1.9	10.2	59.6
California	8.8	6.1	0.6	2.0	11.4	59.5

[1] Figures for age not stated included in the "Total" but not distributed among age groups.

Table B R. Death Rates for 64 Selected Causes:

(By place of residence. Includes only deaths occurring within the continental United States. Excludes fetal deaths. Rates per 100,000 estimated

	AREA	Total	Tuberculosis, all forms 001-019	Tuberculosis of respiratory system 001-008	Tuberculosis, other forms 010-019	Syphilis and its sequelae 020-029	Typhoid fever 040	Dysentery, all forms 045-048	Scarlet fever and streptococcal sore throat 050,051	Diphtheria 055	Whooping cough 056	Meningococcal infections 057	Acute poliomyelitis 080	Measles 085	Typhus and other rickettsial diseases 100-108	Malaria 110-117	All other infective and parasitic diseases 030-039, 041,042, 044,049, 052-054, 059-074, 081-083, 086-098, 120-138
1	UNITED STATES	930.4	9.1	8.3	0.8	2.3	0.0	0.3	0.1	0.1	0.3	0.6	0.6	0.2	0.0	0.0	2.5
	GEOGRAPHIC DIVISIONS																
2	New England	1,088.9	8.5	7.9	0.6	1.8	0.0	0.1	0.1	0	0.1	0.6	2.4	0.4	0	0.0	2.3
3	Middle Atlantic	1,034.7	11.1	10.3	0.8	2.2	0.0	0.0	0.1	0.0	0.1	0.5	0.4	0.1	0.0	0.0	2.2
4	East North Central	956.7	7.6	6.9	0.7	2.2	0.0	0.1	0.1	0.0	0.1	0.7	0.9	0.1	0.0	0	2.1
5	West North Central	955.8	5.8	5.2	0.6	2.3	0.0	0.1	0.2	0.1	0.2	0.4	0.3	0.2	0	0	2.6
6	South Atlantic	845.1	9.0	8.3	0.7	2.7	0.1	0.5	0.2	0.2	0.5	0.7	0.3	0.1	0.0	0.0	3.0
7	East South Central	877.9	13.1	11.9	1.2	2.2	0.0	0.8	0.2	0.3	0.8	0.8	0.4	0.2	0.0	0.0	3.0
8	West South Central	794.4	9.9	9.0	0.9	2.9	0.0	1.2	0.1	0.1	0.7	0.5	0.7	0.3	0.0	0.0	3.5
9	Mountain	797.9	10.6	9.5	1.1	1.8	0	0.7	0.1	0.1	0.5	0.6	0.7	1.0	0.0	0	2.6
10	Pacific	895.0	7.6	7.0	0.6	2.3	0.0	0.2	0.1	0.1	0.1	0.4	0.4	0.2	0	0.0	2.1
	NEW ENGLAND																
11	Maine	1,127.3	7.6	6.3	1.3	1.9	0	0.2	0.2	0	0.3	0.7	0.4	0.4	0	0	2.3
12	New Hampshire	1,168.9	4.7	4.5	0.2	1.6	0	0	0.2	0	0.2	0.5	1.3	0.2	0	0	2.5
13	Vermont	1,146.2	11.6	10.8	0.8	1.4	0	0	0	0	0	1.4	0.3	1.4	0	0	1.9
14	Massachusetts	1,117.6	9.7	9.3	0.4	1.7	0.0	0.2	0.1	0	0.0	0.5	3.6	0.4	0	0.0	2.2
15	Rhode Island	1,064.5	7.3	6.6	0.7	2.2	0	0.2	0.1	0	0.1	0.7	2.7	0	0	0	2.1
16	Connecticut	990.1	7.2	6.5	0.6	2.0	0	0	0.1	0	0	0.5	0.9	0.4	0	0	2.7
	MIDDLE ATLANTIC																
17	New York	1,034.7	11.0	10.2	0.7	2.2	0.0	0.0	0.1	0.0	0.0	0.4	0.5	0.2	0	0.0	2.1
18	New Jersey	1,019.7	11.0	10.0	1.0	2.0	0.0	0.1	0.1	0.0	0.1	0.6	0.6	0.2	0.0	0	2.1
19	Pennsylvania	1,042.1	11.2	10.4	0.8	2.5	0	0.0	0.1	0.0	0.1	0.5	0.2	0.1	0	0	2.5
	EAST NORTH CENTRAL																
20	Ohio	955.6	7.5	6.8	0.7	3.1	0.0	0.1	0.1	0.1	0.2	0.6	0.4	0.1	0	0	1.8
21	Indiana	972.3	7.4	6.6	0.9	2.6	0.0	0.1	0.2	0.1	0.2	0.9	0.5	0.1	0.0	0	2.7
22	Illinois	1,027.1	9.6	8.8	0.7	1.9	0.0	0.2	0.1	0	0.1	0.5	0.6	0.1	0	0	1.8
23	Michigan	864.9	6.5	6.0	0.6	1.7	0.0	0.1	0.1	0.0	0.1	0.6	0.5	0.1	0	0	2.1
24	Wisconsin	946.4	4.8	4.3	0.5	1.4	0	0.2	0.2	0	0	0.7	4.5	0.2	0	0	2.5
	WEST NORTH CENTRAL																
25	Minnesota	897.8	3.9	3.4	0.5	1.8	0	0.1	0.2	0.2	0.0	0.2	0.3	0.3	0	0	2.3
26	Iowa	1,002.3	4.0	3.4	0.6	2.0	0	0.1	0.2	0.0	0.2	0.4	0.5	0.2	0	0	2.2
27	Missouri	1,026.0	9.6	8.8	0.8	3.5	0.0	0.1	0.3	0	0.2	0.4	0.3	0.2	0	0	3.1
28	North Dakota	819.6	3.3	2.6	0.6	0.9	0	0	0.2	0	0.5	0.5	0.2	0.6	0	0	1.1
29	South Dakota	868.2	6.3	5.1	1.2	1.6	0	0.3	0.1	0.4	0.1	0.9	0.1	0.1	0	0	2.8
30	Nebraska	940.8	4.2	4.0	0.2	1.3	0.1	0.1	0.2	0.3	0.2	0.3	0.4	0	0	0	3.2
31	Kansas	924.4	5.0	4.7	0.3	2.3	0	0.1	0.2	0	0.2	0.3	0.2	0.1	0	0	2.6
	SOUTH ATLANTIC																
32	Delaware	956.4	10.5	9.7	0.8	2.3	0.3	0.3	0.3	0	0	0	0	0.3	0	0	2.3
33	Maryland	882.7	11.8	10.9	1.0	3.6	0.0	0.0	0.1	0.0	0.2	0.5	0.5	0.1	0.0	0	2.5
34	District of Columbia	974.2	15.3	13.4	1.9	4.9	0	0.1	0	0	0	0.6	0.2	0	0	0	3.6
35	Virginia	844.2	10.4	9.6	0.8	3.3	0.1	0.5	0.2	0.1	0.5	0.8	0.3	0.1	0.0	0	2.5
36	West Virginia	846.1	10.4	9.9	0.5	3.2	0.1	0.3	0.3	0	0.5	1.0	0.4	0.2	0	0	2.2
37	North Carolina	743.0	6.0	5.3	0.7	1.4	0.0	0.3	0.2	0.1	0.7	0.7	0.2	0.1	0.0	0.0	2.9
38	South Carolina	786.5	10.0	9.3	0.7	2.6	0.1	0.6	0.1	0.5	1.0	0.6	0.3	0.1	0.1	0.1	2.9
39	Georgia	844.3	7.5	7.0	0.5	2.7	0.0	0.9	0.2	0.5	0.6	0.7	0.4	0.2	0.1	0	2.7
40	Florida	935.6	7.7	7.1	0.6	2.7	0.0	0.5	0.1	0.2	0.4	0.5	0.3	0.1	0	0	4.7
	EAST SOUTH CENTRAL																
41	Kentucky	916.3	15.4	14.3	1.2	2.4	0	0.6	0.3	0.2	0.6	1.1	0.3	0.2	0	0	3.4
42	Tennessee	849.8	14.9	13.4	1.6	2.0	0.0	0.6	0.1	0.1	0.7	0.8	0.3	0.2	0.0	0.0	2.7
43	Alabama	848.2	11.4	10.4	1.0	2.6	0	0.4	0.3	0.8	0.7	0.7	0.6	0.1	0.0	0	2.7
44	Mississippi	912.0	9.7	8.5	1.2	1.7	0	2.2	0.3	0.1	1.6	0.6	0.3	0.3	0	0.0	3.6
	WEST SOUTH CENTRAL																
45	Arkansas	844.5	14.9	14.1	0.8	2.3	0	0.7	0.1	0	1.3	0.3	0.4	0.3	0	0	2.3
46	Louisiana	828.6	9.4	8.5	0.9	5.5	0.1	0.7	0.1	0.2	0.6	0.9	0.4	0.2	0.0	0.1	3.9
47	Oklahoma	892.5	8.4	7.6	0.7	1.8	0.1	0.6	0.2	0.0	0.5	0.5	0.3	0.2	0	0.0	3.4
48	Texas	747.8	9.5	8.5	1.0	2.5	0.0	1.7	0.1	0.1	0.7	0.3	0.9	0.4	0.0	0.0	3.6
	MOUNTAIN																
49	Montana	977.9	8.3	6.7	1.6	1.9	0	0	0	0.2	0.2	0.8	1.3	0.6	0	0	3.0
50	Idaho	806.4	3.6	3.3	0.3	1.0	0	0	0.2	0	0.3	0.3	1.8	0.2	0	0	2.5
51	Wyoming	786.2	2.9	2.9	0	3.5	0	0	0.3	0	0.6	0	0.3	1.0	0	0	1.6
52	Colorado	862.5	7.2	6.7	0.5	1.3	0	0.4	0.3	0	0.2	0.8	0.5	0.3	0.1	0	2.3
53	New Mexico	699.1	14.2	12.7	1.5	2.6	0	2.5	0.1	0.1	1.4	0.9	0.5	2.8	0	0	2.6
54	Arizona	754.7	24.6	21.8	2.8	1.8	0	1.1	0	0	0.7	0.3	0.6	2.6	0	0	4.1
55	Utah	666.4	3.8	3.3	0.5	0.8	0	0.1	0	0.3	0.3	0.5	0.4	0	0	0	1.5
56	Nevada	845.5	17.4	16.6	0.9	5.1	0	0.4	0.4	0	0.4	0.9	1.7	0	0	0	1.3
	PACIFIC																
57	Washington	940.4	6.2	5.4	0.8	2.5	0.0	0.1	0.0	0.2	0.1	0.6	0.5	0.1	0	0.0	2.1
58	Oregon	912.6	4.9	4.5	0.5	2.3	0	0	0.1	0.1	0.1	0.2	0.8	0.1	0	0	1.6
59	California	883.5	8.3	7.6	0.6	2.3	0.0	0.3	0.1	0.0	0.1	0.4	0.3	0.2	0	0.0	2.2

United States, Each Division and State, 1955

midyear population in each area. Numbers under causes of death are category numbers of the Sixth Revision of the International Lists, 1948)

Malignant neoplasms, including neoplasms of lymphatic and hematopoietic tissues 140-205	Malignant neoplasm of buccal cavity and pharynx 140-148	Malignant neoplasm of digestive organs and peritoneum, not specified as secondary 150-156A, 157-159	Malignant neoplasm of respiratory system, not specified as secondary 160-164	Malignant neoplasm of breast 170	Malignant neoplasm of genital organs 171-179	Malignant neoplasm of urinary organs 180,181	Malignant neoplasm of other and unspecified sites 156B,165 190-199	Leukemia and aleukemia 204	Lymphosarcoma and other neoplasms of lymphatic and hematopoietic tissues 200-203, 205	Benign neoplasms and neoplasms of unspecified nature 210-239	Diabetes mellitus 260	Anemias 290-293	Meningitis, except meningococcal and tuberculous 340	Major cardiovascular-renal diseases 330-334, 400-468, 592-594	Diseases of cardiovascular system 330-334, 400-468	Vascular lesions affecting central nervous system 330-334	
146.5	3.4	52.3	18.2	13.4	22.8	7.0	16.4	6.6	6.5	3.1	15.5	1.9	1.1	506.0	496.4	106.0	1
189.6	5.2	72.8	23.0	18.1	25.6	9.5	20.1	6.9	8.3	4.0	20.0	1.9	1.0	621.3	612.3	120.3	2
180.1	4.0	68.7	24.2	17.1	24.4	9.1	17.9	7.2	7.6	3.5	21.1	1.7	1.1	590.5	581.1	99.8	3
154.7	3.4	57.3	18.8	14.1	24.3	7.6	15.6	6.9	6.7	2.8	17.9	2.2	1.0	532.9	523.3	111.6	4
150.0	3.0	54.8	15.5	14.1	24.1	7.1	16.7	7.6	7.1	2.8	15.8	2.4	0.9	531.5	521.4	126.5	5
115.8	3.0	36.6	14.6	10.1	20.5	5.1	15.3	5.5	5.0	3.0	12.2	1.8	1.3	446.3	435.6	105.9	6
114.1	2.8	37.4	12.6	9.2	22.8	4.0	15.5	5.2	4.6	3.0	10.2	2.0	1.5	445.5	432.3	113.0	7
117.4	2.9	36.4	15.3	9.1	20.2	5.2	17.2	6.1	4.9	3.4	11.5	1.9	1.4	385.5	375.3	88.6	8
107.6	2.0	36.5	12.5	9.4	17.1	5.2	12.7	6.3	5.8	2.7	11.3	1.1	1.3	370.0	361.3	78.4	9
144.1	3.2	49.4	18.8	14.2	21.9	7.3	15.4	6.8	7.1	3.1	10.9	1.5	1.1	487.8	481.6	101.6	10
179.2	4.0	68.4	19.4	16.4	29.9	7.5	21.7	5.2	6.6	3.0	17.7	2.4	1.0	658.9	644.6	141.7	11
188.2	4.7	74.1	24.1	16.8	22.4	12.7	17.4	9.8	6.3	4.3	26.6	2.2	0.5	671.1	659.0	130.0	12
180.5	4.6	62.4	22.4	14.1	33.2	10.0	19.2	5.4	9.2	1.6	15.1	1.6	1.9	653.5	644.6	143.0	13
196.1	5.8	76.7	22.7	18.9	25.8	9.8	20.7	7.0	8.8	4.0	20.5	1.9	1.0	637.1	628.5	120.1	14
193.4	4.9	74.8	23.0	20.0	24.2	10.0	22.4	6.2	7.8	6.2	26.2	1.3	0.9	610.8	601.0	106.1	15
180.0	4.9	67.0	24.8	17.4	23.5	8.5	18.0	7.4	8.5	3.7	17.0	1.8	0.9	557.6	551.0	110.6	16
187.0	4.0	70.7	26.3	18.9	23.8	9.5	18.1	7.5	8.4	3.7	20.2	1.6	1.1	589.0	580.7	92.5	17
184.7	4.3	72.7	25.6	16.8	24.2	9.5	16.8	7.1	7.6	3.1	21.0	1.9	1.1	582.4	572.4	95.8	18
167.6	3.8	63.8	20.4	14.7	25.3	8.2	18.2	6.8	6.4	3.5	22.5	1.9	1.0	596.8	586.1	112.6	19
155.0	3.2	55.7	18.9	14.4	25.3	7.4	16.9	6.6	6.6	2.7	21.4	1.8	1.0	523.7	515.5	116.4	20
147.7	3.2	53.0	17.0	13.4	24.6	6.7	16.1	7.4	6.3	2.3	16.7	2.2	1.1	550.9	539.8	127.0	21
168.1	4.0	62.6	21.9	15.8	25.0	8.7	15.6	7.0	7.6	3.0	13.9	2.2	0.9	592.1	580.3	106.3	22
141.1	3.1	52.3	17.8	12.1	22.2	6.4	14.3	6.4	6.6	3.0	19.4	2.3	1.1	456.2	447.9	100.4	23
155.9	3.2	62.5	15.4	14.0	23.8	8.9	14.6	7.6	5.8	3.1	17.6	2.5	1.0	536.9	529.0	117.9	24
148.4	2.3	56.4	12.9	15.4	22.6	7.7	16.2	7.8	7.1	2.6	16.2	2.3	0.7	504.8	497.6	123.7	25
160.0	2.3	58.2	14.8	14.5	26.7	7.7	19.5	8.4	7.9	3.8	16.8	2.6	0.7	574.8	566.3	149.0	26
160.2	4.3	58.2	20.0	14.4	25.9	7.0	17.0	7.2	6.2	2.4	15.2	2.4	1.0	568.6	554.4	123.9	27
121.5	1.9	46.2	12.0	8.6	20.1	6.1	14.2	5.8	6.8	2.5	12.8	1.9	1.9	441.1	434.1	101.4	28
129.6	1.9	48.3	14.1	12.2	16.1	5.1	17.0	8.6	6.3	1.9	13.3	3.2	2.0	461.9	456.2	111.3	29
153.5	3.6	57.5	16.0	14.6	23.0	7.6	14.7	7.6	9.0	2.2	19.2	1.9	0.4	514.7	506.5	123.7	30
132.0	2.7	44.2	12.5	13.2	23.8	6.0	15.0	7.6	6.9	3.3	14.4	2.5	0.7	504.0	491.8	121.5	31
142.3	4.9	46.9	19.7	15.1	25.4	5.6	12.6	5.9	6.2	3.1	20.0	2.3	1.8	526.9	514.6	85.9	32
140.3	4.0	47.4	19.6	12.9	21.4	6.8	17.2	5.4	5.7	3.8	17.7	1.7	1.5	481.2	471.9	78.3	33
153.0	4.6	50.9	20.1	17.6	22.5	8.9	14.9	6.4	7.1	5.4	12.0	2.0	1.4	516.6	508.8	96.1	34
112.6	2.8	36.6	14.4	9.9	18.4	4.2	15.0	5.9	5.3	3.0	11.3	1.6	1.2	453.9	443.2	107.5	35
118.3	2.3	40.2	14.4	8.5	21.8	5.5	15.0	5.7	5.0	3.2	13.2	2.0	0.9	454.2	444.0	100.0	36
90.9	2.3	26.6	9.3	8.0	17.4	3.6	13.7	5.5	4.5	2.6	9.7	1.5	1.1	393.4	383.0	101.2	37
88.6	1.9	26.6	9.9	8.0	18.5	3.3	12.4	4.3	3.8	2.3	10.7	1.6	1.3	399.0	388.5	107.1	38
105.6	2.8	31.4	12.5	9.5	21.7	4.0	14.6	4.9	4.2	2.9	11.2	1.8	1.6	444.5	430.7	133.8	39
145.2	3.9	45.4	21.2	10.9	24.3	7.8	19.5	6.1	6.0	3.1	12.7	2.6	1.6	478.2	468.4	109.8	40
123.8	2.9	44.6	13.2	9.5	23.3	4.4	14.6	6.2	5.2	3.2	12.4	2.3	1.1	489.4	476.0	111.6	41
114.4	2.8	35.2	13.8	9.5	22.3	3.9	16.4	5.2	5.2	2.7	9.2	1.9	1.4	427.3	417.0	114.4	42
107.7	2.9	34.7	10.9	9.1	23.5	3.6	14.7	4.2	4.1	2.5	9.2	2.0	1.7	427.8	413.9	111.5	43
109.0	2.3	34.6	12.2	8.3	21.9	4.4	16.7	5.1	3.4	3.9	10.1	1.8	1.6	438.3	422.1	115.0	44
118.4	3.4	38.7	11.7	9.0	23.3	4.4	16.8	6.0	5.0	2.7	10.7	1.8	1.5	436.6	421.3	109.9	45
123.6	3.4	38.2	19.0	8.9	21.0	6.2	16.5	5.5	4.9	4.3	14.5	2.2	2.2	405.5	395.5	82.2	46
141.4	3.4	45.9	16.8	10.9	25.3	5.7	20.3	6.7	6.4	3.5	13.8	2.3	0.9	456.7	445.9	108.5	47
109.0	2.4	33.0	14.5	8.8	18.0	5.0	16.8	6.1	4.6	3.3	10.1	1.8	1.3	350.3	341.3	81.3	48
132.0	2.5	49.0	15.6	11.4	19.6	6.5	10.5	10.7	6.2	2.9	17.6	2.4	0.8	500.0	489.3	115.7	49
114.4	2.3	38.2	10.3	11.1	21.1	5.2	14.4	6.4	5.4	2.8	12.7	1.3	1.0	420.9	411.3	85.9	50
98.1	1.0	35.9	12.8	9.0	14.1	4.2	11.5	6.4	3.2	2.6	14.1	0.3	1.0	387.8	378.5	83.7	51
128.2	2.2	43.2	13.5	12.0	21.5	6.5	14.3	6.5	8.6	2.3	10.2	1.4	1.0	432.1	424.0	94.4	52
81.2	1.0	28.2	9.3	5.3	13.6	3.4	12.9	4.0	3.4	3.8	7.9	0.6	1.5	229.1	218.9	54.0	53
98.4	1.9	31.2	14.6	9.0	14.0	4.2	13.3	5.5	4.8	2.7	8.9	0.7	2.6	306.7	298.0	58.3	54
87.6	1.9	28.5	9.5	7.4	13.0	4.3	11.0	6.4	5.5	2.6	12.7	1.1	0.9	321.8	314.9	63.4	55
96.6	4.3	34.0	14.0	5.1	14.9	7.7	8.9	4.3	3.4	2.6	10.2	0	1.7	366.0	359.6	66.8	56
151.9	2.3	53.9	17.8	14.2	25.4	7.4	16.1	6.6	8.2	3.7	13.9	2.0	1.1	513.6	506.8	111.2	57
137.2	2.1	47.5	15.1	13.2	21.4	7.1	15.7	8.2	6.8	3.0	10.1	2.1	1.4	516.4	508.8	111.1	58
143.4	3.6	48.7	19.5	14.3	21.3	7.3	15.3	6.6	7.0	2.9	10.4	1.4	1.1	478.9	473.0	98.4	59

Table BR. Death Rates for 64 Selected Causes:

(By place of residence. Includes only deaths occurring within the continental United States. Excludes fetal deaths. Rates per 100,000 estimated

	AREA	Rheumatic fever 400-402	Diseases of heart 410-443	Chronic rheumatic heart disease 410-416	Arteriosclerotic heart disease, including coronary disease 420	Nonrheumatic chronic endocarditis and other myocardial degeneration 421,422	Other diseases of heart 430-434	Hypertension with heart disease 440-443	Hypertension without mention of heart 444-447	General arteriosclerosis 450	Other diseases of circulatory system 451-468	Chronic and unspecified nephritis and other renal sclerosis 592-594	Influenza and pneumonia, except pneumonia of newborn 480-493	Influenza 480-483	Pneumonia, except pneumonia of newborn 490-493	Bronchitis 500-502	Ulcer of stomach and duodenum 540, 541	Appendicitis 550-553
1	UNITED STATES	0.7	355.8	11.3	247.0	39.9	12.6	45.0	6.8	19.8	7.3	9.6	27.1	1.7	25.4	1.9	5.9	1.4
	GEOGRAPHIC DIVISIONS																	
2	New England	0.6	449.9	14.2	340.7	40.8	10.3	43.9	7.1	25.3	9.2	9.0	28.0	0.8	27.3	2.5	8.4	1.4
3	Middle Atlantic	0.6	445.6	15.1	320.4	51.9	7.6	50.6	7.0	21.2	6.9	9.4	27.0	0.8	26.1	2.0	7.5	1.6
4	East North Central	0.7	375.0	12.2	260.7	46.6	12.8	42.8	7.2	22.1	6.7	9.6	26.4	1.3	25.1	1.9	6.1	1.7
5	West North Central	0.7	355.9	11.5	245.8	44.8	13.2	40.6	7.2	23.9	7.4	10.1	26.6	1.8	24.8	1.7	5.8	1.4
6	South Atlantic	0.9	298.6	7.9	184.2	36.9	14.9	54.8	7.2	15.5	7.3	10.7	27.1	2.6	24.5	1.6	4.4	1.1
7	East South Central	1.1	288.8	8.3	168.5	34.7	21.0	56.3	8.5	15.0	5.9	13.1	31.0	4.4	26.6	1.6	4.0	1.0
8	West South Central	0.5	261.0	5.7	177.0	22.9	19.5	35.9	6.0	13.0	6.3	10.2	26.7	2.5	24.3	1.4	3.8	1.3
9	Mountain	1.1	254.2	12.1	177.6	28.8	10.4	25.3	5.1	14.6	7.9	8.7	30.3	1.4	28.9	2.5	5.4	1.4
10	Pacific	0.5	342.1	12.4	257.9	27.0	7.8	37.0	4.7	23.0	9.7	6.2	25.1	0.6	24.4	2.0	6.8	1.2
	NEW ENGLAND																	
11	Maine	0.4	455.3	14.5	322.0	61.3	9.5	48.1	7.4	30.1	9.6	14.3	31.8	2.5	29.2	2.3	9.4	1.5
12	New Hampshire	0.2	476.1	14.5	349.0	46.1	14.6	51.9	7.6	34.5	10.5	12.1	25.9	0.9	25.0	2.4	12.5	1.8
13	Vermont	0.3	443.5	11.1	326.2	55.9	10.3	40.0	11.9	38.6	7.3	8.9	28.6	2.2	26.5	3.0	8.6	1.4
14	Massachusetts	0.7	467.2	15.7	354.0	41.6	13.0	42.9	6.6	24.6	9.3	8.6	31.6	0.6	31.0	2.6	8.4	1.5
15	Rhode Island	0.1	459.2	12.0	360.2	31.2	5.4	50.4	7.8	19.6	8.1	9.8	20.9	0.4	20.6	2.2	8.9	0.9
16	Connecticut	0.7	401.0	12.3	312.5	30.3	5.3	40.8	6.9	22.5	9.2	6.6	21.9	0.3	21.5	2.2	6.5	1.2
	MIDDLE ATLANTIC																	
17	New York	0.5	456.0	15.1	348.7	39.7	4.4	48.0	6.7	19.1	5.8	8.2	27.9	0.6	27.4	2.3	8.2	1.7
18	New Jersey	0.6	443.5	14.3	298.6	75.8	6.4	48.3	7.0	18.4	7.1	10.0	25.5	0.5	25.0	1.8	7.9	1.4
19	Pennsylvania	0.8	431.3	15.4	289.3	58.1	12.9	55.6	7.4	25.5	8.4	10.7	26.3	1.4	24.8	1.6	6.4	1.4
	EAST NORTH CENTRAL																	
20	Ohio	0.7	355.8	12.0	246.2	39.0	12.0	46.5	7.8	27.3	7.5	8.2	22.8	2.1	20.7	1.9	6.0	1.8
21	Indiana	0.8	372.6	11.6	258.0	40.7	13.5	48.7	7.3	25.9	6.2	11.1	26.0	2.1	23.9	1.6	6.0	1.3
22	Illinois	0.6	440.8	13.2	300.1	66.3	15.5	45.8	7.6	18.4	6.6	11.8	36.5	0.7	35.8	2.3	6.5	1.7
23	Michigan	0.6	317.9	11.6	227.3	32.3	12.3	34.5	5.9	16.7	6.4	8.3	22.2	0.8	21.4	1.9	6.0	1.7
24	Wisconsin	0.7	372.4	12.1	266.4	50.5	7.9	35.5	6.7	24.7	6.6	7.9	18.6	1.0	17.6	1.4	6.2	1.9
	WEST NORTH CENTRAL																	
25	Minnesota	0.7	337.4	12.7	246.5	34.1	7.8	36.3	5.6	22.5	7.8	7.2	23.6	0.8	22.8	1.5	5.4	1.1
26	Iowa	0.6	371.5	10.6	267.2	43.7	12.7	37.5	8.2	30.4	6.6	8.6	26.8	1.7	24.9	1.9	6.3	1.3
27	Missouri	0.9	389.2	12.0	250.7	58.9	15.5	52.2	8.5	24.6	7.4	14.2	32.0	2.2	29.8	1.8	6.2	1.5
28	North Dakota	0.8	297.8	12.4	213.2	26.3	17.4	28.5	6.4	19.6	8.1	7.0	23.6	0.5	23.2	2.8	4.0	1.1
29	South Dakota	0.3	310.8	10.5	220.4	36.6	16.1	27.2	8.1	17.9	7.9	5.7	22.5	0.9	21.7	1.2	5.7	2.0
30	Nebraska	0.6	350.6	10.8	237.9	47.5	17.9	36.6	4.7	20.4	6.5	8.2	26.5	3.0	23.5	1.6	5.6	1.8
31	Kansas	0.4	332.9	10.2	231.1	40.9	12.2	38.5	7.3	22.0	7.8	12.2	23.0	2.8	20.1	1.3	5.5	1.4
	SOUTH ATLANTIC																	
32	Delaware	0.3	386.2	11.5	249.0	52.1	5.6	70.0	11.0	22.1	7.2	12.3	30.5	1.0	29.5	2.1	6.2	1.0
33	Maryland	0.5	364.0	9.4	201.5	69.5	9.0	74.6	5.8	15.7	7.6	9.3	22.4	0.7	21.7	2.1	4.6	1.0
34	District of Columbia	0.7	374.2	9.9	208.9	66.3	10.2	79.0	8.4	17.6	11.7	7.8	29.5	0.4	29.2	2.9	7.0	0.9
35	Virginia	0.8	299.4	8.0	186.1	39.5	12.9	53.0	6.4	21.2	7.8	10.1	26.2	1.7	24.5	1.7	4.3	1.1
36	West Virginia	0.9	312.6	10.1	204.9	36.5	16.2	44.9	7.1	16.8	6.6	10.2	27.9	3.5	24.4	1.6	4.7	1.2
37	North Carolina	0.8	257.1	6.8	153.1	27.7	18.2	51.2	6.3	11.9	5.8	10.4	28.0	2.4	25.6	1.2	3.3	0.8
38	South Carolina	1.0	253.2	5.4	145.3	27.4	12.9	62.2	7.8	13.5	6.0	10.4	29.9	3.5	26.3	1.3	2.8	1.3
39	Georgia	1.4	266.7	6.2	161.9	28.0	15.2	55.4	9.4	12.8	6.6	13.8	30.9	4.9	25.9	1.5	4.3	1.3
40	Florida	0.6	325.3	9.5	230.4	27.2	19.8	38.5	7.3	16.3	9.0	9.8	23.4	2.4	21.0	1.7	5.6	1.3
	EAST SOUTH CENTRAL																	
41	Kentucky	1.0	328.1	9.9	199.3	37.5	25.5	55.9	8.0	21.2	6.0	13.4	33.7	2.9	30.8	1.8	4.4	1.0
42	Tennessee	1.2	273.6	8.5	164.6	33.4	18.3	48.9	8.3	13.2	6.3	10.3	30.1	4.0	26.1	2.0	3.9	1.1
43	Alabama	1.0	273.9	6.7	157.3	34.0	19.5	56.6	8.4	13.6	5.5	14.0	30.4	5.9	24.5	1.3	4.5	1.0
44	Mississippi	1.2	279.5	8.3	147.8	33.8	21.2	68.4	9.8	11.2	5.5	16.3	29.5	4.9	24.6	1.4	2.9	0.9
	WEST SOUTH CENTRAL																	
45	Arkansas	0.4	284.6	6.8	189.2	24.8	20.0	43.9	6.0	13.4	6.8	15.3	29.9	3.2	26.6	1.6	3.3	1.2
46	Louisiana	0.3	287.6	4.5	187.4	24.7	14.8	56.2	6.3	12.5	6.6	10.0	30.9	2.8	28.2	1.6	4.2	1.4
47	Oklahoma	0.5	304.0	8.4	209.7	28.3	23.7	33.8	7.1	19.3	6.6	10.8	26.8	2.7	24.2	0.8	5.7	2.0
48	Texas	0.5	236.3	5.1	162.8	20.6	19.9	28.0	5.6	11.5	6.1	9.0	24.6	2.2	22.5	1.5	3.2	1.0
	MOUNTAIN																	
49	Montana	0.2	332.6	12.9	223.5	41.2	24.2	30.8	6.5	25.1	9.2	10.7	29.4	1.9	27.5	2.1	4.3	1.3
50	Idaho	1.1	295.9	13.1	201.1	37.9	13.1	30.7	4.9	15.5	7.8	9.6	19.8	1.6	18.1	2.5	5.2	0.5
51	Wyoming	1.3	266.7	7.7	181.4	42.6	7.4	27.6	3.5	13.5	9.9	9.3	22.8	2.2	20.5	1.9	5.8	1.3
52	Colorado	1.4	293.9	15.6	219.7	26.4	4.8	27.3	5.8	18.2	10.4	8.1	42.5	1.0	41.5	2.5	6.7	1.9
53	New Mexico	0.3	147.3	8.3	94.2	17.8	11.0	16.0	4.7	8.6	4.2	10.2	31.9	1.8	30.1	3.3	4.2	1.6
54	Arizona	1.5	215.8	9.6	154.4	23.1	8.2	20.4	4.6	11.5	6.4	8.6	32.7	1.5	31.2	3.5	5.5	1.3
55	Utah	1.8	228.7	13.6	145.9	30.2	10.2	28.9	3.1	11.0	6.9	6.9	15.9	0.9	15.1	1.6	4.8	1.4
56	Nevada	0.9	267.2	9.4	197.9	26.0	14.9	19.1	8.5	7.2	8.9	6.4	23.0	1.3	21.7	1.3	5.1	0.9
	PACIFIC																	
57	Washington	0.5	358.8	12.5	268.7	30.0	13.8	33.8	5.0	21.9	9.4	6.8	28.8	1.6	27.2	1.5	6.4	1.3
58	Oregon	0.4	355.3	12.6	260.2	22.9	12.4	47.1	4.9	28.2	9.0	7.5	23.5	0.7	22.8	4.2	5.6	1.2
59	California	0.5	337.1	12.4	255.4	26.4	5.9	36.4	4.6	22.6	9.8	5.9	24.5	0.4	24.1	1.8	7.0	1.2

United States, Each Division and State, 1955—Continued

midyear population in each area. Numbers under causes of death are category numbers of the Sixth Revision of the International Lists, 1948)

Hernia and intestinal obstruction 560, 561, 570	Gastritis, duodenitis, enteritis, and colitis, except diarrhea of newborn 543,571, 572	Cirrhosis of liver 581	Acute nephritis and nephritis with edema, including nephrosis 590,591	Hyperplasia of prostate 610	Deliveries and complications of pregnancy, childbirth, and the puerperium 640-689	Abortion 650-652	All other complications 640-649, 660-689	Congenital malformations 750-759	Certain diseases of early infancy 760-776	Birth injuries, postnatal asphyxia-, and atelectasis 760-762	Infections of newborn 763-768	Other diseases peculiar to early infancy, and immaturity unqualified 769-776	Symptoms, senility, and ill-defined conditions 780-795	All other diseases Residual	Accidents E800-E962	Motor-vehicle accidents E810-E835	All other accidents E800-E802, E840-E962	Suicide E963, E970-E979	Homicide E964, E980-E985	Injury resulting from operations of war E965, E990-E999	
5.3	4.7	10.2	1.5	3.7	1.2	0.2	1.0	12.5	39.0	17.8	2.6	18.6	12.1	42.1	56.9	23.4	33.5	10.2	4.5	0.0	1
6.2	4.0	13.2	1.4	3.6	0.5	0.0	0.5	12.8	33.0	15.3	1.5	16.2	5.3	50.1	53.8	15.4	38.4	9.5	1.2	0	2
5.9	3.7	13.7	1.2	3.8	0.9	0.2	0.7	11.7	34.1	16.2	2.1	15.8	6.1	42.9	46.6	15.6	31.1	8.7	2.5	0.0	3
5.5	4.0	10.5	1.3	4.1	0.8	0.1	0.7	13.1	38.6	19.1	2.3	17.3	6.4	41.2	55.4	24.8	30.6	10.8	3.4	0.0	4
5.9	3.8	7.8	1.6	4.9	1.0	0.1	0.9	13.1	35.3	16.0	1.8	17.5	10.2	44.8	63.1	24.6	38.6	10.8	2.5	0.0	5
4.6	5.4	7.2	1.8	3.0	1.9	0.3	1.6	12.3	44.6	18.9	5.3	22.4	14.5	40.3	59.5	25.3	34.2	9.7	8.4	0.0	6
4.4	6.2	5.6	2.2	3.6	2.2	0.2	2.0	12.5	43.7	18.1	4.7	22.0	43.2	39.2	61.9	27.3	34.7	7.9	9.3	0.0	7
4.6	7.7	6.6	1.8	3.3	1.5	0.2	1.2	12.4	45.3	18.1	4.1	23.1	21.0	38.2	62.5	27.7	34.7	8.2	6.9	0.0	8
4.8	7.6	7.8	1.5	3.2	1.2	0.2	1.1	14.1	48.2	20.7	3.4	24.2	21.1	46.1	73.1	31.8	41.3	12.3	4.5	0.0	9
4.9	3.7	14.8	0.8	3.1	0.8	0.2	0.6	11.9	35.6	18.5	1.8	15.3	4.6	42.0	57.5	26.6	30.9	14.9	3.4	0.1	10
6.3	4.3	8.4	1.8	4.3	0.6	0	0.6	13.7	35.9	18.4	1.8	15.7	6.0	51.3	59.6	19.4	40.2	12.6	1.2	0	11
7.1	5.8	14.3	1.8	5.1	0.5	0	0.5	13.0	35.1	14.3	2.5	18.3	8.9	58.8	58.2	18.6	39.6	12.7	1.1	0	12
7.6	4.1	7.3	1.4	5.1	0.8	0	0.8	14.9	45.7	25.4	2.7	17.6	16.5	54.9	60.3	22.2	38.1	13.5	0.5	0	13
6.3	4.0	14.3	1.4	3.5	0.5	0.0	0.5	11.8	31.4	13.7	1.4	16.2	5.4	51.2	55.2	14.1	41.0	8.4	1.2	0	14
7.2	3.5	12.4	1.6	3.1	0.2	0	0.2	15.4	31.6	12.7	0.7	18.1	1.0	47.0	45.5	12.0	33.5	7.0	1.7	0	15
5.0	3.7	13.8	1.2	3.4	0.7	0.1	0.6	13.1	33.2	17.1	1.2	14.9	3.5	45.4	49.2	16.0	33.3	10.1	1.3	0	16
5.3	3.5	15.0	1.0	3.8	0.9	0.2	0.6	11.9	33.3	15.7	1.8	15.8	6.3	38.9	44.5	14.4	30.1	8.4	2.7	0.0	17
6.3	3.9	15.4	1.2	3.9	1.1	0.1	1.0	11.3	35.0	16.3	2.5	16.2	2.4	39.4	42.1	14.4	27.6	8.1	2.3	0	18
6.6	3.9	11.1	1.7	3.7	0.9	0.1	0.8	11.6	34.7	16.7	2.3	15.6	7.5	50.6	52.0	17.9	34.1	9.6	2.3	0.0	19
5.9	3.7	11.1	1.5	4.0	0.9	0.1	0.8	13.7	39.0	19.7	1.9	17.4	7.5	45.9	55.3	23.9	31.5	11.5	3.1	0	20
5.5	4.2	8.4	1.5	3.8	0.7	0.1	0.6	13.7	38.9	16.1	2.2	20.7	4.5	41.2	63.4	26.5	36.9	12.5	3.1	0	21
5.2	4.2	11.3	1.3	4.6	0.8	0.1	0.7	11.2	36.1	21.4	3.3	11.4	8.3	37.4	50.3	21.4	28.8	9.7	4.8	0.0	22
5.1	3.8	10.9	0.9	2.9	0.8	0.1	0.7	14.1	42.4	18.3	2.1	22.0	4.6	41.0	57.9	29.3	28.6	10.2	3.3	0.0	23
5.5	4.1	8.6	1.1	5.9	0.7	0.1	0.6	13.9	36.4	16.7	1.5	18.2	4.4	39.7	54.3	24.6	29.8	11.3	1.1	0	24
5.4	3.5	7.8	1.0	4.5	0.9	0.1	0.8	14.9	34.8	15.0	1.3	18.5	4.0	42.5	52.2	19.8	32.4	9.3	1.1	0.0	25
5.4	3.7	6.2	1.3	4.7	0.8	0.1	0.7	13.1	31.7	15.0	1.4	15.4	6.1	46.1	64.7	23.8	40.9	12.4	1.2	0	26
6.1	4.0	10.3	1.9	5.2	1.1	0.1	1.0	11.1	34.5	15.6	1.9	17.0	15.1	45.6	65.4	25.8	39.6	11.3	5.3	0.0	27
5.0	3.6	6.1	1.9	3.6	0.8	0	0.8	13.8	42.5	18.5	2.5	21.5	8.7	40.1	65.0	26.6	38.4	7.6	0.8	0	28
6.0	4.4	5.9	0.9	4.0	0.9	0	0.9	14.6	41.3	19.2	3.4	18.7	12.2	41.9	68.7	29.3	39.4	9.5	1.8	0	29
5.7	3.9	7.1	1.5	5.9	1.2	0.1	1.1	14.1	36.7	15.1	1.6	19.9	5.2	45.9	64.8	24.2	40.7	9.7	1.3	0	30
7.0	3.5	6.7	2.1	5.0	1.2	0.2	1.0	13.0	37.3	18.6	1.9	16.8	18.4	46.5	69.9	28.5	41.4	11.9	2.5	0.0	31
8.2	2.3	11.0	2.3	3.8	1.8	0.5	1.3	14.4	35.1	18.2	2.3	14.6	4.4	47.7	59.7	26.7	33.1	10.5	2.6	0.3	32
5.5	3.8	9.8	1.3	2.7	1.0	0.3	0.8	11.8	41.7	18.3	2.9	20.6	2.9	41.0	50.1	18.1	31.9	9.9	5.4	0	33
7.4	3.2	19.1	1.1	2.5	1.3	0.2	1.1	12.5	55.3	32.1	2.0	21.2	1.8	48.1	49.1	13.9	35.2	10.6	7.0	0	34
4.3	4.6	6.1	1.6	3.0	1.6	0.2	1.4	12.4	47.2	20.0	4.0	23.2	9.2	42.1	56.4	23.2	33.2	11.7	8.2	0.0	35
4.8	2.7	6.4	2.0	3.0	0.8	0.1	0.8	11.4	36.1	16.0	2.8	17.3	17.6	41.4	60.8	20.7	40.2	9.4	4.0	0	36
2.9	5.9	4.2	1.5	2.2	2.2	0.2	2.0	11.8	43.9	17.1	3.0	23.8	15.6	33.9	58.5	28.0	30.5	7.6	7.7	0	37
4.0	8.5	4.2	1.9	2.7	2.8	0.3	2.5	12.1	48.7	19.0	4.1	25.6	30.0	32.9	63.2	29.4	33.8	7.5	10.1	0	38
3.9	6.7	5.8	2.7	3.5	2.7	0.5	2.2	12.7	46.3	19.3	3.8	23.2	11.5	40.5	66.1	29.9	36.2	8.7	11.4	0	39
5.9	6.0	10.1	2.0	4.0	1.6	0.3	1.3	12.8	43.5	18.3	3.0	22.2	23.0	47.2	63.7	27.3	36.4	12.5	10.8	0.0	40
5.3	5.8	7.5	1.3	3.9	1.4	0.2	1.2	13.8	40.7	18.0	3.5	19.2	11.5	43.6	68.1	28.6	39.4	9.3	6.6	0.0	41
4.0	4.5	5.3	2.2	3.7	1.5	0.2	1.3	12.6	38.7	14.6	2.8	21.2	51.6	37.7	55.7	26.7	29.0	7.8	7.8	0.0	42
4.0	5.5	4.5	2.4	3.3	2.9	0.2	2.7	11.6	47.6	21.4	4.1	22.2	36.7	39.2	61.5	27.8	33.7	7.9	12.6	0	43
4.5	10.4	5.1	3.2	3.4	3.5	0.3	3.2	11.6	50.3	18.8	4.7	26.8	84.0	35.4	63.9	25.5	38.4	6.0	10.8	0	44
4.5	6.5	6.9	1.9	4.1	1.6	0.2	1.4	10.2	33.5	13.4	3.4	16.8	26.5	36.7	69.1	25.9	43.2	6.2	6.7	0.1	45
5.1	5.6	7.0	2.0	2.5	1.6	0.2	1.4	13.9	55.6	22.6	5.5	27.5	10.5	39.1	59.3	23.1	36.3	6.7	7.2	0	46
5.1	3.6	5.6	1.7	5.3	1.1	0.1	1.0	11.9	37.3	14.8	2.6	19.9	26.0	46.0	65.0	27.5	37.5	9.7	4.4	0	47
4.3	9.6	6.6	1.7	3.0	1.5	0.3	1.2	12.4	46.4	18.4	4.1	23.8	22.1	36.2	61.5	29.7	31.8	8.7	7.5	0.0	48
5.9	3.5	8.6	1.9	2.1	0.5	0	0.5	12.4	43.9	20.5	2.4	21.0	33.1	50.6	91.7	38.0	53.7	11.9	3.0	0	49
4.6	2.9	6.2	1.5	2.3	1.6	0	1.6	12.3	36.6	14.7	1.6	20.3	13.9	40.8	75.8	29.6	46.2	14.2	2.8	0	50
3.8	4.2	3.8	0.6	2.6	1.0	0	1.0	13.5	48.7	18.6	3.5	26.6	8.7	43.6	87.8	36.5	51.3	18.9	3.2	0	51
5.2	6.0	9.3	1.7	4.0	1.0	0.3	0.8	14.4	49.1	23.4	3.6	22.1	3.0	46.3	62.8	26.2	36.6	13.3	4.2	0	52
4.2	18.2	6.1	1.4	3.7	2.1	0.4	1.8	15.5	66.6	26.4	4.7	35.6	54.4	40.5	81.5	37.2	44.3	7.8	4.3	0	53
4.6	12.8	8.1	1.4	3.4	1.3	0.2	1.1	15.9	47.3	15.7	5.1	26.5	13.4	58.8	70.6	33.3	37.3	10.7	7.6	0.2	54
4.9	2.8	6.5	0.8	2.9	0.8	0	0.8	14.1	40.3	20.6	1.6	18.1	32.2	34.0	57.7	24.1	33.6	8.8	2.8	0	55
4.3	5.1	13.2	2.1	3.4	2.1	0.4	1.7	10.6	52.8	23.8	3.0	26.0	27.7	54.9	99.1	52.3	46.8	26.8	8.5	0	56
5.5	4.7	9.7	0.9	3.4	0.5	0	0.5	11.7	35.4	17.2	1.3	16.9	6.8	47.6	60.8	20.9	39.9	13.5	3.3	0.0	57
5.1	3.1	6.5	0.9	3.8	0.5	0.1	0.4	12.6	31.6	16.7	1.4	13.5	9.4	42.1	64.3	25.8	38.6	14.9	2.8	0	58
4.8	3.6	16.9	0.7	3.0	0.9	0.2	0.7	11.8	36.1	19.0	1.9	15.3	3.5	40.8	55.9	27.8	28.1	15.2	3.5	0.1	59

Table B S. Infant Mortality Rates by Age and Color: United States, 1946-55

(Includes only deaths occurring within the continental United States. Excludes fetal deaths. Rates per 1,000 live births in specified group)

AGE AND COLOR	1955	1954	1953	1952	1951	1950	1949	1948	1947	1946
TOTAL										
Under 1 year	26.4	26.6	27.8	28.4	28.4	29.2	31.3	32.0	32.2	33.8
Under 1 day	10.0	9.6	9.7	9.7	9.8	10.2	10.5	10.7	10.7	11.4
1 day	2.9	2.9	3.0	3.0	3.1	3.1	3.1	3.4	3.4	3.5
2 days	1.8	1.9	2.0	2.1	2.1	2.0	2.1	2.1	2.1	2.2
3 days	0.9	1.0	1.1	1.1	1.1	1.1	1.1			
4 days	0.6	0.6	0.6	0.6	0.6	0.6	0.7	2.8	3.0	3.0
5 days	0.4	0.4	0.5	0.5	0.5	0.5	0.5			
6 days	0.3	0.3	0.3	0.3	0.3	0.4	0.4			
7-13 days	1.1	1.2	1.2	1.3	1.3	1.3	1.5	1.6	1.7	1.9
14-20 days	0.6	0.6	0.7	0.7	0.7	0.7	0.9	0.9	1.0	1.1
21-27 days	0.5	0.5	0.5	0.5	0.5	0.6	0.7	0.8	0.9	0.9
Under 28 days	19.1	19.1	19.6	19.8	20.0	20.5	21.4	22.2	22.8	24.0
28-59 days	1.6	1.6	1.7	1.8	1.7	1.8	2.1	2.0	2.0	2.2
2 months	1.2	1.2	1.4	1.4	1.4	1.4	1.6	1.6	1.6	1.6
3 months	1.0	1.0	1.1	1.1	1.1	1.2	1.3	1.3	1.3	1.3
4 months	0.8	0.8	0.9	0.9	0.9	0.9	1.1	1.1	1.0	1.0
5 months	0.6	0.6	0.7	0.8	0.7	0.7	0.9	0.9	0.8	0.8
6 months	0.5	0.5	0.6	0.6	0.6	0.6	0.7	0.7	0.7	0.7
7 months	0.4	0.4	0.5	0.5	0.5	0.6	0.6	0.6	0.5	0.6
8 months	0.4	0.4	0.4	0.5	0.4	0.5	0.5	0.5	0.5	0.5
9 months	0.3	0.3	0.4	0.4	0.4	0.4	0.4	0.4	0.4	0.4
10 months	0.3	0.3	0.3	0.3	0.3	0.3	0.4	0.4	0.3	0.4
11 months	0.3	0.3	0.3	0.3	0.3	0.3	0.3	0.3	0.3	0.3
WHITE										
Under 1 year	23.6	23.9	25.0	25.5	25.8	26.8	28.9	29.9	30.1	31.8
Under 1 day	9.3	9.0	9.1	9.2	9.3	9.7	10.1	10.3	10.4	11.2
1 day	2.8	2.8	2.9	2.9	3.0	3.0	3.0	3.3	3.4	3.4
2 days	1.8	1.9	2.0	2.0	2.0	2.0	2.0	2.1	2.1	2.1
3 days	0.9	0.9	1.0	1.0	1.1	1.0	1.1			
4 days	0.5	0.5	0.6	0.5	0.6	0.6	0.6	2.6	2.8	2.8
5 days	0.4	0.4	0.4	0.4	0.4	0.4	0.5			
6 days	0.3	0.3	0.3	0.3	0.3	0.3	0.3			
7-13 days	0.9	1.0	1.1	1.1	1.2	1.2	1.4	1.4	1.5	1.7
14-20 days	0.5	0.5	0.6	0.6	0.6	0.6	0.8	0.8	0.9	1.0
21-27 days	0.4	0.4	0.4	0.4	0.5	0.5	0.6	0.7	0.8	0.8
Under 28 days	17.7	17.8	18.3	18.5	18.9	19.4	20.3	21.2	21.7	23.1
28-59 days	1.3	1.3	1.4	1.5	1.4	1.6	1.8	1.8	1.8	2.0
2 months	1.0	1.0	1.1	1.1	1.1	1.2	1.4	1.4	1.4	1.4
3 months	0.8	0.8	0.9	0.9	0.9	1.0	1.2	1.2	1.1	1.1
4 months	0.6	0.6	0.7	0.7	0.7	0.8	0.9	0.9	0.9	0.9
5 months	0.5	0.5	0.6	0.6	0.6	0.6	0.7	0.8	0.7	0.7
6 months	0.4	0.4	0.5	0.5	0.5	0.5	0.6	0.6	0.6	0.6
7 months	0.3	0.4	0.4	0.4	0.4	0.5	0.5	0.5	0.5	0.5
8 months	0.3	0.3	0.3	0.4	0.4	0.4	0.4	0.5	0.4	0.4
9 months	0.2	0.3	0.3	0.3	0.3	0.3	0.4	0.4	0.4	0.4
10 months	0.2	0.2	0.2	0.3	0.3	0.3	0.3	0.3	0.3	0.3
11 months	0.2	0.2	0.2	0.3	0.2	0.3	0.3	0.3	0.3	0.3
NONWHITE										
Under 1 year	42.8	42.9	44.7	47.0	44.8	44.5	47.3	46.5	48.5	49.5
Under 1 day	13.9	13.3	12.9	12.8	12.7	13.0	12.8	12.9	13.5	13.4
1 day	3.5	3.5	3.6	3.8	3.8	3.7	3.8	3.9	4.0	4.0
2 days	2.2	2.4	2.3	2.5	2.3	2.3	2.4	2.5	2.5	2.5
3 days	1.3	1.3	1.4	1.5	1.4	1.4	1.4			
4 days	0.9	0.9	1.0	1.0	1.1	0.9	1.0	4.0	4.7	4.5
5 days	0.8	0.7	0.8	0.8	0.8	0.8	0.8			
6 days	0.5	0.5	0.6	0.6	0.6	0.7	0.6			
7-13 days	2.0	2.2	2.2	2.3	2.3	2.4	2.7	2.7	3.1	3.5
14-20 days	1.2	1.3	1.4	1.5	1.4	1.4	1.8	1.6	1.6	2.0
21-27 days	1.0	0.9	1.1	1.2	1.0	1.0	1.3	1.4	1.6	1.7
Under 28 days	27.2	27.0	27.4	28.0	27.3	27.5	28.6	29.1	31.0	31.5
28-59 days	3.6	3.5	3.7	3.9	3.6	3.6	4.2	3.5	3.8	3.9
2 months	2.7	2.6	2.8	3.1	2.8	2.7	3.0	2.9	3.0	3.0
3 months	2.0	2.2	2.4	2.5	2.2	2.2	2.5	2.5	2.4	2.3
4 months	1.7	1.7	1.9	2.0	1.9	1.8	2.1	1.9	1.9	1.9
5 months	1.3	1.4	1.6	1.8	1.6	1.5	1.8	1.5	1.4	1.4
6 months	1.1	1.2	1.3	1.5	1.4	1.3	1.4	1.3	1.3	1.3
7 months	0.9	0.9	1.0	1.2	1.1	1.1	1.0	1.0	1.0	1.0
8 months	0.7	0.7	0.9	1.0	0.9	0.9	0.9	0.9	1.0	1.0
9 months	0.6	0.7	0.7	0.8	0.7	0.8	0.8	0.8	0.7	0.8
10 months	0.5	0.5	0.5	0.6	0.7	0.6	0.6	0.5	0.6	0.6
11 months	0.5	0.5	0.6	0.6	0.6	0.6	0.5	0.5	0.6	0.7

Table BT. Infant Mortality Rates by Age, Color, and Sex: United States, 1955

(Includes only deaths occurring within the continental United States. Excludes fetal deaths. Rates per 1,000 live births in specified group)

AGE	TOTAL			WHITE			NONWHITE		
	Both sexes	Male	Female	Both sexes	Male	Female	Both sexes	Male	Female
UNDER 1 YEAR	26.4	29.6	23.0	23.6	26.7	20.3	42.8	46.9	38.6
Under 1 day	10.0	11.2	8.8	9.3	10.5	8.1	13.9	15.3	12.4
Under 1 hour	2.0	2.1	1.8	1.9	2.0	1.8	2.5	2.8	2.3
1-23 hours	8.0	9.1	6.9	7.5	8.5	6.4	11.3	12.6	10.0
1 day	2.9	3.3	2.4	2.8	3.3	2.3	3.5	3.8	3.1
2 days	1.8	2.2	1.5	1.8	2.2	1.4	2.2	2.5	1.8
3 days	0.9	1.1	0.8	0.9	1.0	0.7	1.3	1.5	1.0
4 days	0.6	0.6	0.5	0.5	0.6	0.4	0.9	0.9	0.8
5 days	0.4	0.5	0.4	0.4	0.4	0.3	0.8	0.8	0.7
6 days	0.3	0.4	0.3	0.3	0.3	0.2	0.5	0.6	0.5
7-13 days	1.1	1.2	1.0	0.9	1.0	0.8	2.0	2.2	1.8
14-20 days	0.6	0.7	0.5	0.5	0.6	0.4	1.2	1.3	1.1
21-27 days	0.5	0.5	0.4	0.4	0.4	0.3	1.0	1.2	0.9
Under 28 days	19.1	21.7	16.4	17.7	20.3	15.1	27.2	30.2	24.1
28-59 days	1.6	1.8	1.4	1.3	1.5	1.1	3.6	3.9	3.2
2 months	1.2	1.4	1.1	1.0	1.1	0.8	2.7	2.9	2.5
3 months	1.0	1.0	0.9	0.8	0.8	0.7	2.0	2.1	1.9
4 months	0.8	0.8	0.7	0.6	0.7	0.6	1.7	1.8	1.6
5 months	0.6	0.7	0.6	0.5	0.5	0.5	1.3	1.4	1.2
6 months	0.5	0.6	0.5	0.4	0.4	0.4	1.1	1.2	1.0
7 months	0.4	0.4	0.4	0.3	0.4	0.3	0.9	0.8	0.9
8 months	0.4	0.4	0.3	0.3	0.3	0.3	0.7	0.8	0.6
9 months	0.3	0.3	0.3	0.2	0.2	0.2	0.6	0.7	0.6
10 months	0.3	0.3	0.2	0.2	0.2	0.2	0.5	0.6	0.5
11 months	0.3	0.3	0.2	0.2	0.2	0.2	0.5	0.5	0.5

Table BU. Infant Mortality Rates for Selected Causes: United States, 1946-55

(Includes only deaths occurring within the continental United States. Excludes fetal deaths. Deaths under 1 year per 1,000 live births. Numbers after causes of death are category numbers of the Sixth Revision of the International Lists, 1948)

CAUSE OF DEATH	1955	1954	1953	1952	1951	1950	1949	1948[1]	1947[1]	1946[1]
ALL CAUSES	26.4	26.6	27.8	28.4	28.4	29.2	31.3	32.0	32.2	33.8
Tuberculosis, all forms-001-019	0.0	0.0	0.0	0.1	0.1	0.1	0.1	0.1	0.1	0.1
Syphilis and its sequelae-020-029	0.0	0.0	0.0	0.0	0.0	0.1	0.1	0.1	0.1	0.2
Dysentery, all forms-045-048	0.1	0.1	0.1	0.1	0.2	0.1	0.2	0.2	0.1	0.2
Whooping cough-056	0.1	0.1	0.0	0.1	0.2	0.2	0.1	0.2	0.4	0.3
All other infective and parasitic diseases-030-044,049-055,057-138	0.3	0.3	0.3	0.4	0.3	0.3	0.4	0.3	0.3	0.4
Diseases of thymus gland-273	0.1	0.1	0.1	0.1	0.1	0.2	0.2	0.2	0.3	0.3
Meningitis, except meningococcal and tuberculous-340	0.2	0.2	0.2	0.2	0.2	0.2	0.2	0.2	0.2	0.2
Influenza and pneumonia, except pneumonia of newborn-480-493	2.1	2.1	2.3	2.4	2.2	2.4	2.6	2.7	2.5	2.8
Influenza-480-483	0.1	0.1	0.3	0.2	0.2	0.2	0.2	0.3	0.3	0.4
Pneumonia, except pneumonia of newborn-490-493	2.0	2.0	2.1	2.2	2.0	2.2	2.3	2.4	2.2	2.4
Hernia and intestinal obstruction-560,561,570	0.2	0.3	0.3	0.2	0.3	0.3	0.3	[2]0.3	[2]0.4	[2]0.3
Gastritis, duodenitis, enteritis, and colitis, except diarrhea of newborn-543,571,572	0.8	0.9	1.1	1.1	1.1	1.1	1.6	1.3	1.0	1.1
Congenital malformations-750-759	3.8	3.8	3.9	3.9	3.9	4.0	4.1	4.2	4.4	4.3
Congenital malformations of circulatory system-754	1.7	1.7	1.7	1.8	1.7	1.8	1.8	2.0	2.0	2.0
All other congenital malformations-750-753,755-759	2.1	2.0	2.2	2.2	2.2	2.1	2.3	2.3	2.3	2.3
Certain diseases of early infancy-760-776	15.8	15.8	16.3	16.5	16.8	17.2	18.0	18.4	18.6	19.8
Birth injuries-760,761	2.9	2.8	3.0	3.1	3.1	3.3	3.5	3.3	3.4	3.4
Intracranial and spinal injury at birth-760	1.1	1.1	1.2	1.3	1.3	1.4	1.6	1.6	1.7	1.7
Other birth injury-761	1.8	1.7	1.8	1.8	1.8	1.9	1.9	1.7	1.6	1.7
Postnatal asphyxia and atelectasis-762	4.4	4.3	4.2	4.0	4.0	3.7	3.7	3.9	4.0	4.1
Pneumonia of newborn-763	0.8	0.8	0.8	0.8	0.8	0.8	0.8	0.8	0.9	0.9
Diarrhea of newborn-764	0.1	0.2	0.2	0.2	0.2	0.2	0.3	0.3	0.3	0.4
Other infections of newborn-765-768	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.1
Other specified diseases of early infancy-769-771	1.0	0.9	1.0	1.0	1.1	1.3	1.3	1.3	1.4	1.5
Ill-defined diseases peculiar to early infancy, including nutritional maladjustment-772,773	0.8	0.8	0.9	1.0	1.0	1.1	1.3	1.5	1.5	1.7
Immaturity with mention of any other subsidiary condition-774	0.5	0.4	0.3	0.3	0.3	0.4	0.4	0.3	0.3	0.4
Immaturity unqualified-776	5.3	5.4	5.8	6.0	6.2	6.3	6.6	6.9	6.9	7.5
Symptoms and ill-defined conditions-780-795	0.7	0.7	0.8	0.9	0.9	1.0	1.1	1.1	1.2	1.3
All other diseases-Residual	1.5	1.5	1.4	1.4	1.2	1.2	1.3	[3]1.5	[3]1.4	[3]1.4
Accidents-E800-E962	0.8	0.9	0.9	1.0	1.0	1.0	1.0	1.0	1.0	0.9
Inhalation and ingestion of food or other object causing obstruction or suffocation-E921,E922	0.2	0.2	0.3	0.2	0.3	0.2	0.3	0.2	0.2	0.2
Accidental mechanical suffocation in bed and cradle-E924	0.2	0.3	0.3	0.3	0.3	0.4	0.4	0.3	0.3	0.3
All other accidental causes-E800-E920,E923,E925-E962	0.4	0.4	0.4	0.4	0.4	0.4	0.4	0.4	0.4	0.4
Homicide-E964,E980-E999	0.0	0.0	0.0	0.0	0.0	0.0	0.0	[4]0.0	[4]0.0	[4]0.0

[1]Provisional; based on estimated deaths under 1 year computed by applying the provisional comparability ratio to deaths under 1 year coded by the Fifth Revision. See "Vital Statistics of the United States, 1950, Vol. I," table 2.03, p. 34.
[2]Computed from deaths assigned to International List No. 122b, Intestinal obstruction (Fifth Revision).
[3]Computed from the difference between total deaths under 1 year and the sum of estimated deaths under 1 year for specified causes.
[4]Based on deaths coded by the Fifth Revision. No comparability ratio available.

Table BV. Infant Mortality Rates by Color: United States, Each Division and State, 1951-55

(By place of residence. Includes only deaths occurring within the continental United States. Excludes fetal deaths. Rates per 1,000 live births in specified group. Rates for frequencies less than 20 are underlined)

AREA	1955			1954			1953			1952			1951		
	Total	White	Non-white	Total	White	Non-white	Total	White	Non-white	Total	White	Non-white	Total	White	Non-white
UNITED STATES	26.4	23.6	42.8	26.6	23.9	42.9	27.8	25.0	44.7	28.4	25.5	47.0	28.4	25.8	44.8
GEOGRAPHIC DIVISIONS															
New England	22.6	22.1	39.3	23.2	22.8	37.2	22.8	22.5	36.1	23.4	23.0	37.8	23.1	22.7	42.1
Middle Atlantic	24.4	22.4	42.3	24.0	22.2	40.6	24.8	23.0	42.2	24.7	22.9	42.5	24.5	23.0	40.5
East North Central	24.7	22.9	40.6	24.7	23.1	39.4	25.7	24.3	39.7	26.0	24.7	40.1	25.6	24.5	38.8
West North Central	23.6	22.3	45.5	23.9	22.7	46.1	24.6	23.6	44.4	25.0	23.9	48.5	25.1	24.2	46.3
South Atlantic	29.9	23.8	44.1	30.4	24.1	45.3	31.4	25.3	45.7	34.2	27.1	51.2	32.5	26.7	46.1
East South Central	31.9	26.5	44.3	32.5	27.6	44.1	34.0	28.9	46.0	36.3	30.9	49.3	35.8	31.3	46.4
West South Central	29.9	26.4	43.2	30.0	27.0	41.4	32.7	29.2	46.7	32.6	29.2	46.4	35.4	32.6	46.2
Mountain	29.9	27.7	62.0	31.0	28.0	75.6	34.5	30.9	92.0	34.0	31.2	78.8	36.1	32.5	97.0
Pacific	23.8	23.2	30.8	23.6	22.9	32.0	24.5	23.9	32.8	24.6	23.9	32.8	24.3	23.8	32.5
NEW ENGLAND															
Maine	24.7	24.2	86.1	24.9	24.9	26.8	26.3	26.3	33.3	29.6	29.5	53.6	29.7	29.6	117.6
New Hampshire	25.7	25.8	0	22.8	22.9	0	24.0	24.0	31.3	23.2	23.2	62.5	23.2	23.1	38.5
Vermont	26.1	26.1	35.7	25.1	25.1	0	24.7	24.5	250.0	23.8	23.8	0	26.5	26.5	0
Massachusetts	21.9	21.4	37.2	23.1	23.0	29.2	22.1	21.8	34.2	23.3	23.0	37.4	22.1	21.7	41.4
Rhode Island	23.4	23.2	31.7	23.1	22.1	57.1	24.8	24.6	33.2	22.8	22.4	39.5	25.3	24.3	58.6
Connecticut	21.7	20.7	41.3	22.4	21.3	44.2	21.4	20.7	38.6	20.7	20.0	37.4	20.8	20.1	37.2
MIDDLE ATLANTIC															
New York	24.3	22.4	40.6	23.5	21.9	37.7	24.6	22.9	40.7	24.1	22.4	40.4	23.5	22.0	38.3
New Jersey	24.3	21.6	46.1	23.5	21.1	43.9	23.4	21.4	41.1	23.7	21.4	45.5	24.1	22.2	42.2
Pennsylvania	24.6	22.7	42.6	24.9	23.1	43.0	25.7	23.9	45.3	25.9	24.3	44.0	26.0	24.5	43.1
EAST NORTH CENTRAL															
Ohio	24.8	23.1	40.7	25.0	23.4	40.5	26.2	25.0	38.4	27.0	25.5	43.3	25.5	24.6	36.3
Indiana	25.0	23.9	39.5	25.6	24.3	43.3	26.3	25.2	42.4	26.7	25.4	46.7	27.0	25.9	44.0
Illinois	24.8	21.9	42.2	25.0	22.6	40.4	25.7	23.5	41.5	24.8	23.0	38.6	25.0	23.4	38.2
Michigan	24.9	23.2	38.5	24.9	23.7	35.1	25.9	24.5	37.9	26.4	25.5	35.6	26.0	24.8	38.4
Wisconsin	23.7	23.1	42.5	21.9	21.3	42.9	23.4	23.0	39.1	24.7	24.2	44.5	25.0	24.3	57.7
WEST NORTH CENTRAL															
Minnesota	21.8	21.4	43.6	21.8	21.7	31.7	23.2	23.0	30.4	21.8	21.7	29.8	23.5	23.2	47.4
Iowa	22.1	21.8	47.1	21.3	21.0	53.4	21.7	21.5	31.3	24.5	24.3	41.5	25.0	24.8	39.9
Missouri	25.3	23.2	40.9	26.9	24.3	46.1	27.8	25.5	46.1	28.5	26.1	48.5	27.7	25.8	44.2
North Dakota	25.1	24.0	66.8	24.4	23.7	47.9	26.6	25.6	61.6	24.7	23.4	73.9	27.3	25.6	91.7
South Dakota	26.1	23.1	85.8	25.4	23.2	65.8	24.4	22.7	54.7	27.6	25.1	82.9	24.4	22.9	53.5
Nebraska	23.7	22.3	63.3	23.1	22.3	47.4	24.4	23.9	41.2	23.5	22.6	51.5	23.6	23.1	41.9
Kansas	23.3	22.3	41.0	24.6	23.7	43.1	24.5	23.6	41.9	24.8	24.0	40.8	23.8	22.7	45.8
SOUTH ATLANTIC															
Delaware	25.0	21.9	40.7	29.4	23.7	55.3	27.9	23.6	47.9	27.5	22.3	51.7	27.5	23.5	47.8
Maryland	27.6	22.4	46.7	27.2	22.2	45.6	27.6	24.2	40.5	27.3	23.1	43.4	24.9	21.1	38.4
District of Columbia	32.2	23.7	39.2	29.0	26.7	31.1	29.8	25.2	34.6	32.6	27.2	38.6	29.6	26.3	33.5
Virginia	29.5	24.9	42.8	30.7	25.2	46.8	32.3	27.0	48.0	35.5	28.4	56.5	34.2	28.2	51.3
West Virginia	27.3	27.5	24.5	28.3	27.4	42.9	29.8	29.5	33.9	34.4	33.6	47.3	32.0	31.8	35.2
North Carolina	30.3	22.6	45.8	30.2	22.1	46.5	32.7	24.6	48.8	35.7	26.4	54.0	32.7	25.6	46.8
South Carolina	34.1	25.2	45.4	32.9	23.1	45.4	34.5	25.0	46.7	41.0	28.6	56.6	36.4	28.1	46.4
Georgia	29.9	22.9	42.3	31.8	24.6	44.8	31.3	23.8	44.4	32.7	25.6	44.8	34.3	26.3	47.7
Florida	29.7	23.0	46.8	31.1	24.6	48.3	31.0	24.4	48.6	34.0	25.8	55.2	32.9	27.0	47.9
EAST SOUTH CENTRAL															
Kentucky	30.4	28.9	47.4	30.4	29.0	46.4	33.2	32.1	45.6	35.3	34.4	46.0	32.9	32.2	41.9
Tennessee	29.2	25.9	41.5	30.3	27.5	40.5	30.3	27.3	42.0	33.3	30.8	43.4	34.1	31.4	45.0
Alabama	32.0	24.9	43.1	33.5	26.5	44.7	34.0	26.8	45.5	37.0	28.0	51.3	37.1	30.5	47.4
Mississippi	37.0	24.9	46.4	36.6	26.2	45.1	39.8	28.8	48.4	40.6	27.6	50.6	39.8	30.3	46.8
WEST SOUTH CENTRAL															
Arkansas	27.7	23.0	38.2	28.5	23.1	34.4	29.5	25.8	38.6	28.2	24.4	37.8	28.1	26.7	31.7
Louisiana	31.6	22.7	45.1	30.2	22.6	42.0	32.7	22.8	48.0	33.1	22.9	48.5	32.6	23.6	46.1
Oklahoma	26.7	24.1	45.8	27.3	24.5	47.4	28.6	25.4	51.0	28.6	25.4	52.2	30.8	27.5	55.7
Texas	30.3	28.3	42.8	31.1	29.3	42.5	34.2	32.1	47.7	34.2	32.3	46.4	38.9	37.1	50.6
MOUNTAIN															
Montana	25.0	23.8	44.3	23.0	20.6	64.9	28.9	26.1	83.5	27.4	25.7	58.2	26.9	25.0	59.2
Idaho	20.8	20.7	25.8	23.7	23.0	64.2	25.4	24.7	69.7	25.1	24.7	48.3	25.2	24.4	69.9
Wyoming	28.5	26.5	87.6	30.2	28.0	103.1	27.7	27.3	42.7	32.3	31.3	63.5	29.0	27.1	86.0
Colorado	30.3	30.1	35.9	31.2	30.6	48.8	32.9	32.8	35.8	32.2	32.3	30.5	33.3	33.2	35.5
New Mexico	43.0	38.5	87.3	42.5	38.8	78.6	45.7	39.9	106.0	47.5	42.7	99.1	55.4	49.0	126.7
Arizona	34.8	29.0	67.2	39.8	30.8	90.3	49.2	37.7	114.3	44.0	35.0	94.6	50.0	38.4	115.9
Utah	20.4	20.0	41.2	20.8	20.3	45.3	22.8	22.2	55.6	24.2	24.1	31.1	23.9	23.1	75.7
Nevada	30.0	28.2	43.8	25.1	21.6	55.0	33.4	29.6	67.8	34.1	30.2	75.4	33.7	30.9	60.8
PACIFIC															
Washington	24.5	23.4	49.1	24.1	23.0	50.6	25.3	24.3	52.4	25.1	23.9	54.5	24.3	23.2	54.2
Oregon	24.1	23.5	44.4	22.5	22.1	35.8	23.2	22.8	38.0	24.0	23.8	31.0	23.6	23.1	50.8
California	23.6	23.1	28.6	23.7	23.0	30.1	24.5	23.9	30.9	24.5	23.9	30.8	24.5	24.0	29.7

TERRITORIES AND POSSESSIONS

ALASKA, HAWAII, PUERTO RICO, AND VIRGIN ISLANDS

Table 1. Marriages by Age of Bride, by Age of Groom: Specified Areas, 1955

(By place of occurrence)

AREA AND AGE OF GROOM	Total	AGE OF BRIDE														
		Under 15 years	15-19 years	20-24 years	25-29 years	30-34 years	35-39 years	40-44 years	45-49 years	50-54 years	55-59 years	60-64 years	65-69 years	70-74 years	75 years and over	Not stated
ALASKA	1,915	2	577	529	256	188	132	94	54	25	15	7	2	1	-	33
Under 15 years	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
15-19 years	133	2	115	15	1	-	-	-	-	-	-	-	-	-	-	-
20-24 years	745	-	353	321	48	19	4	-	-	-	-	-	-	-	-	-
25-29 years	357	-	81	133	90	33	16	2	-	-	-	-	-	-	-	2
30-34 years	231	-	15	35	68	61	36	11	4	-	-	-	-	-	-	1
35-39 years	166	-	6	18	34	39	38	20	6	1	-	-	-	-	-	4
40-44 years	97	-	3	5	11	21	23	18	9	5	-	-	-	-	-	2
45-49 years	78	-	1	-	2	11	10	20	16	7	2	1	1	-	-	7
50-54 years	51	-	2	-	2	3	4	19	8	8	3	2	-	-	-	-
55-59 years	22	-	1	1	-	1	-	3	7	2	6	-	-	-	-	1
60-64 years	9	-	-	-	-	-	1	1	2	2	1	2	-	-	-	-
65-69 years	4	-	-	-	-	-	-	-	1	-	2	-	1	-	-	-
70-74 years	3	-	-	-	-	-	-	-	-	-	1	2	-	-	-	-
75 years and over	2	-	-	-	-	-	-	-	1	-	-	-	-	1	-	-
Not stated	17	-	-	1	-	-	-	-	-	-	-	-	-	-	-	16
HAWAII	5,431	-	1,201	2,168	1,049	451	226	120	88	50	43	20	7	5	3	-
Under 15 years	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
15-19 years	345	-	254	86	5	-	-	-	-	-	-	-	-	-	-	-
20-24 years	2,126	-	715	1,149	195	43	13	10	1	-	-	-	-	-	-	-
25-29 years	1,425	-	160	688	470	89	14	3	1	-	-	-	-	-	-	-
30-34 years	681	-	56	171	263	128	46	11	2	3	-	1	-	-	-	-
35-39 years	321	-	6	45	82	95	56	22	13	1	1	-	-	-	-	-
40-44 years	187	-	4	20	20	56	51	22	11	3	-	-	-	-	-	-
45-49 years	123	-	3	7	11	31	24	24	10	7	4	1	1	-	-	-
50-54 years	95	-	2	2	2	8	16	15	26	12	11	1	-	-	-	-
55-59 years	50	-	1	-	-	1	3	12	12	12	7	2	-	-	-	-
60-64 years	29	-	-	-	-	-	2	-	8	6	4	6	2	1	-	-
65-69 years	35	-	-	-	1	-	1	1	4	3	13	6	4	2	-	-
70-74 years	10	-	-	-	-	-	-	-	-	3	2	2	-	1	2	-
75 years and over	4	-	-	-	-	-	-	-	-	-	1	1	-	1	1	-
Not stated	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
PUERTO RICO	18,912	343	6,812	5,934	2,183	1,088	791	576	413	275	186	134	105	40	30	2
Under 15 years	1	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-
15-19 years	1,625	118	1,214	246	34	10	1	2	-	-	-	-	-	-	-	-
20-24 years	7,553	155	3,795	2,895	583	96	23	2	3	1	-	-	-	-	-	-
25-29 years	4,073	46	1,244	1,817	683	198	64	14	4	-	1	-	-	-	-	2
30-34 years	1,700	13	332	547	430	254	87	23	9	4	1	-	-	-	-	-
35-39 years	1,064	4	140	237	223	223	154	56	20	5	2	-	-	-	-	-
40-44 years	725	6	39	97	105	119	178	116	44	13	4	3	-	1	-	-
45-49 years	507	-	20	56	47	79	97	101	67	28	7	3	1	-	1	-
50-54 years	369	-	12	17	37	36	54	83	66	39	11	8	5	1	-	-
55-59 years	322	-	4	13	16	27	43	69	60	40	33	12	2	1	2	-
60-64 years	353	-	6	5	8	20	44	46	56	56	49	36	19	7	1	-
65-69 years	380	1	4	2	13	18	32	50	56	57	52	37	48	4	6	-
70-74 years	151	-	-	1	4	6	11	11	20	25	17	22	14	14	6	-
75 years and over	88	-	-	1	-	2	3	3	8	7	9	13	16	12	14	-
Not stated	1	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-
VIRGIN ISLANDS	221	3	51	51	38	26	20	10	8	10	2	-	1	-	-	1
Under 15 years	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
15-19 years	7	1	5	-	1	-	-	-	-	-	-	-	-	-	-	-
20-24 years	63	2	29	23	5	2	1	1	-	-	-	-	-	-	-	-
25-29 years	39	-	10	18	10	-	1	-	-	-	-	-	-	-	-	-
30-34 years	34	-	5	7	9	10	3	-	-	-	-	-	-	-	-	-
35-39 years	26	-	1	1	9	8	7	-	-	-	-	-	-	-	-	-
40-44 years	15	-	-	1	3	1	4	1	2	3	-	-	-	-	-	-
45-49 years	15	-	-	1	1	2	2	4	2	2	1	-	-	-	-	-
50-54 years	12	-	1	-	-	1	2	3	1	3	1	-	-	-	-	-
55-59 years	2	-	-	-	-	1	-	-	1	-	-	-	-	-	-	-
60-64 years	3	-	-	-	-	1	-	1	1	-	-	-	-	-	-	-
65-69 years	3	-	-	-	-	-	-	-	-	2	-	-	1	-	-	-
70-74 years	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
75 years and over	1	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-
Not stated	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1

Table 2. First Marriages of Both Bride and Groom, by Age of Bride, by Age of Groom: Specified Areas, 1955

(By place of occurrence)

AREA AND AGE OF GROOM	Total	AGE OF BRIDE														
		Under 15 years	15-19 years	20-24 years	25-29 years	30-34 years	35-39 years	40-44 years	45-49 years	50-54 years	55-59 years	60-64 years	65-69 years	70-74 years	75 years and over	Not stated
ALASKA	1,021	2	509	375	82	30	10	2	4	1	1	-	-	-	-	5
Under 15 years	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
15-19 years	125	2	110	12	1	-	-	-	-	-	-	-	-	-	-	-
20-24 years	615	-	325	256	28	5	1	-	-	-	-	-	-	-	-	-
25-29 years	184	-	61	86	29	5	3	-	-	-	-	-	-	-	-	-
30-34 years	57	-	9	15	17	10	3	2	1	-	-	-	-	-	-	-
35-39 years	20	-	1	4	5	8	-	-	-	-	-	-	-	-	-	2
40-44 years	8	-	-	2	2	-	3	-	1	-	-	-	-	-	-	-
45-49 years	5	-	1	-	-	1	-	-	2	1	-	-	-	-	-	-
50-54 years	2	-	1	-	-	1	-	-	-	-	-	-	-	-	-	-
55-59 years	1	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-
60-64 years	1	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-
65-69 years	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
70-74 years	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
75 years and over	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Not stated	3	-	-	-	-	-	-	-	-	-	-	-	-	-	-	3
HAWAII	3,940	-	1,126	1,870	694	161	50	7	8	6	11	3	1	2	1	-
Under 15 years	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
15-19 years	334	-	250	82	2	-	-	-	-	-	-	-	-	-	-	-
20-24 years	1,861	-	665	1,044	118	13	-	1	-	-	-	-	-	-	-	-
25-29 years	1,135	-	142	589	361	38	4	-	1	-	-	-	-	-	-	-
30-34 years	410	-	40	117	176	61	14	1	-	1	-	-	-	-	-	-
35-39 years	111	-	4	25	30	31	16	3	2	-	-	-	-	-	-	-
40-44 years	33	-	2	7	5	8	10	-	1	-	-	-	-	-	-	-
45-49 years	23	-	1	5	1	8	6	2	-	-	-	-	-	-	-	-
50-54 years	8	-	1	1	-	2	-	-	3	-	1	-	-	-	-	-
55-59 years	5	-	1	-	-	-	-	-	-	2	2	-	-	-	-	-
60-64 years	5	-	-	-	-	-	-	-	-	2	1	2	-	-	-	-
65-69 years	11	-	-	-	1	-	-	-	1	-	6	1	1	1	-	-
70-74 years	3	-	-	-	-	-	-	-	-	1	-	-	-	1	1	-
75 years and over	1	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-
Not stated	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
PUERTO RICO	15,005	323	6,322	5,085	1,503	586	388	248	178	118	90	58	59	25	20	2
Under 15 years	1	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-
15-19 years	1,602	118	1,208	236	31	7	-	2	-	-	-	-	-	-	-	-
20-24 years	7,081	151	3,667	2,716	471	64	10	2	-	-	-	-	-	-	-	-
25-29 years	3,364	38	1,084	1,562	516	117	36	6	3	-	-	-	-	-	-	2
30-34 years	1,133	11	244	376	292	145	55	6	3	1	-	-	-	-	-	-
35-39 years	592	2	81	127	126	139	85	19	12	1	-	-	-	-	-	-
40-44 years	342	2	19	39	42	55	95	60	18	7	3	2	-	-	-	-
45-49 years	231	-	10	21	9	32	51	54	36	12	4	-	1	-	1	-
50-54 years	140	-	3	6	8	11	19	32	34	19	7	-	1	-	-	-
55-59 years	122	-	1	-	3	7	15	27	27	17	17	6	-	1	1	-
60-64 years	137	-	1	1	-	6	9	20	20	24	25	16	10	4	1	-
65-69 years	163	1	2	1	4	2	9	18	17	28	27	18	29	2	5	-
70-74 years	57	-	-	-	1	1	4	2	6	7	1	11	9	11	4	-
75 years and over	39	-	-	-	-	-	-	-	2	2	6	5	9	7	8	-
Not stated	1	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-
VIRGIN ISLANDS	154	3	48	45	23	13	8	4	2	6	1	-	-	-	-	1
Under 15 years	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
15-19 years	7	1	5	-	1	-	-	-	-	-	-	-	-	-	-	-
20-24 years	60	2	29	23	3	2	-	1	-	-	-	-	-	-	-	-
25-29 years	35	-	9	16	9	-	1	-	-	-	-	-	-	-	-	-
30-34 years	23	-	5	5	5	6	2	-	-	-	-	-	-	-	-	-
35-39 years	10	-	-	-	4	3	3	-	-	-	-	-	-	-	-	-
40-44 years	8	-	-	-	1	-	1	2	2	2	-	-	-	-	-	-
45-49 years	4	-	-	1	-	-	-	1	-	1	1	-	-	-	-	-
50-54 years	3	-	-	-	-	-	1	-	-	2	-	-	-	-	-	-
55-59 years	1	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-
60-64 years	1	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-
65-69 years	1	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-
70-74 years	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
75 years and over	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Not stated	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1

Table 3. First Marriages and Remarriages, by Age and Color of Bride and of Groom: Specified Areas, 1955

(By place of occurrence)

AREA AND AGE	FIRST MARRIAGES						REMARRIAGES					
	Bride			Groom			Bride			Groom		
	Total	White	Non-white	Total	White	Non-white	Total	White	Non-white	Total	White	Non-white
ALASKA[1]	1,195	861	334	1,326	1,047	279	704	587	117	577	500	77
Under 15 years	2	1	1	-	-	-	-	-	-	-	-	-
15-19 years	550	387	163	131	114	17	20	18	2	1	1	-
20-24 years	422	290	132	700	561	139	104	85	19	43	38	5
25-29 years	118	92	26	270	192	78	135	109	26	83	72	11
30-34 years	56	49	7	109	86	23	132	106	26	121	98	23
35-39 years	20	17	3	52	39	13	112	95	17	114	107	7
40-44 years	7	7	-	27	22	5	87	70	17	69	54	15
45-49 years	7	7	-	20	19	1	47	44	3	58	52	6
50-54 years	2	1	1	3	2	1	23	21	2	48	41	7
55-59 years	2	1	1	4	3	1	13	10	3	18	17	1
60-64 years	-	-	-	2	1	1	7	7	-	7	7	-
65-69 years	-	-	-	2	2	-	2	2	-	2	2	-
70-74 years	-	-	-	-	-	-	1	-	1	3	2	1
75 years and over	-	-	-	-	-	-	-	-	-	2	1	1
Not stated	9	9	-	6	6	-	21	20	1	8	8	-
HAWAII	[2]4,347	1,030	3,316	4,499	1,489	3,010	1,084	365	719	932	392	540
Under 15 years	-	-	-	-	-	-	-	-	-	-	-	-
15-19 years	1,182	310	872	344	129	215	19	8	11	1	-	1
20-24 years	1,997	475	1,522	2,042	945	1,097	171	61	110	84	46	38
25-29 years	791	156	634	1,272	270	1,002	258	74	184	153	63	90
30-34 years	223	52	171	485	78	407	228	76	152	196	85	111
35-39 years	81	19	62	159	40	119	145	49	96	162	65	97
40-44 years	21	6	15	72	12	60	99	40	59	115	47	68
45-49 years	20	9	11	58	9	49	68	36	32	65	30	35
50-54 years	10	3	7	23	4	19	40	11	29	72	30	42
55-59 years	14	-	14	13	1	12	29	7	22	37	13	24
60-64 years	3	-	3	7	-	7	17	1	16	22	8	14
65-69 years	2	-	2	18	1	17	5	1	4	17	4	13
70-74 years	2	-	2	3	-	3	3	-	3	7	-	7
75 years and over	1	-	1	3	-	3	2	1	1	1	1	-
Not stated	-	-	-	-	-	-	-	-	-	-	-	-
VIRGIN ISLANDS[3]	184	16	168	165	18	147	32	13	19	54	17	37
Under 15 years	3	-	3	-	-	-	-	-	-	-	-	-
15-19 years	51	6	45	7	2	5	-	-	-	-	-	-
20-24 years	50	4	46	63	8	55	1	-	1	-	-	-
25-29 years	31	-	31	35	5	30	5	2	3	4	1	3
30-34 years	18	1	17	26	1	25	8	4	4	8	2	6
35-39 years	12	4	8	12	1	11	8	3	5	14	2	12
40-44 years	5	-	5	8	1	7	3	2	1	7	1	6
45-49 years	3	1	2	6	-	6	5	2	3	9	5	4
50-54 years	8	-	8	3	-	3	2	-	2	8	5	3
55-59 years	2	-	2	1	-	1	-	-	-	1	1	-
60-64 years	-	-	-	2	-	2	-	-	-	1	-	1
65-69 years	-	-	-	1	-	1	-	-	-	1	-	1
70-74 years	-	-	-	-	-	-	-	-	-	-	-	-
75 years and over	-	-	-	-	-	-	-	-	-	1	-	1
Not stated	1	-	1	1	-	1	-	-	-	-	-	-

[1]Data exclude 16 marriages of brides and 12 marriages of grooms for which previous marital status was not stated.
[2]Figures for color not stated are included in the "Total," but are not shown separately.
[3]Data exclude 5 marriages of brides and 2 marriages of grooms for which previous marital status was not stated.

430007 O - 57 - 8

Table 4. Marriages by Age and Number of Present Marriage of Bride and of Groom: Specified Areas, 1955

(By place of occurrence)

AREA AND AGE	MARRIAGE OF BRIDE						MARRIAGE OF GROOM					
	Total	First	Second	Third	Fourth or more	Not stated	Total	First	Second	Third	Fourth or more	Not stated
ALASKA	1,915	1,195	495	166	43	16	1,915	1,326	441	113	23	12
Under 15 years	2	2	-	-	-	-	-	-	-	-	-	-
15-19 years	577	550	20	-	-	7	133	131	1	-	-	1
20-24 years	529	422	97	7	-	3	745	700	42	1	-	2
25-29 years	256	118	109	23	3	3	357	270	77	6	-	4
30-34 years	188	56	91	36	5	-	231	109	95	24	2	1
35-39 years	132	20	75	31	6	-	166	52	90	19	5	-
40-44 years	94	7	40	35	12	-	97	27	52	13	4	1
45-49 years	54	7	29	14	4	-	78	20	29	21	8	-
50-54 years	25	2	10	6	7	-	51	3	28	17	3	-
55-59 years	15	2	4	6	3	-	22	4	10	8	-	-
60-64 years	7	-	5	1	1	-	9	2	5	1	1	-
65-69 years	2	-	1	1	-	-	4	2	2	-	-	-
70-74 years	1	-	-	1	-	-	3	-	2	1	-	-
75 years and over	-	-	-	-	-	-	2	-	1	1	-	-
Not stated	33	9	14	5	2	3	17	6	7	1	-	3
HAWAII	5,431	4,347	940	117	27	-	5,431	4,499	849	73	10	-
Under 15 years	-	-	-	-	-	-	-	-	-	-	-	-
15-19 years	1,201	1,182	19	-	-	-	345	344	1	-	-	-
20-24 years	2,168	1,997	168	3	-	-	2,126	2,042	84	-	-	-
25-29 years	1,049	791	233	23	2	-	1,425	1,272	145	8	-	-
30-34 years	451	223	191	30	7	-	681	485	181	13	2	-
35-39 years	226	81	117	23	5	-	321	159	142	20	-	-
40-44 years	120	21	70	19	10	-	187	72	99	13	3	-
45-49 years	88	20	58	8	2	-	123	58	58	6	1	-
50-54 years	50	10	34	6	-	-	95	23	65	6	1	-
55-59 years	43	14	28	1	-	-	50	13	33	4	-	-
60-64 years	20	3	15	2	-	-	29	7	17	3	2	-
65-69 years	7	2	5	-	-	-	35	18	16	-	1	-
70-74 years	5	2	1	1	1	-	10	3	7	-	-	-
75 years and over	3	1	1	1	-	-	4	3	1	-	-	-
Not stated	-	-	-	-	-	-	-	-	-	-	-	-
VIRGIN ISLANDS	221	184	32	-	-	5	221	165	54	-	-	2
Under 15 years	3	3	-	-	-	-	-	-	-	-	-	-
15-19 years	51	51	-	-	-	-	7	7	-	-	-	-
20-24 years	51	50	1	-	-	-	63	63	-	-	-	-
25-29 years	38	31	5	-	-	2	39	35	4	-	-	-
30-34 years	26	18	8	-	-	-	34	26	8	-	-	-
35-39 years	20	12	8	-	-	-	26	12	14	-	-	-
40-44 years	10	5	3	-	-	2	15	8	7	-	-	-
45-49 years	8	3	5	-	-	-	15	6	9	-	-	-
50-54 years	10	8	2	-	-	-	12	3	8	-	-	1
55-59 years	2	2	-	-	-	-	2	1	1	-	-	-
60-64 years	-	-	-	-	-	-	3	2	1	-	-	-
65-69 years	1	-	-	-	-	1	3	1	1	-	-	1
70-74 years	-	-	-	-	-	-	-	-	-	-	-	-
75 years and over	-	-	-	-	-	-	1	-	1	-	-	-
Not stated	1	1	-	-	-	-	1	1	-	-	-	-

Table 5. Marriages by Age and Previous Marital Status of Bride and of Groom: Specified Areas, 1955

(By place of occurrence)

AREA AND AGE	BRIDE					GROOM				
	Total	Previous marital status				Total	Previous marital status			
		Single	Widowed	Divorced	Not stated		Single	Widowed	Divorced	Not stated
ALASKA	1,915	1,195	8	46	666	1,915	1,326	7	35	547
Under 15 years	2	2	-	-	-	-	-	-	-	-
15-19 years	577	550	-	3	24	133	131	-	-	2
20-24 years	529	422	-	6	101	745	700	-	4	41
25-29 years	256	118	1	8	129	357	270	1	4	82
30-34 years	188	56	-	11	121	231	109	1	8	113
35-39 years	132	20	2	5	105	166	52	1	9	104
40-44 years	94	7	2	5	80	97	27	-	2	68
45-49 years	54	7	-	5	42	78	20	1	2	55
50-54 years	25	2	-	2	21	51	3	1	4	43
55-59 years	15	2	1	-	12	22	4	-	2	16
60-64 years	7	-	1	-	6	9	2	1	-	6
65-69 years	2	-	-	-	2	4	2	-	-	2
70-74 years	1	-	-	-	1	3	-	1	-	2
75 years and over	-	-	-	-	-	2	-	-	-	2
Not stated	33	9	1	1	22	17	6	-	-	11
HAWAII	5,431	4,347	144	940	-	5,431	4,499	132	800	-
Under 15 years	-	-	-	-	-	-	-	-	-	-
15-19 years	1,201	1,182	-	19	-	345	344	-	1	-
20-24 years	2,168	1,997	7	164	-	2,126	2,042	3	81	-
25-29 years	1,049	791	14	244	-	1,425	1,272	2	151	-
30-34 years	451	223	20	208	-	681	485	9	187	-
35-39 years	226	81	18	127	-	321	159	12	150	-
40-44 years	120	21	19	80	-	187	72	17	98	-
45-49 years	88	20	19	49	-	123	58	12	53	-
50-54 years	50	10	16	24	-	95	23	25	47	-
55-59 years	43	14	15	14	-	50	13	20	17	-
60-64 years	20	3	10	7	-	29	7	11	11	-
65-69 years	7	2	3	2	-	35	18	13	4	-
70-74 years	5	2	1	2	-	10	3	7	-	-
75 years and over	3	1	2	-	-	4	3	1	-	-
Not stated	-	-	-	-	-	-	-	-	-	-
PUERTO RICO	18,912	17,197	507	1,208	-	18,912	15,959	796	2,157	-
Under 15 years	343	343	-	-	-	1	1	-	-	-
15-19 years	6,812	6,770	2	40	-	1,625	1,620	-	5	-
20-24 years	5,934	5,671	27	236	-	7,553	7,320	10	223	-
25-29 years	2,183	1,834	48	301	-	4,073	3,554	35	484	-
30-34 years	1,088	817	56	215	-	1,700	1,263	49	388	-
35-39 years	791	570	54	167	-	1,064	687	58	319	-
40-44 years	576	389	68	119	-	725	427	80	218	-
45-49 years	413	269	81	63	-	507	283	72	152	-
50-54 years	275	191	48	36	-	369	175	79	115	-
55-59 years	186	129	41	16	-	322	149	88	85	-
60-64 years	134	86	39	9	-	353	167	101	85	-
65-59 years	105	72	28	5	-	380	199	123	58	-
70-74 years	40	29	10	1	-	151	69	64	18	-
75 years and over	30	25	5	-	-	88	44	37	7	-
Not stated	2	2	-	-	-	1	1	-	-	-
VIRGIN ISLANDS	221	184	10	22	5	221	165	9	45	2
Under 15 years	3	3	-	-	-	-	-	-	-	-
15-19 years	51	51	-	-	-	7	7	-	-	-
20-24 years	51	50	-	1	-	63	63	-	-	-
25-29 years	38	31	-	5	2	39	35	-	4	-
30-34 years	26	18	1	7	-	34	26	-	8	-
35-39 years	20	12	3	5	-	26	12	2	12	-
40-44 Years	10	5	1	2	2	15	8	1	6	-
45-49 years	8	3	3	2	-	15	6	1	8	-
50-54 years	10	8	2	-	-	12	3	2	6	1
55-59 years	2	2	-	-	-	2	1	-	1	-
60-64 years	-	-	-	-	-	3	2	1	-	-
65-69 years	1	-	-	-	1	3	1	1	-	1
70-74 years	-	-	-	-	-	-	-	-	-	-
75 years and over	-	-	-	-	-	1	-	1	-	-
Not stated	1	1	-	-	-	1	1	-	-	-

Table 6. Marriages by Previous Marital Status of Bride, by Previous Marital Status of Groom: Specified Areas, 1955

(By place of occurrence)

AREA AND PREVIOUS MARITAL STATUS OF GROOM	Total	PREVIOUS MARITAL STATUS OF BRIDE			
		Single	Widowed	Divorced	Not stated
ALASKA	1,915	1,195	8	46	666
Single	1,326	1,021	2	20	283
Widowed	7	1	4	2	-
Divorced	35	10	2	23	-
Not stated	547	163	-	1	383
HAWAII	5,431	4,347	144	940	-
Single	4,499	3,940	57	502	-
Widowed	132	47	37	48	-
Divorced	800	360	50	390	-
Not stated	-	-	-	-	-
PUERTO RICO	18,912	17,197	507	1,208	-
Single	15,959	15,005	265	689	-
Widowed	796	561	139	96	-
Divorced	2,157	1,631	103	423	-
Not stated	-	-	-	-	-
VIRGIN ISLANDS	221	184	10	22	5
Single	165	154	3	6	2
Widowed	9	4	1	3	1
Divorced	45	26	6	13	-
Not stated	2	-	-	-	2

Table 7. Marriages by Resident Status of Bride and Groom: Specified Areas, 1955

(By place of occurrence)

RESIDENT STATUS	Alaska	Puerto Rico	Virgin Islands
BRIDE AND GROOM	1,915	18,912	221
Both bride and groom residents of area	1,658	18,507	156
Resident bride and nonresident groom	31	275	15
Nonresident bride and resident groom	198	34	23
Both bride and groom nonresidents of area	26	96	27
Residence not stated for one or both	2	-	-
BRIDE	1,915	18,912	221
Resident of area	1,690	18,782	171
Resident of continental United States	214	113	7
Resident of other Territory or possession	1	-	1
Resident of foreign country	9	17	42
Residence not stated	1	-	-
GROOM	1,915	18,912	221
Resident of area	1,857	18,541	179
Resident of continental United States	49	336	10
Resident of other Territory or possession	-	-	-
Resident of foreign country	8	35	32
Residence not stated	1	-	-

Table 8. Marriages by Month: Specified Areas, 1955

(By place of occurrence)

MONTH	Alaska	Hawaii	Puerto Rico	Virgin Islands
TOTAL	1,915	5,431	18,912	221
January	130	327	1,717	14
February	110	423	1,449	17
March	118	400	1,467	20
April	157	420	1,671	17
May	162	400	1,604	20
June	188	580	1,703	24
July	178	508	1,637	21
August	189	575	1,356	15
September	188	378	1,251	16
October	166	500	1,260	16
November	153	448	1,300	18
December	176	472	2,297	23

Table 9. Divorces and Annulments by Month: Specified Areas, 1955

(By place of occurrence)

MONTH	Alaska	Hawaii	Puerto Rico[1]	Virgin Islands
TOTAL	559	1,343	4,622	103
Divorces	551	1,332	4,622	103
Annulments	8	11	---	-
January	43	101	358	11
February	28	87	418	8
March	22	114	389	15
April	65	124	361	4
May	55	106	424	9
June	52	128	340	14
July	16	128	455	8
August	57	93	335	4
September	59	114	467	11
October	52	114	394	6
November	70	105	353	9
December	40	129	328	4

[1]Excludes annulments.

Table 10. Divorces and Annulments by Legal Grounds for Decree: Specified Areas, 1955

(By place of occurrence)

LEGAL GROUNDS FOR DECREE	Alaska	Hawaii	Puerto Rico[1]	Virgin Islands
TOTAL	559	1,343	4,622	103
Adultery	3	4	238	9
Bigamy	-	6	-	-
Conviction of crime	2	3	-	-
Cruelty	18	57	950	2
Desertion	28	180	3,422	23
Drunkenness	-	3	-	-
Fraud	-	3	-	1
Incompatibility	498	1	-	67
Insanity	-	6	-	-
Mental suffering	-	973	-	-
Nonsupport	3	97	-	-
Separated for more than 3 years	-	-	-	-
Under age	-	1	-	-
Other	7	9	12	1
Not stated	-	-	-	-

[1]Excludes annulments.

Table 11. Divorces and Annulments by Party to Whom Granted: Specified Areas, 1955

(By place of occurrence)

AREA	Total	DECREE GRANTED TO—			
		Husband	Wife	Other[1]	Party not stated
Alaska	559	205	352	-	2
Hawaii	1,343	426	917	-	-
Virgin Islands	103	42	57	4	-

[1]Parent, guardian, cross-complainant, or both husband and wife.

Table 12. Divorces and Annulments by Number of Children Reported: Specified Areas, 1955

(By place of occurrence. Data relate to children under 18 years of age except as noted)

AREA	Total	NUMBER OF CHILDREN REPORTED								
		None	1	2	3	4	5	6	7 or more	Not stated
Alaska[1]	559	337	90	73	26	12	4	2	3	12
Hawaii	1,343	398	316	244	166	96	48	23	17	35
Virgin Islands	103	48	18	17	10	4	6	-	-	-

[1]Children under 21 years of age.

Table 13. Divorces and Annulments by Duration of Marriage in Years: Specified Areas, 1955

(By place of occurrence. Data represent completed years between day, month, and year of marriage and day, month, and year of divorce)

DURATION OF MARRIAGE	Alaska	Hawaii	Virgin Islands
TOTAL	559	1,343	103
Under 1 year	42	64	3
1 year	47	118	5
2 years	60	101	4
3 years	50	127	10
4 years	52	92	8
5 years	34	83	5
6 years	33	90	6
7 years	46	85	6
8 years	34	77	5
9 years	24	57	6
10 years	20	51	6
11 years	20	62	4
12 years	8	44	4
13 years	12	43	3
14 years	7	35	4
15 years	12	25	1
16 years	5	26	3
17 years	6	23	1
18 years	7	15	4
19 years	4	13	2
20-24 years	14	51	6
25-29 years	9	20	2
30-34 years	4	15	2
35-39 years	-	14	1
40 years and over	1	7	2
Not stated	8	5	-

Table 14. Live Births and Deaths by Specified Race and Sex: Specified Areas, 1955

(By place of occurrence. Deaths exclude fetal deaths)

AREA AND RACE	LIVE BIRTHS			DEATHS		
	Total	Male	Female	Total	Male	Female
ALASKA	7,346	3,802	3,544	1,204	863	341
White	5,407	2,799	2,608	810	639	171
Native	1,724	905	819	359	201	158
Other races	215	98	117	35	23	12
HAWAII	16,319	8,334	7,985	3,213	2,064	1,149
Hawaiian[1]	4,293	2,188	2,105	621	322	299
Caucasian	4,009	2,017	1,992	841	557	284
Chinese	814	425	389	252	188	64
Japanese	4,596	2,404	2,192	1,017	624	393
Filipino	1,785	889	896	317	254	63
Other races	822	411	411	165	119	46
PUERTO RICO	77,830	39,656	38,174	16,221	8,720	7,501
White	59,068	30,081	28,987	13,628	7,314	6,314
Nonwhite	18,762	9,575	9,187	2,593	1,406	1,187
VIRGIN ISLANDS	913	434	479	311	174	137
White	39	16	23	29	19	10
Negro	670	315	355	226	118	108
Mixed and other races	204	103	101	56	37	19

[1]Includes Part-Hawaiian.

Table 15A. Live Births by Attendant and Birth Weight; Fetal Deaths; and Total, Infant, and Neonatal Deaths; by Color: Alaska, Each Judicial Division and District, and Specified Urban Places, 1955

(By place of occurrence. Includes data for all urban places with populations of 2,500 or more in 1950. Fetal deaths include only those for which the period of gestation was given as 20 weeks or more, or was not stated. Deaths exclude fetal deaths)

AREA AND COLOR	LIVE BIRTHS							Fetal deaths	DEATHS		
	Total	Attendant[1]			Birth weight[3]				Total	Under 1 year	Under 28 days
		Physician in hospital[2]	Physician not in hospital	Midwife	2,500 grams or less	2,501 grams or more	Not stated				
ALASKA	7,346	6,638	12	480	530	6,646	170	110	1,204	275	159
White	5,407	5,375	7	17	367	5,026	14	79	810	140	108
Nonwhite	1,939	1,263	5	463	163	1,620	156	31	394	135	51
First Judicial Division	960	906	3	21	74	878	8	15	319	37	22
White	539	535	2	-	32	506	1	10	219	13	9
Nonwhite	421	371	1	21	42	372	7	5	100	24	13
Haines	7	1	-	2	-	7	-	-	7	1	1
White	2	1	-	-	-	2	-	-	3	-	-
Nonwhite	5	-	-	2	-	5	-	-	4	1	1
Hyder	-	-	-	-	-	-	-	-	-	-	-
White	-	-	-	-	-	-	-	-	-	-	-
Nonwhite	-	-	-	-	-	-	-	-	-	-	-
Juneau	344	330	1	2	29	313	2	7	80	15	7
White	212	211	-	-	14	197	1	6	60	6	3
Nonwhite	132	119	1	2	15	116	1	1	20	9	4
Juneau	331	330	1	-	28	302	1	7	67	14	7
White	211	211	-	-	14	196	1	6	52	6	3
Nonwhite	120	119	1	-	14	106	-	1	15	8	4
Balance of district	13	-	-	2	1	11	1	-	13	1	-
White	1	-	-	-	-	1	-	-	8	-	-
Nonwhite	12	-	-	2	1	10	1	-	5	1	-
Ketchikan	360	340	2	11	25	334	1	6	123	11	6
White	217	216	1	-	11	206	-	3	79	3	3
Nonwhite	143	124	1	11	14	128	1	3	44	8	3
Ketchikan	318	317	1	-	25	293	-	2	75	10	5
White	213	212	1	-	11	202	-	2	51	3	3
Nonwhite	105	105	-	-	14	91	-	-	24	7	2
Balance of district	42	23	1	11	-	41	1	4	48	1	1
White	4	4	-	-	-	4	-	1	28	-	-
Nonwhite	38	19	1	11	-	37	1	3	20	1	1
Petersburg	47	43	-	1	4	41	2	-	16	1	1
White	26	26	-	-	2	24	-	-	8	-	-
Nonwhite	21	17	-	1	2	17	2	-	8	1	1
Sitka	150	140	-	5	13	134	3	-	73	5	4
White	50	49	-	-	4	46	-	-	54	-	-
Nonwhite	100	91	-	5	9	88	3	-	19	5	4
Skagway	11	11	-	-	-	11	-	-	3	1	-
White	9	9	-	-	-	9	-	-	3	1	-
Nonwhite	2	2	-	-	-	2	-	-	-	-	-
Wrangell	41	41	-	-	3	38	-	2	17	3	3
White	23	23	-	-	1	22	-	1	12	3	3
Nonwhite	18	18	-	-	2	16	-	1	5	-	-
Second Judicial Division	506	135	1	324	30	419	57	5	127	43	13
White	26	23	-	3	4	21	1	-	18	3	2
Nonwhite	480	112	1	321	26	398	56	5	109	40	11
Cape Nome[4]	201	59	-	137	12	175	14	1	46	10	5
White	24	22	-	2	4	20	-	-	11	3	2
Nonwhite	177	37	-	135	8	155	14	1	35	7	3
Fairhaven	9	-	-	7	1	6	2	1	3	-	-
White	-	-	-	-	-	-	-	-	-	-	-
Nonwhite	9	-	-	7	1	6	2	1	3	-	-
Noatak-Kobuk	221	76	-	138	12	204	5	3	45	18	2
White	1	1	-	-	-	1	-	-	7	-	-
Nonwhite	220	75	-	138	12	203	5	3	38	18	2
Wade Hampton	75	-	1	42	5	34	36	-	33	15	6
White	1	-	-	1	-	-	1	-	-	-	-
Nonwhite	74	-	1	41	5	34	35	-	33	15	6

See footnotes on p. 12.

Table 15A. Live Births by Attendant and Birth Weight; Fetal Deaths; and Total, Infant, and Neonatal Deaths; by Color: Alaska, Each Judicial Division and District, and Specified Urban Places, 1955—Continued

(See headnote on p. 10)

AREA AND COLOR	LIVE BIRTHS							Fetal deaths	DEATHS		
	Total	Attendant[1]			Birth weight[3]				Total	Under 1 year	Under 28 days
		Physician in hospital[2]	Physician not in hospital	Midwife	2,500 grams or less	2,501 grams or more	Not stated				
Third Judicial Division	3,906	3,788	4	90	286	3,577	43	66	476	98	72
White	3,357	3,335	3	14	225	3,121	11	54	388	73	59
Nonwhite	549	453	1	76	61	456	32	12	88	25	13
Aleutian Islands[5]	111	74	-	32	6	98	7	6	13	1	-
White	57	55	-	2	3	54	-	2	8	-	-
Nonwhite	54	19	-	30	3	44	7	4	5	1	-
Anchorage	3,065	3,058	1	4	210	2,840	15	45	286	77	59
White	2,771	2,769	1	-	174	2,586	11	42	243	62	50
Nonwhite	294	289	-	4	36	254	4	3	43	15	9
Anchorage[6]	1,243	1,242	-	-	84	1,159	-	16	167	37	24
White	1,070	1,070	-	-	68	1,002	-	13	135	26	18
Nonwhite	173	172	-	-	16	157	-	3	32	11	6
Balance of district	1,822	1,816	1	4	126	1,681	15	29	119	40	35
White	1,701	1,699	1	-	106	1,584	11	29	108	36	32
Nonwhite	121	117	-	4	20	97	4	-	11	4	3
Bristol Bay	74	62	2	8	8	63	3	1	8	2	1
White	2	1	1	-	-	2	-	-	3	-	-
Nonwhite	72	61	1	8	8	61	3	1	5	2	1
Chitina and McCarthy	14	13	1	-	-	14	-	-	11	1	-
White	8	7	1	-	-	8	-	-	10	1	-
Nonwhite	6	6	-	-	-	6	-	-	1	-	-
Cordova	49	49	-	-	2	47	-	3	14	-	-
White	34	34	-	-	1	33	-	1	13	-	-
Nonwhite	15	15	-	-	1	14	-	2	1	-	-
Homer	3	-	-	-	-	3	-	-	4	1	-
White	3	-	-	-	-	3	-	-	4	1	-
Nonwhite	-	-	-	-	-	-	-	-	-	-	-
Iliamna	14	-	-	7	-	6	8	-	8	4	1
White	-	-	-	-	-	-	-	-	2	-	-
Nonwhite	14	-	-	7	-	6	8	-	6	4	1
Kenai[7]	3	-	-	1	1	2	-	1	7	-	-
White	2	-	-	1	1	1	-	1	6	-	-
Nonwhite	1	-	-	-	-	1	-	-	1	-	-
Kodiak	272	248	-	24	27	242	3	4	45	4	4
White	220	209	-	11	22	198	-	3	36	3	3
Nonwhite	52	39	-	13	5	44	3	1	9	1	1
Kvichak	10	4	-	3	1	9	-	1	14	1	-
White	4	4	-	-	-	4	-	1	8	-	-
Nonwhite	6	-	-	3	1	5	-	-	6	1	-
Palmer	125	124	-	1	12	113	-	1	14	3	3
White	115	115	-	-	9	106	-	-	13	3	3
Nonwhite	10	9	-	1	3	7	-	1	1	-	-
Seldovia	50	42	-	8	9	35	6	-	11	2	2
White	38	38	-	-	5	33	-	-	7	1	1
Nonwhite	12	4	-	8	4	2	6	-	4	1	1
Seward	91	91	-	-	6	85	-	4	25	1	1
White	81	81	-	-	6	75	-	4	20	1	1
Nonwhite	10	10	-	-	-	10	-	-	5	-	-
Talkeetna	-	-	-	-	-	-	-	-	2	-	-
White	-	-	-	-	-	-	-	-	2	-	-
Nonwhite	-	-	-	-	-	-	-	-	-	-	-
Valdez	23	23	-	-	4	19	-	-	11	1	1
White	22	22	-	-	4	18	-	-	10	1	1
Nonwhite	1	1	-	-	-	1	-	-	1	-	-
Wasilla	2	-	-	2	-	1	1	-	2	-	-
White	-	-	-	-	-	-	-	-	2	-	-
Nonwhite	2	-	-	2	-	1	1	-	-	-	-
Whittier	-	-	-	-	-	-	-	-	1	-	-
White	-	-	-	-	-	-	-	-	1	-	-
Nonwhite	-	-	-	-	-	-	-	-	-	-	-

See footnotes on p. 12.

Table 15A. Live Births by Attendant and Birth Weight; Fetal Deaths; and Total, Infant, and Neonatal Deaths; by Color: Alaska, Each Judicial Division and District, and Specified Urban Places, 1955 – Continued

(See headnote on p. 10)

AREA AND COLOR	LIVE BIRTHS							Fetal deaths	DEATHS		
	Total	Attendant[1]			Birth weight[3]				Total	Under 1 year	Under 28 days
		Physician in hospital[2]	Physician not in hospital	Midwife	2,500 grams or less	2,501 grams or more	Not stated				
Fourth Judicial Division	1,974	1,809	4	45	140	1,772	62	24	282	97	52
White	1,485	1,482	2	-	106	1,378	1	15	185	51	38
Nonwhite	489	327	2	45	34	394	61	9	97	46	14
Bethel	192	124	-	14	13	128	51	-	56	25	8
White	5	5	-	-	-	5	-	-	5	-	-
Nonwhite	187	119	-	14	13	123	51	-	51	25	8
Fairbanks (Fort Yukon)[8]	32	32	-	-	-	32	-	3	8	1	-
White	1	1	-	-	-	1	-	-	5	-	-
Nonwhite	31	31	-	-	-	31	-	3	3	1	-
Fairbanks[9]	1,648	1,626	3	6	121	1,525	2	19	195	63	42
White	1,478	1,476	2	-	106	1,371	1	15	168	51	38
Nonwhite	170	150	1	6	15	154	1	4	27	12	4
Fairbanks	565	562	3	-	37	528	-	9	94	18	9
White	462	460	2	-	25	437	-	8	79	14	9
Nonwhite	103	102	1	-	12	91	-	1	15	4	-
Balance of district	1,083	1,064	-	6	84	997	2	10	101	45	33
White	1,016	1,016	-	-	81	934	1	7	89	37	29
Nonwhite	67	48	-	6	3	63	1	3	12	8	4
Fort Gibbon	27	26	1	-	3	24	-	2	5	1	-
White	-	-	-	-	-	-	-	-	1	-	-
Nonwhite	27	26	1	-	3	24	-	2	4	1	-
Hot Springs	-	-	-	-	-	-	-	-	-	-	-
White	-	-	-	-	-	-	-	-	-	-	-
Nonwhite	-	-	-	-	-	-	-	-	-	-	-
Innoko	-	-	-	-	-	-	-	-	-	-	-
White	-	-	-	-	-	-	-	-	-	-	-
Nonwhite	-	-	-	-	-	-	-	-	-	-	-
Kuskokwim	14	-	-	9	1	9	4	-	4	2	-
White	-	-	-	-	-	-	-	-	-	-	-
Nonwhite	14	-	-	9	1	9	4	-	4	2	-
Mount McKinley[10]	11	1	-	-	-	9	2	-	4	1	-
White	-	-	-	-	-	-	-	-	2	-	-
Nonwhite	11	1	-	-	-	9	2	-	2	1	-
Nenana	14	-	-	1	2	10	2	-	5	2	1
White	-	-	-	-	-	-	-	-	3	-	-
Nonwhite	14	-	-	1	2	10	2	-	2	2	1
Nulato	34	-	-	13	-	33	1	-	5	2	1
White	1	-	-	-	-	1	-	-	1	-	-
Nonwhite	33	-	-	13	-	32	1	-	4	2	1
Rampart	2	-	-	2	-	2	-	-	-	-	-
White	-	-	-	-	-	-	-	-	-	-	-
Nonwhite	2	-	-	2	-	2	-	-	-	-	-

[1]Births attended by "other and not specified" persons are not shown separately, but are included in "Total."
[2]It is assumed that all births in hospitals or institutions are attended by physicians.
[3]The equivalents of the gram weights in terms of pounds and ounces are as follows: 2,500 grams or less = 5 lb. 8 oz. or less; 2,501 grams or more = 5 lb 9 oz. or more.
[4]Koyuk, formerly shown as a district, included in Cape Nome district beginning with 1954.
[5]Unga Peninsula, formerly shown as a district, included in Aleutian Islands district beginning with 1955.
[6]Eastchester and Mountain View villages, formerly shown separately, included in Anchorage (city) beginning with 1954.
[7]Kenai, formerly a precinct of Anchorage district, shown as a district beginning with 1955.
[8]Fairbanks (Fort Yukon) district was named Circle district prior to 1955.
[9]Eagle, Koyukuk, and Tolovana, formerly shown as districts, included in Fairbanks district beginning with 1954.
[10]Otter, formerly a district and shown combined with Mount McKinley district, included in Mount McKinley district beginning with 1955.

Table 15B. Live Births by Attendant and Birth Weight; Fetal Deaths; and Total, Infant, and Neonatal Deaths; by Color: Hawaii, Each County, and Specified Urban Places, 1955

(By place of occurrence. Includes data for all urban places with populations of 10,000 or more in 1950. Fetal deaths include only those for which the period of gestation was given as 20 weeks or more, or was not stated. Deaths exclude fetal deaths)

AREA AND COLOR	LIVE BIRTHS							Fetal deaths	DEATHS		
	Total	Attendant[1]			Birth weight[3]				Total	Under 1 year	Under 28 days
		Physician in hospital[2]	Physician not in hospital	Midwife	2,500 grams or less	2,501 grams or more	Not stated				
HAWAII	16,319	16,112	56	41	1,333	14,973	13	270	3,213	336	263
White	4,009	4,005	3	-	268	3,737	4	72	841	86	69
Nonwhite	12,310	12,107	53	41	1,065	11,236	9	198	2,372	250	194
Hawaii County	1,666	1,620	12	2	137	1,527	2	26	437	29	17
White	151	151	-	-	9	141	1	3	64	5	5
Nonwhite	1,515	1,469	12	2	128	1,386	1	23	373	24	12
Hilo	997	980	5	-	79	918	-	16	256	14	7
White	92	92	-	-	8	84	-	2	44	3	3
Nonwhite	905	888	5	-	71	834	-	14	212	11	4
Balance of county	669	640	7	2	58	609	2	10	181	15	10
White	59	59	-	-	1	57	1	1	20	2	2
Nonwhite	610	581	7	2	57	552	1	9	161	13	8
Honolulu County	12,780	12,645	41	36	1,056	11,716	8	202	2,303	270	218
White	3,669	3,665	3	-	248	3,418	3	60	715	79	63
Nonwhite	9,111	8,980	38	36	808	8,298	5	142	1,588	191	155
Honolulu	11,887	11,818	22	29	983	10,896	8	190	1,867	254	210
White	3,593	3,591	2	-	241	3,349	3	60	556	75	61
Nonwhite	8,294	8,227	20	29	742	7,547	5	130	1,311	179	149
Balance of county	893	827	19	7	73	820	-	12	436	16	8
White	76	74	1	-	7	69	-	-	159	4	2
Nonwhite	817	753	18	7	66	751	-	12	277	12	6
Kauai County	729	717	-	-	56	673	-	18	184	12	9
White	87	87	-	-	3	84	-	2	21	1	-
Nonwhite	642	630	-	-	53	589	-	16	163	11	9
Maui County[4]	1,144	1,130	3	3	84	1,057	3	24	289	25	19
White	102	102	-	-	8	94	-	7	41	1	1
Nonwhite	1,042	1,028	3	3	76	963	3	17	248	24	18

[1]Births attended by "other and not specified" persons are not shown separately, but are included in "Total."
[2]It is assumed that all births in hospitals or institutions are attended by physicians.
[3]The equivalents of the gram weights in terms of pounds and ounces are as follows: 2,500 grams or less = 5 lb. 8 oz. or less; 2,501 grams or more = 5 lb. 9 oz. or more.
[4]Includes Kalawao County.

Table 15C. Live Births by Attendant and Birth Weight; Fetal Deaths; and Total, Infant, and Neonatal Deaths; by Color: Puerto Rico, Each Municipality, and Specified Urban Places, 1955

(By place of occurrence. Includes data for all urban places with populations of 10,000 or more in 1950. Fetal deaths include only those for which the period of gestation was given as 20 weeks or more, or was not stated. Deaths exclude fetal deaths)

AREA AND COLOR	LIVE BIRTHS							Fetal deaths	DEATHS		
	Total	Attendant			Birth weight[3]				Total	Under 1 year	Under 28 days
		In hospital[1]	Not in hospital[2]		2,500 grams or less	2,501 grams or more	Not stated				
			Physician	Midwife							
PUERTO RICO	77,830	41,492	1,261	33,201	4,981	51,164	21,685	3,010	16,221	4,343	2,000
White	59,068	31,396	1,008	25,268	3,782	38,772	16,514	2,320	13,628	3,836	1,806
Nonwhite	18,762	10,096	253	7,933	1,199	12,392	5,171	690	2,593	507	194
Adjuntas	905	423	9	456	44	236	625	32	150	36	18
White	655	363	9	271	44	230	381	24	144	36	18
Nonwhite	250	60	-	185	-	6	244	8	6	-	-
Aguada	605	83	9	507	1	602	2	21	139	35	9
White	527	71	8	442	1	524	2	18	122	34	9
Nonwhite	78	12	1	65	-	78	-	3	17	1	-
Aguadilla	2,736	2,074	88	581	346	2,308	82	146	612	206	103
White	2,022	1,575	52	386	253	1,717	52	139	558	198	100
Nonwhite	714	499	16	195	93	591	30	7	54	8	3
Aguadilla	150	115	3	31	13	132	5	1	34	5	-
White	123	101	3	18	11	109	3	-	26	4	-
Nonwhite	27	14	-	13	2	23	2	1	8	1	-
Balance of municipality	2,586	1,959	65	550	333	2,176	77	145	578	201	103
White	1,899	1,474	49	368	242	1,608	49	139	532	194	100
Nonwhite	687	485	16	182	91	568	28	6	46	7	3
Aguas Buenas	566	159	3	398	2	28	536	25	84	25	11
White	337	111	-	223	1	15	321	13	58	20	11
Nonwhite	229	48	3	175	1	13	215	12	26	5	-
Aibonito	768	338	28	392	38	408	322	36	138	47	19
White	578	270	22	279	30	315	233	25	109	34	17
Nonwhite	190	68	6	113	8	93	89	11	29	13	2
Añasco	529	195	23	307	48	443	38	25	123	30	15
White	485	182	22	278	47	401	37	23	118	30	15
Nonwhite	44	13	1	29	1	42	1	2	5	-	-
Arecibo	3,195	2,479	20	666	375	2,555	265	232	833	203	113
White	2,823	2,234	16	546	343	2,267	213	215	785	196	111
Nonwhite	372	245	4	120	32	288	52	17	48	7	2
Arecibo	1,567	1,452	1	109	197	1,345	25	73	276	70	38
White	1,394	1,300	1	88	179	1,194	21	68	261	69	38
Nonwhite	173	152	-	21	18	151	4	5	15	1	-
Balance of municipality	1,628	1,027	19	557	178	1,210	240	159	557	133	75
White	1,429	934	15	458	164	1,073	192	147	524	127	73
Nonwhite	199	93	4	99	14	137	48	12	33	6	2
Arroyo	562	285	3	266	40	518	4	31	141	40	17
White	196	111	1	84	16	180	-	11	69	18	9
Nonwhite	366	174	2	182	24	338	4	20	72	22	8
Barceloneta	533	144	38	348	24	460	49	19	126	32	11
White	393	92	38	261	20	350	23	16	99	28	9
Nonwhite	140	52	-	87	4	110	26	3	27	4	2
Barranquitas	842	293	42	496	28	310	504	33	113	32	15
White	836	290	41	494	27	307	502	33	113	32	15
Nonwhite	6	3	1	2	1	3	2	-	-	-	-
Bayamón	3,239	2,759	48	417	370	2,796	73	130	772	286	162
White	2,498	2,111	41	335	295	2,146	57	83	657	265	154
Nonwhite	741	648	7	82	75	650	16	47	115	21	8
Bayamón	1,198	1,102	6	86	75	1,103	20	31	104	27	20
White	938	860	6	69	68	857	13	21	92	24	17
Nonwhite	260	242	-	17	7	246	7	10	12	3	3
Balance of municipality	2,041	1,657	42	331	295	1,693	53	99	668	259	142
White	1,560	1,251	35	266	227	1,289	44	62	565	241	137
Nonwhite	481	406	7	65	68	404	9	37	103	18	5
Cabo Rojo	691	397	15	264	10	62	619	35	145	41	15
White	599	339	12	237	9	53	537	26	130	37	14
Nonwhite	92	58	3	27	1	9	82	9	15	4	1
Caguas	2,133	1,217	5	905	131	1,078	924	77	367	101	47
White	1,338	802	4	528	75	716	547	58	284	84	38
Nonwhite	795	415	1	377	56	362	377	19	83	17	9
Caguas	1,484	1,216	2	262	128	1,070	286	63	238	71	37
White	956	801	2	151	74	713	169	47	191	59	30
Nonwhite	528	415	-	111	54	357	117	16	47	12	7
Balance of municipality	649	1	3	643	3	8	638	14	129	30	10
White	382	1	2	377	1	3	378	11	93	25	8
Nonwhite	267	-	1	266	2	5	260	3	36	5	2
Camuy	533	250	11	251	59	434	40	18	133	35	17
White	502	235	7	240	56	409	37	18	130	35	17
Nonwhite	31	15	4	11	3	25	3	-	3	-	-
Carolina	673	402	10	244	29	271	373	32	137	24	9
White	222	136	5	73	5	89	128	11	60	8	4
Nonwhite	451	266	5	171	24	182	245	21	77	16	5
Cataño	510	3	4	491	22	411	77	15	92	26	11
White	420	3	2	404	16	335	69	15	76	25	10
Nonwhite	90	-	2	87	6	76	8	-	16	1	1
Cayey	1,278	430	4	834	8	98	1,172	46	279	63	23
White	1,105	374	4	717	6	92	1,007	34	243	60	22
Nonwhite	173	56	-	117	2	6	165	12	36	3	1
Cayey	686	429	4	253	8	97	581	29	152	41	15
White	588	373	4	211	6	91	491	21	131	38	14
Nonwhite	98	56	-	42	2	6	90	8	21	3	1
Balance of municipality	592	1	-	581	-	1	591	17	127	22	8
White	517	1	-	506	-	1	516	13	112	22	8
Nonwhite	75	-	-	75	-	-	75	4	15	-	-

See footnotes on p. 17.

Table 15C. Live Births by Attendant and Birth Weight; Fetal Deaths; and Total, Infant, and Neonatal Deaths; by Color: Puerto Rico, Each Municipality, and Specified Urban Places, 1955—Con.

(See headnote on p. 14)

AREA AND COLOR	LIVE BIRTHS							Fetal deaths	DEATHS		
	Total	Attendant			Birth weight[3]				Total	Under 1 year	Under 28 days
		In hospital[1]	Not in hospital[2]		2,500 grams or less	2,501 grams or more	Not stated				
			Physician	Midwife							
Ceiba	14	-	-	12	-	-	14	4	23	1	-
White	12	-	-	10	-	-	12	3	17	1	-
Nonwhite	2	-	-	2	-	-	2	1	6	-	-
Ciales	601	200	4	378	-	7	594	17	100	25	16
White	601	200	4	378	-	7	594	17	100	25	16
Nonwhite	-	-	-	-	-	-	-	-	-	-	-
Cidra	757	3	13	657	6	93	658	29	74	28	12
White	633	3	9	549	6	85	542	23	68	27	11
Nonwhite	124	-	4	108	-	8	116	6	6	1	1
Coamo	959	272	12	667	37	765	157	25	168	40	22
White	642	183	10	443	25	519	98	17	122	38	22
Nonwhite	317	89	2	224	12	246	59	8	46	2	-
Coamo	584	272	7	299	24	493	67	18	94	24	13
White	407	183	7	213	17	343	47	11	63	22	13
Nonwhite	177	89	-	86	7	150	20	7	31	2	-
Balance of municipality	375	-	5	368	13	272	90	7	74	16	9
White	235	-	3	230	8	176	51	6	59	16	9
Nonwhite	140	-	2	138	5	95	39	1	15	-	-
Comerío	591	22	33	517	4	18	569	14	76	25	9
White	473	16	26	413	4	12	457	10	57	19	6
Nonwhite	118	6	7	104	-	6	112	4	19	6	3
Corozal	786	117	20	640	99	666	21	23	110	30	11
White	725	109	18	589	88	616	21	23	104	30	11
Nonwhite	61	8	2	51	11	50	-	-	6	-	-
Culebra	13	-	1	12	-	-	13	-	2	1	-
White	7	-	1	6	-	-	7	-	2	1	-
Nonwhite	6	-	-	6	-	-	6	-	-	-	-
Dorado	279	238	9	24	14	253	12	3	44	5	3
White	156	131	3	18	12	140	4	2	35	4	3
Nonwhite	123	107	6	6	2	113	8	1	9	1	-
Fajardo	1,215	1,175	6	29	165	1,000	50	92	383	89	66
White	772	743	2	23	99	635	38	51	288	66	49
Nonwhite	443	432	4	6	66	365	12	41	95	23	17
Fajardo	542	532	3	7	61	471	10	14	68	8	6
White	355	349	1	5	39	309	7	11	57	7	5
Nonwhite	187	183	2	2	22	162	3	3	11	1	1
Balance of municipality	673	643	3	22	104	529	40	78	315	81	60
White	417	394	1	18	60	326	31	40	231	59	44
Nonwhite	256	249	2	4	44	203	9	38	84	22	16
Guánica	399	131	-	265	7	389	3	13	101	31	6
White	250	75	-	175	3	245	2	9	91	31	6
Nonwhite	149	56	-	90	4	144	1	4	10	-	-
Guayama	1,167	368	37	694	62	926	179	55	278	76	39
White	680	211	22	409	39	542	99	34	196	58	32
Nonwhite	487	157	15	285	23	384	80	21	82	18	7
Guayama	723	367	6	342	43	616	64	41	195	53	29
White	420	211	4	201	28	358	34	28	144	41	25
Nonwhite	303	156	2	141	15	258	30	13	51	12	4
Balance of municipality	444	1	31	352	19	310	115	14	83	23	10
White	260	-	18	208	11	184	65	6	52	17	7
Nonwhite	184	1	13	144	8	126	50	8	31	6	3
Guayanilla	457	5	3	445	11	436	10	13	114	29	11
White	440	4	3	430	9	421	10	12	114	29	11
Nonwhite	17	1	-	15	2	15	-	1	-	-	-
Guaynabo	516	197	3	314	24	234	258	15	105	15	8
White	377	143	2	231	17	174	186	11	85	15	8
Nonwhite	139	54	1	83	7	60	72	4	20	-	-
Gurabo	442	298	1	142	1	-	441	16	88	15	7
White	224	156	1	66	-	-	224	8	60	11	4
Nonwhite	218	142	-	76	1	-	217	8	28	4	3
Hatillo	237	1	2	217	17	210	10	17	104	21	14
White	211	1	2	192	15	187	9	16	100	20	14
Nonwhite	26	-	-	25	2	23	1	1	4	1	-
Hormigueros	160	103	3	54	10	132	18	2	38	9	4
White	142	91	3	48	8	118	16	2	33	9	4
Nonwhite	18	12	-	6	2	14	2	-	5	-	-
Humacao	1,505	948	23	526	54	894	557	45	278	59	32
White	1,082	701	16	360	41	664	377	32	213	49	26
Nonwhite	423	247	7	166	13	230	180	13	65	10	6
Humacao	989	928	2	57	52	859	78	37	159	41	23
White	719	682	1	35	39	632	48	26	126	37	21
Nonwhite	270	246	1	22	13	227	30	11	33	4	2
Balance of municipality	516	20	21	469	2	35	479	8	119	18	9
White	363	19	15	325	2	32	329	6	87	12	5
Nonwhite	153	1	6	144	-	3	150	2	32	6	4
Isabela	640	181	9	421	42	414	184	31	162	37	14
White	557	153	9	370	38	361	158	26	140	33	13
Nonwhite	83	28	-	51	4	53	26	5	22	4	1
Jayuya	619	209	16	344	2	25	592	31	108	21	10
White	613	208	16	339	2	25	586	31	108	21	10
Nonwhite	6	1	-	5	-	-	6	-	-	-	-
Juana Díaz	1,034	447	3	354	67	944	23	54	186	43	16
White	586	260	3	207	36	532	18	32	139	33	11
Nonwhite	448	187	-	147	31	412	5	22	47	10	5

See footnotes on p. 17.

Table 15C. Live Births by Attendant and Birth Weight; Fetal Deaths; and Total, Infant, and Neonatal Deaths; by Color: Puerto Rico, Each Municipality, and Specified Urban Places, 1955–Con.

(See headnote on p. 14)

AREA AND COLOR	LIVE BIRTHS							Fetal deaths	DEATHS		
	Total	Attendant			Birth weight[3]				Total	Under 1 year	Under 28 days
		In hospital[1]	Not in hospital[2]		2,500 grams or less	2,501 grams or more	Not stated				
			Physician	Midwife							
Juncos	624	293	5	312	9	64	551	20	120	26	10
White	521	244	5	261	8	50	463	18	104	24	10
Nonwhite	103	49	-	51	1	14	88	2	16	2	-
Lajas	382	139	3	235	28	333	21	13	69	16	9
White	281	84	3	190	17	249	15	11	61	15	8
Nonwhite	101	55	-	45	11	84	6	2	8	1	1
Lares	1,002	368	9	483	56	334	612	49	193	42	16
White	969	356	9	462	56	322	591	49	192	42	16
Nonwhite	33	12	-	21	-	12	21	-	1	-	-
Las Marías	289	122	2	104	-	1	288	15	48	14	4
White	265	113	2	92	-	-	265	15	47	14	4
Nonwhite	24	9	-	12	-	1	23	-	1	-	-
Las Piedras	458	188	2	261	22	211	225	10	88	19	4
White	313	124	2	183	13	145	155	5	80	18	4
Nonwhite	145	64	-	78	9	66	70	5	8	1	-
Loíza	787	230	2	547	4	219	564	30	139	40	14
White	264	128	1	134	3	116	145	8	48	9	6
Nonwhite	523	102	1	413	1	103	419	22	91	31	8
Luquillo	69	-	-	69	3	16	50	2	47	8	3
White	15	-	-	15	1	4	10	-	25	3	-
Nonwhite	54	-	-	54	2	12	40	2	22	5	3
Manatí	984	484	38	445	106	839	39	41	226	59	21
White	556	287	33	227	57	477	22	16	169	51	18
Nonwhite	428	197	5	218	49	362	17	25	57	8	3
Manatí	574	477	33	64	75	480	19	33	90	30	13
White	351	284	30	37	44	296	11	13	75	28	12
Nonwhite	223	193	3	27	31	184	8	20	15	2	1
Balance of municipality	410	7	5	381	31	359	20	8	136	29	8
White	205	3	3	190	13	181	11	3	94	23	6
Nonwhite	205	4	2	191	18	178	9	5	42	6	2
Maricao	189	7	2	164	-	2	187	10	45	13	4
White	151	5	2	130	-	2	149	7	43	13	4
Nonwhite	38	2	-	34	-	-	38	3	2	-	-
Maunabo	374	106	2	251	13	96	265	11	74	16	8
White	156	43	2	103	6	41	109	2	34	6	3
Nonwhite	218	63	-	148	7	55	156	9	40	10	5
Mayagüez	3,019	2,266	52	633	251	2,484	284	115	700	173	80
White	2,145	1,661	40	405	176	1,786	183	81	577	145	70
Nonwhite	874	605	12	228	75	698	101	34	123	28	10
Mayagüez	2,540	2,264	30	231	233	2,184	123	104	544	135	73
White	1,840	1,660	24	146	163	1,590	87	72	446	113	63
Nonwhite	700	604	6	85	70	594	36	32	98	22	10
Balance of municipality	479	2	22	402	18	300	161	11	156	38	7
White	305	1	16	259	13	196	96	9	131	32	7
Nonwhite	174	1	6	143	5	104	65	2	25	6	-
Moca	524	6	8	496	7	70	447	31	98	33	13
White	495	6	8	468	7	62	426	31	94	32	13
Nonwhite	29	-	-	28	-	8	21	-	4	1	-
Morovis	572	22	3	521	30	428	114	12	80	16	7
White	514	20	3	467	29	385	100	11	74	16	7
Nonwhite	58	2	-	54	1	43	14	1	6	-	-
Naguabo	370	220	1	131	-	-	370	10	85	20	9
White	204	113	-	80	-	-	204	10	66	17	8
Nonwhite	166	107	1	51	-	-	166	-	19	3	1
Naranjito	518	94	11	410	13	85	420	12	85	14	8
White	502	94	11	394	13	85	404	10	75	14	8
Nonwhite	16	-	-	16	-	-	16	2	10	-	-
Orocovis	820	86	23	673	25	285	510	33	126	48	25
White	706	76	19	579	23	246	437	28	117	46	24
Nonwhite	114	10	4	94	2	39	73	5	9	2	1
Patillas	651	133	2	476	5	215	431	27	134	31	5
White	252	44	-	194	1	79	172	11	102	26	4
Nonwhite	399	89	2	282	4	136	259	16	32	5	1
Peñuelas	320	3	1	312	14	302	4	10	83	19	9
White	303	3	1	295	14	285	4	9	80	19	9
Nonwhite	17	-	-	17	-	17	-	1	3	-	-
Ponce	5,761	2,732	43	2,955	413	5,165	183	270	1,320	375	150
White	5,066	2,449	38	2,550	367	4,543	156	232	1,189	358	142
Nonwhite	695	283	5	405	46	622	27	38	131	17	8
Ponce	4,620	2,722	12	1,873	358	4,162	100	252	1,123	320	126
White	4,067	2,439	10	1,606	318	3,666	83	217	1,007	304	119
Nonwhite	553	283	2	267	40	496	17	35	116	16	7
Balance of municipality	1,141	10	31	1,082	55	1,003	83	18	197	55	24
White	999	10	28	944	49	877	73	15	182	54	23
Nonwhite	142	-	3	138	6	126	10	3	15	1	1
Quebradillas	283	1	1	281	25	254	4	12	83	22	9
White	273	1	1	271	23	246	4	12	79	22	9
Nonwhite	10	-	-	10	2	8	-	-	4	-	-
Rincón	214	76	6	129	21	139	54	2	46	12	5
White	213	75	6	129	20	139	54	2	46	12	5
Nonwhite	1	1	-	-	1	-	-	-	-	-	-
Río Grande	330	234	4	85	4	60	266	13	77	18	10
White	209	143	2	59	-	36	173	9	55	13	9
Nonwhite	121	91	2	26	4	24	93	4	22	5	1

See footnotes on p. 17.

Table 15C. Live Births by Attendant and Birth Weight; Fetal Deaths; and Total, Infant, and Neonatal Deaths; by Color: Puerto Rico, Each Municipality, and Specified Urban Places, 1955—Con.

(See headnote on p. 14)

AREA AND COLOR	LIVE BIRTHS							Fetal deaths	DEATHS		
	Total	Attendant			Birth weight[3]				Total	Under 1 year	Under 28 days
		In hospital[1]	Not in hospital[2]		2,500 grams or less	2,501 grams or more	Not stated				
			Physician	Midwife							
Río Piedras	4,483	3,652	175	646	405	4,049	29	136	1,155	236	115
White	3,054	2,541	133	370	283	2,754	17	88	957	196	100
Nonwhite	1,429	1,111	42	276	122	1,295	12	48	198	40	15
Río Piedras	4,292	3,643	159	480	396	3,872	24	131	860	215	110
White	2,972	2,536	126	300	279	2,677	16	86	727	186	97
Nonwhite	1,320	1,107	33	180	117	1,195	8	45	133	29	13
Balance of municipality	191	9	16	166	9	177	5	5	295	21	5
White	82	5	7	70	4	77	1	2	230	10	3
Nonwhite	109	4	9	96	5	100	4	3	65	11	2
Sabana Grande	447	239	9	182	8	50	389	23	102	35	19
White	338	182	5	138	7	37	294	15	94	35	19
Nonwhite	109	57	4	44	1	13	95	8	8	-	-
Salinas	910	505	3	337	33	506	371	41	183	56	20
White	672	373	3	253	25	361	286	34	162	50	18
Nonwhite	238	132	-	84	8	145	85	7	21	6	2
San Germán	734	531	13	173	80	484	170	39	200	58	34
White	703	514	12	160	77	466	160	35	197	57	34
Nonwhite	31	17	1	13	3	18	10	4	3	1	-
San Juan, coextensive with San Juan (city)	10,522	8,887	157	1,466	887	9,138	497	241	1,910	577	270
White	7,707	6,763	104	832	647	6,738	322	185	1,539	487	236
Nonwhite	2,815	2,124	53	634	240	2,400	175	56	371	90	34
San Lorenzo	979	167	5	764	26	116	837	36	145	33	10
White	873	149	5	681	23	106	744	30	129	32	10
Nonwhite	106	18	-	83	3	10	93	6	16	1	-
San Sebastián	1,051	221	84	721	7	16	1,028	41	188	56	21
White	1,002	212	78	689	7	16	979	40	185	56	21
Nonwhite	49	9	6	32	-	-	49	1	3	-	-
Santa Isabel	496	257	3	115	17	256	223	21	81	18	7
White	300	157	1	73	12	158	130	12	51	15	6
Nonwhite	196	100	2	42	5	98	93	9	30	3	1
Toa Alta	247	172	-	59	12	232	3	6	49	8	3
White	200	135	-	53	4	193	3	5	45	8	3
Nonwhite	47	37	-	6	8	39	-	1	4	-	-
Toa Baja	338	212	4	106	26	205	107	4	64	11	5
White	134	82	3	43	9	79	46	2	25	5	3
Nonwhite	204	130	1	63	17	126	61	2	39	6	2
Trujillo Alto	292	216	3	71	4	288	-	6	57	13	6
White	252	185	3	63	4	248	-	6	41	11	4
Nonwhite	40	31	-	8	-	40	-	-	16	2	2
Utuado	1,458	438	7	860	52	581	825	55	294	95	56
White	1,426	425	6	844	51	562	813	54	292	95	56
Nonwhite	32	13	1	16	1	19	12	1	2	-	-
Vega Alta	394	11	8	373	19	373	2	9	72	18	8
White	272	10	7	255	10	262	-	7	54	16	8
Nonwhite	122	1	1	118	9	111	2	2	18	2	-
Vega Baja	976	202	16	745	64	895	17	31	220	60	19
White	622	130	13	474	32	578	12	17	153	41	13
Nonwhite	354	72	3	271	32	317	5	14	67	19	6
Vieques	207	191	2	13	5	195	7	10	56	18	5
White	122	110	2	10	3	113	6	7	46	18	5
Nonwhite	85	81	-	3	2	82	1	3	10	-	-
Villalba	652	222	6	414	22	243	387	16	89	25	14
White	519	176	6	332	16	192	311	10	80	23	13
Nonwhite	133	46	-	82	6	51	76	6	9	2	1
Yabucoa	1,118	387	2	690	8	328	782	33	215	61	29
White	685	227	1	438	4	186	495	20	162	50	25
Nonwhite	433	160	1	252	4	142	287	13	53	11	4
Yauco	1,297	326	6	958	60	1,183	54	62	249	69	21
White	1,095	269	4	818	48	996	51	55	232	66	21
Nonwhite	202	57	2	140	12	187	3	7	17	3	-

[1]Includes births in hospitals or institutions attended by physicians, midwives, or other persons.
[2]Births not in hospital attended by "other and not specified" persons are not shown separately, but are included in "Total."
[3]The equivalents of the gram weights in terms of pounds and ounces are as follows: 2,500 grams or less = 5 lb. 8 oz. or less; 2,501 grams or more = 5 lb. 9 oz. or more.

Table 15D. Live Births by Attendant and Birth Weight; Fetal Deaths; and Total, Infant, and Neonatal Deaths; by Color: Virgin Islands, Each Municipality, and Specified Urban Places, 1955

(By place of occurrence. Includes data for all urban places with populations of 2,500 or more in 1950. Fetal deaths include only those for which the period of gestation was given as 20 weeks or more, or was not stated. Deaths exclude fetal deaths)

AREA AND COLOR	LIVE BIRTHS							Fetal deaths	DEATHS		
	Total	Attendant			Birth weight[2]				Total	Under 1 year	Under 28 days
		In hospital[1]	Not in hospital[2]		2,500 grams or less	2,501 grams or more	Not stated				
			Physician	Midwife							
VIRGIN ISLANDS	913	804	3	105	80	833	-	39	311	41	21
White	39	39	-	-	3	36	-	3	29	1	1
Nonwhite	874	765	3	105	77	797	-	36	282	40	20
Municipality of St. Croix	465	366	2	96	50	415	-	19	182	28	15
White	6	6	-	-	1	5	-	-	6	-	-
Nonwhite	459	360	2	96	49	410	-	19	176	28	15
Christiansted	268	224	1	42	29	239	-	15	96	15	8
White	4	4	-	-	1	3	-	-	4	-	-
Nonwhite	264	220	1	42	28	236	-	15	92	15	8
Balance of municipality	197	142	1	54	21	176	-	4	86	13	7
White	2	2	-	-	-	2	-	-	2	-	-
Nonwhite	195	140	1	54	21	174	-	4	84	13	7
Municipality of St. Thomas and St. John	448	438	1	9	30	418	-	20	129	13	6
White	33	33	-	-	2	31	-	3	23	1	1
Nonwhite	415	405	1	9	28	387	-	17	106	12	5
Charlotte Amalie	444	435	1	8	30	414	-	20	126	13	6
White	33	33	-	-	2	31	-	3	22	1	1
Nonwhite	411	402	1	8	28	383	-	17	104	12	5
Balance of municipality	4	3	-	1	-	4	-	-	3	-	-
White	-	-	-	-	-	-	-	-	1	-	-
Nonwhite	4	3	-	1	-	4	-	-	2	-	-

[1]Includes births in hospitals or institutions attended by physicians, midwives, or other persons.
[2]Births not in hospitals attended by "other and not specified" persons are not shown separately, but are included in "Total."
[3]The equivalents of the gram weights in terms of pounds and ounces are as follows: 2,500 grams or less = 5 lb. 8 oz. or less; 2,501 grams or more = 5 lb. 9 oz. or more.

Table 16. Live Births by Month, Color, and Sex: Specified Areas, 1955

(By place of occurrence)

AREA, COLOR, AND SEX	Total	Jan.	Feb.	Mar.	Apr.	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.
ALASKA	7,346	616	521	594	549	591	665	636	655	650	639	613	617
Male	3,802	336	258	285	264	298	372	331	334	353	344	322	305
Female	3,544	280	263	309	285	293	293	305	321	297	295	291	312
White	5,407	441	385	452	390	432	484	481	476	473	468	462	463
Male	2,799	236	181	215	199	219	274	258	246	245	252	242	232
Female	2,608	205	204	237	191	213	210	223	230	228	216	220	231
Nonwhite	1,939	175	136	142	159	159	181	155	179	177	171	151	154
Male	1,003	100	77	70	65	79	98	73	88	108	92	80	73
Female	936	75	59	72	94	80	83	82	91	69	79	71	81
HAWAII	16,319	1,268	1,235	1,259	1,301	1,297	1,282	1,367	1,425	1,500	1,467	1,425	1,493
Male	8,334	675	654	631	664	662	642	695	719	785	734	702	771
Female	7,985	593	581	628	637	635	640	672	706	715	733	723	722
White	4,009	285	297	305	302	308	301	327	360	369	401	365	389
Male	2,017	145	158	154	147	155	150	166	173	194	191	179	205
Female	1,992	140	139	151	155	153	151	161	187	175	210	186	184
Nonwhite	12,310	983	938	954	999	989	981	1,040	1,065	1,131	1,066	1,060	1,104
Male	6,317	530	496	477	517	507	492	529	546	591	543	523	566
Female	5,993	453	442	477	482	482	489	511	519	540	523	537	538
PUERTO RICO	77,830	6,705	5,773	6,245	6,341	6,547	6,347	6,711	6,900	7,071	7,191	6,530	5,469
Male	39,656	3,374	2,943	3,163	3,299	3,344	3,258	3,377	3,495	3,627	3,613	3,376	2,787
Female	38,174	3,331	2,830	3,082	3,042	3,203	3,089	3,334	3,405	3,444	3,578	3,154	2,682
White	59,068	5,005	4,291	4,703	4,811	4,978	4,856	5,159	5,234	5,428	5,485	4,974	4,144
Male	30,081	2,490	2,191	2,370	2,498	2,553	2,506	2,606	2,651	2,756	2,773	2,566	2,121
Female	28,987	2,515	2,100	2,333	2,313	2,425	2,350	2,553	2,583	2,672	2,712	2,408	2,023
Nonwhite	18,762	1,700	1,482	1,542	1,530	1,569	1,491	1,552	1,666	1,643	1,706	1,556	1,325
Male	9,575	884	752	793	801	791	752	771	844	871	840	810	666
Female	9,187	816	730	749	729	778	739	781	822	772	866	746	659
VIRGIN ISLANDS	913	86	61	59	72	62	64	69	88	91	88	75	98
Male	434	44	29	25	31	27	34	31	49	41	36	38	49
Female	479	42	32	34	41	35	30	38	39	50	52	37	49
White	39	3	4	2	3	2	4	2	7	4	1	1	6
Male	16	1	2	1	1	1	2	-	3	-	-	1	4
Female	23	2	2	1	2	1	2	2	4	4	1	-	2
Nonwhite	874	83	57	57	69	60	60	67	81	87	87	74	92
Male	418	43	27	24	30	26	32	31	46	41	36	37	45
Female	456	40	30	33	39	34	28	36	35	46	51	37	47

Table 17. Live Births by Age of Mother, Color, and Live-Birth Order: Specified Areas, 1955

(By place of occurrence. Live-birth order refers to number of children born alive to mother)

AREA, AGE OF MOTHER, AND COLOR	Total	LIVE-BIRTH ORDER										
		1	2	3	4	5	6	7	8	9	10 and over	Not stated
ALASKA	7,346	2,357	1,882	1,236	720	403	244	146	99	68	175	16
Under 15 years	4	4	-	-	-	-	-	-	-	-	-	-
15-19 years	891	638	211	34	4	-	-	-	-	-	-	4
20-24 years	2,797	1,196	940	423	153	54	24	3	-	-	-	4
25-29 years	1,784	338	447	393	266	175	90	38	21	5	6	5
30-34 years	1,196	129	209	281	189	108	86	68	52	31	41	2
35-39 years	524	44	86	92	87	52	36	31	20	24	72	-
40-44 years	140	8	8	12	20	14	8	5	6	8	51	-
45-49 years	6	-	-	-	1	-	-	1	-	-	4	-
50 years and over	1	-	-	-	-	-	-	-	-	-	1	-
Not stated	3	-	1	1	-	-	-	-	-	-	-	1
White	5,407	1,996	1,561	964	513	217	92	38	10	5	7	4
Under 15 years	-	-	-	-	-	-	-	-	-	-	-	-
15-19 years	666	495	152	16	-	-	-	-	-	-	-	3
20-24 years	2,187	1,032	762	296	77	14	6	-	-	-	-	-
25-29 years	1,286	301	389	303	184	77	24	6	1	-	-	1
30-34 years	867	123	191	254	156	76	41	15	4	3	4	-
35-39 years	340	39	59	83	78	41	16	15	5	2	2	-
40-44 years	58	6	7	12	17	9	5	2	-	-	-	-
45-49 years	2	-	-	-	1	-	-	-	-	-	1	-
50 years and over	-	-	-	-	-	-	-	-	-	-	-	-
Not stated	1	-	1	-	-	-	-	-	-	-	-	-
Nonwhite	1,939	361	321	272	207	186	152	108	89	63	168	12
Under 15 years	4	4	-	-	-	-	-	-	-	-	-	-
15-19 years	225	143	59	18	4	-	-	-	-	-	-	1
20-24 years	610	164	178	127	76	40	18	3	-	-	-	4
25-29 years	498	37	58	90	82	98	66	32	20	5	6	4
30-34 years	329	6	18	27	33	32	45	53	48	28	37	2
35-39 years	184	5	7	9	9	11	20	16	15	22	70	-
40-44 years	82	2	1	-	3	5	3	3	6	8	51	-
45-49 years	4	-	-	-	-	-	-	1	-	-	3	-
50 years and over	1	-	-	-	-	-	-	-	--	-	1	-
Not stated	2	-	-	1	-	-	-	-	-	-	-	1
HAWAII	16,319	4,761	4,259	3,112	1,937	984	542	283	175	99	167	-
Under 15 years	14	14	-	-	-	-	-	-	-	-	-	-
15-19 years	1,475	1,048	328	88	11	-	-	-	-	-	-	-
20-24 years	5,427	2,145	1,692	940	423	153	50	17	6	1	-	-
25-29 years	5,012	1,087	1,383	1,102	676	364	219	102	49	23	7	-
30-34 years	2,935	366	640	700	546	286	146	94	64	37	56	-
35-39 years	1,213	83	189	246	248	147	102	55	48	29	66	-
40-44 years	227	17	25	34	32	33	23	15	7	8	33	-
45-49 years	16	1	2	2	1	1	2	-	1	1	5	-
50 years and over	-	-	-	-	-	-	-	-	-	-	-	-
Not stated	-	-	-	-	-	-	-	-	-	-	-	-
White	4,009	1,410	1,162	759	423	136	72	24	16	4	3	-
Under 15 years	1	1	-	-	-	-	-	-	-	-	-	-
15-19 years	369	282	81	6	-	-	-	-	-	-	-	-
20-24 years	1,558	764	549	186	49	8	2	-	-	-	-	-
25-29 years	1,045	249	314	272	149	35	17	6	2	1	-	-
30-34 years	710	80	146	212	157	62	34	10	8	-	1	-
35-39 years	274	26	62	71	57	25	16	8	6	3	-	-
40-44 years	48	8	10	11	10	6	2	-	-	-	-	1
45-49 years	4	-	-	1	1	-	1	-	-	-	1	-
50 years and over	-	-	-	-	-	-	-	-	-	-	-	-
Not stated	-	-	-	-	-	-	-	-	-	-	-	-
Nonwhite	12,310	3,351	3,097	2,353	1,514	848	470	259	159	95	164	-
Under 15 years	13	13	-	-	-	-	-	-	-	-	-	-
15-19 years	1,106	766	247	82	11	-	-	-	-	-	-	-
20-24 years	3,869	1,381	1,143	754	374	145	48	17	6	1	-	-
25-29 years	3,967	838	1,069	830	527	329	202	96	47	22	7	-
30-34 years	2,225	286	494	488	389	224	112	84	56	37	55	-
35-39 years	939	57	127	175	191	122	86	47	42	26	66	-
40-44 years	179	9	15	23	22	27	21	15	7	8	32	-
45-49 years	12	1	2	1	-	1	1	-	1	1	4	-
50 years and over	-	-	-	-	-	-	-	-	-	-	-	-
Not stated	-	-	-	-	-	-	-	-	-	-	-	-

Table 17. Live Births by Age of Mother, Color, and Live-Birth Order: Specified Areas, 1955—Continued

(By place of occurrence. Live-birth order refers to number of children born alive to mother)

AREA, AGE OF MOTHER, AND COLOR	Total	LIVE-BIRTH ORDER										
		1	2	3	4	5	6	7	8	9	10 and over	Not stated
PUERTO RICO	77,830	16,506	14,519	10,936	7,840	6,188	4,945	4,071	3,146	2,512	5,986	1,181
Under 15 years	84	73	2	-	1	-	-	-	-	-	-	8
15-19 years	10,610	6,243	2,830	918	196	34	7	2	1	-	-	379
20-24 years	23,995	6,181	6,769	5,021	2,962	1,528	636	297	96	40	41	424
25-29 years	16,579	1,966	2,826	2,718	2,378	2,188	1,780	1,218	694	342	298	171
30-34 years	10,641	631	991	1,143	1,150	1,177	1,273	1,194	1,027	787	1,188	80
35-39 years	7,984	282	346	452	509	608	684	839	821	871	2,533	39
40-44 years	2,618	74	80	88	112	157	154	197	209	261	1,276	10
45-49 years	419	9	8	8	17	17	12	27	31	28	260	2
50 years and over	30	1	3	4	2	-	-	4	1	2	12	1
Not stated	4,870	1,046	664	584	513	479	399	293	266	181	378	67
White	59,068	12,720	11,166	8,253	5,880	4,596	3,677	3,076	2,364	1,886	4,572	878
Under 15 years	57	50	-	-	1	-	-	-	-	-	-	6
15-19 years	7,759	4,604	2,055	658	135	20	7	2	1	-	-	277
20-24 years	18,253	4,908	5,224	3,742	2,172	1,117	445	214	66	26	30	309
25-29 years	12,887	1,600	2,285	2,111	1,825	1,643	1,347	929	526	262	223	136
30-34 years	8,141	493	791	885	878	895	953	915	772	584	915	60
35-39 years	6,117	213	264	354	391	454	509	643	623	675	1,961	30
40-44 years	1,967	51	60	65	85	118	114	152	157	190	966	9
45-49 years	308	8	7	4	12	12	11	17	22	19	194	2
50 years and over	24	1	1	3	2	-	-	2	1	2	11	1
Not stated	3,555	792	479	431	379	337	291	202	196	128	272	48
Nonwhite	18,762	3,786	3,353	2,683	1,960	1,592	1,268	995	782	626	1,414	303
Under 15 years	27	23	2	-	-	-	-	-	-	-	-	2
15-19 years	2,851	1,639	775	260	61	14	-	-	-	-	-	102
20-24 years	5,742	1,273	1,545	1,279	790	411	191	83	30	14	11	115
25-29 years	3,692	366	541	607	553	545	433	289	168	80	75	35
30-34 years	2,500	138	200	258	272	282	320	279	255	203	273	20
35-39 years	1,867	69	82	98	118	154	175	196	198	196	572	9
40-44 years	651	23	20	23	27	39	40	45	52	71	310	1
45-49 years	111	1	1	4	5	5	1	10	9	9	66	-
50 years and over	6	-	2	1	-	-	-	2	-	-	1	-
Not stated	1,315	254	185	153	134	142	108	91	70	53	106	19
VIRGIN ISLANDS	913	188	153	119	101	91	70	54	39	33	65	-
Under 15 years	2	2	-	-	-	-	-	-	-	-	-	-
15-19 years	182	106	55	14	5	2	-	-	-	-	-	-
20-24 years	252	59	59	53	35	23	12	5	3	2	1	-
25-29 years	203	15	21	32	32	42	23	21	7	5	5	-
30-34 years	160	4	11	16	20	15	25	19	20	15	15	-
35-39 years	77	-	3	3	5	7	9	8	7	6	29	-
40-44 years	27	1	2	1	2	2	1	1	2	4	11	-
45-49 years	3	-	-	-	-	-	-	-	-	1	2	-
50 years and over	-	-	-	-	-	-	-	-	-	-	-	-
Not stated	7	1	2	-	2	-	-	-	-	-	2	-
White	39	13	7	5	2	4	3	1	-	2	2	-
Under 15 years	-	-	-	-	-	-	-	-	-	-	-	-
15-19 years	5	4	1	-	-	-	-	-	-	-	-	-
20-24 years	10	5	4	1	-	-	-	-	-	-	-	-
25-29 years	9	4	-	1	1	2	-	-	-	-	1	-
30-34 years	12	-	1	3	1	2	2	1	-	2	-	-
35-39 years	3	-	1	-	-	-	1	-	-	-	1	-
40-44 years	-	-	-	-	-	-	-	-	-	-	-	-
45-49 years	-	-	-	-	-	-	-	-	-	-	-	-
50 years and over	-	-	-	-	-	-	-	-	-	-	-	-
Not stated	-	-	-	-	-	-	-	-	-	-	-	-
Nonwhite	874	175	146	114	99	87	67	53	39	31	63	-
Under 15 years	2	2	-	-	-	-	-	-	-	-	-	-
15-19 years	177	102	54	14	5	2	-	-	-	-	-	-
20-24 years	242	54	55	52	35	23	12	5	3	2	1	-
25-29 years	194	11	21	31	31	40	23	21	7	5	4	-
30-34 years	148	4	10	13	19	13	23	18	20	13	15	-
35-39 years	74	-	2	3	5	7	8	8	7	6	28	-
40-44 years	27	1	2	1	2	2	1	1	2	4	11	-
45-49 years	3	-	-	-	-	-	-	-	-	1	2	-
50 years and over	-	-	-	-	-	-	-	-	-	-	-	-
Not stated	7	1	2	-	2	-	-	-	-	-	2	-

430007 O - 57 - 9

Table 18. Cases of Plural Births Classified by Number of Children Born Alive and Born Dead, by Color: Specified Areas, 1955

(By place of occurrence. Cases of plural fetal deaths are included only if the period of gestation was given as 20 weeks or more, or was not stated)

AREA AND PLURALITY	Total	White	Non-white
CASES OF TWINS			
ALASKA[1]	65	45	20
Both born alive	57	40	17
1 born alive	6	4	2
Both born dead	2	1	1
HAWAII[2]	140	44	96
Both born alive	126	37	89
1 born alive	5	4	1
Both born dead	9	3	6
PUERTO RICO[3]	751	580	171
Both born alive	642	510	132
1 born alive	66	41	25
Both born dead	43	29	14
CASES OF TWINS—Continued			
VIRGIN ISLANDS	10	-	10
Both born alive	10	-	10
CASES OF TRIPLETS			
ALASKA	2	2	-
All born alive	2	2	-
HAWAII	1	-	1
All born alive	1	-	1
PUERTO RICO[4]	8	7	1
All born alive	5	5	-
1 born alive	2	1	1
All born dead	1	1	-

[1]Excludes 1 case of twins in which only 1 mate was reported.
[2]Excludes 3 cases of twins in which only 1 mate was reported.
[3]Excludes 28 cases of twins in which only 1 mate was reported.
[4]Excludes 2 cases of triplets in which only 1 or 2 mates were reported.

Table 19. Live Births by Birth Weight and Color: Specified Areas, 1955

(By place of occurrence)

AREA AND COLOR	Total	BIRTH WEIGHT[1]										
		1,000 grams or less	1,001-1,500 grams	1,501-2,000 grams	2,001-2,500 grams	2,501-3,000 grams	3,001-3,500 grams	3,501-4,000 grams	4,001-4,500 grams	4,501-5,000 grams	5,001 grams or more	Not stated
Alaska	7,346	36	32	97	365	1,345	2,695	1,997	505	82	22	170
White	5,407	28	25	70	244	1,037	2,082	1,518	338	42	9	14
Nonwhite	1,939	8	7	27	121	308	613	479	167	40	13	156
Hawaii	16,319	70	90	211	962	3,850	6,816	3,523	672	101	11	13
White	4,009	20	23	48	177	759	1,652	1,056	237	29	4	4
Nonwhite	12,310	50	67	163	785	3,091	5,164	2,467	435	72	7	9
Puerto Rico	77,830	155	299	844	3,683	12,317	20,070	13,847	3,702	1,090	138	21,685
White	59,068	117	244	659	2,762	9,341	15,210	10,475	2,822	822	102	16,514
Nonwhite	18,762	38	55	185	921	2,976	4,860	3,372	880	268	36	5,171
Virgin Islands	913	2	6	19	53	223	366	190	48	5	1	-
White	39	-	-	-	3	7	14	13	2	-	-	-
Nonwhite	874	2	6	19	50	216	352	177	46	5	1	-

[1]The equivalents of the gram weights in terms of pounds and ounces are as follows:
1,000 grams or less = 2 lb. 3 oz. or less
1,001-1,500 grams = 2 lb. 4 oz.-3 lb. 4 oz.
1,501-2,000 grams = 3 lb. 5 oz.-4 lb. 6 oz.
2,001-2,500 grams = 4 lb. 7 oz.-5 lb. 8 oz.
2,501-3,000 grams = 5 lb. 9 oz.-6 lb. 9 oz.
3,001-3,500 grams = 6 lb. 10 oz.-7 lb. 11 oz.
3,501-4,000 grams = 7 lb. 12 oz.-8 lb. 13 oz.
4,001-4,500 grams = 8 lb. 14 oz.-9 lb. 14 oz.
4,501-5,000 grams = 9 lb. 15 oz.-11 lb. 0 oz.
5,001 grams or more = 11 lb. 1 oz. or more.

Table 20. Fetal Deaths by Month and Color: Specified Areas, 1955

(By place of occurrence. Includes only fetal deaths for which the period of gestation was given as 20 weeks or more, or was not stated)

AREA AND COLOR	Total	Jan.	Feb.	Mar.	Apr.	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.
Alaska	110	4	7	11	10	11	12	9	4	14	8	11	9
White	79	3	6	9	8	6	9	5	3	7	6	9	8
Nonwhite	31	1	1	2	2	5	3	4	1	7	2	2	1
Hawaii	270	30	19	17	18	17	22	27	21	24	19	28	28
White	72	5	4	9	-	4	7	5	9	7	5	10	7
Nonwhite	198	25	15	8	18	13	15	22	12	17	14	18	21
Puerto Rico	3,010	260	241	240	239	242	227	254	273	268	263	259	244
White	2,320	200	186	172	183	173	178	206	228	207	207	188	192
Nonwhite	690	60	55	68	56	69	49	48	45	61	56	71	52
Virgin Islands	39	3	3	1	4	3	4	3	4	3	5	3	3
White	3	-	-	-	1	-	1	-	-	-	1	-	-
Nonwhite	36	3	3	1	3	3	3	3	4	3	4	3	3

Table 21. Fetal Deaths by Age of Mother and Color: Specified Areas, 1955

(By place of occurrence. Includes only fetal deaths for which the period of gestation was given as 20 weeks or more, or was not stated)

AREA AND COLOR	Total	AGE OF MOTHER									
		Under 15 years	15-19 years	20-24 years	25-29 years	30-34 years	35-39 years	40-44 years	45-49 years	50 years and over	Not stated
Alaska	110	-	8	24	28	30	10	6	2	-	2
White	79	-	5	18	21	24	7	2	-	-	2
Nonwhite	31	-	3	6	7	6	3	4	2	-	-
Hawaii	270	-	24	76	66	58	36	9	1	-	-
White	72	-	5	26	15	14	10	1	1	-	-
Nonwhite	198	-	19	50	51	44	26	8	-	-	-
Puerto Rico	3,010	9	333	692	537	440	453	189	32	4	321
White	2,320	6	251	539	424	342	350	156	28	3	221
Nonwhite	690	3	82	153	113	98	103	33	4	1	100
Virgin Islands	39	1	5	4	8	10	5	5	-	-	1
White	3	-	-	-	1	1	1	-	-	-	-
Nonwhite	36	1	5	4	7	9	4	5	-	-	1

Table 22. Fetal Deaths by Birth Weight and Color: Specified Areas, 1955

(By place of occurrence. Includes only fetal deaths for which the period of gestation was given as 20 weeks or more, or was not stated)

AREA AND COLOR	Total	BIRTH WEIGHT[1]										
		1,000 grams or less	1,001-1,500 grams	1,501-2,000 grams	2,001-2,500 grams	2,501-3,000 grams	3,001-3,500 grams	3,501-4,000 grams	4,001-4,500 grams	4,501-5,000 grams	5,001 grams or more	Not stated
Alaska	110	16	8	14	9	11	11	10	1	2	1	27
White	79	12	6	9	7	7	10	9	1	2	1	15
Nonwhite	31	4	2	5	2	4	1	1	-	-	-	12
Hawaii	270	49	32	26	26	25	31	16	3	1	3	58
White	72	13	9	4	10	3	10	5	-	-	-	18
Nonwhite	198	36	23	22	16	22	21	11	3	1	3	40
Puerto Rico	3,010	180	169	160	201	248	265	153	47	38	13	1,536
White	2,320	141	135	131	156	206	211	114	37	29	11	1,149
Nonwhite	690	39	34	29	45	42	54	39	10	9	2	387
Virgin Islands	39	3	2	5	4	1	8	6	4	1	-	5
White	3	-	-	-	1	-	1	-	-	-	-	1
Nonwhite	36	3	2	5	3	1	7	6	4	1	-	4

[1]The equivalents of the gram weights in terms of pounds and ounces are as follows:
1,000 grams or less = 2 lb. 3 oz. or less
1,001-1,500 grams = 2 lb. 4 oz.-3 lb. 4 oz.
1,501-2,000 grams = 3 lb. 5 oz.-4 lb. 6 oz.
2,001-2,500 grams = 4 lb. 7 oz.-5 lb. 8 oz.
2,501-3,000 grams = 5 lb. 9 oz.-6 lb. 9 oz.
3,001-3,500 grams = 6 lb. 10 oz.-7 lb. 11 oz.
3,501-4,000 grams = 7 lb. 12 oz.-8 lb. 13 oz.
4,001-4,500 grams = 8 lb. 14 oz.-9 lb. 14 oz.
4,501-5,000 grams = 9 lb. 15 oz.-11 lb. 0 oz.
5,001 grams or more = 11 lb. 1 oz. or more.

Table 23. Fetal Deaths by Period of Gestation and Color: Specified Areas, 1955

(By place of occurrence. Includes only fetal deaths for which the period of gestation was given as 20 weeks or more, or was not stated)

AREA AND COLOR	Total	PERIOD OF GESTATION[1]							
		20-27 weeks	28-31 weeks	32-35 weeks	36 weeks	37-39 weeks	40 weeks	41 weeks and over	Not stated
Alaska	110	23	16	15	17	14	19	4	2
White	79	17	8	12	12	10	17	2	1
Nonwhite	31	6	8	3	5	4	2	2	1
Hawaii	270	75	28	36	14	22	80	11	4
White	72	19	8	11	4	8	17	4	1
Nonwhite	198	56	20	25	10	14	63	7	3
Puerto Rico	3,010	488	389	215	425	132	1,297	34	30
White	2,320	384	286	164	320	107	1,013	24	22
Nonwhite	690	104	103	51	105	25	284	10	8
Virgin Islands	39	4	3	4	1	2	22	-	3
White	3	1	-	-	-	-	2	-	-
Nonwhite	36	3	3	4	1	2	20	-	3

[1]Period of gestation reported in months allocated to gestation interval in weeks as follows: 5 and 6 months to "20-27 weeks"; 7 months to "28-31 weeks"; 8 months to "32-35 weeks"; 9 months to "40 weeks"; 10 months to "41 weeks and over."

Table 24. Deaths Under 1 Year, by Age, Color, and Sex: Specified Areas, 1955

(By place of occurrence. Excludes fetal deaths)

AREA AND AGE	TOTAL			WHITE			NONWHITE		
	Both sexes	Male	Female	Both sexes	Male	Female	Both sexes	Male	Female
ALASKA	275	150	125	140	90	50	135	60	75
Under 1 hour	18	9	9	14	7	7	4	2	2
1-23 hours	64	38	26	47	32	15	17	6	11
1 day	17	9	8	16	9	7	1	-	1
2 days	12	7	5	8	5	3	4	2	2
3 days	6	3	3	3	2	1	3	1	2
4 days	9	6	3	4	3	1	5	3	2
5 days	2	-	2	2	-	2	-	-	-
6 days	3	2	1	1	1	-	2	1	1
7-13 days	14	8	6	9	5	4	5	3	2
14-20 days	4	2	2	1	1	-	3	1	2
21-27 days	10	6	4	3	2	1	7	4	3
Under 28 days	159	90	69	108	67	41	51	23	28
28-59 days	30	18	12	9	7	2	21	11	10
2 months	19	10	9	5	5	-	14	5	9
3 months	9	4	5	2	2	-	7	2	5
4 months	7	3	4	2	1	1	5	2	3
5 months	9	8	1	2	2	-	7	6	1
6 months	14	7	7	4	2	2	10	5	5
7 months	3	1	2	1	1	-	2	-	2
8 months	5	3	2	-	-	-	5	3	2
9 months	3	-	3	2	-	2	1	-	1
10 months	12	5	7	5	3	2	7	2	5
11 months	5	1	4	-	-	-	5	1	4
HAWAII	336	189	147	86	54	32	250	135	115
Under 1 hour	31	16	15	8	4	4	23	12	11
1-23 hours	126	66	60	31	20	11	95	46	49
1 day	40	24	16	12	6	6	28	18	10
2 days	24	14	10	8	6	2	16	8	8
3 days	5	4	1	3	2	1	2	2	-
4 days	10	8	2	2	1	1	8	7	1
5 days	2	1	1	-	-	-	2	1	1
6 days	3	1	2	-	-	-	3	1	2
7-13 days	9	5	4	2	2	-	7	3	4
14-20 days	10	4	6	2	2	-	8	2	6
21-27 days	3	-	3	1	-	1	2	-	2
Under 28 days	263	143	120	69	43	26	194	100	94
28-59 days	17	11	6	2	-	2	15	11	4
2 months	9	6	3	4	3	1	5	3	2
3 months	9	5	4	3	2	1	6	3	3
4 months	8	6	2	3	3	-	5	3	2
5 months	4	2	2	-	-	-	4	2	2
6 months	5	2	3	2	1	1	3	1	2
7 months	3	1	2	-	-	-	3	1	2
8 months	6	4	2	1	-	1	5	4	1
9 months	6	5	1	-	-	-	6	5	1
10 months	4	3	1	2	2	-	2	1	1
11 months	2	1	1	-	-	-	2	1	1
PUERTO RICO	4,343	2,355	1,988	3,836	2,089	1,747	507	266	241
Under 1 hour	132	66	66	123	61	62	9	5	4
1-23 hours	527	309	218	467	272	195	60	37	23
1 day	209	125	84	185	112	73	24	13	11
2 days	158	99	59	142	90	52	16	9	7
3 days	147	92	55	134	83	51	13	9	4
4 days	82	45	37	77	43	34	5	2	3
5 days	72	35	37	63	30	33	9	5	4
6 days	48	27	21	46	26	20	2	1	1
7-13 days	298	166	132	272	151	121	26	15	11
14-20 days	188	101	87	178	95	83	10	6	4
21-27 days	139	80	59	119	66	53	20	14	6
Under 28 days	2,000	1,145	855	1,806	1,029	777	194	116	78
28-59 days	422	233	189	366	198	168	56	35	21
2 months	339	177	162	309	165	144	30	12	18
3 months	304	148	156	264	134	130	40	14	26
4 months	249	129	120	220	110	110	29	19	10
5 months	220	104	116	188	93	95	32	11	21
6 months	193	102	91	167	90	77	26	12	14
7 months	152	90	62	137	81	56	15	9	6
8 months	145	61	84	124	54	70	21	7	14
9 months	133	69	64	109	57	52	24	12	12
10 months	97	43	54	76	35	41	21	8	13
11 months	89	54	35	70	43	27	19	11	8
VIRGIN ISLANDS	41	20	21	1	-	1	40	20	20
Under 1 hour	3	-	3	-	-	-	3	-	3
1-23 hours	7	1	6	-	-	-	7	1	6
1 day	2	2	-	-	-	-	2	2	-
2 days	-	-	-	-	-	-	-	-	-
3 days	2	1	1	1	-	1	1	1	-
4 days	-	-	-	-	-	-	-	-	-
5 days	2	1	1	-	-	-	2	1	1
6 days	-	-	-	-	-	-	-	-	-
7-13 days	-	-	-	-	-	-	-	-	-
14-20 days	3	2	1	-	-	-	3	2	1
21-27 days	2	2	-	-	-	-	2	2	-

Table 24. Deaths Under 1 Year, by Age, Color, and Sex: Specified Areas, 1955 –Continued

(By place of occurrence. Excludes fetal deaths)

AREA AND AGE	TOTAL			WHITE			NONWHITE		
	Both sexes	Male	Female	Both sexes	Male	Female	Both sexes	Male	Female
VIRGIN ISLANDS—Continued									
Under 28 days	21	9	12	1	-	1	20	9	11
28-59 days	4	3	1	-	-	-	4	3	1
2 months	1	1	-	-	-	-	1	1	-
3 months	1	-	1	-	-	-	1	-	1
4 months	3	1	2	-	-	-	3	1	2
5 months	1	1	-	-	-	-	1	1	-
6 months	-	-	-	-	-	-	-	-	-
7 months	3	2	1	-	-	-	3	2	1
8 months	2	-	2	-	-	-	2	-	2
9 months	1	1	-	-	-	-	1	1	-
10 months	1	-	1	-	-	-	1	-	1
11 months	3	2	1	-	-	-	3	2	1

Table 25. Deaths Under 1 Year and Under 28 Days, by Month and Color: Specified Areas, 1955

(By place of occurrence. Excludes fetal deaths)

AREA, AGE, AND COLOR	Total	Jan.	Feb.	Mar.	Apr.	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.
ALASKA													
Under 1 year	275	16	21	18	25	17	20	25	28	26	30	28	21
White	140	6	8	7	11	11	13	13	15	13	14	17	12
Nonwhite	135	10	13	11	14	6	7	12	13	13	16	11	9
Under 28 days	159	10	11	8	16	11	15	13	18	12	17	16	12
White	108	4	5	6	9	9	11	8	14	9	11	12	10
Nonwhite	51	6	6	2	7	2	4	5	4	3	6	4	2
HAWAII													
Under 1 year	336	22	22	26	31	28	29	30	19	32	33	27	37
White	86	6	6	5	6	8	8	6	7	10	11	6	7
Nonwhite	250	16	16	21	25	20	21	24	12	22	22	21	30
Under 28 days	263	15	17	16	23	20	23	24	12	29	28	24	32
White	69	5	5	2	5	6	6	6	4	9	10	6	5
Nonwhite	194	10	12	14	18	14	17	18	8	20	18	18	27
PUERTO RICO													
Under 1 year	4,343	382	348	362	344	375	427	399	360	318	399	308	321
White	3,836	331	311	312	315	325	376	354	317	282	354	277	282
Nonwhite	507	51	37	50	29	50	51	45	43	36	45	31	39
Under 28 days	2,000	183	153	162	151	173	171	184	164	151	197	147	164
White	1,806	160	141	140	146	157	156	164	153	133	180	133	143
Nonwhite	194	23	12	22	5	16	15	20	11	18	17	14	21
VIRGIN ISLANDS													
Under 1 year	41	6	3	1	2	6	4	3	2	5	3	4	2
White	1	-	-	-	-	-	1	-	-	-	-	-	-
Nonwhite	40	6	3	1	2	6	3	3	2	5	3	4	2
Under 28 days	21	4	-	-	-	2	2	1	1	3	2	4	2
White	1	-	-	-	-	-	1	-	-	-	-	-	-
Nonwhite	20	4	-	-	-	2	1	1	1	3	2	4	2

Table 26. Deaths Under 1 Year, Under 28 Days, and 28 Days to 11 Months, From 45 Selected Causes, by Color: Specified Areas, 1955

(By place of occurrence. Excludes fetal deaths. Numbers after causes of death are category numbers of the Sixth Revision of the International Lists, 1948)

CAUSE OF DEATH	ALASKA					HAWAII				
	Total deaths under 1 year	Under 28 days		28 days-11 months		Total deaths under 1 year	Under 28 days		28 days-11 months	
		White	Non-white	White	Non-white		White	Non-white	White	Non-white
ALL CAUSES	275	108	51	32	84	336	69	194	17	56
Tuberculosis, all forms---001-019	5	-	-	1	4	-	-	-	-	-
Syphilis and its sequelae---020-029	-	-	-	-	-	-	-	-	-	-
Dysentery, all forms---045-048	-	-	-	-	-	-	-	-	-	-
Whooping cough---056	3	-	1	-	2	-	-	-	-	-
All other infective and parasitic diseases---030-044,049-055,057-138	1	-	-	-	1	2	-	-	-	2
Diseases of thymus gland---273	2	1	-	1	-	-	-	-	-	-
Meningitis, except meningococcal and tuberculous---340	1	-	-	-	1	2	-	-	-	2
All other diseases of nervous system and sense organs---330-334,341-398	1	-	-	-	1	1	-	-	-	1
Influenza and pneumonia, except pneumonia of newborn---480-493	36	-	-	7	29	22	-	-	7	15
Influenza---480-483	3	-	-	-	3	-	-	-	-	-
Pneumonia, except pneumonia of newborn---490-493	33	-	-	7	26	22	-	-	7	15
All other diseases of respiratory system---470-475,500-527	20	5	6	1	8	6	2	-	2	2
Hernia and intestinal obstruction---560,561,570	1	1	-	-	-	4	1	1	1	1
Gastritis, duodenitis, enteritis, and colitis, except diarrhea of newborn---543,571,572	7	-	-	1	6	7	-	-	-	7
All other diseases of digestive system---530-542,544-553,573-587	4	1	1	-	2	2	-	1	-	1
Congenital malformations---750-759	21	12	3	3	3	47	8	20	5	14
Spina bifida and meningocele---751	-	-	-	-	-	2	-	-	-	2
Congenital malformations of circulatory system---754	8	5	2	1	-	16	1	5	1	9
All other congenital malformations---750,752,753,755-759	13	7	1	2	3	29	7	15	4	3
Certain diseases of early infancy---760-776	126	86	35	2	3	227	58	166	1	2
Birth injuries---760,761	24	16	7	-	1	35	4	30	-	1
Without mention of immaturity (.0)	9	4	4	-	1	17	1	15	-	1
With immaturity (.5)	15	12	3	-	-	18	3	15	-	-
Intracranial and spinal injury at birth---760	5	4	1	-	-	14	-	14	-	-
Without mention of immaturity (.0)	3	2	1	-	-	11	-	11	-	-
With immaturity (.5)	2	2	-	-	-	3	-	3	-	-
Other birth injury---761	19	12	6	-	1	21	4	16	-	1
Without mention of immaturity (.0)	6	2	3	-	1	6	1	4	-	1
With immaturity (.5)	13	10	3	-	-	15	3	12	-	-
Postnatal asphyxia and atelectasis---762	25	19	5	-	1	63	19	43	-	1
Without mention of immaturity (.0)	11	7	3	-	1	12	2	9	-	1
With immaturity (.5)	14	12	2	-	-	51	17	34	-	-
Pneumonia of newborn---763	7	4	3	-	-	5	1	4	-	-
Without mention of immaturity (.0)	6	3	3	-	-	5	1	4	-	-
With immaturity (.5)	1	1	-	-	-	-	-	-	-	-
Diarrhea of newborn---764	1	1	-	-	-	-	-	-	-	-
Without mention of immaturity (.0)	1	1	-	-	-	-	-	-	-	-
With immaturity (.5)	-	-	-	-	-	-	-	-	-	-
Other infections of newborn---765-768	1	1	-	-	-	2	-	2	-	-
Without mention of immaturity (.0)	1	1	-	-	-	1	-	1	-	-
With immaturity (.5)	-	-	-	-	-	1	-	1	-	-
Neonatal disorders arising from maternal toxemia---769	1	1	-	-	-	3	-	3	-	-
Without mention of immaturity (.0-.4)	1	1	-	-	-	1	-	1	-	-
With immaturity (.5-.9)	-	-	-	-	-	2	-	2	-	-
Hemolytic disease of newborn (erythroblastosis)---770	5	4	1	-	-	1	1	-	-	-
Without mention of immaturity (.0-.2)	5	4	1	-	-	-	-	-	-	-
With immaturity (.5-.7)	-	-	-	-	-	1	1	-	-	-
Hemorrhagic disease of newborn---771	3	1	2	-	-	-	-	-	-	-
Without mention of immaturity (.0)	3	1	2	-	-	-	-	-	-	-
With immaturity (.5)	-	-	-	-	-	-	-	-	-	-
Ill-defined diseases peculiar to early infancy, including nutritional maladjustment---772,773	26	19	5	1	1	24	10	13	1	-
Without mention of immaturity (.0)	3	-	2	-	1	7	2	4	1	-
With immaturity (.5)	23	19	3	1	-	17	8	9	-	-
Immaturity with mention of any other subsidiary condition---774	4	3	1	-	-	4	-	4	-	-
Immaturity unqualified---776	29	17	11	1	-	90	23	67	-	-
Symptoms and ill-defined conditions---780-795	20	1	4	1	14	4	-	4	-	-
All other diseases---Residual	2	-	1	-	1	7	-	2	-	5
Accidents---E800-E962	25	1	-	15	9	5	-	-	1	4
Inhalation and ingestion of food or other object causing obstruction or suffocation---E921,E922	6	1	-	3	2	1	-	-	-	1
Accidental mechanical suffocation in bed and cradle---E924	8	-	-	3	5	2	-	-	1	1
All other accidental causes---E800-E920,E923,E925-E962	11	-	-	9	2	2	-	-	-	2
Homicide---E964,E980-E999	-	-	-	-	-	-	-	-	-	-

Table 26. Deaths Under 1 Year, Under 28 Days, and 28 Days to 11 Months, From 45 Selected Causes, by Color: Specified Areas, 1955—Continued

(By place of occurrence. Excludes fetal deaths. Numbers after causes of death are category numbers of the Sixth Revision of the International Lists, 1948)

CAUSE OF DEATH	PUERTO RICO					VIRGIN ISLANDS				
	Total deaths under 1 year	Under 28 days		28 days-11 months		Total deaths under 1 year	Under 28 days		28 days-11 months	
		White	Non-white	White	Non-white		White	Non-white	White	Non-white
ALL CAUSES	4,343	1,806	194	2,030	313	41	1	20	-	20
Tuberculosis, all forms---001-019	24	4	1	19	-	-	-	-	-	-
Syphilis and its sequelae---020-029	6	4	-	2	-	-	-	-	-	-
Dysentery, all forms---045-048	3	-	-	3	-	-	-	-	-	-
Whooping cough---056	12	-	-	9	3	-	-	-	-	-
All other infective and parasitic diseases---030-044,049-055,057-138	79	21	2	38	18	-	-	-	-	-
Diseases of thymus gland---273	4	3	-	1	-	-	-	-	-	-
Meningitis, except meningococcal and tuberculous---340	22	3	-	16	3	-	-	-	-	-
All other diseases of nervous system and sense organs---330-334,341-398	33	4	-	26	3	-	-	-	-	-
Influenza and pneumonia, except pneumonia of newborn---480-493	347	3	-	313	31	5	-	-	-	5
Influenza---480-483	18	3	-	14	1	-	-	-	-	-
Pneumonia, except pneumonia of newborn---490-493	329	-	-	299	30	5	-	-	-	5
All other diseases of respiratory system---470-475,500-527	57	20	-	34	3	2	-	-	-	2
Hernia and intestinal obstruction---560,561,570	19	7	2	10	-	-	-	-	-	-
Gastritis, duodenitis, enteritis, and colitis, except diarrhea of newborn---543,571,572	1,139	2	-	981	156	4	-	-	-	4
All other diseases of digestive system---530-542,544-553,573-587	27	9	-	14	4	1	-	1	-	-
Congenital malformations---750-759	249	138	15	89	7	1	-	1	-	-
Spina bifida and meningocele---751	35	16	-	17	2	-	-	-	-	-
Congenital malformations of circulatory system---754	102	47	6	46	3	1	-	1	-	-
All other congenital malformations---750,752,753,755-759	112	75	9	26	2	-	-	-	-	-
Certain diseases of early infancy---760-776	1,593	1,298	143	121	31	25	1	18	-	6
Birth injuries---760,761	123	113	8	2	-	1	-	1	-	-
Without mention of immaturity (.0)	98	91	6	1	-	1	-	1	-	-
With immaturity (.5)	25	22	2	1	-	-	-	-	-	-
Intracranial and spinal injury at birth---760	71	67	2	2	-	1	-	1	-	-
Without mention of immaturity (.0)	60	58	1	1	-	1	-	1	-	-
With immaturity (.5)	11	9	1	1	-	-	-	-	-	-
Other birth injury---761	52	46	6	-	-	-	-	-	-	-
Without mention of immaturity (.0)	38	33	5	-	-	-	-	-	-	-
With immaturity (.5)	14	13	1	-	-	-	-	-	-	-
Postnatal asphyxia and atelectasis---762	234	199	20	14	1	9	-	8	-	1
Without mention of immaturity (.0)	150	125	13	11	1	5	-	4	-	1
With immaturity (.5)	84	74	7	3	-	4	-	4	-	-
Pneumonia of newborn---763	179	162	17	-	-	2	1	1	-	-
Without mention of immaturity (.0)	153	140	13	-	-	2	1	1	-	-
With immaturity (.5)	26	22	4	-	-	-	-	-	-	-
Diarrhea of newborn---764	178	158	19	1	-	-	-	-	-	-
Without mention of immaturity (.0)	160	143	16	1	-	-	-	-	-	-
With immaturity (.5)	18	15	3	-	-	-	-	-	-	-
Other infections of newborn---765-768	12	11	1	-	-	-	-	-	-	-
Without mention of immaturity (.0)	10	10	-	-	-	-	-	-	-	-
With immaturity (.5)	2	1	1	-	-	-	-	-	-	-
Neonatal disorders arising from maternal toxemia---769	8	8	-	-	-	-	-	-	-	-
Without mention of immaturity (.0-.4)	3	3	-	-	-	-	-	-	-	-
With immaturity (.5-.9)	5	5	-	-	-	-	-	-	-	-
Hemolytic disease of newborn (erythroblastosis)---770	32	27	5	-	-	3	-	3	-	-
Without mention of immaturity (.0-.2)	27	25	2	-	-	1	-	1	-	-
With immaturity (.5-.7)	5	2	3	-	-	2	-	2	-	-
Hemorrhagic disease of newborn---771	26	23	3	-	-	1	-	-	-	1
Without mention of immaturity (.0)	21	18	3	-	-	1	-	-	-	1
With immaturity (.5)	5	5	-	-	-	-	-	-	-	-
Ill-defined diseases peculiar to early infancy, including nutritional maladjustment---772,773	381	261	32	67	21	4	-	3	-	1
Without mention of immaturity (.0)	216	119	19	59	19	2	-	1	-	1
With immaturity (.5)	165	142	13	8	2	2	-	2	-	-
Immaturity with mention of any other subsidiary condition---774	43	19	-	19	5	2	-	-	-	2
Immaturity unqualified---776	377	317	38	18	4	3	-	2	-	1
Symptoms and ill-defined conditions---780-795	586	264	30	256	36	-	-	-	-	-
All other diseases---Residual	102	14	1	72	15	3	-	-	-	3
Accidents---E800-E962	40	11	-	26	3	-	-	-	-	-
Inhalation and ingestion of food or other object causing obstruction or suffocation---E921,E922	13	7	-	6	-	-	-	-	-	-
Accidental mechanical suffocation in bed and cradle---E924	7	-	-	7	-	-	-	-	-	-
All other accidental causes---E800-E920,E923,E925-E962	20	4	-	13	3	-	-	-	-	-
Homicide---E964,E980-E999	1	1	-	-	-	-	-	-	-	-

Table 27. Deaths by Month, Color, and Sex: Specified Areas, 1955

(By place of occurrence. Excludes fetal deaths)

AREA, COLOR, AND SEX	Total	Jan.	Feb.	Mar.	Apr.	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.
ALASKA	1,204	73	93	90	100	90	110	121	108	115	116	111	77
Male	863	48	71	62	72	72	80	83	73	90	84	76	52
Female	341	25	22	28	28	18	30	38	35	25	32	35	25
White	810	40	66	63	60	59	87	80	74	74	69	83	55
Male	639	31	57	45	51	54	68	63	50	64	54	61	41
Female	171	9	9	18	9	5	19	17	24	10	15	22	14
Nonwhite	394	33	27	27	40	31	23	41	34	41	47	28	22
Male	224	17	14	17	21	18	12	20	23	26	30	15	11
Female	170	16	13	10	19	13	11	21	11	15	17	13	11
HAWAII	3,213	275	255	333	268	257	267	259	238	259	275	254	273
Male	2,064	190	165	232	174	161	159	167	155	177	159	169	156
Female	1,149	85	90	101	94	96	108	92	83	82	116	85	117
White	841	65	54	135	55	59	68	76	58	60	79	70	62
Male	557	43	35	109	38	35	36	46	35	43	45	47	45
Female	284	22	19	26	17	24	32	30	23	17	34	23	17
Nonwhite	2,372	210	201	198	213	198	199	183	180	199	196	184	211
Male	1,507	147	130	123	136	126	123	121	120	134	114	122	111
Female	865	63	71	75	77	72	76	62	60	65	82	62	100
PUERTO RICO	16,221	1,501	1,320	1,422	1,296	1,365	1,414	1,438	1,361	1,322	1,347	1,222	1,213
Male	8,720	781	706	769	715	725	748	765	716	710	733	701	651
Female	7,501	720	614	653	581	640	666	673	645	612	614	521	562
White	13,628	1,244	1,126	1,200	1,085	1,140	1,191	1,217	1,128	1,131	1,134	1,025	1,007
Male	7,314	632	607	655	592	611	635	644	581	598	620	594	545
Female	6,314	612	519	545	493	529	556	573	547	533	514	431	462
Nonwhite	2,593	257	194	222	211	225	223	221	233	191	213	197	206
Male	1,406	149	99	114	123	114	113	121	135	112	113	107	106
Female	1,187	108	95	108	88	111	110	100	98	79	100	90	100
VIRGIN ISLANDS	311	27	24	26	20	31	29	24	30	31	28	19	22
Male	174	14	13	15	14	14	15	14	15	14	14	14	18
Female	137	13	11	11	6	17	14	10	15	17	14	5	4
White	29	1	5	3	1	2	2	2	1	3	3	1	5
Male	19	-	5	-	1	-	1	2	-	1	3	1	5
Female	10	1	-	3	-	2	1	-	1	2	-	-	-
Nonwhite	282	26	29	23	19	29	27	22	29	28	25	18	17
Male	155	14	8	15	13	14	14	12	15	13	11	13	13
Female	127	12	11	8	6	15	13	10	14	15	14	5	4

Table 28. Deaths From 64 Selected Causes,

(By place of occurrence.

Sixth Revision No.	AREA, CAUSE OF DEATH, COLOR, AND SEX	Total	Under 1	1	2	3	4	5 to 9	10 to 14	15 to 19	20 to 24	25 to 29	30 to 34	35 to 39	40 to 44	45 to 49	50 to 54	55 to 59	60 to 64	65 to 69	70 to 74	75 to 79	80 to 84	85 to 89	90 to 94	95 and over	Not stated
	ALASKA																										
	ALL CAUSES------	1,204	275	19	14	6	7	19	13	18	65	63	52	47	57	50	72	66	65	67	69	67	50	26	13	1	3
	White-----M--	639	90	4	5	1	1	6	4	9	42	30	31	30	31	38	47	44	41	39	48	38	31	19	9	-	1
	F--	171	50	2	3	1	2	1	1	1	6	9	8	3	13	5	12	9	11	10	10	6	5	3	-	-	-
	Nonwhite--M--	224	60	8	5	3	3	7	4	6	14	15	8	10	9	5	9	11	9	10	6	12	5	1	2	1	1
	F--	170	75	5	1	1	1	5	4	2	3	9	5	4	4	2	4	2	4	8	5	11	9	3	2	-	1
001-019	Tuberculosis, all forms--------	41	5	3	1	-	1	1	-	1	1	4	2	1	1	4	2	1	4	5	1	2	-	-	-	-	1
	White-----M--	6	1	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	1	2	-	1	-	-	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--M--	22	3	2	1	-	1	-	-	1	1	2	1	1	-	3	-	1	-	3	1	1	-	-	-	-	-
	F--	13	1	1	-	-	-	1	-	-	-	2	1	-	1	1	1	-	3	-	-	-	-	-	-	-	1
001-008	Tuberculosis of respiratory system----------	34	1	2	1	-	-	1	-	1	-	4	2	1	1	4	2	1	4	5	1	2	-	-	-	-	1
	White-----M--	5	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	1	2	-	1	-	-	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--M--	16	-	1	1	-	-	-	-	1	-	2	1	1	-	3	-	1	-	3	1	1	-	-	-	-	-
	F--	13	1	1	-	-	-	1	-	-	-	2	1	-	1	1	1	-	3	-	-	-	-	-	-	-	1
010-019	Tuberculosis, other forms------	7	4	1	-	-	1	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White-----M--	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--M--	6	3	1	-	-	1	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
020-029	Syphilis and its sequelae---------	4	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	2	1	1	-	-	-	-	-
	White-----M--	3	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	1	1	-	-	-	-	-
	F--	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-
	Nonwhite--M--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
040	Typhoid fever-----	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White-----M--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--M--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
045-048	Dysentery, all forms--------	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White-----M--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--M--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
050, 051	Scarlet fever and streptococcal sore throat------	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White-----M--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--M--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
055	Diphtheria--------	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White-----M--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--M--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
056	Whooping cough----	3	3	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White-----M--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--M--	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	2	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
057	Meningococcal infections---------	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White-----M--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--M--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
080	Acute poliomyelitis----------	5	-	-	-	-	-	1	-	-	1	3	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White-----M--	1	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	1	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--M--	3	-	-	-	-	-	1	-	-	-	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
085	Measles----------	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White-----M--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--M--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
100-108	Typhus and other rickettsial diseases----------	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White-----M--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--M--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
110-117	Malaria----------	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White-----M--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--M--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Residual[1]	All other infective and parasitic diseases---	4	1	-	-	-	-	-	-	-	-	3	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White-----M--	1	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--M--	1	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	2	1	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-

[1]For category numbers, see table 55A for the United States in Volume II.

by Age, Color, and Sex: Specified Areas, 1955

Excludes fetal deaths)

Sixth Revision No.	AREA, CAUSE OF DEATH, COLOR, AND SEX	Total	Under 1	1	2	3	4	5 to 9	10 to 14	15 to 19	20 to 24	25 to 29	30 to 34	35 to 39	40 to 44	45 to 49	50 to 54	55 to 59	60 to 64	65 to 69	70 to 74	75 to 79	80 to 84	85 to 89	90 to 94	95 and over	Not stated
	ALASKA—Con.																										
140-205	Malignant neoplasms, etc.*----	61	-	1	-	-	-	1	1	-	-	1	1	1	6	3	5	5	4	8	14	2	4	3	1	-	-
	White-----M--	28	-	1	-	-	-	1	-	-	-	-	-	-	2	1	1	2	1	5	9	2	2	1	-	-	-
	F--	17	-	-	-	-	-	-	1	-	-	1	-	-	3	2	4	3	1	-	1	-	1	-	-	-	-
	Nonwhite--M--	9	-	-	-	-	-	-	-	-	-	-	1	1	1	-	-	-	2	1	2	-	1	-	-	-	-
	F--	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	2	2	-	-	2	1	-	-
140-148	Of buccal cavity and pharynx------	2	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	1	-	-	-	-	-	-
	White-----M--	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--M--	1	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
150-156A, 157-159	Of digestive organs and peritoneum (not secondary)----------	27	-	-	-	-	-	-	-	-	-	-	-	-	3	1	1	3	1	6	7	1	2	1	1	-	-
	White-----M--	14	-	-	-	-	-	-	-	-	-	-	-	-	2	1	-	1	-	4	4	1	1	-	-	-	-
	F--	5	-	-	-	-	-	-	-	-	-	-	-	-	1	-	1	2	-	-	1	-	-	-	-	-	-
	Nonwhite--M--	4	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	1	1	-	1	-	-	-	-
	F--	4	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	1	-	-	1	1	-	-
160-164	Of respiratory system (not secondary)-------	8	-	-	-	-	-	-	-	-	-	-	-	1	1	-	1	1	2	-	2	-	-	-	-	-	-
	White-----M--	3	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	1	-	1	-	-	-	-	-	-
	F--	2	-	-	-	-	-	-	-	-	-	-	-	-	1	-	1	-	-	-	-	-	-	-	-	-	-
	Nonwhite--M--	2	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	1	-	-	-	-	-	-	-	-
	F--	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-
170	Of breast---------	3	-	-	-	-	-	-	-	-	-	-	-	-	-	1	1	-	-	1	-	-	-	-	-	-	-
	White-----M--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	2	-	-	-	-	-	-	-	-	-	-	-	-	-	1	1	-	-	-	-	-	-	-	-	-	-
	Nonwhite--M--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-
171-179	Of genital organs-	8	-	-	-	-	-	-	-	-	-	1	-	-	1	1	1	1	1	-	2	-	-	-	-	-	-
	White-----M--	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	2	-	-	-	-	-	-
	F--	6	-	-	-	-	-	-	-	-	-	1	-	-	1	1	1	1	1	-	-	-	-	-	-	-	-
	Nonwhite--M--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
180, 181	Of urinary organs-	3	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	1	-	-	-	-	-
	White-----M--	3	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	1	-	-	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--M--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
156B, 165, 190-199	Of other sites, etc.*----------	10	-	-	-	-	-	1	1	-	-	-	-	-	1	-	1	-	-	1	1	-	2	2	-	-	-
	White-----M--	5	-	-	-	-	-	1	-	-	-	-	-	-	-	-	1	-	-	1	-	-	1	1	-	-	-
	F--	2	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-
	Nonwhite--M--	2	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	1	-	-	-	-	-	-
	F--	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-
204	Leukemia and aleukemia----------	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White-----M--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--M--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
200-203, 205	Lymphomas, etc.*--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White-----M--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--M--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
210-239	Benign and unspecified neoplasms--	3	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	1	-	-	-	1	-	-	-
	White-----M--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--M--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	3	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	1	-	-	-	1	-	-	-
260	Diabetes mellitus-	6	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	2	1	1	-	-	1	-	-	-	-
	White-----M--	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	2	-	-	-	-	-	-	-	-	-
	F--	3	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	1	-	-	-	1	-	-	-	-
	Nonwhite--M--	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
290-293	Anemias----------	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	1	-	-	-	-	-
	White-----M--	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--M--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-
340	Nonmeningococcal meningitis*------	5	1	1	-	1	-	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White-----M--	1	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--M--	3	1	-	-	1	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	1	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
330-334, 400-468, 592-594	Major cardiovascular-renal diseases---------	321	1	-	-	-	-	1	1	-	1	1	3	9	15	20	31	32	33	32	41	44	28	18	9	1	-
	White-----M--	219	-	-	-	-	-	-	-	-	-	1	1	6	9	19	18	24	24	20	29	27	19	15	7	-	-
	F--	45	-	-	-	-	-	-	-	-	1	-	-	-	3	1	7	2	7	6	9	5	2	2	-	-	-
	Nonwhite--M--	32	-	-	-	-	-	-	1	-	-	-	-	1	2	-	4	6	2	2	2	6	3	1	1	1	-
	F--	25	1	-	-	-	-	1	-	-	-	-	2	2	1	-	2	-	-	4	1	6	4	-	1	-	-
330-334; 400-468	Diseases of cardiovascular system-	310	1	-	-	-	-	1	1	-	1	1	3	8	14	19	31	29	32	31	39	43	28	18	9	1	-
	White-----M--	214	-	-	-	-	-	-	-	-	-	1	1	5	9	18	18	23	24	20	27	27	19	15	7	-	-
	F--	41	-	-	-	-	-	-	-	-	1	-	-	-	2	1	7	1	6	5	9	5	2	2	-	-	-
	Nonwhite--M--	30	-	-	-	-	-	-	1	-	-	-	-	1	2	-	4	5	2	2	2	5	3	1	1	1	-
	F--	25	1	-	-	-	-	1	-	-	-	-	2	2	1	-	2	-	-	4	1	6	4	-	1	-	-
330-334	Vascular lesions, etc.*----------	62	-	-	-	-	-	-	-	-	1	-	2	2	1	2	6	4	5	4	17	9	4	4	1	-	-
	White-----M--	36	-	-	-	-	-	-	-	-	-	-	1	1	-	2	4	3	4	2	9	4	3	3	-	-	-
	F--	14	-	-	-	-	-	-	-	-	1	-	-	-	1	-	1	-	1	1	7	2	-	-	-	-	-
	Nonwhite--M--	6	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	1	2	1	1	-	-	-
	F--	6	-	-	-	-	-	-	-	-	-	-	1	1	-	-	1	-	-	1	-	1	-	-	1	-	-

*For complete category title, see table 55A for the United States in Volume II.

Table 28. Deaths From 64 Selected Causes,

(By place of occurrence.

Sixth Revision No.	AREA, CAUSE OF DEATH, COLOR, AND SEX	Total	Under 1	1	2	3	4	5 to 9	10 to 14	15 to 19	20 to 24	25 to 29	30 to 34	35 to 39	40 to 44	45 to 49	50 to 54	55 to 59	60 to 64	65 to 69	70 to 74	75 to 79	80 to 84	85 to 89	90 to 94	95 and over	Not stated
	ALASKA—Con.																										
400-402	Rheumatic fever---	2	-	-	-	-	-	-	1	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-
	White-----M--	1	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--M--	1	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
410-443	Diseases of heart-	232	1	-	-	-	-	1	-	-	-	1	1	5	12	17	22	24	27	26	19	31	23	14	7	1	-
	White-----M--	167	-	-	-	-	-	-	-	-	-	1	-	3	8	16	13	19	20	18	16	20	15	12	6	-	-
	F--	25	-	-	-	-	-	-	-	-	-	-	-	-	1	1	5	1	5	3	2	3	2	2	-	-	-
	Nonwhite--M--	21	-	-	-	-	-	-	-	-	-	-	-	1	2	-	3	4	2	2	-	3	2	-	1	1	-
	F--	19	1	-	-	-	-	1	-	-	-	-	1	1	1	-	1	-	-	3	1	5	4	-	-	-	-
410-416	Chronic rheumatic heart disease----	6	-	-	-	-	-	-	-	-	-	-	-	-	-	-	3	1	1	-	-	-	1	-	-	-	-
	White-----M--	3	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	1	-	-	-	1	-	-	-	-
	F--	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	2	-	-	-	-	-	-	-	-	-	-
	Nonwhite--M--	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
420	Arteriosclerotic heart dis., etc.*	166	1	-	-	-	-	-	-	-	-	-	-	3	10	15	15	17	20	20	15	18	16	11	5	-	-
	White-----M--	138	-	-	-	-	-	-	-	-	-	-	-	3	7	15	11	14	16	16	14	14	12	11	5	-	-
	F--	14	-	-	-	-	-	-	-	-	-	-	-	-	1	-	3	-	3	2	1	2	2	-	-	-	-
	Nonwhite--M--	9	-	-	-	-	-	-	-	-	-	-	-	-	1	-	1	3	1	1	-	1	1	-	-	-	-
	F--	5	1	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	1	-	1	1	-	-	-	-
421, 422	Nonrheumatic chronic endocarditis, etc.*--	20	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	1	1	2	7	2	3	2	1	-
	White-----M--	10	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	1	1	4	1	1	1	-	-
	F--	5	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	1	1	-	2	-	-	-
	Nonwhite--M--	3	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	1	1	-
	F--	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	2	-	-	-	-	-
430-434	Other diseases of heart---------	27	-	-	-	-	-	1	-	-	-	1	1	1	2	1	3	5	2	1	2	4	3	-	-	-	-
	White-----M--	13	-	-	-	-	-	-	-	-	-	1	-	-	1	1	2	4	2	-	1	-	1	-	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--M--	6	-	-	-	-	-	-	-	-	-	-	-	1	1	-	1	1	-	-	-	2	-	-	-	-	-
	F--	8	-	-	-	-	-	1	-	-	-	-	1	-	-	-	-	-	-	1	1	2	2	-	-	-	-
440-443	Hypertension with heart dis.--	13	-	-	-	-	-	-	-	-	-	-	-	1	-	1	1	-	3	4	-	2	1	-	-	-	-
	White-----M--	3	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	2	-	-	-	-	-
	F--	4	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	2	1	-	-	-	-	-	-	-
	Nonwhite--M--	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	1	-	-	-	-	-	-	-
	F--	4	-	-	-	-	-	-	-	-	-	-	-	1	-	-	1	-	-	1	-	-	1	-	-	-	-
444-447	Hypertension without mention of heart----------	2	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	1	-	-	-	-	-	-	-	-	-
	White-----M--	2	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	1	-	-	-	-	-	-	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--M--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
450	General arteriosclerosis--------	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	2	3	-	-	1	-	-
	White-----M--	6	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	2	3	-	-	1	-	-
	F--	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-
	Nonwhite--M--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
451-468	Other diseases of circulatory sys.-	5	-	-	-	-	-	-	-	-	-	-	-	-	-	-	3	-	-	-	1	-	1	-	-	-	-
	White-----M--	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	1	-	-	-	-
	F--	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-
	Nonwhite--M--	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	1	-	-	-	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
592-594	Chronic nephritis, etc.*----------	11	-	-	-	-	-	-	-	-	-	-	-	1	1	1	-	3	1	1	2	1	-	-	-	-	-
	White-----M--	5	-	-	-	-	-	-	-	-	-	-	-	1	-	1	-	1	-	-	2	-	-	-	-	-	-
	F--	4	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	1	1	1	-	-	-	-	-	-	-
	Nonwhite--M--	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	1	-	-	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
480-493	Influenza and pneumonia, etc.*-	59	36	2	5	2	-	2	-	-	1	-	1	-	1	-	2	1	1	1	1	1	-	2	-	-	-
	White-----M--	14	7	-	1	-	-	-	-	-	-	-	-	-	1	-	2	1	1	-	-	-	-	1	-	-	-
	F--	3	-	-	1	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	1	-	-	-
	Nonwhite--M--	25	16	1	3	1	-	1	-	-	1	-	-	-	-	-	-	-	-	1	-	1	-	-	-	-	-
	F--	17	13	1	-	1	-	1	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-
480-483	Influenza---------	9	3	-	-	-	-	1	-	-	-	-	1	-	-	-	-	-	-	1	1	1	-	1	-	-	-
	White-----M--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	2	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	1	-	-	-
	Nonwhite--M--	4	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	1	-	-	-	-	-
	F--	3	1	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-
490-493	Pneumonia, etc.*--	50	33	2	5	2	-	1	-	-	1	-	-	-	1	-	2	1	1	-	-	-	-	1	-	-	-
	White-----M--	14	7	-	1	-	-	-	-	-	-	-	-	-	1	-	2	1	1	-	-	-	-	1	-	-	-
	F--	1	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--M--	21	14	1	3	1	-	1	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	14	12	1	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
500-502	Bronchitis--------	5	3	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-
	White-----M--	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--M--	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	3	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-
540, 541	Ulcer of stomach and duodenum-----	9	2	-	-	-	-	-	-	-	-	-	1	-	-	2	1	1	1	-	-	1	-	-	-	-	-
	White-----M--	6	-	-	-	-	-	-	-	-	-	-	1	-	-	1	1	1	1	-	-	1	-	-	-	-	-
	F--	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--M--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	2	1	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-
550-553	Appendicitis------	1	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White-----M--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--M--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	1	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
560, 561, 570	Hernia, intestinal obstruction--	7	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	2	-	2	-	-	-	-	-
	White-----M--	2	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-
	F--	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-
	Nonwhite--M--	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-
	F--	3	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	1	-	-	-	-	-	-	-

*For complete category title, see table 55A for the United States in Volume II.

by Age, Color, and Sex: Specified Areas, 1955—Continued

Excludes fetal deaths)

Sixth Revision No.	AREA, CAUSE OF DEATH, COLOR, AND SEX	Total	Under 1	1	2	3	4	5 to 9	10 to 14	15 to 19	20 to 24	25 to 29	30 to 34	35 to 39	40 to 44	45 to 49	50 to 54	55 to 59	60 to 64	65 to 69	70 to 74	75 to 79	80 to 84	85 to 89	90 to 94	95 and over	Not stated
	ALASKA—Con.																										
543, 571, 572	Gastritis, etc.*	7	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White-----M	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--M	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	5	5	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
581	Cirrhosis of liver	10	-	-	-	-	-	-	-	-	-	-	-	1	1	2	3	-	1	1	1	-	-	-	-	-	-
	White-----M	9	-	-	-	-	-	-	-	-	-	-	-	1	-	2	3	-	1	1	1	-	-	-	-	-	-
	F	1	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
590, 591	Acute nephritis, etc.*	3	-	-	-	-	-	-	1	-	-	1	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-
	White-----M	2	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-
	F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	1	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
610	Hyperplasia of prostate	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-
	White-----M	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-
	Nonwhite--M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
640-689	Complications of pregnancy, etc.*	4	...	...	...	...	...	...	-	1	2	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-
	White-----F	2	...	...	...	...	...	...	-	-	1	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--F	2	...	...	...	...	...	...	-	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
650-652	Abortion	-	...	...	...	...	...	...	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White-----F	-	...	...	...	...	...	...	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--F	-	...	...	...	...	...	...	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
640-649, 660-689	All other complications	4	...	...	...	...	...	...	-	1	2	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-
	White-----F	2	...	...	...	...	...	...	-	-	1	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--F	2	...	...	...	...	...	...	-	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
750-759	Congenital malformations	23	21	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-
	White-----M	8	7	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	8	8	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--M	2	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-
	F	5	5	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
760-776	Certain diseases of early infancy	126	126	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White-----M	56	56	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	32	32	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--M	15	15	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	23	23	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
760-762	Birth injuries, etc.*	49	49	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White-----M	23	23	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	12	12	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--M	4	4	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	10	10	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
763-768	Infections of newborn	9	9	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White-----M	5	5	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--M	2	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
769-776	Other diseases of infancy, and immaturity unqualified*	68	68	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White-----M	28	28	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	19	19	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--M	9	9	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	12	12	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
780-795	Senility, etc.*	59	20	2	-	1	-	-	-	-	-	1	1	-	1	2	1	3	2	5	4	7	8	-	1	-	-
	White-----M	25	2	-	-	-	-	-	-	-	-	-	1	-	-	2	1	3	1	4	2	2	6	-	1	-	-
	F	2	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	1	-	-	-	-	-	-	-
	Nonwhite--M	19	11	2	-	1	-	-	-	-	-	-	-	-	-	-	-	-	1	-	1	3	-	-	-	-	-
	F	13	7	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	1	2	2	-	-	-	-
Residual	All other diseases	78	23	4	-	-	1	1	1	-	3	5	1	1	8	1	3	7	5	5	2	3	3	1	-	-	-
	White-----M	27	4	-	-	-	-	-	-	-	2	-	-	1	3	1	3	2	3	4	2	1	-	1	-	-	-
	F	11	3	-	-	-	-	-	-	-	-	-	1	-	3	-	-	3	-	1	-	-	-	-	-	-	-
	Nonwhite--M	18	6	3	-	-	1	1	-	-	-	2	-	-	1	-	-	1	2	-	-	-	1	-	-	-	-
	F	22	10	1	-	-	-	-	1	-	1	3	-	-	1	-	-	1	-	-	-	2	2	-	-	-	-
E800-E962	Accidents	304	25	4	7	2	4	9	8	15	52	33	35	24	21	11	20	9	8	4	2	1	5	1	2	-	2
	White-----M	199	10	2	3	1	1	5	4	8	37	24	26	16	15	9	15	6	7	1	2	1	3	1	1	-	1
	F	31	6	2	2	1	2	1	-	1	4	1	4	1	2	1	-	-	1	1	-	-	1	-	-	-	-
	Nonwhite--M	60	4	-	1	-	1	3	3	5	11	7	4	5	4	1	4	3	-	2	-	-	-	-	1	-	1
	F	14	5	-	1	-	-	-	1	1	-	1	1	2	-	-	1	-	-	-	-	-	1	-	-	-	-
E810-E835	Motor-vehicle accidents	31	-	-	3	-	-	2	1	-	5	2	2	4	3	2	1	2	-	1	1	-	1	-	1	-	-
	White-----M	23	-	-	3	-	-	2	1	-	4	2	1	4	3	1	1	-	-	-	1	-	-	-	-	-	-
	F	1	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--M	6	-	-	-	-	-	-	-	-	-	-	1	-	-	1	-	2	-	1	-	-	-	-	1	-	-
	F	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-
E800-E802, E840-E962	All ot. accidents	273	25	4	4	2	4	7	7	15	47	31	33	20	18	9	19	7	8	3	1	1	4	1	1	-	2
	White-----M	176	10	2	-	1	1	3	3	8	33	22	25	12	12	8	14	6	7	1	1	1	3	1	1	-	1
	F	30	6	2	2	1	2	1	-	1	3	1	4	1	2	1	-	-	1	1	-	-	1	-	-	-	-
	Nonwhite--M	54	4	-	1	-	1	3	3	5	11	7	3	5	4	-	4	1	-	1	-	-	-	-	-	-	1
	F	13	5	-	1	-	-	-	1	1	-	1	1	2	-	-	1	-	-	-	-	-	-	-	-	-	-
E963, E970-E979	Suicide	35	-	-	-	-	-	-	-	1	1	9	5	5	1	4	2	3	2	-	1	1	-	-	-	-	-
	White-----M	23	-	-	-	-	-	-	-	1	1	3	2	4	1	3	2	3	1	-	1	1	-	-	-	-	-
	F	8	-	-	-	-	-	-	-	-	-	5	1	-	-	1	-	-	1	-	-	-	-	-	-	-	-
	Nonwhite--M	3	-	-	-	-	-	-	-	-	-	-	2	1	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	1	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
E964, E980-E985	Homicide	18	-	-	-	-	-	1	1	-	3	2	2	3	1	1	2	1	1	-	-	-	-	-	-	-	-
	White-----M	3	-	-	-	-	-	-	-	-	1	-	-	2	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	4	-	-	-	-	-	-	-	-	-	1	1	-	-	-	1	1	-	-	-	-	-	-	-	-	-
	Nonwhite--M	7	-	-	-	-	-	-	-	-	1	1	-	1	1	1	1	-	1	-	-	-	-	-	-	-	-
	F	4	-	-	-	-	-	1	1	-	1	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-
E965, E990-E999	Operations of war*	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White-----M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-

*For complete category title, see table 55A for the United States in Volume II.

Table 28. Deaths From 64 Selected Causes,

(By place of occurrence.

Sixth Revision No.	AREA, CAUSE OF DEATH, COLOR, AND SEX	Total	Under 1	1	2	3	4	5 to 9	10 to 14	15 to 19	20 to 24	25 to 29	30 to 34	35 to 39	40 to 44	45 to 49	50 to 54	55 to 59	60 to 64	65 to 69	70 to 74	75 to 79	80 to 84	85 to 89	90 to 94	95 and over	Not stated
	HAWAII																										
	ALL CAUSES------	3,213	336	23	15	13	12	25	17	30	87	55	90	86	130	148	197	263	280	302	340	310	237	146	49	19	3
	White-----M--	557	54	1	1	-	-	4	2	9	59	19	22	19	21	27	36	48	42	54	50	40	23	17	8	-	1
	F--	284	32	2	2	1	2	-	-	-	6	2	10	7	13	12	14	19	24	25	36	27	26	18	5	1	-
	Nonwhite--M--	1,507	135	12	8	5	7	13	7	14	14	20	35	31	51	67	99	124	126	166	169	163	133	76	20	11	1
	F--	865	115	8	4	7	3	8	8	7	8	14	23	29	45	42	48	72	88	57	85	80	55	35	16	7	1
001-019	Tuberculosis, all forms--------	35	-	-	-	-	-	-	-	-	-	-	2	1	5	2	2	4	4	2	6	3	2	1	1	-	-
	White-----M--	3	-	-	-	-	-	-	-	-	-	-	-	-	2	-	-	1	-	-	-	-	-	-	-	-	-
	F--	2	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	1	-	-	-	-	-	-	-
	Nonwhite--M--	24	-	-	-	-	-	-	-	-	-	-	1	-	1	-	2	3	3	1	6	3	2	1	1	-	-
	F--	6	-	-	-	-	-	-	-	-	-	-	-	1	2	2	-	-	1	-	-	-	-	-	-	-	-
001-008	Tuberculosis of respiratory system----------	33	-	-	-	-	-	-	-	-	-	-	2	1	5	2	-	4	4	2	6	3	2	1	1	-	-
	White-----M--	3	-	-	-	-	-	-	-	-	-	-	-	-	2	-	-	1	-	-	-	-	-	-	-	-	-
	F--	2	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	1	-	-	-	-	-	-	-
	Nonwhite--M--	22	-	-	-	-	-	-	-	-	-	-	1	-	1	-	-	3	3	1	6	3	2	1	1	-	-
	F--	6	-	-	-	-	-	-	-	-	-	-	-	1	2	2	-	-	1	-	-	-	-	-	-	-	-
010-019	Tuberculosis, other forms------	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	2	-	-	-	-	-	-	-	-	-	-
	White-----M--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--M--	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	2	-	-	-	-	-	-	-	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
020-029	Syphilis and its sequelae---------	15	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	7	6	1	-	-	-	-	-
	White-----M--	2	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--M--	10	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	7	3	-	-	-	-	-	-
	F--	3	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	2	1	-	-	-	-	-
040	Typhoid fever-----	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White-----M--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--M--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
045-048	Dysentery, all forms--------	6	-	-	2	-	-	-	-	-	-	-	-	-	-	-	-	-	1	1	1	1	-	-	-	-	-
	White-----M--	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	1	-	-	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--M--	3	-	-	2	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-
	F--	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-
050, 051	Scarlet fever and streptococcal sore throat------	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White-----M--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--M--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
055	Diphtheria--------	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White-----M--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--M--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
056	Whooping cough----	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White-----M--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--M--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
057	Meningococcal infections---------	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White-----M--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--M--	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
080	Acute poliomyelitis----------	5	-	-	-	-	-	2	-	-	-	1	1	-	-	-	1	-	-	-	-	-	-	-	-	-	-
	White-----M--	4	-	-	-	-	-	2	-	-	-	-	1	-	-	-	1	-	-	-	-	-	-	-	-	-	-
	F--	1	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--M--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
085	Measles----------	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White-----M--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--M--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
100-108	Typhus and other rickettsial diseases----------	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White-----M--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--M--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
110-117	Malaria----------	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White-----M--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--M--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Residual[1]	All other infective and parasitic diseases---	21	1	2	-	1	-	-	1	-	1	-	2	2	1	-	1	2	3	1	2	1	-	-	-	-	-
	White-----M--	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-
	F--	2	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-
	Nonwhite--M--	10	1	-	-	-	-	-	1	-	1	-	-	1	-	-	1	1	2	1	1	-	-	-	-	-	-
	F--	8	-	1	-	1	-	-	-	-	-	-	2	1	1	-	-	-	-	-	1	1	-	-	-	-	-

[1]For category numbers, see table 55A for the United States in Volume II.

by Age, Color, and Sex: Specified Areas, 1955—Continued

Excludes fetal deaths)

Sixth Revision No.	AREA, CAUSE OF DEATH, COLOR, AND SEX	Total	Under 1	1	2	3	4	5 to 9	10 to 14	15 to 19	20 to 24	25 to 29	30 to 34	35 to 39	40 to 44	45 to 49	50 to 54	55 to 59	60 to 64	65 to 69	70 to 74	75 to 79	80 to 84	85 to 89	90 to 94	95 and over	Not stated
	HAWAII—Con.																										
140-205	Malignant neoplasms, etc.*----	547	1	-	-	-	2	8	1	1	5	10	10	17	25	29	52	61	70	62	75	61	41	12	3	-	1
	White-----M--	60	-	-	-	-	-	-	-	-	1	1	1	-	3	3	2	7	12	12	9	3	3	1	2	-	-
	F--	53	-	-	-	-	1	-	-	-	-	1	-	4	1	4	9	8	3	5	7	3	6	1	-	-	-
	Nonwhite--M--	283	1	-	-	-	-	4	-	-	1	5	5	2	10	10	25	34	34	34	39	45	27	6	1	-	-
	F--	151	-	-	-	-	1	4	1	1	3	3	4	11	11	12	16	12	21	11	20	10	5	4	-	-	1
140-148	Of buccal cavity and pharynx------	15	-	-	-	-	-	-	-	-	-	-	-	-	-	2	4	2	1	2	3	1	-	-	-	-	-
	White-----M--	3	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	2	-	-	-	-	-	-	-
	F--	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-
	Nonwhite--M--	10	-	-	-	-	-	-	-	-	-	-	-	-	-	2	3	1	1	-	2	1	-	-	-	-	-
	F--	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-
150-156A, 157-159	Of digestive organs and peritoneum (not secondary)----------	261	-	-	-	-	-	-	-	-	1	4	4	6	14	13	22	33	29	39	31	30	26	7	2	-	-
	White-----M--	27	-	-	-	-	-	-	-	-	-	-	1	-	1	1	-	3	5	7	4	1	3	-	1	-	-
	F--	17	-	-	-	-	-	-	-	-	-	-	-	1	1	1	2	3	2	2	1	1	3	-	-	-	-
	Nonwhite--M--	161	-	-	-	-	-	-	-	-	-	3	2	2	8	4	16	21	16	24	19	22	18	5	1	-	-
	F--	56	-	-	-	-	-	-	-	-	1	1	1	3	4	7	4	6	6	6	7	6	2	2	-	-	-
160-164	Of respiratory system (not secondary)-------	79	-	-	-	-	-	-	-	-	1	2	-	-	-	3	5	7	17	9	14	18	2	1	-	-	-
	White-----M--	8	-	-	-	-	-	-	-	-	-	-	-	-	-	1	1	1	2	2	1	-	-	-	-	-	-
	F--	3	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	1	-	-	-	-	-	1	-	-	-
	Nonwhite--M--	53	-	-	-	-	-	-	-	-	-	-	-	-	-	2	3	5	9	5	10	18	1	-	-	-	-
	F--	15	-	-	-	-	-	-	-	-	1	2	-	-	-	-	-	-	6	2	3	-	1	-	-	-	-
170	Of breast---------	32	-	-	-	-	-	-	-	-	-	-	2	5	5	1	7	2	5	2	2	-	-	1	-	-	-
	White-----M--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	7	-	-	-	-	-	-	-	-	-	-	-	1	-	1	3	1	-	-	1	-	-	-	-	-	-
	Nonwhite--M--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	25	-	-	-	-	-	-	-	-	-	-	2	4	5	-	4	1	5	2	1	-	-	1	-	-	-
171-179	Of genital organs-	50	-	-	-	-	-	-	-	-	-	-	-	1	1	3	8	3	9	2	9	5	6	2	1	-	-
	White-----M--	6	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	3	-	1	1	-	-	1	-	-
	F--	9	-	-	-	-	-	-	-	-	-	-	-	-	-	1	1	2	-	1	3	-	1	-	-	-	-
	Nonwhite--M--	11	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	2	-	2	2	3	1	-	-	-
	F--	24	-	-	-	-	-	-	-	-	-	-	-	1	1	2	6	1	4	1	3	2	2	1	-	-	-
180, 181	Of urinary organs-	17	-	-	-	-	-	-	-	-	-	-	1	-	1	-	-	-	4	1	4	2	4	-	-	-	-
	White-----M--	3	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	2	-	-	-	-	-	-	-	-
	F--	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-
	Nonwhite--M--	12	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	2	1	4	1	3	-	-	-	-
	F--	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-
156B, 165, 190-199	Of other sites, etc.*----------	42	-	-	-	-	-	3	1	-	1	1	1	-	3	5	3	5	1	5	5	4	3	-	-	-	1
	White-----M--	8	-	-	-	-	-	-	-	-	-	1	-	-	1	1	-	2	-	1	1	1	-	-	-	-	-
	F--	8	-	-	-	-	-	-	-	-	-	-	-	-	-	1	1	-	1	2	1	1	1	-	-	-	-
	Nonwhite--M--	14	-	-	-	-	-	2	-	-	-	-	1	-	1	1	1	2	-	2	1	1	2	-	-	-	-
	F--	12	-	-	-	-	-	1	1	-	1	-	-	-	1	2	1	1	-	-	2	1	-	-	-	-	1
204	Leukemia and aleukemia----------	30	1	-	-	-	2	5	-	1	2	3	1	4	1	1	-	3	2	-	3	-	-	1	-	-	-
	White-----M--	4	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	2	-	-	1	-	-	-
	F--	3	-	-	-	-	1	-	-	-	-	1	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--M--	12	1	-	-	-	-	2	-	-	1	2	-	-	1	-	-	3	2	-	-	-	-	-	-	-	-
	F--	11	-	-	-	-	1	3	-	1	-	-	1	3	-	1	-	-	-	-	1	-	-	-	-	-	-
200-203, 205	Lymphomas, etc.*--	21	-	-	-	-	-	-	-	-	-	-	1	1	-	1	3	6	2	2	4	1	-	-	-	-	-
	White-----M--	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-
	F--	4	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	1	-	-	1	1	-	-	-	-	-
	Nonwhite--M--	10	-	-	-	-	-	-	-	-	-	-	1	-	-	1	1	2	2	2	1	-	-	-	-	-	-
	F--	6	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	3	-	-	2	-	-	-	-	-	-
210-239	Benign and unspecified neoplasms--	12	1	-	-	-	-	2	1	1	1	-	-	1	-	2	-	1	-	1	-	-	-	-	-	1	-
	White-----M--	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-
	F--	2	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-
	Nonwhite--M--	4	1	-	-	-	-	-	-	1	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	1	-
	F--	5	-	-	-	-	-	2	1	-	-	-	-	1	-	1	-	-	-	-	-	-	-	-	-	-	-
260	Diabetes mellitus-	102	-	-	-	-	-	-	-	-	-	1	-	-	1	2	4	11	20	19	20	12	9	1	1	1	-
	White-----M--	5	-	-	-	-	-	-	-	-	-	1	-	-	-	-	1	2	-	-	1	-	-	-	-	-	-
	F--	11	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	2	3	5	1	-	-	-	-	-
	Nonwhite--M--	35	-	-	-	-	-	-	-	-	-	-	-	-	-	1	1	2	6	8	6	5	4	1	-	1	-
	F--	51	-	-	-	-	-	-	-	-	-	-	-	-	1	1	2	7	12	8	8	6	5	-	1	-	-
290-293	Anemias----------	7	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	1	-	1	2	1	-	1	-	-	-
	White-----M--	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-
	F--	3	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	1	-	-	1	-	-	-	-	-	-
	Nonwhite--M--	3	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	1	-	-	1	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
340	Nonmeningococcal meningitis*------	7	2	-	1	-	-	-	-	2	-	1	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-
	White-----M--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--M--	4	2	-	-	-	-	-	-	1	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	3	-	-	1	-	-	-	-	1	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-
330-334, 400-468, 592-594	Major cardiovascular-renal diseases---------	1,416	3	-	1	1	-	-	4	3	3	6	29	34	53	67	96	138	140	167	181	184	149	111	32	13	1
	White-----M--	233	-	-	-	-	-	-	1	-	-	1	5	8	9	12	16	28	24	36	33	27	16	13	4	-	-
	F--	132	-	-	-	-	-	-	-	-	-	-	4	1	7	5	3	6	15	12	20	21	19	16	3	-	-
	Nonwhite--M--	682	2	-	-	1	-	-	2	3	1	4	11	18	25	33	49	58	55	93	87	84	76	56	16	7	1
	F--	369	1	-	1	-	-	-	1	-	2	1	9	7	12	17	28	46	46	26	41	52	38	26	9	6	-
330-334, 400-468	Diseases of cardiovascular system-	1,349	3	-	1	1	-	-	1	1	3	4	22	30	45	63	93	133	135	158	171	183	147	109	32	13	1
	White-----M--	227	-	-	-	-	-	-	-	-	-	1	5	7	8	12	15	27	24	35	33	27	16	13	4	-	-
	F--	131	-	-	-	-	-	-	-	-	-	-	4	1	6	5	3	6	15	12	20	21	19	16	3	-	-
	Nonwhite--M--	648	2	-	-	1	-	-	1	1	1	3	8	16	21	31	47	56	53	88	81	84	74	56	16	7	1
	F--	343	1	-	1	-	-	-	-	-	2	-	5	6	10	15	28	44	43	23	37	51	38	24	9	6	-
330-334	Vascular lesions, etc.*----------	278	1	-	-	-	-	-	1	-	1	-	2	5	6	14	30	21	36	42	32	43	25	12	5	1	1
	White-----M--	33	-	-	-	-	-	-	-	-	-	-	1	1	-	2	-	-	3	8	5	7	3	3	-	-	-
	F--	28	-	-	-	-	-	-	-	-	-	-	-	-	2	1	1	-	6	3	3	3	5	2	2	-	-
	Nonwhite--M--	143	-	-	-	-	-	-	1	-	-	-	-	2	2	9	20	11	15	23	18	22	11	4	3	1	1
	F--	74	1	-	-	-	-	-	-	-	1	-	1	2	2	2	9	10	12	8	6	11	6	3	-	-	-

*For complete category title, see table 55A for the United States in Volume II.

Table 28. Deaths From 64 Selected Causes,

(By place of occurrence.

Sixth Revision No.	AREA, CAUSE OF DEATH, COLOR, AND SEX	Total	Under 1	1	2	3	4	5 to 9	10 to 14	15 to 19	20 to 24	25 to 29	30 to 34	35 to 39	40 to 44	45 to 49	50 to 54	55 to 59	60 to 64	65 to 69	70 to 74	75 to 79	80 to 84	85 to 89	90 to 94	95 and over	Not stated
	HAWAII—Con.																										
400-402	Rheumatic fever	1	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-
	White-----M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--M	1	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-
	F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
410-443	Diseases of heart	1,003	2	-	1	-	-	-	-	1	2	4	18	22	33	46	60	110	94	112	130	129	116	89	24	10	-
	White-----M	183	-	-	-	-	-	-	-	-	-	1	4	6	8	10	14	26	21	27	25	17	12	9	3	-	-
	F	96	-	-	-	-	-	-	-	-	-	-	3	1	4	3	2	5	9	8	16	18	14	12	1	-	-
	Nonwhite--M	474	2	-	-	-	-	-	-	1	1	3	7	12	15	21	26	45	35	64	60	56	60	50	12	4	-
	F	250	-	-	1	-	-	-	-	-	1	-	4	3	6	12	18	34	29	13	29	38	30	18	8	6	-
410-416	Chronic rheumatic heart disease	31	-	-	1	-	-	-	-	-	-	1	6	3	3	4	-	7	-	-	3	2	-	1	-	-	-
	White-----M	6	-	-	-	-	-	-	-	-	-	-	-	1	1	2	-	1	-	-	1	-	-	-	-	-	-
	F	4	-	-	-	-	-	-	-	-	-	-	1	-	1	1	-	-	-	-	1	-	-	-	-	-	-
	Nonwhite--M	10	-	-	-	-	-	-	-	-	-	1	3	1	-	1	-	1	-	-	1	2	-	-	-	-	-
	F	11	-	-	1	-	-	-	-	-	-	-	2	1	1	-	-	5	-	-	-	-	-	1	-	-	-
420	Arteriosclerotic heart dis., etc.*	563	-	-	-	-	-	-	-	-	1	3	8	12	22	27	40	64	66	71	69	64	49	51	12	4	-
	White-----M	130	-	-	-	-	-	-	-	-	-	1	4	4	7	5	12	19	20	20	15	11	7	5	-	-	-
	F	59	-	-	-	-	-	-	-	-	-	-	1	1	3	1	2	3	7	6	12	12	3	7	1	-	-
	Nonwhite--M	261	-	-	-	-	-	-	-	-	1	2	3	5	11	16	16	28	20	39	32	26	27	27	6	2	-
	F	113	-	-	-	-	-	-	-	-	-	-	-	2	1	5	10	14	19	6	10	15	12	12	5	2	-
421, 422	Nonrheumatic chronic endocarditis, etc.*	92	-	-	-	-	-	-	-	1	1	-	-	1	1	1	1	2	3	6	11	20	20	15	6	3	-
	White-----M	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	1	-	1	1	-	3	-	-	-
	F	9	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	2	3	4	-	-	-	-
	Nonwhite--M	46	-	-	-	-	-	-	-	1	-	-	-	1	1	1	1	-	1	5	6	5	12	9	3	-	-
	F	30	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	1	1	1	2	11	4	3	3	3	-
430-434	Other diseases of heart	21	2	-	-	-	-	-	-	-	-	-	2	2	1	1	1	1	2	4	2	1	1	1	-	-	-
	White-----M	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	1	-	-	-	-	-
	F	2	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	1	-	-	-	-	-	-	-	-
	Nonwhite--M	12	2	-	-	-	-	-	-	-	-	-	-	2	-	-	1	1	1	3	1	-	-	1	-	-	-
	F	5	-	-	-	-	-	-	-	-	-	-	1	-	1	1	-	-	-	1	-	-	1	-	-	-	-
440-443	Hypertension with heart dis.	296	-	-	-	-	-	-	-	-	-	-	2	4	6	13	18	36	23	31	45	42	46	21	6	3	-
	White-----M	38	-	-	-	-	-	-	-	-	-	-	-	1	-	3	2	5	-	7	7	4	5	1	3	-	-
	F	22	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	2	1	2	1	3	7	5	-	-	-
	Nonwhite--M	145	-	-	-	-	-	-	-	-	-	-	1	3	3	3	8	15	13	17	20	23	21	13	3	2	-
	F	91	-	-	-	-	-	-	-	-	-	-	1	-	3	6	8	14	9	5	17	12	13	2	-	1	-
444-447	Hypertension without mention of heart	12	-	-	-	-	-	-	-	-	-	-	-	1	-	-	1	-	2	-	2	1	2	2	-	1	-
	White-----M	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	1	-	-	-	-
	F	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-
	Nonwhite--M	5	-	-	-	-	-	-	-	-	-	-	-	1	-	-	1	-	1	-	1	-	-	-	-	1	-
	F	4	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	1	-	1	1	-	-	-
450	General arteriosclerosis	22	-	-	-	-	-	-	-	-	-	-	-	1	1	-	-	-	-	2	3	5	3	4	2	1	-
	White-----M	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	1	-	-	-	-	-
	F	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-
	Nonwhite--M	12	-	-	-	-	-	-	-	-	-	-	-	1	1	-	-	-	-	-	1	2	3	2	1	1	-
	F	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	1	2	-	2	1	-	-
451-468	Other diseases of circulatory sys.	33	-	-	-	1	-	-	-	-	-	-	2	1	4	3	2	2	3	2	4	5	1	2	1	-	-
	White-----M	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	1	-	-	2	1	-	1	1	-	-
	F	5	-	-	-	-	-	-	-	-	-	-	1	-	-	1	-	1	-	-	1	-	-	1	-	-	-
	Nonwhite--M	13	-	-	-	1	-	-	-	-	-	-	1	-	2	1	-	-	2	1	1	4	-	-	-	-	-
	F	8	-	-	-	-	-	-	-	-	-	-	-	1	2	1	1	-	1	1	-	-	1	-	-	-	-
592-594	Chronic nephritis, etc.*	67	-	-	-	-	-	-	3	2	-	2	7	4	8	4	3	5	5	9	10	1	2	2	-	-	-
	White-----M	6	-	-	-	-	-	-	1	-	-	-	-	1	1	-	1	1	-	1	-	-	-	-	-	-	-
	F	1	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--M	34	-	-	-	-	-	-	1	2	-	1	3	2	4	2	2	2	2	5	6	-	2	-	-	-	-
	F	26	-	-	-	-	-	-	1	-	-	1	4	1	2	2	-	2	3	3	4	1	-	2	-	-	-
480-493	Influenza and pneumonia, etc.*	105	22	4	3	1	2	2	2	3	1	2	-	1	8	2	4	1	8	5	6	9	8	8	2	1	-
	White-----M	14	4	-	-	-	-	-	-	1	1	-	-	-	-	1	2	-	1	-	-	3	1	-	-	-	-
	F	4	3	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-
	Nonwhite--M	59	9	2	3	1	1	1	1	2	-	1	-	-	4	-	2	1	5	3	4	6	6	6	-	1	-
	F	28	6	2	-	-	1	1	1	-	-	1	-	1	4	1	-	-	2	2	2	-	1	2	1	-	-
480-483	Influenza	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-
	White-----M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--M	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-
	F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
490-493	Pneumonia, etc.*	104	22	4	3	1	2	2	2	3	1	2	-	1	8	2	4	1	7	5	6	9	8	8	2	1	-
	White-----M	14	4	-	-	-	-	-	-	1	1	-	-	-	-	1	2	-	1	-	-	3	1	-	-	-	-
	F	4	3	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-
	Nonwhite--M	58	9	2	3	1	1	1	1	2	-	1	-	-	4	-	2	1	4	3	4	6	6	6	-	1	-
	F	28	6	2	-	-	1	1	1	-	-	1	-	1	4	1	-	-	2	2	2	-	1	2	1	-	-
500-502	Bronchitis	4	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	1	1	1	-	-	-	-
	White-----M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--M	3	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	1	1	-	-	-	-
	F	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-
540, 541	Ulcer of stomach and duodenum	35	-	-	-	-	-	-	-	-	-	-	1	1	1	1	2	6	5	3	5	4	3	1	2	-	-
	White-----M	7	-	-	-	-	-	-	-	-	-	-	1	-	1	-	2	-	-	-	1	-	1	-	1	-	-
	F	3	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	1	-	1	-	-	-	-
	Nonwhite--M	16	-	-	-	-	-	-	-	-	-	-	-	1	-	1	-	4	3	2	1	3	-	1	-	-	-
	F	9	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	2	2	-	2	1	1	-	1	-	-
550-553	Appendicitis	2	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-
	White-----M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--M	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-
	F	1	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
560, 561, 570	Hernia, intestinal obstruction	11	4	1	-	1	-	-	-	-	-	-	-	-	-	-	-	1	-	2	1	-	-	-	-	1	-
	White-----M	3	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-
	F	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	1	-	-	-	-	-	-
	Nonwhite--M	3	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	1	-
	F	3	2	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-

*For complete category title, see table 55A for the United States in Volume II.

by Age, Color, and Sex: Specified Areas, 1955—Continued

Excludes fetal deaths)

Sixth Revision No.	AREA, CAUSE OF DEATH, COLOR, AND SEX	Total	Under 1	1	2	3	4	5 to 9	10 to 14	15 to 19	20 to 24	25 to 29	30 to 34	35 to 39	40 to 44	45 to 49	50 to 54	55 to 59	60 to 64	65 to 69	70 to 74	75 to 79	80 to 84	85 to 89	90 to 94	95 and over	Not stated
	HAWAII—Con.																										
543,	Gastritis, etc.*--	17	7	3	-	-	1	-	-	-	-	-	-	1	-	-	2	-	-	-	-	-	1	1	1	-	-
571,	White-----M--	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-
572	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--M--	8	1	3	-	-	1	-	-	-	-	-	-	1	-	-	1	-	-	-	-	-	1	-	-	-	-
	F--	8	6	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	1	-	-
581	Cirrhosis of liver	38	-	-	-	-	-	-	-	-	-	-	-	1	5	5	7	4	7	1	3	1	4	-	-	-	-
	White-----M--	8	-	-	-	-	-	-	-	-	-	-	-	1	1	1	2	2	1	-	-	-	-	-	-	-	-
	F--	2	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	1	-	-	-	-	-	-
	Nonwhite--M--	26	-	-	-	-	-	-	-	-	-	-	-	-	2	4	5	2	5	1	2	1	4	-	-	-	-
	F--	2	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	1	-	-	-	-	-	-	-	-
590,	Acute nephritis,																										
591	etc.*----------	4	-	-	-	-	-	-	-	-	1	2	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-
	White-----M--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--M--	3	-	-	-	-	-	-	-	-	1	1	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-
	F--	1	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
610	Hyperplasia of																										
	prostate---------	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	2	3	1	-	1	-	-
	White-----M--	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	2	-	-	-	-	-
	Nonwhite--M--	5	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	2	1	1	-	1	-	-
640-	Complications of																										
689	pregnancy, etc.*-	8	...	...	...	...	...	...	-	-	1	2	4	1	-	-	-	-	-	-	-	-	-	-	-	-	-
	White-----F--	4	...	...	...	...	...	...	-	-	1	-	3	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--F--	4	...	...	...	...	...	...	-	-	-	2	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-
650-	Abortion----------	3	...	...	...	...	...	...	-	-	-	1	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-
652	White-----F--	2	...	...	...	...	...	...	-	-	-	-	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--F--	1	...	...	...	...	...	...	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
640-	All other com-																										
649,	plications--------	5	...	...	...	...	...	...	-	-	1	1	2	1	-	-	-	-	-	-	-	-	-	-	-	-	-
660-	White-----F--	2	...	...	...	...	...	...	-	-	1	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-
689	Nonwhite--F--	3	...	...	...	...	...	...	-	-	-	1	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-
750-	Congenital mal-																										
759	formations--------	66	47	4	2	1	1	2	1	-	1	1	1	1	-	1	-	1	1	-	1	-	-	-	-	-	-
	White-----M--	12	10	1	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-
	F--	3	3	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--M--	32	21	3	1	1	1	2	-	-	1	-	-	-	-	-	-	-	1	-	1	-	-	-	-	-	-
	F--	19	13	-	1	-	-	-	1	-	-	1	1	1	-	-	-	1	-	-	-	-	-	-	-	-	-
760-	Certain diseases																										
776	of early infancy-	227	227	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White-----M--	35	35	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	24	24	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--M--	85	85	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	83	83	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
760-	Birth injuries,																										
762	etc.*----------	98	98	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White-----M--	14	14	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	9	9	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--M--	34	34	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	41	41	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
763-	Infections of																										
768	newborn----------	7	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White-----M--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--M--	3	3	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	3	3	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
769-	Other diseases of																										
776	infancy, and im-																										
	maturity unquali-																										
	fied*----------	122	122	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White-----M--	21	21	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	14	14	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--M--	48	48	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	39	39	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
780-	Senility, etc.*---	15	4	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	1	1	3	1	1	2	1	-
795	White-----M--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--M--	7	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	2	1	1	-	-	-
	F--	8	2	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	1	-	-	2	1	-
Re-	All other diseases	192	11	4	3	-	2	4	1	2	3	9	11	7	12	11	12	15	12	20	17	19	9	6	2	-	-
sid-	White-----M--	33	3	-	1	-	-	1	-	1	-	2	1	-	2	3	3	2	1	1	4	3	1	3	1	-	-
ual	F--	16	1	-	2	-	-	-	-	-	-	-	-	1	1	1	2	2	2	1	-	2	-	1	-	-	-
	Nonwhite--M--	89	7	3	-	-	1	3	-	1	2	3	7	2	3	2	6	9	6	13	6	8	4	2	1	-	-
	F--	54	-	1	-	-	1	-	1	-	1	4	3	4	6	5	1	2	3	5	7	6	4	-	-	-	-
E800-	Accidents---------	218	5	3	3	7	3	4	6	14	68	16	17	11	9	13	7	7	4	4	7	2	3	1	2	1	1
E962	White-----M--	111	-	-	-	-	-	1	1	6	57	13	11	7	1	4	3	1	1	3	-	-	1	-	-	-	1
	F--	14	1	1	-	1	-	-	-	-	3	-	1	1	2	-	-	1	1	-	-	-	-	-	1	1	-
	Nonwhite--M--	63	2	1	2	1	3	3	3	5	6	3	4	3	2	8	3	4	2	-	6	1	1	-	-	-	-
	F--	30	2	1	1	5	-	-	2	3	2	-	1	-	4	1	1	1	-	1	1	1	1	1	1	-	-
E810-	Motor-vehicle																										
E835	accidents--------	64	-	2	2	3	1	3	3	9	12	3	3	2	4	7	1	2	2	2	2	-	1	-	-	-	-
	White-----M--	19	-	-	-	-	-	1	-	3	8	2	1	1	1	1	-	-	-	1	-	-	-	-	-	-	-
	F--	5	-	1	-	-	-	-	-	-	1	-	1	-	1	-	-	-	1	-	-	-	-	-	-	-	-
	Nonwhite--M--	27	-	1	1	1	1	2	1	3	3	1	1	1	2	6	-	1	1	-	1	-	-	-	-	-	-
	F--	13	-	-	1	2	-	-	2	3	-	-	-	-	-	-	1	1	-	1	1	-	1	-	-	-	-
E800-	All ot. accidents-	154	5	1	1	4	2	1	3	5	56	13	14	9	5	6	6	5	2	2	5	2	2	1	2	1	1
E802,	White-----M--	92	-	-	-	-	-	-	1	3	49	11	10	6	-	3	3	1	1	2	-	-	1	-	-	-	1
E840-	F--	9	1	-	-	1	-	-	-	-	2	-	-	1	1	-	-	1	-	-	-	-	-	-	1	1	-
E962	Nonwhite--M--	36	2	-	1	-	2	1	2	2	3	2	3	2	-	2	3	3	1	-	5	1	1	-	-	-	-
	F--	17	2	1	-	3	-	-	-	-	2	-	1	-	4	1	-	-	-	-	-	1	-	1	1	-	-
E963,	Suicide----------	65	-	-	-	-	-	-	-	1	1	2	8	5	8	8	6	7	5	2	2	4	4	2	-	-	-
E970-	White-----M--	16	-	-	-	-	-	-	-	-	-	1	2	2	2	2	3	3	1	-	-	-	-	-	-	-	-
E979	F--	4	-	-	-	-	-	-	-	-	-	-	1	-	1	1	-	-	1	-	-	-	-	-	-	-	-
	Nonwhite--M--	35	-	-	-	-	-	-	-	1	1	1	4	3	2	3	3	3	3	1	2	3	4	1	-	-	-
	F--	10	-	-	-	-	-	-	-	-	-	-	1	-	3	2	-	1	-	1	-	1	-	1	-	-	-
E964,	Homicide----------	25	-	2	-	-	-	-	-	2	1	2	4	2	2	5	1	2	-	-	1	-	1	-	-	-	-
E980-	White-----M--	3	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	1	-	-	1	-	-	-	-	-	-
E985	F--	2	-	-	-	-	-	-	-	-	1	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--M--	13	-	-	-	-	-	-	-	-	-	1	3	-	2	4	1	1	-	-	-	-	1	-	-	-	-
	F--	7	-	2	-	-	-	-	-	2	-	1	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-
E965,	Operations of war*-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
E990-	White-----M--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
E999	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--M--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-

*For complete category title, see table 55A for the United States in Volume II.

430007 O - 57 - 10

Table 28. Deaths From 64 Selected Causes,

(By place of occurrence.

Sixth Revision No.	AREA, CAUSE OF DEATH, COLOR, AND SEX	Total	Under 1	1	2	3	4	5 to 9	10 to 14	15 to 19	20 to 24	25 to 29	30 to 34	35 to 39	40 to 44	45 to 49	50 to 54	55 to 59	60 to 64	65 to 69	70 to 74	75 to 79	80 to 84	85 to 89	90 to 94	95 and over	Not stated
	PUERTO RICO																										
	ALL CAUSES------	16,221	4,343	664	352	212	144	363	181	238	313	335	274	430	480	469	518	655	751	1,176	1,040	839	829	639	479	484	13
	White-----M--	7,314	2,089	282	126	90	57	166	84	101	129	137	131	175	217	198	251	330	387	565	474	376	370	266	167	136	10
	F--	6,314	1,747	286	156	90	59	142	66	91	114	141	102	166	155	174	179	204	237	380	396	348	335	287	230	229	-
	Nonwhite--M--	1,406	266	46	32	15	14	34	23	25	40	35	27	45	61	51	49	76	77	140	93	69	59	46	36	45	2
	F--	1,187	241	50	38	17	14	21	8	21	30	22	14	44	47	46	39	45	50	91	77	46	65	40	46	74	1
001-019	Tuberculosis, all forms--------	746	24	16	9	5	3	17	8	21	58	67	54	87	78	58	39	50	37	49	19	17	17	3	2	4	4
	White-----M--	307	12	9	5	1	2	4	2	5	20	25	19	28	36	24	21	25	18	21	7	7	10	1	-	2	3
	F--	316	11	5	3	3	1	12	5	13	26	32	27	46	30	25	13	19	11	13	5	7	5	2	-	2	-
	Nonwhite--M--	68	1	1	-	1	-	-	1	1	4	5	5	5	8	6	5	5	3	9	3	2	-	-	2	-	1
	F--	55	-	1	1	-	-	1	-	2	8	5	3	8	4	3	-	1	5	6	4	1	2	-	-	-	-
001-008	Tuberculosis of respiratory system----------	693	16	7	3	2	1	8	6	19	55	66	53	86	78	58	39	50	34	48	18	16	17	3	2	4	4
	White-----M--	288	10	5	1	-	1	2	1	3	20	25	19	28	36	24	21	25	17	21	6	7	10	1	-	2	3
	F--	291	5	2	1	2	-	5	5	13	25	31	26	46	30	25	13	19	10	13	5	6	5	2	-	2	-
	Nonwhite--M--	63	1	-	-	-	-	-	-	1	4	5	5	5	8	6	5	5	2	8	3	2	-	-	2	-	1
	F--	51	-	-	1	-	-	1	-	2	6	5	3	7	4	3	-	1	5	6	4	1	2	-	-	-	-
010-019	Tuberculosis, other forms------	53	8	9	6	3	2	9	2	2	3	1	1	1	-	-	-	-	3	1	1	1	-	-	-	-	-
	White-----M--	19	2	4	4	1	1	2	1	2	-	-	-	-	-	-	-	-	1	-	1	-	-	-	-	-	-
	F--	25	6	3	2	1	1	7	-	-	1	1	1	-	-	-	-	-	1	-	-	1	-	-	-	-	-
	Nonwhite--M--	5	-	1	-	1	-	-	1	-	-	-	-	-	-	-	-	-	1	1	-	-	-	-	-	-	-
	F--	4	-	1	-	-	-	-	-	-	2	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-
020-029	Syphilis and its sequelae---------	63	6	-	-	-	-	-	-	-	1	1	-	2	4	1	3	3	13	8	9	4	4	2	-	1	1
	White-----M--	31	3	-	-	-	-	-	-	-	-	-	-	-	1	1	1	2	8	3	7	2	-	2	-	1	-
	F--	18	3	-	-	-	-	-	-	-	-	-	-	1	1	-	1	-	3	2	2	2	3	-	-	-	-
	Nonwhite--M--	9	-	-	-	-	-	-	-	-	-	-	-	1	2	-	1	-	1	2	-	-	1	-	-	-	1
	F--	5	-	-	-	-	-	-	-	-	1	1	-	-	-	-	-	1	1	1	-	-	-	-	-	-	-
040	Typhoid fever-----	2	-	-	-	-	-	-	-	-	-	-	1	-	1	-	-	-	-	-	-	-	-	-	-	-	-
	White-----M--	2	-	-	-	-	-	-	-	-	-	-	1	-	1	-	-	-	-	-	-	-	-	-	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--M--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
045-048	Dysentery, all forms--------	9	3	-	-	1	-	-	-	-	-	1	-	2	-	-	-	-	-	1	-	-	-	1	-	-	-
	White-----M--	4	1	-	-	1	-	-	-	-	-	-	-	2	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	5	2	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	1	-	-	-	1	-	-	-
	Nonwhite--M--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
050, 051	Scarlet fever and streptococcal sore throat------	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White-----M--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--M--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
055	Diphtheria--------	10	1	1	4	3	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White-----M--	4	1	-	2	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	3	-	1	1	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--M--	2	-	-	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	1	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
056	Whooping cough----	20	12	6	1	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White-----M--	10	4	4	1	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	7	5	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--M--	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	2	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
057	Meningococcal infections---------	10	4	2	-	1	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-
	White-----M--	4	2	-	-	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	5	2	2	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--M--	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
080	Acute poliomyelitis----------	23	4	8	4	1	3	2	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White-----M--	12	2	5	2	-	1	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	11	2	3	2	1	2	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--M--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
085	Measles----------	32	8	7	2	3	2	8	1	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-
	White-----M--	10	2	1	-	1	1	3	1	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	14	4	4	1	1	1	3	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--M--	4	2	1	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	4	-	1	1	1	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
100-108	Typhus and other rickettsial diseases----------	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White-----M--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--M--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
110-117	Malaria----------	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White-----M--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--M--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Residual[1]	All other infective and parasitic diseases---	297	62	36	30	19	19	38	17	7	9	5	4	3	8	6	8	5	4	9	4	1	1	1	-	-	1
	White-----M--	108	17	14	8	6	7	17	4	3	6	2	1	-	3	2	6	1	1	5	2	-	1	1	-	-	1
	F--	114	27	14	17	12	4	10	6	2	1	2	3	2	3	1	1	1	2	4	2	-	-	-	-	-	-
	Nonwhite--M--	37	7	5	2	-	4	5	5	1	1	1	-	-	2	1	-	2	-	-	-	1	-	-	-	-	-
	F--	38	11	3	3	1	4	6	2	1	1	-	-	1	-	2	1	1	1	-	-	-	-	-	-	-	-

[1]For category numbers, see table 55A for the United States in Volume II.

by Age, Color, and Sex: Specified Areas, 1955—Continued

Excludes fetal deaths)

Sixth Revision No.	AREA, CAUSE OF DEATH, COLOR, AND SEX	Total	Under 1	1	2	3	4	5 to 9	10 to 14	15 to 19	20 to 24	25 to 29	30 to 34	35 to 39	40 to 44	45 to 49	50 to 54	55 to 59	60 to 64	65 to 69	70 to 74	75 to 79	80 to 84	85 to 89	90 to 94	95 and over	Not stated
	PUERTO RICO—Continued																										
140-205	Malignant neoplasms, etc.*----	1,534	4	1	3	6	6	9	4	13	19	13	21	43	79	105	123	151	185	236	172	126	114	59	22	20	-
	White-----M--	686	1	1	2	3	2	5	1	9	7	5	8	12	26	31	56	75	93	109	86	57	62	21	7	7	-
	F--	583	3	-	1	2	3	2	2	1	8	6	9	26	36	54	46	49	60	76	62	52	40	28	11	6	-
	Nonwhite--M--	144	-	-	-	1	-	1	1	3	2	1	2	4	4	6	9	16	18	31	10	12	8	6	3	6	-
	F--	121	-	-	-	-	1	1	-	-	2	1	2	1	13	14	12	11	14	20	14	5	4	4	1	1	-
140-148	Of buccal cavity and pharynx------	82	-	-	-	-	-	-	-	-	-	-	-	2	8	2	7	13	9	21	6	3	5	4	1	1	-
	White-----M--	56	-	-	-	-	-	-	-	-	-	-	-	2	7	2	5	8	4	15	4	2	4	2	1	-	-
	F--	16	-	-	-	-	-	-	-	-	-	-	-	-	-	-	2	-	3	5	2	1	1	1	-	1	-
	Nonwhite--M--	5	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	4	1	-	-	-	-	-	-	-	-
	F--	5	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	1	1	1	-	-	-	1	-	-	-
150-156A, 157-159	Of digestive organs and peritoneum (not secondary)----------	705	-	-	-	-	1	-	-	1	2	3	7	19	21	41	49	66	89	124	95	63	67	33	12	12	-
	White-----M--	350	-	-	-	-	-	-	-	1	2	-	2	7	10	17	25	32	50	61	50	33	41	10	3	6	-
	F--	221	-	-	-	-	-	-	-	-	-	1	3	9	7	15	16	18	25	31	32	20	22	15	6	1	-
	Nonwhite--M--	85	-	-	-	-	-	-	-	-	-	1	1	2	3	5	5	11	7	20	6	9	4	5	2	4	-
	F--	49	-	-	-	-	1	-	-	-	-	1	1	1	1	4	3	5	7	12	7	1	-	3	1	1	-
160-164	Of respiratory system (not secondary)-------	121	-	-	-	-	-	-	-	-	-	-	-	-	4	3	16	14	27	21	12	12	10	2	-	-	-
	White-----M--	77	-	-	-	-	-	-	-	-	-	-	-	-	1	2	10	11	16	13	9	7	7	1	-	-	-
	F--	26	-	-	-	-	-	-	-	-	-	-	-	-	2	1	2	3	4	5	2	4	2	1	-	-	-
	Nonwhite--M--	12	-	-	-	-	-	-	-	-	-	-	-	-	-	-	2	-	4	3	1	1	1	-	-	-	-
	F--	6	-	-	-	-	-	-	-	-	-	-	-	-	1	-	2	-	3	-	-	-	-	-	-	-	-
170	Of breast---------	42	-	-	-	-	-	-	-	-	-	-	-	4	5	6	4	5	6	5	3	-	3	-	-	1	-
	White-----M--	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-
	F--	33	-	-	-	-	-	-	-	-	-	-	-	4	4	4	3	3	5	5	1	-	3	-	-	1	-
	Nonwhite--M--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	8	-	-	-	-	-	-	-	-	-	-	-	-	1	2	1	2	-	-	2	-	-	-	-	-	-
171-179	Of genital organs-	271	-	-	-	-	-	-	-	-	2	3	5	7	24	33	21	24	26	28	30	26	21	10	8	3	-
	White-----M--	47	-	-	-	-	-	-	-	-	-	1	1	-	1	2	2	2	5	6	8	7	5	4	3	-	-
	F--	172	-	-	-	-	-	-	-	-	1	2	3	6	18	25	16	19	15	16	16	16	9	5	4	1	-
	Nonwhite--M--	15	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	3	1	1	2	3	1	1	2	-
	F--	37	-	-	-	-	-	-	-	-	1	-	1	-	5	6	3	3	3	5	5	1	4	-	-	-	-
180, 181	Of urinary organs-	51	1	-	-	-	-	1	-	-	-	-	1	3	4	2	1	4	5	10	8	6	3	1	-	1	-
	White-----M--	28	1	-	-	-	-	1	-	-	-	-	-	-	-	-	1	3	5	2	8	2	3	1	-	1	-
	F--	16	-	-	-	-	-	-	-	-	-	-	-	2	2	2	-	1	-	5	-	4	-	-	-	-	-
	Nonwhite--M--	5	-	-	-	-	-	-	-	-	-	-	1	1	-	-	-	-	-	3	-	-	-	-	-	-	-
	F--	2	-	-	-	-	-	-	-	-	-	-	-	-	2	-	-	-	-	-	-	-	-	-	-	-	-
156B, 165, 190-199	Of other sites, etc.*----------	159	-	1	-	2	-	2	2	5	3	1	1	3	10	11	19	20	19	18	12	15	5	7	1	2	-
	White-----M--	74	-	1	-	1	-	2	1	3	-	1	1	2	5	4	8	15	9	6	5	6	2	2	-	-	-
	F--	60	-	-	-	1	-	-	1	-	2	-	-	1	3	4	6	4	7	8	6	6	3	5	1	2	-
	Nonwhite--M--	13	-	-	-	-	-	-	-	2	-	-	-	-	1	1	2	1	3	2	1	-	-	-	-	-	-
	F--	12	-	-	-	-	-	-	-	-	1	-	-	-	1	2	3	-	-	2	-	3	-	-	-	-	-
204	Leukemia and aleukemia----------	71	3	-	3	4	5	6	1	3	10	6	3	5	2	6	5	2	1	4	1	-	-	1	-	-	-
	White-----M--	35	-	-	2	2	2	2	-	3	4	3	2	1	1	3	4	2	-	4	-	-	-	-	-	-	-
	F--	30	3	-	1	1	3	2	1	-	4	3	1	4	-	3	1	-	1	-	1	-	-	1	-	-	-
	Nonwhite--M--	4	-	-	-	1	-	1	-	-	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	2	-	-	-	-	-	1	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-
200-203, 205	Lymphomas, etc.*--	32	-	-	-	-	-	-	1	4	2	-	4	-	1	1	1	3	3	5	5	1	-	1	-	-	-
	White-----M--	18	-	-	-	-	-	-	-	2	1	-	2	-	1	1	1	2	3	2	2	-	-	1	-	-	-
	F--	9	-	-	-	-	-	-	-	1	1	-	2	-	-	-	-	1	-	1	2	1	-	-	-	-	-
	Nonwhite--M--	5	-	-	-	-	-	-	1	1	-	-	-	-	-	-	-	-	-	2	1	-	-	-	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
210-239	Benign and unspecified neoplasms--	57	5	-	1	-	-	4	3	1	1	3	1	3	2	2	7	6	1	5	3	2	3	1	2	1	-
	White-----M--	21	3	-	1	-	-	1	1	1	-	1	-	1	-	-	3	3	-	2	-	1	2	-	-	1	-
	F--	24	2	-	-	-	-	2	1	-	1	1	1	2	1	2	1	2	-	3	-	1	1	1	2	-	-
	Nonwhite--M--	9	-	-	-	-	-	1	1	-	-	1	-	-	1	-	1	1	1	-	2	-	-	-	-	-	-
	F--	3	-	-	-	-	-	-	-	-	-	-	-	-	-	-	2	-	-	-	1	-	-	-	-	-	-
260	Diabetes mellitus-	141	1	-	-	-	1	1	2	3	6	3	-	3	5	3	6	9	12	22	13	22	13	9	3	4	-
	White-----M--	45	1	-	-	-	-	-	1	-	3	-	-	1	2	-	2	4	3	8	7	7	2	2	1	1	-
	F--	79	-	-	-	-	1	1	1	3	2	3	-	1	3	1	3	5	7	10	6	14	6	7	2	3	-
	Nonwhite--M--	6	-	-	-	-	-	-	-	-	1	-	-	1	-	-	-	-	1	1	-	-	2	-	-	-	-
	F--	11	-	-	-	-	-	-	-	-	-	-	-	-	-	2	1	-	1	3	-	1	3	-	-	-	-
290-293	Anemias----------	170	26	13	8	3	1	10	2	4	4	2	5	5	6	4	8	4	9	13	13	5	11	7	3	4	-
	White-----M--	72	13	2	3	2	-	3	2	1	-	-	2	3	2	1	3	4	3	6	8	3	6	3	1	1	-
	F--	69	9	7	4	-	1	6	-	2	4	1	2	2	1	2	4	-	5	4	3	1	4	3	1	3	-
	Nonwhite--M--	15	2	2	-	1	-	1	-	1	-	-	1	-	-	1	1	-	-	2	2	1	-	-	-	-	-
	F--	14	2	2	1	-	-	-	-	-	-	1	-	-	3	-	-	-	1	1	-	-	1	1	1	-	-
340	Nonmeningococcal meningitis*------	71	22	11	9	3	2	6	3	2	1	1	2	3	3	1	-	1	-	-	-	1	-	-	-	-	-
	White-----M--	32	11	7	1	-	1	3	1	2	-	1	2	2	-	-	-	-	-	-	-	1	-	-	-	-	-
	F--	28	8	3	5	2	1	3	2	-	1	-	-	1	1	1	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--M--	5	-	1	1	1	-	-	-	-	-	-	-	-	1	-	-	1	-	-	-	-	-	-	-	-	-
	F--	6	3	-	2	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-
330-334, 400-468, 592-594	Major cardiovascular-renal diseases---------	3,761	30	12	7	5	2	28	20	26	29	33	30	65	90	114	155	231	292	505	501	398	402	312	249	219	6
	White-----M--	1,646	14	5	-	1	-	15	8	11	11	11	18	24	44	41	77	115	158	251	216	171	177	127	94	52	5
	F--	1,474	12	6	6	3	1	11	8	8	9	17	9	23	31	41	53	74	89	157	205	172	165	148	116	110	-
	Nonwhite--M--	345	2	1	-	-	1	1	4	5	4	2	2	8	6	16	13	22	33	63	44	35	28	20	15	20	-
	F--	296	2	-	1	1	-	1	-	2	5	3	1	10	9	16	12	20	12	34	36	20	32	17	24	37	1
330-334, 400-468	Diseases of cardiovascular system-	3,549	27	8	6	3	1	18	16	25	21	26	26	59	80	107	147	225	281	483	484	377	382	297	234	210	6
	White-----M--	1,577	13	5	-	-	-	10	8	11	8	9	16	24	40	39	75	113	155	244	210	161	170	122	89	50	5
	F--	1,374	11	3	5	2	-	6	4	7	7	13	7	18	25	37	48	71	84	147	199	166	154	140	112	108	-
	Nonwhite--M--	321	1	-	-	-	1	1	4	5	2	2	2	7	6	16	13	21	31	62	41	31	27	19	13	16	-
	F--	277	2	-	1	1	-	1	-	2	4	2	1	10	9	15	11	20	11	30	34	19	31	16	20	36	1
330-334	Vascular lesions, etc.*----------	887	7	3	3	2	1	5	-	3	4	5	6	9	17	36	32	63	77	145	127	104	84	67	53	31	3
	White-----M--	397	3	3	-	-	-	2	-	3	2	2	4	5	11	10	17	30	44	75	50	43	40	27	18	5	3
	F--	315	2	-	3	2	-	2	-	-	-	1	-	2	4	15	8	17	19	39	53	48	28	28	27	17	-
	Nonwhite--M--	95	-	-	-	-	1	-	-	-	1	-	1	2	-	4	3	10	13	16	14	9	8	6	3	4	-
	F--	80	2	-	-	-	-	1	-	-	1	2	1	-	2	7	4	6	1	15	10	4	8	6	5	5	-

*For complete category title, see table 55A for the United States in Volume II.

Table 28. Deaths From 64 Selected Causes,

(By place of occurrence.

Sixth Revision No.	AREA, CAUSE OF DEATH, COLOR, AND SEX	Total	Under 1	1	2	3	4	5 to 9	10 to 14	15 to 19	20 to 24	25 to 29	30 to 34	35 to 39	40 to 44	45 to 49	50 to 54	55 to 59	60 to 64	65 to 69	70 to 74	75 to 79	80 to 84	85 to 89	90 to 94	95 and over	Not stated
	PUERTO RICO—Continued																										
400-402	Rheumatic fever---	15	-	-	-	-	-	2	8	-	-	1	1	1	1	-	1	-	-	-	-	-	-	-	-	-	-
	White-----M--	9	-	-	-	-	-	2	6	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	5	-	-	-	-	-	-	1	-	-	1	-	1	1	-	1	-	-	-	-	-	-	-	-	-	-
	Nonwhite--M--	1	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
410-443	Diseases of heart-	2,192	15	5	3	1	-	8	6	21	16	15	16	45	59	64	104	146	184	304	300	226	239	171	133	109	2
	White-----M--	986	7	2	-	-	-	5	2	7	5	6	10	18	28	28	53	79	102	151	137	96	103	69	47	30	1
	F--	860	7	3	2	-	-	2	2	7	7	8	5	14	19	19	34	46	57	93	121	103	99	88	66	58	-
	Nonwhite--M--	196	1	-	-	-	-	1	2	5	1	1	1	5	5	10	10	10	16	45	24	18	18	10	6	7	-
	F--	150	-	-	1	1	-	-	-	2	3	-	-	8	7	7	7	11	9	15	18	9	19	4	14	14	1
410-416	Chronic rheumatic heart disease----	94	-	-	-	-	-	1	-	9	5	4	5	5	5	5	9	9	7	8	8	4	6	1	2	1	-
	White-----M--	38	-	-	-	-	-	1	-	3	2	1	4	1	3	2	3	2	5	4	2	2	1	1	1	-	-
	F--	40	-	-	-	-	-	-	-	2	2	2	1	3	1	1	4	6	2	2	6	2	4	-	1	1	-
	Nonwhite--M--	14	-	-	-	-	-	-	-	4	-	1	-	1	-	2	2	1	-	2	-	-	1	-	-	-	-
	F--	2	-	-	-	-	-	-	-	-	1	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-
420	Arteriosclerotic heart dis., etc.*	954	-	-	-	-	-	-	1	2	2	3	1	28	24	28	53	81	99	140	138	96	96	79	41	42	-
	White-----M--	477	-	-	-	-	-	-	-	1	-	2	1	14	15	15	36	49	55	82	64	46	45	24	15	13	-
	F--	329	-	-	-	-	-	-	-	1	2	1	-	7	5	5	11	18	28	34	52	36	39	47	19	24	-
	Nonwhite--M--	90	-	-	-	-	-	-	1	-	-	-	-	4	1	5	3	8	11	19	13	11	4	5	3	2	-
	F--	58	-	-	-	-	-	-	-	-	-	-	-	3	3	3	3	6	5	5	9	3	8	3	4	3	-
421, 422	Nonrheumatic chronic endocarditis, etc.*--	563	3	3	1	-	-	3	1	4	1	3	5	5	6	11	16	22	39	82	74	59	76	53	54	40	2
	White-----M--	231	3	1	-	-	-	2	-	2	1	-	3	-	3	2	4	10	23	34	27	27	29	29	20	10	1
	F--	260	-	2	1	-	-	1	-	2	-	3	1	3	2	8	7	10	14	31	38	27	36	23	27	24	-
	Nonwhite--M--	33	-	-	-	-	-	-	1	-	-	-	1	-	-	-	1	1	1	11	5	2	6	-	2	2	-
	F--	39	-	-	-	-	-	-	-	-	-	-	-	2	1	1	4	1	1	6	4	3	5	1	5	4	1
430-434	Other diseases of heart---------	327	12	2	2	1	-	4	3	3	4	4	3	6	17	9	14	16	18	44	42	35	33	14	23	18	-
	White-----M--	124	4	1	-	-	-	2	1	-	-	2	2	2	6	5	2	8	8	16	23	10	16	6	6	4	-
	F--	127	7	1	1	-	-	1	2	1	2	2	1	1	7	3	8	5	6	14	11	21	10	5	11	7	-
	Nonwhite--M--	40	1	-	-	-	-	1	-	1	-	-	-	-	3	1	4	-	2	11	4	2	3	3	1	3	-
	F--	36	-	-	1	1	-	-	-	1	2	-	-	3	1	-	-	3	2	3	4	2	4	-	5	4	-
440-443	Hypertension with heart dis.--	254	-	-	-	-	-	-	1	3	4	1	2	1	7	11	12	18	21	30	38	32	28	24	13	8	-
	White-----M--	116	-	-	-	-	-	-	1	1	2	1	-	1	1	4	8	10	11	15	21	11	12	9	5	3	-
	F--	104	-	-	-	-	-	-	-	1	1	-	2	-	4	2	4	7	7	12	14	17	10	13	8	2	-
	Nonwhite--M--	19	-	-	-	-	-	-	-	-	1	-	-	-	1	2	-	-	2	2	2	3	4	2	-	-	-
	F--	15	-	-	-	-	-	-	-	1	-	-	-	-	1	3	-	1	1	1	1	1	2	-	-	3	-
444-447	Hypertension without mention of heart----------	94	-	-	-	-	-	-	-	-	-	1	1	2	-	5	5	5	7	10	14	11	9	12	4	8	-
	White-----M--	32	-	-	-	-	-	-	-	-	-	-	-	1	-	1	2	-	2	5	6	6	2	5	1	1	-
	F--	47	-	-	-	-	-	-	-	-	-	-	1	1	-	2	3	5	3	5	6	3	7	6	1	4	-
	Nonwhite--M--	7	-	-	-	-	-	-	-	-	-	1	-	-	-	1	-	-	1	-	1	1	-	-	2	-	-
	F--	8	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	1	-	1	1	-	1	-	3	-
450	General arteriosclerosis--------	288	-	-	-	-	-	1	-	-	-	-	-	-	-	-	2	6	8	20	38	31	42	41	40	59	-
	White-----M--	117	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	3	3	9	15	15	21	17	21	12	-
	F--	122	-	-	-	-	-	1	-	-	-	-	-	-	-	-	1	1	5	10	17	9	16	18	16	28	-
	Nonwhite--M--	15	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	2	2	1	2	2	5	-
	F--	34	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	2	-	-	4	5	4	4	1	14	-
451-468	Other diseases of circulatory sys.-	73	5	-	-	-	-	2	2	1	1	4	2	2	3	2	3	5	5	4	5	5	8	6	4	3	1
	White-----M--	36	3	-	-	-	-	1	-	1	1	1	1	-	1	-	2	1	4	4	2	1	4	4	2	2	1
	F--	25	2	-	-	-	-	1	1	-	-	3	1	-	1	1	1	2	-	-	2	3	4	-	2	1	-
	Nonwhite--M--	7	-	-	-	-	-	-	1	-	-	-	-	-	1	1	-	1	1	-	-	1	-	1	-	-	-
	F--	5	-	-	-	-	-	-	-	-	-	-	-	2	-	-	-	1	-	-	1	-	-	1	-	-	-
592-594	Chronic nephritis, etc.*----------	212	3	4	1	2	1	10	4	1	8	7	4	6	10	7	8	6	11	22	17	21	20	15	15	9	-
	White-----M--	69	1	-	-	1	-	5	-	-	3	2	2	-	4	2	2	2	3	7	6	10	7	5	5	2	-
	F--	100	1	3	1	1	1	5	4	1	2	4	2	5	6	4	5	3	5	10	6	6	11	8	4	2	-
	Nonwhite--M--	24	1	1	-	-	-	-	-	-	2	-	-	1	-	-	-	1	2	1	3	4	1	1	2	4	-
	F--	19	-	-	-	-	-	-	-	-	1	1	-	-	-	1	1	-	1	4	2	1	1	1	4	1	-
480-493	Influenza and pneumonia, etc.*-	886	347	105	63	14	16	26	10	19	5	7	4	10	7	12	13	14	23	23	23	41	26	28	24	26	-
	White-----M--	374	166	40	19	6	6	12	6	8	2	2	2	3	4	7	5	6	11	8	8	22	11	9	6	5	-
	F--	399	150	51	30	6	7	12	3	9	3	4	1	4	1	4	4	4	7	14	13	15	13	15	16	13	-
	Nonwhite--M--	43	9	10	6	-	-	1	-	-	-	-	-	1	1	1	1	2	2	1	2	-	2	2	1	1	-
	F--	70	22	4	8	2	3	1	1	2	-	1	1	2	1	-	3	2	3	-	-	4	-	2	1	7	-
480-483	Influenza---------	64	18	8	-	1	1	3	-	-	-	-	-	1	-	2	2	1	-	3	7	6	3	3	1	4	-
	White-----M--	25	7	6	-	-	-	1	-	-	-	-	-	1	-	-	-	1	-	1	3	3	-	2	-	-	-
	F--	34	10	1	-	1	1	2	-	-	-	-	-	-	-	2	1	-	-	2	4	3	3	-	1	3	-
	Nonwhite--M--	3	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-
	F--	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	1	-
490-493	Pneumonia, etc.*--	822	329	97	63	13	15	23	10	19	5	7	4	9	7	10	11	13	23	20	16	35	23	25	23	22	-
	White-----M--	349	159	34	19	6	6	11	6	8	2	2	2	2	4	7	5	5	11	7	5	19	11	7	6	5	-
	F--	365	140	50	30	5	6	10	3	9	3	4	1	4	1	2	3	4	7	12	9	12	10	15	15	10	-
	Nonwhite--M--	40	8	9	6	-	-	1	-	-	-	-	-	1	1	1	1	2	2	1	2	-	2	1	1	1	-
	F--	68	22	4	8	2	3	1	1	2	-	1	1	2	1	-	2	2	3	-	-	4	-	2	1	6	-
500-502	Bronchitis---------	89	34	13	6	6	-	1	2	-	-	2	-	-	-	-	1	-	1	-	3	2	5	5	4	4	-
	White-----M--	42	20	3	2	4	-	1	1	-	-	1	-	-	-	-	1	-	1	-	-	2	1	2	2	1	-
	F--	37	12	7	4	1	-	-	1	-	-	1	-	-	-	-	-	-	-	-	1	-	3	2	2	3	-
	Nonwhite--M--	6	2	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	1	1	-	-	-
	F--	4	-	2	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-
540, 541	Ulcer of stomach and duodenum-----	43	-	-	-	-	-	-	-	-	3	3	4	2	2	2	5	3	3	8	4	-	2	1	-	1	-
	White-----M--	27	-	-	-	-	-	-	-	-	2	2	3	2	1	1	2	1	3	5	2	-	2	1	-	-	-
	F--	9	-	-	-	-	-	-	-	-	1	-	-	-	-	1	2	1	-	1	2	-	-	-	-	1	-
	Nonwhite--M--	7	-	-	-	-	-	-	-	-	-	1	1	-	1	-	1	1	-	2	-	-	-	-	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
550-553	Appendicitis------	21	1	1	-	-	-	2	3	1	1	2	1	-	1	2	1	1	-	3	-	-	-	-	-	1	-
	White-----M--	7	-	1	-	-	-	1	-	-	-	-	1	-	1	1	-	-	-	2	-	-	-	-	-	-	-
	F--	9	-	-	-	-	-	1	3	-	-	1	-	-	-	1	1	1	-	1	-	-	-	-	-	-	-
	Nonwhite--M--	3	1	-	-	-	-	-	-	-	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	2	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-
560, 561, 570	Hernia, intestinal obstruction--	79	19	2	3	4	-	2	2	2	1	2	3	1	1	3	4	3	2	7	4	3	2	5	3	1	-
	White-----M--	37	6	1	1	-	-	1	2	-	-	1	2	-	1	2	2	1	2	4	3	3	-	4	1	-	-
	F--	36	11	1	2	3	-	1	-	1	-	1	1	1	-	1	1	2	-	3	1	-	2	1	2	1	-
	Nonwhite--M--	5	2	-	-	1	-	-	-	1	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-
	F--	1	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-

*For complete category title, see table 55A for the United States in Volume II.

by Age, Color, and Sex: Specified Areas, 1955—Continued

Excludes fetal deaths)

Sixth Revision No.	AREA, CAUSE OF DEATH, COLOR, AND SEX	Total	Under 1	1	2	3	4	5 to 9	10 to 14	15 to 19	20 to 24	25 to 29	30 to 34	35 to 39	40 to 44	45 to 49	50 to 54	55 to 59	60 to 64	65 to 69	70 to 74	75 to 79	80 to 84	85 to 89	90 to 94	95 and over	Not stated
	PUERTO RICO—Continued																										
543,	Gastritis, etc.*--	1,688	1,139	207	81	52	34	41	12	3	3	6	2	6	4	5	5	5	9	9	19	13	6	10	4	13	-
571,	White-----M--	735	519	87	32	19	10	20	5	1	1	1	-	3	1	2	1	2	4	3	5	3	2	8	1	5	-
572	F--	704	464	86	32	28	18	12	5	1	2	3	2	2	2	2	4	3	5	6	10	7	1	1	3	5	-
	Nonwhite--M--	124	75	15	9	1	5	8	1	1	-	2	-	1	-	-	-	-	-	-	2	1	1	1	-	1	-
	F--	125	81	19	8	4	1	1	1	-	-	-	-	-	1	1	-	-	-	-	2	2	2	-	-	2	-
581	Cirrhosis of liver	223	1	-	-	1	-	1	-	1	4	11	4	14	17	31	25	25	20	26	20	10	8	2	1	1	-
	White-----M--	143	1	-	-	-	-	1	-	1	1	8	3	11	10	20	17	15	15	16	11	6	4	2	1	-	-
	F--	49	-	-	-	1	-	-	-	-	3	2	1	-	4	6	4	6	3	4	8	3	3	-	-	1	-
	Nonwhite--M--	22	-	-	-	-	-	-	-	-	-	1	-	2	2	4	3	2	2	3	1	1	1	-	-	-	-
	F--	9	-	-	-	-	-	-	-	-	-	-	-	1	1	1	1	2	-	3	-	-	-	-	-	-	-
590,	Acute nephritis,																										
591	etc.*----------	62	2	3	2	9	4	12	5	2	1	2	1	-	-	-	1	4	-	3	2	3	3	1	1	1	-
	White-----M--	23	1	1	1	3	3	5	1	2	-	1	1	-	-	-	-	-	-	1	1	-	1	1	-	-	-
	F--	30	-	1	1	4	-	7	3	-	1	1	-	-	-	-	-	2	-	2	1	3	2	-	1	1	-
	Nonwhite--M--	5	1	-	-	2	-	-	-	-	-	-	-	-	-	-	1	1	-	-	-	-	-	-	-	-	-
	F--	4	-	1	-	-	1	-	1	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-
610	Hyperplasia of																										
	prostate--------	17	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	1	2	4	4	2	1	2	-
	White-----M--	12	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	1	2	3	2	1	2	-
	Nonwhite--M--	5	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	1	2	1	-	-	-	-
640-	Complications of																										
689	pregnancy, etc.*-	90	...	...	...	...	...	...	1	7	16	23	11	19	9	3	1	-	-	-	-	-	-	-	-	-	-
	White-----F--	77	...	...	...	...	...	...	1	5	15	19	10	16	7	3	1	-	-	-	-	-	-	-	-	-	-
	Nonwhite--F--	13	...	...	...	...	...	...	-	2	1	4	1	3	2	-	-	-	-	-	-	-	-	-	-	-	-
650-	Abortion----------	3	...	...	...	...	...	...	-	1	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
652	White-----F--	3	...	...	...	...	...	...	-	1	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--F--	-	...	...	...	...	...	...	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
640-	All other com-																										
649,	plications--------	87	...	...	...	...	...	...	1	6	14	23	11	19	9	3	1	-	-	-	-	-	-	-	-	-	-
660-	White-----F--	74	...	...	...	...	...	...	1	4	13	19	10	16	7	3	1	-	-	-	-	-	-	-	-	-	-
689	Nonwhite--F--	13	...	...	...	...	...	...	-	2	1	4	1	3	2	-	-	-	-	-	-	-	-	-	-	-	-
750-	Congenital mal-																										
759	formations--------	308	249	13	5	5	5	7	5	4	5	1	1	2	2	-	-	1	2	-	1	-	-	-	-	-	-
	White-----M--	141	113	4	2	5	4	3	2	-	2	-	1	1	1	-	-	1	1	-	1	-	-	-	-	-	-
	F--	132	114	3	3	-	1	3	2	3	-	1	-	-	1	-	-	-	1	-	-	-	-	-	-	-	-
	Nonwhite--M--	22	16	3	-	-	-	1	-	-	1	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	13	6	3	-	-	-	-	1	1	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
760-	Certain diseases																										
776	of early infancy-	1,593	1,593	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White-----M--	792	792	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	627	627	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--M--	101	101	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	73	73	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
760-	Birth injuries,																										
762	etc.*----------	357	357	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White-----M--	209	209	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	119	119	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--M--	23	23	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	6	6	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
763-	Infections of																										
768	newborn----------	369	369	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White-----M--	175	175	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	157	157	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--M--	21	21	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	16	16	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
769-	Other diseases of																										
776	infancy, and im-																										
	maturity unquali-																										
	fied*----------	867	867	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White-----M--	408	408	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	351	351	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--M--	57	57	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	51	51	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
780-	Senility, etc.*---	2,144	586	128	53	31	25	45	14	16	16	22	20	33	39	34	38	48	63	125	135	114	144	135	123	157	-
795	White-----M--	934	297	63	16	14	11	20	9	5	4	6	9	12	14	15	11	24	31	55	61	50	61	54	42	50	-
	F--	862	223	55	23	12	9	22	4	8	8	13	9	11	15	11	19	18	19	45	46	45	62	60	56	69	-
	Nonwhite--M--	163	35	5	8	2	2	1	-	1	2	1	1	3	5	4	4	4	6	12	13	10	7	13	11	13	-
	F--	185	31	5	6	3	3	2	1	2	2	2	1	7	5	4	4	2	7	13	15	9	14	8	14	25	-
Re-	All other diseases	949	119	57	37	30	11	47	18	21	29	25	31	31	32	27	29	30	48	73	58	49	49	44	33	21	-
sid-	White-----M--	413	64	20	17	19	4	19	9	10	9	9	14	10	16	11	15	13	17	33	29	24	16	20	8	7	-
ual	F--	370	41	28	12	7	5	20	9	9	10	11	13	14	13	12	10	8	20	26	19	19	22	16	16	10	-
	Nonwhite--M--	79	8	1	3	3	1	3	-	2	5	3	2	2	-	3	1	6	7	7	7	2	4	2	4	3	-
	F--	87	6	8	5	1	1	5	-	-	5	2	2	5	3	1	3	3	4	7	3	4	7	6	5	1	-
E800-	Accidents---------	662	40	22	23	10	8	53	44	52	52	54	37	45	49	28	21	26	14	25	18	18	6	9	4	3	1
E962	White-----M--	401	23	14	10	3	4	30	26	32	39	41	27	28	25	19	12	15	10	14	6	11	3	5	2	1	1
	F--	122	14	7	9	4	3	11	7	8	3	6	4	5	3	2	5	5	2	5	7	5	2	2	2	1	-
	Nonwhite--M--	116	1	-	2	1	1	10	10	9	10	7	6	11	18	6	4	5	2	4	4	2	1	1	-	1	-
	F--	23	2	1	2	2	-	2	1	3	-	-	-	1	3	1	-	1	-	2	1	-	-	1	-	-	-
E810-	Motor-vehicle																										
E835	accidents--------	233	-	1	3	2	3	22	12	20	19	26	19	18	27	9	9	8	7	11	6	8	1	2	-	-	-
	White-----M--	147	-	1	2	1	1	14	8	13	16	22	15	9	12	5	5	4	5	5	1	6	1	1	-	-	-
	F--	30	-	-	1	-	2	2	1	5	1	1	2	4	2	-	2	1	1	3	-	2	-	-	-	-	-
	Nonwhite--M--	48	-	-	-	-	-	5	3	2	2	3	2	5	11	3	2	2	1	2	4	-	-	1	-	-	-
	F--	8	-	-	-	1	-	1	-	-	-	-	-	-	2	1	-	1	-	1	1	-	-	-	-	-	-
E800-	All ot. accidents-	429	40	21	20	8	5	31	32	32	33	28	18	27	22	19	12	18	7	14	12	10	5	7	4	3	1
E802,	White-----M--	254	23	13	8	2	3	16	18	19	23	19	12	19	13	14	7	11	5	9	5	5	2	4	2	1	1
E840-	F--	92	14	7	8	4	1	9	6	3	2	5	2	1	1	2	3	4	1	2	7	3	2	2	2	1	-
E962	Nonwhite--M--	68	1	-	2	1	1	5	7	7	8	4	4	6	7	3	2	3	1	2	-	2	1	-	-	1	-
	F--	15	2	1	2	1	-	1	1	3	-	-	-	1	1	-	-	-	-	1	-	-	-	1	-	-	-
E963,	Suicide----------	251	-	-	-	-	-	-	3	18	27	21	16	29	23	21	16	22	12	18	12	4	7	2	-	-	-
E970-	White-----M--	155	-	-	-	-	-	-	1	5	13	12	9	17	16	17	10	14	8	14	10	3	5	1	-	-	-
E979	F--	58	-	-	-	-	-	-	2	10	11	6	2	7	2	2	4	4	2	3	1	1	1	-	-	-	-
	Nonwhite--M--	24	-	-	-	-	-	-	-	-	1	2	2	3	5	1	2	4	1	1	1	-	1	-	-	-	-
	F--	14	-	-	-	-	-	-	-	3	2	1	3	2	-	1	-	-	1	-	-	-	-	1	-	-	-
E964,	Homicide----------	170	1	-	1	-	-	1	1	15	22	25	21	21	18	7	9	12	1	7	5	2	1	-	-	-	-
E980-	White-----M--	84	-	-	1	-	-	-	-	5	9	8	8	14	12	3	6	8	-	5	3	1	1	-	-	-	-
E985	F--	43	1	-	-	-	-	1	1	8	5	9	8	2	-	2	2	-	1	-	2	1	-	-	-	-	-
	Nonwhite--M--	35	-	-	-	-	-	-	-	-	8	7	5	2	5	2	1	4	-	1	-	-	-	-	-	-	-
	F--	8	-	-	-	-	-	-	-	2	-	1	-	3	1	-	-	-	-	1	-	-	-	-	-	-	-
E965,	Operations of war*-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
E990-	White-----M--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
E999	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--M--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-

*For complete category title, see table 55A for the United States in Volume II.

Table 28. Deaths From 64 Selected Causes,

(By place of occurrence.

Sixth Revision No.	AREA, CAUSE OF DEATH, COLOR, AND SEX	Total	Under 1	1	2	3	4	5 to 9	10 to 14	15 to 19	20 to 24	25 to 29	30 to 34	35 to 39	40 to 44	45 to 49	50 to 54	55 to 59	60 to 64	65 to 69	70 to 74	75 to 79	80 to 84	85 to 89	90 to 94	95 and over	Not stated
	VIRGIN ISLANDS																										
	ALL CAUSES------	311	41	8	-	2	1	5	3	2	1	2	6	7	5	9	14	18	28	33	35	37	31	15	5	2	1
	White-----M--	19	-	1	-	-	-	-	1	-	1	-	-	2	1	2	1	2	2	1	3	2	-	-	-	-	-
	F--	10	1	-	-	-	-	1	-	-	-	-	-	-	-	-	1	2	1	1	-	1	1	1	-	-	-
	Nonwhite--M--	155	20	4	-	1	1	2	1	1	-	2	5	4	3	4	9	7	15	15	19	18	14	9	1	-	-
	F--	127	20	3	-	1	-	2	1	1	-	-	1	1	1	3	3	7	10	16	13	16	16	5	4	2	1
001-019	Tuberculosis, all forms--------	5	-	-	-	-	-	2	-	-	-	-	-	-	1	-	-	-	-	1	-	1	-	-	-	-	-
	White-----M--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--M--	4	-	-	-	-	-	1	-	-	-	-	-	-	1	-	-	-	-	1	-	1	-	-	-	-	-
	F--	1	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
001-008	Tuberculosis of respiratory system----------	5	-	-	-	-	-	2	-	-	-	-	-	-	1	-	-	-	-	1	-	1	-	-	-	-	-
	White-----M--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--M--	4	-	-	-	-	-	1	-	-	-	-	-	-	1	-	-	-	-	1	-	1	-	-	-	-	-
	F--	1	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
010-019	Tuberculosis, other forms------	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White-----M--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--M--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
020-029	Syphilis and its sequelae---------	2	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	1	-	-	-	-	-	-	-	-
	White-----M--	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--M--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	1	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-
040	Typhoid fever-----	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White-----M--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--M--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
045-048	Dysentery, all forms--------	1	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-
	White-----M--	1	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--M--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
050, 051	Scarlet fever and streptococcal sore throat------	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White-----M--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--M--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
055	Diphtheria--------	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White-----M--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--M--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
056	Whooping cough----	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White-----M--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--M--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
057	Meningococcal infections---------	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White-----M--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--M--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
080	Acute poliomyelitis----------	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White-----M--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--M--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
085	Measles----------	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White-----M--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--M--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
100-108	Typhus and other rickettsial diseases----------	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White-----M--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--M--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
110-117	Malaria----------	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White-----M--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--M--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Residual[1]	All other infective and parasitic diseases---	5	-	-	-	-	1	1	-	-	-	-	-	-	-	-	-	1	1	-	-	1	-	-	-	-	-
	White-----M--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	1	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--M--	3	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	1	-	-	1	-	-	-	-	-
	F--	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-

[1]For category numbers, see table 55A for the United States in Volume II.

by Age, Color, and Sex: Specified Areas, 1955—Continued

Excludes fetal deaths)

Sixth Revision No.	AREA, CAUSE OF DEATH, COLOR, AND SEX	Total	Under 1	1	2	3	4	5 to 9	10 to 14	15 to 19	20 to 24	25 to 29	30 to 34	35 to 39	40 to 44	45 to 49	50 to 54	55 to 59	60 to 64	65 to 69	70 to 74	75 to 79	80 to 84	85 to 89	90 to 94	95 and over	Not stated
	VIRGIN ISLANDS—Continued																										
140-205	Malignant neoplasms, etc.*----	23	-	-	-	-	-	-	1	-	-	-	-	-	1	1	1	-	5	5	4	3	1	1	-	-	-
	White-----M--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-
	Nonwhite--M--	9	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	1	3	2	1	1	-	-	-	-
	F--	13	-	-	-	-	-	-	1	-	-	-	-	-	1	1	-	-	4	2	2	2	-	-	-	-	-
140-148	Of buccal cavity and pharynx------	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-
	White-----M--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--M--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-
150-156A, 157-159	Of digestive organs and peritoneum (not secondary)----------	11	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	3	3	2	1	1	1	-	-	-
	White-----M--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-
	Nonwhite--M--	6	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	2	2	1	1	-	-	-	-
	F--	4	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	3	1	-	-	-	-	-	-	-
160-164	Of respiratory system (not secondary)-------	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White-----M--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--M--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
170	Of breast---------	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White-----M--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--M--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
171-179	Of genital organs-	6	-	-	-	-	-	-	1	-	-	-	-	-	-	1	-	-	1	1	1	1	-	-	-	-	-
	White-----M--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--M--	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-
	F--	5	-	-	-	-	-	-	1	-	-	-	-	-	-	1	-	-	1	-	1	1	-	-	-	-	-
180, 181	Of urinary organs-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White-----M--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--M--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
156B, 165, 190-199	Of other sites, etc.*----------	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	1	-	-	-	-	-	-	-
	White-----M--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--M--	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-
	F--	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-
204	Leukemia and aleukemia----------	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	1	-	-	-	-	-	-
	White-----M--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--M--	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-
	F--	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-
200-203, 205	Lymphomas, etc.*---	1	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-
	White-----M--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--M--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	1	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-
210-239	Benign and unspecified neoplasms--	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	1	-	-	-	-	-
	White-----M--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--M--	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-
	F--	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-
260	Diabetes mellitus-	5	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	1	3	-	-	-	-	-	-	-
	White-----M--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--M--	3	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	2	-	-	-	-	-	-	-
	F--	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	1	-	-	-	-	-	-	-
290-293	Anemias----------	6	2	-	-	-	-	-	-	-	-	1	-	-	-	-	-	1	1	-	1	-	-	-	-	-	-
	White-----M--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--M--	4	1	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	1	-	1	-	-	-	-	-	-
	F--	2	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-
340	Nonmeningococcal meningitis*------	2	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-
	White-----M--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--M--	2	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
330-334, 400-468, 592-594	Major cardiovascular-renal diseases---------	164	1	-	-	-	-	1	-	-	-	-	-	2	1	6	8	10	12	21	27	27	27	14	4	2	1
	White-----M--	11	-	-	-	-	-	-	-	-	-	-	-	-	-	2	-	2	1	1	3	2	-	-	-	-	-
	F--	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	1	-	-	-	-
	Nonwhite--M--	76	1	-	-	-	-	1	-	-	-	-	-	2	1	2	5	5	7	8	14	11	10	9	-	-	-
	F--	75	-	-	-	-	-	-	-	-	-	-	-	-	-	2	3	3	4	11	10	14	16	5	4	2	1
330-334, 400-468	Diseases of cardiovascular system-	162	1	-	-	-	-	1	-	-	-	-	-	2	1	6	8	9	11	21	27	27	27	14	4	2	1
	White-----M--	10	-	-	-	-	-	-	-	-	-	-	-	-	-	2	-	2	-	1	3	2	-	-	-	-	-
	F--	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	1	-	-	-	-
	Nonwhite--M--	75	1	-	-	-	-	1	-	-	-	-	-	2	1	2	5	4	7	8	14	11	10	9	-	-	-
	F--	75	-	-	-	-	-	-	-	-	-	-	-	-	-	2	3	3	4	11	10	14	16	5	4	2	1
330-334	Vascular lesions, etc.*----------	36	-	-	-	-	-	-	-	-	-	-	-	1	-	-	1	1	3	6	7	9	5	2	-	-	1
	White-----M--	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-
	F--	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-
	Nonwhite--M--	17	-	-	-	-	-	-	-	-	-	-	-	1	-	-	1	-	2	2	4	3	2	2	-	-	-
	F--	17	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	3	3	6	3	-	-	-	1

*For complete category title, see table 55A for the United States in Volume II.

Table 28. Deaths From 64 Selected Causes,

(By place of occurrence.

Sixth Revision No.	AREA, CAUSE OF DEATH, COLOR, AND SEX	Total	Under 1	1	2	3	4	5 to 9	10 to 14	15 to 19	20 to 24	25 to 29	30 to 34	35 to 39	40 to 44	45 to 49	50 to 54	55 to 59	60 to 64	65 to 69	70 to 74	75 to 79	80 to 84	85 to 89	90 to 94	95 and over	Not stated
	VIRGIN ISLANDS--Continued																										
400-402	Rheumatic fever---	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White-----M--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--M--	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
410-443	Diseases of heart-	100	-	-	-	-	-	-	-	-	-	-	-	1	1	6	6	7	7	13	17	13	16	9	3	1	-
	White-----M--	9	-	-	-	-	-	-	-	-	-	-	-	-	-	2	-	1	-	1	3	2	-	-	-	-	-
	F--	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-
	Nonwhite--M--	46	-	-	-	-	-	-	-	-	-	-	-	1	1	2	4	4	4	6	7	6	6	5	-	-	-
	F--	44	-	-	-	-	-	-	-	-	-	-	-	-	-	2	2	2	3	6	7	5	9	4	3	1	-
410-416	Chronic rheumatic heart disease----	3	-	-	-	-	-	-	-	-	-	-	-	-	-	1	1	-	1	-	-	-	-	-	-	-	-
	White-----M--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--M--	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-
	F--	2	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	1	-	-	-	-	-	-	-	-
420	Arteriosclerotic heart dis., etc.*	66	-	-	-	-	-	-	-	-	-	-	-	-	-	3	3	5	4	10	10	9	13	5	3	1	-
	White-----M--	7	-	-	-	-	-	-	-	-	-	-	-	-	-	2	-	1	-	1	2	1	-	-	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--M--	30	-	-	-	-	-	-	-	-	-	-	-	-	-	1	2	3	4	4	4	5	8	1	-	-	-
	F--	29	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	1	-	5	4	3	7	4	3	1	-
421, 422	Nonrheumatic chronic endocarditis, etc.*--	8	-	-	-	-	-	-	-	-	-	-	-	1	-	-	1	-	-	-	3	1	1	1	-	-	-
	White-----M--	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	1	-	-	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--M--	3	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	1	-	-	1	-	-	-
	F--	3	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	1	-	1	-	-	-	-
430-434	Other diseases of heart---------	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	1	-	-	-	-
	White-----M--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-
	Nonwhite--M--	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
440-443	Hypertension with heart dis.--	21	-	-	-	-	-	-	-	-	-	-	-	-	1	2	1	1	2	3	4	3	1	3	-	-	-
	White-----M--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--M--	11	-	-	-	-	-	-	-	-	-	-	-	-	1	1	1	-	-	2	2	1	-	3	-	-	-
	F--	10	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	1	2	1	2	2	1	-	-	-	-
444-447	Hypertension without mention of heart----------	4	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	1	-	1	-	-	-	1	-	-	-
	White-----M--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--M--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	4	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	1	-	1	-	-	-	1	-	-	-
450	General arteriosclerosis--------	19	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	1	3	4	6	2	1	1	-
	White-----M--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--M--	10	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	3	2	2	2	-	-	-
	F--	9	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	2	4	-	1	1	-
451-468	Other diseases of circulatory sys.-	2	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-
	White-----M--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--M--	1	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-
592-594	Chronic nephritis, etc.*----------	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	1	-	-	-	-	-	-	-	-
	White-----M--	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--M--	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
480-493	Influenza and pneumonia, etc.*-	8	5	1	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	1	-	-	-	-
	White-----M--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--M--	5	2	1	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	1	-	-	-	-
	F--	3	3	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
480-483	Influenza---------	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White-----M--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--M--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
490-493	Pneumonia, etc.*--	8	5	1	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	1	-	-	-	-
	White-----M--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--M--	5	2	1	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	1	-	-	-	-
	F--	3	3	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
500-502	Bronchitis--------	2	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White-----M--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--M--	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
540, 541	Ulcer of stomach and duodenum-----	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White-----M--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--M--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
550-553	Appendicitis------	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-
	White-----M--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--M--	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
560, 561, 570	Hernia, intestinal obstruction--	4	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	1	-	-	2	-	-	-	-	-
	White-----M--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	1	-	-	-	-	-
	Nonwhite--M--	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-
	F--	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-

*For complete category title, see table 55A for the United States in Volume II.

by Age, Color, and Sex: Specified Areas, 1955—Continued

Excludes fetal deaths)

Sixth Revision No.	AREA, CAUSE OF DEATH, COLOR, AND SEX	Total	Under 1	1	2	3	4	5 to 9	10 to 14	15 to 19	20 to 24	25 to 29	30 to 34	35 to 39	40 to 44	45 to 49	50 to 54	55 to 59	60 to 64	65 to 69	70 to 74	75 to 79	80 to 84	85 to 89	90 to 94	95 and over	Not stated
	VIRGIN ISLANDS—Continued																										
543,	Gastritis, etc.*	8	4	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	1	-	-	-	-
571,	White-----M	1	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
572	F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--M	4	3	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-
	F	3	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-
581	Cirrhosis of liver	3	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	2	-	-	-	-	-	-	-	-	-
	White-----M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--M	3	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	2	-	-	-	-	-	-	-	-	-
	F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
590,	Acute nephritis,																										
591	etc.*	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White-----M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
610	Hyperplasia of																										
	prostate	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	1	-	-	-	-	-
	White-----M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--M	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	1	-	-	-	-	-
640-	Complications of																										
689	pregnancy, etc.*	1	...	...	...	...	...	...	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White-----F	-	...	...	...	...	...	...	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--F	1	...	...	...	...	...	...	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-
650-	Abortion	-	...	...	...	...	...	...	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
652	White-----F	-	...	...	...	...	...	...	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--F	-	...	...	...	...	...	...	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
640-	All other com-																										
649,	plications	1	...	...	...	...	...	...	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-
660-	White-----F	-	...	...	...	...	...	...	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
689	Nonwhite--F	1	...	...	...	...	...	...	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-
750-	Congenital mal-																										
759	formations	2	1	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White-----M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--M	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	1	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
760-	Certain diseases																										
776	of early infancy	25	25	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White-----M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--M	11	11	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	13	13	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
760-	Birth injuries,																										
762	etc.*	10	10	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White-----M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--M	3	3	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	7	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
763-	Infections of																										
768	newborn	2	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White-----M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
769-	Other diseases of																										
776	infancy, and im-																										
	maturity unquali-																										
	fied*	13	13	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White-----M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--M	8	8	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	5	5	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
780-	Senility, etc.*	6	-	2	-	1	-	-	-	-	-	-	-	-	-	-	-	-	3	-	-	-	-	-	-	-	-
795	White-----M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--M	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	2	-	-	-	-	-	-	-	-
	F	4	-	2	-	1	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-
Re-	All other diseases	13	1	2	-	1	-	-	-	-	-	-	-	2	-	-	1	1	2	-	1	-	1	-	1	-	-
sid-	White-----M	1	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-
ual	F	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-
	Nonwhite--M	8	-	2	-	1	-	-	-	-	-	-	-	1	-	-	1	-	1	-	-	-	1	-	1	-	-
	F	3	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	1	-	-	-	-	-	-
E800-	Accidents	17	-	1	-	-	-	-	1	1	1	1	3	-	2	-	2	2	1	-	1	1	-	-	-	-	-
E962	White-----M	4	-	-	-	-	-	-	1	-	1	-	-	-	1	-	1	-	-	-	-	-	-	-	-	-	-
	F	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	2	-	-	-	-	-	-	-	-	-
	Nonwhite--M	11	-	1	-	-	-	-	-	1	-	1	3	-	1	-	1	-	1	-	1	1	-	-	-	-	-
	F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
E810-	Motor-vehicle																										
E835	accidents	6	-	-	-	-	-	-	1	1	-	1	1	-	1	-	-	1	-	-	-	-	-	-	-	-	-
	White-----M	1	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-
	Nonwhite--M	4	-	-	-	-	-	-	-	1	-	1	1	-	1	-	-	-	-	-	-	-	-	-	-	-	-
	F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
E800-	All ot. accidents	11	-	1	-	-	-	-	-	-	1	-	2	-	1	-	2	1	1	-	1	1	-	-	-	-	-
E802,	White-----M	3	-	-	-	-	-	-	-	-	1	-	-	-	1	-	1	-	-	-	-	-	-	-	-	-	-
E840-	F	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-
E962	Nonwhite--M	7	-	1	-	-	-	-	-	-	-	-	2	-	-	-	1	-	1	-	1	1	-	-	-	-	-
	F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
E963,	Suicide	1	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
E970-	White-----M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
E979	F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	1	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
E964,	Homicide	3	-	-	-	-	-	-	-	-	-	-	1	-	-	2	-	-	-	-	-	-	-	-	-	-	-
E980-	White-----M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
E985	F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--M	3	-	-	-	-	-	-	-	-	-	-	1	-	-	2	-	-	-	-	-	-	-	-	-	-	-
	F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
E965,	Operations of war*	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
E990-	White-----M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
E999	F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-

*For complete category title, see table 55A for the United States in Volume II.

NOTE.—The list of 64 selected causes includes cholera (043), plague (058), and smallpox (084). There were no deaths reported from these causes.

MARRIAGES AND DIVORCES

Table 1. Marriages by Month: 36 Reporting States, 1955

(By place of occurrence. Includes only marriages occurring within the reporting area)

AREA	Total	Jan.	Feb.	Mar.	Apr.	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.
TOTAL	[1]1,064,742	69,474	68,902	59,397	85,354	85,742	127,067	99,276	97,259	100,753	94,922	84,014	92,529
Alabama	19,791	1,275	1,248	1,373	1,530	1,450	2,240	1,825	1,805	1,720	1,509	1,452	2,364
Arkansas	14,888	1,090	991	1,127	1,159	1,303	1,575	1,257	1,316	1,254	1,077	1,158	1,581
California	[1]81,939	5,488	5,944	4,732	6,700	5,685	9,983	7,799	7,851	7,428	6,444	6,527	7,355
Connecticut	17,534	1,072	1,145	621	1,511	1,525	2,183	1,876	1,343	1,975	1,820	1,427	1,036
Delaware	2,232	170	131	109	183	157	303	209	186	227	213	182	162
Florida	29,904	2,158	2,208	2,298	2,681	2,294	3,472	2,645	2,596	2,315	2,105	2,143	2,989
Georgia	54,780	3,872	3,590	3,956	4,520	4,175	5,514	5,278	4,667	4,752	4,370	4,148	5,938
Idaho	[1]8,879	523	542	507	631	648	991	875	982	916	799	673	758
Iowa	24,493	1,451	1,633	1,266	1,812	1,835	3,504	2,103	2,435	2,365	2,138	1,887	2,064
Kansas	17,667	1,119	1,133	995	1,402	1,474	2,251	1,547	1,791	1,501	1,454	1,387	1,613
Louisiana[2]	17,562	1,354	1,302	1,003	1,514	1,365	2,064	1,530	1,446	1,391	1,414	1,395	1,784
Maine	8,263	548	462	315	606	612	1,054	941	777	847	772	700	629
Maryland	42,743	3,042	2,789	2,713	3,533	3,225	4,736	4,069	3,978	3,848	3,809	3,256	3,745
Massachusetts[3]	37,079	2,155	2,683	1,330	2,645	3,817	4,903	3,334	2,947	4,344	3,922	3,088	1,911
Michigan	55,698	3,410	3,507	2,512	4,185	4,426	7,218	5,323	5,664	5,400	5,613	4,365	4,075
Minnesota	23,700	1,283	1,364	1,014	1,513	1,817	3,527	2,156	2,498	2,726	2,239	1,948	1,615
Mississippi	86,423	4,883	4,180	4,459	5,167	5,271	5,717	6,273	5,765	5,587	5,854	5,375	7,892
Missouri[4]	34,162	2,327	2,230	1,894	2,856	2,985	4,228	2,805	3,010	3,263	2,918	2,737	2,909
Montana	6,514	389	364	345	437	473	837	628	674	683	580	486	618
New Hampshire	7,061	398	481	343	525	560	794	831	649	730	668	583	499
New Jersey	40,327	2,631	2,743	1,725	3,624	3,530	5,192	3,414	2,986	4,451	4,120	3,264	2,647
New York	123,251	8,304	7,647	6,666	10,506	11,418	14,550	10,648	11,625	11,806	11,656	9,696	8,729
North Dakota	4,241	227	205	158	266	216	805	372	378	427	505	383	299
Ohio	61,862	3,615	3,920	3,014	4,910	4,921	7,873	6,297	5,724	5,849	5,741	5,061	4,937
Oklahoma[4]	27,290	1,766	1,783	1,837	2,038	2,343	3,047	2,284	2,690	2,317	2,142	2,115	2,928
Oregon	10,632	608	635	576	697	689	1,403	1,110	1,134	1,135	849	828	968
Pennsylvania	77,543	4,661	4,827	3,205	6,369	6,557	10,772	7,442	6,668	8,013	7,473	6,454	5,102
Rhode Island	6,357	364	385	179	577	639	851	586	472	768	666	564	306
South Carolina	48,227	3,449	3,169	3,292	3,977	3,347	4,562	4,768	4,297	4,083	4,149	3,656	5,478
South Dakota	6,122	390	342	335	391	419	971	492	659	580	548	502	493
Tennessee	23,258	1,497	1,427	1,457	1,814	1,749	2,543	2,299	2,115	2,075	1,859	1,636	2,787
Utah	[1]6,724	393	368	458	453	610	953	508	707	756	508	497	497
Vermont	3,378	170	181	149	246	270	428	437	323	356	329	257	232
Virginia	36,849	2,363	2,337	2,315	3,063	2,559	4,083	3,701	3,333	3,257	3,142	2,891	3,805
West Virginia	14,339	852	832	960	1,119	1,124	1,571	1,333	1,445	1,276	1,284	1,062	1,481
Wyoming	3,030	177	174	159	194	254	369	281	323	332	233	231	303

[1]Includes month not stated.
[2]Excludes New Orleans.
[3]Data estimated.
[4]Data incomplete.

Table 2. Marriages by Age of Bride, by Age of Groom: Total of 28 Reporting States, 1955

(By place of occurrence. Includes only marriages occurring within the reporting area)

AGE OF GROOM	Total	AGE OF BRIDE														
		Under 15 years	15 years	16 years	17 years	18 years	19 years	20 years	21 years	22 years	23 years	24 years	25 years	26 years	27 years	28 years
TOTAL	690,633	1,714	6,755	27,403	39,907	108,983	76,806	61,416	61,932	41,916	31,237	24,159	19,378	15,288	13,354	11,959
Under 15 years	10	2	-	3	-	2	-	-	-	-	2	1	-	-	-	-
15 years	51	7	18	12	4	6	1	3	-	-	-	-	-	-	-	-
16 years	863	64	188	290	150	111	26	16	7	1	4	1	1	-	1	-
17 years	5,321	210	752	1,537	1,342	955	301	123	47	21	10	6	4	3	2	1
18 years	26,771	328	1,284	5,027	5,552	9,801	2,935	955	463	176	87	41	33	26	15	11
19 years	40,543	267	1,113	4,753	6,919	14,104	8,091	3,028	1,140	529	238	134	76	48	33	14
20 years	46,657	204	794	3,716	6,190	13,791	9,874	6,634	2,966	1,156	543	253	182	93	67	49
21 years	84,277	229	973	4,347	6,361	28,062	14,933	10,749	10,602	3,707	1,680	898	555	362	218	146
22 years	64,950	117	512	2,382	4,117	13,050	11,165	9,665	10,706	6,222	2,923	1,475	900	508	344	245
23 years	57,663	84	382	1,804	3,100	9,440	8,835	8,200	8,807	6,223	4,484	2,301	1,338	839	548	348
24 years	48,351	57	231	1,177	2,092	6,809	6,280	6,285	6,988	5,507	4,264	3,251	1,843	1,109	809	545
25 years	39,990	36	144	732	1,369	4,184	4,480	4,735	5,625	4,566	3,739	3,051	2,381	1,433	972	650
26 years	31,354	25	108	557	827	2,811	3,092	3,231	3,933	3,468	2,869	2,497	2,097	1,630	1,106	816
27 years	24,982	21	63	314	547	1,762	1,946	2,273	2,762	2,515	2,401	2,015	1,808	1,461	1,336	944
28 years	20,092	12	47	178	387	1,205	1,360	1,514	1,911	1,799	1,736	1,632	1,372	1,264	1,151	1,147
29 years	16,703	6	33	137	276	771	939	1,004	1,400	1,413	1,400	1,295	1,201	1,081	1,007	883
30 years	14,197	6	22	98	135	539	612	726	985	1,017	1,035	1,048	991	893	837	868
31 years	11,587	3	20	50	92	361	428	516	779	748	718	744	788	699	717	650
32 years	10,620	3	14	59	90	289	330	369	589	602	596	644	647	608	613	722
33 years	9,330	6	9	32	75	184	252	277	464	448	495	472	547	527	546	533
34 years	8,671	1	17	31	36	185	205	216	333	351	372	492	435	416	470	483
35-39 years	34,428	16	14	92	130	455	472	572	898	936	1,033	1,224	1,371	1,399	1,535	1,617
40-44 years	25,252	1	8	31	42	160	152	176	318	304	366	394	498	532	578	758
45-49 years	19,424	1	-	17	27	68	61	81	124	120	142	173	176	205	271	323
50-54 years	14,234	3	4	10	4	26	24	29	53	29	46	63	64	81	110	124
55-59 years	11,050	2	1	7	5	17	11	16	17	27	15	30	29	38	36	47
60-64 years	8,365	-	1	4	2	5	2	5	7	9	6	12	20	16	16	21
65-69 years	7,114	2	1	1	3	8	2	5	2	10	6	6	10	5	11	6
70-74 years	3,680	-	-	-	-	1	1	1	-	1	3	1	4	6	3	3
75 years and over	2,229	-	-	-	2	2	-	1	-	1	-	-	2	2	-	3
Not stated	1,874	1	2	5	11	19	16	11	6	10	4	5	5	4	2	2

AGE OF GROOM	AGE OF BRIDE—Continued															
	29 years	30 years	31 years	32 years	33 years	34 years	35-39 years	40-44 years	45-49 years	50-54 years	55-59 years	60-64 years	65-69 years	70-74 years	75 years and over	Not stated
TOTAL	10,257	10,017	8,279	7,814	7,373	6,943	29,386	21,831	16,620	10,729	7,214	4,822	3,294	1,257	475	2,115
Under 15 years	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
15 years	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
16 years	1	-	1	-	-	-	-	1	-	-	-	-	-	-	-	-
17 years	1	-	-	1	-	-	-	-	1	-	-	-	-	-	-	4
18 years	7	3	-	5	3	2	7	-	1	-	-	1	-	-	-	8
19 years	17	7	4	4	-	1	5	-	-	1	-	-	1	-	-	16
20 years	32	27	10	15	8	9	17	5	2	2	1	-	-	-	-	17
21 years	105	76	56	38	33	25	51	21	3	-	-	-	-	-	1	26
22 years	137	107	83	65	47	38	82	28	7	2	1	-	-	1	-	21
23 years	243	179	110	85	79	59	116	26	10	1	1	-	-	-	-	21
24 years	369	233	174	117	93	98	174	31	12	2	2	-	-	-	-	19
25 years	457	409	239	190	135	111	265	55	13	4	1	1	-	-	-	13
26 years	561	449	279	228	168	153	339	57	19	4	1	-	-	1	-	8
27 years	663	579	357	288	215	171	418	84	22	3	2	-	1	-	-	11
28 years	729	643	449	343	274	236	530	117	41	4	-	1	-	-	-	10
29 years	893	632	461	413	341	267	657	133	38	14	1	1	-	-	-	6
30 years	787	766	555	446	387	296	871	218	39	8	4	1	1	-	-	6
31 years	665	659	600	471	381	311	869	240	54	12	2	-	1	1	1	7
32 years	568	604	583	559	418	345	1,007	272	60	16	1	1	1	2	-	8
33 years	558	532	536	466	489	347	1,085	309	114	18	4	-	1	-	-	4
34 years	473	517	451	462	503	460	1,249	388	104	9	4	3	-	-	-	5
35-39 years	1,611	1,837	1,697	1,777	1,772	1,795	7,704	3,212	972	193	38	14	9	-	1	32
40-44 years	825	986	895	1,005	1,071	1,109	6,329	5,666	2,328	546	113	20	14	1	-	26
45-49 years	327	457	450	481	558	651	4,108	4,755	4,029	1,300	378	77	30	6	4	24
50-54 years	143	187	170	207	234	261	1,937	3,117	3,643	2,502	840	209	71	15	4	24
55-59 years	50	67	74	93	85	112	903	1,736	2,652	2,447	1,718	581	170	33	9	22
60-64 years	17	29	26	27	46	46	373	754	1,365	1,852	1,829	1,299	446	96	17	17
65-69 years	7	24	14	20	22	25	213	423	754	1,176	1,466	1,450	1,130	242	53	17
70-74 years	6	6	4	2	3	10	52	124	239	429	546	767	892	458	104	14
75 years and over	2	-	1	4	7	1	19	48	95	180	257	389	524	400	281	8
Not stated	3	2	-	2	1	4	6	11	3	4	4	7	2	1	-	1,721

NOTE.—States included: Alabama, Connecticut, Delaware, Florida, Georgia, Idaho, Iowa, Kansas, Louisiana (exclusive of New Orleans), Maryland, Michigan, Mississippi, Missouri, Montana, Nebraska, New Hampshire, New York (exclusive of 68,615 marriages for which licenses had been issued in New York City), North Dakota, Ohio, Oregon, South Carolina, South Dakota, Tennessee, Utah, Vermont, Virginia, West Virginia, and Wyoming.

Table 3. First Marriages of Both Bride and Groom, by Age of Bride, by Age of Groom: Total of 23 Reporting States, 1955

(By place of occurrence. Includes only marriages occurring within the reporting area)

AGE OF GROOM	Total	AGE OF BRIDE														
		Under 15 years	15 years	16 years	17 years	18 years	19 years	20 years	21 years	22 years	23 years	24 years	25 years	26 years	27 years	28 years
TOTAL	366,834	1,115	4,737	20,365	30,364	66,630	53,172	43,013	42,302	27,588	18,871	13,495	9,629	6,714	5,207	4,084
Under 15 years	6	1	-	2	-	2	-	-	-	-	1	-	-	-	-	-
15 years	38	7	13	10	2	3	1	2	-	-	-	-	-	-	-	-
16 years	663	44	144	226	127	81	18	14	4	1	3	-	-	-	-	-
17 years	4,082	152	584	1,191	1,068	689	245	89	33	14	7	4	-	1	1	-
18 years	19,893	224	951	3,935	4,388	6,847	2,271	700	332	117	51	26	18	12	6	6
19 years	30,729	182	825	3,761	5,532	10,122	6,400	2,342	859	368	156	75	34	25	17	7
20 years	35,864	137	584	2,943	5,023	10,216	7,810	5,247	2,311	822	371	155	104	48	25	17
21 years	52,431	148	626	3,102	4,754	13,986	9,891	7,613	7,629	2,508	1,017	491	284	156	96	50
22 years	44,943	79	354	1,758	3,143	8,012	7,822	7,161	8,020	4,582	2,004	916	458	243	141	86
23 years	39,264	48	235	1,270	2,327	5,889	6,232	6,001	6,403	4,558	3,069	1,452	737	427	244	139
24 years	32,020	26	150	807	1,504	4,057	4,328	4,496	5,026	3,913	2,946	2,104	1,109	595	359	212
25 years	25,378	26	91	470	981	2,495	2,970	3,264	3,901	3,217	2,481	2,008	1,399	779	476	257
26 years	18,517	13	57	346	550	1,581	1,932	2,130	2,564	2,309	1,828	1,558	1,208	872	558	353
27 years	13,645	8	43	188	335	913	1,128	1,437	1,709	1,556	1,476	1,208	1,023	746	631	416
28 years	9,756	8	24	102	225	579	709	865	1,058	1,060	974	873	760	627	510	457
29 years	7,542	3	14	73	138	369	489	531	714	770	713	673	612	501	460	389
30 years	5,668	-	5	53	76	234	281	332	487	517	510	491	466	382	335	332
31 years	4,261	1	8	24	42	136	174	245	355	356	352	351	315	291	278	237
32 years	3,486	1	8	22	38	113	128	134	240	254	238	277	246	225	237	223
33 years	2,745	1	3	15	28	66	89	108	187	179	180	181	207	184	192	164
34 years	2,362	-	8	12	14	48	69	90	128	137	124	212	134	143	142	134
35-39 years	6,787	5	6	35	43	126	131	147	255	272	260	338	398	328	362	410
40-44 years	3,146	-	2	10	11	40	29	45	59	54	76	63	88	92	91	144
45-49 years	1,586	-	-	5	7	7	10	12	19	12	22	30	22	23	33	36
50-54 years	845	-	-	2	-	6	3	1	6	7	5	6	3	6	9	12
55-59 years	473	-	-	-	1	2	1	4	-	1	2	-	-	5	4	1
60-64 years	234	-	1	-	-	1	-	-	-	-	2	1	1	1	-	1
65-69 years	154	1	-	-	1	1	-	-	-	-	1	-	1	1	-	1
70-74 years	32	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-
75 years and over	21	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-
Not stated	263	-	1	3	5	8	11	3	3	4	2	2	2	1	-	-

AGE OF GROOM	AGE OF BRIDE—Continued															
	29 years	30 years	31 years	32 years	33 years	34 years	35-39 years	40-44 years	45-49 years	50-54 years	55-59 years	60-64 years	65-69 years	70-74 years	75 years and over	Not stated
TOTAL	3,088	2,658	1,941	1,717	1,423	1,247	3,895	1,746	778	386	189	101	52	10	9	308
Under 15 years	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
15 years	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
16 years	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
17 years	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	3
18 years	2	1	-	-	-	-	3	-	-	-	-	-	-	-	-	3
19 years	9	3	-	2	-	1	1	-	-	-	-	-	-	-	-	8
20 years	13	8	4	4	-	2	6	-	-	-	1	-	-	-	-	13
21 years	22	15	11	7	6	5	6	-	-	-	-	-	-	-	1	7
22 years	48	33	23	14	19	8	8	3	-	-	-	-	-	-	-	8
23 years	80	54	33	14	15	10	14	3	-	-	-	-	-	-	-	10
24 years	131	81	50	24	19	28	38	4	2	-	-	-	-	-	-	11
25 years	181	137	76	51	38	23	50	4	-	-	-	-	-	-	-	3
26 years	223	157	76	61	36	35	53	8	2	-	-	-	-	1	-	6
27 years	241	199	105	93	49	49	79	9	2	-	-	-	-	-	-	2
28 years	263	213	139	99	80	52	78	15	4	-	-	-	-	-	-	2
29 years	315	205	136	137	84	69	132	11	3	1	-	-	-	-	-	-
30 years	286	246	162	130	104	74	132	27	3	-	-	-	-	-	-	3
31 years	218	224	170	127	103	58	160	29	3	1	1	-	-	-	-	2
32 years	191	184	170	160	113	75	173	29	4	2	-	-	-	-	-	1
33 years	155	153	136	118	93	64	196	34	10	1	-	-	-	-	-	1
34 years	150	119	109	116	106	96	204	55	9	2	-	1	-	-	-	-
35-39 years	360	404	351	351	349	311	1,158	308	74	4	-	-	-	-	-	1
40-44 years	139	156	123	119	146	188	787	515	132	27	7	1	-	1	-	1
45-49 years	44	45	45	59	55	63	389	355	217	60	10	5	-	-	-	1
50-54 years	11	19	12	21	18	24	142	210	178	110	24	7	1	-	-	2
55-59 years	3	1	5	8	6	10	57	94	87	86	70	21	3	-	-	1
60-64 years	-	-	4	1	4	1	16	20	34	58	46	51	9	1	1	-
65-69 years	1	1	1	-	-	1	9	11	11	33	27	24	24	2	1	1
70-74 years	-	-	-	-	-	-	3	2	2	1	3	8	7	2	2	1
75 years and over	1	-	-	-	-	-	1	-	1	-	-	2	8	3	4	-
Not stated	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	217

NOTE.—States included: Alabama, Connecticut, Delaware, Florida, Georgia, Idaho, Iowa, Kansas, Louisiana (exclusive of New Orleans), Maryland, Michigan, Missouri, Montana, New Hampshire, New York (exclusive of New York City), Ohio, Oregon, South Dakota, Tennessee, Utah, Vermont, Virginia, and Wyoming.

Table 4. All Marriages, First Marriages, and Remarriages, by Age and Race of Bride and of Groom: Total of 20 Reporting States, 1955

(By place of occurrence. Includes only marriages occurring within the reporting area)

AGE	BRIDE						GROOM					
	Total	White	Nonwhite			Race not stated	Total	White	Nonwhite			Race not stated
			Total	Negro	Other				Total	Negro	Other	
	ALL MARRIAGES[1]											
TOTAL	392,020	347,768	42,845	41,928	917	1,407	392,020	348,103	42,930	42,057	873	987
Under 15 years	743	531	209	208	1	3	5	3	2	1	1	-
15 years	3,434	2,778	650	637	13	6	28	18	10	10	-	-
16 years	15,162	13,236	1,907	1,867	40	19	582	511	71	70	1	-
17 years	23,805	21,221	2,546	2,505	41	38	3,126	2,713	407	402	5	6
18 years	51,800	47,204	4,487	4,405	82	109	14,408	13,021	1,376	1,338	38	11
19 years	44,464	40,628	3,754	3,674	80	82	23,134	21,070	2,050	2,023	27	14
20 years	37,653	34,357	3,236	3,166	70	60	27,922	25,554	2,351	2,307	44	17
21 years	34,162	30,948	3,158	3,082	76	56	39,718	35,634	4,058	3,980	78	26
22 years	25,133	22,653	2,440	2,358	82	40	36,563	33,067	3,479	3,412	67	17
23 years	18,786	16,728	2,028	1,973	55	30	33,344	30,153	3,167	3,095	72	24
24 years	14,298	12,716	1,553	1,508	45	29	28,461	25,908	2,535	2,483	52	18
25 years	11,409	9,984	1,402	1,354	48	23	23,652	21,351	2,289	2,215	74	12
26 years	8,907	7,801	1,094	1,058	36	12	18,613	16,774	1,822	1,768	54	17
27 years	7,762	6,703	1,042	1,001	41	17	14,859	13,326	1,525	1,490	35	8
28 years	6,777	5,793	973	944	29	11	11,664	10,268	1,392	1,350	42	4
29 years	5,958	5,087	866	836	30	5	9,824	8,631	1,188	1,153	35	5
30 years	5,718	4,830	882	863	19	6	8,161	7,148	1,011	979	32	2
31 years	4,767	4,123	637	625	12	7	6,768	5,950	817	797	20	1
32 years	4,361	3,710	647	633	14	4	6,091	5,221	870	845	25	-
33 years	4,251	3,633	614	606	8	4	5,357	4,616	740	726	14	1
34 years	3,911	3,312	595	590	5	4	4,934	4,217	716	700	16	1
35 years	3,788	3,194	585	580	3	9	4,688	3,950	738	722	16	-
36 years	3,363	2,828	551	546	5	4	3,920	3,308	608	591	17	4
37 years	3,303	2,801	497	490	7	5	3,805	3,240	562	557	5	3
38 years	3,214	2,624	584	578	6	6	3,564	2,985	578	573	5	1
39 years	3,084	2,598	482	473	9	4	3,523	3,028	492	486	6	3
40 years	3,001	2,552	446	442	4	3	3,248	2,727	516	511	5	5
41 years	2,440	2,090	348	345	3	2	2,895	2,461	434	430	4	-
42 years	2,536	2,148	388	383	5	2	2,881	2,447	434	427	7	-
43 years	2,407	2,053	350	348	2	4	2,678	2,257	418	412	6	3
44 years	2,238	1,916	317	312	5	5	2,567	2,166	401	395	6	-
45-49 years	9,762	8,369	1,382	1,364	18	11	11,071	9,371	1,696	1,673	23	4
50-54 years	6,528	5,688	831	823	8	9	8,388	7,078	1,304	1,292	12	6
55-59 years	4,571	4,026	539	533	6	6	6,587	5,628	952	937	15	7
60-64 years	3,147	2,870	269	266	3	8	5,117	4,473	642	636	6	2
65-69 years	2,200	1,994	202	201	1	4	4,348	3,698	643	639	4	7
70-74 years	868	805	61	61	-	2	2,359	2,090	269	265	4	-
75 years and over	353	322	30	30	-	1	1,420	1,243	175	175	-	2
Not stated	1,934	914	263	260	3	757	1,747	799	192	192	-	756
	FIRST MARRIAGES											
TOTAL	289,146	259,178	29,465	28,726	739	503	293,652	264,212	29,264	28,548	716	176
Under 15 years	655	487	165	164	1	3	4	3	1	1	-	-
15 years	3,136	2,563	567	554	13	6	25	16	9	9	-	-
16 years	14,269	12,575	1,676	1,636	40	18	539	481	58	57	1	-
17 years	22,488	20,209	2,242	2,201	41	37	2,953	2,606	342	337	5	5
18 years	49,054	44,928	4,024	3,943	81	102	13,752	12,548	1,193	1,155	38	11
19 years	41,634	38,233	3,330	3,251	79	71	22,167	20,360	1,793	1,766	27	14
20 years	34,470	31,566	2,848	2,784	64	56	26,594	24,526	2,051	2,010	41	17
21 years	30,444	27,881	2,713	2,642	71	50	37,511	33,874	3,612	3,536	76	25
22 years	21,653	19,588	2,031	1,955	76	34	33,907	30,802	3,088	3,027	61	17
23 years	15,242	13,802	1,613	1,563	50	27	30,487	27,687	2,778	2,709	69	22
24 years	10,915	9,712	1,179	1,146	33	24	25,475	23,295	2,165	2,115	50	15
25 years	8,045	7,038	990	949	41	17	20,561	18,618	1,933	1,865	68	10
26 years	5,779	5,027	741	715	26	11	15,484	14,019	1,454	1,404	50	11
27 years	4,538	3,868	658	627	31	12	11,767	10,579	1,181	1,150	31	7
28 years	3,737	3,120	612	593	19	5	8,698	7,668	1,026	989	37	4
29 years	2,956	2,460	493	472	21	3	6,903	6,070	828	798	30	5
30 years	2,586	2,132	450	439	11	4	5,302	4,627	674	648	26	1
31 years	2,002	1,683	316	309	7	3	4,150	3,626	523	511	12	1
32 years	1,733	1,427	305	297	8	1	3,503	2,976	527	511	16	-
33 years	1,528	1,254	272	268	4	2	2,840	2,411	429	419	10	-
34 years	1,360	1,120	238	234	4	2	2,485	2,102	383	370	13	-
35 years	1,151	935	213	211	2	3	2,168	1,770	398	387	11	-
36 years	1,000	793	205	204	1	2	1,709	1,432	275	266	9	2
37 years	906	729	174	172	2	3	1,566	1,302	263	261	2	1
38 years	846	646	198	196	2	2	1,341	1,099	242	239	3	-
39 years	760	602	157	156	1	1	1,214	1,010	204	201	3	-

[1]Includes 11,614 marriages of brides and 11,788 marriages of grooms for which previous marital status was not stated.

Table 4. All Marriages, First Marriages, and Remarriages, by Age and Race of Bride and of Groom: Total of 20 Reporting States, 1955—Continued

(By place of occurrence. Includes only marriages occurring within the reporting area)

AGE	BRIDE						GROOM					
	Total	White	Nonwhite			Race not stated	Total	White	Nonwhite			Race not stated
			Total	Negro	Other				Total	Negro	Other	
	FIRST MARRIAGES—Continued											
40 years	673	548	125	124	1	-	1,105	904	197	195	2	4
41 years	549	452	96	94	2	1	878	721	157	155	2	-
42 years	527	422	105	104	1	-	892	744	148	147	1	-
43 years	482	395	87	87	-	-	709	587	120	120	-	2
44 years	428	358	70	69	1	-	671	548	123	120	3	-
45-49 years	1,572	1,325	247	245	2	-	2,526	2,069	457	450	7	-
50-54 years	798	687	110	109	1	1	1,539	1,279	259	254	5	1
55-59 years	438	375	62	62	-	1	910	749	160	156	4	1
60-64 years	242	218	24	24	-	-	507	446	61	61	-	-
65-69 years	135	117	17	16	1	1	321	276	45	43	2	-
70-74 years	43	40	3	3	-	-	105	94	11	10	1	-
75 years and over	22	19	3	3	-	-	41	29	12	12	-	-
Not stated	350	244	106	105	1	-	343	259	84	84	-	-
	REMARRIAGES											
TOTAL	91,060	80,837	10,096	9,928	168	127	86,580	76,063	10,463	10,311	152	54
Under 15 years	-	-	-	-	-	-	1	-	1	-	1	-
15 years	17	16	1	1	-	-	-	-	-	-	-	-
16 years	81	80	1	1	-	-	4	4	-	-	-	-
17 years	268	260	8	8	-	-	4	4	-	-	-	-
18 years	1,036	1,000	34	34	-	2	46	45	1	1	-	-
19 years	1,430	1,359	65	64	1	6	124	113	11	11	-	-
20 years	2,048	1,938	107	102	5	3	306	288	18	15	3	-
21 years	2,654	2,492	158	155	3	4	815	775	39	38	1	1
22 years	2,814	2,604	206	201	5	4	1,369	1,280	89	83	6	-
23 years	3,076	2,810	263	258	5	3	1,812	1,686	124	122	2	2
24 years	3,031	2,769	258	248	10	4	2,141	2,003	135	133	2	3
25 years	3,115	2,800	310	304	6	5	2,460	2,266	192	188	4	2
26 years	2,970	2,672	297	287	10	1	2,611	2,385	220	216	4	6
27 years	3,084	2,745	335	325	10	4	2,689	2,448	240	236	4	1
28 years	2,937	2,607	324	314	10	6	2,708	2,420	288	283	5	-
29 years	2,889	2,552	335	326	9	2	2,721	2,409	312	307	5	-
30 years	3,023	2,626	395	387	8	2	2,676	2,378	297	291	6	1
31 years	2,689	2,387	298	293	5	4	2,484	2,233	251	243	8	-
32 years	2,570	2,251	316	310	6	3	2,474	2,170	304	295	9	-
33 years	2,657	2,333	322	318	4	2	2,421	2,136	284	280	4	1
34 years	2,488	2,160	326	325	1	2	2,362	2,058	303	300	3	1
35 years	2,596	2,238	352	349	3	6	2,440	2,131	309	304	5	-
36 years	2,332	2,007	323	320	3	2	2,135	1,827	306	298	8	2
37 years	2,350	2,043	305	300	5	2	2,170	1,897	271	268	3	2
38 years	2,327	1,958	365	361	4	4	2,166	1,845	320	318	2	1
39 years	2,285	1,971	312	304	8	2	2,257	1,986	269	266	3	2
40 years	2,279	1,970	306	303	3	3	2,085	1,785	299	296	3	1
41 years	1,848	1,614	233	232	1	1	1,969	1,711	258	256	2	-
42 years	1,984	1,712	270	266	4	2	1,940	1,678	262	256	6	-
43 years	1,883	1,633	246	244	2	4	1,936	1,649	286	281	5	1
44 years	1,784	1,541	238	234	4	5	1,855	1,595	260	257	3	-
45-49 years	8,073	6,985	1,077	1,062	15	11	8,417	7,231	1,182	1,166	16	4
50-54 years	5,669	4,962	699	692	7	8	6,742	5,743	994	987	7	5
55-59 years	4,083	3,623	455	449	6	5	5,609	4,840	763	752	11	6
60-64 years	2,875	2,632	235	232	3	8	4,555	3,997	556	550	6	2
65-69 years	2,042	1,864	176	176	-	2	3,978	3,403	569	567	2	6
70-74 years	817	760	55	55	-	2	2,235	1,988	247	244	3	-
75 years and over	326	300	25	25	-	1	1,356	1,201	153	153	-	2
Not stated	630	563	65	63	2	2	507	455	50	50	-	2

NOTE.—States included: Alabama, Connecticut, Delaware, Florida, Idaho, Iowa, Kansas, Louisiana (exclusive of New Orleans), Maryland, Michigan, Missouri, Montana, New Hampshire, New York (exclusive of 68,615 marriages for which licenses had been issued in New York City), Oregon, South Dakota, Tennessee, Utah, Vermont, and Wyoming.

430007 O - 57 - 11

Table 5. First Marriages and Remarriages, by Age and Color of Bride and of Groom: 22 Reporting States, 1955

(By place of occurrence. Includes only marriages occurring within the reporting area)

AREA AND AGE	FIRST MARRIAGES								REMARRIAGES							
	Bride				Groom				Bride				Groom			
	Total	White	Non-white	Color not stated	Total	White	Non-white	Color not stated	Total	White	Non-white	Color not stated	Total	White	Non-white	Color not stated
TOTAL	358,008	312,472	44,988	548	363,934	319,126	44,589	219	113,167	99,403	13,625	139	107,390	93,087	14,231	72
Under 15 years	1,095	776	316	3	6	4	2	-	2	2	-	-	1	-	1	-
15-19 years	164,960	145,625	19,075	260	50,160	44,261	5,866	33	3,760	3,583	169	8	234	217	17	-
20-24 years	137,231	121,395	15,633	203	192,311	170,779	21,405	127	17,471	16,078	1,369	24	8,261	7,645	606	10
25-29 years	30,238	25,087	5,099	52	76,532	67,215	9,273	44	19,179	16,975	2,184	20	16,688	14,951	1,727	10
30-34 years	11,275	9,086	2,175	14	22,365	18,741	3,621	3	16,981	14,717	2,251	13	15,734	13,753	1,976	5
35-39 years	5,712	4,413	1,287	12	9,839	7,888	1,947	4	14,810	12,584	2,209	17	14,090	12,055	2,025	10
40-44 years	3,268	2,597	670	1	5,272	4,191	1,075	6	12,139	10,385	1,737	17	12,224	10,383	1,835	6
45-49 years	1,889	1,561	328	-	3,126	2,493	633	-	9,868	8,428	1,428	12	10,422	8,789	1,629	4
50-54 years	950	804	145	1	1,803	1,483	319	1	6,740	5,796	936	8	8,251	6,959	1,284	8
55-59 years	515	431	83	1	1,056	861	194	1	4,720	4,120	595	5	6,746	5,711	1,029	6
60-64 years	284	254	30	-	582	504	78	-	3,292	2,961	323	8	5,384	4,643	739	2
65-69 years	155	131	23	1	370	310	60	-	2,298	2,055	241	2	4,653	3,887	759	7
70-74 years	46	43	3	-	115	101	14	-	905	825	78	2	2,609	2,272	337	-
75 years and over	24	21	3	-	45	32	13	-	358	325	32	1	1,581	1,365	214	2
Not stated	366	248	118	-	352	263	89	-	644	569	73	2	512	457	53	2
ALABAMA[1]	15,806	10,134	5,672	-	15,711	10,231	5,480	-	3,981	2,693	1,288	-	4,077	2,597	1,480	-
Under 15 years	165	112	53	-	-	-	-	-	-	-	-	-	-	-	-	-
15-19 years	8,430	5,676	2,754	-	2,397	1,711	686	-	188	160	28	-	21	17	4	-
20-24 years	5,374	3,370	2,004	-	8,900	5,787	3,113	-	668	519	149	-	386	304	82	-
25-29 years	1,107	616	491	-	3,033	1,975	1,058	-	704	492	212	-	629	430	199	-
30-34 years	318	152	166	-	731	430	301	-	553	373	180	-	537	365	172	-
35-39 years	193	96	97	-	323	169	154	-	481	313	168	-	500	324	176	-
40-44 years	94	50	44	-	150	72	78	-	437	257	180	-	449	275	174	-
45-49 years	68	28	40	-	85	46	39	-	329	196	133	-	375	226	149	-
50-54 years	32	17	15	-	45	17	28	-	243	148	95	-	309	175	134	-
55-59 years	13	11	2	-	22	12	10	-	149	88	61	-	259	133	126	-
60-64 years	1	1	-	-	13	9	4	-	99	66	33	-	195	122	73	-
65-69 years	6	4	2	-	8	2	6	-	86	51	35	-	228	111	117	-
70-74 years	2	1	1	-	2	1	1	-	28	20	8	-	125	78	47	-
75 years and over	-	-	-	-	1	-	1	-	8	4	4	-	62	35	27	-
Not stated	3	-	3	-	1	-	1	-	8	6	2	-	2	2	-	-
CONNECTICUT	13,757	13,029	728	-	13,756	13,010	746	-	3,777	3,542	235	-	3,778	3,542	236	-
Under 15 years	7	4	3	-	-	-	-	-	-	-	-	-	-	-	-	-
15-19 years	3,442	3,224	218	-	910	844	66	-	35	33	2	-	2	2	-	-
20-24 years	6,746	6,476	270	-	6,376	6,072	304	-	333	318	15	-	114	108	6	-
25-29 years	1,992	1,869	123	-	3,951	3,761	190	-	680	643	37	-	479	451	28	-
30-34 years	797	726	71	-	1,254	1,164	90	-	644	593	51	-	603	561	42	-
35-39 years	375	354	21	-	620	573	47	-	602	563	39	-	570	528	42	-
40-44 years	212	196	16	-	303	278	25	-	467	435	32	-	569	528	41	-
45-49 years	88	84	4	-	147	134	13	-	378	354	24	-	417	394	23	-
50-54 years	44	43	1	-	94	90	4	-	251	236	15	-	315	293	22	-
55-59 years	31	30	1	-	52	48	4	-	183	172	11	-	280	264	16	-
60-64 years	15	15	-	-	28	27	1	-	121	117	4	-	208	201	7	-
65-69 years	6	6	-	-	13	12	1	-	59	57	2	-	128	123	5	-
70-74 years	2	2	-	-	7	7	-	-	17	17	-	-	54	54	-	-
75 years and over	-	-	-	-	1	-	1	-	7	4	3	-	39	35	4	-
Not stated	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
DELAWARE	1,836	1,580	256	-	1,841	1,593	248	-	394	350	44	-	390	336	54	-
Under 15 years	2	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-
15-19 years	688	597	91	-	228	193	35	-	9	8	1	-	1	1	-	-
20-24 years	759	681	78	-	934	833	101	-	58	56	2	-	17	15	2	-
25-29 years	210	168	42	-	406	362	44	-	68	64	4	-	64	55	9	-
30-34 years	74	61	13	-	130	100	30	-	63	54	9	-	61	53	8	-
35-39 years	45	33	12	-	66	54	12	-	59	52	7	-	57	51	6	-
40-44 years	30	19	11	-	32	23	9	-	40	37	3	-	47	42	5	-
45-49 years	9	7	2	-	19	14	5	-	28	24	4	-	35	33	2	-
50-54 years	6	4	2	-	7	3	4	-	24	21	3	-	25	20	5	-
55-59 years	4	2	2	-	11	6	5	-	19	14	5	-	32	21	11	-
60-64 years	3	3	-	-	7	5	2	-	13	11	2	-	22	19	3	-
65-69 years	4	3	1	-	-	-	-	-	9	6	3	-	16	14	2	-
70-74 years	1	1	-	-	-	-	-	-	2	2	-	-	7	6	1	-
75 years and over	-	-	-	-	-	-	-	-	2	1	1	-	6	6	-	-
Not stated	1	-	1	-	1	-	1	-	-	-	-	-	-	-	-	-
FLORIDA[1]	18,904	14,168	4,736	-	19,399	14,659	4,740	-	10,993	9,529	1,464	-	10,495	9,030	1,464	1
Under 15 years	57	20	37	-	-	-	-	-	-	-	-	-	-	-	-	-
15-19 years	8,421	6,441	1,980	-	2,493	1,864	629	-	343	323	20	-	22	21	1	-
20-24 years	6,633	5,077	1,556	-	9,598	7,494	2,104	-	1,353	1,231	122	-	620	563	57	-
25-29 years	1,921	1,311	610	-	4,178	3,127	1,051	-	1,657	1,455	202	-	1,342	1,175	167	-
30-34 years	817	543	274	-	1,492	1,046	446	-	1,716	1,463	253	-	1,370	1,183	187	-
35-39 years	446	300	146	-	685	437	248	-	1,566	1,299	267	-	1,405	1,187	218	-
40-44 years	271	195	76	-	376	256	120	-	1,273	1,053	220	-	1,303	1,102	201	-
45-49 years	151	120	31	-	241	166	75	-	1,052	885	167	-	1,107	911	195	1
50-54 years	84	69	15	-	139	103	36	-	727	620	107	-	922	769	153	-
55-59 years	41	37	4	-	87	71	16	-	488	434	54	-	701	590	111	-
60-64 years	31	28	3	-	44	38	6	-	348	324	24	-	568	509	59	-
65-69 years	15	15	-	-	48	42	6	-	324	310	14	-	548	485	63	-
70-74 years	4	3	1	-	15	13	2	-	101	91	10	-	341	307	34	-
75 years and over	-	-	-	-	2	2	-	-	42	38	4	-	246	228	18	-
Not stated	12	9	3	-	1	-	1	-	3	3	-	-	-	-	-	-

See footnotes on p. 58.

Table 5. First Marriages and Remarriages, by Age and Color of Bride and of Groom: 22 Reporting States, 1955—Continued

(By place of occurrence. Includes only marriages occurring within the reporting area)

AREA AND AGE	FIRST MARRIAGES								REMARRIAGES							
	Bride				Groom				Bride				Groom			
	Total	White	Non-white	Color not stated	Total	White	Non-white	Color not stated	Total	White	Non-white	Color not stated	Total	White	Non-white	Color not stated
GEORGIA	39,429	30,273	9,111	45	40,378	31,396	8,939	43	14,692	12,370	2,310	12	13,865	11,325	2,522	18
Under 15 years	373	272	101	-	-	-	-	-	2	2	-	-	-	-	-	-
15-19 years	22,811	18,284	4,501	26	7,491	5,872	1,616	3	804	753	51	-	54	49	5	-
20-24 years	11,741	8,767	2,962	12	22,083	17,480	4,572	31	2,743	2,464	273	6	1,402	1,238	160	4
25-29 years	2,522	1,599	919	4	6,759	5,197	1,555	7	2,780	2,366	412	2	2,407	2,070	336	1
30-34 years	962	656	304	2	2,069	1,500	568	1	2,281	1,903	378	-	2,214	1,853	359	2
35-39 years	489	311	177	1	936	620	315	1	1,862	1,510	351	1	1,934	1,554	377	3
40-44 years	257	178	79	-	484	327	157	-	1,533	1,254	277	2	1,615	1,308	303	4
45-49 years	131	99	32	-	289	192	97	-	1,131	909	221	1	1,310	1,004	306	-
50-54 years	68	54	14	-	120	94	26	-	668	522	146	-	945	752	190	3
55-59 years	31	25	6	-	75	62	13	-	386	301	85	-	676	502	174	-
60-64 years	17	15	2	-	33	26	7	-	259	206	53	-	491	397	94	-
65-69 years	10	8	2	-	27	19	8	-	155	116	39	-	420	303	116	1
70-74 years	1	1	-	-	4	4	-	-	54	43	11	-	242	183	59	-
75 years and over	-	-	-	-	1	1	-	-	21	16	5	-	151	111	40	-
Not stated	16	4	12	-	7	2	5	-	13	5	8	-	4	1	3	-
IDAHO	6,006	5,965	40	1	6,437	6,395	41	1	2,869	2,846	23	-	2,441	2,427	14	-
Under 15 years	12	12	-	-	-	-	-	-	-	-	-	-	-	-	-	-
15-19 years	3,849	3,833	15	1	1,482	1,476	6	-	196	196	-	-	10	10	-	-
20-24 years	1,676	1,660	16	-	3,291	3,274	16	1	519	515	4	-	262	262	-	-
25-29 years	259	252	7	-	973	964	9	-	446	442	4	-	412	407	5	-
30-34 years	80	78	2	-	297	293	4	-	379	374	5	-	365	363	2	-
35-39 years	38	38	-	-	136	132	4	-	353	349	4	-	312	312	-	-
40-44 years	34	34	-	-	82	81	1	-	274	273	1	-	274	274	-	-
45-49 years	11	11	-	-	57	57	-	-	189	188	1	-	229	224	5	-
50-54 years	7	7	-	-	38	37	1	-	114	111	3	-	143	142	1	-
55-59 years	4	4	-	-	12	12	-	-	87	86	1	-	109	108	1	-
60-64 years	4	4	-	-	6	6	-	-	57	57	-	-	63	63	-	-
65-69 years	3	3	-	-	7	7	-	-	38	38	-	-	49	49	-	-
70-74 years	-	-	-	-	3	3	-	-	14	14		-	37	37	-	-
75 years and over	-	-	-	-	1	1	-	-	6	6	-	-	22	22	-	-
Not stated	29	29	-	-	52	52	-	-	197	197	-	-	154	154	-	-
IOWA	19,028	18,283	278	467	19,284	18,863	271	150	4,962	4,713	130	119	4,733	4,537	152	44
Under 15 years	78	61	14	3	-	-	-	-	-	-	-	-	-	-	-	-
15-19 years	9,470	9,101	150	219	3,324	3,227	71	26	178	168	2	8	13	13	-	-
20-24 years	7,397	7,145	76	176	10,384	10,183	118	83	819	787	14	18	448	430	12	6
25-29 years	1,221	1,157	21	43	3,756	3,681	44	31	830	782	31	17	797	770	19	8
30-34 years	398	372	14	12	951	930	19	2	696	663	21	12	695	663	29	3
35-39 years	180	168	1	11	369	358	9	2	595	568	14	13	577	552	20	5
40-44 years	104	101	2	1	220	211	5	4	490	463	12	15	463	447	14	2
45-49 years	88	88	-	-	130	125	5	-	428	407	10	11	436	421	13	2
50-54 years	38	37	-	1	67	66	-	1	341	322	12	7	357	339	13	5
55-59 years	23	22	-	1	38	37	-	1	213	203	5	5	306	294	8	4
60-64 years	13	13	-	-	19	19	-	-	185	174	4	7	259	250	7	2
65-69 years	10	10	-	-	10	10	-	-	97	93	2	2	199	185	10	4
70-74 years	-	-	-	-	9	9	-	-	61	59	-	2	107	103	4	-
75 years and over	2	2	-	-	3	3	-	-	18	14	3	1	68	63	3	2
Not stated	6	6	-	-	4	4	-	-	11	10	-	1	8	7	-	1
KANSAS[1]	13,429	12,659	770	-	13,701	12,877	824	-	4,148	3,778	370	-	3,887	3,538	349	-
Under 15 years	46	38	8	-	1	1	-	-	-	-	-	-	-	-	-	-
15-19 years	7,219	6,878	341	-	2,403	2,306	97	-	196	189	7	-	10	10	-	-
20-24 years	4,789	4,489	300	-	7,720	7,272	448	-	760	709	51	-	397	383	14	-
25-29 years	799	722	77	-	2,391	2,206	185	-	683	609	74	-	669	609	60	-
30-34 years	241	216	25	-	621	572	49	-	579	515	64	-	602	548	54	-
35-39 years	126	113	13	-	242	215	27	-	439	394	45	-	453	405	48	-
40-44 years	72	67	5	-	97	88	9	-	362	326	36	-	376	338	38	-
45-49 years	43	42	1	-	67	64	3	-	295	263	32	-	296	263	33	-
50-54 years	28	28	-	-	45	41	4	-	205	186	19	-	271	244	27	-
55-59 years	15	15	-	-	26	26	-	-	187	168	19	-	198	177	21	-
60-64 years	7	7	-	-	26	25	1	-	149	142	7	-	180	167	13	-
65-69 years	4	4	-	-	7	7	-	-	77	70	7	-	133	112	21	-
70-74 years	4	4	-	-	-	-	-	-	46	42	4	-	95	87	8	-
75 years and over	-	-	-	-	3	3	-	-	15	15	-	-	72	65	7	-
Not stated	36	36	-	-	52	51	1	-	155	150	5	-	135	130	5	-
LOUISIANA[2]	3,784	2,431	1,351	2	3,855	2,564	1,290	1	3,447	2,298	1,149	-	3,312	2,020	1,291	1
Under 15 years	41	21	20	-	-	-	-	-	-	-	-	-	-	-	-	-
15-19 years	2,006	1,380	626	-	657	460	197	-	119	107	12	-	8	3	5	-
20-24 years	1,149	754	393	2	2,033	1,397	635	1	522	415	107	-	211	166	45	-
25-29 years	212	123	89	-	614	410	204	-	544	390	154	-	456	314	141	1
30-34 years	84	42	42	-	165	103	62	-	464	305	159	-	421	292	129	-
35-39 years	49	15	34	-	94	47	47	-	441	282	159	-	398	238	160	-
40-44 years	26	9	17	-	47	28	19	-	356	226	130	-	361	204	157	-
45-49 years	20	4	16	-	26	13	13	-	289	157	132	-	337	199	138	-
50-54 years	7	2	5	-	21	10	11	-	220	131	89	-	279	168	111	-
55-59 years	8	1	7	-	12	4	8	-	168	98	70	-	206	123	83	-
60-64 years	6	2	4	-	9	1	8	-	93	57	36	-	188	91	97	-
65-69 years	3	-	3	-	6	2	4	-	88	49	39	-	181	91	90	-
70-74 years	1	-	1	-	3	1	2	-	24	16	8	-	117	55	62	-
75 years and over	2	-	2	-	3	-	3	-	14	11	3	-	67	38	29	-
Not stated	170	78	92	-	165	88	77	-	105	54	51	-	82	38	44	-

See footnotes on p. 58.

Table 5. First Marriages and Remarriages, by Age and Color of Bride and of Groom: 22 Reporting States, 1955—Continued

(By place of occurrence. Includes only marriages occurring within the reporting area)

AREA AND AGE	FIRST MARRIAGES								REMARRIAGES							
	Bride				Groom				Bride				Groom			
	Total	White	Non-white	Color not stated	Total	White	Non-white	Color not stated	Total	White	Non-white	Color not stated	Total	White	Non-white	Color not stated
MARYLAND	32,501	26,505	5,995	1	33,027	27,055	5,972	-	10,242	8,571	1,670	1	9,716	8,021	1,695	-
Under 15 years	62	44	18	-	1	1	-	-	-	-	-	-	1	-	1	-
15-19 years	15,110	13,289	1,820	1	3,985	3,430	555	-	157	152	5	-	4	4	-	-
20-24 years	10,726	8,704	2,022	-	16,506	14,245	2,261	-	1,347	1,232	115	-	630	594	36	-
25-29 years	3,033	2,132	901	-	6,849	5,458	1,391	-	1,777	1,528	249	-	1,451	1,293	158	-
30-34 years	1,481	984	497	-	2,412	1,736	676	-	1,685	1,405	280	-	1,435	1,224	211	-
35-39 years	914	556	358	-	1,299	876	423	-	1,516	1,209	307	-	1,360	1,106	254	-
40-44 years	531	351	180	-	746	489	257	-	1,175	957	218	-	1,173	932	241	-
45-49 years	307	208	99	-	489	305	184	-	1,006	809	197	-	1,041	821	220	-
50-54 years	177	123	54	-	355	251	104	-	658	521	137	-	836	629	207	-
55-59 years	86	61	25	-	199	124	75	-	442	359	83	-	674	541	133	-
60-64 years	32	23	9	-	108	82	26	-	254	211	43	-	497	401	96	-
65-69 years	20	13	7	-	57	41	16	-	169	144	25	-	366	274	92	-
70-74 years	6	6	-	-	16	15	1	-	34	27	7	-	169	139	30	-
75 years and over	4	3	1	-	4	1	3	-	14	13	1	-	79	63	16	-
Not stated	12	8	4	-	1	1	-	-	8	4	3	1	-	-	-	-
MICHIGAN	43,278	39,803	3,475	-	44,016	40,497	3,519	-	12,390	11,027	1,363	-	11,659	10,310	1,349	-
Under 15 years	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
15-19 years	19,904	18,372	1,532	-	6,462	6,086	376	-	353	344	9	-	21	21	-	-
20-24 years	17,371	16,089	1,282	-	23,328	21,638	1,690	-	1,868	1,706	162	-	913	863	50	-
25-29 years	3,609	3,267	342	-	9,534	8,705	829	-	1,998	1,772	226	-	1,819	1,649	170	-
30-34 years	1,238	1,075	163	-	2,532	2,218	314	-	1,768	1,510	258	-	1,677	1,443	234	-
35-39 years	537	457	80	-	992	849	143	-	1,641	1,398	243	-	1,476	1,258	218	-
40-44 years	317	264	53	-	498	419	79	-	1,374	1,187	187	-	1,312	1,110	202	-
45-49 years	162	148	14	-	273	231	42	-	1,065	943	122	-	1,140	1,001	139	-
50-54 years	58	57	1	-	165	142	23	-	818	745	73	-	914	795	119	-
55-59 years	40	35	5	-	108	93	15	-	584	541	43	-	739	657	82	-
60-64 years	23	21	2	-	76	71	5	-	456	431	25	-	675	611	64	-
65-69 years	10	9	1	-	34	32	2	-	301	293	8	-	551	505	46	-
70-74 years	4	4	-	-	8	7	1	-	120	115	5	-	266	254	12	-
75 years and over	2	2	-	-	3	3	-	-	41	39	2	-	154	141	13	-
Not stated	3	3	-	-	3	3	-	-	3	3	-	-	2	2	-	-
MISSOURI[3]	23,578	21,343	2,233	2	24,057	21,856	2,200	1	9,934	8,646	1,287	1	9,456	8,126	1,328	2
Under 15 years	23	22	1	-	1	1	-	-	-	-	-	-	-	-	-	-
15-19 years	10,443	9,553	889	1	3,101	2,819	282	-	349	340	9	-	27	26	1	-
20-24 years	9,613	8,777	835	1	12,685	11,642	1,042	1	1,648	1,501	147	-	733	677	56	-
25-29 years	2,036	1,761	275	-	5,429	4,946	483	-	1,678	1,465	213	-	1,539	1,367	172	-
30-34 years	663	564	99	-	1,494	1,310	184	-	1,387	1,188	199	-	1,409	1,220	189	-
35-39 years	313	252	61	-	563	470	93	-	1,159	956	203	-	1,160	979	180	1
40-44 years	169	139	30	-	307	262	45	-	1,003	844	159	-	1,014	854	160	-
45-49 years	135	120	15	-	178	151	27	-	889	754	135	-	886	736	150	-
50-54 years	62	51	11	-	98	82	16	-	594	512	81	1	666	552	114	-
55-59 years	32	23	9	-	76	66	10	-	447	386	61	-	612	507	104	1
60-64 years	24	19	5	-	36	32	4	-	310	278	32	-	426	347	79	-
65-69 years	11	10	1	-	32	26	6	-	237	207	30	-	464	395	69	-
70-74 years	5	5	-	-	17	14	3	-	115	105	10	-	282	248	34	-
75 years and over	3	3	-	-	9	6	3	-	69	65	4	-	187	168	19	-
Not stated	46	44	2	-	31	29	2	-	49	45	4	-	51	50	1	-
MONTANA	4,453	4,327	126	-	4,713	4,600	113	-	2,039	2,001	38	-	1,779	1,740	39	-
Under 15 years	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
15-19 years	2,450	2,385	65	-	607	587	20	-	87	87	-	-	1	1	-	-
20-24 years	1,553	1,509	44	-	2,417	2,366	51	-	382	376	6	-	185	176	9	-
25-29 years	247	234	13	-	1,058	1,027	31	-	332	321	11	-	285	278	7	-
30-34 years	94	91	3	-	291	284	7	-	286	284	2	-	273	268	5	-
35-39 years	43	43	-	-	151	150	1	-	261	255	6	-	257	253	4	-
40-44 years	25	25	-	-	76	73	3	-	213	210	3	-	229	224	5	-
45-49 years	11	11	-	-	45	45	-	-	165	159	6	-	166	164	2	-
50-54 years	7	7	-	-	30	30	-	-	95	92	3	-	106	103	3	-
55-59 years	5	4	1	-	5	5	-	-	71	71	-	-	72	72	-	-
60-64 years	3	3	-	-	5	5	-	-	40	39	1	-	59	58	1	-
65-69 years	1	1	-	-	6	6	-	-	34	34	-	-	58	57	1	-
70-74 years	1	1	-	-	3	3	-	-	17	17	-	-	35	33	2	-
75 years and over	-	-	-	-	1	1	-	-	5	5	-	-	12	12	-	-
Not stated	13	13	-	-	18	18	-	-	51	51	-	-	41	41	-	-
NEW HAMPSHIRE	5,067	5,034	33	-	5,161	5,119	42	-	1,994	1,983	11	-	1,900	1,885	15	-
Under 15 years	3	3	-	-	-	-	-	-	-	-	-	-	-	-	-	-
15-19 years	2,055	2,044	11	-	370	370	-	-	33	33	-	-	-	-	-	-
20-24 years	1,987	1,976	11	-	2,809	2,788	21	-	310	309	1	-	120	120	-	-
25-29 years	530	522	8	-	1,162	1,152	10	-	368	367	1	-	316	314	2	-
30-34 years	221	220	1	-	377	371	6	-	331	329	2	-	307	304	3	-
35-39 years	125	123	2	-	201	199	2	-	297	294	3	-	303	301	2	-
40-44 years	67	67	-	-	103	101	2	-	219	217	2	-	230	227	3	-
45-49 years	38	38	-	-	60	60	-	-	156	155	1	-	171	169	2	-
50-54 years	18	18	-	-	37	37	-	-	110	109	1	-	147	144	3	-
55-59 years	11	11	-	-	22	22	-	-	77	77	-	-	101	101	-	-
60-64 years	7	7	-	-	10	10	-	-	42	42	-	-	82	82	-	-
65-69 years	3	3	-	-	5	4	1	-	33	33	-	-	62	62	-	-
70-74 years	2	2	-	-	2	2	-	-	11	11	-	-	46	46	-	-
75 years and over	-	-	-	-	3	3	-	-	7	7	-	-	15	15	-	-
Not stated	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-

See footnotes on p. 58.

Table 5. First Marriages and Remarriages, by Age and Color of Bride and of Groom: 22 Reporting States, 1955—Continued

(By place of occurrence. Includes only marriages occurring within the reporting area)

AREA AND AGE	FIRST MARRIAGES								REMARRIAGES							
	Bride				Groom				Bride				Groom			
	Total	White	Non-white	Color not stated	Total	White	Non-white	Color not stated	Total	White	Non-white	Color not stated	Total	White	Non-white	Color not stated
NEW YORK[4]	46,580	44,614	1,966	-	46,992	44,988	2,004	-	8,056	7,725	331	-	7,644	7,351	293	-
Under 15 years	30	30	-	-	-	-	-	-	-	-	-	-	-	-	-	-
15-19 years	16,365	15,708	657	-	4,268	4,101	167	-	109	106	3	-	7	7	-	-
20-24 years	21,354	20,601	753	-	24,086	23,202	884	-	876	855	21	-	376	365	11	-
25-29 years	5,081	4,807	274	-	12,026	11,517	509	-	1,237	1,179	58	-	997	978	19	-
30-34 years	1,799	1,656	143	-	3,442	3,240	202	-	1,143	1,091	52	-	990	946	44	-
35-39 years	852	771	81	-	1,401	1,293	108	-	1,046	978	68	-	900	849	51	-
40-44 years	489	458	31	-	743	680	63	-	932	891	41	-	785	747	38	-
45-49 years	273	255	18	-	449	415	34	-	826	785	41	-	762	725	37	-
50-54 years	156	154	2	-	250	232	18	-	636	615	21	-	671	643	28	-
55-59 years	89	83	6	-	172	161	11	-	487	471	16	-	696	670	26	-
60-64 years	48	48	-	-	80	76	4	-	367	359	8	-	562	551	11	-
65-69 years	29	28	1	-	58	56	2	-	249	247	2	-	490	470	20	-
70-74 years	8	8	-	-	12	11	1	-	110	110	-	-	271	267	4	-
75 years and over	7	7	-	-	5	4	1	-	38	38	-	-	137	133	4	-
Not stated	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
OREGON	7,754	7,646	89	19	7,914	7,811	92	11	2,833	2,812	16	5	2,685	2,666	16	3
Under 15 years	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
15-19 years	4,319	4,289	22	8	1,387	1,378	7	2	100	100	-	-	7	7	-	-
20-24 years	2,609	2,563	39	7	4,340	4,302	34	4	439	438	1	-	220	219	1	-
25-29 years	469	440	25	4	1,377	1,339	35	3	419	417	2	-	433	431	2	-
30-34 years	175	174	1	-	407	400	7	-	408	403	4	1	399	396	3	-
35-39 years	70	69	1	-	160	157	3	-	354	348	3	3	340	336	4	-
40-44 years	50	50	-	-	98	95	1	2	306	304	2	-	301	301	-	-
45-49 years	26	26	-	-	57	55	2	-	252	250	2	-	241	237	3	1
50-54 years	22	22	-	-	42	41	1	-	177	176	1	-	219	217	2	-
55-59 years	6	6	-	-	20	18	2	-	142	141	1	-	143	142	-	1
60-64 years	2	2	-	-	14	14	-	-	104	103	-	1	143	143	-	-
65-69 years	1	1	-	-	4	4	-	-	71	71	-	-	124	123	-	1
70-74 years	-	-	-	-	3	3	-	-	33	33	-	-	59	59	-	-
75 years and over	-	-	-	-	1	1	-	-	10	10	-	-	46	45	1	-
Not stated	5	4	1	-	4	4	-	-	18	18	-	-	10	10	-	-
SOUTH DAKOTA	4,951	4,823	128	-	5,078	4,967	111	-	1,171	1,119	52	-	1,044	1,002	42	-
Under 15 years	2	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-
15-19 years	2,400	2,352	48	-	558	552	6	-	65	65	-	-	1	1	-	-
20-24 years	2,025	1,972	53	-	2,768	2,708	60	-	233	225	8	-	110	108	2	-
25-29 years	308	288	20	-	1,184	1,158	26	-	217	202	15	-	197	193	4	-
30-34 years	104	100	4	-	318	303	15	-	168	160	8	-	159	149	10	-
35-39 years	47	45	2	-	113	110	3	-	143	137	6	-	143	137	6	-
40-44 years	20	20	-	-	62	62	-	-	101	96	5	-	101	95	6	-
45-49 years	22	22	-	-	40	40	-	-	71	65	6	-	73	68	5	-
50-54 years	6	6	-	-	14	14	-	-	53	51	2	-	65	61	4	-
55-59 years	7	7	-	-	10	10	-	-	49	48	1	-	56	53	3	-
60-64 years	3	3	-	-	3	3	-	-	25	24	1	-	53	51	2	-
65-69 years	3	2	1	-	4	3	1	-	16	16	-	-	34	34	-	-
70-74 years	-	-	-	-	-	-	-	-	11	11	-	-	24	24	-	-
75 years and over	-	-	-	-	-	-	-	-	2	2	-	-	10	10	-	-
Not stated	4	4	-	-	4	4	-	-	17	17	-	-	18	18	-	-
TENNESSEE	18,067	16,568	1,493	6	18,152	16,678	1,468	6	5,099	4,520	578	1	5,032	4,426	605	1
Under 15 years	80	71	9	-	1	-	1	-	-	-	-	-	-	-	-	-
15-19 years	8,524	7,939	582	3	2,801	2,621	179	1	203	195	8	-	14	13	1	-
20-24 years	7,254	6,634	618	2	10,263	9,496	764	3	1,015	955	60	-	448	428	20	-
25-29 years	1,306	1,143	162	1	3,375	3,072	302	1	887	784	102	1	857	779	78	-
30-34 years	436	380	56	-	914	803	111	-	757	659	98	-	764	654	110	-
35-39 years	229	192	37	-	406	349	56	1	605	500	105	-	632	550	81	1
40-44 years	102	85	17	-	208	181	27	-	486	428	58	-	510	437	73	-
45-49 years	78	71	7	-	95	80	15	-	428	366	62	-	460	398	62	-
50-54 years	34	30	4	-	52	43	9	-	244	208	36	-	330	283	47	-
55-59 years	10	10	-	-	20	17	3	-	184	160	24	-	286	249	37	-
60-64 years	6	5	1	-	7	7	-	-	129	116	13	-	253	210	43	-
65-69 years	3	3	-	-	7	7	-	-	102	93	9	-	240	208	32	-
70-74 years	2	2	-	-	2	2	-	-	43	40	3	-	149	140	9	-
75 years and over	1	1	-	-	-	-	-	-	14	14	-	-	88	76	12	-
Not stated	2	2	-	-	1	-	1	-	2	2	-	-	1	1	-	-
UTAH	5,594	5,543	46	5	5,621	5,558	57	6	1,124	1,107	17	-	1,094	1,078	14	2
Under 15 years	41	40	1	-	-	-	-	-	-	-	-	-	-	-	-	-
15-19 years	3,245	3,223	21	1	1,316	1,308	7	1	52	52	-	-	7	7	-	-
20-24 years	1,851	1,839	9	3	2,977	2,945	29	3	229	226	3	-	132	131	1	-
25-29 years	305	295	10	-	1,005	991	12	2	177	174	3	-	208	206	2	-
30-34 years	73	68	5	-	178	171	7	-	155	151	4	-	149	144	5	-
35-39 years	23	23	-	-	74	73	1	-	127	124	3	-	126	125	1	-
40-44 years	15	15	-	-	28	28	-	-	103	100	3	-	106	104	2	-
45-49 years	15	15	-	-	16	16	-	-	81	80	1	-	91	89	2	-
50-54 years	6	6	-	-	8	8	-	-	66	66	-	-	60	59	1	-
55-59 years	6	6	-	-	6	5	1	-	46	46	-	-	53	53	-	-
60-64 years	5	5	-	-	2	2	-	-	34	34	-	-	53	53	-	-
65-69 years	1	-	-	1	7	7	-	-	27	27	-	-	49	48	-	1
70-74 years	1	1	-	-	-	-	-	-	17	17	-	-	27	27	-	-
75 years and over	-	-	-	-	-	-	-	-	7	7	-	-	31	31	-	-
Not stated	7	7	-	-	4	4	-	-	3	3	-	-	2	1	-	1

See footnotes on p. 58.

Table 5. First Marriages and Remarriages, by Age and Color of Bride and of Groom: 22 Reporting States, 1955—Continued

(By place of occurrence. Includes only marriages occurring within the reporting area)

AREA AND AGE	FIRST MARRIAGES								REMARRIAGES							
	Bride				Groom				Bride				Groom			
	Total	White	Non-white	Color not stated	Total	White	Non-white	Color not stated	Total	White	Non-white	Color not stated	Total	White	Non-white	Color not stated
VERMONT	2,822	2,816	6	-	2,830	2,824	6	-	553	550	3	-	548	546	2	-
Under 15 years	3	3	-	-	-	-	-	-	-	-	-	-	-	-	-	-
15-19 years	1,225	1,224	1	-	346	346	-	-	8	8	-	-	-	-	-	-
20-24 years	1,131	1,130	1	-	1,514	1,511	3	-	66	66	-	-	36	36	-	-
25-29 years	278	277	1	-	630	629	1	-	90	90	-	-	68	68	-	-
30-34 years	82	81	1	-	158	158	-	-	76	75	1	-	66	66	-	-
35-39 years	41	40	1	-	57	56	1	-	81	81	-	-	72	71	1	-
40-44 years	25	24	1	-	52	51	1	-	60	60	-	-	72	72	-	-
45-49 years	19	19	-	-	30	30	-	-	54	54	-	-	63	63	-	-
50-54 years	6	6	-	-	20	20	-	-	38	38	-	-	39	39	-	-
55-59 years	4	4	-	-	9	9	-	-	29	29	-	-	39	39	-	-
60-64 years	6	6	-	-	8	8	-	-	24	22	2	-	34	34	-	-
65-69 years	1	1	-	-	3	3	-	-	16	16	-	-	33	32	1	-
70-74 years	-	-	-	-	2	2	-	-	8	8	-	-	18	18	-	-
75 years and over	1	1	-	-	1	1	-	-	3	3	-	-	8	8	-	-
Not stated	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
VIRGINIA	29,433	23,021	6,412	-	29,904	23,518	6,386	-	7,415	6,196	1,219	-	6,945	5,699	1,246	-
Under 15 years	67	17	50	-	2	1	1	-	-	-	-	-	-	-	-	-
15-19 years	11,568	8,833	2,735	-	3,233	2,378	855	-	124	115	9	-	2	2	-	-
20-24 years	12,766	10,479	2,287	-	16,254	13,115	3,139	-	1,105	1,001	104	-	416	375	41	-
25-29 years	2,661	1,975	686	-	6,360	5,064	1,296	-	1,404	1,233	171	-	1,092	953	139	-
30-34 years	1,104	814	290	-	2,016	1,499	517	-	1,273	1,057	216	-	1,103	925	178	-
35-39 years	560	397	163	-	905	655	250	-	1,058	857	201	-	988	815	173	-
40-44 years	352	244	108	-	533	360	173	-	828	661	167	-	824	657	167	-
45-49 years	186	137	49	-	311	232	79	-	664	534	130	-	695	554	141	-
50-54 years	84	63	21	-	144	110	34	-	403	312	91	-	564	464	100	-
55-59 years	46	31	15	-	71	50	21	-	251	196	55	-	461	369	92	-
60-64 years	25	21	4	-	42	32	10	-	158	123	35	-	338	249	89	-
65-69 years	10	6	4	-	22	15	7	-	101	75	26	-	255	181	74	-
70-74 years	2	2	-	-	6	3	3	-	34	22	12	-	132	101	31	-
75 years and over	2	2	-	-	3	2	1	-	11	9	2	-	74	53	21	-
Not stated	-	-	-	-	2	2	-	-	1	1	-	-	1	1	-	-
WYOMING	1,951	1,907	44	-	2,107	2,067	40	-	1,054	1,027	27	-	910	885	25	-
Under 15 years	3	3	-	-	-	-	-	-	-	-	-	-	-	-	-	-
15-19 years	1,016	1,000	16	-	341	332	9	-	52	49	3	-	2	2	-	-
20-24 years	727	703	24	-	1,045	1,029	16	-	178	174	4	-	85	84	1	-
25-29 years	132	129	3	-	482	474	8	-	203	200	3	-	171	161	10	-
30-34 years	34	33	1	-	116	110	6	-	169	162	7	-	135	133	2	-
35-39 years	17	17	-	-	46	46	-	-	124	117	7	-	127	124	3	-
40-44 years	6	6	-	-	27	26	1	-	107	106	1	-	110	105	5	-
45-49 years	8	8	-	-	22	22	-	-	92	91	1	-	91	89	2	-
50-54 years	-	-	-	-	12	12	-	-	55	54	1	-	68	68	-	-
55-59 years	3	3	-		3	3	-	-	31	31	-	-	47	46	1	-
60-64 years	3	3	-	-	6	6	-	-	25	25	-	-	35	34	1	-
65-69 years	1	1	-	-	5	5	-	-	9	9	-	-	25	25	-	-
70-74 years	-	-	-	-	1	1	-	-	5	5	-	-	6	6	-	-
75 years and over	-	-	-	-	-	-	-	-	4	4	-	-	7	7	-	-
Not stated	1	1	-	-	1	1	-	-	-	-	-	-	1	1	-	-

[1]First marriages include previous marriages annulled.
[2]Excludes New Orleans.
[3]Data incomplete.
[4]Excludes 68,615 marriages for which licenses had been issued in New York City.

NOTE.—Data exclude 12,474 marriages of brides and 12,325 marriages of grooms for which previous marital status was not stated.

Table 6. Marriages by Age (Single Years 15 Through 44) and Previous Marital Status of Bride and of Groom: Total of 20 Reporting States, 1955

(By place of occurrence. Includes only marriages occurring within the reporting area)

AGE	BRIDE					GROOM				
	Total	Previous marital status				Total	Previous marital status			
		Single	Widowed	Divorced	Not stated		Single	Widowed	Divorced	Not stated
TOTAL	356,941	262,879	23,072	59,445	11,545	356,941	266,928	20,355	58,155	11,503
Under 15 years	757	671	-	1	85	7	6	-	1	-
15 years	3,401	3,113	2	14	272	30	28	-	-	2
16 years	14,659	13,798	7	71	783	519	481	1	2	35
17 years	21,619	20,354	16	228	1,021	2,846	2,689	-	4	153
18 years	45,468	42,938	44	870	1,616	12,535	11,914	1	37	583
19 years	38,439	35,859	61	1,174	1,345	19,759	18,833	5	97	824
20 years	32,179	29,342	99	1,668	1,070	23,629	22,373	6	257	993
21 years	33,878	30,344	175	2,347	1,012	37,704	35,658	33	680	1,333
22 years	22,903	19,716	154	2,403	630	33,908	31,473	39	1,149	1,247
23 years	17,089	13,855	156	2,630	448	30,248	27,630	34	1,576	1,008
24 years	12,990	9,929	223	2,505	333	25,773	23,090	66	1,806	811
25 years	10,583	7,418	266	2,661	238	21,536	18,727	68	2,145	596
26 years	8,256	5,375	267	2,462	152	16,848	14,000	107	2,251	490
27 years	7,227	4,281	267	2,550	129	13,510	10,711	99	2,322	378
28 years	6,320	3,483	313	2,425	99	10,650	7,961	120	2,326	243
29 years	5,565	2,797	315	2,346	107	9,033	6,343	135	2,367	188
30 years	5,351	2,494	370	2,380	107	7,560	4,930	148	2,309	173
31 years	4,462	1,909	336	2,140	77	6,236	3,851	159	2,102	124
32 years	4,179	1,699	387	2,027	66	5,693	3,312	174	2,103	104
33 years	3,972	1,433	377	2,099	63	4,996	2,691	210	2,004	91
34 years	3,692	1,307	394	1,932	59	4,605	2,361	192	1,975	77
35 years	3,585	1,131	457	1,954	43	4,344	2,046	229	1,991	78
36 years	3,138	979	485	1,626	48	3,656	1,613	246	1,725	72
37 years	3,038	892	495	1,607	44	3,563	1,495	252	1,748	68
38 years	3,042	833	538	1,626	45	3,395	1,333	251	1,757	54
39 years	2,861	743	538	1,537	43	3,319	1,178	304	1,787	50
40 years	2,816	651	608	1,502	55	3,039	1,069	297	1,617	56
41 years	2,213	547	501	1,115	50	2,706	847	325	1,485	49
42 years	2,343	534	580	1,194	35	2,687	865	336	1,435	51
43 years	2,243	482	602	1,113	46	2,539	716	356	1,434	33
44 years	2,072	423	621	996	32	2,401	665	373	1,320	43
45-49 years	9,023	1,544	3,452	3,863	164	10,278	2,478	2,084	5,566	150
50-54 years	5,881	811	2,903	2,075	92	7,721	1,471	2,399	3,713	138
55-59 years	4,087	425	2,514	1,063	85	6,029	849	2,842	2,237	101
60-64 years	2,715	237	1,925	504	49	4,566	464	2,796	1,220	86
65-69 years	1,940	129	1,491	291	29	3,905	304	2,674	861	66
70-74 years	734	42	604	76	12	2,146	96	1,693	326	31
75 years and over	309	20	265	17	7	1,290	39	1,073	150	28
Not stated	1,912	341	264	353	954	1,732	338	228	270	896

NOTE. — States included: Alabama, Connecticut, Delaware, Florida, Idaho, Kansas, Louisiana (exclusive of New Orleans), Maine, Maryland, Missouri, Montana, New Hampshire, New York (exclusive of 68,615 marriages for which licenses had been issued in New York City), Oregon, South Dakota, Tennessee, Utah, Vermont, Virginia, and Wyoming.

Table 7. Marriages by Age and Previous Marital Status of Bride and of Groom: 21 Reporting States, 1955

(By place of occurrence. Includes only marriages occurring within the reporting area)

AREA AND AGE	BRIDE					GROOM				
	Total	Previous marital status				Total	Previous marital status			
		Single	Widowed	Divorced	Not stated		Single	Widowed	Divorced	Not stated
TOTAL	411,721	302,308	26,746	70,294	12,373	411,721	307,306	23,384	68,835	12,196
Under 15 years	1,132	1,045	-	1	86	7	6	-	1	-
15-19 years	147,549	138,872	164	3,108	5,405	43,321	41,436	10	185	1,690
20-24 years	133,653	114,927	1,001	14,048	3,677	174,996	162,307	223	6,787	5,679
25-29 years	43,298	25,876	1,746	14,881	795	80,817	64,501	661	13,656	1,999
30-34 years	24,930	9,804	2,296	12,411	419	33,405	19,214	1,086	12,488	617
35-39 years	18,046	5,067	3,002	9,698	279	21,169	8,601	1,575	10,629	364
40-44 years	13,508	2,694	3,462	6,893	259	15,496	4,646	2,004	8,584	262
45-49 years	10,297	1,675	4,005	4,427	190	11,892	2,767	2,469	6,479	177
50-54 years	6,622	879	3,322	2,319	102	8,795	1,591	2,764	4,277	163
55-59 years	4,510	456	2,785	1,172	97	6,786	924	3,204	2,542	116
60-64 years	2,997	254	2,126	563	54	5,094	497	3,087	1,418	92
65-69 years	2,110	139	1,621	318	32	4,361	331	2,986	967	77
70-74 years	793	43	657	80	13	2,394	100	1,879	379	36
75 years and over	330	20	285	18	7	1,445	40	1,207	170	28
Not stated	1,946	357	274	357	958	1,743	345	229	273	896
ALABAMA	19,791	[1]15,806	1,323	2,658	4	19,791	[1]15,711	1,238	2,839	3
Under 15 years	165	165	-	-	-	-	-	-	-	-
15-19 years	8,619	8,430	15	173	1	2,418	2,397	-	21	-
20-24 years	6,044	5,374	62	606	2	9,287	8,900	20	366	1
25-29 years	1,812	1,107	121	583	1	3,663	3,033	43	586	1
30-34 years	871	318	108	445	-	1,268	731	65	472	-
35-39 years	674	193	165	316	-	823	323	81	419	-
40-44 years	531	94	196	241	-	600	150	120	329	1
45-49 years	397	68	184	145	-	460	85	154	221	-
50-54 years	275	32	171	72	-	354	45	141	168	-
55-59 years	162	13	113	36	-	281	22	153	106	-
60-64 years	100	1	78	21	-	208	13	145	50	-
65-69 years	92	6	73	13	-	236	8	162	66	-
70-74 years	30	2	26	2	-	127	2	99	26	-
75 years and over	8	-	8	-	-	63	1	53	9	-
Not stated	11	3	3	5	-	3	1	2	-	-
CONNECTICUT	17,534	13,757	1,064	2,713	-	17,534	13,756	951	2,827	-
Under 15 years	7	7	-	-	-	-	-	-	-	-
15-19 years	3,477	3,442	3	32	-	912	910	-	2	-
20-24 years	7,079	6,746	18	315	-	6,490	6,376	3	111	-
25-29 years	2,672	1,992	61	619	-	4,430	3,951	26	453	-
30-34 years	1,441	797	88	556	-	1,857	1,254	42	561	-
35-39 years	977	375	119	483	-	1,190	620	61	509	-
40-44 years	679	212	144	323	-	872	303	93	476	-
45-49 years	466	88	176	202	-	564	147	109	308	-
50-54 years	295	44	149	102	-	409	94	113	202	-
55-59 years	214	31	137	46	-	332	52	155	125	-
60-64 years	136	15	99	22	-	236	28	163	45	-
65-69 years	65	6	47	12	-	141	13	102	26	-
70-74 years	19	2	16	1	-	61	7	45	9	-
75 years and over	7	-	7	-	-	40	1	39	-	-
Not stated	-	-	-	-	-	-	-	-	-	-
DELAWARE	2,232	1,836	116	278	2	2,232	1,841	127	263	1
Under 15 years	2	2	-	-	-	-	-	-	-	-
15-19 years	697	688	2	7	-	229	228	-	1	-
20-24 years	817	759	6	52	-	952	934	2	15	1
25-29 years	278	210	8	60	-	470	406	4	60	-
30-34 years	137	74	5	58	-	191	130	5	56	-
35-39 years	105	45	13	46	1	123	66	10	47	-
40-44 years	70	30	9	31	-	79	32	13	34	-
45-49 years	37	9	15	13	-	54	19	13	22	-
50-54 years	31	6	17	7	1	32	7	13	12	-
55-59 years	23	4	17	2	-	43	11	23	9	-
60-64 years	16	3	13	-	-	29	7	19	3	-
65-69 years	13	4	8	1	-	16	-	13	3	-
70-74 years	3	1	1	1	-	7	-	6	1	-
75 years and over	2	-	2	-	-	6	-	6	-	-
Not stated	1	1	-	-	-	1	1	-	-	-
FLORIDA	29,904	[1]18,904	2,930	8,063	7	29,904	[1]19,399	2,533	7,962	10
Under 15 years	57	57	-	-	-	-	-	-	-	-
15-19 years	8,766	8,421	12	331	2	2,516	2,493	3	19	1
20-24 years	7,989	6,633	87	1,266	3	10,220	9,598	11	609	2
25-29 years	3,579	1,921	155	1,502	1	5,522	4,178	52	1,290	2
30-34 years	2,533	817	216	1,500	-	2,865	1,492	77	1,293	3
35-39 years	2,012	446	307	1,259	-	2,091	685	168	1,237	1
40-44 years	1,544	271	376	897	-	1,679	376	217	1,086	-
45-49 years	1,203	151	423	629	-	1,348	241	239	868	-
50-54 years	811	84	376	351	-	1,062	139	258	664	1
55-59 years	529	41	321	167	-	788	87	298	403	-
60-64 years	379	31	261	87	-	612	44	337	231	-
65-69 years	339	15	267	57	-	596	48	392	156	-
70-74 years	106	4	91	10	1	356	15	276	65	-
75 years and over	42	-	37	5	-	248	2	205	41	-
Not stated	15	12	1	2	-	1	1	-	-	-

See footnotes on p. 64.

Table 7. Marriages by Age and Previous Marital Status of Bride and of Groom: 21 Reporting States, 1955—Continued

(By place of occurrence. Includes only marriages occurring within the reporting area)

AREA AND AGE	BRIDE					GROOM				
	Total	Previous marital status				Total	Previous marital status			
		Single	Widowed	Divorced	Not stated		Single	Widowed	Divorced	Not stated
GEORGIA	54,780	39,429	3,674	10,849	828	54,780	40,378	3,029	10,680	693
Under 15 years	375	373	-	1	1	-	-	-	-	-
15-19 years	23,963	22,811	34	750	368	7,632	7,491	3	45	93
20-24 years	14,614	11,741	194	2,495	184	23,734	22,083	45	1,319	287
25-29 years	5,347	2,522	318	2,437	70	9,240	6,759	132	2,245	104
30-34 years	3,274	962	432	1,833	47	4,315	2,069	203	1,995	48
35-39 years	2,382	489	489	1,348	56	2,892	936	293	1,621	42
40-44 years	1,821	257	550	973	41	2,124	484	317	1,293	30
45-49 years	1,274	131	553	564	26	1,614	289	385	913	27
50-54 years	741	68	419	244	10	1,074	120	365	564	25
55-59 years	423	31	271	109	12	757	75	362	305	15
60-64 years	282	17	201	59	5	528	33	291	198	6
65-69 years	170	10	130	27	3	456	27	312	106	11
70-74 years	59	1	53	4	1	248	4	186	53	5
75 years and over	21	-	20	1	-	155	1	134	20	-
Not stated	34	16	10	4	4	11	7	1	3	-
IDAHO	8,879	6,006	548	2,321	4	8,879	6,437	340	2,101	1
Under 15 years	12	12	-	-	-	-	-	-	-	-
15-19 years	4,046	3,849	8	188	1	1,492	1,482	-	10	-
20-24 years	2,195	1,676	28	491	-	3,553	3,291	3	259	-
25-29 years	705	259	35	411	-	1,385	973	14	398	-
30-34 years	459	80	42	337	-	662	297	13	352	-
35-39 years	391	38	66	287	-	448	136	27	285	-
40-44 years	308	34	59	215	-	356	82	28	246	-
45-49 years	200	11	65	124	-	286	57	26	203	-
50-54 years	121	7	38	76	-	181	38	34	109	-
55-59 years	91	4	51	36	-	121	12	34	75	-
60-64 years	62	4	39	18	1	70	6	28	35	1
65-69 years	41	3	31	7	-	56	7	30	19	-
70-74 years	14	-	13	1	-	40	3	26	11	-
75 years and over	6	-	5	1	-	23	1	22	-	-
Not stated	228	29	68	129	2	206	52	55	99	-
KANSAS	17,667	[1]13,429	1,030	3,118	90	17,667	[1]13,701	878	3,009	79
Under 15 years	47	46	-	-	1	1	1	-	-	-
15-19 years	7,431	7,219	8	188	16	2,415	2,403	2	8	2
20-24 years	5,573	4,789	41	719	24	8,141	7,720	13	384	24
25-29 years	1,488	799	59	624	6	3,076	2,391	33	636	16
30-34 years	829	241	84	495	9	1,226	621	45	557	3
35-39 years	567	126	83	356	2	700	242	40	413	5
40-44 years	441	72	93	269	7	475	97	58	318	2
45-49 years	343	43	122	173	5	369	67	61	235	6
50-54 years	234	28	110	95	1	321	45	92	179	5
55-59 years	211	15	136	51	9	228	26	105	93	4
60-64 years	160	7	102	47	4	211	26	118	62	5
65-69 years	84	4	64	13	3	143	7	101	32	3
70-74 years	51	4	38	8	1	95	-	72	23	-
75 years and over	16	-	14	1	1	78	3	64	8	3
Not stated	192	36	76	79	1	188	52	74	61	1
LOUISIANA[2]	17,562	3,784	1,011	2,436	10,331	17,562	3,855	909	2,403	10,395
Under 15 years	125	41	-	-	84	-	-	-	-	-
15-19 years	7,061	2,006	9	110	4,936	2,243	657	1	7	1,578
20-24 years	5,050	1,149	41	481	3,379	7,529	2,033	11	200	5,285
25-29 years	1,434	212	61	483	678	2,910	614	25	431	1,840
30-34 years	882	84	73	391	334	1,128	165	43	378	542
35-39 years	669	49	122	319	179	776	94	48	350	284
40-44 years	549	26	121	235	167	612	47	70	291	204
45-49 years	407	20	141	148	98	467	26	105	232	104
50-54 years	274	7	127	93	47	394	21	97	182	94
55-59 years	209	8	107	61	33	272	12	96	110	54
60-64 years	119	6	72	21	20	240	9	119	69	43
65-69 years	108	3	70	18	17	226	6	114	67	39
70-74 years	31	1	15	9	6	138	3	91	26	18
75 years and over	20	2	13	1	4	86	3	57	10	16
Not stated	624	170	39	66	349	541	165	32	50	294
MAINE	8,263	6,606	388	1,268	1	8,263	6,672	396	1,193	2
Under 15 years	28	28	-	-	-	-	-	-	-	-
15-19 years	3,351	3,286	3	62	-	1,064	1,062	-	2	-
20-24 years	2,790	2,464	19	306	1	3,858	3,708	2	147	1
25-29 years	784	468	24	292	-	1,536	1,259	7	270	-
30-34 years	389	165	23	201	-	564	332	20	212	-
35-39 years	249	72	34	143	-	328	123	22	183	-
40-44 years	175	47	38	90	-	252	92	29	131	-
45-49 years	160	36	48	76	-	189	44	37	107	1
50-54 years	124	25	51	48	-	132	20	46	66	-
55-59 years	79	4	45	30	-	104	14	54	36	-
60-64 years	65	6	50	9	-	99	10	66	23	-
65-69 years	48	4	36	8	-	77	5	59	13	-
70-74 years	15	1	12	2	-	39	2	34	3	-
75 years and over	6	-	5	1	-	21	1	20	-	-
Not stated	-	-	-	-	-	-	-	-	-	-

See footnotes on p. 64.

Table 7. Marriages by Age and Previous Marital Status of Bride and of Groom: 21 Reporting States, 1955—Continued

(By place of occurrence. Includes only marriages occurring within the reporting area)

AREA AND AGE	BRIDE					GROOM				
	Total	Previous marital status				Total	Previous marital status			
		Single	Widowed	Divorced	Not stated		Single	Widowed	Divorced	Not stated
MARYLAND	42,743	32,501	2,797	7,445	-	42,743	33,027	2,472	7,244	-
Under 15 years	62	62	-	-	-	2	1	-	1	-
15-19 years	15,267	15,110	14	143	-	3,989	3,985	-	4	-
20-24 years	12,073	10,726	88	1,259	-	17,136	16,506	26	604	-
25-29 years	4,810	3,033	160	1,617	-	8,300	6,849	56	1,395	-
30-34 years	3,166	1,481	224	1,461	-	3,847	2,412	104	1,331	-
35-39 years	2,430	914	353	1,163	-	2,659	1,299	171	1,189	-
40-44 years	1,706	531	390	785	-	1,919	746	237	936	-
45-49 years	1,313	307	481	525	-	1,530	489	297	744	-
50-54 years	835	177	392	266	-	1,191	355	350	486	-
55-59 years	528	86	304	138	-	873	199	369	305	-
60-64 years	286	32	204	50	-	605	108	356	141	-
65-69 years	189	20	143	26	-	423	57	291	75	-
70-74 years	40	6	30	4	-	185	16	142	27	-
75 years and over	18	4	13	1	-	83	4	73	6	-
Not stated	20	12	1	7	-	1	1	-	-	-
MISSOURI[3]	34,162	23,578	2,347	7,587	650	34,162	24,057	2,040	7,416	649
Under 15 years	23	23	-	-	-	1	1	-	-	-
15-19 years	10,816	10,443	10	339	24	3,133	3,101	-	27	5
20-24 years	11,277	9,613	60	1,588	16	13,442	12,685	13	720	24
25-29 years	3,717	2,036	115	1,563	3	6,973	5,429	42	1,497	5
30-34 years	2,051	663	147	1,240	1	2,908	1,494	84	1,325	5
35-39 years	1,474	313	215	944	2	1,725	563	92	1,068	2
40-44 years	1,173	169	261	742	1	1,322	307	130	884	1
45-49 years	1,025	135	347	542	1	1,065	178	187	699	1
50-54 years	657	62	306	288	1	765	98	208	458	1
55-59 years	481	32	274	173	2	689	76	313	299	1
60-64 years	334	24	227	83	-	465	36	254	172	3
65-69 years	248	11	188	49	-	496	32	316	148	-
70-74 years	120	5	104	11	-	299	17	226	56	-
75 years and over	72	3	66	3	-	198	9	151	36	2
Not stated	694	46	27	22	599	681	31	24	27	599
MONTANA	6,514	4,453	454	1,585	22	6,514	4,713	301	1,478	22
Under 15 years	-	-	-	-	-	-	-	-	-	-
15-19 years	2,541	2,450	4	83	4	609	607	-	1	1
20-24 years	1,939	1,553	20	362	4	2,608	2,417	6	179	6
25-29 years	582	247	27	305	3	1,344	1,058	7	278	1
30-34 years	381	94	39	247	1	569	291	14	259	5
35-39 years	308	43	43	218	4	410	151	22	235	2
40-44 years	241	25	49	164	3	309	76	27	202	4
45-49 years	176	11	67	98	-	212	45	21	145	1
50-54 years	104	7	50	45	2	136	30	28	78	-
55-59 years	76	5	47	24	-	78	5	36	36	1
60-64 years	43	3	33	7	-	64	5	36	23	-
65-69 years	35	1	31	3	-	64	6	42	16	-
70-74 years	18	1	13	4	-	38	3	29	6	-
75 years and over	5	-	5	-	-	13	1	11	1	-
Not stated	65	13	26	25	1	60	18	22	19	1
NEW HAMPSHIRE	7,061	5,067	406	1,588	-	7,061	5,161	381	1,519	-
Under 15 years	3	3	-	-	-	-	-	-	-	-
15-19 years	2,088	2,055	2	31	-	370	370	-	-	-
20-24 years	2,297	1,987	13	297	-	2,929	2,809	2	118	-
25-29 years	898	530	20	348	-	1,478	1,162	6	310	-
30-34 years	552	221	38	293	-	684	377	14	293	-
35-39 years	422	125	37	260	-	504	201	33	270	-
40-44 years	286	67	54	165	-	333	103	29	201	-
45-49 years	194	38	55	101	-	231	60	38	133	-
50-54 years	128	18	60	50	-	184	37	57	90	-
55-59 years	88	11	50	27	-	123	22	51	50	-
60-64 years	49	7	30	12	-	92	10	49	33	-
65-69 years	36	3	29	4	-	67	5	46	16	-
70-74 years	13	2	11	-	-	48	2	42	4	-
75 years and over	7	-	7	-	-	18	3	14	1	-
Not stated	-	-	-	-	-	-	-	-	-	-
NEW YORK[4]	54,636	46,580	3,235	4,615	206	54,636	46,992	3,198	4,276	170
Under 15 years	30	30	-	-	-	-	-	-	-	-
15-19 years	16,474	16,365	9	100	-	4,275	4,268	1	6	-
20-24 years	22,230	21,354	85	788	3	24,462	24,086	19	357	-
25-29 years	6,318	5,081	189	1,038	10	13,023	12,026	68	928	1
30-34 years	2,942	1,799	234	896	13	4,432	3,442	133	853	4
35-39 years	1,898	852	328	697	21	2,301	1,401	196	688	16
40-44 years	1,421	489	404	497	31	1,528	743	233	536	16
45-49 years	1,099	273	488	297	41	1,211	449	318	424	20
50-54 years	792	156	442	167	27	921	250	421	221	29
55-59 years	576	89	377	78	32	868	172	517	148	31
60-64 years	415	48	318	31	18	642	80	478	58	26
65-69 years	278	29	221	22	6	548	58	427	48	15
70-74 years	118	8	105	2	3	283	12	260	3	8
75 years and over	45	7	35	2	1	142	5	127	6	4
Not stated	-	-	-	-	-	-	-	-	-	-

See footnotes on p. 64.

Table 7. Marriages by Age and Previous Marital Status of Bride and of Groom: 21 Reporting States, 1955—Continued

(By place of occurrence. Includes only marriages occurring within the reporting area)

AREA AND AGE	BRIDE					GROOM				
	Total	Previous marital status				Total	Previous marital status			
		Single	Widowed	Divorced	Not stated		Single	Widowed	Divorced	Not stated
OREGON	10,632	7,754	722	2,111	45	10,632	7,914	535	2,150	33
Under 15 years	-	-	-	-	-	-	-	-	-	-
15-19 years	4,432	4,319	1	99	13	1,398	1,387	-	7	4
20-24 years	3,058	2,609	28	411	10	4,570	4,340	7	213	10
25-29 years	894	469	48	371	6	1,816	1,377	9	424	6
30-34 years	584	175	54	354	1	808	407	23	376	2
35-39 years	429	70	59	295	5	505	160	21	319	5
40-44 years	356	50	82	224	-	400	98	32	269	1
45-49 years	279	26	111	141	1	299	57	45	196	1
50-54 years	203	22	76	101	4	261	42	59	160	-
55-59 years	151	6	93	49	3	165	20	70	73	2
60-64 years	108	2	73	31	2	159	14	83	60	2
65-69 years	72	1	53	18	-	128	4	93	31	-
70-74 years	33	-	28	5	-	62	3	47	12	-
75 years and over	10	-	9	1	-	47	1	40	6	-
Not stated	23	5	7	11	-	14	4	6	4	-
SOUTH DAKOTA	6,122	4,951	289	882	-	6,122	5,078	239	805	-
Under 15 years	2	2	-	-	-	-	-	-	-	-
15-19 years	2,465	2,400	3	62	-	559	558	-	1	-
20-24 years	2,258	2,025	16	217	-	2,878	2,768	3	107	-
25-29 years	525	308	23	194	-	1,381	1,184	17	180	-
30-34 years	272	104	28	140	-	477	318	10	149	-
35-39 years	190	47	28	115	-	256	113	16	127	-
40-44 years	121	20	26	75	-	163	62	13	88	-
45-49 years	93	22	34	37	-	113	40	16	57	-
50-54 years	59	6	40	13	-	79	14	25	40	-
55-59 years	56	7	35	14	-	66	10	32	24	-
60-64 years	28	3	20	5	-	56	3	36	17	-
65-69 years	19	3	11	5	-	38	4	27	7	-
70-74 years	11	-	10	1	-	24	-	22	2	-
75 years and over	2	-	2	-	-	10	-	10	-	-
Not stated	21	4	13	4	-	22	4	12	6	-
TENNESSEE	23,258	18,067	1,424	3,621	146	23,258	18,152	1,313	3,679	114
Under 15 years	80	80	-	-	-	1	1	-	-	-
15-19 years	8,752	8,524	10	192	26	2,819	2,801	-	13	5
20-24 years	8,305	7,254	55	958	38	10,741	10,263	20	428	30
25-29 years	2,204	1,306	103	779	16	4,247	3,375	59	798	15
30-34 years	1,199	436	147	605	11	1,683	914	53	711	5
35-39 years	836	229	167	433	7	1,041	406	94	536	5
40-44 years	590	102	184	295	9	721	208	109	401	3
45-49 years	510	78	209	207	16	560	95	134	316	15
50-54 years	280	34	162	75	9	383	52	121	203	7
55-59 years	197	10	147	34	6	308	20	172	109	7
60-64 years	135	6	102	23	4	260	7	171	76	6
65-69 years	106	3	89	12	2	250	7	182	53	8
70-74 years	45	2	35	7	1	152	2	122	23	5
75 years and over	15	1	13	-	1	90	-	76	11	3
Not stated	4	2	1	1	-	2	1	-	1	-
UTAH	6,724	5,594	319	805	6	6,724	5,621	271	823	9
Under 15 years	41	41	-	-	-	-	-	-	-	-
15-19 years	3,298	3,245	2	50	1	1,323	1,316	-	7	-
20-24 years	2,083	1,851	16	213	3	3,113	2,977	1	131	4
25-29 years	482	305	23	154	-	1,214	1,005	7	201	1
30-34 years	228	73	21	134	-	327	178	16	133	-
35-39 years	150	23	34	93	-	201	74	13	113	1
40-44 years	118	15	37	66	-	134	28	23	83	-
45-49 years	96	15	42	39	-	107	16	27	64	-
50-54 years	72	6	37	29	-	68	8	31	29	-
55-59 years	52	6	32	14	-	60	6	30	23	1
60-64 years	39	5	31	3	-	55	2	35	18	-
65-69 years	29	1	21	6	1	57	7	37	12	1
70-74 years	18	1	14	3	-	27	-	23	4	-
75 years and over	7	-	7	-	-	31	-	27	4	-
Not stated	11	7	2	1	1	7	4	1	1	1
VERMONT	3,378	2,822	180	373	3	3,378	2,830	179	369	-
Under 15 years	3	3	-	-	-	-	-	-	-	-
15-19 years	1,233	1,225	2	6	-	346	346	-	-	-
20-24 years	1,198	1,131	8	58	1	1,550	1,514	-	36	-
25-29 years	368	278	7	83	-	698	630	1	67	-
30-34 years	158	82	16	60	-	224	158	8	58	-
35-39 years	123	41	19	62	1	129	57	14	58	-
40-44 years	85	25	19	41	-	124	52	19	53	-
45-49 years	74	19	27	27	1	93	30	22	41	-
50-54 years	44	6	18	20	-	59	20	14	25	-
55-59 years	33	4	21	8	-	48	9	29	10	-
60-64 years	30	6	20	4	-	42	8	25	9	-
65-69 years	17	1	14	2	-	36	3	25	8	-
70-74 years	8	-	7	1	-	20	2	16	2	-
75 years and over	4	1	2	1	-	9	1	6	2	-
Not stated	-	-	-	-	-	-	-	-	-	-

Table 7. Marriages by Age and Previous Marital Status of Bride and of Groom: 21 Reporting States, 1955—Continued

(By place of occurrence. Includes only marriages occurring within the reporting area)

AREA AND AGE	BRIDE					GROOM				
	Total	Previous marital status				Total	Previous marital status			
		Single	Widowed	Divorced	Not stated		Single	Widowed	Divorced	Not stated
VIRGINIA	36,849	29,433	2,277	5,138	1	36,849	29,904	1,921	5,024	-
Under 15 years	67	67	-	-	-	2	2	-	-	-
15-19 years	11,692	11,568	12	112	-	3,235	3,233	-	2	-
20-24 years	13,871	12,766	110	995	-	16,670	16,254	14	402	-
25-29 years	4,066	2,661	164	1,240	1	7,452	6,360	50	1,042	-
30-34 years	2,377	1,104	256	1,017	-	3,119	2,016	108	995	-
35-39 years	1,618	580	295	763	-	1,893	905	144	844	-
40-44 years	1,180	352	344	484	-	1,357	533	194	630	-
45-49 years	850	186	388	276	-	1,006	311	216	479	-
50-54 years	487	84	255	148	-	708	144	270	294	-
55-59 years	297	46	187	64	-	532	71	285	176	-
60-64 years	183	25	134	24	-	380	42	263	75	-
65-69 years	111	10	90	11	-	277	22	199	56	-
70-74 years	36	2	31	3	-	138	6	110	22	-
75 years and over	13	2	11	-	-	77	3	68	6	-
Not stated	1	-	-	1	-	3	2	-	1	-
WYOMING	3,030	1,951	212	840	27	3,030	2,107	133	775	15
Under 15 years	3	3	-	-	-	-	-	-	-	-
15-19 years	1,080	1,016	1	50	13	344	341	-	2	1
20-24 years	913	727	6	171	9	1,133	1,045	2	82	4
25-29 years	335	132	25	178	-	659	482	3	167	7
30-34 years	205	34	21	148	2	251	116	6	129	-
35-39 years	142	17	26	98	1	174	46	9	118	1
40-44 years	113	6	26	81	-	137	27	13	97	-
45-49 years	101	8	29	63	1	114	22	19	72	1
50-54 years	55	-	26	29	-	81	12	21	47	1
55-59 years	34	3	20	11	-	50	3	20	27	-
60-64 years	28	3	19	6	-	41	6	15	20	-
65-69 years	10	1	5	4	-	30	5	16	9	-
70-74 years	5	-	4	1	-	7	1	5	1	-
75 years and over	4	-	4	-	-	7	-	4	3	-
Not stated	2	1	-	-	1	2	1	-	1	-

[1]Includes previous marriages annulled.
[2]Excludes New Orleans.
[3]Data incomplete.
[4]Excludes 68,615 marriages for which licenses had been issued in New York City.

Table 8. Marriages by Previous Marital Status of Bride, by Previous Marital Status of Groom: 23 Reporting States, 1955

(By place of occurrence. Includes only marriages occurring within the reporting area)

AREA AND PREVIOUS MARITAL STATUS OF GROOM	Total	PREVIOUS MARITAL STATUS OF BRIDE			
		Single	Widowed	Divorced	Not stated
TOTAL	463,940	344,820	30,024	76,572	12,524
Single	349,573	310,911	7,516	30,693	453
Widowed	26,433	6,075	12,912	7,123	323
Divorced	75,283	27,226	9,305	37,835	917
Not stated	12,651	608	291	921	10,831
ALABAMA	19,791	[1]15,806	1,323	2,658	4
Single	[1]15,711	14,429	304	977	1
Widowed	1,238	298	655	284	1
Divorced	2,839	1,079	364	1,395	1
Not stated	3	-	-	2	1
CONNECTICUT	17,534	13,757	1,064	2,713	-
Single	13,756	12,286	305	1,185	-
Widowed	951	246	436	269	-
Divorced	2,827	1,245	323	1,259	-
Not stated	-	-	-	-	-
DELAWARE	2,232	1,836	116	278	2
Single	1,841	1,665	42	134	-
Widowed	127	44	49	33	1
Divorced	263	127	24	111	1
Not stated	1	-	1	-	-
FLORIDA	29,904	[1]18,904	2,930	8,063	7
Single	[1]19,399	16,136	602	2,657	4
Widowed	2,533	458	1,253	822	-
Divorced	7,962	2,304	1,075	4,582	1
Not stated	10	6	-	2	2
GEORGIA	54,780	39,429	3,674	10,849	828
Single	40,378	35,346	908	3,964	160
Widowed	3,029	684	1,430	880	35
Divorced	10,680	3,281	1,319	5,948	132
Not stated	693	118	17	57	501
IDAHO	8,879	6,006	548	2,321	4
Single	6,437	5,392	152	890	3
Widowed	340	46	154	140	-
Divorced	2,101	568	242	1,291	-
Not stated	1	-	-	-	1
KANSAS	17,667	[1]13,429	1,030	3,118	90
Single	[1]13,701	12,271	221	1,184	25
Widowed	878	143	458	271	6
Divorced	3,009	994	348	1,646	21
Not stated	79	21	3	17	38
LOUISIANA[2]	17,562	3,784	1,011	2,436	10,331
Single	3,855	3,421	87	278	69
Widowed	909	78	411	288	132
Divorced	2,403	264	353	1,151	635
Not stated	10,395	21	160	719	9,495
MAINE	8,263	6,606	388	1,268	1
Single	6,672	6,020	95	557	-
Widowed	396	83	190	123	-
Divorced	1,193	503	103	587	-
Not stated	2	-	-	1	1
MARYLAND	42,743	32,501	2,797	7,445	-
Single	33,027	28,710	774	3,543	-
Widowed	2,472	697	1,116	659	-
Divorced	7,244	3,094	907	3,243	-
Not stated	-	-	-	-	-
MISSOURI[3]	34,162	23,578	2,347	7,587	650
Single	24,057	21,042	423	2,583	9
Widowed	2,040	325	1,082	651	2
Divorced	7,416	2,201	858	4,352	5
Not stated	649	10	4	1	634
MONTANA	6,514	4,453	454	1,585	22
Single	4,713	3,985	115	610	3
Widowed	301	45	175	81	-
Divorced	1,478	421	163	893	1
Not stated	22	2	1	1	18
NEBRASKA	11,892	9,287	724	1,881	-
Single	9,564	8,577	193	794	-
Widowed	581	110	304	167	-
Divorced	1,747	600	227	920	-
Not stated	-	-	-	-	-
NEW HAMPSHIRE	7,061	5,067	406	1,588	-
Single	5,161	4,324	110	727	-
Widowed	381	89	161	131	-
Divorced	1,519	654	135	730	-
Not stated	-	-	-	-	-
NEW JERSEY	40,327	33,225	2,554	4,397	151
Single	32,703	29,840	709	2,103	51
Widowed	2,468	722	1,191	518	37
Divorced	4,701	2,308	626	1,735	32
Not stated	455	355	28	41	31
NEW YORK[4]	54,636	46,580	3,235	4,615	206
Single	46,992	43,369	1,030	2,529	64
Widowed	3,198	888	1,638	586	86
Divorced	4,276	2,278	510	1,444	44
Not stated	170	45	57	56	12
OREGON	10,632	7,754	722	2,111	45
Single	7,914	7,020	145	729	20
Widowed	535	82	271	177	5
Divorced	2,150	637	306	1,202	5
Not stated	33	15	-	3	15
SOUTH DAKOTA	6,122	4,951	289	882	-
Single	5,078	4,575	88	415	-
Widowed	239	58	116	65	-
Divorced	805	318	85	402	-
Not stated	-	-	-	-	-
TENNESSEE	23,258	18,067	1,424	3,621	146
Single	18,152	16,355	284	1,480	33
Widowed	1,313	308	659	328	18
Divorced	3,679	1,394	462	1,794	29
Not stated	114	10	19	19	66
UTAH	6,724	5,594	319	805	6
Single	5,621	5,247	60	313	1
Widowed	271	45	159	67	-
Divorced	823	298	99	425	1
Not stated	9	4	1	-	4
VERMONT	3,378	2,822	180	373	3
Single	2,830	2,588	60	180	2
Widowed	179	66	75	38	-
Divorced	369	168	45	155	1
Not stated	-	-	-	-	-
VIRGINIA	36,849	29,433	2,277	5,138	1
Single	29,904	26,587	748	2,568	1
Widowed	1,921	551	881	489	-
Divorced	5,024	2,295	648	2,081	-
Not stated	-	-	-	-	-
WYOMING	3,030	1,951	212	840	27
Single	2,107	1,746	61	293	7
Widowed	133	9	68	56	-
Divorced	775	195	83	489	8
Not stated	15	1	-	2	12

[1]Includes previous marriages annulled.
[2]Excludes New Orleans.
[3]Data incomplete.
[4]Excludes 68,615 marriages for which licenses had been issued in New York City.

Table 9. Marriages by Age (Single Years 15 Through 44) and Number of Present Marriage of Bride and of Groom: Total of 15 Reporting States, 1955

(By place of occurrence. Includes only marriages occurring within the reporting area)

AGE	MARRIAGE OF BRIDE						MARRIAGE OF GROOM					
	Total	First	Second	Third	Fourth or more	Not stated	Total	First	Second	Third	Fourth or more	Not stated
TOTAL	334,415	264,429	58,124	8,552	1,235	2,075	334,415	267,552	56,006	7,815	1,108	1,934
Under 15 years	570	565	-	-	-	5	3	3	-	-	-	-
15 years	2,199	2,181	4	-	-	14	24	23	-	-	-	1
16 years	12,816	12,689	42	-	-	85	465	459	-	1	-	5
17 years	20,208	19,933	165	3	-	107	2,439	2,416	-	-	-	23
18 years	41,578	40,739	607	9	-	223	11,900	11,807	25	-	1	67
19 years	37,114	35,984	922	23	1	184	19,462	19,280	90	-	-	92
20 years	32,595	31,010	1,388	32	1	164	23,907	23,576	224	1	-	106
21 years	34,447	32,224	1,989	56	6	172	34,777	34,018	599	7	-	153
22 years	23,522	21,283	2,037	83	5	114	32,395	31,255	976	10	-	154
23 years	17,256	14,883	2,162	120	5	86	29,507	28,052	1,304	22	1	128
24 years	13,194	10,829	2,126	147	8	84	25,750	24,061	1,527	57	2	103
25 years	10,303	7,815	2,252	165	12	59	21,527	19,591	1,750	70	3	113
26 years	8,008	5,604	2,168	182	16	38	16,667	14,627	1,866	83	6	85
27 years	6,710	4,308	2,143	189	18	52	13,099	10,957	1,965	102	7	68
28 years	5,905	3,535	2,113	186	22	49	10,299	8,136	1,970	125	10	58
29 years	5,092	2,790	1,987	247	25	43	8,553	6,391	1,965	138	9	50
30 years	4,734	2,436	1,986	255	30	27	7,093	4,990	1,894	149	16	44
31 years	3,940	1,876	1,753	247	33	31	5,799	3,884	1,709	158	10	38
32 years	3,637	1,671	1,659	225	43	39	5,142	3,146	1,742	186	16	52
33 years	3,477	1,426	1,726	255	46	24	4,535	2,640	1,680	171	19	25
34 years	3,211	1,297	1,600	259	32	23	4,081	2,279	1,555	190	26	31
35 years	3,151	1,123	1,679	281	46	22	3,814	1,977	1,606	190	18	23
36 years	2,706	916	1,513	224	24	29	3,224	1,543	1,432	187	28	34
37 years	2,580	795	1,481	235	32	37	3,132	1,434	1,454	199	24	21
38 years	2,547	751	1,472	270	27	27	2,882	1,218	1,427	181	20	36
39 years	2,419	673	1,430	253	39	24	2,785	1,068	1,455	207	30	25
40 years	2,335	606	1,388	282	42	17	2,600	994	1,337	212	32	25
41 years	1,933	510	1,137	231	36	19	2,303	836	1,237	192	21	17
42 years	1,964	452	1,201	250	38	23	2,371	810	1,310	220	18	13
43 years	1,804	408	1,107	233	33	23	2,074	841	1,189	188	28	28
44 years	1,748	375	1,078	233	42	20	1,971	576	1,136	207	30	22
45-49 years	7,394	1,352	4,806	1,006	160	70	8,559	2,191	5,162	989	141	76
50-54 years	4,993	645	3,358	818	133	39	6,285	1,225	3,997	874	126	63
55-59 years	3,390	343	2,279	624	104	40	5,104	687	3,489	767	118	43
60-64 years	2,389	198	1,666	426	73	26	3,989	392	2,833	609	112	43
65-69 years	1,545	109	1,060	305	58	13	3,202	232	2,275	567	105	23
70-74 years	638	34	429	135	32	8	1,637	65	1,165	313	72	22
75 years and over	217	16	138	53	9	1	931	26	607	233	57	8
Not stated	146	45	73	10	4	14	128	46	54	10	2	16

NOTE.—States included: Alabama, Connecticut, Delaware, Iowa, Maine, Michigan, Montana, New Hampshire, New York (exclusive of 68,615 marriages for which licenses had been issued in New York City), Ohio, South Dakota, Tennessee, Utah, Vermont, and Virginia.

Table 10. Marriages by Age and Number of Present Marriage of Bride and of Groom: 16 Reporting States, 1955

(By place of occurrence. Includes only marriages occurring within the reporting area)

AREA AND AGE	MARRIAGE OF BRIDE						MARRIAGE OF GROOM					
	Total	First	Second	Third	Fourth or more	Not stated	Total	First	Second	Third	Fourth or more	Not stated
TOTAL	389,195	303,858	71,254	9,912	1,437	2,734	389,195	307,930	68,243	9,218	1,333	2,471
Under 15 years	945	938	2	-	-	5	3	3	-	-	-	-
15-19 years	137,878	134,337	2,534	45	1	961	41,922	41,476	167	3	1	275
20-24 years	135,628	121,970	12,338	536	34	750	170,070	163,045	6,002	127	3	893
25-29 years	41,365	26,574	13,220	1,172	113	286	79,385	66,461	11,787	644	45	448
30-34 years	22,273	9,668	10,740	1,472	218	175	30,965	19,008	10,604	1,026	105	222
35-39 years	15,785	4,747	9,198	1,471	199	170	18,729	8,176	9,099	1,143	150	161
40-44 years	11,605	2,608	7,204	1,436	224	133	13,443	4,341	7,582	1,230	160	130
45-49 years	8,668	1,483	5,769	1,150	184	82	10,173	2,480	6,244	1,185	173	91
50-54 years	5,734	713	3,910	920	147	44	7,359	1,345	4,777	1,013	152	72
55-59 years	3,813	374	2,584	696	113	46	5,861	762	4,029	883	138	49
60-64 years	2,671	215	1,879	461	84	32	4,517	425	3,218	697	130	47
65-69 years	1,715	119	1,167	341	70	18	3,658	259	2,612	634	121	32
70-74 years	697	35	472	142	36	12	1,885	69	1,350	357	85	24
75 years and over	238	16	152	59	10	1	1,086	27	716	265	67	11
Not stated	180	61	85	11	4	19	139	53	56	11	3	16
ALABAMA	19,791	[1]15,806	3,381	510	89	5	19,791	[1]15,711	3,387	555	132	6
Under 15 years	165	165	-	-	-	-	-	-	-	-	-	-
15-19 years	8,619	8,430	181	6	1	1	2,418	2,397	21	-	-	-
20-24 years	6,044	5,374	630	34	4	2	9,287	8,900	370	15	-	2
25-29 years	1,812	1,107	630	64	10	1	3,663	3,033	591	33	5	1
30-34 years	871	318	476	68	9	-	1,268	731	471	57	9	-
35-39 years	674	193	401	71	9	-	823	323	416	64	20	-
40-44 years	531	94	352	71	14	-	600	150	368	68	13	1
45-49 years	397	68	264	54	10	1	460	85	302	60	12	1
50-54 years	275	32	186	50	7	-	354	45	233	63	13	-
55-59 years	162	13	108	33	8	-	281	22	197	49	12	1
60-64 years	100	1	68	25	6	-	208	13	143	47	5	-
65-69 years	92	6	54	27	5	-	236	8	147	58	23	-
70-74 years	30	2	21	5	2	-	127	2	86	28	11	-
75 years and over	8	-	5	1	2	-	63	1	40	13	9	-
Not stated	11	3	5	1	2	-	3	1	2	-	-	-
CONNECTICUT	17,534	13,757	3,427	321	29	-	17,534	13,756	3,456	298	24	-
Under 15 years	7	7	-	-	-	-	-	-	-	-	-	-
15-19 years	3,477	3,442	35	-	-	-	912	910	2	-	-	-
20-24 years	7,079	6,746	327	6	-	-	6,490	6,376	113	1	-	-
25-29 years	2,672	1,992	655	25	-	-	4,430	3,951	464	15	-	-
30-34 years	1,441	797	584	55	5	-	1,857	1,254	575	25	3	-
35-39 years	977	375	545	50	7	-	1,190	620	545	23	2	-
40-44 years	679	212	412	50	5	-	872	303	517	49	3	-
45-49 years	466	88	328	47	3	-	564	147	371	44	2	-
50-54 years	295	44	211	34	6	-	409	94	270	44	1	-
55-59 years	214	31	150	31	2	-	332	52	237	37	6	-
60-64 years	136	15	110	10	1	-	236	28	176	28	4	-
65-69 years	65	6	49	10	-	-	141	13	111	15	2	-
70-74 years	19	2	15	2	-	-	61	7	48	6	-	-
75 years and over	7	-	6	1	-	-	40	1	27	11	1	-
Not stated	-	-	-	-	-	-	-	-	-	-	-	-
DELAWARE	2,232	1,836	359	32	3	2	2,232	1,841	366	22	2	1
Under 15 years	2	2	-	-	-	-	-	-	-	-	-	-
15-19 years	697	688	9	-	-	-	229	228	1	-	-	-
20-24 years	817	759	58	-	-	-	952	934	17	-	-	1
25-29 years	278	210	64	4	-	-	470	406	64	-	-	-
30-34 years	137	74	60	2	1	-	191	130	59	2	-	-
35-39 years	105	45	56	3	-	1	123	66	57	-	-	-
40-44 years	70	30	32	7	1	-	79	32	46	1	-	-
45-49 years	37	9	23	5	-	-	54	19	27	7	1	-
50-54 years	31	6	19	5	-	1	32	7	22	3	-	-
55-59 years	23	4	16	3	-	-	43	11	29	3	-	-
60-64 years	16	3	12	1	-	-	29	7	19	3	-	-
65-69 years	13	4	7	1	1	-	16	-	14	2	-	-
70-74 years	3	1	2	-	-	-	7	-	6	1	-	-
75 years and over	2	-	1	1	-	-	6	-	5	-	1	-
Not stated	1	1	-	-	-	-	1	1	-	-	-	-
GEORGIA	54,780	39,429	13,130	1,360	202	659	54,780	40,378	12,237	1,403	225	537
Under 15 years	375	373	2	-	-	-	-	-	-	-	-	-
15-19 years	23,963	22,811	794	10	-	348	7,632	7,491	52	2	-	87
20-24 years	14,614	11,741	2,636	98	9	130	23,734	22,083	1,372	30	-	249
25-29 years	5,347	2,522	2,557	203	20	45	9,240	6,759	2,271	126	10	74
30-34 years	3,274	962	2,016	231	34	31	4,315	2,069	2,024	172	18	32
35-39 years	2,382	489	1,623	208	31	31	2,892	936	1,725	179	30	22
40-44 years	1,821	257	1,293	207	33	31	2,124	484	1,373	211	31	25
45-49 years	1,274	131	963	144	24	12	1,614	289	1,082	196	32	15
50-54 years	741	68	552	102	14	5	1,074	120	780	139	26	9
55-59 years	423	31	305	72	9	6	757	75	540	116	20	6
60-64 years	282	17	213	35	11	6	528	33	385	88	18	4
65-69 years	170	10	107	36	12	5	456	27	337	67	16	9
70-74 years	59	1	43	7	4	4	248	4	185	44	13	2
75 years and over	21	-	14	6	1	-	155	1	109	32	10	3
Not stated	34	16	12	1	-	5	11	7	2	1	1	-

See footnotes on p. 70.

Table 10. Marriages by Age and Number of Present Marriage of Bride and of Groom: 16 Reporting States, 1955—Continued

(By place of occurrence. Includes only marriages occurring within the reporting area)

AREA AND AGE	MARRIAGE OF BRIDE						MARRIAGE OF GROOM					
	Total	First	Second	Third	Fourth or more	Not stated	Total	First	Second	Third	Fourth or more	Not stated
IOWA	24,493	19,028	4,115	696	151	503	24,493	19,284	4,013	609	111	476
Under 15 years	81	78	-	-	-	3	-	-	-	-	-	-
15-19 years	9,852	9,470	171	7	-	204	3,401	3,324	12	1	-	64
20-24 years	8,406	7,397	764	49	6	190	11,022	10,384	438	9	1	190
25-29 years	2,105	1,221	718	97	15	54	4,667	3,756	741	52	4	114
30-34 years	1,110	398	580	95	21	16	1,691	951	607	76	12	45
35-39 years	795	180	485	84	26	20	976	369	475	86	16	30
40-44 years	601	104	359	103	28	7	696	220	386	67	10	13
45-49 years	522	68	332	79	17	6	575	130	345	72	19	9
50-54 years	381	38	264	67	10	2	428	67	280	63	14	4
55-59 years	236	23	167	41	5	-	347	38	236	60	10	3
60-64 years	199	13	134	37	14	1	279	19	205	42	12	1
65-69 years	107	10	70	22	5	-	211	10	151	42	6	2
70-74 years	61	-	51	9	1	-	116	9	81	21	5	-
75 years and over	20	2	12	4	2	-	71	3	52	14	2	-
Not stated	17	6	8	2	1	-	13	4	4	4	-	1
MAINE	8,263	6,606	1,359	272	25	1	8,263	6,672	1,334	224	32	1
Under 15 years	28	28	-	-	-	-	-	-	-	-	-	-
15-19 years	3,351	3,286	62	3	-	-	1,064	1,062	2	-	-	-
20-24 years	2,790	2,464	303	21	1	1	3,858	3,708	144	5	-	1
25-29 years	784	468	278	35	3	-	1,536	1,259	255	19	3	-
30-34 years	389	165	175	45	4	-	564	332	200	28	4	-
35-39 years	249	72	142	31	4	-	328	123	175	27	3	-
40-44 years	175	47	101	27	-	-	252	92	129	29	2	-
45-49 years	160	36	90	30	4	-	189	44	124	21	-	-
50-54 years	124	25	68	26	5	-	132	20	84	22	6	-
55-59 years	79	4	56	17	2	-	104	14	70	16	4	-
60-64 years	65	6	36	22	1	-	99	10	67	18	4	-
65-69 years	48	4	34	10	-	-	77	5	43	24	5	-
70-74 years	15	1	10	3	1	-	39	2	27	9	1	-
75 years and over	6	-	4	2	-	-	21	1	14	6	-	-
Not stated	-	-	-	-	-	-	-	-	-	-	-	-
MICHIGAN	55,698	43,278	9,931	2,111	348	30	55,698	44,016	9,618	1,776	265	23
Under 15 years	-	-	-	-	-	-	-	-	-	-	-	-
15-19 years	20,270	19,904	348	5	-	13	6,487	6,462	20	-	1	4
20-24 years	19,248	17,371	1,766	98	4	9	24,252	23,328	893	20	-	11
25-29 years	5,607	3,609	1,754	225	19	-	11,356	9,534	1,692	120	7	3
30-34 years	3,008	1,238	1,422	304	42	2	4,213	2,532	1,443	210	24	4
35-39 years	2,180	537	1,266	329	46	2	2,468	992	1,250	201	25	-
40-44 years	1,691	317	989	327	58	-	1,810	498	1,035	245	32	-
45-49 years	1,227	162	762	253	50	-	1,413	273	873	225	42	-
50-54 years	877	58	586	188	44	1	1,079	165	647	233	34	-
55-59 years	624	40	386	161	37	-	847	108	550	163	26	-
60-64 years	481	23	335	102	19	2	751	76	514	135	26	-
65-69 years	312	10	208	72	21	1	586	34	411	119	21	1
70-74 years	124	4	81	33	6	-	274	8	196	56	14	-
75 years and over	43	2	26	13	2	-	157	3	93	49	12	-
Not stated	6	3	2	1	-	-	5	3	1	-	1	-
MONTANA	6,514	4,453	1,910	110	19	22	6,514	4,713	1,701	74	4	22
Under 15 years	-	-	-	-	-	-	-	-	-	-	-	-
15-19 years	2,541	2,450	86	1	-	4	609	607	1	-	-	1
20-24 years	1,939	1,553	376	6	-	4	2,608	2,417	181	4	-	6
25-29 years	582	247	316	14	2	3	1,344	1,058	279	6	-	1
30-34 years	381	94	263	17	6	1	569	291	265	8	-	5
35-39 years	308	43	246	15	-	4	410	151	246	10	1	2
40-44 years	241	25	191	16	6	3	309	76	217	12	-	4
45-49 years	176	11	146	18	1	-	212	45	152	12	2	1
50-54 years	104	7	83	9	3	2	136	30	101	5	-	-
55-59 years	76	5	65	6	-	-	78	5	65	7	-	1
60-64 years	43	3	38	2	-	-	64	5	57	2	-	-
65-69 years	35	1	34	-	-	-	64	6	55	2	1	-
70-74 years	18	1	13	4	-	-	38	3	33	2	-	-
75 years and over	5	-	5	-	-	-	13	1	10	2	-	-
Not stated	65	13	48	2	1	1	60	18	39	2	-	1
NEW HAMPSHIRE	7,061	5,067	1,743	231	20	-	7,061	5,161	1,706	175	19	-
Under 15 years	3	3	-	-	-	-	-	-	-	-	-	-
15-19 years	2,088	2,055	32	1	-	-	370	370	-	-	-	-
20-24 years	2,297	1,987	302	8	-	-	2,929	2,809	118	2	-	-
25-29 years	898	530	346	22	-	-	1,478	1,162	307	7	2	-
30-34 years	552	221	289	38	4	-	684	377	284	21	2	-
35-39 years	422	125	264	30	3	-	504	201	269	33	1	-
40-44 years	286	67	178	38	3	-	333	103	207	18	5	-
45-49 years	194	38	122	30	4	-	231	60	145	25	1	-
50-54 years	128	18	83	25	2	-	184	37	125	20	2	-
55-59 years	88	11	56	19	2	-	123	22	84	14	3	-
60-64 years	49	7	32	9	1	-	92	10	70	11	1	-
65-69 years	36	3	26	6	1	-	67	5	48	13	1	-
70-74 years	13	2	8	3	-	-	48	2	39	7	-	-
75 years and over	7	-	5	2	-	-	18	3	10	4	1	-
Not stated	-	-	-	-	-	-	-	-	-	-	-	-

Table 10. Marriages by Age and Number of Present Marriage of Bride and of Groom: 16 Reporting States, 1955—Continued

(By place of occurrence. Includes only marriages occurring within the reporting area)

AREA AND AGE	MARRIAGE OF BRIDE						MARRIAGE OF GROOM					
	Total	First	Second	Third	Fourth or more	Not stated	Total	First	Second	Third	Fourth or more	Not stated
NEW YORK[2]	54,636	46,580	7,421	602	33	-	54,636	46,992	7,053	539	52	-
Under 15 years	30	30	-	-	-	-	-	-	-	-	-	-
15-19 years	16,474	16,365	107	2	-	-	4,275	4,268	7	-	-	-
20-24 years	22,230	21,354	867	9	-	-	24,462	24,086	375	1	-	-
25-29 years	6,318	5,081	1,197	38	2	-	13,023	12,026	973	23	1	-
30-34 years	2,942	1,799	1,070	72	1	-	4,432	3,442	959	31	-	-
35-39 years	1,898	852	966	78	2	-	2,301	1,401	842	58	-	-
40-44 years	1,421	489	849	80	3	-	1,528	743	735	48	2	-
45-49 years	1,099	273	745	74	7	-	1,211	449	704	49	9	-
50-54 years	792	156	570	64	2	-	921	250	602	62	7	-
55-59 years	576	89	418	65	4	-	868	172	614	71	11	-
60-64 years	415	48	313	49	5	-	642	80	489	68	5	-
65-69 years	278	29	215	33	1	-	548	58	430	54	6	-
70-74 years	118	8	76	29	5	-	283	12	219	47	5	-
75 years and over	45	7	28	9	1	-	142	5	104	27	6	-
Not stated	-	-	-	-	-	-	-	-	-	-	-	-
OHIO	61,862	47,151	11,828	1,966	302	615	61,862	47,821	11,341	1,848	242	610
Under 15 years	61	59	-	-	-	2	-	-	-	-	-	-
15-19 years	19,106	18,474	313	5	-	314	6,243	6,103	26	-	-	114
20-24 years	22,449	20,197	1,937	100	5	210	25,524	24,244	937	21	-	322
25-29 years	7,317	4,729	2,276	255	23	34	13,186	10,963	2,001	120	3	99
30-34 years	3,934	1,803	1,777	287	51	16	5,351	3,315	1,788	203	19	26
35-39 years	2,878	936	1,556	328	48	10	3,194	1,439	1,473	246	26	10
40-44 years	1,995	452	1,206	279	46	12	2,341	757	1,279	258	34	13
45-49 years	1,493	259	982	203	42	7	1,771	447	1,014	273	27	10
50-54 years	1,044	125	697	188	32	2	1,313	272	824	183	26	8
55-59 years	677	50	467	128	28	4	1,067	127	728	185	25	2
60-64 years	470	34	330	93	11	2	796	82	549	128	36	1
65-69 years	277	18	177	73	8	1	598	50	407	120	19	2
70-74 years	119	8	85	18	8	-	283	10	195	62	14	2
75 years and over	33	1	23	8	-	1	183	4	118	48	13	-
Not stated	9	6	2	1	-	-	12	8	2	1	-	1
SOUTH DAKOTA	6,122	4,951	414	24	1	732	6,122	5,078	373	19	1	651
Under 15 years	2	2	-	-	-	-	-	-	-	-	-	-
15-19 years	2,465	2,400	17	-	-	48	559	558	-	-	-	1
20-24 years	2,258	2,025	78	3	-	152	2,878	2,768	37	-	-	73
25-29 years	525	308	80	2	-	135	1,381	1,184	62	2	-	133
30-34 years	272	104	67	2	1	98	477	318	56	2	-	101
35-39 years	190	47	47	1	-	95	256	113	55	1	-	87
40-44 years	121	20	31	4	-	66	163	62	34	1	-	66
45-49 years	93	22	28	4	-	39	113	40	29	4	-	40
50-54 years	59	6	23	6	-	24	79	14	19	4	-	42
55-59 years	56	7	18	2	-	29	66	10	29	-	-	27
60-64 years	28	3	7	-	-	18	56	3	17	2	-	34
65-69 years	19	3	7	-	-	9	38	4	19	2	-	13
70-74 years	11	-	4	-	-	7	24	-	7	-	-	17
75 years and over	2	-	2	-	-	-	10	-	5	-	-	5
Not stated	21	4	5	-	-	12	22	4	4	1	1	12
TENNESSEE	23,258	18,067	4,165	769	111	146	23,258	18,152	4,029	812	142	123
Under 15 years	80	80	-	-	-	-	1	1	-	-	-	-
15-19 years	8,752	8,524	196	4	-	28	2,819	2,801	14	-	-	4
20-24 years	8,305	7,254	934	69	2	46	10,741	10,263	434	11	1	32
25-29 years	2,204	1,306	769	106	10	13	4,247	3,375	787	59	8	18
30-34 years	1,199	436	633	102	22	6	1,683	914	653	96	13	7
35-39 years	836	229	475	108	17	7	1,041	406	510	97	19	9
40-44 years	590	102	369	96	12	11	721	208	387	104	15	7
45-49 years	510	78	318	88	10	16	560	95	332	103	17	13
50-54 years	280	34	162	65	12	7	383	52	232	79	11	9
55-59 years	197	10	126	49	5	7	308	20	193	71	16	8
60-64 years	135	6	80	40	6	3	260	7	173	60	13	7
65-69 years	106	3	70	22	10	1	250	7	173	56	11	3
70-74 years	45	2	24	13	5	1	152	2	91	45	11	3
75 years and over	15	1	9	5	-	-	90	-	50	30	7	3
Not stated	4	2	-	2	-	-	2	1	-	1	-	-
UTAH	6,724	5,594	924	177	23	6	6,724	5,621	915	164	15	9
Under 15 years	41	41	-	-	-	-	-	-	-	-	-	-
15-19 years	3,298	3,245	51	1	-	1	1,323	1,316	7	-	-	-
20-24 years	2,083	1,851	215	14	-	3	3,113	2,977	130	2	-	4
25-29 years	482	305	149	22	6	-	1,214	1,005	188	20	-	1
30-34 years	228	73	128	23	4	-	327	178	123	26	-	-
35-39 years	150	23	106	20	1	-	201	74	108	17	1	1
40-44 years	118	15	77	23	3	-	134	28	84	21	1	-
45-49 years	96	15	59	20	2	-	107	16	68	21	2	-
50-54 years	72	6	52	11	3	-	68	8	50	10	-	-
55-59 years	52	6	28	17	1	-	60	6	38	13	2	1
60-64 years	39	5	23	9	2	-	55	2	38	13	2	-
65-69 years	29	1	20	7	-	1	57	7	39	8	2	1
70-74 years	18	1	11	6	-	-	27	-	20	4	3	-
75 years and over	7	-	2	4	1	-	31	-	21	8	2	-
Not stated	11	7	3	-	-	1	7	4	1	1	-	1

See footnotes on p. 70.

430007 O - 57 - 12

Table 10. Marriages by Age and Number of Present Marriage of Bride and of Groom: 16 Reporting States, 1955 —Continued

(By place of occurrence. Includes only marriages occurring within the reporting area)

AREA AND AGE	MARRIAGE OF BRIDE						MARRIAGE OF GROOM					
	Total	First	Second	Third	Fourth or more	Not stated	Total	First	Second	Third	Fourth or more	Not stated
VERMONT	3,378	2,822	492	53	10	1	3,378	2,830	496	46	6	-
Under 15 years	3	3	-	-	-	-	-	-	-	-	-	-
15-19 years	1,233	1,225	8	-	-	-	346	346	-	-	-	-
20-24 years	1,198	1,131	65	1	1	-	1,550	1,514	35	1	-	-
25-29 years	368	278	86	4	-	-	698	630	66	2	-	-
30-34 years	158	82	66	7	2	1	224	158	61	4	1	-
35-39 years	123	41	75	6	1	-	129	57	65	6	1	-
40-44 years	85	25	53	7	-	-	124	52	65	7	-	-
45-49 years	74	19	45	8	2	-	93	30	59	4	-	-
50-54 years	44	6	31	6	1	-	59	20	33	5	1	-
55-59 years	33	4	23	6	-	-	48	9	35	4	-	-
60-64 years	30	6	18	5	1	-	42	8	28	6	-	-
65-69 years	17	1	14	1	1	-	36	3	27	5	1	-
70-74 years	8	-	6	1	1	-	20	2	15	1	2	-
75 years and over	4	1	2	1	-	-	9	1	7	1	-	-
Not stated	-	-	-	-	-	-	-	-	-	-	-	-
VIRGINIA	36,849	29,433	6,655	678	71	12	36,849	29,904	6,218	654	61	12
Under 15 years	67	67	-	-	-	-	2	2	-	-	-	-
15-19 years	11,692	11,568	124	-	-	-	3,235	3,233	2	-	-	-
20-24 years	13,871	12,766	1,080	20	2	3	16,670	16,254	408	5	1	2
25-29 years	4,066	2,661	1,345	56	3	1	7,452	6,360	1,046	40	2	4
30-34 years	2,377	1,104	1,134	124	11	4	3,119	2,016	1,036	65	-	2
35-39 years	1,618	560	945	109	4	-	1,893	905	888	95	5	-
40-44 years	1,180	352	712	101	12	3	1,357	533	720	91	12	1
45-49 years	850	186	562	93	8	1	1,006	311	617	69	7	2
50-54 years	487	84	323	74	6	-	708	144	475	78	11	-
55-59 years	297	46	195	46	10	-	532	71	384	74	3	-
60-64 years	183	25	130	22	6	-	380	42	288	46	4	-
65-69 years	111	10	75	21	5	-	277	22	200	47	7	1
70-74 years	36	2	22	9	3	-	138	6	102	24	6	-
75 years and over	13	2	8	2	1	-	77	3	51	20	3	-
Not stated	1	-	-	1	-	-	3	2	1	-	-	-

[1]Includes previous marriages annulled.
[2]Excludes 68,615 marriages for which licenses had been issued in New York City.

Table 11. Marriages by State of Occurrence Distributed According to State of Residence of Bride and of Groom: 22 Reporting States, 1955

(Includes only marriages occurring within the reporting area)

STATE OF OCCURRENCE	Total marriages occurring in State	Marriages occurring in State of residence	MARRIAGES OF NONRESIDENTS BY STATE OF RESIDENCE													
			Total	Ala.	Ariz.	Ark.	Calif.	Colo.	Conn.	Del.	D. C.	Fla.	Ga.	Idaho	Ill.	Ind.
	BRIDE															
TOTAL	562,906	403,599	159,126	15,669	110	4,876	1,460	429	1,346	1,013	2,961	11,567	4,616	430	4,711	1,134
Alabama	19,791	18,068	1,723	...	4	5	17	3	4	1	6	372	799	2	29	20
Connecticut	17,534	15,047	2,487	1	1	1	14	2	...	1	20	15	2	2	11	6
Georgia	54,780	33,969	20,677	2,461	6	18	49	10	17	4	21	8,571	...	1	175	103
Idaho	8,879	4,801	4,077	2	9	3	116	27	2	-	-	5	4	...	11	5
Iowa	24,493	19,051	5,430	7	5	9	55	26	1	-	9	6	5	2	741	21
Kansas	17,667	15,276	2,391	10	8	32	62	78	7	-	1	17	10	6	68	26
Maine	8,263	7,674	589	1	1	1	7	3	53	-	8	13	6	1	4	3
Maryland	42,743	21,646	21,095	25	5	13	73	11	475	960	1,871	120	31	3	64	27
Michigan	55,698	53,942	1,756	9	1	12	39	12	3	-	12	24	11	2	248	154
Mississippi	66,423	23,683	42,740	12,951	21	4,600	144	23	21	2	14	1,899	197	3	2,262	365
Missouri[1]	34,162	30,883	3,279	12	8	101	73	24	3	-	5	17	10	1	671	66
Montana	6,514	5,426	1,088	1	4	2	39	13	1	1	-	3	2	157	15	2
Nebraska	11,892	10,465	1,427	3	3	5	35	95	2	2	3	5	2	2	30	3
New York[2]	54,636	52,187	2,449	6	1	4	30	5	488	3	23	58	8	3	30	16
North Dakota	4,241	4,136	105	-	1	-	1	1	-	-	-	-	-	-	1	1
Oregon	10,632	9,943	673	2	1	2	201	10	-	-	1	2	2	51	6	1
South Carolina	48,227	20,982	27,230	85	-	23	49	5	63	10	65	297	3,405	3	96	43
South Dakota	6,122	4,742	1,380	1	2	3	12	11	-	-	2	5	2	-	15	2
Tennessee	23,258	18,330	4,928	68	2	30	31	7	5	1	10	42	75	-	153	225
Utah	6,724	5,747	976	1	22	2	343	53	3	-	2	11	2	188	6	7
Vermont	3,378	2,798	580	1	1	-	5	1	43	-	2	5	-	-	5	1
Virginia	36,849	24,803	12,046	22	4	10	65	9	155	28	886	80	43	3	70	37
	GROOM															
TOTAL	562,906	378,077	184,712	3,011	222	478	2,624	789	1,910	1,078	2,921	10,797	4,937	583	4,244	1,594
Alabama	19,791	16,646	3,145	...	8	23	60	10	17	2	13	541	996	2	89	56
Connecticut	17,534	13,992	3,541	7	4	3	34	6	...	4	34	36	6	2	54	14
Georgia	54,780	31,980	22,730	2,423	11	50	141	19	62	11	42	8,922	...	13	269	156
Idaho	8,879	4,424	4,454	6	14	6	181	29	10	-	2	9	8	...	22	16
Iowa	24,493	17,893	6,588	8	11	10	103	68	2	1	6	20	8	6	989	42
Kansas	17,667	13,766	3,901	35	22	50	153	124	25	1	11	45	36	13	175	93
Maine	8,263	6,782	1,481	10	5	5	31	2	109	3	10	20	18	3	41	18
Maryland	42,743	20,267	22,475	45	16	26	133	21	529	965	1,752	165	67	3	164	74
Michigan	55,698	52,487	3,211	16	11	16	113	24	19	6	27	54	22	3	468	267
Mississippi[3]	66,423	22,958	43,465	---	---	---	---	---	---	---	---	---	---	---	---	---
Missouri[1]	34,162	29,172	4,990	31	17	109	182	75	8	5	16	45	30	9	929	118
Montana	6,514	5,104	1,410	4	5	2	57	26	4	1	1	8	2	184	30	13
Nebraska	11,892	9,527	2,365	12	11	7	109	152	7	1	6	18	14	6	109	33
New York[2]	54,636	49,751	4,882	16	13	9	80	24	725	20	48	115	32	5	133	76
North Dakota	4,241	3,738	503	-	1	-	14	7	2	-	1	1	2	5	12	5
Oregon	10,632	9,353	1,264	4	9	3	394	19	1	-	4	10	4	87	19	5
South Carolina	48,227	19,255	28,960	155	6	39	154	27	87	13	106	454	3,381	8	210	125
South Dakota	6,122	4,218	1,904	7	2	6	40	31	4	-	4	14	4	2	41	22
Tennessee	23,258	16,673	6,584	129	8	56	88	18	11	6	21	133	160	8	254	313
Utah	6,724	5,367	1,356	3	36	4	407	70	3	-	4	6	8	216	14	14
Vermont	3,378	2,460	918	-	1	1	14	4	79	1	6	8	2	-	10	2
Virginia	36,849	22,264	14,585	100	11	53	136	33	206	38	807	173	137	8	212	132

See footnotes on p. 73.

Table 11. Marriages by State of Occurrence Distributed According to State of Residence of Bride and of Groom: 22 Reporting States, 1955—Continued

(Includes only marriages occurring within the reporting area)

STATE OF OCCURRENCE	MARRIAGES OF NONRESIDENTS BY STATE OF RESIDENCE—Continued																		
	Iowa	Kans.	Ky.	La.	Maine	Md.	Mass.	Mich.	Minn.	Miss.	Mo.	Mont.	Nebr.	Nev.	N. H.	N. J.	N. Mex.	N. Y.	N. C.
	BRIDE																		
TOTAL	1,966	1,237	5,368	4,014	124	870	1,626	1,204	2,975	144	4,034	454	1,268	101	308	2,916	61	5,837	20,129
Alabama	4	7	18	17	2	7	7	24	13	21	13	2	3	-	-	8	1	39	10
Connecticut	-	2	4	2	19	4	415	2	4	1	-	1	1	1	18	84	5	1,648	7
Georgia	13	13	313	31	5	40	41	200	15	20	37	-	9	1	11	74	7	171	429
Idaho	8	12	3	2	2	1	5	6	22	1	6	347	16	8	-	2	1	13	6
Iowa	...	35	4	4	-	1	3	50	2,167	-	212	7	659	4	1	4	1	17	4
Kansas	51	...	12	18	2	7	9	34	26	15	997	7	253	4	3	10	3	35	9
Maine	1	3	2	2	...	4	171	5	1	2	1	2	1	1	104	10	-	48	3
Maryland	24	12	31	11	25	...	218	74	16	12	32	5	7	8	22	1,895	3	2,268	100
Michigan	10	10	10	4	2	9	25	...	39	1	22	2	10	2	4	16	1	80	10
Mississippi	63	95	1,217	3,832	8	22	44	358	25	...	2,488	7	21	3	3	35	8	101	60
Missouri[1]	776	811	16	12	4	4	14	56	23	9	...	3	77	1	-	11	6	32	13
Montana	5	8	2	4	-	-	2	9	26	2	8	...	4	2	-	1	1	4	-
Nebraska	666	177	2	5	1	2	4	10	22	1	60	4	...	-	-	4	1	10	-
New York[2]	6	3	4	6	10	24	275	38	13	2	11	1	4	5	13	202	2	...	17
North Dakota	-	1	-	-	-	-	-	1	45	-	1	11	-	-	-	-	1	-	-
Oregon	7	2	4	2	-	1	2	8	6	-	5	5	2	2	2	1	2	4	1
South Carolina	12	13	77	26	17	131	86	79	21	24	40	3	8	-	10	175	2	366	18,111
South Dakota	289	6	4	1	-	1	5	7	458	-	12	23	178	2	1	-	3	5	1
Tennessee	9	9	2,878	15	3	19	16	136	11	23	47	3	2	-	3	8	4	43	135
Utah	2	6	2	4	-	1	2	5	5	2	5	16	4	52	1	1	6	7	6
Vermont	1	-	1	-	8	2	164	9	-	-	-	1	-	-	99	13	-	139	1
Virginia	19	12	754	16	16	590	118	93	17	8	37	4	9	5	13	362	3	807	1,206
	GROOM																		
TOTAL	2,376	1,712	4,618	506	289	1,250	2,541	2,045	3,620	472	2,125	591	1,650	148	521	3,895	179	7,407	20,133
Alabama	8	14	50	75	9	22	24	103	22	70	36	7	9	1	4	36	6	89	60
Connecticut	9	4	7	4	42	31	551	48	17	5	11	5	3	3	20	164	6	1,934	17
Georgia	39	33	354	68	16	65	97	335	33	94	59	6	13	4	31	157	16	313	545
Idaho	10	12	15	5	3	1	12	18	22	6	20	352	15	13	2	6	5	32	11
Iowa	...	76	10	9	5	7	16	87	2,250	2	268	23	821	1	2	19	4	39	12
Kansas	97	...	41	35	11	19	48	106	66	19	1,097	12	322	6	13	40	29	105	33
Maine	12	7	10	8	...	18	340	48	8	2	25	3	6	1	167	40	3	129	18
Maryland	39	37	73	34	33	...	269	166	39	19	61	10	17	5	24	1,997	7	2,396	142
Michigan	40	35	44	13	8	24	30	...	84	10	58	6	14	5	4	49	6	188	26
Mississippi[3]	---	---	---	---	---	---	---	---	---	...	---	---	---	---	---	---	---	---	---
Missouri[1]	838	1,060	36	30	11	27	32	127	60	11	...	8	109	6	6	29	26	111	26
Montana	7	10	9	5	3	6	5	23	31	4	14	...	7	5	2	11	5	18	4
Nebraska	717	257	16	12	6	5	20	49	64	5	108	5	...	1	4	23	6	39	18
New York[2]	27	21	26	26	34	79	496	158	36	8	44	5	7	4	28	512	6	...	45
North Dakota	15	3	3	2	2	1	2	10	207	2	3	51	5	1	-	3	-	7	1
Oregon	10	8	4	4	-	3	5	4	9	4	16	12	19	8	-	3	7	13	7
South Carolina	47	33	135	69	36	181	149	207	57	80	83	14	13	5	18	265	11	570	17,674
South Dakota	335	21	6	6	5	5	10	34	519	3	23	37	225	3	1	2	2	17	6
Tennessee	38	20	2,995	44	12	42	29	260	28	61	94	6	12	2	8	37	7	109	206
Utah	8	10	4	7	2	7	6	16	13	3	9	19	4	65	5	11	16	28	6
Vermont	2	-	4	2	17	6	210	13	1	1	7	5	5	2	153	31	-	190	4
Virginia	78	51	776	50	34	701	190	233	54	63	89	5	24	7	29	460	11	1,080	1,272

See footnotes on p. 73.

Table 11. Marriages by State of Occurrence Distributed According to State of Residence of Bride and of Groom: 22 Reporting States, 1955—Continued

(Includes only marriages occurring within the reporting area)

STATE OF OCCURRENCE	MARRIAGES OF NONRESIDENTS BY STATE OF RESIDENCE—Continued																		Residence not stated
	N. Dak.	Ohio	Okla.	Oreg.	Pa.	R. I.	S. C.	S. Dak.	Tenn.	Tex.	Utah	Vt.	Va.	Wash.	W. Va.	Wis.	Wyo.	Outside cont. U. S.	
	BRIDE																		
TOTAL	377	2,599	712	447	13,771	208	501	234	18,657	1,044	186	138	5,036	3,258	3,462	1,774	518	1,246	181
Alabama	-	27	11	3	31	1	11	4	99	27	-	1	18	1	11	9	-	11	-
Connecticut	-	16	4	1	36	77	3	1	1	7	-	13	15	-	6	2	-	11	-
Georgia	3	221	16	4	121	8	348	3	6,803	61	4	8	96	12	36	27	-	40	134
Idaho	13	9	6	312	5	-	2	3	3	20	128	-	1	2,641	2	7	64	216	1
Iowa	12	13	9	6	12	2	-	56	6	17	1	-	9	11	1	1,182	7	26	12
Kansas	8	33	308	6	24	-	4	8	12	68	8	1	5	10	5	27	10	34	-
Maine	2	6	2	-	13	11	1	-	1	7	-	8	2	2	3	3	-	66	-
Maryland	4	519	19	5	8,625	44	23	6	43	48	7	12	1,605	15	1,599	24	1	55	2
Michigan	-	514	5	5	37	-	5	4	18	20	-	1	12	4	13	210	5	119	-
Mississippi	7	190	114	18	80	7	44	7	10,669	467	5	3	57	24	34	88	1	33	-
Missouri[1]	6	44	125	4	27	2	3	7	24	67	3	-	11	12	6	49	6	24	-
Montana	146	2	7	16	3	-	-	44	2	9	8	-	3	178	2	8	162	180	-
Nebraska	3	14	14	5	9	1	3	63	3	17	3	1	6	4	4	10	96	12	-
New York[2]	-	112	5	5	653	13	4	1	10	14	1	70	19	9	9	19	2	192	-
North Dakota	...	1	-	1	1	-	-	14	-	1	-	-	-	1	-	4	-	17	-
Oregon	5	1	3	...	3	-	-	3	1	11	8	-	3	255	1	7	-	37	16
South Carolina	1	170	19	6	328	16	...	3	339	63	3	9	2,721	12	113	27	1	54	15
South Dakota	159	5	6	2	5	-	5	...	1	10	3	-	-	10	-	19	97	7	-
Tennessee	3	261	20	4	44	3	14	3	...	37	1	3	446	2	48	12	1	13	-
Utah	3	2	5	37	5	-	3	2	3	21	...	-	4	41	4	8	57	14	1
Vermont	-	2	-	1	7	6	2	-	1	2	-	...	3	1	-	-	1	52	-
Virginia	2	437	14	6	3,702	17	26	2	618	50	3	8	...	13	1,565	32	7	33	-
	GROOM																		
TOTAL	459	4,089	936	660	15,037	384	827	437	8,138	1,542	274	220	5,565	3,626	3,584	2,213	610	1,378	117
Alabama	2	123	22	8	77	5	61	4	155	94	2	4	56	11	21	25	3	10	-
Connecticut	2	59	5	5	105	121	10	1	8	21	3	29	36	1	11	8	2	29	1
Georgia	7	382	47	14	243	20	481	8	6,581	167	8	5	174	31	73	49	2	41	70
Idaho	11	22	15	375	27	-	4	10	9	32	168	-	13	2,601	7	-	73	224	1
Iowa	23	52	27	10	32	4	9	109	14	58	2	-	22	25	5	1,245	11	15	12
Kansas	17	93	389	21	73	7	16	18	34	146	11	4	28	28	39	60	10	25	-
Maine	-	41	5	5	77	32	8	6	13	33	3	17	21	7	16	20	1	56	-
Maryland	12	679	33	21	8,671	51	32	9	65	105	5	19	1,754	36	1,561	44	1	49	1
Michigan	5	690	11	7	90	6	10	7	29	59	3	-	32	17	13	329	6	207	-
Mississippi[3]	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---
Missouri[1]	6	124	167	11	88	16	14	18	60	161	4	3	35	31	16	76	6	27	-
Montana	145	9	12	28	14	-	1	57	2	29	16	2	4	214	3	16	168	184	-
Nebraska	7	51	26	20	36	5	8	97	10	44	8	2	15	26	11	34	117	8	-
New York[2]	3	282	10	15	992	45	24	5	30	55	1	107	91	22	34	45	5	258	3
North Dakota	...	9	-	6	3	-	1	46	-	6	-	-	1	23	2	20	7	11	-
Oregon	8	9	11	...	11	-	1	5	5	28	13	-	5	400	-	7	5	61	15
South Carolina	10	301	46	25	507	19	...	11	420	158	10	10	2,741	35	147	68	5	35	12
South Dakota	177	28	9	9	19	1	5	...	5	25	3	1	4	16	6	47	105	7	-
Tennessee	5	408	37	21	87	7	48	4	...	113	4	1	520	13	61	28	1	11	1
Utah	4	26	8	49	19	3	4	3	4	31	...	1	6	60	5	12	77	20	1
Vermont	-	17	3	-	34	11	1	-	1	8	-	...	7	2	3	1	-	49	-
Virginia	15	684	53	10	3,832	31	89	19	693	169	10	15	...	27	1,550	79	5	51	-

[1]Data incomplete.
[2]Excludes 68,615 marriages for which licenses had been issued in New York City.
[3]Data for nonresident grooms not tabulated by State of residence.

Table 12. Divorces and Annulments by Month: 30 Reporting States, 1955

(By place of occurrence. Includes only divorces and annulments occurring within the reporting area)

AREA	Total	Jan.	Feb.	Mar.	Apr.	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.
TOTAL	[1]185,958	14,669	13,676	16,462	15,137	16,287	17,518	14,256	13,905	15,451	16,744	15,786	15,828
Divorces[2]	[1]181,121	14,278	13,284	16,010	14,676	15,795	16,786	14,085	13,755	15,143	16,335	15,390	15,348
Annulments[2]	[1]2,132	168	163	194	190	186	223	164	148	155	158	180	200
Alabama	9,721	749	697	875	709	877	895	835	860	826	820	833	745
Arkansas[3]	5,113	440	446	432	488	360	374	485	435	337	500	387	429
Connecticut	2,705	223	229	258	271	306	509	7	2	153	251	216	280
Delaware	509	69	51	24	43	31	53	26	63	48	78	1	22
District of Columbia	1,085	66	19	42	117	68	345	17	5	9	30	52	315
Florida	19,999	1,352	1,364	1,785	1,546	1,939	1,817	1,754	1,915	1,626	1,582	1,591	1,728
Georgia[3]	7,547	587	530	795	527	626	658	565	464	724	728	685	658
Idaho	[1]2,414	151	150	163	212	161	187	174	188	241	225	198	184
Iowa	5,195	371	388	433	471	485	469	396	423	408	535	436	380
Kansas	5,101	476	367	376	410	435	476	361	366	526	448	470	390
Maine	1,960	117	235	133	164	173	165	82	4	81	445	265	96
Maryland	5,422	363	386	427	429	478	495	436	500	459	471	493	485
Michigan[3]	[1]17,676	1,379	1,295	1,439	1,408	1,624	1,727	1,376	1,395	1,437	1,612	1,483	1,498
Minnesota	3,804	389	281	316	301	378	359	248	266	302	313	338	313
Mississippi	4,845	426	218	540	429	430	411	304	146	612	556	524	249
Missouri[3]	11,351	966	836	974	917	994	1,016	842	903	1,089	973	957	884
Montana	1,909	160	124	162	153	159	175	156	165	186	174	139	156
New Hampshire	1,076	89	82	69	80	97	129	111	14	29	77	187	112
New Jersey	4,844	443	393	588	489	457	421	383	403	450	255	137	425
North Dakota	543	36	40	54	43	32	57	49	46	47	47	49	43
Ohio	22,259	1,795	1,828	2,155	1,931	1,876	2,172	1,506	1,428	1,568	1,944	1,989	2,067
Oklahoma[3]	12,521	992	956	1,037	1,062	1,073	1,095	1,073	1,185	1,090	1,048	977	933
Oregon	6,158	450	462	499	525	505	552	574	451	588	523	558	471
Pennsylvania	11,160	906	861	920	799	921	1,104	817	948	925	1,020	907	1,032
South Carolina[3]	[1]3,055	233	154	228	196	201	237	232	218	222	225	265	588
South Dakota	868	65	60	67	69	71	73	85	90	83	81	57	67
Tennessee	8,342	647	622	865	662	775	792	603	376	567	1,011	831	591
Vermont	533	52	11	50	38	42	56	57	37	37	53	46	54
Virginia	7,116	583	512	666	562	616	595	604	512	667	633	625	541
Wyoming	1,127	94	79	90	86	97	104	98	97	114	86	90	92

[1]Includes month not stated.
[2]Excludes data for Connecticut. Divorces and annulments not tabulated separately.
[3]Data incomplete.

Table 13. Divorces and Annulments by Legal Grounds for Decree: 25 Reporting States, 1955

(By place of occurrence. Includes only divorces and annulments occurring within the reporting area)

AREA	Total	LEGAL GROUNDS FOR DECREE											
		Adultery	Bigamy	Conviction of crime	Cruelty	Desertion	Drunkenness	Fraud	Insanity	Nonsupport	Under age	Other[1]	Not stated
TOTAL	152,114	2,412	533	738	77,604	25,697	2,800	591	128	2,308	133	38,285	885
Divorces	150,381	2,411	233	736	77,555	25,684	2,781	135	108	2,307	10	37,974	447
Annulments	1,733	1	300	2	49	13	19	456	20	1	123	311	438
Alabama	9,721	394	14	6	4,614	-	350	-	7	38	3	4,253	42
Connecticut	2,705	86	-	5	1,740	654	100	14	20	-	-	51	35
Delaware	509	37	6	1	125	319	19	-	2	-	-	-	-
Florida	19,999	142	109	-	13,513	4,734	903	52	3	-	5	429	109
Georgia[2]	7,547	37	22	35	4,986	1,324	274	21	16	36	2	756	38
Idaho	2,414	8	-	12	1,918	142	21	11	5	28	11	95	163
Iowa	5,195	28	26	74	4,707	271	55	4	9	5	7	9	-
Kansas	5,101	23	3	40	3,506	408	29	13	10	1,027	-	42	-
Maine	1,960	12	-	-	1,750	95	28	-	-	69	-	-	6
Massachusetts[3]	5,892	109	-	30	4,485	956	107	-	-	97	-	2	106
Michigan[2]	17,676	10	-	23	16,177	810	36	79	-	402	-	93	46
Mississippi	4,845	290	31	21	2,305	1,812	308	-	7	-	-	23	48
Missouri[2]	11,351	103	14	55	142	1,359	112	-	-	154	60	9,294	58
Montana	1,909	13	8	21	1,477	188	9	101	5	75	2	9	1
Nebraska	2,424	21	55	8	1,636	140	310	45	14	173	16	6	-
New Hampshire	1,076	57	1	9	438	8	20	11	-	24	7	501	-
New Jersey	4,844	487	-	-	943	3,252	-	112	-	-	-	50	-
North Dakota	543	4	2	6	345	81	7	4	-	21	5	68	-
Ohio	22,259	93	73	149	1,617	809	-	101	-	-	-	19,401	16
Oregon	6,158	9	-	35	5,286	614	17	2	17	13	-	-	165
South Dakota	868	1	8	5	695	94	11	3	4	45	-	1	1
Tennessee	8,342	142	56	84	4,772	1,000	75	-	-	-	-	2,169	44
Vermont	533	15	-	1	317	10	-	-	3	59	-	121	7
Virginia	7,116	289	98	111	-	6,556	-	18	1	-	11	32	-
Wyoming	1,127	2	7	7	110	61	9	-	5	42	4	880	-

[1]Specified grounds included in "Other," which formed 10 percent or more of the total number of divorces and annulments in a State, are shown separately below:

Alabama: Abandonment	4,051
Missouri: Indignities	9,294
New Hampshire: Treatment injurious to health or reason	365
Abandonment and refusal to cohabit	135
Ohio: Gross neglect and extreme cruelty	8,264
Gross neglect and neglect of duty	10,401
Tennessee: Abandonment	2,131
Vermont: Living apart 3 years	121
Wyoming: Intolerable indignities	828

[2]Data incomplete.
[3]Data estimated.

NOTE.—Legal grounds for decrees reported by States, which appeared to be closely related, were included in the categories listed in the table as follows: Adultery includes "infidelity." Bigamy includes "bigamy (illegal marriage)." Conviction of crime includes: "conviction of crime (penitentiary)," "conviction of felony," "felony," and "imprisonment." Cruelty includes: "cruel and inhuman treatment," "extreme cruelty," "physical cruelty," and "violence." Desertion includes: "constructive desertion" and "willful desertion." Drunkenness includes: "habitual intemperance," "habitual drunkenness," "intemperance," and "intoxication." Fraud includes: "fraud or misrepresentation of facts when married," "fraudulent contract," and "license obtained fraudulently." Insanity includes: "insanity at time of marriage," "mental incapacity," "unsound mind," and "incurable." Under age includes: "marriage under age of consent" and "not legal age."

Table 14. Divorces and Annulments by Party to Whom Granted: 24 Reporting States, 1955

(By place of occurrence. Includes only divorces and annulments occurring within the reporting area)

AREA	Total	DECREE GRANTED TO—			
		Husband	Wife	Other[1]	Party not stated
TOTAL	147,270	39,466	103,134	3,725	945
Divorces[2]	143,029	38,303	100,182	3,698	846
Annulments[2]	1,536	514	896	27	99
Alabama	9,721	2,466	5,770	1,447	38
Connecticut	2,705	649	2,056	-	-
Delaware	509	169	338	2	-
Florida	19,999	5,823	12,874	1,140	162
Georgia[3]	7,547	1,907	4,271	1,108	261
Idaho	2,414	655	1,675	-	84
Iowa	5,195	1,188	4,000	1	6
Kansas	5,101	1,257	3,835	8	1
Maine	1,960	444	1,516	-	-
Massachusetts[4]	5,892	1,319	4,573	-	-
Michigan[3]	17,676	4,712	12,964	-	-
Mississippi	4,845	1,774	3,071	-	-
Missouri[3]	11,351	2,998	8,187	-	166
Montana	1,909	540	1,360	9	-
Nebraska	2,424	508	1,842	-	74
New Hampshire	1,076	274	802	-	-
North Dakota	543	126	415	2	-
Ohio	22,259	5,942	16,317	-	-
Oregon	6,158	1,541	4,496	-	121
South Dakota	868	245	623	-	-
Tennessee	8,342	1,960	6,342	8	32
Vermont	533	195	338	-	-
Virginia	7,116	2,450	4,666	-	-
Wyoming	1,127	324	803	-	-

[1]Parent, guardian, cross-complainant, or both husband and wife.
[2]Excludes data for Connecticut. Divorces and annulments not tabulated separately.
[3]Data incomplete.
[4]Data estimated.

Table 15. Divorces and Annulments by Number of Children Reported Under 18 Years of Age: 22 Reporting States, 1955

(By place of occurrence. Includes only divorces and annulments occurring within the reporting area)

AREA	Total	NUMBER OF CHILDREN REPORTED								
		None	1	2	3	4	5	6	7 or more	Not stated
TOTAL	140,869	70,782	31,148	19,716	9,281	3,131	1,227	524	518	4,542
Divorces	139,407	69,833	31,068	19,703	9,277	3,127	1,225	524	515	4,135
Annulments	1,462	949	80	13	4	4	2	-	3	407
Alabama	9,721	4,663	1,994	1,174	487	178	61	33	21	1,110
Connecticut[1]	2,705	768	716	519	198	72	26	13	5	388
Florida	19,999	11,464	4,256	2,449	[2]1,453	---	---	---	---	375
Georgia[3]	7,547	3,177	1,557	931	375	146	61	27	16	1,257
Idaho	2,414	1,146	536	320	199	74	19	9	6	105
Iowa	5,195	2,202	1,209	794	397	161	61	15	22	334
Kansas	5,101	2,487	1,159	782	359	148	79	43	44	-
Maine	1,960	858	460	332	158	86	37	16	13	-
Michigan[3] [4]	17,676	9,262	3,938	2,544	1,215	459	170	49	34	5
Mississippi[5]	4,845	2,652	1,050	584	271	114	62	32	32	48
Missouri[3]	11,351	6,290	2,454	1,410	609	233	108	38	32	177
Montana	1,909	950	440	276	152	61	19	7	4	-
Nebraska[6]	2,424	1,108	526	396	203	78	22	10	7	74
New Hampshire[1]	1,076	433	270	199	95	54	11	12	2	-
North Dakota[1]	543	217	118	96	59	33	8	7	5	-
Ohio	22,259	11,208	5,053	3,343	1,530	599	237	105	184	-
Oregon[7]	6,158	3,124	1,353	972	439	158	47	14	17	34
South Dakota	868	377	190	146	72	40	23	13	7	-
Tennessee	8,342	4,136	1,805	1,093	488	224	106	50	40	400
Vermont[7]	533	217	134	103	52	17	5	4	1	-
Virginia[5]	7,116	3,500	1,678	1,068	377	160	54	23	24	232
Wyoming	1,127	543	250	185	93	36	11	4	2	3

[1]Children under 21 years of age.
[2]Three children or more.
[3]Data incomplete.
[4]Children under 17 years of age.
[5]Minor children (specific definition of "minor" not given).
[6]Number of children affected.
[7]Total number of children.

Table 16. Divorces and Annulments by Duration of Marriage in Years: 23 Reporting States, 1955

(By place of occurrence. Includes only divorces and annulments occurring within the reporting area. Data represent completed years between day, month, and year of marriage and day, month, and year of divorce)

AREA	Total	DURATION OF MARRIAGE											
		Under 1 year	1 year	2 years	3 years	4 years	5 years	6 years	7 years	8 years	9 years	10 years	11 years
TOTAL	141,378	8,716	13,555	13,863	11,856	10,237	8,584	7,465	7,370	7,434	6,570	4,415	3,457
Divorces[1]	137,243	8,054	13,194	13,563	11,609	10,019	8,389	7,282	7,187	7,234	6,401	4,293	3,351
Annulments[1]	1,430	653	262	133	79	40	18	21	16	13	16	12	11
Alabama	9,721	842	509	1,010	803	720	592	525	450	501	488	335	227
Connecticut	2,705	9	99	167	168	178	177	162	167	187	153	110	95
Delaware	509	2	-	20	31	46	43	38	25	27	34	22	20
Florida	19,999	1,591	1,898	1,769	1,579	1,340	1,056	1,091	1,032	1,010	881	647	563
Georgia[2]	7,547	603	833	702	569	498	373	352	320	361	299	190	142
Idaho	2,414	269	233	173	142	107	105	76	77	68	60	47	27
Iowa	5,195	609	637	544	444	368	297	267	246	249	208	130	86
Kansas	5,101	191	567	604	519	407	357	223	249	215	228	177	107
Maine	1,960	85	182	204	168	143	146	109	108	106	94	59	40
Michigan[2]	17,676	243	1,496	1,804	1,510	1,341	1,258	946	1,016	1,023	998	644	464
Mississippi	4,845	397	603	525	400	330	257	230	219	205	176	115	127
Missouri[2]	11,351	441	1,243	1,253	1,120	952	748	603	547	527	561	368	250
Montana	1,909	179	304	184	175	130	128	71	97	90	65	46	49
Nebraska	2,424	184	262	251	191	204	139	110	124	114	86	64	61
New Hampshire	1,076	47	82	94	94	80	76	65	53	66	59	39	17
North Dakota	543	40	45	38	41	30	37	29	35	18	19	17	11
Ohio	22,259	1,254	2,205	2,162	1,908	1,635	1,391	1,252	1,279	1,304	1,060	688	563
Oregon	6,158	633	766	675	513	427	351	279	315	315	222	155	130
South Dakota	868	92	84	85	79	61	45	52	36	44	37	14	23
Tennessee	8,342	802	889	842	709	588	464	413	410	452	395	242	186
Vermont	533	3	20	30	30	48	26	32	42	35	28	27	19
Virginia	7,116	59	445	594	568	524	451	487	470	477	369	248	226
Wyoming	1,127	121	155	133	95	80	67	53	53	40	50	31	24

AREA	DURATION OF MARRIAGE—Continued													
	12 years	13 years	14 years	15 years	16 years	17 years	18 years	19 years	20-24 years	25-29 years	30-34 years	35-39 years	40 years and over	Not stated
TOTAL	3,460	3,446	3,086	2,696	2,248	2,078	2,019	1,851	6,588	4,115	2,243	1,119	723	2,184
Divorces[1]	3,372	3,341	2,985	2,597	2,167	2,022	1,952	1,788	6,378	4,010	2,180	1,082	708	2,085
Annulments[1]	7	5	6	8	9	2	3	2	13	1	2	1	-	97
Alabama	211	253	208	190	171	137	141	122	431	317	153	81	79	225
Connecticut	81	100	95	91	72	54	64	61	197	104	61	36	15	2
Delaware	33	11	17	15	10	12	15	2	40	18	14	8	1	5
Florida	568	513	443	381	335	321	295	249	984	630	393	202	130	100
Georgia[2]	162	168	164	107	102	113	100	94	287	170	102	41	34	661
Idaho	23	28	33	24	24	18	16	20	75	35	13	5	4	692
Iowa	94	111	85	89	72	72	57	64	204	117	75	33	34	3
Kansas	101	113	94	113	89	60	73	46	230	154	72	43	29	40
Maine	47	48	41	38	25	25	43	31	103	55	36	14	7	3
Michigan[2]	457	449	464	371	284	271	291	290	936	551	290	146	69	64
Mississippi	100	126	77	66	74	69	68	48	229	143	89	62	44	66
Missouri[2]	276	273	245	215	157	125	120	136	477	332	176	90	64	52
Montana	42	38	28	34	33	20	15	28	77	40	19	6	6	5
Nebraska	43	53	58	42	33	33	28	29	103	70	29	27	10	76
New Hampshire	30	21	32	34	20	13	20	17	49	36	18	7	5	2
North Dakota	14	20	11	9	12	13	14	12	32	26	7	7	4	2
Ohio	563	550	466	412	343	347	319	280	992	642	348	142	92	62
Oregon	135	113	113	91	86	88	97	83	269	150	69	38	17	28
South Dakota	19	18	25	17	14	15	12	7	34	28	8	10	5	4
Tennessee	180	165	164	168	117	107	101	103	344	206	114	54	37	90
Vermont	12	12	9	19	12	9	14	11	45	29	12	8	1	-
Virginia	244	237	190	157	152	140	105	109	413	233	131	54	32	1
Wyoming	25	26	24	13	11	16	11	9	37	29	14	5	4	1

[1]Excludes data for Connecticut. Divorces and annulments not tabulated separately.
[2]Data incomplete.

Table 17. Divorces by Age of Husband and of Wife and Number of Times Married: Total of 6 Reporting States, 1955

(By place of occurrence. Includes only divorces occurring within the reporting area)

AGE	HUSBAND							WIFE						
	Total divorces	Number of times married						Total divorces	Number of times married					
		One	Two or more				Not stated		One	Two or more				Not stated
			Total	Two	Three	Four or more				Total	Two	Three	Four or more	
TOTAL	37,272	17,249	10,883	7,766	2,316	801	9,140	37,272	16,949	11,264	8,096	2,406	762	9,059
Under 15 years	2	1	1	-	1	-	-	15	13	-	-	-	-	2
15 years	2	2	-	-	-	-	-	78	72	-	-	-	-	6
16 years	4	4	-	-	-	-	-	251	234	12	12	-	-	5
17 years	47	42	2	1	1	-	3	456	410	37	37	-	-	9
18 years	161	149	6	6	-	-	6	743	656	71	63	7	1	16
19 years	338	303	30	28	2	-	5	983	810	143	136	7	-	30
20 years	540	481	45	42	3	-	14	1,111	911	175	159	14	2	25
21 years	802	684	102	98	4	-	16	1,292	997	269	235	30	4	26
22 years	977	832	131	119	11	1	14	1,196	887	283	250	30	3	26
23 years	1,055	873	163	147	15	1	19	1,237	903	314	266	40	8	20
24 years	1,066	849	193	171	20	2	24	1,149	793	326	267	52	7	30
25 years	1,113	875	213	188	23	2	25	1,154	778	351	284	57	10	25
26 years	1,099	805	267	230	29	8	27	993	670	297	234	56	7	26
27 years	1,082	777	281	232	37	12	24	1,015	666	341	251	67	23	8
28 years	1,071	736	309	251	47	11	26	971	598	359	272	69	18	14
29 years	1,056	683	356	282	51	23	17	915	522	378	297	63	18	15
30 years	972	629	320	259	48	13	23	780	460	306	230	59	17	14
31 years	875	541	311	252	51	8	23	677	384	273	199	53	21	20
32 years	850	536	304	229	59	16	10	738	388	339	243	71	25	11
33 years	878	533	336	265	59	12	9	686	360	312	230	66	16	14
34 years	825	471	339	247	67	25	15	729	387	332	222	87	23	10
35 years	855	499	343	235	75	33	13	710	357	342	238	86	18	11
36 years	712	398	299	207	72	20	15	619	306	297	218	58	21	16
37 years	717	389	310	225	71	14	18	627	296	319	224	74	21	12
38 years	661	362	281	191	66	24	18	610	295	305	210	78	17	10
39 years	656	368	268	186	62	20	20	570	276	284	205	61	18	10
40 years	619	312	296	206	69	21	11	578	246	318	226	76	16	14
41 years	591	301	283	200	59	24	7	531	223	301	203	75	23	7
42 years	589	305	277	192	66	19	7	529	229	291	204	69	18	9
43 years	566	284	269	176	61	32	13	532	233	293	184	75	34	6
44 years	556	259	285	189	65	31	12	463	200	254	163	66	25	9
45-49 years	2,294	1,024	1,216	798	309	109	54	1,799	737	1,033	658	271	104	29
50-54 years	1,572	627	912	601	237	74	33	1,038	352	668	424	169	75	18
55-59 years	983	310	654	385	188	81	19	630	188	432	247	127	58	10
60-64 years	616	164	443	281	107	55	9	347	83	258	148	75	35	6
65-69 years	428	99	314	176	99	39	15	207	39	164	95	47	22	4
70-74 years	197	34	157	93	46	18	6	81	15	62	39	14	9	4
75 years and over	141	14	123	72	38	13	4	37	4	33	18	12	3	-
Not stated	9,704	694	444	306	98	40	8,566	10,195	971	692	505	145	42	8,532

NOTE.—States included: Connecticut, Georgia, Idaho, Kansas, Missouri, and Tennessee.

Table 18. Divorces and Annulments by State of Occurrence Distributed by State Where Marriage Was Performed 12 Reporting States, 1955

(Includes only divorces and annulments occurring within the reporting area)

STATE OF OCCURRENCE	Total	DIVORCES AND ANNULMENTS BY STATE WHERE MARRIAGE WAS PERFORMED																
		Ala.	Ariz.	Ark.	Calif.	Colo.	Conn.	Del.	D. C.	Fla.	Ga.	Idaho	Ill.	Ind.	Iowa	Kans.	Ky.	La.
TOTAL	65,112	3,079	186	585	474	112	1,706	34	333	400	6,391	1,166	733	2,038	3,001	194	845	146
Divorces[1]	61,653	3,059	173	573	454	109	67	34	317	372	6,330	1,136	715	1,981	2,967	192	833	143
Annulments[1]	754	14	5	9	8	2	-	-	11	5	42	30	9	51	34	2	8	-
Alabama	9,721	2,609	11	15	27	2	8	3	9	71	309	2	17	15	4	3	27	32
Connecticut	2,705	6	8	3	12	1	1,639	-	5	23	19	-	9	6	-	-	4	3
Georgia[2]	7,547	117	17	13	25	3	3	2	6	88	4,050	-	19	20	3	5	26	13
Idaho	2,414	3	32	8	82	25	4	-	3	8	3	1,049	10	7	14	20	5	3
Iowa	5,195	5	29	51	68	22	3	-	8	10	13	6	323	28	2,907	90	9	9
Michigan[2]	17,676	172	42	230	110	27	14	6	21	94	237	9	255	1,874	36	43	298	58
Montana	1,909	-	15	6	37	8	1	-	2	6	1	90	11	6	11	7	8	2
New Hampshire	1,076	1	2	1	3	-	13	-	3	6	4	-	5	3	1	-	3	1
North Dakota	543	-	1	4	10	2	-	-	2	-	2	4	1	3	-	-	2	-
South Dakota	868	1	4	4	13	10	-	1	1	3	5	4	13	2	17	7	1	-
Tennessee	8,342	141	17	242	37	9	7	2	11	43	1,673	-	46	55	2	11	379	13
Virginia	7,116	24	8	8	50	3	14	20	262	48	75	2	24	19	6	8	83	12

STATE OF OCCURRENCE	DIVORCES AND ANNULMENTS BY STATE WHERE MARRIAGE WAS PERFORMED—Continued																
	Maine	Md.	Mass.	Mich.	Minn.	Miss.	Mo.	Mont.	Nebr.	Nev.	N. H.	N. J.	N. Mex.	N. Y.	N. C.	N. Dak.	Ohio
TOTAL	134	807	329	10,006	520	3,779	711	1,480	370	553	755	239	101	1,045	865	313	1,785
Divorces[1]	73	677	229	9,943	508	3,723	693	1,392	369	531	710	201	97	717	807	310	1,762
Annulments[1]	2	14	2	62	10	53	11	88	1	18	17	-	1	1	39	3	17
Alabama	2	25	10	12	2	1,568	10	-	1	13	2	20	4	146	25	1	19
Connecticut	59	116	98	1	2	3	7	-	-	4	28	38	3	327	19	-	6
Georgia[2]	-	31	15	5	-	53	2	-	4	14	1	21	6	65	43	-	18
Idaho	-	6	8	3	11	5	14	114	11	315	3	11	15	29	3	4	6
Iowa	4	14	10	15	238	28	447	4	291	52	2	4	12	20	13	5	13
Michigan[2]	5	89	36	9,909	34	304	149	5	10	51	4	40	29	147	65	7	1,648
Montana	-	5	3	5	22	2	13	1,291	10	46	-	1	3	5	4	26	5
New Hampshire	55	7	107	2	-	1	1	-	-	2	708	10	2	22	1	-	1
North Dakota	-	4	1	1	95	-	-	43	-	9	-	1	4	2	-	266	2
South Dakota	-	2	-	4	109	4	4	20	39	8	-	1	4	5	1	4	1
Tennessee	1	31	7	28	4	1,779	49	1	1	19	1	13	15	15	54	-	35
Virginia	8	477	34	21	3	32	15	2	3	20	6	79	4	262	637	-	31

STATE OF OCCURRENCE	DIVORCES AND ANNULMENTS BY STATE WHERE MARRIAGE WAS PERFORMED—Continued																
	Okla.	Oreg.	Pa.	R. I.	S. C.	S. Dak.	Tenn.	Tex.	Utah	Vt.	Va.	Wash.	W. Va.	Wis.	Wyo.	Outside cont. U. S.	Not stated
TOTAL	107	87	305	70	1,072	686	3,402	343	91	84	4,343	419	181	123	77	911	7,596
Divorces[1]	104	86	280	33	1,026	675	3,380	335	88	61	4,269	415	176	120	71	815	7,522
Annulments[1]	2	1	3	-	21	11	19	4	1	-	52	3	1	-	6	10	51
Alabama	8	-	11	5	42	1	39	30	1	1	24	7	10	1	2	42	4,473
Connecticut	1	-	22	37	25	-	3	4	2	23	22	1	4	3	-	86	23
Georgia[2]	7	-	19	5	346	1	50	28	2	2	34	3	6	6	2	51	2,297
Idaho	13	47	2	1	7	12	2	22	66	-	7	212	-	8	18	66	97
Iowa	25	7	17	2	16	105	5	41	3	-	17	25	1	24	8	53	93
Michigan[2]	25	10	132	5	104	8	159	116	7	5	85	43	76	57	4	419	363
Montana	11	15	3	-	2	12	1	9	8	-	7	89	2	7	22	38	31
New Hampshire	1	1	2	4	4	-	-	6	-	49	7	3	-	1	-	27	6
North Dakota	1	-	-	-	-	35	-	7	-	-	-	12	1	2	1	14	11
South Dakota	1	4	4	1	3	508	-	7	1	-	3	7	-	5	19	4	9
Tennessee	9	2	11	1	108	1	3,031	45	-	-	157	5	8	3	-	27	193
Virginia	5	1	82	9	415	3	112	28	1	4	3,980	12	73	6	1	84	-

[1]Excludes data for Connecticut. Divorces and annulments not tabulated separately.
[2]Data incomplete.

GENERAL NATALITY AND MORTALITY

Table 19. Live Births by Attendant and Birth Weight; Fetal Deaths; and Total, Infant, and Neonatal Deaths; by Color: United States, Each State and County, and Specified Urban Places, 1955

(Includes only events occurring within the continental United States. Data are shown for urban places with populations of 10,000 or more in 1950. Figures for white and nonwhite are shown separately for those counties and urban places in which the 1950 populations for nonwhite formed 10 percent or more of the total, or numbered 10,000 or more. Fetal deaths include only those for which the period of gestation was given as 20 weeks or more, or was not stated. Deaths exclude fetal deaths)

AREA AND COLOR	LIVE BIRTHS								FETAL DEATHS	DEATHS			
	By place of occurrence	By place of residence							By place of residence	By place of occurrence	By place of residence		
			Attendant[1]			Birth weight[3]							
	Total births	Total births	Physician in hospital[2]	Physician not in hospital	Midwife	2,500 grams or less	2,501 grams or more	Not stated		Total deaths	Total deaths	Under 1 year	Under 28 days
UNITED STATES	4,047,295	4,047,295	3,818,810	100,756	117,583	291,980	3,567,262	188,053	69,153	1,528,717	1,528,717	106,903	77,351
White	3,458,448	3,458,448	3,371,416	60,738	20,520	224,868	3,059,705	173,875	52,411	1,350,869	1,350,869	81,682	61,340
Nonwhite	588,847	588,847	447,394	40,018	97,063	67,112	507,557	14,178	16,742	177,848	177,848	25,221	16,011
ALABAMA	81,517	81,811	62,190	4,941	14,295	6,486	73,927	1,398	1,824	26,240	26,380	2,616	1,809
White	49,841	49,899	46,832	2,221	729	3,211	46,116	572	822	15,980	16,099	1,241	939
Nonwhite	31,676	31,912	15,358	2,720	13,566	3,275	27,811	826	1,002	10,260	10,281	1,375	870
Autauga	385	491	274	6	202	40	393	58	22	168	181	13	10
White	126	214	205	2	7	15	188	11	4	96	92	5	5
Nonwhite	259	277	69	4	195	25	205	47	18	72	89	8	5
Baldwin	853	1,306	1,032	30	242	95	1,188	23	29	345	392	51	33
White	507	925	870	12	43	56	863	6	14	266	300	33	22
Nonwhite	346	381	162	18	199	39	325	17	15	79	92	18	11
Barbour	694	704	256	116	328	73	605	26	24	257	283	34	21
White	231	245	201	41	3	14	228	3	7	104	127	9	7
Nonwhite	463	459	55	75	325	59	377	23	17	153	156	25	14
Bibb	184	388	204	21	162	19	352	17	4	99	142	15	10
White	41	235	192	18	25	13	214	8	3	55	88	7	5
Nonwhite	143	153	12	3	137	6	138	9	1	44	54	8	5
Blount	523	510	461	39	6	24	468	18	9	157	179	11	9
Bullock	357	409	106	19	284	32	366	11	6	134	161	12	8
White	48	64	61	-	3	2	61	1	-	29	41	1	-
Nonwhite	309	345	45	19	281	30	305	10	6	105	120	11	8
Butler	757	722	407	44	263	45	606	71	15	252	256	26	18
White	348	322	306	11	5	25	279	18	3	131	136	11	8
Nonwhite	409	400	101	33	258	20	327	53	12	121	120	15	10
Calhoun	2,914	2,604	2,294	225	83	173	2,420	11	50	639	689	59	39
White	2,298	2,027	1,895	125	6	123	1,902	2	36	470	508	44	27
Nonwhite	616	577	399	100	77	50	518	9	14	169	181	15	12
Anniston	2,045	1,209	1,097	62	50	91	1,113	5	28	409	338	30	22
White	1,581	815	799	16	-	51	764	-	17	278	208	16	10
Nonwhite	464	394	298	46	50	40	349	5	11	131	130	14	12
Balance of county	869	1,395	1,197	163	33	82	1,307	6	22	230	351	29	17
White	717	1,212	1,096	109	6	72	1,138	2	19	192	300	28	17
Nonwhite	152	183	101	54	27	10	169	4	3	38	51	1	-
Chambers	941	868	671	13	183	83	759	26	20	337	366	41	23
White	482	444	440	2	2	29	407	8	10	192	213	16	10
Nonwhite	459	424	231	11	181	54	352	18	10	145	153	25	13
Cherokee	164	340	263	35	39	21	313	6	5	98	116	7	6
Chilton	564	606	452	74	78	40	514	52	18	203	241	20	14
White	468	491	420	49	21	31	430	30	15	165	198	12	9
Nonwhite	96	115	32	25	57	9	84	22	3	38	43	8	5
Choctaw	446	489	215	14	237	32	451	6	13	155	154	15	11
White	142	175	158	7	8	9	164	2	6	47	53	3	3
Nonwhite	304	314	57	7	229	23	287	4	7	108	101	12	8
Clarke	802	719	271	105	338	50	650	19	17	228	263	36	30
White	319	256	201	50	5	13	239	4	3	127	146	13	11
Nonwhite	483	463	70	55	333	37	411	15	14	101	117	23	19
Clay	238	266	229	1	32	24	241	1	6	107	119	16	13
White	175	205	192	1	9	16	188	1	5	82	94	9	8
Nonwhite	63	61	37	-	23	8	53	-	1	25	25	7	5
Cleburne	43	261	223	35	3	25	226	10	4	62	95	8	4
Coffee	522	810	599	149	59	49	737	24	14	145	187	25	15
White	329	595	538	54	1	27	558	10	10	113	153	16	8
Nonwhite	193	215	61	95	58	22	179	14	4	32	34	9	7
Colbert	948	1,066	893	46	122	77	979	10	16	313	335	30	21
White	703	802	777	15	10	57	739	6	9	226	243	22	17
Nonwhite	245	264	116	31	112	20	240	4	7	87	92	8	4
Sheffield	793	367	327	26	14	30	332	5	6	184	114	10	7
White	663	294	288	6	-	27	265	2	4	141	82	8	5
Nonwhite	130	73	39	20	14	3	67	3	2	43	32	2	2
Balance of county	155	699	566	20	108	47	647	5	10	129	221	20	14
White	40	508	489	9	10	30	474	4	5	85	161	14	12
Nonwhite	115	191	77	11	98	17	173	1	5	44	60	6	2
Conecuh	386	490	240	15	218	44	424	22	17	155	180	20	13
White	133	192	173	9	8	16	171	5	5	75	89	6	5
Nonwhite	253	298	67	6	210	28	253	17	12	80	91	14	8
Coosa	92	243	149	39	55	18	219	6	9	72	102	17	12
White	24	139	113	20	6	9	127	3	4	43	64	7	6
Nonwhite	68	104	36	19	49	9	92	3	5	29	38	10	6
Covington	1,199	950	754	55	141	54	875	21	13	316	315	24	14
White	978	751	702	32	17	42	698	11	8	252	247	14	11
Nonwhite	221	199	52	23	124	12	177	10	5	64	68	10	3
Crenshaw	259	364	189	81	88	27	333	4	4	128	155	9	6
White	126	213	171	37	5	10	200	3	2	90	104	3	3
Nonwhite	133	151	18	44	83	17	133	1	2	38	51	6	3
Cullman	967	972	923	35	7	52	905	15	19	282	327	21	15
Dale	856	721	562	39	120	62	652	7	16	188	199	26	25
White	657	543	515	16	12	50	489	4	14	133	145	16	15
Nonwhite	199	178	47	23	108	12	163	3	2	55	54	10	10

See footnotes on p. 183.

Table 19. Live Births by Attendant and Birth Weight; Fetal Deaths; and Total, Infant, and Neonatal Deaths; by Color: United States, Each State and County, and Specified Urban Places, 1955—Continued

(See headnote on p. 83)

AREA AND COLOR	LIVE BIRTHS								FETAL DEATHS	DEATHS			
	By place of occurrence	By place of residence							By place of residence	By place of occurrence	By place of residence		
			Attendant[1]			Birth weight[3]							
	Total births	Total births	Physician in hospital[2]	Physician not in hospital	Midwife	2,500 grams or less	2,501 grams or more	Not stated		Total deaths	Total deaths	Under 1 year	Under 28 days
ALABAMA—Continued													
Dallas	2,177	2,014	1,057	128	821	133	1,874	7	56	692	592	87	57
White	851	734	729	1	4	52	680	2	8	222	185	18	15
Nonwhite	1,326	1,280	328	127	817	81	1,194	5	48	470	407	69	42
Selma	1,153	938	620	114	197	65	870	3	21	475	278	48	29
White	511	426	423	1	2	31	394	1	7	185	126	10	8
Nonwhite	642	512	197	113	195	34	476	2	14	290	152	38	21
Balance of county	1,024	1,076	437	14	624	68	1,004	4	35	217	314	39	28
White	340	308	306	-	2	21	286	1	1	37	59	8	7
Nonwhite	684	768	131	14	622	47	718	3	34	180	255	31	21
De Kalb	694	876	761	80	29	54	808	14	15	270	338	15	12
Elmore	439	759	411	45	302	51	685	23	14	201	291	28	15
White	96	372	339	25	8	23	341	8	4	115	171	15	10
Nonwhite	343	387	72	20	294	28	344	15	10	86	120	13	5
Escambia	1,091	874	650	92	131	58	800	16	23	287	287	39	28
White	709	535	509	17	9	32	496	7	8	180	181	19	16
Nonwhite	382	339	141	75	122	26	304	9	15	107	106	20	12
Etowah	2,454	2,368	1,957	254	153	195	2,166	7	53	820	773	78	64
White	2,015	1,932	1,728	179	22	137	1,790	5	34	655	592	54	46
Nonwhite	439	436	229	75	131	58	376	2	19	165	181	24	18
Gadsden	2,278	1,402	1,169	126	106	119	1,280	3	36	597	463	44	34
White	1,880	1,058	990	67	1	74	982	2	21	454	312	23	18
Nonwhite	398	344	179	59	105	45	298	1	15	143	151	21	16
Balance of county	176	966	788	128	47	76	886	4	17	223	310	34	30
Fayette	332	338	249	26	63	27	305	6	6	131	149	10	8
White	264	270	223	23	24	18	248	4	-	107	125	7	5
Nonwhite	68	68	26	3	39	9	57	2	6	24	24	3	3
Franklin	627	549	496	48	4	26	516	7	4	180	199	15	11
Geneva	449	540	406	55	79	34	491	15	11	153	176	13	8
White	340	416	361	46	9	23	384	9	5	124	143	10	6
Nonwhite	109	124	45	9	70	11	107	6	6	29	33	3	2
Greene	374	422	56	40	323	40	368	14	20	148	176	18	13
White	13	49	37	10	2	3	46	-	2	21	28	1	1
Nonwhite	361	373	19	30	321	37	322	14	18	127	148	17	12
Hale	494	602	131	31	432	42	541	19	17	177	205	24	13
White	20	107	89	6	11	7	100	-	1	38	52	1	1
Nonwhite	474	495	42	25	421	35	441	19	16	139	153	23	12
Henry	303	417	178	34	204	18	393	6	16	105	133	10	5
White	62	148	127	12	9	6	141	1	1	45	62	1	1
Nonwhite	241	269	51	22	195	12	252	5	15	60	71	9	4
Houston	1,438	1,247	898	126	218	111	1,119	17	21	448	423	42	31
White	993	802	765	18	18	46	751	5	16	327	287	17	15
Nonwhite	445	445	133	108	200	65	368	12	5	121	136	25	16
Dothan	1,219	709	551	87	71	64	637	8	10	308	234	29	24
White	940	471	463	3	5	22	446	3	8	223	148	14	13
Nonwhite	279	238	88	84	66	42	191	5	2	85	86	15	11
Balance of county	219	538	347	39	147	47	482	9	11	140	189	13	7
White	53	331	302	15	13	24	305	2	8	104	139	3	2
Nonwhite	166	207	45	24	134	23	177	7	3	36	50	10	5
Jackson	947	902	617	206	58	54	836	12	14	237	270	22	16
Jefferson	16,014	15,622	14,787	774	10	1,391	14,186	45	335	5,526	5,261	436	321
White	9,448	9,067	8,961	93	1	626	8,425	16	127	3,206	2,937	193	161
Nonwhite	6,566	6,555	5,826	681	9	765	5,761	29	208	2,320	2,324	243	160
Birmingham	13,410	8,889	8,559	291	6	822	8,041	26	186	3,959	3,265	254	189
White	8,086	4,886	4,856	25	1	334	4,546	6	64	2,310	1,744	105	92
Nonwhite	5,324	4,003	3,703	266	5	488	3,495	20	122	1,649	1,521	149	97
Bessemer	1,053	949	827	119	-	108	836	5	20	298	383	39	29
White	679	343	337	6	-	30	313	-	8	126	138	9	8
Nonwhite	374	606	490	113	-	78	523	5	12	172	245	30	21
Fairfield	935	388	360	27	-	33	354	1	10	255	102	9	6
White	382	151	150	-	-	11	139	1	2	113	46	3	3
Nonwhite	553	237	210	27	-	22	215	-	8	142	56	6	3
Homewood	4	312	308	2	-	14	298	-	3	91	101	6	4
White	1	267	266	-	-	10	257	-	1	61	79	4	3
Nonwhite	3	45	42	2	-	4	41	-	2	30	22	2	1
Balance of county	612	5,084	4,733	335	4	414	4,657	13	116	923	1,410	128	93
White	300	3,420	3,352	62	-	241	3,170	9	52	596	930	72	55
Nonwhite	312	1,664	1,381	273	4	173	1,487	4	64	327	480	56	38
Lamar	212	304	255	5	41	20	278	6	2	94	124	8	5
White	158	233	220	3	7	13	218	2	1	84	110	6	4
Nonwhite	54	71	35	2	34	7	60	4	1	10	14	2	1
Lauderdale	1,577	1,474	1,312	64	97	89	1,376	9	21	380	367	38	28
White	1,343	1,268	1,163	52	32	67	1,194	7	17	302	288	28	21
Nonwhite	234	206	129	12	65	22	182	2	4	78	79	10	7
Florence	1,438	805	763	3	39	54	746	5	13	275	182	24	17
White	1,248	662	657	1	4	39	620	3	11	217	130	17	13
Nonwhite	190	143	106	2	35	15	126	2	2	58	52	7	4
Balance of county	139	669	549	61	58	35	630	4	8	105	185	14	11
White	95	606	526	51	28	28	574	4	6	85	158	11	8
Nonwhite	44	63	23	10	30	7	56	-	2	20	27	3	3
Lawrence	514	601	396	124	79	34	539	28	12	134	160	15	7
White	368	443	374	55	13	25	402	16	9	82	103	10	5
Nonwhite	146	158	22	69	66	9	137	12	3	52	57	5	2
Lee	1,007	1,170	853	66	248	106	1,055	9	22	306	342	38	26
White	566	602	597	2	3	34	563	5	8	147	155	13	12
Nonwhite	441	568	256	64	245	72	492	4	14	159	187	25	14

See footnotes on p. 183.

Table 19. Live Births by Attendant and Birth Weight; Fetal Deaths; and Total, Infant, and Neonatal Deaths; by Color: United States, Each State and County, and Specified Urban Places, 1955—Continued

(See headnote on p. 83)

AREA AND COLOR	LIVE BIRTHS								FETAL DEATHS	DEATHS			
	By place of occurrence	By place of residence							By place of residence	By place of occurrence	By place of residence		
			Attendant[1]			Birth weight[3]							
	Total births	Total births	Physician in hospital[2]	Physician not in hospital	Midwife	2,500 grams or less	2,501 grams or more	Not stated		Total deaths	Total deaths	Under 1 year	Under 28 days
ALABAMA—Continued													
Lee—Continued													
Auburn	36	328	291	24	11	27	298	3	6	30	48	7	5
White	1	230	229	1	-	8	219	3	5	8	20	3	3
Nonwhite	35	98	62	23	11	19	79	-	1	22	28	4	2
Opelika	753	335	272	7	55	29	306	-	7	162	121	12	10
White	561	183	183	-	-	11	172	-	2	102	66	4	4
Nonwhite	192	152	89	7	55	18	134	-	5	60	55	8	6
Balance of county	218	507	290	35	182	50	451	6	9	114	173	19	11
White	4	189	185	1	3	15	172	2	1	37	69	6	5
Nonwhite	214	318	105	34	179	35	279	4	8	77	104	13	6
Limestone	827	797	571	89	137	58	731	8	25	260	288	32	21
White	603	576	525	47	4	33	540	3	17	188	218	18	11
Nonwhite	224	221	46	42	133	25	191	5	8	72	70	14	10
Lowndes	408	491	112	3	372	27	449	15	18	103	148	11	6
White	19	58	56	-	2	3	54	1	-	21	31	1	-
Nonwhite	389	433	56	3	370	24	395	14	18	82	117	10	6
Macon	1,016	678	428	4	245	62	598	18	12	459	231	18	12
White	62	77	76	1	-	3	65	9	4	30	46	1	1
Nonwhite	954	601	352	3	245	59	533	9	8	429	185	17	11
Madison	2,272	2,438	1,843	251	337	204	2,187	47	38	597	628	92	61
White	1,652	1,791	1,663	108	17	109	1,658	24	23	405	424	51	37
Nonwhite	620	647	180	143	320	95	529	23	15	192	204	41	24
Huntsville	1,850	1,275	1,102	61	107	104	1,147	24	18	347	322	50	35
White	1,535	1,024	1,009	9	4	67	944	13	13	226	208	32	24
Nonwhite	315	251	93	52	103	37	203	11	5	121	114	18	11
Balance of county	422	1,163	741	190	230	100	1,040	23	20	250	306	42	26
White	117	767	654	99	13	42	714	11	10	179	216	19	12
Nonwhite	305	396	87	91	217	58	326	12	10	71	90	23	13
Marengo	754	802	251	18	532	64	731	7	28	272	304	28	18
White	176	216	203	8	5	9	206	1	1	57	69	2	1
Nonwhite	578	586	48	10	527	55	525	6	27	215	235	26	17
Marion	391	447	409	9	29	37	403	7	6	148	156	10	8
Marshall	1,395	1,075	968	72	29	69	1,000	6	21	348	348	29	18
Mobile	8,311	8,059	7,362	79	597	741	7,254	64	185	2,226	2,023	220	167
White	5,169	4,923	4,851	36	31	380	4,500	43	95	1,260	1,201	113	91
Nonwhite	3,142	3,136	2,511	43	566	361	2,754	21	90	966	822	107	76
Mobile	7,121	4,311	4,042	34	232	440	3,833	38	99	1,580	1,226	112	89
White	4,468	2,664	2,639	17	6	231	2,402	31	48	965	718	58	51
Nonwhite	2,653	1,647	1,403	17	226	209	1,431	7	51	615	508	54	38
Prichard	190	1,154	967	3	178	106	1,044	4	29	104	208	29	23
White	1	332	332	-	-	15	317	-	8	27	60	4	3
Nonwhite	189	822	635	3	178	91	727	4	21	77	148	25	20
Balance of county	1,000	2,594	2,353	42	187	195	2,377	22	57	542	589	79	55
White	700	1,927	1,880	19	25	134	1,781	12	39	268	423	51	37
Nonwhite	300	667	473	23	162	61	596	10	18	274	166	28	18
Monroe	719	707	234	65	403	50	599	58	15	189	205	27	15
White	239	220	188	20	11	7	200	13	3	80	91	8	5
Nonwhite	480	487	46	45	392	43	399	45	12	109	114	19	10
Montgomery	5,110	4,130	2,812	38	1,272	330	3,712	88	111	1,513	1,310	129	86
White	2,881	1,929	1,915	11	2	101	1,806	22	41	743	578	45	34
Nonwhite	2,229	2,201	897	27	1,270	229	1,906	66	70	770	732	84	52
Montgomery	3,517	3,348	2,495	12	835	279	3,001	68	90	1,144	1,046	99	67
White	1,901	1,732	1,727	4	-	93	1,620	19	38	526	498	37	28
Nonwhite	1,616	1,616	768	8	835	186	1,381	49	52	618	548	62	39
Balance of county	1,593	782	317	26	437	51	711	20	21	369	264	30	19
White	980	197	188	7	2	8	186	3	3	217	80	8	6
Nonwhite	613	585	129	19	435	43	525	17	18	152	184	22	13
Morgan	1,277	1,278	1,105	53	108	85	1,176	17	24	494	494	43	32
White	1,062	1,066	1,024	26	8	67	990	9	19	374	379	31	23
Nonwhite	215	212	81	27	100	18	186	8	5	120	115	12	9
Decatur	890	599	490	29	78	36	555	8	8	269	230	19	15
White	737	460	449	10	1	29	426	5	6	195	162	12	10
Nonwhite	153	139	41	19	77	7	129	3	2	74	68	7	5
Balance of county	387	679	615	24	30	49	621	9	16	225	264	24	17
White	325	606	575	16	7	38	564	4	13	179	217	19	13
Nonwhite	62	73	40	8	23	11	57	5	3	46	47	5	4
Perry	581	552	145	6	399	65	483	4	15	154	174	18	13
White	142	99	94	1	3	11	87	1	1	46	51	5	4
Nonwhite	439	453	51	5	396	54	396	3	14	108	123	13	9
Pickens	497	547	244	26	260	54	476	17	14	164	183	24	15
White	170	213	198	10	4	10	201	2	2	70	86	2	2
Nonwhite	327	334	46	16	256	44	275	15	12	94	97	22	13
Pike	867	713	351	66	295	49	647	17	22	346	311	39	24
White	480	330	294	33	3	16	304	10	7	196	154	14	10
Nonwhite	387	383	57	33	292	33	343	7	15	150	157	25	14
Randolph	402	478	362	6	110	39	425	14	14	172	188	15	7
White	233	307	287	3	17	19	281	7	7	123	137	7	3
Nonwhite	169	171	75	3	93	20	144	7	7	49	51	8	4
Russell	979	1,412	828	24	557	112	1,278	22	38	337	392	39	23
White	399	639	629	1	9	46	590	3	8	162	177	8	7
Nonwhite	580	773	199	23	548	66	688	19	30	175	215	31	16
Phenix City	521	669	537	14	116	53	611	5	18	220	206	16	7
White	395	440	435	1	4	32	407	1	5	132	116	4	3
Nonwhite	126	229	102	13	112	21	204	4	13	88	90	12	4
Balance of county	458	743	291	10	441	59	667	17	20	117	186	23	16
White	4	199	194	-	5	14	183	2	3	30	61	4	4
Nonwhite	454	544	97	10	436	45	484	15	17	87	125	19	12

See footnotes on p. 183.

430007 O - 57 - 13

Table 19. Live Births by Attendant and Birth Weight; Fetal Deaths; and Total, Infant, and Neonatal Deaths; by Color: United States, Each State and County, and Specified Urban Places, 1955—Continued

(See headnote on p. 83)

AREA AND COLOR	LIVE BIRTHS								FETAL DEATHS	DEATHS			
	By place of occurrence	By place of residence							By place of residence	By place of occurrence	By place of residence		
			Attendant[1]			Birth weight[3]							
	Total births	Total births	Physician in hospital[2]	Physician not in hospital	Midwife	2,500 grams or less	2,501 grams or more	Not stated		Total deaths	Total deaths	Under 1 year	Under 28 days
ALABAMA—Continued													
St. Clair	362	541	447	49	42	40	495	6	12	174	228	19	11
White	262	418	384	31	2	22	393	3	10	133	181	14	8
Nonwhite	100	123	63	18	40	18	102	3	2	41	47	5	3
Shelby	344	710	373	213	118	40	666	4	16	171	257	21	10
White	162	509	354	121	32	29	476	4	11	123	190	12	7
Nonwhite	182	201	19	92	86	11	190	-	5	48	67	9	3
Sumter	617	642	143	54	442	63	563	16	26	217	239	37	30
White	49	70	65	5	-	3	67	-	-	43	46	1	1
Nonwhite	568	572	78	49	442	60	496	16	26	174	193	36	29
Talladega	1,972	1,862	1,657	20	178	157	1,695	10	37	499	539	73	48
White	1,260	1,152	1,135	9	6	77	1,071	4	20	323	347	39	28
Nonwhite	712	710	522	11	172	80	624	6	17	176	192	34	20
Talladega	891	404	377	4	23	42	362	-	11	157	123	17	12
White	524	258	258	-	-	17	241	-	5	103	88	10	7
Nonwhite	367	146	119	4	23	25	121	-	6	54	35	7	5
Balance of county	1,081	1,458	1,280	16	155	115	1,333	10	26	342	416	56	36
White	736	894	877	9	6	60	830	4	15	220	259	29	21
Nonwhite	345	564	403	7	149	55	503	6	11	122	157	27	15
Tallapoosa	1,001	858	630	83	142	63	765	30	22	320	316	33	26
White	673	537	500	28	8	32	496	9	10	218	207	17	14
Nonwhite	328	321	130	55	134	31	269	21	12	102	109	16	12
Tuscaloosa	2,756	2,641	2,134	56	433	224	2,343	74	45	1,102	754	90	57
White	1,749	1,641	1,612	15	11	102	1,523	16	21	750	410	31	20
Nonwhite	1,007	1,000	522	41	422	122	820	58	24	352	344	59	37
Tuscaloosa	2,519	1,685	1,413	21	243	140	1,503	42	27	856	407	47	30
White	1,720	1,088	1,086	2	-	67	1,010	11	15	617	220	16	11
Nonwhite	799	597	327	19	243	73	493	31	12	239	187	31	19
Balance of county	237	956	721	35	190	84	840	32	18	246	347	43	27
White	29	553	526	13	11	35	513	5	6	133	190	15	9
Nonwhite	208	403	195	22	179	49	327	27	12	113	157	28	18
Walker	1,045	1,171	982	146	31	90	1,037	44	21	428	498	32	25
White	920	1,029	889	121	11	79	922	28	18	371	436	27	22
Nonwhite	125	142	93	25	20	11	115	16	3	57	62	5	3
Washington	326	452	279	27	142	39	373	40	10	80	98	19	11
White	132	240	201	13	25	22	206	12	6	50	66	10	8
Nonwhite	194	212	78	14	117	17	167	28	4	30	32	9	3
Wilcox	618	647	114	18	501	59	582	6	31	204	232	33	20
White	57	78	67	10	1	4	74	-	1	27	44	1	-
Nonwhite	561	569	47	8	500	55	508	6	30	177	188	32	20
Winston	433	305	269	32	2	23	247	35	6	134	133	13	7
ARIZONA	28,140	27,947	26,561	465	544	1,990	25,499	458	458	7,914	7,600	972	561
White	23,872	23,733	22,782	410	395	1,637	21,839	257	360	6,837	6,500	689	454
Nonwhite	4,268	4,214	3,779	55	149	353	3,660	201	98	1,077	1,100	283	107
Apache	1,174	1,028	886	22	36	59	864	105	23	202	198	64	18
White	221	169	154	13	1	12	154	3	7	54	47	7	4
Nonwhite	953	859	732	9	35	47	710	102	16	148	151	57	14
Cochise	1,322	1,172	1,120	16	30	100	1,070	2	31	348	361	41	28
Coconino	884	958	943	2	1	94	856	8	15	219	205	53	23
White	462	505	502	2	-	66	438	1	10	130	108	15	8
Nonwhite	422	453	441	-	1	28	418	7	5	89	97	38	15
Gila	616	703	683	5	1	43	647	13	10	223	239	35	18
White	475	556	552	2	1	32	520	4	7	180	166	19	13
Nonwhite	141	147	131	3	-	11	127	9	3	43	53	16	5
Graham	361	358	317	15	11	19	335	4	3	99	110	16	8
White	333	316	289	13	10	15	300	1	2	90	92	8	6
Nonwhite	28	42	28	2	1	4	35	3	1	9	18	8	2
Greenlee	379	394	385	8	1	27	366	1	2	72	77	15	10
Maricopa	12,987	12,812	12,479	167	119	787	11,805	220	190	3,645	3,451	351	223
White	11,907	11,723	11,420	156	106	679	10,836	208	160	3,305	3,156	302	197
Nonwhite	1,080	1,089	1,059	11	13	108	969	12	30	340	295	49	26
Phoenix	8,536	3,235	3,184	23	21	228	2,935	72	64	1,878	1,460	86	57
Mesa	1,430	681	676	2	3	49	628	4	6	228	152	14	8
Balance of county	3,021	8,896	8,619	142	95	510	8,242	144	120	1,539	1,839	251	158
White	2,607	8,254	7,999	134	87	454	7,665	135	102	1,372	1,677	217	139
Nonwhite	414	642	620	8	8	56	577	9	18	167	162	34	19
Mohave	146	168	157	1	-	11	157	-	5	84	88	11	4
Navajo	891	962	859	4	23	84	836	42	19	208	230	60	19
White	316	386	370	3	11	44	342	-	7	86	83	12	7
Nonwhite	575	576	489	1	12	40	494	42	12	122	147	48	12
Pima	5,642	5,519	5,307	76	58	440	5,046	33	76	1,634	1,524	175	120
White	5,197	5,073	4,902	69	45	386	4,672	15	64	1,486	1,368	143	98
Nonwhite	445	446	405	7	13	54	374	18	12	148	156	32	22
Tucson	65	1,559	1,487	30	17	132	1,423	4	19	295	654	46	34
Balance of county	5,577	3,960	3,820	46	41	308	3,623	29	57	1,339	870	129	86
Pinal	1,789	1,851	1,526	100	195	153	1,681	17	37	416	423	84	43
White	1,401	1,491	1,266	81	125	111	1,371	9	24	320	320	62	37
Nonwhite	388	360	260	19	70	42	310	8	13	96	103	22	6
Santa Cruz	254	264	211	19	32	22	240	2	5	77	77	5	5
Yavapai	482	484	469	13	1	45	439	-	15	365	303	16	9
Yuma	1,213	1,274	1,219	17	36	106	1,157	11	27	322	314	46	33
White	1,089	1,142	1,092	16	33	96	1,035	11	22	282	275	41	29
Nonwhite	124	132	127	1	3	10	122	-	5	40	39	5	4

See footnotes on p. 183.

Table 19. Live Births by Attendant and Birth Weight; Fetal Deaths; and Total, Infant, and Neonatal Deaths; by Color: United States, Each State and County, and Specified Urban Places, 1955—Continued

(See headnote on p. 83)

AREA AND COLOR	LIVE BIRTHS								FETAL DEATHS	DEATHS			
	By place of occurrence	By place of residence							By place of residence	By place of occurrence	By place of residence		
			Attendant[1]			Birth weight[3]							
	Total births	Total births	Physician in hospital[2]	Physician not in hospital	Midwife	2,500 grams or less	2,501 grams or more	Not stated		Total deaths	Total deaths	Under 1 year	Under 28 days
ARKANSAS	42,058	41,802	32,778	3,920	4,805	2,872	36,931	1,999	711	14,977	15,218	1,157	744
White	29,101	28,936	26,803	1,703	232	1,736	25,974	1,226	381	11,080	11,243	665	468
Nonwhite	12,957	12,866	5,975	2,217	4,573	1,136	10,957	773	330	3,897	3,975	492	276
Arkansas	586	589	420	66	98	32	500	57	7	125	173	12	8
White	424	405	371	27	3	20	354	31	4	88	127	10	8
Nonwhite	162	184	49	39	95	12	146	26	3	37	46	2	-
Ashley	543	647	371	89	183	45	569	33	13	133	191	14	7
White	246	332	302	27	3	18	302	12	4	70	115	5	2
Nonwhite	297	315	69	62	180	27	267	21	9	63	76	9	5
Baxter	185	158	122	17	2	12	127	19	3	90	101	7	5
Benton	647	611	596	13	1	26	563	22	11	289	330	11	8
Boone	488	258	255	3	-	18	237	3	3	154	122	5	4
Bradley	396	342	298	20	21	32	296	14	9	128	134	5	4
White	246	192	188	1	-	12	173	7	2	88	94	-	-
Nonwhite	150	150	110	19	21	20	123	7	7	40	40	5	4
Calhoun	107	129	101	14	13	8	110	11	-	42	61	3	1
White	55	69	64	4	-	7	54	8	-	26	42	1	1
Nonwhite	52	60	37	10	13	1	56	3	-	16	19	2	-
Carroll	145	175	167	5	3	7	166	2	2	85	103	3	2
Chicot	812	575	260	37	269	78	471	26	13	252	227	28	17
White	396	211	183	8	13	16	182	13	3	100	76	6	5
Nonwhite	416	364	77	29	256	62	289	13	10	152	151	22	12
Clark	365	421	331	23	66	23	381	17	5	158	183	11	7
White	244	263	250	10	2	13	241	9	2	116	135	6	5
Nonwhite	121	158	81	13	64	10	140	8	3	42	48	5	2
Clay	177	403	258	142	1	29	371	3	10	148	198	13	11
Cleburne	127	130	120	6	4	11	116	3	2	61	82	4	3
Cleveland	56	131	85	39	6	5	122	4	1	47	76	6	5
White	17	85	76	8	-	2	81	2	1	30	51	3	2
Nonwhite	39	46	9	31	6	3	41	2	-	17	25	3	3
Columbia	663	664	506	9	148	49	609	6	7	192	208	19	15
White	375	376	371	3	2	27	346	3	2	102	117	10	10
Nonwhite	288	288	135	6	146	22	263	3	5	90	91	9	5
Conway	409	342	278	7	54	24	311	7	9	148	140	8	5
White	312	244	232	6	5	21	219	4	6	117	102	7	4
Nonwhite	97	98	46	1	49	3	92	3	3	31	38	1	1
Craighead	1,215	1,073	1,037	19	17	65	962	46	16	375	359	32	22
Jonesboro	1,056	397	380	2	15	23	357	17	8	258	165	11	8
Balance of county	159	676	657	17	2	42	605	29	8	117	194	21	14
Crawford	400	462	426	34	1	21	425	16	3	168	211	12	8
Crittenden	1,293	1,519	592	227	683	118	1,346	55	49	354	421	65	35
White	366	462	404	53	4	41	405	16	6	110	116	16	10
Nonwhite	927	1,057	188	174	679	77	941	39	43	244	305	49	25
Cross	510	537	374	76	84	39	482	16	5	151	197	16	11
White	352	343	298	38	4	20	316	7	3	93	126	10	7
Nonwhite	158	194	76	38	80	19	166	9	2	58	71	6	4
Dallas	226	250	157	72	21	7	228	15	4	81	114	6	2
White	70	119	100	19	-	3	111	5	2	53	75	3	-
Nonwhite	156	131	57	53	21	4	117	10	2	28	39	3	2
Desha	508	653	401	13	236	57	587	9	16	158	202	21	16
White	185	295	283	3	9	25	268	2	3	67	96	11	8
Nonwhite	323	358	118	10	227	32	319	7	13	91	106	10	8
Drew	362	372	230	10	129	31	327	14	4	112	125	10	7
White	199	195	179	7	8	11	176	8	1	61	64	1	1
Nonwhite	163	177	51	3	121	20	151	6	3	51	61	9	6
Faulkner	458	438	405	8	24	22	403	13	8	143	173	8	5
White	381	357	350	5	1	17	332	8	3	128	152	3	2
Nonwhite	77	81	55	3	23	5	71	5	5	15	21	5	3
Franklin	218	187	182	5	-	12	172	3	2	87	93	4	1
Fulton	148	116	110	4	2	7	106	3	1	48	58	3	3
Garland	1,061	950	858	23	59	49	791	110	24	569	556	31	26
White	924	816	780	5	21	43	693	80	19	513	497	28	24
Nonwhite	137	134	78	18	38	6	98	30	5	56	59	3	2
Hot Springs	1,041	630	560	20	41	35	512	83	15	491	447	18	17
White	909	506	487	2	8	30	420	56	11	436	389	16	15
Nonwhite	132	124	73	18	33	5	92	27	4	55	58	2	2
Balance of county	20	320	298	3	18	14	279	27	9	78	109	13	9
Grant	62	147	138	7	1	7	131	9	3	41	58	5	4
Greene	618	518	486	30	2	39	476	3	6	174	188	14	7
Hempstead	397	408	260	13	132	18	373	17	9	197	216	9	6
White	191	194	188	2	3	3	187	4	4	126	143	4	2
Nonwhite	206	214	72	11	129	15	186	13	5	71	73	5	4
Hot Spring	490	498	486	10	1	29	418	51	4	135	157	10	5
White	419	395	386	8	-	14	339	42	4	111	128	8	4
Nonwhite	71	103	100	2	1	15	79	9	-	24	29	2	1
Howard	216	181	149	14	13	14	159	8	4	106	113	9	4
White	159	125	115	9	-	9	113	3	2	85	89	6	4
Nonwhite	57	56	34	5	13	5	46	5	2	21	24	3	-
Independence	567	398	372	14	8	19	366	13	3	218	220	9	5
Izard	64	118	104	13	1	3	106	9	2	59	74	3	1
Jackson	709	577	565	5	4	64	502	11	1	210	219	34	15
White	580	452	445	4	1	43	401	8	1	163	172	19	9
Nonwhite	129	125	120	1	3	21	101	3	-	47	47	15	6

See footnotes on p. 183.

Table 19. Live Births by Attendant and Birth Weight; Fetal Deaths; and Total, Infant, and Neonatal Deaths; by Color: United States, Each State and County, and Specified Urban Places, 1955—Continued

(See headnote on p. 83)

AREA AND COLOR	LIVE BIRTHS								FETAL DEATHS	DEATHS			
	By place of occurrence	By place of residence							By place of residence	By place of occurrence	By place of residence		
			Attendant[1]			Birth weight[3]							
	Total births	Total births	Physician in hospital[2]	Physician not in hospital	Midwife	2,500 grams or less	2,501 grams or more	Not stated		Total deaths	Total deaths	Under 1 year	Under 28 days
ARKANSAS—Continued													
Jefferson	2,004	2,049	1,191	493	352	154	1,833	62	25	642	718	63	42
White	979	940	913	18	2	73	842	25	10	293	332	19	18
Nonwhite	1,025	1,109	278	475	350	81	991	37	15	349	386	44	24
Pine Bluff	1,462	948	667	223	49	81	841	26	18	470	463	33	23
White	971	543	533	3	-	42	490	11	9	247	241	8	8
Nonwhite	491	405	134	220	49	39	351	15	9	223	222	25	15
Balance of county	542	1,101	524	270	303	73	992	36	7	172	255	30	19
White	8	397	380	15	2	31	352	14	1	46	91	11	10
Nonwhite	534	704	144	255	301	42	640	22	6	126	164	19	9
Johnson	230	232	222	10	-	17	206	9	1	111	131	9	7
Lafayette	198	235	132	2	101	14	209	12	4	82	102	5	2
White	71	106	102	2	2	7	95	4	1	43	58	1	-
Nonwhite	127	129	30	-	99	7	114	8	3	39	44	4	2
Lawrence	428	389	383	5	-	26	355	8	8	109	153	3	2
Lee	356	559	219	123	212	33	475	51	15	143	191	23	13
White	63	196	138	55	3	13	163	20	3	37	64	6	4
Nonwhite	293	363	81	68	209	20	312	31	12	106	127	17	9
Lincoln	251	357	158	38	160	14	338	5	5	94	117	17	9
White	66	139	117	17	4	2	133	4	1	38	54	4	4
Nonwhite	185	218	41	21	156	12	205	1	4	56	63	13	5
Little River	212	228	151	24	52	11	211	6	3	80	94	5	4
White	130	138	123	14	1	8	128	2	2	49	59	3	3
Nonwhite	82	90	28	10	51	3	83	4	1	31	35	2	1
Logan	242	269	248	20	1	12	253	4	8	244	194	5	3
Lonoke	294	607	437	82	83	34	547	26	9	130	191	14	8
White	171	381	318	57	3	20	348	13	5	85	140	9	7
Nonwhite	123	226	119	25	80	14	199	13	4	45	51	5	1
Madison	66	142	126	3	12	7	124	11	3	37	68	3	1
Marion	36	98	93	3	-	5	92	1	2	38	53	-	-
Miller	1,260	759	689	6	64	55	670	34	16	425	289	32	24
White	850	513	506	1	6	31	467	15	9	304	198	18	15
Nonwhite	410	246	183	5	58	24	203	19	7	121	91	14	9
Texarkana[4]	1,219	419	389	5	25	37	363	19	10	363	187	22	16
White	845	285	284	-	1	24	253	8	5	266	126	12	10
Nonwhite	374	134	105	5	24	13	110	11	5	97	61	10	6
Balance of county	41	340	300	1	39	18	307	15	6	62	102	10	8
White	5	228	222	1	5	7	214	7	4	38	72	6	5
Nonwhite	36	112	78	-	34	11	93	8	2	24	30	4	3
Mississippi	1,826	1,964	1,048	766	141	135	1,636	193	39	443	525	79	47
White	1,106	1,237	939	283	8	82	1,074	81	18	288	348	49	29
Nonwhite	720	727	109	483	133	53	562	112	21	155	177	30	18
Blytheville	693	477	281	183	11	35	396	46	12	158	177	15	9
White	483	287	256	30	-	14	268	5	7	104	116	8	5
Nonwhite	210	190	25	153	11	21	128	41	5	54	61	7	4
Balance of county	1,133	1,487	767	583	130	100	1,240	147	27	285	348	64	38
White	623	950	683	253	8	68	806	76	11	184	232	41	24
Nonwhite	510	537	84	330	122	32	434	71	16	101	116	23	14
Monroe	548	549	355	105	86	47	467	35	17	139	160	18	11
White	215	218	181	32	3	16	186	16	8	63	71	7	3
Nonwhite	333	331	174	73	83	31	281	19	9	76	89	11	8
Montgomery	32	72	54	10	8	4	64	4	-	17	31	-	-
Nevada	257	218	113	53	39	10	189	19	7	123	131	8	5
White	127	105	86	16	-	3	88	14	2	87	92	2	-
Nonwhite	130	113	27	37	39	7	101	5	5	36	39	6	5
Newton	26	133	108	15	4	5	120	8	1	29	51	1	1
Ouachita	845	859	710	62	78	58	770	31	26	226	225	17	14
White	479	483	471	6	-	21	444	18	10	137	131	5	5
Nonwhite	366	376	239	56	78	37	326	13	16	89	94	12	9
Camden	774	381	316	27	33	27	339	15	15	154	104	12	9
White	473	201	196	-	-	7	188	6	3	96	56	1	1
Nonwhite	301	180	120	27	33	20	151	9	12	58	48	11	8
Balance of county	71	478	394	35	45	31	431	16	11	72	121	5	5
White	6	282	275	6	-	14	256	12	7	41	75	4	4
Nonwhite	65	196	119	29	45	17	175	4	4	31	46	1	1
Perry	28	101	81	16	4	10	91	-	3	36	55	3	1
Phillips	1,397	1,387	646	153	568	98	1,224	65	22	386	426	39	21
White	472	456	386	29	26	29	400	27	3	120	133	8	5
Nonwhite	925	931	260	124	542	69	824	38	19	266	293	31	16
Helena	78	241	169	3	69	20	207	14	5	76	121	15	10
White	3	96	96	-	-	8	85	3	-	20	38	5	3
Nonwhite	75	145	73	3	69	12	122	11	5	56	83	10	7
Balance of county	1,319	1,146	477	150	499	78	1,017	51	17	310	305	24	11
White	469	360	290	29	26	21	315	24	3	100	95	3	2
Nonwhite	850	786	187	121	473	57	702	27	14	210	210	21	9
Pike	40	122	95	22	5	5	109	8	4	45	76	1	1
Poinsett	854	980	707	241	25	59	776	145	12	144	228	26	14
Polk	271	205	193	10	-	13	177	15	2	114	142	12	10
Pope	454	360	298	59	2	26	318	16	5	168	167	10	7
Prairie	185	259	187	48	23	18	232	9	5	54	70	7	5
White	126	186	155	29	1	11	171	4	3	38	50	5	4
Nonwhite	59	73	32	19	22	7	61	5	2	16	20	2	1

See footnotes on p. 183.

Table 19. Live Births by Attendant and Birth Weight; Fetal Deaths; and Total, Infant, and Neonatal Deaths; by Color: United States, Each State and County, and Specified Urban Places, 1955—Continued

(See headnote on p. 83)

AREA AND COLOR	LIVE BIRTHS								FETAL DEATHS	DEATHS			
	By place of occurrence	By place of residence							By place of residence	By place of occurrence	By place of residence		
			Attendant[1]			Birth weight[3]							
	Total births	Total births	Physician in hospital[2]	Physician not in hospital	Midwife	2,500 grams or less	2,501 grams or more	Not stated		Total deaths	Total deaths	Under 1 year	Under 28 days
ARKANSAS—Continued													
Pulaski	6,409	5,469	5,272	95	68	428	4,797	244	98	2,703	1,827	128	92
White	4,316	3,776	3,705	48	3	243	3,393	140	59	1,912	1,286	75	59
Nonwhite	2,093	1,693	1,567	47	65	185	1,404	104	39	791	541	53	33
Little Rock	6,164	2,831	2,767	37	4	221	2,493	117	56	2,253	1,088	64	50
White	4,170	1,973	1,941	15	-	115	1,793	65	34	1,641	785	39	33
Nonwhite	1,994	858	826	22	4	106	700	52	22	612	303	25	17
North Little Rock	111	1,387	1,322	18	43	116	1,233	38	17	180	382	32	22
White	48	996	984	10	1	76	902	18	13	87	257	19	13
Nonwhite	63	391	338	8	42	40	331	20	4	93	125	13	9
Balance of county	134	1,251	1,183	40	21	91	1,071	89	25	270	357	32	20
White	98	807	780	23	2	52	698	57	12	184	244	17	13
Nonwhite	36	444	403	17	19	39	373	32	13	86	113	15	7
Randolph	349	306	295	9	-	16	280	10	-	99	106	4	2
St. Francis	1,204	1,080	889	46	124	102	927	51	27	252	291	42	25
White	421	426	387	9	11	23	371	32	6	106	127	16	15
Nonwhite	783	654	502	37	113	79	556	19	21	146	164	26	10
Saline	207	514	467	45	1	31	456	27	8	272	127	5	2
Scott	7	104	96	6	2	9	91	4	2	25	38	2	1
Searcy	150	174	169	2	2	12	158	4	3	46	59	-	-
Sebastian	2,341	2,113	2,039	46	22	151	1,905	57	17	600	531	37	28
Fort Smith	2,300	1,763	1,713	25	21	131	1,583	49	16	556	451	36	27
Balance of county	41	350	326	21	1	20	322	8	1	44	80	1	1
Sevier	356	177	161	7	9	10	165	2	3	110	99	4	2
Sharp	1	103	100	2	-	6	96	1	3	31	69	2	1
Stone	52	109	100	9	-	8	98	3	-	28	44	2	1
Union	1,266	1,259	991	65	193	90	1,101	68	24	363	390	24	16
White	786	772	748	17	3	41	698	33	7	247	269	8	6
Nonwhite	480	487	243	48	190	49	403	35	17	116	121	16	10
El Dorado	1,062	656	549	17	82	51	567	38	12	254	213	15	13
White	753	439	428	6	1	24	398	17	5	178	146	5	5
Nonwhite	309	217	121	11	81	27	169	21	7	76	67	10	8
Balance of county	204	603	442	48	111	39	534	30	12	109	177	9	3
White	33	333	320	11	2	17	300	16	2	69	123	3	1
Nonwhite	171	270	122	37	109	22	234	14	10	40	54	6	2
Van Buren	84	98	91	7	-	4	93	1	2	49	65	4	2
Washington	1,111	1,046	1,022	12	7	55	972	19	11	494	391	14	13
Fayetteville	624	381	377	3	-	24	349	8	3	285	124	6	6
Balance of county	487	665	645	9	7	31	623	11	8	209	267	8	7
White	586	564	493	64	5	31	489	44	7	250	259	22	13
Woodruff	297	386	267	47	62	21	331	34	3	85	133	11	7
White	107	186	166	10	2	5	165	16	2	46	81	1	1
Nonwhite	190	200	101	37	60	16	166	18	1	39	52	10	6
Yell	70	190	182	2	3	8	177	5	2	73	118	6	2
CALIFORNIA	312,265	313,366	309,201	3,003	70	22,627	290,302	437	4,381	114,463	114,515	7,395	5,666
White	281,995	283,006	279,453	2,577	66	19,288	263,349	369	3,766	107,946	107,999	6,527	5,022
Nonwhite	30,270	30,360	29,748	426	4	3,339	26,953	68	615	6,517	6,516	868	644
Alameda	22,384	19,311	18,961	320	1	1,457	17,833	21	292	7,589	7,416	429	358
White	18,764	15,750	15,502	224	1	1,065	14,670	15	208	6,925	6,721	334	282
Nonwhite	3,620	3,561	3,459	96	-	392	3,163	6	84	664	695	95	76
Oakland	13,665	8,096	7,978	103	-	677	7,407	12	146	4,478	4,142	186	153
White	10,996	5,565	5,526	28	-	388	5,168	9	81	4,009	3,630	118	97
Nonwhite	2,669	2,531	2,452	75	-	289	2,239	3	65	469	512	68	56
Berkeley	3,251	2,200	2,183	14	1	163	2,035	2	34	944	1,053	46	39
White	2,536	1,628	1,622	5	1	100	1,527	1	21	843	923	27	25
Nonwhite	715	572	561	9	-	63	508	1	13	101	130	19	14
Alameda	1,303	1,823	1,814	6	-	143	1,678	2	21	353	514	46	41
San Leandro	3	1,287	1,276	10	-	76	1,210	1	7	124	331	29	27
Albany	283	296	296	-	-	18	278	-	4	87	109	4	4
White	259	274	274	-	-	15	259	-	4	85	107	3	3
Nonwhite	24	22	22	-	-	3	19	-	-	2	2	1	1
Hayward	757	1,902	1,873	29	-	146	1,754	2	23	205	356	41	33
Piedmont	-	110	110	-	-	9	101	-	5	30	93	3	1
Balance of county	3,122	3,597	3,431	158	-	225	3,370	2	52	1,368	818	74	60
Alpine	-	9	9	-	-	-	8	1	-	6	5	1	-
White	-	5	5	-	-	-	5	-	-	3	1	-	-
Nonwhite	-	4	4	-	-	-	3	1	-	3	4	1	-
Amador	125	149	146	3	-	11	136	2	-	106	112	6	6
Butte	1,390	1,355	1,349	6	-	82	1,272	1	19	772	822	39	29
Chico	687	319	319	-	-	20	299	-	6	212	227	11	8
Balance of county	703	1,036	1,030	6	-	62	973	1	13	560	595	28	21
Calaveras	142	138	137	1	-	10	128	-	3	108	106	3	2
Colusa	231	266	261	5	-	18	248	-	5	138	146	9	7
Contra Costa	5,892	8,934	8,887	33	1	611	8,302	21	103	1,485	1,972	212	165
White	5,192	7,973	7,941	23	1	501	7,460	12	86	1,385	1,851	181	139
Nonwhite	700	961	946	10	-	110	842	9	17	100	121	31	26
Richmond	1,123	2,183	2,165	9	1	175	2,001	7	31	270	507	50	38
White	1,042	1,579	1,571	3	1	105	1,471	3	22	239	436	34	24
Nonwhite	81	604	594	6	-	70	530	4	9	31	71	16	14
Antioch	347	360	359	1	-	18	342	-	2	54	80	7	6
El Cerrito	3	507	505	1	-	38	468	1	7	34	125	15	12
Pittsburg	464	597	596	1	-	49	547	1	5	77	121	15	11
San Pablo	631	702	697	5	-	56	643	3	7	130	116	18	15
Balance of county	3,324	4,585	4,565	16	-	275	4,301	9	51	920	1,023	107	83

See footnotes on p. 183.

Table 19. Live Births by Attendant and Birth Weight; Fetal Deaths; and Total, Infant, and Neonatal Deaths; by Color: United States, Each State and County, and Specified Urban Places, 1955—Continued

(See headnote on p. 83)

AREA AND COLOR	LIVE BIRTHS								FETAL DEATHS	DEATHS			
	By place of occurrence	By place of residence							By place of residence	By place of occurrence	By place of residence		
			Attendant[1]			Birth weight[3]							
	Total births	Total births	Physician in hospital[2]	Physician not in hospital	Midwife	2,500 grams or less	2,501 grams or more	Not stated		Total deaths	Total deaths	Under 1 year	Under 28 days
CALIFORNIA—Continued													
Del Norte	585	483	479	2	-	30	453	-	3	119	120	16	10
El Dorado	230	296	271	24	-	25	271	-	2	168	181	14	8
Fresno	7,918	8,116	7,808	285	-	498	7,612	6	141	2,580	2,584	223	164
White	7,165	7,375	7,094	259	-	422	6,948	5	124	2,352	2,353	202	151
Nonwhite	753	741	714	26	-	76	664	1	17	228	231	21	13
Fresno	6,048	2,590	2,561	26	-	183	2,406	1	42	1,807	1,170	66	49
Balance of county	1,870	5,526	5,247	259	-	315	5,206	5	99	773	1,414	157	115
White	1,742	5,108	4,844	245	-	279	4,824	5	91	711	1,290	147	109
Nonwhite	128	418	403	14	-	36	382	-	8	62	124	10	6
Glenn	322	356	352	4	-	18	338	-	4	122	139	6	3
Humboldt	2,665	2,671	2,636	33	-	173	2,492	6	39	801	826	71	51
Eureka	1,362	720	719	1	-	51	669	-	15	463	324	18	11
Balance of county	1,303	1,951	1,917	32	-	122	1,823	6	24	338	502	53	40
Imperial	2,077	2,188	2,017	149	1	142	2,034	12	32	440	465	62	46
Brawley	305	460	408	39	-	28	430	2	6	38	94	16	11
El Centro	28	568	536	31	-	39	526	3	13	30	85	8	7
White	20	498	475	22	-	33	463	2	12	21	69	7	6
Nonwhite	8	70	61	9	-	6	63	1	1	9	16	1	1
Balance of county	1,744	1,160	1,073	79	1	75	1,078	7	13	372	286	38	28
Inyo	316	305	303	1	-	28	277	-	8	104	98	7	3
Kern	7,215	7,126	6,888	229	-	507	6,606	13	93	1,733	1,789	159	107
White	6,568	6,491	6,282	201	-	433	6,047	11	75	1,563	1,621	143	96
Nonwhite	647	635	606	28	-	74	559	2	18	170	168	16	11
Bakersfield	2,983	1,234	1,218	13	-	98	1,134	2	17	391	499	34	25
Balance of county	4,232	5,892	5,670	216	-	409	5,472	11	76	1,342	1,290	125	82
White	3,682	5,518	5,322	191	-	370	5,139	9	62	1,191	1,196	119	79
Nonwhite	550	374	348	25	-	39	333	2	14	151	94	6	3
Kings	1,474	1,366	1,318	45	-	85	1,277	4	14	384	398	28	14
Hanford	737	350	345	5	-	15	335	-	3	117	118	6	5
Balance of county	737	1,016	973	40	-	70	942	4	11	267	280	22	9
Lake	201	216	213	3	-	9	207	-	-	151	171	4	4
Lassen	511	378	363	13	-	35	342	1	9	115	141	14	11
Los Angeles	120,309	120,798	119,181	878	59	9,017	111,679	102	1,756	46,749	47,344	2,666	2,055
White	107,386	107,740	106,375	729	57	7,486	100,167	87	1,465	44,010	44,531	2,297	1,777
Nonwhite	12,923	13,058	12,806	149	2	1,531	11,512	15	291	2,739	2,813	369	278
Long Beach	10,056	6,887	6,851	26	-	510	6,375	2	120	2,575	3,261	143	112
Los Angeles	48,478	49,484	48,834	316	22	3,952	45,467	65	820	23,688	23,334	1,146	883
White	37,520	39,869	39,394	213	21	2,812	37,004	53	589	21,491	21,116	850	665
Nonwhite	10,958	9,615	9,440	103	1	1,140	8,463	12	231	2,197	2,218	296	218
Pasadena	6,085	1,982	1,963	17	-	149	1,828	5	23	1,838	1,608	27	23
Alhambra	1,212	878	875	2	-	44	834	-	10	323	564	13	13
Burbank	3,027	1,782	1,776	5	-	132	1,648	2	24	625	633	35	26
Glendale	5,162	2,000	1,988	6	-	134	1,866	-	14	1,569	1,271	36	27
Santa Monica	6,209	1,474	1,461	5	-	97	1,377	-	15	1,322	923	32	24
South Gate	736	1,098	1,090	5	-	79	1,019	-	15	252	420	19	18
Belvedere (twp.)[5 6]	1,100	296	263	10	13	15	281	-	13	183	249	19	13
Beverly Hills	2	221	220	1	-	15	205	1	1	157	337	5	4
Compton	908	1,815	1,789	11	-	121	1,694	-	21	196	424	30	23
Huntington Park	1,278	579	571	3	-	56	523	-	11	254	368	16	11
Inglewood	4,496	1,144	1,138	5	-	74	1,069	1	13	734	520	23	18
Lynwood	4,387	657	657	-	-	40	617	-	7	497	222	10	9
Pomona	2,469	1,265	1,250	9	-	99	1,166	-	16	502	436	22	17
Redondo Beach	5	1,119	1,112	5	-	90	1,029	-	16	136	294	23	18
Arcadia	4	546	542	2	-	38	508	-	8	129	268	10	10
Azusa	11	471	451	2	-	41	430	-	9	34	97	13	7
Bell	166	474	470	-	-	27	447	-	6	66	172	12	8
Culver City	1,054	767	766	-	-	52	715	-	5	252	221	11	10
Gardena	1,270	620	618	1	-	44	576	-	13	231	163	15	9
Hawthorne	1,316	767	765	1	-	67	699	1	10	201	204	25	21
Hermosa Beach	2	384	382	2	-	31	353	-	6	90	135	7	5
Manhattan Beach	-	833	831	2	-	47	786	-	14	66	166	17	13
Maywood	653	339	338	1	-	25	314	-	3	172	127	6	5
Monrovia	499	527	515	9	-	42	485	-	9	217	318	15	13
Montebello	1,674	566	563	2	1	30	536	-	9	235	187	7	4
Monterey Park	727	721	720	1	-	43	678	-	7	155	208	7	4
San Fernando	1,214	423	390	9	-	33	390	-	5	107	146	10	10
San Gabriel	909	406	400	1	1	32	374	-	4	188	213	15	12
San Marino	-	130	130	-	-	5	125	-	1	54	117	1	1
South Pasadena	3	280	277	3	-	15	265	-	5	140	221	4	2
Torrance	1,735	2,230	2,222	5	-	138	2,092	-	18	144	284	44	37
Whittier	2,558	620	618	-	-	27	592	1	9	307	325	12	11
Balance of county	10,904	37,013	36,345	411	22	2,673	34,316	24	476	9,110	8,906	836	634
White	10,381	35,081	34,462	385	22	2,462	32,596	23	441	8,803	8,608	794	601
Nonwhite	523	1,932	1,883	26	-	211	1,720	1	35	307	298	42	33
Madera	916	1,004	965	36	-	70	928	6	21	292	305	29	19
Madera	559	402	400	2	-	31	369	2	8	85	121	13	11
Balance of county	357	602	565	34	-	39	559	4	13	207	184	16	8
Marin	2,250	2,802	2,789	10	-	197	2,591	14	41	746	840	62	55
San Rafael	263	492	491	-	-	42	448	2	8	184	195	8	8
Balance of county	1,987	2,310	2,298	10	-	155	2,143	12	33	562	645	54	47
Mariposa	55	79	79	-	-	5	74	-	-	69	67	3	3
Mendocino	1,260	1,362	1,345	14	-	96	1,259	7	10	528	438	44	34
Merced	2,464	2,434	2,420	12	-	152	2,280	2	29	537	574	53	39
Merced	1,181	763	761	1	-	49	714	-	10	289	162	16	14
Balance of county	1,283	1,671	1,659	11	-	103	1,566	2	19	248	412	37	25

See footnotes on p. 183.

Table 19. Live Births by Attendant and Birth Weight; Fetal Deaths; and Total, Infant, and Neonatal Deaths; by Color: United States, Each State and County, and Specified Urban Places, 1955—Continued

(See headnote on p. 83)

AREA AND COLOR	LIVE BIRTHS								FETAL DEATHS	DEATHS			
	By place of occurrence	By place of residence							By place of residence	By place of occurrence	By place of residence		
			Attendant[1]			Birth weight[3]							
	Total births	Total births	Physician in hospital[2]	Physician not in hospital	Midwife	2,500 grams or less	2,501 grams or more	Not stated		Total deaths	Total deaths	Under 1 year	Under 28 days
CALIFORNIA—Continued													
Modoc	186	251	245	3	1	25	224	2	1	78	84	9	6
Mono	22	31	31	-	-	1	30	-	1	24	19	2	2
White	20	27	27	-	-	1	26	-	1	22	16	2	2
Nonwhite	2	4	4	-	-	-	4	-	-	2	3	-	-
Monterey	4,301	4,381	4,354	23	-	307	4,063	11	61	968	1,044	116	80
Monterey	367	637	633	3	-	43	594	-	12	147	141	9	5
Salinas	1,178	601	596	4	-	36	562	3	4	176	171	14	10
Balance of county	2,756	3,143	3,125	16	-	228	2,907	8	45	645	732	93	65
Napa	839	1,003	999	4	-	69	930	4	13	1,083	473	22	17
Napa	581	481	480	1	-	31	448	2	5	206	219	15	13
Balance of county	258	522	519	3	-	38	482	2	8	877	254	7	4
Nevada	329	315	312	1	-	24	290	1	3	232	234	7	5
Orange	6,996	9,880	9,796	69	-	696	9,163	21	137	2,793	2,901	219	164
Santa Ana	1,611	1,719	1,705	14	-	129	1,586	4	26	474	676	38	25
Anaheim	8	1,218	1,211	7	-	87	1,128	3	18	167	265	22	17
Fullerton	468	838	834	2	-	47	788	3	7	140	231	15	12
Newport Beach	991	280	280	-	-	22	258	-	5	265	137	6	5
Orange	3,314	390	388	1	-	20	369	1	4	433	162	6	4
Balance of county	604	5,435	5,378	45	-	391	5,034	10	77	1,314	1,430	132	101
Placer	1,020	913	905	4	2	58	855	-	12	598	419	19	14
Plumas	225	239	236	2	-	21	216	2	3	114	108	6	1
Riverside	8,996	6,027	5,979	38	-	453	5,572	2	80	2,369	2,332	174	132
Riverside	2,415	2,109	2,102	4	-	149	1,960	-	32	1,022	681	45	33
Corona	362	352	350	2	-	26	326	-	6	92	124	12	10
Balance of county	6,219	3,566	3,527	32	-	278	3,286	2	42	1,255	1,527	117	89
Sacramento	10,094	9,838	9,789	44	1	720	9,105	13	123	3,131	3,240	232	181
White	9,136	8,903	8,863	35	1	637	8,255	11	107	2,909	3,012	210	163
Nonwhite	958	935	926	9	-	83	850	2	16	222	228	22	18
Sacramento	8,369	3,556	3,541	12	1	268	3,285	3	50	2,522	1,988	91	70
White	7,526	2,973	2,961	9	1	217	2,754	2	42	2,344	1,841	77	58
Nonwhite	843	583	580	3	-	51	531	1	8	178	147	14	12
Balance of county	1,725	6,282	6,248	32	-	452	5,820	10	73	609	1,252	141	111
San Benito	271	308	306	1	-	20	288	-	8	120	135	9	5
San Bernardino	10,012	10,460	10,328	100	1	755	9,666	39	151	3,576	3,270	299	221
San Bernardino	3,677	2,382	2,368	9	-	194	2,177	11	45	1,347	842	73	56
Colton	2	454	452	1	-	22	430	2	4	37	143	15	8
Ontario	339	1,000	997	2	-	60	938	2	17	148	300	21	18
Redlands	439	436	428	7	-	32	403	1	4	172	209	10	7
Balance of county	5,555	6,188	6,083	81	1	447	5,718	23	81	1,872	1,776	180	132
San Diego	20,445	20,129	19,975	90	-	1,497	18,626	6	258	5,731	5,926	524	428
White	19,160	18,850	18,722	82	-	1,324	17,521	5	238	5,481	5,670	487	400
Nonwhite	1,285	1,279	1,253	8	-	173	1,105	1	20	250	256	37	28
San Diego	13,748	11,654	11,577	38	-	885	10,764	5	143	3,749	3,614	314	258
White	12,677	10,672	10,610	35	-	751	9,917	4	128	3,568	3,425	282	232
Nonwhite	1,071	982	967	3	-	134	847	1	15	181	189	32	26
Chula Vista	674	779	774	3	-	48	730	1	11	176	183	20	16
Coronado	249	604	603	-	-	35	569	-	11	77	104	13	10
La Mesa	899	416	414	2	-	21	395	-	5	145	160	12	10
National City	785	849	842	5	-	69	780	-	20	258	174	15	12
Oceanside	331	823	821	2	-	65	758	-	10	122	146	23	17
Balance of county	3,759	5,004	4,944	40	-	374	4,630	-	58	1,204	1,545	127	105
San Francisco, coextensive with San Francisco (city)	19,514	14,654	14,588	34	-	1,214	13,410	30	215	9,567	9,289	360	292
White	15,654	11,132	11,095	17	-	854	10,260	18	155	8,847	8,578	259	210
Nonwhite	3,860	3,522	3,493	17	-	360	3,150	12	60	720	711	101	82
San Joaquin	5,101	5,259	5,206	35	-	344	4,915	-	84	2,123	2,016	111	78
White	4,419	4,573	4,530	33	-	275	4,298	-	66	1,927	1,827	92	64
Nonwhite	682	686	676	2	-	69	617	-	18	196	189	19	14
Stockton	2,320	1,701	1,689	5	-	117	1,584	-	29	876	874	36	29
White	2,066	1,348	1,341	4	-	79	1,269	-	22	815	764	27	22
Nonwhite	254	353	348	1	-	38	315	-	7	61	110	9	7
Lodi	713	361	358	2	-	14	347	-	4	189	194	5	3
Balance of county	2,068	3,197	3,159	28	-	213	2,984	-	51	1,058	948	70	46
White	1,678	2,872	2,839	27	-	182	2,690	-	40	929	875	60	39
Nonwhite	390	325	320	1	-	31	294	-	11	129	73	10	7
San Luis Obispo	1,299	1,422	1,390	29	-	91	1,327	4	11	580	602	39	33
San Luis Obispo	946	435	434	1	-	24	408	3	3	293	147	14	13
Balance of county	353	987	956	28	-	67	919	1	8	287	455	25	20
San Mateo	4,597	8,472	8,442	17	-	537	7,926	9	92	1,924	2,254	176	139
Redwood City	2	1,131	1,129	1	-	69	1,061	1	4	86	324	27	20
San Mateo	1,881	1,356	1,353	2	-	82	1,274	-	14	563	427	17	13
Burlingame	909	320	319	1	-	18	302	-	5	220	203	9	7
Daly City	1	891	890	1	-	59	830	2	14	97	188	17	15
Menlo Park	1	591	590	1	-	39	552	-	5	88	192	12	10
San Bruno	2	481	479	1	-	24	456	1	6	44	114	7	7
San Carlos	1	322	321	-	-	14	308	-	2	38	107	8	5
South San Francisco	6	1,042	1,037	3	-	72	968	2	11	115	144	28	22
Balance of county	1,794	2,338	2,324	7	-	160	2,175	3	31	673	555	51	40
Santa Barbara	2,471	2,436	2,419	11	-	165	2,267	4	29	1,111	1,106	65	51
Santa Barbara	1,413	1,011	1,004	5	-	66	945	-	12	568	639	20	16
Santa Maria	773	382	380	1	-	25	356	1	5	166	118	14	11
Balance of county	285	1,043	1,035	5	-	74	966	3	12	377	349	31	24

See footnotes on p. 183.

Table 19. Live Births by Attendant and Birth Weight; Fetal Deaths; and Total, Infant, and Neonatal Deaths; by Color: United States, Each State and County, and Specified Urban Places, 1955—Continued

(See headnote on p. 83)

AREA AND COLOR	LIVE BIRTHS								FETAL DEATHS	DEATHS			
	By place of occurrence	By place of residence							By place of residence	By place of occurrence	By place of residence		
			Attendant[1]			Birth weight[3]							
	Total births	Total births	Physician in hospital[2]	Physician not in hospital	Midwife	2,500 grams or less	2,501 grams or more	Not stated		Total deaths	Total deaths	Under 1 year	Under 28 days
CALIFORNIA—Continued													
Santa Clara	10,902	11,210	11,160	29	1	693	10,484	33	148	3,602	3,234	242	186
White	10,431	10,767	10,719	29	1	656	10,082	29	142	3,527	3,165	236	181
Nonwhite	471	443	441	-	-	37	402	4	6	75	69	6	5
San Jose	6,874	2,814	2,799	7	-	186	2,619	9	46	1,075	1,162	58	46
Palo Alto	2,616	984	983	-	-	47	937	-	16	516	343	14	10
Santa Clara	-	802	800	1	-	34	764	4	5	63	139	9	7
Balance of county	1,412	6,610	6,578	21	1	426	6,164	20	81	1,948	1,590	161	123
Santa Cruz	1,400	1,335	1,331	1	-	95	1,240	-	23	972	1,009	32	25
Santa Cruz	634	403	401	1	-	22	381	-	8	401	450	8	7
Watsonville	673	329	329	-	-	19	310	-	6	174	143	8	4
Balance of county	93	603	601	-	-	54	549	-	9	397	416	16	14
Shasta	1,154	1,155	1,093	62	-	99	1,052	4	11	374	366	32	22
Redding	981	338	335	3	-	26	310	2	3	144	111	8	6
Balance of county	173	817	758	59	-	73	742	2	8	230	255	24	16
Sierra	35	52	51	1	-	5	47	-	1	20	25	2	2
Siskiyou	613	725	716	7	1	56	669	-	10	315	330	20	11
Solano	3,894	3,485	3,471	11	-	254	3,224	7	52	746	815	92	66
Vallejo	1,572	1,122	1,117	4	-	103	1,017	2	23	259	359	43	32
Balance of county	2,322	2,363	2,354	7	-	151	2,207	5	29	487	456	49	34
Sonoma	2,408	2,676	2,604	68	-	200	2,471	5	33	1,368	1,406	56	38
Petaluma	357	377	377	-	-	28	348	1	9	158	179	10	7
Santa Rosa	1,113	462	460	2	-	33	429	-	4	295	312	13	12
Balance of county	938	1,837	1,767	66	-	139	1,694	4	20	915	915	33	19
Stanislaus	3,609	3,343	3,320	21	-	206	3,133	4	44	1,306	1,162	74	60
Modesto	1,454	639	635	4	-	35	603	1	5	559	272	13	10
Balance of county	2,155	2,704	2,685	17	-	171	2,530	3	39	747	890	61	50
Sutter	625	769	765	-	-	47	722	-	15	263	293	17	15
Tehama	460	449	446	3	-	42	407	-	8	184	191	9	7
Trinity	93	132	128	4	-	10	122	-	3	49	59	2	1
Tulare	3,416	3,572	3,425	111	-	228	3,335	9	50	1,125	1,208	99	67
Tulare	1,023	352	344	4	-	24	326	2	7	305	143	10	7
Visalia	756	416	409	5	-	30	386	-	6	144	111	8	7
Balance of county	1,637	2,804	2,672	102	-	174	2,623	7	37	676	954	81	53
Tuolumne	202	221	220	1	-	14	207	-	6	179	168	8	4
Ventura	3,960	3,879	3,808	59	1	264	3,610	5	40	1,310	991	101	73
Oxnard	1,342	1,071	1,055	14	-	80	990	1	17	205	180	28	20
San Buenaventura	854	517	514	2	-	36	480	1	-	200	192	14	9
Santa Paula	362	280	275	3	-	12	268	-	4	45	96	5	2
Balance of county	1,402	2,011	1,964	40	1	136	1,872	3	19	860	523	54	42
Yolo	874	1,338	1,323	12	-	88	1,247	3	15	426	456	37	27
Yuba	970	865	863	2	-	53	812	-	16	260	291	23	20
COLORADO	41,269	40,017	39,081	620	152	4,043	35,918	56	796	13,850	13,343	1,212	895
White	39,776	38,598	37,684	611	150	3,792	34,754	52	768	13,436	12,964	1,161	863
Nonwhite	1,493	1,419	1,397	9	2	251	1,164	4	28	414	379	51	32
Adams	2,170	2,001	1,958	31	7	166	1,833	2	57	273	320	56	44
Aurora (part)	2	364	363	1	-	24	340	-	10	10	54	7	6
Aurora (total)	4	940	937	3	-	80	860	-	22	41	123	23	18
Balance of county	2,168	1,637	1,595	30	7	142	1,493	2	47	263	266	49	38
Alamosa	494	246	239	5	1	36	207	3	3	85	78	5	3
Arapahoe	10	2,298	2,287	7	2	218	2,076	4	36	230	504	59	42
Aurora (part)	2	576	574	2	-	56	520	-	12	31	69	16	12
Englewood	3	867	863	2	2	78	786	3	13	116	248	26	21
Balance of county	5	855	850	3	-	84	770	1	11	83	187	17	9
Archuleta	24	70	46	22	-	6	63	1	2	16	24	5	2
Baca	16	155	151	4	-	21	134	-	3	28	55	4	4
Bent	93	174	172	1	1	13	161	-	2	81	91	12	9
Boulder	1,352	1,317	1,300	16	-	104	1,210	3	18	480	502	28	26
Boulder	649	746	745	-	-	46	699	1	2	191	239	10	10
Balance of county	703	571	555	16	-	58	511	2	16	289	263	18	16
Chaffee	207	175	175	-	-	23	150	2	4	119	86	6	4
Cheyenne	84	66	66	-	-	5	61	-	-	21	20	1	1
Clear Creek	-	44	43	-	1	4	40	-	-	21	38	-	-
Conejos	45	252	208	37	1	31	220	1	4	31	64	10	5
Costilla	109	134	76	28	24	22	111	1	3	20	36	8	3
Crowley	1	91	84	7	-	10	81	-	-	17	38	2	1
Custer	1	23	21	2	-	7	16	-	1	5	10	1	1
Delta	333	307	287	17	-	34	273	-	3	154	169	8	7
Denver, coextensive with Denver (city)	17,803	11,692	11,578	71	12	1,310	10,372	10	261	5,500	4,735	367	294
Dolores	5	83	79	4	-	6	77	-	2	11	13	2	2
Douglas	1	90	89	-	-	7	83	-	2	22	33	1	1
Eagle	53	155	152	3	-	23	132	-	3	34	46	13	3
Elbert	4	68	68	-	-	4	64	-	1	22	38	1	1
El Paso	3,926	3,795	3,786	7	-	358	3,434	3	58	971	915	89	75
Colorado Springs	2,129	3,144	3,140	3	-	291	2,850	3	51	736	772	70	60
Balance of county	1,797	651	646	4	-	67	584	-	7	235	143	19	15
Fremont	348	339	337	2	-	31	306	2	7	228	248	13	9
Garfield	316	246	244	2	-	30	216	-	3	112	103	7	7
Gilpin	-	15	15	-	-	6	9	-	1	5	11	-	-
Grand	108	108	96	12	-	13	95	-	-	23	25	1	-
Gunnison	105	118	116	1	-	12	106	-	2	31	29	3	3
Hinsdale	-	3	3	-	-	2	1	-	-	3	6	-	-

See footnotes on p. 183.

Table 19. Live Births by Attendant and Birth Weight; Fetal Deaths; and Total, Infant, and Neonatal Deaths; by Color: United States, Each State and County, and Specified Urban Places, 1955—Continued

(See headnote on p. 83)

AREA AND COLOR	LIVE BIRTHS								FETAL DEATHS	DEATHS			
	By place of occurrence	By place of residence							By place of residence	By place of occurrence	By place of residence		
			Attendant[1]			Birth weight[3]							
	Total births	Total births	Physician in hospital[2]	Physician not in hospital	Midwife	2,500 grams or less	2,501 grams or more	Not stated		Total deaths	Total deaths	Under 1 year	Under 28 days
COLORADO—Continued													
Huerfano	175	210	123	13	71	16	193	1	3	79	112	12	4
Jackson	35	70	38	32	-	6	64	-	-	15	20	2	1
Jefferson	18	2,210	2,192	15	1	232	1,977	1	35	423	509	54	43
Kiowa	69	60	60	-	-	6	54	-	-	28	25	2	2
Kit Carson	240	179	179	-	-	15	164	-	3	50	54	2	2
Lake	268	286	284	1	-	65	220	1	6	69	67	13	7
La Plata	641	476	464	11	1	57	419	-	7	153	140	19	10
Larimer	941	983	962	20	-	71	912	-	21	399	424	32	24
Fort Collins	-	497	497	-	-	35	462	-	10	101	187	14	9
Balance of county	941	486	465	20	-	36	450	-	11	298	237	18	15
Las Animas	449	512	508	3	1	63	448	1	11	199	243	32	23
Trinidad	448	340	339	1	-	41	299	-	8	165	151	18	11
Balance of county	1	172	169	2	1	22	149	1	3	34	92	14	12
Lincoln	24	109	106	3	-	9	100	-	-	22	36	2	2
Logan	644	644	639	4	-	46	595	3	7	141	154	15	9
Mesa	1,208	1,158	1,136	19	-	115	1,043	-	23	443	412	30	19
Grand Junction	1,049	757	751	6	-	80	677	-	11	268	208	15	10
Balance of county	159	401	385	13	-	35	366	-	12	175	204	15	9
Mineral	-	8	8	-	-	1	7	-	2	7	6	-	-
Moffat	157	168	167	1	-	21	146	1	4	61	61	4	4
Montezuma	434	332	328	1	-	30	300	2	4	87	97	20	10
Montrose	473	439	406	32	-	44	394	1	10	145	139	21	17
Morgan	700	709	699	8	-	56	651	2	12	155	166	23	19
Otero	888	635	588	24	-	53	582	-	17	246	245	23	15
Ouray	20	30	30	-	-	4	26	-	1	13	28	3	3
Park	23	33	33	-	-	4	29	-	1	17	20	2	2
Phillips	120	102	102	-	-	10	92	-	3	38	44	-	-
Pitkin	36	42	42	-	-	3	39	-	-	22	24	-	-
Prowers	477	372	356	15	-	22	350	-	12	119	104	11	9
Pueblo	2,942	3,040	2,930	60	24	286	2,749	5	78	1,377	877	92	59
Pueblo	2,927	2,704	2,634	28	23	257	2,443	4	66	1,289	772	76	50
Balance of county	15	336	296	32	1	29	306	1	12	88	105	16	9
Rio Blanco	140	158	157	-	-	16	141	1	2	31	29	1	1
Rio Grande	522	341	283	38	1	32	309	-	8	117	109	14	6
Routt	144	144	144	-	-	12	132	-	4	57	73	5	3
Saguache	8	147	138	3	-	17	130	-	3	16	33	7	4
San Juan	1	20	20	-	-	3	16	1	4	5	12	1	1
San Miguel	13	86	80	6	-	10	74	2	1	16	23	2	1
Sedgwick	130	112	112	-	-	10	102	-	-	38	40	3	2
Summit	-	22	22	-	-	5	17	-	-	5	9	-	-
Teller	37	69	66	2	-	13	56	-	1	35	43	1	-
Washington	111	162	162	-	-	12	150	-	4	48	64	2	2
Weld	1,358	1,686	1,643	30	4	154	1,530	2	29	555	589	57	42
Greeley	1,314	607	606	1	-	60	547	-	5	361	264	17	14
Balance of county	44	1,079	1,037	29	4	94	983	2	24	194	325	40	28
Yuma	215	198	198	-	-	22	176	-	4	76	75	3	2
CONNECTICUT[7]	51,336	52,477	52,371	101	3	103	1,108	51,266	733	21,558	21,783	1,140	894
White	48,756	49,884	49,791	90	1	98	1,084	48,702	668	20,909	21,116	1,033	819
Nonwhite	2,580	2,593	2,580	11	2	5	24	2,564	65	649	667	107	75
Fairfield	12,206	12,886	12,855	28	2	54	486	12,346	156	5,371	5,553	295	227
White	11,491	12,156	12,133	22	-	49	476	11,631	143	5,185	5,364	266	208
Nonwhite	715	730	722	6	2	5	10	715	13	186	189	29	19
Bridgeport	6,024	3,828	3,818	8	1	7	27	3,794	48	1,952	1,804	88	65
Stamford	2,216	1,957	1,950	6	1	8	55	1,894	25	760	756	38	33
Norwalk	1,921	1,410	1,406	4	-	3	37	1,370	18	720	578	36	31
Stratford (town)[5]	-	862	862	-	-	3	11	848	6	198	334	18	16
Danbury	1,115	789	789	-	-	-	16	773	12	431	375	23	17
Shelton	4	312	310	2	-	-	3	309	3	89	122	5	3
Balance of county	926	3,728	3,720	8	-	33	337	3,358	44	1,221	1,584	87	62
Hartford	15,645	15,192	15,172	19	-	12	121	15,059	252	5,289	5,484	301	242
White	14,768	14,310	14,293	16	-	12	117	14,181	220	5,108	5,284	263	213
Nonwhite	877	882	879	3	-	-	4	878	32	181	200	38	29
Hartford	10,440	4,550	4,545	5	-	4	32	4,514	90	2,366	1,918	110	83
White	9,654	3,820	3,818	2	-	4	29	3,787	65	2,212	1,746	78	58
Nonwhite	786	730	727	3	-	-	3	727	25	154	172	32	25
New Britain	2,174	1,812	1,808	3	-	2	14	1,796	25	704	739	29	28
Bristol	950	1,039	1,038	1	-	1	5	1,033	13	294	334	23	18
East Hartford (town)[5]	2	1,162	1,161	1	-	2	18	1,142	20	125	250	23	17
West Hartford (town)[5]	72	910	909	1	-	-	7	903	15	271	482	6	6
Balance of county	2,007	5,719	5,711	8	-	3	45	5,671	89	1,529	1,761	110	90
Litchfield	1,992	2,409	2,403	6	-	3	26	2,380	34	976	1,164	57	40
Torrington	975	614	614	-	-	-	7	607	6	325	297	24	18
Balance of county	1,017	1,795	1,789	6	-	3	19	1,773	28	651	867	33	22
Middlesex	1,462	1,663	1,657	6	-	1	18	1,644	33	1,034	723	29	21
Middletown	1,456	674	673	1	-	-	6	668	13	715	246	9	8
Balance of county	6	989	984	5	-	1	12	976	20	319	477	20	13

See footnotes on p. 183.

Table 19. Live Births by Attendant and Birth Weight; Fetal Deaths; and Total, Infant, and Neonatal Deaths; by Color: United States, Each State and County, and Specified Urban Places, 1955—Continued

(See headnote on p. 83)

AREA AND COLOR	LIVE BIRTHS								FETAL DEATHS	DEATHS			
	By place of occurrence	By place of residence							By place of residence	By place of occurrence	By place of residence		
			Attendant[1]			Birth weight[3]							
	Total births	Total births	Physician in hospital[2]	Physician not in hospital	Midwife	2,500 grams or less	2,501 grams or more	Not stated		Total deaths	Total deaths	Under 1 year	Under 28 days
CONNECTICUT[7]—Continued													
New Haven	14,043	13,404	13,382	21	1	8	79	13,317	156	6,054	6,103	310	240
White	13,255	12,614	12,594	19	1	8	77	12,529	139	5,848	5,876	274	216
Nonwhite	788	790	788	2	-	-	2	788	17	206	227	36	24
New Haven	6,974	3,504	3,498	5	1	4	19	3,481	39	2,270	1,854	89	64
Waterbury	3,770	2,374	2,369	5	-	-	14	2,360	30	1,314	1,138	58	44
Meriden	1,659	1,121	1,121	-	-	1	3	1,117	12	560	506	30	24
West Haven (town)[5]	-	787	787	-	-	-	7	780	10	361	379	10	9
Ansonia	1	384	383	1	-	-	1	383	11	73	222	9	8
Derby	1,021	242	242	-	-	-	2	240	4	278	116	8	6
Naugatuck	-	422	422	-	-	-	3	419	4	121	196	15	11
Wallingford	1	507	506	1	-	-	3	504	9	123	236	12	10
Balance of county	617	4,083	4,054	9	-	3	27	4,033	37	954	1,456	79	64
New London	3,907	4,135	4,131	4	-	19	329	3,787	67	1,796	1,584	95	81
New London	1,761	803	803	-	-	-	23	780	12	458	352	23	19
Norwich	1,310	810	808	2	-	-	8	802	14	501	387	23	20
Balance of county	836	2,522	2,520	2	-	19	298	2,205	41	837	845	49	42
Tolland	645	1,368	1,367	1	-	1	11	1,356	14	369	430	26	22
Windham	1,436	1,420	1,404	16	-	5	38	1,377	21	669	742	27	21
Willimantic	638	306	306	-	-	-	9	297	5	168	152	2	2
Balance of county	798	1,114	1,098	16	-	5	29	1,080	16	501	590	25	19
DELAWARE	10,569	10,587	10,220	102	256	766	9,757	64	184	3,859	3,730	265	184
White	8,825	8,820	8,720	56	40	540	8,228	52	126	3,154	3,045	193	144
Nonwhite	1,744	1,767	1,500	46	216	226	1,529	12	58	705	685	72	40
Kent	1,247	1,510	1,427	6	76	110	1,387	13	18	523	493	29	21
White	1,007	1,203	1,172	4	26	74	1,123	6	10	392	392	24	18
Nonwhite	240	307	255	2	50	36	264	7	8	131	101	5	3
New Castle	7,449	7,349	7,305	16	22	528	6,781	40	119	2,627	2,496	176	129
White	6,456	6,370	6,353	12	3	393	5,937	40	93	2,193	2,066	136	105
Nonwhite	993	979	952	4	19	135	844	-	26	434	430	40	24
Wilmington	7,251	2,427	2,422	2	2	210	2,200	17	46	1,825	1,446	72	50
White	6,285	1,803	1,802	-	-	122	1,664	17	31	1,499	1,143	46	33
Nonwhite	966	624	620	2	2	88	536	-	15	326	303	26	17
Balance of county	198	4,922	4,883	14	20	318	4,581	23	73	802	1,050	104	79
Sussex	1,873	1,728	1,488	80	158	128	1,589	11	47	709	741	60	34
White	1,362	1,247	1,195	40	11	73	1,168	6	23	569	587	33	21
Nonwhite	511	481	293	40	147	55	421	5	24	140	154	27	13
DISTRICT OF COLUMBIA	32,362	20,923	20,643	236	5	2,208	18,324	391	427	9,142	8,349	673	545
White	20,186	9,456	9,398	45	1	732	8,600	124	157	5,830	5,054	224	192
Nonwhite	12,176	11,467	11,245	191	4	1,476	9,724	267	270	3,312	3,295	449	353
FLORIDA	88,978	89,334	79,471	2,597	6,946	7,309	81,862	163	1,680	34,983	33,494	2,652	1,869
White	64,016	64,218	62,926	727	439	4,475	59,613	130	955	27,458	25,938	1,476	1,168
Nonwhite	24,962	25,116	16,545	1,870	6,507	2,834	22,249	33	725	7,525	7,556	1,176	701
Alachua	1,754	1,645	1,201	87	353	125	1,512	8	24	520	514	57	39
White	1,137	1,025	1,001	17	7	75	942	8	15	306	301	24	22
Nonwhite	617	620	200	70	346	50	570	-	9	214	213	33	17
Gainesville	1,465	961	802	43	114	72	888	1	10	337	228	29	21
White	1,113	683	681	1	1	52	630	1	7	217	146	15	14
Nonwhite	352	278	121	42	113	20	258	-	3	120	82	14	7
Balance of county	289	684	399	44	239	53	624	7	14	183	286	28	18
White	24	342	320	16	6	23	312	7	8	89	155	9	8
Nonwhite	265	342	79	28	233	30	312	-	6	94	131	19	10
Baker	97	199	103	3	90	16	177	6	4	42	74	11	6
White	34	131	97	2	31	10	115	6	3	23	47	5	2
Nonwhite	63	68	6	1	59	6	62	-	1	19	27	6	4
Bay	1,891	1,813	1,754	3	52	154	1,654	5	48	348	362	54	37
White	1,532	1,453	1,449	1	-	93	1,357	3	42	265	276	35	27
Nonwhite	359	360	305	2	52	61	297	2	6	83	86	19	10
Panama City	1,159	1,212	1,164	1	45	105	1,103	4	31	274	242	34	23
White	866	893	891	-	-	57	834	2	26	196	171	16	14
Nonwhite	293	319	273	1	45	48	269	2	5	78	71	18	9
Balance of county	732	601	590	2	7	49	551	1	17	74	120	20	14
Bradford	282	342	266	5	68	17	325	-	7	72	101	10	8
White	199	245	235	2	8	8	237	-	5	49	70	4	3
Nonwhite	83	97	31	3	60	9	88	-	2	23	31	6	5
Brevard	1,210	1,284	1,160	2	119	95	1,177	12	19	345	351	32	19
White	961	1,033	1,022	1	9	68	953	12	13	286	284	22	16
Nonwhite	249	251	138	1	110	27	224	-	6	59	67	10	3
Broward	4,080	4,080	3,398	382	243	357	3,720	3	73	1,452	1,359	133	98
White	2,582	2,547	2,491	33	1	176	2,368	3	30	1,144	1,043	59	48
Nonwhite	1,498	1,533	907	349	242	181	1,352	-	43	308	316	74	50
Fort Lauderdale	2,408	1,645	1,413	136	86	150	1,494	1	30	808	666	63	49
White	1,670	1,004	995	8	1	78	925	1	16	632	537	30	26
Nonwhite	738	641	418	130	85	72	569	-	14	176	129	33	23
Hollywood	846	531	492	9	7	34	496	1	7	360	246	10	6
Balance of county	826	1,904	1,493	237	150	173	1,730	1	36	284	447	60	43
White	232	1,093	1,064	25	-	72	1,020	1	9	192	281	23	19
Nonwhite	594	811	429	212	150	101	710	-	27	92	166	37	24

See footnotes on p. 183.

Table 19. Live Births by Attendant and Birth Weight; Fetal Deaths; and Total, Infant, and Neonatal Deaths; by Color: United States, Each State and County, and Specified Urban Places, 1955—Continued

(See headnote on p. 83)

AREA AND COLOR	LIVE BIRTHS								FETAL DEATHS	DEATHS			
	By place of occurrence	By place of residence							By place of residence	By place of occurrence	By place of residence		
			Attendant[1]			Birth weight[3]							
	Total births	Total births	Physician in hospital[2]	Physician not in hospital	Midwife	2,500 grams or less	2,501 grams or more	Not stated		Total deaths	Total deaths	Under 1 year	Under 28 days
FLORIDA—Continued													
Calhoun	128	204	149	49	6	14	187	3	3	49	67	4	4
White	87	163	130	33	-	10	150	3	3	35	54	1	1
Nonwhite	41	41	19	16	6	4	37	-	-	14	13	3	3
Charlotte	69	75	71	-	4	5	69	1	3	60	62	2	2
White	57	63	61	-	2	3	59	1	2	53	53	2	2
Nonwhite	12	12	10	-	2	2	10	-	1	7	9	-	-
Citrus	57	152	99	19	33	12	140	-	2	61	96	5	4
White	17	101	89	7	4	10	91	-	1	44	76	3	2
Nonwhite	40	51	10	12	29	2	49	-	1	17	20	2	2
Clay	326	626	575	2	49	34	592	-	9	143	126	10	4
White	268	537	529	1	7	26	511	-	8	121	97	5	4
Nonwhite	58	89	46	1	42	8	81	-	1	22	29	5	-
Collier	96	244	194	12	38	20	224	-	6	66	88	16	6
White	62	187	171	11	5	15	172	-	3	52	60	12	4
Nonwhite	34	57	23	1	33	5	52	-	3	14	28	4	2
Columbia	666	544	378	8	157	50	494	-	7	345	172	18	13
White	442	329	312	3	13	29	300	-	3	217	94	8	7
Nonwhite	224	215	66	5	144	21	194	-	4	128	78	10	6
Dade	15,551	15,592	14,998	270	210	1,345	14,239	8	292	6,535	6,137	435	332
White	11,834	11,893	11,765	74	-	877	11,009	7	187	5,662	5,281	260	214
Nonwhite	3,717	3,699	3,233	196	210	468	3,230	1	105	873	856	175	118
Miami	7,024	5,312	5,129	50	83	498	4,813	1	118	3,366	3,056	162	121
White	5,051	3,667	3,617	21	-	280	3,387	-	74	2,847	2,600	80	65
Nonwhite	1,973	1,645	1,512	29	83	218	1,426	1	44	519	456	82	56
Miami Beach	2,478	465	462	1	-	38	427	-	16	931	611	10	5
Coral Gables	2,088	375	370	1	1	28	347	-	6	713	214	6	6
Hialeah	288	1,252	1,238	12	-	93	1,158	1	16	153	236	21	16
North Miami	3	519	516	2	-	41	478	-	8	68	143	12	8
Balance of county	3,670	7,669	7,283	204	126	647	7,016	6	128	1,304	1,877	224	176
White	2,556	5,664	5,603	42	-	402	5,256	6	69	1,033	1,496	135	116
Nonwhite	1,114	2,005	1,680	162	126	245	1,760	-	59	271	381	89	60
De Soto	256	195	193	-	1	25	170	-	7	191	102	10	6
White	195	141	140	-	-	18	123	-	3	167	80	9	6
Nonwhite	61	54	53	-	1	7	47	-	4	24	22	1	-
Dixie	71	103	50	20	32	10	93	-	-	28	37	3	3
White	46	77	46	19	11	10	67	-	-	26	32	3	3
Nonwhite	25	26	4	1	21	-	26	-	-	2	5	-	-
Duval	11,137	10,672	10,454	40	161	865	9,744	63	200	3,066	3,044	262	201
White	8,122	7,690	7,651	14	12	553	7,083	54	116	2,067	2,006	160	128
Nonwhite	3,015	2,982	2,803	26	149	312	2,661	9	84	999	1,038	102	73
Jacksonville	9,350	8,708	8,551	32	111	719	7,940	49	146	2,550	2,304	199	154
White	6,463	5,954	5,932	9	3	428	5,485	41	67	1,635	1,392	104	86
Nonwhite	2,887	2,754	2,619	23	108	291	2,455	8	79	915	912	95	68
Balance of county	1,787	1,964	1,903	8	50	146	1,804	14	54	516	740	63	47
Escambia	5,210	5,324	4,936	120	260	436	4,885	3	101	1,053	1,014	147	108
White	3,987	4,023	3,993	22	6	297	3,725	1	57	700	662	78	60
Nonwhite	1,223	1,301	943	98	254	139	1,160	2	44	353	352	69	48
Pensacola	2,328	2,901	2,658	88	150	260	2,640	1	53	388	489	63	54
White	1,404	1,936	1,926	10	-	151	1,785	-	22	232	266	26	23
Nonwhite	924	965	732	78	150	109	855	1	31	156	223	37	31
Balance of county	2,882	2,423	2,278	32	110	176	2,245	2	48	665	525	84	54
White	2,583	2,087	2,067	12	6	146	1,940	1	35	468	396	52	37
Nonwhite	299	336	211	20	104	30	305	1	13	197	129	32	17
Flagler	71	131	69	-	62	17	114	-	2	33	45	7	6
White	6	55	55	-	-	2	53	-	-	21	27	-	-
Nonwhite	65	76	14	-	62	15	61	-	2	12	18	7	6
Franklin	119	133	101	7	25	13	120	-	5	42	52	3	3
White	71	85	77	6	2	4	81	-	4	26	33	2	2
Nonwhite	48	48	24	1	23	9	39	-	1	16	19	1	1
Gadsden	1,144	1,054	342	59	649	95	958	1	27	737	322	58	28
White	352	271	256	6	9	16	255	-	5	384	104	8	6
Nonwhite	792	783	86	53	640	79	703	1	22	353	218	50	22
Gilchrist	27	70	44	12	14	7	63	-	-	20	24	3	3
Glades	5	45	40	5	-	4	41	-	-	13	28	3	2
White	-	19	19	-	-	1	18	-	-	7	14	2	2
Nonwhite	5	26	21	5	-	3	23	-	-	6	14	1	-
Gulf	310	277	263	-	11	16	261	-	4	69	62	6	3
White	229	198	197	-	-	6	192	-	3	49	42	2	1
Nonwhite	81	79	66	-	11	10	69	-	1	20	20	4	2
Hamilton	155	249	124	36	89	13	236	-	5	41	76	8	6
White	30	111	97	11	3	6	105	-	3	16	38	3	3
Nonwhite	125	138	27	25	86	7	131	-	2	25	38	5	3
Hardee	197	226	196	2	26	11	215	-	6	80	105	6	4
Hendry	149	203	190	1	12	19	184	-	2	63	69	10	6
White	79	124	124	-	-	7	117	-	2	34	46	5	3
Nonwhite	70	79	66	1	12	12	67	-	-	29	23	5	3
Hernando	299	203	181	10	11	20	183	-	3	100	71	6	3
White	217	123	121	2	-	11	112	-	2	86	55	4	1
Nonwhite	82	80	60	8	11	9	71	-	1	14	16	2	2
Highlands	551	460	402	29	29	53	407	-	8	190	194	18	15
White	340	271	270	1	-	25	246	-	5	153	152	8	7
Nonwhite	211	189	132	28	29	28	161	-	3	37	42	10	8

See footnotes on p. 183.

Table 19. Live Births by Attendant and Birth Weight; Fetal Deaths; and Total, Infant, and Neonatal Deaths; by Color: United States, Each State and County, and Specified Urban Places, 1955—Continued

(See headnote on p. 83)

AREA AND COLOR	LIVE BIRTHS								FETAL DEATHS	DEATHS			
	By place of occurrence	By place of residence							By place of residence	By place of occurrence	By place of residence		
			Attendant[1]			Birth weight[3]							
	Total births	Total births	Physician in hospital[2]	Physician not in hospital	Midwife	2,500 grams or less	2,501 grams or more	Not stated		Total deaths	Total deaths	Under 1 year	Under 28 days
FLORIDA—Continued													
Hillsborough	7,800	7,205	7,015	30	149	532	6,671	2	126	2,868	2,862	211	158
White	6,338	5,824	5,778	21	21	389	5,434	1	78	2,346	2,343	141	116
Nonwhite	1,462	1,381	1,237	9	128	143	1,237	1	48	522	519	70	42
Tampa	5,815	5,337	5,197	21	110	413	4,923	1	92	2,484	2,328	166	126
White	4,618	4,200	4,167	17	14	289	3,911	-	53	2,011	1,874	106	89
Nonwhite	1,197	1,137	1,030	4	96	124	1,012	1	39	473	454	60	37
Balance of county	1,985	1,868	1,818	9	39	119	1,748	1	34	384	534	45	32
White	1,720	1,624	1,611	4	7	100	1,523	1	25	335	469	35	27
Nonwhite	265	244	207	5	32	19	225	-	9	49	65	10	5
Holmes	134	245	221	8	15	18	225	2	8	63	122	5	3
Indian River	401	425	323	1	101	40	381	4	6	162	146	11	8
White	244	259	248	1	10	19	239	1	2	132	114	3	2
Nonwhite	157	166	75	-	91	21	142	3	4	30	32	8	6
Jackson	788	900	628	58	209	56	842	2	17	297	330	23	13
White	492	565	517	37	11	33	532	-	9	188	205	11	8
Nonwhite	296	335	111	21	198	23	310	2	8	109	125	12	5
Jefferson	383	304	94	108	102	27	276	1	12	109	127	11	8
White	83	87	57	30	-	10	77	-	3	35	46	3	3
Nonwhite	300	217	37	78	102	17	199	1	9	74	81	8	5
Lafayette	24	62	39	15	7	6	56	-	3	19	33	3	1
Lake	1,017	1,006	836	8	157	91	913	2	10	502	532	39	29
White	720	691	685	-	6	42	647	2	6	403	422	26	20
Nonwhite	297	315	151	8	151	49	266	-	4	99	110	13	9
Lee	927	745	559	10	174	74	671	-	24	383	368	37	21
White	683	536	510	10	14	46	490	-	8	301	283	20	14
Nonwhite	244	209	49	-	160	28	181	-	16	82	85	17	7
Fort Myers	900	431	285	1	145	50	381	-	20	297	237	24	14
White	658	246	241	1	4	27	219	-	5	221	160	8	7
Nonwhite	242	185	44	-	141	23	162	-	15	76	77	16	7
Balance of county	27	314	274	9	29	24	290	-	4	86	131	13	7
Leon	1,610	1,554	1,209	95	246	119	1,432	3	35	487	427	43	30
White	953	871	854	17	-	42	827	2	13	247	208	20	16
Nonwhite	657	683	355	78	246	77	605	1	22	240	219	23	14
Tallahassee	1,470	1,135	967	29	136	88	1,046	1	24	352	270	30	21
White	953	689	681	8	-	29	659	1	11	188	136	13	10
Nonwhite	517	446	286	21	136	59	387	-	13	164	134	17	11
Balance of county	140	419	242	66	110	31	386	2	11	135	157	13	9
White	-	182	173	9	-	13	168	1	2	59	72	7	6
Nonwhite	140	237	69	57	110	18	218	1	9	76	85	6	3
Levy	217	269	183	23	63	21	248	-	4	77	102	8	3
White	92	140	132	5	3	9	131	-	1	42	60	1	1
Nonwhite	125	129	51	18	60	12	117	-	3	35	42	7	2
Liberty	21	88	67	5	15	7	81	-	4	7	13	-	-
White	9	72	63	5	3	5	67	-	2	2	6	-	-
Nonwhite	12	16	4	-	12	2	14	-	2	5	7	-	-
Madison	333	396	187	53	156	31	363	2	8	136	155	17	10
White	131	142	126	12	4	6	135	1	3	59	68	1	1
Nonwhite	202	254	61	41	152	25	228	1	5	77	87	16	9
Manatee	881	888	816	1	69	58	828	2	22	538	509	33	22
White	578	582	580	1	-	30	552	-	11	452	417	8	7
Nonwhite	303	306	236	-	69	28	276	2	11	86	92	25	15
Bradenton	838	369	330	1	38	28	341	-	7	418	283	17	12
White	577	240	239	1	-	15	225	-	3	357	236	3	3
Nonwhite	261	129	91	-	38	13	116	-	4	61	47	14	9
Balance of county	43	519	486	-	31	30	487	2	15	120	226	16	10
White	1	342	341	-	-	15	327	-	8	95	181	5	4
Nonwhite	42	177	145	-	31	15	160	2	7	25	45	11	6
Marion	1,173	1,116	793	69	254	86	1,030	-	25	457	445	36	23
White	652	599	589	6	4	31	568	-	8	281	279	16	13
Nonwhite	521	517	204	63	250	55	462	-	17	176	166	20	10
Ocala	979	408	298	26	84	40	368	-	8	298	160	14	8
White	623	219	216	2	1	10	209	-	3	190	92	4	3
Nonwhite	356	189	82	24	83	30	159	-	5	108	68	10	5
Balance of county	194	708	495	43	170	46	662	-	17	159	285	22	15
White	29	380	373	4	3	21	359	-	5	91	187	12	10
Nonwhite	165	328	122	39	167	25	303	-	12	68	98	10	5
Martin	211	222	219	-	3	23	199	-	3	107	109	7	4
White	112	122	122	-	-	13	109	-	1	74	73	3	3
Nonwhite	99	100	97	-	3	10	90	-	2	33	36	4	1
Monroe	1,257	1,295	1,241	5	49	124	1,169	2	25	291	293	38	29
White	1,119	1,150	1,145	1	4	106	1,042	2	18	239	239	33	26
Nonwhite	138	145	96	4	45	18	127	-	7	52	54	5	3
Key West	1,255	1,142	1,090	3	49	110	1,030	2	21	250	244	36	28
White	1,119	1,009	1,004	1	4	94	913	2	14	199	194	31	25
Nonwhite	136	133	86	2	45	16	117	-	7	51	50	5	3
Balance of county	2	153	151	2	-	14	139	-	4	41	49	2	1
Nassau	353	396	316	2	78	28	366	2	13	119	117	8	5
White	225	268	263	2	3	16	250	2	6	75	71	2	2
Nonwhite	128	128	53	-	75	12	116	-	7	44	46	6	3
Okaloosa	1,643	1,374	1,336	6	32	80	1,293	1	17	188	212	39	30
Okeechobee	68	122	120	1	1	8	114	-	5	35	42	5	4
White	54	96	95	-	1	4	92	-	4	24	29	3	3
Nonwhite	14	26	25	1	-	4	22	-	1	11	13	2	1

See footnotes on p. 183.

Table 19. Live Births by Attendant and Birth Weight; Fetal Deaths; and Total, Infant, and Neonatal Deaths; by Color: United States, Each State and County, and Specified Urban Places, 1955—Continued

(See headnote on p. 83)

AREA AND COLOR	LIVE BIRTHS								FETAL DEATHS	DEATHS			
	By place of occurrence	By place of residence							By place of residence	By place of occurrence	By place of residence		
			Attendant[1]			Birth weight[3]							
	Total births	Total births	Physician in hospital[2]	Physician not in hospital	Midwife	2,500 grams or less	2,501 grams or more	Not stated		Total deaths	Total deaths	Under 1 year	Under 28 days
FLORIDA—Continued													
Orange	4,748	4,433	4,070	129	224	347	4,082	4	60	1,765	1,621	117	88
White	3,715	3,437	3,401	4	26	237	3,197	3	42	1,499	1,368	84	69
Nonwhite	1,033	996	669	125	198	110	885	1	18	266	253	33	19
Orlando	4,169	2,763	2,618	92	51	220	2,542	1	32	1,247	974	57	49
White	3,353	2,222	2,219	-	1	152	2,069	1	19	1,081	822	40	38
Nonwhite	816	541	399	92	50	68	473	-	13	166	152	17	11
Balance of county	579	1,670	1,452	37	173	127	1,540	3	28	518	647	60	39
White	362	1,215	1,182	4	25	85	1,128	2	23	418	546	44	31
Nonwhite	217	455	270	33	148	42	412	1	5	100	101	16	8
Osceola	210	246	193	2	49	16	228	2	3	227	227	9	6
White	164	194	179	2	11	12	180	2	1	201	207	6	5
Nonwhite	46	52	14	-	38	4	48	-	2	26	20	3	1
Palm Beach	3,695	3,663	3,183	236	237	346	3,313	4	70	1,644	1,539	108	67
White	2,407	2,340	2,311	28	1	163	2,176	1	32	1,257	1,132	45	36
Nonwhite	1,288	1,323	872	208	236	183	1,137	3	38	387	407	63	31
West Palm Beach	2,016	1,458	1,287	97	74	136	1,322	-	19	1,009	573	27	23
White	1,556	1,045	1,043	2	-	68	977	-	8	803	404	17	15
Nonwhite	460	413	244	95	74	68	345	-	11	206	169	10	8
Lake Worth	50	314	310	4	-	28	286	-	3	127	232	5	5
Balance of county	1,629	1,891	1,586	135	163	182	1,705	4	48	508	734	76	39
White	830	998	973	24	1	69	928	1	23	329	497	23	16
Nonwhite	799	893	613	111	162	113	777	3	25	179	237	53	23
Pasco	470	509	427	48	32	41	461	7	9	278	305	27	21
White	374	414	392	15	6	27	383	4	8	246	272	16	13
Nonwhite	96	95	35	33	26	14	78	3	1	32	33	11	8
Pinellas	3,511	3,637	3,513	49	51	312	3,324	1	64	3,753	3,221	91	66
White	2,688	2,803	2,780	17	4	202	2,600	1	46	3,530	3,006	63	50
Nonwhite	823	834	733	32	47	110	724	-	18	223	215	28	16
St. Petersburg	2,477	2,040	1,965	21	31	185	1,854	1	43	2,379	2,096	56	38
White	1,876	1,434	1,428	4	1	102	1,331	1	28	2,235	1,938	35	27
Nonwhite	601	606	537	17	30	83	523	-	15	144	158	21	11
Clearwater	747	480	474	6	-	49	431	-	5	404	312	13	12
White	554	337	334	3	-	30	307	-	4	369	282	7	7
Nonwhite	193	143	140	3	-	19	124	-	1	35	30	6	5
Balance of county	287	1,117	1,074	22	20	78	1,039	-	16	970	813	22	16
Polk	3,892	4,018	3,291	203	517	313	3,703	2	72	1,185	1,262	123	92
White	2,851	2,982	2,777	122	82	205	2,775	2	36	909	958	72	56
Nonwhite	1,041	1,036	514	81	435	108	928	-	36	276	304	51	36
Lakeland	1,362	1,024	862	4	158	80	943	1	12	400	377	29	23
White	1,110	759	737	-	22	52	706	1	5	329	293	16	13
Nonwhite	252	265	125	4	136	28	237	-	7	71	84	13	10
Balance of county	2,530	2,994	2,429	199	359	233	2,760	1	60	785	885	94	69
White	1,741	2,223	2,040	122	60	153	2,069	1	31	580	665	56	43
Nonwhite	789	771	389	77	299	80	691	-	29	205	220	38	26
Putnam	660	772	619	12	141	68	704	-	17	269	297	28	15
White	326	442	430	3	9	25	417	-	6	150	167	11	8
Nonwhite	334	330	189	9	132	43	287	-	11	119	130	17	7
St. Johns	735	655	587	15	53	44	610	1	14	327	293	14	7
White	484	416	414	2	-	28	387	1	4	212	191	7	5
Nonwhite	251	239	173	13	53	16	223	-	10	115	102	7	2
St. Augustine	686	427	409	3	15	35	392	-	6	263	194	7	6
White	482	284	284	-	-	25	259	-	2	184	139	5	5
Nonwhite	204	143	125	3	15	10	133	-	4	79	55	2	1
Balance of county	49	228	178	12	38	9	218	1	8	64	99	7	1
White	2	132	130	2	-	3	128	1	2	28	52	2	-
Nonwhite	47	96	48	10	38	6	90	-	6	36	47	5	1
St. Lucie	762	752	478	5	267	71	681	-	21	234	243	34	17
White	387	365	353	-	12	28	337	-	7	152	158	6	5
Nonwhite	375	387	125	5	255	43	344	-	14	82	85	28	12
Fort Pierce	737	582	333	4	243	54	528	-	18	213	201	31	14
White	382	221	214	-	7	15	206	-	5	133	120	4	3
Nonwhite	355	361	119	4	236	39	322	-	13	80	81	27	11
Balance of county	25	170	145	1	24	17	153	-	3	21	42	3	3
White	5	144	139	-	5	13	131	-	2	19	38	2	2
Nonwhite	20	26	6	1	19	4	22	-	1	2	4	1	1
Santa Rosa	348	672	603	46	22	59	613	-	3	134	149	27	17
Sarasota	790	791	788	1	1	50	741	-	16	515	498	16	9
White	601	608	607	1	-	27	581	-	11	463	430	10	6
Nonwhite	189	183	181	-	1	23	160	-	5	52	58	6	3
Sarasota	689	540	539	-	-	35	505	-	8	379	324	8	7
White	509	373	373	-	-	16	357	-	4	335	277	5	4
Nonwhite	180	167	166	-	-	19	148	-	4	44	47	3	3
Balance of county	101	251	249	1	1	15	236	-	8	136	164	8	2
Seminole	720	868	596	17	254	76	792	-	23	243	291	36	21
White	285	432	425	3	3	34	398	-	8	129	167	9	7
Nonwhite	435	436	171	14	251	42	394	-	15	114	124	27	14
Sanford	643	443	315	9	119	42	401	-	12	153	142	17	9
White	262	236	236	-	-	19	217	-	5	75	72	3	1
Nonwhite	381	207	79	9	119	23	184	-	7	78	70	14	8
Balance of county	77	425	281	8	135	34	391	-	11	90	149	19	12
White	23	196	189	3	3	15	181	-	3	54	95	6	6
Nonwhite	54	229	92	5	132	19	210	-	8	36	54	13	6
Sumter	167	269	184	1	81	26	242	1	7	65	101	11	6
White	63	163	156	1	6	16	146	1	4	43	77	4	3
Nonwhite	104	106	28	-	75	10	96	-	3	22	24	7	3

See footnotes on p. 183.

Table 19. Live Births by Attendant and Birth Weight; Fetal Deaths; and Total, Infant, and Neonatal Deaths; by Color: United States, Each State and County, and Specified Urban Places, 1955—Continued

(See headnote on p. 83)

AREA AND COLOR	LIVE BIRTHS								FETAL DEATHS	DEATHS			
	By place of occurrence	By place of residence							By place of residence	By place of occurrence	By place of residence		
			Attendant[1]			Birth weight[3]							
	Total births	Total births	Physician in hospital[2]	Physician not in hospital	Midwife	2,500 grams or less	2,501 grams or more	Not stated		Total deaths	Total deaths	Under 1 year	Under 28 days
FLORIDA—Continued													
Suwannee	414	372	322	7	43	31	341	-	3	127	140	14	9
White	269	239	225	4	10	14	225	-	2	76	88	5	4
Nonwhite	145	133	97	3	33	17	116	-	1	51	52	9	5
Taylor	230	328	213	85	30	32	296	-	9	93	112	14	8
White	149	246	200	42	4	19	227	-	4	62	74	9	5
Nonwhite	81	82	13	43	26	13	69	-	5	31	38	5	3
Union	67	108	84	1	23	10	97	1	4	54	51	5	4
White	23	66	65	-	1	6	59	1	2	28	32	4	3
Nonwhite	44	42	19	1	22	4	38	-	2	26	19	1	1
Volusia	1,785	1,749	1,600	32	116	141	1,608	-	31	1,171	1,152	51	33
White	1,271	1,226	1,213	9	4	85	1,141	-	12	941	913	23	20
Nonwhite	514	523	387	23	112	56	467	-	19	230	239	28	13
Daytona Beach	1,133	745	692	7	45	63	682	-	10	592	460	23	13
White	810	454	453	1	-	35	419	-	2	465	345	6	5
Nonwhite	323	291	239	6	45	28	263	-	8	127	115	17	8
Balance of county	652	1,004	908	25	71	78	926	-	21	579	692	28	20
White	461	772	760	8	4	50	722	-	10	476	568	17	15
Nonwhite	191	232	148	17	67	28	204	-	11	103	124	11	5
Wakulla	54	127	87	3	37	10	117	-	4	37	49	1	1
White	21	75	68	3	4	4	71	-	1	22	26	-	-
Nonwhite	33	52	19	-	33	6	46	-	3	15	23	1	1
Walton	377	359	312	11	36	24	333	2	4	137	132	9	8
White	308	283	262	10	11	18	263	2	3	116	113	9	8
Nonwhite	69	76	50	1	25	6	70	-	1	21	19	-	-
Washington	194	249	188	13	48	15	234	-	12	116	123	6	4
White	126	177	170	3	4	10	167	-	4	92	99	3	3
Nonwhite	68	72	18	10	44	5	67	-	8	24	24	3	1
GEORGIA	101,767	100.442	83,508	2,869	13,101	8,215	90,493	1,734	2,322	31,064	30,919	3,002	2,001
White	65,384	64,360	62,919	833	522	4,301	59,261	798	1,059	19,394	19,273	1,475	1,104
Nonwhite	36,383	36,082	20,589	2,036	12,579	3,914	31,232	936	1,263	11,670	11,646	1,527	897
Appling	372	368	283	25	52	29	301	38	8	106	102	7	5
White	274	272	250	14	6	20	227	25	7	70	71	5	5
Nonwhite	98	96	33	11	46	9	74	13	1	36	31	2	-
Atkinson	71	214	142	16	56	13	199	2	8	32	58	4	1
White	23	141	119	13	9	3	138	-	3	20	43	2	-
Nonwhite	48	73	23	3	47	10	61	2	5	12	15	2	1
Bacon	303	249	225	6	18	20	220	9	3	68	67	9	7
White	255	209	202	6	1	13	187	9	3	60	58	7	6
Nonwhite	48	40	23	-	17	7	33	-	-	8	9	2	1
Baker	67	138	67	4	63	8	121	9	8	32	45	4	3
White	2	34	31	1	1	-	33	1	2	10	18	1	-
Nonwhite	65	104	36	3	62	8	88	8	6	22	27	3	3
Baldwin	630	500	271	43	171	54	442	4	22	1,081	220	22	14
White	329	239	210	22	7	24	214	1	5	690	106	4	3
Nonwhite	301	261	61	21	164	30	228	3	17	391	114	18	11
Banks	12	129	117	2	10	11	116	2	6	31	57	3	3
Barrow	330	305	272	5	27	30	267	8	6	102	115	11	5
White	239	229	221	3	5	20	204	5	5	81	88	6	4
Nonwhite	91	76	51	2	22	10	63	3	1	21	27	5	1
Bartow	584	664	596	25	38	61	570	33	13	199	230	29	21
White	471	550	527	13	8	45	478	27	8	145	170	23	18
Nonwhite	113	114	69	12	30	16	92	6	5	54	60	6	3
Ben Hill	395	373	293	3	76	35	333	5	7	107	120	8	5
White	259	229	227	1	1	17	212	-	4	62	66	2	1
Nonwhite	136	144	66	2	75	18	121	5	3	45	54	6	4
Berrien	112	339	306	14	18	25	308	6	5	66	89	4	4
White	84	301	290	7	4	22	276	3	3	45	64	3	3
Nonwhite	28	38	16	7	14	3	32	3	2	21	25	1	1
Bibb	3,876	3,521	3,470	28	19	301	3,182	38	77	1,264	1,203	135	99
White	2,409	2,133	2,128	3	2	120	1,995	18	36	743	691	57	46
Nonwhite	1,467	1,388	1,342	25	17	181	1,187	20	41	521	512	78	53
Macon	3,855	1,965	1,938	20	5	186	1,754	25	56	1,041	905	100	80
White	2,404	1,025	1,024	1	-	56	960	9	27	595	498	42	36
Nonwhite	1,451	940	914	19	5	130	794	16	29	446	407	58	44
Balance of county	21	1,556	1,532	8	14	115	1,428	13	21	223	298	35	19
White	5	1,108	1,104	2	2	64	1,035	9	9	148	193	15	10
Nonwhite	16	448	428	6	12	51	393	4	12	75	105	20	9
Bleckley	89	197	109	12	76	7	183	7	5	49	76	4	4
White	9	114	104	9	1	1	107	6	-	31	53	3	3
Nonwhite	80	83	5	3	75	6	76	1	5	18	25	1	1
Brantley	47	140	93	43	4	6	132	2	4	31	51	9	5
White	24	112	87	24	1	5	105	2	2	23	41	7	3
Nonwhite	23	28	6	19	3	1	27	-	2	8	10	2	2
Brooks	456	489	277	11	201	39	443	7	17	176	178	9	6
White	186	219	206	8	5	16	199	4	4	82	85	4	3
Nonwhite	270	270	71	3	196	23	244	3	13	94	93	5	3
Bryan	85	197	119	18	57	10	182	5	10	39	64	11	4
White	17	110	99	8	2	7	101	2	1	12	27	1	1
Nonwhite	68	87	20	10	55	3	81	3	9	27	37	10	3
Bulloch	713	623	497	16	107	46	566	11	16	259	219	17	9
White	387	316	308	3	4	20	296	-	5	141	137	6	3
Nonwhite	326	307	189	13	103	26	270	11	11	118	82	11	6

See footnotes on p. 183.

Table 19. Live Births by Attendant and Birth Weight; Fetal Deaths; and Total, Infant, and Neonatal Deaths; by Color: United States, Each State and County, and Specified Urban Places, 1955—Continued

(See headnote on p. 83)

AREA AND COLOR	LIVE BIRTHS								FETAL DEATHS	DEATHS			
	By place of occurrence	By place of residence							By place of residence	By place of occurrence	By place of residence		
			Attendant[1]			Birth weight[3]							
	Total births	Total births	Physician in hospital[2]	Physician not in hospital	Midwife	2,500 grams or less	2,501 grams or more	Not stated		Total deaths	Total deaths	Under 1 year	Under 28 days
GEORGIA—Continued													
Burke	603	634	185	28	418	50	565	19	11	227	239	32	22
White	112	145	135	5	5	7	136	2	-	69	64	9	7
Nonwhite	491	489	50	23	413	43	429	17	11	158	175	23	15
Butts	78	191	130	12	47	23	159	9	1	56	84	9	7
White	16	73	68	4	1	5	62	6	-	35	55	3	2
Nonwhite	62	118	62	8	46	18	97	3	1	21	29	6	5
Calhoun	278	256	105	4	147	15	238	3	6	100	113	7	4
White	67	56	56	-	-	2	53	1	-	27	37	1	-
Nonwhite	211	200	49	4	147	13	185	2	6	73	76	6	4
Camden	91	264	177	2	85	27	233	4	8	46	74	5	3
White	8	147	141	-	6	14	131	2	3	16	36	5	3
Nonwhite	83	117	36	2	79	13	102	2	5	30	38	-	-
Candler	141	157	124	9	22	8	138	11	8	46	60	6	4
White	66	84	78	2	3	4	74	6	3	32	41	3	2
Nonwhite	75	73	46	7	19	4	64	5	5	14	19	3	2
Carroll	938	751	671	23	47	60	661	30	13	261	276	23	13
White	733	555	546	6	1	36	503	16	8	216	225	12	10
Nonwhite	205	196	125	17	46	24	158	14	5	45	51	11	3
Catoosa	914	416	410	6	-	26	378	12	5	203	100	8	6
Charlton	301	189	128	2	59	20	169	-	6	55	53	16	9
White	197	107	103	1	3	8	99	-	2	25	24	3	2
Nonwhite	104	82	25	1	56	12	70	-	4	30	29	13	7
Chatham	5,353	5,073	4,855	213	4	371	4,640	62	129	1,710	1,669	151	106
White	3,471	3,244	3,238	5	-	188	3,025	31	58	895	837	61	45
Nonwhite	1,882	1,829	1,617	208	4	183	1,615	31	71	815	832	90	61
Savannah	4,518	3,922	3,726	191	4	292	3,580	50	113	1,508	1,395	120	87
White	2,733	2,358	2,354	3	-	138	2,197	23	48	769	683	45	34
Nonwhite	1,785	1,564	1,372	188	4	154	1,383	27	65	739	712	75	53
Balance of county	835	1,151	1,129	22	-	79	1,060	12	16	202	274	31	19
White	738	886	884	2	-	50	828	8	10	126	154	16	11
Nonwhite	97	265	245	20	-	29	232	4	6	76	120	15	8
Chattahoochee	2,988	183	170	-	12	15	166	2	1	123	19	2	1
White	2,598	151	150	-	1	8	142	1	1	108	13	2	1
Nonwhite	390	32	20	-	11	7	24	1	-	15	6	-	-
Chattooga	432	484	465	5	13	48	394	42	16	135	137	19	11
Cherokee	362	484	473	4	4	34	439	11	5	133	150	13	8
Clarke	1,323	920	897	7	16	72	844	4	23	441	321	27	17
White	974	622	620	1	1	28	591	3	11	291	195	13	11
Nonwhite	349	298	277	6	15	44	253	1	12	150	126	14	6
Athens	1,316	717	703	5	9	58	655	4	18	410	258	20	14
White	973	483	482	1	-	22	458	3	9	272	150	9	9
Nonwhite	343	234	221	4	9	36	197	1	9	138	108	11	5
Balance of county	7	203	194	2	7	14	189	-	5	31	63	7	3
White	1	139	138	-	1	6	133	-	2	19	45	4	2
Nonwhite	6	64	56	2	6	8	56	-	3	12	18	3	1
Clay	150	150	51	1	93	14	131	5	3	57	54	3	3
White	22	28	27	1	-	3	24	1	-	24	27	-	-
Nonwhite	128	122	24	-	93	11	107	4	3	33	27	3	3
Clayton	84	941	864	29	47	62	875	4	23	99	171	21	12
White	7	814	808	4	2	47	764	3	13	68	134	15	10
Nonwhite	77	127	56	25	45	15	111	1	10	31	37	6	2
College Park (part)	1	170	169	1	-	12	157	1	1	9	18	1	-
White	1	168	167	1	-	11	156	1	1	9	17	1	-
Nonwhite	-	2	2	-	-	1	1	-	-	-	1	-	-
Balance of county	83	771	695	28	47	50	718	3	22	90	153	20	12
White	6	646	641	3	2	36	608	2	12	59	117	14	10
Nonwhite	77	125	54	25	45	14	110	1	10	31	36	6	2
Clinch	379	268	234	2	32	30	236	2	10	74	82	20	14
White	234	152	150	1	1	17	134	1	6	40	48	12	10
Nonwhite	145	116	84	1	31	13	102	1	4	34	34	8	4
Cobb	2,092	2,542	2,492	17	29	196	2,326	20	46	479	548	80	61
White	1,854	2,303	2,291	10	1	163	2,127	13	37	401	459	69	54
Nonwhite	238	239	201	7	28	33	199	7	9	78	89	11	7
Marietta	1,628	953	930	3	20	87	860	6	19	247	197	33	29
White	1,464	835	832	2	1	68	765	2	16	194	146	26	23
Nonwhite	164	118	98	1	19	19	95	4	3	53	51	7	6
Balance of county	464	1,589	1,562	14	9	109	1,466	14	27	232	351	47	32
Coffee	745	665	525	2	138	67	596	2	23	176	185	29	19
White	495	418	412	-	6	34	384	-	10	120	125	18	15
Nonwhite	250	247	113	2	132	33	212	2	13	56	60	11	4
Colquitt	878	942	782	24	132	75	847	20	19	226	263	21	12
White	591	653	641	6	5	44	592	17	9	166	198	11	5
Nonwhite	287	289	141	18	127	31	255	3	10	60	65	10	7
Moultrie	799	408	329	6	72	38	362	8	13	150	132	10	7
White	583	236	232	2	2	17	214	5	6	107	85	4	2
Nonwhite	216	172	97	4	70	21	148	3	7	43	47	6	5
Balance of county	79	534	453	18	60	37	485	12	6	76	131	11	5
White	8	417	409	4	3	27	378	12	3	59	113	7	3
Nonwhite	71	117	44	14	57	10	107	-	3	17	18	4	2
Columbia	114	429	314	17	98	36	382	11	7	61	102	12	5
White	6	262	256	4	2	23	237	2	1	25	56	5	3
Nonwhite	108	167	58	13	96	13	145	9	6	36	46	7	2
Cook	383	334	300	4	29	29	302	3	11	95	98	12	7
White	249	201	196	2	2	16	182	3	5	64	67	7	6
Nonwhite	134	133	104	2	27	13	120	-	6	31	31	5	1

See footnotes on p. 183.

Table 19. Live Births by Attendant and Birth Weight; Fetal Deaths; and Total, Infant, and Neonatal Deaths; by Color: United States, Each State and County, and Specified Urban Places, 1955—Continued

(See headnote on p. 83)

AREA AND COLOR	LIVE BIRTHS								FETAL DEATHS	DEATHS			
	By place of occurrence	By place of residence							By place of residence	By place of occurrence	By place of residence		
			Attendant[1]			Birth weight[3]							
	Total births	Total births	Physician in hospital[2]	Physician not in hospital	Midwife	2,500 grams or less	2,501 grams or more	Not stated		Total deaths	Total deaths	Under 1 year	Under 28 days
GEORGIA—Continued													
Coweta	846	699	539	21	113	47	637	15	15	216	228	12	6
White	517	385	376	7	2	23	361	1	5	147	154	5	3
Nonwhite	329	314	163	14	111	24	276	14	10	69	74	7	3
Crawford	102	162	63	18	62	7	151	4	3	35	57	2	1
White	1	45	44	1	-	-	44	1	1	9	22	-	-
Nonwhite	101	117	19	17	62	7	107	3	2	26	35	2	1
Crisp	480	490	256	1	232	31	451	8	20	164	165	17	11
White	217	222	208	1	13	16	204	2	4	72	73	3	3
Nonwhite	263	268	48	-	219	15	247	6	16	92	92	14	8
Dade	164	236	198	36	2	11	224	1	3	37	61	7	4
Dawson	1	73	72	-	1	7	65	1	1	8	32	2	1
Decatur	687	695	526	40	116	63	614	18	20	210	231	32	19
White	370	378	375	3	-	30	344	4	8	74	92	8	5
Nonwhite	317	317	151	37	116	33	270	14	12	136	139	24	14
De Kalb	1,537	5,572	5,515	26	24	377	5,172	23	87	1,130	1,113	113	84
White	1,477	4,890	4,876	12	-	281	4,587	22	65	991	946	84	65
Nonwhite	60	682	639	14	24	96	585	1	22	139	167	29	19
Atlanta (part)	11	992	980	3	7	85	903	4	23	143	325	33	27
White	-	820	819	1	-	59	757	4	15	127	291	25	21
Nonwhite	11	172	161	2	7	26	146	-	8	16	34	8	6
Decatur	6	929	922	4	2	51	876	2	21	123	276	26	20
White	1	874	873	1	-	45	827	2	16	111	242	24	19
Nonwhite	5	55	49	3	2	6	49	-	5	12	34	2	1
Balance of county	1,520	3,651	3,613	19	15	241	3,393	17	43	864	512	54	37
White	1,476	3,196	3,184	10	-	177	3,003	16	34	753	413	35	25
Nonwhite	44	455	429	9	15	64	390	1	9	111	99	19	12
Dodge	357	439	265	41	119	27	375	37	7	112	142	7	5
White	205	280	247	18	13	17	246	17	3	82	111	6	5
Nonwhite	152	159	18	23	105	10	129	20	4	30	31	1	-
Dooly	239	328	154	24	146	22	295	11	10	99	129	10	5
White	65	136	123	6	7	11	122	3	3	40	63	3	3
Nonwhite	174	192	31	18	139	11	173	8	7	59	66	7	2
Dougherty	2,338	2,272	1,839	251	168	238	2,015	19	43	436	434	73	54
White	1,500	1,423	1,418	5	-	116	1,301	6	16	196	189	36	34
Nonwhite	838	849	421	246	168	122	714	13	27	240	245	37	20
Albany	1,478	1,660	1,326	210	115	188	1,461	11	37	378	374	61	42
White	810	962	958	4	-	85	874	3	15	161	154	28	26
Nonwhite	668	698	368	206	115	103	587	8	22	217	220	33	16
Balance of county	860	612	513	41	53	50	554	8	6	58	60	12	12
White	690	461	460	1	-	31	427	3	1	35	35	8	8
Nonwhite	170	151	53	40	53	19	127	5	5	23	25	4	4
Douglas	265	320	305	1	13	34	276	10	3	90	103	12	7
White	214	264	264	-	-	25	232	7	3	76	85	11	7
Nonwhite	51	56	41	1	13	9	44	3	-	14	18	1	-
Early	363	414	191	6	202	32	369	13	7	123	134	16	11
White	125	143	134	2	5	7	130	6	3	58	63	6	4
Nonwhite	238	271	57	6	197	25	239	7	4	65	71	10	7
Echols	23	74	47	4	23	13	61	-	2	16	19	2	2
White	-	42	39	3	-	7	35	-	-	10	15	2	2
Nonwhite	23	32	8	1	23	6	26	-	2	6	4	-	-
Effingham	87	239	147	2	88	13	223	3	11	68	95	5	3
White	6	121	115	2	4	7	114	-	5	31	53	2	1
Nonwhite	81	118	32	-	84	6	109	3	6	37	42	3	2
Elbert	420	380	272	7	98	36	334	10	18	152	157	8	6
White	216	183	182	-	-	11	171	1	8	92	99	2	2
Nonwhite	204	197	90	7	98	25	163	9	10	60	58	6	4
Emanuel	501	456	349	6	100	31	418	7	13	175	194	20	8
White	311	268	262	3	3	11	254	3	6	89	104	6	4
Nonwhite	190	188	87	3	97	20	164	4	7	86	90	14	4
Evans	272	180	131	10	37	19	145	16	10	65	73	8	7
White	157	96	93	1	2	10	81	5	2	37	39	4	4
Nonwhite	115	84	38	9	35	9	64	11	8	28	34	4	3
Fannin	232	299	279	15	5	22	264	13	4	79	107	9	5
Fayette	83	181	100	11	68	15	161	5	4	48	71	9	5
White	12	96	85	4	7	7	88	1	1	36	57	4	2
Nonwhite	71	85	15	7	61	8	73	4	3	12	14	5	3
Floyd	1,896	1,574	1,490	8	66	151	1.414	9	26	623	509	49	33
White	1,626	1,317	1,303	7	6	116	1,195	6	21	475	417	43	29
Nonwhite	270	257	187	1	60	35	219	3	5	148	92	6	4
Rome	1,868	950	896	2	47	95	851	4	19	417	309	29	21
White	1,616	749	745	2	2	67	680	2	14	346	238	24	17
Nonwhite	252	201	151	-	45	28	171	2	5	71	71	5	4
Balance of county	28	624	594	6	19	56	563	5	7	206	200	20	12
Forsyth	229	215	211	1	-	13	201	1	1	75	72	6	4
Franklin	370	254	232	9	10	21	229	4	4	92	111	11	9
White	332	223	215	5	3	14	207	2	4	75	95	9	8
Nonwhite	38	31	17	4	7	7	22	2	-	17	16	2	1
Fulton	19,495	13,887	13,666	193	19	1,397	12,434	56	337	5,352	4,925	388	279
White	13,304	8,405	8,382	21	2	646	7,723	36	148	3,329	2,942	182	140
Nonwhite	6,191	5,482	5,284	172	17	751	4,711	20	189	2,023	1,983	206	139
Atlanta (part)	19,477	11,246	11.054	170	14	1,154	10,049	43	284	5,059	4,303	327	238
White	13,297	6,288	6.272	14	2	489	5,775	24	107	3,091	2,461	144	111
Nonwhite	6,180	4,958	4.782	156	12	665	4,274	19	177	1,968	1,842	183	127
Atlanta (total)	19,488	12,238	12,034	173	21	1,239	10,952	47	307	5,202	4,628	360	265
White	13,297	7,108	7,091	15	2	548	6,532	28	122	3,218	2,752	169	132
Nonwhite	6.191	5,130	4,943	158	19	691	4,420	19	185	1,984	1,876	191	133

See footnotes on p. 183.

Table 19. Live Births by Attendant and Birth Weight; Fetal Deaths; and Total, Infant, and Neonatal Deaths; by Color: United States, Each State and County, and Specified Urban Places, 1955—Continued

(See headnote on p. 83)

AREA AND COLOR	LIVE BIRTHS: By place of occurrence: Total births	LIVE BIRTHS: By place of residence: Total births	Attendant[1]: Physician in hospital[2]	Attendant[1]: Physician not in hospital	Attendant[1]: Midwife	Birth weight[3]: 2,500 grams or less	Birth weight[3]: 2,501 grams or more	Birth weight[3]: Not stated	FETAL DEATHS: By place of residence	DEATHS: By place of occurrence: Total deaths	DEATHS: By place of residence: Total deaths	DEATHS: By place of residence: Under 1 year	DEATHS: By place of residence: Under 28 days
GEORGIA—Continued													
Fulton—Continued													
College Park (part)	1	387	384	3	-	34	353	-	7	38	97	11	8
White	1	289	287	2	-	22	267	-	7	22	57	5	4
Nonwhite	-	98	97	1	-	12	86	-	-	16	40	6	4
College Park (total)	2	557	553	4	-	46	510	1	8	47	115	12	8
White	2	457	454	3	-	33	423	1	8	31	74	6	4
Nonwhite	-	100	99	1	-	13	87	-	-	16	41	6	4
East Point	4	796	789	7	-	75	715	6	18	78	199	21	14
White	1	664	664	-	-	54	604	6	15	60	160	16	13
Nonwhite	3	132	125	7	-	21	111	-	3	18	39	5	1
Balance of county	13	1,458	1,439	13	5	134	1,317	7	28	177	326	29	19
White	5	1,164	1,159	5	-	81	1,077	6	19	156	264	17	12
Nonwhite	8	294	280	8	5	53	240	1	9	21	62	12	7
Gilmer	136	196	180	1	12	10	184	2	2	56	68	9	4
Glascock	25	57	32	1	21	6	50	1	2	26	33	3	1
White	1	29	28	1	-	5	23	1	-	18	24	1	1
Nonwhite	24	28	4	-	21	1	27	-	2	8	9	2	-
Glynn	1,029	962	798	10	154	87	869	6	24	267	265	27	17
White	691	647	634	2	11	55	588	4	13	149	155	12	10
Nonwhite	338	315	164	8	143	32	281	2	11	118	110	15	7
Brunswick	988	611	489	6	116	65	540	6	16	223	199	21	12
White	684	370	364	-	6	39	327	4	9	122	114	8	7
Nonwhite	304	241	125	6	110	26	213	2	7	101	85	13	5
Balance of county	41	351	309	4	38	22	329	-	8	44	66	6	5
White	7	277	270	2	5	16	261	-	4	27	41	4	3
Nonwhite	34	74	39	2	33	6	68	-	4	17	25	2	2
Gordon	357	387	379	5	2	23	357	7	2	152	172	5	4
Grady	435	441	279	123	37	35	388	18	14	123	150	23	17
White	216	227	207	19	1	16	205	6	5	71	90	11	9
Nonwhite	219	214	72	104	36	19	183	12	9	52	60	12	8
Greene	421	351	194	8	144	30	315	6	13	138	139	8	1
White	160	116	115	1	-	5	110	1	4	67	72	1	-
Nonwhite	261	235	79	7	144	25	205	5	9	71	67	7	1
Gwinnett	887	880	859	13	8	60	806	14	14	224	275	19	13
Habersham	379	382	378	2	1	23	358	1	12	112	130	9	6
Hall	1,045	1,107	1,074	11	14	84	1,019	4	16	312	296	24	17
Gainesville	1,030	590	575	5	8	59	529	2	6	230	140	13	12
White	867	451	442	3	4	33	417	1	1	183	95	3	3
Nonwhite	163	139	133	2	4	26	112	1	5	47	45	10	9
Balance of county	15	517	499	6	6	25	490	2	10	82	156	11	5
Hancock	278	309	75	5	222	16	286	7	7	76	106	12	5
White	29	44	41	-	3	-	42	2	1	14	34	-	-
Nonwhite	249	265	34	5	219	16	244	5	6	62	72	12	5
Haralson	150	259	237	4	16	26	222	11	7	90	99	9	8
Harris	195	270	192	27	50	25	244	1	4	76	86	7	5
White	34	81	80	-	1	6	75	-	-	37	38	1	-
Nonwhite	161	189	112	27	49	19	169	1	4	39	48	6	5
Hart	85	309	224	20	60	23	269	17	7	70	112	14	11
White	8	219	211	2	6	14	203	2	4	43	80	8	7
Nonwhite	77	90	13	18	54	9	66	15	3	27	32	6	4
Heard	192	113	96	3	12	11	102	-	8	55	58	3	1
White	154	74	70	2	2	6	68	-	4	43	46	2	1
Nonwhite	38	39	26	1	10	5	34	-	4	12	12	1	-
Henry	194	403	213	16	169	40	353	10	11	75	131	9	5
White	5	171	167	-	4	9	156	6	4	36	83	4	2
Nonwhite	189	232	46	16	165	31	197	4	7	39	48	5	3
Houston	958	997	913	10	63	78	908	11	25	136	178	28	12
White	602	697	690	2	4	44	650	3	19	71	106	11	8
Nonwhite	356	300	223	8	59	34	258	8	6	65	72	17	4
Irwin	319	258	154	-	104	17	240	1	5	82	85	8	4
White	156	117	114	-	3	3	113	1	1	43	47	2	1
Nonwhite	163	141	40	-	101	14	127	-	4	39	38	6	3
Jackson	458	420	372	25	23	42	348	30	9	118	162	15	10
White	371	339	317	19	3	29	286	24	5	96	130	11	7
Nonwhite	87	81	55	6	20	13	62	6	4	22	32	4	3
Jasper	220	150	60	4	74	13	135	2	11	86	88	5	3
White	58	36	35	-	1	4	32	-	2	35	34	-	-
Nonwhite	162	114	25	4	73	9	103	2	9	51	54	5	3
Jeff Davis	209	243	131	47	59	8	226	9	4	61	78	6	5
White	142	174	127	42	2	5	163	6	2	44	55	5	4
Nonwhite	67	69	4	5	57	3	63	3	2	17	23	1	1
Jefferson	496	541	203	24	290	40	471	30	17	180	205	16	10
White	126	166	153	4	4	7	158	1	1	76	91	1	-
Nonwhite	370	375	50	20	286	33	313	29	16	104	114	15	10
Jenkins	328	261	127	8	126	28	223	10	5	108	106	10	6
White	143	89	83	2	4	5	82	2	-	51	45	3	2
Nonwhite	185	172	44	6	122	23	141	8	5	57	61	7	4
Johnson	98	231	131	2	98	20	205	6	7	45	82	12	8
White	4	123	118	-	5	6	117	-	4	18	48	2	1
Nonwhite	94	108	13	2	93	14	88	6	3	27	34	10	7
Jones	100	174	75	2	89	9	156	9	4	43	58	5	1
White	3	59	56	-	3	5	52	2	1	18	28	-	-
Nonwhite	97	115	19	2	86	4	104	7	3	25	30	5	1
Lamar	326	246	191	12	21	17	226	3	3	71	102	10	5
White	100	112	103	8	-	6	105	1	-	43	63	5	3
Nonwhite	226	134	88	4	21	11	121	2	3	28	39	5	2

See footnotes on p. 183.

430007 O - 57 - 14

Table 19. Live Births by Attendant and Birth Weight; Fetal Deaths; and Total, Infant, and Neonatal Deaths; by Color: United States, Each State and County, and Specified Urban Places, 1955—Continued

(See headnote on p. 83)

AREA AND COLOR	LIVE BIRTHS								FETAL DEATHS	DEATHS			
	By place of occurrence	By place of residence							By place of residence	By place of occurrence	By place of residence		
			Attendant[1]			Birth weight[3]							
	Total births	Total births	Physician in hospital[2]	Physician not in hospital	Midwife	2,500 grams or less	2,501 grams or more	Not stated		Total deaths	Total deaths	Under 1 year	Under 28 days
GEORGIA—Continued													
Lanier	105	172	144	17	11	15	147	10	6	26	35	5	2
White	44	100	99	1	-	9	90	1	4	17	23	3	2
Nonwhite	61	72	45	16	11	6	57	9	2	9	12	2	-
Laurens	934	822	538	26	213	51	748	23	25	462	296	39	23
White	471	381	372	7	2	19	357	5	8	287	172	8	6
Nonwhite	463	441	166	19	211	32	391	18	17	175	124	31	17
Dublin	697	313	267	2	34	26	287	-	10	212	137	17	10
White	463	177	177	-	-	11	166	-	6	142	85	2	2
Nonwhite	234	136	90	2	34	15	121	-	4	70	52	15	8
Balance of county	237	509	271	24	179	25	461	23	15	250	159	22	13
White	8	204	195	7	2	8	191	5	2	145	87	6	4
Nonwhite	229	305	76	17	177	17	270	18	13	105	72	16	9
Lee	125	196	75	2	119	15	180	1	14	45	65	4	3
White	3	55	52	-	3	3	52	-	2	6	20	3	3
Nonwhite	122	141	23	2	116	12	128	1	12	39	45	1	-
Liberty	454	439	314	9	108	40	389	10	10	77	88	11	9
White	264	248	245	3	-	19	224	5	6	27	29	7	6
Nonwhite	190	191	69	6	108	21	165	5	4	50	59	4	3
Lincoln	142	149	116	18	10	13	134	2	4	48	61	8	3
White	29	53	48	5	-	4	49	-	-	22	27	-	-
Nonwhite	113	96	68	13	10	9	85	2	4	26	34	8	3
Long	89	135	118	4	12	8	127	-	-	27	41	4	1
White	62	98	96	-	2	7	91	-	-	16	25	4	1
Nonwhite	27	37	22	4	10	1	36	-	-	11	16	-	-
Lowndes	1,979	1,479	1,095	19	328	118	1,345	16	27	347	331	40	27
White	1,387	915	896	9	9	45	866	4	15	199	183	23	17
Nonwhite	592	564	199	10	319	73	479	12	12	148	148	17	10
Valdosta	1,013	1,016	747	9	242	83	922	11	17	230	221	33	20
White	600	622	615	4	3	32	587	3	9	125	117	20	14
Nonwhite	413	394	132	5	239	51	335	8	8	105	104	13	6
Balance of county	966	463	348	10	86	35	423	5	10	117	110	7	7
White	787	293	281	5	6	13	279	1	6	74	66	3	3
Nonwhite	179	170	67	5	80	22	144	4	4	43	44	4	4
Lumpkin	173	148	132	1	14	9	137	2	2	37	47	6	1
McDuffie	393	354	254	3	33	31	314	9	9	91	86	10	9
White	180	174	170	2	1	8	163	3	2	47	44	2	2
Nonwhite	213	180	84	1	32	23	151	6	7	44	42	8	7
McIntosh	103	191	88	2	73	11	179	1	7	43	68	5	3
White	14	78	64	-	10	3	75	-	-	13	30	2	1
Nonwhite	89	113	24	2	63	8	104	1	7	30	38	3	2
Macon	427	406	193	9	200	26	333	47	11	123	135	15	8
White	120	101	99	2	-	3	97	1	2	44	44	1	1
Nonwhite	307	305	94	7	200	23	236	46	9	79	91	14	7
Madison	59	252	193	1	54	33	217	2	8	59	119	12	9
White	7	166	159	1	6	18	146	2	4	44	96	7	7
Nonwhite	52	86	34	-	48	15	71	-	4	15	23	5	2
Marion	128	177	49	9	116	14	153	10	11	47	72	8	4
White	2	35	33	1	1	1	34	-	1	18	32	1	1
Nonwhite	126	142	16	8	115	13	119	10	10	29	40	7	3
Meriwether	436	535	244	76	193	38	468	29	11	130	167	8	4
White	91	196	183	12	1	10	183	3	5	58	81	3	3
Nonwhite	347	339	61	64	192	28	285	26	6	72	86	5	1
Miller	168	181	128	10	41	17	160	4	3	55	67	1	1
White	80	100	93	5	2	5	94	1	1	35	45	1	1
Nonwhite	88	81	35	5	39	12	66	3	2	20	22	-	-
Mitchell	712	653	358	9	286	66	580	7	27	185	199	22	11
White	234	228	221	4	3	15	212	1	4	81	95	3	2
Nonwhite	478	425	137	5	283	51	368	6	23	104	104	19	9
Monroe	167	228	128	5	85	27	192	9	4	103	116	9	5
White	68	86	85	1	-	9	75	2	1	47	50	1	1
Nonwhite	98	142	43	4	85	18	117	7	3	56	66	8	4
Montgomery	111	173	84	18	68	11	155	7	4	40	54	7	2
White	25	86	79	6	1	2	81	3	2	15	27	3	1
Nonwhite	86	87	5	12	67	9	74	4	2	25	27	4	1
Morgan	190	273	98	29	143	18	249	6	4	69	98	7	4
White	29	100	84	8	8	5	94	1	1	26	45	1	-
Nonwhite	161	173	14	21	135	13	155	5	3	43	53	6	4
Murray	174	215	199	4	11	20	186	9	3	77	87	5	3
Muscogee	3,039	5,358	5,225	53	77	446	4,871	41	102	869	907	125	98
White	1,971	4,124	4,114	9	1	295	3,802	27	55	521	583	85	71
Nonwhite	1,068	1,234	1,111	44	76	151	1,069	14	47	348	324	40	27
Columbus	2,427	3,834	3,756	45	31	336	3,470	28	76	659	727	104	84
White	1,410	2,790	2,786	3	1	200	2,572	18	40	364	449	69	59
Nonwhite	1,017	1,044	970	42	30	136	898	10	36	295	278	35	25
Balance of county	612	1,524	1,469	8	46	110	1,401	13	26	210	180	21	14
White	561	1,334	1,328	6	-	95	1,230	9	15	157	134	16	12
Nonwhite	51	190	141	2	46	15	171	4	11	53	46	5	2
Newton	466	467	333	19	96	36	420	11	20	141	174	15	8
White	246	248	243	2	3	13	232	3	8	74	105	5	1
Nonwhite	220	219	90	17	93	23	188	8	12	67	69	10	7
Oconee	35	111	76	3	31	9	101	1	3	23	41	3	1
White	10	64	54	3	6	4	59	1	1	17	31	2	1
Nonwhite	25	47	22	-	25	5	42	-	2	6	10	1	-
Oglethorpe	79	170	91	4	64	18	147	5	3	47	86	9	5
White	3	72	69	-	2	11	61	-	1	22	48	1	1
Nonwhite	76	98	22	4	62	7	86	5	2	25	38	8	4

See footnotes on p. 183.

Table 19. Live Births by Attendant and Birth Weight; Fetal Deaths; and Total, Infant, and Neonatal Deaths; by Color: United States, Each State and County, and Specified Urban Places, 1955—Continued

(See headnote on p. 83)

AREA AND COLOR	LIVE BIRTHS								FETAL DEATHS	DEATHS			
	By place of occurrence	By place of residence							By place of residence	By place of occurrence	By place of residence		
			Attendant[1]			Birth weight[3]							
	Total births	Total births	Physician in hospital[2]	Physician not in hospital	Midwife	2,500 grams or less	2,501 grams or more	Not stated		Total deaths	Total deaths	Under 1 year	Under 28 days
GEORGIA—Continued													
Paulding	143	259	246	6	7	10	246	3	5	62	92	5	3
White	116	219	214	5	-	8	208	3	4	56	85	3	2
Nonwhite	27	40	32	1	7	2	38	-	1	6	7	2	1
Peach	330	346	252	3	87	29	308	9	7	89	101	13	6
White	140	119	118	1	-	12	106	1	1	14	20	2	2
Nonwhite	190	227	134	2	87	17	202	8	6	75	81	11	4
Pickens	268	214	213	1	-	13	198	3	5	69	68	3	3
Pierce	223	282	213	12	57	26	251	5	7	80	105	8	4
White	136	194	178	9	7	11	179	4	1	54	74	3	2
Nonwhite	87	88	35	3	50	15	72	1	6	26	31	5	2
Pike	121	191	74	22	85	20	164	7	6	59	78	9	4
White	20	71	60	6	1	7	59	5	1	22	34	1	1
Nonwhite	101	120	14	16	84	13	105	2	5	37	44	8	3
Polk	636	712	632	23	46	57	648	7	15	176	215	19	10
White	511	582	547	16	16	45	531	6	13	146	181	15	9
Nonwhite	125	130	85	7	30	12	117	1	2	30	34	4	1
Pulaski	433	244	124	1	119	24	219	1	4	111	65	10	6
White	275	90	83	1	6	5	85	-	1	63	24	-	-
Nonwhite	158	154	41	-	113	19	134	1	3	48	41	10	6
Putnam	195	214	103	2	107	14	199	1	11	62	78	7	3
White	52	73	71	1	1	5	68	-	1	24	30	1	1
Nonwhite	143	141	32	1	106	9	131	1	10	38	48	6	2
Quitman	49	70	21	-	33	9	56	5	1	31	34	6	5
White	2	19	17	-	2	2	17	-	-	9	11	1	-
Nonwhite	47	51	4	-	31	7	39	5	1	22	23	5	5
Rabun	173	147	135	2	10	8	137	2	3	51	54	3	3
Randolph	341	318	102	7	159	20	290	8	9	134	133	12	8
White	106	84	79	1	3	4	79	1	1	59	58	3	1
Nonwhite	235	234	23	6	156	16	211	7	8	75	75	9	7
Richmond	5,489	4,138	4,054	46	26	317	3,757	64	92	1,427	1,015	89	62
White	3,946	2,725	2,717	7	-	163	2,545	17	45	891	585	55	45
Nonwhite	1,543	1,413	1,337	39	26	154	1,212	47	47	536	430	34	17
Augusta	4,112	2,790	2,732	38	13	223	2,519	48	68	1,066	768	55	44
White	2,728	1,580	1,574	6	-	87	1,484	9	31	635	421	32	29
Nonwhite	1,384	1,210	1,158	32	13	136	1,035	39	37	431	347	23	15
Balance of county	1,377	1,348	1,322	8	13	94	1,238	16	24	361	247	34	18
White	1,218	1,145	1,143	1	-	76	1,061	8	14	256	164	23	16
Nonwhite	159	203	179	7	13	18	177	8	10	105	83	11	2
Rockdale	213	239	193	3	41	19	186	34	5	65	74	10	5
White	132	141	138	2	1	5	131	5	4	43	49	1	1
Nonwhite	81	98	55	1	40	14	55	29	1	22	25	9	4
Schley	43	72	28	5	37	7	64	1	2	19	33	2	2
White	2	23	20	2	1	3	20	-	-	9	17	1	1
Nonwhite	41	49	8	3	36	4	44	1	2	10	16	1	1
Screven	462	539	231	7	298	29	508	2	15	138	176	18	11
White	133	184	171	3	9	10	173	1	1	49	72	4	3
Nonwhite	329	355	60	4	289	19	335	1	14	89	104	14	8
Seminole	425	228	181	-	31	9	216	3	2	89	61	6	4
White	201	96	96	-	-	4	90	2	1	54	37	3	3
Nonwhite	224	132	85	-	31	5	126	1	1	35	24	3	1
Spalding	1,033	772	597	21	148	78	670	24	20	304	290	30	22
White	708	489	480	5	4	35	449	5	9	189	183	14	10
Nonwhite	325	283	117	16	144	43	221	19	11	115	107	16	12
Griffin	969	430	318	9	100	49	368	13	13	243	187	19	14
White	702	227	223	1	3	18	208	1	6	150	113	9	6
Nonwhite	267	203	95	8	97	31	160	12	7	93	74	10	8
Balance of county	64	342	279	12	48	29	302	11	7	61	103	11	8
White	6	262	257	4	1	17	241	4	3	39	70	5	4
Nonwhite	58	80	22	8	47	12	61	7	4	22	33	6	4
Stephens	488	418	384	6	28	35	378	5	3	132	123	12	8
White	409	343	337	1	5	25	316	2	3	113	102	7	5
Nonwhite	79	75	47	5	23	10	62	3	-	19	21	5	3
Stewart	250	239	120	20	99	20	210	9	7	90	95	12	10
White	47	56	56	-	-	4	52	-	-	26	28	1	1
Nonwhite	203	183	64	20	99	16	158	9	7	64	67	11	9
Sumter	777	667	354	10	297	51	614	2	12	268	242	38	27
White	296	218	215	1	2	13	205	-	2	149	130	15	11
Nonwhite	481	449	139	9	295	38	409	2	10	119	112	23	16
Americus	569	334	227	5	102	26	307	1	4	191	140	19	12
White	294	138	137	-	1	7	131	-	1	115	86	11	8
Nonwhite	275	196	90	5	101	19	176	1	3	76	54	8	4
Balance of county	208	333	127	5	195	25	307	1	8	77	102	19	15
White	2	80	78	1	1	6	74	-	1	34	44	4	3
Nonwhite	206	253	49	4	194	19	233	1	7	43	58	15	12
Talbot	172	227	90	9	114	20	201	6	6	82	95	9	7
White	8	34	32	2	-	2	32	-	-	22	28	-	-
Nonwhite	164	193	58	7	114	18	169	6	6	60	67	9	7
Taliaferro	59	96	37	2	57	13	80	3	5	49	48	4	2
White	-	15	15	-	-	1	13	1	1	26	18	-	-
Nonwhite	59	81	22	2	57	12	67	2	4	23	30	4	2
Tattnall	260	343	253	27	63	32	298	13	11	116	118	8	5
White	154	217	209	7	1	13	194	10	5	70	83	3	3
Nonwhite	106	126	44	20	62	19	104	3	6	46	35	5	2
Taylor	319	244	104	4	134	14	223	7	1	81	83	9	5
White	143	99	94	2	3	4	93	2	-	41	45	2	2
Nonwhite	176	145	10	2	131	10	130	5	1	40	38	7	3

See footnotes on p. 183.

Table 19. Live Births by Attendant and Birth Weight; Fetal Deaths; and Total, Infant, and Neonatal Deaths; by Color: United States, Each State and County, and Specified Urban Places, 1955—Continued

(See headnote on p. 83)

AREA AND COLOR	LIVE BIRTHS								FETAL DEATHS	DEATHS			
	By place of occurrence	By place of residence							By place of residence	By place of occurrence	By place of residence		
			Attendant[1]			Birth weight[3]							
	Total births	Total births	Physician in hospital[2]	Physician not in hospital	Midwife	2,500 grams or less	2,501 grams or more	Not stated		Total deaths	Total deaths	Under 1 year	Under 28 days
GEORGIA—Continued													
Telfair	440	346	197	29	108	30	297	19	5	100	103	13	7
White	272	195	167	20	8	16	168	11	3	64	66	10	7
Nonwhite	168	151	30	9	100	14	129	8	2	36	37	3	-
Terrell	417	421	170	25	226	25	387	9	11	134	143	27	19
White	77	85	83	-	2	6	77	2	-	40	42	3	3
Nonwhite	340	336	87	25	224	19	310	7	11	94	101	24	16
Thomas	979	905	537	43	281	50	847	8	18	344	311	23	15
White	498	446	406	23	11	28	414	4	10	206	183	13	9
Nonwhite	481	459	131	20	270	22	433	4	8	138	128	10	6
Thomasville	649	473	312	14	136	27	441	5	11	241	182	13	10
White	381	255	237	12	4	16	235	4	6	140	99	9	7
Nonwhite	268	218	75	2	132	11	206	1	5	101	83	4	3
Balance of county	330	432	225	29	145	23	406	3	7	103	129	10	5
White	117	191	169	11	7	12	179	-	4	66	84	4	2
Nonwhite	213	241	56	18	138	11	227	3	3	37	45	6	3
Tift	752	684	484	7	189	34	628	22	12	199	194	21	13
White	486	420	409	4	6	12	395	13	6	133	120	9	7
Nonwhite	266	264	75	3	183	22	233	9	6	66	74	12	6
Toombs	539	429	264	60	102	27	397	5	18	142	151	10	6
White	373	270	237	27	4	16	252	2	5	99	96	3	3
Nonwhite	166	159	27	33	98	11	145	3	13	43	55	7	3
Towns	201	89	86	3	-	4	77	8	-	34	37	2	2
Treutlen	138	156	99	9	28	11	139	6	6	44	48	3	1
White	75	96	82	8	4	6	89	1	3	24	29	2	1
Nonwhite	63	60	17	1	24	5	50	5	3	20	19	1	-
Troup	1,239	1,296	1,042	14	230	125	1,152	19	37	427	435	39	25
White	703	737	729	4	4	65	665	7	15	253	252	21	14
Nonwhite	536	559	313	10	226	60	487	12	22	174	183	18	11
La Grange	862	642	541	4	92	68	564	10	21	303	231	20	13
White	561	378	373	2	3	38	335	5	7	185	121	11	7
Nonwhite	301	264	168	2	89	30	229	5	14	118	110	9	6
Balance of county	377	654	501	10	138	57	588	9	16	124	204	19	12
White	142	359	356	2	1	27	330	2	8	68	131	10	7
Nonwhite	235	295	145	8	137	30	258	7	8	56	73	9	5
Turner	232	237	176	4	57	19	211	7	16	72	78	13	9
White	108	120	120	-	-	5	112	3	5	36	43	4	3
Nonwhite	124	117	56	4	57	14	99	4	11	36	35	9	6
Twiggs	100	219	120	1	97	19	198	2	8	53	87	20	14
White	3	57	54	-	3	7	50	-	-	16	38	4	4
Nonwhite	97	162	66	1	94	12	148	2	8	37	49	16	10
Union	11	142	131	9	1	6	116	20	1	34	44	4	4
Upson	580	582	433	21	119	47	512	23	15	184	206	12	6
White	348	330	323	5	2	24	298	8	5	123	141	5	3
Nonwhite	232	252	110	16	117	23	214	15	10	61	65	7	3
Walker	470	1,026	1,012	12	1	68	933	25	14	145	291	19	16
Walton	480	519	454	4	50	49	464	6	9	149	177	18	12
White	248	289	287	1	1	21	265	3	5	95	117	6	3
Nonwhite	232	230	167	3	49	28	199	3	4	54	60	12	9
Ware	909	862	688	104	64	52	798	12	24	289	248	21	12
White	695	643	599	39	5	36	599	8	17	211	171	14	8
Nonwhite	214	219	89	65	59	16	199	4	7	78	77	7	4
Waycross	859	594	463	78	49	32	555	7	16	253	191	17	11
White	669	406	387	16	3	18	383	5	11	183	119	11	7
Nonwhite	190	188	76	62	46	14	172	2	5	70	72	6	4
Balance of county	50	268	225	26	15	20	243	5	8	36	57	4	1
White	26	237	212	23	2	18	216	3	6	28	52	3	1
Nonwhite	24	31	13	3	13	2	27	2	2	8	5	1	-
Warren	127	214	82	5	122	22	189	3	9	54	83	9	5
White	1	49	48	1	-	2	46	1	-	14	27	2	2
Nonwhite	126	165	34	4	122	20	143	2	9	40	56	7	3
Washington	535	511	175	11	319	36	457	18	17	210	224	20	13
White	145	133	125	4	4	6	127	-	4	87	90	-	-
Nonwhite	390	378	50	7	315	30	330	18	13	123	134	20	13
Wayne	550	487	432	11	43	29	450	8	4	117	114	12	9
White	404	349	338	5	6	15	330	4	3	82	81	9	6
Nonwhite	146	138	94	6	37	14	120	4	1	35	33	3	3
Webster	46	78	34	2	37	3	72	3	3	18	27	2	1
White	1	13	13	-	-	1	12	-	2	7	14	-	-
Nonwhite	45	65	21	2	37	2	60	3	1	11	13	2	1
Wheeler	70	142	91	8	39	13	124	5	3	50	58	4	2
White	23	80	72	4	3	4	73	3	1	36	40	2	1
Nonwhite	47	62	19	4	36	9	51	2	2	14	18	2	1
White	82	148	139	2	1	7	138	3	3	34	110	10	5
Whitfield	1,085	1,033	995	10	25	69	916	28	15	250	270	23	23
Dalton	1,041	563	546	10	6	52	504	7	11	182	146	12	12
Balance of county	44	470	449	-	19	37	412	21	4	68	124	11	11
Wilcox	121	196	75	47	63	15	173	8	3	51	75	2	-
White	27	100	72	26	2	5	92	3	2	31	51	-	-
Nonwhite	94	96	3	21	61	10	81	5	1	20	24	2	-
Wilkes	356	272	174	28	64	40	223	9	11	159	143	11	11
White	164	94	93	-	1	15	77	2	4	74	63	3	3
Nonwhite	192	178	81	28	63	25	146	7	7	85	80	8	8
Wilkinson	112	258	155	3	95	16	239	3	3	47	79	9	5
White	14	105	100	1	3	3	101	1	1	16	39	2	1
Nonwhite	98	153	55	2	92	13	138	2	2	31	40	7	4

See footnotes on p. 183.

Table 19. Live Births by Attendant and Birth Weight; Fetal Deaths; and Total, Infant, and Neonatal Deaths; by Color: United States, Each State and County, and Specified Urban Places, 1955—Continued

(See headnote on p. 83)

AREA AND COLOR	LIVE BIRTHS								FETAL DEATHS	DEATHS			
	By place of occurrence	By place of residence							By place of residence	By place of occurrence	By place of residence		
			Attendant[1]			Birth weight[3]							
	Total births	Total births	Physician in hospital[2]	Physician not in hospital	Midwife	2,500 grams or less	2,501 grams or more	Not stated		Total deaths	Total deaths	Under 1 year	Under 28 days
GEORGIA—Continued													
Worth	528	582	346	10	226	44	531	7	14	137	147	19	10
White	169	211	208	1	2	16	193	2	3	72	72	7	4
Nonwhite	359	371	138	9	224	28	338	5	11	65	75	12	6
IDAHO	16,730	16,986	16,815	122	10	1,122	15,689	175	209	4,814	4,935	354	270
White	16,441	16,676	16,510	119	9	1,102	15,402	172	202	4,740	4,852	346	265
Nonwhite	289	310	305	3	1	20	287	3	7	74	83	8	5
Ada	2,117	2,111	2,097	7	-	127	1,970	14	25	703	641	42	35
Boise City	2,115	1,712	1,700	6	-	104	1,600	8	22	503	502	30	23
Balance of county	2	399	397	1	-	23	370	6	3	200	139	12	12
Adams	99	64	63	1	-	4	60	-	2	28	27	1	1
Bannock	1,581	1,410	1,401	6	-	89	1,305	16	11	285	289	17	15
Pocatello (part)	1,497	1,149	1,143	4	-	72	1,064	13	9	241	229	16	14
Pocatello (total)	1,497	1,149	1,143	4	-	72	1,064	13	9	241	229	16	14
Balance of county	84	261	258	2	-	17	241	3	2	44	60	1	1
Bear Lake	184	177	176	1	-	9	167	1	5	44	47	3	3
Benewah	85	150	146	2	-	15	133	2	5	64	72	5	4
Bingham	564	789	785	2	-	55	730	4	7	223	155	14	13
Blaine	124	131	127	-	1	9	119	3	1	32	35	1	-
Boise	-	39	39	-	-	3	36	-	-	6	16	1	-
Bonner	306	352	351	1	-	28	323	1	6	118	146	9	4
Bonneville	1,442	1,240	1,235	4	1	78	1,157	5	14	257	218	24	14
Idaho Falls	1,442	915	913	2	-	55	858	2	10	221	168	19	10
Balance of county	-	325	322	2	1	23	299	3	4	36	50	5	4
Boundary	164	166	164	2	-	12	153	1	2	40	47	3	3
Butte	17	82	66	16	-	7	75	-	3	15	19	2	2
Camas	1	38	36	2	-	2	35	1	-	1	6	-	-
Canyon	1,576	1,381	1,368	5	1	73	1,256	52	17	449	436	23	16
Caldwell	721	318	316	-	1	30	273	15	1	180	135	10	7
Nampa	849	404	400	3	-	18	372	14	5	200	153	4	2
Balance of county	6	659	652	2	-	25	611	23	11	69	148	9	7
Caribou	169	178	177	1	-	20	158	-	5	35	29	3	3
Cassia	505	449	446	3	-	24	424	1	3	102	109	9	6
Clark	-	24	22	2	-	-	24	-	-	7	10	1	1
Clearwater	87	219	218	1	-	18	200	1	1	119	73	8	6
Custer	27	73	72	1	-	8	65	-	-	16	24	1	-
Elmore	513	511	501	10	-	41	463	7	4	54	81	12	11
Franklin	247	263	263	-	-	12	238	13	4	49	64	3	3
Fremont	197	242	242	-	-	15	215	12	3	64	63	8	6
Gem	196	197	195	-	-	10	187	-	3	76	79	1	1
Gooding	233	220	217	1	1	12	206	2	1	85	91	6	4
Idaho	381	345	341	4	-	22	321	2	5	119	119	11	10
Jefferson	287	351	351	-	-	27	323	1	6	44	76	9	7
Jerome	496	324	323	1	-	27	297	-	2	95	90	7	5
Kootenai	576	651	644	2	4	47	603	1	10	226	257	11	7
Coeur d'Alene	512	337	337	-	-	28	309	-	4	166	140	6	3
Balance of county	64	314	307	2	4	19	294	1	6	60	117	5	4
Latah	607	484	482	2	-	36	448	-	5	158	172	14	14
Moscow	587	274	274	-	-	17	257	-	3	111	69	8	8
Balance of county	20	210	208	2	-	19	191	-	2	47	103	6	6
Lemhi	180	179	179	-	-	18	155	6	2	55	58	3	2
Lewis	1	88	87	1	-	9	79	-	1	13	36	4	2
Lincoln	-	116	116	-	-	9	106	1	2	13	36	1	1
Madison	363	303	302	1	-	24	276	3	4	55	57	3	3
Minidoka	304	370	366	4	-	20	343	7	9	79	91	5	4
Nez Perce	866	692	689	3	-	49	640	3	7	267	260	21	16
Lewiston	864	559	559	-	-	42	515	2	5	246	205	19	15
Balance of county	2	133	130	3	-	7	125	1	2	21	55	2	1
Oneida	70	80	80	-	-	3	76	1	-	34	42	3	2
Owyhee	4	166	162	-	-	9	150	7	1	19	42	-	-
Payette	41	255	252	2	-	12	242	1	5	78	117	5	4
Power	129	114	114	-	-	8	106	-	-	44	34	7	4
Pocatello (part)	-	-	-	-	-	-	-	-	-	-	-	-	-
Balance of county	129	114	114	-	-	8	106	-	-	44	34	7	4
Shoshone	582	589	583	4	-	41	548	-	5	208	220	23	16
Teton	94	90	90	-	-	2	88	-	5	16	13	-	-
Twin Falls	1,071	1,039	1,032	2	1	67	969	3	14	317	315	22	18
Twin Falls	1,069	517	514	1	1	34	483	-	4	232	148	8	6
Balance of county	2	522	518	1	-	33	486	3	10	85	167	14	12
Valley	64	75	50	25	-	8	66	1	1	22	27	1	1
Washington	180	169	165	3	1	13	154	2	3	80	96	7	3
Yellowstone National Park (part)	-	-	-	-	-	-	-	-	-	-	-	-	-
ILLINOIS	217,041	220,621	214,616	5,720	64	15,971	204,527	123	3,370	94,227	95,528	5,466	3,955
White	187,364	189,756	187,187	2,479	15	12,109	177,544	103	2,742	85,478	86,659	4,165	3,112
Nonwhite	29,677	30,865	27,429	3,241	49	3,862	26,983	20	628	8,749	8,869	1,301	843
Adams	1,637	1,381	1,372	8	-	92	1,287	2	25	934	886	43	35
Quincy	1,633	959	956	3	-	71	886	2	16	741	598	33	27
Balance of county	4	422	416	5	-	21	401	-	9	193	288	10	8

See footnotes on p. 183.

Table 19. Live Births by Attendant and Birth Weight; Fetal Deaths; and Total, Infant, and Neonatal Deaths; by Color: United States, Each State and County, and Specified Urban Places, 1955—Continued

(See headnote on p. 83)

AREA AND COLOR	LIVE BIRTHS								FETAL DEATHS	DEATHS			
	By place of occurrence	By place of residence							By place of residence	By place of occurrence	By place of residence		
			Attendant[1]			Birth weight[3]							
	Total births	Total births	Physician in hospital[2]	Physician not in hospital	Midwife	2,500 grams or less	2,501 grams or more	Not stated		Total deaths	Total deaths	Under 1 year	Under 28 days
ILLINOIS—Continued													
Alexander	640	367	239	105	5	36	331	-	4	325	258	16	8
White	488	228	215	12	1	20	208	-	3	215	170	5	4
Nonwhite	152	139	24	93	4	16	123	-	1	110	88	11	4
Cairo	603	227	137	80	4	23	204	-	3	285	172	9	5
White	486	132	122	10	-	12	120	-	2	187	104	4	3
Nonwhite	117	95	15	70	4	11	84	-	1	98	68	5	2
Balance of county	37	140	102	25	1	13	127	-	1	40	86	7	3
White	2	96	93	2	1	8	88	-	1	28	66	1	1
Nonwhite	35	44	9	23	-	5	39	-	-	12	20	6	2
Bond	13	311	298	12	-	17	294	-	3	87	178	12	10
Boone	525	416	416	-	-	24	392	-	3	203	184	7	7
Brown	3	112	109	3	-	4	108	-	-	52	98	2	1
Bureau	975	800	792	8	-	39	760	1	9	442	438	17	14
Calhoun	13	126	113	13	-	7	119	-	1	48	82	2	2
Carroll	330	400	392	8	-	24	376	-	5	165	249	7	5
Cass	311	295	292	2	-	19	276	-	5	127	171	6	6
Champaign	3,694	2,623	2,611	11	-	169	2,453	1	34	903	819	73	46
Champaign	1,085	1,045	1,041	3	-	80	964	1	13	387	345	24	16
Urbana	1,420	668	665	3	-	37	631	-	6	278	168	15	10
Balance of county	1,189	910	905	5	-	52	858	-	15	238	306	34	20
Christian	807	803	798	5	-	51	752	-	15	359	432	25	18
Clark	21	359	337	22	-	13	344	2	5	130	206	6	2
Clay	320	366	340	26	-	25	341	-	2	150	193	7	5
Clinton	408	625	622	3	-	29	596	-	5	161	223	16	14
Centralia (part)	-	10	10	-	-	-	10	-	-	3	3	-	-
Balance of county	408	615	612	3	-	29	586	-	5	158	220	16	14
Coles	1,119	952	949	3	-	56	895	1	10	449	448	21	16
Mattoon	789	470	468	2	-	31	439	-	4	233	205	10	8
Balance of county	330	482	481	1	-	25	456	1	6	216	243	11	8
Cook	113,751	115,678	111,204	4,334	26	9,239	106,396	43	1,818	48,262	50,283	2,982	2,115
White	88,046	89,687	88,186	1,456	9	5,959	83,690	38	1,321	41,312	43,045	1,900	1,404
Nonwhite	25,705	25,991	23,018	2,878	17	3,280	22,706	5	497	6,950	7,238	1,082	711
Chicago	90,004	86,831	92,650	4,066	14	7,366	79,451	14	1,415	37,990	41,192	2,374	1,665
White	65,057	62,121	60,834	1,250	9	4,238	57,871	12	937	31,651	34,305	1,344	989
Nonwhite	24,947	24,710	21,816	2,816	5	3,128	21,580	2	478	6,339	6,887	1,030	676
Berwyn	2,414	966	961	5	-	51	915	-	13	703	581	17	11
Cicero	5	1,325	1,313	11	-	82	1,243	-	19	347	710	30	23
Evanston	4,908	1,591	1,582	8	-	110	1,480	1	14	1,199	833	25	20
Oak Park	4,790	1,156	1,151	5	-	75	1,081	-	12	1,068	768	23	17
Elgin (part)	-	64	64	-	-	4	60	-	-	19	19	-	-
Maywood	3	616	611	5	-	59	556	1	7	152	289	20	14
Blue Island	1,306	569	563	6	-	37	532	-	10	369	224	11	8
Brookfield	-	392	391	1	-	25	367	-	9	80	138	8	5
Calumet City	3	548	542	5	-	34	510	4	6	56	134	13	11
Chicago Heights	1,931	821	797	24	-	59	761	1	24	340	265	24	20
White	1,661	583	581	2	-	34	549	-	15	300	219	15	14
Nonwhite	270	238	216	22	-	25	212	1	9	40	46	9	6
Des Plaines	2	752	747	5	-	36	716	-	8	76	172	17	14
Elmwood Park	2	448	444	4	-	38	410	-	6	61	160	12	10
Evergreen Park	4,901	423	419	4	-	21	401	1	11	641	98	9	4
Forest Park	2	325	323	2	-	19	306	-	4	91	156	8	5
Harvey	2,007	726	722	4	-	46	679	1	11	238	194	12	10
La Grange	238	473	471	2	-	34	437	2	9	84	151	12	11
Melrose Park	827	702	699	3	-	47	654	1	18	172	159	15	12
Park Ridge	6	521	513	7	-	30	490	1	9	88	169	13	12
River Forest	-	142	141	1	-	9	133	-	-	46	101	4	3
Skokie	2	889	885	3	-	52	837	-	13	87	206	12	9
Wilmette	3	365	361	4	-	29	335	1	4	131	205	8	6
Winnetka	-	177	177	-	-	10	166	1	1	37	106	3	3
Balance of county	397	14,856	14,677	159	12	966	13,876	14	195	4,187	3,233	312	222
White	357	14,350	14,214	132	-	907	13,429	14	190	3,760	3,099	291	211
Nonwhite	40	506	463	27	12	59	447	-	5	427	134	21	11
Crawford	316	408	404	3	1	22	385	1	4	209	265	13	8
Cumberland	5	185	182	3	-	7	178	-	4	64	112	5	-
De Kalb	1,197	1,060	1,054	6	-	47	1,012	1	12	404	414	21	13
De Kalb	816	358	355	3	-	16	342	-	2	140	110	6	3
Balance of county	581	702	699	3	-	31	670	1	10	264	304	15	10
De Witt	274	387	384	3	-	33	353	1	8	137	190	11	9
Douglas	432	441	431	10	-	24	417	-	7	188	208	10	9
Du Page	3,818	5,412	5,378	33	-	316	5,094	2	68	1,471	1,647	116	83
Downers Grove	2	446	443	3	-	28	418	-	8	54	149	13	10
Elmhurst	2,699	793	788	5	-	48	744	1	10	406	250	17	14
Wheaton	3	420	417	2	-	26	393	1	5	53	124	12	10
Balance of county	1,114	3,753	3,730	23	-	214	3,539	-	45	958	1,124	74	49
Edgar	401	496	488	8	-	35	460	1	5	276	281	13	8
Edwards	19	191	172	19	-	8	183	-	2	67	109	3	3
Effingham	761	543	522	21	-	38	504	1	9	238	230	10	8
Fayette	492	461	449	12	-	23	437	1	4	250	241	10	7
Ford	404	343	341	2	-	11	332	-	6	181	184	6	3
Franklin	550	662	629	33	-	39	622	1	13	453	531	9	4
West Frankfort	5	149	144	5	-	11	138	-	5	128	136	-	-
Balance of county	545	513	485	28	-	28	484	1	8	325	395	9	4
Fulton	827	855	850	4	-	45	810	-	6	396	467	14	12
Canton	823	238	237	1	-	11	227	-	3	268	127	4	3
Balance of county	4	617	613	3	-	34	583	-	3	128	340	10	9

See footnotes on p. 183.

Table 19. Live Births by Attendant and Birth Weight; Fetal Deaths; and Total, Infant, and Neonatal Deaths; by Color: United States, Each State and County, and Specified Urban Places, 1955—Continued

(See headnote on p. 83)

AREA AND COLOR	LIVE BIRTHS								FETAL DEATHS	DEATHS			
	By place of occurrence	By place of residence							By place of residence	By place of occurrence	By place of residence		
			Attendant[1]			Birth weight[3]							
	Total births	Total births	Physician in hospital[2]	Physician not in hospital	Midwife	2,500 grams or less	2,501 grams or more	Not stated		Total deaths	Total deaths	Under 1 year	Under 28 days
ILLINOIS—Continued													
Gallatin	23	159	137	19	-	13	146	-	3	55	130	6	4
Greene	339	392	387	4	-	24	365	3	6	160	215	13	12
Grundy	427	505	500	5	-	20	485	-	3	156	185	7	6
Hamilton	124	167	167	-	-	6	161	-	4	108	145	1	-
Hancock	331	491	490	1	-	26	465	-	6	262	328	7	6
Hardin	124	128	113	15	-	10	118	-	2	60	72	8	5
Henderson	1	176	175	-	-	4	171	1	2	44	102	4	2
Henry	998	990	988	2	-	45	945	-	18	465	513	17	14
Kewanee	734	345	343	2	-	19	326	-	7	243	201	6	5
Balance of county	264	645	645	-	-	26	619	-	11	222	312	11	9
Iroquois	520	670	657	13	-	32	637	1	10	310	357	15	12
Jackson	840	801	795	5	-	50	751	-	10	420	421	15	13
Carbondale	494	243	241	2	-	18	225	-	2	178	125	1	1
White	442	195	194	1	-	14	181	-	1	152	94	-	-
Nonwhite	52	48	47	1	-	4	44	-	1	26	31	1	1
Balance of county	346	558	554	3	-	32	526	-	8	242	296	14	12
Jasper	51	248	239	9	-	17	231	-	6	87	163	5	4
Jefferson	759	687	683	3	-	51	635	1	11	366	346	16	12
Mount Vernon	757	396	395	1	-	31	365	-	5	278	194	9	7
Balance of county	2	291	288	2	-	20	270	1	6	88	152	7	5
Jersey	366	383	368	15	-	24	359	-	8	128	138	11	9
Jo Daviess	5	521	516	4	-	28	492	1	6	148	246	15	14
Johnson	42	148	105	42	1	11	136	1	-	58	91	1	-
Kane	6,676	4,240	4,229	10	-	285	3,954	1	71	2,585	1,644	88	63
Aurora	2,971	1,729	1,723	6	-	121	1,608	-	31	719	629	33	26
Elgin (part)	2,660	968	967	1	-	64	904	-	12	1,377	488	17	12
Elgin (total)	2,660	1,032	1,031	1	-	68	964		12	1,396	507	17	12
Balance of county	1,045	1,543	1,539	3	-	100	1,442	1	28	489	527	38	25
Kankakee	1,888	1,814	1,783	29	-	134	1,680	-	33	1,645	663	39	29
Kankakee	1,852	723	716	7	-	64	659	-	10	387	312	17	12
Balance of county	36	1,091	1,067	22	-	70	1,021	-	23	1,258	351	22	17
Kendall	4	278	271	7	-	12	265	1	4	73	119	10	7
Knox	1,313	1,256	1,253	3	-	71	1,184	1	11	642	652	27	17
Galesburg	1,310	777	777	-	-	49	728	-	9	515	413	18	12
Balance of county	3	479	476	3	-	22	456	1	2	127	239	9	5
Lake	7,434	6,250	6,219	24	-	434	5,813	3	94	1,824	1,649	155	108
Waukegan	1,584	1,464	1,457	6	-	108	1,356	-	19	292	421	38	25
Highland Park	705	443	441	2	-	33	410	-	5	160	152	7	5
Balance of county	5,145	4,343	4,321	16	-	293	4,047	3	70	1,372	1,076	110	78
La Salle	2,699	2,510	2,499	10	-	194	2,315	1	49	1,107	1,176	73	63
La Salle	418	245	244	1	-	24	221	-	6	162	142	9	8
Ottawa	840	503	501	2	-	43	460	-	7	244	237	13	13
Streator (part)	837	461	461	-	-	39	422	-	9	258	196	15	11
Streator (total)	837	505	505	-	-	42	463	-	9	259	203	15	11
Balance of county	604	1,301	1,293	7	-	88	1,212	1	27	443	601	36	31
Lawrence	401	370	359	10	-	18	351	1	5	230	212	8	6
Lee	745	755	753	2	-	54	700	1	4	512	368	23	19
Dixon	669	337	337	-	-	26	311	-	-	222	177	9	6
Balance of county	76	418	416	2	-	28	389	1	4	290	191	14	13
Livingston	828	858	854	4	-	47	808	3	14	454	421	22	18
Streator (part)	-	44	44	-	-	3	41	-	-	1	7	-	-
Balance of county	828	814	810	4	-	44	767	3	14	453	414	22	18
Logan	627	546	545	1	-	38	508	-	7	412	306	13	10
Lincoln	626	259	259	-	-	17	242	-	3	326	165	6	4
Balance of county	1	287	286	1	-	21	266	-	4	86	141	7	6
McDonough	582	577	573	4	-	22	554	1	9	331	349	10	7
Macomb	147	228	227	1	-	10	218	-	3	83	149	6	5
Balance of county	435	349	346	3	-	12	336	1	6	248	200	4	2
McHenry	853	1,625	1,604	21	-	88	1,536	1	20	502	646	21	17
McLean	1,947	1,831	1,821	9	-	102	1,729	-	37	802	856	40	30
Bloomington	1,495	880	876	3	-	44	836	-	20	470	437	14	11
Balance of county	452	951	945	6	-	58	893	-	17	332	419	26	19
Macon	3,050	2,693	2,681	12	-	200	2,491	2	27	1,066	972	72	53
Decatur	3,049	2,089	2,078	11	-	170	1,918	1	23	963	736	54	43
Balance of county	1	604	603	1	-	30	573	1	4	103	236	18	10
Macoupin	363	835	828	6	-	53	782	-	9	351	530	17	10
Madison	4,907	5,300	5,244	50	1	397	4,898	5	79	1,886	1,807	131	94
Alton	1,970	829	814	14	-	68	760	1	14	554	372	23	16
White	1,791	695	687	7	-	53	641	1	12	498	320	15	10
Nonwhite	179	134	127	7	-	15	119	-	2	56	52	8	6
Granite City	1,364	1,072	1,071	1	-	71	1,000	1	13	331	301	36	26
Collinsville (part)	4	342	338	4	-	29	313	-	6	54	126	8	7
Collinsville (total)	4	364	360	4	-	29	335	-	6	55	137	8	7
Wood River	-	291	291	-	-	23	268	-	5	20	69	7	5
Balance of county	1,589	2,766	2,730	31	1	206	2,557	3	41	927	939	57	40
Marion	1,005	832	821	11	-	55	777	-	21	423	408	21	12
Centralia (part)	708	328	327	1	-	29	299	-	8	230	153	7	6
Centralia (total)	708	338	337	1	-	29	309	-	8	233	156	7	6
Balance of county	297	504	494	10	-	26	478	-	13	193	255	14	6
Marshall	3	292	288	4	-	18	274	-	3	72	145	7	6
Mason	1	295	295	2	-	14	281	-	6	87	203	7	6
Massac	118	356	[illegible]	108	3	18	336	2	3	129	171	6	6
Menard	2	180	[illegible]	1	-	6	174	-	4	47	131	3	2
Mercer	226	337	[illegible]	5	-	15	322	-	5	163	203	10	5
Monroe	2	302	[illegible]	3	-	20	282	-	6	93	154	6	4

See footnotes on p. 183.

Table 19. Live Births by Attendant and Birth Weight; Fetal Deaths; and Total, Infant, and Neonatal Deaths; by Color: United States, Each State and County, and Specified Urban Places, 1955—Continued

(See headnote on p. 83)

AREA AND COLOR	LIVE BIRTHS								FETAL DEATHS	DEATHS			
	By place of occurrence	By place of residence							By place of residence	By place of occurrence	By place of residence		
			Attendant[1]			Birth weight[3]							
	Total births	Total births	Physician in hospital[2]	Physician not in hospital	Midwife	2,500 grams or less	2,501 grams or more	Not stated		Total deaths	Total deaths	Under 1 year	Under 28 days
ILLINOIS—Continued													
Montgomery	843	621	613	8	-	34	587	-	10	455	389	13	10
Morgan	1,003	682	680	2	-	41	641	-	10	807	390	13	13
Jacksonville	1,001	364	363	1	-	21	343	-	5	732	233	9	9
Balance of county	2	318	317	1	-	20	298	-	5	75	157	4	4
Moultrie	62	295	283	12	-	22	273	-	3	102	131	11	8
Ogle	415	810	802	8	-	48	761	1	14	272	360	24	22
Peoria	6,153	4,302	4,279	22	-	259	4,042	1	45	2,174	1,698	89	66
Peoria	6,080	2,568	2,554	14	-	171	2,397	-	24	1,510	1,197	53	42
Balance of county	73	1,734	1,725	8	-	88	1,645	1	21	664	501	36	24
Perry	491	377	366	9	-	22	355	-	7	199	216	10	7
Piatt	173	321	320	1	-	13	308	-	5	118	177	7	2
Pike	319	406	404	2	-	23	382	1	3	200	236	7	6
Pope	7	69	62	7	-	6	63	-	2	22	41	-	-
Pulaski	124	270	149	99	20	19	249	2	6	78	179	17	10
White	23	154	133	21	-	8	146	-	-	45	105	5	4
Nonwhite	101	116	16	78	20	11	103	2	6	33	74	12	6
Putnam	-	120	120	-	-	7	113	-	1	13	56	3	3
Randolph	960	562	556	6	-	31	531	-	7	405	332	16	14
Richland	503	377	360	17	-	25	352	-	9	214	152	9	7
Rock Island	3,368	3,259	3,247	11	-	225	3,029	5	41	1,507	1,396	87	66
Moline	2,373	951	948	3	-	53	897	1	8	597	446	17	10
Rock Island	991	1,170	1,165	5	-	96	1,072	2	18	461	541	37	30
East Moline	3	321	316	2	-	20	300	1	3	255	144	8	6
Balance of county	1	817	816	1	-	56	760	1	12	194	265	25	20
St. Clair	5,606	6,460	6,299	115	6	536	5,918	6	126	2,113	2,287	178	124
White	5,248	5,094	5,073	19	1	390	4,703	1	77	1,794	1,859	125	93
Nonwhite	358	1,366	1,226	96	5	146	1,215	5	49	319	428	53	31
East St. Louis	3,241	2,548	2,414	94	2	240	2,304	4	69	1,199	1,083	84	53
White	2,963	1,332	1,322	10	-	107	1,224	1	27	914	730	40	26
Nonwhite	278	1,216	1,092	84	2	133	1,080	3	42	285	353	44	27
Belleville	1,538	1,267	1,263	4	-	97	1,170	-	18	541	445	32	30
Collinsville (part)	-	22	22	-	-	-	22	-	-	1	11	-	-
Balance of county	827	2,623	2,600	17	4	199	2,422	2	39	372	748	62	41
Saline	701	435	433	2	-	19	416	-	8	428	398	10	7
Harrisburg	329	148	148	-	-	1	147	-	2	183	154	3	1
Balance of county	372	287	285	2	-	18	269	-	6	245	244	7	6
Sangamon	3,735	3,250	3,235	14	-	223	3,024	3	53	1,803	1,544	74	55
Springfield	3,728	1,831	1,826	4	-	132	1,697	2	32	1,607	1,130	48	37
Balance of county	7	1,419	1,409	10	-	91	1,327	1	21	196	414	26	18
Schuyler	152	189	183	6	-	13	175	1	1	95	105	3	3
Scott	3	149	147	2	-	10	139	-	3	21	80	8	6
Shelby	331	477	468	9	-	35	442	-	3	228	283	11	7
Stark	1	172	171	1	-	4	168	-	4	39	82	2	2
Stephenson	1,251	925	918	7	-	54	870	1	16	566	511	22	14
Freeport	1,248	527	524	3	-	35	492	-	8	467	331	18	11
Balance of county	3	398	394	4	-	19	378	1	8	99	180	4	3
Tazewell	870	2,267	2,255	12	-	131	2,134	2	30	411	611	53	44
Pekin	798	593	592	1	-	43	549	1	9	222	220	16	14
Balance of county	72	1,674	1,663	11	-	88	1,585	1	21	189	391	37	30
Union	424	317	309	7	-	22	294	1	5	406	203	12	10
Vermilion	2,387	2,095	2,079	15	-	144	1,950	1	41	1,120	1,060	47	35
Danville	2,375	1,132	1,127	4	-	86	1,046	-	29	744	609	28	19
Balance of county	12	963	952	11	-	58	904	1	12	376	451	19	16
Wabash	400	331	319	12	-	27	304	-	7	198	174	9	8
Warren	609	469	468	1	-	23	445	1	8	269	244	13	9
Monmouth	436	229	228	1	-	15	214	-	4	191	146	8	6
Balance of county	171	240	240	-	-	8	231	1	4	78	98	5	3
Washington	17	244	227	17	-	18	226	-	5	119	192	6	6
Wayne	401	394	369	25	-	26	368	-	4	178	234	7	6
White	397	458	446	12	-	26	432	-	4	194	222	9	6
Whiteside	1,383	1,517	1,509	8	-	81	1,436	-	23	470	535	32	26
Sterling	1,075	417	416	1	-	24	393	-	10	237	188	10	8
Balance of county	308	1,100	1,093	7	-	57	1,043	-	13	233	367	22	18
Will	3,805	3,938	3,914	21	-	255	3,680	3	69	1,384	1,445	93	70
Joliet	3,792	2,193	2,184	7	-	156	2,037	-	34	1,048	856	51	37
Balance of county	13	1,745	1,730	14	-	99	1,643	3	35	346	589	42	33
Williamson	827	814	801	12	-	51	762	1	10	656	599	18	13
Marion	411	216	212	4	-	23	193	-	2	181	145	8	6
Balance of county	416	598	589	8	-	28	569	1	8	475	454	10	7
Winnebago	4,629	4,841	4,817	21	1	317	4,521	3	70	1,396	1,473	105	81
Rockford	4,619	2,855	2,843	9	1	180	2,673	2	42	1,191	1,068	63	54
Balance of county	10	1,986	1,974	12	-	137	1,848	1	28	205	405	42	27
Woodford	4	552	548	4	-	33	519	-	9	163	229	15	13
INDIANA	108,666	108,614	106,353	2,157	44	7,526	[illegible]	523	1,660	41,698	42,093	2,715	2,032
White	100,805	100,690	98,945	1,657	43	6,587	[illegible]	450	1,456	39,365	39,740	2,402	1,810
Nonwhite	7,881	7,924	7,408	500	1	939	6,912	73	204	2,333	2,353	313	222
Adams	695	610	590	20	-	33	573	4	5	197	212	14	12
Allen	5,688	5,610	5,576	33	-	352	5,243	15	90	1,962	1,762	137	108
Fort Wayne	5,669	4,323	4,306	17	-	286	4,027	10	72	1,733	1,395	106	86
Balance of county	19	1,287	1,270	16	-	66	1,216	5	18	229	367	31	23
Bartholomew	1,140	1,184	1,172	12	-	77	1,104	3	11	386	398	21	13
Columbus	1,135	673	670	3	-	53	618	2	7	286	211	9	7
Balance of county	5	511	502	9	-	24	486	1	4	100	177	12	6

See footnotes on p. 183.

Table 19. Live Births by Attendant and Birth Weight; Fetal Deaths; and Total, Infant, and Neonatal Deaths; by Color: United States, Each State and County, and Specified Urban Places, 1955—Continued

(See headnote on p. 83)

AREA AND COLOR	LIVE BIRTHS								FETAL DEATHS	DEATHS			
	By place of occurrence	By place of residence							By place of residence	By place of occurrence	By place of residence		
			Attendant[1]			Birth weight[3]							
	Total births	Total births	Physician in hospital[2]	Physician not in hospital	Midwife	2,500 grams or less	2,501 grams or more	Not stated		Total deaths	Total deaths	Under 1 year	Under 28 days
INDIANA—Continued													
Benton	17	290	280	9	-	9	279	2	-	69	128	4	3
Blackford	414	332	331	1	-	18	308	6	4	158	161	5	3
Boone	824	617	612	5	-	35	574	8	15	266	303	15	11
Brown	20	136	114	4	17	8	127	1	1	38	63	4	2
Carroll	3	316	313	3	-	13	303	-	2	136	190	5	2
Cass	1,140	794	786	8	-	56	735	3	9	704	461	29	20
Logansport	1,136	464	460	4	-	36	427	1	3	369	288	16	11
Balance of county	4	330	326	4	-	20	308	2	6	335	173	13	9
Clark	1,008	1,548	1,535	11	1	135	1,404	9	21	375	465	53	39
Jeffersonville	1,004	583	579	4	-	48	532	3	9	221	166	11	8
White	937	519	516	3	-	39	479	1	8	201	144	10	8
Nonwhite	67	64	63	1	-	9	53	2	1	20	22	1	-
Balance of county	4	965	956	7	1	87	872	6	12	154	299	42	31
Clay	439	459	456	3	-	28	431	-	3	291	327	15	8
Clinton	585	693	680	13	-	40	651	2	11	323	387	22	17
Frankfort	585	370	362	8	-	22	347	1	5	216	207	15	12
Balance of county	-	323	318	5	-	18	304	1	6	107	180	7	5
Crawford	26	165	138	27	-	5	159	1	4	72	107	2	1
Daviess	829	559	486	69	3	27	525	7	14	314	297	8	7
Washington	759	221	219	2	-	10	207	4	5	250	165	3	3
Balance of county	70	338	267	67	3	17	318	3	9	64	132	5	4
Dearborn	24	622	597	24	-	52	568	2	4	182	270	16	14
Decatur	444	450	446	3	1	17	425	8	4	234	212	6	5
De Kalb	705	625	621	4	-	35	587	3	8	314	322	14	10
Delaware	2,609	2,600	2,573	26	-	229	2,366	5	40	884	903	76	55
Muncie	2,608	1,950	1,923	26	-	178	1,767	5	29	720	654	64	51
Balance of county	1	650	650	-	-	51	599	-	11	164	249	12	4
Dubois	1,072	752	725	27	-	38	711	3	10	291	240	10	8
Elkhart	2,436	2,445	2,424	20	-	155	2,283	7	30	859	880	67	46
Elkhart	1,600	1,188	1,186	2	-	96	1,089	3	15	469	434	34	26
Goshen	817	305	305	-	-	10	293	2	1	199	152	7	2
Balance of county	19	952	933	18	-	49	901	2	14	191	294	26	18
Fayette	730	617	613	3	-	49	566	2	8	226	231	17	14
Connersville	729	423	420	2	-	39	382	2	6	197	180	15	13
Balance of county	1	194	193	1	-	10	184	-	2	29	51	2	1
Floyd	1,467	1,319	1,316	3	-	106	1,208	5	24	506	475	42	31
New Albany	1,466	972	971	1	-	84	885	3	19	422	356	35	25
Balance of county	1	347	345	2	-	22	323	2	5	84	119	7	6
Fountain	3	407	401	6	-	32	374	1	12	139	228	7	5
Franklin	11	418	406	12	-	21	396	1	7	102	179	11	6
Fulton	401	326	323	3	-	21	303	2	5	206	201	5	2
Gibson	573	662	643	19	-	35	626	1	8	332	390	15	10
Grant	1,736	1,737	1,679	56	1	101	1,606	30	19	635	655	41	31
Marion	1,724	1,090	1,046	43	1	70	1,005	15	9	426	401	28	21
Balance of county	12	647	633	13	-	31	601	15	10	209	254	13	10
Greene	498	481	474	7	-	48	425	8	6	331	354	17	14
Hamilton	607	811	809	1	-	44	765	2	8	321	369	18	13
Hancock	506	532	529	3	-	31	499	2	12	224	250	11	7
Harrison	416	432	411	21	-	25	406	1	10	144	167	6	4
Hendricks	14	831	814	17	-	49	780	2	8	202	293	15	10
Henry	1,301	1,202	1,193	8	-	100	1,089	13	13	459	467	24	13
New Castle	3	624	619	4	-	56	560	8	8	120	219	14	7
Balance of county	1,298	578	574	4	-	44	529	5	5	339	248	10	6
Howard	1,546	1,594	1,582	7	4	115	1,473	6	32	508	548	30	23
Kokomo	1,544	1,254	1,244	6	3	104	1,145	5	24	425	415	27	21
Balance of county	2	340	338	1	1	11	328	1	8	83	133	3	2
Huntington	723	769	760	9	-	49	697	23	12	366	417	18	14
Huntington	720	407	405	2	-	30	364	13	9	242	206	8	5
Balance of county	3	362	355	7	-	19	333	10	3	124	211	10	9
Jackson	1,007	684	680	4	-	28	655	1	12	303	292	10	3
Jasper	491	404	395	8	-	19	385	-	10	132	162	8	6
Jay	478	481	476	4	-	23	452	6	12	253	286	10	8
Jefferson	873	547	541	4	-	41	503	3	4	367	237	15	10
Jennings	5	333	328	5	-	22	311	-	5	153	163	13	8
Johnson	847	969	964	5	-	64	903	2	8	340	336	21	12
Knox	952	908	895	12	1	60	845	3	16	505	486	20	14
Vincennes	946	436	433	3	-	27	409	-	6	364	218	9	6
Balance of county	6	472	462	9	1	33	436	3	10	141	268	11	8
Kosciusko	639	851	843	7	1	48	796	7	13	325	369	20	14
Lagrange	479	409	403	5	-	19	389	1	7	143	140	6	5
Lake	13,445	13,133	12,856	262	9	999	11,982	152	229	3,302	3,473	349	262
White	10,788	10,441	10,345	82	8	679	9,651	111	171	2,753	2,889	259	197
Nonwhite	2,657	2,692	2,511	180	1	320	2,331	41	58	549	584	90	65
Gary	7,090	5,769	5,583	184	2	509	5,177	83	116	1,424	1,383	159	118
White	4,962	3,593	3,570	22	1	240	3,308	45	71	1,004	924	87	64
Nonwhite	2,128	2,176	2,013	162	1	269	1,869	38	45	420	459	72	54
East Chicago	2,429	1,727	1,688	29	7	129	1,586	12	41	596	522	49	34
White	1,981	1,298	1,268	20	7	84	1,205	9	29	499	417	33	24
Nonwhite	448	429	420	9	-	45	381	3	12	97	105	16	10
Hammond	3,910	2,582	2,554	28	-	183	2,361	38	33	787	739	71	60
Hobart	1	360	359	1	-	27	330	3	2	37	96	10	7
Balance of county	15	2,695	2,672	20	-	151	2,528	16	37	458	733	60	43
La Porte	2,346	2,107	2,095	12	-	144	1,958	5	35	932	794	59	44
Michigan City	1,219	792	789	3	-	52	738	2	14	357	295	24	20
La Porte	1,121	580	559	1	-	46	512	2	11	302	213	11	10
Balance of county	6	755	747	8	-	46	708	1	10	273	286	24	14

See footnotes on p. 183.

Table 19. Live Births by Attendant and Birth Weight; Fetal Deaths; and Total, Infant, and Neonatal Deaths; by Color: United States, Each State and County, and Specified Urban Places, 1955—Continued

(See headnote on p. 83)

AREA AND COLOR	LIVE BIRTHS								FETAL DEATHS	DEATHS			
	By place of occurrence	By place of residence							By place of residence	By place of occurrence	By place of residence		
			Attendant[1]			Birth weight[3]							
	Total births	Total births	Physician in hospital[2]	Physician not in hospital	Midwife	2,500 grams or less	2,501 grams or more	Not stated		Total deaths	Total deaths	Under 1 year	Under 28 days
INDIANA—Continued													
Lawrence	954	822	788	34	-	56	763	3	14	367	363	16	14
Bedford	922	343	339	4	-	25	317	1	4	228	153	6	6
Balance of county	32	479	449	30	-	31	446	2	10	139	210	10	8
Madison	2,760	2,877	2,865	10	-	225	2,648	4	43	981	1,043	81	66
Anderson	2,241	1,701	1,695	6	-	138	1,559	4	19	625	562	50	39
Elwood	514	308	308	-	-	27	281	-	7	151	135	9	9
Balance of county	5	868	862	4	-	60	808	-	17	205	346	22	18
Marion	18,492	17,188	16,887	281	-	1,320	15,843	25	319	6,817	6,175	485	374
White	15,720	14,419	14,264	145	-	999	13,404	16	221	5,843	5,191	370	285
Nonwhite	2,772	2,769	2,623	136	-	321	2,439	9	98	974	984	115	89
Indianapolis	14,522	12,086	11,833	239	-	1,010	11,057	19	294	5,836	5,102	375	289
White	11,813	9,363	9,255	103	-	692	8,661	10	198	4,885	4,135	261	201
Nonwhite	2,709	2,723	2,578	136	-	318	2,396	9	96	951	967	114	88
Balance of county	3,970	5,102	5,054	42	-	310	4,786	6	25	981	1,073	110	85
Marshall	683	785	769	16	-	48	732	5	8	256	318	14	14
Martin	59	292	237	54	-	20	269	3	3	56	116	11	10
Miami	637	682	672	10	-	44	637	1	15	327	356	17	13
Peru	634	337	330	7	-	26	311	-	5	237	184	10	9
Balance of county	3	345	342	3	-	18	326	1	10	90	172	7	4
Monroe	1,287	1,242	1,203	35	3	85	1,151	6	20	339	375	30	23
Bloomington	1,266	734	719	13	1	43	691	-	14	248	229	14	12
Balance of county	21	508	484	22	2	42	460	6	6	91	146	16	11
Montgomery	865	729	721	8	-	45	683	1	13	414	383	16	12
Crawfordsville	864	352	350	2	-	23	329	-	9	263	176	9	7
Balance of county	1	377	371	6	-	22	354	1	4	151	207	7	5
Morgan	420	702	681	20	-	46	652	4	13	195	265	24	19
Newton	2	237	233	4	-	10	227	-	2	85	129	8	3
Noble	480	607	603	3	-	39	564	4	5	249	306	16	10
Ohio	9	85	76	9	-	9	75	1	-	34	48	2	-
Orange	159	359	279	80	-	18	337	4	9	137	178	6	5
Owen	21	190	169	21	-	9	181	-	2	123	149	3	2
Parke	7	304	297	7	-	20	283	1	2	152	195	5	2
Perry	455	456	417	37	-	28	426	2	10	150	165	16	13
Pike	4	230	223	7	-	15	214	1	3	81	156	1	1
Porter	928	959	947	12	-	58	899	2	13	405	411	24	19
Valparaiso	922	339	334	5	-	18	321	-	2	222	129	7	6
Balance of county	6	620	613	7	-	40	578	2	11	183	282	17	13
Posey	80	459	374	85	-	27	429	3	5	145	224	7	7
Pulaski	175	350	329	21	-	16	328	6	3	79	123	6	4
Putnam	559	445	437	8	-	25	420	-	8	236	227	5	5
Randolph	678	639	635	4	-	39	598	2	7	290	319	10	8
Ripley	1,163	451	443	8	-	23	428	-	8	286	207	15	11
Rush	623	473	469	3	1	27	445	1	4	263	261	18	12
St. Joseph	6,246	5,763	5,680	81	-	406	5,349	8	64	1,886	1,891	127	90
South Bend	5,055	3,719	3,704	13	-	262	3,454	3	36	1,352	1,179	71	50
Mishawaka	1,119	901	895	6	-	65	833	3	9	275	289	24	16
Balance of county	72	1,143	1,081	62	-	79	1,062	2	19	259	423	32	24
Scott	490	427	418	9	-	28	398	1	5	80	120	13	9
Shelby	716	789	775	14	-	62	724	3	17	323	354	25	22
Shelbyville	712	347	341	6	-	28	317	2	4	174	143	11	10
Balance of county	4	442	434	8	-	34	407	1	13	149	211	14	12
Spencer	51	374	323	51	-	27	344	3	3	96	164	6	4
Starke	512	496	483	13	-	45	450	1	11	182	180	14	8
Steuben	455	467	464	3	-	15	452	-	7	192	199	8	4
Sullivan	438	382	379	3	-	24	357	1	6	268	309	8	5
Switzerland	18	135	117	18	-	2	133	-	2	64	100	2	1
Tippecanoe	3,013	2,072	2,061	11	-	152	1,915	5	26	938	688	41	29
Lafayette	3,007	1,080	1,077	3	-	86	991	3	17	719	439	22	16
West Lafayette	1	449	448	1	-	35	413	1	2	25	71	6	5
Balance of county	5	543	536	7	-	31	511	1	7	194	178	13	8
Tipton	514	386	384	4	-	19	369	-	1	147	157	5	3
Union	1	116	115	1	-	9	107	-	3	49	61	1	1
Vanderburgh	5,316	4,262	4,021	241	-	302	3,942	18	58	1,905	1,610	112	97
Evansville	5,286	3,173	2,963	210	-	238	2,920	15	52	1,652	1,439	95	81
Balance of county	30	1,089	1,058	31	-	64	1,022	3	6	253	171	17	16
Vermillion	564	356	349	7	-	26	330	-	6	238	249	6	4
Vigo	2,724	2,348	2,304	43	-	190	2,148	9	37	1,298	1,257	57	45
Terre Haute	2,705	1,747	1,722	24	-	150	1,588	9	30	1,101	921	47	37
Balance of county	19	601	582	19	-	40	561	-	7	197	336	10	8
Wabash	856	710	708	2	-	49	659	2	3	287	330	23	17
Wabash	655	302	302	-	-	27	275	-	-	174	129	13	9
Balance of county	1	408	406	2	-	22	384	2	3	113	201	10	8
Warren	184	181	178	3	-	10	171	-	4	83	88	3	3
Warrick	15	549	532	17	-	42	505	2	5	153	244	16	14
Washington	505	402	394	5	2	28	374	-	5	163	192	9	8
Wayne	1,672	1,680	1,665	12	-	113	1,549	18	32	771	696	39	31
Richmond	7	1,145	1,138	5	-	83	1,054	8	22	190	434	24	20
Balance of county	1,665	535	527	7	-	30	495	10	10	581	262	15	11
Wells	477	459	453	6	-	23	434	2	5	270	247	13	8
White	9	440	430	10	-	13	427	-	5	108	216	12	7
Whitley	398	484	482	1	-	34	447	3	5	219	209	8	8

See footnotes on p. 183.

Table 19. Live Births by Attendant and Birth Weight; Fetal Deaths; and Total, Infant, and Neonatal Deaths; by Color: United States, Each State and County, and Specified Urban Places, 1955—Continued

(See headnote on p. 83)

AREA AND COLOR	LIVE BIRTHS								FETAL DEATHS	DEATHS			
	By place of occurrence	By place of residence							By place of residence	By place of occurrence	By place of residence		
			Attendant[1]			Birth weight[3]							
	Total births	Total births	Physician in hospital[2]	Physician not in hospital	Midwife	2,500 grams or less	2,501 grams or more	Not stated		Total deaths	Total deaths	Under 1 year	Under 28 days
IOWA	64,413	63,747	63,013	708	13	3,770	59,773	204	778	26,914	26,772	1,407	1,083
White	63,638	62,961	62,251	684	13	3,669	59,091	201	764	26,618	26,481	1,370	1,057
Nonwhite	775	786	762	24	-	101	682	3	14	296	291	37	26
Adair	228	242	237	5	-	11	231	-	3	100	131	4	4
Adams	218	163	159	4	-	8	154	1	3	88	94	7	6
Allamakee	487	411	406	5	-	11	397	3	6	158	172	7	5
Appanoose	393	330	328	2	-	21	307	2	5	217	242	5	3
Audubon	222	251	250	1	-	9	240	2	7	85	102	6	5
Benton	388	510	504	6	-	22	488	-	8	181	233	10	7
Black Hawk	3,282	2,928	2,901	27	-	168	2,760	-	40	963	911	58	43
Waterloo	2,855	1,749	1,733	16	-	115	1,634	-	24	724	618	42	34
Cedar Falls	415	401	401	-	-	15	386	-	3	156	140	5	4
Balance of county	12	778	767	11	-	38	740	-	13	83	153	11	5
Boone	418	489	488	1	-	21	467	1	8	333	303	5	4
Boone	417	215	215	-	-	9	206	-	6	223	165	3	2
Balance of county	1	274	273	1	-	12	261	1	2	110	138	2	2
Bremer	478	438	429	9	-	18	417	3	5	168	177	9	9
Buchanan	340	524	482	28	10	35	489	-	3	286	225	15	11
Buena Vista	728	536	533	3	-	25	510	1	7	216	199	18	14
Butler	9	383	373	10	-	13	370	-	8	115	175	7	4
Calhoun	221	377	376	1	-	25	351	1	9	112	149	5	3
Carroll	942	704	700	2	-	37	663	4	8	222	208	14	13
Cass	373	400	393	7	-	23	376	1	7	173	208	4	4
Cedar	6	381	375	6	-	18	360	3	4	115	181	9	5
Cerro Gordo	1,407	1,153	1,145	8	-	79	1,074	-	11	566	443	22	18
Mason City	1,406	731	726	5	-	50	681	-	9	471	288	14	12
Balance of county	1	422	419	3	-	29	393	-	2	95	155	8	6
Cherokee	515	448	444	4	-	21	426	1	6	279	154	9	8
Chickasaw	359	337	337	-	-	20	317	-	6	132	156	3	2
Clarke	238	157	157	-	-	9	148	-	1	107	117	7	4
Clay	532	467	464	3	-	30	436	1	5	179	187	10	9
Clayton	212	479	450	29	-	21	455	3	8	145	242	10	7
Clinton	1,352	1,243	1,231	12	-	82	1,159	2	10	547	545	27	19
Clinton	1,115	751	743	8	-	51	698	2	9	401	347	13	9
Balance of county	237	492	488	4	-	31	461	-	1	146	198	14	10
Crawford	516	452	449	3	-	24	424	4	6	162	193	14	10
Dallas	364	541	536	5	-	31	508	2	5	218	278	15	10
Davis	188	177	177	-	-	8	169	-	6	102	107	3	1
Decatur	186	187	186	1	-	10	175	2	1	131	144	2	1
Delaware	539	487	473	14	-	29	457	1	6	183	195	9	8
Des Moines	1,122	931	924	7	-	44	883	4	6	527	472	19	16
Burlington	1,118	665	662	3	-	29	633	3	6	461	369	18	16
Balance of county	4	266	262	4	-	15	250	1	-	66	103	1	-
Dickinson	175	305	260	45	-	19	285	1	5	104	130	11	10
Dubuque	2,511	2,143	2,138	5	-	156	1,980	7	34	896	786	56	44
Dubuque	2,473	1,453	1,451	2	-	119	1,331	3	21	782	599	40	32
Balance of county	38	690	687	3	-	37	649	4	13	114	187	16	12
Emmet	685	392	389	2	-	22	369	1	-	144	124	12	10
Fayette	657	670	660	10	-	35	629	6	7	273	293	11	7
Floyd	548	442	436	6	-	17	425	-	9	221	218	8	6
Charles City	543	215	214	1	-	11	204	-	7	150	112	4	3
Balance of county	5	227	222	5	-	6	221	-	2	71	106	4	3
Franklin	372	348	347	1	-	15	333	-	4	163	184	6	6
Fremont	86	193	191	1	-	7	183	3	6	111	137	1	1
Greene	323	330	329	1	-	12	314	4	5	131	149	6	6
Grundy	264	305	303	2	-	16	288	1	2	76	110	5	4
Guthrie	124	261	251	10	-	14	245	2	4	118	155	4	2
Hamilton	378	490	488	2	-	32	458	-	2	160	199	14	10
Hancock	180	370	369	1	-	27	339	4	6	84	136	7	4
Hardin	403	428	425	3	-	20	407	1	10	197	237	6	5
Harrison	82	382	361	19	2	15	367	-	7	98	203	4	3
Henry	318	341	338	3	-	20	316	5	5	280	184	7	7
Howard	253	314	311	3	-	8	303	3	3	103	136	5	3
Humboldt	7	326	320	5	-	21	302	3	2	60	114	9	7
Ida	229	250	248	2	-	11	239	-	4	75	97	7	6
Iowa	156	377	370	7	-	17	359	1	5	126	180	5	4
Jackson	539	536	536	-	-	38	498	-	9	201	221	17	11
Jasper	545	850	834	15	1	47	800	3	9	240	322	15	13
Newton	527	367	367	-	-	29	336	2	6	160	124	9	9
Balance of county	18	483	467	15	1	18	464	1	3	80	198	6	4
Jefferson	340	307	306	1	-	14	293	-	3	134	146	4	3
Johnson	2,384	1,385	1,379	6	-	72	1,311	2	9	1,236	369	33	28
Iowa City	2,380	881	879	2	-	50	830	1	5	1,132	216	22	19
Balance of county	4	504	500	4	-	22	481	1	4	104	153	11	9
Jones	525	489	484	5	-	31	450	8	9	176	199	10	9
Keokuk	217	380	366	14	-	18	356	6	8	152	209	5	4
Kossuth	444	675	653	22	-	33	620	22	8	182	228	14	12
Lee	1,266	994	991	3	-	63	929	2	15	561	504	20	12
Fort Madison	519	303	303	-	-	24	279	-	4	186	158	3	1
Keokuk	745	391	390	1	-	26	364	1	5	306	217	12	8
Balance of county	2	300	298	2	-	13	286	1	6	69	129	5	3
Linn	3,268	2,940	2,925	14	-	204	2,731	5	31	1,095	1,083	78	60
Cedar Rapids	3,259	1,996	1,990	6	-	147	1,847	2	20	919	763	51	40
Balance of county	9	944	935	8	-	57	884	3	11	176	320	27	20
Louisa	6	227	221	6	-	9	216	2	-	59	102	4	2

See footnotes on p. 183.

Table 19. Live Births by Attendant and Birth Weight; Fetal Deaths; and Total, Infant, and Neonatal Deaths; by Color: United States, Each State and County, and Specified Urban Places, 1955—Continued

(See headnote on p. 83)

AREA AND COLOR	LIVE BIRTHS								FETAL DEATHS	DEATHS			
	By place of occurrence	By place of residence							By place of residence	By place of occurrence	By place of residence		
			Attendant[1]			Birth weight[3]							
	Total births	Total births	Physician in hospital[2]	Physician not in hospital	Midwife	2,500 grams or less	2,501 grams or more	Not stated		Total deaths	Total deaths	Under 1 year	Under 28 days
IOWA—Continued													
Lucas	105	193	191	1	-	12	180	1	4	140	146	5	4
Lyon	172	383	380	3	-	22	361	-	4	82	120	6	5
Madison	206	209	207	2	-	8	201	-	3	152	172	8	5
Mahaska	852	504	498	6	-	21	482	1	8	301	268	7	6
Oskaloosa	846	223	223	-	-	11	212	-	2	235	146	2	2
Balance of county	6	281	275	6	-	10	270	1	6	66	122	5	4
Marion	219	516	507	9	-	32	482	2	5	218	252	12	9
Marshall	1,094	825	825	-	-	48	777	-	8	421	376	12	8
Marshalltown	1,093	493	493	-	-	30	463	-	4	305	217	8	5
Balance of county	1	332	332	-	-	18	314	-	4	116	159	4	3
Mills	9	248	239	9	-	13	233	2	3	106	135	4	4
Mitchell	473	374	372	2	-	21	352	1	5	123	130	4	4
Monona	215	319	304	14	-	19	296	4	4	118	158	2	1
Monroe	173	192	188	4	-	18	173	1	1	119	136	6	6
Montgomery	328	316	307	9	-	21	295	-	4	130	173	6	4
Muscatine	737	757	751	6	-	40	713	4	6	394	405	19	17
Muscatine	734	437	434	3	-	19	415	3	4	302	270	11	11
Balance of county	3	320	317	3	-	21	298	1	2	92	135	8	6
O'Brien	518	492	479	13	-	19	472	1	5	157	164	5	3
Osceola	265	280	271	9	-	16	263	1	9	52	69	7	6
Page	489	405	403	2	-	15	388	2	4	422	237	4	3
Palo Alto	327	401	398	3	-	17	383	1	8	95	120	6	4
Plymouth	714	628	627	1	-	37	590	1	8	218	239	21	15
Pocahontas	6	383	375	8	-	23	359	1	3	64	127	6	5
Polk	6,966	5,975	5,935	39	-	459	5,514	2	67	2,650	2,384	175	134
Des Moines	6,956	4,513	4,484	28	-	353	4,158	2	56	2,478	2,102	152	113
Balance of county	10	1,462	1,451	11	-	106	1,356	-	11	172	282	23	21
Pottawattamie	1,954	1,901	1,896	5	-	133	1,763	5	25	872	805	49	41
Council Bluffs	1,952	1,374	1,370	4	-	100	1,270	4	14	757	566	41	34
Balance of county	2	527	526	1	-	33	493	1	11	115	239	8	7
Poweshiek	499	453	452	1	-	24	429	-	-	196	201	10	7
Ringgold	202	159	152	7	-	11	147	1	-	116	121	3	3
Sac	270	425	423	2	-	20	405	-	4	110	167	8	6
Scott	2,853	2,722	2,718	4	-	183	2,530	9	39	1,076	1,047	67	52
Davenport	2,853	1,794	1,790	4	-	115	1,674	5	21	961	828	47	37
Balance of county	-	928	928	-	-	68	856	4	18	115	219	20	15
Shelby	425	449	441	8	-	15	430	4	2	154	163	6	3
Sioux	699	712	706	6	-	33	679	-	4	186	209	11	10
Story	1,138	1,123	1,122	1	-	42	1,079	2	9	285	306	13	10
Ames	824	663	663	-	-	23	639	1	5	125	115	7	6
Balance of county	314	460	459	1	-	19	440	1	4	160	191	6	4
Tama	19	436	424	12	-	21	410	5	7	154	243	12	8
Taylor	7	207	200	7	-	10	197	-	4	96	159	4	3
Union	373	278	277	1	-	17	258	3	1	176	183	4	1
Van Buren	161	205	198	7	-	8	197	-	-	110	141	2	2
Wapello	1,199	1,105	1,080	25	-	75	1,028	2	16	462	442	21	20
Ottumwa	1,189	787	772	15	-	61	724	2	11	389	325	15	15
Balance of county	10	318	308	10	-	14	304	-	5	73	117	8	5
Warren	14	423	409	14	-	15	408	-	3	118	154	4	3
Washington	436	437	431	6	-	17	420	-	4	196	235	8	5
Wayne	113	190	189	1	-	8	180	2	3	102	145	3	3
Webster	1,946	1,211	1,209	2	-	90	1,118	3	17	567	475	29	20
Fort Dodge	1,946	793	791	2	-	65	725	3	11	505	316	17	12
Balance of county	-	418	418	-	-	25	393	-	6	62	159	12	8
Winnebago	337	295	295	-	-	21	274	-	7	110	143	7	5
Winneshiek	421	555	545	10	-	25	530	-	5	185	202	12	10
Woodbury	3,474	2,814	2,784	30	-	209	2,601	4	36	1,212	1,030	83	59
Sioux City	3,460	2,346	2,330	16	-	182	2,160	4	31	1,117	859	77	55
Balance of county	14	468	454	14	-	27	441	-	5	95	171	6	4
Worth	-	224	222	2	-	20	203	1	1	47	108	11	9
Wright	459	447	447	-	-	26	417	4	3	156	184	8	8
KANSAS	50,949	52,912	52,369	509	13	3,570	49,271	71	780	18,954	19,042	1,235	956
White	47,662	50,055	49,632	396	10	3,221	46,768	66	710	17,949	18,094	1,118	872
Nonwhite	3,287	2,857	2,737	113	3	349	2,503	5	70	1,005	948	117	84
Allen	389	344	342	2	-	25	319	-	7	201	216	7	4
Anderson	290	193	182	11	-	14	178	1	5	121	135	9	8
Atchison	455	445	441	4	-	33	411	1	11	250	266	11	8
Atchison	452	299	297	2	-	25	273	1	8	204	183	7	5
Balance of county	3	146	144	2	-	8	138	-	3	46	83	4	3
Barber	249	222	222	-	-	11	209	2	2	88	88	5	5
Barton	981	962	960	2	-	59	901	2	12	219	229	20	17
Great Bend	737	547	545	2	-	37	509	1	7	128	104	12	9
Balance of county	244	415	415	-	-	22	392	1	5	91	125	8	8
Bourbon	398	303	301	2	-	18	284	1	2	256	225	16	11
Fort Scott	396	190	190	-	-	14	176	-	1	211	135	10	7
Balance of county	2	113	111	2	-	4	108	1	1	45	90	6	4
Brown	310	261	258	2	-	13	248	-	3	172	171	5	4
Butler	554	849	841	7	-	55	794	-	9	247	308	19	14
El Dorado	547	323	323	-	-	22	301	-	2	139	107	5	3
Balance of county	7	526	518	7	-	33	493	-	7	108	201	14	11
Chase	38	71	69	2	-	2	69	-	1	23	55	1	-
Chautauqua	145	122	121	1	-	11	111	-	1	96	76	1	1

See footnotes on p. 183.

Table 19. Live Births by Attendant and Birth Weight; Fetal Deaths; and Total, Infant, and Neonatal Deaths; by Color: United States, Each State and County, and Specified Urban Places, 1955—Continued

(See headnote on p. 83)

AREA AND COLOR	LIVE BIRTHS								FETAL DEATHS	DEATHS			
	By place of occurrence	By place of residence							By place of residence	By place of occurrence	By place of residence		
			Attendant[1]			Birth weight[3]							
	Total births	Total births	Physician in hospital[2]	Physician not in hospital	Midwife	2,500 grams or less	2,501 grams or more	Not stated		Total deaths	Total deaths	Under 1 year	Under 28 days
KANSAS—Continued													
Cherokee	236	408	396	12	-	32	376	-	9	187	267	12	10
Cheyenne	143	123	123	-	-	10	113	-	-	46	43	4	3
Clark	43	64	64	-	-	2	62	-	3	18	25	1	1
Clay	224	232	231	1	-	9	223	-	2	147	158	4	2
Cloud	515	353	349	4	-	23	330	-	3	269	173	5	4
Coffey	94	169	159	10	-	5	164	-	3	96	124	5	5
Comanche	61	77	77	-	-	6	71	-	1	34	34	1	1
Cowley	897	782	780	1	1	42	739	1	12	507	437	13	8
Arkansas City	465	341	340	1	-	20	320	1	7	145	135	7	5
Winfield	431	232	232	-	-	15	217	-	1	208	140	3	2
Balance of county	1	209	208	-	1	7	202	-	4	154	162	3	1
Crawford	717	707	698	7	2	29	677	1	13	519	518	12	10
Pittsburg	3	365	363	-	2	12	352	1	7	134	248	6	4
Balance of county	714	342	335	7	-	17	325	-	6	385	270	6	6
Decatur	133	139	139	-	-	12	127	-	2	42	54	1	1
Dickinson	337	493	491	2	-	30	463	-	8	213	231	12	11
Doniphan	72	216	174	42	-	8	207	1	4	63	115	5	3
Douglas	1,087	938	932	6	-	63	875	-	17	288	304	25	22
Lawrence	1,084	685	682	3	-	49	636	-	13	232	207	21	19
Balance of county	3	253	250	3	-	14	239	-	4	56	97	4	3
Edwards	110	133	133	-	-	9	123	1	3	51	68	3	3
Elk	-	80	79	1	-	1	79	-	1	20	70	-	-
Ellis	837	601	601	-	-	45	556	-	4	171	126	15	13
Ellsworth	204	160	160	-	-	8	152	-	1	109	80	4	3
Finney	597	446	443	3	-	42	404	-	3	111	96	12	8
Garden City	595	339	337	2	-	35	304	-	3	106	80	11	7
Balance of county	2	107	106	1	-	7	100	-	-	5	16	1	1
Ford	721	532	532	-	-	47	485	-	9	209	175	17	16
Dodge City	658	364	364	-	-	39	325	-	5	153	106	12	11
Balance of county	63	168	168	-	-	8	160	-	4	56	69	5	5
Franklin	420	386	376	10	-	16	370	-	9	200	211	8	6
Ottawa	415	214	210	4	-	9	205	-	5	157	118	5	4
Balance of county	5	172	166	6	-	7	165	-	4	43	93	3	2
Geary	1,498	993	988	3	-	86	904	3	18	175	178	21	15
Junction City	367	768	767	1	-	69	698	1	14	127	132	18	13
Balance of county	1,131	225	221	2	-	17	206	2	4	48	46	3	2
Gove	97	134	133	1	-	8	126	-	2	29	32	1	1
Graham	85	160	160	-	-	11	149	-	2	30	42	1	1
Grant	202	151	150	-	-	12	138	1	4	29	23	3	3
Gray	36	119	118	1	-	7	112	-	-	26	41	3	3
Greeley	75	60	59	1	-	1	59	-	1	7	3	-	-
Greenwood	141	223	220	3	-	5	217	1	2	111	144	3	1
Hamilton	80	83	82	1	-	9	73	1	1	19	28	5	5
Harper	233	195	194	1	-	10	184	1	-	114	113	5	3
Harvey	731	587	586	1	-	42	544	1	2	283	200	16	12
Newton	682	362	361	1	-	32	329	1	2	188	127	13	10
Balance of county	49	225	225	-	-	10	215	-	-	95	73	3	2
Haskell	57	73	73	-	-	3	70	-	-	13	14	-	-
Hodgeman	3	75	74	1	-	4	71	-	2	16	24	1	-
Jackson	161	202	199	2	-	22	180	-	6	115	128	4	3
Jefferson	2	208	205	3	-	14	194	-	1	101	136	4	4
Jewell	1	137	137	-	-	6	130	1	5	60	123	2	2
Johnson	503	3,026	3,017	7	1	176	2,844	6	36	341	554	44	39
Kearny	70	108	108	-	-	10	98	-	1	19	26	5	4
Kingman	296	244	244	-	-	13	231	-	5	83	79	-	-
Kiowa	73	137	137	-	-	10	127	-	1	36	40	-	-
Labette	659	588	570	17	-	28	559	1	12	355	341	11	9
Parsons	5	320	316	3	-	18	301	1	7	124	176	5	3
Balance of county	654	268	254	14	-	10	258	-	5	231	165	6	6
Lane	1	82	81	1	-	4	78	-	-	13	37	4	2
Leavenworth	1,530	960	956	4	-	65	893	2	10	632	422	26	19
Leavenworth	653	547	546	1	-	45	501	1	6	267	266	17	11
Balance of county	877	413	410	3	-	20	392	1	4	365	156	9	8
Lincoln	90	109	108	-	-	4	105	-	-	50	71	1	1
Linn	19	153	130	23	-	4	149	-	-	76	125	2	2
Logan	150	117	116	1	-	11	106	-	1	37	32	5	5
Lyon	793	597	592	5	-	48	549	-	5	321	279	12	9
Emporia	788	434	433	1	-	38	396	-	3	279	188	12	9
Balance of county	5	163	159	4	-	10	153	-	2	42	91	-	-
McPherson	448	532	531	1	-	34	497	1	3	203	223	10	9
Marion	298	295	294	1	-	13	282	-	6	154	176	8	4
Marshall	362	369	355	14	-	11	358	-	5	219	237	3	3
Meade	120	106	106	-	-	8	98	-	-	34	39	1	1
Miami	240	370	352	18	-	24	346	-	10	260	195	9	6
Mitchell	263	184	184	-	-	10	174	-	1	113	95	2	-
Montgomery	986	911	894	16	-	53	856	2	20	545	561	30	23
Coffeyville	526	345	343	1	-	27	318	-	11	249	219	15	12
White	484	305	304	-	-	19	286	-	8	215	187	10	9
Nonwhite	42	40	39	1	-	8	32	-	3	34	32	5	3
Independence	406	271	262	9	-	10	259	2	1	178	143	7	5
White	376	242	239	3	-	10	231	1	1	164	130	6	4
Nonwhite	30	29	23	6	-	-	28	1	-	14	13	1	1
Balance of county	54	295	289	6	-	16	279	-	8	118	199	8	6
Morris	124	149	147	2	-	10	139	-	1	99	99	4	4
Morton	79	76	75	1	-	10	66	-	3	21	21	2	1

See footnotes on p. 183.

Table 19. Live Births by Attendant and Birth Weight; Fetal Deaths; and Total, Infant, and Neonatal Deaths; by Color: United States, Each State and County, and Specified Urban Places, 1955—Continued

(See headnote on p. 83)

AREA AND COLOR	LIVE BIRTHS								FETAL DEATHS	DEATHS			
	By place of occurrence	By place of residence							By place of residence	By place of occurrence	By place of residence		
			Attendant[1]			Birth weight[3]							
	Total births	Total births	Physician in hospital[2]	Physician not in hospital	Midwife	2,500 grams or less	2,501 grams or more	Not stated		Total deaths	Total deaths	Under 1 year	Under 28 days
KANSAS—Continued													
Nemaha	292	309	292	16	1	22	287	-	6	139	143	14	11
Neosho	351	356	354	2	-	32	324	-	11	204	214	9	7
Chanute	348	197	197	-	-	16	181	-	5	156	122	5	4
Balance of county	3	159	157	2	-	16	143	-	6	48	92	4	3
Ness	104	117	117	-	-	9	108	-	1	36	43	3	3
Norton	242	198	196	2	-	15	181	2	2	152	108	9	7
Osage	26	246	221	25	-	11	235	-	4	104	163	5	5
Osborne	1	172	171	1	-	10	161	1	3	71	105	5	3
Ottawa	1	135	134	1	-	6	129	-	3	44	80	2	2
Pawnee	295	205	205	-	-	15	190	-	-	218	101	7	4
Phillips	199	190	190	-	-	11	179	-	-	66	96	7	5
Pottawatomie	254	226	225	1	-	10	215	1	4	106	129	2	1
Pratt	338	313	313	-	-	28	285	-	5	104	117	10	8
Rawlins	99	138	138	-	-	14	123	1	2	46	53	7	6
Reno	1,585	1,617	1,610	7	-	127	1,490	-	24	461	514	45	36
Hutchinson	1,319	1,172	1,168	4	-	96	1,076	-	19	351	369	34	28
Balance of county	266	445	442	3	-	31	414	-	5	110	145	11	8
Republic	143	198	195	2	-	13	185	-	2	107	147	4	3
Rice	286	326	325	1	-	18	307	1	3	112	130	2	2
Riley	705	1,043	1,039	4	-	60	981	2	16	185	209	22	18
Manhattan	703	794	792	2	-	49	743	2	12	140	131	14	13
Balance of county	2	249	247	2	-	11	238	-	4	45	78	8	5
Rooks	164	321	312	9	-	15	306	-	4	43	80	4	4
Rush	150	170	170	-	-	14	156	-	5	65	63	3	3
Russell	301	351	349	1	1	16	333	2	-	88	113	6	5
Saline	1,751	1,529	1,520	9	-	111	1,418	-	29	357	325	37	29
Salina	1,126	1,307	1,301	6	-	102	1,205	-	26	302	261	32	26
Balance of county	625	222	219	3	-	9	213	-	3	55	64	5	3
Scott	191	151	151	-	-	12	139	-	4	37	38	1	1
Sedgwick	9,856	9,817	9,779	30	3	741	9,064	12	137	2,193	2,087	256	195
White	9,148	9,110	9,081	21	3	650	8,449	11	118	2,079	1,973	229	174
Nonwhite	708	707	698	9	-	91	615	1	19	114	114	27	21
Wichita	9,248	7,904	7,879	18	3	632	7,263	9	120	2,034	1,866	231	180
Balance of county	608	1,913	1,900	12	-	109	1,801	3	17	159	221	25	15
Seward	372	340	336	4	-	35	305	-	7	85	67	8	6
Shawnee	3,767	3,529	3,494	32	-	262	3,262	5	57	1,330	1,062	83	60
Topeka	3,103	2,451	2,427	22	-	203	2,243	5	35	1,084	879	73	53
Balance of county	664	1,078	1,067	10	-	59	1,019	-	22	246	183	10	7
Sheridan	84	116	116	-	-	6	110	-	6	22	37	4	3
Sherman	140	145	145	-	-	6	139	-	4	58	63	1	1
Smith	247	162	162	-	-	10	151	1	3	103	99	1	-
Stafford	147	161	161	-	-	9	152	-	3	68	77	2	1
Stanton	-	65	65	-	-	2	63	-	-	4	10	1	1
Stevens	126	115	114	1	-	5	109	1	3	20	25	1	1
Sumner	487	562	559	3	-	29	532	1	11	265	301	13	11
Thomas	212	209	209	-	-	18	191	-	1	50	60	8	8
Trego	170	148	148	-	-	7	140	1	1	35	42	4	3
Wabaunsee	-	129	129	-	-	2	127	-	1	54	90	1	1
Wallace	-	64	63	-	1	5	59	-	2	6	22	1	1
Washington	137	223	221	2	-	11	212	-	2	100	128	2	1
Wichita	28	81	81	-	-	5	76	-	1	12	18	1	1
Wilson	307	284	280	4	-	16	268	-	11	149	158	-	-
Woodson	31	111	106	5	-	6	105	-	1	45	69	1	1
Wyandotte	5,597	5,016	4,925	86	3	360	4,648	8	75	1,898	1,697	142	104
White	4,154	4,015	3,993	19	2	236	3,773	6	52	1,495	1,316	94	67
Nonwhite	1,443	1,001	932	67	1	124	875	2	23	403	381	48	37
Kansas City	5,587	3,982	3,898	80	2	307	3,669	6	62	1,703	1,480	128	97
White	4,149	3,039	3,021	16	1	188	2,847	4	44	1,351	1,124	81	61
Nonwhite	1,438	943	877	64	1	119	822	2	18	352	356	47	36
Balance of county	10	1,034	1,027	6	1	53	979	2	13	195	217	14	7
KENTUCKY	75,008	73,897	65,105	5,933	2,564	5,422	66,289	2,186	1,128	27,299	27,591	2,249	1,522
White	68,633	67,741	60,124	4,976	2,370	4,721	61,086	1,934	973	24,223	24,527	1,957	1,347
Nonwhite	6,375	6,156	4,981	957	194	701	5,203	252	155	3,076	3,064	292	175
Adair	224	321	150	151	8	22	281	18	8	98	151	17	15
Allen	199	218	167	45	5	11	207	-	3	134	148	9	6
Anderson	19	170	150	20	-	3	162	5	3	77	101	2	1
Ballard	43	219	219	-	-	17	201	1	1	51	86	5	5
Barren	1,054	641	592	29	20	48	587	6	9	348	266	22	12
Bath	37	227	191	24	12	14	204	9	7	64	96	10	7
Bell	1,550	934	761	77	84	59	834	41	19	392	319	31	21
Middlesborough	659	241	237	1	3	13	211	17	7	148	110	4	3
Balance of county	891	693	524	76	81	46	623	24	12	244	209	27	18
Boone	40	447	406	40	1	24	417	6	7	117	135	2	2
Bourbon	412	397	336	60	-	31	364	2	6	179	190	21	14
White	333	314	269	45	-	19	293	2	5	130	134	13	9
Nonwhite	79	83	67	15	-	12	71	-	1	49	56	8	5
Boyd	1,356	1,316	1,302	6	8	93	1,220	3	11	395	407	19	15
Ashland	1,346	848	845	2	1	63	783	2	9	305	251	10	9
Balance of county	10	468	457	4	7	30	437	1	2	90	156	9	6
Boyle	706	444	419	25	-	41	396	7	5	311	190	13	11
White	636	387	367	20	-	35	347	5	3	273	149	10	9
Nonwhite	70	57	52	5	-	6	49	2	2	38	41	3	2

See footnotes on p. 183.

Table 19. Live Births by Attendant and Birth Weight; Fetal Deaths; and Total, Infant, and Neonatal Deaths; by Color: United States, Each State and County, and Specified Urban Places, 1955—Continued

(See headnote on p. 83)

AREA AND COLOR	LIVE BIRTHS								FETAL DEATHS	DEATHS			
	By place of occurrence	By place of residence							By place of residence	By place of occurrence	By place of residence		
			Attendant[1]			Birth weight[3]							
	Total births	Total births	Physician in hospital[2]	Physician not in hospital	Midwife	2,500 grams or less	2,501 grams or more	Not stated		Total deaths	Total deaths	Under 1 year	Under 28 days
KENTUCKY—Continued													
Bracken	66	152	89	62	-	7	143	2	-	65	113	4	2
Breathitt	289	442	316	17	101	20	362	60	7	80	117	12	9
Breckinridge	329	363	302	53	8	21	325	17	7	124	150	11	8
Bullitt	38	364	323	36	2	25	330	9	8	70	126	16	12
Butler	137	198	126	47	25	10	170	18	1	75	97	7	6
Caldwell	352	235	220	12	3	13	221	1	2	163	170	4	3
Calloway	505	332	329	3	-	14	318	-	4	161	171	6	4
Campbell	1,893	2,091	2,077	12	-	166	1,910	15	23	798	910	58	46
Newport	8	903	895	6	-	82	815	6	13	167	366	26	22
Fort Thomas	1,441	269	269	-	-	15	253	1	2	274	138	4	3
Balance of county	444	919	913	6	-	69	842	8	8	357	406	28	21
Carlisle	6	98	91	7	-	7	89	2	1	49	71	4	2
Carroll	82	200	181	13	-	22	178	-	3	83	113	7	5
Carter	489	546	454	35	52	36	490	20	6	127	161	20	16
Casey	274	375	267	73	30	23	337	15	5	105	134	9	7
Christian	2,887	1,030	850	91	80	76	942	12	31	705	481	54	35
White	2,335	704	676	19	3	52	646	6	23	514	323	38	26
Nonwhite	552	326	174	72	77	24	296	6	8	191	158	16	9
Hopkinsville	851	440	366	32	40	32	403	5	11	273	237	26	16
White	610	262	255	5	1	18	241	3	7	169	141	17	12
Nonwhite	241	178	111	27	39	14	162	2	4	104	96	9	4
Balance of county	2,036	590	484	59	40	44	539	7	20	432	244	28	19
White	1,725	442	421	14	2	34	405	3	16	345	182	21	14
Nonwhite	311	148	63	45	38	10	134	4	4	87	62	7	5
Clark	483	399	335	61	2	28	364	7	9	213	216	14	9
Clay	589	693	545	1	133	38	590	65	5	127	160	22	15
Clinton	285	211	174	10	25	10	182	19	1	100	92	8	5
Crittenden	178	186	182	4	-	15	170	1	-	106	113	2	2
Cumberland	135	177	56	108	13	13	158	6	3	60	81	3	1
Daviess	2,308	1,835	1,708	121	4	116	1,668	51	20	730	601	44	34
Owensboro	2,237	1,251	1,194	55	1	85	1,154	12	16	617	403	28	20
Balance of county	71	584	514	66	3	31	514	39	4	113	198	16	14
Edmonson	134	179	149	21	8	26	148	5	3	76	82	6	4
Elliott	19	163	143	3	14	10	142	11	8	43	55	4	2
Estill	124	335	223	53	58	30	261	44	2	95	141	16	12
Fayette	2,997	2,580	2,481	96	1	198	2,357	25	39	1,597	1,044	72	44
White	2,478	2,073	2,022	48	1	131	1,922	20	23	1,284	774	47	34
Nonwhite	519	507	459	48	-	67	435	5	16	313	270	25	10
Lexington	2,981	2,296	2,213	81	1	174	2,108	14	37	1,322	837	59	36
White	2,466	1,849	1,811	36	1	117	1,722	10	22	1,056	605	37	28
Nonwhite	515	447	402	45	-	57	386	4	15	266	232	22	8
Balance of county	16	284	268	15	-	24	249	11	2	275	207	13	8
Fleming	74	250	177	68	1	15	227	8	5	81	108	4	2
Floyd	890	1,208	1,074	57	69	85	1,056	67	17	197	258	32	17
Franklin	541	452	450	2	-	27	409	16	16	245	238	11	7
Frankfort	541	294	292	2	-	16	266	12	12	195	157	7	5
White	501	256	255	1	-	15	236	5	8	177	141	7	5
Nonwhite	40	38	37	1	-	1	30	7	4	18	16	-	-
Balance of county	-	158	158	-	-	11	143	4	4	50	81	4	2
Fulton	366	270	187	42	38	20	247	3	8	167	163	12	3
White	276	189	164	15	9	11	178	-	6	135	138	9	3
Nonwhite	90	81	23	27	29	9	69	3	2	32	25	3	-
Gallatin	11	78	68	7	3	7	67	4	-	29	47	1	1
Garrard	161	204	177	26	1	13	191	-	6	88	99	13	10
Grant	56	180	136	44	-	8	167	5	2	65	108	4	-
Graves	544	561	539	14	8	38	515	8	11	301	333	19	12
Grayson	413	374	298	58	15	19	345	10	6	129	158	8	6
Green	63	185	119	59	6	7	169	9	5	90	115	5	3
Greenup	477	725	628	63	25	49	662	14	17	161	213	23	10
Hancock	44	122	104	18	-	6	102	14	4	27	52	3	3
Hardin	3,022	2,383	2,237	139	6	186	2,123	74	35	349	319	62	45
Harlan	1,664	1,594	1,391	142	51	126	1,440	28	40	394	429	58	37
Harrison	306	294	293	1	-	29	261	4	3	160	164	8	6
Hart	140	317	196	119	1	17	244	56	7	90	139	14	12
Henderson	844	838	767	60	11	75	760	3	14	325	329	22	16
White	746	740	723	17	-	63	674	3	10	265	272	14	11
Nonwhite	98	98	44	43	11	12	86	-	4	60	57	8	5
Henderson	820	473	427	39	7	42	431	-	11	246	196	14	11
White	730	392	391	1	-	32	360	-	7	193	151	6	6
Nonwhite	90	81	36	38	7	10	71	-	4	53	45	8	5
Balance of county	24	365	340	21	4	33	329	3	3	79	133	8	5
Henry	6	208	203	5	-	15	188	5	2	131	152	3	1
Hickman	144	113	109	3	-	13	99	1	2	81	83	6	5
White	120	89	88	1	-	7	82	-	1	65	68	3	2
Nonwhite	24	24	21	2	-	6	17	1	1	16	15	3	3
Hopkins	897	824	779	42	2	62	756	6	14	354	368	22	15
Madisonville	862	266	257	9	-	21	245	-	6	190	123	7	5
White	784	221	221	-	-	15	206	-	4	147	91	5	4
Nonwhite	78	45	36	9	-	6	39	-	2	43	32	2	1
Balance of county	35	558	522	33	2	41	511	6	8	164	245	15	10
Jackson	60	295	233	6	53	17	261	17	4	50	86	5	3

See footnotes on p. 183.

Table 19. Live Births by Attendant and Birth Weight; Fetal Deaths; and Total, Infant, and Neonatal Deaths; by Color: United States, Each State and County, and Specified Urban Places, 1955—Continued

(See headnote on p. 83)

AREA AND COLOR	LIVE BIRTHS								FETAL DEATHS	DEATHS			
	By place of occurrence	By place of residence							By place of residence	By place of occurrence	By place of residence		
			Attendant[1]			Birth weight[3]							
	Total births	Total births	Physician in hospital[2]	Physician not in hospital	Midwife	2,500 grams or less	2,501 grams or more	Not stated		Total deaths	Total deaths	Under 1 year	Under 28 days
KENTUCKY—Continued													
Jefferson	15,990	15,403	15,179	209	5	1,337	13,903	163	214	5,957	5,327	421	304
White	13,657	13,018	12,877	133	2	1,040	11,867	111	168	4,889	4,302	323	240
Nonwhite	2,333	2,385	2,302	76	3	297	2,036	52	46	1,068	1,025	98	64
Louisville	15,946	11,081	10,897	170	5	1,032	9,917	132	158	5,311	4,434	330	246
White	13,617	8,851	8,747	97	2	748	8,018	85	117	4,321	3,482	241	186
Nonwhite	2,329	2,230	2,150	73	3	284	1,899	47	41	990	952	89	60
Balance of county	44	4,322	4,282	39	-	305	3,986	31	56	846	893	91	58
Jessamine	92	306	215	91	-	34	244	28	3	73	126	7	5
Johnson	802	508	465	7	30	35	451	22	9	214	176	12	9
Kenton	3,527	3,000	2,975	24	-	227	2,728	45	40	1,292	1,179	58	43
Covington	3,516	1,766	1,754	12	-	152	1,590	24	22	1,101	774	32	23
Balance of county	11	1,234	1,221	12	-	75	1,138	21	18	191	405	26	20
Knott	429	481	257	138	74	24	451	6	5	62	82	11	9
Knox	384	609	348	155	96	36	521	52	8	164	233	20	9
Larue	19	247	224	22	1	16	216	15	4	68	102	14	8
Laurel	721	612	482	71	57	41	553	18	9	189	193	18	14
Lawrence	438	303	269	1	27	19	271	13	2	139	138	16	13
Lee	158	204	122	20	59	13	172	19	2	46	72	10	7
Leslie	485	536	396	6	97	37	481	18	10	50	57	12	8
Letcher	708	823	588	150	81	57	754	12	13	185	212	36	17
Lewis	228	391	166	114	110	20	358	13	5	78	120	9	8
Lincoln	262	381	296	60	23	24	324	33	7	100	137	7	3
Livingston	102	165	155	6	2	8	155	2	2	60	77	-	-
Logan	481	461	411	47	3	42	418	1	11	220	234	23	21
White	419	404	363	40	1	34	369	1	10	192	207	20	18
Nonwhite	62	57	48	7	2	8	49	-	1	28	27	3	3
Lyon	6	113	107	6	-	8	103	2	-	46	49	2	2
White	6	110	104	6	-	8	101	1	-	43	46	1	1
Nonwhite	-	3	3	-	-	-	2	1	-	3	3	1	1
McCracken	1,645	1,321	1,168	150	3	87	1,229	5	25	613	534	44	34
White	1,470	1,148	1,103	44	1	74	1,070	4	18	503	431	33	26
Nonwhite	175	173	65	106	2	13	159	1	7	110	103	11	8
Paducah	1,545	875	757	116	2	57	814	4	17	538	395	32	25
White	1,388	722	694	28	-	46	673	3	12	433	305	23	19
Nonwhite	157	153	63	88	2	11	141	1	5	105	90	9	6
Balance of county	100	446	411	34	1	30	415	1	8	75	139	12	9
McCreary	128	363	235	4	121	31	329	3	7	61	111	16	11
McLean	59	223	192	24	7	13	200	10	3	69	113	10	6
Madison	1,341	760	744	2	12	35	699	26	10	361	293	25	12
Richmond	892	287	284	-	1	14	264	9	4	195	126	10	6
White	840	248	248	-	-	13	226	9	2	168	102	8	5
Nonwhite	52	39	36	-	1	1	38	-	2	27	24	2	1
Balance of county	449	473	460	2	11	21	435	17	6	166	167	15	6
Magoffin	121	222	101	51	67	5	207	10	4	56	87	9	5
Marion	727	463	387	74	2	30	424	9	8	168	151	25	14
Marshall	249	376	368	7	1	21	351	4	4	115	147	7	5
Martin	146	301	155	60	86	26	263	12	4	43	72	15	12
Mason	885	454	423	29	2	36	411	7	3	257	218	14	10
White	814	394	366	26	2	29	358	7	3	225	183	9	5
Nonwhite	71	60	57	3	-	7	53	-	-	32	35	5	5
Meade	207	455	421	32	2	32	422	1	8	62	85	13	10
Menifee	129	96	89	-	4	7	86	3	4	41	40	3	1
Mercer	351	313	307	6	-	28	280	5	2	153	165	11	6
Metcalfe	68	217	148	67	-	11	201	5	4	80	99	5	4
Monroe	314	316	293	7	15	15	297	4	3	119	117	10	9
Montgomery	529	336	288	40	6	30	302	4	5	174	168	24	17
White	499	304	285	11	6	27	273	4	5	152	141	22	17
Nonwhite	30	32	3	29	-	3	29	-	-	22	27	2	-
Morgan	428	324	300	6	18	31	284	9	7	97	94	14	8
Muhlenberg	671	661	643	7	11	45	610	6	11	325	337	27	19
Nelson	583	650	562	86	1	51	582	17	19	145	188	27	18
Nicholas	99	138	124	14	-	11	126	1	4	82	101	8	5
Ohio	216	362	253	108	-	27	321	14	3	139	226	12	9
Oldham	383	257	245	12	-	24	231	2	2	119	90	12	8
White	346	235	233	2	-	23	212	-	2	110	82	10	8
Nonwhite	37	22	12	10	-	1	19	2	-	9	8	2	-
Owen	212	170	163	7	-	14	155	1	1	85	107	4	3
Owsley	44	143	98	-	42	8	126	9	-	39	50	4	2
Pendleton	22	161	141	20	-	12	146	3	2	69	108	8	4
Perry	1,434	1,047	840	119	76	69	936	42	17	269	255	28	14
Pike	1,696	1,943	1,721	88	128	149	1,597	197	21	416	473	76	46
Powell	97	174	81	84	8	13	108	53	1	22	42	8	4
Pulaski	1,136	832	601	189	42	48	725	59	12	356	324	19	14
Robertson	5	37	32	4	-	1	35	1	1	20	39	2	2
Rockcastle	94	317	223	43	50	14	292	11	3	55	105	6	4
Rowan	167	273	112	126	35	20	243	10	7	50	80	13	9
Russell	113	277	165	99	9	13	258	6	4	74	105	6	3
Scott	304	334	304	30	-	23	277	34	6	145	172	12	6
White	254	281	263	18	-	20	235	26	3	121	142	11	5
Nonwhite	50	53	41	12	-	3	42	8	3	24	30	1	1
Shelby	570	383	367	16	-	30	346	7	6	213	200	9	7
White	482	312	304	8	-	21	288	3	3	184	174	9	7
Nonwhite	88	71	63	8	-	9	58	4	3	29	26	-	-
Simpson	244	221	177	41	3	13	207	1	1	105	110	7	5
White	207	188	169	19	-	10	177	1	1	85	90	5	4
Nonwhite	37	33	8	22	3	3	30	-	-	20	20	2	1

See footnotes on p. 183.

Table 19. Live Births by Attendant and Birth Weight; Fetal Deaths; and Total, Infant, and Neonatal Deaths; by Color: United States, Each State and County, and Specified Urban Places, 1955—Continued

(See headnote on p. 83)

AREA AND COLOR	LIVE BIRTHS								FETAL DEATHS	DEATHS			
	By place of occurrence	By place of residence							By place of residence	By place of occurrence	By place of residence		
			Attendant[1]			Birth weight[3]							
	Total births	Total births	Physician in hospital[2]	Physician not in hospital	Midwife	2,500 grams or less	2,501 grams or more	Not stated		Total deaths	Total deaths	Under 1 year	Under 28 days
KENTUCKY—Continued													
Spencer	75	148	73	74	1	13	114	21	2	38	63	6	4
Taylor	536	341	283	56	1	19	293	29	3	156	146	15	12
Todd	108	243	218	18	7	14	226	3	6	106	144	8	5
White	81	189	177	8	4	12	177	-	4	80	112	5	5
Nonwhite	27	54	41	10	3	2	49	3	2	26	32	3	-
Trigg	156	160	124	22	14	16	127	17	5	85	101	7	6
White	123	122	109	13	-	9	102	11	4	67	78	6	5
Nonwhite	33	38	15	9	14	7	25	6	1	18	23	1	1
Trimble	4	125	120	4	-	5	120	-	1	29	55	3	2
Union	378	353	300	52	-	26	297	30	7	205	211	14	6
Warren	1,083	1,061	931	121	8	96	883	82	27	442	427	30	17
White	962	935	895	37	2	84	826	25	20	385	364	23	13
Nonwhite	121	126	36	84	6	12	57	57	7	57	63	7	4
Bowling Green	1,002	693	629	61	3	65	578	50	22	325	276	26	15
White	913	613	604	9	-	59	542	12	15	281	230	19	11
Nonwhite	89	80	25	52	3	6	36	38	7	44	46	7	4
Balance of county	81	368	302	60	5	31	305	32	5	117	151	4	2
Washington	2	263	261	-	2	14	244	5	6	65	110	10	7
White	-	218	218	-	-	10	207	1	3	57	98	8	6
Nonwhite	2	45	43	-	2	4	37	4	3	8	12	2	1
Wayne	300	367	73	251	33	16	317	34	8	84	124	7	3
Webster	102	292	244	48	-	22	258	12	4	149	203	10	7
Whitley	531	599	434	104	59	40	536	23	4	234	278	29	15
Wolfe	159	196	151	8	36	5	189	2	4	40	56	6	3
Woodford	383	293	288	5	-	14	259	20	-	94	104	6	3
White	335	251	247	4	-	7	234	10	-	72	79	4	1
Nonwhite	48	42	41	1	-	7	25	10	-	22	25	2	2
LOUISIANA	85,504	86,154	80,000	1,327	4,774	7,418	78,299	437	1,654	24,468	24,312	2,723	1,892
White	51,468	51,953	51,256	393	285	3,423	48,340	190	719	14,754	14,619	1,179	918
Nonwhite	34,036	34,201	28,744	934	4,489	3,995	29,959	247	935	9,714	9,693	1,544	974
Acadia	1,021	1,494	1,372	41	80	109	1,379	6	32	271	367	48	31
White	895	1,073	1,024	18	30	71	1,000	2	23	212	273	23	17
Nonwhite	126	421	348	23	50	38	379	4	9	59	94	25	14
Crowley	556	497	460	19	18	49	445	3	13	110	116	18	13
White	512	360	344	7	9	32	328	-	9	80	76	10	7
Nonwhite	44	137	116	12	9	17	117	3	4	30	40	8	6
Balance of parish	465	997	912	22	62	60	934	3	19	161	251	30	18
White	383	713	680	11	21	39	672	2	14	132	197	13	10
Nonwhite	82	284	232	11	41	21	262	1	5	29	54	17	8
Allen	697	559	535	7	16	37	521	1	13	149	172	22	18
White	559	399	394	5	-	23	376	-	11	110	119	13	11
Nonwhite	138	160	141	2	16	14	145	1	2	39	53	9	7
Ascension	409	695	626	17	52	52	643	-	17	148	212	17	7
White	304	424	420	1	3	19	405	-	7	81	113	3	3
Nonwhite	105	271	206	16	49	33	238	-	10	67	99	14	4
Assumption	368	499	470	12	17	42	456	1	10	110	151	11	5
White	217	245	243	-	2	10	235	-	1	63	86	3	2
Nonwhite	151	254	227	12	15	32	221	1	9	47	65	8	3
Avoyelles	608	976	819	47	110	83	891	2	16	201	295	34	21
White	476	579	536	33	10	28	549	2	10	136	187	9	6
Nonwhite	132	397	283	14	100	55	342	-	6	65	108	25	15
Beauregard	450	465	401	12	51	45	419	1	11	143	155	18	14
White	327	326	321	3	1	26	299	1	6	115	117	10	9
Nonwhite	123	139	80	9	50	19	120	-	5	28	38	8	5
Bienville	234	375	332	2	41	31	339	5	6	110	181	14	12
White	104	130	129	1	-	7	122	1	1	71	104	1	1
Nonwhite	130	245	203	1	41	24	217	4	5	39	77	13	11
Bossier	1,332	1,835	1,786	6	41	136	1,697	2	28	145	250	42	26
White	1,150	1,390	1,389	1	-	81	1,309	-	17	80	126	12	9
Nonwhite	182	445	397	5	41	55	388	2	11	65	124	30	17
Bossier City	10	1,167	1,157	2	7	83	1,083	1	20	28	96	23	16
White	1	1,049	1,048	1	-	62	987	-	16	19	66	12	9
Nonwhite	9	118	109	1	7	21	96	1	4	9	30	11	7
Balance of parish	1,322	668	629	4	34	53	614	1	8	117	154	19	10
White	1,149	341	341	-	-	19	322	-	1	61	60	-	-
Nonwhite	173	327	288	4	34	34	292	1	7	56	94	19	10
Caddo	8,008	6,225	6,137	34	52	584	5,634	7	128	2,261	1,659	171	134
White	3,890	3,406	3,395	6	3	226	3,176	4	54	1,184	902	62	55
Nonwhite	4,118	2,819	2,742	28	49	358	2,458	3	74	1,077	757	109	79
Shreveport	7,768	5,054	5,024	23	6	486	4,563	5	102	2,040	1,304	137	112
White	3,708	2,925	2,920	2	2	205	2,717	3	44	1,079	739	55	49
Nonwhite	4,060	2,129	2,104	21	4	281	1,846	2	58	961	565	82	63
Balance of parish	240	1,171	1,113	11	46	98	1,071	2	26	221	355	34	22
White	182	481	475	4	1	21	459	1	10	105	163	7	6
Nonwhite	58	690	638	7	45	77	612	1	16	116	192	27	16
Calcasieu	4,018	4,176	3,951	13	208	324	3,844	8	59	651	740	100	69
White	3,215	3,246	3,212	5	28	205	3,038	3	36	453	502	53	42
Nonwhite	803	930	739	8	180	119	806	5	23	198	238	47	27
Lake Charles	2,460	2,224	2,100	5	118	164	2,056	4	31	378	391	49	34
White	1,841	1,664	1,656	1	7	98	1,565	1	14	250	245	23	19
Nonwhite	619	560	444	4	111	66	491	3	17	128	146	26	15
Balance of parish	1,558	1,952	1,851	8	90	160	1,788	4	28	273	349	51	35
White	1,374	1,582	1,556	4	21	107	1,473	2	22	203	257	30	23
Nonwhite	184	370	295	4	69	53	315	2	6	70	92	21	12

See footnotes on p. 183.

430007 O - 57 - 15

Table 19. Live Births by Attendant and Birth Weight; Fetal Deaths; and Total, Infant, and Neonatal Deaths; by Color: United States, Each State and County, and Specified Urban Places, 1955—Continued

(See headnote on p. 83)

AREA AND COLOR	LIVE BIRTHS								FETAL DEATHS	DEATHS			
	By place of occurrence	By place of residence							By place of residence	By place of occurrence	By place of residence		
			Attendant[1]			Birth weight[3]							
	Total births	Total births	Physician in hospital[2]	Physician not in hospital	Midwife	2,500 grams or less	2,501 grams or more	Not stated		Total deaths	Total deaths	Under 1 year	Under 28 days
LOUISIANA—Continued													
Caldwell	137	204	199	4	1	14	185	5	4	49	73	8	6
White	126	136	135	-	1	8	126	2	2	37	50	4	3
Nonwhite	11	68	64	4	-	6	59	3	2	12	23	4	3
Cameron	125	200	194	6	-	14	186	-	3	40	44	6	5
Catahoula	264	327	277	3	47	22	304	1	3	58	89	12	8
White	160	193	188	1	4	15	177	1	1	30	51	5	5
Nonwhite	104	134	89	2	43	7	127	-	2	28	38	7	3
Claiborne	361	463	368	6	89	30	428	5	13	150	188	11	10
White	208	186	184	2	-	5	180	1	-	88	101	-	-
Nonwhite	153	277	184	4	89	25	248	4	13	62	87	11	10
Concordia	377	568	434	7	126	60	507	1	21	148	166	30	17
White	158	234	230	-	4	22	212	-	6	47	46	5	4
Nonwhite	219	334	204	7	122	38	295	1	15	101	120	25	13
De Soto	284	639	544	6	89	62	577	-	18	167	228	19	14
White	154	231	225	3	3	18	213	-	3	75	91	8	6
Nonwhite	130	408	319	3	86	44	364	-	15	92	137	11	8
East Baton Rouge	4,815	5,473	5,130	39	302	379	5,062	32	98	1,079	1,182	145	101
White	3,950	3,502	3,497	3	1	181	3,298	23	41	688	641	67	53
Nonwhite	865	1,971	1,633	36	301	198	1,764	9	57	391	541	78	48
Baton Rouge	4,652	4,359	4,175	28	154	309	4,023	27	75	923	937	119	90
White	3,950	2,936	2,931	3	1	153	2,762	21	36	628	538	60	48
Nonwhite	702	1,423	1,244	25	153	156	1,261	6	39	295	399	59	42
Balance of parish	163	1,114	955	11	148	70	1,039	5	23	156	245	26	11
White	-	566	566	-	-	28	536	2	5	60	103	7	5
Nonwhite	163	548	389	11	148	42	503	3	18	96	142	19	6
East Carroll	377	463	187	45	231	46	416	1	13	122	148	19	9
White	99	155	136	14	5	11	144	-	3	22	33	5	4
Nonwhite	278	308	51	31	226	35	272	1	10	100	115	14	5
East Feliciana	234	412	276	12	122	33	375	4	3	323	127	21	19
White	68	95	93	1	1	2	93	-	1	189	48	4	4
Nonwhite	166	317	183	11	121	31	282	4	2	134	79	17	15
Evangeline	640	806	696	18	92	73	725	8	15	205	226	44	19
White	467	469	455	9	5	37	428	4	8	138	150	12	9
Nonwhite	173	337	241	9	87	36	297	4	7	67	76	32	10
Franklin	609	816	612	24	180	56	745	15	11	220	245	33	19
White	348	417	405	9	3	19	392	6	5	139	139	10	6
Nonwhite	261	399	207	15	177	37	353	9	6	81	106	23	13
Grant	66	318	305	7	6	30	288	-	3	65	120	7	5
White	45	198	196	1	1	18	180	-	2	43	88	6	5
Nonwhite	21	120	109	6	5	12	108	-	1	22	32	1	-
Iberia	946	1,428	1,364	45	19	115	1,289	24	31	277	365	53	40
White	784	932	930	2	-	59	863	10	12	167	218	28	25
Nonwhite	162	496	434	43	19	56	426	14	19	110	147	25	15
New Iberia	755	769	760	4	5	56	702	11	15	155	187	32	26
White	658	559	559	-	-	37	516	6	8	109	129	20	19
Nonwhite	97	210	201	4	5	19	186	5	7	46	58	12	7
Balance of parish	191	659	604	41	14	59	587	13	16	122	178	21	14
White	126	373	371	2	-	22	347	4	4	58	89	8	6
Nonwhite	65	286	233	39	14	37	240	9	12	64	89	13	8
Iberville	545	801	603	22	175	72	716	13	18	240	290	30	24
White	271	331	325	4	2	16	312	3	3	116	124	7	7
Nonwhite	274	470	278	18	173	56	404	10	15	124	166	23	17
Jackson	389	334	316	3	15	28	276	30	4	109	126	12	8
White	170	168	168	-	-	7	151	10	2	60	76	4	2
Nonwhite	219	166	148	3	15	21	125	20	2	49	50	8	6
Jefferson	647	4,785	4,748	29	5	417	4,359	9	72	549	844	103	70
White	625	3,705	3,687	12	3	269	3,430	6	43	441	638	68	48
Nonwhite	22	1,080	1,061	17	2	148	929	3	29	108	206	35	22
Gretna	7	527	520	3	4	54	472	1	6	65	139	14	12
White	3	359	356	1	2	27	331	1	3	39	87	6	5
Nonwhite	4	168	164	2	2	27	141	-	3	26	52	8	7
Balance of parish	640	4,258	4,228	26	1	363	3,887	8	66	484	705	89	58
White	622	3,346	3,331	11	1	242	3,099	5	40	402	551	62	43
Nonwhite	18	912	897	15	-	121	788	3	26	82	154	27	15
Jefferson Davis	727	867	775	27	64	56	807	4	12	190	222	27	17
White	635	659	632	12	15	33	624	2	5	158	170	16	10
Nonwhite	92	208	143	15	49	23	183	2	7	32	52	11	7
Lafayette	5,346	2,094	2,051	14	29	192	1,897	5	40	798	463	70	39
White	2,171	1,368	1,357	10	1	97	1,269	2	23	399	283	19	16
Nonwhite	3,175	726	694	4	28	95	628	3	17	399	180	51	23
Lafayette	5,316	1,436	1,410	5	21	135	1,300	1	26	695	311	47	28
White	2,162	975	972	3	-	71	903	1	16	330	187	18	15
Nonwhite	3,154	461	438	2	21	64	397	-	10	365	124	29	13
Balance of parish	30	658	641	9	8	57	597	4	14	103	152	23	11
White	9	393	385	7	1	26	366	1	7	69	96	1	1
Nonwhite	21	265	256	2	7	31	231	3	7	34	56	22	10
Lafourche	1,345	1,502	1,389	35	78	113	1,388	1	30	278	345	51	40
White	1,254	1,264	1,200	26	38	82	1,181	1	22	235	278	34	28
Nonwhite	91	238	189	9	40	31	207	-	8	43	67	17	12
La Salle	221	298	295	1	2	34	262	2	7	103	118	11	9
White	209	251	251	-	-	23	226	2	5	91	103	8	6
Nonwhite	12	47	44	1	2	11	36	-	2	12	15	3	3
Lincoln	383	523	462	1	59	38	483	2	16	156	170	12	8
White	291	271	271	-	-	12	258	1	4	104	95	4	3
Nonwhite	92	252	191	1	59	26	225	1	12	52	75	8	5

See footnotes on p. 183.

Table 19. Live Births by Attendant and Birth Weight; Fetal Deaths; and Total, Infant, and Neonatal Deaths; by Color: United States, Each State and County, and Specified Urban Places, 1955—Continued

(See headnote on p. 83)

AREA AND COLOR	LIVE BIRTHS								FETAL DEATHS	DEATHS			
	By place of occurrence	By place of residence							By place of residence	By place of occurrence	By place of residence		
			Attendant[1]			Birth weight[3]							
	Total births	Total births	Physician in hospital[2]	Physician not in hospital	Midwife	2,500 grams or less	2,501 grams or more	Not stated		Total deaths	Total deaths	Under 1 year	Under 28 days
LOUISIANA—Continued													
Lincoln—Continued													
Ruston	329	231	220	-	11	18	212	1	9	98	76	4	1
White	286	143	143	-	-	5	138	-	3	68	40	2	1
Nonwhite	43	88	77	-	11	13	74	1	6	30	36	2	-
Balance of parish	54	292	242	1	48	20	271	1	7	58	94	8	7
White	5	128	128	-	-	7	120	1	1	36	55	2	2
Nonwhite	49	164	114	1	48	13	151	-	6	22	39	6	5
Livingston	129	568	559	2	6	39	524	5	7	64	137	17	13
White	121	435	431	2	1	28	404	3	3	51	119	14	13
Nonwhite	8	133	128	-	5	11	120	2	4	13	18	3	-
Madison	325	547	222	2	323	45	501	1	15	115	173	21	16
White	5	125	120	1	4	9	115	1	1	31	39	-	-
Nonwhite	320	422	102	1	319	36	386	-	14	84	134	21	16
Morehouse	824	1,115	820	52	242	110	999	6	18	197	268	53	33
White	410	462	454	7	1	34	426	2	2	96	123	24	17
Nonwhite	414	653	366	45	241	76	573	4	16	101	145	29	16
Bastrop	558	467	413	10	44	50	416	1	4	127	120	26	22
White	391	284	283	-	1	24	259	1	1	81	72	17	14
Nonwhite	167	183	130	10	43	26	157	-	3	46	48	9	8
Balance of parish	266	648	407	42	198	60	583	5	14	70	148	27	11
White	19	178	171	7	-	10	167	1	1	15	51	7	3
Nonwhite	247	470	236	35	198	50	416	4	13	55	97	20	8
Natchitoches	631	900	613	40	245	88	799	13	18	212	277	33	22
White	316	401	382	16	3	25	372	4	5	103	132	10	6
Nonwhite	315	499	231	24	242	63	427	9	13	109	145	23	16
Orleans, coextensive with New Orleans	26,079	16,749	16,627	109	10	1,605	15,096	48	315	7,860	6,349	521	382
White	13,995	9,203	9,184	16	1	667	8,515	21	131	4,835	4,052	235	184
Nonwhite	12,084	7,546	7,443	93	9	938	6,581	27	184	3,025	2,297	286	198
Ouachita	4,123	2,629	2,562	23	42	238	2,378	13	61	1,013	767	88	72
White	1,881	1,544	1,536	7	1	105	1,433	6	27	527	445	44	36
Nonwhite	2,242	1,085	1,026	16	41	133	945	7	34	486	322	44	36
Monroe	1,642	1,495	1,453	11	31	141	1,346	8	31	463	462	48	38
White	1,395	788	784	4	-	53	733	2	11	311	233	23	19
Nonwhite	247	707	669	7	31	88	613	6	20	152	229	25	19
West Monroe	6	502	498	3	-	47	453	2	13	46	116	13	12
White	2	377	375	2	-	29	346	2	8	34	86	6	6
Nonwhite	4	125	123	1	-	18	107	-	5	12	30	7	6
Balance of parish	2,475	632	611	9	11	50	579	3	17	504	189	27	22
White	484	379	377	1	1	23	354	2	8	182	126	15	11
Nonwhite	1,991	253	234	8	10	27	225	1	9	322	63	12	11
Plaquemines	319	598	571	13	13	52	540	6	9	79	112	11	6
White	265	382	377	4	1	18	360	4	2	47	56	5	3
Nonwhite	54	216	194	9	12	34	180	2	7	32	56	6	3
Pointe Coupee	553	603	396	28	179	47	545	11	17	158	190	17	12
White	233	219	218	-	1	16	202	1	3	70	90	4	4
Nonwhite	320	384	178	28	178	31	343	10	14	88	100	13	8
Rapides	3,776	2,755	2,669	35	51	249	2,504	2	49	1,229	813	72	55
White	2,171	1,792	1,780	7	5	133	1,659	-	24	732	473	39	33
Nonwhite	1,605	963	889	28	46	116	845	2	25	497	340	33	22
Alexandria	1,831	1,321	1,276	19	26	132	1,188	1	29	416	392	36	28
White	1,552	814	810	4	-	74	740	-	13	288	200	20	17
Nonwhite	279	507	466	15	26	58	448	1	16	128	192	16	11
Balance of parish	1,945	1,434	1,393	16	25	117	1,316	1	20	813	421	36	27
White	619	978	970	3	5	59	919	-	11	444	273	19	16
Nonwhite	1,326	456	423	13	20	58	397	1	9	369	148	17	11
Red River	140	261	221	9	31	22	238	1	6	81	105	9	6
White	89	98	98	-	-	6	92	-	2	36	47	3	3
Nonwhite	51	163	123	9	31	16	146	1	4	45	58	6	3
Richland	758	845	747	39	58	73	763	9	23	170	218	41	31
White	541	351	331	19	1	28	320	3	6	85	96	12	8
Nonwhite	217	494	416	20	57	45	443	6	17	85	122	29	23
Sabine	426	454	363	3	87	33	419	2	7	154	180	18	13
White	304	304	289	1	13	17	286	1	4	112	126	11	10
Nonwhite	122	150	74	2	74	16	133	1	3	42	54	7	3
St. Bernard	35	669	668	1	-	61	606	2	14	63	119	20	13
White	33	591	591	-	-	48	542	1	11	48	97	18	12
Nonwhite	2	78	77	1	-	13	64	1	3	15	22	2	1
St. Charles	49	607	594	8	5	42	564	1	6	65	96	9	7
White	40	442	437	5	-	22	420	-	2	36	50	4	4
Nonwhite	9	165	157	3	5	20	144	1	4	29	46	5	3
St. Helena	2	190	188	-	2	15	173	2	3	42	65	6	5
White	-	67	67	-	-	6	61	-	2	23	37	3	2
Nonwhite	2	123	121	-	2	9	112	2	1	19	28	3	3
St. James	354	536	425	51	57	58	475	3	15	137	175	27	16
White	219	234	215	19	-	19	214	1	6	54	80	8	7
Nonwhite	135	302	210	32	57	39	261	2	9	83	95	19	9
St. John the Baptist	70	491	467	16	8	47	440	4	9	87	159	22	14
White	55	205	195	10	-	9	196	-	-	44	74	7	4
Nonwhite	15	286	272	6	8	38	244	4	9	43	85	15	10
St. Landry	1,368	2,536	2,245	85	205	190	2,311	35	59	402	577	100	54
White	1,030	1,324	1,284	17	23	75	1,242	7	10	221	282	30	18
Nonwhite	338	1,212	961	68	182	115	1,069	28	49	181	295	70	36

See footnotes on p. 183.

Table 19. Live Births by Attendant and Birth Weight; Fetal Deaths; and Total, Infant, and Neonatal Deaths; by Color: United States, Each State and County, and Specified Urban Places, 1955—Continued

(See headnote on p. 83)

AREA AND COLOR	LIVE BIRTHS								FETAL DEATHS	DEATHS			
	By place of occurrence	By place of residence							By place of residence	By place of occurrence	By place of residence		
			Attendant[1]			Birth weight[3]							
	Total births	Total births	Physician in hospital[2]	Physician not in hospital	Midwife	2,500 grams or less	2,501 grams or more	Not stated		Total deaths	Total deaths	Under 1 year	Under 28 days
LOUISIANA—Continued													
St. Landry—Continued													
Opelousas	605	592	554	19	19	49	536	7	21	111	125	24	14
White	506	333	330	2	1	25	307	1	2	65	57	10	7
Nonwhite	99	259	224	17	18	24	229	6	19	46	68	14	7
Balance of parish	763	1,944	1,691	66	186	141	1,775	28	38	291	452	76	40
White	524	991	954	15	22	50	935	6	8	156	225	20	11
Nonwhite	239	953	737	51	164	91	840	22	30	135	227	56	29
St. Martin	370	941	878	16	45	70	864	7	20	143	184	36	23
White	288	501	492	2	7	17	481	3	12	91	103	8	6
Nonwhite	82	440	386	14	38	53	383	4	8	52	81	28	17
St. Mary	1,154	1,328	1,106	75	145	110	1,203	15	34	316	388	48	27
White	822	877	829	15	32	62	803	12	10	158	193	17	11
Nonwhite	332	451	277	60	113	48	400	3	24	158	195	31	16
St. Tammany	240	908	895	9	4	77	830	1	14	233	311	32	21
White	197	532	528	4	-	46	485	1	7	174	221	15	12
Nonwhite	43	376	367	5	4	31	345	-	7	59	90	17	9
Tangipahoa	2,081	1,694	1,654	11	27	155	1,532	7	37	439	498	56	34
White	967	899	885	8	5	56	839	4	14	271	321	27	18
Nonwhite	1,114	795	769	3	22	99	693	3	23	168	177	29	16
Tensas	402	413	246	4	162	40	373	-	10	104	125	14	10
White	89	111	110	1	-	4	107	-	3	28	39	-	-
Nonwhite	313	302	136	3	162	36	266	-	7	76	86	14	10
Terrebonne	1,273	1,760	1,681	25	51	148	1,607	5	38	274	360	50	31
White	1,189	1,365	1,347	7	8	90	1,272	3	23	185	243	34	22
Nonwhite	84	395	334	18	43	58	335	2	15	89	117	16	9
Houma	1,213	686	676	7	3	50	634	2	20	171	168	20	14
White	1,176	550	547	3	-	28	520	2	12	132	117	14	11
Nonwhite	37	136	129	4	3	22	114	-	8	39	51	6	3
Balance of parish	60	1,074	1,005	18	48	98	973	3	18	103	192	30	17
White	13	815	800	4	8	62	752	1	11	53	126	20	11
Nonwhite	47	259	205	14	40	36	221	2	7	50	66	10	6
Union	179	400	387	9	3	30	369	1	8	107	144	15	10
White	138	189	187	2	-	15	173	1	2	76	94	5	4
Nonwhite	41	211	200	7	3	15	196	-	6	31	50	10	6
Vermilion	883	979	954	13	11	85	875	19	10	227	262	32	28
White	839	811	801	6	3	70	726	15	9	201	224	23	21
Nonwhite	44	168	153	7	8	15	149	4	1	26	38	9	7
Vernon	235	420	374	8	38	40	379	1	11	131	185	18	16
White	192	344	336	5	3	33	311	-	10	105	152	16	14
Nonwhite	43	76	38	3	35	7	68	1	1	26	33	2	2
Washington	1,314	1,205	1,159	18	28	102	1,098	5	12	281	321	46	31
White	733	651	648	3	-	43	607	1	8	188	203	25	20
Nonwhite	581	554	511	15	28	59	491	4	4	93	118	21	11
Bogalusa	1,162	610	588	10	12	66	542	2	6	207	171	23	18
White	609	325	324	1	-	32	293	-	4	142	103	13	12
Nonwhite	553	285	264	9	12	34	249	2	2	65	68	10	6
Balance of parish	152	595	571	8	16	36	556	3	6	74	150	23	13
White	124	326	324	2	-	11	314	1	4	46	100	12	8
Nonwhite	28	269	247	6	16	25	242	2	2	28	50	11	5
Webster	709	1,029	997	16	16	89	934	6	20	242	325	35	28
White	531	606	601	5	-	38	564	4	9	153	188	14	9
Nonwhite	178	423	396	11	16	51	370	2	11	89	137	21	19
West Baton Rouge	85	353	266	33	51	36	313	4	9	75	112	13	9
White	5	167	162	5	-	12	154	1	2	27	37	2	2
Nonwhite	80	186	104	28	51	24	159	3	7	48	75	11	7
West Carroll	204	440	350	17	73	33	407	-	12	85	139	16	11
White	121	311	291	13	7	17	294	-	7	60	96	8	5
Nonwhite	83	129	59	4	66	16	113	-	5	25	43	8	6
West Feliciana	145	273	130	9	134	34	236	3	7	74	102	17	11
White	2	45	45	-	-	1	44	-	-	12	22	1	1
Nonwhite	143	228	85	9	134	33	192	3	7	62	80	16	10
Winn	286	338	312	3	23	28	306	4	6	94	115	9	8
White	214	204	203	-	1	11	190	3	3	67	74	5	5
Nonwhite	72	134	109	3	22	17	116	1	3	27	41	4	3
MAINE	22,215	22,420	21,669	748	1	1,521	20,241	658	419	10,110	10,213	553	393
White	22,057	22,269	21,520	746	1	1,507	20,111	651	415	10,076	10,177	540	385
Nonwhite	158	151	149	2	-	14	130	7	4	34	36	13	8
Androscoggin	2,169	1,879	1,862	17	-	155	1,714	10	32	972	927	54	34
Lewiston	2,107	872	871	1	-	80	785	7	19	655	449	29	20
Auburn	3	458	454	4	-	36	420	2	6	202	244	15	8
Balance of county	59	549	537	12	-	39	509	1	7	115	234	10	6
Aroostook	3,414	3,370	3,080	290	-	198	3,101	71	67	704	738	81	61
Cumberland	3,868	3,881	3,856	25	-	256	3,557	68	79	2,032	2,030	104	80
Portland	3,248	1,628	1,625	3	-	117	1,482	29	41	1,308	1,013	50	36
South Portland	2	508	506	2	-	36	461	11	9	129	241	16	13
Westbrook	175	266	257	9	-	18	245	3	4	86	124	10	9
Balance of county	443	1,479	1,468	11	-	85	1,369	25	25	509	652	28	22
Franklin	565	477	449	28	-	29	443	5	11	194	218	10	5
Hancock	473	669	653	16	-	43	565	61	5	341	404	13	8
Kennebec	2,370	2,034	1,989	45	-	151	1,861	22	45	1,290	954	54	38
Augusta	877	411	411	-	-	33	376	2	3	354	219	11	10
Waterville	1,104	443	428	15	-	25	413	5	13	284	214	13	9
Balance of county	389	1,180	1,150	30	-	93	1,072	15	29	652	521	30	19

See footnotes on p. 183.

Table 19. Live Births by Attendant and Birth Weight; Fetal Deaths; and Total, Infant, and Neonatal Deaths; by Color: United States, Each State and County, and Specified Urban Places, 1955—Continued

(See headnote on p. 83)

AREA AND COLOR	LIVE BIRTHS								FETAL DEATHS	DEATHS			
	By place of occurrence	By place of residence							By place of residence	By place of occurrence	By place of residence		
			Attendant[1]			Birth weight[3]							
	Total births	Total births	Physician in hospital[2]	Physician not in hospital	Midwife	2,500 grams or less	2,501 grams or more	Not stated		Total deaths	Total deaths	Under 1 year	Under 28 days
MAINE—Continued													
Knox	610	579	531	48	-	32	523	24	11	382	403	17	11
Lincoln	305	391	380	11	-	23	361	7	7	261	263	5	3
Oxford	646	1,070	1,054	16	-	102	951	17	22	388	500	28	21
Penobscot	3,452	3,062	3,018	44	-	206	2,635	221	40	1,261	1,121	69	53
Bangor	2,451	996	992	4	-	63	863	70	12	723	397	24	19
Balance of county	1,001	2,066	2,026	40	-	143	1,772	151	28	538	724	45	34
Piscataquis	378	385	375	10	-	31	346	8	2	151	190	9	8
Sagadahoc	374	488	486	1	-	22	461	5	4	231	262	8	7
Bath	372	236	236	-	-	15	219	2	3	169	141	3	2
Balance of county	2	252	250	1	-	7	242	3	1	62	121	5	5
Somerset	652	939	915	22	1	66	859	14	21	401	470	23	11
Waldo	279	518	454	64	-	28	474	16	7	210	284	17	8
Washington	442	527	438	89	-	40	453	34	10	360	416	18	13
York	2,218	2,151	2,129	22	-	139	1,937	75	56	932	1,033	43	32
Biddeford	830	448	444	4	-	26	400	22	13	260	189	5	4
Saco	201	235	233	2	-	16	206	13	4	95	127	4	3
Balance of county	1,187	1,468	1,452	16	-	97	1,331	40	39	577	717	34	25
MARYLAND	63,418	67,888	65,174	1,443	959	5,771	61,760	357	1,144	24,289	24,221	1,873	1,360
White	49,003	53,281	52,229	807	144	3,849	49,184	248	804	19,648	19,598	1,191	902
Nonwhite	14,415	14,607	12,945	636	815	1,922	12,576	109	340	4,641	4,623	682	458
Allegany	1,829	1,592	1,566	19	2	117	1,468	7	28	884	890	41	31
Cumberland	1,577	620	606	10	1	45	570	5	11	623	429	15	11
Balance of county	252	972	960	9	1	72	898	2	17	261	461	26	20
Anne Arundel	3,072	3,759	3,515	110	101	278	3,465	16	54	845	987	103	76
White	2,582	3,034	2,957	45	22	197	2,831	6	37	573	794	61	50
Nonwhite	490	725	558	65	79	81	634	10	17	272	193	42	26
Annapolis	1,381	724	669	22	29	67	652	5	16	282	221	31	23
White	1,237	507	504	-	3	38	469	-	13	217	155	13	12
Nonwhite	144	217	165	22	26	29	183	5	3	65	66	18	11
Balance of county	1,691	3,035	2,846	88	72	211	2,813	11	38	563	766	72	53
White	1,345	2,527	2,453	45	19	159	2,362	6	24	356	639	48	38
Nonwhite	346	508	393	43	53	52	451	5	14	207	127	24	15
Baltimore	202	9,586	9,380	175	3	699	8,864	23	137	2,084	2,528	206	168
White	161	9,079	8,917	140	2	644	8,412	23	129	1,909	2,399	190	156
Nonwhite	41	507	463	35	1	55	452	-	8	175	129	16	12
District 12[5 6]	24	1,700	1,673	25	-	152	1,546	2	26	106	258	36	31
White	11	1,483	1,470	13	-	125	1,356	2	25	96	232	28	26
Nonwhite	13	217	203	12	-	27	190	-	1	10	26	8	5
District 13[5 6]	3	677	674	3	-	50	625	2	16	81	161	15	11
Balance of county	175	7,209	7,033	147	3	497	6,693	19	95	1,897	2,109	155	126
Baltimore (city)	35,028	23,397	22,709	445	200	2,388	20,920	89	414	11,720	10,846	722	525
White	25,367	14,464	14,246	179	32	1,148	13,282	34	220	8,981	8,036	347	251
Nonwhite	9,661	8,933	8,463	266	168	1,240	7,638	55	194	2,739	2,810	375	274
Calvert	402	458	421	12	14	25	432	1	17	138	133	12	4
White	142	187	185	1	-	12	174	1	6	99	83	2	1
Nonwhite	260	271	236	11	14	13	258	-	11	39	50	10	3
Caroline	46	453	404	28	14	42	406	5	7	127	237	10	5
White	13	339	328	8	2	25	311	3	3	97	190	7	4
Nonwhite	33	114	76	20	12	17	95	2	4	30	47	3	1
Carroll	100	996	892	101	1	57	932	7	19	643	474	18	14
Cecil	1,222	1,095	1,060	31	1	82	997	16	13	434	378	30	20
Charles	612	964	724	10	159	71	885	8	26	206	244	47	27
White	341	537	520	2	10	31	503	3	13	118	138	19	15
Nonwhite	271	427	204	8	149	40	382	5	13	88	106	28	12
Dorchester	558	592	462	15	102	47	541	4	14	347	341	23	13
White	305	342	322	8	9	16	323	3	4	244	216	7	3
Nonwhite	253	250	140	7	93	31	218	1	10	103	125	16	10
Cambridge	497	267	228	-	37	23	243	1	9	204	163	16	11
White	290	159	153	-	5	7	151	1	3	129	91	5	2
Nonwhite	207	108	75	-	32	16	92	-	6	75	72	11	9
Balance of county	61	325	234	15	65	24	298	3	5	143	178	7	2
White	15	183	169	8	4	9	172	2	1	115	125	2	1
Nonwhite	46	142	65	7	61	15	126	1	4	28	53	5	1
Frederick	1,459	1,535	1,442	83	8	124	1,397	14	21	636	675	38	28
Frederick	1,370	462	457	3	1	42	418	2	7	322	227	16	14
Balance of county	89	1,073	985	80	7	82	979	12	14	314	448	22	14
Garrett	455	451	407	9	25	43	406	2	11	167	181	14	9
Harford	2,409	1,802	1,724	66	-	149	1,646	7	26	408	462	50	34
White	2,130	1,577	1,524	47	-	113	1,458	6	24	337	388	40	30
Nonwhite	279	225	200	19	-	36	188	1	2	71	74	10	4
Howard	30	696	662	33	-	50	642	4	7	172	216	26	17
White	12	577	562	14	-	33	542	2	6	149	176	19	13
Nonwhite	18	119	100	19	-	17	100	2	1	23	40	7	4
Kent	458	398	381	9	4	34	348	16	7	160	173	15	6
White	315	266	261	4	1	14	242	10	3	112	117	4	3
Nonwhite	143	132	120	5	3	20	106	6	4	48	56	11	3
Montgomery	6,162	6,763	6,715	46	-	462	6,257	44	100	1,680	1,485	129	99
White	5,648	6,430	6,397	32	-	421	5,969	40	89	1,523	1,364	109	83
Nonwhite	514	333	318	14	-	41	288	4	11	157	121	20	16
Takoma Park (part)	1,456	344	344	-	-	18	323	3	6	280	106	6	4
Takoma Park (total)	1,456	622	621	1	-	32	584	6	13	292	136	9	6
Balance of county	4,706	6,419	6,371	46	-	444	5,934	41	94	1,400	1,379	123	95
White	4,201	6,088	6,055	32	-	403	5,648	37	83	1,247	1,261	103	79
Nonwhite	505	331	316	14	-	41	286	4	11	153	118	20	16

See footnotes on p. 183.

Table 19. Live Births by Attendant and Birth Weight; Fetal Deaths; and Total, Infant, and Neonatal Deaths; by Color: United States, Each State and County, and Specified Urban Places, 1955—Continued

(See headnote on p. 83)

AREA AND COLOR	LIVE BIRTHS								FETAL DEATHS	DEATHS			
	By place of occurrence	By place of residence							By place of residence	By place of occurrence	By place of residence		
			Attendant[1]			Birth weight[3]							
	Total births	Total births	Physician in hospital[2]	Physician not in hospital	Midwife	2,500 grams or less	2,501 grams or more	Not stated		Total deaths	Total deaths	Under 1 year	Under 28 days
MARYLAND—Continued													
Prince Georges	2,979	7,534	7,470	52	7	592	6,892	50	135	1,121	1,474	179	136
White	2,292	6,661	6,632	26	-	476	6,145	40	111	917	1,256	131	103
Nonwhite	687	873	838	26	7	116	747	10	24	204	218	48	33
College Park	-	378	378	-	-	25	350	3	7	16	61	8	6
Hyattsville	9	2,012	2,005	7	-	138	1,858	16	25	84	236	39	34
Mount Rainier	1	344	343	1	-	21	322	1	5	31	89	6	5
Takoma Park (part)	-	278	277	1	-	14	261	3	7	12	30	3	2
Balance of county	2,969	4,522	4,467	43	7	394	4,101	27	91	978	1,058	123	89
White	2,283	3,685	3,664	18	-	285	3,382	18	67	781	855	78	59
Nonwhite	686	837	803	25	7	109	719	9	24	197	203	45	30
Queen Annes	48	385	335	38	10	37	339	9	8	98	159	11	7
White	22	258	237	20	-	22	229	7	6	69	110	4	3
Nonwhite	26	127	98	18	10	15	110	2	2	29	49	7	4
St. Marys	1,260	855	703	17	111	71	780	4	17	199	226	39	28
White	1,018	605	573	6	20	39	564	2	7	134	155	24	22
Nonwhite	242	250	130	11	91	32	216	2	10	65	71	15	6
Somerset	275	438	344	6	80	45	393	-	13	174	246	26	16
White	141	234	227	1	2	15	219	-	5	101	156	10	7
Nonwhite	134	204	117	5	78	30	174	-	8	73	90	16	9
Talbot	994	550	525	13	9	46	502	2	4	327	261	18	12
White	677	387	386	1	-	23	364	-	2	224	186	5	4
Nonwhite	317	163	139	12	9	23	138	2	2	103	75	13	8
Washington	1,849	1,914	1,854	47	2	155	1,739	20	37	857	865	58	42
Hagerstown	1,813	931	906	14	-	84	834	13	15	581	495	26	21
Balance of county	36	983	948	33	2	71	905	7	22	276	370	32	21
Wicomico	1,784	1,099	1,059	31	9	113	977	9	21	692	489	34	26
White	1,267	778	761	15	2	71	699	8	11	521	382	21	16
Nonwhite	517	321	298	16	7	42	278	1	10	171	107	13	10
Salisbury	1,766	529	515	9	5	59	466	4	7	542	225	18	16
White	1,259	398	392	5	1	43	351	4	6	403	177	12	11
Nonwhite	507	131	123	4	4	16	115	-	1	139	48	6	5
Balance of county	18	570	544	22	4	54	511	5	14	150	264	16	10
White	8	380	369	10	1	28	348	4	5	118	205	9	5
Nonwhite	10	190	175	12	3	26	163	1	9	32	59	7	5
Worcester	185	576	420	47	97	44	532	-	8	170	251	24	17
White	17	328	314	10	4	22	306	-	5	111	165	9	8
Nonwhite	168	248	106	37	93	22	226	-	3	59	86	15	9
MASSACHUSETTS[8]	110,663	110,263	109,776	467	1	149	1,624	108,490	1,552	53,509	53,345	2,413	1,892
White	107,576	107,168	106,722	426	1	147	1,606	105,415	1,484	52,527	52,363	2,298	1,807
Nonwhite	3,087	3,095	3,054	41	-	2	18	3,075	68	982	982	115	85
Barnstable	1,274	1,529	1,504	23	-	-	15	1,514	10	656	662	30	23
Barnstable (town)[5]	753	243	243	-	-	-	1	242	2	233	132	3	2
Balance of county	521	1,286	1,261	23	-	-	14	1,272	8	423	530	27	21
Berkshire	3,307	3,219	3,208	11	-	5	66	3,148	33	1,479	1,567	64	57
Pittsfield	2,107	1,342	1,337	5	-	3	23	1,316	14	685	625	28	24
Adams (town)[5]	284	261	261	-	-	-	-	261	5	158	154	5	5
North Adams	601	470	466	4	-	1	6	463	2	245	252	11	11
Balance of county	315	1,146	1,144	2	-	1	37	1,108	12	391	536	20	17
Bristol	7,963	8,118	8,002	113	-	53	484	7,581	134	4,234	4,369	184	147
Fall River	2,955	2,203	2,171	29	-	13	96	2,094	30	1,430	1,255	51	39
New Bedford	2,422	2,115	2,086	29	-	5	34	2,076	43	1,249	1,333	50	39
Taunton	978	863	842	21	-	2	16	845	11	657	468	23	20
Attleboro	1,172	572	567	5	-	7	38	527	6	315	259	18	14
Dartmouth (town)[5]	5	60	55	5	-	-	2	58	-	78	71	-	-
Fairhaven (town)[5]	3	248	246	2	-	1	5	242	3	78	124	3	2
North Attleborough (town)[5]	12	240	236	4	-	3	17	220	1	52	145	12	10
Balance of county	416	1,817	1,799	18	-	22	276	1,519	40	375	714	27	23
Dukes	113	117	117	-	-	-	3	114	3	72	78	2	1
Essex	10,975	11,484	11,459	22	-	10	125	11,349	145	5,942	6,284	198	157
Lawrence	1,610	1,482	1,477	4	-	-	17	1,465	21	898	921	25	21
Lynn	2,272	2,207	2,204	3	-	1	12	2,194	19	1,161	1,235	42	34
Beverly	1,325	763	763	-	-	-	5	758	10	408	368	12	9
Gloucester	553	526	526	-	-	-	4	522	7	302	298	8	6
Haverhill	1,013	910	909	1	-	-	16	894	7	612	600	16	14
Salem	1,423	879	879	-	-	1	6	872	16	547	537	18	16
Amesbury (town)[5]	267	239	239	-	-	1	9	229	6	124	129	4	2
Andover (town)[5]	-	275	274	-	-	1	5	269	5	74	156	5	3
Danvers (town)[5]	98	413	411	2	-	1	2	410	4	328	216	6	5
Marblehead (town)[5]	115	335	333	2	-	-	2	333	2	100	140	3	3
Methuen (town)[5]	988	532	531	1	-	-	4	528	10	307	290	9	5
Newburyport	408	295	295	-	-	3	10	282	3	225	197	13	11
Peabody	230	581	580	1	-	-	6	575	14	248	260	9	8
Saugus (town)[5]	417	408	408	-	-	-	2	406	1	111	163	7	5
Swampscott (town)[5]	1	226	225	1	-	1	3	222	2	52	124	1	1
Balance of county	255	1,413	1,405	7	-	1	22	1,390	18	445	650	20	14
Franklin	1,046	1,229	1,207	22	-	5	38	1,186	16	541	600	21	17
Greenfield (town)[5]	794	379	371	8	-	1	8	370	6	228	188	7	5
Balance of county	252	850	836	14	-	4	30	816	10	313	412	14	12
Hampden	10,366	9,545	9,501	44	-	7	63	9,475	113	4,091	4,193	209	162
Springfield	6,322	4,122	4,101	21	-	2	21	4,099	57	2,182	1,937	94	75
Holyoke	2,064	1,160	1,154	6	-	2	11	1,147	18	785	711	29	22
Chicopee	579	1,443	1,438	5	-	-	7	1,436	8	271	412	27	19
Westfield	699	525	525	-	-	2	6	517	8	283	260	17	13

See footnotes on p. 183.

Table 19. Live Births by Attendant and Birth Weight; Fetal Deaths; and Total, Infant, and Neonatal Deaths; by Color: United States, Each State and County, and Specified Urban Places, 1955—Continued

(See headnote on p. 83)

AREA AND COLOR	LIVE BIRTHS								FETAL DEATHS	DEATHS			
	By place of occurrence	By place of residence							By place of residence	By place of occurrence	By place of residence		
			Attendant[1]			Birth weight[3]							
	Total births	Total births	Physician in hospital[2]	Physician not in hospital	Midwife	2,500 grams or less	2,501 grams or more	Not stated		Total deaths	Total deaths	Under 1 year	Under 28 days
MASSACHUSETTS[6]—Continued													
Hampden—Continued													
West Springfield (town)[5]	4	530	526	4	-	-	3	527	5	82	210	5	5
Balance of county	698	1,765	1,757	8	-	1	15	1,749	17	488	663	37	28
Hampshire	1,644	1,895	1,886	7	-	-	10	1,885	25	1,006	825	24	13
Northhampton	1,213	535	535	-	-	-	4	531	11	652	280	8	3
Amherst (town)[5]	2	195	193	1	-	-	3	192	1	36	83	5	3
Easthampton (town)[5]	3	235	232	3	-	-	1	234	5	46	102	1	1
South Hadley (town)[5]	1	212	211	1	-	-	-	212	2	45	81	4	2
Balance of county	425	718	715	2	-	-	2	716	6	227	279	6	4
Middlesex	24,136	27,069	27,022	45	-	21	224	26,824	369	10,569	11,711	588	475
White	23,858	26,763	26,717	44	-	21	221	26,521	364	10,451	11,583	569	459
Nonwhite	278	306	305	1	-	-	3	303	5	118	128	19	16
Cambridge	3,346	2,614	2,611	3	-	1	14	2,599	38	1,564	1,389	68	61
Somerville	1,328	2,291	2,288	3	-	2	16	2,273	35	789	1,084	42	28
Lowell	3,189	2,139	2,137	2	-	1	10	2,128	44	1,357	1,295	58	41
Malden	1,260	1,266	1,264	2	-	-	8	1,258	12	689	707	23	19
Medford	1,088	1,401	1,400	1	-	-	11	1,390	22	453	641	37	32
Newton	1,613	1,642	1,641	1	-	-	10	1,632	17	706	797	31	27
Arlington (town)[5]	703	1,071	1,070	1	-	1	7	1,063	12	368	483	20	15
Belmont (town)[5]	1	450	448	2	-	1	5	444	6	144	290	11	9
Everett	908	999	997	1	-	1	3	995	18	268	453	26	22
Framingham (town)[5]	1,428	913	911	2	-	2	8	903	8	367	317	27	24
Melrose	1,228	566	566	-	-	2	7	557	5	351	318	14	12
Waltham	1,885	1,387	1,386	1	-	1	6	1,380	19	493	466	20	15
Watertown (town)[5]	-	891	891	-	-	-	6	885	11	165	380	22	16
Lexington (town)[5]	2	489	486	3	-	2	5	482	8	316	169	14	11
Marlborough	616	374	374	-	-	-	-	374	1	222	204	15	13
Natick (town)[5]	737	755	753	2	-	-	3	752	7	183	194	10	10
Reading (town)[5]	-	397	397	-	-	-	8	389	5	118	174	7	4
Stoneham (town)[5]	668	381	381	-	-	-	2	379	7	252	174	5	5
Wakefield (town)[5]	-	521	520	1	-	-	1	520	9	98	207	8	8
Winchester (town)[5]	1,210	339	339	-	-	-	5	334	5	173	171	8	7
Woburn	684	820	818	1	-	1	6	813	9	195	211	14	11
Balance of county	2,244	5,363	5,344	19	-	6	83	5,274	71	1,298	1,607	108	85
Nantucket	24	29	29	-	-	-	2	27	-	55	56	4	4
Norfolk	7,012	10,055	10,027	26	1	13	183	9,859	135	3,818	4,260	212	174
Brookline (town)[5]	886	866	863	2	-	-	5	861	11	532	731	14	10
Quincy	1,907	1,906	1,905	1	-	-	10	1,896	22	700	802	40	32
Weymouth (town)[5]	1,849	1,122	1,122	-	-	-	3	1,119	17	417	357	24	24
Braintree (town)[5]	3	615	615	-	-	-	7	608	4	218	240	15	12
Dedham (town)[5]	-	472	472	-	-	1	6	465	6	112	201	8	5
Milton (town)[5]	619	345	345	-	-	-	2	343	7	206	264	5	5
Needham (town)[5]	504	493	491	2	-	-	6	487	2	146	182	8	7
Norwood (town)[5]	1,228	602	602	-	-	-	4	598	11	268	169	11	10
Randolph (town)[5]	-	429	429	-	-	-	3	426	4	26	92	6	6
Stoughton (town)[5]	7	365	357	7	1	1	3	361	4	86	124	6	4
Wellesley (town)[5]	2	365	362	3	-	-	2	363	4	83	147	5	5
Balance of county	7	2,475	2,464	11	-	11	132	2,332	43	1,024	951	70	54
Plymouth	4,254	4,808	4,783	21	-	4	36	4,768	83	2,131	2,402	89	74
Brockton	2,901	1,383	1,381	2	-	1	8	1,374	23	880	802	31	26
Hingham (town)[5]	1	310	309	1	-	-	3	307	6	69	108	2	2
Middleborough (town)[5]	346	231	230	1	-	-	1	230	4	179	147	4	4
Plymouth (town)[5]	438	263	262	1	-	-	4	259	8	190	172	3	2
Balance of county	568	2,621	2,601	16	-	3	20	2,598	42	813	1,173	49	40
Suffolk	26,698	18,604	18,524	80	-	10	132	18,462	323	12,918	10,492	490	369
White	24,898	16,833	16,776	57	-	9	127	16,697	279	12,388	9,956	432	329
Nonwhite	1,800	1,771	1,748	23	-	1	5	1,765	44	530	536	58	40
Boston	23,229	16,540	16,468	72	-	8	124	16,408	286	12,069	9,511	428	322
White	21,509	14,787	14,737	5	-	8	119	14,660	243	11,545	8,979	370	282
Nonwhite	1,720	1,753	1,731	22	-	-	5	1,748	43	524	532	58	40
Chelsea	2,318	769	762	7	-	2	1	766	17	410	376	33	26
Revere	390	813	813	-	-	-	4	809	15	265	379	18	13
Winthrop (town)[5]	761	482	481	1	-	-	3	479	5	174	226	11	8
Worcester	11,851	12,562	12,507	53	-	21	243	12,298	163	5,997	5,846	298	219
Worcester	6,454	4,264	4,248	16	-	4	13	4,247	64	2,781	2,296	123	86
Fitchburg	1,319	1,112	1,104	8	-	1	4	1,107	18	488	507	28	23
Athol (town)[5]	387	286	286	-	-	-	2	284	6	119	134	5	3
Clinton (town)[5]	400	303	303	-	-	-	-	303	3	171	164	7	4
Gardner	588	433	431	2	-	-	1	432	3	332	198	12	10
Leominster	611	671	668	3	-	-	6	665	8	203	236	6	4
Milford (town)[5]	544	317	317	-	-	-	2	315	6	165	150	10	8
Northbridge (town)[5]	242	162	161	1	-	-	3	159	2	69	84	5	5
Southbridge (town)[5]	469	378	378	-	-	-	2	376	3	169	186	9	8
Webster (town)[5]	320	230	230	-	-	-	5	225	1	86	124	8	6
Balance of county	517	4,406	4,381	23	-	16	205	4,185	49	1,414	1,767	85	62
MICHIGAN	195,251	196,623	194,810	1,657	46	14,451	181,548	624	3,053	62,985	63,362	4,894	3,729
White	173,853	175,135	173,889	1,139	21	11,757	162,854	524	2,568	57,876	58,265	4,067	3,116
Nonwhite	21,398	21,488	20,921	518	25	2,694	18,694	100	485	5,109	5,097	827	613
Alcona	35	90	82	6	-	2	87	1	3	54	71	-	-
Alger	132	235	233	-	1	20	213	2	7	70	103	7	6
Allegan	1,037	1,416	1,410	4	-	77	1,337	2	13	469	557	33	23
Alpena	858	699	698	1	-	44	653	2	10	227	222	17	13
Alpena	856	363	362	1	-	19	344	-	8	190	144	9	6
Balance of county	2	336	336	-	-	25	309	2	2	37	78	8	7

See footnotes on p. 183.

Table 19. Live Births by Attendant and Birth Weight; Fetal Deaths; and Total, Infant, and Neonatal Deaths; by Color: United States, Each State and County, and Specified Urban Places, 1955—Continued

(See headnote on p. 83)

AREA AND COLOR	LIVE BIRTHS								FETAL DEATHS	DEATHS			
	By place of occurrence	By place of residence							By place of residence	By place of occurrence	By place of residence		
			Attendant[1]			Birth weight[3]							
	Total births	Total births	Physician in hospital[2]	Physician not in hospital	Midwife	2,500 grams or less	2,501 grams or more	Not stated		Total deaths	Total deaths	Under 1 year	Under 28 days
MICHIGAN—Continued													
Antrim	121	219	211	8	-	12	206	1	6	95	130	4	3
Arenac	135	212	210	1	-	17	189	6	-	105	102	7	6
Baraga	161	173	169	4	-	10	160	3	2	101	106	5	5
Barry	569	680	677	2	-	37	641	2	7	297	304	16	12
Bay	2,830	2,720	2,679	40	-	169	2,514	37	32	926	903	69	49
Bay City	2,812	1,458	1,436	21	-	95	1,340	23	24	688	588	38	28
Balance of county	18	1,262	1,243	19	-	74	1,174	14	8	238	315	31	21
Benzie	218	182	179	3	-	10	172	-	-	103	106	5	5
Berrien	3,419	3,601	3,557	33	10	251	3,338	12	59	1,175	1,217	72	44
Benton Harbor	950	712	709	1	1	49	661	2	10	274	253	20	12
White	737	555	554	1	-	27	526	2	5	235	218	13	8
Nonwhite	213	157	155	-	1	22	135	-	5	39	35	7	4
Niles	929	589	586	3	-	37	551	1	7	169	144	5	3
St. Joseph	964	249	249	-	-	9	239	1	1	162	99	2	2
Balance of county	576	2,051	2,013	29	9	156	1,887	8	41	570	721	45	27
Branch	650	657	650	7	-	43	612	2	15	340	341	20	17
Calhoun	3,495	3,181	3,166	14	-	235	2,936	10	39	1,290	1,193	79	61
Battle Creek	2,519	1,164	1,156	8	-	91	1,069	4	9	697	511	24	21
Albion	631	332	331	1	-	28	300	4	4	145	114	12	10
White	552	257	257	-	-	20	236	1	3	124	90	9	8
Nonwhite	79	75	74	1	-	8	64	3	1	21	24	3	2
Balance of county	345	1,685	1,679	5	-	116	1,567	2	26	448	568	43	30
Cass	349	621	614	6	-	42	578	1	9	299	373	22	12
Charlevoix	211	309	304	5	-	19	289	1	8	141	171	8	8
Cheboygan	336	358	320	38	-	23	335	-	3	139	160	5	3
Chippewa	904	933	925	4	3	62	870	1	10	260	282	17	10
Sault Ste. Marie	900	542	539	1	1	39	503	-	7	202	167	9	5
Balance of county	4	391	386	3	2	23	367	1	3	58	115	8	5
Clare	255	286	282	3	-	16	266	4	3	130	118	5	3
Clinton	656	978	964	13	-	64	910	4	16	301	341	26	18
Crawford	228	112	110	-	-	12	99	1	-	78	41	1	1
Delta	925	887	872	-	-	67	817	3	15	340	393	32	19
Escanaba	916	367	360	-	-	29	337	1	6	243	179	15	11
Balance of county	9	520	512	-	-	38	480	2	7	97	214	17	8
Dickinson	715	542	542	-	-	33	509	-	3	326	269	15	11
Eaton	605	1,158	1,153	5	-	78	1,077	3	10	330	458	24	12
Emmet	547	357	352	5	-	25	332	-	5	243	189	11	8
Genesee	11,478	11,307	11,264	31	4	939	10,357	11	186	2,456	2,538	313	254
White	10,182	10,002	9,969	26	1	747	9,245	10	152	2,240	2,295	248	201
Nonwhite	1,296	1,305	1,295	5	3	192	1,112	1	34	216	243	65	53
Flint	11,282	6,436	6,412	17	4	584	5,848	4	108	1,978	1,672	219	183
White	9,988	5,151	5,135	12	1	393	4,755	3	74	1,771	1,434	154	130
Nonwhite	1,294	1,285	1,277	5	3	191	1,093	1	34	207	238	65	53
Balance of county	196	4,871	4,852	14	-	355	4,509	7	78	478	866	94	71
Gladwin	141	220	218	2	-	9	207	4	3	107	123	8	6
Gogebic	671	504	501	2	-	29	467	8	7	339	337	15	13
Ironwood	244	248	245	2	-	19	227	2	1	98	158	6	6
Balance of county	427	256	256	-	-	10	240	6	6	241	179	9	7
Grand Traverse	1,136	793	784	8	-	68	725	-	9	691	305	24	19
Traverse City	1,122	397	394	2	-	34	363	-	4	602	178	15	13
Balance of county	14	396	390	6	-	34	362	-	5	89	127	9	6
Gratiot	787	937	918	17	1	47	889	1	14	381	377	12	6
Hillsdale	494	741	736	2	-	42	693	6	6	295	342	15	10
Houghton	750	671	665	5	-	42	626	3	12	486	510	17	13
Huron	827	870	861	9	-	49	820	1	16	300	318	16	10
Ingham	6,502	5,552	5,525	16	2	366	5,162	24	75	1,577	1,509	129	94
Lansing	6,189	2,704	2,692	3	1	195	2,498	11	34	1,158	889	68	55
East Lansing	-	548	548	-	-	25	523	-	8	35	72	8	6
Balance of county	313	2,300	2,285	11	1	146	2,141	13	33	384	548	53	33
Ionia	505	971	961	10	-	76	894	1	19	380	470	21	12
Iosco	352	394	376	17	1	28	366	-	6	119	123	12	9
Iron	362	348	335	13	-	22	325	1	6	252	256	11	9
Isabella	885	816	808	7	-	50	762	4	13	245	259	11	7
Mount Pleasant	878	353	352	1	-	27	324	2	5	154	91	9	5
Balance of county	7	463	456	6	-	23	438	2	8	91	168	2	2
Jackson	3,192	3,059	3,047	12	-	222	2,833	4	40	1,161	1,166	89	69
Jackson	3,112	1,416	1,414	2	-	121	1,292	3	20	783	641	49	39
Balance of county	80	1,643	1,633	10	-	101	1,541	1	20	378	525	40	30
Kalamazoo	3,803	3,797	3,781	12	-	245	3,536	16	63	1,375	1,167	89	66
Kalamazoo	3,625	1,528	1,522	6	-	104	1,417	7	28	1,053	615	40	28
Balance of county	178	2,269	2,259	6	-	141	2,119	9	35	322	552	49	38
Kalkaska	88	111	110	1	-	5	105	1	1	43	57	5	2
Kent	10,105	9,530	9,470	56	1	576	8,934	20	141	3,309	3,166	211	171
Grand Rapids	7,741	5,764	5,735	28	1	374	5,374	16	81	2,153	2,151	128	102
Balance of county	2,364	3,766	3,735	28	-	202	3,560	4	60	1,156	1,015	83	69
Keweenaw	-	33	33	-	-	2	31	-	1	22	48	1	1
Lake	23	93	89	3	1	6	87	-	2	45	73	3	3
White	20	72	70	1	1	3	69	-	2	22	42	2	2
Nonwhite	3	21	19	2	-	3	18	-	-	23	31	1	1
Lapeer	888	1,003	981	21	-	70	925	8	17	363	390	37	29
Leelanau	4	207	206	-	-	14	192	1	4	46	82	1	1
Lenawee	2,136	1,932	1,906	25	-	132	1,795	5	27	672	745	61	43
Adrian	1,069	575	567	8	-	57	516	2	5	263	214	19	14
Balance of county	1,067	1,357	1,339	17	-	75	1,279	3	22	409	531	42	29

See footnotes on p. 183.

Table 19. Live Births by Attendant and Birth Weight; Fetal Deaths; and Total, Infant, and Neonatal Deaths; by Color: United States, Each State and County, and Specified Urban Places, 1955—Continued

(See headnote on p. 83)

AREA AND COLOR	LIVE BIRTHS								FETAL DEATHS	DEATHS			
	By place of occurrence	By place of residence							By place of residence	By place of occurrence	By place of residence		
			Attendant[1]			Birth weight[3]							
	Total births	Total births	Physician in hospital[2]	Physician not in hospital	Midwife	2,500 grams or less	2,501 grams or more	Not stated		Total deaths	Total deaths	Under 1 year	Under 28 days
MICHIGAN—Continued													
Livingston	549	798	790	6	-	60	708	30	11	274	313	24	17
Luce	200	145	145	-	-	11	134	-	2	202	76	8	5
Mackinac	217	319	307	12	-	19	300	-	4	96	110	10	8
Macomb	4,623	9,772	9,716	54	-	700	9,058	14	123	1,372	1,792	218	175
East Detroit	2	1,563	1,556	7	-	106	1,455	2	16	50	164	21	20
Mount Clemens	3,086	1,484	1,472	12	-	118	1,363	3	13	623	268	24	17
Roseville	5	1,703	1,694	9	-	107	1,594	2	26	54	172	33	28
St. Clair Shores	6	1,816	1,810	6	-	127	1,684	5	25	80	234	40	32
Balance of county	1,524	3,206	3,184	20	-	242	2,962	2	43	565	954	100	78
Manistee	340	407	398	8	1	21	385	1	8	223	252	11	9
Marquette	1,244	1,182	1,174	5	-	85	1,090	7	26	519	529	27	18
Marquette	860	436	434	2	-	27	404	5	7	241	175	9	5
Balance of county	384	746	740	3	-	58	686	2	19	278	354	18	13
Mason	436	437	431	5	-	20	415	2	7	212	254	11	7
Mecosta	344	451	446	3	2	20	427	4	10	208	203	8	5
Menominee	747	627	626	1	-	33	575	19	11	286	271	17	11
Menominee	644	309	309	-	-	17	281	11	5	208	141	5	4
Balance of county	103	318	317	1	-	16	294	8	6	78	130	12	7
Midland	1,292	1,318	1,303	15	-	82	1,235	1	20	218	270	18	13
Midland	1,281	723	721	2	-	49	673	1	12	148	114	13	10
Balance of county	11	595	582	13	-	33	562	-	8	70	156	5	3
Missaukee	13	175	163	12	-	4	170	1	5	26	68	2	1
Monroe	1,616	2,379	2,358	20	1	180	2,188	11	38	586	748	60	43
Monroe	1,600	642	638	4	-	43	596	3	9	295	237	17	11
Balance of county	16	1,737	1,720	16	1	137	1,592	8	29	291	511	43	32
Montcalm	1,354	810	798	12	-	65	740	5	6	425	414	19	12
Montmorency	3	118	112	5	1	11	107	-	2	38	55	5	4
Muskegon	3,792	4,099	4,062	36	-	258	3,826	15	72	1,093	1,182	107	69
Muskegon	3,764	1,393	1,383	9	-	84	1,305	4	33	760	548	41	28
Muskegon Heights	7	609	602	7	-	41	564	4	14	49	166	16	8
White	2	382	380	2	-	20	361	1	5	43	132	10	4
Nonwhite	5	227	222	5	-	21	203	3	9	6	34	6	4
Balance of county	21	2,097	2,077	20	-	133	1,957	7	25	284	468	50	33
Newaygo	652	610	599	11	-	40	567	3	7	234	258	16	8
Oakland	9,734	16,934	16,797	133	2	1,111	15,804	19	263	3,006	3,533	406	299
White	9,153	16,092	16,020	68	2	1,011	15,063	18	236	2,884	3,388	367	276
Nonwhite	581	842	777	65	-	100	741	1	27	122	145	39	23
Pontiac	6,770	2,534	2,521	12	1	201	2,332	1	46	1,406	641	72	52
Ferndale	333	964	959	5	-	76	888	-	16	94	257	21	16
Royal Oak	2,100	2,859	2,851	7	1	172	2,683	4	30	415	410	45	34
Berkley	2	609	608	1	-	37	571	1	15	37	116	9	4
Birmingham	2	1,064	1,062	2	-	62	1,000	2	10	63	195	17	12
Hazel Park	155	932	930	2	-	63	867	2	16	60	135	26	23
Balance of county	372	7,972	7,866	104	-	500	7,463	9	130	931	1,779	216	158
White	312	7,855	7,807	46	-	483	7,363	9	120	907	1,749	209	156
Nonwhite	60	117	59	58	-	17	100	-	10	24	30	7	2
Oceana	560	407	405	1	-	25	381	1	4	173	179	9	5
Ogemaw	282	177	175	2	-	11	165	1	3	110	107	6	6
Ontonagon	119	230	223	7	-	26	197	7	4	98	129	8	7
Osceola	303	299	296	3	-	12	287	-	4	160	151	5	4
Oscoda	51	56	41	15	-	3	53	-	1	24	25	-	-
Otsego	194	163	161	1	-	11	151	1	2	81	75	7	6
Ottawa	2,181	2,329	2,318	11	-	101	2,222	6	38	665	707	43	34
Holland	1,060	417	416	1	-	15	400	2	2	210	164	7	5
Balance of county	1,121	1,912	1,902	10	-	86	1,822	4	36	455	543	36	29
Presque Isle	342	344	343	1	-	19	324	1	5	108	132	8	5
Roscommon	17	153	153	-	-	10	141	2	2	42	75	2	2
Saginaw	5,314	5,188	5,144	22	1	375	4,769	24	70	1,675	1,595	133	101
Saginaw	5,306	2,984	2,972	11	1	237	2,732	15	35	1,243	970	70	54
Balance of county	8	2,184	2,172	11	-	138	2,037	9	35	432	625	63	47
St. Clair	2,465	2,579	2,546	31	-	194	2,374	11	41	962	1,010	69	52
Port Huron	1,602	960	953	7	-	76	881	3	18	562	425	24	15
Balance of county	863	1,619	1,593	24	-	118	1,493	8	23	400	585	45	37
St. Joseph	1,061	944	924	19	-	61	878	5	18	423	422	20	16
Sanilac	774	785	756	29	-	44	727	14	13	308	367	24	19
Schoolcraft	275	209	208	-	-	9	197	3	6	120	106	5	5
Shiawassee	1,487	1,423	1,409	12	-	91	1,331	1	13	484	510	35	25
Owosso	1,279	542	537	5	-	54	488	-	4	201	163	13	11
Balance of county	208	881	872	7	-	37	843	1	9	283	347	22	14
Tuscola	652	1,077	1,056	21	-	79	989	9	15	377	393	33	27
Van Buren	841	1,007	997	10	-	69	935	3	22	478	559	26	17
Washtenaw	5,993	4,139	4,126	12	-	282	3,842	15	54	2,108	1,041	114	86
White	5,286	3,750	3,739	10	-	237	3,499	14	50	1,936	951	96	71
Nonwhite	707	389	387	2	-	45	343	1	4	172	90	18	15
Ann Arbor	3,173	1,284	1,279	5	-	73	1,208	3	16	1,161	344	33	24
Ypsilanti	2,588	1,017	1,015	2	-	84	929	4	7	296	207	31	24
White	2,132	866	864	2	-	63	799	4	7	244	157	19	15
Nonwhite	456	151	151	-	-	21	130	-	-	52	50	12	9
Balance of county	232	1,838	1,832	5	-	125	1,705	8	31	651	490	50	38
Wayne	79,993	69,599	68,918	644	14	5,877	63,554	168	1,176	22,836	22,732	1,769	1,405
White	64,783	54,227	53,953	256	7	3,967	50,156	104	840	19,187	19,016	1,195	969
Nonwhite	15,210	15,372	14,965	388	7	1,910	13,398	64	336	3,649	3,716	574	436
Detroit	59,222	46,225	45,650	546	10	4,197	41,910	118	804	16,660	17,526	1,208	960
White	45,028	32,131	31,946	174	3	2,420	29,649	62	500	13,541	14,105	700	575
Nonwhite	14,194	14,094	13,704	372	7	1,777	12,261	56	304	3,119	3,421	508	385

See footnotes on p. 183.

Table 19. Live Births by Attendant and Birth Weight; Fetal Deaths; and Total, Infant, and Neonatal Deaths; by Color: United States, Each State and County, and Specified Urban Places, 1955—Continued

(See headnote on p. 83)

AREA AND COLOR	LIVE BIRTHS								FETAL DEATHS	DEATHS			
	By place of occurrence	By place of residence							By place of residence	By place of occurrence	By place of residence		
			Attendant[1]			Birth weight[3]							
	Total births	Total births	Physician in hospital[2]	Physician not in hospital	Midwife	2,500 grams or less	2,501 grams or more	Not stated		Total deaths	Total deaths	Under 1 year	Under 28 days
MICHIGAN—Continued													
Wayne—Continued													
Dearborn	4,327	3,828	3,819	7	2	257	3,568	3	50	665	806	60	45
Hamtramck	1,050	985	974	11	-	81	901	3	15	327	441	31	27
White	829	800	793	7	-	60	737	3	15	297	391	23	21
Nonwhite	221	185	181	4	-	21	164	-	-	30	50	8	6
Highland Park	6,518	862	859	2	-	59	800	3	13	827	450	18	17
Lincoln Park	206	1,425	1,420	5	-	107	1,317	1	27	103	248	34	25
Wyandotte	2,857	2,056	2,051	4	1	145	1,905	6	21	475	362	33	25
Allen Park	3	1,076	1,071	5	-	68	1,006	2	12	508	106	19	16
Ecorse	4	514	511	3	-	51	462	1	10	38	156	18	13
White	1	358	358	-	-	30	328	-	2	28	107	6	4
Nonwhite	3	156	153	3	-	21	134	1	8	10	49	12	9
Grosse Pointe Park	-	153	153	-	-	22	130	1	2	43	112	4	4
Grosse Pointe Woods	-	303	303	-	-	17	284	2	3	31	86	15	11
Inkster	104	1,549	1,540	7	1	123	1,423	3	28	44	202	48	41
White	3	1,094	1,090	3	1	76	1,018	-	15	27	117	25	20
Nonwhite	101	455	450	4	-	47	405	3	13	17	85	23	21
Livonia	5	1,186	1,181	5	-	84	1,102	-	20	131	203	25	22
River Rouge	287	552	546	6	-	40	510	2	15	76	163	18	13
White	4	401	398	3	-	29	372	-	11	34	118	8	8
Nonwhite	283	151	148	3	-	11	138	2	4	42	45	10	5
Balance of county	5,410	8,885	8,840	43	-	626	8,236	23	156	2,908	1,871	238	186
Wexford	671	459	452	7	-	25	431	3	4	232	206	10	7
Cadillac	667	264	261	3	-	14	249	1	3	174	101	5	4
Balance of county	4	195	191	4	-	11	182	2	1	58	105	5	3
MINNESOTA	81,271	81,705	80,998	590	53	4,780	76,654	271	1,154	29,140	28,641	1,782	1,378
White	79,952	80,375	79,701	572	49	4,645	75,473	257	1,129	28,781	28,294	1,724	1,353
Nonwhite	1,319	1,330	1,297	18	4	135	1,181	14	25	359	347	58	25
Aitkin	166	273	267	4	-	7	264	2	4	106	145	4	4
Anoka	188	1,825	1,810	11	1	89	1,734	2	20	287	298	38	28
Becker	571	609	601	2	3	39	567	3	9	207	237	14	8
Beltrami	758	635	629	4	-	44	587	4	11	235	241	27	21
White	626	498	498	-	-	34	462	2	9	210	213	19	19
Nonwhite	132	137	131	4	-	10	125	2	2	25	28	8	2
Bemidji	604	223	223	-	-	18	204	1	7	158	101	11	10
Balance of county	154	412	406	4	-	26	383	3	4	77	140	16	11
White	27	279	279	-	-	16	262	1	2	53	113	9	9
Nonwhite	127	133	127	4	-	10	121	2	2	24	27	7	2
Benton	4	434	427	6	-	27	400	7	7	48	122	10	8
St. Cloud (part)	-	71	71	-	-	5	64	2	-	12	26	5	4
Balance of county	4	363	356	6	-	22	336	5	7	36	96	5	4
Big Stone	315	205	199	6	-	10	194	1	7	88	78	5	4
Blue Earth	1,423	1,106	1,095	8	-	63	1,022	21	17	379	360	19	17
Mankato	1,423	596	592	3	-	36	545	15	6	297	187	9	8
Balance of county	-	510	503	5	-	27	477	6	11	82	173	10	9
Brown	1,139	670	663	7	-	34	636	-	6	291	241	16	11
Carlton	558	652	646	4	-	36	611	5	11	344	230	16	9
Carver	282	444	442	1	-	32	410	2	9	109	164	11	10
Cass	137	386	366	13	3	30	352	4	3	129	186	14	9
Chippewa	323	395	392	3	-	19	376	-	4	125	137	8	5
Chisago	175	260	256	2	-	16	244	-	3	127	163	7	5
Clay	820	963	959	3	1	60	902	1	13	211	268	24	17
Moorhead	817	560	558	2	-	36	524	-	5	151	127	13	11
Balance of county	3	403	401	1	1	24	378	1	8	60	141	11	6
Clearwater	203	236	234	1	1	16	218	2	3	93	106	5	5
Cook	7	112	109	2	-	9	103	-	-	17	30	5	4
Cottonwood	406	383	376	7	-	24	357	2	6	125	140	11	8
Crow Wing	833	711	701	9	1	41	669	1	17	324	304	11	8
Brainerd	610	302	302	-	-	22	280	-	4	209	127	4	3
Balance of county	223	409	399	9	1	19	389	1	13	115	177	7	5
Dakota	490	1,706	1,697	7	1	98	1,608	-	29	360	375	33	27
South St. Paul	2	552	550	2	-	30	522	-	10	36	99	12	9
Balance of county	488	1,154	1,147	5	1	68	1,086	-	19	324	276	21	18
Dodge	75	273	260	13	-	5	267	1	3	76	102	5	4
Douglas	501	477	477	-	-	27	450	-	8	195	209	10	5
Faribault	698	632	613	18	-	33	594	5	8	195	249	9	9
Fillmore	385	520	512	8	-	30	490	-	8	180	252	5	2
Freeborn	972	868	861	7	-	44	818	6	13	307	311	20	16
Albert Lea	966	367	367	-	-	22	343	2	7	224	145	11	9
Balance of county	6	501	494	7	-	22	475	4	6	83	166	9	7
Goodhue	835	709	702	6	-	23	683	3	7	344	370	22	20
Red Wing	655	202	201	1	-	7	194	1	2	201	134	12	11
Balance of county	180	507	501	5	-	16	489	2	5	143	236	10	9
Grant	2	187	185	2	-	10	177	-	2	33	84	4	2
Hennepin	21,972	20,135	20,052	70	7	1,312	18,777	46	260	7,399	6,867	420	331
Minneapolis	21,462	12,086	12,034	42	5	872	11,182	32	164	6,221	5,602	272	214
Richfield	2	1,190	1,187	3	-	60	1,128	2	16	35	103	24	20
Robbinsdale	428	428	427	1	-	24	402	2	8	163	104	9	8
St. Louis Park	3	1,169	1,165	4	-	71	1,096	2	13	68	171	12	9
Balance of county	77	5,262	5,239	20	2	285	4,969	8	59	912	687	103	80

See footnotes on p. 183.

Table 19. Live Births by Attendant and Birth Weight; Fetal Deaths; and Total, Infant, and Neonatal Deaths; by Color: United States, Each State and County, and Specified Urban Places, 1955—Continued

(See headnote on p. 83)

AREA AND COLOR	LIVE BIRTHS								FETAL DEATHS	DEATHS			
	By place of occurrence	By place of residence							By place of residence	By place of occurrence	By place of residence		
			Attendant[1]			Birth weight[3]							
	Total births	Total births	Physician in hospital[2]	Physician not in hospital	Midwife	2,500 grams or less	2,501 grams or more	Not stated		Total deaths	Total deaths	Under 1 year	Under 28 days
MINNESOTA—Continued													
Houston	275	425	423	2	-	29	395	1	5	106	145	15	11
Hubbard	313	225	224	-	-	12	211	2	-	107	105	2	-
Isanti	159	181	179	1	-	6	175	-	4	143	131	4	3
Itasca	962	971	963	7	-	47	918	6	17	278	305	17	13
Jackson	310	388	384	4	-	22	365	1	2	128	143	10	7
Kanabec	309	176	175	1	-	5	171	-	2	77	66	4	3
Kandiyohi	643	640	635	5	-	35	605	-	4	319	237	16	13
Kittson	224	196	196	-	-	11	185	-	2	89	94	5	2
Koochiching	378	433	425	4	1	30	400	3	6	125	152	9	5
Lac qui Parle	246	360	356	4	-	16	342	2	6	110	128	8	8
Lake	157	355	350	5	-	22	330	3	8	93	101	8	6
Lake of the Woods	144	141	140	1	-	7	134	-	2	53	53	6	5
Le Sueur	3	487	480	7	-	22	459	6	7	84	167	13	11
Lincoln	291	239	235	4	-	5	234	-	4	133	111	4	3
Lyon	740	659	657	2	-	34	622	3	11	185	199	12	11
McLeod	624	475	475	-	-	17	458	-	7	227	215	4	4
Mahnomen	171	194	193	1	-	9	184	1	3	48	50	3	3
White	157	149	148	1	-	4	144	1	2	38	46	2	2
Nonwhite	14	45	45	-	-	5	40	-	1	10	4	1	1
Marshall	177	397	395	1	-	26	370	1	7	104	157	9	7
Martin	695	641	636	5	-	27	610	4	10	198	202	13	10
Meeker	410	444	430	13	-	19	423	2	11	157	177	7	4
Mille Lacs	579	310	303	6	-	18	290	2	6	156	161	8	8
Morrison	785	702	698	4	-	38	662	2	12	199	230	16	12
Mower	1,158	1,252	1,237	14	-	71	1,178	3	14	321	325	16	14
Austin	1,134	733	726	7	-	45	688	-	8	244	187	12	11
Balance of county	24	519	511	7	-	26	490	3	6	77	138	4	3
Murray	324	411	408	3	-	25	385	1	4	105	119	11	8
Nicollet	307	544	540	4	-	27	511	6	6	357	159	11	8
Nobles	662	632	627	5	-	35	594	3	12	158	171	16	12
Norman	174	242	241	1	-	14	228	-	3	109	128	10	8
Olmsted	1,774	1,423	1,400	20	-	87	1,336	-	23	1,125	406	29	18
Rochester	1,740	911	907	3	-	51	860	-	9	1,049	306	23	15
Balance of county	34	512	493	17	-	36	476	-	14	76	100	6	3
Otter Tail	1,100	1,068	1,066	1	1	56	1,010	2	21	574	472	29	20
Fergus Falls	633	265	265	-	-	16	249	-	4	295	116	6	3
Balance of county	467	803	801	1	1	40	761	2	17	279	356	23	17
Pennington	437	316	312	4	-	11	305	-	3	144	123	6	5
Pine	34	353	339	11	1	31	322	-	3	117	191	9	8
Pipestone	367	377	374	2	-	22	354	1	5	106	135	10	9
Polk	777	930	925	5	-	48	882	-	18	283	291	18	18
Pope	251	269	268	1	-	15	253	1	9	105	122	2	2
Ramsey	12,036	10,663	10,605	28	26	700	9,946	17	151	3,571	3,524	209	166
√St. Paul	12,023	8,377	8,331	22	20	573	7,790	14	125	3,406	3,199	167	133
Balance of county	13	2,286	2,274	6	6	127	2,156	3	26	165	325	42	33
Red Lake	146	177	177	-	-	10	166	1	1	36	57	4	3
Redwood	415	560	555	5	-	33	525	2	16	136	180	13	9
Renville	322	596	575	21	-	28	567	1	6	165	216	5	2
Rice	932	720	706	14	-	43	671	6	10	381	337	21	21
Faribault	574	276	272	4	-	16	257	3	2	219	155	8	8
Balance of county	358	444	434	10	-	27	414	3	8	162	182	13	13
Rock	232	290	290	-	-	9	281	-	7	86	104	5	5
Roseau	422	389	382	6	-	22	367	-	5	101	104	14	11
St. Louis	5,853	5,369	5,341	25	-	283	5,066	20	67	2,246	2,289	119	85
Duluth	3,457	2,422	2,417	3	-	130	2,285	7	34	1,325	1,156	57	41
Hibbing	744	485	481	4	-	23	459	3	3	159	155	7	6
Virginia	1,057	385	385	-	-	24	361	-	6	286	165	6	4
Balance of county	595	2,077	2,058	18	-	106	1,961	10	24	476	813	49	34
Scott	846	532	528	2	-	36	493	3	5	220	185	15	13
Sherburne	4	294	288	5	-	16	274	4	5	53	106	10	7
St. Cloud (part)	-	50	49	1	-	1	48	1	1	7	19	2	1
Balance of county	4	244	239	4	-	15	226	3	4	46	87	8	6
Sibley	259	350	348	2	-	14	334	2	4	126	149	4	4
Stearns	2,961	2,200	2,155	45	-	120	2,063	17	17	703	577	50	40
St. Cloud (part)	2,163	807	793	14	-	46	754	7	3	418	219	22	21
St. Cloud (total)	2,163	928	913	15	-	52	866	10	4	437	264	29	26
Balance of county	798	1,593	1,362	31	-	74	1,309	10	14	285	358	28	19
Steele	651	607	596	8	3	33	573	1	12	215	227	11	6
Owatonna	614	273	272	1	-	20	253	-	5	171	132	7	4
Balance of county	37	334	324	7	3	13	320	1	7	44	95	4	2
Stevens	374	323	318	5	-	16	301	6	9	112	98	6	5
Swift	398	383	383	-	-	21	362	-	5	109	143	11	10
Todd	494	566	558	4	2	29	536	1	10	175	213	16	13
Traverse	136	209	205	3	-	10	199	-	4	46	57	3	1
Wabasha	468	434	424	10	-	25	406	3	10	184	180	7	5
Wadena	443	361	357	4	-	14	345	2	3	134	114	4	3
Waseca	317	373	372	1	-	18	354	1	8	138	169	9	8
Washington	416	1,028	1,021	6	-	71	956	1	15	235	326	37	26
Watonwan	224	331	329	2	-	16	312	3	6	87	124	7	6
Wilkin	729	315	314	1	-	19	296	-	5	164	74	11	9
Winona	809	882	880	1	1	56	824	2	10	344	403	24	19
Winona	807	507	506	-	1	34	473	-	6	276	273	15	12
Balance of county	2	375	374	1	-	22	351	2	4	68	130	9	7
Wright	617	706	695	11	-	41	664	1	8	255	280	19	13
Yellow Medicine	569	385	376	9	-	20	362	3	10	161	163	15	12

See footnotes on p. 183.

Table 19. Live Births by Attendant and Birth Weight; Fetal Deaths; and Total, Infant, and Neonatal Deaths; by Color: United States, Each State and County, and Specified Urban Places, 1955—Continued

(See headnote on p. 83)

AREA AND COLOR	LIVE BIRTHS								FETAL DEATHS	DEATHS			
	By place of occurrence	By place of residence							By place of residence	By place of occurrence	By place of residence		
			Attendant[1]			Birth weight[3]							
	Total births	Total births	Physician in hospital[2]	Physician not in hospital	Midwife	2,500 grams or less	2,501 grams or more	Not stated		Total deaths	Total deaths	Under 1 year	Under 28 days
MISSISSIPPI	63,830	63,366	38,807	5,968	18,308	5,198	57,722	446	1,819	19,257	19,453	2,346	1,444
White	27,983	27,675	26,342	1,047	243	1,770	25,800	105	503	9,402	9,539	690	532
Nonwhite	35,847	35,691	12,465	4,921	18,065	3,428	31,922	341	1,316	9,855	9,914	1,656	912
Adams	1,760	1,255	1,190	23	40	125	1,128	2	35	412	350	51	30
White	760	604	604	-	-	43	561	-	8	145	126	20	17
Nonwhite	1,000	651	586	23	40	82	567	2	27	267	224	31	13
Natchez	820	939	893	21	23	89	848	2	27	230	263	42	27
White	645	469	469	-	-	31	438	-	6	113	104	17	14
Nonwhite	175	470	424	21	23	58	410	2	21	117	159	25	13
Balance of county	940	316	297	2	17	36	280	-	8	182	87	9	3
White	115	135	135	-	-	12	123	-	2	32	22	3	3
Nonwhite	825	181	162	2	17	24	157	-	6	150	65	6	-
Alcorn	677	581	457	63	58	42	532	7	7	246	229	25	14
White	558	467	419	39	6	34	427	6	4	200	176	16	11
Nonwhite	119	114	38	24	52	8	105	1	3	46	53	9	3
Amite	333	441	166	47	227	41	399	1	16	105	154	23	14
White	30	109	102	6	1	10	99	-	2	54	85	5	4
Nonwhite	303	332	64	41	226	31	300	1	14	51	69	18	10
Attala	683	641	374	62	205	51	568	22	13	199	195	24	16
White	297	262	247	14	1	19	242	1	5	116	118	9	5
Nonwhite	386	379	127	48	204	32	326	21	8	83	77	15	11
Benton	126	190	86	17	86	12	176	2	7	41	64	4	2
White	23	74	68	6	-	2	72	-	2	23	40	1	1
Nonwhite	103	116	18	11	86	10	104	2	5	18	24	3	1
Bolivar	2,216	2,103	1,048	148	894	183	1,910	10	84	611	626	88	47
White	440	476	439	15	21	34	442	-	18	114	141	12	8
Nonwhite	1,776	1,627	609	133	873	149	1,468	10	66	497	485	76	39
Calhoun	462	439	328	31	80	49	390	-	12	102	121	14	11
White	243	240	221	18	1	19	221	-	4	82	97	5	4
Nonwhite	219	199	107	13	79	30	169	-	8	20	24	9	7
Carroll	309	375	144	15	214	32	342	1	7	93	124	10	7
White	40	94	89	1	4	5	89	-	1	37	54	2	1
Nonwhite	269	281	55	14	210	27	253	1	6	56	70	8	6
Chickasaw	494	473	263	84	125	28	434	11	8	159	162	15	8
White	241	226	193	29	4	10	214	2	1	82	86	9	6
Nonwhite	253	247	70	55	121	18	220	9	7	77	76	6	2
Choctaw	178	222	136	12	70	12	190	20	4	83	101	11	5
White	74	109	99	6	1	8	97	4	1	62	72	3	2
Nonwhite	104	113	37	6	69	4	93	16	3	21	29	8	3
Claiborne	308	345	97	7	239	28	315	2	11	106	121	15	6
White	34	55	54	-	1	4	51	-	-	22	32	3	2
Nonwhite	274	290	43	7	238	24	264	2	11	84	89	12	4
Clarke	324	473	381	24	66	32	435	6	19	148	187	19	11
White	162	244	234	3	5	12	229	3	9	87	106	6	5
Nonwhite	162	229	147	21	61	20	206	3	10	61	81	13	6
Clay	533	559	366	34	157	53	505	1	14	152	171	12	11
White	173	194	190	2	1	16	178	-	1	69	87	5	4
Nonwhite	360	365	176	32	156	37	327	1	13	83	84	7	7
Coahoma	1,716	1,738	680	336	718	159	1,574	5	55	476	518	72	39
White	393	340	320	14	5	16	322	2	4	111	114	7	6
Nonwhite	1,323	1,398	360	322	713	143	1,252	3	51	365	404	65	33
Clarksdale	872	621	414	141	66	47	571	3	17	250	221	28	16
White	376	226	224	2	-	13	211	2	2	87	67	5	5
Nonwhite	496	395	190	139	66	34	360	1	15	163	154	23	11
Balance of county	844	1,117	266	195	652	112	1,003	2	38	226	297	44	23
White	17	114	96	12	5	3	111	-	2	24	47	2	1
Nonwhite	827	1,003	170	183	647	109	892	2	36	202	250	42	22
Copiah	961	802	396	197	209	68	727	7	19	241	274	30	21
White	312	265	230	30	5	18	244	3	4	117	133	8	8
Nonwhite	649	537	166	167	204	50	483	4	15	124	141	22	13
Covington	226	391	329	9	51	27	359	5	15	99	128	10	8
White	129	210	205	3	2	7	201	2	2	66	89	3	2
Nonwhite	97	181	124	6	49	20	158	3	13	33	39	7	6
De Soto	667	782	375	60	343	64	716	2	22	164	223	34	22
White	79	186	175	10	1	11	174	1	2	39	72	5	5
Nonwhite	588	596	200	50	342	53	542	1	20	125	151	29	17
Forrest	1,520	1,326	1,158	4	163	96	1,224	6	23	478	429	41	31
White	1,070	827	824	-	3	39	786	2	4	327	271	19	17
Nonwhite	450	499	334	4	160	57	438	4	19	151	158	22	14
Hattiesburg	1,472	849	733	1	114	66	779	4	17	401	281	32	25
White	1,068	492	490	-	2	23	468	1	4	274	167	14	12
Nonwhite	404	357	243	1	112	43	311	3	13	127	114	18	13
Balance of county	48	477	425	3	49	30	445	2	6	77	148	9	6
White	2	335	334	-	1	16	318	1	-	53	104	5	5
Nonwhite	46	142	91	3	48	14	127	1	6	24	44	4	1
Franklin	171	302	235	6	60	23	278	1	4	64	91	6	3
White	70	133	130	2	1	7	125	1	1	31	51	1	1
Nonwhite	101	169	105	4	59	16	153	-	3	33	40	5	2
George	280	299	255	17	26	20	279	-	5	79	91	2	2
White	224	237	225	12	-	14	223	-	3	59	69	2	2
Nonwhite	56	62	30	5	26	6	56	-	2	20	22	-	-
Greene	152	236	159	26	49	16	220	-	7	57	75	6	5
White	80	150	126	19	4	7	143	-	4	42	56	4	3
Nonwhite	72	86	33	7	45	9	77	-	3	15	19	2	2

See footnotes on p. 183.

Table 19. Live Births by Attendant and Birth Weight; Fetal Deaths; and Total, Infant, and Neonatal Deaths; by Color: United States, Each State and County, and Specified Urban Places, 1955—Continued

(See headnote on p. 83)

AREA AND COLOR	LIVE BIRTHS								FETAL DEATHS	DEATHS			
	By place of occurrence	By place of residence							By place of residence	By place of occurrence	By place of residence		
			Attendant[1]			Birth weight[3]							
	Total births	Total births	Physician in hospital[2]	Physician not in hospital	Midwife	2,500 grams or less	2,501 grams or more	Not stated		Total deaths	Total deaths	Under 1 year	Under 28 days
MISSISSIPPI—Continued													
Grenada	593	555	248	70	236	58	482	15	25	214	182	23	13
White	257	221	219	1	1	10	209	2	5	100	71	5	2
Nonwhite	336	334	29	69	235	48	273	13	20	114	111	18	11
Hancock	181	270	221	13	35	17	247	6	5	77	94	2	2
White	137	220	215	5	-	14	202	4	3	65	80	2	2
Nonwhite	44	50	6	8	35	3	45	2	2	12	14	-	-
Harrison	3,663	3,467	3,092	51	322	263	3,190	14	64	760	684	87	69
White	3,016	2,835	2,806	6	23	209	2,617	9	47	597	525	65	55
Nonwhite	647	632	286	45	299	54	573	5	17	163	159	22	14
Biloxi	2,399	1,836	1,765	12	58	144	1,687	5	31	230	237	47	41
White	2,152	1,621	1,616	-	5	121	1,495	5	24	181	190	39	36
Nonwhite	247	215	149	12	53	23	192	-	7	49	47	8	5
Gulfport	1,116	847	677	24	146	55	786	6	19	311	235	27	19
White	847	588	581	2	5	35	552	1	13	239	170	17	13
Nonwhite	269	259	96	22	141	20	234	5	6	72	65	10	6
Balance of county	148	784	650	15	118	64	717	3	14	219	212	13	9
White	17	626	609	4	13	53	570	3	10	177	165	9	6
Nonwhite	131	158	41	11	105	11	147	-	4	42	47	4	3
Hinds	4,905	4,806	3,152	446	1,202	408	4,393	5	112	1,672	1,285	170	122
White	2,461	2,286	2,265	19	-	161	2,123	2	33	858	626	55	46
Nonwhite	2,444	2,520	887	427	1,202	247	2,270	3	79	814	659	115	76
Jackson	4,065	3,090	2,206	264	614	268	2,820	2	67	1,421	927	124	98
White	2,444	1,557	1,551	4	-	108	1,449	-	20	765	476	44	39
Nonwhite	1,621	1,533	655	260	614	160	1,371	2	47	656	451	80	59
Balance of county	840	1,716	946	182	588	140	1,573	3	45	251	358	46	24
White	17	729	714	15	-	53	674	2	13	93	150	11	7
Nonwhite	823	987	232	167	588	87	899	1	32	158	208	35	17
Holmes	919	900	234	99	559	91	804	5	37	296	321	35	21
White	157	151	137	8	5	11	140	-	2	70	81	4	3
Nonwhite	762	749	97	91	554	80	664	5	35	226	240	31	18
Humphreys	772	794	243	29	515	65	720	9	27	191	226	43	24
White	134	152	137	11	4	12	139	1	2	45	52	5	3
Nonwhite	638	642	106	18	511	53	581	8	25	146	174	38	21
Issaquena	63	122	60	3	58	22	100	-	6	26	50	8	5
White	2	24	22	1	1	4	20	-	-	5	14	1	1
Nonwhite	61	98	38	2	57	18	80	-	6	21	36	7	4
Itawamba	109	283	226	47	9	22	258	3	5	87	115	14	9
Jackson	1,045	1,276	1,080	66	128	89	1,184	3	31	278	305	46	34
White	742	964	943	8	11	58	903	3	21	186	214	30	23
Nonwhite	303	312	137	58	117	31	281	-	10	92	91	16	11
Pascagoula	81	454	372	18	64	29	424	1	12	38	87	14	10
White	2	337	335	1	1	19	317	1	8	24	69	12	8
Nonwhite	79	117	37	17	63	10	107	-	4	14	18	2	2
Balance of county	964	822	708	48	64	60	760	2	19	240	218	32	24
White	740	627	608	7	10	39	586	2	13	162	145	18	15
Nonwhite	224	195	100	41	54	21	174	-	6	78	73	14	9
Jasper	219	472	348	30	93	36	431	5	14	104	159	12	8
White	69	157	152	5	-	7	147	3	1	49	77	3	3
Nonwhite	150	315	196	25	93	29	284	2	13	55	82	9	5
Jefferson	182	350	172	5	172	36	312	2	12	104	151	17	11
White	7	44	41	1	2	1	43	-	-	24	35	1	1
Nonwhite	175	306	131	4	170	35	269	2	12	80	116	16	10
Jefferson Davis	449	436	240	86	109	40	392	4	17	148	149	13	8
White	170	136	119	16	1	7	128	1	1	65	61	2	2
Nonwhite	279	300	121	70	108	33	264	3	16	83	88	11	6
Jones	2,089	1,431	1,343	10	74	119	1,304	8	40	512	424	50	38
White	1,156	926	917	5	2	60	864	2	19	299	281	27	20
Nonwhite	933	505	426	5	72	59	440	6	21	213	143	23	18
Laurel	2,025	763	724	6	30	71	686	6	22	389	211	41	31
White	1,138	438	434	2	-	32	406	-	5	210	114	20	15
Nonwhite	887	325	290	4	30	39	280	6	17	179	97	21	16
Balance of county	64	668	619	4	44	48	618	2	18	123	213	9	7
White	18	488	483	3	2	28	458	2	14	89	167	7	5
Nonwhite	46	180	136	1	42	20	160	-	4	34	46	2	2
Kemper	289	341	146	36	153	28	313	-	8	99	134	15	11
White	57	90	83	5	2	7	83	-	2	43	58	4	4
Nonwhite	232	251	63	31	151	21	230	-	6	56	76	11	7
Lafayette	543	540	277	21	236	34	505	1	21	184	169	18	13
White	248	243	236	4	3	14	229	-	4	97	94	6	5
Nonwhite	295	297	41	17	233	20	276	1	17	87	75	12	8
Lamar	95	314	246	56	11	15	299	-	5	53	98	6	4
White	47	234	206	27	-	8	226	-	4	37	76	3	2
Nonwhite	48	80	40	29	11	7	73	-	1	16	22	3	2
Lauderdale	2,014	1,632	1,379	75	169	163	1,458	11	48	871	688	63	42
White	1,078	863	859	3	-	78	784	1	15	526	394	23	19
Nonwhite	936	769	520	72	169	85	674	10	33	345	294	40	23
Meridian	1,887	1,083	957	54	67	120	958	5	32	740	478	48	35
White	1,073	629	628	-	-	67	562	-	8	463	281	21	18
Nonwhite	814	454	329	54	67	53	396	5	24	277	197	27	17
Balance of county	127	549	422	21	102	43	500	6	16	131	210	15	7
White	5	234	231	3	-	11	222	1	7	63	113	2	1
Nonwhite	122	315	191	18	102	32	278	5	9	68	97	13	6
Lawrence	222	327	171	45	110	21	305	1	9	75	118	14	9
White	32	142	122	17	3	11	131	-	-	32	59	3	3
Nonwhite	190	185	49	28	107	10	174	1	9	43	59	11	6

See footnotes on p. 183.

Table 19. Live Births by Attendant and Birth Weight; Fetal Deaths; and Total, Infant, and Neonatal Deaths; by Color: United States, Each State and County, and Specified Urban Places, 1955—Continued

(See headnote on p. 83)

AREA AND COLOR	LIVE BIRTHS								FETAL DEATHS	DEATHS			
	By place of occurrence	By place of residence							By place of residence	By place of occurrence	By place of residence		
			Attendant[1]			Birth weight[3]							
	Total births	Total births	Physician in hospital[2]	Physician not in hospital	Midwife	2,500 grams or less	2,501 grams or more	Not stated		Total deaths	Total deaths	Under 1 year	Under 28 days
MISSISSIPPI—Continued													
Leake	451	512	330	6	175	37	470	5	14	154	180	20	13
White	168	207	206	1	-	11	196	-	2	90	111	3	3
Nonwhite	283	305	124	5	175	26	274	5	12	64	69	17	10
Lee	1,254	1,032	804	157	71	81	948	3	30	364	359	33	20
White	895	673	653	20	-	47	624	2	18	234	230	15	8
Nonwhite	359	359	151	137	71	34	324	1	12	130	129	18	12
Tupelo	885	338	264	48	26	21	315	2	10	214	131	12	7
White	703	215	214	1	-	13	201	1	6	132	73	4	2
Nonwhite	182	123	50	47	26	8	114	1	4	82	58	8	5
Balance of county	369	694	540	109	45	60	633	1	20	150	228	21	13
White	192	458	439	19	-	34	423	1	12	102	157	11	6
Nonwhite	177	236	101	90	45	26	210	-	8	48	71	10	7
Leflore	1,909	1,801	557	155	1,083	165	1,630	6	57	512	488	88	47
White	520	395	382	10	2	29	365	1	4	146	127	11	9
Nonwhite	1,389	1,406	175	145	1,081	136	1,265	5	53	366	361	77	38
Greenwood	946	666	387	3	274	58	606	2	19	303	226	33	23
White	508	284	283	-	-	22	262	-	3	122	87	9	8
Nonwhite	438	382	104	3	274	36	344	2	16	181	139	24	15
Balance of county	963	1,135	170	152	809	107	1,024	4	38	209	262	55	24
White	12	111	99	10	2	7	103	1	1	24	40	2	1
Nonwhite	951	1,024	71	142	807	100	921	3	37	185	222	53	23
Lincoln	727	722	529	83	106	62	657	3	19	216	232	30	19
White	456	423	410	3	9	35	385	3	6	136	145	18	12
Nonwhite	271	299	119	80	97	27	272	-	13	80	87	12	7
Lowndes	1,089	1,096	575	194	314	83	991	22	34	355	363	34	17
White	447	449	415	34	-	26	416	7	8	174	171	7	5
Nonwhite	642	647	160	160	314	57	575	15	26	181	192	27	12
Columbus	777	593	336	106	145	39	544	10	16	213	195	19	9
White	422	274	263	11	-	13	259	2	5	105	88	3	3
Nonwhite	355	319	73	95	145	26	285	8	11	108	107	16	6
Balance of county	312	503	239	88	169	44	447	12	18	142	168	15	8
White	25	175	152	23	-	13	157	5	3	69	83	4	2
Nonwhite	287	328	87	65	169	31	290	7	15	73	85	11	6
Madison	1,182	1,175	356	82	728	105	1,069	1	39	293	284	45	22
White	203	209	201	6	2	12	197	-	-	94	87	3	1
Nonwhite	979	966	155	76	726	93	872	1	39	199	197	42	21
Marion	520	605	420	19	165	49	549	7	15	165	188	20	12
White	289	346	328	10	7	27	318	1	6	97	112	9	9
Nonwhite	231	259	92	9	158	22	231	6	9	68	76	11	3
Marshall	744	808	161	172	472	59	745	4	34	211	212	24	16
White	93	150	119	25	6	3	146	1	2	59	61	3	3
Nonwhite	651	658	42	147	466	56	599	3	32	152	151	21	13
Monroe	802	792	514	72	204	51	733	8	18	299	321	27	13
White	402	380	366	12	2	16	361	3	7	177	188	8	5
Nonwhite	400	412	148	60	202	35	372	5	11	122	133	19	8
Montgomery	328	398	181	18	190	27	367	4	10	89	144	19	9
White	110	162	151	5	4	7	153	2	3	46	83	5	4
Nonwhite	218	236	30	13	186	20	214	2	7	43	61	14	5
Neshoba	516	559	394	31	123	54	502	3	11	162	194	27	22
White	258	318	302	6	4	18	298	2	6	98	120	9	6
Nonwhite	258	241	92	25	119	36	204	1	5	64	74	18	16
Newton	492	477	387	33	55	26	449	2	14	168	190	9	4
White	308	262	257	5	-	10	252	-	4	115	118	2	1
Nonwhite	184	215	130	28	55	16	197	2	10	53	72	7	3
Noxubee	580	573	148	49	370	35	511	27	22	193	196	22	17
White	96	91	87	4	-	4	87	-	7	54	55	1	1
Nonwhite	484	482	61	45	370	31	424	27	15	139	141	21	16
Oktibbeha	870	782	394	216	156	53	726	3	23	160	172	17	13
White	398	311	299	11	1	19	292	-	5	75	77	5	5
Nonwhite	482	471	95	205	155	34	434	3	18	85	95	12	8
Panola	912	947	495	133	317	82	859	6	36	244	297	38	22
White	270	273	247	24	2	13	260	-	9	96	123	6	3
Nonwhite	642	674	248	109	315	69	599	6	27	148	174	32	19
Pearl River	650	561	517	42	2	54	503	4	19	178	194	23	12
White	488	402	386	16	-	33	366	3	10	121	119	10	7
Nonwhite	162	159	131	26	2	21	137	1	9	57	75	13	5
Perry	101	231	202	6	20	24	206	1	5	44	79	7	4
White	76	151	143	4	2	17	133	1	4	29	54	4	2
Nonwhite	25	80	59	2	18	7	73	-	1	15	25	3	2
Pike	1,107	987	732	75	176	89	891	7	23	340	351	36	25
White	548	434	425	8	1	31	402	1	3	202	210	17	17
Nonwhite	559	553	307	67	175	58	489	6	20	138	141	19	8
McComb	667	345	301	16	28	37	308	-	8	164	136	15	15
White	406	199	199	-	-	14	185	-	3	121	104	9	9
Nonwhite	261	146	102	16	28	23	123	-	5	43	32	6	6
Balance of county	440	642	431	59	148	52	583	7	15	176	215	21	10
White	142	235	226	8	1	17	217	1	-	81	106	8	8
Nonwhite	298	407	205	51	147	35	366	6	15	95	109	13	2
Pontotoc	352	396	295	33	68	22	365	9	11	125	145	10	6
White	244	286	273	9	4	18	266	2	9	101	120	6	4
Nonwhite	108	110	22	24	64	4	99	7	2	24	25	4	2
Prentiss	519	438	390	28	20	42	385	11	9	167	170	8	6
White	435	360	344	14	2	28	329	3	8	141	147	5	3
Nonwhite	84	78	46	14	18	14	56	8	1	26	23	3	3

See footnotes on p. 183.

Table 19. Live Births by Attendant and Birth Weight; Fetal Deaths; and Total, Infant, and Neonatal Deaths; by Color: United States, Each State and County, and Specified Urban Places, 1955—Continued

(See headnote on p. 83)

AREA AND COLOR	LIVE BIRTHS								FETAL DEATHS	DEATHS			
	By place of occurrence	By place of residence							By place of residence	By place of occurrence	By place of residence		
			Attendant[1]			Birth weight[3]							
	Total births	Total births	Physician in hospital[2]	Physician not in hospital	Midwife	2,500 grams or less	2,501 grams or more	Not stated		Total deaths	Total deaths	Under 1 year	Under 28 days
MISSISSIPPI—Continued													
Quitman	958	900	372	316	209	88	798	14	28	219	231	41	27
White	255	254	165	88	1	18	235	1	4	57	56	9	7
Nonwhite	703	646	207	228	208	70	563	13	24	162	175	32	20
Rankin	423	656	469	48	138	39	609	8	11	446	215	26	21
White	81	293	287	3	3	10	281	2	6	228	108	7	6
Nonwhite	342	363	182	45	135	29	328	6	5	218	107	19	15
Scott	571	576	395	8	168	40	533	3	15	156	180	24	18
White	289	273	269	2	2	17	256	-	6	85	100	8	8
Nonwhite	282	303	126	6	166	23	277	3	9	71	80	16	10
Sharkey	313	462	259	11	191	39	422	1	19	99	111	21	9
White	53	86	80	5	1	5	80	1	6	22	24	2	1
Nonwhite	260	376	179	6	190	34	342	-	13	77	87	19	8
Simpson	570	533	429	18	84	40	492	1	11	150	148	13	9
White	263	269	260	8	1	17	252	-	4	87	99	4	4
Nonwhite	307	264	169	10	83	23	240	1	7	63	49	9	5
Smith	217	398	336	39	21	26	367	5	16	64	96	7	5
White	157	253	237	13	1	14	237	2	6	53	78	3	1
Nonwhite	60	145	99	26	20	12	130	3	10	11	18	4	4
Stone	173	167	147	3	17	6	157	4	1	55	60	5	2
White	118	108	108	-	-	2	106	-	1	38	40	2	1
Nonwhite	55	59	39	3	17	4	51	4	-	17	20	3	1
Sunflower	1,593	1,692	650	358	674	149	1,520	23	71	406	423	72	28
White	312	365	334	28	3	20	345	-	10	105	121	4	2
Nonwhite	1,281	1,327	316	330	671	129	1,175	23	61	301	302	68	26
Tallahatchie	946	1,006	369	156	475	81	919	6	28	245	275	38	18
White	183	238	202	32	4	11	225	2	5	56	83	8	5
Nonwhite	763	768	167	124	471	70	694	4	23	189	192	30	13
Tate	464	604	143	99	357	47	549	8	18	104	140	14	6
White	29	141	115	24	1	11	130	-	2	41	63	2	1
Nonwhite	435	463	28	75	356	36	419	8	16	63	77	12	5
Tippah	348	354	261	65	25	24	329	1	10	110	130	12	9
White	259	264	230	30	3	14	250	-	6	91	108	10	8
Nonwhite	89	90	31	35	22	10	79	1	4	19	22	2	1
Tishomingo	199	314	231	83	-	9	305	-	5	80	105	6	5
Tunica	805	824	244	63	513	81	742	1	23	231	236	43	16
White	90	98	76	13	8	6	92	-	1	41	39	5	2
Nonwhite	715	726	168	50	505	75	650	1	22	190	197	38	14
Union	514	411	326	22	60	29	380	2	20	171	162	16	10
White	411	312	299	7	4	21	289	2	13	136	130	11	9
Nonwhite	103	99	27	15	56	8	91	-	7	35	32	5	1
Walthall	657	412	341	5	64	32	378	2	14	132	128	19	11
White	364	169	162	1	6	10	159	-	3	76	70	2	2
Nonwhite	293	243	179	4	58	22	219	2	11	56	58	17	9
Warren	1,441	1,171	879	5	282	105	1,061	5	40	637	475	51	40
White	667	548	542	2	3	33	512	3	10	252	196	15	13
Nonwhite	774	623	337	3	279	72	549	2	30	385	279	36	27
Vicksburg	1,370	852	653	4	191	77	771	4	26	548	344	40	31
White	667	442	437	1	3	27	412	3	7	223	152	13	12
Nonwhite	703	410	216	3	188	50	359	1	19	325	192	27	19
Balance of county	71	319	226	1	91	28	290	1	14	89	131	11	9
White	-	106	105	1	-	6	100	-	3	29	44	2	1
Nonwhite	71	213	121	-	91	22	190	1	11	60	87	9	8
Washington	3,080	2,577	1,568	398	602	240	2,335	2	71	720	749	125	70
White	1,219	846	828	10	8	57	788	1	23	198	187	28	23
Nonwhite	1,861	1,731	740	388	594	183	1,547	1	48	522	562	97	47
Greenville	1,236	1,255	722	244	287	120	1,133	2	30	439	382	54	34
White	534	538	534	2	2	33	504	1	7	152	113	12	12
Nonwhite	702	717	188	242	285	87	629	1	23	287	269	42	22
Balance of county	1,844	1,322	846	154	315	120	1,202	-	41	281	367	71	36
White	685	308	294	8	6	24	284	-	16	46	74	16	11
Nonwhite	1,159	1,014	552	146	309	96	918	-	25	235	293	55	25
Wayne	449	432	327	13	92	38	393	1	13	125	147	14	8
White	272	236	226	5	5	16	220	-	4	71	86	4	1
Nonwhite	177	196	101	8	87	22	173	1	9	54	61	10	7
Webster	174	242	190	24	26	18	219	5	5	73	105	8	6
White	91	154	145	9	-	10	143	1	3	52	80	5	4
Nonwhite	83	88	45	15	26	8	76	4	2	21	25	3	2
Wilkinson	458	432	146	20	261	36	383	13	12	130	126	21	9
White	139	81	77	4	-	4	77	-	3	47	38	2	1
Nonwhite	319	351	69	16	261	32	306	13	9	83	88	19	8
Winston	549	588	343	13	230	29	559	-	24	153	179	14	8
White	226	245	242	2	1	8	237	-	11	89	111	4	2
Nonwhite	323	343	101	11	229	21	322	-	13	64	68	10	6
Yalobusha	325	356	157	127	71	36	318	2	8	128	152	21	11
White	87	124	102	22	-	9	115	-	4	62	77	3	2
Nonwhite	238	232	55	105	71	27	203	2	4	66	75	18	9
Yazoo	1,050	1,078	343	60	662	78	1,000	-	40	318	335	50	23
White	253	296	248	36	12	18	278	-	3	96	114	4	-
Nonwhite	797	782	95	24	650	60	722	-	37	222	221	46	23

See footnotes on p. 183.

Table 19. Live Births by Attendant and Birth Weight; Fetal Deaths; and Total, Infant, and Neonatal Deaths; by Color: United States, Each State and County, and Specified Urban Places, 1955—Continued

(See headnote on p. 83)

AREA AND COLOR	LIVE BIRTHS								FETAL DEATHS	DEATHS			
	By place of occurrence	By place of residence							By place of residence	By place of occurrence	By place of residence		
			Attendant[1]			Birth weight[3]							
	Total births	Total births	Physician in hospital[2]	Physician not in hospital	Midwife	2,500 grams or less	2,501 grams or more	Not stated		Total deaths	Total deaths	Under 1 year	Under 28 days
MISSOURI	97,509	94,001	89,420	3,825	600	6,793	86,828	380	1,568	43,505	43,102	2,381	1,733
White	85,274	82,489	79,048	3,076	240	5,324	76,855	310	1,220	39,156	38,789	1,910	1,415
Nonwhite	12,235	11,512	10,372	749	360	1,469	9,973	70	348	4,349	4,313	471	318
Adair	847	408	391	16	-	23	381	4	6	380	226	9	7
Kirksville	837	276	269	7	-	14	261	1	3	345	143	4	3
Balance of county	10	132	122	9	-	9	120	3	3	35	83	5	4
Andrew	6	185	179	6	-	15	170	-	6	110	164	8	7
Atchison	283	198	197	1	-	11	187	-	3	87	84	2	2
Audrain	726	588	573	15	-	42	546	-	16	283	246	17	6
Mexico	653	334	324	10	-	25	309	-	5	216	127	12	4
White	611	299	294	5	-	17	282	-	2	188	99	8	3
Nonwhite	42	35	30	5	-	8	27	-	3	28	28	4	1
Balance of county	73	254	249	5	-	17	237	-	11	67	119	5	2
Barry	441	310	274	34	2	15	294	1	5	210	234	7	6
Barton	204	190	185	5	-	8	182	-	1	115	133	1	-
Bates	276	284	251	33	-	11	273	-	6	167	214	3	2
Benton	60	120	119	1	-	6	113	1	5	74	105	5	4
Bollinger	55	185	177	6	1	6	177	2	1	95	140	4	3
Boone	870	1,023	1,011	10	-	67	955	1	16	420	395	25	22
Columbia	859	705	702	2	-	51	653	1	6	312	223	18	16
Balance of county	11	318	309	8	-	16	302	-	10	108	172	7	6
Buchanan	2,302	1,861	1,766	94	-	134	1,723	4	34	1,402	1,163	68	48
St. Joseph	2,278	1,445	1,375	69	-	110	1,333	2	29	1,312	989	55	40
Balance of county	24	416	391	25	-	24	390	2	5	90	174	13	8
Butler	1,214	749	584	133	26	53	694	2	17	595	419	33	18
Poplar Bluff	1,095	346	300	42	3	26	319	1	9	457	220	15	9
Balance of county	119	403	284	91	23	27	375	1	8	138	199	18	9
Caldwell	45	162	155	7	-	7	154	1	4	74	118	4	3
Callaway	289	395	361	34	-	19	374	2	6	376	215	10	8
Fulton	268	158	147	11	-	12	146	-	1	308	89	4	4
White	238	135	130	5	-	11	124	-	-	249	75	3	3
Nonwhite	30	23	17	6	-	1	22	-	1	59	14	1	1
Balance of county	21	237	214	23	-	7	228	2	5	68	126	6	4
Camden	52	140	117	22	-	6	134	-	3	65	90	2	1
Cape Girardeau	1,405	886	864	12	10	42	844	-	13	523	380	9	7
Cape Girardeau	1,397	529	517	4	8	30	499	-	7	413	204	3	3
Balance of county	8	357	347	8	2	12	345	-	6	110	176	6	4
Carroll	187	231	230	1	-	11	220	-	2	156	197	7	5
Carter	60	78	76	2	-	5	72	1	3	37	50	2	2
Cass	283	523	496	27	-	27	495	1	7	180	221	12	8
Cedar	59	149	125	23	-	7	140	2	3	97	136	2	1
Chariton	29	214	192	22	-	13	200	1	4	109	180	4	2
Christian	58	201	181	19	1	11	189	1	2	112	138	5	3
Clark	8	168	159	9	-	6	161	1	2	62	109	3	2
Clay	630	1,749	1,708	40	-	109	1,638	2	23	373	425	28	21
Kansas City (part)	3	517	509	7	-	40	477	-	6	45	93	8	3
White	3	517	509	7	-	40	477	-	6	44	91	8	3
Nonwhite	-	-	-	-	-	-	-	-	-	1	2	-	-
Balance of county	627	1,232	1,199	33	-	69	1,161	2	17	328	332	20	18
Clinton	273	229	218	10	-	17	212	-	4	133	159	2	2
Cole	1,269	810	804	5	1	49	759	2	11	422	332	16	10
Jefferson City	1,265	548	545	2	1	34	512	2	9	369	229	9	7
White	1,238	525	523	2	-	31	493	1	8	347	215	9	7
Nonwhite	27	23	22	-	1	3	19	1	1	22	14	-	-
Balance of county	4	262	259	3	-	15	247	-	2	53	103	7	3
Cooper	368	301	294	6	-	22	277	2	7	168	173	8	6
Crawford	117	224	158	65	-	8	214	2	5	94	140	3	1
Dade	85	117	111	6	-	5	112	-	-	98	110	1	-
Dallas	138	128	113	15	-	7	121	-	-	71	114	3	3
Daviess	53	133	90	43	-	11	122	-	2	99	130	3	3
De Kalb	32	138	132	6	-	5	133	-	2	61	99	6	3
Dent	185	217	167	22	24	13	203	1	3	95	119	5	5
Douglas	68	174	94	79	1	8	164	2	4	72	102	5	4
Dunklin	1,003	997	825	158	7	72	907	18	21	322	349	40	25
Franklin	1,167	931	864	67	-	59	872	-	21	403	406	20	14
Gasconade	62	233	214	19	-	13	215	5	1	75	114	7	5
Gentry	85	146	120	26	-	14	132	-	-	115	159	4	3
Greene	2,957	2,288	2,261	21	-	134	2,147	7	30	1,375	1,114	48	38
Springfield	2,935	1,593	1,582	7	-	99	1,490	4	22	1,211	837	33	28
Balance of county	22	695	679	14	-	35	657	3	8	164	277	15	10
Grundy	234	179	175	4	-	10	168	1	2	202	168	3	3
Harrison	242	228	200	28	-	13	215	-	-	156	165	5	1
Henry	446	318	312	6	-	30	286	2	10	283	274	3	3
Hickory	19	73	57	16	-	4	69	-	3	33	55	2	1
Holt	17	155	138	17	-	11	142	2	-	87	123	5	2
Howard	147	207	179	28	-	16	188	3	2	141	147	6	4
White	116	168	166	2	-	12	155	1	2	108	117	3	2
Nonwhite	31	39	13	26	-	4	33	2	-	33	30	3	2
Howell	496	414	375	34	2	23	388	3	16	263	259	18	13
Iron	363	177	136	22	8	12	158	7	3	103	119	9	8

See footnotes on p. 183.

Table 19. Live Births by Attendant and Birth Weight; Fetal Deaths; and Total, Infant, and Neonatal Deaths; by Color: United States, Each State and County, and Specified Urban Places, 1955—Continued

(See headnote on p. 83)

AREA AND COLOR	LIVE BIRTHS								FETAL DEATHS	DEATHS			
	By place of occurrence	By place of residence							By place of residence	By place of occurrence	By place of residence		
			Attendant[1]			Birth weight[3]							
	Total births	Total births	Physician in hospital[2]	Physician not in hospital	Midwife	2,500 grams or less	2,501 grams or more	Not stated		Total deaths	Total deaths	Under 1 year	Under 28 days
MISSOURI—Continued													
Jackson	18,373	15,023	14,787	224	3	1,163	13,816	44	259	6,514	5,964	371	278
White	16,528	12,728	12,633	89	-	877	11,816	35	192	5,675	5,073	290	223
Nonwhite	1,845	2,295	2,154	135	3	286	2,000	9	67	839	891	81	55
Kansas City (part)	16,504	10,729	10,535	183	3	929	9,773	27	196	5,719	4,756	287	214
White	14,671	8,460	8,400	55	-	645	7,796	19	130	4,891	3,950	218	167
Nonwhite	1,833	2,269	2,135	128	3	284	1,977	8	66	828	806	69	47
Kansas City (total)	16,507	11,246	11,044	190	3	969	10,250	27	202	5,764	4,849	295	217
White	14,674	8,977	8,909	62	-	685	8,273	19	136	4,935	4,041	226	170
Nonwhite	1,833	2,269	2,135	128	3	284	1,977	8	66	829	808	69	47
Independence	1,720	1,387	1,378	9	-	66	1,315	6	23	349	376	23	16
Balance of county	149	2,907	2,874	32	-	168	2,728	11	40	446	832	61	48
Jasper	1,931	1,627	1,593	32	-	114	1,500	13	25	948	920	47	29
Joplin (part)	1,302	786	777	9	-	52	723	11	10	551	463	25	13
Joplin (total)	1,302	808	799	9	-	54	743	11	10	556	471	26	13
Carthage	413	226	224	1	-	19	206	1	4	165	145	9	8
Balance of county	216	615	592	22	-	43	571	1	11	232	312	13	8
Jefferson	147	1,230	1,080	148	1	81	1,145	4	21	346	421	28	18
Johnson	616	573	557	15	-	36	535	2	2	232	270	18	13
Knox	69	134	126	8	-	11	123	-	-	72	97	6	5
Laclede	449	398	385	13	-	21	376	1	5	211	190	12	10
Lafayette	534	502	483	19	-	21	480	1	4	261	293	12	5
Lawrence	224	357	326	29	-	13	342	2	4	283	250	5	4
Lewis	24	191	170	21	-	11	178	2	2	97	146	7	6
Lincoln	329	270	269	1	-	12	240	18	2	176	194	8	6
Linn	345	294	286	8	-	15	277	2	4	283	275	8	6
Livingston	397	309	298	11	-	21	288	-	5	217	196	10	8
McDonald	105	193	184	8	1	12	180	1	1	106	144	6	3
Macon	171	243	218	24	-	22	219	2	-	216	252	9	9
Madison	83	229	174	51	1	15	212	2	3	58	92	6	4
Maries	64	151	121	9	-	5	126	-	4	43	63	1	1
Marion	1,058	642	632	10	-	44	596	2	6	442	370	19	12
Hannibal (part)	1,049	439	438	1	-	30	407	2	2	376	261	15	10
Hannibal (total)	1,049	440	439	1	-	30	408	2	2	376	263	15	10
Balance of county	9	203	194	9	-	14	189	-	4	66	109	4	2
Mercer	116	105	96	9	-	5	99	1	2	79	90	-	-
Miller	199	260	256	4	-	17	242	1	7	103	129	1	1
Mississippi	436	599	428	87	81	42	544	13	4	148	237	37	21
White	279	440	366	70	3	31	408	1	-	89	159	22	13
Nonwhite	157	159	62	17	78	11	136	12	4	59	78	15	8
Moniteau	128	206	194	12	-	9	197	-	4	91	130	7	6
Monroe	48	218	190	27	1	19	199	-	2	105	150	4	2
Montgomery	53	223	195	28	-	12	208	3	-	95	172	8	7
Morgan	126	161	160	1	-	8	153	-	2	100	114	2	1
New Madrid	674	969	586	268	108	55	907	7	23	162	279	34	19
White	472	753	569	166	15	39	710	4	15	114	208	17	11
Nonwhite	202	216	17	102	93	16	197	3	8	48	71	17	8
Sikeston (part)	-	-	-	-	-	-	-	-	-	-	-	-	-
White	-	-	-	-	-	-	-	-	-	-	-	-	-
Nonwhite	-	-	-	-	-	-	-	-	-	-	-	-	-
Balance of county	674	969	586	268	108	55	907	7	23	162	279	34	19
White	472	753	569	166	15	39	710	4	15	114	208	17	11
Nonwhite	202	216	17	102	93	16	197	3	8	48	71	17	8
Newton	605	571	519	51	-	38	529	4	7	245	256	15	11
Joplin (part)	-	22	22	-	-	2	20	-	-	5	8	1	-
Balance of county	605	549	497	51	-	36	509	4	7	240	248	14	11
Nodaway	538	462	442	18	-	26	435	1	9	275	274	9	5
Oregon	97	159	150	6	2	7	151	1	2	84	112	3	1
Osage	14	236	224	11	-	12	223	1	2	78	139	5	3
Ozark	71	132	119	9	2	8	121	3	2	41	85	7	5
Pemiscot	1,021	1,081	721	270	75	90	972	19	23	353	393	55	30
White	687	746	613	120	6	63	670	13	11	229	263	30	16
Nonwhite	334	335	108	150	69	27	302	6	12	124	130	25	14
Perry	568	348	329	19	-	17	327	4	4	127	136	8	8
Pettis	788	734	700	33	-	57	677	-	7	346	373	12	10
Sedalia	781	507	482	25	-	44	463	-	5	296	275	11	10
Balance of county	7	227	218	8	-	13	214	-	2	50	98	1	-
Phelps	756	539	500	29	9	28	506	5	7	303	205	10	7
Pike	362	388	359	24	1	17	371	-	3	205	237	9	7
Platte	2	447	443	4	-	30	416	1	5	81	163	17	15
Polk	146	201	179	21	1	16	184	1	3	138	188	2	2
Pulaski	1,307	345	312	32	1	24	321	-	8	190	147	23	18
Putnam	107	140	134	6	-	5	135	-	2	91	106	2	2
Ralls	9	150	142	8	-	8	142	-	3	33	75	-	-
Hannibal (part)	-	1	1	-	-	-	1	-	-	-	2	-	-
Balance of county	9	149	141	8	-	8	141	-	3	33	73	-	-
Randolph	658	413	362	45	5	25	385	3	3	385	344	15	10
Moberly	632	240	215	20	5	16	223	1	1	286	213	14	10
Balance of county	26	173	147	25	-	9	162	2	2	99	131	1	-
Ray	12	254	235	19	-	23	230	1	3	126	206	5	5
Reynolds	29	100	72	19	5	3	97	-	4	51	69	-	-
Ripley	128	173	146	20	6	14	154	5	6	90	113	7	6
St. Charles	1,308	1,006	998	8	-	66	939	1	18	300	286	9	9
St. Charles	1,302	494	493	1	-	34	460	-	9	198	130	4	4
Balance of county	6	512	505	7	-	32	479	1	9	102	156	5	5

See footnotes on p. 183.

430007 O - 57 - 16

Table 19. Live Births by Attendant and Birth Weight; Fetal Deaths; and Total, Infant, and Neonatal Deaths; by Color: United States, Each State and County, and Specified Urban Places, 1955—Continued

(See headnote on p. 83)

AREA AND COLOR	LIVE BIRTHS								FETAL DEATHS	DEATHS			
	By place of occurrence	By place of residence							By place of residence	By place of occurrence	By place of residence		
			Attendant[1]			Birth weight[3]							
	Total births	Total births	Physician in hospital[2]	Physician not in hospital	Midwife	2,500 grams or less	2,501 grams or more	Not stated		Total deaths	Total deaths	Under 1 year	Under 28 days
MISSOURI—Continued													
St. Clair	104	167	152	13	1	11	156	-	2	111	126	2	-
St. Francois	1,143	795	730	56	7	60	734	1	16	402	344	17	11
St. Louis	5,874	13,918	13,832	73	9	924	12,935	59	198	3,103	3,840	282	230
White	5,440	13,270	13,200	58	9	838	12,397	35	185	2,891	3,641	257	208
Nonwhite	434	648	632	15	-	86	538	24	13	212	199	25	22
University City	-	800	800	-	-	48	749	3	14	124	446	16	16
Clayton	542	253	253	-	-	14	239	-	6	741	167	9	9
Ferguson	-	521	521	-	-	25	494	2	3	59	101	8	6
Jennings	-	291	291	-	-	20	270	1	4	67	138	5	4
Kirkwood	627	702	698	3	1	52	646	4	12	267	235	22	18
Maplewood	-	222	222	-	-	11	211	-	2	40	123	4	3
Overland	4	733	729	4	-	55	674	4	13	64	192	24	19
Richmond Heights	3,980	277	277	-	-	27	248	2	4	395	151	13	10
Webster Groves	1	545	544	1	-	32	509	4	8	88	235	7	5
Balance of county	720	9,574	9,497	65	8	640	8,895	39	132	1,258	2,052	174	140
White	704	9,125	9,063	51	8	574	8,530	21	121	1,199	1,913	156	125
Nonwhite	16	449	434	14	-	66	365	18	11	59	139	18	15
St. Louis (city)	31,452	21,351	21,210	109	26	1,983	19,344	24	416	11,674	10,011	592	440
White	23,446	14,739	14,644	72	18	1,097	13,621	21	200	9,458	7,867	341	280
Nonwhite	8,006	6,612	6,566	37	8	886	5,723	3	216	2,216	2,144	251	180
Ste. Genevieve	21	273	253	20	-	12	260	1	6	55	74	3	-
Saline	380	397	374	23	-	33	359	5	6	317	306	10	6
Schuyler	2	86	84	2	-	1	84	1	2	38	73	-	-
Scotland	5	107	100	7	-	13	94	-	-	50	102	2	2
Scott	844	826	702	41	78	54	771	1	19	274	281	17	11
Sikeston (part)	734	319	260	5	50	25	293	1	7	169	110	7	2
White	652	252	243	4	5	17	234	1	5	133	86	4	1
Nonwhite	82	67	17	1	45	8	59	-	2	36	24	3	1
Sikeston (total)	734	319	260	5	50	25	293	1	7	169	110	7	2
White	652	252	243	4	5	17	234	1	5	133	86	4	1
Nonwhite	82	67	17	1	45	8	59	-	2	36	24	3	1
Balance of county	110	507	442	36	28	29	478	-	12	105	171	10	9
Shannon	11	133	118	9	5	6	124	3	4	38	61	3	2
Shelby	17	163	151	12	-	8	154	1	3	92	138	5	4
Stoddard	532	668	561	85	19	41	625	2	8	174	259	22	13
Stone	33	157	125	28	2	3	153	1	2	50	77	3	1
Sullivan	140	143	134	9	-	14	128	1	5	110	147	9	8
Taney	199	195	189	4	1	9	185	1	2	97	101	4	4
Texas	330	344	235	109	-	20	324	-	4	116	159	9	7
Vernon	310	252	243	9	-	15	237	-	5	370	257	6	5
Warren	8	152	143	9	-	10	137	5	3	96	105	1	-
Washington	181	360	182	101	62	34	323	3	8	92	130	6	6
Wayne	24	141	119	21	1	4	124	13	4	44	81	5	2
Webster	198	246	210	35	1	13	231	2	3	100	143	3	3
Worth	18	71	53	18	-	7	64	-	3	49	73	3	2
Wright	243	276	232	38	2	10	265	1	2	150	177	6	3
MONTANA	17,206	17,474	17,301	75	80	1,392	15,997	85	221	6,129	6,151	437	325
White	16,200	16,458	16,320	67	59	1,303	15,091	64	203	5,871	5,895	392	306
Nonwhite	1,006	1,016	981	8	21	89	906	21	18	258	256	45	19
Beaverhead	109	156	154	2	-	14	141	1	-	74	86	5	5
Big Horn	271	289	282	3	2	18	268	3	8	77	102	12	5
White	100	144	141	2	1	6	138	-	4	39	64	4	4
Nonwhite	171	145	141	1	1	12	130	3	4	38	38	8	1
Blaine	111	272	267	2	3	20	247	5	3	43	87	9	4
White	6	199	196	2	1	12	185	2	2	33	75	6	2
Nonwhite	105	73	71	-	2	8	62	3	1	10	12	3	2
Broadwater	96	64	64	-	-	7	57	-	-	42	42	2	1
Carbon	92	186	186	-	-	3	182	1	-	85	105	7	5
Carter	42	64	63	-	1	5	58	1	-	18	26	1	1
Cascade	2,125	1,915	1,910	5	-	168	1,744	3	17	563	514	42	31
Great Falls	1,659	1,521	1,517	4	-	128	1,393	2	14	524	401	29	22
Balance of county	466	394	393	1	-	42	351	1	3	39	113	13	9
Chouteau	74	206	204	2	-	16	190	-	3	71	80	8	6
Custer	560	343	342	1	-	27	316	-	5	194	139	11	10
Daniels	118	116	116	-	-	6	109	1	-	29	32	6	4
Dawson	396	399	397	2	-	21	378	-	4	102	98	9	9
Deer Lodge	404	482	482	-	-	57	424	1	12	380	155	14	11
Anaconda	404	433	433	-	-	54	378	1	11	115	140	13	10
Balance of county	-	49	49	-	-	3	46	-	1	265	15	1	1
Fallon	87	127	127	-	-	7	120	-	2	32	37	3	2
Fergus	399	363	353	1	9	31	331	1	3	150	152	13	9
Flathead	987	906	901	4	-	79	823	4	17	313	323	23	16
Gallatin	594	602	601	1	-	36	564	2	11	219	216	10	5
Bozeman	594	348	348	-	-	21	327	-	8	153	124	7	4
Balance of county	-	254	253	1	-	15	237	2	3	66	92	3	1
Garfield	41	49	49	-	-	4	45	-	1	12	14	2	2
Glacier	410	406	394	2	9	40	355	11	3	104	104	14	6
White	179	194	185	1	8	16	170	8	1	46	46	4	2
Nonwhite	231	212	209	1	1	24	185	3	2	58	58	10	4
Golden Valley	1	38	37	1	-	3	35	-	-	5	14	2	2
Granite	45	65	65	-	-	8	56	1	-	16	25	1	-

See footnotes on p. 183.

Table 19. Live Births by Attendant and Birth Weight; Fetal Deaths; and Total, Infant, and Neonatal Deaths; by Color: United States, Each State and County, and Specified Urban Places, 1955—Continued

(See headnote on p. 83)

AREA AND COLOR	LIVE BIRTHS								FETAL DEATHS	DEATHS			
	By place of occurrence	By place of residence							By place of residence	By place of occurrence	By place of residence		
			Attendant[1]			Birth weight[3]							
	Total births	Total births	Physician in hospital[2]	Physician not in hospital	Midwife	2,500 grams or less	2,501 grams or more	Not stated		Total deaths	Total deaths	Under 1 year	Under 28 days
MONTANA—Continued													
Hill	768	519	506	3	9	38	475	6	9	174	142	9	8
Jefferson	-	77	77	-	-	6	71	-	-	28	31	1	1
Judith Basin	1	65	64	1	-	4	61	-	1	10	37	1	1
Lake	341	320	318	2	-	23	297	-	5	129	146	9	8
White	217	231	229	2	-	18	213	-	3	106	123	7	7
Nonwhite	124	89	89	-	-	5	84	-	2	23	23	2	1
Lewis and Clark	648	644	629	3	11	63	579	2	5	307	272	11	9
Helena	632	488	488	-	-	53	433	2	5	197	210	9	8
Balance of county	16	156	141	3	11	10	146	-	-	110	62	2	1
Liberty	67	105	104	1	-	5	100	-	4	22	26	3	2
Lincoln	245	341	340	1	-	27	314	-	2	82	97	5	4
McCone	23	100	100	-	-	6	94	-	1	17	22	2	1
Madison	90	93	92	1	-	5	87	1	-	50	66	3	3
Meagher	2	50	49	-	-	6	44	-	1	7	21	1	1
Mineral	54	73	72	-	-	1	72	-	2	21	27	-	-
Missoula	1,092	1,021	1,016	5	-	87	934	-	8	422	363	27	18
Missoula	1,091	822	820	2	-	73	749	-	4	369	286	21	13
Balance of county	1	199	196	3	-	14	185	-	4	53	77	6	5
Musselshell	49	102	101	-	-	9	93	-	-	64	72	1	1
Park	285	274	272	2	-	16	258	-	2	133	152	5	3
Petroleum	2	19	17	2	-	3	16	-	-	1	8	1	1
Phillips	133	164	161	3	-	10	151	3	2	51	69	10	7
Pondera	258	246	238	1	7	25	221	-	2	50	60	9	7
Powder River	5	76	71	1	-	3	73	-	2	10	19	-	-
Powell	146	140	140	-	-	13	127	-	4	85	71	6	6
Prairie	28	68	68	-	-	4	64	-	-	7	19	2	2
Ravalli	213	222	221	1	-	23	198	1	3	101	118	2	1
Richland	401	332	331	1	-	21	311	-	6	81	84	2	1
Roosevelt	490	415	408	4	2	24	387	4	8	101	107	14	11
White	337	284	282	2	-	17	267	-	5	72	76	7	6
Nonwhite	153	131	126	2	2	7	120	4	3	29	31	7	5
Rosebud	108	185	178	1	5	13	167	5	1	41	62	8	4
White	101	137	137	-	-	10	127	-	1	38	50	3	3
Nonwhite	7	48	41	1	5	3	40	5	-	3	12	5	1
Sanders	86	162	160	2	-	17	144	1	1	60	79	4	4
Sheridan	126	193	193	-	-	14	179	-	-	31	51	2	1
Silver Bow	1,531	1,401	1,395	3	2	152	1,242	7	21	639	716	37	33
Butte	1,501	1,192	1,187	2	2	130	1,056	6	19	497	641	35	32
Balance of county	30	209	208	1	-	22	186	1	2	142	75	2	1
Stillwater	55	118	118	-	-	11	107	-	1	44	51	4	3
Sweet Grass	55	72	72	-	-	6	66	-	-	35	45	-	-
Teton	140	162	146	2	14	7	143	12	4	49	51	3	2
Toole	176	235	227	2	6	14	217	4	2	59	73	4	3
Treasure	-	40	40	-	-	5	35	-	-	6	13	2	2
Valley	325	351	351	-	-	18	333	-	8	72	82	4	4
Wheatland	73	64	63	1	-	1	63	-	-	43	33	1	1
Wibaux	-	40	40	-	-	3	37	-	-	4	11	-	-
Yellowstone	2,228	1,936	1,928	6	-	139	1,793	4	27	564	501	50	38
Billings	2,190	1,440	1,437	2	-	104	1,335	1	21	462	385	38	29
Balance of county	38	496	491	4	-	35	458	3	6	102	116	12	9
Yellowstone National Park (part)	-	1	1	-	-	-	1	-	-	-	3	-	-
NEBRASKA	34,057	34,258	33,965	270	4	2,236	31,717	305	476	13,009	13,115	813	635
White	32,846	33,073	32,808	251	-	2,085	30,688	300	451	12,619	12,739	738	584
Nonwhite	1,211	1,185	1,157	19	4	151	1,029	5	25	390	376	75	51
Adams	993	780	775	4	-	58	709	13	11	469	266	16	14
Hastings	993	637	633	4	-	53	575	9	8	285	208	13	12
Balance of county	-	143	142	-	-	5	134	4	3	184	58	3	2
Antelope	329	270	264	6	-	12	254	4	2	98	105	2	2
Arthur	-	19	19	-	-	-	19	-	-	1	5	-	-
Banner	2	36	34	-	-	-	34	2	-	2	6	-	-
Blaine	1	27	26	1	-	2	25	-	-	5	8	1	1
Boone	173	267	267	-	-	26	241	-	3	69	103	10	8
Box Butte	441	313	310	1	1	23	289	1	7	122	114	17	12
Boyd	118	119	117	2	-	7	109	3	2	34	40	3	2
Brown	173	108	107	-	-	4	99	5	1	54	57	1	1
Buffalo	665	595	593	2	-	39	542	14	2	261	233	8	8
Kearney	662	314	314	-	-	19	290	5	1	224	123	5	5
Balance of county	3	281	279	2	-	20	252	9	1	37	110	3	3
Burt	256	272	266	5	-	11	258	3	3	94	128	5	5
Butler	196	248	248	-	-	12	234	2	1	78	109	6	5
Cass	4	394	390	3	-	21	353	20	4	147	178	11	11
Cedar	89	407	393	14	-	13	386	8	6	61	108	4	3
Chase	125	107	106	1	-	5	99	3	1	42	39	1	-
Cherry	189	203	200	3	-	12	180	11	2	62	72	8	8
Cheyenne	524	500	498	2	-	41	457	2	7	109	128	19	10
Clay	4	199	195	4	-	14	183	2	1	53	104	2	2
Colfax	229	247	246	1	-	16	231	-	2	88	111	4	4
Cuming	421	320	320	-	-	19	300	1	3	113	118	5	4
Custer	379	378	372	6	-	23	351	4	3	142	177	5	4
Dakota	3	308	304	4	-	19	289	-	1	40	98	8	6
Dawes	253	241	239	2	-	12	228	1	2	82	86	7	5

See footnotes on p. 183.

Table 19. Live Births by Attendant and Birth Weight; Fetal Deaths; and Total, Infant, and Neonatal Deaths; by Color: United States, Each State and County, and Specified Urban Places, 1955—Continued

(See headnote on p. 83)

AREA AND COLOR	LIVE BIRTHS								FETAL DEATHS	DEATHS			
	By place of occurrence	By place of residence							By place of residence	By place of occurrence	By place of residence		
			Attendant[1]			Birth weight[3]							
	Total births	Total births	Physician in hospital[2]	Physician not in hospital	Midwife	2,500 grams or less	2,501 grams or more	Not stated		Total deaths	Total deaths	Under 1 year	Under 28 days
NEBRASKA—Continued													
Dawson	560	490	487	2	-	29	453	8	6	192	197	17	10
Deuel	47	73	73	-	-	4	69	-	-	19	31	1	1
Dixon	198	212	192	19	-	13	197	2	6	58	82	9	8
Dodge	720	764	762	1	-	50	711	3	13	282	309	18	15
Fremont	711	489	487	1	-	33	454	2	10	227	195	10	8
Balance of county	9	275	275	-	-	17	257	1	3	55	114	8	7
Douglas	9,353	8,593	8,554	33	2	694	7,684	15	123	3,421	3,022	229	179
White	8,480	7,715	7,692	21	-	573	7,128	14	106	3,152	2,744	179	142
Nonwhite	873	878	862	12	2	121	756	1	17	269	278	50	37
Omaha	9,349	7,513	7,480	28	2	628	6,870	15	107	3,301	2,753	209	165
White	8,476	6,643	6,626	16	-	508	6,121	14	90	3,036	2,477	160	128
Nonwhite	873	870	854	12	2	120	749	1	17	265	276	49	37
Balance of county	4	1,080	1,074	5	-	66	1,014	-	16	120	269	20	14
Dundy	66	97	97	-	-	2	95	-	1	18	29	1	1
Fillmore	76	173	172	1	-	7	164	2	6	76	109	2	2
Franklin	76	117	115	2	-	5	112	-	-	43	64	2	2
Frontier	1	123	121	2	-	4	119	-	4	18	36	1	1
Furnas	94	180	180	-	-	9	169	2	4	86	109	4	4
Gage	587	503	502	1	-	23	460	20	7	328	288	8	6
Beatrice	554	241	241	-	-	13	218	10	4	196	138	5	3
Balance of county	33	262	261	1	-	10	242	10	3	132	150	3	3
Garden	100	92	92	-	-	7	82	3	2	24	26	2	2
Garfield	91	62	60	2	-	3	59	-	-	37	30	2	2
Gosper	13	46	46	-	-	4	42	-	-	13	21	1	1
Grant	5	33	27	6	-	2	31	-	-	4	6	1	-
Greeley	96	148	148	-	-	7	141	-	3	37	59	4	4
Hall	1,176	949	935	14	-	70	857	22	13	423	339	26	17
Grand Island	1,170	726	717	9	-	58	651	17	11	398	264	23	15
Balance of county	6	223	218	5	-	12	206	5	2	25	75	3	2
Hamilton	87	215	212	2	-	17	195	3	1	89	99	8	8
Harlan	72	106	106	-	-	6	98	2	3	53	63	-	-
Hayes	-	52	52	-	-	4	48	-	1	3	9	1	1
Hitchcock	26	94	93	1	-	6	88	-	-	31	52	4	4
Holt	366	387	383	4	-	15	372	-	5	119	150	9	7
Hooker	5	28	26	2	-	1	26	1	-	12	17	2	2
Howard	117	166	163	3	-	4	159	3	1	50	66	3	1
Jefferson	294	281	279	2	-	19	261	1	1	132	142	4	4
Johnson	61	139	136	3	-	13	126	-	2	45	74	3	3
Kearney	121	150	147	3	-	8	141	1	1	64	80	3	2
Keith	227	241	240	1	-	19	221	1	6	58	56	4	4
Keya Paha	-	50	49	1	-	-	50	-	1	4	13	-	-
Kimball	207	201	199	2	-	20	180	1	4	46	45	8	8
Knox	207	363	351	12	-	14	349	-	7	75	115	9	8
Lancaster	3,594	3,495	3,479	16	-	198	3,290	7	56	1,352	1,125	70	60
Lincoln	3,590	3,180	3,169	11	-	184	2,990	6	49	1,091	986	63	54
Balance of county	4	315	310	5	-	14	300	1	7	261	139	7	6
Lincoln	761	717	693	24	-	53	661	3	14	228	235	18	11
North Platte	672	494	481	13	-	40	453	1	10	173	153	14	8
Balance of county	89	223	212	11	-	13	208	2	4	55	82	4	3
Logan	7	39	37	2	-	2	36	1	-	5	13	4	3
Loup	2	27	26	1	-	-	27	-	-	2	3	-	-
McPherson	-	23	23	-	-	1	22	-	-	-	3	-	-
Madison	993	581	579	2	-	39	540	2	7	447	257	17	13
Norfolk	944	342	340	2	-	25	315	2	5	223	131	11	9
Balance of county	49	239	239	-	-	14	225	-	2	224	126	6	4
Merrick	129	213	210	3	-	6	204	3	2	70	102	1	-
Morrill	110	191	190	1	-	16	175	-	3	46	61	1	1
Nance	130	126	125	1	-	6	120	-	2	79	76	3	2
Nemaha	139	200	198	2	-	14	176	10	4	92	132	7	5
Nuckolls	249	233	233	-	-	15	218	-	2	75	99	7	3
Otoe	621	337	337	-	-	18	289	30	6	187	171	8	6
Pawnee	144	116	116	-	-	6	109	1	3	71	71	2	2
Perkins	81	94	94	-	-	5	73	16	1	20	31	2	2
Phelps	249	248	247	1	-	22	225	1	3	108	107	6	6
Pierce	252	224	223	1	-	14	209	1	3	74	87	3	3
Platte	624	615	613	2	-	41	570	4	5	171	175	11	8
Polk	119	139	139	-	-	10	128	1	2	88	94	2	2
Red Willow	587	320	317	3	-	24	295	1	3	132	127	4	3
Richardson	287	273	273	-	-	13	254	6	8	172	184	6	6
Rock	43	69	69	-	-	3	66	-	2	17	33	1	1
Saline	247	221	220	-	-	10	210	1	1	173	171	3	2
Sarpy	714	670	666	3	-	43	623	4	9	58	103	14	11
Saunders	211	380	378	2	-	13	365	2	6	122	182	6	6
Scotts Bluff	1,040	877	872	4	-	85	785	7	12	282	278	37	23
Scottsbluff	1,035	362	361	1	-	45	314	3	5	229	135	12	8
Balance of county	5	515	511	3	-	40	471	4	7	53	143	25	15
Seward	230	285	284	1	-	18	266	1	1	128	138	7	3
Sheridan	279	252	252	-	-	13	239	-	3	91	95	8	3
Sherman	204	142	142	-	-	7	134	1	2	49	58	3	3
Sioux	1	46	45	1	-	3	43	-	1	6	15	-	-
Stanton	2	114	111	3	-	5	109	-	1	16	49	1	1
Thayer	162	170	166	4	-	7	160	3	6	101	119	4	4
Thomas	4	32	27	5	-	3	29	-	-	4	13	1	1

See footnotes on p. 183.

Table 19. Live Births by Attendant and Birth Weight; Fetal Deaths; and Total, Infant, and Neonatal Deaths; by Color: United States, Each State and County, and Specified Urban Places, 1955—Continued

(See headnote on p. 83)

AREA AND COLOR	LIVE BIRTHS								FETAL DEATHS	DEATHS			
	By place of occurrence	By place of residence							By place of residence	By place of occurrence	By place of residence		
			Attendant[1]			Birth weight[3]							
	Total births	Total births	Physician in hospital[2]	Physician not in hospital	Midwife	2,500 grams or less	2,501 grams or more	Not stated		Total deaths	Total deaths	Under 1 year	Under 28 days
NEBRASKA—Continued													
Thurston	200	202	198	2	1	9	191	2	9	58	71	11	9
White	120	144	142	2	-	4	140	-	4	31	46	4	3
Nonwhite	80	58	56	-	1	5	51	2	5	27	25	7	6
Valley	165	169	167	2	-	7	160	2	2	49	63	1	1
Washington	129	227	227	-	-	5	222	-	7	84	122	3	1
Wayne	151	237	236	1	-	11	226	-	1	53	67	4	3
Webster	135	154	152	2	-	7	145	2	3	59	87	5	4
Wheeler	-	18	18	-	-	2	16	-	1	6	10	-	-
York	446	296	295	1	-	14	278	4	-	148	157	3	1
NEVADA	6,037	6,275	6,233	30	2	600	5,632	43	98	2,166	1,987	188	148
White	5,323	5,567	5,547	17	-	520	5,012	35	86	1,974	1,805	157	129
Nonwhite	714	708	686	13	2	80	620	8	12	192	182	31	19
Churchill	198	183	182	1	-	15	165	3	3	70	78	2	1
Clark	2,866	2,947	2,934	9	-	292	2,645	10	41	690	641	99	76
Las Vegas	1,596	1,387	1,377	8	-	150	1,232	5	29	464	413	61	45
White	1,254	1,032	1,030	1	-	100	928	4	21	406	349	44	36
Nonwhite	342	355	347	7	-	50	304	1	8	58	64	17	9
Balance of county	1,270	1,560	1,557	1	-	142	1,413	5	12	226	228	38	31
Douglas	1	48	47	1	-	5	42	1	-	19	23	1	1
White	1	37	36	1	-	5	31	1	-	19	20	1	1
Nonwhite	-	11	11	-	-	-	11	-	-	-	3	-	-
Elko	277	283	276	4	1	19	261	3	1	113	105	8	4
White	227	237	233	4	-	19	218	-	1	99	88	8	4
Nonwhite	50	46	43	-	1	-	43	3	-	14	17	-	-
Esmeralda	-	4	4	-	-	-	4	-	-	11	11	-	-
Eureka	1	20	19	1	-	-	19	1	-	7	9	-	-
Humboldt	138	134	131	1	1	7	120	7	2	58	46	5	3
Lander	32	44	44	-	-	4	40	-	1	21	20	1	1
White	26	38	38	-	-	3	35	-	1	18	18	1	1
Nonwhite	6	6	6	-	-	1	5	-	-	3	2	-	-
Lincoln	63	76	76	-	-	7	69	-	3	38	42	3	3
Lyon	95	139	139	-	-	4	133	2	-	31	43	3	2
Mineral	312	272	271	1	-	34	234	4	4	78	66	10	9
White	225	222	222	-	-	26	193	3	4	47	52	7	6
Nonwhite	87	50	49	1	-	8	41	1	-	31	14	3	3
Nye	28	66	65	1	-	6	58	2	1	70	62	5	4
White	28	56	55	1	-	6	48	2	1	63	52	5	4
Nonwhite	-	10	10	-	-	-	10	-	-	7	10	-	-
Ormsby	139	106	105	-	-	8	97	1	1	67	53	4	2
Pershing	52	61	60	1	-	2	56	3	1	34	47	4	4
Storey	-	11	11	-	-	3	8	-	-	5	11	-	-
Washoe	1,488	1,548	1,537	9	-	165	1,380	3	33	766	637	38	34
Reno	1,482	1,054	1,050	3	-	118	934	2	17	651	500	27	24
Balance of county	6	494	487	6	-	47	446	1	16	115	137	11	10
White Pine	347	333	332	1	-	29	301	3	7	88	93	5	4
NEW HAMPSHIRE	12,291	12,482	12,407	72	-	806	11,047	629	218	6,539	6,464	321	246
White	12,262	12,444	12,370	71	-	803	11,016	625	218	6,528	6,455	321	246
Nonwhite	29	38	37	1	-	3	31	4	-	11	9	-	-
Belknap	581	605	600	5	-	36	564	5	12	378	362	16	10
Laconia	578	333	333	-	-	21	308	4	4	291	172	7	4
Balance of county	3	272	267	5	-	15	256	1	8	87	190	9	6
Carroll	342	316	314	2	-	10	298	8	5	218	222	5	2
Cheshire	621	863	848	15	-	64	767	32	7	398	463	21	16
Keene	607	342	342	-	-	28	311	3	5	235	191	10	6
Balance of county	14	521	506	15	-	36	456	29	2	163	272	11	10
Coos	979	915	908	7	-	52	857	6	19	376	382	17	15
Berlin	582	462	462	-	-	30	429	3	6	168	177	7	6
Balance of county	397	453	446	7	-	22	428	3	13	208	205	10	9
Grafton	1,412	1,011	995	15	-	61	934	16	19	642	536	29	23
Hillsborough	3,884	3,806	3,792	12	-	255	3,347	204	65	1,877	1,874	102	87
Manchester	2,224	2,039	2,033	5	-	131	1,836	72	33	949	967	56	47
Nashua	1,221	858	853	5	-	81	738	39	17	457	412	24	22
Balance of county	439	909	906	2	-	43	773	93	15	471	495	22	18
Merrimack	1,263	1,316	1,310	6	-	90	1,212	14	23	1,024	764	29	21
Concord	892	567	565	2	-	38	524	5	13	676	326	5	3
Balance of county	371	749	745	4	-	52	688	9	10	348	438	24	18
Rockingham	1,419	1,748	1,744	4	-	95	1,331	322	27	821	953	48	33
Portsmouth	609	479	478	1	-	37	431	11	2	252	217	15	12
Balance of county	810	1,269	1,266	3	-	58	900	311	25	569	736	33	21
Strafford	1,283	1,264	1,259	5	-	111	1,136	17	32	544	583	40	27
Dover	505	408	408	-	-	30	373	5	11	246	232	13	9
Rochester	774	308	307	1	-	29	277	2	6	197	131	8	3
Balance of county	4	548	544	4	-	52	486	10	15	101	220	19	15
Sullivan	507	638	637	1	-	32	601	5	9	261	325	14	12
Claremont	380	301	301	-	-	13	286	2	2	120	149	5	5
Balance of county	127	337	336	1	-	19	315	3	7	141	176	9	7

See footnotes on p. 183.

Table 19. Live Births by Attendant and Birth Weight; Fetal Deaths; and Total, Infant, and Neonatal Deaths; by Color: United States, Each State and County, and Specified Urban Places, 1955—Continued

(See headnote on p. 83)

AREA AND COLOR	LIVE BIRTHS								FETAL DEATHS	DEATHS			
	By place of occurrence	By place of residence							By place of residence	By place of occurrence	By place of residence		
			Attendant[1]			Birth weight[3]							
	Total births	Total births	Physician in hospital[2]	Physician not in hospital	Midwife	2,500 grams or less	2,501 grams or more	Not stated		Total deaths	Total deaths	Under 1 year	Under 28 days
NEW JERSEY	116,959	121,427	120,319	917	92	8,985	111,858	584	2,050	53,138	54,290	2,954	2,217
White	103,583	107,944	107,237	568	84	7,137	100,388	419	1,711	48,959	50,069	2,332	1,799
Nonwhite	13,376	13,483	13,082	349	8	1,848	11,470	165	339	4,179	4,221	622	418
Atlantic	2,840	2,944	2,877	61	3	253	2,656	35	59	1,952	1,916	75	50
White	2,254	2,333	2,292	39	1	170	2,139	24	39	1,645	1,587	51	37
Nonwhite	586	611	585	22	2	83	517	11	20	307	329	24	13
Atlantic City	1,733	1,048	1,029	16	-	110	931	7	30	1,103	987	36	22
White	1,222	587	580	6	-	52	532	3	15	867	736	20	15
Nonwhite	511	461	449	10	-	58	399	4	15	236	251	16	7
Pleasantville	30	316	310	6	-	25	287	4	6	83	159	4	4
White	28	266	263	3	-	16	247	3	4	62	125	2	2
Nonwhite	2	50	47	3	-	9	40	1	2	21	34	2	2
Balance of county	1,077	1,580	1,538	39	3	118	1,438	24	23	766	770	35	24
Bergen	9,665	14,948	14,917	26	2	944	13,962	42	209	4,471	5,566	297	222
White	9,357	14,600	14,570	25	2	897	13,663	40	203	4,349	5,427	280	209
Nonwhite	308	348	347	1	-	47	299	2	6	122	139	17	13
Garfield	1	599	597	1	1	40	554	5	4	113	241	10	6
Hackensack	2,810	712	710	1	-	48	659	5	13	603	350	12	8
White	2,674	598	596	1	-	33	560	5	12	569	304	7	5
Nonwhite	136	114	114	-	-	15	99	-	1	34	46	5	3
Teaneck (twp.)[5 6]	2,489	580	579	1	-	40	540	-	5	394	316	12	8
Bergenfield	1	533	532	-	-	42	489	2	4	68	193	16	14
Cliffside Park	1	305	304	1	-	21	284	-	6	78	174	11	6
Dumont	228	328	328	-	-	18	309	1	6	48	110	5	4
East Paterson	1	410	409	1	-	21	387	2	7	31	77	3	2
Englewood	2,478	508	508	-	-	47	460	1	4	404	238	9	8
White	2,368	377	377	-	-	32	345	-	2	376	196	7	7
Nonwhite	110	131	131	-	-	15	115	1	2	28	42	2	1
Fair Lawn	4	708	703	4	-	43	664	1	13	76	172	9	7
Fort Lee	-	425	425	-	-	34	391	-	5	60	139	9	9
Lodi	1	565	563	1	1	27	535	3	7	58	133	13	11
Lyndhurst (twp.)[5 6]	-	421	420	1	-	24	397	-	5	89	190	7	6
North Arlington	-	393	393	-	-	25	368	-	3	46	102	3	2
Ridgefield Park	2	224	223	1	-	10	212	2	5	69	146	6	4
Ridgewood	1,635	370	370	-	-	21	348	1	9	228	219	5	5
Rutherford	1	402	401	1	-	31	367	4	6	102	209	9	6
Balance of county	13	7,465	7,452	13	-	452	6,998	15	107	2,004	2,557	158	116
Burlington	3,556	4,259	4,220	36	1	321	3,919	19	62	1,266	1,394	94	69
White	3,140	3,856	3,827	27	1	273	3,569	14	57	1,155	1,269	72	58
Nonwhite	416	403	393	9	-	48	350	5	5	111	125	22	11
Burlington	4	297	293	3	-	24	273	-	2	88	152	11	8
White	3	238	235	2	-	19	219	-	2	70	123	5	5
Nonwhite	1	59	58	1	-	5	54	-	-	18	29	6	3
Balance of county	3,552	3,962	3,927	33	1	297	3,646	19	60	1,178	1,242	63	61
Camden	7,985	8,199	8,080	99	14	610	7,576	13	117	3,285	3,283	194	141
White	6,855	7,345	7,252	74	13	500	6,838	7	98	2,972	3,008	166	120
Nonwhite	1,130	854	828	25	1	110	738	6	19	313	275	28	21
Camden	7,767	2,908	2,847	43	13	284	2,621	3	45	1,887	1,290	86	62
White	6,657	2,221	2,175	29	12	193	2,026	2	32	1,663	1,082	60	43
Nonwhite	1,110	687	672	14	1	91	595	1	13	224	208	26	19
Collingswood	1	387	386	1	-	16	371	-	3	78	186	6	4
Gloucester City	5	334	328	6	-	21	313	-	4	64	166	3	1
Haddonfield	-	526	526	-	-	27	499	-	7	71	185	13	10
Pennsauken (twp.)[5 6]	5	551	546	5	-	47	503	1	10	104	199	11	10
Balance of county	207	3,493	3,447	44	1	215	3,269	9	48	1,081	1,257	75	54
Cape May	692	888	876	11	-	66	815	7	14	621	684	24	18
Cumberland	2,491	2,343	2,276	64	-	191	2,142	10	40	1,122	1,104	75	43
White	1,972	1,872	1,858	14	-	133	1,736	3	27	998	970	54	35
Nonwhite	519	471	420	50	-	58	406	7	13	124	134	21	8
Bridgeton	1,193	555	543	10	-	43	508	4	11	314	238	22	12
White	806	395	392	1	-	26	368	1	7	242	189	15	9
Nonwhite	387	160	151	9	-	17	140	3	4	72	49	7	3
Millville	454	350	350	-	-	20	330	-	4	197	208	8	3
Balance of county	844	1,438	1,383	54	-	128	1,304	6	25	611	658	45	28
White	738	1,131	1,118	13	-	87	1,042	2	16	562	575	31	23
Nonwhite	106	307	265	41	-	41	262	4	9	49	83	14	5
Essex	22,356	19,492	19,276	183	15	1,660	17,587	245	375	10,129	10,163	538	407
White	17,937	15,046	14,947	79	13	1,065	13,848	133	245	8,760	8,732	327	258
Nonwhite	4,419	4,446	4,329	104	2	595	3,739	112	130	1,369	1,431	211	149
Newark	14,618	10,061	9,890	145	13	979	8,896	186	233	5,188	5,117	336	245
White	10,984	6,482	6,412	54	12	508	5,894	80	121	4,212	4,023	158	122
Nonwhite	3,634	3,579	3,478	91	1	471	3,002	106	112	976	1,094	178	123
East Orange	1,030	1,690	1,679	9	-	152	1,530	8	14	1,020	1,074	38	31
White	818	1,332	1,327	4	-	94	1,233	5	9	911	967	23	20
Nonwhite	212	358	352	5	-	58	297	3	5	109	107	15	11
Irvington	636	1,143	1,140	1	-	64	1,073	6	14	514	641	22	18
Belleville	7	648	642	5	1	42	599	7	11	281	298	11	9
Bloomfield	-	1,072	1,070	2	-	57	1,011	4	14	265	461	21	16
Montclair	1,301	763	758	4	1	72	686	5	12	446	532	18	14
White	1,169	546	542	3	1	40	502	4	3	402	430	7	5
Nonwhite	132	217	216	1	-	32	184	1	9	44	102	11	9
Nutley	1	532	531	1	-	42	487	3	11	111	251	6	5
Orange	2,986	896	888	7	-	96	796	4	14	792	412	22	20
White	2,694	677	674	3	-	66	608	3	12	698	328	15	14
Nonwhite	292	219	214	4	-	30	188	1	2	94	84	7	6

See footnotes on p. 183.

Table 19. Live Births by Attendant and Birth Weight; Fetal Deaths; and Total, Infant, and Neonatal Deaths; by Color: United States, Each State and County, and Specified Urban Places, 1955—Continued

(See headnote on p. 83)

AREA AND COLOR	LIVE BIRTHS								FETAL DEATHS	DEATHS			
	By place of occurrence	By place of residence							By place of residence	By place of occurrence	By place of residence		
			Attendant[1]			Birth weight[3]							
	Total births	Total births	Physician in hospital[2]	Physician not in hospital	Midwife	2,500 grams or less	2,501 grams or more	Not stated		Total deaths	Total deaths	Under 1 year	Under 28 days
NEW JERSEY—Continued													
Essex—Continued													
West Orange	3	696	694	2	-	43	649	4	18	112	274	15	12
Maplewood (twp.)[5 6]	1	226	225	1	-	11	213	2	5	128	193	3	3
Millburn (twp.)[5 6]	1	184	183	1	-	10	173	1	5	53	119	8	3
South Orange	2	201	199	2	-	15	185	1	3	85	181	5	3
Verona	1	207	206	1	-	6	194	7	3	82	93	2	1
Balance of county	1,769	1,173	1,171	2	-	71	1,095	7	18	1,052	517	31	27
Gloucester	1,596	2,673	2,623	48	-	195	2,463	15	35	741	1,120	74	53
Woodbury	1,552	452	449	3	-	38	414	-	9	236	161	14	11
White	1,537	388	388	-	-	26	362	-	6	215	139	11	8
Nonwhite	15	64	61	3	-	12	52	-	3	21	22	3	3
Balance of county	44	2,221	2,174	45	-	157	2,049	15	26	505	959	60	42
Hudson	13,790	13,365	13,272	82	4	1,076	12,242	47	294	6,793	7,220	349	256
White	12,554	12,120	12,054	56	4	869	11,206	45	268	6,471	6,901	281	210
Nonwhite	1,236	1,245	1,218	26	-	207	1,036	2	26	322	319	68	46
Jersey City	10,515	6,492	6,435	52	3	564	5,914	14	143	3,616	3,394	176	129
White	9,311	5,394	5,358	31	3	375	5,006	13	121	3,344	3,112	114	86
Nonwhite	1,204	1,098	1,077	21	-	189	908	1	22	272	282	62	43
Bayonne	1,140	1,663	1,659	4	-	120	1,539	4	32	658	779	36	23
Hoboken	888	1,069	1,048	18	-	93	969	7	35	595	603	37	22
Union City	5	1,096	1,090	4	1	85	1,008	3	14	287	680	19	16
Kearny	769	735	735	-	-	54	675	6	24	377	409	23	19
North Bergen (twp.)[5 6]	1	777	776	-	-	55	721	1	10	172	421	18	14
West New York	1	702	701	1	-	55	643	4	12	149	383	19	16
Harrison	1	247	246	1	-	15	227	5	6	49	140	9	8
Weehawken (twp.)[5 6]	469	236	235	1	-	15	219	2	4	394	179	6	4
Balance of county	1	348	347	1	-	20	327	1	14	496	232	6	5
Hunterdon	722	986	965	19	2	56	929	1	18	461	532	22	17
Mercer	7,042	5,579	5,537	36	1	445	5,118	16	102	3,049	2,518	139	105
White	6,055	4,637	4,619	14	-	318	4,309	10	84	2,750	2,280	97	83
Nonwhite	987	942	918	22	1	127	809	6	18	299	238	42	22
Trenton	6,204	2,626	2,600	21	1	251	2,362	13	54	2,227	1,494	89	69
White	5,330	1,947	1,937	6	-	162	1,778	7	42	2,000	1,329	60	53
Nonwhite	874	679	663	15	1	89	584	6	12	227	165	29	16
Princeton	823	210	210	-	-	11	199	-	5	204	127	5	5
Balance of county	15	2,743	2,727	15	-	183	2,557	3	43	618	897	45	31
Middlesex	6,844	8,661	8,582	35	27	600	8,045	16	130	2,492	2,783	198	151
New Brunswick	3,663	974	962	6	-	84	887	3	18	681	409	28	24
White	3,244	755	752	2	-	54	699	2	14	619	360	15	14
Nonwhite	419	219	210	4	-	30	188	1	4	62	49	13	10
Perth Amboy	2,436	793	775	6	11	72	721	-	20	622	433	24	19
Woodbridge (twp.)[5 6]	5	1,293	1,286	3	4	75	1,217	1	18	183	310	20	15
Carteret	7	381	374	1	6	36	345	-	6	64	136	19	17
Sayreville	2	385	384	-	-	29	355	1	6	59	97	7	4
South River	3	333	329	3	1	12	319	2	5	58	112	5	5
Balance of county	728	4,502	4,472	16	5	292	4,201	9	57	825	1,286	95	67
Monmouth	5,817	6,429	6,373	41	-	443	5,968	18	97	3,247	2,947	164	125
White	4,967	5,547	5,516	27	-	331	5,203	13	82	2,946	2,657	125	100
Nonwhite	850	882	857	14	-	112	765	5	15	301	290	39	25
Asbury Park	6	371	365	5	-	39	330	2	7	109	263	10	7
White	2	202	200	2	-	18	183	1	2	85	195	6	4
Nonwhite	4	169	165	3	-	21	147	1	5	24	68	4	3
Long Branch	1,815	723	722	1	-	60	661	2	11	625	242	20	18
Neptune (twp.)[5 6]	1,963	400	393	7	-	32	365	3	7	627	210	12	8
White	1,541	254	250	4	-	14	239	1	5	547	165	5	3
Nonwhite	422	146	143	3	-	18	126	2	2	80	45	7	5
Red Bank	1,085	318	317	1	-	16	302	-	6	228	197	14	12
White	1,062	260	260	-	-	11	249	-	6	218	176	10	9
Nonwhite	23	58	57	1	-	5	53	-	-	10	21	4	3
Balance of county	948	4,617	4,576	27	-	296	4,310	11	66	1,658	2,035	108	80
Morris	4,475	4,821	4,797	22	1	334	4,469	18	78	2,501	1,833	114	95
Dover	708	317	317	-	-	15	301	1	5	264	170	6	5
Madison	-	273	273	-	-	18	252	3	4	89	113	11	10
Morristown	2,080	546	544	1	-	45	500	1	15	448	209	14	12
White	1,955	451	450	-	-	27	423	1	11	423	186	9	7
Nonwhite	125	95	94	1	-	18	77	-	4	25	23	5	5
Balance of county	1,687	3,685	3,663	21	1	256	3,416	13	54	1,700	1,341	83	68
Ocean	1,717	1,778	1,768	7	-	146	1,631	1	31	1,001	905	42	31
Passaic	10,288	7,999	7,972	24	1	585	7,396	18	135	3,880	3,695	188	143
White	9,544	7,273	7,252	19	1	470	6,785	18	116	3,727	3,522	157	118
Nonwhite	744	726	720	5	-	115	611	-	19	153	173	31	25
Paterson	5,875	2,992	2,980	11	-	264	2,722	6	60	1,934	1,662	82	63
Clifton	2	1,735	1,733	2	-	106	1,623	6	23	279	566	23	17
Passaic	4,402	1,021	1,017	3	-	80	936	5	17	992	637	27	21
Hawthorne	2	318	316	2	-	20	298	-	6	56	145	4	4
Balance of county	7	1,933	1,926	6	1	115	1,817	1	29	619	685	52	38
Salem	1,227	1,379	1,365	14	-	109	1,267	3	25	454	484	32	23
White	1,006	1,121	1,113	8	-	77	1,042	2	22	390	421	22	16
Nonwhite	221	258	252	6	-	32	225	1	3	64	63	10	7
Somerset	1,471	2,588	2,572	9	7	162	2,421	5	33	851	958	52	41
North Plainfield	2	334	332	-	2	18	315	1	3	75	142	6	5
Somerville	1,400	283	281	1	1	17	265	1	2	292	114	9	7
Balance of county	69	1,971	1,959	8	4	127	1,841	3	28	484	702	37	29

See footnotes on p. 183.

Table 19. Live Births by Attendant and Birth Weight; Fetal Deaths; and Total, Infant, and Neonatal Deaths; by Color: United States, Each State and County, and Specified Urban Places, 1955—Continued

(See headnote on p. 83)

AREA AND COLOR	LIVE BIRTHS								FETAL DEATHS	DEATHS			
	By place of occurrence	By place of residence							By place of residence	By place of occurrence	By place of residence		
			Attendant[1]			Birth weight[3]							
	Total births	Total births	Physician in hospital[2]	Physician not in hospital	Midwife	2,500 grams or less	2,501 grams or more	Not stated		Total deaths	Total deaths	Under 1 year	Under 28 days
NEW JERSEY—Continued													
Sussex	1,129	936	917	16	-	52	881	3	19	447	444	25	18
Union	10,398	9,873	9,808	43	14	663	9,162	48	154	3,772	4,058	225	183
White	9,470	8,906	8,858	29	14	534	8,328	44	127	3,516	3,766	182	152
Nonwhite	928	967	950	14	-	129	834	4	27	256	292	43	31
Elizabeth	4,312	2,379	2,360	9	5	175	2,192	12	40	1,377	1,179	58	43
Linden	6	743	736	6	1	51	688	4	9	115	253	18	14
Plainfield	3,565	1,136	1,123	8	2	85	1,047	4	18	709	494	29	21
White	3,188	865	859	3	2	52	809	4	10	627	413	14	10
Nonwhite	377	271	264	5	-	33	238	-	8	82	81	15	11
Union (twp.)[5 6]	3	834	830	3	1	60	767	7	12	141	324	12	11
Cranford (twp.)[5 6]	3	499	498	1	-	34	463	2	7	138	185	13	12
Hillside (twp.)[5 6]	-	333	332	1	-	15	317	1	6	70	178	3	3
Rahway	1,001	594	586	4	4	36	557	1	8	269	250	21	20
Roselle	-	525	524	1	-	30	491	4	7	73	185	9	9
White	-	442	441	1	-	19	419	4	5	66	159	8	8
Nonwhite	-	83	83	-	-	11	72	-	2	7	26	1	1
Roselle Park	1	211	210	1	-	8	202	1	2	64	112	1	-
Summit	1,499	409	407	2	-	26	380	3	5	394	198	13	13
Westfield	1	496	495	1	-	30	466	-	8	105	218	7	4
Balance of county	7	1,714	1,707	6	1	113	1,592	9	32	317	482	41	33
Warren	858	1,287	1,246	41	-	74	1,209	4	23	603	683	33	26
Phillipsburg	829	462	449	13	-	29	433	-	4	295	239	10	8
Balance of county	29	825	797	28	-	45	776	4	19	308	444	23	18
NEW MEXICO	25,565	25,759	22,353	1,686	1,245	2,508	22,893	358	427	5,667	5,544	1,108	618
White	23,196	23,376	20,291	1,635	1,178	2,281	20,962	133	382	5,033	4,953	900	549
Nonwhite	2,369	2,383	2,062	51	67	227	1,931	225	45	634	591	208	69
Bernalillo	7,274	6,757	6,425	174	112	653	6,068	36	102	1,461	1,162	224	146
Albuquerque	5,609	5,669	5,496	102	57	550	5,102	17	83	1,150	954	169	116
Balance of county	1,665	1,088	929	72	55	103	966	19	19	311	208	55	30
Catron	13	52	46	4	1	3	48	1	-	13	21	1	-
Chaves	1,965	1,444	1,387	40	13	159	1,282	3	16	279	296	64	47
Roswell	1,251	1,036	1,021	2	10	123	910	3	12	233	238	47	36
Balance of county	714	408	366	38	3	36	372	-	4	46	58	17	11
Colfax	432	349	320	3	24	52	295	2	12	136	136	17	7
Curry	990	906	853	36	15	87	816	3	12	164	181	28	20
Clovis	696	705	660	33	11	69	634	2	10	128	135	25	18
Balance of county	294	201	193	3	4	18	182	1	2	36	46	3	2
De Baca	120	94	89	-	5	6	88	-	3	33	35	3	2
Dona Ana	1,354	1,754	1,293	295	148	145	1,601	8	41	241	290	47	33
Las Cruces	1,046	896	729	117	45	81	813	2	18	155	134	24	18
Balance of county	308	858	564	178	103	64	788	6	23	86	156	23	15
Eddy	1,578	1,484	1,344	123	11	134	1,344	6	25	278	289	60	38
Carlsbad	929	792	780	9	1	66	724	2	15	146	148	21	14
Balance of county	649	692	564	114	10	68	620	4	10	132	141	39	24
Grant	629	586	573	5	6	61	520	5	10	191	170	28	24
Guadalupe	160	184	83	72	22	15	167	2	7	50	54	12	10
Harding	39	58	18	32	6	8	50	-	2	13	24	4	3
Hidalgo	132	168	153	3	6	15	152	1	5	40	38	7	2
Lea	1,322	1,528	1,516	8	1	128	1,393	7	28	219	258	61	39
Hobbs	1,180	791	786	3	1	71	715	5	16	149	131	29	20
Balance of county	142	737	730	5	-	57	678	2	12	70	127	32	19
Lincoln	190	166	152	9	3	15	150	1	5	73	50	5	2
Los Alamos	361	404	400	4	-	46	355	3	4	33	31	5	4
Luna	312	300	290	8	-	22	278	-	9	104	99	18	12
McKinley	1,081	1,200	1,078	70	19	117	1,045	38	16	268	287	85	24
White	426	413	349	51	11	44	368	1	2	100	85	17	7
Nonwhite	655	787	729	19	8	73	677	37	14	168	202	68	17
Mora	91	198	105	22	47	33	164	1	2	40	62	14	7
Otero	871	947	832	103	-	66	878	3	8	129	142	30	12
Quay	311	320	314	3	-	23	296	1	4	128	129	7	3
Rio Arriba	1,010	865	582	153	79	104	736	25	20	171	191	43	18
Roosevelt	354	378	363	13	-	28	346	4	6	88	94	9	4
Sandoval	187	401	232	35	70	36	277	88	11	48	107	20	10
White	102	240	156	35	45	32	206	2	5	26	59	8	5
Nonwhite	85	161	76	-	25	4	71	86	6	22	48	12	5
San Juan	1,126	1,157	1,099	30	4	76	1,061	20	13	209	222	77	28
White	620	712	688	22	-	44	666	2	7	96	120	21	10
Nonwhite	506	445	411	8	4	32	395	18	6	113	102	56	18
San Miguel	897	829	486	41	254	104	723	2	17	371	255	64	26
Santa Fe	1,362	1,286	1,078	37	162	162	1,115	9	17	306	280	57	39
Santa Fe	1,331	979	815	28	130	129	842	8	15	266	208	43	32
Balance of county	31	307	263	9	32	33	273	1	2	38	72	14	7
Sierra	127	121	102	15	1	10	110	1	1	105	96	7	7
Socorro	233	276	197	51	20	28	242	6	5	108	86	15	6
Taos	294	514	315	64	113	59	440	15	6	117	138	32	8
Torrance	110	182	98	51	32	23	158	1	1	55	75	7	2
Union	150	174	126	26	17	21	150	3	4	60	59	9	4
Valencia	490	677	404	155	54	69	545	63	15	136	187	48	31
White	429	535	321	155	52	58	467	10	12	105	136	30	23
Nonwhite	61	142	83	-	2	11	78	53	3	31	51	18	8

See footnotes on p. 183.

Table 19. Live Births by Attendant and Birth Weight; Fetal Deaths; and Total, Infant, and Neonatal Deaths; by Color: United States, Each State and County, and Specified Urban Places, 1955—Continued

(See headnote on p. 83)

AREA AND COLOR	LIVE BIRTHS								FETAL DEATHS	DEATHS			
	By place of occurrence	By place of residence							By place of residence	By place of occurrence	By place of residence		
			Attendant[1]			Birth weight[3]							
	Total births	Total births	Physician in hospital[2]	Physician not in hospital	Midwife	2,500 grams or less	2,501 grams or more	Not stated		Total deaths	Total deaths	Under 1 year	Under 28 days
NEW YORK	344,728	342,566	338,709	3,520	200	28,018	312,856	1,692	7,119	165,643	165,770	8,340	6,395
White	308,391	306,271	303,415	2,575	174	22,893	281,904	1,474	5,699	154,661	154,808	6,865	5,279
Nonwhite	36,337	36,295	35,294	945	26	5,125	30,952	218	1,420	10,982	10,962	1,475	1,116
Albany	5,769	5,944	5,886	35	16	436	5,471	37	88	3,348	3,087	125	100
Albany	5,366	3,124	3,086	16	15	256	2,847	21	48	2,523	1,893	76	64
Cohoes	386	489	487	2	-	37	450	2	8	177	252	12	7
Watervliet	2	376	375	1	-	30	345	1	8	69	212	7	3
Balance of county	15	1,955	1,938	16	1	113	1,829	13	24	579	730	30	26
Allegany	781	941	934	7	-	73	864	4	12	419	505	30	27
Broome	5,547	4,861	4,839	19	-	307	4,545	9	60	2,199	1,966	115	87
Binghamton	2,881	1,820	1,813	5	-	131	1,689	-	25	1,269	996	48	35
Endicott	820	587	587	-	-	32	553	2	7	162	219	12	10
Johnson City	1,760	529	529	-	-	27	501	1	5	434	180	10	7
Balance of county	86	1,925	1,910	14	-	117	1,802	6	23	334	571	45	35
Cattaraugus	1,992	1,815	1,799	13	1	119	1,695	1	23	820	890	40	33
Olean	1,205	495	494	-	1	29	466	-	9	350	269	7	5
Balance of county	787	1,320	1,305	13	-	90	1,229	1	14	470	621	33	28
Cayuga	1,718	1,643	1,636	6	-	108	1,532	3	25	864	918	48	33
Auburn	1,706	802	802	-	-	53	748	1	10	619	475	18	13
Balance of county	12	841	834	6	-	55	784	2	15	245	443	30	20
Chautauqua	3,382	3,204	3,188	14	1	221	2,979	4	34	1,481	1,622	74	55
Jamestown	1,881	935	934	1	-	65	870	-	12	639	531	23	18
Dunkirk	780	396	393	3	-	31	364	1	5	267	220	9	7
Balance of county	701	1,873	1,861	10	1	125	1,745	3	17	575	871	42	30
Chemung	2,363	2,362	2,357	4	-	188	2,174	-	32	963	999	56	45
Elmira	2,361	1,184	1,183	1	-	91	1,093	-	15	750	636	32	26
Balance of county	2	1,178	1,174	3	-	97	1,081	-	17	213	363	24	19
Chenango	799	972	963	9	-	77	889	6	23	475	504	17	15
Clinton	1,454	1,419	1,397	20	1	106	1,312	1	32	625	599	32	24
Plattsburgh	1,435	443	440	2	1	39	403	1	8	374	206	14	10
Balance of county	19	976	957	18	-	67	909	-	24	251	393	18	14
Columbia	753	857	852	5	-	50	713	94	15	628	639	19	10
Hudson	741	239	239	-	-	21	218	-	4	334	170	7	4
Balance of county	12	618	613	5	-	29	495	94	11	294	469	12	6
Cortland	1,202	971	965	6	-	63	907	1	13	422	427	19	17
Cortland	1,198	448	447	1	-	32	416	-	7	303	212	8	7
Balance of county	4	523	518	5	-	31	491	1	6	119	215	11	10
Delaware	1,289	891	869	21	-	64	822	5	19	536	549	17	11
Dutchess	2,863	3,129	3,113	14	-	218	2,642	269	42	2,388	1,456	63	47
Poughkeepsie	1,111	870	863	5	-	71	794	5	5	523	514	21	15
Beacon	257	285	284	1	-	28	256	1	7	186	156	10	8
Balance of county	1,495	1,974	1,966	8	-	119	1,592	263	30	1,679	786	32	24
Erie	24,295	24,480	24,323	147	-	1,961	22,499	20	379	10,278	9,869	581	461
White	22,322	22,463	22,335	121	-	1,696	20,748	19	337	9,797	9,390	512	412
Nonwhite	1,973	2,017	1,988	26	-	265	1,751	1	42	481	479	69	49
Buffalo	20,579	13,120	13,028	87	-	1,144	11,965	11	227	7,852	6,658	330	261
White	18,675	11,270	11,206	62	-	899	10,361	10	193	7,412	6,225	263	214
Nonwhite	1,904	1,850	1,822	25	-	245	1,604	1	34	440	433	67	47
Lackawanna	1,951	754	748	6	-	74	680	-	21	370	272	23	16
White	1,886	659	653	6	-	58	601	-	17	362	249	22	15
Nonwhite	65	95	95	-	-	16	79	-	4	8	23	1	1
Kenmore	3	409	406	3	-	42	367	-	3	70	205	14	12
Tonawanda	1	474	473	1	-	35	439	-	9	55	194	11	9
Balance of county	1,761	9,723	9,668	50	-	666	9,048	9	119	1,931	2,540	203	163
Essex	848	788	770	16	-	78	709	1	5	457	434	26	18
Franklin	991	1,052	997	53	-	90	960	2	15	507	527	28	16
Fulton	792	1,044	1,035	8	-	63	980	1	17	599	666	20	14
Gloversville	782	480	478	2	-	33	447	-	7	385	322	5	4
Johnstown	2	197	194	3	-	9	187	1	4	99	135	3	2
Balance of county	8	367	363	3	-	21	346	-	6	115	209	12	8
Genesee	1,583	1,279	1,275	3	-	79	1,200	-	21	574	546	24	21
Batavia	1,581	430	430	-	-	26	404	-	5	392	196	7	7
Balance of county	2	849	845	3	-	53	796	-	16	182	350	17	14
Greene	556	586	582	3	-	39	546	1	7	422	451	12	9
Hamilton	6	98	91	7	-	5	89	4	4	35	53	4	3
Herkimer	1,363	1,276	1,260	14	1	103	1,165	8	26	670	756	28	22
Jefferson	2,054	2,021	1,955	64	-	175	1,836	10	36	1,094	1,106	55	42
Watertown	1,667	825	822	2	-	77	746	2	15	663	467	31	28
Balance of county	387	1,196	1,133	62	-	98	1,090	8	21	431	639	24	14
Lewis	593	602	595	7	-	49	553	-	8	213	261	14	10
Livingston	457	968	961	7	-	59	907	2	10	370	430	27	20
Madison	1,367	1,204	1,192	10	-	72	1,128	4	16	579	568	26	19
Oneida	809	268	267	1	-	21	246	1	4	232	135	10	8
Balance of county	558	936	925	9	-	51	882	3	12	347	433	16	11
Monroe	13,379	12,853	12,790	57	1	998	11,832	23	179	5,697	5,528	279	235
Rochester	12,861	7,722	7,688	29	1	674	7,034	14	112	4,953	4,002	192	164
Irondequoit (town)[5]	4	972	968	4	-	46	924	2	15	124	280	15	12
Balance of county	514	4,159	4,134	24	-	278	3,874	7	52	620	1,246	72	59
Montgomery	1,313	1,200	1,185	12	2	59	1,139	2	14	753	783	23	18
Amsterdam	1,305	608	601	4	2	31	576	1	8	534	425	17	13
Balance of county	8	592	584	8	-	28	563	1	6	219	358	6	5

See footnotes on p. 183.

Table 19. Live Births by Attendant and Birth Weight; Fetal Deaths; and Total, Infant, and Neonatal Deaths; by Color: United States, Each State and County, and Specified Urban Places, 1955—Continued

(See headnote on p. 83)

AREA AND COLOR	LIVE BIRTHS								FETAL DEATHS	DEATHS			
	By place of occurrence	By place of residence							By place of residence	By place of occurrence	By place of residence		
			Attendant[1]			Birth weight[3]							
	Total births	Total births	Physician in hospital[2]	Physician not in hospital	Midwife	2,500 grams or less	2,501 grams or more	Not stated		Total deaths	Total deaths	Under 1 year	Under 28 days
NEW YORK—Continued													
Nassau	17,638	25,600	25,479	118	1	1,709	23,849	42	398	6,174	7,269	464	340
White	16,827	24,776	24,673	100	1	1,595	23,141	40	374	5,992	7,068	432	318
Nonwhite	811	824	806	18	-	114	708	2	24	182	201	32	22
Hempstead	4	667	661	6	-	52	614	1	19	106	288	8	8
Valley Stream	3	1,064	1,059	5	-	69	992	3	20	127	311	24	15
Floral Park	1	343	342	1	-	15	326	2	6	111	196	10	9
Freeport	1,675	622	619	3	-	51	571	-	14	265	325	15	10
Garden City	2	352	350	2	-	23	329	-	4	84	197	6	5
Glen Cove	2,552	542	540	2	-	41	501	-	9	287	173	13	11
Long Beach	193	423	421	2	-	28	395	-	4	182	181	10	6
Lynbrook	5	415	410	5	-	28	386	1	5	94	205	7	6
Mineola	3,156	433	432	1	-	22	409	2	7	388	157	5	4
Rockville Centre	4,054	432	428	4	-	35	397	-	5	220	213	5	3
Balance of county	5,993	20,307	20,217	87	1	1,345	18,929	33	305	4,310	5,023	361	263
White	5,352	19,841	19,763	75	1	1,279	18,530	32	294	4,171	4,908	337	247
Nonwhite	641	466	454	12	-	66	399	1	11	139	115	24	16
New York City	165,150	155,411	153,009	2,202	167	14,311	140,277	823	4,260	81,609	85,034	4,097	3,107
White	138,955	127,267	125,717	1,386	143	10,238	116,393	636	3,029	73,193	76,226	2,948	2,227
Nonwhite	28,195	28,144	27,292	816	24	4,073	23,884	187	1,231	8,416	8,808	1,149	880
Bronx Borough (Bronx Co.)	21,183	27,839	27,426	347	64	2,450	25,300	89	622	12,713	14,584	673	510
White	17,550	23,687	23,406	222	58	1,888	21,732	67	463	11,768	13,647	534	397
Nonwhite	3,633	4,152	4,020	125	6	562	3,568	22	159	945	937	139	113
Brooklyn Borough (Kings Co.)	56,680	54,049	53,282	746	7	4,870	48,732	447	1,504	25,047	27,531	1,396	901
White	47,093	44,207	43,754	441	6	3,425	40,431	351	1,085	22,895	25,165	992	540
Nonwhite	9,587	9,842	9,528	305	1	1,445	8,301	96	419	2,152	2,366	404	361
Manhattan Borough (New York Co.)	51,800	34,077	33,086	885	95	4,016	29,925	136	1,369	28,330	24,985	1,194	901
White	40,046	23,288	22,628	574	78	2,372	20,825	91	821	23,864	20,306	711	540
Nonwhite	11,754	10,789	10,458	311	17	1,644	9,100	45	548	4,466	4,679	483	361
Queens Borough (Queens Co.)	30,939	35,010	34,811	192	1	2,631	32,244	135	687	13,089	15,817	729	544
White	27,987	31,915	31,788	120	1	2,257	29,545	113	590	12,403	15,071	619	461
Nonwhite	2,952	3,095	3,023	72	-	374	2,699	22	97	686	746	110	83
Richmond Borough (Richmond Co.)	4,548	4,436	4,404	32	-	344	4,076	16	78	2,430	2,117	105	81
White	4,279	4,170	4,141	29	-	296	3,860	14	70	2,263	2,037	92	71
Nonwhite	269	266	263	3	-	48	216	2	8	167	80	13	10
Niagara	5,706	5,806	5,774	30	-	416	5,385	5	93	1,793	1,971	136	111
Niagara Falls	3,390	2,799	2,786	12	-	206	2,593	-	46	826	907	63	51
Lockport	1,070	642	642	-	-	46	595	1	11	328	322	16	15
North Tonawanda	1,104	838	835	3	-	65	771	2	12	274	238	17	14
Balance of county	142	1,527	1,511	15	-	99	1,426	2	24	365	504	40	31
Oneida	5,425	5,507	5,454	49	-	462	5,039	6	92	2,907	2,433	108	91
Utica	3,607	2,151	2,145	6	-	200	1,947	4	38	1,612	1,160	48	43
Rome	1,782	1,132	1,126	5	-	80	1,051	1	25	533	364	21	18
Balance of county	36	2,224	2,183	38	-	182	2,041	1	29	762	909	39	30
Onondaga	9,677	9,607	9,558	32	1	732	8,867	8	148	3,754	3,844	214	173
Syracuse	9,657	5,134	5,106	14	1	442	4,688	4	88	2,889	2,586	137	109
Balance of county	20	4,473	4,452	18	-	290	4,179	4	60	865	1,278	77	64
Ontario	1,834	1,573	1,566	7	-	102	1,468	3	14	808	713	39	24
Geneva	648	469	466	3	-	35	433	1	4	210	203	11	8
Balance of county	1,186	1,104	1,100	4	-	67	1,035	2	10	598	510	28	16
Orange	4,112	3,593	3,550	39	-	300	3,281	12	68	2,293	2,047	106	86
Newburgh	1,326	773	766	7	-	80	689	4	9	525	455	26	21
Middletown	856	418	415	3	-	33	384	1	9	714	331	10	7
Balance of county	1,930	2,402	2,369	29	-	187	2,208	7	50	1,054	1,261	70	58
Orleans	723	756	750	5	-	53	702	1	11	356	408	19	18
Oswego	1,631	2,038	2,017	20	1	150	1,888	-	30	801	927	68	52
Fulton	764	382	380	1	1	31	351	-	7	172	176	15	11
Oswego	852	501	498	3	-	35	466	-	7	300	279	17	12
Balance of county	15	1,155	1,139	16	-	84	1,071	-	16	329	472	36	29
Otsego	890	988	968	20	-	57	927	4	15	704	688	23	16
Oneonta	511	248	247	1	-	14	234	-	3	239	181	6	3
Balance of county	379	740	721	19	-	43	693	4	12	465	507	17	13
Putnam	435	549	546	3	-	26	500	23	12	232	254	8	4
Rensselaer	3,381	3,172	3,147	20	3	232	2,904	36	51	1,713	1,822	80	63
Troy	3,364	1,681	1,673	7	-	141	1,538	2	27	1,183	1,042	48	38
Rensselaer	6	280	274	4	2	23	256	1	2	76	160	7	6
Balance of county	11	1,211	1,200	9	1	68	1,110	33	22	454	620	25	19
Rockland	2,002	2,110	2,105	4	-	152	1,956	2	39	1,432	916	53	42
St. Lawrence	2,718	2,665	2,645	18	-	240	2,419	6	46	1,304	1,144	100	74
Massena	637	384	384	-	-	34	350	-	3	139	130	10	9
Ogdensburg	646	377	377	-	-	39	338	-	4	439	172	10	9
Balance of county	1,435	1,904	1,884	18	-	167	1,731	6	39	726	842	80	56
Saratoga	807	1,873	1,856	16	-	142	1,728	3	33	812	989	53	38
Saratoga Springs	455	306	304	2	-	30	276	-	2	254	242	12	7
Balance of county	352	1,567	1,552	14	-	112	1,452	3	31	558	747	41	31
Schenectady	4,295	3,605	3,588	13	2	266	3,333	6	53	1,464	1,519	70	59
Schenectady	2,921	2,053	2,039	11	1	159	1,890	4	31	1,171	1,082	44	39
Balance of county	1,374	1,552	1,549	2	1	107	1,443	2	22	293	437	26	20
Schoharie	219	454	428	25	-	30	423	1	12	200	297	14	9
Schuyler	286	348	346	-	-	20	326	2	1	173	210	4	4
Seneca	1,295	776	772	4	-	71	703	2	15	576	352	30	19
Steuben	2,435	2,266	2,241	22	-	173	2,091	2	39	1,241	1,143	61	45
Corning	910	451	451	-	-	43	408	-	8	243	195	11	9
Hornell	474	350	350	-	-	27	323	-	5	200	187	10	7
Balance of county	1,051	1,465	1,440	22	-	103	1,360	2	26	798	761	40	29
Suffolk	11,574	10,813	10,728	84	-	740	10,043	30	168	6,354	3,614	254	186
White	10,953	10,159	10,099	59	-	671	9,462	26	152	5,904	3,441	223	166
Nonwhite	621	654	629	25	-	69	581	4	16	450	173	31	20

See footnotes on p. 183.

Table 19. Live Births by Attendant and Birth Weight; Fetal Deaths; and Total, Infant, and Neonatal Deaths; by Color: United States, Each State and County, and Specified Urban Places, 1955—Continued

(See headnote on p. 83)

AREA AND COLOR	LIVE BIRTHS								FETAL DEATHS	DEATHS			
	By place of occurrence	By place of residence							By place of residence	By place of occurrence	By place of residence		
			Attendant[1]			Birth weight[3]							
	Total births	Total births	Physician in hospital[2]	Physician not in hospital	Midwife	2,500 grams or less	2,501 grams or more	Not stated		Total deaths	Total deaths	Under 1 year	Under 28 days
NEW YORK—Continued													
Sullivan	843	882	831	50	-	65	810	7	21	608	548	24	19
Tioga	476	854	846	5	1	54	798	2	12	313	388	19	16
Tompkins	1,313	1,415	1,411	4	-	100	1,313	2	17	482	516	22	20
Ithaca	1,309	549	548	1	-	48	500	1	8	308	252	7	6
Balance of county	4	866	863	3	-	52	813	1	9	174	264	15	14
Ulster	1,794	2,196	2,180	12	-	167	2,019	10	31	1,200	1,282	62	51
Kingston	1,468	654	653	1	-	51	600	3	11	684	452	27	22
Balance of county	326	1,542	1,527	11	-	116	1,419	7	20	516	830	35	29
Warren	1,891	984	968	16	-	77	905	2	14	633	541	20	14
Glens Falls	1,880	445	443	2	-	39	405	1	9	445	268	11	8
Balance of county	11	539	525	14	-	38	500	1	5	188	273	9	6
Washington	436	1,128	1,081	47	-	84	1,040	4	21	492	631	30	23
Wayne	942	1,472	1,458	11	-	125	1,344	3	17	661	748	33	25
Newark	230	169	168	1	-	16	153	-	1	156	97	5	3
Balance of county	712	1,303	1,290	10	-	109	1,191	3	16	505	651	28	22
Westchester	14,286	14,470	14,412	55	1	1,038	13,299	133	214	6,536	6,753	302	233
White	12,966	13,142	13,106	33	1	873	12,141	128	181	6,123	6,302	248	196
Nonwhite	1,320	1,328	1,306	22	-	165	1,158	5	33	413	451	54	37
Yonkers	3,601	3,560	3,546	14	-	236	3,317	7	49	1,494	1,666	68	56
Mount Vernon	1,611	1,615	1,605	10	-	118	1,493	4	32	698	752	43	30
White	1,283	1,269	1,265	4	-	83	1,182	4	25	629	651	24	18
Nonwhite	328	346	340	6	-	35	311	-	7	69	101	19	12
New Rochelle	1,691	1,306	1,299	5	1	105	1,195	6	19	679	676	36	26
White	1,467	1,080	1,076	2	1	74	1,000	6	12	594	569	28	20
Nonwhite	224	226	223	3	-	31	195	-	7	85	107	8	6
White Plains	2,026	1,063	1,061	2	-	84	967	12	16	604	533	24	16
White	1,858	853	852	1	-	52	790	11	13	569	481	15	9
Nonwhite	168	210	209	1	-	32	177	1	3	35	52	9	7
Mamaroneck	1	361	360	1	-	19	338	4	4	68	158	6	5
Ossining	366	350	350	-	-	22	326	2	2	233	180	5	4
White	341	325	325	-	-	20	303	2	1	221	173	4	3
Nonwhite	25	25	25	-	-	2	23	-	1	12	7	1	1
Peekskill	697	445	438	7	-	28	415	2	9	230	241	13	10
Port Chester	1,204	521	520	1	-	27	458	36	9	377	249	8	7
Rye	-	221	221	-	-	14	193	14	4	73	134	9	7
Scarsdale	2	280	279	-	-	23	254	3	3	50	143	4	4
Balance of county	3,087	4,748	4,733	15	-	362	4,343	43	67	2,030	2,021	86	68
Wyoming	650	758	753	4	-	40	718	-	12	393	379	11	9
Yates	375	437	433	4	-	24	413	-	7	209	251	14	12
NORTH CAROLINA	114,583	115,365	98,139	6,895	10,121	9,323	105,622	420	2,366	32,300	32,274	3,500	2,251
White	76,381	77,006	74,824	1,639	482	5,364	71,451	191	1,170	21,872	21,842	1,742	1,269
Nonwhite	38,202	38,359	23,315	5,256	9,639	3,959	34,171	229	1,196	10,428	10,432	1,758	982
Alamance	2,032	1,933	1,726	202	1	129	1,789	15	31	415	481	47	36
White	1,574	1,501	1,475	24	-	87	1,402	12	16	327	388	32	26
Nonwhite	458	432	251	178	1	42	387	3	15	88	93	15	10
Burlington	236	598	549	48	-	41	552	5	9	103	158	15	11
White	187	503	496	6	-	34	464	5	4	81	130	8	7
Nonwhite	49	95	53	42	-	7	88	-	5	22	28	7	4
Balance of county	1,796	1,335	1,177	154	1	88	1,237	10	22	312	323	32	25
White	1,387	998	979	18	-	53	938	7	12	246	258	24	19
Nonwhite	409	337	198	136	1	35	299	3	10	66	65	8	6
Alexander	206	314	312	2	-	25	288	1	7	81	99	10	6
Alleghany	125	115	89	24	-	9	106	-	3	82	81	2	2
Anson	639	681	407	36	238	46	632	3	16	190	207	23	14
White	258	278	269	1	8	11	266	1	3	89	104	4	3
Nonwhite	381	403	138	35	230	35	366	2	13	101	103	19	11
Ashe	542	500	449	32	13	39	456	5	7	170	187	14	4
Avery	358	289	271	14	4	23	266	-	8	99	94	8	3
Beaufort	1,333	1,052	780	22	246	82	966	4	25	401	394	48	27
White	718	532	512	16	4	36	495	1	9	225	214	21	16
Nonwhite	615	520	268	6	242	46	471	3	16	176	180	27	11
Bertie	603	807	491	98	216	67	738	2	22	201	231	27	13
White	125	214	207	7	-	15	198	1	7	80	94	4	2
Nonwhite	478	593	284	91	216	52	540	1	15	121	137	23	11
Bladen	679	904	657	47	192	71	830	3	11	164	206	36	22
White	262	421	392	20	9	29	390	2	2	87	111	14	10
Nonwhite	417	483	265	27	183	42	440	1	9	77	95	22	12
Brunswick	355	553	402	11	135	53	494	6	12	107	132	17	11
White	165	276	260	7	9	22	252	2	4	64	78	8	5
Nonwhite	190	277	142	4	126	31	242	4	8	43	54	9	6
Buncombe	2,871	2,620	2,507	22	85	220	2,393	7	43	1,374	1,083	76	51
White	2,544	2,296	2,271	18	4	178	2,112	6	33	1,124	887	62	41
Nonwhite	327	324	236	4	81	42	281	1	10	250	196	14	10
Asheville	2,775	1,050	975	2	71	86	963	1	20	867	587	30	19
White	2,462	783	782	-	1	55	728	-	13	696	417	17	10
Nonwhite	313	267	193	2	70	31	235	1	7	171	170	13	9
Balance of county	96	1,570	1,532	20	14	134	1,430	6	23	507	496	46	32
Burke	873	1,003	968	11	23	81	917	5	15	369	250	18	12
Cabarrus	1,545	1,508	1,492	7	9	132	1,375	1	29	388	402	26	18
White	1,219	1,161	1,157	2	2	90	1,070	1	21	326	336	22	16
Nonwhite	326	347	335	5	7	42	305	-	8	62	66	4	2

See footnotes on p. 183.

Table 19. Live Births by Attendant and Birth Weight; Fetal Deaths; and Total, Infant, and Neonatal Deaths; by Color: United States, Each State and County, and Specified Urban Places, 1955—Continued

(See headnote on p. 83)

AREA AND COLOR	LIVE BIRTHS								FETAL DEATHS	DEATHS			
	By place of occurrence	By place of residence							By place of residence	By place of occurrence	By place of residence		
			Attendant[1]			Birth weight[3]							
	Total births	Total births	Physician in hospital[2]	Physician not in hospital	Midwife	2,500 grams or less	2,501 grams or more	Not stated		Total deaths	Total deaths	Under 1 year	Under 28 days
NORTH CAROLINA—Continued													
Cabarrus—Continued													
Concord	1,534	397	394	1	2	36	361	-	11	244	126	8	7
White	1,216	294	294	-	-	25	269	-	8	199	99	8	7
Nonwhite	318	103	100	1	2	11	92	-	3	45	27	-	-
Balance of county	11	1,111	1,098	6	7	96	1,014	1	18	144	276	18	11
White	3	867	863	2	2	65	801	1	13	127	237	14	9
Nonwhite	8	244	235	4	5	31	213	-	5	17	39	4	2
Caldwell	1,070	1,232	1,168	49	14	98	1,134	-	18	243	295	30	19
Camden	42	162	100	31	30	11	151	-	4	39	54	3	3
White	1	75	72	2	1	4	71	-	1	27	37	1	1
Nonwhite	41	87	28	29	29	7	80	-	3	12	17	2	2
Carteret	641	707	684	8	14	50	655	2	10	206	221	18	14
White	523	611	603	7	-	33	577	1	6	170	182	9	7
Nonwhite	118	96	81	1	14	17	78	1	4	36	39	9	7
Caswell	245	521	282	89	149	30	491	-	19	82	131	10	6
White	23	206	185	17	4	11	195	-	2	34	65	5	3
Nonwhite	222	315	97	72	145	19	296	-	17	48	66	5	3
Catawba	1,930	1,730	1,658	6	65	129	1,600	1	30	417	440	39	26
Hickory	1,327	587	567	4	15	42	545	-	12	195	128	12	7
White	1,200	484	481	3	-	26	458	-	11	178	113	10	7
Nonwhite	127	103	86	1	15	16	87	-	1	17	15	2	-
Balance of county	603	1,143	1,091	2	50	87	1,055	1	18	222	312	27	19
Chatham	647	615	591	17	5	57	555	3	8	187	216	21	15
White	377	371	365	4	1	30	340	1	6	122	140	7	6
Nonwhite	270	244	226	13	4	27	215	2	2	65	76	14	9
Cherokee	429	388	363	11	11	30	356	2	2	135	142	18	14
Chowan	566	426	333	7	85	22	403	1	9	132	130	16	8
White	284	204	201	1	1	9	195	-	3	64	62	6	4
Nonwhite	282	222	132	6	84	13	208	1	6	68	68	10	4
Clay	41	105	64	38	3	6	95	4	4	20	35	3	2
Cleveland	2,044	1,666	1,493	60	113	145	1,515	6	29	435	452	58	28
White	1,513	1,158	1,138	14	6	92	1,065	1	17	341	348	32	21
Nonwhite	531	508	355	46	107	53	450	5	12	94	104	26	7
Shelby	1,019	400	368	3	29	36	361	3	7	218	139	14	7
White	778	276	276	-	-	19	257	-	5	162	101	9	5
Nonwhite	241	124	92	3	29	17	104	3	2	56	38	5	2
Balance of county	1,025	1,266	1,125	57	84	109	1,154	3	22	217	313	44	21
White	735	862	862	14	6	73	808	1	12	179	247	23	16
Nonwhite	290	384	263	43	78	36	346	2	10	38	66	21	5
Columbus	1,231	1,553	1,143	70	333	120	1,422	11	24	370	459	63	40
White	578	824	766	22	34	49	767	8	7	220	280	24	20
Nonwhite	653	729	377	48	299	71	655	3	17	150	179	39	20
Craven	2,097	2,039	1,781	32	224	155	1,882	2	40	421	446	55	47
White	1,544	1,458	1,451	3	3	97	1,360	1	16	208	236	27	23
Nonwhite	553	581	330	29	221	58	522	1	24	213	210	28	24
New Bern	945	538	440	2	95	44	493	1	14	268	215	23	19
White	585	298	296	-	1	16	281	1	5	121	91	7	5
Nonwhite	360	240	144	2	94	28	212	-	9	147	124	16	14
Balance of county	1,152	1,501	1,341	30	129	111	1,389	1	26	153	231	32	28
White	959	1,160	1,155	3	2	81	1,079	-	11	87	145	20	18
Nonwhite	193	341	186	27	127	30	310	1	15	66	86	12	10
Cumberland	5,469	5,215	4,560	125	508	388	4,806	21	83	792	717	139	92
White	4,081	3,864	3,822	21	20	271	3,578	15	49	498	431	88	64
Nonwhite	1,388	1,351	738	104	488	117	1,228	6	34	294	286	51	28
Fayetteville	1,731	2,357	2,054	77	220	177	2,168	12	40	437	328	69	47
White	1,087	1,635	1,619	8	8	109	1,519	7	26	255	193	46	34
Nonwhite	644	722	435	69	212	68	649	5	14	182	135	23	13
Balance of county	3,738	2,858	2,506	48	288	211	2,638	9	43	355	389	70	45
White	2,994	2,229	2,203	13	12	162	2,059	8	23	243	238	42	30
Nonwhite	744	629	303	35	276	49	579	1	20	112	151	28	15
Currituck	150	165	85	52	28	13	152	-	5	63	80	3	1
White	52	87	77	10	-	7	80	-	4	41	54	-	-
Nonwhite	98	78	8	42	28	6	72	-	1	22	26	3	1
Dare	41	109	101	1	7	9	99	1	2	31	43	3	2
Davidson	1,476	1,645	1,619	22	3	154	1,488	3	23	425	471	43	24
White	1,261	1,420	1,412	8	-	110	1,308	2	16	339	380	27	16
Nonwhite	215	225	207	14	3	44	180	1	7	86	91	16	8
Lexington	857	393	381	11	-	46	347	-	6	164	117	12	8
White	729	318	314	4	-	33	285	-	4	129	86	8	5
Nonwhite	128	75	67	7	-	13	62	-	2	35	31	4	3
Thomasville	488	303	298	2	3	36	266	1	3	95	87	9	4
White	411	228	226	2	-	18	210	-	1	74	62	5	2
Nonwhite	77	75	72	-	3	18	56	1	2	21	25	4	2
Balance of county	131	949	940	9	-	72	875	2	14	166	267	22	12
Davie	11	369	359	10	-	27	340	2	9	105	128	6	5
White	6	305	299	6	-	18	286	1	7	91	109	5	4
Nonwhite	5	64	60	4	-	9	54	1	2	14	19	1	1
Duplin	665	1,138	1,006	77	54	78	1,054	6	23	251	337	36	18
White	226	592	578	13	-	42	549	1	13	140	201	21	14
Nonwhite	439	546	428	64	54	38	505	5	10	111	136	15	4

See footnotes on p. 183.

Table 19. Live Births by Attendant and Birth Weight; Fetal Deaths; and Total, Infant, and Neonatal Deaths; by Color: United States, Each State and County, and Specified Urban Places, 1955—Continued

(See headnote on p. 83)

AREA AND COLOR	LIVE BIRTHS								FETAL DEATHS	DEATHS			
	By place of occurrence	By place of residence							By place of residence	By place of occurrence	By place of residence		
			Attendant[1]			Birth weight[3]							
	Total births	Total births	Physician in hospital[2]	Physician not in hospital	Midwife	2,500 grams or less	2,501 grams or more	Not stated		Total deaths	Total deaths	Under 1 year	Under 28 days
NORTH CAROLINA—Continued													
Durham	3,160	2,548	2,529	16	3	243	2,304	1	55	1,367	797	66	50
White	1,964	1,579	1,575	3	1	106	1,472	1	25	855	499	32	25
Nonwhite	1,196	969	954	13	2	137	832	-	30	512	298	34	25
Durham	3,147	1,673	1,667	4	2	176	1,497	-	39	1,037	567	52	42
White	1,961	930	929	-	1	60	870	-	17	628	327	25	21
Nonwhite	1,186	743	738	4	1	116	627	-	22	409	240	27	21
Balance of county	13	875	862	12	1	67	807	1	16	339	230	14	8
White	3	649	646	3	-	46	602	1	8	227	172	7	4
Nonwhite	10	226	216	9	1	21	205	-	8	103	58	7	4
Edgecombe	1,518	1,718	995	252	470	132	1,577	9	34	401	449	64	37
White	465	603	586	6	11	39	563	1	6	176	194	9	6
Nonwhite	1,053	1,115	409	246	459	93	1,014	8	28	225	255	55	31
Rocky Mount (part)	443	378	256	111	11	32	345	1	7	108	128	16	12
White	203	188	188	-	-	15	173	-	2	51	67	6	4
Nonwhite	240	190	68	111	11	17	172	1	5	57	61	10	8
Balance of county	1,075	1,340	739	141	459	100	1,232	8	27	293	321	48	25
White	262	415	398	6	11	24	390	1	4	125	127	3	2
Nonwhite	813	925	341	135	448	76	842	7	23	168	194	45	23
Forsyth	4,850	4,125	4,048	73	4	394	3,723	8	82	1,612	1,301	126	89
White	3,630	2,923	2,919	2	2	223	2,694	6	42	1,083	775	66	50
Nonwhite	1,220	1,202	1,129	71	2	171	1,029	2	40	529	526	60	39
Winston-Salem	4,840	2,530	2,462	65	3	269	2,254	7	65	1,319	896	86	56
White	3,629	1,441	1,438	1	2	111	1,325	5	28	836	419	28	18
Nonwhite	1,211	1,089	1,024	64	1	158	929	2	37	483	477	58	38
Balance of county	10	1,595	1,586	8	1	125	1,469	1	17	293	405	40	33
Franklin	646	744	460	47	235	59	682	3	29	213	279	27	19
White	218	299	289	5	5	28	271	-	7	124	165	10	6
Nonwhite	428	445	171	42	230	31	411	3	22	89	114	17	13
Gaston	2,566	3,101	2,986	49	61	269	2,829	3	68	603	720	88	62
White	2,099	2,601	2,561	35	3	212	2,387	2	50	509	613	65	48
Nonwhite	467	500	425	14	58	57	442	1	18	94	107	23	14
Gastonia	2,459	1,062	1,053	6	3	108	954	2	26	349	251	30	23
White	2,062	876	872	4	-	82	793	1	22	296	205	21	17
Nonwhite	397	186	181	2	3	24	161	1	4	53	46	9	6
Balance of county	107	2,039	1,933	43	58	163	1,875	1	42	254	469	58	39
White	37	1,725	1,689	31	3	130	1,594	1	28	213	408	44	31
Nonwhite	70	314	244	12	55	33	281	-	14	41	61	14	8
Gates	172	260	156	3	101	15	244	1	6	73	98	7	5
White	27	95	95	-	-	6	89	-	2	40	55	3	3
Nonwhite	145	165	61	3	101	9	155	1	4	33	43	4	2
Graham	113	170	159	5	4	7	160	3	1	33	46	5	5
Granville	788	775	648	74	53	68	699	8	28	321	232	23	11
White	296	305	293	10	2	22	283	-	6	221	116	3	1
Nonwhite	492	470	355	64	51	46	416	8	22	100	116	20	10
Greene	308	498	371	108	17	34	459	5	12	76	119	14	9
White	62	162	142	19	1	8	153	1	2	35	62	3	2
Nonwhite	246	336	229	89	16	26	306	4	10	41	57	11	7
Guilford	5,541	5,407	5,282	65	56	458	4,935	14	92	1,475	1,497	123	80
White	4,296	4,124	4,106	13	3	300	3,817	7	48	1,103	1,104	76	49
Nonwhite	1,245	1,283	1,176	52	53	158	1,118	7	44	372	393	47	31
Greensboro	3,603	2,142	2,132	3	6	200	1,936	6	38	763	631	43	29
White	2,717	1,448	1,446	1	-	112	1,335	1	13	535	396	18	12
Nonwhite	886	694	686	2	6	88	601	5	25	228	235	25	17
High Point	1,892	1,136	1,066	34	34	110	1,025	1	25	369	359	34	22
White	1,566	847	844	3	-	69	777	1	14	302	287	23	15
Nonwhite	326	289	222	31	34	41	248	-	11	67	72	11	7
Balance of county	46	2,129	2,084	28	16	148	1,974	7	29	343	507	46	29
White	13	1,829	1,816	9	3	119	1,705	5	21	266	421	35	22
Nonwhite	33	300	268	19	13	29	269	2	8	77	86	11	7
Halifax	1,857	1,771	846	203	719	138	1,629	4	53	516	527	72	40
White	596	557	545	10	1	29	527	1	12	213	215	3	2
Nonwhite	1,261	1,214	301	193	718	109	1,102	3	41	303	312	69	38
Harnett	1,379	1,234	1,065	50	117	114	1,117	3	36	364	388	34	26
White	894	786	773	11	2	58	726	2	26	255	278	19	17
Nonwhite	485	448	292	39	115	56	391	1	10	109	110	15	9
Haywood	859	855	845	6	4	62	791	2	10	239	255	17	11
Henderson	773	743	718	24	1	53	683	7	14	282	271	25	20
Hertford	892	641	411	166	63	51	589	1	14	233	199	29	13
White	365	208	198	9	1	12	196	-	-	88	69	5	3
Nonwhite	527	433	213	157	62	39	393	1	14	145	130	24	10
Hoke	336	544	262	77	205	62	482	-	19	97	106	22	10
White	49	181	156	25	-	19	162	-	4	26	34	7	4
Nonwhite	287	363	106	52	205	43	320	-	15	71	72	15	6
Hyde	38	149	113	-	36	7	142	-	4	49	76	2	2
White	-	80	80	-	-	5	75	-	1	39	59	1	1
Nonwhite	38	69	33	-	36	2	67	-	3	10	17	1	1
Iredell	2,096	1,471	1,428	25	14	118	1,343	10	25	511	460	44	30
White	1,633	1,116	1,106	9	-	78	1,032	6	13	400	357	26	20
Nonwhite	463	355	322	16	14	40	311	4	12	111	103	18	10
Statesville	1,209	448	429	8	11	44	404	-	7	264	149	17	11
White	981	347	344	3	-	32	315	-	4	202	109	13	10
Nonwhite	228	101	85	5	11	12	89	-	3	62	40	4	1
Balance of county	887	1,023	999	17	3	74	939	10	18	247	311	27	19
White	652	769	762	6	-	46	717	6	9	198	248	13	10
Nonwhite	235	254	237	11	3	28	222	4	9	49	63	14	9

See footnotes on p. 183.

Table 19. Live Births by Attendant and Birth Weight; Fetal Deaths; and Total, Infant, and Neonatal Deaths; by Color: United States, Each State and County, and Specified Urban Places, 1955—Continued

(See headnote on p. 83)

AREA AND COLOR	LIVE BIRTHS								FETAL DEATHS	DEATHS			
	By place of occurrence	By place of residence							By place of residence	By place of occurrence	By place of residence		
			Attendant[1]			Birth weight[3]							
	Total births	Total births	Physician in hospital[2]	Physician not in hospital	Midwife	2,500 grams or less	2,501 grams or more	Not stated		Total deaths	Total deaths	Under 1 year	Under 28 days
NORTH CAROLINA—Continued													
Jackson	282	377	331	26	14	23	354	-	12	123	145	11	5
Johnston	1,011	1,450	1,131	127	188	118	1,326	6	40	367	489	43	27
White	618	991	936	47	8	74	915	2	23	271	365	20	16
Nonwhite	393	459	195	80	180	44	411	4	17	96	124	23	11
Jones	112	329	218	26	85	27	301	1	11	44	69	11	6
White	6	140	133	6	1	9	131	-	3	21	53	4	1
Nonwhite	106	189	85	20	84	18	170	1	8	23	36	7	5
Lee	886	742	697	11	34	61	680	1	20	183	185	26	15
White	610	498	494	3	1	30	468	-	12	120	120	16	10
Nonwhite	276	244	203	8	33	31	212	1	8	63	65	10	5
Sanford	858	352	335	-	17	36	315	1	13	144	102	16	10
White	606	253	253	-	-	19	234	-	6	99	65	10	7
Nonwhite	252	99	82	-	17	17	81	1	7	45	37	6	3
Balance of county	28	390	362	11	17	25	365	-	7	39	83	10	5
White	4	245	241	3	1	11	234	-	6	21	55	6	3
Nonwhite	24	145	121	8	16	14	131	-	1	18	28	4	2
Lenoir	2,029	1,659	1,110	121	422	122	1,534	3	39	454	403	57	37
White	1,137	860	846	9	5	54	804	2	13	249	203	24	19
Nonwhite	892	799	264	112	417	68	730	1	26	205	200	33	18
Kinston	1,612	693	511	34	146	52	640	1	14	310	195	21	16
White	1,108	427	426	-	1	30	397	-	7	182	99	11	9
Nonwhite	504	266	85	34	145	22	243	1	7	128	96	10	7
Balance of county	417	966	599	87	276	70	894	2	25	144	208	36	21
White	29	433	420	9	4	24	407	2	6	67	104	13	10
Nonwhite	388	533	179	78	272	46	487	-	19	77	104	23	11
Lincoln	547	618	560	6	52	35	577	6	12	174	196	14	9
White	454	521	513	-	8	24	497	-	11	148	167	8	4
Nonwhite	93	97	47	6	44	11	80	6	1	26	29	6	5
McDowell	773	687	674	13	-	50	627	10	3	140	156	19	16
Macon	330	360	269	80	8	35	323	2	1	102	100	9	8
Madison	109	352	292	33	22	27	325	-	6	71	146	12	9
Martin	567	881	558	172	147	60	816	5	21	159	193	30	13
White	212	332	300	30	1	14	318	-	4	70	91	7	5
Nonwhite	355	549	258	142	146	46	498	5	17	89	102	23	8
Mecklenburg	6,909	6,468	6,270	78	115	602	5,846	20	143	1,755	1,620	190	139
White	4,955	4,436	4,425	7	2	340	4,085	11	63	1,114	971	81	65
Nonwhite	1,954	2,032	1,845	71	113	262	1,761	9	80	641	649	109	74
Charlotte	6,799	4,327	4,195	54	75	425	3,892	10	104	1,523	1,179	146	108
White	4,946	2,709	2,706	2	-	217	2,487	5	36	957	656	54	43
Nonwhite	1,853	1,618	1,489	52	75	208	1,405	5	68	566	523	92	65
Balance of county	110	2,141	2,075	24	40	177	1,954	10	39	232	441	44	31
White	9	1,727	1,719	5	2	123	1,598	6	27	157	315	27	22
Nonwhite	101	414	356	19	38	54	356	4	12	75	126	17	9
Mitchell	280	331	306	11	13	23	307	1	3	87	112	8	3
Montgomery	532	493	435	6	52	43	450	-	14	112	142	15	9
White	307	298	296	-	2	21	277	-	7	70	96	6	3
Nonwhite	225	195	139	6	50	22	173	-	7	42	46	9	6
Moore	1,016	1,023	969	11	42	71	950	2	16	302	276	26	15
White	648	698	693	4	1	31	666	1	12	199	187	8	7
Nonwhite	368	325	276	7	41	40	284	1	4	103	89	18	8
Nash	1,850	1,753	961	433	357	125	1,620	8	41	576	569	82	51
White	957	863	822	30	10	50	811	2	14	290	290	27	23
Nonwhite	893	890	139	403	347	75	809	6	27	286	279	55	28
Rocky Mount (part)	1,126	448	376	60	13	26	422	1	12	316	184	16	11
White	916	342	342	-	-	14	328	-	7	178	110	10	9
Nonwhite	210	107	34	60	13	12	94	1	5	138	74	6	2
Rocky Mount (total)	1,569	827	632	171	24	58	767	2	19	424	312	32	23
White	1,119	530	530	-	-	29	501	-	9	229	177	16	13
Nonwhite	450	297	102	171	24	29	266	2	10	195	135	16	10
Balance of county	724	1,304	585	373	344	99	1,198	7	29	260	385	66	40
White	41	521	480	30	10	36	483	2	7	112	180	17	14
Nonwhite	683	783	105	343	334	63	715	5	22	148	205	49	26
New Hanover	2,085	1,778	1,764	12	1	159	1,618	1	40	714	651	74	57
White	1,307	1,147	1,144	3	-	88	1,059	-	19	430	389	26	22
Nonwhite	778	631	620	9	1	71	559	1	21	284	262	48	35
Wilmington	2,083	1,218	1,207	9	1	113	1,104	1	29	625	509	55	42
White	1,306	704	702	2	-	53	651	-	9	363	287	15	12
Nonwhite	777	514	505	7	1	60	453	1	20	262	222	40	30
Balance of county	2	560	557	3	-	46	514	-	11	89	142	19	15
White	1	443	442	1	-	35	408	-	10	67	102	11	10
Nonwhite	1	117	115	2	-	11	106	-	1	22	40	8	5
Northampton	550	748	234	294	220	54	693	1	10	131	213	28	18
White	27	167	147	18	2	10	157	-	3	51	93	2	2
Nonwhite	523	581	87	276	218	44	536	1	7	80	120	26	16
Onslow	3,318	3,182	3,077	11	91	233	2,948	1	45	281	274	69	53
White	2,905	2,795	2,782	8	2	189	2,606	-	41	216	210	52	41
Nonwhite	413	387	295	3	89	44	342	1	4	65	64	17	12
Orange	605	959	911	17	29	77	882	-	21	407	204	18	12
White	369	628	624	4	-	36	592	-	11	259	139	7	5
Nonwhite	236	331	287	13	29	41	290	-	10	148	65	11	7
Pamlico	126	247	123	95	29	17	230	-	5	68	85	14	7
White	43	133	92	41	-	8	125	-	2	47	53	5	2
Nonwhite	83	114	31	54	29	9	105	-	3	21	32	9	5

See footnotes on p. 183.

Table 19. Live Births by Attendant and Birth Weight; Fetal Deaths; and Total, Infant, and Neonatal Deaths; by Color: United States, Each State and County, and Specified Urban Places, 1955—Continued

(See headnote on p. 83)

AREA AND COLOR	LIVE BIRTHS								FETAL DEATHS	DEATHS			
	By place of occurrence	By place of residence							By place of residence	By place of occurrence	By place of residence		
			Attendant[1]			Birth weight[3]							
	Total births	Total births	Physician in hospital[2]	Physician not in hospital	Midwife	2,500 grams or less	2,501 grams or more	Not stated		Total deaths	Total deaths	Under 1 year	Under 28 days
NORTH CAROLINA—Continued													
Pasquotank	958	789	603	45	137	69	715	5	26	256	238	23	13
White	618	484	472	11	1	38	446	-	12	151	135	7	5
Nonwhite	340	305	131	34	136	31	269	5	14	105	103	16	8
Elizabeth City	863	557	464	4	87	48	507	2	15	211	172	17	9
White	608	367	365	1	1	28	339	-	6	130	98	7	5
Nonwhite	255	190	99	3	86	20	168	2	9	81	74	10	4
Balance of county	95	232	139	41	50	21	208	3	11	45	66	6	4
White	10	117	107	10	-	10	107	-	6	21	37	-	-
Nonwhite	85	115	32	31	50	11	101	3	5	24	29	6	4
Pender	456	508	363	14	131	39	469	-	11	149	162	24	19
White	176	199	193	1	5	13	186	-	3	68	72	5	5
Nonwhite	280	309	170	13	126	26	283	-	8	81	90	19	14
Perquimans	124	269	142	14	112	25	244	-	6	74	102	15	12
White	6	119	112	5	2	11	108	-	1	48	61	6	6
Nonwhite	118	150	30	9	110	14	136	-	5	26	41	9	6
Person	692	698	606	31	61	64	634	-	19	155	190	22	13
White	381	376	372	3	1	32	344	-	6	100	123	13	9
Nonwhite	311	322	234	28	60	32	290	-	13	55	67	9	4
Pitt	2,333	2,048	1,481	367	200	195	1,841	12	41	473	519	68	40
White	928	889	839	49	1	61	826	2	16	232	261	24	17
Nonwhite	1,405	1,159	642	318	199	134	1,015	10	25	241	258	44	23
Greenville	221	518	446	11	61	41	476	1	12	84	154	11	5
White	3	287	284	3	-	17	270	-	8	46	88	5	2
Nonwhite	218	231	162	8	61	24	206	1	4	38	66	6	3
Balance of county	2,112	1,530	1,035	356	139	154	1,365	11	29	389	365	57	35
White	925	602	555	46	1	44	556	2	8	186	173	19	15
Nonwhite	1,187	928	480	310	138	110	809	9	21	203	192	38	20
Polk	235	268	249	15	4	22	246	-	3	85	99	6	5
White	183	224	217	7	-	20	204	-	3	67	79	5	5
Nonwhite	52	44	32	8	4	2	42	-	-	18	20	1	-
Randolph	1,040	1,314	1,292	13	9	89	1,225	-	32	313	363	29	19
Richmond	925	1,035	881	46	107	92	941	2	26	286	340	31	16
White	575	638	629	9	-	45	593	-	13	174	214	13	10
Nonwhite	350	397	252	37	107	47	348	2	13	112	126	18	6
Robeson	2,641	3,108	2,216	472	413	256	2,834	18	76	746	708	140	69
White	880	948	890	37	21	59	885	4	18	331	280	26	20
Nonwhite	1,761	2,160	1,326	435	392	197	1,949	14	58	415	428	114	49
Rockingham	1,794	1,641	1,447	158	35	131	1,505	5	26	448	486	52	32
White	1,270	1,236	1,184	51	1	80	1,152	4	16	340	373	34	26
Nonwhite	524	405	263	107	34	51	353	1	10	108	113	18	6
Reidsville	1,054	313	288	23	2	27	286	-	8	181	97	10	6
White	735	205	205	-	-	14	191	-	4	130	62	4	4
Nonwhite	319	108	83	23	2	13	95	-	4	51	35	6	2
Balance of county	740	1,328	1,159	135	33	104	1,219	5	18	267	389	42	26
White	535	1,031	979	51	1	66	961	4	12	210	311	30	22
Nonwhite	205	297	180	84	32	38	258	1	6	57	78	12	4
Rowan	1,687	1,761	1,689	56	16	128	1,629	4	25	532	571	39	25
White	1,287	1,389	1,365	24	-	86	1,302	1	17	404	434	26	21
Nonwhite	400	372	324	32	16	42	327	3	8	128	137	13	4
Salisbury	1,631	495	476	13	6	43	451	1	4	337	188	9	6
White	1,261	343	341	2	-	24	319	-	1	246	128	5	5
Nonwhite	370	152	135	11	6	19	132	1	3	91	60	4	1
Balance of county	56	1,266	1,213	43	10	85	1,178	3	21	195	383	30	19
White	26	1,046	1,024	22	-	62	983	1	16	158	306	21	16
Nonwhite	30	220	189	21	10	23	195	2	5	37	77	9	3
Rutherford	925	1,022	841	141	38	78	936	8	18	321	341	22	15
White	759	847	758	86	3	58	785	4	13	268	287	14	11
Nonwhite	166	175	83	55	35	20	151	4	5	53	54	8	4
Sampson	1,211	1,327	847	296	181	118	1,206	3	26	366	405	48	27
White	614	667	648	14	5	40	626	1	11	226	259	19	12
Nonwhite	597	660	199	282	176	78	580	2	15	140	146	29	15
Scotland	1,275	786	535	40	202	65	714	7	22	313	244	38	19
White	468	367	338	17	11	29	335	3	9	146	131	13	8
Nonwhite	807	419	197	23	191	36	379	4	13	167	113	25	11
Stanly	805	860	836	21	3	66	794	-	8	245	281	26	19
White	660	719	710	9	-	43	676	-	5	205	240	20	14
Nonwhite	145	141	126	12	3	23	118	-	3	40	41	6	5
Albemarle	787	263	261	2	-	19	244	-	4	142	103	10	8
White	654	228	228	-	-	14	214	-	2	116	85	6	5
Nonwhite	133	35	33	2	-	5	30	-	2	26	18	4	3
Balance of county	18	597	575	19	3	47	550	-	4	103	178	16	11
White	6	491	482	9	-	29	462	-	3	89	155	14	9
Nonwhite	12	106	93	10	3	18	88	-	1	14	23	2	2
Stokes	273	513	443	42	26	41	462	10	6	93	146	8	7
Surry	1,211	1,184	1,076	92	16	82	1,101	1	23	245	320	24	14
Swain	332	213	173	35	4	10	201	2	2	72	79	9	8
White	217	159	123	32	4	6	152	1	2	61	68	6	5
Nonwhite	115	54	50	3	-	4	49	1	-	11	11	3	3
Transylvania	332	363	326	36	1	29	331	3	4	81	100	9	5
Tyrrell	169	116	69	1	40	14	96	6	4	52	51	5	2
White	102	52	51	-	1	5	46	1	-	35	30	-	-
Nonwhite	67	64	18	1	39	9	50	5	4	17	21	5	2
Union	1,186	1,047	823	188	36	78	966	3	20	323	350	35	23
White	861	729	715	13	1	50	678	1	6	236	263	21	15
Nonwhite	325	318	108	175	35	28	288	2	14	87	87	14	8

See footnotes on p. 183.

Table 19. Live Births by Attendant and Birth Weight; Fetal Deaths; and Total, Infant, and Neonatal Deaths; by Color: United States, Each State and County, and Specified Urban Places, 1955—Continued

(See headnote on p. 83)

AREA AND COLOR	LIVE BIRTHS								FETAL DEATHS	DEATHS			
	By place of occurrence	By place of residence							By place of residence	By place of occurrence	By place of residence		
			Attendant[1]			Birth weight[3]							
	Total births	Total births	Physician in hospital[2]	Physician not in hospital	Midwife	2,500 grams or less	2,501 grams or more	Not stated		Total deaths	Total deaths	Under 1 year	Under 28 days
NORTH CAROLINA—Continued													
Union—Continued													
Monroe	1,000	249	206	43	-	20	228	1	7	191	93	10	7
White	846	174	174	-	-	14	159	1	2	144	70	6	4
Nonwhite	154	75	32	43	-	6	69	-	5	47	23	4	3
Balance of county	186	798	617	145	36	58	738	2	13	132	257	25	16
White	15	555	541	13	1	36	519	-	4	92	193	15	11
Nonwhite	171	243	76	132	35	22	219	2	9	40	64	10	5
Vance	932	901	655	5	238	54	847	-	23	230	235	24	14
White	439	399	394	1	4	20	379	-	5	128	127	5	3
Nonwhite	493	502	261	4	234	34	468	-	18	102	108	19	11
Henderson	755	432	363	1	67	30	402	-	9	155	107	12	7
White	438	217	213	1	3	11	206	-	1	87	62	5	3
Nonwhite	317	215	150	-	64	19	196	-	8	68	45	7	4
Balance of county	177	469	292	4	171	24	445	-	14	75	128	12	7
White	1	182	181	-	1	9	173	-	4	41	65	-	-
Nonwhite	176	287	111	4	170	15	272	-	10	34	63	12	7
Wake	3,677	3,656	3,083	270	299	340	3,304	12	99	1,248	1,164	123	91
White	2,480	2,399	2,354	41	4	196	2,202	1	37	840	746	61	58
Nonwhite	1,197	1,257	729	229	295	144	1,102	11	62	408	418	62	33
Raleigh	3,148	1,649	1,518	30	100	176	1,469	4	47	919	616	70	58
White	2,367	1,136	1,134	2	-	112	1,024	-	22	635	386	37	36
Nonwhite	781	513	384	28	100	64	445	4	25	284	230	33	22
Balance of county	529	2,007	1,565	240	199	164	1,835	8	52	329	548	53	33
White	113	1,263	1,220	39	4	84	1,178	1	15	205	360	24	22
Nonwhite	416	744	345	201	195	80	657	7	37	124	188	29	11
Warren	564	587	227	48	310	48	532	7	18	152	178	17	12
White	120	130	118	9	3	6	124	-	-	50	62	3	2
Nonwhite	444	457	109	39	307	42	408	7	18	102	116	14	10
Washington	361	414	309	8	97	36	375	3	13	106	118	15	4
White	126	186	181	-	5	13	171	2	6	46	59	2	1
Nonwhite	235	228	128	8	92	23	204	1	7	60	59	13	3
Watauga	397	364	378	4	1	33	350	1	2	148	146	14	11
Wayne	2,044	1,732	1,354	179	198	114	1,608	10	39	628	528	51	29
White	1,133	921	892	25	4	49	866	6	20	285	294	20	14
Nonwhite	911	811	462	154	194	65	742	4	19	343	234	31	15
Goldsboro	1,101	685	500	64	121	39	642	4	15	294	213	23	11
White	671	356	355	-	1	20	335	1	6	154	103	6	4
Nonwhite	430	329	145	64	120	19	307	3	9	140	110	17	7
Balance of county	943	1,047	854	115	77	75	966	6	24	334	315	28	18
White	462	565	537	25	3	29	531	5	14	131	191	14	10
Nonwhite	481	482	317	90	74	46	435	1	10	203	124	14	8
Wilkes	755	1,055	957	32	58	77	970	8	21	304	348	36	19
Wilson	1,985	1,637	1,258	137	240	122	1,496	19	60	551	482	74	52
White	1,041	777	742	30	5	44	733	-	19	285	232	21	16
Nonwhite	944	860	516	107	235	78	763	19	41	266	250	53	36
Wilson	1,545	753	590	20	141	64	678	11	33	394	251	43	30
White	955	389	389	-	-	25	364	-	13	201	114	15	10
Nonwhite	590	364	201	20	141	39	314	11	20	193	137	28	20
Balance of county	440	884	668	117	99	58	818	8	27	157	231	31	22
White	86	388	353	30	5	19	369	-	6	84	118	6	6
Nonwhite	354	496	315	87	94	39	449	8	21	73	113	25	16
Yadkin	216	526	521	5	-	36	486	4	5	113	163	8	3
Yancey	283	348	306	25	16	27	321	-	6	82	105	5	3
NORTH DAKOTA	17,341	17,237	17,085	104	22	1,123	16,083	31	239	5,190	5,270	433	330
White	16,846	16,773	16,640	98	13	1,082	15,669	22	233	5,065	5,150	402	313
Nonwhite	495	464	445	6	9	41	414	9	6	125	120	31	17
Adams	109	118	117	1	-	12	106	-	1	43	49	3	2
Barnes	444	423	423	-	-	25	397	1	5	150	163	13	11
Benson	78	282	278	3	-	12	270	-	4	59	97	7	5
White	76	213	211	2	-	10	203	-	3	53	83	4	3
Nonwhite	2	69	67	1	-	2	67	-	1	6	14	3	2
Billings	-	49	49	-	-	4	45	-	-	8	11	-	-
Bottineau	293	331	331	-	-	20	311	-	2	93	98	8	7
Bowman	143	149	148	1	-	11	135	3	1	42	53	6	4
Burke	88	148	148	-	-	6	142	-	-	41	60	2	1
Burleigh	1,817	943	942	1	-	65	876	2	15	378	225	25	23
Bismarck	1,816	782	781	1	-	57	723	2	11	362	176	21	21
Balance of county	1	161	161	-	-	8	153	-	4	16	49	4	2
Cass	2,105	1,693	1,686	6	1	107	1,586	-	24	698	527	49	33
Fargo	2,101	1,204	1,204	-	-	80	1,124	-	15	507	374	40	25
Balance of county	4	489	482	6	1	27	462	-	9	191	153	9	8
Cavalier	207	288	283	2	2	17	271	-	5	69	93	5	3
Dickey	295	240	235	4	-	19	220	1	5	87	82	8	7
Divide	153	142	141	1	-	5	137	-	2	50	55	1	1
Dunn	2	205	202	2	-	18	187	-	1	10	60	9	7
Eddy	187	147	146	-	-	7	140	-	2	38	32	2	2
Emmons	189	275	273	1	-	23	252	-	7	47	69	10	8
Foster	128	161	160	1	-	10	151	-	2	34	42	4	4
Golden Valley	80	73	73	-	-	5	68	-	3	23	23	1	1
Grand Forks	1,573	1,113	1,111	-	2	72	1,040	1	14	431	349	30	21
Grand Forks	1,466	806	806	-	-	56	749	1	9	346	233	23	16
Balance of county	107	307	305	-	2	16	291	-	5	85	116	7	5

See footnotes on p. 183.

Table 19. Live Births by Attendant and Birth Weight; Fetal Deaths; and Total, Infant, and Neonatal Deaths; by Color: United States, Each State and County, and Specified Urban Places, 1955—Continued

(See headnote on p. 83)

AREA AND COLOR	LIVE BIRTHS								FETAL DEATHS	DEATHS			
	By place of occurrence	By place of residence							By place of residence	By place of occurrence	By place of residence		
			Attendant[1]			Birth weight[3]							
	Total births	Total births	Physician in hospital[2]	Physician not in hospital	Midwife	2,500 grams or less	2,501 grams or more	Not stated		Total deaths	Total deaths	Under 1 year	Under 28 days
NORTH DAKOTA—Continued													
Grant	194	185	178	5	2	7	178	-	2	38	44	1	1
Griggs	107	122	121	1	-	11	109	2	5	59	65	5	3
Hettinger	35	219	201	18	-	9	210	-	2	19	53	2	1
Kidder	2	160	158	-	-	11	149	-	3	10	39	2	2
La Moure	85	240	228	12	-	7	233	-	4	28	70	6	5
Logan	88	159	157	2	-	7	150	2	2	25	34	3	3
McHenry	3	324	320	3	1	22	302	-	3	31	108	8	7
McIntosh	105	169	169	-	-	8	161	-	2	42	54	5	2
McKenzie	96	172	167	3	2	15	155	2	1	43	70	8	7
McLean	333	533	529	4	-	35	498	-	5	86	120	10	6
Mercer	175	215	211	-	2	16	199	-	2	43	63	6	6
Morton	370	647	636	8	-	47	600	-	8	107	170	18	15
Mountrail	226	321	317	3	1	18	302	1	5	58	99	10	8
Nelson	84	162	161	-	-	7	152	3	-	48	66	3	2
Oliver	1	64	62	1	-	3	61	-	1	3	10	-	-
Pembina	256	344	337	5	1	29	315	-	3	77	99	8	7
Pierce	336	219	219	-	-	18	201	-	-	69	47	5	4
Ramsey	594	353	353	-	-	25	328	-	5	156	138	12	8
Ransom	237	202	200	2	-	13	189	-	3	68	82	-	-
Renville	69	151	151	-	-	13	138	-	4	33	44	1	1
Richland	97	494	493	1	-	29	465	-	7	91	174	7	5
Rolette	364	380	379	-	1	30	350	-	2	98	109	17	11
White	174	192	192	-	-	9	183	-	1	55	62	3	3
Nonwhite	190	188	187	-	1	21	167	-	1	43	47	14	8
Sargent	20	161	160	-	-	11	150	-	3	30	70	4	4
Sheridan	-	126	126	-	-	8	117	1	4	7	25	3	1
Sioux	75	107	101	-	6	9	92	6	3	29	35	6	2
White	3	66	66	-	-	4	62	-	1	3	17	2	1
Nonwhite	72	41	35	-	6	5	30	6	2	26	18	4	1
Slope	2	57	53	2	-	6	51	-	3	10	22	1	1
Stark	1,050	596	590	4	1	48	547	1	9	198	129	11	9
Steele	-	99	98	-	-	3	96	-	-	16	46	1	-
Stutsman	774	577	573	3	-	28	549	-	13	363	184	10	8
Jamestown	702	302	301	1	-	20	282	-	7	332	109	4	3
Balance of county	72	275	272	2	-	8	267	-	6	31	75	6	5
Towner	128	148	148	-	-	7	141	-	3	36	47	3	2
Traill	231	247	247	-	-	15	230	2	6	83	107	7	6
Walsh	510	471	470	1	-	44	427	-	4	188	177	19	17
Ward	1,708	1,045	1,042	-	-	59	986	-	14	471	349	27	19
Minot	1,517	727	726	-	-	47	680	-	9	392	243	20	12
Balance of county	191	318	316	-	-	12	306	-	5	79	106	7	7
Wells	336	255	253	2	-	16	236	3	2	66	70	7	6
Williams	759	733	731	1	-	51	682	-	13	160	163	14	11
OHIO	222,652	223,470	220,233	3,026	45	16,685	206,139	646	3,679	85,175	85,478	5,549	4,183
White	201,053	201,789	198,928	2,674	33	13,839	187,429	521	3,134	78,558	78,850	4,666	3,518
Nonwhite	21,599	21,681	21,305	352	12	2,846	18,710	125	545	6,617	6,628	883	665
Adams	447	478	404	52	-	34	420	24	13	176	194	15	13
Allen	4,189	2,537	2,513	24	-	163	2,369	5	32	1,136	894	54	40
Lima	3,773	1,798	1,788	10	-	129	1,666	3	26	891	574	31	22
Balance of county	416	739	725	14	-	34	703	2	6	245	320	23	18
Ashland	807	864	860	3	-	43	820	1	12	303	341	16	11
Ashland	805	417	417	-	-	26	390	1	7	210	165	10	8
Balance of county	2	447	443	3	-	17	430	-	5	93	176	6	3
Ashtabula	2,107	2,135	2,117	16	1	150	1,983	2	44	913	926	54	31
Ashtabula	1,246	639	636	2	1	49	590	-	13	311	247	13	9
Conneaut	543	241	239	2	-	15	226	-	4	132	117	5	4
Balance of county	318	1,255	1,242	12	-	86	1,167	2	27	470	562	36	18
Athens	942	825	785	38	-	57	767	1	16	613	500	16	7
Athens	459	239	238	1	-	21	218	-	3	141	114	3	3
Balance of county	483	586	547	37	-	36	549	1	13	472	386	13	4
Auglaize	467	846	834	12	-	48	797	1	11	283	372	18	13
Belmont	1,677	1,617	1,602	13	-	114	1,497	6	22	918	991	39	30
Bellaire	459	236	235	1	-	14	221	1	5	183	149	6	5
Martins Ferry	851	257	257	-	-	24	233	-	1	304	142	3	3
Balance of county	367	1,124	1,110	12	-	76	1,043	5	16	431	700	30	22
Brown	543	516	485	30	-	37	478	1	10	263	265	16	13
Butler	5,589	4,952	4,915	20	5	358	4,578	16	58	1,438	1,428	125	96
Hamilton	3,403	2,162	2,143	7	1	149	2,002	11	23	830	661	60	48
Middletown	2,181	1,005	998	7	-	83	920	2	11	385	334	28	22
White	2,018	854	852	2	-	61	791	2	7	345	292	27	22
Nonwhite	163	151	146	5	-	22	129	-	4	40	42	1	-
Balance of county	5	1,785	1,774	6	4	126	1,656	3	24	223	433	37	26
Carroll	15	411	395	16	-	25	384	2	7	150	193	7	3
Champaign	532	683	678	5	-	51	632	-	10	271	328	20	14
Clark	2,855	2,984	2,943	39	-	223	2,758	3	43	1,272	1,288	74	58
White	2,503	2,645	2,610	33	-	179	2,463	3	39	1,137	1,145	62	49
Nonwhite	352	339	333	6	-	44	295	-	4	135	143	12	9
Springfield	2,848	2,292	2,260	30	-	180	2,112	-	29	1,027	975	55	44
White	2,496	1,960	1,934	24	-	137	1,823	-	25	895	835	43	35
Nonwhite	352	332	326	6	-	43	289	-	4	132	140	12	9
Balance of county	7	692	683	9	-	43	646	3	14	245	313	19	14

See footnotes on p. 183.

430007 O - 57 - 17

Table 19. Live Births by Attendant and Birth Weight; Fetal Deaths; and Total, Infant, and Neonatal Deaths; by Color: United States, Each State and County, and Specified Urban Places, 1955—Continued

(See headnote on p. 83)

AREA AND COLOR	LIVE BIRTHS								FETAL DEATHS	DEATHS			
	By place of occurrence	By place of residence							By place of residence	By place of occurrence	By place of residence		
			Attendant[1]			Birth weight[3]							
	Total births	Total births	Physician in hospital[2]	Physician not in hospital	Midwife	2,500 grams or less	2,501 grams or more	Not stated		Total deaths	Total deaths	Under 1 year	Under 28 days
OHIO—Continued													
Clermont	41	1,509	1,470	39	-	118	1,385	6	20	331	528	40	29
Clinton	883	719	672	45	-	50	667	2	11	307	325	17	11
Columbiana	3,033	2,427	2,366	57	-	170	2,249	8	33	1,143	1,149	61	48
East Liverpool	1,384	628	596	28	-	47	575	6	6	411	310	22	19
Salem	1,622	341	339	2	-	23	316	2	3	302	148	8	7
Balance of county	27	1,458	1,431	27	-	100	1,358	-	24	430	691	31	22
Coshocton	634	604	592	11	-	46	556	2	18	333	373	19	10
Coshocton	627	222	220	1	-	20	202	-	5	213	175	7	5
Balance of county	7	382	372	10	-	26	354	2	13	120	198	12	5
Crawford	1,099	1,010	1,004	6	-	85	924	1	21	454	478	30	21
Bucyrus	510	283	282	1	-	21	261	1	6	183	142	8	5
Balance of county	589	727	722	5	-	64	663	-	15	271	336	22	16
Cuyahoga	40,024	37,554	37,348	175	2	3,205	34,274	75	649	14,866	14,797	1,014	788
White	32,850	30,425	30,276	125	1	2,253	28,127	45	484	12,996	12,885	693	536
Nonwhite	7,174	7,129	7,072	50	1	952	6,147	30	165	1,870	1,912	321	252
Cleveland	29,196	24,059	23,887	144	2	2,265	21,743	51	449	10,367	9,822	693	534
White	22,267	17,022	16,907	94	1	1,328	15,673	21	289	8,655	8,042	380	289
Nonwhite	6,929	7,037	6,980	50	1	937	6,070	30	160	1,712	1,880	313	245
Cleveland Heights	709	847	844	3	-	54	789	4	16	468	660	14	13
Lakewood	2,443	1,362	1,359	3	-	93	1,269	-	18	731	764	42	36
East Cleveland	2,292	734	732	1	-	60	673	1	16	536	413	20	16
Euclid	1,685	1,379	1,376	2	-	95	1,277	7	17	418	355	30	24
Parma	3	1,637	1,632	5	-	105	1,530	2	24	177	349	48	41
Shaker Heights	-	459	459	-	-	39	418	2	9	119	278	10	8
Berea	1,271	386	386	-	-	25	360	1	7	187	108	8	7
Garfield Heights	1,729	680	679	1	-	53	627	-	14	325	221	17	11
Maple Heights	-	657	657	-	-	45	611	1	7	57	120	7	5
Rocky River	1	223	222	1	-	5	217	1	2	62	134	9	6
South Euclid	2	494	491	3	-	31	463	-	10	61	140	4	2
University Heights	-	196	196	-	-	16	180	-	1	46	105	4	3
Balance of county	693	4,441	4,428	12	-	319	4,117	5	59	1,312	1,228	108	82
Darke	758	924	914	10	-	42	880	2	14	410	467	22	13
Defiance	1,082	784	778	6	-	40	743	1	13	323	307	17	10
Defiance	797	395	392	3	-	17	378	-	8	188	134	9	6
Balance of county	285	389	386	3	-	23	365	1	5	135	173	8	4
Delaware	607	760	744	15	-	52	703	5	12	317	334	17	9
Delaware	597	308	306	2	-	19	287	2	1	157	138	12	7
Balance of county	10	452	438	13	-	33	416	3	11	160	196	5	2
Erie	1,464	1,461	1,457	3	-	125	1,334	2	26	656	711	36	25
Sandusky	1,463	894	891	2	-	84	808	2	16	461	436	22	17
Balance of county	1	567	566	1	-	41	526	-	10	195	275	14	8
Fairfield	1,250	1,405	1,386	19	-	80	1,323	2	25	485	560	37	28
Lancaster	1,237	715	708	7	-	34	680	1	16	335	283	21	16
Balance of county	13	690	678	12	-	46	643	1	9	150	277	16	12
Fayette	660	558	548	10	-	36	522	-	10	294	305	14	10
Washington Court House	652	292	291	1	-	16	276	-	4	223	154	4	3
Balance of county	8	266	257	9	-	20	246	-	6	71	151	10	7
Franklin	17,997	16,367	16,265	93	-	1,218	15,048	101	259	6,251	5,415	383	305
White	15,867	14,272	14,206	60	-	968	13,235	69	211	5,518	4,700	317	255
Nonwhite	2,130	2,095	2,059	33	-	250	1,813	32	48	733	715	66	50
Columbus	17,371	11,222	11,137	77	-	894	10,251	77	189	5,492	4,135	267	214
White	15,284	9,319	9,269	45	-	668	8,600	51	150	4,815	3,488	207	169
Nonwhite	2,087	1,903	1,868	32	-	226	1,651	26	39	677	647	60	45
Bexley	-	156	156	-	-	7	149	-	3	55	116	2	1
Balance of county	626	4,989	4,972	16	-	317	4,648	24	67	704	1,164	114	90
Fulton	561	797	786	11	-	43	754	-	12	261	292	12	10
Gallia	1,046	584	487	87	1	53	530	1	6	425	248	15	13
Geauga	487	974	911	60	3	74	897	3	17	215	249	20	17
Greene	2,326	2,056	2,034	22	-	131	1,918	7	36	479	473	42	35
Xenia	994	395	394	1	-	27	368	-	9	219	166	10	9
White	875	288	288	-	-	18	270	-	5	179	127	6	6
Nonwhite	119	107	106	1	-	9	98	-	4	40	39	4	3
Balance of county	1,332	1,661	1,640	21	-	104	1,550	7	27	260	307	32	26
Guernsey	793	765	755	8	2	53	711	1	11	715	449	17	15
Cambridge	785	342	340	2	-	29	313	-	5	302	207	9	9
Balance of county	8	423	415	6	2	24	398	1	6	413	242	8	6
Hamilton	22,882	20,718	20,498	208	8	1,760	18,909	49	367	8,869	8,530	579	469
White	19,405	17,286	17,170	105	7	1,256	15,998	32	276	7,629	7,272	427	345
Nonwhite	3,477	3,432	3,328	103	1	504	2,911	17	91	1,240	1,258	152	124
Cincinnati	20,863	13,689	13,509	168	8	1,281	12,363	45	252	7,782	6,372	411	330
White	17,199	10,867	10,582	74	7	821	9,817	29	170	6,599	5,244	271	214
Nonwhite	3,464	3,022	2,927	94	1	460	2,546	16	82	1,183	1,128	140	116
Norwood	1	784	782	2	-	59	724	1	6	169	374	21	18
Balance of county	2,218	6,245	6,207	38	-	420	5,822	3	109	918	1,784	147	121
White	2,205	5,838	5,809	29	-	376	5,460	2	100	862	1,654	135	113
Nonwhite	13	407	398	9	-	44	362	1	9	56	130	12	8
Hancock	1,511	1,188	1,181	7	-	57	1,129	2	19	573	508	13	11
Findlay	958	689	688	1	-	34	655	-	9	341	279	5	5
Fostoria (part)	546	80	80	-	-	3	75	2	4	117	53	4	4
Balance of county	7	419	413	6	-	20	398	-	6	115	176	4	2
Hardin	775	714	703	11	-	48	665	1	14	317	340	17	9
Harrison	13	389	376	13	-	26	359	4	5	128	204	7	5
Henry	474	617	614	2	-	36	579	2	9	192	241	14	10
Highland	487	625	583	42	-	46	578	1	19	282	316	11	9

See footnotes on p. 183.

Table 19. Live Births by Attendant and Birth Weight; Fetal Deaths; and Total, Infant, and Neonatal Deaths; by Color: United States, Each State and County, and Specified Urban Places, 1955—Continued

(See headnote on p. 83)

AREA AND COLOR	LIVE BIRTHS								FETAL DEATHS	DEATHS			
	By place of occurrence	By place of residence							By place of residence	By place of occurrence	By place of residence		
			Attendant[1]			Birth weight[3]							
	Total births	Total births	Physician in hospital[2]	Physician not in hospital	Midwife	2,500 grams or less	2,501 grams or more	Not stated		Total deaths	Total deaths	Under 1 year	Under 28 days
OHIO—Continued													
Hocking	298	443	403	40	-	35	407	1	10	175	216	16	9
Holmes	567	547	535	12	-	37	507	3	7	251	188	12	8
Huron	1,136	1,158	1,146	12	-	79	1,077	2	15	495	471	31	21
Jackson	423	709	546	162	1	49	658	2	7	209	320	15	7
Jefferson	2,174	2,220	2,194	19	-	152	2,067	1	53	914	1,054	47	34
Steubenville	2,163	824	809	8	-	78	745	1	27	603	466	24	18
Balance of county	11	1,396	1,385	11	-	74	1,322	-	26	311	588	23	16
Knox	906	826	818	6	-	52	765	9	13	497	440	20	15
Mount Vernon	902	356	353	2	-	27	326	3	5	273	174	6	4
Balance of county	4	470	465	4	-	25	439	6	8	224	266	14	11
Lake	1,842	3,062	3,044	11	-	216	2,841	5	45	669	758	62	46
Painesville	1,838	541	526	8	-	47	492	2	13	280	188	22	14
Balance of county	4	2,521	2,518	3	-	169	2,349	3	32	389	570	40	32
Lawrence	1,047	1,255	1,221	30	-	100	1,154	1	20	356	435	40	33
Ironton	1,019	395	385	6	-	29	366	-	7	236	164	10	9
Balance of county	28	860	836	24	-	71	788	1	13	120	271	30	24
Licking	1,445	1,876	1,856	18	-	113	1,750	13	33	740	862	40	32
Newark	1,433	1,006	999	5	-	81	918	7	18	523	456	24	20
Balance of county	12	870	857	13	-	32	832	6	15	217	406	16	12
Logan	729	821	809	12	-	53	768	-	11	356	408	17	10
Bellefontaine	723	293	287	6	-	22	271	-	4	180	127	6	3
Balance of county	6	528	522	6	-	31	497	-	7	176	281	11	7
Lorain	4,561	5,065	5,045	20	-	390	4,672	3	90	1,556	1,560	147	104
Lorain	2,126	1,690	1,678	12	-	145	1,544	1	38	561	527	54	39
Elyria	1,542	964	963	1	-	61	903	-	14	455	322	21	15
Balance of county	893	2,411	2,404	7	-	184	2,225	2	38	540	711	72	50
Lucas	12,612	10,938	10,884	50	-	913	9,990	35	197	4,774	4,381	252	199
White	11,314	9,658	9,614	40	-	765	8,865	28	165	4,458	4,064	207	166
Nonwhite	1,298	1,280	1,270	10	-	148	1,125	7	32	316	317	45	33
Toledo	11,474	7,572	7,541	29	-	661	6,888	23	152	4,171	3,612	185	149
White	10,193	6,387	6,364	21	-	524	5,845	18	120	3,868	3,319	145	119
Nonwhite	1,281	1,185	1,177	8	-	137	1,043	5	32	303	293	40	30
Balance of county	1,138	3,366	3,343	21	-	252	3,102	12	45	603	769	67	50
Madison	22	601	582	19	-	35	564	2	3	135	234	14	8
Mahoning	7,127	6,731	6,690	40	1	544	6,174	13	132	2,710	2,660	183	133
White	6,134	5,782	5,760	22	-	411	5,363	8	100	2,430	2,375	148	107
Nonwhite	993	949	930	18	1	133	811	5	32	280	285	35	26
Youngstown (part)	7,115	4,274	4,243	30	1	384	3,879	11	93	2,255	1,905	139	103
White	6,124	3,408	3,394	14	-	260	3,142	6	66	1,996	1,651	106	79
Nonwhite	991	866	849	16	1	124	737	5	27	259	254	33	24
Youngstown (total)	7,115	4,314	4,282	31	1	390	3,913	11	93	2,257	1,913	139	103
White	6,124	3,448	3,433	15	-	266	3,176	6	66	1,998	1,659	106	79
Nonwhite	991	866	849	16	1	124	737	5	27	259	254	33	24
Campbell	3	307	304	3	-	30	277	-	9	28	101	2	2
White	1	255	254	1	-	24	231	-	4	24	81	1	1
Nonwhite	2	52	50	2	-	6	46	-	5	4	20	1	1
Struthers	-	346	346	-	-	28	317	1	6	36	107	12	7
Balance of county	9	1,804	1,797	7	-	102	1,701	1	24	391	547	30	21
Marion	1,262	1,346	1,340	6	-	88	1,258	-	28	464	495	38	27
Marion	1,260	923	920	3	-	62	861	-	21	365	337	29	22
Balance of county	2	423	420	3	-	26	397	-	7	99	158	9	5
Medina	1,564	1,210	1,202	7	1	87	1,119	4	13	525	459	31	24
Meigs	158	423	394	28	-	19	401	3	5	202	282	4	3
Mercer	1,017	955	948	7	-	48	906	1	13	269	297	22	17
Miami	1,669	1,608	1,604	4	-	101	1,505	2	32	659	649	30	24
Piqua	714	468	468	-	-	32	436	-	11	205	205	6	5
Troy	827	327	326	1	-	25	301	1	5	180	136	12	12
Balance of county	128	813	810	3	-	44	768	1	16	274	308	12	7
Monroe	26	229	202	26	-	6	222	1	1	128	197	4	1
Montgomery	13,916	13,339	13,206	126	1	1,023	12,265	51	200	4,528	4,080	355	269
White	12,270	11,653	11,542	106	-	812	10,802	39	157	4,000	3,599	288	225
Nonwhite	1,646	1,686	1,664	20	1	211	1,463	12	43	528	481	67	44
Dayton	13,845	7,622	7,564	53	1	648	6,933	41	148	3,368	2,779	233	173
White	12,199	6,156	6,119	34	-	464	5,662	30	106	2,971	2,359	174	133
Nonwhite	1,646	1,466	1,445	19	1	184	1,271	11	42	397	420	59	40
Balance of county	71	5,717	5,642	73	-	375	5,332	10	52	1,160	1,301	122	96
Morgan	43	237	187	49	1	19	218	-	3	125	137	4	4
Morrow	340	399	391	7	-	29	369	1	4	153	189	14	11
Muskingum	2,386	1,853	1,850	3	-	143	1,709	1	27	839	835	55	40
Zanesville	2,384	1,020	1,019	1	-	91	928	1	15	699	519	37	29
Balance of county	2	833	831	2	-	52	781	-	12	140	316	18	11
Noble	50	221	210	11	-	12	206	3	5	63	140	8	4
Ottawa	503	801	785	16	-	61	740	-	4	277	336	19	13
Paulding	216	430	422	8	-	32	397	1	6	112	173	11	5
Perry	134	581	473	108	-	29	552	-	12	222	338	15	10
Pickaway	509	668	634	34	-	39	626	3	14	304	297	12	5
Pike	139	727	591	126	7	52	672	3	7	98	159	23	16
Portage	1,548	1,953	1,942	11	-	117	1,832	4	22	578	609	35	22
Kent	-	343	341	2	-	22	320	1	4	46	109	5	3
Balance of county	1,548	1,610	1,601	9	-	95	1,512	3	18	532	500	30	19
Preble	21	712	692	19	1	37	672	3	11	195	308	14	10
Putnam	16	854	833	21	-	61	792	1	13	130	270	17	11
Richland	2,521	2,638	2,603	33	-	191	2,441	6	26	822	854	70	54
Mansfield	2,080	1,117	1,107	9	-	78	1,038	1	14	451	459	26	20
Balance of county	441	1,521	1,496	24	-	113	1,403	5	12	371	395	44	34

See footnotes on p. 183.

Table 19. Live Births by Attendant and Birth Weight; Fetal Deaths; and Total, Infant, and Neonatal Deaths; by Color: United States, Each State and County, and Specified Urban Places, 1955—Continued

(See headnote on p. 83)

AREA AND COLOR	LIVE BIRTHS								FETAL DEATHS	DEATHS			
	By place of occurrence	By place of residence							By place of residence	By place of occurrence	By place of residence		
			Attendant[1]			Birth weight[3]							
	Total births	Total births	Physician in hospital[2]	Physician not in hospital	Midwife	2,500 grams or less	2,501 grams or more	Not stated		Total deaths	Total deaths	Under 1 year	Under 28 days
OHIO—Continued													
Ross	1,740	1,382	1,227	155	-	86	1,292	4	24	517	492	30	20
Chillicothe	1,597	601	585	16	-	36	563	2	7	309	238	10	8
Balance of county	143	781	642	139	-	50	729	2	17	208	254	20	12
Sandusky	1,575	1,451	1,443	8	-	94	1,351	6	24	608	570	32	23
Fremont	1,176	555	554	1	-	38	514	3	8	308	220	16	12
Balance of county	399	896	889	7	-	56	837	3	16	300	350	16	11
Scioto	2,729	2,274	2,232	34	2	148	2,121	5	48	805	815	49	34
Portsmouth	2,700	846	835	10	-	56	789	1	16	572	404	20	14
Balance of county	29	1,428	1,397	24	2	92	1,332	4	32	233	411	29	20
Seneca	975	1,492	1,480	12	-	91	1,396	5	20	466	556	29	21
Fostoria (part)	-	306	306	-	-	21	282	3	4	53	121	8	5
Fostoria (total)	546	386	386	-	-	24	357	5	8	170	174	12	9
Tiffin	965	592	590	2	-	40	550	2	11	263	219	14	11
Balance of county	10	594	584	10	-	30	564	-	5	150	216	7	5
Shelby	770	844	837	7	-	54	787	3	9	249	305	26	25
Sidney	2	359	357	2	-	30	327	2	1	57	152	14	13
Balance of county	768	485	480	5	-	24	460	1	8	192	153	12	12
Stark	8,168	7,614	7,576	29	4	557	7,041	16	133	2,962	2,817	180	130
White	7,666	7,114	7,089	19	3	502	6,596	16	122	2,819	2,674	163	119
Nonwhite	502	500	489	10	1	55	445	-	11	143	143	17	11
Canton	5,745	3,801	3,790	10	1	311	3,481	9	63	1,451	1,350	88	71
Alliance	1,156	729	726	2	1	50	679	-	20	302	289	21	11
Massillon	1,245	833	830	2	1	61	772	-	12	442	375	22	14
Balance of county	22	2,251	2,232	15	1	135	2,109	7	38	767	803	49	34
Summit	11,657	11,818	11,764	44	2	854	10,904	60	209	3,700	3,764	275	211
White	10,553	10,675	10,632	34	1	718	9,908	49	181	3,442	3,515	235	181
Nonwhite	1,104	1,143	1,132	10	1	136	996	11	28	258	289	40	30
Akron	10,016	7,946	7,910	29	2	626	7,289	51	146	2,717	2,604	186	147
White	8,951	6,877	6,851	20	1	493	6,344	40	122	2,486	2,356	149	118
Nonwhite	1,065	1,069	1,059	9	1	133	925	11	24	231	248	37	29
Barberton	1,233	1,164	1,162	2	-	78	1,085	1	13	317	284	25	16
Cuyahoga Falls	395	1,257	1,255	2	-	68	1,183	6	18	158	275	19	14
Balance of county	13	1,451	1,437	11	-	82	1,367	2	32	508	621	45	34
Trumbull	3,703	4,740	4,690	46	-	318	4,419	3	74	1,261	1,504	127	91
Youngstown (part)	-	40	39	1	-	6	34	-	-	2	8	-	-
White	-	40	39	1	-	6	34	-	-	2	8	-	-
Nonwhite	-	-	-	-	-	-	-	-	-	-	-	-	-
Warren	3,678	1,649	1,637	10	-	110	1,539	-	24	778	546	36	28
Girard	1	352	351	1	-	22	329	1	8	43	98	10	6
Niles	5	475	471	4	-	33	441	1	6	66	156	17	12
Balance of county	19	2,224	2,192	30	-	147	2,076	1	36	372	696	64	45
Tuscarawas	1,655	1,651	1,629	21	-	105	1,542	4	23	774	808	44	32
New Philadelphia	1	310	310	-	-	18	292	-	5	86	161	2	2
Balance of county	1,654	1,341	1,319	21	-	87	1,250	4	18	688	647	42	30
Union	488	497	491	6	-	28	469	-	6	190	233	8	6
Van Wert	534	673	655	18	-	38	632	3	6	240	278	8	8
Van Wert	519	269	266	3	-	18	249	2	2	156	112	2	2
Balance of county	15	404	389	15	-	20	383	1	4	84	166	6	6
Vinton	122	244	138	104	2	15	228	1	4	71	108	3	3
Warren	84	1,502	1,445	57	-	109	1,388	5	20	279	420	41	27
Washington	1,132	1,055	1,006	49	-	71	984	-	25	498	527	15	10
Marietta	1,075	371	371	-	-	22	349	-	4	313	214	10	8
Balance of county	57	684	635	49	-	49	635	-	21	185	313	5	2
Wayne	1,349	1,660	1,602	58	-	105	1,550	5	23	649	637	35	24
Wooster	829	362	361	1	-	24	338	-	3	222	168	8	6
Balance of county	520	1,298	1,241	57	-	81	1,212	5	20	427	469	27	18
Williams	688	733	727	6	-	41	691	1	14	336	368	19	14
Wood	910	1,559	1,530	29	-	81	1,471	7	23	480	613	32	27
Bowling Green	884	252	250	2	-	12	240	-	7	207	118	5	4
Balance of county	26	1,307	1,280	27	-	69	1,231	7	16	273	495	27	23
Wyandot	389	488	474	14	-	31	457	-	8	198	233	11	9
OKLAHOMA	50,956	50,102	47,700	1,598	531	3,387	46,190	525	741	19,224	19,724	1,339	1,008
White	44,717	43,969	42,599	1,139	103	2,782	40,802	385	575	17,106	17,574	1,058	823
Nonwhite	6,239	6,133	5,101	459	428	605	5,388	140	166	2,118	2,150	281	185
Adair	158	302	267	16	10	18	281	3	5	79	107	8	5
White	123	167	143	15	4	12	153	2	4	62	74	4	4
Nonwhite	35	135	124	1	6	6	128	1	1	17	33	4	1
Alfalfa	73	132	131	-	1	5	127	-	4	63	101	1	1
Atoka	73	205	130	60	13	13	173	19	4	82	119	8	6
Beaver	104	121	118	2	-	5	116	-	2	51	52	1	-
Beckham	520	381	380	-	-	20	358	3	4	192	189	7	6
Blaine	254	274	267	5	1	15	259	-	3	101	123	5	3
White	232	221	220	1	-	13	208	-	3	91	104	4	3
Nonwhite	22	53	47	4	1	2	51	-	-	10	19	1	-
Bryan	444	485	438	40	2	33	432	20	5	235	269	14	12
Durant	400	214	206	6	-	16	194	4	4	135	117	3	2
Balance of county	44	271	232	34	2	17	238	16	1	100	152	11	10
Caddo	455	666	613	39	11	48	613	5	13	215	295	26	20
White	396	519	490	27	-	40	477	2	8	194	265	23	19
Nonwhite	59	147	123	12	11	8	136	3	5	21	30	3	1

See footnotes on p. 183.

Table 19. Live Births by Attendant and Birth Weight; Fetal Deaths; and Total, Infant, and Neonatal Deaths; by Color: United States, Each State and County, and Specified Urban Places, 1955—Continued

(See headnote on p. 83)

AREA AND COLOR	LIVE BIRTHS								FETAL DEATHS	DEATHS			
	By place of occurrence	By place of residence							By place of residence	By place of occurrence	By place of residence		
			Attendant[1]			Birth weight[3]							
	Total births	Total births	Physician in hospital[2]	Physician not in hospital	Midwife	2,500 grams or less	2,501 grams or more	Not stated		Total deaths	Total deaths	Under 1 year	Under 28 days
OKLAHOMA—Continued													
Canadian	331	464	459	3	-	25	438	1	6	172	197	9	9
El Reno	330	244	241	2	-	18	225	1	2	126	126	6	6
Balance of county	1	220	218	1	-	7	213	-	4	46	71	3	3
Carter	1,257	1,034	1,008	15	4	74	951	9	13	364	371	31	21
White	1,159	930	918	8	-	59	863	8	8	312	320	21	15
Nonwhite	98	104	90	7	4	15	88	1	5	52	51	10	6
Ardmore	895	607	596	7	-	47	558	2	8	261	229	15	11
White	820	534	529	3	-	37	495	2	6	219	193	10	8
Nonwhite	75	73	67	4	-	10	63	-	2	42	36	5	3
Balance of county	362	427	412	8	4	27	393	7	5	103	142	16	10
Cherokee	563	348	324	18	3	13	335	-	12	144	143	4	2
White	265	246	226	14	3	8	238	-	7	101	120	3	1
Nonwhite	298	102	98	4	-	5	97	-	5	43	23	1	1
Choctaw	296	296	214	21	56	14	275	7	4	153	194	12	9
White	215	199	178	17	3	7	191	1	3	125	148	7	5
Nonwhite	81	97	36	4	53	7	84	6	1	28	46	5	4
Cimarron	94	103	102	-	-	8	94	1	2	23	28	-	-
Cleveland	713	979	974	2	3	66	909	4	14	397	245	18	7
Norman	707	727	725	2	-	48	677	2	13	332	166	13	7
Balance of county	6	252	249	-	3	18	232	2	1	65	79	5	-
Coal	163	127	113	10	1	10	116	1	1	67	81	5	2
Comanche	2,753	1,199	1,083	68	37	102	1,088	9	21	403	391	52	42
White	2,200	948	901	42	3	71	874	3	17	329	334	37	31
Nonwhite	553	251	182	26	34	31	214	6	4	74	57	15	11
Lawton	1,139	862	778	36	37	76	778	8	19	284	280	40	31
White	986	677	661	11	3	51	623	3	15	247	233	29	24
Nonwhite	153	185	117	25	34	25	155	5	4	37	47	11	7
Balance of county	1,614	337	305	32	-	26	310	1	2	119	111	12	11
White	1,214	271	240	31	-	20	251	-	2	82	101	8	7
Nonwhite	400	66	65	1	-	6	59	1	-	37	10	4	4
Cotton	30	166	154	8	3	7	159	-	3	58	78	4	3
Craig	251	256	251	4	-	11	242	3	5	336	163	2	2
Creek	672	908	813	41	35	55	837	16	11	301	384	28	19
White	565	774	730	28	4	49	714	11	9	270	336	20	15
Nonwhite	107	134	83	13	31	6	123	5	2	31	48	8	4
Sapulpa	450	331	310	2	17	23	299	9	7	129	138	16	13
White	378	263	260	1	2	20	239	4	6	109	115	11	9
Nonwhite	72	68	50	1	15	3	60	5	1	20	23	5	4
Balance of county	222	577	503	39	18	32	538	7	4	172	246	12	6
White	187	511	470	27	2	29	475	7	3	161	221	9	6
Nonwhite	35	66	33	12	16	3	63	-	1	11	25	3	-
Custer	748	408	398	8	-	24	378	6	8	283	184	12	7
Delaware	57	207	188	17	-	8	196	3	5	108	143	5	3
White	48	133	120	13	-	3	128	2	2	96	118	1	1
Nonwhite	9	74	68	4	-	5	68	1	3	12	25	4	2
Dewey	24	113	101	7	4	8	104	1	1	30	63	4	4
Ellis	116	89	87	1	1	8	80	1	1	70	70	2	2
Garfield	1,711	1,465	1,454	7	3	106	1,356	3	23	547	465	35	22
Enid	1,330	1,252	1,246	4	2	93	1,156	3	19	443	352	28	17
Balance of county	381	213	208	3	1	13	200	-	4	104	113	7	5
Garvin	811	722	707	12	3	48	670	4	9	206	231	19	16
Grady	569	594	562	28	-	20	566	8	6	308	340	19	15
Chickasha	554	339	323	14	-	17	317	5	5	209	181	13	10
White	522	305	300	5	-	11	293	1	5	194	161	9	6
Nonwhite	32	34	23	9	-	6	24	4	-	15	20	4	4
Balance of county	15	255	239	14	-	3	249	3	1	99	159	6	5
Grant	2	150	148	1	-	7	143	-	1	44	88	3	2
Greer	136	151	151	-	-	15	135	1	5	118	129	5	4
Harmon	76	102	93	8	1	5	95	2	2	53	61	2	1
Harper	16	99	94	5	-	2	97	-	1	36	73	3	3
Haskell	111	147	74	73	-	14	129	4	2	49	84	4	2
Hughes	302	286	261	22	2	25	258	3	5	153	168	3	1
White	268	231	215	15	-	19	211	1	2	139	150	3	1
Nonwhite	34	55	46	7	2	6	47	2	3	14	18	-	-
Jackson	714	679	661	16	-	64	599	16	8	168	190	19	10
Jefferson	143	161	153	6	1	9	151	1	3	103	119	5	5
Johnston	61	165	160	2	1	7	155	3	2	58	97	6	5
Kay	1,180	1,162	1,141	20	-	75	1,086	1	15	481	538	35	25
Ponca City	851	576	573	2	-	41	534	1	8	237	203	17	15
Balance of county	329	586	568	18	-	34	552	-	7	244	335	18	10
Kingfisher	239	203	197	6	-	12	190	1	3	89	106	4	3
Kiowa	280	337	297	38	2	23	311	3	3	118	147	8	6
Latimer	303	94	82	10	1	4	87	3	2	156	84	3	3
White	19	77	66	9	1	3	71	3	2	104	81	2	2
Nonwhite	284	17	16	1	-	1	16	-	-	52	3	1	1
Le Flore	421	549	414	123	6	33	501	15	11	232	292	18	11
Lincoln	337	376	329	40	6	18	358	-	7	139	185	3	1
Logan	356	390	356	21	8	33	351	6	5	231	258	16	12
White	281	295	281	12	2	20	270	5	3	190	212	12	10
Nonwhite	75	95	75	9	6	13	81	1	2	41	46	4	2

See footnotes on p. 183.

Table 19. Live Births by Attendant and Birth Weight; Fetal Deaths; and Total, Infant, and Neonatal Deaths; by Color: United States, Each State and County, and Specified Urban Places, 1955—Continued

(See headnote on p. 83)

AREA AND COLOR	LIVE BIRTHS								FETAL DEATHS	DEATHS			
	By place of occurrence	By place of residence							By place of residence	By place of occurrence	By place of residence		
			Attendant[1]			Birth weight[3]							
	Total births	Total births	Physician in hospital[2]	Physician not in hospital	Midwife	2,500 grams or less	2,501 grams or more	Not stated		Total deaths	Total deaths	Under 1 year	Under 28 days
OKLAHOMA—Continued													
Logan—Continued													
Guthrie	326	219	208	5	1	21	198	-	3	180	166	8	5
White	262	161	160	1	-	10	151	-	2	148	131	4	3
Nonwhite	64	58	48	4	1	11	47	-	1	32	35	4	2
Balance of county	30	171	148	16	7	12	153	6	2	51	92	8	7
White	19	134	121	11	2	10	119	5	1	42	81	8	7
Nonwhite	11	37	27	5	5	2	34	1	1	9	11	-	-
Love	46	134	86	47	1	10	121	3	1	44	71	5	1
McClain	207	248	239	9	-	18	229	1	8	88	98	5	4
McCurtain	332	541	404	101	29	32	494	15	9	188	242	22	13
White	230	356	291	61	1	21	324	11	4	132	167	13	9
Nonwhite	102	185	113	40	28	11	170	4	5	56	75	9	4
McIntosh	192	294	174	92	21	22	263	9	4	78	119	8	6
White	127	197	139	54	3	14	179	4	2	53	85	3	3
Nonwhite	65	97	35	38	18	8	84	5	2	25	34	5	3
Major	56	148	144	2	2	3	143	2	4	40	65	3	3
Marshall	104	115	110	2	1	5	108	2	4	67	79	1	1
Mayes	370	400	396	3	-	16	377	5	12	149	193	9	8
Murray	125	212	205	7	-	10	201	1	2	145	120	2	2
Muskogee	1,271	1,212	1,044	87	52	86	1,113	13	20	877	697	36	26
White	1,023	958	913	39	1	84	884	10	9	634	503	24	17
Nonwhite	248	254	131	48	51	22	229	3	11	243	194	12	9
Muskogee	1,167	766	691	30	34	54	706	6	16	713	491	22	16
White	986	610	600	7	1	40	565	5	8	551	360	12	9
Nonwhite	181	156	91	23	33	14	141	1	8	162	131	10	7
Balance of county	104	446	353	57	18	32	407	7	4	164	206	14	10
White	37	348	313	32	-	24	319	5	1	83	143	12	8
Nonwhite	67	98	40	25	18	8	88	2	3	81	63	2	2
Noble	172	222	215	7	-	12	209	1	4	96	111	2	2
Nowata	216	217	213	2	1	13	203	1	3	122	142	7	7
Okfuskee	196	238	197	28	9	15	214	9	8	135	166	11	6
White	124	148	140	7	-	8	139	1	5	91	105	3	1
Nonwhite	72	90	57	21	9	7	75	8	3	44	61	8	5
Oklahoma	10,794	10,400	10,311	42	25	801	9,487	112	121	3,337	2,875	268	218
White	9,343	9,032	8,963	28	24	627	8,306	99	99	2,933	2,537	207	169
Nonwhite	1,451	1,368	1,348	14	1	174	1,181	13	22	404	338	61	49
Oklahoma City	9,270	7,753	7,685	37	16	624	7,043	86	95	2,936	2,350	212	174
White	7,888	6,595	6,542	23	16	476	6,045	74	77	2,561	2,074	159	131
Nonwhite	1,382	1,158	1,143	14	-	148	998	12	18	375	276	53	43
Midwest City	-	700	700	-	-	48	650	2	7	22	62	7	7
Balance of county	1,524	1,947	1,926	5	9	129	1,794	24	19	379	463	49	37
Okmulgee	878	859	781	41	31	62	782	15	9	382	425	35	25
White	729	691	666	20	1	53	635	3	5	302	332	20	16
Nonwhite	149	168	115	21	30	9	147	12	4	80	93	15	9
Okmulgee	518	428	390	11	25	32	387	9	5	204	183	17	13
White	421	332	328	3	-	27	304	1	2	150	125	7	5
Nonwhite	97	96	62	8	25	5	83	8	3	54	58	10	8
Balance of county	360	431	391	30	6	30	395	6	4	178	242	18	12
White	308	359	338	17	1	26	331	2	3	152	207	13	11
Nonwhite	52	72	53	13	5	4	64	4	1	26	35	5	1
Osage	439	602	591	10	1	45	553	4	9	210	250	15	12
Ottawa	620	623	610	13	-	32	584	7	11	265	326	17	12
Miami	497	322	318	4	-	17	300	5	2	146	130	7	7
Balance of county	123	301	292	9	-	15	284	2	9	119	196	10	5
Pawnee	263	216	214	2	-	6	206	4	2	140	151	5	5
Payne	1,171	1,039	1,028	1	4	54	980	5	10	315	318	24	18
Stillwater	660	561	559	1	1	35	524	2	2	141	133	17	13
Balance of county	511	478	469	-	3	19	456	3	8	174	185	7	5
Pittsburg	817	753	702	27	12	50	693	10	13	359	376	19	15
White	754	666	625	26	8	42	615	9	8	325	333	15	14
Nonwhite	63	87	77	1	4	8	78	1	5	34	43	4	1
McAlester	704	382	370	4	5	30	345	7	7	242	162	11	7
White	648	329	323	4	1	26	297	6	3	218	135	8	7
Nonwhite	56	53	47	-	4	4	48	1	4	24	27	3	-
Balance of county	113	371	332	23	7	20	348	3	6	117	214	8	8
Pontotoc	754	670	654	15	-	42	598	30	10	283	278	24	21
Ada	748	393	386	6	-	25	354	14	6	221	165	16	15
Balance of county	6	277	268	9	-	17	244	16	4	62	113	8	6
Pottawatomie	841	864	858	3	2	44	816	4	10	352	375	12	8
Shawnee	838	515	513	1	1	21	491	3	7	256	216	6	5
Balance of county	3	349	345	2	1	23	325	1	3	96	159	6	3
Pushmataha	145	196	141	52	1	5	188	3	1	75	108	5	3
Roger Mills	35	103	103	-	-	9	94	-	1	33	54	2	2
Rogers	533	434	426	8	-	28	401	5	13	209	207	11	7
Seminole	491	647	611	15	18	30	600	17	10	226	305	14	11
White	394	498	491	6	1	19	473	6	7	181	243	8	7
Nonwhite	97	149	120	9	17	11	127	11	3	45	62	6	4
Seminole	329	192	187	4	-	12	177	3	5	75	80	5	4
Balance of county	162	455	424	11	18	18	423	14	5	151	225	9	7
White	97	326	320	5	1	9	314	3	3	117	171	4	4
Nonwhite	65	129	104	6	17	9	109	11	2	34	54	5	3
Sequoyah	306	383	342	29	5	29	342	12	7	116	156	7	5
White	283	334	306	22	2	26	296	12	5	107	140	7	5
Nonwhite	23	49	36	7	3	3	46	-	2	9	16	-	-

See footnotes on p. 183.

Table 19. Live Births by Attendant and Birth Weight; Fetal Deaths; and Total, Infant, and Neonatal Deaths; by Color: United States, Each State and County, and Specified Urban Places, 1955—Continued

(See headnote on p. 83)

AREA AND COLOR	LIVE BIRTHS								FETAL DEATHS	DEATHS			
	By place of occurrence	By place of residence							By place of residence	By place of occurrence	By place of residence		
			Attendant[1]			Birth weight[3]							
	Total births	Total births	Physician in hospital[2]	Physician not in hospital	Midwife	2,500 grams or less	2,501 grams or more	Not stated		Total deaths	Total deaths	Under 1 year	Under 28 days
OKLAHOMA—Continued													
Stephens	940	935	933	1	-	65	865	5	13	242	294	19	15
Duncan	756	559	558	1	-	39	517	3	7	136	139	15	12
Balance of county	184	376	375	-	-	26	348	2	6	106	155	4	3
Texas	279	335	335	-	-	21	311	3	-	86	111	5	4
Tillman	220	338	292	34	8	16	317	5	3	133	173	9	6
White	180	246	227	18	-	7	236	3	1	115	143	6	4
Nonwhite	40	92	65	16	8	9	81	2	2	18	30	3	2
Tulsa	8,306	7,724	7,560	61	64	576	7,123	25	133	2,363	2,373	225	178
White	7,546	6,899	6,837	48	4	464	6,419	16	99	2,085	2,093	185	148
Nonwhite	760	825	723	13	60	112	704	9	34	278	280	40	30
Tulsa	8,032	5,835	5,709	38	56	455	5,359	21	114	2,103	1,958	186	150
White	7,287	5,119	5,083	27	3	353	4,754	12	85	1,856	1,725	149	122
Nonwhite	745	716	626	11	53	102	605	9	29	247	233	37	28
Balance of county	274	1,889	1,851	23	8	121	1,764	4	19	260	415	39	28
Wagoner	234	290	234	22	25	16	267	7	6	83	114	7	4
White	173	213	203	9	1	11	201	1	2	58	79	6	4
Nonwhite	61	77	31	13	24	5	66	6	4	25	35	1	-
Washington	1,026	961	959	2	-	64	895	2	14	260	300	19	13
Bartlesville	490	352	352	-	-	28	323	1	11	192	185	13	9
Balance of county	536	609	607	2	-	36	572	1	3	68	115	6	4
Washita	117	226	223	-	-	11	213	2	4	88	124	7	6
Woods	222	214	204	10	-	14	200	-	-	145	137	8	7
Woodward	321	214	214	-	-	13	201	-	2	277	146	3	2
OREGON	38,184	38,788	38,468	197	9	2,546	36,206	36	648	15,297	15,378	936	682
White	37,078	37,684	37,387	181	4	2,441	35,208	35	618	14,970	15,056	887	654
Nonwhite	1,106	1,104	1,081	16	5	105	998	1	30	327	322	49	28
Baker	350	359	351	7	-	25	334	-	5	141	161	10	8
Benton	733	783	776	4	-	38	743	2	15	199	209	16	13
Corvallis	728	426	423	1	-	21	403	2	10	151	115	11	9
Balance of county	5	357	353	3	-	17	340	-	5	48	94	5	4
Clackamas	915	2,096	2,054	12	-	135	1,960	1	31	606	862	51	40
Clatsop	744	664	662	2	-	46	616	2	10	315	313	25	18
Astoria	398	263	263	-	-	17	245	1	6	188	126	7	5
Balance of county	346	401	399	2	-	29	371	1	4	127	187	18	13
Columbia	218	529	508	17	-	27	502	-	8	145	221	11	7
Coos	1,599	1,417	1,413	3	-	92	1,323	2	24	420	461	29	17
Crook	339	260	258	1	-	13	247	-	2	65	72	6	2
Curry	131	307	303	4	-	21	285	1	2	63	85	11	9
Deschutes	675	484	484	-	-	35	449	-	12	222	188	10	9
Bend	365	240	240	-	-	19	221	-	5	101	100	4	4
Balance of county	310	244	244	-	-	16	228	-	7	121	88	6	5
Douglas	1,660	2,042	2,001	27	3	138	1,901	3	31	451	492	51	33
Gilliam	2	81	79	-	-	7	74	-	-	11	28	1	1
Grant	210	228	227	-	-	7	221	-	9	46	53	3	2
Harney	159	192	192	-	-	11	181	-	6	47	55	4	2
Hood River	343	326	324	1	-	32	294	-	2	137	140	10	8
Jackson	1,478	1,470	1,456	13	-	104	1,365	1	25	576	589	31	23
Medford	1,252	494	490	4	-	35	459	-	10	292	204	7	5
Balance of county	226	976	966	9	-	69	906	1	15	284	385	24	18
Jefferson	8	210	203	5	2	14	196	-	1	21	49	9	3
White	1	160	159	1	-	11	149	-	1	19	32	3	2
Nonwhite	7	50	44	4	2	3	47	-	-	2	17	6	1
Josephine	676	621	601	10	-	39	582	-	10	311	309	19	15
Klamath	1,092	1,024	1,010	12	1	89	933	2	24	320	351	29	16
Klamath Falls	1,078	367	366	1	-	34	333	-	17	224	147	8	3
Balance of county	14	657	644	11	1	55	600	2	7	96	204	21	13
Lake	180	185	184	-	-	14	171	-	1	58	62	5	4
Lane	3,794	3,681	3,653	16	-	207	3,470	4	47	973	965	77	59
Eugene	2,735	964	958	4	-	50	913	1	22	549	300	14	12
Springfield	366	324	320	1	-	17	307	-	5	69	90	6	5
Balance of county	693	2,393	2,375	11	-	140	2,250	3	20	355	575	57	42
Lincoln	508	577	576	1	-	30	547	-	11	172	229	10	8
Linn	1,340	1,418	1,405	13	-	69	1,348	1	18	402	459	39	24
Albany	563	282	281	1	-	11	271	-	2	150	114	8	5
Balance of county	777	1,136	1,124	12	-	58	1,077	1	16	252	345	31	19
Malheur	855	601	595	4	-	29	570	2	9	195	169	20	13
Marion	2,723	2,306	2,300	5	-	145	2,160	1	39	1,337	937	53	38
Salem (part)	2,010	764	763	-	-	54	710	-	18	890	412	16	9
Salem (total)	2,010	815	814	-	-	57	758	-	18	899	433	17	9
Balance of county	713	1,542	1,537	5	-	91	1,450	1	21	447	525	37	29
Morrow	162	117	117	-	-	7	110	-	2	44	41	3	3
Multnomah	12,883	10,812	10,772	16	1	835	9,971	6	205	6,045	5,682	274	216
White	12,226	10,167	10,132	13	1	768	9,393	6	185	5,866	5,494	250	197
Nonwhite	657	645	640	3	-	67	578	-	20	179	188	24	19
Portland	12,869	7,556	7,528	11	1	594	6,958	4	192	5,129	4,636	197	158
White	12,212	6,949	6,926	8	1	528	6,417	4	172	4,980	4,463	174	140
Nonwhite	657	607	602	3	-	66	541	-	20	149	173	23	18
Balance of county	14	3,256	3,244	5	-	241	3,013	2	13	916	1,046	77	58
Polk	286	523	518	4	-	44	479	-	11	188	213	6	5
Salem (part)	-	51	51	-	-	3	48	-	-	9	21	1	-
Balance of county	286	472	467	4	-	41	431	-	11	179	192	5	5

See footnotes on p. 183.

Table 19. Live Births by Attendant and Birth Weight; Fetal Deaths; and Total, Infant, and Neonatal Deaths; by Color: United States, Each State and County, and Specified Urban Places, 1955—Continued

(See headnote on p. 83)

AREA AND COLOR	LIVE BIRTHS								FETAL DEATHS	DEATHS			
	By place of occurrence	By place of residence							By place of residence	By place of occurrence	By place of residence		
			Attendant[1]			Birth weight[3]							
	Total births	Total births	Physician in hospital[2]	Physician not in hospital	Midwife	2,500 grams or less	2,501 grams or more	Not stated		Total deaths	Total deaths	Under 1 year	Under 28 days
OREGON—Continued													
Sherman	-	56	56	-	-	7	49	-	2	6	25	2	2
Tillamook	423	480	476	3	-	21	458	1	8	161	178	15	11
Umatilla	933	1,120	1,113	3	-	58	1,060	2	13	425	373	32	21
Pendleton	661	326	325	-	-	17	309	-	5	279	111	6	5
Balance of county	272	794	788	3	-	41	751	2	8	146	262	26	16
Union	399	403	402	1	-	23	378	2	6	183	191	10	6
Wallowa	156	190	190	-	-	16	174	-	2	55	65	1	1
Wasco	684	562	557	1	2	29	533	-	12	222	178	13	7
Washington	808	1,900	1,893	7	-	97	1,802	1	29	451	629	37	28
Wheeler	1	78	76	2	-	4	73	1	1	8	25	1	1
Yamhill	717	686	683	3	-	38	647	1	15	276	319	12	9
PENNSYLVANIA	243,236	242,752	238,213	4,144	105	17,783	224,414	555	4,434	113,281	113,564	5,960	4,638
White	220,721	220,243	216,251	3,751	76	14,528	205,227	488	3,791	105,322	105,595	5,002	3,894
Nonwhite	22,515	22,509	21,962	393	29	3,255	19,187	67	643	7,959	7,969	958	744
Adams	1,130	1,138	1,083	50	-	67	1,069	-	19	445	439	28	21
Allegheny	38,050	35,391	35,162	203	19	2,820	32,491	80	677	16,859	16,002	872	701
White	34,587	31,984	31,810	157	11	2,270	29,644	70	563	15,450	14,602	741	590
Nonwhite	3,463	3,407	3,352	46	8	550	2,847	10	114	1,409	1,400	131	111
Pittsburgh	24,513	20,651	20,561	87	2	1,692	18,935	24	382	9,286	8,277	457	378
White	21,754	18,006	17,941	63	1	1,266	16,721	19	302	8,315	7,212	360	293
Nonwhite	2,759	2,645	2,620	24	1	426	2,214	5	80	971	1,065	97	85
McKeesport	3,296	1,210	1,193	8	9	106	1,101	3	25	885	636	26	20
Mount Lebanon (twp.)[5 6]	1,024	62	62	-	-	3	59	-	4	258	239	8	7
Wilkinsburg	1,568	276	272	4	-	21	255	-	6	451	348	14	12
Bellevue	986	93	92	1	-	10	83	-	5	265	117	3	2
Bethel	1	23	22	1	-	2	21	-	3	34	55	4	4
Braddock	929	280	280	-	-	39	241	-	7	305	197	13	12
White	801	212	212	-	-	18	194	-	3	260	147	7	6
Nonwhite	128	68	68	-	-	21	47	-	4	45	50	6	6
Brentwood	2	20	19	1	-	1	19	-	1	46	83	2	1
Carnegie	1	427	425	2	-	30	397	-	4	72	174	16	15
Clairton	5	406	401	4	1	25	380	1	11	69	157	8	5
White	2	294	292	2	-	15	278	1	5	59	129	3	3
Nonwhite	3	112	109	2	1	10	102	-	6	10	28	5	2
Coraopolis	-	401	400	1	-	33	356	12	10	51	136	11	11
Dormont	1	22	21	1	-	-	22	-	4	65	127	3	3
Duquesne	12	481	471	7	3	56	425	-	15	75	195	17	15
Harrison (twp.)[5 6]	1,835	176	174	2	-	9	166	1	2	381	102	10	9
Homestead	947	330	328	1	-	28	301	1	6	291	145	9	6
White	895	284	282	1	-	23	260	1	5	261	121	6	5
Nonwhite	52	46	46	-	-	5	41	-	1	30	24	3	1
McKees Rocks	3	603	600	3	-	36	566	1	9	71	222	8	5
Munhall	1	206	205	-	-	11	195	-	-	73	167	7	6
North Braddock	3	293	291	1	-	25	267	1	5	62	128	8	7
Shaler (twp.)[5 6]	61	272	271	1	-	12	260	-	3	71	104	4	3
Stowe (twp.)[5 6]	-	13	13	-	-	-	13	-	-	20	56	1	1
Swissvale	1	90	89	-	1	8	82	-	5	80	145	3	1
Turtle Creek	1	363	361	1	-	39	323	1	8	48	132	13	10
West Mifflin	2	151	150	1	-	12	139	-	4	66	115	6	3
Balance of county	2,858	8,542	8,461	76	3	622	7,885	35	158	3,834	3,945	221	165
White	2,716	8,302	8,230	68	3	585	7,683	34	149	3,588	3,818	214	159
Nonwhite	142	240	231	8	-	37	202	1	9	246	127	7	6
Armstrong	1,117	1,805	1,698	103	-	108	1,696	1	40	645	786	42	33
Beaver	3,060	4,477	4,450	24	2	289	4,146	42	84	1,367	1,632	89	70
Aliquippa	8	755	747	6	2	53	689	13	18	118	252	15	11
White	3	621	617	4	-	35	580	6	10	93	205	7	7
Nonwhite	5	134	130	2	2	18	109	7	8	25	47	8	4
Ambridge	-	411	411	-	-	30	367	14	5	74	157	1	1
Beaver Falls	804	539	538	-	-	37	500	2	7	230	204	7	6
Ellwood City (part)	-	6	6	-	-	-	6	-	2	2	4	-	-
Balance of county	2,248	2,766	2,748	18	-	169	2,584	13	52	943	1,015	66	52
Bedford	548	977	905	71	1	66	909	2	13	318	403	23	19
Berks	4,504	5,102	4,948	154	-	296	4,804	2	93	2,927	2,864	120	94
Reading	2,142	2,043	2,023	20	-	142	1,901	-	34	1,193	1,404	45	38
Balance of county	2,362	3,059	2,925	134	-	154	2,903	2	59	1,734	1,460	75	56
Blair	3,530	2,876	2,804	68	1	186	2,688	2	41	1,701	1,573	72	51
Altoona	2,609	1,438	1,425	11	-	116	1,320	2	15	1,068	948	41	32
Balance of county	921	1,438	1,379	57	1	70	1,368	-	26	633	625	31	19
Bradford	1,320	1,303	1,290	12	-	92	1,210	1	22	691	598	22	19
Bucks	4,142	6,716	6,677	37	1	362	6,314	40	88	1,466	1,739	124	92
Bristol	119	460	459	1	-	30	427	3	6	87	134	9	5
Balance of county	4,023	6,256	6,218	36	1	332	5,887	37	82	1,379	1,605	115	87
Butler	1,910	2,386	2,341	42	1	127	2,258	1	38	961	1,007	36	26
Butler	4	541	537	4	-	22	519	-	11	107	237	7	6
Balance of county	1,906	1,845	1,804	38	1	105	1,739	1	27	854	770	29	20
Cambria	4,807	4,643	4,578	61	-	323	4,301	19	81	1,983	1,960	137	109
Johnstown	3,716	2,096	2,087	8	-	155	1,938	3	34	1,146	810	58	49
Balance of county	1,091	2,547	2,491	53	-	168	2,363	16	47	837	1,150	79	60
Cameron	6	207	202	5	-	17	188	2	3	25	60	10	9
Carbon	752	1,035	1,011	24	-	72	963	-	16	578	669	23	15

See footnotes on p. 183.

Table 19. Live Births by Attendant and Birth Weight; Fetal Deaths; and Total, Infant, and Neonatal Deaths; by Color: United States, Each State and County, and Specified Urban Places, 1955—Continued

(See headnote on p. 83)

AREA AND COLOR	LIVE BIRTHS								FETAL DEATHS	DEATHS			
	By place of occurrence	By place of residence							By place of residence	By place of occurrence	By place of residence		
			Attendant[1]			Birth weight[3]							
	Total births	Total births	Physician in hospital[2]	Physician not in hospital	Midwife	2,500 grams or less	2,501 grams or more	Not stated		Total deaths	Total deaths	Under 1 year	Under 28 days
PENNSYLVANIA—Continued													
Centre	2,016	1,632	1,615	14	2	99	1,528	5	34	607	559	34	29
State College	4	351	347	4	-	21	329	1	4	39	75	3	3
Balance of county	2,012	1,281	1,268	10	2	78	1,199	4	30	568	484	31	26
Chester	4,232	4,321	4,252	65	1	324	3,986	11	64	1,802	1,668	95	75
White	3,616	3,819	3,759	58	-	261	3,549	9	48	1,620	1,501	80	66
Nonwhite	616	502	493	7	1	63	437	2	16	182	167	15	9
Coatesville	39	516	515	1	-	40	476	-	3	71	163	10	6
White	1	360	360	-	-	20	340	-	2	47	136	6	5
Nonwhite	38	156	155	1	-	20	136	-	1	24	27	4	1
Phoenixville	641	348	348	-	-	28	319	1	8	185	150	9	8
West Chester	1,447	539	538	1	-	45	493	1	13	372	235	10	8
White	1,228	442	441	1	-	32	409	1	8	326	195	9	7
Nonwhite	219	97	97	-	-	13	84	-	5	46	40	1	1
Balance of county	2,105	2,918	2,851	63	1	211	2,698	9	40	1,174	1,120	66	53
White	1,765	2,688	2,629	57	-	184	2,497	7	31	1,064	1,024	56	46
Nonwhite	340	230	222	6	1	27	201	2	9	110	96	10	7
Clarion	278	853	793	58	-	47	806	-	14	256	372	8	3
Clearfield	1,566	1,735	1,666	64	-	116	1,610	9	26	780	862	43	28
Du Bois	865	264	262	1	-	23	240	1	5	267	156	8	7
Balance of county	701	1,471	1,404	63	-	93	1,370	8	21	513	706	35	21
Clinton	823	829	827	1	-	49	776	4	25	334	389	27	17
Lock Haven	706	259	259	-	-	17	241	1	6	200	151	10	6
Balance of county	117	570	568	1	-	32	535	3	19	134	238	17	11
Columbia	1,113	1,147	1,139	6	1	72	1,075	-	24	540	589	30	17
Berwick	510	297	296	1	-	19	278	-	4	177	159	8	5
Bloomsburg	599	214	213	1	-	16	198	-	5	203	132	5	4
Balance of county	4	636	630	4	1	37	599	-	15	160	298	17	8
Crawford	1,711	1,669	1,639	27	-	123	1,543	3	28	814	843	38	31
Meadville	1,239	384	381	3	-	31	353	-	5	372	227	12	12
Balance of county	472	1,285	1,258	24	-	92	1,190	3	23	442	616	26	19
Cumberland	1,974	2,523	2,487	32	1	159	2,341	23	37	745	940	40	30
Carlisle	1,062	336	333	2	-	20	314	2	5	305	197	4	1
Balance of county	912	2,187	2,154	30	1	139	2,027	21	32	440	743	36	29
Dauphin	6,068	4,705	4,576	121	1	336	4,321	48	96	2,698	2,294	98	79
White	5,550	4,173	4,063	102	1	275	3,859	39	85	2,514	2,110	83	66
Nonwhite	518	532	513	19	-	61	462	9	11	184	184	15	13
Harrisburg	5,412	2,402	2,359	35	1	187	2,191	24	50	1,681	1,277	54	46
White	4,898	2,028	2,001	19	1	138	1,873	17	40	1,549	1,139	41	34
Nonwhite	514	374	358	16	-	49	318	7	10	132	138	13	12
Steelton	3	295	291	4	-	21	272	2	4	84	140	5	5
White	2	196	193	3	-	14	181	1	3	64	106	5	5
Nonwhite	1	99	98	1	-	7	91	1	1	20	34	-	-
Balance of county	653	2,008	1,926	82	-	128	1,858	22	42	933	877	39	28
Delaware	8,323	12,076	11,998	67	7	827	11,230	19	197	3,732	4,328	295	233
White	7,357	10,995	10,964	23	5	690	10,289	16	164	3,424	3,953	252	203
Nonwhite	966	1,081	1,034	44	2	137	941	3	33	308	375	43	30
Chester	2,700	2,068	2,024	37	5	194	1,872	2	51	735	857	67	48
White	1,935	1,364	1,355	4	4	97	1,266	1	25	540	628	39	30
Nonwhite	765	704	669	33	1	97	606	1	26	195	229	28	18
Upper Darby (twp.)[5 6]	1,018	1,837	1,835	2	-	125	1,709	3	23	513	728	34	29
Haverford (twp.)[5 6]	2	1,034	1,033	1	-	52	982	-	12	192	372	18	12
Darby	3,281	347	344	3	-	24	323	-	5	596	166	16	11
White	3,174	309	307	2	-	18	291	-	4	577	142	15	10
Nonwhite	107	38	37	1	-	6	32	-	1	19	24	1	1
Lansdowne	-	297	297	-	-	21	276	-	4	69	185	9	9
Yeadon	-	187	187	-	-	7	180	-	2	176	104	5	4
Balance of county	1,322	6,306	6,278	24	2	404	5,888	14	100	1,451	1,916	146	120
White	1,282	5,998	5,981	14	1	372	5,614	12	95	1,378	1,814	133	110
Nonwhite	40	308	297	10	1	32	274	2	5	73	102	13	10
Elk	954	862	860	2	-	54	805	3	12	326	344	19	18
Erie	6,251	6,111	6,038	71	1	454	5,657	-	116	2,258	2,282	131	107
Erie	5,401	3,544	3,531	11	1	254	3,290	-	78	1,609	1,476	76	64
Balance of county	850	2,567	2,507	60	-	200	2,367	-	38	649	806	55	43
Fayette	3,417	3,628	3,545	69	11	290	3,330	8	70	1,681	1,839	115	85
Connellsville	1,088	326	326	-	-	24	302	-	4	275	158	13	11
Uniontown	1,683	554	549	5	-	46	507	1	11	532	317	16	13
Balance of county	646	2,748	2,670	64	11	220	2,521	7	55	874	1,364	86	61
Forest	3	91	88	3	-	5	86	-	1	44	59	2	1
Franklin	2,211	1,978	1,935	39	1	121	1,853	4	26	808	748	33	22
Chambersburg	1,341	371	370	-	-	25	345	1	3	309	201	10	7
Waynesboro	831	220	216	4	-	15	205	-	2	156	110	3	2
Balance of county	39	1,387	1,349	35	1	81	1,303	3	21	343	437	20	13
Fulton	222	257	252	5	-	18	239	-	3	66	96	5	5
Greene	1,081	801	774	27	-	40	759	2	14	365	393	18	17
Huntingdon	855	880	812	68	-	64	815	1	17	428	454	27	18
Indiana	1,123	1,567	1,530	37	-	88	1,479	-	21	553	708	29	21
Indiana	2	245	243	2	-	16	229	-	4	63	131	3	3
Balance of county	1,121	1,322	1,287	35	-	72	1,250	-	17	490	577	26	18
Jefferson	1,095	966	954	12	-	59	907	-	16	476	555	18	13
Juniata	75	346	272	73	-	26	319	1	9	88	157	6	4
Lackawanna	5,400	4,672	4,629	35	7	357	4,302	13	86	3,123	2,989	115	86
Scranton	4,015	2,387	2,364	20	3	178	2,206	3	32	1,762	1,579	64	53
Carbondale	647	297	296	1	-	23	270	4	10	282	218	5	3
Dunmore	86	343	343	-	-	31	312	-	9	149	217	5	1
Balance of county	652	1,645	1,626	14	4	125	1,514	6	35	930	975	41	29

See footnotes on p. 183.

Table 19. Live Births by Attendant and Birth Weight; Fetal Deaths; and Total, Infant, and Neonatal Deaths, by Color: United States, Each State and County, and Specified Urban Places, 1955—Continued

(See headnote on p. 83)

AREA AND COLOR	LIVE BIRTHS								FETAL DEATHS	DEATHS			
	By place of occurrence	By place of residence							By place of residence	By place of occurrence	By place of residence		
			Attendant[1]			Birth weight[3]							
	Total births	Total births	Physician in hospital[2]	Physician not in hospital	Midwife	2,500 grams or less	2,501 grams or more	Not stated		Total deaths	Total deaths	Under 1 year	Under 28 days
PENNSYLVANIA—Continued													
Lancaster	6,531	6,275	5,766	499	1	395	5,871	9	85	2,452	2,344	125	91
Lancaster	4,207	1,816	1,805	11	-	144	1,670	2	22	976	751	41	33
Columbia	571	283	281	2	-	19	264	-	3	154	139	8	5
Balance of county	1,753	4,176	3,680	486	1	232	3,937	7	60	1,320	1,454	76	53
Lawrence	2,917	2,602	2,572	20	6	170	2,426	6	46	1,064	1,101	49	32
New Castle	2,050	1,248	1,230	12	3	85	1,159	4	18	713	617	30	19
Ellwood City (part)	857	321	320	-	1	23	297	1	5	135	95	3	2
Ellwood City (total)	857	327	326	-	1	23	303	1	7	137	99	3	2
Balance of county	10	1,033	1,022	8	2	62	970	1	23	216	389	16	11
Lebanon	1,842	2,061	1,945	113	-	115	1,942	4	37	917	880	45	34
Lebanon	1,734	800	789	9	-	49	749	2	13	484	395	15	14
Balance of county	108	1,261	1,156	104	-	66	1,193	2	24	433	485	30	20
Lehigh	6,658	4,295	4,229	64	1	295	3,998	2	69	2,718	2,091	97	73
Allentown	4,586	2,120	2,104	14	1	152	1,967	1	37	1,673	1,223	56	43
Bethlehem (part)	2	457	456	1	-	33	424	-	7	59	144	10	8
Balance of county	2,070	1,718	1,669	49	-	110	1,607	1	25	986	724	31	22
Luzerne	6,708	6,672	6,612	56	1	433	6,225	14	131	4,199	4,359	146	120
Wilkes-Barre	3,069	1,365	1,354	11	-	92	1,270	3	22	1,266	967	31	25
Hazleton	1,505	717	715	2	-	54	663	-	11	584	391	14	14
Hanover (twp.)[5 6]	1	86	85	1	-	3	83	-	2	75	120	2	1
Kingston	1,136	400	400	-	-	27	372	1	4	372	253	9	9
Nanticoke	395	258	256	-	-	18	237	3	5	279	254	8	7
Pittston	2	298	296	2	-	19	279	-	5	85	189	8	6
Plains (twp.)[5 6]	-	144	144	-	-	7	137	-	1	254	114	4	4
Plymouth	3	219	215	4	-	18	201	-	3	75	157	4	3
Balance of county	597	3,185	3,147	36	1	195	2,983	7	78	1,209	1,914	66	51
Lycoming	2,707	2,480	2,451	28	-	157	2,320	3	44	1,109	1,146	67	46
Williamsport	2,022	1,114	1,110	4	-	81	1,032	1	20	684	590	31	23
Balance of county	685	1,366	1,341	24	-	76	1,288	2	24	425	556	36	23
McKean	1,112	1,229	1,223	5	-	78	1,146	5	26	511	554	20	16
Bradford	670	315	314	1	-	22	290	3	5	231	224	2	2
Balance of county	442	914	909	4	-	56	856	2	21	280	330	18	14
Mercer	3,348	2,852	2,821	30	-	177	2,670	5	51	1,214	1,193	66	48
Sharon	1,828	720	717	3	-	41	679	-	18	432	294	16	9
Farrell	4	346	342	4	-	31	314	1	6	57	143	7	6
White	3	258	255	3	-	14	243	1	6	44	115	6	6
Nonwhite	1	88	87	1	-	17	71	-	-	13	28	1	-
Balance of county	1,516	1,786	1,762	23	-	105	1,677	4	27	725	756	43	33
Mifflin	1,282	966	882	84	-	82	883	1	19	468	441	16	11
Lewistown	89	350	345	5	-	34	316	-	4	91	170	5	4
Balance of county	1,193	616	537	79	-	48	567	1	15	377	271	11	7
Monroe	924	768	739	29	-	51	714	3	10	477	438	26	20
Montgomery	10,680	9,511	9,445	64	-	642	8,856	13	165	4,453	3,957	191	153
White	10,228	9,146	9,088	56	-	586	8,549	11	153	4,210	3,797	173	141
Nonwhite	452	365	357	8	-	56	307	2	12	243	160	18	12
Abington (twp.)[5 6]	2,620	816	813	2	-	48	767	1	21	613	362	20	14
Lower Merion (twp.)[5 6]	3,092	782	782	-	-	58	722	2	11	961	509	16	15
Norristown	2,368	1,059	1,055	4	-	77	981	1	18	987	432	18	10
Cheltenham (twp.)[5 6]	620	490	489	1	-	46	444	-	4	260	228	8	7
Conshohocken	1	336	334	2	-	32	304	-	3	59	152	7	5
Pottstown	1,534	573	568	5	-	41	532	-	12	381	273	12	12
Balance of county	445	5,455	5,404	50	-	340	5,106	9	96	1,192	2,001	110	90
Montour	957	328	322	6	-	18	310	-	4	519	135	5	2
Northampton	2,050	4,037	3,980	54	1	250	3,784	3	67	1,492	2,061	84	58
Bethlehem (part)	76	1,151	1,133	17	1	71	1,079	1	19	215	580	30	20
Bethlehem (total)	78	1,608	1,589	18	1	104	1,503	1	26	274	724	40	28
Easton	462	1,021	1,009	11	-	66	955	-	18	238	547	17	12
Balance of county	1,512	1,865	1,838	26	-	113	1,750	2	30	1,039	934	37	26
Northumberland	1,538	2,181	2,114	67	-	127	2,045	9	35	1,099	1,316	44	31
Mount Carmel	6	232	224	8	-	18	212	2	4	82	180	7	5
Shamokin	6	519	509	10	-	32	485	2	7	94	242	6	4
Sunbury	788	297	294	3	-	24	273	-	6	281	208	6	6
Balance of county	738	1,133	1,067	46	-	53	1,075	5	18	642	686	25	16
Perry	73	632	557	66	5	37	589	6	8	160	267	11	9
Philadelphia, coextensive with Philadelphia (city)	52,464	45,774	45,253	334	23	4,292	41,413	69	946	24,919	24,371	1,476	1,186
White	38,251	31,568	31,386	130	8	2,231	29,296	41	554	20,284	19,658	842	683
Nonwhite	14,213	14,206	13,867	204	15	2,061	12,117	28	392	4,635	4,713	634	503
Pike	6	168	162	6	-	10	158	-	6	92	133	3	2
Potter	222	367	360	6	-	26	340	1	11	139	201	7	5
Schuylkill	3,462	3,393	3,332	59	1	234	3,149	10	67	2,216	2,375	84	56
Mahanoy City	5	163	158	5	-	17	146	-	4	83	171	3	3
Pottsville	1,926	467	466	1	-	42	425	-	10	662	356	11	7
Shenandoah	3	193	190	3	-	17	173	3	5	95	230	10	7
Tamaqua	1	223	222	1	-	12	211	-	4	51	140	4	3
Balance of county	1,527	2,347	2,296	49	1	146	2,194	7	44	1,325	1,478	56	36
Snyder	44	490	446	43	-	27	462	1	10	170	236	9	5
Somerset	1,533	1,573	1,480	92	-	105	1,463	5	40	791	817	36	29
Sullivan	6	129	123	6	-	6	123	-	5	56	84	4	4
Susquehanna	166	747	715	30	1	71	667	9	20	272	381	24	15
Tioga	897	883	845	36	1	56	826	1	20	430	440	23	20
Union	800	460	452	6	-	28	430	2	8	285	209	18	15

See footnotes on p. 183.

Table 19. Live Births by Attendant and Birth Weight; Fetal Deaths; and Total, Infant, and Neonatal Deaths; by Color: United States, Each State and County, and Specified Urban Places, 1955—Continued

(See headnote on p. 83)

AREA AND COLOR	LIVE BIRTHS								FETAL DEATHS	DEATHS			
	By place of occurrence	By place of residence							By place of residence	By place of occurrence	By place of residence		
			Attendant[1]			Birth weight[3]							
	Total births	Total births	Physician in hospital[2]	Physician not in hospital	Midwife	2,500 grams or less	2,501 grams or more	Not stated		Total deaths	Total deaths	Under 1 year	Under 28 days
PENNSYLVANIA—Continued													
Venango	1,531	1,501	1,489	11	-	106	1,390	5	20	697	702	45	35
Franklin	-	236	236	-	-	22	214	-	6	64	131	4	3
Oil City	995	521	517	4	-	38	483	-	7	324	273	18	15
Balance of county	536	744	736	7	-	46	693	5	7	309	298	23	17
Warren	742	883	876	6	1	61	822	-	15	705	442	19	13
Warren	731	300	300	-	-	24	276	-	8	234	182	7	6
Balance of county	11	583	576	6	1	37	546	-	7	471	260	12	7
Washington	4,549	4,471	4,389	77	1	327	4,136	8	88	1,913	2,026	99	80
Washington	1,746	754	749	4	-	74	678	2	15	477	329	15	14
Canonsburg	659	325	324	-	-	27	296	2	6	166	119	8	7
Donora	-	279	279	-	-	15	264	-	6	47	105	3	3
Balance of county	2,144	3,113	3,037	73	1	211	2,898	4	61	1,223	1,473	73	56
Wayne	295	521	496	23	-	35	481	5	10	364	351	12	9
Westmoreland	5,949	7,255	7,161	83	2	454	6,799	2	138	2,756	3,013	157	125
New Kensington	1,491	734	734	-	-	59	675	-	16	366	264	22	18
Arnold	-	219	219	-	-	7	212	-	2	30	80	3	3
Greensburg	2,118	531	530	1	-	40	491	-	9	500	203	14	12
Jeannette	5	420	415	5	-	26	394	-	7	77	165	9	6
Latrobe	1,328	377	377	-	-	28	349	-	7	305	142	11	9
Monessen	12	364	355	9	-	27	337	-	9	72	166	6	5
Balance of county	995	4,610	4,531	68	2	267	4,341	2	88	1,406	1,993	92	72
Wyoming	337	309	304	5	-	20	289	-	6	157	187	10	8
York	5,239	5,236	4,843	386	2	345	4,883	8	76	1,977	2,113	118	89
York	3,163	1,934	1,861	72	-	171	1,762	1	29	858	809	38	26
Hanover	1,183	491	480	11	-	22	469	-	8	216	181	12	10
Balance of county	893	2,811	2,502	303	2	152	2,652	7	39	903	1,123	68	53
RHODE ISLAND	19,313	17,895	17,810	56	3	1,131	16,069	695	286	8,625	8,697	419	321
White	18,787	17,391	17,308	54	3	1,084	15,620	687	274	8,456	8,528	403	310
Nonwhite	526	504	502	2	-	47	449	8	12	169	169	16	11
Bristol	1	754	752	1	-	30	534	190	7	176	321	7	4
Bristol (town)[5]	1	304	302	1	-	11	200	93	1	77	134	2	1
Balance of county	-	450	450	-	-	19	334	97	6	99	187	5	3
Kent	1,295	2,308	2,300	6	1	105	2,190	13	36	608	892	36	24
Warwick	1,291	1,267	1,265	2	-	69	1,192	6	22	399	502	15	8
West Warwick (town)[5]	2	624	622	2	-	17	605	2	6	100	211	11	9
Balance of county	2	417	413	2	1	19	393	5	8	109	179	10	7
Newport	2,101	1,156	1,150	6	-	72	888	196	20	538	590	48	38
Newport	2,096	674	672	2	-	54	608	12	10	412	366	39	31
Balance of county	5	482	478	4	-	18	280	184	10	126	224	9	7
Providence	14,091	12,342	12,274	42	2	842	11,236	264	206	6,799	6,407	293	226
White	13,706	11,946	11,880	40	2	802	10,887	257	196	6,670	6,286	279	216
Nonwhite	385	396	394	2	-	40	349	7	10	129	121	14	10
Providence	10,340	4,926	4,889	18	1	369	4,479	78	62	3,319	2,906	130	99
Cranston	240	1,185	1,184	1	-	87	1,088	10	26	1,028	545	34	25
Pawtucket	1,404	1,896	1,882	12	-	113	1,710	73	32	801	942	40	30
Woonsocket	1,555	1,056	1,054	2	-	67	971	18	25	565	560	17	15
East Providence (town)[5]	2	831	829	-	-	53	772	6	11	226	359	14	12
Central Falls	541	469	467	2	-	36	417	16	16	192	249	8	7
Cumberland (town)[5]	1	311	310	1	-	26	278	7	6	78	122	7	3
Johnston (town)[5]	1	272	271	-	-	15	256	1	5	52	115	4	3
Lincoln (town)[5]	-	226	226	-	-	12	212	2	4	76	111	11	9
North Providence (town)[5]	3	324	321	2	1	19	302	3	2	197	138	7	6
Balance of county	4	846	841	4	-	45	751	50	17	265	360	21	17
Washington	1,825	1,335	1,334	1	-	82	1,221	32	17	504	487	35	29
Westerly (town)[5]	678	259	259	-	-	12	226	21	2	193	138	6	5
Balance of county	1,147	1,076	1,075	1	-	70	995	11	15	311	349	29	24
SOUTH CAROLINA	63,043	63,583	47,104	4,517	11,665	4,981	56,691	1,911	1,335	18,011	18,152	2,170	1,340
White	34,875	35,483	34,286	945	188	2,433	32,348	702	466	9,925	9,998	895	650
Nonwhite	28,168	28,100	12,818	3,572	11,477	2,548	24,343	1,209	869	8,086	8,154	1,275	690
Abbeville	416	459	374	37	44	38	409	12	9	146	168	16	11
White	218	260	248	11	1	19	235	6	-	80	95	5	4
Nonwhite	198	199	126	26	43	19	174	6	9	66	73	11	7
Aiken	1,411	2,389	2,054	87	244	183	2,129	77	41	460	563	49	29
White	950	1,846	1,803	30	13	125	1,674	47	23	266	356	29	19
Nonwhite	461	543	251	57	231	58	455	30	18	194	207	20	10
Allendale	347	339	155	7	177	19	316	4	6	105	107	9	4
White	119	110	109	-	1	5	104	1	-	40	35	1	1
Nonwhite	228	229	46	7	176	14	212	3	6	65	72	8	3
Anderson	2,581	2,189	1,891	179	119	200	1,966	23	30	772	757	67	39
White	2,036	1,667	1,621	38	8	118	1,544	5	15	583	562	38	22
Nonwhite	545	522	270	141	111	82	422	18	15	189	195	29	17
Anderson	1,939	920	834	56	30	104	812	4	8	472	309	34	22
White	1,620	707	701	4	2	57	649	1	6	362	227	23	16
Nonwhite	319	213	133	52	28	47	163	3	2	110	82	11	6
Balance of county	642	1,269	1,057	123	89	96	1,154	19	22	300	448	33	17
White	416	960	920	34	6	61	895	4	9	221	335	15	6
Nonwhite	226	309	137	89	83	35	259	15	13	79	113	18	11

See footnotes on p. 183.

Table 19. Live Births by Attendant and Birth Weight; Fetal Deaths; and Total, Infant, and Neonatal Deaths; by Color: United States, Each State and County, and Specified Urban Places, 1955—Continued

(See headnote on p. 83)

AREA AND COLOR	LIVE BIRTHS								FETAL DEATHS	DEATHS			
	By place of occurrence	By place of residence							By place of residence	By place of occurrence	By place of residence		
			Attendant[1]			Birth weight[3]							
	Total births	Total births	Physician in hospital[2]	Physician not in hospital	Midwife	2,500 grams or less	2,501 grams or more	Not stated		Total deaths	Total deaths	Under 1 year	Under 28 days
SOUTH CAROLINA—Continued													
Bamberg	488	468	180	40	248	37	423	8	8	125	151	16	12
White	160	148	129	18	1	6	141	1	1	60	73	3	3
Nonwhite	328	320	51	22	247	31	282	7	7	65	78	13	9
Barnwell	404	531	283	67	181	35	490	6	16	94	141	19	14
White	159	275	260	12	3	16	257	2	4	37	73	10	8
Nonwhite	245	256	23	55	178	19	233	4	12	57	68	9	6
Beaufort	1,098	778	364	11	403	56	710	12	18	246	272	39	24
White	500	187	187	-	-	11	173	3	5	74	91	7	7
Nonwhite	598	591	177	11	403	45	537	9	13	172	181	32	17
Berkeley	803	848	356	13	479	54	761	33	25	233	246	27	15
White	193	236	227	4	5	13	217	6	1	75	75	4	2
Nonwhite	610	612	129	9	474	41	544	27	24	158	171	23	13
Calhoun	336	419	83	23	309	33	381	5	14	102	137	23	12
White	-	71	70	1	-	4	67	-	-	12	30	2	1
Nonwhite	336	348	13	22	309	29	314	5	14	90	107	21	11
Charleston	6,397	6,287	5,308	35	940	539	5,714	34	154	1,668	1,591	194	136
White	3,695	3,588	3,556	10	20	268	3,306	14	51	803	753	91	75
Nonwhite	2,702	2,699	1,752	25	920	271	2,408	20	103	865	838	103	61
Charleston	4,279	2,042	1,795	16	228	211	1,821	10	54	1,164	808	75	55
White	2,434	906	900	3	2	78	820	8	19	590	408	34	27
Nonwhite	1,845	1,136	895	13	226	133	1,001	2	35	574	400	41	28
Balance of county	2,118	4,245	3,513	19	712	328	3,893	24	100	504	783	119	81
White	1,261	2,682	2,656	7	18	190	2,486	6	32	213	345	57	48
Nonwhite	857	1,563	857	12	694	138	1,407	18	68	291	438	62	33
Cherokee	829	813	768	40	4	90	714	9	21	264	287	39	26
White	554	552	542	9	-	49	500	3	9	193	213	24	19
Nonwhite	275	261	226	31	4	41	214	6	12	71	74	15	7
Chester	748	811	548	37	224	61	719	31	8	225	262	14	7
White	357	402	395	4	3	33	365	4	1	106	129	7	5
Nonwhite	391	409	153	33	221	28	354	27	7	119	133	7	2
Chesterfield	678	876	702	136	38	86	780	10	27	192	290	41	27
White	258	480	448	32	-	44	435	1	12	96	156	15	11
Nonwhite	420	396	254	104	38	42	345	9	15	96	134	26	16
Clarendon	999	1,020	225	45	750	52	951	17	37	238	247	46	33
White	176	184	150	27	7	9	167	8	3	47	40	3	2
Nonwhite	823	836	75	18	743	43	784	9	34	191	207	43	31
Colleton	778	739	414	47	278	47	676	16	27	259	271	26	13
White	301	270	265	4	1	19	248	3	7	127	129	8	3
Nonwhite	477	469	149	43	277	28	428	13	20	132	142	18	10
Darlington	1,556	1,619	1,351	121	147	185	1,416	18	25	422	517	80	57
White	653	706	686	18	2	56	643	7	9	197	257	26	22
Nonwhite	903	913	665	103	145	129	773	11	16	225	260	54	35
Dillon	946	1,004	726	61	215	94	889	21	18	195	244	46	24
White	357	424	401	11	12	37	379	8	7	90	113	11	4
Nonwhite	589	580	325	50	203	57	510	13	11	105	131	35	20
Dorchester	567	678	315	55	308	44	626	8	18	150	175	22	12
White	155	253	234	10	9	16	235	2	3	66	82	8	6
Nonwhite	412	425	81	45	299	28	391	6	15	84	93	14	6
Edgefield	385	484	153	290	39	33	382	69	11	123	164	16	12
White	62	143	116	27	-	8	130	5	-	42	58	1	1
Nonwhite	323	341	37	263	39	25	252	64	11	81	106	15	11
Fairfield	524	577	261	50	266	26	451	100	24	163	187	18	10
White	139	173	166	7	-	11	133	29	11	71	81	5	5
Nonwhite	385	404	95	43	266	15	318	71	13	92	106	13	5
Florence	2,625	2,406	1,678	348	379	225	2,137	44	51	846	754	140	76
White	1,270	1,079	996	82	-	85	981	13	10	402	337	37	22
Nonwhite	1,355	1,327	682	266	379	140	1,156	31	41	444	417	103	54
Florence	1,901	807	662	47	98	88	709	10	12	591	304	54	26
White	1,094	425	422	3	-	38	383	4	3	306	141	18	11
Nonwhite	807	382	240	44	98	50	326	6	9	285	163	36	15
Balance of county	724	1,599	1,016	301	281	137	1,428	34	39	255	450	86	50
White	176	654	574	79	-	47	598	9	7	96	196	19	11
Nonwhite	548	945	442	222	281	90	830	25	32	159	254	67	39
Georgetown	1,057	1,076	514	116	446	67	962	47	30	265	282	40	23
White	431	448	397	47	4	25	418	5	8	115	121	13	10
Nonwhite	626	628	117	69	442	42	544	42	22	150	161	27	13
Greenville	6,161	5,499	5,191	125	160	405	5,041	53	61	1,304	1,278	126	85
White	4,844	4,287	4,256	23	-	265	3,981	41	48	970	948	83	63
Nonwhite	1,317	1,212	935	102	160	140	1,060	12	13	334	330	43	22
Greenville	3,409	2,216	2,062	40	104	173	2,023	20	21	804	518	48	27
White	2,468	1,543	1,540	3	-	84	1,445	14	16	545	344	32	20
Nonwhite	941	673	522	37	104	89	578	6	5	259	174	16	7
Balance of county	2,752	3,283	3,129	85	56	232	3,018	33	40	500	760	78	58
White	2,376	2,744	2,716	20	-	181	2,536	27	32	425	604	51	43
Nonwhite	376	539	413	65	56	51	482	6	8	75	156	27	15
Greenwood	1,191	1,014	903	51	46	91	916	7	19	357	327	30	18
White	784	629	619	7	1	38	591	-	12	196	180	15	10
Nonwhite	407	385	284	44	45	53	325	7	7	161	147	15	8
Greenwood	1,037	416	396	10	10	34	379	3	5	253	140	11	6
White	714	260	260	-	-	14	246	-	4	146	83	7	5
Nonwhite	323	156	136	10	10	20	133	3	1	107	57	4	1
Balance of county	154	598	507	41	36	57	537	4	14	104	187	19	12
White	70	369	359	7	1	24	345	-	8	50	97	8	5
Nonwhite	84	229	148	34	35	33	192	4	6	54	90	11	7

See footnotes on p. 183.

Table 19. Live Births by Attendant and Birth Weight; Fetal Deaths; and Total, Infant, and Neonatal Deaths; by Color: United States, Each State and County, and Specified Urban Places, 1955—Continued

(See headnote on p. 83)

AREA AND COLOR	LIVE BIRTHS								FETAL DEATHS	DEATHS			
	By place of occurrence	By place of residence							By place of residence	By place of occurrence	By place of residence		
			Attendant[1]			Birth weight[3]							
	Total births	Total births	Physician in hospital[2]	Physician not in hospital	Midwife	2,500 grams or less	2,501 grams or more	Not stated		Total deaths	Total deaths	Under 1 year	Under 28 days
SOUTH CAROLINA—Continued													
Hampton	537	513	323	61	129	32	463	18	8	162	178	21	14
White	177	185	181	4	-	11	167	7	1	61	76	6	5
Nonwhite	360	328	142	57	129	21	296	11	7	101	102	15	9
Horry	1,889	1,907	1,541	74	292	139	1,716	52	54	432	437	76	45
White	1,169	1,186	1,164	15	7	70	1,098	18	20	304	301	41	28
Nonwhite	720	721	377	59	285	69	618	34	34	128	136	35	17
Jasper	248	290	165	18	106	25	264	1	7	131	130	9	6
White	74	84	84	-	-	9	75	-	1	50	43	2	2
Nonwhite	174	206	81	18	106	16	189	1	6	81	87	7	4
Kershaw	818	862	526	179	156	48	745	69	26	249	272	34	20
White	405	447	434	8	5	26	407	14	9	128	142	15	11
Nonwhite	413	415	92	171	151	22	338	55	17	121	130	19	9
Lancaster	865	910	819	55	36	93	800	17	19	242	274	31	22
White	562	609	601	6	2	55	547	7	12	162	190	20	18
Nonwhite	303	301	218	49	34	38	253	10	7	80	84	11	4
Laurens	809	970	683	55	232	80	881	9	25	352	381	29	16
White	458	582	561	19	2	42	537	3	8	223	241	18	11
Nonwhite	351	388	122	36	230	38	344	6	17	129	140	11	5
Lee	610	679	276	66	335	49	616	14	19	171	192	31	17
White	107	156	153	2	1	9	139	8	1	58	63	5	4
Nonwhite	503	523	123	64	334	40	477	6	18	113	129	26	13
Lexington	407	1,512	1,183	203	97	133	1,348	31	35	263	407	53	33
White	171	1,174	1,075	83	2	100	1,067	7	16	181	302	33	25
Nonwhite	236	338	108	120	95	33	281	24	19	82	105	20	8
McCormick	236	258	46	146	1	16	241	1	14	70	94	15	7
White	46	73	37	19	-	3	70	-	3	11	25	-	-
Nonwhite	190	185	9	127	1	13	171	1	11	59	69	15	7
Marion	1,404	1,034	719	145	170	82	934	18	17	344	314	50	30
White	626	377	370	4	3	18	357	2	2	149	137	14	10
Nonwhite	778	657	349	141	167	64	577	16	15	195	177	36	20
Marlboro	883	840	457	257	126	51	774	15	19	339	333	53	31
White	402	362	307	49	6	26	333	3	5	169	164	16	9
Nonwhite	481	478	150	208	120	25	441	12	14	170	169	37	22
Newberry	702	647	446	33	168	44	590	13	8	247	288	18	13
White	407	348	347	-	1	22	325	1	2	170	194	11	8
Nonwhite	295	299	99	33	167	22	265	12	6	77	94	7	5
Oconee	796	909	859	7	43	66	797	46	15	232	260	24	14
White	701	807	766	2	39	57	715	35	7	196	221	17	9
Nonwhite	95	102	93	5	4	9	82	11	8	36	39	7	5
Orangeburg	2,168	2,050	761	309	925	135	1,869	46	49	610	625	73	41
White	681	550	500	31	7	34	501	15	6	226	224	13	11
Nonwhite	1,487	1,500	261	278	918	101	1,368	31	43	384	401	60	30
Orangeburg	959	408	277	16	115	23	375	10	7	306	138	12	9
White	605	207	205	1	1	10	190	7	2	145	65	6	6
Nonwhite	354	201	72	15	114	13	185	3	5	161	73	6	3
Balance of county	1,209	1,642	484	293	810	112	1,494	36	42	304	487	61	32
White	76	343	295	30	6	24	311	8	4	81	159	7	5
Nonwhite	1,133	1,299	189	263	804	88	1,183	28	38	223	328	54	27
Pickens	383	954	842	106	5	72	850	32	13	215	287	26	19
White	324	854	785	67	1	61	763	30	10	182	245	24	18
Nonwhite	59	100	57	39	4	11	87	2	3	33	42	2	1
Richland	6,266	5,021	4,480	108	425	452	4,468	101	102	2,156	1,267	139	92
White	4,095	2,993	2,972	13	5	215	2,750	28	36	1,322	735	66	50
Nonwhite	2,171	2,028	1,508	95	420	237	1,718	73	66	834	532	73	42
Columbia	4,674	2,560	2,417	37	102	253	2,270	37	66	1,438	823	76	52
White	3,099	1,509	1,500	4	3	123	1,378	8	27	1,008	478	37	30
Nonwhite	1,575	1,051	917	33	99	130	892	29	39	430	345	39	22
Balance of county	1,592	2,461	2,063	71	323	199	2,198	64	36	718	444	63	40
White	996	1,484	1,472	9	2	92	1,372	20	9	314	257	29	20
Nonwhite	596	977	591	62	321	107	826	44	27	404	187	34	20
Saluda	257	410	178	138	94	32	372	6	7	91	118	7	3
White	71	210	163	42	5	11	197	2	1	40	62	2	1
Nonwhite	186	200	15	96	89	21	175	4	6	51	56	5	2
Spartanburg	3,425	3,638	3,248	347	37	234	3,114	290	54	1,084	1,128	116	82
White	2,447	2,601	2,517	82	-	142	2,327	132	38	784	814	69	54
Nonwhite	978	1,037	731	265	37	92	787	158	16	300	314	47	28
Spartanburg	2,865	952	865	83	4	73	797	82	16	726	353	38	30
White	2,113	558	553	5	-	34	497	27	9	509	209	20	17
Nonwhite	752	394	312	78	4	39	300	55	7	217	144	18	13
Balance of county	560	2,686	2,383	264	33	161	2,317	208	38	358	775	78	52
White	334	2,043	1,964	77	-	108	1,830	105	29	275	605	49	37
Nonwhite	226	643	419	187	33	53	487	103	9	83	170	29	15
Sumter	2,563	2,449	1,696	52	634	139	1,893	417	53	535	565	90	47
White	1,336	1,237	1,225	9	3	80	998	159	15	177	208	26	18
Nonwhite	1,227	1,212	471	43	631	59	895	258	38	358	357	64	29
Sumter	981	1,017	999	3	15	74	751	192	17	179	163	21	17
White	618	767	765	2	-	54	614	99	8	87	100	13	10
Nonwhite	363	250	234	1	15	20	137	93	9	92	63	8	7
Balance of county	1,582	1,432	697	49	619	65	1,142	225	36	356	402	69	30
White	718	470	460	7	3	26	384	60	7	90	108	13	8
Nonwhite	864	962	237	42	616	39	758	165	29	266	294	56	22
Union	821	796	685	38	73	60	730	6	8	206	216	13	9
White	548	525	523	2	-	40	482	3	5	138	145	10	7
Nonwhite	273	271	162	36	73	20	248	3	3	68	71	3	2

See footnotes on p. 183.

Table 19. Live Births by Attendant and Birth Weight; Fetal Deaths; and Total, Infant, and Neonatal Deaths; by Color: United States, Each State and County, and Specified Urban Places, 1955—Continued

(See headnote on p. 83)

AREA AND COLOR	LIVE BIRTHS								FETAL DEATHS	DEATHS			
	By place of occurrence	By place of residence							By place of residence	By place of occurrence	By place of residence		
			Attendant[1]			Birth weight[3]							
	Total births	Total births	Physician in hospital[2]	Physician not in hospital	Midwife	2,500 grams or less	2,501 grams or more	Not stated		Total deaths	Total deaths	Under 1 year	Under 28 days
SOUTH CAROLINA—Continued													
Williamsburg	1,479	1,485	412	86	987	109	1,348	28	37	334	365	54	26
White	362	356	299	53	4	27	325	4	4	93	110	6	4
Nonwhite	1,117	1,129	113	33	983	82	1,023	24	33	241	255	48	22
York	2,152	2,126	1,962	13	150	190	1,919	17	48	592	603	65	34
White	1,335	1,349	1,341	3	4	95	1,244	10	24	353	369	35	22
Nonwhite	817	777	621	10	146	95	675	7	24	239	234	30	12
Rock Hill	441	870	828	2	40	73	787	10	15	158	233	22	14
White	234	593	593	-	-	35	552	6	8	89	134	12	10
Nonwhite	207	277	235	2	40	38	235	4	7	69	99	10	4
Balance of county	1,711	1,256	1,134	11	110	117	1,132	7	33	434	370	43	20
White	1,101	756	748	3	4	60	692	4	16	264	235	23	12
Nonwhite	610	500	386	8	106	57	440	3	17	170	135	20	8
SOUTH DAKOTA	18,646	18,634	18,373	144	84	1,111	17,455	68	307	5,856	5,930	487	335
White	17,799	17,725	17,508	139	60	1,058	16,631	36	281	5,597	5,637	409	306
Nonwhite	847	909	865	5	24	53	824	32	26	259	293	78	29
Armstrong	-	5	5	-	-	-	5	-	-	-	-	-	-
White	-	4	4	-	-	-	4	-	-	-	-	-	-
Nonwhite	-	1	1	-	-	-	1	-	-	-	-	-	-
Aurora	3	139	137	2	-	4	135	-	1	18	41	3	2
Beadle	841	568	553	6	8	36	531	1	25	245	209	18	10
Huron	827	371	370	1	-	30	341	-	17	221	142	15	9
Balance of county	14	197	183	5	8	6	190	1	8	24	67	3	1
Bennett	76	81	78	-	3	4	74	3	1	17	28	3	2
White	72	70	70	-	-	3	67	-	1	10	18	1	1
Nonwhite	4	11	8	-	3	1	7	3	-	7	10	2	1
Bon Homme	157	197	192	3	2	8	189	-	7	64	88	7	5
Brookings	465	464	463	1	-	20	443	1	8	133	150	8	7
Brown	1,038	898	895	3	-	45	853	-	16	305	298	21	14
Aberdeen	1,037	600	599	1	-	33	567	-	8	275	211	17	11
Balance of county	1	298	296	2	-	12	286	-	8	30	87	4	3
Brule	194	180	178	1	-	12	168	-	4	61	71	2	2
Buffalo	-	59	59	-	-	1	58	-	2	1	9	2	-
White	-	23	23	-	-	-	23	-	-	-	3	-	-
Nonwhite	-	36	36	-	-	1	35	-	2	1	6	2	-
Butte	292	224	224	-	-	14	210	-	1	85	98	13	10
Campbell	2	97	95	2	-	5	92	-	-	13	30	1	1
Charles Mix	429	406	400	2	3	22	381	3	18	108	120	14	7
Clark	7	174	172	2	-	4	169	1	7	38	84	6	5
Clay	229	245	243	2	-	11	233	1	1	89	99	4	4
Codington	811	536	536	-	-	21	515	-	6	203	167	18	12
Watertown	811	375	375	-	-	18	357	-	5	191	140	15	9
Balance of county	-	161	161	-	-	3	158	-	1	12	27	3	3
Corson	113	204	197	-	1	8	190	6	2	23	50	8	4
White	105	157	152	-	1	6	148	3	1	20	28	2	1
Nonwhite	8	47	45	-	-	2	42	3	1	3	22	6	3
Custer	12	135	124	10	-	13	122	-	-	45	51	5	4
Davison	1,019	467	463	4	-	31	435	1	4	270	157	11	6
Mitchell	1,019	323	321	2	-	23	299	1	2	255	129	10	6
Balance of county	-	144	142	2	-	8	136	-	2	15	28	1	-
Day	260	257	252	3	-	15	241	1	8	90	107	6	3
Deuel	130	159	155	4	-	6	153	-	4	59	74	1	1
Dewey	106	157	153	-	2	5	150	2	4	19	34	6	3
White	23	92	90	-	-	3	89	-	2	6	19	2	1
Nonwhite	83	65	63	-	2	2	61	2	2	13	15	4	2
Douglas	65	136	133	3	-	6	130	-	-	27	45	3	1
Edmunds	144	179	178	1	-	14	164	1	-	41	48	4	3
Fall River	410	280	278	1	1	27	253	-	3	187	135	6	4
Faulk	111	139	139	-	-	8	131	-	-	34	40	1	1
Grant	231	243	243	-	-	10	232	1	8	85	99	7	5
Gregory	199	213	197	16	-	9	204	-	5	59	75	6	4
Haakon	-	95	95	-	-	2	93	-	-	8	34	1	-
Hamlin	35	154	154	-	-	10	144	-	-	45	58	2	2
Hand	161	198	193	3	2	16	181	1	2	49	52	3	1
Hanson	10	130	119	-	11	5	125	-	1	14	31	1	1
Harding	4	65	63	2	-	6	58	1	2	11	20	4	3
Hughes	564	350	346	3	-	27	322	1	2	140	76	17	14
Hutchinson	339	273	260	2	11	11	261	1	3	78	97	7	5
Hyde	1	72	71	1	-	10	62	-	-	16	34	4	2
Jackson	115	64	64	-	-	4	60	-	-	19	15	2	2
Jerauld	123	105	105	-	-	5	100	-	2	36	44	3	3
Jones	48	66	66	-	-	4	62	-	1	10	21	1	1
Kingsbury	142	251	250	-	1	13	238	-	3	67	91	2	2
Lake	350	279	275	1	3	8	271	-	8	114	117	4	4
Lawrence	561	473	471	2	-	40	431	2	9	171	179	10	9
Lincoln	236	267	263	3	-	7	260	-	2	104	115	4	3
Lyman	3	135	132	-	2	9	124	2	3	11	35	4	1
McCook	4	237	234	3	-	5	232	-	1	39	77	3	1
McPherson	164	147	146	1	-	6	141	-	2	59	50	4	4
Marshall	247	177	176	1	-	6	171	-	6	53	49	4	3
Meade	987	292	287	5	-	25	267	-	7	121	104	14	11

See footnotes on p. 183.

Table 19. Live Births by Attendant and Birth Weight; Fetal Deaths; and Total, Infant, and Neonatal Deaths; by Color: United States, Each State and County, and Specified Urban Places, 1955—Continued

(See headnote on p. 83)

AREA AND COLOR	LIVE BIRTHS								FETAL DEATHS	DEATHS			
	By place of occurrence	By place of residence							By place of residence	By place of occurrence	By place of residence		
			Attendant[1]			Birth weight[3]							
	Total births	Total births	Physician in hospital[2]	Physician not in hospital	Midwife	2,500 grams or less	2,501 grams or more	Not stated		Total deaths	Total deaths	Under 1 year	Under 28 days
SOUTH DAKOTA—Continued													
Mellette	3	78	75	1	1	7	70	1	1	20	25	1	-
White	1	53	52	1	-	6	47	-	1	11	15	1	-
Nonwhite	2	25	23	-	1	1	23	1	-	9	10	-	-
Miner	-	129	127	2	-	7	122	-	2	26	52	2	2
Minnehaha	2,956	2,305	2,295	9	-	132	2,171	2	29	885	682	50	35
Sioux Falls	2,780	1,836	1,829	6	-	114	1,720	2	25	777	529	42	30
Balance of county	176	469	466	3	-	18	451	-	4	108	153	8	5
Moody	117	222	221	1	-	10	211	1	5	68	100	2	2
Pennington	1,431	2,030	2,020	8	1	196	1,832	2	35	346	327	60	49
Rapid City	1,346	1,576	1,571	3	1	149	1,425	2	30	298	263	52	43
Balance of county	85	454	449	5	-	47	407	-	5	48	64	8	6
Perkins	189	164	163	-	-	5	159	-	1	61	67	-	-
Potter	185	151	145	6	-	11	140	-	1	33	35	5	4
Roberts	273	390	383	5	-	25	360	5	8	116	127	14	8
Sanborn	-	143	143	-	-	11	132	-	1	16	55	4	3
Shannon	187	206	192	1	12	6	187	13	4	61	76	25	9
White	2	19	19	-	-	3	16	-	-	3	9	3	2
Nonwhite	185	187	173	1	12	3	171	13	4	58	67	22	7
Spink	182	277	264	2	11	17	257	3	1	121	110	5	5
Stanley	4	91	89	2	-	4	87	-	-	12	14	-	-
Sully	50	87	85	2	-	5	82	-	2	9	20	1	-
Todd	123	140	134	-	1	10	124	6	4	30	51	10	5
White	2	47	47	-	-	5	39	3	1	5	22	1	1
Nonwhite	121	93	87	-	1	5	85	3	3	25	29	9	4
Tripp	273	240	233	4	-	13	226	1	4	64	76	9	6
Turner	70	285	280	5	-	19	266	-	6	58	84	-	-
Union	-	264	262	2	-	14	248	2	-	28	83	8	6
Walworth	309	196	195	-	-	10	186	-	7	63	66	3	2
Washabaugh	1	27	26	-	1	3	23	1	-	8	11	2	-
White	-	21	21	-	-	3	18	-	-	6	3	-	-
Nonwhite	1	6	5	-	1	-	5	1	-	2	8	2	-
Yankton	830	456	449	1	6	23	432	1	7	343	153	8	7
Ziebach	5	81	80	-	1	5	76	-	-	4	10	-	-
White	2	51	51	-	-	4	47	-	-	2	5	-	-
Nonwhite	3	30	29	-	1	1	29	-	-	2	5	-	-
TENNESSEE	85,951	85,037	77,205	4,466	2,975	6,728	77,905	404	1,510	30,123	29,013	2,485	1,684
White	67,833	67,001	63,267	2,629	834	4,571	62,133	297	1,032	23,473	22,566	1,737	1,221
Nonwhite	18,118	18,036	13,938	1,837	2,141	2,157	15,772	107	478	6,650	6,447	748	463
Anderson	1,412	1,829	1,674	143	10	135	1,691	3	29	299	324	47	35
Bedford	516	490	436	49	5	33	455	2	9	213	236	14	7
White	442	421	412	8	1	26	394	1	8	167	187	9	6
Nonwhite	74	69	24	41	4	7	61	1	1	46	49	5	1
Benton	104	175	166	2	7	13	160	2	3	82	105	3	2
Bledsoe	221	203	152	39	11	13	187	3	3	67	62	10	6
Blount	1,344	1,461	1,429	13	15	87	1,364	10	27	332	374	38	26
Bradley	990	914	888	10	16	59	855	-	22	280	287	28	17
Cleveland	986	532	513	6	13	36	496	-	11	208	167	15	8
Balance of county	4	382	375	4	3	23	359	-	11	72	120	13	9
Campbell	1,274	835	740	77	18	82	750	3	24	303	263	35	23
Cannon	131	138	136	1	1	7	130	1	1	61	74	4	3
Carroll	433	458	409	24	25	21	433	4	7	208	241	8	5
White	363	389	381	8	-	19	369	1	5	175	212	6	3
Nonwhite	70	69	28	16	25	2	64	3	2	33	29	2	2
Carter	812	901	848	24	24	81	819	1	17	252	295	17	11
Elizabethton	762	216	212	1	3	25	191	-	6	144	81	7	5
Balance of county	50	685	636	23	21	56	628	1	11	108	214	10	6
Cheatham	97	179	177	2	-	7	172	-	3	46	70	2	-
Chester	178	212	150	47	14	11	200	1	4	67	82	8	7
White	149	184	141	32	10	8	175	1	3	60	72	5	5
Nonwhite	29	28	9	15	4	3	25	-	1	7	10	3	2
Claiborne	145	486	392	22	43	45	424	17	6	119	185	18	10
Clay	83	153	73	74	5	12	140	1	3	42	58	1	1
Cocke	604	561	417	94	40	37	517	7	12	185	215	22	11
Coffee	617	649	634	11	4	54	590	5	13	213	242	31	24
Crockett	275	339	167	151	16	19	314	6	3	110	142	13	5
White	150	217	149	66	1	10	204	3	1	80	108	7	4
Nonwhite	125	122	18	85	15	9	110	3	2	30	34	6	1
Cumberland	465	461	339	62	59	29	426	6	4	156	138	17	9
Davidson	9,400	9,182	9,103	69	5	768	8,385	29	143	3,874	3,139	254	180
White	7,325	7,122	7,100	15	3	470	6,631	21	91	2,853	2,230	160	114
Nonwhite	2,075	2,060	2,003	54	2	298	1,754	8	52	1,021	909	94	66
Nashville	8,573	4,900	4,841	52	4	502	4,379	19	95	2,734	2,159	172	122
White	6,698	3,093	3,081	8	2	237	2,845	11	50	1,927	1,363	89	64
Nonwhite	1,875	1,807	1,760	44	2	265	1,534	8	45	807	796	83	58
Balance of county	827	4,282	4,262	17	1	266	4,006	10	48	1,140	980	82	58
Decatur	86	154	107	27	4	10	141	3	1	52	63	3	1
De Kalb	141	221	198	16	7	6	214	1	4	73	90	4	2
Dickson	419	354	341	9	3	22	331	1	7	172	191	15	11

See footnotes on p. 183.

Table 19. Live Births by Attendant and Birth Weight; Fetal Deaths; and Total, Infant, and Neonatal Deaths; by Color: United States, Each State and County, and Specified Urban Places, 1955—Continued

(See headnote on p. 83)

AREA AND COLOR	LIVE BIRTHS								FETAL DEATHS	DEATHS			
	By place of occurrence	By place of residence							By place of residence	By place of occurrence	By place of residence		
			Attendant[1]			Birth weight[3]							
	Total births	Total births	Physician in hospital[2]	Physician not in hospital	Midwife	2,500 grams or less	2,501 grams or more	Not stated		Total deaths	Total deaths	Under 1 year	Under 28 days
TENNESSEE—Continued													
Dyer	723	709	556	140	12	59	648	2	16	267	290	22	14
White	589	577	523	50	3	46	530	1	12	207	227	13	9
Nonwhite	134	132	33	90	9	13	118	1	4	60	63	9	5
Dyersburg	626	290	230	59	-	22	267	1	5	150	130	11	5
White	537	212	206	5	-	14	198	-	3	109	92	4	2
Nonwhite	89	78	24	54	-	8	69	1	2	41	38	7	3
Balance of county	97	419	326	81	12	37	381	1	11	117	160	11	9
Fayette	859	842	285	35	504	62	776	4	17	164	202	22	11
White	209	188	172	10	6	6	181	1	3	55	69	5	3
Nonwhite	650	654	113	25	498	56	595	3	14	109	133	17	8
Fentress	250	348	330	10	8	31	315	2	6	55	97	11	7
Franklin	614	571	534	14	21	34	534	3	4	201	217	16	10
Gibson	1,133	1,041	874	114	51	74	955	12	11	376	422	38	27
White	825	744	720	24	-	48	695	1	5	293	326	22	18
Nonwhite	308	297	154	90	51	26	260	11	6	83	96	16	9
Giles	437	445	366	43	25	22	416	7	10	213	240	15	9
White	329	342	327	7	6	21	319	2	4	164	188	9	5
Nonwhite	108	103	39	36	19	1	97	5	6	49	52	6	4
Grainger	67	242	177	53	9	13	226	3	3	85	112	12	6
Greene	1,006	869	811	22	34	60	804	5	19	341	309	22	18
Grundy	197	306	295	2	8	13	291	2	8	80	105	6	3
Hamblen	637	631	615	11	4	54	575	2	10	177	199	15	8
Morristown	628	346	339	4	3	37	307	2	6	128	107	10	5
White	588	314	310	3	1	28	284	2	5	113	93	9	5
Nonwhite	40	32	29	1	2	9	23	-	1	15	14	1	-
Balance of county	9	285	276	7	1	17	268	-	4	49	92	5	3
Hamilton	6,586	6,154	5,921	188	37	513	5,596	45	92	2,255	2,063	174	117
White	5,148	4,728	4,579	133	10	329	4,377	22	55	1,621	1,425	107	77
Nonwhite	1,438	1,426	1,342	55	27	184	1,219	23	37	634	638	67	40
Chattanooga	6,331	3,553	3,441	81	27	353	3,161	39	63	1,881	1,474	116	82
White	4,903	2,220	2,183	32	3	178	2,026	16	28	1,293	868	55	44
Nonwhite	1,428	1,333	1,258	49	24	175	1,135	23	35	588	606	61	38
Balance of county	255	2,601	2,480	107	10	160	2,435	6	29	374	589	58	35
Hancock	153	171	99	18	26	12	156	3	5	60	70	5	4
Hardeman	446	501	248	128	119	36	457	8	10	261	181	14	11
White	163	235	191	42	1	16	216	3	9	170	118	6	5
Nonwhite	283	266	57	86	118	20	241	5	1	91	63	8	6
Hardin	332	321	297	13	9	20	300	1	6	106	115	7	5
Hawkins	423	759	548	175	21	43	712	4	20	146	226	17	10
Haywood	757	772	192	178	400	50	711	11	7	211	216	34	18
White	178	188	147	37	3	12	173	3	3	87	67	11	4
Nonwhite	579	584	45	141	397	38	538	8	4	124	129	23	14
Henderson	346	358	301	39	12	12	345	1	3	93	126	10	5
Henry	459	426	363	57	5	27	399	-	5	243	231	12	6
White	366	336	330	5	-	20	316	-	3	206	192	6	4
Nonwhite	91	90	33	52	5	7	83	-	2	37	39	6	2
Hickman	89	268	257	5	3	15	252	1	1	92	122	7	3
Houston	110	105	91	3	11	6	97	2	1	40	52	4	3
Humphreys	218	254	243	9	2	18	234	2	1	79	103	7	4
Jackson	226	206	178	4	23	18	187	1	3	94	110	4	2
Jefferson	571	418	378	33	1	23	395	-	4	156	155	11	7
Johnson	209	250	206	25	10	19	231	-	3	51	84	7	5
Knox	6,780	5,924	5,783	102	35	437	5,474	13	100	2,354	1,928	153	120
White	6,187	5,341	5,250	57	31	367	4,963	11	78	2,035	1,610	124	95
Nonwhite	593	583	533	45	4	70	511	2	22	319	318	29	25
Knoxville	6,683	2,964	2,881	61	20	245	2,711	8	62	1,730	1,159	79	64
White	6,094	2,409	2,373	19	16	177	2,226	6	41	1,446	870	51	40
Nonwhite	589	555	508	42	4	68	485	2	21	284	289	28	24
Balance of county	97	2,960	2,902	41	15	192	2,763	5	38	624	769	74	56
Lake	340	354	101	218	35	30	323	1	10	70	82	12	6
White	242	255	97	147	11	19	235	1	7	51	63	6	4
Nonwhite	98	99	4	71	24	11	88	-	3	19	19	6	2
Lauderdale	573	605	307	225	71	69	534	2	10	195	232	23	13
White	295	318	256	62	-	35	283	-	3	117	137	9	7
Nonwhite	278	287	51	163	71	34	251	2	7	78	95	14	6
Lawrence	583	617	582	29	4	43	570	4	9	182	200	15	11
Lewis	380	125	121	3	1	13	112	-	3	58	57	8	7
Lincoln	620	526	482	43	-	39	487	-	15	264	258	20	17
White	490	417	399	18	-	26	391	-	12	216	213	12	10
Nonwhite	130	109	83	25	-	13	96	-	3	48	45	8	7
Loudon	493	559	548	4	5	31	526	2	8	166	207	23	18
McMinn	930	774	768	4	2	51	720	3	18	254	272	22	14
McNairy	273	382	348	9	24	24	358	-	9	114	153	8	7
Macon	266	262	242	15	4	14	247	1	4	108	124	9	5
Madison	1,654	1,471	1,065	66	335	92	1,377	2	22	667	576	29	24
White	1,001	818	794	21	3	49	768	1	11	474	387	13	12
Nonwhite	653	653	271	45	332	43	609	1	11	193	191	16	12
Jackson	1,383	813	673	19	118	45	768	-	15	524	361	16	15
White	986	489	478	9	2	29	460	-	8	391	243	8	8
Nonwhite	397	324	195	10	116	16	308	-	7	133	118	8	7
Balance of county	271	658	392	47	217	47	609	2	7	143	217	13	9
White	15	329	316	12	1	20	308	1	3	83	144	5	4
Nonwhite	256	329	76	35	216	27	301	1	4	60	73	8	5
Marion	341	529	501	11	16	51	475	3	7	121	176	16	8

See footnotes on p. 183.

Table 19. Live Births by Attendant and Birth Weight; Fetal Deaths; and Total, Infant, and Neonatal Deaths; by Color: United States, Each State and County, and Specified Urban Places, 1955—Continued

(See headnote on p. 83)

AREA AND COLOR	LIVE BIRTHS								FETAL DEATHS	DEATHS			
	By place of occurrence	By place of residence							By place of residence	By place of occurrence	By place of residence		
			Attendant[1]			Birth weight[3]							
	Total births	Total births	Physician in hospital[2]	Physician not in hospital	Midwife	2,500 grams or less	2,501 grams or more	Not stated		Total deaths	Total deaths	Under 1 year	Under 28 days
TENNESSEE—Continued													
Marshall	357	355	328	18	9	25	330	-	9	180	187	10	9
White	303	302	290	11	1	17	285	-	8	160	163	8	7
Nonwhite	54	53	38	7	8	8	45	-	1	20	24	2	2
Maury	848	945	718	167	54	65	876	4	12	388	428	26	16
White	621	707	650	37	19	38	668	1	7	292	316	18	11
Nonwhite	227	238	68	130	35	27	208	3	5	96	112	8	5
Columbia	86	364	298	44	22	24	338	2	9	78	170	10	4
White	8	272	264	1	7	13	259	-	5	46	116	6	1
Nonwhite	78	92	34	43	15	11	79	2	4	32	54	4	3
Balance of county	762	581	420	123	32	41	538	2	3	310	258	16	12
White	613	435	386	36	12	25	409	1	2	246	200	12	10
Nonwhite	149	146	34	87	20	16	129	1	1	64	58	4	2
Meigs	13	127	114	1	12	3	124	-	5	22	31	1	1
Monroe	593	586	520	33	32	39	546	1	9	201	202	23	16
Montgomery	997	1,041	812	107	120	79	952	10	28	366	383	41	19
White	755	767	723	33	11	60	702	5	17	254	256	28	15
Nonwhite	242	274	89	74	109	19	250	5	11	112	127	13	4
Clarksville	883	572	456	56	60	44	525	3	16	234	194	26	12
White	726	408	393	13	2	33	373	2	7	160	118	18	11
Nonwhite	157	164	63	43	58	11	152	1	9	74	76	8	1
Balance of county	114	469	356	51	60	35	427	7	12	132	189	15	7
White	29	359	330	20	9	27	329	3	10	94	138	10	4
Nonwhite	85	110	26	31	51	8	98	4	2	38	51	5	3
Moore	4	51	46	3	-	1	49	1	1	33	48	2	1
Morgan	88	327	277	36	12	14	313	-	2	70	105	5	2
Obion	575	521	435	79	7	47	471	3	8	251	255	14	7
White	498	439	394	44	1	31	406	2	5	206	211	10	5
Nonwhite	77	82	41	35	6	16	65	1	3	45	44	4	2
Overton	286	293	253	27	12	25	258	10	6	128	126	5	3
Perry	47	115	97	14	3	12	103	-	3	45	54	8	6
Pickett	39	107	67	37	3	6	101	-	1	21	38	-	-
Polk	321	327	313	6	8	27	293	7	9	82	104	14	10
Putnam	730	585	555	8	19	32	552	1	7	215	222	9	7
Rhea	244	417	323	42	19	35	380	2	15	120	157	11	9
Roane	1,390	1,015	978	27	7	86	927	2	11	278	253	29	16
Robertson	448	525	457	65	2	46	475	4	10	206	260	10	7
White	332	405	390	15	-	31	372	2	8	169	210	7	4
Nonwhite	116	120	67	50	2	15	103	2	2	37	50	3	3
Rutherford	1,572	1,417	1,384	10	20	106	1,311	-	25	427	378	30	27
White	1,303	1,172	1,161	5	5	75	1,097	-	22	343	290	25	22
Nonwhite	269	245	223	5	15	31	214	-	3	84	88	5	5
Murfreesboro	947	526	514	4	7	47	479	-	5	247	155	7	7
White	742	419	416	3	-	32	387	-	4	189	104	4	4
Nonwhite	205	107	98	1	7	15	92	-	1	58	51	3	3
Balance of county	625	891	870	6	13	59	832	-	20	180	223	23	20
White	561	753	745	2	5	43	710	-	18	154	186	21	18
Nonwhite	64	138	125	4	8	16	122	-	2	26	37	2	2
Scott	495	424	387	12	22	24	398	2	5	110	134	10	5
Sequatchie	119	135	94	35	6	11	124	-	2	45	53	12	11
Sevier	498	587	544	6	18	24	558	5	8	149	187	25	17
Shelby	17,259	16,309	16,038	173	86	1,682	14,613	14	355	5,698	4,772	485	344
White	9,701	8,854	8,830	20	3	678	8,166	10	135	3,215	2,529	202	163
Nonwhite	7,558	7,455	7,208	153	83	1,004	6,447	4	220	2,483	2,243	283	181
Memphis	15,962	12,575	12,423	136	11	1,329	11,232	14	279	5,103	4,039	386	278
White	8,632	6,688	6,673	12	2	519	6,159	10	109	2,907	2,175	152	124
Nonwhite	7,330	5,887	5,750	124	9	810	5,073	4	170	2,196	1,864	234	154
Balance of county	1,297	3,734	3,615	37	75	353	3,381	-	76	595	733	99	66
White	1,069	2,166	2,157	8	1	159	2,007	-	26	308	354	50	39
Nonwhite	228	1,568	1,458	29	74	194	1,374	-	50	287	379	49	27
Smith	278	259	248	11	-	20	236	3	4	110	138	15	11
Stewart	69	179	110	67	2	8	169	2	4	64	80	4	2
Sullivan	3,008	2,627	2,503	109	13	209	2,404	14	40	835	715	76	61
Bristol[9]	649	487	474	13	-	31	448	8	5	310	211	15	13
Kingsport	2,266	738	718	20	-	62	675	1	7	344	144	25	21
Balance of county	93	1,402	1,311	76	13	116	1,281	5	28	181	360	36	27
Sumner	648	742	708	25	6	47	692	3	9	241	288	23	12
White	525	614	600	11	2	29	583	2	8	198	238	17	8
Nonwhite	123	128	108	14	4	18	109	1	1	43	50	6	4
Tipton	664	784	502	106	163	50	732	2	15	178	258	33	18
White	289	400	356	38	2	27	372	1	8	85	137	11	8
Nonwhite	375	384	146	68	161	23	360	1	7	93	121	22	10
Trousdale	125	115	95	20	-	7	107	1	1	38	41	3	2
White	95	86	72	14	-	2	83	1	1	26	28	1	1
Nonwhite	30	29	23	6	-	5	24	-	-	12	13	2	1
Unicoi	329	361	343	13	5	20	335	6	6	80	98	7	4
Union	50	241	192	15	15	26	210	5	4	28	57	7	3
Van Buren	68	88	81	3	3	6	81	1	1	13	19	2	2
Warren	602	508	488	3	16	27	477	4	11	231	241	23	11
Washington	1,524	1,425	1,321	86	13	106	1,289	30	26	779	524	33	20
Johnson City	1,444	657	632	22	1	59	593	5	11	614	274	15	8
Balance of county	80	768	689	64	12	47	696	25	15	165	250	18	12
Wayne	114	246	224	5	17	18	226	2	7	51	80	5	3
Weakley	249	366	338	24	2	25	339	2	9	215	280	15	11
White	294	324	297	12	10	24	298	2	2	143	149	11	10

See footnotes on p. 183.

430007 O -57 -18

Table 19. Live Births by Attendant and Birth Weight; Fetal Deaths; and Total, Infant, and Neonatal Deaths; by Color: United States, Each State and County, and Specified Urban Places, 1955—Continued

(See headnote on p. 83)

AREA AND COLOR	LIVE BIRTHS								FETAL DEATHS	DEATHS			
	By place of occurrence	By place of residence							By place of residence	By place of occurrence	By place of residence		
			Attendant[1]			Birth weight[3]							
	Total births	Total births	Physician in hospital[2]	Physician not in hospital	Midwife	2,500 grams or less	2,501 grams or more	Not stated		Total deaths	Total deaths	Under 1 year	Under 28 days
TENNESSEE—Continued													
Williamson	527	549	528	13	5	33	516	-	8	199	218	13	8
White	372	398	391	5	2	21	377	-	3	162	173	10	6
Nonwhite	155	151	137	8	3	12	139	-	5	37	45	3	2
Wilson	649	564	498	34	15	34	527	3	7	278	260	23	14
White	562	471	451	14	1	27	442	2	2	239	215	17	14
Nonwhite	87	93	47	20	14	7	85	1	5	39	45	6	-
TEXAS	239,362	239,873	213,765	10,216	14,451	17,825	217,741	4,307	3,895	65,637	65,417	7,278	4,796
White	205,813	206,078	186,814	8,312	9,819	13,965	189,025	3,088	2,996	55,043	54,795	5,833	3,908
Nonwhite	33,549	33,795	26,951	1,904	4,632	3,860	28,716	1,219	899	10,594	10,622	1,445	888
Anderson	590	589	464	47	74	40	514	35	6	290	299	18	10
White	358	359	351	4	2	21	333	5	3	208	213	11	7
Nonwhite	232	230	113	43	72	19	181	30	3	82	86	7	3
Palestine	522	290	234	30	23	22	255	13	3	219	154	11	6
White	353	178	177	-	-	12	164	2	2	166	113	8	5
Nonwhite	169	112	57	30	23	10	91	11	1	53	41	3	1
Balance of county	68	299	230	17	51	18	259	22	3	71	145	7	4
White	5	181	174	4	2	9	169	3	1	42	100	3	2
Nonwhite	63	118	56	13	49	9	90	19	2	29	45	4	2
Andrews	251	278	277	-	-	28	248	2	2	36	34	12	8
Angelina	937	892	873	4	8	61	814	17	20	283	289	27	17
White	715	678	673	1	1	36	631	11	13	232	233	16	10
Nonwhite	222	214	200	3	7	25	183	6	7	51	56	11	7
Lufkin	912	466	453	2	5	37	419	10	10	225	151	16	12
White	699	299	295	-	1	18	276	5	3	179	107	7	6
Nonwhite	213	167	158	2	4	19	143	5	7	46	44	9	6
Balance of county	25	426	420	2	3	24	395	7	10	58	136	11	5
Aransas	64	160	130	28	1	9	151	-	1	33	47	3	2
Archer	34	149	149	-	-	12	137	-	2	24	39	2	1
Armstrong	-	32	32	-	-	2	30	-	1	17	22	1	-
Atascosa	436	495	378	40	74	29	446	20	6	137	165	17	10
Austin	254	259	227	9	22	19	224	16	4	118	139	5	3
White	199	195	191	2	2	12	181	2	3	92	106	4	3
Nonwhite	55	64	36	7	20	7	43	14	1	26	33	1	-
Bailey	257	240	235	2	1	17	216	7	4	64	53	11	7
Bandera	11	63	61	-	2	7	56	-	2	24	42	3	2
Bastrop	266	323	252	16	53	19	283	21	9	170	208	13	9
White	166	200	190	4	5	12	183	5	2	117	143	6	6
Nonwhite	100	123	62	12	48	7	100	16	7	53	65	7	3
Baylor	115	108	107	-	-	6	100	2	-	44	47	4	4
Bee	664	660	424	140	88	44	564	52	14	154	165	24	12
Bell	3,576	3,171	3,076	58	32	250	2,886	35	41	805	531	74	54
White	3,151	2,760	2,697	36	23	187	2,545	28	33	698	455	59	45
Nonwhite	425	411	379	22	9	63	341	7	8	107	76	15	9
Temple	1,000	892	850	21	19	88	792	12	17	559	241	26	19
White	796	656	638	4	12	48	600	8	11	470	188	14	12
Nonwhite	204	236	212	17	7	40	192	4	6	89	53	12	7
Balance of county	2,576	2,279	2,226	37	13	162	2,094	23	24	246	290	48	35
Bexar	19,308	18,897	16,024	849	1,950	1,384	17,401	112	374	4,804	4,493	606	393
White	17,996	17,568	14,774	791	1,931	1,212	16,251	105	331	4,391	4,087	555	354
Nonwhite	1,312	1,329	1,250	58	19	172	1,150	7	43	413	406	51	39
San Antonio	17,339	17,727	14,989	807	1,864	1,300	16,324	103	345	4,460	4,093	570	363
White	16,123	16,423	13,762	750	1,846	1,132	15,195	96	303	4,060	3,695	519	324
Nonwhite	1,216	1,304	1,227	57	18	168	1,129	7	42	400	398	51	39
Balance of county	1,969	1,170	1,035	42	86	84	1,077	9	29	344	400	36	30
Blanco	47	48	47	1	-	-	47	1	1	38	38	1	1
Borden	19	17	17	-	-	-	17	-	-	2	2	-	-
Bosque	190	143	140	3	-	7	135	1	3	140	136	3	2
Bowie	890	1,430	1,132	64	224	92	1,278	60	23	383	477	31	22
White	611	992	954	26	10	54	914	24	13	244	313	16	13
Nonwhite	279	438	178	38	214	38	364	36	10	139	164	15	9
Texarkana[10]	502	581	482	13	84	44	514	23	9	207	223	12	8
White	400	396	392	2	1	26	358	12	5	127	146	6	5
Nonwhite	102	185	90	11	83	18	156	11	4	80	77	6	3
Balance of county	388	849	650	51	140	48	764	37	14	176	254	19	14
White	211	596	562	24	9	28	556	12	8	117	167	10	8
Nonwhite	177	253	88	27	131	20	208	25	6	59	87	9	6
Brazoria	1,310	1,876	1,823	13	38	132	1,738	6	29	290	383	39	27
White	1,163	1,673	1,649	12	10	113	1,554	6	25	230	308	33	23
Nonwhite	147	203	174	1	28	19	184	-	4	60	75	6	4
Brazos	1,479	1,436	1,214	11	197	91	1,313	32	22	255	281	36	22
White	1,177	1,130	1,078	10	37	61	1,056	13	15	170	184	24	16
Nonwhite	302	306	136	1	160	30	257	19	7	85	97	12	6
Bryan	1,090	885	739	5	132	59	812	14	11	188	180	19	13
White	880	686	650	5	27	36	643	7	8	131	122	12	9
Nonwhite	210	199	89	-	105	23	169	7	3	57	58	7	4
Balance of county	389	551	475	6	65	32	501	18	11	67	101	17	9
White	297	444	428	5	10	25	413	6	7	39	62	12	7
Nonwhite	92	107	47	1	55	7	88	12	4	28	39	5	2
Brewster	169	186	151	10	19	16	158	12	2	45	46	6	4
Briscoe	27	77	71	6	-	7	70	-	-	13	24	7	3
Brooks	271	234	228	1	2	10	216	8	5	57	48	12	6

See footnotes on p. 183.

Table 19. Live Births by Attendant and Birth Weight; Fetal Deaths; and Total, Infant, and Neonatal Deaths; by Color: United States, Each State and County, and Specified Urban Places, 1955—Continued

(See headnote on p. 83)

AREA AND COLOR	LIVE BIRTHS								FETAL DEATHS	DEATHS			
	By place of occurrence	By place of residence							By place of residence	By place of occurrence	By place of residence		
			Attendant[1]			Birth weight[3]							
	Total births	Total births	Physician in hospital[2]	Physician not in hospital	Midwife	2,500 grams or less	2,501 grams or more	Not stated		Total deaths	Total deaths	Under 1 year	Under 28 days
TEXAS—Continued													
Brown	508	466	454	1	10	27	424	15	9	254	242	17	12
Brownwood	507	365	355	1	8	25	328	12	8	215	179	14	11
Balance of county	1	101	99	-	2	2	96	3	1	39	63	3	1
Burleson	117	290	173	28	84	23	263	4	3	67	108	10	6
White	36	182	145	15	19	11	171	-	2	39	71	7	4
Nonwhite	81	108	28	13	65	12	92	4	1	28	37	3	2
Burnet	282	175	175	-	-	9	160	6	-	113	111	10	8
Caldwell	871	488	351	112	20	23	435	30	10	185	202	21	14
White	774	413	305	91	13	18	373	22	10	151	165	15	12
Nonwhite	97	75	46	21	7	5	62	8	-	34	37	6	2
Calhoun	488	477	467	1	7	31	442	4	6	94	86	18	8
Callahan	64	113	111	2	-	8	99	6	1	62	93	3	3
Cameron	5,303	5,521	2,503	928	1,934	321	5,049	151	105	959	984	251	121
Brownsville	1,992	1,834	779	91	908	104	1,678	52	38	348	317	75	31
Harlingen	1,417	1,329	751	324	242	85	1,220	24	31	255	201	66	40
San Benito	910	586	330	127	96	30	544	12	8	138	119	27	12
Balance of county	984	1,772	643	386	688	102	1,607	63	28	218	347	83	38
Camp	232	179	157	9	12	22	155	2	2	93	104	5	5
White	156	98	97	-	-	9	88	1	-	45	50	2	2
Nonwhite	76	81	60	9	12	13	67	1	2	48	54	3	3
Carson	92	130	130	-	-	15	115	-	4	46	61	5	3
Cass	495	524	428	8	86	30	473	21	12	180	223	16	12
White	318	325	322	3	-	20	300	5	6	113	140	3	2
Nonwhite	177	199	106	5	86	10	173	16	6	67	83	13	10
Castro	119	215	207	5	3	14	198	3	1	40	49	16	11
Chambers	145	225	208	2	14	22	189	14	8	54	65	12	7
White	99	163	160	2	-	12	150	1	7	32	38	5	5
Nonwhite	46	62	48	-	14	10	39	13	1	22	27	7	2
Cherokee	674	640	570	21	47	43	570	27	10	485	321	28	18
White	466	410	409	-	-	21	385	4	4	333	214	9	7
Nonwhite	208	230	161	21	47	22	185	23	6	152	107	19	11
Childress	183	177	174	1	1	6	50	121	3	97	95	3	-
Clay	90	140	139	1	-	7	131	2	1	53	72	-	-
Cochran	175	196	195	-	-	16	178	2	1	31	24	3	-
Coke	63	82	80	1	1	1	81	-	2	28	26	-	-
Coleman	268	261	251	9	-	14	240	7	7	109	129	6	5
Collin	804	841	809	24	5	67	757	17	13	547	431	28	15
McKinney	645	305	302	2	-	31	273	1	4	199	144	13	9
White	564	259	256	2	-	20	238	1	4	184	131	11	7
Nonwhite	81	46	46	-	-	11	35	-	-	15	13	2	2
Balance of county	159	536	507	22	5	36	484	16	9	348	287	13	6
Collingsworth	152	138	118	11	9	11	124	3	4	62	66	4	3
Colorado	511	457	410	2	43	24	430	3	9	183	188	17	13
White	391	341	332	-	7	13	326	2	5	123	116	9	7
Nonwhite	120	116	78	2	36	11	104	1	4	60	72	8	6
Comal	452	529	465	18	39	33	491	5	2	152	152	16	8
New Braunfels	438	434	385	12	31	31	398	5	1	128	113	14	7
Balance of county	14	95	80	6	8	2	93	-	1	24	39	2	1
Comanche	146	165	156	9	-	8	149	8	1	97	122	2	2
Concho	30	80	52	17	10	3	71	6	-	18	32	3	1
Cooke	681	550	546	2	-	31	514	5	4	191	189	10	7
Gainesville	618	331	327	2	-	18	309	4	2	156	115	6	5
Balance of county	63	219	219	-	-	13	205	1	2	35	74	4	2
Coryell	302	579	572	3	1	39	533	7	4	118	143	14	11
Cottle	120	95	90	5	-	7	83	5	4	49	45	4	1
Crane	139	116	116	-	-	8	108	-	3	20	24	4	4
Crockett	83	99	90	6	2	8	88	3	2	20	22	1	-
Crosby	253	289	269	13	6	16	260	13	3	51	68	9	6
Culberson	44	74	58	11	5	8	62	4	1	17	19	5	4
Dallam	4	146	138	8	-	12	128	6	1	20	31	3	2
Dallas	20,687	21,232	20,907	197	103	1,680	19,304	248	319	5,747	5,398	531	399
White	16,894	17,393	17,264	62	55	1,135	16,042	216	215	4,782	4,440	395	307
Nonwhite	3,793	3,839	3,643	135	48	545	3,262	32	104	965	958	136	92
Dallas	20,295	16,092	15,833	146	93	1,367	14,542	183	254	5,135	4,292	404	313
White	16,554	12,708	12,606	40	53	882	11,670	156	158	4,222	3,432	292	235
Nonwhite	3,741	3,384	3,227	106	40	485	2,872	27	96	913	860	112	78
Garland	160	766	761	4	1	48	714	4	7	31	77	11	2
Grand Prairie (part)	191	955	940	12	2	53	886	16	10	56	144	32	25
Grand Prairie (total)	191	962	947	12	2	53	893	16	10	57	146	33	26
Highland Park	1	113	112	1	-	8	104	1	2	36	108	1	1
University Park	-	229	229	-	-	8	219	2	4	66	140	4	4
Balance of county	40	3,077	3,032	34	7	196	2,839	42	42	423	637	79	54
White	18	2,760	2,742	14	2	156	2,566	38	36	384	573	66	47
Nonwhite	22	317	290	20	5	40	273	4	6	39	64	13	7
Dawson	578	540	478	32	27	42	497	1	15	120	118	24	11
Lamesa	556	344	306	24	14	27	317	-	9	105	86	13	7
Balance of county	22	196	172	8	13	15	180	1	6	15	32	11	4
Deaf Smith	334	343	332	-	11	24	309	10	8	80	82	20	15
Delta	42	92	74	11	7	4	80	8	-	71	89	6	5
White	21	70	69	-	1	3	62	5	-	61	79	4	4
Nonwhite	21	22	5	11	6	1	18	3	-	10	10	2	1
Denton	874	848	820	15	12	59	774	15	11	304	338	31	23
Denton	787	508	494	3	11	41	465	2	9	215	180	16	12
Balance of county	87	340	326	12	1	18	309	13	2	89	158	15	11

See footnotes on p. 183.

Table 19. Live Births by Attendant and Birth Weight; Fetal Deaths; and Total, Infant, and Neonatal Deaths; by Color: United States, Each State and County, and Specified Urban Places, 1955—Continued

(See headnote on p. 83)

AREA AND COLOR	LIVE BIRTHS								FETAL DEATHS	DEATHS			
	By place of occurrence	By place of residence							By place of residence	By place of occurrence	By place of residence		
			Attendant[1]			Birth weight[3]							
	Total births	Total births	Physician in hospital[2]	Physician not in hospital	Midwife	2,500 grams or less	2,501 grams or more	Not stated		Total deaths	Total deaths	Under 1 year	Under 28 days
TEXAS—Continued													
De Witt	438	485	385	31	49	40	434	11	14	217	221	16	11
White	367	403	326	22	40	27	368	8	10	181	182	11	8
Nonwhite	71	82	59	9	9	13	66	3	4	36	39	5	3
Dickens	125	123	102	20	1	6	114	3	1	46	39	1	1
Dimmit	338	302	145	17	134	11	285	6	10	65	77	21	10
Donley	41	94	85	5	4	8	82	4	1	27	53	6	4
Duval	231	370	213	108	38	12	328	30	11	70	88	7	3
Eastland	471	342	337	5	-	16	323	3	2	214	236	5	5
Ector	1,980	2,033	1,977	24	24	161	1,836	36	21	270	310	45	36
Odessa	1,979	1,940	1,886	22	24	152	1,752	36	21	260	293	42	34
Balance of county	1	93	91	2	-	9	84	-	-	10	17	3	2
Edwards	43	69	54	4	11	2	52	15	2	16	20	1	1
Ellis	1,001	954	826	98	26	58	860	36	18	397	458	34	19
White	710	668	625	36	3	39	613	16	10	293	335	20	14
Nonwhite	291	286	201	62	23	19	247	20	8	104	123	14	5
Waxahachie	476	245	232	5	8	14	224	7	6	149	132	13	7
White	368	178	176	2	-	8	166	4	3	105	86	4	4
Nonwhite	108	67	56	3	8	6	58	3	3	44	46	9	3
Balance of county	525	709	594	93	18	44	636	29	12	248	326	21	12
White	342	490	449	34	3	31	447	12	7	188	249	16	10
Nonwhite	183	219	145	59	15	13	189	17	5	60	77	5	2
El Paso	11,330	10,788	9,944	363	416	808	9,909	71	159	1,636	1,584	305	195
El Paso	9,036	8,562	8,072	67	380	655	7,851	56	131	1,444	1,292	238	153
Balance of county	2,294	2,226	1,872	296	36	153	2,058	15	28	192	292	67	42
Erath	263	232	231	-	-	11	218	3	1	176	185	2	2
Falls	606	505	332	20	145	41	416	48	9	348	288	20	11
White	386	287	261	7	17	20	256	11	6	237	185	7	4
Nonwhite	220	218	71	13	128	21	160	37	3	111	103	13	7
Fannin	408	400	374	16	7	33	357	10	14	267	301	14	8
White	341	336	330	4	1	28	304	4	14	228	259	10	7
Nonwhite	67	64	44	12	6	5	53	6	-	39	42	4	1
Fayette	233	373	318	29	26	20	340	13	8	232	237	14	7
White	163	290	273	14	3	8	280	2	4	175	175	4	2
Nonwhite	70	83	45	15	23	12	60	11	4	57	62	10	5
Fisher	191	164	155	3	4	16	141	7	8	66	72	7	6
Floyd	403	346	336	7	3	31	310	5	8	85	98	9	5
Foard	44	42	40	1	1	-	41	1	-	33	39	1	1
White	38	37	36	1	-	-	37	-	-	32	38	1	1
Nonwhite	6	5	4	-	1	-	4	1	-	1	1	-	-
Fort Bend	967	1,054	891	32	116	97	901	56	16	226	257	39	24
White	723	806	746	15	35	68	703	35	11	148	164	23	17
Nonwhite	244	248	145	17	81	29	198	21	5	78	93	16	7
Franklin	44	62	50	10	2	3	57	2	2	52	63	2	-
Freestone	287	274	197	41	35	19	237	18	6	143	162	10	5
White	134	132	128	4	-	9	121	2	3	88	102	1	1
Nonwhite	153	142	69	37	35	10	116	16	3	55	60	9	4
Frio	292	302	208	28	61	15	255	32	5	65	78	12	6
Gaines	460	391	384	2	3	27	358	6	9	62	62	13	7
Galveston	3,549	3,338	3,318	11	2	287	3,024	27	60	1,428	1,050	92	77
White	2,617	2,485	2,469	9	1	168	2,295	22	39	1,069	803	62	54
Nonwhite	932	853	849	2	1	119	729	5	21	359	247	30	23
Galveston	2,285	1,659	1,648	4	1	154	1,486	19	39	1,187	723	38	28
White	1,424	1,123	1,114	4	-	75	1,034	14	24	865	542	24	19
Nonwhite	861	536	534	-	1	79	452	5	15	322	181	14	9
Texas City	1,257	643	641	2	-	45	596	2	9	135	104	23	21
White	1,187	573	571	2	-	38	533	2	8	117	85	15	14
Nonwhite	70	70	70	-	-	7	63	-	1	18	19	8	7
Balance of county	7	1,036	1,029	5	1	86	942	6	12	106	223	31	28
White	6	789	784	3	1	55	728	6	7	87	176	23	21
Nonwhite	1	247	245	2	-	33	214	-	5	19	47	8	7
Garza	122	171	164	-	7	8	162	1	3	49	53	11	9
Gillespie	252	179	176	3	-	5	169	5	1	124	120	7	5
Glasscock	-	27	27	-	-	2	25	-	-	18	2	-	-
Goliad	124	144	117	11	12	7	132	5	1	44	59	12	9
White	109	127	107	9	8	7	116	4	1	37	52	11	8
Nonwhite	15	17	10	2	4	-	16	1	-	7	7	1	1
Gonzales	453	423	301	102	17	32	382	9	13	167	199	19	14
White	374	338	242	92	2	25	308	5	11	137	161	15	10
Nonwhite	79	85	59	10	15	7	74	4	2	30	38	4	4
Gray	755	702	690	11	-	53	645	4	9	173	183	24	22
Pampa	744	590	586	3	-	43	544	3	6	155	138	21	19
Balance of county	11	112	104	8	-	10	101	1	3	18	45	3	3
Grayson	1,854	1,852	1,807	22	20	133	1,694	25	20	721	726	52	44
Denison	496	668	652	4	12	53	602	13	5	290	257	27	22
White	425	586	585	1	-	40	539	7	2	212	200	24	19
Nonwhite	71	82	67	3	12	13	63	6	3	78	57	3	3
Sherman	828	673	666	2	3	52	615	6	6	268	211	12	10
Balance of county	530	511	489	16	5	28	477	6	9	163	258	13	12
Gregg	1,796	1,664	1,516	14	128	135	1,495	34	25	477	488	34	23
White	1,302	1,202	1,190	8	-	78	1,108	16	12	342	357	16	15
Nonwhite	494	462	326	6	128	57	387	18	13	135	131	18	8

See footnotes on p. 183.

Table 19. Live Births by Attendant and Birth Weight; Fetal Deaths; and Total, Infant, and Neonatal Deaths; by Color: United States, Each State and County, and Specified Urban Places, 1955—Continued

(See headnote on p. 83)

AREA AND COLOR	LIVE BIRTHS								FETAL DEATHS	DEATHS			
	By place of occurrence	By place of residence							By place of residence	By place of occurrence	By place of residence		
			Attendant[1]			Birth weight[3]							
	Total births	Total births	Physician in hospital[2]	Physician not in hospital	Midwife	2,500 grams or less	2,501 grams or more	Not stated		Total deaths	Total deaths	Under 1 year	Under 28 days
TEXAS—Continued													
Gregg—Continued													
Longview	1,262	851	754	4	87	67	769	15	13	279	217	20	13
White	869	603	599	-	-	40	555	8	3	195	153	11	10
Nonwhite	393	248	155	4	87	27	214	7	10	84	64	9	3
Balance of county	534	813	762	10	41	68	726	19	12	198	271	14	10
White	433	599	591	8	-	38	553	8	9	147	204	5	5
Nonwhite	101	214	171	2	41	30	173	11	3	51	67	9	5
Grimes	413	329	261	7	58	33	271	25	6	180	187	10	8
White	208	168	163	1	4	15	153	-	-	107	115	4	4
Nonwhite	205	161	98	6	54	18	118	25	6	73	72	6	4
Guadalupe	676	846	576	221	46	38	783	25	13	212	237	25	15
White	576	756	539	170	44	30	704	22	10	169	195	21	11
Nonwhite	100	90	37	51	2	8	79	3	3	43	42	4	4
Hale	892	1,088	952	87	43	76	994	18	18	233	248	58	23
Plainview	705	526	486	28	12	32	484	10	10	186	151	33	14
Balance of county	187	562	466	59	31	44	510	8	8	47	97	25	9
Hall	245	162	150	5	6	11	147	4	5	79	87	8	5
Hamilton	103	115	114	-	-	7	107	1	3	93	109	-	-
Hansford	49	124	121	2	1	8	116	-	2	15	30	3	1
Hardeman	228	189	188	1	-	14	175	-	-	107	109	7	4
Hardin	459	523	473	29	17	30	478	15	11	104	171	6	3
White	394	443	430	7	2	28	405	10	9	80	139	4	3
Nonwhite	65	80	43	22	15	2	73	5	2	24	32	2	-
Harris	29,630	29,801	29,144	136	482	2,496	27,216	89	499	7,451	7,027	791	618
White	22,717	22,828	22,526	104	164	1,667	21,097	64	319	5,565	5,265	529	426
Nonwhite	6,913	6,973	6,618	32	318	829	6,119	25	180	1,886	1,762	262	192
Houston	25,097	24,543	24,029	85	398	2,139	22,353	51	414	6,525	5,919	659	504
White	18,515	17,946	17,703	58	159	1,344	16,562	40	246	4,762	4,282	409	320
Nonwhite	6,582	6,597	6,326	27	239	795	5,791	11	168	1,763	1,637	250	184
Baytown	1,057	710	703	5	1	42	660	8	9	184	180	15	11
Bellaire	-	830	826	2	-	52	776	2	17	17	61	9	9
Pasadena	1,887	1,408	1,393	13	1	89	1,308	11	18	191	177	40	37
West University Place	-	5	5	-	-	-	5	-	-	1	-	-	-
Balance of county	1,589	2,305	2,188	31	82	174	2,114	17	41	533	690	68	57
White	1,356	1,999	1,963	28	4	147	1,847	5	32	435	584	58	50
Nonwhite	233	306	225	3	78	27	267	12	9	98	106	10	7
Harrison	995	1,046	627	27	367	74	943	29	17	362	385	20	12
White	446	468	462	1	4	43	422	3	6	176	178	11	9
Nonwhite	549	578	165	26	363	31	521	26	11	186	207	9	3
Marshall	723	528	383	5	136	36	486	6	7	242	206	11	7
White	443	286	284	-	2	27	258	1	4	133	101	7	6
Nonwhite	280	242	99	5	134	9	228	5	3	109	105	4	1
Balance of county	272	518	244	22	231	38	457	23	10	120	179	9	5
White	3	182	178	1	2	16	164	2	2	43	77	4	3
Nonwhite	269	336	66	21	229	22	293	21	8	77	102	5	2
Hartley	165	62	61	-	-	5	56	1	-	27	29	5	5
Haskell	258	261	249	1	11	31	225	5	5	99	111	16	9
Hays	397	728	630	66	30	58	638	32	11	128	154	28	12
Hemphill	54	41	41	-	-	3	38	-	-	18	27	-	-
Henderson	361	368	324	26	16	21	327	20	6	141	178	9	5
White	278	279	274	4	-	15	259	5	3	115	146	6	5
Nonwhite	83	89	50	22	16	6	68	15	3	26	32	3	-
Hidalgo	6,305	6,402	3,693	1,317	1,263	416	5,853	133	125	1,015	1,119	296	129
Edinburg	1,123	703	537	86	76	44	641	18	12	171	95	32	11
McAllen	1,242	979	562	190	216	73	869	37	22	230	197	39	24
Mercedes	796	409	247	71	83	19	386	4	8	107	84	24	11
Mission	526	451	186	157	102	33	397	21	12	93	72	15	8
Balance of county	2,618	3,860	2,161	813	786	247	3,560	53	71	414	671	186	75
Hill	352	431	349	52	28	33	382	16	7	238	310	11	8
White	258	328	299	23	4	23	297	8	6	205	270	8	7
Nonwhite	94	103	50	29	24	10	85	8	1	33	40	3	1
Hockley	457	646	611	10	20	37	580	29	8	81	108	20	12
Hood	63	100	100	-	-	3	95	2	1	29	44	-	-
Hopkins	287	284	275	5	2	26	250	8	4	196	211	9	7
White	236	234	229	4	-	19	209	6	3	169	182	4	4
Nonwhite	51	50	46	1	2	7	41	2	1	27	29	5	3
Houston	392	359	282	10	64	26	312	21	1	157	196	10	4
White	201	176	175	-	1	8	166	2	1	93	112	-	-
Nonwhite	191	183	107	10	63	18	146	19	-	64	84	10	4
Howard	1,295	1,072	1,052	2	10	92	966	14	11	311	193	30	22
Big Spring	1,289	905	891	1	6	79	814	12	10	259	154	26	19
Balance of county	6	167	161	1	4	13	152	2	1	52	39	4	3
Hudspeth	8	109	72	33	1	9	98	2	1	16	27	6	4
Hunt	864	728	626	69	29	54	665	9	14	363	386	32	20
White	703	570	545	22	2	36	527	7	9	305	323	16	12
Nonwhite	161	158	81	47	27	18	138	2	5	58	63	16	8
Greenville	649	374	313	42	18	32	340	2	8	207	180	18	12
White	529	286	274	11	1	21	264	1	4	177	146	10	8
Nonwhite	120	88	39	31	17	11	76	1	4	30	34	8	4
Balance of county	215	354	313	27	11	22	325	7	6	156	206	14	8
White	174	284	271	11	1	15	263	6	5	128	177	6	4
Nonwhite	41	70	42	16	10	7	62	1	1	28	29	8	4

See footnotes on p. 183.

Table 19. Live Births by Attendant and Birth Weight; Fetal Deaths; and Total, Infant, and Neonatal Deaths; by Color: United States, Each State and County, and Specified Urban Places, 1955—Continued

(See headnote on p. 83)

AREA AND COLOR	LIVE BIRTHS								FETAL DEATHS	DEATHS			
	By place of occurrence	By place of residence							By place of residence	By place of occurrence	By place of residence		
			Attendant[1]			Birth weight[3]							
	Total births	Total births	Physician in hospital[2]	Physician not in hospital	Midwife	2,500 grams or less	2,501 grams or more	Not stated		Total deaths	Total deaths	Under 1 year	Under 28 days
TEXAS—Continued													
Hutchinson	862	922	917	3	-	83	837	2	10	150	177	17	12
Borger	860	727	723	2	-	65	660	2	10	126	130	15	10
Balance of county	2	195	194	1	-	18	177	-	-	24	47	2	2
Irion	6	21	18	2	1	1	20	-	2	5	11	1	-
Jack	97	153	152	1	-	8	144	1	2	55	71	4	3
Jackson	378	407	367	21	18	23	377	7	8	83	85	11	7
White	332	360	332	15	12	20	333	7	6	67	70	9	5
Nonwhite	46	47	35	6	6	3	44	-	2	16	15	2	2
Jasper	568	468	439	4	20	38	423	7	6	146	164	15	10
White	375	314	311	2	-	26	287	1	5	108	124	10	8
Nonwhite	193	154	128	2	20	12	136	6	1	38	40	5	2
Jeff Davis	27	44	41	3	-	3	40	1	1	15	17	2	-
Jefferson	5,942	5,724	5,405	95	165	417	5,258	49	101	1,522	1,498	153	123
White	4,434	4,209	4,163	18	2	269	3,912	28	52	1,100	1,052	97	82
Nonwhite	1,508	1,515	1,222	77	163	148	1,346	21	49	422	446	56	41
Beaumont	3,231	2,720	2,561	53	99	206	2,486	28	49	912	802	82	63
White	2,252	1,795	1,787	4	2	114	1,667	14	29	619	494	43	35
Nonwhite	979	925	774	49	97	92	819	14	20	293	308	39	28
Port Arthur	2,425	1,744	1,618	33	46	136	1,598	10	33	442	438	41	36
White	1,947	1,258	1,244	13	-	86	1,165	7	11	339	326	26	24
Nonwhite	478	486	374	20	46	50	433	3	22	103	112	15	12
Balance of county	286	1,260	1,226	9	20	75	1,174	11	19	168	258	30	24
Jim Hogg	63	148	85	36	27	11	134	3	4	28	39	1	-
Jim Wells	988	937	771	101	60	72	854	11	19	192	208	40	26
Alice	822	656	533	81	39	53	595	8	15	151	136	28	19
Balance of county	166	281	238	20	21	19	259	3	4	41	70	12	7
Johnson	646	608	604	3	1	34	572	2	11	318	350	21	13
Cleburne	593	294	291	2	1	16	276	2	7	242	184	8	5
Balance of county	53	314	313	1	-	18	296	-	4	76	166	13	8
Jones	477	424	416	2	4	34	387	3	6	166	165	11	7
Karnes	436	459	289	127	40	31	388	40	20	132	149	21	13
Kaufman	730	578	467	37	68	33	512	33	12	486	329	33	16
White	459	334	323	10	-	13	314	7	4	374	233	13	11
Nonwhite	271	244	144	27	68	20	198	26	8	112	96	20	5
Terrell	472	235	187	16	27	14	216	5	3	353	131	16	9
White	280	131	130	-	-	7	123	1	1	269	84	5	5
Nonwhite	192	104	57	16	27	7	93	4	2	84	47	11	4
Balance of county	258	343	280	21	41	19	296	28	9	133	198	17	7
White	179	203	193	10	-	6	191	6	3	105	149	8	6
Nonwhite	79	140	87	11	41	13	105	22	6	28	49	9	1
Kendall	15	96	88	3	5	9	83	4	2	31	59	2	2
Kenedy	-	14	13	-	1	-	14	-	1	8	8	3	1
Kent	15	43	40	-	3	3	40	-	2	4	15	1	-
Kerr	406	299	297	-	2	19	280	-	6	311	171	9	5
Kimble	33	86	54	31	1	13	72	1	1	29	36	4	3
King	1	8	8	-	-	-	8	-	-	-	6	1	1
Kinney	13	50	37	1	1	-	47	3	1	9	16	3	2
Kleberg	1,025	1,086	925	122	35	83	992	11	14	164	174	44	23
Kingsville	1,015	1,014	862	119	30	80	926	8	11	142	155	40	21
Balance of county	10	72	63	3	5	3	66	3	3	22	19	4	2
Knox	233	203	189	8	5	6	181	16	1	58	65	1	-
Lamar	820	710	504	130	71	37	633	40	19	439	417	27	18
White	575	467	439	23	1	20	436	11	11	347	324	11	7
Nonwhite	245	243	65	107	70	17	197	29	8	92	93	16	11
Paris	733	432	313	88	29	28	395	9	16	363	241	14	9
White	563	286	271	13	1	17	266	3	8	298	190	9	6
Nonwhite	170	146	42	75	28	11	129	6	8	65	51	5	3
Balance of county	87	278	191	42	42	9	238	31	3	76	176	13	9
White	12	181	168	10	-	3	170	8	3	49	134	2	1
Nonwhite	75	97	23	32	42	6	68	23	-	27	42	11	8
Lamb	768	710	635	4	68	67	625	18	10	140	145	33	17
Lampasas	155	239	230	9	-	16	219	4	1	85	90	5	3
La Salle	150	168	123	1	40	15	149	4	3	53	54	10	4
Lavaca	576	435	398	20	15	21	414	-	10	235	235	15	10
White	500	379	362	15	2	16	363	-	9	200	201	11	7
Nonwhite	76	56	36	5	13	5	51	-	1	35	34	4	3
Lee	202	215	183	6	26	8	198	9	4	88	105	8	-
White	129	132	128	3	1	3	128	1	1	60	72	2	-
Nonwhite	73	83	55	3	25	5	70	8	3	28	33	6	-
Leon	149	230	189	11	29	24	194	12	2	108	133	4	3
White	44	123	121	2	-	5	118	-	2	66	87	2	2
Nonwhite	105	107	68	9	29	19	76	12	-	42	46	2	1
Liberty	887	826	787	8	28	79	736	11	16	277	267	42	31
White	660	608	598	5	2	48	551	9	6	194	178	20	17
Nonwhite	227	218	189	3	26	31	185	2	10	83	89	22	14
Limestone	307	323	245	35	39	18	273	32	6	220	229	7	6
White	193	197	182	12	1	7	183	7	2	170	171	3	3
Nonwhite	114	126	63	23	38	11	90	25	4	50	58	4	3
Lipscomb	7	61	60	1	-	9	50	2	1	13	26	4	3
Live Oak	94	154	115	12	24	7	120	27	4	51	61	14	8
Llano	9	70	70	-	-	3	67	-	-	36	46	1	-
Loving	-	3	2	1	-	-	3	-	-	1	1	-	-
Lubbock	4,870	4,145	3,788	257	71	367	3,725	53	56	818	777	130	81
Lubbock	4,083	3,269	2,997	205	49	289	2,943	37	42	680	583	91	61
Balance of county	787	876	791	52	22	78	782	16	14	138	194	39	20

See footnotes on p. 183.

Table 19. Live Births by Attendant and Birth Weight; Fetal Deaths; and Total, Infant, and Neonatal Deaths; by Color: United States, Each State and County, and Specified Urban Places, 1955—Continued

(See headnote on p. 83)

AREA AND COLOR	LIVE BIRTHS								FETAL DEATHS	DEATHS			
	By place of occurrence	By place of residence							By place of residence	By place of occurrence	By place of residence		
			Attendant[1]			Birth weight[3]							
	Total births	Total births	Physician in hospital[2]	Physician not in hospital	Midwife	2,500 grams or less	2,501 grams or more	Not stated		Total deaths	Total deaths	Under 1 year	Under 28 days
TEXAS—Continued													
Lynn	155	293	263	3	22	29	261	3	5	49	64	10	5
McCulloch	227	187	178	5	4	17	165	5	7	114	101	6	5
McLennan	3,710	3,708	3,387	104	163	252	3,340	116	52	1,187	1,181	115	73
White	2,981	2,981	2,898	51	17	183	2,746	52	35	950	944	74	54
Nonwhite	729	727	489	53	146	69	594	64	17	237	237	41	19
Waco	2,843	2,798	2,628	49	81	194	2,574	30	40	937	811	88	54
White	2,300	2,247	2,210	24	5	136	2,091	20	26	766	656	61	43
Nonwhite	543	551	418	25	76	58	483	10	14	171	155	27	11
Balance of county	867	910	759	55	82	58	766	86	12	250	370	27	19
White	681	734	688	27	12	47	655	32	9	184	288	13	11
Nonwhite	186	176	71	28	70	11	111	54	3	66	82	14	8
McMullen	10	31	22	-	-	1	27	3	2	8	9	2	1
Madison	110	129	96	1	31	7	119	3	2	76	73	4	2
White	54	54	54	-	-	1	53	-	-	47	39	1	-
Nonwhite	56	75	42	1	31	6	66	3	2	29	34	3	2
Marion	160	183	107	26	48	11	153	19	2	86	100	2	-
White	43	71	65	6	-	4	67	-	1	44	50	1	-
Nonwhite	117	112	42	20	48	7	86	19	1	42	50	1	-
Martin	104	148	120	3	-	12	136	-	1	24	35	10	5
Mason	49	63	62	1	-	4	59	-	2	31	36	2	-
Matagorda	710	675	616	7	52	49	621	5	17	175	210	17	14
White	555	515	504	1	10	32	479	4	11	132	151	10	8
Nonwhite	155	160	112	6	42	17	142	1	6	43	59	7	6
Maverick	582	586	244	32	288	35	545	6	14	77	88	18	9
Medina	493	576	525	30	21	36	523	17	6	108	137	13	6
Menard	25	52	28	23	1	5	45	2	1	28	38	2	1
Midland	1,561	1,622	1,569	31	16	137	1,459	26	17	197	229	34	21
Midland	1,558	1,506	1,457	30	15	132	1,350	24	16	184	213	33	20
Balance of county	3	116	112	1	1	5	109	2	1	13	16	1	1
White	3	115	111	1	1	5	108	2	1	13	16	1	1
Nonwhite	-	1	1	-	-	-	1	-	-	-	-	-	-
Milam	566	562	498	20	43	31	517	14	14	213	249	17	10
White	430	425	413	6	5	20	403	2	10	161	190	10	6
Nonwhite	136	137	85	14	38	11	114	12	4	52	59	7	4
Mills	28	61	60	1	-	1	59	1	-	37	55	-	-
Mitchell	387	320	296	3	13	22	283	15	5	105	119	9	6
Montague	352	305	301	3	1	14	288	3	6	143	154	9	6
Montgomery	546	625	533	24	65	66	527	32	7	222	255	29	18
White	378	426	417	5	2	41	378	7	4	150	175	17	11
Nonwhite	168	199	116	19	63	25	149	25	3	72	80	12	7
Moore	447	430	427	1	-	26	399	5	4	60	54	8	4
Morris	194	262	232	2	24	16	231	15	5	66	83	4	3
White	120	182	180	1	-	12	166	4	2	41	54	3	2
Nonwhite	74	80	52	1	24	4	65	11	3	25	29	1	1
Motley	113	73	71	2	-	8	62	3	2	34	32	5	3
Nacogdoches	645	587	538	7	39	51	506	30	7	225	243	21	12
White	420	387	385	2	-	21	353	13	2	147	163	12	7
Nonwhite	225	200	153	5	39	30	153	17	5	78	80	9	5
Nacogdoches	573	313	289	6	18	33	269	11	6	148	116	12	8
White	390	197	195	2	-	11	181	5	1	92	69	6	5
Nonwhite	183	116	94	4	18	22	88	6	5	56	47	6	3
Balance of county	72	274	249	1	21	18	237	19	1	77	127	9	4
White	30	190	190	-	-	10	172	8	1	55	94	6	2
Nonwhite	42	84	59	1	21	8	65	11	-	22	33	3	2
Navarro	746	718	593	40	83	36	626	56	15	415	425	29	19
White	528	506	491	11	2	26	451	29	6	304	315	19	16
Nonwhite	218	212	102	29	81	10	175	27	9	111	110	10	3
Corsicana	671	393	343	25	25	22	340	31	9	316	249	15	9
White	517	299	294	4	1	15	268	16	2	231	178	9	8
Nonwhite	154	94	49	21	24	7	72	15	7	85	71	6	1
Balance of county	75	325	250	15	58	14	286	25	6	99	176	14	10
White	11	207	197	7	1	11	183	13	4	73	137	10	8
Nonwhite	64	118	53	8	57	3	103	12	2	26	39	4	2
Newton	111	209	171	5	32	19	179	11	3	58	74	11	7
White	43	115	112	2	1	8	106	1	2	27	37	5	2
Nonwhite	68	94	59	3	31	11	73	10	1	31	37	6	5
Nolan	478	458	452	2	3	38	416	4	6	161	154	11	9
Sweetwater	476	373	368	2	2	34	335	4	5	139	119	11	9
Balance of county	2	85	84	-	1	4	81	-	1	22	35	-	-
Nueces	7,456	7,387	6,022	609	732	518	6,687	182	137	1,159	1,138	224	146
Corpus Christi	5,475	5,787	4,985	210	572	394	5,244	149	106	909	860	148	95
Balance of county	1,981	1,600	1,037	399	160	124	1,443	33	31	250	278	76	51
Ochiltree	239	126	125	1	-	11	115	-	2	52	38	4	4
Oldham	-	48	48	-	-	4	44	-	1	2	9	-	-
Orange	1,400	1,527	1,443	14	70	114	1,403	10	22	255	299	40	32
White	1,199	1,320	1,311	6	3	81	1,231	8	20	203	241	27	22
Nonwhite	201	207	132	8	67	33	172	2	2	52	58	13	10
Orange	1,247	882	808	9	65	67	811	4	12	206	200	22	18
White	1,047	702	698	2	2	39	661	2	10	155	145	10	9
Nonwhite	200	180	110	7	63	28	150	2	2	51	55	12	9
Balance of county	153	645	635	5	5	47	592	6	10	49	99	18	14
Palo Pinto	730	706	701	4	-	72	628	6	7	203	219	20	14
Panola	317	279	238	3	35	28	244	7	5	122	132	14	10
White	216	183	180	1	1	16	163	4	2	79	84	8	6
Nonwhite	101	96	58	2	34	12	81	3	3	43	48	6	4

See footnotes on p. 183.

Table 19. Live Births by Attendant and Birth Weight; Fetal Deaths; and Total, Infant, and Neonatal Deaths; by Color: United States, Each State and County, and Specified Urban Places, 1955—Continued

(See headnote on p. 83)

AREA AND COLOR	LIVE BIRTHS								FETAL DEATHS	DEATHS			
	By place of occurrence	By place of residence							By place of residence	By place of occurrence	By place of residence		
			Attendant[1]			Birth weight[3]							
	Total births	Total births	Physician in hospital[2]	Physician not in hospital	Midwife	2,500 grams or less	2,501 grams or more	Not stated		Total deaths	Total deaths	Under 1 year	Under 28 days
TEXAS—Continued													
Parker	355	448	444	4	-	33	415	-	4	149	176	6	4
Parmer	174	225	221	3	-	13	207	5	5	40	51	4	4
Pecos	304	277	258	2	17	28	247	2	2	58	50	11	8
Polk	331	321	258	16	41	18	284	19	3	123	139	9	7
White	207	192	186	1	1	9	178	5	-	86	93	4	4
Nonwhite	124	129	72	15	40	9	106	14	3	37	46	5	3
Potter	3,538	2,416	2,406	10	-	256	2,156	4	24	805	659	95	81
Amarillo (part)	2,860	2,314	2,304	10	-	247	2,063	4	24	761	620	91	77
Amarillo (total)	2,860	2,741	2,730	10	1	281	2,455	5	27	776	647	95	81
Balance of county	678	102	102	-	-	9	93	-	-	44	39	4	4
Presidio	168	165	100	33	28	10	148	7	1	41	41	7	3
Rains	5	38	33	3	2	2	35	1	-	16	37	2	2
White	3	34	31	3	-	2	32	-	-	15	34	2	2
Nonwhite	2	4	2	-	2	-	3	1	-	1	3	-	-
Randall	230	617	614	2	1	52	563	2	5	59	81	10	10
Amarillo (part)	-	427	426	-	1	34	392	1	3	15	27	4	4
Balance of county	230	190	188	2	-	18	171	1	2	44	54	6	6
Reagan	100	113	112	1	-	12	99	2	1	20	27	3	1
Real	10	31	21	2	2	-	27	4	1	15	22	1	1
Red River	340	327	224	18	81	28	286	13	5	166	180	8	3
White	209	198	183	9	4	15	180	3	4	118	125	-	-
Nonwhite	131	129	41	9	77	13	106	10	1	48	55	8	3
Reeves	560	540	506	8	24	33	501	6	11	119	122	29	15
Refugio	291	334	311	3	19	30	302	2	7	80	90	12	9
White	259	299	277	3	18	26	271	2	4	66	79	11	9
Nonwhite	32	35	34	-	1	4	31	-	3	14	11	1	-
Roberts	-	16	16	-	-	-	16	-	-	3	7	2	-
Robertson	392	427	272	30	124	31	382	14	11	162	193	17	9
White	206	240	196	17	27	18	215	7	6	94	115	7	3
Nonwhite	186	187	76	13	97	13	167	7	5	68	78	10	6
Rockwall	163	147	110	23	14	4	131	12	4	34	57	3	3
White	110	95	89	6	-	-	93	2	2	29	48	2	2
Nonwhite	53	52	21	17	14	4	38	10	2	5	9	1	1
Runnels	290	328	316	11	1	13	314	1	8	129	156	10	8
Rusk	620	708	546	51	104	45	627	36	11	314	351	23	12
White	392	448	429	19	-	26	421	1	3	220	248	11	7
Nonwhite	228	260	117	32	104	19	206	35	8	94	103	12	5
Sabine	152	193	174	3	16	10	173	10	2	30	49	4	1
White	84	117	114	3	-	3	112	2	1	24	38	1	-
Nonwhite	68	76	60	-	16	7	61	8	1	6	11	3	1
San Augustine	153	173	135	1	37	10	161	2	3	77	84	9	3
White	88	103	103	-	-	7	96	-	1	51	54	4	1
Nonwhite	65	70	32	1	37	3	65	2	2	26	30	5	2
San Jacinto	58	106	55	22	17	4	93	9	2	27	54	5	3
White	1	34	33	1	-	1	33	-	-	10	22	-	-
Nonwhite	57	72	22	21	17	3	60	9	2	17	32	5	3
San Patricio	1,515	1,539	1,033	412	84	110	1,393	36	19	282	316	63	38
San Saba	153	104	82	20	1	5	95	4	2	63	69	6	6
Schleicher	18	53	52	1	-	2	50	1	1	22	28	-	-
Scurry	478	588	563	3	19	43	535	10	9	112	141	11	3
Snyder	470	456	440	2	13	36	414	6	5	99	93	9	2
Balance of county	8	132	123	1	6	7	121	4	4	13	48	2	1
Shackelford	52	100	99	1	-	8	90	2	1	33	46	2	1
Shelby	391	404	350	21	32	33	348	23	9	146	186	14	5
White	257	269	263	6	-	13	253	3	4	109	140	6	1
Nonwhite	134	135	87	15	32	20	95	20	5	37	46	8	4
Sherman	-	46	45	-	-	4	41	1	-	13	20	2	1
Smith	1,970	1,915	1,601	37	265	136	1,749	30	37	655	632	56	39
White	1,286	1,224	1,215	2	3	66	1,150	8	12	423	423	22	17
Nonwhite	684	691	386	35	262	70	599	22	25	232	209	34	22
Tyler	1,692	1,151	1,017	9	116	85	1,058	8	17	408	328	30	21
White	1,234	793	788	-	1	39	750	4	7	286	231	14	11
Nonwhite	458	358	229	9	115	46	308	4	10	122	97	16	10
Balance of county	278	764	584	28	149	51	691	22	20	247	304	26	18
White	52	431	427	2	2	27	400	4	5	137	192	8	6
Nonwhite	226	333	157	26	147	24	291	18	15	110	112	18	12
Somervell	15	26	25	1	-	-	25	1	1	19	17	-	-
Starr	494	546	254	197	75	11	465	70	2	75	91	9	5
Stephens	160	173	173	-	-	14	159	-	-	80	94	8	6
Sterling	25	37	36	-	-	-	37	-	-	19	12	-	-
Stonewall	13	62	60	2	-	5	57	-	1	18	26	1	1
Sutton	110	84	72	6	6	7	76	1	1	19	20	3	-
Swisher	287	300	296	1	3	17	283	-	1	37	49	1	1
Tarrant	12,649	12,681	12,585	69	8	941	11,705	35	201	3,340	3,357	324	248
White	10,913	10,939	10,891	38	3	705	10,202	32	141	2,822	2,825	251	195
Nonwhite	1,736	1,742	1,704	31	5	236	1,503	3	60	518	532	73	53
Fort Worth	12,260	9,097	9,033	48	8	747	8,330	20	157	2,942	2,697	252	191
White	10,534	7,418	7,385	24	3	520	6,881	17	98	2,432	2,179	183	141
Nonwhite	1,726	1,679	1,648	24	5	227	1,449	3	59	510	518	69	50
Grand Prairie (part)	-	7	7	-	-	-	7	-	-	1	2	1	1
White Settlement	1	323	322	1	-	15	308	-	2	7	27	6	4
Balance of county	388	3,254	3,233	20	-	179	3,060	15	42	390	631	65	52
Taylor	1,923	1,887	1,863	6	13	139	1,730	18	16	564	499	52	31
Abilene	1,805	1,639	1,617	5	12	119	1,502	18	12	461	408	46	27
Balance of county	118	248	246	1	1	20	228	-	4	103	91	6	4

See footnotes on p. 183.

Table 19. Live Births by Attendant and Birth Weight; Fetal Deaths; and Total, Infant, and Neonatal Deaths; by Color: United States, Each State and County, and Specified Urban Places, 1955—Continued

(See headnote on p. 83)

AREA AND COLOR	LIVE BIRTHS								FETAL DEATHS	DEATHS			
	By place of occurrence	By place of residence							By place of residence	By place of occurrence	By place of residence		
			Attendant[1]			Birth weight[3]							
	Total births	Total births	Physician in hospital[2]	Physician not in hospital	Midwife	2,500 grams or less	2,501 grams or more	Not stated		Total deaths	Total deaths	Under 1 year	Under 28 days
TEXAS—Continued													
Terrell	49	70	36	33	-	5	63	2	-	11	20	1	1
Terry	465	502	435	48	16	45	447	10	10	117	107	30	18
Throckmorton	29	42	42	-	-	2	39	1	-	18	23	-	-
Titus	435	363	332	7	24	19	317	27	3	131	154	13	8
White	336	281	280	1	-	16	262	3	2	98	116	7	4
Nonwhite	99	82	52	6	24	3	55	24	1	33	38	6	4
Tom Green	1,933	1,731	1,606	13	111	146	1,564	21	28	547	468	49	30
San Angelo	1,924	1,606	1,489	12	104	140	1,446	20	26	481	421	47	29
Balance of county	9	125	117	1	7	6	118	1	2	66	47	2	1
Travis	4,852	4,859	4,745	26	67	373	4,451	35	66	1,415	1,209	119	89
White	4,175	4,171	4,086	19	51	291	3,853	27	48	1,157	987	95	74
Nonwhite	677	688	659	7	16	82	598	8	18	258	222	24	15
Austin	4,221	4,382	4,296	22	48	332	4,022	28	61	1,345	1,116	112	84
White	3,631	3,769	3,697	16	42	258	3,486	25	44	1,101	913	88	69
Nonwhite	590	613	599	6	6	74	536	3	17	244	203	24	15
Balance of county	631	477	449	4	19	41	429	7	5	70	93	7	5
White	544	402	389	3	9	33	367	2	4	56	74	7	5
Nonwhite	87	75	60	1	10	8	62	5	1	14	19	-	-
Trinity	96	137	112	3	22	12	115	10	3	77	90	4	2
White	54	88	87	1	-	10	75	3	1	53	62	-	-
Nonwhite	42	49	25	2	22	2	40	7	2	24	28	4	2
Tyler	193	251	208	11	31	18	231	2	6	76	98	6	3
White	127	183	169	3	10	9	172	2	3	58	76	5	2
Nonwhite	66	68	39	8	21	9	59	-	3	18	22	1	1
Upshur	525	434	389	8	35	25	393	16	3	165	177	10	8
White	361	295	290	3	1	17	272	6	3	116	126	7	6
Nonwhite	164	139	99	5	34	8	121	10	-	49	51	3	2
Upton	144	217	214	1	2	21	193	3	2	24	33	5	2
Uvalde	517	457	349	45	60	21	373	63	11	158	137	26	13
Val Verde	966	960	774	130	51	83	869	8	10	211	201	55	39
Del Rio	657	850	667	127	51	76	766	8	7	183	182	47	32
Balance of county	309	110	107	3	-	7	103	-	3	28	19	8	7
Van Zandt	285	311	267	32	11	22	270	19	7	170	218	10	3
Victoria	1,514	1,451	1,204	107	129	119	1,320	12	27	267	298	40	24
Victoria	1,231	1,105	946	68	83	91	1,003	11	22	204	208	31	19
White	1,134	1,023	890	55	70	79	934	10	19	171	170	27	17
Nonwhite	97	82	56	13	13	12	69	1	3	33	38	4	2
Balance of county	283	346	258	39	46	28	317	1	5	63	90	9	5
Walker	343	280	244	8	27	24	246	10	1	156	131	5	2
White	177	138	136	1	1	9	127	2	1	84	74	-	-
Nonwhite	166	142	108	7	26	15	119	8	-	72	57	5	2
Waller	247	277	201	8	56	25	238	14	2	116	125	8	4
White	82	114	106	-	2	4	104	6	1	56	57	4	3
Nonwhite	165	163	95	8	54	21	134	8	1	60	68	4	1
Ward	233	354	327	18	7	29	319	6	8	63	79	13	8
Washington	429	396	245	34	113	28	341	27	6	225	219	10	5
White	252	210	202	4	2	10	195	5	2	147	128	2	2
Nonwhite	177	186	43	30	111	18	146	22	4	78	91	8	3
Webb	2,355	2,350	1,670	231	364	142	2,014	194	50	389	396	59	38
Laredo	2,315	2,251	1,610	224	357	137	1,948	166	47	362	373	58	37
Balance of county	40	99	60	7	7	5	66	28	3	27	23	1	1
Wharton	1,429	1,040	961	56	17	71	943	26	18	290	272	29	20
White	1,159	822	778	30	8	51	755	16	15	220	202	24	18
Nonwhite	270	218	183	26	9	20	188	10	3	70	70	5	2
Wheeler	156	174	172	2	-	18	154	2	3	88	85	4	2
Wichita	3,233	3,121	3,105	8	-	225	2,828	68	32	897	723	62	45
Wichita Falls	3,139	2,587	2,572	8	-	201	2,327	59	25	599	522	53	39
Balance of county	94	534	533	-	-	24	501	9	7	298	201	9	6
Wilbarger	423	370	356	2	10	18	345	7	3	145	136	8	2
Vernon	420	263	252	-	9	14	245	4	1	123	99	5	2
Balance of county	3	107	104	2	1	4	100	3	2	22	37	3	-
Willacy	725	809	410	46	330	42	738	29	9	127	144	44	17
Williamson	952	845	765	34	45	59	775	11	17	302	358	33	18
White	712	665	615	30	19	44	614	7	10	248	299	24	13
Nonwhite	240	180	150	4	26	15	161	4	7	54	59	9	5
Wilson	281	344	226	101	12	13	322	9	5	94	120	11	6
Winkler	517	360	359	-	1	41	319	-	2	62	55	13	11
Wise	273	258	254	4	-	18	239	1	9	143	162	4	3
Wood	181	293	252	38	3	25	256	12	8	164	178	8	5
White	109	234	210	24	-	14	211	9	8	136	152	6	5
Nonwhite	72	59	42	14	3	11	45	3	-	28	26	2	-
Yoakum	154	193	191	2	-	16	177	-	2	26	35	6	4
Young	419	345	338	3	-	22	316	7	1	159	153	10	8
Zapata	60	96	37	43	13	2	78	16	-	5	12	3	2
Zavala	247	391	215	30	136	31	354	6	9	55	87	26	10
UTAH	25,020	24,891	24,617	153	6	1,679	23,072	140	316	5,382	5,311	509	397
White	24,549	24,406	24,180	147	4	1,635	22,671	100	307	5,264	5,190	489	388
Nonwhite	471	485	437	6	2	44	401	40	9	118	121	20	9
Beaver	55	127	117	9	-	11	116	-	2	25	33	5	3
Box Elder	596	628	619	8	-	33	595	-	7	97	134	12	9

See footnotes on p. 183.

Table 19. Live Births by Attendant and Birth Weight; Fetal Deaths; and Total, Infant, and Neonatal Deaths; by Color: United States, Each State and County, and Specified Urban Places, 1955—Continued

(See headnote on p. 83)

AREA AND COLOR	LIVE BIRTHS								FETAL DEATHS	DEATHS			
	By place of occurrence	By place of residence							By place of residence	By place of occurrence	By place of residence		
			Attendant[1]			Birth weight[3]							
	Total births	Total births	Physician in hospital[2]	Physician not in hospital	Midwife	2,500 grams or less	2,501 grams or more	Not stated		Total deaths	Total deaths	Under 1 year	Under 28 days
UTAH—Continued													
Cache	1,101	1,035	1,032	3	-	62	968	5	9	189	213	17	15
Logan	1,098	597	597	-	-	39	556	2	5	116	91	9	8
Balance of county	3	438	435	3	-	23	412	3	4	71	122	8	7
Carbon	771	604	597	7	-	37	562	5	7	155	163	12	10
Daggett	-	6	5	1	-	-	6	-	-	-	1	-	-
Davis	543	1,682	1,664	12	-	97	1,583	2	18	92	185	17	14
Duchesne	319	257	254	3	-	15	233	9	1	43	47	5	4
Emery	3	171	166	4	-	13	158	-	5	32	51	5	3
Garfield	124	97	97	-	-	10	86	1	1	37	36	4	3
Grand	150	179	169	10	-	19	160	-	1	27	30	3	3
Iron	402	288	285	3	-	26	281	1	4	87	72	3	3
Juab	149	134	134	-	-	11	123	-	1	51	56	4	3
Kane	74	65	65	-	-	5	60	-	1	21	19	2	1
Millard	227	241	239	2	-	14	227	-	3	63	73	8	5
Morgan	-	75	75	-	-	4	71	-	1	16	28	2	1
Piute	1	45	45	-	-	3	42	-	-	9	14	1	1
Rich	-	48	48	-	-	2	45	1	1	6	9	1	1
Salt Lake	11,205	10,385	10,298	43	3	755	9,588	42	148	2,554	2,357	215	178
Salt Lake City	9,688	6,068	6,014	28	3	439	5,597	32	102	2,196	1,767	143	127
Balance of county	1,517	4,317	4,284	15	-	316	3,991	10	46	358	590	72	51
San Juan	180	244	203	2	2	15	191	38	1	43	51	15	6
White	132	181	179	2	-	15	166	-	1	31	33	5	4
Nonwhite	48	63	24	-	2	-	25	38	-	12	16	10	2
Sanpete	290	316	305	11	-	21	295	-	1	84	118	7	7
Sevier	389	305	299	5	-	8	295	2	4	81	80	9	5
Summit	110	162	162	-	-	16	146	-	3	43	57	3	3
Tooele	616	642	630	9	1	49	592	1	10	97	104	12	7
Uintah	270	330	329	1	-	17	307	6	6	61	76	12	9
White	258	277	277	-	-	13	258	6	4	61	69	11	9
Nonwhite	12	53	52	1	-	4	49	-	2	-	7	1	-
Utah	3,161	3,122	3,099	15	-	179	2,921	22	43	677	541	67	52
Provo	1,854	1,104	1,096	3	-	51	1,043	10	14	364	168	22	16
Balance of county	1,307	2,018	2,003	12	-	128	1,878	12	29	313	373	45	36
Wasatch	200	162	161	1	-	9	150	3	-	40	43	5	2
Washington	318	280	266	2	-	16	264	-	5	86	89	6	3
Wayne	-	47	47	-	-	4	43	-	-	3	9	1	1
Weber	3,766	3,214	3,207	2	-	228	2,984	2	33	663	622	56	45
Ogden	3,764	2,241	2,236	2	-	172	2,068	1	25	575	482	48	37
Balance of county	2	973	971	-	-	56	916	1	8	88	140	8	8
VERMONT	9,187	9,345	9,150	189	-	650	8,606	89	168	4,270	4,241	244	188
White	9,161	9,317	9,122	189	-	648	8,580	89	168	4,267	4,236	243	188
Nonwhite	26	28	28	-	-	2	26	-	-	3	5	1	-
Addison	388	466	445	21	-	21	444	1	13	150	197	6	3
Bennington	671	577	559	18	-	31	516	30	6	301	298	11	6
Caledonia	613	552	540	11	-	45	505	2	10	267	290	18	16
Chittenden	2,264	1,964	1,956	8	-	146	1,808	10	34	715	628	57	45
Burlington	2,185	927	924	3	-	75	848	4	19	495	335	26	22
Balance of county	79	1,037	1,032	5	-	71	960	6	15	220	293	31	23
Essex	64	146	134	12	-	13	128	5	3	38	81	3	3
Franklin	789	784	764	20	-	63	720	1	14	339	358	22	18
Grand Isle	6	70	64	6	-	6	63	1	-	29	41	3	-
Lamoille	200	271	269	2	-	22	248	1	7	98	122	7	7
Orange	218	356	347	9	-	24	329	3	7	154	207	7	4
Orleans	577	591	561	30	-	52	536	3	17	232	239	24	18
Rutland	1,001	1,026	1,007	18	-	76	949	1	22	563	572	26	23
Rutland	822	440	438	1	-	33	407	-	11	322	254	13	11
Balance of county	179	586	569	17	-	43	542	1	11	241	318	13	12
Washington	1,064	990	985	5	-	71	914	5	15	572	448	24	17
Barre	568	281	280	1	-	21	257	3	7	138	116	6	6
Balance of county	496	709	705	4	-	50	657	2	8	434	332	18	11
Windham	774	613	604	8	-	33	561	19	10	437	333	18	17
Windsor	558	939	915	21	-	47	885	7	10	375	427	18	11
VIRGINIA[11]	89,985	94,548	82,279	4,355	7,554	7,819	86,206	523	1,859	29,801	30,215	2,786	2,016
White	66,089	70,211	67,136	2,232	740	5,144	64,816	251	1,097	21,240	21,657	1,745	1,346
Nonwhite	23,896	24,337	15,143	2,123	6,814	2,675	21,390	272	762	8,561	8,558	1,041	670
Accomack	827	894	530	45	290	68	820	6	24	298	409	36	21
White	284	508	470	35	3	36	469	3	9	176	246	16	11
Nonwhite	343	386	60	10	287	32	351	3	15	120	163	20	10
Albemarle	1,803	585	570	2	12	58	525	2	7	647	268	25	15
White	1,172	425	422	1	2	34	389	2	5	464	195	17	13
Nonwhite	631	160	148	1	10	24	136	-	2	183	73	8	2
Alleghany	389	305	293	8	3	34	270	1	2	109	103	12	8
Amelia	132	233	108	55	70	17	215	1	3	64	94	8	4
White	31	113	84	28	1	2	111	-	-	25	38	1	-
Nonwhite	101	120	24	27	69	15	104	1	3	39	56	7	4
Amherst	60	330	275	29	20	18	304	8	9	156	164	16	12
White	14	195	163	8	2	12	181	2	2	118	113	9	8
Nonwhite	46	135	92	21	18	6	123	6	7	38	51	7	4

See footnotes on p. 183.

Table 19. Live Births by Attendant and Birth Weight; Fetal Deaths; and Total, Infant, and Neonatal Deaths; by Color: United States, Each State and County, and Specified Urban Places, 1955—Continued

(See headnote on p. 83)

AREA AND COLOR	LIVE BIRTHS								FETAL DEATHS	DEATHS			
	By place of occurrence	By place of residence							By place of residence	By place of occurrence	By place of residence		
			Attendant[1]			Birth weight[3]							
	Total births	Total births	Physician in hospital[2]	Physician not in hospital	Midwife	2,500 grams or less	2,501 grams or more	Not stated		Total deaths	Total deaths	Under 1 year	Under 28 days
VIRGINIA[11]—Continued													
Appomattox	50	213	163	24	26	13	200	-	3	62	95	8	6
White	10	132	123	6	3	4	128	-	2	49	71	2	2
Nonwhite	40	81	40	18	23	9	72	-	1	13	24	6	4
Arlington[5]	2,261	3,999	3,978	16	2	295	3,674	30	52	642	846	99	83
Augusta	52	770	709	51	9	62	705	3	13	211	325	20	16
Bath	133	121	116	3	2	11	108	2	1	69	62	6	5
White	126	113	109	2	2	11	100	2	1	56	49	6	5
Nonwhite	7	8	7	1	-	-	8	-	-	13	13	-	-
Bedford	523	661	594	43	20	53	606	2	11	278	302	30	17
White	338	487	470	13	2	33	453	1	8	227	236	17	9
Nonwhite	185	174	124	30	18	20	153	1	3	51	66	13	8
Bland	45	125	110	15	-	7	118	-	2	30	43	4	1
Botetourt	85	319	288	11	18	23	296	-	9	101	184	8	5
White	60	282	269	8	4	19	263	-	8	87	159	7	4
Nonwhite	25	37	19	3	14	4	33	-	1	14	25	1	1
Brunswick	385	481	156	89	219	52	428	1	12	140	186	21	14
White	43	120	113	7	-	7	113	-	1	43	65	1	-
Nonwhite	342	361	43	82	219	45	315	1	11	97	121	20	14
Buchanan	859	1,065	819	155	83	89	971	5	31	189	217	44	32
Buckingham	121	269	151	8	106	22	246	1	10	100	140	12	5
White	10	103	94	1	8	8	95	-	3	63	87	3	3
Nonwhite	111	166	57	7	98	14	151	1	7	37	53	9	2
Campbell	255	824	701	61	57	60	764	-	14	214	288	31	23
White	137	553	530	20	3	34	519	-	7	156	191	15	12
Nonwhite	118	271	171	41	54	26	245	-	7	58	97	16	11
Caroline	98	326	224	30	55	25	296	5	10	107	134	7	6
White	5	125	120	2	1	10	115	-	1	61	72	3	3
Nonwhite	93	201	104	28	54	15	181	5	9	46	62	4	3
Carroll	238	537	445	70	20	36	501	-	13	110	195	17	13
Charles City	70	171	101	9	58	11	157	3	4	38	52	6	2
White	-	26	26	-	-	3	23	-	-	7	13	-	-
Nonwhite	70	145	75	9	58	8	134	3	4	31	39	6	2
Charlotte	151	352	198	41	108	37	313	2	9	100	142	15	11
White	15	178	161	14	3	25	153	-	2	45	86	7	5
Nonwhite	136	174	37	27	105	12	160	2	7	55	56	8	6
Chesterfield	92	1,360	1,270	13	71	111	1,238	11	20	455	306	34	25
White	6	1,101	1,094	6	1	77	1,020	4	13	322	234	22	18
Nonwhite	86	259	176	7	70	34	218	7	7	133	72	12	7
Clarke	11	178	165	10	2	19	159	-	4	45	85	12	9
White	6	135	127	8	-	12	123	-	3	36	72	10	7
Nonwhite	5	43	38	2	2	7	36	-	1	9	13	2	2
Craig	7	66	59	6	-	9	57	-	1	25	35	1	1
Culpeper	84	325	244	67	14	24	300	1	8	113	169	12	8
White	25	206	183	22	1	15	191	-	5	80	120	3	3
Nonwhite	59	119	61	45	13	9	109	1	3	33	49	9	5
Cumberland	89	163	76	10	74	8	153	2	5	52	74	7	4
White	5	61	55	2	3	3	58	-	1	24	35	-	-
Nonwhite	84	102	21	8	71	5	95	2	4	28	39	7	4
Dickenson	271	555	414	81	57	44	508	3	17	80	123	15	11
Dinwiddie	163	401	245	14	139	25	376	-	13	372	155	10	8
White	2	131	129	1	1	6	125	-	2	37	73	1	1
Nonwhite	161	270	116	13	138	19	251	-	11	335	82	9	7
Essex	71	189	119	36	34	9	178	2	2	71	92	8	5
White	2	73	71	2	-	1	72	-	1	37	52	4	3
Nonwhite	69	116	48	34	34	8	106	2	1	34	40	4	2
Fairfax	2,350	4,201	4,165	21	15	307	3,887	7	66	427	627	78	61
White	2,224	3,919	3,901	15	3	272	3,640	7	61	393	571	72	57
Nonwhite	126	282	264	6	12	35	247	-	5	34	56	6	4
Fauquier	723	543	511	14	15	44	495	4	11	215	233	13	8
White	504	359	351	5	3	24	334	1	6	142	165	7	5
Nonwhite	219	184	160	9	12	20	161	3	5	73	68	6	3
Floyd	26	185	163	15	6	15	170	-	6	53	91	7	4
Fluvanna	54	144	89	15	37	12	126	6	3	48	62	7	5
White	7	64	59	4	1	7	57	-	-	30	40	4	3
Nonwhite	47	80	30	11	36	5	69	6	3	18	22	3	2
Franklin	468	583	494	11	78	50	527	6	13	167	199	22	19
White	361	475	438	4	33	36	434	5	11	132	163	17	16
Nonwhite	107	108	56	7	45	14	93	1	2	35	36	5	3
Frederick	10	436	427	4	5	46	390	-	9	94	146	6	4
Giles	468	467	454	11	2	47	419	1	4	126	146	19	13
Gloucester	105	244	144	98	1	20	223	1	1	80	122	3	2
White	34	165	133	32	-	12	153	-	1	48	79	2	2
Nonwhite	71	79	11	66	1	8	70	1	-	32	43	1	-
Goochland	67	174	124	11	39	16	157	1	3	61	71	4	1
White	10	68	64	4	-	7	61	-	-	33	38	1	-
Nonwhite	57	106	60	7	39	9	96	1	3	28	33	3	1
Grayson	92	404	317	74	10	24	379	1	2	104	168	14	8
Greene	14	101	87	11	2	6	94	1	3	27	46	2	2
White	13	88	75	10	2	4	83	1	2	19	36	2	2
Nonwhite	1	13	12	1	-	2	11	-	1	8	10	-	-
Greensville	262	419	156	60	199	41	377	1	15	93	136	20	11
White	8	112	106	2	4	15	97	-	8	32	52	1	1
Nonwhite	254	307	50	58	195	26	280	1	7	61	84	19	10

See footnotes on p. 183.

Table 19. Live Births by Attendant and Birth Weight; Fetal Deaths; and Total, Infant, and Neonatal Deaths; by Color: United States, Each State and County, and Specified Urban Places, 1955—Continued

(See headnote on p. 83)

AREA AND COLOR	LIVE BIRTHS								FETAL DEATHS	DEATHS			
	By place of occurrence	By place of residence							By place of residence	By place of occurrence	By place of residence		
			Attendant[1]			Birth weight[3]							
	Total births	Total births	Physician in hospital[2]	Physician not in hospital	Midwife	2,500 grams or less	2,501 grams or more	Not stated		Total deaths	Total deaths	Under 1 year	Under 28 days
VIRGINIA[11]—Continued													
Halifax	1,256	1,144	825	154	159	125	1,017	2	27	314	341	39	26
White	621	537	515	17	5	54	483	-	5	157	177	17	15
Nonwhite	635	607	310	137	154	71	534	2	22	157	164	22	11
Hanover	81	603	521	14	66	55	537	11	6	142	219	16	12
White	12	367	355	4	6	25	341	1	-	90	145	8	8
Nonwhite	69	236	166	10	60	30	196	10	6	52	74	8	4
Henrico	56	2,430	2,396	10	20	180	2,236	14	29	212	423	32	22
Henry	176	1,049	875	64	101	75	971	3	25	103	227	36	26
White	43	727	685	33	8	49	677	1	12	73	163	23	18
Nonwhite	133	322	190	31	93	26	294	2	13	30	64	13	8
Highland	21	71	51	20	-	5	66	-	1	29	42	-	-
Isle of Wight	213	419	209	20	188	24	394	1	7	116	193	12	7
White	9	160	152	5	3	8	151	1	-	46	97	4	4
Nonwhite	204	259	57	15	185	16	243	-	7	68	96	8	3
James City	69	265	195	3	67	31	233	1	7	37	68	11	6
White	2	142	140	2	-	13	129	-	-	14	29	5	4
Nonwhite	67	123	55	1	67	18	104	1	7	23	39	6	2
King and Queen	56	134	78	35	19	17	115	2	3	50	71	8	7
White	12	53	42	10	1	4	49	-	1	24	38	1	1
Nonwhite	44	81	36	25	18	13	66	2	2	26	33	7	6
King George	38	168	130	29	7	13	155	-	3	38	49	6	5
White	7	106	99	5	1	7	99	-	3	19	27	3	3
Nonwhite	31	62	31	24	6	6	56	-	-	19	22	3	2
King William	54	186	132	26	27	9	173	4	5	56	84	5	4
White	7	95	88	5	2	5	87	3	-	28	46	3	3
Nonwhite	47	91	44	21	25	4	86	1	5	28	38	2	1
Lancaster	158	204	121	77	6	18	182	4	5	63	99	5	2
White	53	96	79	17	-	5	91	-	1	28	53	-	-
Nonwhite	105	108	42	60	6	13	91	4	4	35	46	5	2
Lee	520	624	399	149	68	42	562	20	12	204	237	20	8
Loudoun	559	534	517	8	8	35	491	8	7	213	234	12	8
White	434	410	404	6	-	27	380	3	7	178	193	9	6
Nonwhite	125	124	113	2	8	8	111	5	-	35	41	3	2
Louisa	254	343	287	13	43	35	308	-	5	126	168	11	8
White	137	165	158	6	1	15	150	-	-	68	95	2	2
Nonwhite	117	178	129	7	42	20	158	-	5	58	73	9	6
Lunenburg	170	306	144	77	82	27	277	2	10	84	127	9	5
White	27	133	108	25	-	11	122	-	2	42	67	2	2
Nonwhite	143	173	36	52	82	16	155	2	8	42	60	7	3
Madison	18	166	148	16	2	12	154	-	3	49	77	4	2
White	8	117	109	8	-	4	113	-	3	31	47	2	1
Nonwhite	10	49	39	8	2	8	41	-	-	18	30	2	1
Mathews	50	118	88	30	-	8	110	-	-	78	109	2	2
White	22	77	74	3	-	5	72	-	-	65	90	1	1
Nonwhite	28	41	14	27	-	3	38	-	-	13	19	1	1
Mecklenburg	723	851	431	134	283	72	771	8	25	252	283	31	23
White	256	358	308	40	10	22	336	-	4	131	144	4	4
Nonwhite	467	493	123	94	273	50	435	8	21	121	139	27	19
Middlesex	43	133	92	4	37	12	121	-	5	73	75	5	1
White	1	71	70	1	-	10	61	-	2	44	39	1	1
Nonwhite	42	62	22	3	37	2	60	-	3	29	36	4	-
Montgomery	530	791	778	6	6	40	749	2	13	202	237	14	9
Nansemond	1,190	790	356	40	390	64	718	8	24	393	293	39	23
White	476	214	207	3	4	11	203	-	5	160	95	7	4
Nonwhite	714	576	149	37	386	53	515	8	19	233	198	32	19
Nelson	63	324	260	12	41	32	289	3	5	85	137	6	3
White	18	204	186	6	6	17	187	-	3	53	98	3	1
Nonwhite	45	120	74	6	35	15	102	3	2	32	39	3	2
New Kent	26	129	103	4	22	20	108	1	3	25	55	4	3
White	2	44	42	1	1	2	42	-	-	14	30	2	2
Nonwhite	24	85	61	3	21	18	66	1	3	11	25	2	1
Norfolk	5,440	2,069	1,748	36	279	178	1,879	12	41	364	391	75	56
White	4,726	1,502	1,479	18	4	124	1,376	2	25	282	266	48	41
Nonwhite	714	567	269	18	275	54	503	10	16	82	125	27	15
Northampton	715	453	185	11	248	37	413	3	12	309	241	23	9
White	370	151	144	3	4	8	142	1	3	139	111	4	1
Nonwhite	345	302	41	8	244	29	271	2	9	170	130	19	8
Northumberland	94	166	74	71	19	9	156	1	3	86	104	5	5
White	22	67	46	21	-	1	66	-	1	45	56	-	-
Nonwhite	72	99	28	50	19	8	90	1	2	41	48	5	5
Nottoway	168	359	196	29	133	42	317	-	3	145	167	6	5
White	19	167	148	15	4	12	155	-	-	83	100	1	1
Nonwhite	149	192	48	14	129	30	162	-	3	62	67	5	4
Orange	106	306	280	8	18	26	280	-	6	100	146	13	9
White	66	202	198	4	-	11	191	-	4	71	99	6	4
Nonwhite	40	104	82	4	18	15	89	-	2	29	47	7	5
Page	261	345	294	36	13	23	320	2	12	115	172	12	9
Patrick	297	344	238	89	15	29	309	6	5	73	119	10	9
Pittsylvania	566	1,513	963	305	239	123	1,380	10	32	265	476	45	32
White	91	807	726	75	5	57	748	2	12	153	308	18	16
Nonwhite	475	706	237	230	234	66	632	8	20	112	168	27	16
Powhatan	30	128	97	4	26	8	118	2	4	37	51	2	2
White	2	64	62	1	1	5	59	-	1	15	27	2	2
Nonwhite	28	64	35	3	25	3	59	2	3	22	24	-	-

See footnotes on p. 183.

Table 19. Live Births by Attendant and Birth Weight; Fetal Deaths; and Total, Infant, and Neonatal Deaths; by Color: United States, Each State and County, and Specified Urban Places, 1955—Continued

(See headnote on p. 83)

AREA AND COLOR	LIVE BIRTHS								FETAL DEATHS	DEATHS			
	By place of occurrence	By place of residence							By place of residence	By place of occurrence	By place of residence		
			Attendant[1]			Birth weight[3]							
	Total births	Total births	Physician in hospital[2]	Physician not in hospital	Midwife	2,500 grams or less	2,501 grams or more	Not stated		Total deaths	Total deaths	Under 1 year	Under 28 days
VIRGINIA[11]—Continued													
Prince Edward	755	367	216	42	108	32	334	1	10	186	142	13	9
White	473	166	155	8	3	11	155	-	6	96	64	3	2
Nonwhite	282	201	61	34	105	21	179	1	4	90	78	10	7
Prince George	867	360	315	2	41	44	315	1	10	71	91	11	8
White	667	235	234	-	1	22	213	-	3	42	51	5	5
Nonwhite	200	125	81	2	40	22	102	1	7	29	40	6	3
Prince William	1,136	640	592	30	15	44	594	2	19	146	210	30	20
White	1,075	571	540	25	5	36	534	1	15	122	177	28	18
Nonwhite	61	69	52	5	10	8	60	1	4	24	33	2	2
Princess Anne	164	2,300	2,133	9	154	160	2,137	3	36	323	332	49	36
White	5	1,947	1,940	5	-	123	1,821	3	26	207	220	33	25
Nonwhite	159	353	193	4	154	37	316	-	10	116	112	16	11
Pulaski	463	618	556	3	56	55	559	4	13	220	210	13	7
Rappahannock	16	112	94	13	5	7	105	-	1	57	81	7	7
White	10	91	80	10	1	6	85	-	1	45	61	7	7
Nonwhite	6	21	14	3	4	1	20	-	-	12	20	-	-
Richmond	52	147	95	34	17	11	135	1	2	48	65	8	6
White	16	79	63	16	-	3	76	-	1	32	43	2	2
Nonwhite	36	68	32	18	17	8	59	1	1	16	22	6	4
Roanoke	51	1,019	978	24	14	74	943	2	8	347	353	20	14
Rockbridge	652	548	515	18	13	42	503	3	10	205	235	11	9
Rockingham	114	883	825	57	1	67	816	-	9	164	306	32	26
Russell	474	601	541	37	18	34	564	3	6	140	192	16	9
Scott	139	571	435	55	73	33	532	6	16	109	189	15	11
Shenandoah	332	437	423	6	8	25	411	1	5	192	202	6	6
Smyth	944	741	715	20	4	66	673	2	14	351	248	18	9
Southampton	784	769	349	65	338	68	692	9	18	223	247	14	7
White	217	236	225	8	3	19	217	-	-	82	105	4	3
Nonwhite	567	533	124	57	335	49	475	9	18	141	142	10	4
Spotsylvania	23	319	297	4	17	24	294	1	3	55	109	11	5
White	6	238	232	3	3	18	220	-	-	39	77	5	4
Nonwhite	17	81	65	1	14	6	74	1	3	16	32	6	1
Stafford	21	295	272	4	18	28	267	-	5	64	127	16	13
White	6	238	230	3	4	19	219	-	4	50	101	8	7
Nonwhite	15	57	42	1	14	9	48	-	1	14	26	8	6
Surry	98	190	91	7	91	14	174	2	3	41	64	6	6
White	3	44	41	2	1	2	42	-	1	8	20	-	-
Nonwhite	95	146	50	5	90	12	132	2	2	33	44	6	6
Sussex	191	351	158	18	172	34	316	1	6	71	112	11	9
White	2	101	100	-	1	9	92	-	2	17	31	1	1
Nonwhite	189	250	58	18	171	25	224	1	4	54	81	10	8
Tazewell	1,496	1,299	1,156	129	9	109	1,155	35	23	377	377	43	29
Warren	394	338	335	2	1	42	296	-	3	144	141	12	10
Washington	605	906	751	101	50	68	836	2	18	292	306	32	27
Westmoreland	178	281	116	64	94	29	249	3	3	114	157	20	18
White	40	118	88	25	3	11	106	1	1	62	92	4	4
Nonwhite	138	163	28	39	91	18	143	2	2	52	65	16	14
Wise	395	1,244	982	225	34	116	1,125	3	28	191	356	42	30
Wythe	493	574	528	44	2	40	533	1	13	186	213	18	15
York	76	567	491	6	70	52	515	-	10	70	118	16	10
White	3	414	408	4	2	36	378	-	5	43	77	13	10
Nonwhite	73	153	83	2	68	16	137	-	5	27	41	3	-
Independent Cities[12]													
Alexandria	2,807	3,069	3,056	7	5	250	2,808	11	51	551	584	72	59
White	2,408	2,701	2,692	6	2	196	2,494	11	40	447	474	61	51
Nonwhite	399	368	364	1	3	54	314	-	11	104	110	11	8
Bristol[13]	833	318	308	9	1	26	286	6	5	76	113	12	6
Buena Vista	14	121	108	2	11	10	111	-	3	32	42	2	1
Charlottesville	462	784	779	5	-	79	705	-	17	203	243	12	10
White	457	622	620	2	-	49	573	-	13	174	177	5	5
Nonwhite	5	162	159	3	-	30	132	-	4	29	66	7	5
Clifton Forge	346	93	85	6	2	13	80	-	4	162	65	7	6
White	287	67	67	-	-	6	61	-	1	130	43	4	4
Nonwhite	59	26	18	6	2	7	19	-	3	32	22	3	2
Colonial Heights	1	184	183	1	-	14	170	-	4	26	59	4	1
Covington[14]	8	213	207	-	6	14	199	-	5	58	98	6	1
White	5	190	186	-	4	12	178	-	5	45	79	3	1
Nonwhite	3	23	21	-	2	2	21	-	-	13	19	3	-
Danville	2,025	1,067	903	7	157	95	968	4	20	546	419	34	24
Falls Church	-	1,071	1,071	-	-	73	984	14	10	34	112	18	13
White	-	1,044	1,044	-	-	66	964	14	10	34	110	18	13
Nonwhite	-	27	27	-	-	7	20	-	-	-	2	-	-
Fredericksburg	1,107	265	250	5	8	22	243	-	5	263	115	10	7
White	851	205	201	3	-	16	189	-	4	214	102	10	7
Nonwhite	256	60	49	2	8	6	54	-	1	49	13	-	-
Galax[15]	451	81	71	10	-	9	72	-	2	83	24	3	1
Hampton[16]	1,928	2,433	2,388	10	34	180	2,246	7	48	608	483	57	50
White	1,487	1,948	1,945	3	-	124	1,818	6	34	355	318	44	39
Nonwhite	441	485	443	7	34	56	428	1	14	253	165	13	11
Harrisonburg	1,311	261	251	9	1	19	241	1	6	311	114	5	5
Hopewell	397	490	480	3	7	41	446	3	10	89	108	15	13
White	291	411	411	-	-	30	379	2	7	71	86	10	8
Nonwhite	106	79	69	3	7	11	67	1	3	18	22	5	5

See footnotes on p. 183.

Table 19. Live Births by Attendant and Birth Weight; Fetal Deaths; and Total, Infant, and Neonatal Deaths; by Color: United States, Each State and County, and Specified Urban Places, 1955—Continued

(See headnote on p. 83)

AREA AND COLOR	LIVE BIRTHS								FETAL DEATHS	DEATHS			
	By place of occurrence	By place of residence							By place of residence	By place of occurrence	By place of residence		
			Attendant[1]			Birth weight[3]							
	Total births	Total births	Physician in hospital[2]	Physician not in hospital	Midwife	2,500 grams or less	2,501 grams or more	Not stated		Total deaths	Total deaths	Under 1 year	Under 28 days
VIRGINIA[11]—Continued													
Independent Cities[12]—Continued													
Lynchburg	2,442	1,070	1,044	21	4	88	980	2	25	712	482	33	27
White	1,825	792	790	1	-	57	735	-	13	485	331	16	15
Nonwhite	617	278	254	20	4	31	245	2	12	227	151	17	12
Martinsville	1,320	480	434	34	12	29	451	-	8	222	123	14	10
White	987	322	317	5	-	14	308	-	5	162	76	8	6
Nonwhite	333	158	117	29	12	15	143	-	3	60	47	6	4
Newport News	3,157	1,240	1,215	5	19	148	1,090	2	36	643	461	46	36
White	2,020	550	550	-	-	48	501	1	11	349	209	23	19
Nonwhite	1,137	690	665	5	19	100	589	1	25	294	252	23	17
√ Norfolk	7,614	8,325	7,870	104	345	676	7,628	21	186	2,205	2,177	235	176
White	5,092	5,985	5,977	5	2	416	5,553	16	98	1,313	1,285	117	97
Nonwhite	2,522	2,340	1,893	99	343	260	2,075	5	88	892	892	118	79
Norton[17]	1,045	116	93	23	-	15	101	-	3	173	46	10	6
Petersburg	1,597	1,046	808	21	211	88	957	1	18	503	407	35	27
White	1,049	548	544	1	2	47	501	-	7	281	207	13	11
Nonwhite	548	498	264	20	209	41	456	1	11	222	200	22	16
√ Portsmouth	2,568	2,275	1,730	29	501	212	2,053	10	59	796	789	75	50
White	1,528	1,165	1,157	4	4	92	1,073	-	20	441	415	32	19
Nonwhite	1,040	1,110	573	25	497	120	980	10	39	355	374	43	31
Radford	751	157	157	-	-	9	148	-	1	106	77	4	4
√ Richmond	10,767	5,133	4,998	115	4	526	4,508	99	99	3,387	2,731	179	141
White	7,039	2,579	2,566	10	-	198	2,364	17	42	2,226	1,737	84	73
Nonwhite	3,728	2,554	2,432	105	4	328	2,144	82	57	1,161	994	95	68
Roanoke	3,880	2,321	2,293	14	12	204	2,116	1	53	1,148	959	57	45
White	3,370	1,884	1,874	9	-	148	1,735	1	38	977	805	47	38
Nonwhite	510	437	419	5	12	56	381	-	15	171	154	10	7
South Norfolk	79	726	649	3	72	65	661	-	19	73	190	26	20
White	1	540	539	-	1	44	496	-	11	36	111	15	12
Nonwhite	78	186	110	3	71	21	165	-	8	37	79	11	8
Staunton	875	394	391	3	-	29	365	1	6	504	196	7	3
White	802	344	342	2	-	19	324	1	3	476	170	4	2
Nonwhite	73	50	49	1	-	9	41	-	3	28	26	3	1
Suffolk	60	319	260	3	56	30	285	4	16	70	141	12	7
White	2	163	162	-	1	11	152	-	3	41	82	5	3
Nonwhite	58	156	98	3	55	19	133	4	13	29	59	7	4
Virginia Beach[18]	285	292	286	-	6	13	279	-	7	96	60	7	5
Warwick[19]	1,049	1,673	1,640	3	28	152	1,521	-	31	230	263	43	33
White	863	1,176	1,173	2	-	94	1,082	-	14	162	177	26	20
Nonwhite	186	497	467	1	28	58	439	-	17	68	86	17	13
Waynesboro	504	381	370	3	8	40	341	-	7	104	93	10	8
Williamsburg	316	152	141	-	11	15	137	-	6	285	43	3	3
White	213	124	124	-	-	6	118	-	3	268	33	3	3
Nonwhite	103	28	17	-	11	9	19	-	3	17	10	-	-
Winchester	1,308	338	338	-	-	24	314	-	4	306	165	6	6
WASHINGTON	64,600	62,422	62,032	309	18	4,393	57,837	192	832	24,564	24,517	1,531	1,091
White	61,540	59,568	59,232	273	12	4,079	55,326	163	766	23,796	23,757	1,391	1,026
Nonwhite	3,060	2,854	2,800	36	6	314	2,511	29	66	768	760	140	65
Adams	120	228	226	2	-	8	217	3	-	46	62	1	1
Asotin	254	304	302	2	-	15	286	3	6	139	143	6	6
Benton	2,074	1,829	1,824	5	-	128	1,700	1	28	281	298	51	43
Kennewick	579	631	629	2	-	55	576	-	10	92	100	13	10
Balance of county	1,495	1,198	1,195	3	-	73	1,124	1	18	189	198	38	33
Chelan	1,188	980	975	5	-	62	913	5	16	364	356	23	12
Wenatchee	962	433	432	1	-	28	404	1	6	257	178	14	8
Balance of county	226	547	543	4	-	34	509	4	10	107	178	9	4
Clallam	714	738	730	4	2	48	687	3	5	233	247	22	17
Port Angeles	594	356	354	2	-	23	331	2	3	136	112	8	7
Balance of county	120	382	376	2	2	25	356	1	2	97	135	14	10
Clark	2,439	2,007	2,000	5	-	137	1,870	-	24	918	799	41	34
Vancouver	1,892	1,094	1,092	2	-	77	1,017	-	9	678	415	19	15
Balance of county	547	913	908	3	-	60	853	-	15	240	364	22	19
Columbia	91	103	103	-	-	4	99	-	2	49	67	3	1
Cowlitz	1,558	1,454	1,449	4	-	87	1,362	5	11	402	419	32	21
Longview	1,557	730	727	2	-	46	680	4	5	273	159	13	10
Balance of county	1	724	722	2	-	41	682	1	6	129	260	19	11
Douglas	25	276	274	2	-	22	252	2	1	31	70	5	3
Ferry	46	99	96	1	-	11	87	1	-	24	36	-	-
White	39	72	72	-	-	9	63	-	-	20	30	-	-
Nonwhite	7	27	24	1	-	2	24	1	-	4	6	-	-
Franklin	606	568	565	3	-	37	531	-	5	130	147	9	7
Pasco	553	418	416	2	-	25	393	-	5	112	112	6	5
White	524	370	369	1	-	19	351	-	4	103	100	5	4
Nonwhite	29	48	47	1	-	6	42	-	1	9	12	1	1
Balance of county	53	150	149	1	-	12	138	-	-	18	35	3	2
Garfield	79	76	76	-	-	4	72	-	1	19	28	-	-
Grant	1,435	1,522	1,515	7	-	113	1,404	5	18	175	189	33	24
Grays Harbor	1,120	1,178	1,174	3	1	85	1,090	3	14	552	594	33	24
Aberdeen	1,064	391	391	-	-	23	368	-	7	385	233	9	7
Hoquiam	1	240	239	1	-	18	222	-	3	50	111	5	3
Balance of county	55	547	544	2	1	44	500	3	4	117	250	19	14

See footnotes on p. 183.

Table 19. Live Births by Attendant and Birth Weight; Fetal Deaths; and Total, Infant, and Neonatal Deaths; by Color: United States, Each State and County, and Specified Urban Places, 1955—Continued

(See headnote on p. 83)

AREA AND COLOR	LIVE BIRTHS								FETAL DEATHS	DEATHS			
	By place of occurrence	By place of residence							By place of residence	By place of occurrence	By place of residence		
			Attendant[1]			Birth weight[3]							
	Total births	Total births	Physician in hospital[2]	Physician not in hospital	Midwife	2,500 grams or less	2,501 grams or more	Not stated		Total deaths	Total deaths	Under 1 year	Under 28 days
WASHINGTON—Continued													
Island	426	437	433	3	-	35	400	2	4	84	126	14	12
Jefferson	180	224	221	2	1	13	211	-	1	92	115	7	4
King	20,226	19,099	19,008	80	1	1,383	17,678	38	273	8,002	8,122	421	302
White	18,883	17,768	17,693	65	1	1,224	16,518	26	244	7,670	7,788	381	281
Nonwhite	1,343	1,331	1,315	15	-	159	1,160	12	29	332	334	40	21
Seattle	17,261	15,092	15,032	54	1	1,129	13,936	27	196	6,659	6,484	319	236
White	15,970	13,853	13,804	43	1	987	12,847	19	168	6,369	6,182	283	217
Nonwhite	1,291	1,239	1,228	11	-	142	1,089	8	28	290	302	36	19
Renton	1,682	668	667	1	-	55	612	1	12	225	157	14	10
Balance of county	1,283	3,339	3,309	25	-	199	3,130	10	65	1,118	1,481	88	56
Kitsap	2,039	1,973	1,939	31	1	143	1,821	9	26	701	709	48	36
Bremerton	1,987	970	968	2	-	76	890	4	11	447	275	19	16
Balance of county	52	1,003	971	29	1	67	931	5	15	254	434	29	20
Kittitas	494	487	486	1	-	30	457	-	10	199	196	5	4
Klickitat	313	405	404	1	-	28	377	-	3	123	125	13	8
Lewis	939	907	894	13	-	63	843	1	15	458	473	20	14
Lincoln	72	241	238	3	-	15	223	3	4	51	110	10	10
Mason	363	389	388	1	-	27	358	4	7	127	146	9	3
Okanogan	748	616	607	9	-	41	571	4	10	221	223	26	17
Pacific	311	335	329	6	-	18	313	4	1	183	198	10	8
Pend Oreille	174	179	179	-	-	8	171	-	5	56	66	3	1
Pierce	7,942	6,132	6,100	17	5	453	5,659	20	96	3,049	2,733	203	156
Tacoma	4,359	4,474	4,461	7	1	337	4,120	17	70	2,012	1,903	146	116
Puyallup	617	306	303	1	-	20	286	-	5	198	145	3	2
Balance of county	2,966	1,352	1,336	9	4	96	1,253	3	21	839	685	54	38
San Juan	4	45	41	2	-	4	41	-	-	19	29	-	-
Skagit	1,063	1,046	1,039	5	-	73	964	9	13	670	490	26	13
Skamania	1	95	93	1	-	7	88	-	-	24	44	1	1
Snohomish	2,279	3,346	3,324	19	1	205	3,128	13	41	1,130	1,283	69	42
Everett	1,910	1,004	1,003	1	-	62	939	3	8	652	513	23	15
Balance of county	369	2,342	2,321	18	1	143	2,189	10	33	478	770	46	27
Spokane	7,474	6,855	6,822	23	1	534	6,293	28	92	2,881	2,504	170	129
Spokane	6,116	4,962	4,944	13	1	375	4,567	20	70	2,391	1,970	114	89
Balance of county	1,358	1,893	1,878	10	-	159	1,726	8	22	490	534	56	40
Stevens	400	423	421	1	1	18	403	2	11	177	202	5	5
Thurston	878	1,023	1,005	16	1	67	954	2	16	401	449	19	14
Olympia	861	337	337	-	-	29	307	1	7	306	209	8	8
Balance of county	17	686	668	16	1	38	647	1	9	95	240	11	6
Wahkiakum	-	85	85	-	-	5	80	-	-	20	39	3	3
Walla Walla	1,049	839	837	2	-	61	776	2	5	446	376	27	22
Walla Walla	1,048	500	500	-	-	39	459	2	4	376	270	15	12
Balance of county	1	339	337	2	-	22	317	-	1	70	106	12	10
Whatcom	1,605	1,606	1,590	13	-	102	1,500	4	20	671	707	29	21
Bellingham	1,450	922	919	1	-	56	865	1	11	390	428	15	11
Balance of county	155	684	671	12	-	46	635	3	9	281	279	14	10
Whitman	488	676	671	4	-	44	629	3	7	189	262	13	9
Pullman	264	278	278	-	-	15	262	1	4	45	44	4	2
Balance of county	224	398	393	4	-	29	367	2	3	144	218	9	7
Yakima	3,383	3,597	3,569	13	3	255	3,329	13	41	1,227	1,335	121	64
Yakima	2,431	1,451	1,449	2	-	101	1,348	2	17	690	572	32	18
Balance of county	952	2,146	2,120	11	3	154	1,981	11	24	537	763	89	46
WEST VIRGINIA	45,188	44,172	40,000	3,246	713	3,713	39,985	474	773	16,920	16,787	1,206	844
White	42,602	41,596	37,898	2,883	611	3,422	37,729	445	718	15,709	15,601	1,143	804
Nonwhite	2,586	2,576	2,102	363	102	291	2,256	29	55	1,211	1,186	63	40
Barbour	264	348	302	5	32	33	314	1	4	196	203	10	9
Berkeley	822	696	688	5	-	52	636	8	16	501	319	20	14
Martinsburg	817	372	370	2	-	31	336	5	8	269	189	10	8
Balance of county	5	324	318	3	-	21	300	3	8	232	130	10	6
Boone	713	812	735	63	8	66	742	4	17	166	213	20	13
Braxton	622	348	327	8	10	31	303	14	5	160	180	8	5
Brooke	108	635	629	3	1	48	581	6	13	164	250	19	14
Weirton (part)	-	97	97	-	-	10	87	-	1	7	13	2	2
Balance of county	108	538	532	3	1	38	494	6	12	157	237	17	12
Cabell	3,506	2,490	2,471	15	-	206	2,278	6	50	1,364	991	63	44
Huntington (part)	3,331	1,962	1,951	9	-	170	1,787	5	37	1,258	819	50	36
Huntington (total)	3,331	2,021	2,010	9	-	173	1,843	5	37	1,375	839	50	36
Balance of county	175	528	520	6	-	36	491	1	13	106	172	13	8
Calhoun	160	187	123	43	14	15	167	5	2	49	83	5	5
Clay	140	387	338	15	16	28	353	6	5	43	84	5	3
Doddridge	48	133	89	42	-	17	116	-	1	57	93	4	3
Fayette	1,661	1,694	1,226	424	33	165	1,502	27	26	574	614	46	32
White	1,409	1,416	1,026	360	19	132	1,264	20	19	456	501	40	27
Nonwhite	252	278	200	64	14	33	238	7	7	118	113	6	5
Gilmer	76	157	82	73	1	9	142	6	2	56	93	4	1
Grant	282	185	157	-	25	15	169	1	7	56	84	6	4
Greenbrier	737	909	588	305	12	72	830	7	16	265	322	27	20
Hampshire	71	212	187	22	2	13	196	3	6	81	113	10	4
Hancock	772	918	885	32	-	63	850	5	18	255	303	34	25
Weirton (part)	739	562	560	1	-	52	507	3	6	196	189	23	19
Weirton (total)	739	659	657	1	-	62	594	3	7	203	202	25	21
Balance of county	33	356	325	31	-	11	343	2	12	59	114	11	6

See footnotes on p. 183.

Table 19. Live Births by Attendant and Birth Weight; Fetal Deaths; and Total, Infant, and Neonatal Deaths; by Color: United States, Each State and County, and Specified Urban Places, 1955—Continued

(See headnote on p. 83)

AREA AND COLOR	LIVE BIRTHS								FETAL DEATHS	DEATHS			
	By place of occurrence	By place of residence							By place of residence	By place of occurrence	By place of residence		
			Attendant[1]			Birth weight[3]							
	Total births	Total births	Physician in hospital[2]	Physician not in hospital	Midwife	2,500 grams or less	2,501 grams or more	Not stated		Total deaths	Total deaths	Under 1 year	Under 28 days
WEST VIRGINIA—Continued													
Hardy	17	212	196	2	14	14	198	-	3	44	64	2	1
Harrison	1,882	1,734	1,680	52	1	159	1,558	17	29	808	748	33	30
Clarksburg	1,835	717	708	8	-	65	644	8	11	565	319	18	18
Balance of county	47	1,017	972	44	1	94	914	9	18	243	429	15	12
Jackson	203	286	111	169	6	13	267	6	9	107	130	8	5
Jefferson	308	425	413	3	9	42	382	1	6	176	211	17	8
White	250	343	339	3	1	35	308	-	5	148	176	16	8
Nonwhite	58	82	74	-	8	7	74	1	1	28	35	1	-
Kanawha	7,362	6,512	6,336	138	30	524	5,921	67	105	2,015	1,929	152	109
White	6,967	6,127	5,971	122	27	473	5,591	63	95	1,833	1,733	145	103
Nonwhite	395	385	365	16	3	51	330	4	10	182	196	7	6
Charleston	5,568	2,163	2,141	21	1	184	1,957	22	29	1,284	796	44	31
South Charleston	1,638	579	579	-	-	52	520	7	6	215	122	11	10
Balance of county	156	3,770	3,616	117	29	288	3,444	38	70	516	1,011	97	88
Lewis	410	364	341	18	3	31	328	5	9	433	239	12	8
Lincoln	405	567	542	8	15	38	516	13	9	91	160	24	17
Logan	1,799	1,752	1,601	105	34	191	1,538	23	32	439	500	61	35
McDowell	2,353	2,251	1,886	321	40	195	2,018	38	43	573	586	69	44
White	1,831	1,705	1,422	241	38	141	1,530	34	36	415	408	58	36
Nonwhite	522	546	464	80	2	54	488	4	7	158	178	11	8
Marion	1,257	1,223	1,174	47	-	87	1,123	13	15	589	664	32	24
Fairmont	1,218	469	459	9	-	36	427	6	5	396	304	14	12
Balance of county	39	754	715	38	-	51	696	7	10	193	360	18	12
Marshall	495	657	625	29	1	50	559	49	11	272	339	15	13
Moundsville	-	268	267	1	-	28	214	26	7	60	146	6	6
Balance of county	495	389	358	28	1	22	344	23	4	212	193	9	7
Mason	553	566	519	46	-	44	520	2	8	206	199	15	8
Mercer	2,294	1,615	1,444	167	3	150	1,458	7	32	732	641	47	34
White	2,081	1,434	1,319	111	3	132	1,297	5	30	614	537	41	32
Nonwhite	213	181	125	56	-	18	161	2	2	118	104	6	2
Bluefield[20]	1,683	527	461	65	1	55	469	3	13	430	221	10	8
White	1,504	407	387	19	1	41	364	2	12	345	158	7	7
Nonwhite	179	120	74	46	-	14	105	1	1	85	63	3	1
Balance of county	611	1,088	983	102	2	95	989	4	19	302	420	37	26
Mineral	537	459	407	20	27	31	424	4	7	198	208	12	9
Mingo	1,391	1,286	1,109	87	78	115	1,159	12	31	281	299	25	14
Monongalia	1,349	1,141	1,115	11	11	88	1,044	9	13	526	512	25	17
Morgantown	743	532	527	1	3	33	494	5	6	268	258	9	8
Balance of county	606	609	588	10	8	55	550	4	7	258	254	16	9
Monroe	127	250	209	35	3	19	226	5	2	175	131	4	4
Morgan	289	195	182	6	5	19	174	2	3	94	89	2	1
Nicholas	686	682	629	44	9	67	611	4	8	179	211	28	23
Ohio	2,636	1,578	1,573	1	-	126	1,441	11	22	965	766	31	23
Wheeling	2,636	1,334	1,329	1	-	110	1,215	9	16	914	656	24	19
Balance of county	-	244	244	-	-	16	226	2	6	51	110	7	4
Pendleton	20	161	142	11	7	7	151	3	3	49	78	9	5
Pleasants	24	147	125	22	-	12	135	-	3	42	67	4	2
Pocahontas	198	203	191	10	1	11	192	-	4	93	94	3	3
Preston	219	666	548	53	60	58	607	1	17	181	232	17	13
Putnam	95	442	401	33	6	28	411	3	6	100	160	9	7
Raleigh	1,939	1,928	1,565	250	98	195	1,722	11	28	684	645	39	30
White	1,820	1,633	1,380	189	51	161	1,464	8	19	577	520	35	28
Nonwhite	319	295	185	61	47	34	258	3	9	107	125	4	2
Beckley	1,617	443	398	26	18	34	407	2	6	342	180	8	8
White	1,381	371	358	12	1	31	339	1	5	278	138	7	7
Nonwhite	236	72	40	14	17	3	68	1	1	64	42	1	1
Balance of county	322	1,485	1,167	224	80	161	1,315	9	22	342	465	31	22
White	239	1,262	1,022	177	50	130	1,125	7	14	299	382	28	21
Nonwhite	83	223	145	47	30	31	190	2	8	43	83	3	1
Randolph	687	601	560	23	7	65	534	2	13	273	264	23	16
Ritchie	41	190	166	16	5	13	175	2	4	122	164	13	11
Roane	271	314	249	56	7	22	283	9	5	199	170	11	8
Summers	444	353	208	136	7	32	317	4	8	182	189	22	16
Taylor	340	308	287	12	8	26	279	3	7	167	195	9	7
Tucker	147	175	164	2	8	15	160	-	7	84	106	4	4
Tyler	101	167	146	18	-	14	148	5	-	103	127	2	1
Upshur	550	413	391	11	6	29	381	3	8	205	204	15	10
Wayne	131	760	628	111	15	50	700	10	11	282	295	18	11
Huntington (part)	-	59	59	-	-	3	56	-	-	117	20	-	-
Balance of county	131	701	569	111	15	47	644	10	11	165	275	18	11
Webster	127	345	331	8	2	32	310	3	11	77	102	19	11
Wetzel	494	399	344	46	4	31	363	5	11	173	192	14	9
Wirt	57	86	76	2	7	6	79	1	4	39	58	2	2
Wood	2,238	1,708	1,697	7	-	133	1,559	16	24	857	688	57	43
Parkersburg	2,233	1,050	1,045	3	-	69	973	8	20	736	472	39	29
Balance of county	5	658	652	4	-	64	586	8	4	121	216	18	14
Wyoming	730	940	862	55	22	98	836	6	14	118	186	21	12
WISCONSIN	91,993	92,427	91,850	511	19	5,658	86,350	419	1,244	35,012	35,034	2,190	1,674
White	89,163	89,605	89,095	450	16	5,337	83,860	408	1,178	34,493	34,515	2,070	1,594
Nonwhite	2,830	2,822	2,755	61	3	321	2,490	11	66	519	519	120	80
Adams	35	154	147	7	-	6	145	3	2	61	104	3	3

See footnotes on p. 183.

Table 19. Live Births by Attendant and Birth Weight; Fetal Deaths; and Total, Infant, and Neonatal Deaths; by Color: United States, Each State and County, and Specified Urban Places, 1955—Continued

(See headnote on p. 83)

AREA AND COLOR	LIVE BIRTHS								FETAL DEATHS	DEATHS			
	By place of occurrence	By place of residence							By place of residence	By place of occurrence	By place of residence		
			Attendant[1]			Birth weight[3]							
	Total births	Total births	Physician in hospital[2]	Physician not in hospital	Midwife	2,500 grams or less	2,501 grams or more	Not stated		Total deaths	Total deaths	Under 1 year	Under 28 days
WISCONSIN—Continued													
Ashland	538	385	375	5	2	35	346	4	5	238	200	12	11
Ashland	530	217	215	1	1	20	197	-	2	205	118	8	7
Balance of county	8	168	160	4	1	15	149	4	3	33	82	4	4
White	5	143	138	4	-	12	130	1	2	33	78	4	4
Nonwhite	3	25	22	-	1	3	19	3	1	-	4	-	-
Barron	905	868	863	4	1	38	821	9	11	345	350	20	15
Bayfield	43	235	233	-	2	8	226	1	1	103	157	4	3
Brown	3,947	3,331	3,318	13	-	159	3,170	2	45	983	846	64	49
Green Bay	3,940	1,695	1,691	4	-	92	1,603	-	25	747	492	36	28
Balance of county	7	1,636	1,627	9	-	67	1,567	2	20	236	354	28	21
Buffalo	114	331	328	1	1	14	317	-	7	93	131	4	4
Burnett	169	175	172	3	-	7	165	3	1	104	110	-	-
Calumet	5	530	525	5	-	31	498	1	5	84	187	5	3
Chippewa	1,237	1,105	1,094	10	-	72	1,032	1	14	502	435	41	32
Eau Claire (part)	-	11	11	-	-	-	11	-	-	-	1	1	1
Chippewa Falls	887	292	292	-	-	31	261	-	3	247	140	14	11
Balance of county	350	802	791	10	-	41	760	1	11	255	294	26	20
Clark	213	679	665	12	-	39	634	6	6	204	309	12	9
Columbia	1,075	881	875	3	-	37	838	6	10	461	429	21	18
Crawford	407	390	386	4	-	30	349	11	9	168	190	9	7
Dane	5,249	5,292	5,277	13	-	305	4,945	42	63	2,056	1,528	141	108
Madison	4,929	2,894	2,888	5	-	186	2,690	18	35	1,541	811	83	65
Balance of county	320	2,398	2,389	8	-	119	2,255	24	28	515	717	58	43
Dodge	1,388	1,404	1,394	10	-	82	1,318	4	16	583	564	23	18
Beaver Dam	803	247	246	1	-	20	226	1	4	234	128	3	3
Watertown (part)	-	48	48	-	-	5	43	-	3	11	23	1	-
Balance of county	585	1,109	1,100	9	-	57	1,049	3	9	338	413	19	15
Door	451	512	495	16	-	34	477	1	6	191	199	14	10
Douglas	974	997	997	-	-	59	934	4	25	536	542	24	19
Superior	974	777	777	-	-	47	726	4	17	447	410	18	14
Balance of county	-	220	220	-	-	12	208	-	8	89	132	6	5
Dunn	517	581	572	8	1	27	553	1	8	228	240	12	9
Eau Claire	1,731	1,358	1,353	4	1	82	1,275	1	10	556	454	30	25
Eau Claire (part)	1,727	879	879	-	-	56	823	-	6	452	297	17	15
Eau Claire (total)	1,727	890	890	-	-	56	834	-	6	452	298	18	16
Balance of county	4	479	474	4	1	26	452	1	4	104	157	13	10
Florence	3	68	65	-	-	4	63	1	1	22	42	-	-
Fond du Lac	1,916	1,771	1,761	10	-	88	1,676	7	26	794	783	50	40
Fond du Lac	1,632	750	748	2	-	41	709	-	10	546	423	30	25
Balance of county	284	1,021	1,013	8	-	47	967	7	16	248	360	20	15
Forest	205	192	187	5	-	6	185	1	5	67	95	5	2
Grant	989	1,076	1,067	9	-	58	1,002	16	20	442	483	26	18
Green	812	574	569	4	-	39	531	4	5	364	287	17	15
Green Lake	333	310	305	4	1	16	288	6	4	179	200	4	3
Iowa	569	545	544	1	-	41	493	11	8	226	231	16	11
Iron	1	140	139	1	-	9	129	2	1	48	100	3	1
Jackson	236	348	347	1	-	14	334	-	3	137	162	4	2
Jefferson	1,274	1,045	1,038	4	-	68	973	4	8	525	539	29	25
Watertown (part)	612	217	215	1	-	13	204	-	2	176	151	9	9
Watertown (total)	612	265	263	1	-	18	247	-	5	187	174	10	9
Balance of county	662	828	823	3	-	55	769	4	6	349	388	20	16
Juneau	254	464	450	14	-	22	438	4	3	144	194	14	11
Kenosha	1,969	2,162	2,156	4	1	149	2,004	9	29	735	827	51	34
Kenosha	1,964	1,664	1,662	1	1	126	1,531	7	24	619	619	42	30
Balance of county	5	498	494	3	-	23	473	2	5	116	208	9	4
Kewaunee	344	438	430	8	-	28	409	1	6	105	154	10	5
La Crosse	2,365	1,750	1,745	5	-	108	1,641	1	26	768	646	29	22
La Crosse	2,362	1,115	1,114	1	-	68	1,046	1	21	635	478	19	14
Balance of county	3	635	631	4	-	40	595	-	5	133	168	10	8
Lafayette	245	483	481	2	-	26	452	5	6	100	163	8	5
Langlade	596	576	574	1	-	29	540	7	10	204	230	14	9
Lincoln	630	531	530	1	-	37	492	2	17	256	250	17	12
Manitowoc	1,641	1,841	1,834	6	1	79	1,754	8	23	599	662	34	25
Manitowoc	1,262	723	721	2	-	31	687	5	13	338	279	18	14
Two Rivers	376	305	304	1	-	13	291	1	3	101	90	6	4
Balance of county	3	813	809	3	1	35	776	2	7	160	293	10	7
Marathon	1,968	2,288	2,274	13	1	129	2,148	11	24	628	692	46	37
Wausau	1,955	899	898	1	-	57	839	3	7	472	333	21	20
Balance of county	13	1,389	1,376	12	1	72	1,309	8	17	156	359	25	17
Marinette	496	808	803	5	-	31	755	22	8	326	354	22	20
Marinette	491	331	331	-	-	15	307	9	2	191	151	8	7
Balance of county	5	477	472	5	-	16	448	13	6	135	203	14	13
Marquette	4	179	177	2	-	10	169	-	2	71	104	4	3
Milwaukee	25,357	24,014	23,877	126	4	1,780	22,199	35	343	9,066	8,925	599	485
White	23,361	21,998	21,914	73	4	1,537	20,429	32	290	8,737	8,583	513	421
Nonwhite	1,996	2,016	1,963	53	-	243	1,770	3	53	329	342	86	64
Milwaukee	23,772	17,920	17,809	101	3	1,414	16,476	30	256	6,498	7,016	477	386
White	22,457	15,923	15,865	48	3	1,174	14,722	27	203	6,305	6,680	392	323
Nonwhite	1,315	1,997	1,944	53	-	240	1,754	3	53	193	336	85	63
Wauwatosa	1,376	913	907	6	-	61	851	1	22	2,045	513	26	21
West Ellis	6	1,537	1,532	5	-	110	1,425	2	28	194	478	28	25
Cudahy	2	364	362	2	-	27	337	-	1	41	113	8	7
Shorewood	2	336	334	2	-	9	327	-	5	48	131	4	4
South Milwaukee	190	455	453	2	-	28	427	-	9	39	110	12	10

See footnotes on p. 183.

430007 O -57 -19

Table 19. Live Births by Attendant and Birth Weight; Fetal Deaths; and Total, Infant, and Neonatal Deaths; by Color: United States, Each State and County, and Specified Urban Places, 1955—Continued

(See headnote on p. 83)

AREA AND COLOR	LIVE BIRTHS								FETAL DEATHS	DEATHS			
	By place of occurrence	By place of residence							By place of residence	By place of occurrence	By place of residence		
			Attendant[1]			Birth weight[3]							
	Total births	Total births	Physician in hospital[2]	Physician not in hospital	Midwife	2,500 grams or less	2,501 grams or more	Not stated		Total deaths	Total deaths	Under 1 year	Under 28 days
WISCONSIN—Continued													
Milwaukee—Continued													
Whitefish Bay	1	405	404	1	-	22	383	-	2	38	108	4	3
Balance of county	8	2,084	2,076	7	1	109	1,973	2	20	163	456	40	29
Monroe	780	764	760	3	-	52	708	4	14	379	340	12	8
Oconto	550	642	633	9	-	45	594	3	8	219	255	16	13
Oneida	632	531	526	4	-	37	494	-	6	247	207	12	10
Outagamie	2,990	2,815	2,803	10	-	152	2,649	14	42	697	771	64	54
Appleton	2,108	1,295	1,291	4	-	74	1,215	6	14	424	372	28	23
Balance of county	882	1,520	1,512	6	-	78	1,434	8	28	273	399	36	31
Ozaukee	659	816	816	-	-	35	778	3	6	215	239	18	13
Pepin	164	209	207	2	-	11	196	2	3	60	73	9	4
Pierce	248	547	541	5	-	34	511	2	6	170	238	14	11
Polk	732	542	540	2	-	33	503	6	12	245	261	14	12
Portage	858	859	848	10	-	46	812	1	13	311	313	25	16
Stevens Point	847	394	394	-	-	15	379	-	7	237	144	13	9
Balance of county	11	465	454	10	-	31	433	1	6	74	169	12	7
Price	346	352	350	1	-	16	336	-	1	144	183	8	6
Racine	3,386	3,266	3,250	15	-	211	3,049	6	41	1,089	1,083	81	56
Racine	2,746	2,215	2,207	7	-	159	2,052	4	26	702	751	64	43
Balance of county	640	1,051	1,043	8	-	52	997	2	15	387	332	17	13
Richland	689	458	451	7	-	32	425	1	3	218	211	11	11
Rock	2,747	2,649	2,644	5	-	174	2,463	12	33	974	1,015	78	57
Beloit	1,312	832	829	3	-	51	775	6	9	339	321	23	18
Janesville	1,149	837	835	2	-	54	783	-	6	354	313	24	17
Balance of county	286	980	980	-	-	69	905	6	18	282	381	31	22
Rusk	473	359	358	1	-	21	337	1	6	157	168	8	5
St. Croix	795	774	769	4	-	31	740	3	10	253	250	20	15
Sauk	1,052	974	968	5	-	54	902	18	14	416	425	17	13
Sawyer	131	212	206	6	-	16	194	2	-	108	126	5	5
White	88	167	162	5	-	9	157	1	-	98	113	5	5
Nonwhite	43	45	44	1	-	7	37	1	-	10	13	-	-
Shawano	690	874	862	9	-	56	817	1	14	283	327	26	16
Sheboygan	2,179	1,919	1,914	5	-	87	1,826	6	26	971	884	45	30
Sheboygan	1,916	1,001	1,000	1	-	53	945	3	14	701	502	31	20
Balance of county	263	918	914	4	-	34	881	3	12	270	382	14	10
Taylor	360	493	483	8	1	29	461	3	9	83	135	10	7
Trempealeau	389	497	494	3	-	21	475	1	8	181	219	11	8
Vernon	671	653	651	2	-	38	581	34	10	288	288	14	10
Vilas	104	202	198	3	-	11	191	-	2	81	92	6	2
Walworth	751	1,071	1,062	9	-	60	1,005	6	12	462	490	26	17
Washburn	222	219	214	4	1	16	201	2	5	96	123	7	3
Washington	1,074	1,153	1,149	4	-	60	1,088	5	14	323	348	28	22
Waukesha	1,821	2,802	2,790	10	1	140	2,657	5	41	866	914	55	39
Waukesha	1,312	569	567	2	-	26	543	-	8	323	210	10	7
Balance of county	509	2,233	2,223	8	1	114	2,114	5	33	543	704	45	32
Waupaca	606	717	712	4	-	44	669	4	10	421	389	13	11
Waushara	79	253	248	5	-	14	238	1	3	111	170	4	3
Winnebago	2,394	2,501	2,491	9	-	168	2,329	4	32	1,065	949	60	50
Oshkosh	1,386	1,036	1,032	4	-	80	955	1	14	545	489	24	21
Menasha	2	391	389	2	-	22	368	1	2	59	117	10	7
Neenah	1,001	422	421	1	-	32	389	1	7	209	131	13	10
Balance of county	5	652	649	2	-	34	617	1	9	252	212	13	12
Wood	2,216	1,493	1,490	3	-	78	1,403	12	18	577	450	32	19
Marshfield	1,275	350	349	1	-	18	330	2	2	283	118	3	1
Wisconsin Rapids	939	381	381	-	-	15	361	5	8	142	119	16	9
Balance of county	2	762	760	2	-	45	712	5	8	152	215	13	9
WYOMING	8,463	8,610	8,551	32	12	819	7,780	11	108	2,539	2,453	245	182
White	8,179	8,336	8,289	29	8	793	7,534	9	106	2,451	2,370	221	172
Nonwhite	284	274	262	3	4	26	246	2	2	88	83	24	10
Albany	516	509	509	-	-	56	453	-	4	136	120	10	7
Laramie	516	425	425	-	-	49	376	-	4	125	97	7	4
Balance of county	-	84	84	-	-	7	77	-	-	11	23	3	3
Big Horn	289	325	325	-	-	27	298	-	6	78	101	11	8
Campbell	122	117	117	-	-	8	109	-	2	54	54	4	3
Carbon	337	381	375	2	4	47	334	-	10	194	143	11	10
Converse	188	174	174	-	-	18	156	-	2	55	61	6	6
Crook	20	116	114	1	-	7	109	-	-	23	32	-	-
Fremont	603	636	626	1	4	67	566	3	6	207	193	36	20
Goshen	266	288	288	-	-	25	262	1	5	82	95	4	4
Hot Springs	153	147	147	-	-	16	131	-	3	90	71	4	2
Johnson	111	130	130	-	-	8	121	1	1	41	53	3	2
Laramie	1,769	1,704	1,688	13	1	187	1,514	3	23	400	373	45	37
Cheyenne	1,129	1,432	1,427	4	1	162	1,269	1	17	281	316	40	32
Balance of county	640	272	261	9	-	25	245	2	6	119	57	5	5
Lincoln	230	248	247	1	-	14	234	-	3	57	72	7	6
Natrona	1,233	1,250	1,247	1	-	104	1,146	-	9	257	273	27	20
Casper	1,229	1,102	1,099	1	-	89	1,013	-	7	232	224	22	16
Balance of county	4	148	148	-	-	15	133	-	2	25	49	5	4
Niobrara	88	80	80	-	-	12	68	-	-	45	41	3	1
Park	501	456	453	2	-	37	417	2	8	109	107	9	8
Platte	113	178	177	1	-	11	167	-	1	51	65	4	4

See footnotes on p. 183.

Table 19. Live Births by Attendant and Birth Weight; Fetal Deaths; and Total, Infant, and Neonatal Deaths; by Color: United States, Each State and County, and Specified Urban Places, 1955—Continued

(See headnote on p. 83)

AREA AND COLOR	LIVE BIRTHS								FETAL DEATHS	DEATHS			
	By place of occurrence	By place of residence							By place of residence	By place of occurrence	By place of residence		
			Attendant[1]			Birth weight[3]							
	Total births	Total births	Physician in hospital[2]	Physician not in hospital	Midwife	2,500 grams or less	2,501 grams or more	Not stated		Total deaths	Total deaths	Under 1 year	Under 28 days
WYOMING—Continued													
Sheridan	528	447	446	1	-	40	407	-	4	224	206	16	10
Sheridan	528	328	327	1	-	29	299	-	3	182	156	12	8
Balance of county	-	119	119	-	-	11	108	-	1	42	50	4	2
Sublette	25	80	78	1	-	3	77	-	1	23	17	2	1
Sweetwater	510	494	489	3	2	50	443	1	3	161	166	20	15
Rock Springs	505	260	260	-	-	30	230	-	1	119	103	12	9
Balance of county	5	234	229	3	2	20	213	1	2	42	63	8	6
Teton	107	87	87	-	-	8	79	-	-	26	29	1	1
Uinta	230	191	188	3	-	20	171	-	8	111	42	3	3
Washakie	272	272	268	2	-	24	248	-	4	52	69	5	3
Weston	249	293	291	-	1	30	263	-	5	53	69	14	11
Yellowstone National Park (part)	3	7	7	-	-	-	7	-	-	10	1	-	-
Yellowstone National Park (total)	3	8	8	-	-	-	8	-	-	10	4	-	-

[1]Births attended by "other and not specified" persons are not shown separately but are included in total births. For the United States, these births totaled 10,146 in 1955.
[2]It is assumed that all births in hospitals or institutions are attended by physicians.
[3]The equivalents of the gram weights in terms of pounds and ounces are as follows: 2,500 grams or less = 5 lb. 8 oz. or less; 2,501 grams or more = 5 lb. 9 oz. or more.
[4]Includes data for Texarkana, Ark., only.
[5]Classified as urban under a special rule.
[6]Since this area is difficult to identify from information given on vital records, data may be understated or overstated.
[7]Birth weight information was not available for births which occurred in Connecticut. Birth weight data shown are for births in other States to residents of Connecticut.
[8]Massachusetts did not require the reporting of birth weight. Birth weight data shown are for births in other States to residents of Massachusetts.
[9]Includes data for Bristol, Tenn., only.
[10]Includes data for Texarkana, Tex., only.
[11]Independent cities have the same status as counties and are listed after counties.
[12]Those having populations of 10,000 or more include: Alexandria, Bristol, Charlottesville, Danville, Fredericksburg, Hampton, Harrisonburg, Hopewell, Lynchburg, Martinsville, Newport News, Norfolk, Petersburg, Portsmouth, Richmond, Roanoke, South Norfolk, Staunton, Suffolk, Warwick, Waynesboro, and Winchester.
[13]Includes data for Bristol, Va., only.
[14]Covington, formerly a town in Alleghany County, shown as an independent city beginning with 1953.
[15]Galax, formerly a town in Carroll and Grayson Counties, shown as an independent city beginning with 1955.
[16]Elizabeth City County annexed to the independent city of Hampton in 1952.
[17]Norton, formerly a town in Wise County, shown as an independent city beginning with 1955.
[18]Virginia Beach, formerly a town in Princess Anne County, shown as an independent city beginning with 1955.
[19]Warwick, formerly Warwick County, shown as an independent city beginning with 1952.
[20]Includes data for Bluefield, W. Va., only.

NOTES:

Urban places of 10,000 or more listed in this table include incorporated places of 10,000 or more in 1950 and certain unincorporated areas classified as "urban" under special rules relating to population size and density. Areas classified as urban under these special rules are indicated by a footnote.

Certain cities are located in more than one county. In these cases, figures for the county include only the figures for that part of the city in the county. Total figures for each of these cities are shown under the county containing the larger proportion of the city's population. Totals for Amarillo, Tex., are shown under Potter County; Atlanta, Ga., under Fulton County; Aurora, Colo., under Adams County; Bethlehem, Pa., under Northampton County; Centralia, Ill., under Marion County; College Park, Ga., under Fulton County; Collinsville, Ill., under Madison County; Eau Claire, Wis., under Eau Claire County; Elgin, Ill., under Kane County; Ellwood City, Pa., under Lawrence County; Fostoria, Ohio, under Seneca County; Grand Prairie, Tex., under Dallas County; Hannibal, Mo., under Marion County; Huntington, W. Va., under Cabell County; Joplin, Mo., under Jasper County; Kansas City, Mo., under Jackson County; Pocatello, Idaho, under Bannock County; Rocky Mount, N. C., under Nash County; St. Cloud, Minn., under Stearns County; Salem, Oreg., under Marion County; Sikeston, Mo., under Scott County; Streator, Ill., under La Salle County; Takoma Park, Md., under Montgomery County; Watertown, Wis., under Jefferson County; Weirton, W.Va., under Hancock County; and Youngstown, Ohio, under Mahoning County. Likewise, total figures for Yellowstone National Park are shown under Wyoming.

Table 20. Live Births by Attendant and Birth Weight; Fetal Deaths and Ratios; Total Deaths; and Infant and Neonatal Deaths and Rates; by Color for Urban and Rural Areas in Metropolitan and Nonmetropolitan Counties: United States and Each State, 1955

(By place of residence. Includes only events occurring within the continental United States. Fetal deaths include only those for which the period of gestation was given as 20 weeks or more, or was not stated. Deaths exclude fetal deaths. Fetal death ratios, and infant (under 1 year) and neonatal (under 28 days) mortality rates per 1,000 live births in each group)

AREA AND COLOR	LIVE BIRTHS								FETAL DEATHS		DEATHS				
	Total	Attendant[1]			Birth weight[3]						Total	Under 1 year		Under 28 days	
		Physician in hospital[2]	Physician not in hospital	Midwife	2,000 grams or less	2,001-2,500 grams	2,501 grams or more	Not stated	Number	Ratio		Number	Rate	Number	Rate
UNITED STATES	4,047,295	3,818,810	100,756	117,583	98,211	193,769	3,567,262	188,053	69,153	17.1	1,528,717	106,903	26.4	77,351	19.1
White	3,458,448	3,371,416	60,738	20,520	74,516	150,352	3,059,705	173,875	52,411	15.2	1,350,869	81,682	23.6	61,340	17.7
Nonwhite	588,847	447,394	40,018	97,063	23,695	43,417	507,557	14,178	16,742	28.4	177,848	25,221	42.8	16,011	27.2
Urban	2,468,744	2,396,549	35,888	32,454	63,724	123,516	2,144,652	136,852	42,716	17.3	997,441	65,606	26.6	49,418	20.0
White	2,088,652	2,058,356	18,609	9,284	46,413	93,519	1,820,459	128,261	32,145	15.4	878,736	49,673	23.8	38,373	18.4
Nonwhite	380,092	338,193	17,279	23,170	17,311	29,997	324,193	8,591	10,571	27.8	118,705	15,933	41.9	11,045	29.1
Rural	1,578,551	1,422,261	64,868	85,129	34,487	70,253	1,422,610	51,201	26,437	16.7	531,276	41,297	26.2	27,933	17.7
White	1,369,796	1,313,060	42,129	11,236	28,103	56,833	1,239,246	45,614	20,266	14.8	472,133	32,009	23.4	22,967	16.8
Nonwhite	208,755	109,201	22,739	73,893	6,384	13,420	183,364	5,587	6,171	29.6	59,143	9,288	44.5	4,966	23.8
Metropolitan counties	2,374,733	2,327,206	28,750	15,359	59,668	114,890	2,044,441	155,734	40,374	17.0	899,333	59,423	25.0	45,110	19.0
White	2,038,419	2,014,031	17,046	5,072	44,177	88,230	1,757,910	148,102	31,168	15.3	799,776	46,126	22.6	35,688	17.5
Nonwhite	336,314	313,175	11,704	10,287	15,491	26,660	286,531	7,632	9,206	27.4	99,557	13,297	39.5	9,422	28.0
Urban	1,825,044	1,792,812	19,903	9,915	47,847	91,370	1,560,091	125,736	32,179	17.6	746,957	46,854	25.7	35,881	19.7
White	1,524,791	1,508,897	10,103	4,278	33,655	67,253	1,305,090	118,793	23,999	15.7	657,172	34,917	22.9	27,266	17.9
Nonwhite	300,253	283,915	9,800	5,637	14,192	24,117	255,001	6,943	8,180	27.2	89,785	11,937	39.8	8,615	28.7
Rural	549,689	534,394	8,847	5,444	11,821	23,520	484,350	29,998	8,195	14.9	152,376	12,569	22.9	9,229	16.8
White	513,628	505,134	6,943	794	10,522	20,977	452,820	29,309	7,169	14.0	142,604	11,209	21.8	8,422	16.4
Nonwhite	36,061	29,260	1,904	4,650	1,299	2,543	31,530	689	1,026	28.5	9,772	1,360	37.7	807	22.4
Nonmetropolitan counties	1,672,562	1,491,604	72,006	102,224	38,543	78,879	1,522,821	32,319	28,779	17.2	629,384	47,480	28.4	32,241	19.3
White	1,420,029	1,357,385	43,692	15,448	30,339	62,122	1,301,795	25,773	21,243	15.0	551,093	35,556	25.0	25,652	18.1
Nonwhite	252,533	134,219	28,314	86,776	8,204	16,757	221,026	6,546	7,536	29.8	78,291	11,924	47.2	6,589	26.1
Urban	643,700	603,737	15,985	22,539	15,877	32,146	584,561	11,116	10,537	16.4	250,484	18,752	29.1	13,537	21.0
White	563,861	549,459	8,506	5,006	12,758	26,266	515,369	9,468	8,146	14.4	221,564	14,756	26.2	11,107	19.7
Nonwhite	79,839	54,278	7,479	17,533	3,119	5,880	69,192	1,648	2,391	29.9	28,920	3,996	50.1	2,430	30.4
Rural	1,028,862	887,867	56,021	79,685	22,666	46,733	938,260	21,203	18,242	17.7	378,900	28,728	27.9	18,704	18.2
White	856,168	807,926	35,186	10,442	17,581	35,856	786,426	16,305	13,097	15.3	329,529	20,800	24.3	14,545	17.0
Nonwhite	172,694	79,941	20,835	69,243	5,085	10,877	151,834	4,898	5,145	29.8	49,371	7,928	45.9	4,159	24.1
ALABAMA	81,811	62,190	4,941	14,295	2,084	4,402	73,927	1,398	1,824	22.3	26,380	2,616	32.0	1,809	22.1
White	49,899	46,832	2,221	729	1,042	2,169	46,116	572	822	16.5	16,099	1,241	24.9	939	18.8
Nonwhite	31,912	15,358	2,720	13,566	1,042	2,233	27,811	826	1,002	31.4	10,281	1,375	43.1	870	27.3
Urban	38,721	33,593	1,419	3,612	1,088	2,195	35,000	438	800	20.7	12,355	1,196	30.9	871	22.5
White	23,984	23,590	310	71	527	1,065	22,204	188	368	15.3	7,259	575	24.0	461	19.2
Nonwhite	14,737	10,003	1,109	3,541	561	1,130	12,796	250	432	29.3	5,096	621	42.1	410	27.8
Rural	43,090	28,597	3,522	10,683	996	2,207	38,927	960	1,024	23.8	14,025	1,420	33.0	938	21.8
White	25,915	23,242	1,911	658	515	1,104	23,912	384	454	17.5	8,840	666	25.7	478	18.4
Nonwhite	17,175	5,355	1,611	10,025	481	1,103	15,015	576	570	33.2	5,185	754	43.9	460	26.8
Metropolitan counties	31,591	27,746	1,169	2,589	921	1,848	28,596	226	722	22.9	9,759	902	28.6	661	20.9
White	18,490	18,084	320	65	427	863	17,111	89	305	16.5	5,485	413	22.3	339	18.3
Nonwhite	13,101	9,662	849	2,524	494	985	11,485	137	417	31.8	4,274	489	37.3	322	24.6
Urban	22,616	20,410	655	1,494	708	1,363	20,386	159	503	22.2	7,299	644	28.5	476	21.0
White	12,950	12,795	132	14	306	603	11,972	69	203	15.7	3,978	278	21.5	233	18.0
Nonwhite	9,666	7,615	523	1,480	402	760	8,414	90	300	31.0	3,321	366	37.9	243	25.1
Rural	8,975	7,336	514	1,095	213	485	8,210	67	219	24.4	2,460	258	28.7	185	20.6
White	5,540	5,289	188	51	121	260	5,139	20	102	18.4	1,507	135	24.4	106	19.1
Nonwhite	3,435	2,047	326	1,044	92	225	3,071	47	117	34.1	953	123	35.8	79	23.0
Nonmetropolitan counties	50,220	34,444	3,772	11,706	1,163	2,554	45,331	1,172	1,102	21.9	16,621	1,714	34.1	1,148	22.9
White	31,409	28,748	1,901	664	615	1,306	29,005	483	517	16.5	10,614	828	26.4	600	19.1
Nonwhite	18,811	5,696	1,871	11,042	548	1,248	16,326	689	585	31.1	6,007	886	47.1	548	29.1
Urban	16,105	13,183	764	2,118	380	832	14,614	279	297	18.4	5,056	552	34.3	395	24.5
White	11,034	10,795	178	57	221	462	10,232	119	165	15.0	3,281	297	26.9	228	20.7
Nonwhite	5,071	2,388	586	2,061	159	370	4,382	160	132	26.0	1,775	255	50.3	167	32.9
Rural	34,115	21,261	3,008	9,588	783	1,722	30,717	893	805	23.6	11,565	1,162	34.1	753	22.1
White	20,375	17,953	1,723	607	394	844	18,773	364	352	17.3	7,333	531	26.1	372	18.3
Nonwhite	13,740	3,308	1,285	8,981	389	878	11,944	529	453	33.0	4,232	631	45.9	381	27.7
ARIZONA	27,947	26,561	465	544	615	1,375	25,499	458	458	16.4	7,600	972	34.8	561	20.1
White	23,733	22,782	410	395	503	1,134	21,839	257	360	15.2	6,500	689	29.0	454	19.1
Nonwhite	4,214	3,779	55	149	112	241	3,660	201	98	23.3	1,100	283	67.2	107	25.4
Urban	9,713	9,272	181	204	242	499	8,862	110	165	17.0	3,457	303	31.2	195	20.1
White	8,851	8,463	162	175	208	434	8,104	105	147	16.6	3,185	266	30.1	177	20.0
Nonwhite	862	809	19	29	34	65	758	5	18	20.9	272	37	42.9	18	20.9
Rural	18,234	17,289	284	340	373	876	16,637	348	293	16.1	4,143	669	36.7	366	20.1
White	14,882	14,319	248	220	295	700	13,735	152	213	14.3	3,315	423	28.4	277	18.6
Nonwhite	3,352	2,970	36	120	78	176	2,902	196	80	23.9	828	246	73.4	89	26.6
Metropolitan counties	12,812	12,479	167	119	261	526	11,805	220	190	14.8	3,451	351	27.4	223	17.4
White	11,723	11,420	156	106	223	456	10,836	208	160	13.6	3,156	302	25.8	197	16.8
Nonwhite	1,089	1,059	11	13	38	70	969	12	30	27.5	295	49	45.0	26	23.9
Urban	5,342	5,228	55	48	122	243	4,883	94	94	17.6	1,838	142	26.6	92	17.2
White	4,840	4,735	51	43	106	203	4,441	90	80	16.5	1,693	124	25.6	85	17.6
Nonwhite	502	493	4	5	16	40	442	4	14	27.9	145	18	35.9	7	13.9
Rural	7,470	7,251	112	71	139	283	6,922	126	96	12.9	1,613	209	28.0	131	17.5
White	6,883	6,685	105	63	117	253	6,395	118	80	11.6	1,463	178	25.9	112	16.3
Nonwhite	587	566	7	8	22	30	527	8	16	27.3	150	31	52.8	19	32.4
Nonmetropolitan counties	15,135	14,082	298	425	354	849	13,694	238	268	17.7	4,149	621	41.0	338	22.3
White	12,010	11,362	254	289	280	678	11,003	49	200	16.7	3,344	387	32.2	257	21.4
Nonwhite	3,125	2,720	44	136	74	171	2,691	189	68	21.8	805	234	74.9	81	25.9

See footnotes on p. 200.

Table 20. Live Births by Attendant and Birth Weight; Fetal Deaths and Ratios; Total Deaths; and Infant and Neonatal Deaths and Rates; by Color for Urban and Rural Areas in Metropolitan and Nonmetropolitan Counties: United States and Each State, 1955—Continued

(See headnote on p. 184)

AREA AND COLOR	LIVE BIRTHS								FETAL DEATHS		DEATHS				
	Total	Attendant[1]			Birth weight[3]						Total	Under 1 year		Under 28 days	
		Physician in hospital[2]	Physician not in hospital	Midwife	2,000 grams or less	2,001-2,500 grams	2,501 grams or more	Not stated	Number	Ratio		Number	Rate	Number	Rate
ARIZONA—Continued															
Nonmetropolitan counties—Con.															
Urban	4,371	4,044	126	156	120	256	3,979	16	71	16.2	1,619	161	36.8	103	23.6
White	4,011	3,728	111	132	102	231	3,663	15	67	16.7	1,492	142	35.4	92	22.9
Nonwhite	360	316	15	24	18	25	316	1	4	11.1	127	19	52.8	11	30.6
Rural	10,764	10,038	172	269	234	593	9,715	222	197	18.3	2,530	460	42.7	235	21.8
White	7,999	7,634	143	157	178	447	7,340	34	133	16.6	1,852	245	30.6	165	20.6
Nonwhite	2,765	2,404	29	112	56	146	2,375	188	64	23.1	678	215	77.8	70	25.3
ARKANSAS	41,802	32,778	3,920	4,805	928	1,944	36,931	1,999	711	17.0	15,218	1,157	27.7	744	17.8
White	28,936	26,803	1,703	232	555	1,181	25,974	1,226	381	13.2	11,243	665	23.0	468	16.2
Nonwhite	12,866	5,975	2,217	4,573	373	763	10,957	773	330	25.6	3,975	492	38.2	276	21.5
Urban	17,226	15,153	931	1,025	439	820	15,248	719	301	17.5	6,796	522	30.3	371	21.5
White	12,567	12,201	258	23	258	515	11,368	426	163	13.0	4,943	291	23.2	223	17.7
Nonwhite	4,659	2,952	673	1,002	181	305	3,880	293	138	29.6	1,853	231	49.6	148	31.8
Rural	24,576	17,625	2,989	3,780	489	1,124	21,683	1,280	410	16.7	8,422	635	25.8	373	15.2
White	16,369	14,602	1,445	209	297	666	14,606	800	218	13.3	6,300	374	22.8	245	15.0
Nonwhite	8,207	3,023	1,544	3,571	192	458	7,077	480	192	23.4	2,122	261	31.8	128	15.6
Metropolitan counties	5,469	5,272	95	68	132	296	4,797	244	98	17.9	1,827	128	23.4	92	16.8
White	3,776	3,705	48	3	78	165	3,393	140	59	15.6	1,286	75	19.9	59	15.6
Nonwhite	1,693	1,567	47	65	54	131	1,404	104	39	23.0	541	53	31.3	33	19.5
Urban	4,218	4,089	55	47	113	224	3,726	155	73	17.3	1,470	98	22.8	72	17.1
White	2,969	2,925	25	1	67	124	2,695	83	47	15.8	1,042	58	19.5	46	15.5
Nonwhite	1,249	1,164	30	46	46	100	1,031	72	26	20.8	428	38	30.4	26	20.8
Rural	1,251	1,183	40	21	19	72	1,071	89	25	20.0	357	32	25.6	20	16.0
White	807	780	23	2	11	41	698	57	12	14.9	244	17	21.1	13	16.1
Nonwhite	444	403	17	19	8	31	373	32	13	29.3	113	15	33.8	7	15.8
Nonmetropolitan counties	36,333	27,506	3,825	4,737	796	1,648	32,134	1,755	613	16.9	13,391	1,029	28.3	652	17.9
White	25,160	23,098	1,655	229	477	1,016	22,581	1,086	322	12.8	9,957	590	23.4	409	16.3
Nonwhite	11,173	4,408	2,170	4,508	319	632	9,553	669	291	26.0	3,434	439	39.3	243	21.7
Urban	13,008	11,064	876	978	326	596	11,522	564	228	17.5	5,326	426	32.7	299	23.0
White	9,598	9,276	233	22	191	391	8,673	343	116	12.1	3,901	233	24.3	177	18.4
Nonwhite	3,410	1,788	643	956	135	205	2,849	221	112	32.8	1,425	193	56.6	122	35.8
Rural	23,325	16,442	2,949	3,759	470	1,052	20,612	1,191	385	16.5	8,065	603	25.9	353	15.1
White	15,562	13,822	1,422	207	286	625	13,908	743	206	13.2	6,056	357	22.9	232	14.9
Nonwhite	7,763	2,620	1,527	3,552	184	427	6,704	448	179	23.1	2,009	246	31.7	121	15.6
CALIFORNIA	313,366	309,201	3,003	70	7,870	14,757	290,302	437	4,381	14.0	114,515	7,395	23.6	5,666	18.1
White	283,006	279,453	2,577	66	6,676	12,612	263,349	369	3,766	13.3	107,999	6,527	23.1	5,022	17.7
Nonwhite	30,360	29,748	426	4	1,194	2,145	26,953	68	615	20.3	6,516	868	28.6	644	21.2
Urban	199,503	197,563	1,222	46	5,118	9,564	184,554	267	2,894	14.5	83,516	4,602	23.1	3,597	18.0
White	175,564	174,054	921	42	4,135	7,844	163,364	221	2,395	13.5	78,333	3,901	22.2	3,065	17.5
Nonwhite	23,939	23,509	301	4	983	1,720	21,190	46	499	20.8	5,183	701	29.3	532	22.2
Rural	113,863	111,638	1,781	24	2,752	5,193	105,748	170	1,487	13.1	30,999	2,793	24.5	2,069	18.2
White	107,442	105,399	1,656	24	2,541	4,768	99,985	148	1,371	12.8	29,666	2,626	24.4	1,957	18.2
Nonwhite	6,421	6,239	125	-	211	425	5,763	22	116	18.1	1,333	167	26.0	112	17.4
Metropolitan counties	253,348	250,381	1,955	64	6,473	12,017	234,536	322	3,593	14.2	93,101	5,847	23.1	4,552	18.0
White	226,557	224,088	1,621	62	5,407	10,107	210,772	271	3,043	13.4	87,537	5,089	22.5	3,980	17.6
Nonwhite	26,791	26,293	334	2	1,066	1,910	23,764	51	550	20.5	5,564	758	28.3	572	21.4
Urban	175,094	173,499	928	41	4,561	8,462	161,850	221	2,555	14.6	74,102	3,982	22.7	3,126	17.9
White	152,625	151,424	660	39	3,631	6,838	141,979	177	2,079	13.6	69,318	3,330	21.8	2,628	17.2
Nonwhite	22,469	22,075	268	2	930	1,624	19,871	44	476	21.2	4,784	652	29.0	498	22.2
Rural	78,254	76,882	1,027	23	1,912	3,555	72,686	101	1,038	13.3	18,999	1,865	23.8	1,426	18.2
White	73,932	72,664	961	23	1,776	3,269	68,793	94	964	13.0	18,219	1,759	23.8	1,352	18.3
Nonwhite	4,322	4,218	66	-	136	286	3,893	7	74	17.1	780	106	24.5	74	17.1
Nonmetropolitan counties	60,018	58,820	1,048	6	1,397	2,740	55,766	115	788	13.1	21,414	1,548	25.8	1,114	18.6
White	56,449	55,365	956	4	1,269	2,505	52,577	98	723	12.8	20,462	1,438	25.5	1,042	18.5
Nonwhite	3,569	3,455	92	2	128	235	3,189	17	65	18.2	952	110	30.8	72	20.2
Urban	24,409	24,064	294	5	557	1,102	22,704	46	339	13.9	9,414	620	25.4	471	19.3
White	22,939	22,630	261	3	504	1,006	21,385	44	316	13.8	9,015	571	24.9	437	19.1
Nonwhite	1,470	1,434	33	2	53	96	1,319	2	23	15.6	399	49	33.3	34	23.1
Rural	35,609	34,756	754	1	840	1,638	33,062	69	449	12.6	12,000	928	26.1	643	18.1
White	33,510	32,735	695	1	765	1,499	31,192	54	407	12.1	11,447	867	25.9	605	18.1
Nonwhite	2,099	2,021	59	-	75	139	1,870	15	42	20.0	553	61	29.1	38	18.1
COLORADO	40,017	39,081	620	152	1,166	2,877	35,918	56	796	19.9	13,343	1,212	30.3	895	22.4
White	38,598	37,684	611	150	1,101	2,691	34,754	52	768	19.9	12,964	1,161	30.1	863	22.4
Nonwhite	1,419	1,397	9	2	65	186	1,164	4	28	19.7	379	51	35.9	32	22.6
Urban	26,987	26,611	198	109	796	1,958	24,201	32	524	19.4	9,511	777	28.8	599	22.2
White	25,774	25,415	191	108	737	1,793	23,213	31	501	19.4	9,195	737	28.6	571	22.2
Nonwhite	1,213	1,196	7	1	59	165	988	1	23	19.0	316	40	33.0	28	23.1
Rural	13,030	12,470	422	43	370	919	11,717	24	272	20.9	3,832	435	33.4	296	22.7
White	12,824	12,269	420	42	364	898	11,541	21	267	20.8	3,769	424	33.1	292	22.8
Nonwhite	206	201	2	1	6	21	176	3	5	24.3	63	11	53.4	4	19.4
Metropolitan counties	21,241	20,945	184	46	653	1,559	19,007	22	467	22.0	6,945	628	29.6	482	22.7
White	20,224	19,944	178	45	598	1,426	18,180	20	447	22.1	6,652	592	29.3	454	22.4
Nonwhite	1,017	1,001	6	1	55	133	827	2	20	19.7	293	36	35.4	28	27.5
Urban	17,046	16,839	119	37	533	1,276	15,220	17	371	21.8	6,114	505	29.6	394	23.1
White	16,071	15,880	113	36	481	1,146	14,428	16	352	21.9	5,836	472	29.4	368	22.9
Nonwhite	975	959	6	1	52	130	792	1	19	19.5	278	33	33.8	26	26.7
Rural	4,195	4,106	65	9	120	283	3,787	5	96	22.9	831	123	29.3	88	21.0
White	4,153	4,064	65	9	117	280	3,752	4	95	22.9	816	120	28.9	86	20.7
Nonwhite	42	42	-	-	3	3	35	1	1	23.8	15	3	71.4	2	47.6

See footnotes on p. 200.

Table 20. Live Births by Attendant and Birth Weight; Fetal Deaths and Ratios; Total Deaths; and Infant and Neonatal Deaths and Rates; by Color for Urban and Rural Areas in Metropolitan and Nonmetropolitan Counties: United States and Each State, 1955—Continued

(See headnote on p. 184)

AREA AND COLOR	LIVE BIRTHS								FETAL DEATHS		DEATHS				
	Total	Attendant[1]			Birth weight[3]				Number	Ratio	Total	Under 1 year		Under 28 days	
		Physician in hospital[2]	Physician not in hospital	Midwife	2,000 grams or less	2,001-2,500 grams	2,501 grams or more	Not stated				Number	Rate	Number	Rate
COLORADO—Continued															
Nonmetropolitan counties	18,776	18,136	436	106	513	1,318	16,911	34	329	17.5	6,398	584	31.1	413	22.0
White	18,374	17,740	433	105	503	1,265	16,574	32	321	17.5	6,312	569	31.0	409	22.3
Nonwhite	402	396	3	1	10	53	337	2	8	19.9	86	15	37.3	4	10.0
Urban	9,941	9,772	79	72	263	682	8,981	15	153	15.4	3,397	272	27.4	205	20.6
White	9,703	9,535	78	72	256	647	8,785	15	149	15.4	3,359	265	27.3	203	20.9
Nonwhite	238	237	1	-	7	35	196	-	4	16.8	38	7	29.4	2	8.4
Rural	8,835	8,364	357	34	250	636	7,930	19	176	19.9	3,001	312	35.3	208	23.5
White	8,671	8,205	355	33	247	618	7,789	17	172	19.8	2,953	304	35.1	206	23.8
Nonwhite	164	159	2	1	3	18	141	2	4	24.4	48	8	48.8	2	12.2
CONNECTICUT[4]	52,477	52,371	101	3	44	59	1,108	51,266	733	14.0	21,783	1,140	21.7	894	17.0
White	49,884	49,791	90	1	39	59	1,084	48,702	668	13.4	21,116	1,033	20.7	819	16.4
Nonwhite	2,593	2,580	11	2	5	-	24	2,564	65	25.1	667	107	41.3	75	28.9
Urban	33,133	33,079	49	3	21	15	369	32,728	467	14.1	14,524	741	22.4	579	17.5
White	30,719	30,678	38	1	16	15	357	30,331	408	13.3	13,919	643	20.9	511	16.6
Nonwhite	2,414	2,401	11	2	5	-	12	2,397	59	24.4	605	98	40.6	68	28.2
Rural	19,344	19,292	52	-	23	44	739	18,538	266	13.8	7,259	399	20.6	315	16.3
White	19,165	19,113	52	-	23	44	727	18,371	260	13.6	7,197	390	20.3	308	16.1
Nonwhite	179	179	-	-	-	-	12	167	6	33.5	62	9	50.3	7	39.1
Metropolitan counties	41,482	41,409	68	3	33	41	686	40,722	564	13.6	17,140	906	21.8	710	17.1
White	39,080	39,020	57	1	28	41	670	38,341	502	12.8	16,524	803	20.5	638	16.3
Nonwhite	2,402	2,389	11	2	5	-	16	2,381	62	25.8	616	103	42.9	72	30.0
Urban	28,260	28,211	44	3	21	14	278	27,947	397	14.0	12,462	631	22.3	494	17.5
White	25,981	25,945	33	1	16	14	269	25,682	340	13.1	11,894	536	20.6	428	16.5
Nonwhite	2,279	2,266	11	2	5	-	9	2,265	57	25.0	568	95	41.7	66	29.0
Rural	13,222	13,198	24	-	12	27	408	12,775	167	12.6	4,678	275	20.8	216	16.3
White	13,099	13,075	24	-	12	27	401	12,659	162	12.4	4,630	267	20.4	210	16.0
Nonwhite	123	123	-	-	-	-	7	116	5	40.7	48	8	65.0	6	48.8
Nonmetropolitan counties	10,995	10,962	33	-	11	18	422	10,544	169	15.4	4,643	234	21.3	184	16.7
White	10,804	10,771	33	-	11	18	414	10,361	166	15.4	4,592	230	21.3	181	16.8
Nonwhite	191	191	-	-	-	-	8	183	3	15.7	51	4	20.9	3	15.7
Urban	4,873	4,868	5	-	-	1	91	4,781	70	14.4	2,082	110	22.6	86	17.6
White	4,738	4,733	5	-	-	1	88	4,649	68	14.4	2,025	107	22.6	84	17.7
Nonwhite	135	135	-	-	-	-	3	132	2	14.8	37	3	22.2	2	14.8
Rural	6,122	6,094	28	-	11	17	331	5,763	99	16.2	2,581	124	20.3	98	16.0
White	6,066	6,038	28	-	11	17	326	5,712	98	16.2	2,567	123	20.3	97	16.0
Nonwhite	56	56	-	-	-	-	5	51	1	17.9	14	1	17.9	1	17.9
DELAWARE	10,587	10,220	102	256	220	546	9,757	64	184	17.4	3,730	265	25.0	184	17.4
White	8,820	8,720	56	40	148	392	8,228	52	126	14.3	3,045	193	21.9	144	16.3
Nonwhite	1,767	1,500	46	216	72	154	1,529	12	58	32.8	685	72	40.7	40	22.6
Urban	3,717	3,671	13	32	97	217	3,379	24	70	18.8	1,908	115	30.9	86	23.1
White	2,887	2,879	7	-	59	140	2,667	21	51	17.7	1,522	79	27.4	62	21.5
Nonwhite	830	792	6	32	38	77	712	3	19	22.9	386	36	43.4	24	28.9
Rural	6,870	6,549	89	224	123	329	6,378	40	114	16.6	1,822	150	21.8	98	14.3
White	5,933	5,841	49	40	89	252	5,561	31	75	12.6	1,523	114	19.2	82	13.8
Nonwhite	937	708	40	184	34	77	817	9	39	41.6	299	36	38.4	16	17.1
Metropolitan counties	7,349	7,305	16	22	147	381	6,781	40	119	16.2	2,496	176	23.9	129	17.6
White	6,370	6,353	12	3	107	286	5,937	40	93	14.6	2,066	136	21.4	105	16.5
Nonwhite	979	952	4	19	40	95	844	-	26	26.6	430	40	40.9	24	24.5
Urban	3,005	2,997	5	2	76	179	2,730	20	61	20.3	1,614	94	31.3	70	23.3
White	2,341	2,338	2	-	48	114	2,159	20	43	18.4	1,295	66	28.2	52	22.2
Nonwhite	664	659	3	2	28	65	571	-	18	27.1	319	28	42.2	18	27.1
Rural	4,344	4,308	11	20	71	202	4,051	20	58	13.4	882	82	18.9	59	13.6
White	4,029	4,015	10	3	59	172	3,778	20	50	12.4	771	70	17.4	53	13.2
Nonwhite	315	293	1	17	12	30	273	-	8	25.4	111	12	38.1	6	19.0
Nonmetropolitan counties	3,238	2,915	86	234	73	165	2,976	24	65	20.1	1,234	89	27.5	55	17.0
White	2,450	2,367	44	37	41	106	2,291	12	33	13.5	979	57	23.3	39	15.9
Nonwhite	788	548	42	197	32	59	685	12	32	40.6	255	32	40.6	16	20.3
Urban	712	674	8	30	21	38	649	4	9	12.6	294	21	29.5	16	22.5
White	546	541	5	-	11	26	508	1	8	14.7	227	13	23.8	10	18.3
Nonwhite	166	133	3	30	10	12	141	3	1	6.0	67	8	48.2	6	36.1
Rural	2,526	2,241	78	204	52	127	2,327	20	56	22.2	940	68	26.9	39	15.4
White	1,904	1,826	39	37	30	80	1,783	11	25	13.1	752	44	23.1	29	15.2
Nonwhite	622	415	39	167	22	47	544	9	31	49.8	188	24	38.6	10	16.1
DISTRICT OF COLUMBIA	20,923	20,643	236	5	746	1,462	18,324	391	427	20.4	8,349	673	32.2	545	26.0
White	9,456	9,398	45	1	220	512	8,600	124	157	16.6	5,054	224	23.7	192	20.3
Nonwhite	11,467	11,245	191	4	526	950	9,724	267	270	23.5	3,295	449	39.2	353	30.8
FLORIDA	89,334	79,471	2,597	6,946	2,481	4,828	81,862	163	1,680	18.8	33,494	2,652	29.7	1,869	20.9
White	64,218	62,926	727	439	1,520	2,955	59,613	130	955	14.9	25,938	1,476	23.0	1,168	18.2
Nonwhite	25,116	16,545	1,870	6,507	961	1,873	22,249	33	725	28.9	7,556	1,176	46.8	701	27.9
Urban	55,691	51,215	1,188	3,097	1,605	3,138	50,865	83	1,017	18.3	22,197	1,554	27.9	1,137	20.4
White	39,314	38,939	172	124	951	1,858	36,438	67	526	13.4	17,271	809	20.6	667	17.0
Nonwhite	16,377	12,276	1,016	2,973	654	1,280	14,427	16	491	30.0	4,926	745	45.5	470	28.7
Rural	33,643	28,256	1,409	3,849	876	1,690	30,997	80	663	19.7	11,297	1,098	32.6	732	21.8
White	24,904	23,987	555	315	569	1,097	23,175	63	429	17.2	8,667	667	26.8	501	20.1
Nonwhite	8,739	4,269	854	3,534	307	593	7,822	17	234	26.8	2,630	431	49.3	231	26.4

See footnotes on p. 200

Table 20. Live Births by Attendant and Birth Weight; Fetal Deaths and Ratios; Total Deaths; and Infant and Neonatal Deaths and Rates; by Color for Urban and Rural Areas in Metropolitan and Nonmetropolitan Counties: United States and Each State, 1955—Continued

(See headnote on p. 184)

AREA AND COLOR	LIVE BIRTHS								FETAL DEATHS		DEATHS				
	Total	Attendant[1]			Birth weight[3]						Total	Under 1 year		Under 28 days	
		Physician in hospital[2]	Physician not in hospital	Midwife	2,000 grams or less	2,001-2,500 grams	2,501 grams or more	Not stated	Number	Ratio		Number	Rate	Number	Rate
FLORIDA—Continued															
Metropolitan counties	41,539	40,050	518	795	1,172	2,229	38,060	78	742	17.9	16,885	1,116	26.9	845	20.3
White	31,647	31,375	130	63	765	1,493	29,323	66	469	14.8	14,004	708	22.4	577	18.2
Nonwhite	9,892	8,675	388	732	407	736	8,737	12	273	27.6	2,881	408	41.2	268	27.1
Urban	30,135	29,181	306	529	869	1,640	27,569	57	525	17.4	13,322	779	25.9	590	19.6
White	22,384	22,232	70	28	548	1,060	20,729	47	309	13.8	10,940	455	20.3	375	16.8
Nonwhite	7,751	6,949	236	501	321	580	6,840	10	216	27.9	2,382	324	41.8	215	27.7
Rural	11,404	10,869	212	266	303	589	10,491	21	217	19.0	3,563	337	29.6	255	22.4
White	9,263	9,143	60	35	217	433	8,594	19	160	17.3	3,064	253	27.3	202	21.8
Nonwhite	2,141	1,726	152	231	86	156	1,897	2	57	26.6	499	84	39.2	53	24.8
Nonmetropolitan counties	47,795	39,421	2,079	6,151	1,309	2,599	43,802	85	938	19.6	16,609	1,536	32.1	1,024	21.4
White	32,571	31,551	597	376	755	1,462	30,290	64	486	14.9	11,934	768	23.6	591	18.1
Nonwhite	15,224	7,870	1,482	5,775	554	1,137	13,512	21	452	29.7	4,675	768	50.4	433	28.4
Urban	25,556	22,034	882	2,568	736	1,498	23,296	26	492	19.3	8,875	775	30.3	547	21.4
White	16,930	16,707	102	96	403	798	15,709	20	217	12.8	6,331	354	20.9	292	17.2
Nonwhite	8,626	5,327	780	2,472	333	700	7,587	6	275	31.9	2,544	421	48.8	255	29.6
Rural	22,239	17,387	1,197	3,583	573	1,101	20,506	59	446	20.1	7,734	761	34.2	477	21.4
White	15,641	14,844	495	280	352	664	14,581	44	269	17.2	5,603	414	26.5	299	19.1
Nonwhite	6,598	2,543	702	3,303	221	437	5,925	15	177	26.8	2,131	347	52.6	178	27.0
GEORGIA	100,442	83,508	2,869	13,101	2,753	5,462	90,493	1,734	2,322	23.1	30,919	3,002	29.9	2,001	19.9
White	64,360	62,919	833	522	1,449	2,852	59,261	798	1,059	16.5	19,273	1,475	22.9	1,104	17.2
Nonwhite	36,082	20,589	2,036	12,579	1,304	2,610	31,232	936	1,263	35.0	11,646	1,527	42.3	897	24.9
Urban	48,465	44,291	1,067	2,898	1,462	2,825	43,647	531	1,155	23.8	15,920	1,534	31.7	1,117	23.0
White	30,917	30,681	150	76	720	1,421	28,526	250	547	17.7	9,468	764	24.7	617	20.0
Nonwhite	17,548	13,610	917	2,822	742	1,404	15,121	281	608	34.6	6,452	770	43.9	500	28.5
Rural	51,977	39,217	1,802	10,203	1,291	2,637	46,846	1,203	1,167	22.5	14,999	1,468	28.2	884	17.0
White	33,443	32,238	683	446	729	1,431	30,735	548	512	15.3	9,805	711	21.3	487	14.6
Nonwhite	18,534	6,979	1,119	9,757	562	1,206	16,111	655	655	35.3	5,194	757	40.8	397	21.4
Metropolitan counties	42,297	41,372	598	274	1,252	2,314	38,389	342	910	21.5	11,868	1,130	26.7	818	19.3
White	29,643	29,544	80	12	679	1,287	27,485	192	477	16.1	7,430	620	20.9	487	16.4
Nonwhite	12,654	11,828	518	262	573	1,027	10,904	150	433	34.2	4,438	510	40.3	331	26.2
Urban	29,563	28,930	492	114	942	1,704	26,687	230	718	24.3	9,499	884	29.9	670	22.7
White	19,139	19,094	39	4	463	856	17,706	114	348	18.2	5,658	461	24.1	375	19.6
Nonwhite	10,424	9,836	453	110	479	848	8,981	116	370	35.5	3,841	423	40.6	295	28.3
Rural	12,734	12,442	106	160	310	610	11,702	112	192	15.1	2,369	246	19.3	148	11.6
White	10,504	10,450	41	8	216	431	9,779	78	129	12.3	1,772	159	15.1	112	10.7
Nonwhite	2,230	1,992	65	152	94	179	1,923	34	63	28.3	597	87	39.0	36	16.1
Nonmetropolitan counties	58,145	42,136	2,271	12,827	1,501	3,148	52,104	1,392	1,412	24.3	19,051	1,872	32.2	1,183	20.3
White	34,717	33,375	753	510	770	1,565	31,776	606	582	16.8	11,843	855	24.6	617	17.8
Nonwhite	23,428	8,761	1,518	12,317	731	1,583	20,328	786	830	35.4	7,208	1,017	43.4	566	24.2
Urban	18,902	15,361	575	2,784	520	1,121	16,960	301	437	23.1	6,421	650	34.4	447	23.6
White	11,778	11,587	111	72	257	565	10,820	136	199	16.9	3,810	303	25.7	242	20.5
Nonwhite	7,124	3,774	464	2,712	263	556	6,140	165	238	33.4	2,611	347	48.7	205	28.8
Rural	39,243	26,775	1,696	10,043	981	2,027	35,144	1,091	975	24.8	12,630	1,222	31.1	736	18.8
White	22,939	21,788	642	438	513	1,000	20,956	470	383	16.7	8,033	552	24.1	375	16.3
Nonwhite	16,304	4,987	1,054	9,605	468	1,027	14,188	621	592	36.3	4,597	670	41.1	361	22.1
IDAHO	16,986	16,815	122	10	350	772	15,689	175	209	12.3	4,935	354	20.8	270	15.9
White	16,676	16,510	119	9	345	757	15,402	172	202	12.1	4,852	346	20.7	265	15.9
Nonwhite	310	305	3	1	5	15	287	3	7	22.6	83	8	25.8	5	16.1
Urban	8,411	8,370	26	2	168	382	7,785	76	91	10.8	2,605	170	20.2	126	15.0
White	8,315	8,275	25	2	168	378	7,696	73	89	10.7	2,581	169	20.3	125	15.0
Nonwhite	96	95	1	-	-	4	89	3	2	20.8	24	1	10.4	1	10.4
Rural	8,575	8,445	96	8	182	390	7,904	99	118	13.8	2,330	184	21.5	144	16.8
White	8,361	8,235	94	7	177	379	7,706	99	113	13.5	2,271	177	21.2	140	16.7
Nonwhite	214	210	2	1	5	11	198	-	5	23.4	59	7	32.7	4	18.7
Nonmetropolitan counties	16,986	16,815	122	10	350	772	15,689	175	209	12.3	4,935	354	20.8	270	15.9
White	16,676	16,510	119	9	345	757	15,402	172	202	12.1	4,852	346	20.7	265	15.9
Nonwhite	310	305	3	1	5	15	287	3	7	22.6	83	8	25.8	5	16.1
Urban	8,411	8,370	26	2	168	382	7,785	76	91	10.8	2,605	170	20.2	126	15.0
White	8,315	8,275	25	2	168	378	7,696	73	89	10.7	2,581	169	20.3	125	15.0
Nonwhite	96	95	1	-	-	4	89	3	2	20.8	24	1	10.4	1	10.4
Rural	8,575	8,445	96	8	182	390	7,904	99	118	13.8	2,330	184	21.5	144	16.8
White	8,361	8,235	94	7	177	379	7,706	99	113	13.5	2,271	177	21.2	140	16.7
Nonwhite	214	210	2	1	5	11	198	-	5	23.4	59	7	32.7	4	18.7
ILLINOIS	220,621	214,616	5,720	64	5,728	10,243	204,527	123	3,370	15.3	95,528	5,466	24.8	3,955	17.9
White	189,756	187,187	2,479	15	4,247	7,862	177,544	103	2,742	14.5	86,659	4,165	21.9	3,112	16.4
Nonwhite	30,865	27,429	3,241	49	1,481	2,381	26,983	20	628	20.3	8,869	1,301	42.2	843	27.3
Urban	170,159	165,180	4,769	34	4,698	8,343	157,046	72	2,607	15.3	75,420	4,297	25.3	3,110	18.3
White	140,073	138,322	1,692	10	3,253	6,014	130,749	57	2,004	14.3	66,941	3,060	21.8	2,299	16.4
Nonwhite	30,086	26,858	3,077	24	1,445	2,329	26,297	15	603	20.0	8,479	1,237	41.1	811	27.0
Rural	50,462	49,436	951	30	1,030	1,900	47,481	51	763	15.1	20,108	1,169	23.2	845	16.7
White	49,683	48,865	787	5	994	1,848	46,795	46	738	14.9	19,718	1,105	22.2	813	16.4
Nonwhite	779	571	164	25	36	52	686	5	25	32.1	390	64	82.2	32	41.1
Metropolitan counties	167,890	163,001	4,679	34	4,599	8,218	154,994	79	2,591	15.4	68,456	4,223	25.2	3,022	18.0
White	138,309	136,587	1,655	11	3,171	5,927	129,148	63	1,997	14.4	60,230	2,986	21.6	2,211	16.0
Nonwhite	29,581	26,414	3,024	23	1,428	2,291	25,846	16	594	20.1	8,226	1,237	41.8	811	27.4

See footnotes on p. 200.

Table 20. Live Births by Attendant and Birth Weight; Fetal Deaths and Ratios; Total Deaths; and Infant and Neonatal Deaths and Rates; by Color for Urban and Rural Areas in Metropolitan and Nonmetropolitan Counties: United States and Each State, 1955—Continued

(See headnote on p. 184)

AREA AND COLOR	LIVE BIRTHS								FETAL DEATHS		DEATHS				
	Total	Attendant[1]			Birth weight[3]				Number	Ratio	Total	Under 1 year		Under 28 days	
		Physician in hospital[2]	Physician not in hospital	Midwife	2,000 grams or less	2,001-2,500 grams	2,501 grams or more	Not stated				Number	Rate	Number	Rate
ILLINOIS—Continued															
Metropolitan counties—Con.															
Urban	146,393	141,711	4,488	30	4,143	7,314	134,876	60	2,267	15.5	62,606	3,725	25.4	2,678	18.3
White	117,289	115,728	1,505	10	2,734	5,057	109,452	46	1,686	14.4	54,557	2,526	21.5	1,885	16.1
Nonwhite	29,104	25,983	2,983	20	1,409	2,257	25,424	14	581	20.0	8,049	1,199	41.2	793	27.2
Rural	21,497	21,290	191	4	456	904	20,118	19	324	15.1	5,850	498	23.2	344	16.0
White	21,020	20,859	150	1	437	870	19,696	17	311	14.8	5,673	460	21.9	326	15.5
Nonwhite	477	431	41	3	19	34	422	2	13	27.3	177	38	79.7	18	37.7
Nonmetropolitan counties	52,731	51,615	1,041	30	1,129	2,025	49,533	44	779	14.8	27,072	1,243	23.6	933	17.7
White	51,447	50,600	824	4	1,076	1,935	48,396	40	745	14.5	26,429	1,179	22.9	901	17.5
Nonwhite	1,284	1,015	217	26	53	90	1,137	4	34	26.5	643	64	49.8	32	24.9
Urban	23,766	23,469	281	4	555	1,029	22,170	12	340	14.3	12,814	572	24.1	432	18.2
White	22,784	22,594	187	-	519	957	21,297	11	318	14.0	12,384	534	23.4	414	18.2
Nonwhite	982	875	94	4	36	72	873	1	22	22.4	430	38	38.7	18	18.3
Rural	28,965	28,146	760	26	574	996	27,363	32	439	15.2	14,258	671	23.2	501	17.3
White	28,663	28,006	637	4	557	978	27,099	29	427	14.9	14,045	645	22.5	487	17.0
Nonwhite	302	140	123	22	17	18	264	3	12	39.7	213	26	86.1	14	46.4
INDIANA	108,614	106,353	2,157	44	2,533	4,993	100,565	523	1,660	15.3	42,093	2,715	25.0	2,032	18.7
White	100,690	98,945	1,657	43	2,182	4,405	93,653	450	1,456	14.5	39,740	2,402	23.9	1,810	18.0
Nonwhite	7,924	7,408	500	1	351	588	6,912	73	204	25.7	2,353	313	39.5	222	28.0
Urban	66,968	65,876	1,049	14	1,702	3,360	61,576	330	1,115	16.6	25,482	1,776	26.5	1,367	20.4
White	59,259	58,663	567	13	1,355	2,784	54,861	259	915	15.4	23,245	1,475	24.9	1,150	19.4
Nonwhite	7,709	7,213	482	1	347	576	6,715	71	200	25.9	2,237	301	39.0	217	28.1
Rural	41,646	40,477	1,108	30	831	1,633	38,989	193	545	13.1	16,611	939	22.5	665	16.0
White	41,431	40,282	1,090	30	827	1,621	38,792	191	541	13.1	16,495	927	22.4	660	15.9
Nonwhite	215	195	18	-	4	12	197	2	4	18.6	116	12	55.8	5	23.3
Metropolitan counties	53,771	52,748	981	10	1,361	2,678	49,486	246	882	16.4	18,011	1,438	26.7	1,101	20.5
White	46,730	46,177	524	9	1,049	2,161	43,339	181	689	14.7	15,945	1,170	25.0	904	19.3
Nonwhite	7,041	6,571	457	1	312	517	6,147	65	193	27.4	2,066	268	38.1	197	28.0
Urban	42,335	41,511	794	9	1,119	2,208	38,795	213	777	18.4	14,777	1,162	27.4	896	21.2
White	35,401	35,036	347	8	811	1,696	32,745	149	588	16.6	12,770	902	25.5	703	19.9
Nonwhite	6,934	6,475	447	1	308	512	6,050	64	189	27.3	2,007	260	37.5	193	27.8
Rural	11,436	11,237	187	1	242	470	10,691	33	105	9.2	3,234	276	24.1	205	17.9
White	11,329	11,141	177	1	238	465	10,594	32	101	8.9	3,175	268	23.7	201	17.7
Nonwhite	107	96	10	-	4	5	97	1	4	37.4	59	8	74.8	4	37.4
Nonmetropolitan counties	54,843	53,605	1,176	34	1,172	2,315	51,079	277	778	14.2	24,082	1,277	23.3	931	17.0
White	53,960	52,768	1,133	34	1,133	2,244	50,314	269	767	14.2	23,795	1,232	22.8	906	16.8
Nonwhite	883	837	43	-	39	71	765	8	11	12.5	287	45	51.0	25	28.3
Urban	24,633	24,365	255	5	583	1,152	22,781	117	338	13.7	10,705	614	24.9	471	19.1
White	23,858	23,627	220	5	544	1,088	22,116	110	327	13.7	10,475	573	24.0	447	18.7
Nonwhite	775	738	35	-	39	64	665	7	11	14.2	230	41	52.9	24	31.0
Rural	30,210	29,240	921	29	589	1,163	28,298	160	440	14.6	13,377	663	21.9	460	15.2
White	30,102	29,141	913	29	589	1,156	28,198	159	440	14.6	13,320	659	21.9	459	15.2
Nonwhite	108	99	8	-	-	7	100	1	-	0	57	4	37.0	1	9.3
IOWA	63,747	63,013	708	13	1,305	2,465	59,773	204	778	12.2	26,772	1,407	22.1	1,083	17.0
White	62,961	62,251	684	13	1,271	2,398	59,091	201	764	12.1	26,481	1,370	21.8	1,057	16.8
Nonwhite	786	762	24	-	34	67	682	3	14	17.8	291	37	47.1	26	33.1
Urban	30,996	30,828	163	1	708	1,384	28,833	71	370	11.9	14,259	815	26.3	646	20.8
White	30,254	30,109	140	1	676	1,320	28,190	68	357	11.8	13,992	779	25.7	620	20.5
Nonwhite	742	719	23	-	32	64	643	3	13	17.5	267	36	48.5	26	35.0
Rural	32,751	32,185	545	12	597	1,081	30,940	133	408	12.5	12,513	592	18.1	437	13.3
White	32,707	32,142	544	12	595	1,078	30,901	133	407	12.4	12,489	591	18.1	437	13.4
Nonwhite	44	43	1	-	2	3	39	-	1	22.7	24	1	22.7	-	0
Metropolitan counties	19,280	19,159	119	-	451	905	17,899	25	238	12.3	7,260	510	26.5	389	20.2
White	18,681	18,580	99	-	424	856	17,378	23	226	12.1	7,057	479	25.6	366	19.6
Nonwhite	599	579	20	-	27	49	521	2	12	20.0	203	31	51.8	23	38.4
Urban	14,831	14,755	74	-	356	717	13,740	18	178	12.0	6,087	438	29.5	332	22.4
White	14,241	14,185	54	-	329	669	13,227	16	166	11.7	5,888	407	28.6	309	21.7
Nonwhite	590	570	20	-	27	48	513	2	12	20.3	199	31	52.5	23	39.0
Rural	4,449	4,404	45	-	95	188	4,159	7	60	13.5	1,173	72	16.2	57	12.8
White	4,440	4,395	45	-	95	187	4,151	7	60	13.5	1,169	72	16.2	57	12.8
Nonwhite	9	9	-	-	-	1	8	-	-	0	4	-	0	-	0
Nonmetropolitan counties	44,467	43,854	589	13	854	1,560	41,874	179	540	12.1	19,512	897	20.2	694	15.6
White	44,280	43,671	585	13	847	1,542	41,713	178	538	12.1	19,424	891	20.1	691	15.6
Nonwhite	187	183	4	-	7	18	161	1	2	10.7	88	6	32.1	3	16.0
Urban	16,165	16,073	89	1	352	667	15,093	53	192	11.9	8,172	377	23.3	314	19.4
White	16,013	15,924	86	1	347	651	14,963	52	191	11.9	8,104	372	23.2	311	19.4
Nonwhite	152	149	3	-	5	16	130	1	1	6.6	68	5	32.9	3	19.7
Rural	28,302	27,781	500	12	502	893	26,781	126	348	12.3	11,340	520	18.4	380	13.4
White	28,267	27,747	499	12	500	891	26,750	126	347	12.3	11,320	519	18.4	380	13.4
Nonwhite	35	34	1	-	2	2	31	-	1	28.6	20	1	28.6	-	0
KANSAS	52,912	52.369	509	13	1,215	2,355	49,271	71	780	14.7	19,042	1,235	23.3	956	18.1
White	50,055	49,632	396	10	1,091	2,130	46,768	66	710	14.2	18,094	1,118	22.3	872	17.4
Nonwhite	2,857	2,737	113	3	124	225	2,503	5	70	24.5	948	117	41.0	84	29.4
Urban	29,830	29,613	199	7	787	1,502	27,504	37	464	15.6	10,234	832	27.9	642	21.5
White	27,293	27,175	105	6	674	1,293	25,294	32	406	14.9	9,414	727	26.6	566	20.7
Nonwhite	2,537	2,438	94	1	113	209	2,210	5	58	22.9	820	105	41.4	76	30.0
Rural	23,082	22,756	310	6	428	853	21,767	34	316	13.7	8,808	403	17.5	314	13.6
White	22,762	22,457	291	4	417	837	21,474	34	304	13.4	8,680	391	17.2	306	13.4
Nonwhite	320	299	19	2	11	16	293	-	12	37.5	128	12	37.5	8	25.0

See footnotes on p. 200.

Table 20. Live Births by Attendant and Birth Weight; Fetal Deaths and Ratios; Total Deaths; and Infant and Neonatal Deaths and Rates; by Color for Urban and Rural Areas in Metropolitan and Nonmetropolitan Counties: United States and Each State, 1955—Continued

(See headnote on p. 184)

AREA AND COLOR	LIVE BIRTHS								FETAL DEATHS		DEATHS				
	Total	Attendant[1]			Birth weight[3]						Total	Under 1 year		Under 28 days	
		Physician in hospital[2]	Physician not in hospital	Midwife	2,000 grams or less	2,001-2,500 grams	2,501 grams or more	Not stated	Number	Ratio		Number	Rate	Number	Rate
KANSAS—Continued															
Metropolitan counties	21,388	21,215	155	7	529	1,010	19,818	31	305	14.3	5,400	525	24.5	398	18.6
White	19,384	19,304	66	6	436	849	18,071	28	254	13.1	4,816	440	22.7	336	17.3
Nonwhite	2,004	1,911	89	1	93	161	1,747	3	51	25.4	584	85	42.4	62	30.9
Urban	14,636	14,502	120	5	398	765	13,452	21	219	15.0	4,312	441	30.1	338	23.1
White	12,776	12,724	42	4	312	611	11,835	18	176	13.8	3,780	359	28.1	278	21.8
Nonwhite	1,860	1,778	78	1	86	154	1,617	3	43	23.1	532	82	44.1	60	32.3
Rural	6,752	6,713	35	2	131	245	6,366	10	86	12.7	1,088	84	12.4	60	8.9
White	6,608	6,580	24	2	124	238	6,236	10	78	11.8	1,036	81	12.3	58	8.8
Nonwhite	144	133	11	-	7	7	130	-	8	55.6	52	3	20.8	2	13.9
Nonmetropolitan counties	31,524	31,154	354	6	686	1,345	29,453	40	475	15.1	13,642	710	22.5	558	17.7
White	30,671	30,328	330	4	655	1,281	28,697	38	456	14.9	13,278	678	22.1	536	17.5
Nonwhite	853	826	24	2	31	64	756	2	19	22.3	364	32	37.5	22	25.8
Urban	15,194	15,111	79	2	389	737	14,052	16	245	16.1	5,922	391	25.7	304	20.0
White	14,517	14,451	63	2	362	682	13,459	14	230	15.8	5,634	368	25.3	288	19.8
Nonwhite	677	660	16	-	27	55	593	2	15	22.2	288	23	34.0	16	23.6
Rural	16,330	16,043	275	4	297	608	15,401	24	230	14.1	7,720	319	19.5	254	15.6
White	16,154	15,877	267	2	293	599	15,238	24	226	14.0	7,644	310	19.2	248	15.4
Nonwhite	176	166	8	2	4	9	163	-	4	22.7	76	9	51.1	6	34.1
KENTUCKY	73,897	65,105	5,933	2,564	1,859	3,563	66,289	2,186	1,128	15.3	27,591	2,249	30.4	1,522	20.6
White	67,741	60,124	4,976	2,370	1,597	3,124	61,086	1,934	973	14.4	24,527	1,957	28.9	1,347	19.9
Nonwhite	6,156	4,981	957	194	262	439	5,203	252	155	25.2	3,064	292	47.4	175	28.4
Urban	29,619	28,332	1,084	176	826	1,627	26,666	500	456	15.4	12,228	888	30.0	644	21.7
White	25,286	24,613	558	96	637	1,306	22,982	361	345	13.6	10,093	690	27.3	524	20.7
Nonwhite	4,333	3,719	526	80	189	321	3,684	139	111	25.6	2,135	198	45.7	120	27.7
Rural	44,278	36,773	4,849	2,388	1,033	1,936	39,623	1,686	672	15.2	15,363	1,361	30.7	878	19.8
White	42,455	35,511	4,418	2,274	960	1,818	38,104	1,573	628	14.8	14,434	1,267	29.8	823	19.4
Nonwhite	1,823	1,262	431	114	73	118	1,519	113	44	24.1	929	94	51.6	55	30.2
Metropolitan counties	24,390	24,014	347	14	687	1,334	22,118	251	327	13.4	8,867	628	25.7	452	18.5
White	21,343	21,100	221	11	540	1,091	19,520	192	260	12.2	7,481	499	23.4	374	17.5
Nonwhite	3,047	2,914	126	3	147	243	2,598	59	67	22.0	1,386	129	42.3	78	25.6
Urban	18,372	18,076	276	8	538	1,059	16,580	195	253	13.8	7,258	495	26.9	363	19.8
White	15,545	15,376	156	5	403	829	14,171	142	193	12.4	5,984	379	24.4	292	18.8
Nonwhite	2,827	2,700	120	3	135	230	2,409	53	60	21.2	1,274	116	41.0	71	25.1
Rural	6,018	5,938	71	6	149	275	5,538	56	74	12.3	1,609	133	22.1	89	14.8
White	5,798	5,724	65	6	137	262	5,349	50	67	11.6	1,497	120	20.7	82	14.1
Nonwhite	220	214	6	-	12	13	189	6	7	31.8	112	13	59.1	7	31.8
Nonmetropolitan counties	49,507	41,091	5,586	2,550	1,172	2,229	44,171	1,935	801	16.2	18,724	1,621	32.7	1,070	21.6
White	46,398	39,024	4,755	2,359	1,057	2,033	41,566	1,742	713	15.4	17,046	1,458	31.4	973	21.0
Nonwhite	3,109	2,067	831	191	115	196	2,605	193	88	28.3	1,678	163	52.4	97	31.2
Urban	11,247	10,256	808	168	288	568	10,086	305	203	18.0	4,970	393	34.9	281	25.0
White	9,741	9,237	402	91	234	477	8,811	219	152	15.6	4,109	311	31.9	232	23.8
Nonwhite	1,506	1,019	406	77	54	91	1,275	86	51	33.9	861	82	54.4	49	32.5
Rural	38,260	30,835	4,778	2,382	884	1,661	34,085	1,630	598	15.6	13,754	1,228	32.1	789	20.6
White	36,657	29,787	4,353	2,268	823	1,556	32,755	1,523	561	15.3	12,937	1,147	31.3	741	20.2
Nonwhite	1,603	1,048	425	114	61	105	1,330	107	37	23.1	817	81	50.5	48	29.9
LOUISIANA	86,154	80,000	1,327	4,774	2,526	4,892	78,299	437	1,654	19.2	24,312	2,723	31.6	1,892	22.0
White	51,953	51,256	393	285	1,121	2,302	48,340	190	719	13.8	14,619	1,179	22.7	918	17.7
Nonwhite	34,201	28,744	934	4,489	1,405	2,590	29,959	247	935	27.3	9,693	1,544	45.1	974	28.5
Urban	48,850	47,128	432	1,274	1,530	2,828	44,300	192	976	20.0	14,277	1,487	30.4	1,103	22.6
White	30,409	30,232	94	78	702	1,393	28,216	98	440	14.5	8,711	710	23.3	575	18.9
Nonwhite	18,441	16,896	338	1,196	828	1,435	16,084	94	536	29.1	5,566	777	42.1	528	28.6
Rural	37,304	32,872	895	3,500	996	2,064	33,999	245	678	18.2	10,035	1,236	33.1	789	21.2
White	21,544	21,024	299	207	419	909	20,124	92	279	13.0	5,908	469	21.8	343	15.9
Nonwhite	15,760	11,848	596	3,293	577	1,155	13,875	153	399	25.3	4,127	767	48.7	446	28.3
Metropolitan parishes	33,901	33,310	212	369	1,069	1,977	30,757	98	627	18.5	10,153	960	28.3	700	20.6
White	20,407	20,354	37	8	473	918	18,961	55	280	13.7	6,330	450	22.1	352	17.2
Nonwhite	13,494	12,956	175	361	596	1,059	11,796	43	347	25.7	3,823	510	37.8	348	25.8
Urban	27,846	27,499	166	175	919	1,636	25,208	83	514	18.5	8,892	819	29.4	616	22.1
White	16,308	16,274	23	7	389	723	15,148	48	222	13.6	5,539	376	23.1	303	18.6
Nonwhite	11,538	11,225	143	168	530	913	10,060	35	292	25.3	3,353	443	38.4	313	27.1
Rural	6,055	5,811	46	194	150	341	5,549	15	113	18.7	1,261	141	23.3	84	13.9
White	4,099	4,080	14	1	84	195	3,813	7	58	14.1	791	74	18.1	49	12.0
Nonwhite	1,956	1,731	32	193	66	146	1,736	8	55	28.1	470	67	34.3	35	17.9
Nonmetropolitan parishes	52,253	46,690	1,115	4,405	1,457	2,915	47,542	339	1,027	19.7	14,159	1,763	33.7	1,192	22.8
White	31,546	30,902	356	277	648	1,384	29,379	135	439	13.9	8,289	729	23.1	566	17.9
Nonwhite	20,707	15,788	759	4,128	809	1,531	18,163	204	588	28.4	5,870	1,034	49.9	626	30.2
Urban	21,004	19,629	266	1,099	611	1,192	19,092	109	462	22.0	5,385	668	31.8	487	23.2
White	14,101	13,958	71	71	313	670	13,068	50	218	15.5	3,172	334	23.7	272	19.3
Nonwhite	6,903	5,671	195	1,028	298	522	6,024	59	244	35.3	2,213	334	48.4	215	31.1
Rural	31,249	27,061	849	3,306	846	1,723	28,450	230	565	18.1	8,774	1,095	35.0	705	22.6
White	17,445	16,944	285	206	335	714	16,311	85	221	12.7	5,117	395	22.6	294	16.9
Nonwhite	13,804	10,117	564	3,100	511	1,009	12,139	145	344	24.9	3,657	700	50.7	411	29.8
MAINE	22,420	21,669	748	1	479	1,042	20,241	658	419	18.7	10,213	553	24.7	393	17.5
White	22,269	21,520	746	1	473	1,034	20,111	651	415	18.6	10,177	540	24.2	385	17.3
Nonwhite	151	149	2	-	6	8	130	7	4	26.5	36	13	86.1	8	53.0
Urban	9,023	8,938	85	-	199	432	8,138	254	169	18.7	4,394	241	26.7	177	19.6
White	8,961	8,877	84	-	196	428	8,086	251	168	18.7	4,380	236	26.3	174	19.4
Nonwhite	62	61	1	-	3	4	52	3	1	16.1	14	5	80.6	3	48.4

See footnotes on p. 200.

Table 20. Live Births by Attendant and Birth Weight; Fetal Deaths and Ratios; Total Deaths; and Infant and Neonatal Deaths and Rates; by Color for Urban and Rural Areas in Metropolitan and Nonmetropolitan Counties: United States and Each State, 1955—Continued

(See headnote on p. 184)

AREA AND COLOR	LIVE BIRTHS								FETAL DEATHS		DEATHS				
	Total	Attendant[1]			Birth weight[3]						Total	Under 1 year		Under 28 days	
		Physician in hospital[2]	Physician not in hospital	Midwife	2,000 grams or less	2,001-2,500 grams	2,501 grams or more	Not stated	Number	Ratio		Number	Rate	Number	Rate
MAINE—Continued															
Rural	13,397	12,731	663	1	280	610	12,103	404	250	18.7	5,819	312	23.3	216	16.1
White	13,308	12,643	662	1	277	606	12,025	400	247	18.6	5,797	304	22.8	211	15.9
Nonwhite	89	88	1	-	3	4	78	4	3	33.7	22	8	89.9	5	56.2
Metropolitan counties	3,881	3,856	25	-	80	176	3,557	68	79	20.4	2,030	104	26.8	80	20.6
White	3,867	3,842	25	-	79	176	3,545	67	79	20.4	2,023	103	26.6	80	20.7
Nonwhite	14	14	-	-	1	-	12	1	-	0	7	1	71.4	-	0
Urban	2,773	2,757	16	-	54	127	2,542	50	59	21.3	1,497	81	29.2	62	22.4
White	2,761	2,745	16	-	53	127	2,532	49	59	21.4	1,491	81	29.3	62	22.5
Nonwhite	12	12	-	-	1	-	10	1	-	0	6	-	0	-	0
Rural	1,108	1,099	9	-	26	49	1,015	18	20	18.1	533	23	20.8	18	16.2
White	1,106	1,097	9	-	26	49	1,013	18	20	18.1	532	22	19.9	18	16.3
Nonwhite	2	2	-	-	-	-	2	-	-	0	1	1	500.0	-	0
Nonmetropolitan counties	18,539	17,813	723	1	399	866	16,684	590	340	18.3	8,183	449	24.2	313	16.9
White	18,402	17,678	721	1	394	858	16,566	584	336	18.3	8,154	437	23.7	305	16.6
Nonwhite	137	135	2	-	5	8	118	6	4	29.2	29	12	87.6	8	58.4
Urban	6,250	6,181	69	-	145	305	5,596	204	110	17.6	2,897	160	25.6	115	18.4
White	6,200	6,132	68	-	143	301	5,554	202	109	17.6	2,889	155	25.0	112	18.1
Nonwhite	50	49	1	-	2	4	42	2	1	20.0	8	5	100.0	3	60.0
Rural	12,289	11,632	654	1	254	561	11,088	386	230	18.7	5,286	289	23.5	198	16.1
White	12,202	11,546	653	1	251	557	11,012	382	227	18.6	5,265	282	23.1	193	15.8
Nonwhite	87	86	1	-	3	4	76	4	3	34.5	21	7	80.5	5	57.5
MARYLAND	67,888	65,174	1,443	959	2,058	3,713	61,760	357	1,144	16.9	24,221	1,873	27.6	1,360	20.0
White	53,281	52,229	807	144	1,322	2,527	49,184	248	804	15.1	19,598	1,191	22.4	902	16.9
Nonwhite	14,607	12,945	636	815	736	1,186	12,576	109	340	23.3	4,623	682	46.7	458	31.4
Urban	36,685	35,702	601	297	1,249	2,194	33,066	176	629	17.1	14,627	1,073	29.2	807	22.0
White	26,508	26,165	265	46	700	1,336	24,360	112	412	15.5	11,334	614	23.2	474	17.9
Nonwhite	10,177	9,537	336	251	549	858	8,706	64	217	21.3	3,293	459	45.1	333	32.7
Rural	31,203	29,472	842	662	809	1,519	28,694	181	515	16.5	9,594	800	25.6	553	17.7
White	26,773	26,064	542	98	622	1,191	24,824	136	392	14.6	8,264	577	21.6	428	16.0
Nonwhite	4,430	3,408	300	564	187	328	3,870	45	123	27.8	1,330	223	50.3	125	28.2
Metropolitan counties	51,039	49,789	828	311	1,583	2,836	46,398	222	840	16.5	17,320	1,339	26.2	1,004	19.7
White	39,668	39,149	422	56	982	1,904	36,639	143	586	14.8	13,849	838	21.1	643	16.2
Nonwhite	11,371	10,640	406	255	601	932	9,759	79	254	22.3	3,471	501	44.1	361	31.7
Urban	31,946	31,155	512	229	1,112	1,916	28,784	134	552	17.3	12,355	913	28.6	683	21.4
White	22,416	22,166	207	35	595	1,117	20,632	72	350	15.6	9,391	500	22.3	383	17.1
Nonwhite	9,530	8,989	305	194	517	799	8,152	62	202	21.2	2,964	413	43.3	300	31.5
Rural	19,093	18,634	316	82	471	920	17,614	88	288	15.1	4,965	426	22.3	321	16.8
White	17,252	16,983	215	21	387	787	16,007	71	236	13.7	4,458	338	19.6	260	15.1
Nonwhite	1,841	1,651	101	61	84	133	1,607	17	52	28.2	507	88	47.8	61	33.1
Nonmetropolitan counties	16,849	15,385	615	648	475	877	15,362	135	304	18.0	6,901	534	31.7	356	21.1
White	13,613	13,080	385	88	340	623	12,545	105	218	16.0	5,749	353	25.9	259	19.0
Nonwhite	3,236	2,305	230	560	135	254	2,817	30	86	26.6	1,152	181	55.9	97	30.0
Urban	4,739	4,547	89	68	137	278	4,282	42	77	16.2	2,272	160	33.8	124	26.2
White	4,092	3,999	58	11	105	219	3,728	40	62	15.2	1,943	114	27.9	91	22.2
Nonwhite	647	548	31	57	32	59	554	2	15	23.2	329	46	71.1	33	51.0
Rural	12,110	10,838	526	580	338	599	11,080	93	227	18.7	4,629	374	30.9	232	19.2
White	9,521	9,081	327	77	235	404	8,817	65	156	16.4	3,806	239	25.1	168	17.6
Nonwhite	2,589	1,757	199	503	103	195	2,263	28	71	27.4	823	135	52.1	64	24.7
MASSACHUSETTS[5]	110,263	109,776	467	1	43	106	1,624	108,490	1,552	14.1	53,345	2,413	21.9	1,892	17.2
White	107,168	106,722	426	1	42	105	1,606	105,415	1,484	13.8	52,363	2,298	21.4	1,807	16.9
Nonwhite	3,095	3,054	41	-	1	1	18	3,075	68	22.0	982	115	37.2	85	27.5
Urban	92,821	92,440	368	1	31	69	957	91,764	1,329	14.3	46,719	2,064	22.2	1,620	17.5
White	89,938	89,593	332	1	30	68	944	88,896	1,267	14.1	45,808	1,956	21.7	1,542	17.1
Nonwhite	2,883	2,847	36	-	1	1	13	2,868	62	21.5	911	108	37.5	78	27.1
Rural	17,442	17,336	99	-	12	37	667	16,726	223	12.8	6,626	349	20.0	272	15.6
White	17,230	17,129	94	-	12	37	662	16,519	217	12.6	6,555	342	19.8	265	15.4
Nonwhite	212	207	5	-	-	-	5	207	6	28.3	71	7	33.0	7	33.0
Metropolitan counties	107,359	106,919	422	1	42	102	1,566	105,649	1,523	14.2	51,949	2,356	21.9	1,847	17.2
White	104,358	103,957	383	1	41	101	1,550	102,666	1,456	14.0	50,991	2,243	21.5	1,764	16.9
Nonwhite	3,001	2,962	39	-	1	1	16	2,983	67	22.3	958	113	37.7	83	27.7
Urban	91,743	91,389	342	1	31	68	945	90,699	1,317	14.4	46,134	2,043	22.3	1,604	17.5
White	88,884	88,565	307	1	30	67	932	87,855	1,255	14.1	45,227	1,936	21.8	1,527	17.2
Nonwhite	2,859	2,824	35	-	1	1	13	2,844	62	21.7	907	107	37.4	77	26.9
Rural	15,616	15,530	80	-	11	34	621	14,950	206	13.2	5,815	313	20.0	243	15.6
White	15,474	15,392	76	-	11	34	618	14,811	201	13.0	5,764	307	19.8	237	15.3
Nonwhite	142	138	4	-	-	-	3	139	5	35.2	51	6	42.3	6	42.3
Nonmetropolitan counties	2,904	2,857	45	-	1	4	58	2,841	29	10.0	1,396	57	19.6	45	15.5
White	2,810	2,765	43	-	1	4	56	2,749	28	10.0	1,372	55	19.6	43	15.3
Nonwhite	94	92	2	-	-	-	2	92	1	10.6	24	2	21.3	2	21.3
Urban	1,078	1,051	26	-	-	1	12	1,065	12	11.1	585	21	19.5	16	14.8
White	1,054	1,028	25	-	-	1	12	1,041	12	11.4	581	20	19.0	15	14.2
Nonwhite	24	23	1	-	-	-	-	24	-	0	4	1	41.7	1	41.7
Rural	1,826	1,806	19	-	1	3	46	1,776	17	9.3	811	36	19.7	29	15.9
White	1,756	1,737	18	-	1	3	44	1,708	16	9.1	791	35	19.9	28	15.9
Nonwhite	70	69	1	-	-	-	2	68	1	14.3	20	1	14.3	1	14.3

See footnotes on p. 200.

Table 20. Live Births by Attendant and Birth Weight; Fetal Deaths and Ratios; Total Deaths; and Infant and Neonatal Deaths and Rates; by Color for Urban and Rural Areas in Metropolitan and Nonmetropolitan Counties: United States and Each State, 1955—Continued

(See headnote on p. 184)

AREA AND COLOR	LIVE BIRTHS								FETAL DEATHS		DEATHS				
	Total	Attendant[1]			Birth weight[3]				Number	Ratio	Total	Under 1 year		Under 28 days	
		Physician in hospital[2]	Physician not in hospital	Midwife	2,000 grams or less	2,001-2,500 grams	2,501 grams or more	Not stated				Number	Rate	Number	Rate
MICHIGAN	196,623	194,810	1,657	46	5,146	9,305	181,548	624	3,053	15.5	63,362	4,894	24.9	3,729	19.0
White	175,135	173,889	1,139	21	4,086	7,671	162,854	524	2,568	14.7	58,265	4,067	23.2	3,116	17.8
Nonwhite	21,488	20,921	518	25	1,060	1,634	18,694	100	485	22.6	5,097	827	38.5	613	28.5
Urban	129,751	128,755	921	26	3,655	6,522	119,221	353	1,987	15.3	41,425	3,193	24.6	2,499	19.3
White	109,394	108,864	488	13	2,637	4,979	101,514	264	1,539	14.1	36,705	2,409	22.0	1,909	17.5
Nonwhite	20,357	19,891	433	13	1,018	1,543	17,707	89	448	22.0	4,720	784	38.5	590	29.0
Rural	66,872	66,055	736	20	1,491	2,783	62,327	271	1,066	15.9	21,937	1,701	25.4	1,230	18.4
White	65,741	65,025	651	8	1,449	2,692	61,340	260	1,029	15.7	21,560	1,658	25.2	1,207	18.4
Nonwhite	1,131	1,030	85	12	42	91	987	11	37	32.7	377	43	38.0	23	20.3
Metropolitan counties	137,438	136,341	1,020	24	3,816	6,764	126,521	337	2,169	15.8	40,101	3,426	24.9	2,683	19.5
White	117,974	117,378	546	13	2,835	5,287	109,596	256	1,740	14.7	35,608	2,682	22.7	2,122	18.0
Nonwhite	19,464	18,963	474	11	981	1,477	16,925	81	429	22.0	4,493	744	38.2	561	28.8
Urban	106,953	106,122	774	23	3,127	5,478	98,085	263	1,657	15.5	32,433	2,620	24.5	2,079	19.4
White	87,862	87,470	360	12	2,165	4,029	81,485	183	1,243	14.1	28,041	1,890	21.5	1,527	17.4
Nonwhite	19,091	18,652	414	11	962	1,449	16,600	80	414	21.7	4,392	730	38.2	552	28.9
Rural	30,485	30,219	246	1	689	1,286	28,436	74	512	16.8	7,668	806	26.4	604	19.8
White	30,112	29,908	186	1	670	1,258	28,111	73	497	16.5	7,567	792	26.3	595	19.8
Nonwhite	373	311	60	-	19	28	325	1	15	40.2	101	14	37.5	9	24.1
Nonmetropolitan counties	59,185	58,469	637	22	1,330	2,541	55,027	287	884	14.9	23,261	1,468	24.8	1,046	17.7
White	57,161	56,511	593	8	1,251	2,384	53,258	268	828	14.5	22,657	1,385	24.2	994	17.4
Nonwhite	2,024	1,958	44	14	79	157	1,769	19	56	27.7	604	83	41.0	52	25.7
Urban	22,798	22,633	147	3	528	1,044	21,136	90	330	14.5	8,992	573	25.1	420	18.4
White	21,532	21,394	128	1	472	950	20,029	81	296	13.7	8,664	519	24.1	382	17.7
Nonwhite	1,266	1,239	19	2	56	94	1,107	9	34	26.9	328	54	42.7	38	30.0
Rural	36,387	35,836	490	19	802	1,497	33,891	197	554	15.2	14,269	895	24.6	626	17.2
White	35,629	35,117	465	7	779	1,434	33,229	187	532	14.9	13,993	866	24.3	612	17.2
Nonwhite	758	719	25	12	23	63	662	10	22	29.0	276	29	38.3	14	18.5
MINNESOTA	81,705	80,998	590	53	1,675	3,105	76,654	271	1,154	14.1	28,641	1,782	21.8	1,378	16.9
White	80,375	79,701	572	49	1,640	3,005	75,473	257	1,129	14.0	28,294	1,724	21.4	1,353	16.8
Nonwhite	1,330	1,297	18	4	35	100	1,181	14	25	18.8	347	58	43.6	25	18.8
Urban	44,712	44,503	166	27	1,020	1,827	41,735	130	597	13.4	16,744	1,012	22.6	805	18.0
White	43,915	43,716	161	25	998	1,761	41,034	122	585	13.3	16,512	981	22.3	791	18.0
Nonwhite	797	787	5	2	22	66	701	8	12	15.1	232	31	38.9	14	17.6
Rural	36,993	36,495	424	26	655	1,278	34,919	141	557	15.1	11,897	770	20.8	573	15.5
White	36,460	35,985	411	24	642	1,244	34,439	135	544	14.9	11,782	743	20.4	562	15.4
Nonwhite	533	510	13	2	13	34	480	6	13	24.4	115	27	50.7	11	20.6
Metropolitan counties	39,698	39,505	141	35	875	1,607	37,131	85	527	13.3	13,353	819	20.6	637	16.0
White	38,885	38,704	134	33	851	1,540	36,418	76	514	13.2	13,110	785	20.2	621	16.0
Nonwhite	813	801	7	2	24	67	713	9	13	16.0	243	34	41.8	16	19.7
Urban	32,092	31,963	90	26	734	1,350	29,936	72	426	13.3	11,732	676	21.1	527	16.4
White	31,325	31,206	85	24	713	1,285	29,263	64	414	13.2	11,506	646	20.6	513	16.4
Nonwhite	767	757	5	2	21	65	673	8	12	15.6	226	30	39.1	14	18.3
Rural	7,606	7,542	51	9	141	257	7,195	13	101	13.3	1,621	143	18.8	110	14.5
White	7,560	7,498	49	9	138	255	7,155	12	100	13.2	1,604	139	18.4	108	14.3
Nonwhite	46	44	2	-	3	2	40	1	1	21.7	17	4	87.0	2	43.5
Nonmetropolitan counties	42,007	41,493	449	18	800	1,498	39,523	186	627	14.9	15,288	963	22.9	741	17.6
White	41,490	40,997	438	16	789	1,465	39,055	181	615	14.8	15,184	939	22.6	732	17.6
Nonwhite	517	496	11	2	11	33	468	5	12	23.2	104	24	46.4	9	17.4
Urban	12,620	12,540	76	1	286	477	11,799	58	171	13.5	5,012	336	26.6	278	22.0
White	12,590	12,510	76	1	285	476	11,771	58	171	13.6	5,006	335	26.6	278	22.1
Nonwhite	30	30	-	-	1	1	28	-	-	0	6	1	33.3	-	0
Rural	29,387	28,953	373	17	514	1,021	27,724	128	456	15.5	10,276	627	21.3	463	15.8
White	28,900	28,487	362	15	504	989	27,284	123	444	15.4	10,178	604	20.9	454	15.7
Nonwhite	487	466	11	2	10	32	440	5	12	24.6	98	23	47.2	9	18.5
MISSISSIPPI	63,366	38,807	5,968	18,308	1,656	3,542	57,722	446	1,819	28.7	19,453	2,346	37.0	1,444	22.8
White	27,675	26,342	1,047	243	584	1,186	25,800	105	503	18.2	9,539	690	24.9	532	19.2
Nonwhite	35,691	12,465	4,921	18,065	1,072	2,356	31,922	341	1,316	36.9	9,914	1,656	46.4	912	25.6
Urban	20,573	15,726	1,486	3,310	586	1,138	18,763	86	536	26.1	6,673	865	42.0	615	29.9
White	11,480	11,369	76	27	254	514	10,682	30	186	16.2	3,457	331	28.8	282	24.6
Nonwhite	9,093	4,357	1,410	3,283	332	624	8,081	56	350	38.5	3,216	534	58.7	333	36.6
Rural	42,793	23,081	4,482	14,998	1,070	2,404	38,959	360	1,283	30.0	12,780	1,481	34.6	829	19.4
White	16,195	14,973	971	216	330	672	15,118	75	317	19.6	6,082	359	22.2	250	15.4
Nonwhite	26,598	8,108	3,511	14,782	740	1,732	23,841	285	966	36.3	6,698	1,122	42.2	579	21.8
Metropolitan counties	4,806	3,152	446	1,202	142	266	4,393	5	112	23.3	1,285	170	35.4	122	25.4
White	2,286	2,265	19	-	54	107	2,123	2	33	14.4	626	55	24.1	46	20.1
Nonwhite	2,520	887	427	1,202	88	159	2,270	3	79	31.3	659	115	45.6	76	30.2
Urban	3,090	2,206	264	614	104	164	2,820	2	67	21.7	927	124	40.1	98	31.7
White	1,557	1,551	4	-	41	67	1,449	-	20	12.8	476	44	28.3	39	25.0
Nonwhite	1,533	655	260	614	63	97	1,371	2	47	30.7	451	80	52.2	59	38.5
Rural	1,716	946	182	588	38	102	1,573	3	45	26.2	358	46	26.8	24	14.0
White	729	714	15	-	13	40	674	2	13	17.8	150	11	15.1	7	9.6
Nonwhite	987	232	167	588	25	62	899	1	32	32.4	208	35	35.5	17	17.2
Nonmetropolitan counties	58,560	35,655	5,522	17,106	1,514	3,276	53,329	441	1,707	29.1	18,168	2,176	37.2	1,322	22.6
White	25,389	24,077	1,028	243	530	1,079	23,677	103	470	18.5	8,913	635	25.0	486	19.1
Nonwhite	33,171	11,578	4,494	16,863	984	2,197	29,652	338	1,237	37.3	9,255	1,541	46.5	836	25.2
Urban	17,483	13,520	1,222	2,696	482	974	15,943	84	469	26.8	5,746	741	42.4	517	29.6
White	9,923	9,818	72	27	213	447	9,233	30	166	16.7	2,981	287	28.9	243	24.5
Nonwhite	7,560	3,702	1,150	2,669	269	527	6,710	54	303	40.1	2,765	454	60.1	274	36.2
Rural	41,077	22,135	4,300	14,410	1,032	2,302	37,386	357	1,238	30.1	12,422	1,435	34.9	805	19.6
White	15,466	14,259	956	216	317	632	14,444	73	304	19.7	5,932	348	22.5	243	15.7
Nonwhite	25,611	7,876	3,344	14,194	715	1,670	22,942	284	934	36.5	6,490	1,087	42.4	562	21.9

See footnotes on p. 200.

Table 20. Live Births by Attendant and Birth Weight; Fetal Deaths and Ratios; Total Deaths; and Infant and Neonatal Deaths and Rates; by Color for Urban and Rural Areas in Metropolitan and Nonmetropolitan Counties: United States and Each State, 1955—Continued

(See headnote on p. 184)

AREA AND COLOR	LIVE BIRTHS								FETAL DEATHS		DEATHS				
	Total	Attendant[1]			Birth weight[3]						Total	Under 1 year		Under 28 days	
		Physician in hospital[2]	Physician not in hospital	Midwife	2,000 grams or less	2,001-2,500 grams	2,501 grams or more	Not stated	Number	Ratio		Number	Rate	Number	Rate
MISSOURI	94,001	89,420	3,825	600	2,348	4,445	86,828	380	1,568	16.7	43,102	2,381	25.3	1,733	18.4
White	82,489	79,048	3,076	240	1,801	3,523	76,855	310	1,220	14.8	38,789	1,910	23.2	1,415	17.2
Nonwhite	11,512	10,372	749	360	547	922	9,973	70	348	30.2	4,313	471	40.9	318	27.6
Urban	57,348	56,070	1,062	175	1,658	2,952	52,564	174	977	17.0	26,351	1,574	27.4	1,159	20.2
White	47,040	46,263	689	58	1,149	2,115	43,649	127	666	14.2	22,631	1,172	24.9	892	19.0
Nonwhite	10,308	9,807	373	117	509	837	8,915	47	311	30.2	3,720	402	39.0	267	25.9
Rural	36,653	33,350	2,763	425	690	1,493	34,264	206	591	16.1	16,751	807	22.0	574	15.7
White	35,449	32,785	2,387	182	652	1,408	33,206	183	554	15.6	16,158	738	20.8	523	14.8
Nonwhite	1,204	565	376	243	38	85	1,058	23	37	30.7	593	69	57.3	51	42.4
Metropolitan counties	57,196	56,562	569	38	1,573	2,940	52,542	141	978	17.1	22,803	1,398	24.4	1,064	18.6
White	47,495	47,081	366	27	1,091	2,149	44,150	105	680	14.3	19,456	1,035	21.8	804	16.9
Nonwhite	9,701	9,481	203	11	482	791	8,392	36	298	30.7	3,347	363	37.4	260	26.8
Urban	45,356	44,865	436	33	1,347	2,442	41,459	108	814	17.9	19,848	1,213	26.7	918	20.2
White	35,853	35,573	241	22	873	1,665	33,238	77	524	14.6	16,631	856	23.9	664	18.5
Nonwhite	9,503	9,292	195	11	474	777	8,221	31	290	30.5	3,217	357	37.6	254	26.7
Rural	11,840	11,697	133	5	226	498	11,083	33	164	13.9	2,955	185	15.6	146	12.3
White	11,642	11,509	125	5	218	484	10,912	28	156	13.4	2,825	179	15.4	140	12.0
Nonwhite	198	189	8	-	8	14	171	5	8	40.4	130	6	30.3	6	30.3
Nonmetropolitan counties	36,805	32,858	3,256	562	775	1,505	34,286	239	590	16.0	20,299	983	26.7	669	18.2
White	34,994	31,967	2,710	213	710	1,374	32,705	205	540	15.4	19,333	875	25.0	611	17.5
Nonwhite	1,811	891	546	349	65	131	1,581	34	50	27.6	966	108	59.6	58	32.0
Urban	11,992	11,205	626	142	311	510	11,105	66	163	13.6	6,503	361	30.1	254	21.2
White	11,187	10,690	448	36	276	450	10,411	50	142	12.7	6,000	316	28.2	232	20.7
Nonwhite	805	515	178	106	35	60	694	16	21	26.1	503	45	55.9	22	27.3
Rural	24,813	21,653	2,630	420	464	995	23,181	173	427	17.2	13,796	622	25.1	415	16.7
White	23,807	21,277	2,262	177	434	924	22,294	155	398	16.7	13,333	559	23.5	379	15.9
Nonwhite	1,006	376	368	243	30	71	887	18	29	28.8	463	63	62.6	36	35.8
MONTANA	17,474	17,301	75	80	481	911	15,997	85	221	12.6	6,151	437	25.0	325	18.6
White	16,458	16,320	67	59	452	851	15,091	64	203	12.3	5,895	392	23.8	306	18.6
Nonwhite	1,016	981	8	21	29	60	906	21	18	17.7	256	45	44.3	19	18.7
Urban	9,152	9,130	17	2	271	509	8,354	18	120	13.1	3,308	232	25.3	179	19.6
White	8,989	8,969	16	1	267	501	8,203	18	116	12.9	3,257	222	24.7	174	19.4
Nonwhite	163	161	1	1	4	8	151	-	4	24.5	51	10	61.3	5	30.7
Rural	8,322	8,171	58	78	210	402	7,643	67	101	12.1	2,843	205	24.6	146	17.5
White	7,469	7,351	51	58	185	350	6,888	46	87	11.6	2,638	170	22.8	132	17.7
Nonwhite	853	820	7	20	25	52	755	21	14	16.4	205	35	41.0	14	16.4
Nonmetropolitan counties	17,474	17,301	75	80	481	911	15,997	85	221	12.6	6,151	437	25.0	325	18.6
White	16,458	16,320	67	59	452	851	15,091	64	203	12.3	5,895	392	23.8	306	18.6
Nonwhite	1,016	981	8	21	29	60	906	21	18	17.7	256	45	44.3	19	18.7
Urban	9,152	9,130	17	2	271	509	8,354	18	120	13.1	3,308	232	25.3	179	19.6
White	8,989	8,969	16	1	267	501	8,203	18	116	12.9	3,257	222	24.7	174	19.4
Nonwhite	163	161	1	1	4	8	151	-	4	24.5	51	10	61.3	5	30.7
Rural	8,322	8,171	58	78	210	402	7,643	67	101	12.1	2,843	205	24.6	146	17.5
White	7,469	7,351	51	58	185	350	6,888	46	87	11.6	2,638	170	22.8	132	17.7
Nonwhite	853	820	7	20	25	52	755	21	14	16.4	205	35	41.0	14	16.4
NEBRASKA	34,258	33,965	270	4	728	1,508	31,717	305	476	13.9	13,115	813	23.7	635	18.5
White	33,073	32,808	251	-	664	1,421	30,688	300	451	13.6	12,739	738	22.3	584	17.7
Nonwhite	1,185	1,157	19	4	64	87	1,029	5	25	21.1	376	75	63.3	51	43.0
Urban	18,286	18,199	79	3	452	916	16,794	124	261	14.3	6,738	478	26.1	369	20.2
White	17,239	17,170	66	-	395	835	15,886	123	241	14.0	6,420	420	24.4	328	19.0
Nonwhite	1,047	1,029	13	3	57	81	908	1	20	19.1	318	58	55.4	41	39.2
Rural	15,972	15,766	191	1	276	592	14,923	181	215	13.5	6,377	335	21.0	266	16.7
White	15,834	15,638	185	-	269	586	14,802	177	210	13.3	6,319	318	20.1	256	16.2
Nonwhite	138	128	6	1	7	6	121	4	5	36.2	58	17	123.2	10	72.5
Metropolitan counties	12,758	12,699	52	2	324	611	11,797	26	188	14.7	4,250	313	24.5	250	19.6
White	11,774	11,732	39	-	269	533	10,947	25	169	14.4	3,952	259	22.0	210	17.8
Nonwhite	984	967	13	2	55	78	850	1	19	19.3	298	54	54.9	40	40.7
Urban	10,940	10,894	40	2	287	543	10,088	22	162	14.8	3,762	277	25.3	224	20.5
White	9,975	9,946	27	-	232	466	9,256	21	143	14.3	3,468	224	22.5	184	18.4
Nonwhite	965	948	13	2	55	77	832	1	19	19.7	294	53	54.9	40	41.5
Rural	1,818	1,805	12	-	37	68	1,709	4	26	14.3	488	36	19.8	26	14.3
White	1,799	1,786	12	-	37	67	1,691	4	26	14.5	464	35	19.5	26	14.5
Nonwhite	19	19	-	-	-	1	18	-	-	0	4	1	52.6	-	0
Nonmetropolitan counties	21,500	21,266	218	2	404	897	19,920	279	286	13.4	8,865	500	23.3	385	17.9
White	21,299	21,076	212	-	395	888	19,741	275	282	13.2	8,787	479	22.5	374	17.6
Nonwhite	201	190	6	2	9	9	179	4	6	29.9	78	21	104.5	11	54.7
Urban	7,346	7,305	39	1	165	373	6,706	102	99	13.5	2,976	201	27.4	145	19.7
White	7,264	7,224	39	-	163	369	6,630	102	98	13.5	2,952	196	27.0	144	19.8
Nonwhite	82	81	-	1	2	4	76	-	1	12.2	24	5	61.0	1	12.2
Rural	14,154	13,961	179	1	239	524	13,214	177	189	13.4	5,889	299	21.1	240	17.0
White	14,035	13,852	173	-	232	519	13,111	173	184	13.1	5,835	283	20.2	230	16.4
Nonwhite	119	109	6	1	7	5	103	4	5	42.0	54	16	134.5	10	84.0
NEVADA	6,275	6,233	30	2	206	394	5,632	43	98	15.6	1,987	188	30.0	148	23.6
White	5,567	5,547	17	-	177	343	5,012	35	86	15.4	1,805	157	28.2	129	23.2
Nonwhite	708	686	13	2	29	51	620	8	12	16.9	182	31	43.8	19	26.8
Urban	3,639	3,621	14	-	133	250	3,444	12	68	17.7	1,230	120	31.3	92	24.0
White	3,379	3,370	6	-	110	214	3,044	11	58	17.2	1,136	100	29.6	81	24.0
Nonwhite	460	451	8	-	23	36	400	1	10	21.7	94	20	43.5	11	23.9

See footnotes on p. 200.

Table 20. Live Births by Attendant and Birth Weight; Fetal Deaths and Ratios; Total Deaths; and Infant and Neonatal Deaths and Rates; by Color for Urban and Rural Areas in Metropolitan and Nonmetropolitan Counties: United States and Each State, 1955—Continued

(See headnote on p. 184)

AREA AND COLOR	LIVE BIRTHS								FETAL DEATHS		DEATHS				
	Total	Attendant[1]			Birth weight[3]				Number	Ratio	Total	Under 1 year		Under 28 days	
		Physician in hospital[2]	Physician not in hospital	Midwife	2,000 grams or less	2,001-2,500 grams	2,501 grams or more	Not stated				Number	Rate	Number	Rate
NEVADA—Continued															
Rural	2,436	2,412	16	2	73	144	2,188	31	30	12.3	757	68	27.9	56	23.0
White	2,188	2,177	11	-	67	129	1,968	24	28	12.8	669	57	26.1	48	21.9
Nonwhite	248	235	5	2	6	15	220	7	2	8.1	88	11	44.4	8	32.3
Nonmetropolitan counties	6,275	6,233	30	2	206	394	5,632	43	98	15.6	1,987	188	30.0	148	23.6
White	5,567	5,547	17	-	177	343	5,012	35	86	15.4	1,805	157	28.2	129	23.2
Nonwhite	708	686	13	2	29	51	620	8	12	16.9	182	31	43.8	19	26.8
Urban	3,839	3,821	14	-	133	250	3,444	12	68	17.7	1,230	120	31.3	92	24.0
White	3,379	3,370	6	-	110	214	3,044	11	58	17.2	1,136	100	29.6	81	24.0
Nonwhite	460	451	8	-	23	36	400	1	10	21.7	94	20	43.5	11	23.9
Rural	2,436	2,412	16	2	73	144	2,188	31	30	12.3	757	68	27.9	56	23.0
White	2,188	2,177	11	-	67	129	1,968	24	28	12.8	669	57	26.1	48	21.9
Nonwhite	248	235	5	2	6	15	220	7	2	8.1	88	11	44.4	8	32.3
NEW HAMPSHIRE	12,482	12,407	72	-	254	552	11,047	629	218	17.5	6,464	321	25.7	246	19.7
White	12,444	12,370	71	-	252	551	11,016	625	218	17.5	6,455	321	25.8	246	19.8
Nonwhite	38	37	1	-	2	1	31	4	-	0	9	-	0	-	0
Urban	7,258	7,238	19	-	167	351	6,571	169	119	16.4	3,598	187	25.8	147	20.3
White	7,229	7,210	18	-	166	350	6,548	165	119	16.5	3,592	187	25.9	147	20.3
Nonwhite	29	28	1	-	1	1	23	4	-	0	6	-	0	-	0
Rural	5,224	5,169	53	-	87	201	4,476	460	99	19.0	2,866	134	25.7	99	19.0
White	5,215	5,160	53	-	86	201	4,468	460	99	19.0	2,863	134	25.7	99	19.0
Nonwhite	9	9	-	-	1	-	8	-	-	0	3	-	0	-	0
Metropolitan counties	3,806	3,792	12	-	83	172	3,347	204	65	17.1	1,874	102	26.8	87	22.9
White	3,787	3,774	11	-	82	172	3,333	200	65	17.2	1,872	102	26.9	87	23.0
Nonwhite	19	18	1	-	1	-	14	4	-	0	2	-	0	-	0
Urban	3,000	2,988	11	-	77	141	2,668	114	53	17.7	1,455	86	28.7	75	25.0
White	2,982	2,971	10	-	76	141	2,655	110	53	17.8	1,454	86	28.8	75	25.2
Nonwhite	18	17	1	-	1	-	13	4	-	0	1	-	0	-	0
Rural	806	804	1	-	6	31	679	90	12	14.9	419	16	19.9	12	14.9
White	805	803	1	-	6	31	678	90	12	14.9	418	16	19.9	12	14.9
Nonwhite	1	1	-	-	-	-	1	-	-	0	1	-	0	-	0
Nonmetropolitan counties	8,676	8,615	60	-	171	380	7,700	425	153	17.6	4,590	219	25.2	159	18.3
White	8,657	8,596	60	-	170	379	7,683	425	153	17.7	4,583	219	25.3	159	18.4
Nonwhite	19	19	-	-	1	1	17	-	-	0	7	-	0	-	0
Urban	4,258	4,250	8	-	90	210	3,903	55	66	15.5	2,143	101	23.7	72	16.9
White	4,247	4,239	8	-	90	209	3,893	55	66	15.5	2,138	101	23.8	72	17.0
Nonwhite	11	11	-	-	-	1	10	-	-	0	5	-	0	-	0
Rural	4,418	4,365	52	-	81	170	3,797	370	87	19.7	2,447	118	26.7	87	19.7
White	4,410	4,357	52	-	80	170	3,790	370	87	19.7	2,445	118	26.8	87	19.7
Nonwhite	8	8	-	-	1	-	7	-	-	0	2	-	0	-	0
NEW JERSEY	121,427	120,319	917	92	2,972	6,013	111,858	584	2,050	16.9	54,290	2,954	24.3	2,217	18.3
White	107,944	107,237	568	84	2,281	4,856	100,388	419	1,711	15.9	50,069	2,332	21.6	1,799	16.7
Nonwhite	13,483	13,082	349	8	691	1,157	11,470	165	339	25.1	4,221	622	46.1	418	31.0
Urban	91,772	91,003	616	84	2,273	4,698	84,333	468	1,590	17.3	43,129	2,282	24.9	1,728	18.8
White	80,301	79,809	372	78	1,681	3,717	74,580	323	1,298	16.2	39,503	1,744	21.7	1,354	16.9
Nonwhite	11,471	11,194	244	6	592	981	9,753	145	292	25.5	3,626	538	46.9	374	32.6
Rural	29,655	29,316	301	8	699	1,315	27,525	116	460	15.5	11,161	672	22.7	489	16.5
White	27,643	27,428	196	6	600	1,139	25,808	96	413	14.9	10,566	588	21.3	445	16.1
Nonwhite	2,012	1,888	105	2	99	176	1,717	20	47	23.4	595	84	41.7	44	21.9
Metropolitan counties	108,067	107,144	759	90	2,657	5,374	99,492	544	1,831	16.9	47,674	2,602	24.1	1,965	18.2
White	96,139	95,537	478	82	2,028	4,349	89,371	391	1,526	15.9	43,972	2,051	21.3	1,587	16.5
Nonwhite	11,928	11,607	281	8	629	1,025	10,121	153	305	25.6	3,702	551	46.2	378	31.7
Urban	85,319	84,608	566	84	2,121	4,390	78,362	446	1,494	17.5	39,838	2,106	24.7	1,598	18.7
White	74,737	74,274	347	78	1,567	3,482	69,379	309	1,221	16.3	36,515	1,607	21.5	1,250	16.7
Nonwhite	10,582	10,334	219	6	554	908	8,983	137	273	25.8	3,323	499	47.2	348	32.9
Rural	22,748	22,536	193	6	536	984	21,130	98	337	14.8	7,836	496	21.8	367	16.1
White	21,402	21,263	131	4	461	867	19,992	82	305	14.3	7,457	444	20.7	337	15.7
Nonwhite	1,346	1,273	62	2	75	117	1,138	16	32	23.8	379	52	38.6	30	22.3
Nonmetropolitan counties	13,360	13,175	158	2	315	639	12,366	40	219	16.4	6,616	352	26.3	252	18.9
White	11,805	11,700	90	2	253	507	11,017	28	185	15.7	6,097	281	23.8	212	18.0
Nonwhite	1,555	1,475	68	-	62	132	1,349	12	34	21.9	519	71	45.7	40	25.7
Urban	6,453	6,395	50	-	152	308	5,971	22	96	14.9	3,291	176	27.3	130	20.1
White	5,564	5,535	25	-	114	235	5,201	14	77	13.8	2,988	137	24.6	104	18.7
Nonwhite	889	860	25	-	38	73	770	8	19	21.4	303	39	43.9	26	29.2
Rural	6,907	6,780	108	2	163	331	6,395	18	123	17.8	3,325	176	25.5	122	17.7
White	6,241	6,165	65	2	139	272	5,816	14	108	17.3	3,109	144	23.1	108	17.3
Nonwhite	666	615	43	-	24	59	579	4	15	22.5	216	32	48.0	14	21.0
NEW MEXICO	25,759	22,353	1,686	1,245	713	1,795	22,893	358	427	16.6	5,544	1,108	43.0	618	24.0
White	23,376	20,291	1,635	1,178	648	1,633	20,962	133	382	16.3	4,953	900	38.5	549	23.5
Nonwhite	2,383	2,062	51	67	65	162	1,931	225	45	18.9	591	208	87.3	69	29.0
Urban	15,058	13,962	588	419	446	1,060	13,491	61	235	15.6	3,041	555	36.9	360	23.9
White	14,467	13,404	563	413	420	1,002	12,985	60	227	15.7	2,931	520	35.9	347	24.0
Nonwhite	591	558	25	6	26	58	506	1	8	13.5	110	35	59.2	13	22.0
Rural	10,701	8,391	1,098	826	267	735	9,402	297	192	17.9	2,503	553	51.7	258	24.1
White	8,909	6,887	1,072	765	228	631	7,977	73	155	17.4	2,022	380	42.7	202	22.7
Nonwhite	1,792	1,504	26	61	39	104	1,425	224	37	20.6	481	173	96.5	56	31.3
Metropolitan counties	6,757	6,425	174	112	180	473	6,068	36	102	15.1	1,162	224	33.2	146	21.6
White	6,477	6,162	170	109	169	446	5,839	23	95	14.7	1,120	207	32.0	139	21.5
Nonwhite	280	263	4	3	11	27	229	13	7	25.0	42	17	60.7	7	25.0

See footnotes on p. 200.

Table 20. Live Births by Attendant and Birth Weight; Fetal Deaths and Ratios; Total Deaths; and Infant and Neonatal Deaths and Rates; by Color for Urban and Rural Areas in Metropolitan and Nonmetropolitan Counties: United States and Each State, 1955—Continued

(See headnote on p. 184)

AREA AND COLOR	LIVE BIRTHS								FETAL DEATHS		DEATHS				
	Total	Attendant[1]			Birth weight[3]				Number	Ratio	Total	Under 1 year		Under 28 days	
		Physician in hospital[2]	Physician not in hospital	Midwife	2,000 grams or less	2,001-2,500 grams	2,501 grams or more	Not stated				Number	Rate	Number	Rate
NEW MEXICO—Continued															
Metropolitan counties—Con.															
Urban	5,669	5,496	102	57	157	393	5,102	17	83	14.6	954	169	29.8	116	20.5
White	5,477	5,308	98	57	148	370	4,942	17	80	14.6	927	159	29.0	113	20.6
Nonwhite	192	188	4	-	9	23	160	-	3	15.6	27	10	52.1	3	15.6
Rural	1,088	929	72	55	23	80	966	19	19	17.5	208	55	50.6	30	27.6
White	1,000	854	72	52	21	76	897	6	15	15.0	193	48	48.0	26	26.0
Nonwhite	88	75	-	3	2	4	69	13	4	45.5	15	7	79.5	4	45.5
Nonmetropolitan counties	19,002	15,928	1,512	1,133	533	1,322	16,825	322	325	17.1	4,382	884	46.5	472	24.8
White	16,899	14,129	1,465	1,069	479	1,187	15,123	110	287	17.0	3,833	693	41.0	410	24.3
Nonwhite	2,103	1,799	47	64	54	135	1,702	212	38	18.1	549	191	90.8	62	29.5
Urban	9,389	8,466	486	362	289	667	8,389	44	152	16.2	2,087	386	41.1	244	26.0
White	8,990	8,096	465	356	272	632	8,043	43	147	16.4	2,004	361	40.2	234	26.0
Nonwhite	399	370	21	6	17	35	346	1	5	12.5	83	25	62.7	10	25.1
Rural	9,613	7,462	1,026	771	244	655	8,436	278	173	18.0	2,295	498	51.8	228	23.7
White	7,909	6,033	1,000	713	207	555	7,080	67	140	17.7	1,829	332	42.0	176	22.3
Nonwhite	1,704	1,429	26	58	37	100	1,356	211	33	19.4	466	166	97.4	52	30.5
NEW YORK	342,566	338,709	3,520	200	9,090	18,928	312,856	1,692	7,119	20.8	165,770	8,340	24.3	6,395	18.7
White	306,271	303,415	2,575	174	7,193	15,700	281,904	1,474	5,699	18.6	154,808	6,865	22.4	5,279	17.2
Nonwhite	36,295	35,294	945	26	1,897	3,228	30,952	218	1,420	39.1	10,962	1,475	40.6	1,116	30.7
Urban	252,930	249,972	2,684	193	7,093	14,817	229,956	1,064	5,767	22.8	133,016	6,424	25.4	4,943	19.5
White	218,450	216,436	1,789	167	5,283	11,704	200,600	863	4,389	20.1	122,554	5,033	23.0	3,884	17.8
Nonwhite	34,480	33,536	895	26	1,810	3,113	29,356	201	1,378	40.0	10,462	1,391	40.3	1,059	30.7
Rural	89,636	88,737	836	7	1,997	4,111	82,900	628	1,352	15.1	32,754	1,816	21.4	1,452	16.2
White	87,821	86,979	786	7	1,910	3,996	81,304	611	1,310	14.9	32,254	1,832	20.9	1,395	15.9
Nonwhite	1,815	1,758	50	-	87	115	1,596	17	42	23.1	500	84	46.3	57	31.4
Metropolitan counties	285,515	282,352	2,879	193	7,682	16,181	260,464	1,188	6,248	21.9	136,381	6,906	24.2	5,310	18.6
White	250,343	248,164	1,947	167	5,836	13,036	230,489	982	4,852	19.4	125,796	5,484	21.9	4,230	16.9
Nonwhite	35,172	34,188	932	26	1,846	3,145	29,975	206	1,396	39.7	10,585	1,422	40.4	1,080	30.7
Urban	229,773	226,975	2,537	188	6,463	13,630	208,655	1,025	5,447	23.7	119,849	5,805	25.3	4,468	19.4
White	195,921	194,061	1,648	162	4,683	10,567	179,846	825	4,083	20.8	109,608	4,439	22.7	3,427	17.5
Nonwhite	33,852	32,914	889	26	1,780	3,063	28,809	200	1,364	40.3	10,241	1,366	40.4	1,041	30.8
Rural	55,742	55,377	342	5	1,219	2,551	51,809	163	801	14.4	16,532	1,101	19.8	842	15.1
White	54,422	54,103	299	5	1,153	2,469	50,643	157	769	14.1	16,188	1,045	19.2	803	14.8
Nonwhite	1,320	1,274	43	-	66	82	1,166	6	32	24.2	344	56	42.4	39	29.5
Nonmetropolitan counties	57,051	56,357	641	7	1,408	2,747	52,392	504	871	15.3	29,389	1,434	25.1	1,085	19.0
White	55,928	55,251	628	7	1,357	2,664	51,415	492	847	15.1	29,012	1,381	24.7	1,049	18.8
Nonwhite	1,123	1,106	13	-	51	83	977	12	24	21.4	377	53	47.2	36	32.1
Urban	23,157	22,997	147	5	630	1,187	21,301	39	320	13.8	13,167	619	26.7	475	20.5
White	22,529	22,375	141	5	600	1,137	20,754	38	306	13.6	12,946	594	26.4	457	20.3
Nonwhite	628	622	6	-	30	50	547	1	14	22.3	221	25	39.8	18	28.7
Rural	33,894	33,360	494	2	778	1,560	31,091	465	551	16.3	16,222	815	24.0	610	18.0
White	33,399	32,876	487	2	757	1,527	30,661	454	541	16.2	16,066	787	23.6	592	17.7
Nonwhite	495	484	7	-	21	33	430	11	10	20.2	156	28	56.6	18	36.4
NORTH CAROLINA	115,365	98,139	6,895	10,121	3,073	6,250	105,622	420	2,366	20.5	32,274	3,500	30.3	2,251	19.5
White	77,006	74,824	1,639	482	1,761	3,603	71,451	191	1,170	15.2	21,842	1,742	22.6	1,269	16.5
Nonwhite	38,359	23,315	5,256	9,639	1,312	2,647	34,171	229	1,196	31.2	10,432	1,758	45.8	982	25.6
Urban	38,088	35,105	1,021	1,922	1,162	2,277	34,541	108	834	21.9	11,818	1,251	32.8	878	23.1
White	25,765	25,600	115	43	625	1,298	23,804	38	414	16.1	7,452	613	23.8	476	18.5
Nonwhite	12,323	9,505	906	1,879	537	979	10,737	70	420	34.1	4,366	638	51.8	402	32.6
Rural	77,277	63,034	5,874	8,199	1,911	3,973	71,081	312	1,532	19.8	20,456	2,249	29.1	1,373	17.8
White	51,241	49,224	1,524	439	1,136	2,305	47,647	153	756	14.8	14,390	1,129	22.0	793	15.5
Nonwhite	26,036	13,810	4,350	7,760	775	1,668	23,434	159	776	29.8	6,066	1,120	43.0	580	22.3
Metropolitan counties	24,824	23,719	524	562	792	1,475	22,505	62	514	20.7	7,462	704	28.4	500	20.1
White	17,757	17,650	84	16	469	874	16,382	32	248	14.0	4,982	378	21.3	288	16.2
Nonwhite	7,067	6,069	440	546	313	601	6,123	30	266	37.6	2,480	326	46.1	212	30.0
Urban	14,579	14,070	194	306	490	956	13,104	29	339	23.3	4,861	463	31.8	336	23.0
White	9,347	9,330	10	5	246	493	8,596	12	143	15.3	2,907	203	21.7	156	16.7
Nonwhite	5,232	4,740	184	301	244	463	4,508	17	196	37.5	1,954	260	49.7	180	34.4
Rural	10,245	9,649	330	256	292	519	9,401	33	175	17.1	2,601	241	23.5	164	16.0
White	8,410	8,320	74	11	223	381	7,786	20	105	12.5	2,075	175	20.8	132	15.7
Nonwhite	1,835	1,329	256	245	69	138	1,615	13	70	38.1	526	66	36.0	32	17.4
Nonmetropolitan counties	90,541	74,420	6,371	9,559	2,291	4,775	83,117	358	1,852	20.5	24,812	2,796	30.9	1,751	19.3
White	59,249	57,174	1,555	466	1,292	2,729	55,069	159	922	15.6	16,860	1,364	23.0	981	16.6
Nonwhite	31,292	17,246	4,816	9,093	999	2,046	28,048	199	930	29.7	7,952	1,432	45.8	770	24.6
Urban	23,509	21,035	827	1,616	672	1,321	21,437	79	495	21.1	6,957	788	33.5	542	23.1
White	16,418	16,270	105	38	379	805	15,208	26	271	16.5	4,545	410	25.0	320	19.5
Nonwhite	7,091	4,765	722	1,578	293	516	6,229	53	224	31.6	2,412	378	53.3	222	31.3
Rural	67,032	53,385	5,544	7,943	1,619	3,454	61,680	279	1,357	20.2	17,855	2,008	30.0	1,209	18.0
White	42,831	40,904	1,450	428	913	1,924	39,861	133	651	15.2	12,315	954	22.3	661	15.4
Nonwhite	24,201	12,481	4,094	7,515	706	1,530	21,819	146	706	29.2	5,540	1,054	43.6	548	22.6
NORTH DAKOTA	17,237	17,085	104	22	367	756	16,083	31	239	13.9	5,270	433	25.1	330	19.1
White	16,773	16,640	98	13	351	731	15,669	22	233	13.9	5,150	402	24.0	313	18.7
Nonwhite	464	445	6	9	16	25	414	9	6	12.9	120	31	66.8	17	36.6
Urban	5,596	5,589	4	-	133	268	5,191	4	75	13.4	1,669	158	28.2	120	21.4
White	5,557	5,551	4	-	132	266	5,156	3	75	13.5	1,656	156	28.1	119	21.4
Nonwhite	39	38	-	-	1	2	35	1	-	0	13	2	51.3	1	25.6
Rural	11,641	11,496	100	22	234	488	10,892	27	164	14.1	3,601	275	23.6	210	18.0
White	11,216	11,089	94	13	219	465	10,513	19	158	14.1	3,494	246	21.9	194	17.3
Nonwhite	425	407	6	9	15	23	379	8	6	14.1	107	29	68.2	16	37.6

See footnotes on p. 200.

Table 20. Live Births by Attendant and Birth Weight; Fetal Deaths and Ratios; Total Deaths; and Infant and Neonatal Deaths and Rates; by Color for Urban and Rural Areas in Metropolitan and Nonmetropolitan Counties: United States and Each State, 1955—Continued

(See headnote on p. 184)

AREA AND COLOR	LIVE BIRTHS								FETAL DEATHS		DEATHS				
	Total	Attendant[1]			Birth weight[3]				Number	Ratio	Total	Under 1 year		Under 28 days	
		Physician in hospital[2]	Physician not in hospital	Midwife	2,000 grams or less	2,001-2,500 grams	2,501 grams or more	Not stated				Number	Rate	Number	Rate
NORTH DAKOTA—Continued															
Nonmetropolitan counties	17,237	17,085	104	22	367	756	16,083	31	239	13.9	5,270	433	25.1	330	19.1
White	16,773	16,640	98	13	351	731	15,669	22	233	13.9	5,150	402	24.0	313	18.7
Nonwhite	464	445	6	9	16	25	414	9	6	12.9	120	31	66.8	17	36.6
Urban	5,596	5,589	4	-	133	268	5,191	4	75	13.4	1,669	158	28.2	120	21.4
White	5,557	5,551	4	-	132	266	5,156	3	75	13.5	1,656	156	28.1	119	21.4
Nonwhite	39	38	-	-	1	2	35	1	-	0	13	2	51.3	1	25.6
Rural	11,641	11,496	100	22	234	488	10,892	27	164	14.1	3,601	275	23.6	210	18.0
White	11,216	11,089	94	13	219	465	10,513	19	158	14.1	3,494	246	21.9	194	17.3
Nonwhite	425	407	6	9	15	23	379	8	6	14.1	107	29	68.2	16	37.6
OHIO	223,470	220,233	3,026	45	5,704	10,981	206,139	646	3,679	16.5	85,478	5,549	24.8	4,183	18.7
White	201,789	198,928	2,674	33	4,612	9,227	187,429	521	3,134	15.5	78,850	4,666	23.1	3,518	17.4
Nonwhite	21,681	21,305	352	12	1,092	1,754	18,710	125	545	25.1	6,628	883	40.7	665	30.7
Urban	149,787	148,607	1,061	21	4,142	7,810	137,389	446	2,550	17.0	59,771	3,886	25.9	3,015	20.1
White	129,564	128,689	772	15	3,110	6,167	119,956	331	2,048	15.8	53,699	3,072	23.7	2,388	18.4
Nonwhite	20,223	19,918	289	6	1,032	1,643	17,433	115	502	24.8	6,072	814	40.3	627	31.0
Rural	73,683	71,626	1,965	24	1,562	3,171	68,750	200	1,129	15.3	25,707	1,663	22.6	1,168	15.9
White	72,225	70,239	1,902	18	1,502	3,060	67,473	190	1,086	15.0	25,151	1,594	22.1	1,130	15.6
Nonwhite	1,458	1,387	63	6	60	111	1,277	10	43	29.5	556	69	47.3	38	26.1
Metropolitan counties	155,567	154,434	1,009	23	4,285	7,954	142,878	450	2,619	16.8	56,849	3,978	25.6	3,071	19.7
White	135,307	134,466	733	17	3,258	6,319	125,396	334	2,116	15.6	50,812	3,165	23.4	2,453	18.1
Nonwhite	20,260	19,968	276	6	1,027	1,635	17,482	116	503	24.8	6,037	813	40.1	618	30.5
Urban	122,699	121,873	722	18	3,543	6,506	112,271	379	2,137	17.4	47,357	3,191	26.0	2,483	20.2
White	103,443	102,893	462	12	2,560	4,942	95,669	272	1,666	16.1	41,657	2,423	23.4	1,893	18.3
Nonwhite	19,256	18,980	260	6	983	1,564	16,602	107	471	24.5	5,700	768	39.9	590	30.6
Rural	32,868	32,561	287	5	742	1,448	30,607	71	482	14.7	9,492	787	23.9	588	17.9
White	31,864	31,573	271	5	698	1,377	29,727	62	450	14.1	9,155	742	23.3	560	17.6
Nonwhite	1,004	988	16	-	44	71	880	9	32	31.9	337	45	44.8	28	27.9
Nonmetropolitan counties	67,903	65,799	2,017	22	1,419	3,027	63,261	196	1,060	15.6	28,629	1,571	23.1	1,112	16.4
White	66,482	64,462	1,941	16	1,354	2,908	62,033	187	1,018	15.3	28,038	1,501	22.6	1,065	16.0
Nonwhite	1,421	1,337	76	6	65	119	1,228	9	42	29.6	591	70	49.3	47	33.1
Urban	27,088	26,734	339	3	599	1,304	25,118	67	413	15.2	12,414	695	25.7	532	19.6
White	26,121	25,796	310	3	550	1,225	24,287	59	382	14.6	12,042	649	24.8	495	19.0
Nonwhite	967	938	29	-	49	79	831	8	31	32.1	372	46	47.6	37	38.3
Rural	40,815	39,065	1,678	19	820	1,723	38,143	129	647	15.9	16,215	876	21.5	580	14.2
White	40,361	38,666	1,631	13	804	1,683	37,746	128	636	15.8	15,996	852	21.1	570	14.1
Nonwhite	454	399	47	6	16	40	397	1	11	24.2	219	24	52.9	10	22.0
OKLAHOMA	50,102	47,700	1,598	531	1,157	2,230	46,190	525	741	14.8	19,724	1,339	26.7	1,008	20.1
White	43,969	42,599	1,139	103	929	1,853	40,802	385	575	13.1	17,574	1,058	24.1	823	18.7
Nonwhite	6,133	5,101	459	428	228	377	5,388	140	166	27.1	2,150	281	45.8	185	30.2
Urban	30,980	30,143	448	285	776	1,487	28,441	276	468	15.1	11,628	883	28.5	700	22.6
White	27,281	26,940	253	38	614	1,212	25,258	197	372	13.6	10,330	691	25.3	562	20.6
Nonwhite	3,699	3,203	195	227	162	275	3,183	79	96	26.0	1,298	192	51.9	138	37.3
Rural	19,122	17,557	1,150	266	381	743	17,749	249	273	14.3	8,096	456	23.8	308	16.1
White	16,688	15,659	886	65	315	641	15,544	188	203	12.2	7,244	367	22.0	261	15.6
Nonwhite	2,434	1,898	264	201	66	102	2,205	61	70	28.8	852	89	36.6	47	19.3
Metropolitan counties	18,124	17,871	103	89	484	893	16,610	137	254	14.0	5,248	493	27.2	396	21.8
White	15,931	15,800	76	28	380	711	14,725	115	198	12.4	4,630	392	24.6	317	19.9
Nonwhite	2,193	2,071	27	61	104	182	1,885	22	56	25.5	618	101	46.1	79	36.0
Urban	15,137	14,933	78	77	415	771	13,837	114	227	15.0	4,601	423	27.9	347	22.9
White	13,231	13,136	53	20	326	609	12,203	93	180	13.6	4,082	333	25.2	276	20.9
Nonwhite	1,906	1,797	25	57	89	162	1,634	21	47	24.7	519	90	47.2	71	37.3
Rural	2,987	2,938	25	12	69	122	2,773	23	27	9.0	647	70	23.4	49	16.4
White	2,700	2,664	23	8	54	102	2,522	22	18	6.7	548	59	21.9	41	15.2
Nonwhite	287	274	2	4	15	20	251	1	9	31.4	99	11	38.3	8	27.9
Nonmetropolitan counties	31,978	29,829	1,495	442	673	1,337	29,580	388	487	15.2	14,476	846	26.5	612	19.1
White	28,038	26,799	1,063	75	549	1,142	26,077	270	377	13.4	12,944	666	23.8	506	18.0
Nonwhite	3,940	3,030	432	367	124	195	3,503	118	110	27.9	1,532	180	45.7	106	26.9
Urban	15,843	15,210	370	188	361	716	14,604	162	241	15.2	7,027	460	29.0	353	22.3
White	14,050	13,804	200	18	288	603	13,055	104	192	13.7	6,248	358	25.5	286	20.4
Nonwhite	1,793	1,406	170	170	73	113	1,549	58	49	27.3	779	102	56.9	67	37.4
Rural	16,135	14,619	1,125	254	312	621	14,976	226	246	15.2	7,449	386	23.9	259	16.1
White	13,988	12,995	863	57	261	539	13,022	166	185	13.2	6,696	308	22.0	220	15.7
Nonwhite	2,147	1,624	262	197	51	82	1,954	60	61	28.4	753	78	36.3	39	18.2
OREGON	38,788	38,468	197	9	867	1,679	36,206	36	648	16.7	15,378	936	24.1	682	17.6
White	37,684	37,387	181	4	828	1,613	35,208	35	618	16.4	15,056	887	23.5	654	17.4
Nonwhite	1,104	1,081	16	5	39	66	998	1	30	27.2	322	49	44.4	28	25.4
Urban	17,384	17,297	40	1	426	782	16,160	16	389	22.4	8,536	430	24.7	316	18.2
White	16,657	16,575	37	1	401	730	15,510	16	366	22.0	8,335	404	24.3	296	17.8
Nonwhite	727	722	3	-	25	52	650	-	23	31.6	201	26	35.8	20	27.5
Rural	21,404	21,171	157	8	441	897	20,046	20	259	12.1	6,842	506	23.6	366	17.1
White	21,027	20,812	144	3	427	883	19,698	19	252	12.0	6,721	483	23.0	358	17.0
Nonwhite	377	359	13	5	14	14	348	1	7	18.6	121	23	61.0	8	21.2
Metropolitan counties	14,808	14,719	35	1	368	699	13,733	8	265	17.9	7,173	362	24.4	284	19.2
White	14,139	14,055	32	1	345	655	13,131	8	245	17.3	6,983	338	23.9	265	18.7
Nonwhite	669	664	3	-	23	44	602	-	20	29.9	190	24	35.9	19	28.4
Urban	8,443	8,402	11	1	236	412	7,791	4	217	25.7	5,036	213	25.2	168	19.9
White	7,832	7,796	8	1	214	368	7,246	4	197	25.2	4,863	190	24.3	150	19.2
Nonwhite	611	606	3	-	22	44	545	-	20	32.7	173	23	37.6	18	29.5

See footnotes on p. 200.

Table 20. Live Births by Attendant and Birth Weight; Fetal Deaths and Ratios; Total Deaths; and Infant and Neonatal Deaths and Rates; by Color for Urban and Rural Areas in Metropolitan and Nonmetropolitan Counties: United States and Each State, 1955—Continued

(See headnote on p. 184)

AREA AND COLOR	LIVE BIRTHS								FETAL DEATHS		DEATHS				
	Total	Attendant[1]			Birth weight[3]						Total	Under 1 year		Under 28 days	
		Physician in hospital[2]	Physician not in hospital	Midwife	2,000 grams or less	2,001-2,500 grams	2,501 grams or more	Not stated	Number	Ratio		Number	Rate	Number	Rate
OREGON—Continued															
Metropolitan counties—Con.															
Rural	6,365	6,317	24	-	132	287	5,942	4	48	7.5	2,137	149	23.4	116	18.2
White	6,307	6,259	24	-	131	287	5,885	4	48	7.6	2,120	148	23.5	115	18.2
Nonwhite	58	58	-	-	1	-	57	-	-	0	17	1	17.2	1	17.2
Nonmetropolitan counties	23,980	23,749	162	8	499	980	22,473	28	383	16.0	8,205	574	23.9	398	16.6
White	23,545	23,332	149	3	483	958	22,077	27	373	15.8	8,073	549	23.3	389	16.5
Nonwhite	435	417	13	5	16	22	396	1	10	23.0	132	25	57.5	9	20.7
Urban	8,941	8,895	29	-	190	370	8,369	12	172	19.2	3,500	217	24.3	148	16.6
White	8,825	8,779	29	-	187	362	8,264	12	169	19.2	3,472	214	24.2	146	16.5
Nonwhite	116	116	-	-	3	8	105	-	3	25.9	28	3	25.9	2	17.2
Rural	15,039	14,854	133	8	309	610	14,104	16	211	14.0	4,705	357	23.7	250	16.6
White	14,720	14,553	120	3	296	596	13,813	15	204	13.9	4,601	335	22.8	243	16.5
Nonwhite	319	301	13	5	13	14	291	1	7	21.9	104	22	69.0	7	21.9
PENNSYLVANIA	242,752	238,213	4,144	105	6,026	11,757	224,414	555	4,434	18.3	113,564	5,960	24.6	4,638	19.1
White	220,243	216,251	3,751	76	4,825	9,703	205,227	488	3,791	17.2	105,595	5,002	22.7	3,894	17.7
Nonwhite	22,509	21,962	393	29	1,201	2,054	19,187	67	643	28.6	7,969	958	42.6	744	33.1
Urban	160,712	159,193	1,250	62	4,369	8,434	147,593	316	2,995	18.6	80,358	4,156	25.9	3,320	20.7
White	139,306	138,278	910	36	3,204	6,471	129,378	253	2,384	17.1	72,920	3,241	23.3	2,605	18.7
Nonwhite	21,406	20,915	340	26	1,165	1,963	18,215	63	611	28.5	7,438	915	42.7	715	33.4
Rural	82,040	79,020	2,894	43	1,657	3,323	76,821	239	1,439	17.5	33,206	1,804	22.0	1,318	16.1
White	80,937	77,973	2,841	40	1,621	3,232	75,849	235	1,407	17.4	32,675	1,761	21.8	1,289	15.9
Nonwhite	1,103	1,047	53	3	36	91	972	4	32	29.0	531	43	39.0	29	26.3
Metropolitan counties	191,564	188,578	2,677	73	4,988	9,460	176,679	437	3,516	18.4	88,616	4,783	25.0	3,779	19.7
White	169,565	167,104	2,303	45	3,812	7,455	157,925	373	2,884	17.0	80,949	3,853	22.7	3,053	18.0
Nonwhite	21,999	21,474	374	28	1,176	2,005	18,754	64	632	28.7	7,667	930	42.3	726	33.0
Urban	140,795	139,505	1,032	58	3,939	7,474	129,105	277	2,656	18.9	69,568	3,697	26.3	2,968	21.1
White	119,694	118,884	701	32	2,791	5,535	111,151	217	2,050	17.1	62,313	2,801	23.4	2,265	18.9
Nonwhite	21,101	20,621	331	26	1,148	1,939	17,954	60	606	28.7	7,255	896	42.5	703	33.3
Rural	50,769	49,073	1,645	15	1,049	1,986	47,574	160	860	16.9	19,048	1,086	21.4	811	16.0
White	49,871	48,220	1,602	13	1,021	1,920	46,774	156	834	16.7	18,636	1,052	21.1	788	15.8
Nonwhite	898	853	43	2	28	66	800	4	26	29.0	412	34	37.9	23	25.6
Nonmetropolitan counties	51,188	49,635	1,467	32	1,038	2,297	47,735	118	918	17.9	24,948	1,177	23.0	859	16.8
White	50,678	49,147	1,448	31	1,013	2,248	47,302	115	907	17.9	24,646	1,149	22.7	841	16.6
Nonwhite	510	488	19	1	25	49	433	3	11	21.6	302	28	54.9	18	35.3
Urban	19,917	19,688	218	4	430	960	18,488	39	339	17.0	10,790	459	23.0	352	17.7
White	19,612	19,394	209	4	413	936	18,227	36	334	17.0	10,607	440	22.4	340	17.3
Nonwhite	305	294	9	-	17	24	261	3	5	16.4	183	19	62.3	12	39.3
Rural	31,271	29,947	1,249	28	608	1,337	29,247	79	579	18.5	14,158	718	23.0	507	16.2
White	31,066	29,753	1,239	27	600	1,312	29,075	79	573	18.4	14,039	708	22.8	501	16.1
Nonwhite	205	194	10	1	8	25	172	-	6	29.3	119	9	43.9	6	29.3
RHODE ISLAND	17,895	17,810	56	3	367	764	16,069	695	286	16.0	8,697	419	23.4	321	17.9
White	17,391	17,308	54	3	350	734	15,620	687	274	15.8	8,528	403	23.2	310	17.8
Nonwhite	504	502	2	-	17	30	449	8	12	23.8	169	16	31.7	11	21.8
Urban	15,417	15,344	47	2	318	678	13,978	443	244	15.8	7,705	356	23.1	271	17.6
White	14,956	14,885	45	2	302	650	13,568	436	233	15.6	7,552	340	22.7	260	17.4
Nonwhite	461	459	2	-	16	28	410	7	11	23.9	153	16	34.7	11	23.9
Rural	2,478	2,466	9	1	49	86	2,091	252	42	16.9	992	63	25.4	50	20.2
White	2,435	2,423	9	1	48	84	2,052	251	41	16.8	976	63	25.9	50	20.5
Nonwhite	43	43	-	-	1	2	39	1	1	23.3	16	-	0	-	0
Metropolitan counties	15,404	15,326	49	3	310	667	13,960	467	249	16.2	7,620	336	21.8	254	16.5
White	15,002	14,926	47	3	294	643	13,605	460	239	15.9	7,493	322	21.5	244	16.3
Nonwhite	402	400	2	-	16	24	355	7	10	24.9	127	14	34.8	10	24.9
Urban	14,484	14,413	45	2	293	637	13,144	410	232	16.0	7,201	311	21.5	235	16.2
White	14,090	14,021	43	2	277	614	12,795	404	222	15.8	7,077	297	21.1	225	16.0
Nonwhite	394	392	2	-	16	23	349	6	10	25.4	124	14	35.5	10	25.4
Rural	920	913	4	1	17	30	816	57	17	18.5	419	25	27.2	19	20.7
White	912	905	4	1	17	29	810	56	17	18.6	416	25	27.4	19	20.8
Nonwhite	8	8	-	-	-	1	6	1	-	0	3	-	0	-	0
Nonmetropolitan counties	2,491	2,484	7	-	57	97	2,109	228	37	14.9	1,077	83	33.3	67	26.9
White	2,389	2,382	7	-	56	91	2,015	227	35	14.7	1,035	81	33.9	66	27.6
Nonwhite	102	102	-	-	1	6	94	1	2	19.6	42	2	19.6	1	9.8
Urban	933	931	2	-	25	41	834	33	12	12.9	504	45	48.2	36	38.6
White	866	864	2	-	25	36	773	32	11	12.7	475	43	49.7	35	40.4
Nonwhite	67	67	-	-	-	5	61	1	1	14.9	29	2	29.9	1	14.9
Rural	1,558	1,553	5	-	32	56	1,275	195	25	16.0	573	38	24.4	31	19.9
White	1,523	1,518	5	-	31	55	1,242	195	24	15.8	560	38	25.0	31	20.4
Nonwhite	35	35	-	-	1	1	33	-	1	28.6	13	-	0	-	0
SOUTH CAROLINA	63,583	47,104	4,517	11,665	1,667	3,314	56,691	1,911	1,335	21.0	18,152	2,170	34.1	1,340	21.1
White	35,483	34,286	945	188	803	1,630	32,348	702	466	13.1	9,998	895	25.2	650	18.3
Nonwhite	28,100	12,818	3,572	11,477	864	1,684	24,343	1,209	869	30.9	8,154	1,275	45.4	690	24.6
Urban	21,036	18,689	705	1,621	656	1,159	18,690	531	371	17.6	6,586	688	32.7	458	21.8
White	13,550	13,433	96	15	335	618	12,340	257	178	13.1	3,945	361	26.6	269	19.9
Nonwhite	7,486	5,256	609	1,606	321	541	6,350	274	193	25.8	2,641	327	43.7	189	25.2
Rural	42,547	28,415	3,812	10,044	1,011	2,155	38,001	1,380	964	22.7	11,566	1,482	34.8	882	20.7
White	21,933	20,853	849	173	468	1,012	20,008	445	288	13.1	6,053	534	24.3	381	17.4
Nonwhite	20,614	7,562	2,963	9,871	543	1,143	17,993	935	676	32.8	5,513	948	46.0	501	24.3

See footnotes on p. 200.

Table 20. Live Births by Attendant and Birth Weight; Fetal Deaths and Ratios; Total Deaths; and Infant and Neonatal Deaths and Rates; by Color for Urban and Rural Areas in Metropolitan and Nonmetropolitan Counties: United States and Each State, 1955—Continued

(See headnote on p. 184)

AREA AND COLOR	LIVE BIRTHS								FETAL DEATHS		DEATHS				
	Total	Attendant[1]			Birth weight[3]				Number	Ratio	Total	Under 1 year		Under 28 days	
		Physician in hospital[2]	Physician not in hospital	Midwife	2,000 grams or less	2,001-2,500 grams	2,501 grams or more	Not stated				Number	Rate	Number	Rate
SOUTH CAROLINA—Continued															
Metropolitan counties	19,196	17,033	355	1,769	506	1,073	17,352	265	358	18.6	4,699	508	26.5	342	17.8
White	12,714	12,587	76	38	294	579	11,711	130	158	12.4	2,792	269	21.2	207	16.3
Nonwhite	6,482	4,446	279	1,731	212	494	5,641	135	200	30.9	1,907	239	36.9	135	20.8
Urban	8,327	7,746	105	458	257	477	7,503	90	160	19.2	2,456	229	27.5	155	18.6
White	5,315	5,291	15	5	132	233	4,902	48	76	14.3	1,456	122	23.0	90	16.9
Nonwhite	3,012	2,455	90	453	125	244	2,601	42	84	27.9	1,000	107	35.5	65	21.6
Rural	10,869	9,287	250	1,311	249	596	9,849	175	198	18.2	2,243	279	25.7	187	17.2
White	7,399	7,296	61	33	162	346	6,809	82	82	11.1	1,336	147	19.9	117	15.8
Nonwhite	3,470	1,991	189	1,278	87	250	3,040	93	116	33.4	907	132	38.0	70	20.2
Nonmetropolitan counties	44,387	30,071	4,162	9,896	1,161	2,241	39,339	1,646	977	22.0	13,453	1,662	37.4	998	22.5
White	22,769	21,699	869	150	509	1,051	20,637	572	308	13.5	7,206	626	27.5	443	19.5
Nonwhite	21,618	8,372	3,293	9,746	652	1,190	18,702	1,074	669	30.9	6,247	1,036	47.9	555	25.7
Urban	12,709	10,943	600	1,163	399	682	11,187	441	211	16.6	4,130	459	36.1	303	23.8
White	8,235	8,142	81	10	203	385	7,438	209	102	12.4	2,489	239	29.0	179	21.7
Nonwhite	4,474	2,801	519	1,153	196	297	3,749	232	109	24.4	1,641	220	49.2	124	27.7
Rural	31,678	19,128	3,562	8,733	762	1,559	28,152	1,205	766	24.2	9,323	1,203	38.0	695	21.9
White	14,534	13,557	788	140	306	666	13,199	363	206	14.2	4,717	387	26.6	264	18.2
Nonwhite	17,144	5,571	2,774	8,593	456	893	14,953	842	560	32.7	4,606	816	47.6	431	25.1
SOUTH DAKOTA	18,634	18,373	144	84	357	754	17,455	68	307	16.5	5,930	487	26.1	335	18.0
White	17,725	17,508	139	60	338	720	16,631	36	281	15.9	5,637	409	23.1	306	17.3
Nonwhite	909	865	5	24	19	34	824	32	26	28.6	293	78	85.8	29	31.9
Urban	7,580	7,550	22	2	185	351	7,032	12	127	16.8	2,383	231	30.5	176	23.2
White	7,398	7,373	22	-	177	337	6,877	7	124	16.8	2,331	218	29.5	168	22.7
Nonwhite	182	177	-	2	8	14	155	5	3	16.5	52	13	71.4	8	44.0
Rural	11,054	10,823	122	82	172	403	10,423	56	180	16.3	3,547	256	23.2	159	14.4
White	10,327	10,135	117	60	161	383	9,754	29	157	15.2	3,306	191	18.5	138	13.4
Nonwhite	727	688	5	22	11	20	669	27	23	31.6	241	65	89.4	21	28.9
Metropolitan counties	2,305	2,295	9	-	40	92	2,171	2	29	12.6	682	50	21.7	35	15.2
White	2,298	2,288	9	-	40	91	2,165	2	29	12.6	678	49	21.3	35	15.2
Nonwhite	7	7	-	-	-	1	6	-	-	0	4	1	142.9	-	0
Urban	1,836	1,829	6	-	35	79	1,720	2	25	13.6	529	42	22.9	30	16.3
White	1,829	1,822	6	-	35	78	1,714	2	25	13.7	525	41	22.4	30	16.4
Nonwhite	7	7	-	-	-	1	6	-	-	0	4	1	142.9	-	0
Rural	469	466	3	-	5	13	451	-	4	8.5	153	8	17.1	5	10.7
White	469	466	3	-	5	13	451	-	4	8.5	153	8	17.1	5	10.7
Nonwhite	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Nonmetropolitan counties	16,329	16,078	135	84	317	662	15,284	66	278	17.0	5,248	437	26.8	300	18.4
White	15,427	15,220	130	60	298	629	14,466	34	252	16.3	4,959	360	23.3	271	17.6
Nonwhite	902	858	5	24	19	33	818	32	26	28.8	289	77	85.4	29	32.2
Urban	5,744	5,721	16	2	150	272	5,312	10	102	17.8	1,854	189	32.9	146	25.4
White	5,569	5,551	16	-	142	259	5,163	5	99	17.8	1,806	177	31.8	138	24.8
Nonwhite	175	170	-	2	8	13	149	5	3	17.1	48	12	68.6	8	45.7
Rural	10,585	10,357	119	82	167	390	9,972	56	176	16.6	3,394	248	23.4	154	14.5
White	9,858	9,669	114	60	156	370	9,303	29	153	15.5	3,153	183	18.6	133	13.5
Nonwhite	727	688	5	22	11	20	669	27	23	31.6	241	65	89.4	21	28.9
TENNESSEE	85,037	77,205	4,466	2,975	2,273	4,455	77,905	404	1,510	17.8	29,013	2,485	29.2	1,684	19.8
White	67,001	63,267	2,629	834	1,504	3,067	62,133	297	1,032	15.4	22,566	1,757	25.9	1,221	18.2
Nonwhite	18,036	13,938	1,837	2,141	769	1,388	15,772	107	478	26.5	6,447	748	41.5	463	25.7
Urban	36,410	34,870	1,019	472	1,161	2,194	32,911	144	717	19.7	13,646	1,143	31.4	814	22.4
White	24,710	24,334	289	69	604	1,227	22,792	87	392	15.9	9,092	643	26.0	490	19.8
Nonwhite	11,700	10,536	730	403	557	967	10,119	57	325	27.8	4,554	500	42.7	324	27.7
Rural	48,627	42,335	3,447	2,503	1,112	2,261	44,994	260	793	16.3	15,367	1,342	27.6	870	17.9
White	42,291	38,933	2,340	765	900	1,840	39,341	210	640	15.1	13,474	1,094	25.9	731	17.3
Nonwhite	6,336	3,402	1,107	1,738	212	421	5,653	50	153	24.1	1,893	248	39.1	139	21.9
Metropolitan counties	40,859	39,948	688	188	1,263	2,359	37,123	114	746	18.3	12,600	1,151	28.2	822	20.1
White	29,195	28,733	372	70	684	1,368	27,066	77	409	14.0	8,447	672	23.0	505	17.3
Nonwhite	11,664	11,215	316	118	579	991	10,057	37	337	28.9	4,153	479	41.1	317	27.2
Urban	25,039	24,607	344	74	881	1,618	22,453	87	521	20.8	9,046	773	30.9	560	22.4
White	15,370	15,262	77	25	386	787	14,145	50	249	16.2	5,460	365	23.7	284	18.5
Nonwhite	9,669	9,345	267	49	493	831	8,308	37	272	28.1	3,586	408	42.2	276	28.5
Rural	15,820	15,341	344	114	382	741	14,670	27	225	14.2	3,554	378	23.9	262	16.6
White	13,825	13,471	295	45	296	581	12,921	27	160	11.6	2,987	307	22.2	221	16.0
Nonwhite	1,995	1,870	49	69	86	160	1,749	-	65	32.6	567	71	35.6	41	20.6
Nonmetropolitan counties	44,178	37,257	3,778	2,787	1,010	2,096	40,782	290	764	17.3	16,413	1,334	30.2	862	19.5
White	37,806	34,534	2,257	764	820	1,699	35,067	220	623	16.5	14,119	1,065	28.2	716	18.9
Nonwhite	6,372	2,723	1,521	2,023	190	397	5,715	70	141	22.1	2,294	269	42.2	146	22.9
Urban	11,371	10,263	675	398	280	576	10,458	57	196	17.2	4,600	370	32.5	254	22.3
White	9,340	9,072	212	44	216	440	8,647	37	143	15.3	3,632	278	29.8	206	22.1
Nonwhite	2,031	1,191	463	354	64	136	1,811	20	53	26.1	968	92	45.3	48	23.6
Rural	32,807	26,994	3,103	2,389	730	1,520	30,324	233	568	17.3	11,813	964	29.4	608	18.5
White	28,466	25,462	2,045	720	604	1,259	26,420	183	480	16.9	10,487	787	27.6	510	17.9
Nonwhite	4,341	1,532	1,058	1,669	126	261	3,904	50	88	20.3	1,326	177	40.8	98	22.6
TEXAS	239,873	213,765	10,216	14,451	5,813	12,012	217,741	4,307	3,895	16.2	65,417	7,278	30.3	4,796	20.0
White	206,078	186,814	8,312	9,819	4,483	9,482	189,025	3,088	2,996	14.5	54,795	5,833	28.3	3,908	19.0
Nonwhite	33,795	26,951	1,904	4,632	1,330	2,530	28,716	1,219	899	26.6	10,622	1,445	42.8	888	26.3
Urban	178,314	162,336	5,904	9,243	4,550	9,143	162,275	2,346	2,898	16.3	44,332	5,311	29.8	3,596	20.2
White	153,663	140,782	4,892	7,318	3,483	7,200	141,020	1,960	2,216	14.4	36,973	4,266	27.8	2,921	19.0
Nonwhite	24,651	21,554	1,012	1,925	1,067	1,943	21,255	386	682	27.7	7,359	1,045	42.4	675	27.4

See footnotes on p. 200.

430007 O -57 -20

Table 20. Live Births by Attendant and Birth Weight; Fetal Deaths and Ratios; Total Deaths; and Infant and Neonatal Deaths and Rates; by Color for Urban and Rural Areas in Metropolitan and Nonmetropolitan Counties: United States and Each State, 1955—Continued

(See headnote on p. 184)

AREA AND COLOR	LIVE BIRTHS								FETAL DEATHS		DEATHS				
	Total	Attendant[1]			Birth weight[3]						Total	Under 1 year		Under 28 days	
		Physician in hospital[2]	Physician not in hospital	Midwife	2,000 grams or less	2,001-2,500 grams	2,501 grams or more	Not stated	Number	Ratio		Number	Rate	Number	Rate
TEXAS—Continued															
Rural	61,559	51,429	4,312	5,208	1,263	2,869	55,466	1,961	997	16.2	21,085	1,967	32.0	1,200	19.5
White	52,415	46,032	3,420	2,501	1,000	2,282	48,005	1,128	780	14.9	17,822	1,567	29.9	987	18.8
Nonwhite	9,144	5,397	892	2,707	263	587	7,461	833	217	23.7	3,263	400	43.7	213	23.3
Metropolitan counties	132,795	124,680	2,980	4,635	3,523	6,821	121,145	1,306	2,163	16.3	31,039	3,665	27.6	2,646	19.9
White	113,585	106,864	2,481	3,865	2,677	5,287	104,504	1,117	1,632	14.4	25,873	2,926	25.8	2,133	18.8
Nonwhite	19,210	17,816	499	770	846	1,534	16,641	189	531	27.6	5,166	739	38.5	513	26.7
Urban	118,344	111,603	2,184	4,153	3,187	6,131	107,962	1,064	1,943	16.4	27,633	3,235	27.3	2,329	19.7
White	100,427	94,831	1,738	3,563	2,377	4,688	92,416	946	1,441	14.3	22,818	2,544	25.3	1,844	18.4
Nonwhite	17,917	16,772	446	590	810	1,443	15,546	118	502	28.0	4,815	691	38.6	485	27.1
Rural	14,451	13,077	796	482	336	690	13,183	242	220	15.2	3,406	430	29.8	317	21.9
White	13,158	12,033	743	302	300	599	12,088	171	191	14.5	3,055	382	29.0	289	22.0
Nonwhite	1,293	1,044	53	180	36	91	1,095	71	29	22.4	351	48	37.1	28	21.7
Nonmetropolitan counties	107,078	89,085	7,236	9,816	2,290	5,191	96,596	3,001	1,732	16.2	34,378	3,613	33.7	2,150	20.1
White	92,493	79,950	5,831	5,954	1,806	4,195	84,521	1,971	1,364	14.7	28,922	2,907	31.4	1,775	19.2
Nonwhite	14,585	9,135	1,405	3,862	484	996	12,075	1,030	368	25.2	5,456	706	48.4	375	25.7
Urban	59,970	50,733	3,720	5,090	1,363	3,012	54,313	1,282	955	15.9	16,699	2,076	34.6	1,267	21.1
White	53,236	45,951	3,154	3,755	1,106	2,512	48,604	1,014	775	14.6	14,155	1,722	32.3	1,077	20.2
Nonwhite	6,734	4,782	566	1,335	257	500	5,709	268	180	26.7	2,544	354	52.6	190	28.2
Rural	47,108	38,352	3,516	4,726	927	2,179	42,283	1,719	777	16.5	17,679	1,537	32.6	883	18.7
White	39,257	33,999	2,677	2,199	700	1,683	35,917	957	589	15.0	14,767	1,185	30.2	698	17.8
Nonwhite	7,851	4,353	839	2,527	227	496	6,366	762	188	23.9	2,912	352	44.8	185	23.6
UTAH	24,891	24,617	153	6	506	1,173	23,072	140	316	12.7	5,311	509	20.4	397	15.9
White	24,406	24,180	147	4	492	1,143	22,671	100	307	12.6	5,190	489	20.0	388	15.9
Nonwhite	485	437	6	2	14	30	401	40	9	18.6	121	20	41.2	9	18.6
Urban	15,726	15,611	65	4	314	759	14,585	68	212	13.5	3,508	319	20.3	267	17.0
White	15,468	15,358	61	4	305	741	14,356	66	209	13.5	3,436	312	20.2	261	16.9
Nonwhite	258	253	4	-	9	18	229	2	3	11.6	72	7	27.1	6	23.3
Rural	9,165	9,006	88	2	192	414	8,487	72	104	11.3	1,803	190	20.7	130	14.2
White	8,938	8,822	86	-	187	402	8,315	34	98	11.0	1,754	177	19.8	127	14.2
Nonwhite	227	184	2	2	5	12	172	38	6	26.4	49	13	57.3	3	13.2
Metropolitan counties	13,599	13,505	45	3	306	677	12,572	44	181	13.3	2,979	271	19.9	223	16.4
White	13,392	13,299	44	3	298	661	12,390	43	178	13.3	2,910	266	19.9	219	16.4
Nonwhite	207	206	1	-	8	16	182	1	3	14.5	69	5	24.2	4	19.3
Urban	9,840	9,767	35	3	219	495	9,091	35	144	14.6	2,483	213	21.6	180	18.3
White	9,654	9,582	34	3	211	482	8,927	34	141	14.6	2,421	208	21.5	176	18.2
Nonwhite	186	185	1	-	8	13	164	1	3	16.1	62	5	26.9	4	21.5
Rural	3,759	3,738	10	-	87	182	3,481	9	37	9.8	496	58	15.4	43	11.4
White	3,738	3,717	10	-	87	179	3,463	9	37	9.9	489	58	15.5	43	11.5
Nonwhite	21	21	-	-	-	3	18	-	-	0	7	-	0	-	0
Nonmetropolitan counties	11,292	11,112	108	3	200	496	10,500	96	135	12.0	2,332	238	21.1	174	15.4
White	11,014	10,881	103	1	194	482	10,281	57	129	11.7	2,280	223	20.2	169	15.3
Nonwhite	278	231	5	2	6	14	219	39	6	21.6	52	15	54.0	5	18.0
Urban	5,886	5,844	30	1	95	264	5,494	33	68	11.6	1,025	106	18.0	87	14.8
White	5,814	5,776	27	1	94	259	5,429	32	68	11.7	1,015	104	17.9	85	14.6
Nonwhite	72	68	3	-	1	5	65	1	-	0	10	2	27.8	2	27.8
Rural	5,406	5,268	78	2	105	232	5,006	63	67	12.4	1,307	132	24.4	87	16.1
White	5,200	5,105	76	-	100	223	4,852	25	61	11.7	1,265	119	22.9	84	16.2
Nonwhite	206	163	2	2	5	9	154	38	6	29.1	42	13	63.1	3	14.6
VERMONT	9,345	9,150	189	-	233	417	8,606	89	168	18.0	4,241	244	26.1	188	20.1
White	9,317	9,122	189	-	233	415	8,580	89	168	18.0	4,236	243	26.1	188	20.2
Nonwhite	28	28	-	-	-	2	26	-	-	.0	5	1	35.7	-	0
Urban	3,913	3,893	18	-	105	188	3,596	24	73	18.7	1,720	119	30.4	102	26.1
White	3,898	3,878	18	-	105	186	3,583	24	73	18.7	1,719	119	30.5	102	26.2
Nonwhite	15	15	-	-	-	2	13	-	-	0	1	-	0	-	0
Rural	5,432	5,257	171	-	128	229	5,010	65	95	17.5	2,521	125	23.0	86	15.8
White	5,419	5,244	171	-	128	229	4,997	65	95	17.5	2,517	124	22.9	86	15.9
Nonwhite	13	13	-	-	-	-	13	-	-	0	4	1	76.9	-	0
Nonmetropolitan counties	9,345	9,150	189	-	233	417	8,606	89	168	18.0	4,241	244	26.1	188	20.1
White	9,317	9,122	189	-	233	415	8,580	89	168	18.0	4,236	243	26.1	188	20.2
Nonwhite	28	28	-	-	-	2	26	-	-	0	5	1	35.7	-	0
Urban	3,913	3,893	18	-	105	188	3,596	24	73	18.7	1,720	119	30.4	102	26.1
White	3,898	3,878	18	-	105	186	3,583	24	73	18.7	1,719	119	30.5	102	26.2
Nonwhite	15	15	-	-	-	2	13	-	-	0	1	-	0	-	0
Rural	5,432	5,257	171	-	128	229	5,010	65	95	17.5	2,521	125	23.0	86	15.8
White	5,419	5,244	171	-	128	229	4,997	65	95	17.5	2,517	124	22.9	86	15.9
Nonwhite	13	13	-	-	-	-	13	-	-	0	4	1	76.9	-	0
VIRGINIA	94,548	82,279	4,355	7,554	2,632	5,187	86,206	523	1,859	19.7	30,215	2,786	29.5	2,016	21.3
White	70,211	67,136	2,232	740	1,707	3,437	64,816	251	1,097	15.6	21,657	1,745	24.9	1,346	19.2
Nonwhite	24,337	15,143	2,123	6,814	925	1,750	21,390	272	762	31.3	8,558	1,041	42.8	670	27.5
Urban	43,957	41,567	634	1,697	1,300	2,489	39,942	226	892	20.3	14,091	1,258	28.6	962	21.9
White	32,514	32,253	196	52	805	1,594	30,010	105	517	15.9	9,805	787	24.2	630	19.4
Nonwhite	11,443	9,314	438	1,645	495	895	9,932	121	375	32.8	4,286	471	41.2	332	29.0
Rural	50,591	40,712	3,721	5,857	1,332	2,698	46,264	297	967	19.1	16,124	1,528	30.2	1,054	20.8
White	37,697	34,883	2,036	688	902	1,843	34,806	146	580	15.4	11,852	958	25.4	716	19.0
Nonwhite	12,894	5,829	1,685	5,169	430	855	11,458	151	387	30.0	4,272	570	44.2	338	26.2
Metropolitan counties	40,298	38,335	401	1,494	1,136	2,175	36,752	235	729	18.1	10,820	1,049	26.0	801	19.9
White	31,310	31,175	103	18	752	1,498	28,953	107	461	14.7	7,687	682	21.8	548	17.5
Nonwhite	8,988	7,160	298	1,476	384	677	7,799	128	268	29.8	3,133	367	40.8	253	28.1

See footnotes on p. 200.

Table 20. Live Births by Attendant and Birth Weight; Fetal Deaths and Ratios; Total Deaths; and Infant and Neonatal Deaths and Rates; by Color for Urban and Rural Areas in Metropolitan and Nonmetropolitan Counties: United States and Each State, 1955—Continued

(See headnote on p. 184)

AREA AND COLOR	LIVE BIRTHS								FETAL DEATHS		DEATHS				
	Total	Attendant[1]			Birth weight[3]							Under 1 year		Under 28 days	
		Physician in hospital[2]	Physician not in hospital	Midwife	2,000 grams or less	2,001-2,500 grams	2,501 grams or more	Not stated	Number	Ratio	Total	Number	Rate	Number	Rate
VIRGINIA—Continued															
Metropolitan counties—Con.															
Urban	27,220	25,938	296	941	798	1,525	24,711	186	531	19.5	8,523	766	28.1	592	21.7
White	19,939	19,880	41	9	487	959	18,408	85	306	15.3	5,831	465	23.3	379	19.0
Nonwhite	7,281	6,058	255	932	311	566	6,303	101	225	30.9	2,692	301	41.3	213	29.3
Rural	13,078	12,397	105	553	338	650	12,041	49	198	15.1	2,297	283	21.6	209	16.0
White	11,371	11,295	62	9	265	539	10,545	22	155	13.6	1,856	217	19.1	169	14.9
Nonwhite	1,707	1,102	43	544	73	111	1,496	27	43	25.2	441	66	38.7	40	23.4
Nonmetropolitan counties	54,250	43,944	3,954	6,060	1,496	3,012	49,454	288	1,130	20.8	19,395	1,737	32.0	1,215	22.4
White	38,901	35,961	2,129	722	955	1,939	35,863	144	636	16.3	13,970	1,063	27.3	798	20.5
Nonwhite	15,349	7,983	1,825	5,338	541	1,073	13,591	144	494	32.2	5,425	674	43.9	417	27.2
Urban	16,737	15,629	338	756	502	964	15,231	40	361	21.6	5,568	492	29.4	370	22.1
White	12,575	12,373	155	43	318	635	11,602	20	211	16.8	3,974	322	25.6	251	20.0
Nonwhite	4,162	3,256	183	713	184	329	3,629	20	150	36.0	1,594	170	40.8	119	28.6
Rural	37,513	28,315	3,616	5,304	994	2,048	34,223	248	769	20.5	13,827	1,245	33.2	845	22.5
White	26,326	23,588	1,974	679	637	1,304	24,261	124	425	16.1	9,996	741	28.1	547	20.8
Nonwhite	11,187	4,727	1,642	4,625	357	744	9,962	124	344	30.7	3,831	504	45.1	298	26.6
WASHINGTON	62,422	62,032	309	18	1,417	2,976	57,837	192	832	13.3	24,517	1,531	24.5	1,091	17.5
White	59,568	59,232	273	12	1,313	2,766	55,326	163	766	12.9	23,757	1,391	23.4	1,026	17.2
Nonwhite	2,854	2,800	36	6	104	210	2,511	29	66	23.1	760	140	49.1	65	22.8
Urban	40,461	40,324	113	4	954	1,995	37,410	102	538	13.3	16,364	919	22.7	678	16.8
White	38,349	38,231	99	4	875	1,824	35,563	87	486	12.7	15,846	842	22.0	635	16.6
Nonwhite	2,112	2,093	14	-	79	171	1,847	15	52	24.6	518	77	36.5	43	20.4
Rural	21,961	21,708	196	14	463	981	20,427	90	294	13.4	8,153	612	27.9	413	18.8
White	21,219	21,001	174	8	438	942	19,763	76	280	13.2	7,911	549	25.9	391	18.4
Nonwhite	742	707	22	6	25	39	664	14	14	18.9	242	63	84.9	22	29.6
Metropolitan counties	34,093	33,930	125	7	801	1,706	31,500	86	485	14.2	14,158	835	24.5	621	18.2
White	32,182	32,041	109	6	727	1,547	29,836	72	435	13.5	13,698	761	23.6	579	18.0
Nonwhite	1,911	1,889	16	1	74	159	1,664	14	50	26.2	460	74	38.7	42	22.0
Urban	27,792	27,689	84	3	668	1,395	25,664	65	379	13.6	11,542	648	23.3	487	17.5
White	26,028	25,941	72	3	598	1,246	24,130	54	334	12.8	11,118	582	22.4	451	17.3
Nonwhite	1,764	1,748	12	-	70	149	1,534	11	45	25.5	424	66	37.4	36	20.4
Rural	6,301	6,241	41	4	133	311	5,836	21	106	16.8	2,616	187	29.7	134	21.3
White	6,154	6,100	37	3	129	301	5,706	18	101	16.4	2,580	179	29.1	128	20.8
Nonwhite	147	141	4	1	4	10	130	3	5	34.0	36	8	54.4	6	40.8
Nonmetropolitan counties	28,329	28,102	184	11	616	1,270	26,337	106	347	12.2	10,359	696	24.6	470	16.6
White	27,386	27,191	164	6	586	1,219	25,490	91	331	12.1	10,059	630	23.0	447	16.3
Nonwhite	943	911	20	5	30	51	847	15	16	17.0	300	66	70.0	23	24.4
Urban	12,669	12,635	29	1	286	600	11,746	37	159	12.6	4,822	271	21.4	191	15.1
White	12,321	12,290	27	1	277	578	11,433	33	152	12.3	4,728	260	21.1	184	14.9
Nonwhite	348	345	2	-	9	22	313	4	7	20.1	94	11	31.6	7	20.1
Rural	15,660	15,467	155	10	330	670	14,591	69	188	12.0	5,537	425	27.1	279	17.8
White	15,065	14,901	137	5	309	641	14,057	58	179	11.9	5,331	370	24.6	263	17.5
Nonwhite	595	566	18	5	21	29	534	11	9	15.1	206	55	92.4	16	26.9
WEST VIRGINIA	44,172	40,000	3,246	713	1,185	2,528	39,985	474	773	17.5	16,787	1,206	27.3	844	19.1
White	41,596	37,898	2,883	611	1,102	2,320	37,729	445	718	17.3	15,601	1,143	27.5	804	19.3
Nonwhite	2,576	2,102	363	102	83	208	2,256	29	55	21.4	1,186	63	24.5	40	15.5
Urban	16,485	15,999	411	49	436	974	14,913	162	261	15.8	6,785	411	24.9	321	19.5
White	15,472	15,127	303	19	402	884	14,039	147	240	15.5	6,217	384	24.8	303	19.6
Nonwhite	1,013	872	108	30	34	90	874	15	21	20.7	568	27	26.7	18	17.8
Rural	27,687	24,001	2,835	664	749	1,554	25,072	312	512	18.5	10,002	795	28.7	523	18.9
White	26,124	22,771	2,580	592	700	1,436	23,690	298	478	18.3	9,384	759	29.1	501	19.2
Nonwhite	1,563	1,230	255	72	49	118	1,382	14	34	21.8	618	36	23.0	22	14.1
Metropolitan counties	15,244	14,373	753	80	383	849	13,831	181	256	16.8	5,487	378	24.8	271	17.8
White	14,386	13,613	673	63	348	771	13,099	168	235	16.3	5,049	358	24.9	256	17.8
Nonwhite	858	760	80	17	35	78	732	13	21	24.5	438	20	23.3	15	17.5
Urban	9,120	8,967	128	13	241	518	8,268	93	143	15.7	3,439	208	22.8	158	17.3
White	8,638	8,509	115	2	219	472	7,863	84	131	15.2	3,157	197	22.8	150	17.4
Nonwhite	482	458	13	11	22	46	405	9	12	24.9	282	11	22.8	8	16.6
Rural	6,124	5,406	625	67	142	331	5,563	88	113	18.5	2,048	170	27.8	113	18.5
White	5,748	5,104	558	61	129	299	5,236	84	104	18.1	1,892	161	28.0	106	18.4
Nonwhite	376	302	67	6	13	32	327	4	9	23.9	156	9	23.9	7	18.6
Nonmetropolitan counties	28,928	25,627	2,493	633	802	1,679	26,154	293	517	17.9	11,300	828	28.6	573	19.8
White	27,210	24,285	2,210	548	754	1,549	24,630	277	483	17.8	10,552	785	28.8	548	20.1
Nonwhite	1,718	1,342	283	85	48	130	1,524	16	34	19.8	748	43	25.0	25	14.6
Urban	7,365	7,032	283	36	195	456	6,645	69	118	16.0	3,346	203	27.6	163	22.1
White	6,834	6,618	188	17	183	412	6,176	63	109	15.9	3,060	187	27.4	153	22.4
Nonwhite	531	414	95	19	12	44	469	6	9	16.9	286	16	30.1	10	18.8
Rural	21,563	18,595	2,210	597	607	1,223	19,509	224	399	18.5	7,954	625	29.0	410	19.0
White	20,376	17,667	2,022	531	571	1,137	18,454	214	374	18.4	7,492	598	29.3	395	19.4
Nonwhite	1,187	928	188	66	36	86	1,055	10	25	21.1	462	27	22.7	15	12.6
WISCONSIN	92,427	91,850	511	19	2,035	3,623	86,350	419	1,244	13.5	35,034	2,190	23.7	1,674	18.1
White	89,605	89,095	450	16	1,912	3,425	83,860	408	1,178	13.1	34,515	2,070	23.1	1,594	17.8
Nonwhite	2,822	2,755	61	3	123	198	2,490	11	66	23.4	519	120	42.5	80	28.3
Urban	53,161	52,961	181	7	1,302	2,283	49,408	168	726	13.7	21,052	1,348	25.4	1,054	19.8
White	50,834	50,689	126	7	1,185	2,121	47,363	165	665	13.1	20,651	1,248	24.6	983	19.3
Nonwhite	2,327	2,272	55	-	117	162	2,045	3	61	26.2	401	100	43.0	71	30.5

See footnotes on p. 200.

Table 20. Live Births by Attendant and Birth Weight; Fetal Deaths and Ratios; Total Deaths; and Infant and Neonatal Deaths and Rates; by Color for Urban and Rural Areas in Metropolitan and Nonmetropolitan Counties: United States and Each State, 1955—Continued

(See headnote on p. 184)

AREA AND COLOR	LIVE BIRTHS								FETAL DEATHS		DEATHS				
	Total	Attendant[1]			Birth weight[3]						Total	Under 1 year		Under 28 days	
		Physician in hospital[2]	Physician not in hospital	Midwife	2,000 grams or less	2,001-2,500 grams	2,501 grams or more	Not stated	Number	Ratio		Number	Rate	Number	Rate
WISCONSIN—Continued															
Rural	39,266	38,889	330	12	733	1,340	36,942	251	518	13.2	13,982	842	21.4	620	15.8
White	38,771	38,406	324	9	727	1,304	36,497	243	513	13.2	13,864	822	21.2	611	15.8
Nonwhite	495	483	6	3	6	36	445	8	5	10.1	118	20	40.4	9	18.2
Metropolitan counties	39,062	38,875	171	5	970	1,693	36,301	98	546	14.0	13,751	960	24.6	751	19.2
White	36,783	36,652	115	5	857	1,533	34,298	95	488	13.3	13,365	865	23.5	682	18.5
Nonwhite	2,279	2,223	56	-	113	160	2,003	3	58	25.4	386	95	41.7	69	30.3
Urban	32,120	31,971	136	4	867	1,468	29,717	68	462	14.4	11,897	819	25.5	649	20.2
White	29,888	29,794	81	4	754	1,309	27,760	65	404	13.5	11,526	725	24.3	581	19.4
Nonwhite	2,232	2,177	55	-	113	159	1,957	3	58	26.0	371	94	42.1	68	30.5
Rural	6,942	6,904	35	1	103	225	6,584	30	84	12.1	1,854	141	20.3	102	14.7
White	6,895	6,858	34	1	103	224	6,538	30	84	12.2	1,839	140	20.3	101	14.6
Nonwhite	47	46	1	-	-	1	46	-	-	0	15	1	21.3	1	21.3
Nonmetropolitan counties	53,365	52,975	340	14	1,065	1,930	50,049	321	698	13.1	21,283	1,230	23.0	923	17.3
White	52,822	52,443	335	11	1,055	1,892	49,562	313	690	13.1	21,150	1,205	22.8	912	17.3
Nonwhite	543	532	5	3	10	38	487	8	8	14.7	133	25	46.0	11	20.3
Urban	21,041	20,990	45	3	435	815	19,691	100	264	12.5	9,155	529	25.1	405	19.2
White	20,946	20,895	45	3	431	812	19,603	100	261	12.5	9,125	523	25.0	402	19.2
Nonwhite	95	95	-	-	4	3	88	-	3	31.6	30	6	63.2	3	31.6
Rural	32,324	31,985	295	11	630	1,115	30,358	221	434	13.4	12,128	701	21.7	518	16.0
White	31,876	31,548	290	8	624	1,080	29,959	213	429	13.5	12,025	682	21.4	510	16.0
Nonwhite	448	437	5	3	6	35	399	8	5	11.2	103	19	42.4	8	17.9
WYOMING	8,610	8,551	32	12	260	559	7,780	11	108	12.5	2,453	245	28.5	182	21.1
White	8,336	8,289	29	8	251	542	7,534	9	106	12.7	2,370	221	26.5	172	20.6
Nonwhite	274	262	3	4	9	17	246	2	2	7.3	83	24	87.6	10	36.5
Urban	5,617	5,594	13	6	169	391	5,051	6	63	11.2	1,458	157	28.0	121	21.5
White	5,498	5,478	11	5	167	384	4,942	5	63	11.5	1,431	152	27.6	116	21.1
Nonwhite	119	116	2	1	2	7	109	1	-	0	27	5	42.0	5	42.0
Rural	2,993	2,957	19	6	91	168	2,729	5	45	15.0	995	88	29.4	61	20.4
White	2,838	2,811	18	3	84	158	2,592	4	43	15.2	939	69	24.3	56	19.7
Nonwhite	155	146	1	3	7	10	137	1	2	12.9	56	19	122.6	5	32.3
Nonmetropolitan counties	8,610	8,551	32	12	260	559	7,780	11	108	12.5	2,453	245	28.5	182	21.1
White	8,336	8,289	29	8	251	542	7,534	9	106	12.7	2,370	221	26.5	172	20.6
Nonwhite	274	262	3	4	9	17	246	2	2	7.3	83	24	87.6	10	36.5
Urban	5,617	5,594	13	6	169	391	5,051	6	63	11.2	1,458	157	28.0	121	21.5
White	5,498	5,478	11	5	167	384	4,942	5	63	11.5	1,431	152	27.6	116	21.1
Nonwhite	119	116	2	1	2	7	109	1	-	0	27	5	42.0	5	42.0
Rural	2,993	2,957	19	6	91	168	2,729	5	45	15.0	995	88	29.4	61	20.4
White	2,838	2,811	18	3	84	158	2,592	4	43	15.2	939	69	24.3	56	19.7
Nonwhite	155	146	1	3	7	10	137	1	2	12.9	56	19	122.6	5	32.3

[1]Births attended by "other and not specified" persons are not shown separately but are included in total births. For the United States, these births totaled 10,146 in 1955.
[2]It is assumed that all births in hospitals or institutions are attended by physicians.
[3]The equivalents of the gram weights in terms of pounds and ounces are as follows: 2,000 grams or less = 4 lb. 6 oz. or less; 2,001-2,500 grams = 4 lb. 7 oz.-5 lb. 8 oz.; 2,501 grams or more = 5 lb. 9 oz. or more.
[4]Birth weight information was not available for births which occurred in Connecticut. Birth weight data shown are for births in other States to residents of Connecticut.
[5]Massachusetts did not require the reporting of birth weight. Birth weight data shown are for births in other States to residents of Massachusetts.

NOTE.—The category "metropolitan counties" includes all counties within the State that are in "standard metropolitan areas" as defined by the Bureau of the Census in 1950, except in New England where the counties are those in the "metropolitan State economic areas," also as defined by the Bureau of the Census in 1950. The category "nonmetropolitan counties" includes all other counties in the State. The "urban-rural" classification is based on the "old" (1940) definition of the Bureau of the Census, in which "urban" consists of incorporated places of 2,500 population or more in the 1950 census and a number of other places defined as urban under special rules. "Rural" includes all other areas. For further discussion of the "metropolitan-nonmetropolitan" and "urban-rural" classifications see text.

LIVE BIRTHS

Table 21. Live Births by State of Occurrence Distributed According to State of Residence: United States and each State, 1955

(Includes only births occurring within the continental United States)

STATE OF OCCURRENCE	Total births occurring in State	Births to residents occurring in place of residence[1]	BIRTHS TO NONRESIDENTS														
			Total	Intra-state non-residents	Interstate nonresidents												
					Total	State of residence											
						Ala.	Ariz.	Ark.	Calif.	Colo.	Conn.	Del.	D. C.	Fla.	Ga.	Idaho	Ill.
UNITED STATES	4,047,295	2,204,132	1,843,163	1,731,574	111,589	2,184	558	1,386	1,980	613	1,887	711	1,527	1,549	1,898	957	6,782
Alabama	81,517	49,444	32,073	30,183	1,890	...	1	12	34	6	6	1	3	476	311	1	47
Arizona	28,140	15,319	12,821	12,070	751	4	...	6	151	13	2	2	-	3	3	3	26
Arkansas	42,058	24,200	17,858	16,216	1,642	2	3	...	9	3	1	-	-	-	3	-	33
California	312,265	143,263	169,002	168,123	879	2	87	3	...	11	3	-	-	6	1	9	29
Colorado	41,269	23,452	17,817	15,952	1,865	17	24	16	111	...	15	2	4	32	16	11	73
Connecticut	51,336	27,760	23,576	22,830	746	-	2	3	4	1	...	1	2	35	4	1	-
Delaware	10,569	3,369	7,200	6,507	693	-	-	-	-	-	-	...	1	5	1	-	-
District of Columbia	32,362	19,396	12,966	...	12,966	9	2	2	13	4	9	5	...	11	6	1	21
Florida	88,978	52,668	36,310	35,117	1,193	265	2	10	26	7	14	8	7	...	202	5	33
Georgia	101,767	57,726	44,041	40,818	3,223	974	2	5	12	4	2	2	2	392	...	1	16
Idaho	16,730	9,357	7,373	6,672	701	-	14	-	18	3	-	-	-	-	-	...	3
Illinois	217,041	125,593	91,448	88,246	3,202	23	4	17	45	11	4	-	4	21	16	6	...
Indiana	108,686	54,958	53,728	50,585	3,143	3	-	1	5	-	-	-	-	6	1	-	1,554
Iowa	64,413	31,695	32,718	30,258	2,460	2	3	-	8	8	-	-	1	2	2	-	913
Kansas	50,949	29,502	21,447	19,214	2,233	4	1	9	15	78	-	-	1	1	1	1	15
Kentucky	75,008	40,025	34,983	30,845	4,138	74	7	24	67	16	22	2	13	56	65	12	349
Louisiana	85,504	46,974	38,530	37,928	602	18	-	110	10	-	2	1	-	7	5	-	5
Maine	22,215	9,186	13,029	12,623	406	-	1	1	2	-	28	1	-	1	2	-	1
Maryland	63,418	33,047	30,371	24,904	5,467	39	13	19	84	10	47	211	1,305	99	46	9	103
Massachusetts	110,663	59,471	51,192	48,862	2,330	2	1	1	8	-	681	-	5	4	3	-	5
Michigan	195,251	90,531	104,720	103,573	1,147	6	3	7	14	2	3	2	1	12	2	-	53
Minnesota	81,271	41,922	39,349	37,378	1,971	1	4	-	7	4	-	-	-	-	1	1	22
Mississippi	63,830	44,616	19,214	17,642	1,572	315	3	47	13	2	2	2	5	16	11	1	44
Missouri	97,509	48,640	48,869	41,902	6,967	18	7	218	56	29	6	1	5	19	25	9	2,158
Montana	17,206	11,105	6,101	5,929	172	-	2	1	8	2	-	-	-	-	-	10	2
Nebraska	34,057	21,287	12,770	11,624	1,146	2	4	4	12	46	-	1	-	1	3	1	10
Nevada	6,037	3,861	2,176	2,001	175	-	7	-	134	1	-	-	-	-	-	1	1
New Hampshire	12,291	6,480	5,811	4,755	1,056	-	-	-	-	-	16	1	-	3	-	-	1
New Jersey	116,959	46,327	70,632	68,912	1,720	1	1	2	-	2	15	11	1	12	-	-	2
New Mexico	25,565	16,818	8,747	7,633	1,114	10	210	12	87	91	3	3	3	9	9	5	41
New York	344,728	214,288	130,440	125,280	5,160	17	8	6	20	3	557	3	14	46	19	2	37
North Carolina	114,583	61,111	53,472	52,131	1,341	7	-	3	5	1	1	1	16	22	63	-	9
North Dakota	17,341	9,229	8,112	6,843	1,269	-	-	-	4	5	-	-	-	2	-	-	3
Ohio	222,652	116,474	106,178	102,462	3,716	7	3	4	80	2	1	1	2	17	7	1	20
Oklahoma	50,956	29,097	21,859	19,301	2,558	35	18	169	108	51	13	4	4	23	31	11	118
Oregon	38,184	16,913	21,271	20,401	870	-	1	-	188	1	-	-	-	-	-	286	-
Pennsylvania	243,236	124,195	119,041	113,321	5,720	4	4	4	17	4	16	426	17	18	6	-	16
Rhode Island	19,313	8,824	10,489	8,336	2,153	11	2	8	41	6	351	3	5	25	15	1	46
South Carolina	63,043	35,209	27,834	26,511	1,323	11	1	5	12	1	3	-	6	22	216	1	17
South Dakota	18,646	9,852	8,794	7,843	951	-	1	-	5	1	-	2	1	1	-	1	5
Tennessee	85,951	48,163	37,788	34,137	3,651	216	1	463	22	4	1	-	3	21	699	-	46
Texas	239,362	168,505	70,857	68,350	2,507	28	37	157	108	31	7	1	1	28	28	5	60
Utah	25,020	13,694	11,326	10,818	508	2	44	-	41	36	-	-	-	-	2	135	8
Vermont	9,187	3,517	5,670	5,109	561	-	-	-	-	-	27	-	-	1	-	-	2
Virginia	89,985	44,876	45,109	42,013	3,096	19	2	8	37	4	16	9	86	62	33	-	58
Washington	64,600	38,291	26,309	23,193	3,116	35	26	28	314	39	11	2	2	19	36	415	83
West Virginia	45,188	20,810	24,378	20,944	3,434	1	-	-	5	-	1	2	6	6	1	-	13
Wisconsin	91,993	47,587	44,406	42,626	1,780	-	2	1	8	6	1	-	1	6	2	-	673
Wyoming	8,463	5,505	2,958	2,653	305	-	-	-	12	64	-	-	-	1	1	11	8

[1]Unit of residence is defined as the individual urban place of 10,000 or more, or cities of 2,500 to 10,000 as a group, or the rural area of the county, of which the mother was a resident. This represents a change from preceding years in the treatment of cities of 2,500 to 10,000 population. Urban places include every incorporated place having a population of 2,500 or more in 1950, as well as certain unincorporated places classified as "urban" under special rules. For further discussion of residence allocation, see text.

Table 21. Live Births by State of Occurrence Distributed According to State of Residence: United States and each State, 1955—Continued

(Includes only births occurring within the continental United States)

STATE OF OCCURRENCE	BIRTHS TO NONRESIDENTS—Continued																		
	Interstate nonresidents—Continued																		
	State of residence—Continued																		
	Ind.	Iowa	Kans.	Ky.	La.	Maine	Md.	Mass.	Mich.	Minn.	Miss.	Mo.	Mont.	Nebr.	Nev.	N. H.	N. J.	N. Mex.	N. Y.
UNITED STATES	3,071	1,794	4,196	3,027	1,252	611	9,937	1,930	2,519	2,405	1,108	3,459	440	1,347	413	1,247	6,188	1,308	2,998
Alabama	18	8	8	16	28	3	10	16	30	9	191	13	3	6	4	3	10	-	48
Arizona	11	8	8	4	6	-	3	10	16	11	6	8	4	-	4	-	4	242	16
Arkansas	12	3	34	1	54	-	-	-	14	1	10	272	1	2	-	-	-	1	3
California	11	12	9	2	10	1	7	10	17	13	3	12	4	8	238	1	9	17	33
Colorado	34	43	123	26	21	8	8	31	50	52	12	46	18	135	4	11	21	207	65
Connecticut	1	-	1	-	-	6	3	152	4	-	-	-	1	1	1	2	8	-	456
Delaware	-	1	-	-	-	-	263	-	-	-	-	-	-	-	-	1	132	-	2
District of Columbia	17	6	8	15	12	7	8,021	16	19	4	6	13	1	4	-	2	21	-	40
Florida	19	9	9	23	20	8	14	23	36	21	30	15	2	3	-	6	21	1	59
Georgia	11	5	7	16	7	1	2	4	19	4	10	15	1	3	-	1	12	4	37
Idaho	-	-	-	1	-	-	-	-	1	2	-	1	72	1	21	-	-	4	-
Illinois	1,132	177	18	119	8	11	15	16	92	28	14	570	6	7	1	1	22	7	45
Indiana	...	4	1	381	2	-	2	2	612	1	1	7	2	-	-	-	-	1	9
Iowa	2	...	12	-	6	-	-	-	13	172	5	324	2	542	-	-	1	6	8
Kansas	2	9	...	2	3	-	-	-	1	3	4	1,593	-	96	-	-	-	6	1
Kentucky	767	26	20	...	30	7	10	33	107	19	41	46	1	12	-	5	31	3	92
Louisiana	-	5	3	1	...	3	-	3	2	1	155	6	-	2	2	-	1	2	-
Maine	-	1	-	-	-	...	-	89	1	-	-	1	-	-	-	245	6	-	6
Maryland	62	32	26	50	40	22	...	94	88	36	21	40	5	20	2	12	108	7	225
Massachusetts	6	1	-	2	-	59	12	...	3	4	-	2	1	1	2	603	30	4	196
Michigan	119	6	5	16	2	-	3	2	...	15	1	13	-	3	-	2	3	1	14
Minnesota	4	277	5	1	1	-	-	3	9	...	-	9	8	4	2	1	1	-	5
Mississippi	17	4	7	8	577	2	5	6	17	9	...	14	3	8	-	2	7	4	9
Missouri	89	213	3,205	44	19	2	11	8	97	64	20	...	3	41	1	1	20	7	36
Montana	-	-	-	-	-	1	-	-	-	5	-	3	...	-	-	-	1	1	-
Nebraska	2	499	218	1	3	-	-	2	3	9	10	14	2	...	-	3	6	1	2
Nevada	-	-	2	-	-	-	-	-	-	-	-	-	-	-	...	1	2	-	3
New Hampshire	-	-	-	-	-	365	1	117	1	-	-	1	-	1	1	...	1	1	11
New Jersey	2	2	-	-	1	1	20	8	3	3	-	1	-	18	2	7	...	-	359
New Mexico	11	8	12	10	23	2	1	8	16	11	10	25	2	6	1	5	8	...	21
New York	16	6	9	9	8	15	28	107	26	8	8	13	-	5	-	14	2,592	4	...
North Carolina	9	1	5	4	-	3	18	5	8	5	7	2	-	-	1	-	8	-	27
North Dakota	-	3	-	1	-	-	-	-	4	903	1	-	121	3	-	1	-	-	-
Ohio	414	6	17	926	3	2	6	6	741	5	2	6	1	1	-	-	3	1	50
Oklahoma	53	45	301	28	78	3	9	33	52	27	38	156	9	20	2	3	26	47	61
Oregon	-	-	2	-	-	-	-	-	-	3	-	1	1	1	5	-	1	-	-
Pennsylvania	12	2	4	24	2	5	895	20	23	4	2	7	-	2	6	2	2,913	-	495
Rhode Island	18	14	6	9	5	27	22	906	37	17	8	15	-	6	-	19	48	4	126
South Carolina	11	4	2	5	6	3	12	13	10	5	5	4	1	3	-	1	11	2	32
South Dakota	-	147	1	2	1	-	1	1	4	124	1	-	33	296	-	-	-	1	1
Tennessee	43	7	8	631	7	2	10	10	51	4	422	43	-	4	-	-	4	3	7
Texas	26	23	52	11	211	12	7	26	34	24	28	41	4	13	1	2	14	695	43
Utah	6	4	-	2	1	-	-	1	3	3	1	3	3	5	100	-	1	8	3
Vermont	2	-	-	-	-	2	-	71	1	-	-	-	-	-	-	275	4	-	167
Virginia	38	19	8	123	18	13	184	50	57	22	13	24	2	10	1	7	45	4	122
Washington	51	33	33	25	32	5	6	23	55	63	17	66	56	24	7	7	23	12	45
West Virginia	7	2	-	484	7	-	326	1	19	-	-	1	-	-	-	-	7	-	12
Wisconsin	15	119	4	1	-	8	1	1	119	691	1	10	4	3	-	1	1	-	4
Wyoming	1	-	3	3	-	2	1	3	4	-	4	3	63	27	4	-	1	-	2

Table 21. Live Births by State of Occurrence Distributed According to State of Residence: United States and each State, 1955—Continued

(Includes only births occurring within the continental United States)

STATE OF OCCURRENCE	BIRTHS TO NONRESIDENTS—Continued																		Total births to residents
	Interstate nonresidents—Continued																		
	State of residence—Continued																		
	N. C.	N. Dak.	Ohio	Okla.	Oreg.	Pa.	R. I.	S. C.	S. Dak.	Tenn.	Tex.	Utah	Vt.	Va.	Wash.	W. Va.	Wis.	Wyo.	
UNITED STATES	2,123	1,165	4,534	1,704	1,474	5,236	735	1,863	939	2,737	3,018	379	719	7,659	938	2,418	2,214	452	4,047,295
Alabama	29	-	35	8	7	34	2	20	4	318	60	1	2	11	6	10	19	2	81,811
Arizona	8	2	17	9	6	19	1	2	5	5	53	13	-	7	9	6	13	2	27,947
Arkansas	-	-	3	445	-	1	-	-	-	63	663	-	-	2	-	-	2	1	41,802
California	4	1	17	7	158	22	1	-	3	8	31	12	-	5	21	2	14	5	313,366
Colorado	22	12	47	36	23	46	4	10	20	19	110	103	4	20	24	11	30	88	40,017
Connecticut	-	-	1	-	-	9	39	1	-	-	1	-	3	1	-	2	-	-	52,477
Delaware	2	-	-	-	-	283	-	-	-	-	-	-	-	2	-	-	-	-	10,587
District of Columbia	18	2	30	7	7	93	4	12	-	15	22	2	2	4,413	1	33	9	1	20,923
Florida	31	5	39	15	5	48	5	26	1	28	45	1	2	16	6	7	14	1	89,334
Georgia	109	2	29	6	3	19	-	1,115	2	302	26	6	3	16	4	5	5	-	100,442
Idaho	-	4	-	1	94	-	-	-	1	-	48	70	-	-	317	1	-	24	16,986
Illinois	14	4	57	27	9	41	1	11	5	32	77	6	2	20	12	16	427	1	220,621
Indiana	1	1	500	1	-	6	2	1	-	2	23	-	-	2	-	2	5	2	108,614
Iowa	6	2	5	2	1	2	-	-	234	2	8	1	-	-	-	-	164	1	63,747
Kansas	-	1	9	341	1	1	3	-	1	5	20	-	-	1	1	2	1	-	52,912
Kentucky	87	6	599	43	18	86	4	37	4	777	82	6	5	158	12	224	30	3	73,897
Louisiana	3	-	9	4	1	1	-	-	1	4	225	-	-	2	1	-	6	1	86,154
Maine	1	-	2	-	1	4	4	1	-	-	1	-	3	2	1	-	-	-	22,420
Maryland	71	10	135	21	15	595	25	33	8	40	73	7	13	1,011	30	455	50	-	67,888
Massachusetts	3	-	15	-	-	22	568	2	1	3	9	-	61	7	2	1	-	-	110,263
Michigan	5	1	155	1	1	12	-	1	1	12	55	1	-	7	3	3	579	-	196,623
Minnesota	1	792	1	-	2	4	-	-	225	-	10	-	1	1	6	3	555	-	81,705
Mississippi	18	-	20	14	4	16	1	8	-	258	47	3	2	7	2	5	7	-	63,366
Missouri	17	12	69	103	7	38	13	12	15	41	94	2	-	17	10	13	68	4	94,001
Montana	-	82	-	4	1	1	-	-	10	-	8	2	-	-	14	-	-	14	17,474
Nebraska	4	-	3	3	2	2	1	-	149	1	9	-	-	-	2	-	3	108	34,258
Nevada	-	-	1	-	1	2	-	-	1	-	2	15	-	-	1	-	-	-	6,275
New Hampshire	-	-	1	-	-	3	3	-	-	1	-	1	525	1	-	-	-	-	12,482
New Jersey	5	-	2	-	1	1,223	4	3	1	1	-	-	1	4	-	1	-	-	121,427
New Mexico	15	4	21	45	11	27	-	12	5	16	247	15	1	6	6	8	8	4	25,759
New York	25	4	69	4	4	1,284	16	6	-	6	21	3	61	38	3	9	7	-	342,566
North Carolina	...	4	13	-	-	19	2	457	-	88	8	1	-	511	-	7	-	-	115,365
North Dakota	1	...	-	2	2	-	-	-	166	-	39	-	-	-	4	-	3	1	17,237
Ohio	6	2	...	3	-	464	1	-	-	12	18	-	1	8	-	860	6	-	223,470
Oklahoma	44	11	77	...	18	64	4	23	11	58	549	14	3	29	18	17	33	9	50,102
Oregon	-	1	2	-	...	1	-	-	-	-	6	3	-	-	365	-	1	1	38,788
Pennsylvania	17	1	550	3	-	...	8	4	1	5	13	-	3	42	3	113	7	-	242,752
Rhode Island	19	3	49	10	3	104	...	18	7	16	35	2	4	32	5	15	28	2	17,895
South Carolina	748	3	16	6	2	35	3	...	2	16	15	-	1	26	6	17	2	-	63,583
South Dakota	-	174	1	-	1	3	-	1	...	1	12	3	1	1	1	2	3	117	18,634
Tennessee	139	-	61	4	1	15	1	6	3	...	23	-	-	649	3	6	7	1	85,037
Texas	21	4	44	469	15	43	-	12	13	32	...	5	3	31	15	12	24	6	239,873
Utah	4	-	4	5	11	7	-	1	3	1	9	...	-	3	7	1	1	39	24,891
Vermont	-	-	1	-	-	2	3	-	1	-	1	-	...	1	-	-	-	-	9,345
Virginia	595	1	83	12	6	145	8	17	-	519	53	2	3	...	11	521	25	1	94,548
Washington	21	10	59	43	1,026	62	3	9	22	19	104	36	5	23	...	17	57	7	62,422
West Virginia	5	-	1,672	-	1	324	-	2	-	4	1	-	4	520	-	...	-	-	44,172
Wisconsin	1	3	7	-	1	3	-	-	2	5	52	-	-	4	3	10	...	6	92,427
Wyoming	3	1	4	-	4	1	1	-	11	2	10	43	-	2	3	1	1	...	8,610

Table 22. Live Births by Month: United States and Each State, 1955

(By place of occurrence. Includes only births occurring within the continental United States)

AREA	Total	Jan.	Feb.	Mar.	Apr.	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.
UNITED STATES	4,047,295	328,872	306,418	332,407	309,198	325,859	324,847	354,267	367,221	361,973	354,304	336,565	345,364
Alabama	81,517	6,984	6,457	6,683	5,818	5,906	6,148	7,158	7,828	7,446	7,056	6,871	7,162
Arizona	28,140	2,306	2,084	2,237	2,095	2,097	2,115	2,370	2,644	2,646	2,577	2,474	2,495
Arkansas	42,058	3,731	3,284	3,260	2,700	3,025	3,284	3,927	4,102	3,907	3,735	3,465	3,638
California	312,265	24,238	22,301	25,535	23,779	25,552	25,358	27,927	28,137	28,080	27,841	26,373	27,144
Colorado	41,269	3,228	3,117	3,427	3,201	3,441	3,378	3,726	3,613	3,617	3,576	3,445	3,500
Connecticut	51,336	4,126	3,847	4,440	4,221	4,508	4,319	4,272	4,414	4,402	4,403	4,160	4,224
Delaware	10,569	804	733	869	802	913	856	985	932	973	938	861	903
District of Columbia	32,362	2,573	2,412	2,686	2,575	2,668	2,643	2,867	2,809	2,855	2,838	2,641	2,795
Florida	88,978	7,172	6,796	7,006	6,061	6,049	6,153	7,442	8,674	8,722	8,547	8,062	8,294
Georgia	101,767	8,509	7,737	8,350	7,380	7,693	7,865	8,871	9,508	9,391	8,971	8,672	8,820
Idaho	16,730	1,294	1,270	1,379	1,421	1,396	1,493	1,496	1,438	1,421	1,424	1,337	1,361
Illinois	217,041	17,517	16,405	17,269	16,207	17,157	17,435	19,334	19,961	19,188	19,326	18,383	18,859
Indiana	108,686	8,883	8,302	8,537	8,006	8,700	8,638	9,806	10,035	9,880	9,613	9,200	9,086
Iowa	64,413	5,179	4,928	5,154	4,691	5,273	5,206	5,861	5,825	5,864	5,630	5,280	5,522
Kansas	50,949	4,292	3,852	3,975	3,465	3,732	3,937	4,545	4,828	4,733	4,674	4,443	4,473
Kentucky	75,008	6,472	5,899	6,254	5,710	5,807	5,870	6,671	6,786	6,763	6,317	6,093	6,366
Louisiana	85,504	7,422	6,577	6,477	5,320	5,558	6,100	7,386	8,462	8,665	7,899	7,790	7,848
Maine	22,215	1,735	1,618	1,841	1,799	1,887	1,931	1,992	1,917	1,937	1,935	1,821	1,802
Maryland	63,418	5,201	4,759	5,252	4,934	5,073	5,111	5,427	5,547	5,629	5,588	5,395	5,502
Massachusetts	110,663	8,699	8,017	9,498	9,344	9,686	9,469	9,594	9,497	9,645	9,209	8,934	9,071
Michigan	195,251	15,587	14,655	16,028	15,529	16,708	16,068	16,904	17,117	16,981	16,910	16,241	16,523
Minnesota	81,271	6,297	6,221	6,938	6,462	6,980	6,890	7,099	7,189	6,877	6,945	6,601	6,772
Mississippi	63,830	5,607	5,157	5,153	4,379	4,496	4,948	5,679	6,053	5,914	5,530	5,377	5,537
Missouri	97,509	8,098	7,524	7,675	6,483	7,067	7,691	8,932	9,244	8,960	8,938	8,383	8,514
Montana	17,206	1,372	1,282	1,380	1,348	1,378	1,538	1,494	1,499	1,495	1,531	1,405	1,484
Nebraska	34,057	2,780	2,572	2,744	2,419	2,657	2,762	3,125	3,237	3,079	2,938	2,865	2,879
Nevada	6,037	507	458	484	433	473	541	531	546	542	505	484	533
New Hampshire	12,291	1,001	902	1,072	942	1,067	1,069	1,094	1,036	1,062	1,097	993	956
New Jersey	116,959	9,439	8,891	9,963	9,378	9,885	9,529	9,876	10,256	10,139	10,328	9,459	9,816
New Mexico	25,565	2,062	1,956	2,085	2,026	2,105	2,159	2,221	2,332	2,285	2,233	2,017	2,084
New York	344,728	27,529	26,223	29,747	28,996	29,924	28,910	28,495	29,598	28,932	29,222	27,605	28,547
North Carolina	114,583	9,470	8,810	9,587	8,759	9,246	8,928	10,103	10,538	10,171	9,840	9,417	9,714
North Dakota	17,341	1,397	1,255	1,505	1,409	1,536	1,534	1,502	1,572	1,477	1,415	1,360	1,379
Ohio	222,652	18,017	17,004	18,038	17,546	18,488	17,814	19,409	19,912	19,930	19,185	18,300	19,009
Oklahoma	50,956	4,322	3,901	3,936	3,402	3,591	4,005	4,665	4,867	4,861	4,701	4,359	4,346
Oregon	38,184	2,961	2,814	3,264	3,080	3,352	3,222	3,317	3,480	3,191	3,324	3,015	3,164
Pennsylvania	243,236	19,613	18,392	20,478	19,520	20,670	19,761	20,998	21,147	21,183	21,001	20,105	20,368
Rhode Island	19,313	1,588	1,423	1,632	1,603	1,704	1,661	1,640	1,602	1,661	1,606	1,539	1,654
South Carolina	63,043	5,468	4,972	5,143	4,703	4,891	4,857	5,585	5,847	5,618	5,316	5,191	5,452
South Dakota	18,646	1,551	1,405	1,486	1,426	1,555	1,557	1,671	1,737	1,642	1,584	1,498	1,534
Tennessee	85,951	7,274	6,761	6,913	6,403	6,660	6,689	7,731	7,975	7,765	7,420	7,014	7,346
Texas	239,362	19,496	18,049	18,765	16,762	17,356	17,883	20,262	23,509	22,938	22,093	20,947	21,302
Utah	25,020	1,944	1,836	2,125	2,005	2,183	2,186	2,216	2,293	2,155	2,115	1,952	2,010
Vermont	9,187	784	689	793	747	796	764	765	779	785	773	733	779
Virginia	89,985	7,383	6,934	7,467	6,964	7,276	7,155	8,023	8,198	8,153	7,615	7,163	7,654
Washington	64,600	4,958	4,765	5,621	5,387	5,606	5,436	5,498	5,689	5,648	5,413	5,186	5,393
West Virginia	45,188	3,986	3,574	3,819	3,605	3,705	3,623	3,871	4,054	3,958	3,843	3,546	3,604
Wisconsin	91,993	7,360	7,016	7,752	7,304	7,686	7,580	8,126	8,211	8,047	8,052	7,425	7,434
Wyoming	8,463	656	582	685	649	697	778	778	747	760	734	685	712

Table 23. Live Births by Month, Color, and Sex: United States and Each State, 1955

(By place of residence. Includes only births occurring within the continental United States)

AREA, COLOR, AND SEX	Total	Jan.	Feb.	Mar.	Apr.	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.
UNITED STATES	4,047,295	328,872	306,418	332,407	309,198	325,859	324,847	354,267	367,221	361,973	354,304	336,565	345,364
Male	2,073,719	168,409	156,575	170,212	158,663	167,777	166,686	181,691	188,048	185,945	181,419	172,139	176,155
Female	1,973,576	160,463	149,843	162,195	150,535	158,082	158,161	172,576	179,173	176,028	172,885	164,426	169,209
White	3,458,448	279,053	260,860	284,887	266,029	280,467	278,176	302,050	312,314	308,799	303,915	287,536	294,362
Male	1,776,355	143,478	133,555	146,276	136,718	144,814	143,021	155,344	160,338	158,905	155,892	147,532	150,482
Female	1,682,093	135,575	127,305	138,611	129,311	135,653	135,155	146,706	151,976	149,894	148,023	140,004	143,880
Nonwhite	588,847	49,819	45,558	47,520	43,169	45,392	46,671	52,217	54,907	53,174	50,389	49,029	51,002
Male	297,364	24,931	23,020	23,936	21,945	22,963	23,665	26,347	27,710	27,040	25,527	24,607	25,673
Female	291,483	24,888	22,538	23,584	21,224	22,429	23,006	25,870	27,197	26,134	24,862	24,422	25,329
ALABAMA	81,811	7,024	6,505	6,719	5,841	5,957	6,145	7,182	7,832	7,461	7,074	6,892	7,179
Male	41,847	3,581	3,300	3,389	2,975	3,054	3,111	3,684	4,036	3,861	3,638	3,465	3,753
Female	39,964	3,443	3,205	3,330	2,866	2,903	3,034	3,498	3,796	3,600	3,436	3,427	3,426
White	49,899	4,175	3,878	4,009	3,606	3,655	3,675	4,355	4,772	4,615	4,494	4,303	4,362
Male	25,813	2,162	1,974	2,004	1,861	1,906	1,920	2,277	2,517	2,386	2,328	2,187	2,291
Female	24,086	2,013	1,904	2,005	1,745	1,749	1,755	2,078	2,255	2,229	2,166	2,116	2,071
Nonwhite	31,912	2,849	2,627	2,710	2,235	2,302	2,470	2,827	3,060	2,846	2,580	2,589	2,817
Male	16,034	1,419	1,326	1,385	1,114	1,148	1,191	1,407	1,519	1,475	1,310	1,278	1,462
Female	15,878	1,430	1,301	1,325	1,121	1,154	1,279	1,420	1,541	1,371	1,270	1,311	1,355
ARIZONA	27,947	2,279	2,061	2,214	2,075	2,073	2,106	2,356	2,619	2,638	2,573	2,476	2,477
Male	14,338	1,196	1,063	1,158	1,026	1,078	1,065	1,158	1,349	1,385	1,316	1,268	1,276
Female	13,609	1,083	998	1,056	1,049	995	1,041	1,198	1,270	1,253	1,257	1,208	1,201
White	23,733	1,936	1,750	1,865	1,737	1,730	1,760	2,004	2,216	2,248	2,236	2,113	2,138
Male	12,272	1,040	890	984	859	914	903	1,001	1,141	1,199	1,152	1,087	1,102
Female	11,461	896	860	881	878	816	857	1,003	1,075	1,049	1,084	1,026	1,036
Nonwhite	4,214	343	311	349	338	343	346	352	403	390	337	363	339
Male	2,066	156	173	174	167	164	162	157	208	186	164	181	174
Female	2,148	187	138	175	171	179	184	195	195	204	173	182	165
ARKANSAS	41,802	3,696	3,264	3,248	2,722	3,004	3,272	3,890	4,069	3,889	3,705	3,443	3,600
Male	21,287	1,887	1,565	1,663	1,399	1,562	1,680	1,988	2,104	1,940	1,914	1,751	1,834
Female	20,515	1,809	1,699	1,585	1,323	1,442	1,592	1,902	1,965	1,949	1,791	1,692	1,766
White	28,936	2,586	2,220	2,215	1,869	1,995	2,229	2,666	2,789	2,716	2,665	2,437	2,549
Male	14,817	1,333	1,050	1,141	945	1,064	1,155	1,354	1,467	1,356	1,392	1,236	1,324
Female	14,119	1,253	1,170	1,074	924	931	1,074	1,312	1,322	1,360	1,273	1,201	1,225
Nonwhite	12,866	1,110	1,044	1,033	853	1,009	1,043	1,224	1,280	1,173	1,040	1,006	1,051
Male	6,470	554	515	522	454	498	525	634	637	584	522	515	510
Female	6,396	556	529	511	399	511	518	590	643	589	518	491	541
CALIFORNIA	313,366	24,370	22,359	25,608	23,859	25,644	25,445	27,995	28,247	28,209	27,931	26,458	27,241
Male	160,985	12,481	11,479	13,117	12,399	13,238	13,094	14,423	14,426	14,399	14,372	13,656	13,901
Female	152,381	11,889	10,880	12,491	11,460	12,406	12,351	13,572	13,821	13,810	13,559	12,802	13,340
White	283,006	21,990	20,134	23,183	21,563	23,234	22,971	25,256	25,528	25,549	25,228	23,767	24,603
Male	145,604	11,253	10,321	11,894	11,228	12,050	11,815	13,036	13,084	13,079	13,003	12,269	12,572
Female	137,402	10,737	9,813	11,289	10,335	11,184	11,156	12,220	12,444	12,470	12,225	11,498	12,031
Nonwhite	30,360	2,380	2,225	2,425	2,296	2,410	2,474	2,739	2,719	2,660	2,703	2,691	2,638
Male	15,381	1,228	1,158	1,223	1,171	1,188	1,279	1,387	1,342	1,320	1,369	1,387	1,329
Female	14,979	1,152	1,067	1,202	1,125	1,222	1,195	1,352	1,377	1,340	1,334	1,304	1,309
COLORADO	40,017	3,137	3,026	3,328	3,107	3,312	3,262	3,617	3,502	3,510	3,468	3,330	3,418
Male	20,435	1,618	1,535	1,655	1,544	1,710	1,738	1,822	1,768	1,819	1,736	1,746	1,744
Female	19,582	1,519	1,491	1,673	1,563	1,602	1,524	1,795	1,734	1,691	1,732	1,584	1,674
White	38,598	3,006	2,925	3,227	2,984	3,208	3,139	3,488	3,382	3,381	3,343	3,216	3,299
Male	19,716	1,547	1,480	1,612	1,476	1,658	1,670	1,763	1,713	1,752	1,673	1,685	1,687
Female	18,882	1,459	1,445	1,615	1,508	1,550	1,469	1,725	1,669	1,629	1,670	1,531	1,612
Nonwhite	1,419	131	101	101	123	104	123	129	120	129	125	114	119
Male	719	71	55	43	68	52	68	59	55	67	63	61	57
Female	700	60	46	58	55	52	55	70	65	62	62	53	62
CONNECTICUT	52,477	4,225	3,940	4,516	4,329	4,607	4,385	4,370	4,480	4,532	4,490	4,253	4,350
Male	26,678	2,146	1,996	2,276	2,232	2,354	2,193	2,196	2,298	2,274	2,308	2,181	2,224
Female	25,799	2,079	1,944	2,240	2,097	2,253	2,192	2,174	2,182	2,258	2,182	2,072	2,126
White	49,884	4,011	3,757	4,300	4,122	4,403	4,176	4,142	4,238	4,312	4,276	4,010	4,137
Male	25,383	2,037	1,912	2,171	2,118	2,246	2,085	2,080	2,185	2,171	2,201	2,085	2,112
Female	24,501	1,974	1,845	2,129	2,004	2,157	2,091	2,062	2,053	2,141	2,075	1,945	2,025
Nonwhite	2,593	214	183	216	207	204	209	228	242	220	214	243	213
Male	1,295	109	84	105	114	108	108	116	113	103	107	116	112
Female	1,298	105	99	111	93	96	101	112	129	117	107	127	101
DELAWARE	10,587	815	748	886	797	893	864	995	923	972	931	855	908
Male	5,471	426	379	458	429	448	438	508	493	494	468	445	485
Female	5,116	389	369	428	368	445	426	487	430	478	463	410	423
White	8,820	680	650	731	671	732	701	823	766	810	787	713	756
Male	4,573	358	326	385	354	369	367	426	407	410	394	365	412
Female	4,247	322	324	346	317	363	334	397	359	400	393	348	344
Nonwhite	1,767	135	98	155	126	161	163	172	157	162	144	142	152
Male	898	68	53	73	75	79	71	82	86	84	74	80	73
Female	869	67	45	82	51	82	92	90	71	78	70	62	79
DISTRICT OF COLUMBIA	20,923	1,740	1,616	1,749	1,654	1,651	1,669	1,860	1,862	1,879	1,771	1,698	1,774
Male	10,669	899	829	886	890	861	860	913	943	963	879	852	894
Female	10,254	841	787	863	764	790	809	947	919	916	892	846	880
White	9,456	777	757	830	774	782	735	814	841	855	759	726	806
Male	4,867	417	388	420	435	427	371	409	426	437	363	359	415
Female	4,589	360	369	410	339	355	364	405	415	418	396	367	391
Nonwhite	11,467	963	859	919	880	869	934	1,046	1,021	1,024	1,012	972	968
Male	5,802	482	441	466	455	434	489	504	517	526	516	493	479
Female	5,665	481	418	453	425	435	445	542	504	498	496	479	489
FLORIDA	89,334	7,158	6,797	7,038	6,054	6,054	6,196	7,483	8,756	8,790	8,613	8,095	8,300
Male	45,668	3,706	3,458	3,646	3,137	3,076	3,197	3,797	4,505	4,443	4,437	4,088	4,178
Female	43,666	3,452	3,339	3,392	2,917	2,978	2,999	3,686	4,251	4,347	4,176	4,007	4,122
White	64,218	5,129	4,790	5,111	4,445	4,419	4,489	5,375	6,241	6,372	6,140	5,748	5,959
Male	33,002	2,669	2,489	2,657	2,297	2,255	2,337	2,764	3,212	3,217	3,190	2,911	3,004
Female	31,216	2,460	2,301	2,454	2,148	2,164	2,152	2,611	3,029	3,155	2,950	2,837	2,955
Nonwhite	25,116	2,029	2,007	1,927	1,609	1,635	1,707	2,108	2,515	2,418	2,473	2,347	2,341
Male	12,666	1,037	969	989	840	821	860	1,033	1,293	1,226	1,247	1,177	1,174
Female	12,450	992	1,038	938	769	814	847	1,075	1,222	1,192	1,226	1,170	1,167

Table 23. Live Births by Month, Color, and Sex: United States and Each State, 1955—Continued

(By place of residence. Includes only births occurring within the continental United States)

AREA, COLOR, AND SEX	Total	Jan.	Feb.	Mar.	Apr.	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.
GEORGIA	100,442	8,374	7,617	8,254	7,282	7,558	7,764	8,756	9,413	9,255	8,867	8,585	8,717
Male	51,159	4,197	3,891	4,248	3,693	3,840	3,945	4,497	4,847	4,738	4,500	4,334	4,429
Female	49,283	4,177	3,726	4,006	3,589	3,718	3,819	4,259	4,566	4,517	4,367	4,251	4,288
White	64,360	5,158	4,808	5,251	4,702	4,858	4,957	5,559	6,035	6,088	5,815	5,570	5,559
Male	33,073	2,639	2,468	2,735	2,414	2,473	2,523	2,911	3,097	3,158	2,979	2,859	2,817
Female	31,287	2,519	2,340	2,516	2,288	2,385	2,434	2,648	2,938	2,930	2,836	2,711	2,742
Nonwhite	36,082	3,216	2,809	3.003	2,580	2,700	2,807	3,197	3,378	3,167	3,052	3,015	3,158
Male	18,086	1,558	1,423	1,513	1,279	1,367	1,422	1,586	1,750	1,580	1,521	1,475	1,612
Female	17,996	1,658	1,386	1,490	1,301	1,333	1,385	1,611	1,628	1,587	1,531	1,540	1,546
IDAHO	16,986	1,323	1,283	1,387	1,455	1,420	1,497	1,508	1,464	1,435	1,449	1,386	1,379
Male	8,834	686	654	709	789	779	796	755	752	730	787	714	683
Female	8,152	637	629	678	666	641	701	753	712	705	662	672	696
White	16,676	1,295	1,262	1,361	1,433	1,396	1,470	1,472	1,438	1,413	1,418	1,363	1,355
Male	8,682	672	646	693	776	770	780	733	742	724	771	703	672
Female	7,994	623	616	668	657	626	690	739	696	689	647	660	683
Nonwhite	310	28	21	26	22	24	27	36	26	22	31	23	24
Male	152	14	8	16	13	9	16	22	10	6	16	11	11
Female	158	14	13	10	9	15	11	14	16	16	15	12	13
ILLINOIS	220,621	17,795	16,727	17,562	16,441	17,422	17,739	19,677	20,248	19,551	19,809	18,676	19,174
Male	112,955	9,142	8,534	8,926	8,439	8,982	9,030	10,127	10,409	9,984	10,045	9,523	9,814
Female	107,666	8,653	8,193	8,636	8,002	8,440	8,709	9,550	9,839	9,567	9,564	9,153	9,360
White	189,756	15,227	14,371	15,206	14,062	14,976	15,220	16,912	17,475	16,844	16,913	16,012	16,518
Male	97,455	7,842	7,377	7,733	7,243	7,774	7,771	8,722	9,021	8,598	8,693	8,215	8,466
Female	92,301	7,385	6,994	7,473	6,839	7,202	7,449	8,190	8,454	8,246	8,220	7,797	8,052
Nonwhite	30,865	2,568	2,356	2,356	2,359	2,446	2,519	2,765	2,773	2,707	2,696	2,664	2,656
Male	15,500	1,300	1,157	1,193	1,196	1,208	1,259	1,405	1,388	1,386	1,352	1,308	1,348
Female	15,365	1,268	1,199	1,163	1,163	1,238	1,260	1,360	1,385	1,321	1,344	1,356	1,308
INDIANA	108,614	8,877	8,293	8,517	8,015	8,682	8,638	9,808	10,014	9,686	9,591	9,196	9,097
Male	55,955	4,465	4,300	4,397	4,164	4,454	4,467	5,092	5,175	5,098	4,919	4,776	4,648
Female	52,659	4,412	3,993	4,120	3,851	4,228	4,171	4,716	4,839	4,788	4,672	4,420	4,449
White	100,690	8,173	7,735	7,940	7,438	8,038	8,023	9,048	9,284	9,139	8,879	8,582	8,411
Male	51,877	4,117	4,022	4,097	3,869	4,135	4,141	4,706	4,797	4,710	4,551	4,434	4,298
Female	48,813	4,056	3,713	3,843	3,569	3,903	3,882	4,342	4,487	4,429	4,328	4,148	4,113
Nonwhite	7,924	704	558	577	577	644	615	760	730	747	712	614	686
Male	4,078	348	278	300	295	319	326	386	378	388	368	342	350
Female	3,846	356	280	277	282	325	289	374	352	359	344	272	336
IOWA	63,747	5,113	4,887	5,108	4,647	5,247	5,161	5,779	5,770	5,769	5,594	5,204	5,468
Male	32,708	2,629	2,544	2,665	2,323	2,685	2,661	2,998	2,932	2,991	2,894	2,626	2,760
Female	31,039	2,484	2,343	2,443	2,324	2,562	2,500	2,781	2,838	2,778	2,700	2,578	2,708
White	62,961	5,044	4,841	5,029	4,584	5,192	5,084	5,715	5,719	5,695	5,524	5,138	5,396
Male	32,300	2,590	2,516	2,625	2,290	2,655	2,625	2,989	2,905	2,946	2,858	2,593	2,728
Female	30,661	2,454	2,325	2,404	2,294	2,537	2,459	2,746	2,814	2,749	2,666	2,545	2,668
Nonwhite	786	69	46	79	63	55	77	64	51	74	70	66	72
Male	408	39	28	40	33	30	36	29	27	45	36	33	32
Female	378	30	18	39	30	25	41	35	24	29	34	33	40
KANSAS	52,912	4,445	4,015	4,153	3,618	3,877	4,115	4,687	5,024	4,908	4,831	4,638	4,601
Male	27,335	2,310	2,016	2,161	1,874	2,060	2,175	2,368	2,630	2,525	2,449	2,381	2,386
Female	25,577	2,135	1,999	1,992	1,744	1,817	1,940	2,319	2,394	2,383	2,382	2,257	2,215
White	50,055	4,204	3,788	3,906	3.430	3,672	3,900	4,439	4,749	4,622	4,586	4,400	4,359
Male	25,881	2,203	1,916	2,041	1,778	1,953	2,056	2,241	2,483	2,381	2,312	2,256	2,261
Female	24,174	2,001	1,872	1,865	1,652	1,719	1,844	2,198	2,266	2,241	2,274	2,144	2,098
Nonwhite	2,857	241	227	247	188	205	215	248	275	286	245	238	242
Male	1,454	107	100	120	96	107	119	127	147	144	137	125	125
Female	1,403	134	127	127	92	98	96	121	128	142	108	113	117
KENTUCKY	73,897	6,360	5,797	6,162	5,640	5,695	5,771	6,535	6,729	6,640	6,251	6,055	6,262
Male	38,085	3,269	2,959	3,159	2,940	2,950	2,990	3,287	3,442	3,453	3,237	3,180	3,219
Female	35,812	3,091	2,838	3,003	2,700	2,745	2,781	3,248	3,287	3,187	3,014	2,875	3,043
White	67,741	5,791	5,345	5,622	5,137	5,230	5,280	6,008	6,185	6,118	5,708	5,589	5,728
Male	34,980	2,979	2,718	2,894	2,670	2,710	2,762	3,028	3,187	3,187	2,960	2,938	2,947
Female	32,761	2,812	2,627	2,728	2,467	2,520	2,518	2,980	2,998	2,931	2,748	2,651	2,781
Nonwhite	6,156	569	452	540	503	465	491	527	544	522	543	466	534
Male	3,105	290	241	265	270	240	228	259	255	266	277	242	272
Female	3,051	279	211	275	233	225	263	268	289	256	266	224	262
LOUISIANA	86,154	7,456	6,619	6,543	5,376	5,621	6,161	7,443	8,518	8,716	7,962	7,831	7,908
Male	44,128	3,834	3,322	3,333	2,793	2,859	3,181	3,811	4,393	4,549	4,011	3,983	4,059
Female	42,026	3,622	3,297	3,210	2,583	2,762	2,980	3,632	4,125	4,167	3,951	3,848	3,849
White	51,953	4,450	3,872	3,892	3,267	3,375	3,663	4,447	5,117	5,324	4,853	4,821	4,872
Male	26,774	2,328	1,958	2,032	1,683	1,706	1,896	2,324	2,634	2,800	2,435	2,454	2,524
Female	25,179	2,122	1,914	1,860	1,584	1,669	1,767	2,123	2,483	2,524	2,418	2,367	2,348
Nonwhite	34,201	3,006	2,747	2,651	2,109	2,246	2,498	2,996	3,401	3,392	3,109	3,010	3,036
Male	17,354	1,506	1,364	1,301	1,110	1,153	1,285	1,487	1,759	1,749	1,576	1,529	1,535
Female	16,847	1,500	1,383	1,350	999	1,093	1,213	1,509	1,642	1,643	1,533	1,481	1,501
MAINE	22,420	1,769	1,643	1,855	1,808	1,906	1,944	1,988	1,923	1,970	1,955	1,834	1,825
Male	11,429	897	859	950	918	988	981	1,006	984	1,009	985	930	922
Female	10,991	872	784	905	890	918	963	982	939	961	970	904	903
White	22,269	1,757	1,630	1,845	1,801	1,899	1,927	1,977	1,907	1,955	1,941	1,822	1,808
Male	11,352	890	850	944	913	985	975	1,000	976	1,000	980	924	915
Female	10,917	867	780	901	888	914	952	977	931	955	961	898	893
Nonwhite	151	12	13	10	7	7	17	11	16	15	14	12	17
Male	77	7	9	6	5	3	6	6	8	9	5	6	7
Female	74	5	4	4	2	4	11	5	8	6	9	6	10
MARYLAND	67,888	5,496	5,016	5,589	5,314	5,485	5,542	5,797	5,856	6,019	6,064	5,784	5,926
Male	34,613	2,808	2,571	2,863	2,709	2,750	2,775	3,000	2,938	3,069	3,117	2,956	3,037
Female	33,275	2,688	2,445	2,726	2,605	2,735	2,767	2,797	2,918	2,930	2,947	2,828	2,889
White	53,281	4,316	3,916	4,419	4,216	4,294	4,307	4,509	4,548	4,759	4,792	4,551	4,654
Male	27,225	2,230	2,011	2,247	2,155	2,159	2,169	2,344	2,288	2,447	2,470	2,321	2,384
Female	26,056	2,086	1,905	2,172	2,061	2,135	2,138	2,165	2,260	2,312	2,322	2,230	2,270
Nonwhite	14,607	1,180	1,100	1,170	1,098	1,191	1,235	1,288	1,308	1,260	1,272	1,233	1,272
Male	7,388	578	560	616	554	591	606	656	650	642	647	635	653
Female	7,219	602	540	554	544	600	629	632	658	618	625	598	619

Table 23. Live Births by Month, Color, and Sex: United States and Each State, 1955—Continued

(By place of residence. Includes only births occurring within the continental United States)

AREA, COLOR, AND SEX	Total	Jan.	Feb.	Mar.	Apr.	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.
MASSACHUSETTS	110,263	8,668	7,984	9,481	9,300	9,620	9,447	9,587	9,451	9,607	9,197	8,875	9,046
Male	56,611	4,451	4,078	4,818	4,841	4,924	4,837	4,957	4,824	4,965	4,729	4,563	4,624
Female	53,652	4,217	3,906	4,663	4,459	4,696	4,610	4,630	4,627	4,642	4,468	4,312	4,422
White	107,168	8,408	7,784	9,241	9,040	9,330	9,178	9,293	9,192	9,328	8,928	8,643	8,803
Male	55,074	4,320	3,981	4,704	4,719	4,789	4,705	4,796	4,680	4,827	4,590	4,457	4,506
Female	52,094	4,088	3,803	4,537	4,321	4,541	4,473	4,497	4,512	4,501	4,338	4,186	4,297
Nonwhite	3,095	260	200	240	260	290	269	294	259	279	269	232	243
Male	1,537	131	97	114	122	135	132	161	144	138	139	106	118
Female	1,558	129	103	126	138	155	137	133	115	141	130	126	125
MICHIGAN	196,623	15,703	14,748	16,167	15,629	16,823	16,174	17,014	17,228	17,094	17,034	16,364	16,645
Male	100,637	7,906	7,547	8,387	8,020	8,541	8,308	8,713	8,917	8,770	8,667	8,277	8,584
Female	95,986	7,797	7,201	7,780	7,609	8,282	7,866	8,301	8,311	8,324	8,367	8,087	8,061
White	175,135	13,937	13,077	14,467	13,917	15,082	14,463	15,186	15,318	15,197	15,207	14,515	14,769
Male	89,711	7,055	6,685	7,565	7,147	7,651	7,411	7,798	7,926	7,774	7,754	7,319	7,626
Female	85,424	6,882	6,392	6,902	6,770	7,431	7,052	7,388	7,392	7,423	7,453	7,196	7,143
Nonwhite	21,488	1,766	1,671	1,700	1,712	1,741	1,711	1,828	1,910	1,897	1,827	1,849	1,876
Male	10,926	851	862	822	873	890	897	915	991	996	913	958	958
Female	10,562	915	809	878	839	851	814	913	919	901	914	891	918
MINNESOTA	81,705	6,363	6,245	6,949	6,526	7,005	6,937	7,126	7,263	6,900	6,984	6,613	6,794
Male	41,950	3,241	3,166	3,615	3,391	3,619	3,498	3,700	3,680	3,521	3,620	3,375	3,524
Female	39,755	3,122	3,079	3,334	3,135	3,386	3,439	3,426	3,583	3,379	3,364	3,238	3,270
White	80,375	6,268	6,138	6,843	6,422	6,883	6,815	6,996	7,154	6,790	6,875	6,505	6,686
Male	41,241	3,193	3,105	3,556	3,338	3,547	3,441	3,631	3,626	3,462	3,560	3,324	3,458
Female	39,134	3,075	3,033	3,287	3,084	3,336	3,374	3,365	3,528	3,328	3,315	3,181	3,228
Nonwhite	1,330	95	107	106	104	122	122	130	109	110	109	108	108
Male	709	48	61	59	53	72	57	69	54	59	60	51	66
Female	621	47	46	47	51	50	65	61	55	51	49	57	42
MISSISSIPPI	63,366	5,587	5,134	5,104	4,340	4,459	4,898	5,659	6,008	5,870	5,477	5,326	5,504
Male	32,163	2,843	2,549	2,590	2,238	2,241	2,518	2,853	3,058	3,015	2,821	2,702	2,735
Female	31,203	2,744	2,585	2,514	2,102	2,218	2,380	2,806	2,950	2,855	2,656	2,624	2,769
White	27,675	2,356	2,205	2,175	1,825	1,918	1,974	2,422	2,695	2,648	2,578	2,355	2,524
Male	14,117	1,214	1,070	1,075	930	971	999	1,233	1,388	1,387	1,352	1,246	1,252
Female	13,558	1,142	1,135	1,100	895	947	975	1,189	1,307	1,261	1,226	1,109	1,272
Nonwhite	35,691	3,231	2,929	2,929	2,515	2,541	2,924	3,237	3,313	3,222	2,899	2,971	2,980
Male	18,046	1,629	1,479	1,515	1,308	1,270	1,519	1,620	1,670	1,628	1,469	1,456	1,483
Female	17,645	1,602	1,450	1,414	1,207	1,271	1,405	1,617	1,643	1,594	1,430	1,515	1,497
MISSOURI	94,001	7,844	7,243	7,364	6,198	6,804	7,359	8,676	8,914	8,643	8,641	8,082	8,233
Male	47,978	3,928	3,701	3,805	3,112	3,509	3,793	4,439	4,586	4,466	4,390	4,152	4,097
Female	46,023	3,916	3,542	3,559	3,086	3,295	3,566	4,237	4,328	4,177	4,251	3,930	4,136
White	82,489	6,866	6,375	6,507	5,392	5,994	6,425	7,575	7,839	7,647	7,591	7,144	7,134
Male	42,247	3,443	3,265	3,378	2,711	3,111	3,348	3,894	4,042	3,966	3,848	3,694	3,547
Female	40,242	3,423	3,110	3,129	2,681	2,883	3,077	3,681	3,797	3,681	3,743	3,450	3,587
Nonwhite	11,512	978	868	857	806	810	934	1,101	1,075	996	1,050	938	1,099
Male	5,731	485	436	427	401	398	445	545	544	500	542	458	550
Female	5,781	493	432	430	405	412	489	556	531	496	508	480	549
MONTANA	17,474	1,391	1,299	1,407	1,374	1,399	1,561	1,514	1,512	1,523	1,562	1,425	1,507
Male	8,940	685	666	725	687	738	818	784	761	787	801	727	761
Female	8,534	706	633	682	687	661	743	730	751	736	761	698	746
White	16,458	1,302	1,218	1,314	1,275	1,339	1,483	1,435	1,412	1,446	1,470	1,344	1,420
Male	8,432	634	631	677	642	711	776	741	716	747	747	690	720
Female	8,026	668	587	637	633	628	707	694	696	699	723	654	700
Nonwhite	1,016	89	81	93	99	60	78	79	100	77	92	81	87
Male	508	51	35	48	45	27	42	43	45	40	54	37	41
Female	508	38	46	45	54	33	36	36	55	37	38	44	46
NEBRASKA	34,258	2,800	2,619	2,750	2,455	2,647	2,780	3,141	3,252	3,092	2,935	2,892	2,895
Male	17,535	1,437	1,333	1,391	1,283	1,370	1,434	1,585	1,674	1,574	1,504	1,487	1,463
Female	16,723	1,363	1,286	1,359	1,172	1,277	1,346	1,556	1,578	1,518	1,431	1,405	1,432
White	33,073	2,705	2,517	2,678	2,382	2,533	2,681	3,032	3,142	2,974	2,837	2,813	2,779
Male	16,913	1,396	1,281	1,355	1,253	1,310	1,381	1,529	1,615	1,510	1,444	1,442	1,397
Female	16,160	1,309	1,236	1,323	1,129	1,223	1,300	1,503	1,527	1,464	1,393	1,371	1,382
Nonwhite	1,185	95	102	72	73	114	99	109	110	118	98	79	116
Male	622	41	52	36	30	60	53	56	59	64	60	45	66
Female	563	54	50	36	43	54	46	53	51	54	38	34	50
NEVADA	6,275	517	470	505	450	492	565	556	586	565	528	495	546
Male	3,181	264	241	245	224	255	282	310	280	274	272	260	274
Female	3,094	253	229	260	226	237	283	246	306	291	256	235	272
White	5,567	458	426	450	404	438	495	485	518	510	468	435	480
Male	2,827	229	221	216	201	231	258	271	244	245	240	232	239
Female	2,740	229	205	234	203	207	237	214	274	265	228	203	241
Nonwhite	708	59	44	55	46	54	70	71	68	55	60	60	66
Male	354	35	20	29	23	24	24	39	36	29	32	28	35
Female	354	24	24	26	23	30	46	32	32	26	28	32	31
NEW HAMPSHIRE	12,482	1,001	917	1,076	981	1,081	1,094	1,100	1,057	1,080	1,118	1,021	956
Male	6,434	519	451	568	504	570	586	548	524	561	573	532	498
Female	6,048	482	466	508	477	511	508	552	533	519	545	489	458
White	12,444	995	917	1,074	975	1,078	1,089	1,096	1,053	1,077	1,116	1,019	955
Male	6,417	516	451	568	503	568	583	547	522	558	573	531	497
Female	6,027	479	466	506	472	510	506	549	531	519	543	488	458
Nonwhite	38	6	-	2	6	3	5	4	4	3	2	2	1
Male	17	3	-	-	1	2	3	1	2	3	-	1	1
Female	21	3	-	2	5	1	2	3	2	-	2	1	-
NEW JERSEY	121,427	9,761	9,230	10,289	9,744	10,305	9,899	10,279	10,652	10,447	10,735	9,860	10,226
Male	62,402	5,026	4,724	5,297	4,935	5,317	5,142	5,254	5,489	5,350	5,522	5,105	5,241
Female	59,025	4,735	4,506	4,992	4,809	4,988	4,757	5,025	5,163	5,097	5,213	4,755	4,985
White	107,944	8,686	8,245	9,230	8,701	9,199	8,822	9,051	9,384	9,256	9,601	8,759	9,010
Male	55,609	4,522	4,223	4,776	4,417	4,723	4,586	4,632	4,855	4,750	4,954	4,545	4,645
Female	52,335	4,164	4,022	4,454	4,284	4,476	4,236	4,419	4,529	4,506	4,667	4,214	4,364
Nonwhite	13,483	1,075	985	1,059	1,043	1,106	1,077	1,228	1,268	1,191	1,134	1,101	1,216
Male	6,793	504	501	521	518	594	556	622	634	600	588	560	595
Female	6,690	571	484	538	525	512	521	606	634	591	546	541	621

Table 23. Live Births by Month, Color, and Sex: United States and Each State, 1955—Continued

(By place of residence. Includes only births occurring within the continental United States)

AREA, COLOR, AND SEX	Total	Jan.	Feb.	Mar.	Apr.	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.
NEW MEXICO	25,759	2,064	1,962	2,110	2,051	2,165	2,158	2,267	2,336	2,296	2,268	2,005	2,077
Male	13,046	1,063	995	1,046	1,043	1,131	1,117	1,129	1,156	1,150	1,151	1,019	1,046
Female	12,713	1,001	967	1,064	1,008	1,034	1,041	1,138	1,180	1,146	1,117	986	1,031
White	23,376	1,877	1,784	1,901	1,837	1,967	1,958	2,077	2,109	2,092	2,058	1,819	1,897
Male	11,839	959	913	952	945	1,039	1,012	1,033	1,040	1,047	1,027	923	949
Female	11,537	918	871	949	892	928	946	1,044	1,069	1,045	1,031	896	948
Nonwhite	2,383	187	178	209	214	198	200	190	227	204	210	186	180
Male	1,207	104	82	94	98	92	105	96	116	103	124	96	97
Female	1,176	83	96	115	116	106	95	94	111	101	86	90	83
NEW YORK	342,566	27,365	26,094	29,549	28,813	29,763	28,741	29,290	29,451	28,769	28,982	27,416	28,333
Male	175,699	14,125	13,416	15,018	14,773	15,475	14,728	15,057	15,033	14,736	14,909	13,988	14,441
Female	166,867	13,240	12,678	14,531	14,040	14,288	14,013	14,233	14,418	14,033	14,073	13,428	13,892
White	306,271	24,472	23,341	26,499	25,981	26,725	25,769	26,167	26,148	25,581	25,854	24,479	25,255
Male	157,415	12,647	12,050	13,487	13,368	13,911	13,206	13,489	13,414	13,121	13,272	12,546	12,904
Female	148,856	11,825	11,291	13,012	12,613	12,814	12,563	12,678	12,734	12,460	12,582	11,933	12,351
Nonwhite	36,295	2,893	2,753	3,050	2,832	3,038	2,972	3,123	3,303	3,188	3,128	2,937	3,078
Male	18,284	1,478	1,366	1,531	1,405	1,564	1,522	1,568	1,619	1,615	1,637	1,442	1,537
Female	18,011	1,415	1,387	1,519	1,427	1,474	1,450	1,555	1,684	1,573	1,491	1,495	1,541
NORTH CAROLINA	115,365	9,538	8,873	9,636	8,803	9,303	8,992	10,615	10,606	10,244	9,905	9,475	9,825
Male	58,779	4,888	4,443	4,877	4,488	4,722	4,607	5,259	5,419	5,248	4,970	4,881	4,977
Female	56,586	4,650	4,430	4,759	4,315	4,581	4,385	4,906	5,187	4,996	4,935	4,594	4,848
White	77,006	6,321	5,911	6,348	5,769	6,132	5,983	6,807	7,043	6,868	6,803	6,453	6,568
Male	39,423	3,263	2,934	3,259	2,948	3,094	3,079	3,513	3,617	3,546	3,468	3,347	3,355
Female	37,583	3,058	2,977	3,089	2,821	3,038	2,904	3,294	3,426	3,322	3,335	3,106	3,213
Nonwhite	38,359	3,217	2,962	3,288	3,034	3,171	3,009	3,358	3,563	3,376	3,102	3,022	3,257
Male	19,356	1,625	1,509	1,618	1,540	1,628	1,528	1,746	1,802	1,702	1,502	1,534	1,622
Female	19,003	1,592	1,453	1,670	1,494	1,543	1,481	1,612	1,761	1,674	1,600	1,488	1,635
NORTH DAKOTA	17,237	1,382	1,256	1,511	1,386	1,503	1,516	1,506	1,545	1,479	1,403	1,363	1,387
Male	8,782	703	651	743	683	767	767	756	768	765	733	711	725
Female	8,455	679	605	768	703	736	749	740	777	714	670	652	662
White	16,773	1,351	1,222	1,464	1,352	1,458	1,475	1,467	1,502	1,432	1,363	1,335	1,352
Male	8,548	687	633	718	664	736	748	750	749	747	715	695	706
Female	8,225	664	589	746	688	722	727	717	753	685	648	640	646
Nonwhite	464	31	34	47	34	45	41	39	43	47	40	28	35
Male	234	16	18	25	19	31	19	16	19	18	18	16	19
Female	230	15	16	22	15	14	22	23	24	29	22	12	16
OHIO	223,470	18,059	17,040	18,090	17,636	18,544	17,874	19,477	20,023	20,046	19,300	18,355	19,026
Male	114,991	9,274	8,749	9,318	9,103	9,574	9,168	10,059	10,286	10,398	9,957	9,466	9,639
Female	108,479	8,785	8,291	8,772	8,533	8,970	8,706	9,418	9,737	9,648	9,343	8,889	9,387
White	201,789	16,243	15,398	16,387	15,931	16,747	16,075	17,615	18,037	18,065	17,486	16,593	17,212
Male	104,009	8,355	7,923	8,437	8,235	8,691	8,261	9,092	9,262	9,381	9,021	8,600	8,751
Female	97,780	7,888	7,475	7,950	7,696	8,056	7,814	8,523	8,775	8,684	8,465	7,993	8,461
Nonwhite	21,681	1,816	1,642	1,703	1,705	1,797	1,799	1,862	1,986	1,981	1,814	1,762	1,814
Male	10,982	919	826	881	868	883	907	967	1,024	1,017	936	866	898
Female	10,699	897	816	822	837	914	892	895	962	964	878	896	926
OKLAHOMA	50,102	4,241	3,844	3,864	3,328	3,505	3,939	4,558	4,814	4,784	4,616	4,291	4,318
Male	25,660	2,188	1,976	1,960	1,679	1,814	2,029	2,318	2,458	2,495	2,371	2,181	2,191
Female	24,442	2,053	1,868	1,904	1,649	1,691	1,910	2,240	2,356	2,289	2,245	2,110	2,127
White	43,969	3,705	3,296	3,350	2,911	3,038	3,463	4,002	4,244	4,290	4,104	3,798	3,768
Male	22,551	1,932	1,694	1,697	1,461	1,570	1,783	2,029	2,183	2,244	2,095	1,944	1,919
Female	21,418	1,773	1,602	1,653	1,450	1,468	1,680	1,973	2,061	2,046	2,009	1,854	1,849
Nonwhite	6,133	536	548	514	417	467	476	556	570	494	512	493	550
Male	3,109	256	282	263	218	244	246	289	275	251	276	237	272
Female	3,024	280	266	251	199	223	230	267	295	243	236	256	278
OREGON	38,788	3,029	2,843	3,322	3,157	3,385	3,285	3,366	3,531	3,223	3,365	3,041	3,241
Male	19,793	1,558	1,466	1,694	1,638	1,694	1,690	1,685	1,775	1,659	1,684	1,556	1,694
Female	18,995	1,471	1,377	1,628	1,519	1,691	1,595	1,681	1,756	1,564	1,681	1,485	1,547
White	37,684	2,947	2,763	3,213	3,071	3,287	3,183	3,270	3,438	3,128	3,262	2,968	3,154
Male	19,225	1,514	1,418	1,635	1,599	1,643	1,641	1,631	1,729	1,612	1,633	1,521	1,649
Female	18,459	1,433	1,345	1,578	1,472	1,644	1,542	1,639	1,709	1,516	1,629	1,447	1,505
Nonwhite	1,104	82	80	109	86	98	102	96	93	95	103	73	87
Male	568	44	48	59	39	51	49	54	46	47	51	35	45
Female	536	38	32	50	47	47	53	42	47	48	52	38	42
PENNSYLVANIA	242,752	19,582	18,323	20,503	19,466	20,647	19,730	20,974	21,060	21,135	20,990	20,077	20,265
Male	124,646	10,038	9,328	10,578	9,893	10,726	10,115	10,663	10,875	10,914	10,818	10,333	10,365
Female	118,106	9,544	8,995	9,925	9,573	9,921	9,615	10,311	10,185	10,221	10,172	9,744	9,900
White	220,243	17,706	16,592	18,725	17,717	18,761	17,913	18,977	19,040	19,193	19,039	18,211	18,369
Male	113,339	9,114	8,450	9,691	9,019	9,761	9,181	9,668	9,877	9,919	9,847	9,392	9,420
Female	106,904	8,592	8,142	9,034	8,698	9,000	8,732	9,309	9,163	9,274	9,192	8,819	8,949
Nonwhite	22,509	1,876	1,731	1,778	1,749	1,886	1,817	1,997	2,020	1,942	1,951	1,866	1,896
Male	11,307	924	878	887	874	965	934	995	998	995	971	941	945
Female	11,202	952	853	891	875	921	883	1,002	1,022	947	980	925	951
RHODE ISLAND	17,895	1,447	1,323	1,503	1,481	1,606	1,552	1,510	1,507	1,508	1,494	1,441	1,523
Male	9,167	782	698	766	742	853	787	751	804	779	745	723	737
Female	8,728	665	625	737	739	753	765	759	703	729	749	718	786
White	17,391	1,412	1,296	1,462	1,425	1,565	1,510	1,461	1,462	1,465	1,459	1,405	1,469
Male	8,912	764	687	748	717	830	760	725	776	761	726	703	715
Female	8,479	648	609	714	708	735	750	736	686	704	733	702	754
Nonwhite	504	35	27	41	56	41	42	49	45	43	35	36	54
Male	255	18	11	18	25	23	27	26	28	18	19	20	22
Female	249	17	16	23	31	18	15	23	17	25	16	16	32
SOUTH CAROLINA	63,583	5,527	5,019	5,178	4,753	4,932	4,903	5,634	5,874	5,663	5,361	5,230	5,489
Male	32,509	2,802	2,635	2,655	2,401	2,504	2,537	2,912	2,969	2,867	2,744	2,697	2,786
Female	31,074	2,725	2,384	2,523	2,352	2,428	2,366	2,722	2,905	2,816	2,617	2,533	2,703
White	35,483	2,990	2,789	2,847	2,670	2,726	2,650	3,126	3,400	3,185	3,105	2,932	3,063
Male	18,267	1,545	1,470	1,441	1,350	1,405	1,365	1,630	1,736	1,627	1,634	1,519	1,545
Female	17,216	1,445	1,319	1,406	1,320	1,321	1,285	1,496	1,664	1,558	1,471	1,413	1,518
Nonwhite	28,100	2,537	2,230	2,331	2,083	2,206	2,253	2,508	2,474	2,498	2,256	2,298	2,426
Male	14,242	1,257	1,165	1,214	1,051	1,099	1,172	1,282	1,233	1,240	1,110	1,178	1,241
Female	13,858	1,280	1,065	1,117	1,032	1,107	1,081	1,226	1,241	1,258	1,146	1,120	1,185

Table 23. Live Births by Month, Color, and Sex: United States and Each State, 1955—Continued

(By place of residence. Includes only births occurring within the continental United States)

AREA, COLOR, AND SEX	Total	Jan.	Feb.	Mar.	Apr.	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.
SOUTH DAKOTA	18,634	1,554	1,412	1,496	1,409	1,574	1,547	1,650	1,724	1,640	1,608	1,496	1,524
Male	9,509	791	707	752	711	786	825	875	897	836	814	742	773
Female	9,125	763	705	744	698	788	722	775	827	804	794	754	751
White	17,725	1,477	1,334	1,421	1,346	1,480	1,472	1,576	1,643	1,574	1,532	1,420	1,450
Male	9,051	751	676	715	679	738	786	832	857	804	775	712	726
Female	8,674	726	658	706	667	742	686	744	786	770	757	708	724
Nonwhite	909	77	78	75	63	94	75	74	81	66	76	76	74
Male	458	40	31	37	32	48	39	43	40	32	39	30	47
Female	451	37	47	38	31	46	36	31	41	34	37	46	27
TENNESSEE	85,037	7,202	6,728	6,865	6,350	6,591	6,619	7,634	7,863	7,706	7,298	6,912	7,269
Male	43,579	3,672	3,408	3,541	3,240	3,404	3,408	3,855	3,971	3,999	3,840	3,552	3,689
Female	41,458	3,530	3,320	3,324	3,110	3,187	3,211	3,779	3,892	3,707	3,458	3,360	3,580
White	67,001	5,622	5,353	5,428	5,089	5,192	5,186	5,955	6,123	6,052	5,821	5,501	5,679
Male	34,347	2,884	2,688	2,828	2,602	2,660	2,669	3,032	3,075	3,129	3,040	2,829	2,911
Female	32,654	2,738	2,665	2,600	2,487	2,532	2,517	2,923	3,048	2,923	2,781	2,672	2,768
Nonwhite	18,036	1,580	1,375	1,437	1,261	1,399	1,433	1,679	1,740	1,654	1,477	1,411	1,590
Male	9,232	788	720	713	638	744	739	823	896	870	800	723	778
Female	8,804	792	655	724	623	655	694	856	844	784	677	688	812
TEXAS	239,873	19,519	18,052	18,784	16,770	17,396	17,946	20,350	23,638	23,010	22,154	20,930	21,324
Male	122,573	10,011	9,314	9,566	8,676	8,990	8,958	10,500	12,079	11,844	11,263	10,506	10,866
Female	117,300	9,508	8,738	9,218	8,094	8,406	8,988	9,850	11,559	11,166	10,891	10,424	10,458
White	206,078	16,736	15,462	16,172	14,537	15,001	15,433	17,493	20,215	19,619	19,103	17,979	18,328
Male	105,388	8,597	7,983	8,254	7,512	7,737	7,741	9,038	10,348	10,077	9,721	9,041	9,339
Female	100,690	8,139	7,479	7,918	7,025	7,264	7,692	8,455	9,867	9,542	9,382	8,938	8,989
Nonwhite	33,795	2,783	2,590	2,612	2,233	2,395	2,513	2,857	3,423	3,391	3,051	2,951	2,996
Male	17,185	1,414	1,331	1,312	1,164	1,253	1,217	1,462	1,731	1,767	1,542	1,465	1,527
Female	16,610	1,369	1,259	1,300	1,069	1,142	1,296	1,395	1,692	1,624	1,509	1,486	1,469
UTAH	24,891	1,925	1,834	2,114	1,985	2,165	2,179	2,203	2,277	2,151	2,096	1,947	2,015
Male	12,762	973	926	1,108	1,024	1,092	1,134	1,112	1,149	1,115	1,080	1,000	1,049
Female	12,129	952	908	1,006	961	1,073	1,045	1,091	1,128	1,036	1,016	947	966
White	24,406	1,892	1,799	2,073	1,945	2,120	2,140	2,165	2,227	2,108	2,056	1,905	1,976
Male	12,521	956	908	1,090	1,005	1,069	1,113	1,096	1,121	1,090	1,067	974	1,032
Female	11,885	936	891	983	940	1,051	1,027	1,069	1,106	1,018	989	931	944
Nonwhite	485	33	35	41	40	45	39	38	50	43	40	42	39
Male	241	17	18	18	19	23	21	16	28	25	13	26	17
Female	244	16	17	23	21	22	18	22	22	18	27	16	22
VERMONT	9,345	793	700	814	741	815	759	778	805	800	795	753	792
Male	4,866	409	367	424	373	434	395	403	437	425	400	411	388
Female	4,479	384	333	390	368	381	364	375	368	375	395	342	404
White	9,317	791	697	811	739	813	756	777	803	796	794	750	790
Male	4,850	407	364	423	372	434	392	403	437	423	399	409	387
Female	4,467	384	333	388	367	379	364	374	366	373	395	341	403
Nonwhite	28	2	3	3	2	2	3	1	2	4	1	3	2
Male	16	2	3	1	1	-	3	-	-	2	1	2	1
Female	12	-	-	2	1	2	-	1	2	2	-	1	1
VIRGINIA	94,548	7,760	7,234	7,866	7,314	7,673	7,500	8,430	8,595	8,516	8,023	7,562	8,075
Male	48,161	3,973	3,671	3,956	3,701	3,918	3,828	4,373	4,382	4,356	4,076	3,873	4,054
Female	46,387	3,787	3,563	3,910	3,613	3,755	3,672	4,057	4,213	4,160	3,947	3,689	4,021
White	70,211	5,710	5,370	5,863	5,463	5,722	5,588	6,186	6,331	6,280	6,068	5,638	5,992
Male	35,999	2,935	2,756	2,968	2,771	2,945	2,855	3,214	3,236	3,236	3,137	2,913	3,033
Female	34,212	2,775	2,614	2,895	2,692	2,777	2,733	2,972	3,095	3,044	2,931	2,725	2,959
Nonwhite	24,337	2,050	1,864	2,003	1,851	1,951	1,912	2,244	2,264	2,236	1,955	1,924	2,083
Male	12,162	1,038	915	988	930	973	973	1,159	1,146	1,120	939	960	1,021
Female	12,175	1,012	949	1,015	921	978	939	1,085	1,118	1,116	1,016	964	1,062
WASHINGTON	62,422	4,808	4,644	5,436	5,195	5,451	5,256	5,315	5,461	5,440	5,205	5,029	5,182
Male	32,143	2,500	2,393	2,855	2,672	2,846	2,712	2,718	2,802	2,800	2,621	2,556	2,668
Female	30,279	2,308	2,251	2,581	2,523	2,605	2,544	2,597	2,659	2,640	2,584	2,473	2,514
White	59,568	4,602	4,421	5,226	4,963	5,203	5,006	5,063	5,211	5,169	4,971	4,790	4,943
Male	30,635	2,388	2,260	2,731	2,554	2,720	2,584	2,588	2,677	2,662	2,494	2,428	2,549
Female	28,933	2,214	2,161	2,495	2,409	2,483	2,422	2,475	2,534	2,507	2,477	2,362	2,394
Nonwhite	2,854	206	223	210	232	248	250	252	250	271	234	239	239
Male	1,508	112	133	124	118	126	128	130	125	138	127	128	119
Female	1,346	94	90	86	114	122	122	122	125	133	107	111	120
WEST VIRGINIA	44,172	3,926	3,502	3,730	3,500	3,644	3,553	3,828	3,941	3,845	3,710	3,453	3,540
Male	22,680	2,042	1,778	1,933	1,825	1,848	1,829	2,006	1,968	1,993	1,893	1,742	1,823
Female	21,492	1,884	1,724	1,797	1,675	1,796	1,724	1,822	1,973	1,852	1,817	1,711	1,717
White	41,596	3,685	3,283	3,527	3,290	3,434	3,346	3,604	3,692	3,645	3,498	3,261	3,331
Male	21,406	1,929	1,684	1,834	1,718	1,741	1,727	1,884	1,852	1,895	1,785	1,647	1,710
Female	20,190	1,756	1,599	1,693	1,572	1,693	1,619	1,720	1,840	1,750	1,713	1,614	1,621
Nonwhite	2,576	241	219	203	210	210	207	224	249	200	212	192	209
Male	1,274	113	94	99	107	107	102	122	116	98	108	95	113
Female	1,302	128	125	104	103	103	105	102	133	102	104	97	96
WISCONSIN	92,427	7,390	7,035	7,817	7,366	7,733	7,618	8,146	8,237	8,070	8,066	7,463	7,486
Male	47,512	3,794	3,628	3,974	3,757	4,010	4,046	4,266	4,196	4,132	4,087	3,803	3,819
Female	44,915	3,596	3,407	3,843	3,609	3,723	3,572	3,880	4,041	3,938	3,979	3,660	3,667
White	89,605	7,168	6,840	7,584	7,154	7,517	7,376	7,900	7,985	7,819	7,805	7,218	7,239
Male	46,083	3,684	3,533	3,852	3,655	3,902	3,911	4,135	4,065	4,008	3,949	3,691	3,698
Female	43,522	3,484	3,307	3,732	3,499	3,615	3,465	3,765	3,920	3,811	3,856	3,527	3,541
Nonwhite	2,822	222	195	233	212	216	242	246	252	251	261	245	247
Male	1,429	110	95	122	102	108	135	131	131	124	138	112	121
Female	1,393	112	100	111	110	108	107	115	121	127	123	133	126
WYOMING	8,610	674	598	691	663	721	790	808	761	778	725	684	717
Male	4,452	346	316	348	333	377	413	411	407	407	352	364	378
Female	4,158	328	282	343	330	344	377	397	354	371	373	320	339
White	8,336	660	578	665	645	697	763	782	724	750	706	668	698
Male	4,313	339	306	337	319	367	398	402	391	392	340	357	365
Female	4,023	321	272	328	326	330	365	380	333	358	366	311	333
Nonwhite	274	14	20	26	18	24	27	26	37	28	19	16	19
Male	139	7	10	11	14	10	15	9	16	15	12	7	13
Female	135	7	10	15	4	14	12	17	21	13	7	9	6

Table 24. Live Births by Specified Race and Sex: United States and Each State, 1955

(By place of residence. Includes only births occurring within the continental United States)

AREA	ALL RACES			WHITE		NEGRO		INDIAN		CHINESE		JAPANESE		OTHER RACES	
	Total	Male	Female	Male	Female	Male	Female	Male	Female	Male	Female	Male	Female	Male	Female
UNITED STATES	4,047,295	2,073,719	1,973,576	1,776,355	1,682,093	281,846	276,405	8,108	7,961	2,252	2,177	3,303	3,104	1,855	1,836
Alabama	81,811	41,847	39,964	25,813	24,086	16,025	15,855	-	8	2	3	3	11	4	1
Arizona	27,947	14,338	13,609	12,272	11,461	608	656	1,380	1,420	44	35	14	19	20	18
Arkansas	41,802	21,287	20,515	14,817	14,119	6,444	6,372	6	5	8	12	8	5	4	2
California	313,366	160,985	152,381	145,604	137,402	10,929	10,607	559	559	1,100	1,103	1,752	1,602	1,041	1,108
Colorado	40,017	20,435	19,582	19,716	18,882	549	521	52	54	9	10	105	109	4	6
Connecticut	52,477	26,678	25,799	25,383	24,501	1,263	1,270	4	2	15	8	5	4	8	14
Delaware	10,587	5,471	5,116	4,573	4,247	889	856	1	1	1	-	-	5	7	7
District of Columbia	20,923	10,669	10,254	4,867	4,589	5,732	5,580	5	6	30	35	10	14	25	30
Florida	89,334	45,668	43,666	33,002	31,216	12,604	12,403	28	15	11	8	18	19	5	5
Georgia	100,442	51,159	49,283	33,073	31,287	18,043	17,957	1	5	9	5	24	17	9	12
Idaho	16,986	8,834	8,152	8,682	7,994	21	20	91	88	6	3	25	39	9	8
Illinois	220,621	112,955	107,666	97,455	92,301	15,110	15,010	45	32	86	89	224	213	35	21
Indiana	108,614	55,955	52,659	51,877	48,813	4,026	3,798	5	4	7	9	26	29	14	6
Iowa	63,747	32,708	31,039	32,300	30,661	350	322	34	28	7	6	9	15	8	7
Kansas	52,912	27,335	25,577	25,881	24,174	1,358	1,290	55	80	4	6	23	14	14	13
Kentucky	73,897	38,085	35,812	34,980	32,761	3,077	3,031	2	3	4	-	13	10	9	7
Louisiana	86,154	44,128	42,026	26,774	25,179	17,308	16,807	18	8	8	11	16	14	4	7
Maine	22,420	11,429	10,991	11,352	10,917	31	36	29	25	2	1	9	9	6	3
Maryland	67,888	34,613	33,275	27,225	26,056	7,304	7,152	9	9	18	20	37	22	20	16
Massachusetts	110,263	56,611	53,652	55,074	52,094	1,410	1,422	18	10	55	70	23	22	31	34
Michigan	196,623	100,637	95,986	89,711	85,424	10,681	10,368	118	90	45	26	55	61	27	17
Minnesota	81,705	41,950	39,755	41,241	39,134	294	269	328	283	29	10	41	33	17	26
Mississippi	63,366	32,163	31,203	14,117	13,558	17,970	17,583	53	44	19	15	3	1	1	2
Missouri	94,001	47,978	46,023	42,247	40,242	5,664	5,711	8	12	14	12	24	29	21	17
Montana	17,474	8,940	8,534	8,432	8,026	14	17	478	465	3	6	9	7	4	13
Nebraska	34,258	17,535	16,723	16,913	16,160	486	453	100	82	5	5	24	18	7	5
Nevada	6,275	3,181	3,094	2,827	2,740	229	230	102	108	10	3	7	8	6	5
New Hampshire	12,482	6,434	6,048	6,417	6,027	11	14	1	-	2	3	2	4	1	-
New Jersey	121,427	62,402	59,025	55,609	52,335	6,652	6,543	7	7	42	45	64	64	28	31
New Mexico	25,759	13,046	12,713	11,839	11,537	226	230	956	922	2	5	16	13	7	6
New York	342,566	175,699	166,867	157,415	148,856	17,589	17,313	151	173	365	361	110	101	69	63
North Carolina	115,365	58,779	56,586	39,423	37,583	18,617	18,242	704	734	2	3	27	15	6	9
North Dakota	17,237	8,782	8,455	8,548	8,225	4	1	221	219	2	1	3	6	4	3
Ohio	223,470	114,991	108,479	104,009	97,780	10,859	10,569	16	11	29	34	45	61	33	24
Oklahoma	50,102	25,660	24,442	22,551	21,418	2,081	2,042	1,001	949	2	2	18	20	7	11
Oregon	38,788	19,793	18,995	19,225	18,459	262	265	165	144	38	36	70	65	33	26
Pennsylvania	242,752	124,646	118,106	113,339	106,904	11,172	11,065	7	14	34	34	44	44	50	45
Rhode Island	17,895	9,167	8,728	8,912	8,479	238	224	3	1	7	15	3	5	4	4
South Carolina	63,583	32,509	31,074	18,267	17,216	14,207	13,834	16	6	1	1	7	8	11	9
South Dakota	18,634	9,509	9,125	9,051	8,674	18	21	433	424	2	1	4	4	1	1
Tennessee	85,037	43,579	41,458	34,347	32,654	9,205	8,793	1	5	3	2	14	1	9	3
Texas	239,873	122,573	117,300	105,388	100,690	17,031	16,465	32	34	46	42	56	51	20	18
Utah	24,891	12,762	12,129	12,521	11,885	65	66	105	113	8	10	50	39	13	16
Vermont	9,345	4,866	4,479	4,850	4,467	11	8	-	-	2	1	2	3	1	-
Virginia	94,548	48,161	46,387	35,999	34,212	12,071	12,084	10	11	13	11	31	35	37	34
Washington	62,422	32,143	30,279	30,635	28,933	683	619	415	396	80	46	188	175	142	110
West Virginia	44,172	22,680	21,492	21,406	20,190	1,260	1,295	-	-	1	2	9	5	4	-
Wisconsin	92,427	47,512	44,915	46,083	43,522	1,122	1,082	251	270	14	5	28	28	14	8
Wyoming	8,610	4,452	4,158	4,313	4,023	43	34	84	82	6	6	5	8	1	5

Table 25. Live Births by Age of Father, Color, and Sex of Child for the United States and Each State, and by Age of Mother for the United States: 1955

(By place of residence. Includes only births occurring within the continental United States)

AREA, COLOR, AND SEX OF CHILD (Age of mother for U. S. only)	Total	AGE OF FATHER										
		Under 15 years	15-19 years	20-24 years	25-29 years	30-34 years	35-39 years	40-44 years	45-49 years	50-54 years	55 years and over	Not stated
UNITED STATES	4,047,295	40	93,837	819,774	1,179,496	889,197	515,247	244,939	90,628	29,208	15,679	169,250
Under 15 years	5,883	16	1,265	863	154	45	17	9	11	3	5	3,495
15-19 years	484,097	10	80,468	259,017	67,317	11,146	3,027	959	436	141	123	61,453
20-24 years	1,273,908	3	11,574	509,973	539,830	120,857	27,773	8,530	2,977	1,075	705	50,611
25-29 years	1,119,279	3	393	45,185	505,520	396,284	104,106	27,609	9,104	3,167	1,826	26,082
30-34 years	722,277	4	61	3,721	59,216	320,931	224,437	68,789	19,792	6,585	3,537	15,204
35-39 years	345,305	3	19	530	6,347	36,876	144,340	101,883	32,582	9,557	5,139	8,029
40-44 years	87,587	-	10	87	602	2,572	11,106	36,279	23,469	7,504	3,746	2,212
45-49 years	5,019	-	-	8	11	61	190	722	2,186	1,134	552	155
50 years and over	92	1	-	3	2	8	5	9	9	21	26	8
Not stated	3,848	-	47	387	497	417	246	150	62	21	20	2,001
Male	2,073,719	23	48,455	421,340	604,537	455,536	263,859	125,143	46,084	14,769	8,039	85,934
Under 15 years	3,050	12	667	468	81	22	10	3	9	2	3	1,773
15-19 years	248,619	7	41,637	133,216	34,561	5,650	1,517	472	233	60	66	31,200
20-24 years	653,081	-	5,897	261,949	276,753	61,809	14,304	4,357	1,511	533	373	25,595
25-29 years	573,017	1	182	23,300	258,894	202,773	53,246	14,125	4,633	1,600	934	13,329
30-34 years	370,380	1	33	1,858	30,412	164,835	115,127	35,104	10,135	3,402	1,798	7,675
35-39 years	176,305	2	10	268	3,249	18,874	73,796	52,144	16,552	4,753	2,602	4,055
40-44 years	44,638	-	6	56	317	1,330	5,635	18,497	11,900	3,821	1,943	1,133
45-49 years	2,535	-	-	3	5	28	100	368	1,073	579	292	87
50 years and over	45	-	-	2	1	1	2	3	6	9	16	5
Not stated	2,049	-	23	220	264	214	122	70	32	10	12	1,082
Female	1,973,576	17	45,382	398,434	574,959	433,661	251,388	119,796	44,544	14,439	7,640	83,316
Under 15 years	2,833	4	598	395	73	23	7	6	2	1	2	1,722
15-19 years	235,478	3	38,831	125,801	32,756	5,496	1,510	487	203	81	57	30,253
20-24 years	620,827	3	5,677	248,024	263,077	59,048	13,469	4,173	1,466	542	332	25,016
25-29 years	546,262	2	211	21,885	246,626	193,511	50,860	13,484	4,471	1,567	892	12,753
30-34 years	351,897	3	28	1,863	28,804	156,096	109,310	33,685	9,657	3,183	1,739	7,529
35-39 years	169,000	1	9	262	3,098	18,002	70,544	49,739	16,030	4,804	2,537	3,974
40-44 years	42,949	-	4	31	285	1,242	5,471	17,782	11,569	3,683	1,803	1,079
45-49 years	2,484	-	-	5	6	33	90	354	1,113	555	260	68
50 years and over	47	1	-	1	1	7	3	6	3	12	10	3
Not stated	1,799	-	24	167	233	203	124	80	30	11	8	919
WHITE	3,458,448	17	76,901	710,387	1,050,351	790,811	451,915	209,346	73,907	22,729	11,499	60,585
Under 15 years	2,136	6	626	525	106	36	6	7	7	1	4	812
15-19 years	372,678	4	55,804	216,696	56,821	9,022	2,296	681	285	97	96	20,876
20-24 years	1,090,736	1	10,042	449,318	477,688	102,439	21,937	6,442	2,125	752	518	19,474
25-29 years	977,618	2	333	39,872	455,878	352,434	88,143	21,856	6,628	2,245	1,278	8,949
30-34 years	633,019	1	49	3,193	53,338	290,662	199,327	58,228	15,468	4,905	2,525	5,323
35-39 years	300,057	2	16	446	5,614	33,544	129,698	89,366	27,131	7,490	3,720	3,030
40-44 years	75,590	-	6	75	537	2,312	10,180	32,035	20,354	6,270	2,892	929
45-49 years	4,160	-	-	7	7	49	159	628	1,856	944	445	65
50 years and over	57	1	-	3	2	8	1	7	7	12	13	3
Not stated	2,397	-	25	252	360	305	168	96	46	13	8	1,124
Male	1,776,355	11	39,833	365,619	539,325	405,954	232,027	107,239	37,786	11,527	5,918	31,116
Under 15 years	1,109	5	324	280	58	15	5	3	7	1	2	409
15-19 years	192,265	3	34,183	111,722	29,284	4,550	1,153	347	154	39	53	10,777
20-24 years	560,468	-	5,117	231,026	245,263	52,650	11,396	3,324	1,122	373	276	9,921
25-29 years	501,328	1	158	20,569	233,827	180,662	45,157	11,193	3,383	1,140	651	4,587
30-34 years	325,399	-	28	1,608	27,524	149,524	102,436	29,765	7,935	2,542	1,319	2,718
35-39 years	153,692	2	8	222	2,886	17,178	66,508	45,852	13,871	3,735	1,874	1,556
40-44 years	38,672	-	4	48	287	1,202	5,197	16,380	10,366	3,208	1,496	484
45-49 years	2,111	-	-	3	3	21	88	327	919	478	231	41
50 years and over	28	-	-	2	1	1	1	3	4	4	9	3
Not stated	1,283	-	11	139	192	151	86	45	25	7	7	620
Female	1,682,093	6	37,068	344,768	511,026	384,857	219,888	102,107	36,121	11,202	5,581	29,469
Under 15 years	1,027	1	302	245	48	21	1	4	-	-	2	403
15-19 years	180,413	1	31,621	104,974	27,537	4,472	1,143	334	131	58	43	10,099
20-24 years	530,268	1	4,925	218,292	232,425	49,789	10,541	3,118	1,003	379	242	9,553
25-29 years	476,290	1	175	19,303	222,051	171,772	42,986	10,663	3,245	1,105	627	4,362
30-34 years	307,620	1	21	1,585	25,814	141,138	96,891	28,463	7,533	2,363	1,206	2,605
35-39 years	146,365	-	8	224	2,728	16,366	63,190	43,514	13,260	3,755	1,846	1,474
40-44 years	36,918	-	2	27	250	1,110	4,983	15,655	9,988	3,062	1,396	445
45-49 years	2,049	-	-	4	4	28	71	301	937	466	214	24
50 years and over	29	1	-	1	1	7	-	4	3	8	4	-
Not stated	1,114	-	14	113	168	154	82	51	21	6	1	504
NONWHITE	588,847	23	16,936	109,387	129,145	98,386	63,332	35,593	16,721	6,479	4,180	108,665
Under 15 years	3,747	10	639	338	48	9	11	2	4	2	1	2,683
15-19 years	111,419	6	14,664	42,321	10,496	2,124	731	278	151	44	27	40,577
20-24 years	183,172	2	1,532	60,655	62,142	18,418	5,836	2,088	852	323	187	31,137
25-29 years	141,661	1	60	5,313	49,642	43,850	15,963	5,753	2,476	922	548	17,133
30-34 years	89,258	3	12	528	5,878	30,269	25,110	10,561	4,324	1,680	1,012	9,881
35-39 years	45,248	1	3	84	733	3,332	14,642	12,517	5,451	2,067	1,419	4,999
40-44 years	11,997	-	4	12	65	260	926	4,244	3,115	1,234	854	1,283
45-49 years	859	-	-	1	4	12	31	94	330	190	107	90
50 years and over	35	-	-	-	-	-	4	2	2	9	13	5
Not stated	1,451	-	22	135	137	112	78	54	16	8	12	877

430007 O -57 -21

Table 25. Live Births by Age of Father, Color, and Sex of Child for the United States and Each State; and by Age of Mother for the United States: 1955—Continued

(By place of residence. Includes only births occurring within the continental United States)

AREA, COLOR, AND SEX OF CHILD (Age of mother for U. S. only)	Total	AGE OF FATHER										
		Under 15 years	15-19 years	20-24 years	25-29 years	30-34 years	35-39 years	40-44 years	45-49 years	50-54 years	55 years and over	Not stated
UNITED STATES—Continued												
NONWHITE—Continued												
Male	297,364	12	8,622	55,721	65,212	49,582	31,832	17,904	8,298	3,242	2,121	54,818
Under 15 years	1,941	7	343	188	23	7	5	-	2	1	1	1,364
15-19 years	56,354	4	7,454	21,494	5,277	1,100	364	125	79	21	13	20,423
20-24 years	92,613	-	780	30,923	31,490	9,159	2,908	1,033	389	160	97	15,674
25-29 years	71,689	-	24	2,731	25,067	22,111	8,089	2,932	1,250	460	283	8,742
30-34 years	44,981	1	5	250	2,888	15,311	12,691	5,339	2,200	860	479	4,957
35-39 years	22,613	-	2	46	363	1,696	7,288	6,292	2,681	1,018	728	2,499
40-44 years	5,966	-	2	8	30	128	438	2,117	1,534	613	447	649
45-49 years	424	-	-	-	2	7	12	41	154	101	61	46
50 years and over	17	-	-	-	-	-	1	-	2	5	7	2
Not stated	766	-	12	81	72	63	36	25	7	3	5	462
Female	291,483	11	8,314	53,666	63,933	48,804	31,500	17,689	8,423	3,237	2,059	53,847
Under 15 years	1,806	3	296	150	25	2	6	2	2	1	-	1,319
15-19 years	55,065	2	7,210	20,827	5,219	1,024	367	153	72	23	14	20,154
20-24 years	90,559	2	752	29,732	30,652	9,259	2,928	1,055	463	163	90	15,463
25-29 years	69,972	1	36	2,582	24,575	21,739	7,874	2,821	1,226	462	265	8,391
30-34 years	44,277	2	7	278	2,990	14,958	12,419	5,222	2,124	820	533	4,924
35-39 years	22,635	1	1	38	370	1,636	7,354	6,225	2,770	1,049	691	2,500
40-44 years	6,031	-	2	4	35	132	488	2,127	1,581	621	407	634
45-49 years	435	-	-	1	2	5	19	53	176	89	46	44
50 years and over	18	-	-	-	-	-	3	2	-	4	6	3
Not stated	685	-	10	54	65	49	42	29	9	5	7	415
ALABAMA	81,811	-	2,001	16,921	20,404	14,528	9,427	5,231	2,280	822	577	9,620
Male	41,847	-	985	8,616	10,460	7,479	4,863	2,675	1,178	407	300	4,884
Female	39,964	-	1,016	8,305	9,944	7,049	4,564	2,556	1,102	415	277	4,736
White	49,899	-	1,329	11,759	14,664	10,087	6,142	3,134	1,220	426	251	887
Male	25,813	-	663	6,006	7,613	5,252	3,177	1,618	645	221	144	474
Female	24,086	-	666	5,753	7,051	4,835	2,965	1,516	575	205	107	413
Nonwhite	31,912	-	672	5,162	5,740	4,441	3,285	2,097	1,060	396	326	8,733
Male	16,034	-	322	2,610	2,847	2,227	1,686	1,057	533	186	156	4,410
Female	15,878	-	350	2,552	2,893	2,214	1,599	1,040	527	210	170	4,323
ARIZONA	27,947	1	892	6,866	7,920	5,485	3,390	1,768	749	304	170	402
Male	14,338	-	446	3,495	4,064	2,788	1,777	906	390	169	93	210
Female	13,609	1	446	3,371	3,856	2,697	1,613	862	359	135	77	192
White	23,733	-	733	5,948	6,900	4,762	2,903	1,406	557	200	109	215
Male	12,272	-	380	3,029	3,554	2,443	1,535	748	292	118	57	116
Female	11,461	-	353	2,919	3,346	2,319	1,368	658	265	82	52	99
Nonwhite	4,214	1	159	918	1,020	723	487	362	192	104	61	187
Male	2,066	-	66	466	510	345	242	158	98	51	36	94
Female	2,148	1	93	452	510	378	245	204	94	53	25	93
ARKANSAS	41,802	1	1,165	9,002	9,960	7,305	4,983	3,026	1,506	587	436	3,831
Male	21,287	-	589	4,550	5,076	3,674	2,584	1,555	767	317	223	1,952
Female	20,515	1	576	4,452	4,884	3,631	2,399	1,471	739	270	213	1,879
White	28,936	-	844	6,950	7,799	5,628	3,553	2,010	966	325	203	658
Male	14,817	-	439	3,518	4,028	2,824	1,844	1,034	496	172	106	356
Female	14,119	-	405	3,432	3,771	2,804	1,709	976	470	153	97	302
Nonwhite	12,866	1	321	2,052	2,161	1,677	1,430	1,016	540	262	233	3,173
Male	6,470	-	150	1,032	1,048	850	740	521	271	145	117	1,596
Female	6,396	1	171	1,020	1,113	827	690	495	269	117	116	1,577
CALIFORNIA	313,366	4	8,890	70,751	92,485	71,610	39,143	17,623	6,440	2,172	941	3,307
Male	160,985	3	4,610	36,497	47,169	36,800	20,213	9,154	3,304	1,074	487	1,674
Female	152,381	1	4,280	34,254	45,316	34,810	18,930	8,469	3,136	1,098	454	1,633
White	283,006	4	7,841	64,887	84,521	64,798	35,064	15,331	5,319	1,755	777	2,709
Male	145,604	3	4,053	33,497	43,179	33,307	18,171	7,981	2,741	869	405	1,398
Female	137,402	1	3,788	31,390	41,342	31,491	16,893	7,350	2,578	886	372	1,311
Nonwhite	30,360	-	1,049	5,864	7,964	6,812	4,079	2,292	1,121	417	164	598
Male	15,381	-	557	3,000	3,990	3,493	2,042	1,173	563	205	82	276
Female	14,979	-	492	2,864	3,974	3,319	2,037	1,119	558	212	82	322
COLORADO	40,017	-	1,116	9,599	12,186	8,554	4,758	2,140	837	272	143	412
Male	20,435	-	579	4,907	6,220	4,380	2,407	1,120	414	135	78	195
Female	19,582	-	537	4,692	5,966	4,174	2,351	1,020	423	137	65	217
White	38,598	-	1,069	9,244	11,781	8,265	4,592	2,081	806	261	136	363
Male	19,716	-	560	4,723	6,018	4,233	2,317	1,087	397	129	73	179
Female	18,882	-	509	4,521	5,763	4,032	2,275	994	409	132	63	184
Nonwhite	1,419	-	47	355	405	289	166	59	31	11	7	49
Male	719	-	19	184	202	147	90	33	17	6	5	16
Female	700	-	28	171	203	142	76	26	14	5	2	33
CONNECTICUT	52,477	-	527	7,730	16,389	13,825	8,177	3,336	971	265	104	1,153
Male	26,678	-	281	4,018	8,337	6,924	4,129	1,747	483	126	53	580
Female	25,799	-	246	3,712	8,052	6,901	4,048	1,589	488	139	51	573
White	49,884	-	483	7,219	15,754	13,262	7,926	3,230	928	244	94	744
Male	25,383	-	251	3,747	8,030	6,647	4,015	1,691	458	114	49	381
Female	24,501	-	232	3,472	7,724	6,615	3,911	1,539	470	130	45	363
Nonwhite	2,593	-	44	511	635	563	251	106	43	21	10	409
Male	1,295	-	30	271	307	277	114	56	25	12	4	199
Female	1,298	-	14	240	328	286	137	50	18	9	6	210

Table 25. Live Births by Age of Father, Color, and Sex of Child for the United States and Each State; and by Age of Mother for the United States: 1955—Continued

(By place of residence. Includes only births occurring within the continental United States)

AREA, COLOR, AND SEX OF CHILD	Total	AGE OF FATHER										
		Under 15 years	15-19 years	20-24 years	25-29 years	30-34 years	35-39 years	40-44 years	45-49 years	50-54 years	55 years and over	Not stated
DELAWARE	10,587	-	224	2,036	3,017	2,371	1,335	569	175	67	34	759
Male	5,471	-	124	1,075	1,565	1,186	698	304	95	35	18	371
Female	5,116	-	100	961	1,452	1,185	637	265	80	32	16	388
White	8,820	-	174	1,787	2,696	2,128	1,180	471	130	52	23	179
Male	4,573	-	93	954	1,403	1,074	615	249	66	27	11	81
Female	4,247	-	81	833	1,293	1,054	565	222	64	25	12	98
Nonwhite	1,767	-	50	249	321	243	155	98	45	15	11	580
Male	898	-	31	121	162	112	83	55	29	8	7	290
Female	869	-	19	128	159	131	72	43	16	7	4	290
DISTRICT OF COLUMBIA	20,923	-	426	3,894	5,296	3,840	2,257	1,097	413	124	76	3,500
Male	10,669	-	219	1,967	2,723	1,974	1,140	555	204	63	38	1,786
Female	10,254	-	207	1,927	2,573	1,866	1,117	542	209	61	38	1,714
White	9,456	-	151	1,970	2,882	1,948	1,186	566	210	59	40	444
Male	4,867	-	85	993	1,518	1,003	604	287	101	32	18	226
Female	4,589	-	66	977	1,364	945	582	279	109	27	22	218
Nonwhite	11,467	-	275	1,924	2,414	1,892	1,071	531	203	65	36	3,056
Male	5,802	-	134	974	1,205	971	536	268	103	31	20	1,560
Female	5,665	-	141	950	1,209	921	535	263	100	34	16	1,496
FLORIDA	89,334	1	2,140	18,642	24,118	17,623	10,600	5,160	2,301	819	529	7,401
Male	45,668	1	1,103	9,628	12,304	8,998	5,423	2,598	1,162	424	278	3,749
Female	43,666	-	1,037	9,014	11,814	8,625	5,177	2,562	1,139	395	251	3,652
White	64,218	-	1,484	14,403	18,977	13,872	7,997	3,704	1,510	514	335	1,422
Male	33,002	-	763	7,476	9,699	7,112	4,127	1,866	776	266	179	738
Female	31,216	-	721	6,927	9,278	6,760	3,870	1,838	734	248	156	684
Nonwhite	25,116	1	656	4,239	5,141	3,751	2,603	1,456	791	305	194	5,979
Male	12,666	1	340	2,152	2,605	1,886	1,296	732	386	158	99	3,011
Female	12,450	-	316	2,087	2,536	1,865	1,307	724	405	147	95	2,968
GEORGIA	100,442	1	2,810	23,054	25,731	18,173	11,332	5,964	2,371	791	522	9,693
Male	51,159	1	1,456	11,807	13,063	9,205	5,773	3,060	1,217	377	271	4,929
Female	49,283	-	1,354	11,247	12,668	8,968	5,559	2,904	1,154	414	251	4,764
White	64,360	-	1,698	16,170	18,864	13,052	7,586	3,763	1,386	432	263	1,146
Male	33,073	-	895	8,308	9,595	6,697	3,958	1,936	735	211	149	589
Female	31,287	-	803	7,862	9,269	6,355	3,628	1,827	651	221	114	557
Nonwhite	36,082	1	1,112	6,884	6,867	5,121	3,746	2,201	985	359	259	8,547
Male	18,086	1	561	3,499	3,468	2,508	1,815	1,124	482	166	122	4,340
Female	17,996	-	551	3,385	3,399	2,613	1,931	1,077	503	193	137	4,207
IDAHO	16,986	-	543	3,927	4,847	3,570	2,165	1,121	410	124	58	221
Male	8,834	-	298	2,010	2,544	1,865	1,132	569	205	63	26	122
Female	8,152	-	245	1,917	2,303	1,705	1,033	552	205	61	32	99
White	16,676	-	536	3,879	4,768	3,502	2,119	1,099	401	121	56	195
Male	8,682	-	294	1,988	2,506	1,828	1,109	559	203	62	25	108
Female	7,994	-	242	1,891	2,262	1,674	1,010	540	198	59	31	87
Nonwhite	310	-	7	48	79	68	46	22	9	3	2	26
Male	152	-	4	22	38	37	23	10	2	1	1	14
Female	158	-	3	26	41	31	23	12	7	2	1	12
ILLINOIS	220,621	-	4,318	40,092	66,197	51,039	29,217	13,102	4,535	1,370	588	10,163
Male	112,955	-	2,252	20,540	33,744	26,160	15,071	6,740	2,302	712	297	5,137
Female	107,666	-	2,066	19,552	32,453	24,879	14,146	6,362	2,233	658	291	5,026
White	189,756	-	3,584	34,588	59,132	45,855	26,206	11,719	3,852	1,117	463	3,240
Male	97,455	-	1,879	17,776	30,139	23,562	13,618	6,034	1,969	575	222	1,681
Female	92,301	-	1,705	16,812	28,993	22,293	12,588	5,685	1,883	542	241	1,559
Nonwhite	30,865	-	734	5,504	7,065	5,184	3,011	1,383	683	253	125	6,923
Male	15,500	-	373	2,764	3,605	2,598	1,453	706	333	137	75	3,456
Female	15,365	-	361	2,740	3,460	2,586	1,558	677	350	116	50	3,467
INDIANA	108,614	4	3,468	24,669	33,406	23,110	12,621	6,003	2,119	696	362	2,156
Male	55,955	2	1,766	12,840	17,098	11,886	6,549	3,089	1,094	361	194	1,076
Female	52,659	2	1,702	11,829	16,308	11,224	6,072	2,914	1,025	335	168	1,080
White	100,690	3	3,177	22,959	31,317	21,596	11,743	5,518	1,933	619	310	1,515
Male	51,877	1	1,608	11,929	16,036	11,118	6,103	2,836	1,003	316	170	757
Female	48,813	2	1,569	11,030	15,281	10,478	5,640	2,682	930	303	140	758
Nonwhite	7,924	1	291	1,710	2,089	1,514	878	485	186	77	52	641
Male	4,078	1	158	911	1,062	768	446	253	91	45	24	319
Female	3,846	-	133	799	1,027	746	432	232	95	32	28	322
IOWA	63,747	-	1,526	13,230	19,890	14,226	8,019	3,736	1,284	394	170	1,272
Male	32,708	-	818	6,829	10,274	7,244	4,045	1,892	665	208	83	650
Female	31,039	-	708	6,401	9,616	6,982	3,974	1,844	619	186	87	622
White	62,961	-	1,506	13,081	19,692	14,081	7,959	3,694	1,267	390	166	1,145
Male	32,300	-	803	6,760	10,165	7,171	4,001	1,872	655	206	81	586
Female	30,661	-	703	6,321	9,527	6,910	3,958	1,822	612	184	85	559
Nonwhite	786	-	20	149	198	145	80	42	17	4	4	127
Male	408	-	15	69	109	73	44	20	10	2	2	64
Female	378	-	5	80	89	72	36	22	7	2	2	63
KANSAS	52,912	1	1,309	12,615	16,294	11,457	6,206	2,809	986	272	153	810
Male	27,335	-	678	6,502	8,437	5,921	3,178	1,466	527	124	80	422
Female	25,577	1	631	6,113	7,857	5,536	3,028	1,343	459	148	73	388
White	50,055	-	1,209	11,919	15,513	10,950	5,902	2,654	911	245	133	619
Male	25,881	-	626	6,149	8,051	5,653	3,036	1,391	487	115	68	305
Female	24,174	-	583	5,770	7,462	5,297	2,866	1,263	424	130	65	314
Nonwhite	2,857	1	100	696	781	507	304	155	75	27	20	191
Male	1,454	-	52	353	386	268	142	75	40	9	12	117
Female	1,403	1	48	343	395	239	162	80	35	18	8	74

Table 25. Live Births by Age of Father, Color, and Sex of Child for the United States and Each State; and by Age of Mother for the United States: 1955—Continued

(By place of residence. Includes only births occurring within the continental United States)

AREA, COLOR, AND SEX OF CHILD	Total	AGE OF FATHER										
		Under 15 years	15-19 years	20-24 years	25-29 years	30-34 years	35-39 years	40-44 years	45-49 years	50-54 years	55 years and over	Not stated
KENTUCKY	73,697	1	2,136	16,155	19,927	14,551	8,989	5,052	2,273	874	645	3,294
Male	38,085	1	1,119	8,324	10,282	7,487	4,597	2,584	1,138	474	342	1,737
Female	35,812	-	1,017	7,831	9,645	7,064	4,392	2,468	1,135	400	303	1,557
White	67,741	1	1,959	15,087	18,602	13,614	8,447	4,663	2,099	796	588	1,885
Male	34,980	1	1,032	7,790	9,613	7,027	4,328	2,397	1,053	435	311	1,003
Female	32,761	-	927	7,297	8,989	6,587	4,119	2,276	1,046	361	277	882
Nonwhite	6,156	-	177	1,068	1,325	937	542	389	174	78	57	1,409
Male	3,105	-	87	534	669	460	269	197	85	39	31	734
Female	3,051	-	90	534	656	477	273	192	89	39	26	675
LOUISIANA	86,154	-	2,093	18,420	22,902	16,622	10,439	5,306	2,346	813	508	6,705
Male	44,128	-	1,059	9,539	11,770	8,550	5,267	2,684	1,182	391	269	3,397
Female	42,026	-	1,034	8,881	11,132	8,072	5,152	2,622	1,164	422	239	3,308
White	51,953	-	1,131	11,715	15,665	11,254	6,611	3,128	1,202	354	187	706
Male	26,774	-	565	6,065	8,033	5,858	3,360	1,626	613	187	99	368
Female	25,179	-	566	5,650	7,632	5,396	3,251	1,502	589	167	88	338
Nonwhite	34,201	-	962	6,705	7,237	5,368	3,828	2,178	1,144	459	321	5,999
Male	17,354	-	494	3,474	3,737	2,692	1,927	1,058	569	204	170	3,029
Female	16,847	-	468	3,231	3,500	2,676	1,901	1,120	575	255	151	2,970
MAINE	22,420	-	659	5,376	6,690	4,558	2,541	1,177	474	177	88	880
Male	11,429	-	320	2,766	3,440	2,278	1,290	614	238	75	40	368
Female	10,991	-	339	2,610	3,250	2,280	1,251	563	236	102	48	312
White	22,269	-	657	5,333	6,648	4,532	2,527	1,172	470	174	87	669
Male	11,352	-	319	2,740	3,422	2,265	1,282	611	237	73	40	363
Female	10,917	-	338	2,593	3,226	2,267	1,245	561	233	101	47	306
Nonwhite	151	-	2	43	42	26	14	5	4	3	1	11
Male	77	-	1	26	18	13	8	3	1	2	-	5
Female	74	-	1	17	24	13	6	2	3	1	1	6
MARYLAND	67,888	5	2,220	13,632	20,160	15,721	9,090	3,952	1,438	428	210	1,032
Male	34,613	3	1,155	7,004	10,273	8,074	4,565	1,995	726	198	105	515
Female	33,275	2	1,065	6,628	9,887	7,647	4,525	1,957	712	230	105	517
White	53,281	2	1,131	10,067	16,466	13,007	7,480	3,128	1,080	305	142	473
Male	27,225	1	589	5,182	8,418	6,673	3,775	1,582	547	137	75	246
Female	26,056	1	542	4,885	8,048	6,334	3,705	1,546	533	168	67	227
Nonwhite	14,607	3	1,089	3,565	3,694	2,714	1,610	824	358	123	68	559
Male	7,388	2	566	1,822	1,855	1,401	790	413	179	61	30	269
Female	7,219	1	523	1,743	1,839	1,313	820	411	179	62	38	290
MASSACHUSETTS	110,263	3	1,136	17,951	34,708	28,249	16,136	6,767	2,068	535	223	2,487
Male	56,611	1	574	9,245	17,881	14,510	8,295	3,386	1,059	263	99	1,298
Female	53,652	2	562	8,706	16,827	13,739	7,841	3,381	1,009	272	124	1,189
White	107,168	2	1,089	17,393	33,918	27,565	15,757	6,612	2,010	507	212	2,103
Male	55,074	1	556	8,967	17,479	14,186	8,108	3,306	1,028	246	98	1,099
Female	52,094	1	533	8,426	16,439	13,379	7,649	3,306	982	261	114	1,004
Nonwhite	3,095	1	47	558	790	684	379	155	58	28	11	384
Male	1,537	-	18	278	402	324	187	80	31	17	1	199
Female	1,558	1	29	280	388	360	192	75	27	11	10	185
MICHIGAN	196,623	3	4,722	40,706	61,006	44,965	24,974	11,354	3,979	1,232	534	3,148
Male	100,637	3	2,465	20,753	31,414	22,906	12,824	5,868	1,957	608	271	1,568
Female	95,986	-	2,257	19,953	29,592	22,059	12,150	5,486	2,022	624	263	1,580
White	175,135	-	3,957	36,336	55,033	40,376	22,344	10,014	3,389	1,022	435	2,229
Male	89,711	-	2,075	18,544	28,384	20,538	11,465	5,203	1,654	511	230	1,107
Female	85,424	-	1,882	17,792	26,649	19,838	10,879	4,811	1,735	511	205	1,122
Nonwhite	21,488	3	765	4,370	5,973	4,589	2,630	1,340	590	210	99	919
Male	10,926	3	390	2,209	3,030	2;368	1,359	685	303	97	41	461
Female	10,562	-	375	2,161	2,943	2,221	1,271	675	287	113	58	458
MINNESOTA	81,705	-	1,217	13,926	24,693	19,447	11,875	5,937	1,985	627	247	1,751
Male	41,950	-	614	7,086	12,791	9,972	6,111	3,044	1,003	298	128	903
Female	39,755	-	603	6,840	11,902	9,475	5,764	2,893	982	329	119	848
White	80,375	-	1,185	13,730	24,413	19,181	11,739	5,835	1,951	614	228	1,489
Male	41,241	-	595	6,989	12,636	9,832	6,040	2,993	987	293	117	759
Female	39,134	-	590	6,741	11,777	9,359	5,699	2,842	964	321	111	730
Nonwhite	1,330	-	32	196	280	256	136	102	34	13	19	262
Male	709	-	19	97	155	140	71	51	16	5	11	144
Female	621	-	13	99	125	116	65	51	18	8	8	118
MISSISSIPPI	63,366	1	2,014	12,639	14,242	10,537	7,333	4,512	2,227	860	632	8,369
Male	32,163	-	1,060	6,466	7,213	5,304	3,722	2,303	1,115	448	318	4,214
Female	31,203	1	954	6,173	7,029	5,233	3,611	2,209	1,112	412	314	4,155
White	27,675	-	892	6,398	8,009	5,589	3,426	1,850	760	268	142	341
Male	14,117	-	479	3,242	4,039	2,830	1,777	962	406	141	75	166
Female	13,558	-	413	3,156	3,970	2,759	1,649	888	354	127	67	175
Nonwhite	35,691	1	1,122	6,241	6,233	4,948	3,907	2,662	1,467	592	490	8,028
Male	18,046	-	581	3,224	3,174	2,474	1,945	1,341	709	307	243	4,048
Female	17,645	1	541	3,017	3,059	2,474	1,962	1,321	758	285	247	3,980
MISSOURI	94,001	-	2,645	19,771	26,915	19,575	11,391	5,834	2,284	785	421	4,380
Male	47,978	-	1,331	10,181	13,720	9,939	5,761	3,016	1,181	389	214	2,246
Female	46,023	-	1,314	9,590	13,195	9,636	5,630	2,818	1,103	396	207	2,134
White	82,489	-	2,293	17,739	24,579	17,835	10,322	5,223	1,996	664	355	1,483
Male	42,247	-	1,154	9,166	12,559	9,116	5,224	2,700	1,039	333	180	776
Female	40,242	-	1,139	8,573	12,020	8,719	5,098	2,523	957	331	175	707
Nonwhite	11,512	-	352	2,032	2,336	1,740	1,069	611	288	121	66	2,897
Male	5,731	-	177	1,015	1,161	823	537	316	142	56	34	1,470
Female	5,781	-	175	1,017	1,175	917	532	295	146	65	32	1,427

Table 25. Live Births by Age of Father, Color, and Sex of Child for the United States and Each State; and by Age of Mother for the United States: 1955—Continued

(By place of residence. Includes only births occurring within the continental United States)

AREA, COLOR, AND SEX OF CHILD	Total	AGE OF FATHER										
		Under 15 years	15-19 years	20-24 years	25-29 years	30-34 years	35-39 years	40-44 years	45-49 years	50-54 years	55 years and over	Not stated
MONTANA	17,474	1	401	3,581	5,301	3,841	2,258	1,146	449	142	55	289
Male	8,940	-	215	1,863	2,686	1,993	1,120	581	233	72	33	144
Female	8,534	1	186	1,728	2,615	1,848	1,138	565	216	70	22	145
White	16,458	1	363	3,418	5,047	3,637	2,138	1,077	402	131	47	197
Male	8,432	-	197	1,772	2,568	1,891	1,057	542	207	67	29	102
Female	8,026	1	166	1,646	2,479	1,746	1,081	535	195	64	18	95
Nonwhite	1,016	-	38	173	254	204	120	69	47	11	8	92
Male	508	-	18	91	118	102	63	39	26	5	4	42
Female	508	-	20	82	136	102	57	30	21	6	4	50
NEBRASKA	34,258	-	690	7,334	10,812	7,596	4,201	1,936	688	193	91	717
Male	17,535	-	345	3,740	5,508	3,909	2,157	998	369	92	42	375
Female	16,723	-	345	3,594	5,304	3,687	2,044	938	319	101	49	342
White	33,073	-	668	7,082	10,511	7,418	4,108	1,873	656	181	85	491
Male	16,913	-	336	3,613	5,360	3,809	2,106	959	350	87	39	254
Female	16,160	-	332	3,469	5,151	3,609	2,002	914	306	94	46	237
Nonwhite	1,185	-	22	252	301	178	93	63	32	12	6	226
Male	622	-	9	127	148	100	51	39	19	5	3	121
Female	563	-	13	125	153	78	42	24	13	7	3	105
NEVADA	6,275	-	165	1,546	1,714	1,249	734	414	174	64	35	180
Male	3,181	-	76	786	880	630	371	208	84	40	19	87
Female	3,094	-	89	760	834	619	363	206	90	24	16	93
White	5,567	-	155	1,377	1,554	1,122	653	367	149	58	31	101
Male	2,827	-	73	694	789	579	334	187	73	36	17	45
Female	2,740	-	82	683	765	543	319	180	76	22	14	56
Nonwhite	708	-	10	169	160	127	81	47	25	6	4	79
Male	354	-	3	92	91	51	37	21	11	4	2	42
Female	354	-	7	77	69	76	44	26	14	2	2	37
NEW HAMPSHIRE	12,482	-	230	2,550	3,817	2,899	1,608	661	228	88	54	347
Male	6,434	-	108	1,321	2,009	1,472	848	318	114	48	30	166
Female	6,048	-	122	1,229	1,808	1,427	760	343	114	40	24	181
White	12,444	-	230	2,539	3,807	2,891	1,605	658	228	87	54	345
Male	6,417	-	108	1,316	2,005	1,468	846	317	114	47	30	166
Female	6,027	-	122	1,223	1,802	1,423	759	341	114	40	24	179
Nonwhite	38	-	-	11	10	8	3	3	-	1	-	2
Male	17	-	-	5	4	4	2	1	-	1	-	-
Female	21	-	-	6	6	4	1	2	-	-	-	2
NEW JERSEY	121,427	1	1,407	18,451	37,179	31,793	18,596	7,909	2,421	641	276	2,753
Male	62,402	-	723	9,545	19,003	16,287	9,578	4,121	1,226	347	145	1,427
Female	59,025	1	684	8,906	18,176	15,506	9,018	3,788	1,195	294	131	1,326
White	107,944	-	1,008	15,546	33,676	29,238	17,135	7,214	2,138	532	232	1,225
Male	55,609	-	508	8,045	17,288	15,013	8,850	3,771	1,073	290	126	645
Female	52,335	-	500	7,501	16,388	14,225	8,285	3,443	1,065	242	106	580
Nonwhite	13,483	1	399	2,905	3,503	2,555	1,461	695	283	109	44	1,528
Male	6,793	-	215	1,500	1,715	1,274	728	350	153	57	19	782
Female	6,690	1	184	1,405	1,788	1,281	733	345	130	52	25	746
NEW MEXICO	25,759	-	738	6,016	7,097	5,065	2,898	1,585	678	250	171	1,261
Male	13,046	-	379	3,048	3,637	2,586	1,465	784	341	122	84	600
Female	12,713	-	359	2,968	3,460	2,479	1,433	801	337	128	87	661
White	23,376	-	697	5,603	6,591	4,677	2,601	1,386	590	200	124	907
Male	11,839	-	359	2,835	3,390	2,375	1,320	688	296	96	56	424
Female	11,537	-	338	2,768	3,201	2,302	1,281	698	294	104	68	483
Nonwhite	2,383	-	41	413	506	388	297	199	88	50	47	354
Male	1,207	-	20	213	247	211	145	96	45	26	28	176
Female	1,176	-	21	200	259	177	152	103	43	24	19	178
NEW YORK	342,566	-	3,887	52,358	103,313	86,093	49,280	22,510	7,670	2,217	970	14,268
Male	175,699	-	2,036	26,983	53,121	44,066	25,128	11,548	3,918	1,138	473	7,288
Female	166,867	-	1,851	25,375	50,192	42,027	24,152	10,962	3,752	1,079	497	6,980
White	306,271	-	3,174	46,370	95,100	79,398	45,458	20,618	6,823	1,922	837	6,571
Male	157,415	-	1,665	23,993	48,932	40,671	23,235	10,600	3,505	987	408	3,419
Female	148,856	-	1,509	22,377	46,168	38,727	22,223	10,018	3,318	935	429	3,152
Nonwhite	36,295	-	713	5,988	8,213	6,695	3,822	1,892	847	295	133	7,697
Male	18,284	-	371	2,990	4,189	3,395	1,893	948	413	151	65	3,869
Female	18,011	-	342	2,998	4,024	3,300	1,929	944	434	144	68	3,828
NORTH CAROLINA	115,365	1	3,508	26,137	30,694	21,788	12,995	6,197	2,267	829	502	10,447
Male	58,779	-	1,761	13,316	15,674	11,170	6,563	3,175	1,124	414	258	5,324
Female	56,586	1	1,747	12,821	15,020	10,618	6,432	3,022	1,143	415	244	5,123
White	77,006	-	2,547	19,295	22,750	15,620	8,830	4,002	1,390	497	303	1,772
Male	39,423	-	1,269	9,886	11,699	8,021	4,434	2,034	707	261	162	950
Female	37,583	-	1,278	9,409	11,051	7,599	4,396	1,968	683	236	141	822
Nonwhite	38,359	1	961	6,842	7,944	6,168	4,165	2,195	877	332	199	8,675
Male	19,356	-	492	3,430	3,975	3,149	2,129	1,141	417	153	96	4,374
Female	19,003	1	469	3,412	3,969	3,019	2,036	1,054	460	179	103	4,301
NORTH DAKOTA	17,237	-	244	3,032	5,175	3,781	2,560	1,390	537	148	60	310
Male	8,782	-	127	1,530	2,604	1,998	1,314	709	263	55	28	154
Female	8,455	-	117	1,502	2,571	1,783	1,246	681	274	93	32	156
White	16,773	-	238	2,960	5,060	3,689	2,498	1,362	519	140	59	248
Male	8,548	-	126	1,491	2,547	1,943	1,285	694	255	53	27	127
Female	8,225	-	112	1,469	2,513	1,746	1,213	668	264	87	32	121
Nonwhite	464	-	6	72	115	92	62	28	18	8	1	62
Male	234	-	1	39	57	55	29	15	8	2	1	27
Female	230	-	5	33	58	37	33	13	10	6	-	35

Table 25. Live Births by Age of Father, Color, and Sex of Child for the United States and Each State; and by Age of Mother for the United States: 1955—Continued

(By place of residence. Includes only births occurring within the continental United States)

AREA, COLOR, AND SEX OF CHILD	Total	AGE OF FATHER										
		Under 15 years	15-19 years	20-24 years	25-29 years	30-34 years	35-39 years	40-44 years	45-49 years	50-54 years	55 years and over	Not stated
OHIO	223,470	2	5,283	45,496	68,508	51,144	28,368	12,494	4,303	1,348	639	5,885
Male	114,991	1	2,736	23,446	35,325	26,320	14,606	6,320	2,199	701	337	3,000
Female	108,479	1	2,547	22,050	33,183	24,824	13,762	6,174	2,104	647	302	2,885
White	201,789	1	4,623	41,189	62,733	46,776	26,050	11,262	3,777	1,129	517	3,732
Male	104,009	1	2,419	21,254	32,377	24,138	13,421	5,725	1,947	576	265	1,884
Female	97,780	-	2,204	19,935	30,356	22,638	12,629	5,537	1,830	551	252	1,848
Nonwhite	21,681	1	660	4,307	5,775	4,368	2,318	1,232	526	219	122	2,153
Male	10,982	-	317	2,192	2,948	2,182	1,185	595	252	123	72	1,116
Female	10,699	1	343	2,115	2,827	2,186	1,133	637	274	96	50	1,037
OKLAHOMA	50,102	-	1,719	12,594	14,379	9,664	5,102	2,690	1,067	414	291	2,182
Male	25,660	-	882	6,584	7,351	4,898	2,601	1,334	530	195	158	1,127
Female	24,442	-	837	6,010	7,028	4,766	2,501	1,356	537	219	133	1,055
White	43,969	-	1,544	11,462	13,045	8,739	4,470	2,288	879	326	214	1,002
Male	22,551	-	790	6,024	6,672	4,425	2,277	1,132	437	160	114	520
Female	21,418	-	754	5,438	6,373	4,314	2,193	1,156	442	166	100	482
Nonwhite	6,133	-	175	1,132	1,334	925	632	402	188	88	77	1,180
Male	3,109	-	92	560	679	473	324	202	93	35	44	607
Female	3,024	-	83	572	655	452	308	200	95	53	33	573
OREGON	38,788	-	1,001	8,457	11,584	8,365	4,923	2,305	887	268	97	901
Male	19,793	-	535	4,280	5,994	4,256	2,479	1,169	442	132	50	456
Female	18,995	-	466	4,177	5,590	4,109	2,444	1,136	445	136	47	445
White	37,684	-	971	8,256	11,339	8,152	4,782	2,224	855	256	92	757
Male	19,225	-	519	4,181	5,870	4,143	2,408	1,120	423	126	47	388
Female	18,459	-	452	4,075	5,469	4,009	2,374	1,104	432	130	45	369
Nonwhite	1,104	-	30	201	245	213	141	81	32	12	5	144
Male	568	-	16	99	124	113	71	49	19	6	3	68
Female	536	-	14	102	121	100	70	32	13	6	2	76
PENNSYLVANIA	242,752	4	5,120	43,676	74,379	58,552	34,102	15,113	4,854	1,372	669	4,911
Male	124,646	3	2,684	22,390	38,208	30,218	17,469	7,610	2,461	693	354	2,556
Female	118,106	1	2,436	21,286	36,171	28,334	16,633	7,503	2,393	679	315	2,355
White	220,243	-	4,278	39,054	68,721	54,154	31,579	13,822	4,282	1,147	569	2,637
Male	113,339	-	2,257	20,027	35,397	28,035	16,198	6,982	2,188	576	294	1,385
Female	106,904	-	2,021	19,027	33,324	26,119	15,381	6,840	2,094	571	275	1,252
Nonwhite	22,509	4	842	4,622	5,658	4,398	2,523	1,291	572	225	100	2,274
Male	11,307	3	427	2,363	2,811	2,183	1,271	628	273	117	60	1,171
Female	11,202	1	415	2,259	2,847	2,215	1,252	663	299	108	40	1,103
RHODE ISLAND	17,895	-	211	2,955	5,561	4,615	2,559	1,051	276	74	29	564
Male	9,167	-	128	1,523	2,769	2,419	1,356	508	145	38	8	273
Female	8,728	-	83	1,432	2,792	2,196	1,203	543	131	36	21	291
White	17,391	-	203	2,864	5,439	4,514	2,516	1,034	269	69	25	458
Male	8,912	-	123	1,474	2,710	2,368	1,332	500	141	35	8	221
Female	8,479	-	80	1,390	2,729	2,146	1,184	534	128	34	17	237
Nonwhite	504	-	8	91	122	101	43	17	7	5	4	106
Male	255	-	5	49	59	51	24	8	4	3	-	52
Female	249	-	3	42	63	50	19	9	3	2	4	54
SOUTH CAROLINA	63,583	1	1,679	14,356	16,202	11,510	7,175	3,506	1,290	380	302	7,182
Male	32,509	1	842	7,495	8,354	5,894	3,632	1,742	642	178	163	3,566
Female	31,074	-	837	6,861	7,848	5,616	3,543	1,764	648	202	139	3,616
White	35,483	-	1,032	9,199	10,452	7,240	4,018	1,867	679	187	135	674
Male	18,267	-	520	4,839	5,397	3,737	2,022	915	350	80	74	333
Female	17,216	-	512	4,360	5,055	3,503	1,996	952	329	107	61	341
Nonwhite	28,100	1	647	5,157	5,750	4,270	3,157	1,639	611	193	167	6,508
Male	14,242	1	322	2,656	2,957	2,157	1,610	827	292	98	89	3,233
Female	13,858	-	325	2,501	2,793	2,113	1,547	812	319	95	78	3,275
SOUTH DAKOTA	18,634	-	332	3,709	5,508	4,106	2,509	1,341	455	158	64	452
Male	9,509	-	183	1,857	2,836	2,128	1,273	658	227	81	38	228
Female	9,125	-	149	1,852	2,672	1,978	1,236	683	228	77	26	224
White	17,725	-	319	3,561	5,336	3,968	2,394	1,256	417	141	53	280
Male	9,051	-	176	1,787	2,735	2,052	1,220	619	216	74	32	140
Female	8,674	-	143	1,774	2,601	1,916	1,174	637	201	67	21	140
Nonwhite	909	-	13	148	172	138	115	85	38	17	11	172
Male	458	-	7	70	101	76	53	39	11	7	6	88
Female	451	-	6	78	71	62	62	46	27	10	5	84
TENNESSEE	85,037	-	2,608	18,638	22,307	15,982	9,943	5,499	2,384	798	535	6,343
Male	43,579	-	1,355	9,589	11,452	8,210	5,145	2,726	1,213	401	244	3,244
Female	41,458	-	1,253	9,049	10,855	7,772	4,798	2,773	1,171	397	291	3,099
White	67,001	-	2,124	15,553	18,771	13,461	8,162	4,378	1,799	603	432	1,718
Male	34,347	-	1,100	8,005	9,603	6,945	4,228	2,161	917	311	200	877
Female	32,654	-	1,024	7,548	9,168	6,516	3,934	2,217	882	292	232	841
Nonwhite	18,036	-	484	3,085	3,536	2,521	1,781	1,121	585	195	103	4,625
Male	9,232	-	255	1,584	1,849	1,265	917	565	296	90	44	2,367
Female	8,804	-	229	1,501	1,687	1,256	864	556	289	105	59	2,258
TEXAS	239,873	1	7,312	57,596	67,991	47,807	26,120	13,651	5,849	2,039	1,132	10,375
Male	122,573	-	3,729	29,527	34,702	24,478	13,352	6,967	2,975	1,058	590	5,195
Female	117,300	1	3,583	28,069	33,289	23,329	12,768	6,684	2,874	981	542	5,180
White	206,078	-	6,306	50,934	60,781	42,568	22,778	11,602	4,839	1,627	825	3,818
Male	105,388	-	3,219	26,125	31,072	21,799	11,618	5,921	2,454	837	426	1,817
Female	100,690	-	3,087	24,809	29,709	20,769	11,160	5,681	2,385	790	399	1,901
Nonwhite	33,795	1	1,006	6,662	7,210	5,239	3,342	2,049	1,010	412	307	6,557
Male	17,185	-	510	3,402	3,630	2,679	1,734	1,046	521	221	164	3,278
Female	16,610	1	496	3,260	3,580	2,560	1,608	1,003	489	191	143	3,279

Table 25. Live Births by Age of Father, Color, and Sex of Child for the United States and Each State; and by Age of Mother for the United States: 1955—Continued

(By place of residence. Includes only births occurring within the continental United States)

AREA, COLOR, AND SEX OF CHILD	Total	AGE OF FATHER										
		Under 15 years	15-19 years	20-24 years	25-29 years	30-34 years	35-39 years	40-44 years	45-49 years	50-54 years	55 years and over	Not stated
UTAH	24,891	-	777	5,616	7,480	5,303	3,220	1,512	530	144	59	250
Male	12,762	-	412	2,816	3,831	2,720	1,704	764	275	71	33	136
Female	12,129	-	365	2,800	3,649	2,583	1,516	748	255	73	26	114
White	24,406	-	765	5,531	7,367	5,191	3,170	1,477	507	137	53	208
Male	12,521	-	405	2,776	3,780	2,663	1,678	743	265	67	31	113
Female	11,885	-	360	2,755	3,587	2,528	1,492	734	242	70	22	95
Nonwhite	485	-	12	85	113	112	50	35	23	7	6	42
Male	241	-	7	40	51	57	26	21	10	4	2	23
Female	244	-	5	45	62	55	24	14	13	3	4	19
VERMONT	9,345	-	157	1,919	2,857	1,971	1,282	606	225	69	36	223
Male	4,866	-	83	994	1,484	1,019	675	313	125	28	24	121
Female	4,479	-	74	925	1,373	952	607	293	100	41	12	102
White	9,317	-	155	1,911	2,848	1,968	1,281	603	224	69	36	222
Male	4,850	-	82	991	1,479	1,016	674	311	124	28	24	121
Female	4,467	-	73	920	1,369	952	607	292	100	41	12	101
Nonwhite	28	-	2	8	9	3	1	3	1	-	-	1
Male	16	-	1	3	5	3	1	2	1	-	-	-
Female	12	-	1	5	4	-	-	1	-	-	-	1
VIRGINIA	94,548	1	2,127	20,574	26,114	19,187	11,313	5,341	1,921	706	390	6,874
Male	48,161	1	1,119	10,645	13,251	9,698	5,757	2,697	1,011	352	200	3,430
Female	46,387	-	1,008	9,929	12,863	9,489	5,556	2,644	910	354	190	3,444
White	70,211	1	1,477	16,022	20,777	15,252	8,889	4,020	1,378	507	270	1,618
Male	35,999	1	794	8,294	10,616	7,751	4,581	2,054	732	246	137	793
Female	34,212	-	683	7,728	10,161	7,501	4,308	1,966	646	261	133	825
Nonwhite	24,337	-	650	4,552	5,337	3,935	2,424	1,321	543	199	120	5,256
Male	12,162	-	325	2,351	2,635	1,947	1,176	643	279	106	63	2,637
Female	12,175	-	325	2,201	2,702	1,988	1,248	678	264	93	57	2,619
WASHINGTON	62,422	1	1,424	14,186	18,571	13,705	7,750	3,515	1,249	349	174	1,498
Male	32,143	1	744	7,325	9,576	7,142	3,868	1,777	638	194	94	784
Female	30,279	-	680	6,861	8,995	6,563	3,882	1,738	611	155	80	714
White	59,568	1	1,375	13,665	17,888	13,126	7,382	3,313	1,138	306	158	1,216
Male	30,635	1	718	7,051	9,229	6,825	3,675	1,671	579	167	90	629
Female	28,933	-	657	6,614	8,659	6,301	3,707	1,642	559	139	68	587
Nonwhite	2,854	-	49	521	683	579	368	202	111	43	16	282
Male	1,508	-	26	274	347	317	193	106	59	27	4	155
Female	1,346	-	23	247	336	262	175	96	52	16	12	127
WEST VIRGINIA	44,172	-	1,045	8,815	12,099	8,985	5,260	3,021	1,459	499	408	2,583
Male	22,680	-	554	4,545	6,219	4,568	2,690	1,581	734	267	198	1,324
Female	21,492	-	491	4,270	5,880	4,417	2,570	1,440	725	232	208	1,259
White	41,596	-	1,007	8,500	11,581	8,588	4,974	2,804	1,358	434	352	1,998
Male	21,406	-	537	4,391	5,944	4,391	2,540	1,488	687	226	171	1,031
Female	20,190	-	470	4,109	5,637	4,197	2,434	1,316	671	208	181	967
Nonwhite	2,576	-	38	315	518	397	286	217	101	65	54	585
Male	1,274	-	17	154	275	177	150	93	47	41	27	293
Female	1,302	-	21	161	243	220	136	124	54	24	27	292
WISCONSIN	92,427	1	1,293	16,579	28,801	21,453	13,082	6,481	2,127	552	237	1,621
Male	47,512	1	655	8,512	14,816	11,017	6,761	3,353	1,093	283	112	909
Female	44,915	-	638	8,067	13,985	10,436	6,321	3,128	1,034	269	125	912
White	89,605	1	1,258	16,016	27,987	20,909	12,773	6,365	2,079	529	229	1,459
Male	46,083	1	639	8,218	14,399	10,733	6,600	3,299	1,069	276	110	739
Female	43,522	-	619	7,798	13,588	10,176	6,173	3,066	1,010	253	119	720
Nonwhite	2,822	-	35	563	814	544	309	116	48	23	8	362
Male	1,429	-	16	294	417	284	161	54	24	7	2	170
Female	1,393	-	19	269	397	260	148	62	24	16	6	192
WYOMING	8,610	-	282	1,989	2,670	1,802	1,011	489	189	56	34	88
Male	4,452	-	143	1,035	1,385	936	513	258	96	30	19	37
Female	4,158	-	139	954	1,285	866	498	231	93	26	15	51
White	8,336	-	272	1,919	2,597	1,766	980	469	179	50	32	72
Male	4,313	-	138	999	1,350	914	499	247	89	27	19	31
Female	4,023	-	134	920	1,247	852	481	222	90	23	13	41
Nonwhite	274	-	10	70	73	36	31	20	10	6	2	16
Male	139	-	5	36	35	22	14	11	7	3	-	6
Female	135	-	5	34	38	14	17	9	3	3	2	10

Table 26A. Live Births by Age of Mother, Live-Birth Order, Sex of Child, Race, and Nativity of White Mother: United States, 1955

(Includes only births occurring within the continental United States. Live-birth order refers to number of children born alive to mother. Births which occurred in Massachusetts are included in the "Not stated" classification for birth order because this State did not require reporting on the item)

AGE OF MOTHER, SEX OF CHILD, RACE, AND NATIVITY OF WHITE MOTHER	Total	LIVE-BIRTH ORDER																	
		1	2	3	4	5	6	7	8	9	10	11	12	13	14	15	16	17+	Not stated
ALL RACES-	4,047,295	1,095,344	1,059,155	766,330	441,338	237,329	131,941	76,188	46,814	29,570	19,156	11,553	7,360	4,541	2,346	1,298	678	667	115,687
Under 15 years---	5,883	5,510	274	14	2	-	-	-	-	-	-	-	-	-	-	-	-	-	83
15-19 years------	484,097	336,172	111,329	23,973	4,261	628	101	23	12	6	-	-	-	-	-	-	-	-	7,592
20-24 years------	1,273,908	464,897	424,645	216,857	88,074	32,278	10,503	3,075	843	270	73	28	19	6	2	-	-	-	32,338
25-29 years------	1,119,279	186,904	316,369	269,561	153,613	80,375	41,972	20,243	9,129	3,529	1,347	479	197	68	22	16	7	9	35,439
30-34 years------	722,277	69,007	146,077	174,416	123,875	72,959	44,021	27,568	17,662	10,688	5,943	2,927	1,389	615	258	103	47	38	24,684
35-39 years------	345,305	25,724	50,318	67,769	58,378	40,082	27,079	18,933	14,105	10,783	7,928	5,058	3,291	2,003	965	493	245	222	11,929
40-44 years------	87,587	5,624	9,197	12,815	12,313	10,298	7,719	5,886	4,691	3,919	3,522	2,778	2,211	1,623	957	587	318	325	2,804
45-49 years------	5,019	277	336	496	518	497	413	372	307	322	287	249	237	218	137	95	58	69	131
50 and over------	92	15	10	8	5	4	5	4	5	6	7	6	3	-	2	2	1	3	6
Not stated-------	3,848	1,214	600	421	299	208	128	84	60	47	49	28	13	8	3	2	2	1	681
Male----------	2,073,719	563,891	542,362	392,936	226,012	120,978	66,926	38,524	23,684	15,009	9,765	5,720	3,749	2,255	1,202	663	349	323	59,371
Under 15 years---	3,050	2,850	147	4	-	-	-	-	-	-	-	-	-	-	-	-	-	-	49
15-19 years------	248,619	173,382	56,589	12,173	2,146	342	59	9	7	2	-	-	-	-	-	-	-	-	3,910
20-24 years------	653,081	239,255	217,019	111,216	45,061	16,396	5,308	1,554	427	127	42	19	7	2	2	-	-	-	16,646
25-29 years------	573,017	95,892	162,503	137,882	78,636	40,881	21,333	10,142	4,697	1,782	691	225	103	40	10	7	5	2	18,186
30-34 years------	370,380	35,659	75,203	89,891	63,364	37,246	22,357	13,941	8,898	5,448	3,021	1,444	715	324	131	54	27	21	12,836
35-39 years------	176,305	13,186	25,718	34,684	29,965	20,477	13,721	9,663	7,155	5,459	4,035	2,522	1,695	986	488	235	125	112	6,079
40-44 years------	44,638	2,880	4,673	6,593	6,407	5,286	3,871	2,970	2,308	1,991	1,811	1,369	1,110	805	495	321	161	155	1,432
45-49 years------	2,535	141	188	255	271	235	204	197	161	174	133	124	109	95	73	45	29	30	71
50 and over------	45	3	4	4	4	2	4	-	3	3	4	3	2	-	-	-	1	3	5
Not stated-------	2,049	643	318	234	158	113	69	48	28	23	28	14	8	3	3	1	1	-	357
Female---------	1,973,576	531,453	516,793	373,394	215,326	116,351	65,015	37,664	23,130	14,561	9,391	5,833	3,611	2,286	1,144	635	329	344	56,316
Under 15 years---	2,833	2,660	127	10	2	-	-	-	-	-	-	-	-	-	-	-	-	-	34
15-19 years------	235,478	162,790	54,740	11,800	2,115	286	42	14	5	4	-	-	-	-	-	-	-	-	3,682
20-24 years------	620,827	225,642	207,626	105,641	43,013	16,882	5,195	1,521	416	143	31	9	12	4	-	-	-	-	15,692
25-29 years------	546,262	91,012	153,866	131,679	74,977	39,494	20,639	10,101	4,432	1,747	656	254	94	28	12	9	2	7	17,253
30-34 years------	351,897	33,348	70,874	84,525	60,511	35,713	21,664	13,627	8,764	5,240	2,922	1,483	674	291	127	49	20	17	12,048
35-39 years------	169,000	12,538	24,600	33,085	28,413	19,605	13,358	9,270	6,950	5,324	3,893	2,536	1,596	1,017	477	258	120	110	5,850
40-44 years------	42,949	2,744	4,524	6,222	5,906	5,012	3,848	2,916	2,383	1,928	1,711	1,409	1,101	816	462	266	157	170	1,372
45-49 years------	2,484	136	148	241	247	262	209	175	146	148	154	125	128	123	64	50	29	39	60
50 and over------	47	12	6	4	1	2	1	4	2	3	3	3	1	-	2	2	-	-	1
Not stated-------	1,799	571	282	187	141	95	59	36	32	24	21	14	5	5	-	1	1	1	324
WHITE------	3,458,448	962,144	942,924	673,842	369,156	183,202	93,498	50,149	28,801	17,428	10,955	6,389	4,105	2,445	1,214	670	342	338	110,846
Under 15 years---	2,136	2,038	54	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	42
15-19 years------	372,678	271,148	79,347	13,569	1,792	200	22	9	2	3	-	-	-	-	-	-	-	-	6,586
20-24 years------	1,090,736	423,508	375,901	175,774	60,737	17,801	4,663	1,060	247	66	26	6	10	3	-	-	-	-	30,934
25-29 years------	977,618	172,966	295,265	245,380	129,094	58,413	25,664	10,465	4,008	1,353	457	134	72	29	6	3	3	6	34,300
30-34 years------	633,019	63,029	136,328	162,883	111,779	61,378	33,487	18,752	10,449	5,772	2,922	1,293	619	251	79	29	11	12	23,946
35-39 years------	300,057	23,379	46,758	63,492	53,706	35,489	22,491	14,587	10,057	7,057	4,831	2,871	1,764	1,017	481	242	115	97	11,623
40-44 years------	75,590	5,159	8,520	12,002	11,407	9,370	6,756	4,940	3,752	2,896	2,484	1,892	1,461	996	552	336	177	176	2,714
45-49 years------	4,160	253	312	457	460	438	358	305	254	260	213	178	168	144	93	58	36	45	126
50 and over------	57	9	8	3	3	2	4	4	3	5	3	1	2	-	-	2	-	2	6
Not stated-------	2,397	655	431	280	178	111	53	27	29	16	19	14	9	5	3	-	-	-	567
Male----------	1,776,355	496,272	483,730	346,230	189,457	93,532	47,615	25,496	14,601	8,938	5,687	3,169	2,153	1,226	656	332	179	162	56,920
Under 15 years---	1,109	1,057	25	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	27
15-19 years------	192,265	140,353	40,454	7,036	902	104	12	1	-	-	-	-	-	-	-	-	-	-	3,403
20-24 years------	560,468	218,293	192,611	90,307	31,192	9,028	2,381	536	122	31	15	3	4	1	-	-	-	-	15,944
25-29 years------	501,328	88,802	151,725	125,738	66,172	29,758	13,099	5,311	2,054	706	244	65	38	15	5	3	2	2	17,589
30-34 years------	325,399	32,608	70,261	84,056	57,306	31,388	17,065	9,468	5,309	2,968	1,527	629	329	127	42	13	9	6	12,268
35-39 years------	153,692	12,021	23,910	32,499	27,609	18,171	11,449	7,459	5,148	3,606	2,510	1,433	945	510	268	110	65	50	5,929
40-44 years------	38,672	2,647	4,340	6,200	5,932	4,820	3,398	2,529	1,824	1,473	1,282	945	753	503	286	178	88	84	1,390
45-49 years------	2,111	132	174	236	243	204	179	161	130	142	95	88	77	68	52	28	15	18	69
50 and over------	28	2	3	2	2	1	3	-	2	2	2	-	2	-	-	-	-	2	5
Not stated-------	1,283	357	227	156	99	58	29	11	12	10	12	6	5	2	3	-	-	-	296
Female---------	1,682,093	465,872	459,194	327,612	179,699	89,670	45,883	24,653	14,200	8,490	5,268	3,220	1,952	1,219	558	338	163	176	53,926
Under 15 years---	1,027	981	29	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	15
15-19 years------	180,413	130,795	38,893	6,533	890	96	10	8	2	3	-	-	-	-	-	-	-	-	3,183
20-24 years------	530,268	205,215	183,290	85,467	29,545	8,773	2,282	524	125	35	11	3	6	2	-	-	-	-	14,990
25-29 years------	476,290	84,164	143,540	119,642	62,922	28,655	12,565	5,154	1,954	647	213	69	34	14	1	-	1	4	16,711
30-34 years------	307,620	30,421	66,067	78,827	54,473	29,990	16,422	9,264	5,140	2,804	1,395	664	290	124	37	16	2	6	11,678
35-39 years------	146,365	11,358	22,848	30,993	26,097	17,318	11,042	7,128	4,909	3,451	2,321	1,438	819	507	213	132	50	47	5,694
40-44 years------	36,918	2,512	4,180	5,802	5,475	4,550	3,358	2,411	1,928	1,423	1,202	947	708	493	266	158	89	92	1,324
45-49 years------	2,049	121	138	221	217	234	179	144	124	118	118	90	91	76	41	30	21	27	59
50 and over------	29	7	5	1	1	1	1	4	1	3	1	1	-	-	-	2	-	-	1
Not stated-------	1,114	298	204	124	79	53	24	16	17	6	7	8	4	3	-	-	-	-	271
Native white-	3,340,310	931,142	910,482	651,360	357,008	177,251	90,290	48,436	27,746	16,768	10,533	6,133	3,941	2,318	1,133	627	313	316	104,513
Under 15 years---	2,110	2,015	52	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	41
15-19 years------	368,194	267,958	78,432	13,396	1,767	191	21	9	2	3	-	-	-	-	-	-	-	-	6,415
20-24 years------	1,065,327	411,873	368,137	172,662	59,609	17,441	4,553	1,021	237	62	25	6	10	3	-	-	-	-	29,688
25-29 years------	940,924	163,739	283,612	238,015	125,463	56,734	24,888	10,107	3,855	1,301	438	127	72	28	6	3	3	4	32,529
30-34 years------	600,939	58,351	127,843	154,947	107,276	59,123	32,284	18,121	10,089	5,555	2,819	1,258	597	236	72	27	11	12	22,318
35-39 years------	286,302	21,838	43,921	60,463	51,560	34,334	21,723	14,144	9,738	6,813	4,649	2,765	1,713	967	453	227	109	95	10,790
40-44 years------	70,992	4,716	7,812	11,213	10,757	8,923	6,427	4,717	3,562	2,767	2,383	1,796	1,379	944	511	315	159	164	2,447
45-49 years------	3,825	230	280	408	414	402	341	289	232	249	200	168	161	135	88	54	31	40	103
50 and over------	51	9	8	3	2	2	3	4	3	5	3	1	2	-	-	1	-	1	4
Not stated-------	1,646	413	385	251	160	101	50	24	28	13	16	12	7	5	3	-	-	-	178
Male----------	1,715,682	480,261	467,144	334,593	183,172	90,521	45,991	24,626	14,088	8,600	5,475	3,042	2,059	1,163	612	315	165	152	53,703
Under 15 years---	1,094	1,043	25	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	26
15-19 years------	189,937	138,684	39,978	6,953	891	99	12	1	-	-	-	-	-	-	-	-	-	-	3,319
20-24 years------	547,372	212,298	188,590	88,687	30,628	8,849	2,321	517	119	30	15	3	4	1	-	-	-	-	15,310
25-29 years------	482,620	84,088	145,796	121,951	64,290	28,944	12,721	5,127	1,979	684	236	62	38	15	5	3	2	1	16,678
30-34 years------	308,854	30,171	65,924	79,943	54,949	30,216	16,455	9,173	5,137	2,857	1,467	608	315	118	39	13	9	6	11,454
35-39 years------	146,640	11,214	22,490	30,921	26,494	17,589	11,059	7,229	4,982	3,473	2,423	1,384	915	484	252	105	61	50	5,515
40-44 years------	36,325	2,418	3,984	5,781	5,612	4,583	3,227	2,415	1,740	1,408	1,235	895	708	480	266	168	78	79	1,248
45-49 years------	1,948	121	158	219	216	189	168	155	118	139	87	84	73	63	47	26	15	15	55
50 and over------	24	2	3	2	1	1	2	-	2	2	2	-	2	-	-	-	-	1	4
Not stated-------	868	222	196	136	91	51	26	9	11	7	10	6	4	2	3	-	-	-	94

Table 26A. Live Births by Age of Mother, Live-Birth Order, Sex of Child, Race, and Nativity of White Mother: United States, 1955—Continued

(See headnote on p. 220)

AGE OF MOTHER, SEX OF CHILD RACE, AND NATIVITY OF WHITE MOTHER	Total	LIVE-BIRTH ORDER																	
		1	2	3	4	5	6	7	8	9	10	11	12	13	14	15	16	17+	Not stated
WHITE—Con.																			
Native white—Continued.																			
Female	1,624,628	450,881	443,338	316,767	173,836	86,730	44,299	23,810	13,658	8,168	5,058	3,091	1,882	1,155	521	312	148	164	50,810
Under 15 years	1,016	972	27	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	15
15-19 years	178,257	129,274	38,454	6,443	876	92	9	8	2	3	-	-	-	-	-	-	-	-	3,096
20-24 years	517,955	199,575	179,547	83,975	28,981	8,592	2,232	504	118	32	10	3	6	2	-	-	-	-	14,378
25-29 years	458,304	79,651	137,816	116,064	61,173	27,790	12,167	4,980	1,876	617	202	65	34	13	1	-	1	3	15,851
30-34 years	292,085	28,180	61,919	75,004	52,327	28,907	15,829	8,948	4,952	2,698	1,352	650	282	118	33	14	2	6	10,864
35-39 years	139,662	10,624	21,431	29,542	25,066	16,745	10,664	6,915	4,756	3,340	2,226	1,381	798	483	201	122	48	45	5,275
40-44 years	34,667	2,298	3,828	5,432	5,145	4,340	3,200	2,302	1,822	1,359	1,148	901	671	464	245	147	81	85	1,199
45-49 years	1,877	109	122	189	198	213	173	134	114	110	113	84	88	72	41	28	16	25	48
50 and over	27	7	5	1	1	1	1	4	1	3	1	1	-	-	-	1	-	-	-
Not stated	778	191	189	115	69	50	24	15	17	6	6	6	3	3	-	-	-	-	84
Foreign-born white	116,469	30,549	32,303	22,401	12,081	5,909	3,186	1,698	1,043	645	414	249	160	126	81	42	28	20	5,534
Under 15 years	21	19	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1
15-19 years	4,352	3,112	902	172	25	9	1	-	-	-	-	-	-	-	-	-	-	-	131
20-24 years	25,115	11,558	7,725	3,088	1,113	356	106	38	10	4	-	-	-	-	-	-	-	-	1,117
25-29 years	36,482	9,200	11,631	7,354	3,616	1,672	770	356	153	51	18	7	-	1	-	-	-	-	1,653
30-34 years	31,899	4,661	8,471	7,920	4,483	2,243	1,197	626	356	214	103	34	22	15	7	2	-	-	1,545
35-39 years	13,667	1,532	2,829	3,022	2,142	1,151	763	442	317	242	179	103	51	50	28	15	6	2	793
40-44 years	4,558	440	705	788	648	443	329	220	186	123	101	95	80	51	41	20	18	12	258
45-49 years	325	22	32	48	46	32	17	16	21	10	12	10	7	9	5	4	4	5	25
50 and over	5	-	-	-	1	-	1	-	-	-	-	-	-	-	-	1	-	1	1
Not stated	45	5	7	9	7	3	2	-	-	1	1	-	-	-	-	-	-	-	10
Male	59,791	15,770	16,504	11,590	6,246	2,988	1,612	860	505	329	208	125	92	63	44	16	14	9	2,816
Under 15 years	13	12	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1
15-19 years	2,260	1,630	465	82	11	5	-	-	-	-	-	-	-	-	-	-	-	-	67
20-24 years	12,947	5,960	3,998	1,610	553	177	58	18	3	1	-	-	-	-	-	-	-	-	569
25-29 years	18,598	4,699	5,919	3,781	1,875	811	375	182	75	21	8	3	-	-	-	-	-	-	849
30-34 years	16,445	2,428	4,330	4,102	2,344	1,166	606	310	169	108	60	21	14	9	3	-	-	-	775
35-39 years	7,012	801	1,417	1,574	1,113	579	388	230	165	132	85	48	30	26	16	5	4	-	399
40-44 years	2,327	227	355	418	319	235	171	114	82	63	47	49	44	23	20	9	10	5	136
45-49 years	157	11	16	16	27	12	11	6	11	3	7	4	4	5	5	2	-	3	14
50 and over	4	-	-	-	1	-	1	-	-	-	-	-	-	-	-	-	-	1	1
Not stated	28	2	4	7	3	3	2	-	-	1	1	-	-	-	-	-	-	-	5
Female	56,678	14,779	15,799	10,811	5,835	2,921	1,574	838	538	316	206	124	68	63	37	26	14	11	2,718
Under 15 years	8	7	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
15-19 years	2,092	1,482	437	90	14	4	1	-	-	-	-	-	-	-	-	-	-	-	64
20-24 years	12,168	5,598	3,727	1,478	560	179	48	20	7	3	-	-	-	-	-	-	-	-	548
25-29 years	17,884	4,501	5,712	3,573	1,741	861	395	174	78	30	10	4	-	1	-	-	-	-	804
30-34 years	15,454	2,233	4,141	3,818	2,139	1,077	591	316	187	106	43	13	8	6	4	2	-	-	770
35-39 years	6,655	731	1,412	1,448	1,029	572	375	212	152	110	94	55	21	24	12	10	2	2	394
40-44 years	2,231	213	350	370	329	208	158	106	104	60	54	46	36	28	21	11	8	7	122
45-49 years	168	11	16	32	19	20	6	10	10	7	5	6	3	4	-	2	4	2	11
50 and over	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-
Not stated	17	3	3	2	4	-	-	-	-	-	-	-	-	-	-	-	-	-	5
Nativity not stated	1,669	453	139	81	67	42	22	15	12	15	8	7	4	1	-	1	1	2	799
Under 15 years	5	4	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
15-19 years	132	78	13	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	40
20-24 years	294	77	39	24	15	4	4	1	-	-	1	-	-	-	-	-	-	-	129
25-29 years	212	27	22	11	15	7	6	2	-	1	1	-	-	-	-	-	2	-	118
30-34 years	181	17	14	16	20	12	6	5	4	3	-	1	-	-	-	-	-	-	83
35-39 years	88	9	8	7	4	4	5	1	2	2	3	3	-	-	-	-	-	-	40
40-44 years	40	3	3	1	2	4	-	3	4	6	-	1	2	1	-	1	-	-	9
45-49 years	10	1	-	1	-	4	-	-	1	1	1	-	-	-	-	-	1	-	-
50 and over	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1
Not stated	706	237	39	20	11	7	1	3	1	2	2	2	2	-	-	-	-	-	379
Male	882	241	82	47	39	23	12	10	8	9	4	2	2	-	-	1	-	1	401
Under 15 years	2	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
15-19 years	68	39	11	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	17
20-24 years	149	35	23	10	11	2	2	1	-	-	-	-	-	-	-	-	-	-	65
25-29 years	110	15	10	6	7	3	3	2	-	1	-	-	-	-	-	-	-	1	62
30-34 years	100	9	7	11	13	6	4	5	3	3	-	-	-	-	-	-	-	-	39
35-39 years	40	6	3	4	2	3	2	-	1	1	2	1	-	-	-	-	-	-	15
40-44 years	20	2	1	1	1	2	-	-	2	2	-	1	1	-	-	1	-	-	6
45-49 years	6	-	-	1	-	3	-	-	1	-	1	-	-	-	-	-	-	-	-
50 and over	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Not stated	387	133	27	13	5	4	1	2	1	2	1	-	1	-	-	-	-	-	197
Female	787	212	57	34	28	19	10	5	4	6	4	5	2	1	-	-	1	1	398
Under 15 years	3	2	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
15-19 years	64	39	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	23
20-24 years	145	42	16	14	4	2	2	-	-	-	1	-	-	-	-	-	-	-	64
25-29 years	102	12	12	5	8	4	3	-	-	-	1	-	-	-	-	-	-	1	56
30-34 years	81	8	7	5	7	6	2	-	1	-	-	1	-	-	-	-	-	-	44
35-39 years	48	3	5	3	2	1	3	1	1	1	1	2	-	-	-	-	-	-	25
40-44 years	20	1	2	-	1	2	-	3	2	4	-	-	1	1	-	-	-	-	3
45-49 years	4	1	-	-	-	1	-	-	-	1	-	-	-	-	-	-	1	-	-
50 and over	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1
Not stated	319	104	12	7	6	3	-	1	-	-	1	2	1	-	-	-	-	-	182
NONWHITE	588,847	133,200	116,231	92,488	72,182	54,127	38,443	26,039	18,013	12,142	8,201	5,164	3,255	2,096	1,132	628	336	329	4,841
Under 15 years	3,747	3,472	220	12	2	-	-	-	-	-	-	-	-	-	-	-	-	-	41
15-19 years	111,419	65,024	31,982	10,404	2,469	428	79	14	10	3	-	-	-	-	-	-	-	-	1,006
20-24 years	183,172	41,389	48,744	41,083	27,337	14,477	5,840	2,015	596	204	47	22	9	3	2	-	-	-	1,404
25-29 years	141,661	13,938	21,104	24,181	24,519	21,962	16,308	9,778	5,121	2,176	890	345	125	39	16	13	4	3	1,139
30-34 years	89,258	5,978	9,749	11,533	12,096	11,581	10,534	8,816	7,213	4,916	3,021	1,634	770	364	179	74	36	26	738
35-39 years	45,248	2,345	3,560	4,277	4,672	4,593	4,588	4,346	4,048	3,726	3,097	2,187	1,527	986	484	251	130	125	306
40-44 years	11,997	465	677	813	906	928	963	946	939	1,023	1,038	886	750	627	405	251	141	149	90
45-49 years	859	24	24	39	58	59	55	67	53	62	74	71	69	74	44	37	22	24	3
50 and over	35	6	2	5	2	2	1	-	2	1	4	5	1	-	2	-	1	1	-
Not stated	1,451	559	169	141	121	97	75	57	31	31	30	14	4	3	-	2	2	1	114

Table 26A. Live Births by Age of Mother, Live-Birth Order, Sex of Child, Race, and Nativity of White Mother: United States, 1955—Continued

(See headnote on p. 220)

AGE OF MOTHER, SEX OF CHILD, RACE, AND NATIVITY OF WHITE MOTHER	Total	LIVE-BIRTH ORDER																	
		1	2	3	4	5	6	7	8	9	10	11	12	13	14	15	16	17+	Not stated
NONWHITE—Continued																			
Male----------	297,364	67,619	58,632	46,706	36,555	27,446	19,311	13,028	9,083	6,071	4,078	2,551	1,596	1,029	546	331	170	161	2,451
Under 15 years---	1,941	1,793	122	4	-	-	-	-	-	-	-	-	-	-	-	-	-	-	22
15-19 years------	56,354	33,029	16,135	5,137	1,244	238	47	8	7	2	-	-	-	-	-	-	-	-	507
20-24 years------	92,613	20,962	24,408	20,909	13,869	7,368	2,927	1,018	305	96	27	16	3	1	2	-	-	-	702
25-29 years------	71,689	7,090	10,778	12,144	12,464	11,123	8,234	4,831	2,643	1,076	447	160	65	25	5	4	3	-	597
30-34 years------	44,981	3,051	4,942	5,835	6,058	5,858	5,292	4,453	3,589	2,460	1,494	815	386	197	89	41	18	15	368
35-39 years------	22,613	1,165	1,808	2,185	2,356	2,306	2,272	2,204	2,007	1,853	1,525	1,089	750	476	220	125	60	62	150
40-44 years------	5,966	233	333	393	475	466	473	441	484	518	529	424	357	302	209	143	73	71	42
45-49 years------	424	9	14	19	28	31	25	36	31	32	38	36	32	27	21	17	14	12	2
50 and over------	17	1	1	2	2	1	1	-	1	1	2	3	-	-	-	-	1	1	-
Not stated-------	766	286	91	78	59	55	40	37	16	13	16	8	3	1	-	1	1	-	61
Female---------	291,483	65,581	57,599	45,782	35,627	26,681	19,132	13,011	8,930	6,071	4,123	2,613	1,659	1,067	586	297	166	168	2,390
Under 15 years---	1,808	1,679	98	8	2	-	-	-	-	-	-	-	-	-	-	-	-	-	19
15-19 years------	55,065	31,995	15,847	5,267	1,225	190	32	6	3	1	-	-	-	-	-	-	-	-	499
20-24 years------	90,559	20,427	24,336	20,174	13,468	7,109	2,913	997	291	108	20	6	6	2	-	-	-	-	702
25-29 years------	69,972	6,848	10,326	12,037	12,055	10,839	8,074	4,947	2,478	1,100	443	185	60	14	11	9	1	3	542
30-34 years------	44,277	2,927	4,807	5,698	6,038	5,723	5,242	4,363	3,624	2,436	1,527	819	384	167	90	33	18	11	370
35-39 years------	22,635	1,180	1,752	2,092	2,316	2,287	2,316	2,142	2,041	1,873	1,572	1,098	777	510	264	126	70	63	156
40-44 years------	6,031	232	344	420	431	462	490	505	455	505	509	462	393	325	196	108	68	78	48
45-49 years------	435	15	10	20	30	28	30	31	22	30	36	35	37	47	23	20	8	12	1
50 and over------	18	5	1	3	-	1	-	-	1	-	2	2	1	-	2	-	-	-	-
Not stated-------	685	273	78	63	62	42	35	20	15	18	14	6	1	2	-	1	1	1	53
Negro--------	558,251	125,669	109,405	87,312	68,586	51,824	36,830	24,941	17,253	11,627	7,829	4,941	3,134	2,020	1,091	606	330	324	4,529
Under 15 years---	3,710	3,436	219	12	2	-	-	-	-	-	-	-	-	-	-	-	-	-	41
15-19 years------	108,375	62,958	31,254	10,211	2,435	424	79	12	10	3	-	-	-	-	-	-	-	-	989
20-24 years------	174,590	38,498	46,177	39,472	26,469	14,088	5,720	1,981	587	197	46	22	9	3	2	-	-	-	1,319
25-29 years------	132,373	12,277	18,923	22,387	23,093	21,007	15,667	9,457	4,974	2,127	882	339	125	38	16	12	4	3	1,042
30-34 years------	83,379	5,331	8,753	10,426	11,242	10,982	10,017	8,395	6,898	4,744	2,913	1,577	757	361	177	71	36	26	673
35-39 years------	42,458	2,168	3,271	3,898	4,336	4,324	4,340	4,093	3,829	3,507	2,928	2,092	1,465	952	472	248	128	124	283
40-44 years------	11,206	438	632	735	842	854	890	892	878	965	963	830	710	596	382	238	138	145	76
45-49 years------	776	23	23	35	53	53	48	63	45	54	65	64	63	65	40	35	21	24	2
50 and over------	32	6	2	4	2	2	-	-	2	1	4	4	1	-	2	-	1	1	-
Not stated-------	1,352	534	151	132	112	90	69	48	30	29	28	13	4	3	-	2	2	1	104
Male----------	281,846	63,811	55,156	44,091	34,737	26,241	18,492	12,477	8,700	5,814	3,882	2,443	1,537	994	523	323	167	159	2,299
Under 15 years---	1,927	1,779	122	4	-	-	-	-	-	-	-	-	-	-	-	-	-	-	22
15-19 years------	54,772	31,962	15,752	5,034	1,226	236	47	7	7	2	-	-	-	-	-	-	-	-	499
20-24 years------	88,340	19,501	23,136	20,113	13,445	7,168	2,880	999	302	93	27	16	3	1	2	-	-	-	654
25-29 years------	66,965	6,281	9,651	11,253	11,732	10,626	7,897	4,674	2,553	1,050	441	157	65	24	5	4	3	-	549
30-34 years------	41,953	2,712	4,435	5,248	5,627	5,548	5,020	4,223	3,441	2,393	1,444	785	382	195	87	40	18	15	340
35-39 years------	21,207	1,074	1,655	1,993	2,186	2,162	2,153	2,089	1,898	1,752	1,435	1,039	716	458	214	123	59	61	140
40-44 years------	5,575	219	309	356	442	423	436	422	456	482	486	402	338	291	198	139	71	70	35
45-49 years------	380	8	14	17	24	26	22	32	27	29	33	34	30	24	17	16	14	12	1
50 and over------	15	1	1	2	2	1	-	-	1	1	2	2	-	-	-	-	1	1	-
Not stated-------	712	274	81	71	53	51	37	31	15	12	14	8	3	1	-	1	1	-	59
Female---------	276,405	61,858	54,249	43,221	33,849	25,583	18,338	12,464	8,553	5,813	3,947	2,498	1,597	1,026	568	283	163	165	2,230
Under 15 years---	1,783	1,657	97	8	2	-	-	-	-	-	-	-	-	-	-	-	-	-	19
15-19 years------	53,603	30,996	15,502	5,177	1,209	188	32	5	3	1	-	-	-	-	-	-	-	-	490
20-24 years------	86,250	18,997	23,041	19,359	13,024	6,920	2,840	982	285	104	19	6	6	2	-	-	-	-	665
25-29 years------	65,408	5,996	9,272	11,134	11,361	10,381	7,770	4,783	2,421	1,077	441	182	60	14	11	8	1	3	493
30-34 years------	41,426	2,619	4,318	5,178	5,615	5,434	4,997	4,172	3,457	2,351	1,469	792	375	166	90	31	18	11	333
35-39 years------	21,251	1,094	1,616	1,905	2,150	2,162	2,187	2,004	1,931	1,755	1,493	1,053	749	494	258	125	69	63	143
40-44 years------	5,631	219	323	379	400	431	454	470	422	483	477	428	372	307	184	99	67	75	41
45-49 years------	396	15	9	18	29	27	26	31	18	25	32	30	33	41	23	19	7	12	1
50 and over------	17	5	1	2	-	1	-	-	1	-	2	2	1	-	2	-	-	-	-
Not stated-------	640	260	70	61	59	39	32	17	15	17	14	5	1	2	-	1	1	1	45
Other races--	30,596	7,531	6,826	5,176	3,596	2,303	1,613	1,098	760	515	372	223	121	76	41	22	6	5	312
Under 15 years---	37	36	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
15-19 years------	3,044	2,066	728	193	34	4	-	2	-	-	-	-	-	-	-	-	-	-	17
20-24 years------	8,582	2,891	2,567	1,611	868	389	120	34	9	7	1	-	-	-	-	-	-	-	85
25-29 years------	9,288	1,661	2,181	1,794	1,426	955	641	321	147	49	8	6	-	1	-	1	-	-	97
30-34 years------	5,879	647	996	1,107	854	599	517	421	315	172	108	57	13	3	2	3	-	-	65
35-39 years------	2,790	177	289	379	336	269	248	253	219	219	169	95	62	34	12	3	2	1	23
40-44 years------	791	27	45	78	64	74	73	54	61	58	75	56	40	29	23	13	3	4	14
45-49 years------	83	1	1	4	5	6	7	4	8	8	9	7	6	9	4	2	1	-	1
50 and over------	3	-	-	1	-	-	1	-	-	-	-	1	-	-	-	-	-	-	-
Not stated-------	99	25	18	9	9	7	6	9	1	2	2	1	-	-	-	-	-	-	10
Male----------	15,518	3,808	3,476	2,615	1,818	1,205	819	551	383	257	196	108	59	35	23	8	3	2	152
Under 15 years---	14	14	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
15-19 years------	1,582	1,067	383	103	18	2	-	1	-	-	-	-	-	-	-	-	-	-	8
20-24 years------	4,273	1,461	1,272	796	424	200	47	19	3	3	-	-	-	-	-	-	-	-	48
25-29 years------	4,724	809	1,127	891	732	497	337	157	90	26	6	3	-	1	-	-	-	-	48
30-34 years------	3,028	339	507	587	431	310	272	230	148	87	50	30	4	2	2	1	-	-	28
35-39 years------	1,406	91	153	192	170	144	119	115	109	101	90	50	34	18	6	2	1	1	10
40-44 years------	391	14	24	37	33	43	37	19	28	36	43	22	19	11	11	4	2	1	7
45-49 years------	44	1	-	2	4	5	3	4	4	3	5	2	2	3	4	1	-	-	1
50 and over------	2	-	-	-	-	-	1	-	-	-	-	1	-	-	-	-	-	-	-
Not stated-------	54	12	10	7	6	4	3	6	1	1	2	-	-	-	-	-	-	-	2
Female---------	15,078	3,723	3,350	2,561	1,778	1,098	794	547	377	258	176	115	62	41	18	14	3	3	160
Under 15 years---	23	22	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
15-19 years------	1,462	999	345	90	16	2	-	1	-	-	-	-	-	-	-	-	-	-	9
20-24 years------	4,309	1,430	1,295	815	444	189	73	15	6	4	1	-	-	-	-	-	-	-	37
25-29 years------	4,564	852	1,054	903	694	458	304	164	57	23	2	3	-	-	-	1	-	-	49
30-34 years------	2,851	308	489	520	423	289	245	191	167	85	58	27	9	1	-	2	-	-	37
35-39 years------	1,384	86	136	187	166	125	129	138	110	118	79	45	28	16	6	1	1	-	13
40-44 years------	400	13	21	41	31	31	36	35	33	22	32	34	21	18	12	9	1	3	7
45-49 years------	39	-	1	2	1	1	4	-	4	5	4	5	4	6	-	1	1	-	-
50 and over------	1	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Not stated-------	45	13	8	2	3	3	3	3	-	1	-	1	-	-	-	-	-	-	8

Table 26B. Live Births by Age of Mother, Live-Birth Order, Race, and Nativity of White Mother: Each State, 1955

(By place of residence. Includes only births occurring within the continental United States. Live-birth order refers to number of children born alive to mother. Births to white mothers whose nativity was not stated are not shown separately, but are included in "White." "Negro" is shown separately only in those States where the total number of births so classified was 100 or more. "Other races" in these States may be obtained by subtracting "Negro" from "Nonwhite")

AREA, AGE OF MOTHER, RACE, AND NATIVITY OF WHITE MOTHER	Total	LIVE-BIRTH ORDER										
		1	2	3	4	5	6	7	8	9	10 and over	Not stated
ALABAMA	81,811	22,569	19,336	13,184	8,617	5,709	3,825	2,560	1,887	1,306	2,400	418
Under 15 years	254	235	14	2	-	-	-	-	-	-	-	3
15 to 19 years	14,212	9,694	3,460	769	144	18	2	-	1	-	-	124
20 to 24 years	25,873	8,455	8,417	4,851	2,356	1,093	396	127	42	23	9	104
25 to 29 years	19,740	2,687	4,661	4,155	3,088	2,208	1,417	793	379	161	122	69
30 to 34 years	12,331	947	1,943	2,275	1,915	1,419	1,161	920	729	444	549	29
35 to 39 years	6,722	362	637	882	878	748	628	542	539	469	1,006	31
40 to 44 years	2,079	84	111	181	190	183	188	157	175	181	624	5
45 to 49 years	152	6	4	8	8	10	17	10	10	15	64	-
50 years and over	8	-	-	-	1	-	-	-	2	2	3	-
Not stated	440	99	89	61	37	30	16	11	10	11	23	53
White	49,899	15,245	13,893	8,964	4,951	2,683	1,547	872	595	414	553	182
Under 15 years	58	57	1	-	-	-	-	-	-	-	-	-
15 to 19 years	7,696	5,693	1,659	267	20	2	1	-	-	-	-	54
20 to 24 years	16,495	6,363	6,070	2,726	920	288	66	8	2	1	-	51
25 to 29 years	12,553	2,065	3,879	3,170	1,839	903	429	160	51	15	9	33
30 to 34 years	7,734	721	1,636	1,874	1,346	855	543	352	203	113	79	12
35 to 39 years	3,950	255	513	748	671	501	368	255	225	187	220	7
40 to 44 years	1,159	52	85	152	137	122	125	89	102	85	209	1
45 to 49 years	78	5	4	4	2	2	11	6	7	10	27	-
50 years and over	2	-	-	-	-	-	-	-	1	1	-	-
Not stated	174	34	46	23	16	10	4	2	4	2	9	24
Native white	49,415	15,117	13,727	8,884	4,892	2,663	1,538	867	594	410	552	171
Under 15 years	58	57	1	-	-	-	-	-	-	-	-	-
15 to 19 years	7,672	5,676	1,652	267	20	2	1	-	-	-	-	54
20 to 24 years	16,376	6,300	6,026	2,715	919	288	66	8	2	1	-	51
25 to 29 years	12,403	2,036	3,830	3,135	1,813	896	427	159	51	15	9	32
30 to 34 years	7,630	712	1,600	1,850	1,323	850	540	349	203	112	79	12
35 to 39 years	3,914	254	501	740	665	497	366	254	225	186	220	6
40 to 44 years	1,148	52	82	152	136	120	123	89	101	84	208	1
45 to 49 years	77	5	4	4	2	2	11	6	7	9	27	-
50 years and over	2	-	-	-	-	-	-	-	1	1	-	-
Not stated	135	25	31	21	14	8	4	2	4	2	9	15
Foreign-born white	421	107	147	77	56	18	9	5	-	-	1	1
Under 15 years	-	-	-	-	-	-	-	-	-	-	-	-
15 to 19 years	18	13	5	-	-	-	-	-	-	-	-	-
20 to 24 years	112	58	43	10	1	-	-	-	-	-	-	-
25 to 29 years	147	28	49	35	25	7	2	1	-	-	-	-
30 to 34 years	100	7	35	24	23	5	3	3	-	-	-	-
35 to 39 years	34	1	12	8	6	4	2	1	-	-	-	-
40 to 44 years	9	-	3	-	1	2	2	-	-	-	1	-
45 to 49 years	-	-	-	-	-	-	-	-	-	-	-	-
50 years and over	-	-	-	-	-	-	-	-	-	-	-	-
Not stated	1	-	-	-	-	-	-	-	-	-	-	1
Nonwhite	31,912	7,324	5,443	4,220	3,666	3,026	2,278	1,688	1,292	892	1,847	236
Under 15 years	196	178	13	2	-	-	-	-	-	-	-	3
15 to 19 years	6,516	4,001	1,801	502	124	16	1	-	1	-	-	70
20 to 24 years	9,378	2,092	2,347	2,125	1,436	805	330	119	40	22	9	53
25 to 29 years	7,187	622	782	985	1,249	1,305	988	633	328	146	113	36
30 to 34 years	4,597	226	307	401	569	564	618	568	526	331	470	17
35 to 39 years	2,772	107	124	134	207	247	260	287	314	282	786	24
40 to 44 years	920	32	26	29	53	61	63	68	73	96	415	4
45 to 49 years	74	1	-	4	6	8	6	4	3	5	37	-
50 years and over	6	-	-	-	1	-	-	-	1	1	3	-
Not stated	266	65	43	38	21	20	12	9	6	9	14	29
Negro	31,880	7,317	5,434	4,211	3,663	3,025	2,277	1,687	1,291	892	1,847	236
Under 15 years	196	178	13	2	-	-	-	-	-	-	-	3
15 to 19 years	6,514	3,999	1,801	502	124	16	1	-	1	-	-	70
20 to 24 years	9,368	2,090	2,345	2,120	1,435	805	330	119	40	22	9	53
25 to 29 years	7,176	619	777	983	1,249	1,304	988	633	328	146	113	36
30 to 34 years	4,591	226	305	399	567	564	618	568	526	331	470	17
35 to 39 years	2,769	107	124	134	207	247	259	286	313	282	786	24
40 to 44 years	920	32	26	29	53	61	63	68	73	96	415	4
45 to 49 years	74	1	-	4	6	8	6	4	3	5	37	-
50 years and over	6	-	-	-	1	-	-	-	1	1	3	-
Not stated	266	65	43	38	21	20	12	9	6	9	14	29
ARIZONA	27,947	7,036	6,691	5,279	3,411	2,018	1,256	735	533	342	590	56
Under 15 years	38	38	-	-	-	-	-	-	-	-	-	-
15 to 19 years	3,944	2,704	964	214	38	8	1	-	-	-	-	15
20 to 24 years	9,270	2,922	3,176	1,898	811	305	92	30	8	3	-	25
25 to 29 years	7,102	897	1,610	1,734	1,266	759	452	200	117	44	16	7
30 to 34 years	4,570	305	670	976	883	580	416	298	202	107	132	1
35 to 39 years	2,341	136	212	375	346	298	245	167	147	146	266	3
40 to 44 years	606	29	54	76	64	56	45	38	51	37	155	1
45 to 49 years	50	-	-	3	2	8	4	1	8	4	20	-
50 years and over	3	-	-	1	1	-	1	-	-	-	-	-
Not stated	23	5	5	2	-	4	-	1	-	1	1	4

Table 26B. Live Births by Age of Mother, Live-Birth Order, Race, and Nativity of White Mother: Each State, 1955—Continued

(See headnote on p. 223)

AREA, AGE OF MOTHER, RACE, AND NATIVITY OF WHITE MOTHER	Total	LIVE-BIRTH ORDER										
		1	2	3	4	5	6	7	8	9	10 and over	Not stated
ARIZONA—Continued												
White	23,733	6,202	6,009	4,676	2,888	1,577	909	513	340	196	382	41
Under 15 years	24	24	-	-	-	-	-	-	-	-	-	-
15 to 19 years	3,302	2,289	800	171	24	6	-	-	-	-	-	12
20 to 24 years	7,962	2.616	2,830	1,580	626	204	63	18	5	1	-	19
25 to 29 years	6,065	832	1,493	1,582	1,069	550	294	128	70	28	13	6
30 to 34 years	3,903	283	631	918	788	490	312	205	126	61	89	-
35 to 39 years	1,950	126	198	356	319	272	199	129	98	84	168	1
40 to 44 years	490	29	53	66	59	50	38	33	37	20	105	-
45 to 49 years	25	-	-	3	2	5	3	-	4	2	6	-
50 years and over	1	-	-	-	1	-	-	-	-	-	-	-
Not stated	11	3	4	-	-	-	-	-	-	-	1	3
Native white	22,408	5,917	5,703	4,455	2,712	1,475	834	475	298	178	325	36
Under 15 years	22	22	-	-	-	-	-	-	-	-	-	-
15 to 19 years	3,224	2,240	777	167	24	4	-	-	-	-	-	12
20 to 24 years	7,596	2,491	2,702	1,515	597	195	55	17	4	1	-	19
25 to 29 years	5,711	761	1,403	1,519	1,008	519	273	121	65	27	11	4
30 to 34 years	3,615	257	583	860	729	454	291	189	110	57	85	-
35 to 39 years	1,779	117	185	328	297	252	179	120	87	74	139	1
40 to 44 years	432	27	50	63	55	47	33	28	28	17	84	-
45 to 49 years	23	-	-	3	2	4	3	-	4	2	5	-
50 years and over	-	-	-	-	-	-	-	-	-	-	-	-
Not stated	6	2	3	-	-	-	-	-	-	-	1	-
Foreign-born white	1,316	283	305	220	176	102	74	38	41	18	57	2
Under 15 years	2	2	-	-	-	-	-	-	-	-	-	-
15 to 19 years	77	48	23	4	-	2	-	-	-	-	-	-
20 to 24 years	365	125	128	64	29	9	8	1	1	-	-	-
25 to 29 years	354	71	90	63	61	31	21	7	5	1	2	2
30 to 34 years	286	26	47	58	59	36	21	16	15	4	4	-
35 to 39 years	170	9	13	28	22	20	19	9	11	10	29	-
40 to 44 years	58	2	3	3	4	3	5	5	9	3	21	-
45 to 49 years	2	-	-	-	-	1	-	-	-	-	1	-
50 years and over	1	-	-	-	1	-	-	-	-	-	-	-
Not stated	1	-	1	-	-	-	-	-	-	-	-	-
Nonwhite	4,214	834	682	603	523	441	347	222	193	146	208	15
Under 15 years	14	14	-	-	-	-	-	-	-	-	-	-
15 to 19 years	642	415	164	43	14	2	1	-	-	-	-	3
20 to 24 years	1,308	306	346	318	185	101	29	12	3	2	-	6
25 to 29 years	1,037	65	117	152	197	209	158	72	47	16	3	1
30 to 34 years	667	22	39	58	95	90	104	93	76	46	43	1
35 to 39 years	391	10	14	19	27	26	46	38	49	62	98	2
40 to 44 years	116	-	1	10	5	6	7	5	14	17	50	1
45 to 49 years	25	-	-	-	-	3	1	1	4	2	14	-
50 years and over	2	-	-	1	-	-	1	-	-	-	-	-
Not stated	12	2	1	2	-	4	-	1	-	1	-	1
Negro	1,264	278	244	183	151	125	83	58	56	33	48	5
Under 15 years	6	6	-	-	-	-	-	-	-	-	-	-
15 to 19 years	276	157	78	26	10	1	1	-	-	-	-	3
20 to 24 years	404	84	103	94	58	40	12	9	2	1	-	1
25 to 29 years	277	16	38	36	52	52	38	16	22	6	1	-
30 to 34 years	185	9	14	19	20	22	22	28	23	18	10	-
35 to 39 years	96	6	10	4	11	7	9	3	7	8	30	1
40 to 44 years	17	-	1	4	-	2	1	1	2	-	6	-
45 to 49 years	2	-	-	-	-	1	-	-	-	-	1	-
50 years and over	-	-	-	-	-	-	-	-	-	-	-	-
Not stated	1	-	-	-	-	-	-	1	-	-	-	-
ARKANSAS	41,802	10,844	9,695	6,770	4,380	2,840	2,040	1,467	1,086	787	1,584	309
Under 15 years	156	139	12	-	-	-	-	-	-	-	-	5
15 to 19 years	7,591	5,022	1,856	483	130	28	4	1	-	1	-	66
20 to 24 years	13,038	3,909	4,396	2,445	1,270	608	237	80	26	14	5	48
25 to 29 years	9,497	1,130	2,142	2,117	1,445	1,004	736	451	253	98	92	29
30 to 34 years	6,372	391	900	1,151	958	744	613	513	394	283	416	9
35 to 39 years	3,651	196	300	472	452	342	337	321	311	280	634	6
40 to 44 years	1,148	36	61	79	110	97	97	89	92	100	387	-
45 to 49 years	97	4	3	3	6	7	8	11	5	10	40	-
50 years and over	1	-	-	-	-	1	-	-	-	-	-	-
Not stated	251	17	25	20	9	9	8	1	5	1	10	146
White	28,936	8,485	7,596	5,105	2,902	1,625	1,029	664	455	322	550	203
Under 15 years	32	32	-	-	-	-	-	-	-	-	-	-
15 to 19 years	4,827	3,560	1,006	203	28	1	1	1	-	-	-	27
20 to 24 years	9,534	3,363	3,564	1,666	633	207	60	20	3	1	1	16
25 to 29 years	6,730	1,008	1,911	1,744	991	561	283	137	60	12	14	9
30 to 34 years	4,369	320	788	1,004	770	503	370	245	160	107	95	7
35 to 39 years	2,423	159	257	407	372	270	236	194	171	132	225	-
40 to 44 years	758	30	54	68	98	73	70	57	56	62	190	-
45 to 49 years	66	3	2	3	5	7	5	9	3	7	22	-
50 years and over	-	-	-	-	-	-	-	-	-	-	-	-
Not stated	197	10	14	10	5	3	4	1	2	1	3	144

Table 26B. Live Births by Age of Mother, Live-Birth Order, Race, and Nativity of White Mother: Each State, 1955—Continued

(See headnote on p. 223)

AREA, AGE OF MOTHER, RACE, AND NATIVITY OF WHITE MOTHER	Total	LIVE-BIRTH ORDER										
		1	2	3	4	5	6	7	8	9	10 and over	Not stated
ARKANSAS—Continued												
White—Continued												
Native white	28,601	8,431	7,529	5,073	2,884	1,619	1,024	660	453	322	546	60
Under 15 years	32	32	-	-	-	-	-	-	-	-	-	-
15 to 19 years	4,815	3,550	1,004	203	28	1	1	1	-	-	-	27
20 to 24 years	9,472	3,341	3,533	1,662	629	207	59	20	3	1	1	16
25 to 29 years	6,673	998	1,887	1,731	985	558	282	137	60	12	14	9
30 to 34 years	4,330	313	779	995	765	500	369	242	158	107	95	7
35 to 39 years	2,412	158	256	402	371	270	234	194	171	132	224	-
40 to 44 years	753	30	54	67	96	73	70	57	56	62	188	-
45 to 49 years	65	2	2	3	5	7	5	9	3	7	22	-
50 years and over	-	-	-	-	-	-	-	-	-	-	-	-
Not stated	49	7	14	10	5	3	4	-	2	1	2	1
Foreign-born white	169	44	62	30	15	6	4	3	2	-	3	-
Under 15 years	-	-	-	-	-	-	-	-	-	-	-	-
15 to 19 years	7	5	2	-	-	-	-	-	-	-	-	-
20 to 24 years	56	21	28	4	2	-	1	-	-	-	-	-
25 to 29 years	54	10	24	12	5	3	-	-	-	-	-	-
30 to 34 years	37	7	7	9	5	3	1	3	2	-	-	-
35 to 39 years	10	1	1	4	1	-	2	-	-	-	1	-
40 to 44 years	5	-	-	1	2	-	-	-	-	-	2	-
45 to 49 years	-	-	-	-	-	-	-	-	-	-	-	-
50 years and over	-	-	-	-	-	-	-	-	-	-	-	-
Not stated	-	-	-	-	-	-	-	-	-	-	-	-
Nonwhite	12,866	2,359	2,099	1,665	1,478	1,215	1,011	803	631	465	1,034	106
Under 15 years	124	107	12	-	-	-	-	-	-	-	-	5
15 to 19 years	2,764	1,462	850	280	102	27	3	-	-	1	-	39
20 to 24 years	3,504	546	832	779	637	401	177	60	23	13	4	32
25 to 29 years	2,767	122	231	373	454	443	453	314	193	86	78	20
30 to 34 years	2,003	71	112	147	188	241	243	268	234	176	321	2
35 to 39 years	1,228	37	43	65	80	72	101	127	140	148	409	6
40 to 44 years	390	6	7	11	12	24	27	32	36	38	197	-
45 to 49 years	31	1	1	-	1	-	3	2	2	3	18	-
50 years and over	1	-	-	-	-	1	-	-	-	-	-	-
Not stated	54	7	11	10	4	6	4	-	3	-	7	2
Negro	12,816	2,356	2,078	1,655	1,473	1,209	1,009	801	631	465	1,033	106
Under 15 years	124	107	12	-	-	-	-	-	-	-	-	5
15 to 19 years	2,759	1,461	846	280	102	27	3	-	-	1	-	39
20 to 24 years	3,493	545	824	778	637	401	176	60	23	13	4	32
25 to 29 years	2,752	122	225	368	454	439	453	314	193	86	78	20
30 to 34 years	1,990	70	110	143	183	240	243	268	234	176	321	2
35 to 39 years	1,223	37	43	65	80	71	100	125	140	148	408	6
40 to 44 years	390	6	7	11	12	24	27	32	36	38	197	-
45 to 49 years	31	1	1	-	1	-	3	2	2	3	18	-
50 years and over	1	-	-	-	-	1	-	-	-	-	-	-
Not stated	53	7	10	10	4	6	4	-	3	-	7	2
CALIFORNIA	313,366	90,973	89,939	65,003	34,371	16,387	7,947	4,138	2,246	1,248	1,048	66
Under 15 years	331	326	4	1	-	-	-	-	-	-	-	-
15 to 19 years	38,763	27,565	9,123	1,761	279	26	1	-	1	1	-	6
20 to 24 years	100,196	36,928	35,754	18,121	6,543	2,044	575	157	40	12	2	20
25 to 29 years	85,839	15,964	25,902	22,397	11,800	5,451	2,528	1,116	450	151	63	17
30 to 34 years	57,196	6,843	13,311	15,637	10,107	5,344	2,753	1,539	871	481	296	14
35 to 39 years	24,995	2,708	4,898	5,816	4,691	2,743	1,611	1,000	648	443	435	2
40 to 44 years	5,738	607	913	1,219	912	734	454	302	220	142	234	1
45 to 49 years	283	29	31	48	30	45	25	24	16	18	17	-
50 years and over	1	-	-	-	-	-	-	-	-	-	1	-
Not stated	24	3	3	3	9	-	-	-	-	-	-	6
White	283,006	83,433	82,712	59,469	30,440	13,880	6,416	3,210	1,655	939	794	58
Under 15 years	200	196	3	1	-	-	-	-	-	-	-	-
15 to 19 years	34,658	25,150	7,899	1,377	205	19	1	-	-	1	-	6
20 to 24 years	91,154	34,280	33,127	16,252	5,418	1,539	387	96	27	8	1	19
25 to 29 years	77,292	14,561	23,999	20,689	10,421	4,469	1,927	802	280	96	34	14
30 to 34 years	51,629	6,182	12,267	14,562	9,199	4,720	2,279	1,215	636	345	213	11
35 to 39 years	22,573	2,469	4,536	5,405	4,309	2,432	1,407	815	516	351	331	2
40 to 44 years	5,228	566	849	1,137	853	661	396	264	183	120	198	1
45 to 49 years	250	27	29	43	27	40	19	18	13	18	16	-
50 years and over	1	-	-	-	-	-	-	-	-	-	1	-
Not stated	21	2	3	3	8	-	-	-	-	-	-	5
Native white	266,573	79,018	78,086	56,136	28,547	12,924	5,918	2,940	1,469	822	664	49
Under 15 years	198	194	3	1	-	-	-	-	-	-	-	-
15 to 19 years	33,930	24,617	7,734	1,350	202	19	1	-	-	1	-	6
20 to 24 years	87,657	32,744	31,952	15,734	5,228	1,480	375	91	26	8	1	18
25 to 29 years	72,340	13,281	22,449	19,632	9,838	4,198	1,805	749	261	86	29	12
30 to 34 years	47,291	5,475	11,103	13,459	8,549	4,385	2,098	1,128	576	315	192	11
35 to 39 years	20,414	2,198	4,089	4,922	3,935	2,221	1,283	736	451	303	275	1
40 to 44 years	4,525	482	728	1,004	769	586	340	220	147	95	153	1
45 to 49 years	205	25	26	33	19	35	16	16	8	14	13	-
50 years and over	1	-	-	-	-	-	-	-	-	-	1	-
Not stated	12	2	2	1	7	-	-	-	-	-	-	-

Table 26B. Live Births by Age of Mother, Live-Birth Order, Race, and Nativity of White Mother: Each State, 1955—Continued

(See headnote on p. 223)

AREA, AGE OF MOTHER, RACE, AND NATIVITY OF WHITE MOTHER	Total	LIVE-BIRTH ORDER										
		1	2	3	4	5	6	7	8	9	10 and over	Not stated
CALIFORNIA—Continued												
White—Continued												
Foreign-born white	16,409	4,407	4,622	3,330	1,891	955	498	269	186	117	130	4
Under 15 years	2	2	-	-	-	-	-	-	-	-	-	-
15 to 19 years	726	531	165	27	3	-	-	-	-	-	-	-
20 to 24 years	3,490	1,532	1,173	517	190	59	12	5	1	-	-	1
25 to 29 years	4,947	1,278	1,549	1,056	583	270	122	53	19	10	5	2
30 to 34 years	4,337	707	1,164	1,103	649	335	181	87	60	30	21	-
35 to 39 years	2,158	271	447	482	374	211	124	79	65	48	56	1
40 to 44 years	702	84	121	133	84	75	56	43	36	25	45	-
45 to 49 years	45	2	3	10	8	5	3	2	5	4	3	-
50 years and over	-	-	-	-	-	-	-	-	-	-	-	-
Not stated	2	-	-	2	-	-	-	-	-	-	-	-
Nonwhite	30,360	7,540	7,227	5,534	3,931	2,507	1,531	928	591	309	254	8
Under 15 years	131	130	1	-	-	-	-	-	-	-	-	-
15 to 19 years	4,105	2,415	1,224	384	74	7	-	-	1	-	-	-
20 to 24 years	9,042	2,648	2,627	1,869	1,125	505	188	61	13	4	1	1
25 to 29 years	8,547	1,403	1,903	1,708	1,379	982	601	314	170	55	29	3
30 to 34 years	5,567	661	1,044	1,075	908	624	474	324	235	136	83	3
35 to 39 years	2,422	239	362	411	382	311	204	185	132	92	104	-
40 to 44 years	510	41	64	82	59	73	58	38	37	22	36	-
45 to 49 years	33	2	2	5	3	5	6	6	3	-	1	-
50 years and over	-	-	-	-	-	-	-	-	-	-	-	-
Not stated	3	1	-	-	1	-	-	-	-	-	-	1
Negro	21,536	5,047	4,876	3,798	2,815	1,984	1,260	761	498	272	218	7
Under 15 years	127	126	1	-	-	-	-	-	-	-	-	-
15 to 19 years	3,580	2,060	1,090	355	67	7	-	-	1	-	-	-
20 to 24 years	6,980	1,734	2,004	1,578	967	450	174	55	13	3	1	1
25 to 29 years	5,402	611	985	1,039	953	792	516	274	152	49	29	2
30 to 34 years	3,486	329	537	533	560	469	389	273	198	125	70	3
35 to 39 years	1,600	155	214	239	227	220	143	127	106	79	90	-
40 to 44 years	338	30	44	51	38	44	35	27	26	16	27	-
45 to 49 years	21	2	1	3	2	2	3	5	2	-	1	-
50 years and over	-	-	-	-	-	-	-	-	-	-	-	-
Not stated	2	-	-	-	1	-	-	-	-	-	-	1
COLORADO	40,017	11,296	10,849	8,123	4,590	2,269	1,177	644	373	244	443	9
Under 15 years	27	27	-	-	-	-	-	-	-	-	-	-
15 to 19 years	5,035	3,650	1,110	232	38	5	-	-	-	-	-	-
20 to 24 years	13,392	4,947	4,702	2,413	920	283	95	23	8	1	-	-
25 to 29 years	10,908	1,789	3,114	2,949	1,638	773	354	183	78	20	8	2
30 to 34 years	6,660	600	1,346	1,749	1,290	730	421	223	131	88	79	3
35 to 39 years	3,088	230	463	652	577	369	231	158	111	98	197	2
40 to 44 years	837	48	109	119	121	106	72	50	43	34	135	-
45 to 49 years	51	1	4	8	4	2	3	5	1	2	21	-
50 years and over	1	-	-	-	-	-	-	-	-	-	1	-
Not stated	18	4	1	1	2	1	1	2	1	1	2	2
White	38,598	10,907	10,507	7,871	4,403	2,174	1,108	604	353	234	429	8
Under 15 years	24	24	-	-	-	-	-	-	-	-	-	-
15 to 19 years	4,819	3,513	1,056	212	33	5	-	-	-	-	-	-
20 to 24 years	12,912	4,790	4,551	2,335	858	263	86	20	8	1	-	-
25 to 29 years	10,520	1,728	3,022	2,862	1,579	732	328	169	71	19	8	2
30 to 34 years	6,452	583	1,309	1,706	1,249	705	399	213	124	85	77	2
35 to 39 years	2,996	220	455	633	563	362	221	148	109	92	191	2
40 to 44 years	811	45	109	114	116	104	71	49	39	34	130	-
45 to 49 years	51	1	4	8	4	2	3	5	1	2	21	-
50 years and over	-	-	-	-	-	-	-	-	-	-	-	-
Not stated	13	3	1	1	1	1	-	-	1	1	2	2
Native white	37,699	10,665	10,248	7,683	4,306	2,133	1,087	591	347	227	405	7
Under 15 years	24	24	-	-	-	-	-	-	-	-	-	-
15 to 19 years	4,778	3,486	1,043	212	33	4	-	-	-	-	-	-
20 to 24 years	12,715	4,694	4,486	2,312	850	259	85	20	8	1	-	-
25 to 29 years	10,237	1,668	2,926	2,785	1,548	720	324	167	71	18	8	2
30 to 34 years	6,226	545	1,251	1,647	1,206	690	394	209	122	83	77	2
35 to 39 years	2,890	203	433	614	549	354	212	146	107	90	180	2
40 to 44 years	772	42	104	105	115	103	69	44	37	32	121	-
45 to 49 years	47	1	4	7	4	2	3	5	1	2	18	-
50 years and over	-	-	-	-	-	-	-	-	-	-	-	-
Not stated	10	2	1	1	1	1	-	-	1	1	1	1
Foreign-born white	891	241	258	188	96	40	21	13	6	6	22	-
Under 15 years	-	-	-	-	-	-	-	-	-	-	-	-
15 to 19 years	41	27	13	-	-	1	-	-	-	-	-	-
20 to 24 years	194	96	64	23	7	3	1	-	-	-	-	-
25 to 29 years	283	60	96	77	31	12	4	2	-	1	-	-
30 to 34 years	225	38	58	59	43	15	5	4	2	1	-	-
35 to 39 years	106	17	22	19	14	8	9	2	2	2	11	-
40 to 44 years	38	3	5	9	1	1	2	5	2	2	8	-
45 to 49 years	4	-	-	1	-	-	-	-	-	-	3	-
50 years and over	-	-	-	-	-	-	-	-	-	-	-	-
Not stated	-	-	-	-	-	-	-	-	-	-	-	-

Table 26B. Live Births by Age of Mother, Live-Birth Order, Race, and Nativity of White Mother: Each State, 1955—Continued

(See headnote on p. 223)

AREA, AGE OF MOTHER, RACE, AND NATIVITY OF WHITE MOTHER	Total	LIVE-BIRTH ORDER										
		1	2	3	4	5	6	7	8	9	10 and over	Not stated
COLORADO—Continued												
Nonwhite	1,419	389	342	252	187	95	69	40	20	10	14	1
Under 15 years	3	3	-	-	-	-	-	-	-	-	-	-
15 to 19 years	216	137	54	20	5	-	-	-	-	-	-	-
20 to 24 years	480	157	151	78	62	20	9	3	-	-	-	-
25 to 29 years	388	61	92	87	59	41	26	14	7	1	-	-
30 to 34 years	208	17	37	43	41	25	22	10	7	3	2	1
35 to 39 years	92	10	8	19	14	7	10	10	2	6	6	-
40 to 44 years	26	3	-	5	5	2	1	1	4	-	5	-
45 to 49 years	-	-	-	-	-	-	-	-	-	-	-	-
50 years and over	1	-	-	-	-	-	-	-	-	-	1	-
Not stated	5	1	-	-	1	-	1	2	-	-	-	-
Negro	1,070	285	246	197	142	78	55	36	15	5	11	-
Under 15 years	3	3	-	-	-	-	-	-	-	-	-	-
15 to 19 years	196	122	50	19	5	-	-	-	-	-	-	-
20 to 24 years	385	111	122	71	51	19	8	3	-	-	-	-
25 to 29 years	269	31	44	69	47	36	22	13	6	1	-	-
30 to 34 years	135	10	24	21	25	18	18	10	5	2	2	-
35 to 39 years	64	6	6	15	11	3	6	8	2	2	5	-
40 to 44 years	17	2	-	2	3	2	1	1	2	-	4	-
45 to 49 years	-	-	-	-	-	-	-	-	-	-	-	-
50 years and over	-	-	-	-	-	-	-	-	-	-	-	-
Not stated	1	-	-	-	-	-	-	1	-	-	-	-
CONNECTICUT	52,477	15,121	15,812	11,060	5,481	2,279	1,071	498	243	112	106	694
Under 15 years	15	14	-	-	-	-	-	-	-	-	-	1
15 to 19 years	2,940	2,199	596	86	6	4	-	-	-	-	-	49
20 to 24 years	14,315	6,786	4,741	1,862	508	158	42	11	-	-	-	207
25 to 29 years	16,637	3,906	5,946	3,986	1,681	575	228	81	26	7	6	195
30 to 34 years	11,752	1,518	3,175	3,399	1,935	845	393	191	80	44	16	156
35 to 39 years	5,557	575	1,139	1,435	1,129	547	312	164	100	36	52	68
40 to 44 years	1,198	113	206	280	211	144	90	50	36	24	27	17
45 to 49 years	53	5	7	11	10	5	6	1	1	1	5	1
50 years and over	-	-	-	-	-	-	-	-	-	-	-	-
Not stated	10	5	2	1	1	1	-	-	-	-	-	-
White	49,884	14,526	15,191	10,601	5,132	2,047	895	425	210	86	81	690
Under 15 years	8	7	-	-	-	-	-	-	-	-	-	1
15 to 19 years	2,546	1,977	463	56	2	-	-	-	-	-	-	48
20 to 24 years	13,443	6,550	4,487	1,665	405	103	21	7	-	-	-	205
25 to 29 years	15,980	3,827	5,814	3,866	1,552	494	150	56	20	5	1	195
30 to 34 years	11,312	1,488	3,108	3,318	1,861	780	342	157	61	30	12	155
35 to 39 years	5,373	559	1,109	1,408	1,098	521	290	156	95	29	40	68
40 to 44 years	1,166	109	202	277	205	143	87	48	33	21	24	17
45 to 49 years	48	5	6	10	9	5	5	1	1	1	4	1
50 years and over	-	-	-	-	-	-	-	-	-	-	-	-
Not stated	8	4	2	1	-	1	-	-	-	-	-	-
Native white	46,965	13,712	14,307	9,973	4,820	1,903	840	391	196	84	75	664
Under 15 years	7	6	-	-	-	-	-	-	-	-	-	1
15 to 19 years	2,473	1,920	450	54	2	-	-	-	-	-	-	47
20 to 24 years	12,841	6,242	4,284	1,602	391	95	20	7	-	-	-	200
25 to 29 years	15,064	3,551	5,510	3,675	1,461	461	138	53	19	5	1	190
30 to 34 years	10,470	1,372	2,860	3,056	1,743	727	324	147	58	29	12	142
35 to 39 years	5,022	514	1,029	1,317	1,036	486	275	143	89	28	38	67
40 to 44 years	1,042	99	168	262	179	129	78	40	29	21	21	16
45 to 49 years	38	4	4	6	8	4	5	1	1	1	3	1
50 years and over	-	-	-	-	-	-	-	-	-	-	-	-
Not stated	8	4	2	1	-	1	-	-	-	-	-	-
Foreign-born white	2,911	810	883	627	312	143	55	33	14	2	6	26
Under 15 years	1	1	-	-	-	-	-	-	-	-	-	-
15 to 19 years	72	56	13	2	-	-	-	-	-	-	-	1
20 to 24 years	599	305	203	63	14	8	1	-	-	-	-	5
25 to 29 years	916	276	304	191	91	33	12	3	1	-	-	5
30 to 34 years	839	116	247	261	118	53	18	9	3	1	-	13
35 to 39 years	351	45	80	91	62	35	15	13	6	1	2	1
40 to 44 years	123	10	34	15	26	13	9	8	4	-	3	1
45 to 49 years	10	1	2	4	1	1	-	-	-	-	1	-
50 years and over	-	-	-	-	-	-	-	-	-	-	-	-
Not stated	-	-	-	-	-	-	-	-	-	-	-	-
Nonwhite	2,593	595	621	459	349	232	176	73	33	26	25	4
Under 15 years	7	7	-	-	-	-	-	-	-	-	-	-
15 to 19 years	394	222	133	30	4	4	-	-	-	-	-	1
20 to 24 years	872	236	254	197	103	55	21	4	-	-	-	2
25 to 29 years	657	79	132	120	129	81	78	25	6	2	5	-
30 to 34 years	440	30	67	81	74	65	51	34	19	14	4	1
35 to 39 years	184	16	30	27	31	26	22	8	5	7	12	-
40 to 44 years	32	4	4	3	6	1	3	2	3	3	3	-
45 to 49 years	5	-	1	1	1	-	1	-	-	-	1	-
50 years and over	-	-	-	-	-	-	-	-	-	-	-	-
Not stated	2	1	-	-	1	-	-	-	-	-	-	-

Table 26B. Live Births by Age of Mother, Live-Birth Order, Race, and Nativity of White Mother: Each State, 1955—Continued

(See headnote on p. 223)

AREA, AGE OF MOTHER, RACE, AND NATIVITY OF WHITE MOTHER	Total	LIVE-BIRTH ORDER										
		1	2	3	4	5	6	7	8	9	10 and over	Not stated
CONNECTICUT—Continued												
Nonwhite—Continued												
Negro	2,533	574	607	448	339	231	174	72	33	26	25	4
Under 15 years	7	7	-	-	-	-	-	-	-	-	-	-
15 to 19 years	393	221	133	30	4	4	-	-	-	-	-	1
20 to 24 years	836	232	248	193	101	55	21	4	-	-	-	2
25 to 29 years	630	67	129	116	124	80	76	25	6	2	5	-
30 to 34 years	432	28	64	80	72	65	51	34	19	14	4	1
35 to 39 years	178	15	28	25	30	26	22	8	5	7	12	-
40 to 44 years	30	3	4	3	6	1	3	1	3	3	3	-
45 to 49 years	5	-	1	1	1	-	1	-	-	-	1	-
50 years and over	-	-	-	-	-	-	-	-	-	-	-	-
Not stated	2	1	-	-	1	-	-	-	-	-	-	-
DELAWARE	10,587	3,009	2,971	2,031	1,151	632	312	175	114	58	110	24
Under 15 years	30	30	-	-	-	-	-	-	-	-	-	-
15 to 19 years	1,215	858	262	73	17	1	-	-	-	-	-	4
20 to 24 years	3,195	1,221	1,112	490	234	83	32	10	5	1	1	6
25 to 29 years	3,043	605	985	713	354	214	92	40	18	7	6	9
30 to 34 years	2,003	215	443	516	356	192	106	65	49	28	29	4
35 to 39 years	890	62	146	202	159	114	68	42	32	16	49	-
40 to 44 years	198	18	21	35	30	27	13	17	8	5	24	-
45 to 49 years	9	-	-	1	1	1	1	1	2	1	1	-
50 years and over	-	-	-	-	-	-	-	-	-	-	-	-
Not stated	4	-	2	1	-	-	-	-	-	-	-	1
White	8,820	2,621	2,652	1,735	925	456	202	96	53	21	40	19
Under 15 years	7	7	-	-	-	-	-	-	-	-	-	-
15 to 19 years	816	625	159	25	4	-	-	-	-	-	-	3
20 to 24 years	2,677	1,142	983	367	140	35	5	-	-	-	-	5
25 to 29 years	2,657	575	922	652	283	140	53	17	7	2	-	6
30 to 34 years	1,737	197	430	474	326	159	79	34	20	9	5	4
35 to 39 years	756	58	136	183	146	99	54	29	19	7	25	-
40 to 44 years	161	17	20	32	25	23	11	15	6	2	10	-
45 to 49 years	5	-	-	1	1	-	-	1	1	1	-	-
50 years and over	-	-	-	-	-	-	-	-	-	-	-	-
Not stated	4	-	2	1	-	-	-	-	-	-	-	1
Native white	8,567	2,554	2,565	1,684	902	438	199	93	53	21	40	18
Under 15 years	7	7	-	-	-	-	-	-	-	-	-	-
15 to 19 years	811	620	159	25	4	-	-	-	-	-	-	3
20 to 24 years	2,633	1,122	964	363	140	34	5	-	-	-	-	5
25 to 29 years	2,576	552	892	634	277	136	53	17	7	2	-	6
30 to 34 years	1,648	183	400	452	316	151	76	32	20	9	5	4
35 to 39 years	730	54	129	180	139	95	54	28	19	7	25	-
40 to 44 years	155	16	19	29	25	22	11	15	6	2	10	-
45 to 49 years	4	-	-	-	1	-	-	1	1	1	-	-
50 years and over	-	-	-	-	-	-	-	-	-	-	-	-
Not stated	3	-	2	1	-	-	-	-	-	-	-	-
Foreign-born white	252	67	87	51	23	18	3	3	-	-	-	-
Under 15 years	-	-	-	-	-	-	-	-	-	-	-	-
15 to 19 years	5	5	-	-	-	-	-	-	-	-	-	-
20 to 24 years	44	20	19	4	-	1	-	-	-	-	-	-
25 to 29 years	81	23	30	18	6	4	-	-	-	-	-	-
30 to 34 years	89	14	30	22	10	8	3	2	-	-	-	-
35 to 39 years	26	4	7	3	7	4	-	1	-	-	-	-
40 to 44 years	6	1	1	3	-	1	-	-	-	-	-	-
45 to 49 years	1	-	-	1	-	-	-	-	-	-	-	-
50 years and over	-	-	-	-	-	-	-	-	-	-	-	-
Not stated	-	-	-	-	-	-	-	-	-	-	-	-
Nonwhite	1,767	388	319	296	226	176	110	79	61	37	70	5
Under 15 years	23	23	-	-	-	-	-	-	-	-	-	-
15 to 19 years	399	233	103	48	13	1	-	-	-	-	-	1
20 to 24 years	518	79	129	123	94	48	27	10	5	1	1	1
25 to 29 years	386	30	63	61	71	74	39	23	11	5	6	3
30 to 34 years	266	18	13	42	30	33	27	31	29	19	24	-
35 to 39 years	134	4	10	19	13	15	14	13	13	9	24	-
40 to 44 years	37	1	1	3	5	4	2	2	2	3	14	-
45 to 49 years	4	-	-	-	-	1	1	-	1	-	1	-
50 years and over	-	-	-	-	-	-	-	-	-	-	-	-
Not stated	-	-	-	-	-	-	-	-	-	-	-	-
Negro	1,745	385	312	290	223	175	110	78	61	36	70	5
Under 15 years	23	23	-	-	-	-	-	-	-	-	-	-
15 to 19 years	397	233	102	48	12	1	-	-	-	-	-	1
20 to 24 years	513	78	127	121	94	48	27	10	5	1	1	1
25 to 29 years	375	28	59	59	69	74	39	22	11	5	6	3
30 to 34 years	263	18	13	40	30	33	27	31	29	18	24	-
35 to 39 years	133	4	10	19	13	14	14	13	13	9	24	-
40 to 44 years	37	1	1	3	5	4	2	2	2	3	14	-
45 to 49 years	4	-	-	-	-	1	1	-	1	-	1	-
50 years and over	-	-	-	-	-	-	-	-	-	-	-	-
Not stated	-	-	-	-	-	-	-	-	-	-	-	-

Table 26B. Live Births by Age of Mother, Live-Birth Order, Race, and Nativity of White Mother: Each State, 1955—Continued

(See headnote on p. 223)

AREA, AGE OF MOTHER, RACE, AND NATIVITY OF WHITE MOTHER	Total	LIVE-BIRTH ORDER										
		1	2	3	4	5	6	7	8	9	10 and over	Not stated
DISTRICT OF COLUMBIA	20,923	6,845	5,328	3,529	2,097	1,253	782	398	216	115	170	190
Under 15 years	96	84	3	1	-	-	-	-	-	-	-	8
15 to 19 years	2,910	1,859	707	208	42	8	-	1	1	-	-	84
20 to 24 years	6,765	2,642	2,011	1,148	540	257	89	28	8	-	2	40
25 to 29 years	5,494	1,339	1,430	1,079	683	415	281	139	68	20	12	28
30 to 34 years	3,523	587	782	721	546	355	236	125	70	43	46	12
35 to 39 years	1,668	249	323	298	227	173	136	91	53	42	73	3
40 to 44 years	377	41	68	70	51	38	34	14	15	10	35	1
45 to 49 years	13	4	1	1	4	1	-	-	-	-	2	-
50 years and over	2	-	1	-	-	1	-	-	-	-	-	-
Not stated	75	40	2	3	4	5	6	-	1	-	-	14
White	9,456	3,752	2,688	1,588	750	353	166	67	27	16	26	23
Under 15 years	7	7	-	-	-	-	-	-	-	-	-	-
15 to 19 years	865	683	154	22	3	-	-	-	-	-	-	3
20 to 24 years	3,118	1,660	963	373	77	36	5	2	-	-	-	2
25 to 29 years	2,640	825	859	540	256	106	38	8	4	-	-	4
30 to 34 years	1,732	368	457	424	255	118	64	25	10	4	5	2
35 to 39 years	846	157	207	178	125	68	48	28	11	10	14	-
40 to 44 years	202	26	47	49	31	24	10	4	2	2	7	-
45 to 49 years	5	2	1	-	2	-	-	-	-	-	-	-
50 years and over	1	-	-	-	-	1	-	-	-	-	-	-
Not stated	40	24	-	2	1	-	1	-	-	-	-	12
Native white	8,762	3,480	2,491	1,474	689	330	159	62	25	16	25	11
Under 15 years	7	7	-	-	-	-	-	-	-	-	-	-
15 to 19 years	845	666	151	22	3	-	-	-	-	-	-	3
20 to 24 years	2,963	1,562	921	360	75	36	5	2	-	-	-	2
25 to 29 years	2,432	741	795	503	239	103	37	8	3	-	-	3
30 to 34 years	1,560	331	403	383	231	107	62	23	9	4	5	2
35 to 39 years	758	141	179	162	110	62	45	25	11	10	13	-
40 to 44 years	183	26	41	43	28	21	9	4	2	2	7	-
45 to 49 years	5	2	1	-	2	-	-	-	-	-	-	-
50 years and over	1	-	-	-	-	1	-	-	-	-	-	-
Not stated	8	4	-	1	1	-	1	-	-	-	-	1
Foreign-born white	656	250	195	113	60	22	7	5	2	-	1	1
Under 15 years	-	-	-	-	-	-	-	-	-	-	-	-
15 to 19 years	20	17	3	-	-	-	-	-	-	-	-	-
20 to 24 years	153	97	41	13	2	-	-	-	-	-	-	-
25 to 29 years	207	83	64	37	17	3	1	-	1	-	-	1
30 to 34 years	169	37	53	41	23	10	2	2	1	-	-	-
35 to 39 years	88	16	28	16	15	6	3	3	-	-	1	-
40 to 44 years	19	-	6	6	3	3	1	-	-	-	-	-
45 to 49 years	-	-	-	-	-	-	-	-	-	-	-	-
50 years and over	-	-	-	-	-	-	-	-	-	-	-	-
Not stated	-	-	-	-	-	-	-	-	-	-	-	-
Nonwhite	11,467	3,093	2,640	1,941	1,347	900	616	331	189	99	144	167
Under 15 years	89	77	3	1	-	-	-	-	-	-	-	8
15 to 19 years	2,045	1,176	553	186	39	8	-	1	1	-	-	81
20 to 24 years	3,647	982	1,048	775	463	221	84	26	8	-	2	38
25 to 29 years	2,854	514	571	539	427	309	243	131	64	20	12	24
30 to 34 years	1,791	219	325	297	291	237	172	100	60	39	41	10
35 to 39 years	822	92	116	120	102	105	88	63	42	32	59	3
40 to 44 years	175	15	21	21	20	14	24	10	13	8	28	1
45 to 49 years	8	2	-	1	2	1	-	-	-	-	2	-
50 years and over	1	-	1	-	-	-	-	-	-	-	-	-
Not stated	35	16	2	1	3	5	5	-	1	-	-	2
Negro	11,312	3,041	2,593	1,915	1,333	891	612	330	188	99	144	166
Under 15 years	89	77	3	1	-	-	-	-	-	-	-	8
15 to 19 years	2,040	1,173	551	186	39	8	-	1	1	-	-	81
20 to 24 years	3,605	964	1,033	769	461	221	84	26	8	-	2	37
25 to 29 years	2,801	494	560	528	421	307	242	130	63	20	12	24
30 to 34 years	1,761	210	314	292	288	236	171	100	60	39	41	10
35 to 39 years	802	90	110	117	99	99	88	63	42	32	59	3
40 to 44 years	170	15	19	20	20	14	22	10	13	8	28	1
45 to 49 years	8	2	-	1	2	1	-	-	-	-	2	-
50 years and over	1	-	1	-	-	-	-	-	-	-	-	-
Not stated	35	16	2	1	3	5	5	-	1	-	-	2
FLORIDA	89,334	25,251	23,354	16,624	9,902	5,565	3,317	1,950	1,250	819	1,246	56
Under 15 years	290	276	14	-	-	-	-	-	-	-	-	-
15 to 19 years	13,671	9,155	3,432	873	163	30	7	-	-	-	-	11
20 to 24 years	28,763	9,982	9,357	5,301	2,521	1,032	396	106	36	17	4	11
25 to 29 years	23,238	3,673	6,342	5,413	3,378	2,037	1,216	641	315	133	74	16
30 to 34 years	14,707	1,464	2,965	3,453	2,475	1,515	992	716	464	307	349	7
35 to 39 years	6,855	552	1,047	1,318	1,086	785	542	366	333	278	546	2
40 to 44 years	1,681	135	175	256	268	153	156	114	95	79	248	2
45 to 49 years	86	7	13	6	3	10	6	6	6	4	24	1
50 years and over	1	-	-	-	-	-	-	-	-	-	1	-
Not stated	42	7	9	4	8	3	2	1	1	1	-	6

430007 O - 57 - 22

Table 26B. Live Births by Age of Mother, Live-Birth Order, Race, and Nativity of White Mother: Each State, 1955—Continued

(See headnote on p. 223)

AREA, AGE OF MOTHER, RACE, AND NATIVITY OF WHITE MOTHER	Total	LIVE-BIRTH ORDER										
		1	2	3	4	5	6	7	8	9	10 and over	Not stated
FLORIDA—Continued												
White	64,218	20,054	18,514	12,680	6,604	3,048	1,482	770	410	269	350	37
Under 15 years	61	60	1		-	-	-	-	-	-	-	-
15 to 19 years	8,462	6,275	1,833	308	30	6	1	-	-	-	-	9
20 to 24 years	21,059	8,532	7,427	3,497	1,185	307	85	12	4	1	2	7
25 to 29 years	17,372	3,262	5,595	4,478	2,296	1,014	427	180	68	31	10	11
30 to 34 years	10,997	1,296	2,588	3,012	1,975	1,013	518	308	132	76	75	4
35 to 39 years	4,982	492	903	1,157	891	579	335	189	157	117	161	1
40 to 44 years	1,207	124	153	221	222	119	113	76	45	41	93	-
45 to 49 years	53	6	9	4	3	8	2	5	4	2	9	1
50 years and over	-	-	-	-	-	-	-	-	-	-	-	-
Not stated	25	7	5	3	2	2	1	-	-	1	-	4
Native white	62,153	19,324	17,910	12,294	6,411	2,967	1,448	757	403	267	347	25
Under 15 years	60	59	1	-	-	-	-	-	-	-	-	-
15 to 19 years	8,355	6,199	1,812	301	30	6	1	-	-	-	-	6
20 to 24 years	20,543	8,243	7,275	3,441	1,168	306	85	12	4	1	2	6
25 to 29 years	16,723	3,063	5,370	4,353	2,240	984	420	177	67	30	10	9
30 to 34 years	10,490	1,185	2,438	2,883	1,910	982	506	302	130	76	75	3
35 to 39 years	4,766	452	857	1,101	852	564	323	185	156	116	160	-
40 to 44 years	1,148	114	144	208	206	116	110	76	42	41	91	-
45 to 49 years	51	6	8	4	3	7	2	5	4	2	9	1
50 years and over	-	-	-	-	-	-	-	-	-	-	-	-
Not stated	17	3	5	3	2	2	1	-	-	1	-	-
Foreign-born white	2,011	708	597	380	189	80	34	13	6	1	3	-
Under 15 years	1	1	-	-	-	-	-	-	-	-	-	-
15 to 19 years	95	68	20	7	-	-	-	-	-	-	-	-
20 to 24 years	500	285	146	53	15	1	-	-	-	-	-	-
25 to 29 years	641	196	225	123	56	30	7	3	1	-	-	-
30 to 34 years	499	109	150	128	63	30	12	6	1	-	-	-
35 to 39 years	214	39	46	56	39	15	12	4	1	1	1	-
40 to 44 years	59	10	9	13	16	3	3	-	3	-	2	-
45 to 49 years	2	-	1	-	-	1	-	-	-	-	-	-
50 years and over	-	-	-	-	-	-	-	-	-	-	-	-
Not stated	-	-	-	-	-	-	-	-	-	-	-	-
Nonwhite	25,116	5,197	4,840	3,944	3,298	2,517	1,835	1,180	840	550	896	19
Under 15 years	229	216	13	-	-	-	-	-	-	-	-	-
15 to 19 years	5,209	2,880	1,599	565	133	24	6	-	-	-	-	2
20 to 24 years	7,704	1,450	1,930	1,804	1,336	725	311	94	32	16	2	4
25 to 29 years	5,866	411	747	935	1,082	1,023	789	461	247	102	64	5
30 to 34 years	3,710	168	377	441	500	502	474	408	332	231	274	3
35 to 39 years	1,873	60	144	161	195	206	207	177	176	161	385	1
40 to 44 years	474	11	22	35	46	34	43	38	50	38	155	2
45 to 49 years	33	1	4	2	-	2	4	1	2	2	15	-
50 years and over	1	-	-	-	-	-	-	-	-	-	1	-
Not stated	17	-	4	1	6	1	1	1	1	-	-	2
Negro	25,007	5,164	4,809	3,927	3,288	2,510	1,830	1,177	840	549	894	19
Under 15 years	229	216	13	-	-	-	-	-	-	-	-	-
15 to 19 years	5,201	2,874	1,597	565	133	24	6	-	-	-	-	2
20 to 24 years	7,661	1,436	1,914	1,799	1,332	723	310	93	32	16	2	4
25 to 29 years	5,832	402	738	927	1,079	1,021	787	460	247	102	64	5
30 to 34 years	3,694	165	374	439	498	499	472	408	332	230	274	3
35 to 39 years	1,868	59	143	159	195	206	207	176	176	161	385	1
40 to 44 years	471	11	22	35	45	34	43	38	50	38	153	2
45 to 49 years	33	1	4	2	-	2	4	1	2	2	15	-
50 years and over	1	-	-	-	-	-	-	-	-	-	1	-
Not stated	17	-	4	1	6	1	1	1	1	-	-	2
GEORGIA	100,442	28,600	24,465	17,001	10,515	6,552	4,236	2,935	1,930	1,384	2,479	345
Under 15 years	330	302	21	3	-	-	-	-	-	-	-	4
15 to 19 years	17,559	11,752	4,339	1,070	258	41	3	1	2	-	-	93
20 to 24 years	33,052	10,980	10,571	6,251	3,028	1,384	479	162	56	18	13	110
25 to 29 years	23,928	3,401	5,901	5,256	3,575	2,420	1,616	952	427	200	133	47
30 to 34 years	15,007	1,195	2,593	3,001	2,326	1,699	1,270	1,000	751	523	617	32
35 to 39 years	7,746	424	854	1,181	1,118	801	668	653	537	455	1,036	19
40 to 44 years	2,132	98	160	226	192	195	183	151	141	181	599	6
45 to 49 years	150	5	6	6	11	8	7	13	13	6	75	-
50 years and over	3	-	1	-	-	-	-	1	-	-	1	-
Not stated	535	443	19	7	7	4	10	2	3	1	5	34
White	64,360	20,636	18,095	11,821	6,203	3,146	1,898	1,063	577	412	587	122
Under 15 years	73	69	2	-	-	-	-	-	-	-	-	2
15 to 19 years	9,804	7,236	2,150	333	54	7	-	-	1	-	-	23
20 to 24 years	22,142	8,905	7,827	3,647	1,227	365	99	19	6	1	-	46
25 to 29 years	16,069	2,852	5,007	4,068	2,205	1,057	510	237	73	20	17	23
30 to 34 years	9,997	995	2,227	2,587	1,720	1,031	608	379	206	135	97	12
35 to 39 years	4,768	354	728	989	847	540	349	333	209	167	247	5
40 to 44 years	1,262	81	141	188	139	142	126	85	73	84	200	3
45 to 49 years	75	3	5	5	6	3	5	9	8	5	26	-
50 years and over	2	-	1	-	-	-	-	1	-	-	-	-
Not stated	168	141	7	4	5	1	1	-	1	-	-	8

Table 26B. Live Births by Age of Mother, Live-Birth Order, Race, and Nativity of White Mother: Each State, 1955—Continued

(See headnote on p. 223)

AREA, AGE OF MOTHER, RACE, AND NATIVITY OF WHITE MOTHER	Total	LIVE-BIRTH ORDER										
		1	2	3	4	5	6	7	8	9	10 and over	Not stated
GEORGIA—Continued												
White—Continued												
Native white	63,592	20,328	17,888	11,687	6,138	3,121	1,686	1,051	576	412	586	119
Under 15 years	73	69	2	-	-	-	-	-	-	-	-	2
15 to 19 years	9,777	7,214	2,145	333	54	7	-	-	1	-	-	23
20 to 24 years	21,956	8,815	7,764	3,621	1,222	363	99	19	6	1	-	46
25 to 29 years	15,848	2,802	4,924	4,015	2,183	1,050	508	233	73	20	17	23
30 to 34 years	9,844	978	2,184	2,545	1,690	1,020	602	376	206	135	96	12
35 to 39 years	4,726	348	718	979	840	537	346	330	209	167	247	5
40 to 44 years	1,249	81	138	185	138	140	125	83	72	84	200	3
45 to 49 years	75	3	5	5	6	3	5	9	8	5	26	-
50 years and over	2	-	1	-	-	-	-	1	-	-	-	-
Not stated	42	18	7	4	5	1	1	-	1	-	-	5
Foreign-born white	627	177	205	132	64	25	12	10	1	-	1	-
Under 15 years	-	-	-	-	-	-	-	-	-	-	-	-
15 to 19 years	24	19	5	-	-	-	-	-	-	-	-	-
20 to 24 years	183	88	62	26	5	2	-	-	-	-	-	-
25 to 29 years	220	50	83	52	22	7	2	4	-	-	-	-
30 to 34 years	147	15	42	41	29	11	6	2	-	-	1	-
35 to 39 years	41	5	10	10	7	3	3	3	-	-	-	-
40 to 44 years	12	-	3	3	1	2	1	1	1	-	-	-
45 to 49 years	-	-	-	-	-	-	-	-	-	-	-	-
50 years and over	-	-	-	-	-	-	-	-	-	-	-	-
Not stated	-	-	-	-	-	-	-	-	-	-	-	-
Nonwhite	36,082	7,964	6,370	5,180	4,312	3,406	2,538	1,872	1,353	972	1,892	223
Under 15 years	257	233	19	3	-	-	-	-	-	-	-	2
15 to 19 years	7,755	4,516	2,189	737	204	34	3	1	1	-	-	70
20 to 24 years	10,910	2,075	2,744	2,604	1,801	1,019	380	143	50	17	13	64
25 to 29 years	7,859	549	894	1,188	1,370	1,363	1,106	715	354	180	116	24
30 to 34 years	5,010	200	366	414	606	668	662	621	545	388	520	20
35 to 39 years	2,978	70	126	192	271	261	319	320	328	288	789	14
40 to 44 years	870	17	19	38	53	53	57	66	68	97	399	3
45 to 49 years	75	2	1	1	5	5	2	4	5	1	49	-
50 years and over	1	-	-	-	-	-	-	-	-	-	1	-
Not stated	367	302	12	3	2	3	9	2	2	1	5	26
Negro	36,000	7,942	6,340	5,165	4,303	3,404	2,537	1,872	1,353	972	1,891	221
Under 15 years	257	233	19	3	-	-	-	-	-	-	-	2
15 to 19 years	7,752	4,515	2,188	737	204	34	3	1	1	-	-	69
20 to 24 years	10,877	2,062	2,729	2,599	1,801	1,019	380	143	50	17	13	64
25 to 29 years	7,828	542	885	1,181	1,365	1,362	1,105	715	354	180	116	23
30 to 34 years	5,000	200	362	411	603	668	662	621	545	388	520	20
35 to 39 years	2,974	70	125	192	270	260	319	320	328	288	788	14
40 to 44 years	869	16	19	38	53	53	57	66	68	97	399	3
45 to 49 years	75	2	1	1	5	5	2	4	5	1	49	-
50 years and over	1	-	-	-	-	-	-	-	-	-	1	-
Not stated	367	302	12	3	2	3	9	2	2	1	5	26
IDAHO	16,986	4,078	4,085	3,628	2,398	1,252	682	359	202	104	140	58
Under 15 years	8	8	-	-	-	-	-	-	-	-	-	-
15 to 19 years	2,393	1,724	548	90	7	-	-	-	-	-	-	24
20 to 24 years	5,618	1,631	2,012	1,294	482	137	26	8	3	2	1	22
25 to 29 years	4,297	468	957	1,287	930	394	169	59	17	5	5	6
30 to 34 years	2,759	149	397	637	619	421	263	143	76	25	26	3
35 to 39 years	1,427	69	124	260	291	233	170	107	72	43	55	3
40 to 44 years	415	15	36	53	58	58	51	41	32	22	49	-
45 to 49 years	35	5	4	1	4	6	2	1	2	7	3	-
50 years and over	1	-	-	-	-	-	-	-	-	-	1	-
Not stated	33	9	7	6	7	3	1	-	-	-	-	-
White	16,676	4,016	4,025	3,577	2,359	1,218	667	344	189	98	125	58
Under 15 years	7	7	-	-	-	-	-	-	-	-	-	-
15 to 19 years	2,358	1,702	538	88	6	-	-	-	-	-	-	24
20 to 24 years	5,520	1,609	1,988	1,272	465	128	25	7	1	2	1	22
25 to 29 years	4,211	454	938	1,274	918	380	165	54	14	4	4	6
30 to 34 years	2,707	146	392	627	615	415	254	138	71	23	23	3
35 to 39 years	1,401	69	123	256	286	229	169	104	70	41	51	3
40 to 44 years	404	15	35	53	58	57	51	40	31	21	43	-
45 to 49 years	34	5	4	1	4	6	2	1	2	7	2	-
50 years and over	1	-	-	-	-	-	-	-	-	-	1	-
Not stated	33	9	7	6	7	3	1	-	-	-	-	-
Native white	16,361	3,944	3,955	3,498	2,320	1,194	654	339	183	96	120	58
Under 15 years	7	7	-	-	-	-	-	-	-	-	-	-
15 to 19 years	2,344	1,690	536	88	6	-	-	-	-	-	-	24
20 to 24 years	5,453	1,576	1,967	1,264	464	126	25	7	-	1	1	22
25 to 29 years	4,117	437	911	1,246	905	373	163	54	14	4	4	6
30 to 34 years	2,626	140	379	594	604	409	247	135	70	23	22	3
35 to 39 years	1,366	67	118	250	279	221	166	104	67	41	50	3
40 to 44 years	385	14	33	50	53	56	51	38	30	20	40	-
45 to 49 years	33	4	4	1	4	6	2	1	2	7	2	-
50 years and over	1	-	-	-	-	-	-	-	-	-	1	-
Not stated	29	9	7	5	5	3	-	-	-	-	-	-

Table 26B. Live Births by Age of Mother, Live-Birth Order, Race, and Nativity of White Mother: Each State, 1955—Continued

(See headnote on p. 223)

AREA, AGE OF MOTHER, RACE, AND NATIVITY OF WHITE MOTHER	Total	LIVE-BIRTH ORDER										
		1	2	3	4	5	6	7	8	9	10 and over	Not stated
IDAHO—Continued												
White—Continued												
Foreign-born white	310	71	70	77	38	24	12	5	6	2	5	-
Under 15 years	-	-	-	-	-	-	-	-	-	-	-	-
15 to 19 years	14	12	2	-	-	-	-	-	-	-	-	-
20 to 24 years	66	32	21	8	1	2	-	-	1	1	-	-
25 to 29 years	94	17	27	28	13	7	2	-	-	-	-	-
30 to 34 years	80	6	13	32	11	6	7	3	1	-	1	-
35 to 39 years	35	2	5	6	7	8	3	-	3	-	1	-
40 to 44 years	19	1	2	3	5	1	-	2	1	1	3	-
45 to 49 years	1	1	-	-	-	-	-	-	-	-	-	-
50 years and over	-	-	-	-	-	-	-	-	-	-	-	-
Not stated	1	-	-	-	1	-	-	-	-	-	-	-
Nonwhite	310	62	60	51	39	34	15	15	13	6	15	-
Under 15 years	1	1	-	-	-	-	-	-	-	-	-	-
15 to 19 years	35	22	10	2	1	-	-	-	-	-	-	-
20 to 24 years	98	22	24	22	17	9	1	1	2	-	-	-
25 to 29 years	86	14	19	13	12	14	4	5	3	1	1	-
30 to 34 years	52	3	5	10	4	6	9	5	5	2	3	-
35 to 39 years	26	-	1	4	5	4	1	3	2	2	4	-
40 to 44 years	11	-	1	-	-	1	-	1	1	1	6	-
45 to 49 years	1	-	-	-	-	-	-	-	-	-	1	-
50 years and over	-	-	-	-	-	-	-	-	-	-	-	-
Not stated	-	-	-	-	-	-	-	-	-	-	-	-
ILLINOIS	220,621	61,672	61,679	45,107	24,978	12,724	6,619	3,401	1,857	1,070	1,459	55
Under 15 years	223	212	11	-	-	-	-	-	-	-	-	-
15 to 19 years	22,509	16,150	5,068	1,089	179	16	1	-	-	-	-	6
20 to 24 years	68,138	26,996	23,437	11,245	4,299	1,530	457	132	21	9	6	6
25 to 29 years	64,218	11,892	19,950	16,249	8,503	4,188	2,067	825	330	139	63	12
30 to 34 years	41,284	4,412	9,344	11,160	7,477	4,013	2,196	1,214	696	388	381	3
35 to 39 years	19,353	1,649	3,248	4,481	3,711	2,324	1,440	908	598	396	594	4
40 to 44 years	4,655	337	599	856	781	621	433	308	204	132	383	1
45 to 49 years	207	16	19	27	28	32	25	14	8	6	32	-
50 years and over	1	1	-	-	-	-	-	-	-	-	-	-
Not stated	33	7	3	-	-	-	-	-	-	-	-	23
White	189,756	54,498	54,879	39,764	20,967	9,855	4,738	2,287	1,186	639	898	45
Under 15 years	72	72	-	-	-	-	-	-	-	-	-	-
15 to 19 years	17,196	13,062	3,487	585	50	6	-	-	-	-	-	6
20 to 24 years	57,833	24,525	20,561	8,980	2,778	763	176	36	4	2	3	5
25 to 29 years	56,372	10,996	18,592	14,754	7,152	3,018	1,238	427	125	41	20	9
30 to 34 years	36,476	3,997	8,658	10,382	6,767	3,362	1,686	817	418	204	182	3
35 to 39 years	17,359	1,508	3,003	4,221	3,454	2,097	1,225	725	453	284	385	4
40 to 44 years	4,231	316	557	816	740	581	391	268	179	102	280	1
45 to 49 years	190	15	18	26	26	28	22	14	7	6	28	-
50 years and over	1	1	-	-	-	-	-	-	-	-	-	-
Not stated	26	6	3	-	-	-	-	-	-	-	-	17
Native white	182,730	52,359	52,737	38,311	20,294	9,559	4,584	2,203	1,158	624	874	27
Under 15 years	71	71	-	-	-	-	-	-	-	-	-	-
15 to 19 years	16,983	12,883	3,453	585	50	6	-	-	-	-	-	6
20 to 24 years	56,315	23,693	20,100	8,813	2,731	753	176	35	4	2	3	5
25 to 29 years	54,093	10,326	17,817	14,263	6,958	2,938	1,195	408	122	40	18	8
30 to 34 years	34,451	3,667	8,009	9,842	6,490	3,242	1,624	790	409	197	178	3
35 to 39 years	16,637	1,410	2,835	4,018	3,339	2,040	1,192	700	442	279	378	4
40 to 44 years	4,002	292	505	766	705	553	376	257	174	102	271	1
45 to 49 years	175	15	17	24	21	27	21	13	7	4	26	-
50 years and over	1	1	-	-	-	-	-	-	-	-	-	-
Not stated	2	1	1	-	-	-	-	-	-	-	-	-
Foreign-born white	6,985	2,127	2,136	1,451	671	294	154	84	28	15	24	1
Under 15 years	1	1	-	-	-	-	-	-	-	-	-	-
15 to 19 years	211	178	33	-	-	-	-	-	-	-	-	-
20 to 24 years	1,511	827	460	166	47	10	-	1	-	-	-	-
25 to 29 years	2,276	670	773	491	194	79	43	19	3	1	2	1
30 to 34 years	2,022	330	649	540	275	119	62	27	9	7	4	-
35 to 39 years	720	97	168	202	115	57	33	25	11	5	7	-
40 to 44 years	229	24	52	50	35	28	15	11	5	-	9	-
45 to 49 years	15	-	1	2	5	1	1	1	-	2	2	-
50 years and over	-	-	-	-	-	-	-	-	-	-	-	-
Not stated	-	-	-	-	-	-	-	-	-	-	-	-
Nonwhite	30,865	7,174	6,800	5,343	4,011	2,869	1,881	1,114	671	431	561	10
Under 15 years	151	140	11	-	-	-	-	-	-	-	-	-
15 to 19 years	5,313	3,088	1,581	504	129	10	1	-	-	-	-	-
20 to 24 years	10,305	2,471	2,876	2,265	1,521	767	281	96	17	7	3	1
25 to 29 years	7,846	896	1,358	1,495	1,351	1,170	829	398	205	98	43	3
30 to 34 years	4,808	415	686	778	710	651	510	397	278	184	199	-
35 to 39 years	1,994	141	245	260	257	227	215	183	145	112	209	-
40 to 44 years	424	21	42	40	41	40	42	40	25	30	103	-
45 to 49 years	17	1	1	1	2	4	3	-	1	-	4	-
50 years and over	-	-	-	-	-	-	-	-	-	-	-	-
Not stated	7	1	-	-	-	-	-	-	-	-	-	6

Table 26B. Live Births by Age of Mother, Live-Birth Order, Race, and Nativity of White Mother: Each State, 1955—Continued

(See headnote on p. 223)

AREA, AGE OF MOTHER, RACE, AND NATIVITY OF WHITE MOTHER	Total	LIVE-BIRTH ORDER										
		1	2	3	4	5	6	7	8	9	10 and over	Not stated
ILLINOIS—Continued												
Nonwhite—Continued												
Negro	30,120	6,907	6,566	5,215	3,946	2,842	1,870	1,105	668	430	561	10
Under 15 years	151	140	11	-	-	-	-	-	-	-	-	-
15 to 19 years	5,287	3,067	1,578	503	129	9	1	-	-	-	-	-
20 to 24 years	10,138	2,382	2,824	2,251	1,514	762	281	96	17	7	3	1
25 to 29 years	7,567	804	1,259	1,448	1,327	1,160	825	396	205	97	43	3
30 to 34 years	4,609	361	626	728	686	647	506	395	277	184	199	-
35 to 39 years	1,929	130	228	244	248	223	212	179	144	112	209	-
40 to 44 years	416	21	39	40	40	38	42	39	24	30	103	-
45 to 49 years	16	1	1	1	2	3	3	-	1	-	4	-
50 years and over	-	-	-	-	-	-	-	-	-	-	-	-
Not stated	7	1	-	-	-	-	-	-	-	-	-	6
INDIANA	108,614	29,241	29,479	22,051	12,876	6,645	3,622	1,813	1,062	654	987	184
Under 15 years	113	109	4	-	-	-	-	-	-	-	-	-
15 to 19 years	14,221	10,204	3,259	615	81	10	2	1	-	-	-	49
20 to 24 years	35,743	12,284	12,844	6,780	2,648	819	230	50	12	3	1	72
25 to 29 years	29,574	4,312	8,350	8,065	4,654	2,370	1,092	427	184	52	33	35
30 to 34 years	18,195	1,571	3,565	4,601	3,569	2,081	1,261	674	411	240	207	15
35 to 39 years	8,363	582	1,220	1,652	1,571	1,069	769	495	326	254	419	6
40 to 44 years	2,180	137	206	310	341	278	249	153	118	92	291	5
45 to 49 years	127	6	10	16	6	10	13	10	9	12	35	-
50 years and over	4	2	-	-	-	-	-	1	-	-	1	-
Not stated	94	34	21	12	6	8	6	2	2	1	-	2
White	100,690	27,443	27,860	20,701	11,791	5,895	3,132	1,500	878	517	805	168
Under 15 years	68	65	3	-	-	-	-	-	-	-	-	-
15 to 19 years	12,820	9,340	2,892	483	57	6	1	-	-	-	-	41
20 to 24 years	33,232	11,728	12,155	6,199	2,259	630	158	30	6	-	1	66
25 to 29 years	27,502	4,119	8,007	7,668	4,264	2,041	886	302	129	30	21	35
30 to 34 years	16,989	1,483	3,408	4,429	3,381	1,928	1,120	566	335	177	148	14
35 to 39 years	7,832	547	1,170	1,600	1,496	1,006	713	448	289	218	340	5
40 to 44 years	2,048	125	195	298	325	268	237	143	108	81	263	5
45 to 49 years	117	6	9	15	5	10	12	9	9	11	31	-
50 years and over	4	2	-	-	-	-	-	1	-	-	1	-
Not stated	78	28	21	9	4	6	5	1	2	-	-	2
Native white	99,267	27,087	27,453	20,401	11,606	5,815	3,083	1,485	867	509	801	160
Under 15 years	66	63	3	-	-	-	-	-	-	-	-	-
15 to 19 years	12,761	9,289	2,885	482	57	6	1	-	-	-	-	41
20 to 24 years	32,930	11,604	12,051	6,164	2,230	625	158	30	6	-	1	61
25 to 29 years	27,047	4,013	7,863	7,568	4,201	2,017	877	298	127	29	21	33
30 to 34 years	16,562	1,432	3,298	4,306	3,317	1,894	1,088	560	331	174	148	14
35 to 39 years	7,708	532	1,137	1,567	1,478	996	708	446	286	215	338	5
40 to 44 years	2,002	120	187	290	316	263	234	140	106	80	261	5
45 to 49 years	115	6	9	15	4	9	12	9	9	11	31	-
50 years and over	4	2	-	-	-	-	-	1	-	-	1	-
Not stated	72	26	20	9	3	5	5	1	2	-	-	1
Foreign-born white	1,397	343	403	299	182	77	48	15	11	8	4	7
Under 15 years	-	-	-	-	-	-	-	-	-	-	-	-
15 to 19 years	56	48	7	1	-	-	-	-	-	-	-	-
20 to 24 years	294	121	102	34	28	4	-	-	-	-	-	5
25 to 29 years	449	103	142	100	63	23	9	4	2	1	-	2
30 to 34 years	425	51	110	123	63	34	31	6	4	3	-	-
35 to 39 years	124	15	33	33	18	10	5	2	3	3	2	-
40 to 44 years	46	5	8	8	9	5	3	3	2	1	2	-
45 to 49 years	2	-	-	-	1	1	-	-	-	-	-	-
50 years and over	-	-	-	-	-	-	-	-	-	-	-	-
Not stated	1	-	1	-	-	-	-	-	-	-	-	-
Nonwhite	7,924	1,798	1,619	1,350	1,085	750	490	313	184	137	182	16
Under 15 years	45	44	1	-	-	-	-	-	-	-	-	-
15 to 19 years	1,401	864	367	132	24	4	1	1	-	-	-	8
20 to 24 years	2,511	556	689	581	389	189	72	20	6	3	-	6
25 to 29 years	2,072	193	343	397	390	329	206	125	55	22	12	-
30 to 34 years	1,206	88	157	172	188	153	141	108	76	63	59	1
35 to 39 years	531	35	50	52	75	63	56	47	37	36	79	1
40 to 44 years	132	12	11	12	16	10	12	10	10	11	28	-
45 to 49 years	10	-	1	1	1	-	1	1	-	1	4	-
50 years and over	-	-	-	-	-	-	-	-	-	-	-	-
Not stated	16	6	-	3	2	2	1	1	-	1	-	-
Negro	7,824	1,766	1,589	1,325	1,075	749	489	313	184	137	181	16
Under 15 years	45	44	1	-	-	-	-	-	-	-	-	-
15 to 19 years	1,399	862	367	132	24	4	1	1	-	-	-	8
20 to 24 years	2,483	538	685	575	389	189	72	20	6	3	-	6
25 to 29 years	2,026	182	326	386	384	329	205	125	55	22	12	-
30 to 34 years	1,189	87	150	166	185	153	141	108	76	63	59	1
35 to 39 years	525	35	48	50	75	62	56	47	37	36	78	1
40 to 44 years	131	12	11	12	15	10	12	10	10	11	28	-
45 to 49 years	10	-	1	1	1	-	1	1	-	1	4	-
50 years and over	-	-	-	-	-	-	-	-	-	-	-	-
Not stated	16	6	-	3	2	2	1	1	-	1	-	-

Table 26B. Live Births by Age of Mother, Live-Birth Order, Race, and Nativity of White Mother: Each State, 1955—Continued

(See headnote on p. 223)

AREA, AGE OF MOTHER, RACE, AND NATIVITY OF WHITE MOTHER	Total	LIVE-BIRTH ORDER										
		1	2	3	4	5	6	7	8	9	10 and over	Not stated
IOWA	63,747	16,440	16,515	13,501	8,115	4,373	2,184	1,101	651	347	497	23
Under 15 years	27	27	-	-	-	-	-	-	-	-	-	-
15 to 19 years	6,354	4,804	1,296	215	27	3	1	-	-	-	-	8
20 to 24 years	21,175	7,950	7,595	3,779	1,352	380	92	11	8	1	-	7
25 to 29 years	17,801	2,491	4,858	5,210	2,982	1,392	577	187	76	20	6	2
30 to 34 years	11,199	787	1,959	2,950	2,362	1,468	823	406	224	112	106	2
35 to 39 years	5,596	308	666	1,112	1,132	875	526	360	248	147	222	-
40 to 44 years	1,472	58	129	218	246	241	154	128	88	65	145	-
45 to 49 years	91	5	4	12	13	13	9	8	7	2	18	-
50 years and over	-	-	-	-	-	-	-	-	-	-	-	-
Not stated	32	10	8	5	1	1	2	1	-	-	-	4
White	62,961	16,245	16,345	13,386	8,023	4,298	2,126	1,072	632	332	479	23
Under 15 years	20	20	-	-	-	-	-	-	-	-	-	-
15 to 19 years	6,198	4,707	1,253	204	23	3	-	-	-	-	-	8
20 to 24 years	20,927	7,891	7,526	3,735	1,317	355	81	7	7	1	-	7
25 to 29 years	17,606	2,470	4,819	5,171	2,946	1,372	554	178	70	19	5	2
30 to 34 years	11,084	780	1,947	2,932	2,351	1,447	810	395	219	104	97	2
35 to 39 years	5,537	304	659	1,109	1,126	866	518	357	243	141	214	-
40 to 44 years	1,467	58	129	218	246	241	152	127	86	65	145	-
45 to 49 years	91	5	4	12	13	13	9	8	7	2	18	-
50 years and over	-	-	-	-	-	-	-	-	-	-	-	-
Not stated	31	10	8	5	1	1	2	-	-	-	-	4
Native white	62,272	16,073	16,157	13,243	7,944	4,245	2,091	1,067	623	331	476	22
Under 15 years	20	20	-	-	-	-	-	-	-	-	-	-
15 to 19 years	6,168	4,681	1,250	203	23	3	-	-	-	-	-	8
20 to 24 years	20,776	7,820	7,468	3,719	1,313	354	80	7	7	1	-	7
25 to 29 years	17,399	2,424	4,747	5,119	2,928	1,360	548	178	69	19	5	2
30 to 34 years	10,894	757	1,906	2,889	2,313	1,426	791	394	215	104	97	2
35 to 39 years	5,451	300	649	1,086	1,110	850	511	354	240	140	211	-
40 to 44 years	1,446	57	125	210	243	238	150	127	86	65	145	-
45 to 49 years	89	5	4	12	13	13	9	7	6	2	18	-
50 years and over	-	-	-	-	-	-	-	-	-	-	-	-
Not stated	29	9	8	5	1	1	2	-	-	-	-	3
Foreign-born white	681	169	186	142	79	53	34	5	9	1	3	-
Under 15 years	-	-	-	-	-	-	-	-	-	-	-	-
15 to 19 years	27	24	2	1	-	-	-	-	-	-	-	-
20 to 24 years	149	71	57	15	4	1	1	-	-	-	-	-
25 to 29 years	207	46	72	52	18	12	6	-	1	-	-	-
30 to 34 years	190	23	41	43	38	21	19	1	4	-	-	-
35 to 39 years	85	4	10	23	16	16	6	3	3	1	3	-
40 to 44 years	21	1	4	8	3	3	2	-	-	-	-	-
45 to 49 years	2	-	-	-	-	-	-	1	1	-	-	-
50 years and over	-	-	-	-	-	-	-	-	-	-	-	-
Not stated	-	-	-	-	-	-	-	-	-	-	-	-
Nonwhite	786	195	170	115	92	75	58	29	19	15	18	-
Under 15 years	7	7	-	-	-	-	-	-	-	-	-	-
15 to 19 years	156	97	43	11	4	-	1	-	-	-	-	-
20 to 24 years	248	59	69	44	35	25	11	4	1	-	-	-
25 to 29 years	195	21	39	39	36	20	23	9	6	1	1	-
30 to 34 years	115	7	12	18	11	21	13	11	5	8	9	-
35 to 39 years	59	4	7	3	6	9	8	3	5	6	8	-
40 to 44 years	5	-	-	-	-	-	2	1	2	-	-	-
45 to 49 years	-	-	-	-	-	-	-	-	-	-	-	-
50 years and over	-	-	-	-	-	-	-	-	-	-	-	-
Not stated	1	-	-	-	-	-	-	1	-	-	-	-
Negro	672	163	144	92	79	71	52	25	16	15	15	-
Under 15 years	7	7	-	-	-	-	-	-	-	-	-	-
15 to 19 years	144	90	39	10	4	-	1	-	-	-	-	-
20 to 24 years	215	47	62	34	32	24	11	4	1	-	-	-
25 to 29 years	162	12	31	35	28	20	21	7	6	1	1	-
30 to 34 years	92	4	8	11	10	19	10	11	4	8	7	-
35 to 39 years	49	3	4	2	5	8	7	3	4	6	7	-
40 to 44 years	3	-	-	-	-	-	2	-	1	-	-	-
45 to 49 years	-	-	-	-	-	-	-	-	-	-	-	-
50 years and over	-	-	-	-	-	-	-	-	-	-	-	-
Not stated	-	-	-	-	-	-	-	-	-	-	-	-
KANSAS	52,912	14,418	14,835	11,100	6,216	3,033	1,501	796	425	221	348	19
Under 15 years	44	43	-	-	-	-	-	-	-	-	-	1
15 to 19 years	6,483	4,689	1,508	256	23	4	-	-	-	-	-	3
20 to 24 years	18,370	6,579	6,877	3,398	1,117	306	71	12	3	1	-	6
25 to 29 years	14,170	2,073	4,059	4,029	2,297	1,007	442	165	63	21	9	5
30 to 34 years	8,633	694	1,683	2,378	1,819	960	509	312	145	67	64	2
35 to 39 years	4,031	247	583	867	777	591	358	227	149	83	149	-
40 to 44 years	1,052	61	104	153	169	150	117	76	61	44	117	-
45 to 49 years	60	6	4	6	10	10	4	2	4	5	9	-
50 years and over	-	-	-	-	-	-	-	-	-	-	-	-
Not stated	69	26	17	13	4	5	-	2	-	-	-	2

Table 26B. Live Births by Age of Mother, Live-Birth Order, Race, and Nativity of White Mother: Each State, 1955—Continued

(See headnote on p. 223)

AREA, AGE OF MOTHER, RACE, AND NATIVITY OF WHITE MOTHER	Total	LIVE-BIRTH ORDER										
		1	2	3	4	5	6	7	8	9	10 and over	Not stated
KANSAS—Continued												
White	50,055	13,760	14,188	10,615	5,877	2,766	1,318	681	364	188	281	17
Under 15 years	23	22	-	-	-	-	-	-	-	-	-	1
15 to 19 years	6,000	4,413	1,358	206	18	3	-	-	-	-	-	2
20 to 24 years	17,362	6,331	6,555	3,176	998	241	46	6	2	1	-	6
25 to 29 years	13,463	2,001	3,951	3,905	2,171	899	354	117	42	16	3	4
30 to 34 years	8,232	668	1,639	2,313	1,750	904	463	271	120	54	48	2
35 to 39 years	3,843	235	563	852	759	558	336	210	136	73	121	-
40 to 44 years	1,009	60	101	145	167	146	116	74	60	39	101	-
45 to 49 years	58	6	4	6	10	10	3	2	4	5	8	-
50 years and over	-	-	-	-	-	-	-	-	-	-	-	-
Not stated	65	24	17	12	4	5	-	1	-	-	-	2
Native white	49,313	13,573	13,979	10,448	5,790	2,723	1,300	668	360	186	272	14
Under 15 years	23	22	-	-	-	-	-	-	-	-	-	1
15 to 19 years	5,968	4,385	1,355	205	18	3	-	-	-	-	-	2
20 to 24 years	17,186	6,261	6,483	3,154	990	238	45	6	2	1	-	6
25 to 29 years	13,198	1,946	3,871	3,827	2,136	887	352	116	41	16	3	3
30 to 34 years	8,056	640	1,598	2,259	1,722	892	453	269	120	53	48	2
35 to 39 years	3,790	233	552	844	749	546	334	205	136	72	119	-
40 to 44 years	979	58	100	142	162	145	113	69	57	39	94	-
45 to 49 years	55	5	4	6	9	9	3	2	4	5	8	-
50 years and over	-	-	-	-	-	-	-	-	-	-	-	-
Not stated	58	23	16	11	4	3	-	1	-	-	-	-
Foreign-born white	735	185	208	166	87	43	18	13	3	2	9	1
Under 15 years	-	-	-	-	-	-	-	-	-	-	-	-
15 to 19 years	32	28	3	1	-	-	-	-	-	-	-	-
20 to 24 years	176	70	72	22	8	3	1	-	-	-	-	-
25 to 29 years	264	54	80	78	35	12	2	1	1	-	-	1
30 to 34 years	175	28	41	53	28	12	10	2	-	1	-	-
35 to 39 years	53	2	11	8	10	12	2	5	-	1	2	-
40 to 44 years	29	2	1	3	5	1	3	5	2	-	7	-
45 to 49 years	3	1	-	-	1	1	-	-	-	-	-	-
50 years and over	-	-	-	-	-	-	-	-	-	-	-	-
Not stated	3	-	-	1	-	2	-	-	-	-	-	-
Nonwhite	2,857	658	647	485	339	267	183	115	61	33	67	2
Under 15 years	21	21	-	-	-	-	-	-	-	-	-	-
15 to 19 years	483	276	150	50	5	1	-	-	-	-	-	1
20 to 24 years	1,008	248	322	222	119	65	25	6	1	-	-	-
25 to 29 years	707	72	108	124	126	108	88	48	21	5	6	1
30 to 34 years	401	26	44	65	69	56	46	41	25	13	16	-
35 to 39 years	188	12	20	15	18	33	22	17	13	10	28	-
40 to 44 years	43	1	3	8	2	4	1	2	1	5	16	-
45 to 49 years	2	-	-	-	-	-	1	-	-	-	1	-
50 years and over	-	-	-	-	-	-	-	-	-	-	-	-
Not stated	4	2	-	1	-	-	-	1	-	-	-	-
Negro	2,648	596	589	455	319	253	174	107	59	33	61	2
Under 15 years	20	20	-	-	-	-	-	-	-	-	-	-
15 to 19 years	454	257	144	46	5	1	-	-	-	-	-	1
20 to 24 years	946	223	299	213	117	62	25	6	1	-	-	-
25 to 29 years	647	62	90	113	115	104	84	46	21	5	6	1
30 to 34 years	365	19	37	62	65	51	44	36	23	13	15	-
35 to 39 years	172	12	16	13	15	31	19	16	13	10	27	-
40 to 44 years	39	1	3	8	2	4	1	2	1	5	12	-
45 to 49 years	2	-	-	-	-	-	1	-	-	-	1	-
50 years and over	-	-	-	-	-	-	-	-	-	-	-	-
Not stated	3	2	-	-	-	-	-	1	-	-	-	-
KENTUCKY	73,897	20,347	17,409	12,307	8,059	5,065	3,388	2,167	1,585	1,136	2,073	361
Under 15 years	138	133	3	-	-	-	-	-	-	-	-	2
15 to 19 years	11,858	8,359	2,733	541	86	22	3	1	-	1	-	112
20 to 24 years	23,272	7,837	7,776	4,391	2,043	773	254	74	13	8	3	100
25 to 29 years	18,021	2,591	4,307	4,130	3,007	1,866	1,139	534	235	87	59	66
30 to 34 years	11,773	919	1,844	2,241	1,919	1,483	1,162	818	620	365	366	36
35 to 39 years	6,397	361	600	829	790	707	625	557	519	477	905	27
40 to 44 years	2,161	107	117	158	194	194	180	170	184	179	662	16
45 to 49 years	165	7	5	4	9	10	21	8	11	16	73	1
50 years and over	3	-	1	-	-	-	-	-	1	1	-	-
Not stated	109	33	23	13	11	10	4	5	2	2	5	1
White	67,741	18,912	16,189	11,321	7,306	4,480	2,994	1,901	1,404	1,006	1,897	331
Under 15 years	102	99	1	-	-	-	-	-	-	-	-	2
15 to 19 years	10,636	7,619	2,413	418	65	15	2	-	-	1	-	103
20 to 24 years	21,325	7,416	7,216	3,935	1,764	630	202	48	12	7	3	92
25 to 29 years	16,610	2,455	4,107	3,885	2,736	1,633	974	445	191	72	49	63
30 to 34 years	10,851	854	1,755	2,130	1,795	1,355	1,050	724	541	307	308	32
35 to 39 years	5,938	333	559	791	744	646	571	514	473	437	845	25
40 to 44 years	2,016	96	110	147	183	182	170	159	173	165	619	12
45 to 49 years	157	7	5	4	9	10	21	7	11	14	68	1
50 years and over	3	-	1	-	-	-	-	-	1	1	-	-
Not stated	103	33	22	11	10	9	4	4	2	2	5	1

Table 26B. Live Births by Age of Mother, Live-Birth Order, Race, and Nativity of White Mother: Each State, 1955—Continued

(See headnote on p. 223)

AREA, AGE OF MOTHER, RACE, AND NATIVITY OF WHITE MOTHER	Total	LIVE-BIRTH ORDER										
		1	2	3	4	5	6	7	8	9	10 and over	Not stated
KENTUCKY—Continued.												
White—Continued												
Native white	67,117	18,733	16,007	11,196	7,245	4,451	2,975	1,890	1,398	1,005	1,890	327
Under 15 years	102	99	1	-	-	-	-	-	-	-	-	2
15 to 19 years	10,608	7,603	2,403	416	65	15	2	-	-	1	-	103
20 to 24 years	21,150	7,336	7,156	3,912	1,756	628	201	48	12	7	3	91
25 to 29 years	16,374	2,399	4,044	3,828	2,713	1,613	965	441	189	72	48	62
30 to 34 years	10,722	839	1,715	2,094	1,774	1,351	1,046	718	538	307	308	32
35 to 39 years	5,905	332	551	784	737	645	568	514	472	437	841	24
40 to 44 years	2,006	95	110	147	181	180	168	158	173	164	618	12
45 to 49 years	156	7	5	4	9	10	21	7	11	14	67	1
50 years and over	3	-	1	-	-	-	-	-	1	1	-	-
Not stated	91	23	21	11	10	9	4	4	2	2	5	-
Foreign-born white	573	161	178	118	55	24	16	10	6	-	3	2
Under 15 years	-	-	-	-	-	-	-	-	-	-	-	-
15 to 19 years	26	15	9	2	-	-	-	-	-	-	-	-
20 to 24 years	158	77	58	18	5	-	-	-	-	-	-	-
25 to 29 years	229	54	63	57	22	17	8	4	2	-	1	1
30 to 34 years	122	13	40	34	19	4	4	5	3	-	-	-
35 to 39 years	30	1	8	7	7	1	2	-	1	-	2	1
40 to 44 years	8	1	-	-	2	2	2	1	-	-	-	-
45 to 49 years	-	-	-	-	-	-	-	-	-	-	-	-
50 years and over	-	-	-	-	-	-	-	-	-	-	-	-
Not stated	-	-	-	-	-	-	-	-	-	-	-	-
Nonwhite	6,156	1,435	1,220	986	753	585	394	266	181	130	176	30
Under 15 years	36	34	2	-	-	-	-	-	-	-	-	-
15 to 19 years	1,222	740	320	123	21	7	1	1	-	-	-	9
20 to 24 years	1,947	421	560	456	279	143	52	26	1	1	-	8
25 to 29 years	1,411	136	200	245	271	233	165	89	44	15	10	3
30 to 34 years	922	65	89	111	124	128	112	94	79	58	58	4
35 to 39 years	459	28	41	38	46	61	54	43	46	40	60	2
40 to 44 years	145	11	7	11	11	12	10	11	11	14	43	4
45 to 49 years	8	-	-	-	-	-	-	1	-	2	5	-
50 years and over	-	-	-	-	-	-	-	-	-	-	-	-
Not stated	6	-	1	2	1	1	-	1	-	-	-	-
Negro	6,108	1,420	1,206	977	748	582	393	265	181	130	176	30
Under 15 years	36	34	2	-	-	-	-	-	-	-	-	-
15 to 19 years	1,220	739	319	123	21	7	1	1	-	-	-	9
20 to 24 years	1,934	414	556	454	279	143	52	26	1	1	-	8
25 to 29 years	1,385	130	193	239	267	231	165	88	44	15	10	3
30 to 34 years	915	64	87	110	123	127	111	94	79	58	58	4
35 to 39 years	459	28	41	38	46	61	54	43	46	40	60	2
40 to 44 years	145	11	7	11	11	12	10	11	11	14	43	4
45 to 49 years	8	-	-	-	-	-	-	1	-	2	5	-
50 years and over	-	-	-	-	-	-	-	-	-	-	-	-
Not stated	6	-	1	2	1	1	-	1	-	-	-	-
LOUISIANA	86,154	21,507	20,179	15,475	10,182	6,359	4,288	2,831	1,852	1,243	2,220	18
Under 15 years	229	210	17	1	-	-	-	-	-	-	-	1
15 to 19 years	13,428	8,860	3,398	924	212	23	4	-	-	-	-	7
20 to 24 years	27,728	8,537	8,974	5,518	2,684	1,276	507	171	40	11	7	3
25 to 29 years	22,250	2,588	5,025	5,199	3,690	2,365	1,615	944	489	190	144	1
30 to 34 years	13,753	878	1,981	2,686	2,381	1,720	1,299	975	707	509	612	3
35 to 39 years	6,826	340	649	967	1,020	784	696	579	483	388	920	-
40 to 44 years	1,803	86	128	170	187	179	158	156	122	133	484	-
45 to 49 years	118	6	4	6	5	10	8	6	10	12	51	-
50 years and over	2	-	-	-	-	-	-	-	-	-	2	-
Not stated	17	2	3	2	3	2	1	-	1	-	-	3
White	51,953	14,569	14,193	10,480	5,955	2,946	1,636	928	478	307	451	10
Under 15 years	48	44	3	-	-	-	-	-	-	-	-	1
15 to 19 years	6,775	4,980	1,483	288	38	3	-	-	-	-	-	3
20 to 24 years	17,345	6,420	6,372	3,106	1,026	308	83	24	3	1	-	2
25 to 29 years	14,095	2,101	4,093	3,980	2,207	965	461	176	74	23	15	-
30 to 34 years	8,568	686	1,634	2,164	1,748	1,012	585	371	168	99	99	2
35 to 39 years	4,065	259	529	806	789	527	397	267	168	125	198	-
40 to 44 years	998	72	97	131	144	124	102	90	58	53	127	-
45 to 49 years	52	6	2	4	2	5	8	-	7	6	12	-
50 years and over	-	-	-	-	-	-	-	-	-	-	-	-
Not stated	7	1	-	1	1	2	-	-	-	-	-	2
Native white	51,490	14,438	14,046	10,391	5,904	2,925	1,620	925	478	306	449	8
Under 15 years	48	44	3	-	-	-	-	-	-	-	-	1
15 to 19 years	6,762	4,970	1,460	288	38	3	-	-	-	-	-	3
20 to 24 years	17,215	6,353	6,323	3,095	1,024	307	83	24	3	1	-	2
25 to 29 years	13,935	2,065	4,025	3,948	2,193	958	458	176	74	23	15	-
30 to 34 years	8,459	671	1,611	2,137	1,729	1,001	576	368	168	98	98	2
35 to 39 years	4,028	256	525	792	776	526	395	267	168	125	198	-
40 to 44 years	988	72	97	126	142	123	100	90	58	53	127	-
45 to 49 years	50	6	2	4	1	5	8	-	7	6	11	-
50 years and over	-	-	-	-	-	-	-	-	-	-	-	-
Not stated	5	1	-	1	1	2	-	-	-	-	-	-

Table 26B. Live Births by Age of Mother, Live-Birth Order, Race, and Nativity of White Mother: Each State, 1955—Continued

(See headnote on p. 223)

AREA, AGE OF MOTHER, RACE, AND NATIVITY OF WHITE MOTHER	Total	LIVE-BIRTH ORDER										
		1	2	3	4	5	6	7	8	9	10 and over	Not stated
LOUISIANA—Continued												
White—Continued												
Foreign-born white	459	130	146	89	51	21	16	3	-	1	2	-
Under 15 years	-	-	-	-	-	-	-	-	-	-	-	-
15 to 19 years	12	9	3	-	-	-	-	-	-	-	-	-
20 to 24 years	129	67	48	11	2	1	-	-	-	-	-	-
25 to 29 years	160	36	68	32	14	7	3	-	-	-	-	-
30 to 34 years	109	15	23	27	19	11	9	3	-	1	1	-
35 to 39 years	37	3	4	14	13	1	2	-	-	-	-	-
40 to 44 years	10	-	-	5	2	1	2	-	-	-	-	-
45 to 49 years	2	-	-	-	1	-	-	-	-	-	1	-
50 years and over	-	-	-	-	-	-	-	-	-	-	-	-
Not stated	-	-	-	-	-	-	-	-	-	-	-	-
Nonwhite	34,201	6,938	5,986	4,995	4,227	3,413	2,652	1,903	1,374	936	1,769	8
Under 15 years	181	166	14	1	-	-	-	-	-	-	-	-
15 to 19 years	6,653	3,880	1,935	636	174	20	4	-	-	-	-	4
20 to 24 years	10,383	2,117	2,602	2,412	1,658	968	424	147	37	10	7	1
25 to 29 years	8,155	487	932	1,219	1,483	1,400	1,154	768	415	167	129	1
30 to 34 years	5,185	192	347	524	633	708	714	604	539	410	513	1
35 to 39 years	2,761	81	120	161	231	257	299	312	315	263	722	-
40 to 44 years	805	14	31	39	43	55	56	66	64	80	357	-
45 to 49 years	66	-	2	2	3	5	-	6	3	6	39	-
50 years and over	2	-	-	-	-	-	-	-	-	-	2	-
Not stated	10	1	3	1	2	-	1	-	1	-	-	1
Negro	34,115	6,919	5,962	4,984	4,212	3,407	2,651	1,901	1,374	935	1,762	8
Under 15 years	181	166	14	1	-	-	-	-	-	-	-	-
15 to 19 years	6,644	3,875	1,932	635	174	20	4	-	-	-	-	4
20 to 24 years	10,352	2,106	2,592	2,407	1,654	967	424	147	37	10	7	1
25 to 29 years	8,130	484	924	1,215	1,474	1,399	1,154	768	415	167	129	1
30 to 34 years	5,177	192	344	524	631	706	713	604	539	410	513	1
35 to 39 years	2,751	81	120	160	231	255	299	310	315	263	717	-
40 to 44 years	802	14	31	39	43	55	56	66	64	79	355	-
45 to 49 years	66	-	2	2	3	5	-	6	3	6	39	-
50 years and over	2	-	-	-	-	-	-	-	-	-	2	-
Not stated	10	1	3	1	2	-	1	-	1	-	-	1
MAINE	22,420	6,227	5,780	4,431	2,601	1,412	754	433	266	151	252	113
Under 15 years	15	15	-	-	-	-	-	-	-	-	-	-
15 to 19 years	2,836	2,074	618	93	19	1	-	-	-	-	-	31
20 to 24 years	7,577	2,794	2,622	1,328	543	187	55	9	3	-	-	36
25 to 29 years	6,221	941	1,662	1,706	974	521	229	97	57	9	7	18
30 to 34 years	3,570	271	637	884	678	415	264	175	103	56	65	22
35 to 39 years	1,709	100	197	345	315	227	158	124	78	57	105	3
40 to 44 years	442	28	39	72	63	55	43	25	24	28	64	1
45 to 49 years	31	2	1	1	8	5	3	2	1	-	8	-
50 years and over	-	-	-	-	-	-	-	-	-	-	-	-
Not stated	19	2	4	2	1	1	2	1	-	1	3	2
White	22,269	6,189	5,733	4,407	2,587	1,404	750	426	261	150	250	112
Under 15 years	15	15	-	-	-	-	-	-	-	-	-	-
15 to 19 years	2,813	2,063	610	89	19	1	-	-	-	-	-	31
20 to 24 years	7,520	2,778	2,599	1,318	537	186	55	9	3	-	-	35
25 to 29 years	6,175	932	1,651	1,697	969	516	227	93	56	9	7	18
30 to 34 years	3,556	271	634	884	676	414	262	173	101	55	64	22
35 to 39 years	1,699	99	195	344	314	226	158	123	76	57	104	3
40 to 44 years	442	28	39	72	63	55	43	25	24	28	64	1
45 to 49 years	31	2	1	1	8	5	3	2	1	-	8	-
50 years and over	-	-	-	-	-	-	-	-	-	-	-	-
Not stated	18	1	4	2	1	1	2	1	-	1	3	2
Native white	21,138	5,921	5,489	4,176	2,445	1,316	692	398	237	137	224	103
Under 15 years	15	15	-	-	-	-	-	-	-	-	-	-
15 to 19 years	2,747	2,015	595	88	19	1	-	-	-	-	-	29
20 to 24 years	7,239	2,661	2,520	1,271	516	177	50	7	3	-	-	34
25 to 29 years	5,847	865	1,570	1,621	921	489	212	88	51	6	7	17
30 to 34 years	3,297	246	590	816	631	383	246	161	92	54	59	19
35 to 39 years	1,564	92	179	312	293	211	143	118	69	52	92	3
40 to 44 years	389	24	31	65	57	49	37	21	22	24	58	1
45 to 49 years	28	2	1	1	8	5	3	2	-	-	6	-
50 years and over	-	-	-	-	-	-	-	-	-	-	-	-
Not stated	12	1	3	2	-	1	1	1	-	1	2	-
Foreign-born white	1,127	267	244	231	142	87	58	28	24	13	26	7
Under 15 years	-	-	-	-	-	-	-	-	-	-	-	-
15 to 19 years	64	47	15	1	-	-	-	-	-	-	-	1
20 to 24 years	281	117	79	47	21	9	5	2	-	-	-	1
25 to 29 years	328	67	81	76	48	27	15	5	5	3	-	1
30 to 34 years	259	25	44	68	45	31	16	12	9	1	5	3
35 to 39 years	134	7	16	32	21	14	15	5	7	5	12	-
40 to 44 years	53	4	8	7	6	6	6	4	2	4	6	-
45 to 49 years	3	-	-	-	-	-	-	-	1	-	2	-
50 years and over	-	-	-	-	-	-	-	-	-	-	-	-
Not stated	5	-	1	-	1	-	1	-	-	-	1	1

Table 26B. Live Births by Age of Mother, Live-Birth Order, Race, and Nativity of White Mother: Each State, 1955—Continued

(See headnote on p. 223)

AREA, AGE OF MOTHER, RACE, AND NATIVITY OF WHITE MOTHER	Total	LIVE-BIRTH ORDER										
		1	2	3	4	5	6	7	8	9	10 and over	Not stated
MAINE—Continued												
Nonwhite	151	38	47	24	14	8	4	7	5	1	2	1
Under 15 years	-	-	-	-	-	-	-	-	-	-	-	-
15 to 19 years	23	11	8	4	-	-	-	-	-	-	-	-
20 to 24 years	57	16	23	10	6	1	-	-	-	-	-	1
25 to 29 years	46	9	11	9	5	5	2	4	1	-	-	-
30 to 34 years	14	-	3	-	2	1	2	2	2	1	1	-
35 to 39 years	10	1	2	1	1	1	-	1	2	-	1	-
40 to 44 years	-	-	-	-	-	-	-	-	-	-	-	-
45 to 49 years	-	-	-	-	-	-	-	-	-	-	-	-
50 years and over	-	-	-	-	-	-	-	-	-	-	-	-
Not stated	1	1	-	-	-	-	-	-	-	-	-	-
MARYLAND	67,888	18,762	18,831	13,196	7,625	4,125	2,261	1,258	791	417	509	113
Under 15 years	179	167	10	-	-	-	-	-	-	-	-	2
15 to 19 years	8,484	5,751	2,091	508	94	16	2	-	1	-	-	21
20 to 24 years	20,297	7,468	6,758	3,519	1,578	611	239	76	16	2	2	28
25 to 29 years	18,935	3,430	5,860	4,401	2,468	1,327	735	379	216	73	22	24
30 to 34 years	12,733	1,333	2,927	3,210	2,220	1,293	739	438	288	147	123	15
35 to 39 years	5,896	499	1,007	1,343	1,055	694	432	272	201	140	236	17
40 to 44 years	1,263	101	167	204	198	169	110	89	64	51	110	-
45 to 49 years	71	5	8	9	8	11	4	3	4	4	15	-
50 years and over	-	-	-	-	-	-	-	-	-	-	-	-
Not stated	30	8	3	2	4	4	-	1	1	-	1	6
White	53,281	15,362	15,901	10,798	5,724	2,764	1,303	619	319	175	249	67
Under 15 years	34	32	2	-	-	-	-	-	-	-	-	-
15 to 19 years	5,370	3,987	1,181	172	19	2	-	-	-	-	-	9
20 to 24 years	15,681	6,522	5,587	2,457	802	229	56	9	1	-	1	17
25 to 29 years	15,582	3,110	5,370	3,832	1,886	812	351	127	52	18	5	19
30 to 34 years	10,606	1,180	2,685	2,921	1,908	986	487	228	115	48	40	8
35 to 39 years	4,904	432	914	1,224	929	577	320	189	102	80	124	13
40 to 44 years	1,041	93	153	185	175	146	86	64	45	26	68	-
45 to 49 years	53	3	8	6	5	9	3	2	3	3	11	-
50 years and over	-	-	-	-	-	-	-	-	-	-	-	-
Not stated	10	3	1	1	-	3	-	-	1	-	-	1
Native white	51,872	14,950	15,455	10,498	5,582	2,700	1,277	612	312	174	248	64
Under 15 years	34	32	2	-	-	-	-	-	-	-	-	-
15 to 19 years	5,337	3,961	1,176	170	19	2	-	-	-	-	-	9
20 to 24 years	15,430	6,380	5,512	2,431	795	229	55	9	1	-	1	17
25 to 29 years	15,100	2,973	5,183	3,734	1,843	801	348	126	52	18	5	17
30 to 34 years	10,185	1,106	2,563	2,797	1,858	953	476	226	112	48	39	7
35 to 39 years	4,730	410	869	1,181	894	562	314	185	99	79	124	13
40 to 44 years	997	84	141	178	168	142	81	64	45	26	68	-
45 to 49 years	51	2	8	6	5	8	3	2	3	3	11	-
50 years and over	-	-	-	-	-	-	-	-	-	-	-	-
Not stated	8	2	1	1	-	3	-	-	-	-	-	1
Foreign-born white	1,401	408	446	300	142	62	26	7	5	1	1	3
Under 15 years	-	-	-	-	-	-	-	-	-	-	-	-
15 to 19 years	32	25	5	2	-	-	-	-	-	-	-	-
20 to 24 years	249	140	75	26	7	-	1	-	-	-	-	-
25 to 29 years	482	137	187	98	43	11	3	1	-	-	-	2
30 to 34 years	419	74	122	124	50	31	11	2	3	-	1	1
35 to 39 years	173	22	45	43	35	15	6	4	2	1	-	-
40 to 44 years	44	9	12	7	7	4	5	-	-	-	-	-
45 to 49 years	2	1	-	-	-	1	-	-	-	-	-	-
50 years and over	-	-	-	-	-	-	-	-	-	-	-	-
Not stated	-	-	-	-	-	-	-	-	-	-	-	-
Nonwhite	14,607	3,400	2,930	2,398	1,901	1,361	958	639	472	242	260	46
Under 15 years	145	135	8	-	-	-	-	-	-	-	-	2
15 to 19 years	3,114	1,764	910	336	75	14	2	-	1	-	-	12
20 to 24 years	4,616	946	1,171	1,062	776	362	183	67	15	2	1	11
25 to 29 years	3,353	320	490	569	582	515	384	252	164	55	17	5
30 to 34 years	2,127	153	242	289	312	307	252	210	173	99	83	7
35 to 39 years	992	67	93	119	126	117	112	83	99	60	112	4
40 to 44 years	222	8	14	19	23	23	24	25	19	25	42	-
45 to 49 years	18	2	-	3	3	2	1	1	1	1	4	-
50 years and over	-	-	-	-	-	-	-	-	-	-	-	-
Not stated	20	5	2	1	4	1	-	1	-	-	1	5
Negro	14,456	3,356	2,889	2,362	1,885	1,354	957	639	469	242	257	46
Under 15 years	145	135	8	-	-	-	-	-	-	-	-	2
15 to 19 years	3,108	1,759	909	336	75	14	2	-	1	-	-	12
20 to 24 years	4,583	934	1,157	1,058	775	381	183	67	15	2	-	11
25 to 29 years	3,288	303	474	551	573	513	384	252	162	55	16	5
30 to 34 years	2,098	143	235	281	309	307	251	210	173	99	83	7
35 to 39 years	975	67	90	113	123	114	112	83	98	60	111	4
40 to 44 years	221	8	14	19	23	22	24	25	19	25	42	-
45 to 49 years	18	2	-	3	3	2	1	1	1	1	4	-
50 years and over	-	-	-	-	-	-	-	-	-	-	-	-
Not stated	20	5	2	1	4	1	-	1	-	-	1	5

Table 26B. Live Births by Age of Mother, Live-Birth Order, Race, and Nativity of White Mother: Each State, 1955—Continued

(See headnote on p. 223)

AREA, AGE OF MOTHER, RACE, AND NATIVITY OF WHITE MOTHER	Total	LIVE-BIRTH ORDER										
		1	2	3	4	5	6	7	8	9	10 and over	Not stated
MASSACHUSETTS[1]	110,263	746	538	312	192	85	35	11	2	3	6	108,333
Under 15 years	39	2	-	-	-	-	-	-	-	-	-	37
15 to 19 years	6,280	142	23	2	-	-	-	-	-	-	-	6,113
20 to 24 years	30,919	375	229	68	18	1	-	-	-	-	-	30,228
25 to 29 years	34,509	150	182	133	66	26	5	2	-	-	-	33,945
30 to 34 years	23,992	52	79	74	59	23	16	3	2	-	1	23,683
35 to 39 years	11,575	22	19	27	43	31	14	5	-	3	2	11,409
40 to 44 years	2,685	3	6	8	6	3	-	1	-	-	3	2,655
45 to 49 years	124	-	-	-	-	1	-	-	-	-	-	123
50 years and over	6	-	-	-	-	-	-	-	-	-	-	6
Not stated	134	-	-	-	-	-	-	-	-	-	-	134
White	107,168	735	534	310	189	85	35	11	2	2	4	105,261
Under 15 years	32	2	-	-	-	-	-	-	-	-	-	30
15 to 19 years	5,894	139	23	2	-	-	-	-	-	-	-	5,730
20 to 24 years	29,968	371	228	68	17	1	-	-	-	-	-	29,283
25 to 29 years	33,625	149	179	131	65	26	5	2	-	-	-	33,068
30 to 34 years	23,409	51	79	74	59	23	16	3	2	-	-	23,102
35 to 39 years	11,366	20	19	27	42	31	14	5	-	2	1	11,205
40 to 44 years	2,619	3	6	8	6	3	-	1	-	-	3	2,589
45 to 49 years	121	-	-	-	-	1	-	-	-	-	-	120
50 years and over	6	-	-	-	-	-	-	-	-	-	-	6
Not stated	128	-	-	-	-	-	-	-	-	-	-	128
Native white	101,351	710	517	294	183	81	30	11	2	2	3	99,518
Under 15 years	31	2	-	-	-	-	-	-	-	-	-	29
15 to 19 years	5,739	137	23	2	-	-	-	-	-	-	-	5,577
20 to 24 years	28,762	361	224	67	17	1	-	-	-	-	-	28,092
25 to 29 years	31,878	139	169	124	63	25	4	2	-	-	-	31,352
30 to 34 years	21,822	49	78	68	56	22	14	3	2	-	-	21,530
35 to 39 years	10,546	19	18	26	42	29	12	5	-	2	1	10,392
40 to 44 years	2,353	3	5	7	5	3	-	1	-	-	2	2,327
45 to 49 years	98	-	-	-	-	1	-	-	-	-	-	97
50 years and over	4	-	-	-	-	-	-	-	-	-	-	4
Not stated	118	-	-	-	-	-	-	-	-	-	-	118
Foreign-born white	5,428	25	17	16	6	4	5	-	-	-	1	5,354
Under 15 years	1	-	-	-	-	-	-	-	-	-	-	1
15 to 19 years	123	2	-	-	-	-	-	-	-	-	-	121
20 to 24 years	1,086	10	4	1	-	-	-	-	-	-	-	1,071
25 to 29 years	1,641	10	10	7	2	1	1	-	-	-	-	1,610
30 to 34 years	1,509	2	1	6	3	1	2	-	-	-	-	1,494
35 to 39 years	782	1	1	1	-	2	2	-	-	-	-	775
40 to 44 years	257	-	1	1	1	-	-	-	-	-	1	253
45 to 49 years	23	-	-	-	-	-	-	-	-	-	-	23
50 years and over	1	-	-	-	-	-	-	-	-	-	-	1
Not stated	5	-	-	-	-	-	-	-	-	-	-	5
Nonwhite	3,095	11	4	2	3	-	-	-	-	1	2	3,072
Under 15 years	7	-	-	-	-	-	-	-	-	-	-	7
15 to 19 years	386	3	-	-	-	-	-	-	-	-	-	383
20 to 24 years	951	4	1	-	1	-	-	-	-	-	-	945
25 to 29 years	894	1	3	2	1	-	-	-	-	-	-	877
30 to 34 years	583	1	-	-	-	-	-	-	-	-	1	581
35 to 39 years	209	2	-	-	1	-	-	-	-	1	1	204
40 to 44 years	66	-	-	-	-	-	-	-	-	-	-	66
45 to 49 years	3	-	-	-	-	-	-	-	-	-	-	3
50 years and over	-	-	-	-	-	-	-	-	-	-	-	-
Not stated	6	-	-	-	-	-	-	-	-	-	-	6
Negro	2,832	8	4	2	2	-	-	-	-	1	2	2,813
Under 15 years	7	-	-	-	-	-	-	-	-	-	-	7
15 to 19 years	379	3	-	-	-	-	-	-	-	-	-	376
20 to 24 years	881	3	1	-	1	-	-	-	-	-	-	876
25 to 29 years	794	-	3	2	1	-	-	-	-	-	-	788
30 to 34 years	519	-	-	-	-	-	-	-	-	-	1	518
35 to 39 years	190	2	-	-	-	-	-	-	-	1	1	186
40 to 44 years	56	-	-	-	-	-	-	-	-	-	-	56
45 to 49 years	2	-	-	-	-	-	-	-	-	-	-	2
50 years and over	-	-	-	-	-	-	-	-	-	-	-	-
Not stated	4	-	-	-	-	-	-	-	-	-	-	4
MICHIGAN	196,623	51,077	51,533	41,443	24,757	13,217	6,509	3,634	1,873	1,034	1,406	140
Under 15 years	195	187	7	-	-	-	-	-	-	-	-	1
15 to 19 years	21,417	15,302	4,860	1,022	147	29	5	1	-	-	-	51
20 to 24 years	61,952	22,469	21,486	11,373	4,533	1,492	421	99	21	6	1	51
25 to 29 years	56,462	8,574	15,629	15,497	9,069	4,394	1,923	880	326	105	49	16
30 to 34 years	35,968	3,170	6,831	9,482	7,122	4,308	2,311	1,369	674	368	322	11
35 to 39 years	16,554	1,143	2,300	3,442	3,215	2,361	1,405	989	650	396	637	6
40 to 44 years	3,862	220	405	599	639	610	425	272	184	146	362	-
45 to 49 years	193	8	14	24	28	23	18	14	17	13	34	-
50 years and over	5	1	-	1	-	-	1	-	1	-	1	-
Not stated	15	3	1	3	4	-	-	-	-	-	-	4

[1]Massachusetts did not require the reporting of birth order. Birth order data shown are for births in other States to residents of Massachusetts.

Table 26B. Live Births by Age of Mother, Live-Birth Order, Race, and Nativity of White Mother: Each State, 1955—Continued

(See headnote on p. 223)

AREA, AGE OF MOTHER, RACE, AND NATIVITY OF WHITE MOTHER	Total	LIVE-BIRTH ORDER										
		1	2	3	4	5	6	7	8	9	10 and over	Not stated
MICHIGAN—Continued												
White	175,135	46,253	46,923	37,588	21,888	11,188	5,202	2,791	1,380	765	1,036	121
Under 15 years	79	76	2	-	-	-	-	-	-	-	-	1
15 to 19 years	17,861	13,201	3,853	671	80	9	1	1	-	-	-	45
20 to 24 years	55,090	20,884	19,528	9,818	3,495	1,018	244	50	8	1	-	44
25 to 29 years	50,848	7,962	14,679	14,406	8,065	3,545	1,374	555	173	59	17	13
30 to 34 years	32,457	2,877	6,347	8,856	6,600	3,843	1,923	1,066	483	253	200	9
35 to 39 years	15,062	1,034	2,129	3,250	3,017	2,183	1,253	864	538	310	478	6
40 to 44 years	3,554	209	371	565	603	569	388	243	164	131	311	-
45 to 49 years	173	7	13	22	26	21	18	12	14	11	29	-
50 years and over	2	-	-	-	-	-	1	-	-	-	1	-
Not stated	9	3	1	-	2	-	-	-	-	-	-	3
Native white	167,579	44,414	44,798	35,983	20,918	10,710	4,946	2,679	1,308	724	987	112
Under 15 years	78	75	2	-	-	-	-	-	-	-	-	1
15 to 19 years	17,634	13,021	3,817	662	79	9	1	1	-	-	-	44
20 to 24 years	53,605	20,172	19,027	9,629	3,428	1,003	243	50	8	1	-	44
25 to 29 years	48,539	7,407	13,897	13,878	7,788	3,449	1,332	540	167	55	17	9
30 to 34 years	30,285	2,586	5,782	8,286	6,234	3,630	1,828	1,023	467	247	194	8
35 to 39 years	14,076	961	1,945	3,005	2,821	2,075	1,180	828	504	293	458	6
40 to 44 years	3,209	185	315	504	544	526	348	225	152	118	292	-
45 to 49 years	148	6	12	19	22	18	14	12	10	10	25	-
50 years and over	1	-	-	-	-	-	-	-	-	-	1	-
Not stated	4	1	1	-	2	-	-	-	-	-	-	-
Foreign-born white	7,556	1,839	2,125	1,605	970	478	256	112	72	41	49	9
Under 15 years	1	1	-	-	-	-	-	-	-	-	-	-
15 to 19 years	227	180	36	9	1	-	-	-	-	-	-	1
20 to 24 years	1,465	712	501	189	67	15	1	-	-	-	-	-
25 to 29 years	2,309	555	782	528	277	96	42	15	6	4	-	4
30 to 34 years	2,172	291	565	570	366	213	95	43	16	6	6	1
35 to 39 years	986	73	184	245	196	108	73	36	34	17	20	-
40 to 44 years	345	24	56	61	59	43	40	18	12	13	19	-
45 to 49 years	25	1	1	3	4	3	4	-	4	1	4	-
50 years and over	1	-	-	-	-	-	1	-	-	-	-	-
Not stated	5	2	-	-	-	-	-	-	-	-	-	3
Nonwhite	21,488	4,824	4,610	3,855	2,869	2,029	1,307	843	493	269	370	19
Under 15 years	116	111	5	-	-	-	-	-	-	-	-	-
15 to 19 years	3,556	2,101	1,007	351	67	20	4	-	-	-	-	6
20 to 24 years	6,862	1,585	1,958	1,555	1,038	474	177	49	13	5	1	7
25 to 29 years	5,614	612	950	1,091	1,004	849	549	325	153	46	32	3
30 to 34 years	3,511	293	484	626	522	465	388	303	191	115	122	2
35 to 39 years	1,492	109	171	192	198	178	152	135	112	86	159	-
40 to 44 years	308	11	34	34	36	41	37	29	20	15	51	-
45 to 49 years	20	1	1	2	2	2	-	2	3	2	5	-
50 years and over	3	1	-	1	-	-	-	-	1	-	-	-
Not stated	6	-	-	3	2	-	-	-	-	-	-	1
Negro	21,049	4,718	4,490	3,782	2,820	2,000	1,290	825	480	267	358	19
Under 15 years	116	111	5	-	-	-	-	-	-	-	-	-
15 to 19 years	3,513	2,072	995	349	67	20	4	-	-	-	-	6
20 to 24 years	6,752	1,554	1,920	1,539	1,024	468	173	48	13	5	1	7
25 to 29 years	5,448	576	906	1,058	983	836	542	318	149	45	32	3
30 to 34 years	3,434	284	468	608	513	461	384	296	186	114	118	2
35 to 39 years	1,461	108	163	189	196	175	150	134	108	86	152	-
40 to 44 years	297	11	32	33	34	38	37	27	20	15	50	-
45 to 49 years	20	1	1	2	2	2	-	2	3	2	5	-
50 years and over	3	1	-	1	-	-	-	-	1	-	-	-
Not stated	5	-	-	3	1	-	-	-	-	-	-	1
MINNESOTA	81,705	19,671	20,077	17,281	11,314	6,177	3,235	1,667	970	498	778	37
Under 15 years	28	26	2	-	-	-	-	-	-	-	-	-
15 to 19 years	6,274	4,769	1,273	207	18	2	-	-	-	-	-	5
20 to 24 years	25,013	9,663	8,747	4,475	1,557	433	103	23	1	-	-	11
25 to 29 years	23,603	3,460	6,323	6,528	4,134	1,939	808	272	92	33	7	7
30 to 34 years	15,749	1,166	2,573	4,043	3,495	2,078	1,159	599	339	149	141	7
35 to 39 years	8,457	453	949	1,688	1,680	1,303	904	543	367	220	348	2
40 to 44 years	2,411	123	196	320	408	399	247	214	163	87	253	1
45 to 49 years	139	5	9	16	19	19	13	15	7	9	27	-
50 years and over	1	-	-	-	-	-	-	-	-	-	1	-
Not stated	30	6	5	4	3	4	1	1	1	-	1	4
White	80,375	19,351	19,814	17,060	11,174	6,047	3,163	1,607	930	467	725	37
Under 15 years	24	22	2	-	-	-	-	-	-	-	-	-
15 to 19 years	6,078	4,630	1,229	194	18	2	-	-	-	-	-	5
20 to 24 years	24,579	9,544	8,623	4,383	1,508	398	95	16	1	-	-	11
25 to 29 years	23,279	3,423	6,261	6,466	4,083	1,882	777	263	84	27	6	7
30 to 34 years	15,547	1,152	2,550	4,007	3,468	2,057	1,139	575	324	137	131	7
35 to 39 years	8,330	448	941	1,672	1,670	1,290	894	526	354	210	323	2
40 to 44 years	2,373	122	194	318	405	396	244	211	160	84	238	1
45 to 49 years	136	5	9	16	19	19	13	15	6	9	25	-
50 years and over	1	-	-	-	-	-	-	-	-	-	1	-
Not stated	28	5	5	4	3	3	1	1	1	-	1	4

Table 26B. Live Births by Age of Mother, Live-Birth Order, Race, and Nativity of White Mother: Each State, 1955—Continued

(See headnote on p. 223)

AREA, AGE OF MOTHER, RACE, AND NATIVITY OF WHITE MOTHER	Total	LIVE-BIRTH ORDER										
		1	2	3	4	5	6	7	8	9	10 and over	Not stated
MINNESOTA—Continued												
White—Continued												
Native white	78,931	18,992	19,438	16,763	10,963	5,957	3,117	1,582	913	462	710	34
Under 15 years	24	22	2	-	-	-	-	-	-	-	-	-
15 to 19 years	6,027	4,590	1,220	192	18	2	-	-	-	-	-	5
20 to 24 years	24,277	9,400	8,512	4,352	1,493	398	94	16	1	-	-	11
25 to 29 years	22,868	3,319	6,136	6,377	4,028	1,859	767	259	83	27	6	7
30 to 34 years	15,125	1,103	2,455	3,890	3,379	2,014	1,124	568	320	136	130	6
35 to 39 years	8,165	435	915	1,623	1,634	1,280	882	519	348	208	319	2
40 to 44 years	2,293	116	184	311	390	383	237	205	154	82	230	1
45 to 49 years	131	4	9	16	18	19	12	14	6	9	24	-
50 years and over	-	-	-	-	-	-	-	-	-	-	-	-
Not stated	21	3	5	2	3	2	1	1	1	-	1	2
Foreign-born white	1,431	354	375	294	211	88	46	25	17	5	15	1
Under 15 years	-	-	-	-	-	-	-	-	-	-	-	-
15 to 19 years	50	39	9	2	-	-	-	-	-	-	-	-
20 to 24 years	300	142	111	31	15	-	1	-	-	-	-	-
25 to 29 years	409	104	124	88	55	23	10	4	1	-	-	-
30 to 34 years	422	49	95	117	89	43	15	7	4	1	1	1
35 to 39 years	164	13	26	48	36	10	12	7	6	2	4	-
40 to 44 years	79	6	10	7	15	12	7	6	6	2	8	-
45 to 49 years	5	1	-	-	1	-	1	1	-	-	1	-
50 years and over	1	-	-	-	-	-	-	-	-	-	1	-
Not stated	1	-	-	1	-	-	-	-	-	-	-	-
Nonwhite	1,330	320	263	221	140	130	72	60	40	31	53	-
Under 15 years	4	4	-	-	-	-	-	-	-	-	-	-
15 to 19 years	196	139	44	13	-	-	-	-	-	-	-	-
20 to 24 years	434	119	124	92	49	35	8	7	-	-	-	-
25 to 29 years	324	37	62	62	51	57	31	9	8	6	1	-
30 to 34 years	202	14	23	36	27	21	20	24	15	12	10	-
35 to 39 years	127	5	8	16	10	13	10	17	13	10	25	-
40 to 44 years	38	1	2	2	3	3	3	3	3	3	15	-
45 to 49 years	3	-	-	-	-	-	-	-	1	-	2	-
50 years and over	-	-	-	-	-	-	-	-	-	-	-	-
Not stated	2	1	-	-	-	1	-	-	-	-	-	-
Negro	563	136	124	107	60	57	30	21	10	9	9	-
Under 15 years	1	1	-	-	-	-	-	-	-	-	-	-
15 to 19 years	74	49	20	5	-	-	-	-	-	-	-	-
20 to 24 years	193	59	53	44	16	15	4	2	-	-	-	-
25 to 29 years	143	17	31	28	22	22	15	1	1	5	1	-
30 to 34 years	89	7	12	23	15	10	5	11	3	3	-	-
35 to 39 years	46	2	7	7	4	7	4	7	3	1	4	-
40 to 44 years	15	1	1	-	3	2	2	-	2	-	4	-
45 to 49 years	1	-	-	-	-	-	-	-	1	-	-	-
50 years and over	-	-	-	-	-	-	-	-	-	-	-	-
Not stated	1	-	-	-	-	1	-	-	-	-	-	-
MISSISSIPPI	63,366	14,998	13,327	9,715	7,000	5,148	3,618	2,685	2,040	1,507	3,050	278
Under 15 years	343	297	34	2	-	-	-	-	-	-	-	10
15 to 19 years	12,159	7,403	3,341	1,017	231	60	12	1	2	-	-	92
20 to 24 years	19,313	5,036	5,655	3,957	2,399	1,329	535	220	73	23	10	76
25 to 29 years	14,596	1,480	2,744	2,722	2,275	1,949	1,453	958	533	256	188	38
30 to 34 years	9,457	491	1,082	1,355	1,348	1,111	981	869	791	584	814	31
35 to 39 years	5,432	195	344	524	572	547	484	500	473	470	1,302	21
40 to 44 years	1,678	54	87	96	140	118	122	113	146	154	645	3
45 to 49 years	132	1	3	4	2	7	11	10	10	9	75	-
50 years and over	3	-	-	-	1	-	-	-	-	-	2	-
Not stated	253	41	37	38	32	27	20	14	12	11	14	7
White	27,675	8,398	7,630	5,034	2,903	1,510	811	492	337	212	316	32
Under 15 years	38	36	1	-	-	-	-	-	-	-	-	1
15 to 19 years	4,351	3,247	915	153	24	2	-	-	-	-	-	10
20 to 24 years	9,148	3,438	3,371	1,577	551	162	34	7	1	-	-	7
25 to 29 years	6,967	1,143	2,121	1,798	992	509	223	110	43	17	6	5
30 to 34 years	4,285	362	876	1,032	849	473	296	173	111	62	48	3
35 to 39 years	2,127	127	269	394	387	279	186	148	125	85	124	3
40 to 44 years	655	36	64	65	95	76	64	48	49	43	115	-
45 to 49 years	49	1	2	3	1	3	6	3	4	5	21	-
50 years and over	-	-	-	-	-	-	-	-	-	-	-	-
Not stated	55	8	11	12	4	6	2	3	4	-	2	3
Native white	27,479	8,333	7,584	4,997	2,873	1,500	807	490	336	212	316	31
Under 15 years	38	36	1	-	-	-	-	-	-	-	-	1
15 to 19 years	4,338	3,234	915	153	24	2	-	-	-	-	-	10
20 to 24 years	9,095	3,406	3,356	1,572	550	162	34	7	1	-	-	7
25 to 29 years	6,902	1,129	2,102	1,783	981	504	222	110	43	17	6	5
30 to 34 years	4,239	359	866	1,022	834	468	294	172	111	62	48	3
35 to 39 years	2,116	126	267	390	385	279	185	148	124	85	124	3
40 to 44 years	653	36	64	65	94	76	64	47	49	43	115	-
45 to 49 years	49	1	2	3	1	3	6	3	4	5	21	-
50 years and over	-	-	-	-	-	-	-	-	-	-	-	-
Not stated	49	6	11	9	4	6	2	3	4	-	2	2

Table 26B. Live Births by Age of Mother, Live-Birth Order, Race, and Nativity of White Mother: Each State, 1955—Continued

(See headnote on p. 223)

AREA, AGE OF MOTHER, RACE, AND NATIVITY OF WHITE MOTHER	Total	LIVE-BIRTH ORDER										
		1	2	3	4	5	6	7	8	9	10 and over	Not stated
MISSISSIPPI—Continued												
White—Continued												
Foreign-born white	180	58	45	34	27	10	4	1	1	-	-	-
Under 15 years	-	-	-	-	-	-	-	-	-	-	-	-
15 to 19 years	10	10	-	-	-	-	-	-	-	-	-	-
20 to 24 years	51	30	15	5	1	-	-	-	-	-	-	-
25 to 29 years	63	14	18	15	10	5	1	-	-	-	-	-
30 to 34 years	46	3	10	10	15	5	2	1	-	-	-	-
35 to 39 years	9	1	2	4	-	-	1	-	1	-	-	-
40 to 44 years	1	-	-	-	1	-	-	-	-	-	-	-
45 to 49 years	-	-	-	-	-	-	-	-	-	-	-	-
50 years and over	-	-	-	-	-	-	-	-	-	-	-	-
Not stated	-	-	-	-	-	-	-	-	-	-	-	-
Nonwhite	35,691	6,600	5,697	4,681	4,097	3,638	2,807	2,193	1,703	1,295	2,734	246
Under 15 years	305	261	33	2	-	-	-	-	-	-	-	9
15 to 19 years	7,808	4,156	2,426	864	207	58	12	1	2	-	-	82
20 to 24 years	10,165	1,598	2,284	2,380	1,848	1,167	501	213	72	23	10	69
25 to 29 years	7,629	337	623	924	1,293	1,440	1,230	848	490	239	182	33
30 to 34 years	5,172	129	206	323	499	639	685	696	680	522	766	28
35 to 39 years	3,305	68	75	130	185	268	298	352	348	385	1,178	18
40 to 44 years	1,023	18	23	31	45	42	58	65	97	111	530	3
45 to 49 years	83	-	1	1	1	4	5	7	6	4	54	-
50 years and over	3	-	-	-	1	-	-	-	-	-	2	-
Not stated	198	33	26	26	28	21	18	11	8	11	12	4
Negro	35,553	6,581	5,675	4,654	4,080	3,621	2,791	2,186	1,699	1,292	2,729	245
Under 15 years	304	260	33	2	-	-	-	-	-	-	-	9
15 to 19 years	7,790	4,144	2,423	862	207	58	12	1	2	-	-	81
20 to 24 years	10,129	1,594	2,271	2,372	1,843	1,164	498	213	72	23	10	69
25 to 29 years	7,586	336	619	912	1,276	1,435	1,223	844	489	237	182	33
30 to 34 years	5,147	128	204	320	494	632	681	695	678	521	766	28
35 to 39 years	3,293	68	75	128	185	266	296	351	347	365	1,174	18
40 to 44 years	1,020	18	23	31	45	41	58	64	97	111	529	3
45 to 49 years	83	-	1	1	1	4	5	7	6	4	54	-
50 years and over	3	-	-	-	1	-	-	-	-	-	2	-
Not stated	198	33	26	26	28	21	18	11	8	11	12	4
MISSOURI	94,001	26,446	25,204	17,931	10,510	5,821	3,235	1,877	1,143	704	1,075	55
Under 15 years	134	128	5	-	-	-	-	-	-	-	-	1
15 to 19 years	12,558	8,903	2,927	597	112	11	-	1	1	-	-	6
20 to 24 years	30,607	11,225	10,776	5,364	2,116	782	248	63	14	3	3	13
25 to 29 years	24,746	4,045	6,981	6,294	3,744	1,899	995	472	199	75	33	9
30 to 34 years	15,839	1,461	3,145	3,868	2,874	1,857	1,042	687	418	239	238	10
35 to 39 years	7,805	544	1,117	1,503	1,350	963	722	472	380	279	472	3
40 to 44 years	2,133	125	234	275	290	294	218	169	128	102	292	6
45 to 49 years	131	7	9	18	20	13	10	11	3	6	34	-
50 years and over	3	1	-	-	-	-	-	-	-	-	2	-
Not stated	45	7	10	12	4	2	-	2	-	-	1	7
White	82,469	23,825	22,815	15,983	8,973	4,783	2,534	1,414	850	501	765	46
Under 15 years	63	60	3	-	-	-	-	-	-	-	-	-
15 to 19 years	10,248	7,592	2,218	376	54	3	-	1	-	-	-	4
20 to 24 years	26,847	10,401	9,784	4,492	1,520	481	121	32	1	1	2	12
25 to 29 years	22,052	3,786	6,610	5,796	3,227	1,479	697	285	109	39	15	9
30 to 34 years	14,187	1,363	2,927	3,611	2,633	1,633	868	539	305	164	137	7
35 to 39 years	6,982	495	1,038	1,420	1,246	898	633	392	317	206	334	3
40 to 44 years	1,948	113	219	258	273	275	205	154	115	85	245	6
45 to 49 years	122	7	7	18	18	13	10	10	3	6	30	-
50 years and over	2	1	-	-	-	-	-	-	-	-	1	-
Not stated	38	7	9	12	2	1	-	1	-	-	1	5
Native white	81,523	23,574	22,528	15,778	8,863	4,728	2,504	1,406	846	497	757	42
Under 15 years	62	59	3	-	-	-	-	-	-	-	-	-
15 to 19 years	10,205	7,559	2,210	375	53	3	-	1	-	-	-	4
20 to 24 years	26,662	10,318	9,722	4,460	1,515	479	120	32	1	1	2	12
25 to 29 years	21,716	3,695	6,498	5,724	3,194	1,464	688	283	108	39	15	8
30 to 34 years	13,924	1,335	2,852	3,539	2,586	1,606	861	534	305	162	137	7
35 to 39 years	6,884	484	1,015	1,396	1,228	891	623	391	316	206	331	3
40 to 44 years	1,918	110	213	255	269	271	202	154	113	83	242	6
45 to 49 years	117	7	6	17	16	13	10	10	3	6	29	-
50 years and over	2	1	-	-	-	-	-	-	-	-	1	-
Not stated	33	6	9	12	2	1	-	1	-	-	-	2
Foreign-born white	947	247	285	203	107	53	29	8	4	4	7	-
Under 15 years	1	1	-	-	-	-	-	-	-	-	-	-
15 to 19 years	41	31	8	1	1	-	-	-	-	-	-	-
20 to 24 years	183	83	62	31	5	2	-	-	-	-	-	-
25 to 29 years	333	91	112	72	31	15	9	2	1	-	-	-
30 to 34 years	259	28	73	72	47	25	7	5	-	2	-	-
35 to 39 years	96	10	23	24	17	7	10	1	1	-	3	-
40 to 44 years	30	3	6	3	4	4	3	-	2	2	3	-
45 to 49 years	4	-	1	-	2	-	-	-	-	-	1	-
50 years and over	-	-	-	-	-	-	-	-	-	-	-	-
Not stated	-	-	-	-	-	-	-	-	-	-	-	-

Table 26B. Live Births by Age of Mother, Live-Birth Order, Race, and Nativity of White Mother: Each State, 1955—Continued

(See headnote on p. 223)

AREA, AGE OF MOTHER, RACE, AND NATIVITY OF WHITE MOTHER	Total	LIVE-BIRTH ORDER										
		1	2	3	4	5	6	7	8	9	10 and over	Not stated
MISSOURI—Continued												
Nonwhite	11,512	2,621	2,389	1,948	1,537	1,038	701	463	293	203	310	9
Under 15 years	71	68	2	-	-	-	-	-	-	-	-	1
15 to 19 years	2,310	1,311	709	221	58	8	-	-	1	-	-	2
20 to 24 years	3,760	824	992	872	596	301	127	31	13	2	1	1
25 to 29 years	2,694	259	371	498	517	420	298	187	90	36	18	-
30 to 34 years	1,652	98	218	257	241	224	174	148	113	75	101	3
35 to 39 years	823	49	79	83	104	65	89	80	63	73	138	-
40 to 44 years	185	12	15	17	17	19	13	15	13	17	47	-
45 to 49 years	9	-	2	-	2	-	-	1	-	-	4	-
50 years and over	1	-	-	-	-	-	-	-	-	-	1	-
Not stated	7	-	1	-	2	1	-	1	-	-	-	2
Negro	11,375	2,572	2,352	1,923	1,523	1,030	699	462	293	202	310	9
Under 15 years	71	68	2	-	-	-	-	-	-	-	-	1
15 to 19 years	2,305	1,308	707	221	58	8	-	-	1	-	-	2
20 to 24 years	3,717	799	984	865	594	300	127	31	13	2	1	1
25 to 29 years	2,633	242	351	485	512	416	297	186	90	36	18	-
30 to 34 years	1,631	95	211	253	235	223	174	148	113	75	101	3
35 to 39 years	816	48	79	82	103	63	88	80	63	72	138	-
40 to 44 years	185	12	15	17	17	19	13	15	13	17	47	-
45 to 49 years	9	-	2	-	2	-	-	1	-	-	4	-
50 years and over	1	-	-	-	-	-	-	-	-	-	1	-
Not stated	7	-	1	-	2	1	-	1	-	-	-	2
MONTANA	17,474	4,450	4,409	3,627	2,393	1,228	599	307	198	115	141	7
Under 15 years	14	14	-	-	-	-	-	-	-	-	-	-
15 to 19 years	2,187	1,581	510	83	12	-	-	-	-	-	-	1
20 to 24 years	5,959	2,008	2,139	1,197	455	130	27	1	1	-	-	1
25 to 29 years	4,551	564	1,106	1,298	891	425	173	58	26	7	1	2
30 to 34 years	2,785	191	429	694	657	365	197	117	73	39	23	-
35 to 39 years	1,512	60	181	290	309	241	156	91	71	51	59	3
40 to 44 years	442	27	42	65	68	62	44	39	24	18	53	-
45 to 49 years	23	4	2	-	1	5	2	1	3	-	5	-
50 years and over	-	-	-	-	-	-	-	-	-	-	-	-
Not stated	1	1	-	-	-	-	-	-	-	-	-	-
White	16,458	4,230	4,244	3,493	2,261	1,129	519	255	154	82	85	6
Under 15 years	13	13	-	-	-	-	-	-	-	-	-	-
15 to 19 years	2,025	1,469	472	74	9	-	-	-	-	-	-	1
20 to 24 years	5,638	1,920	2,051	1,126	409	109	20	1	1	-	-	1
25 to 29 years	4,311	553	1,072	1,263	830	387	139	41	17	6	1	2
30 to 34 years	2,625	186	425	678	640	338	168	97	55	26	12	-
35 to 39 years	1,424	60	180	289	304	232	149	79	57	36	36	2
40 to 44 years	402	25	42	63	68	58	41	36	21	14	34	-
45 to 49 years	19	3	2	-	1	5	2	1	3	-	2	-
50 years and over	-	-	-	-	-	-	-	-	-	-	-	-
Not stated	1	1	-	-	-	-	-	-	-	-	-	-
Native white	15,962	4,108	4,119	3,399	2,190	1,092	502	241	148	78	79	6
Under 15 years	13	13	-	-	-	-	-	-	-	-	-	-
15 to 19 years	2,000	1,451	466	73	9	-	-	-	-	-	-	1
20 to 24 years	5,514	1,866	2,012	1,102	403	108	20	1	1	-	-	1
25 to 29 years	4,150	522	1,020	1,226	812	372	136	38	16	5	1	2
30 to 34 years	2,508	172	405	656	609	326	162	91	51	25	11	-
35 to 39 years	1,379	58	174	283	295	225	141	75	56	35	35	2
40 to 44 years	380	24	40	59	61	56	41	35	21	13	30	-
45 to 49 years	18	2	2	-	1	5	2	1	3	-	2	-
50 years and over	-	-	-	-	-	-	-	-	-	-	-	-
Not stated	-	-	-	-	-	-	-	-	-	-	-	-
Foreign-born white	491	120	124	94	71	37	16	14	6	3	6	-
Under 15 years	-	-	-	-	-	-	-	-	-	-	-	-
15 to 19 years	25	18	6	1	-	-	-	-	-	-	-	-
20 to 24 years	122	53	38	24	6	1	-	-	-	-	-	-
25 to 29 years	161	31	52	37	18	15	3	3	1	1	-	-
30 to 34 years	115	14	20	22	31	12	5	6	4	-	1	-
35 to 39 years	45	2	6	6	9	7	8	4	1	1	1	-
40 to 44 years	22	1	2	4	7	2	-	1	-	1	4	-
45 to 49 years	1	1	-	-	-	-	-	-	-	-	-	-
50 years and over	-	-	-	-	-	-	-	-	-	-	-	-
Not stated	-	-	-	-	-	-	-	-	-	-	-	-
Nonwhite	1,016	220	165	134	132	99	80	52	44	33	56	1
Under 15 years	1	1	-	-	-	-	-	-	-	-	-	-
15 to 19 years	162	112	38	9	3	-	-	-	-	-	-	-
20 to 24 years	321	88	88	71	46	21	7	-	-	-	-	-
25 to 29 years	240	11	34	35	61	38	34	17	9	1	-	-
30 to 34 years	160	5	4	16	17	27	29	20	18	13	11	-
35 to 39 years	88	-	1	1	5	9	7	12	14	15	23	1
40 to 44 years	40	2	-	2	-	4	3	3	3	4	19	-
45 to 49 years	4	1	-	-	-	-	-	-	-	-	3	-
50 years and over	-	-	-	-	-	-	-	-	-	-	-	-
Not stated	-	-	-	-	-	-	-	-	-	-	-	-

Table 26B. Live Births by Age of Mother, Live-Birth Order, Race, and Nativity of White Mother: Each State, 1955—Continued

(See headnote on p. 223)

AREA, AGE OF MOTHER, RACE, AND NATIVITY OF WHITE MOTHER	Total	LIVE-BIRTH ORDER										
		1	2	3	4	5	6	7	8	9	10 and over	Not stated
NEBRASKA	34,258	9,010	9,211	7,328	4,274	2,169	1,053	556	287	140	209	21
Under 15 years	15	15	-	-	-	-	-	-	-	-	-	-
15 to 19 years	3,495	2,611	745	120	12	2	-	-	-	-	-	5
20 to 24 years	11,861	4,460	4,335	2,084	705	212	47	8	2	-	-	8
25 to 29 years	9,549	1,280	2,689	2,861	1,603	702	274	101	20	9	3	7
30 to 34 years	5,726	429	1,012	1,547	1,202	737	386	211	113	44	44	1
35 to 39 years	2,790	167	359	584	805	397	258	171	109	55	85	-
40 to 44 years	735	36	64	122	137	113	80	59	38	29	57	-
45 to 49 years	63	3	3	5	5	6	8	6	5	2	20	-
50 years and over	-	-	-	-	-	-	-	-	-	-	-	-
Not stated	24	9	4	5	5	-	-	-	-	1	-	-
White	33,073	8,762	8,928	7,122	4,110	2,055	986	516	261	132	181	20
Under 15 years	11	11	-	-	-	-	-	-	-	-	-	-
15 to 19 years	3,283	2,498	667	102	9	2	-	-	-	-	-	5
20 to 24 years	11,428	4,377	4,209	1,983	635	178	34	5	-	-	-	7
25 to 29 years	9,254	1,241	2,642	2,805	1,544	660	248	86	13	7	1	7
30 to 34 years	5,576	425	990	1,525	1,179	714	369	198	100	38	37	1
35 to 39 years	2,718	162	351	575	599	382	250	164	106	55	74	-
40 to 44 years	718	36	62	122	134	113	78	58	37	29	49	-
45 to 49 years	61	3	3	5	5	6	7	5	5	2	20	-
50 years and over	-	-	-	-	-	-	-	-	-	-	-	-
Not stated	24	9	4	5	5	-	-	-	-	1	-	-
Native white	32,607	8,659	8,789	7,028	4,081	2,020	964	508	258	130	171	19
Under 15 years	11	11	-	-	-	-	-	-	-	-	-	-
15 to 19 years	3,262	2,483	663	100	9	2	-	-	-	-	-	5
20 to 24 years	11,310	4,330	4,154	1,969	633	178	34	5	-	-	-	7
25 to 29 years	9,128	1,221	2,604	2,777	1,523	651	242	82	13	7	1	7
30 to 34 years	5,449	413	959	1,492	1,159	695	362	198	98	37	36	-
35 to 39 years	2,669	154	341	566	593	378	243	164	105	54	71	-
40 to 44 years	697	36	61	115	134	110	76	54	37	29	45	-
45 to 49 years	58	3	3	4	5	6	7	5	5	2	18	-
50 years and over	-	-	-	-	-	-	-	-	-	-	-	-
Not stated	23	8	4	5	5	-	-	-	-	1	-	-
Foreign-born white	455	102	135	94	47	35	21	8	2	2	9	-
Under 15 years	-	-	-	-	-	-	-	-	-	-	-	-
15 to 19 years	21	15	4	2	-	-	-	-	-	-	-	-
20 to 24 years	115	47	53	14	1	-	-	-	-	-	-	-
25 to 29 years	126	20	38	28	21	9	6	4	-	-	-	-
30 to 34 years	124	12	30	33	19	19	7	-	2	1	1	-
35 to 39 years	47	8	10	9	6	4	6	-	-	1	3	-
40 to 44 years	19	-	-	7	-	3	2	4	-	-	3	-
45 to 49 years	3	-	-	1	-	-	-	-	-	-	2	-
50 years and over	-	-	-	-	-	-	-	-	-	-	-	-
Not stated	-	-	-	-	-	-	-	-	-	-	-	-
Nonwhite	1,165	248	283	206	164	114	67	40	26	8	28	1
Under 15 years	4	4	-	-	-	-	-	-	-	-	-	-
15 to 19 years	212	113	78	18	3	-	-	-	-	-	-	-
20 to 24 years	433	83	126	101	70	34	13	3	2	-	-	1
25 to 29 years	295	39	47	56	59	42	26	15	7	2	2	-
30 to 34 years	150	4	22	22	23	23	17	13	13	6	7	-
35 to 39 years	72	5	8	9	6	15	8	7	3	-	11	-
40 to 44 years	17	-	2	-	3	-	2	1	1	-	8	-
45 to 49 years	2	-	-	-	-	-	1	1	-	-	-	-
50 years and over	-	-	-	-	-	-	-	-	-	-	-	-
Not stated	-	-	-	-	-	-	-	-	-	-	-	-
Negro	939	198	227	162	139	90	52	31	19	5	15	1
Under 15 years	4	4	-	-	-	-	-	-	-	-	-	-
15 to 19 years	183	93	73	14	3	-	-	-	-	-	-	-
20 to 24 years	354	64	99	82	63	30	11	2	2	-	-	1
25 to 29 years	227	28	27	45	49	33	22	13	7	2	1	-
30 to 34 years	110	4	21	16	18	16	12	8	7	3	5	-
35 to 39 years	49	5	6	5	4	11	6	6	2	-	4	-
40 to 44 years	11	-	1	-	2	-	1	1	1	-	5	-
45 to 49 years	1	-	-	-	-	-	-	1	-	-	-	-
50 years and over	-	-	-	-	-	-	-	-	-	-	-	-
Not stated	-	-	-	-	-	-	-	-	-	-	-	-
NEVADA	6,275	1,903	1,769	1,264	673	316	166	84	34	26	29	11
Under 15 years	7	7	-	-	-	-	-	-	-	-	-	-
15 to 19 years	945	666	224	45	7	1	-	-	-	-	-	2
20 to 24 years	2,121	781	766	388	126	35	15	3	1	-	-	6
25 to 29 years	1,645	284	481	442	226	111	61	24	9	4	-	3
30 to 34 years	980	109	209	273	200	94	44	25	11	9	6	-
35 to 39 years	462	43	76	95	96	61	31	25	12	12	11	-
40 to 44 years	108	12	13	19	14	14	15	7	1	1	12	-
45 to 49 years	5	1	-	2	2	-	-	-	-	-	-	-
50 years and over	-	-	-	-	-	-	-	-	-	-	-	-
Not stated	2	-	-	-	2	-	-	-	-	-	-	-

Table 26B. Live Births by Age of Mother, Live-Birth Order, Race, and Nativity of White Mother: Each State, 1955—Continued

(See headnote on p. 223)

AREA, AGE OF MOTHER, RACE, AND NATIVITY OF WHITE MOTHER	Total	LIVE-BIRTH ORDER										
		1	2	3	4	5	6	7	8	9	10 and over	Not stated
NEVADA—Continued												
White	5,567	1,757	1,622	1,136	581	258	110	49	18	12	14	10
Under 15 years	1	1	-	-	-	-	-	-	-	-	-	-
15 to 19 years	828	607	188	26	5	-	-	-	-	-	-	2
20 to 24 years	1,895	723	700	344	94	23	5	-	1	-	-	5
25 to 29 years	1,453	270	451	403	190	88	33	13	2	-	-	3
30 to 34 years	875	102	197	257	185	77	34	11	6	4	2	-
35 to 39 years	416	41	73	88	91	57	25	20	8	8	5	-
40 to 44 years	94	12	13	16	14	13	13	5	1	-	7	-
45 to 49 years	4	1	-	2	1	-	-	-	-	-	-	-
50 years and over	-	-	-	-	-	-	-	-	-	-	-	-
Not stated	1	-	-	-	1	-	-	-	-	-	-	-
Native white	5,382	1,707	1,566	1,095	557	252	107	49	15	12	14	8
Under 15 years	1	1	-	-	-	-	-	-	-	-	-	-
15 to 19 years	824	603	188	26	5	-	-	-	-	-	-	2
20 to 24 years	1,861	704	693	340	92	23	4	-	1	-	-	4
25 to 29 years	1,389	254	427	389	185	85	32	13	2	-	-	2
30 to 34 years	827	96	179	242	177	76	34	11	6	4	2	-
35 to 39 years	388	39	66	80	82	57	25	20	6	8	5	-
40 to 44 years	87	9	13	16	14	11	12	5	-	-	7	-
45 to 49 years	4	1	-	2	1	-	-	-	-	-	-	-
50 years and over	-	-	-	-	-	-	-	-	-	-	-	-
Not stated	1	-	-	-	1	-	-	-	-	-	-	-
Foreign-born white	183	50	56	41	24	6	3	-	3	-	-	-
Under 15 years	-	-	-	-	-	-	-	-	-	-	-	-
15 to 19 years	4	4	-	-	-	-	-	-	-	-	-	-
20 to 24 years	33	19	7	4	2	-	1	-	-	-	-	-
25 to 29 years	63	16	24	14	5	3	1	-	-	-	-	-
30 to 34 years	48	6	18	15	8	1	-	-	-	-	-	-
35 to 39 years	28	2	7	8	9	-	-	-	2	-	-	-
40 to 44 years	7	3	-	-	-	2	1	-	1	-	-	-
45 to 49 years	-	-	-	-	-	-	-	-	-	-	-	-
50 years and over	-	-	-	-	-	-	-	-	-	-	-	-
Not stated	-	-	-	-	-	-	-	-	-	-	-	-
Nonwhite	708	146	147	128	92	58	56	35	16	14	15	1
Under 15 years	6	6	-	-	-	-	-	-	-	-	-	-
15 to 19 years	117	59	36	19	2	1	-	-	-	-	-	-
20 to 24 years	226	58	66	44	32	12	10	3	-	-	-	1
25 to 29 years	192	14	30	39	36	23	28	11	7	4	-	-
30 to 34 years	105	7	12	16	15	17	10	14	5	5	4	-
35 to 39 years	46	2	3	7	5	4	6	5	4	4	6	-
40 to 44 years	14	-	-	3	-	1	2	2	-	1	5	-
45 to 49 years	1	-	-	-	1	-	-	-	-	-	-	-
50 years and over	-	-	-	-	-	-	-	-	-	-	-	-
Not stated	1	-	-	-	1	-	-	-	-	-	-	-
Negro	459	95	93	82	62	42	38	20	8	11	7	1
Under 15 years	5	5	-	-	-	-	-	-	-	-	-	-
15 to 19 years	89	43	28	16	2	-	-	-	-	-	-	-
20 to 24 years	155	38	41	31	23	9	9	3	-	-	-	1
25 to 29 years	120	6	15	21	26	17	18	8	5	4	-	-
30 to 34 years	59	2	8	9	7	11	8	5	2	4	3	-
35 to 39 years	23	1	1	4	3	4	1	3	1	2	3	-
40 to 44 years	7	-	-	1	-	1	2	1	-	1	1	-
45 to 49 years	-	-	-	-	-	-	-	-	-	-	-	-
50 years and over	-	-	-	-	-	-	-	-	-	-	-	-
Not stated	1	-	-	-	1	-	-	-	-	-	-	-
NEW HAMPSHIRE	12,482	3,230	3,263	2,465	1,429	734	348	166	114	60	66	607
Under 15 years	7	7	-	-	-	-	-	-	-	-	-	-
15 to 19 years	1,167	853	225	25	5	-	-	-	-	-	-	59
20 to 24 years	3,975	1,492	1,407	608	204	56	11	4	-	-	-	193
25 to 29 years	3,609	571	1,012	949	528	246	95	32	12	2	4	158
30 to 34 years	2,359	207	433	620	443	255	140	62	40	24	19	116
35 to 39 years	1,090	91	153	217	201	145	81	47	47	22	26	60
40 to 44 years	257	8	31	45	45	31	21	17	14	12	15	18
45 to 49 years	14	-	1	1	3	1	-	4	1	-	2	1
50 years and over	-	-	-	-	-	-	-	-	-	-	-	-
Not stated	4	1	1	-	-	-	-	-	-	-	-	2
White	12,444	3,219	3,255	2,459	1,427	733	344	165	113	60	66	603
Under 15 years	7	7	-	-	-	-	-	-	-	-	-	-
15 to 19 years	1,163	850	225	25	5	-	-	-	-	-	-	58
20 to 24 years	3,960	1,489	1,400	606	203	56	11	4	-	-	-	191
25 to 29 years	3,597	568	1,011	946	527	245	94	32	11	2	4	157
30 to 34 years	2,355	205	433	619	443	255	139	62	40	24	19	116
35 to 39 years	1,088	91	153	217	201	145	79	47	47	22	26	60
40 to 44 years	256	8	31	45	45	31	21	16	14	12	15	18
45 to 49 years	14	-	1	1	3	1	-	4	1	-	2	1
50 years and over	-	-	-	-	-	-	-	-	-	-	-	-
Not stated	4	1	1	-	-	-	-	-	-	-	-	2

430007 O - 57 - 23

Table 26B. Live Births by Age of Mother, Live-Birth Order, Race, and Nativity of White Mother: Each State, 1955—Continued

(See headnote on p. 223)

AREA, AGE OF MOTHER, RACE, AND NATIVITY OF WHITE MOTHER	Total	LIVE-BIRTH ORDER										
		1	2	3	4	5	6	7	8	9	10 and over	Not stated
NEW HAMPSHIRE—Continued												
White—Continued												
Native white	11,881	3,102	3,134	2,318	1,362	699	317	157	101	56	63	572
Under 15 years	7	7	-	-	-	-	-	-	-	-	-	-
15 to 19 years	1,147	838	223	25	5	-	-	-	-	-	-	56
20 to 24 years	3,849	1,440	1,360	591	201	56	11	4	-	-	-	186
25 to 29 years	3,443	541	976	902	502	238	90	30	10	2	4	148
30 to 34 years	2,205	191	411	568	418	241	130	61	37	24	17	107
35 to 39 years	991	79	137	192	193	135	69	44	40	20	26	56
40 to 44 years	223	5	26	39	40	28	17	14	13	10	14	17
45 to 49 years	12	-	-	1	3	1	-	4	1	-	2	-
50 years and over	-	-	-	-	-	-	-	-	-	-	-	-
Not stated	4	1	1	-	-	-	-	-	-	-	-	2
Foreign-born white	554	116	121	141	65	34	27	8	11	4	3	24
Under 15 years	-	-	-	-	-	-	-	-	-	-	-	-
15 to 19 years	15	12	2	-	-	-	-	-	-	-	-	1
20 to 24 years	108	48	40	15	2	-	-	-	-	-	-	3
25 to 29 years	150	27	35	44	25	7	4	2	1	-	-	5
30 to 34 years	150	14	22	51	25	14	9	1	3	-	2	9
35 to 39 years	97	12	16	25	8	10	10	3	7	2	-	4
40 to 44 years	32	3	5	6	5	3	4	2	-	2	1	1
45 to 49 years	2	-	1	-	-	-	-	-	-	-	-	1
50 years and over	-	-	-	-	-	-	-	-	-	-	-	-
Not stated	-	-	-	-	-	-	-	-	-	-	-	-
Nonwhite	38	11	8	6	2	1	4	1	1	-	-	4
Under 15 years	-	-	-	-	-	-	-	-	-	-	-	-
15 to 19 years	4	3	-	-	-	-	-	-	-	-	-	1
20 to 24 years	15	3	7	2	1	-	-	-	-	-	-	2
25 to 29 years	12	3	1	3	1	1	1	-	1	-	-	1
30 to 34 years	4	2	-	1	-	-	1	-	-	-	-	-
35 to 39 years	2	-	-	-	-	-	2	-	-	-	-	-
40 to 44 years	1	-	-	-	-	-	-	1	-	-	-	-
45 to 49 years	-	-	-	-	-	-	-	-	-	-	-	-
50 years and over	-	-	-	-	-	-	-	-	-	-	-	-
Not stated	-	-	-	-	-	-	-	-	-	-	-	-
NEW JERSEY	121,427	36,904	37,739	24,656	11,675	5,095	2,410	1,206	588	328	472	354
Under 15 years	99	96	2	1	-	-	-	-	-	-	-	-
15 to 19 years	7,907	5,924	1,593	316	41	6	1	1	-	-	-	25
20 to 24 years	33,674	16,443	11,056	4,078	1,320	452	157	49	17	4	-	98
25 to 29 years	38,672	9,299	14,444	8,905	3,520	1,356	602	274	107	45	19	101
30 to 34 years	26,346	3,578	7,572	7,528	4,087	1,813	808	406	230	107	139	78
35 to 39 years	12,045	1,290	2,642	3,196	2,211	1,155	658	369	178	126	184	36
40 to 44 years	2,509	252	397	601	471	298	172	99	52	44	114	9
45 to 49 years	117	9	12	25	19	13	11	7	2	2	16	1
50 years and over	3	-	1	1	-	-	-	1	-	-	-	-
Not stated	55	13	20	5	6	2	1	-	2	-	-	6
White	107,944	33,346	34,571	22,305	10,079	4,016	1,732	783	351	178	252	331
Under 15 years	28	26	1	1	-	-	-	-	-	-	-	-
15 to 19 years	5,653	4,536	988	119	8	1	-	1	-	-	-	20
20 to 24 years	29,020	15,114	9,670	3,094	796	195	49	8	3	2	-	89
25 to 29 years	35,221	8,821	13,717	8,226	2,941	932	319	119	35	7	7	97
30 to 34 years	24,376	3,378	7,281	7,181	3,771	1,545	630	271	133	54	58	74
35 to 39 years	11,186	1,209	2,530	3,084	2,089	1,050	575	289	137	86	102	35
40 to 44 years	2,298	241	372	571	450	278	148	87	41	27	74	9
45 to 49 years	109	8	12	24	19	13	10	7	2	2	11	1
50 years and over	2	-	1	-	-	-	-	1	-	-	-	-
Not stated	51	13	19	5	5	2	1	-	-	-	-	6
Native white	102,149	31,588	32,616	21,081	9,579	3,820	1,652	749	336	170	244	314
Under 15 years	28	26	1	1	-	-	-	-	-	-	-	-
15 to 19 years	5,539	4,445	947	118	8	1	-	1	-	-	-	19
20 to 24 years	27,939	14,486	9,329	3,003	779	191	49	8	3	2	-	89
25 to 29 years	33,370	8,244	12,992	7,848	2,829	896	303	115	35	7	7	94
30 to 34 years	22,544	3,048	6,654	6,683	3,541	1,460	593	259	127	52	58	69
35 to 39 years	10,492	1,111	2,334	2,882	1,992	999	553	277	132	82	98	32
40 to 44 years	2,099	210	329	525	410	259	143	82	37	26	70	8
45 to 49 years	93	5	11	19	15	12	10	6	2	1	11	1
50 years and over	2	-	1	-	-	-	-	1	-	-	-	-
Not stated	43	13	18	2	5	2	1	-	-	-	-	2
Foreign-born white	5,781	1,756	1,951	1,223	497	196	80	34	15	8	8	13
Under 15 years	-	-	-	-	-	-	-	-	-	-	-	-
15 to 19 years	114	91	21	1	-	-	-	-	-	-	-	1
20 to 24 years	1,079	627	340	91	17	4	-	-	-	-	-	-
25 to 29 years	1,850	577	725	378	111	36	16	4	-	-	-	3
30 to 34 years	1,831	330	626	498	230	85	37	12	6	2	-	5
35 to 39 years	691	97	195	202	96	51	22	12	5	4	4	3
40 to 44 years	198	31	43	46	39	19	5	5	4	1	4	1
45 to 49 years	16	3	1	5	4	1	-	1	-	1	-	-
50 years and over	-	-	-	-	-	-	-	-	-	-	-	-
Not stated	2	-	-	2	-	-	-	-	-	-	-	-

Table 26B. Live Births by Age of Mother, Live-Birth Order, Race, and Nativity of White Mother: Each State, 1955—Continued

(See headnote on p. 223)

AREA, AGE OF MOTHER, RACE, AND NATIVITY OF WHITE MOTHER	Total	LIVE-BIRTH ORDER										
		1	2	3	4	5	6	7	8	9	10 and over	Not stated
NEW JERSEY—Continued												
Nonwhite	13,483	3,558	3,168	2,351	1,596	1,079	678	423	237	150	220	23
Under 15 years	71	70	1	-	-	-	-	-	-	-	-	-
15 to 19 years	2,254	1,388	625	197	33	5	1	-	-	-	-	5
20 to 24 years	4,654	1,329	1,386	984	524	257	108	41	14	2	-	9
25 to 29 years	3,451	478	727	679	579	424	283	155	72	38	12	4
30 to 34 years	1,970	200	291	347	316	268	178	135	97	53	81	4
35 to 39 years	859	81	112	112	122	105	83	80	41	40	82	1
40 to 44 years	211	11	25	30	21	20	24	12	11	17	40	-
45 to 49 years	8	1	-	1	-	-	1	-	-	-	5	-
50 years and over	1	-	-	1	-	-	-	-	-	-	-	-
Not stated	4	-	1	-	1	-	-	-	2	-	-	-
Negro	13,195	3,470	3,061	2,315	1,571	1,063	672	421	232	150	218	22
Under 15 years	71	70	1	-	-	-	-	-	-	-	-	-
15 to 19 years	2,250	1,387	622	197	33	5	1	-	-	-	-	5
20 to 24 years	4,560	1,284	1,351	973	522	257	108	41	14	2	-	8
25 to 29 years	3,336	448	677	664	570	415	283	154	71	38	12	4
30 to 34 years	1,921	191	279	339	308	262	175	134	96	53	80	4
35 to 39 years	840	78	108	111	117	104	81	80	39	40	81	1
40 to 44 years	204	11	22	29	20	20	23	12	10	17	40	-
45 to 49 years	8	1	-	1	-	-	1	-	-	-	5	-
50 years and over	1	-	-	1	-	-	-	-	-	-	-	-
Not stated	4	-	1	-	1	-	-	-	2	-	-	-
NEW MEXICO	25,759	6,650	6,171	4,666	2,932	1,709	1,170	781	516	359	741	64
Under 15 years	28	28	-	-	-	-	-	-	-	-	-	-
15 to 19 years	3,682	2,504	955	175	32	5	-	2	-	-	-	9
20 to 24 years	8,663	2,814	2,929	1,733	768	269	95	25	8	6	2	14
25 to 29 years	6,371	832	1,453	1,540	1,080	649	421	225	101	37	21	12
30 to 34 years	4,253	323	610	885	706	497	398	306	204	138	180	6
35 to 39 years	2,032	114	180	269	279	235	194	167	144	138	304	8
40 to 44 years	607	23	33	50	57	45	54	48	56	37	202	2
45 to 49 years	55	1	1	3	4	4	3	5	2	3	28	1
50 years and over	1	-	-	-	1	-	-	-	-	-	-	-
Not stated	67	11	10	11	5	5	5	3	1	-	4	12
White	23,376	6,137	5,771	4,345	2,644	1,485	990	630	416	290	625	43
Under 15 years	26	26	-	-	-	-	-	-	-	-	-	-
15 to 19 years	3,370	2,309	871	150	27	5	-	1	-	-	-	7
20 to 24 years	7,911	2,595	2,723	1,572	674	222	81	21	7	4	2	10
25 to 29 years	5,796	776	1,376	1,446	968	555	352	180	81	34	19	9
30 to 34 years	3,879	304	584	856	661	442	337	255	163	118	154	5
35 to 39 years	1,786	101	174	263	258	213	170	126	116	101	259	5
40 to 44 years	527	19	33	48	49	40	47	42	47	31	171	-
45 to 49 years	37	1	1	3	2	4	1	4	1	2	17	1
50 years and over	1	-	-	-	1	-	-	-	-	-	-	-
Not stated	43	6	9	7	4	4	2	1	1	-	3	6
Native white	22,748	6,012	5,607	4,226	2,568	1,451	962	613	401	280	591	37
Under 15 years	25	25	-	-	-	-	-	-	-	-	-	-
15 to 19 years	3,324	2,281	858	147	26	5	-	1	-	-	-	6
20 to 24 years	7,728	2,541	2,656	1,537	654	218	79	21	7	4	2	9
25 to 29 years	5,611	753	1,325	1,400	940	542	339	173	78	34	18	9
30 to 34 years	3,757	288	564	831	643	429	330	252	157	111	148	4
35 to 39 years	1,722	100	163	253	249	209	166	121	113	99	244	5
40 to 44 years	508	18	33	48	49	40	45	41	45	30	159	-
45 to 49 years	36	1	1	3	2	4	1	4	-	2	17	1
50 years and over	1	-	-	-	1	-	-	-	-	-	-	-
Not stated	36	5	7	7	4	4	2	-	1	-	3	3
Foreign-born white	616	123	161	118	75	34	28	16	15	10	34	2
Under 15 years	1	1	-	-	-	-	-	-	-	-	-	-
15 to 19 years	46	28	13	3	1	-	-	-	-	-	-	1
20 to 24 years	180	53	67	34	20	4	2	-	-	-	-	-
25 to 29 years	183	23	50	46	27	13	13	7	3	-	1	-
30 to 34 years	122	16	20	25	18	13	7	3	6	7	6	1
35 to 39 years	64	1	11	10	9	4	4	5	3	2	15	-
40 to 44 years	19	1	-	-	-	-	2	1	2	1	12	-
45 to 49 years	1	-	-	-	-	-	-	-	1	-	-	-
50 years and over	-	-	-	-	-	-	-	-	-	-	-	-
Not stated	-	-	-	-	-	-	-	-	-	-	-	-
Nonwhite	2,383	513	400	321	288	224	180	151	100	69	116	21
Under 15 years	2	2	-	-	-	-	-	-	-	-	-	-
15 to 19 years	312	195	84	25	5	-	-	1	-	-	-	2
20 to 24 years	752	219	206	161	94	47	14	4	1	2	-	4
25 to 29 years	575	56	77	94	112	94	69	45	20	3	2	3
30 to 34 years	374	19	26	29	45	55	61	51	41	20	26	1
35 to 39 years	246	13	6	6	21	22	24	41	28	37	45	3
40 to 44 years	80	4	-	2	8	5	7	6	9	6	31	2
45 to 49 years	18	-	-	-	2	-	2	1	1	1	11	-
50 years and over	-	-	-	-	-	-	-	-	-	-	-	-
Not stated	24	5	1	4	1	1	3	2	-	-	1	6

Table 26B. Live Births by Age of Mother, Live-Birth Order, Race, and Nativity of White Mother: Each State, 1955—Continued

(See headnote on p. 223)

AREA, AGE OF MOTHER, RACE, AND NATIVITY OF WHITE MOTHER	Total	LIVE-BIRTH ORDER										
		1	2	3	4	5	6	7	8	9	10 and over	Not stated
NEW MEXICO—Continued												
Nonwhite—Continued												
Negro	456	98	91	79	50	48	28	24	14	9	13	2
Under 15 years	2	2	-	-	-	-	-	-	-	-	-	-
15 to 19 years	92	43	35	11	3	-	-	-	-	-	-	-
20 to 24 years	157	37	33	42	23	17	5	-	-	-	-	-
25 to 29 years	115	14	14	20	13	22	16	10	4	1	1	-
30 to 34 years	47	1	6	5	5	5	5	7	3	3	6	1
35 to 39 years	29	1	3	1	5	3	2	5	5	4	-	-
40 to 44 years	11	-	-	-	-	1	-	2	2	1	5	-
45 to 49 years	2	-	-	-	1	-	-	-	-	-	1	-
50 years and over	-	-	-	-	-	-	-	-	-	-	-	-
Not stated	1	-	-	-	-	-	-	-	-	-	-	1
NEW YORK	342,566	105,123	104,012	66,935	33,503	16,100	7,865	3,965	2,103	1,120	1,498	342
Under 15 years	210	206	4	-	-	-	-	-	-	-	-	-
15 to 19 years	23,995	17,968	4,933	878	158	16	3	-	1	-	-	38
20 to 24 years	98,377	46,984	32,215	12,760	4,314	1,440	419	101	22	5	1	116
25 to 29 years	108,393	26,006	38,941	24,047	10,948	4,721	2,185	931	343	131	60	80
30 to 34 years	70,968	9,649	19,816	19,414	10,902	5,411	2,753	1,425	777	399	373	49
35 to 39 years	32,668	3,482	6,888	8,207	5,803	3,506	1,914	1,093	690	420	641	24
40 to 44 years	7,532	784	1,153	1,552	1,319	963	569	388	258	152	385	9
45 to 49 years	348	29	47	68	51	42	21	26	12	13	38	1
50 years and over	5	-	3	1	1	-	-	-	-	-	-	-
Not stated	70	15	12	8	7	1	1	1	-	-	-	25
White	306,271	95,003	95,022	60,433	29,180	13,414	6,267	3,106	1,583	836	1,116	311
Under 15 years	71	71	-	-	-	-	-	-	-	-	-	-
15 to 19 years	18,795	14,638	3,528	504	88	4	1	-	1	-	-	31
20 to 24 years	86,923	43,220	28,665	10,494	3,189	933	251	48	9	3	-	111
25 to 29 years	98,453	24,283	36,640	21,965	9,308	3,705	1,534	626	204	83	29	76
30 to 34 years	64,752	8,847	18,634	18,179	9,912	4,672	2,257	1,111	571	285	238	46
35 to 39 years	29,920	3,175	6,424	7,751	5,390	3,164	1,682	946	555	327	482	24
40 to 44 years	6,980	727	1,074	1,467	1,238	895	523	354	233	127	333	9
45 to 49 years	326	29	46	67	48	40	19	21	10	11	34	1
50 years and over	3	-	2	-	1	-	-	-	-	-	-	-
Not stated	48	13	9	6	6	1	-	-	-	-	-	13
Native white	284,345	87,907	87,767	56,242	27,323	12,612	5,872	2,961	1,505	804	1,071	281
Under 15 years	71	71	-	-	-	-	-	-	-	-	-	-
15 to 19 years	18,312	14,227	3,463	498	87	4	1	-	1	-	-	31
20 to 24 years	82,814	40,757	27,442	10,169	3,124	912	248	48	9	3	-	102
25 to 29 years	91,342	21,921	33,921	20,711	8,820	3,534	1,457	601	196	82	28	71
30 to 34 years	58,199	7,571	16,377	16,483	9,167	4,345	2,108	1,051	545	274	234	44
35 to 39 years	27,195	2,736	5,615	7,060	4,986	2,977	1,571	909	535	315	468	23
40 to 44 years	6,122	591	908	1,260	1,093	810	473	335	212	120	311	9
45 to 49 years	254	21	32	55	39	29	14	17	7	10	30	-
50 years and over	3	-	2	-	1	-	-	-	-	-	-	-
Not stated	33	12	7	6	6	1	-	-	-	-	-	1
Foreign-born white	21,870	7,080	7,247	4,182	1,855	800	394	145	77	32	44	14
Under 15 years	-	-	-	-	-	-	-	-	-	-	-	-
15 to 19 years	479	408	64	6	1	-	-	-	-	-	-	-
20 to 24 years	4,099	2,456	1,223	323	65	21	3	-	-	-	-	8
25 to 29 years	7,097	2,358	2,715	1,252	488	171	76	25	8	1	-	3
30 to 34 years	6,546	1,275	2,257	1,693	743	327	149	60	26	11	4	1
35 to 39 years	2,720	438	807	690	404	186	111	37	20	12	14	1
40 to 44 years	857	136	166	206	145	85	50	19	21	7	22	-
45 to 49 years	70	8	14	12	9	10	5	4	2	1	4	1
50 years and over	-	-	-	-	-	-	-	-	-	-	-	-
Not stated	2	1	1	-	-	-	-	-	-	-	-	-
Nonwhite	36,295	10,120	8,990	6,502	4,323	2,686	1,598	859	520	284	382	31
Under 15 years	139	135	4	-	-	-	-	-	-	-	-	-
15 to 19 years	5,200	3,330	1,405	374	70	12	2	-	-	-	-	7
20 to 24 years	11,454	3,764	3,550	2,266	1,125	507	168	53	13	2	1	5
25 to 29 years	9,940	1,723	2,301	2,082	1,640	1,016	651	305	139	48	31	4
30 to 34 years	6,216	802	1,182	1,235	990	739	496	314	206	114	135	3
35 to 39 years	2,748	307	464	456	413	342	232	147	135	93	159	-
40 to 44 years	552	57	79	85	81	68	46	34	25	25	52	-
45 to 49 years	22	-	1	1	3	2	2	5	2	2	4	-
50 years and over	2	-	1	1	-	-	-	-	-	-	-	-
Not stated	22	2	3	2	1	-	1	1	-	-	-	12
Negro	34,902	9,741	8,605	6,246	4,154	2,601	1,555	830	506	267	366	31
Under 15 years	138	134	4	-	-	-	-	-	-	-	-	-
15 to 19 years	5,112	3,273	1,381	368	69	12	2	-	-	-	-	7
20 to 24 years	11,078	3,592	3,441	2,201	1,099	504	168	52	13	2	1	5
25 to 29 years	9,494	1,630	2,156	1,992	1,583	983	636	295	139	46	30	4
30 to 34 years	5,926	756	1,102	1,181	938	720	481	303	201	108	133	3
35 to 39 years	2,611	297	444	428	392	320	223	143	129	85	150	-
40 to 44 years	503	57	74	73	71	60	42	32	22	24	48	-
45 to 49 years	18	-	1	-	1	2	2	4	2	2	4	-
50 years and over	2	-	1	1	-	-	-	-	-	-	-	-
Not stated	20	2	1	2	1	-	1	1	-	-	-	12

Table 26B. Live Births by Age of Mother, Live-Birth Order, Race, and Nativity of White Mother: Each State, 1955—Continued

(See headnote on p. 223)

AREA, AGE OF MOTHER, RACE, AND NATIVITY OF WHITE MOTHER	Total	LIVE-BIRTH ORDER										
		1	2	3	4	5	6	7	8	9	10 and over	Not stated
NORTH CAROLINA	115,365	33,626	29,024	19,273	11,850	7,334	4,798	3,158	2,181	1,438	2,531	152
Under 15 years	343	325	17	-	-	-	-	-	-	-	-	1
15 to 19 years	20,194	13,733	4,919	1,165	275	33	10	4	1	-	-	54
20 to 24 years	37,505	12,873	12,070	6,764	3,424	1,479	590	178	57	17	10	43
25 to 29 years	28,265	4,430	7,447	5,977	3,912	2,854	1,801	993	506	199	119	27
30 to 34 years	17,716	1,617	3,302	3,655	2,743	1,802	1,457	1,119	842	543	617	19
35 to 39 years	8,656	501	1,051	1,441	1,191	914	730	671	590	482	1,080	5
40 to 44 years	2,406	106	192	244	272	226	196	178	169	183	638	2
45 to 49 years	150	5	5	4	20	12	10	12	12	12	58	-
50 years and over	4	-	-	1	-	1	-	-	1	-	1	-
Not stated	126	36	21	22	13	13	4	3	3	2	8	1
White	77,006	25,406	22,257	13,703	7,220	3,599	1,851	1,121	683	447	677	42
Under 15 years	68	66	2	-	-	-	-	-	-	-	-	-
15 to 19 years	11,954	8,940	2,533	415	53	4	-	1	-	-	-	8
20 to 24 years	25,937	10,636	9,195	4,053	1,482	410	109	29	1	2	2	18
25 to 29 years	19,611	3,875	6,520	4,646	2,419	1,262	527	232	87	28	8	7
30 to 34 years	12,127	1,371	2,910	3,129	2,079	1,096	676	410	227	125	98	6
35 to 39 years	5,625	406	926	1,228	938	647	396	337	258	187	301	1
40 to 44 years	1,532	91	157	215	228	163	135	107	98	97	239	2
45 to 49 years	94	4	5	4	16	11	7	5	10	7	25	-
50 years and over	2	-	-	-	-	-	-	-	1	-	1	-
Not stated	56	17	9	13	5	6	1	-	1	1	3	-
Native white	76,303	25,176	22,051	13,563	7,139	3,572	1,840	1,116	683	445	677	41
Under 15 years	68	66	2	-	-	-	-	-	-	-	-	-
15 to 19 years	11,912	8,906	2,529	411	53	4	-	1	-	-	-	8
20 to 24 years	25,739	10,536	9,132	4,028	1,474	408	109	29	1	2	2	18
25 to 29 years	19,374	3,819	6,427	4,600	2,391	1,252	523	232	87	28	8	7
30 to 34 years	11,963	1,342	2,870	3,082	2,049	1,086	672	407	227	125	98	5
35 to 39 years	5,581	399	920	1,215	925	645	394	336	258	187	301	1
40 to 44 years	1,518	89	157	210	227	160	134	106	98	96	239	2
45 to 49 years	93	4	5	4	15	11	7	5	10	7	25	-
50 years and over	2	-	-	-	-	-	-	-	1	-	1	-
Not stated	53	15	9	13	5	6	1	-	1	-	3	-
Foreign-born white	683	220	204	138	79	26	11	4	-	-	-	1
Under 15 years	-	-	-	-	-	-	-	-	-	-	-	-
15 to 19 years	39	31	4	4	-	-	-	-	-	-	-	-
20 to 24 years	193	95	63	25	8	2	-	-	-	-	-	-
25 to 29 years	231	56	91	45	26	9	4	-	-	-	-	-
30 to 34 years	162	29	40	46	30	10	4	2	-	-	-	1
35 to 39 years	44	7	6	13	13	2	2	1	-	-	-	-
40 to 44 years	13	2	-	5	1	3	1	1	-	-	-	-
45 to 49 years	1	-	-	-	1	-	-	-	-	-	-	-
50 years and over	-	-	-	-	-	-	-	-	-	-	-	-
Not stated	-	-	-	-	-	-	-	-	-	-	-	-
Nonwhite	38,359	8,220	6,767	5,570	4,630	3,735	2,947	2,037	1,498	991	1,854	110
Under 15 years	275	259	15	-	-	-	-	-	-	-	-	1
15 to 19 years	8,240	4,793	2,386	750	222	29	10	3	1	-	-	46
20 to 24 years	11,568	2,237	2,875	2,711	1,942	1,069	481	149	56	15	8	25
25 to 29 years	8,654	555	927	1,331	1,493	1,592	1,274	761	419	171	111	20
30 to 34 years	5,589	246	392	526	664	706	781	709	615	418	519	13
35 to 39 years	3,031	95	125	213	253	267	334	334	332	295	779	4
40 to 44 years	874	15	35	29	44	63	61	71	71	86	399	-
45 to 49 years	56	1	-	-	4	1	3	7	2	5	33	-
50 years and over	2	-	-	1	-	1	-	-	-	-	-	-
Not stated	70	19	12	9	8	7	3	3	2	1	5	1
Negro	36,859	7,943	6,525	5,355	4,453	3,601	2,822	1,941	1,417	937	1,755	110
Under 15 years	270	255	14	-	-	-	-	-	-	-	-	1
15 to 19 years	7,976	4,628	2,315	727	218	28	10	3	1	-	-	46
20 to 24 years	11,140	2,158	2,764	2,601	1,871	1,035	467	144	54	13	8	25
25 to 29 years	8,269	534	888	1,272	1,417	1,529	1,211	730	398	163	107	20
30 to 34 years	5,349	241	380	511	649	680	742	664	579	394	496	13
35 to 39 years	2,913	92	121	206	242	261	328	322	316	282	739	4
40 to 44 years	819	15	31	28	44	60	58	68	66	79	370	-
45 to 49 years	53	1	-	-	4	1	3	7	1	5	31	-
50 years and over	2	-	-	1	-	1	-	-	-	-	-	-
Not stated	68	19	12	9	8	6	3	3	2	1	4	1
NORTH DAKOTA	17,237	4,003	4,060	3,485	2,362	1,407	786	458	243	169	252	12
Under 15 years	5	5	-	-	-	-	-	-	-	-	-	-
15 to 19 years	1,580	1,209	313	54	2	-	-	-	-	-	-	2
20 to 24 years	5,603	1,982	2,014	1,064	383	125	24	6	2	-	1	2
25 to 29 years	4,707	564	1,108	1,342	927	438	210	84	25	5	3	1
30 to 34 years	2,990	144	409	685	646	486	255	187	80	57	40	1
35 to 39 years	1,762	78	187	275	335	273	216	130	95	69	104	-
40 to 44 years	534	18	27	62	59	79	80	48	38	33	90	-
45 to 49 years	44	1	1	2	9	5	1	3	3	5	14	-
50 years and over	-	-	-	-	-	-	-	-	-	-	-	-
Not stated	12	2	1	1	1	1	-	-	-	-	-	6

Table 26B. Live Births by Age of Mother, Live-Birth Order, Race, and Nativity of White Mother: Each State, 1955—Continued

(See headnote on p. 223)

AREA, AGE OF MOTHER, RACE, AND NATIVITY OF WHITE MOTHER	Total	LIVE-BIRTH ORDER										
		1	2	3	4	5	6	7	8	9	10 and over	Not stated
NORTH DAKOTA—Continued												
White	16,773	3,908	3,987	3,422	2,309	1,359	755	426	222	155	220	10
Under 15 years	4	4	-	-	-	-	-	-	-	-	-	-
15 to 19 years	1,505	1,153	299	50	2	-	-	-	-	-	-	1
20 to 24 years	5,450	1,951	1,966	1,026	363	114	21	5	1	-	1	2
25 to 29 years	4,600	558	1,100	1,327	905	417	195	74	17	3	3	1
30 to 34 years	2,925	143	406	680	639	475	247	173	74	52	35	1
35 to 39 years	1,719	78	187	274	332	269	211	125	90	66	87	-
40 to 44 years	518	18	27	62	58	78	80	46	37	30	82	-
45 to 49 years	41	1	1	2	9	5	1	3	3	4	12	-
50 years and over	-	-	-	-	-	-	-	-	-	-	-	-
Not stated	11	2	1	1	1	1	-	-	-	-	-	5
Native white	16,459	3,839	3,921	3,361	2,271	1,322	735	416	221	153	213	7
Under 15 years	4	4	-	-	-	-	-	-	-	-	-	-
15 to 19 years	1,491	1,139	299	50	2	-	-	-	-	-	-	1
20 to 24 years	5,389	1,924	1,948	1,014	359	114	21	5	1	-	1	2
25 to 29 years	4,510	543	1,074	1,305	894	409	189	72	17	3	3	1
30 to 34 years	2,841	135	394	662	627	456	238	170	73	51	34	1
35 to 39 years	1,675	75	179	267	324	262	206	122	90	66	84	-
40 to 44 years	501	16	25	61	55	75	80	44	37	29	79	-
45 to 49 years	41	1	1	2	9	5	1	3	3	4	12	-
50 years and over	-	-	-	-	-	-	-	-	-	-	-	-
Not stated	7	2	1	-	1	1	-	-	-	-	-	2
Foreign-born white	310	69	66	60	38	37	20	10	1	2	7	-
Under 15 years	-	-	-	-	-	-	-	-	-	-	-	-
15 to 19 years	14	14	-	-	-	-	-	-	-	-	-	-
20 to 24 years	61	27	18	12	4	-	-	-	-	-	-	-
25 to 29 years	90	15	26	22	11	8	6	2	-	-	-	-
30 to 34 years	84	8	12	18	12	19	9	3	1	1	1	-
35 to 39 years	44	3	8	7	8	7	5	3	-	-	3	-
40 to 44 years	17	2	2	1	3	3	-	2	-	1	3	-
45 to 49 years	-	-	-	-	-	-	-	-	-	-	-	-
50 years and over	-	-	-	-	-	-	-	-	-	-	-	-
Not stated	-	-	-	-	-	-	-	-	-	-	-	-
Nonwhite	464	95	73	63	53	48	31	32	21	14	32	2
Under 15 years	1	1	-	-	-	-	-	-	-	-	-	-
15 to 19 years	75	56	14	4	-	-	-	-	-	-	-	1
20 to 24 years	153	31	48	38	20	11	3	1	1	-	-	-
25 to 29 years	107	6	8	15	22	21	15	10	8	2	-	-
30 to 34 years	65	1	3	5	7	11	8	14	6	5	5	-
35 to 39 years	43	-	-	1	3	4	5	5	5	3	17	-
40 to 44 years	16	-	-	-	1	1	-	2	1	3	8	-
45 to 49 years	3	-	-	-	-	-	-	-	-	1	2	-
50 years and over	-	-	-	-	-	-	-	-	-	-	-	-
Not stated	1	-	-	-	-	-	-	-	-	-	-	1
OHIO	223,470	60,925	61,058	46,094	26,415	13,566	6,898	3,573	1,986	1,122	1,616	217
Under 15 years	228	223	5	-	-	-	-	-	-	-	-	-
15 to 19 years	24,623	17,738	5,567	1,121	159	17	4	-	-	-	-	17
20 to 24 years	69,815	26,428	24,336	12,256	4,701	1,534	408	89	21	8	3	31
25 to 29 years	64,311	10,812	19,088	17,080	9,405	4,462	2,113	850	305	110	57	29
30 to 34 years	41,129	3,996	8,643	10,850	7,917	4,475	2,349	1,337	805	378	381	18
35 to 39 years	18,482	1,401	2,835	3,978	3,499	2,463	1,550	955	632	455	704	10
40 to 44 years	4,433	269	537	763	696	576	444	322	203	161	436	6
45 to 49 years	237	13	17	26	28	33	23	17	19	8	53	-
50 years and over	6	-	2	1	-	-	1	-	-	1	1	-
Not stated	206	25	28	19	10	6	6	3	1	1	1	106
White	201,789	55,805	56,313	42,189	23,592	11,605	5,848	2,765	1,526	867	1,271	208
Under 15 years	129	127	2	-	-	-	-	-	-	-	-	-
15 to 19 years	21,047	15,569	4,564	797	92	9	2	-	-	-	-	14
20 to 24 years	62,655	24,614	22,308	10,631	3,692	1,080	254	36	10	1	2	27
25 to 29 years	58,608	10,166	18,087	15,919	8,411	3,628	1,550	536	182	62	40	27
30 to 34 years	37,801	3,714	8,163	10,303	7,390	4,018	2,001	1,063	595	279	258	18
35 to 39 years	17,009	1,307	2,642	3,770	3,315	2,283	1,399	826	537	372	548	10
40 to 44 years	4,114	272	505	727	656	549	414	285	182	144	374	6
45 to 49 years	226	13	16	26	27	32	22	16	19	8	47	-
50 years and over	6	-	2	1	-	-	1	-	-	1	1	-
Not stated	194	23	24	15	9	6	5	3	1	1	1	106
Native white	197,186	54,623	54,905	41,237	23,053	11,388	5,555	2,714	1,502	852	1,253	104
Under 15 years	127	125	2	-	-	-	-	-	-	-	-	-
15 to 19 years	20,926	15,480	4,535	795	91	9	2	-	-	-	-	14
20 to 24 years	61,763	24,165	22,004	10,526	3,663	1,077	253	36	10	1	1	27
25 to 29 years	57,093	9,783	17,537	15,586	8,260	3,569	1,529	522	179	62	39	27
30 to 34 years	36,472	3,521	7,786	9,946	7,143	3,927	1,964	1,050	588	273	256	18
35 to 39 years	16,552	1,256	2,527	3,648	3,236	2,242	1,378	813	532	367	543	10
40 to 44 years	3,953	260	477	699	626	530	401	275	173	139	367	6
45 to 49 years	218	13	15	24	26	29	22	16	19	8	46	-
50 years and over	5	-	2	1	-	-	1	-	-	1	-	-
Not stated	77	20	20	12	8	5	5	2	1	1	1	2

Table 26B. Live Births by Age of Mother, Live-Birth Order, Race, and Nativity of White Mother: Each State, 1955—Continued

(See headnote on p. 223)

AREA, AGE OF MOTHER, RACE, AND NATIVITY OF WHITE MOTHER	Total	LIVE-BIRTH ORDER										
		1	2	3	4	5	6	7	8	9	10 and over	Not stated
OHIO—Continued												
White—Continued												
Foreign-born white	4,457	1,163	1,402	944	536	215	92	49	24	15	17	-
Under 15 years	1	1	-	-	-	-	-	-	-	-	-	-
15 to 19 years	115	83	29	2	1	-	-	-	-	-	-	-
20 to 24 years	879	443	302	102	28	3	1	-	-	-	-	-
25 to 29 years	1,514	383	550	333	151	59	20	14	3	-	1	-
30 to 34 years	1,323	191	376	356	246	91	37	12	7	5	2	-
35 to 39 years	456	51	115	121	79	41	21	13	5	5	5	-
40 to 44 years	160	11	28	28	30	19	13	10	9	5	7	-
45 to 49 years	7	-	1	2	1	2	-	-	-	-	1	-
50 years and over	1	-	-	-	-	-	-	-	-	-	1	-
Not stated	1	-	1	-	-	-	-	-	-	-	-	-
Nonwhite	21,681	5,120	4,745	3,905	2,823	1,961	1,250	808	460	255	345	9
Under 15 years	99	96	3	-	-	-	-	-	-	-	-	-
15 to 19 years	3,576	2,169	1,003	324	67	8	2	-	-	-	-	3
20 to 24 years	7,160	1,814	2,028	1,625	1,009	454	154	53	11	7	1	4
25 to 29 years	5,703	646	1,001	1,161	994	834	563	314	123	48	17	2
30 to 34 years	3,328	282	480	547	527	457	348	274	210	100	103	-
35 to 39 years	1,473	94	193	208	184	180	151	129	95	83	156	-
40 to 44 years	319	17	32	36	40	27	30	37	21	17	82	-
45 to 49 years	11	-	1	-	1	1	1	1	-	-	6	-
50 years and over	-	-	-	-	-	-	-	-	-	-	-	-
Not stated	12	2	4	4	1	-	1	-	-	-	-	-
Negro	21,428	5,050	4,658	3,844	2,811	1,949	1,245	806	458	254	344	9
Under 15 years	99	96	3	-	-	-	-	-	-	-	-	-
15 to 19 years	3,566	2,162	1,002	322	67	8	2	-	-	-	-	3
20 to 24 years	7,087	1,785	1,995	1,619	1,007	451	154	53	11	7	1	4
25 to 29 years	5,603	622	968	1,132	987	831	560	313	123	48	17	2
30 to 34 years	3,282	275	464	533	526	452	347	273	210	100	102	-
35 to 39 years	1,456	92	189	201	182	179	151	129	95	82	156	-
40 to 44 years	312	16	32	33	40	27	29	37	19	17	62	-
45 to 49 years	11	-	1	-	1	1	1	1	-	-	6	-
50 years and over	-	-	-	-	-	-	-	-	-	-	-	-
Not stated	12	2	4	4	1	-	1	-	-	-	-	-
OKLAHOMA	50,102	14,858	13,964	9,580	5,106	2,711	1,444	874	532	356	595	82
Under 15 years	93	85	7	-	1	-	-	-	-	-	-	-
15 to 19 years	8,276	5,991	1,840	365	42	5	2	1	1	-	-	29
20 to 24 years	17,728	6,091	6,606	3,301	1,213	373	87	22	10	3	2	20
25 to 29 years	12,080	1,719	3,499	3,253	1,840	960	443	207	89	33	23	14
30 to 34 years	7,212	615	1,371	1,824	1,300	822	511	329	186	108	137	9
35 to 39 years	3,496	255	504	690	574	420	287	232	168	141	222	3
40 to 44 years	984	61	83	118	112	115	100	78	71	57	186	3
45 to 49 years	72	2	3	6	9	3	8	1	4	13	23	-
50 years and over	-	-	-	-	-	-	-	-	-	-	-	-
Not stated	161	39	51	23	15	13	6	4	3	1	2	4
White	43,969	13,373	12,800	8,594	4,388	2,152	1,053	612	346	229	353	69
Under 15 years	43	40	3	-	-	-	-	-	-	-	-	-
15 to 19 years	7,061	5,198	1,541	268	30	3	-	-	-	-	-	21
20 to 24 years	15,766	5,615	6,045	2,830	963	235	43	9	7	2	1	16
25 to 29 years	10,731	1,625	3,302	3,007	1,574	730	282	130	44	16	8	13
30 to 34 years	6,350	575	1,307	1,710	1,179	700	396	221	116	62	75	9
35 to 39 years	2,998	234	475	644	520	371	239	180	115	95	122	3
40 to 44 years	827	53	78	111	101	103	83	68	57	44	126	3
45 to 49 years	61	2	3	5	9	2	7	1	4	9	19	-
50 years and over	-	-	-	-	-	-	-	-	-	-	-	-
Not stated	132	31	46	19	12	8	3	3	3	1	2	4
Native white	43,627	13,266	12,709	8,518	4,359	2,134	1,047	610	344	229	349	62
Under 15 years	43	40	3	-	-	-	-	-	-	-	-	-
15 to 19 years	7,036	5,177	1,538	268	29	3	-	-	-	-	-	21
20 to 24 years	15,665	5,564	6,013	2,820	959	234	43	8	7	2	1	14
25 to 29 years	10,624	1,603	3,265	2,975	1,565	724	282	130	44	16	8	12
30 to 34 years	6,275	566	1,294	1,684	1,169	692	391	220	115	62	75	7
35 to 39 years	2,976	231	470	640	517	368	238	180	114	95	120	3
40 to 44 years	819	53	77	108	99	103	83	68	57	44	124	3
45 to 49 years	61	2	3	5	9	2	7	1	4	9	19	-
50 years and over	-	-	-	-	-	-	-	-	-	-	-	-
Not stated	128	30	46	18	12	8	3	3	3	1	2	2
Foreign-born white	317	103	85	73	27	18	4	2	2	-	3	-
Under 15 years	-	-	-	-	-	-	-	-	-	-	-	-
15 to 19 years	20	17	2	-	1	-	-	-	-	-	-	-
20 to 24 years	97	51	30	10	4	1	-	1	-	-	-	-
25 to 29 years	101	22	34	31	8	6	-	-	-	-	-	-
30 to 34 years	70	9	13	26	9	8	3	1	1	-	-	-
35 to 39 years	21	3	5	3	3	3	1	-	1	-	2	-
40 to 44 years	7	-	1	3	2	-	-	-	-	-	1	-
45 to 49 years	-	-	-	-	-	-	-	-	-	-	-	-
50 years and over	-	-	-	-	-	-	-	-	-	-	-	-
Not stated	1	1	-	-	-	-	-	-	-	-	-	-

Table 26B. Live Births by Age of Mother, Live-Birth Order, Race, and Nativity of White Mother: Each State, 1955—Continued

(See headnote on p. 223)

AREA, AGE OF MOTHER, RACE, AND NATIVITY OF WHITE MOTHER	Total	LIVE-BIRTH ORDER										
		1	2	3	4	5	6	7	8	9	10 and over	Not stated
OKLAHOMA—Continued												
Nonwhite	6,133	1,485	1,164	986	718	559	391	262	186	127	242	13
Under 15 years	50	45	4	-	1	-	-	-	-	-	-	-
15 to 19 years	1,215	793	299	97	12	2	2	1	1	-	-	8
20 to 24 years	1,962	476	561	471	250	138	44	13	3	1	1	4
25 to 29 years	1,349	94	197	246	266	230	161	77	45	17	15	1
30 to 34 years	862	40	64	114	121	122	115	108	70	46	62	-
35 to 39 years	498	21	29	46	54	49	48	52	53	46	100	-
40 to 44 years	157	8	5	7	11	12	17	10	14	13	60	-
45 to 49 years	11	-	-	1	-	1	1	-	-	4	4	-
50 years and over	-	-	-	-	-	-	-	-	-	-	-	-
Not stated	29	8	5	4	3	5	3	1	-	-	-	-
Negro	4,123	1,014	761	663	468	380	257	169	131	82	189	9
Under 15 years	45	40	4	-	1	-	-	-	-	-	-	-
15 to 19 years	889	557	231	80	10	2	2	1	1	-	-	5
20 to 24 years	1,319	301	346	329	185	106	32	12	3	1	1	3
25 to 29 years	873	60	112	146	161	157	106	60	40	15	15	1
30 to 34 years	546	29	42	72	70	73	78	61	43	28	50	-
35 to 39 years	317	16	21	26	34	31	25	28	32	27	77	-
40 to 44 years	106	5	4	6	6	5	10	6	12	10	42	-
45 to 49 years	8	-	-	1	-	1	1	-	-	1	4	-
50 years and over	-	-	-	-	-	-	-	-	-	-	-	-
Not stated	20	6	1	3	1	5	3	1	-	-	-	-
OREGON	38,788	9,869	10,661	8,738	5,063	2,257	1,036	561	277	145	178	3
Under 15 years	19	19	-	-	-	-	-	-	-	-	-	-
15 to 19 years	4,954	3,490	1,219	217	26	1	-	-	-	-	-	1
20 to 24 years	13,008	4,147	4,829	2,739	985	244	44	11	8	-	-	1
25 to 29 years	10,362	1,420	2,850	3,133	1,777	743	276	110	38	11	3	1
30 to 34 years	6,366	508	1,221	1,764	1,417	698	362	217	98	40	41	-
35 to 39 years	3,202	220	454	718	700	439	273	154	93	67	84	-
40 to 44 years	837	63	84	159	157	126	72	65	38	24	49	-
45 to 49 years	36	1	2	8	1	5	9	4	2	3	1	-
50 years and over	-	-	-	-	-	-	-	-	-	-	-	-
Not stated	4	1	2	-	-	1	-	-	-	-	-	-
White	37,684	9,621	10,425	8,532	4,934	2,157	960	513	251	130	158	3
Under 15 years	17	17	-	-	-	-	-	-	-	-	-	-
15 to 19 years	4,791	3,398	1,166	203	22	1	-	-	-	-	-	1
20 to 24 years	12,659	4,055	4,729	2,661	941	219	40	8	5	-	-	1
25 to 29 years	10,072	1,376	2,797	3,067	1,738	706	248	94	34	9	2	1
30 to 34 years	6,180	497	1,202	1,729	1,392	670	334	200	88	33	35	-
35 to 39 years	3,101	215	443	706	683	430	257	144	88	61	74	-
40 to 44 years	826	62	84	158	157	125	72	63	35	24	46	-
45 to 49 years	35	1	2	8	1	5	9	4	1	3	1	-
50 years and over	-	-	-	-	-	-	-	-	-	-	-	-
Not stated	3	-	2	-	-	1	-	-	-	-	-	-
Native white	36,655	9,355	10,151	8,269	4,809	2,109	930	502	245	127	155	3
Under 15 years	17	17	-	-	-	-	-	-	-	-	-	-
15 to 19 years	4,747	3,366	1,156	201	22	1	-	-	-	-	-	1
20 to 24 years	12,439	3,949	4,657	2,631	934	215	40	7	5	-	-	1
25 to 29 years	9,769	1,307	2,705	2,987	1,699	693	242	92	32	9	2	1
30 to 34 years	5,905	456	1,136	1,634	1,351	656	324	196	87	31	34	-
35 to 39 years	2,961	201	415	659	658	417	249	141	87	61	73	-
40 to 44 years	782	58	78	149	144	121	68	62	33	24	45	-
45 to 49 years	32	1	2	8	1	5	7	4	1	2	1	-
50 years and over	-	-	-	-	-	-	-	-	-	-	-	-
Not stated	3	-	2	-	-	1	-	-	-	-	-	-
Foreign-born white	1,025	265	272	263	124	48	30	11	6	3	3	-
Under 15 years	-	-	-	-	-	-	-	-	-	-	-	-
15 to 19 years	42	31	9	2	-	-	-	-	-	-	-	-
20 to 24 years	220	106	72	30	7	4	-	1	-	-	-	-
25 to 29 years	303	69	92	80	39	13	6	2	2	-	-	-
30 to 34 years	274	41	66	95	40	14	10	4	1	2	1	-
35 to 39 years	139	14	27	47	25	13	8	3	1	-	1	-
40 to 44 years	44	4	6	9	13	4	4	1	2	-	1	-
45 to 49 years	3	-	-	-	-	-	2	-	-	1	-	-
50 years and over	-	-	-	-	-	-	-	-	-	-	-	-
Not stated	-	-	-	-	-	-	-	-	-	-	-	-
Nonwhite	1,104	248	236	206	129	100	76	48	26	15	20	-
Under 15 years	2	2	-	-	-	-	-	-	-	-	-	-
15 to 19 years	163	92	53	14	4	-	-	-	-	-	-	-
20 to 24 years	349	92	100	78	44	25	4	3	3	-	-	-
25 to 29 years	290	44	53	66	39	37	28	16	4	2	1	-
30 to 34 years	186	11	19	35	25	28	28	17	10	7	6	-
35 to 39 years	101	5	11	12	17	9	16	10	5	6	10	-
40 to 44 years	11	1	-	1	-	1	-	2	3	-	3	-
45 to 49 years	1	-	-	-	-	-	-	-	1	-	-	-
50 years and over	-	-	-	-	-	-	-	-	-	-	-	-
Not stated	1	1	-	-	-	-	-	-	-	-	-	-

Table 26B. Live Births by Age of Mother, Live-Birth Order, Race, and Nativity of White Mother: Each State, 1955—Continued

(See headnote on p. 223)

AREA, AGE OF MOTHER, RACE, AND NATIVITY OF WHITE MOTHER	Total	LIVE-BIRTH ORDER										
		1	2	3	4	5	6	7	8	9	10 and over	Not stated
OREGON—Continued												
Nonwhite—Continued												
Negro	527	116	109	84	65	57	38	25	14	10	9	-
Under 15 years	2	2	-	-	-	-	-	-	-	-	-	-
15 to 19 years	96	51	34	9	2	-	-	-	-	-	-	-
20 to 24 years	161	38	44	34	24	13	3	3	2	-	-	-
25 to 29 years	124	14	16	26	21	20	15	8	2	1	1	-
30 to 34 years	83	7	8	7	11	17	12	7	7	6	1	-
35 to 39 years	54	3	7	7	7	6	8	6	1	3	6	-
40 to 44 years	6	-	-	1	-	1	-	1	2	-	1	-
45 to 49 years	-	-	-	-	-	-	-	-	-	-	-	-
50 years and over	-	-	-	-	-	-	-	-	-	-	-	-
Not stated	1	1	-	-	-	-	-	-	-	-	-	-
PENNSYLVANIA	242,752	69,381	70,409	49,050	26,095	12,761	6,611	3,458	2,020	1,161	1,645	161
Under 15 years	230	215	15	-	-	-	-	-	-	-	-	-
15 to 19 years	21,254	15,641	4,670	789	122	16	3	1	-	-	-	12
20 to 24 years	71,346	31,010	24,532	10,585	3,602	1,124	339	74	21	3	2	54
25 to 29 years	73,132	14,828	24,574	18,229	8,773	3,759	1,679	750	332	107	54	47
30 to 34 years	48,245	5,219	11,970	13,243	8,376	4,405	2,353	1,213	712	377	354	23
35 to 39 years	22,790	2,031	3,911	5,238	4,286	2,713	1,696	1,044	680	457	721	13
40 to 44 years	5,410	396	694	918	892	714	513	357	261	196	464	5
45 to 49 years	272	23	20	34	39	27	27	18	14	20	50	-
50 years and over	-	-	-	-	-	-	-	-	-	-	-	-
Not stated	73	18	23	14	5	3	1	1	-	1	-	7
White	220,243	63,612	65,233	45,177	23,356	10,938	5,393	2,700	1,544	871	1,277	142
Under 15 years	83	76	7	-	-	-	-	-	-	-	-	-
15 to 19 years	17,306	13,221	3,528	481	58	5	2	1	-	-	-	10
20 to 24 years	64,061	28,981	22,413	9,017	2,677	721	168	26	9	-	1	48
25 to 29 years	67,464	14,094	23,494	17,058	7,795	3,046	1,207	472	177	50	30	41
30 to 34 years	44,711	4,919	11,374	12,674	7,838	3,925	1,980	961	529	265	226	20
35 to 39 years	21,263	1,915	3,726	5,017	4,093	2,539	1,536	905	579	363	579	11
40 to 44 years	5,030	369	649	884	853	674	472	319	237	173	395	5
45 to 49 years	258	22	20	33	37	26	27	15	13	19	46	-
50 years and over	-	-	-	-	-	-	-	-	-	-	-	-
Not stated	67	15	22	13	5	2	1	1	-	1	-	7
Native white	215,406	62,282	63,764	44,139	22,808	10,694	5,303	2,648	1,519	856	1,260	133
Under 15 years	82	76	6	-	-	-	-	-	-	-	-	-
15 to 19 years	17,177	13,115	3,505	481	58	5	2	1	-	-	-	10
20 to 24 years	63,159	28,461	22,127	8,946	2,657	718	168	26	9	-	1	46
25 to 29 years	65,890	13,700	22,926	16,708	7,626	2,986	1,194	459	171	49	30	41
30 to 34 years	43,212	4,701	10,942	12,224	7,604	3,828	1,944	944	521	261	223	20
35 to 39 years	20,731	1,843	3,601	4,887	4,002	2,482	1,507	890	574	358	577	10
40 to 44 years	4,851	352	616	849	824	647	460	312	232	168	386	5
45 to 49 years	245	21	19	31	32	26	27	15	12	19	43	-
50 years and over	-	-	-	-	-	-	-	-	-	-	-	-
Not stated	59	13	22	13	5	2	1	1	-	1	-	1
Foreign-born white	4,807	1,319	1,463	1,037	546	244	89	50	25	15	16	3
Under 15 years	-	-	-	-	-	-	-	-	-	-	-	-
15 to 19 years	125	103	22	-	-	-	-	-	-	-	-	-
20 to 24 years	899	517	286	71	20	3	-	-	-	-	-	2
25 to 29 years	1,567	391	566	350	169	60	13	11	6	1	-	-
30 to 34 years	1,496	218	431	449	233	97	36	17	8	4	3	-
35 to 39 years	531	72	125	130	91	57	28	15	5	5	2	1
40 to 44 years	176	17	32	35	28	27	12	7	5	5	8	-
45 to 49 years	13	1	1	2	5	-	-	-	1	-	3	-
50 years and over	-	-	-	-	-	-	-	-	-	-	-	-
Not stated	-	-	-	-	-	-	-	-	-	-	-	-
Nonwhite	22,509	5,769	5,176	3,873	2,739	1,823	1,218	758	476	290	368	19
Under 15 years	147	139	8	-	-	-	-	-	-	-	-	-
15 to 19 years	3,948	2,420	1,142	308	64	11	1	-	-	-	-	2
20 to 24 years	7,285	2,029	2,119	1,568	925	403	171	48	12	3	1	6
25 to 29 years	5,668	734	1,080	1,171	978	713	472	278	155	57	24	6
30 to 34 years	3,534	300	596	569	538	480	373	252	183	112	128	3
35 to 39 years	1,527	116	185	221	193	174	160	139	101	94	142	2
40 to 44 years	380	27	45	34	39	40	41	38	24	23	69	-
45 to 49 years	14	1	-	1	2	1	-	3	1	1	4	-
50 years and over	-	-	-	-	-	-	-	-	-	-	-	-
Not stated	6	3	1	1	-	1	-	-	-	-	-	-
Negro	22,237	5,689	5,096	3,812	2,717	1,814	1,208	754	473	289	366	19
Under 15 years	147	139	8	-	-	-	-	-	-	-	-	-
15 to 19 years	3,933	2,410	1,138	307	64	11	1	-	-	-	-	2
20 to 24 years	7,200	1,993	2,091	1,553	922	403	168	48	12	3	1	6
25 to 29 years	5,570	708	1,051	1,147	968	708	470	277	155	57	23	6
30 to 34 years	3,487	294	580	555	535	477	370	252	181	112	128	3
35 to 39 years	1,508	114	183	215	188	173	160	137	100	94	142	2
40 to 44 years	372	27	44	33	38	40	39	37	24	22	68	-
45 to 49 years	14	1	-	1	2	1	-	3	1	1	4	-
50 years and over	-	-	-	-	-	-	-	-	-	-	-	-
Not stated	6	3	1	1	-	1	-	-	-	-	-	-

Table 26B. Live Births by Age of Mother, Live-Birth Order, Race, and Nativity of White Mother: Each State, 1955—Continued

(See headnote on p. 223)

AREA, AGE OF MOTHER, RACE, AND NATIVITY OF WHITE MOTHER	Total	LIVE-BIRTH ORDER										
		1	2	3	4	5	6	7	8	9	10 and over	Not stated
RHODE ISLAND	17,895	4,898	5,167	3,593	1,819	860	394	192	115	67	65	725
Under 15 years	6	4	-	-	-	-	-	-	-	-	-	2
15 to 19 years	1,097	798	197	29	3	-	-	-	-	-	-	70
20 to 24 years	5,086	2,274	1,680	638	190	56	21	1	-	-	1	225
25 to 29 years	5,575	1,186	1,890	1,366	598	230	81	32	12	4	3	173
30 to 34 years	3,883	469	968	1,048	608	322	157	77	43	22	17	152
35 to 39 years	1,819	143	367	432	346	199	101	60	41	26	29	73
40 to 44 years	389	20	61	77	70	53	29	21	18	13	13	14
45 to 49 years	17	1	2	2	3	-	5	1	1	-	2	-
50 years and over	-	-	-	-	-	-	-	-	-	-	-	-
Not stated	23	3	2	1	1	-	-	-	-	-	-	16
White	17,391	4,781	5,055	3,504	1,762	810	369	181	99	58	59	713
Under 15 years	5	3	-	-	-	-	-	-	-	-	-	2
15 to 19 years	1,031	760	181	22	3	-	-	-	-	-	-	65
20 to 24 years	4,907	2,218	1,632	596	173	45	18	1	-	-	1	223
25 to 29 years	5,456	1,171	1,864	1,348	579	208	73	27	8	4	3	171
30 to 34 years	3,790	465	951	1,031	597	310	148	71	32	19	15	151
35 to 39 years	1,782	141	362	428	338	195	98	60	40	23	26	71
40 to 44 years	382	20	61	76	68	52	28	21	18	12	12	14
45 to 49 years	16	1	2	2	3	-	4	1	1	-	2	-
50 years and over	-	-	-	-	-	-	-	-	-	-	-	-
Not stated	22	2	2	1	1	-	-	-	-	-	-	16
Native white	16,852	4,646	4,930	3,386	1,701	781	350	179	95	53	57	674
Under 15 years	5	3	-	-	-	-	-	-	-	-	-	2
15 to 19 years	1,022	754	178	22	3	-	-	-	-	-	-	65
20 to 24 years	4,805	2,163	1,603	587	170	45	18	1	-	-	1	217
25 to 29 years	5,303	1,129	1,816	1,315	567	203	69	27	8	3	3	163
30 to 34 years	3,642	443	922	979	573	300	145	71	31	19	15	144
35 to 39 years	1,704	133	351	416	318	183	89	59	40	21	26	68
40 to 44 years	347	18	56	64	66	50	25	20	15	10	10	13
45 to 49 years	16	1	2	2	3	-	4	1	1	-	2	-
50 years and over	-	-	-	-	-	-	-	-	-	-	-	-
Not stated	8	2	2	1	1	-	-	-	-	-	-	2
Foreign-born white	524	135	125	118	61	29	18	2	4	5	2	25
Under 15 years	-	-	-	-	-	-	-	-	-	-	-	-
15 to 19 years	9	6	3	-	-	-	-	-	-	-	-	-
20 to 24 years	102	55	29	9	3	-	-	-	-	-	-	6
25 to 29 years	153	42	48	33	12	5	4	-	-	1	-	8
30 to 34 years	147	22	29	52	24	10	2	-	1	-	-	7
35 to 39 years	78	8	11	12	20	12	9	1	-	2	-	3
40 to 44 years	35	2	5	12	2	2	3	1	3	2	2	1
45 to 49 years	-	-	-	-	-	-	-	-	-	-	-	-
50 years and over	-	-	-	-	-	-	-	-	-	-	-	-
Not stated	-	-	-	-	-	-	-	-	-	-	-	-
Nonwhite	504	117	112	89	57	50	25	11	16	9	6	12
Under 15 years	1	1	-	-	-	-	-	-	-	-	-	-
15 to 19 years	66	38	16	7	-	-	-	-	-	-	-	5
20 to 24 years	179	56	48	42	17	11	3	-	-	-	-	2
25 to 29 years	119	15	26	18	19	22	8	5	4	-	-	2
30 to 34 years	93	4	17	17	11	12	9	6	11	3	2	1
35 to 39 years	37	2	5	4	8	4	3	-	1	5	3	2
40 to 44 years	7	-	-	1	2	1	1	-	-	1	1	-
45 to 49 years	1	-	-	-	-	-	1	-	-	-	-	-
50 years and over	-	-	-	-	-	-	-	-	-	-	-	-
Not stated	1	1	-	-	-	-	-	-	-	-	-	-
Negro	462	107	102	82	54	46	23	11	14	9	6	6
Under 15 years	1	1	-	-	-	-	-	-	-	-	-	-
15 to 19 years	64	37	15	7	-	-	-	-	-	-	-	5
20 to 24 years	167	49	47	40	17	11	3	-	-	-	-	-
25 to 29 years	105	13	22	17	17	20	8	5	3	-	-	-
30 to 34 years	81	4	14	13	10	10	7	6	11	3	2	1
35 to 39 years	35	2	4	4	8	4	3	-	-	5	3	2
40 to 44 years	7	-	-	1	2	1	1	-	-	1	1	-
45 to 49 years	1	-	-	-	-	-	1	-	-	-	-	-
50 years and over	-	-	-	-	-	-	-	-	-	-	-	-
Not stated	1	1	-	-	-	-	-	-	-	-	-	-
SOUTH CAROLINA	63,583	17,128	15,144	10,347	6,549	4,386	3,065	2,099	1,540	1,117	1,950	258
Under 15 years	235	217	15	1	-	-	-	-	-	-	-	2
15 to 19 years	11,539	7,393	3,034	794	165	25	7	2	-	2	-	117
20 to 24 years	21,112	6,384	6,612	4,098	2,211	1,072	440	148	49	22	7	69
25 to 29 years	15,112	2,073	3,395	3,022	2,151	1,693	1,213	762	411	201	159	32
30 to 34 years	9,410	691	1,507	1,681	1,348	1,034	867	702	613	429	513	25
35 to 39 years	4,790	268	478	650	548	458	419	394	365	364	838	8
40 to 44 years	1,198	57	86	93	112	91	113	76	93	86	385	4
45 to 49 years	90	11	1	2	2	3	2	10	7	9	43	-
50 years and over	5	4	1	-	-	-	-	-	-	-	-	-
Not stated	92	30	15	6	12	10	4	5	2	2	5	1

Table 26B. Live Births by Age of Mother, Live-Birth Order, Race, and Nativity of White Mother: Each State, 1955—Continued

(See headnote on p. 223)

AREA, AGE OF MOTHER, RACE, AND NATIVITY OF WHITE MOTHER	Total	LIVE-BIRTH ORDER										
		1	2	3	4	5	6	7	8	9	10 and over	Not stated
SOUTH CAROLINA—Continued												
White	35,483	11,251	10,322	6,454	3,326	1,696	970	485	349	228	299	103
Under 15 years	40	37	2	-	-	-	-	-	-	-	-	1
15 to 19 years	5,505	3,948	1,265	223	28	3	1	-	-	-	-	37
20 to 24 years	12,398	4,841	4,488	2,030	721	224	49	9	3	-	-	33
25 to 29 years	8,811	1,631	2,784	2,191	1,137	562	313	100	51	18	6	18
30 to 34 years	5,527	535	1,298	1,404	951	550	331	191	137	67	53	10
35 to 39 years	2,502	199	406	526	406	287	208	135	106	99	128	2
40 to 44 years	642	46	73	76	79	69	66	47	46	40	98	2
45 to 49 years	39	6	1	2	-	1	2	3	6	4	14	-
50 years and over	2	1	1	-	-	-	-	-	-	-	-	-
Not stated	17	7	4	2	4	-	-	-	-	-	-	-
Native white	35,113	11,141	10,194	6,376	3,298	1,681	961	483	349	228	299	103
Under 15 years	40	37	2	-	-	-	-	-	-	-	-	1
15 to 19 years	5,487	3,935	1,260	223	28	3	1	-	-	-	-	37
20 to 24 years	12,292	4,791	4,441	2,022	721	223	49	9	3	-	-	33
25 to 29 years	8,672	1,599	2,731	2,161	1,122	556	310	100	51	18	6	18
30 to 34 years	5,453	522	1,280	1,379	941	547	327	190	137	67	53	10
35 to 39 years	2,476	198	402	512	405	282	207	135	106	99	128	2
40 to 44 years	636	46	72	75	77	69	65	46	46	40	98	2
45 to 49 years	39	6	1	2	-	1	2	3	6	4	14	-
50 years and over	2	1	1	-	-	-	-	-	-	-	-	-
Not stated	16	6	4	2	4	-	-	-	-	-	-	-
Foreign-born white	363	104	127	78	28	15	9	2	-	-	-	-
Under 15 years	-	-	-	-	-	-	-	-	-	-	-	-
15 to 19 years	18	13	5	-	-	-	-	-	-	-	-	-
20 to 24 years	104	49	46	8	-	1	-	-	-	-	-	-
25 to 29 years	138	31	53	30	15	6	3	-	-	-	-	-
30 to 34 years	71	10	18	25	10	3	4	1	-	-	-	-
35 to 39 years	26	1	4	14	1	5	1	-	-	-	-	-
40 to 44 years	6	-	1	1	2	-	1	1	-	-	-	-
45 to 49 years	-	-	-	-	-	-	-	-	-	-	-	-
50 years and over	-	-	-	-	-	-	-	-	-	-	-	-
Not stated	-	-	-	-	-	-	-	-	-	-	-	-
Nonwhite	28,100	5,877	4,822	3,893	3,223	2,690	2,095	1,614	1,191	889	1,651	155
Under 15 years	195	180	13	1	-	-	-	-	-	-	-	1
15 to 19 years	6,034	3,445	1,769	571	137	22	6	2	-	2	-	80
20 to 24 years	8,714	1,543	2,124	2,068	1,490	848	391	139	46	22	7	36
25 to 29 years	6,301	442	611	831	1,014	1,131	900	662	360	183	153	14
30 to 34 years	3,883	156	209	277	397	484	536	511	476	362	460	15
35 to 39 years	2,288	69	72	124	142	171	211	259	259	265	710	6
40 to 44 years	556	11	13	17	33	22	47	29	47	48	287	2
45 to 49 years	51	5	-	-	2	2	-	7	1	5	29	-
50 years and over	3	3	-	-	-	-	-	-	-	-	-	-
Not stated	75	23	11	4	8	10	4	5	2	2	5	1
Negro	28,041	5,861	4,801	3,884	3,218	2,688	2,095	1,613	1,190	887	1,649	155
Under 15 years	194	179	13	1	-	-	-	-	-	-	-	1
15 to 19 years	6,029	3,443	1,766	571	137	22	6	2	-	2	-	80
20 to 24 years	8,690	1,534	2,115	2,065	1,489	847	391	138	46	22	7	36
25 to 29 years	6,283	439	605	826	1,011	1,131	900	662	360	182	153	14
30 to 34 years	3,875	155	207	276	396	483	536	511	475	361	460	15
35 to 39 years	2,287	69	71	124	142	171	211	259	259	265	710	6
40 to 44 years	554	11	13	17	33	22	47	29	47	48	285	2
45 to 49 years	51	5	-	-	2	2	-	7	1	5	29	-
50 years and over	3	3	-	-	-	-	-	-	-	-	-	-
Not stated	75	23	11	4	8	10	4	5	2	2	5	1
SOUTH DAKOTA	18,634	4,677	4,466	3,802	2,572	1,371	784	397	216	135	202	12
Under 15 years	5	5	-	-	-	-	-	-	-	-	-	-
15 to 19 years	1,873	1,437	373	51	9	1	-	1	-	-	-	1
20 to 24 years	6,234	2,302	2,209	1,146	429	109	28	7	1	-	-	3
25 to 29 years	5,001	630	1,203	1,433	965	458	204	71	28	5	3	1
30 to 34 years	3,145	185	475	773	716	446	278	145	61	39	26	1
35 to 39 years	1,796	93	161	319	374	287	211	123	79	54	92	3
40 to 44 years	517	15	39	71	71	67	60	44	41	34	74	1
45 to 49 years	41	-	2	6	8	2	2	5	6	2	7	1
50 years and over	1	-	-	1	-	-	-	-	-	-	-	-
Not stated	21	10	4	2	-	1	1	1	-	1	-	1
White	17,725	4,456	4,318	3,688	2,456	1,280	709	357	188	110	153	10
Under 15 years	4	4	-	-	-	-	-	-	-	-	-	-
15 to 19 years	1,741	1,337	347	47	8	1	-	-	-	-	-	1
20 to 24 years	5,951	2,215	2,118	1,091	396	96	25	7	-	-	-	3
25 to 29 years	4,803	613	1,181	1,401	917	416	179	62	25	5	3	1
30 to 34 years	3,000	178	471	764	691	417	251	127	51	32	17	1
35 to 39 years	1,692	89	156	309	365	282	197	114	69	40	68	3
40 to 44 years	482	15	39	68	71	65	54	42	37	31	60	-
45 to 49 years	37	-	2	5	8	2	2	5	6	1	5	1
50 years and over	1	-	-	1	-	-	-	-	-	-	-	-
Not stated	14	5	4	2	-	1	1	-	-	1	-	-

Table 26B. Live Births by Age of Mother, Live-Birth Order, Race, and Nativity of White Mother: Each State, 1955—Continued

(See headnote on p. 223)

AREA, AGE OF MOTHER, RACE, AND NATIVITY OF WHITE MOTHER	Total	LIVE-BIRTH ORDER										
		1	2	3	4	5	6	7	8	9	10 and over	Not stated
SOUTH DAKOTA—Continued												
White—Continued												
Native white	17,459	4,400	4,261	3,627	2,419	1,255	698	351	184	104	150	10
Under 15 years	4	4	-	-	-	-	-	-	-	-	-	-
15 to 19 years	1,731	1,328	346	47	8	1	-	-	-	-	-	1
20 to 24 years	5,880	2,187	2,092	1,079	392	96	25	6	-	-	-	3
25 to 29 years	4,721	600	1,164	1,376	907	404	176	60	25	5	3	1
30 to 34 years	2,937	174	460	749	675	410	246	126	49	31	16	1
35 to 39 years	1,667	88	154	303	361	278	194	113	69	37	67	3
40 to 44 years	472	15	39	65	68	65	54	41	36	30	59	-
45 to 49 years	35	-	2	5	8	1	2	5	5	1	5	1
50 years and over	1	-	-	1	-	-	-	-	-	-	-	-
Not stated	11	4	4	2	-	-	1	-	-	-	-	-
Foreign-born white	260	54	57	61	37	23	10	5	4	6	3	-
Under 15 years	-	-	-	-	-	-	-	-	-	-	-	-
15 to 19 years	9	8	1	-	-	-	-	-	-	-	-	-
20 to 24 years	70	28	26	12	4	-	-	-	-	-	-	-
25 to 29 years	81	13	17	25	10	12	2	2	-	-	-	-
30 to 34 years	63	4	11	15	16	7	5	1	2	1	1	-
35 to 39 years	24	1	2	6	4	3	3	1	-	3	1	-
40 to 44 years	10	-	-	3	3	-	-	1	1	1	1	-
45 to 49 years	1	-	-	-	-	-	-	-	1	-	-	-
50 years and over	-	-	-	-	-	-	-	-	-	-	-	-
Not stated	2	-	-	-	-	1	-	-	-	1	-	-
Nonwhite	909	221	148	114	116	91	75	40	28	25	49	2
Under 15 years	1	1	-	-	-	-	-	-	-	-	-	-
15 to 19 years	132	100	26	4	1	-	-	1	-	-	-	-
20 to 24 years	283	87	91	55	33	13	3	-	1	-	-	-
25 to 29 years	198	17	22	32	48	42	25	9	3	-	-	-
30 to 34 years	145	7	4	9	25	29	27	18	10	7	9	-
35 to 39 years	104	4	5	10	9	5	14	9	10	14	24	-
40 to 44 years	35	-	-	3	-	2	6	2	4	3	14	1
45 to 49 years	4	-	-	1	-	-	-	-	-	1	2	-
50 years and over	-	-	-	-	-	-	-	-	-	-	-	-
Not stated	7	5	-	-	-	-	-	1	-	-	-	1
TENNESSEE	85,037	24,620	21,635	14,518	8,774	5,518	3,485	2,249	1,477	1,043	1,656	62
Under 15 years	206	197	9	-	-	-	-	-	-	-	-	-
15 to 19 years	13,892	9,652	3,267	806	139	18	2	-	-	-	-	8
20 to 24 years	27,399	9,519	9,234	5,015	2,244	936	290	102	27	5	4	23
25 to 29 years	20,808	3,330	5,598	4,600	3,032	2,063	1,170	596	265	102	41	11
30 to 34 years	13,496	1,283	2,438	2,826	2,162	1,506	1,161	804	588	389	335	4
35 to 39 years	6,924	476	895	1,046	964	792	660	550	457	378	699	7
40 to 44 years	2,084	122	172	199	216	199	189	185	133	149	518	2
45 to 49 years	123	3	7	8	9	1	9	8	6	18	54	-
50 years and over	1	-	-	-	-	-	-	-	-	-	1	-
Not stated	104	38	15	18	8	3	4	4	1	2	4	7
White	67,001	20,653	18,254	11,737	6,554	3,655	2,213	1,363	878	620	1,022	52
Under 15 years	80	80	-	-	-	-	-	-	-	-	-	-
15 to 19 years	10,135	7,467	2,173	429	59	1	-	-	-	-	-	6
20 to 24 years	21,825	8,391	7,803	3,713	1,343	416	101	30	4	2	2	20
25 to 29 years	16,670	3,020	5,085	3,944	2,307	1,285	619	273	93	28	6	10
30 to 34 years	10,938	1,150	2,220	2,537	1,826	1,157	815	512	346	211	161	3
35 to 39 years	5,519	410	802	920	826	636	506	397	330	246	439	7
40 to 44 years	1,652	104	152	173	180	158	160	143	99	119	363	1
45 to 49 years	103	2	5	6	8	1	9	7	5	13	47	-
50 years and over	-	-	-	-	-	-	-	-	-	-	-	-
Not stated	79	29	14	15	5	1	3	1	1	1	4	5
Native white	66,570	20,509	18,129	11,661	6,510	3,638	2,203	1,355	876	617	1,022	50
Under 15 years	80	80	-	-	-	-	-	-	-	-	-	-
15 to 19 years	10,115	7,454	2,167	428	59	1	-	-	-	-	-	6
20 to 24 years	21,714	8,330	7,769	3,702	1,338	416	101	30	4	2	2	20
25 to 29 years	16,536	2,986	5,034	3,920	2,295	1,279	613	272	93	28	6	10
30 to 34 years	10,840	1,139	2,196	2,509	1,804	1,150	812	509	346	211	161	3
35 to 39 years	5,464	405	796	909	821	632	506	395	329	245	439	7
40 to 44 years	1,643	104	149	172	180	158	159	141	98	118	363	1
45 to 49 years	103	2	5	6	8	1	9	7	5	13	47	-
50 years and over	-	-	-	-	-	-	-	-	-	-	-	-
Not stated	55	9	13	15	5	1	3	1	1	-	4	3
Foreign-born white	389	115	122	73	44	16	10	8	1	-	-	-
Under 15 years	-	-	-	-	-	-	-	-	-	-	-	-
15 to 19 years	16	10	6	-	-	-	-	-	-	-	-	-
20 to 24 years	105	57	33	10	5	-	-	-	-	-	-	-
25 to 29 years	132	34	50	23	12	6	6	1	-	-	-	-
30 to 34 years	97	11	24	28	22	6	3	3	-	-	-	-
35 to 39 years	32	3	6	11	5	4	-	2	1	-	-	-
40 to 44 years	7	-	3	1	-	-	1	2	-	-	-	-
45 to 49 years	-	-	-	-	-	-	-	-	-	-	-	-
50 years and over	-	-	-	-	-	-	-	-	-	-	-	-
Not stated	-	-	-	-	-	-	-	-	-	-	-	-

Table 26B. Live Births by Age of Mother, Live-Birth Order, Race, and Nativity of White Mother: Each State, 1955—Continued

(See headnote on p. 223)

AREA, AGE OF MOTHER, RACE, AND NATIVITY OF WHITE MOTHER	Total	LIVE-BIRTH ORDER										
		1	2	3	4	5	6	7	8	9	10 and over	Not stated
TENNESSEE—Continued												
Nonwhite	18,036	3,967	3,381	2,781	2,220	1,863	1,272	886	599	423	634	10
Under 15 years	126	117	9	-	-	-	-	-	-	-	-	-
15 to 19 years	3,757	2,185	1,094	377	80	17	2	-	-	-	-	2
20 to 24 years	5,574	1,128	1,431	1,302	901	520	189	72	23	3	2	3
25 to 29 years	4,138	310	513	656	725	778	551	323	172	74	35	1
30 to 34 years	2,558	133	218	289	336	349	346	292	242	178	174	1
35 to 39 years	1,405	66	93	126	138	156	154	153	127	132	260	-
40 to 44 years	432	18	20	26	36	41	29	42	34	30	155	1
45 to 49 years	20	1	2	2	1	-	-	1	1	5	7	-
50 years and over	1	-	-	-	-	-	-	-	-	-	1	-
Not stated	25	9	1	3	3	2	1	3	-	1	-	2
Negro	17,998	3,955	3,373	2,772	2,217	1,861	1,270	885	599	422	634	10
Under 15 years	126	117	9	-	-	-	-	-	-	-	-	-
15 to 19 years	3,755	2,183	1,094	377	80	17	2	-	-	-	-	2
20 to 24 years	5,561	1,122	1,427	1,300	901	519	189	72	23	3	2	3
25 to 29 years	4,122	307	510	649	723	777	551	323	172	74	35	1
30 to 34 years	2,557	133	218	289	336	349	345	292	242	178	174	1
35 to 39 years	1,400	65	92	126	138	156	153	152	127	131	260	-
40 to 44 years	431	18	20	26	35	41	29	42	34	30	155	1
45 to 49 years	20	1	2	2	1	-	-	1	1	5	7	-
50 years and over	1	-	-	-	-	-	-	-	-	-	1	-
Not stated	25	9	1	3	3	2	1	3	-	1	-	2
TEXAS	239,873	66,360	62,433	44,435	25,758	14,816	8,962	5,836	3,823	2,591	4,565	294
Under 15 years	490	461	27	-	1	-	-	-	-	-	-	1
15 to 19 years	36,332	24,654	8,998	2,113	390	76	14	2	-	1	-	84
20 to 24 years	81,991	27,546	28,016	15,434	6,732	2,697	991	341	98	26	14	96
25 to 29 years	61,792	9,001	16,103	15,068	9,296	5,540	3,298	1,854	893	403	284	52
30 to 34 years	37,308	3,235	6,666	8,225	6,243	4,156	2,867	2,102	1,516	1,053	1,208	37
35 to 39 years	16,902	1,144	2,162	2,980	2,536	1,867	1,396	1,174	968	829	1,833	13
40 to 44 years	4,606	270	418	567	520	449	372	335	315	259	1,100	1
45 to 49 years	301	15	17	22	21	23	19	25	27	19	113	-
50 years and over	12	6	-	1	-	-	1	-	-	1	3	-
Not stated	139	28	26	25	19	8	4	3	6	-	10	10
White	206,078	58,563	55,643	39,093	21,519	11,638	6,792	4,401	2,851	1,908	3,474	196
Under 15 years	236	226	10	-	-	-	-	-	-	-	-	-
15 to 19 years	29,544	20,654	7,047	1,486	264	43	5	2	-	1	-	42
20 to 24 years	71,136	25,122	25,032	12,990	5,104	1,827	673	230	64	15	9	70
25 to 29 years	53,893	8,303	14,942	13,679	7,824	4,255	2,412	1,308	651	281	205	33
30 to 34 years	32,497	2,941	6,202	7,632	5,556	3,489	2,237	1,631	1,109	782	885	33
35 to 39 years	14,492	1,034	1,994	2,743	2,278	1,597	1,124	934	745	615	1,420	8
40 to 44 years	3,925	242	381	527	468	402	321	274	257	197	855	1
45 to 49 years	243	15	15	15	13	18	17	22	21	16	91	-
50 years and over	8	4	-	1	-	-	1	-	-	1	1	-
Not stated	104	22	20	20	12	7	2	-	4	-	8	9
Native white	194,760	56,188	53,360	37,168	20,137	10,685	6,117	3,877	2,511	1,623	2,928	166
Under 15 years	227	218	9	-	-	-	-	-	-	-	-	-
15 to 19 years	28,578	20,061	6,780	1,406	249	37	4	2	-	1	-	38
20 to 24 years	67,881	24,135	24,110	12,309	4,717	1,655	613	204	58	12	9	59
25 to 29 years	50,773	7,802	14,285	13,041	7,341	3,894	2,182	1,171	579	255	192	31
30 to 34 years	30,152	2,744	5,880	7,250	5,220	3,199	1,997	1,428	972	664	772	26
35 to 39 years	13,399	964	1,907	2,627	2,154	1,512	1,028	817	659	514	1,210	7
40 to 44 years	3,456	228	358	502	434	367	275	237	222	160	672	1
45 to 49 years	200	14	11	14	13	15	16	18	17	16	66	-
50 years and over	8	4	-	1	-	-	1	-	-	1	1	-
Not stated	86	18	20	18	9	6	1	-	4	-	6	4
Foreign-born white	11,283	2,365	2,278	1,925	1,380	950	673	523	338	285	542	24
Under 15 years	8	7	1	-	-	-	-	-	-	-	-	-
15 to 19 years	964	592	267	80	15	6	1	-	-	-	-	3
20 to 24 years	3,248	985	919	681	386	172	59	26	6	3	-	11
25 to 29 years	3,116	500	656	638	482	361	229	137	72	26	13	2
30 to 34 years	2,339	195	322	382	336	289	240	203	135	118	112	7
35 to 39 years	1,090	70	87	116	124	84	96	116	86	101	209	1
40 to 44 years	468	14	22	25	34	35	46	37	35	37	183	-
45 to 49 years	43	1	4	1	-	3	1	4	4	-	25	-
50 years and over	-	-	-	-	-	-	-	-	-	-	-	-
Not stated	7	1	-	2	3	-	1	-	-	-	-	-
Nonwhite	33,795	7,797	6,790	5,342	4,239	3,178	2,170	1,435	972	683	1,091	98
Under 15 years	254	235	17	-	1	-	-	-	-	-	-	1
15 to 19 years	6,788	4,000	1,951	627	126	33	9	-	-	-	-	42
20 to 24 years	10,855	2,424	2,984	2,444	1,628	870	318	111	34	11	5	26
25 to 29 years	7,899	698	1,161	1,389	1,472	1,285	886	546	242	122	79	19
30 to 34 years	4,811	294	464	593	687	667	630	471	407	271	323	4
35 to 39 years	2,410	110	168	237	258	270	272	240	223	214	413	5
40 to 44 years	681	28	37	40	52	47	51	61	58	62	245	-
45 to 49 years	58	-	2	7	8	5	2	3	6	3	22	-
50 years and over	4	2	-	-	-	-	-	-	-	-	2	-
Not stated	35	6	6	5	7	1	2	3	2	-	2	1

Table 26B. Live Births by Age of Mother, Live-Birth Order, Race, and Nativity of White Mother: Each State, 1955—Continued

(See headnote on p. 223)

AREA, AGE OF MOTHER, RACE, AND NATIVITY OF WHITE MOTHER	Total	LIVE-BIRTH ORDER										
		1	2	3	4	5	6	7	8	9	10 and over	Not stated
TEXAS—Continued												
Nonwhite—Continued												
Negro	33,496	7,713	6,714	5,284	4,207	3,157	2,160	1,431	968	680	1,084	98
Under 15 years	254	235	17	-	1	-	-	-	-	-	-	1
15 to 19 years	6,771	3,986	1,949	627	125	33	9	-	-	-	-	42
20 to 24 years	10,744	2,383	2,949	2,423	1,621	864	317	111	34	11	5	26
25 to 29 years	7,798	680	1,132	1,362	1,461	1,276	883	542	242	122	79	19
30 to 34 years	4,758	285	455	584	675	663	626	471	405	270	320	4
35 to 39 years	2,398	108	167	236	257	269	272	240	221	212	411	5
40 to 44 years	677	28	37	40	52	46	49	61	58	62	244	-
45 to 49 years	57	-	2	7	8	5	2	3	6	3	21	-
50 years and over	4	2	-	-	-	-	-	-	-	-	2	-
Not stated	35	6	6	5	7	1	2	3	2	-	2	1
UTAH	24,891	5,739	5,848	5,384	3,722	2,019	1,135	500	237	124	167	16
Under 15 years	12	12	-	-	-	-	-	-	-	-	-	-
15 to 19 years	2,986	2,130	714	116	19	2	1	-	-	-	-	4
20 to 24 years	8,137	2,617	3,001	1,727	606	142	25	7	2	-	1	9
25 to 29 years	6,632	690	1,463	2,119	1,403	586	261	76	20	10	4	-
30 to 34 years	4,197	206	460	1,015	1,093	728	367	179	74	26	28	1
35 to 39 years	2,246	61	166	348	497	442	342	170	92	52	75	1
40 to 44 years	617	14	36	54	98	115	109	60	46	34	51	-
45 to 49 years	32	-	2	3	1	3	8	5	2	1	7	-
50 years and over	-	-	-	-	-	-	-	-	-	-	-	-
Not stated	32	9	6	2	5	1	2	3	1	1	1	1
White	24,406	5,640	5,742	5,296	3,685	1,978	1,104	477	227	114	149	14
Under 15 years	11	11	-	-	-	-	-	-	-	-	-	-
15 to 19 years	2,924	2,100	694	109	14	2	1	-	-	-	-	4
20 to 24 years	8,008	2,575	2,965	1,702	592	135	23	5	2	-	1	8
25 to 29 years	6,509	675	1,433	2,092	1,386	570	251	69	20	9	4	-
30 to 34 years	4,101	202	449	993	1,079	716	374	172	69	23	23	1
35 to 39 years	2,200	59	163	341	492	436	341	167	88	47	65	1
40 to 44 years	612	14	36	54	98	115	106	59	46	34	50	-
45 to 49 years	31	-	2	3	1	3	8	5	2	1	6	-
50 years and over	-	-	-	-	-	-	-	-	-	-	-	-
Not stated	10	4	-	2	3	1	-	-	-	-	-	-
Native white	23,715	5,459	5,571	5,140	3,575	1,935	1,078	467	221	112	145	12
Under 15 years	11	11	-	-	-	-	-	-	-	-	-	-
15 to 19 years	2,895	2,076	690	108	14	2	1	-	-	-	-	4
20 to 24 years	7,827	2,483	2,908	1,676	590	135	21	5	2	-	1	6
25 to 29 years	6,280	626	1,370	2,014	1,349	551	248	69	20	9	4	-
30 to 34 years	3,988	191	427	961	1,049	705	370	169	69	23	23	1
35 to 39 years	2,115	56	143	329	476	426	328	163	83	47	63	1
40 to 44 years	583	12	31	47	95	112	102	57	46	32	49	-
45 to 49 years	27	-	2	3	-	3	8	4	1	1	5	-
50 years and over	-	-	-	-	-	-	-	-	-	-	-	-
Not stated	9	4	-	2	2	1	-	-	-	-	-	-
Foreign-born white	684	175	171	156	90	43	25	10	6	2	4	2
Under 15 years	-	-	-	-	-	-	-	-	-	-	-	-
15 to 19 years	27	22	4	1	-	-	-	-	-	-	-	-
20 to 24 years	179	91	57	26	2	-	1	-	-	-	-	2
25 to 29 years	246	46	63	78	37	19	3	-	-	-	-	-
30 to 34 years	113	11	22	32	30	11	4	3	-	-	-	-
35 to 39 years	85	3	20	12	16	10	13	4	5	-	2	-
40 to 44 years	29	2	5	7	3	3	4	2	-	2	1	-
45 to 49 years	4	-	-	-	1	-	-	1	1	-	1	-
50 years and over	-	-	-	-	-	-	-	-	-	-	-	-
Not stated	1	-	-	-	1	-	-	-	-	-	-	-
Nonwhite	485	99	106	88	57	41	31	23	10	10	18	2
Under 15 years	1	1	-	-	-	-	-	-	-	-	-	-
15 to 19 years	62	30	20	7	5	-	-	-	-	-	-	-
20 to 24 years	129	42	36	25	14	7	2	2	-	-	-	1
25 to 29 years	123	15	30	27	17	16	10	7	-	1	-	-
30 to 34 years	96	4	11	22	14	12	13	7	5	3	5	-
35 to 39 years	46	2	3	7	5	6	1	3	4	5	10	-
40 to 44 years	5	-	-	-	-	-	3	1	-	-	1	-
45 to 49 years	1	-	-	-	-	-	-	-	-	-	1	-
50 years and over	-	-	-	-	-	-	-	-	-	-	-	-
Not stated	22	5	6	-	2	-	2	3	1	1	1	1
VERMONT	9,345	2,300	2,333	1,877	1,280	667	333	212	104	67	96	76
Under 15 years	6	6	-	-	-	-	-	-	-	-	-	-
15 to 19 years	934	680	198	37	7	1	-	-	-	-	-	11
20 to 24 years	3,071	1,077	1,074	559	241	69	19	6	1	-	-	25
25 to 29 years	2,620	373	696	677	471	211	102	45	17	4	5	19
30 to 34 years	1,627	106	252	403	345	235	120	83	38	18	14	13
35 to 39 years	839	46	87	173	180	117	73	53	32	28	46	4
40 to 44 years	230	9	26	26	34	32	17	24	16	15	28	3
45 to 49 years	15	2	-	2	2	1	2	1	-	2	3	-
50 years and over	-	-	-	-	-	-	-	-	-	-	-	-
Not stated	3	1	-	-	-	1	-	-	-	-	-	1

Table 26B. Live Births by Age of Mother, Live-Birth Order, Race, and Nativity of White Mother: Each State, 1955—Continued

(See headnote on p. 223)

AREA, AGE OF MOTHER, RACE, AND NATIVITY OF WHITE MOTHER	Total	LIVE-BIRTH ORDER										
		1	2	3	4	5	6	7	8	9	10 and over	Not stated
VERMONT—Continued												
White	9,317	2,292	2,325	1,871	1,277	666	331	212	104	67	96	76
Under 15 years	6	6	-	-	-	-	-	-	-	-	-	-
15 to 19 years	930	677	197	37	7	1	-	-	-	-	-	11
20 to 24 years	3,058	1,074	1,071	555	240	68	18	6	1	-	-	25
25 to 29 years	2,614	373	693	676	469	211	102	45	17	4	5	19
30 to 34 years	1,623	105	251	402	345	235	119	83	38	18	14	13
35 to 39 years	838	45	87	173	180	117	73	53	32	28	46	4
40 to 44 years	230	9	26	26	34	32	17	24	16	15	28	3
45 to 49 years	15	2	-	2	2	1	2	1	-	2	3	-
50 years and over	-	-	-	-	-	-	-	-	-	-	-	-
Not stated	3	1	-	-	-	1	-	-	-	-	-	1
Native white	8,693	2,158	2,187	1,753	1,183	609	305	190	93	63	78	74
Under 15 years	6	6	-	-	-	-	-	-	-	-	-	-
15 to 19 years	896	657	185	36	7	1	-	-	-	-	-	10
20 to 24 years	2,898	1,007	1,023	527	230	64	16	6	-	-	-	25
25 to 29 years	2,440	339	653	638	436	191	98	41	17	4	4	19
30 to 34 years	1,479	95	227	369	319	213	109	71	35	16	12	13
35 to 39 years	757	43	78	156	159	108	65	49	29	27	39	4
40 to 44 years	199	8	21	25	30	30	15	22	12	14	20	2
45 to 49 years	15	2	-	2	2	1	2	1	-	2	3	-
50 years and over	-	-	-	-	-	-	-	-	-	-	-	-
Not stated	3	1	-	-	-	1	-	-	-	-	-	1
Foreign-born white	623	133	138	118	94	57	26	22	11	4	18	2
Under 15 years	-	-	-	-	-	-	-	-	-	-	-	-
15 to 19 years	33	19	12	1	-	-	-	-	-	-	-	1
20 to 24 years	160	67	48	28	10	4	2	-	1	-	-	-
25 to 29 years	174	34	40	38	33	20	4	4	-	-	1	-
30 to 34 years	144	10	24	33	26	22	10	12	3	2	2	-
35 to 39 years	81	2	9	17	21	9	8	4	3	1	7	-
40 to 44 years	31	1	5	1	4	2	2	2	4	1	8	1
45 to 49 years	-	-	-	-	-	-	-	-	-	-	-	-
50 years and over	-	-	-	-	-	-	-	-	-	-	-	-
Not stated	-	-	-	-	-	-	-	-	-	-	-	-
Nonwhite	28	8	8	6	3	1	2	-	-	-	-	-
Under 15 years	-	-	-	-	-	-	-	-	-	-	-	-
15 to 19 years	4	3	1	-	-	-	-	-	-	-	-	-
20 to 24 years	13	3	3	4	1	1	1	-	-	-	-	-
25 to 29 years	6	-	3	1	2	-	-	-	-	-	-	-
30 to 34 years	4	1	1	1	-	-	1	-	-	-	-	-
35 to 39 years	1	1	-	-	-	-	-	-	-	-	-	-
40 to 44 years	-	-	-	-	-	-	-	-	-	-	-	-
45 to 49 years	-	-	-	-	-	-	-	-	-	-	-	-
50 years and over	-	-	-	-	-	-	-	-	-	-	-	-
Not stated	-	-	-	-	-	-	-	-	-	-	-	-
VIRGINIA	94,548	28,464	24,921	16,989	9,815	5,453	3,215	1,927	1,265	876	1,493	130
Under 15 years	225	210	12	2	-	-	-	-	-	-	-	1
15 to 19 years	13,889	9,601	3,232	820	168	28	4	1	-	-	-	35
20 to 24 years	30,789	11,539	10,047	5,198	2,458	985	372	120	24	8	4	34
25 to 29 years	24,200	4,582	6,839	5,527	3,213	1,950	1,114	509	265	98	65	38
30 to 34 years	15,916	1,763	3,435	3,717	2,562	1,519	1,037	736	462	317	357	11
35 to 39 years	7,461	613	1,142	1,449	1,164	783	559	409	380	340	613	9
40 to 44 years	1,851	121	189	253	233	170	119	141	130	96	398	1
45 to 49 years	129	3	10	9	9	12	7	8	4	14	53	-
50 years and over	2	-	-	-	-	1	1	-	-	-	-	-
Not stated	86	32	15	14	8	5	2	3	-	3	3	1
White	70,211	22,755	20,124	13,051	6,749	3,236	1,618	916	620	424	669	49
Under 15 years	50	47	3	-	-	-	-	-	-	-	-	-
15 to 19 years	8,780	6,597	1,819	313	37	5	-	-	-	-	-	9
20 to 24 years	23,099	9,896	8,051	3,399	1,255	357	102	20	5	1	2	11
25 to 29 years	18,616	4,034	6,001	4,519	2,199	1,077	472	180	82	28	6	18
30 to 34 years	12,436	1,526	3,060	3,294	2,065	1,036	604	378	216	136	118	3
35 to 39 years	5,736	539	1,007	1,291	976	617	357	238	226	193	286	6
40 to 44 years	1,363	100	166	223	205	132	81	92	88	57	218	1
45 to 49 years	95	3	9	8	7	9	1	7	3	9	39	-
50 years and over	2	-	-	-	-	1	1	-	-	-	-	-
Not stated	34	13	8	4	5	2	-	1	-	-	-	1
Native white	68,868	22,382	19,657	12,744	6,634	3,196	1,593	907	616	424	668	47
Under 15 years	50	47	3	-	-	-	-	-	-	-	-	-
15 to 19 years	8,737	6,565	1,809	312	37	5	-	-	-	-	-	9
20 to 24 years	22,800	9,768	7,926	3,360	1,251	356	102	19	5	1	2	10
25 to 29 years	18,129	3,906	5,820	4,394	2,165	1,063	469	179	82	28	5	18
30 to 34 years	12,073	1,467	2,952	3,185	2,010	1,023	593	372	214	136	118	3
35 to 39 years	5,613	520	973	1,260	959	607	347	237	225	193	286	6
40 to 44 years	1,344	97	158	222	201	131	80	92	87	57	218	1
45 to 49 years	93	3	9	7	7	8	1	7	3	9	39	-
50 years and over	2	-	-	-	-	1	1	-	-	-	-	-
Not stated	27	9	7	4	4	2	-	1	-	-	-	-

Table 26B. Live Births by Age of Mother, Live-Birth Order, Race, and Nativity of White Mother: Each State, 1955—Continued

(See headnote on p. 223)

AREA, AGE OF MOTHER, RACE, AND NATIVITY OF WHITE MOTHER	Total	LIVE-BIRTH ORDER										
		1	2	3	4	5	6	7	8	9	10 and over	Not stated
VIRGINIA—Continued												
White—Continued												
Foreign-born white	1,322	365	463	305	111	39	25	9	4	-	-	1
Under 15 years	-	-	-	-	-	-	-	-	-	-	-	-
15 to 19 years	40	29	10	1	-	-	-	-	-	-	-	-
20 to 24 years	297	128	124	38	4	1	-	1	-	-	-	1
25 to 29 years	484	128	181	125	32	14	3	1	-	-	-	-
30 to 34 years	360	59	107	108	54	13	11	6	2	-	-	-
35 to 39 years	122	19	33	31	17	10	10	1	1	-	-	-
40 to 44 years	18	2	8	1	4	1	1	-	1	-	-	-
45 to 49 years	1	-	-	1	-	-	-	-	-	-	-	-
50 years and over	-	-	-	-	-	-	-	-	-	-	-	-
Not stated	-	-	-	-	-	-	-	-	-	-	-	-
Nonwhite	24,337	5,709	4,797	3,938	3,066	2,217	1,597	1,011	645	452	824	81
Under 15 years	175	163	9	2	-	-	-	-	-	-	-	1
15 to 19 years	5,109	3,004	1,413	507	131	23	4	1	-	-	-	26
20 to 24 years	7,690	1,643	1,996	1,799	1,203	628	270	100	19	7	2	23
25 to 29 years	5,584	548	838	1,008	1,014	873	642	329	183	70	59	20
30 to 34 years	3,480	237	375	423	497	483	433	358	246	181	239	8
35 to 39 years	1,725	74	135	158	188	166	202	171	154	147	327	3
40 to 44 years	488	21	23	30	28	38	38	49	42	39	180	-
45 to 49 years	34	-	1	1	2	3	6	1	1	5	14	-
50 years and over	-	-	-	-	-	-	-	-	-	-	-	-
Not stated	52	19	7	10	3	3	2	2	-	3	3	-
Negro	24,155	5,665	4,737	3,893	3,051	2,209	1,593	1,010	644	449	823	81
Under 15 years	175	163	9	2	-	-	-	-	-	-	-	1
15 to 19 years	5,102	3,000	1,412	505	131	23	4	1	-	-	-	26
20 to 24 years	7,629	1,622	1,969	1,789	1,200	628	270	100	19	7	2	23
25 to 29 years	5,509	536	814	987	1,005	870	638	329	182	69	59	20
30 to 34 years	3,451	233	368	414	494	478	433	357	246	181	239	8
35 to 39 years	1,716	71	134	156	188	166	202	171	154	145	326	3
40 to 44 years	487	21	23	29	28	38	38	49	42	39	180	-
45 to 49 years	34	-	1	1	2	3	6	1	1	5	14	-
50 years and over	-	-	-	-	-	-	-	-	-	-	-	-
Not stated	52	19	7	10	3	3	2	2	-	3	3	-
WASHINGTON	62,422	16,840	16,867	13,645	7,976	3,686	1,680	793	396	205	303	31
Under 15 years	31	31	-	-	-	-	-	-	-	-	-	-
15 to 19 years	7,391	5,348	1,657	335	45	3	-	-	-	-	-	3
20 to 24 years	20,710	7,343	7,397	3,979	1,458	408	95	20	1	1	-	8
25 to 29 years	16,812	2,539	4,712	4,862	2,810	1,190	443	166	57	17	10	6
30 to 34 years	11,039	1,047	2,120	3,091	2,301	1,246	635	303	149	79	65	3
35 to 39 years	5,031	405	790	1,108	1,106	670	382	229	133	73	133	2
40 to 44 years	1,243	93	155	240	233	161	121	70	54	33	83	-
45 to 49 years	56	3	5	9	11	6	2	5	2	1	12	-
50 years and over	-	-	-	-	-	-	-	-	-	-	-	-
Not stated	109	31	31	21	12	2	2	-	-	1	-	9
White	59,568	16,181	16,243	13,112	7,593	3,446	1,512	700	342	168	240	31
Under 15 years	21	21	-	-	-	-	-	-	-	-	-	-
15 to 19 years	6,987	5,107	1,535	302	37	3	-	-	-	-	-	3
20 to 24 years	19,869	7,117	7,155	3,798	1,334	361	79	16	1	-	-	8
25 to 29 years	16,055	2,431	4,569	4,705	2,674	1,096	375	142	43	8	6	6
30 to 34 years	10,482	992	2,041	2,979	2,217	1,176	580	258	125	63	48	3
35 to 39 years	4,807	392	757	1,067	1,079	646	358	212	118	66	110	2
40 to 44 years	1,195	90	154	234	230	156	116	67	53	29	66	-
45 to 49 years	54	3	5	9	11	6	2	5	2	1	10	-
50 years and over	-	-	-	-	-	-	-	-	-	-	-	-
Not stated	98	28	27	18	11	2	2	-	-	1	-	9
Native white	57,007	15,537	15,492	12,570	7,253	3,308	1,437	677	322	160	231	20
Under 15 years	21	21	-	-	-	-	-	-	-	-	-	-
15 to 19 years	6,886	5,032	1,515	297	37	3	-	-	-	-	-	2
20 to 24 years	19,333	6,893	6,960	3,713	1,308	359	76	16	1	-	-	7
25 to 29 years	15,282	2,240	4,304	4,537	2,583	1,055	362	139	42	8	6	6
30 to 34 years	9,798	897	1,865	2,799	2,095	1,121	544	247	120	61	47	2
35 to 39 years	4,474	356	688	990	994	616	339	208	110	62	109	2
40 to 44 years	1,106	76	140	215	218	148	112	63	47	27	60	-
45 to 49 years	50	3	5	8	11	5	2	4	2	1	9	-
50 years and over	-	-	-	-	-	-	-	-	-	-	-	-
Not stated	57	19	15	11	7	1	2	-	-	1	-	1
Foreign-born white	2,503	628	734	536	334	135	74	23	20	8	9	2
Under 15 years	-	-	-	-	-	-	-	-	-	-	-	-
15 to 19 years	99	74	20	5	-	-	-	-	-	-	-	-
20 to 24 years	528	220	192	85	25	2	3	-	-	-	-	1
25 to 29 years	770	190	264	168	90	41	13	3	1	-	-	-
30 to 34 years	680	95	176	180	121	53	35	11	5	2	1	1
35 to 39 years	330	36	66	77	85	30	19	4	8	4	1	-
40 to 44 years	88	13	14	19	12	8	4	4	6	2	6	-
45 to 49 years	4	-	-	1	-	1	-	1	-	-	1	-
50 years and over	-	-	-	-	-	-	-	-	-	-	-	-
Not stated	4	-	2	1	1	-	-	-	-	-	-	-

Table 26B. Live Births by Age of Mother, Live-Birth Order, Race, and Nativity of White Mother: Each State, 1955—Continued

(See headnote on p. 223)

AREA, AGE OF MOTHER, RACE, AND NATIVITY OF WHITE MOTHER	Total	LIVE-BIRTH ORDER										
		1	2	3	4	5	6	7	8	9	10 and over	Not stated
WASHINGTON—Continued												
Nonwhite	2,854	659	624	533	383	240	168	93	54	37	63	-
Under 15 years	10	10	-	-	-	-	-	-	-	-	-	-
15 to 19 years	404	241	122	33	8	-	-	-	-	-	-	-
20 to 24 years	841	226	242	181	124	47	16	4	-	1	-	-
25 to 29 years	757	108	143	157	136	94	68	24	14	9	4	-
30 to 34 years	557	55	79	112	84	70	55	45	24	16	17	-
35 to 39 years	224	13	33	41	27	24	24	17	15	7	23	-
40 to 44 years	48	3	1	6	3	5	5	3	1	4	17	-
45 to 49 years	2	-	-	-	-	-	-	-	-	-	2	-
50 years and over	-	-	-	-	-	-	-	-	-	-	-	-
Not stated	11	3	4	3	1	-	-	-	-	-	-	-
Negro	1,302	293	292	233	205	110	83	42	17	13	14	-
Under 15 years	7	7	-	-	-	-	-	-	-	-	-	-
15 to 19 years	195	115	61	14	5	-	-	-	-	-	-	-
20 to 24 years	396	99	129	78	64	18	5	3	-	-	-	-
25 to 29 years	340	43	56	75	68	42	31	14	5	5	1	-
30 to 34 years	248	21	29	44	54	35	32	18	6	6	3	-
35 to 39 years	94	6	14	16	14	13	13	6	6	-	6	-
40 to 44 years	16	1	1	4	-	2	2	1	-	2	3	-
45 to 49 years	1	-	-	-	-	-	-	-	-	-	1	-
50 years and over	-	-	-	-	-	-	-	-	-	-	-	-
Not stated	5	1	2	2	-	-	-	-	-	-	-	-
WEST VIRGINIA	44,172	12,067	10,961	7,691	4,786	2,920	1,890	1,253	801	617	1,174	12
Under 15 years	49	49	-	-	-	-	-	-	-	-	-	-
15 to 19 years	6,634	4,853	1,464	273	37	3	2	-	-	-	-	2
20 to 24 years	14,317	4,773	4,905	2,774	1,232	445	137	33	6	3	5	4
25 to 29 years	11,096	1,542	2,862	2,622	1,805	1,128	609	309	140	46	31	2
30 to 34 years	7,012	537	1,242	1,401	1,124	814	672	477	298	215	230	2
35 to 39 years	3,711	213	379	513	469	420	361	329	283	235	507	2
40 to 44 years	1,189	49	97	102	107	103	102	96	66	108	359	-
45 to 49 years	91	4	5	3	8	5	3	7	8	9	39	-
50 years and over	3	-	-	-	-	-	-	1	-	1	1	-
Not stated	70	47	7	3	4	2	4	1	-	-	2	-
White	41,596	11,489	10,466	7,336	4,482	2,674	1,704	1,128	717	548	1,040	12
Under 15 years	39	39	-	-	-	-	-	-	-	-	-	-
15 to 19 years	6,202	4,570	1,352	241	32	3	2	-	-	-	-	2
20 to 24 years	13,559	4,589	4,670	2,620	1,123	396	119	26	4	3	5	4
25 to 29 years	10,445	1,482	2,768	2,524	1,692	1,006	536	266	114	34	21	2
30 to 34 years	6,585	514	1,208	1,354	1,071	765	613	427	258	187	186	2
35 to 39 years	3,498	202	368	495	447	402	332	311	270	210	459	2
40 to 44 years	1,115	46	88	96	105	96	96	89	65	104	330	-
45 to 49 years	84	3	5	3	8	4	3	7	6	9	36	-
50 years and over	3	-	-	-	-	-	-	1	-	1	1	-
Not stated	66	44	7	3	4	2	3	1	-	-	2	-
Native white	41,272	11,406	10,373	7,267	4,444	2,656	1,695	1,123	713	546	1,037	12
Under 15 years	39	39	-	-	-	-	-	-	-	-	-	-
15 to 19 years	6,184	4,559	1,346	240	32	3	2	-	-	-	-	2
20 to 24 years	13,481	4,548	4,645	2,611	1,121	395	119	26	4	3	5	4
25 to 29 years	10,337	1,462	2,734	2,494	1,679	998	535	266	112	34	21	2
30 to 34 years	6,507	508	1,187	1,332	1,058	759	607	424	257	187	186	2
35 to 39 years	3,471	199	363	490	441	400	330	309	269	210	458	2
40 to 44 years	1,105	46	86	94	102	95	96	89	65	102	330	-
45 to 49 years	83	3	5	3	8	4	3	7	6	9	35	-
50 years and over	3	-	-	-	-	-	-	1	-	1	1	-
Not stated	62	42	7	3	3	2	3	1	-	-	1	-
Foreign-born white	302	75	91	66	35	17	9	5	4	-	-	-
Under 15 years	-	-	-	-	-	-	-	-	-	-	-	-
15 to 19 years	13	8	4	1	-	-	-	-	-	-	-	-
20 to 24 years	74	39	25	8	1	1	-	-	-	-	-	-
25 to 29 years	108	20	34	30	13	8	1	-	2	-	-	-
30 to 34 years	73	5	21	20	12	5	6	3	1	-	-	-
35 to 39 years	26	3	5	5	6	2	2	2	1	-	-	-
40 to 44 years	8	-	2	2	3	1	-	-	-	-	-	-
45 to 49 years	-	-	-	-	-	-	-	-	-	-	-	-
50 years and over	-	-	-	-	-	-	-	-	-	-	-	-
Not stated	-	-	-	-	-	-	-	-	-	-	-	-
Nonwhite	2,576	578	495	355	304	246	186	125	84	69	134	-
Under 15 years	10	10	-	-	-	-	-	-	-	-	-	-
15 to 19 years	432	283	112	32	5	-	-	-	-	-	-	-
20 to 24 years	758	184	235	154	109	49	18	7	2	-	-	-
25 to 29 years	651	60	94	98	113	122	73	43	26	12	10	-
30 to 34 years	427	23	34	47	53	49	59	50	40	28	44	-
35 to 39 years	213	11	11	18	22	18	29	18	13	25	48	-
40 to 44 years	74	3	9	6	2	7	6	7	1	4	29	-
45 to 49 years	7	1	-	-	-	1	-	-	2	-	3	-
50 years and over	-	-	-	-	-	-	-	-	-	-	-	-
Not stated	4	3	-	-	-	-	1	-	-	-	-	-

430007 O - 57 - 24

Table 26B. Live Births by Age of Mother, Live-Birth Order, Race, and Nativity of White Mother: Each State, 1955—Continued

(See headnote on p. 223)

AREA, AGE OF MOTHER, RACE, AND NATIVITY OF WHITE MOTHER	Total	LIVE-BIRTH ORDER										
		1	2	3	4	5	6	7	8	9	10 and over	Not stated
WEST VIRGINIA—Continued												
Nonwhite—Continued												
Negro	2,555	572	487	350	302	246	186	125	84	69	134	-
Under 15 years	10	10	-	-	-	-	-	-	-	-	-	-
15 to 19 years	432	283	112	32	5	-	-	-	-	-	-	-
20 to 24 years	751	181	231	154	109	49	18	7	2	-	-	-
25 to 29 years	640	57	90	95	112	122	73	43	26	12	10	-
30 to 34 years	424	23	34	45	52	49	59	50	40	28	44	-
35 to 39 years	213	11	11	18	22	18	29	18	13	25	48	-
40 to 44 years	74	3	9	6	2	7	6	7	1	4	29	-
45 to 49 years	7	1	-	-	-	1	-	-	2	-	3	-
50 years and over	-	-	-	-	-	-	-	-	-	-	-	-
Not stated	4	3	-	-	-	-	1	-	-	-	-	-
WISCONSIN	92,427	22,836	23,451	18,981	12,149	6,770	3,645	1,895	1,077	633	910	80
Under 15 years	34	34	-	-	-	-	-	-	-	-	-	-
15 to 19 years	7,008	5,270	1,432	252	30	2	-	-	-	-	-	22
20 to 24 years	28,884	11,424	10,116	4,862	1,765	517	139	30	4	1	1	25
25 to 29 years	26,877	4,126	7,437	7,276	4,353	2,222	897	357	145	31	14	19
30 to 34 years	17,767	1,377	3,096	4,466	3,744	2,257	1.352	686	377	220	188	4
35 to 39 years	9,232	492	1,144	1,749	1,815	1,376	977	568	389	273	422	7
40 to 44 years	2,486	108	214	363	424	373	267	216	152	105	261	3
45 to 49 years	112	2	6	7	14	18	12	16	10	3	24	-
50 years and over	-	-	-	-	-	-	-	-	-	-	-	-
Not stated	27	3	6	6	4	5	1	2	-	-	-	-
White	89,605	22,248	22,893	18,468	11,777	6,486	3,452	1,791	999	581	833	77
Under 15 years	20	20	-	-	-	-	-	-	-	-	-	-
15 to 19 years	6,596	5,037	1,323	197	17	2	-	-	-	-	-	20
20 to 24 years	27,877	11,175	9,853	4,636	1,613	442	108	22	2	1	1	24
25 to 29 years	26,102	4,067	7,304	7,135	4,214	2,091	810	307	120	23	12	19
30 to 34 years	17,352	1,350	3,055	4,397	3,691	2,198	1,289	651	351	199	167	4
35 to 39 years	9,073	486	1,136	1,732	1,802	1,358	966	580	367	252	387	7
40 to 44 years	2,451	108	211	358	423	372	266	214	149	103	244	3
45 to 49 years	110	2	6	7	14	18	12	16	10	3	22	-
50 years and over	-	-	-	-	-	-	-	-	-	-	-	-
Not stated	24	3	5	6	3	5	1	1	-	-	-	-
Native white	87,943	21,843	22,434	18,115	11,558	6,372	3,405	1,765	982	578	816	75
Under 15 years	19	19	-	-	-	-	-	-	-	-	-	-
15 to 19 years	6,545	4,999	1,312	195	17	2	-	-	-	-	-	20
20 to 24 years	27,556	11,021	9,745	4,592	1,601	440	107	22	2	1	1	24
25 to 29 years	25,592	3,934	7,139	7,028	4,157	2,062	801	302	116	23	11	19
30 to 34 years	16,864	1,294	2,934	4,255	3,601	2,152	1,270	642	347	199	166	4
35 to 39 years	8,867	469	1,092	1,692	1,758	1,331	954	573	362	250	381	5
40 to 44 years	2,371	103	202	342	408	362	260	209	145	102	235	3
45 to 49 years	106	2	5	5	13	18	12	16	10	3	22	-
50 years and over	-	-	-	-	-	-	-	-	-	-	-	-
Not stated	23	2	5	6	3	5	1	1	-	-	-	-
Foreign-born white	1,649	399	458	353	218	112	47	26	17	3	14	2
Under 15 years	1	1	-	-	-	-	-	-	-	-	-	-
15 to 19 years	47	35	10	2	-	-	-	-	-	-	-	-
20 to 24 years	320	154	108	44	11	2	1	-	-	-	-	-
25 to 29 years	508	132	165	107	57	29	9	5	4	-	-	-
30 to 34 years	488	56	121	142	90	46	19	9	4	-	1	-
35 to 39 years	203	16	44	40	44	27	12	7	5	2	4	2
40 to 44 years	78	5	9	16	15	8	6	5	4	1	9	-
45 to 49 years	4	-	1	2	1	-	-	-	-	-	-	-
50 years and over	-	-	-	-	-	-	-	-	-	-	-	-
Not stated	-	-	-	-	-	-	-	-	-	-	-	-
Nonwhite	2,822	588	558	513	372	284	193	104	78	52	77	3
Under 15 years	14	14	-	-	-	-	-	-	-	-	-	-
15 to 19 years	412	233	109	55	13	-	-	-	-	-	-	2
20 to 24 years	1,007	249	263	226	152	75	31	8	2	-	-	1
25 to 29 years	775	59	133	141	139	131	87	50	25	8	2	-
30 to 34 years	415	27	41	69	53	59	63	35	26	21	21	-
35 to 39 years	159	6	8	17	13	18	11	8	22	21	35	-
40 to 44 years	35	-	3	5	1	1	1	2	3	2	17	-
45 to 49 years	2	-	-	-	-	-	-	-	-	-	2	-
50 years and over	-	-	-	-	-	-	-	-	-	-	-	-
Not stated	3	-	1	-	1	-	-	1	-	-	-	-
Negro	2,204	450	436	428	311	238	140	69	58	36	38	-
Under 15 years	14	14	-	-	-	-	-	-	-	-	-	-
15 to 19 years	333	177	94	50	12	-	-	-	-	-	-	-
20 to 24 years	813	189	198	192	134	65	26	7	2	-	-	-
25 to 29 years	601	44	104	108	114	111	61	32	20	6	1	-
30 to 34 years	326	23	33	60	39	48	48	25	21	16	13	-
35 to 39 years	104	3	6	16	12	13	4	5	14	12	19	-
40 to 44 years	12	-	1	2	-	1	1	-	1	2	4	-
45 to 49 years	1	-	-	-	-	-	-	-	-	-	1	-
50 years and over	-	-	-	-	-	-	-	-	-	-	-	-
Not stated	-	-	-	-	-	-	-	-	-	-	-	-

Table 26B. Live Births by Age of Mother, Live-Birth Order, Race, and Nativity of White Mother: Each State, 1955—Continued

(See headnote on p. 223)

AREA, AGE OF MOTHER, RACE, AND NATIVITY OF WHITE MOTHER	Total	LIVE-BIRTH ORDER										
		1	2	3	4	5	6	7	8	9	10 and over	Not stated
WYOMING	8,610	2,309	2,268	1,825	1,030	536	275	155	87	52	69	4
Under 15 years	4	4	-	-	-	-	-	-	-	-	-	-
15 to 19 years	1,169	855	258	49	5	1	-	-	-	-	-	1
20 to 24 years	2,962	970	1,095	601	208	66	12	7	3	-	-	-
25 to 29 years	2,278	337	559	684	385	185	78	30	15	2	2	1
30 to 34 years	1,377	104	246	339	300	182	89	48	37	21	10	1
35 to 39 years	633	31	84	133	105	80	73	53	22	18	33	1
40 to 44 years	177	7	23	19	27	21	22	16	10	10	22	-
45 to 49 years	8	1	2	-	-	-	1	1	-	1	2	-
50 years and over	-	-	-	-	-	-	-	-	-	-	-	-
Not stated	2	-	1	-	-	1	-	-	-	-	-	-
White	8,336	2,239	2,225	1,788	1,001	509	255	140	74	45	56	4
Under 15 years	4	4	-	-	-	-	-	-	-	-	-	-
15 to 19 years	1,129	825	252	46	4	1	-	-	-	-	-	1
20 to 24 years	2,873	946	1,067	583	199	62	9	5	2	-	-	-
25 to 29 years	2,208	324	553	674	374	172	69	23	14	2	2	1
30 to 34 years	1,340	102	244	335	293	176	85	46	29	19	10	1
35 to 39 years	603	30	83	131	104	77	69	50	19	14	25	1
40 to 44 years	170	7	23	19	27	21	22	15	10	9	17	-
45 to 49 years	8	1	2	-	-	-	1	1	-	1	2	-
50 years and over	-	-	-	-	-	-	-	-	-	-	-	-
Not stated	1	-	1	-	-	-	-	-	-	-	-	-
Native white	8,190	2,202	2,198	1,757	986	493	249	136	71	44	51	3
Under 15 years	4	4	-	-	-	-	-	-	-	-	-	-
15 to 19 years	1,120	821	249	46	3	1	-	-	-	-	-	-
20 to 24 years	2,844	929	1,060	580	197	62	9	5	2	-	-	-
25 to 29 years	2,166	315	544	661	372	165	69	22	13	2	2	1
30 to 34 years	1,298	96	239	324	285	170	82	44	28	19	10	1
35 to 39 years	586	29	81	128	103	74	66	49	19	14	22	1
40 to 44 years	163	7	22	18	26	21	22	15	9	8	15	-
45 to 49 years	8	1	2	-	-	-	1	1	-	1	2	-
50 years and over	-	-	-	-	-	-	-	-	-	-	-	-
Not stated	1	-	1	-	-	-	-	-	-	-	-	-
Foreign-born white	145	37	27	31	15	16	6	4	3	1	5	-
Under 15 years	-	-	-	-	-	-	-	-	-	-	-	-
15 to 19 years	8	4	3	-	1	-	-	-	-	-	-	-
20 to 24 years	29	17	7	3	2	-	-	-	-	-	-	-
25 to 29 years	42	9	9	13	2	7	-	1	1	-	-	-
30 to 34 years	42	6	5	11	8	6	3	2	1	-	-	-
35 to 39 years	17	1	2	3	1	3	3	1	-	-	3	-
40 to 44 years	7	-	1	1	1	-	-	-	1	1	2	-
45 to 49 years	-	-	-	-	-	-	-	-	-	-	-	-
50 years and over	-	-	-	-	-	-	-	-	-	-	-	-
Not stated	-	-	-	-	-	-	-	-	-	-	-	-
Nonwhite	274	70	43	37	29	27	20	15	13	7	13	-
Under 15 years	-	-	-	-	-	-	-	-	-	-	-	-
15 to 19 years	40	30	6	3	1	-	-	-	-	-	-	-
20 to 24 years	89	24	28	18	9	4	3	2	1	-	-	-
25 to 29 years	70	13	6	10	11	13	9	7	1	-	-	-
30 to 34 years	37	2	2	4	7	6	4	2	8	2	-	-
35 to 39 years	30	1	1	2	1	3	4	3	3	4	8	-
40 to 44 years	7	-	-	-	-	-	-	1	-	1	5	-
45 to 49 years	-	-	-	-	-	-	-	-	-	-	-	-
50 years and over	-	-	-	-	-	-	-	-	-	-	-	-
Not stated	1	-	-	-	-	1	-	-	-	-	-	-

Table 27. Live Births by Single Year of Age of Mother, Live-Birth Order, Color, and Nativity of White Mother: United States, 1955

(Includes only births occurring within the continental United States. Live-birth order refers to number of children born alive to mother. Births which occurred in Massachusetts are included in the "Not stated" classification for birth order because this State did not require reporting on the item)

AGE OF MOTHER, COLOR, AND NATIVITY OF WHITE MOTHER	Total	LIVE-BIRTH ORDER																	
		1	2	3	4	5	6	7	8	9	10	11	12	13	14	15	16	17+	Not stated
ALL RACES------	4,047,295	1,095,344	1,059,155	766,330	441,338	237,329	131,941	76,188	46,814	29,570	19,156	11,553	7,360	4,541	2,346	1,298	678	667	115,687
Under 15 years-------	5,883	5,510	274	14	2	-	-	-	-	-	-	-	-	-	-	-	-	-	83
15 years----------	16,833	15,296	1,264	74	11	2	-	-	-	-	-	-	-	-	-	-	-	-	186
16 years----------	44,890	38,558	5,345	420	44	6	-	-	-	-	-	-	-	-	-	-	-	-	517
17 years----------	87,999	68,440	16,023	2,093	222	26	6	4	-	-	-	-	-	-	-	-	-	-	1,185
18 years----------	138,264	94,759	33,690	6,562	942	121	22	6	1	-	-	-	-	-	-	-	-	-	2,161
19 years----------	196,111	119,119	55,007	14,824	3,042	473	73	13	11	6	-	-	-	-	-	-	-	-	3,543
20 years----------	234,339	118,079	75,748	26,680	7,156	1,497	304	76	22	13	4	2	-	-	-	-	-	-	4,758
21 years----------	248,665	104,566	85,419	36,340	12,211	3,339	737	168	48	24	5	1	-	-	-	-	-	-	5,807
22 years----------	259,695	92,871	89,049	45,501	17,571	5,848	1,599	393	109	38	7	6	3	-	-	-	-	-	6,700
23 years----------	267,955	81,713	89,180	52,333	23,701	9,235	3,194	870	228	79	10	4	6	1	-	-	-	-	7,401
24 years----------	263,254	67,668	85,249	56,003	27,435	12,359	4,669	1,568	436	116	47	15	10	5	2	-	-	-	7,672
25 years----------	255,584	55,010	80,099	57,852	30,104	14,608	6,560	2,480	795	219	86	32	18	3	2	1	1	-	7,714
26 years----------	234,866	43,723	70,193	55,219	30,217	15,333	7,598	3,252	1,266	407	141	40	14	5	2	1	-	1	7,454
27 years----------	224,313	35,608	63,367	55,223	31,189	16,489	8,406	4,082	1,693	638	216	76	39	12	1	3	1	2	7,268
28 years----------	212,234	29,058	55,636	52,943	31,822	17,264	9,696	5,048	2,469	979	355	131	52	18	10	6	-	1	6,746
29 years----------	192,282	23,505	47,074	48,324	30,281	16,661	9,712	5,381	2,906	1,286	549	200	74	30	7	5	5	5	6,257
30 years----------	181,663	19,848	41,163	45,267	29,861	16,814	10,046	5,954	3,345	1,864	843	346	126	49	25	11	5	3	6,093
31 years----------	155,655	15,735	33,377	38,718	26,415	15,099	8,854	5,372	3,262	1,861	866	397	166	52	26	13	7	11	5,424
32 years----------	143,432	13,086	28,610	34,730	24,818	14,745	8,799	5,557	3,638	2,165	1,189	637	283	126	52	20	6	4	4,967
33 years----------	127,309	10,904	23,363	29,945	22,776	13,632	8,264	5,328	3,650	2,374	1,441	713	333	158	69	23	8	10	4,318
34 years----------	114,218	9,434	19,564	25,756	20,005	12,669	8,058	5,357	3,767	2,424	1,604	834	481	230	86	36	21	10	3,882
35 years----------	98,093	7,788	15,795	21,055	17,244	11,135	7,245	4,837	3,434	2,493	1,703	976	534	299	140	62	23	24	3,306
36 years----------	78,093	5,950	11,905	15,798	13,410	9,116	5,985	4,073	3,022	2,291	1,562	976	627	365	147	62	31	36	2,737
37 years----------	68,053	4,973	9,623	13,272	11,614	7,947	5,372	3,817	2,909	2,142	1,617	998	665	393	158	92	41	35	2,385
38 years----------	56,328	4,031	7,347	10,112	9,120	6,621	4,643	3,399	2,483	2,081	1,676	1,120	753	489	254	123	68	55	1,953
39 years----------	44,738	2,982	5,648	7,532	6,990	5,263	3,834	2,807	2,257	1,776	1,370	988	712	457	266	154	82	72	1,548
40 years----------	33,452	2,221	3,865	5,419	4,984	4,002	2,946	2,242	1,620	1,319	1,168	914	659	460	264	151	80	64	1,074
41 years----------	22,163	1,483	2,476	3,420	3,233	2,657	1,927	1,416	1,253	894	832	598	503	328	190	119	66	57	731
42 years----------	16,473	990	1,537	2,211	2,201	1,910	1,472	1,135	926	881	744	620	498	347	214	137	69	77	504
43 years----------	9,978	593	930	1,158	1,234	1,144	904	710	588	519	485	387	319	278	185	107	63	64	310
44 years----------	5,501	337	389	607	661	585	470	383	304	306	293	259	232	210	104	73	40	63	185
45 years----------	2,933	163	211	292	323	320	243	224	176	168	163	136	126	112	73	57	29	37	80
46 years----------	1,188	63	66	137	112	103	102	91	67	89	74	70	56	51	30	20	15	12	30
47 years----------	540	26	40	45	52	44	41	33	47	37	32	25	25	34	18	11	5	11	14
48 years----------	241	17	13	15	22	17	20	15	9	20	11	11	21	21	8	7	6	4	4
49 years----------	117	8	6	7	9	13	7	9	8	8	7	7	9	-	8	-	3	5	3
50 years and over----	92	15	10	8	5	4	5	4	5	6	7	6	3	-	2	2	1	3	6
Not stated----------	3,848	1,214	600	421	299	208	128	84	60	47	49	28	13	8	3	2	2	1	681
WHITE[1]----------	3,458,448	962,144	942,924	673,842	369,156	183,202	93,498	50,149	28,801	17,428	10,955	6,389	4,105	2,445	1,214	670	342	338	110,846
Under 15 years-------	2,136	2,038	54	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	42
15 years----------	8,795	8,287	384	12	1	1	-	-	-	-	-	-	-	-	-	-	-	-	110
16 years----------	29,773	26,752	2,497	130	10	2	-	-	-	-	-	-	-	-	-	-	-	-	382
17 years----------	64,935	53,206	9,834	856	60	8	-	1	-	-	-	-	-	-	-	-	-	-	970
18 years----------	108,241	78,766	23,819	3,391	323	31	5	1	-	-	-	-	-	-	-	-	-	-	1,905
19 years----------	160,834	104,137	42,813	9,180	1,398	158	17	7	2	3	-	-	-	-	-	-	-	-	3,219
under 20	374814	273186	79401	13571	1792	200	22	9	2	3									
20 years----------	196,058	105,530	63,043	18,536	3,778	553	94	23	5	7	1	-	-	-	-	-	-	-	4,488
21 years----------	211,453	94,640	74,219	27,827	7,445	1,501	248	42	17	3	5	1	-	-	-	-	-	-	5,505
22 years----------	222,580	84,981	79,153	36,604	11,683	2,989	611	117	27	7	3	-	1	-	-	-	-	-	6,424
23 years----------	231,377	75,527	80,971	43,894	16,893	5,225	1,385	285	58	16	1	1	5	1	-	-	-	-	7,115
24 years----------	229,268	62,850	78,515	48,913	20,938	7,533	2,325	593	140	33	16	4	4	2	-	-	-	-	7,402
25 years----------	223,010	51,081	74,513	51,570	23,969	9,558	3,464	1,050	255	68	28	6	5	1	-	-	-	-	7,442
26 years----------	205,376	40,595	65,593	49,994	24,877	10,613	4,289	1,506	499	138	42	10	7	3	2	-	-	-	7,208
27 years----------	196,380	32,966	59,234	50,463	26,401	12,032	5,114	2,071	728	214	57	22	18	6	-	2	-	2	7,050
28 years----------	184,608	26,733	51,926	48,571	27,324	13,092	6,114	2,679	1,096	367	119	34	15	11	2	-	-	1	6,524
29 years----------	168,244	21,591	43,999	44,782	26,523	13,118	6,683	3,159	1,430	566	211	62	27	8	2	1	3	3	6,076
30 years----------	158,132	18,136	38,327	42,036	26,353	13,492	7,108	3,649	1,672	920	347	128	34	13	7	4	-	1	5,905
31 years----------	137,444	14,431	31,223	36,261	23,892	12,735	6,665	3,530	1,851	897	413	167	71	21	4	2	2	3	5,276
32 years----------	125,461	11,902	26,735	32,365	22,447	12,462	6,733	3,798	2,103	1,115	563	246	108	48	19	6	1	1	4,809
33 years----------	111,863	9,953	21,813	28,089	20,753	11,706	6,530	3,780	2,320	1,385	742	338	165	68	20	5	2	3	4,191
34 years----------	100,119	8,607	18,230	24,132	18,334	10,983	6,451	3,995	2,503	1,455	857	414	241	101	29	12	6	4	3,765
35 years----------	85,527	7,043	14,646	19,692	15,789	9,739	5,874	3,691	2,331	1,492	966	529	243	140	77	32	9	11	3,223
36 years----------	67,934	5,414	11,029	14,798	12,354	8,041	4,963	3,080	2,100	1,457	906	527	307	168	63	24	11	16	2,676
37 years----------	59,336	4,512	8,969	12,479	10,698	7,086	4,518	2,928	2,069	1,424	1,012	567	399	209	79	39	13	14	2,321
38 years----------	48,545	3,663	6,844	9,479	8,422	5,883	3,899	2,617	1,834	1,415	1,037	666	420	248	121	57	30	24	1,886
39 years----------	38,715	2,747	5,270	7,044	6,443	4,740	3,237	2,271	1,723	1,269	910	582	395	252	141	90	52	32	1,517
40 years----------	28,962	2,048	3,596	5,083	4,608	3,610	2,554	1,875	1,275	920	781	587	413	262	149	92	36	34	1,039
41 years----------	19,466	1,378	2,307	3,238	3,020	2,418	1,704	1,191	1,018	672	592	426	327	213	119	60	42	29	712
42 years----------	14,047	894	1,404	2,061	2,036	1,745	1,294	958	713	663	548	412	334	213	113	79	47	46	487
43 years----------	8,473	528	860	1,068	1,135	1,055	785	604	484	397	347	274	231	179	106	62	30	31	297
44 years----------	4,642	311	353	552	608	542	419	312	262	244	216	193	156	129	65	43	22	36	179
45 years----------	2,470	150	196	272	288	289	215	184	143	135	123	103	97	76	47	33	19	23	77
46 years----------	1,001	58	61	126	106	91	88	78	57	72	58	50	38	33	25	12	10	8	30
47 years----------	437	23	36	40	44	38	35	27	42	31	21	18	16	22	10	9	3	8	14
48 years----------	180	16	13	12	15	12	15	12	6	18	7	6	15	13	6	4	3	3	4
49 years----------	72	6	6	7	7	8	5	4	6	4	4	1	2	-	5	-	1	3	3
50 years and over----	57	9	8	3	3	2	4	4	3	5	3	1	2	-	-	2	-	2	6
Not stated----------	2,397	655	431	280	178	111	53	27	29	16	19	14	9	5	3	-	-	-	567

[1]Includes nativity not stated.

Table 27. Live Births by Single Year of Age of Mother, Live-Birth Order, Color, and Nativity of White Mother: United States, 1955—Continued

(See headnote on p. 264)

AGE OF MOTHER, COLOR, AND NATIVITY OF WHITE MOTHER	Total	LIVE-BIRTH ORDER																	
		1	2	3	4	5	6	7	8	9	10	11	12	13	14	15	16	17+	Not stated
Native white	3,340,310	931,142	910,482	651,360	357,008	177,251	90,290	48,436	27,746	16,768	10,533	6,133	3,941	2,318	1,133	627	313	316	104,513
Under 15 years	2,110	2,015	52	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	41
15 years	8,733	8,231	379	12	1	1	-	-	-	-	-	-	-	-	-	-	-	-	109
16 years	29,521	26,538	2,472	129	10	2	-	-	-	-	-	-	-	-	-	-	-	-	370
17 years	64,314	52,713	9,738	841	60	8	-	1	-	-	-	-	-	-	-	-	-	-	953
18 years	107,007	77,868	23,570	3,348	317	30	5	1	-	-	-	-	-	-	-	-	-	-	1,868
19 years	158,619	102,608	42,273	9,066	1,379	150	16	7	2	3	-	-	-	-	-	-	-	-	3,115
20 years	192,545	103,497	62,082	18,248	3,712	541	93	23	5	7	1	-	-	-	-	-	-	-	4,336
21 years	207,120	92,344	72,957	27,401	7,333	1,471	241	40	17	3	4	1	-	-	-	-	-	-	5,308
22 years	217,322	82,527	77,516	35,988	11,447	2,925	591	114	27	7	3	-	1	-	-	-	-	-	6,176
23 years	225,419	72,992	79,134	43,076	16,590	5,112	1,355	277	57	15	1	1	5	1	-	-	-	-	6,803
24 years	222,921	60,513	76,448	47,949	20,527	7,392	2,273	567	131	30	16	4	4	2	-	-	-	-	7,085
25 years	216,211	48,802	72,284	50,455	23,475	9,366	3,380	1,009	247	63	25	6	5	1	-	-	-	-	7,093
26 years	198,493	38,678	63,281	48,735	24,289	10,343	4,166	1,468	482	133	40	9	7	3	2	-	-	-	6,857
27 years	188,941	31,075	56,812	48,989	25,741	11,693	4,952	2,001	708	207	54	20	18	6	-	2	-	1	6,662
28 years	176,817	25,055	49,574	46,820	26,430	12,678	5,926	2,592	1,046	350	111	31	15	10	2	-	-	-	6,177
29 years	160,462	20,129	41,661	43,016	25,528	12,654	6,464	3,037	1,372	548	208	61	27	8	2	1	3	3	5,740
30 years	150,784	16,883	36,212	40,283	25,408	13,050	6,850	3,527	1,608	880	336	124	31	13	7	3	-	1	5,568
31 years	130,906	13,434	29,355	34,638	23,014	12,343	6,449	3,413	1,803	871	402	164	70	21	3	2	2	3	4,927
32 years	118,747	10,958	24,956	30,713	21,464	11,974	6,487	3,678	2,028	1,068	537	239	102	46	16	6	1	1	4,473
33 years	105,826	9,183	20,343	26,561	19,844	11,222	6,290	3,638	2,235	1,334	719	332	158	62	20	5	2	3	3,875
34 years	94,676	7,893	16,977	22,760	17,546	10,534	6,208	3,865	2,415	1,402	825	399	236	94	26	11	6	4	3,475
35 years	80,952	6,498	13,609	18,615	15,060	9,357	5,643	3,583	2,260	1,427	939	505	232	134	75	31	8	11	2,965
36 years	64,967	5,061	10,391	14,149	11,893	7,799	4,819	2,989	2,033	1,409	873	502	295	157	60	20	10	16	2,491
37 years	56,937	4,273	8,495	11,934	10,330	6,873	4,373	2,842	2,006	1,380	970	551	394	201	74	36	12	13	2,180
38 years	46,550	3,438	6,493	9,079	8,110	5,708	3,784	2,540	1,771	1,375	988	644	410	234	109	54	30	23	1,760
39 years	36,896	2,568	4,933	6,686	6,167	4,597	3,104	2,190	1,668	1,222	879	563	382	241	135	86	49	32	1,394
40 years	27,439	1,892	3,332	4,797	4,396	3,474	2,445	1,811	1,228	882	753	554	389	250	139	86	30	33	948
41 years	18,323	1,251	2,121	3,038	2,857	2,303	1,631	1,128	966	646	568	407	315	205	109	59	37	28	654
42 years	13,113	810	1,278	1,914	1,900	1,644	1,217	909	668	630	526	391	313	205	107	72	46	40	443
43 years	7,838	485	761	977	1,052	985	734	574	459	378	327	260	221	164	98	58	28	30	247
44 years	4,279	278	320	487	552	517	400	295	241	231	209	184	141	120	58	40	18	33	155
45 years	2,282	138	175	245	265	268	208	175	130	129	112	97	92	71	44	31	17	21	64
46 years	915	55	56	111	92	80	81	73	51	70	56	47	37	33	23	11	8	7	24
47 years	401	17	33	37	40	35	33	26	41	28	21	17	16	18	10	9	3	7	10
48 years	167	16	11	10	13	11	15	12	5	18	7	6	14	13	6	3	2	2	3
49 years	60	4	5	5	4	8	4	3	5	4	4	1	2	-	5	-	1	3	2
50 years and over	51	9	8	3	2	2	3	4	3	5	3	1	2	-	-	1	-	1	4
Not stated	1,646	413	385	251	160	101	50	24	28	13	16	12	7	5	3	-	-	-	178
Foreign-born white	116,469	30,549	32,303	22,401	12,081	5,909	3,186	1,698	1,043	645	414	249	160	126	81	42	28	20	5,534
Under 15 years	21	19	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1
15 years	52	46	5	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1
16 years	237	204	24	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	8
17 years	598	474	95	15	-	-	-	-	-	-	-	-	-	-	-	-	-	-	14
18 years	1,195	878	245	42	6	1	-	-	-	-	-	-	-	-	-	-	-	-	23
19 years	2,270	1,510	533	114	19	8	1	-	-	-	-	-	-	-	-	-	-	-	85
20 years	3,453	2,005	954	285	65	12	1	-	-	-	-	-	-	-	-	-	-	-	131
21 years	4,281	2,278	1,252	421	111	30	7	2	-	-	-	-	-	-	-	-	-	-	180
22 years	5,198	2,425	1,630	610	232	63	19	3	-	-	-	-	-	-	-	-	-	-	216
23 years	5,903	2,524	1,829	814	300	112	30	8	1	1	-	-	-	-	-	-	-	-	284
24 years	6,280	2,326	2,060	958	405	139	49	25	9	3	-	-	-	-	-	-	-	-	306
25 years	6,753	2,273	2,226	1,114	492	189	84	41	8	5	3	-	-	-	-	-	-	-	318
26 years	6,838	1,912	2,306	1,258	584	269	122	38	17	5	2	1	-	-	-	-	-	-	324
27 years	7,389	1,886	2,416	1,469	654	337	161	70	20	7	3	2	-	-	-	-	-	-	364
28 years	7,757	1,671	2,350	1,750	892	414	186	86	50	17	7	3	-	1	-	-	-	-	330
29 years	7,745	1,458	2,333	1,763	994	463	217	121	58	17	3	1	-	-	-	-	-	-	317
30 years	7,305	1,248	2,112	1,749	944	437	255	121	63	40	11	4	3	-	-	1	-	-	317
31 years	6,496	992	1,865	1,626	870	390	215	116	47	26	11	3	1	-	1	-	-	-	333
32 years	6,681	939	1,775	1,650	982	485	245	120	75	47	26	6	6	2	3	-	-	-	320
33 years	6,010	769	1,469	1,525	905	483	239	140	85	48	23	6	7	6	-	-	-	-	305
34 years	5,407	713	1,250	1,370	782	448	243	129	86	53	32	15	5	7	3	1	-	-	270
35 years	4,547	541	1,034	1,076	727	382	230	108	70	64	26	23	11	6	2	1	1	-	245
36 years	2,951	352	636	647	461	242	143	91	67	47	33	25	12	11	3	4	1	-	176
37 years	2,383	238	473	544	368	210	144	86	63	44	42	16	5	8	5	3	1	1	132
38 years	1,982	224	349	399	311	175	115	77	62	40	48	20	10	14	12	3	-	1	122
39 years	1,804	177	337	356	275	142	131	80	55	47	30	19	13	11	6	4	3	-	118
40 years	1,512	155	262	286	211	132	109	64	47	36	28	33	24	12	10	6	6	1	90
41 years	1,130	125	186	200	162	115	73	62	50	24	24	18	11	8	10	1	5	1	55
42 years	926	84	126	147	136	101	77	48	44	31	22	21	21	8	6	6	1	6	41
43 years	629	43	98	90	83	70	51	30	25	19	20	14	9	14	8	4	2	1	48
44 years	361	33	33	65	56	25	19	16	20	13	7	9	15	9	7	3	4	3	24
45 years	182	11	21	27	23	19	7	9	12	5	10	6	5	5	3	2	2	2	13
46 years	86	3	5	15	14	11	7	5	6	2	2	3	1	-	2	1	2	1	6
47 years	33	6	3	2	4	1	2	1	1	3	-	1	-	4	-	-	-	1	4
48 years	12	-	2	2	2	1	-	-	1	-	-	-	1	-	-	1	-	1	1
49 years	12	2	1	2	3	-	1	1	1	-	-	-	-	-	-	-	-	-	1
50 years and over	5	-	-	-	1	-	1	-	-	-	-	-	-	-	-	1	-	1	1
Not stated	45	5	7	9	7	3	2	-	-	1	1	-	-	-	-	-	-	-	10

Table 27. Live Births by Single Year of Age of Mother, Live-Birth Order, Color, and Nativity of White Mother: United States, 1955—Continued

(See headnote on p. 264)

AGE OF MOTHER, COLOR, AND NATIVITY OF WHITE MOTHER	Total	LIVE-BIRTH ORDER																	
		1	2	3	4	5	6	7	8	9	10	11	12	13	14	15	16	17+	Not stated
NONWHITE--------	588,847	133,200	116,231	92,488	72,182	54,127	38,443	26,039	18,013	12,142	8,201	5,164	3,255	2,096	1,132	628	336	329	4,841
Under 15 years------	3,747	3,472	220	12	2	-	-	-	-	-	-	-	-	-	-	-	-	-	41
15 years----------	8,038	7,009	880	62	10	1	-	-	-	-	-	-	-	-	-	-	-	-	76
16 years----------	15,117	11,806	2,848	290	34	4	-	-	-	-	-	-	-	-	-	-	-	-	135
17 years----------	23,064	15,234	6,189	1,237	162	18	6	3	-	-	-	-	-	-	-	-	-	-	215
18 years----------	30,023	15,993	9,871	3,171	619	90	17	5	1	-	-	-	-	-	-	-	-	-	256
19 years----------	35,177	14,982	12,194	5,644	1,644	315	56	6	9	3	-	-	-	-	-	-	-	-	324
	11,766	6,496	3,202	1,046	247	82	19	16	3										
20 years----------	38,281	12,549	12,705	8,144	3,378	944	210	53	17	6	3	2	-	-	-	-	-	-	270
21 years----------	37,212	9,926	11,200	8,513	4,766	1,838	489	126	31	21	-	-	-	-	-	-	-	-	302
22 years----------	37,115	7,910	9,896	8,897	5,888	2,859	988	276	82	31	4	6	2	-	-	-	-	-	276
23 years----------	36,578	6,186	8,209	8,439	6,808	4,010	1,809	585	170	63	9	3	1	-	-	-	-	-	286
24 years----------	33,986	4,818	6,734	7,090	6,497	4,826	2,344	975	296	83	31	11	6	3	2	-	-	-	270
25 years----------	32,574	3,929	5,586	6,282	6,135	5,050	3,096	1,430	540	151	58	26	13	2	2	1	1	-	272
26 years----------	29,490	3,128	4,600	5,225	5,340	4,720	3,309	1,746	767	269	99	30	7	2	-	1	-	1	246
27 years----------	27,933	2,642	4,133	4,760	4,788	4,457	3,292	2,011	965	424	159	54	21	6	1	1	1	-	218
28 years----------	27,626	2,325	3,710	4,372	4,498	4,172	3,582	2,369	1,373	612	236	97	37	7	8	6	-	-	222
29 years----------	24,038	1,914	3,075	3,542	3,758	3,563	3,029	2,222	1,476	720	338	138	47	22	5	4	2	2	181
30 years----------	23,531	1,712	2,836	3,231	3,508	3,322	2,938	2,305	1,673	944	496	218	92	36	18	7	5	2	188
31 years----------	18,211	1,304	2,154	2,457	2,523	2,364	2,189	1,842	1,411	964	453	230	95	31	22	11	5	8	148
32 years----------	17,971	1,184	1,875	2,365	2,371	2,283	2,066	1,759	1,535	1,050	626	391	175	78	33	14	5	3	158
33 years----------	15,446	951	1,550	1,856	2,023	1,926	1,734	1,548	1,330	989	699	375	168	90	49	18	6	7	127
34 years----------	14,099	827	1,334	1,624	1,671	1,686	1,607	1,362	1,264	969	747	420	240	129	57	24	15	6	117
35 years----------	12,566	745	1,149	1,363	1,455	1,396	1,371	1,146	1,103	1,001	737	447	291	159	63	30	14	13	83
36 years----------	10,159	536	876	1,000	1,056	1,075	1,022	993	922	834	656	449	320	197	84	38	20	20	61
37 years----------	8,717	461	654	793	916	861	854	889	840	718	605	431	266	184	79	53	28	21	64
38 years----------	7,783	368	503	633	698	739	744	782	649	666	639	454	333	241	133	66	38	31	67
39 years----------	6,023	235	378	488	547	523	597	536	534	507	460	406	317	205	125	64	30	40	31
40 years----------	4,490	173	269	336	376	392	392	367	345	399	387	327	246	198	115	59	44	30	35
41 years----------	2,717	105	169	182	213	239	223	225	235	222	240	172	176	115	71	59	24	28	19
42 years----------	2,426	96	133	150	165	165	178	177	213	218	196	208	164	134	101	58	22	31	17
43 years----------	1,505	65	70	90	99	89	119	106	104	122	138	113	88	99	79	45	33	33	13
44 years----------	859	26	36	55	53	43	51	71	42	62	77	66	76	81	39	30	18	27	6
45 years----------	463	13	15	20	35	31	28	40	33	33	40	33	29	36	26	24	10	14	3
46 years----------	187	5	5	11	6	12	14	13	10	17	16	20	18	18	5	8	5	4	-
47 years----------	103	3	4	5	8	6	6	6	5	6	11	7	9	12	8	2	2	3	-
48 years----------	61	1	-	3	7	5	5	3	3	2	4	5	6	8	2	3	3	1	-
49 years----------	45	2	-	-	2	5	2	5	2	4	3	6	7	-	3	-	2	2	-
50 years and over---	35	6	2	5	2	2	1	-	2	1	4	5	1	-	2	-	1	1	-
Not stated----------	1,451	559	169	141	121	97	75	57	31	31	30	14	4	3	-	2	2	1	114

Table 28. Cases of Plural Births Classified by Number of Children Born Alive and Born Dead, by Race and Sex for the United States and Each State; and by Age of Mother for the United States: 1955

(By place of residence. Includes only plural births occurring within the continental United States. Cases of plural fetal deaths are included only if the period of gestation was given as 20 weeks or more, or was not stated. Only age intervals for which a case was reported are shown)

AREA AND SEX	Total	White	Negro	Other races
CASES OF TWINS				
UNITED STATES[1]	44,046	35,919	7,864	263
Age of Mother				
Both born alive	41,312	33,866	7,196	250
Under 15 years	24	10	14	-
15-19 years	2,862	2,086	755	21
20-24 years	10,683	8,656	1,964	63
25-29 years	11,965	9,909	1,977	79
30-34 years	9,511	8,001	1,468	42
35-39 years	5,176	4,304	837	35
40-44 years	1,039	859	171	9
45 years and over	35	30	5	-
Not stated	17	11	5	1
1 born alive	1,770	1,347	414	9
Under 15 years	3	2	1	-
15-19 years	163	109	54	-
20-24 years	408	318	89	1
25-29 years	476	355	114	7
30-34 years	403	303	100	-
35-39 years	248	199	47	-
40-44 years	53	48	4	1
45 years and over	3	3	-	-
Not stated	15	10	5	-
Both born dead	964	706	254	4
Under 15 years	4	1	3	-
15-19 years	109	74	35	-
20-24 years	269	198	71	-
25-29 years	253	198	53	2
30-34 years	184	139	44	1
35-39 years	111	78	32	1
40-44 years	20	10	10	-
45 years and over	5	2	3	-
Not stated	9	6	3	-
Sex				
2 males	15,163	12,640	2,430	93
Both born alive	14,123	11,829	2,208	86
1 born alive	623	490	128	5
Both born dead	417	321	94	2
1 male, 1 female	13,943	10,942	2,925	76
Both born alive	13,316	10,542	2,701	73
1 born alive--Male	230	160	70	-
Female	236	154	80	2
Both born dead	161	86	74	1
2 females	14,849	12,274	2,481	94
Both born alive	13,873	11,495	2,287	91
1 born alive	625	504	119	2
Both born dead	351	275	75	1
ALABAMA	861	437	423	1
2 males	293	154	139	-
Both born alive	265	141	124	-
1 born alive	18	9	9	-
Both born dead	10	4	6	-
1 male, 1 female	293	137	156	-
Both born alive	268	132	136	-
1 born alive--Male	7	2	5	-
Female	11	2	9	-
Both born dead	7	1	6	-
2 females	275	146	128	1
Both born alive	256	138	117	1
1 born alive	12	7	5	-
Both born dead	7	1	6	-
ARIZONA	288	256	18	14
2 males	108	101	3	4
Both born alive	105	98	3	4
1 born alive	1	1	-	-
Both born dead	2	2	-	-
1 male, 1 female	87	73	8	6
Both born alive	84	71	7	6
1 born alive--Male	3	2	1	-
2 females	93	82	7	4
Both born alive	85	76	5	4
1 born alive	4	3	1	-
Both born dead	4	3	1	-
CASES OF TWINS—Con.				
ARKANSAS	476	303	172	1
2 males	130	91	39	-
Both born alive	121	87	34	-
1 born alive	4	1	3	-
Both born dead	5	3	2	-
1 male, 1 female	205	126	79	-
Both born alive	192	123	69	-
1 born alive--Male	4	1	3	-
Female	4	2	2	-
Both born dead	5	-	5	-
2 females	141	86	54	1
Both born alive	131	80	51	-
1 born alive	5	3	1	1
Both born dead	5	3	2	-
CALIFORNIA	3,458	3,022	364	72
2 males	1,203	1,061	112	30
Both born alive	1,131	1,002	102	27
1 born alive	54	45	6	3
Both born dead	18	14	4	-
1 male, 1 female	1,075	923	140	12
Both born alive	1,037	893	132	12
1 born alive--Male	15	14	1	-
Female	14	10	4	-
Both born dead	9	6	3	-
2 females	1,180	1,038	112	30
Both born alive	1,097	961	106	30
1 born alive	59	56	3	-
Both born dead	24	21	3	-
COLORADO	376	358	15	3
2 males	111	106	5	-
Both born alive	101	97	4	-
1 born alive	6	5	1	-
Both born dead	4	4	-	-
1 male, 1 female	122	113	7	2
Both born alive	116	108	6	2
1 born alive--Male	4	3	1	-
Both born dead	2	2	-	-
2 females	143	139	3	1
Both born alive	139	135	3	1
1 born alive	1	1	-	-
Both born dead	3	3	-	-
CONNECTICUT	580	547	33	-
2 males	215	205	10	-
Both born alive	202	192	10	-
1 born alive	10	10	-	-
Both born dead	3	3	-	-
1 male, 1 female	167	158	9	-
Both born alive	159	150	9	-
1 born alive--Male	5	5	-	-
Female	1	1	-	-
Both born dead	2	2	-	-
2 females	198	184	14	-
Both born alive	190	176	14	-
1 born alive	5	5	-	-
Both born dead	3	3	-	-
DELAWARE	120	101	19	-
2 males	38	31	7	-
Both born alive	35	29	6	-
1 born alive	1	1	-	-
Both born dead	2	1	1	-
1 male, 1 female	42	36	6	-
Both born alive	37	32	5	-
1 born alive--Male	3	3	-	-
Female	1	1	-	-
Both born dead	1	-	1	-
2 females	40	34	6	-
Both born alive	34	28	6	-
1 born alive	3	3	-	-
Both born dead	3	3	-	-
DISTRICT OF COLUMBIA	238	83	153	2
2 males	84	37	46	1
Both born alive	77	34	42	1
1 born alive	3	3	-	-
Both born dead	4	-	4	-
1 male, 1 female	83	24	59	-
Both born alive	81	24	57	-
1 born alive--Male	2	-	2	-
2 females	71	22	48	1
Both born alive	69	21	47	1
Both born dead	2	1	1	-
CASES OF TWINS—Con.				
FLORIDA	986	653	332	1
2 males	318	211	107	-
Both born alive	291	197	94	-
1 born alive	17	9	8	-
Both born dead	10	5	5	-
1 male, 1 female	330	207	122	1
Both born alive	310	200	109	1
1 born alive--Male	9	3	6	-
Female	7	3	4	-
Both born dead	4	1	3	-
2 females	338	235	103	-
Both born alive	324	230	94	-
1 born alive	14	5	9	-
GEORGIA	1,105	626	478	1
2 males	402	245	157	-
Both born alive	356	221	135	-
1 born alive	26	14	12	-
Both born dead	20	10	10	-
1 male, 1 female	355	185	170	-
Both born alive	333	181	152	-
1 born alive--Male	10	1	9	-
Female	5	2	3	-
Both born dead	7	1	6	-
2 females	348	196	151	1
Both born alive	316	183	132	1
1 born alive	19	7	12	-
Both born dead	13	6	7	-
IDAHO	157	154	1	2
2 males	56	55	-	1
Both born alive	54	53	-	1
1 born alive	1	1	-	-
Both born dead	1	1	-	-
1 male, 1 female	50	49	1	-
Both born alive	47	46	1	-
1 born alive--Male	2	2	-	-
Female	1	1	-	-
2 females	51	50	-	1
Both born alive	47	46	-	1
1 born alive	3	3	-	-
Both born dead	1	1	-	-
ILLINOIS	2,502	2,081	421	-
2 males	867	727	140	-
Both born alive	816	686	130	-
1 born alive	38	31	7	-
Both born dead	13	10	3	-
1 male, 1 female	812	644	168	-
Both born alive	787	628	159	-
1 born alive--Male	11	9	2	-
Female	8	5	3	-
Both born dead	6	2	4	-
2 females	823	710	113	-
Both born alive	773	666	107	-
1 born alive	36	30	6	-
Both born dead	14	14	-	-
INDIANA	1,164	1,040	124	-
2 males	395	359	36	-
Both born alive	372	338	34	-
1 born alive	13	13	-	-
Both born dead	10	8	2	-
1 male, 1 female	353	305	48	-
Both born alive	341	296	45	-
1 born alive--Male	3	3	-	-
Female	5	4	1	-
Both born dead	4	2	2	-
2 females	416	376	40	-
Both born alive	400	360	40	-
1 born alive	8	8	-	-
Both born dead	8	8	-	-
IOWA	640	632	5	3
2 males	216	215	-	1
Both born alive	206	205	-	1
1 born alive	4	4	-	-
Both born dead	6	6	-	-
1 male, 1 female	177	174	3	-
Both born alive	173	170	3	-
1 born alive--Male	1	1	-	-
Female	3	3	-	-
2 females	247	243	2	2
Both born alive	231	227	2	2
1 born alive	11	11	-	-
Both born dead	5	5	-	-

[1]Includes 91 cases (shown by age of mother) in which sex of mate born dead was undetermined.

Table 28. Cases of Plural Births Classified by Number of Children Born Alive and Born Dead, by Race and Sex for the United States and Each State; and by Age of Mother for the United States: 1955—Continued

(See headnote on p. 267)

AREA AND SEX	Total	White	Negro	Other races
CASES OF TWINS—Con.				
KANSAS	581	537	42	2
2 males	238	221	16	1
Both born alive	224	210	13	1
1 born alive	9	6	3	-
Both born dead	5	5	-	-
1 male, 1 female	167	152	14	1
Both born alive	162	148	13	1
1 born alive--Male	1	1	-	-
Female	3	2	1	-
Both born dead	1	1	-	-
2 females	176	164	12	-
Both born alive	162	151	11	-
1 born alive	9	8	1	-
Both born dead	5	5	-	-
KENTUCKY	842	745	97	-
2 males	305	277	28	-
Both born alive	280	258	22	-
1 born alive	13	10	3	-
Both born dead	12	9	3	-
1 male, 1 female	257	224	33	-
Both born alive	242	212	30	-
1 born alive--Male	4	3	1	-
Female	8	8	-	-
Both born dead	3	1	2	-
2 females	280	244	36	-
Both born alive	265	233	32	-
1 born alive	7	4	3	-
Both born dead	8	7	1	-
LOUISIANA	1,018	528	489	1
2 males	336	197	138	1
Both born alive	314	187	126	1
1 born alive	12	5	7	-
Both born dead	10	5	5	-
1 male, 1 female	367	160	207	-
Both born alive	342	152	190	-
1 born alive--Male	11	3	8	-
Female	8	3	5	-
Both born dead	6	2	4	-
2 females	315	171	144	-
Both born alive	290	157	133	-
1 born alive	17	10	7	-
Both born dead	8	4	4	-
MAINE	230	227	2	1
2 males	75	75	-	-
Both born alive	70	70	-	-
1 born alive	3	3	-	-
Both born dead	2	2	-	-
1 male, 1 female	77	75	1	1
Both born alive	72	70	1	1
1 born alive--Male	2	2	-	-
Female	1	1	-	-
Both born dead	2	2	-	-
2 females	78	77	1	-
Both born alive	75	74	1	-
1 born alive	2	2	-	-
Both born dead	1	1	-	-
MARYLAND	697	499	197	1
2 males	232	159	72	1
Both born alive	213	145	67	1
1 born alive	14	12	2	-
Both born dead	5	2	3	-
1 male, 1 female	225	155	70	-
Both born alive	212	146	66	-
1 born alive--Male	6	5	1	-
Female	4	3	1	-
Both born dead	3	1	2	-
2 females	240	185	55	-
Both born alive	227	178	49	-
1 born alive	8	4	4	-
Both born dead	5	3	2	-
MASSACHUSETTS	1,225	1,183	39	3
2 males	439	426	12	1
Both born alive	411	399	11	1
1 born alive	12	12	-	-
Both born dead	16	15	1	-
1 male, 1 female	360	347	12	1
Both born alive	352	340	11	1
1 born alive--Male	2	2	-	-
Female	2	1	1	-
Both born dead	4	4	-	-
2 females	426	410	15	1
Both born alive	400	387	12	1
1 born alive	17	15	2	-
Both born dead	9	8	1	-

AREA AND SEX	Total	White	Negro	Other races
CASES OF TWINS—Con.				
MICHIGAN	2,206	1,901	300	5
2 males	783	681	102	-
Both born alive	737	639	98	-
1 born alive	24	22	2	-
Both born dead	22	20	2	-
1 male, 1 female	693	592	98	3
Both born alive	663	565	95	3
1 born alive--Male	11	8	3	-
Female	11	11	-	-
Born born dead	8	8	-	-
2 females	730	628	100	2
Both born alive	680	586	92	2
1 born alive	39	34	5	-
Both born dead	11	8	3	-
MINNESOTA	824	808	8	8
2 males	290	285	2	3
Both born alive	266	261	2	3
1 born alive	16	16	-	-
Both born dead	8	8	-	-
1 male, 1 female	253	249	3	1
Both born alive	240	236	3	1
1 born alive--Male	6	6	-	-
Female	4	4	-	-
Both born dead	3	3	-	-
2 females	281	274	3	4
Both born alive	267	261	3	3
1 born alive	12	11	-	1
Both born dead	2	2	-	-
MISSISSIPPI	790	275	514	1
2 males	252	93	159	-
Both born alive	222	84	138	-
1 born alive	16	3	13	-
Both born dead	14	6	8	-
1 male, 1 female	301	81	219	1
Both born alive	275	79	195	1
1 born alive--Male	3	-	3	-
Female	14	1	13	-
Both born dead	9	1	8	-
2 females	237	101	136	-
Both born alive	216	90	126	-
1 born alive	13	7	6	-
Both born dead	8	4	4	-
MISSOURI	993	833	158	2
2 males	343	291	51	1
Both born alive	320	276	43	1
1 born alive	10	7	3	-
Both born dead	13	8	5	-
1 male, 1 female	290	232	58	-
Both born alive	280	223	57	-
1 born alive--Male	2	2	-	-
Female	5	5	-	-
Both born dead	3	2	1	-
2 females	360	310	49	1
Both born alive	343	294	48	1
1 born alive	10	9	1	-
Both born dead	7	7	-	-
MONTANA	204	191	-	13
2 males	73	66	-	7
Both born alive	73	66	-	7
1 male, 1 female	72	70	-	2
Both born alive	70	68	-	2
1 born alive--Male	1	1	-	-
Female	1	1	-	-
2 females	59	55	-	4
Both born alive	56	52	-	4
1 born alive	1	1	-	-
Both born dead	2	2	-	-
NEBRASKA	370	355	12	3
2 males	133	128	3	2
Both born alive	125	121	3	1
1 born alive	8	7	-	1
1 male, 1 female	117	113	4	-
Both born alive	115	111	4	-
1 born alive--Female	1	1	-	-
Both born dead	1	1	-	-
2 females	120	114	5	1
Both born alive	112	107	4	1
1 born alive	5	5	-	-
Both born dead	3	2	1	-

AREA AND SEX	Total	White	Negro	Other races
CASES OF TWINS—Con.				
NEVADA	63	52	9	2
2 males	27	23	4	-
Both born alive	24	21	3	-
1 born alive	3	2	1	-
1 male, 1 female	17	13	2	2
Both born alive	16	13	2	1
1 born alive--Female	1	-	-	1
2 females	19	16	3	-
Both born alive	17	14	3	-
1 born alive	2	2	-	-
NEW HAMPSHIRE	152	152	-	-
2 males	56	56	-	-
Both born alive	48	48	-	-
1 born alive	5	5	-	-
Both born dead	3	3	-	-
1 male, 1 female	42	42	-	-
Both born alive	40	40	-	-
1 born alive--Female	2	2	-	-
2 females	54	54	-	-
Both born alive	51	51	-	-
1 born alive	3	3	-	-
NEW JERSEY	1,214	1,009	204	1
2 males	445	386	59	-
Both born alive	416	359	57	-
1 born alive	16	14	2	-
Both born dead	13	13	-	-
1 male, 1 female	365	292	73	-
Both born alive	348	282	66	-
1 born alive--Male	5	3	2	-
Female	8	6	2	-
Both born dead	4	1	3	-
2 females	404	331	72	1
Both born alive	381	310	70	1
1 born alive	17	15	2	-
Both born dead	6	6	-	-
NEW MEXICO	257	234	6	17
2 males	82	73	3	6
Both born alive	78	70	3	5
1 born alive	3	2	-	1
Both born dead	1	1	-	-
1 male, 1 female	86	79	1	6
Both born alive	85	78	1	6
1 born alive--Male	1	1	-	-
2 females	89	82	2	5
Both born alive	83	76	2	5
1 born alive	4	4	-	-
Both born dead	2	2	-	-
NEW YORK	3,789	3,331	452	6
2 males	1,298	1,140	156	2
Both born alive	1,210	1,062	146	2
1 born alive	56	51	5	-
Both born dead	32	27	5	-
1 male, 1 female	1,195	1,048	146	1
Both born alive	1,136	996	139	1
1 born alive--Male	25	22	3	-
Female	21	18	3	-
Both born dead	13	12	1	-
2 females	1,296	1,143	150	3
Both born alive	1,203	1,061	140	2
1 born alive	56	51	5	-
Both born dead	37	31	5	1
NORTH CAROLINA	1,218	694	494	30
2 males	414	258	146	10
Both born alive	371	242	121	8
1 born alive	31	13	18	-
Both born dead	12	3	7	2
1 male, 1 female	395	200	184	11
Both born alive	363	191	161	11
1 born alive--Male	9	4	5	-
Female	12	2	10	-
Both born dead	11	3	8	-
2 females	409	236	164	9
Both born alive	373	219	145	9
1 born alive	23	12	11	-
Both born dead	13	5	8	-
NORTH DAKOTA	186	182	-	4
2 males	72	72	-	-
Both born alive	70	70	-	-
1 born alive	1	1	-	-
Both born dead	1	1	-	-
1 male, 1 female	53	52	-	1
Both born alive	52	51	-	1
1 born alive--Male	1	1	-	-
2 females	61	58	-	3
Both born alive	56	53	-	3
1 born alive	4	4	-	-
Both born dead	1	1	-	-

Table 28. Cases of Plural Births Classified by Number of Children Born Alive and Born Dead, by Race and Sex for the United States and Each State; and by Age of Mother for the United States: 1955—Continued

(See headnote on p. 267)

AREA AND SEX	Total	White	Negro	Other races
CASES OF TWINS—Con.				
OHIO	2,416	2,129	287	-
2 males	863	781	82	-
Both born alive	801	721	80	-
1 born alive	32	30	2	-
Both born dead	30	30	-	-
1 male, 1 female	739	630	109	-
Both born alive	713	609	104	-
1 born alive--Male	10	8	2	-
Female	13	11	2	-
Both born dead	3	2	1	-
2 females	814	718	96	-
Both born alive	748	661	87	-
1 born alive	33	29	4	-
Both born dead	33	28	5	-
OKLAHOMA	477	396	62	19
2 males	145	124	18	3
Both born alive	135	115	17	3
1 born alive	5	4	1	-
Both born dead	5	5	-	-
1 male, 1 female	139	111	17	11
Both born alive	131	106	15	10
1 born alive--Male	4	3	1	-
Female	1	1	-	-
Both born dead	3	1	1	1
2 females	193	161	27	5
Both born alive	184	153	26	5
1 born alive	5	4	1	-
Both born dead	4	4	-	-
OREGON	402	385	11	6
2 males	142	136	2	4
Both born alive	130	125	1	4
1 born alive	8	7	1	-
Both born dead	4	4	-	-
1 male, 1 female	121	115	4	2
Both born alive	119	113	4	2
1 born alive--Male	1	1	-	-
Both born dead	1	1	-	-
2 females	139	134	5	-
Both born alive	121	117	4	-
1 born alive	11	11	-	-
Both born dead	7	6	1	-
PENNSYLVANIA	2,596	2,291	304	1
2 males	908	810	98	-
Both born alive	840	751	89	-
1 born alive	39	34	5	-
Both born dead	29	25	4	-
1 male, 1 female	803	693	110	-
Both born alive	762	656	106	-
1 born alive--Male	11	11	-	-
Female	23	21	2	-
Both born dead	7	5	2	-
2 females	885	788	96	1
Both born alive	821	728	92	1
1 born alive	43	41	2	-
Both born dead	21	19	2	-
RHODE ISLAND	166	160	6	-
2 males	56	54	2	-
Both born alive	51	49	2	-
1 born alive	2	2	-	-
Both born dead	3	3	-	-
1 male, 1 female	59	57	2	-
Both born alive	57	55	2	-
1 born alive--Male	2	2	-	-
2 females	51	49	2	-
Both born alive	46	45	1	-
1 born alive	1	1	-	-
Both born dead	4	3	1	-
SOUTH CAROLINA	692	310	382	-
2 males	219	99	120	-
Both born alive	216	99	117	-
Both born dead	3	-	3	-
1 male, 1 female	229	104	125	-
Both born alive	224	102	122	-
Both born dead	5	2	3	-
2 females	244	107	137	-
Both born alive	236	105	131	-
1 born alive	1	-	1	-
Both born dead	7	2	5	-
CASES OF TWINS—Con.				
SOUTH DAKOTA	193	189	-	4
2 males	63	62	-	1
Both born alive	55	54	-	1
1 born alive	3	3	-	-
Both born dead	5	5	-	-
1 male, 1 female	56	55	-	1
Both born alive	56	55	-	1
2 females	74	72	-	2
Both born alive	68	66	-	2
1 born alive	1	1	-	-
Both born dead	5	5	-	-
TENNESSEE	910	660	250	-
2 males	294	221	73	-
Both born alive	280	213	67	-
1 born alive	8	5	3	-
Both born dead	6	3	3	-
1 male, 1 female	286	196	90	-
Both born alive	277	189	88	-
1 born alive--Male	2	2	-	-
Female	5	5	-	-
Both born dead	2	-	2	-
2 females	330	243	87	-
Both born alive	306	224	82	-
1 born alive	20	16	4	-
Both born dead	4	3	1	-
TEXAS	2,661	2,138	519	4
2 males	918	763	153	2
Both born alive	869	722	145	2
1 born alive	28	22	6	-
Both born dead	21	19	2	-
1 male, 1 female	873	662	209	2
Both born alive	838	642	194	2
1 born alive--Male	16	11	5	-
Female	9	3	6	-
Both born dead	10	6	4	-
2 females	870	713	157	-
Both born alive	828	680	148	-
1 born alive	24	21	3	-
Both born dead	18	12	6	-
UTAH	239	231	4	4
2 males	82	78	2	2
Both born alive	80	76	2	2
Both born dead	2	2	-	-
1 male, 1 female	79	76	2	1
Both born alive	77	75	2	-
1 born alive--Female	1	-	-	1
Both born dead	1	1	-	-
2 females	78	77	-	1
Both born alive	74	73	-	1
1 born alive	2	2	-	-
Both born dead	2	2	-	-
VERMONT	99	98	1	-
2 males	34	34	-	-
Both born alive	33	33	-	-
1 born alive	1	1	-	-
1 male, 1 female	31	30	1	-
Both born alive	31	30	1	-
2 females	34	34	-	-
Both born alive	32	32	-	-
1 born alive	1	1	-	-
Both born dead	1	1	-	-
VIRGINIA	1,030	690	338	2
2 males	353	253	100	-
Both born alive	322	231	91	-
1 born alive	22	17	5	-
Both born dead	9	5	4	-
1 male, 1 female	317	193	124	-
Both born alive	296	186	110	-
1 born alive--Male	8	2	6	-
Female	9	3	6	-
Both born dead	4	2	2	-
2 females	360	244	114	2
Both born alive	327	228	97	2
1 born alive	22	10	12	-
Both born dead	11	6	5	-
WASHINGTON	630	594	24	12
2 males	212	198	9	5
Both born alive	200	187	8	5
1 born alive	3	3	-	-
Both born dead	9	8	1	-
1 male, 1 female	204	194	8	2
Both born alive	198	188	8	2
1 born alive--Male	1	1	-	-
Female	1	1	-	-
Both born dead	4	4	-	-
2 females	214	202	7	5
Both born alive	201	192	4	5
1 born alive	9	6	3	-
Both born dead	4	4	-	-
CASES OF TWINS—Con.				
WEST VIRGINIA	546	513	33	-
2 males	178	172	6	-
Both born alive	160	155	5	-
1 born alive	10	10	-	-
Both born dead	8	7	1	-
1 male, 1 female	189	177	12	-
Both born alive	179	169	10	-
1 born alive--Male	2	2	-	-
Female	5	3	2	-
Both born dead	3	3	-	-
2 females	179	164	15	-
Both born alive	170	158	12	-
1 born alive	9	6	3	-
WISCONSIN	997	955	34	8
2 males	335	319	13	3
Both born alive	317	301	13	3
1 born alive	12	12	-	-
Both born dead	6	6	-	-
1 male, 1 female	312	297	11	4
Both born alive	306	291	11	4
1 born alive--Male	3	3	-	-
Female	3	3	-	-
2 females	350	339	10	1
Both born alive	329	320	8	1
1 born alive	11	9	2	-
Both born dead	10	10	-	-
WYOMING	91	88	-	3
2 males	32	31	-	1
Both born alive	30	29	-	1
1 born alive	2	2	-	-
1 male, 1 female	23	22	-	1
Both born alive	22	21	-	1
1 born alive--Male	1	1	-	-
2 females	36	35	-	1
Both born alive	33	32	-	1
1 born alive	3	3	-	-
CASES OF TRIPLETS				
UNITED STATES[2]	408	304	100	4
Age of Mother				
All born alive	332	259	71	2
15-19 years	12	11	1	-
20-24 years	76	55	21	-
25-29 years	99	76	21	2
30-34 years	82	68	14	-
35-39 years	52	40	12	-
40-44 years	10	8	2	-
Not stated	1	1	-	-
2 born alive	43	27	16	-
15-19 years	1	-	1	-
20-24 years	14	7	7	-
25-29 years	16	13	3	-
30-34 years	11	6	5	-
Not stated	1	1	-	-
1 born alive	17	7	10	-
15-19 years	3	1	2	-
20-24 years	3	2	1	-
25-29 years	4	2	2	-
30-34 years	4	1	3	-
35-39 years	3	1	2	-
All born dead	16	11	3	2
15-19 years	1	-	-	1
20-24 years	7	4	3	-
30-34 years	1	1	-	-
35-39 years	6	6	-	-
40-44 years	1	-	-	1
Sex				
3 males	108	89	19	-
All born alive	89	75	14	-
2 born alive	9	5	4	-
1 born alive	2	2	-	-
All born dead	8	7	1	-
2 males, 1 female	90	59	30	1
All born alive	73	49	23	1
2 born alive: 1 male, 1 female	11	8	3	-
1 born alive--Male	1	-	1	-
Female	2	-	2	-
All born dead	3	2	1	-

[2]Includes 2 cases (shown by age of mother) in which sex of 1 or 2 mates born dead was undetermined.

Table 28. Cases of Plural Births Classified by Number of Children Born Alive and Born Dead, by Race and Sex for the United States and Each State; and by Age of Mother for the United States: 1955—Continued

(See headnote on p. 267)

AREA AND SEX	Total	White	Negro	Other races
CASES OF TRIPLETS—Con.				
UNITED STATES[2]—Con.				
Sex—Continued				
1 male, 2 females	86	65	20	1
All born alive	74	59	14	1
2 born alive: 1 male, 1 female	5	3	2	-
1 born alive--Male	4	2	2	-
Female	2	-	2	-
All born dead	1	1	-	-
3 females	122	90	30	2
All born alive	96	76	20	-
2 born alive	16	10	6	-
1 born alive	6	3	3	-
All born dead	4	1	1	2
ALABAMA	10	4	6	-
2 males, 1 female	2	-	2	-
All born alive	2	-	2	-
1 male, 2 females	2	2	-	-
All born alive	2	2	-	-
3 females	6	2	4	-
All born alive	4	1	3	-
2 born alive	2	1	1	-
ARIZONA	2	-	-	2
2 males, 1 female	1	-	-	1
All born alive	1	-	-	1
3 females	1	-	-	1
All born dead	1	-	-	1
ARKANSAS	4	-	4	-
2 males, 1 female	3	-	3	-
All born alive	3	-	3	-
3 females	1	-	1	-
2 born alive	1	-	1	-
CALIFORNIA	37	31	5	1
3 males	11	7	4	-
All born alive	8	6	2	-
2 born alive	3	1	2	-
2 males, 1 female	3	3	-	-
All born alive	3	3	-	-
1 male, 2 females	12	11	-	1
All born alive	11	10	-	1
1 born alive--Male	1	1	-	-
3 females	11	10	1	-
All born alive	9	8	1	-
2 born alive	2	2	-	-
COLORADO	1	1	-	-
3 females	1	1	-	-
All born alive	1	1	-	-
CONNECTICUT	1	1	-	-
2 males, 1 female	1	1	-	-
All born alive	1	1	-	-
DISTRICT OF COLUMBIA	3	1	2	-
3 males	2	1	1	-
All born alive	2	1	1	-
1 male, 2 females	1	-	1	-
All born alive	1	-	1	-
FLORIDA	4	1	3	-
3 males	1	-	1	-
All born alive	1	-	1	-
1 male, 2 females	1	-	1	-
1 born alive--Female	1	-	1	-
3 females	2	1	1	-
All born alive	2	1	1	-
GEORGIA	15	4	11	-
3 males	4	3	1	-
All born alive	2	2	-	-
All born dead	2	1	1	-
2 males, 1 female	2	-	2	-
All born alive	2	-	2	-
1 male, 2 females	5	-	5	-
All born alive	5	-	5	-
3 females	4	1	3	-
All born alive	4	1	3	-
CASES OF TRIPLETS—Con.				
ILLINOIS	30	22	8	-
3 males	9	7	2	-
All born alive	6	6	-	-
2 born alive	3	1	2	-
2 males, 1 female	8	4	4	-
All born alive	7	4	3	-
2 born alive: 1 male, 1 female	1	-	1	-
1 male, 2 females	4	4	-	-
All born alive	4	4	-	-
3 females	9	7	2	-
All born alive	5	5	-	-
2 born alive	3	2	1	-
All born dead	1	-	1	-
INDIANA	5	3	2	-
3 males	1	-	1	-
All born alive	1	-	1	-
2 males, 1 female	1	-	1	-
All born alive	1	-	1	-
1 male, 2 females	2	2	-	-
All born alive	2	2	-	-
3 females	1	1	-	-
All born dead	1	1	-	-
IOWA	2	2	-	-
3 males	1	1	-	-
All born alive	1	1	-	-
2 males, 1 female	1	1	-	-
All born alive	1	1	-	-
KANSAS	2	2	-	-
3 males	1	1	-	-
All born alive	1	1	-	-
2 males, 1 female	1	1	-	-
All born alive	1	1	-	-
KENTUCKY	8	7	1	-
3 males	2	2	-	-
All born alive	2	2	-	-
2 males, 1 female	2	2	-	-
All born alive	2	2	-	-
1 male, 2 females	3	2	1	-
All born alive	3	2	1	-
3 females	1	1	-	-
All born alive	1	1	-	-
LOUISIANA	13	5	8	-
3 males	2	2	-	-
All born alive	2	2	-	-
2 males, 1 female	4	1	3	-
All born alive	2	1	1	-
2 born alive: 1 male, 1 female	1	-	1	-
1 born alive--Female	1	-	1	-
1 male, 2 females	3	1	2	-
All born alive	1	-	1	-
2 born alive: 1 male, 1 female	1	1	-	-
1 born alive--Male	1	-	1	-
3 females	4	1	3	-
All born alive	4	1	3	-
MAINE	3	3	-	-
3 males	1	1	-	-
2 born alive	1	1	-	-
2 males, 1 female	1	1	-	-
All born alive	1	1	-	-
3 females	1	1	-	-
All born alive	1	1	-	-
MARYLAND	9	7	2	-
3 males	3	2	1	-
All born alive	2	1	1	-
2 born alive	1	1	-	-
1 male, 2 females	2	1	1	-
All born alive	2	1	1	-
3 females	4	4	-	-
All born alive	4	4	-	-
CASES OF TRIPLETS—Con.				
MASSACHUSETTS	12	12	-	-
3 males	4	4	-	-
All born alive	3	3	-	-
1 born alive	1	1	-	-
2 males, 1 female	1	1	-	-
All born alive	1	1	-	-
1 male, 2 females	4	4	-	-
All born alive	3	3	-	-
2 born alive: 1 male, 1 female	1	1	-	-
3 females	3	3	-	-
All born alive	2	2	-	-
2 born alive	1	1	-	-
MICHIGAN	19	18	1	-
3 males	11	11	-	-
All born alive	7	7	-	-
All born dead	4	4	-	-
2 males, 1 female	2	2	-	-
2 born alive: 1 male, 1 female	2	2	-	-
1 male, 2 females	1	1	-	-
All born alive	1	1	-	-
3 females	5	4	1	-
All born alive	5	4	1	-
MINNESOTA	10	10	-	-
3 males	3	3	-	-
All born alive	3	3	-	-
2 males, 1 female	2	2	-	-
All born alive	2	2	-	-
1 male, 2 females	1	1	-	-
All born alive	1	1	-	-
3 females	4	4	-	-
All born alive	4	4	-	-
MISSISSIPPI	8	5	3	-
3 males	2	1	1	-
All born alive	1	-	1	-
1 born alive	1	1	-	-
2 males, 1 female	2	1	1	-
All born alive	2	1	1	-
1 male, 2 females	2	1	1	-
All born alive	2	1	1	-
3 females	2	2	-	-
All born alive	2	2	-	-
MISSOURI	11	9	2	-
3 males	4	4	-	-
All born alive	4	4	-	-
2 males, 1 female	1	-	1	-
All born alive	1	-	1	-
1 male, 2 females	3	2	1	-
All born alive	2	1	1	-
1 born alive--Male	1	1	-	-
3 females	3	3	-	-
All born alive	3	3	-	-
MONTANA	2	2	-	-
3 females	2	2	-	-
All born alive	2	2	-	-
NEBRASKA	4	4	-	-
3 males	1	1	-	-
All born alive	1	1	-	-
2 males, 1 female	2	2	-	-
All born alive	2	2	-	-
1 male, 2 females	1	1	-	-
All born alive	1	1	-	-
NEVADA	1	-	1	-
3 males	1	-	1	-
All born alive	1	-	1	-
NEW HAMPSHIRE	1	1	-	-
3 males	1	1	-	-
All born dead	1	1	-	-

[2]Includes 2 cases (shown by age of mother) in which sex of 1 or 2 mates born dead was undetermined.

Table 28. Cases of Plural Births Classified by Number of Children Born Alive and Born Dead, by Race and Sex for the United States and Each State; and by Age of Mother for the United States: 1955—Continued

(See headnote on p. 267)

AREA AND SEX	Total	White	Negro	Other races
CASES OF TRIPLETS—Con.				
NEW JERSEY	10	7	3	-
3 males	3	3	-	-
All born alive	3	3	-	-
2 males, 1 female	2	2	-	-
All born alive	2	2	-	-
1 male, 2 females	3	1	2	-
All born alive	2	1	1	-
2 born alive: 1 male, 1 female	1	-	1	-
3 females	2	1	1	-
All born alive	1	1	-	-
2 born alive	1	-	1	-
NEW MEXICO	1	1	-	-
3 females	1	1	-	-
All born alive	1	1	-	-
NEW YORK	35	30	5	-
3 males	12	10	2	-
All born alive	12	10	2	-
2 males, 1 female	9	7	2	-
All born alive	8	6	2	-
2 born alive: 1 male, 1 female	1	1	-	-
1 male, 2 females	6	5	1	-
All born alive	5	4	1	-
All born dead	1	1	-	-
3 females	8	8	-	-
All born alive	7	7	-	-
2 born alive	1	1	-	-
NORTH CAROLINA	16	8	8	-
3 males	2	1	1	-
All born alive	2	1	1	-
2 males, 1 female	6	4	2	-
All born alive	5	4	1	-
1 born alive--Female	1	-	1	-
1 male, 2 females	1	-	1	-
2 born alive: 1 male, 1 female	1	-	1	-
3 females	7	3	4	-
All born alive	4	1	3	-
2 born alive	1	1	-	-
1 born alive	2	1	1	-
NORTH DAKOTA	2	2	-	-
2 males, 1 female	1	1	-	-
All born alive	1	1	-	-
1 male, 2 females	1	1	-	-
All born alive	1	1	-	-
OHIO	27	23	4	-
3 males	4	4	-	-
All born alive	4	4	-	-
2 males, 1 female	6	4	2	-
All born alive	5	3	2	-
2 born alive: 1 male, 1 female	1	1	-	-
1 male, 2 females	9	8	1	-
All born alive	8	8	-	-
1 born alive--Male	1	-	1	-
3 females	8	7	1	-
All born alive	5	5	-	-
2 born alive	1	1	-	-
1 born alive	2	1	1	-
OKLAHOMA	6	3	2	1
3 males	2	2	-	-
All born alive	2	2	-	-
2 males, 1 female	2	1	1	-
All born alive	2	1	1	-
3 females	2	-	1	1
2 born alive	1	-	1	-
All born dead	1	-	-	1
OREGON	5	5	-	-
3 males	1	1	-	-
All born alive	1	1	-	-
1 male, 2 females	2	2	-	-
All born alive	2	2	-	-
3 females	2	2	-	-
All born alive	2	2	-	-
CASES OF TRIPLETS—Con.				
PENNSYLVANIA	25	20	5	-
3 males	4	4	-	-
All born alive	3	3	-	-
2 born alive	1	1	-	-
2 males, 1 female	8	6	2	-
All born alive	5	3	2	-
2 born alive: 1 male, 1 female	3	3	-	-
1 male, 2 females	5	5	-	-
All born alive	5	5	-	-
3 females	8	5	3	-
All born alive	6	4	2	-
2 born alive	1	-	1	-
1 born alive	1	1	-	-
RHODE ISLAND	1	1	-	-
2 males, 1 female	1	1	-	-
All born alive	1	1	-	-
SOUTH CAROLINA	4	2	2	-
3 males	1	-	1	-
All born alive	1	-	1	-
2 males, 1 female	1	-	1	-
All born alive	1	-	1	-
1 male, 2 females	1	1	-	-
All born alive	1	1	-	-
3 females	1	1	-	-
All born alive	1	1	-	-
SOUTH DAKOTA	1	1	-	-
1 male, 2 females	1	1	-	-
All born alive	1	1	-	-
TENNESSEE	10	8	2	-
3 males	3	2	1	-
All born alive	3	2	1	-
2 males, 1 female	3	2	1	-
All born alive	2	2	-	-
1 born alive--Male	1	-	1	-
1 male, 2 females	2	2	-	-
All born alive	2	2	-	-
3 females	2	2	-	-
All born alive	2	2	-	-
TEXAS	15	13	2	-
3 males	2	2	-	-
All born alive	1	1	-	-
All born dead	1	1	-	-
2 males, 1 female	5	4	1	-
All born alive	2	2	-	-
All born dead	3	2	1	-
1 male, 2 females	3	3	-	-
All born alive	2	2	-	-
2 born alive: 1 male, 1 female	1	1	-	-
3 females	5	4	1	-
All born alive	5	4	1	-
VIRGINIA	13	7	6	-
3 males	4	3	1	-
All born alive	4	3	1	-
2 males, 1 female	2	1	1	-
2 born alive: 1 male, 1 female	2	1	1	-
1 male, 2 females	3	1	2	-
All born alive	2	1	1	-
1 born alive--Female	1	-	1	-
3 females	4	2	2	-
All born alive	3	2	1	-
1 born alive	1	-	1	-
WASHINGTON	2	2	-	-
3 males	1	1	-	-
All born alive	1	1	-	-
2 males, 1 female	1	1	-	-
All born alive	1	1	-	-
CASES OF TRIPLETS—Con.				
WEST VIRGINIA	6	6	-	-
3 males	3	3	-	-
All born alive	3	3	-	-
2 males, 1 female	2	2	-	-
All born alive	2	2	-	-
1 male, 2 females	1	1	-	-
All born alive	1	1	-	-
WISCONSIN	8	7	1	-
3 males	1	1	-	-
All born alive	1	1	-	-
3 females	7	6	1	-
All born alive	6	5	1	-
2 born alive	1	1	-	-
WYOMING	2	2	-	-
2 males, 1 female	1	1	-	-
All born alive	1	1	-	-
1 male, 2 females	1	1	-	-
All born alive	1	1	-	-
CASES OF QUADRUPLETS				
UNITED STATES	7	5	2	-
Age of Mother				
All born alive	6	5	1	-
25-29 years	2	2	-	-
30-34 years	2	2	-	-
35-39 years	2	1	1	-
2 born alive	1	-	1	-
35-39 years	1	-	1	-
Sex				
4 males	3	2	1	-
All born alive	3	2	1	-
2 males, 2 females	2	1	1	-
All born alive	1	1	-	-
2 born alive: 2 males	1	-	1	-
1 male, 3 females	1	1	-	-
All born alive	1	1	-	-
4 females	1	1	-	-
All born alive	1	1	-	-
CALIFORNIA	1	1	-	-
2 males, 2 females	1	1	-	-
All born alive	1	1	-	-
CONNECTICUT	1	1	-	-
4 males	1	1	-	-
All born alive	1	1	-	-
GEORGIA	2	1	1	-
4 males	1	-	1	-
All born alive	1	-	1	-
1 male, 3 females	1	1	-	-
All born alive	1	1	-	-
MISSISSIPPI	1	-	1	-
2 males, 2 females	1	-	1	-
2 born alive: 2 males	1	-	1	-
OHIO	1	1	-	-
4 females	1	1	-	-
All born alive	1	1	-	-
TENNESSEE	1	1	-	-
4 males	1	1	-	-
All born alive	1	1	-	-

NOTE.—Excludes 607 cases of twins in which only 1 mate was reported; excludes 16 cases of triplets in which only 1 or 2 mates were reported.

Table 29. Illegitimate Live Births by Age of Mother and Color: 35 Reporting States, 1955

(By place of residence. Includes only illegitimate births occurring within the reporting area)

AREA AND COLOR	Total	Under 15 years	15-19 YEARS						20-24 years	25-29 years	30-34 years	35-39 years	40 years and over	Not stated
			Total	15 years	16 years	17 years	18 years	19 years						
TOTAL	145,615	3,241	56,226	6,023	9,828	12,903	13,905	13,567	43,521	21,584	12,268	6,419	1,900	456
White	45,064	680	17,123	1,321	2,639	3,795	4,533	4,835	14,619	6,187	3,613	2,062	678	102
Nonwhite	100,551	2,561	39,103	4,702	7,189	9,108	9,372	8,732	28,902	15,397	8,655	4,357	1,222	354
Alabama	8,689	170	3,429	367	592	760	875	835	2,445	1,315	743	374	136	77
White	661	13	296	20	51	69	80	76	210	75	37	19	6	5
Nonwhite	8,028	157	3,133	347	541	691	795	759	2,235	1,240	706	355	130	72
Delaware	735	27	303	36	53	79	69	66	178	111	78	25	11	2
White	164	4	68	4	6	25	20	13	44	17	14	10	5	2
Nonwhite	571	23	235	32	47	54	49	53	134	94	64	15	6	-
District of Columbia	3,470	82	1,151	138	210	262	277	264	1,031	600	373	160	46	27
White	409	5	93	5	11	20	28	29	131	69	62	28	3	18
Nonwhite	3,061	77	1,058	133	199	242	249	235	900	531	311	132	43	9
Florida	7,822	223	2,806	340	495	635	673	663	2,261	1,259	752	400	113	8
White	1,378	27	493	44	69	100	126	154	459	201	112	67	16	3
Nonwhite	6,444	196	2,313	296	426	535	547	509	1,802	1,058	640	333	97	5
Georgia	9,538	225	3,798	470	731	869	915	813	2,664	1,385	795	453	100	118
White	972	21	406	32	67	97	105	105	314	98	64	40	10	19
Nonwhite	8,566	204	3,392	438	664	772	810	708	2,350	1,287	731	413	90	99
Illinois	10,647	162	3,405	364	558	730	842	911	3,226	1,963	1,215	540	129	7
White	3,398	39	1,272	101	196	258	325	392	1,100	489	289	157	48	4
Nonwhite	7,249	123	2,133	263	362	472	517	519	2,126	1,474	926	383	81	3
Indiana	3,190	77	1,289	114	232	303	319	321	948	447	250	134	36	9
White	1,902	36	761	52	127	179	203	200	593	243	149	87	29	4
Nonwhite	1,288	41	528	62	105	124	116	121	355	204	101	47	7	5
Iowa	1,205	19	514	48	73	105	141	147	371	153	86	47	15	-
White	1,083	13	462	42	71	87	126	136	339	137	74	44	14	-
Nonwhite	122	6	52	6	2	18	15	11	32	16	12	3	1	-
Kansas	1,082	30	417	34	74	106	97	106	353	138	86	37	19	2
White	694	10	283	19	54	69	64	77	233	80	47	27	13	1
Nonwhite	388	20	134	15	20	37	33	29	120	58	39	10	6	1
Kentucky	3,094	69	1,244	130	261	293	278	282	944	404	242	137	50	4
White	1,721	39	731	60	140	189	166	176	515	200	120	82	31	3
Nonwhite	1,373	30	513	70	121	104	112	106	429	204	122	55	19	1
Louisiana	6,971	124	2,405	228	406	540	641	590	2,046	1,220	688	372	113	3
White	691	14	219	14	35	38	69	63	252	98	61	39	8	-
Nonwhite	6,280	110	2,186	214	371	502	572	527	1,794	1,122	627	333	105	3
Maine	699	10	251	16	40	64	57	74	222	114	55	33	12	2
White	688	10	248	16	39	64	57	72	216	113	55	32	12	2
Nonwhite	11	-	3	-	1	-	-	2	6	1	-	1	-	-
Michigan	5,987	159	2,554	234	417	595	641	667	1,821	745	421	224	54	9
White	3,000	51	1,290	90	201	313	333	353	942	360	201	116	35	5
Nonwhite	2,987	108	1,264	144	216	282	308	314	879	385	220	108	19	4
Minnesota	1,778	21	593	34	103	123	162	171	682	234	134	74	33	7
White	1,500	17	518	30	87	108	142	151	575	196	107	52	29	6
Nonwhite	278	4	75	4	16	15	20	20	107	38	27	22	4	1
Mississippi	7,843	219	3,209	443	601	745	755	665	2,106	1,130	626	379	117	57
White	286	3	140	14	21	30	36	39	91	24	20	2	5	1
Nonwhite	7,557	216	3,069	429	580	715	719	626	2,015	1,106	606	377	112	56
Missouri	4,313	83	1,595	149	292	380	370	404	1,319	637	398	213	67	1
White	1,428	25	596	35	106	143	137	175	439	175	102	64	27	-
Nonwhite	2,885	58	999	114	186	237	233	229	880	462	296	149	40	1
Montana	408	9	166	9	38	34	48	37	125	49	31	19	9	-
White	249	8	117	7	26	24	37	23	73	30	10	9	2	-
Nonwhite	159	1	49	2	12	10	11	14	52	19	21	10	7	-
Nevada	179	4	57	9	13	14	10	11	49	39	15	11	4	-
White	97	-	28	2	6	6	6	8	29	24	9	5	2	-
Nonwhite	82	4	29	7	7	8	4	3	20	15	6	6	2	-
New Jersey	3,145	83	1,160	122	182	272	279	305	1,058	458	235	113	35	3
White	1,256	20	412	28	59	99	109	117	421	193	113	71	25	1
Nonwhite	1,889	63	748	94	123	173	170	188	637	265	122	42	10	2
North Carolina	10,177	269	4,838	545	848	1,187	1,199	1,059	2,880	1,205	588	288	81	28
White	1,678	29	712	56	108	167	198	183	490	226	121	73	22	5
Nonwhite	8,499	240	4,126	489	740	1,020	1,001	876	2,390	979	467	215	59	23
North Dakota	312	3	131	8	17	32	34	40	100	36	25	10	7	-
White	246	2	103	7	13	26	28	29	78	29	17	10	7	-
Nonwhite	66	1	28	1	4	6	6	11	22	7	8	-	-	-
Ohio	7,773	148	2,879	291	473	637	705	773	2,524	1,187	632	321	80	2
White	4,008	60	1,504	127	223	301	392	461	1,331	586	313	167	46	1
Nonwhite	3,765	88	1,375	164	250	336	313	312	1,193	601	319	154	34	1
Oregon	884	14	336	26	48	80	81	101	263	143	65	47	15	1
White	742	12	303	23	41	71	74	94	220	105	53	37	12	-
Nonwhite	142	2	33	3	7	9	7	7	43	38	12	10	3	1

Table 29. Illegitimate Live Births by Age of Mother and Color: 35 Reporting States, 1955—Continued

(By place of residence. Includes only illegitimate births occurring within the reporting area)

AREA AND COLOR	Total	Under 15 years	15-19 YEARS						20-24 years	25-29 years	30-34 years	35-39 years	40 years and over	Not stated
			Total	15 years	16 years	17 years	18 years	19 years						
Pennsylvania	9,058	177	3,360	319	561	786	820	874	2,962	1,272	728	409	146	4
White	4,413	43	1,528	108	213	343	412	452	1,521	609	385	239	86	2
Nonwhite	4,645	134	1,832	211	348	443	408	422	1,441	663	343	170	60	2
Rhode Island	340	3	85	5	8	20	24	28	116	65	43	20	8	-
White	267	2	65	2	7	15	20	21	93	53	31	15	8	-
Nonwhite	73	1	20	3	1	5	4	7	23	12	12	5	-	-
South Carolina	7,180	188	3,299	368	603	785	836	707	1,966	885	467	268	83	24
White	617	15	263	32	31	62	79	59	189	66	43	30	11	-
Nonwhite	6,563	173	3,036	336	572	723	757	648	1,777	819	424	238	72	24
South Dakota	398	4	153	18	17	26	40	52	120	58	30	23	6	4
White	235	3	104	13	10	15	33	33	68	27	15	14	-	4
Nonwhite	163	1	49	5	7	11	7	19	52	31	15	9	6	-
Tennessee	6,176	138	2,253	239	419	493	560	542	1,856	960	575	297	86	11
White	1,593	27	583	52	97	121	159	154	526	204	136	84	30	3
Nonwhite	4,583	111	1,670	187	322	372	401	388	1,330	756	439	213	56	8
Texas	9,939	249	3,455	402	627	754	850	822	3,036	1,688	886	478	139	8
White	3,579	53	1,089	95	188	221	271	314	1,169	659	375	184	48	2
Nonwhite	6,360	196	2,366	307	439	533	579	508	1,867	1,029	511	294	91	6
Utah	229	5	91	6	19	21	26	19	68	36	17	9	3	-
White	200	4	78	5	16	20	21	16	62	31	15	8	2	-
Nonwhite	29	1	13	1	3	1	5	3	6	5	2	1	1	-
Virginia	6,817	160	2,778	317	501	661	694	605	2,053	908	538	285	67	28
White	1,549	20	586	43	84	123	183	153	533	213	107	68	17	5
Nonwhite	5,268	140	2,192	274	417	538	511	452	1,520	695	431	217	50	23
Washington	1,323	23	519	55	77	123	129	135	382	204	121	48	23	3
White	1,068	14	427	43	59	103	113	109	317	161	96	32	19	2
Nonwhite	255	9	92	12	18	20	16	26	65	43	25	16	4	1
West Virginia	2,427	32	994	87	155	234	264	254	732	323	201	105	35	5
White	1,862	22	765	62	115	169	218	201	565	232	158	87	30	3
Nonwhite	565	10	229	25	40	65	46	53	167	91	43	18	5	2
Wisconsin	1,638	28	641	46	77	142	174	202	573	195	116	62	21	2
White	1,310	15	523	32	56	109	145	181	448	152	93	59	19	1
Nonwhite	328	13	118	14	21	33	29	21	125	43	23	3	2	1
Wyoming	149	4	68	6	7	13	20	22	41	18	13	4	1	-
White	120	4	57	6	6	11	18	16	33	12	9	4	1	-
Nonwhite	29	-	11	-	1	2	2	6	8	6	4	-	-	-

Table 30. Live Births by Birth Weight and Color for the United States and Each State; and by Sex for the United States: 1955

(By place of residence. Includes only births occurring within the continental United States. Birth weight data for births in Connecticut and Massachusetts were not available. Births which occurred in these States are included in the "Not stated" classification)

AREA AND COLOR (Sex for U. S. only)	Total	BIRTH WEIGHT[1]										
		1,000 grams or less	1,001-1,500 grams	1,501-2,000 grams	2,001-2,500 grams	2,501-3,000 grams	3,001-3,500 grams	3,501-4,000 grams	4,001-4,500 grams	4,501-5,000 grams	5,001 grams or more	Not stated
UNITED STATES	4,047,295	19,808	24,151	54,252	193,769	711,174	1,472,159	1,036,673	285,258	54,750	7,248	188,053
White	3,458,448	14,936	18,183	41,397	150,352	574,803	1,261,345	918,329	253,812	45,729	5,687	173,875
Nonwhite	588,847	4,872	5,968	12,855	43,417	136,371	210,814	118,344	31,446	9,021	1,561	14,178
Male	2,073,719	10,220	12,432	26,776	87,082	310,291	719,197	567,484	181,629	37,301	5,005	96,302
White	1,776,355	7,804	9,541	20,678	67,867	249,319	612,896	520,684	162,610	31,778	4,025	89,153
Nonwhite	297,364	2,416	2,891	6,098	19,215	60.972	106,301	86,800	19,019	5,523	980	7,149
Female	1,973,576	9,588	11,719	27,476	106,687	400,883	752,962	449,189	103,629	17,449	2,243	91,751
White	1,682,093	7,132	8,642	20,719	82,485	325,484	648,449	397,645	91,202	13,951	1,662	84,722
Nonwhite	291,483	2,456	3,077	6,757	24,202	75,399	104,513	51,544	12,427	3,498	581	7,029
Alabama	81,811	374	568	1,142	4,402	14,876	29,328	21,499	6,538	1,463	221	1,398
White	49,899	173	289	580	2,169	8,053	16,245	14,603	4,323	787	105	572
Nonwhite	31,912	201	279	562	2,233	6,825	11,083	6,896	2,215	676	116	826
Arizona	27,947	118	139	358	1,375	5,333	10,693	7,182	1,914	327	50	458
White	23,733	99	109	295	1,134	4,389	9,084	6,316	1,720	286	44	257
Nonwhite	4,214	19	30	63	241	944	1,609	866	194	41	6	201
Arkansas	41,802	173	225	530	1,944	6,730	14,086	11,335	3,679	938	163	1,999
White	28,936	104	128	323	1,181	4,509	10,144	8,160	2,539	517	85	1,226
Nonwhite	12,866	69	97	207	763	2,221	3,942	3,155	1,140	421	78	773
California	313,366	1,663	1,940	4,267	14,757	56,832	121,864	85,086	22,401	3,658	461	437
White	283,006	1,434	1,651	3,591	12,612	49,487	109,793	79,079	21,102	3,454	434	369
Nonwhite	30,360	229	289	676	2,145	7,345	12,071	6,007	1,299	204	27	68
Colorado	40,017	231	287	648	2,877	9,951	16,177	8,017	1,541	210	22	56
White	38,598	216	272	613	2,691	9,529	15,662	7,823	1,514	205	21	52
Nonwhite	1,419	15	15	35	186	422	515	194	27	5	1	4
Connecticut[2]	52,477	9	8	27	59	256	482	298	60	7	3	51,266
White	49,884	8	6	25	59	252	470	293	60	6	3	48,702
Nonwhite	2,593	1	2	2	-	6	12	5	-	1	-	2,564
Delaware	10,587	46	47	127	546	2,084	4,024	2,702	786	146	15	64
White	8,820	32	34	82	392	1,566	3,407	2,401	709	132	13	52
Nonwhite	1,767	14	13	45	154	518	617	301	77	14	2	12
District of Columbia	20,923	153	191	402	1,462	4,943	7,942	4,347	909	162	21	391
White	9,456	48	50	122	512	1,892	3,667	2,393	546	97	5	124
Nonwhite	11,467	105	141	280	950	3,051	4,275	1,954	363	65	16	267
Florida	69,334	501	647	1,333	4,828	16,683	33,488	23,648	6,512	1,366	165	163
White	64,218	307	398	815	2,955	11,169	24,479	18,067	4,882	912	104	130
Nonwhite	25,116	194	249	518	1,873	5,514	9,009	5,581	1,630	454	61	33
Georgia	100,442	521	688	1,544	5,462	17,996	36,189	26,107	7,798	2,026	377	1,734
White	64,360	268	353	828	2,852	10,603	24,086	18,333	5,214	921	124	798
Nonwhite	36,082	253	335	716	2,610	7,393	12,123	7,774	2,584	1,105	253	936
Idaho	16,986	57	70	223	772	3,090	6,726	4,587	1,126	149	11	175
White	16,676	57	70	218	757	3,014	6,605	4,509	1,115	149	10	172
Nonwhite	310	-	-	5	15	76	121	78	11	-	1	3
Illinois	220,621	1,258	1,342	3,128	10,243	40,099	84,171	60,230	16,655	3,003	369	123
White	189,756	949	967	2,331	7,862	31,868	72,293	54,729	15,500	2,816	338	103
Nonwhite	30,865	309	375	797	2,381	8,231	11,878	5,501	1,155	187	31	20
Indiana	108,614	485	623	1,425	4,993	18,646	40,941	30,317	8,891	1,577	193	523
White	100,690	418	538	1,226	4,405	16,567	37,926	28,862	8,593	1,521	184	450
Nonwhite	7,924	67	85	199	588	2,079	3,015	1,455	298	56	9	73
Iowa	63,747	251	356	698	2,465	9,478	23,347	19,620	6,126	1,086	116	204
White	62,961	243	342	686	2,398	9,283	23,048	19,474	6,088	1,082	116	201
Nonwhite	786	8	14	12	67	195	299	146	38	4	-	3
Kansas	52,912	256	296	663	2,355	8,922	20,085	15,224	4,212	738	90	71
White	50,055	229	264	598	2,130	8,188	19,023	14,647	4,109	718	83	66
Nonwhite	2,857	27	32	65	225	734	1,062	577	103	20	7	5
Kentucky	73,897	307	504	1,048	3,563	12,340	26,387	19,832	6,074	1,407	249	2,186
White	67,741	261	422	914	3,124	10,769	24,174	18,724	5,824	1,357	238	1,934
Nonwhite	6,156	46	82	134	439	1,571	2,213	1,108	250	50	11	252
Louisiana	86,154	494	607	1,425	4,892	16,752	31,874	21,966	6,172	1,356	179	437
White	51,953	240	283	598	2,302	8,638	18,537	15,037	4,268	782	98	190
Nonwhite	34,201	254	324	827	2,590	8,114	12,337	6,929	1,904	594	81	247
Maine	22,420	71	118	290	1,042	3,915	8,348	5,913	1,710	316	39	658
White	22,269	66	118	289	1,034	3,879	8,300	5,877	1,703	313	39	651
Nonwhite	151	5	-	1	8	36	48	36	7	3	-	7
Maryland	67,888	450	530	1,078	3,713	13,629	20,334	16,786	4,170	766	75	357
White	53,281	271	329	722	2,527	9,742	20,812	14,261	3,635	686	69	248
Nonwhite	14,607	179	201	356	1,186	3,887	5,522	2,525	535	101	6	109
Massachusetts[3]	110,263	6	16	21	106	327	703	454	125	15	-	108,490
White	107,188	6	15	21	105	321	696	449	125	15	-	105,415
Nonwhite	3,095	-	1	-	1	6	7	5	-	-	-	3,075

See footnotes on p. 276.

Table 30. Live Births by Birth Weight and Color for the United States and Each State; and by Sex for the United States: 1955—Continued

(See headnote on p. 274)

AREA AND COLOR	Total	BIRTH WEIGHT[1]										
		1,000 grams or less	1,001-1,500 grams	1,501-2,000 grams	2,001-2,500 grams	2,501-3,000 grams	3,001-3,500 grams	3,501-4,000 grams	4,001-4,500 grams	4,501-5,000 grams	5,001 grams or more	Not stated
Michigan	196,623	1,092	1,250	2,804	9,305	34,083	73,291	55,058	15,840	2,857	419	624
White	175,135	855	1,004	2,227	7,671	28,682	65,110	50,994	14,984	2,699	385	524
Nonwhite	21,488	237	246	577	1,634	5,401	8,181	4,064	856	158	34	100
Minnesota	81,705	396	405	874	3,105	12,039	30,226	25,039	7,708	1,455	187	271
White	80,375	387	395	858	3,005	11,756	29,719	24,733	7,641	1,438	186	257
Nonwhite	1,330	9	10	16	100	283	507	306	67	17	1	14
Mississippi	63,366	273	452	931	3,542	11,331	22,406	16,548	5,524	1,614	299	446
White	27,675	106	145	333	1,186	4,335	10,108	8,239	2,518	524	76	105
Nonwhite	35,691	167	307	598	2,356	6,996	12,298	8,309	3,006	1,090	223	341
Missouri	94,001	486	597	1,265	4,445	16,284	35,122	26,201	7,539	1,488	194	380
White	82,489	370	452	979	3,523	13,300	30,814	24,092	7,096	1,376	177	310
Nonwhite	11,512	116	145	286	922	2,984	4,308	2,109	443	112	17	70
Montana	17,474	86	108	287	911	3,371	6,750	4,557	1,131	172	16	85
White	16,458	84	99	269	851	3,199	6,400	4,271	1,053	157	11	64
Nonwhite	1,016	2	9	18	60	172	350	286	78	15	5	21
Nebraska	34,258	155	172	401	1,508	5,836	12,987	9,658	2,717	450	69	305
White	33,073	127	155	382	1,421	5,542	12,537	9,434	2,673	439	63	300
Nonwhite	1,185	28	17	19	87	294	450	224	44	11	6	5
Nevada	6,275	35	41	130	394	1,426	2,467	1,368	320	47	4	43
White	5,567	32	32	113	343	1,221	2,205	1,248	292	42	4	35
Nonwhite	708	3	9	17	51	205	262	120	28	5	-	8
New Hampshire	12,482	57	62	135	552	2,162	4,625	3,267	843	129	21	629
White	12,444	56	62	134	551	2,152	4,611	3,262	841	129	21	625
Nonwhite	38	1	-	1	1	10	14	5	2	-	-	4
New Jersey	121,427	644	713	1,615	6,013	23,025	47,190	31,817	8,209	1,445	172	584
White	107,944	472	551	1,258	4,856	19,511	42,146	29,452	7,761	1,360	158	419
Nonwhite	13,483	172	162	357	1,157	3,514	5,044	2,365	448	85	14	165
New Mexico	25,759	110	163	440	1,795	6,162	10,137	5,287	1,098	186	23	358
White	23,376	99	150	399	1,633	5,556	9,279	4,901	1,035	171	20	133
Nonwhite	2,383	11	13	41	162	606	858	386	63	15	3	225
New York	342,566	1,892	2,242	4,956	18,928	71,191	134,352	83,199	20,186	3,569	359	1,692
White	306,271	1,402	1,760	4,031	15,700	61,324	120,858	77,023	18,997	3,368	334	1,474
Nonwhite	36,295	490	482	925	3,228	9,867	13,494	6,176	1,189	201	25	218
North Carolina	115,365	533	833	1,707	6,250	21,879	43,774	29,907	8,075	1,763	224	420
White	77,006	327	457	977	3,603	13,699	30,076	21,092	5,484	985	115	191
Nonwhite	38,359	206	376	730	2,647	8,180	13,698	8,815	2,591	778	109	229
North Dakota	17,237	73	98	196	756	2,674	6,533	5,097	1,479	262	38	31
White	16,773	68	97	186	731	2,623	6,380	4,953	1,432	246	35	22
Nonwhite	464	5	1	10	25	51	153	144	47	16	3	9
Ohio	223,470	1,253	1,303	3,148	10,981	40,438	85,608	60,269	16,553	2,895	376	646
White	201,789	996	1,068	2,548	9,227	34,693	77,304	56,472	15,831	2,761	368	521
Nonwhite	21,681	257	235	600	1,754	5,745	8,304	3,797	722	134	8	125
Oklahoma	50,102	220	308	629	2,230	8,208	18,573	14,280	4,240	799	90	525
White	43,969	167	253	509	1,853	7,004	16,438	12,803	3,806	683	68	385
Nonwhite	6,133	53	55	120	377	1,204	2,135	1,477	434	116	22	140
Oregon	38,788	152	199	516	1,679	6,298	14,579	11,373	3,309	587	60	36
White	37,684	145	191	492	1,613	6,047	14,166	11,129	3,229	577	60	35
Nonwhite	1,104	7	8	24	66	251	413	244	80	10	-	1
Pennsylvania	242,752	1,338	1,430	3,258	11,757	44,483	93,916	65,461	17,173	3,009	372	555
White	220,243	1,030	1,169	2,626	9,703	38,383	85,414	61,789	16,410	2,884	347	488
Nonwhite	22,509	308	261	632	2,054	6,100	8,502	3,672	763	125	25	67
Rhode Island	17,895	86	88	193	764	2,987	6,748	4,814	1,233	264	23	695
White	17,391	82	84	184	734	2,839	6,569	4,718	1,212	259	23	687
Nonwhite	504	4	4	9	30	148	179	96	21	5	-	8
South Carolina	63,583	296	389	982	3,314	11,547	22,567	16,402	4,803	1,222	150	1,911
White	35,483	131	194	478	1,630	6,105	13,387	9,725	2,622	468	41	702
Nonwhite	28,100	165	195	504	1,684	5,442	9,180	6,677	2,181	754	109	1,209
South Dakota	18,634	73	92	192	754	2,981	6,961	5,557	1,642	279	35	68
White	17,725	67	86	185	720	2,852	6,649	5,283	1,562	258	27	36
Nonwhite	909	6	6	7	34	129	312	274	80	21	8	32
Tennessee	85,037	419	511	1,343	4,455	15,515	31,387	22,889	6,516	1,438	160	404
White	67,001	280	324	900	3,067	11,156	24,890	19,257	5,568	1,140	122	297
Nonwhite	18,036	139	187	443	1,388	4,359	6,497	3,632	948	298	38	107
Texas	239,873	1,073	1,413	3,327	12,012	43,197	90,519	63,263	16,740	3,541	481	4,307
White	206,078	811	1,070	2,602	9,482	35,534	78,651	56,379	15,054	3,040	367	3,088
Nonwhite	33,795	262	343	725	2,530	7,663	11,868	6,884	1,686	501	114	1,219
Utah	24,891	77	104	325	1,173	4,766	10,056	6,465	1,508	246	31	140
White	24,406	73	100	319	1,143	4,653	9,877	6,378	1,491	241	31	100
Nonwhite	485	4	4	6	30	113	179	87	17	5	-	40

See footnotes on p. 276.

Table 30. Live Births by Birth Weight and Color for the United States and Each State; and by Sex for the United States: 1955—Continued

(See headnote on p. 274)

AREA AND COLOR	Total	BIRTH WEIGHT[1]										
		1,000 grams or less	1,001-1,500 grams	1,501-2,000 grams	2,001-2,500 grams	2,501-3,000 grams	3,001-3,500 grams	3,501-4,000 grams	4,001-4,500 grams	4,501-5,000 grams	5,001 grams or more	Not stated
Vermont	9,345	38	67	128	417	1,697	3,642	2,477	657	124	9	89
White	9,317	38	67	128	415	1,686	3,634	2,472	655	124	9	89
Nonwhite	28	-	-	-	2	11	8	5	2	-	-	-
Virginia	94,548	498	715	1,419	5,187	18,454	35,971	24,048	6,237	1,304	192	523
White	70,211	334	481	892	3,437	13,078	27,277	18,689	4,813	840	119	251
Nonwhite	24,337	164	234	527	1,750	5,376	8,694	5,359	1,424	464	73	272
Washington	62,422	286	353	778	2,976	11,164	24,255	17,073	4,552	708	85	192
White	59,568	268	317	728	2,766	10,513	23,168	16,452	4,428	681	84	163
Nonwhite	2,854	18	36	50	210	651	1,087	621	124	27	1	29
West Virginia	44,172	183	322	680	2,528	8,373	16,326	11,370	3,224	603	89	474
White	41,596	175	293	634	2,320	7,690	15,397	10,866	3,116	576	84	445
Nonwhite	2,576	8	29	46	208	683	929	504	108	27	5	29
Wisconsin	92,427	513	453	1,069	3,623	14,652	34,578	26,922	8,420	1,530	248	419
White	89,605	480	424	1,008	3,425	13,973	33,522	26,356	8,271	1,502	236	408
Nonwhite	2,822	33	29	61	198	679	1,056	566	149	28	12	11
Wyoming	8,610	47	66	147	559	2,065	3,424	1,857	383	48	3	11
White	8,336	45	65	141	542	1,979	3,328	1,810	368	46	3	9
Nonwhite	274	2	1	6	17	86	96	47	15	2	-	2

[1]The equivalents of the gram weights in terms of pounds and ounces are as follows:

1,000 grams or less = 2 lb. 3 oz. or less
1,001-1,500 grams = 2 lb. 4 oz.-3 lb. 4 oz.
1,501-2,000 grams = 3 lb. 5 oz.-4 lb. 6 oz.
2,001-2,500 grams = 4 lb. 7 oz.-5 lb. 8 oz.
2,501-3,000 grams = 5 lb. 9 oz.-6 lb. 9 oz.
3,001-3,500 grams = 6 lb. 10 oz.-7 lb. 11 oz.
3,501-4,000 grams = 7 lb. 12 oz.-8 lb. 13 oz.
4,001-4,500 grams = 8 lb. 14 oz.-9 lb. 14 oz.
4,501-5,000 grams = 9 lb. 15 oz.-11 lb. 0 oz.
5,001 grams or more = 11 lb. 1 oz. or more.

[2]Birth weight information not available for births which occurred in Connecticut. Data shown are for births in other States to residents of Connecticut.

[3]Massachusetts did not require the reporting of birth weight. Data shown are for births in other States to residents of Massachusetts.

FETAL DEATHS

430007 O - 57 - 25

Table 31. Fetal Deaths by State of Occurrence Distributed According to State of Residence: United States and Each State, 1955

(Includes only fetal deaths occurring within the continental United States for which the period of gestation was given as 20 weeks or more, or was not stated)

STATE OF OCCURRENCE	Total fetal deaths occurring in State	Fetal deaths to residents occurring in place of residence[1]	FETAL DEATHS TO NONRESIDENTS														
			Total	Intra-state non-residents	Interstate nonresidents												
					Total	State of residence											
						Ala.	Ariz.	Ark.	Calif.	Colo.	Conn.	Del.	D. C.	Fla.	Ga.	Idaho	Ill.
UNITED STATES	69,153	40,639	28,514	26,703	1,811	42	9	41	17	7	25	16	26	40	31	18	108
Alabama	1,812	1,120	692	662	30	...	-	-	-	-	-	-	-	8	7	-	-
Arizona	457	273	184	176	8	-	...	-	2	1	-	-	-	-	-	-	-
Arkansas	697	407	290	263	27	-	-	...	-	-	-	-	-	-	-	-	1
California	4,377	2,201	2,176	2,163	13	-	-	-	...	-	-	1	-	-	-	1	1
Colorado	813	476	337	313	24	-	-	-	2	...	-	-	-	-	1	-	-
Connecticut	722	386	336	322	14	-	-	-	-	-	...	-	-	-	-	-	-
Delaware	177	70	107	98	9	-	-	-	-	-	-	...	-	-	-	-	-
District of Columbia	576	401	175	...	175	-	-	-	-	-	-	-	...	-	-	-	-
Florida	1,660	975	685	665	20	4	-	-	-	-	-	-	-	...	5	-	-
Georgia	2,361	1,478	883	813	70	20	-	-	-	-	-	-	-	12	...	-	1
Idaho	205	102	103	89	14	-	-	-	-	-	-	-	-	-	-	...	-
Illinois	3,313	2,061	1,252	1,201	51	-	-	1	-	2	-	-	-	1	1	-	...
Indiana	1,664	993	671	624	47	-	-	-	1	-	-	1	-	1	-	-	20
Iowa	782	381	401	372	29	-	1	-	-	-	-	-	-	-	-	-	7
Kansas	757	448	309	275	34	-	-	-	-	1	-	-	-	-	1	-	1
Kentucky	1,131	618	513	454	59	1	-	-	-	-	-	-	-	1	1	-	2
Louisiana	1,651	920	731	714	17	-	-	5	-	-	-	-	-	1	-	-	-
Maine	412	235	177	173	4	-	-	-	-	-	-	-	-	-	-	-	-
Maryland	1,081	635	446	367	79	-	-	-	1	-	-	7	22	-	-	-	2
Massachusetts	1,569	887	682	646	36	-	-	-	-	-	9	-	-	-	1	-	-
Michigan	3,030	1,506	1,524	1,509	15	-	-	-	-	-	-	-	-	-	-	-	-
Minnesota	1,154	595	559	520	39	-	-	-	-	-	-	-	-	-	-	-	1
Mississippi	1,836	1,248	588	544	44	13	-	2	-	-	-	-	-	1	-	-	2
Missouri	1,631	878	753	637	116	-	-	8	-	-	-	-	-	-	-	-	47
Montana	217	138	79	77	2	-	-	-	-	-	-	-	-	-	-	-	-
Nebraska	475	305	170	155	15	-	-	-	-	-	-	-	-	-	-	1	-
Nevada	100	64	36	29	7	-	-	-	4	-	-	-	-	-	-	-	-
New Hampshire	222	124	98	78	20	-	-	-	-	-	-	-	-	-	-	-	-
New Jersey	1,995	924	1,071	1,028	43	-	-	-	-	-	1	1	-	-	-	-	-
New Mexico	421	281	140	125	15	-	5	1	-	1	-	-	-	-	-	-	1
New York	7,170	5,127	2,043	1,944	99	1	-	-	2	-	8	-	-	4	1	-	1
North Carolina	2,375	1,271	1,104	1,066	38	-	-	-	-	-	1	-	2	1	-	-	-
North Dakota	240	119	121	107	14	-	-	-	-	-	-	-	-	-	-	-	-
Ohio	3,665	2,123	1,542	1,476	66	-	-	1	-	-	-	-	-	1	1	-	-
Oklahoma	739	460	279	257	22	-	-	1	-	1	-	-	-	1	-	-	2
Oregon	644	391	253	240	13	-	-	-	1	-	-	-	-	-	-	5	-
Pennsylvania	4,448	2,462	1,986	1,876	110	-	1	-	-	-	1	6	-	1	-	-	1
Rhode Island	291	134	157	138	19	-	-	-	1	-	5	-	-	-	-	-	3
South Carolina	1,313	737	576	563	13	-	-	-	-	-	-	-	-	-	3	-	-
South Dakota	312	184	128	110	18	1	-	-	-	-	-	-	-	-	-	-	-
Tennessee	1,538	874	664	579	85	2	-	20	-	-	-	-	-	1	9	-	1
Texas	3,880	2,829	1,051	1,008	43	-	-	1	2	1	-	-	-	2	-	-	2
Utah	314	187	127	125	2	-	-	-	-	-	-	-	-	-	-	-	-
Vermont	169	86	83	72	11	-	-	-	-	-	-	-	-	-	-	-	-
Virginia	1,776	978	798	750	48	-	-	-	-	-	-	-	2	2	-	-	1
Washington	831	496	335	310	25	-	-	-	-	-	-	-	-	-	-	11	-
West Virginia	791	341	450	389	61	-	1	-	-	-	-	-	-	1	-	-	1
Wisconsin	1,247	647	600	562	38	-	1	-	1	-	-	-	-	1	-	-	10
Wyoming	112	63	49	39	10	-	-	1	-	-	-	-	-	-	-	-	-

[1]Unit of residence is defined as the individual urban place of 10,000 or more, or cities of 2,500 to 10,000 as a group, or the rural area of the county, of which the mother was a resident. This represents a change from preceding years in the treatment of cities of 2,500 to 10,000 population. Urban places include every incorporated place having a population of 2,500 or more in 1950, as well as certain unincorporated places classified as "urban" under special rules. For further discussion of residence allocation rules, see text.

Table 31. Fetal Deaths by State of Occurrence Distributed According to State of Residence: United States and Each State, 1955—Continued

(Includes only fetal deaths occurring within the continental United States for which the period of gestation was given as 20 weeks or more, or was not stated)

STATE OF OCCURRENCE	FETAL DEATHS TO NONRESIDENTS—Continued																		
	Interstate nonresidents—Continued																		
	State of residence—Continued																		
	Ind.	Iowa	Kans.	Ky.	La.	Maine	Md.	Mass.	Mich.	Minn.	Miss.	Mo.	Mont.	Nebr.	Nev.	N. H.	N. J.	N. Mex.	N. Y.
UNITED STATES	43	25	57	56	20	11	142	19	38	39	27	53	6	16	5	16	98	21	48
Alabama	-	-	-	-	-	-	-	-	-	-	5	-	-	-	-	-	-	-	-
Arizona	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	2	-
Arkansas	-	-	-	-	1	-	-	-	-	-	-	4	-	-	-	-	-	-	-
California	1	-	-	-	-	-	-	-	-	-	-	-	-	-	3	-	-	-	-
Colorado	-	-	1	-	-	-	-	-	3	2	-	1	1	3	-	-	-	1	-
Connecticut	-	-	-	-	-	-	-	-	-	-	-	1	-	-	1	-	-	-	12
Delaware	-	-	-	-	-	-	3	-	-	-	-	-	-	-	-	-	1	-	-
District of Columbia	-	-	-	-	-	-	115	2	-	-	-	-	-	1	-	-	-	-	-
Florida	-	-	-	1	1	-	1	1	-	-	-	-	-	1	-	-	1	-	-
Georgia	1	-	-	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	2
Idaho	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-
Illinois	18	3	-	2	-	-	-	1	1	1	1	8	-	-	-	-	-	-	-
Indiana	...	-	-	3	-	-	-	-	12	-	-	-	-	-	-	-	-	-	-
Iowa	-	...	-	1	-	-	-	-	-	7	-	6	-	4	-	-	-	-	-
Kansas	-	1	...	-	-	-	-	-	-	-	-	24	-	-	-	-	-	-	-
Kentucky	10	-	-	...	-	1	-	-	3	-	-	-	-	-	-	1	-	-	1
Louisiana	-	-	-	1	...	-	-	-	-	-	8	-	-	-	-	-	-	-	-
Maine	-	-	-	-	-	...	-	1	-	-	-	-	-	-	-	2	-	-	-
Maryland	-	-	-	-	-	-	...	-	-	-	-	1	-	-	-	1	2	-	4
Massachusetts	-	-	-	-	-	1	-	...	-	-	-	-	-	-	-	7	-	-	2
Michigan	4	-	-	-	-	-	-	-	...	-	-	-	-	-		-	1	-	-
Minnesota	-	7	-	-	-	-	-	-	-	...	-	-	-	-	-	-	-	-	-
Mississippi	-	-	-	-	13	-	-	-	-	-	...	2	-	-	-	-	1	-	-
Missouri	2	1	48	-	-	-	-	-	1	1	-	...	-	1	-	-	-	-	-
Montana	-	-	-	-	-	-	-	-	-	-	-	-	...	-	-	-	-	-	-
Nebraska	-	7	3	-	-	-	-	-	-	-	-	1	-	...	-	-	-	-	-
Nevada	-	-	-	-	-	-	-	-	-	-	-	-	-	-	...	-	-	1	1
New Hampshire	-	-	-	-	-	9	-	3	-	-	-	-	-	-	-	...	-	-	-
New Jersey	-	-	-	-	-	-	1	2	-	-	-	-	-	-	-	1	...	-	8
New Mexico	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	...	1
New York	-	-	1	-	-	-	1	1	1	-	-	-	-	-	-	-	36	-	...
North Carolina	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-
North Dakota	-	-	-	-	-	-	-	-	-	10	-	-	1	-	-	-	-	-	-
Ohio	6	-	1	17	-	-	-	-	14	-	-	-	-	-	-	-	1	-	1
Oklahoma	-	-	1	-	1	-	-	-	-	-	2	3	-	-	-	-	-	2	-
Oregon	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Pennsylvania	-	-	-	-	-	-	15	-	1	1	-	-	-	-	-	-	53	-	8
Rhode Island	-	-	-	-	-	-	-	6	-	-	-	-	-	-	-	-	-	-	2
South Carolina	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	1
South Dakota	-	1	1	-	-	-	-	-	-	4	-	-	-	5	-	-	-	-	-
Tennessee	-	-	-	17	-	-	-	-	-	-	10	-	-	-	-	-	-	-	-
Texas	-	-	-	1	3	-	-	-	-	-	1	2	-	-	-	-	-	15	-
Utah	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Vermont	-	-	-	-	-	-	-	2	-	-	-	-	-	-	-	4	1	-	4
Virginia	-	-	-	2	-	-	3	-	-	-	-	-	-	-	-	-	-	-	-
Washington	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
West Virginia	-	-	-	8	-	-	3	-	-	-	-	-	-	-	-	-	-	-	-
Wisconsin	-	4	-	-	-	-	-	-	2	13	-	-	-	-	-	-	-	-	1
Wyoming	-	-	1	-	-	-	-	-	-	-	-	-	4	1	-	-	-	-	-

Table 31. Fetal Deaths by State of Occurrence Distributed According to State of Residence: United States and Each State, 1955—Continued

(Includes only fetal deaths occurring within the continental United States for which the period of gestation was given as 20 weeks or more, or was not stated)

STATE OF OCCURRENCE	FETAL DEATHS TO NONRESIDENTS—Continued																		Total fetal deaths to residents
	Interstate nonresidents—Continued																		
	State of residence—Continued																		
	N. C.	N. Dak.	Ohio	Okla.	Oreg.	Pa.	R. I.	S. C.	S. Dak.	Tenn.	Tex.	Utah	Vt.	Va.	Wash.	W. Va.	Wis.	Wyo.	
UNITED STATES	29	13	80	24	17	96	14	35	13	57	58	4	10	131	26	43	35	6	69,153
Alabama	-	-	-	-	-	-	-	-	-	8	2	-	-	-	-	-	-	-	1,824
Arizona	-	-	-	-	-	-	-	-	-	-	1	-	-	-	1	-	-	-	458
Arkansas	-	-	-	6	-	-	-	-	-	-	15	-	-	-	-	-	-	-	711
California	-	-	1	-	2	-	-	-	-	-	2	-	-	-	1	-	-	-	4,381
Colorado	-	-	1	-	1	1	-	-	-	-	2	1	-	-	1	-	-	2	796
Connecticut	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	733
Delaware	-	-	-	-	-	4	-	-	-	-	-	-	-	1	-	-	-	-	184
District of Columbia	2	-	-	-	-	2	-	-	-	-	-	-	-	52	1	-	-	-	427
Florida	-	-	2	-	-	2	-	-	-	-	-	-	-	1	-	-	-	-	1,680
Georgia	1	-	2	-	-	1	-	19	-	5	2	-	-	-	1	-	1	-	2,322
Idaho	-	-	-	-	-	-	-	-	-	-	1	-	-	-	11	-	-	1	209
Illinois	1	-	1	-	-	-	-	-	-	1	2	-	-	-	-	-	6	-	3,370
Indiana	-	-	7	-	-	-	-	-	-	-	1	-	-	-	-	1	-	-	1,660
Iowa	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	2	-	778
Kansas	-	-	-	5	-	-	-	-	-	-	1	-	-	-	-	-	-	-	780
Kentucky	-	-	12	1	-	-	-	1	-	16	4	-	-	2	-	2	-	-	1,128
Louisiana	-	-	-	-	-	-	-	-	-	-	2	-	-	-	-	-	-	-	1,654
Maine	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	419
Maryland	1	-	2	-	-	5	-	-	-	-	-	-	-	17	-	12	2	-	1,144
Massachussetts	-	-	1	-	-	-	14	-	-	-	-	-	-	1	-	-	-	-	1,552
Michigan	-	-	2	-	-	-	-	-	-	1	2	-	-	-	-	-	5	-	3,053
Minnesota	-	9	-	-	-	-	-	-	6	-	2	-	-	-	-	-	14	-	1,154
Mississippi	-	-	-	3	-	-	-	-	-	7	-	-	-	-	-	-	-	-	1,819
Missouri	-	-	-	1	-	2	-	-	-	2	2	-	-	-	-	-	-	-	1,568
Montana	-	1	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	221
Nebraska	-	-	1	-	-	-	-	-	1	-	1	-	-	-	-	-	-	-	476
Nevada	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	98
New Hampshire	-	-	-	-	-	-	-	-	-	-	-	-	8	-	-	-	-	-	218
New Jersey	-	-	-	-	-	26	-	-	-	1	-	-	-	-	1	1	-	-	2,050
New Mexico	-	-	-	-	-	-	-	1	-	-	-	1	-	-	-	-	3	-	427
New York	2	-	-	1	-	34	-	-	-	1	-	-	2	1	1	-	-	-	7,119
North Carolina	...	-	-	-	-	-	-	11	-	3	-	-	-	19	-	-	-	-	2,366
North Dakota	-	...	-	-	-	-	-	-	3	-	-	-	-	-	-	-	-	-	239
Ohio	-	-	...	-	-	11	-	-	-	-	1	-	-	1	-	10	-	-	3,679
Oklahoma	-	-	1	...	-	-	-	-	-	-	7	-	-	-	-	-	-	-	741
Oregon	-	-	-	-	...	-	-	-	-	-	-	-	-	-	7	-	-	-	648
Pennsylvania	-	-	14	-	1	...	-	2	-	-	1	-	-	1	-	3	-	-	4,434
Rhode Island	-	-	-	-	-	-	...	-	-	-	-	-	-	1	-	1	-	-	286
South Carolina	7	-	-	-	-	-	-	...	-	1	-	-	-	-	-	-	-	-	1,335
South Dakota	-	3	-	-	-	-	-	-	...	-	1	-	-	-	-	-	1	1	307
Tennessee	2	-	1	1	-	-	-	-	-	...	1	-	-	20	-	-	-	-	1,510
Texas	-	-	4	6	-	-	-	-	-	1	...	-	-	1	-	-	1	-	3,895
Utah	-	-	-	-	-	-	-	-	-	-	-	...	-	-	-	-	-	2	316
Vermont	-	-	-	-	-	-	-	-	-	-	-	-	...	-	-	-	-	-	168
Virginia	13	-	-	-	-	2	-	1	-	9	-	-	-	...	-	13	-	-	1,859
Washington	-	-	-	-	13	-	-	-	-	-	-	-	-	-	...	-	-	-	832
West Virginia	-	-	27	-	-	6	-	-	-	-	2	-	-	12	-	...	-	-	773
Wisconsin	-	-	-	-	-	-	-	-	-	1	3	-	-	-	1	-	...	-	1,244
Wyoming	-	-	1	-	-	-	-	-	1	-	-	1	-	-	-	-	-	...	108

Table 32. Fetal Deaths by Month and Color: United States and Each State, 1955

(By place of residence. Includes only fetal deaths occurring within the continental United States for which the period of gestation was given as 20 weeks or more, or was not stated)

AREA AND COLOR	Total	Jan.	Feb.	Mar.	Apr.	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.
UNITED STATES	69,153	5,802	5,224	5,815	5,369	5,756	5,703	6,036	6,275	6,018	5,998	5,516	5,641
White	52,411	4,408	3,997	4,460	4,100	4,318	4,319	4,571	4,715	4,490	4,548	4,213	4,272
Nonwhite	16,742	1,394	1,227	1,355	1,269	1,438	1,384	1,465	1,560	1,528	1,450	1,303	1,369
Alabama	1,824	156	130	144	120	160	136	166	193	159	163	147	150
White	822	73	56	54	57	72	55	76	93	80	73	72	61
Nonwhite	1,002	83	74	90	63	88	81	90	100	79	90	75	89
Arizona	458	43	30	42	31	37	35	42	49	36	41	36	36
White	360	34	20	32	25	28	29	33	42	28	33	26	30
Nonwhite	98	9	10	10	6	9	6	9	7	8	8	10	6
Arkansas	711	72	61	55	52	48	52	63	73	61	61	55	58
White	381	41	35	30	28	26	28	33	34	31	34	32	29
Nonwhite	330	31	26	25	24	22	24	30	39	30	27	23	29
California	4,381	356	329	388	347	344	353	368	405	358	366	373	394
White	3,766	304	280	342	304	293	302	319	341	310	313	317	341
Nonwhite	615	52	49	46	43	51	51	49	64	48	53	56	53
Colorado	796	65	58	56	63	70	73	65	60	72	73	69	72
White	768	61	56	53	62	69	72	62	57	69	71	68	68
Nonwhite	28	4	2	3	1	1	1	3	3	3	2	1	4
Connecticut	733	49	44	61	63	60	75	65	70	67	73	51	55
White	668	45	40	53	58	52	70	62	62	65	65	44	52
Nonwhite	65	4	4	8	5	8	5	3	8	2	8	7	3
Delaware	184	13	11	12	12	18	15	17	21	19	11	15	20
White	126	12	7	8	10	15	9	11	14	9	7	8	16
Nonwhite	58	1	4	4	2	3	6	6	7	10	4	7	4
District of Columbia	427	39	26	36	36	29	38	31	36	43	42	39	32
White	157	14	10	16	15	10	12	12	12	13	13	15	15
Nonwhite	270	25	16	20	21	19	26	19	24	30	29	24	17
Florida	1,680	131	101	121	119	118	140	141	166	168	158	162	155
White	955	80	54	66	68	67	77	85	90	90	86	100	92
Nonwhite	725	51	47	55	51	51	63	56	76	78	72	62	63
Georgia	2,322	200	152	173	179	209	187	193	227	215	219	184	184
White	1,059	89	75	75	83	94	76	87	104	102	93	95	86
Nonwhite	1,263	111	77	98	96	115	111	106	123	113	126	89	98
Idaho	209	26	18	17	26	13	14	18	18	15	14	16	14
White	202	26	16	17	26	12	12	18	18	14	14	15	14
Nonwhite	7	-	2	-	-	1	2	-	-	1	-	1	-
Illinois	3,370	293	252	285	260	264	255	286	314	289	304	279	289
White	2,742	248	204	238	196	226	213	227	251	236	235	231	237
Nonwhite	628	45	48	47	64	38	42	59	63	53	69	48	52
Indiana	1,660	135	119	149	120	140	120	142	150	157	143	136	149
White	1,456	118	103	127	112	118	104	130	132	134	130	115	133
Nonwhite	204	17	16	22	8	22	16	12	18	23	13	21	16
Iowa	778	61	67	61	72	51	60	67	59	72	72	70	66
White	764	60	66	58	70	50	59	66	58	71	72	69	65
Nonwhite	14	1	1	3	2	1	1	1	1	1	-	1	1
Kansas	780	66	66	66	69	62	67	67	67	81	70	39	60
White	710	63	63	59	66	52	61	60	59	74	65	35	53
Nonwhite	70	3	3	7	3	10	6	7	8	7	5	4	7
Kentucky	1,128	103	79	118	90	103	109	102	106	100	96	69	53
White	973	91	69	109	80	86	91	84	90	86	81	58	48
Nonwhite	155	12	10	9	10	17	18	18	16	14	15	11	5
Louisiana	1,654	126	131	109	116	130	130	156	176	143	154	150	133
White	719	53	62	52	45	54	60	70	67	56	72	66	62
Nonwhite	935	73	69	57	71	76	70	86	109	87	82	84	71
Maine	419	31	38	36	32	44	43	39	35	30	36	31	24
White	415	31	38	36	32	44	43	39	34	28	35	31	24
Nonwhite	4	-	-	-	-	-	-	-	1	2	1	-	-
Maryland	1,144	102	84	93	86	100	84	101	104	93	114	95	88
White	804	76	54	67	62	71	56	74	80	54	81	70	59
Nonwhite	340	26	30	26	24	29	28	27	24	39	33	25	29
Massachusetts	1,552	112	126	137	121	131	120	111	140	136	151	134	133
White	1,484	106	119	133	114	121	114	105	136	133	144	133	126
Nonwhite	68	6	7	4	7	10	6	6	4	3	7	1	7
Michigan	3,053	265	235	285	215	266	250	267	267	245	257	247	254
White	2,568	228	205	246	191	223	211	223	229	190	215	198	209
Nonwhite	485	37	30	39	24	43	39	44	38	55	42	49	45
Minnesota	1,154	97	99	110	95	91	86	87	96	107	88	86	112
White	1,129	97	98	108	91	88	85	84	92	106	85	85	110
Nonwhite	25	-	1	2	4	3	1	3	4	1	3	1	2
Mississippi	1,819	143	129	147	152	163	165	164	151	165	143	136	161
White	503	36	25	48	41	40	53	40	45	40	46	36	53
Nonwhite	1,316	107	104	99	111	123	112	124	106	125	97	100	108
Missouri	1,568	130	114	122	121	154	109	138	161	135	117	129	138
White	1,220	107	90	95	89	116	82	107	127	101	96	107	103
Nonwhite	348	23	24	27	32	38	27	31	34	34	21	22	35

Table 32. Fetal Deaths by Month and Color: United States and Each State, 1955—Continued

(See headnote on p. 282)

AREA AND COLOR	Total	Jan.	Feb.	Mar.	Apr.	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.
Montana	221	17	13	19	25	13	21	21	22	20	14	20	16
White	203	17	13	15	23	13	20	19	17	19	14	18	15
Nonwhite	18	-	-	4	2	-	1	2	5	1	-	2	1
Nebraska	476	56	25	41	38	36	44	36	47	35	37	38	43
White	451	51	24	41	34	35	40	35	45	33	35	37	41
Nonwhite	25	5	1	-	4	1	4	1	2	2	2	1	2
Nevada	98	11	9	5	5	10	7	9	6	9	6	12	9
White	86	8	9	4	5	9	7	8	4	7	5	11	9
Nonwhite	12	3	-	1	-	1	-	1	2	2	1	1	-
New Hampshire	218	15	17	18	12	20	21	28	20	17	17	17	16
White	218	15	17	18	12	20	21	28	20	17	17	17	16
Nonwhite	-	-	-	-	-	-	-	-	-	-	-	-	-
New Jersey	2,050	186	130	170	165	170	167	180	196	187	185	149	165
White	1,711	148	112	143	138	146	137	151	156	154	157	131	138
Nonwhite	339	38	18	27	27	24	30	29	40	33	28	18	27
New Mexico	427	46	27	40	37	44	39	30	25	29	37	41	32
White	382	39	26	38	34	38	33	28	22	24	33	38	29
Nonwhite	45	7	1	2	3	6	6	2	3	5	4	3	3
New York	7,119	590	608	577	563	592	614	586	668	616	638	522	545
White	5,699	474	477	468	451	473	477	469	537	490	513	423	447
Nonwhite	1,420	116	131	109	112	119	137	117	131	126	125	99	98
North Carolina	2,366	225	160	193	159	191	192	216	222	223	208	192	185
White	1,170	102	84	95	73	85	103	98	125	113	106	99	87
Nonwhite	1,196	123	76	98	86	106	89	118	97	110	102	93	98
North Dakota	239	18	21	24	20	21	18	24	20	26	19	14	14
White	233	17	20	24	19	20	18	24	20	25	18	14	14
Nonwhite	6	1	1	-	1	1	-	-	-	1	1	-	-
Ohio	3,679	279	303	313	330	327	307	339	299	318	288	274	302
White	3,134	237	251	270	287	271	259	289	264	274	250	230	252
Nonwhite	545	42	52	43	43	56	48	50	35	44	38	44	50
Oklahoma	741	72	53	64	64	58	60	62	73	70	57	52	56
White	575	53	42	52	51	44	46	51	57	55	43	40	41
Nonwhite	166	19	11	12	13	14	14	11	16	15	14	12	15
Oregon	648	51	57	66	51	51	59	55	48	55	50	44	61
White	618	49	55	64	51	49	56	51	44	54	47	38	60
Nonwhite	30	2	2	2	-	2	3	4	4	1	3	6	1
Pennsylvania	4,434	346	371	394	316	394	376	392	372	365	390	361	357
White	3,791	307	313	336	271	328	319	321	319	302	354	306	315
Nonwhite	643	39	58	58	45	66	57	71	53	63	36	55	42
Rhode Island	286	16	20	32	24	24	28	19	19	29	27	22	26
White	274	15	20	31	24	21	28	17	19	26	26	21	26
Nonwhite	12	1	-	1	-	3	-	2	-	3	1	1	-
South Carolina	1,335	133	113	116	107	107	93	121	124	113	119	111	78
White	466	53	40	34	39	42	34	41	48	28	47	38	22
Nonwhite	869	80	73	82	68	65	59	80	76	85	72	73	56
South Dakota	307	26	24	27	15	22	24	34	30	24	21	34	26
White	281	22	23	26	15	21	23	31	25	23	20	31	21
Nonwhite	26	4	1	1	-	1	1	3	5	1	1	3	5
Tennessee	1,510	117	108	139	114	118	118	144	146	131	133	111	131
White	1,032	77	82	89	78	75	85	106	93	91	90	75	91
Nonwhite	478	40	26	50	36	43	33	38	53	40	43	36	40
Texas	3,895	336	277	307	304	312	320	359	344	353	335	329	319
White	2,996	263	225	234	229	240	244	290	265	271	252	259	224
Nonwhite	899	73	52	73	75	72	76	69	79	82	83	70	95
Utah	316	18	21	34	16	24	29	35	31	24	27	32	25
White	307	18	19	33	14	24	28	35	29	23	27	32	25
Nonwhite	9	-	2	1	2	-	1	-	2	1	-	-	-
Vermont	168	10	12	10	15	14	15	13	12	14	19	12	22
White	168	10	12	10	15	14	15	13	12	14	19	12	22
Nonwhite	-	-	-	-	-	-	-	-	-	-	-	-	-
Virginia	1,859	163	128	166	148	163	173	146	155	153	171	128	165
White	1,097	98	78	94	84	93	110	86	92	101	91	78	92
Nonwhite	762	65	50	72	64	70	63	60	63	52	80	50	73
Washington	832	68	75	72	66	81	65	76	65	63	68	72	59
White	766	61	64	66	63	74	61	71	58	60	65	68	55
Nonwhite	66	7	11	6	5	7	4	5	7	3	3	4	4
West Virginia	773	83	53	58	58	58	78	78	67	66	63	61	50
White	718	79	51	54	51	58	70	73	59	59	60	58	46
Nonwhite	55	4	2	4	7	-	8	5	8	7	3	3	4
Wisconsin	1,244	100	92	103	108	89	106	125	109	105	96	110	101
White	1,178	96	87	95	105	86	98	117	107	100	93	103	91
Nonwhite	66	4	5	8	3	3	8	8	2	5	3	7	10
Wyoming	108	6	8	4	10	12	13	12	11	7	7	10	8
White	106	6	8	4	9	12	13	12	11	7	7	10	7
Nonwhite	2	-	-	-	1	-	-	-	-	-	-	-	1

Table 33. Fetal Deaths by Age of Mother and Race: United States and Each State, 1955

(By place of residence. Includes only fetal deaths occurring within the continental United States for which the period of gestation was given as 20 weeks or more, or was not stated)

AREA AND RACE	Total	AGE OF MOTHER									
		Under 15 years	15-19 years	20-24 years	25-29 years	30-34 years	35-39 years	40-44 years	45-49 years	50 years and over	Not stated
UNITED STATES	69,153	159	7,120	16,510	16,745	14,106	9,592	3,531	328	12	1,050
White	52,411	44	4,696	12,596	12,992	10,913	7,397	2,741	237	9	786
Nonwhite	16,742	115	2,424	3,914	3,753	3,193	2,195	790	91	3	264
Negro	16,240	115	2,371	3,801	3,620	3,092	2,132	760	87	3	259
Other	502	-	53	113	133	101	63	30	4	-	5
ALABAMA	1,824	5	243	430	367	342	249	103	14	-	71
White	822	1	92	206	184	142	111	46	4	-	36
Nonwhite	1,002	4	151	224	183	200	138	57	10	-	35
Negro	1,002	4	151	224	183	200	138	57	10	-	35
Other	-	-	-	-	-	-	-	-	-	-	-
ARIZONA	458	1	53	116	97	91	67	24	5	-	4
White	360	-	42	91	75	75	50	19	4	-	4
Nonwhite	98	1	11	25	22	16	17	5	1	-	-
Negro	39	1	8	11	8	5	6	-	-	-	-
Other	59	-	3	14	14	11	11	5	1	-	-
ARKANSAS	711	1	103	164	146	130	102	43	4	-	18
White	381	-	48	84	91	73	45	26	1	-	13
Nonwhite	330	1	55	80	55	57	57	17	3	-	5
Negro	330	1	55	80	55	57	57	17	3	-	5
Other	-	-	-	-	-	-	-	-	-	-	-
CALIFORNIA	4,381	9	432	1,107	1,111	910	586	189	9	-	28
White	3,766	5	364	964	964	764	513	158	9	-	25
Nonwhite	615	4	68	143	147	146	73	31	-	-	3
Negro	521	4	60	124	121	121	63	26	-	-	2
Other	94	-	8	19	26	25	10	5	-	-	1
COLORADO	796	-	77	219	182	154	109	42	2	-	11
White	768	-	76	212	174	146	105	42	2	-	11
Nonwhite	28	-	1	7	8	8	4	-	-	-	-
Negro	22	-	1	5	7	7	2	-	-	-	-
Other	6	-	-	2	1	1	2	-	-	-	-
CONNECTICUT	733	-	40	141	200	182	135	28	1	-	6
White	668	-	33	123	186	166	131	23	1	-	5
Nonwhite	65	-	7	18	14	16	4	5	-	-	1
Negro	65	-	7	18	14	16	4	5	-	-	1
Other	-	-	-	-	-	-	-	-	-	-	-
DELAWARE	184	3	20	47	35	43	27	7	-	-	2
White	126	-	13	32	25	30	20	5	-	-	1
Nonwhite	58	3	7	15	10	13	7	2	-	-	1
Negro	58	3	7	15	10	13	7	2	-	-	1
Other	-	-	-	-	-	-	-	-	-	-	-
DISTRICT OF COLUMBIA	427	1	44	112	94	74	61	18	2	-	21
White	157	-	12	38	33	28	25	8	1	-	12
Nonwhite	270	1	32	74	61	46	36	10	1	-	9
Negro	270	1	32	74	61	46	36	10	1	-	9
Other	-	-	-	-	-	-	-	-	-	-	-
FLORIDA	1,680	13	223	412	402	309	222	81	8	-	10
White	955	3	108	238	235	187	124	49	4	-	7
Nonwhite	725	10	115	174	167	122	98	32	4	-	3
Negro	723	10	114	174	166	122	98	32	4	-	3
Other	2	-	1	-	1	-	-	-	-	-	-
GEORGIA	2,322	13	327	546	517	449	310	112	6	-	42
White	1,059	2	124	288	253	199	116	53	2	-	22
Nonwhite	1,263	11	203	258	264	250	194	59	4	-	20
Negro	1,262	11	203	258	263	250	194	59	4	-	20
Other	1	-	-	-	1	-	-	-	-	-	-
IDAHO	209	3	20	58	53	32	23	14	2	-	4
White	202	3	20	57	51	31	22	12	2	-	4
Nonwhite	7	-	-	1	2	1	1	2	-	-	-
Negro	-	-	-	-	-	-	-	-	-	-	-
Other	7	-	-	1	2	1	1	2	-	-	-
ILLINOIS	3,370	4	301	805	907	683	477	157	15	2	19
White	2,742	-	224	644	754	563	386	136	14	2	19
Nonwhite	628	4	77	161	153	120	91	21	1	-	-
Negro	618	4	76	161	147	118	90	21	1	-	-
Other	10	-	1	-	6	2	1	-	-	-	-
INDIANA	1,660	6	166	412	380	331	208	85	7	1	64
White	1,456	5	139	360	335	288	186	78	5	-	60
Nonwhite	204	1	27	52	45	43	22	7	2	1	4
Negro	202	1	27	52	44	43	22	6	2	1	4
Other	2	-	-	-	1	-	-	1	-	-	-

Table 33. Fetal Deaths by Age of Mother and Race: United States and Each State, 1955—Continued

(See headnote on p. 284)

AREA AND RACE	Total	AGE OF MOTHER									
		Under 15 years	15-19 years	20-24 years	25-29 years	30-34 years	35-39 years	40-44 years	45-49 years	50 years and over	Not stated
IOWA	778	1	69	189	202	162	102	43	3	-	7
White	764	1	68	185	198	159	102	41	3	-	7
Nonwhite	14	-	1	4	4	3	-	2	-	-	-
Negro	13	-	1	4	3	3	-	2	-	-	-
Other	1	-	-	-	1	-	-	-	-	-	-
KANSAS	780	1	92	228	200	125	84	40	4	-	6
White	710	1	85	215	183	110	71	37	3	-	5
Nonwhite	70	-	7	13	17	15	13	3	1	-	1
Negro	64	-	5	13	15	15	11	3	1	-	1
Other	6	-	2	-	2	-	2	-	-	-	-
KENTUCKY	1,128	3	163	266	243	218	160	57	9	-	9
White	973	3	140	224	208	186	140	55	9	-	8
Nonwhite	155	-	23	42	35	32	20	2	-	-	1
Negro	153	-	23	42	34	31	20	2	-	-	1
Other	2	-	-	-	1	1	-	-	-	-	-
LOUISIANA	1,654	7	211	394	360	327	234	91	15	-	15
White	719	-	90	173	173	124	104	45	6	-	4
Nonwhite	935	7	121	221	187	203	130	46	9	-	11
Negro	932	7	121	221	187	201	130	45	9	-	11
Other	3	-	-	-	-	2	-	1	-	-	-
MAINE	419	1	57	117	93	65	59	18	2	-	7
White	415	1	57	116	92	64	59	18	2	-	6
Nonwhite	4	-	-	1	1	1	-	-	-	-	1
Negro	2	-	-	1	1	-	-	-	-	-	-
Other	2	-	-	-	-	1	-	-	-	-	1
MARYLAND	1,144	3	113	261	300	239	155	45	3	-	25
White	804	-	64	188	210	179	113	37	1	-	12
Nonwhite	340	3	49	73	90	60	42	8	2	-	13
Negro	339	3	49	73	90	59	42	8	2	-	13
Other	1	-	-	-	-	1	-	-	-	-	-
MASSACHUSETTS	1,552	-	53	344	406	381	251	90	9	-	18
White	1,484	-	50	333	385	364	238	88	8	-	18
Nonwhite	68	-	3	11	21	17	13	2	1	-	-
Negro	67	-	3	11	20	17	13	2	1	-	-
Other	1	-	-	-	1	-	-	-	-	-	-
MICHIGAN	3,053	5	264	762	722	673	435	167	7	-	18
White	2,568	1	205	639	616	580	371	133	6	-	17
Nonwhite	485	4	59	123	106	93	64	34	1	-	1
Negro	473	4	59	118	103	92	62	33	1	-	1
Other	12	-	-	5	3	1	2	1	-	-	-
MINNESOTA	1,154	-	71	244	293	253	195	78	5	-	15
White	1,129	-	68	239	288	245	191	78	5	-	15
Nonwhite	25	-	3	5	5	8	4	-	-	-	-
Negro	9	-	1	1	2	4	1	-	-	-	-
Other	16	-	2	4	3	4	3	-	-	-	-
MISSISSIPPI	1,819	12	286	407	412	302	244	116	18	1	21
White	503	1	60	136	112	83	68	36	1	-	6
Nonwhite	1,316	11	226	271	300	219	176	80	17	1	15
Negro	1,314	11	225	271	300	219	176	80	17	1	14
Other	2	-	1	-	-	-	-	-	-	-	1
MISSOURI	1,568	4	195	392	359	317	192	88	7	-	14
White	1,220	3	127	313	275	256	152	77	5	-	12
Nonwhite	348	1	68	79	84	61	40	11	2	-	2
Negro	347	1	68	78	84	61	40	11	2	-	2
Other	1	-	-	1	-	-	-	-	-	-	-
MONTANA	221	-	17	59	63	38	26	14	2	-	2
White	203	-	16	54	57	35	23	14	2	-	2
Nonwhite	18	-	1	5	6	3	3	-	-	-	-
Negro	1	-	-	-	-	-	1	-	-	-	-
Other	17	-	1	5	6	3	2	-	-	-	-
NEBRASKA	476	-	40	135	100	100	47	26	3	-	25
White	451	-	39	127	94	94	45	24	3	-	25
Nonwhite	25	-	1	8	6	6	2	2	-	-	-
Negro	18	-	1	5	5	6	-	1	-	-	-
Other	7	-	-	3	1	-	2	1	-	-	-
NEVADA	98	-	14	33	25	9	13	3	-	-	1
White	86	-	12	29	22	6	13	3	-	-	1
Nonwhite	12	-	2	4	3	3	-	-	-	-	-
Negro	9	-	2	3	1	3	-	-	-	-	-
Other	3	-	-	1	2	-	-	-	-	-	-

Table 33. Fetal Deaths by Age of Mother and Race: United States and Each State, 1955—Continued

(See headnote on p. 284)

AREA AND RACE	Total	AGE OF MOTHER									
		Under 15 years	15-19 years	20-24 years	25-29 years	30-34 years	35-39 years	40-44 years	45-49 years	50 years and over	Not stated
NEW HAMPSHIRE	218	-	16	48	65	50	20	17	1	-	1
White	218	-	16	48	65	50	20	17	1	-	1
Nonwhite	-	-	-	-	-	-	-	-	-	-	-
Negro	-	-	-	-	-	-	-	-	-	-	-
Other	-	-	-	-	-	-	-	-	-	-	-
NEW JERSEY	2,050	4	123	439	554	479	331	90	8	1	21
White	1,711	1	72	340	480	421	290	83	8	1	15
Nonwhite	339	3	51	99	74	58	41	7	-	-	6
Negro	336	3	51	98	73	58	40	7	-	-	6
Other	3	-	-	1	1	-	1	-	-	-	-
NEW MEXICO	427	-	58	101	95	90	43	26	4	-	10
White	382	-	48	92	87	82	37	22	4	-	10
Nonwhite	45	-	10	9	8	8	6	4	-	-	-
Negro	7	-	1	2	1	2	1	-	-	-	-
Other	38	-	9	7	7	6	5	4	-	-	-
NEW YORK	7,119	9	452	1,571	1,968	1,615	1,001	358	32	4	109
White	5,699	2	305	1,221	1,577	1,310	868	306	28	4	78
Nonwhite	1,420	7	147	350	391	305	133	52	4	-	31
Negro	1,394	7	144	345	382	300	130	52	3	-	31
Other	26	-	3	5	9	5	3	-	1	-	-
NORTH CAROLINA	2,366	13	340	575	521	426	336	136	13	1	5
White	1,170	2	152	301	282	205	156	62	6	-	4
Nonwhite	1,196	11	188	274	239	221	180	74	7	1	1
Negro	1,168	11	184	266	231	215	179	74	6	1	1
Other	28	-	4	8	8	6	1	-	1	-	-
NORTH DAKOTA	239	-	14	45	51	51	55	20	3	-	-
White	233	-	13	44	51	48	55	19	3	-	-
Nonwhite	6	-	1	1	-	3	-	1	-	-	-
Negro	-	-	-	-	-	-	-	-	-	-	-
Other	6	-	1	1	-	3	-	1	-	-	-
OHIO	3,679	4	401	900	875	765	512	171	15	-	36
White	3,134	2	317	751	756	664	447	155	14	-	28
Nonwhite	545	2	84	149	119	101	65	16	1	-	8
Negro	542	2	84	149	117	101	65	16	1	-	7
Other	3	-	-	-	2	-	-	-	-	-	1
OKLAHOMA	741	1	94	184	166	130	81	35	3	-	47
White	575	-	67	151	132	101	61	20	3	-	40
Nonwhite	166	1	27	33	34	29	20	15	-	-	7
Negro	113	1	19	21	25	16	13	11	-	-	7
Other	53	-	8	12	9	13	7	4	-	-	-
OREGON	648	-	75	162	138	130	87	28	2	-	26
White	618	-	70	151	132	126	85	28	2	-	24
Nonwhite	30	-	5	11	6	4	2	-	-	-	2
Negro	20	-	2	10	3	4	-	-	-	-	1
Other	10	-	3	1	3	-	2	-	-	-	1
PENNSYLVANIA	4,434	4	384	986	1,066	981	670	244	23	1	75
White	3,791	-	282	834	912	857	607	220	21	1	57
Nonwhite	643	4	102	152	154	124	63	24	2	-	18
Negro	640	4	102	151	154	123	62	24	2	-	18
Other	3	-	-	1	-	1	1	-	-	-	-
RHODE ISLAND	286	-	12	74	79	68	40	12	-	-	1
White	274	-	11	71	76	67	36	12	-	-	1
Nonwhite	12	-	1	3	3	1	4	-	-	-	-
Negro	12	-	1	3	3	1	4	-	-	-	-
Other	-	-	-	-	-	-	-	-	-	-	-
SOUTH CAROLINA	1,335	5	186	321	296	225	176	61	6	-	59
White	466	1	64	117	102	87	50	19	1	-	25
Nonwhite	869	4	122	204	194	138	126	42	5	-	34
Negro	869	4	122	204	194	138	126	42	5	-	34
Other	-	-	-	-	-	-	-	-	-	-	-
SOUTH DAKOTA	307	-	25	69	72	71	44	17	1	-	8
White	281	-	20	62	68	66	42	14	1	-	8
Nonwhite	26	-	5	7	4	5	2	3	-	-	-
Negro	1	-	1	-	-	-	-	-	-	-	-
Other	25	-	4	7	4	5	2	3	-	-	-
TENNESSEE	1,510	7	212	361	343	286	196	81	6	-	18
White	1,032	1	140	258	235	198	134	54	3	-	9
Nonwhite	478	6	72	103	108	88	62	27	3	-	9
Negro	476	6	72	102	107	88	62	27	3	-	9
Other	2	-	-	1	1	-	-	-	-	-	-

Table 33. Fetal Deaths by Age of Mother and Race: United States and Each State, 1955—Continued

(See headnote on p. 284)

AREA AND RACE	Total	AGE OF MOTHER									
		Under 15 years	15-19 years	20-24 years	25-29 years	30-34 years	35-39 years	40-44 years	45-49 years	50 years and over	Not stated
TEXAS	3,895	8	502	989	923	740	486	174	16	1	56
White	2,996	5	358	776	724	575	373	124	12	1	48
Nonwhite	899	3	144	213	199	165	113	50	4	-	8
Negro	895	3	144	211	198	165	113	49	4	-	8
Other	4	-	-	2	1	-	-	1	-	-	-
UTAH	316	-	31	82	87	56	44	12	-	-	4
White	307	-	31	80	83	55	42	12	-	-	4
Nonwhite	9	-	-	2	4	1	2	-	-	-	-
Negro	2	-	-	-	1	1	-	-	-	-	-
Other	7	-	-	2	3	-	2	-	-	-	-
VERMONT	168	-	9	42	38	32	36	6	2	-	3
White	168	-	9	42	38	32	36	6	2	-	3
Nonwhite	-	-	-	-	-	-	-	-	-	-	-
Negro	-	-	-	-	-	-	-	-	-	-	-
Other	-	-	-	-	-	-	-	-	-	-	-
VIRGINIA	1,859	8	252	445	406	384	250	81	12	-	21
White	1,097	-	124	282	240	239	144	51	8	-	9
Nonwhite	762	8	128	163	166	145	106	30	4	-	12
Negro	759	8	128	163	163	145	106	30	4	-	12
Other	3	-	-	-	3	-	-	-	-	-	-
WASHINGTON	832	-	64	234	212	156	107	44	3	-	12
White	766	-	61	213	197	142	99	41	3	-	10
Nonwhite	66	-	3	21	15	14	8	3	-	-	2
Negro	40	-	2	13	7	8	6	2	-	-	2
Other	26	-	1	8	8	6	2	1	-	-	-
WEST VIRGINIA	773	-	96	171	165	148	87	52	7	-	47
White	718	-	91	160	148	138	79	49	6	-	47
Nonwhite	55	-	5	11	17	10	8	3	1	-	-
Negro	55	-	5	11	17	10	8	3	1	-	-
Other	-	-	-	-	-	-	-	-	-	-	-
WISCONSIN	1,244	-	69	282	328	268	201	81	9	-	6
White	1,178	-	58	266	307	257	196	80	8	-	6
Nonwhite	66	-	11	16	21	11	5	1	1	-	-
Negro	58	-	10	15	20	8	4	1	-	-	-
Other	8	-	1	1	1	3	1	-	1	-	-
WYOMING	108	-	11	29	28	16	16	6	-	-	2
White	106	-	11	28	27	16	16	6	-	-	2
Nonwhite	2	-	-	1	1	-	-	-	-	-	-
Negro	-	-	-	-	-	-	-	-	-	-	-
Other	2	-	-	1	1	-	-	-	-	-	-

Table 34. Fetal Deaths by Age of Father, Color, Sex of Child, and Age of Mother: United States, 1955

(Includes only fetal deaths occurring within the continental United States for which the period of gestation was given as 20 weeks or more, or was not stated)

COLOR, SEX OF CHILD, AND AGE OF MOTHER	Total	AGE OF FATHER										
		Under 15 years	15-19 years	20-24 years	25-29 years	30-34 years	35-39 years	40-44 years	45-49 years	50-54 years	55 years and over	Not stated
UNITED STATES	69,153	2	1,446	10,289	15,253	13,984	10,389	6,433	2,953	1,089	655	6,660
Under 15 years	159	-	40	15	1	-	1	-	-	-	-	102
15-19 years	7,120	1	1,212	3,351	906	157	52	17	13	2	7	1,402
20-24 years	16,510	1	178	6,086	6,518	1,602	407	150	59	23	17	1,469
25-29 years	16,745	-	10	706	6,611	5,795	1,725	496	187	73	47	1,095
30-34 years	14,106	-	1	79	988	5,525	4,261	1,526	523	181	131	891
35-39 years	9,592	-	2	22	170	797	3,557	2,846	1,064	352	221	561
40-44 years	3,531	-	-	3	25	81	360	1,345	968	362	186	201
45-49 years	328	-	-	-	2	2	6	35	132	90	41	20
50 years and over	12	-	-	-	2	-	-	1	-	4	3	2
Not stated	1,050	-	3	27	30	25	20	17	7	2	2	917
Male	36,029	-	759	5,367	7,979	7,215	5,386	3,429	1,547	563	362	3,422
Under 15 years	85	-	23	5	-	-	1	-	-	-	-	56
15-19 years	3,787	-	635	1,779	476	89	29	7	8	1	4	759
20-24 years	8,618	-	93	3,160	3,423	844	202	80	33	10	8	765
25-29 years	8,664	-	6	363	3,440	2,970	926	275	99	43	26	516
30-34 years	7,361	-	-	40	520	2,850	2,232	846	270	90	81	432
35-39 years	4,958	-	-	8	91	416	1,810	1,506	563	180	121	263
40-44 years	1,808	-	-	3	14	38	172	688	494	187	99	113
45-49 years	185	-	-	-	2	-	3	21	76	49	21	13
50 years and over	5	-	-	-	2	-	-	1	-	1	1	-
Not stated	558	-	2	9	11	8	11	5	4	2	1	505
Female	30,817	1	655	4,679	6,841	6,367	4,684	2,846	1,333	499	273	2,639
Under 15 years	67	-	15	10	-	-	-	-	-	-	-	42
15-19 years	3,157	1	549	1,508	412	63	22	10	5	1	3	583
20-24 years	7,374	-	83	2,788	2,905	722	187	62	26	12	8	581
25-29 years	7,471	-	4	311	2,977	2,655	758	213	84	28	17	424
30-34 years	6,248	-	1	38	442	2,500	1,901	641	238	86	48	353
35-39 years	4,327	-	2	12	77	369	1,625	1,271	478	165	96	232
40-44 years	1,627	-	-	-	11	41	179	626	447	166	83	74
45-49 years	133	-	-	-	-	2	3	13	52	40	17	6
50 years and over	3	-	-	-	-	-	-	-	-	1	-	2
Not stated	410	-	1	12	17	15	9	10	3	-	1	342
Sex not stated	2,307	1	32	243	433	402	319	158	73	27	20	599
Under 15 years	7	-	2	-	1	-	-	-	-	-	-	4
15-19 years	176	-	28	64	18	5	1	-	-	-	-	60
20-24 years	518	1	2	138	190	36	18	8	-	1	1	123
25-29 years	610	-	-	32	194	170	41	8	4	2	4	155
30-34 years	497	-	-	1	26	175	128	39	15	5	2	106
35-39 years	307	-	-	2	2	12	122	69	23	7	4	66
40-44 years	96	-	-	-	-	2	9	31	27	9	4	14
45-49 years	10	-	-	-	-	-	-	1	4	1	3	1
50 years and over	4	-	-	-	-	-	-	-	-	2	2	-
Not stated	82	-	-	6	2	2	-	2	-	-	-	70
WHITE	52,411	-	1,042	8,121	12,436	11,344	8,261	4,947	2,189	748	415	2,908
Under 15 years	44	-	14	9	-	-	1	-	-	-	-	20
15-19 years	4,696	-	875	2,502	696	106	40	11	9	2	5	450
20-24 years	12,596	-	140	4,935	5,264	1,242	276	102	35	13	10	579
25-29 years	12,992	-	9	572	5,477	4,633	1,306	340	132	42	28	453
30-34 years	10,913	-	1	61	812	4,584	3,433	1,102	346	111	76	387
35-39 years	7,397	-	1	18	140	684	2,891	2,284	800	239	136	224
40-44 years	2,741	-	-	2	20	75	297	1,092	764	267	130	94
45-49 years	237	-	-	-	2	1	4	28	100	69	27	6
50 years and over	9	-	-	-	2	-	-	-	-	4	3	-
Not stated	786	-	2	22	23	19	13	8	3	1	-	695
Male	27,152	-	537	4,204	6,472	5,833	4,277	2,643	1,139	378	230	1,439
Under 15 years	23	-	6	4	-	-	1	-	-	-	-	12
15-19 years	2,466	-	451	1,324	363	66	22	4	5	1	3	227
20-24 years	6,526	-	73	2,544	2,749	661	137	59	16	5	4	278
25-29 years	6,658	-	5	289	2,840	2,338	691	180	71	27	15	202
30-34 years	5,671	-	-	28	417	2,360	1,788	621	168	48	49	192
35-39 years	3,856	-	-	8	77	364	1,463	1,205	435	121	74	89
40-44 years	1,395	-	-	2	12	37	146	555	385	136	70	52
45-49 years	136	-	-	-	2	-	3	18	57	38	14	4
50 years and over	4	-	-	-	2	-	-	-	-	1	1	-
Not stated	417	-	2	5	10	7	6	1	2	1	-	383
Female	23,567	-	481	3,742	5,626	5,194	3,722	2,177	992	348	171	1,114
Under 15 years	20	-	8	5	-	-	-	-	-	-	-	7
15-19 years	2,120	-	401	1,132	316	37	17	7	4	1	2	203
20-24 years	5,700	-	66	2,296	2,365	554	124	39	19	7	5	225
25-29 years	5,898	-	4	257	2,491	2,164	584	153	58	15	9	163
30-34 years	4,871	-	1	32	373	2,081	1,541	452	168	60	27	136
35-39 years	3,299	-	1	8	61	310	1,305	1,001	347	111	60	95
40-44 years	1,266	-	-	-	8	36	143	511	356	123	57	32
45-49 years	92	-	-	-	-	1	1	9	39	30	11	1
50 years and over	1	-	-	-	-	-	-	-	-	1	-	-
Not stated	300	-	-	12	12	11	7	5	1	-	-	252

Table 34. Fetal Deaths by Age of Father, Color, Sex of Child, and Age of Mother: United States, 1955—Continued

(Includes only fetal deaths occurring within the continental United States for which the period of gestation was given as 20 weeks or more, or was not stated)

COLOR, SEX OF CHILD, AND AGE OF MOTHER	Total	AGE OF FATHER										
		Under 15 years	15-19 years	20-24 years	25-29 years	30-34 years	35-39 years	40-44 years	45-49 years	50-54 years	55 years and over	Not stated
WHITE—Continued												
Sex not stated	1,692	-	24	175	338	317	262	127	58	22	14	355
Under 15 years	1	-	-	-	-	-	-	-	-	-	-	1
15-19 years	110	-	23	46	17	3	1	-	-	-	-	20
20-24 years	370	-	1	95	150	27	15	4	-	1	1	76
25-29 years	436	-	-	26	146	131	31	7	3	-	4	88
30-34 years	371	-	-	1	22	143	104	29	10	3	-	59
35-39 years	242	-	-	2	2	10	103	58	18	7	2	40
40-44 years	80	-		-	-	2	8	26	23	8	3	10
45-49 years	9	-	-	-	-	-	-	1	4	1	2	1
50 years and over	4	-	-	-	-	-	-	-	-	2	2	-
Not stated	69	-	-	5	1	1	-	2	-	-	-	60
NONWHITE	16,742	2	404	2,168	2,817	2,640	2,128	1,486	764	341	240	3,752
Under 15 years	115	-	26	6	1	-	-	-	-	-	-	82
15-19 years	2,424	1	337	849	210	51	12	6	4	-	2	952
20-24 years	3,914	1	38	1,151	1,254	360	131	48	24	10	7	890
25-29 years	3,753	-	1	134	1,134	1,162	419	156	55	31	19	642
30-34 years	3,193	-	-	18	176	941	828	424	177	70	55	504
35-39 years	2,195	-	1	4	30	113	666	582	264	113	85	337
40-44 years	790	-	-	1	5	6	63	253	204	95	56	107
45-49 years	91	-	-	-	-	1	2	7	32	21	14	14
50 years and over	3	-	-	-	-	-	-	1	-	-	-	2
Not stated	264	-	1	5	7	6	7	9	4	1	2	222
Male	8,877	-	222	1,163	1,507	1,382	1,109	786	408	185	132	1,983
Under 15 years	62	-	17	1	-	-	-	-	-	-	-	44
15-19 years	1,321	-	184	455	113	23	7	3	3	-	1	532
20-24 years	2,092	-	20	616	674	183	65	21	17	5	4	487
25-29 years	2,006	-	1	74	600	632	235	95	28	16	11	314
30-34 years	1,690	-	-	12	103	490	444	225	102	42	32	240
35-39 years	1,102	-	-	-	14	52	327	301	128	59	47	174
40-44 years	413	-	-	1	2	1	26	133	109	51	29	61
45-49 years	49	-	-	-	-	-	-	3	19	11	7	9
50 years and over	1	-		-	-	-	-	1	-	-	-	-
Not stated	141	-	-	4	1	1	5	4	2	1	1	122
Female	7,250	1	174	937	1,215	1,173	962	669	341	151	102	1,525
Under 15 years	47	-	7	5	-	-	-	-	-	-	-	35
15-19 years	1,037	1	148	376	96	26	5	3	1	-	1	380
20-24 years	1,674	-	17	492	540	168	63	23	7	5	3	356
25-29 years	1,573	-	-	54	486	491	174	60	26	13	8	261
30-34 years	1,377	-	-	6	69	419	360	189	70	26	21	217
35-39 years	1,028	-	1	4	16	59	320	270	131	54	36	137
40-44 years	361	-	-	-	3	5	36	115	91	43	26	42
45-49 years	41	-	-	-	-	1	2	4	13	10	6	5
50 years and over	2	-	-	-	-	-	-	-	-	-	-	2
Not stated	110	-	1	-	5	4	2	5	2	-	1	90
Sex not stated	615	1	8	68	95	85	57	31	15	5	6	244
Under 15 years	6	-	2	-	1	-	-	-	-	-	-	3
15-19 years	66	-	5	18	1	2	-	-	-	-	-	40
20-24 years	148	1	1	43	40	9	3	4	-		-	47
25-29 years	174	-	-	6	48	39	10	1	1	2	-	67
30-34 years	126	-	-	-	4	32	24	10	5	2	2	47
35-39 years	65	-	-	-	-	2	19	11	5	-	2	26
40-44 years	16	-	-	-	-	-	1	5	4	1	1	4
45-49 years	1	-	-	-	-	-	-	-	-	-	1	-
50 years and over	-	-	-	-	-	-	-	-	-	-	-	-
Not stated	13	-	-	1	1	1	-	-	-	-	-	10

Table 35. Fetal Deaths by Attendant, Gestation Group, and Color: United States and Each State, 1955

(By place of residence. Includes only fetal deaths occurring within the continental United States, for which the period of gestation was given as 20 weeks or more, or was not stated. Period of gestation data for fetal deaths in Massachusetts were not available)

AREA AND COLOR	FETAL DEATHS[1] (Groups II, III, IV)				FETAL DEATHS OF 20-27 WEEKS OF GESTATION[4] (Group II)				FETAL DEATHS OF 28 WEEKS OR MORE OF GESTATION[4] (Group III)			
	Total[2]	Attendant			Total[2]	Attendant			Total[2]	Attendant		
		Physician in hospital[3]	Physician not in hospital	Midwife		Physician in hospital[3]	Physician not in hospital	Midwife		Physician in hospital[3]	Physician not in hospital	Midwife
UNITED STATES	69,153	62,413	3,744	1,587	14,571	12,762	1,140	283	47,577	43,343	2,224	1,202
White	52,411	49,796	1,968	146	10,516	9,731	628	13	36,268	34,810	1,107	113
Nonwhite	16,742	12,617	1,776	1,441	4,055	3,031	512	270	11,309	8,533	1,117	1,089
Alabama	1,824	1,317	176	269	353	253	40	49	1,279	923	121	192
White	822	752	55	6	142	133	8	-	573	526	39	3
Nonwhite	1,002	565	121	263	211	120	32	49	706	397	82	189
Arizona	458	421	23	3	88	80	4	-	360	334	19	3
White	360	339	18	2	75	71	4	-	281	265	14	2
Nonwhite	98	82	5	1	13	9	-	-	79	69	5	1
Arkansas	711	532	84	82	105	74	17	12	455	331	62	52
White	381	349	29	1	49	46	3	-	233	207	23	1
Nonwhite	330	183	55	81	56	28	14	12	222	124	39	51
California	4,381	4,217	107	-	941	871	51	-	3,393	3,316	54	-
White	3,766	3,635	88	-	780	726	41	-	2,948	2,885	45	-
Nonwhite	615	582	19	-	161	145	10	-	445	431	9	-
Colorado	796	760	28	2	196	192	4	-	439	421	15	2
White	768	733	28	2	189	185	4	-	424	407	15	2
Nonwhite	28	27	-	-	7	7	-	-	15	14	-	-
Connecticut	733	716	12	-	148	139	9	-	531	527	2	-
White	668	653	10	-	133	126	7	-	484	480	2	-
Nonwhite	65	63	2	-	15	13	2	-	47	47	-	-
Delaware	184	165	8	6	38	32	-	2	129	120	5	4
White	126	122	1	1	28	26	-	-	89	87	1	1
Nonwhite	58	43	7	5	10	6	-	2	40	33	4	3
District of Columbia	427	377	8	-	86	75	3	-	252	235	2	-
White	157	144	1	-	27	26	-	-	92	91	1	-
Nonwhite	270	233	7	-	59	49	3	-	160	144	1	-
Florida	1,680	1,429	149	65	332	278	38	5	1,308	1,118	108	60
White	955	911	30	2	194	179	10	-	737	711	19	2
Nonwhite	725	518	119	63	138	99	28	5	571	407	89	58
Georgia	2,322	1,794	134	66	609	461	38	14	1,539	1,190	85	52
White	1,059	1,015	23	3	245	232	9	-	723	699	11	3
Nonwhite	1,263	779	111	63	364	229	29	14	816	491	74	49
Idaho	209	207	2	-	23	23	-	-	136	134	2	-
White	202	200	2	-	21	21	-	-	132	130	2	-
Nonwhite	7	7	-	-	2	2	-	-	4	4	-	-
Illinois	3,370	3,161	156	-	672	603	51	-	2,676	2,538	104	-
White	2,742	2,629	86	-	529	490	35	-	2,192	2,120	50	-
Nonwhite	628	532	70	-	143	113	16	-	484	418	54	-
Indiana	1,660	1,565	86	-	290	253	33	-	1,163	1,112	46	-
White	1,456	1,391	62	-	241	216	24	-	1,025	990	33	-
Nonwhite	204	174	24	-	49	37	9	-	138	122	13	-
Iowa	778	750	25	-	152	144	8	-	569	553	14	-
White	764	737	24	-	149	141	8	-	558	543	13	-
Nonwhite	14	13	1	-	3	3	-	-	11	10	1	-
Kansas	780	756	20	-	152	144	7	-	599	587	11	-
White	710	692	15	-	136	129	6	-	549	541	8	-
Nonwhite	70	64	5	-	16	15	1	-	50	46	3	-
Kentucky	1,128	967	118	35	181	153	21	6	772	667	80	22
White	973	845	95	29	151	134	14	3	659	570	67	20
Nonwhite	155	122	23	6	30	19	7	3	113	97	13	2
Louisiana	1,654	1,459	96	55	326	267	30	12	1,291	1,159	64	43
White	719	696	14	3	140	133	6	-	569	554	8	3
Nonwhite	935	763	82	52	186	134	24	12	722	605	56	40
Maine	419	392	25	-	81	73	8	-	251	236	14	-
White	415	388	25	-	80	72	8	-	250	235	14	-
Nonwhite	4	4	-	-	1	1	-	-	1	1	-	-
Maryland	1,144	1,035	67	13	228	193	22	1	809	744	43	12
White	804	753	38	-	154	138	12	-	588	559	25	-
Nonwhite	340	282	29	13	74	55	10	1	221	185	18	12
Massachusetts[5]	1,552	1,542	8	-	8	7	-	-	11	11	-	-
White	1,484	1,474	8	-	8	7	-	-	10	10	-	-
Nonwhite	68	68	-	-	-	-	-	-	1	1	-	-
Michigan	3,053	2,965	71	-	605	563	39	-	2,299	2,268	28	-
White	2,568	2,507	47	-	485	459	23	-	1,948	1,927	20	-
Nonwhite	485	458	24	-	120	104	16	-	351	341	8	-

See footnotes on p. 292.

Table 35. Fetal Deaths by Attendant, Gestation Group, and Color: United States and Each State, 1955—Continued

(See headnote on p. 290)

AREA AND COLOR	FETAL DEATHS[1] (Groups II, III, IV)				FETAL DEATHS OF 20-27 WEEKS OF GESTATION[4] (Group II)				FETAL DEATHS OF 28 WEEKS OR MORE OF GESTATION[4] (Group III)			
	Total[2]	Attendant			Total[2]	Attendant			Total[2]	Attendant		
		Physician in hospital[3]	Physician not in hospital	Midwife		Physician in hospital[3]	Physician not in hospital	Midwife		Physician in hospital[3]	Physician not in hospital	Midwife
Minnesota	1,154	1,115	35	-	183	171	10	-	817	792	23	-
White	1,129	1,093	32	-	182	170	10	-	794	772	20	-
Nonwhite	25	22	3	-	1	1	-	-	23	20	3	-
Mississippi	1,819	1,101	247	445	443	248	80	109	1,231	747	149	319
White	503	455	37	7	121	112	8	-	330	301	20	6
Nonwhite	1,316	646	210	438	322	136	72	109	901	446	129	313
Missouri	1,568	1,445	100	6	388	350	31	1	1,089	1,014	63	5
White	1,220	1,133	77	2	271	242	26	-	865	816	45	2
Nonwhite	348	312	23	4	117	108	5	1	224	198	18	3
Montana	221	211	7	-	33	31	1	-	160	153	5	-
White	203	196	4	-	31	29	1	-	145	141	2	-
Nonwhite	18	15	3	-	2	2	-	-	15	12	3	-
Nebraska	476	463	13	-	98	90	8	-	323	318	5	-
White	451	439	12	-	92	84	8	-	307	303	4	-
Nonwhite	25	24	1	-	6	6	-	-	16	15	1	-
Nevada	98	97	1	-	21	20	1	-	68	68	-	-
White	86	85	1	-	17	16	1	-	61	61	-	-
Nonwhite	12	12	-	-	4	4	-	-	7	7	-	-
New Hampshire	218	212	5	-	39	35	4	-	163	163	-	-
White	218	212	5	-	39	35	4	-	163	163	-	-
Nonwhite	-	-	-	-	-	-	-	-	-	-	-	-
New Jersey	2,050	1,957	60	-	404	366	28	-	1,504	1,465	25	-
White	1,711	1,648	41	-	315	287	20	-	1,275	1,252	15	-
Nonwhite	339	309	19	-	89	79	8	-	229	213	10	-
New Mexico	427	358	49	10	63	51	7	2	305	258	38	6
White	382	317	47	10	57	47	6	2	273	226	38	6
Nonwhite	45	41	2	-	6	4	1	-	32	32	-	-
New York	7,119	6,686	375	-	2,045	1,841	174	-	4,358	4,238	99	-
White	5,699	5,419	237	-	1,467	1,344	100	-	3,716	3,617	85	-
Nonwhite	1,420	1,267	138	-	578	497	74	-	642	621	14	-
North Carolina	2,366	1,899	245	166	436	342	51	33	1,807	1,450	181	131
White	1,170	1,114	48	3	200	186	12	-	924	884	34	3
Nonwhite	1,196	785	197	163	236	156	39	33	883	566	147	128
North Dakota	239	234	4	-	37	37	-	-	196	191	4	-
White	233	229	3	-	37	37	-	-	190	186	3	-
Nonwhite	6	5	1	-	-	-	-	-	6	5	1	-
Ohio	3,679	3,516	131	-	851	789	48	-	2,439	2,367	61	-
White	3,134	3,003	112	-	716	668	39	-	2,065	2,008	52	-
Nonwhite	545	513	19	-	135	121	9	-	374	359	9	-
Oklahoma	741	680	41	12	124	120	3	1	497	456	29	8
White	575	548	20	4	98	97	1	-	382	361	16	3
Nonwhite	166	132	21	8	26	23	2	1	115	95	13	5
Oregon	648	626	17	-	177	167	8	-	331	326	5	-
White	618	596	17	-	170	160	8	-	315	310	5	-
Nonwhite	30	30	-	-	7	7	-	-	16	16	-	-
Pennsylvania	4,434	4,207	182	-	1,130	1,022	88	-	3,002	2,898	83	-
White	3,791	3,605	155	-	906	816	76	-	2,626	2,540	71	-
Nonwhite	643	602	27	-	224	206	12	-	376	358	12	-
Rhode Island	286	282	2	-	40	39	1	-	222	221	-	-
White	274	270	2	-	36	35	1	-	214	213	-	-
Nonwhite	12	12	-	-	4	4	-	-	8	8	-	-
South Carolina	1,335	934	145	226	184	130	30	21	928	622	97	189
White	466	450	9	4	71	67	3	-	306	297	4	4
Nonwhite	869	484	136	222	113	63	27	21	622	325	93	185
South Dakota	307	284	15	-	80	72	7	-	193	186	4	-
White	281	262	14	-	75	67	7	-	177	171	4	-
Nonwhite	26	22	1	-	5	5	-	-	16	15	-	-
Tennessee	1,510	1,371	92	33	307	288	12	1	1,199	1,079	80	32
White	1,032	966	54	6	200	191	6	-	828	771	48	6
Nonwhite	478	405	38	27	107	97	6	1	371	308	32	26
Texas	3,895	3,372	265	76	813	715	46	13	2,636	2,281	188	54
White	2,996	2,652	181	53	608	548	28	8	2,088	1,846	130	38
Nonwhite	899	720	84	23	205	167	18	5	548	435	58	16
Utah	316	309	7	-	66	63	3	-	173	170	3	-
White	307	300	7	-	65	62	3	-	170	167	3	-
Nonwhite	9	9	-	-	1	1	-	-	3	3	-	-

See footnotes on p. 292.

Table 35. Fetal Deaths by Attendant, Gestation Group, and Color: United States and Each State, 1955—Continued

(See headnote on p. 290)

AREA AND COLOR	FETAL DEATHS[1] (Groups II, III, IV)				FETAL DEATHS OF 20-27 WEEKS OF GESTATION[4] (Group II)				FETAL DEATHS OF 28 WEEKS OR MORE OF GESTATION[4] (Group III)			
	Total[2]	Attendant			Total[2]	Attendant			Total[2]	Attendant		
		Physician in hospital[3]	Physician not in hospital	Midwife		Physician in hospital[3]	Physician not in hospital	Midwife		Physician in hospital[3]	Physician not in hospital	Midwife
Vermont	168	153	12	-	30	29	1	-	108	105	3	-
White	168	153	12	-	30	29	1	-	108	105	3	-
Nonwhite	-	-	-	-	-	-	-	-	-	-	-	-
Virginia	1,859	1,540	188	8	404	339	47	1	1,364	1,129	134	7
White	1,097	1,026	52	1	253	235	15	-	802	755	35	1
Nonwhite	762	514	136	7	151	104	32	1	562	374	99	6
Washington	832	817	12	-	177	170	5	-	602	595	7	-
White	766	755	8	-	151	146	3	-	564	559	5	-
Nonwhite	66	62	4	-	26	24	2	-	38	36	2	-
West Virginia	773	703	57	9	124	113	10	-	541	488	41	9
White	718	655	52	7	110	100	9	-	505	457	38	7
Nonwhite	55	48	5	2	14	13	1	-	36	31	3	2
Wisconsin	1,244	1,209	32	-	245	232	13	-	989	968	18	-
White	1,178	1,147	28	-	227	217	10	-	941	921	17	-
Nonwhite	66	62	4	-	18	15	3	-	48	47	1	-
Wyoming	108	105	2	-	15	14	-	-	71	71	-	-
White	106	103	2	-	15	14	-	-	70	70	-	-
Nonwhite	2	2	-	-	-	-	-	-	1	1	-	-

[1]Fetal deaths for which period of gestation was not stated (Group IV) are not shown separately, but are included in this group.
[2]Fetal deaths attended by "other and not specified" persons are not shown separately, but are included in "Total."
[3]It is assumed that all fetal deaths in hospitals or institutions are attended by physicians.
[4]Period of gestation reported in months allocated to gestation interval in weeks as follows: 5 and 6 months to "20-27 weeks"; 7 months or more to "28 weeks or more."
[5]Massachusetts did not require the reporting of period of gestation. Gestation age data shown are for fetal deaths in other States to residents of Massachusetts.

Table 36. Fetal Deaths by Birth Weight and Color for the United States and Each State; and by Sex for the United States: 1955

(By place of residence. Includes only fetal deaths occurring within the continental United States for which the period of gestation was given as 20 weeks or more, or was not stated. Birth weight data for fetal deaths in Connecticut, Massachusetts, and Rhode Island were not available. Fetal deaths which occurred in these States are included in the "Not stated" classification)

AREA AND COLOR (Sex for U. S. only)	Total	BIRTH WEIGHT[1]										
		1,000 grams or less	1,001-1,500 grams	1,501-2,000 grams	2,001-2,500 grams	2,501-3,000 grams	3,001-3,500 grams	3,501-4,000 grams	4,001-4,500 grams	4,501-5,000 grams	5,001 grams or more	Not stated
UNITED STATES	69,153	11,664	6,234	6,034	6,860	6,805	7,168	4,452	1,757	910	581	16,688
White	52,411	8,722	4,560	4,516	5,168	5,147	5,573	3,447	1,330	655	391	12,902
Nonwhite	16,742	2,942	1,674	1,518	1,692	1,658	1,595	1,005	427	255	190	3,786
Male	36,029	6,120	3,187	3,203	3,491	3,527	3,722	2,569	1,133	582	384	8,111
White	27,152	4,542	2,333	2,407	2,623	2,649	2,843	1,972	866	424	257	6,236
Nonwhite	8,877	1,578	854	796	868	878	879	597	267	158	127	1,875
Female	30,817	5,163	2,976	2,796	3,332	3,261	3,427	1,876	622	328	196	6,840
White	23,567	3,904	2,183	2,082	2,515	2,488	2,718	1,471	463	231	133	5,379
Nonwhite	7,250	1,259	793	714	817	773	709	405	159	97	63	1,461
Sex not stated	2,307	381	71	35	37	17	19	7	2	-	1	1,737
White	1,692	276	44	27	30	10	12	4	1	-	1	1,287
Nonwhite	615	105	27	8	7	7	7	3	1	-	-	450
Alabama	1,824	260	161	164	179	195	187	108	53	19	24	474
White	822	114	65	59	76	79	98	58	20	7	8	238
Nonwhite	1,002	146	96	105	103	116	89	50	33	12	16	236
Arizona	458	41	44	56	47	63	56	28	7	14	6	96
White	360	34	36	41	42	50	42	23	7	10	5	70
Nonwhite	98	7	8	15	5	13	14	5	-	4	1	26
Arkansas	711	89	55	50	60	65	60	61	24	10	10	227
White	381	46	28	27	27	35	32	25	14	6	5	136
Nonwhite	330	43	27	23	33	30	28	36	10	4	5	91
California	4,381	915	479	496	588	509	494	307	130	47	41	375
White	3,766	762	405	430	518	446	433	267	112	40	31	322
Nonwhite	615	153	74	66	70	63	61	40	18	7	10	53
Colorado	796	160	52	79	91	67	61	32	8	6	4	236
White	768	157	48	76	87	65	61	31	7	6	3	227
Nonwhite	28	3	4	3	4	2	-	1	1	-	1	9
Connecticut[2]	733	1	-	2	1	2	2	-	-	-	-	725
White	668	1	-	2	1	2	2	-	-	-	-	660
Nonwhite	65	-	-	-	-	-	-	-	-	-	-	65
Delaware	184	21	11	11	19	12	17	8	4	1	1	79
White	126	16	11	8	13	9	12	7	3	1	1	45
Nonwhite	58	5	-	3	6	3	5	1	1	-	-	34
District of Columbia	427	71	34	20	32	33	22	19	2	6	2	186
White	157	30	11	7	19	15	13	10	-	-	-	52
Nonwhite	270	41	23	13	13	18	9	9	2	6	2	134
Florida	1,680	282	210	183	240	237	237	129	41	32	21	68
White	955	176	121	105	136	124	135	70	16	12	11	49
Nonwhite	725	106	89	78	104	113	102	59	25	20	10	19
Georgia	2,322	391	206	216	187	210	220	135	50	34	11	662
White	1,059	177	85	93	88	95	101	74	20	15	2	309
Nonwhite	1,263	214	121	123	99	115	119	61	30	19	9	353
Idaho	209	18	17	17	13	17	20	10	6	2	1	88
White	202	17	17	17	13	17	18	10	5	2	1	85
Nonwhite	7	1	-	-	-	-	2	-	1	-	-	3
Illinois	3,370	705	389	382	413	417	451	249	98	60	38	168
White	2,742	577	288	297	335	346	379	201	84	48	28	159
Nonwhite	628	128	101	85	78	71	72	48	14	12	10	9
Indiana	1,660	283	155	176	175	181	226	128	56	32	14	234
White	1,456	234	136	156	154	158	203	114	49	28	12	212
Nonwhite	204	49	19	20	21	23	23	14	7	4	2	22
Iowa	778	129	84	75	74	83	100	63	32	12	5	121
White	764	125	84	74	72	82	99	61	31	12	5	119
Nonwhite	14	4	-	1	2	1	1	2	1	-	-	2
Kansas	780	133	77	85	87	77	130	63	30	11	6	81
White	710	119	72	76	80	69	123	57	28	9	5	72
Nonwhite	70	14	5	9	7	8	7	6	2	2	1	9
Kentucky	1,128	128	102	110	107	95	114	74	31	21	9	337
White	973	103	86	90	85	84	100	65	27	18	8	307
Nonwhite	155	25	16	20	22	11	14	9	4	3	1	30
Louisiana	1,654	220	159	163	182	189	147	96	34	26	14	424
White	719	86	65	65	72	70	71	46	11	7	8	218
Nonwhite	935	134	94	98	110	119	76	50	23	19	6	206
Maine	419	61	34	37	32	48	39	22	7	4	2	133
White	415	60	33	37	32	48	39	22	7	4	2	131
Nonwhite	4	1	1	-	-	-	-	-	-	-	-	2
Maryland	1,144	155	91	74	89	68	99	53	14	8	1	492
White	804	115	64	57	67	50	75	42	14	7	1	312
Nonwhite	340	40	27	17	22	18	24	11	-	1	-	180

See footnotes on p. 295.

Table 36. Fetal Deaths by Birth Weight and Color for the United States and Each State; and by Sex for the United States: 1955—Continued

(See headnote on p. 293)

AREA AND COLOR	Total	BIRTH WEIGHT[1]										
		1,000 grams or less	1,001-1,500 grams	1,501-2,000 grams	2,001-2,500 grams	2,501-3,000 grams	3,001-3,500 grams	3,501-4,000 grams	4,001-4,500 grams	4,501-5,000 grams	5,001 grams or more	Not stated
Massachusetts[3]	1,552	2	2	1	2	-	2	-	-	-	-	1,543
White	1,484	2	2	1	2	-	2	-	-	-	-	1,475
Nonwhite	68	-	-	-	-	-	-	-	-	-	-	68
Michigan	3,053	558	300	280	342	308	376	226	109	50	35	469
White	2,568	463	251	222	279	260	318	195	93	41	29	417
Nonwhite	485	95	49	58	63	48	58	31	16	9	6	52
Minnesota	1,154	193	104	99	104	114	120	81	35	19	8	277
White	1,129	190	102	97	103	112	117	80	34	17	7	270
Nonwhite	25	3	2	2	1	2	3	1	1	2	1	7
Mississippi	1,819	261	175	153	192	181	196	117	54	24	21	445
White	503	82	47	31	39	45	53	32	19	5	2	148
Nonwhite	1,316	179	128	122	153	136	143	85	35	19	19	297
Missouri	1,568	292	122	110	149	161	155	118	44	30	15	372
White	1,220	186	86	92	124	125	123	97	36	22	9	320
Nonwhite	348	106	36	18	25	36	32	21	8	8	6	52
Montana	221	23	13	16	28	23	24	10	3	3	2	76
White	203	21	11	15	25	21	23	9	2	2	1	73
Nonwhite	18	2	2	1	3	2	1	1	1	1	1	3
Nebraska	476	80	52	43	44	48	64	32	11	6	5	91
White	451	71	50	42	41	47	63	30	10	6	5	86
Nonwhite	25	9	2	1	3	1	1	2	1	-	-	5
Nevada	98	13	10	12	10	4	9	2	2	-	-	36
White	86	11	10	12	9	4	7	2	1	-	-	30
Nonwhite	12	2	-	-	1	-	2	-	1	-	-	6
New Hampshire	218	40	21	21	30	25	24	13	5	3	2	34
White	218	40	21	21	30	25	24	13	5	3	2	34
Nonwhite	-	-	-	-	-	-	-	-	-	-	-	-
New Jersey	2,050	368	199	170	215	219	209	137	48	20	12	453
White	1,711	293	149	139	174	192	186	119	42	18	8	391
Nonwhite	339	75	50	31	41	27	23	18	6	2	4	62
New Mexico	427	51	46	39	53	50	51	36	8	5	3	85
White	382	46	41	34	49	44	47	31	6	4	3	77
Nonwhite	45	5	5	5	4	6	4	5	2	1	-	8
New York	7,119	1,357	579	542	575	583	601	331	134	72	37	2,308
White	5,699	1,006	464	458	509	494	532	301	118	62	32	1,723
Nonwhite	1,420	351	115	84	66	89	69	30	16	10	5	585
North Carolina	2,366	350	268	222	264	277	312	200	65	33	25	350
White	1,170	184	137	120	128	137	161	98	38	15	13	139
Nonwhite	1,196	166	131	102	136	140	151	102	27	18	12	211
North Dakota	239	44	21	22	26	30	26	33	10	6	3	18
White	233	44	20	22	24	30	26	31	9	6	3	18
Nonwhite	6	-	1	-	2	-	-	2	1	-	-	-
Ohio	3,679	729	306	307	334	335	356	236	75	53	41	907
White	3,134	605	243	259	275	284	312	203	64	46	34	809
Nonwhite	545	124	63	48	59	51	44	33	11	7	7	98
Oklahoma	741	75	43	72	61	55	72	41	24	9	13	276
White	575	62	30	58	47	40	54	33	18	5	7	221
Nonwhite	166	13	13	14	14	15	18	8	6	4	6	55
Oregon	648	126	37	47	40	62	52	27	8	4	2	241
White	618	119	36	42	38	60	52	26	8	4	2	231
Nonwhite	30	9	1	5	2	2	-	1	-	-	-	10
Pennsylvania	4,434	1,104	461	393	461	442	460	297	123	53	35	605
White	3,791	884	402	330	403	399	407	261	108	49	31	517
Nonwhite	643	220	59	63	58	43	53	36	15	4	4	88
Rhode Island[2]	286	-	-	-	-	-	-	-	-	-	-	286
White	274	-	-	-	-	-	-	-	-	-	-	274
Nonwhite	12	-	-	-	-	-	-	-	-	-	-	12
South Carolina	1,335	109	90	92	133	143	147	90	49	21	13	448
White	466	57	29	35	53	46	52	35	16	5	2	136
Nonwhite	869	52	61	57	80	97	95	55	33	16	11	312
South Dakota	307	60	27	27	21	28	39	23	9	1	3	69
White	281	57	27	25	21	25	35	19	7	1	3	61
Nonwhite	26	3	-	2	-	3	4	4	2	-	-	8
Tennessee	1,510	282	153	173	192	184	187	134	49	25	12	119
White	1,032	173	92	120	129	130	145	95	32	17	8	91
Nonwhite	478	109	61	53	63	54	42	39	17	8	4	28
Texas	3,895	564	354	322	369	406	412	298	114	61	41	954
White	2,996	433	272	237	281	320	319	244	86	45	28	731
Nonwhite	899	131	82	85	88	86	93	54	28	16	13	223

See footnotes on p. 295.

Table 36. Fetal Deaths by Birth Weight and Color for the United States and Each State; and by Sex for the United States: 1955—Continued

(See headnote on p. 293)

AREA AND COLOR	Total	BIRTH WEIGHT[1]										
		1,000 grams or less	1,001-1,500 grams	1,501-2,000 grams	2,001-2,500 grams	2,501-3,000 grams	3,001-3,500 grams	3,501-4,000 grams	4,001-4,500 grams	4,501-5,000 grams	5,001 grams or more	Not stated
Utah	316	58	5	17	26	21	19	19	8	1	-	142
White	307	57	5	17	25	21	18	19	8	-	-	137
Nonwhite	9	1	-	-	1	-	1	-	-	1	-	5
Vermont	168	33	13	18	14	15	14	12	1	2	1	45
White	168	33	13	18	14	15	14	12	1	2	1	45
Nonwhite	-	-	-	-	-	-	-	-	-	-	-	-
Virginia	1,859	381	208	193	240	228	206	144	58	20	20	161
White	1,097	256	123	123	125	143	117	76	38	7	7	82
Nonwhite	762	125	85	70	115	85	89	68	20	13	13	79
Washington	832	138	91	74	96	98	83	47	18	11	6	170
White	766	121	84	68	91	93	75	44	16	10	4	160
Nonwhite	66	17	7	6	5	5	8	3	2	1	2	10
West Virginia	773	97	59	66	76	63	97	54	22	12	6	221
White	718	85	52	60	72	58	93	51	21	12	5	209
Nonwhite	55	12	7	6	4	5	4	3	1	-	1	12
Wisconsin	1,244	200	110	103	141	119	156	103	40	20	10	242
White	1,178	181	101	97	135	118	146	102	36	18	9	235
Nonwhite	66	19	9	6	6	1	10	1	4	2	1	7
Wyoming	108	11	5	4	6	15	17	6	4	1	-	39
White	106	11	5	4	6	15	16	6	3	1	-	39
Nonwhite	2	-	-	-	-	-	1	-	1	-	-	-

[1]The equivalents of the gram weights in terms of pounds and ounces are as follows:

1,000 grams or less = 2 lb. 3 oz.or less
1,001-1,500 grams = 2 lb. 4 oz.-3 lb. 4 oz.
1,501-2,000 grams = 3 lb. 5 oz.-4 lb. 6 oz.
2,001-2,500 grams = 4 lb. 7 oz.-5 lb. 8 oz.
2,501-3,000 grams = 5 lb. 9 oz.-6 lb. 9 oz.
3,001-3,500 grams = 6 lb. 10 oz.-7 lb. 11 oz.
3,501-4,000 grams = 7 lb. 12 oz.-8 lb. 13 oz.
4,001-4,500 grams = 8 lb. 14 oz.-9 lb. 14 oz.
4,501-5,000 grams = 9 lb. 15 oz.-11 lb. 0 oz.
5,001 grams or more = 11 lb. 1 oz. or more.

[2]Birth weight information was not available for fetal deaths which occurred in this State. Birth weight data shown are for fetal deaths in other States to residents of this State.

[3]Massachusetts did not require the reporting of birth weight. Birth weight data shown are for fetal deaths in other States to residents of Massachusetts.

Table 37. Fetal Deaths by Period of Gestation and Color for the United States and Each State; and by Sex for the United States: 1955

(By place of residence. Includes only fetal deaths occurring within the continental United States for which the period of gestation was given as 20 weeks or more, or was not stated. Period of gestation data for fetal deaths in Massachusetts were not available. Fetal deaths which occurred in this State are included in the "Not stated" classification)

AREA AND COLOR (Sex for U. S. only)	Total	PERIOD OF GESTATION[1]							
		20-27 weeks	28-31 weeks	32-35 weeks	36 weeks	37-39 weeks	40 weeks	41 weeks and over	Not stated
UNITED STATES	69,153	14,571	7,695	8,113	5,257	6,582	17,647	2,283	7,005
White	52,411	10,516	5,623	6,354	3,871	5,488	12,956	1,976	5,627
Nonwhite	16,742	4,055	2,072	1,759	1,386	1,094	4,691	307	1,378
Male	36,029	7,734	3,976	4,241	2,766	3,496	9,361	1,154	3,301
White	27,152	5,548	2,899	3,353	2,040	2,912	6,798	987	2,615
Nonwhite	8,877	2,186	1,077	888	726	584	2,563	167	686
Female	30,817	5,916	3,561	3,775	2,451	3,047	8,190	1,116	2,761
White	23,567	4,337	2,609	2,920	1,802	2,550	6,093	979	2,277
Nonwhite	7,250	1,579	952	855	649	497	2,097	137	484
Sex not stated	2,307	921	158	97	40	39	96	13	943
White	1,692	631	115	81	29	26	65	10	735
Nonwhite	615	290	43	16	11	13	31	3	208
Alabama	1,824	353	214	212	146	113	560	34	192
White	822	142	86	107	65	59	233	23	107
Nonwhite	1,002	211	128	105	81	54	327	11	85
Arizona	458	88	40	58	37	47	156	22	10
White	360	75	27	46	29	41	123	15	4
Nonwhite	98	13	13	12	8	6	33	7	6
Arkansas	711	105	85	62	56	36	204	12	151
White	381	49	44	33	22	26	99	9	99
Nonwhite	330	56	41	29	34	10	105	3	52
California	4,381	941	571	622	335	519	1,151	195	47
White	3,766	780	485	559	294	481	960	169	38
Nonwhite	615	161	86	63	41	38	191	26	9
Colorado	796	196	75	84	55	90	97	38	161
White	768	189	70	82	54	87	94	37	155
Nonwhite	28	7	5	2	1	3	3	1	6
Connecticut	733	148	78	86	51	95	201	20	54
White	668	133	68	79	46	90	182	19	51
Nonwhite	65	15	10	7	5	5	19	1	3
Delaware	184	38	20	14	15	11	68	1	17
White	126	28	13	8	7	10	50	1	9
Nonwhite	58	10	7	6	8	1	18	-	8
District of Columbia	427	86	53	45	25	44	61	24	89
White	157	27	18	13	11	18	22	10	38
Nonwhite	270	59	35	32	14	26	39	14	51
Florida	1,680	332	204	220	178	149	514	43	40
White	955	194	114	142	85	110	254	32	24
Nonwhite	725	138	90	78	93	39	260	11	16
Georgia	2,322	609	293	255	207	173	573	38	174
White	1,059	245	131	132	90	97	244	29	91
Nonwhite	1,263	364	162	123	117	76	329	9	83
Idaho	209	23	24	22	16	32	32	10	50
White	202	21	24	22	16	30	30	10	49
Nonwhite	7	2	-	-	-	2	2	-	1
Illinois	3,370	672	412	488	301	320	1,046	109	22
White	2,742	529	329	406	237	280	843	97	21
Nonwhite	628	143	83	82	64	40	203	12	1
Indiana	1,660	290	189	183	114	143	481	53	207
White	1,456	241	161	167	99	126	425	47	190
Nonwhite	204	49	28	16	15	17	56	6	17
Iowa	778	152	91	94	54	121	165	44	57
White	764	149	90	90	53	119	162	44	57
Nonwhite	14	3	1	4	1	2	3	-	-
Kansas	780	152	97	123	66	86	185	42	29
White	710	136	93	117	60	75	164	40	25
Nonwhite	70	16	4	6	6	11	21	2	4
Kentucky	1,128	181	135	125	115	74	298	25	175
White	973	151	105	105	102	68	256	23	163
Nonwhite	155	30	30	20	13	6	42	2	12
Louisiana	1,654	326	259	228	145	173	448	38	37
White	719	140	102	120	56	85	189	17	10
Nonwhite	935	186	157	108	89	88	259	21	27
Maine	419	81	37	31	27	46	101	9	87
White	415	80	36	31	27	46	101	9	85
Nonwhite	4	1	1	-	-	-	-	-	2
Maryland	1,144	228	146	140	70	106	289	58	107
White	804	154	90	113	53	72	217	43	62
Nonwhite	340	74	56	27	17	34	72	15	45

See footnotes on p. 298.

Table 37. Fetal Deaths by Period of Gestation and Color for the United States and Each State; and by Sex for the United States: 1955—Continued

(See headnote on p. 296)

AREA AND COLOR	Total	PERIOD OF GESTATION[1]							
		20-27 weeks	28-31 weeks	32-35 weeks	36 weeks	37-39 weeks	40 weeks	41 weeks and over	Not stated
Massachusetts[2]	1,552	8	2	1	2	2	3	1	1,533
White	1,484	8	2	1	2	2	2	1	1,466
Nonwhite	68	-	-	-	-	-	1	-	67
Michigan	3,053	605	367	410	269	305	830	118	149
White	2,568	485	308	337	220	275	696	112	135
Nonwhite	485	120	59	73	49	30	134	6	14
Minnesota	1,154	183	124	161	71	147	244	70	154
White	1,129	182	120	159	69	143	236	67	153
Nonwhite	25	1	4	2	2	4	8	3	1
Mississippi	1,819	443	233	141	123	82	633	19	145
White	503	121	56	44	35	36	155	4	52
Nonwhite	1,316	322	177	97	88	46	478	15	93
Missouri	1,568	388	150	166	132	161	426	54	91
White	1,220	271	110	130	103	125	347	50	84
Nonwhite	348	117	40	36	29	36	79	4	7
Montana	221	33	30	33	24	16	49	8	28
White	203	31	27	29	23	15	45	6	27
Nonwhite	18	2	3	4	1	1	4	2	1
Nebraska	476	98	55	72	23	56	92	25	55
White	451	92	52	65	22	53	91	24	52
Nonwhite	25	6	3	7	1	3	1	1	3
Nevada	98	21	14	11	10	10	22	1	9
White	86	17	14	10	10	8	18	1	8
Nonwhite	12	4	-	1	-	2	4	-	1
New Hampshire	218	39	17	27	24	41	41	13	16
White	218	39	17	27	24	41	41	13	16
Nonwhite	-	-	-	-	-	-	-	-	-
New Jersey	2,050	404	239	243	134	217	572	99	142
White	1,711	315	188	200	114	194	487	92	121
Nonwhite	339	89	51	43	20	23	85	7	21
New Mexico	427	63	36	49	35	56	115	14	59
White	382	57	33	43	31	52	102	12	52
Nonwhite	45	6	3	6	4	4	13	2	7
New York	7,119	2,045	698	767	414	769	1,364	346	716
White	5,699	1,467	562	644	364	664	1,175	307	516
Nonwhite	1,420	578	136	123	50	105	189	39	200
North Carolina	2,366	436	261	306	170	181	858	31	123
White	1,170	200	133	155	73	116	423	24	46
Nonwhite	1,196	236	128	151	97	65	435	7	77
North Dakota	239	37	21	25	26	38	77	9	6
White	233	37	21	25	26	36	73	9	6
Nonwhite	6	-	-	-	-	2	4	-	-
Ohio	3,679	851	413	452	307	357	763	127	389
White	3,134	716	352	374	263	290	675	111	353
Nonwhite	545	135	61	78	44	67	108	16	36
Oklahoma	741	124	78	98	4	18	297	2	120
White	575	98	53	85	3	18	222	1	95
Nonwhite	166	26	25	13	1	-	75	1	25
Oregon	648	177	51	63	53	66	82	16	140
White	618	170	49	59	48	63	80	16	133
Nonwhite	30	7	2	4	5	3	2	-	7
Pennsylvania	4,434	1,130	485	501	345	444	1,081	146	302
White	3,791	906	410	434	302	397	956	127	259
Nonwhite	643	224	75	67	43	47	125	19	43
Rhode Island	286	40	21	43	14	21	117	6	24
White	274	36	21	42	14	20	111	6	24
Nonwhite	12	4	-	1	-	1	6	-	-
South Carolina	1,335	184	126	137	144	74	434	13	223
White	466	71	34	54	34	39	137	8	89
Nonwhite	869	113	92	83	110	35	297	5	134
South Dakota	307	80	31	33	21	34	64	10	34
White	281	75	31	31	16	33	56	10	29
Nonwhite	26	5	-	2	5	1	8	-	5
Tennessee	1,510	307	195	186	109	126	555	28	4
White	1,032	200	119	116	79	104	387	23	4
Nonwhite	478	107	76	70	30	22	168	5	-
Texas	3,895	813	427	414	343	390	945	117	446
White	2,996	608	343	343	248	319	740	95	300
Nonwhite	899	205	84	71	95	71	205	22	146
Utah	316	66	20	31	14	24	66	18	77
White	307	65	20	30	14	24	64	18	72
Nonwhite	9	1	-	1	-	-	2	-	5

See footnotes on p. 298.

Table 37. Fetal Deaths by Period of Gestation and Color for the United States and Each State; and by Sex for the United States: 1955—Continued

(See headnote on p. 296)

AREA AND COLOR	Total	PERIOD OF GESTATION[1]							
		20-27 weeks	28-31 weeks	32-35 weeks	36 weeks	37-39 weeks	40 weeks	41 weeks and over	Not stated
Vermont	168	30	18	21	12	22	29	6	30
White	168	30	18	21	12	22	29	6	30
Nonwhite	-	-	-	-	-	-	-	-	-
Virginia	1,859	404	220	245	171	162	522	44	91
White	1,097	253	128	161	84	109	283	37	42
Nonwhite	762	151	92	84	87	53	239	7	49
Washington	832	177	100	116	87	108	168	23	53
White	766	151	95	110	80	98	160	21	51
Nonwhite	66	26	5	6	7	10	8	2	2
West Virginia	773	124	81	88	70	61	221	20	108
White	718	110	74	81	63	61	208	18	103
Nonwhite	55	14	7	7	7	-	13	2	5
Wisconsin	1,244	245	150	171	88	201	303	76	10
White	1,178	227	138	162	84	196	286	75	10
Nonwhite	66	18	12	9	4	5	17	1	-
Wyoming	108	15	9	10	5	15	24	8	22
White	106	15	9	10	5	15	23	8	21
Nonwhite	2	-	-	-	-	-	1	-	1

[1]Period of gestation reported in months allocated to gestation interval in weeks as follows: 5 and 6 months to "20-27 weeks"; 7 months to "28-31 weeks"; 8 months to "32-35 weeks"; 9 months to "40 weeks"; 10 months to "41 weeks and over."

[2]Massachusetts did not require the reporting of period of gestation. Gestation age data shown are for fetal deaths in other States to residents of Massachusetts.

INFANT DEATHS

Table 38. Deaths Under 1 Year, by Age, Race, and

(By place of residence. Includes only deaths occurring

	AREA, RACE, AND SEX	Total deaths under 1 year	Under 1 hour	1-23 hours	1 day	2 days	3 days	4 days	5 days	6 days
1	UNITED STATES	106,903	8,008	32,472	11,692	7,449	3,783	2,232	1,739	1,279
2	Male	61,416	4,361	18,833	6,944	4,578	2,274	1,295	973	741
3	Female	45,487	3,647	13,639	4,748	2,871	1,509	937	766	538
4	White	81,682	6,511	25,805	9,643	6,165	3,043	1,722	1,285	966
5	Male	47,457	3,537	15,093	5,800	3,832	1,838	1,024	729	561
6	Female	34,225	2,974	10,712	3,843	2,333	1,205	698	556	405
7	Negro	24,046	1,439	6,508	1,984	1,233	716	487	440	303
8	Male	13,316	790	3,642	1,113	716	423	258	235	174
9	Female	10,730	649	2,866	871	517	293	229	205	129
10	Other	1,175	58	159	65	51	24	23	14	10
11	Male	643	34	98	31	30	13	13	9	6
12	Female	532	24	61	34	21	11	10	5	4
13	ALABAMA	2,616	164	731	258	163	89	49	44	36
14	Male	1,485	88	414	149	90	59	27	23	20
15	Female	1,131	76	317	109	73	30	22	21	16
16	White	1,241	81	420	144	93	47	22	21	16
17	Male	718	43	243	80	54	31	14	11	9
18	Female	523	38	177	64	39	16	8	10	7
19	Negro	1,375	83	311	114	70	42	27	23	20
20	Male	767	45	171	69	36	28	13	12	11
21	Female	608	38	140	45	34	14	14	11	9
22	Other	-	-	-	-	-	-	-	-	-
23	Male	-	-	-	-	-	-	-	-	-
24	Female	-	-	-	-	-	-	-	-	-
25	ARIZONA	972	52	214	92	49	28	20	14	16
26	Male	551	24	135	60	28	16	7	9	6
27	Female	421	28	79	32	21	12	13	5	10
28	White	689	44	180	77	41	20	11	10	12
29	Male	415	23	114	54	25	12	4	7	5
30	Female	274	21	66	23	16	8	7	3	7
31	Negro	64	1	20	5	4	2	2	2	1
32	Male	32	-	11	3	2	1	-	2	-
33	Female	32	1	9	2	2	1	2	-	1
34	Other	219	7	14	10	4	6	7	2	3
35	Male	104	1	10	3	1	3	3	-	1
36	Female	115	6	4	7	3	3	4	2	2
37	ARKANSAS	1,157	64	203	158	82	53	23	22	13
38	Male	666	37	123	98	45	33	10	14	11
39	Female	491	27	80	60	37	20	13	8	2
40	White	665	43	139	110	55	33	13	11	7
41	Male	381	24	85	71	30	18	6	5	5
42	Female	284	19	54	39	25	15	7	6	2
43	Negro	491	21	64	48	27	20	10	11	6
44	Male	284	13	38	27	15	15	4	9	6
45	Female	207	8	26	21	12	5	6	2	-
46	Other	1	-	-	-	-	-	-	-	-
47	Male	1	-	-	-	-	-	-	-	-
48	Female	-	-	-	-	-	-	-	-	-
49	CALIFORNIA	7,395	573	2,663	773	555	251	149	113	74
50	Male	4,340	324	1,583	474	341	149	88	65	39
51	Female	3,055	249	1,080	299	214	102	61	48	35
52	White	6,527	512	2,367	692	490	224	131	94	65
53	Male	3,881	291	1,421	434	304	136	77	59	34
54	Female	2,646	221	946	258	186	88	54	35	31
55	Negro	737	49	265	71	54	24	15	16	7
56	Male	386	25	144	36	30	12	9	4	4
57	Female	351	24	121	35	24	12	6	12	3
58	Other	131	12	31	10	11	3	3	3	2
59	Male	73	8	18	4	7	1	2	2	1
60	Female	58	4	13	6	4	2	1	1	1
61	COLORADO	1,212	94	360	160	79	47	25	17	20
62	Male	710	58	209	95	54	33	16	10	16
63	Female	502	36	151	65	25	14	9	7	4
64	White	1,161	91	348	156	76	45	21	16	20
65	Male	675	56	200	92	52	32	15	9	16
66	Female	486	35	148	64	24	13	6	7	4
67	Negro	39	2	12	4	2	2	4	1	-
68	Male	27	2	9	3	1	1	1	1	-
69	Female	12	-	3	1	1	1	3	-	-
70	Other	12	1	-	-	1	-	-	-	-
71	Male	8	-	-	-	1	-	-	-	-
72	Female	4	1	-	-	-	-	-	-	-
73	CONNECTICUT	1,140	91	386	142	86	43	24	14	15
74	Male	647	43	215	79	63	21	12	7	8
75	Female	493	48	171	63	23	22	12	7	7
76	White	1,033	84	357	130	77	40	23	13	13
77	Male	595	42	200	75	57	19	12	6	7
78	Female	438	42	157	55	20	21	11	7	6
79	Negro	106	7	28	12	9	3	1	1	2
80	Male	51	1	14	4	6	2	-	1	1
81	Female	55	6	14	8	3	1	1	-	1
82	Other	1	-	1	-	-	-	-	-	-
83	Male	1	-	1	-	-	-	-	-	-
84	Female	-	-	-	-	-	-	-	-	-

Sex: United States and each State, 1955

within the continental United States. Excludes fetal deaths)

7-13 days	14-20 days	21-27 days	Under 28 days	28-59 days	2 months	3 months	4 months	5 months	6 months	7 months	8 months	9 months	10 months	11 months	
4,374	2,475	1,848	77,351	6,571	5,008	3,858	3,125	2,517	2,094	1,679	1,459	1,177	1,049	1,015	1
2,467	1,423	1,067	44,956	3,812	2,862	2,114	1,724	1,348	1,148	899	816	634	569	534	2
1,907	1,052	781	32,395	2,759	2,146	1,744	1,401	1,169	946	780	643	543	480	481	3
3,196	1,766	1,238	61,340	4,475	3,423	2,659	2,116	1,743	1,443	1,172	1,038	805	728	740	4
1,823	1,024	714	35,975	2,647	2,009	1,483	1,188	936	797	651	572	425	383	391	5
1,373	742	524	25,365	1,828	1,414	1,176	928	807	646	521	466	380	345	349	6
1,129	677	593	15,509	1,983	1,482	1,118	935	713	604	454	373	335	289	251	7
616	377	342	8,686	1,101	791	583	509	379	326	230	217	190	168	136	8
513	300	251	6,823	882	691	535	426	334	278	224	156	145	121	115	9
49	32	17	502	113	103	81	74	61	47	53	48	37	32	24	10
28	22	11	295	64	62	48	27	33	25	18	27	19	18	7	11
21	10	6	207	49	41	33	47	28	22	35	21	18	14	17	12
139	71	65	1,809	196	129	115	80	76	60	44	26	29	22	30	13
77	40	43	1,030	113	68	66	45	42	38	27	12	16	10	18	14
62	31	22	779	83	61	49	35	34	22	17	14	13	12	12	15
49	31	15	939	70	44	46	32	24	22	21	11	15	5	12	16
29	18	11	543	39	25	27	20	13	14	14	6	8	1	8	17
20	13	4	396	31	19	19	12	11	8	7	5	7	4	4	18
90	40	50	870	126	85	69	48	52	38	23	15	14	17	18	19
48	22	32	487	74	43	39	25	29	24	13	6	8	9	10	20
42	18	18	383	52	42	30	23	23	14	10	9	6	8	8	21
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	22
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	23
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	24
37	27	12	561	69	62	59	38	52	29	27	23	24	17	11	25
17	18	7	327	42	24	39	24	27	17	14	13	13	6	5	26
20	9	5	234	27	38	20	14	25	12	13	10	11	11	6	27
28	20	11	454	47	34	41	26	25	14	16	10	8	9	5	28
13	15	6	278	28	14	26	18	16	9	10	5	3	5	3	29
15	5	5	176	19	20	15	8	9	5	6	5	5	4	2	30
2	1	-	40	5	8	-	2	5	2	-	-	2	-	-	31
1	-	-	20	2	2	-	2	3	2	-	-	1	-	-	32
1	1	-	20	3	6	-	-	2	-	-	-	1	-	-	33
7	6	1	67	17	20	18	10	22	13	11	13	14	8	6	34
3	3	1	29	12	8	13	4	8	6	4	8	9	1	2	35
4	3	-	38	5	12	5	6	14	7	7	5	5	7	4	36
66	37	23	744	86	62	56	45	45	30	19	17	13	13	27	37
36	19	13	439	49	31	29	25	22	16	12	13	6	7	17	38
30	18	10	305	37	31	27	20	23	14	7	4	7	6	10	39
35	15	7	468	40	35	30	20	21	16	7	5	7	4	12	40
22	5	2	273	23	19	14	13	10	9	5	3	3	3	6	41
13	10	5	195	17	16	16	7	11	7	2	2	4	1	6	42
31	22	16	276	46	26	26	25	24	14	12	12	6	9	15	43
14	14	11	166	26	11	15	12	12	7	7	10	3	4	11	44
17	8	5	110	20	15	11	13	12	7	5	2	3	5	4	45
-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	46
-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	47
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	48
259	150	106	5,666	408	350	198	201	136	101	90	73	62	60	50	49
144	85	57	3,349	254	201	112	120	81	47	44	52	33	28	19	50
115	65	49	2,317	154	149	86	81	55	54	46	21	29	32	31	51
223	131	93	5,022	363	302	169	172	119	89	82	60	53	52	44	52
125	75	51	3,007	222	180	98	108	70	41	40	45	30	23	17	53
98	56	42	2,015	141	122	71	64	49	48	42	15	23	29	27	54
29	16	12	558	38	41	24	22	12	10	3	11	8	7	3	55
14	8	5	291	29	17	12	9	7	5	2	6	3	4	1	56
15	8	7	267	9	24	12	13	5	5	1	5	5	3	2	57
7	3	1	86	7	7	5	7	5	2	5	2	1	1	3	58
5	2	1	51	3	4	2	3	4	1	2	1	-	1	1	59
2	1	-	35	4	3	3	4	1	1	3	1	1	-	2	60
44	32	17	895	65	60	46	36	24	19	13	14	17	17	6	61
23	22	9	545	36	30	24	15	12	12	7	7	9	10	3	62
21	10	8	350	29	30	22	21	12	7	6	7	8	7	3	63
44	30	16	863	63	53	46	33	23	19	13	12	13	17	6	64
23	21	9	525	34	26	24	13	11	12	7	5	5	10	3	65
21	9	7	338	29	27	22	20	12	7	6	7	8	7	3	66
-	2	-	29	1	4	-	2	1	-	-	1	1	-	-	67
-	1	-	19	1	2	-	2	1	-	-	1	1	-	-	68
-	1	-	10	-	2	-	-	-	-	-	-	-	-	-	69
-	-	1	3	1	3	-	1	-	-	-	1	3	-	-	70
-	-	-	1	1	2	-	-	-	-	-	1	3	-	-	71
-	-	1	2	-	1	-	1	-	-	-	-	-	-	-	72
39	35	19	894	66	51	32	21	16	18	12	15	7	2	6	73
19	22	10	499	39	34	15	8	12	13	9	8	6	-	4	74
20	13	9	395	27	17	17	13	4	5	3	7	1	2	2	75
33	31	18	819	60	46	26	17	13	15	11	13	6	2	5	76
17	20	10	465	35	29	14	7	10	11	9	6	6	-	3	77
16	11	8	354	25	17	12	10	3	4	2	7	-	2	2	78
6	4	1	74	6	5	6	4	3	3	1	2	1	-	1	79
2	2	-	33	4	5	1	1	2	2	-	2	-	-	1	80
4	2	1	41	2	-	5	3	1	1	1	-	1	-	-	81
-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	82
-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	83
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	84

Table 38. Deaths Under 1 Year, by Age, Race, and

(By place of residence. Includes only deaths occurring

	AREA, RACE, AND SEX	Total deaths under 1 year	Under 1 hour	1-23 hours	1 day	2 days	3 days	4 days	5 days	6 days
1	DELAWARE	265	18	80	21	20	5	3	8	2
2	Male	141	13	43	15	8	2	1	3	-
3	Female	124	5	37	6	12	3	2	5	2
4	White	193	16	66	12	18	4	3	5	2
5	Male	100	11	34	8	7	1	1	1	-
6	Female	93	5	32	4	11	3	2	4	2
7	Negro	71	2	14	9	2	1	-	3	-
8	Male	41	2	9	7	1	1	-	2	-
9	Female	30	-	5	2	1	-	-	1	-
10	Other	1	-	-	-	-	-	-	-	-
11	Male	-	-	-	-	-	-	-	-	-
12	Female	1	-	-	-	-	-	-	-	-
13	DISTRICT OF COLUMBIA	673	42	287	65	49	27	12	14	7
14	Male	358	21	161	33	27	15	8	5	4
15	Female	315	21	126	32	22	12	4	9	3
16	White	224	18	94	23	19	13	3	3	2
17	Male	134	13	60	12	10	8	3	2	1
18	Female	90	5	34	11	9	5	-	1	1
19	Negro	443	22	192	42	30	14	9	11	5
20	Male	223	8	101	21	17	7	5	3	3
21	Female	220	14	91	21	13	7	4	8	2
22	Other	6	2	1	-	-	-	-	-	-
23	Male	1	-	-	-	-	-	-	-	-
24	Female	5	2	1	-	-	-	-	-	-
25	FLORIDA	2,652	162	768	303	183	87	57	50	36
26	Male	1,503	92	434	180	109	57	29	30	24
27	Female	1,149	70	334	123	74	30	28	20	12
28	White	1,476	108	474	194	127	62	35	34	20
29	Male	854	66	258	117	76	39	18	23	13
30	Female	622	42	216	77	51	23	17	11	7
31	Negro	1,171	54	293	109	56	24	22	16	16
32	Male	645	26	175	63	33	17	11	7	11
33	Female	526	28	118	46	23	7	11	9	5
34	Other	5	-	1	-	-	1	-	-	-
35	Male	4	-	1	-	-	1	-	-	-
36	Female	1	-	-	-	-	-	-	-	-
37	GEORGIA	3,002	220	787	284	180	107	63	58	30
38	Male	1,735	117	466	166	110	65	34	35	17
39	Female	1,267	103	321	118	70	42	29	23	13
40	White	1,475	117	448	184	123	56	30	23	13
41	Male	843	64	270	100	72	35	16	8	7
42	Female	632	53	178	84	51	21	14	15	6
43	Negro	1,527	103	339	100	57	51	33	35	17
44	Male	892	53	196	66	38	30	18	27	10
45	Female	635	50	143	34	19	21	15	8	7
46	Other	-	-	-	-	-	-	-	-	-
47	Male	-	-	-	-	-	-	-	-	-
48	Female	-	-	-	-	-	-	-	-	-
49	IDAHO	354	25	113	52	30	13	10	10	2
50	Male	216	12	68	34	21	8	6	8	1
51	Female	138	13	45	18	9	5	4	2	1
52	White	346	25	112	52	27	12	10	10	2
53	Male	215	12	68	34	21	8	6	8	1
54	Female	131	13	44	18	6	4	4	2	1
55	Negro	1	-	-	-	1	-	-	-	-
56	Male	-	-	-	-	-	-	-	-	-
57	Female	1	-	-	-	1	-	-	-	-
58	Other	7	-	1	-	2	1	-	-	-
59	Male	1	-	-	-	-	-	-	-	-
60	Female	6	-	1	-	2	1	-	-	-
61	ILLINOIS	5,466	414	1,788	444	382	202	131	97	73
62	Male	3,130	219	1,039	256	233	117	78	53	36
63	Female	2,336	195	749	188	149	85	53	44	37
64	White	4,165	343	1,435	387	301	144	101	60	54
65	Male	2,409	181	839	226	184	81	65	39	27
66	Female	1,756	162	596	161	117	63	36	21	27
67	Negro	1,289	70	352	57	80	58	30	36	19
68	Male	713	37	199	30	48	36	13	13	9
69	Female	576	33	153	27	32	22	17	23	10
70	Other	12	1	1	-	1	-	-	1	-
71	Male	8	1	1	-	1	-	-	1	-
72	Female	4	-	-	-	-	-	-	-	-
73	INDIANA	2,715	208	854	308	204	91	66	47	27
74	Male	1,557	108	482	181	126	55	37	25	19
75	Female	1,158	100	372	127	78	36	29	22	8
76	White	2,402	191	773	272	182	81	53	39	25
77	Male	1,380	97	438	159	112	49	31	21	18
78	Female	1,022	94	335	113	70	32	22	18	7
79	Negro	311	17	81	36	22	9	13	8	2
80	Male	177	11	44	22	14	6	6	4	1
81	Female	134	6	37	14	8	3	7	4	1
82	Other	2	-	-	-	-	1	-	-	-
83	Male	-	-	-	-	-	-	-	-	-
84	Female	2	-	-	-	-	1	-	-	-

Sex: United States and each State, 1955—Continued

within the continental United States. Excludes fetal deaths)

7-13 days	14-20 days	21-27 days	Under 28 days	28-59 days	2 months	3 months	4 months	5 months	6 months	7 months	8 months	9 months	10 months	11 months	
16	7	4	184	18	17	8	11	3	4	6	4	3	5	2	1
6	5	2	98	9	11	5	6	1	1	3	1	2	3	1	2
10	2	2	86	9	6	3	5	2	3	3	3	1	2	1	3
12	3	3	144	11	9	6	7	-	3	5	2	1	3	2	4
4	3	2	72	7	5	3	5	-	1	3	-	1	2	1	5
8	-	1	72	4	4	3	2	-	2	2	2	-	1	1	6
4	3	1	39	7	8	2	4	3	1	1	2	2	2	-	7
2	2	-	26	2	6	2	1	1	-	-	1	1	1	-	8
2	1	1	13	5	2	-	3	2	1	1	1	1	1	-	9
-	1	-	1	-	-	-	-	-	-	-	-	-	-	-	10
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	11
-	1	-	1	-	-	-	-	-	-	-	-	-	-	-	12
23	15	4	545	26	30	14	6	12	13	10	8	2	3	4	13
14	8	3	299	15	11	10	2	5	7	2	2	2	3	-	14
9	7	1	246	11	19	4	4	7	6	8	6	-	-	4	15
10	6	1	192	6	8	6	1	2	3	1	3	-	1	1	16
5	1	1	116	6	4	4	-	-	3	-	-	-	1	-	17
5	5	-	76	-	4	2	1	2	-	1	3	-	-	1	18
13	9	3	350	19	22	8	5	10	10	8	5	2	1	3	19
9	7	2	183	9	7	6	2	5	4	2	2	2	1	-	20
4	2	1	167	10	15	2	3	5	6	6	3	-	-	3	21
-	-	-	3	1	-	-	-	-	-	1	-	-	1	-	22
-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	23
-	-	-	3	1	-	-	-	-	-	1	-	-	-	-	24
106	72	45	1,869	173	116	101	83	56	57	44	45	41	38	29	25
61	44	25	1,085	98	68	48	49	24	27	24	24	22	20	14	26
45	28	20	784	75	48	53	34	32	30	20	21	19	18	15	27
60	37	17	1,168	63	45	43	37	21	20	15	19	9	18	18	28
34	19	9	672	37	31	28	24	11	10	7	11	4	9	10	29
26	18	8	496	26	14	15	13	10	10	8	8	5	9	8	30
46	35	28	699	110	70	57	46	35	37	29	25	32	20	11	31
27	25	16	411	61	36	20	25	13	17	17	12	18	11	4	32
19	10	12	288	49	34	37	21	22	20	12	13	14	9	7	33
-	-	-	2	-	1	1	-	-	-	-	1	-	-	-	34
-	-	-	2	-	1	-	-	-	-	-	1	-	-	-	35
-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	36
126	83	63	2,001	221	178	126	94	81	84	67	41	40	40	29	37
74	43	42	1,169	131	108	70	46	41	46	43	25	20	25	11	38
52	40	21	832	90	70	56	48	40	38	24	16	20	15	18	39
48	35	27	1,104	80	70	45	35	23	31	26	13	17	19	12	40
31	19	19	641	50	42	24	12	9	14	18	7	7	13	6	41
17	16	8	463	30	28	21	23	14	17	8	6	10	6	6	42
78	48	36	897	141	108	81	59	58	53	41	28	23	21	17	43
43	24	23	528	81	66	46	34	32	32	25	18	13	12	5	44
35	24	13	369	60	42	35	25	26	21	16	10	10	9	12	45
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	46
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	47
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	48
7	3	5	270	14	11	10	13	11	7	3	5	4	4	2	49
3	3	4	168	8	6	4	10	6	3	2	3	3	1	2	50
4	-	1	102	6	5	6	3	5	4	1	2	1	3	-	51
7	3	5	265	13	11	10	13	10	7	3	5	3	4	2	52
3	3	4	168	8	6	4	10	6	3	2	3	2	1	2	53
4	-	1	97	5	5	6	3	4	4	1	2	1	3	-	54
-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	55
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	56
-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	57
-	-	-	4	1	-	-	-	1	-	-	-	1	-	-	58
-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	59
-	-	-	4	1	-	-	-	1	-	-	-	-	-	-	60
195	136	93	3,955	377	266	173	158	112	90	94	81	65	54	41	61
118	80	61	2,290	227	150	94	82	58	55	51	38	36	28	21	62
77	56	32	1,665	150	116	79	76	54	35	43	43	29	26	20	63
134	91	62	3,112	239	180	125	92	94	70	75	65	44	40	29	64
81	58	39	1,820	152	103	71	48	49	39	41	31	25	18	12	65
53	33	23	1,292	87	77	54	44	45	31	34	34	19	22	17	66
61	44	30	837	135	85	48	64	18	20	19	16	21	14	12	67
37	22	21	465	73	46	23	34	9	16	10	7	11	10	9	68
24	22	9	372	62	39	25	30	9	4	9	9	10	4	3	69
-	1	1	6	3	1	-	2	-	-	-	-	-	-	-	70
-	-	1	5	2	1	-	-	-	-	-	-	-	-	-	71
-	1	-	1	1	-	-	2	-	-	-	-	-	-	-	72
107	71	49	2,032	147	109	82	63	66	57	45	38	21	28	27	73
67	40	33	1,173	77	61	45	39	36	34	28	22	10	19	13	74
40	31	16	859	70	48	37	24	30	23	17	16	11	9	14	75
93	62	39	1,810	131	91	72	49	57	52	37	37	19	25	22	76
57	34	29	1,045	69	53	40	29	31	31	25	21	9	16	11	77
36	28	10	765	62	38	32	20	26	21	12	16	10	9	11	78
14	9	10	221	16	18	10	14	9	5	8	1	2	3	4	79
10	6	4	128	8	8	5	10	5	3	3	1	1	3	2	80
4	3	6	93	8	10	5	4	4	2	5	-	1	-	2	81
-	-	-	1	-	-	-	-	-	-	-	-	-	-	1	82
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	83
-	-	-	1	-	-	-	-	-	-	-	-	-	-	1	84

Table 38. Deaths Under 1 Year, by Age, Race, and

(By place of residence. Includes only deaths occurring

	AREA, RACE, AND SEX	Total deaths under 1 year	Under 1 hour	1-23 hours	1 day	2 days	3 days	4 days	5 days	6 days
1	IOWA	1,407	111	447	189	101	52	31	22	20
2	Male	785	54	243	113	62	31	17	12	6
3	Female	622	57	204	76	39	21	14	10	14
4	White	1,370	109	441	183	100	49	30	19	19
5	Male	766	52	240	110	62	30	17	11	6
6	Female	604	57	201	73	38	19	13	8	13
7	Negro	35	2	6	6	1	3	1	3	1
8	Male	18	2	3	3	-	1	-	1	-
9	Female	17	-	3	3	1	2	1	2	1
10	Other	2	-	-	-	-	-	-	-	-
11	Male	1	-	-	-	-	-	-	-	-
12	Female	1	-	-	-	-	-	-	-	-
13	KANSAS	1,235	94	427	134	96	50	30	25	16
14	Male	701	47	233	83	53	30	20	15	10
15	Female	534	47	194	51	43	20	10	10	6
16	White	1,118	85	389	126	91	47	22	20	16
17	Male	643	43	215	77	49	29	16	13	10
18	Female	475	42	174	49	42	18	6	7	6
19	Negro	113	9	38	7	5	3	8	4	-
20	Male	56	4	18	5	4	1	4	1	-
21	Female	57	5	20	2	1	2	4	3	-
22	Other	4	-	-	1	-	-	-	1	-
23	Male	2	-	-	1	-	-	-	1	-
24	Female	2	-	-	-	-	-	-	-	-
25	KENTUCKY	2,249	148	585	199	171	96	49	29	27
26	Male	1,275	81	333	117	110	63	28	14	16
27	Female	974	67	252	82	61	33	21	15	11
28	White	1,957	137	502	178	156	91	39	24	23
29	Male	1,112	77	288	107	102	58	21	11	15
30	Female	845	60	214	71	54	33	18	13	8
31	Negro	292	11	83	21	15	5	10	5	4
32	Male	163	4	45	10	8	5	7	3	1
33	Female	129	7	38	11	7	-	3	2	3
34	Other	-	-	-	-	-	-	-	-	-
35	Male	-	-	-	-	-	-	-	-	-
36	Female	-	-	-	-	-	-	-	-	-
37	LOUISIANA	2,723	200	829	238	160	92	60	44	31
38	Male	1,534	107	465	140	104	56	31	25	16
39	Female	1,189	93	364	98	56	36	29	19	15
40	White	1,179	100	423	121	86	39	30	25	15
41	Male	677	54	244	64	54	24	16	13	8
42	Female	502	46	179	57	32	15	14	12	7
43	Negro	1,540	99	405	117	74	53	29	19	16
44	Male	853	52	220	76	50	32	14	12	8
45	Female	687	47	185	41	24	21	15	7	8
46	Other	4	1	1	-	-	-	1	-	-
47	Male	4	1	1	-	-	-	1	-	-
48	Female	-	-	-	-	-	-	-	-	-
49	MAINE	553	48	161	54	50	20	11	7	7
50	Male	331	28	98	30	35	9	7	4	5
51	Female	222	20	63	24	15	11	4	3	2
52	White	540	47	156	52	50	20	11	7	7
53	Male	326	28	95	30	35	9	7	4	5
54	Female	214	19	61	22	15	11	4	3	2
55	Negro	7	1	4	1	-	-	-	-	-
56	Male	3	-	3	-	-	-	-	-	-
57	Female	4	1	1	1	-	-	-	-	-
58	Other	6	-	1	1	-	-	-	-	-
59	Male	2	-	-	-	-	-	-	-	-
60	Female	4	-	1	1	-	-	-	-	-
61	MARYLAND	1,873	121	628	211	114	52	39	26	22
62	Male	1,046	57	356	127	64	26	28	13	14
63	Female	827	64	272	84	50	26	11	13	8
64	White	1,191	80	411	147	86	34	27	14	16
65	Male	684	36	236	91	48	16	20	6	10
66	Female	507	44	175	56	38	18	7	8	6
67	Negro	681	41	217	63	28	18	12	12	6
68	Male	362	21	120	36	16	10	8	7	4
69	Female	319	20	97	27	12	8	4	5	2
70	Other	1	-	-	1	-	-	-	-	-
71	Male	-	-	-	-	-	-	-	-	-
72	Female	1	-	-	1	-	-	-	-	-
73	MASSACHUSETTS	2,413	202	779	295	201	101	48	31	30
74	Male	1,434	106	458	187	122	57	28	15	19
75	Female	979	96	321	108	79	44	20	16	11
76	White	2,298	193	738	285	196	98	47	31	29
77	Male	1,373	103	433	184	118	55	27	15	19
78	Female	925	90	305	101	78	43	20	16	10
79	Negro	113	8	40	10	5	3	1	-	1
80	Male	60	3	24	3	4	2	1	-	-
81	Female	53	5	16	7	1	1	-	-	1
82	Other	2	1	1	-	-	-	-	-	-
83	Male	1	-	1	-	-	-	-	-	-
84	Female	1	1	-	-	-	-	-	-	-

Sex: United States and each State, 1955—Continued

within the continental United States. Excludes fetal deaths)

7-13 days	14-20 days	21-27 days	Under 28 days	28-59 days	2 months	3 months	4 months	5 months	6 months	7 months	8 months	9 months	10 months	11 months	
57	25	28	1,083	63	50	41	36	27	19	18	20	13	18	19	1
32	14	14	598	37	34	26	20	16	9	10	12	8	9	6	2
25	11	14	485	26	16	15	16	11	10	8	8	5	9	13	3
57	24	26	1,057	60	50	39	33	27	19	17	18	13	18	19	4
32	14	12	586	35	34	24	18	16	9	10	11	8	9	6	5
25	10	14	471	25	16	15	15	11	10	7	7	5	9	13	6
-	1	2	26	3	-	2	3	-	-	1	-	-	-	-	7
-	-	2	12	2	-	2	2	-	-	-	-	-	-	-	8
-	1	-	14	1	-	-	1	-	-	1	-	-	-	-	9
-	-	-	-	-	-	-	-	-	-	-	2	-	-	-	10
-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	11
-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	12
38	29	17	956	66	49	31	29	22	17	15	13	11	13	13	13
25	17	12	545	44	30	14	16	10	11	6	4	6	9	6	14
13	12	5	411	22	19	17	13	12	6	9	9	5	4	7	15
36	26	14	872	60	45	29	25	18	13	10	13	10	13	10	16
24	15	11	502	39	29	13	14	8	10	4	4	6	9	5	17
12	11	3	370	21	16	16	11	10	3	6	9	4	4	5	18
2	3	3	82	6	4	2	3	4	4	5	-	1	-	2	19
1	2	1	41	5	1	1	2	2	1	2	-	-	-	1	20
1	1	2	41	1	3	1	1	2	3	3	-	1	-	1	21
-	-	-	2	-	-	-	1	-	-	-	-	-	-	1	22
-	-	-	2	-	-	-	-	-	-	-	-	-	-	-	23
-	-	-	-	-	-	-	1	-	-	-	-	-	-	1	24
102	64	52	1,522	142	119	102	74	78	71	38	37	24	22	20	25
54	41	26	883	81	66	51	47	37	40	17	17	14	10	12	26
48	23	26	639	61	53	51	27	41	31	21	20	10	12	8	27
96	56	45	1,347	113	100	84	62	71	63	30	32	21	16	18	28
51	38	21	789	63	57	44	39	33	33	11	14	13	6	10	29
45	18	24	558	50	43	40	23	38	30	19	18	8	10	8	30
6	8	7	175	29	19	18	12	7	8	8	5	3	6	2	31
3	3	5	94	18	9	7	8	4	7	6	3	1	4	2	32
3	5	2	81	11	10	11	4	3	1	2	2	2	2	-	33
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	34
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	35
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	36
123	57	58	1,892	190	150	107	66	73	51	41	60	31	30	32	37
68	35	28	1,075	105	89	58	31	44	29	23	27	19	14	20	38
55	22	30	817	85	61	49	35	29	22	18	33	12	16	12	39
45	18	16	918	62	40	30	20	22	17	11	26	11	5	17	40
29	11	7	524	34	27	19	10	16	9	6	13	5	1	13	41
16	7	9	394	28	13	11	10	6	8	5	13	6	4	4	42
78	39	42	971	128	110	77	46	51	34	29	34	20	25	15	43
39	24	21	548	71	62	39	21	28	20	16	14	14	13	7	44
39	15	21	423	57	48	38	25	23	14	13	20	6	12	8	45
-	-	-	3	-	-	-	-	-	-	1	-	-	-	-	46
-	-	-	3	-	-	-	-	-	-	1	-	-	-	-	47
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	48
18	12	5	393	35	24	19	18	16	10	9	8	6	7	8	49
10	6	3	235	22	11	12	14	8	8	3	5	3	5	5	50
8	6	2	158	13	13	7	4	8	2	6	3	3	2	3	51
18	12	5	385	34	23	18	17	16	10	8	8	6	7	8	52
10	6	3	232	21	11	12	13	8	8	3	5	3	5	5	53
8	6	2	153	13	12	6	4	8	2	5	3	3	2	3	54
-	-	-	6	-	1	-	-	-	-	-	-	-	-	-	55
-	-	-	3	-	-	-	-	-	-	-	-	-	-	-	56
-	-	-	3	-	1	-	-	-	-	-	-	-	-	-	57
-	-	-	2	1	-	1	1	-	-	1	-	-	-	-	58
-	-	-	-	1	-	-	1	-	-	-	-	-	-	-	59
-	-	-	2	-	-	1	-	-	-	1	-	-	-	-	60
71	44	32	1,360	132	91	72	52	36	25	30	20	20	14	21	61
42	24	16	767	76	55	32	28	18	17	21	7	11	5	9	62
29	20	16	593	56	36	40	24	18	8	9	13	9	9	12	63
42	30	15	902	71	51	41	26	25	17	14	10	13	8	13	64
27	18	9	517	43	36	20	13	11	12	12	4	6	2	8	65
15	12	6	385	28	15	21	13	14	5	2	6	7	6	5	66
29	14	17	457	61	40	31	26	11	8	16	10	7	6	8	67
15	6	7	250	33	19	12	15	7	5	9	3	5	3	1	68
14	8	10	207	28	21	19	11	4	3	7	7	2	3	7	69
-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	70
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	71
-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	72
110	46	49	1,892	123	83	87	42	39	47	27	29	11	20	13	73
62	29	33	1,116	78	57	50	25	21	27	17	21	7	7	8	74
48	17	16	776	45	26	37	17	18	20	10	8	4	13	5	75
101	44	45	1,807	113	77	84	38	38	45	25	29	9	20	13	76
58	28	30	1,070	73	54	47	24	21	26	16	21	6	7	8	77
43	16	15	737	40	23	37	14	17	19	9	8	3	13	5	78
9	2	4	83	10	6	3	4	1	2	2	-	2	-	-	79
4	1	3	45	5	3	3	1	-	1	1	-	1	-	-	80
5	1	1	38	5	3	-	3	1	1	1	-	1	-	-	81
-	-	-	2	-	-	-	-	-	-	-	-	-	-	-	82
-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	83
-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	84

Table 38. Deaths Under 1 Year, by Age, Race, and

(By place of residence. Includes only deaths occurring

	AREA, RACE, AND SEX	Total deaths under 1 year	Under 1 hour	1-23 hours	1 day	2 days	3 days	4 days	5 days	6 days
1	MICHIGAN	4,894	425	1,656	528	363	161	101	77	61
2	Male	2,796	236	928	313	215	97	62	44	36
3	Female	2,098	189	728	215	148	64	39	33	25
4	White	4,067	355	1,344	454	310	147	86	65	53
5	Male	2,348	200	752	279	186	87	54	38	33
6	Female	1,719	155	592	175	124	60	32	27	20
7	Negro	815	69	309	73	53	14	15	12	8
8	Male	442	36	174	33	29	10	8	6	3
9	Female	373	33	135	40	24	4	7	6	5
10	Other	12	1	3	1	-	-	-	-	-
11	Male	6	-	2	1	-	-	-	-	-
12	Female	6	1	1	-	-	-	-	-	-
13	MINNESOTA	1,782	222	376	370	132	66	44	27	14
14	Male	1,016	119	222	207	82	47	24	15	10
15	Female	766	103	154	163	50	19	20	12	4
16	White	1,724	216	371	364	130	66	42	27	14
17	Male	982	113	218	204	82	47	24	15	10
18	Female	742	103	153	160	48	19	18	12	4
19	Negro	27	2	4	3	1	-	1	-	-
20	Male	18	2	3	3	-	-	-	-	-
21	Female	9	-	1	-	1	-	1	-	-
22	Other	31	4	1	3	1	-	1	-	-
23	Male	16	4	1	-	-	-	-	-	-
24	Female	15	-	-	3	1	-	1	-	-
25	MISSISSIPPI	2,346	132	559	186	151	86	54	30	28
26	Male	1,310	74	326	107	91	48	31	14	18
27	Female	1,036	58	233	79	60	38	23	16	10
28	White	690	56	211	81	72	35	17	11	12
29	Male	407	29	127	42	51	22	8	5	9
30	Female	283	27	84	39	21	13	9	6	3
31	Negro	1,650	76	346	105	78	50	37	19	16
32	Male	900	45	198	65	39	25	23	9	9
33	Female	750	31	148	40	39	25	14	10	7
34	Other	6	-	2	-	1	1	-	-	-
35	Male	3	-	1	-	1	1	-	-	-
36	Female	3	-	1	-	-	-	-	-	-
37	MISSOURI	2,381	162	752	249	154	77	45	51	37
38	Male	1,326	81	424	134	84	38	26	31	24
39	Female	1,055	81	328	115	70	39	19	20	13
40	White	1,910	138	608	218	136	65	33	40	24
41	Male	1,066	65	353	120	77	33	21	22	14
42	Female	844	73	255	98	59	32	12	18	10
43	Negro	470	24	144	31	18	12	12	11	13
44	Male	259	16	71	14	7	5	5	9	10
45	Female	211	8	73	17	11	7	7	2	3
46	Other	1	-	-	-	-	-	-	-	-
47	Male	1	-	-	-	-	-	-	-	-
48	Female	-	-	-	-	-	-	-	-	-
49	MONTANA	437	34	137	49	32	16	9	5	4
50	Male	252	24	71	29	20	9	6	2	3
51	Female	185	10	66	20	12	7	3	3	1
52	White	392	32	128	47	31	16	9	4	4
53	Male	226	23	66	28	20	9	6	2	3
54	Female	166	9	62	19	11	7	3	2	1
55	Negro	3	-	-	1	-	-	-	-	-
56	Male	2	-	-	-	-	-	-	-	-
57	Female	1	-	-	1	-	-	-	-	-
58	Other	42	2	9	1	1	-	-	1	-
59	Male	24	1	5	1	-	-	-	-	-
60	Female	18	1	4	-	1	-	-	1	-
61	NEBRASKA	813	75	271	99	66	24	13	10	14
62	Male	468	39	162	58	42	16	9	5	8
63	Female	345	36	109	41	24	8	4	5	6
64	White	738	68	240	93	65	23	13	10	14
65	Male	429	34	146	54	41	16	9	5	8
66	Female	309	34	94	39	24	7	4	5	6
67	Negro	50	6	24	5	1	1	-	-	-
68	Male	25	4	10	3	1	-	-	-	-
69	Female	25	2	14	2	-	1	-	-	-
70	Other	25	1	7	1	-	-	-	-	-
71	Male	14	1	6	1	-	-	-	-	-
72	Female	11	-	1	-	-	-	-	-	-
73	NEVADA	188	9	71	27	7	7	5	4	3
74	Male	119	5	45	16	5	6	4	4	2
75	Female	69	4	26	11	2	1	1	-	1
76	White	157	6	62	26	7	6	3	4	3
77	Male	100	2	40	15	5	5	2	4	2
78	Female	57	4	22	11	2	1	1	-	1
79	Negro	22	2	5	1	-	1	2	-	-
80	Male	15	2	3	1	-	1	2	-	-
81	Female	7	-	2	-	-	-	-	-	-
82	Other	9	1	4	-	-	-	-	-	-
83	Male	4	1	2	-	-	-	-	-	-
84	Female	5	-	2	-	-	-	-	-	-

Sex: United States and each State, 1955—Continued

within the continental United States. Excludes fetal deaths)

7-13 days	14-20 days	21-27 days	Under 28 days	28-59 days	2 months	3 months	4 months	5 months	6 months	7 months	8 months	9 months	10 months	11 months	
161	108	88	3,729	260	184	136	126	92	76	81	71	54	42	43	1
90	64	55	2,140	146	101	71	75	50	44	44	44	32	24	25	2
71	44	33	1,589	114	83	65	51	42	32	37	27	22	18	18	3
139	89	74	3,116	202	149	115	102	75	63	68	58	45	37	37	4
78	57	48	1,812	114	83	59	57	42	37	37	36	27	23	21	5
61	32	26	1,304	88	66	56	45	33	26	31	22	18	14	16	6
21	19	14	607	57	35	21	23	16	13	12	12	9	5	5	7
12	7	7	325	31	18	12	17	8	7	7	7	5	1	4	8
9	12	7	282	26	17	9	6	8	6	5	5	4	4	1	9
1	-	-	6	1	-	-	1	1	-	1	1	-	-	1	10
-	-	-	3	1	-	-	1	-	-	-	1	-	-	-	11
1	-	-	3	-	-	-	-	1	-	1	-	-	-	1	12
66	34	27	1,378	87	74	38	52	26	28	25	17	21	19	17	13
37	22	14	799	48	39	21	25	14	19	11	8	12	10	10	14
29	12	13	579	39	35	17	27	12	9	14	9	9	9	7	15
66	33	24	1,353	80	70	34	50	24	25	22	15	19	17	15	16
37	21	12	783	45	38	18	23	13	17	8	7	12	8	10	17
29	12	12	570	35	32	16	27	11	8	14	8	7	9	5	18
-	-	2	13	5	1	1	2	-	2	-	1	1	1	-	19
-	-	1	9	3	-	1	2	-	1	-	1	-	1	-	20
-	-	1	4	2	1	-	-	-	1	-	-	1	-	-	21
-	1	1	12	2	3	3	-	2	1	3	1	1	1	2	22
-	1	1	7	-	1	2	-	1	1	3	-	-	1	-	23
-	-	-	5	2	2	1	-	1	-	-	1	1	-	2	24
92	67	59	1,444	196	146	127	103	81	72	45	34	37	36	25	25
50	33	34	826	99	82	69	61	48	37	19	15	17	22	15	26
42	34	25	618	97	64	58	42	33	35	26	19	20	14	10	27
19	12	6	532	35	22	17	18	20	12	8	8	7	4	7	28
11	6	6	316	24	16	7	9	13	7	3	3	3	3	3	29
8	6	-	216	11	6	10	9	7	5	5	5	4	1	4	30
72	54	53	906	161	124	110	85	61	60	37	26	30	32	18	31
39	27	28	507	75	66	62	52	35	30	16	12	14	19	12	32
33	27	25	399	86	58	48	33	26	30	21	14	16	13	6	33
1	1	-	6	-	-	-	-	-	-	-	-	-	-	-	34
-	-	-	3	-	-	-	-	-	-	-	-	-	-	-	35
1	1	-	3	-	-	-	-	-	-	-	-	-	-	-	36
103	67	36	1,733	150	107	79	65	66	47	37	37	23	18	19	37
55	42	20	959	90	63	46	40	29	28	20	16	12	11	12	38
48	25	16	774	60	44	33	25	37	19	17	21	11	7	7	39
80	52	21	1,415	114	81	62	50	53	41	25	27	14	14	14	40
41	33	9	788	72	47	35	31	21	25	12	9	6	10	10	41
39	19	12	627	42	34	27	19	32	16	13	18	8	4	4	42
23	15	15	318	36	26	17	15	13	6	12	10	9	3	5	43
14	9	11	171	18	16	11	9	8	3	8	7	6	-	2	44
9	6	4	147	18	10	6	6	5	3	4	3	3	3	3	45
-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	46
-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	47
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	48
17	9	13	325	24	17	14	13	6	5	14	4	5	6	4	49
8	6	10	188	14	12	9	7	3	2	6	1	4	5	1	50
9	3	3	137	10	5	5	6	3	3	8	3	1	1	3	51
14	9	12	306	19	15	12	10	5	4	8	3	3	4	3	52
5	6	9	177	10	10	8	5	3	2	5	-	2	3	1	53
9	3	3	129	9	5	4	5	2	2	3	3	1	1	2	54
1	-	-	2	-	-	-	1	-	-	-	-	-	-	-	55
1	-	-	1	-	-	-	1	-	-	-	-	-	-	-	56
-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	57
2	-	1	17	5	2	2	2	1	1	6	1	2	2	1	58
2	-	1	10	4	2	1	1	-	-	1	1	2	2	-	59
-	-	-	7	1	-	1	1	1	1	5	-	-	-	1	60
36	14	13	635	42	21	17	21	10	22	16	9	8	5	7	61
20	9	7	375	19	13	9	15	2	14	4	5	6	1	5	62
16	5	6	260	23	8	8	6	8	8	12	4	2	4	2	63
34	12	12	584	35	19	15	19	8	20	14	6	7	5	6	64
19	7	7	346	17	12	8	14	1	12	4	4	5	1	5	65
15	5	5	238	18	7	7	5	7	8	10	2	2	4	1	66
-	1	1	39	3	-	1	2	2	1	-	1	1	-	-	67
-	1	-	19	1	-	-	1	1	1	-	1	1	-	-	68
-	-	1	20	2	-	1	1	1	-	-	-	-	-	-	69
2	1	-	12	4	2	1	-	-	1	2	2	-	-	1	70
1	1	-	10	1	1	1	-	-	1	-	-	-	-	-	71
1	-	-	2	3	1	-	-	-	-	2	2	-	-	1	72
12	1	2	148	5	7	5	9	5	4	2	1	1	1	-	73
9	1	1	98	5	2	1	5	2	2	2	1	1	-	-	74
3	-	1	50	-	5	4	4	3	2	-	-	-	1	-	75
12	-	-	129	4	5	4	6	2	3	2	1	-	1	-	76
9	-	-	84	4	2	1	3	1	2	2	1	-	-	-	77
3	-	-	45	-	3	3	3	1	1	-	-	-	1	-	78
-	1	2	14	1	-	1	2	2	1	-	-	1	-	-	79
-	1	1	11	1	-	-	1	1	-	-	-	1	-	-	80
-	-	1	3	-	-	1	1	1	1	-	-	-	-	-	81
-	-	-	5	-	2	-	1	1	-	-	-	-	-	-	82
-	-	-	3	-	-	-	1	-	-	-	-	-	-	-	83
-	-	-	2	-	2	-	-	1	-	-	-	-	-	-	84

Table 38. Deaths Under 1 Year, by Age, Race, and

(By place of residence. Includes only deaths occurring

	AREA, RACE, AND SEX	Total deaths under 1 year	Under 1 hour	1-23 hours	1 day	2 days	3 days	4 days	5 days	6 days
1	NEW HAMPSHIRE	321	33	98	32	21	12	8	7	5
2	Male	194	20	60	25	14	6	4	5	3
3	Female	127	13	38	7	7	6	4	2	2
4	White	321	33	98	32	21	12	8	7	5
5	Male	194	20	60	25	14	6	4	5	3
6	Female	127	13	38	7	7	6	4	2	2
7	Negro	-	-	-	-	-	-	-	-	-
8	Male	-	-	-	-	-	-	-	-	-
9	Female	-	-	-	-	-	-	-	-	-
10	Other	-	-	-	-	-	-	-	-	-
11	Male	-	-	-	-	-	-	-	-	-
12	Female	-	-	-	-	-	-	-	-	-
13	NEW JERSEY	2,954	204	981	334	206	111	65	50	30
14	Male	1,754	118	593	209	129	61	42	26	19
15	Female	1,200	86	388	125	77	50	23	24	11
16	White	2,332	171	767	281	182	90	52	38	25
17	Male	1,377	95	463	185	115	49	34	19	15
18	Female	955	76	304	96	67	41	18	19	10
19	Negro	619	33	213	52	24	21	13	12	5
20	Male	375	23	130	23	14	12	8	7	4
21	Female	244	10	83	29	10	9	5	5	1
22	Other	3	-	1	1	-	-	-	-	-
23	Male	2	-	-	1	-	-	-	-	-
24	Female	1	-	1	-	-	-	-	-	-
25	NEW MEXICO	1,108	61	232	100	63	34	10	14	7
26	Male	624	31	129	60	37	25	7	8	5
27	Female	484	30	103	40	26	9	3	6	2
28	White	900	57	212	90	57	30	8	13	4
29	Male	507	28	118	53	32	23	5	7	2
30	Female	393	29	94	37	25	7	3	6	2
31	Negro	28	2	7	1	2	-	-	-	-
32	Male	17	2	5	-	2	-	-	-	-
33	Female	11	-	2	1	-	-	-	-	-
34	Other	180	2	13	9	4	4	2	1	3
35	Male	100	1	6	7	3	2	2	1	3
36	Female	80	1	7	2	1	2	-	-	-
37	NEW YORK	8,340	739	2,802	991	558	307	167	128	84
38	Male	4,876	394	1,666	605	364	180	104	68	51
39	Female	3,464	345	1,136	386	194	127	63	60	33
40	White	6,865	611	2,252	827	499	273	138	107	69
41	Male	4,078	325	1,372	517	324	163	92	55	42
42	Female	2,787	286	880	310	175	110	46	52	27
43	Negro	1,439	124	539	161	57	33	27	21	15
44	Male	774	67	286	86	38	17	11	13	9
45	Female	665	57	253	75	19	16	16	8	6
46	Other	36	4	11	3	2	1	2	-	-
47	Male	24	2	8	2	2	-	1	-	-
48	Female	12	2	3	1	-	1	1	-	-
49	NORTH CAROLINA	3,500	189	885	331	227	111	73	56	44
50	Male	1,996	115	501	201	134	59	35	33	24
51	Female	1,504	74	384	130	93	52	38	23	20
52	White	1,742	108	529	200	144	57	40	19	24
53	Male	1,013	64	303	121	89	33	16	11	10
54	Female	729	44	226	79	55	24	24	8	14
55	Negro	1,700	78	345	127	80	54	31	36	20
56	Male	954	50	192	78	43	26	18	21	14
57	Female	746	28	153	49	37	28	13	15	6
58	Other	58	3	11	4	3	-	2	1	-
59	Male	29	1	6	2	2	-	1	1	-
60	Female	29	2	5	2	1	-	1	-	-
61	NORTH DAKOTA	433	37	129	55	35	13	14	5	3
62	Male	248	22	76	35	19	4	12	4	2
63	Female	185	15	53	20	16	9	2	1	1
64	White	402	35	127	50	32	13	14	4	3
65	Male	228	22	74	32	16	4	12	3	2
66	Female	174	13	53	18	16	9	2	1	1
67	Negro	-	-	-	-	-	-	-	-	-
68	Male	-	-	-	-	-	-	-	-	-
69	Female	-	-	-	-	-	-	-	-	-
70	Other	31	2	2	5	3	-	-	1	-
71	Male	20	-	2	3	3	-	-	1	-
72	Female	11	2	-	2	-	-	-	-	-
73	OHIO	5,549	452	1,818	657	391	216	120	85	72
74	Male	3,160	247	1,050	361	252	134	63	52	39
75	Female	2,389	205	768	296	139	82	57	33	33
76	White	4,666	390	1,493	561	342	188	102	72	61
77	Male	2,673	208	869	310	224	113	51	43	33
78	Female	1,993	182	624	251	118	75	51	29	28
79	Negro	880	61	325	96	49	27	18	13	11
80	Male	486	39	181	51	28	20	12	9	6
81	Female	394	22	144	45	21	7	6	4	5
82	Other	3	1	-	-	-	1	-	-	-
83	Male	1	-	-	-	-	1	-	-	-
84	Female	2	1	-	-	-	-	-	-	-

Sex: United States and each State, 1955—Continued

within the continental United States. Excludes fetal deaths)

7-13 days	14-20 days	21-27 days	Under 28 days	28-59 days	2 months	3 months	4 months	5 months	6 months	7 months	8 months	9 months	10 months	11 months	
15	6	9	246	14	12	6	11	5	7	9	1	2	4	4	1
11	3	5	156	9	8	1	4	2	3	4	1	1	1	4	2
4	3	4	90	5	4	5	7	3	4	5	-	1	3	-	3
15	6	9	246	14	12	6	11	5	7	9	1	2	4	4	4
11	3	5	156	9	8	1	4	2	3	4	1	1	1	4	5
4	3	4	90	5	4	5	7	3	4	5	-	1	3	-	6
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	7
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	8
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	9
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	10
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	11
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	12
128	71	37	2,217	166	129	109	73	64	53	33	34	24	25	27	13
62	41	23	1,323	94	87	66	40	36	27	21	20	12	12	16	14
66	30	14	894	72	42	43	33	28	26	12	14	12	13	11	15
108	52	33	1,799	123	98	88	51	39	32	25	24	17	15	21	16
50	30	20	1,075	64	65	52	29	23	15	15	11	9	7	12	17
58	22	13	724	59	33	36	22	16	17	10	13	8	8	9	18
20	19	4	416	42	31	21	22	25	21	8	10	7	10	6	19
12	11	3	247	29	22	14	11	13	12	6	9	3	5	4	20
8	8	1	169	13	9	7	11	12	9	2	1	4	5	2	21
-	-	-	2	1	-	-	-	-	-	-	-	-	-	-	22
-	-	-	1	1	-	-	-	-	-	-	-	-	-	-	23
-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	24
53	27	17	618	87	70	76	53	43	41	30	34	19	21	16	25
27	15	8	352	54	39	47	29	26	19	13	16	6	15	8	26
26	12	9	266	33	31	29	24	17	22	17	18	13	6	8	27
42	22	14	549	67	48	57	38	36	30	22	21	13	8	11	28
20	11	7	306	42	27	36	23	21	16	10	9	5	6	6	29
22	11	7	243	25	21	21	15	15	14	12	12	8	2	5	30
1	1	-	14	5	2	3	2	-	-	-	1	-	1	-	31
1	1	-	11	3	1	1	-	-	-	-	-	-	1	-	32
-	-	-	3	2	1	2	2	-	-	-	1	-	-	-	33
10	4	3	55	15	20	16	13	7	11	8	12	6	12	5	34
6	3	1	35	9	11	10	6	5	3	3	7	1	8	2	35
4	1	2	20	6	9	6	7	2	8	5	5	5	4	3	36
321	164	134	6,395	482	350	270	183	146	131	92	84	70	70	67	37
182	96	76	3,786	278	191	146	102	78	67	52	53	42	39	42	38
139	68	58	2,609	204	159	124	81	68	64	40	31	28	31	25	39
261	136	106	5,279	399	285	224	139	114	102	75	73	59	60	56	40
151	79	58	3,178	236	158	128	77	61	48	44	44	36	34	34	41
110	57	48	2,101	163	127	96	62	53	54	31	29	23	26	22	42
59	28	28	1,092	81	64	45	42	32	25	16	10	11	10	11	43
30	17	18	592	41	32	18	24	17	15	8	8	6	5	8	44
29	11	10	500	40	32	27	18	15	10	8	2	5	5	3	45
1	-	-	24	2	1	1	2	-	4	1	1	-	-	-	46
1	-	-	16	1	1	-	1	-	4	-	1	-	-	-	47
-	-	-	8	1	-	1	1	-	-	1	-	-	-	-	48
166	100	69	2,251	276	221	188	133	99	93	60	65	42	34	38	49
100	55	40	1,297	150	130	114	69	60	39	31	41	22	22	21	50
66	45	29	954	126	91	74	64	39	54	29	24	20	12	17	51
78	45	25	1,269	102	71	80	53	37	38	26	20	20	11	15	52
49	26	13	735	60	44	50	34	27	12	17	8	10	7	9	53
29	19	12	534	42	27	30	19	10	26	9	12	10	4	6	54
84	54	43	952	162	146	105	77	60	54	33	43	22	23	23	55
49	29	27	547	85	82	61	35	32	27	14	32	12	15	12	56
35	25	16	405	77	64	44	42	28	27	19	11	10	8	11	57
4	1	1	30	12	4	3	3	2	1	1	2	-	-	-	58
2	-	-	15	5	4	3	-	1	-	-	1	-	-	-	59
2	1	1	15	7	-	-	3	1	1	1	1	-	-	-	60
18	10	11	330	22	16	12	12	10	7	5	8	5	6	-	61
4	8	7	193	14	10	8	5	5	6	1	2	3	1	-	62
14	2	4	137	8	6	4	7	5	1	4	6	2	5	-	63
17	8	10	313	18	15	8	11	9	6	4	7	5	6	-	64
4	6	6	181	12	10	5	4	4	5	1	2	3	1	-	65
13	2	4	132	6	5	3	7	5	1	3	5	2	5	-	66
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	67
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	68
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	69
1	2	1	17	4	1	4	1	1	1	1	1	-	-	-	70
-	2	1	12	2	-	3	1	1	1	-	-	-	-	-	71
1	-	-	5	2	1	1	-	-	-	1	1	-	-	-	72
200	107	65	4,183	305	227	153	149	117	96	86	72	60	50	51	73
111	63	30	2,402	180	133	86	69	53	54	56	44	28	28	27	74
89	44	35	1,781	125	94	67	80	64	42	30	28	32	22	24	75
170	88	51	3,518	244	192	132	127	104	79	74	63	53	36	44	76
93	50	25	2,019	151	113	76	61	49	45	51	39	24	22	23	77
77	38	26	1,499	93	79	56	66	55	34	23	24	29	14	21	78
30	19	14	663	60	35	21	22	13	17	12	9	7	14	7	79
18	13	5	382	29	20	10	8	4	9	5	5	4	6	4	80
12	6	9	281	31	15	11	14	9	8	7	4	3	8	3	81
-	-	-	2	1	-	-	-	-	-	-	-	-	-	-	82
-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	83
-	-	-	1	1	-	-	-	-	-	-	-	-	-	-	84

430007 O -57 -27

Table 38. Deaths Under 1 Year, by Age, Race, and

(By place of residence. Includes only deaths occurring

	AREA, RACE, AND SEX	Total deaths under 1 year	Under 1 hour	1-23 hours	1 day	2 days	3 days	4 days	5 days	6 days
1	OKLAHOMA	1,339	98	415	179	78	48	26	23	23
2	Male	770	61	241	106	53	31	15	8	13
3	Female	569	37	174	73	25	17	11	15	10
4	White	1,058	81	338	152	66	41	20	18	18
5	Male	610	47	199	92	46	27	11	8	10
6	Female	448	34	139	60	20	14	9	10	8
7	Negro	226	14	66	26	10	6	4	5	5
8	Male	124	11	35	14	6	3	3	-	3
9	Female	102	3	31	12	4	3	1	5	2
10	Other	55	3	11	1	2	1	2	-	-
11	Male	36	3	7	-	1	1	1	-	-
12	Female	19	-	4	1	1	-	1	-	-
13	OREGON	936	71	279	121	52	36	17	18	13
14	Male	540	36	149	72	33	21	11	14	10
15	Female	396	35	130	49	19	15	6	4	3
16	White	887	70	268	118	48	36	17	17	12
17	Male	513	35	143	71	30	21	11	13	9
18	Female	374	35	125	47	18	15	6	4	3
19	Negro	24	-	9	2	3	-	-	-	1
20	Male	15	-	5	1	3	-	-	-	1
21	Female	9	-	4	1	-	-	-	-	-
22	Other	25	1	2	1	1	-	-	1	-
23	Male	12	1	1	-	-	-	-	1	-
24	Female	13	-	1	1	1	-	-	-	-
25	PENNSYLVANIA	5,960	546	1,989	626	451	215	126	98	69
26	Male	3,477	308	1,148	397	282	136	76	54	40
27	Female	2,483	238	841	229	169	79	50	44	29
28	White	5,002	468	1,638	547	383	182	115	85	57
29	Male	2,959	264	956	356	246	115	70	48	34
30	Female	2,043	204	682	191	137	67	45	37	23
31	Negro	950	77	351	76	67	33	11	13	11
32	Male	513	43	192	40	35	21	6	6	5
33	Female	437	34	159	36	32	12	5	7	6
34	Other	8	1	-	3	1	-	-	-	1
35	Male	5	1	-	1	1	-	-	-	1
36	Female	3	-	-	2	-	-	-	-	-
37	RHODE ISLAND	419	59	112	53	39	10	7	7	8
38	Male	233	36	64	28	18	7	-	2	3
39	Female	186	23	48	25	21	3	7	5	5
40	White	403	58	109	51	38	9	7	6	7
41	Male	224	35	62	27	18	6	-	1	3
42	Female	179	23	47	24	20	3	7	5	4
43	Negro	15	1	3	2	1	1	-	1	-
44	Male	9	1	2	1	-	1	-	1	-
45	Female	6	-	1	1	1	-	-	-	-
46	Other	1	-	-	-	-	-	-	-	1
47	Male	-	-	-	-	-	-	-	-	-
48	Female	1	-	-	-	-	-	-	-	1
49	SOUTH CAROLINA	2,170	116	500	203	144	86	43	30	23
50	Male	1,242	58	298	116	84	55	23	20	11
51	Female	928	58	202	87	60	31	20	10	12
52	White	895	58	258	107	77	42	20	9	10
53	Male	534	31	158	61	47	30	10	5	6
54	Female	361	27	100	46	30	12	10	4	4
55	Negro	1,272	57	242	96	67	43	23	21	13
56	Male	705	26	140	55	37	24	13	15	5
57	Female	567	31	102	41	30	19	10	6	8
58	Other	3	1	-	-	-	1	-	-	-
59	Male	3	1	-	-	-	1	-	-	-
60	Female	-	-	-	-	-	-	-	-	-
61	SOUTH DAKOTA	487	42	144	38	30	15	14	7	4
62	Male	289	24	85	23	19	11	9	6	2
63	Female	198	18	59	15	11	4	5	1	2
64	White	409	40	136	34	28	14	11	6	4
65	Male	245	22	80	20	17	11	7	5	2
66	Female	164	18	56	14	11	3	4	1	2
67	Negro	4	-	1	1	-	-	-	-	-
68	Male	3	-	-	1	-	-	-	-	-
69	Female	1	-	1	-	-	-	-	-	-
70	Other	74	2	7	3	2	1	3	1	-
71	Male	41	2	5	2	2	-	2	1	-
72	Female	33	-	2	1	-	1	1	-	-
73	TENNESSEE	2,485	150	672	251	144	87	50	45	26
74	Male	1,415	82	381	142	92	50	34	23	14
75	Female	1,070	68	291	109	52	37	16	22	12
76	White	1,737	108	501	197	107	69	33	26	9
77	Male	990	62	278	115	67	39	23	12	4
78	Female	747	46	223	82	40	30	10	14	5
79	Negro	748	42	171	54	37	18	17	19	17
80	Male	425	20	103	27	25	11	11	11	10
81	Female	323	22	68	27	12	7	6	8	7
82	Other	-	-	-	-	-	-	-	-	-
83	Male	-	-	-	-	-	-	-	-	-
84	Female	-	-	-	-	-	-	-	-	-

Sex: United States and each State, 1955—Continued

within the continental United States. Excludes fetal deaths)

7-13 days	14-20 days	21-27 days	Under 28 days	28-59 days	2 months	3 months	4 months	5 months	6 months	7 months	8 months	9 months	10 months	11 months	
63	30	25	1,008	66	40	48	43	35	25	21	16	14	15	8	1
32	14	19	593	32	21	28	27	21	15	8	8	6	7	4	2
31	16	6	415	34	19	20	16	14	10	13	8	8	8	4	3
45	24	20	823	47	26	37	26	27	18	16	11	7	14	6	4
23	12	14	469	23	13	19	16	16	11	7	7	1	6	2	5
22	12	6	334	24	13	18	10	11	7	9	4	6	8	4	6
16	5	2	159	13	9	9	13	4	5	5	3	4	-	2	7
9	1	2	87	5	4	7	10	2	2	1	-	4	-	2	8
7	4	-	72	8	5	2	3	2	3	4	3	-	-	-	9
2	1	3	26	6	5	2	4	4	2	-	2	3	1	-	10
-	1	3	17	4	4	2	1	3	2	-	1	1	1	-	11
2	-	-	9	2	1	-	3	1	-	-	1	2	-	-	12
37	25	13	682	60	54	27	31	19	16	14	10	7	7	9	13
21	13	7	387	38	36	13	14	12	12	10	6	4	4	4	14
16	12	6	295	22	18	14	17	7	4	4	4	3	3	5	15
35	20	13	654	56	51	23	24	18	16	14	9	7	7	8	16
21	10	7	371	36	34	11	11	12	12	10	5	4	4	3	17
14	10	6	283	20	17	12	13	6	4	4	4	3	3	5	18
2	3	-	20	-	1	-	3	-	-	-	-	-	-	-	19
-	1	-	11	-	1	-	3	-	-	-	-	-	-	-	20
2	2	-	9	-	-	-	-	-	-	-	-	-	-	-	21
-	2	-	8	4	2	4	4	1	-	-	1	-	-	1	22
-	2	-	5	2	1	2	-	-	-	-	1	-	-	1	23
-	-	-	3	2	1	2	4	1	-	-	-	-	-	-	24
275	130	113	4,638	289	198	163	127	136	107	73	68	54	53	54	25
154	81	63	2,739	177	112	89	74	74	51	38	41	30	28	24	26
121	49	50	1,899	112	86	74	53	62	56	35	27	24	25	30	27
226	109	84	3,894	240	159	136	101	120	93	64	59	47	42	47	28
132	66	45	2,332	147	91	81	58	67	44	35	35	26	21	22	29
94	43	39	1,562	93	68	55	43	53	49	29	24	21	21	25	30
49	21	29	738	49	39	27	25	16	14	8	9	7	11	7	31
22	15	18	403	30	21	8	16	7	7	2	6	4	7	2	32
27	6	11	335	19	18	19	9	9	7	6	3	3	4	5	33
-	-	-	6	-	-	-	1	-	-	1	-	-	-	-	34
-	-	-	4	-	-	-	-	-	-	1	-	-	-	-	35
-	-	-	2	-	-	-	1	-	-	-	-	-	-	-	36
11	6	9	321	25	15	10	6	13	8	5	7	3	3	3	37
7	2	5	172	15	10	7	5	8	5	4	4	1	1	1	38
4	4	4	149	10	5	3	1	5	3	1	3	2	2	2	39
10	6	9	310	23	14	9	6	12	8	5	7	3	3	3	40
7	2	5	166	14	9	7	5	7	5	4	4	1	1	1	41
3	4	4	144	9	5	2	1	5	3	1	3	2	2	2	42
1	-	-	10	2	1	1	-	1	-	-	-	-	-	-	43
-	-	-	6	1	1	-	-	1	-	-	-	-	-	-	44
1	-	-	4	1	-	1	-	-	-	-	-	-	-	-	45
-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	46
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	47
-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	48
91	50	54	1,340	197	147	120	103	68	66	31	33	25	17	23	49
52	25	40	782	114	87	61	54	41	39	11	17	12	11	13	50
39	25	14	558	83	60	59	49	27	27	20	16	13	6	10	51
33	21	15	650	58	49	35	30	15	20	9	12	8	4	5	52
18	13	14	393	36	28	18	14	12	14	3	6	4	3	3	53
15	8	1	257	22	21	17	16	3	6	6	6	4	1	2	54
58	28	39	687	139	98	85	73	53	46	22	21	17	13	18	55
34	11	26	386	78	59	43	40	29	25	8	11	8	8	10	56
24	17	13	301	61	39	42	33	24	21	14	10	9	5	8	57
-	1	-	3	-	-	-	-	-	-	-	-	-	-	-	58
-	1	-	3	-	-	-	-	-	-	-	-	-	-	-	59
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	60
18	9	14	335	36	27	13	24	10	14	7	8	4	5	4	61
12	6	9	206	22	18	7	14	3	6	4	4	3	-	2	62
6	3	5	129	14	9	6	10	7	8	3	4	1	5	2	63
12	8	13	306	27	19	7	14	7	9	5	7	2	3	3	64
6	5	9	184	15	13	5	12	1	4	3	4	2	-	2	65
6	3	4	122	12	6	2	2	6	5	2	3	-	3	1	66
1	-	-	3	1	-	-	-	-	-	-	-	-	-	-	67
1	-	-	2	1	-	-	-	-	-	-	-	-	-	-	68
-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	69
5	1	1	26	8	8	6	10	3	5	2	1	2	2	1	70
5	1	-	20	6	5	2	2	2	2	1	-	1	-	-	71
-	-	1	6	2	3	4	8	1	3	1	1	1	2	1	72
127	83	49	1,684	171	123	99	89	84	52	46	46	43	23	25	73
75	47	24	964	102	67	52	48	48	31	22	30	23	12	16	74
52	36	25	720	69	56	47	41	36	21	24	16	20	11	9	75
88	51	32	1,221	109	83	69	55	51	34	28	30	25	13	19	76
54	27	16	697	67	48	36	29	30	20	14	19	13	6	11	77
34	24	16	524	42	35	33	26	21	14	14	11	12	7	8	78
39	32	17	463	62	40	30	34	33	18	18	16	18	10	6	79
21	20	8	267	35	19	16	19	18	11	8	11	10	6	5	80
18	12	9	196	27	21	14	15	15	7	10	5	8	4	1	81
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	82
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	83
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	84

Table 38. Deaths Under 1 Year, by Age, Race, and

(By place of residence. Includes only deaths occurring

	AREA, RACE, AND SEX	Total deaths under 1 year	Under 1 hour	1-23 hours	1 day	2 days	3 days	4 days	5 days	6 days
1	TEXAS	7,278	404	1,897	763	519	257	134	117	99
2	Male	4,119	220	1,117	453	318	153	77	65	50
3	Female	3,159	184	780	310	201	104	57	52	49
4	White	5,833	317	1,562	644	449	215	107	90	74
5	Male	3,320	167	923	386	277	130	64	55	37
6	Female	2,513	150	639	258	172	85	43	35	37
7	Negro	1,441	87	333	119	70	42	27	27	25
8	Male	797	53	193	67	41	23	13	10	13
9	Female	644	34	140	52	29	19	14	17	12
10	Other	4	-	2	-	-	-	-	-	-
11	Male	2	-	1	-	-	-	-	-	-
12	Female	2	-	1	-	-	-	-	-	-
13	UTAH	509	41	135	86	42	22	13	9	11
14	Male	275	23	71	44	31	13	5	5	7
15	Female	234	18	64	42	11	9	8	4	4
16	White	489	40	132	85	41	22	13	8	11
17	Male	266	22	69	44	30	13	5	5	7
18	Female	223	18	63	41	11	9	8	3	4
19	Negro	5	1	3	-	-	-	-	-	-
20	Male	4	1	2	-	-	-	-	-	-
21	Female	1	-	1	-	-	-	-	-	-
22	Other	15	-	-	1	1	-	-	1	-
23	Male	5	-	-	-	1	-	-	-	-
24	Female	10	-	-	1	-	-	-	1	-
25	VERMONT	244	33	62	33	19	12	4	3	2
26	Male	152	26	41	20	8	11	-	2	2
27	Female	92	7	21	13	11	1	4	1	-
28	White	243	33	62	33	19	12	4	3	2
29	Male	151	26	41	20	8	11	-	2	2
30	Female	92	7	21	13	11	1	4	1	-
31	Negro	1	-	-	-	-	-	-	-	-
32	Male	1	-	-	-	-	-	-	-	-
33	Female	-	-	-	-	-	-	-	-	-
34	Other	-	-	-	-	-	-	-	-	-
35	Male	-	-	-	-	-	-	-	-	-
36	Female	-	-	-	-	-	-	-	-	-
37	VIRGINIA	2,786	185	819	328	187	92	56	50	35
38	Male	1,596	91	473	194	125	64	30	23	25
39	Female	1,190	94	346	134	62	28	26	27	10
40	White	1,745	127	571	230	123	73	38	30	20
41	Male	1,006	61	331	138	87	50	21	16	13
42	Female	739	66	240	92	36	23	17	14	7
43	Negro	1,038	58	247	98	63	19	18	20	15
44	Male	589	30	142	56	37	14	9	7	12
45	Female	449	28	105	42	26	5	9	13	3
46	Other	3	-	1	-	1	-	-	-	-
47	Male	1	-	-	-	1	-	-	-	-
48	Female	2	-	1	-	-	-	-	-	-
49	WASHINGTON	1,531	108	481	186	124	45	28	23	11
50	Male	920	49	295	117	74	29	18	17	5
51	Female	611	59	186	69	50	16	10	6	6
52	White	1,391	104	446	178	115	44	27	23	10
53	Male	831	46	273	112	69	28	17	17	4
54	Female	560	58	173	66	46	16	10	6	6
55	Negro	53	3	21	4	2	-	1	-	1
56	Male	32	2	12	3	2	-	1	-	1
57	Female	21	1	9	1	-	-	-	-	-
58	Other	87	1	14	4	7	1	-	-	-
59	Male	57	1	10	2	3	1	-	-	-
60	Female	30	-	4	2	4	-	-	-	-
61	WEST VIRGINIA	1,206	79	298	159	86	41	39	30	18
62	Male	711	54	184	94	53	26	26	19	12
63	Female	495	25	114	65	33	15	13	11	6
64	White	1,143	74	289	150	82	40	36	27	16
65	Male	679	51	178	91	50	25	25	17	12
66	Female	464	23	111	59	32	15	11	10	4
67	Negro	63	5	9	9	4	1	3	3	2
68	Male	32	3	6	3	3	1	1	2	-
69	Female	31	2	3	6	1	-	2	1	2
70	Other	-	-	-	-	-	-	-	-	-
71	Male	-	-	-	-	-	-	-	-	-
72	Female	-	-	-	-	-	-	-	-	-
73	WISCONSIN	2,190	232	733	246	158	62	46	36	23
74	Male	1,245	119	427	141	92	29	29	19	12
75	Female	945	113	306	105	66	33	17	17	11
76	White	2,070	215	702	237	154	57	46	35	21
77	Male	1,188	112	413	137	89	27	29	19	12
78	Female	882	103	289	100	65	30	17	16	9
79	Negro	96	15	26	9	4	5	-	1	2
80	Male	46	5	12	4	3	2	-	-	-
81	Female	50	10	14	5	1	3	-	1	2
82	Other	24	2	5	-	-	-	-	-	-
83	Male	11	2	2	-	-	-	-	-	-
84	Female	13	-	3	-	-	-	-	-	-

Sex: United States and each State, 1955—Continued

within the continental United States. Excludes fetal deaths)

7-13 days	14-20 days	21-27 days	Under 28 days	28-59 days	2 months	3 months	4 months	5 months	6 months	7 months	8 months	9 months	10 months	11 months	
340	158	108	4,796	471	408	366	282	204	163	170	121	122	94	81	1
198	89	59	2,799	264	217	192	146	92	86	88	68	70	59	38	2
142	69	49	1,997	207	191	174	136	112	77	82	53	52	35	43	3
254	122	74	3,908	358	320	274	226	157	122	130	103	96	75	64	4
153	69	43	2,304	192	175	139	118	70	70	68	56	54	45	29	5
101	53	31	1,604	166	145	135	108	87	52	62	47	42	30	35	6
85	36	34	885	113	88	91	56	47	41	40	18	26	19	17	7
44	20	16	493	72	42	53	28	22	16	20	12	16	14	9	8
41	16	18	392	41	46	38	28	25	25	20	6	10	5	8	9
1	-	-	3	-	-	1	-	-	-	-	-	-	-	-	10
1	-	-	2	-	-	-	-	-	-	-	-	-	-	-	11
-	-	-	1	-	-	1	-	-	-	-	-	-	-	-	12
23	11	4	397	23	18	11	17	8	5	10	3	7	6	4	13
12	6	3	220	10	8	7	8	4	4	5	1	2	5	1	14
11	5	1	177	13	10	4	9	4	1	5	2	5	1	3	15
21	11	4	388	21	14	10	15	8	5	8	3	7	6	4	16
12	6	3	216	9	5	7	7	4	4	5	1	2	5	1	17
9	5	1	172	12	9	3	8	4	1	3	2	5	1	3	18
-	-	-	4	1	-	-	-	-	-	-	-	-	-	-	19
-	-	-	3	1	-	-	-	-	-	-	-	-	-	-	20
-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	21
2	-	-	5	1	4	1	2	-	-	2	-	-	-	-	22
-	-	-	1	-	3	-	1	-	-	-	-	-	-	-	23
2	-	-	4	1	1	1	1	-	-	2	-	-	-	-	24
8	5	7	188	14	8	6	8	6	5	1	4	1	1	2	25
3	1	4	118	10	6	4	6	1	3	-	3	-	-	1	26
5	4	3	70	4	2	2	2	5	2	1	1	1	1	1	27
8	5	7	188	14	8	6	7	6	5	1	4	1	1	2	28
3	1	4	118	10	6	4	5	1	3	-	3	-	-	1	29
5	4	3	70	4	2	2	2	5	2	1	1	1	1	1	30
-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	31
-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	32
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	33
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	34
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	35
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	36
137	65	62	2,016	166	141	112	77	62	54	42	31	31	22	32	37
79	34	33	1,171	89	77	57	44	38	29	26	18	16	12	19	38
58	31	29	845	77	64	55	33	24	25	16	13	15	10	13	39
77	27	30	1,346	87	69	52	41	36	28	18	17	15	16	20	40
44	11	16	788	45	39	27	23	22	16	13	9	4	7	13	41
33	16	14	558	42	30	25	18	14	12	5	8	11	9	7	42
60	38	32	668	79	72	60	36	26	26	23	14	16	6	12	43
35	23	17	382	44	38	30	21	16	13	13	9	12	5	6	44
25	15	15	286	35	34	30	15	10	13	10	5	4	1	6	45
-	-	-	2	-	-	-	-	-	-	1	-	-	-	-	46
-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	47
-	-	-	1	-	-	-	-	-	-	1	-	-	-	-	48
50	19	16	1,091	109	86	63	48	37	20	21	8	18	15	15	49
32	10	7	653	63	53	41	33	23	14	10	5	8	11	6	50
18	9	9	438	46	33	22	15	14	6	11	3	10	4	9	51
47	18	14	1,026	84	71	52	42	28	19	18	7	16	13	15	52
30	9	6	611	50	40	35	30	16	14	8	5	7	9	6	53
17	9	8	415	34	31	17	12	12	5	10	2	9	4	9	54
1	-	2	35	10	3	1	2	-	-	1	-	1	-	-	55
1	-	1	23	4	3	-	1	-	-	1	-	-	-	-	56
-	-	1	12	6	-	1	1	-	-	-	-	1	-	-	57
2	1	-	30	15	12	10	4	9	1	2	1	1	2	-	58
1	1	-	19	9	10	6	2	7	-	1	-	1	2	-	59
1	-	-	11	6	2	4	2	2	1	1	1	-	-	-	60
46	33	15	844	87	67	50	40	33	22	21	13	11	5	13	61
25	14	8	515	50	37	26	20	21	9	11	6	5	3	8	62
21	19	7	329	37	30	24	20	12	13	10	7	6	2	5	63
43	32	15	804	79	64	49	38	32	18	21	11	11	5	11	64
23	14	8	494	45	37	26	18	20	8	11	6	5	3	6	65
20	18	7	310	34	27	23	20	12	10	10	5	6	2	5	66
3	1	-	40	8	3	1	2	1	4	-	2	-	-	2	67
2	-	-	21	5	-	-	2	1	1	-	-	-	-	2	68
1	1	-	19	3	3	1	-	-	3	-	2	-	-	-	69
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	70
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	71
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	72
68	40	30	1,674	111	77	56	55	47	41	24	38	19	18	30	73
41	22	15	946	75	51	28	32	29	24	10	21	9	6	14	74
27	18	15	728	36	26	28	23	18	17	14	17	10	12	16	75
63	36	28	1,594	104	71	52	48	43	37	22	37	16	17	29	76
39	19	14	910	70	48	25	30	25	21	10	21	8	6	14	77
24	17	14	684	34	23	27	18	18	16	12	16	8	11	15	78
5	2	-	69	6	4	3	6	4	1	1	-	1	-	1	79
2	1	-	29	5	3	3	1	4	-	-	-	1	-	-	80
3	1	-	40	1	1	-	5	-	1	1	-	-	-	1	81
-	2	2	11	1	2	1	1	-	3	1	1	2	1	-	82
-	2	1	7	-	-	-	1	-	3	-	-	-	-	-	83
-	-	1	4	1	2	1	-	-	-	1	1	2	1	-	84

Table 38. Deaths Under 1 Year, by Age, Race, and

(By place of residence. Includes only deaths occurring

	AREA, RACE, AND SEX	Total deaths under 1 year	Under 1 hour	1-23 hours	1 day	2 days	3 days	4 days	5 days	6 days
1	WYOMING	245	19	79	32	15	8	1	2	4
2	Male	148	13	48	20	3	6	1	-	4
3	Female	97	6	31	12	12	2	-	2	-
4	White	221	18	78	31	13	7	1	2	4
5	Male	132	12	47	20	3	5	1	-	4
6	Female	89	6	31	11	10	2	-	2	-
7	Negro	1	-	1	-	-	-	-	-	-
8	Male	1	-	1	-	-	-	-	-	-
9	Female	-	-	-	-	-	-	-	-	-
10	Other	23	1	-	1	2	1	-	-	-
11	Male	15	1	-	-	-	1	-	-	-
12	Female	8	-	-	1	2	-	-	-	-

Sex: United States and each State, 1955—Continued

within the continental United States. Excludes fetal deaths)

7-13 days	14-20 days	21-27 days	Under 28 days	28-59 days	2 months	3 months	4 months	5 months	6 months	7 months	8 months	9 months	10 months	11 months	
9	10	3	182	13	11	5	6	4	5	6	5	3	1	4	1
6	6	-	107	10	7	4	1	4	2	5	4	1	-	3	2
3	4	3	75	3	4	1	5	-	3	1	1	2	1	1	3
8	7	3	172	13	9	4	3	3	4	4	3	2	1	3	4
5	4	-	101	10	5	3	-	3	1	4	2	1	-	2	5
3	3	3	71	3	4	1	3	-	3	-	1	1	1	1	6
-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	7
-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	8
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	9
1	3	-	9	-	2	1	3	1	1	2	2	1	-	1	10
1	2	-	5	-	2	1	1	1	1	1	2	-	-	1	11
-	1	-	4	-	-	-	2	-	-	1	-	1	-	-	12

Table 39. Deaths Under 1 Year and Under 28 Days, by Month and Color for the United States and Each State; and by Age and Sex for the United States: 1955

(By place of residence. Includes only deaths occurring within the continental United States. Excludes fetal deaths)

AREA, AGE, AND COLOR (Sex for U. S. only)	Total	Jan.	Feb.	Mar.	Apr.	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.
UNITED STATES													
Both Sexes													
Under 1 year	106,903	9,701	8,427	8,605	8,150	8,499	8,491	8,979	8,971	8,795	9,064	9,230	9,991
White	81,682	7,308	6,410	6,656	6,350	6,614	6,592	6,918	6,891	6,715	6,844	6,935	7,449
Nonwhite	25,221	2,393	2,017	1,949	1,800	1,885	1,899	2,061	2,080	2,080	2,220	2,295	2,542
Under 1 hour	8,008	637	569	631	655	707	665	711	717	716	670	689	641
White	6,511	533	448	500	537	581	541	574	598	581	543	553	522
Nonwhite	1,497	104	121	131	118	126	124	137	119	135	127	136	119
1-23 hours	32,472	2,395	2,276	2,597	2,602	2,937	2,849	3,004	2,913	2,836	2,770	2,708	2,585
White	25,805	1,923	1,832	2,068	2,087	2,310	2,240	2,404	2,316	2,227	2,180	2,128	2,090
Nonwhite	6,667	472	444	529	515	627	609	600	597	609	590	580	495
1 day	11,692	937	872	908	943	982	1,052	1,034	1,070	1,003	967	922	1,002
White	9,643	781	730	757	777	807	881	841	863	809	796	770	831
Nonwhite	2,049	156	142	151	166	175	171	193	207	194	171	152	171
2 days	7,449	658	523	601	575	595	631	651	659	675	632	570	679
White	6,165	533	431	497	466	505	521	533	544	570	527	474	564
Nonwhite	1,284	125	92	104	109	90	110	118	115	105	105	96	115
3 days	3,783	325	259	331	286	302	314	337	364	339	302	311	313
White	3,043	261	212	273	227	244	268	263	288	269	245	239	254
Nonwhite	740	64	47	58	59	58	46	74	76	70	57	72	59
4 days	2,232	197	155	176	165	183	208	210	191	204	195	178	170
White	1,722	154	118	145	130	144	160	152	148	155	161	136	119
Nonwhite	510	43	37	31	35	39	48	58	43	49	34	42	51
5 days	1,739	129	124	138	160	122	153	154	180	148	145	137	149
White	1,285	98	95	95	117	93	108	122	121	107	113	102	114
Nonwhite	454	31	29	43	43	29	45	32	59	41	32	35	35
6 days	1,279	90	92	89	104	96	112	119	125	123	108	103	118
White	966	70	67	65	81	70	82	95	86	96	84	80	90
Nonwhite	313	20	25	24	23	26	30	24	39	27	24	23	28
7-13 days	4,374	358	310	372	325	339	345	379	414	373	387	379	393
White	3,196	255	221	282	237	251	257	296	297	272	276	269	283
Nonwhite	1,178	103	89	90	88	88	88	83	117	101	111	110	110
14-20 days	2,475	223	203	188	163	163	205	205	215	233	221	226	230
White	1,766	145	132	134	125	120	157	155	157	156	160	162	163
Nonwhite	709	78	71	54	38	43	48	50	58	77	61	64	67
21-27 days	1,848	185	149	145	118	134	166	134	150	139	182	155	191
White	1,238	126	99	95	89	90	114	84	99	106	109	108	119
Nonwhite	610	59	50	50	29	44	52	50	51	33	73	47	72
Under 28 days	77,351	6,134	5,532	6,176	6,096	6,560	6,700	6,938	6,998	6,789	6,579	6,378	6,471
White	61,340	4,879	4,385	4,911	4,873	5,215	5,329	5,519	5,517	5,348	5,194	5,021	5,149
Nonwhite	16,011	1,255	1,147	1,265	1,223	1,345	1,371	1,419	1,481	1,441	1,385	1,357	1,322
28-59 days	6,571	739	630	529	456	441	394	457	479	524	647	631	664
White	4,475	492	436	366	308	335	263	305	331	345	431	421	442
Nonwhite	2,096	247	194	163	128	106	131	152	148	179	216	210	222
2 months	5,008	579	502	434	351	308	295	304	299	352	462	531	591
White	3,423	394	354	299	250	231	216	209	211	229	301	348	381
Nonwhite	1,585	185	148	135	101	77	79	95	88	123	161	183	210
3 months	3,858	520	382	314	272	226	227	247	217	241	329	397	486
White	2,659	355	274	221	197	156	171	178	157	171	216	271	292
Nonwhite	1,199	165	108	93	75	70	56	69	60	70	113	126	194
4 months	3,125	412	308	266	208	190	185	195	214	192	242	290	423
White	2,116	275	213	187	151	123	134	145	133	126	162	180	287
Nonwhite	1,009	137	95	79	57	67	51	50	81	66	80	110	136
5 months	2,517	336	261	189	179	162	127	185	150	159	183	246	340
White	1,743	226	193	145	127	129	90	121	106	115	118	166	207
Nonwhite	774	110	68	44	52	33	37	64	44	44	65	80	133
6 months	2,094	275	230	189	152	126	142	150	131	125	138	191	245
White	1,443	179	149	141	111	83	97	111	92	86	98	130	166
Nonwhite	651	96	81	48	41	43	45	39	39	39	40	61	79
7 months	1,679	243	170	140	121	108	91	113	126	97	116	154	200
White	1,172	167	123	112	84	77	71	73	87	60	78	110	130
Nonwhite	507	76	47	28	37	31	20	40	39	37	38	44	70
8 months	1,459	137	147	118	107	115	100	112	90	108	108	145	172
White	1,038	110	112	84	83	74	72	68	61	81	76	103	114
Nonwhite	421	27	35	34	24	41	28	44	29	27	32	42	58
9 months	1,177	129	101	94	91	107	89	91	98	65	90	88	134
White	805	88	66	71	66	82	50	56	72	50	54	59	91
Nonwhite	372	41	35	23	25	25	39	35	26	15	36	29	43
10 months	1,049	89	87	79	73	91	75	95	84	67	81	85	143
White	728	64	55	58	53	62	50	65	62	47	53	59	100
Nonwhite	321	25	32	21	20	29	25	30	22	20	28	26	43
11 months	1,015	108	77	77	64	65	66	92	85	76	89	94	122
White	740	79	50	61	47	47	49	68	62	57	63	67	90
Nonwhite	275	29	27	16	17	18	17	24	23	19	26	27	32
Male													
Under 1 year	61,416	5,628	4,882	4,950	4,659	4,946	4,899	5,121	5,128	4,983	5,222	5,295	5,703
White	47,457	4,271	3,749	3,887	3,636	3,901	3,870	3,998	4,005	3,821	3,971	4,019	4,329
Nonwhite	13,959	1,357	1,133	1,063	1,023	1,045	1,029	1,123	1,123	1,162	1,251	1,276	1,374
Under 1 hour	4,361	344	312	335	363	387	374	391	370	398	380	379	328
White	3,537	287	238	278	294	317	310	316	303	323	305	298	268
Nonwhite	824	57	74	57	69	70	64	75	67	75	75	81	60
1-23 hours	18,833	1,406	1,301	1,533	1,487	1,724	1,629	1,803	1,652	1,619	1,635	1,550	1,494
White	15,093	1,130	1,064	1,246	1,197	1,372	1,289	1,457	1,339	1,281	1,286	1,226	1,206
Nonwhite	3,740	276	237	287	290	352	340	346	313	338	349	324	288
1 day	6,944	565	529	558	526	602	656	569	621	579	577	553	609
White	5,800	476	449	479	435	493	553	476	511	464	482	468	514
Nonwhite	1,144	89	80	79	91	109	103	93	110	115	95	85	95
2 days	4,578	400	322	350	367	364	390	412	425	415	382	338	413
White	3,832	325	269	291	302	318	324	342	354	349	329	283	346
Nonwhite	746	75	53	59	65	46	66	70	71	66	53	55	67

Table 39. Deaths Under 1 Year and Under 28 Days, by Month and Color for the United States and Each State; and by Age and Sex for the United States: 1955—Continued

(By place of residence. Includes only deaths occurring within the continental United States. Excludes fetal deaths)

AREA, AGE, AND COLOR (Sex for U. S. only)	Total	Jan.	Feb.	Mar.	Apr.	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.
UNITED STATES—Continued													
Male—Continued													
3 days	2,274	190	172	188	172	186	182	207	216	201	176	193	191
White	1,838	154	137	153	137	148	162	163	176	163	140	148	157
Nonwhite	436	36	35	35	35	38	20	44	40	38	36	45	34
4 days	1,295	117	80	98	98	98	126	119	113	119	117	104	106
White	1,024	93	61	85	82	78	105	91	84	94	92	81	78
Nonwhite	271	24	19	13	16	20	21	28	29	25	25	23	28
5 days	973	69	73	73	98	69	73	79	103	90	76	78	92
White	729	49	56	51	70	56	54	64	67	67	61	60	74
Nonwhite	244	20	17	22	28	13	19	15	36	23	15	18	18
6 days	741	46	50	50	66	51	72	72	78	65	49	67	75
White	561	35	38	37	51	34	52	58	55	52	40	50	59
Nonwhite	180	11	12	13	15	17	20	14	23	13	9	17	16
7-13 days	2,467	208	179	211	176	210	187	193	254	202	219	206	222
White	1,823	151	124	162	127	167	148	150	189	143	158	146	158
Nonwhite	644	57	55	49	49	43	39	43	65	59	61	60	64
14-20 days	1,423	131	115	109	96	89	126	112	116	137	127	129	136
White	1,024	85	77	70	71	70	95	86	87	94	93	101	95
Nonwhite	399	46	38	39	25	19	31	26	29	43	34	28	41
21-27 days	1,067	108	82	78	63	77	102	82	89	81	110	88	107
White	714	75	56	54	46	49	72	57	59	56	60	59	71
Nonwhite	353	33	26	24	17	28	30	25	30	25	50	29	36
Under 28 days	44,956	3,584	3,215	3,583	3,512	3,857	3,917	4,039	4,037	3,906	3,848	3,685	3,773
White	35,975	2,860	2,569	2,906	2,812	3,102	3,164	3,260	3,224	3,086	3,046	2,920	3,026
Nonwhite	8,981	724	646	677	700	755	753	779	813	820	802	765	747
28-59 days	3,812	429	396	310	233	252	234	259	298	294	381	355	371
White	2,647	294	289	218	165	190	163	175	214	186	257	245	251
Nonwhite	1,165	135	107	92	68	62	71	84	84	108	124	110	120
2 months	2,862	349	282	235	215	184	162	167	171	203	254	303	337
White	2,009	249	204	158	152	145	122	112	121	141	167	205	233
Nonwhite	853	100	78	77	63	39	40	55	50	62	87	98	104
3 months	2,114	279	211	174	153	125	127	124	118	119	176	230	278
White	1,483	192	153	127	112	91	98	89	89	80	119	162	171
Nonwhite	631	87	58	47	41	34	29	35	29	39	57	68	107
4 months	1,724	248	176	155	111	104	99	89	127	94	133	154	234
White	1,188	167	120	103	84	67	76	72	78	68	92	94	167
Nonwhite	536	81	56	52	27	37	23	17	49	26	41	60	67
5 months	1,348	181	142	106	106	98	70	88	69	81	106	128	173
White	936	118	104	84	70	85	51	52	53	55	72	85	107
Nonwhite	412	63	38	22	36	13	19	36	16	26	34	43	66
6 months	1,148	148	133	114	82	62	76	84	63	69	71	120	126
White	797	91	83	82	59	40	53	63	48	48	52	85	93
Nonwhite	351	57	50	32	23	22	23	21	15	21	19	35	33
7 months	899	130	100	74	65	67	47	61	59	41	66	86	103
White	651	93	77	62	49	46	37	38	43	26	45	62	73
Nonwhite	248	37	23	12	16	21	10	23	16	15	21	24	30
8 months	816	85	86	71	60	55	55	57	44	62	51	90	100
White	572	66	66	50	44	35	37	33	32	47	34	65	63
Nonwhite	244	19	20	21	16	20	18	24	12	15	17	25	37
9 months	634	75	55	54	45	57	39	50	55	34	47	46	77
White	425	53	33	42	32	40	19	28	42	26	27	30	53
Nonwhite	209	22	22	12	13	17	20	22	13	8	20	16	24
10 months	569	54	43	31	39	49	42	59	47	36	42	53	74
White	383	39	24	20	29	35	28	42	31	24	27	35	49
Nonwhite	186	15	19	11	10	14	14	17	16	12	15	18	25
11 months	534	66	43	43	38	36	31	44	40	44	47	45	57
White	391	49	27	35	28	25	22	34	30	34	33	31	43
Nonwhite	143	17	16	8	10	11	9	10	10	10	14	14	14
Female													
Under 1 year	45,487	4,073	3,545	3,655	3,491	3,553	3,592	3,858	3,843	3,812	3,842	3,935	4,288
White	34,225	3,037	2,661	2,769	2,714	2,713	2,722	2,920	2,886	2,894	2,873	2,916	3,120
Nonwhite	11,262	1,036	884	886	777	840	870	938	957	918	969	1,019	1,168
Under 1 hour	3,647	293	257	296	292	320	291	320	347	318	290	310	313
White	2,974	246	210	222	243	264	231	258	295	258	238	255	254
Nonwhite	673	47	47	74	49	56	60	62	52	60	52	55	59
1-23 hours	13,639	989	975	1,064	1,115	1,213	1,220	1,201	1,261	1,217	1,135	1,158	1,091
White	10,712	793	768	822	890	938	951	947	977	946	894	902	884
Nonwhite	2,927	196	207	242	225	275	269	254	284	271	241	256	207
1 day	4,748	372	343	350	417	380	396	465	449	424	390	369	393
White	3,843	305	281	278	342	314	328	365	352	345	314	302	317
Nonwhite	905	67	62	72	75	66	68	100	97	79	76	67	76
2 days	2,871	258	201	251	208	231	241	239	234	260	250	232	266
White	2,333	208	162	206	164	187	197	191	190	221	198	191	218
Nonwhite	538	50	39	45	44	44	44	48	44	39	52	41	48
3 days	1,509	135	87	143	114	116	132	130	148	138	126	118	122
White	1,205	107	75	120	90	96	106	100	112	106	105	91	97
Nonwhite	304	28	12	23	24	20	26	30	36	32	21	27	25
4 days	937	80	75	78	67	85	82	91	78	85	78	74	64
White	698	61	57	60	48	66	55	61	64	61	69	55	41
Nonwhite	239	19	18	18	19	19	27	30	14	24	9	19	23
5 days	766	60	51	65	62	53	80	75	77	58	69	59	57
White	556	49	39	44	47	37	54	58	54	40	52	42	40
Nonwhite	210	11	12	21	15	16	26	17	23	18	17	17	17
6 days	538	44	42	39	38	45	40	47	47	58	59	36	43
White	405	35	29	28	30	36	30	37	31	44	44	30	31
Nonwhite	133	9	13	11	8	9	10	10	16	14	15	6	12
7-13 days	1,907	150	131	161	149	129	158	186	160	171	168	173	171
White	1,373	104	97	120	110	84	109	146	108	129	118	123	125
Nonwhite	534	46	34	41	39	45	49	40	52	42	50	50	46
14-20 days	1,052	92	88	79	67	74	79	93	99	96	94	97	94
White	742	60	55	64	54	50	62	69	70	62	67	61	68
Nonwhite	310	32	33	15	13	24	17	24	29	34	27	36	26

Table 39. Deaths Under 1 Year and Under 28 Days, by Month and Color for the United States and Each State; and by Age and Sex for the United States: 1955—Continued

(By place of residence. Includes only deaths occurring within the continental United States. Excludes fetal deaths)

AREA, AGE, AND COLOR (Sex for U. S. only)	Total	Jan.	Feb.	Mar.	Apr.	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.
UNITED STATES—Continued													
Female—Continued													
21-27 days	781	77	67	67	55	57	64	52	61	58	72	67	84
White	524	51	43	41	43	41	42	27	40	50	49	49	48
Nonwhite	257	26	24	26	12	16	22	25	21	8	23	18	36
Under 28 days	32,395	2,550	2,317	2,593	2,584	2,703	2,783	2,899	2,961	2,883	2,731	2,693	2,698
White	25,365	2,019	1,816	2,005	2,061	2,113	2,165	2,259	2,293	2,262	2,148	2,101	2,123
Nonwhite	7,030	531	501	588	523	590	618	640	668	621	583	592	575
28-59 days	2,759	310	234	219	203	189	160	198	181	230	266	276	293
White	1,828	198	147	148	143	145	100	130	117	159	174	176	181
Nonwhite	931	112	87	71	60	44	60	68	64	71	92	100	102
2 months	2,146	230	220	199	136	124	133	137	128	149	208	228	254
White	1,414	145	150	141	98	86	94	97	90	88	134	143	148
Nonwhite	732	85	70	58	38	38	39	40	38	61	74	85	106
3 months	1,744	241	171	140	119	101	100	123	99	122	153	167	208
White	1,176	163	121	94	85	65	73	89	68	91	97	109	121
Nonwhite	568	78	50	46	34	36	27	34	31	31	56	58	87
4 months	1,401	164	132	111	97	86	86	106	87	98	109	136	189
White	928	108	93	84	67	56	58	73	55	58	70	86	120
Nonwhite	473	56	39	27	30	30	28	33	32	40	39	50	69
5 months	1,169	155	119	83	73	64	57	97	81	78	77	118	167
White	807	108	89	61	57	44	39	69	53	60	46	81	100
Nonwhite	362	47	30	22	16	20	18	28	28	18	31	37	67
6 months	946	127	97	75	70	64	66	66	68	56	67	71	119
White	646	88	66	59	52	43	44	48	44	38	46	45	73
Nonwhite	300	39	31	16	18	21	22	18	24	18	21	26	46
7 months	780	113	70	66	56	41	44	52	67	56	50	68	97
White	521	74	46	50	35	31	34	35	44	34	33	48	57
Nonwhite	259	39	24	16	21	10	10	17	23	22	17	20	40
8 months	643	52	61	47	47	60	45	55	46	46	57	55	72
White	466	44	46	34	39	39	35	35	29	34	42	38	51
Nonwhite	177	8	15	13	8	21	10	20	17	12	15	17	21
9 months	543	54	46	40	46	50	50	41	43	31	43	42	57
White	380	35	33	29	34	42	31	28	30	24	27	29	38
Nonwhite	163	19	13	11	12	8	19	13	13	7	16	13	19
10 months	480	35	44	48	34	42	33	36	37	31	39	32	69
White	345	25	31	38	24	27	22	23	31	23	26	24	51
Nonwhite	135	10	13	10	10	15	11	13	6	8	13	8	18
11 months	481	42	34	34	26	29	35	48	45	32	42	49	65
White	349	30	23	26	19	22	27	34	32	23	30	36	47
Nonwhite	132	12	11	8	7	7	8	14	13	9	12	13	18
ALABAMA													
Under 1 year	2,616	252	188	219	165	213	161	242	222	221	220	225	288
White	1,241	110	82	99	87	107	77	126	113	108	102	120	110
Nonwhite	1,375	142	106	120	78	106	84	116	109	113	118	105	178
Under 28 days	1,809	148	109	150	119	153	124	169	179	171	159	158	170
White	939	66	53	73	66	81	67	95	95	91	83	88	81
Nonwhite	870	82	56	77	53	72	57	74	84	80	76	70	89
ARIZONA													
Under 1 year	972	118	70	80	60	77	69	75	68	103	72	86	94
White	689	86	53	55	44	53	53	49	41	71	50	63	71
Nonwhite	283	32	17	25	16	24	16	26	27	32	22	23	23
Under 28 days	561	63	36	47	38	49	40	42	39	66	52	41	48
White	454	49	34	37	29	37	35	30	28	52	40	39	44
Nonwhite	107	14	2	10	9	12	5	12	11	14	12	2	4
ARKANSAS													
Under 1 year	1,157	107	95	76	77	83	115	100	102	80	117	105	100
White	665	64	54	44	44	53	69	54	56	49	65	61	52
Nonwhite	492	43	41	32	33	30	46	46	46	31	52	44	48
Under 28 days	744	62	52	39	51	66	82	77	78	52	72	58	55
White	468	43	27	28	30	44	54	45	42	35	47	40	33
Nonwhite	276	19	25	11	21	22	28	32	36	17	25	18	22
CALIFORNIA													
Under 1 year	7,395	643	532	558	571	578	583	631	657	636	583	682	741
White	6,527	570	473	490	511	507	501	564	593	562	503	600	653
Nonwhite	868	73	59	68	60	71	82	67	64	74	80	82	88
Under 28 days	5,666	441	378	436	462	452	481	515	521	504	454	520	502
White	5,022	390	335	384	417	399	420	464	470	445	393	458	447
Nonwhite	644	51	43	52	45	53	61	51	51	59	61	62	55
COLORADO													
Under 1 year	1,212	104	89	87	95	117	106	104	103	114	102	81	120
White	1,161	99	87	84	79	114	103	99	99	108	96	80	113
Nonwhite	51	5	2	3	6	3	3	5	4	6	6	1	7
Under 28 days	895	70	61	67	64	90	79	88	84	81	68	66	77
White	863	68	61	64	61	87	77	83	80	78	66	65	73
Nonwhite	32	2	-	3	3	3	2	5	4	3	2	1	4
CONNECTICUT													
Under 1 year	1,140	116	76	103	88	79	107	98	89	101	79	107	97
White	1,033	100	67	97	78	70	97	88	82	94	74	101	87
Nonwhite	107	16	9	6	10	9	10	12	7	7	5	6	10
Under 28 days	894	87	54	78	66	65	94	81	70	83	63	85	68
White	819	78	46	74	58	59	85	72	66	82	58	80	61
Nonwhite	75	9	8	4	8	6	9	9	4	1	5	5	7

Table 39. Deaths Under 1 Year and Under 28 Days, by Month and Color for the United States and Each State; and by Age and Sex for the United States: 1955—Continued

(By place of residence. Includes only deaths occurring within the continental United States. Excludes fetal deaths)

AREA, AGE, AND COLOR	Total	Jan.	Feb.	Mar.	Apr.	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.
DELAWARE													
Under 1 year	265	20	22	24	24	27	19	22	20	21	28	14	24
White	193	14	19	18	15	21	14	17	14	14	22	10	15
Nonwhite	72	6	3	6	9	6	5	5	6	7	6	4	9
Under 28 days	184	15	17	15	20	20	11	17	15	15	20	8	11
White	144	12	14	12	13	17	9	13	11	10	17	7	9
Nonwhite	40	3	3	3	7	3	2	4	4	5	3	1	2
DISTRICT OF COLUMBIA													
Under 1 year	673	49	42	62	59	72	49	59	52	57	49	55	68
White	224	20	12	22	10	28	13	17	16	25	17	17	27
Nonwhite	449	29	30	40	49	44	36	42	36	32	32	38	41
Under 28 days	545	35	31	50	52	64	46	52	39	48	38	44	46
White	192	15	9	20	8	25	13	16	11	21	15	16	23
Nonwhite	353	20	22	30	44	39	33	36	28	27	23	28	23
FLORIDA													
Under 1 year	2,652	223	184	233	181	204	228	229	233	230	205	219	283
White	1,476	117	91	132	87	120	120	138	134	135	122	124	156
Nonwhite	1,176	106	93	101	94	84	108	91	99	95	83	95	127
Under 28 days	1,869	139	112	150	128	139	165	185	183	175	156	152	185
White	1,168	86	64	94	73	99	100	118	111	110	99	99	115
Nonwhite	701	53	48	56	55	40	65	67	72	65	57	53	70
GEORGIA													
Under 1 year	3,002	294	246	215	200	239	220	245	248	260	259	286	290
White	1,475	120	122	111	99	125	113	114	127	131	140	136	137
Nonwhite	1,527	174	124	104	101	114	107	131	121	129	119	150	153
Under 28 days	2,001	171	136	153	141	165	166	170	177	194	185	184	159
White	1,104	79	71	81	79	98	94	97	96	106	112	99	92
Nonwhite	897	92	65	72	62	67	72	73	81	88	73	85	67
IDAHO													
Under 1 year	354	38	18	36	34	31	31	21	29	30	35	29	22
White	346	37	17	36	33	31	31	19	28	30	34	29	21
Nonwhite	8	1	1	-	1	-	-	2	1	-	1	-	1
Under 28 days	270	23	15	27	29	22	24	17	24	23	27	23	16
White	265	23	14	27	29	22	24	16	23	23	26	23	15
Nonwhite	5	-	1	-	-	-	-	1	1	-	1	-	1
ILLINOIS													
Under 1 year	5,466	477	451	435	421	422	440	473	480	453	502	421	491
White	4,165	381	355	326	317	327	349	360	362	345	353	310	380
Nonwhite	1,301	96	96	109	104	95	91	113	118	108	149	111	111
Under 28 days	3,955	309	305	311	304	321	352	359	361	347	367	302	317
White	3,112	254	248	241	235	252	281	284	279	278	279	228	253
Nonwhite	843	55	57	70	69	69	71	75	82	69	88	74	64
INDIANA													
Under 1 year	2,715	259	171	224	207	223	194	239	234	206	250	240	268
White	2,402	222	158	201	189	197	176	210	200	174	227	212	236
Nonwhite	313	37	13	23	18	26	18	29	34	32	23	28	32
Under 28 days	2,032	159	120	161	150	179	171	196	193	172	189	165	177
White	1,810	139	108	146	138	159	154	173	168	149	176	147	153
Nonwhite	222	20	12	15	12	20	17	23	25	23	13	18	24
IOWA													
Under 1 year	1,407	132	91	132	112	103	109	135	113	119	144	110	107
White	1,370	129	90	130	108	102	104	133	111	114	141	106	102
Nonwhite	37	3	1	2	4	1	5	2	2	5	3	4	5
Under 28 days	1,083	87	64	96	89	88	90	100	95	98	111	87	78
White	1,057	85	63	96	86	87	85	98	93	95	109	85	75
Nonwhite	26	2	1	-	3	1	5	2	2	3	2	2	3
KANSAS													
Under 1 year	1,235	106	85	107	107	86	93	107	123	95	112	100	114
White	1,118	96	80	96	96	78	82	95	112	87	106	86	104
Nonwhite	117	10	5	11	11	8	11	12	11	8	6	14	10
Under 28 days	956	69	64	74	85	65	70	92	104	76	92	82	83
White	872	62	61	66	76	57	65	84	96	69	87	71	78
Nonwhite	84	7	3	8	9	8	5	8	8	7	5	11	5
KENTUCKY													
Under 1 year	2,249	246	190	197	157	169	178	197	163	159	187	179	227
White	1,957	222	158	175	138	140	163	171	141	143	159	154	193
Nonwhite	292	24	32	22	19	29	15	26	22	16	28	25	34
Under 28 days	1,522	146	110	130	118	129	136	152	126	122	103	113	137
White	1,347	129	94	117	103	110	125	131	112	111	92	102	121
Nonwhite	175	17	16	13	15	19	11	21	14	11	11	11	16
LOUISIANA													
Under 1 year	2,723	252	215	209	195	204	213	206	252	228	239	234	276
White	1,179	114	97	97	76	95	92	85	99	100	103	100	121
Nonwhite	1,544	138	118	112	119	109	121	121	153	128	136	134	155
Under 28 days	1,892	145	125	133	139	152	162	151	196	174	178	171	166
White	918	79	65	68	56	73	77	72	84	81	90	86	87
Nonwhite	974	66	60	65	83	79	85	79	112	93	88	85	79

Table 39. Deaths Under 1 Year and Under 28 Days, by Month and Color for the United States and Each State; and by Age and Sex for the United States: 1955—Continued

(By place of residence. Includes only deaths occurring within the continental United States. Excludes fetal deaths)

AREA, AGE, AND COLOR	Total	Jan.	Feb.	Mar.	Apr.	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.
MAINE													
Under 1 year	553	42	41	42	59	50	44	35	42	40	42	51	65
White	540	41	39	41	59	50	43	34	42	39	40	50	62
Nonwhite	13	1	2	1	-	-	1	1	-	1	2	1	3
Under 28 days	393	27	25	28	43	40	35	28	34	33	27	36	37
White	385	27	24	27	43	40	34	27	34	33	25	36	35
Nonwhite	8	-	1	1	-	-	1	1	-	-	2	-	2
MARYLAND													
Under 1 year	1,873	145	140	141	142	132	156	154	147	177	179	167	193
White	1,191	89	110	99	98	82	95	104	91	101	106	98	118
Nonwhite	682	56	30	42	44	50	61	50	56	76	73	69	75
Under 28 days	1,360	84	91	102	104	103	140	110	118	147	121	118	122
White	902	58	75	71	71	65	89	75	75	88	80	75	80
Nonwhite	458	26	16	31	33	38	51	35	43	59	41	43	42
MASSACHUSETTS													
Under 1 year	2,413	224	208	219	207	186	190	204	180	176	189	207	223
White	2,298	216	192	208	200	179	179	196	172	169	177	196	214
Nonwhite	115	8	16	11	7	7	11	8	8	7	12	11	9
Under 28 days	1,892	168	150	175	168	147	160	171	147	154	141	152	159
White	1,807	164	137	165	163	141	153	165	140	150	134	143	152
Nonwhite	85	4	13	10	5	6	7	6	7	4	7	9	7
MICHIGAN													
Under 1 year	4,894	465	410	404	347	382	434	396	409	419	429	388	411
White	4,067	390	345	335	304	309	365	324	339	348	350	320	338
Nonwhite	827	75	65	69	43	73	69	72	70	71	79	68	73
Under 28 days	3,729	310	287	301	264	308	354	318	332	328	331	296	300
White	3,116	262	243	254	233	250	296	260	281	270	267	244	256
Nonwhite	613	48	44	47	31	58	58	58	51	58	64	52	44
MINNESOTA													
Under 1 year	1,782	143	151	145	127	138	162	151	147	155	148	163	152
White	1,724	138	147	138	123	136	155	148	143	151	140	157	148
Nonwhite	58	5	4	7	4	2	7	3	4	4	8	6	4
Under 28 days	1,378	105	106	113	101	108	131	123	120	128	119	119	105
White	1,353	104	104	109	98	107	128	121	119	127	116	116	104
Nonwhite	25	1	2	4	3	1	3	2	1	1	3	3	1
MISSISSIPPI													
Under 1 year	2,346	248	201	160	145	161	150	199	183	171	227	256	245
White	690	64	55	51	46	50	44	75	58	49	66	67	65
Nonwhite	1,656	184	146	109	99	111	106	124	125	122	161	189	180
Under 28 days	1,444	132	113	112	92	110	99	138	112	129	142	138	127
White	532	43	40	43	32	42	35	59	45	43	54	49	47
Nonwhite	912	89	73	69	60	68	64	79	67	86	88	89	80
MISSOURI													
Under 1 year	2,381	203	209	188	175	163	190	196	201	213	195	203	225
White	1,910	168	166	152	142	150	158	162	154	169	149	158	182
Nonwhite	471	35	43	36	33	33	32	34	47	44	46	45	43
Under 28 days	1,733	123	135	129	131	150	161	145	164	169	127	154	145
White	1,415	107	107	106	107	124	135	122	126	135	103	125	118
Nonwhite	318	16	28	23	24	26	26	23	38	34	24	29	27
MONTANA													
Under 1 year	437	39	33	35	37	33	42	43	37	36	33	38	31
White	392	36	29	32	35	32	41	39	31	33	27	33	24
Nonwhite	45	3	4	3	2	1	1	4	6	3	6	5	7
Under 28 days	325	25	26	27	28	21	34	34	29	30	22	28	21
White	306	24	24	25	28	21	33	32	24	29	21	26	19
Nonwhite	19	1	2	2	-	-	1	2	5	1	1	2	2
NEBRASKA													
Under 1 year	813	77	62	56	50	60	77	75	94	70	61	58	73
White	738	72	51	53	47	57	64	68	89	68	56	47	66
Nonwhite	75	5	11	3	3	3	13	7	5	2	5	11	7
Under 28 days	635	44	45	43	40	48	68	64	77	57	49	45	55
White	584	42	39	42	37	46	58	60	72	55	45	38	50
Nonwhite	51	2	6	1	3	2	10	4	5	2	4	7	5
NEVADA													
Under 1 year	188	11	8	15	20	18	19	22	12	14	11	23	15
White	157	10	7	12	18	17	18	18	12	12	8	16	9
Nonwhite	31	1	1	3	2	1	1	4	-	2	3	7	6
Under 28 days	148	8	5	13	15	16	18	17	10	11	8	17	10
White	129	8	4	10	13	15	18	14	10	10	7	13	7
Nonwhite	19	-	1	3	2	1	-	3	-	1	1	4	3
NEW HAMPSHIRE													
Under 1 year	321	39	36	33	16	20	29	17	30	19	27	34	21
White	321	39	36	33	16	20	29	17	30	19	27	34	21
Nonwhite	-	-	-	-	-	-	-	-	-	-	-	-	-
Under 28 days	246	27	26	23	11	15	27	15	24	17	18	28	15
White	246	27	26	23	11	15	27	15	24	17	18	28	15
Nonwhite	-	-	-	-	-	-	-	-	-	-	-	-	-

Table 39. Deaths Under 1 Year and Under 28 Days, by Month and Color for the United States and Each State; and by Age and Sex for the United States: 1955—Continued

(By place of residence. Includes only deaths occurring within the continental United States. Excludes fetal deaths)

AREA, AGE, AND COLOR	Total	Jan.	Feb.	Mar.	Apr.	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.
NEW JERSEY													
Under 1 year	2,954	265	220	262	238	215	220	254	262	221	293	258	246
White	2,332	206	169	207	199	169	169	206	213	171	233	198	192
Nonwhite	622	59	51	55	39	46	51	48	49	50	60	60	54
Under 28 days	2,217	182	163	190	167	168	178	193	205	185	233	186	167
White	1,799	144	124	155	145	136	141	157	166	147	191	155	138
Nonwhite	418	38	39	35	22	32	37	36	39	38	42	31	29
NEW MEXICO													
Under 1 year	1,108	93	81	84	80	73	84	79	79	118	122	115	100
White	900	71	68	68	61	59	66	73	65	88	102	97	82
Nonwhite	208	22	13	16	19	14	18	6	14	30	20	18	18
Under 28 days	618	56	40	49	46	52	53	51	45	53	57	60	56
White	549	47	39	43	36	44	51	50	41	44	50	56	48
Nonwhite	69	9	1	6	10	8	2	1	4	9	7	4	8
NEW YORK													
Under 1 year	8,340	698	645	684	703	726	675	681	696	663	664	742	763
White	6,865	577	517	565	569	581	560	557	585	549	555	609	641
Nonwhite	1,475	121	128	119	134	145	115	124	111	114	109	133	122
Under 28 days	6,395	479	464	538	560	562	542	551	567	534	496	534	568
White	5,279	406	363	447	458	452	442	446	481	444	415	441	484
Nonwhite	1,116	73	101	91	102	110	100	105	86	90	81	93	84
NORTH CAROLINA													
Under 1 year	3,500	372	303	296	246	273	227	278	267	290	290	301	357
White	1,742	170	131	157	132	147	124	137	140	153	151	141	159
Nonwhite	1,758	202	172	139	114	126	103	141	127	137	139	160	198
Under 28 days	2,251	196	159	195	173	211	165	191	193	211	192	173	192
White	1,269	108	77	114	96	119	99	109	108	122	113	100	104
Nonwhite	982	88	82	81	77	92	66	82	85	89	79	73	88
NORTH DAKOTA													
Under 1 year	433	42	39	41	44	38	36	32	29	45	32	29	26
White	402	38	39	40	43	34	32	28	28	42	29	26	23
Nonwhite	31	4	-	1	1	4	4	4	1	3	3	3	3
Under 28 days	330	27	27	35	35	35	31	23	24	31	27	16	19
White	313	25	27	34	35	32	28	21	23	30	24	15	19
Nonwhite	17	2	-	1	-	3	3	2	1	1	3	1	-
OHIO													
Under 1 year	5,549	516	453	430	434	483	456	434	434	455	477	450	527
White	4,666	434	401	366	362	411	376	365	355	369	396	379	452
Nonwhite	883	82	52	64	72	72	80	69	79	86	81	71	75
Under 28 days	4,183	342	308	309	337	395	356	341	346	364	366	336	383
White	3,518	291	274	262	289	333	286	286	283	296	307	282	329
Nonwhite	665	51	34	47	48	62	70	55	63	68	59	54	54
OKLAHOMA													
Under 1 year	1,339	112	106	92	100	109	110	141	111	106	107	124	121
White	1,058	87	84	77	80	89	91	114	92	87	77	86	94
Nonwhite	281	25	22	15	20	20	19	27	19	19	30	38	27
Under 28 days	1,008	77	65	65	75	93	87	112	94	94	86	82	78
White	823	61	55	55	66	75	73	90	79	82	65	59	63
Nonwhite	185	16	10	10	9	18	14	22	15	12	21	23	15
OREGON													
Under 1 year	936	65	80	91	102	61	86	67	75	76	86	81	66
White	887	58	79	87	95	56	83	64	73	72	81	74	65
Nonwhite	49	7	1	4	7	5	3	3	2	4	5	7	1
Under 28 days	682	48	59	57	74	38	72	51	62	55	61	57	48
White	654	43	58	56	70	35	70	49	61	52	58	54	48
Nonwhite	28	5	1	1	4	3	2	2	1	3	3	3	-
PENNSYLVANIA													
Under 1 year	5,960	519	525	511	510	487	519	503	466	478	469	460	513
White	5,002	436	439	432	432	406	427	426	398	398	389	393	426
Nonwhite	958	83	86	79	78	81	92	77	68	80	80	67	87
Under 28 days	4,638	359	366	395	398	403	431	412	377	395	374	352	376
White	3,894	305	308	330	334	335	351	352	324	328	318	298	311
Nonwhite	744	54	58	65	64	68	80	60	53	67	56	54	65
RHODE ISLAND													
Under 1 year	419	35	29	31	27	44	42	36	31	40	34	42	28
White	403	35	28	30	25	44	40	35	30	40	32	37	27
Nonwhite	16	-	1	1	2	-	2	1	1	-	2	5	1
Under 28 days	321	24	17	26	21	33	35	29	23	31	28	35	19
White	310	24	16	25	20	33	33	29	22	31	28	30	19
Nonwhite	11	-	1	1	1	-	2	-	1	-	-	5	-
SOUTH CAROLINA													
Under 1 year	2,170	225	182	180	168	133	146	206	160	180	172	187	231
White	895	84	72	71	81	59	62	99	62	81	66	63	95
Nonwhite	1,275	141	110	109	87	74	84	107	98	99	106	124	136
Under 28 days	1,340	109	82	119	114	95	114	139	119	132	108	100	109
White	650	54	39	54	61	47	55	75	52	65	46	43	59
Nonwhite	690	55	43	65	53	48	59	64	67	67	62	57	50

Table 39. Deaths Under 1 Year and Under 28 Days, by Month and Color for the United States and Each State; and by Age and Sex for the United States: 1955—Continued

(By place of residence. Includes only deaths occurring within the continental United States. Excludes fetal deaths)

AREA, AGE, AND COLOR	Total	Jan.	Feb.	Mar.	Apr.	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.
SOUTH DAKOTA													
Under 1 year	487	39	34	25	36	34	49	39	52	46	47	44	42
White	409	32	27	22	31	30	45	34	41	35	39	36	37
Nonwhite	78	7	7	3	5	4	4	5	11	11	8	8	5
Under 28 days	335	25	21	14	29	27	31	33	41	27	32	27	28
White	306	23	19	13	27	24	30	30	33	27	29	25	26
Nonwhite	29	2	2	1	2	3	1	3	8	-	3	2	2
TENNESSEE													
Under 1 year	2,485	234	211	218	177	188	204	200	194	217	202	205	235
White	1,737	162	160	159	118	131	145	141	137	152	131	141	160
Nonwhite	748	72	51	59	59	57	59	59	57	65	71	64	75
Under 28 days	1,684	125	129	155	130	148	153	151	136	156	124	134	143
White	1,221	85	101	115	88	105	117	109	100	115	91	91	104
Nonwhite	463	40	28	40	42	43	36	42	36	41	33	43	39
TEXAS													
Under 1 year	7,278	635	533	524	538	590	555	649	665	599	579	698	713
White	5,833	516	409	412	438	496	446	539	531	479	466	557	544
Nonwhite	1,445	119	124	112	100	94	109	110	134	120	113	141	169
Under 28 days	4,796	363	352	338	380	410	386	487	494	424	383	385	396
White	3,908	301	280	260	312	347	311	412	400	348	312	302	323
Nonwhite	888	62	72	76	68	63	75	75	94	76	71	83	73
UTAH													
Under 1 year	509	45	35	40	43	46	41	50	38	45	46	39	41
White	489	43	35	40	41	45	40	49	37	42	45	35	37
Nonwhite	20	2	-	-	2	1	1	1	1	3	1	4	4
Under 28 days	397	29	31	32	30	38	39	38	29	32	35	33	31
White	388	29	31	32	30	37	38	38	28	32	35	29	29
Nonwhite	9	-	-	-	-	1	1	-	1	-	-	4	2
VERMONT													
Under 1 year	244	23	15	30	10	17	23	15	20	14	34	16	27
White	243	23	15	30	10	16	23	15	20	14	34	16	27
Nonwhite	1	-	-	-	-	1	-	-	-	-	-	-	-
Under 28 days	188	20	10	24	9	15	19	13	14	10	27	12	15
White	188	20	10	24	9	15	19	13	14	10	27	12	15
Nonwhite	-	-	-	-	-	-	-	-	-	-	-	-	-
VIRGINIA													
Under 1 year	2,786	261	245	200	205	217	206	226	265	243	239	237	242
White	1,745	159	146	121	128	147	136	130	169	160	144	159	146
Nonwhite	1,041	102	99	79	77	70	70	96	96	83	95	78	96
Under 28 days	2,016	160	154	150	150	178	166	178	202	181	171	164	162
White	1,346	115	101	98	99	121	109	112	133	123	108	119	108
Nonwhite	670	45	53	52	51	57	57	66	69	58	63	45	54
WASHINGTON													
Under 1 year	1,531	134	118	138	129	161	114	113	106	98	128	163	129
White	1,391	121	108	123	119	145	101	102	97	93	120	144	118
Nonwhite	140	13	10	15	10	16	13	11	9	5	8	19	11
Under 28 days	1,091	90	81	96	99	120	84	78	83	80	93	107	80
White	1,026	86	76	91	93	108	77	72	79	78	89	101	76
Nonwhite	65	4	5	5	6	12	7	6	4	2	4	6	4
WEST VIRGINIA													
Under 1 year	1,206	128	105	108	90	96	96	93	117	83	92	100	98
White	1,143	120	97	103	88	93	94	87	111	79	84	95	92
Nonwhite	63	8	8	5	2	3	2	6	6	4	8	5	6
Under 28 days	844	74	61	72	62	74	81	75	93	54	67	66	65
White	804	70	58	69	60	72	80	70	87	52	62	61	63
Nonwhite	40	4	3	3	2	2	1	5	6	2	5	5	2
WISCONSIN													
Under 1 year	2,190	173	181	167	189	195	173	195	204	153	201	158	201
White	2,070	161	174	162	186	185	164	184	192	142	186	147	187
Nonwhite	120	12	7	5	3	10	9	11	12	11	15	11	14
Under 28 days	1,674	118	130	121	145	163	137	157	177	120	162	117	127
White	1,594	111	125	117	142	156	129	150	167	113	150	111	123
Nonwhite	80	7	5	4	3	7	8	7	10	7	12	6	4
WYOMING													
Under 1 year	245	15	23	18	13	23	21	13	30	22	26	20	21
White	221	11	20	17	13	21	20	11	26	21	24	17	20
Nonwhite	24	4	3	1	-	2	1	2	4	1	2	3	1
Under 28 days	182	9	15	15	10	17	20	9	23	16	18	12	18
White	172	8	14	14	10	17	19	8	21	16	17	11	17
Nonwhite	10	1	1	1	-	-	1	1	2	-	1	1	1

Table 40. Deaths Under 1 Year, Under 28 Days, and 28 Days to 11 Months, From 45 Selected Causes, by Month: United States, 1955

(Includes only deaths occurring within the continental United States. Excludes fetal deaths. Numbers after causes of death are category numbers of the Sixth Revision of the International Lists, 1948)

AGE AND CAUSE OF DEATH	Total	Jan.	Feb.	Mar.	Apr.	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.
UNDER 1 YEAR													
ALL CAUSES	106,903	9,701	8,427	8,605	8,150	8,499	8,491	8,979	8,971	8,795	9,064	9,230	9,991
Tuberculosis, all forms---001-019	96	13	7	7	6	5	7	12	10	5	9	9	6
Syphilis and its sequelae---020-029	34	4	1	5	1	3	-	5	7	3	1	3	1
Dysentery, all forms---045-048	271	10	9	12	15	17	24	35	27	30	28	33	31
Whooping cough---056	334	35	22	16	33	39	33	38	19	20	21	24	34
All other infective and parasitic diseases---030-044,049-055,057-138	1,064	116	109	116	98	76	75	86	65	70	66	80	107
Diseases of thymus gland---273	248	23	26	26	24	18	17	21	10	16	25	22	20
Meningitis, except meningococcal and tuberculous-340	676	80	64	58	43	56	45	37	40	46	53	78	76
All other diseases of nervous system and sense organs---330-334,341-398	825	70	63	64	67	64	54	67	68	64	76	76	92
Influenza and pneumonia, except pneumonia of newborn---480-493	8,318	1,312	1,054	729	571	477	368	411	383	414	605	872	1,122
Influenza---480-483	369	88	73	51	18	13	7	7	9	11	21	27	44
Pneumonia, except pneumonia of newborn---490-493	7,949	1,224	981	678	553	464	361	404	374	403	584	845	1,078
All other diseases of respiratory system---470-475,500-527	2,972	343	291	252	231	219	181	192	184	190	242	264	383
Hernia and intestinal obstruction---560,561,570	956	96	81	77	69	63	67	85	90	72	95	83	78
Gastritis, duodenitis, enteritis, and colitis, except diarrhea of newborn---543,571,572	3,257	315	236	185	158	211	223	281	285	301	340	340	382
All other diseases of digestive system---530-542,544-553,573-587	517	50	40	51	36	46	26	39	40	37	36	52	64
Congenital malformations---750-759	15,356	1,327	1,115	1,267	1,193	1,171	1,247	1,298	1,363	1,325	1,345	1,281	1,424
Spina bifida and meningocele---751	1,206	96	91	116	89	87	102	97	93	109	106	107	113
Congenital malformations of circulatory system-754	6,976	606	531	587	566	527	537	583	603	575	590	586	685
All other congenital malformations---750,752,753,755-759	7,174	625	493	564	538	557	608	618	667	641	649	588	626
Certain diseases of early infancy---760-776	64,016	5,061	4,588	5,086	5,000	5,510	5,601	5,763	5,752	5,618	5,460	5,291	5,286
Birth injuries---760,761	11,564	939	826	939	910	977	1,025	1,110	978	990	961	957	952
Without mention of immaturity (.0)	5,006	407	391	427	402	400	410	482	424	436	411	414	402
With immaturity (.5)	6,558	532	435	512	508	577	615	628	554	554	550	543	550
Intracranial and spinal injury at birth---760	4,435	343	337	395	335	346	362	419	393	393	373	374	365
Without mention of immaturity (.0)	2,859	222	233	261	222	204	232	277	257	235	236	244	236
With immaturity (.5)	1,576	121	104	134	113	142	130	142	136	158	137	130	129
Other birth injury---761	7,129	596	489	544	575	631	663	691	585	597	588	583	587
Without mention of immaturity (.0)	2,147	185	158	166	180	196	178	205	167	201	175	170	166
With immaturity (.5)	4,982	411	331	378	395	435	485	486	418	396	413	413	421
Postnatal asphyxia and atelectasis---762	17,681	1,381	1,227	1,358	1,384	1,549	1,589	1,586	1,670	1,548	1,482	1,453	1,454
Without mention of immaturity (.0)	5,594	444	439	460	455	474	467	496	527	468	442	460	462
With immaturity (.5)	12,087	937	788	898	929	1,075	1,122	1,090	1,143	1,080	1,040	993	992
Pneumonia of newborn---763	3,108	315	246	260	209	194	222	253	283	259	283	259	325
Without mention of immaturity (.0)	2,122	232	181	181	132	131	145	163	185	172	194	177	229
With immaturity (.5)	986	83	65	79	77	63	77	90	98	87	89	82	96
Diarrhea of newborn---764	546	39	34	28	27	27	43	60	58	64	76	49	41
Without mention of immaturity (.0)	428	30	22	25	20	24	31	44	46	52	61	39	34
With immaturity (.5)	118	9	12	3	7	3	12	16	12	12	15	10	7
Other infections of newborn---765-768	546	42	45	41	45	36	40	53	56	51	37	48	52
Without mention of immaturity (.0)	358	28	37	22	32	23	20	37	36	38	19	32	34
With immaturity (.5)	188	14	8	19	13	13	20	16	20	13	18	16	18
Neonatal disorders arising from maternal toxemia---769	707	61	57	51	51	67	81	60	68	47	45	58	61
Without mention of immaturity (.0-.4)	221	28	24	17	16	21	19	17	22	9	12	19	17
With immaturity (.5-.9)	486	33	33	34	35	46	62	43	46	38	33	39	44
Hemolytic disease of newborn (erythroblastosis)-770	2,426	210	201	201	178	209	186	204	226	216	209	205	181
Without mention of immaturity (.0-.2)	1,911	173	156	161	139	161	157	157	177	167	155	164	144
With immaturity (.5-.7)	515	37	45	40	39	48	29	47	49	49	54	41	37
Hemorrhagic disease of newborn---771	766	73	72	55	60	60	67	72	72	58	64	54	59
Without mention of immaturity (.0)	466	46	44	38	33	36	40	37	46	39	42	34	31
With immaturity (.5)	300	27	28	17	27	24	27	35	26	19	22	20	28
Ill-defined diseases peculiar to early infancy, including nutritional maladjustment---772,773	3,328	258	258	274	245	282	280	307	274	316	301	275	258
Without mention of immaturity (.0)	948	90	80	96	61	70	67	83	65	91	82	80	83
With immaturity (.5)	2,380	168	178	178	184	212	213	224	209	225	219	195	175
Immaturity with mention of any other subsidiary condition---774	1,890	164	126	128	135	130	169	184	187	166	162	164	175
Immaturity unqualified---776	21,454	1,579	1,496	1,751	1,756	1,979	1,899	1,874	1,880	1,903	1,840	1,769	1,728
Symptoms and ill-defined conditions---780-795	2,790	331	272	218	215	179	165	207	227	194	219	254	309
All other diseases---Residual	1,736	169	147	144	141	120	132	144	142	138	138	148	173
Accidents---E800-E962	3,308	335	283	280	232	216	219	251	244	242	299	316	391
Inhalation and ingestion of food or other object causing obstruction or suffocation---E921,E922	680	88	76	79	68	53	61	66	74	65	66	85	99
Accidental mechanical suffocation in bed and cradle---E924	1,002	112	101	85	75	56	55	74	59	60	100	101	124
All other accidental causes---E800-E920,E923,E925-E962	1,426	135	106	116	89	107	103	111	111	117	133	130	168
Homicide---E964;E980-E999	129	11	19	12	17	9	7	7	15	10	6	4	12

Table 40. Deaths Under 1 Year, Under 28 Days, and 28 Days to 11 Months, From 45 Selected Causes, by Month: United States, 1955—Con.

(See headnote on p. 323)

AGE AND CAUSE OF DEATH	Total	Jan.	Feb.	Mar.	Apr.	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.
UNDER 28 DAYS													
ALL CAUSES	77,351	6,134	5,532	6,176	6,096	6,560	6,700	6,938	6,998	6,789	6,579	6,378	6,471
Tuberculosis, all forms 001-019	11	-	-	-	2	-	-	4	1	-	3	-	1
Syphilis and its sequelae 020-029	25	3	-	5	1	2	-	5	3	2	1	2	1
Dysentery, all forms 045-048	28	-	1	-	5	-	-	4	4	4	3	3	4
Whooping cough 056	17	2	-	2	2	4	2	1	-	2	-	2	-
All other infective and parasitic diseases 030-044,049-055,057-138	180	12	12	17	19	11	11	21	22	16	9	12	18
Diseases of thymus gland 273	58	3	6	5	6	5	5	7	2	5	8	3	3
Meningitis, except meningococcal and tuberculous 340	142	10	10	7	6	13	12	8	16	14	11	20	15
All other diseases of nervous system and sense organs 330-334,341-398	102	7	7	7	11	4	5	10	13	10	7	8	13
Influenza and pneumonia, except pneumonia of newborn 480-493	50	11	10	7	2	1	2	1	1	2	5	3	5
Influenza 480-483	50	11	10	7	2	1	2	1	1	2	5	3	5
Pneumonia, except pneumonia of newborn 490-493	...	...	...	...	...	...	...	...	...	...	...	...	...
All other diseases of respiratory system 470-475,500-527	1,150	96	86	89	95	101	86	106	94	95	102	97	103
Hernia and intestinal obstruction 560,561,570	655	60	49	57	43	40	48	58	52	63	69	60	56
Gastritis, duodenitis, enteritis, and colitis, except diarrhea of newborn 543,571,572	6	-	-	1	-	-	-	1	2	1	-	-	1
All other diseases of digestive system 530-542,544-553,573-587	228	20	21	21	19	22	10	18	18	17	14	22	26
Congenital malformations 750-759	9,801	773	673	790	786	772	855	868	921	885	840	787	851
Spina bifida and meningocele 751	591	48	38	57	40	36	59	52	50	56	53	55	47
Congenital malformations of circulatory system 754	4,087	299	280	351	352	316	341	358	381	350	340	332	387
All other congenital malformations 750,752,753,755-759	5,123	426	355	382	394	420	455	458	490	479	447	400	417
Certain diseases of early infancy 760-776	62,445	4,894	4,465	4,962	4,900	5,404	5,493	5,632	5,626	5,479	5,292	5,150	5,148
Birth injuries 760,761	11,449	926	813	932	900	969	1,016	1,102	970	979	955	944	943
Without mention of immaturity (.0)	4,909	396	380	420	393	395	402	476	418	426	405	405	393
With immaturity (.5)	6,540	530	433	512	507	574	614	626	552	553	550	539	550
Intracranial and spinal injury at birth 760	4,350	333	327	388	328	340	355	414	385	384	368	368	360
Without mention of immaturity (.0)	2,785	213	224	254	216	200	226	272	251	227	231	240	231
With immaturity (.5)	1,565	120	103	134	112	140	129	142	134	157	137	128	129
Other birth injury 761	7,099	593	486	544	572	629	661	688	585	595	587	576	583
Without mention of immaturity (.0)	2,124	183	156	166	177	195	176	204	167	199	174	165	162
With immaturity (.5)	4,975	410	330	378	395	434	485	484	418	396	413	411	421
Postnatal asphyxia and atelectasis 762	17,383	1,351	1,202	1,333	1,357	1,522	1,574	1,563	1,641	1,530	1,454	1,431	1,425
Without mention of immaturity (.0)	5,380	420	418	441	436	453	456	481	506	458	426	443	442
With immaturity (.5)	12,003	931	784	892	921	1,069	1,118	1,082	1,135	1,072	1,028	988	983
Pneumonia of newborn 763	3,108	315	246	260	209	194	222	253	283	259	283	259	325
Without mention of immaturity (.0)	2,122	232	181	181	132	131	145	163	185	172	194	177	229
With immaturity (.5)	986	83	65	79	77	63	77	90	98	87	89	82	96
Diarrhea of newborn 764	540	39	32	28	27	27	42	59	58	64	75	48	41
Without mention of immaturity (.0)	425	30	22	25	20	24	30	43	46	52	60	39	34
With immaturity (.5)	115	9	10	3	7	3	12	16	12	12	15	9	7
Other infections of newborn 765-768	534	40	43	41	44	36	40	50	56	49	37	47	51
Without mention of immaturity (.0)	348	27	35	22	31	23	20	35	36	36	19	31	33
With immaturity (.5)	186	13	8	19	13	13	20	15	20	13	18	16	18
Neonatal disorders arising from maternal toxemia 769	706	61	57	51	50	67	81	60	68	47	45	58	61
Without mention of immaturity (.0-.4)	220	28	24	17	15	21	19	17	22	9	12	19	17
With immaturity (.5-.9)	486	33	33	34	35	46	62	43	46	38	33	39	44
Hemolytic disease of newborn (erythroblastosis) 770	2,387	204	199	194	176	207	185	202	224	210	204	204	178
Without mention of immaturity (.0-.2)	1,877	167	154	154	137	159	156	155	176	163	152	163	141
With immaturity (.5-.7)	510	37	45	40	39	48	29	47	48	47	52	41	37
Hemorrhagic disease of newborn 771	759	72	72	55	60	60	67	72	71	58	61	53	58
Without mention of immaturity (.0)	460	46	44	38	33	36	40	37	45	39	39	33	30
With immaturity (.5)	299	26	28	17	27	24	27	35	26	19	22	20	28
Ill-defined diseases peculiar to early infancy, including nutritional maladjustment 772,773	2,741	201	219	227	209	247	239	254	228	264	231	215	207
Without mention of immaturity (.0)	497	45	46	56	34	41	37	45	32	51	32	33	45
With immaturity (.5)	2,244	156	173	171	175	206	202	209	196	213	199	182	162
Immaturity with mention of any other subsidiary condition 774	1,591	128	101	105	124	117	148	161	164	134	126	136	147
Immaturity unqualified 776	21,247	1,557	1,481	1,736	1,744	1,958	1,879	1,856	1,863	1,885	1,821	1,755	1,712
Symptoms and ill-defined conditions 780-795	1,286	139	94	102	108	107	83	108	115	95	104	113	118
All other diseases Residual	467	32	37	41	41	36	31	38	41	45	46	41	38
Accidents E800-E962	623	63	52	54	39	33	52	47	56	49	60	52	66
Inhalation and ingestion of food or other object causing obstruction or suffocation E921,E922	281	22	23	25	19	17	23	21	26	28	28	25	24
Accidental mechanical suffocation in bed and cradle E924	119	14	14	10	10	4	8	13	6	5	11	6	18
All other accidental causes E800-E920,E923,E925-E962	223	27	15	19	10	12	21	13	24	16	21	21	24
Homicide E964,E980-E999	77	9	9	9	11	5	5	1	11	5	5	3	4

Table 40. Deaths Under 1 Year, Under 28 Days, and 28 Days to 11 Months, From 45 Selected Causes, by Month: United States, 1955—Con.

(See headnote on p. 323)

AGE AND CAUSE OF DEATH	Total	Jan.	Feb.	Mar.	Apr.	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.
28 DAYS TO 11 MONTHS													
ALL CAUSES	29,552	3,567	2,895	2,429	2,054	1,939	1,791	2,041	1,973	2,006	2,485	2,852	3,520
Tuberculosis, all forms 001-019	85	13	7	7	4	5	7	8	9	5	6	9	5
Syphilis and its sequelae 020-029	9	1	1	-	-	1	-	-	4	1	-	1	-
Dysentery, all forms 045-048	243	10	8	12	10	17	24	31	23	26	25	30	27
Whooping cough 056	317	33	22	14	31	35	31	37	19	18	21	22	34
All other infective and parasitic diseases 030-044,049-055,057-138	884	104	97	99	79	65	64	65	43	54	57	68	89
Diseases of thymus gland 273	190	20	20	21	18	13	12	14	8	11	17	19	17
Meningitis, except meningococcal and tuberculous 340	534	70	54	51	37	43	33	29	24	32	42	58	61
All other diseases of nervous system and sense organs 330-334,341-398	723	63	56	57	56	60	49	57	55	54	69	68	79
Influenza and pneumonia, except pneumonia of newborn 480-493	8,268	1,301	1,044	722	569	476	366	410	382	412	600	869	1,117
Influenza 480-483	319	77	63	44	16	12	5	6	8	9	16	24	39
Pneumonia, except pneumonia of newborn 490-493	7,949	1,224	981	678	553	464	361	404	374	403	584	845	1,078
All other diseases of respiratory system 470-475,500-527	1,822	247	205	163	136	118	95	86	90	95	140	167	280
Hernia and intestinal obstruction 560,561,570	301	36	32	20	26	23	19	27	38	9	26	23	22
Gastritis, duodenitis, enteritis, and colitis, except diarrhea of newborn 543,571,572	3,251	315	236	184	158	211	223	280	283	300	340	340	381
All other diseases of digestive system 530-542,544-553,573-587	289	30	19	30	17	24	16	21	22	20	22	30	38
Congenital malformations 750-759	5,555	554	442	477	407	399	392	430	442	440	505	494	573
Spina bifida and meningocele 751	615	48	53	59	49	51	43	45	43	53	53	52	66
Congenital malformations of circulatory system 754	2,889	307	251	236	214	211	196	225	222	225	250	254	298
All other congenital malformations 750,752,753,755-759	2,051	199	138	182	144	137	153	160	177	162	202	188	209
Certain diseases of early infancy 760-776	1,571	167	123	124	100	106	108	131	126	139	168	141	138
Birth injuries 760,761	115	13	13	7	10	8	9	8	8	11	6	13	9
Without mention of immaturity (.0)	97	11	11	7	9	5	8	6	6	10	6	9	9
With immaturity (.5)	18	2	2	-	1	3	1	2	2	1	-	4	-
Intracranial and spinal injury at birth 760	85	10	10	7	7	6	7	5	8	9	5	6	5
Without mention of immaturity (.0)	74	9	9	7	6	4	6	5	6	8	5	4	5
With immaturity (.5)	11	1	1	-	1	2	1	-	2	1	-	2	-
Other birth injury 761	30	3	3	-	3	2	2	3	-	2	1	7	4
Without mention of immaturity (.0)	23	2	2	-	3	1	2	1	-	2	1	5	4
With immaturity (.5)	7	1	1	-	-	1	-	2	-	-	-	2	-
Postnatal asphyxia and atelectasis 762	298	30	25	25	27	27	15	23	29	18	28	22	29
Without mention of immaturity (.0)	214	24	21	19	19	21	11	15	21	10	16	17	20
With immaturity (.5)	84	6	4	6	8	6	4	8	8	8	12	5	9
Pneumonia of newborn 763	...	...	...	...	...	...	...	...	...	...	...	...	...
Without mention of immaturity (.0)	...	...	...	...	...	...	...	...	...	...	...	...	...
With immaturity (.5)	...	...	...	...	...	...	...	...	...	...	...	...	...
Diarrhea of newborn 764	6	-	2	-	-	-	1	1	-	-	1	1	-
Without mention of immaturity (.0)	3	-	-	-	-	-	1	1	-	-	1	-	-
With immaturity (.5)	3	-	2	-	-	-	-	-	-	-	-	1	-
Other infections of newborn 765-768	12	2	2	-	1	-	-	3	-	2	-	1	1
Without mention of immaturity (.0)	10	1	2	-	1	-	-	2	-	2	-	1	1
With immaturity (.5)	2	1	-	-	-	-	-	1	-	-	-	-	-
Neonatal disorders arising from maternal toxemia 769	1	-	-	-	1	-	-	-	-	-	-	-	-
Without mention of immaturity (.0-.4)	1	-	-	-	1	-	-	-	-	-	-	-	-
With immaturity (.5-.9)	-	-	-	-	-	-	-	-	-	-	-	-	-
Hemolytic disease of newborn (erythroblastosis) 770	39	6	2	7	2	2	1	2	2	6	5	1	3
Without mention of immaturity (.0-.2)	34	6	2	7	2	2	1	2	1	4	3	1	3
With immaturity (.5-.7)	5	-	-	-	-	-	-	-	1	2	2	-	-
Hemorrhagic disease of newborn 771	7	1	-	-	-	-	-	-	1	-	3	1	1
Without mention of immaturity (.0)	6	-	-	-	-	-	-	-	1	-	3	1	1
With immaturity (.5)	1	1	-	-	-	-	-	-	-	-	-	-	-
Ill-defined diseases peculiar to early infancy, including nutritional maladjustment 772,773	587	57	39	47	36	35	41	53	46	52	70	60	51
Without mention of immaturity (.0)	451	45	34	40	27	29	30	38	33	40	50	47	38
With immaturity (.5)	136	12	5	97	79	6	11	15	13	12	20	13	13
Immaturity with mention of any other subsidiary condition 774	299	36	25	23	11	13	21	23	23	32	36	28	28
Immaturity unqualified 776	207	22	15	15	12	21	20	18	17	16	19	14	16
Symptoms and ill-defined conditions 780-795	1,504	192	178	116	107	72	82	99	112	99	115	141	191
All other diseases Residual	1,269	137	110	103	100	84	101	106	101	93	92	107	135
Accidents E800-E962	2,685	272	231	226	193	183	167	204	188	193	239	264	325
Inhalation and ingestion of food or other object causing obstruction or suffocation E921,E922	599	66	53	54	49	36	38	45	48	37	38	60	75
Accidental mechanical suffocation in bed and cradle E924	883	98	87	75	65	52	47	61	53	55	89	95	106
All other accidental causes E800-E920,E923,E925-E962	1,203	108	91	97	79	95	82	98	87	101	112	109	144
Homicide E964,E980-E999	52	2	10	3	6	4	2	6	4	5	1	1	8

430007 O - 57 - 28

Table 41. Deaths Under 1 Year and Under 28 Days, From 45 Selected Causes, by Color for Urban and Rural Areas in Metropolitan and Nonmetropolitan Counties: United States, 1955

(By place of residence. Includes only deaths occurring within the continental United States. Excludes fetal deaths. Numbers after causes of death are category numbers of the Sixth Revision of the International Lists, 1948)

AGE, COLOR, AND CAUSE OF DEATH	ALL COUNTIES			METROPOLITAN COUNTIES			NONMETROPOLITAN COUNTIES		
	Total	Urban	Rural	Total	Urban	Rural	Total	Urban	Rural
UNDER 1 YEAR									
TOTAL----------All causes	106,903	65,606	41,297	59,423	46,854	12,569	47,480	18,752	28,728
Tuberculosis, all forms----------001-019	96	57	39	48	41	7	48	16	32
Syphilis and its sequelae----------020-029	34	14	20	14	9	5	20	5	15
Dysentery, all forms----------045-048	271	112	159	42	31	11	229	81	148
Whooping cough----------056	334	136	198	83	58	25	251	78	173
All other infective and parasitic diseases------030-044,049-055,057-138	1,064	568	496	483	354	129	581	214	367
Diseases of thymus gland----------273	248	133	115	109	80	29	139	53	86
Meningitis, except meningococcal and tuberculous----------340	676	354	322	355	252	103	321	102	219
All other diseases of nervous system and sense organs----------330-334,341-398	825	508	317	478	378	100	347	130	217
Influenza and pneumonia, except pneumonia of newborn----------480-493	8,318	4,482	3,836	4,013	3,138	875	4,305	1,344	2,961
Influenza----------480-483	369	114	255	60	38	22	309	76	233
Pneumonia, except pneumonia of newborn----------490-493	7,949	4,368	3,581	3,953	3,100	853	3,996	1,268	2,728
All other diseases of respiratory system----------470-475,500-527	2,972	1,819	1,153	1,782	1,344	438	1,190	475	715
Hernia and intestinal obstruction----------560,561,570	956	624	332	578	474	104	378	150	228
Gastritis, duodenitis, enteritis, and colitis, except diarrhea of newborn----------543,571,572	3,257	1,728	1,529	1,176	933	243	2,081	795	1,286
All other diseases of digestive system----------530-542,544-553,573-587	517	316	201	277	216	61	240	100	140
Congenital malformations----------750-759	15,356	9,619	5,737	9,047	7,022	2,025	6,309	2,597	3,712
Spina bifida and meningocele----------751	1,206	742	464	684	538	146	522	204	318
Congenital malformations of circulatory system----------754	6,976	4,328	2,648	4,113	3,202	911	2,863	1,126	1,737
All other congenital malformations----------750,752,753,755-759	7,174	4,549	2,625	4,250	3,282	968	2,924	1,267	1,657
Certain diseases of early infancy----------760-776	64,016	41,300	22,716	37,673	30,105	7,568	26,343	11,195	15,148
Birth injuries----------760,761	11,564	7,494	4,070	6,815	5,349	1,466	4,749	2,145	2,604
Without mention of immaturity (.0)----------	5,006	3,101	1,905	2,758	2,144	614	2,248	957	1,291
With immaturity (.5)----------	6,558	4,393	2,165	4,057	3,205	852	2,501	1,188	1,313
Intracranial and spinal injury at birth----------760	4,435	2,896	1,539	2,735	2,173	562	1,700	723	977
Without mention of immaturity (.0)----------	2,859	1,796	1,063	1,637	1,294	343	1,222	502	720
With immaturity (.5)----------	1,576	1,100	476	1,098	879	219	478	221	257
Other birth injury----------761	7,129	4,598	2,531	4,080	3,176	904	3,049	1,422	1,627
Without mention of immaturity (.0)----------	2,147	1,305	842	1,121	850	271	1,026	455	571
With immaturity (.5)----------	4,982	3,293	1,689	2,959	2,326	633	2,023	967	1,056
Postnatal asphyxia and atelectasis----------762	17,681	11,767	5,914	11,230	8,995	2,235	6,451	2,772	3,679
Without mention of immaturity (.0)----------	5,594	3,434	2,160	3,144	2,437	707	2,450	997	1,453
With immaturity (.5)----------	12,087	8,333	3,754	8,086	6,558	1,528	4,001	1,775	2,226
Pneumonia of newborn----------763	3,108	1,902	1,206	1,672	1,370	302	1,436	532	904
Without mention of immaturity (.0)----------	2,122	1,266	856	1,105	912	193	1,017	354	663
With immaturity (.5)----------	986	636	350	567	458	109	419	178	241
Diarrhea of newborn----------764	546	302	244	247	206	41	299	96	203
Without mention of immaturity (.0)----------	428	229	199	185	156	29	243	73	170
With immaturity (.5)----------	118	73	45	62	50	12	56	23	33
Other infections of newborn----------765-768	546	328	218	310	252	58	236	76	160
Without mention of immaturity (.0)----------	358	204	154	193	152	41	165	52	113
With immaturity (.5)----------	188	124	64	117	100	17	71	24	47
Neonatal disorders arising from maternal toxemia----------769	707	388	319	306	224	82	401	164	237
Without mention of immaturity (.0-.4)----------	221	122	99	99	79	20	122	43	79
With immaturity (.5-.9)----------	486	266	220	207	145	62	279	121	158
Hemolytic disease of newborn (erythroblastosis)----------770	2,426	1,533	893	1,464	1,107	357	962	426	536
Without mention of immaturity (.0-.2)----------	1,911	1,197	714	1,160	868	292	751	329	422
With immaturity (.5-.7)----------	515	336	179	304	239	65	211	97	114
Hemorrhagic disease of newborn----------771	766	484	282	445	351	94	321	133	188
Without mention of immaturity (.0)----------	466	293	173	257	205	52	209	88	121
With immaturity (.5)----------	300	191	109	188	146	42	112	45	67
Ill-defined diseases peculiar to early infancy, including nutritional maladjustment----------772,773	3,328	1,919	1,409	1,578	1,254	324	1,750	665	1,085
Without mention of immaturity (.0)----------	948	459	489	358	270	88	590	189	401
With immaturity (.5)----------	2,380	1,460	920	1,220	984	236	1,160	476	684
Immaturity with mention of any other subsidiary condition---------774	1,890	1,227	663	1,121	892	229	769	335	434
Immaturity unqualified----------776	21,454	13,956	7,498	12,485	10,105	2,380	8,969	3,851	5,118
Symptoms and ill-defined conditions----------780-795	2,790	978	1,812	778	513	265	2,012	465	1,547
All other diseases----------Residual	1,736	1,045	691	940	728	212	796	317	479
Accidents----------E800-E962	3,308	1,730	1,578	1,464	1,113	351	1,844	617	1,227
Inhalation and ingestion of food or other object causing obstruction or suffocation----------E921,E922	880	488	392	450	342	108	430	146	284
Accidental mechanical suffocation in bed and cradle----------E924	1,002	514	488	411	312	99	591	202	389
All other accidental causes----------E800-E920,E923,E925-E962	1,426	728	698	603	459	144	823	269	554
Homicide----------E964,E980-E999	129	83	46	83	65	18	46	18	28

Table 41. Deaths Under 1 Year and Under 28 Days, From 45 Selected Causes, by Color for Urban and Rural Areas in Metropolitan and Nonmetropolitan Counties: United States, 1955—Continued

(See headnote on p. 326)

AGE, COLOR, AND CAUSE OF DEATH	ALL COUNTIES			METROPOLITAN COUNTIES			NONMETROPOLITAN COUNTIES		
	Total	Urban	Rural	Total	Urban	Rural	Total	Urban	Rural
UNDER 1 YEAR—Continued									
WHITE----------All causes	81,682	49,673	32,009	46,126	34,917	11,209	35,556	14,756	20,800
Tuberculosis, all forms----------001-019	51	27	24	21	16	5	30	11	19
Syphilis and its sequelae----------020-029	9	3	6	5	2	3	4	1	3
Dysentery, all forms----------045-048	169	75	94	32	25	7	137	50	87
Whooping cough----------056	152	69	83	50	33	17	102	36	66
All other infective and parasitic diseases------030-044,049-055,057-138	780	426	354	385	275	110	395	151	244
Diseases of thymus gland----------273	211	106	105	86	60	26	125	46	79
Meningitis, except meningococcal and tuberculous----------340	458	243	215	254	168	86	204	75	129
All other diseases of nervous system and sense organs----------330-334,341-398	607	368	239	348	262	86	259	106	153
Influenza and pneumonia, except pneumonia of newborn----------480-493	5,262	2,827	2,435	2,676	1,961	715	2,586	866	1,720
Influenza----------480-483	185	63	122	44	25	19	141	38	103
Pneumonia, except pneumonia of newborn----------490-493	5,077	2,764	2,313	2,632	1,936	696	2,445	828	1,617
All other diseases of respiratory system----------470-475,500-527	2,342	1,408	934	1,384	996	388	958	412	546
Hernia and intestinal obstruction----------560,561,570	798	517	281	487	390	97	311	127	184
Gastritis, duodenitis, enteritis, and colitis, except diarrhea of newborn----------543,571,572	1,858	1,026	832	738	570	168	1,120	456	664
All other diseases of digestive system----------530-542,544-553,573-587	378	230	148	210	157	53	168	73	95
Congenital malformations----------750-759	13,540	8,340	5,200	7,907	6,001	1,906	5,633	2,339	3,294
Spina bifida and meningocele----------751	1,129	699	430	649	511	138	480	188	292
Congenital malformations of circulatory system----------754	6,130	3,719	2,411	3,543	2,691	852	2,587	1,028	1,559
All other congenital malformations----------750,752,753,755-759	6,281	3,922	2,359	3,715	2,799	916	2,566	1,123	1,443
Certain diseases of early infancy----------760-776	50,051	31,429	18,622	29,213	22,352	6,861	20,838	9,077	11,761
Birth injuries----------760,761	9,654	6,126	3,528	5,647	4,299	1,348	4,007	1,827	2,180
Without mention of immaturity (.0)----------	3,999	2,432	1,567	2,205	1,653	552	1,794	779	1,015
With immaturity (.5)----------	5,655	3,694	1,961	3,442	2,646	796	2,213	1,048	1,165
Intracranial and spinal injury at birth----------760	3,493	2,216	1,277	2,117	1,621	496	1,376	595	781
Without mention of immaturity (.0)----------	2,266	1,400	866	1,286	987	299	980	413	567
With immaturity (.5)----------	1,227	816	411	831	634	197	396	182	214
Other birth injury----------761	6,161	3,910	2,251	3,530	2,678	852	2,631	1,232	1,399
Without mention of immaturity (.0)----------	1,733	1,032	701	919	666	253	814	366	448
With immaturity (.5)----------	4,428	2,878	1,550	2,611	2,012	599	1,817	866	951
Postnatal asphyxia and atelectasis----------762	14,252	9,157	5,095	8,876	6,822	2,054	5,376	2,335	3,041
Without mention of immaturity (.0)----------	4,477	2,684	1,793	2,475	1,835	640	2,002	849	1,153
With immaturity (.5)----------	9,775	6,473	3,302	6,401	4,987	1,414	3,374	1,486	1,888
Pneumonia of newborn----------763	2,079	1,258	821	1,122	874	248	957	384	573
Without mention of immaturity (.0)----------	1,388	827	561	730	572	158	658	255	403
With immaturity (.5)----------	691	431	260	392	302	90	299	129	170
Diarrhea of newborn----------764	307	167	140	145	111	34	162	56	106
Without mention of immaturity (.0)----------	241	129	112	108	83	25	133	46	87
With immaturity (.5)----------	66	38	28	37	28	9	29	10	19
Other infections of newborn----------765-768	361	215	146	208	159	49	153	56	97
Without mention of immaturity (.0)----------	240	141	99	139	103	36	101	38	63
With immaturity (.5)----------	121	74	47	69	56	13	52	18	34
Neonatal disorders arising from maternal toxemia----------769	563	313	250	262	186	76	301	127	174
Without mention of immaturity (.0-.4)----------	169	96	73	79	62	17	90	34	56
With immaturity (.5-.9)----------	394	217	177	183	124	59	211	93	118
Hemolytic disease of newborn (erythroblastosis)----------770	2,241	1,398	843	1,350	999	351	891	399	492
Without mention of immaturity (.0-.2)----------	1,767	1,093	674	1,069	783	286	698	310	388
With immaturity (.5-.7)----------	474	305	169	281	216	65	193	89	104
Hemorrhagic disease of newborn----------771	560	355	205	325	251	74	235	104	131
Without mention of immaturity (.0)----------	331	212	119	185	145	40	146	67	79
With immaturity (.5)----------	229	143	86	140	106	34	89	37	52
Ill-defined diseases peculiar to early infancy, including nutritional maladjustment----------772,773	2,258	1,260	998	1,041	768	273	1,217	492	725
Without mention of immaturity (.0)----------	531	268	263	213	149	64	318	119	199
With immaturity (.5)----------	1,727	992	735	828	619	209	899	373	526
Immaturity with mention of any other subsidiary condition----------774	1,557	988	569	923	710	213	634	278	356
Immaturity unqualified----------776	16,219	10,192	6,027	9,314	7,173	2,141	6,905	3,019	3,886
Symptoms and ill-defined conditions----------780-795	1,202	502	700	464	293	171	738	209	529
All other diseases----------Residual	1,366	803	563	753	555	198	613	248	365
Accidents----------E800-E962	2,353	1,217	1,136	1,052	757	295	1,301	460	841
Inhalation and ingestion of food or other object causing obstruction or suffocation----------E921,E922	673	363	310	338	244	94	335	119	216
Accidental mechanical suffocation in bed and cradle----------E924	699	345	354	296	207	89	403	138	265
All other accidental causes----------E800-E920,E923,E925-E962	981	509	472	418	306	112	563	203	360
Homicide----------E964,E980-E999	95	57	38	61	44	17	34	13	21

Table 41. Deaths Under 1 Year and Under 28 Days, From 45 Selected Causes, by Color for Urban and Rural Areas in Metropolitan and Nonmetropolitan Counties: United States, 1955—Continued

(See headnote on p. 326)

AGE, COLOR, AND CAUSE OF DEATH	ALL COUNTIES			METROPOLITAN COUNTIES			NONMETROPOLITAN COUNTIES		
	Total	Urban	Rural	Total	Urban	Rural	Total	Urban	Rural
UNDER 1 YEAR—Continued									
NONWHITE----------All causes	25,221	15,933	9,288	13,297	11,937	1,360	11,924	3,996	7,928
Tuberculosis, all forms----------001-019	45	30	15	27	25	2	18	5	13
Syphilis and its sequelae----------020-029	25	11	14	9	7	2	16	4	12
Dysentery, all forms----------045-048	102	37	65	10	6	4	92	31	61
Whooping cough----------056	182	67	115	33	25	8	149	42	107
All other infective and parasitic diseases------030-044,049-055,057-138	284	142	142	98	79	19	186	63	123
Diseases of thymus gland----------273	37	27	10	23	20	3	14	7	7
Meningitis, except meningococcal and tuberculous----------340	218	111	107	101	84	17	117	27	90
All other diseases of nervous system and sense organs----------330-334,341-398	218	140	78	130	116	14	88	24	64
Influenza and pneumonia, except pneumonia of newborn----------480-493	3,056	1,655	1,401	1,337	1,177	160	1,719	478	1,241
Influenza----------480-483	184	51	133	16	13	3	168	38	130
Pneumonia, except pneumonia of newborn----------490-493	2,872	1,604	1,268	1,321	1,164	157	1,551	440	1,111
All other diseases of respiratory system----------470-475,500-527	630	411	219	398	348	50	232	63	169
Hernia and intestinal obstruction----------560,561,570	158	107	51	91	84	7	67	23	44
Gastritis, duodenitis, enteritis, and colitis, except diarrhea of newborn----------543,571,572	1,399	702	697	438	363	75	961	339	622
All other diseases of digestive system----------530-542,544-553,573-587	139	86	53	67	59	8	72	27	45
Congenital malformations----------750-759	1,816	1,279	537	1,140	1,021	119	676	258	418
Spina bifida and meningocele----------751	77	43	34	35	27	8	42	16	26
Congenital malformations of circulatory system----------754	846	609	237	570	511	59	276	98	178
All other congenital malformations----------750,752,753,755-759	893	627	266	535	483	52	358	144	214
Certain diseases of early infancy----------760-776	13,965	9,871	4,094	8,460	7,753	707	5,505	2,118	3,387
Birth injuries----------760,761	1,910	1,368	542	1,168	1,050	118	742	318	424
Without mention of immaturity (.0)----------	1,007	669	338	553	491	62	454	178	276
With immaturity (.5)----------	903	699	204	615	559	56	288	140	148
Intracranial and spinal injury at birth----------760	942	680	262	618	552	66	324	128	196
Without mention of immaturity (.0)----------	593	396	197	351	307	44	242	89	153
With immaturity (.5)----------	349	284	65	267	245	22	82	39	43
Other birth injury----------761	968	688	280	550	498	52	418	190	228
Without mention of immaturity (.0)----------	414	273	141	202	184	18	212	89	123
With immaturity (.5)----------	554	415	139	348	314	34	206	101	105
Postnatal asphyxia and atelectasis----------762	3,429	2,610	819	2,354	2,173	181	1,075	437	638
Without mention of immaturity (.0)----------	1,117	750	367	669	602	67	448	148	300
With immaturity (.5)----------	2,312	1,860	452	1,685	1,571	114	627	289	338
Pneumonia of newborn----------763	1,029	644	385	550	496	54	479	148	331
Without mention of immaturity (.0)----------	734	439	295	375	340	35	359	99	260
With immaturity (.5)----------	295	205	90	175	156	19	120	49	71
Diarrhea of newborn----------764	239	135	104	102	95	7	137	40	97
Without mention of immaturity (.0)----------	187	100	87	77	73	4	110	27	83
With immaturity (.5)----------	52	35	17	25	22	3	27	13	14
Other infections of newborn----------765-768	185	113	72	102	93	9	83	20	63
Without mention of immaturity (.0)----------	118	63	55	54	49	5	64	14	50
With immaturity (.5)----------	67	50	17	48	44	4	19	6	13
Neonatal disorders arising from maternal toxemia----------769	144	75	69	44	38	6	100	37	63
Without mention of immaturity (.0-.4)----------	52	26	26	20	17	3	32	9	23
With immaturity (.5-.9)----------	92	49	43	24	21	3	68	28	40
Hemolytic disease of newborn (erythroblastosis)----------770	185	135	50	114	108	6	71	27	44
Without mention of immaturity (.0-.2)----------	144	104	40	91	85	6	53	19	34
With immaturity (.5-.7)----------	41	31	10	23	23	-	18	8	10
Hemorrhagic disease of newborn----------771	206	129	77	120	100	20	86	29	57
Without mention of immaturity (.0)----------	135	81	54	72	60	12	63	21	42
With immaturity (.5)----------	71	48	23	48	40	8	23	8	15
Ill-defined diseases peculiar to early infancy, including nutritional maladjustment----------772,773	1,070	659	411	537	486	51	533	173	360
Without mention of immaturity (.0)----------	417	191	226	145	121	24	272	70	202
With immaturity (.5)----------	653	468	185	392	365	27	261	103	158
Immaturity with mention of any other subsidiary condition----------774	333	239	94	198	182	16	135	57	78
Immaturity unqualified----------776	5,235	3,764	1,471	3,171	2,932	239	2,064	832	1,232
Symptoms and ill-defined conditions----------780-795	1,588	476	1,112	314	220	94	1,274	256	1,018
All other diseases----------Residual	370	242	128	187	173	14	183	69	114
Accidents----------E800-E962	955	513	442	412	356	56	543	157	386
Inhalation and ingestion of food or other object causing obstruction or suffocation----------E921,E922	207	125	82	112	98	14	95	27	68
Accidental mechanical suffocation in bed and cradle----------E924	303	169	134	115	105	10	188	64	124
All other accidental causes----------E800-E920,E923,E925-E962	445	219	226	185	153	32	260	66	194
Homicide----------E964,E980-E999	34	26	8	22	21	1	12	5	7

Table 41. Deaths Under 1 Year and Under 28 Days, From 45 Selected Causes, by Color for Urban and Rural Areas in Metropolitan and Nonmetropolitan Counties: United States, 1955—Continued

(See headnote on p. 326)

AGE, COLOR, AND CAUSE OF DEATH	ALL COUNTIES			METROPOLITAN COUNTIES			NONMETROPOLITAN COUNTIES		
	Total	Urban	Rural	Total	Urban	Rural	Total	Urban	Rural
UNDER 28 DAYS									
TOTAL----------All causes	77,351	49,418	27,933	45,110	35,881	9,229	32,241	13,537	18,704
Tuberculosis, all forms----------001-019	11	6	5	5	4	1	6	2	4
Syphilis and its sequelae----------020-029	25	13	12	12	8	4	13	5	8
Dysentery, all forms----------045-048	28	8	20	1	1	-	27	7	20
Whooping cough----------056	17	7	10	1	1	-	16	6	10
All other infective and parasitic diseases------030-044,049-055,057-138	180	98	82	61	51	10	119	47	72
Diseases of thymus gland----------273	58	30	28	18	13	5	40	17	23
Meningitis, except meningococcal and tuberculous----------340	142	79	63	81	64	17	61	15	46
All other diseases of nervous system and sense organs----------330-334,341-398	102	63	39	61	49	12	41	14	27
Influenza and pneumonia, except pneumonia of newborn----------480-493	50	10	40	5	2	3	45	8	37
Influenza----------480-483	50	10	40	5	2	3	45	8	37
Pneumonia, except pneumonia of newborn----------490-493	...	...	...	...	...	...	...	...	...
All other diseases of respiratory system----------470-475,500-527	1,150	742	408	701	537	164	449	205	244
Hernia and intestinal obstruction----------560,561,570	655	452	203	419	345	74	236	107	129
Gastritis, duodenitis, enteritis, and colitis, except diarrhea of newborn----------543,571,572	6	6	-	5	5	-	1	1	-
All other diseases of digestive system----------530-542,544-553,573-587	228	145	83	142	114	28	86	31	55
Congenital malformations----------750-759	9,801	6,177	3,624	5,768	4,475	1,293	4,033	1,702	2,331
Spina bifida and meningocele----------751	591	369	222	320	254	66	271	115	156
Congenital malformations of circulatory system----------754	4,087	2,508	1,579	2,364	1,831	533	1,723	677	1,046
All other congenital malformations----------750,752,753,755-759	5,123	3,300	1,823	3,084	2,390	694	2,039	910	1,129
Certain diseases of early infancy----------760-776	62,445	40,486	21,959	36,982	29,576	7,406	25,463	10,910	14,553
Birth injuries----------760,761	11,449	7,436	4,013	6,750	5,303	1,447	4,699	2,133	2,566
Without mention of immaturity (.0)----------	4,909	3,056	1,853	2,702	2,105	597	2,207	951	1,256
With immaturity (.5)----------	6,540	4,380	2,160	4,048	3,198	850	2,492	1,182	1,310
Intracranial and spinal injury at birth----------760	4,350	2,852	1,498	2,687	2,139	548	1,663	713	950
Without mention of immaturity (.0)----------	2,785	1,760	1,025	1,595	1,264	331	1,190	496	694
With immaturity (.5)----------	1,565	1,092	473	1,092	875	217	473	217	256
Other birth injury----------761	7,099	4,584	2,515	4,063	3,164	899	3,036	1,420	1,616
Without mention of immaturity (.0)----------	2,124	1,296	828	1,107	841	266	1,017	455	562
With immaturity (.5)----------	4,975	3,288	1,687	2,956	2,323	633	2,019	965	1,054
Postnatal asphyxia and atelectasis----------762	17,383	11,587	5,796	11,049	8,856	2,193	6,334	2,731	3,603
Without mention of immaturity (.0)----------	5,380	3,304	2,076	3,012	2,337	675	2,368	967	1,401
With immaturity (.5)----------	12,003	8,283	3,720	8,037	6,519	1,518	3,966	1,764	2,202
Pneumonia of newborn----------763	3,108	1,902	1,206	1,672	1,370	302	1,436	532	904
Without mention of immaturity (.0)----------	2,122	1,266	856	1,105	912	193	1,017	354	663
With immaturity (.5)----------	986	636	350	567	458	109	419	178	241
Diarrhea of newborn----------764	540	296	244	243	202	41	297	94	203
Without mention of immaturity (.0)----------	425	226	199	182	153	29	243	73	170
With immaturity (.5)----------	115	70	45	61	49	12	54	21	33
Other infections of newborn----------765-768	534	319	215	306	248	58	228	71	157
Without mention of immaturity (.0)----------	348	197	151	190	149	41	158	48	110
With immaturity (.5)----------	186	122	64	116	99	17	70	23	47
Neonatal disorders arising from maternal toxemia----------769	706	387	319	305	223	82	401	164	237
Without mention of immaturity (.0-.4)----------	220	121	99	98	78	20	122	43	79
With immaturity (.5-.9)----------	486	266	220	207	145	62	279	121	158
Hemolytic disease of newborn (erythroblastosis)----------770	2,387	1,508	879	1,447	1,091	356	940	417	523
Without mention of immaturity (.0-.2)----------	1,877	1,176	701	1,145	854	291	732	322	410
With immaturity (.5-.7)----------	510	332	178	302	237	65	208	95	113
Hemorrhagic disease of newborn----------771	759	482	277	444	350	94	315	132	183
Without mention of immaturity (.0)----------	460	291	169	256	204	52	204	87	117
With immaturity (.5)----------	299	191	108	188	146	42	111	45	66
Ill-defined diseases peculiar to early infancy, including nutritional maladjustment----------772,773	2,741	1,667	1,074	1,394	1,123	271	1,347	544	803
Without mention of immaturity (.0)----------	497	262	235	213	164	49	284	98	186
With immaturity (.5)----------	2,244	1,405	839	1,181	959	222	1,063	446	617
Immaturity with mention of any other subsidiary condition---------774	1,591	1,057	534	975	776	199	616	281	335
Immaturity unqualified----------776	21,247	13,845	7,402	12,397	10,034	2,363	8,850	3,811	5,039
Symptoms and ill-defined conditions----------780-795	1,286	435	851	308	213	95	978	222	756
All other diseases----------Residual	467	292	175	245	197	48	222	95	127
Accidents----------E800-E962	623	317	306	249	188	61	374	129	245
Inhalation and ingestion of food or other object causing obstruction or suffocation----------E921,E922	281	153	128	114	88	26	167	65	102
Accidental mechanical suffocation in bed and cradle----------E924	119	50	69	44	28	16	75	22	53
All other accidental causes----------E800-E920,E923,E925-E962	223	114	109	91	72	19	132	42	90
Homicide----------E964,E980-E999	77	52	25	46	38	8	31	14	17

Table 41. Deaths Under 1 Year and Under 28 Days, From 45 Selected Causes, by Color for Urban and Rural Areas in Metropolitan and Nonmetropolitan Counties: United States, 1955—Continued

(See headnote on p. 326)

AGE, COLOR, AND CAUSE OF DEATH	ALL COUNTIES			METROPOLITAN COUNTIES			NONMETROPOLITAN COUNTIES		
	Total	Urban	Rural	Total	Urban	Rural	Total	Urban	Rural
UNDER 28 DAYS—Continued									
WHITE----------All causes	61,340	38,373	22,967	35,688	27,266	8,422	25,652	11,107	14,545
Tuberculosis, all forms----------001-019	8	4	4	3	2	1	5	2	3
Syphilis and its sequelae----------020-029	8	3	5	4	2	2	4	1	3
Dysentery, all forms----------045-048	11	2	9	-	-	-	11	2	9
Whooping cough----------056	8	5	3	1	1	-	7	4	3
All other infective and parasitic diseases------030-044,049-055,057-138	103	62	41	45	37	8	58	25	33
Diseases of thymus gland----------273	53	27	26	18	13	5	35	14	21
Meningitis, except meningococcal and tuberculous----------340	103	62	41	65	50	15	38	12	26
All other diseases of nervous system and sense organs----------330-334,341-398	74	46	28	47	37	10	27	9	18
Influenza and pneumonia, except pneumonia of newborn----------480-493	21	4	17	3	1	2	18	3	15
Influenza----------480-483	21	4	17	3	1	2	18	3	15
Pneumonia, except pneumonia of newborn----------490-493	...	...	...	...	...	...	...	...	...
All other diseases of respiratory system----------470-475,500-527	1,008	640	368	604	449	155	404	191	213
Hernia and intestinal obstruction----------560,561,570	577	393	184	376	302	74	201	91	110
Gastritis, duodenitis, enteritis, and colitis, except diarrhea of newborn----------543,571,572	3	3	-	3	3	-	-	-	-
All other diseases of digestive system----------530-542,544-553,573-587	165	103	62	103	79	24	62	24	38
Congenital malformations----------750-759	8,728	5,390	3,338	5,073	3,846	1,227	3,655	1,544	2,111
Spina bifida and meningocele----------751	554	348	206	301	240	61	253	108	145
Congenital malformations of circulatory system----------754	3,639	2,177	1,462	2,062	1,558	504	1,577	619	958
All other congenital malformations----------750,752,753,755-759	4,535	2,865	1,670	2,710	2,048	662	1,825	817	1,008
Certain diseases of early infancy----------760-776	49,124	30,946	18,178	28,769	22,034	6,735	20,355	8,912	11,443
Birth injuries----------760,761	9,565	6,080	3,485	5,592	4,262	1,330	3,973	1,818	2,155
Without mention of immaturity (.0)----------	3,925	2,396	1,529	2,159	1,623	536	1,766	773	993
With immaturity (.5)----------	5,640	3,684	1,956	3,433	2,639	794	2,207	1,045	1,162
Intracranial and spinal injury at birth----------760	3,426	2,182	1,244	2,077	1,594	483	1,349	588	761
Without mention of immaturity (.0)----------	2,207	1,371	836	1,252	964	288	955	407	548
With immaturity (.5)----------	1,219	811	408	825	630	195	394	181	213
Other birth injury----------761	6,139	3,898	2,241	3,515	2,668	847	2,624	1,230	1,394
Without mention of immaturity (.0)----------	1,718	1,025	693	907	659	248	811	366	445
With immaturity (.5)----------	4,421	2,873	1,548	2,608	2,009	599	1,813	864	949
Postnatal asphyxia and atelectasis----------762	14,039	9,027	5,012	8,742	6,724	2,018	5,297	2,303	2,994
Without mention of immaturity (.0)----------	4,321	2,587	1,734	2,374	1,762	612	1,947	825	1,122
With immaturity (.5)----------	9,718	6,440	3,278	6,368	4,962	1,406	3,350	1,478	1,872
Pneumonia of newborn----------763	2,079	1,258	821	1,122	874	248	957	384	573
Without mention of immaturity (.0)----------	1,388	827	561	730	572	158	658	255	403
With immaturity (.5)----------	691	431	260	392	302	90	299	129	170
Diarrhea of newborn----------764	303	163	140	141	107	34	162	56	106
Without mention of immaturity (.0)----------	238	126	112	105	80	25	133	46	87
With immaturity (.5)----------	65	37	28	36	27	9	29	10	19
Other infections of newborn----------765-768	353	208	145	204	155	49	149	53	96
Without mention of immaturity (.0)----------	234	136	98	136	100	36	98	36	62
With immaturity (.5)----------	119	72	47	68	55	13	51	17	34
Neonatal disorders arising from maternal toxemia----------769	562	312	250	261	185	76	301	127	174
Without mention of immaturity (.0-.4)----------	168	95	73	78	61	17	90	34	56
With immaturity (.5-.9)----------	394	217	177	183	124	59	211	93	118
Hemolytic disease of newborn (erythroblastosis)----------770	2,212	1,381	831	1,338	988	350	874	393	481
Without mention of immaturity (.0-.2)----------	1,742	1,079	663	1,058	773	285	684	306	378
With immaturity (.5-.7)----------	470	302	168	280	215	65	190	87	103
Hemorrhagic disease of newborn----------771	555	354	201	324	250	74	231	104	127
Without mention of immaturity (.0)----------	327	211	116	184	144	40	143	67	76
With immaturity (.5)----------	228	143	85	140	106	34	88	37	51
Ill-defined diseases peculiar to early infancy, including nutritional maladjustment----------772,773	1,984	1,150	834	956	719	237	1,028	431	597
Without mention of immaturity (.0)----------	321	177	144	147	106	41	174	71	103
With immaturity (.5)----------	1,663	973	690	809	613	196	854	360	494
Immaturity with mention of any other subsidiary condition----------774	1,367	884	483	827	637	190	540	247	293
Immaturity unqualified----------776	16,105	10,129	5,976	9,262	7,133	2,129	6,843	2,996	3,847
Symptoms and ill-defined conditions----------780-795	485	204	281	172	113	59	313	91	222
All other diseases----------Residual	372	223	149	197	150	47	175	73	102
Accidents----------E800-E962	433	221	212	172	122	50	261	99	162
Inhalation and ingestion of food or other object causing obstruction or suffocation----------E921,E922	221	123	98	91	69	22	130	54	76
Accidental mechanical suffocation in bed and cradle----------E924	66	23	43	26	12	14	40	11	29
All other accidental causes----------E800-E920,E923,E925-E962	146	75	71	55	41	14	91	34	57
Homicide----------E964,E980-E999	56	35	21	33	25	8	23	10	13

Table 41. Deaths Under 1 Year and Under 28 Days, From 45 Selected Causes, by Color for Urban and Rural Areas in Metropolitan and Nonmetropolitan Counties: United States, 1955—Continued

(See headnote on p. 326)

AGE, COLOR, AND CAUSE OF DEATH	ALL COUNTIES			METROPOLITAN COUNTIES			NONMETROPOLITAN COUNTIES		
	Total	Urban	Rural	Total	Urban	Rural	Total	Urban	Rural
UNDER 28 DAYS—Continued									
NONWHITE----------All causes	16,011	11,045	4,966	9,422	8,615	807	6,589	2,430	4,159
Tuberculosis, all forms----------001-019	3	2	1	2	2	-	1	-	1
Syphilis and its sequelae----------020-029	17	10	7	8	6	2	9	4	5
Dysentery, all forms----------045-048	17	6	11	1	1	-	16	5	11
Whooping cough----------056	9	2	7	-	-	-	9	2	7
All other infective and parasitic diseases------030-044,049-055,057-138	77	36	41	16	14	2	61	22	39
Diseases of thymus gland----------273	5	3	2	-	-	-	5	3	2
Meningitis, except meningococcal and tuberculous----------340	39	17	22	16	14	2	23	3	20
All other diseases of nervous system and sense organs----------330-334,341-398	28	17	11	14	12	2	14	5	9
Influenza and pneumonia, except pneumonia of newborn----------480-493	29	6	23	2	1	1	27	5	22
Influenza----------480-483	29	6	23	2	1	1	27	5	22
Pneumonia, except pneumonia of newborn----------490-493	...	...	...	...	...	...	...	...	...
All other diseases of respiratory system----------470-475,500-527	142	102	40	97	88	9	45	14	31
Hernia and intestinal obstruction----------560,561,570	78	59	19	43	43	-	35	16	19
Gastritis, duodenitis, enteritis, and colitis, except diarrhea of newborn----------543,571,572	3	3	-	2	2	-	1	1	-
All other diseases of digestive system----------530-542,544-553,573-587	63	42	21	39	35	4	24	7	17
Congenital malformations----------750-759	1,073	787	286	695	629	66	378	158	220
Spina bifida and meningocele----------751	37	21	16	19	14	5	18	7	11
Congenital malformations of circulatory system----------754	448	331	117	302	273	29	146	58	88
All other congenital malformations----------750,752,753,755-759	588	435	153	374	342	32	214	93	121
Certain diseases of early infancy----------760-776	13,321	9,540	3,781	8,213	7,542	671	5,108	1,998	3,110
Birth injuries----------760,761	1,884	1,356	528	1,158	1,041	117	726	315	411
Without mention of immaturity (.0)----------	984	660	324	543	482	61	441	178	263
With immaturity (.5)----------	900	696	204	615	559	56	285	137	148
Intracranial and spinal injury at birth----------760	924	670	254	610	545	65	314	125	189
Without mention of immaturity (.0)----------	578	389	189	343	300	43	235	89	146
With immaturity (.5)----------	346	281	65	267	245	22	79	36	43
Other birth injury----------761	960	686	274	548	496	52	412	190	222
Without mention of immaturity (.0)----------	406	271	135	200	182	18	206	89	117
With immaturity (.5)----------	554	415	139	348	314	34	206	101	105
Postnatal asphyxia and atelectasis----------762	3,344	2,560	784	2,307	2,132	175	1,037	428	609
Without mention of immaturity (.0)----------	1,059	717	342	638	575	63	421	142	279
With immaturity (.5)----------	2,285	1,843	442	1,669	1,557	112	616	286	330
Pneumonia of newborn----------763	1,029	644	385	550	496	54	479	148	331
Without mention of immaturity (.0)----------	734	439	295	375	340	35	359	99	260
With immaturity (.5)----------	295	205	90	175	156	19	120	49	71
Diarrhea of newborn----------764	237	133	104	102	95	7	135	38	97
Without mention of immaturity (.0)----------	187	100	87	77	73	4	110	27	83
With immaturity (.5)----------	50	33	17	25	22	3	25	11	14
Other infections of newborn----------765-768	181	111	70	102	93	9	79	18	61
Without mention of immaturity (.0)----------	114	61	53	54	49	5	60	12	48
With immaturity (.5)----------	67	50	17	48	44	4	19	6	13
Neonatal disorders arising from maternal toxemia----------769	144	75	69	44	38	6	100	37	63
Without mention of immaturity (.0-.4)----------	52	26	26	20	17	3	32	9	23
With immaturity (.5-.9)----------	92	49	43	24	21	3	68	28	40
Hemolytic disease of newborn (erythroblastosis)----------770	175	127	48	109	103	6	66	24	42
Without mention of immaturity (.0-.2)----------	135	97	38	87	81	6	48	16	32
With immaturity (.5-.7)----------	40	30	10	22	22	-	18	8	10
Hemorrhagic disease of newborn----------771	204	128	76	120	100	20	84	28	56
Without mention of immaturity (.0)----------	133	80	53	72	60	12	61	20	41
With immaturity (.5)----------	71	48	23	48	40	8	23	8	15
Ill-defined diseases peculiar to early infancy, including nutritional maladjustment----------772,773	757	517	240	438	404	34	319	113	206
Without mention of immaturity (.0)----------	176	85	91	66	58	8	110	27	83
With immaturity (.5)----------	581	432	149	372	346	26	209	86	123
Immaturity with mention of any other subsidiary condition----------774	224	173	51	148	139	9	76	34	42
Immaturity unqualified----------776	5,142	3,716	1,426	3,135	2,901	234	2,007	815	1,192
Symptoms and ill-defined conditions----------780-795	801	231	570	136	100	36	665	131	534
All other diseases----------Residual	95	69	26	48	47	1	47	22	25
Accidents----------E800-E962	190	96	94	77	66	11	113	30	83
Inhalation and ingestion of food or other object causing obstruction or suffocation----------E921,E922	60	30	30	23	19	4	37	11	26
Accidental mechanical suffocation in bed and cradle----------E924	53	27	26	18	16	2	35	11	24
All other accidental causes----------E800-E920,E923,E925-E962	77	39	38	36	31	5	41	8	33
Homicide----------E964,E980-E999	21	17	4	13	13	-	8	4	4

NOTE.—The category "metropolitan counties" includes all counties that are in "standard metropolitan areas" as defined by the Bureau of the Census in 1950, except in New England where the counties are those in the "metropolitan State economic areas," also as defined by the Bureau of the Census in 1950. The category "nonmetropolitan counties," includes all other counties. The "urban-rural" classification is based on the "old" (1940) definition of the Bureau of the Census, in which "urban" consists of incorporated places of 2,500 population or more in the 1950 census and a number of other places defined as urban under special rules. "Rural" includes all other areas. For further discussion of the "metropolitan-nonmetropolitan" and "urban-rural" classifications, see text.

Table 42. Deaths Under 1 Year From 45 Selected Causes,

(Includes only deaths occurring within the continental United States. Excludes fetal deaths. Numbers

	COLOR, SEX, AND CAUSE OF DEATH	Total deaths under 1 year	Under 1 hour	1-23 hours	1 day	2 days	3 days	4 days	5 days	6 days
1	TOTAL, BOTH SEXES----------All causes	106,903	8,008	32,472	11,692	7,449	3,783	2,232	1,739	1,279
2	Tuberculosis, all forms----------001-019	96	1	3	2	-	-	-	-	-
3	Syphilis and its sequelae----------020-029	34	3	9	3	1	5	1	-	-
4	Dysentery, all forms----------045-048	271	1	1	-	-	1	2	1	-
5	Whooping cough----------056	334	-	-	-	1	-	-	-	-
6	All other infective and parasitic diseases--030-044,049-055,057-138	1,064	2	7	4	6	5	3	12	7
7	Diseases of thymus gland----------273	248	2	12	13	2	4	1	1	1
8	Meningitis, except meningococcal and tuberculous----------340	676	-	2	6	6	3	4	9	6
9	All other diseases of nervous system and sense organs----------330-334,341-398	825	3	18	8	12	13	7	5	6
10	Influenza and pneumonia, except pneumonia of newborn--------480-493	8,318	-	1	1	2	2	3	4	4
11	Influenza----------480-483	369	-	1	1	2	2	3	4	4
12	Pneumonia, except pneumonia of newborn----------490-493	7,949	...	...	...	...	...	...	...	...
13	All other diseases of respiratory system----------470-475,500-527	2,972	13	296	309	245	90	30	13	16
14	Hernia and intestinal obstruction----------560,561,570	956	58	219	71	60	37	25	21	18
15	Gastritis, duodenitis, enteritis, and colitis, except diarrhea of newborn----------543,571,572	3,257	-	-	-	1	1	-	1	-
16	All other diseases of digestive system------530-542,544-553,573-587	517	2	8	9	23	23	25	25	18
17	Congenital malformations----------750-759	15,356	1,211	2,564	1,036	970	650	435	338	267
18	Spina bifida and meningocele----------751	1,206	88	123	43	32	25	13	21	13
19	Congenital malformations of circulatory system----------754	6,976	127	835	589	618	390	215	146	112
20	All other congenital malformations----------750,752,753,755-759	7,174	996	1,606	404	320	235	207	171	142
21	Certain diseases of early infancy----------760-776	64,016	6,445	28,786	10,001	5,891	2,805	1,593	1,222	883
22	Birth injuries----------760,761	11,564	1,807	5,311	1,842	1,099	525	261	158	106
23	Without mention of immaturity (.0)----------	5,006	868	1,797	872	581	313	149	80	50
24	With immaturity (.5)----------	6,558	939	3,514	970	518	212	112	78	56
25	Intracranial and spinal injury at birth----------760	4,435	262	1,459	912	685	401	182	124	72
26	Without mention of immaturity (.0)----------	2,859	200	902	580	434	270	122	68	38
27	With immaturity (.5)----------	1,576	62	557	332	251	131	60	56	34
28	Other birth injury----------761	7,129	1,545	3,852	930	414	124	79	34	34
29	Without mention of immaturity (.0)----------	2,147	668	895	292	147	43	27	12	12
30	With immaturity (.5)----------	4,982	877	2,957	638	267	81	52	22	22
31	Postnatal asphyxia and atelectasis----------762	17,681	1,398	8,269	3,599	1,986	752	342	277	150
32	Without mention of immaturity (.0)----------	5,594	641	2,155	1,157	703	280	115	79	34
33	With immaturity (.5)----------	12,087	757	6,114	2,442	1,283	472	227	198	116
34	Pneumonia of newborn----------763	3,108	20	283	305	282	240	171	150	125
35	Without mention of immaturity (.0)----------	2,122	16	183	183	182	166	97	78	74
36	With immaturity (.5)----------	986	4	100	122	100	74	74	72	51
37	Diarrhea of newborn----------764	546	1	3	4	4	7	14	13	18
38	Without mention of immaturity (.0)----------	428	1	1	3	3	6	13	9	14
39	With immaturity (.5)----------	118	-	2	1	1	1	1	4	4
40	Other infections of newborn----------765-768	546	8	27	26	36	33	28	42	45
41	Without mention of immaturity (.0)----------	358	6	15	19	24	22	19	18	28
42	With immaturity (.5)----------	188	2	12	7	12	11	9	24	17
43	Neonatal disorders arising from maternal toxemia----------769	707	86	302	131	85	57	13	8	6
44	Without mention of immaturity (.0-.4)----------	221	39	79	55	24	9	3	2	1
45	With immaturity (.5-.9)----------	486	47	223	76	61	48	10	6	5
46	Hemolytic disease of newborn (erythroblastosis)----------770	2,426	418	899	248	191	220	138	73	45
47	Without mention of immaturity (.0-.2)----------	1,911	329	715	198	146	187	107	46	31
48	With immaturity (.5-.7)----------	515	89	184	50	45	33	31	27	14
49	Hemorrhagic disease of newborn----------771	766	18	221	131	117	76	40	40	26
50	Without mention of immaturity (.0)----------	466	12	148	79	71	48	23	17	10
51	With immaturity (.5)----------	300	6	73	52	46	28	17	23	16
52	Ill-defined diseases peculiar to early infancy, including nutritional maladjustment----------772,773	3,328	244	1,300	338	236	122	83	66	54
53	Without mention of immaturity (.0)----------	948	55	153	53	49	30	19	16	10
54	With immaturity (.5)----------	2,380	189	1,147	285	187	92	64	50	44
55	Immaturity with mention of any other subsidiary condition-----774	1,890	53	505	374	275	107	51	43	42
56	Immaturity unqualified----------776	21,454	2,392	11,666	3,003	1,580	666	452	352	266
57	Symptoms and ill-defined conditions----------780-795	2,790	138	371	131	141	88	50	38	25
58	All other diseases----------Residual	1,736	39	99	46	43	27	23	25	9
59	Accidents----------E800-E962	3,308	45	57	50	44	28	30	23	18
60	Inhalation and ingestion of food or other object causing obstruction or suffocation----------E921,E922	880	2	20	26	25	22	13	15	10
61	Accidental mechanical suffocation in bed and cradle----------E924	1,002	-	5	4	5	2	2	2	5
62	All other accidental causes----------E800-E920,E923,E925-E962	1,426	43	32	20	14	4	15	6	3
63	Homicide----------E964,E980-E999	129	45	19	2	1	1	-	1	1

by Age, Color, and Sex: United States, 1955

after causes of death are category numbers (of the Sixth Revision of the International Lists, 1948)

7-13 days	14-20 days	21-27 days	Under 28 days	28-59 days	2 months	3 months	4 months	5 months	6 months	7 months	8 months	9 months	10 months	11 months	
4,374	2,475	1,848	77,351	6,571	5,008	3,858	3,125	2,517	2,094	1,679	1,459	1,177	1,049	1,015	1
3	-	2	11	6	6	8	4	8	7	6	13	9	7	11	2
1	1	1	25	3	1	1	1	2	-	-	-	-	-	1	3
11	7	4	28	25	40	32	28	21	22	27	16	12	13	7	4
4	4	8	17	38	64	39	32	30	22	22	23	19	15	13	5
79	35	20	180	139	104	97	94	76	87	70	62	53	49	53	6
5	7	10	58	38	44	32	25	18	7	6	10	3	3	4	7
44	26	36	142	82	74	50	56	57	52	39	41	37	23	23	8
16	4	10	102	105	97	83	77	68	65	54	43	32	61	38	9
16	9	8	50	1,690	1,521	1,140	966	769	570	425	418	290	248	231	10
16	9	8	50	42	46	55	39	31	27	21	25	15	11	7	11
...	...	...	...	1,648	1,475	1,085	927	738	543	404	393	275	237	224	12
47	39	52	1,150	353	359	288	199	169	117	90	85	53	56	53	13
75	34	37	655	88	53	35	28	28	17	12	14	13	8	5	14
2	1	-	6	600	466	450	352	306	261	243	177	155	132	109	15
57	24	14	228	66	41	26	29	21	24	29	14	14	12	13	16
1,140	723	467	9,801	1,494	898	706	549	442	375	296	229	200	172	194	17
84	86	63	591	158	88	76	68	59	42	41	28	19	17	19	18
548	290	217	4,087	776	524	418	290	226	179	135	92	91	73	85	19
508	347	187	5,123	560	286	212	191	157	154	120	109	90	82	90	20
2,579	1,321	919	62,445	726	330	156	112	70	64	39	24	23	12	15	21
250	58	32	11,449	41	11	15	9	11	11	4	5	3	3	2	22
140	42	17	4,909	33	9	10	7	11	10	4	5	3	3	2	23
110	16	15	6,540	8	2	5	2	-	1	-	-	-	-	-	24
183	44	26	4,350	28	7	12	8	8	9	2	5	2	2	2	25
119	36	16	2,785	23	7	9	6	8	8	2	5	2	2	2	26
64	8	10	1,565	5	-	3	2	-	1	-	-	-	-	-	27
67	14	6	7,099	13	4	3	1	3	2	2	-	1	1	-	28
21	6	1	2,124	10	2	1	1	3	2	2	-	1	1	-	29
46	8	5	4,975	3	2	2	-	-	-	-	-	-	-	-	30
404	135	71	17,383	133	53	35	27	18	9	6	7	3	2	5	31
130	54	32	5,380	75	44	31	24	16	7	4	6	2	2	3	32
274	81	39	12,003	58	9	4	3	2	2	2	1	1	-	2	33
614	508	410	3,108	...	...	...	...	...	...	...	...	...	...	...	34
413	393	337	2,122	...	...	...	...	...	...	...	...	...	...	...	35
201	115	73	986	...	...	...	...	...	...	...	...	...	...	...	36
152	171	153	540	4	2	-	-	-	-	-	-	-	-	-	37
121	134	120	425	2	1	-	-	-	-	-	-	-	-	-	38
31	37	33	115	2	1	-	-	-	-	-	-	-	-	-	39
150	88	51	534	9	1	-	1	-	-	1	-	-	-	-	40
97	61	39	348	7	1	-	1	-	-	1	-	-	-	-	41
53	27	12	186	2	-	-	-	-	-	-	-	-	-	-	42
11	5	2	706	-	-	-	-	1	-	-	-	-	-	-	43
3	3	2	220	-	-	-	-	1	-	-	-	-	-	-	44
8	2	-	486	-	-	-	-	-	-	-	-	-	-	-	45
119	22	14	2,387	15	11	5	4	-	-	-	1	1	1	1	46
93	15	10	1,877	14	7	5	4	-	-	-	1	1	1	1	47
26	7	4	510	1	4	-	-	-	-	-	-	-	-	-	48
62	16	12	759	5	1	-	-	-	1	-	-	-	-	-	49
36	11	5	460	4	1	-	-	-	1	-	-	-	-	-	50
26	5	7	299	1	-	-	-	-	-	-	-	-	-	-	51
135	98	65	2,741	226	154	62	45	20	31	19	5	14	5	6	52
39	42	31	497	157	115	54	34	19	26	18	5	13	4	6	53
96	56	34	2,244	69	39	8	11	1	5	1	-	1	1	-	54
78	39	24	1,591	168	63	21	18	13	7	5	2	1	-	1	55
604	181	85	21,247	125	34	18	8	7	5	4	4	1	1	-	56
119	97	88	1,286	371	311	220	179	104	87	64	52	52	37	27	57
66	48	42	467	199	130	137	129	109	120	102	94	80	79	90	58
107	93	128	623	541	464	349	259	218	195	152	137	127	117	126	59
61	44	43	281	137	143	86	65	44	37	25	18	14	16	14	60
23	29	42	119	244	195	131	86	72	54	37	26	22	11	5	61
23	20	43	223	160	126	132	108	102	104	90	93	91	90	107	62
3	2	2	77	7	5	9	6	1	2	3	7	5	5	2	63

Table 42. Deaths Under 1 Year From 45 Selected Causes,

(Includes only deaths occurring within the continental United States. Excludes fetal deaths. Numbers

	COLOR, SEX, AND CAUSE OF DEATH	Total deaths under 1 year	Under 1 hour	1-23 hours	1 day	2 days	3 days	4 days	5 days	6 days
1	TOTAL, MALE----------All causes	61,416	4,361	18,833	6,944	4,578	2,274	1,295	973	741
2	Tuberculosis, all forms----------001-019	61	1	1	-	-	-	-	-	-
3	Syphilis and its sequelae----------020-029	20	2	5	2	-	3	1	-	-
4	Dysentery, all forms----------045-048	138	-	-	-	-	1	-	1	-
5	Whooping cough----------056	154	-	-	-	1	-	-	-	-
6	All other infective and parasitic diseases--030-044,049-055,057-138	616	2	5	1	4	3	2	8	5
7	Diseases of thymus gland----------273	163	2	8	8	1	2	-	1	1
8	Meningitis, except meningococcal and tuberculous----------340	409	-	1	5	3	2	1	7	5
9	All other diseases of nervous system and sense organs----------330-334,341-398	459	2	12	5	9	8	4	4	5
10	Influenza and pneumonia, except pneumonia of newborn--------480-493	4,632	-	1	-	1	1	2	2	3
11	Influenza----------480-483	201	-	1	-	1	1	2	2	3
12	Pneumonia, except pneumonia of newborn----------490-493	4,431	...	...	...	...	...	...	...	...
13	All other diseases of respiratory system----------470-475,500-527	1,788	6	185	199	154	61	14	8	12
14	Hernia and intestinal obstruction----------560,561,570	550	29	123	44	23	14	11	11	13
15	Gastritis, duodenitis, enteritis, and colitis, except diarrhea of newborn----------543,571,572	1,790	-	-	-	-	1	-	1	-
16	All other diseases of digestive system------530-542,544-553,573-587	324	1	6	6	12	16	14	16	13
17	Congenital malformations----------750-759	8,392	549	1,392	604	635	412	231	175	142
18	Spina bifida and meningocele----------751	523	29	51	16	15	9	5	6	4
19	Congenital malformations of circulatory system----------754	3,959	63	465	357	423	265	119	74	63
20	All other congenital malformations----------750,752,753,755-759	3,910	457	876	231	197	138	107	95	75
21	Certain diseases of early infancy----------760-776	37,389	3,633	16,782	5,930	3,594	1,659	954	695	506
22	Birth injuries----------760,761	7,057	1,062	3,193	1,158	725	332	158	86	62
23	Without mention of immaturity (.0)----------	3.099	509	1,089	563	394	199	91	44	23
24	With immaturity (.5)----------	3,958	553	2,104	595	331	133	67	42	39
25	Intracranial and spinal injury at birth----------760	2,840	167	916	602	471	250	108	69	42
26	Without mention of immaturity (.0)----------	1,857	128	579	385	307	170	73	40	18
27	With immaturity (.5)----------	983	39	337	217	164	80	35	29	24
28	Other birth injury----------761	4,217	895	2,277	556	254	82	50	17	20
29	Without mention of immaturity (.0)----------	1,242	381	510	178	87	29	18	4	5
30	With immaturity (.5)----------	2,975	514	1,767	378	167	53	32	13	15
31	Postnatal asphyxia and atelectasis----------762	10,491	784	4,899	2,169	1,238	434	216	157	84
32	Without mention of immaturity (.0)----------	3,324	357	1,245	704	458	173	71	45	22
33	With immaturity (.5)----------	7,167	427	3,654	1,465	780	261	145	112	62
34	Pneumonia of newborn----------763	1,818	9	172	172	182	158	84	94	71
35	Without mention of immaturity (.0)----------	1,245	5	111	106	121	111	48	50	38
36	With immaturity (.5)----------	573	4	61	66	61	47	36	44	33
37	Diarrhea of newborn----------764	339	1	3	3	3	4	11	5	12
38	Without mention of immaturity (.0)----------	272	1	1	2	2	3	10	4	10
39	With immaturity (.5)----------	67	-	2	1	1	1	1	1	2
40	Other infections of newborn----------765-768	338	6	16	16	19	25	19	27	33
41	Without mention of immaturity (.0)----------	226	4	11	12	14	16	12	14	20
42	With immaturity (.5)----------	112	2	5	4	5	9	7	13	13
43	Neonatal disorders arising from maternal toxemia----------769	399	50	156	84	45	35	9	6	4
44	Without mention of immaturity (.0-.4)----------	132	21	46	35	14	6	3	1	1
45	With immaturity (.5-.9)----------	267	29	110	49	31	29	6	5	3
46	Hemolytic disease of newborn (erythroblastosis)----------770	1,339	188	459	142	119	134	105	50	25
47	Without mention of immaturity (.0-.2)----------	1,062	142	369	116	94	114	83	32	17
48	With immaturity (.5-.7)----------	277	46	90	26	25	20	22	18	8
49	Hemorrhagic disease of newborn----------771	466	11	128	88	78	44	29	20	16
50	Without mention of immaturity (.0)----------	278	7	83	56	43	26	19	8	6
51	With immaturity (.5)----------	188	4	45	32	35	18	10	12	10
52	Ill-defined diseases peculiar to early infancy, including nutritional maladjustment----------772,773	1,931	135	748	178	137	72	53	38	28
53	Without mention of immaturity (.0)----------	579	27	87	28	32	21	14	10	5
54	With immaturity (.5)----------	1,352	108	661	150	105	51	39	28	23
55	Immaturity with mention of any other subsidiary condition-----774	1,080	28	302	224	166	63	27	22	23
56	Immaturity unqualified----------776	12,131	1,359	6,706	1,696	882	358	243	190	148
57	Symptoms and ill-defined conditions----------780-795	1,561	66	211	82	83	53	27	22	15
58	All other diseases----------Residual	1,000	19	60	27	28	17	15	12	8
59	Accidents----------E800-E962	1,899	24	31	31	29	20	19	9	13
60	Inhalation and ingestion of food or other object causing obstruction or suffocation----------E921,E922	507	1	6	19	17	16	8	5	7
61	Accidental mechanical suffocation in bed and cradle----------E924	579	-	3	2	2	1	-	1	3
62	All other accidental causes----------E800-E920,E923,E925-E962	813	23	22	10	10	3	11	3	3
63	Homicide----------E964,E980-E999	71	25	10	-	1	1	-	1	-

by Age, Color, and Sex: United States, 1955—Continued

after causes of death are category numbers of the Sixth Revision of the International Lists, 1948)

7-13 days	14-20 days	21-27 days	Under 28 days	28-59 days	2 months	3 months	4 months	5 months	6 months	7 months	8 months	9 months	10 months	11 months	
2,467	1,423	1,067	44,956	3,812	2,862	2,114	1,724	1,348	1,148	899	816	634	569	534	1
3	-	1	6	6	4	5	4	6	5	3	6	5	5	6	2
1	-	1	15	3	-	-	-	1	-	-	-	-	-	1	3
7	1	1	11	15	22	19	8	11	11	11	9	8	10	3	4
3	3	4	11	12	29	21	20	12	10	9	9	9	7	5	5
45	21	13	109	83	61	57	58	42	51	40	35	29	24	27	6
1	7	9	40	24	34	19	15	10	4	3	9	-	1	4	7
26	16	23	89	41	48	33	34	28	29	25	26	25	15	16	8
10	3	3	65	55	52	49	38	35	40	34	20	17	34	20	9
9	3	2	24	989	877	616	526	423	309	236	231	147	138	116	10
9	3	2	24	24	27	31	19	17	18	12	10	11	4	4	11
...	...	...	...	965	850	585	507	406	291	224	221	136	134	112	12
27	24	28	718	220	226	150	112	98	74	54	50	30	31	25	13
45	18	25	356	68	37	22	17	18	7	7	5	8	3	2	14
2	1	-	5	344	263	244	195	167	137	116	95	84	79	61	15
46	17	9	156	41	29	12	18	13	12	17	8	9	4	5	16
617	429	250	5,436	867	478	373	281	205	197	143	133	101	78	100	17
38	42	25	240	71	39	28	29	26	20	23	16	12	8	11	18
308	174	112	2,423	457	279	228	151	102	90	62	52	44	30	41	19
271	213	113	2,773	339	160	117	101	77	87	58	65	45	40	48	20
1,449	749	553	36,504	399	193	88	62	36	40	24	11	14	8	10	21
156	32	26	6,990	17	8	11	7	8	7	2	3	1	1	2	22
89	27	14	3,042	14	6	8	6	8	6	2	3	1	1	2	23
67	5	12	3,948	3	2	3	1	-	1	-	-	-	-	-	24
116	27	21	2,789	13	5	8	6	6	6	-	3	1	1	2	25
75	23	13	1,811	11	5	7	5	6	5	-	3	1	1	2	26
41	4	8	978	2	-	1	1	-	1	-	-	-	-	-	27
40	5	5	4,201	4	3	3	1	2	1	2	-	-	-	-	28
14	4	1	1,231	3	1	1	1	2	1	2	-	-	-	-	29
26	1	4	2,970	1	2	2	-	-	-	-	-	-	-	-	30
221	79	38	10,319	83	35	16	13	10	6	1	4	2	1	1	31
73	31	20	3,199	47	31	14	11	9	5	1	4	1	1	1	32
148	48	18	7,120	36	4	2	2	1	1	-	-	1	-	-	33
363	277	236	1,818	...	...	...	...	...	...	...	...	...	...	...	34
244	218	193	1,245	...	...	...	...	...	...	...	...	...	...	...	35
119	59	43	573	...	...	...	...	...	...	...	...	...	...	...	36
91	104	99	336	3	-	-	-	-	-	-	-	-	-	-	37
74	82	81	270	2	-	-	-	-	-	-	-	-	-	-	38
17	22	18	66	1	-	-	-	-	-	-	-	-	-	-	39
83	56	30	330	5	1	-	1	-	-	1	-	-	-	-	40
56	37	23	219	4	1	-	1	-	-	1	-	-	-	-	41
27	19	7	111	1	-	-	-	-	-	-	-	-	-	-	42
7	1	1	398	-	-	-	-	1	-	-	-	-	-	-	43
2	1	1	131	-	-	-	-	1	-	-	-	-	-	-	44
5	-	-	267	-	-	-	-	-	-	-	-	-	-	-	45
75	12	7	1,316	8	7	3	2	-	-	-	1	1	-	1	46
61	8	4	1,040	8	6	3	2	-	-	-	1	1	-	1	47
14	4	3	276	-	1	-	-	-	-	-	-	-	-	-	48
35	7	7	463	2	1	-	-	-	-	-	-	-	-	-	49
18	5	4	275	2	1	-	-	-	-	-	-	-	-	-	50
17	2	3	188	-	-	-	-	-	-	-	-	-	-	-	51
68	68	46	1,571	140	95	37	27	10	17	14	1	9	5	5	52
19	32	22	297	97	75	33	22	10	14	13	1	8	4	5	53
49	36	24	1,274	43	20	4	5	-	3	1	-	1	1	-	54
41	23	12	931	84	31	10	8	5	6	3	-	1	-	1	55
309	90	51	12,032	57	15	11	4	2	4	3	2	-	1	-	56
70	48	47	724	209	171	128	96	61	40	34	33	32	21	12	57
39	28	28	281	128	69	80	78	62	69	49	51	44	39	50	58
65	54	70	365	304	266	194	159	119	112	92	81	70	68	69	59
40	24	24	167	77	84	49	36	24	23	12	11	12	7	5	60
12	19	23	66	138	114	73	64	36	29	26	13	12	6	2	61
13	11	23	132	89	68	72	59	59	60	54	57	46	55	62	62
2	1	-	41	4	3	4	3	1	1	2	4	2	4	2	63

Table 42. Deaths Under 1 Year From 45 Selected Causes,

(Includes only deaths occurring within the continental United States. Excludes fetal deaths. Numbers

	COLOR, SEX, AND CAUSE OF DEATH	Total deaths under 1 year	Under 1 hour	1-23 hours	1 day	2 days	3 days	4 days	5 days	6 days
1	TOTAL, FEMALE----------All causes	45,487	3,647	13,639	4,748	2,871	1,509	937	766	538
2	Tuberculosis, all forms----------001-019	35	-	2	2	-	-	-	-	-
3	Syphilis and its sequelae----------020-029	14	1	4	1	1	2	-	-	-
4	Dysentery, all forms----------045-048	133	1	1	-	-	-	2	-	-
5	Whooping cough----------056	180	-	-	-	-	-	-	-	-
6	All other infective and parasitic diseases--030-044,049-055,057-138	448	-	2	3	2	2	1	4	2
7	Diseases of thymus gland----------273	85	-	4	5	1	2	1	-	-
8	Meningitis, except meningococcal and tuberculous----------340	267	-	1	1	3	1	3	2	1
9	All other diseases of nervous system and sense organs----------330-334,341-398	366	1	6	3	3	5	3	1	1
10	Influenza and pneumonia, except pneumonia of newborn--------480-493	3,686	-	-	1	1	1	1	2	1
11	Influenza----------480-483	168	-	-	1	1	1	1	2	1
12	Pneumonia, except pneumonia of newborn----------490-493	3,518	...	...	...	...	...	...	...	...
13	All other diseases of respiratory system----------470-475,500-527	1,184	7	111	110	91	29	16	5	4
14	Hernia and intestinal obstruction----------560,561,570	406	29	96	27	37	23	14	10	5
15	Gastritis, duodenitis, enteritis, and colitis, except diarrhea of newborn----------543,571,572	1,467	-	-	-	1	-	-	-	-
16	All other diseases of digestive system------530-542,544-553,573-587	193	1	2	3	11	7	11	9	5
17	Congenital malformations----------750-759	6,964	662	1,172	432	335	238	204	163	125
18	Spina bifida and meningocele----------751	683	59	72	27	17	16	8	15	9
19	Congenital malformations of circulatory system----------754	3,017	64	370	232	195	125	96	72	49
20	All other congenital malformations----------750,752,753,755-759	3,264	539	730	173	123	97	100	76	67
21	Certain diseases of early infancy----------760-776	26,627	2,812	12,004	4,071	2,297	1,146	639	527	377
22	Birth injuries----------760,761	4,507	745	2,118	684	374	193	103	72	44
23	Without mention of immaturity (.0)----------	1,907	359	708	309	187	114	58	36	27
24	With immaturity (.5)----------	2,600	386	1,410	375	187	79	45	36	17
25	Intracranial and spinal injury at birth----------760	1,595	95	543	310	214	151	74	55	30
26	Without mention of immaturity (.0)----------	1,002	72	323	195	127	100	49	28	20
27	With immaturity (.5)----------	593	23	220	115	87	51	25	27	10
28	Other birth injury----------761	2,912	650	1,575	374	160	42	29	17	14
29	Without mention of immaturity (.0)----------	905	287	385	114	60	14	9	8	7
30	With immaturity (.5)----------	2,007	363	1,190	260	100	28	20	9	7
31	Postnatal asphyxia and atelectasis----------762	7,190	614	3,370	1,430	748	318	126	120	66
32	Without mention of immaturity (.0)----------	2,270	284	910	453	245	107	44	34	12
33	With immaturity (.5)----------	4,920	330	2,460	977	503	211	82	86	54
34	Pneumonia of newborn----------763	1,290	11	111	133	100	82	87	56	54
35	Without mention of immaturity (.0)----------	877	11	72	77	61	55	49	28	36
36	With immaturity (.5)----------	413	-	39	56	39	27	38	28	18
37	Diarrhea of newborn----------764	207	-	-	1	1	3	3	8	6
38	Without mention of immaturity (.0)----------	156	-	-	1	1	3	3	5	4
39	With immaturity (.5)----------	51	-	-	-	-	-	-	3	2
40	Other infections of newborn----------765-768	208	2	11	10	17	8	9	15	12
41	Without mention of immaturity (.0)----------	132	2	4	7	10	6	7	4	8
42	With immaturity (.5)----------	76	-	7	3	7	2	2	11	4
43	Neonatal disorders arising from maternal toxemia----------769	308	36	146	47	40	22	4	2	2
44	Without mention of immaturity (.0-.4)----------	89	18	33	20	10	3	-	1	-
45	With immaturity (.5-.9)----------	219	18	113	27	30	19	4	1	2
46	Hemolytic disease of newborn (erythroblastosis)----------770	1,087	230	440	106	72	86	33	23	20
47	Without mention of immaturity (.0-.2)----------	849	187	346	82	52	73	24	14	14
48	With immaturity (.5-.7)----------	238	43	94	24	20	13	9	9	6
49	Hemorrhagic disease of newborn----------771	300	7	93	43	39	32	11	20	10
50	Without mention of immaturity (.0)----------	188	5	65	23	28	22	4	9	4
51	With immaturity (.5)----------	112	2	28	20	11	10	7	11	6
52	Ill-defined diseases peculiar to early infancy, including nutritional maladjustment----------772,773	1,397	109	552	160	99	50	30	28	26
53	Without mention of immaturity (.0)----------	369	28	66	25	17	9	5	6	5
54	With immaturity (.5)----------	1,028	81	486	135	82	41	25	22	21
55	Immaturity with mention of any other subsidiary condition-----774	810	25	203	150	109	44	24	21	19
56	Immaturity unqualified----------776	9,323	1,033	4,960	1,307	698	308	209	162	118
57	Symptoms and ill-defined conditions----------780-795	1,229	72	160	49	58	35	23	16	10
58	All other diseases----------Residual	736	20	39	19	15	10	8	13	1
59	Accidents----------E800-E962	1,409	21	26	19	15	8	11	14	5
60	Inhalation and ingestion of food or other object causing obstruction or suffocation----------E921,E922	373	1	14	7	8	6	5	10	3
61	Accidental mechanical suffocation in bed and cradle----------E924	423	-	2	2	3	1	2	1	2
62	All other accidental causes----------E800-E920,E923,E925-E962	613	20	10	10	4	1	4	3	-
63	Homicide----------E964,E980-E999	58	20	9	2	-	-	-	-	1

by Age, Color, and Sex: United States, 1955—Continued

after causes of death are category numbers of the Sixth Revision of the International Lists, 1948)

7-13 days	14-20 days	21-27 days	Under 28 days	28-59 days	2 months	3 months	4 months	5 months	6 months	7 months	8 months	9 months	10 months	11 months	
1,907	1,052	781	32,395	2,759	2,146	1,744	1,401	1,169	946	780	643	543	480	481	1
-	-	1	5	-	2	3	-	2	2	3	7	4	2	5	2
-	1	-	10	-	1	1	1	1	-	-	-	-	-	-	3
4	6	3	17	10	18	13	20	10	11	16	7	4	3	4	4
1	1	4	6	26	35	18	12	18	12	13	14	10	8	8	5
34	14	7	71	56	43	40	36	34	36	30	27	24	25	26	6
4	-	1	18	14	10	13	10	8	3	3	1	3	2	-	7
18	10	13	53	41	26	17	22	29	23	14	15	12	8	7	8
6	1	7	37	50	45	34	39	33	25	20	23	15	27	18	9
7	6	6	26	701	644	524	440	346	261	189	187	143	110	115	10
7	6	6	26	18	19	24	20	14	9	9	15	4	7	3	11
...	...	...	...	683	625	500	420	332	252	180	172	139	103	112	12
20	15	24	432	133	133	138	87	71	43	36	35	23	25	28	13
30	16	12	299	20	16	13	11	10	10	5	9	5	5	3	14
-	-	-	1	256	203	206	157	139	124	127	82	71	53	48	15
11	7	5	72	25	12	14	11	8	12	12	6	5	8	8	16
523	294	217	4,365	627	420	333	268	237	178	153	96	99	94	94	17
46	44	38	351	87	49	48	39	33	22	18	12	7	9	8	18
240	116	105	1,664	319	245	190	139	124	89	73	40	47	43	44	19
237	134	74	2,350	221	126	95	90	80	67	62	44	45	42	42	20
1,130	572	366	25,941	327	137	68	50	34	24	15	13	9	4	5	21
94	26	6	4,459	24	3	4	2	3	4	2	2	2	2	-	22
51	15	3	1,867	19	3	2	1	3	4	2	2	2	2	-	23
43	11	3	2,592	5	-	2	1	-	-	-	-	-	-	-	24
67	17	5	1,561	15	2	4	2	2	3	2	2	1	1	-	25
44	13	3	974	12	2	2	1	2	3	2	2	1	1	-	26
23	4	2	587	3	-	2	1	-	-	-	-	-	-	-	27
27	9	1	2,898	9	1	-	-	1	1	-	-	1	1	-	28
7	2	-	893	7	1	-	-	1	1	-	-	1	1	-	29
20	7	1	2,005	2	-	-	-	-	-	-	-	-	-	-	30
183	56	33	7,064	50	18	19	14	8	3	5	3	1	1	4	31
57	23	12	2,181	28	13	17	13	7	2	3	2	1	1	2	32
126	33	21	4,883	22	5	2	1	1	1	2	1	-	-	2	33
251	231	174	1,290	...	...	...	...	...	...	...	...	...	...	...	34
169	175	144	877	...	...	...	...	...	...	...	...	...	...	...	35
82	56	30	413	...	...	...	...	...	...	...	...	...	...	...	36
61	67	54	204	1	2	-	-	-	-	-	-	-	-	-	37
47	52	39	155	-	1	-	-	-	-	-	-	-	-	-	38
14	15	15	49	1	1	-	-	-	-	-	-	-	-	-	39
67	32	21	204	4	-	-	-	-	-	-	-	-	-	-	40
41	24	16	129	3	-	-	-	-	-	-	-	-	-	-	41
26	8	5	75	1	-	-	-	-	-	-	-	-	-	-	42
4	4	1	308	-	-	-	-	-	-	-	-	-	-	-	43
1	2	1	89	-	-	-	-	-	-	-	-	-	-	-	44
3	2	-	219	-	-	-	-	-	-	-	-	-	-	-	45
44	10	7	1,071	7	4	2	2	-	-	-	-	-	1	-	46
32	7	6	837	6	1	2	2	-	-	-	-	-	1	-	47
12	3	1	234	1	3	-	-	-	-	-	-	-	-	-	48
27	9	5	296	3	-	-	-	-	1	-	-	-	-	-	49
18	6	1	185	2	-	-	-	-	1	-	-	-	-	-	50
9	3	4	111	1	-	-	-	-	-	-	-	-	-	-	51
67	30	19	1,170	86	59	25	18	10	14	5	4	5	-	1	52
20	10	9	200	60	40	21	12	9	12	5	4	5	-	1	53
47	20	10	970	26	19	4	6	1	2	-	-	-	-	-	54
37	16	12	660	84	32	11	10	8	1	2	2	-	-	-	55
295	91	34	9,215	68	19	7	4	5	1	1	2	1	-	-	56
49	49	41	562	162	140	92	83	43	47	30	19	20	16	15	57
27	20	14	186	71	61	57	51	47	51	53	43	36	40	40	58
42	39	58	258	237	198	155	100	99	83	60	56	57	49	57	59
21	20	19	114	60	59	37	29	20	14	13	7	2	9	9	60
11	10	19	53	106	81	58	22	36	25	11	13	10	5	3	61
10	9	20	91	71	58	60	49	43	44	36	36	45	35	45	62
1	1	2	36	3	2	5	3	-	1	1	3	3	1	-	63

Table 42. Deaths Under 1 Year From 45 Selected Causes,

(Includes only deaths occurring within the continental United States. Excludes fetal deaths. Numbers

	COLOR, SEX, AND CAUSE OF DEATH	Total deaths under 1 year	Under 1 hour	1-23 hours	1 day	2 days	3 days	4 days	5 days	6 days
1	WHITE, BOTH SEXES----------All causes	81,682	6,511	25,805	9,643	6,165	3,043	1,722	1,285	966
2	Tuberculosis, all forms----------001-019	51	-	3	2	-	-	-	-	-
3	Syphilis and its sequelae----------020-029	9	-	3	1	-	2	1	-	-
4	Dysentery, all forms----------045-048	169	-	-	-	-	-	1	-	-
5	Whooping cough----------056	152	-	-	-	-	-	-	-	-
6	All other infective and parasitic diseases--030-044,049-055,057-138	780	2	5	4	4	5	3	6	2
7	Diseases of thymus gland----------273	211	1	12	12	2	4	1	1	1
8	Meningitis, except meningococcal and tuberculous----------340	458	-	1	4	6	2	4	5	4
9	All other diseases of nervous system and sense organs----------330-334,341-398	607	2	13	7	8	12	4	3	3
10	Influenza and pneumonia, except pneumonia of newborn--------480-493	5,262	-	1	1	-	-	1	3	2
11	Influenza----------480-483	185	-	1	1	-	-	1	3	2
12	Pneumonia, except pneumonia of newborn----------490-493	5,077	...	...	...	...	...	...	...	...
13	All other diseases of respiratory system----------470-475,500-527	2,342	11	254	285	231	81	23	11	13
14	Hernia and intestinal obstruction----------560,561,570	798	56	203	59	55	33	20	17	15
15	Gastritis, duodenitis, enteritis, and colitis, except diarrhea of newborn----------543,571,572	1,858	-	-	-	-	1	-	-	-
16	All other diseases of digestive system------530-542,544-553,573-587	378	1	6	8	15	17	17	18	14
17	Congenital malformations----------750-759	13,540	1,122	2,289	907	874	582	370	292	239
18	Spina bifida and meningocele----------751	1,129	87	116	42	32	24	11	19	12
19	Congenital malformations of circulatory system----------754	6,130	117	733	513	568	347	188	130	99
20	All other congenital malformations----------750,752,753,755-759	6,281	918	1,440	352	274	211	171	143	128
21	Certain diseases of early infancy----------760-776	50,051	5,182	22,758	8,233	4,845	2,219	1,209	876	644
22	Birth injuries----------760,761	9,654	1,513	4,466	1,553	932	439	205	117	83
23	Without mention of immaturity (.0)----------	3,999	699	1,443	703	477	251	114	59	35
24	With immaturity (.5)----------	5,655	814	3,023	850	455	188	91	58	48
25	Intracranial and spinal injury at birth----------760	3,493	206	1,120	738	562	332	143	89	52
26	Without mention of immaturity (.0)----------	2,266	162	719	464	352	217	95	50	25
27	With immaturity (.5)----------	1,227	44	401	274	210	115	48	39	27
28	Other birth injury----------761	6,161	1,307	3,346	815	370	107	62	28	31
29	Without mention of immaturity (.0)----------	1,733	537	724	239	125	34	19	9	10
30	With immaturity (.5)----------	4,428	770	2,622	576	245	73	43	19	21
31	Postnatal asphyxia and atelectasis----------762	14,252	1,090	6,583	3,013	1,694	605	275	208	124
32	Without mention of immaturity (.0)----------	4,477	483	1,721	956	601	225	92	53	28
33	With immaturity (.5)----------	9,775	607	4,862	2,057	1,093	380	183	155	96
34	Pneumonia of newborn----------763	2,079	13	197	235	183	175	117	99	85
35	Without mention of immaturity (.0)----------	1,388	9	124	135	115	122	63	51	47
36	With immaturity (.5)----------	691	4	73	100	68	53	54	48	38
37	Diarrhea of newborn----------764	307	1	2	3	3	4	6	5	12
38	Without mention of immaturity (.0)----------	241	1	1	2	2	3	5	3	10
39	With immaturity (.5)----------	66	-	1	1	1	1	1	2	2
40	Other infections of newborn----------765-768	361	4	20	18	27	22	17	28	22
41	Without mention of immaturity (.0)----------	240	4	12	12	19	16	10	10	14
42	With immaturity (.5)----------	121	-	8	6	8	6	7	18	8
43	Neonatal disorders arising from maternal toxemia----------769	563	65	238	108	75	49	8	5	2
44	Without mention of immaturity (.0-.4)----------	169	28	61	43	20	7	2	1	1
45	With immaturity (.5-.9)----------	394	37	177	65	55	42	6	4	1
46	Hemolytic disease of newborn (erythroblastosis)----------770	2,241	402	854	234	172	199	124	62	40
47	Without mention of immaturity (.0-.2)----------	1,767	318	682	187	131	168	98	39	26
48	With immaturity (.5-.7)----------	474	84	172	47	41	31	26	23	14
49	Hemorrhagic disease of newborn----------771	560	14	158	98	91	53	28	33	17
50	Without mention of immaturity (.0)----------	331	9	104	54	54	32	17	13	7
51	With immaturity (.5)----------	229	5	54	44	37	21	11	20	10
52	Ill-defined diseases peculiar to early infancy, including nutritional maladjustment----------772,773	2,258	192	961	275	185	84	58	39	36
53	Without mention of immaturity (.0)----------	531	42	101	42	34	18	12	7	6
54	With immaturity (.5)----------	1,727	150	860	233	151	66	46	32	30
55	Immaturity with mention of any other subsidiary condition-----774	1,557	46	435	333	243	90	41	33	34
56	Immaturity unqualified----------776	16,219	1,842	8,844	2,363	1,240	499	330	247	189
57	Symptoms and ill-defined conditions----------780-795	1,202	50	125	50	60	39	28	16	10
58	All other diseases----------Residual	1,366	28	83	35	35	21	19	18	8
59	Accidents----------E800-E962	2,353	24	35	34	29	24	21	18	10
60	Inhalation and ingestion of food or other object causing obstruction or suffocation----------E921,E922	673	2	12	21	19	19	9	11	8
61	Accidental mechanical suffocation in bed and cradle----------E924	699	-	2	2	2	1	1	1	1
62	All other accidental causes----------E800-E920,E923,E925-E962	981	22	21	11	8	4	11	6	1
63	Homicide----------E964,E980-E999	95	32	14	1	1	1	-	1	1

by Age, Color, and Sex: United States, 1955—Continued

after causes of death are category numbers of the Sixth Revision of the International Lists, 1948)

7-13 days	14-20 days	21-27 days	Under 28 days	28-59 days	2 months	3 months	4 months	5 months	6 months	7 months	8 months	9 months	10 months	11 months	
3,196	1,766	1,238	61,340	4,475	3,423	2,659	2,116	1,743	1,443	1,172	1,038	805	728	740	1
1	-	2	8	4	5	4	2	6	1	4	5	4	3	5	2
-	-	1	8	1	-	-	-	-	-	-	-	-	-	-	3
4	4	2	11	15	30	16	19	17	13	18	10	9	6	5	4
2	3	3	8	21	35	18	16	13	8	7	9	9	4	4	5
34	25	13	103	108	80	72	70	60	66	54	45	38	41	43	6
4	6	9	53	31	36	28	19	17	5	6	9	2	2	3	7
29	21	27	103	63	58	35	36	36	34	21	21	21	16	14	8
12	3	7	74	70	69	56	59	54	54	43	29	28	41	30	9
4	5	4	21	1,065	966	737	609	492	364	267	276	168	143	154	10
4	5	4	21	16	21	28	23	18	12	15	14	9	5	3	11
...	...	...	...	1,049	945	709	586	474	352	252	262	159	138	151	12
36	28	35	1,008	246	279	207	134	127	85	71	55	41	47	42	13
64	29	26	577	68	38	24	16	23	13	10	12	8	5	4	14
1	1	-	3	302	246	262	199	154	163	158	123	101	80	67	15
38	17	14	165	45	29	19	20	14	17	25	12	11	11	10	16
1,007	646	400	8,728	1,280	780	615	476	387	320	254	207	169	153	171	17
76	76	59	554	146	83	74	65	55	36	38	26	17	16	19	18
496	265	183	3,639	670	450	357	260	196	150	113	83	75	64	73	19
435	305	158	4,535	464	247	184	151	136	134	103	98	77	73	79	20
1,785	833	540	49,124	429	188	97	65	43	36	21	16	15	10	7	21
191	42	24	9,565	30	9	13	7	8	7	3	5	2	3	2	22
99	31	14	3,925	23	7	9	5	8	7	3	5	2	3	2	23
92	11	10	5,640	7	2	4	2	-	-	-	-	-	-	-	24
133	32	19	3,426	20	6	10	6	7	5	2	5	2	2	2	25
83	26	14	2,207	16	6	8	4	7	5	2	5	2	2	2	26
50	6	5	1,219	4	-	2	2	-	-	-	-	-	-	-	27
58	10	5	6,139	10	3	3	1	1	2	1	-	-	1	-	28
16	5	-	1,718	7	1	1	1	1	2	1	-	-	1	-	29
42	5	5	4,421	3	2	2	-	-	-	-	-	-	-	-	30
302	93	52	14,039	94	34	27	23	11	7	5	5	2	2	3	31
94	42	26	4,321	54	30	24	20	10	5	3	4	2	2	2	32
208	51	26	9,718	40	4	3	3	1	2	2	1	-	-	1	33
403	311	261	2,079	...	...	...	...	...	...	...	...	...	...	...	34
265	240	217	1,388	...	...	...	...	...	...	...	...	...	...	...	35
138	71	44	691	...	...	...	...	...	...	...	...	...	...	...	36
93	109	65	303	2	2	-	-	-	-	-	-	-	-	-	37
77	85	49	238	2	1	-	-	-	-	-	-	-	-	-	38
16	24	16	65	-	1	-	-	-	-	-	-	-	-	-	39
97	64	34	353	5	1	-	1	-	-	1	-	-	-	-	40
60	48	29	234	3	1	-	1	-	-	1	-	-	-	-	41
37	16	5	119	2	-	-	-	-	-	-	-	-	-	-	42
9	3	-	562	-	-	-	-	1	-	-	-	-	-	-	43
3	2	-	168	-	-	-	-	1	-	-	-	-	-	-	44
6	1	-	394	-	-	-	-	-	-	-	-	-	-	-	45
98	18	9	2,212	11	8	4	2	-	-	-	1	1	1	1	46
75	13	5	1,742	10	5	4	2	-	-	-	1	1	1	1	47
23	5	4	470	1	3	-	-	-	-	-	-	-	-	-	48
43	10	10	555	4	-	-	-	-	1	-	-	-	-	-	49
25	7	5	327	3	-	-	-	-	1	-	-	-	-	-	50
18	3	5	228	1	-	-	-	-	-	-	-	-	-	-	51
75	52	27	1,984	108	75	28	17	8	14	10	1	9	3	1	52
21	22	16	321	78	55	24	12	7	11	10	1	8	3	1	53
54	30	11	1,663	30	20	4	5	1	3	-	-	1	-	-	54
65	30	17	1,367	111	40	13	12	8	2	1	2	1	-	-	55
409	101	41	16,105	64	19	12	3	7	5	1	2	-	1	-	56
41	40	26	485	182	143	106	84	51	36	28	28	21	19	19	57
54	37	34	372	156	104	111	100	87	92	82	69	57	63	73	58
78	67	93	433	383	334	246	186	161	134	102	105	100	81	88	59
51	34	35	221	108	106	63	50	33	28	16	16	11	11	10	60
11	18	27	66	167	141	95	63	50	38	29	18	21	8	3	61
16	15	31	146	108	87	88	73	78	68	57	71	68	62	75	62
2	1	2	56	6	3	6	6	1	2	1	7	3	3	1	63

Table 42. Deaths Under 1 Year From 45 Selected Causes,

(Includes only deaths occurring within the continental United States. Excludes fetal deaths. Numbers

	COLOR, SEX, AND CAUSE OF DEATH	Total deaths under 1 year	Under 1 hour	1-23 hours	1 day	2 days	3 days	4 days	5 days	6 days
1	WHITE, MALE----------All causes	47,457	3,537	15,093	5,800	3,832	1,838	1,024	729	561
2	Tuberculosis, all forms----------001-019	30	-	1	-	-	-	-	-	-
3	Syphilis and its sequelae----------020-029	8	-	2	1	-	2	1	-	-
4	Dysentery, all forms----------045-048	81	-	-	-	-	-	-	-	-
5	Whooping cough----------056	67	-	-	-	-	-	-	-	-
6	All other infective and parasitic diseases--030-044,049-055,057-138	466	2	4	1	4	3	2	4	2
7	Diseases of thymus gland----------273	141	1	8	8	1	2	-	1	1
8	Meningitis, except meningococcal and tuberculous----------340	278	-	1	4	3	2	1	4	3
9	All other diseases of nervous system and sense organs----------330-334,341-398	339	1	10	5	5	7	2	2	2
10	Influenza and pneumonia, except pneumonia of newborn--------480-493	2,961	-	1	-	-	-	-	2	1
11	Influenza----------480-483	100	-	1	-	-	-	-	2	1
12	Pneumonia, except pneumonia of newborn----------490-493	2,861	...	...	...	...	...	...	...	...
13	All other diseases of respiratory system----------470-475,500-527	1,431	4	160	188	146	54	11	7	9
14	Hernia and intestinal obstruction----------560,561,570	461	29	112	40	20	11	9	10	11
15	Gastritis, duodenitis, enteritis, and colitis, except diarrhea of newborn----------543,571,572	1,036	-	-	-	-	1	-	-	-
16	All other diseases of digestive system------530-542,544-553,573-587	238	-	4	6	8	12	8	9	11
17	Congenital malformations----------750-759	7,409	500	1,234	534	577	367	203	151	130
18	Spina bifida and meningocele----------751	483	29	47	15	15	8	5	5	4
19	Congenital malformations of circulatory system----------754	3,531	60	411	318	395	236	110	67	56
20	All other congenital malformations----------750,752,753,755-759	3,395	411	776	201	167	123	88	79	70
21	Certain diseases of early infancy----------760-776	29,546	2,930	13,405	4,937	2,984	1,320	747	512	370
22	Birth injuries----------760,761	5,928	895	2,704	982	613	275	128	64	48
23	Without mention of immaturity (.0)----------	2,495	417	876	460	324	158	71	31	16
24	With immaturity (.5)----------	3,433	478	1,828	522	289	117	57	33	32
25	Intracranial and spinal injury at birth----------760	2,258	133	710	492	387	207	87	49	30
26	Without mention of immaturity (.0)----------	1,479	106	460	312	250	136	56	28	12
27	With immaturity (.5)----------	779	27	250	180	137	71	31	21	18
28	Other birth injury----------761	3,670	762	1,994	490	226	68	41	15	18
29	Without mention of immaturity (.0)----------	1,016	311	416	148	74	22	15	3	4
30	With immaturity (.5)----------	2,654	451	1,578	342	152	46	26	12	14
31	Postnatal asphyxia and atelectasis----------762	8,598	620	3,974	1,849	1,058	351	180	123	72
32	Without mention of immaturity (.0)----------	2,708	271	1,012	589	401	140	61	32	19
33	With immaturity (.5)----------	5,890	349	2,962	1,260	657	211	119	91	53
34	Pneumonia of newborn----------763	1,247	6	117	134	118	120	60	66	49
35	Without mention of immaturity (.0)----------	846	2	73	82	76	87	33	35	25
36	With immaturity (.5)----------	401	4	44	52	42	33	27	31	24
37	Diarrhea of newborn----------764	185	1	2	2	2	2	4	2	7
38	Without mention of immaturity (.0)----------	143	1	1	1	1	1	3	1	6
39	With immaturity (.5)----------	42	-	1	1	1	1	1	1	1
40	Other infections of newborn----------765-768	223	3	11	9	14	15	11	16	15
41	Without mention of immaturity (.0)----------	154	3	8	5	11	10	6	7	10
42	With immaturity (.5)----------	69	-	3	4	3	5	5	9	5
43	Neonatal disorders arising from maternal toxemia----------769	312	37	119	68	39	30	6	4	1
44	Without mention of immaturity (.0-.4)----------	101	13	36	26	13	5	2	1	1
45	With immaturity (.5-.9)----------	211	24	83	42	26	25	4	3	-
46	Hemolytic disease of newborn (erythroblastosis)----------770	1,227	178	433	137	107	124	95	43	23
47	Without mention of immaturity (.0-.2)----------	967	134	347	112	82	105	75	27	15
48	With immaturity (.5-.7)----------	260	44	86	25	25	19	20	16	8
49	Hemorrhagic disease of newborn----------771	344	9	87	63	63	35	23	18	9
50	Without mention of immaturity (.0)----------	195	5	54	38	33	18	15	6	4
51	With immaturity (.5)----------	149	4	33	25	30	17	8	12	5
52	Ill-defined diseases peculiar to early infancy, including nutritional maladjustment----------772,773	1,301	105	559	144	109	47	41	18	19
53	Without mention of immaturity (.0)----------	313	21	53	21	21	12	9	4	3
54	With immaturity (.5)----------	988	84	506	123	88	35	32	14	16
55	Immaturity with mention of any other subsidiary condition-----774	916	26	273	202	151	53	23	17	17
56	Immaturity unqualified----------776	9,265	1,050	5,126	1,347	710	268	176	141	110
57	Symptoms and ill-defined conditions----------780-795	726	20	72	34	40	23	14	11	6
58	All other diseases----------Residual	796	14	51	19	23	14	11	8	8
59	Accidents----------E800-E962	1,388	16	19	23	20	19	15	7	7
60	Inhalation and ingestion of food or other object causing obstruction or suffocation----------E921,E922	396	1	3	15	12	15	6	4	5
61	Accidental mechanical suffocation in bed and cradle----------E924	412	-	2	1	1	1	-	-	1
62	All other accidental causes----------E800-E920,E923,E925-E962	580	15	14	7	7	3	9	3	1
63	Homicide----------E964,E980-E999	55	20	9	-	1	1	-	1	-

by Age, Color, and Sex: United States, 1955—Continued

after causes of death are category numbers of the Sixth Revision of the International Lists, 1948)

7-13 days	14-20 days	21-27 days	Under 28 days	28-59 days	2 months	3 months	4 months	5 months	6 months	7 months	8 months	9 months	10 months	11 months	
1,823	1,024	714	35,975	2,647	2,009	1,483	1,188	936	797	651	572	425	383	391	1
1	-	1	3	4	3	2	2	4	1	2	3	2	1	3	2
-	-	1	7	1	-	-	-	-	-	-	-	-	-	-	3
3	-	-	3	9	18	10	5	8	5	6	6	5	4	2	4
2	2	1	5	6	16	8	10	5	4	4	4	4	1	-	5
19	15	9	65	68	49	39	43	34	42	34	28	21	23	20	6
1	6	8	37	21	28	17	12	10	2	3	8	-	-	3	7
18	14	16	66	31	35	23	24	20	20	13	13	11	12	10	8
7	2	3	46	35	37	32	33	27	35	28	14	14	22	16	9
2	1	-	7	644	575	418	331	258	198	153	139	79	81	78	10
2	1	-	7	9	13	18	10	10	7	11	7	5	1	2	11
...	...	...	...	635	562	400	321	248	191	142	132	74	80	76	12
20	16	21	636	157	180	112	80	76	50	39	31	23	27	20	13
40	16	16	314	53	28	17	12	14	6	6	4	5	-	2	14
1	1	-	3	174	138	147	116	88	87	76	70	56	43	38	15
31	11	9	109	30	20	10	11	8	9	17	8	8	4	4	16
543	389	212	4,840	743	421	322	244	185	165	126	117	88	69	89	17
34	34	24	220	63	39	27	27	24	18	22	14	11	7	11	18
276	165	94	2,188	400	243	194	138	92	76	53	46	40	27	34	19
233	190	94	2,432	280	139	101	79	69	71	51	57	37	35	44	20
1,024	468	321	29,018	231	115	57	39	22	23	14	8	9	6	4	21
121	24	20	5,874	12	7	11	6	6	4	1	3	1	1	2	22
63	21	12	2,449	10	5	8	5	6	4	1	3	1	1	2	23
58	3	8	3,425	2	2	3	1	-	-	-	-	-	-	-	24
85	21	16	2,217	8	5	8	5	5	3	-	3	1	1	2	25
51	18	12	1,441	7	5	7	4	5	3	-	3	1	1	2	26
34	3	4	776	1	-	1	1	-	-	-	-	-	-	-	27
36	3	4	3,657	4	2	3	1	1	1	1	-	-	-	-	28
12	3	-	1,008	3	-	1	1	1	1	1	-	-	-	-	29
24	-	4	2,649	1	2	2	-	-	-	-	-	-	-	-	30
169	55	29	8,480	55	23	12	12	5	6	-	3	1	1	-	31
51	23	18	2,617	32	23	11	10	5	5	-	3	1	1	-	32
118	32	11	5,863	23	-	1	2	-	1	-	-	-	-	-	33
250	175	152	1,247	...	...	...	...	...	...	...	...	...	...	...	34
171	136	126	846	...	...	...	...	...	...	...	...	...	...	...	35
79	39	26	401	...	...	...	...	...	...	...	...	...	...	...	36
54	64	43	183	2	-	-	-	-	-	-	-	-	-	-	37
45	49	32	141	2	-	-	-	-	-	-	-	-	-	-	38
9	15	11	42	-	-	-	-	-	-	-	-	-	-	-	39
64	40	20	218	2	1	-	1	-	-	1	-	-	-	-	40
43	30	17	150	1	1	-	1	-	-	1	-	-	-	-	41
21	10	3	68	1	-	-	-	-	-	-	-	-	-	-	42
6	1	-	311	-	-	-	-	1	-	-	-	-	-	-	43
2	1	-	100	-	-	-	-	1	-	-	-	-	-	-	44
4	-	-	211	-	-	-	-	-	-	-	-	-	-	-	45
59	8	6	1,213	4	4	2	1	-	-	-	1	1	-	1	46
47	6	3	953	4	4	2	1	-	-	-	1	1	-	1	47
12	2	3	260	-	-	-	-	-	-	-	-	-	-	-	48
25	5	6	343	1	-	-	-	-	-	-	-	-	-	-	49
14	3	4	194	1	-	-	-	-	-	-	-	-	-	-	50
11	2	2	149	-	-	-	-	-	-	-	-	-	-	-	51
37	33	14	1,126	70	47	16	10	5	8	10	-	5	3	1	52
10	14	8	176	53	34	14	8	5	5	10	-	4	3	1	53
27	19	6	950	17	13	2	2	-	3	-	-	1	-	-	54
34	19	8	823	52	22	7	6	3	1	1	-	1	-	-	55
205	44	23	9,200	33	11	9	3	2	4	1	1	-	1	-	56
24	25	19	288	114	89	64	46	37	16	19	18	13	12	10	57
35	22	22	227	106	58	62	62	47	54	41	35	30	32	42	58
51	35	55	267	217	197	141	115	92	79	69	62	56	44	49	59
35	16	19	131	64	64	37	28	20	17	9	10	9	4	3	60
8	11	17	42	93	83	56	47	25	20	22	8	11	4	1	61
8	8	19	94	60	50	48	40	47	42	38	44	36	36	45	62
1	1	-	34	3	2	2	3	1	1	1	4	1	2	1	63

430007 O -57 -29

Table 42. Deaths Under 1 Year From 45 Selected Causes,

(Includes only deaths occurring within the continental United States. Excludes fetal deaths. Numbers

	COLOR, SEX, AND CAUSE OF DEATH	Total deaths under 1 year	Under 1 hour	1-23 hours	1 day	2 days	3 days	4 days	5 days	6 days
1	WHITE, FEMALE----------All causes	34,225	2,974	10,712	3,843	2,333	1,205	698	556	405
2	Tuberculosis, all forms----------001-019	21	-	2	2	-	-	-	-	-
3	Syphilis and its sequelae----------020-029	1	-	1	-	-	-	-	-	-
4	Dysentery, all forms----------045-048	88	-	-	-	-	-	1	-	-
5	Whooping cough----------056	85	-	-	-	-	-	-	-	-
6	All other infective and parasitic diseases--030-044,049-055,057-138	314	-	1	3	-	2	1	2	-
7	Diseases of thymus gland----------273	70	-	4	4	1	2	1	-	-
8	*Meningitis, except meningococcal* and tuberculous----------340	180	-	-	-	3	-	3	1	1
9	All other diseases of nervous system and sense organs----------330-334,341-398	268	1	3	2	3	5	2	1	1
10	Influenza and pneumonia, except pneumonia of newborn--------480-493	2,301	-	-	1	-	-	1	1	1
11	Influenza----------480-483	85	-	-	1	-	-	1	1	1
12	Pneumonia, except pneumonia of newborn----------490-493	2,216	...	...	...	...	...	...	...	...
13	All other diseases of respiratory system----------470-475,500-527	911	7	94	97	85	27	12	4	4
14	Hernia and intestinal obstruction----------560,561,570	337	27	91	19	35	22	11	7	4
15	Gastritis, duodenitis, enteritis, and colitis, except diarrhea of newborn----------543,571,572	822	-	-	-	-	-	-	-	-
16	All other diseases of digestive system------530-542,544-553,573-587	140	1	2	2	7	5	9	9	3
17	Congenital malformations----------750-759	6,131	622	1,055	373	297	215	167	141	109
18	Spina bifida and meningocele----------751	646	58	69	27	17	15	6	14	8
19	Congenital malformations of circulatory system----------754	2,599	57	322	195	173	111	78	63	43
20	All other congenital malformations----------750,752,753,755-759	2,886	507	664	151	107	88	83	64	58
21	Certain diseases of early infancy----------760-776	20,505	2,252	9,353	3,296	1,861	899	462	364	274
22	Birth injuries----------760,761	3,726	618	1,762	571	319	164	77	53	35
23	Without mention of immaturity (.0)----------	1,504	282	567	243	153	93	43	28	19
24	With immaturity (.5)----------	2,222	336	1,195	328	166	71	34	25	16
25	Intracranial and spinal injury at birth----------760	1,235	73	410	246	175	125	56	40	22
26	Without mention of immaturity (.0)----------	787	56	259	152	102	81	39	22	13
27	With immaturity (.5)----------	448	17	151	94	73	44	17	18	9
28	Other birth injury----------761	2,491	545	1,352	325	144	39	21	13	13
29	Without mention of immaturity (.0)----------	717	226	308	91	51	12	4	6	6
30	With immaturity (.5)----------	1,774	319	1,044	234	93	27	17	7	7
31	Postnatal asphyxia and atelectasis----------762	5,654	470	2,609	1,164	636	254	95	85	52
32	Without mention of immaturity (.0)----------	1,769	212	709	367	200	85	31	21	9
33	With immaturity (.5)----------	3,885	259	1,900	797	436	169	64	64	43
34	Pneumonia of newborn----------763	832	7	80	101	65	55	57	33	36
35	Without mention of immaturity (.0)----------	542	7	51	53	39	35	30	16	22
36	With immaturity (.5)----------	290	-	29	48	26	20	27	17	14
37	Diarrhea of newborn----------764	122	-	-	1	1	2	2	3	5
38	Without mention of immaturity (.0)----------	98	-	-	1	1	2	2	2	4
39	With immaturity (.5)----------	24	-	-	-	-	-	-	1	1
40	*Other infections of newborn*----------765-768	138	1	9	9	13	7	6	12	7
41	Without mention of immaturity (.0)----------	86	1	4	7	8	6	4	3	4
42	With immaturity (.5)----------	52	-	5	2	5	1	2	9	3
43	Neonatal disorders arising from maternal toxemia----------769	251	28	119	40	36	19	2	1	1
44	Without mention of immaturity (.0-.4)----------	68	15	25	17	7	2	-	-	-
45	With immaturity (.5-.9)----------	183	13	94	23	29	17	2	1	1
46	Hemolytic disease of newborn (erythroblastosis)----------770	1,014	224	421	97	65	75	29	19	17
47	Without mention of immaturity (.0-.2)----------	800	184	335	75	49	63	23	12	11
48	With immaturity (.5-.7)----------	214	40	86	22	16	12	6	7	6
49	Hemorrhagic disease of newborn----------771	216	5	71	35	28	18	5	15	8
50	Without mention of immaturity (.0)----------	136	4	50	16	21	14	2	7	3
51	With immaturity (.5)----------	80	1	21	19	7	4	3	8	5
52	Ill-defined diseases peculiar to early infancy, including nutritional maladjustment----------772,773	957	87	402	131	76	37	17	21	17
53	Without mention of immaturity (.0)----------	218	21	48	21	13	6	3	3	3
54	With immaturity (.5)----------	739	66	354	110	63	31	14	18	14
55	Immaturity with mention of any other subsidiary condition-----774	641	20	162	131	92	37	18	16	17
56	Immaturity unqualified----------776	6,954	792	3,718	1,016	530	231	154	106	79
57	Symptoms and ill-defined conditions----------780-795	476	30	53	16	20	16	14	5	4
58	All other diseases----------Residual	570	14	32	16	12	7	8	10	-
59	Accidents----------E800-E962	965	8	16	11	9	5	6	11	3
60	Inhalation and ingestion of food or other object causing obstruction or suffocation----------E921,E922	277	1	9	6	7	4	3	7	3
61	Accidental mechanical suffocation in bed and cradle----------E924	287	-	-	1	1	-	1	1	-
62	All other accidental causes----------E800-E920,E923,E925-E962	401	7	7	4	1	1	2	3	-
63	Homicide----------E964,E980-E999	40	12	5	1	-	-	-	-	1

by Age, Color, and Sex: United States, 1955—Continued

after causes of death are category numbers of the Sixth Revision of the International Lists, 1948)

7-13 days	14-20 days	21-27 days	Under 28 days	28-59 days	2 months	3 months	4 months	5 months	6 months	7 months	8 months	9 months	10 months	11 months	
1,373	742	524	25,365	1,828	1,414	1,176	928	807	646	521	466	380	345	349	1
-	-	1	5	-	2	2	-	2	-	2	2	2	2	2	2
-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	3
1	4	2	8	6	12	6	14	9	8	12	4	4	2	3	4
-	1	2	3	15	19	10	6	8	4	3	5	5	3	4	5
15	10	4	38	40	31	33	27	26	24	20	17	17	18	23	6
3	-	1	16	10	8	11	7	7	3	3	1	2	2	-	7
11	7	11	37	32	23	12	12	16	14	8	8	10	4	4	8
5	1	4	28	35	32	24	26	27	19	15	15	14	19	14	9
2	4	4	14	421	391	319	278	234	166	114	137	89	62	76	10
2	4	4	14	7	8	10	13	8	5	4	7	4	4	1	11
...	...	...	...	414	383	309	265	226	161	110	130	85	58	75	12
16	12	14	372	89	99	95	54	51	35	32	24	18	20	22	13
24	13	10	263	15	10	7	4	9	7	4	8	3	5	2	14
-	-	-	-	128	108	115	83	66	76	82	53	45	37	29	15
7	6	5	56	15	9	9	9	6	8	8	4	3	7	6	16
464	257	188	3,888	537	359	293	232	202	155	128	90	81	84	82	17
42	42	35	334	83	44	47	38	31	18	16	12	6	9	8	18
220	100	89	1,451	270	207	163	122	104	74	60	37	35	37	39	19
202	115	64	2,103	184	108	83	72	67	63	52	41	40	38	35	20
761	365	219	20,106	198	73	40	26	21	13	7	8	6	4	3	21
70	18	4	3,691	18	2	2	1	2	3	2	2	1	2	-	22
36	10	2	1,476	13	2	1	-	2	3	2	2	1	2	-	23
34	8	2	2,215	5	-	1	1	-	-	-	-	-	-	-	24
48	11	3	1,209	12	1	2	1	2	2	2	2	1	1	-	25
32	8	2	766	9	1	1	-	2	2	2	2	1	1	-	26
16	3	1	443	3	-	1	1	-	-	-	-	-	-	-	27
22	7	1	2,482	6	1	-	-	-	1	-	-	-	1	-	28
4	2	-	710	4	1	-	-	-	1	-	-	-	1	-	29
18	5	1	1,772	2	-	-	-	-	-	-	-	-	-	-	30
133	38	23	5,559	39	11	15	11	6	1	5	2	1	1	3	31
43	19	8	1,704	22	7	13	10	5	-	3	1	1	1	2	32
90	19	15	3,855	17	4	2	1	1	1	2	1	-	-	1	33
153	136	109	832	...	...	...	...	...	...	...	...	...	...	...	34
94	104	91	542	...	...	...	...	...	...	...	...	...	...	...	35
59	32	18	290	...	...	...	...	...	...	...	...	...	...	...	36
39	45	22	120	-	2	-	-	-	-	-	-	-	-	-	37
32	36	17	97	-	1	-	-	-	-	-	-	-	-	-	38
7	9	5	23	-	1	-	-	-	-	-	-	-	-	-	39
33	24	14	135	3	-	-	-	-	-	-	-	-	-	-	40
17	18	12	84	2	-	-	-	-	-	-	-	-	-	-	41
16	6	2	51	1	-	-	-	-	-	-	-	-	-	-	42
3	2	-	251	-	-	-	-	-	-	-	-	-	-	-	43
1	1	-	68	-	-	-	-	-	-	-	-	-	-	-	44
2	1	-	183	-	-	-	-	-	-	-	-	-	-	-	45
39	10	3	999	7	4	2	1	-	-	-	-	-	1	-	46
28	7	2	789	6	1	2	1	-	-	-	-	-	1	-	47
11	3	1	210	1	3	-	-	-	-	-	-	-	-	-	48
18	5	4	212	3	-	-	-	-	1	-	-	-	-	-	49
11	4	1	133	2	-	-	-	-	1	-	-	-	-	-	50
7	1	3	79	1	-	-	-	-	-	-	-	-	-	-	51
38	19	13	858	38	28	12	7	3	6	-	1	4	-	-	52
11	8	8	145	25	21	10	4	2	6	-	1	4	-	-	53
27	11	5	713	13	7	2	3	1	-	-	-	-	-	-	54
31	11	9	544	59	18	6	6	5	1	-	2	-	-	-	55
204	57	18	6,905	31	8	3	-	5	1	-	1	-	-	-	56
17	15	7	197	68	54	42	38	14	20	9	10	8	7	9	57
19	15	12	145	50	46	49	38	40	38	41	34	27	31	31	58
27	32	38	166	166	137	105	71	69	55	33	43	44	37	39	59
16	18	16	90	44	42	26	22	13	11	7	6	2	7	7	60
3	7	10	24	74	58	39	16	25	18	7	10	10	4	2	61
8	7	12	52	48	37	40	33	31	26	19	27	32	26	30	62
1	-	2	22	3	1	4	3	-	1	-	3	2	1	-	63

Table 42. Deaths Under 1 Year From 45 Selected Causes,

(Includes only deaths occurring within the continental United States. Excludes fetal deaths. Numbers

	COLOR, SEX, AND CAUSE OF DEATH	Total deaths under 1 year	Under 1 hour	1-23 hours	1 day	2 days	3 days	4 days	5 days	6 days
1	NONWHITE, BOTH SEXES----------All causes	25,221	1,497	6,667	2,049	1,284	740	510	454	313
2	Tuberculosis, all forms----------001-019	45	1	-	-	-	-	-	-	-
3	Syphilis and its sequelae----------020-029	25	3	6	2	1	3	-	-	-
4	Dysentery, all forms----------045-048	102	1	1	-	-	1	1	1	-
5	Whooping cough----------056	182	-	-	-	1	-	-	-	-
6	All other infective and parasitic diseases--030-044,049-055,057-138	284	-	2	-	2	-	-	6	5
7	Diseases of thymus gland----------273	37	1	-	1	-	-	-	-	-
8	Meningitis, except meningococcal and tuberculous----------340	218	-	1	2	-	1	-	4	2
9	All other diseases of nervous system and sense organs----------330-334,341-398	218	1	5	1	4	1	3	2	3
10	Influenza and pneumonia, except pneumonia of newborn--------480-493	3,056	-	-	-	2	2	2	1	2
11	Influenza----------480-483	184	-	-	-	2	2	2	1	2
12	Pneumonia, except pneumonia of newborn----------490-493	2,872	...	...	...	...	...	...	...	...
13	All other diseases of respiratory system----------470-475,500-527	630	2	42	24	14	9	7	2	3
14	Hernia and intestinal obstruction----------560,561,570	158	2	16	12	5	4	5	4	3
15	Gastritis, duodenitis, enteritis, and colitis, except diarrhea of newborn----------543,571,572	1,399	-	-	-	1	-	-	1	-
16	All other diseases of digestive system------530-542,544-553,573-587	139	1	2	1	8	6	8	7	4
17	Congenital malformations----------750-759	1,816	89	275	129	96	68	65	46	28
18	Spina bifida and meningocele----------751	77	1	7	1	-	1	2	2	1
19	Congenital malformations of circulatory system----------754	846	10	102	76	50	43	27	16	13
20	All other congenital malformations----------750,752,753,755-759	893	78	166	52	46	24	36	28	14
21	Certain diseases of early infancy----------760-776	13,965	1,263	6,028	1,768	1,046	586	384	346	239
22	Birth injuries----------760,761	1,910	294	845	289	167	86	56	41	23
23	Without mention of immaturity (.0)----------	1,007	169	354	169	104	62	35	21	15
24	With immaturity (.5)----------	903	125	491	120	63	24	21	20	8
25	Intracranial and spinal injury at birth----------760	942	56	339	174	123	69	39	35	20
26	Without mention of immaturity (.0)----------	593	38	183	116	82	53	27	18	13
27	With immaturity (.5)----------	349	18	156	58	41	16	12	17	7
28	Other birth injury----------761	968	238	506	115	44	17	17	6	3
29	Without mention of immaturity (.0)----------	414	131	171	53	22	9	8	3	2
30	With immaturity (.5)----------	554	107	335	62	22	8	9	3	1
31	Postnatal asphyxia and atelectasis----------762	3,429	308	1,686	586	292	147	67	69	26
32	Without mention of immaturity (.0)----------	1,117	158	434	201	102	55	23	26	6
33	With immaturity (.5)----------	2,312	150	1,252	385	190	92	44	43	20
34	Pneumonia of newborn----------763	1,029	7	86	70	99	65	54	51	40
35	Without mention of immaturity (.0)----------	734	7	59	48	67	44	34	27	27
36	With immaturity (.5)----------	295	-	27	22	32	21	20	24	13
37	Diarrhea of newborn----------764	239	-	1	1	1	3	8	8	6
38	Without mention of immaturity (.0)----------	187	-	-	1	1	3	8	6	4
39	With immaturity (.5)----------	52	-	1	-	-	-	-	2	2
40	Other infections of newborn----------765-768	185	4	7	6	9	11	11	14	23
41	Without mention of immaturity (.0)----------	118	2	3	7	5	6	9	8	14
42	With immaturity (.5)----------	67	2	4	1	4	5	2	6	9
43	Neonatal disorders arising from maternal toxemia----------769	144	21	64	23	10	8	5	3	4
44	Without mention of immaturity (.0-.4)----------	52	11	18	12	4	2	1	1	-
45	With immaturity (.5-.9)----------	92	10	46	11	6	6	4	2	4
46	Hemolytic disease of newborn (erythroblastosis)----------770	185	16	45	14	19	21	14	11	5
47	Without mention of immaturity (.0-.2)----------	144	11	33	11	15	19	9	7	5
48	With immaturity (.5-.7)----------	41	5	12	3	4	2	5	4	-
49	Hemorrhagic disease of newborn----------771	206	4	63	33	26	23	12	7	9
50	Without mention of immaturity (.0)----------	135	3	44	25	17	16	6	4	3
51	With immaturity (.5)----------	71	1	19	8	9	7	6	3	6
52	Ill-defined diseases peculiar to early infancy, including nutritional maladjustment----------772,773	1,070	52	339	63	51	38	25	27	18
53	Without mention of immaturity (.0)----------	417	13	52	11	15	12	7	9	4
54	With immaturity (.5)----------	653	39	287	52	36	26	18	18	14
55	Immaturity with mention of any other subsidiary condition-----774	333	7	70	41	32	17	10	10	8
56	Immaturity unqualified----------776	5,235	550	2,822	640	340	167	122	105	77
57	Symptoms and ill-defined conditions----------780-795	1,588	88	246	81	81	49	22	22	15
58	All other diseases----------Residual	370	11	16	11	8	6	4	7	1
59	Accidents----------E800-E962	955	21	22	16	15	4	9	5	8
60	Inhalation and ingestion of food or other object causing obstruction or suffocation----------E921,E922	207	-	8	5	6	3	4	4	2
61	Accidental mechanical suffocation in bed and cradle----------E924	303	-	3	2	3	1	1	1	4
62	All other accidental causes----------E800-E920,E923,E925-E962	445	21	11	9	6	-	4	-	2
63	Homicide----------E964,E980-E999	34	13	5	1	-	-	-	-	-

by Age, Color, and Sex: United States, 1955—Continued

after causes of death are category numbers of the Sixth Revision of the International Lists, 1948)

7-13 days	14-20 days	21-27 days	Under 28 days	28-59 days	2 months	3 months	4 months	5 months	6 months	7 months	8 months	9 months	10 months	11 months	
1,178	709	610	16,011	2,096	1,585	1,199	1,009	774	651	507	421	372	321	275	1
2	-	-	3	2	1	4	2	2	6	2	8	5	4	6	2
1	1	-	17	2	1	1	1	2	-	-	-	-	-	1	3
7	3	2	17	10	10	16	9	4	9	9	6	3	7	2	4
2	1	5	9	17	29	21	16	17	14	15	14	10	11	9	5
45	10	7	77	31	24	25	24	16	21	16	17	15	8	10	6
1	1	1	5	7	8	4	6	1	2	-	1	1	1	1	7
15	5	9	39	19	16	15	20	21	18	18	20	16	7	9	8
4	1	3	28	35	28	27	18	14	11	11	14	4	20	8	9
12	4	4	29	625	555	403	357	277	206	158	142	122	105	77	10
12	4	4	29	26	25	27	16	13	15	6	11	6	6	4	11
...	...	...	...	599	530	376	341	264	191	152	131	116	99	73	12
11	11	17	142	107	80	81	65	42	32	19	30	12	9	11	13
11	5	11	78	20	15	11	12	5	4	2	2	5	3	1	14
1	-	-	3	298	220	188	153	152	98	85	54	54	52	42	15
19	7	-	63	21	12	7	9	7	7	4	2	3	1	3	16
133	77	67	1,073	214	118	91	73	55	55	42	22	31	19	23	17
8	10	4	37	12	5	2	3	4	6	3	2	2	1	-	18
52	25	34	448	106	74	61	30	30	29	22	9	16	9	12	19
73	42	29	588	96	39	28	40	21	20	17	11	13	9	11	20
794	488	379	13,321	297	142	59	47	27	28	18	8	8	2	8	21
59	16	8	1,884	11	2	2	2	3	4	1	-	1	-	-	22
41	11	3	984	10	2	1	2	3	3	1	-	1	-	-	23
18	5	5	900	1	-	1	-	-	1	-	-	-	-	-	24
50	12	7	924	8	1	2	2	1	4	-	-	-	-	-	25
36	10	2	578	7	1	1	2	1	3	-	-	-	-	-	26
14	2	5	346	1	-	1	-	-	1	-	-	-	-	-	27
9	4	1	960	3	1	-	-	2	-	1	-	1	-	-	28
5	1	1	406	3	1	-	-	2	-	1	-	1	-	-	29
4	3	-	554	-	-	-	-	-	-	-	-	-	-	-	30
102	42	19	3,344	39	19	8	4	7	2	1	2	1	-	2	31
36	12	6	1,059	21	14	7	4	6	2	1	2	-	-	1	32
66	30	13	2,285	18	5	1	-	1	-	-	-	1	-	1	33
211	197	149	1,029	...	...	...	...	...	...	...	...	...	...	...	34
148	153	120	734	...	...	...	...	...	...	...	...	...	...	...	35
63	44	29	295	...	...	...	...	...	...	...	...	...	...	...	36
59	62	88	237	2	-	-	-	-	-	-	-	-	-	-	37
44	49	71	187	-	-	-	-	-	-	-	-	-	-	-	38
15	13	17	50	2	-	-	-	-	-	-	-	-	-	-	39
53	24	17	181	4	-	-	-	-	-	-	-	-	-	-	40
37	13	10	114	4	-	-	-	-	-	-	-	-	-	-	41
16	11	7	67	-	-	-	-	-	-	-	-	-	-	-	42
2	2	2	144	-	-	-	-	-	-	-	-	-	-	-	43
-	1	2	52	-	-	-	-	-	-	-	-	-	-	-	44
2	1	-	92	-	-	-	-	-	-	-	-	-	-	-	45
21	4	5	175	4	3	1	2	-	-	-	-	-	-	-	46
18	2	5	135	4	2	1	2	-	-	-	-	-	-	-	47
3	2	-	40	-	1	-	-	-	-	-	-	-	-	-	48
19	6	2	204	1	1	-	-	-	-	-	-	-	-	-	49
11	4	-	133	1	1	-	-	-	-	-	-	-	-	-	50
8	2	2	71	-	-	-	-	-	-	-	-	-	-	-	51
60	46	38	757	118	79	34	28	12	17	9	4	5	2	5	52
18	20	15	176	79	60	30	22	12	15	8	4	5	1	5	53
42	26	23	581	39	19	4	6	-	2	1	-	-	1	-	54
13	9	7	224	57	23	8	6	5	5	4	-	-	-	1	55
195	80	44	5,142	61	15	6	5	-	-	3	2	1	-	-	56
78	57	62	801	189	168	114	95	53	51	36	24	31	18	8	57
12	11	8	95	43	26	26	29	22	28	20	25	23	16	17	58
29	26	35	190	158	130	103	73	57	61	50	32	27	36	38	59
10	10	8	60	29	37	23	15	11	9	9	2	3	5	4	60
12	11	15	53	77	54	36	23	22	16	8	8	1	3	2	61
7	5	12	77	52	39	44	35	24	36	33	22	23	28	32	62
1	1	-	21	1	2	3	-	-	-	2	-	2	2	1	63

Table 42. Deaths Under 1 Year From 45 Selected Causes,

(Includes only deaths occurring within the continental United States. Excludes fetal deaths. Numbers

	COLOR, SEX, AND CAUSE OF DEATH	Total deaths under 1 year	Under 1 hour	1-23 hours	1 day	2 days	3 days	4 days	5 days	6 days
1	NONWHITE, MALE----------All causes	13,959	824	3,740	1,144	746	436	271	244	180
2	Tuberculosis, all forms----------001-019	31	1	-	-	-	-	-	-	-
3	Syphilis and its sequelae----------020-029	12	2	3	1	-	1	-	-	-
4	Dysentery, all forms----------045-048	57	-	-	-	-	1	-	1	-
5	Whooping cough----------056	87	-	-	-	1	-	-	-	-
6	All other infective and parasitic diseases--030-044,049-055,057-138	150	-	1	-	-	-	-	4	3
7	Diseases of thymus gland----------273	22	1	-	-	-	-	-	-	-
8	Meningitis, except meningococcal and tuberculous----------340	131	-	-	1	-	-	-	3	2
9	All other diseases of nervous system and sense organs----------330-334,341-398	120	1	2	-	4	1	2	2	3
10	Influenza and pneumonia, except pneumonia of newborn--------480-493	1,671	-	-	-	1	1	2	-	2
11	Influenza----------480-483	101	-	-	-	1	1	2	-	2
12	Pneumonia, except pneumonia of newborn----------490-493	1,570	...	...	...	...	...	...	...	...
13	All other diseases of respiratory system----------470-475,500-527	357	2	25	11	8	7	3	1	3
14	Hernia and intestinal obstruction----------560,561,570	89	-	11	4	3	3	2	1	2
15	Gastritis, duodenitis, enteritis, and colitis, except diarrhea of newborn----------543,571,572	754	-	-	-	-	-	-	1	-
16	All other diseases of digestive system------530-542,544-553,573-587	86	1	2	-	4	4	6	7	2
17	Congenital malformations----------750-759	983	49	158	70	58	45	28	24	12
18	Spina bifida and meningocele----------751	40	-	4	1	-	1	-	1	-
19	Congenital malformations of circulatory system----------754	428	3	54	39	28	29	9	7	7
20	All other congenital malformations----------750,752,753,755-759	515	46	100	30	30	15	19	16	5
21	Certain diseases of early infancy----------760-776	7,843	703	3,377	993	610	339	207	183	136
22	Birth injuries----------760,761	1,129	167	489	176	112	57	30	22	14
23	Without mention of immaturity (.0)----------	604	92	213	103	70	41	20	13	7
24	With immaturity (.5)----------	525	75	276	73	42	16	10	9	7
25	Intracranial and spinal injury at birth----------760	582	34	206	110	84	43	21	20	12
26	Without mention of immaturity (.0)----------	378	22	119	73	57	34	17	12	6
27	With immaturity (.5)----------	204	12	87	37	27	9	4	8	6
28	Other birth injury----------761	547	133	283	66	28	14	9	2	2
29	Without mention of immaturity (.0)----------	226	70	94	30	13	7	3	1	1
30	With immaturity (.5)----------	321	63	189	36	15	7	6	1	1
31	Postnatal asphyxia and atelectasis----------762	1,893	164	925	320	180	83	36	34	12
32	Without mention of immaturity (.0)----------	616	86	233	115	57	33	10	13	3
33	With immaturity (.5)----------	1,277	78	692	205	123	50	26	21	9
34	Pneumonia of newborn----------763	571	3	55	38	64	38	24	28	22
35	Without mention of immaturity (.0)----------	399	3	38	24	45	24	15	15	13
36	With immaturity (.5)----------	172	-	17	14	19	14	9	13	9
37	Diarrhea of newborn----------764	154	-	1	1	1	2	7	3	5
38	Without mention of immaturity (.0)----------	129	-	-	1	1	2	7	3	4
39	With immaturity (.5)----------	25	-	1	-	-	-	-	-	1
40	Other infections of newborn----------765-768	115	3	5	7	5	10	8	11	18
41	Without mention of immaturity (.0)----------	72	1	3	7	3	6	6	7	10
42	With immaturity (.5)----------	43	2	2	-	2	4	2	4	8
43	Neonatal disorders arising from maternal toxemia----------769	87	13	37	16	6	5	3	2	3
44	Without mention of immaturity (.0-.4)----------	31	8	10	9	1	1	1	-	-
45	With immaturity (.5-.9)----------	56	5	27	7	5	4	2	2	3
46	Hemolytic disease of newborn (erythroblastosis)----------770	112	10	26	5	12	10	10	7	2
47	Without mention of immaturity (.0-.2)----------	95	8	22	4	12	9	8	5	2
48	With immaturity (.5-.7)----------	17	2	4	1	-	1	2	2	-
49	Hemorrhagic disease of newborn----------771	122	2	41	25	15	9	6	2	7
50	Without mention of immaturity (.0)----------	83	2	29	18	10	8	4	2	2
51	With immaturity (.5)----------	39	-	12	7	5	1	2	-	5
52	Ill-defined diseases peculiar to early infancy, including nutritional maladjustment----------772,773	630	30	189	34	28	25	12	20	9
53	Without mention of immaturity (.0)----------	266	6	34	7	11	9	5	6	2
54	With immaturity (.5)----------	364	24	155	27	17	16	7	14	7
55	Immaturity with mention of any other subsidiary condition-----774	164	2	29	22	15	10	4	5	6
56	Immaturity unqualified----------776	2,866	309	1,580	349	172	90	67	49	38
57	Symptoms and ill-defined conditions----------780-795	835	46	139	48	43	30	13	11	9
58	All other diseases----------Residual	204	5	9	8	5	3	4	4	-
59	Accidents----------E800-E962	511	8	12	8	9	1	4	2	6
60	Inhalation and ingestion of food or other object causing obstruction or suffocation----------E921,E922	111	-	3	4	5	1	2	1	2
61	Accidental mechanical suffocation in bed and cradle----------E924	167	-	1	1	1	-	-	1	2
62	All other accidental causes----------E800-E920,E923,E925-E962	233	8	8	3	3	-	2	-	2
63	Homicide----------E964,E980-E999	16	5	1	-	-	-	-	-	-

by Age, Color, and Sex: United States, 1955—Continued

after causes of death are category numbers of the Sixth Revision of the International Lists, 1948)

7-13 days	14-20 days	21-27 days	Under 28 days	28-59 days	2 months	3 months	4 months	5 months	6 months	7 months	8 months	9 months	10 months	11 months	
644	399	353	8,981	1,165	853	631	536	412	351	248	244	209	186	143	1
2	-	-	3	2	1	3	2	2	4	1	3	3	4	3	2
1	-	-	8	2	-	-	-	1	-	-	-	-	-	1	3
4	1	1	8	6	4	9	3	3	6	5	3	3	6	1	4
1	1	3	6	6	13	13	10	7	6	5	5	5	6	5	5
26	6	4	44	15	12	18	15	8	9	6	7	8	1	7	6
-	1	1	3	3	6	2	3	-	2	-	1	-	1	1	7
8	2	7	23	10	13	10	10	8	9	12	13	14	3	6	8
3	1	-	19	20	15	17	5	8	5	6	6	3	12	4	9
7	2	2	17	345	302	198	195	165	111	83	92	68	57	38	10
7	2	2	17	15	14	13	9	7	11	1	3	6	3	2	11
...	...	...	...	330	288	185	186	158	100	82	89	62	54	36	12
7	8	7	82	63	46	38	32	22	24	15	19	7	4	5	13
5	2	9	42	15	9	5	5	4	1	1	1	3	3	-	14
1	-	-	2	170	125	97	79	79	50	40	25	28	36	23	15
15	6	-	47	11	9	2	7	5	3	-	-	1	-	1	16
74	40	38	596	124	57	51	37	20	32	17	16	13	9	11	17
4	8	1	20	8	-	1	2	2	2	1	2	1	1	-	18
32	9	18	235	57	36	34	13	10	14	9	6	4	3	7	19
38	23	19	341	59	21	16	22	8	16	7	8	8	5	4	20
425	281	232	7,486	168	78	31	23	14	17	10	3	5	2	6	21
35	8	6	1,116	5	1	-	1	2	3	1	-	-	-	-	22
26	6	2	593	4	1	-	1	2	2	1	-	-	-	-	23
9	2	4	523	1	-	-	-	-	1	-	-	-	-	-	24
31	6	5	572	5	-	-	1	1	3	-	-	-	-	-	25
24	5	1	370	4	-	-	1	1	2	-	-	-	-	-	26
7	1	4	202	1	-	-	-	-	1	-	-	-	-	-	27
4	2	1	544	-	1	-	-	1	-	1	-	-	-	-	28
2	1	1	223	-	1	-	-	1	-	1	-	-	-	-	29
2	1	-	321	-	-	-	-	-	-	-	-	-	-	-	30
52	24	9	1,839	28	12	4	1	5	-	1	1	1	-	1	31
22	8	2	582	15	8	3	1	4	-	1	1	-	-	1	32
30	16	7	1,257	13	4	1	-	1	-	-	-	1	-	-	33
113	102	84	571	...	...	...	...	...	...	...	...	...	...	...	34
73	82	67	399	...	...	...	...	...	...	...	...	...	...	...	35
40	20	17	172	...	...	...	...	...	...	...	...	...	...	...	36
37	40	56	153	1	-	-	-	-	-	-	-	-	-	-	37
29	33	49	129	-	-	-	-	-	-	-	-	-	-	-	38
8	7	7	24	1	-	-	-	-	-	-	-	-	-	-	39
19	16	10	112	3	-	-	-	-	-	-	-	-	-	-	40
13	7	6	69	3	-	-	-	-	-	-	-	-	-	-	41
6	9	4	43	-	-	-	-	-	-	-	-	-	-	-	42
1	-	1	87	-	-	-	-	-	-	-	-	-	-	-	43
-	-	1	31	-	-	-	-	-	-	-	-	-	-	-	44
1	-	-	56	-	-	-	-	-	-	-	-	-	-	-	45
16	4	1	103	4	3	1	1	-	-	-	-	-	-	-	46
14	2	1	87	4	2	1	1	-	-	-	-	-	-	-	47
2	2	-	16	-	1	-	-	-	-	-	-	-	-	-	48
10	2	1	120	1	1	-	-	-	-	-	-	-	-	-	49
4	2	-	81	1	1	-	-	-	-	-	-	-	-	-	50
6	-	1	39	-	-	-	-	-	-	-	-	-	-	-	51
31	35	32	445	70	48	21	17	5	9	4	1	4	2	4	52
9	18	14	121	44	41	19	14	5	9	3	1	4	1	4	53
22	17	18	324	26	7	2	3	-	-	1	-	-	1	-	54
7	4	4	108	32	9	3	2	2	5	2	-	-	-	1	55
104	46	28	2,832	24	4	2	1	-	-	2	1	-	-	-	56
46	23	28	436	95	82	64	50	24	24	15	15	19	9	2	57
4	6	6	54	22	11	18	16	15	15	8	16	14	7	8	58
14	19	15	98	87	69	53	44	27	33	23	19	14	24	20	59
5	8	5	36	13	20	12	8	4	6	3	1	3	3	2	60
4	8	6	24	45	31	17	17	11	9	4	5	1	2	1	61
5	3	4	38	29	18	24	19	12	18	16	13	10	19	17	62
1	-	-	7	1	1	2	-	-	-	1	-	1	2	1	63

Table 42. Deaths Under 1 Year From 45 Selected Causes,

(Includes only deaths occurring within the continental United States. Excludes fetal deaths. Numbers

	COLOR, SEX, AND CAUSE OF DEATH	Total deaths under 1 year	Under 1 hour	1-23 hours	1 day	2 days	3 days	4 days	5 days	6 days
1	NONWHITE, FEMALE----------All causes	11,262	673	2,927	905	538	304	239	210	133
2	Tuberculosis, all forms----------001-019	14	-	-	-	-	-	-	-	-
3	Syphilis and its sequelae----------020-029	13	1	3	1	1	2	-	-	-
4	Dysentery, all forms----------045-048	45	1	1	-	-	-	1	-	-
5	Whooping cough----------056	95	-	-	-	-	-	-	-	-
6	All other infective and parasitic diseases--030-044,049-055,057-138	134	-	1	-	2	-	-	2	2
7	Diseases of thymus gland----------273	15	-	-	1	-	-	-	-	-
8	Meningitis, except meningococcal and tuberculous----------340	87	-	1	1	-	1	-	1	-
9	All other diseases of nervous system and sense organs----------330-334,341-398	98	-	3	1	-	-	1	-	-
10	Influenza and pneumonia, except pneumonia of newborn--------480-493	1,385	-	-	-	1	1	-	1	-
11	Influenza----------480-483	83	-	-	-	1	1	-	1	-
12	Pneumonia, except pneumonia of newborn----------490-493	1,302	...	...	...	...	...	...	...	...
13	All other diseases of respiratory system----------470-475,500-527	273	-	17	13	6	2	4	1	-
14	Hernia and intestinal obstruction----------560,561,570	69	2	5	8	2	1	3	3	1
15	Gastritis, duodenitis, enteritis, and colitis, except diarrhea of newborn----------543,571,572	645	-	-	-	1	-	-	-	-
16	All other diseases of digestive system------530-542,544-553,573-587	53	-	-	1	4	2	2	-	2
17	Congenital malformations----------750-759	833	40	117	59	38	23	37	22	16
18	Spina bifida and meningocele----------751	37	1	3	-	-	-	2	1	1
19	Congenital malformations of circulatory system----------754	418	7	48	37	22	14	18	9	6
20	All other congenital malformations----------750,752,753,755-759	378	32	66	22	16	9	17	12	9
21	Certain diseases of early infancy----------760-776	6,122	560	2,651	775	436	247	177	163	103
22	Birth injuries----------760,761	781	127	356	113	55	29	26	19	9
23	Without mention of immaturity (.0)----------	403	77	141	66	34	21	15	8	8
24	With immaturity (.5)----------	378	50	215	47	21	8	11	11	1
25	Intracranial and spinal injury at birth----------760	360	22	133	64	39	26	18	15	8
26	Without mention of immaturity (.0)----------	215	16	64	43	25	19	10	6	7
27	With immaturity (.5)----------	145	6	69	21	14	7	8	9	1
28	Other birth injury----------761	421	105	223	49	16	3	8	4	1
29	Without mention of immaturity (.0)----------	188	61	77	23	9	2	5	2	1
30	With immaturity (.5)----------	233	44	146	26	7	1	3	2	-
31	Postnatal asphyxia and atelectasis----------762	1,536	144	761	266	112	64	31	35	14
32	Without mention of immaturity (.0)----------	501	72	201	86	45	22	13	13	3
33	With immaturity (.5)----------	1,035	72	560	180	67	42	18	22	11
34	Pneumonia of newborn----------763	458	4	31	32	35	27	30	23	18
35	Without mention of immaturity (.0)----------	335	4	21	24	22	20	19	12	14
36	With immaturity (.5)----------	123	-	10	8	13	7	11	11	4
37	Diarrhea of newborn----------764	85	-	-	-	-	1	1	5	1
38	Without mention of immaturity (.0)----------	58	-	-	-	-	1	1	3	-
39	With immaturity (.5)----------	27	-	-	-	-	-	-	2	1
40	Other infections of newborn----------765-768	70	1	2	1	4	1	3	3	5
41	Without mention of immaturity (.0)----------	46	1	-	-	2	-	3	1	4
42	With immaturity (.5)----------	24	-	2	1	2	1	-	2	1
43	Neonatal disorders arising from maternal toxemia----------769	57	8	27	7	4	3	2	1	1
44	Without mention of immaturity (.0-.4)----------	21	3	8	3	3	1	-	1	-
45	With immaturity (.5-.9)----------	36	5	19	4	1	2	2	-	1
46	Hemolytic disease of newborn (erythroblastosis)----------770	73	6	19	9	7	11	4	4	3
47	Without mention of immaturity (.0-.2)----------	49	3	11	7	3	10	1	2	3
48	With immaturity (.5-.7)----------	24	3	8	2	4	1	3	2	-
49	Hemorrhagic disease of newborn----------771	84	2	22	8	11	14	6	5	2
50	Without mention of immaturity (.0)----------	52	1	15	7	7	8	2	2	1
51	With immaturity (.5)----------	32	1	7	1	4	6	4	3	1
52	Ill-defined diseases peculiar to early infancy, including nutritional maladjustment----------772,773	440	22	150	29	23	13	13	7	9
53	Without mention of immaturity (.0)----------	151	7	18	4	4	3	2	3	2
54	With immaturity (.5)----------	289	15	132	25	19	10	11	4	7
55	Immaturity with mention of any other subsidiary condition-----774	169	5	41	19	17	7	6	5	2
56	Immaturity unqualified----------776	2,369	241	1,242	291	168	77	55	56	39
57	Symptoms and ill-defined conditions----------780-795	753	42	107	33	38	19	9	11	6
58	All other diseases----------Residual	166	6	7	3	3	3	-	3	1
59	Accidents----------E800-E962	444	13	10	8	6	3	5	3	2
60	Inhalation and ingestion of food or other object causing obstruction or suffocation----------E921,E922	96	-	5	1	1	2	2	3	-
61	Accidental mechanical suffocation in bed and cradle----------E924	136	-	2	1	2	1	1	-	2
62	All other accidental causes----------E800-E920,E923,E925-E962	212	13	3	6	3	-	2	-	-
63	Homicide----------E964,E980-E999	18	8	4	1	-	-	-	-	-

by Age, Color, and Sex: United States, 1955—Continued

after causes of death are category numbers of the Sixth Revision of the International Lists, 1948)

7-13 days	14-20 days	21-27 days	Under 28 days	28-59 days	2 months	3 months	4 months	5 months	6 months	7 months	8 months	9 months	10 months	11 months	
534	310	257	7,030	931	732	568	473	362	300	259	177	163	135	132	1
-	-	-	-	-	-	1	-	-	2	1	5	2	-	3	2
-	1	-	9	-	1	1	1	1	-	-	-	-	-	-	3
3	2	1	9	4	6	7	6	1	3	4	3	-	1	1	4
1	-	2	3	11	16	8	6	10	8	10	9	5	5	4	5
19	4	3	33	16	12	7	9	8	12	10	10	7	7	3	6
1	-	-	2	4	2	2	3	1	-	-	-	1	-	-	7
7	3	2	16	9	3	5	10	13	9	6	7	2	4	3	8
1	-	3	9	15	13	10	13	6	6	5	8	1	8	4	9
5															
5	2	2	12	280	253	205	162	112	95	75	50	54	48	39	10
5	2	2	12	11	11	14	7	6	4	5	8	-	3	2	11
...	...	...	...	269	242	191	155	106	91	70	42	54	45	37	12
4	3	10	60	44	34	43	33	20	8	4	11	5	5	6	13
6	3	2	36	5	6	6	7	1	3	1	1	2	-	1	14
-	-	-	1	128	95	91	74	73	48	45	29	26	16	19	15
4	1	-	16	10	3	5	2	2	4	4	2	2	1	2	16
59	37	29	477	90	61	40	36	35	23	25	6	18	10	12	17
4	2	3	17	4	5	1	1	2	4	2	-	1	-	-	18
20	16	16	213	49	38	27	17	20	15	13	3	12	6	5	19
35	19	10	247	37	18	12	18	13	4	10	3	5	4	7	20
369	207	147	5,835	129	64	28	24	13	11	8	5	3	-	2	21
24	8	2	768	6	1	2	1	1	1	-	-	1	-	-	22
15	5	1	391	6	1	1	1	1	1	-	-	1	-	-	23
9	3	1	377	-	-	1	-	-	-	-	-	-	-	-	24
19	6	2	352	3	1	2	1	-	1	-	-	-	-	-	25
12	5	1	208	3	1	1	1	-	1	-	-	-	-	-	26
7	1	1	144	-	-	1	-	-	-	-	-	-	-	-	27
5	2	-	416	3	-	-	-	1	-	-	-	1	-	-	28
3	-	-	183	3	-	-	-	1	-	-	-	1	-	-	29
2	2	-	233	-	-	-	-	-	-	-	-	-	-	-	30
50	18	10	1,505	11	7	4	3	2	2	-	1	-	-	1	31
14	4	4	477	6	6	4	3	2	2	-	1	-	-	-	32
36	14	6	1,028	5	1	-	-	-	-	-	-	-	-	1	33
98	95	65	458	...	...	...	...	...	...	...	...	...	...	...	34
75	71	53	335	...	...	...	...	...	...	...	...	...	...	...	35
23	24	12	123	...	...	...	...	...	...	...	...	...	...	...	36
22	22	32	84	1	-	-	-	-	-	-	-	-	-	-	37
15	16	22	58	-	-	-	-	-	-	-	-	-	-	-	38
7	6	10	26	1	-	-	-	-	-	-	-	-	-	-	39
34	8	7	69	1	-	-	-	-	-	-	-	-	-	-	40
24	6	4	45	1	-	-	-	-	-	-	-	-	-	-	41
10	2	3	24	-	-	-	-	-	-	-	-	-	-	-	42
1	2	1	57	-	-	-	-	-	-	-	-	-	-	-	43
-	1	1	21	-	-	-	-	-	-	-	-	-	-	-	44
1	1	-	36	-	-	-	-	-	-	-	-	-	-	-	45
5	-	4	72	-	-	-	1	-	-	-	-	-	-	-	46
4	-	4	48	-	-	-	1	-	-	-	-	-	-	-	47
1	-	-	24	-	-	-	-	-	-	-	-	-	-	-	48
9	4	1	84	-	-	-	-	-	-	-	-	-	-	-	49
7	2	-	52	-	-	-	-	-	-	-	-	-	-	-	50
2	2	1	32	-	-	-	-	-	-	-	-	-	-	-	51
29	11	6	312	48	31	13	11	7	8	5	3	1	-	1	52
9	2	1	55	35	19	11	8	7	6	5	3	1	-	1	53
20	9	5	257	13	12	2	3	-	2	-	-	-	-	-	54
6	5	3	116	25	14	5	4	3	-	2	-	-	-	-	55
91	34	16	2,310	37	11	4	4	-	-	1	1	1	-	-	56
32	34	34	365	94	86	50	45	29	27	21	9	12	9	6	57
8	5	2	41	21	15	8	13	7	13	12	9	9	9	9	58
15	7	20	92	71	61	50	29	30	28	27	13	13	12	18	59
5	2	3	24	16	17	11	7	7	3	6	1	-	2	2	60
8	3	9	29	32	23	19	6	11	7	4	3	-	1	1	61
2	2	8	39	23	21	20	16	12	18	17	9	13	9	15	62
-	1	-	14	-	1	1	-	-	-	1	-	1	-	-	63

Table 43. Deaths Under 1 Year, Under 28 Days, and 28 Days to 11 Months,

(By place of residence. Includes only deaths occurring within the continental United States. Excludes fetal deaths.

	CAUSE OF DEATH	UNITED STATES					ALABAMA				
		Total deaths under 1 year	Under 28 days		28 days-11 months		Total deaths under 1 year	Under 28 days		28 days-11 months	
			White	Non-white	White	Non-white		White	Non-white	White	Non-white
1	ALL CAUSES	106,903	61,340	16,011	20,342	9,210	2,616	939	870	302	505
2	Tuberculosis, all forms-001-019	96	8	3	43	42	1	-	-	-	1
3	Syphilis and its sequelae-020-029	34	8	17	1	8	6	1	5	-	-
4	Dysentery, all forms-045-048	271	11	17	158	85	6	-	1	2	3
5	Whooping cough-056	334	8	9	144	173	18	-	1	4	13
6	All other infective and parasitic diseases-030-044,049-055,057-138	1,064	103	77	677	207	25	3	9	8	5
7	Diseases of thymus gland-273	248	53	5	158	32	4	-	1	2	1
8	Meningitis, except meningococcal and tuberculous-340	676	103	39	355	179	23	1	6	5	11
9	All other diseases of nervous system and sense organs-330-334,341-398	825	74	28	533	190	13	-	3	5	5
10	Influenza and pneumonia, except pneumonia of newborn-480-493	8,318	21	29	5,241	3,027	194	1	2	60	131
11	Influenza-480-483	369	21	29	164	155	20	1	2	5	12
12	Pneumonia, except pneumonia of newborn-490-493	7,949	...	...	5,077	2,872	174	...	...	55	119
13	All other diseases of respiratory system-470-475,500-527	2,972	1,008	142	1,334	488	38	12	4	9	13
14	Hernia and intestinal obstruction-560,561,570	956	577	78	221	80	16	8	2	3	3
15	Gastritis, duodenitis, enteritis, and colitis, except diarrhea of newborn-543,571,572	3,257	3	3	1,855	1,396	103	-	-	25	78
16	All other diseases of digestive system-530-542,544-553,573-587	517	165	63	213	76	10	2	-	3	5
17	Congenital malformations-750-759	15,356	8,728	1,073	4,812	743	267	107	41	82	37
18	Spina bifida and meningocele-751	1,206	554	37	575	40	25	6	3	15	1
19	Congenital malformations of circulatory system-754	6,976	3,639	448	2,491	398	114	41	14	39	20
20	All other congenital malformations-750,752,753,755-759	7,174	4,535	588	1,746	305	128	60	24	28	16
21	Certain diseases of early infancy-760-776	64,016	49,124	13,321	927	644	1,480	762	652	16	50
22	Birth injuries-760,761	11,564	9,565	1,884	89	26	243	148	93	2	-
23	Without mention of immaturity (.0)	5,006	3,925	984	74	23	122	63	57	2	-
24	With immaturity (.5)	6,558	5,640	900	15	3	121	85	36	-	-
25	Intracranial and spinal injury at birth-760	4,435	3,426	924	67	18	114	61	52	1	-
26	Without mention of immaturity (.0)	2,859	2,207	578	59	15	73	37	35	1	-
27	With immaturity (.5)	1,576	1,219	346	8	3	41	24	17	-	-
28	Other birth injury-761	7,129	6,139	960	22	8	129	87	41	1	-
29	Without mention of immaturity (.0)	2,147	1,718	406	15	8	49	26	22	1	-
30	With immaturity (.5)	4,982	4,421	554	7	-	80	61	19	-	-
31	Postnatal asphyxia and atelectasis-762	17,681	14,039	3,344	213	85	421	259	158	2	2
32	Without mention of immaturity (.0)	5,594	4,321	1,059	156	58	137	87	47	1	2
33	With immaturity (.5)	12,087	9,718	2,285	57	27	284	172	111	1	-
34	Pneumonia of newborn-763	3,108	2,079	1,029	...	...	91	27	64	...	...
35	Without mention of immaturity (.0)	2,122	1,388	734	...	...	58	15	43	...	...
36	With immaturity (.5)	986	691	295	...	...	33	12	21	...	...
37	Diarrhea of newborn-764	546	303	237	4	2	15	6	9	-	-
38	Without mention of immaturity (.0)	428	238	187	3	-	12	5	7	-	-
39	With immaturity (.5)	118	65	50	1	2	3	1	2	-	-
40	Other infections of newborn-765-768	546	353	181	8	4	20	8	10	-	2
41	Without mention of immaturity (.0)	358	234	114	6	4	12	4	6	-	2
42	With immaturity (.5)	188	119	67	2	-	8	4	4	-	-
43	Neonatal disorders arising from maternal toxemia-769	707	562	144	1	-	15	8	7	-	-
44	Without mention of immaturity (.0-.4)	221	168	52	1	-	7	4	3	-	-
45	With immaturity (.5-.9)	486	394	92	-	-	8	4	4	-	-
46	Hemolytic disease of newborn (erythroblastosis)-770	2,426	2,212	175	29	10	30	22	8	-	-
47	Without mention of immaturity (.0-.2)	1,911	1,742	135	25	9	27	20	7	-	-
48	With immaturity (.5-.7)	515	470	40	4	1	3	2	1	-	-
49	Hemorrhagic disease of newborn-771	766	555	204	5	2	27	11	16	-	-
50	Without mention of immaturity (.0)	466	327	133	4	2	17	5	12	-	-
51	With immaturity (.5)	300	228	71	1	-	10	6	4	-	-
52	Ill-defined diseases peculiar to early infancy, including nutritional maladjustment-772,773	3,328	1,984	757	274	313	107	32	38	2	35
53	Without mention of immaturity (.0)	948	321	176	210	241	50	9	14	2	25
54	With immaturity (.5)	2,380	1,663	581	64	72	57	23	24	-	10
55	Immaturity with mention of any other subsidiary condition-774	1,890	1,367	224	190	109	33	17	3	7	6
56	Immaturity unqualified-776	21,454	16,105	5,142	114	93	478	224	246	3	5
57	Symptoms and ill-defined conditions-780-795	2,790	485	801	717	787	280	25	131	33	91
58	All other diseases-Residual	1,736	372	95	994	275	22	8	-	8	6
59	Accidents-E800-E962	3,308	433	190	1,920	765	108	9	10	37	52
60	Inhalation and ingestion of food or other object causing obstruction or suffocation-E921,E922	880	221	60	452	147	25	6	1	7	11
61	Accidental mechanical suffocation in bed and cradle-E924	1,002	66	53	633	250	48	2	6	17	23
62	All other accidental causes-E800-E920,E923,E925-E962	1,426	146	77	835	368	35	1	3	13	18
63	Homicide-E964,E980-E999	129	56	21	39	13	2	-	2	-	-

From 45 Selected Causes, by Color: United States and Each State, 1955

Numbers after causes of death are category numbers of the Sixth Revision of the International Lists, 1948)

ARIZONA					ARKANSAS					CALIFORNIA					COLORADO					
Total deaths under 1 year	Under 28 days		28 days-11 months		Total deaths under 1 year	Under 28 days		28 days-11 months		Total deaths under 1 year	Under 28 days		28 days-11 months		Total deaths under 1 year	Under 28 days		28 days-11 months		
	White	Non-white	White	Non-white		White	Non-white	White	Non-white		White	Non-white	White	Non-white		White	Non-white	White	Non-white	
972	454	107	235	176	1,157	468	276	197	216	7,395	5,022	644	1,505	224	1,212	863	32	298	19	1
5	-	-	1	4	-	-	-	-	-	4	-	-	3	1	1	-	-	-	1	2
-	-	-	-	-	1	-	-	-	1	2	2	-	-	-	-	-	-	-	-	3
4	-	-	3	1	7	-	1	1	5	7	-	-	7	-	5	1	-	4	-	4
6	-	-	4	2	18	-	2	8	8	8	-	-	7	1	3	-	-	3	-	5
23	2	2	4	15	12	-	4	3	5	54	9	-	38	7	10	2	-	6	2	6
2	-	-	1	1	3	1	-	2	-	18	7	-	11	-	2	-	-	2	-	7
8	1	-	1	6	12	1	-	6	5	42	13	-	25	4	7	1	-	6	-	8
7	2	1	3	1	6	-	1	3	2	50	6	-	34	10	6	4	-	2	-	9
132	1	-	76	55	109	-	-	51	58	509	-	-	453	56	98	-	-	92	6	10
7	1	-	4	2	4	-	-	1	3	4	-	-	4	-	2	-	-	2	-	11
125	...	...	72	53	105	...	...	50	55	505	...	...	449	56	96	...	...	90	6	12
26	9	1	9	7	19	1	2	8	8	302	99	2	168	33	32	15	-	16	1	13
7	5	-	-	2	10	4	2	2	2	75	50	6	19	-	9	5	1	3	-	14
89	-	-	43	46	52	-	-	19	33	125	-	-	107	18	49	1	-	42	6	15
3	-	1	1	1	6	1	-	4	1	39	14	5	20	-	2	2	-	-	-	16
110	53	5	44	8	131	66	15	31	19	1,139	694	70	326	49	164	100	4	58	2	17
9	3	-	4	2	6	3	-	2	1	51	27	1	20	3	8	4	1	3	-	18
49	27	1	18	3	57	25	4	17	11	556	310	33	184	29	85	48	-	36	1	19
52	23	4	22	3	68	38	11	12	7	532	357	36	122	17	71	48	3	19	1	20
476	371	85	12	8	604	369	208	11	16	4,679	4,069	553	47	10	760	718	26	16	-	21
64	52	10	2	-	94	69	24	-	1	1,000	905	90	5	-	160	156	4	-	-	22
25	15	8	2	-	47	35	11	-	1	348	307	36	5	-	56	54	2	-	-	23
39	37	2	-	-	47	34	13	-	-	652	598	54	-	-	104	102	2	-	-	24
24	19	5	-	-	41	31	10	-	-	330	283	43	4	-	59	56	3	-	-	25
17	12	5	-	-	28	22	6	-	-	196	173	19	4	-	29	28	1	-	-	26
7	7	-	-	-	13	9	4	-	-	134	110	24	-	-	30	28	2	-	-	27
40	33	5	2	-	53	38	14	-	1	670	622	47	1	-	101	100	1	-	-	28
8	3	3	2	-	19	13	5	-	1	152	134	17	1	-	27	26	1	-	-	29
32	30	2	-	-	34	25	9	-	-	518	488	30	-	-	74	74	-	-	-	30
94	73	19	1	1	147	110	35	2	-	1,456	1,278	155	21	2	202	191	8	3	-	31
35	25	8	1	1	59	43	14	2	-	384	319	45	18	2	37	35	2	-	-	32
59	48	11	-	-	88	67	21	-	-	1,072	959	110	3	-	165	156	6	3	-	33
30	22	8	...	...	46	17	29	...	...	194	165	29	...	...	47	45	2	...	...	34
23	17	6	...	...	37	14	23	...	...	127	107	20	...	...	29	28	1	...	...	35
7	5	2	...	...	9	3	6	...	...	67	58	9	...	...	18	17	1	...	...	36
9	6	3	-	-	8	3	5	-	-	14	12	2	-	-	3	3	-	-	-	37
8	5	3	-	-	6	3	3	-	-	12	11	1	-	-	2	2	-	-	-	38
1	1	-	-	-	2	-	2	-	-	2	1	1	-	-	1	1	-	-	-	39
12	6	6	-	-	7	2	5	-	-	37	26	11	-	-	6	6	-	-	-	40
11	5	6	-	-	3	2	1	-	-	30	21	9	-	-	3	3	-	-	-	41
1	1	-	-	-	4	-	4	-	-	7	5	2	-	-	3	3	-	-	-	42
10	7	3	-	-	4	4	-	-	-	52	49	3	-	-	11	11	-	-	-	43
3	1	2	-	-	1	1	-	-	-	9	8	1	-	-	5	5	-	-	-	44
7	6	1	-	-	3	3	-	-	-	43	41	2	-	-	6	6	-	-	-	45
18	17	1	-	-	32	25	5	2	-	178	165	13	-	-	20	20	-	-	-	46
12	11	1	-	-	27	22	4	1	-	141	129	12	-	-	8	8	-	-	-	47
6	6	-	-	-	5	3	1	1	-	37	36	1	-	-	12	12	-	-	-	48
6	5	1	-	-	5	3	2	-	-	42	38	3	1	-	14	14	-	-	-	49
6	5	1	-	-	4	2	2	-	-	20	17	2	1	-	6	6	-	-	-	50
-	-	-	-	-	1	1	-	-	-	22	21	1	-	-	8	8	-	-	-	51
21	9	4	5	3	44	13	15	5	11	179	141	29	6	3	36	27	1	8	-	52
12	2	3	4	3	19	2	6	3	8	27	16	3	6	2	7	5	-	2	-	53
9	7	1	1	-	25	11	9	2	3	152	125	26	-	1	29	22	1	6	-	54
27	20	4	3	-	13	7	4	1	1	143	110	15	13	5	47	42	2	3	-	55
185	154	26	1	4	204	116	84	1	3	1,384	1,180	203	1	-	214	203	9	2	-	56
29	2	8	5	14	85	14	32	13	26	40	12	1	26	1	6	1	1	4	-	57
15	3	3	6	3	20	5	1	10	4	109	25	5	71	8	16	6	-	10	-	58
30	5	1	22	2	60	4	8	25	23	184	18	2	139	25	37	5	-	31	1	59
10	3	-	7	-	11	2	3	3	3	52	8	-	40	4	14	3	-	11	-	60
7	-	-	7	-	25	1	3	14	7	38	1	-	34	3	9	1	-	8	-	61
13	2	1	8	2	24	1	2	8	13	94	9	2	65	18	14	1	-	12	1	62
-	-	-	-	-	2	2	-	-	-	9	4	-	4	1	5	2	-	3	-	63

Table 43. Deaths Under 1 Year, Under 28 Days, and 28 Days to 11 Months,

(By place of residence. Includes only deaths occurring within the continental United States. Excludes fetal deaths.

	CAUSE OF DEATH	CONNECTICUT					DELAWARE				
		Total deaths under 1 year	Under 28 days		28 days-11 months		Total deaths under 1 year	Under 28 days		28 days-11 months	
			White	Non-white	White	Non-white		White	Non-white	White	Non-white
1	ALL CAUSES	1,140	819	75	214	32	265	144	40	49	32
2	Tuberculosis, all forms-001-019	1	-	-	1	-	1	-	-	-	1
3	Syphilis and its sequelae-020-029	1	-	-	-	1	-	-	-	-	-
4	Dysentery, all forms-045-048	-	-	-	-	-	-	-	-	-	-
5	Whooping cough-056	-	-	-	-	-	-	-	-	-	-
6	All other infective and parasitic diseases-030-044,049-055,057-138	9	-	-	9	-	2	-	-	2	-
7	Diseases of thymus gland-273	1	-	-	1	-	1	-	-	1	-
8	Meningitis, except meningococcal and tuberculous-340	7	1	-	5	1	4	1	-	2	1
9	All other diseases of nervous system and sense organs-330-334,341-398	8	-	2	6	-	4	-	-	4	-
10	Influenza and pneumonia, except pneumonia of newborn-480-493	47	-	-	37	10	32	-	-	15	17
11	Influenza-480-483	-	-	-	-	-	-	-	-	-	-
12	Pneumonia, except pneumonia of newborn-490-493	47	...	...	37	10	32	...	...	15	17
13	All other diseases of respiratory system-470-475,500-527	33	11	1	19	2	12	7	3	-	2
14	Hernia and intestinal obstruction-560,561,570	14	11	-	3	-	2	1	-	-	1
15	Gastritis, duodenitis, enteritis, and colitis, except diarrhea of newborn-543,571,572	10	-	-	7	3	3	-	-	1	2
16	All other diseases of digestive system-530-542,544-553,573-587	7	4	-	2	1	1	1	-	-	-
17	Congenital malformations-750-759	208	115	6	82	5	47	32	1	11	3
18	Spina bifida and meningocele-751	26	13	-	12	1	4	3	-	1	-
19	Congenital malformations of circulatpry system-754	80	37	4	35	4	18	12	-	4	2
20	All other congenital malformations-750,752,753,755-759	102	65	2	35	-	25	17	1	6	1
21	Certain diseases of early infancy-760-776	731	659	64	7	1	137	102	34	1	-
22	Birth injuries-760,761	136	128	8	2	-	21	17	4	-	-
23	Without mention of immaturity (.0)	56	54	1	1	-	8	5	3	-	-
24	With immaturity (.5)	82	74	7	1	-	13	12	1	-	-
25	Intracranial and spinal injury at birth-760	58	52	4	2	-	13	10	3	-	-
26	Without mention of immaturity (.0)	32	30	1	1	-	6	3	3	-	-
27	With immaturity (.5)	26	22	3	1	-	7	7	-	-	-
28	Other birth injury-761	80	76	4	-	-	8	7	1	-	-
29	Without mention of immaturity (.0)	24	24	-	-	-	2	2	-	-	-
30	With immaturity (.5)	56	52	4	-	-	6	5	1	-	-
31	Postnatal asphyxia and atelectasis-762	238	221	17	-	-	50	42	8	-	-
32	Without mention of immaturity (.0)	70	66	4	-	-	8	7	1	-	-
33	With immaturity (.5)	168	155	13	-	-	42	35	7	-	-
34	Pneumonia of newborn-763	20	16	4	...	...	8	1	7	...	...
35	Without mention of immaturity (.0)	10	7	3	...	...	5	1	4	...	...
36	With immaturity (.5)	10	9	1	...	...	3	-	3	...	...
37	Diarrhea of newborn-764	-	-	-	-	-	1	-	1	-	-
38	Without mention of immaturity (.0)	-	-	-	-	-	1	-	1	-	-
39	With immaturity (.5)	-	-	-	-	-	-	-	-	-	-
40	Other infections of newborn-765-768	7	7	-	-	-	-	-	-	-	-
41	Without mention of immaturity (.0)	5	5	-	-	-	-	-	-	-	-
42	With immaturity (.5)	2	2	-	-	-	-	-	-	-	-
43	Neonatal disorders arising from maternal toxemia-769	10	8	2	-	-	-	-	-	-	-
44	Without mention of immaturity (.0-.4)	4	3	1	-	-	-	-	-	-	-
45	With immaturity (.5-.9)	6	5	1	-	-	-	-	-	-	-
46	Hemolytic disease of newborn (erythroblastosis)-770	41	40	-	1	-	3	2	1	-	-
47	Without mention of immaturity (.0-.2)	35	34	-	1	-	3	2	1	-	-
48	With immaturity (.5-.7)	6	6	-	-	-	-	-	-	-	-
49	Hemorrhagic disease of newborn-771	11	10	1	-	-	2	2	-	-	-
50	Without mention of immaturity (.0)	9	8	1	-	-	2	2	-	-	-
51	With immaturity (.5)	2	2	-	-	-	-	-	-	-	-
52	Ill-defined diseases peculiar to early infancy, including nutritional maladjustment-772,773	23	21	1	1	-	8	8	-	-	-
53	Without mention of immaturity (.0)	4	4	-	-	-	-	-	-	-	-
54	With immaturity (.5)	19	17	1	1	-	8	8	-	-	-
55	Immaturity with mention of any other subsidiary condition-774	37	31	2	3	1	2	1	-	1	-
56	Immaturity unqualified-776	206	177	29	-	-	42	29	13	-	-
57	Symptoms and ill-defined conditions-780-795	18	7	1	9	1	3	-	1	2	-
58	All other diseases-Residual	21	3	-	15	3	6	-	-	4	2
59	Accidents-E800-E962	20	5	1	10	4	10	-	1	6	3
60	Inhalation and ingestion of food or other object causing obstruction or suffocation-E921,E922	7	2	1	2	2	3	-	-	3	-
61	Accidental mechanical suffocation in bed and cradle-E924	2	-	-	2	-	2	-	-	1	1
62	All other accidental causes-E800-E920,E923,E925-E962	11	3	-	6	2	5	-	1	2	2
63	Homicide-E964,E980-E999	4	3	-	1	-	-	-	-	-	-

From 45 Selected Causes, by Color: United States and Each State, 1955—Con.

Numbers after causes of death are category numbers of the Sixth Revision of the International Lists, 1948)

DISTRICT OF COLUMBIA					FLORIDA					GEORGIA					IDAHO					
Total deaths under 1 year	Under 28 days		28 days-11 months		Total deaths under 1 year	Under 28 days		28 days-11 months		Total deaths under 1 year	Under 28 days		28 days-11 months		Total deaths under 1 year	Under 28 days		28 days-11 months		
	White	Non-white	White	Non-white		White	Non-white	White	Non-white		White	Non-white	White	Non-white		White	Non-white	White	Non-white	
673	192	353	32	96	2,652	1,168	701	308	475	3,002	1,104	897	371	630	354	265	5	81	3	1
-	-	-	-	-	1	-	-	-	1	1	-	-	-	1	-	-	-	-	-	2
-	-	-	-	-	-	-	-	-	-	2	-	2	-	-	-	-	-	-	-	3
-	-	-	-	-	10	-	-	3	7	12	1	1	2	8	-	-	-	-	-	4
-	-	-	-	-	9	-	-	-	9	17	-	1	-	16	-	-	-	-	-	5
7	-	-	2	5	37	3	9	13	12	34	5	6	11	12	3	-	-	3	-	6
-	-	-	-	-	3	-	-	1	2	2	1	-	-	1	2	1	-	1	-	7
3	1	1	-	1	27	5	3	8	11	22	2	1	8	11	2	-	-	2	-	8
6	-	-	1	5	14	1	1	8	4	20	-	2	9	9	2	-	-	1	1	9
28	-	-	3	25	170	-	-	51	119	335	3	3	93	236	20	-	-	20	-	10
1	-	-	-	1	23	-	-	2	21	22	3	3	6	10	1	-	-	1	-	11
27	...	...	3	24	147	...	...	49	98	313	...	...	87	226	19	...	...	19	-	12
8	4	3	-	1	63	19	7	17	20	43	13	5	10	15	11	3	-	8	-	13
5	1	1	2	1	32	19	1	2	10	24	11	4	5	4	3	1	1	1	-	14
8	-	-	-	8	129	-	-	21	108	141	-	-	33	108	1	-	-	1	-	15
3	1	2	-	-	24	6	7	8	3	12	4	1	4	3	-	-	-	-	-	16
80	19	30	11	20	339	181	37	87	34	350	145	71	92	42	61	40	-	21	-	17
-	-	-	-	-	22	11	1	9	1	33	19	2	9	3	1	1	-	-	-	18
41	8	9	7	17	150	73	17	43	17	167	64	33	49	21	35	20	-	15	-	19
39	11	21	4	3	167	97	19	35	16	150	62	36	34	18	25	19	-	6	-	20
474	162	304	-	8	1,559	906	595	19	39	1,693	887	732	20	54	223	215	4	4	-	21
68	32	36	-	-	253	161	90	1	1	266	150	111	1	4	36	35	-	1	-	22
35	16	19	-	-	130	68	62	-	-	145	68	73	-	4	15	14	-	1	-	23
33	16	17	-	-	123	93	28	1	1	121	82	38	1	-	21	21	-	-	-	24
47	21	26	-	-	127	75	51	-	1	113	57	53	1	2	8	7	-	1	-	25
25	13	12	-	-	87	45	42	-	-	85	40	43	-	2	6	5	-	1	-	26
22	8	14	-	-	40	30	9	-	1	28	17	10	1	-	2	2	-	-	-	27
21	11	10	-	-	126	86	39	1	-	153	93	58	-	2	28	28	-	-	-	28
10	3	7	-	-	43	23	20	-	-	60	28	30	-	2	9	9	-	-	-	29
11	8	3	-	-	83	63	19	1	-	93	65	28	-	-	19	19	-	-	-	30
207	49	156	-	2	403	255	136	7	5	440	286	144	4	6	54	53	1	-	-	31
28	10	17	-	1	164	101	55	5	3	149	82	59	3	5	16	16	-	-	-	32
179	39	139	-	1	239	154	81	2	2	291	204	85	1	1	38	37	1	-	-	33
12	3	9	...	...	64	26	38	...	...	99	35	64	...	...	10	10	-	...	...	34
5	1	4	...	...	44	19	25	...	...	71	23	48	...	...	8	8	-	...	...	35
7	2	5	...	...	20	7	13	...	...	28	12	16	...	...	2	2	-	...	...	36
1	1	-	-	-	24	6	16	-	2	21	8	13	-	-	-	-	-	-	-	37
1	1	-	-	-	15	5	10	-	-	16	5	11	-	-	-	-	-	-	-	38
-	-	-	-	-	9	1	6	-	2	5	3	2	-	-	-	-	-	-	-	39
4	1	3	-	-	19	11	8	-	-	19	7	12	-	-	-	-	-	-	-	40
2	-	2	-	-	11	7	4	-	-	11	2	9	-	-	-	-	-	-	-	41
2	1	1	-	-	8	4	4	-	-	8	5	3	-	-	-	-	-	-	-	42
-	-	-	-	-	25	15	10	-	-	24	12	12	-	-	4	4	-	-	-	43
-	-	-	-	-	10	7	3	-	-	5	1	4	-	-	-	-	-	-	-	44
-	-	-	-	-	15	8	7	-	-	19	11	8	-	-	4	4	-	-	-	45
10	6	4	-	-	49	41	8	-	-	47	40	7	-	-	10	9	-	1	-	46
8	5	3	-	-	38	33	5	-	-	36	31	5	-	-	9	8	-	1	-	47
2	1	1	-	-	11	8	3	-	-	11	9	2	-	-	1	1	-	-	-	48
5	-	5	-	-	23	12	11	-	-	22	7	15	-	-	3	3	-	-	-	49
3	-	3	-	-	17	9	8	-	-	13	6	7	-	-	2	2	-	-	-	50
2	-	2	-	-	6	3	3	-	-	9	1	8	-	-	1	1	-	-	-	51
9	4	2	-	3	96	47	20	5	24	122	50	40	6	26	14	10	2	2	-	52
3	-	-	-	3	41	8	8	3	22	41	9	10	5	17	3	1	-	2	-	53
6	4	2	-	-	55	39	12	2	2	81	41	30	1	9	11	9	2	-	-	54
10	2	7	-	1	40	20	14	3	3	49	29	4	5	11	5	5	-	-	-	55
148	64	82	-	2	563	312	244	3	4	584	263	310	4	7	87	86	1	-	-	56
2	-	1	1	-	97	10	33	16	38	104	10	47	12	35	3	1	-	2	-	57
18	1	3	5	9	37	7	3	9	18	47	6	5	14	22	11	2	-	8	1	58
31	3	8	7	13	98	9	5	45	39	136	13	14	58	51	12	2	-	9	1	59
3	-	1	-	2	33	7	2	12	12	26	5	7	8	8	3	2	-	1	-	60
17	-	4	3	10	26	-	2	13	11	52	2	4	25	21	5	-	-	4	1	61
11	3	3	4	1	39	2	1	20	16	56	6	3	25	22	4	-	-	4	-	62
-	-	-	-	-	3	2	-	-	1	7	3	2	-	2	-	-	-	-	-	63

Table 43. Deaths Under 1 Year, Under 28 Days, and 28 Days to 11 Months,

(By place of residence. Includes only deaths occurring within the continental United States. Excludes fetal deaths.

	CAUSE OF DEATH	ILLINOIS					INDIANA				
		Total deaths under 1 year	Under 28 days		28 days-11 months		Total deaths under 1 year	Under 28 days		28 days-11 months	
			White	Non-white	White	Non-white		White	Non-white	White	Non-white
1	ALL CAUSES	5,466	3,112	843	1,053	458	2,715	1,810	222	592	91
2	Tuberculosis, all forms 001-019	4	1	-	-	3	1	-	-	1	-
3	Syphilis and its sequelae 020-029	1	-	1	-	-	-	-	-	-	-
4	Dysentery, all forms 045-048	1	-	-	1	-	1	-	-	1	-
5	Whooping cough 056	5	-	-	2	3	4	-	-	3	1
6	All other infective and parasitic diseases 030-044,049-055,057-138	31	1	1	24	5	23	1	-	22	-
7	Diseases of thymus gland 273	17	2	-	12	3	6	3	-	3	-
8	Meningitis, except meningococcal and tuberculous 340	22	2	1	17	2	14	1	-	13	-
9	All other diseases of nervous system and sense organs 330-334,341-398	40	2	1	30	7	18	-	-	16	2
10	Influenza and pneumonia, except pneumonia of newborn 480-493	587	1	-	351	235	193	1	-	158	34
11	Influenza 480-483	2	1	-	1	-	15	1	-	14	-
12	Pneumonia, except pneumonia of newborn 490-493	585	...	...	350	235	178	...	...	144	34
13	All other diseases of respiratory system 470-475,500-527	161	43	5	74	39	49	19	2	27	1
14	Hernia and intestinal obstruction 560,561,570	45	22	6	14	3	23	16	-	7	-
15	Gastritis, duodenitis, enteritis, and colitis, except diarrhea of newborn 543,571,572	144	-	-	72	72	59	-	-	48	11
16	All other diseases of digestive system 530-542,544-553,573-587	28	12	3	11	2	14	4	-	8	2
17	Congenital malformations 750-759	778	442	49	264	23	451	281	14	146	10
18	Spina bifida and meningocele 751	41	15	3	23	-	25	14	-	11	-
19	Congenital malformations of circulatory system 754	390	204	28	144	14	219	133	7	74	5
20	All other congenital malformations 750,752,753,755-759	347	223	18	97	9	207	134	7	61	5
21	Certain diseases of early infancy 760-776	3,355	2,533	764	28	30	1,686	1,445	202	31	8
22	Birth injuries 760,761	575	504	69	1	1	271	242	28	1	-
23	Without mention of immaturity (.0)	214	183	29	1	1	120	99	20	1	-
24	With immaturity (.5)	361	321	40	-	-	151	143	8	-	-
25	Intracranial and spinal injury at birth 760	239	207	31	-	1	81	68	12	1	-
26	Without mention of immaturity (.0)	123	106	16	-	1	60	50	9	1	-
27	With immaturity (.5)	116	101	15	-	-	21	18	3	-	-
28	Other birth injury 761	336	297	38	1	-	190	174	16	-	-
29	Without mention of immaturity (.0)	91	77	13	1	-	60	49	11	-	-
30	With immaturity (.5)	245	220	25	-	-	130	125	5	-	-
31	Postnatal asphyxia and atelectasis 762	1,417	1,011	382	14	10	425	373	47	4	1
32	Without mention of immaturity (.0)	322	230	77	9	6	161	137	20	3	1
33	With immaturity (.5)	1,095	781	305	5	4	264	236	27	1	-
34	Pneumonia of newborn 763	247	143	104	...	...	76	58	18	...	...
35	Without mention of immaturity (.0)	199	109	90	...	...	56	43	13	...	...
36	With immaturity (.5)	48	34	14	...	...	20	15	5	...	...
37	Diarrhea of newborn 764	37	16	21	-	-	10	6	4	-	-
38	Without mention of immaturity (.0)	31	13	18	-	-	6	4	2	-	-
39	With immaturity (.5)	6	3	3	-	-	4	2	2	-	-
40	Other infections of newborn 765-768	19	14	5	-	-	8	7	1	-	-
41	Without mention of immaturity (.0)	9	6	3	-	-	7	6	1	-	-
42	With immaturity (.5)	10	8	2	-	-	1	1	-	-	-
43	Neonatal disorders arising from maternal toxemia 769	26	24	2	-	-	22	21	1	-	-
44	Without mention of immaturity (.0-.4)	8	8	-	-	-	6	6	-	-	-
45	With immaturity (.5-.9)	18	16	2	-	-	16	15	1	-	-
46	Hemolytic disease of newborn (erythroblastosis) 770	120	108	10	-	2	73	68	3	2	-
47	Without mention of immaturity (.0-.2)	92	81	10	-	1	55	52	2	1	-
48	With immaturity (.5-.7)	28	27	-	-	1	18	16	1	1	-
49	Hemorrhagic disease of newborn 771	31	25	6	-	-	15	11	3	1	-
50	Without mention of immaturity (.0)	19	14	5	-	-	7	7	-	-	-
51	With immaturity (.5)	12	11	1	-	-	8	4	3	1	-
52	Ill-defined diseases peculiar to early infancy, including nutritional maladjustment 772,773	64	44	9	5	6	62	41	6	13	2
53	Without mention of immaturity (.0)	14	4	1	4	5	26	10	3	11	2
54	With immaturity (.5)	50	40	8	1	1	36	31	3	2	-
55	Immaturity with mention of any other subsidiary condition 774	79	53	11	8	7	51	38	3	6	4
56	Immaturity unqualified 776	740	591	145	-	4	673	580	88	4	1
57	Symptoms and ill-defined conditions 780-795	29	7	1	13	8	19	7	4	6	2
58	All other diseases Residual	94	18	6	64	6	47	11	-	32	4
59	Accidents E800-E962	111	22	1	72	16	101	18	-	68	15
60	Inhalation and ingestion of food or other object causing obstruction or suffocation E921,E922	29	11	-	14	4	24	8	-	14	2
61	Accidental mechanical suffocation in bed and cradle E924	21	3	-	13	5	40	7	-	28	5
62	All other accidental causes E800-E920,E923,E925-E962	61	8	1	45	7	37	3	-	26	8
63	Homicide E964,E980-E999	13	4	4	4	1	6	3	-	2	1

From 45 Selected Causes, by Color: United States and Each State, 1955—Con.

Numbers after causes of death are category numbers of the Sixth Revision of the International Lists, 1948)

IOWA					KANSAS					KENTUCKY					LOUISIANA					
Total deaths under 1 year	Under 28 days		28 days-11 months		Total deaths under 1 year	Under 28 days		28 days-11 months		Total deaths under 1 year	Under 28 days		28 days-11 months		Total deaths under 1 year	Under 28 days		28 days-11 months		
	White	Non-white	White	Non-white		White	Non-white	White	Non-white		White	Non-white	White	Non-white		White	Non-white	White	Non-white	
1,407	1,057	26	313	11	1,235	872	84	246	33	2,249	1,347	175	610	117	2,723	918	974	261	570	1
1	-	-	1	-	1	-	-	1	-	6	-	-	5	1	2	-	-	-	2	2
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	3	-	-	-	3	3
-	-	-	-	-	1	-	-	1	-	12	2	-	9	1	8	-	2	-	6	4
4	-	-	4	-	4	-	-	3	1	14	1	1	10	2	16	1	-	2	13	5
21	4	-	17	-	8	2	-	3	3	34	4	-	28	2	44	4	6	14	20	6
8	1	-	7	-	6	1	-	4	1	2	1	-	1	-	5	2	1	1	1	7
7	1	-	6	-	4	-	1	3	-	17	9	1	4	3	26	2	1	9	14	8
16	3	-	12	1	9	2	-	6	1	23	-	-	20	3	26	-	1	8	17	9
90	1	-	84	5	52	-	-	42	10	236	2	-	192	42	272	1	1	73	197	10
2	1	-	1	-	4	-	-	3	1	9	2	-	7	-	26	1	1	4	20	11
88	...	...	83	5	48	...	...	39	9	227	...	...	185	42	246	...	...	69	177	12
50	32	-	17	1	46	25	1	19	1	55	8	3	35	9	60	11	8	16	25	13
11	8	-	3	-	17	14	-	3	-	16	11	2	2	1	31	13	8	4	6	14
19	-	-	16	3	13	-	-	11	2	76	-	1	57	18	98	-	-	17	81	15
6	1	-	5	-	3	2	-	1	-	18	8	2	7	1	19	2	7	5	5	16
251	174	7	70	-	201	123	4	67	7	327	209	7	102	9	300	120	61	67	52	17
18	11	-	7	-	15	5	-	9	1	26	12	-	14	-	20	4	1	9	6	18
136	90	5	41	-	85	48	2	32	3	157	87	4	61	5	142	53	24	37	28	19
97	73	2	22	-	101	70	2	26	3	144	110	3	27	4	138	63	36	21	18	20
848	813	19	15	1	769	684	77	7	1	1,222	1,035	150	28	9	1,630	744	831	9	46	21
198	190	2	6	-	178	159	18	1	-	217	192	23	2	-	270	126	143	-	1	22
83	78	1	4	-	56	49	6	1	-	113	101	10	2	-	140	61	78	-	1	23
115	112	1	2	-	122	110	12	-	-	104	91	13	-	-	130	65	65	-	-	24
65	61	-	4	-	49	41	7	1	-	86	74	10	2	-	153	64	88	-	1	25
44	41	-	3	-	31	26	4	1	-	68	60	6	2	-	89	46	42	-	1	26
21	20	-	1	-	18	15	3	-	-	18	14	4	-	-	64	18	46	-	-	27
133	129	2	2	-	129	118	11	-	-	131	118	13	-	-	117	62	55	-	-	28
39	37	1	1	-	25	23	2	-	-	45	41	4	-	-	51	15	36	-	-	29
94	92	1	1	-	104	95	9	-	-	86	77	9	-	-	66	47	19	-	-	30
202	195	5	2	-	206	180	23	3	-	324	281	40	2	1	394	201	182	-	11	31
66	64	-	2	-	58	47	8	3	-	126	113	11	2	-	140	67	66	-	7	32
136	131	5	-	-	148	133	15	-	-	198	168	29	-	1	254	134	116	-	4	33
24	24	-	...	...	30	26	4	...	...	73	62	11	...	...	121	30	91	...	...	34
20	20	-	...	...	17	14	3	...	...	51	42	9	...	...	62	16	46	...	...	35
4	4	-	...	...	13	12	1	...	...	22	20	2	...	...	59	14	45	...	...	36
6	5	1	-	-	2	1	1	-	-	19	17	2	-	-	15	4	11	-	-	37
2	2	-	-	-	2	1	1	-	-	17	15	2	-	-	11	3	8	-	-	38
4	3	1	-	-	-	-	-	-	-	2	2	-	-	-	4	1	3	-	-	39
8	7	1	-	-	7	5	2	-	-	11	9	2	-	-	25	5	18	1	1	40
5	5	-	-	-	6	5	1	-	-	10	8	2	-	-	16	2	13	-	1	41
3	2	1	-	-	1	-	1	-	-	1	1	-	-	-	9	3	5	1	-	42
13	13	-	-	-	6	6	-	-	-	13	10	3	-	-	14	7	7	-	-	43
4	4	-	-	-	1	1	-	-	-	5	5	-	-	-	5	2	3	-	-	44
9	9	-	-	-	5	5	-	-	-	8	5	3	-	-	9	5	4	-	-	45
39	38	-	-	1	37	36	1	-	-	39	37	1	1	-	43	29	12	2	-	46
29	28	-	-	1	27	26	1	-	-	35	33	1	1	-	32	21	9	2	-	47
10	10	-	-	-	10	10	-	-	-	4	4	-	-	-	11	8	3	-	-	48
9	8	1	-	-	6	6	-	-	-	19	14	3	2	-	31	16	15	-	-	49
6	5	1	-	-	3	3	-	-	-	16	11	3	2	-	19	10	9	-	-	50
3	3	-	-	-	3	3	-	-	-	3	3	-	-	-	12	6	6	-	-	51
45	44	-	1	-	34	32	1	-	1	80	57	4	13	6	91	21	52	1	17	52
4	4	-	-	-	6	5	-	-	1	40	24	1	10	5	27	1	13	1	12	53
41	40	-	1	-	28	27	1	-	-	40	33	3	3	1	64	20	39	-	5	54
46	43	-	3	-	36	32	2	2	-	41	29	3	8	1	44	20	13	2	9	55
258	246	9	3	-	227	201	25	1	-	386	327	58	-	1	582	285	287	3	7	56
6	3	-	3	-	28	6	1	19	2	37	19	3	14	1	51	2	24	1	24	57
17	7	-	10	-	32	8	-	23	1	56	13	2	35	6	57	7	11	15	24	58
51	9	-	42	-	41	5	-	33	3	96	24	3	60	9	74	8	12	20	34	59
15	7	-	8	-	7	2	-	5	-	22	8	1	10	3	18	2	4	4	8	60
16	1	-	15	-	10	1	-	8	1	35	10	-	23	2	26	1	4	8	13	61
20	1	-	19	-	24	2	-	20	2	39	6	2	27	4	30	5	4	8	13	62
1	-	-	1	-	-	-	-	-	-	2	1	-	1	-	1	1	-	-	-	63

Table 43. Deaths Under 1 Year, Under 28 Days, and 28 Days to 11 Months,

(By place of residence. Includes only deaths occurring within the continental United States. Excludes fetal deaths.

	CAUSE OF DEATH	MAINE					MARYLAND				
		Total deaths under 1 year	Under 28 days		28 days-11 months		Total deaths under 1 year	Under 28 days		28 days-11 months	
			White	Non-white	White	Non-white		White	Non-white	White	Non-white
1	ALL CAUSES	553	385	8	155	5	1,873	902	458	289	224
2	Tuberculosis, all forms---001-019	-	-	-	-	-	1	-	-	1	-
3	Syphilis and its sequelae---020-029	-	-	-	-	-	1	-	1	-	-
4	Dysentery, all forms---045-048	-	-	-	-	-	1	-	-	1	-
5	Whooping cough---056	3	-	-	3	-	3	-	-	-	3
6	All other infective and parasitic diseases---030-044,049-055,057-138	5	1	-	4	-	25	2	2	14	7
7	Diseases of thymus gland---273	2	1	-	1	-	2	-	-	2	-
8	Meningitis, except meningococcal and tuberculous---340	2	1	-	1	-	15	2	1	5	7
9	All other diseases of nervous system and sense organs---330-334,341-396	6	1	-	5	-	35	-	-	17	18
10	Influenza and pneumonia, except pneumonia of newborn---480-493	60	1	-	55	4	133	-	-	68	65
11	Influenza---480-483	3	1	-	2	-	5	-	-	5	-
12	Pneumonia, except pneumonia of newborn---490-493	57	...	...	53	4	128	...	...	63	65
13	All other diseases of respiratory system---470-475,500-527	15	6	-	9	-	95	14	9	38	34
14	Hernia and intestinal obstruction---560,561,570	3	1	1	1	-	18	15	-	1	2
15	Gastritis, duodenitis, enteritis, and colitis, except diarrhea of newborn---543,571,572	12	-	-	12	-	45	-	-	22	23
16	All other diseases of digestive system---530-542,544-553,573-587	3	1	-	2	-	9	4	1	1	3
17	Congenital malformations---750-759	90	59	-	30	1	241	129	30	61	21
18	Spina bifida and meningocele---751	14	8	-	6	-	15	7	1	4	3
19	Congenital malformations of circulatory system---754	31	18	-	12	1	102	47	12	33	10
20	All other congenital malformations---750,752,753,755-759	45	33	-	12	-	124	75	17	24	8
21	Certain diseases of early infancy---760-776	325	311	7	7	-	1,144	724	399	8	13
22	Birth injuries---760,761	65	63	2	-	-	214	151	61	1	1
23	Without mention of immaturity (.0)	30	30	-	-	-	95	68	25	1	1
24	With immaturity (.5)	35	33	2	-	-	119	83	36	-	-
25	Intracranial and spinal injury at birth---760	24	23	1	-	-	94	61	31	1	1
26	Without mention of immaturity (.0)	17	17	-	-	-	58	41	15	1	1
27	With immaturity (.5)	7	6	1	-	-	36	20	16	-	-
28	Other birth injury---761	41	40	1	-	-	120	90	30	-	-
29	Without mention of immaturity (.0)	13	13	-	-	-	37	27	10	-	-
30	With immaturity (.5)	28	27	1	-	-	83	63	20	-	-
31	Postnatal asphyxia and atelectasis---762	102	98	2	2	-	287	202	80	3	2
32	Without mention of immaturity (.0)	36	35	-	1	-	82	50	28	2	2
33	With immaturity (.5)	66	63	2	1	-	205	152	52	1	-
34	Pneumonia of newborn---763	12	12	-	...	...	50	22	28	...	...
35	Without mention of immaturity (.0)	7	7	-	...	...	35	12	23	...	...
36	With immaturity (.5)	5	5	-	...	...	15	10	5	...	...
37	Diarrhea of newborn---764	1	1	-	-	-	9	4	5	-	-
38	Without mention of immaturity (.0)	1	1	-	-	-	5	1	4	-	-
39	With immaturity (.5)	-	-	-	-	-	4	3	1	-	-
40	Other infections of newborn---765-768	3	3	-	-	-	20	13	7	-	-
41	Without mention of immaturity (.0)	-	-	-	-	-	10	7	3	-	-
42	With immaturity (.5)	3	3	-	-	-	10	6	4	-	-
43	Neonatal disorders arising from maternal toxemia---769	4	4	-	-	-	6	6	-	-	-
44	Without mention of immaturity (.0-.4)	1	1	-	-	-	2	2	-	-	-
45	With immaturity (.5-.9)	3	3	-	-	-	4	4	-	-	-
46	Hemolytic disease of newborn (erythroblastosis)---770	16	14	1	1	-	35	28	7	-	-
47	Without mention of immaturity (.0-.2)	15	13	1	1	-	27	21	6	-	-
48	With immaturity (.5-.7)	1	1	-	-	-	8	7	1	-	-
49	Hemorrhagic disease of newborn---771	1	1	-	-	-	17	7	10	-	-
50	Without mention of immaturity (.0)	-	-	-	-	-	8	5	3	-	-
51	With immaturity (.5)	1	1	-	-	-	9	2	7	-	-
52	Ill-defined diseases peculiar to early infancy, including nutritional maladjustment---772,773	25	22	-	3	-	59	31	18	2	8
53	Without mention of immaturity (.0)	3	2	-	1	-	19	3	6	2	8
54	With immaturity (.5)	22	20	-	2	-	40	28	12	-	-
55	Immaturity with mention of any other subsidiary condition---774	15	14	-	1	-	35	22	10	2	1
56	Immaturity unqualified---776	81	79	2	-	-	412	238	173	-	1
57	Symptoms and ill-defined conditions---780-795	-	-	-	-	-	17	4	8	2	3
58	All other diseases---Residual	5	1	-	4	-	29	3	2	18	6
59	Accidents---E800-E962	22	1	-	21	-	56	4	3	30	19
60	Inhalation and ingestion of food or other object causing obstruction or suffocation---E921,E922	6	-	-	6	-	24	2	1	15	6
61	Accidental mechanical suffocation in bed and cradle---E924	5	-	-	5	-	9	1	1	4	3
62	All other accidental causes---E800-E920,E923,E925-E962	11	1	-	10	-	23	1	1	11	10
63	Homicide---E964,E980-E999	-	-	-	-	-	3	1	2	-	-

From 45 Selected Causes, by Color: United States and Each State, 1955—Con.

Numbers after causes of death are category numbers of the Sixth Revision of the International Lists, 1948)

MASSACHUSETTS					MICHIGAN					MINNESOTA					MISSISSIPPI					
Total deaths under 1 year	Under 28 days		28 days-11 months		Total deaths under 1 year	Under 28 days		28 days-11 months		Total deaths under 1 year	Under 28 days		28 days-11 months		Total deaths under 1 year	Under 28 days		28 days-11 months		
	White	Non-white	White	Non-white		White	Non-white	White	Non-white		White	Non-white	White	Non-white		White	Non-white	White	Non-white	
2,413	1,807	85	491	30	4,894	3,116	613	951	214	1,782	1,353	25	371	33	2,346	532	912	158	744	1
-	-	-	-	-	3	-	-	2	1	1	-	1	-	-	4	-	-	1	3	2
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	3
1	-	-	1	-	6	-	-	6	-	1	-	-	-	1	22	-	6	1	15	4
1	-	-	1	-	6	-	-	2	4	1	-	-	1	-	30	-	1	-	29	5
28	4	-	22	2	36	2	1	30	3	13	1	-	11	1	25	-	3	9	13	6
3	1	-	2	-	26	6	-	18	2	2	-	-	2	-	-	-	-	-	-	7
15	4	-	10	1	29	7	-	20	2	10	2	-	7	1	12	-	3	-	9	8
18	2	-	16	-	45	5	-	32	8	11	-	-	11	-	9	2	2	-	5	9
143	-	-	133	10	286	-	-	210	76	135	1	-	115	19	203	-	6	24	173	10
1	-	-	1	-	5	-	-	5	-	5	1	-	4	-	29	-	6	4	19	11
142	...	...	132	10	281	...	...	205	76	130	...	...	111	19	174	...	...	20	154	12
103	46	1	52	4	128	31	4	78	15	41	16	-	23	2	40	15	3	12	10	13
23	18	2	3	-	45	33	-	9	3	27	22	-	4	1	14	4	3	-	7	14
24	-	-	23	1	94	-	-	72	22	20	-	-	19	1	149	-	-	12	137	15
16	8	-	6	2	15	7	-	7	1	4	1	-	3	-	13	1	2	1	9	16
429	285	9	132	3	789	456	42	255	36	336	215	3	115	3	183	68	39	41	35	17
52	30	-	22	-	69	32	1	34	2	38	18	-	20	-	13	6	1	3	3	18
181	108	3	67	3	363	196	24	122	21	168	97	3	66	2	68	30	8	18	12	19
196	147	6	43	-	357	228	17	99	13	130	100	-	29	1	102	32	30	20	20	20
1,493	1,415	71	12	-	3,107	2,508	553	32	14	1,111	1,076	20	14	1	1,072	411	609	9	43	21
239	232	6	1	-	568	468	96	4	-	234	229	4	1	-	169	79	89	1	-	22
108	106	1	1	-	215	177	35	3	-	85	81	3	1	-	102	43	58	1	-	23
131	126	5	-	-	353	291	61	1	-	149	148	1	-	-	67	36	31	-	-	24
101	99	1	1	-	165	133	30	2	-	59	55	3	1	-	54	25	28	1	-	25
70	69	-	1	-	108	86	21	1	-	36	33	2	1	-	45	20	24	1	-	26
31	30	1	-	-	57	47	9	1	-	23	22	1	-	-	9	5	4	-	-	27
138	133	5	-	-	403	335	66	2	-	175	174	1	-	-	115	54	61	-	-	28
38	37	1	-	-	107	91	14	2	-	49	48	1	-	-	57	23	34	-	-	29
100	96	4	-	-	296	244	52	-	-	126	126	-	-	-	58	31	27	-	-	30
416	394	20	2	-	772	651	110	8	3	243	233	5	5	-	231	119	106	2	4	31
123	117	4	2	-	215	178	30	5	2	73	70	1	2	-	100	48	48	1	3	32
293	277	16	-	-	557	473	80	3	1	170	163	4	3	-	131	71	58	1	1	33
56	53	3	...	...	114	88	26	...	...	35	32	3	...	...	68	17	51	...	...	34
38	36	2	...	...	80	62	18	...	...	24	22	2	...	...	51	8	43	...	...	35
18	17	1	...	...	34	26	8	...	...	11	10	1	...	...	17	9	8	...	...	36
5	4	1	-	-	11	7	4	-	-	3	3	-	-	-	19	2	17	-	-	37
5	4	1	-	-	10	6	4	-	-	2	2	-	-	-	14	1	13	-	-	38
-	-	-	-	-	1	1	-	-	-	1	1	-	-	-	5	1	4	-	-	39
8	6	2	-	-	32	25	5	2	-	5	5	-	-	-	14	4	9	-	1	40
6	5	1	-	-	27	22	3	2	-	1	1	-	-	-	13	3	9	-	1	41
2	1	1	-	-	5	3	2	-	-	4	4	-	-	-	1	1	-	-	-	42
12	12	-	-	-	34	29	5	-	-	16	16	-	-	-	23	10	12	1	-	43
3	3	-	-	-	12	9	3	-	-	5	5	-	-	-	11	5	5	1	-	44
9	9	-	-	-	22	20	2	-	-	11	11	-	-	-	12	5	7	-	-	45
64	62	2	-	-	136	125	10	-	1	74	73	1	-	-	23	17	5	-	1	46
49	48	1	-	-	100	92	7	-	1	64	63	1	-	-	21	15	5	-	1	47
15	14	1	-	-	36	33	3	-	-	10	10	-	-	-	2	2	-	-	-	48
14	13	1	-	-	30	24	6	-	-	11	11	-	-	-	16	6	10	-	-	49
10	9	1	-	-	14	10	4	-	-	5	5	-	-	-	10	3	7	-	-	50
4	4	-	-	-	16	14	2	-	-	6	6	-	-	-	6	3	3	-	-	51
47	41	1	5	-	130	94	27	6	3	42	37	1	3	1	78	16	39	2	21	52
13	9	-	4	-	25	13	5	5	2	6	3	-	2	1	33	2	13	2	16	53
34	32	1	1	-	105	81	22	1	1	36	34	1	1	-	45	14	26	-	5	54
73	69	1	3	-	66	48	8	8	2	29	27	-	2	-	24	13	3	2	6	55
564	529	34	1	-	1,214	949	256	4	5	419	410	6	3	-	407	128	268	1	10	56
23	11	1	11	-	29	16	2	10	1	5	4	-	-	1	450	22	218	22	188	57
50	11	1	35	3	67	17	2	42	6	21	6	-	14	1	38	3	7	8	20	58
37	2	-	31	4	175	26	7	122	20	42	9	1	31	1	80	5	10	18	47	59
10	2	-	8	-	53	16	1	30	6	12	5	-	7	-	11	3	3	2	3	60
10	-	-	9	1	65	3	4	49	9	15	1	-	14	-	20	-	4	5	11	61
17	-	-	14	3	57	7	2	43	5	15	3	1	10	1	49	2	3	11	33	62
1	-	-	1	-	8	2	2	4	-	1	-	-	1	-	2	1	-	-	1	63

430007 O -57 -30

Table 43. Deaths Under 1 Year, Under 28 Days, and 28 Days to 11 Months,

(By place of residence. Includes only deaths occurring within the continental United States. Excludes fetal deaths.

	CAUSE OF DEATH	MISSOURI					MONTANA				
		Total deaths under 1 year	Under 28 days		28 days-11 months		Total deaths under 1 year	Under 28 days		28 days-11 months	
			White	Non-white	White	Non-white		White	Non-white	White	Non-white
1	ALL CAUSES	2,381	1,415	318	495	153	437	306	19	86	26
2	Tuberculosis, all forms---001-019	3	-	-	1	2	-	-	-	-	-
3	Syphilis and its sequelae---020-029	-	-	-	-	-	-	-	-	-	-
4	Dysentery, all forms---045-048	3	-	-	3	-	-	-	-	-	-
5	Whooping cough---056	5	-	-	3	2	1	-	-	1	-
6	All other infective and parasitic diseases---030-044,049-055,057-136	18	4	1	11	2	7	1	-	5	1
7	Diseases of thymus gland---273	14	2	1	7	4	4	-	-	3	1
8	Meningitis, except meningococcal and tuberculous---340	14	4	-	5	5	2	-	-	1	1
9	All other diseases of nervous system and sense organs---330-334,341-396	22	1	2	10	9	6	2	-	4	-
10	Influenza and pneumonia, except pneumonia of newborn---480-493	150	-	1	122	27	33	-	-	20	13
11	Influenza---480-483	6	-	1	5	-	1	-	-	1	-
12	Pneumonia, except pneumonia of newborn---490-493	144	...	...	117	27	32	...	...	19	13
13	All other diseases of respiratory system---470-475,500-527	91	19	2	42	28	11	6	-	5	-
14	Hernia and intestinal obstruction---560,561,570	18	9	4	3	2	4	1	-	3	-
15	Gastritis, duodenitis, enteritis, and colitis, except diarrhea of newborn---543,571,572	67	-	-	43	24	7	-	-	3	4
16	All other diseases of digestive system---530-542,544-553,573-587	12	6	-	4	2	2	2	-	-	-
17	Congenital malformations---750-759	359	213	17	118	11	60	37	2	21	-
18	Spina bifida and meningocele---751	29	14	1	14	-	-	-	-	-	-
19	Congenital malformations of circulatory system---754	169	86	8	68	7	29	17	-	12	-
20	All other congenital malformations---750,752,753,755-759	161	113	8	36	4	31	20	2	9	-
21	Certain diseases of early infancy---760-776	1,448	1,127	279	28	14	276	253	17	4	2
22	Birth injuries---760,761	277	237	36	4	-	66	64	1	-	1
23	Without mention of immaturity (.0)---	113	83	26	4	-	20	19	1	-	-
24	With immaturity (.5)---	164	154	10	-	-	46	45	-	-	1
25	Intracranial and spinal injury at birth---760	105	77	24	4	-	16	14	1	-	1
26	Without mention of immaturity (.0)---	69	47	18	4	-	9	8	1	-	-
27	With immaturity (.5)---	36	30	6	-	-	7	6	-	-	1
28	Other birth injury---761	172	160	12	-	-	50	50	-	-	-
29	Without mention of immaturity (.0)---	44	36	8	-	-	11	11	-	-	-
30	With immaturity (.5)---	128	124	4	-	-	39	39	-	-	-
31	Postnatal asphyxia and atelectasis---762	378	328	45	3	2	63	60	2	1	-
32	Without mention of immaturity (.0)---	109	90	16	1	2	23	20	2	1	-
33	With immaturity (.5)---	269	238	29	2	-	40	40	-	-	-
34	Pneumonia of newborn---763	64	48	16	...	...	10	9	1	...	...
35	Without mention of immaturity (.0)---	40	28	12	...	...	5	4	1	...	...
36	With immaturity (.5)---	24	20	4	...	...	5	5	-	...	...
37	Diarrhea of newborn---764	10	5	5	-	-	3	3	-	-	-
38	Without mention of immaturity (.0)---	8	3	5	-	-	3	3	-	-	-
39	With immaturity (.5)---	2	2	-	-	-	-	-	-	-	-
40	Other infections of newborn---765-768	6	4	1	1	-	2	1	1	-	-
41	Without mention of immaturity (.0)---	4	3	-	1	-	2	1	1	-	-
42	With immaturity (.5)---	2	1	1	-	-	-	-	-	-	-
43	Neonatal disorders arising from maternal toxemia---769	13	10	3	-	-	2	1	1	-	-
44	Without mention of immaturity (.0- 4)---	4	3	1	-	-	1	-	1	-	-
45	With immaturity (.5-.9)---	9	7	2	-	-	1	1	-	-	-
46	Hemolytic disease of newborn (erythroblastosis)---770	51	48	3	-	-	11	10	1	-	-
47	Without mention of immaturity (.0-.2)---	34	33	1	-	-	9	8	1	-	-
48	With immaturity (.5-.7)---	17	15	2	-	-	2	2	-	-	-
49	Hemorrhagic disease of newborn---771	19	16	3	-	-	3	3	-	-	-
50	Without mention of immaturity (.0)---	8	8	-	-	-	3	3	-	-	-
51	With immaturity (.5)---	11	8	3	-	-	-	-	-	-	-
52	Ill-defined diseases peculiar to early infancy, including nutritional maladjustment---772,773	190	68	100	14	8	11	9	-	1	1
53	Without mention of immaturity (.0)---	34	12	4	12	6	1	-	-	-	1
54	With immaturity (.5)---	156	56	96	2	2	10	9	-	1	-
55	Immaturity with mention of any other subsidiary condition---774	42	28	4	6	4	8	7	-	1	-
56	Immaturity unqualified---776	398	335	63	-	-	97	86	10	1	-
57	Symptoms and ill-defined conditions---780-795	37	12	2	18	5	7	1	-	4	2
58	All other diseases---Residual	44	5	1	32	6	4	1	-	2	1
59	Accidents---E800-E962	70	10	6	45	9	13	2	-	10	1
60	Inhalation and ingestion of food or other object causing obstruction or suffocation---E921,E922	13	5	1	7	-	1	1	-	-	-
61	Accidental mechanical suffocation in bed and cradle---E924	20	2	1	16	1	5	-	-	5	-
62	All other accidental causes---E800-E920,E923,E925-E962	37	3	4	22	8	7	1	-	5	1
63	Homicide---E964,E980-E999	6	3	2	-	1	-	-	-	-	-

From 45 Selected Causes, by Color: United States and Each State, 1955—Con.

Numbers after causes of death are category numbers of the Sixth Revision of the International Lists, 1948)

NEBRASKA					NEVADA					NEW HAMPSHIRE					NEW JERSEY					
Total deaths under 1 year	Under 28 days		28 days-11 months		Total deaths under 1 year	Under 28 days		28 days-11 months		Total deaths under 1 year	Under 28 days		28 days-11 months		Total deaths under 1 year	Under 28 days		28 days-11 months		
	White	Non-white	White	Non-white		White	Non-white	White	Non-white		White	Non-white	White	Non-white		White	Non-white	White	Non-white	
813	584	51	154	24	188	129	19	28	12	321	246	-	75	-	2,954	1,799	418	533	204	1
1	-	-	-	1	-	-	-	-	-	-	-	-	-	-	2	-	-	-	2	2
-	-	-	-	-	1	-	1	-	-	-	-	-	-	-	1	-	1	-	-	3
-	-	-	-	-	1	-	1	-	-	-	-	-	-	-	-	-	-	-	-	4
1	-	-	1	-	1	1	-	-	-	1	-	-	1	-	2	-	-	1	1	5
5	-	-	5	-	2	1	-	1	-	4	-	-	4	-	20	2	-	14	4	6
2	1	-	1	-	-	-	-	-	-	-	-	-	-	-	17	2	-	9	6	7
2	-	-	2	-	1	1	-	-	-	1	-	-	1	-	19	1	-	13	5	8
7	-	-	6	1	2	-	-	2	-	3	-	-	3	-	25	7	-	14	4	9
43	1	-	35	7	11	-	-	8	3	15	-	-	15	-	233	-	-	149	84	10
5	1	-	3	1	1	-	-	1	-	-	-	-	-	-	1	-	-	1	-	11
38	...	...	32	6	10	...	...	7	3	15	...	...	15	-	232	...	...	148	84	12
23	12	-	9	2	7	2	-	4	1	22	13	-	9	-	54	16	1	28	9	13
5	2	-	3	-	2	1	-	1	-	3	1	-	2	-	34	17	4	8	5	14
15	1	-	9	5	7	-	-	2	5	6	-	-	6	-	55	-	-	33	22	15
2	-	-	2	-	1	-	-	-	1	3	2	-	1	-	18	8	1	9	-	16
146	98	2	45	1	18	10	1	6	1	53	37	-	16	-	463	267	30	147	19	17
8	6	-	2	-	1	-	-	1	-	5	3	-	2	-	46	20	2	23	1	18
71	52	-	19	-	6	4	1	1	-	17	11	-	6	-	196	104	8	78	6	19
67	40	2	24	1	11	6	-	4	1	31	23	-	8	-	221	143	20	46	12	20
511	456	47	5	3	124	109	15	-	-	194	189	-	5	-	1,860	1,447	375	27	11	21
90	85	5	-	-	18	17	1	-	-	36	34	-	2	-	340	282	53	4	1	22
37	35	2	-	-	5	5	-	-	-	12	11	-	1	-	147	122	22	2	1	23
53	50	3	-	-	13	12	1	-	-	24	23	-	1	-	193	160	31	2	-	24
34	32	2	-	-	7	6	1	-	-	9	8	-	1	-	147	119	24	3	1	25
18	17	1	-	-	5	5	-	-	-	5	4	-	1	-	86	71	13	1	1	26
16	15	1	-	-	2	1	1	-	-	4	4	-	-	-	61	48	11	2	-	27
56	53	3	-	-	11	11	-	-	-	27	26	-	1	-	193	163	29	1	-	28
19	18	1	-	-	-	-	-	-	-	7	7	-	-	-	61	51	9	1	-	29
37	35	2	-	-	11	11	-	-	-	20	19	-	1	-	132	112	20	-	-	30
121	108	10	2	1	38	36	2	-	-	43	41	-	2	-	524	431	81	9	3	31
46	41	3	2	-	12	10	2	-	-	13	11	-	2	-	159	125	26	6	2	32
75	67	7	-	1	26	26	-	-	-	30	30	-	-	-	365	306	55	3	1	33
20	18	2	...	...	6	5	1	...	...	13	13	-	...	...	113	81	32	...	...	34
11	10	1	...	...	4	3	1	...	...	5	5	-	...	...	66	45	21	...	...	35
9	8	1	...	...	2	2	-	...	...	8	8	-	...	...	47	36	11	...	...	36
1	1	-	-	-	-	-	-	-	-	1	1	-	-	-	15	9	6	-	-	37
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	10	5	5	-	-	38
1	1	-	-	-	-	-	-	-	-	1	1	-	-	-	5	4	1	-	-	39
1	-	1	-	-	1	1	-	-	-	-	-	-	-	-	6	6	-	-	-	40
1	-	1	-	-	-	-	-	-	-	-	-	-	-	-	3	3	-	-	-	41
-	-	-	-	-	1	1	-	-	-	-	-	-	-	-	3	3	-	-	-	42
7	6	1	-	-	1	-	1	-	-	4	4	-	-	-	18	14	4	-	-	43
2	2	-	-	-	-	-	-	-	-	-	-	-	-	-	7	4	3	-	-	44
5	4	1	-	-	1	-	1	-	-	4	4	-	-	-	11	10	1	-	-	45
25	24	1	-	-	8	7	1	-	-	11	11	-	-	-	77	71	5	-	1	46
23	22	1	-	-	7	7	-	-	-	4	4	-	-	-	71	65	5	-	1	47
2	2	-	-	-	1	-	1	-	-	7	7	-	-	-	6	6	-	-	-	48
9	8	-	-	1	2	1	1	-	-	-	-	-	-	-	34	30	4	-	-	49
6	5	-	-	1	1	-	1	-	-	-	-	-	-	-	19	15	4	-	-	50
3	3	-	-	-	1	1	-	-	-	-	-	-	-	-	15	15	-	-	-	51
33	27	2	3	1	6	4	2	-	-	7	6	-	1	-	115	74	33	5	3	52
2	1	-	-	1	-	-	-	-	-	2	1	-	1	-	16	10	2	3	1	53
31	26	2	3	-	6	4	2	-	-	5	5	-	-	-	99	64	31	2	2	54
8	6	2	-	-	-	-	-	-	-	15	15	-	-	-	39	29	5	3	2	55
196	173	23	-	-	44	38	6	-	-	64	64	-	-	-	579	420	152	6	1	56
5	4	1	-	-	4	3	-	1	-	1	1	-	-	-	14	9	1	3	1	57
12	3	-	8	1	1	-	-	1	-	6	3	-	3	-	46	11	1	29	5	58
33	6	1	23	3	5	1	1	2	1	9	-	-	9	-	84	10	3	46	25	59
9	2	-	7	-	3	1	1	1	-	2	-	-	2	-	24	3	1	14	6	60
15	2	1	10	2	1	-	-	-	1	3	-	-	3	-	30	3	1	18	8	61
9	2	-	6	1	1	-	-	1	-	4	-	-	4	-	30	4	1	14	11	62
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	7	2	1	3	1	63

Table 43. Deaths Under 1 Year, Under 28 Days, and 28 Days to 11 Months,

(By place of residence. Includes only deaths occurring within the continental United States Excludes fetal deaths.

	CAUSE OF DEATH	NEW MEXICO					NEW YORK				
		Total deaths under 1 year	Under 28 days		28 days-11 months		Total deaths under 1 year	Under 28 days		28 days-11 months	
			White	Non-white	White	Non-white		White	Non-white	White	Non-white
1	ALL CAUSES	1,106	549	69	351	139	8,340	5,279	1,116	1,586	359
2	Tuberculosis, all forms-001-019	2	-	-	1	1	5	-	-	2	3
3	Syphilis and its sequelae-020-029	1	1	-	-	-	2	-	2	-	-
4	Dysentery, all forms-045-048	13	-	-	8	5	-	-	-	-	-
5	Whooping cough-056	8	1	-	7	-	3	-	-	2	1
6	All other infective and parasitic diseases-030-044,049-055,057-138	15	-	-	9	6	58	6	-	46	6
7	Diseases of thymus gland-273	2	2	-	-	-	17	4	-	13	-
8	Meningitis, except meningococcal and tuberculous-340	6	-	1	1	4	47	8	-	30	9
9	All other diseases of nervous system and sense organs-330-334,341-398	12	1	-	8	3	46	9	1	26	10
10	Influenza and pneumonia, except pneumonia of newborn-480-493	123	-	3	75	45	598	-	-	446	152
11	Influenza-480-483	7	-	3	3	1	11	-	-	9	2
12	Pneumonia, except pneumonia of newborn-490-493	116	...	...	72	44	587	...	...	437	150
13	All other diseases of respiratory system-470-475,500-527	27	9	-	16	2	209	63	6	109	31
14	Hernia and intestinal obstruction-560,561,570	7	4	1	2	-	73	49	4	17	3
15	Gastritis, duodenitis, enteritis, and colitis, except diarrhea of newborn-543,571,572	117	-	-	82	35	105	-	-	80	25
16	All other diseases of digestive system-530-542,544-553,573-587	5	2	-	2	1	33	14	3	12	4
17	Congenital malformations-750-759	99	52	8	31	8	1,404	771	84	500	49
18	Spina bifida and meningocele-751	4	1	-	1	2	128	60	1	66	1
19	Congenital malformations of circulatory system-754	39	21	1	14	3	640	310	42	257	31
20	All other congenital malformations-750,752,753,755-759	56	30	7	16	3	636	401	41	177	17
21	Certain diseases of early infancy-760-776	528	450	47	23	8	5,338	4,267	999	58	14
22	Birth injuries-760,761	92	83	7	-	2	797	691	102	4	-
23	Without mention of immaturity (0)	46	42	2	-	2	360	304	52	4	-
24	With immaturity (.5)	46	41	5	-	-	437	387	50	-	-
25	Intracranial and spinal injury at birth-760	25	21	4	-	-	399	321	74	4	-
26	Without mention of immaturity (.0)	16	14	2	-	-	235	193	38	4	-
27	With immaturity (.5)	9	7	2	-	-	164	128	36	-	-
28	Other birth injury-761	67	62	3	-	2	398	370	28	-	-
29	Without mention of immaturity (.0)	30	28	-	-	2	125	111	14	-	-
30	With immaturity (.5)	37	34	3	-	-	273	259	14	-	-
31	Postnatal asphyxia and atelectasis-762	117	102	13	1	1	1,723	1,410	283	27	3
32	Without mention of immaturity (.0)	37	34	3	-	-	524	419	79	24	2
33	With immaturity (.5)	80	68	10	1	1	1,199	991	204	3	1
34	Pneumonia of newborn-763	19	14	5	...	...	222	170	52	...	...
35	Without mention of immaturity (.0)	9	8	1	...	...	168	127	41	...	...
36	With immaturity (.5)	10	6	4	...	...	54	43	11	...	...
37	Diarrhea of newborn-764	11	7	4	-	-	19	12	5	2	-
38	Without mention of immaturity (.0)	8	5	3	-	-	14	8	4	2	-
39	With immaturity (.5)	3	2	1	-	-	5	4	1	-	-
40	Other infections of newborn-765-768	7	4	3	-	-	45	38	7	-	-
41	Without mention of immaturity (.0)	5	2	3	-	-	24	22	2	-	-
42	With immaturity (.5)	2	2	-	-	-	21	16	5	-	-
43	Neonatal disorders arising from maternal toxemia-769	5	4	1	-	-	35	34	1	-	-
44	Without mention of immaturity (.0-.4)	2	2	-	-	-	8	8	-	-	-
45	With immaturity (.5-.9)	3	2	1	-	-	27	26	1	-	-
46	Hemolytic disease of newborn (erythroblastosis)-770	18	18	-	-	-	236	221	14	1	-
47	Without mention of immaturity (.0-.2)	12	12	-	-	-	186	177	8	1	-
48	With immaturity (.5-.7)	6	6	-	-	-	50	44	6	-	-
49	Hemorrhagic disease of newborn-771	-	-	-	-	-	58	49	9	-	-
50	Without mention of immaturity (.0)	-	-	-	-	-	39	33	6	-	-
51	With immaturity (.5)	-	-	-	-	-	19	16	3	-	-
52	Ill-defined diseases peculiar to early infancy, including nutritional maladjustment-772,773	34	24	1	7	2	129	94	21	8	6
53	Without mention of immaturity (.0)	13	4	1	6	2	19	8	4	3	4
54	With immaturity (.5)	21	20	-	1	-	110	86	17	5	2
55	Immaturity with mention of any other subsidiary condition-774	27	18	2	6	1	120	103	9	6	2
56	Immaturity unqualified-776	198	176	11	9	2	1,954	1,445	496	10	3
57	Symptoms and ill-defined conditions-780-795	90	19	6	49	16	106	19	3	69	15
58	All other diseases-Residual	18	2	-	15	1	113	31	4	67	11
59	Accidents-E800-E962	34	5	3	22	4	175	35	6	109	25
60	Inhalation and ingestion of food or other object causing obstruction or suffocation-E921,E922	8	3	-	5	-	57	20	1	33	3
61	Accidental mechanical suffocation in bed and cradle-E924	7	2	-	5	-	49	2	1	38	8
62	All other accidental causes-E800-E920,E923,E925-E962	19	-	3	12	4	69	13	4	38	14
63	Homicide-E964,E980-E999	1	1	-	-	-	8	3	4	-	1

From 45 Selected Causes, by Color: United States and Each State, 1955—Con.

Numbers after causes of death are category numbers of the Sixth Revision of the International Lists, 1948)

NORTH CAROLINA					NORTH DAKOTA					OHIO					OKLAHOMA					
Total deaths under 1 year	Under 28 days		28 days-11 months		Total deaths under 1 year	Under 28 days		28 days-11 months		Total deaths under 1 year	Under 28 days		28 days-11 months		Total deaths under 1 year	Under 28 days		28 days-11 months		
	White	Non-white	White	Non-white		White	Non-white	White	Non-white		White	Non-white	White	Non-white		White	Non-white	White	Non-white	
3,500	1,269	982	473	776	433	313	17	89	14	5,549	3,518	665	1,148	218	1,339	823	185	235	96	1
1	-	-	-	1	-	-	-	-	-	4	2	-	-	2	2	-	-	-	2	2
1	-	-	-	1	-	-	-	-	-	2	1	1	-	-	-	-	-	-	-	3
7	1	1	2	3	-	-	-	-	-	2	-	-	1	1	3	-	1	2	-	4
25	-	1	4	20	2	-	-	2	-	9	-	-	6	3	7	-	1	5	1	5
37	2	11	14	10	3	-	-	2	1	47	4	-	37	6	15	2	1	11	1	6
1	-	-	1	-	5	-	-	5	-	10	2	-	8	-	1	-	-	1	-	7
24	4	5	4	11	4	1	-	3	-	34	10	-	20	4	5	1	-	2	2	8
20	1	1	9	9	5	-	-	4	1	59	3	1	46	9	7	1	2	3	1	9
431	1	4	129	297	24	-	-	19	5	346	3	-	278	65	78	2	-	47	29	10
24	1	4	6	13	-	-	-	-	-	14	3	-	10	1	6	2	-	1	3	11
407	...	...	123	284	24	...	...	19	5	332	...	...	268	64	72	...	...	46	26	12
70	10	6	23	31	16	8	1	7	-	211	42	8	121	40	28	12	3	11	2	13
24	8	5	4	7	4	4	-	-	-	60	41	1	17	1	11	6	2	1	2	14
152	-	-	41	111	8	-	-	5	3	94	-	-	80	14	35	-	-	19	16	15
12	1	3	3	5	1	-	-	1	-	23	2	3	16	2	10	6	1	2	1	16
394	182	65	106	41	65	39	2	24	-	911	517	66	299	29	204	118	11	62	13	17
47	21	5	17	4	6	5	-	1	-	68	29	3	36	-	19	6	1	12	-	18
163	67	25	49	22	24	11	2	11	-	407	222	19	150	16	87	44	5	31	7	19
184	94	35	40	15	35	23	-	12	-	436	266	44	113	13	98	68	5	19	6	20
1,905	1,017	814	29	45	273	256	11	6	-	3,485	2,839	578	57	11	825	649	154	14	8	21
308	188	116	2	2	56	53	2	1	-	710	618	82	8	2	143	117	26	-	-	22
160	93	63	2	2	24	21	2	1	-	288	245	34	7	2	64	54	10	-	-	23
148	95	53	-	-	32	32	-	-	-	422	373	48	1	-	79	63	16	-	-	24
116	73	40	1	2	23	20	2	1	-	228	183	35	8	2	56	40	16	-	-	25
97	58	36	1	2	14	11	2	1	-	142	118	15	7	2	35	27	8	-	-	26
19	15	4	-	-	9	9	-	-	-	86	65	20	1	-	21	13	8	-	-	27
192	115	76	1	-	33	33	-	-	-	482	435	47	-	-	87	77	10	-	-	28
63	35	27	1	-	10	10	-	-	-	146	127	19	-	-	29	27	2	-	-	29
129	80	49	-	-	23	23	-	-	-	336	308	28	-	-	58	50	8	-	-	30
433	243	184	3	3	63	58	3	2	-	1,050	874	164	9	3	185	152	26	6	1	31
175	83	91	1	-	22	22	-	-	-	300	244	50	5	1	72	58	8	5	1	32
258	160	93	2	3	41	36	3	2	-	750	630	114	4	2	113	94	18	1	-	33
86	31	55	...	...	10	9	1	...	...	126	100	26	...	...	47	29	18	...	...	34
67	22	45	...	...	8	7	1	...	...	83	65	18	...	...	27	15	12	...	...	35
19	9	10	...	...	2	2	-	...	...	43	35	8	...	...	20	14	6	...	...	36
36	9	27	-	-	2	1	1	-	-	18	17	1	-	-	3	2	1	-	-	37
31	6	25	-	-	2	1	1	-	-	16	16	-	-	-	2	2	-	-	-	38
5	3	2	-	-	-	-	-	-	-	2	1	1	-	-	1	-	1	-	-	39
9	2	7	-	-	4	4	-	-	-	25	17	8	-	-	8	6	1	1	-	40
5	-	5	-	-	4	4	-	-	-	18	14	4	-	-	5	3	1	1	-	41
4	2	2	-	-	-	-	-	-	-	7	3	4	-	-	3	3	-	-	-	42
32	15	17	-	-	8	8	-	-	-	27	24	3	-	-	5	4	1	-	-	43
13	7	6	-	-	2	2	-	-	-	10	10	-	-	-	1	1	-	-	-	44
19	8	11	-	-	6	6	-	-	-	17	14	3	-	-	4	3	1	-	-	45
47	40	5	-	2	19	19	-	-	-	151	141	5	5	-	28	21	5	2	-	46
34	29	3	-	2	12	12	-	-	-	122	114	3	5	-	25	20	3	2	-	47
13	11	2	-	-	7	7	-	-	-	29	27	2	-	-	3	1	2	-	-	48
22	10	12	-	-	3	3	-	-	-	38	31	7	-	-	11	7	4	-	-	49
17	6	11	-	-	1	1	-	-	-	18	15	3	-	-	6	5	1	-	-	50
5	4	1	-	-	2	2	-	-	-	20	16	4	-	-	5	2	3	-	-	51
109	37	34	11	27	13	10	-	3	-	165	109	30	22	4	49	36	5	5	3	52
44	5	12	9	18	3	1	-	2	-	45	18	4	20	3	12	4	2	3	3	53
65	32	22	2	9	10	9	-	1	-	120	91	26	2	1	37	32	3	2	-	54
64	41	10	8	5	12	11	1	-	-	80	57	13	9	1	28	22	3	-	3	55
759	401	347	5	6	83	80	3	-	-	1,095	851	239	4	1	318	253	64	-	1	56
183	20	48	32	83	4	1	1	1	1	45	14	4	22	5	42	13	4	16	9	57
57	12	4	16	25	8	2	-	6	-	98	18	1	69	10	17	5	1	10	1	58
152	8	14	55	75	11	2	2	4	3	100	18	2	65	15	49	8	4	29	8	59
28	2	3	14	9	3	-	2	-	1	33	11	1	19	2	10	5	3	1	1	60
65	3	7	22	33	2	1	-	1	-	21	2	-	16	3	9	-	-	7	2	61
59	3	4	19	33	6	1	-	3	2	46	5	1	30	10	30	3	1	21	5	62
4	2	-	1	1	-	-	-	-	-	9	2	-	6	1	-	-	-	-	-	63

Table 43. Deaths Under 1 Year, Under 28 Days, and 28 Days to 11 Months,

(By place of residence. Includes only deaths occurring within the continental United States Excludes fetal deaths.

	CAUSE OF DEATH	OREGON					PENNSYLVANIA				
		Total deaths under 1 year	Under 28 days		28 days-11 months		Total deaths under 1 year	Under 28 days		28 days-11 months	
			White	Non-white	White	Non-white		White	Non-white	White	Non-white
1	ALL CAUSES	936	654	28	233	21	5,960	3,894	744	1,108	214
2	Tuberculosis, all forms---001-019	1	-	-	1	-	7	2	1	2	2
3	Syphilis and its sequelae---020-029	-	-	-	-	-	1	-	-	1	-
4	Dysentery, all forms---045-048	-	-	-	-	-	1	-	-	-	1
5	Whooping cough---056	1	-	-	-	1	2	-	-	1	1
6	All other infective and parasitic diseases---030-044,049-055,057-138	7	-	-	7	-	56	3	-	48	5
7	Diseases of thymus gland---273	4	-	-	4	-	21	1	1	16	3
8	Meningitis, except meningococcal and tuberculous---340	11	3	-	8	-	40	4	5	25	6
9	All other diseases of nervous system and sense organs---330-334,341-398	8	1	-	6	1	49	6	2	37	4
10	Influenza and pneumonia, except pneumonia of newborn---480-493	60	-	-	53	7	373	-	-	286	87
11	Influenza---480-483	-	-	-	-	-	9	-	-	8	1
12	Pneumonia, except pneumonia of newborn---490-493	60	...	...	53	7	364	...	...	278	86
13	All other diseases of respiratory system---470-475,500-527	41	21	-	20	-	187	111	19	50	7
14	Hernia and intestinal obstruction---560,561,570	14	9	-	4	1	60	45	1	14	-
15	Gastritis, duodenitis, enteritis, and colitis, except diarrhea of newborn---543,571,572	11	1	-	6	4	103	-	1	82	20
16	All other diseases of digestive system---530-542,544-553,573-587	5	2	1	2	-	29	8	2	17	2
17	Congenital malformations---750-759	163	102	2	56	3	938	563	48	307	20
18	Spina bifida and meningocele---751	8	4	-	4	-	72	28	1	43	-
19	Congenital malformations of circulatory system---754	86	48	1	35	2	417	220	22	164	11
20	All other congenital malformations---750,752,753,755-759	69	50	1	17	1	449	315	25	100	9
21	Certain diseases of early infancy---760-776	533	498	23	12	-	3,777	3,065	647	52	13
22	Birth injuries---760,761	131	123	4	4	-	817	696	111	9	1
23	Without mention of immaturity (.0)	52	47	2	3	-	345	294	43	7	1
24	With immaturity (.5)	79	76	2	1	-	472	402	68	2	-
25	Intracranial and spinal injury at birth---760	35	31	1	3	-	317	256	55	5	1
26	Without mention of immaturity (.0)	20	17	1	2	-	208	177	25	5	1
27	With immaturity (.5)	15	14	-	1	-	109	79	30	-	-
28	Other birth injury---761	96	92	3	1	-	500	440	56	4	-
29	Without mention of immaturity (.0)	32	30	1	1	-	137	117	18	2	-
30	With immaturity (.5)	64	62	2	-	-	363	323	38	2	-
31	Postnatal asphyxia and atelectasis---762	150	142	5	3	-	1,005	793	195	14	3
32	Without mention of immaturity (.0)	50	44	3	3	-	341	283	45	10	3
33	With immaturity (.5)	100	98	2	-	-	664	510	150	4	-
34	Pneumonia of newborn---763	20	17	3	...	...	196	149	47	...	...
35	Without mention of immaturity (.0)	10	9	1	...	...	119	93	26	...	...
36	With immaturity (.5)	10	8	2	...	...	77	56	21	...	...
37	Diarrhea of newborn---764	1	1	-	-	-	31	19	11	1	-
38	Without mention of immaturity (.0)	1	1	-	-	-	21	13	7	1	-
39	With immaturity (.5)	-	-	-	-	-	10	6	4	-	-
40	Other infections of newborn---765-768	3	3	-	-	-	27	18	9	-	-
41	Without mention of immaturity (.0)	2	2	-	-	-	15	12	3	-	-
42	With immaturity (.5)	1	1	-	-	-	12	6	6	-	-
43	Neonatal disorders arising from maternal toxemia---769	8	7	1	-	-	36	35	3	-	-
44	Without mention of immaturity (.0-.4)	1	1	-	-	-	11	9	2	-	-
45	With immaturity (.5-.9)	7	6	1	-	-	27	26	1	-	-
46	Hemolytic disease of newborn (erythroblastosis)---770	18	18	-	-	-	164	155	8	1	-
47	Without mention of immaturity (.0-.2)	16	16	-	-	-	127	120	6	1	-
48	With immaturity (.5-.7)	2	2	-	-	-	37	35	2	-	-
49	Hemorrhagic disease of newborn---771	6	4	2	-	-	58	50	8	-	-
50	Without mention of immaturity (.0)	3	1	2	-	-	32	27	5	-	-
51	With immaturity (.5)	3	3	-	-	-	26	23	3	-	-
52	Ill-defined diseases peculiar to early infancy, including nutritional maladjustment---772,773	21	19	1	1	-	230	151	66	8	5
53	Without mention of immaturity (.0)	4	2	1	1	-	51	28	14	5	4
54	With immaturity (.5)	17	17	-	-	-	179	123	52	3	1
55	Immaturity with mention of any other subsidiary condition---774	23	19	-	4	-	145	100	30	11	4
56	Immaturity unqualified---776	152	145	7	-	-	1,066	899	159	8	-
57	Symptoms and ill-defined conditions---780-795	25	9	-	14	2	52	20	6	23	3
58	All other diseases---Residual	15	4	1	10	-	95	29	6	49	11
59	Accidents---E800-E962	36	4	1	29	2	160	30	4	98	28
60	Inhalation and ingestion of food or other object causing obstruction or suffocation---E921,E922	14	3	1	10	-	64	16	1	33	14
61	Accidental mechanical suffocation in bed and cradle---E924	11	1	-	9	1	53	5	1	38	9
62	All other accidental causes---E800-E920,E923,E925-E962	11	-	-	10	1	43	9	2	27	5
63	Homicide---E964,E980-E999	1	-	-	1	-	9	7	1	-	1

From 45 Selected Causes, by Color: United States and Each State, 1955—Con.

Numbers after causes of death are category numbers of the Sixth Revision of the International Lists, 1948)

RHODE ISLAND					SOUTH CAROLINA					SOUTH DAKOTA					TENNESSEE					
Total deaths under 1 year	Under 28 days		28 days-11 months		Total deaths under 1 year	Under 28 days		28 days-11 months		Total deaths under 1 year	Under 28 days		28 days-11 months		Total deaths under 1 year	Under 28 days		28 days-11 months		
	White	Non-white	White	Non-white		White	Non-white	White	Non-white		White	Non-white	White	Non-white		White	Non-white	White	Non-white	
419	310	11	93	5	2,170	650	690	245	585	487	306	29	103	49	2,485	1,221	463	516	285	1
1	-	-	1	-	2	-	-	-	2	2	-	1	-	1	5	-	-	3	2	2
-	-	-	-	-	2	-	2	-	-	-	-	-	-	-	-	-	-	-	-	3
-	-	-	-	-	8	-	1	-	7	1	-	-	-	1	8	-	-	3	5	4
1	-	-	1	-	13	-	-	2	11	1	-	-	1	-	15	-	1	7	7	5
1	-	-	1	-	17	2	-	3	12	3	-	-	3	-	27	1	1	17	8	6
1	-	-	1	-	8	1	-	2	5	1	1	-	-	-	2	1	-	-	1	7
2	-	-	2	-	10	-	2	1	7	10	-	3	4	3	15	1	-	10	4	8
4	1	-	3	-	13	2	-	3	8	12	1	-	7	4	16	-	-	11	5	9
18	-	-	17	1	252	-	1	63	188	32	-	-	15	17	172	-	2	112	58	10
-	-	-	-	-	21	-	1	3	17	2	-	-	2	-	12	-	2	6	4	11
18	...	...	17	1	231	...	...	60	171	30	...	...	13	17	160	...	...	106	54	12
12	5	-	7	-	56	12	3	15	26	7	2	-	1	4	63	22	6	23	12	13
6	4	-	2	-	10	2	1	1	6	5	2	-	2	1	19	7	3	9	-	14
4	-	-	4	-	123	-	-	19	104	16	-	-	9	7	83	-	-	43	40	15
-	-	-	-	-	5	-	2	1	2	2	-	1	1	-	14	5	1	7	1	16
91	56	-	35	-	210	93	35	57	25	78	38	3	36	1	339	183	30	108	18	17
14	6	-	8	-	23	8	4	10	1	5	1	-	4	-	33	13	-	18	2	18
36	21	-	15	-	75	28	13	24	10	35	12	2	20	1	137	69	11	48	9	19
41	29	-	12	-	112	57	18	23	14	38	25	1	12	-	169	101	19	42	7	20
258	238	11	8	1	1,124	518	536	18	52	282	255	18	7	2	1,319	937	340	23	19	21
38	38	-	-	-	164	93	65	2	4	52	48	2	1	1	197	153	38	5	1	22
20	20	-	-	-	82	41	35	2	4	21	19	-	1	1	110	75	29	5	1	23
18	18	-	-	-	82	52	30	-	-	31	29	2	-	-	87	78	9	-	-	24
20	20	-	-	-	77	41	32	2	2	15	13	-	1	1	84	61	18	5	-	25
14	14	-	-	-	53	27	22	2	2	8	6	-	1	1	71	50	16	5	-	26
6	6	-	-	-	24	14	10	-	-	7	7	-	-	-	13	11	2	-	-	27
18	18	-	-	-	87	52	33	-	2	37	35	2	-	-	113	92	20	-	1	28
6	6	-	-	-	29	14	13	-	2	13	13	-	-	-	39	25	13	-	1	29
12	12	-	-	-	58	38	20	-	-	24	22	2	-	-	74	67	7	-	-	30
66	60	2	4	-	274	155	112	6	1	79	74	3	2	-	302	237	61	2	2	31
22	17	1	4	-	103	55	42	5	1	30	27	3	-	-	113	83	27	1	2	32
44	43	1	-	-	171	100	70	1	-	49	47	-	2	-	189	154	34	1	-	33
4	4	-	...	...	71	14	57	...	...	20	18	2	...	...	63	40	23	...	...	34
4	4	-	...	...	51	10	41	...	...	14	12	2	...	...	43	29	14	...	...	35
-	-	-	...	...	20	4	16	...	...	6	6	-	...	...	20	11	9	...	...	36
-	-	-	-	-	15	-	15	-	-	2	2	-	-	-	15	9	6	-	-	37
-	-	-	-	-	13	-	13	-	-	2	2	-	-	-	11	6	5	-	-	38
-	-	-	-	-	2	-	2	-	-	-	-	-	-	-	4	3	1	-	-	39
2	1	1	-	-	8	5	3	-	-	1	1	-	-	-	18	8	9	1	-	40
1	-	1	-	-	6	5	1	-	-	1	1	-	-	-	13	8	4	1	-	41
1	1	-	-	-	2	-	2	-	-	-	-	-	-	-	5	-	5	-	-	42
1	1	-	-	-	29	11	18	-	-	5	5	-	-	-	14	11	3	-	-	43
1	1	-	-	-	5	1	4	-	-	3	3	-	-	-	6	5	1	-	-	44
-	-	-	-	-	24	10	14	-	-	2	2	-	-	-	8	6	2	-	-	45
11	11	-	-	-	27	19	8	-	-	12	12	-	-	-	29	24	3	-	2	46
7	7	-	-	-	24	18	6	-	-	11	11	-	-	-	26	21	3	-	2	47
4	4	-	-	-	3	1	2	-	-	1	1	-	-	-	3	3	-	-	-	48
1	1	-	-	-	25	9	16	-	-	2	2	-	-	-	17	6	11	-	-	49
1	1	-	-	-	19	4	15	-	-	2	2	-	-	-	10	4	6	-	-	50
-	-	-	-	-	6	5	1	-	-	-	-	-	-	-	7	2	5	-	-	51
9	9	-	-	-	89	26	30	5	28	12	9	1	1	1	85	56	16	8	5	52
1	1	-	-	-	47	5	12	5	25	7	4	1	1	1	36	18	7	7	4	53
8	8	-	-	-	42	21	18	-	3	5	5	-	-	-	49	38	9	1	1	54
11	8	1	2	-	36	16	5	3	12	7	5	-	2	-	18	12	3	1	2	55
115	105	7	2	1	386	170	207	2	7	90	79	10	1	-	561	381	167	6	7	56
-	-	-	-	-	182	4	81	18	79	9	2	3	-	4	268	45	69	79	75	57
11	4	-	6	1	36	8	5	12	11	9	2	-	7	-	40	9	4	19	8	58
9	2	-	5	2	98	7	21	30	40	17	3	-	10	4	80	10	6	42	22	59
-	-	-	-	-	21	3	7	7	4	3	1	-	1	1	26	7	3	8	8	60
5	-	-	3	2	36	2	5	12	17	6	1	-	4	1	12	-	1	9	2	61
4	2	-	2	-	41	2	9	11	19	8	1	-	5	2	42	3	2	25	12	62
-	-	-	-	-	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	63

Table 43. Deaths Under 1 Year, Under 28 Days, and 28 Days to 11 Months,

(By place of residence. Includes only deaths occurring within the continental United States. Excludes fetal deaths.

	CAUSE OF DEATH	TEXAS					UTAH				
		Total deaths under 1 year	Under 28 days		28 days-11 months		Total deaths under 1 year	Under 28 days		28 days-11 months	
			White	Non-white	White	Non-white		White	Non-white	White	Non-white
1	ALL CAUSES	7,278	3,908	888	1,925	557	509	388	9	101	11
2	Tuberculosis, all forms---001-019	17	3	-	13	1	-	-	-	-	-
3	Syphilis and its sequelae---020-029	2	2	-	-	-	-	-	-	-	-
4	Dysentery, all forms---045-048	109	4	-	94	11	-	-	-	-	-
5	Whooping cough---056	43	2	-	32	9	2	1	-	1	-
6	All other infective and parasitic diseases---030-044,049-055,057-138	119	16	16	71	16	5	-	1	4	-
7	Diseases of thymus gland---273	8	5	-	3	-	-	-	-	-	-
8	Meningitis, except meningococcal and tuberculous---340	46	3	2	29	12	3	1	-	2	-
9	All other diseases of nervous system and sense organs---330-334,341-398	56	4	2	38	12	4	-	-	4	-
10	Influenza and pneumonia, except pneumonia of newborn---480-493	555	-	4	392	159	27	-	-	25	2
11	Influenza---480-483	35	-	4	16	15	-	-	-	-	-
12	Pneumonia, except pneumonia of newborn---480-493	520	...	...	376	144	27	...	...	25	2
13	All other diseases of respiratory system---470-475,500-527	143	63	12	56	12	12	4	-	7	1
14	Hernia and intestinal obstruction---560,561,570	49	30	8	9	2	9	6	-	3	-
15	Gastritis, duodenitis, enteritis, and colitis, except diarrhea of newborn---543,571,572	589	-	1	489	99	6	-	-	2	4
16	All other diseases of digestive system---530-542,544-553,573-587	38	9	5	13	11	2	1	-	1	-
17	Congenital malformations---750-759	841	476	62	253	50	81	55	1	23	2
18	Spina bifida and meningocele---751	63	25	2	34	2	3	3	-	-	-
19	Congenital malformations of circulatory system---754	392	206	26	130	30	43	27	1	15	-
20	All other congenital malformations---750,752,753,755-759	386	245	34	89	18	35	25	-	8	2
21	Certain diseases of early infancy---760-776	4,055	3,176	719	118	42	321	312	5	3	1
22	Birth injuries---760,761	662	550	108	3	1	58	57	-	1	-
23	Without mention of immaturity (.0)	323	263	58	2	-	20	20	-	-	-
24	With immaturity (.5)	339	287	50	1	1	38	37	-	1	-
25	Intracranial and spinal injury at birth---760	269	215	52	1	1	14	14	-	-	-
26	Without mention of immaturity (.0)	181	144	36	1	-	9	9	-	-	-
27	With immaturity (.5)	88	71	16	-	1	5	5	-	-	-
28	Other birth injury---761	393	335	56	2	-	44	43	-	1	-
29	Without mention of immaturity (.0)	142	119	22	1	-	11	11	-	-	-
30	With immaturity (.5)	251	216	34	1	-	33	32	-	1	-
31	Postnatal asphyxia and atelectasis---762	947	799	127	12	9	106	104	2	-	-
32	Without mention of immaturity (.0)	373	302	55	9	7	21	21	-	-	-
33	With immaturity (.5)	574	497	72	3	2	85	83	2	-	-
34	Pneumonia of newborn---763	238	191	47	...	...	6	6	-	...	...
35	Without mention of immaturity (.0)	171	138	33	...	...	4	4	-	...	...
36	With immaturity (.5)	67	53	14	...	...	2	2	-	...	...
37	Diarrhea of newborn---764	75	64	10	1	-	3	3	-	-	-
38	Without mention of immaturity (.0)	65	57	8	-	-	3	3	-	-	-
39	With immaturity (.5)	10	7	2	1	-	-	-	-	-	-
40	Other infections of newborn---765-768	50	34	15	1	-	4	4	-	-	-
41	Without mention of immaturity (.0)	35	25	10	-	-	2	2	-	-	-
42	With immaturity (.5)	15	9	5	1	-	2	2	-	-	-
43	Neonatal disorders arising from maternal toxemia---769	42	29	13	-	-	8	8	-	-	-
44	Without mention of immaturity (.0-.4)	18	11	7	-	-	3	3	-	-	-
45	With immaturity (.5-.9)	24	18	6	-	-	5	5	-	-	-
46	Hemolytic disease of newborn (erythroblastosis)---770	130	118	6	6	-	13	13	-	-	-
47	Without mention of immaturity (.0-.2)	99	88	6	5	-	10	10	-	-	-
48	With immaturity (.5-.7)	31	30	-	1	-	3	3	-	-	-
49	Hemorrhagic disease of newborn---771	57	47	10	-	-	4	4	-	-	-
50	Without mention of immaturity (.0)	39	34	5	-	-	3	3	-	-	-
51	With immaturity (.5)	18	13	5	-	-	1	1	-	-	-
52	Ill-defined diseases peculiar to early infancy, including nutritional maladjustment---772,773	288	164	48	56	20	8	6	-	1	1
53	Without mention of immaturity (.0)	111	36	15	46	14	6	4	-	1	1
54	With immaturity (.5)	177	128	33	10	6	2	2	-	-	-
55	Immaturity with mention of any other subsidiary condition---774	112	61	15	29	7	12	12	-	-	-
56	Immaturity unqualified---776	1,454	1,119	320	10	5	99	95	3	1	-
57	Symptoms and ill-defined conditions---780-795	210	64	30	82	34	14	2	2	9	1
58	All other diseases---Residual	116	20	10	70	16	6	3	-	3	-
59	Accidents---E800-E962	279	31	17	160	71	17	3	-	14	-
60	Inhalation and ingestion of food or other object causing obstruction or suffocation---E921,E922	55	13	5	24	13	9	3	-	6	-
61	Accidental mechanical suffocation in bed and cradle---E924	69	1	2	47	19	3	-	-	3	-
62	All other accidental causes---E800-E920,E923,E925-E962	155	17	10	89	39	5	-	-	5	-
63	Homicide---E964,E980-E999	3	-	-	3	-	-	-	-	-	-

From 45 Selected Causes, by Color: United States and Each State, 1955—Con.

Numbers after causes of death are category numbers of the Sixth Revision of the International Lists, 1948)

VERMONT					VIRGINIA					WASHINGTON					WEST VIRGINIA					
Total deaths under 1 year	Under 28 days		28 days-11 months		Total deaths under 1 year	Under 28 days		28 days-11 months		Total deaths under 1 year	Under 28 days		28 days-11 months		Total deaths under 1 year	Under 28 days		28 days-11 months		
	White	Non-white	White	Non-white		White	Non-white	White	Non-white		White	Non-white	White	Non-white		White	Non-white	White	Non-white	
244	188	-	55	1	2,786	1,346	670	399	371	1,531	1,026	65	365	75	1,206	804	40	339	23	1
-	-	-	-	-	2	-	-	2	-	-	-	-	-	-	-	-	-	-	-	2
-	-	-	-	-	2	-	1	-	1	-	-	-	-	-	1	1	-	-	-	3
-	-	-	-	-	7	-	2	2	3	-	-	-	-	-	1	1	-	-	-	4
-	-	-	-	-	11	1	-	3	7	3	-	-	3	-	5	-	-	2	3	5
3	-	-	3	-	27	3	2	15	7	13	2	-	10	1	15	2	-	12	1	6
-	-	-	-	-	3	2	-	1	-	3	-	-	3	-	3	1	-	2	-	7
1	-	-	1	-	21	1	1	7	12	7	1	-	4	2	4	-	-	3	1	8
1	-	-	1	-	16	-	2	6	8	10	1	-	7	2	10	-	1	9	-	9
10	-	-	9	1	230	-	1	100	129	164	-	-	126	38	120	-	-	112	8	10
-	-	-	-	-	8	-	1	1	6	3	-	-	2	1	7	-	-	6	1	11
10	...	...	9	1	222	...	...	99	123	161	...	...	124	37	113	...	...	106	7	12
6	3	-	3	-	103	33	9	31	30	45	17	1	24	3	23	7	1	14	1	13
2	2	-	-	-	11	3	3	4	1	20	11	1	7	1	9	5	-	4	-	14
2	-	-	2	-	90	-	-	36	54	27	-	-	18	9	26	-	-	25	1	15
1	1	-	-	-	17	2	9	2	4	7	2	-	5	-	6	1	-	4	1	16
38	19	-	19	-	348	186	40	102	20	203	129	3	65	6	161	97	8	55	1	17
5	3	-	2	-	35	17	2	16	-	8	5	-	3	-	18	7	-	11	-	18
14	6	-	8	-	142	64	19	49	10	95	54	1	38	2	64	37	2	25	-	19
19	10	-	9	-	171	105	19	37	10	100	70	2	24	4	79	53	6	19	1	20
169	161	-	8	-	1,691	1,074	570	12	35	922	847	56	16	3	717	661	27	25	4	21
45	44	-	1	-	281	189	90	1	1	170	158	10	2	-	126	119	6	1	-	22
21	20	-	1	-	137	82	53	1	1	72	65	5	2	-	61	57	3	1	-	23
24	24	-	-	-	144	107	37	-	-	98	93	5	-	-	65	62	3	-	-	24
20	19	-	1	-	125	81	42	1	1	60	56	3	1	-	56	50	5	1	-	25
10	9	-	1	-	86	52	32	1	1	36	32	3	1	-	41	38	2	1	-	26
10	10	-	-	-	39	29	10	-	-	24	24	-	-	-	15	12	3	-	-	27
25	25	-	-	-	156	108	48	-	-	110	102	7	1	-	70	69	1	-	-	28
11	11	-	-	-	51	30	21	-	-	36	33	2	1	-	20	19	1	-	-	29
14	14	-	-	-	105	78	27	-	-	74	69	5	-	-	50	50	-	-	-	30
49	47	-	2	-	436	293	140	2	1	278	258	16	4	-	192	178	8	5	1	31
15	14	-	1	-	144	97	44	2	1	103	96	3	4	-	73	68	2	3	-	32
34	33	-	1	-	292	196	96	-	-	175	162	13	-	-	119	110	6	2	1	33
8	8	-	...	...	96	53	43	...	...	25	23	2	...	...	45	43	2	...	...	34
6	6	-	...	...	69	37	32	...	...	16	14	2	...	...	31	29	2	...	...	35
2	2	-	...	...	27	16	11	...	...	9	9	-	...	...	14	14	-	...	...	36
1	1	-	-	-	29	3	26	-	-	6	6	-	-	-	8	8	-	-	-	37
-	-	-	-	-	22	2	20	-	-	4	4	-	-	-	6	6	-	-	-	38
1	1	-	-	-	7	1	6	-	-	2	2	-	-	-	2	2	-	-	-	39
1	1	-	-	-	17	9	8	-	-	3	3	-	-	-	3	3	-	-	-	40
-	-	-	-	-	11	6	5	-	-	-	-	-	-	-	1	1	-	-	-	41
1	1	-	-	-	6	3	3	-	-	3	3	-	-	-	2	2	-	-	-	42
5	5	-	-	-	15	10	5	-	-	10	10	-	-	-	6	6	-	-	-	43
-	-	-	-	-	7	5	2	-	-	4	4	-	-	-	-	-	-	-	-	44
5	5	-	-	-	8	5	3	-	-	6	6	-	-	-	6	6	-	-	-	45
6	5	-	1	-	49	39	9	1	-	50	46	1	1	-	26	25	-	1	-	46
5	4	-	1	-	37	30	6	1	-	45	43	1	1	-	20	20	-	-	-	47
1	1	-	-	-	12	9	3	-	-	5	5	-	-	-	6	5	-	1	-	48
-	-	-	-	-	17	11	6	-	-	4	3	-	1	-	9	8	1	-	-	49
-	-	-	-	-	9	5	4	-	-	4	3	-	1	-	6	5	1	-	-	50
-	-	-	-	-	8	6	2	-	-	-	-	-	-	-	3	3	-	-	-	51
6	5	-	1	-	141	61	53	2	25	42	33	2	4	3	66	54	1	11	-	52
1	-	-	1	-	38	9	9	2	18	10	3	1	3	3	16	8	-	8	-	53
5	5	-	-	-	103	52	44	-	7	32	30	1	1	-	50	46	1	3	-	54
11	8	-	3	-	49	29	10	4	6	21	18	1	2	-	17	15	1	1	-	55
37	37	-	-	-	561	377	180	2	2	313	287	24	2	-	219	202	8	6	3	56
1	1	-	-	-	61	19	17	11	14	10	2	1	6	1	48	17	3	28	-	57
6	1	-	5	-	47	9	5	24	9	32	3	1	24	4	18	4	-	14	-	58
3	-	-	3	-	95	10	7	41	37	63	10	2	46	5	37	6	-	29	2	59
1	-	-	1	-	31	6	3	14	8	19	5	1	10	3	7	3	-	4	-	60
1	-	-	1	-	24	1	-	12	11	13	1	1	11	-	19	1	-	16	2	61
1	-	-	1	-	40	3	4	15	18	31	4	-	25	2	11	2	-	9	-	62
1	-	-	1	-	4	3	1	-	-	2	1	-	1	-	2	1	-	1	-	63

Table 43. Deaths Under 1 Year, Under 28 Days, and 28 Days to 11 Months, From 45 Selected Causes, by Color: United States and Each State, 1955—Con.

(By place of residence. Includes only deaths occurring within the continental United States. Excludes fetal deaths. Numbers after causes of death are category numbers of the Sixth Revision of the International Lists, 1948)

	CAUSE OF DEATH	WISCONSIN					WYOMING				
		Total deaths under 1 year	Under 28 days		28 days-11 months		Total deaths under 1 year	Under 28 days		28 days-11 months	
			White	Non-white	White	Non-white		White	Non-white	White	Non-white
1	ALL CAUSES	2,190	1,594	80	476	40	245	172	10	49	14
2	Tuberculosis, all forms---001-019	-	-	-	-	-	-	-	-	-	-
3	Syphilis and its sequelae---020-029	-	-	-	-	-	1	-	-	-	1
4	Dysentery, all forms---045-048	2	1	-	-	1	-	-	-	-	-
5	Whooping cough---056	-	-	-	-	-	2	-	-	1	1
6	All other infective and parasitic diseases---030-044,049-055,057-138	28	2	1	24	1	3	-	-	3	-
7	Diseases of thymus gland---273	4	-	1	3	-	-	-	-	-	-
8	Meningitis, except meningococcal and tuberculous---340	15	1	1	12	1	2	-	-	2	-
9	All other diseases of nervous system and sense organs---330-334,341-398	17	3	-	14	-	3	-	-	3	-
10	Influenza and pneumonia, except pneumonia of newborn---480-493	138	1	-	120	17	18	-	1	12	5
11	Influenza---480-483	5	1	-	4	-	1	-	1	-	-
12	Pneumonia, except pneumonia of newborn---490-493	133	...	...	116	17	17	...	...	12	5
13	All other diseases of respiratory system---470-475,500-527	63	30	-	31	2	12	7	-	4	1
14	Hernia and intestinal obstruction---560,561,570	24	13	-	9	2	3	2	-	1	-
15	Gastritis, duodenitis, enteritis, and colitis, except diarrhea of newborn---543,571,572	39	-	-	32	7	7	-	-	5	2
16	All other diseases of digestive system---530-542,544-553,573-587	13	5	-	8	-	1	-	-	1	-
17	Congenital malformations---750-759	386	253	8	120	5	31	24	-	6	1
18	Spina bifida and meningocele---751	27	17	-	10	-	-	-	-	-	-
19	Congenital malformations of circulatory system---754	176	104	4	66	2	22	18	-	4	-
20	All other congenital malformations---750,752,753,755-759	183	132	4	44	3	9	6	-	2	1
21	Certain diseases of early infancy---760-776	1,346	1,265	65	15	1	152	139	9	1	3
22	Birth injuries---760,761	325	317	7	1	-	24	23	1	-	-
23	Without mention of immaturity (.0)	109	105	3	1	-	9	8	1	-	-
24	With immaturity (.5)	216	212	4	-	-	15	15	-	-	-
25	Intracranial and spinal injury at birth---760	70	68	1	1	-	4	4	-	-	-
26	Without mention of immaturity (.0)	56	54	1	1	-	2	2	-	-	-
27	With immaturity (.5)	14	14	-	-	-	2	2	-	-	-
28	Other birth injury---761	255	249	6	-	-	20	19	1	-	-
29	Without mention of immaturity (.0)	53	51	2	-	-	7	6	1	-	-
30	With immaturity (.5)	202	198	4	-	-	13	13	-	-	-
31	Postnatal asphyxia and atelectasis---762	294	270	20	4	-	34	31	1	1	1
32	Without mention of immaturity (.0)	110	98	8	4	-	15	12	1	1	1
33	With immaturity (.5)	184	172	12	-	-	19	19	-	-	-
34	Pneumonia of newborn---763	46	46	-	...	...	7	6	1	...	...
35	Without mention of immaturity (.0)	29	29	-	...	...	5	4	1	...	...
36	With immaturity (.5)	17	17	-	...	...	2	2	-	...	...
37	Diarrhea of newborn---764	5	4	1	-	-	3	1	2	-	-
38	Without mention of immaturity (.0)	5	4	1	-	-	2	1	1	-	-
39	With immaturity (.5)	-	-	-	-	-	1	-	1	-	-
40	Other infections of newborn---765-768	3	2	-	1	-	1	1	-	-	-
41	Without mention of immaturity (.0)	2	1	-	1	-	-	-	-	-	-
42	With immaturity (.5)	1	1	-	-	-	1	1	-	-	-
43	Neonatal disorders arising from maternal toxemia---769	21	20	1	-	-	4	4	-	-	-
44	Without mention of immaturity (.0-.4)	3	3	-	-	-	2	2	-	-	-
45	With immaturity (.5-.9)	18	17	1	-	-	2	2	-	-	-
46	Hemolytic disease of newborn (erythroblastosis)---770	65	65	-	-	-	7	7	-	-	-
47	Without mention of immaturity (.0-.2)	48	48	-	-	-	7	7	-	-	-
48	With immaturity (.5-.7)	17	17	-	-	-	-	-	-	-	-
49	Hemorrhagic disease of newborn---771	6	5	1	-	-	1	-	-	-	1
50	Without mention of immaturity (.0)	3	3	-	-	-	1	-	-	-	1
51	With immaturity (.5)	3	2	1	-	-	-	-	-	-	-
52	Ill-defined diseases peculiar to early infancy, including nutritional maladjustment---772,773	49	46	1	2	-	5	5	-	-	-
53	Without mention of immaturity (.0)	6	3	1	2	-	-	-	-	-	-
54	With immaturity (.5)	43	43	-	-	-	5	5	-	-	-
55	Immaturity with mention of any other subsidiary condition---774	35	31	-	3	1	5	4	-	-	1
56	Immaturity unqualified---776	497	459	34	4	-	61	57	4	-	-
57	Symptoms and ill-defined conditions---780-795	10	1	1	7	1	1	-	-	1	-
58	All other diseases---Residual	45	12	-	32	1	1	-	-	1	-
59	Accidents---E800-E962	59	6	3	49	1	8	-	-	8	-
60	Inhalation and ingestion of food or other object causing obstruction or suffocation---E921,E922	16	4	1	11	-	3	-	-	3	-
61	Accidental mechanical suffocation in bed and cradle---E924	18	1	-	16	1	2	-	-	2	-
62	All other accidental causes---E800-E920,E923,E925-E962	25	1	2	22	-	3	-	-	3	-
63	Homicide---E964,E980-E999	1	1	-	-	-	-	-	-	-	-

U. S. GOVERNMENT PRINTING OFFICE : 1957 O -430007