

Series 13

No. 127



Vital and Health Statistics

From the CENTERS FOR DISEASE CONTROL AND PREVENTION / National Center for Health Statistics

Detailed Diagnoses and Procedures, National Hospital Discharge Survey, 1994

March 1997



U.S. DEPARTMENT OF HEALTH AND HUMAN SERVICES
Centers for Disease Control and Prevention
National Center for Health Statistics



Copyright information

All material appearing in this report is in the public domain and may be reproduced or copied without permission; citation as to source, however, is appreciated.

Suggested Citation

Graves EJ, Gillum BS. Detailed diagnoses and procedures, National Hospital Discharge Survey, 1994. National Center for Health Statistics. *Vital Health Stat* 13(127). 1997.

Library of Congress Catalog Card Number 90-13573

For sale by the U.S. Government Printing Office
Superintendent of Documents
Mail Stop: SSOP
Washington, DC 20402-9328
Printed on acid-free paper.

Vital and Health Statistics

Detailed Diagnoses and Procedures, National Hospital Discharge Survey, 1994

Series 13
Data From the National Health
Survey
No. 127

U.S. DEPARTMENT OF HEALTH AND HUMAN SERVICES
Centers for Disease Control and Prevention
National Center for Health Statistics

Hyattsville, Maryland
March 1997
DHHS Publication No. 97-1788

National Center for Health Statistics

Edward J. Sondik, Ph.D., *Director*

Jack R. Anderson, *Deputy Director*

Jack R. Anderson, *Acting Associate Director for
International Statistics*

Lester R. Curtin, Ph.D., *Acting Associate Director for
Research and Methodology*

Jacob J. Feldman, Ph.D., *Associate Director for Analysis,
Epidemiology, and Health Promotion*

Gail F. Fisher, Ph.D., *Associate Director for Data Standards,
Program Development, and Extramural Programs*

Edward L. Hunter, *Associate Director for Planning, Budget,
and Legislation*

Jennifer H. Madans, Ph.D., *Acting Associate Director for
Vital and Health Statistics Systems*

Stephen E. Nieberding, *Associate Director for
Management*

Charles J. Rothwell, *Associate Director for Data
Processing and Services*

Division of Health Care Statistics

W. Edward Bacon, Ph.D., *Director*

Thomas McLemore, *Deputy Director*

Robert Pokras, *Chief, Hospital Care Statistics Branch*

Cooperation of the U.S. Bureau of the Census

Under the legislation establishing the National Health Survey, the Public Health Service is authorized to use, insofar as possible, the services or facilities of other Federal, State, or private agencies.

In accordance with specifications established by the National Center for Health Statistics, the U.S. Bureau of the Census, under a contractual arrangement, participated in planning the survey and collecting the data.

Contents

- Abstract 1
- Introduction 1
- Methods 1
 - Data Source 1
 - Estimation 2
 - Use of Tables 2
- References 3

List of Detailed Tables

- 1. Number of first-listed diagnoses for discharges from short-stay hospitals, by ICD-9-CM code, sex and age of patient, and geographic region of hospital: United States, 1994 4
- 2. Number of days of care for discharges from short-stay hospitals, by ICD-9-CM code of first-listed diagnosis, sex and age of patient, and geographic region of hospital: United States, 1994 32
- 3. Number of all-listed diagnoses for discharges from short-stay hospitals, by ICD-9-CM code, sex and age of patient, and geographic region of hospital: United States, 1994 60
- 4. Number of all-listed procedures for discharges from short-stay hospitals, by ICD-9-CM code, sex and age of patient, and geographic region of hospital: United States, 1994 117

Appendixes

- I. Technical Notes on Methods 140
 - Reliability of Estimates 140
 - Population Estimates 140
- II. Conversion Tables of Changes in ICD-9-CM Codes 141

Appendix Tables

- I. Estimated parameters for approximate relative standard error equations for National Hospital Discharge Survey statistics by selected characteristics: United States, 1994 140
- II. Civilian population, by sex, age, and geographic region: United States, 1994 141
- III. Diagnosis codes 141
- IV. Procedure codes 144

Abstract

Objectives

This report presents national estimates of the use of non-Federal short-stay hospitals in the United States during 1994. Estimates of first-listed diagnoses, all-listed diagnoses, days of care for first-listed diagnoses, and all-listed procedures are shown by sex and age of patient and geographic region of hospital.

Methods

The estimates are based on data collected through the National Hospital Discharge Survey for 1994. The survey has been conducted annually by the National Center for Health Statistics since 1965. In 1994, data were collected for approximately 277,000 discharges from 478 non-Federal short-stay hospitals. Diagnoses and procedures are presented according to their code number in the *International Classification of Diseases, 9th Revision, Clinical Modification (ICD-9-CM)*.

Keywords: Inpatients • Diagnoses • Procedures • ICD-9-CM

Detailed Diagnoses and Procedures, National Hospital Discharge Survey, 1994

by Edmund J. Graves and Brenda S. Gillum, Division of Health Care Statistics

Introduction

The purpose of this report is to present data from the 1994 National Hospital Discharge Survey (NHDS). The survey has been conducted continuously by the National Center for Health Statistics (NCHS) since 1965. National estimates of hospital use derived from the NHDS are published for each calendar year by NCHS. This report is intended as a source for researchers and others who need data for detailed diagnostic and procedure categories. Estimates of specific diagnoses and procedures and days of care for first-listed diagnoses are shown by age and sex of patients and geographic region of the hospitals. Similar reports have been published with data for 1977-79 (1-3) and 1983-93 (4-14). Other data from the NHDS are also published in Series 13 of *Vital and Health Statistics*.

The NHDS is the principal source for national data on the characteristics of discharges from non-Federal short-stay hospitals. Data from the NHDS are used to examine important topics in public health (15-19) and for a variety of planning, administrative, and evaluation activities by governmental, scien-

tific, academic, and commercial institutions.

Estimates of the number of procedures shown in this report are for inpatients only. Data on ambulatory surgery are collected by means of another survey conducted by NCHS, the National Survey of Ambulatory Surgery (NSAS). The NSAS was implemented in 1994 and covers ambulatory surgery provided in hospitals and freestanding ambulatory surgery centers. Data from NSAS were not available at the time this report was prepared and are not included in the tables.

Methods

Data Source

Through the NHDS, data are collected from a sample of inpatient records acquired from a national sample of hospitals. Data from the NHDS represent a sample of discharges not individuals. Persons with multiple discharges during the year may be sampled more than once. Only hospitals with an average length of stay of fewer than 30 days for all patients, general hospitals, or children's general hospitals are included in the survey. Federal, mili-

NOTE: This report was prepared in the Division of Health Care Statistics. Maria Owings of the Hospital Care Statistics Branch and George Wolfe of the Technical Services Branch produced estimated parameters for relative standard error equations. Marie Leahy and Pat Marrone, OAO Corporation, did the computer programming for the report. Trena Ezzati-Rice of the Office of Research and Methodology was the peer reviewer. This report was edited by Rolfe Larson and Gail Johnson and typeset by Annette F. Holman, of the Publication Branch, Division of Data Services.

tary, and Department of Veterans Affairs hospitals, as well as hospital units of institutions (such as prison hospitals) and hospitals with fewer than six beds staffed for patient use, are excluded. Beginning in 1988, the sampling frame for hospitals has been the *SMG Hospital Market Database* (20–22).

Prior to 1988, the NHDS had a two-stage design, but in 1988 the survey was redesigned (23). Beginning in 1988, all hospitals with 1,000 beds or more or 40,000 discharges or more annually were included in the sample with certainty, while the remaining sample of hospitals was based on a stratified three-stage design. The first stage consisted of the selection of 112 primary sampling units (PSU's) that comprise a probability sample of PSU's used in the 1985–94 National Health Interview Survey (24). The second stage consisted of the selection of noncertainty hospitals from the sample PSU's. At the third stage, a systematic random sample of discharges within hospitals was selected.

For 1994, the sample consisted of 525 hospitals, 13 of which were out of scope (ineligible) because they had gone out of business or otherwise failed to meet the criteria for the NHDS universe. Of the 512 in-scope (eligible) hospitals, 478 (93 percent) responded to the survey. Data were collected for approximately 277,000 patient discharges from the 478 responding hospitals.

Two data collection procedures were used for the survey. One was a manual system in which sample selection and transcription of information from the hospital records to abstract forms were performed by the hospital's staff or by staff of the U.S. Bureau of the Census on behalf of NCHS. Completed forms were sent to NCHS for coding, editing, and post-survey weighting adjustments.

The other data collection procedure was an automated system in which NCHS purchased tapes containing machine-readable medical record data from commercial organizations, State data systems, hospitals, or hospital associations. Records from these tapes were systematically sampled by NCHS. In 1994, approximately 38 percent of respondent hospitals provided data through the automated system.

The medical abstract form and the automated data tapes contain items that relate to the personal characteristics of the patient. These items include birth date (or age), sex, race, ethnicity, marital status, ZIP Code, and expected sources of payment. Administrative items such as admission and discharge dates, discharge status, and medical record number are also included. The medical information about patients includes diagnoses, surgical and nonsurgical procedures, and dates of surgery. (The medical record number, date of birth, and ZIP Code are confidential information that are not available to the public).

For the manual data collection, an ongoing quality control program is undertaken on the coding and keying of data from abstracts to machine-readable form. Approximately 5 percent of the abstracts are independently recoded by an NHDS coder, with discrepancies resolved by the chief coder. The overall error rate for records manually coded by NCHS for the 1994 data year was 4.0 percent for medical (ICD–9–CM) coding and keying and 0.7 percent for demographic coding and keying.

Estimation

Because of the nature of sample data, the survey data must be inflated or weighted in order to produce national estimates. The estimation procedure produces essentially unbiased national estimates and has three basic components: (a) inflation by reciprocals of the probabilities of sample selection, (b) adjustment for nonresponse, and (c) population weighting ratio adjustments. These three components of the final weight are described in more detail in an earlier report (14). Information about the standard errors of statistics for the 1994 NHDS is in [appendix I](#) of this report.

Use of Tables

The tables in this report present diagnoses and procedures according to the detailed code numbers of the *International Classification of Diseases, 9th Revision, Clinical Modification* (ICD–9–CM)(25), which is updated periodically

(see [appendix II](#)). Estimates shown are the number of first-listed diagnoses ([table 1](#)), number of days of care ([table 2](#)), number of all-listed diagnoses ([table 3](#)), and number of all-listed procedures ([table 4](#)) for discharges from short-stay hospitals.

The first-listed diagnosis ([table 1](#)) is the one specified as the principal diagnosis on the face sheet or discharge summary of the medical record. However, if the principal diagnosis is not specified, it is the first one listed on the face sheet or discharge summary of the medical record. Data for all-listed diagnoses ([table 3](#)) include the first-listed diagnosis and other diagnoses appearing in the medical record. A minimum of one and a maximum of seven diagnoses are coded.

Estimates of procedures, which consist of surgical and nonsurgical procedures, are also published. Estimates of all-listed procedures ([table 4](#)) contain all occurrences of the procedure coded, regardless of their order in the medical record. Up to four procedures are coded for each discharge.

[Tables 1–3](#) provide information by 3-digit, 4-digit, and 5-digit ICD–9–CM diagnostic codes. [Table 4](#) shows 2-, 3-, and 4-digit procedure codes. Only ICD–9–CM code numbers appear in [tables 1–4](#). Specific titles and more detailed information about the coding scheme can be found in appropriate volumes of the ICD–9–CM (25).

A specific code appears in [tables 1, 3, and 4](#) if the estimate of the total for the code is 5,000 or more. These estimates generally have a relative standard error (a measure of the reliability of the data) no higher than 30 percent and a sample size greater than 30. The codes that appear in [table 2](#) for days of care are identical to those in [table 1](#) for first-listed diagnoses. Only an asterisk (*) is shown in [tables 1, 3, and 4](#) if the estimate of diagnoses or procedures for a sex or age group or region is less than 5,000. Only an asterisk is shown in [table 2](#) for estimates of days of care derived from fewer than 5,000 estimated discharges.

In addition, all estimates of diagnoses and procedures less than 9,000 are preceded by an asterisk to indicate that they are based on a relatively small

sample of discharge records. These estimates are generally based on fewer than 60 records. Days-of-care estimates derived from fewer than 9,000 estimated discharges are also indicated by asterisks.

The total for all codes presented at the beginning of each table includes estimates for codes not shown in the table. Likewise, the total for each diagnostic chapter or procedure category includes estimates for all the codes in the chapter or category, whether or not they are shown individually. Estimates for 5-digit codes may not add to the 4-digit total, 4-digit codes to the 3-digit total, or, for procedures, 3-digit codes to the 2-digit total because the totals include estimates for codes not shown or because the data were rounded to the nearest thousand for presentation.

Although 4- and 5-digit diagnostic codes are presented together under the 3-digit codes of which they are a part, the estimates for 4- and 5-digit codes cannot be added to obtain the estimate for the 3-digit code. For example, in [table 1](#), the estimate for first-listed diagnosis code 198 is 113,000. If the estimates for the 4- and 5-digit codes included in 198 are added, the total would be 121,000. This occurs because the estimate of 17,000 for code 198.89 is part of the estimate of 20,000 for code 198.8 and thus cannot be added to it. Similarly, estimates for 3- and 4-digit codes cannot be added together to obtain the estimate for a 2-digit code.

References

- Haupt BJ. Detailed diagnoses and surgical procedures for patients discharged from short-stay hospitals: United States, 1977. National Center for Health Statistics. 1979.
- Haupt BJ. Detailed diagnoses and surgical procedures for patients discharged from short-stay hospitals: United States, 1978. National Center for Health Statistics. 1980.
- Haupt BJ, Graves EJ. Detailed diagnoses and surgical procedures for patients discharged from short-stay hospitals: United States, 1979. National Center for Health Statistics. 1982.
- Kozak LJ, Moien M. Detailed diagnoses and surgical procedures for patients discharged from short-stay hospitals: United States, 1983. National Center for Health Statistics. Vital Health Stat 13(82). 1985.
- Lawrence L. Detailed diagnoses and procedures for patients discharged from short-stay hospitals: United States, 1984. National Center for Health Statistics. Vital Health Stat 13(86). 1986.
- Pokras R. Detailed diagnoses and procedures for patients discharged from short-stay hospitals: United States, 1985. National Center for Health Statistics. Vital Health Stat 13(90). 1987.
- Graham D. Detailed diagnoses and procedures for patients discharged from short-stay hospitals: United States, 1986. National Center for Health Statistics. Vital Health Stat 13(95). 1988.
- Graves EJ. Detailed diagnoses and procedures for patients discharged from short-stay hospitals: United States, 1987. National Center for Health Statistics. Vital Health Stat 13(100). 1989.
- Graves EJ. Detailed diagnoses and procedures, National Hospital Discharge Survey, 1988. National Center for Health Statistics. Vital Health Stat 13(107). 1991.
- Graves EJ. Detailed diagnoses and procedures, National Hospital Discharge Survey, 1989. National Center for Health Statistics. Vital Health Stat 13(108). 1991.
- Graves EJ. Detailed diagnoses and procedures, National Hospital Discharge Survey, 1990. National Center for Health Statistics. Vital Health Stat 13(113). 1992.
- Graves EJ. Detailed diagnoses and procedures, National Hospital Discharge Survey, 1991. National Center for Health Statistics. Vital Health Stat 13(115). 1994.
- Graves EJ. Detailed diagnoses and procedures, National Hospital Discharge Survey, 1992. National Center for Health Statistics. Vital Health Stat 13(118). 1994.
- Graves EJ. Detailed diagnoses and procedures, National Hospital Discharge Survey, 1993. National Center for Health Statistics. Vital Health Stat 13(122). 1995.
- Velebil P, Wingo PA, Xia Z, Wilcox LS, Peterson HB. Rate of hospitalization for gynecologic disorders among reproductive-age women in the United States. *Obstet and Gynecol* 86(5): 764–9. 1995.
- Gillum RF. Epidemiology of carotid endarterectomy and cerebral arteriography in the United States. *Stroke* 26(9): 1724–8. 1995.
- Rosenblum LS, Castro KG, Dooley S, Morgan M. Effect of HIV infection and tuberculosis on hospitalizations and cost of care for young adults in the United States, 1985 to 1990. *Ann Intern Med* 121(10):786–92. 1994.
- Fingerhut LA, Gillum BS. Injury among persons 1–24 years of age in the United States: data from the National Center for Health Statistics. In: *Proceedings of the international collaborative effort on injury statistics*. Hyattsville, Maryland: Public Health Service. 1995.
- Fox K, Merrill JC, Chang HH, Califano JA Jr. Estimating the costs of substance abuse to the Medicaid hospital care program. *Am J Public Health* 85(1):48–54. 1995.
- SMG Marketing Group, Inc. Hospital Market Database. Chicago: Healthcare Information Specialists. 1987.
- SMG Marketing Group, Inc. Hospital Market Database. Chicago: Healthcare Information Specialists. April 1991.
- SMG Marketing Group, Inc. Hospital Market Database. Chicago: Healthcare Information Specialists. April 1994.
- Haupt BJ, Kozak LJ. Estimates from two survey designs: National Hospital Discharge Survey. National Center for Health Statistics. Vital Health Stat 13(111). 1992.
- Massey JT, Moore TF, Parsons VL, Tadros W. Design and estimation for the National Health Interview Survey, 1985–94. National Center for Health Statistics. Vital Health Stat 2(110). 1989.
- Public Health Service and Health Care Financing Administration. *International Classification of Diseases, 9th Revision, Clinical Modification*. Washington: Public Health Service. 4th ed. 1991.
- Shah BV, Barnwell BG, Bieler GS. SUDAAN User's Manual: Software for Analysis of Correlated Data, Release 6.40. Research Triangle Park, NC: Research Triangle Institute. 1995.
- Hansen MH, Hurwitz WN, Madow WG. *Sample survey methods and theory*, vol 1. New York: John Wiley & Sons. 1953.
- Cochran WG. *Sampling techniques*, 3rd ed. New York: John Wiley & Sons. 1977.

Table 1. Number of first-listed diagnoses for discharges from short-stay hospitals, by ICD-9-CM code, sex, and age of patient, and geographic region of hospital: United States, 1994

[Discharges of inpatients from non-Federal hospitals. Excludes newborn infants. Code numbers are from the *International Classification of Diseases, 9th Revision, Clinical Modification* (ICD-9-CM). Totals include data for categories not listed in table; see methods section]

ICD-9-CM code	Total	Sex		Age				Region			
		Male	Female	Under 15 years	15-44 years	45-64 years	65 years and over	Northeast	Midwest	South	West
Number of first-listed diagnoses in thousands											
All codes	30,843	12,293	18,550	2,249	10,956	6,311	11,327	7,128	7,133	11,310	5,271
001-139	809	381	428	171	217	135	287	184	167	304	155
003	*7	*	*	*	*	*	*	*	*	*	*
003.0	*5	*	*	*	*	*	*	*	*	*	*
005	*6	*	*	*	*	*	*	*	*	*	*
005.9	*6	*	*	*	*	*	*	*	*	*	*
008	124	49	75	50	20	18	36	30	26	42	26
008.4	33	12	22	*	*	*	23	11	*7	*9	*7
008.45	29	9	19	*	*	*	20	*8	*6	*7	*7
008.6	27	13	14	24	*	*	—	*	*7	9	*8
008.61	25	12	12	24	*	*	—	*	*6	*9	*8
008.8	61	23	38	24	13	12	12	17	12	23	10
009	12	*	*9	*	*6	*	*	*	*	*	*
009.1	*5	*	*	*	*	*	*	*	*	*	*
011	12	*7	*	*	*6	*	*	*	*	*	*
011.9	*8	*5	*	*	*	*	*	*	*	*	*
031	*6	*	*	*	*	*	*	*	*	*	*
034	15	*6	9	*7	*7	*	*	*	*6	*6	*
034.0	15	*6	9	*6	*7	*	*	*	*6	*6	*
038	302	125	177	27	36	51	189	58	59	127	58
038.0	32	14	18	*	*	*7	17	*	*7	14	*6
038.1	45	19	26	*	*7	10	27	9	10	16	9
038.2	*9	*	*	*	*	*	*	*	*	*	*
038.4	91	34	57	*	9	15	63	21	19	35	16
038.40	11	*	*7	*	*	*	*7	*	*	*6	*
038.42	51	15	36	*	*	9	36	13	12	16	*9
038.49	24	12	12	*	*	*	16	*5	*	10	*5
038.8	14	*8	*6	*	*	*	*8	*	*	*	*
038.9	109	46	63	14	12	15	69	19	17	56	18
041	12	*	*8	*	*	*	*6	*	*	*5	*
042	36	26	9	*	25	*9	*	9	*5	16	*6
042.0	*9	*6	*	*	*7	*	—	*	*	*5	*
042.9	22	16	*6	*	16	*	*	*6	*	*9	*
047	25	13	12	11	10	*	*	*5	*6	*7	*6
047.9	24	13	11	11	10	*	*	*	*6	*7	*6
052	10	*6	*	*7	*	*	—	*	*	*	*
053	17	10	*7	*	*	*	11	*	*6	*6	*
053.1	*5	*	*	*	*	*	*	*	*	*	*
053.9	*8	*	*	*	*	*	*5	*	*	*	*
054	*6	*	*	*	*	*	*	*	*	*	*
070	12	*6	*6	*	*7	*	*	*	*	*	*
075	10	*5	*	*	*7	*	—	*	*	*	*
078	13	11	*	*	*7	*	*	*	*	*	*
078.5	*7	*7	*	*	*	*	*	*	*	*	*
079	69	34	34	36	13	*8	11	18	12	24	15
079.8	*6	*	*	*6	*	*	—	*	*	*	*
079.89	*6	*	*	*5	*	*	—	*	*	*	*
079.9	62	30	32	30	13	*8	11	17	11	22	12
079.99	62	30	32	30	13	*8	11	17	11	22	12
112	17	*9	*9	*	*7	*	*5	*	*	*7	*
112.4	*5	*	*	*	*	*	*	*	*	*	*
112.8	*6	*	*	*	*	*	*	*	*	*	*
112.84	*5	*	*	*	*	*	*	*	*	*	*
117	*6	*	*	*	*	*	*	*	*	*	*

NOTE: Estimates of 5,000-9,000 are to be used with caution; see methods section.

Table 1. Number of first-listed diagnoses for discharges from short-stay hospitals, by ICD-9-CM code, sex, and age of patient, and geographic region of hospital: United States, 1994—Con.[Discharges of inpatients from non-Federal hospitals. Excludes newborn infants. Code numbers are from the *International Classification of Diseases, 9th Revision, Clinical Modification* (ICD-9-CM). Totals include data for categories not listed in table; see methods section]

ICD-9-CM code	Total	Sex		Age				Region			
		Male	Female	Under 15 years	15-44 years	45-64 years	65 years and over	Northeast	Midwest	South	West
Number of first-listed diagnoses in thousands											
136	27	19	*9	*	16	*5	*5	*8	*	12	*
136.3	23	17	*6	*	15	*	*	*7	*	*9	*
140-239	1,836	733	1,103	47	332	588	868	449	379	672	336
150	17	14	*	—	*	*	10	*	*	*6	*
150.5	*7	*6	*	—	*	*	*	*	*	*	*
150.9	*5	*	*	—	—	*	*	*	*	*	*
151	26	15	10	—	*	*6	16	*7	*	13	*
151.0	*7	*5	*	—	*	*	*	*	*	*	*
151.8	*6	*	*	—	*	*	*	*	*	*	*
151.9	*5	*	*	—	*	*	*	*	*	*	*
153	97	44	54	—	*	20	74	25	23	35	15
153.1	10	*	*6	—	*	*	9	*	*	*	*
153.2	*7	*	*5	—	*	*	*	*	*	*	*
153.3	30	17	13	—	*	*6	22	*9	*7	9	*
153.4	12	*	*7	—	*	*	*9	*	*	*	*
153.6	17	*8	9	—	*	*	14	*	*	*8	*
153.9	14	*6	*8	—	*	*	9	*	*	*7	*
154	46	24	21	*	*	13	31	14	11	13	*8
154.0	18	10	*8	*	*	*5	12	*	*	*6	*
154.1	21	12	9	—	*	*6	14	*8	*	*5	*
155	12	*7	*5	*	*	*	*7	*	*	*5	*
155.0	*9	*5	*	*	*	*	*5	*	*	*	*
156	*7	*	*	—	*	*	*5	*	*	*	*
157	37	17	20	—	*	9	25	*7	*7	15	*7
157.0	16	*7	9	—	*	*	12	*	*	*6	*
157.8	*5	*	*	—	*	*	*	*	*	*	*
157.9	11	*5	*6	—	*	*	*8	*	*	*5	*
161	*9	*7	*	—	*	*	*	*	*	*6	*
162	185	102	83	—	*5	68	112	39	40	75	30
162.2	10	*5	*	—	*	*	*8	*	*	*	*
162.3	54	31	23	—	*	18	35	11	12	22	*10
162.4	*9	*	*	—	—	*	*5	*	*	*	*
162.5	26	13	14	—	*	12	14	*6	*5	10	*
162.8	18	*9	*10	—	*	*7	*10	*8	*	*5	*
162.9	68	40	28	—	*	26	40	10	17	32	*8
170	*5	*	*	*	*	*	*	*	*	*	*
171	*8	*5	*	*	*	*	*	*	*	*	*
172	*6	*	*	*	*	*	*	*	*	*	*
173	*7	*	*	—	*	*	*	*	*	*	*
174	137	—	137	*	20	57	61	35	34	45	24
174.1	*5	—	*5	—	*	*	*	*	*	*	*
174.2	*6	—	*6	—	*	*	*	*	*	*	*
174.4	21	—	21	—	*	*7	10	*5	*6	*7	*
174.5	*6	—	*6	—	*	*	*	*	*	*	*
174.8	37	—	37	—	*6	13	17	15	*7	*8	*7
174.9	53	—	53	*	*7	27	19	11	*10	21	10
180	20	—	20	—	*8	*7	*5	*	*	10	*
180.8	*6	—	*6	—	*	*	*	*	*	*	*
180.9	10	—	*10	—	*	*	*	*	*	*5	*
182	36	—	36	—	*	14	19	11	*8	9	*7
182.0	35	—	35	—	*	14	19	11	*8	*9	*7
183	43	—	43	*	*5	15	22	*8	*9	21	*5
183.0	42	—	42	*	*5	15	21	*7	*9	21	*5
184	*6	—	*6	—	*	*	*	*	*	*	*

NOTE: Estimates of 5,000-9,000 are to be used with caution; see methods section.

Table 1. Number of first-listed diagnoses for discharges from short-stay hospitals, by ICD-9-CM code, sex, and age of patient, and geographic region of hospital: United States, 1994—Con.

[Discharges of inpatients from non-Federal hospitals. Excludes newborn infants. Code numbers are from the *International Classification of Diseases, 9th Revision, Clinical Modification* (ICD-9-CM). Totals include data for categories not listed in table; see methods section]

ICD-9-CM code	Total	Sex		Age				Region			
		Male	Female	Under 15 years	15-44 years	45-64 years	65 years and over	Northeast	Midwest	South	West
Number of first-listed diagnoses in thousands											
185	110	110	—	—	*	32	77	20	24	42	25
188	52	41	11	—	*	*7	44	20	10	15	*7
188.8	20	14	*6	—	*	*	17	*9	*	*	*
188.9	15	12	*	—	*	*	14	*	*	*6	*
189	31	20	12	*	*	9	16	*7	*6	10	*8
189.0	26	16	11	*	*	*9	12	*6	*5	*8	*7
191	26	17	10	*6	*	9	*6	*7	*	*8	*7
191.9	*6	*	*	*	*	*	*	*	*	*	*
193	17	*	14	*	*8	*5	*	*	*	*	*5
195	*8	*5	*	*	*	*	*	*	*	*	*
196	16	*6	9	—	*	*5	*7	*	*	*6	*
196.0	*6	*	*	—	*	*	*	*	*	*	*
197	103	37	65	*	12	31	60	28	26	34	14
197.0	21	10	12	*	*	*	14	*6	*6	*7	*
197.2	22	*7	15	—	*	*7	14	*6	*6	*6	*
197.4	*5	*	*	—	*	*	*	*	*	*	*
197.6	18	*	14	—	*	*8	10	*6	*	*6	*
197.7	29	13	16	—	*5	*9	15	*7	*7	11	*
198	113	53	60	*	*10	44	59	32	26	35	21
198.3	33	17	16	*	*	13	18	10	*9	*9	*5
198.5	51	28	23	*	*	18	30	15	10	16	10
198.8	20	*	16	—	*	11	*8	*	*6	*6	*
198.89	17	*	13	—	*	*9	*6	*	*	*5	*
199	28	12	16	*	*	*10	15	*	*6	9	*7
199.0	20	*8	12	*	*	*7	10	*	*	*8	*6
199.1	*8	*	*	*	*	*	*	*	*	*	*
200	24	*8	16	*6	*5	*	11	*6	*	*	12
200.0	*8	*	*	*	*	*	*	*	*	*	*
200.1	*7	*	*	*	*	*	*	*	*	*	*
200.2	*6	*	*6	*6	*	—	*	*	*	—	*6
200.20	*6	*	*6	*5	*	—	*	*	—	—	*6
201	*7	*	*	*	*	*	*	*	*	*	*
202	43	23	20	*	*5	15	22	12	11	12	*8
202.8	38	20	18	*	*	14	19	11	9	11	*7
202.80	17	11	*6	—	*	*5	10	*	*	*	*
202.83	*8	*	*	—	*	*	*	*	*	*	*
203	27	17	11	—	*	11	12	*	*	20	*
203.0	27	16	11	—	*	11	12	*	*	20	*
203.00	27	16	11	—	*	11	12	*	*	20	*
204	23	14	*9	11	*	*	*5	*	*	*9	*7
204.0	16	11	*	11	*	*	*	*	*	*6	*5
204.00	11	*6	*	*7	*	*	*	*	*	*	*
204.1	*8	*	*	—	*	*	*	*	*	*	*
204.10	*8	*	*	—	*	*	*	*	*	*	*
205	21	10	10	*	*5	*6	*7	*6	*	*9	*
205.0	16	*8	*8	*	*	*	*6	*5	*	*7	*
205.00	15	*8	*7	*	*	*	*6	*	*	*6	*
208	*6	*	*	*	*	*	*	*	*	*	*
210	*8	*	*	*	*	*	*	*	*	*	*
210.2	*6	*	*	*	*	*	*	*	*	*	*
211	37	17	20	*	*	12	21	17	*	10	*7
211.3	26	13	14	*	*	*7	16	14	*	*	*
213	*5	*	*	*	*	*	*	*	*	*	*

NOTE: Estimates of 5,000-9,000 are to be used with caution; see methods section.

Table 1. Number of first-listed diagnoses for discharges from short-stay hospitals, by ICD-9-CM code, sex, and age of patient, and geographic region of hospital: United States, 1994—Con.[Discharges of inpatients from non-Federal hospitals. Excludes newborn infants. Code numbers are from the *International Classification of Diseases, 9th Revision, Clinical Modification* (ICD-9-CM). Totals include data for categories not listed in table; see methods section]

ICD-9-CM code	Total	Sex		Age				Region			
		Male	Female	Under 15 years	15-44 years	45-64 years	65 years and over	Northeast	Midwest	South	West
Number of first-listed diagnoses in thousands											
218	188	—	188	—	111	74	*	39	38	76	35
218.0	21	—	21	—	12	*8	*	*7	*	*6	*
218.1	51	—	51	—	27	24	*	13	*9	19	11
218.2	23	—	23	—	15	*8	*	*	*	*10	*
218.9	93	—	93	—	57	34	*	14	21	41	17
220	37	—	37	*	18	11	*7	*8	*9	14	*6
225	16	*6	10	*	*	*6	*6	*	*	*5	*
225.2	12	*	*7	*	*	*	*6	*	*	*	*
226	14	*	11	*	*6	*	*	*	*	*5	*
227	14	*	10	*	*	*6	*	*	*	*	*
227.1	*6	*	*	—	*	*	*	*	*	*	*
227.3	*5	*	*	—	*	*	*	*	*	*	*
228	*6	*	*	*	*	*	*	*	*	*	*
233	31	*	29	*	15	*8	*7	*6	*6	13	*6
233.0	*8	—	*8	—	*	*	*	*	*	*	*
233.1	17	—	17	—	12	*	*	*	*	*7	*
235	11	*7	*	*	*	*	*8	*	*	*6	*
235.2	*6	*	*	—	*	*	*	*	*	*	*
238	14	*5	*8	*	*	*	11	*	*	*	*
238.7	11	*	*7	*	*	*	10	*	*	*	*
239	12	*6	*6	*	*	*6	*	*	*	*6	*
240-279	1,253	512	740	121	276	292	564	269	309	503	171
241	14	*	12	*	*	*7	*	*	*	*5	*
241.1	*6	*	*5	*	*	*	*	*	*	*	*
242	*10	*	*7	*	*	*	*	*	*	*	*
244	14	*	11	*	*	*	*7	*	*	*	*
244.9	13	*	10	*	*	*	*7	*	*	*	*
245	*5	*	*	—	*	*	*	*	*	*	*
250	502	223	279	22	139	153	188	103	116	211	72
250.0	173	73	101	*8	39	55	72	40	42	71	20
250.00	39	15	24	*	*6	16	16	*8	*8	17	*6
250.01	35	12	23	*	*9	10	14	*7	10	14	*
250.02	43	19	24	*	*7	16	20	12	*9	19	*
250.03	56	27	29	*	18	13	22	13	16	22	*6
250.1	89	43	47	11	57	14	*7	16	23	38	12
250.10	*8	*	*	*	*	*	*	*	*	*	*
250.11	37	16	20	*7	23	*	*	*9	10	14	*
250.13	40	19	21	*	27	*6	*	*6	10	18	*6
250.2	10	*6	*	*	*	*	*6	*	*	*	*
250.3	*6	*	*	—	*	*	*	*	*	*	*
250.4	31	12	19	—	*8	10	13	*	*8	12	*6
250.40	*6	*	*	—	*	*	*	*	*	*	*
250.41	13	*	*9	—	*5	*	*	*	*	*	*
250.43	*8	*	*5	—	*	*	*	*	*	*	*
250.5	12	*5	*7	—	*	*	*	*	*	*7	*
250.6	38	14	23	*	*7	13	17	11	*8	12	*6
250.60	*9	*	*6	—	*	*	*	*	*	*	*
250.61	17	*6	11	—	*	*6	*6	*5	*	*5	*
250.63	*7	*	*	*	*	*	*	*	*	*	*
250.7	47	26	20	*	*	21	24	*7	*8	23	*9
250.70	16	*9	*7	—	*	*6	10	*	*	*7	*
250.71	20	12	*8	*	*	10	*9	*	*	11	*
250.73	*6	*	*	—	*	*	*	*	*	*	*
250.8	66	30	35	*	9	22	33	13	13	27	12
250.80	19	*8	12	—	*	*6	12	*	*5	*5	*
250.81	26	13	13	*	*5	10	11	*6	*5	11	*
250.82	*7	*	*	—	*	*	*	*	*	*	*

NOTE: Estimates of 5,000-9,000 are to be used with caution; see methods section.

Table 1. Number of first-listed diagnoses for discharges from short-stay hospitals, by ICD-9-CM code, sex, and age of patient, and geographic region of hospital: United States, 1994—Con.

[Discharges of inpatients from non-Federal hospitals. Excludes newborn infants. Code numbers are from the *International Classification of Diseases, 9th Revision, Clinical Modification* (ICD-9-CM). Totals include data for categories not listed in table; see methods section]

ICD-9-CM code	Total	Sex		Age				Region			
		Male	Female	Under 15 years	15-44 years	45-64 years	65 years and over	Northeast	Midwest	South	West
Number of first-listed diagnoses in thousands											
250.83	13	*5	*8	*	*	*	*6	*	*	*6	*
250.9	31	14	17	*	*9	10	10	*6	*7	16	*
250.91	12	*	*8	*	*	*	*	*	*	*6	*
250.93	*9	*	*	*	*	*	*	*	*	*	*
251	17	*8	10	*	*	*	10	*	*	*6	*
251.2	13	*6	*7	*	*	*	*7	*	*	*	*
252	*8	*	*6	*	*	*	*	*	*	*	*
252.0	*7	*	*6	*	*	*	*	*	*	*	*
253	*10	*	*6	*	*	*	*	*	*	*	*
255	*9	*	*5	*	*	*	*	*	*	*	*
255.4	*5	*	*	*	*	*	*	*	*	*	*
263	16	*	11	*	*	*	12	*	*	*8	*
263.9	13	*	*10	*	*	*	*10	*	*	*6	*
272	23	13	10	*	*6	13	*	*	*7	*9	*
272.0	12	*7	*5	*	*	*7	*	*	*	*	*
272.4	*8	*	*	—	*	*	*	*	*	*	*
274	*8	*5	*	—	*	*	*	*	*	*	*
274.0	*6	*	*	—	*	*	*	*	*	*	*
275	19	*8	11	*	*	*	11	*	*	*9	*
275.4	16	*6	10	*	*	*	10	*	*	*8	*
276	541	212	329	85	76	77	304	119	142	214	66
276.0	*9	*	*6	*	*	*	*7	*	*	*	*
276.1	62	20	41	*	*	11	44	16	14	26	*6
276.2	*8	*	*	*	*	*	*	*	*	*	*
276.5	376	159	217	75	55	45	200	82	100	151	43
276.6	*6	*	*	*	*	*	*	*	*	*	*
276.7	18	*7	11	*	*	*	10	*	*	*6	*
276.8	57	16	41	*	11	11	34	12	14	22	*8
277	12	*	*7	*	*6	*	*	*6	*	*	*
277.0	*8	*	*	*	*	*	—	*	*	*	*
277.00	*8	*	*	*	*	*	—	*	*	*	*
278	23	*8	16	*	13	*9	*	*	*6	*9	*
278.0	21	*8	13	*	11	*8	*	*	*5	*8	*
280-289	341	147	194	49	112	63	117	96	77	115	53
280	44	12	32	*	*8	*7	27	13	10	16	*
280.0	25	*8	17	*	*5	*5	14	*9	*6	*7	*
280.9	19	*	14	*	*	*	13	*	*	*9	*
281	*6	*	*	*	*	*	*	*	*	*	*
282	70	39	31	16	50	*	*	22	14	16	18
282.4	*7	*	*	*	*	*	*	*	*	*	*
282.6	59	32	27	12	44	*	*	19	13	15	12
282.60	*9	*6	*	*	*7	*	—	*	*	*	*
282.62	46	21	24	*9	34	*	*	16	12	13	*
283	*5	*	*	*	*	*	*	*	*	*	*
284	20	9	11	*	*	*6	*8	*8	*	*6	*
284.8	18	*9	10	*	*	*6	*7	*7	*	*5	*
285	76	32	44	*	11	21	40	18	18	32	*9
285.1	20	*7	13	*	*	*6	10	*5	*6	*6	*
285.9	52	23	29	*	*7	15	27	12	11	23	*6
286	15	*8	*7	*	*	*	*6	*	*	*5	*
286.7	*5	*	*	*	*	*	*	*	*	*	*
287	29	12	17	*	10	*6	*8	*7	*9	*8	*5
287.3	14	*	9	*	*	*	*	*	*	*	*
287.5	*8	*	*	*	*	*	*	*	*	*	*

NOTE: Estimates of 5,000-9,000 are to be used with caution; see methods section.

Table 1. Number of first-listed diagnoses for discharges from short-stay hospitals, by ICD-9-CM code, sex, and age of patient, and geographic region of hospital: United States, 1994—Con.[Discharges of inpatients from non-Federal hospitals. Excludes newborn infants. Code numbers are from the *International Classification of Diseases, 9th Revision, Clinical Modification* (ICD-9-CM). Totals include data for categories not listed in table; see methods section]

ICD-9-CM code	Total	Sex		Age				Region			
		Male	Female	Under 15 years	15-44 years	45-64 years	65 years and over	Northeast	Midwest	South	West
Number of first-listed diagnoses in thousands											
288	52	19	32	10	15	11	15	18	12	15	*7
288.0	43	14	29	*8	13	10	11	16	9	12	*
288.8	*7	*5	*	*	*	*	*	*	*	*	*
289	24	11	13	*8	10	*	*	*	*	13	*
289.2	10	*	*6	*	*5	*	*	*	*	*	*
290-319	2,112	1,123	989	96	1,310	410	296	631	569	647	266
290	62	20	42	—	—	*	61	10	13	29	10
290.0	21	*6	15	—	—	*	21	*5	*	*9	*
290.2	11	*	*9	—	—	*	11	*	*	*7	*
290.21	*7	*	*6	—	—	*	*7	*	*	*5	*
290.3	12	*	*8	—	—	*	12	*	*	*	*
290.4	16	*7	9	—	—	*	16	*	*	*9	*
290.40	*7	*	*	—	—	*	*6	*	*	*	*
291	89	74	15	*	47	34	*8	26	30	21	12
291.0	24	21	*	—	13	10	*	*5	*7	*8	*
291.8	57	46	11	*	32	21	*	19	21	11	*6
292	28	14	13	*	15	*	*7	9	*6	*5	*7
292.0	13	*7	*6	*	*9	*	*	*6	*	*	*
292.8	9	*	*	*	*	*	*	*	*	*	*
292.81	*5	*	*	*	*	*	*	*	*	*	*
293	42	20	22	*	13	*6	23	15	10	12	*5
293.0	13	*	*8	—	*	*	10	*	*	*	*
293.8	27	14	13	*	12	*	12	12	*6	*7	*
293.81	*6	*	*	—	*	*	*	*	*	*	*
293.83	20	12	*8	*	9	*	*8	*9	*	*6	*
294	10	*5	*	*	*	*	*6	*	*	*	*
295	291	170	120	*	195	78	17	117	76	66	31
295.3	97	63	34	—	69	24	*	39	18	27	12
295.30	19	14	*5	—	15	*	*	*	*7	*6	*
295.32	13	*7	*6	—	*8	*	*	*5	*	*	*
295.34	63	42	21	—	44	16	*	32	*8	17	*6
295.6	27	18	9	—	15	9	*	11	*9	*5	*
295.62	*7	*5	*	—	*	*	*	*	*	*	*
295.64	15	9	*6	—	*8	*6	*	*6	*	*	*
295.7	115	54	61	*	76	31	*8	39	39	25	12
295.70	71	35	37	*	49	17	*	14	32	17	*8
295.74	38	17	20	—	23	12	*	24	*6	*6	*
295.9	44	31	13	*	29	13	*	24	9	*7	*
295.90	15	*10	*6	*	10	*	*	*	*6	*	*
295.94	23	18	*5	—	16	*8	*	21	*	*	*
296	636	249	387	35	390	127	84	159	177	216	84
296.2	237	94	143	23	149	40	25	42	65	100	29
296.20	103	39	63	10	66	18	*9	16	43	29	14
296.22	23	12	11	*	15	*	*	*	*	17	*
296.23	75	29	47	*7	46	12	11	15	12	38	10
296.24	33	13	20	*	19	*8	*	*9	*6	14	*
296.3	226	81	145	*7	133	46	41	67	63	73	24
296.30	74	25	49	*	44	16	12	16	28	20	9
296.32	16	*6	11	*	11	*	*	*	*	*9	*
296.33	86	32	54	*	52	17	15	31	18	30	*8
296.34	44	16	28	*	24	9	11	18	11	11	*5
296.4	52	24	28	*	34	14	*	18	10	11	14
296.40	27	12	15	*	17	*7	*	*7	*6	*7	*8
296.44	21	11	10	—	14	*	*	9	*	*	*5
296.5	33	12	21	*	19	*8	*5	*9	11	*8	*5
296.50	18	*7	11	*	11	*	*	*	*8	*	*
296.54	*5	*	*	—	*	*	*	*	*	*	*
296.6	37	16	20	*	21	11	*	10	10	13	*

NOTE: Estimates of 5,000-9,000 are to be used with caution; see methods section.

Table 1. Number of first-listed diagnoses for discharges from short-stay hospitals, by ICD-9-CM code, sex, and age of patient, and geographic region of hospital: United States, 1994—Con.

[Discharges of inpatients from non-Federal hospitals. Excludes newborn infants. Code numbers are from the *International Classification of Diseases, 9th Revision, Clinical Modification* (ICD-9-CM). Totals include data for categories not listed in table; see methods section]

ICD-9-CM code	Total	Sex		Age				Region			
		Male	Female	Under 15 years	15-44 years	45-64 years	65 years and over	Northeast	Midwest	South	West
Number of first-listed diagnoses in thousands											
296.60	20	10	10	*	12	*	*	*	*7	*9	*
296.63	*7	*	*5	*	*	*	*	*	*	*	*
296.64	*8	*	*	*	*	*	*	*	*	*	*
296.7	34	14	20	*	23	*6	*	*7	14	*8	*5
296.8	10	*	*5	*	*6	*	*	*	*	*	*
296.82	*6	*	*	*	*	*	*	*	*	*	*
297	10	*	*7	—	*5	*	*	*	*	*	*
297.9	*6	*	*	—	*	*	*	*	*	*	*
298	74	39	35	*	37	11	24	22	13	25	13
298.9	65	34	31	*	32	9	23	19	12	22	11
300	98	40	58	*6	57	19	16	20	26	37	16
300.0	30	13	17	*	13	*9	*8	*6	*7	13	*
300.00	19	*8	12	*	*6	*7	*7	*	*	*7	*
300.01	*6	*	*	—	*	*	*	*	*	*	*
300.1	11	*	*8	*	9	*	*	*	*	*	*
300.11	*8	*	*	*	*6	*	*	*	*	*	*
300.4	33	14	19	*	22	*	*	*8	11	10	*5
300.9	18	*8	9	*	*9	*	*	*	*	10	*
301	29	15	14	*	24	*	*	20	*	*	*
301.8	21	11	10	—	19	*	*	19	*	*	*
301.83	*8	*	*7	—	*8	*	—	*6	*	*	*
301.89	13	10	*	—	11	*	*	13	*	*	*
303	243	182	61	*	164	65	12	65	85	78	16
303.0	55	45	9	—	34	15	*5	20	15	16	*
303.00	21	18	*	—	12	*7	*	*	*6	10	*
303.01	32	27	*5	—	21	*8	*	16	*9	*6	*
303.9	189	137	52	*	130	50	*7	45	71	62	11
303.90	76	55	22	*	51	22	*	13	24	34	*
303.91	109	81	29	*	77	27	*	31	45	27	*7
304	130	89	41	*	114	13	*	55	29	39	*7
304.0	26	18	*8	—	21	*	*	17	*	*	*
304.00	*7	*	*	—	*5	*	*	*	*	*	*
304.01	19	14	*6	—	16	*	*	14	*	*	*
304.1	*6	*	*	—	*	*	*	*	*	*	—
304.2	49	33	16	*	44	*	*	20	11	18	*
304.20	15	10	*5	—	14	*	*	*	*	12	—
304.21	33	23	10	*	31	*	—	19	*8	*6	*
304.3	*7	*6	*	*	*6	—	—	*	*	*	*
304.7	12	*8	*	—	11	*	—	10	*	*	*
304.71	*8	*	*	—	*7	*	—	*7	*	*	*
304.8	11	*7	*	*	10	*	—	*	*	*	*
304.80	*6	*	*	—	*6	*	—	*	*	*	—
304.9	15	11	*	*	14	*	—	*	*	*8	*
304.90	10	*8	*	*	*8	*	—	*	*	*6	*
304.91	*5	*	*	—	*5	*	—	*	*	*	*
305	55	38	17	*	39	11	*	12	14	22	*8
305.0	24	19	*5	*	17	*	*	*	*9	*8	*
305.00	18	14	*	*	13	*	*	*	*6	*6	*
305.01	*5	*	*	—	*	*	*	*	*	*	*
305.1	*8	*	*	—	*	*	*	*	*	*	*
305.11	*6	*	*	—	*	*	*	*	*	*	*
305.6	*9	*5	*	*	*7	*	—	*	*	*	*
305.9	*8	*5	*	*	*7	*	*	*	*	*	*
305.90	*6	*	*	*	*	*	*	*	*	*	*
306	*7	*	*	*	*	*	*	*	*	*	*
307	11	*	10	*	*5	*	*	*	*	*	*
308	10	*	*6	*	*6	*	*	*	*	*	*
308.3	*8	*	*	*	*	*	*	*	*	*	*

NOTE: Estimates of 5,000–9,000 are to be used with caution; see methods section.

Table 1. Number of first-listed diagnoses for discharges from short-stay hospitals, by ICD-9-CM code, sex, and age of patient, and geographic region of hospital: United States, 1994—Con.[Discharges of inpatients from non-Federal hospitals. Excludes newborn infants. Code numbers are from the *International Classification of Diseases, 9th Revision, Clinical Modification* (ICD-9-CM). Totals include data for categories not listed in table; see methods section]

ICD-9-CM code	Total	Sex		Age				Region			
		Male	Female	Under 15 years	15-44 years	45-64 years	65 years and over	Northeast	Midwest	South	West
Number of first-listed diagnoses in thousands											
309	151	77	73	*9	122	16	*	59	33	30	28
309.0	65	34	30	*	55	*6	*	30	11	14	10
309.2	26	13	13	*	20	*	*	*7	*8	*	*6
309.28	24	12	13	*	19	*	*	*7	*7	*	*6
309.4	32	18	14	*	27	*	*	15	*5	*6	*5
309.8	15	*	10	*	10	*	*	*	*	*	*
309.81	11	*	*7	*	*7	*	*	*	*	*	*
309.9	*8	*	*	*	*6	*	*	*	*	*	*
310	19	10	*9	*	*5	*	10	*	*5	*6	*
310.1	*5	*	*	*	*	*	*	*	*	*	*
310.9	*9	*5	*	*	*	*	*6	*	*	*	*
311	58	25	33	*6	37	*8	*7	*9	18	22	10
312	26	18	*8	*6	19	*	*	12	*6	*5	*
312.3	16	12	*	*	14	*	*	*9	*	*	*
312.30	*6	*	*	*	*5	*	—	*	*	*	*
312.34	*9	*7	*	*	*8	—	*	*5	*	*	*
313	10	*7	*	*6	*	—	—	*	*	*	*
313.8	9	*7	*	*6	*	—	—	*	*	*	*
313.81	9	*6	*	*6	*	—	—	*	*	*	*
314	13	10	*	12	*	—	—	*	*6	*	*
314.0	13	10	*	12	*	—	—	*	*6	*	*
314.01	12	10	*	11	*	—	—	*	*6	*	*
320-389	577	255	322	105	149	121	202	178	115	189	95
320	*5	*	*	*	*	*	*	*	*	*	*
322	*5	*	*	*	*	*	*	*	*	*	*
331	26	10	16	*	*	*	14	*6	*6	*8	*7
331.0	*7	*	*	—	—	*	*7	*	*	*	*
331.4	11	*	*6	*	*	*	*	*	*	*	*
332	17	10	*7	—	*	*	15	*	*	*6	*
332.0	16	10	*6	—	*	*	14	*	*	*6	*
333	11	*6	*5	*	*	*	*	*	*	*	*
337	*5	*	*	*	*	*	*	*	*	*	*
340	23	*	18	—	13	*8	*	*6	*6	*8	*
342	19	*8	11	*	*	*	13	*	*	*8	*
342.9	18	*8	10	*	*	*	12	*	*	*8	*
343	*5	*	*	*	*	*	*	*	*	*	*
344	12	*8	*	*	*6	*	*	*	*	*	*
345	67	32	35	23	19	12	13	18	16	22	11
345.1	17	10	*7	*	*	*	*6	*	*6	*5	*
345.10	15	9	*6	*	*	*	*6	*	*5	*	*
345.3	21	*7	14	*7	*7	*	*	*7	*	*8	*
345.5	*8	*	*	*	*	*	*	*	*	*	*
345.9	11	*5	*6	*6	*	*	*	*	*	*	*
345.90	10	*	*5	*	*	*	*	*	*	*	*
346	43	*8	35	*	28	12	*	*8	12	18	*
346.8	9	*	*7	*	*	*	*	*	*	*	*
346.80	*6	*	*6	*	*	*	*	*	*	*	*
346.9	27	*6	21	*	18	*7	*	*	*7	13	*
346.90	20	*	16	*	13	*5	*	*	*6	10	*
346.91	*7	*	*5	*	*5	*	—	*	*	*	*
348	25	12	13	*	*7	*5	10	*6	*6	*7	*7
348.1	*7	*	*	*	*	*	*	*	*	*	*
348.3	*7	*	*	*	*	*	*	*	*	*	*
349	*9	*	*5	*	*	*	*	*	*	*	*

NOTE: Estimates of 5,000-9,000 are to be used with caution; see methods section.

Table 1. Number of first-listed diagnoses for discharges from short-stay hospitals, by ICD-9-CM code, sex, and age of patient, and geographic region of hospital: United States, 1994—Con.

[Discharges of inpatients from non-Federal hospitals. Excludes newborn infants. Code numbers are from the *International Classification of Diseases, 9th Revision, Clinical Modification* (ICD-9-CM). Totals include data for categories not listed in table; see methods section]

ICD-9-CM code	Total	Sex		Age				Region			
		Male	Female	Under 15 years	15-44 years	45-64 years	65 years and over	Northeast	Midwest	South	West
Number of first-listed diagnoses in thousands											
351	*6	*	*	*	*	*	*	*	*	*	*
351.0	*6	*	*	*	*	*	*	*	*	*	*
354	12	*	*7	*	*6	*	*	*6	*	*	*
354.0	*7	*	*5	—	*	*	*	*	*	*	*
355	*6	*	*	*	*	*	*	*	*	*	*
356	*6	*	*	*	*	*	*	*	*	*	*
357	9	*6	*	*	*	*	*	*	*	*	*
357.0	*7	*	*	*	*	*	*	*	*	*	*
358	*5	*	*	*	*	*	*	*	*	*	*
361	24	14	10	*	*	*9	10	*7	*	11	*
361.0	12	*7	*5	*	*	*5	*	*	*	*7	*
361.8	*6	*	*	*	*	*	*	*	*	*	*
361.9	*7	*	*	—	*	*	*	*	*	*	*
362	*8	*	*	*	*	*	*	*	*	*	*
365	*7	*	*	*	*	*	*	*	*	*	*
366	53	20	33	*	*	*9	44	40	*	*7	*5
366.1	11	*	*7	—	*	*	9	9	—	*	*
366.10	*6	*	*	—	*	*	*6	*6	—	—	*
366.9	36	13	23	*	—	*6	30	30	*	*6	—
376	12	*5	*6	*8	*	*	*	*	*	*	*
376.0	10	*	*5	*7	*	*	*	*	*	*	*
376.01	10	*	*5	*7	*	*	*	*	*	*	*
379	*5	*	*	*	*	*	*	*	*	*	*
380	*5	*	*	*	*	*	*	*	*	*	*
381	*8	*6	*	*8	*	*	*	*	*	*	*
382	32	18	14	28	*	*	*	*7	*8	11	*6
382.9	29	16	13	26	*	*	*	*7	*7	10	*5
386	39	14	26	*	*	10	24	12	*9	13	*5
386.1	*10	*	*6	—	*	*	*7	*	*	*	*
386.3	25	*9	16	*	*	*8	14	*8	*	*10	*
386.30	23	*8	15	*	*	*8	13	*7	*	*8	*
390-459	5,779	2,906	2,873	32	390	1,615	3,742	1,351	1,377	2,166	885
394	*7	*	*5	*	*	*	*	*	*	*	*
396	10	*	*8	*	*	*	*7	*	*	*	*
396.3	*5	*	*	*	*	*	*	*	*	*	*
401	198	77	121	*	34	75	88	40	49	85	23
401.0	26	11	16	—	*7	*8	11	*	10	11	*
401.9	167	64	103	*	26	65	76	34	38	73	21
402	81	28	53	—	*	18	59	23	17	32	9
402.9	75	26	49	—	*	16	56	22	16	28	*9
402.90	12	*	*7	—	*	*	*9	*	*	*	*
402.91	63	22	41	—	*	13	47	18	14	24	*7
403	68	35	32	*	20	20	27	11	10	36	11
403.9	63	33	30	*	18	19	26	10	9	34	10
403.91	60	31	28	*	18	17	25	10	*8	32	10
404	26	11	15	—	*	*5	18	*6	*	10	*7
404.9	23	10	13	—	*	*	16	*5	*	*8	*6
404.93	19	*8	11	—	*	*	14	*	*	*7	*6
410	759	446	313	*	46	259	453	180	178	267	134
410.0	36	19	16	—	*	9	25	*8	9	13	*5
410.01	30	17	13	—	*	*8	22	*7	*8	10	*
410.1	153	92	61	*	10	58	84	34	38	52	29
410.10	*5	*	*	—	*	*	*	*	*	*	*
410.11	139	86	54	*	10	54	76	30	35	48	26

NOTE: Estimates of 5,000-9,000 are to be used with caution; see methods section.

Table 1. Number of first-listed diagnoses for discharges from short-stay hospitals, by ICD-9-CM code, sex, and age of patient, and geographic region of hospital: United States, 1994—Con.[Discharges of inpatients from non-Federal hospitals. Excludes newborn infants. Code numbers are from the *International Classification of Diseases, 9th Revision, Clinical Modification* (ICD-9-CM). Totals include data for categories not listed in table; see methods section]

ICD-9-CM code	Total	Sex		Age				Region			
		Male	Female	Under 15 years	15-44 years	45-64 years	65 years and over	Northeast	Midwest	South	West
Number of first-listed diagnoses in thousands											
410.12	*8	*	*	—	*	*	*	*	*	*	*
410.2	25	14	11	—	*	*8	13	*	*6	*8	*7
410.21	22	12	10	—	*	*7	12	*	*6	*8	*5
410.3	19	14	*	—	*	*9	*9	*	*	*8	*
410.31	17	13	*	—	*	*8	*8	*	*	*8	*
410.4	190	123	67	*	17	77	96	45	46	65	35
410.41	175	114	60	*	15	71	88	42	41	61	31
410.42	13	*7	*6	—	*	*	*7	*	*	*	*
410.5	19	11	*8	—	*	*7	10	*	*7	*	*
410.51	19	11	*7	—	*	*7	10	*	*7	*	*
410.6	9	*6	*	—	*	*5	*	*	*	*	*
410.61	*9	*5	*	—	*	*	*	*	*	*	*
410.7	220	121	99	*	*8	63	149	59	45	78	37
410.70	*7	*	*	—	—	*	*	*	*	*5	*
410.71	199	110	89	*	*7	55	137	56	41	69	34
410.72	14	*7	*7	—	*	*5	*8	*	*	*	*
410.8	13	*8	*	—	*	*	*9	*	*	*6	*
410.81	11	*6	*	—	*	*	*7	*	*	*	*
410.9	75	38	37	—	*	19	53	14	18	30	13
410.90	12	*	*8	—	*	*	*7	*	*	*	*
410.91	62	33	29	—	*	15	45	11	15	27	*8
411	458	227	231	*	29	160	268	145	105	134	74
411.1	415	205	210	*	27	145	242	132	94	125	64
411.8	41	21	20	—	*	13	26	13	*10	*8	10
411.81	12	*7	*5	—	*	*5	*6	*	*	*	*5
411.89	29	14	15	—	*	*8	20	11	*7	*6	*5
412	9	*5	*	—	*	*	*	*	*	*	*
413	152	68	84	—	10	50	92	38	40	51	23
413.9	150	67	83	—	10	49	90	37	39	50	23
414	738	468	270	*	41	303	393	154	172	292	120
414.0	683	435	248	*	36	281	365	141	161	270	111
414.8	11	*7	*	—	*	*5	*5	*	*	*	*
414.9	43	24	19	—	*	17	22	11	*7	19	*6
415	56	23	33	*	*8	14	34	11	15	22	*8
415.1	54	22	32	*	*8	14	33	10	14	22	*8
416	*8	*	*5	*	*	*	*	*	*	*	*
420	15	9	*6	*	*6	*	*	*5	*	*	*
420.9	15	9	*6	*	*6	*	*	*5	*	*	*
420.90	10	*5	*	*	*	*	*	*	*	*	*
421	12	*7	*	*	*	*	*	*	*	*	*
421.0	11	*6	*	*	*	*	*	*	*	*	*
423	10	*5	*5	*	*	*	*	*	*	*6	*
423.9	*8	*	*	*	*	*	*	*	*	*	*
424	77	37	41	*	10	23	44	18	15	30	14
424.0	35	11	24	*	*8	13	13	*7	*7	15	*5
424.1	41	25	16	*	*	10	29	11	*7	15	*8
425	37	22	15	*	*6	13	17	10	9	11	*7
425.4	30	18	12	*	*	12	14	*7	*8	*8	*6
426	65	32	33	*	*5	10	48	17	14	24	11
426.0	34	15	19	*	*	*	29	*7	*7	13	*5
426.1	15	*8	*7	—	*	*	11	*	*	*	*
426.13	*7	*	*	—	*	*	*5	*	*	*	*
426.7	*5	*	*	*	*	*	*	*	*	*	*

NOTE: Estimates of 5,000–9,000 are to be used with caution; see methods section.

Table 1. Number of first-listed diagnoses for discharges from short-stay hospitals, by ICD-9-CM code, sex, and age of patient, and geographic region of hospital: United States, 1994—Con.

[Discharges of inpatients from non-Federal hospitals. Excludes newborn infants. Code numbers are from the *International Classification of Diseases, 9th Revision, Clinical Modification* (ICD-9-CM). Totals include data for categories not listed in table; see methods section]

ICD-9-CM code	Total	Sex		Age				Region			
		Male	Female	Under 15 years	15-44 years	45-64 years	65 years and over	Northeast	Midwest	South	West
Number of first-listed diagnoses in thousands											
427	614	292	322	*5	50	134	425	150	148	233	83
427.0	40	14	26	*	*6	10	23	*7	10	17	*6
427.1	47	33	13	*	*	16	27	12	10	17	*8
427.3	302	148	155	*	17	60	225	83	73	105	42
427.31	277	131	145	*	15	54	207	77	67	94	39
427.32	26	16	9	*	*	*6	18	*6	*6	11	*
427.4	*9	*6	*	—	*	*	*	*	*	*	*
427.41	*9	*6	*	—	*	*	*	*	*	*	*
427.5	12	*5	*7	*	*	*	9	*	*	*5	*
427.6	18	*8	10	*	*	*	10	*	*	*8	*
427.69	16	*7	9	*	*	*	*8	*	*	*7	*
427.8	166	69	96	*	14	33	116	35	43	69	19
427.81	62	27	35	*	*	*6	55	12	12	32	*6
427.89	104	43	61	*	13	27	61	23	32	37	12
427.9	19	*8	11	*	*	*6	10	*	*	*8	*
428	887	395	492	*	22	155	705	212	222	336	116
428.0	874	390	484	*	22	151	696	207	220	333	114
428.1	12	*	*7	*	*	*	*8	*5	*	*	*
429	27	14	13	*	*	*9	17	*	*5	15	*
429.2	12	*6	*6	—	*	*	*8	*	*	*8	*
429.4	*6	*	*	*	*	*	*5	*	*	*	*
430	17	*6	11	—	*	*5	*7	*	*	*6	*
431	60	28	32	*	*	14	44	15	12	17	16
432	19	10	*8	*	*	*	15	*	*	*8	*
432.1	16	9	*7	*	*	*	13	*	*	*7	*
433	142	77	65	—	*	37	103	28	29	70	15
433.1	107	57	51	—	*	28	78	21	23	54	10
433.10	92	47	45	—	*	24	67	17	19	47	*9
433.11	16	10	*6	—	*	*	10	*	*	*7	*
433.3	30	17	13	—	*	*7	23	*6	*5	14	*
433.30	21	13	*8	—	*	*	17	*	*	11	*
433.31	*8	*	*	—	*	*	*6	*	*	*	*
434	266	120	146	*	*6	43	215	63	62	99	42
434.0	26	12	14	—	*	*	22	*5	*8	9	*
434.00	*7	*	*	—	*	*	*6	*	*	*	*
434.01	19	*9	11	—	*	*	16	*	*	*7	*
434.1	31	14	17	—	*	*6	24	*8	*7	9	*7
434.11	26	11	15	—	*	*	21	*7	*5	*8	*6
434.9	208	93	115	*	*	34	169	49	47	81	31
434.90	10	*6	*	*	*	*	*7	*	*	*	*
434.91	198	88	110	*	*	31	162	48	45	76	29
435	181	74	106	*	*	35	141	46	49	66	20
435.0	*6	*	*	*	*	*	*6	*	*	*	*
435.9	164	68	96	—	*	34	127	40	44	62	18
436	148	69	80	*	*	28	117	18	40	68	23
437	29	11	17	*	*	*8	18	*	*7	15	*
437.1	*6	*	*	—	*	*	*5	*	*	*	*
437.3	*7	*	*	—	*	*	*	*	*	*	*
438	25	12	13	—	*	*6	18	*	*	14	*
440	97	54	43	*	*	26	68	17	24	37	19
440.2	89	51	38	—	*	24	64	16	23	34	17
440.20	14	*8	*7	—	*	*	11	*	*	*7	*
440.21	23	14	*9	—	*	*9	13	*	*6	*7	*6
440.22	11	*8	*	—	*	*	*7	*	*	*	*
440.23	11	*5	*6	—	*	*	*8	*	*	*5	*
440.24	28	16	12	—	*	*	22	*7	*8	*10	*

NOTE: Estimates of 5,000-9,000 are to be used with caution; see methods section.

Table 1. Number of first-listed diagnoses for discharges from short-stay hospitals, by ICD-9-CM code, sex, and age of patient, and geographic region of hospital: United States, 1994—Con.[Discharges of inpatients from non-Federal hospitals. Excludes newborn infants. Code numbers are from the *International Classification of Diseases, 9th Revision, Clinical Modification* (ICD-9-CM). Totals include data for categories not listed in table; see methods section]

ICD-9-CM code	Total	Sex		Age				Region			
		Male	Female	Under 15 years	15-44 years	45-64 years	65 years and over	Northeast	Midwest	South	West
Number of first-listed diagnoses in thousands											
441	60	46	14	—	*	13	46	14	16	19	11
441.0	9	*6	*	—	*	*	*5	*	*	*	*
441.3	*7	*5	*	—	—	*	*7	*	*	*	*
441.4	38	31	*6	—	*	*8	29	9	10	12	*7
442	*8	*6	*	—	*	*	*	*	*	*	*
442.3	*5	*	*	—	—	*	*	*	*	*	*
443	21	12	*9	—	*	*7	12	*7	*	*7	*
443.9	17	10	*8	—	*	*6	11	*	*	*7	*
444	52	26	25	*	*	17	31	14	12	18	*8
444.0	*6	*	*	—	*	*	*	*	*	*	*
444.2	36	18	18	*	*	11	23	10	9	12	*
444.22	32	16	16	—	*	10	21	*9	*8	11	*
444.8	*8	*	*	*	*	*	*	*	*	*	*
444.81	*7	*	*	*	*	*	*	*	*	*	*
446	13	*6	*7	*	*	*	*7	*	*	*	*
447	14	*7	*7	*	*	*	*8	*	*	*	*
447.1	*9	*	*	—	*	*	*	*	*	*	*
451	55	23	32	*	*7	21	27	12	16	18	9
451.0	*8	*	*	—	*	*	*	*	*	*	*
451.1	30	12	18	—	*	9	17	*6	10	*9	*
451.11	*8	*	*	—	*	*	*	*	*	*	*
451.19	22	*9	13	—	*	*7	13	*	*8	*6	*
451.2	11	*	*8	—	*	*5	*	*	*	*	*
453	112	42	69	*	18	32	60	24	29	42	17
453.8	104	41	63	*	17	30	56	22	27	38	17
454	24	11	13	—	*	*8	13	*9	*6	*8	*
454.2	13	*	*8	—	*	*	10	*	*	*	*
454.9	*7	*	*	—	*	*	*	*	*	*	*
455	29	16	13	*	*9	12	*8	*9	*8	*9	*
455.2	14	*7	*8	*	*	*6	*	*	*	*	*
456	*7	*	*	*	*	*	*	*	*	*	*
456.0	*5	*	*	*	*	*	*	*	*	*	*
458	58	25	33	*	*	11	42	*9	13	25	11
458.0	30	14	16	*	*	*	24	*	*8	10	*7
458.9	28	11	17	*	*	*7	18	*	*	15	*
459	11	*	*7	*	*	*	*7	*	*	*	*
460-519	3,124	1,531	1,593	647	460	580	1,437	695	764	1,220	444
461	19	9	9	*	*7	*	*	*	*	10	*
461.0	*7	*	*	*	*	*	*	*	*	*	*
462	13	*6	*8	*6	*	*	*	*	*	*7	*
463	16	*7	*9	*	12	*	*	*	*	*6	*
464	27	17	10	24	*	*	*	*	*7	11	*
464.4	23	16	*7	23	—	—	—	*	*6	10	*
465	44	23	21	24	*7	*	*8	*8	*9	20	*7
465.9	41	22	19	23	*6	*	*8	*7	*9	19	*7
466	231	124	107	136	19	24	52	42	62	87	40
466.0	108	45	63	18	19	20	51	23	32	45	*8
466.1	123	79	44	117	*	*	*	20	30	41	32
470	12	*7	*	*	*9	*	*	*8	*	*	*
473	26	11	15	*	12	*7	*	9	*	10	*
473.0	*5	*	*	*	*	*	*	*	*	*	*
473.8	*6	*	*	*	*	*	*	*	*	*	*
473.9	*8	*	*	*	*	*	*	*	*	*	*

NOTE: Estimates of 5,000-9,000 are to be used with caution; see methods section.

Table 1. Number of first-listed diagnoses for discharges from short-stay hospitals, by ICD-9-CM code, sex, and age of patient, and geographic region of hospital: United States, 1994—Con.

[Discharges of inpatients from non-Federal hospitals. Excludes newborn infants. Code numbers are from the *International Classification of Diseases, 9th Revision, Clinical Modification* (ICD-9-CM). Totals include data for categories not listed in table; see methods section]

ICD-9-CM code	Total	Sex		Age				Region			
		Male	Female	Under 15 years	15-44 years	45-64 years	65 years and over	Northeast	Midwest	South	West
Number of first-listed diagnoses in thousands											
474	40	18	22	27	11	*	*	23	*	*9	*6
474.0	19	*7	11	10	*8	*	—	11	*	*	*
474.1	21	11	10	17	*	*	*	12	*	*	*
474.10	16	*8	*8	15	*	*	—	9	*	*	*
475	13	*8	*6	*	10	*	*	*	*	*	*
478	23	13	10	*6	*8	*6	*	10	*	*7	*
478.2	9	*7	*	*	*	*	*	*	*	*	*
478.29	*7	*5	*	*	*	*	*	*	*	*	*
478.7	*5	*	*	*	*	*	*	*	*	*	*
480	36	17	18	27	*	*	*	*	10	13	*8
480.1	17	10	*7	16	—	*	—	*	*7	*	*
480.9	15	*7	*9	9	*	*	*	*	*	*8	*
481	63	30	32	*6	10	12	34	*9	20	24	9
482	226	120	106	*8	31	36	150	38	48	106	34
482.0	16	*9	*7	*	*	*	12	*	*	*7	*
482.1	32	18	14	*	*6	*	19	*	9	13	*
482.2	32	16	16	*	*	*	21	*5	*8	11	*8
482.3	20	12	*8	*	*	*	11	*	*	11	*
482.30	12	*7	*5	*	*	*	*6	*	*	*7	*
482.4	33	20	14	*	*	*	24	*6	*7	15	*5
482.8	73	35	38	*	*6	12	54	12	12	41	*8
482.82	*6	*	*	*	*	*	*5	*	*	*	*
482.83	39	20	19	*	*	*6	30	*6	*8	21	*
482.89	27	12	16	*	*	*6	18	*	*	17	*
482.9	19	10	*9	*	*	*	*9	*5	*	*7	*
483	12	*6	*6	*	*	*	*	*	*6	*	*
483.0	9	*	*	*	*	*	*	*	*	*	*
485	42	24	19	19	*	*5	14	*5	17	17	*
486	812	402	410	139	106	138	429	162	216	318	115
487	31	14	17	*	*	*7	15	*	*8	18	*
487.0	*9	*	*	*	*	*	*	*	*	*	*
487.1	19	*8	11	*	*	*	11	*	*	13	*
490	23	13	10	*6	*	*6	*9	*	*	14	*
491	274	120	154	*	11	74	186	57	73	117	26
491.2	265	116	148	*	*9	71	182	57	70	111	26
491.20	12	*6	*6	—	*	*	*7	*	*	*6	*
491.21	252	110	142	*	*8	67	175	54	67	105	26
492	37	23	14	—	*	10	25	12	*8	12	*
492.8	33	20	13	—	*	9	23	10	*7	11	*
493	451	189	262	169	125	80	76	129	116	138	68
493.0	26	13	13	19	*6	*	*	*9	*	*	10
493.00	11	*	*7	*8	*	*	*	*	*	*	*5
493.01	15	*9	*7	11	*	*	*	*6	*	*	*
493.2	75	28	47	*	*7	24	43	21	15	29	9
493.20	47	18	29	*	*	15	28	14	11	16	*6
493.21	28	10	18	*	*	9	15	*8	*	13	*
493.9	349	147	202	149	112	55	33	98	97	105	49
493.90	179	69	110	61	62	33	24	45	45	64	25
493.91	170	78	91	88	50	22	9	53	52	41	24
494	*5	*	*	*	*	*	*	*	*	*	*
496	213	101	112	*	*	50	158	52	44	91	26
507	114	57	57	*6	*	14	89	25	22	50	17
507.0	114	57	57	*6	*	14	89	25	22	50	17
510	*9	*7	*	*	*	*	*	*	*	*	*
510.9	*8	*6	*	*	*	*	*	*	*	*	*

NOTE: Estimates of 5,000-9,000 are to be used with caution; see methods section.

Table 1. Number of first-listed diagnoses for discharges from short-stay hospitals, by ICD-9-CM code, sex, and age of patient, and geographic region of hospital: United States, 1994—Con.[Discharges of inpatients from non-Federal hospitals. Excludes newborn infants. Code numbers are from the *International Classification of Diseases, 9th Revision, Clinical Modification* (ICD-9-CM). Totals include data for categories not listed in table; see methods section]

ICD-9-CM code	Total	Sex		Age				Region			
		Male	Female	Under 15 years	15-44 years	45-64 years	65 years and over	Northeast	Midwest	South	West
Number of first-listed diagnoses in thousands											
511	55	31	24	*	*6	18	30	16	13	16	10
511.0	*8	*	*	—	*	*	*	*	*	*	*
511.8	*8	*5	*	*	*	*	*	*	*	*	*
511.9	38	21	17	*	*	11	23	11	*9	13	*5
512	32	22	10	*	17	*6	*9	*6	10	9	*7
512.8	28	19	9	*	16	*	*8	*6	9	*8	*5
514	*7	*	*	*	*	*	*5	*	*	*	*
515	16	*7	10	*	*	*6	*8	*	*7	*	*
516	12	*6	*6	*	*	*	*5	*	*	*5	*
516.8	*7	*	*	*	*	*	*	*	*	*	*
518	155	77	79	*7	12	39	97	31	28	69	27
518.0	*7	*	*	*	*	*	*	*	*	*	*
518.4	*9	*	*6	*	*	*	*	*	*	*	*
518.8	130	63	67	*5	*9	31	85	24	22	61	24
518.81	112	56	57	*	*7	28	75	20	17	55	20
518.82	*8	*	*	*	*	*	*	*	*	*	*
518.89	10	*	*6	*	*	*	*6	*	*	*	*
519	23	12	11	*9	*	*	*8	*6	*5	10	*
519.1	*7	*	*	*	*	*	*	*	*	*	*
519.8	11	*6	*5	*	*	*	*5	*	*	*8	*
520-579	3,077	1,376	1,701	229	840	812	1,196	714	710	1,137	516
524	19	*6	13	*	15	*	*	*	*	*6	*
524.0	*7	*	*	*	*6	*	*	*	*	*	*
524.6	*6	*	*5	*	*	*	*	*	*	*	*
527	12	*	*7	*	*	*	*7	*	*	*6	*
527.2	*8	*	*	*	*	*	*	*	*	*	*
528	11	*6	*	*	*	*	*	*	*	*	*
530	181	88	93	20	38	56	68	45	41	65	30
530.1	70	31	38	*	17	23	25	18	15	28	*9
530.10	29	13	16	*	9	9	*7	*9	*6	12	*
530.11	34	13	20	*	*6	11	15	*6	*6	15	*6
530.19	*7	*	*	*	*	*	*	*	*	*	*
530.2	18	10	*8	—	*	*6	*8	*	*	*8	*
530.3	*8	*5	*	*	*	*	*5	*	*	*	*
530.5	11	*	*8	*	*	*	*	*	*	*5	*
530.7	12	9	*	*	*	*	*	*	*	*	*
530.8	56	25	31	14	*8	16	18	15	14	15	11
530.81	51	23	29	14	*8	15	14	13	13	13	11
531	101	44	57	*	15	26	59	19	27	38	16
531.0	29	13	16	*	*	*8	19	*6	*8	10	*5
531.00	29	13	16	*	*	*8	19	*6	*8	10	*
531.3	*5	*	*	—	*	*	*	*	*	*	*
531.4	42	21	21	*	*6	11	25	*9	10	16	*7
531.40	40	20	20	*	*	11	25	*8	10	16	*7
531.9	15	*6	10	*	*	*	*7	*	*5	*6	*
531.90	14	*6	*9	*	*	*	*7	*	*5	*6	*
532	86	58	28	*	18	23	45	22	20	31	13
532.0	27	19	*8	—	*	*7	16	*8	*6	10	*
532.00	26	18	*8	—	*	*7	15	*7	*5	10	*
532.3	*6	*	*	—	*	*	*	*	*	*	*
532.30	*5	*	*	—	*	*	*	*	*	*	*
532.4	31	24	*7	*	*6	10	15	*8	*6	11	*6
532.40	31	24	*7	*	*6	10	15	*8	*6	10	*6
532.9	12	*7	*5	*	*	*	*5	*	*	*5	*
532.90	12	*7	*5	*	*	*	*	*	*	*5	*

NOTE: Estimates of 5,000-9,000 are to be used with caution; see methods section.

Table 1. Number of first-listed diagnoses for discharges from short-stay hospitals, by ICD-9-CM code, sex, and age of patient, and geographic region of hospital: United States, 1994—Con.

[Discharges of inpatients from non-Federal hospitals. Excludes newborn infants. Code numbers are from the *International Classification of Diseases, 9th Revision, Clinical Modification* (ICD-9-CM). Totals include data for categories not listed in table; see methods section]

ICD-9-CM code	Total	Sex		Age				Region			
		Male	Female	Under 15 years	15-44 years	45-64 years	65 years and over	Northeast	Midwest	South	West
Number of first-listed diagnoses in thousands											
533	26	11	14	*	*6	*9	10	*	*6	13	*
533.4	*6	*	*	—	*	*	*	*	*	*	*
533.40	*6	*	*	—	*	*	*	*	*	*	*
533.9	10	*5	*	*	*	*	*	*	*	*	*
533.90	9	*5	*	*	*	*	*	*	*	*	*
535	169	72	97	*7	45	48	70	41	39	68	22
535.0	47	17	30	*	10	13	21	9	10	23	*
535.00	29	10	19	*	*8	*8	11	*6	*6	14	*
535.01	18	*7	11	*	*	*	11	*	*	*8	*
535.1	11	*	*8	*	*	*	*6	*	*	*	*
535.10	*7	*	*6	*	*	*	*	*	*	*	*
535.3	14	12	*	—	*7	*6	*	*	*	*	*
535.30	*8	*7	*	—	*5	*	*	*	*	*	*
535.31	*6	*5	*	—	*	*	*	*	*	*	*
535.4	36	16	20	*	*8	*9	18	*8	9	14	*5
535.40	19	*8	11	*	*	*	10	*	*	*9	*
535.41	17	*8	9	*	*	*5	*8	*	*5	*5	*
535.5	51	18	33	*	14	15	19	13	12	20	*6
535.50	36	13	23	*	12	11	11	9	*8	15	*
535.51	15	*5	10	*	*	*	*8	*	*	*5	*
535.6	10	*6	*	*	*	*	*	*	*	*	*
535.60	*5	*	*	*	*	*	*	*	*	*	*
536	30	*8	22	*	12	*8	*8	*	*7	16	*
536.2	10	*	*8	*	*	*	*	*	*	*	*
536.8	15	*	12	*	*6	*5	*	*	*	*9	*
537	15	*8	*7	*	*	*	9	*	*5	*	*
537.0	*6	*	*	*	*	*	*	*	*	*	*
537.8	*7	*	*	—	*	*	*	*	*	*	*
537.83	*5	*	*	—	*	*	*	*	*	*	*
540	232	142	90	53	135	32	12	40	58	80	54
540.0	57	38	20	15	26	11	*6	11	14	16	17
540.1	18	12	*7	*	9	*	*	*	*5	*5	*
540.9	156	92	64	36	100	17	*	26	39	59	32
541	12	*6	*6	*	*6	*	*	*	*	*7	*
550	74	65	*8	*9	17	17	31	24	11	28	10
550.1	24	19	*	*	*	*	14	*5	*	10	*
550.10	17	13	*	*	*	*	9	*	*	*7	*
550.9	50	46	*	*	14	14	17	18	*7	19	*6
550.90	30	27	*	*	9	*9	11	12	*	11	*
550.91	*7	*7	*	*	*	*	*	*	*	*	*
550.92	11	11	*	*	*	*	*	*	*	*	*
552	42	15	27	*	*6	15	21	13	9	15	*5
552.0	*5	*	*	—	*	*	*	*	*	*	*
552.1	10	*5	*	*	*	*5	*	*	*	*	*
552.2	19	*	15	—	*	*9	*8	*	*6	*6	*
552.20	*5	*	*	—	*	*	*	*	*	*	*
552.21	12	*	9	—	*	*	*6	*	*	*	*
553	87	32	55	*	21	33	33	21	18	37	12
553.1	*6	*	*	*	*	*	*	*	*	*	*
553.2	50	18	32	*	11	21	17	14	9	20	*7
553.20	11	*	*7	—	*	*6	*	*	*	*6	*
553.21	38	13	24	*	9	15	13	11	*8	13	*6
553.3	28	11	17	*	*6	*9	13	*	*7	14	*
555	33	14	19	*	19	10	*	11	*8	10	*
555.0	9	*	*5	*	*	*	*	*	*	*	*
555.1	*6	*	*	*	*	*	*	*	*	*	*
555.9	14	*7	*8	*	9	*	*	*5	*	*5	*
556	24	12	12	*	10	*7	*6	*7	*7	*9	*

NOTE: Estimates of 5,000-9,000 are to be used with caution; see methods section.

Table 1. Number of first-listed diagnoses for discharges from short-stay hospitals, by ICD-9-CM code, sex, and age of patient, and geographic region of hospital: United States, 1994—Con.[Discharges of inpatients from non-Federal hospitals. Excludes newborn infants. Code numbers are from the *International Classification of Diseases, 9th Revision, Clinical Modification* (ICD-9-CM). Totals include data for categories not listed in table; see methods section]

ICD-9-CM code	Total	Sex		Age				Region			
		Male	Female	Under 15 years	15-44 years	45-64 years	65 years and over	Northeast	Midwest	South	West
Number of first-listed diagnoses in thousands											
557	26	*8	18	*	*	*	18	*6	*	*9	*6
557.0	14	*	9	*	*	*	10	*	*	*	*
557.9	*8	*	*6	—	*	*	*5	*	*	*	*
558	250	103	147	81	61	42	65	55	55	100	39
558.9	245	101	143	81	61	41	62	54	54	99	39
560	262	108	153	10	32	71	149	57	64	94	48
560.1	43	18	24	*	*6	11	24	*8	9	20	*6
560.2	12	*6	*6	—	*	*	9	*	*	*5	*
560.3	31	11	20	*	*	*	23	9	*6	11	*
560.39	30	11	19	*	*	*	23	9	*6	11	*
560.8	74	30	44	*	13	25	34	14	21	24	16
560.81	63	25	38	*	11	21	29	12	19	20	13
560.89	11	*	*6	*	*	*	*5	*	*	*	*
560.9	97	40	57	*	10	27	58	21	25	32	19
562	207	79	128	*	19	57	131	58	48	75	26
562.1	203	77	126	*	19	57	127	57	48	72	26
562.10	29	10	19	—	*	9	18	*7	*7	10	*
562.11	116	42	74	*	16	38	62	37	28	38	13
562.12	47	21	26	—	*	*8	39	10	*9	21	*8
562.13	11	*	*6	—	*	*	*8	*	*	*	*
564	51	17	34	*	16	12	18	14	10	18	*8
564.0	23	*8	15	*	*	*	11	*6	*5	9	*
564.1	17	*	13	*	*8	*5	*	*6	*	*	*
564.8	*7	*	*	—	*	*	*	*	*	*	*
565	*9	*6	*	*	*	*	*	*	*	*	*
566	24	17	*6	*	13	*6	*	*5	*	11	*
567	18	9	*8	*	*	*7	*6	*	*	*8	*5
567.2	13	*8	*5	*	*	*	*	*	*	*6	*
568	16	*	14	*	*7	*5	*	*	*	*7	*
568.0	13	*	12	*	*5	*	*	*	*	*7	*
569	72	25	47	*	11	20	40	19	14	28	11
569.1	*5	*	*	*	*	*	*	*	*	*	*
569.3	15	*6	9	*	*	*7	*7	*	*	*8	*
569.4	*8	*	*6	*	*	*	*	*	*	*	*
569.6	10	*	*7	*	*	*	*	*	*	*	*
569.8	26	10	16	*	*	*6	17	*7	*6	*7	*6
569.83	*7	*	*	*	*	*	*	*	*	*	*
569.85	10	*5	*5	—	*	*	9	*	*	*	*
571	81	55	26	*	19	36	25	19	12	32	18
571.1	11	*8	*	—	*	*6	*	*	*	*5	*
571.2	31	25	*7	—	*8	13	10	*6	*6	13	*7
571.3	*5	*	*	—	*	*	*	*	*	*	*
571.5	24	15	10	*	*	10	10	*8	*	*8	*6
572	27	17	10	*	*7	10	10	*6	*	10	*7
572.2	16	11	*6	—	*	*6	*7	*	*	*7	*
573	19	10	*9	*	*6	*5	*	*6	*	*8	*
573.3	12	*	*7	*	*	*	*	*	*	*5	*
574	435	138	298	*	147	131	156	106	94	155	80
574.0	134	51	83	—	44	32	57	27	31	51	24
574.00	122	46	76	—	40	29	53	25	29	46	22
574.01	12	*5	*7	—	*	*	*	*	*	*5	*
574.1	218	58	161	*	79	77	62	59	46	74	39
574.10	210	55	155	*	77	74	59	58	44	71	37
574.11	*8	*	*5	—	*	*	*	*	*	*	*
574.2	41	14	27	*	11	15	15	*9	*7	17	*7
574.20	38	14	24	*	9	14	14	*9	*7	15	*7
574.3	10	*	*6	—	*	*	*	*	*	*	*

NOTE: Estimates of 5,000-9,000 are to be used with caution; see methods section.

Table 1. Number of first-listed diagnoses for discharges from short-stay hospitals, by ICD-9-CM code, sex, and age of patient, and geographic region of hospital: United States, 1994—Con.

[Discharges of inpatients from non-Federal hospitals. Excludes newborn infants. Code numbers are from the *International Classification of Diseases, 9th Revision, Clinical Modification* (ICD-9-CM). Totals include data for categories not listed in table; see methods section]

ICD-9-CM code	Total	Sex		Age				Region			
		Male	Female	Under 15 years	15-44 years	45-64 years	65 years and over	Northeast	Midwest	South	West
Number of first-listed diagnoses in thousands											
574.30	*6	*	*	—	*	*	*	*	*	*	*
574.4	12	*	*9	—	*	*	*7	*	*	*	*
574.40	*6	*	*	—	*	*	*	*	*	*	*
574.41	*6	*	*	—	*	*	*	*	*	*	*
574.5	19	*7	13	*	*6	*	10	*	*5	*	*
574.50	12	*	*7	—	*5	*	*	*	*	*	*
574.51	*8	*	*5	*	*	*	*6	*	*	*	*
575	67	17	50	*	24	24	18	14	21	22	11
575.0	28	*9	20	*	*8	9	11	*6	10	*9	*
575.1	30	*6	23	*	12	11	*5	*6	*7	11	*6
576	26	11	15	*	*	*	16	*7	*6	*8	*6
576.1	11	*6	*	*	*	*	*6	*	*	*	*
576.2	9	*	*6	*	*	*	*7	*	*	*	*
576.8	*6	*	*	*	*	*	*	*	*	*	*
577	168	86	83	*	65	51	51	36	50	56	26
577.0	141	73	68	*	53	42	45	28	45	46	21
577.1	21	10	11	*	10	*8	*	*5	*	*9	*
578	128	58	70	*	13	24	88	29	34	42	22
578.0	13	*6	*7	*	*	*	*8	*	*	*	*
578.1	27	10	17	*	*	*5	18	*8	*7	*7	*6
578.9	88	42	46	*	*8	16	62	18	25	31	14
579	*7	*	*6	*	*	*	*	*	*	*	*
580-629	1,816	607	1,209	63	640	434	678	386	410	750	270
581	*7	*	*	*	*	*	*	*	*	*	*
581.9	*6	*	*	*	*	*	*	*	*	*	*
584	60	31	29	*	*7	12	40	15	14	23	*7
584.9	54	28	27	*	*6	12	37	13	13	22	*7
585	30	17	13	*	*6	10	14	*7	*6	11	*7
586	*6	*	*	*	*	*	*	*	*	*	*
590	139	19	120	10	67	25	37	26	33	57	23
590.1	92	13	78	*6	42	18	26	14	23	36	17
590.10	92	13	78	*6	42	18	26	14	23	36	17
590.8	39	*	35	*	20	*7	*8	10	*8	16	*
590.80	39	*	35	*	20	*7	*8	10	*8	16	*
591	11	*6	*6	*	*	*	*	*	*	*	*
592	209	135	74	*	98	73	37	49	57	82	21
592.0	49	29	20	*	20	20	*8	12	12	18	*7
592.1	158	105	53	*	77	52	29	37	44	64	12
593	34	14	20	*8	*8	*6	13	*9	*6	12	*6
593.4	*9	*5	*	*	*	*	*	*	*	*	*
593.7	*6	*	*	*6	*	*	*	*	*	*	*
593.8	*6	*	*	*	*	*	*	*	*	*	*
593.9	*5	*	*	*	*	*	*	*	*	*	*
594	10	*7	*	*	*	*	*6	*	*	*	*
594.1	*6	*	*	*	*	*	*	*	*	*	*
595	18	*6	11	*	*	*	10	*	*6	*	*
595.0	*6	*	*	*	*	*	*	*	*	*	*
596	28	24	*	*	*	*	21	*6	*6	12	*
596.0	15	15	*	—	*	*	11	*	*	*6	*
596.5	*6	*	*	*	*	*	*	*	*	*	*
596.54	*6	*	*	*	*	*	*	*	*	*	*
598	*8	*7	*	*	*	*	*	*	*	*	*
599	355	127	228	24	37	46	248	77	71	168	39
599.0	325	107	217	23	33	40	228	68	65	156	36
599.7	23	17	*7	*	*	*	15	*8	*	10	*

NOTE: Estimates of 5,000-9,000 are to be used with caution; see methods section.

Table 1. Number of first-listed diagnoses for discharges from short-stay hospitals, by ICD-9-CM code, sex, and age of patient, and geographic region of hospital: United States, 1994—Con.[Discharges of inpatients from non-Federal hospitals. Excludes newborn infants. Code numbers are from the *International Classification of Diseases, 9th Revision, Clinical Modification* (ICD-9-CM). Totals include data for categories not listed in table; see methods section]

ICD-9-CM code	Total	Sex		Age				Region			
		Male	Female	Under 15 years	15-44 years	45-64 years	65 years and over	Northeast	Midwest	South	West
Number of first-listed diagnoses in thousands											
600	150	150	—	—	*	30	119	33	35	57	25
601	10	10	—	—	*	*	*	*	*	*	*
601.0	*7	*7	—	—	*	*	*	*	*	*	*
604	11	11	—	*	*	*6	*	*	*	*5	*
604.9	10	10	—	*	*	*6	*	*	*	*5	*
604.90	*7	*7	—	*	*	*	*	*	*	*	*
607	9	9	—	*	*	*6	*	*	*	*	*
607.8	*8	*8	—	—	*	*	*	*	*	*	*
607.84	*5	*5	—	—	*	*	*	*	*	*	*
608	12	12	—	*	*	*	*	*	*	*	*
610	12	*	11	—	*	9	*	*5	*	*	*
610.1	*9	*	*9	—	*	*7	*	*	*	*	*
611	34	*	33	*	20	10	*	10	*6	11	*7
611.0	*6	*	*6	*	*	*	*	*	*	*	*
611.1	18	*	17	*	12	*6	*	*	*	*5	*
611.8	*7	—	*7	—	*	*	*	*	*	*	*
614	79	—	79	*	72	*5	*	19	17	31	12
614.1	*6	—	*6	—	*	*	*	*	*	*	*
614.2	*8	—	*8	*	*7	*	—	*	*	*5	*
614.3	16	—	16	*	15	*	—	*	*	*5	*
614.6	21	—	21	—	19	*	*	*	*	*7	*
614.9	19	—	19	*	18	*	—	*	*	*7	*
616	10	—	10	*	*5	*	*	*	*	*	*
617	91	—	91	—	70	19	*	15	24	37	15
617.0	46	—	46	—	34	12	*	*7	12	20	*7
617.1	12	—	12	—	10	*	*	*	*	*	*
617.3	20	—	20	—	18	*	—	*	*6	*8	*
617.9	*7	—	*7	—	*7	*	*	*	*	*	*
618	153	—	153	—	27	54	72	24	31	70	28
618.0	46	—	46	—	*8	14	24	*6	9	23	*8
618.1	14	—	14	—	*7	*	*	*	*	*7	*
618.2	22	—	22	—	*	*8	*9	*	*6	*7	*
618.3	17	—	17	—	*	*6	10	*	*	*6	*
618.4	16	—	16	—	*	*6	*7	*	*	*6	*
618.5	22	—	22	—	*	*9	12	*	*	11	*5
618.8	11	—	11	—	*	*6	*	*	*	*8	*
619	*6	—	*6	—	*	*	*	*	*	*	*
620	74	—	74	*	60	*8	*	17	18	27	12
620.0	*6	—	*6	*	*	*	*	*	*	*	*
620.1	16	—	16	*	14	*	—	*	*	*6	*
620.2	44	—	44	*	35	*5	*	11	11	16	*7
620.8	*5	—	*5	—	*	*	*	*	*	*	*
621	19	—	19	—	*5	10	*	*5	*	*7	*
621.3	12	—	12	—	*	*7	*	*	*	*5	*
622	*8	—	*8	—	*	*	*	*	*	*	*
622.1	*7	—	*7	—	*	*	*	*	*	*	*
625	98	—	98	*	53	31	13	13	22	38	25
625.3	13	—	13	*	11	*	—	*	*	*8	*
625.6	53	—	53	—	15	26	13	*9	14	14	16
625.9	27	—	27	*	23	*	*	*	*6	13	*
626	81	—	81	*	55	25	*	11	21	37	12
626.2	51	—	51	*	38	13	—	*7	14	22	*8
626.8	26	—	26	—	16	10	*	*	*7	12	*
627	12	—	12	—	*	*6	*	*	*	*6	*
627.1	*9	—	*9	—	—	*	*	*	*	*	*

NOTE: Estimates of 5,000-9,000 are to be used with caution; see methods section.

Table 1. Number of first-listed diagnoses for discharges from short-stay hospitals, by ICD-9-CM code, sex, and age of patient, and geographic region of hospital: United States, 1994—Con.[Discharges of inpatients from non-Federal hospitals. Excludes newborn infants. Code numbers are from the *International Classification of Diseases, 9th Revision, Clinical Modification* (ICD-9-CM). Totals include data for categories not listed in table; see methods section]

ICD-9-CM code	Total	Sex		Age				Region			
		Male	Female	Under 15 years	15-44 years	45-64 years	65 years and over	Northeast	Midwest	South	West
Number of first-listed diagnoses in thousands											
630-676	574	—	574	*	569	*	—	141	109	229	96
632	17	—	17	*	17	—	—	*6	*	*6	*
633	42	—	42	—	42	*	—	10	*7	18	*7
633.1	38	—	38	—	38	*	—	*9	*6	17	*6
634	38	—	38	*	37	*	—	18	*5	12	*
634.9	32	—	32	*	31	*	—	16	*	11	*
634.91	26	—	26	*	26	*	—	14	*	*7	*
635	*8	—	*8	*	*8	—	—	*	*	*	*
635.9	*5	—	*5	*	*5	—	—	*	*	*	*
637	*9	—	*9	*	*8	—	—	*	*	*	*
637.9	*7	—	*7	*	*7	—	—	*	*	*	*
637.91	*6	—	*6	*	*6	—	—	*	*	*	*
639	*7	—	*7	—	*7	—	—	*	*	*	*
640	*8	—	*8	—	*8	—	—	*	*	*	*
640.0	*7	—	*7	—	*7	—	—	*	*	*	*
640.03	*7	—	*7	—	*7	—	—	*	*	*	*
641	22	—	22	*	22	—	—	*6	*6	*6	*
641.1	*7	—	*7	*	*7	—	—	*	*	*	*
641.13	*7	—	*7	*	*7	—	—	*	*	*	*
641.2	*7	—	*7	—	*7	—	—	*	*	*	*
641.23	*7	—	*7	—	*7	—	—	*	*	*	*
641.9	*6	—	*6	—	*6	—	—	*	*	*	*
641.93	*6	—	*6	—	*6	—	—	*	*	*	*
642	29	—	29	*	29	—	—	*6	*	14	*5
642.3	9	—	9	*	9	—	—	*	*	*5	*
642.33	9	—	9	*	9	—	—	*	*	*5	*
642.4	9	—	9	*	9	—	—	*	*	*	*
642.43	*8	—	*8	*	*8	—	—	*	*	*	*
643	43	—	43	*	43	—	—	11	10	18	*
643.0	20	—	20	—	20	—	—	*	*5	*8	*
643.03	19	—	19	—	19	—	—	*	*5	*7	*
643.1	20	—	20	—	20	—	—	*6	*	*9	*
643.13	20	—	20	—	20	—	—	*6	*	*9	*
644	160	—	160	*	157	—	—	34	29	65	32
644.0	124	—	124	*	120	—	—	27	22	49	26
644.03	124	—	124	*	120	—	—	27	22	49	26
644.1	36	—	36	*	36	—	—	*6	*8	16	*6
644.13	35	—	35	*	35	—	—	*6	*8	16	*6
646	55	—	55	*	54	*	—	*8	10	27	9
646.6	41	—	41	*	40	*	—	*7	*8	18	*8
646.63	39	—	39	*	39	*	—	*7	*7	18	*8
646.8	11	—	11	—	11	—	—	*	*	*7	*
646.83	11	—	11	—	11	—	—	*	*	*7	*
647	*7	—	*7	—	*7	—	—	*	*	*	*
648	56	—	56	—	55	*	—	14	11	21	9
648.0	11	—	11	—	11	—	—	*	*	*	*
648.03	11	—	11	—	11	—	—	*	*	*	*
648.8	13	—	13	—	12	*	—	*	*	*	*
648.83	13	—	13	—	12	*	—	*	*	*	*
648.9	23	—	23	—	23	—	—	*5	*5	*9	*
648.93	23	—	23	—	23	—	—	*5	*5	*9	*
654	10	—	10	—	10	*	—	*	*	*	*
654.5	*5	—	*5	—	*5	*	—	*	*	*	*
654.53	*5	—	*5	—	*5	*	—	*	*	*	*
656	*5	—	*5	—	*5	—	—	*	*	*	*
658	9	—	9	*	9	—	—	*	*	*	*

NOTE: Estimates of 5,000-9,000 are to be used with caution; see methods section.

Table 1. Number of first-listed diagnoses for discharges from short-stay hospitals, by ICD-9-CM code, sex, and age of patient, and geographic region of hospital: United States, 1994—Con.[Discharges of inpatients from non-Federal hospitals. Excludes newborn infants. Code numbers are from the *International Classification of Diseases, 9th Revision, Clinical Modification* (ICD-9-CM). Totals include data for categories not listed in table; see methods section]

ICD-9-CM code	Total	Sex		Age				Region			
		Male	Female	Under 15 years	15-44 years	45-64 years	65 years and over	Northeast	Midwest	South	West
Number of first-listed diagnoses in thousands											
659	*7	—	*7	—	*7	—	—	*	*	*	*
666	*6	—	*6	—	*6	—	—	*	*	*	*
670	*9	—	*9	—	*9	—	—	*	*	*	*
670.0	*9	—	*9	—	*9	—	—	*	*	*	*
670.04	*9	—	*9	—	*9	—	—	*	*	*	*
680-709	460	239	221	38	129	113	180	125	107	153	75
681	21	15	*7	*	*8	*	*8	*6	*5	*8	*
681.0	11	*8	*	*	*7	*	*	*	*	*	*
681.00	11	*7	*	*	*7	*	*	*	*	*	*
681.1	10	*7	*	*	*	*	*5	*	*	*	*
681.10	10	*7	*	*	*	*	*	*	*	*	*
682	296	157	139	24	81	81	110	81	71	92	52
682.0	26	12	14	*	*7	10	*5	*6	*	10	*6
682.1	*9	*	*	*	*	*	*	*	*	*	*
682.2	20	10	10	*	*	9	*5	*	*	*7	*5
682.3	31	18	13	*	12	10	*6	10	*7	*9	*
682.4	17	12	*	*	*8	*	*	*6	*	*	*
682.5	*8	*	*	*	*	*	*	*	*	*	*
682.6	135	70	65	*6	33	30	65	39	33	41	21
682.7	44	23	21	*	*7	14	21	12	13	12	*7
686	*6	*	*	*	*	*	*	*	*	*	*
695	*6	*	*	*	*	*	*	*	*	*	*
696	*5	*	*	—	*	*	*	*	*	*	*
707	74	36	38	*	12	14	48	15	19	30	11
707.0	38	19	19	*	*7	*5	26	*8	*8	17	*
707.1	33	17	16	*	*	*9	20	*6	*10	12	*6
708	*7	*	*5	*	*	*	*	*	*	*	*
709	9	*	*	*	*6	*	*	*	*	*	*
709.2	*6	*	*	*	*	*	—	*	*	*	*
710-739	1,515	672	843	39	440	436	600	343	352	563	257
710	21	*	18	*	11	*6	*	*5	*	*8	*
710.0	15	*	13	*	*8	*	*	*	*	*6	*
711	19	11	*7	*	*	*	*6	*	*	*7	*6
711.0	18	11	*7	*	*	*	*5	*	*	*6	*5
711.06	*7	*	*	*	*	*	*	*	*	*	*
714	31	10	21	*	*	12	13	*9	*6	10	*6
714.0	27	*7	19	*	*	11	12	*7	*	9	*6
715	340	130	211	*	16	84	240	71	99	112	59
715.1	21	*6	15	—	*	*	16	*	*7	*6	*5
715.15	*5	*	*	—	*	*	*	*	*	*	*
715.16	13	*	9	—	*	*	10	*	*	*	*
715.3	210	82	128	*	11	51	146	39	43	92	37
715.35	57	21	35	*	*	12	40	9	15	20	12
715.36	143	56	87	*	*	36	103	29	27	64	23
715.8	*6	*	*5	—	—	*	*5	*	*	*	*
715.89	*6	*	*5	—	—	*	*5	*	*	*	*
715.9	100	39	61	—	*	28	69	27	47	11	15
715.90	*7	*	*5	—	*	*	*	*	*	*	*
715.95	33	15	18	—	*	*9	23	12	14	*	*6
715.96	56	20	35	—	*	15	39	12	29	*6	*8
716	27	9	18	*	*9	*7	12	*	*5	13	*
716.1	11	*	*7	—	*6	*	*	*	*	*5	*
716.9	12	*	*8	*	*	*	*7	*	*	*6	*
717	36	24	12	*	29	*5	*	17	*7	*5	*7
717.8	25	18	*7	*	23	*	*	9	*7	*	*
717.83	24	18	*6	*	22	*	*	*9	*6	*	*

NOTE: Estimates of 5,000-9,000 are to be used with caution; see methods section.

Table 1. Number of first-listed diagnoses for discharges from short-stay hospitals, by ICD–9–CM code, sex, and age of patient, and geographic region of hospital: United States, 1994—Con.

[Discharges of inpatients from non-Federal hospitals. Excludes newborn infants. Code numbers are from the *International Classification of Diseases, 9th Revision, Clinical Modification* (ICD–9–CM). Totals include data for categories not listed in table; see methods section]

ICD–9–CM code	Total	Sex		Age				Region			
		Male	Female	Under 15 years	15–44 years	45–64 years	65 years and over	Northeast	Midwest	South	West
Number of first-listed diagnoses in thousands											
718	37	18	19	*	22	*5	*7	14	*	11	*8
718.3	16	*8	*8	*	12	*	*	*	*	*	*
718.31	*9	*7	*	*	*7	*	*	*	*	*	*
718.4	*5	*	*	*	*	*	*	*	*	*	*
718.8	*7	*	*	*	*	*	*	*	*	*	*
719	34	13	21	*	9	*8	16	*6	*	14	*9
719.4	19	*9	11	*	*5	*6	*8	*	*	*7	*6
719.45	*9	*	*6	*	*	*	*6	*	*	*	*
719.7	*8	*	*6	–	*	*	*5	*	*	*	*
721	80	31	49	–	11	33	35	14	18	36	12
721.0	33	16	18	–	*7	20	*7	*6	*6	19	*
721.1	11	*6	*5	–	*	*	*6	*	*	*	*
721.3	25	*6	19	–	*	*7	15	*	*6	10	*
721.9	*5	*	*	–	–	*	*	*	*	*	*
721.90	*5	*	*	–	–	*	*	*	*	*	*
722	370	195	175	*	182	127	61	68	80	164	58
722.0	56	26	31	*	31	23	*	9	10	29	*8
722.1	244	137	107	*	128	76	40	48	57	102	37
722.10	242	136	107	*	128	75	40	48	57	102	37
722.2	*6	*6	*	–	*	*	–	*	*	*	*
722.5	30	11	19	–	*8	12	10	*	*7	14	*
722.52	30	11	18	–	*7	12	10	*	*7	14	*
722.7	12	*6	*5	–	*	*6	*	*	*	*	*
722.73	*6	*	*	–	*	*	*	*	*	*	*
722.8	*8	*	*	–	*	*	*	*	*	*	*
722.83	*7	*	*	–	*	*	*	*	*	*	*
722.9	*8	*	*5	–	*	*	*	*	*	*	*
722.93	*7	*	*	–	*	*	*	*	*	*	*
723	25	13	12	*	12	*8	*	*	*	13	*
723.1	*7	*	*	*	*	*	*	*	*	*	*
723.4	12	*6	*6	–	*5	*	*	*	*	*7	*
724	110	44	66	*	29	36	44	18	31	44	18
724.0	42	20	23	–	*	12	27	*8	13	13	*8
724.02	40	19	21	–	*	11	26	*8	13	11	*8
724.2	25	9	15	*	12	*6	*6	*	*8	10	*
724.4	13	*	10	*	*5	*7	*	*	*	10	*
724.5	19	*8	11	*	*6	*7	*6	*	*	*7	*
726	46	24	22	*	17	19	10	16	12	10	*8
726.1	14	*7	*6	–	*	*7	*	*	*	*	*
726.10	11	*7	*	–	*	*6	*	*	*	*	*
726.2	18	11	*7	–	9	*7	*	*8	*	*	*
727	28	12	17	*	11	*9	*6	12	*	*8	*
727.0	11	*6	*	*	*5	*	*	*5	*	*	*
727.05	*6	*	*	*	*	*	*	*	*	*	*
727.6	*5	*	*	–	*	*	*	*	*	*	*
728	22	11	11	*	*7	*7	*8	*	*	9	*
728.8	*8	*5	*	*	*	*	*	*	*	*	*
729	30	15	15	*	*9	10	10	*	10	12	*
729.1	10	*	*6	*	*	*	*	*	*	*	*
729.5	11	*6	*	*	*	*	*	*	*	*	*
730	48	29	19	*	10	14	20	16	11	14	*7
730.0	18	11	*7	*	*	*5	*9	*8	*	*	*
730.07	11	*7	*	*	*	*	*6	*	*	*	*
730.1	*8	*	*	*	*	*	*	*	*	*	*
730.2	22	14	*8	*	*	*6	*9	*6	*	*8	*
730.27	12	*9	*	*	*	*	*5	*	*	*6	*
732	*7	*	*	*	*	*	*	*	*	*	*

NOTE: Estimates of 5,000–9,000 are to be used with caution; see methods section.

Table 1. Number of first-listed diagnoses for discharges from short-stay hospitals, by ICD-9-CM code, sex, and age of patient, and geographic region of hospital: United States, 1994—Con.[Discharges of inpatients from non-Federal hospitals. Excludes newborn infants. Code numbers are from the *International Classification of Diseases, 9th Revision, Clinical Modification* (ICD-9-CM). Totals include data for categories not listed in table; see methods section]

ICD-9-CM code	Total	Sex		Age				Region			
		Male	Female	Under 15 years	15-44 years	45-64 years	65 years and over	Northeast	Midwest	South	West
Number of first-listed diagnoses in thousands											
733	151	56	96	*	31	29	87	39	34	53	25
733.1	70	15	56	*	*	*6	63	19	15	27	10
733.13	42	*8	34	—	*	*	39	13	*9	13	*7
733.14	12	*	10	*	*	*	10	*	*	*5	*
733.4	16	*8	*8	*	*	*	*6	*	*	*	*
733.42	12	*7	*5	*	*	*	*5	*	*	*	*
733.8	36	22	13	*	17	9	*8	9	*8	11	*8
733.81	*6	*	*	*	*	*	*	*	*	*	*
733.82	30	18	12	*	14	*7	*8	*8	*6	*9	*7
733.9	21	*8	13	*	*6	*8	*6	*5	*5	*7	*
733.99	18	*6	11	*	*6	*7	*5	*	*	*5	*
735	10	*	9	*	*	*7	*	*5	*	*	*
735.0	*8	*	*8	*	*	*6	*	*	*	*	*
736	11	*7	*	*	*	*	*	*	*	*6	*
736.8	*5	*	*	*	*	*	*	*	*	*	*
737	*8	*	*6	*	*	*	*	*	*	*	*
737.3	*7	*	*5	*	*	*	*	*	*	*	*
737.30	*6	*	*	*	*	*	*	*	*	*	*
738	14	*6	*8	*	*6	*	*	*	*	*6	*
738.4	10	*	*7	—	*	*	*	*	*	*	*
740-759	151	84	66	107	27	12	*	53	30	33	35
744	*7	*	*	*	*	*	*	*	*	*	*
745	20	*9	11	16	*	*	*	9	*	*	*
745.4	*6	*	*	*	*	*	—	*	*	*	*
745.5	*5	*	*	*	*	*	*	*	*	*	*
746	11	*7	*	*7	*	*	*	*6	*	*	*
747	16	*7	9	10	*	*	*	*6	*	*	*
749	13	*8	*5	12	*	*	—	*	*	*	*
749.0	*6	*	*	*6	—	*	—	*	*	*	*
749.2	*6	*	*	*5	*	—	—	*	*	*	*
750	13	12	*	13	*	*	—	*	*5	*	*
750.5	10	10	*	10	—	—	—	*	*	*	*
751	*8	*5	*	*6	*	*	*	*	*	*	*
752	*6	*	*	*	*	*	*	*	*	*	*
753	*7	*	*	*	*	*	*	*	*	*	*
754	10	*	*5	*8	*	*	—	*	*	*	*
755	*7	*	*	*	*	*	*	*	*	*	*
756	12	*6	*6	*6	*	*	*	*	*	*	*
756.1	*6	*	*	*	*	*	*	*	*	*	*
759	*6	*	*	*	*	*	*	*	*	*	*
760-779	132	79	54	131	*	*	—	20	37	39	37
765	22	13	9	22	*	—	—	*	*	10	*6
765.0	*5	*	*	*5	—	—	—	*	*	*	*
765.1	17	10	*7	17	*	—	—	*	*	*9	*
769	10	*7	*	10	*	—	—	*	*	*	*
770	27	17	11	27	—	—	—	*	10	*	10
770.6	*6	*	*	*6	—	—	—	*	*	*	*
770.8	12	*6	*6	12	—	—	—	*	*	*	*
771	13	*7	*6	13	—	—	—	*	*	*	*
771.8	10	*	*5	10	—	—	—	*	*	*	*
774	31	18	13	31	—	—	—	*	*8	11	*9
774.6	27	16	11	27	—	—	—	*	*7	10	*7
779	*7	*	*	*7	—	—	—	*	*	*	*

NOTE: Estimates of 5,000-9,000 are to be used with caution; see methods section.

Table 1. Number of first-listed diagnoses for discharges from short-stay hospitals, by ICD-9-CM code, sex, and age of patient, and geographic region of hospital: United States, 1994—Con.

[Discharges of inpatients from non-Federal hospitals. Excludes newborn infants. Code numbers are from the *International Classification of Diseases, 9th Revision, Clinical Modification* (ICD-9-CM). Totals include data for categories not listed in table; see methods section]

ICD-9-CM code	Total	Sex		Age				Region			
		Male	Female	Under 15 years	15-44 years	45-64 years	65 years and over	Northeast	Midwest	South	West
Number of first-listed diagnoses in thousands											
780-799	328	156	173	47	133	83	66	81	59	139	49
780	66	34	32	23	21	12	10	16	11	27	12
780.2	15	*8	*7	*	*6	*	*	*	*	*5	*
780.3	33	16	17	15	12	*	*	*8	*5	15	*5
780.6	10	*6	*	*8	*	*	*	*	*	*	*
784	10	*	*8	*	*	*	*	*	*	*	*
784.0	*5	*	*	*	*	*	*	*	*	*	*
786	98	52	47	*7	38	38	15	22	21	40	15
786.0	*7	*	*	*5	*	*	*	*	*	*	*
786.09	*7	*	*	*5	*	*	*	*	*	*	*
786.5	89	46	43	*	37	38	14	21	20	37	12
786.50	77	40	38	*	31	33	13	17	17	33	10
786.52	*6	*	*	—	*	*	*	*	*	*	*
788	*9	*6	*	*	*	*	*	*	*	*	*
789	53	22	32	*9	31	*7	*7	9	12	25	*7
789.0	50	21	29	*9	29	*7	*6	*9	12	23	*7
799	70	32	39	*	30	16	23	22	*7	32	9
799.9	65	30	35	*	28	14	21	21	*6	30	*8
800-999	2,605	1,309	1,296	246	940	505	915	614	602	909	481
800	13	*8	*	*8	*	*	*	*	*	*	*
800.0	*5	*	*	*	*	*	*	*	*	*	*
801	23	16	*7	*6	10	*5	*	*6	*5	*	*8
801.0	10	*6	*	*	*	*	*	*	*	*	*
801.2	*6	*5	*	*	*	*	*	*	*	*	*
802	45	33	13	*	30	*6	*5	14	*8	14	9
802.2	18	13	*	*	12	*	*	*	*	*6	*
802.4	10	10	*	*	*7	*	*	*	*	*	*
803	*7	*	*	*	*	*	*	*	*	*	*
805	70	30	40	*	26	*8	35	13	17	26	13
805.0	19	11	*8	*	12	*	*5	*	*	*8	*
805.02	*7	*	*	*	*	*	*	*	*	*	*
805.2	23	*8	15	*	*6	*	13	*	*7	10	*
805.4	25	10	15	*	*8	*	14	*6	*7	*7	*6
806	*6	*6	*	—	*	*	*	*	*	*	*
807	41	20	21	*	*8	13	19	10	*9	14	*8
807.0	31	17	14	*	*7	10	15	*8	*8	*8	*7
807.01	*5	*	*	—	*	*	*	*	*	*	*
807.02	*7	*	*	*	*	*	*	*	*	*	*
807.2	*8	*	*6	—	*	*	*	*	*	*	*
808	51	17	35	*	11	*6	32	13	14	15	9
808.0	*8	*	*	*	*	*	*	*	*	*	*
808.2	29	*7	22	*	*5	*	21	*9	*8	*7	*6
808.4	10	*	*6	*	*	*	*5	*	*	*	*
812	59	25	34	14	12	*8	24	16	12	18	13
812.0	25	*6	19	*	*	*	16	*8	*	*8	*
812.00	11	*	*8	*	*	*	*9	*6	*	*	*
812.01	*7	*	*6	*	*	*	*5	*	*	*	*
812.2	10	*5	*5	*	*	*	*	*	*	*	*
812.20	*6	*	*	*	*	*	*	*	*	*	*
812.4	21	12	*9	13	*	*	*	*6	*	*5	*7
812.41	12	*7	*5	10	*	*	*	*	*	*	*

NOTE: Estimates of 5,000-9,000 are to be used with caution; see methods section.

Table 1. Number of first-listed diagnoses for discharges from short-stay hospitals, by ICD-9-CM code, sex, and age of patient, and geographic region of hospital: United States, 1994—Con.[Discharges of inpatients from non-Federal hospitals. Excludes newborn infants. Code numbers are from the *International Classification of Diseases, 9th Revision, Clinical Modification* (ICD-9-CM). Totals include data for categories not listed in table; see methods section]

ICD-9-CM code	Total	Sex		Age				Region			
		Male	Female	Under 15 years	15-44 years	45-64 years	65 years and over	Northeast	Midwest	South	West
Number of first-listed diagnoses in thousands											
813	60	31	30	12	21	12	15	14	10	23	12
813.0	10	*5	*	*	*	*	*	*	*	*	*
813.01	*6	*	*	*	*	*	*	*	*	*	*
813.2	*6	*	*	*	*	*	*	*	*	*	*
813.4	25	12	13	*	9	*	*7	*6	*	*9	*6
813.41	*6	*	*	*	*	*	*	*	*	*	*
813.42	11	*5	*5	*	*6	*	*	*	*	*	*
813.44	*9	*	*	*	*	*	*	*	*	*	*
813.5	*5	*	*	*	*	*	*	*	*	*	*
813.8	*8	*	*5	*	*	*	*	*	*	*	*
813.83	*6	*	*	*	*	*	*	*	*	*	*
815	*5	*	*	*	*	*	*	*	*	*	*
816	12	10	*	*	*8	*	*	*	*	*	*
816.0	*6	*	*	*	*5	*	*	*	*	*	*
816.1	*6	*6	*	*	*	*	*	*	*	*	*
820	301	79	222	*	*7	21	270	59	79	111	52
820.0	99	22	77	*	*	*6	91	24	27	33	16
820.02	*5	*	*	*	*	*	*	*	*	*	*
820.03	*7	*	*	—	*	*	*7	*	*	*	*
820.09	81	17	64	*	*	*	75	21	21	28	11
820.2	131	39	93	*	*	10	117	27	37	46	21
820.20	*9	*	*5	*	*	*	*6	*	*	*	*
820.21	114	33	82	*	*	*8	104	24	33	41	17
820.22	*8	*	*6	—	*	*	*7	*	*	*	*
820.8	68	17	51	*	*	*5	61	*8	14	31	15
821	65	27	38	13	22	*6	24	13	15	24	14
821.0	36	16	20	10	14	*	*9	*7	*9	13	*8
821.00	*9	*	*6	*	*	*	*	*	*	*	*
821.01	28	13	14	*8	12	*	*5	*6	*7	*8	*7
821.2	23	*6	17	*	*	*	15	*5	*5	*9	*
821.20	*6	*	*	*	*	*	*	*	*	*	*
821.23	12	*	*9	*	*	*	*8	*	*	*	*
822	14	*6	*8	*	*	*	*6	*	*	*5	*
822.0	13	*6	*8	*	*	*	*6	*	*	*5	*
823	69	39	30	*9	31	13	17	17	15	24	13
823.0	26	11	15	*	*9	*6	9	*7	*5	9	*
823.00	20	*9	11	*	*7	*	*7	*	*	*8	*
823.02	*5	*	*	—	*	*	*	*	*	*	*
823.2	12	*8	*	*	*7	*	*	*	*	*	*
823.22	*8	*6	*	*	*5	*	*	*	*	*	*
823.8	20	10	9	*	*7	*	*5	*	*	*8	*
823.80	*5	*	*	*	*	*	*	*	*	*	*
823.82	14	*7	*7	*	*	*	*	*	*	*6	*
823.9	*6	*	*	*	*	*	*	*	*	*	*
824	108	47	62	*	48	34	23	25	32	34	17
824.0	*7	*	*	*	*	*	*	*	*	*	*
824.2	9	*	*	—	*5	*	*	*	*	*	*
824.4	35	14	21	*	15	14	*6	*6	12	12	*
824.6	27	*8	19	*	10	9	*8	*7	10	*7	*
824.8	26	14	12	*	12	*6	*6	*7	*6	*8	*
825	21	14	*7	*	14	*	*	*7	*	*7	*
825.0	*8	*7	*	*	*6	*	*	*	*	*	*
825.2	*7	*	*	*	*	*	*	*	*	*	*
831	*6	*	*	*	*	*	*	*	*	*	*
831.0	*6	*	*	*	*	*	*	*	*	*	*
836	20	12	*8	*	14	*	*	*7	*	*6	*
836.0	12	*8	*	*	*7	*	*	*	*	*	*

NOTE: Estimates of 5,000-9,000 are to be used with caution; see methods section.

Table 1. Number of first-listed diagnoses for discharges from short-stay hospitals, by ICD-9-CM code, sex, and age of patient, and geographic region of hospital: United States, 1994—Con.

[Discharges of inpatients from non-Federal hospitals. Excludes newborn infants. Code numbers are from the *International Classification of Diseases, 9th Revision, Clinical Modification* (ICD-9-CM). Totals include data for categories not listed in table; see methods section]

ICD-9-CM code	Total	Sex		Age				Region			
		Male	Female	Under 15 years	15-44 years	45-64 years	65 years and over	Northeast	Midwest	South	West
Number of first-listed diagnoses in thousands											
840	46	31	15	*	*8	24	14	*9	17	15	*6
840.4	43	28	15	—	*7	22	14	*7	16	14	*5
844	33	18	14	*	23	*	*	*6	10	13	*
844.2	20	12	*9	*	19	*	—	*	*7	*8	*
844.8	*7	*	*	*	*	*	*	*	*	*	*
845	9	*5	*	*	*	*	*	*	*	*	*
845.0	*8	*	*	*	*	*	*	*	*	*	*
846	*9	*	*	—	*	*	*	*	*	*	*
846.0	*7	*	*	—	*	*	*	*	*	*	*
847	19	9	10	*	11	*	*	*	*	*8	*
847.0	*7	*	*	*	*	*	*	*	*	*	*
847.2	9	*	*6	—	*5	*	*	*	*	*	*
850	56	32	24	9	28	*8	11	19	16	14	*8
850.0	18	*6	11	*	*8	*	*6	*6	*6	*	*
850.1	16	11	*5	*	*9	*	*	*8	*	*	*
850.5	10	*8	*	*	*6	*	*	*	*	*	*
850.9	11	*6	*6	*	*	*	*	*	*	*5	*
851	13	9	*	*	*7	*	*	*	*	*5	*
851.8	9	*7	*	*	*5	*	*	*	*	*	*
852	27	18	10	*	*8	*	12	*5	*7	*8	*7
852.0	*7	*	*	*	*	*	*	*	*	*	*
852.2	18	11	*7	*	*	*	10	*	*	*6	*6
852.20	*7	*	*	*	*	*	*	*	*	*	*
852.21	*5	*	*	*	*	*	*	*	*	*	*
853	*6	*5	*	*	*	*	*	*	*	*	*
853.0	*6	*5	*	*	*	*	*	*	*	*	*
854	41	26	16	9	21	*	*7	9	12	11	10
854.0	41	25	15	9	21	*	*7	9	12	10	10
854.00	12	*7	*	*	*6	*	*	*	*	*	*
854.01	12	*8	*	*	*	*	*	*	*	*	*
854.02	*8	*	*	*	*	*	*	*	*	*	*
860	26	22	*	*	16	*6	*	*6	*	*7	*8
860.0	16	12	*	*	*9	*	*	*	*	*5	*
861	*9	*7	*	*	*	*	*	*	*	*	*
863	10	*8	*	*	*7	*	*	*	*	*	*
864	9	*6	*	*	*6	*	*	*	*	*	*
864.0	*5	*	*	*	*	*	*	*	*	*	*
865	11	*8	*	*	*7	*	*	*	*	*	*
865.0	10	*7	*	*	*6	*	*	*	*	*	*
866	*6	*	*	*	*	*	*	*	*	*	*
866.0	*6	*	*	*	*	*	*	*	*	*	*
868	*6	*6	*	*	*	*	*	*	*	*	*
871	*8	*6	*	*	*	*	*	*	*	*	*
873	29	17	13	*6	12	*	*8	*7	*5	13	*
873.0	*9	*	*5	*	*	*	*	*	*	*6	*
873.4	13	*8	*5	*	*6	*	*	*	*	*	*
873.42	*7	*	*	*	*	*	*	*	*	*	*
875	*7	*6	*	*	*6	*	*	*	*	*	*
875.0	*6	*5	*	*	*5	*	*	*	*	*	*
879	*8	*7	*	*	*6	*	*	*	*	*	*
881	10	*7	*	*	*6	*	*	*	*	*	*
882	10	*7	*	*	*6	*	*	*	*	*	*
883	12	9	*	*	*8	*	*	*	*	*5	*
883.2	*6	*	*	*	*	*	*	*	*	*	*

NOTE: Estimates of 5,000–9,000 are to be used with caution; see methods section.

Table 1. Number of first-listed diagnoses for discharges from short-stay hospitals, by ICD-9-CM code, sex, and age of patient, and geographic region of hospital: United States, 1994—Con.[Discharges of inpatients from non-Federal hospitals. Excludes newborn infants. Code numbers are from the *International Classification of Diseases, 9th Revision, Clinical Modification* (ICD-9-CM). Totals include data for categories not listed in table; see methods section]

ICD-9-CM code	Total	Sex		Age				Region			
		Male	Female	Under 15 years	15-44 years	45-64 years	65 years and over	Northeast	Midwest	South	West
Number of first-listed diagnoses in thousands											
886	*7	*6	*	*	*	*	*	*	*	*	*
886.0	*6	*5	*	*	*	*	*	*	*	*	*
890	*6	*	*	*	*	*	*	*	*	*	*
891	17	13	*	*	12	*	*	*	*5	*6	*
891.0	*7	*6	*	*	*5	*	*	*	*	*	*
891.1	*7	*	*	*	*	*	*	*	*	*	*
892	*5	*	*	*	*	*	*	*	*	*	*
920	11	*7	*	*	*	*	*	*	*	*	*
922	20	10	10	*	*8	*	*6	*	*6	*8	*
922.1	11	*	*6	*	*	*	*	*	*	*	*
922.2	*6	*	*	*	*	*	*	*	*	*	*
924	26	10	16	*	*7	*5	12	*	*	13	*
924.0	*8	*	*	*	*	*	*6	*	*	*	*
924.01	*7	*	*	*	*	*	*6	*	*	*	*
924.8	11	*	*7	*	*	*	*	*	*	*8	*
935	10	*5	*	*	*	*	*	*5	*	*	*
935.1	9	*5	*	*	*	*	*	*5	*	*	*
941	*7	*	*	*	*	*	*	*	*	*	*
943	*6	*	*	*	*	*	*	*	*	*	*
944	*7	*6	*	*	*	*	*	*	*	*	*
945	10	*7	*	*	*	*	*	*	*	*	*
946	11	*8	*	*	*	*	*	*	*	*5	*
946.2	*7	*5	*	*	*	*	*	*	*	*	*
958	10	*8	*	*	*5	*	*	*	*	*	*
959	20	13	*7	*	10	*	*	*	*	*8	*
959.1	*8	*	*	*	*	*	*	*	*	*	*
963	*7	*	*5	*	*6	*	*	*	*	*	*
963.0	*6	*	*	*	*6	*	*	*	*	*	*
965	47	16	32	*5	37	*	*	10	10	18	9
965.0	*5	*	*	*	*	*	*	*	*	*	*
965.1	10	*	*9	*	*7	*	*	*	*	*	*
965.4	19	*6	13	*	16	*	*	*	*	*7	*
965.6	*8	*	*	*	*7	*	—	*	*	*	*
966	11	*5	*6	*	*5	*	*	*	*	*	*
966.1	*5	*	*	*	*	*	*	*	*	*	*
966.3	*6	*	*	*	*	*	—	*	*	*	*
967	*7	*	*	*	*	*	*	*	*	*	*
968	*6	*	*	—	*	*	*	*	*	*	*
969	69	24	44	*	49	12	*	16	15	23	14
969.0	30	10	20	*	22	*7	*	*6	*6	11	*7
969.4	22	*7	15	*	14	*	*	*6	*	*6	*
972	10	*	*5	*	*	*	*5	*	*	*5	*
972.1	*6	*	*	*	*	*	*	*	*	*	*
977	15	*	12	*	10	*	*	*	*	*9	*
977.8	*5	*	*	—	*	*	*	*	*	*	*
977.9	10	*	*7	*	*6	*	*	*	*	*6	*
987	*8	*	*	*	*5	*	*	*	*	*	*
987.9	*6	*	*	*	*	*	*	*	*	*	*
989	*7	*	*	*	*	*	*	*	*	*	*
989.5	*6	*	*	*	*	*	*	*	*	*	*
994	*6	*5	*	*	*	*	*	*	*	*	*

NOTE: Estimates of 5,000-9,000 are to be used with caution; see methods section.

Table 1. Number of first-listed diagnoses for discharges from short-stay hospitals, by ICD-9-CM code, sex, and age of patient, and geographic region of hospital: United States, 1994—Con.

[Discharges of inpatients from non-Federal hospitals. Excludes newborn infants. Code numbers are from the *International Classification of Diseases, 9th Revision, Clinical Modification* (ICD-9-CM). Totals include data for categories not listed in table; see methods section]

ICD-9-CM code	Total	Sex		Age				Region			
		Male	Female	Under 15 years	15-44 years	45-64 years	65 years and over	Northeast	Midwest	South	West
Number of first-listed diagnoses in thousands											
995	34	13	20	*	12	*8	9	*9	*9	13	*
995.1	*6	*	*	*	*	*	*	*	*	*	*
995.2	15	*	11	*	*5	*	*6	*	*	*8	*
996	366	183	183	15	82	105	164	90	73	130	74
996.0	48	29	19	*	*	14	32	*8	*14	19	*8
996.01	17	*8	9	*	*	*	15	*	*	*7	*
996.03	23	17	*6	—	*	*9	14	*	*9	*7	*
996.1	12	*7	*5	*	*	*6	*	*	*	*	*
996.2	14	*7	*6	*6	*5	*	*	*	*5	*	*
996.4	72	28	43	*	9	21	40	17	15	24	16
996.5	12	*5	*7	*	*	*	*	*	*	*	*
996.59	*8	*	*	*	*	*	*	*	*	*	*
996.6	74	37	36	*	23	18	29	17	16	30	10
996.62	34	16	17	*	13	10	*8	*8	*	16	*
996.64	*7	*	*	—	*	*	*6	*	*	*	*
996.66	10	*	*5	*	*	*	*7	*	*	*	*
996.67	*6	*	*	*	*	*	*	*	*	*	*
996.69	*8	*5	*	*	*	*	*	*	*	*	*
996.7	113	57	56	*	24	35	52	34	15	36	28
996.73	57	26	30	*7	14	22	21	15	*	19	19
996.74	28	16	12	*	*	*8	17	*9	*5	9	*
996.77	*7	*	*	*	*	*	*	*	*	*	*
996.78	10	*	*5	*	*5	*	*	*	*	*	*
996.8	18	10	*8	*	11	*5	*	*	*	*8	*
996.81	14	*8	*6	*	*9	*	*	*	*	*7	*
997	90	43	47	*	19	23	43	26	19	28	17
997.1	11	*	*6	*	*	*	*7	*	*	*	*
997.2	*6	*	*	*	*	*	*	*	*	*	*
997.3	13	*7	*6	*	*	*	*	*	*	*	*
997.4	30	*8	22	*	*8	*8	13	*8	*6	11	*6
997.5	9	*6	*	*	*	*	*5	*	*	*	*
997.6	14	10	*	*	*	*	*7	*	*	*6	*
997.62	10	*7	*	—	*	*	*5	*	*	*	*
998	144	65	79	*8	44	40	52	37	31	50	28
998.1	38	18	20	*	14	10	12	11	*7	13	*8
998.2	*8	*	*5	—	*	*	*	*	*	*	*
998.3	11	*6	*	*	*	*	*	*	*	*	*
998.5	73	33	40	*	19	22	28	20	14	26	12
998.8	12	*	*8	*	*	*	*	*	*	*	*
999	*9	*6	*	*	*	*	*	*	*	*	*
V01-V82	4,353	183	4,169	75	3,993	111	174	799	962	1,543	1,049
V10	*6	*	*	—	*	*	*	*	*	*	*
V12	*8	*	*	*	*	*	*	*	*	*	*
V22	17	—	17	—	17	—	—	*	*	*	12
V22.2	16	—	16	—	16	—	—	*	*	*	11
V25	*7	*	*7	—	*7	*	—	*	*	*	*
V25.2	*7	*	*7	—	*7	*	—	*	*	*	*
V27	3,901	—	3,901	15	3,885	*	—	670	819	1,453	960
V27.0	2,759	—	2,759	12	2,747	*	—	476	565	1,081	637
V27.1	18	—	18	*	17	*	—	*	*	*6	*6
V27.2	41	—	41	*	40	*	—	*7	*8	17	*9
V27.9	1,081	—	1,081	*	1,078	*	—	184	242	347	308
V30	18	10	*9	18	—	—	—	*	*	*7	*5
V30.1	18	10	*9	18	—	—	—	*	*	*7	*5
V45	14	*6	*8	*	*	*7	*	*	*	*6	*
V45.8	11	*	*6	*	*	*6	*	*	*	*	*
V45.89	*8	*	*	*	*	*	*	*	*	*	*

NOTE: Estimates of 5,000-9,000 are to be used with caution; see methods section.

Table 1. Number of first-listed diagnoses for discharges from short-stay hospitals, by ICD-9-CM code, sex, and age of patient, and geographic region of hospital: United States, 1994—Con.

[Discharges of inpatients from non-Federal hospitals. Excludes newborn infants. Code numbers are from the *International Classification of Diseases, 9th Revision, Clinical Modification* (ICD-9-CM). Totals include data for categories not listed in table; see methods section]

ICD-9-CM code	Total	Sex		Age				Region			
		Male	Female	Under 15 years	15-44 years	45-64 years	65 years and over	Northeast	Midwest	South	West
Number of first-listed diagnoses in thousands											
V51	*6	*	*	*	*	*	*	*	*	*	*
V54	9	*5	*	*	*5	*	*	*	*	*	*
V54.0	*7	*	*	*	*	*	*	*	*	*	*
V55	18	*8	10	*	*	*6	*6	*5	*6	*	*
V55.3	13	*7	*6	*	*	*	*5	*	*5	*	*
V57	117	48	69	*	10	19	87	18	62	14	24
V57.1	23	10	13	*	*	*	17	*8	*9	*	*
V57.8	90	36	54	*	*8	15	67	*7	53	11	20
V57.89	90	36	54	*	*8	15	67	*7	53	11	20
V58	157	69	88	20	27	55	55	63	48	24	22
V58.0	*9	*	*5	*	*	*	*	*	*	*	*
V58.1	134	60	75	18	22	49	45	55	44	18	17
V58.4	*7	*	*	*	*	*	*	*	*	*	*
V58.8	*6	*	*	*	*	*	*	*	*	*	*
V67	*6	*	*	*	*	*	*	*	*	*	*
V70	*7	*	*	*	*5	*	*	*	—	*	*
V70.7	*7	*	*	*	*	*	*	*	—	*	*
V71	24	11	12	*6	*8	*6	*	*8	*7	*5	*
V71.4	*6	*	*	*	*	*	*	*	*	*	*
V71.8	9	*	*5	*	*	*	*	*	*	*	*

NOTE: Estimates of 5,000–9,000 are to be used with caution; see methods section.

* Figure does not meet standard of reliability or precision.

— Quantity zero.

Table 2. Number of days of care for discharges from short-stay hospitals, by ICD-9-CM code of first-listed diagnosis, sex and age of patient, and geographic region of hospital: United States, 1994

[Discharges of inpatients from non-Federal hospitals. Excludes newborn infants. Code numbers are from the *International Classification of Diseases 9th Revision, Clinical Modification* (ICD-9-CM). Totals include data for categories not listed in table; see methods section]

ICD-9-CM code	Total	Sex		Age				Region			
		Male	Female	Under 15 years	15-44 years	45-64 years	65 years and over	Northeast	Midwest	South	West
Number of days of care in thousands											
All codes	177,179	76,750	100,429	10,848	45,904	36,992	83,436	47,714	39,689	64,409	25,367
001-139	6,031	2,935	3,097	707	1,574	1,043	2,707	1,644	1,122	2,247	1,018
003	*30	*	*	*	*	*	*	*	*	*	*
003.0	*18	*	*	*	*	*	*	*	*	*	*
005	*19	*	*	*	*	*	*	*	*	*	*
005.9	*13	*	*	*	*	*	*	*	*	*	*
008	450	166	284	123	56	61	210	126	106	133	86
008.4	215	76	140	*	*	*	167	73	*53	52	*37
008.45	187	62	125	*	*	*	150	*57	*49	*45	*37
008.6	70	31	38	63	*	*	—	*	*18	25	*21
008.61	64	30	34	61	*	*	—	*	*17	*23	*20
008.8	158	56	102	52	29	34	43	46	31	53	27
009	63	*	*53	*	*37	*	*	*	*	*	*
009.1	*22	*	*	*	*	*	*	*	*	*	*
011	163	*89	*	*	*90	*	*	*	*	*	*
011.9	*98	*60	*	*	*	*	*	*	*	*	*
031	*63	*	*	*	*	*	*	*	*	*	*
034	50	*30	21	*14	*31	*	*	*	*15	*28	*
034.0	50	*29	20	*14	*31	*	*	*	*14	*28	*
038	2,875	1,225	1,650	193	310	460	1,912	667	563	1,170	475
038.0	294	121	173	*	*	*69	162	*	*75	126	*55
038.1	527	229	298	*	*88	98	325	146	102	191	89
038.2	*101	*	*	*	*	*	*	*	*	*	*
038.4	839	310	529	*	86	130	582	256	173	288	121
038.40	88	*	*45	*	*	*	*60	*	*	*29	*
038.42	419	112	307	*	*	74	300	127	99	135	*58
038.49	268	121	147	*	*	*	178	*95	*	92	*51
038.8	151	*79	*72	*	*	*	*99	*	*	*	*
038.9	951	445	506	74	63	122	692	166	139	500	146
041	88	*	*52	*	*	*	*52	*	*	*43	*
042	329	225	104	*	205	*80	*	*100	*42	151	*35
042.0	71	*53	*	*	*48	*	—	*	*	*32	*
042.9	211	131	*80	*	125	*	*	*64	*	*97	*
047	102	56	46	42	43	*	*	*26	*18	*31	*26
047.9	94	51	43	41	37	*	*	*	*18	*29	*26
052	58	*38	*	*41	*	*	—	*	*	*	*
053	117	58	*59	*	*	*	81	*	*30	*40	*
053.1	*36	*	*	*	*	*	*	*	*	*	*
053.9	*51	*	*	*	*	*	*34	*	*	*	*
054	*69	*	*	*	*	*	*	*	*	*	*
070	49	*23	*27	*	*26	*	*	*	*	*	*
075	36	*17	*	*	*28	*	—	*	*	*	*
078	123	108	*	*	*77	*	*	*	*	*	*
078.5	*108	*100	*	*	*	*	*	*	*	*	*
079	216	103	113	96	39	*29	52	58	33	82	43
079.8	*16	*	*	*16	*	*	—	*	*	*	*
079.89	*16	*	*	*15	*	*	—	*	*	*	*
079.9	197	92	105	78	38	*29	52	56	31	75	36
079.99	197	92	105	77	38	*29	52	56	30	75	36
112	145	*61	*84	*	*50	*	*60	*	*	*58	*
112.4	*63	*	*	*	*	*	*	*	*	*	*
112.8	*40	*	*	*	*	*	*	*	*	*	*
112.84	*37	*	*	*	*	*	*	*	*	*	*
117	*152	*	*	*	*	*	*	*	*	*	*

NOTE: If estimate preceded by asterisk, use according to size of corresponding estimate in table 1; see methods section.

Table 2. Number of days of care for discharges from short-stay hospitals, by ICD-9-CM code of first-listed diagnosis, sex and age of patient, and geographic region of hospital: United States, 1994—Con.[Discharges of inpatients from non-Federal hospitals. Excludes newborn infants. Code numbers are from the *International Classification of Diseases 9th Revision, Clinical Modification* (ICD-9-CM). Totals include data for categories not listed in table; see methods section]

ICD-9-CM code	Total	Sex		Age				Region			
		Male	Female	Under 15 years	15-44 years	45-64 years	65 years and over	Northeast	Midwest	South	West
Number of days of care in thousands											
136	290	203	*87	*	187	*60	*41	*120	*	86	*
136.3	262	195	*67	*	182	*	*	*119	*	70	*
140-239	13,225	5,969	7,257	450	1,667	3,845	7,264	3,661	2,482	4,885	2,196
150	183	133	*	—	*	*	94	*	*	*47	*
150.5	*73	*60	*	—	*	*	*	*	*	*	*
150.9	*31	*	*	—	—	*	*	*	*	*	*
151	294	177	117	—	*	*53	203	*76	*	133	*
151.0	*64	*54	*	—	*	*	*	*	*	*	*
151.8	*86	*	*	—	*	*	*	*	*	*	*
151.9	*30	*	*	—	*	*	*	*	*	*	*
153	1,105	478	627	—	*	216	864	286	222	468	129
153.1	108	*	*66	—	*	*	94	*	*	*	*
153.2	*69	*	*55	—	*	*	*	*	*	*	*
153.3	314	181	133	—	*	*66	245	*113	*76	85	*
153.4	130	*	*77	—	*	*	*105	*	*	*	*
153.6	173	*77	97	—	*	*	151	*	*	*76	*
153.9	216	*69	*147	—	*	*	147	*	*	*161	*
154	495	240	255	*	*	125	354	151	106	149	*89
154.0	247	125	*122	*	*	*47	194	*	*	*96	*
154.1	192	96	96	—	*	*66	118	*72	*	*43	*
155	88	*49	*39	*	*	*	*48	*	*	*41	*
155.0	*68	*38	*	*	*	*	*37	*	*	*	*
156	*73	*	*	—	*	*	*52	*	*	*	*
157	429	208	221	—	*	108	305	*114	*66	183	*66
157.0	207	*87	120	—	*	*	161	*	*	*79	*
157.8	*61	*	*	—	*	*	*	*	*	*	*
157.9	129	*83	*46	—	*	*	*105	*	*	*80	*
161	*74	*56	*	—	*	*	*	*	*	*42	*
162	1,536	849	687	—	*34	478	1,024	406	313	553	263
162.2	100	*56	*	—	*	*	*81	*	*	*	*
162.3	467	270	197	—	*	142	314	130	106	153	79
162.4	*94	*	*	—	—	*	*59	*	*	*	*
162.5	277	125	152	—	*	105	169	*64	*57	118	*
162.8	124	*64	61	—	*	*49	69	*54	*	*39	*
162.9	466	279	187	—	*	131	325	112	97	185	*73
170	*27	*	*	*	*	*	*	*	*	*	*
171	*40	*23	*	*	*	*	*	*	*	*	*
172	*26	*	*	*	*	*	*	*	*	*	*
173	*25	*	*	—	*	*	*	*	*	*	*
174	525	—	525	*	65	248	211	180	105	171	70
174.1	*18	—	*18	—	*	*	*	*	*	*	*
174.2	*15	—	*15	—	*	*	*	*	*	*	*
174.4	69	—	69	—	*	*22	37	*18	*16	*30	*
174.5	*19	—	*19	—	*	*	*	*	*	*	*
174.8	117	—	117	—	*20	37	59	48	*23	*25	*21
174.9	251	—	251	*	*24	150	76	99	33	84	35
180	94	—	94	—	*37	*27	*30	*	*	43	*
180.8	*26	—	*26	—	*	*	*	*	*	*	*
180.9	50	—	50	—	*	*	*	*	*	*27	*
182	199	—	199	—	*	76	111	60	*41	67	*30
182.0	195	—	195	—	*	75	110	59	*40	*66	*30
183	329	—	329	*	*28	78	220	*66	*47	170	*47
183.0	325	—	325	*	*27	77	217	*64	*46	169	*46
184	*29	—	*29	—	*	*	*	*	*	*	*
185	585	585	—	—	*	155	429	137	122	184	143

NOTE: If estimate preceded by asterisk, use according to size of corresponding estimate in table 1; see methods section.

Table 2. Number of days of care for discharges from short-stay hospitals, by ICD-9-CM code of first-listed diagnosis, sex and age of patient, and geographic region of hospital: United States, 1994—Con.

[Discharges of inpatients from non-Federal hospitals. Excludes newborn infants. Code numbers are from the *International Classification of Diseases 9th Revision, Clinical Modification* (ICD-9-CM). Totals include data for categories not listed in table; see methods section]

ICD-9-CM code	Total	Sex		Age				Region			
		Male	Female	Under 15 years	15-44 years	45-64 years	65 years and over	Northeast	Midwest	South	West
Number of days of care in thousands											
188	310	233	77	—	*	*39	264	115	65	88	*43
188.8	124	91	*33	—	*	*	108	*48	*	*	*
188.9	95	71	*	—	*	*	89	*	*	*38	*
189	236	142	94	*	*	60	142	*69	*44	75	*49
189.0	192	111	80	*	*	*55	106	*58	*38	*55	*41
191	225	129	96	*77	*	57	*54	*53	*	*59	*78
191.9	*43	*	*	*	*	*	*	*	*	*	*
193	42	*	32	*	*15	*13	*	*	*	*	*13
195	*46	*29	*	*	*	*	*	*	*	*	*
196	91	*26	65	—	*	*27	*48	*	*	*39	*
196.0	*22	*	*	—	*	*	*	*	*	*	*
197	867	344	524	*	77	255	534	261	222	288	97
197.0	156	79	77	*	*	*	109	*54	*43	*45	*
197.2	179	*65	114	—	*	*46	118	*43	*61	*54	*
197.4	*74	*	*	—	*	*	*	*	*	*	*
197.6	144	*	116	—	*	*44	94	*44	*	*52	*
197.7	231	112	118	—	*28	*95	108	*56	*52	106	*
198	964	429	535	*	52	378	532	338	178	313	135
198.3	273	119	154	*	*	102	153	109	*58	*68	*38
198.5	464	253	211	*	*	167	278	173	87	142	63
198.8	143	*	109	—	*	75	*57	*	*20	*55	*
198.89	117	*	88	—	*	*57	*51	*	*	*49	*
199	278	120	158	*	*	91	160	*	*49	97	*78
199.0	221	*97	124	*	*	*71	127	*	*	*85	*65
199.1	*57	*	*	*	*	*	*	*	*	*	*
200	238	*99	139	*39	*67	*	106	*75	*	*	87
200.0	*109	*	*	*	*	*	*	*	*	*	*
200.1	*51	*	*	*	*	*	*	*	*	*	*
200.2	*43	*	*39	*38	*	—	*	*	*	—	*41
200.20	*42	*	*39	*38	*	—	*	*	—	—	*41
201	*79	*	*	*	*	*	*	*	*	*	*
202	360	186	174	*	*58	125	175	148	74	84	*54
202.8	304	151	153	*	*	113	143	124	61	75	*44
202.80	123	83	*39	—	*	*50	54	*	*	*	*
202.83	*73	*	*	—	*	*	*	*	*	*	*
203	293	179	115	—	*	96	138	*	*	209	*
203.0	291	178	113	—	*	94	137	*	*	208	*
203.00	291	178	113	—	*	94	137	*	*	208	*
204	309	168	*140	176	*	*	*58	*	*	*104	*120
204.0	243	141	*	175	*	*	*	*	*	*91	*98
204.00	220	*123	*	*159	*	*	*	*	*	*	*
204.1	*65	*	*	—	*	*	*	*	*	*	*
204.10	*65	*	*	—	*	*	*	*	*	*	*
205	295	174	121	*	*72	*115	*93	*90	*	*110	*
205.0	251	*156	*95	*	*	*	*84	*83	*	*90	*
205.00	229	*148	*81	*	*	*	*84	*	*	*76	*
208	*47	*	*	*	*	*	*	*	*	*	*
210	*15	*	*	*	*	*	*	*	*	*	*
210.2	*12	*	*	*	*	*	*	*	*	*	*
211	175	73	102	*	*	56	99	48	*	73	*32
211.3	98	51	47	*	*	*26	66	33	*	*	*
213	*19	*	*	*	*	*	*	*	*	*	*

NOTE: If estimate preceded by asterisk, use according to size of corresponding estimate in table 1; see methods section.

Table 2. Number of days of care for discharges from short-stay hospitals, by ICD-9-CM code of first-listed diagnosis, sex and age of patient, and geographic region of hospital: United States, 1994—Con.

[Discharges of inpatients from non-Federal hospitals. Excludes newborn infants. Code numbers are from the *International Classification of Diseases 9th Revision, Clinical Modification* (ICD-9-CM). Totals include data for categories not listed in table; see methods section]

ICD-9-CM code	Total	Sex		Age				Region			
		Male	Female	Under 15 years	15-44 years	45-64 years	65 years and over	Northeast	Midwest	South	West
Number of days of care in thousands											
218	650	—	650	—	373	265	*	142	126	277	105
218.0	73	—	73	—	40	*31	*	*29	*	*20	*
218.1	184	—	184	—	90	92	*	51	*28	75	31
218.2	75	—	75	—	51	*23	*	*	*	34	*
218.9	318	—	318	—	192	119	*	44	70	148	56
220	143	—	143	*	53	40	*47	*29	33	58	*24
225	159	*52	107	*	*	*49	*74	*	*	*59	*
225.2	126	*	*88	*	*	*	*65	*	*	*	*
226	33	*	28	*	*13	*	*	*	*	*15	*
227	101	*	47	*	*	*27	*	*	*	*	*
227.1	*23	*	*	—	*	*	*	*	*	*	*
227.3	*58	*	*	—	*	*	*	*	*	*	*
228	*54	*	*	*	*	*	*	*	*	*	*
233	88	*	86	*	45	*19	*24	*19	*16	39	*14
233.0	*23	—	*23	—	*	*	*	*	*	*	*
233.1	47	—	47	—	32	*	*	*	*	*22	*
235	108	*70	*	*	*	*	*93	*	*	*70	*
235.2	*62	*	*	—	*	*	*	*	*	*	*
238	124	*33	*91	*	*	*	103	*	*	*	*
238.7	114	*	*85	*	*	*	98	*	*	*	*
239	70	*32	*38	*	*	*29	*	*	*	*33	*
240-279	7,417	2,939	4,478	425	1,176	1,605	4,211	2,008	1,641	2,890	878
241	38	*	34	*	*	*18	*	*	*	*15	*
241.1	*17	*	*16	*	*	*	*	*	*	*	*
242	44	*	*36	*	*	*	*	*	*	*	*
244	93	*	60	*	*	*	*61	*	*	*	*
244.9	89	*	58	*	*	*	*58	*	*	*	*
245	*12	*	*	—	*	*	*	*	*	*	*
250	3,181	1,331	1,851	87	589	961	1,544	848	650	1,246	438
250.0	795	309	486	*31	133	202	429	211	181	319	84
250.00	159	58	101	*	*16	53	87	*35	*37	66	*21
250.01	168	46	122	*	*28	31	96	*35	46	60	*
250.02	198	81	117	*	*24	71	99	62	*34	85	*
250.03	270	125	145	*	65	47	147	79	64	108	*19
250.1	400	187	213	45	223	75	*57	84	94	168	55
250.10	*44	*	*	*	*	*	*	*	*	*	*
250.11	161	67	94	*28	90	*	*	*44	38	63	*
250.13	174	84	90	*	107	*31	*4	*30	42	75	*27
250.2	65	*35	*	*	*	*	*44	*	*	*	*
250.3	*77	*	*	—	*	*	*	*	*	*	*
250.4	237	92	145	—	*57	70	110	*	*78	81	*39
250.40	*53	*	*	—	*	*	*	*	*	*	*
250.41	85	*	*59	—	*23	*	*	*	*	*	*
250.43	*78	*	*45	—	*	*	*	*	*	*	*
250.5	42	*21	*21	—	*	*	*	*	*	*17	*
250.6	360	101	259	*	*44	101	216	183	*64	69	*44
250.60	*54	*	*32	—	*	*	*	*	*	*	*
250.61	222	*52	170	—	*	*50	*143	*127	*	*34	*
250.63	*60	*	*	—	*	*	*	*	*	*	*
250.7	557	292	265	*	*	260	280	*142	*92	244	*79
250.70	212	*108	*104	—	*	*86	125	*	*	*81	*
250.71	225	126	*99	*	*	119	*96	*	*	112	*
250.73	*66	*	*	—	*	*	*	*	*	*	*
250.8	485	221	264	*	52	170	260	108	86	193	98
250.80	144	*68	76	—	*	*41	100	*	*31	*28	*
250.81	191	86	105	*	*33	84	73	*40	*36	75	*
250.82	*49	*	*	—	*	*	*	*	*	*	*

NOTE: If estimate preceded by asterisk, use according to size of corresponding estimate in table 1; see methods section.

Table 2. Number of days of care for discharges from short-stay hospitals, by ICD-9-CM code of first-listed diagnosis, sex and age of patient, and geographic region of hospital: United States, 1994—Con.

[Discharges of inpatients from non-Federal hospitals. Excludes newborn infants. Code numbers are from the *International Classification of Diseases 9th Revision, Clinical Modification* (ICD-9-CM). Totals include data for categories not listed in table; see methods section]

ICD-9-CM code	Total	Sex		Age				Region			
		Male	Female	Under 15 years	15-44 years	45-64 years	65 years and over	Northeast	Midwest	South	West
Number of days of care in thousands											
250.83	101	*47	*55	*	*	*	*54	*	*	*56	*
250.9	163	62	100	*	*34	49	71	*37	*26	87	*
250.91	72	*	*44	*	*	*	*	*	*	*41	*
250.93	*33	*	*	*	*	*	*	*	*	*	*
251	77	*28	49	*	*	*	53	*	*	*30	*
251.2	58	*22	*35	*	*	*	*37	*	*	*	*
252	*27	*	*23	*	*	*	*	*	*	*	*
252.0	*23	*	*18	*	*	*	*	*	*	*	*
253	95	*	*65	*	*	*	*	*	*	*	*
255	*51	*	*31	*	*	*	*	*	*	*	*
255.4	*30	*	*	*	*	*	*	*	*	*	*
263	163	*	128	*	*	*	136	*	*	*98	*
263.9	125	*	96	*	*	*	102	*	*	*65	*
272	58	35	23	*	*10	28	*	*	*11	*28	*
272.0	26	*15	*12	*	*	*14	*	*	*	*	*
272.4	*23	*	*	—	*	*	*	*	*	*	*
274	*42	*29	*	—	*	*	*	*	*	*	*
274.0	*30	*	*	—	*	*	*	*	*	*	*
275	124	*54	70	*	*	*	81	*	*	*61	*
275.4	115	*49	67	*	*	*	79	*	*	*57	*
276	3,085	1,174	1,912	217	343	377	2,149	845	706	1,240	294
276.0	*58	*	*39	*	*	*	*51	*	*	*	*
276.1	378	129	249	*	*	71	289	107	81	164	*26
276.2	*38	*	*	*	*	*	*	*	*	*	*
276.5	2,174	866	1,308	186	259	224	1,505	623	464	885	202
276.6	*27	*	*	*	*	*	*	*	*	*	*
276.7	83	*32	51	*	*	*	49	*	*	*21	*
276.8	280	81	198	*	42	38	199	58	85	106	*31
277	130	*	*75	*	*59	*	*	*67	*	*	*
277.0	*110	*	*	*	*	*	—	*	*	*	*
277.00	*92	*	*	*	*	*	—	*	*	*	*
278	80	*25	55	*	44	*27	*	*	*22	32	*
278.0	67	*24	43	*	40	*21	*	*	*17	*28	*
280-289	1,793	704	1,089	188	567	321	716	598	372	608	215
280	229	63	166	*	*43	*40	141	82	46	85	*
280.0	137	*37	100	*	*32	*31	73	*53	*31	*44	*
280.9	89	*	65	*	*	*	66	*	*	*40	*
281	*27	*	*	*	*	*	*	*	*	*	*
282	365	178	187	63	261	*	*	142	63	112	48
282.4	*17	*	*	*	*	*	*	*	*	*	*
282.6	329	163	166	47	253	*	*	126	60	107	36
282.60	*32	*27	*	*	*25	*	—	*	*	*	*
282.62	284	124	160	38	219	*	*	108	57	100	*
283	*45	*	*	*	*	*	*	*	*	*	*
284	154	62	92	*	*	*34	*86	*74	*	*46	*
284.8	141	*60	81	*	*	*33	*79	*64	*	*44	*
285	315	126	189	*	43	71	188	91	71	125	*28
285.1	112	*42	70	*	*	*25	70	*39	*38	*23	*
285.9	178	76	102	*	*25	46	96	45	31	88	*14
286	101	*53	*48	*	*	*	*42	*	*	*32	*
286.7	*28	*	*	*	*	*	*	*	*	*	*
287	185	73	111	*	49	*35	*87	*33	*42	*77	*33
287.3	77	*	52	*	*	*	*	*	*	*	*
287.5	*57	*	*	*	*	*	*	*	*	*	*

NOTE: If estimate preceded by asterisk, use according to size of corresponding estimate in table 1; see methods section.

Table 2. Number of days of care for discharges from short-stay hospitals, by ICD-9-CM code of first-listed diagnosis, sex and age of patient, and geographic region of hospital: United States, 1994—Con.[Discharges of inpatients from non-Federal hospitals. Excludes newborn infants. Code numbers are from the *International Classification of Diseases 9th Revision, Clinical Modification* (ICD-9-CM). Totals include data for categories not listed in table; see methods section]

ICD-9-CM code	Total	Sex		Age				Region			
		Male	Female	Under 15 years	15-44 years	45-64 years	65 years and over	Northeast	Midwest	South	West
Number of days of care in thousands											
288	285	92	194	45	79	63	99	106	69	74	*36
288.0	246	77	169	*43	74	56	73	96	58	67	*
288.8	*21	*13	*	*	*	*	*	*	*	*	*
289	86	40	46	*19	34	*	*	*	*	42	*
289.2	21	*	*14	*	*15	*	*	*	*	*	*
290-319	20,939	10,706	10,233	1,422	11,853	4,017	3,647	6,880	5,525	6,631	1,903
290	789	261	528	—	—	*	751	156	181	375	76
290.0	268	*64	204	—	—	*	261	*60	*	*142	*
290.2	176	*	*133	—	—	*	154	*	*	*102	*
290.21	*125	*	*95	—	—	*	*104	*	*	*75	*
290.3	110	*	*75	—	—	*	110	*	*	*	*
290.4	207	*103	104	—	—	*	202	*	*	92	*
290.40	*66	*	*	—	—	*	*63	*	*	*	*
291	504	409	95	*	238	202	*61	138	178	127	61
291.0	160	140	*	—	78	69	*	*26	*58	*60	*
291.8	279	210	69	*	147	99	*	96	107	52	*24
292	185	90	95	*	91	*	*55	77	*33	*36	*39
292.0	87	*33	*54	*	*51	*	*	*42	*	*	*
292.8	69	*	*	*	*	*	*	*	*	*	*
292.81	*41	*	*	*	*	*	*	*	*	*	*
293	427	174	253	*	115	*58	249	196	104	92	*35
293.0	73	*	*47	—	*	*	66	*	*	*	*
293.8	339	143	197	*	112	*	171	168	*87	*67	*
293.81	*93	*	*	—	*	*	*	*	*	*	*
293.83	219	87	*132	*	65	*	*115	118	*	*43	*
294	149	*86	*	*	*	*	*102	*	*	*	*
295	4,006	2,338	1,668	*	2,631	1,109	245	1,613	975	1,073	345
295.3	1,549	1,024	525	—	1,093	398	*	548	260	597	144
295.30	232	174	*59	—	172	*	*	*	*86	*79	*
295.32	178	*88	*90	—	*107	*	*	*83	*	*	*
295.34	1,110	752	358	—	791	277	*	410	*131	471	*99
295.6	349	236	113	—	199	114	*	177	*108	*50	*
295.62	*83	*61	*	—	*	*	*	*	*	*	*
295.64	212	142	*70	—	*118	*77	*	*99	*	*	*
295.7	1,496	668	828	*	925	444	*123	549	472	328	146
295.70	951	454	496	*	603	271	*	235	390	226	*100
295.74	477	193	283	—	279	150	*	296	*68	*87	*
295.9	509	347	162	*	338	137	*	290	117	*76	*
295.90	180	114	*65	*	119	*	*	*	*68	*	*
295.94	264	196	*68	—	178	*84	*	244	*	*	*
296	7,264	2,824	4,440	562	3,924	1,460	1,318	2,258	1,889	2,407	710
296.2	2,512	938	1,574	322	1,387	433	371	619	634	1,036	223
296.20	958	340	618	128	551	165	*114	212	410	243	93
296.22	246	120	126	*	157	*	*	*	*	188	*
296.23	842	302	540	*113	438	131	160	230	105	418	89
296.24	433	161	272	*	217	*121	*	*149	*77	178	*
296.3	2,660	1,008	1,652	*137	1,332	554	636	963	694	793	209
296.30	743	269	474	*	411	152	155	187	285	209	61
296.32	196	*68	128	*	118	*	*	*	*	*105	*
296.33	1,031	385	646	*	520	171	249	435	210	314	*71
296.34	636	249	387	*	269	164	188	293	153	127	*63
296.4	668	307	362	*	404	164	*	240	120	174	135
296.40	343	156	187	*	220	*83	*	*87	*68	*121	*68
296.44	275	130	146	—	165	*	*	129	*	*	*59
296.5	389	132	257	*	201	*86	*90	*133	114	*83	*59
296.50	218	*88	129	*	127	*	*	*	*85	*	*
296.54	*61	*	*	—	*	*	*	*	*	*	*
296.6	452	196	256	*	243	134	*	149	109	162	*

NOTE: If estimate preceded by asterisk, use according to size of corresponding estimate in table 1; see methods section.

Table 2. Number of days of care for discharges from short-stay hospitals, by ICD-9-CM code of first-listed diagnosis, sex and age of patient, and geographic region of hospital: United States, 1994—Con.

[Discharges of inpatients from non-Federal hospitals. Excludes newborn infants. Code numbers are from the *International Classification of Diseases 9th Revision, Clinical Modification* (ICD-9-CM). Totals include data for categories not listed in table; see methods section]

ICD-9-CM code	Total	Sex		Age				Region			
		Male	Female	Under 15 years	15-44 years	45-64 years	65 years and over	Northeast	Midwest	South	West
Number of days of care in thousands											
296.60	241	124	117	*	129	*	*	*	*81	*119	*
296.63	*89	*	*69	*	*	*	*	*	*	*	*
296.64	*114	*	*	*	*	*	*	*	*	*	*
296.7	403	162	242	*	266	*60	*	*93	168	*106	*37
296.8	91	*	*50	*	*56	*	*	*	*	*	*
296.82	*62	*	*	*	*	*	*	*	*	*	*
297	123	*	*86	—	*37	*	*	*	*	*	*
297.9	*86	*	*	—	*	*	*	*	*	*	*
298	682	324	358	*	342	72	244	252	115	233	83
298.9	617	289	327	*	297	63	234	226	103	216	71
300	722	323	399	*103	376	102	140	166	176	305	75
300.0	140	67	73	*	55	*33	*49	*29	*34	63	*
300.00	79	*40	39	*	*17	*23	*36	*	*	*31	*
300.01	*32	*	*	—	*	*	*	*	*	*	*
300.1	53	*	*42	*	45	*	*	*	*	*	*
300.11	*30	*	*	*	*26	*	*	*	*	*	*
300.4	270	130	139	*	140	*	*	*64	81	95	*29
300.9	189	*86	103	*	*93	*	*	*	*	118	*
301	249	124	125	*	209	*	*	191	*	*	*
301.8	193	92	101	—	179	*	*	175	*	*	*
301.83	*87	*	*83	—	*84	*	—	*74	*	*	*
301.89	106	88	*	—	95	*	*	101	*	*	*
303	1,981	1,411	570	*	1,363	487	106	495	738	599	149
303.0	245	198	47	—	133	74	*38	82	61	80	*
303.00	88	68	*	—	47	*23	*	*	*21	43	*
303.01	154	127	*26	—	84	*50	*	65	*38	*36	*
303.9	1,736	1,213	523	*	1,229	413	*68	413	677	519	127
303.90	714	497	216	*	493	190	*	155	189	310	*
303.91	991	704	288	*	720	215	*	250	475	199	*67
304	1,114	729	385	*	957	108	*	336	263	470	*44
304.0	149	94	*55	—	117	*	*	89	*	*	*
304.00	*41	*	*	—	*33	*	*	*	*	*	*
304.01	108	70	*38	—	84	*	*	74	*	*	*
304.1	*46	*	*	—	*	*	*	*	*	*	—
304.2	520	336	184	*	460	*	*	137	103	279	*
304.20	276	176	*99	—	243	*	*	*	*	235	—
304.21	243	159	85	*	216	*	—	121	*77	*44	*
304.3	*94	*81	*	*	*87	—	—	*	*	*	*
304.7	80	*52	*	—	72	*	—	58	*	*	*
304.71	*55	*	*	—	*49	*	—	*44	*	*	*
304.8	84	*44	*	*	74	*	—	*	*	*	*
304.80	*47	*	*	—	*43	*	—	*	*	*	—
304.9	108	80	*	*	99	*	—	*	*	*66	*
304.90	86	*69	*	*	*78	*	—	*	*	*55	*
304.91	*22	*	*	—	*22	*	—	*	*	*	*
305	235	151	84	*	167	47	*	60	44	111	*20
305.0	78	60	*18	*	55	*	*	*	*29	*27	*
305.00	47	37	*	*	34	*	*	*	*9	*22	*
305.01	*27	*	*	—	*	*	*	*	*	*	*
305.1	*24	*	*	—	*	*	*	*	*	*	*
305.11	*19	*	*	—	*	*	*	*	*	*	*
305.6	*36	*27	*	*	*27	*	—	*	*	*	*
305.9	*58	*33	*	*	*47	*	*	*	*	*	*
305.90	*49	*	*	*	*	*	*	*	*	*	*
306	*58	*	*	*	*	*	*	*	*	*	*
307	80	*	75	*	*48	*	*	*	*	*	*
308	58	*	*31	*	*24	*	*	*	*	*	*
308.3	*54	*	*	*	*	*	*	*	*	*	*

NOTE: If estimate preceded by asterisk, use according to size of corresponding estimate in table 1; see methods section.

Table 2. Number of days of care for discharges from short-stay hospitals, by ICD-9-CM code of first-listed diagnosis, sex and age of patient, and geographic region of hospital: United States, 1994—Con.[Discharges of inpatients from non-Federal hospitals. Excludes newborn infants. Code numbers are from the *International Classification of Diseases 9th Revision, Clinical Modification* (ICD-9-CM). Totals include data for categories not listed in table; see methods section]

ICD-9-CM code	Total	Sex		Age				Region			
		Male	Female	Under 15 years	15-44 years	45-64 years	65 years and over	Northeast	Midwest	South	West
Number of days of care in thousands											
309	910	449	461	94	659	116	*	356	255	185	115
309.0	374	190	184	*	297	*45	*	184	79	66	45
309.2	150	71	79	*	109	*	*	*44	*58	*	*19
309.28	145	68	77	*	108	*	*	*42	*56	*	*19
309.4	154	86	68	*	111	*	*	76	*34	*23	*21
309.8	165	*	100	*	94	*	*	*	*	*	*
309.81	137	*	*77	*	*72	*	*	*	*	*	*
309.9	*35	*	*	*	*22	*	*	*	*	*	*
310	195	116	*80	*	*87	*	73	*	*78	*55	*
310.1	*81	*	*	*	*	*	*	*	*	*	*
310.9	*92	*62	*	*	*	*	*50	*	*	*	*
311	463	225	238	*59	268	*48	*88	*73	146	203	42
312	365	288	*77	*192	162	*	*	232	*62	*50	*
312.3	130	95	*	*	107	*	*	*66	*	*	*
312.30	*40	*	*	*	*33	*	—	*	*	*	*
312.34	*79	*67	*	*	*70	—	*	*47	*	*	*
313	115	*82	*	*90	*	—	—	*	*	*	*
313.8	111	*80	*	*87	*	—	—	*	*	*	*
313.81	110	*79	*	*86	*	—	—	*	*	*	*
314	176	155	*	162	*	—	—	*	*45	*	*
314.0	176	155	*	162	*	—	—	*	*45	*	*
314.01	172	152	*	159	*	—	—	*	*45	*	*
320-389	3,151	1,483	1,667	431	800	789	1,131	907	608	1,122	514
320	*73	*	*	*	*	*	*	*	*	*	*
322	*38	*	*	*	*	*	*	*	*	*	*
331	185	70	114	*	*	*	99	*44	*35	*54	*51
331.0	*52	*	*	—	—	*	*49	*	*	*	*
331.4	89	*	*61	*	*	*	*	*	*	*	*
332	162	100	*62	—	*	*	153	*	*	*71	*
332.0	146	96	*50	—	*	*	137	*	*	*61	*
333	65	*43	*22	*	*	*	*	*	*	*	*
337	*32	*	*	*	*	*	*	*	*	*	*
340	149	*	110	—	69	*68	*	*53	*35	*46	*
342	301	*141	160	*	*	*	231	*	*	*143	*
342.9	275	*134	141	*	*	*	205	*	*	*143	*
343	*21	*	*	*	*	*	*	*	*	*	*
344	201	*170	*	*	*123	*	*	*	*	*	*
345	483	183	301	81	105	197	100	240	73	123	47
345.1	172	57	*115	*	*	*	*40	*	*28	*33	*
345.10	158	48	*110	*	*	*	*37	*	*24	*	*
345.3	115	*41	74	*22	*50	*	*	*58	*	*28	*
345.5	*47	*	*	*	*	*	*	*	*	*	*
345.9	100	*32	*69	*15	*	*	*	*	*	*	*
345.90	93	*	*66	*	*	*	*	*	*	*	*
346	146	*26	119	*	92	46	*	*29	41	61	*
346.8	39	*	*31	*	*	*	*	*	*	*	*
346.80	*21	*	*18	*	*	*	*	*	*	*	*
346.9	86	*15	71	*	59	*21	*	*	*17	45	*
346.90	64	*	53	*	41	*17	*	*	*15	33	*
346.91	*22	*	*17	*	*18	*	—	*	*	*	*
348	259	136	124	*	*55	*94	90	*48	*48	*96	*67
348.1	*129	*	*	*	*	*	*	*	*	*	*
348.3	*73	*	*	*	*	*	*	*	*	*	*
349	*43	*	*27	*	*	*	*	*	*	*	*

NOTE: If estimate preceded by asterisk, use according to size of corresponding estimate in table 1; see methods section.

Table 2. Number of days of care for discharges from short-stay hospitals, by ICD-9-CM code of first-listed diagnosis, sex and age of patient, and geographic region of hospital: United States, 1994—Con.

[Discharges of inpatients from non-Federal hospitals. Excludes newborn infants. Code numbers are from the *International Classification of Diseases 9th Revision, Clinical Modification* (ICD-9-CM). Totals include data for categories not listed in table; see methods section]

ICD-9-CM code	Total	Sex		Age				Region			
		Male	Female	Under 15 years	15-44 years	45-64 years	65 years and over	Northeast	Midwest	South	West
Number of days of care in thousands											
351	*19	*	*	*	*	*	*	*	*	*	*
351.0	*18	*	*	*	*	*	*	*	*	*	*
354	24	*	*14	*	*11	*	*	*11	*	*	*
354.0	*15	*	*12	—	*	*	*	*	*	*	*
355	*37	*	*	*	*	*	*	*	*	*	*
356	*30	*	*	*	*	*	*	*	*	*	*
357	103	*59	*	*	*	*	*	*	*	*	*
357.0	*93	*	*	*	*	*	*	*	*	*	*
358	*32	*	*	*	*	*	*	*	*	*	*
361	35	21	14	*	*	*12	14	*7	*	17	*
361.0	20	*12	*8	*	*	*8	*	*	*	*12	*
361.8	*7	*	*	*	*	*	*	*	*	*	*
361.9	*8	*	*	—	*	*	*	*	*	*	*
362	*23	*	*	*	*	*	*	*	*	*	*
365	*14	*	*	*	*	*	*	*	*	*	*
366	59	23	36	*	*	*9	49	42	*	*11	*6
366.1	12	*	*7	—	*	*	9	9	—	*	*
366.10	*6	*	*	—	*	*	*6	*6	—	—	*
366.9	40	15	25	*	—	*6	34	32	*	*8	—
376	53	*26	*27	*32	*	*	*	*	*	*	*
376.0	48	*	*25	*30	*	*	*	*	*	*	*
376.01	47	*	*25	*29	*	*	*	*	*	*	*
379	*11	*	*	*	*	*	*	*	*	*	*
380	*27	*	*	*	*	*	*	*	*	*	*
381	*16	*11	*	*14	*	*	*	*	*	*	*
382	84	46	38	71	*	*	*	*17	*21	31	*16
382.9	72	37	34	64	*	*	*	*15	*16	28	*14
386	122	43	79	*	*	30	76	44	*30	37	*11
386.1	34	*	*20	—	*	*	*24	*	*	*	*
386.3	75	*24	51	*	*	*23	45	*28	*	27	*
386.30	69	*20	49	*	*	*22	40	*27	*	*24	*
390-459	36,117	17,224	18,893	203	1,850	8,860	25,204	10,113	7,877	13,354	4,772
394	*63	*	*52	*	*	*	*	*	*	*	*
396	113	*	*89	*	*	*	*63	*	*	*	*
396.3	*51	*	*	*	*	*	*	*	*	*	*
401	700	219	481	*	94	209	396	162	151	321	66
401.0	94	31	63	—	*20	*28	46	*	37	35	*
401.9	595	183	412	*	70	175	348	138	111	284	62
402	493	148	345	—	*	99	376	183	95	175	40
402.9	459	135	324	—	*	89	357	173	90	158	*39
402.90	47	*	*33	—	*	*	*38	*	*	*	*
402.91	412	121	291	—	*	81	319	159	77	143	*33
403	495	222	272	*	144	138	211	94	75	267	59
403.9	453	212	241	*	135	123	195	86	60	250	57
403.91	435	206	229	*	131	119	185	82	*52	245	56
404	278	104	175	—	*	*81	185	*65	*	141	*39
404.9	265	98	167	—	*	*	179	*62	*	*135	*38
404.93	209	*89	120	—	*	*	171	*	*	*92	*36
410	5,402	2,973	2,429	*	241	1,545	3,612	1,498	1,173	1,875	855
410.0	262	135	127	—	*	66	190	*56	77	103	*27
410.01	230	126	104	—	*	*54	172	*52	*68	87	*
410.1	1,115	621	493	*	59	366	688	251	250	405	209
410.10	*32	*	*	—	*	*	*	*	*	*	*
410.11	1,038	589	449	*	58	346	633	228	227	391	192

NOTE: If estimate preceded by asterisk, use according to size of corresponding estimate in table 1; see methods section.

Table 2. Number of days of care for discharges from short-stay hospitals, by ICD-9-CM code of first-listed diagnosis, sex and age of patient, and geographic region of hospital: United States, 1994—Con.[Discharges of inpatients from non-Federal hospitals. Excludes newborn infants. Code numbers are from the *International Classification of Diseases 9th Revision, Clinical Modification* (ICD-9-CM). Totals include data for categories not listed in table; see methods section]

ICD-9-CM code	Total	Sex		Age				Region			
		Male	Female	Under 15 years	15-44 years	45-64 years	65 years and over	Northeast	Midwest	South	West
Number of days of care in thousands											
410.12	*45	*	*	—	*	*	*	*	*	*	*
410.2	154	80	74	—	*	*53	87	*	*40	*54	*34
410.21	146	76	70	—	*	*49	84	*	*38	*53	*31
410.3	128	94	*	—	*	*58	*65	*	*	*57	*
410.31	120	89	*	—	*	*57	*59	*	*	*56	*
410.4	1,277	781	496	*	104	462	710	384	268	401	223
410.41	1,189	730	459	*	95	432	661	365	252	376	196
410.42	72	*43	*29	—	*	*	*40	*	*	*	*
410.5	111	70	*41	—	*	*41	62	*	*35	*	*
410.51	109	69	*40	—	*	*40	61	*	*35	*	*
410.6	62	*40	*	—	*	*22	*	*	*	*	*
410.61	*61	*38	*	—	*	*	*	*	*	*	*
410.7	1,717	880	836	*	*34	355	1,326	531	340	602	243
410.70	*39	*	*	—	—	*	*	*	*	*28	*
410.71	1,577	817	760	*	*33	319	1,224	509	303	534	231
410.72	101	*40	*60	—	*	*27	*73	*	*	*	*
410.8	87	*58	*	—	*	*	*72	*	*	*28	*
410.81	77	*50	*	—	*	*	*66	*	*	*	*
410.9	490	213	277	—	*	109	372	121	110	185	73
410.90	79	*	*56	—	*	*	*62	*	*	*	*
410.91	393	184	210	—	*	89	297	94	97	164	*39
411	1,902	858	1,044	*	79	571	1,248	721	400	527	254
411.1	1,704	766	938	*	71	517	1,111	659	355	480	211
411.8	185	87	98	—	*	50	130	61	43	*38	42
411.81	63	*34	*29	—	*	*26	*35	*	*	*	*23
411.89	122	53	69	—	*	*24	95	46	*28	*29	*19
412	21	*12	*	—	*	*	*	*	*	*	*
413	567	258	309	—	26	182	359	222	117	164	64
413.9	561	254	307	—	26	179	357	221	115	161	64
414	3,923	2,482	1,441	*	149	1,466	2,301	867	937	1,582	537
414.0	3,667	2,320	1,347	*	134	1,373	2,154	819	890	1,465	493
414.8	63	*41	*	—	*	*25	*36	*	*	*	*
414.9	176	111	65	—	*	63	100	38	*24	88	*27
415	452	179	273	*	*58	100	293	109	128	157	*58
415.1	441	175	266	*	*58	98	285	106	124	154	*58
416	*52	*	*30	*	*	*	*	*	*	*	*
420	77	39	*39	*	*25	*	*	*29	*	*	*
420.9	77	39	*39	*	*25	*	*	*29	*	*	*
420.90	54	*21	*	*	*	*	*	*	*	*	*
421	198	*104	*	*	*	*	*	*	*	*	*
421.0	185	*101	*	*	*	*	*	*	*	*	*
423	68	*35	*33	*	*	*	*	*	*	*43	*
423.9	*49	*	*	*	*	*	*	*	*	*	*
424	589	312	277	*	39	141	408	188	100	168	134
424.0	188	79	109	*	*26	74	87	*40	*28	69	*50
424.1	381	216	164	*	*	65	304	134	*68	97	*82
425	272	180	92	*	*27	137	101	72	48	123	*28
425.4	229	162	66	*	*	125	78	*61	*44	*103	*21
426	297	129	169	*	*13	43	233	105	57	102	33
426.0	165	70	95	*	*	*	142	*49	*32	63	*21
426.1	64	*28	*36	—	*	*	56	*	*	*	*
426.13	*29	*	*	—	*	*	*25	*	*	*	*
426.7	*15	*	*	*	*	*	*	*	*	*	*

NOTE: If estimate preceded by asterisk, use according to size of corresponding estimate in table 1; see methods section.

Table 2. Number of days of care for discharges from short-stay hospitals, by ICD-9-CM code of first-listed diagnosis, sex and age of patient, and geographic region of hospital: United States, 1994—Con.

[Discharges of inpatients from non-Federal hospitals. Excludes newborn infants. Code numbers are from the *International Classification of Diseases 9th Revision, Clinical Modification* (ICD-9-CM). Totals include data for categories not listed in table; see methods section]

ICD-9-CM code	Total	Sex		Age				Region			
		Male	Female	Under 15 years	15-44 years	45-64 years	65 years and over	Northeast	Midwest	South	West
Number of days of care in thousands											
427	3,004	1,397	1,608	*49	152	538	2,266	919	636	1,139	310
427.0	161	54	106	*	*20	26	82	*33	26	84	*17
427.1	348	250	99	*	*	116	219	98	59	153	*39
427.3	1,540	711	829	*	50	242	1,246	526	347	528	139
427.31	1,418	629	788	*	43	202	1,171	483	322	479	134
427.32	122	82	40	*	*	*40	74	*43	*25	48	*
427.4	*51	*32	*	—	*	*	*	*	*	*	*
427.41	*51	*32	*	—	*	*	*	*	*	*	*
427.5	56	*25	*32	*	*	*	44	*	*	*22	*
427.6	60	*27	32	*	*	*	33	*	*	*21	*
427.69	51	*23	28	*	*	*	*26	*	*	*18	*
427.8	719	268	451	*	39	105	564	193	167	283	77
427.81	327	115	213	*	*	*20	304	88	53	152	*33
427.89	392	153	238	*	36	85	260	105	113	130	43
427.9	65	*28	37	*	*	*11	43	*	*	*27	*
428	6,332	2,568	3,765	*	119	1,069	5,115	1,970	1,386	2,305	672
428.0	6,230	2,524	3,706	*	118	1,053	5,031	1,905	1,372	2,290	663
428.1	98	*	*58	*	*	*	*81	*62	*	*	*
429	98	39	59	*	*	*25	70	*	*22	54	*
429.2	40	*20	*20	—	*	*	*31	*	*	*28	*
429.4	*29	*	*	*	*	*	*27	*	*	*	*
430	237	*69	168	—	*	*107	*74	*	*	*64	*
431	618	286	331	*	*	136	458	166	99	193	160
432	161	79	*81	*	*	*	134	*	*	*65	*
432.1	142	67	*75	*	*	*	119	*	*	*64	*
433	763	400	363	—	*	197	544	174	171	360	59
433.1	552	275	277	—	*	148	386	125	134	259	35
433.10	403	183	220	—	*	108	292	96	80	201	*25
433.11	150	92	*58	—	*	*	93	*	*	*57	*
433.3	188	109	80	—	*	*40	147	*45	*35	89	*
433.30	113	73	*40	—	*	*	89	*	*	50	*
433.31	*75	*	*	—	*	*	*58	*	*	*	*
434	2,345	975	1,370	*	*52	319	1,963	783	460	792	310
434.0	204	97	107	—	*	*	170	*57	*57	72	*
434.00	*44	*	*	—	*	*	*37	*	*	*	*
434.01	160	*80	80	—	*	*	133	*	*	*54	*
434.1	268	108	160	—	*	*56	207	*88	*48	69	*64
434.11	220	89	131	—	*	*	168	*60	*41	*61	*58
434.9	1,874	770	1,104	*	*	244	1,587	638	356	651	229
434.90	75	*44	*	*	*	*	*49	*	*	*	*
434.91	1,799	726	1,073	*	*	220	1,537	624	334	618	221
435	774	299	475	*	*	117	638	237	201	251	85
435.0	*28	*	*	*	*	*	*25	*	*	*	*
435.9	700	273	428	—	*	110	575	212	176	236	77
436	1,129	485	644	*	*	229	871	155	286	534	154
437	181	58	123	*	*	*52	107	*	*33	92	*
437.1	*38	*	*	—	*	*	*37	*	*	*	*
437.3	*59	*	*	—	*	*	*	*	*	*	*
438	242	124	118	—	*	*64	177	*	*	171	*
440	807	438	368	*	*	191	600	165	187	336	119
440.2	738	431	307	—	*	181	543	157	179	292	111
440.20	97	*48	*49	—	*	*	78	*	*	*54	*
440.21	112	74	*38	—	*	*40	67	*	*40	*32	*25
440.22	78	*48	*	—	*	*	*49	*	*	*	*
440.23	125	*71	*54	—	*	*	*101	*	*	*75	*
440.24	308	177	131	—	*	*	232	*100	*75	103	*

NOTE: If estimate preceded by asterisk, use according to size of corresponding estimate in table 1; see methods section.

Table 2. Number of days of care for discharges from short-stay hospitals, by ICD-9-CM code of first-listed diagnosis, sex and age of patient, and geographic region of hospital: United States, 1994—Con.[Discharges of inpatients from non-Federal hospitals. Excludes newborn infants. Code numbers are from the *International Classification of Diseases 9th Revision, Clinical Modification* (ICD-9-CM). Totals include data for categories not listed in table; see methods section]

ICD-9-CM code	Total	Sex		Age				Region			
		Male	Female	Under 15 years	15-44 years	45-64 years	65 years and over	Northeast	Midwest	South	West
Number of days of care in thousands											
441	574	469	105	—	*	110	451	149	154	188	83
441.0	79	*55	*	—	*	*	*38	*	*	*	*
441.3	*96	*85	*	—	—	*	*90	*	*	*	*
441.4	365	307	*57	—	*	*62	300	91	93	129	*52
442	*50	*34	*	—	*	*	*	*	*	*	*
442.3	*28	*	*	—	—	*	*	*	*	*	*
443	178	84	94	—	*	*61	109	*68	*	*59	*
443.9	137	66	*72	—	*	*48	87	*	*	*54	*
444	448	237	211	*	*	155	265	124	120	148	*56
444.0	*54	*	*	—	*	*	*	*	*	*	*
444.2	324	183	140	*	*	99	209	89	93	110	*
444.22	292	167	125	—	*	95	185	*78	*88	96	*
444.8	*54	*	*	*	*	*	*	*	*	*	*
444.81	*49	*	*	*	*	*	*	*	*	*	*
446	127	*66	*61	*	*	*	*86	*	*	*	*
447	89	*38	*51	*	*	*	*53	*	*	*	*
447.1	*47	*	*	—	*	*	*	*	*	*	*
451	397	152	245	*	*40	139	218	120	86	128	64
451.0	*34	*	*	—	*	*	*	*	*	*	*
451.1	217	88	129	—	*	62	125	*55	64	*60	*
451.11	*68	*	*	—	*	*	*	*	*	*	*
451.19	148	*62	87	—	*	*43	86	*	*51	*42	*
451.2	100	*	*83	—	*	*31	*	*	*	*	*
453	778	294	484	*	120	193	459	168	199	318	92
453.8	729	288	441	*	113	183	427	163	190	285	91
454	204	93	111	—	*	*45	149	*81	*39	*73	*
454.2	144	*	*97	—	*	*	122	*	*	*	*
454.9	*23	*	*	—	*	*	*	*	*	*	*
455	90	43	47	*	*21	29	*37	*30	*24	*24	*
455.2	50	*16	*34	*	*	*17	*	*	*	*	*
456	*34	*	*	*	*	*	*	*	*	*	*
456.0	*30	*	*	*	*	*	*	*	*	*	*
458	284	108	177	*	*	45	229	*33	74	129	49
458.0	160	63	97	*	*	*	131	*	*48	60	*33
458.9	125	45	80	*	*	*21	99	*	*	69	*
459	77	*	*55	*	*	*	*50	*	*	*	*
460-519	19,604	9,371	10,233	2,204	2,351	3,790	11,260	4,887	4,421	7,725	2,572
461	86	42	45	*	*28	*	*	*	*	49	*
461.0	*29	*	*	*	*	*	*	*	*	*	*
462	36	*15	*21	*15	*	*	*	*	*	*13	*
463	46	*23	*23	*	36	*	*	*	*	*18	*
464	58	34	24	47	*	*	*	*	*13	23	*
464.4	44	30	*15	44	—	—	—	*	*9	21	*
465	133	72	62	66	*21	*	*35	*26	*24	64	*19
465.9	127	71	57	62	*20	*	*35	*24	*24	61	*19
466	1,038	532	506	486	111	94	346	208	235	441	153
466.0	583	244	339	53	110	77	343	126	143	292	*22
466.1	455	288	167	433	*	*	*	82	93	150	131
470	17	*12	*	*	*11	*	*	*10	*	*	*
473	67	25	42	*	29	*16	*	20	*	32	*
473.0	*16	*	*	*	*	*	*	*	*	*	*
473.8	*18	*	*	*	*	*	*	*	*	*	*
473.9	*20	*	*	*	*	*	*	*	*	*	*

NOTE: If estimate preceded by asterisk, use according to size of corresponding estimate in table 1; see methods section.

Table 2. Number of days of care for discharges from short-stay hospitals, by ICD-9-CM code of first-listed diagnosis, sex and age of patient, and geographic region of hospital: United States, 1994—Con.

[Discharges of inpatients from non-Federal hospitals. Excludes newborn infants. Code numbers are from the *International Classification of Diseases 9th Revision, Clinical Modification* (ICD-9-CM). Totals include data for categories not listed in table; see methods section]

ICD-9-CM code	Total	Sex		Age				Region			
		Male	Female	Under 15 years	15-44 years	45-64 years	65 years and over	Northeast	Midwest	South	West
Number of days of care in thousands											
474	64	34	31	42	19	*	*	33	*	*20	*9
474.0	26	*12	14	11	*14	*	—	12	*	*	*
474.1	37	21	16	31	*	*	*	21	*	*	*
474.10	28	*17	*11	27	*	*	—	16	*	*	*
475	34	*20	*15	*	26	*	*	*	*	*	*
478	70	41	29	*23	*22	*14	*	32	*	*15	*
478.2	29	*22	*	*	*	*	*	*	*	*	*
478.29	*17	*15	*	*	*	*	*	*	*	*	*
478.7	*21	*	*	*	*	*	*	*	*	*	*
480	198	92	105	128	*	*	*	*	50	63	*42
480.1	83	47	*36	81	—	*	—	*	*28	*	*
480.9	83	*35	*47	38	*	*	*	*	*	*37	*
481	451	238	212	*33	85	86	247	*86	159	144	61
482	2,230	1,150	1,080	*86	324	327	1,492	477	448	1,024	280
482.0	156	*87	*69	*	*	*	115	*	*	*65	*
482.1	446	241	205	*	*108	*	237	*	111	212	*
482.2	237	111	126	*	*	*	164	*53	*63	70	*50
482.3	137	77	*60	*	*	*	92	*	*	66	*
482.30	65	*30	*34	*	*	*	*42	*	*	*28	*
482.4	418	222	196	*	*	*	308	*91	*72	197	*57
482.8	659	332	327	*	*60	121	474	127	111	358	*63
482.82	*67	*	*	*	*	*	*54	*	*	*	*
482.83	347	191	156	*	*	*64	261	*70	*65	190	*
482.89	239	116	123	*	*	*46	153	*	*	126	*
482.9	177	80	*97	*	*	*	*101	*79	*	*56	*
483	76	*38	*38	*	*	*	*	*	*35	*	*
483.0	62	*	*	*	*	*	*	*	*	*	*
485	245	136	109	66	*	*40	113	*47	96	93	*
486	5,299	2,491	2,808	497	569	948	3,284	1,300	1,305	2,047	647
487	126	57	69	*	*	*28	72	*	*31	71	*
487.0	*52	*	*	*	*	*	*	*	*	*	*
487.1	67	*29	37	*	*	*	46	*	*	43	*
490	77	37	40	*16	*	*15	*37	*	*	44	*
491	1,710	680	1,030	*	77	431	1,191	428	444	685	153
491.2	1,657	661	996	*	*54	415	1,178	423	435	646	153
491.20	62	*33	*29	—	*	*	*38	*	*	*25	*
491.21	1,595	629	967	*	*50	395	1,139	406	415	621	152
492	273	189	83	—	*	73	189	98	*65	72	*
492.8	236	164	72	—	*	64	171	80	*57	62	*
493	1,820	649	1,170	430	464	410	515	589	406	605	220
493.0	72	31	41	48	*18	*	*	*24	*	*	25
493.00	32	*	*20	*20	*	*	*	*	*	*	*12
493.01	41	*20	*21	28	*	*	*	*15	*	*	*
493.2	518	169	348	*	*37	162	318	193	88	183	54
493.20	303	120	183	*	*	82	200	97	64	115	*27
493.21	215	50	165	*	*	79	118	*96	*	68	*
493.9	1,221	446	775	378	405	243	194	365	307	408	140
493.90	646	215	432	154	214	146	132	159	162	257	68
493.91	574	232	343	225	191	97	61	206	145	151	72
494	*44	*	*	*	*	*	*	*	*	*	*
496	1,433	665	769	*	*	271	1,142	433	234	537	230
507	1,211	608	603	*46	*	163	963	247	209	546	210
507.0	1,197	606	591	*45	*	163	951	244	209	534	210
510	*140	*107	*	*	*	*	*	*	*	*	*
510.9	*118	*91	*	*	*	*	*	*	*	*	*

NOTE: If estimate preceded by asterisk, use according to size of corresponding estimate in table 1; see methods section.

Table 2. Number of days of care for discharges from short-stay hospitals, by ICD-9-CM code of first-listed diagnosis, sex and age of patient, and geographic region of hospital: United States, 1994—Con.[Discharges of inpatients from non-Federal hospitals. Excludes newborn infants. Code numbers are from the *International Classification of Diseases 9th Revision, Clinical Modification* (ICD-9-CM). Totals include data for categories not listed in table; see methods section]

ICD-9-CM code	Total	Sex		Age				Region			
		Male	Female	Under 15 years	15-44 years	45-64 years	65 years and over	Northeast	Midwest	South	West
Number of days of care in thousands											
511	408	221	187	*	*46	122	222	130	71	142	65
511.0	*30	*	*	—	*	*	*	*	*	*	*
511.8	*69	*48	*	*	*	*	*	*	*	*	*
511.9	302	155	147	*	*	83	185	107	*48	109	*38
512	264	187	78	*	134	*41	*89	*60	73	78	*52
512.8	238	166	72	*	123	*	*82	*59	70	*67	*43
514	*35	*	*	*	*	*	*29	*	*	*	*
515	97	*37	60	*	*	*30	*57	*	*39	*	*
516	98	*42	*56	*	*	*	*38	*	*	*30	*
516.8	*57	*	*	*	*	*	*	*	*	*	*
518	1,471	736	735	*60	107	419	886	353	270	624	223
518.0	*53	*	*	*	*	*	*	*	*	*	*
518.4	*44	*	*29	*	*	*	*	*	*	*	*
518.8	1,281	608	673	*51	*78	377	776	303	225	580	173
518.81	1,144	533	611	*	*60	354	711	279	178	535	153
518.82	*75	*	*	*	*	*	*	*	*	*	*
518.89	62	*	*33	*	*	*	*38	*	*	*	*
519	158	82	76	*47	*	*	*84	*31	*43	75	*
519.1	*47	*	*	*	*	*	*	*	*	*	*
519.8	82	*49	*33	*	*	*	*55	*	*	*67	*
520-579	16,829	7,321	9,508	814	3,521	4,198	8,297	4,325	3,820	6,217	2,467
524	39	*11	29	*	33	*	*	*	*	*16	*
524.0	*13	*	*	*	*12	*	*	*	*	*	*
524.6	*14	*	*13	*	*	*	*	*	*	*	*
527	59	*	*36	*	*	*	*46	*	*	*25	*
527.2	*33	*	*	*	*	*	*	*	*	*	*
528	60	*24	*	*	*	*	*	*	*	*	*
530	769	378	391	102	111	201	355	210	162	262	135
530.1	270	120	150	*	50	85	115	82	52	102	*33
530.10	119	63	55	*	28	28	*46	40	*19	51	*
530.11	122	40	82	*	*17	45	56	*31	*21	47	*22
530.19	*30	*	*	*	*	*	*	*	*	*	*
530.2	86	50	*36	—	*	*27	*43	*	*	*40	*
530.3	*35	*24	*	*	*	*	*26	*	*	*	*
530.5	40	*	*31	*	*	*	*	*	*	*25	*
530.7	46	35	*	*	*	*	*	*	*	*	*
530.8	231	99	132	78	*20	45	88	71	44	58	58
530.81	203	86	117	77	*20	43	63	58	40	50	56
531	665	288	376	*	61	142	460	133	163	283	85
531.0	182	93	89	*	*	*42	132	*39	*44	69	*31
531.00	176	87	88	*	*	*42	126	*39	*44	63	*
531.3	*40	*	*	—	*	*	*	*	*	*	*
531.4	277	120	156	*	*23	44	208	*63	61	123	*29
531.40	270	119	151	*	*	44	205	*60	61	121	*28
531.9	71	*26	44	*	*	*	*42	*	*34	*23	*
531.90	65	*26	*39	*	*	*	*42	*	*34	*22	*
532	651	426	225	*	82	155	414	193	167	225	67
532.0	173	120	*53	—	*	*29	127	*69	*35	53	*
532.00	169	116	*52	—	*	*28	125	*68	*34	52	*
532.3	*40	*	*	—	*	*	*	*	*	*	*
532.30	*36	*	*	—	*	*	*	*	*	*	*
532.4	231	180	*51	*	*19	82	129	*67	*69	64	*31
532.40	228	179	*49	*	*19	81	128	*67	*68	63	*30
532.9	72	*39	*34	*	*	*	*37	*	*	*42	*
532.90	69	*38	*31	*	*	*	*	*	*	*41	*

NOTE: If estimate preceded by asterisk, use according to size of corresponding estimate in table 1; see methods section.

Table 2. Number of days of care for discharges from short-stay hospitals, by ICD-9-CM code of first-listed diagnosis, sex and age of patient, and geographic region of hospital: United States, 1994—Con.

[Discharges of inpatients from non-Federal hospitals. Excludes newborn infants. Code numbers are from the *International Classification of Diseases 9th Revision, Clinical Modification* (ICD-9-CM). Totals include data for categories not listed in table; see methods section]

ICD-9-CM code	Total	Sex		Age				Region			
		Male	Female	Under 15 years	15-44 years	45-64 years	65 years and over	Northeast	Midwest	South	West
Number of days of care in thousands											
533	124	51	73	*	*16	*40	68	*	*29	64	*
533.4	*28	*	*	—	*	*	*	*	*	*	*
533.40	*26	*	*	—	*	*	*	*	*	*	*
533.9	26	*12	*	*	*	*	*	*	*	*	*
533.90	24	*11	*	*	*	*	*	*	*	*	*
535	837	302	534	*34	130	180	493	213	259	275	90
535.0	284	55	229	*	29	53	193	37	121	106	*
535.00	105	28	77	*	*22	*26	48	*23	*23	52	*
535.01	179	*26	153	*	*	*	144	*	*	*53	*
535.1	45	*	*33	*	*	*	*34	*	*	*	*
535.10	*31	*	*26	*	*	*	*	*	*	*	*
535.3	48	41	*	—	*20	*19	*	*	*	*	*
535.30	*27	*22	*	—	*16	*	*	*	*	*	*
535.31	*21	*19	*	—	*	*	*	*	*	*	*
535.4	200	94	106	*	*28	*49	119	*51	61	68	*20
535.40	92	*41	51	*	*	*	61	*	*	*46	*
535.41	108	*53	55	*	*	*34	*58	*	*38	*22	*
535.5	216	78	139	*	37	44	117	81	45	65	*26
535.50	113	37	75	*	29	28	46	31	*26	46	*
535.51	104	*40	63	*	*	*	*71	*	*	*19	*
535.6	43	*23	*	*	*	*	*	*	*	*	*
535.60	*18	*	*	*	*	*	*	*	*	*	*
536	115	*24	91	*	53	*22	*33	*	*28	55	*
536.2	59	*	*49	*	*	*	*	*	*	*	*
536.8	44	*	32	*	*13	*13	*	*	*	*20	*
537	127	*72	*54	*	*	*	67	*	*33	*	*
537.0	*58	*	*	*	*	*	*	*	*	*	*
537.8	*48	*	*	—	*	*	*	*	*	*	*
537.83	*37	*	*	—	*	*	*	*	*	*	*
540	959	600	358	202	486	164	107	178	233	308	239
540.0	394	269	125	98	163	69	*64	76	99	106	114
540.1	134	82	*52	*	64	*	*	*	*40	*40	*
540.9	431	249	181	91	259	65	*	77	95	162	96
541	28	*18	*10	*	*10	*	*	*	*	*11	*
550	200	147	*53	*14	31	29	125	56	39	75	29
550.1	110	68	*	*	*	*	88	*28	*	42	*
550.10	69	40	*	*	*	*	50	*	*	*34	*
550.9	87	77	*	*	24	20	36	27	*13	34	*14
550.90	48	41	*	*	11	*12	22	16	*	20	*
550.91	*21	*18	*	*	*	*	*	*	*	*	*
550.92	16	15	*	*	*	*	*	*	*	*	*
552	274	77	197	*	*20	70	183	69	58	122	*25
552.0	*32	*	*	—	*	*	*	*	*	*	*
552.1	32	*15	*	*	*	*17	*	*	*	*	*
552.2	102	*	83	—	*	*41	*51	*	*36	*29	*
552.20	*32	*	*	—	*	*	*	*	*	*	*
552.21	61	*	51	—	*	*	*32	*	*	*	*
553	329	109	220	*	79	110	132	87	58	146	39
553.1	*14	*	*	*	*	*	*	*	*	*	*
553.2	191	66	125	*	52	73	65	64	31	76	*19
553.20	34	*	*23	—	*	*16	*	*	*	*18	*
553.21	148	54	95	*	45	55	47	57	*24	52	*16
553.3	113	36	77	*	*21	*30	56	*	*24	62	*
555	223	89	134	*	120	68	*	69	*66	64	*
555.0	82	*	*51	*	*	*	*	*	*	*	*
555.1	*52	*	*	*	*	*	*	*	*	*	*
555.9	59	*24	*35	*	38	*	*	*20	*	*21	*

NOTE: If estimate preceded by asterisk, use according to size of corresponding estimate in table 1; see methods section.

Table 2. Number of days of care for discharges from short-stay hospitals, by ICD-9-CM code of first-listed diagnosis, sex and age of patient, and geographic region of hospital: United States, 1994—Con.[Discharges of inpatients from non-Federal hospitals. Excludes newborn infants. Code numbers are from the *International Classification of Diseases 9th Revision, Clinical Modification* (ICD-9-CM). Totals include data for categories not listed in table; see methods section]

ICD-9-CM code	Total	Sex		Age				Region			
		Male	Female	Under 15 years	15-44 years	45-64 years	65 years and over	Northeast	Midwest	South	West
Number of days of care in thousands											
556	185	106	79	*	58	*64	*54	*54	*46	*64	*
557	251	*95	156	*	*	*	169	*72	*	*80	*60
557.0	156	*	93	*	*	*	99	*	*	*	*
557.9	*70	*	*47	—	*	*	*51	*	*	*	*
558	955	348	606	191	177	222	365	252	206	351	146
558.9	895	336	559	191	175	181	349	241	199	313	143
560	1,978	806	1,172	57	231	518	1,172	476	483	690	329
560.1	235	87	149	*	*21	46	160	*53	57	90	*36
560.2	142	*73	*69	—	*	*	120	*	*	*72	*
560.3	168	57	111	*	*	*	144	71	*24	57	*
560.39	162	57	105	*	*	*	138	71	*22	53	*
560.8	779	314	465	*	129	267	360	144	197	292	145
560.81	674	284	390	*	122	224	311	115	179	255	126
560.89	104	*	*75	*	*	*	*49	*	*	*	*
560.9	626	267	359	*	65	161	388	177	179	164	106
562	1,391	504	886	*	110	357	924	458	314	475	144
562.1	1,362	488	874	*	109	356	896	455	307	456	144
562.10	174	51	123	—	*	42	117	*41	*38	75	*
562.11	860	297	563	*	93	261	504	331	197	258	74
562.12	256	113	143	—	*	*38	217	58	*48	105	*45
562.13	73	*	*46	—	*	*	*58	*	*	*	*
564	220	62	158	*	78	43	91	82	45	64	*30
564.0	74	*24	49	*	*	*	44	*25	*18	24	*
564.1	79	*	65	*	*44	*15	*	*44	*	*	*
564.8	*52	*	*	—	*	*	*	*	*	*	*
565	*20	*15	*	*	*	*	*	*	*	*	*
566	133	97	*36	*	78	*24	*	*32	*	77	*
567	167	83	*84	*	*	*52	*66	*	*	*65	*54
567.2	140	*75	*65	*	*	*	*	*	*	*54	*
568	90	*	71	*	*30	*31	*	*	*	*48	*
568.0	66	*	58	*	*25	*	*	*	*	*36	*
569	563	203	360	*	78	163	314	160	116	212	75
569.1	*44	*	*	*	*	*	*	*	*	*	*
569.3	80	*31	49	*	*	*22	*44	*	*	*36	*
569.4	*54	*	*48	*	*	*	*	*	*	*	*
569.6	67	*	*47	*	*	*	*	*	*	*	*
569.8	282	128	154	*	*	*97	158	*77	*61	*96	*48
569.83	*79	*	*	*	*	*	*	*	*	*	*
569.85	95	*44	*51	—	*	*	84	*	*	*	*
571	613	374	239	*	161	247	197	177	86	245	105
571.1	87	*55	*	—	*	*45	*	*	*	*28	*
571.2	255	183	*72	—	*63	97	95	*69	*39	109	*39
571.3	*35	*	*	—	*	*	*	*	*	*	*
571.5	190	98	91	*	*	61	75	*63	*	*73	*26
572	188	112	77	*	*40	84	62	*42	*	84	*36
572.2	103	67	*37	—	*	*52	*34	*	*	*53	*
573	68	31	*37	*	*18	*17	*	*17	*	*27	*
573.3	45	*	*30	*	*	*	*	*	*	*17	*

NOTE: If estimate preceded by asterisk, use according to size of corresponding estimate in table 1; see methods section.

Table 2. Number of days of care for discharges from short-stay hospitals, by ICD-9-CM code of first-listed diagnosis, sex and age of patient, and geographic region of hospital: United States, 1994—Con.

[Discharges of inpatients from non-Federal hospitals. Excludes newborn infants. Code numbers are from the *International Classification of Diseases 9th Revision, Clinical Modification* (ICD-9-CM). Totals include data for categories not listed in table; see methods section]

ICD-9-CM code	Total	Sex		Age				Region			
		Male	Female	Under 15 years	15-44 years	45-64 years	65 years and over	Northeast	Midwest	South	West
Number of days of care in thousands											
574	1,867	638	1,230	*	458	415	992	456	374	774	263
574.0	662	269	394	—	161	130	371	161	138	267	96
574.00	594	240	355	—	144	111	340	139	127	238	90
574.01	68	*29	*39	—	*	*	*	*	*	*29	*
574.1	783	225	558	*	217	210	355	170	158	350	104
574.10	730	202	528	*	212	191	325	159	146	328	96
574.11	*53	*	*30	—	*	*	*	*	*	*	*
574.2	139	43	96	*	27	39	73	*27	*20	69	*22
574.20	120	39	80	*	21	38	60	*26	*18	56	*20
574.3	72	*	*47	—	*	*	*	*	*	*	*
574.30	*43	*	*	—	*	*	*	*	*	*	*
574.4	88	*	*61	—	*	*	*58	*	*	*	*
574.40	*38	*	*	—	*	*	*	*	*	*	*
574.41	*49	*	*	—	*	*	*	*	*	*	*
574.5	123	*49	74	*	*22	*	88	*	*26	*	*
574.50	64	*	*40	—	*17	*	*	*	*	*	*
574.51	*59	*	*34	*	*	*	*49	*	*	*	*
575	301	86	214	*	81	99	116	89	84	95	33
575.0	152	*49	103	*	*32	46	74	*52	37	*48	*
575.1	104	*24	79	*	37	41	*21	*28	*20	41	*14
576	183	79	104	*	*	*	105	*49	*33	*55	*46
576.1	72	*37	*	*	*	*	*36	*	*	*	*
576.2	58	*	*40	*	*	*	*45	*	*	*	*
576.8	*44	*	*	*	*	*	*	*	*	*	*
577	1,268	608	660	*	423	396	442	289	340	500	139
577.0	1,033	505	528	*	341	306	384	239	287	393	115
577.1	147	73	74	*	63	*45	*	*33	*	*67	*
578	724	321	402	*	51	113	549	196	157	239	131
578.0	67	*22	*44	*	*	*	*50	*	*	*	*
578.1	122	44	77	*	*	*24	82	*43	*37	*26	*16
578.9	535	255	281	*	*32	80	417	128	109	189	109
579	*42	*	*30	*	*	*	*	*	*	*	*
580-629	7,912	2,782	5,129	246	2,100	1,713	3,853	1,862	1,697	3,303	1,049
581	*32	*	*	*	*	*	*	*	*	*	*
581.9	*23	*	*	*	*	*	*	*	*	*	*
584	586	268	318	*	*65	124	395	151	126	239	*71
584.9	533	241	292	*	*56	119	358	132	118	217	*67
585	255	152	103	*	*43	97	111	*54	*39	102	*61
586	*46	*	*	*	*	*	*	*	*	*	*
590	643	98	546	35	260	132	216	128	152	288	76
590.1	420	64	356	*20	161	94	146	71	107	185	58
590.10	420	64	356	*20	160	94	146	71	106	185	58
590.8	155	*	135	*	68	*37	*36	43	*36	60	*
590.80	155	*	135	*	68	*37	*36	43	*36	60	*
591	67	*24	*43	*	*	*	*	*	*	*	*
592	547	327	220	*	210	203	131	145	140	215	47
592.0	152	73	79	*	53	63	*34	43	34	51	*24
592.1	387	251	137	*	154	136	96	102	100	163	21
593	172	61	111	*34	*30	*23	85	*43	*40	59	*29
593.4	*47	*24	*	*	*	*	*	*	*	*	*
593.7	*28	*	*	*25	*	*	*	*	*	*	*
593.8	*34	*	*	*	*	*	*	*	*	*	*
593.9	*30	*	*	*	*	*	*	*	*	*	*
594	43	*31	*	*	*	*	*31	*	*	*	*
594.1	*33	*	*	*	*	*	*	*	*	*	*
595	77	*29	48	*	*	*	56	*	*29	*	*
595.0	*35	*	*	*	*	*	*	*	*	*	*

NOTE: If estimate preceded by asterisk, use according to size of corresponding estimate in table 1; see methods section.

Table 2. Number of days of care for discharges from short-stay hospitals, by ICD-9-CM code of first-listed diagnosis, sex and age of patient, and geographic region of hospital: United States, 1994—Con.[Discharges of inpatients from non-Federal hospitals. Excludes newborn infants. Code numbers are from the *International Classification of Diseases 9th Revision, Clinical Modification* (ICD-9-CM). Totals include data for categories not listed in table; see methods section]

ICD-9-CM code	Total	Sex		Age				Region			
		Male	Female	Under 15 years	15-44 years	45-64 years	65 years and over	Northeast	Midwest	South	West
Number of days of care in thousands											
596	137	111	*	*	*	*	104	*26	*30	66	*
596.0	66	66	*	—	*	*	54	*	*	*37	*
596.5	*30	*	*	*	*	*	*	*	*	*	*
596.54	*29	*	*	*	*	*	*	*	*	*	*
598	*21	*18	*	*	*	*	*	*	*	*	*
599	2,246	833	1,413	119	197	267	1,663	590	434	1,001	221
599.0	2,080	714	1,366	117	164	240	1,560	540	400	932	208
599.7	97	67	*30	*	*	*	73	*43	*	33	*
600	575	575	—	—	*	91	483	134	137	230	74
601	41	41	—	—	*	*	*	*	*	*	*
601.0	*33	*33	—	—	*	*	*	*	*	*	*
604	44	44	—	*	*	*24	*	*	*	*22	*
604.9	39	39	—	*	*	*23	*	*	*	*20	*
604.90	*26	*26	—	*	*	*	*	*	*	*	*
607	24	24	—	*	*	*13	*	*	*	*	*
607.8	*14	*14	—	—	*	*	*	*	*	*	*
607.84	*10	*10	—	—	*	*	*	*	*	*	*
608	44	44	—	*	*	*	*	*	*	*	*
610	36	*	34	—	*	12	*	*8	*	*	*
610.1	*31	*	*31	—	*	*9	*	*	*	*	*
611	66	*	64	*	33	24	*	15	*12	26	*12
611.0	*18	*	*18	*	*	*	*	*	*	*	*
611.1	27	*	25	*	17	*9	*	*	*	*7	*
611.8	*17	—	*17	—	*	*	*	*	*	*	*
614	302	—	302	*	277	*21	*	81	58	120	44
614.1	*15	—	*15	—	*	*	*	*	*	*	*
614.2	*41	—	*41	*	*37	*	—	*	*	*26	*
614.3	61	—	61	*	59	*	—	*	*	*21	*
614.6	73	—	73	—	68	*	*	*	*	*27	*
614.9	60	—	60	*	57	*	—	*	*	*24	*
616	44	—	44	*	*16	*	*	*	*	*	*
617	299	—	299	—	223	65	*	50	75	129	45
617.0	152	—	152	—	105	42	*	*22	40	68	*22
617.1	41	—	41	—	36	*	*	*	*	*	*
617.3	59	—	59	—	53	*	—	*	*14	*24	*
617.9	*31	—	*31	—	*23	*	*	*	*	*	*
618	533	—	533	—	75	171	287	89	109	250	84
618.0	139	—	139	—	*24	47	68	*24	27	65	*22
618.1	42	—	42	—	*16	*	*	*	*	*19	*
618.2	70	—	70	—	*	*24	*33	*	*18	*25	*
618.3	94	—	94	—	*	*21	69	*	*	*45	*
618.4	63	—	63	—	*	*19	*34	*	*	*20	*
618.5	74	—	74	—	*	*26	46	*	*	42	*15
618.8	38	—	38	—	*	*19	*	*	*	*29	*
619	*34	—	*34	—	*	*	*	*	*	*	*
620	220	—	220	*	162	*26	*	47	51	90	32
620.0	*20	—	*20	*	*	*	*	*	*	*	*
620.1	43	—	43	*	39	*	—	*	*	*17	*
620.2	119	—	119	*	88	*15	*	29	28	45	*18
620.8	*18	—	*18	—	*	*	*	*	*	*	*
621	54	—	54	—	*12	29	*	*17	*	*19	*
621.3	39	—	39	—	*	*24	*	*	*	*15	*
622	*25	—	*25	—	*	*	*	*	*	*	*
622.1	*18	—	*18	—	*	*	*	*	*	*	*

NOTE: If estimate preceded by asterisk, use according to size of corresponding estimate in table 1; see methods section.

Table 2. Number of days of care for discharges from short-stay hospitals, by ICD-9-CM code of first-listed diagnosis, sex and age of patient, and geographic region of hospital: United States, 1994—Con.[Discharges of inpatients from non-Federal hospitals. Excludes newborn infants. Code numbers are from the *International Classification of Diseases 9th Revision, Clinical Modification* (ICD-9-CM). Totals include data for categories not listed in table; see methods section]

ICD-9-CM code	Total	Sex		Age				Region			
		Male	Female	Under 15 years	15-44 years	45-64 years	65 years and over	Northeast	Midwest	South	West
Number of days of care in thousands											
625	284	—	284	*	142	97	44	39	64	110	72
625.3	31	—	31	*	29	*	—	*	*	*21	*
625.6	173	—	173	—	47	83	43	*30	43	48	52
625.9	68	—	68	*	56	*	*	*	*16	33	*
626	226	—	226	*	152	73	*	29	63	105	29
626.2	143	—	143	*	105	36	—	*18	41	62	*22
626.8	75	—	75	—	43	31	*	*	*22	37	*
627	31	—	31	—	*	*17	*	*	*	*18	*
627.1	*23	—	*23	—	—	*	*	*	*	*	*
630-676	1,562	—	1,562	*	1,549	*	—	377	288	647	251
632	46	—	46	*	46	—	—	*8	*	*17	*
633	109	—	109	—	108	*	—	29	*17	47	*15
633.1	99	—	99	—	98	*	—	*26	*16	43	*14
634	60	—	60	*	59	*	—	25	*10	22	*
634.9	46	—	46	*	45	*	—	19	*	19	*
634.91	33	—	33	*	33	*	—	16	*	*11	*
635	*23	—	*23	*	*23	—	—	*	*	*	*
635.9	*8	—	*8	*	*8	—	—	*	*	*	*
637	*13	—	*13	*	*13	—	—	*	*	*	*
637.9	*10	—	*10	*	*10	—	—	*	*	*	*
637.91	*9	—	*9	*	*9	—	—	*	*	*	*
639	*18	—	*18	—	*18	—	—	*	*	*	*
640	*13	—	*13	—	*13	—	—	*	*	*	*
640.0	*12	—	*12	—	*12	—	—	*	*	*	*
640.03	*12	—	*12	—	*12	—	—	*	*	*	*
641	65	—	65	*	65	—	—	*16	*15	*22	*
641.1	*31	—	*31	*	*31	—	—	*	*	*	*
641.13	*31	—	*31	*	*31	—	—	*	*	*	*
641.2	*20	—	*20	—	*20	—	—	*	*	*	*
641.23	*20	—	*20	—	*20	—	—	*	*	*	*
641.9	*10	—	*10	—	*10	—	—	*	*	*	*
641.93	*10	—	*10	—	*10	—	—	*	*	*	*
642	80	—	80	*	78	—	—	*14	*	36	*19
642.3	29	—	29	*	29	—	—	*	*	*17	*
642.33	29	—	29	*	29	—	—	*	*	*17	*
642.4	24	—	24	*	23	—	—	*	*	*	*
642.43	*21	—	*21	*	*19	—	—	*	*	*	*
643	131	—	131	*	131	—	—	42	29	46	*
643.0	58	—	58	—	58	—	—	*	*15	*23	*
643.03	54	—	54	—	54	—	—	*	*15	*20	*
643.1	65	—	65	—	65	—	—	*24	*	*20	*
643.13	64	—	64	—	64	—	—	*24	*	*20	*
644	385	—	385	*	378	—	—	92	73	140	79
644.0	342	—	342	*	335	—	—	85	64	121	73
644.03	342	—	342	*	335	—	—	84	64	121	73
644.1	41	—	41	*	41	—	—	*6	*9	19	*7
644.13	40	—	40	*	40	—	—	*6	*9	18	*6
646	151	—	151	*	150	*	—	*23	25	77	26
646.6	122	—	122	*	120	*	—	*20	*19	59	*23
646.63	118	—	118	*	117	*	—	*19	*18	58	*23
646.8	21	—	21	—	21	—	—	*	*	*13	*
646.83	21	—	21	—	21	—	—	*	*	*13	*
647	*41	—	*41	—	*41	—	—	*	*	*	*

NOTE: If estimate preceded by asterisk, use according to size of corresponding estimate in table 1; see methods section.

Table 2. Number of days of care for discharges from short-stay hospitals, by ICD-9-CM code of first-listed diagnosis, sex and age of patient, and geographic region of hospital: United States, 1994—Con.[Discharges of inpatients from non-Federal hospitals. Excludes newborn infants. Code numbers are from the *International Classification of Diseases 9th Revision, Clinical Modification* (ICD-9-CM). Totals include data for categories not listed in table; see methods section]

ICD-9-CM code	Total	Sex		Age				Region			
		Male	Female	Under 15 years	15-44 years	45-64 years	65 years and over	Northeast	Midwest	South	West
Number of days of care in thousands											
648	210	—	210	—	209	*	—	50	36	84	39
648.0	65	—	65	—	65	—	—	*	*	*	*
648.03	65	—	65	—	65	—	—	*	*	*	*
648.8	36	—	36	—	36	*	—	*	*	*	*
648.83	36	—	36	—	36	*	—	*	*	*	*
648.9	62	—	62	—	62	—	—	*15	*13	*22	*
648.93	61	—	61	—	61	—	—	*15	*13	*22	*
654	20	—	20	—	20	*	—	*	*	*	*
654.5	*10	—	*10	—	*10	*	—	*	*	*	*
654.53	*10	—	*10	—	*10	*	—	*	*	*	*
656	*13	—	*13	—	*13	—	—	*	*	*	*
658	42	—	42	*	41	—	—	*	*	*	*
659	*9	—	*9	—	*9	—	—	*	*	*	*
666	*12	—	*12	—	*12	—	—	*	*	*	*
670	*52	—	*52	—	*52	—	—	*	*	*	*
670.0	*52	—	*52	—	*52	—	—	*	*	*	*
670.04	*52	—	*52	—	*52	—	—	*	*	*	*
680-709	3,263	1,657	1,606	140	658	774	1,690	1,034	704	1,100	425
681	116	80	*36	*	*28	*	*61	*39	*35	*31	*
681.0	57	*35	*	*	*24	*	*	*	*	*	*
681.00	54	*33	*	*	*22	*	*	*	*	*	*
681.1	60	*45	*	*	*	*	*33	*	*	*	*
681.10	59	*45	*	*	*	*	*	*	*	*	*
682	1,863	923	940	84	398	528	854	638	399	550	277
682.0	104	44	60	*	*24	33	*33	*31	*	32	*28
682.1	*43	*	*	*	*	*	*	*	*	*	*
682.2	138	64	74	*	*	59	*48	*	*	*59	*28
682.3	150	87	63	*	50	53	*36	52	*29	*44	*
682.4	63	46	*	*	*28	*	*	*25	*	*	*
682.5	*39	*	*	*	*	*	*	*	*	*	*
682.6	982	458	523	*19	187	242	533	368	221	271	121
682.7	296	161	135	*	*39	94	155	107	67	81	*41
686	*33	*	*	*	*	*	*	*	*	*	*
695	*34	*	*	*	*	*	*	*	*	*	*
696	*39	*	*	—	*	*	*	*	*	*	*
707	990	526	464	*	140	164	684	250	219	424	97
707.0	642	342	299	*	*106	*71	463	*190	*118	288	*
707.1	319	180	139	*	*	*91	199	*54	83	130	*52
708	*20	*	*18	*	*	*	*	*	*	*	*
709	39	*	*	*	*20	*	*	*	*	*	*
709.2	*25	*	*	*	*	*	—	*	*	*	*
710-739	8,192	3,337	4,855	180	1,716	2,064	4,232	2,118	1,767	3,101	1,205
710	135	*	123	*	67	*46	*	*43	*	*46	*
710.0	94	*	85	*	*49	*	*	*	*	*36	*
711	167	96	*71	*	*	*	*60	*	*	*56	*45
711.0	155	89	*66	*	*	*	*49	*	*	*46	*44
711.06	*75	*	*	*	*	*	*	*	*	*	*
714	175	63	113	*	*	78	69	*43	*41	58	*33
714.0	147	*42	106	*	*	72	66	*36	*	47	*28
715	2,212	803	1,409	*	61	486	1,657	511	601	775	325
715.1	115	*33	82	—	*	*	89	*	*45	*28	*24
715.15	*33	*	*	—	*	*	*	*	*	*	*
715.16	70	*	50	—	*	*	55	*	*	*	*
715.3	1,396	508	888	*	43	288	1,057	284	262	639	211
715.35	398	140	259	*	*	73	303	71	98	149	80

NOTE: If estimate preceded by asterisk, use according to size of corresponding estimate in table 1; see methods section.

Table 2. Number of days of care for discharges from short-stay hospitals, by ICD-9-CM code of first-listed diagnosis, sex and age of patient, and geographic region of hospital: United States, 1994—Con.

[Discharges of inpatients from non-Federal hospitals. Excludes newborn infants. Code numbers are from the *International Classification of Diseases 9th Revision, Clinical Modification* (ICD-9-CM). Totals include data for categories not listed in table; see methods section]

ICD-9-CM code	Total	Sex		Age				Region			
		Male	Female	Under 15 years	15-44 years	45-64 years	65 years and over	Northeast	Midwest	South	West
Number of days of care in thousands											
715.36	975	357	618	*	*	209	745	212	161	474	128
715.8	*41	*	*35	—	—	*	*36	*	*	*	*
715.89	*41	*	*35	—	—	*	*36	*	*	*	*
715.9	637	247	390	—	*	171	455	190	286	79	82
715.90	*47	*	*32	—	*	*	*	*	*	*	*
715.95	213	93	120	—	*	*54	151	82	88	*	*32
715.96	361	133	228	—	*	99	259	94	183	*39	*44
716	124	37	86	*	*32	*24	68	*	*24	59	*
716.1	46	*	*32	—	*24	*	*	*	*	*24	*
716.9	56	*	*40	*	*	*	*42	*	*	*27	*
717	59	38	21	*	49	*7	*	25	*14	*11	*9
717.8	43	30	*13	*	39	*	*	15	*12	*	*
717.83	41	29	*13	*	38	*	*	*14	*12	*	*
718	112	52	60	*	67	*11	*28	39	*	36	*20
718.3	44	*17	*28	*	29	*	*	*	*	*	*
718.31	*15	*10	*	*	*11	*	*	*	*	*	*
718.4	*28	*	*	*	*	*	*	*	*	*	*
718.8	*13	*	*	*	*	*	*	*	*	*	*
719	202	66	136	*	56	*40	100	*43	*	88	*56
719.4	76	*27	50	*	*12	*28	*36	*	*	*35	*18
719.45	*44	*	*25	*	*	*	*27	*	*	*	*
719.7	*96	*	*67	—	*	*	*52	*	*	*	*
721	435	154	282	—	42	125	268	121	88	163	63
721.0	124	54	71	—	*14	59	*51	*49	*11	53	*
721.1	109	*48	*61	—	*	*	*69	*	*	*	*
721.3	140	*30	110	—	*	*30	102	*	*32	51	*
721.9	*26	*	*	—	—	*	*	*	*	*	*
721.90	*26	*	*	—	—	*	*	*	*	*	*
722	1,515	769	746	*	710	429	375	378	275	659	203
722.0	148	62	86	*	80	59	*	25	27	72	*24
722.1	996	520	476	*	521	247	227	288	193	401	114
722.10	988	517	471	*	519	242	227	287	191	396	113
722.2	*21	*20	*	—	*	*	—	*	*	*	*
722.5	152	53	100	—	*36	58	58	*	*38	65	*
722.52	148	50	98	—	*34	56	58	*	*36	65	*
722.7	66	*39	*27	—	*	*29	*	*	*	*	*
722.73	*31	*	*	—	*	*	*	*	*	*	*
722.8	*49	*	*	—	*	*	*	*	*	*	*
722.83	*40	*	*	—	*	*	*	*	*	*	*
722.9	*66	*	*22	—	*	*	*	*	*	*	*
722.93	*63	*	*	—	*	*	*	*	*	*	*
723	81	40	40	*	35	*25	*	*	*	44	*
723.1	*25	*	*	*	*	*	*	*	*	*	*
723.4	28	*16	*12	—	*8	*	*	*	*	*15	*
724	521	201	319	*	99	156	260	112	147	183	79
724.0	223	97	126	—	*	53	159	*56	69	56	*42
724.02	209	93	117	—	*	50	149	*50	68	50	*41
724.2	95	34	60	*	39	*24	*32	*	*28	40	*
724.4	66	*	47	*	*25	*28	*	*	*	46	*
724.5	89	*34	54	*	*15	*35	*39	*	*	*28	*

NOTE: If estimate preceded by asterisk, use according to size of corresponding estimate in table 1; see methods section.

Table 2. Number of days of care for discharges from short-stay hospitals, by ICD-9-CM code of first-listed diagnosis, sex and age of patient, and geographic region of hospital: United States, 1994—Con.[Discharges of inpatients from non-Federal hospitals. Excludes newborn infants. Code numbers are from the *International Classification of Diseases 9th Revision, Clinical Modification* (ICD-9-CM). Totals include data for categories not listed in table; see methods section]

ICD-9-CM code	Total	Sex		Age				Region			
		Male	Female	Under 15 years	15-44 years	45-64 years	65 years and over	Northeast	Midwest	South	West
Number of days of care in thousands											
726	119	53	66	*	30	41	48	43	28	29	*18
726.1	39	*13	*26	—	*	*16	*	*	*	*	*
726.10	25	*12	*	—	*	*14	*	*	*	*	*
726.2	29	16	*13	—	14	*13	*	*13	*	*	*
727	66	32	34	*	23	*15	*22	29	*	*18	*
727.0	29	*18	*	*	*13	*	*	*13	*	*	*
727.05	*17	*	*	*	*	*	*	*	*	*	*
727.6	*12	*	*	—	*	*	*	*	*	*	*
728	206	82	124	*	*26	*78	*101	*	*	112	*
728.8	*61	*43	*	*	*	*	*	*	*	*	*
729	148	63	85	*	*43	31	70	*	47	73	*
729.1	56	*	*29	*	*	*	*	*	*	*	*
729.5	28	*13	*	*	*	*	*	*	*	*	*
730	579	339	240	*	108	229	212	234	101	169	*74
730.0	193	113	*81	*	*	*61	*89	*103	*	*	*
730.07	109	*69	*	*	*	*	*64	*	*	*	*
730.1	*112	*	*	*	*	*	*	*	*	*	*
730.2	272	185	*87	*	*	*116	*87	*70	*	*127	*
730.27	143	*94	*	*	*	*	*55	*	*	*78	*
732	*44	*	*	*	*	*	*	*	*	*	*
733	1,006	293	713	*	96	150	746	270	190	389	156
733.1	660	128	532	*	*	*54	598	187	114	270	89
733.13	359	*75	284	—	*	*	336	130	*69	99	*61
733.14	181	*	155	*	*	*	159	*	*	*114	*
733.4	100	*51	*49	*	*	*	*52	*	*	*	*
733.42	86	*49	*38	*	*	*	*49	*	*	*	*
733.8	149	78	71	*	51	45	*51	40	*27	53	*29
733.81	*20	*	*	*	*	*	*	*	*	*	*
733.82	129	63	66	*	43	*35	*50	*37	*24	*42	*27
733.9	58	*24	34	*	*14	*20	*21	*14	*16	*19	*
733.99	46	*18	29	*	*13	*18	*14	*	*	*11	*
735	18	*	15	*	*	*11	*	*6	*	*	*
735.0	*14	*	*11	*	*	*9	*	*	*	*	*
736	81	*54	*	*	*	*	*	*	*	*50	*
736.8	*50	*	*	*	*	*	*	*	*	*	*
737	*54	*	*43	*	*	*	*	*	*	*	*
737.3	*49	*	*40	*	*	*	*	*	*	*	*
737.30	*39	*	*	*	*	*	*	*	*	*	*
738	67	*29	*39	*	*27	*	*	*	*	*24	*
738.4	57	*	*35	—	*	*	*	*	*	*	*
740-759	925	437	487	669	122	104	*	323	198	154	249
744	*13	*	*	*	*	*	*	*	*	*	*
745	153	*63	90	137	*	*	*	63	*	*	*
745.4	*47	*	*	*	*	*	—	*	*	*	*
745.5	*22	*	*	*	*	*	*	*	*	*	*
746	100	*55	*	*78	*	*	*	*59	*	*	*
747	156	*55	101	73	*	*	*	*45	*	*	*
749	40	*27	*12	36	*	*	—	*	*	*	*
749.0	*12	*	*	*12	—	*	—	*	*	*	*
749.2	*13	*	*	*10	*	—	—	*	*	*	*
750	45	38	*	43	*	*	—	*	*20	*	*
750.5	30	28	*	30	—	—	—	*	*	*	*
751	*89	*36	*	*75	*	*	*	*	*	*	*
752	*12	*	*	*	*	*	*	*	*	*	*
753	*46	*	*	*	*	*	*	*	*	*	*

NOTE: If estimate preceded by asterisk, use according to size of corresponding estimate in table 1; see methods section.

Table 2. Number of days of care for discharges from short-stay hospitals, by ICD-9-CM code of first-listed diagnosis, sex and age of patient, and geographic region of hospital: United States, 1994—Con.

[Discharges of inpatients from non-Federal hospitals. Excludes newborn infants. Code numbers are from the *International Classification of Diseases 9th Revision, Clinical Modification* (ICD-9-CM). Totals include data for categories not listed in table; see methods section]

ICD-9-CM code	Total	Sex		Age				Region			
		Male	Female	Under 15 years	15-44 years	45-64 years	65 years and over	Northeast	Midwest	South	West
Number of days of care in thousands											
754	27	*	*15	*20	*	*	—	*	*	*	*
755	*37	*	*	*	*	*	*	*	*	*	*
756	69	*39	*30	*42	*	*	*	*	*	*	*
756.1	*30	*	*	*	*	*	*	*	*	*	*
759	*21	*	*	*	*	*	*	*	*	*	*
760-779	1,382	851	531	1,379	*	*	—	169	385	391	437
765	566	346	220	565	*	—	—	*	*	215	*202
765.0	*215	*	*	*215	—	—	—	*	*	*	*
765.1	351	241	*110	350	*	—	—	*	*	*182	*
769	194	*117	*	194	*	—	—	*	*	*	*
770	304	214	89	304	—	—	—	*	90	*	143
770.6	*46	*	*	*46	—	—	—	*	*	*	*
770.8	79	*57	*23	79	—	—	—	*	*	*	*
771	94	*37	*57	94	—	—	—	*	*	*	*
771.8	80	*	*51	80	—	—	—	*	*	*	*
774	77	52	26	77	—	—	—	*	*30	24	*17
774.6	68	46	22	68	—	—	—	*	*25	23	*15
779	*44	*	*	*44	—	—	—	*	*	*	*
780-799	973	435	539	108	339	203	323	322	134	409	108
780	165	82	84	53	56	26	30	48	20	71	25
780.2	33	*18	*15	*	*12	*	*	*	*	*10	*
780.3	80	37	43	31	29	*	*	*23	*10	36	*11
780.6	37	*18	*	*21	*	*	*	*	*	*	*
784	26	*	*21	*	*	*	*	*	*	*	*
784.0	*13	*	*	*	*	*	*	*	*	*	*
786	183	86	97	*15	69	63	36	50	38	71	24
786.0	*16	*	*	*12	*	*	*	*	*	*	*
786.09	*16	*	*	*12	*	*	*	*	*	*	*
786.5	162	76	86	*	67	62	32	43	35	66	17
786.50	142	65	77	*	57	54	30	37	31	59	14
786.52	*11	*	*	—	*	*	*	*	*	*	*
788	*15	*8	*	*	*	*	*	*	*	*	*
789	108	33	75	*16	59	*12	*22	20	22	52	*14
789.0	97	31	66	*15	52	*12	*18	*17	18	47	*14
799	398	189	209	*	124	68	202	161	*30	182	25
799.9	354	175	179	*	117	57	176	136	*29	168	*22
800-999	15,218	7,198	8,020	939	4,290	2,988	7,001	3,905	3,307	5,419	2,587
800	67	*56	*	*26	*	*	*	*	*	*	*
800.0	*11	*	*	*	*	*	*	*	*	*	*
801	188	147	*42	*28	85	*61	*	*53	*44	*	*58
801.0	58	*41	*	*	*	*	*	*	*	*	*
801.2	*76	*64	*	*	*	*	*	*	*	*	*
802	179	117	62	*	104	*13	*53	51	*39	47	42
802.2	91	63	*	*	51	*	*	*	*	*26	*
802.4	31	29	*	*	*21	*	*	*	*	*	*
803	*80	*	*	*	*	*	*	*	*	*	*
805	513	194	319	*	188	*70	251	118	105	193	97
805.0	162	74	*88	*	101	*	*43	*	*	*62	*
805.02	*57	*	*	*	*	*	*	*	*	*	*
805.2	162	*59	103	*	*43	*	90	*	*46	77	*
805.4	171	55	115	*	*40	*	105	*52	*38	*45	*35
806	*106	*93	*	—	*	*	*	*	*	*	*

NOTE: If estimate preceded by asterisk, use according to size of corresponding estimate in table 1; see methods section.

Table 2. Number of days of care for discharges from short-stay hospitals, by ICD-9-CM code of first-listed diagnosis, sex and age of patient, and geographic region of hospital: United States, 1994—Con.[Discharges of inpatients from non-Federal hospitals. Excludes newborn infants. Code numbers are from the *International Classification of Diseases 9th Revision, Clinical Modification* (ICD-9-CM). Totals include data for categories not listed in table; see methods section]

ICD-9-CM code	Total	Sex		Age				Region			
		Male	Female	Under 15 years	15-44 years	45-64 years	65 years and over	Northeast	Midwest	South	West
Number of days of care in thousands											
807	217	92	125	*	*37	75	103	65	*47	59	*46
807.0	162	66	96	*	*22	58	80	*45	*44	*32	*40
807.01	*16	*	*	—	*	*	*	*	*	*	*
807.02	*37	*	*	*	*	*	*	*	*	*	*
807.2	*31	*	*23	—	*	*	*	*	*	*	*
808	384	115	269	*	91	*52	235	121	101	111	50
808.0	*79	*	*	*	*	*	*	*	*	*	*
808.2	198	*38	160	*	*37	*	147	*76	*48	*50	*24
808.4	63	*	*40	*	*	*	*36	*	*	*	*
812	245	80	166	30	48	*33	133	79	44	84	39
812.0	133	*24	109	*	*	*	89	*43	*	*53	*
812.00	60	*	*48	*	*	*	*52	*30	*	*	*
812.01	*29	*	*24	*	*	*	*23	*	*	*	*
812.2	45	*21	*24	*	*	*	*	*	*	*	*
812.20	*16	*	*	*	*	*	*	*	*	*	*
812.4	56	26	*30	28	*	*	*	*19	*	*15	*9
812.41	33	*13	*21	23	*	*	*	*	*	*	*
813	194	95	99	17	60	47	69	44	39	71	40
813.0	30	*16	*	*	*	*	*	*	*	*	*
813.01	*19	*	*	*	*	*	*	*	*	*	*
813.2	*18	*	*	*	*	*	*	*	*	*	*
813.4	77	35	41	*	23	*	*27	*17	*	*22	*21
813.41	*14	*	*	*	*	*	*	*	*	*	*
813.42	26	*13	*13	*	*15	*	*	*	*	*	*
813.44	*37	*	*	*	*	*	*	*	*	*	*
813.5	*18	*	*	*	*	*	*	*	*	*	*
813.8	*22	*	*17	*	*	*	*	*	*	*	*
813.83	*15	*	*	*	*	*	*	*	*	*	*
815	*12	*	*	*	*	*	*	*	*	*	*
816	26	18	*	*	*14	*	*	*	*	*	*
816.0	*10	*	*	*	*7	*	*	*	*	*	*
816.1	*16	*12	*	*	*	*	*	*	*	*	*
820	2,820	763	2,057	*	*55	161	2,588	703	649	1,063	404
820.0	908	224	683	*	*	*44	849	274	225	291	118
820.02	*49	*	*	*	*	*	*	*	*	*	*
820.03	*56	*	*	—	*	*	*53	*	*	*	*
820.09	752	181	571	*	*	*	708	235	187	255	75
820.2	1,228	363	865	*	*	79	1,116	361	298	411	158
820.20	*59	*	*35	*	*	*	*44	*	*	*	*
820.21	1,088	313	775	*	*	*67	1,000	324	268	366	130
820.22	*80	*	*54	—	*	*	*71	*	*	*	*
820.8	655	156	499	*	*	*38	604	*64	126	342	123
821	670	233	437	114	193	*78	285	112	115	337	105
821.0	321	132	189	97	115	*	*70	*66	*70	112	*73
821.00	*65	*	*40	*	*	*	*	*	*	*	*
821.01	256	107	149	*75	102	*	*46	*53	*58	*84	*61
821.2	293	*52	241	*	*	*	213	*37	*34	*203	*
821.20	*128	*	*	*	*	*	*	*	*	*	*
821.23	130	*	*94	*	*	*	*81	*	*	*	*
822	59	*23	*36	*	*	*	*29	*	*	*20	*
822.0	54	*19	*35	*	*	*	*29	*	*	*18	*

NOTE: If estimate preceded by asterisk, use according to size of corresponding estimate in table 1; see methods section.

Table 2. Number of days of care for discharges from short-stay hospitals, by ICD-9-CM code of first-listed diagnosis, sex and age of patient, and geographic region of hospital: United States, 1994—Con.

[Discharges of inpatients from non-Federal hospitals. Excludes newborn infants. Code numbers are from the *International Classification of Diseases 9th Revision, Clinical Modification* (ICD-9-CM). Totals include data for categories not listed in table; see methods section]

ICD-9-CM code	Total	Sex		Age				Region			
		Male	Female	Under 15 years	15-44 years	45-64 years	65 years and over	Northeast	Midwest	South	West
Number of days of care in thousands											
823	498	267	232	*28	256	77	137	154	89	172	84
823.0	218	72	145	*	*104	*36	74	*80	*36	75	*
823.00	136	*52	83	*	*50	*	*59	*	*	*71	*
823.02	*80	*	*	—	*	*	*	*	*	*	*
823.2	52	*36	*	*	*33	*	*	*	*	*	*
823.22	*38	*30	*	*	*26	*	*	*	*	*	*
823.8	106	52	54	*	*39	*	*39	*	*	*45	*
823.80	*20	*	*	*	*	*	*	*	*	*	*
823.82	85	*39	*47	*	*	*	*	*	*	*36	*
823.9	*71	*	*	*	*	*	*	*	*	*	*
824	476	226	250	*	167	159	143	108	139	113	116
824.0	*28	*	*	*	*	*	*	*	*	*	*
824.2	23	*	*	—	*12	*	*	*	*	*	*
824.4	129	38	92	*	46	50	*33	*23	62	34	*
824.6	95	*23	72	*	31	27	*36	*29	35	*23	*
824.8	167	117	50	*	42	*63	*58	*35	*23	*28	*
825	94	66	*28	*	67	*	*	*32	*	*28	*
825.0	*38	*35	*	*	*26	*	*	*	*	*	*
825.2	*28	*	*	*	*	*	*	*	*	*	*
831	*11	*	*	*	*	*	*	*	*	*	*
831.0	*11	*	*	*	*	*	*	*	*	*	*
836	30	19	*11	*	21	*	*	*11	*	*10	*
836.0	17	*12	*	*	*11	*	*	*	*	*	*
840	100	59	40	*	*16	45	39	*17	31	40	*11
840.4	94	56	38	—	*13	42	38	*15	30	39	*10
844	62	36	26	*	42	*	*	*12	23	22	*
844.2	33	18	*15	*	31	*	—	*	*12	*12	*
844.8	*13	*	*	*	*	*	*	*	*	*	*
845	24	*11	*	*	*	*	*	*	*	*	*
845.0	*20	*	*	*	*	*	*	*	*	*	*
846	*36	*	*	—	*	*	*	*	*	*	*
846.0	*31	*	*	—	*	*	*	*	*	*	*
847	88	49	39	*	53	*	*	*	*	*32	*
847.0	*40	*	*	*	*	*	*	*	*	*	*
847.2	40	*	*23	—	*23	*	*	*	*	*	*
850	147	81	66	18	65	*22	42	54	42	34	*18
850.0	40	*18	22	*	*17	*	*17	*13	*14	*	*
850.1	42	25	*17	*	*19	*	*	*22	*	*	*
850.5	29	*20	*	*	*17	*	*	*	*	*	*
850.9	31	*13	*18	*	*	*	*	*	*	*14	*
851	151	119	*	*	*90	*	*	*	*	*58	*
851.8	88	*66	*	*	*47	*	*	*	*	*	*
852	248	184	64	*	*80	*	98	*29	*70	*88	*61
852.0	*55	*	*	*	*	*	*	*	*	*	*
852.2	166	121	*46	*	*	*	81	*	*	*68	*49
852.20	*81	*	*	*	*	*	*	*	*	*	*
852.21	*38	*	*	*	*	*	*	*	*	*	*
853	*98	*88	*	*	*	*	*	*	*	*	*
853.0	*98	*88	*	*	*	*	*	*	*	*	*
854	166	110	56	41	73	*	*37	38	41	37	49
854.0	162	108	55	41	71	*	*37	38	39	36	49
854.00	62	*47	*	*	*17	*	*	*	*	*	*
854.01	35	*20	*	*	*	*	*	*	*	*	*
854.02	*26	*	*	*	*	*	*	*	*	*	*
860	163	105	*	*	82	*31	*	*58	*	*37	*41
860.0	94	67	*	*	*51	*	*	*	*	*26	*

NOTE: If estimate preceded by asterisk, use according to size of corresponding estimate in table 1; see methods section.

Table 2. Number of days of care for discharges from short-stay hospitals, by ICD-9-CM code of first-listed diagnosis, sex and age of patient, and geographic region of hospital: United States, 1994—Con.[Discharges of inpatients from non-Federal hospitals. Excludes newborn infants. Code numbers are from the *International Classification of Diseases 9th Revision, Clinical Modification* (ICD-9-CM). Totals include data for categories not listed in table; see methods section]

ICD-9-CM code	Total	Sex		Age				Region			
		Male	Female	Under 15 years	15-44 years	45-64 years	65 years and over	Northeast	Midwest	South	West
Number of days of care in thousands											
861	*50	*38	*	*	*	*	*	*	*	*	*
863	83	*56	*	*	*65	*	*	*	*	*	*
864	77	*45	*	*	*46	*	*	*	*	*	*
864.0	*36	*	*	*	*	*	*	*	*	*	*
865	81	*53	*	*	*42	*	*	*	*	*	*
865.0	70	*48	*	*	*37	*	*	*	*	*	*
866	*30	*	*	*	*	*	*	*	*	*	*
866.0	*25	*	*	*	*	*	*	*	*	*	*
868	*56	*39	*	*	*	*	*	*	*	*	*
871	*42	*19	*	*	*	*	*	*	*	*	*
873	63	35	28	*11	25	*	*19	*16	*9	27	*
873.0	*17	*	*12	*	*	*	*	*	*	*12	*
873.4	25	*13	*12	*	*12	*	*	*	*	*	*
873.42	*11	*	*	*	*	*	*	*	*	*	*
875	*17	*14	*	*	*13	*	*	*	*	*	*
875.0	*15	*12	*	*	*12	*	*	*	*	*	*
879	*19	*18	*	*	*13	*	*	*	*	*	*
881	35	*18	*	*	*23	*	*	*	*	*	*
882	32	*22	*	*	*16	*	*	*	*	*	*
883	40	33	*	*	*30	*	*	*	*	*20	*
883.2	*19	*	*	*	*	*	*	*	*	*	*
886	*14	*12	*	*	*	*	*	*	*	*	*
886.0	*12	*11	*	*	*	*	*	*	*	*	*
890	*21	*	*	*	*	*	*	*	*	*	*
891	66	47	*	*	41	*	*	*	*15	*20	*
891.0	*22	*17	*	*	*14	*	*	*	*	*	*
891.1	*32	*	*	*	*	*	*	*	*	*	*
892	*23	*	*	*	*	*	*	*	*	*	*
920	28	*17	*	*	*	*	*	*	*	*	*
922	69	28	41	*	*19	*	*30	*	*15	*29	*
922.1	36	*	*24	*	*	*	*	*	*	*	*
922.2	*18	*	*	*	*	*	*	*	*	*	*
924	141	49	92	*	*26	*39	74	*	*	86	*
924.0	*35	*	*	*	*	*	*28	*	*	*	*
924.01	*26	*	*	*	*	*	*24	*	*	*	*
924.8	72	*	*49	*	*	*	*	*	*	*59	*
935	17	*7	*	*	*	*	*	*10	*	*	*
935.1	15	*7	*	*	*	*	*	*9	*	*	*
941	*46	*	*	*	*	*	*	*	*	*	*
943	*32	*	*	*	*	*	*	*	*	*	*
944	*21	*20	*	*	*	*	*	*	*	*	*
945	65	*45	*	*	*	*	*	*	*	*	*
946	130	*85	*	*	*	*	*	*	*	*64	*
946.2	*43	*29	*	*	*	*	*	*	*	*	*
958	79	*69	*	*	*57	*	*	*	*	*	*
959	55	33	*22	*	27	*	*	*	*	*17	*
959.1	*16	*	*	*	*	*	*	*	*	*	*
963	*14	*	*9	*	*10	*	*	*	*	*	*
963.0	*10	*	*	*	*10	*	*	*	*	*	*

NOTE: If estimate preceded by asterisk, use according to size of corresponding estimate in table 1; see methods section.

Table 2. Number of days of care for discharges from short-stay hospitals, by ICD-9-CM code of first-listed diagnosis, sex and age of patient, and geographic region of hospital: United States, 1994—Con.

[Discharges of inpatients from non-Federal hospitals. Excludes newborn infants. Code numbers are from the *International Classification of Diseases 9th Revision, Clinical Modification* (ICD-9-CM). Totals include data for categories not listed in table; see methods section]

ICD-9-CM code	Total	Sex		Age				Region			
		Male	Female	Under 15 years	15-44 years	45-64 years	65 years and over	Northeast	Midwest	South	West
Number of days of care in thousands											
965	125	33	92	*12	85	*	*	31	21	49	23
965.0	*13	*	*	*	*	*	*	*	*	*	*
965.1	38	*	*31	*	*27	*	*	*	*	*	*
965.4	47	*13	34	*	36	*	*	*	*	*15	*
965.6	*14	*	*	*	*9	*	—	*	*	*	*
966	52	*32	*20	*	*15	*	*	*	*	*	*
966.1	*36	*	*	*	*	*	*	*	*	*	*
966.3	*16	*	*	*	*	*	—	*	*	*	*
967	*31	*	*	*	*	*	*	*	*	*	*
968	*36	*	*	—	*	*	*	*	*	*	*
969	209	70	139	*	120	51	*	68	38	69	34
969.0	75	22	52	*	52	*20	*	*18	*15	27	*14
969.4	75	*27	48	*	35	*	*	*25	*	*24	*
972	41	*	*25	*	*	*	*27	*	*	*21	*
972.1	*29	*	*	*	*	*	*	*	*	*	*
977	28	*	21	*	16	*	*	*	*	*12	*
977.8	*10	*	*	—	*	*	*	*	*	*	*
977.9	18	*	*13	*	*11	*	*	*	*	*10	*
987	*16	*	*	*	*7	*	*	*	*	*	*
987.9	*14	*	*	*	*	*	*	*	*	*	*
989	*14	*	*	*	*	*	*	*	*	*	*
989.5	*11	*	*	*	*	*	*	*	*	*	*
994	*15	*14	*	*	*	*	*	*	*	*	*
995	125	51	74	*	31	*21	47	*27	*32	55	*
995.1	*18	*	*	*	*	*	*	*	*	*	*
995.2	64	*	45	*	*13	*	*39	*	*	*32	*
996	2,471	1,195	1,277	106	496	681	1,189	683	528	849	412
996.0	270	177	93	*	*	85	174	*52	89	91	*38
996.01	45	*21	24	*	*	*	39	*	*	*20	*
996.03	158	125	*33	—	*	*60	97	*	*68	*48	*
996.1	79	*52	*28	*	*	*33	*	*	*	*	*
996.2	58	*32	*27	*30	*17	*	*	*	*25	*	*
996.4	441	164	277	*	55	115	267	114	82	163	82
996.5	51	*20	*31	*	*	*	*	*	*	*	*
996.59	*39	*	*	*	*	*	*	*	*	*	*
996.6	756	358	398	*	214	176	331	185	179	304	89
996.62	332	163	169	*	134	88	*87	*84	*	164	*
996.64	*61	*	*	—	*	*	*48	*	*	*	*
996.66	137	*	*75	*	*	*	*98	*	*	*	*
996.67	*62	*	*	*	*	*	*	*	*	*	*
996.69	*59	*32	*	*	*	*	*	*	*	*	*
996.7	629	300	330	*	98	168	347	208	107	189	125
996.73	238	100	138	*	48	81	108	62	*	77	76
996.74	211	113	97	*	*	*61	135	*72	*35	70	*
996.77	*53	*	*	*	*	*	*	*	*	*	*
996.78	50	*	*28	*	*19	*	*	*	*	*	*
996.8	168	82	*86	*	81	*67	*	*	*	*49	*
996.81	130	*64	*66	*	*65	*	*	*	*	*40	*
997	602	304	297	*	104	159	321	164	131	192	115
997.1	66	*	*32	*	*	*	*53	*	*	*	*
997.2	*40	*	*	*	*	*	*	*	*	*	*
997.3	65	*32	*33	*	*	*	*	*	*	*	*
997.4	201	*64	137	*	*39	*50	105	*39	*43	80	*38
997.5	40	*29	*	*	*	*	*19	*	*	*	*
997.6	137	82	*	*	*	*	*73	*	*	*55	*
997.62	115	*69	*	—	*	*	*61	*	*	*	*

NOTE: If estimate preceded by asterisk, use according to size of corresponding estimate in table 1; see methods section.

Table 2. Number of days of care for discharges from short-stay hospitals, by ICD-9-CM code of first-listed diagnosis, sex and age of patient, and geographic region of hospital: United States, 1994—Con.[Discharges of inpatients from non-Federal hospitals. Excludes newborn infants. Code numbers are from the *International Classification of Diseases 9th Revision, Clinical Modification* (ICD-9-CM). Totals include data for categories not listed in table; see methods section]

ICD-9-CM code	Total	Sex		Age				Region			
		Male	Female	Under 15 years	15-44 years	45-64 years	65 years and over	Northeast	Midwest	South	West
Number of days of care in thousands											
998	1,010	464	546	*41	220	329	421	263	203	396	149
998.1	147	70	77	*	41	53	47	35	*31	63	*18
998.2	*62	*	*41	—	*	*	*	*	*	*	*
998.3	83	*58	*	*	*	*	*	*	*	*	*
998.5	661	294	367	*	131	224	277	198	115	251	97
998.8	33	*	*18	*	*	*	*	*	*	*	*
999	*49	*21	*	*	*	*	*	*	*	*	*
V01-V82	12,647	1,401	11,245	332	9,770	674	1,871	2,582	3,339	4,205	2,521
V10	*19	*	*	—	*	*	*	*	*	*	*
V12	*26	*	*	*	*	*	*	*	*	*	*
V22	23	—	23	—	23	—	—	*	*	*	13
V22.2	21	—	21	—	21	—	—	*	*	*	12
V25	*10	*	*10	—	*10	*	—	*	*	*	*
V25.2	*10	*	*10	—	*10	*	—	*	*	*	*
V27	9,339	—	9,339	39	9,298	*	—	1,767	1,955	3,663	1,955
V27.0	6,506	—	6,506	30	6,475	*	—	1,227	1,264	2,781	1,234
V27.1	41	—	41	*	40	*	—	*	*	*18	*11
V27.2	160	—	160	*	158	*	—	*27	*42	64	*28
V27.9	2,621	—	2,621	*	2,614	*	—	508	643	795	676
V30	117	49	*68	117	—	—	—	*	*	*33	*21
V30.1	117	49	*68	117	—	—	—	*	*	*33	*21
V45	56	*30	*27	*	*	*27	*	*	*	*25	*
V45.8	46	*	*19	*	*	*23	*	*	*	*	*
V45.89	*38	*	*	*	*	*	*	*	*	*	*
V51	*13	*	*	*	*	*	*	*	*	*	*
V54	32	*13	*	*	*13	*	*	*	*	*	*
V54.0	*16	*	*	*	*	*	*	*	*	*	*
V55	140	*71	69	*	*	*44	*54	*32	*51	*	*
V55.3	108	*54	*54	*	*	*	*48	*	*40	*	*
V57	2,059	866	1,192	*	199	354	1,478	402	1,074	216	367
V57.1	404	169	236	*	*	*	272	*172	*158	*	*
V57.8	1,576	661	916	*	*149	288	1,138	*162	912	188	314
V57.89	1,576	661	916	*	*149	288	1,138	*162	912	188	314
V58	562	253	309	63	98	174	227	214	162	115	71
V58.0	*39	*	*19	*	*	*	*	*	*	*	*
V58.1	450	212	238	59	85	154	152	184	140	66	60
V58.4	*28	*	*	*	*	*	*	*	*	*	*
V58.8	*44	*	*	*	*	*	*	*	*	*	*
V67	*14	*	*	*	*	*	*	*	*	*	*
V70	*28	*	*	*	*23	*	*	*	—	*	*
V70.7	*26	*	*	*	*	*	*	*	—	*	*
V71	65	20	46	*11	*14	*30	*	*19	*13	*26	*
V71.4	*10	*	*	*	*	*	*	*	*	*	*
V71.8	18	*	*9	*	*	*	*	*	*	*	*

NOTE: If estimate preceded by asterisk, use according to size of corresponding estimate in table 1; see methods section.

* Figure does not meet standard of reliability or precision.

— Quantity zero.

Table 3. Number of all-listed diagnoses for discharges from short-stay hospitals, by ICD-9-CM code, sex and age of patient, and geographic region of hospital: United States, 1994

[Discharges of inpatients from non-Federal hospitals. Excludes newborn infants. Code numbers are from the *International Classification of Diseases, 9th Revision, Clinical Modification* (ICD-9-CM). Totals include data for categories not listed in table; see methods section]

ICD-9-CM code	Total	Sex		Age				Region			
		Male	Female	Under 15 years	15-44 years	45-64 years	65 years and over	Northeast	Midwest	South	West
Number of all-listed diagnoses in thousands											
All codes	115,706	46,711	68,996	5,710	32,347	23,912	53,737	27,003	28,210	41,543	18,951
001-139	3,277	1,471	1,806	454	971	570	1,282	781	740	1,218	538
003	11	*5	*5	*	*	*	*	*	*	*	*
003.0	*7	*	*	*	*	*	*	*	*	*	*
005	*7	*	*	*	*	*	*	*	*	*	*
005.9	*6	*	*	*	*	*	*	*	*	*	*
008	244	98	146	77	41	40	87	69	52	85	38
008.4	102	35	67	*	14	22	61	35	23	29	14
008.43	*8	*	*6	*	*	*	*	*	*	*	*
008.45	80	28	52	*	*8	18	52	30	18	20	12
008.49	*6	*	*	*	*	*	*	*	*	*	*
008.6	35	18	17	33	*	*	-	*	10	13	*9
008.61	33	17	16	32	*	*	-	*	*9	12	*8
008.8	103	43	60	39	24	16	24	29	18	40	15
009	16	*6	10	*	*7	*	*	*	*	*5	*
009.0	*7	*	*	*	*	*	*	*	*	*	*
009.1	*6	*	*	*	*	*	*	*	*	*	*
011	26	16	11	*	10	*7	9	*7	*	11	*6
011.9	19	12	*7	*	*6	*6	*7	*5	*	*8	*
011.90	12	*8	*	*	*	*	*	*	*	*6	*
031	22	16	*7	*	16	*	*	*7	*	*8	*6
031.0	14	11	*	*	10	*	*	*	*	*5	*
031.8	*5	*	*	*	*	*	*	*	*	*	*
034	38	16	23	19	14	*	*	*6	16	11	*
034.0	36	15	22	17	13	*	*	*6	16	11	*
038	553	248	305	47	83	104	319	125	108	223	97
038.0	55	26	29	*7	*8	15	25	*8	12	24	10
038.1	117	54	63	*6	25	26	60	29	22	46	20
038.2	15	*7	*8	*	*	*	*8	*	*	*	*
038.3	*6	*	*	*	*	*	*5	*	*	*	*
038.4	142	57	85	*6	18	25	92	37	29	51	25
038.40	17	*7	10	*	*	*	10	*	*	*7	*
038.42	74	24	49	*	*8	13	50	20	17	24	12
038.43	13	*7	*6	*	*	*	*7	*	*	*5	*
038.49	36	18	18	*	*	*6	24	10	*6	14	*7
038.8	30	17	12	*	*	*6	17	*8	*6	10	*6
038.9	188	83	106	24	23	29	112	37	34	85	32
041	1,110	394	716	80	245	185	600	231	291	426	162
041.0	163	54	109	12	56	28	67	35	41	59	28
041.00	25	9	16	*	*	*	13	*5	*7	10	*
041.01	11	*5	*6	*	*	*	*	*	*	*	*
041.02	45	*6	38	*	30	*	*7	9	9	16	10
041.04	46	17	28	*	*7	*9	28	*8	14	18	*6
041.09	35	15	20	*	9	*6	16	*9	*9	11	*6
041.1	202	109	93	18	55	43	86	40	56	76	30
041.10	32	19	13	*	11	*6	12	*6	12	11	*
041.11	128	68	59	12	32	29	55	25	33	51	19
041.19	42	21	21	*	12	*8	19	9	12	14	*7
041.3	74	23	51	*	10	11	51	14	16	36	*9
041.4	353	74	279	23	70	53	206	83	88	130	52
041.5	24	11	13	*6	*	*5	10	*	10	*6	*
041.6	53	17	37	*	*	*6	42	9	12	26	*7
041.7	89	45	44	*6	11	16	56	21	22	34	13
041.8	135	56	79	*9	30	20	76	26	44	49	17
041.84	14	*6	*8	*	*	*	*7	*	*	*	*
041.85	66	29	37	*	11	*9	43	12	20	27	*7
041.89	49	18	31	*	12	10	25	11	15	17	*7
041.9	12	*	*8	*	*	*	*7	*	*	*7	*

NOTE: Estimates of 5,000-9,000 are to be used with caution; see methods section.

Table 3. Number of all-listed diagnoses for discharges from short-stay hospitals, by ICD-9-CM code, sex and age of patient, and geographic region of hospital: United States, 1994—Con.[Discharges of inpatients from non-Federal hospitals. Excludes newborn infants. Code numbers are from the *International Classification of Diseases, 9th Revision, Clinical Modification* (ICD-9-CM). Totals include data for categories not listed in table; see methods section]

ICD-9-CM code	Total	Sex		Age				Region			
		Male	Female	Under 15 years	15-44 years	45-64 years	65 years and over	Northeast	Midwest	South	West
Number of all-listed diagnoses in thousands											
042	165	129	36	*	126	32	*	59	21	57	28
042.0	44	35	10	*	35	*8	*	14	*6	17	*8
042.1	25	19	*5	*	20	*	*	13	*	*5	*
042.9	91	71	20	*	68	19	*	31	12	33	15
043	*6	*	*	—	*	*	*	*	*	*	*
044	39	27	11	*	31	*5	*	14	*8	16	*
044.9	38	27	11	*	31	*5	*	14	*8	16	*
047	27	14	13	12	12	*	*	*6	*7	*7	*6
047.9	26	13	12	11	11	*	*	*6	*7	*7	*6
052	18	10	*8	11	*5	*	*	*	*	*5	*
052.9	10	*	*	*6	*	*	*	*	*	*	*
053	48	22	26	*	*	*9	33	9	13	17	*8
053.1	15	*7	*8	*	*	*	13	*	*	*6	*
053.19	12	*	*7	*	*	*	10	*	*	*	*
053.9	25	12	13	*	*	*5	16	*	*7	*9	*
054	59	21	37	*	33	*8	13	17	*9	23	10
054.1	19	*	14	—	17	*	*	*	*	*8	*
054.10	12	*	*9	—	11	*	*	*	*	*6	*
054.2	*6	*	*	*	*	*	*	*	*	*	*
054.9	24	*8	16	*	12	*6	*5	9	*	9	*
070	67	42	26	*	35	23	*8	15	11	29	13
070.1	*6	*	*	*	*	*	*	*	*	*	*
070.3	21	14	*7	*	10	*7	*	*	*	9	*5
070.30	21	14	*7	*	10	*7	*	*	*	9	*5
070.5	35	22	13	*	19	13	*	9	*6	15	*5
070.51	33	21	12	*	18	12	*	*9	*5	14	*
075	16	*9	*7	*	11	*	—	*5	*7	*	*
078	58	37	21	*6	38	10	*	16	*8	22	12
078.1	17	*6	11	*	13	*	*	*	*	*8	*
078.10	*7	*	*	*	*6	*	*	*	*	*	*
078.11	*7	*	*5	*	*5	*	*	*	*	*	*
078.5	26	21	*	*	20	*	*	*7	*	9	*7
078.8	12	*7	*	*	*	*	*	*	*	*	*
078.89	10	*6	*	*	*	*	*	*	*	*	*
079	197	103	95	119	36	17	26	40	47	66	45
079.8	73	46	27	68	*	*	*	10	24	19	19
079.89	70	45	25	67	*	*	*	10	23	18	19
079.9	120	55	65	49	31	15	25	28	22	45	24
079.99	117	55	62	49	28	15	25	28	22	43	24
097	19	*7	12	—	10	*	*7	*6	*	10	*
097.1	12	*	*7	—	*6	*	*	*	*	*5	*
097.9	*6	*	*	—	*	—	*	*	*	*	*
098	9	*	*8	*	*9	*	*	*	*	*	*
099	*5	*	*	*	*	*	*	*	*	*	*
110	36	21	15	*	13	*6	15	11	13	10	*
110.1	16	*8	*8	—	*	*	11	*7	*5	*	*
110.4	9	*8	*	*	*	*	*	*	*	*	*
111	*6	*	*	*	*	*	*	*	*	*	*

NOTE: Estimates of 5,000-9,000 are to be used with caution; see methods section.

Table 3. Number of all-listed diagnoses for discharges from short-stay hospitals, by ICD-9-CM code, sex and age of patient, and geographic region of hospital: United States, 1994—Con.

[Discharges of inpatients from non-Federal hospitals. Excludes newborn infants. Code numbers are from the *International Classification of Diseases, 9th Revision, Clinical Modification* (ICD-9-CM). Totals include data for categories not listed in table; see methods section]

ICD-9-CM code	Total	Sex		Age				Region			
		Male	Female	Under 15 years	15-44 years	45-64 years	65 years and over	Northeast	Midwest	South	West
Number of all-listed diagnoses in thousands											
112	233	99	134	34	71	46	82	58	57	86	32
112.0	105	55	50	18	37	21	28	31	27	32	15
112.1	23	—	23	*	9	*7	*7	*5	*7	10	*
112.2	27	9	18	*	*	*	16	*7	*5	12	*
112.3	15	*7	*8	*8	*	*	*	*	*5	*	*
112.4	10	*	*6	*	*	*	*7	*	*	*	*
112.5	*6	*	*	*	*	*	*	*	*	*	*
112.8	37	18	19	*	14	*7	14	*8	*7	16	*6
112.84	24	14	9	*	11	*	*7	*5	*	11	*
112.89	12	*	*8	*	*	*	*7	*	*	*	*
112.9	10	*	*7	*	*	*	*	*	*	*5	*
114	*6	*	*	*	*	*	*	*	*	*	*
117	18	9	*9	*	*7	*	*6	*	*5	*	*
117.3	*5	*	*	*	*	*	*	*	*	*	*
117.5	*6	*	*	*	*	*	*	*	*	*	*
117.9	*6	*	*	*	*	*	*	*	*	*	*
130	11	*9	*	*	*9	*	*	*	*	*5	*
130.7	*5	*	*	—	*	*	*	*	*	*	*
131	16	*	15	*	13	*	*	*	*	*9	*
131.0	14	*	13	*	11	*	*	*	*	*8	*
131.01	*7	—	*7	*	*6	*	*	*	*	*	*
132	*5	*	*	*	*	*	*	*	*	*	*
135	31	10	20	*	10	13	*7	10	*8	*9	*
136	43	30	13	*	27	*7	*8	10	*6	18	9
136.3	33	26	*8	*	23	*6	*	9	*	14	*6
136.9	9	*	*	*	*	*	*	*	*	*	*
137	*5	*	*	—	—	*	*	*	*	*	*
137.0	*5	*	*	—	—	*	*	*	*	*	*
138	17	10	*7	—	*	*	13	*7	*	*	*
140-239	4,287	1,813	2,473	109	642	1,301	2,235	1,127	999	1,461	700
141	*9	*8	*	—	*	*	*	*	*	*	*
141.0	*5	*	*	—	*	*	*	*	*	*	*
146	*6	*	*	—	*	*	*	*	*	*	*
150	28	22	*5	—	*	*9	15	*7	*6	11	*
150.5	10	*9	*	—	*	*	*	*	*	*6	*
150.9	10	*8	*	—	*	*	*6	*	*	*	*
151	45	28	16	—	*7	11	27	14	*	21	*6
151.0	10	*8	*	—	*	*	*	*	*	*5	*
151.2	*6	*	*	—	*	*	*	*	*	*	*
151.8	*8	*	*	—	*	*	*7	*	*	*	*
151.9	14	*9	*5	—	*	*	9	*	*	*8	*
152	*7	*	*	—	*	*	*6	*	*	*	*
153	142	57	85	—	*	28	110	35	35	50	22
153.1	13	*	*8	—	*	*	11	*	*	*	*
153.2	*8	*	*7	—	*	*	*7	*	*	*	*
153.3	35	18	17	—	*	*8	26	10	9	10	*6
153.4	16	*6	10	—	*	*	12	*	*	*5	*
153.6	23	*9	14	—	*	*	18	*	*7	*8	*
153.8	*5	*	*	—	*	*	*	*	*	*	*
153.9	36	13	22	—	*	*7	28	*8	*7	15	*6
154	67	34	33	*	*	20	46	20	14	22	12
154.0	25	14	12	*	*	*7	17	*7	*	*9	*
154.1	34	17	17	—	*	11	23	12	*6	12	*5
154.8	*5	*	*	—	*	*	*	*	*	*	*
155	20	13	*8	*	*	*7	11	*8	*	*7	*
155.0	13	*9	*	*	*	*	*8	*6	*	*	*

NOTE: Estimates of 5,000-9,000 are to be used with caution; see methods section.

Table 3. Number of all-listed diagnoses for discharges from short-stay hospitals, by ICD-9-CM code, sex and age of patient, and geographic region of hospital: United States, 1994—Con.[Discharges of inpatients from non-Federal hospitals. Excludes newborn infants. Code numbers are from the *International Classification of Diseases, 9th Revision, Clinical Modification* (ICD-9-CM). Totals include data for categories not listed in table; see methods section]

ICD-9-CM code	Total	Sex		Age				Region			
		Male	Female	Under 15 years	15-44 years	45-64 years	65 years and over	Northeast	Midwest	South	West
Number of all-listed diagnoses in thousands											
156	14	*	9	—	*	*	11	*	*	*	*
156.0	*5	*	*	—	*	*	*	*	*	*	*
157	57	25	32	—	*	14	40	13	11	23	10
157.0	21	*8	13	—	*	*	16	*6	*	*8	*
157.8	*7	*	*	—	*	*	*	*	*	*	*
157.9	23	10	13	—	*	*6	17	*	*	12	*
158	*5	*	*	*	*	*	*	*	*	*	*
161	15	13	*	—	*	*7	*7	*	*	*7	*
161.9	*5	*	*	—	*	*	*	*	*	*	*
162	393	225	168	*	10	142	240	100	89	147	57
162.2	22	13	9	—	*	*7	14	*8	*5	*	*
162.3	88	48	40	—	*	29	57	20	18	35	14
162.4	12	*7	*5	—	*	*	*8	*	*	*	*
162.5	42	23	19	*	*	18	24	12	*8	15	*8
162.8	38	21	17	—	*	14	22	20	*	*9	*5
162.9	190	113	77	—	*5	70	115	37	52	80	22
170	15	*8	*6	*6	*	*	*	*6	*	*	*
171	18	11	*6	*	*	*6	*	*	*6	*	*
172	11	*6	*5	*	*	*	*6	*5	*	*	*
173	23	12	11	*	*	*	18	*8	*	*6	*
173.3	*8	*	*	—	*	*	*7	*	*	*	*
174	204	—	204	*	30	84	89	58	45	68	33
174.0	*5	—	*5	—	*	*	*	*	*	*	*
174.1	*5	—	*5	—	*	*	*	*	*	*	*
174.2	*6	—	*6	—	*	*	*	*	*	*	*
174.4	24	—	24	—	*	9	12	*7	*7	*8	*
174.5	*7	—	*7	—	*	*	*	*	*	*	*
174.8	48	—	48	—	*9	17	22	20	*9	11	*9
174.9	101	—	101	*	14	48	39	25	18	40	19
176	16	14	*	—	10	*	*	*	*	*7	*
176.9	*6	*	*	—	*	*	*	*	*	*	*
180	35	—	35	—	13	14	*8	*6	*6	18	*
180.8	*9	—	*9	—	*	*	*	*	*	*	*
180.9	22	—	22	—	9	*8	*	*	*	13	*
182	46	—	46	—	*	17	24	14	13	10	*8
182.0	45	—	45	—	*	17	24	14	13	10	*8
183	83	—	83	*	*9	29	44	20	20	31	11
183.0	81	—	81	*	*9	28	43	19	20	31	11
184	*9	—	*9	*	*	*	*5	*	*	*	*
184.0	*5	—	*5	*	*	*	*	*	*	*	*
185	231	231	—	*	*	42	188	51	53	78	50
186	*6	*6	—	*	*6	*	*	*	*	*	*
186.9	*6	*6	—	*	*6	*	*	*	*	*	*
188	86	68	18	*	*	12	73	30	21	23	12
188.4	*6	*5	*	*	*	*	*	*	*	*	*
188.8	26	19	*7	*	*	*	23	12	*	*	*
188.9	36	29	*8	—	*	*	31	*8	12	12	*
189	56	32	24	*7	*	17	29	13	14	15	14
189.0	49	27	22	*7	*	16	23	12	12	12	13
190	*5	*	*	*	*	*	*	*	*	*	*
191	38	24	14	11	*6	12	9	11	*6	10	10
191.1	*5	*	*	*	*	*	*	*	*	*	*
191.9	*8	*	*	*	*	*	*	*	*	*	*
193	23	*5	18	*	10	*6	*7	*	*6	*6	*7

NOTE: Estimates of 5,000–9,000 are to be used with caution; see methods section.

Table 3. Number of all-listed diagnoses for discharges from short-stay hospitals, by ICD-9-CM code, sex and age of patient, and geographic region of hospital: United States, 1994—Con.

[Discharges of inpatients from non-Federal hospitals. Excludes newborn infants. Code numbers are from the *International Classification of Diseases, 9th Revision, Clinical Modification* (ICD-9-CM). Totals include data for categories not listed in table; see methods section]

ICD-9-CM code	Total	Sex		Age				Region			
		Male	Female	Under 15 years	15-44 years	45-64 years	65 years and over	Northeast	Midwest	South	West
Number of all-listed diagnoses in thousands											
194	*7	*	*	*	*	*	*	*	*	*	*
194.0	*5	*	*	*	*	*	*	*	*	*	*
195	16	9	*6	*	*	*	*8	*5	*	*7	*
195.0	*7	*	*	—	*	*	*	*	*	*	*
196	181	70	111	*	26	63	89	54	48	52	26
196.0	25	14	12	*	*	*8	12	*7	*6	*9	*
196.1	23	15	*8	—	*	*9	12	*7	*7	*6	*
196.2	63	28	34	*	*7	20	35	20	16	18	9
196.3	44	*	41	—	9	16	20	15	12	13	*
196.6	12	*	*7	*	*	*	*5	*	*	*	*
196.9	*7	*	*6	*	*	*	*	*	*	*	*
197	459	186	273	*7	38	141	274	122	117	145	75
197.0	95	40	55	*	*9	30	53	27	25	29	14
197.1	14	*8	*7	—	*	*	*8	*	*	*5	*
197.2	52	19	33	*	*	16	33	11	13	18	10
197.4	17	*5	11	*	*	*	12	*	*	*6	*
197.5	17	*	12	—	*	*6	9	*	*	*6	*
197.6	72	20	52	*	*	23	43	23	16	22	12
197.7	171	77	94	*	15	53	103	48	47	52	24
197.8	16	9	*7	—	*	*	12	*	*	*7	*
198	451	218	233	*	32	163	253	125	121	134	72
198.1	11	*5	*5	—	*	*	*7	*	*	*	*
198.2	10	*	*8	—	*	*	*6	*	*	*	*
198.3	96	53	43	*	*6	40	50	24	32	28	12
198.4	*7	*	*	—	*	*	*	*	*	*	*
198.5	205	107	97	*	12	67	123	60	48	62	35
198.6	*7	—	*7	—	*	*	*	*	*	*	*
198.7	13	*9	*	—	*	*	*8	*	*6	*	*
198.8	98	35	64	*	*9	39	50	26	27	28	17
198.82	16	*6	10	*	*	*8	*8	*	*6	*	*
198.89	79	29	50	*	*7	30	42	21	20	24	14
199	115	47	68	*	11	38	66	30	26	42	18
199.0	46	21	25	*	*	16	25	11	*7	18	9
199.1	69	27	43	*	*6	22	41	19	19	23	*9
200	42	15	27	*8	*9	*7	19	11	*8	*7	15
200.0	18	*7	12	*	*	*5	*8	*7	*	*	*
200.00	*6	*	*	—	*	*	*	*	*	*	*
200.1	11	*5	*6	*	*	*	*7	*	*	*	*
200.10	*5	*	*	—	*	*	*	*	*	*	*
200.2	*8	*	*6	*7	*	*	*	*	*	—	*6
200.20	*7	*	*6	*6	*	—	*	*	*	—	*6
201	20	11	*9	*	9	*	*8	*6	*	*	*
201.9	15	*9	*7	*	*7	*	*7	*	*	*	*
201.90	10	*	*5	*	*5	*	*	*	*	*	*
202	108	58	50	*	14	33	59	32	30	30	16
202.8	95	50	45	*	12	28	53	28	26	27	15
202.80	49	27	22	*	*6	14	29	13	14	12	10
202.81	10	*	*	*	*	*	*5	*	*	*	*
202.82	*8	*	*	*	*	*	*	*	*	*	*
202.83	13	*7	*6	—	*	*	*8	*	*	*	*
202.88	10	*6	*	*	*	*	*	*	*	*	*
203	67	35	32	—	*5	21	40	14	14	35	*
203.0	64	33	31	—	*5	20	39	14	13	34	*
203.00	64	33	31	—	*5	20	39	14	13	33	*

NOTE: Estimates of 5,000-9,000 are to be used with caution; see methods section.

Table 3. Number of all-listed diagnoses for discharges from short-stay hospitals, by ICD-9-CM code, sex and age of patient, and geographic region of hospital: United States, 1994—Con.[Discharges of inpatients from non-Federal hospitals. Excludes newborn infants. Code numbers are from the *International Classification of Diseases, 9th Revision, Clinical Modification* (ICD-9-CM). Totals include data for categories not listed in table; see methods section]

ICD-9-CM code	Total	Sex		Age				Region			
		Male	Female	Under 15 years	15-44 years	45-64 years	65 years and over	Northeast	Midwest	South	West
Number of all-listed diagnoses in thousands											
204	85	50	35	23	*8	12	42	20	22	27	15
204.0	31	19	13	23	*7	*	*	*7	*7	*8	*9
204.00	19	11	*8	14	*	*	*	*	*	*6	*
204.01	12	*8	*	*9	*	*	*	*	*	*	*5
204.1	52	29	22	*	*	11	40	12	15	18	*6
204.10	47	27	20	—	*	10	37	11	14	16	*6
205	40	19	21	*5	9	11	14	12	*7	15	*5
205.0	25	13	13	*5	*6	*5	9	*8	*	10	*
205.00	22	11	11	*	*5	*	*8	*7	*	*9	*
205.1	14	*6	*8	*	*	*5	*5	*	*	*6	*
205.10	12	*5	*7	*	*	*	*	*	*	*5	*
208	10	*7	*	*	*	*	*6	*	*	*7	*
210	12	*	*8	*	*	*	*8	*5	*	*	*
210.2	10	*	*6	*	*	*	*6	*	*	*	*
211	147	68	79	*	12	36	98	52	29	47	19
211.1	16	*	11	*	*	*	9	*5	*	*6	*
211.3	115	55	60	*	*9	27	79	42	25	34	14
211.4	*9	*	*	—	*	*	*5	*	*	*	*
212	9	*	*	*	*	*	*	*	*	*	*
213	*8	*	*5	*	*	*	*	*	*	*	*
214	20	12	*8	*	*5	*8	*7	*6	*	*7	*
214.1	*6	*	*	*	*	*	*	*	*	*	*
215	*7	*	*5	*	*	*	*	*	*	*	*
216	17	*	13	*	*9	*	*	*	*	*6	*
216.5	*8	*	*7	*	*	*	*	*	*	*	*
217	*7	*	*7	—	*	*	*	*	*	*	*
218	360	—	360	—	195	143	21	74	76	146	64
218.0	37	—	37	—	20	15	*	12	*8	13	*
218.1	90	—	90	—	44	41	*	21	17	35	17
218.2	53	—	53	—	28	23	*	11	11	22	*9
218.9	179	—	179	—	103	64	12	30	40	75	34
219	*5	—	*5	—	*	*	*	*	*	*	*
220	55	—	55	*	26	17	11	11	16	19	9
221	*7	—	*7	—	*5	*	*	*	*	*	*
225	31	10	21	*	*	*8	17	*9	*6	10	*6
225.2	21	*6	15	*	*	*	13	*7	*	*7	*
226	15	*	12	*	*7	*	*	*	*	*5	*
227	19	*6	13	*	*6	*6	*7	*6	*	*6	*
227.0	*5	*	*	*	*	*	*	*	*	*	*
227.1	*6	*	*	—	*	*	*	*	*	*	*
227.3	*8	*	*	—	*	*	*	*	*	*	*
228	14	*6	*8	*5	*	*	*	*	*	*	*
228.0	12	*	*7	*	*	*	*	*	*	*	*
233	37	*	34	*	17	10	10	*8	*7	16	*7
233.0	11	—	11	—	*	*	*	*	*	*	*
233.1	19	—	19	—	13	*	*	*	*	*8	*
235	20	13	*7	*	*	*	13	*	*6	10	*
235.2	13	*7	*6	*	*	*	*9	*	*	*6	*
236	10	*	*8	*	*	*	*	*	*	*	*
237	10	*	*7	*	*	*	*	*	*	*	*
237.7	*5	*	*	*	*	*	*	*	*	*	*
238	70	35	35	*	*	*7	57	20	18	25	*7
238.4	22	14	*8	*	*	*	16	*	*7	*9	*
238.7	43	20	24	*	*	*	40	15	9	14	*5

NOTE: Estimates of 5,000-9,000 are to be used with caution; see methods section.

Table 3. Number of all-listed diagnoses for discharges from short-stay hospitals, by ICD-9-CM code, sex and age of patient, and geographic region of hospital: United States, 1994—Con.

[Discharges of inpatients from non-Federal hospitals. Excludes newborn infants. Code numbers are from the *International Classification of Diseases, 9th Revision, Clinical Modification* (ICD-9-CM). Totals include data for categories not listed in table; see methods section]

ICD-9-CM code	Total	Sex		Age				Region			
		Male	Female	Under 15 years	15-44 years	45-64 years	65 years and over	Northeast	Midwest	South	West
Number of all-listed diagnoses in thousands											
239	33	15	17	*	*	13	14	*8	*6	13	*5
239.0	*6	*	*	—	*	*	*	*	*	*	*
239.6	*7	*	*	*	*	*	*	*	*	*	*
239.7	*5	*	*	—	*	*	*	*	*	*	*
240-279	11,623	4,719	6,904	456	1,700	2,993	6,473	2,665	3,067	4,234	1,657
240	14	*	11	—	*	*	*8	*	*	*6	*
240.9	14	*	11	—	*	*	*8	*	*	*6	*
241	28	*	25	*	*6	10	12	9	*6	9	*
241.0	11	*	*9	*	*	*	*	*	*	*	*
241.1	9	*	*9	*	*	*	*	*	*	*	*
241.9	*9	*	*8	—	*	*	*	*	*	*	*
242	50	12	38	*	13	13	23	12	12	20	*7
242.0	13	*	11	*	*	*	*	*	*	*6	*
242.00	12	*	10	*	*	*	*	*	*	*6	*
242.9	32	*8	23	*	*7	*7	17	*7	*8	12	*
242.90	30	*8	22	*	*7	*6	16	*7	*8	12	*
244	734	145	589	*	73	168	489	196	210	213	115
244.0	27	*	24	—	*	*	20	*	*6	11	*6
244.1	*6	*	*	—	*	*	*	*	*	*	*
244.9	696	137	559	*	69	159	464	188	202	199	107
245	14	*	12	*	*6	*6	*	*	*	*	*
245.2	11	*	10	*	*	*	*	*	*	*	*
246	*6	*	*6	*	*	*	*	*	*	*	*
250	3,740	1,638	2,102	31	439	1,111	2,159	870	900	1,425	544
250.0	2,545	1,096	1,450	14	221	720	1,590	620	628	966	330
250.00	1,483	654	830	*	85	413	981	375	371	541	197
250.01	652	267	385	*5	76	196	375	158	162	253	80
250.02	229	104	125	*	22	67	138	50	50	99	30
250.03	181	71	110	*	38	44	96	38	46	74	24
250.1	113	51	62	12	63	23	15	21	29	49	15
250.10	14	*6	*8	*	*	*	*	*	*	*9	*
250.11	43	19	24	*7	25	*7	*	10	12	16	*
250.12	*8	*	*	*	*	*	*	*	*	*	*
250.13	49	23	26	*	30	10	*5	*7	13	20	*7
250.2	18	*8	11	*	*	*	13	*	*	*7	*
250.22	*6	*	*	—	*	*	*5	*	*	*	*
250.3	*8	*	*6	—	*	*	*5	*	*	*	*
250.4	281	123	158	*	44	96	140	64	50	100	67
250.40	101	43	59	—	*	36	62	23	15	38	26
250.41	127	55	72	*	27	42	58	33	24	40	31
250.42	15	*8	*6	—	*	*8	*6	*	*	*7	*
250.43	38	17	21	*	13	11	13	*7	*8	16	*8
250.5	142	58	84	*	27	58	57	26	34	54	28
250.50	35	12	22	*	*	14	19	*7	9	13	*6
250.51	75	30	45	*	18	28	29	16	20	24	15
250.52	*7	*	*	—	*	*	*	*	*	*	*
250.53	25	13	12	—	*7	12	*5	*	*	12	*6
250.6	234	107	128	*	34	74	126	58	62	78	37
250.60	71	33	37	—	*	20	48	18	20	23	10
250.61	110	48	62	*	20	36	55	31	29	32	18
250.62	19	10	*9	—	*	*	12	*	*	10	*
250.63	35	15	20	*	10	14	11	*6	*9	14	*7
250.7	110	63	47	*	*7	43	60	25	21	41	23
250.70	42	22	20	—	*	14	27	11	*9	14	*8
250.71	43	26	17	*	*	17	22	9	*8	17	9
250.72	10	*7	*	—	*	*	*5	*	*	*	*
250.73	15	*8	*7	—	*	*8	*6	*	*	*6	*
250.8	172	83	89	*	20	56	95	32	45	70	25
250.80	56	26	29	*	*	18	34	10	18	19	*9

NOTE: Estimates of 5,000-9,000 are to be used with caution; see methods section.

Table 3. Number of all-listed diagnoses for discharges from short-stay hospitals, by ICD-9-CM code, sex and age of patient, and geographic region of hospital: United States, 1994—Con.[Discharges of inpatients from non-Federal hospitals. Excludes newborn infants. Code numbers are from the *International Classification of Diseases, 9th Revision, Clinical Modification* (ICD-9-CM). Totals include data for categories not listed in table; see methods section]

ICD-9-CM code	Total	Sex		Age				Region			
		Male	Female	Under 15 years	15-44 years	45-64 years	65 years and over	Northeast	Midwest	South	West
Number of all-listed diagnoses in thousands											
250.81	66	33	33	*	9	22	34	16	15	26	9
250.82	22	12	10	—	*	*6	14	*	*	13	*
250.83	29	12	17	*	*6	*9	14	*	*8	11	*6
250.9	116	48	68	*	19	37	58	18	25	58	16
250.90	25	10	15	—	*	11	9	*	*5	13	*
250.91	31	10	21	*	*9	9	11	*9	*6	14	*
250.92	28	15	14	*	*	9	17	*5	*5	12	*6
250.93	33	14	19	*	*	*7	21	*	*8	18	*
251	60	28	32	*	10	14	32	13	13	26	*8
251.2	39	18	20	*	*8	*8	19	*9	*8	18	*
251.8	13	*7	*6	—	*	*	*8	*	*	*6	*
252	32	*6	26	*	*	11	16	*8	10	*9	*6
252.0	24	*5	19	*	*	*8	12	*7	*7	*6	*
252.1	*8	*	*7	*	*	*	*	*	*	*	*
253	57	24	33	*	*8	19	26	13	16	18	10
253.2	9	*	*	*	*	*	*	*	*	*	*
253.5	10	*	*7	*	*	*	*	*	*	*	*
253.6	33	15	18	*	*	11	18	*7	*9	11	*6
255	49	17	31	*	10	13	22	14	10	17	*8
255.0	10	*	*7	*	*	*	*	*	*	*	*
255.4	27	10	17	*	*	9	14	9	*6	10	*
256	*8	—	*8	*	*6	*	*	*	*	*	*
256.4	*5	—	*5	*	*	*	—	*	*	*	*
259	*6	*	*	*	*	*	*	*	*	*	*
260	*8	*	*	—	*	*	*5	*	*	*	*
261	22	11	10	*	*	*	13	*7	*	*7	*
262	14	*6	*8	*	*	*	*7	*7	*	*	*
263	332	147	185	*7	36	60	229	79	83	126	44
263.0	18	*8	10	*	*	*	13	10	*	*6	*
263.1	20	*8	11	*	*	*	14	13	*	*	*
263.8	18	9	9	*	*	*	13	*	*7	*7	*
263.9	275	122	154	*5	31	50	189	54	73	109	39
266	27	13	14	—	*	*	23	*8	*7	9	*
266.2	26	13	13	—	*	*	22	*7	*7	*9	*
269	19	*	15	*	*9	*	*8	*	*	*8	*
269.9	15	*	13	*	*8	*	*6	*	*	*7	*
271	39	16	23	*	*9	10	17	15	*6	15	*
271.3	36	14	22	*	*8	10	17	14	*5	14	*
272	867	406	461	*	117	371	377	223	245	285	114
272.0	508	229	279	*	67	217	223	148	142	155	63
272.1	34	22	12	—	*9	15	11	*8	10	12	*
272.2	18	9	9	—	*	*5	10	*	*8	*5	*
272.4	280	134	146	*	31	123	126	55	80	105	39
272.9	12	*5	*7	*	*	*	*	*6	*	*	*
273	66	29	37	*	11	13	40	14	18	24	9
273.8	56	24	31	*	11	10	33	11	15	21	*8
274	154	101	53	—	*7	43	104	44	41	51	18
274.0	50	31	19	—	*	13	35	12	16	16	*6
274.9	103	69	34	—	*	30	69	32	24	35	12
275	188	75	112	*7	40	52	88	47	47	66	28
275.0	*9	*7	*	*	*	*	*	*	*	*	*
275.2	58	24	34	*	16	16	24	14	19	17	*7
275.3	33	15	17	*	10	*9	13	11	*	13	*
275.4	87	29	59	*	12	26	47	20	21	32	14

NOTE: Estimates of 5,000-9,000 are to be used with caution; see methods section.

Table 3. Number of all-listed diagnoses for discharges from short-stay hospitals, by ICD-9-CM code, sex and age of patient, and geographic region of hospital: United States, 1994—Con.

[Discharges of inpatients from non-Federal hospitals. Excludes newborn infants. Code numbers are from the *International Classification of Diseases, 9th Revision, Clinical Modification* (ICD-9-CM). Totals include data for categories not listed in table; see methods section]

ICD-9-CM code	Total	Sex		Age				Region			
		Male	Female	Under 15 years	15-44 years	45-64 years	65 years and over	Northeast	Midwest	South	West
Number of all-listed diagnoses in thousands											
276	4,511	1,820	2,690	354	686	843	2,626	935	1,254	1,692	630
276.0	97	47	50	*6	12	14	64	19	26	39	13
276.1	869	359	510	27	100	176	566	183	243	319	124
276.2	152	76	76	23	19	38	72	32	39	56	25
276.3	40	19	21	*	*8	*7	22	*5	10	19	*
276.4	17	9	*8	*	*	*6	10	*	*	*7	*
276.5	1,624	685	940	247	278	223	877	337	437	619	232
276.6	62	27	35	*	12	16	32	*9	13	26	14
276.7	256	122	134	12	35	52	157	51	65	98	43
276.8	1,272	428	845	27	206	284	755	281	360	477	154
276.9	121	49	72	*8	15	28	71	16	55	33	17
277	33	16	17	*9	16	*5	*	12	11	*7	*
277.0	19	10	9	*7	11	*	—	*7	*8	*	*
277.00	18	*9	*9	*6	11	*	—	*7	*7	*	*
278	512	174	338	*8	167	206	131	110	153	169	80
278.0	496	167	328	*8	161	201	126	106	150	162	78
278.1	*6	*	*5	—	*	*	*	*	*	*	*
278.8	10	*6	*	*	*	*	*	*	*	*5	*
279	19	*8	11	*5	*5	*	*	*5	*	*6	*
279.0	10	*	*	*	*	*	*	*	*	*	*
280-289	3,792	1,512	2,280	177	950	773	1,891	889	872	1,391	639
280	601	214	388	22	129	117	333	141	154	222	84
280.0	358	132	226	*	71	71	212	87	90	127	54
280.8	*6	*	*	*	*	*	*	*	*	*	*
280.9	236	79	157	18	55	44	119	53	62	93	28
281	126	51	76	*	9	19	96	23	39	52	12
281.0	33	10	22	—	*	*	28	*6	12	13	*
281.1	10	*	*6	—	*	*	*8	*	*	*	*
281.9	75	32	43	*	*7	10	56	12	24	32	*7
282	132	65	67	27	81	12	12	38	27	39	28
282.4	22	11	11	*	10	*	*6	*6	*	*5	*8
282.5	15	*	12	*	11	*	*	*	*	*7	*
282.6	81	43	39	19	57	*	*	25	18	23	15
282.60	22	13	*8	*6	14	*	*	*7	*	*6	*6
282.61	*7	*6	*	*	*	*	*	*	*	*	*
282.62	51	23	28	10	38	*	*	17	14	16	*5
283	15	*5	10	*	*	*	*8	*	*	*	*
283.9	*5	*	*	*	*	*	*	*	*	*	*
284	133	62	71	*6	29	36	63	36	25	43	29
284.8	126	59	67	*5	27	36	58	34	24	40	28
284.9	*6	*	*	*	*	*	*	*	*	*	*
285	2,054	778	1,276	58	503	412	1,081	446	470	779	358
285.0	*7	*	*	*	*	*	*6	*	*	*	*
285.1	742	287	455	14	160	167	401	142	191	260	149
285.8	25	9	16	*	*5	*6	12	*5	*6	*8	*5
285.9	1,281	479	801	43	336	239	662	297	272	509	203
286	126	64	63	*5	32	32	57	34	29	38	25
286.0	*8	*8	*	*	*	*	*	*	*	*	*
286.3	*7	*	*	—	*	*	*	*	*	*	*
286.4	*8	*	*7	*	*6	*	*	*	*	*	*
286.5	13	*	*8	—	*	*	*8	*	*	*	*
286.6	18	10	*8	*	*	*	*8	*	*	*6	*
286.7	28	13	15	*	*6	*8	15	12	*	*8	*
286.9	42	24	18	*	10	11	20	*9	10	15	*8

NOTE: Estimates of 5,000-9,000 are to be used with caution; see methods section.

Table 3. Number of all-listed diagnoses for discharges from short-stay hospitals, by ICD-9-CM code, sex and age of patient, and geographic region of hospital: United States, 1994—Con.[Discharges of inpatients from non-Federal hospitals. Excludes newborn infants. Code numbers are from the *International Classification of Diseases, 9th Revision, Clinical Modification* (ICD-9-CM). Totals include data for categories not listed in table; see methods section]

ICD-9-CM code	Total	Sex		Age				Region			
		Male	Female	Under 15 years	15-44 years	45-64 years	65 years and over	Northeast	Midwest	South	West
Number of all-listed diagnoses in thousands											
287	251	119	132	16	66	57	113	76	51	79	45
287.3	28	9	19	*	10	*	10	*5	*7	9	*7
287.4	53	26	27	*	10	12	26	19	10	13	10
287.5	160	78	82	*7	43	38	73	49	32	53	26
288	253	108	144	27	70	62	94	69	53	94	36
288.0	141	58	83	16	41	38	46	44	30	46	21
288.3	*7	*	*	*	*	*	*	*	*	*	*
288.8	101	45	56	9	27	21	43	23	21	44	13
289	100	46	54	12	28	24	35	23	19	40	18
289.0	9	*	*	*	*	*	*	*	*	*	*
289.2	13	*	*8	*6	*	*	*	*	*	*6	*
289.3	10	*7	*	*	*	*	*	*	*	*	*
289.4	*9	*	*5	*	*	*	*	*	*	*5	*
289.5	9	*	*	*	*	*	*	*	*	*	*
289.59	*8	*	*	*	*	*	*	*	*	*	*
289.8	28	12	16	*	*	10	13	*7	*5	10	*6
289.9	21	*8	13	*	*	*	12	*	*6	10	*
290-319	7,157	3,644	3,513	247	3,531	1,514	1,866	1,943	1,910	2,281	1,023
290	434	149	285	*	*	10	419	100	96	182	56
290.0	276	91	185	*	*	*	268	66	63	112	34
290.1	14	*6	*9	—	*	*	14	*	*	*6	*
290.10	12	*	*8	—	*	*	12	*	*	*6	*
290.2	20	*	15	—	*	*	19	*	*	10	*
290.20	*8	*	*5	—	—	*	*8	*	*	*	*
290.21	12	*	10	—	*	*	11	*	*	*6	*
290.3	38	14	24	—	*	*	38	10	*7	14	*7
290.4	83	32	51	*	*	*	78	16	20	38	*9
290.40	63	25	38	*	*	*	60	14	14	29	*7
290.41	*7	*	*6	—	*	*	*7	*	*	*	*
290.42	*6	*	*	—	—	*	*6	*	*	*	*
290.43	*6	*	*	—	—	*	*6	*	*	*	*
291	205	167	38	*	89	83	32	51	71	50	33
291.0	53	44	*9	—	23	23	*7	11	15	17	9
291.2	20	15	*	—	*	9	*8	*	*6	*	*6
291.3	*6	*5	*	—	*	*	*	*	*	*	*
291.8	119	96	23	*	60	46	13	33	45	25	16
292	97	46	51	*	42	18	36	28	21	25	23
292.0	40	20	20	*	27	10	*	14	10	*9	*8
292.1	14	*7	*7	*	*	*	*7	*	*	*	*
292.12	11	*5	*6	*	*	*	*6	*	*	*	*
292.8	39	17	22	*	9	*5	25	9	*8	11	10
292.81	30	13	17	*	*	*	22	*8	*6	*8	*8
292.84	*5	*	*	*	*	*	*	*	*	*	*
293	126	62	64	*	25	18	83	40	28	37	22
293.0	59	27	32	—	*	*9	48	15	13	18	13
293.8	50	25	25	*	22	*7	20	20	12	13	*5
293.81	*9	*	*6	—	*	*	*6	*	*	*	*
293.82	*5	*	*	—	*	*	*	*	*	*	*
293.83	35	19	15	*	16	*6	12	16	*7	*8	*
293.9	16	10	*7	*	*	*	14	*	*	*5	*
294	67	32	35	*	*7	*8	51	11	16	30	10
294.1	11	*7	*	*	*	*	*9	*	*	*	*
294.8	42	16	26	—	*	*	35	*7	11	21	*
294.9	13	*9	*	*	*	*	*7	*	*	*	*

NOTE: Estimates of 5,000-9,000 are to be used with caution; see methods section.

Table 3. Number of all-listed diagnoses for discharges from short-stay hospitals, by ICD-9-CM code, sex and age of patient, and geographic region of hospital: United States, 1994—Con.

[Discharges of inpatients from non-Federal hospitals. Excludes newborn infants. Code numbers are from the *International Classification of Diseases, 9th Revision, Clinical Modification* (ICD-9-CM). Totals include data for categories not listed in table; see methods section]

ICD-9-CM code	Total	Sex		Age				Region			
		Male	Female	Under 15 years	15-44 years	45-64 years	65 years and over	Northeast	Midwest	South	West
Number of all-listed diagnoses in thousands											
295	413	229	183	*	237	116	58	155	98	107	52
295.3	125	79	45	*	79	33	13	49	23	34	18
295.30	33	23	10	*	20	*8	*	*5	11	10	*7
295.32	24	12	11	—	11	*8	*	12	*	*	*
295.34	65	43	22	—	45	17	*	32	*9	18	*6
295.6	47	28	19	—	20	17	10	17	11	14	*5
295.60	*9	*5	*	—	*	*	*	*	*	*	*
295.62	22	13	9	—	*7	*8	*7	*8	*	*8	*
295.64	16	10	*6	—	*8	*6	*	*6	*	*	*
295.7	141	65	76	*	89	38	14	48	44	33	15
295.70	92	44	48	*	58	23	10	21	36	24	11
295.72	*5	*	*	—	*	*	*	*	*	*	*
295.74	40	18	22	—	24	12	*	25	*6	*7	*
295.9	88	50	37	*	42	27	19	36	18	23	11
295.90	50	27	23	*	22	13	14	12	14	17	*7
295.92	11	*	*7	—	*	*	*	*	*	*	*
295.94	24	18	*6	—	16	*8	*	21	*	*	*
296	892	349	544	41	520	178	153	226	245	303	118
296.2	345	138	207	27	202	59	57	70	92	140	42
296.20	177	70	108	12	102	31	32	37	63	56	21
296.22	27	14	14	*	17	*	*	*	*	20	*
296.23	95	36	59	*8	56	15	15	19	15	46	14
296.24	38	15	23	*	22	*9	*6	10	*7	16	*
296.3	288	102	186	*8	168	57	55	85	80	92	31
296.30	107	36	70	*	61	23	20	25	37	31	13
296.32	19	*7	12	*	12	*	*	*	*5	*9	*
296.33	102	38	64	*	62	19	18	35	22	35	10
296.34	53	18	34	*	29	10	13	20	13	13	*7
296.4	57	25	32	*	36	15	*5	19	10	12	16
296.40	30	13	18	*	19	*8	*	*8	*6	*7	*9
296.44	22	11	11	*	14	*6	*	10	*	*	*6
296.5	42	14	28	*	23	11	*7	11	13	11	*7
296.50	25	9	16	*	15	*5	*	*	9	*6	*
296.53	*6	*	*	*	*	*	*	*	*	*	*
296.54	*6	*	*	—	*	*	*	*	*	*	*
296.6	45	19	26	*	25	12	*6	11	13	16	*
296.60	25	12	13	*	15	*6	*	*	*8	12	*
296.63	*8	*	*5	*	*	*	*	*	*	*	*
296.64	*9	*	*	*	*	*	*	*	*	*	*
296.7	75	33	42	*	43	15	14	18	26	20	10
296.8	24	*9	15	*	12	*6	*6	*7	*6	*7	*
296.80	12	*	*8	—	*	*	*	*	*	*5	*
296.82	9	*	*6	*	*6	*	*	*5	*	*	*
296.9	12	*5	*6	*	*7	*	*	*	*	*	*
296.90	*8	*	*	*	*	*	*	*	*	*	*
297	22	9	13	*	*8	*5	*8	*	*	10	*
297.1	*7	*	*	—	*	*	*	*	*	*	*
297.9	14	*6	*7	*	*	*	*5	*	*	*5	*
298	287	120	167	*	56	30	199	74	67	110	36
298.8	*7	*	*	*	*	*	*	*	*	*	*
298.9	273	114	159	*	48	28	194	70	65	106	33
299	*6	*	*	*	*	*	—	*	*	*	*

NOTE: Estimates of 5,000-9,000 are to be used with caution; see methods section.

Table 3. Number of all-listed diagnoses for discharges from short-stay hospitals, by ICD-9-CM code, sex and age of patient, and geographic region of hospital: United States, 1994—Con.[Discharges of inpatients from non-Federal hospitals. Excludes newborn infants. Code numbers are from the *International Classification of Diseases, 9th Revision, Clinical Modification* (ICD-9-CM). Totals include data for categories not listed in table; see methods section]

ICD-9-CM code	Total	Sex		Age				Region			
		Male	Female	Under 15 years	15-44 years	45-64 years	65 years and over	Northeast	Midwest	South	West
Number of all-listed diagnoses in thousands											
300	628	209	420	17	249	163	199	147	171	228	82
300.0	281	88	193	*	76	88	115	70	72	106	32
300.00	233	69	164	*	50	74	108	59	58	89	27
300.01	34	14	19	*	19	10	*	*9	10	11	*
300.02	12	*	*9	—	*6	*	*	*	*	*5	*
300.1	39	*6	34	*	29	*6	*	*8	14	10	*8
300.11	17	*	13	*	10	*	*	*	*	*5	*
300.14	11	*	11	—	10	*	—	*	*6	*	*
300.15	*8	*	*7	—	*7	*	—	*	*	*	*
300.2	15	*7	*9	*	*8	*	*	*	*	*	*
300.21	*6	*	*	—	*	*	*	*	*	*	*
300.3	19	*8	11	*	13	*	*	*	*7	*5	*
300.4	191	67	125	*8	78	45	60	47	49	74	22
300.8	*7	*	*5	*	*	*	*	*	*	*	*
300.81	*5	*	*	*	*	*	*	*	*	*	*
300.9	74	31	43	*	43	15	12	12	23	27	13
301	341	159	182	*8	254	54	25	122	95	88	37
301.0	*5	*	*	*	*	*	*	*	*	*	*
301.2	13	*9	*	*	*7	*	*	*	*	*5	*
301.20	*7	*6	*	*	*5	*	*	*	*	*	*
301.22	*6	*	*	*	*	*	*	*	*	*	*
301.4	*7	*5	*	*	*	*	*	*	*	*	*
301.5	12	*	10	*	*9	*	*	*	*	*	*
301.50	*8	*	*7	*	*6	*	*	*	*	*	*
301.6	45	17	28	*	25	9	10	*7	15	19	*
301.7	27	23	*	*	22	*	*	*8	*9	*7	*
301.8	158	66	92	*	132	19	*	78	37	27	16
301.81	*6	*	*	*	*	*	*	*	*	*	*
301.83	70	16	54	*	63	*6	*	25	23	14	*9
301.84	16	*7	10	*	*9	*	*	*	*7	*	*
301.89	63	39	24	*	54	*8	*	49	*5	*5	*
301.9	65	29	36	*	46	13	*	19	18	18	10
302	*8	*7	*	*	*	*	*	*	*	*	*
303	767	570	197	*	440	241	83	212	231	219	105
303.0	131	103	28	*	80	39	12	42	41	30	18
303.00	48	37	11	—	28	16	*	10	13	16	*8
303.01	79	63	16	*	49	21	*8	31	25	14	*9
303.9	636	467	168	*	360	202	71	170	190	188	88
303.90	285	212	73	*	154	91	40	51	93	101	40
303.91	302	223	79	*	184	93	23	105	87	78	32
303.92	13	9	*	*	*8	*	*	*	*	*	*
303.93	35	23	12	—	13	14	*8	10	*6	*7	12
304	402	245	157	*	330	58	11	149	102	103	48
304.0	95	54	41	*	71	22	*	49	18	11	17
304.00	27	13	14	—	19	*6	*	*7	*8	*	*7
304.01	62	37	25	—	47	15	*	39	*9	*6	*9
304.1	24	13	11	—	12	*8	*	*5	*	12	*
304.10	*8	*	*	—	*	*	*	*	*	*	*
304.11	16	*9	*7	—	*8	*7	*	*	*	*8	*
304.2	129	83	45	*	116	12	*	52	32	38	*7
304.20	42	26	16	—	37	*	*	*8	11	21	*
304.21	81	54	27	*	74	*7	*	41	20	15	*
304.3	47	33	14	*	43	*	—	*8	23	13	*
304.30	18	14	*	*	16	*	—	*	*7	*8	*
304.31	27	18	9	*	25	*	—	*6	15	*	*
304.4	*9	*	*	*	*8	*	—	*	*	*	*
304.6	10	*	*6	*	*5	*	*	*	*	*	*
304.61	*6	*	*	—	*	*	*	*	*	*	*
304.7	26	16	10	—	22	*	—	16	*	*	*
304.70	*9	*6	*	—	*7	*	—	*	*	*	*

NOTE: Estimates of 5,000–9,000 are to be used with caution; see methods section.

Table 3. Number of all-listed diagnoses for discharges from short-stay hospitals, by ICD-9-CM code, sex and age of patient, and geographic region of hospital: United States, 1994—Con.

[Discharges of inpatients from non-Federal hospitals. Excludes newborn infants. Code numbers are from the *International Classification of Diseases, 9th Revision, Clinical Modification* (ICD-9-CM). Totals include data for categories not listed in table; see methods section]

ICD-9-CM code	Total	Sex		Age				Region			
		Male	Female	Under 15 years	15-44 years	45-64 years	65 years and over	Northeast	Midwest	South	West
Number of all-listed diagnoses in thousands											
304.71	16	*9	*7	—	14	*	—	11	*	*	*
304.8	20	13	*7	*	18	*	*	*5	*6	*	*
304.80	11	*7	*	—	10	*	*	*	*	*	*
304.81	*8	*6	*	*	*7	*	—	*	*	*	*
304.9	41	25	17	*	34	*5	*	10	*9	17	*5
304.90	27	17	10	*	22	*	*	*5	*6	12	*
304.91	12	*7	*	—	10	*	*	*	*	*	*
305	1,142	713	429	*6	675	309	151	287	282	370	203
305.0	301	217	84	*	189	79	30	92	83	85	40
305.00	174	124	50	*	110	45	18	36	60	50	28
305.01	81	61	20	*	50	24	*6	31	16	27	*7
305.02	27	20	*7	*	22	*	*	20	*	*	*
305.03	18	12	*6	*	*6	*7	*	*6	*	*6	*
305.1	445	248	197	*	151	179	114	67	95	177	106
305.10	156	86	70	*	54	64	39	22	40	63	31
305.11	251	139	112	*	93	102	55	39	47	104	61
305.13	35	22	13	—	*	12	19	*7	*7	9	12
305.2	72	50	22	*	65	*6	*	22	21	20	*9
305.20	45	28	17	*	41	*	—	10	16	13	*6
305.21	19	15	*	*	17	*	*	*8	*	*6	*
305.22	*5	*	*	—	*	*	—	*	*	*	*
305.4	11	*7	*	—	*6	*	*	*	*	*	*
305.40	*6	*	*	—	*	*	*	*	*	*	*
305.41	*5	*	*	—	*	*	*	*	*	*	—
305.5	34	21	13	—	27	*6	*	14	*9	*6	*5
305.50	17	9	*7	—	12	*	*	*5	*6	*	*
305.51	13	*9	*	—	12	*	*	*7	*	*	*
305.6	145	90	56	*	127	17	*	49	41	43	11
305.60	91	55	36	*	79	12	*	22	32	31	*7
305.61	42	26	16	*	37	*	*	21	*7	11	*
305.62	*7	*5	*	—	*6	*	—	*5	*	*	*
305.7	13	*6	*7	*	13	—	—	*	*	*	9
305.70	*9	*	*6	*	*9	—	—	*	*	*	*7
305.9	118	73	45	*	94	19	*	37	29	30	21
305.90	74	42	33	*	58	14	*	16	20	22	16
305.91	21	16	*6	*	19	*	*	*9	*5	*5	*
305.92	9	*6	*	*	*7	*	—	*7	*	*	*
305.93	13	9	*	—	11	*	—	*5	*	*	*
306	17	*	12	*	*8	*	*	*	*	*7	*
306.1	*6	*	*	*	*	*	*	*	*	*	*
306.9	*5	*	*	—	*	*	*	*	*	*	*
307	62	13	49	*7	32	13	10	15	15	21	11
307.1	*9	*	*8	*	*7	*	—	*	*	*	*
307.5	16	*	15	*	12	*	*	*	*	*5	*
307.51	*8	*	*8	*	*7	*	—	*	*	*	*
307.8	18	*	15	*	*9	*6	*	*	*5	*5	*
307.81	16	*	13	*	*8	*	*	*	*	*	*
307.9	13	*	*9	*	*	*5	*6	*	*	*7	*
308	34	14	20	*	20	*8	*	*8	11	10	*
308.0	*7	*	*	—	*	*	*	*	*	*	*
308.3	21	*9	12	*	14	*	*	*	*8	*7	*
308.9	*6	*	*	*	*	*	*	*	*	*	*

NOTE: Estimates of 5,000-9,000 are to be used with caution; see methods section.

Table 3. Number of all-listed diagnoses for discharges from short-stay hospitals, by ICD-9-CM code, sex and age of patient, and geographic region of hospital: United States, 1994—Con.[Discharges of inpatients from non-Federal hospitals. Excludes newborn infants. Code numbers are from the *International Classification of Diseases, 9th Revision, Clinical Modification* (ICD-9-CM). Totals include data for categories not listed in table; see methods section]

ICD-9-CM code	Total	Sex		Age				Region			
		Male	Female	Under 15 years	15-44 years	45-64 years	65 years and over	Northeast	Midwest	South	West
Number of all-listed diagnoses in thousands											
309	303	134	169	22	216	39	25	104	72	71	56
309.0	112	54	58	*	82	14	12	42	25	27	18
309.1	*8	*	*5	*	*	*	*	*	*	*	*
309.2	48	20	28	*	33	*7	*5	12	13	13	10
309.24	*5	*	*	*	*	*	*	*	*	*	*
309.28	42	18	24	*	30	*6	*	10	11	11	10
309.3	*7	*5	*	*	*5	*	*	*	*	*	*
309.4	42	24	19	*	34	*	*	20	*8	*8	*7
309.8	62	19	43	*8	44	9	*	20	15	15	13
309.81	50	15	35	*6	36	*7	*	17	13	11	*9
309.89	11	*	*8	*	*7	*	*	*	*	*	*
309.9	22	*9	14	*	15	*	*	*	*7	*5	*6
310	175	70	105	*	16	14	143	34	36	80	24
310.1	22	13	10	*	*8	*	10	*5	*6	*	*8
310.2	11	*5	*5	*	*	*	*	*	*	*	*
310.9	136	50	86	*	*	*7	125	26	28	71	10
311	437	154	284	16	160	107	155	87	136	150	64
312	66	45	21	20	43	*	*	25	20	16	*6
312.0	*7	*6	*	*	*	*	*	*	*	*	*
312.00	*5	*	*	*	*	*	*	*	*	*	*
312.3	35	26	10	*6	27	*	*	15	11	*8	*
312.30	13	*9	*	*	11	*	—	*6	*	*	*
312.34	17	14	*	*	13	*	*	*8	*6	*	*
312.9	16	9	*7	*7	*9	*	*	*	*6	*	*
313	31	19	12	17	13	—	*	*6	13	9	*
313.8	29	18	11	16	12	—	*	*6	12	*9	*
313.81	27	17	10	15	11	—	*	*6	11	*8	*
314	43	35	*8	32	11	*	—	*9	19	11	*
314.0	41	34	*7	31	10	*	—	*8	18	10	*
314.00	10	*8	*	*7	*	*	—	*	*	*	*
314.01	31	26	*6	25	*6	—	—	*6	15	*7	*
315	23	15	*8	16	*6	*	—	*5	11	*	*
315.9	*9	*6	*	*6	*	*	—	*	*6	*	*
316	*7	*	*	*	*	*	*	*	*	*	—
317	30	16	14	*	18	10	*	11	10	*7	*
318	32	19	14	*	18	*6	*	12	12	*5	*
318.0	10	*6	*	*	*7	*	*	*	*5	*	*
318.1	11	*5	*6	*	*5	*	*	*	*	*	*
318.2	12	*7	*	*	*6	*	*	*8	*	*	*
319	61	33	28	12	27	14	*8	12	17	22	10
320-389	3,353	1,544	1,808	453	602	648	1,649	845	816	1,109	582
320	10	*6	*	*	*	*	*	*	*	*	*
322	13	*6	*7	*6	*	*	*	*	*	*6	*
322.9	12	*5	*7	*6	*	*	*	*	*	*6	*
323	10	*	*5	*	*	*	*	*	*	*	*
323.9	*7	*	*	*	*	*	*	*	*	*	*
331	273	100	173	12	16	18	227	68	68	93	45
331.0	187	57	130	*	*	*	182	43	48	68	29
331.3	14	*6	*7	*	*	*	11	*	*	*5	*
331.4	44	21	23	10	14	9	11	12	10	12	10
331.9	21	11	10	*	*	*	17	*7	*7	*6	*
332	199	99	100	—	*	17	182	44	51	74	31
332.0	196	98	99	—	*	17	179	43	50	73	30

NOTE: Estimates of 5,000-9,000 are to be used with caution; see methods section.

Table 3. Number of all-listed diagnoses for discharges from short-stay hospitals, by ICD-9-CM code, sex and age of patient, and geographic region of hospital: United States, 1994—Con.

[Discharges of inpatients from non-Federal hospitals. Excludes newborn infants. Code numbers are from the *International Classification of Diseases, 9th Revision, Clinical Modification* (ICD-9-CM). Totals include data for categories not listed in table; see methods section]

ICD-9-CM code	Total	Sex		Age				Region			
		Male	Female	Under 15 years	15-44 years	45-64 years	65 years and over	Northeast	Midwest	South	West
Number of all-listed diagnoses in thousands											
333	54	22	32	*	*9	15	29	12	14	18	10
333.0	*6	*	*	—	*	*	*	*	*	*	*
333.1	15	*6	*8	*	*	*	11	*	*	*	*
333.2	*5	*	*	*	*	*	*	*	*	*	*
333.8	12	*	*8	*	*	*	*7	*	*	*	*
333.82	11	*	*8	—	*	*	*6	*	*	*	*
333.9	*9	*	*	*	*	*	*5	*	*	*	*
333.90	*6	*	*	*	*	*	*	*	*	*	*
334	*7	*	*	*	*	*	*	*	*	*	*
335	12	*8	*	*	*	*	*8	*	*	*	*
335.2	10	*7	*	*	*	*	*8	*	*	*	*
335.20	*7	*5	*	—	*	*	*5	*	*	*	*
336	18	10	*8	*	*	*6	*8	*7	*	*5	*
336.3	*8	*5	*	*	*	*	*	*	*	*	*
336.9	*5	*	*	*	*	*	*	*	*	*	*
337	61	22	39	*	19	19	22	15	14	19	12
337.1	48	17	31	*	13	15	20	13	12	14	10
337.2	*6	*	*	*	*5	*	*	*	*	*	*
340	67	17	51	*	24	29	14	17	24	19	*8
342	412	187	225	*	22	75	310	77	102	144	89
342.0	14	*7	*6	*	*	*	11	*	*	*	*
342.1	*6	*	*	*	*	*	*	*	*	*	*
342.9	393	177	216	*	21	71	297	74	97	138	84
343	66	36	29	27	28	*	*5	19	18	16	13
343.0	*6	*	*	*	*	*	—	*	*	*	*
343.2	10	*6	*	*6	*	*	*	*	*	*	*
343.9	42	24	19	16	19	*	*	11	10	12	9
344	146	98	48	*7	52	33	55	35	36	46	28
344.0	51	35	16	*	18	11	19	14	14	17	*7
344.1	49	38	11	*	20	13	15	*9	10	16	14
344.6	15	*9	*6	*	*7	*	*	*5	*	*	*
344.61	12	*8	*	*	*6	*	*	*	*	*	*
344.9	17	*8	*8	*	*	*	10	*	*	*6	*
345	144	66	78	38	45	31	30	44	38	39	23
345.0	*6	*	*	*	*	*	*	*	*	*	*
345.00	*5	*	*	*	*	*	*	*	*	*	*
345.1	33	17	16	*7	*9	*6	11	10	9	*9	*5
345.10	31	16	15	*6	*8	*6	11	*9	*8	*8	*
345.3	26	9	17	*8	*9	*6	*	*8	*	10	*
345.4	*8	*	*	*	*	*	*	*	*	*	*
345.40	*6	*	*	*	*	*	*	*	*	*	*
345.5	13	*7	*6	*	*	*	*	*	*	*	*
345.50	*9	*	*	*	*	*	*	*	*	*	*
345.9	50	24	26	13	17	11	*9	13	18	11	9
345.90	48	23	26	12	17	11	*9	12	17	10	*9
346	121	23	98	*	67	38	14	30	31	45	15
346.0	*5	*	*5	—	*	*	—	*	*	*	*
346.2	*7	*	*	*	*	*	*	*	*	*	*
346.20	*7	*	*	*	*	*	*	*	*	*	*
346.8	12	*	9	*	*6	*	*	*	*	*	*
346.80	*9	*	*7	*	*5	*	*	*	*	*	*
346.9	94	16	78	*	54	27	11	20	23	37	13
346.90	86	15	72	*	47	26	11	19	22	34	11
346.91	*8	*	*6	*	*6	*	—	*	*	*	*

NOTE: Estimates of 5,000-9,000 are to be used with caution; see methods section.

Table 3. Number of all-listed diagnoses for discharges from short-stay hospitals, by ICD-9-CM code, sex and age of patient, and geographic region of hospital: United States, 1994—Con.[Discharges of inpatients from non-Federal hospitals. Excludes newborn infants. Code numbers are from the *International Classification of Diseases, 9th Revision, Clinical Modification* (ICD-9-CM). Totals include data for categories not listed in table; see methods section]

ICD-9-CM code	Total	Sex		Age				Region				
		Male	Female	Under 15 years	15-44 years	45-64 years	65 years and over	Northeast	Midwest	South	West	
Number of all-listed diagnoses in thousands												
348	136	71	65	15	31	33	57	30	30	44	32	
348.0	*6	*	*	*	*	*	*	*	*	*	*	
348.1	48	26	22	*	*8	12	24	10	10	16	11	
348.2	*7	*	*6	*	*	*	*	*	*	*	*	
348.3	44	25	19	*	*8	9	23	10	*8	16	9	
348.5	*9	*	*5	*	*	*	*	*	*	*	*	
348.8	14	*8	*6	*	*	*	*	*	*	*	*	
348.9	*6	*	*	*	*	*	*	*	*	*	*	
349	39	13	26	*	22	*6	*9	*8	13	11	*7	
349.0	20	*	16	*	16	*	*	*	*7	*6	*	
349.8	14	*7	*7	*	*	*	*7	*	*	*	*	
349.82	*7	*	*	*	*	*	*	*	*	*	*	
350	13	*	10	*	*	*	*8	*	*	*	*	
350.1	12	*	*9	—	*	*	*8	*	*	*	*	
351	27	11	16	*	*6	*7	13	*8	*5	*9	*	
351.0	25	10	15	*	*5	*7	12	*8	*	*9	*	
353	12	*5	*6	*	*6	*	*	*	*	*	*	
353.0	*7	*	*	*	*	*	*	*	*	*	*	
354	38	19	19	*	13	15	10	15	*6	11	*6	
354.0	25	10	15	*	*8	10	*7	*9	*	*7	*	
354.2	*6	*	*	*	*	*	*	*	*	*	*	
355	32	16	17	*	10	10	12	*8	*9	10	*7	
355.8	14	*7	*7	*	*	*	*8	*	*	*	*	
355.9	*8	*	*	*	*	*	*	*	*	*	*	
356	42	22	20	*	*5	11	26	*9	13	15	*6	
356.9	36	18	18	*	*	10	23	*7	11	13	*	
357	133	70	63	*	17	43	73	34	31	46	22	
357.0	12	*8	*	*	*	*	*	*	*	*5	*	
357.2	111	56	55	—	11	35	65	29	27	38	16	
358	20	*8	12	*	*6	*	10	*	*	9	*	
358.0	15	*5	10	*	*5	*	*8	*	*	*7	*	
359	27	17	10	*	*7	*6	12	10	*	*6	*6	
359.1	11	*8	*	*	*	*	*6	*7	*	*	*	
359.9	*5	*	*	*	*	*	*	*	*	*	*	
360	9	*	*	*	*	*	*6	*	*	*	*	
361	31	18	14	*	*6	11	12	*8	*7	14	*	
361.0	15	*9	*6	*	*	*6	*6	*	*	*8	*	
361.00	*5	*	*	*	*	*	*	*	*	*	*	
361.8	*7	*	*	*	*	*	*	*	*	*	*	
361.9	*9	*	*	*	*	*	*	*	*	*	*	
362	139	60	79	*7	23	44	65	27	29	52	30	
362.0	90	36	53	*	18	36	36	18	19	34	18	
362.01	82	33	49	*	16	32	35	17	18	29	18	
362.02	*8	*	*	—	*	*	*	*	*	*5	*	
362.2	*7	*	*	*	*	*	*	*	*	*	*	
362.3	11	*6	*5	*	*	*	*8	*	*	*	*	
362.34	*8	*	*	—	*	*	*6	*	*	*	*	
362.5	22	*7	15	—	*	*	17	*	*	*9	*6	
362.50	15	*	11	—	—	*	13	*	*	*	*5	
363	15	12	*	*	11	*	*	*	*	*6	*	
363.2	11	9	*	*	10	*	*	*	*	*	*	
363.20	11	9	*	*	10	*	*	*	*	*	*	
365	141	59	82	*	*5	19	116	47	35	45	13	
365.1	*8	*	*	—	*	*	*7	*5	*	*	—	
365.11	*5	*	*	—	*	*	*	*	*	*	—	
365.9	124	51	74	*	*	16	104	38	33	41	12	

NOTE: Estimates of 5,000-9,000 are to be used with caution; see methods section.

Table 3. Number of all-listed diagnoses for discharges from short-stay hospitals, by ICD-9-CM code, sex and age of patient, and geographic region of hospital: United States, 1994—Con.

[Discharges of inpatients from non-Federal hospitals. Excludes newborn infants. Code numbers are from the *International Classification of Diseases, 9th Revision, Clinical Modification* (ICD-9-CM). Totals include data for categories not listed in table; see methods section]

ICD-9-CM code	Total	Sex		Age				Region			
		Male	Female	Under 15 years	15-44 years	45-64 years	65 years and over	Northeast	Midwest	South	West
Number of all-listed diagnoses in thousands											
366	87	33	54	*	*	14	67	53	*8	17	*8
366.1	17	*7	10	—	*	*	13	11	*	*	*
366.10	*9	*	*6	—	*	*	*8	*7	*	*	*
366.9	62	23	39	*	*	10	49	40	*7	13	*
368	37	19	18	*	*9	*8	18	*6	11	10	9
368.1	*6	*	*	*	*	*	*	*	*	*	*
368.2	*9	*5	*	*	*	*	*	*	*	*	*
368.4	11	*6	*5	—	*	*	*7	*	*	*	*
368.46	9	*5	*	—	*	*	*6	*	*	*	*
369	73	31	42	*	14	13	43	17	17	28	11
369.0	37	15	22	*	*6	*8	23	*8	*6	18	*
369.00	33	13	20	*	*	*8	20	*7	*6	15	*
369.4	12	*	*8	*	*	*	*7	*	*	*	*
369.6	11	*5	*6	*	*	*	*6	*	*	*	*
369.60	10	*	*	*	*	*	*5	*	*	*	*
369.9	*6	*	*	*	*	*	*	*	*	*	*
370	*7	*	*	*	*	*	*	*	*	*	*
372	49	26	23	14	9	*8	18	12	14	19	*
372.0	10	*6	*	*	*	*	*5	*	*	*	*
372.00	*8	*6	*	*	*	*	*	*	*	*	*
372.3	30	14	16	11	*	*	11	*7	*8	12	*
372.30	29	13	15	10	*	*	11	*7	*7	12	*
372.7	*7	*	*	*	*	*	*	*	*	*	*
372.72	*7	*	*	*	*	*	*	*	*	*	*
373	*7	*	*	*	*	*	*	*	*	*	*
374	13	*	*8	*	*	*	*	*5	*	*	*
374.3	*7	*	*	*	*	*	*	*	*	*	*
374.30	*6	*	*	*	*	*	*	*	*	*	*
376	20	10	10	11	*	*	*	*	*	9	*
376.0	14	*8	*7	10	*	*	*	*	*	*7	*
376.01	14	*8	*7	10	*	*	*	*	*	*7	*
377	10	*6	*	*	*	*	*	*	*	*	*
377.3	*5	*	*	*	*	*	*	*	*	*	*
378	17	*6	12	*	*	*5	*	*	*	*7	*
378.5	10	*	*6	*	*	*	*	*	*	*	*
379	29	13	16	*	*8	*9	9	*6	*6	13	*
379.2	11	*	*7	*	*	*5	*	*	*	*5	*
379.23	10	*	*6	*	*	*5	*	*	*	*5	*
379.5	*6	*	*	*	*	*	*	*	*	*	*
379.9	*6	*	*	*	*	*	*	*	*	*	*
380	32	13	18	*7	10	*5	10	*9	11	*7	*
380.1	19	*8	11	*	*8	*	*	*	*8	*	*
380.10	17	*7	10	*	*7	*	*	*	*7	*	*
380.4	10	*	*6	*	*	*	*6	*	*	*	*
381	43	22	21	33	*	*	*	14	11	14	*
381.0	17	10	*8	13	*	*	*	*5	*5	*6	*
381.00	11	*7	*	*8	*	*	—	*	*	*6	*
381.01	*6	*	*	*5	*	*	*	*	*	*	*
381.1	11	*7	*	*8	*	*	*	*	*	*	*
381.10	11	*7	*	*8	*	*	*	*	*	*	*
381.4	*8	*	*	*6	*	*	*	*	*	*	*
382	238	134	104	206	15	12	*6	47	62	76	54
382.9	230	131	99	201	14	11	*	44	59	75	52
383	*6	*	*	*	*	*	*	*	*	*	*
384	*7	*	*	*	*	*	*	*	*	*	*
384.2	*7	*	*	*	*	*	*	*	*	*	*
384.20	*6	*	*	*	*	*	*	*	*	*	*

NOTE: Estimates of 5,000-9,000 are to be used with caution; see methods section.

Table 3. Number of all-listed diagnoses for discharges from short-stay hospitals, by ICD-9-CM code, sex and age of patient, and geographic region of hospital: United States, 1994—Con.[Discharges of inpatients from non-Federal hospitals. Excludes newborn infants. Code numbers are from the *International Classification of Diseases, 9th Revision, Clinical Modification* (ICD-9-CM). Totals include data for categories not listed in table; see methods section]

ICD-9-CM code	Total	Sex		Age				Region			
		Male	Female	Under 15 years	15-44 years	45-64 years	65 years and over	Northeast	Midwest	South	West
Number of all-listed diagnoses in thousands											
385	11	*6	*5	*	*	*	*	*	*	*	*
386	66	21	45	*	*7	19	39	18	17	24	*8
386.0	*8	*	*6	—	*	*	*6	*	*	*	*
386.00	*8	*	*5	—	*	*	*5	*	*	*	*
386.1	16	*5	10	—	*	*	11	*	*	*6	*
386.11	*9	*	*6	—	*	*	*6	*	*	*	*
386.3	38	11	27	*	*	13	20	11	10	13	*5
386.30	36	10	26	*	*	13	19	10	9	12	*
388	15	9	*6	*	*	*	*6	*	*	*	*
389	74	33	42	*	12	10	48	23	20	21	11
389.1	*7	*	*	*	*	*	*	*	*	*	*
389.9	54	24	30	*	*	*6	42	16	15	15	*8
390-459	24,816	11,871	12,944	123	1,456	5,900	17,337	6,062	6,015	9,137	3,602
394	30	*6	24	*	*	9	17	10	*7	*6	*7
394.0	13	*	12	*	*	*	9	*5	*	*	*
394.1	*6	*	*	—	*	*	*	*	*	*	*
394.2	*6	*	*	—	*	*	*	*	*	*	*
396	145	49	96	*	*	16	126	39	35	53	17
396.0	*8	*	*7	—	—	*	*6	*	*	*	*
396.2	29	9	20	—	*	*	26	*8	*8	10	*
396.3	77	30	47	*	*	*7	67	18	19	31	*8
396.8	19	*6	13	—	*	*	17	*8	*	*	*
396.9	*9	*	*6	—	*	*	*7	*	*	*	*
397	87	29	58	*	*	16	65	28	24	28	*7
397.0	86	29	57	*	*	16	65	28	23	28	*7
398	19	*	15	*	*	*6	11	*8	*	*	*
398.9	19	*	15	*	*	*6	11	*8	*	*	*
398.90	*9	*	*7	*	*	*	*	*	*	*	*
398.91	*9	*	*7	—	*	*	*6	*	*	*	*
401	4,715	1,968	2,746	11	379	1,374	2,950	1,104	1,179	1,789	643
401.0	64	27	38	*	11	22	31	13	18	27	*7
401.1	142	56	87	—	9	43	90	85	32	24	*
401.9	4,508	1,886	2,622	11	359	1,309	2,829	1,006	1,130	1,739	634
402	407	150	257	*	12	81	314	115	86	156	51
402.0	*7	*	*5	—	*	*	*	*	*	*	*
402.1	9	*	*6	—	*	*	*7	*	*	*	*
402.10	*6	*	*	—	—	*	*	*	*	*	*
402.9	391	145	247	*	11	77	303	110	83	149	50
402.90	246	95	151	*	*7	48	190	68	55	92	31
402.91	145	50	95	—	*	28	113	42	28	57	19
403	392	193	199	*	64	122	204	84	71	168	69
403.0	10	*	*6	*	*	*	*	*	*	*	*
403.01	*8	*	*5	*	*	*	*	*	*	*	*
403.1	*5	*	*	—	*	*	*	*	*	*	*
403.9	377	186	191	*	60	119	197	80	68	163	67
403.90	28	15	14	*	*	*8	19	*8	*5	13	*
403.91	349	171	177	*	58	111	178	72	63	149	65
404	71	32	39	—	*6	15	50	16	13	25	17
404.9	66	30	36	—	*	14	47	15	12	22	16
404.90	*6	*	*	—	*	*	*	*	*	*	*
404.92	15	*7	*8	—	*	*	11	*	*	*	*
404.93	40	18	22	—	*	*8	29	*8	*7	15	10
405	14	*5	*9	*	*	*	*9	*6	*	*	*
405.9	12	*	*8	*	*	*	*7	*5	*	*	*
405.91	9	*	*7	*	*	*	*7	*	*	*	*

NOTE: Estimates of 5,000-9,000 are to be used with caution; see methods section.

Table 3. Number of all-listed diagnoses for discharges from short-stay hospitals, by ICD-9-CM code, sex and age of patient, and geographic region of hospital: United States, 1994—Con.

[Discharges of inpatients from non-Federal hospitals. Excludes newborn infants. Code numbers are from the *International Classification of Diseases, 9th Revision, Clinical Modification* (ICD-9-CM). Totals include data for categories not listed in table; see methods section]

ICD-9-CM code	Total	Sex		Age				Region			
		Male	Female	Under 15 years	15-44 years	45-64 years	65 years and over	Northeast	Midwest	South	West
Number of all-listed diagnoses in thousands											
410	865	498	367	*	50	283	530	208	206	300	151
410.0	38	21	17	—	*	10	27	*8	10	14	*6
410.01	32	18	14	—	*	*8	24	*8	*9	11	*
410.1	170	100	70	*	11	61	98	41	42	56	31
410.10	*5	*	*	—	*	*	*	*	*	*	*
410.11	150	90	61	*	10	56	84	34	38	52	28
410.12	14	*8	*6	—	*	*	10	*6	*	*	*
410.2	26	14	12	—	*	*8	14	*	*7	9	*7
410.21	23	13	10	—	*	*8	13	*	*6	*9	*5
410.3	20	15	*	—	*	9	9	*	*	*8	*
410.31	18	13	*	—	*	*9	*8	*	*	*8	*
410.4	202	128	73	*	18	82	102	47	48	71	36
410.41	184	119	65	*	16	75	92	44	43	65	31
410.42	15	*8	*7	—	*	*6	*8	*	*	*	*
410.5	22	13	9	*	*	*8	12	*6	*7	*6	*
410.51	21	13	*9	*	*	*8	11	*5	*7	*6	*
410.6	10	*7	*	—	*	*6	*	*	*	*	*
410.61	*9	*6	*	—	*	*	*	*	*	*	*
410.7	242	131	111	*	*8	66	167	65	50	84	42
410.70	9	*	*5	—	*	*	*6	*	*	*5	*
410.71	217	119	98	*	*8	58	151	61	46	73	37
410.72	16	*8	*8	—	*	*6	10	*	*	*6	*
410.8	15	*9	*6	—	*	*	11	*	*	*6	*
410.81	13	*7	*6	—	*	*	9	*	*	*	*
410.9	121	61	60	*	*	29	87	25	31	45	19
410.90	19	*8	12	*	*	*7	11	*	*	*7	*5
410.91	93	47	45	—	*	20	70	18	26	36	12
410.92	*9	*5	*	—	*	*	*6	*	*	*	*
411	1,041	568	472	*	49	362	627	280	232	375	153
411.0	14	9	*	—	*	*5	*8	*	*	*	*
411.1	944	519	425	*	45	333	564	249	207	352	136
411.8	82	40	42	*	*	24	56	27	22	18	15
411.81	28	16	12	—	*	11	16	*6	9	*5	*7
411.89	54	24	30	*	*	13	39	20	13	13	*8
412	574	345	229	*	26	174	374	138	146	185	105
413	610	280	330	*	29	154	427	156	151	229	75
413.9	605	277	328	*	28	153	423	155	150	226	74
414	3,472	1,914	1,558	*	112	918	2,438	883	833	1,230	526
414.0	2,833	1,576	1,258	*	93	760	1,977	699	681	1,008	445
414.1	18	12	*6	*	*	*7	*9	*	*	*8	*
414.10	12	*8	*	*	*	*	*6	*	*	*6	*
414.8	163	96	67	*	*	40	118	49	37	55	22
414.9	458	230	228	*	12	111	334	132	112	159	54
415	109	46	63	*	16	27	66	22	31	41	15
415.0	*8	*	*	*	*	*	*6	*	*	*	*
415.1	101	44	58	*	16	26	60	20	29	38	14
416	165	80	85	*	*9	36	116	37	33	54	41
416.0	81	30	51	*	*6	17	55	18	16	29	18
416.8	16	*7	*8	*	*	*	9	*	*	*	*6
416.9	68	42	26	*	*	15	51	16	13	22	18
420	31	19	12	*	10	11	10	*8	*7	*8	*8
420.9	27	17	11	*	*9	9	9	*8	*6	*7	*6
420.90	20	11	9	*	*7	*6	*7	*6	*5	*6	*
421	22	10	11	*	*7	*6	*8	*6	*	*6	*
421.0	19	9	10	*	*6	*6	*6	*6	*	*	*
423	46	24	22	*	*8	15	22	*9	10	21	*5
423.9	35	18	17	*	*6	11	17	*7	*7	17	*

NOTE: Estimates of 5,000-9,000 are to be used with caution; see methods section.

Table 3. Number of all-listed diagnoses for discharges from short-stay hospitals, by ICD-9-CM code, sex and age of patient, and geographic region of hospital: United States, 1994—Con.[Discharges of inpatients from non-Federal hospitals. Excludes newborn infants. Code numbers are from the *International Classification of Diseases, 9th Revision, Clinical Modification* (ICD-9-CM). Totals include data for categories not listed in table; see methods section]

ICD-9-CM code	Total	Sex		Age				Region			
		Male	Female	Under 15 years	15-44 years	45-64 years	65 years and over	Northeast	Midwest	South	West
Number of all-listed diagnoses in thousands											
424	720	284	436	*	84	147	485	214	154	242	110
424.0	422	152	270	*	72	102	246	122	88	149	63
424.1	242	109	134	*	*7	35	198	73	53	80	36
424.2	22	10	12	*	*	*	16	*7	*	*5	*5
424.3	*8	*	*	*	*	*	*5	*	*	*	*
424.9	27	9	18	*	*	*5	19	*9	*6	*8	*
424.90	25	*8	17	*	*	*	19	*9	*6	*7	*
425	394	205	189	*	41	114	235	105	92	136	60
425.1	22	*7	15	*	*	*	16	*7	*5	*7	*
425.4	326	169	157	*	31	96	196	87	76	111	53
425.5	17	16	*	—	*	*8	*6	*	*5	*	*
425.7	*5	*	*	*	*	*	*	*	*	*	*
425.8	17	*8	*9	*	*	*	10	*	*	*8	*
426	540	276	264	*5	27	86	422	124	136	192	89
426.0	83	38	44	*	*	13	65	21	19	30	13
426.1	148	77	70	*	*6	19	121	32	42	50	24
426.10	*8	*	*	—	*	*	*6	*	*	*	*
426.11	100	52	48	*	*	12	84	20	29	36	15
426.12	9	*5	*	—	*	*	*8	*	*	*	*
426.13	30	16	14	*	*	*6	23	*7	*9	*8	*6
426.2	39	22	17	—	*	*7	30	*8	*6	19	*7
426.3	97	36	61	—	*	17	79	21	26	30	19
426.4	78	47	32	*	*	14	59	20	22	23	14
426.5	44	31	13	—	*	*	37	*9	12	17	*5
426.52	15	11	*	—	*	*	12	*	*	*6	*
426.53	23	16	*7	—	—	*	21	*	*6	11	*
426.6	*6	*	*	*	*	*	*	*	*	*	*
426.7	14	*9	*5	*	*6	*	*	*	*	*	*
426.8	12	*	*7	*	*	*	*8	*	*	*5	*
426.89	12	*	*7	*	*	*	*8	*	*	*5	*
426.9	19	*9	10	*	*	*	14	*	*	11	*
427	3,163	1,550	1,612	22	157	553	2,431	784	766	1,157	457
427.0	107	41	66	*	10	24	72	21	24	42	20
427.1	210	137	73	*	10	55	144	54	47	79	30
427.3	1,722	824	897	*	39	227	1,453	440	437	600	244
427.31	1,586	748	838	*	32	200	1,352	406	402	553	225
427.32	136	76	59	*	*7	27	102	34	35	47	19
427.4	51	35	16	*	*	17	30	11	13	16	11
427.41	50	34	16	*	*	17	29	11	13	15	11
427.5	110	57	53	*	*9	24	76	23	23	49	16
427.6	237	128	108	*	15	45	175	58	44	97	38
427.61	53	29	25	*	*	*7	43	12	11	21	10
427.69	180	98	83	*	12	37	131	45	33	75	27
427.8	621	282	339	13	64	139	406	151	153	235	83
427.81	136	57	80	*	*	15	117	30	26	65	15
427.89	485	226	260	12	60	124	289	121	126	170	68
427.9	101	45	56	*	*7	21	72	26	25	37	14
428	2,698	1,180	1,518	16	75	419	2,187	643	716	1,006	333
428.0	2,664	1,162	1,502	16	72	411	2,165	632	710	996	326
428.1	24	11	13	*	*	*5	17	9	*	*5	*
428.9	*9	*6	*	—	*	*	*6	*	*	*	*
429	444	206	239	*	17	80	342	118	104	179	43
429.2	237	99	138	*	*	37	195	64	56	97	20
429.3	136	67	69	*	9	28	97	38	29	55	14
429.4	14	*9	*5	*	*	*	10	*	*	*8	*
429.7	*6	*	*	*	*	*	*	*	*	*	*
429.8	*5	*	*	*	*	*	*	*	*	*	*
429.9	38	21	17	*	*	9	27	*8	10	15	*

NOTE: Estimates of 5,000-9,000 are to be used with caution; see methods section.

Table 3. Number of all-listed diagnoses for discharges from short-stay hospitals, by ICD-9-CM code, sex and age of patient, and geographic region of hospital: United States, 1994—Con.

[Discharges of inpatients from non-Federal hospitals. Excludes newborn infants. Code numbers are from the *International Classification of Diseases, 9th Revision, Clinical Modification* (ICD-9-CM). Totals include data for categories not listed in table; see methods section]

ICD-9-CM code	Total	Sex		Age				Region			
		Male	Female	Under 15 years	15-44 years	45-64 years	65 years and over	Northeast	Midwest	South	West
Number of all-listed diagnoses in thousands											
430	19	*7	12	—	*5	*6	*7	*	*	*7	*
431	75	34	41	*	*	18	53	17	16	22	20
432	31	18	13	*	*	*5	23	*	*6	15	*6
432.1	25	16	9	*	*	*	19	*	*5	13	*
432.9	*6	*	*	*	*	*	*	*	*	*	*
433	275	144	131	*	*	58	212	67	62	117	29
433.1	195	103	91	—	*	41	150	45	45	86	18
433.10	169	89	80	—	*	35	131	39	39	74	17
433.11	26	14	12	—	*	*7	19	*6	*6	12	*
433.3	69	34	35	*	*	15	54	19	14	28	*8
433.30	55	28	27	*	*	11	43	16	10	21	*7
433.31	14	*6	*8	—	*	*	11	*	*	*6	*
434	342	159	184	*	10	59	272	83	83	122	53
434.0	30	14	16	—	*	*	25	*6	10	10	*
434.00	*8	*	*	—	*	*	*7	*	*	*	*
434.01	22	10	12	—	*	*	18	*6	*6	*8	*
434.1	44	21	23	—	*	9	33	12	10	12	9
434.10	*8	*5	*	—	*	*	*6	*	*	*	*
434.11	36	16	20	—	*	*7	28	10	*7	11	*8
434.9	268	123	145	*	*7	45	214	65	63	100	41
434.90	17	10	*7	*	*	*	12	*	*	*6	*
434.91	251	113	138	*	*7	40	202	61	58	93	38
435	258	107	151	*	*8	45	205	67	68	91	32
435.0	18	*8	9	*	*	*	15	*6	*6	*	*
435.1	17	*8	9	*	*	*	15	*	*	*	*
435.8	*7	*	*	—	*	*	*5	*	*	*	*
435.9	214	87	126	*	*6	40	167	53	55	81	24
436	205	88	117	*	*	39	161	25	52	95	33
437	141	54	87	*	*6	21	112	27	37	61	15
437.0	51	21	29	—	*	*	46	*9	14	23	*5
437.1	13	*6	*7	*	*	*	11	*	*	*5	*
437.2	*8	*	*5	*	*	*	*	*	*	*	*
437.3	13	*	9	—	*	*	*5	*	*	*6	*
437.9	46	15	31	*	*	*	42	*9	12	20	*
438	458	215	243	*	10	79	364	93	101	190	74
440	497	245	252	*	*8	88	398	104	128	199	66
440.0	26	12	15	—	*	*	24	*6	*5	9	*6
440.1	24	12	12	*	*	*	18	*7	*7	*8	*
440.2	224	128	95	—	*	51	168	37	61	87	39
440.20	82	47	36	—	*	14	67	11	22	38	11
440.21	47	29	17	—	*	15	30	*6	14	15	12
440.22	18	10	*7	—	*	*6	12	*	*	*7	*
440.23	23	11	11	—	*	*5	17	*	*7	*8	*
440.24	47	26	21	—	*	10	36	10	12	18	*7
440.29	*8	*5	*	—	*	*	*6	*	*	*	*
440.9	218	91	127	*	*	29	186	55	53	93	17
441	146	97	50	*	*	23	121	38	38	44	27
441.0	11	*7	*	—	*	*	*7	*	*	*	*
441.2	11	*	*7	—	*	*	*8	*	*	*	*
441.3	*8	*5	*	—	—	*	*8	*	*	*	*
441.4	106	74	32	*	*	15	89	27	27	31	19
442	30	21	9	—	*	*8	19	*7	*7	10	*6
442.2	10	*9	*	—	*	*	*8	*	*	*	*
442.3	12	10	*	—	*	*	*8	*	*	*	*

NOTE: Estimates of 5,000–9,000 are to be used with caution; see methods section.

Table 3. Number of all-listed diagnoses for discharges from short-stay hospitals, by ICD-9-CM code, sex and age of patient, and geographic region of hospital: United States, 1994—Con.[Discharges of inpatients from non-Federal hospitals. Excludes newborn infants. Code numbers are from the *International Classification of Diseases, 9th Revision, Clinical Modification* (ICD-9-CM). Totals include data for categories not listed in table; see methods section]

ICD-9-CM code	Total	Sex		Age				Region			
		Male	Female	Under 15 years	15-44 years	45-64 years	65 years and over	Northeast	Midwest	South	West
Number of all-listed diagnoses in thousands											
443	325	179	146	*	11	83	231	79	72	126	48
443.0	11	*	*8	—	*	*	*6	*	*	*5	*
443.8	42	27	15	—	*	11	28	11	*8	15	*9
443.81	31	21	10	—	*	9	19	*8	*	12	*6
443.89	12	*6	*6	—	*	*	9	*	*	*	*
443.9	270	147	123	*	*6	68	196	67	60	106	37
444	103	57	46	*	*7	32	64	25	25	37	16
444.0	12	*6	*6	*	*	*5	*6	*	*	*	*
444.2	70	38	32	*	*	19	46	17	18	25	10
444.21	*6	*	*	*	*	*	*	*	*	*	*
444.22	64	36	28	—	*	18	42	16	16	22	10
444.8	16	9	*7	*	*	*7	*8	*5	*	*7	*
444.81	13	*8	*6	*	*	*5	*6	*	*	*5	*
446	39	17	22	*	*	*	26	*8	12	11	*8
446.4	*8	*7	*	*	*	*	*6	*	*	*	*
446.5	16	*	12	—	—	*	16	*	*6	*	*
447	45	21	25	*	*	13	26	11	11	14	9
447.1	25	13	11	*	*	*8	15	*6	*6	*6	*6
447.6	10	*	*7	*	*	*	*5	*	*	*	*
448	*6	*	*	*	*	*	*	*	*	*	*
451	103	42	61	*	15	34	53	22	26	36	18
451.0	16	*7	9	*	*	*	*8	*	*	*6	*
451.1	41	17	24	—	*	11	26	*9	13	13	*5
451.11	10	*	*6	—	*	*	*6	*	*	*	*
451.19	30	12	18	—	*	*8	19	*6	11	10	*
451.2	22	*7	15	—	*	*9	10	*	*5	*8	*
451.8	17	*7	9	*	*	*7	*6	*	*	*6	*
451.84	*7	*	*	—	*	*	*	*	*	*	*
451.9	*8	*	*	*	*	*	*	*	*	*	*
453	206	85	121	*	36	52	116	49	55	72	29
453.8	186	78	108	*	32	48	105	44	50	65	27
453.9	13	*	9	*	*	*	10	*	*	*5	*
454	64	26	38	—	*8	17	40	16	22	20	*6
454.0	18	*7	11	—	*	*	13	*	*7	*5	*
454.1	*5	*	*	—	*	*	*	*	*	*	*
454.2	17	*6	11	—	*	*	14	*	*6	*6	*
454.9	23	10	13	—	*	9	10	*7	*7	*7	*
455	159	79	80	*	41	45	71	46	34	60	19
455.0	41	23	18	*	*9	10	23	12	*8	16	*5
455.1	*5	*	*	*	*	*	*	*	*	*	*
455.2	30	15	15	*	*6	10	14	10	*7	10	*
455.3	19	11	*8	—	*	*5	10	*6	*	*8	*
455.4	*6	*	*	*	*	*	*	*	*	*	*
455.5	16	*7	9	—	*	*	*7	*	*5	*	*
455.6	29	10	19	—	12	*8	9	*7	*	14	*
455.8	10	*	*	*	*	*	*	*	*	*	*
456	59	37	22	*	16	23	20	12	13	19	15
456.0	*9	*	*	*	*	*	*	*	*	*	*
456.1	*7	*	*	*	*	*	*	*	*	*	*
456.2	35	24	11	*	*9	14	12	*8	*6	9	12
456.20	23	18	*5	*	*6	10	*7	*	*	*6	*8
456.21	12	*6	*6	*	*	*	*	*	*	*	*
457	21	9	12	*	*	*	12	*	*6	*9	*
457.1	12	*	*8	*	*	*	*8	*	*	*5	*
457.2	*5	*	*	*	*	*	*	*	*	*	*
458	318	152	166	*5	40	76	197	75	65	123	56
458.0	96	41	55	*	13	19	64	22	21	33	20
458.9	219	109	110	*	27	56	132	52	43	90	35

NOTE: Estimates of 5,000-9,000 are to be used with caution; see methods section.

Table 3. Number of all-listed diagnoses for discharges from short-stay hospitals, by ICD-9-CM code, sex and age of patient, and geographic region of hospital: United States, 1994—Con.

[Discharges of inpatients from non-Federal hospitals. Excludes newborn infants. Code numbers are from the *International Classification of Diseases, 9th Revision, Clinical Modification* (ICD-9-CM). Totals include data for categories not listed in table; see methods section]

ICD-9-CM code	Total	Sex		Age				Region			
		Male	Female	Under 15 years	15-44 years	45-64 years	65 years and over	Northeast	Midwest	South	West
Number of all-listed diagnoses in thousands											
459	101	48	52	*	*9	29	61	28	28	31	14
459.0	13	*7	*6	*	*	*	*6	*	*	*6	*
459.2	*9	*	*	*	*	*	*6	*	*	*	*
459.8	61	31	31	*	*	19	37	20	18	15	*8
459.81	53	25	28	—	*	15	34	16	17	13	*7
459.89	*8	*6	*	*	*	*	*	*	*	*	*
459.9	16	*6	9	*	*	*	11	*	*	*7	*
460-519	8,786	4,310	4,475	1,097	1,214	1,801	4,674	2,003	2,164	3,291	1,328
460	*6	*	*	*	*	*	*	*	*	*	*
461	66	31	35	13	18	13	21	13	16	29	*7
461.0	23	11	12	*5	*5	*	9	*	*6	10	*
461.2	*7	*6	*	*	*	*	*	*	*	*	*
461.8	*6	*	*	*	*	*	*	*	*	*	*
461.9	24	10	14	*	*8	*6	*7	*	*5	12	*
462	65	26	39	24	25	10	*7	17	18	23	*7
463	25	13	12	*7	16	*	*	*6	*8	*9	*
464	36	22	14	27	*	*	*	*9	*8	12	*7
464.4	25	18	*8	25	—	—	—	*	*6	10	*
465	160	72	88	63	40	21	37	34	46	54	26
465.9	156	71	85	60	38	21	37	32	45	53	26
466	389	191	198	174	51	50	115	71	106	144	68
466.0	244	99	145	35	50	46	113	49	69	95	31
466.1	145	92	53	139	*	*	*	22	37	49	37
470	26	15	10	*	18	*5	*	13	*	*8	*
471	12	*6	*6	*	*	*6	*	*	*	*	*
471.8	*6	*	*	*	*	*	*	*	*	*	*
472	10	*	*5	*	*	*	*	*	*	*	*
472.0	9	*	*	*	*	*	*	*	*	*	*
473	158	73	85	32	55	38	32	40	36	62	20
473.0	28	16	13	*7	9	*6	*6	*8	*6	11	*
473.2	17	*8	9	*	*	*	*	*6	*	*6	*
473.8	16	*9	*7	*	*6	*	*	*	*	*6	*
473.9	88	36	52	16	32	23	18	19	23	37	10
474	62	32	30	38	20	*	*	35	*6	12	9
474.0	23	10	13	11	11	*	—	13	*	*	*
474.1	36	21	15	27	*7	*	*	19	*	*8	*
474.10	21	12	10	19	*	*	—	12	*	*	*
474.11	*8	*	*	*	*	*	*	*	*	*	*
474.12	*6	*	*	*	*	—	*	*	*	*	*
475	16	9	*7	*	12	*	*	*	*5	*	*
477	22	9	13	*	*6	*6	*7	*	*5	10	*
477.9	21	*9	12	*	*5	*6	*7	*	*	10	*
478	80	44	36	18	28	22	12	27	15	28	11
478.0	10	*5	*	*	*7	*	*	*	*	*	*
478.1	19	9	10	*	10	*	*	*6	*	*6	*
478.2	18	12	*5	*	*5	*8	*	*8	*	*5	*
478.29	14	10	*	*	*	*7	*	*7	*	*	*
478.3	10	*5	*	*	*	*	*	*	*	*	*
478.6	*5	*	*	*	*	*	*	*	*	*	*
478.7	12	*6	*6	*6	*	*	*	*	*	*	*
478.75	*5	*	*	*	*	*	*	*	*	*	*
480	44	22	22	32	*	*	*5	*6	12	16	10
480.1	19	11	*7	18	*	*	—	*	*8	*	*
480.9	21	*9	12	13	*	*	*	*	*	11	*
481	87	46	41	*7	16	17	47	13	27	33	14

NOTE: Estimates of 5,000-9,000 are to be used with caution; see methods section.

Table 3. Number of all-listed diagnoses for discharges from short-stay hospitals, by ICD-9-CM code, sex and age of patient, and geographic region of hospital: United States, 1994—Con.[Discharges of inpatients from non-Federal hospitals. Excludes newborn infants. Code numbers are from the *International Classification of Diseases, 9th Revision, Clinical Modification* (ICD-9-CM). Totals include data for categories not listed in table; see methods section]

ICD-9-CM code	Total	Sex		Age				Region			
		Male	Female	Under 15 years	15-44 years	45-64 years	65 years and over	Northeast	Midwest	South	West
Number of all-listed diagnoses in thousands											
482	356	193	163	13	48	64	230	62	79	158	57
482.0	32	16	16	*	*	*7	20	*7	*	14	*6
482.1	60	33	27	*	11	9	36	11	15	24	10
482.2	43	23	20	*	*5	*8	29	*7	13	14	10
482.3	31	17	14	*	*7	*5	18	*	9	15	*
482.30	17	*9	*8	*	*	*	*9	*	*	*9	*
482.39	*8	*	*	*	*	*	*5	*	*	*	*
482.4	60	34	26	*	*6	9	42	11	14	26	10
482.8	104	56	48	*	11	19	73	16	18	56	15
482.82	12	*7	*	*	*	*	*8	*	*	*5	*
482.83	53	29	24	*	*	10	40	*8	11	27	*7
482.89	36	17	19	*	*5	*7	23	*6	*	22	*
482.9	26	14	11	*	*	*7	12	*8	*6	9	*
483	16	*8	*8	*7	*	*	*	*	*7	*	*
483.0	12	*6	*6	*	*	*	*	*	*5	*	*
484	*6	*	*	*	*	*	*	*	*	*	*
485	68	37	31	28	*7	9	24	*8	28	26	*5
486	1,243	616	627	186	152	215	690	258	323	476	186
487	50	19	31	*8	*8	12	22	*	16	26	*
487.0	9	*	*	*	*	*	*	*	*	*	*
487.1	37	13	24	*5	*6	*7	18	*	10	20	*
490	90	41	48	11	22	20	37	18	16	47	9
491	555	250	305	*	37	151	364	114	134	235	72
491.0	*9	*5	*	*	*	*	*	*	*	*	*
491.1	*6	*	*	—	*	*	*	*	*	*	*
491.2	488	221	267	*	20	134	330	100	119	207	61
491.20	100	49	51	*	*	34	62	21	23	41	16
491.21	387	172	215	*	16	100	269	79	96	166	45
491.8	*6	*	*	*	*	*	*	*	*	*	*
491.9	47	19	28	*	11	11	25	11	12	19	*5
492	245	149	96	*	12	61	172	57	68	87	33
492.0	20	15	*5	*	*6	*6	*8	*5	*	*	*7
492.8	225	134	91	—	*6	55	164	52	64	82	27
493	1,053	404	649	267	310	211	264	298	259	329	167
493.0	46	24	22	32	12	*	*	13	*7	*6	19
493.00	27	14	14	18	*8	*	*	*6	*	*	13
493.01	19	10	*8	14	*	*	*	*7	*	*	*6
493.2	210	77	132	*	20	57	132	52	46	82	29
493.20	174	65	109	*	17	45	112	43	41	66	24
493.21	35	12	23	*	*	12	20	9	*	16	*5
493.9	795	302	493	234	278	153	130	232	205	239	118
493.90	595	212	383	132	219	127	118	171	146	187	91
493.91	199	90	109	102	58	26	13	61	59	52	27
494	28	10	18	*	*	*6	18	*8	*6	*8	*5
496	1,727	926	802	*	39	381	1,305	389	408	683	248
500	*9	*9	*	—	*	*	*8	*	*	*	*
501	10	10	*	—	*	*	*6	*	*	*	*
507	212	114	98	12	16	31	153	46	42	86	38
507.0	210	112	98	12	16	30	152	45	42	85	38
508	*6	*	*	*	*	*	*	*	*	*	*
510	23	16	*7	*	*	9	*8	*	*5	10	*
510.9	18	13	*5	*	*	*7	*7	*	*	*8	*
511	443	203	241	13	51	99	280	109	109	153	72
511.0	31	14	17	*	11	*9	11	*8	*8	10	*5
511.8	39	22	17	*	*	9	24	12	10	10	*7
511.9	371	166	205	12	37	81	243	88	91	133	59

NOTE: Estimates of 5,000-9,000 are to be used with caution; see methods section.

Table 3. Number of all-listed diagnoses for discharges from short-stay hospitals, by ICD-9-CM code, sex and age of patient, and geographic region of hospital: United States, 1994—Con.

[Discharges of inpatients from non-Federal hospitals. Excludes newborn infants. Code numbers are from the *International Classification of Diseases, 9th Revision, Clinical Modification* (ICD-9-CM). Totals include data for categories not listed in table; see methods section]

ICD-9-CM code	Total	Sex		Age				Region			
		Male	Female	Under 15 years	15-44 years	45-64 years	65 years and over	Northeast	Midwest	South	West
Number of all-listed diagnoses in thousands											
512	69	46	24	*	24	15	28	15	19	19	16
512.0	*8	*7	*	*	*	*	*	*	*	*	*
512.8	61	39	22	*	22	11	25	14	18	17	12
513	11	*7	*	*	*	*	*	*	*	*	*
513.0	11	*7	*	*	*	*	*	*	*	*	*
514	26	12	13	*	*	*5	17	*	*	13	*
515	137	58	79	*	*8	25	103	27	51	41	17
516	30	16	14	*	*	*6	20	9	*7	10	*
516.3	19	11	*9	*	*	*	16	*6	*	*6	*
516.8	10	*5	*5	*	*	*	*	*	*	*	*
517	13	*	9	—	*	*5	*	*	*	*	*
517.8	12	*	*8	—	*	*	*	*	*	*	*
518	988	476	512	62	117	238	572	229	228	369	163
518.0	339	166	173	24	51	87	177	80	78	122	58
518.1	*7	*	*	*	*	*	*	*	*	*	*
518.3	19	*9	10	*	*	*	11	*	*	*8	*
518.4	27	11	16	*	*	*7	16	*7	*9	*8	*
518.5	50	30	20	*	*8	15	26	10	10	21	9
518.8	545	256	290	32	50	122	340	128	123	208	86
518.81	372	179	193	11	36	84	242	90	76	143	63
518.82	90	41	49	14	9	20	48	21	24	36	10
518.89	83	35	47	*8	*5	19	50	17	23	29	13
519	92	51	41	31	11	15	35	18	27	34	14
519.0	*6	*	*	*	*	*	*	*	*	*	*
519.1	45	25	21	18	*6	*7	15	*8	16	15	*7
519.8	27	15	12	*9	*	*	12	*5	*6	13	*
519.9	*7	*	*	*	*	*	*	*	*	*	*
520-579	8,075	3,541	4,534	427	1,804	2,058	3,786	1,941	1,935	2,916	1,283
521	18	10	*8	*	*8	*	*	*6	*	*5	*
521.0	18	10	*8	*	*8	*	*	*6	*	*5	*
522	16	9	*7	*	*7	*	*	*	*	*5	*
522.5	12	*7	*	*	*5	*	*	*	*	*	*
523	12	*6	*6	*	*	*	*	*	*5	*	*
524	40	12	28	*	32	*	*	*8	*8	14	9
524.0	15	*6	*9	*	13	*	*	*	*	*	*
524.1	*6	*	*	*	*6	*	—	*	*	*	*
524.10	*6	*	*	*	*5	*	—	*	*	*	*
524.6	13	*	12	*	9	*	*	*	*	*5	*
524.60	*6	*	*6	*	*	*	*	*	*	*	*
525	*7	*	*	*	*	*	*	*	*	*	*
526	*8	*	*	*	*	*	*	*	*	*	*
527	19	*8	11	*	*	*	12	*	*	9	*
527.2	12	*5	*7	*	*	*	*8	*	*	*6	*
528	44	19	25	*8	14	11	11	11	11	16	*6
528.0	18	*8	11	*	*	*	*5	*	*	*9	*
528.3	*8	*	*	*	*	*	*	*	*	*	*
528.9	*9	*	*5	*	*	*	*	*	*	*	*

NOTE: Estimates of 5,000-9,000 are to be used with caution; see methods section.

Table 3. Number of all-listed diagnoses for discharges from short-stay hospitals, by ICD-9-CM code, sex and age of patient, and geographic region of hospital: United States, 1994—Con.[Discharges of inpatients from non-Federal hospitals. Excludes newborn infants. Code numbers are from the *International Classification of Diseases, 9th Revision, Clinical Modification* (ICD-9-CM). Totals include data for categories not listed in table; see methods section]

ICD-9-CM code	Total	Sex		Age				Region			
		Male	Female	Under 15 years	15-44 years	45-64 years	65 years and over	Northeast	Midwest	South	West
Number of all-listed diagnoses in thousands											
530	733	322	410	56	111	196	369	177	177	264	115
530.0	*6	*	*	*	*	*	*	*	*	*	*
530.1	282	125	158	15	51	79	137	65	72	101	45
530.10	122	56	66	10	26	35	51	31	31	44	15
530.11	130	54	76	*	19	34	72	24	31	49	26
530.19	30	14	15	*	*5	10	14	9	9	*8	*
530.2	54	29	26	*	10	15	29	13	12	19	10
530.3	48	25	23	*	*	14	30	12	11	17	*8
530.5	27	10	16	*	*5	*8	13	*6	*	12	*
530.6	*8	*	*	*	*	*	*6	*	*	*	*
530.7	24	16	*8	*	*7	*6	10	*	*7	*8	*
530.8	281	107	174	38	34	69	140	73	67	100	40
530.81	257	97	161	37	32	66	122	67	63	90	38
530.82	9	*5	*	*	*	*	*8	*	*	*	*
530.89	13	*5	*8	*	*	*	10	*	*	*6	*
531	189	86	103	*	26	53	109	35	51	71	32
531.0	37	16	21	*	*	10	24	*7	10	13	*8
531.00	37	16	20	*	*	10	24	*7	10	13	*7
531.3	12	*6	*6	—	*	*	*7	*	*	*5	*
531.30	11	*6	*	—	*	*	*7	*	*	*	*
531.4	61	30	31	*	9	16	36	11	16	23	12
531.40	59	30	29	*	*8	15	35	10	15	23	11
531.7	10	*	*7	—	*	*	*7	*	*	*	*
531.70	10	*	*7	—	*	*	*6	*	*	*	*
531.9	60	26	33	*	10	19	31	12	17	24	*7
531.90	58	26	32	*	9	18	31	11	17	23	*7
532	156	99	57	*	27	37	92	42	37	55	23
532.0	34	24	9	—	*	*8	21	10	*7	12	*5
532.00	33	23	9	—	*	*8	21	9	*7	12	*
532.1	*6	*	*	—	*	*	*	*	*	*	*
532.3	10	*	*7	—	*	*	*7	*	*	*	*
532.30	10	*	*7	—	*	*	*7	*	*	*	*
532.4	46	34	12	*	*6	14	26	9	10	18	9
532.40	46	34	12	*	*6	14	26	9	9	18	9
532.5	*5	*	*	—	*	*	*	*	*	*	*
532.50	*5	*	*	—	*	*	*	*	*	*	*
532.7	*6	*	*	—	*	*	*	*	*	*	*
532.70	*6	*	*	—	*	*	*	*	*	*	*
532.9	47	26	21	*	11	*9	27	13	12	18	*
532.90	46	26	20	*	11	*9	26	12	12	18	*
533	205	93	112	*	40	59	105	56	53	73	23
533.4	14	*8	*6	*	*	*	*9	*	*	*7	*
533.40	14	*8	*6	*	*	*	*8	*	*	*7	*
533.7	26	*8	18	—	*	11	12	*7	*7	10	*
533.70	26	*8	18	—	*	11	12	*7	*7	10	*
533.9	152	75	77	*	31	40	79	46	36	52	18
533.90	151	74	77	*	31	40	79	45	36	52	18
534	*6	*	*	—	*	*	*	*	*	*	*
535	631	280	351	15	140	176	299	146	169	234	82
535.0	97	34	63	*	19	23	52	19	25	42	11
535.00	70	23	47	*	16	17	34	14	21	29	*7
535.01	27	11	16	*	*	*6	18	*	*	13	*
535.1	64	24	40	*	*9	17	37	18	18	21	*6
535.10	54	18	36	*	*9	15	30	17	16	16	*
535.11	10	*6	*	*	*	*	*7	*	*	*	*
535.3	29	24	*	—	15	10	*	*6	*9	*8	*6
535.30	21	18	*	—	13	*6	*	*5	*8	*	*
535.31	*7	*7	*	—	*	*	*	*	*	*	*
535.4	125	56	69	*	23	30	67	26	35	44	19
535.40	90	41	49	*	18	20	48	19	26	32	13

NOTE: Estimates of 5,000-9,000 are to be used with caution; see methods section.

Table 3. Number of all-listed diagnoses for discharges from short-stay hospitals, by ICD-9-CM code, sex and age of patient, and geographic region of hospital: United States, 1994—Con.

[Discharges of inpatients from non-Federal hospitals. Excludes newborn infants. Code numbers are from the *International Classification of Diseases, 9th Revision, Clinical Modification* (ICD-9-CM). Totals include data for categories not listed in table; see methods section]

ICD-9-CM code	Total	Sex		Age				Region			
		Male	Female	Under 15 years	15-44 years	45-64 years	65 years and over	Northeast	Midwest	South	West
Number of all-listed diagnoses in thousands											
535.41	35	15	20	*	*5	10	20	*8	9	12	*6
535.5	241	100	141	*6	54	70	110	61	58	92	29
535.50	208	86	122	*6	49	63	90	54	50	79	25
535.51	33	14	19	*	*	*7	21	*8	*8	13	*
535.6	76	42	33	*	21	25	29	15	23	27	11
535.60	58	32	26	*	18	18	21	11	19	20	*7
535.61	17	10	*7	—	*	*7	*8	*	*	*6	*
536	175	61	114	*5	41	53	77	28	47	74	26
536.2	30	*8	23	*	9	*6	12	*7	*8	11	*
536.8	117	42	75	*	26	38	52	18	34	48	17
536.9	26	11	15	*	*5	9	12	*	*5	15	*
537	45	23	23	*	*6	*8	30	14	11	13	*7
537.0	18	10	*8	*	*	*	12	*5	*	*	*
537.3	*5	*	*	*	*	*	*	*	*	*	*
537.8	18	10	*9	*	*	*	14	*6	*5	*6	*
537.83	*8	*	*	—	*	*	*7	*	*	*	*
537.89	*8	*	*	*	*	*	*	*	*	*	*
540	246	146	100	55	143	34	14	43	62	85	57
540.0	61	38	22	15	27	12	*7	12	15	16	18
540.1	23	14	*9	*	11	*	*	*	*6	*6	*6
540.9	163	94	69	36	106	17	*	27	41	62	33
541	16	*7	*9	*6	*8	*	*	*	*	*9	*
543	14	*8	*6	*	*9	*	*	*	*	*6	*
543.9	11	*6	*5	*	*6	*	*	*	*	*	*
550	128	108	20	13	22	26	67	35	25	49	18
550.1	29	24	*	*	*	*	17	*6	*	12	*6
550.10	21	17	*	*	*	*	12	*	*	10	*
550.11	*5	*	*	*	*	*	*	*	*	*	*
550.9	99	84	15	*9	19	22	49	29	20	37	13
550.90	71	58	13	*5	14	16	37	21	15	26	*9
550.91	11	10	*	*	*	*	*6	*	*	*	*
550.92	16	15	*	*	*	*	*5	*	*	*7	*
552	61	22	39	*	9	22	29	15	13	24	*8
552.0	*6	*	*	—	*	*	*	*	*	*	*
552.00	*5	*	*	—	*	*	*	*	*	*	*
552.1	16	*7	*9	*	*	*8	*	*	*	*7	*
552.2	24	*	19	—	*	11	11	*5	*7	*9	*
552.20	*7	*	*6	—	*	*	*	*	*	*	*
552.21	14	*	12	—	*	*6	*7	*	*	*5	*
552.3	*7	*	*	—	*	*	*6	*	*	*	*
552.8	*7	*	*	*	*	*	*	*	*	*	*
553	544	199	345	*7	81	150	306	134	134	211	65
553.1	38	14	24	*	9	11	14	*8	11	15	*
553.2	88	33	55	*	19	30	39	21	19	36	12
553.20	27	10	17	*	*	10	13	*6	*5	13	*
553.21	58	21	36	*	14	19	24	15	13	21	*9
553.3	405	148	257	*	49	107	247	101	103	153	48
553.8	*6	*	*	*	*	*	*	*	*	*	*
555	76	35	41	*	36	24	15	19	19	26	13
555.0	13	*6	*7	*	*7	*	*	*	*	*	*
555.1	11	*	*6	*	*	*	*	*	*	*	*
555.9	48	23	25	*	22	15	10	12	11	18	*7
556	48	23	25	*	16	14	17	14	10	16	*8
557	54	19	35	*	*	11	38	17	10	16	11
557.0	30	11	19	*	*	*7	20	*9	*7	*9	*6
557.1	10	*	*6	—	*	*	*8	*	*	*	*
557.9	14	*	10	—	*	*	10	*	*	*	*

NOTE: Estimates of 5,000-9,000 are to be used with caution; see methods section.

Table 3. Number of all-listed diagnoses for discharges from short-stay hospitals, by ICD-9-CM code, sex and age of patient, and geographic region of hospital: United States, 1994—Con.[Discharges of inpatients from non-Federal hospitals. Excludes newborn infants. Code numbers are from the *International Classification of Diseases, 9th Revision, Clinical Modification* (ICD-9-CM). Totals include data for categories not listed in table; see methods section]

ICD-9-CM code	Total	Sex		Age				Region			
		Male	Female	Under 15 years	15-44 years	45-64 years	65 years and over	Northeast	Midwest	South	West
Number of all-listed diagnoses in thousands											
558	560	229	331	154	130	95	182	125	129	216	90
558.1	*7	*	*5	*	*	*	*	*	*	*	*
558.2	*8	*	*	*	*	*	*	*	*	*	*
558.9	546	225	321	153	129	90	174	120	125	212	88
560	607	252	355	20	83	146	358	135	147	230	95
560.0	*6	*	*	*	*	*	*	*	*	*	*
560.1	233	101	132	*9	41	57	126	50	59	91	33
560.2	16	*9	*8	*	*	*	12	*	*	*6	*
560.3	89	31	58	*	*	10	74	22	16	43	*8
560.39	86	30	56	*	*	10	71	22	16	41	*7
560.8	118	53	66	*	20	37	58	25	33	39	22
560.81	84	36	48	*	16	27	39	17	24	28	15
560.89	34	16	18	*	*	10	19	*8	*9	11	*6
560.9	144	56	88	*	16	37	88	33	35	48	28
562	464	174	291	*	26	92	345	123	115	167	59
562.0	13	*	*9	—	*	*	12	*	*	*	*
562.00	9	*	*7	—	*	*	*8	*	*	*	*
562.1	452	169	282	*	26	91	334	120	112	162	57
562.10	214	81	133	*	*8	34	172	59	55	73	27
562.11	155	55	100	*	17	44	93	44	38	56	18
562.12	66	27	39	—	*	11	55	13	14	27	11
562.13	17	*7	10	—	*	*	14	*	*5	*6	*
564	308	111	196	12	68	66	161	87	69	107	43
564.0	190	75	114	12	32	35	111	48	44	72	26
564.1	79	16	63	*	26	21	32	29	17	23	10
564.2	*9	*6	*	*	*	*	*5	*	*	*	*
564.8	16	9	*7	*	*6	*	*6	*	*	*	*5
565	18	11	*7	*	*8	*6	*	*	*	*7	*
565.0	10	*6	*	*	*	*	*	*	*	*	*
565.1	*8	*5	*	*	*	*	*	*	*	*	*
566	33	23	10	*	18	*8	*6	*7	*6	15	*6
567	70	37	34	*	20	20	29	15	15	26	15
567.2	47	27	20	*	14	14	18	10	10	18	9
567.8	*5	*	*	*	*	*	*	*	*	*	*
567.9	18	*7	11	*	*	*	*9	*	*	*7	*
568	138	30	108	*	61	32	42	32	35	51	20
568.0	115	27	89	*	46	29	39	25	31	44	16
568.8	22	*	19	*	14	*	*	*6	*	*7	*
568.81	14	*	13	—	11	*	*	*	*	*5	*
568.89	*6	*	*5	*	*	*	*	*	*	*	*
569	225	91	134	*	37	59	124	65	43	78	38
569.0	14	*6	*8	*	*	*	*8	*5	*	*	*
569.1	10	*	*7	*	*	*	*7	*	*	*	*
569.2	*7	*	*	*	*	*	*	*	*	*	*
569.3	43	20	23	*	*6	14	24	14	*6	19	*
569.4	33	14	19	*	9	10	13	*8	*6	15	*
569.41	*7	*	*	*	*	*	*	*	*	*	*
569.49	22	11	11	*	*6	*7	9	*6	*	11	*
569.5	16	*5	11	*	*	*	*9	*	*	*	*
569.6	15	*	10	*	*	*	*7	*	*	*5	*
569.8	80	33	48	*	10	18	51	25	18	21	16
569.81	11	*	*7	*	*	*	*6	*	*	*	*
569.82	*7	*	*5	*	*	*	*	*	*	*	*
569.83	22	*8	13	*	*	*5	13	*6	*	*5	*6
569.84	*6	*	*	—	—	*	*5	*	*	*	*
569.85	17	*8	*8	—	*	*	15	*5	*	*	*
569.89	17	*6	11	*	*	*	9	*6	*	*	*
569.9	*7	*	*5	*	*	*	*	*	*	*	*

NOTE: Estimates of 5,000–9,000 are to be used with caution; see methods section.

Table 3. Number of all-listed diagnoses for discharges from short-stay hospitals, by ICD-9-CM code, sex and age of patient, and geographic region of hospital: United States, 1994—Con.

[Discharges of inpatients from non-Federal hospitals. Excludes newborn infants. Code numbers are from the *International Classification of Diseases, 9th Revision, Clinical Modification* (ICD-9-CM). Totals include data for categories not listed in table; see methods section]

ICD-9-CM code	Total	Sex		Age				Region			
		Male	Female	Under 15 years	15-44 years	45-64 years	65 years and over	Northeast	Midwest	South	West
Number of all-listed diagnoses in thousands											
570	15	*9	*6	*	*	*	*8	*	*	*	*
571	339	206	133	*	93	139	104	89	75	113	63
571.0	*5	*	*	—	*	*	*	*	*	*	*
571.1	53	41	12	—	25	24	*	11	18	14	9
571.2	109	76	33	—	27	49	34	28	24	32	25
571.3	34	24	10	*	10	16	*8	*7	10	10	*7
571.4	20	10	10	*	11	*	*	*6	*	*9	*
571.40	9	*6	*	*	*5	*	*	*	*	*	*
571.49	11	*	*7	*	*6	*	*	*	*	*5	*
571.5	87	43	44	*	12	33	41	24	15	33	14
571.6	*7	*	*7	*	*	*	*	*	*	*	*
571.8	16	*5	11	*	*	*6	*6	*6	*	*7	*
571.9	*7	*	*	*	*	*	*	*	*	*	*
572	113	66	46	*	22	45	44	27	16	38	31
572.0	*6	*	*	*	*	*	*	*	*	*	*
572.2	41	24	17	*	*8	18	16	10	*	16	11
572.3	37	22	15	*	*8	13	14	10	*7	11	9
572.4	*8	*	*	*	*	*	*	*	*	*	*
572.8	20	11	*9	*	*	*8	*8	*	*	*7	*6
573	74	36	37	*5	23	20	25	21	14	27	12
573.0	*8	*	*	*	*	*	*	*	*	*5	*
573.3	33	15	18	*	12	*8	*9	*9	*5	14	*6
573.8	18	*7	11	*	*	*7	*7	*	*	*	*
573.9	10	*8	*	*	*	*	*	*	*	*	*
574	705	240	465	*	194	196	313	171	160	247	128
574.0	151	57	94	—	48	38	66	31	34	60	27
574.00	137	51	86	—	43	35	60	28	31	53	25
574.01	14	*6	*8	—	*	*	*6	*	*	*7	*
574.1	298	89	209	*	95	96	106	78	65	100	56
574.10	284	83	201	*	93	91	100	76	61	95	52
574.11	14	*6	*8	—	*	*5	*6	*	*	*	*
574.2	173	65	108	*	27	47	97	43	41	62	26
574.20	166	61	105	*	24	46	94	43	40	59	24
574.21	*7	*	*	*	*	*	*	*	*	*	*
574.3	20	9	11	—	*	*	11	*	*5	*7	*
574.30	10	*	*8	—	*	*	*5	*	*	*5	*
574.31	10	*7	*	—	*	*	*6	*	*	*	*
574.4	28	*8	20	*	*9	*	15	*7	*6	10	*5
574.40	16	*	13	*	*6	*	*7	*	*	*7	*
574.41	12	*5	*7	—	*	*	*8	*	*	*	*
574.5	34	11	23	*	11	*5	18	*9	*9	*8	*9
574.50	22	*7	15	—	9	*	10	*	*6	*6	*6
574.51	12	*	*8	*	*	*	*8	*	*	*	*
575	126	43	83	*	36	45	43	27	39	39	21
575.0	41	15	26	*	10	11	20	10	14	12	*5
575.1	49	16	34	*	16	21	11	10	12	19	*8
575.6	*7	*	*	—	*	*	*	*	*	*	*
575.8	16	*5	11	*	*7	*5	*	*	*5	*	*
576	93	43	50	*	13	19	59	21	20	28	25
576.1	33	16	17	*	*6	*5	21	*7	*8	*8	10
576.2	32	15	17	*	*	*8	20	*7	*7	11	*7
576.8	25	11	14	*	*	*	16	*6	*	*8	*7
577	310	156	153	*	114	90	103	67	81	113	49
577.0	215	109	105	*	77	62	74	44	59	76	36
577.1	61	34	28	*	23	22	16	14	13	25	*8
577.2	15	*7	*9	*	*8	*	*	*	*	*8	*
577.8	16	*6	10	*	*	*	*6	*	*5	*	*

NOTE: Estimates of 5,000-9,000 are to be used with caution; see methods section.

Table 3. Number of all-listed diagnoses for discharges from short-stay hospitals, by ICD-9-CM code, sex and age of patient, and geographic region of hospital: United States, 1994—Con.[Discharges of inpatients from non-Federal hospitals. Excludes newborn infants. Code numbers are from the *International Classification of Diseases, 9th Revision, Clinical Modification* (ICD-9-CM). Totals include data for categories not listed in table; see methods section]

ICD-9-CM code	Total	Sex		Age				Region			
		Male	Female	Under 15 years	15-44 years	45-64 years	65 years and over	Northeast	Midwest	South	West
Number of all-listed diagnoses in thousands											
578	338	158	180	9	42	72	213	84	86	111	57
578.0	40	21	19	*	*7	*8	23	11	9	12	*7
578.1	96	44	51	*	15	24	52	27	23	30	16
578.9	202	93	109	*	21	40	138	45	54	69	34
579	35	12	23	*9	*8	*6	12	11	*9	11	*
579.3	12	*	*7	*	*	*	*5	*	*	*	*
579.8	13	*	*8	*6	*	*	*	*	*	*5	*
579.9	*6	*	*	*	*	*	*	*	*	*	*
580-629	6,820	2,307	4,513	138	2,012	1,533	3,136	1,493	1,628	2,697	1,002
580	17	*9	*9	*	*	*	11	*	*5	*5	*
580.9	12	*5	*7	*	*	*	9	*	*	*	*
581	36	18	18	*	10	10	12	11	*6	12	*7
581.8	13	*	*9	*	*	*	*5	*	*	*	*
581.81	12	*	*8	—	*	*	*5	*	*	*	*
581.9	20	12	*8	*	*6	*5	*6	*7	*	*7	*
582	86	48	38	*	10	17	56	20	20	34	12
582.8	10	*	*5	*	*	*	*	*	*	*	*
582.81	*8	*	*	*	*	*	*	*	*	*	*
582.9	73	41	32	*	*7	13	51	18	18	30	*7
583	140	56	84	*	33	41	65	36	25	52	27
583.8	127	50	77	*	26	38	62	33	23	46	24
583.81	122	47	75	*	24	37	61	32	22	45	24
583.9	*9	*	*5	*	*	*	*	*	*	*	*
584	239	126	112	*	26	46	164	64	54	86	35
584.5	27	16	11	*	*	*5	16	*7	*5	12	*
584.9	206	107	99	*	20	40	144	56	48	72	31
585	314	161	152	*	47	78	185	79	63	101	71
586	73	40	33	*	*	10	57	15	16	28	14
588	14	*5	*8	*	*	*	*	*	*	*6	*
588.8	11	*	*6	*	*	*	*	*	*	*	*
590	205	33	172	14	105	36	50	38	46	86	35
590.0	11	*	*7	*	*7	*	*	*	*	*	*
590.00	11	*	*7	*	*7	*	*	*	*	*	*
590.1	122	20	101	*7	58	23	33	19	29	49	24
590.10	121	20	101	*7	58	23	33	19	29	49	24
590.2	*6	*	*	*	*	*	*	*	*	*	*
590.8	65	*7	58	*7	35	11	11	16	12	27	9
590.80	65	*7	58	*7	35	11	11	16	12	27	9
591	115	53	62	*6	26	34	50	32	28	37	18
592	300	178	122	*	129	94	76	71	78	122	29
592.0	114	60	54	*	43	34	37	28	25	49	13
592.1	180	115	64	*	83	58	38	43	51	72	15
592.9	*6	*	*	—	*	*	*	*	*	*	*
593	326	169	157	15	43	58	211	80	89	111	46
593.2	30	13	17	*	*	*6	22	*7	*6	12	*
593.3	11	*	*6	*	*	*	*	*	*	*	*
593.4	27	13	14	*	*7	*7	10	*8	*6	*8	*
593.5	*5	*	*	*	*	*	*	*	*	*	*
593.7	11	*	*8	*8	*	*	*	*	*	*	*
593.8	34	13	20	*	9	*8	15	*	11	14	*
593.89	28	12	16	*	*8	*7	11	*	10	12	*
593.9	205	118	88	*	15	31	157	49	59	68	29
594	23	18	*5	*	*	*6	14	*7	*	*7	*
594.1	17	14	*	*	*	*	12	*7	*	*	*
594.2	*6	*	*	—	*	*	*	*	*	*	*

NOTE: Estimates of 5,000-9,000 are to be used with caution; see methods section.

Table 3. Number of all-listed diagnoses for discharges from short-stay hospitals, by ICD-9-CM code, sex and age of patient, and geographic region of hospital: United States, 1994—Con.

[Discharges of inpatients from non-Federal hospitals. Excludes newborn infants. Code numbers are from the *International Classification of Diseases, 9th Revision, Clinical Modification* (ICD-9-CM). Totals include data for categories not listed in table; see methods section]

ICD-9-CM code	Total	Sex		Age				Region			
		Male	Female	Under 15 years	15-44 years	45-64 years	65 years and over	Northeast	Midwest	South	West
Number of all-listed diagnoses in thousands											
595	69	20	49	*	14	12	42	17	21	24	*8
595.0	17	*	13	*	*	*	13	*	*	*6	*
595.2	15	*	10	—	*	*	*9	*	*	*	*
595.8	*7	*	*	—	*	*	*	*	*	*	*
595.9	22	*7	16	*	*6	*	13	*	*7	*9	*
596	224	159	65	*	29	38	154	45	53	90	35
596.0	82	80	*	—	*	10	71	14	17	39	11
596.1	*6	*	*	*	*	*	*	*	*	*	*
596.3	*7	*7	*	*	*	*	*6	*	*	*	*
596.4	11	*6	*6	*	*	*	*8	*	*	*	*
596.5	78	39	38	*	20	15	41	16	23	23	15
596.54	69	36	33	*	17	13	38	14	22	20	13
596.59	*6	*	*	*	*	*	*	*	*	*	*
596.8	28	17	12	*	*5	*8	15	*6	*6	14	*
596.9	*5	*	*	—	*	*	*	*	*	*	—
597	10	*7	*	*	*	*	*	*	*	*	*
597.8	*9	*6	*	*	*	*	*	*	*	*	*
597.80	*7	*5	*	*	*	*	*	*	*	*	*
598	49	36	13	*	*7	14	27	16	9	19	*
598.8	*5	*	*	*	*	*	*	*	*	*	*
598.9	41	29	12	*	*6	12	23	13	*8	17	*
599	1,885	626	1,260	54	255	279	1,298	421	474	756	234
599.0	1,574	431	1,144	46	195	217	1,117	349	400	632	193
599.6	25	20	*5	*	*	*	19	*	*8	10	*
599.7	270	169	102	*7	54	55	153	65	63	106	36
599.8	*7	*	*	—	*	*	*	*	*	*	*
600	371	371	—	—	*	74	295	91	92	130	58
601	61	61	—	—	*	21	36	14	15	29	*
601.0	20	20	—	—	*	*8	10	*	*	11	*
601.1	29	29	—	—	*	*8	20	*6	*7	14	*
601.9	11	11	—	—	*	*	*6	*	*	*	*
602	9	9	—	—	*	*	*7	*	*	*	*
603	15	15	—	*	*	*5	*	*	*	*5	*
603.9	12	12	—	*	*	*	*	*	*	*	*
604	17	17	—	*	*	*8	*	*	*	*7	*
604.9	16	16	—	*	*	*8	*	*	*	*7	*
604.90	12	12	—	*	*	*7	*	*	*	*6	*
605	13	13	—	*	*	*	*6	*6	*	*	*
607	29	29	—	*	*	13	10	*7	*7	10	*5
607.1	*5	*5	—	*	*	*	*	*	*	*	*
607.8	19	19	—	*	*	9	*7	*	*	*7	*
607.84	11	11	—	—	*	*5	*	*	*	*	*
607.89	*6	*6	—	*	*	*	*	*	*	*	*
608	26	26	—	*	*8	*7	*9	*8	*6	*8	*
608.4	*8	*8	—	—	*	*	*	*	*	*	*
608.8	*8	*8	—	*	*	*	*	*	*	*	*
610	41	*	40	*	13	20	*8	17	*6	13	*6
610.1	28	*	28	—	*8	14	*6	*9	*	11	*
610.2	*5	—	*5	—	*	*	*	*	*	*	*
611	65	*	62	*	30	19	14	19	15	21	11
611.0	11	*	11	*	*	*	*	*	*	*	*
611.1	23	*	21	*	15	*6	*	*8	*	*6	*
611.7	17	*	16	*	*	*	*8	*	*6	*6	*
611.72	14	*	13	*	*	*	*7	*	*5	*	*
611.8	13	*	13	—	*5	*6	*	*	*	*	*

NOTE: Estimates of 5,000-9,000 are to be used with caution; see methods section.

Table 3. Number of all-listed diagnoses for discharges from short-stay hospitals, by ICD-9-CM code, sex and age of patient, and geographic region of hospital: United States, 1994—Con.[Discharges of inpatients from non-Federal hospitals. Excludes newborn infants. Code numbers are from the *International Classification of Diseases, 9th Revision, Clinical Modification* (ICD-9-CM). Totals include data for categories not listed in table; see methods section]

ICD-9-CM code	Total	Sex		Age				Region			
		Male	Female	Under 15 years	15-44 years	45-64 years	65 years and over	Northeast	Midwest	South	West
Number of all-listed diagnoses in thousands											
614	277	—	277	*	208	53	15	54	60	121	42
614.0	*8	—	*8	*	*7	*	*	*	*	*	*
614.1	26	—	26	—	17	*8	*	*6	*	12	*
614.2	16	—	16	*	14	*	*	*	*	*8	*
614.3	21	—	21	*	18	*	*	*	*6	*6	*
614.4	11	—	11	*	*8	*	*	*	*	*	*
614.6	166	—	166	*	117	38	11	30	35	74	26
614.9	27	—	27	*	25	*	*	*6	*6	12	*
615	22	—	22	*	20	*	*	*	*7	9	*
615.0	*7	—	*7	—	*7	*	*	*	*	*	*
615.9	11	—	11	*	10	*	*	*	*	*6	*
616	162	—	162	*	98	46	16	29	37	71	24
616.0	121	—	121	*	73	40	*8	20	26	56	19
616.1	33	—	33	*	21	*	*7	*6	10	14	*
616.10	33	—	33	*	21	*	*7	*6	9	13	*
617	285	—	285	*	195	79	12	47	71	125	43
617.0	156	—	156	—	89	56	11	28	36	70	22
617.1	37	—	37	—	28	*8	*	*6	11	13	*7
617.2	9	—	9	—	*7	*	*	*	*	*	*
617.3	46	—	46	*	40	*7	—	*8	14	19	*6
617.5	*6	—	*6	—	*	*	—	*	*	*	*
617.9	26	—	26	—	23	*	*	*	*	15	*
618	283	—	283	*	67	100	116	43	61	125	54
618.0	96	—	96	*	23	35	38	12	21	43	20
618.1	36	—	36	—	18	*9	10	*7	9	17	*
618.2	27	—	27	—	*7	10	10	*5	*7	*9	*6
618.3	20	—	20	—	*	*8	11	*	*6	*7	*
618.4	23	—	23	—	*7	*8	*8	*	*	10	*
618.5	28	—	28	—	*	12	15	*	*	13	*8
618.6	30	—	30	—	*	*8	17	*5	*	15	*
618.8	21	—	21	—	*	10	*6	*	*	13	*
619	13	—	13	*	*	*	*	*	*	*7	*
619.1	11	—	11	—	*	*	*	*	*	*7	*
620	288	—	288	*5	195	68	19	63	67	113	45
620.0	49	—	49	*	34	14	*	11	13	19	*5
620.1	64	—	64	*	51	12	—	13	16	25	10
620.2	125	—	125	*	81	29	12	28	28	48	20
620.8	39	—	39	*	24	12	*	*9	9	16	*5
621	89	—	89	*	32	40	17	18	19	41	11
621.0	27	—	27	—	*7	14	*6	*6	*6	10	*5
621.2	*6	—	*6	—	*	*	*	*	*	*	*
621.3	26	—	26	—	*6	15	*6	*6	*	12	*
621.5	*7	—	*7	—	*	*	*	*	*	*	*
621.6	*5	—	*5	—	*	*	*	*	*	*	—
621.8	16	—	16	*	*7	*5	*	*	*	*7	*
622	34	—	34	*	20	11	*	*7	*6	17	*
622.1	24	—	24	*	17	*6	*	*	*	13	*
622.7	*6	—	*6	—	*	*	*	*	*	*	*
623	17	—	17	*	*8	*	*	*5	*	*7	*
623.8	11	—	11	*	*	*	*	*	*	*	*
625	292	—	292	*	176	82	33	35	75	129	54
625.0	16	—	16	—	15	*	*	*	*	10	*
625.3	56	—	56	*	48	*8	—	*	11	30	12
625.6	125	—	125	*	37	58	31	18	35	45	27
625.9	83	—	83	*	70	12	*	11	19	40	13

NOTE: Estimates of 5,000-9,000 are to be used with caution; see methods section.

Table 3. Number of all-listed diagnoses for discharges from short-stay hospitals, by ICD-9-CM code, sex and age of patient, and geographic region of hospital: United States, 1994—Con.

[Discharges of inpatients from non-Federal hospitals. Excludes newborn infants. Code numbers are from the *International Classification of Diseases, 9th Revision, Clinical Modification* (ICD-9-CM). Totals include data for categories not listed in table; see methods section]

ICD-9-CM code	Total	Sex		Age				Region			
		Male	Female	Under 15 years	15-44 years	45-64 years	65 years and over	Northeast	Midwest	South	West
Number of all-listed diagnoses in thousands											
626	221	—	221	*	153	65	*	36	56	97	32
626.2	153	—	153	*	110	41	*	26	36	65	24
626.6	*6	—	*6	—	*	*	—	*	*	*	*
626.8	49	—	49	*	30	18	*	*8	15	21	*5
626.9	*6	—	*6	—	*	*	—	*	*	*	*
627	48	—	48	—	*	27	17	10	12	19	*8
627.0	*5	—	*5	—	*	*	—	*	*	*	*
627.1	25	—	25	—	*	15	10	*6	*	12	*
627.2	9	—	9	—	*	*5	*	*	*	*	*
628	*8	—	*8	—	*8	*	—	*	*	*	*
630-676	7,803	—	7,803	37	7,762	*	—	1,466	1,641	2,874	1,823
632	20	—	20	*	20	—	—	*6	*	*8	*
633	44	—	44	—	44	*	—	10	*7	19	*8
633.1	39	—	39	—	39	*	—	*9	*6	18	*6
634	40	—	40	*	39	*	—	19	*6	13	*
634.9	33	—	33	*	33	*	—	16	*	11	*
634.91	27	—	27	*	26	*	—	15	*	*7	*
635	*8	—	*8	*	*8	—	—	*	*	*	*
635.9	*5	—	*5	*	*5	—	—	*	*	*	*
637	10	—	10	*	10	—	—	*	*	*6	*
637.9	*8	—	*8	*	*8	—	—	*	*	*	*
637.91	*7	—	*7	*	*7	—	—	*	*	*	*
639	13	—	13	—	13	—	—	*	*	*6	*
639.0	*6	—	*6	—	*6	—	—	*	*	*	*
640	13	—	13	—	13	—	—	*	*	*5	*
640.0	10	—	10	—	10	—	—	*	*	*	*
640.03	*9	—	*9	—	*9	—	—	*	*	*	*
641	95	—	95	*	94	—	—	19	22	30	24
641.0	*7	—	*7	—	*7	—	—	*	*	*	*
641.01	*5	—	*5	—	*5	—	—	*	*	*	*
641.1	20	—	20	*	20	—	—	*5	*	*	*6
641.11	11	—	11	—	11	—	—	*	*	*	*
641.13	*9	—	*9	*	*9	—	—	*	*	*	*
641.2	50	—	50	*	49	—	—	*8	12	17	13
641.21	41	—	41	*	41	—	—	*6	10	15	10
641.23	*8	—	*8	—	*8	—	—	*	*	*	*
641.9	13	—	13	—	13	—	—	*	*	*	*
641.93	9	—	9	—	9	—	—	*	*	*	*
642	272	—	272	*	270	*	—	46	55	116	56
642.0	29	—	29	*	29	*	—	*	*7	13	*
642.01	21	—	21	*	21	*	—	*	*5	10	*
642.03	*6	—	*6	—	*6	—	—	*	*	*	*
642.3	95	—	95	*	94	*	—	16	18	33	28
642.31	79	—	79	*	79	*	—	13	15	26	24
642.33	13	—	13	*	12	—	—	*	*	*6	*
642.4	93	—	93	*	91	—	—	16	18	42	16
642.41	78	—	78	*	77	—	—	12	16	36	14
642.43	11	—	11	*	11	—	—	*	*	*6	*
642.5	22	—	22	*	21	—	—	*	*	11	*
642.51	20	—	20	*	20	—	—	*	*	10	*
642.7	*7	—	*7	*	*7	—	—	*	*	*	*
642.71	*5	—	*5	*	*5	—	—	*	*	*	*
642.9	19	—	19	—	19	—	—	*	*	10	*
642.91	16	—	16	—	16	—	—	*	*	*8	*

NOTE: Estimates of 5,000-9,000 are to be used with caution; see methods section.

Table 3. Number of all-listed diagnoses for discharges from short-stay hospitals, by ICD-9-CM code, sex and age of patient, and geographic region of hospital: United States, 1994—Con.[Discharges of inpatients from non-Federal hospitals. Excludes newborn infants. Code numbers are from the *International Classification of Diseases, 9th Revision, Clinical Modification* (ICD-9-CM). Totals include data for categories not listed in table; see methods section]

ICD-9-CM code	Total	Sex		Age				Region			
		Male	Female	Under 15 years	15-44 years	45-64 years	65 years and over	Northeast	Midwest	South	West
Number of all-listed diagnoses in thousands											
643	58	—	58	*	58	—	—	14	13	22	*9
643.0	23	—	23	—	23	—	—	*	*7	*9	*
643.03	21	—	21	—	21	—	—	*	*6	*8	*
643.1	25	—	25	—	25	—	—	*7	*	11	*
643.13	24	—	24	—	24	—	—	*7	*	10	*
644	414	—	414	*8	405	*	—	79	75	171	89
644.0	141	—	141	*	138	—	—	31	25	55	29
644.03	140	—	140	*	137	—	—	31	25	55	29
644.1	37	—	37	*	37	—	—	*6	*8	17	*6
644.13	36	—	36	*	36	—	—	*6	*8	16	*6
644.2	236	—	236	*	231	*	—	41	42	99	53
644.21	235	—	235	*	230	*	—	41	42	99	53
645	138	—	138	*	138	*	—	24	30	42	42
645.0	138	—	138	*	138	*	—	24	30	42	42
645.01	136	—	136	*	136	*	—	24	30	41	41
646	208	—	208	*	205	*	—	37	42	96	33
646.1	10	—	10	—	10	—	—	*	*	*	*
646.11	*9	—	*9	—	*9	—	—	*	*	*	*
646.6	147	—	147	*	144	*	—	27	29	67	24
646.61	67	—	67	*	66	—	—	10	14	31	11
646.62	9	—	9	*	9	—	—	*	*	*	*
646.63	67	—	67	*	65	*	—	13	13	30	11
646.8	41	—	41	*	40	—	—	*6	*9	21	*
646.81	23	—	23	—	23	—	—	*	*	12	*
646.83	16	—	16	*	15	—	—	*	*	*8	*
647	82	—	82	*	82	—	—	13	15	38	16
647.0	*7	—	*7	—	*7	—	—	*	*	*	*
647.01	*6	—	*6	—	*6	—	—	*	*	*	*
647.6	38	—	38	*	38	—	—	*6	*	20	*8
647.61	30	—	30	*	30	—	—	*	*	16	*7
647.63	*6	—	*6	—	*6	—	—	*	*	*	*
647.8	29	—	29	*	28	—	—	*	*8	11	*6
647.81	19	—	19	—	19	—	—	*	*	*8	*
647.83	*7	—	*7	*	*7	—	—	*	*	*	*
648	733	—	733	*	731	*	—	150	155	257	172
648.0	40	—	40	—	40	—	—	*9	*6	15	10
648.01	22	—	22	—	22	—	—	*	*	*8	*6
648.03	16	—	16	—	16	—	—	*	*	*7	*
648.1	21	—	21	—	21	—	—	*5	*	*6	*
648.11	17	—	17	—	17	—	—	*	*	*	*
648.2	322	—	322	*	321	*	—	60	70	120	71
648.21	188	—	188	*	187	*	—	27	47	74	40
648.22	100	—	100	*	99	—	—	27	15	31	27
648.23	25	—	25	—	25	*	—	*	*6	11	*
648.24	*8	—	*8	—	*8	—	—	*	*	*	*
648.3	21	—	21	—	21	—	—	*	*	*6	*8
648.31	14	—	14	—	14	—	—	*	*	*	*
648.4	48	—	48	*	48	—	—	*7	11	18	12
648.41	37	—	37	*	37	—	—	*5	*8	15	*9
648.43	*9	—	*9	—	*9	—	—	*	*	*	*
648.6	27	—	27	*	27	—	—	*7	*	11	*5
648.61	23	—	23	*	22	—	—	*6	*	*9	*5
648.8	124	—	124	—	124	*	—	24	29	41	30
648.81	101	—	101	—	101	—	—	19	23	31	27
648.83	23	—	23	—	22	*	—	*6	*5	*9	*
648.9	128	—	128	*	127	—	—	33	26	39	29
648.91	71	—	71	*	70	—	—	18	15	21	17
648.92	*7	—	*7	—	*7	—	—	*	*	*	*
648.93	49	—	49	*	49	—	—	12	10	17	10

NOTE: Estimates of 5,000–9,000 are to be used with caution; see methods section.

Table 3. Number of all-listed diagnoses for discharges from short-stay hospitals, by ICD-9-CM code, sex and age of patient, and geographic region of hospital: United States, 1994—Con.

[Discharges of inpatients from non-Federal hospitals. Excludes newborn infants. Code numbers are from the *International Classification of Diseases, 9th Revision, Clinical Modification* (ICD-9-CM). Totals include data for categories not listed in table; see methods section]

ICD-9-CM code	Total	Sex		Age				Region			
		Male	Female	Under 15 years	15-44 years	45-64 years	65 years and over	Northeast	Midwest	South	West
Number of all-listed diagnoses in thousands											
650	751	—	751	*	749	—	—	124	151	296	179
651	58	—	58	*	58	*	—	13	12	23	11
651.0	55	—	55	*	54	*	—	12	11	22	10
651.01	42	—	42	*	42	*	—	*8	*9	18	*7
651.03	12	—	12	—	12	—	—	*	*	*	*
652	236	—	236	*	235	*	—	49	53	82	52
652.1	11	—	11	—	11	*	—	*	*	*	*
652.11	10	—	10	—	10	—	—	*	*	*	*
652.2	139	—	139	*	139	—	—	25	33	50	31
652.21	133	—	133	*	132	—	—	24	31	48	30
652.23	*6	—	*6	—	*6	—	—	*	*	*	*
652.3	19	—	19	*	19	—	—	*5	*	*	*5
652.31	19	—	19	*	19	—	—	*5	*	*	*5
652.5	23	—	23	—	23	—	—	*6	*5	*8	*
652.51	23	—	23	—	23	—	—	*6	*5	*8	*
652.6	*7	—	*7	—	*7	—	—	*	*	*	*
652.61	*7	—	*7	—	*7	—	—	*	*	*	*
652.8	26	—	26	*	26	—	—	*7	*	*9	*5
652.81	26	—	26	*	26	—	—	*7	*	*9	*5
653	172	—	172	*	171	—	—	24	36	80	32
653.4	147	—	147	*	147	—	—	18	32	69	27
653.41	147	—	147	*	147	—	—	18	32	69	27
653.5	13	—	13	—	13	—	—	*	*	*7	*
653.51	13	—	13	—	13	—	—	*	*	*7	*
654	536	—	536	*	535	*	—	99	118	200	120
654.0	11	—	11	—	11	—	—	*	*	*	*
654.01	10	—	10	—	10	—	—	*	*	*	*
654.1	22	—	22	—	22	*	—	*5	*	10	*
654.11	19	—	19	—	19	*	—	*	*	*9	*
654.2	452	—	452	*	451	*	—	75	105	168	104
654.21	443	—	443	*	442	*	—	73	103	166	100
654.23	*8	—	*8	—	*8	—	—	*	*	*	*
654.4	17	—	17	—	17	—	—	*	*	*9	*
654.41	15	—	15	—	15	—	—	*	*	*8	*
654.5	19	—	19	—	19	*	—	*7	*	*6	*
654.51	12	—	12	—	12	—	—	*	*	*	*
654.53	*7	—	*7	—	*7	—	—	*	*	*	*
654.6	*5	—	*5	—	*5	—	—	*	*	*	*
655	16	—	16	*	15	—	—	*	*	*6	*
655.8	*8	—	*8	*	*7	—	—	*	*	*	*
655.81	*6	—	*6	*	*6	—	—	*	*	*	*
656	544	—	544	*	541	*	—	105	104	201	134
656.1	57	—	57	—	57	—	—	9	12	22	14
656.11	54	—	54	—	54	—	—	*9	12	21	13
656.3	336	—	336	*	334	*	—	65	57	131	83
656.31	331	—	331	*	329	*	—	64	57	129	81
656.4	19	—	19	*	19	—	—	*	*	*8	*
656.41	18	—	18	*	18	—	—	*	*	*7	*
656.5	46	—	46	*	45	*	—	*9	10	16	11
656.51	43	—	43	*	42	*	—	*8	9	16	10
656.6	57	—	57	*	57	—	—	11	12	17	17
656.61	54	—	54	*	54	—	—	10	12	16	16
656.7	15	—	15	—	15	—	—	*7	*	*	*
656.71	15	—	15	—	15	—	—	*7	*	*	*
656.8	*9	—	*9	—	*9	—	—	*	*6	*	*
656.81	*8	—	*8	—	*8	—	—	*	*6	*	*
657	17	—	17	*	17	—	—	*	*5	*	*
657.0	17	—	17	*	17	—	—	*	*5	*	*
657.01	15	—	15	—	15	—	—	*	*	*	*

NOTE: Estimates of 5,000-9,000 are to be used with caution; see methods section.

Table 3. Number of all-listed diagnoses for discharges from short-stay hospitals, by ICD-9-CM code, sex and age of patient, and geographic region of hospital: United States, 1994—Con.[Discharges of inpatients from non-Federal hospitals. Excludes newborn infants. Code numbers are from the *International Classification of Diseases, 9th Revision, Clinical Modification* (ICD-9-CM). Totals include data for categories not listed in table; see methods section]

ICD-9-CM code	Total	Sex		Age				Region			
		Male	Female	Under 15 years	15-44 years	45-64 years	65 years and over	Northeast	Midwest	South	West
Number of all-listed diagnoses in thousands											
658	384	—	384	*	381	*	—	78	78	141	87
658.0	76	—	76	*	74	*	—	15	15	29	18
658.01	71	—	71	*	69	*	—	14	15	27	16
658.1	162	—	162	*	162	—	—	35	36	56	35
658.11	153	—	153	*	153	—	—	33	33	53	34
658.13	*7	—	*7	*	*7	—	—	*	*	*	*
658.2	61	—	61	*	60	*	—	14	13	19	15
658.21	57	—	57	*	57	*	—	12	12	18	15
658.4	80	—	80	*	79	—	—	14	12	35	19
658.41	78	—	78	*	78	—	—	14	12	34	19
659	156	—	156	*	155	*	—	28	34	60	35
659.1	41	—	41	*	41	*	—	*8	*8	19	*6
659.11	31	—	31	—	31	*	—	*6	*6	15	*
659.13	9	—	9	*	9	—	—	*	*	*	*
659.2	43	—	43	—	43	—	—	*6	*9	21	*7
659.21	43	—	43	—	43	—	—	*6	*9	21	*7
659.4	15	—	15	—	15	*	—	*	*	*5	*
659.41	14	—	14	—	14	*	—	*	*	*5	*
659.5	*9	—	*9	—	*9	—	—	*	*	*	*6
659.51	*9	—	*9	—	*9	—	—	*	*	*	*6
659.6	22	—	22	—	22	*	—	*	*	*8	*7
659.61	20	—	20	—	20	*	—	*	*	*8	*6
659.8	24	—	24	—	24	*	—	*8	*7	*5	*
659.81	21	—	21	—	21	*	—	*8	*7	*	*
660	214	—	214	*	213	*	—	30	53	65	65
660.0	30	—	30	—	30	—	—	*5	*6	10	9
660.01	30	—	30	—	30	—	—	*5	*6	10	9
660.1	41	—	41	*	41	—	—	*5	10	12	14
660.11	41	—	41	*	41	—	—	*5	10	12	14
660.3	49	—	49	*	49	*	—	*6	11	14	17
660.31	49	—	49	*	49	*	—	*6	11	14	17
660.4	50	—	50	*	50	—	—	*8	13	15	14
660.41	50	—	50	*	50	—	—	*8	13	15	14
660.6	23	—	23	*	22	—	—	*	*7	*9	*5
660.61	22	—	22	*	22	—	—	*	*7	*9	*5
660.7	13	—	13	—	13	—	—	*	*	*	*
660.71	13	—	13	—	13	—	—	*	*	*	*
661	356	—	356	*	355	*	—	75	68	131	81
661.0	81	—	81	*	80	—	—	18	14	31	18
661.01	80	—	80	*	80	—	—	17	14	31	18
661.1	65	—	65	—	65	*	—	16	13	25	11
661.11	64	—	64	—	64	*	—	16	13	25	11
661.2	119	—	119	*	119	—	—	26	24	46	24
661.21	119	—	119	*	118	—	—	26	24	46	24
661.3	72	—	72	*	71	—	—	13	13	25	20
661.31	72	—	72	*	71	—	—	13	13	25	20
661.4	*8	—	*8	—	*8	—	—	*	*	*	*
661.41	*8	—	*8	—	*8	—	—	*	*	*	*
661.9	12	—	12	—	12	—	—	*	*	*	*
661.91	12	—	12	—	12	—	—	*	*	*	*
662	48	—	48	—	48	—	—	12	13	10	14
662.0	*9	—	*9	—	*9	—	—	*	*	*	*
662.01	*9	—	*9	—	*9	—	—	*	*	*	*
662.1	10	—	10	—	10	—	—	*	*	*	*
662.11	10	—	10	—	10	—	—	*	*	*	*
662.2	30	—	30	—	30	—	—	*8	*9	*7	*6
662.21	30	—	30	—	30	—	—	*8	*9	*7	*6

NOTE: Estimates of 5,000-9,000 are to be used with caution; see methods section.

Table 3. Number of all-listed diagnoses for discharges from short-stay hospitals, by ICD-9-CM code, sex and age of patient, and geographic region of hospital: United States, 1994—Con.[Discharges of inpatients from non-Federal hospitals. Excludes newborn infants. Code numbers are from the *International Classification of Diseases, 9th Revision, Clinical Modification* (ICD-9-CM). Totals include data for categories not listed in table; see methods section]

ICD-9-CM code	Total	Sex		Age				Region			
		Male	Female	Under 15 years	15-44 years	45-64 years	65 years and over	Northeast	Midwest	South	West
Number of all-listed diagnoses in thousands											
663	632	—	632	*	630	*	—	126	123	227	156
663.0	19	—	19	—	19	—	—	*	*	11	*
663.01	19	—	19	—	19	—	—	*	*	11	*
663.1	93	—	93	*	93	*	—	13	19	34	28
663.11	93	—	93	*	93	*	—	13	19	34	28
663.2	29	—	29	—	29	—	—	*6	*5	9	*8
663.21	29	—	29	—	29	—	—	*6	*5	9	*8
663.3	455	—	455	*	455	*	—	100	92	155	108
663.31	455	—	455	*	455	*	—	100	92	155	108
663.4	9	—	9	—	9	—	—	*	*	*	*
663.41	9	—	9	—	9	—	—	*	*	*	*
663.8	17	—	17	*	16	—	—	*	*	10	*
663.81	17	—	17	*	16	—	—	*	*	10	*
664	915	—	915	*	911	*	—	171	205	284	254
664.0	382	—	382	*	380	—	—	72	71	120	119
664.01	381	—	381	*	379	—	—	71	71	120	119
664.1	331	—	331	*	329	*	—	62	79	95	96
664.11	328	—	328	*	326	*	—	61	78	94	95
664.2	126	—	126	*	126	—	—	25	35	43	24
664.21	126	—	126	*	126	—	—	25	35	43	24
664.3	63	—	63	*	62	—	—	11	18	21	13
664.31	62	—	62	*	61	—	—	11	18	20	13
664.4	*7	—	*7	—	*7	—	—	*	*	*	*
664.41	*7	—	*7	—	*7	—	—	*	*	*	*
665	147	—	147	*	146	—	—	25	42	55	24
665.3	*9	—	*9	*	*8	—	—	*	*	*	*
665.31	*8	—	*8	*	*8	—	—	*	*	*	*
665.4	55	—	55	*	54	—	—	10	13	24	*8
665.41	55	—	55	*	54	—	—	10	13	24	*8
665.5	70	—	70	*	70	—	—	12	23	24	12
665.51	70	—	70	*	70	—	—	12	23	24	12
666	80	—	80	—	80	*	—	12	16	26	26
666.0	18	—	18	—	17	*	—	*	*	*5	*5
666.02	16	—	16	—	15	*	—	*	*	*	*
666.1	46	—	46	—	46	—	—	*6	*8	15	17
666.12	45	—	45	—	45	—	—	*5	*8	15	16
666.2	13	—	13	—	13	—	—	*	*	*	*
666.22	*8	—	*8	—	*8	—	—	*	*	*	*
667	36	—	36	*	36	—	—	*7	11	9	9
667.0	31	—	31	*	31	—	—	*6	9	*8	*8
667.02	30	—	30	*	30	—	—	*5	9	*7	*8
668	*5	—	*5	—	*5	—	—	*	*	*	*
669	220	—	220	*	220	*	—	24	52	92	52
669.4	*7	—	*7	—	*7	—	—	*	*	*	*
669.5	139	—	139	*	139	—	—	15	37	61	26
669.51	139	—	139	*	139	—	—	15	37	61	26
669.7	*8	—	*8	—	*8	—	—	*	*	*	*
669.71	*8	—	*8	—	*8	—	—	*	*	*	*
669.8	31	—	31	*	31	—	—	*	*8	9	10
669.81	29	—	29	*	29	—	—	*	*7	*8	10
669.9	26	—	26	—	26	*	—	*	*	10	11
669.91	26	—	26	—	26	*	—	*	*	10	11
670	40	—	40	*	39	—	—	*7	9	16	*7
670.0	40	—	40	*	39	—	—	*7	9	16	*7
670.02	26	—	26	*	25	—	—	*	*	12	*
670.04	14	—	14	—	14	—	—	*	*	*	*

NOTE: Estimates of 5,000-9,000 are to be used with caution; see methods section.

Table 3. Number of all-listed diagnoses for discharges from short-stay hospitals, by ICD-9-CM code, sex and age of patient, and geographic region of hospital: United States, 1994—Con.[Discharges of inpatients from non-Federal hospitals. Excludes newborn infants. Code numbers are from the *International Classification of Diseases, 9th Revision, Clinical Modification* (ICD-9-CM). Totals include data for categories not listed in table; see methods section]

ICD-9-CM code	Total	Sex		Age				Region			
		Male	Female	Under 15 years	15-44 years	45-64 years	65 years and over	Northeast	Midwest	South	West
Number of all-listed diagnoses in thousands											
671	28	—	28	*	28	—	—	*9	*7	9	*
671.8	15	—	15	*	15	—	—	*	*	*7	*
671.81	*9	—	*9	*	*8	—	—	*	*	*	*
671.82	*6	—	*6	—	*6	—	—	*	*	*	*
672	16	—	16	*	15	—	—	*	*	*	*
672.0	16	—	16	*	15	—	—	*	*	*	*
672.02	14	—	14	*	14	—	—	*	*	*	*
674	28	—	28	*	28	—	—	*6	*8	10	*
674.3	11	—	11	*	10	—	—	*	*	*	*
674.32	*6	—	*6	*	*6	—	—	*	*	*	*
674.8	12	—	12	—	12	—	—	*	*	*	*
674.82	*9	—	*9	—	*9	—	—	*	*	*	*
676	11	—	11	*	10	—	—	*	*	*7	*
676.2	10	—	10	*	10	—	—	*	*	*7	*
676.22	*8	—	*8	*	*7	—	—	*	*	*5	*
680-709	1,418	684	734	108	323	330	657	386	347	475	211
680	*5	*	*	*	*	*	*	*	*	*	*
681	47	27	19	*	12	12	19	14	10	16	*6
681.0	17	12	*6	*	10	*	*	*5	*	*6	*
681.00	14	10	*	*	*8	*	*	*	*	*	*
681.1	29	16	13	*	*	10	15	*9	*6	11	*
681.10	27	15	12	*	*	*9	15	*8	*6	9	*
682	552	275	277	34	140	142	236	144	141	173	94
682.0	35	15	19	*6	10	10	*9	*8	*6	13	*8
682.1	14	*8	*6	*	*6	*	*	*	*	*	*
682.2	50	22	28	*	15	16	17	9	11	19	10
682.3	59	31	28	*	22	18	16	17	14	17	10
682.4	27	19	*8	*	11	*	*7	*8	*8	*8	*
682.5	12	*	*8	*	*	*	*	*	*	*	*
682.6	240	115	125	*7	53	53	126	67	66	70	37
682.7	96	51	45	*	13	28	51	26	27	29	14
682.8	*6	*	*	*	*	*	*	*	*	*	*
682.9	13	*7	*6	*	*	*	*	*	*	*7	*
683	*8	*6	*	*	*	*	*	*	*	*	*
684	*7	*	*	*	*	*	*	*	*	*	*
685	*8	*	*	*	*	*	*	*	*	*	—
686	23	12	11	*	*6	*8	*6	*	*	12	*
686.9	18	*9	9	*	*	*7	*5	*	*	10	*
690	*5	*	*	*	*	*	*	*	*	*	*
691	32	19	14	26	*	*	*	*8	10	11	*
691.0	24	14	10	23	—	*	—	*	*9	*8	*
691.8	*8	*	*	*	*	*	*	*	*	*	*
692	49	22	27	11	14	*8	16	11	13	16	9
692.9	42	18	24	*8	12	*7	14	9	11	14	*9
693	42	16	26	*	*8	13	16	13	9	14	*
693.0	40	15	25	*	*8	13	16	13	*9	14	*
694	*5	*	*	—	*	*	*	*	*	*	*
695	23	10	13	*	*7	*	10	*5	*5	*8	*
695.1	*8	*	*	*	*	*	*	*	*	*	*
696	48	27	21	*	15	15	18	18	13	9	*9
696.0	*8	*	*	—	*	*	*	*	*	*	*
696.1	39	22	16	*	12	12	15	14	11	*8	*6
698	18	*	13	*	*8	*	*	*5	*	*7	*
698.9	13	*	9	*	*6	*	*	*	*	*5	*

NOTE: Estimates of 5,000-9,000 are to be used with caution; see methods section.

Table 3. Number of all-listed diagnoses for discharges from short-stay hospitals, by ICD-9-CM code, sex and age of patient, and geographic region of hospital: United States, 1994—Con.

[Discharges of inpatients from non-Federal hospitals. Excludes newborn infants. Code numbers are from the *International Classification of Diseases, 9th Revision, Clinical Modification* (ICD-9-CM). Totals include data for categories not listed in table; see methods section]

ICD-9-CM code	Total	Sex		Age				Region			
		Male	Female	Under 15 years	15-44 years	45-64 years	65 years and over	Northeast	Midwest	South	West
Number of all-listed diagnoses in thousands											
701	17	*5	11	*	*6	*6	*	*	*	*	*
702	*9	*	*5	*	*	*	*	*	*	*	*
703	14	*9	*5	*	*	*	*7	*6	*	*	*
703.0	*7	*	*	*	*	*	*	*	*	*	*
703.8	*6	*	*	—	*	*	*	*	*	*	*
704	*6	*	*	*	*	*	*	*	*	*	*
706	28	15	13	*	14	*5	*7	*8	*6	12	*
706.1	9	*	*	*	*7	*	*	*	*	*	*
706.2	16	9	*6	*	*6	*	*6	*	*	*8	*
707	403	184	218	*	41	82	279	105	94	150	54
707.0	228	96	132	*	20	31	175	60	45	91	32
707.1	154	78	76	*	18	44	92	40	43	50	21
707.8	13	*	*8	*	*	*	*7	*	*	*	*
707.9	*7	*5	*	—	*	*	*	*	*	*	*
708	28	10	18	*	12	*6	*8	9	*7	*8	*
708.0	14	*6	*9	*	*5	*	*	*7	*	*	*
708.9	10	*	*6	*	*	*	*	*	*	*	*
709	34	16	18	*	14	*8	9	10	*8	12	*
709.2	15	*7	*7	*	*7	*	*	*	*	*6	*
709.8	*6	*	*	*	*	*	*	*	*	*	*
709.9	*7	*	*	*	*	*	*	*	*	*	—
710-739	4,301	1,627	2,674	74	842	1,031	2,355	963	1,074	1,559	705
710	118	17	101	*	41	36	40	24	23	49	23
710.0	77	12	66	*	33	24	19	16	15	31	16
710.1	13	*	11	*	*	*6	*5	*	*	*	*
710.2	12	*	11	—	*	*	*8	*	*	*8	*
710.3	*6	*	*	*	*	*	*	*	*	*	*
711	31	21	10	*5	*9	*7	10	*6	*7	11	*7
711.0	29	20	9	*5	*8	*6	9	*5	*7	11	*6
711.06	11	*7	*	*	*	*	*	*	*	*	*
712	*7	*	*	—	*	*	*6	*	*	*	*
712.3	*6	*	*	—	—	*	*	*	*	*	*
714	212	57	155	*	13	62	134	48	46	85	33
714.0	200	53	147	*	11	59	130	44	43	82	31
715	1,069	349	720	*	37	197	833	228	301	395	146
715.0	38	*9	30	—	*	*	35	*6	14	15	*
715.00	*7	*	*	—	—	*	*6	*	*	*	*
715.09	31	*7	24	—	*	*	28	*5	12	11	*
715.1	30	*8	21	—	*	*	23	*	*8	10	*7
715.15	*7	*	*5	—	*	*	*5	*	*	*	*
715.16	17	*5	12	—	*	*	14	*	*6	*5	*
715.3	322	124	198	*	20	73	228	69	72	128	53
715.31	13	*6	*7	—	*	*6	*	*	*	*7	*
715.34	*7	*	*5	—	*	*	*6	*	*	*	*
715.35	82	34	48	*	*7	16	60	15	24	27	16
715.36	204	77	127	*	*6	47	149	49	40	84	31
715.37	*5	*	*	—	*	*	*	*	*	*	*
715.38	*7	*	*6	—	*	*	*5	*	*	*	*
715.8	61	16	45	—	*	*8	51	17	16	21	*7
715.89	60	16	44	—	*	*8	50	17	16	21	*6
715.9	615	189	425	*	13	107	494	131	191	220	73
715.90	453	130	323	*	*6	67	379	92	114	197	49
715.91	12	*6	*6	—	*	*	*7	*	*5	*	*
715.95	48	21	27	—	*	11	35	15	21	*	*8
715.96	79	27	52	—	*	20	58	17	42	10	11
715.98	15	*	11	*	*	*	11	*	*5	*5	*

NOTE: Estimates of 5,000-9,000 are to be used with caution; see methods section.

Table 3. Number of all-listed diagnoses for discharges from short-stay hospitals, by ICD-9-CM code, sex and age of patient, and geographic region of hospital: United States, 1994—Con.[Discharges of inpatients from non-Federal hospitals. Excludes newborn infants. Code numbers are from the *International Classification of Diseases, 9th Revision, Clinical Modification* (ICD-9-CM). Totals include data for categories not listed in table; see methods section]

ICD-9-CM code	Total	Sex		Age				Region			
		Male	Female	Under 15 years	15-44 years	45-64 years	65 years and over	Northeast	Midwest	South	West
Number of all-listed diagnoses in thousands											
716	204	73	131	*	24	44	135	42	52	80	29
716.1	16	*7	*8	*	*7	*	*	*	*	*7	*
716.5	*7	*	*6	*	*	*	*	*	*	*	*
716.59	*6	*	*5	—	*	*	*	*	*	*	*
716.9	173	62	111	*	16	36	120	35	47	66	25
716.90	122	43	79	*	*7	23	92	24	33	48	18
716.91	*8	*	*	—	*	*	*	*	*	*	*
716.94	*5	*	*	*	*	*	*	*	*	*	*
716.96	15	*	10	—	*	*	*8	*	*	*6	*
716.98	*6	*	*	—	*	*	*	*	*	*	*
716.99	9	*	*7	—	*	*	*	*	*	*5	*
717	79	51	27	*	59	14	*	36	15	13	16
717.3	*7	*	*	*	*	*	*	*5	*	*	*
717.4	10	*6	*	*	*6	*	*	*5	*	*	*
717.40	*5	*	*	*	*	*	*	*	*	*	*
717.7	17	*9	*8	*	11	*	*	10	*	*	*
717.8	29	21	*8	*	26	*	*	11	*8	*	*6
717.83	27	20	*7	*	25	*	*	10	*8	*	*6
718	79	37	42	*6	34	14	26	24	14	21	20
718.3	23	10	13	*	14	*	*5	*6	*	*6	*6
718.31	11	*8	*	*	*8	*	*	*	*	*	*
718.36	*7	*	*5	*	*	*	*	*	*	*	*
718.4	25	13	12	*	*5	*	11	*7	*6	*6	*6
718.49	*7	*	*	*	*	*	*	*	*	*	*
718.5	9	*	*	—	*	*	*5	*	*	*	*
718.56	*6	*	*	—	*	*	*	*	*	*	*
718.8	11	*	*6	*	*8	*	*	*	*	*	*
719	113	44	68	*	31	27	51	28	24	37	23
719.0	14	*7	*7	*	*	*	*6	*	*	*	*
719.06	11	*5	*6	*	*	*	*6	*	*	*	*
719.1	*5	*	*	*	*	*	*	*	*	*	*
719.4	60	21	39	*	20	15	24	9	14	22	15
719.40	*5	*	*	—	*	*	*	*	*	*	*
719.41	15	*7	*8	*	*	*5	*	*	*6	*	*
719.45	21	*7	14	*	*	*5	12	*	*	*7	*7
719.46	*8	*	*5	*	*	*	*	*	*	*	*
719.49	*6	*	*	*	*	*	*	*	*	*	*
719.7	22	*7	15	*	*	*	16	9	*	*6	*
719.76	*8	*	*7	*	*	*	*6	*	*	*	*
720	13	*9	*	*	*	*5	*	*	*	*	*
720.0	*7	*5	*	—	*	*	*	*	*	*	*
721	254	97	157	*	28	69	156	53	72	93	35
721.0	72	33	39	—	9	30	32	12	18	33	9
721.1	17	10	*8	*	*	*	9	*6	*	*6	*
721.2	12	*	*9	—	*	*	10	*	*6	*	*
721.3	88	30	58	*	*8	22	57	17	31	27	13
721.4	*6	*	*	—	*	*	*	*	*	*	*
721.9	53	15	38	—	*	*7	42	15	11	20	*8
721.90	53	15	38	—	*	*7	42	15	11	19	*8
722	498	256	242	*	220	159	118	92	109	216	82
722.0	64	30	34	*	33	27	*	11	11	32	9
722.1	273	151	122	*	139	84	49	54	65	112	42
722.10	269	149	120	*	138	82	49	53	64	110	41
722.2	9	*7	*	—	*6	*	*	*	*	*6	*
722.4	18	10	*7	—	*	*6	*8	*	*	*9	*
722.5	71	31	40	*	16	21	34	11	17	29	13
722.52	68	30	38	*	15	21	32	10	16	28	13
722.6	*6	*	*	—	*	*	*	*	*	*	*
722.7	15	*8	*7	—	*	*6	*	*	*	*6	*

NOTE: Estimates of 5,000-9,000 are to be used with caution; see methods section.

Table 3. Number of all-listed diagnoses for discharges from short-stay hospitals, by ICD-9-CM code, sex and age of patient, and geographic region of hospital: United States, 1994—Con.

[Discharges of inpatients from non-Federal hospitals. Excludes newborn infants. Code numbers are from the *International Classification of Diseases, 9th Revision, Clinical Modification* (ICD-9-CM). Totals include data for categories not listed in table; see methods section]

ICD-9-CM code	Total	Sex		Age				Region			
		Male	Female	Under 15 years	15-44 years	45-64 years	65 years and over	Northeast	Midwest	South	West
Number of all-listed diagnoses in thousands											
722.71	*6	*	*	—	*	*	*	*	*	*	*
722.73	*7	*	*	—	*	*	*	*	*	*	*
722.8	20	*9	11	—	*6	*6	*7	*	*	11	*
722.83	17	*7	9	—	*5	*5	*6	*	*	9	*
722.9	22	*8	14	—	11	*	*6	*6	*	*7	*
722.93	17	*6	11	—	*8	*	*	*	*	*6	*
723	51	25	26	*	20	18	11	10	11	21	10
723.0	*8	*5	*	*	*	*	*	*	*	*	*
723.1	17	*8	*9	*	*9	*5	*	*	*	*7	*
723.4	20	*9	11	*	*8	*9	*	*	*	9	*
724	293	124	169	*	84	90	117	53	78	108	55
724.0	79	37	42	*	*5	21	53	16	23	26	14
724.00	13	*	*8	—	*	*	9	*	*	*5	*
724.02	66	31	34	*	*	18	43	14	19	21	11
724.2	82	35	48	*	33	26	23	14	22	31	16
724.3	16	*7	*9	—	*	*	*7	*6	*	*	*
724.4	34	11	23	*	12	14	*8	*6	*7	18	*
724.5	62	27	35	*	23	19	20	*7	16	23	16
724.6	*6	*	*	*	*	*	*	*	*	*	*
724.8	*8	*	*	*	*	*	*	*	*	*	*
725	33	9	24	—	—	*	31	*7	12	*7	*8
726	107	52	54	*	30	43	32	30	29	26	22
726.0	*6	*	*	—	*	*	*	*	*	*	*
726.1	34	17	17	*	*7	15	11	*7	11	*7	*9
726.10	27	14	13	—	*6	13	*8	*6	*8	*6	*7
726.2	31	19	12	—	11	14	*6	12	*7	*7	*6
726.3	10	*6	*	*	*	*	*	*	*	*	*
726.33	*9	*5	*	*	*	*	*	*	*	*	*
726.5	*7	*	*	*	*	*	*	*	*	*	*
726.6	*5	*	*	*	*	*	*	*	*	*	*
726.7	*6	*	*	—	*	*	*	*	*	*	*
726.9	*7	*	*	*	*	*	*	*	*	*	*
727	73	34	39	*6	25	24	18	23	14	20	16
727.0	31	19	13	*	12	11	*6	13	*8	*7	*
727.00	16	*8	*8	*	*	*5	*	*6	*	*	*
727.05	9	*7	*	*	*6	*	*	*	*	*	*
727.1	*9	*	*8	*	*	*	*	*	*	*	*
727.4	*8	*	*5	*	*	*	*	*	*	*	*
727.5	*5	*	*	*	*	*	*	*	*	*	*
727.51	*5	*	*	*	*	*	*	*	*	*	*
727.6	*7	*	*	—	*	*	*	*	*	*	*
727.8	11	*7	*	*	*	*	*	*	*	*	*
727.81	*6	*	*	*	*	*	*	*	*	*	*
728	76	35	41	*	24	20	30	16	15	28	16
728.2	*6	*	*	*	*	*	*	*	*	*	*
728.3	*7	*	*5	*	*	*	*	*	*	*	*
728.7	*5	*	*	*	*	*	*	*	*	*	*
728.71	*5	*	*	*	*	*	*	*	*	*	*
728.8	42	22	20	*	15	12	14	9	*7	16	9
728.84	*5	*	*	—	*	*	—	*	*	*	*
728.85	11	*	*6	*	*	*	*	*	*	*	*
728.89	25	16	9	*	10	*6	10	*5	*	*9	*7
728.9	10	*	*6	*	*	*	*5	*	*	*	*

NOTE: Estimates of 5,000–9,000 are to be used with caution; see methods section.

Table 3. Number of all-listed diagnoses for discharges from short-stay hospitals, by ICD-9-CM code, sex and age of patient, and geographic region of hospital: United States, 1994—Con.[Discharges of inpatients from non-Federal hospitals. Excludes newborn infants. Code numbers are from the *International Classification of Diseases, 9th Revision, Clinical Modification* (ICD-9-CM). Totals include data for categories not listed in table; see methods section]

ICD-9-CM code	Total	Sex		Age				Region				
		Male	Female	Under 15 years	15-44 years	45-64 years	65 years and over	Northeast	Midwest	South	West	
Number of all-listed diagnoses in thousands												
729	125	51	74	*	30	40	51	22	38	47	18	
729.1	37	11	26	*	10	14	13	*7	11	14	*5	
729.2	10	*6	*	*	*	*	*6	*	*	*	*	
729.5	36	17	19	*	11	12	11	*6	12	14	*	
729.8	28	12	16	*	*	*6	17	*5	10	10	*	
729.81	*7	*	*	*	*	*	*	*	*	*	*	
729.82	*8	*	*5	—	*	*	*5	*	*	*	*	
729.89	12	*5	*7	*	*	*	*9	*	*5	*	*	
730	103	62	41	*5	22	34	42	31	25	28	19	
730.0	31	20	10	*	*5	11	13	12	*8	*5	*6	
730.07	18	11	*7	*	*	*8	*8	*7	*6	*	*	
730.08	*5	*	*	*	*	*	*	*	*	*	*	
730.1	18	10	*8	*	*	*6	*7	*7	*	*	*	
730.17	*6	*	*	—	*	*	*	*	*	*	*	
730.2	46	26	20	*	10	13	19	11	12	15	*8	
730.26	*6	*	*	*	*	*	*	*	*	*	*	
730.27	23	14	*9	*	*	*8	10	*5	*5	9	*	
730.28	*7	*	*	*	*	*	*	*	*	*	*	
730.8	*7	*5	*	—	*	*	*	*	*	*	*	
730.87	*6	*	*	—	*	*	*	*	*	*	*	
731	20	11	10	*	*	*	19	*8	*	*7	*	
731.0	19	10	10	*	*	*	19	*8	*	*6	*	
732	11	*6	*5	*5	*	*	*	*	*	*	*	
733	526	128	398	*7	56	69	394	120	123	191	92	
733.0	237	26	211	*	*	16	216	47	52	96	43	
733.00	207	21	186	*	*	14	188	42	48	88	29	
733.01	17	*	16	*	*	*	17	*	*	*	*8	
733.09	12	*	*8	*	*	*	11	*	*	*	*5	
733.1	148	40	108	*	*	16	128	36	33	55	24	
733.10	*5	*	*	*	—	*	*	*	*	*	*	
733.11	*6	*	*	*	—	*	*5	*	*	*	*	
733.13	101	27	74	*	*	9	91	24	23	36	18	
733.14	15	*	12	*	*	*	13	*	*	*6	*	
733.15	*6	*	*	*	*	*	*	*	*	*	*	
733.19	11	*	*7	*	*	*	*8	*	*	*	*	
733.4	25	11	14	*	10	*6	*8	*6	*7	*7	*	
733.42	19	9	10	*	*7	*	*7	*	*5	*5	*	
733.8	43	25	18	*	20	11	12	12	10	12	9	
733.81	*7	*	*	*	*	*	*	*	*	*	*	
733.82	37	21	16	*	16	*8	11	11	*7	10	*8	
733.9	63	22	41	*	18	17	27	16	18	19	10	
733.90	19	*5	14	*	*	*	13	*	*	*8	*	
733.92	*6	*	*	—	*	*	*	*	*	*	*	
733.99	38	13	25	*	12	11	14	11	11	10	*6	
735	25	*	22	*	*	15	*5	*8	*	11	*	
735.0	12	*	11	*	*	*7	*	*5	*	*5	*	
735.4	*7	*	*6	—	*	*	*	*	*	*	*	
736	60	37	23	*	13	13	30	15	17	20	*9	
736.4	*6	*	*	*	*	*	*	*	*	*	*	
736.7	10	*6	*	*	*	*	*	*	*	*	*	
736.79	*7	*	*	*	*	*	*	*	*	*	*	
736.8	32	22	10	*	*	*7	18	*8	*8	11	*	
736.89	29	21	*9	*	*	*6	16	*6	*8	11	*	
737	67	19	48	*9	15	9	35	18	20	20	*8	
737.1	*9	*	*6	*	*	*	*7	*	*	*	*	
737.10	*8	*	*5	—	*	*	*7	*	*	*	*	
737.3	49	12	37	*7	13	*	24	13	15	15	*	
737.30	43	10	33	*6	10	*	22	11	14	14	*	
737.4	*5	*	*5	*	*	*	*	*	*	*	*	

NOTE: Estimates of 5,000-9,000 are to be used with caution; see methods section.

Table 3. Number of all-listed diagnoses for discharges from short-stay hospitals, by ICD-9-CM code, sex and age of patient, and geographic region of hospital: United States, 1994—Con.

[Discharges of inpatients from non-Federal hospitals. Excludes newborn infants. Code numbers are from the *International Classification of Diseases, 9th Revision, Clinical Modification* (ICD-9-CM). Totals include data for categories not listed in table; see methods section]

ICD-9-CM code	Total	Sex		Age				Region			
		Male	Female	Under 15 years	15-44 years	45-64 years	65 years and over	Northeast	Midwest	South	West
Number of all-listed diagnoses in thousands											
738	37	13	24	*	10	12	14	*8	10	13	*7
738.4	27	*8	20	—	*6	9	13	*	*8	10	*6
739	15	*	11	*	*6	*	*	*	*6	*6	*
740-759	538	257	281	298	117	59	63	180	126	123	109
741	17	*6	10	*7	*6	*	*	*8	*	*	*
741.0	*9	*	*6	*5	*	*	—	*	*	*	*
741.9	*8	*	*	*	*	*	*	*	*	*	*
741.90	*6	*	*	*	*	*	*	*	*	*	*
742	29	12	17	19	*	*	*	10	*8	*	*6
742.3	*8	*	*	*7	*	*	—	*	*	*	*
742.5	*7	*	*5	*	*	*	*	*	*	*	*
742.59	*6	*	*	*	*	*	*	*	*	*	*
744	10	*5	*5	*8	*	*	*	*	*	*	*
744.2	*5	*	*	*5	*	—	*	*	*	*	*
745	68	29	39	52	9	*	*	28	14	12	14
745.2	*6	*	*	*5	*	—	—	*	*	*	*
745.4	25	10	15	20	*	*	*	*8	*6	*	*7
745.5	23	*9	13	16	*	*	*	*9	*5	*6	*
745.6	*5	*	*	*5	*	*	*	*	*	*	*
746	48	23	24	30	9	*	*7	19	*9	*9	11
746.0	*7	*	*5	*6	*	*	—	*	*	*	*
746.02	*6	*	*	*5	*	*	—	*	*	*	*
746.4	*6	*	*	*	*	*	*	*	*	*	*
746.8	18	10	*7	*8	*	*	*	*6	*	*	*
746.89	10	*5	*	*	*	*	*	*	*	*	*
747	54	25	29	37	*5	*9	*	19	11	10	14
747.0	17	*9	*8	15	—	*	—	*	*	*	*7
747.2	*5	*	*	*	*	*	*	*	*	*	*
747.3	*9	*	*5	*9	*	*	—	*	*	*	*
747.8	10	*	*8	*	*	*5	*	*	*	*	*
747.81	10	*	*8	*	*	*	*	*	*	*	*
748	16	*9	*6	13	*	*	*	*6	*	*	*
748.3	*9	*5	*	*8	—	*	*	*	*	*	*
749	18	10	*8	15	*	*	*	*	*	*	*5
749.0	*9	*5	*	*8	*	*	*	*	*	*	*
749.00	*6	*	*	*6	—	*	*	*	*	*	*
749.2	*7	*	*	*6	*	*	*	*	*	*	*
750	20	16	*	16	*	*	*	*	*8	*	*
750.5	11	10	*	11	—	—	—	*	*	*	*
751	26	14	12	11	*	*	*5	*9	*6	*7	*
751.0	*5	*	*	*	*	*	*	*	*	*	*
751.6	*6	*	*5	*	*	*	*	*	*	*	*
752	28	10	18	9	13	*	*	*8	9	*8	*
752.1	12	—	12	*	*7	*	*	*	*	*	*
752.11	12	—	12	*	*7	*	*	*	*	*	*
752.6	*6	*6	—	*	*	*	*	*	*	*	*
753	56	21	35	10	18	13	15	16	11	21	*7
753.1	33	12	21	*	11	*8	12	*7	*7	14	*
753.10	*7	*	*	*	*	*	*5	*	*	*	*
753.12	13	*	10	*	*6	*	*	*	*	*	*
753.2	*6	*	*	*	*	*	*	*	*	*	*
753.3	*8	*	*	*	*	*	*	*	*	*	*
754	22	*8	14	14	*5	*	*	*7	*6	*6	*
754.3	*6	*	*	*	*	*	—	*	*	*	*

NOTE: Estimates of 5,000-9,000 are to be used with caution; see methods section.

Table 3. Number of all-listed diagnoses for discharges from short-stay hospitals, by ICD-9-CM code, sex and age of patient, and geographic region of hospital: United States, 1994—Con.[Discharges of inpatients from non-Federal hospitals. Excludes newborn infants. Code numbers are from the *International Classification of Diseases, 9th Revision, Clinical Modification* (ICD-9-CM). Totals include data for categories not listed in table; see methods section]

ICD-9-CM code	Total	Sex		Age				Region			
		Male	Female	Under 15 years	15-44 years	45-64 years	65 years and over	Northeast	Midwest	South	West
Number of all-listed diagnoses in thousands											
755	16	*8	*8	*9	*	*	*	*6	*	*6	*
755.6	*6	*	*	*	*	*	*	*	*	*	*
756	41	23	18	17	*9	*6	*9	*9	9	12	12
756.0	*8	*5	*	*8	*	*	—	*	*	*	*
756.1	20	10	10	*	*6	*	*7	*	*5	*6	*6
756.12	13	*6	*7	*	*	*	*6	*	*	*	*5
757	*5	*	*	*	*	*	*	*	*	*	*
758	33	15	18	17	11	*	*	13	*6	*8	*6
758.0	26	13	14	12	10	*	*	10	*6	*7	*
759	27	17	10	10	12	*	*	*8	11	*	*
759.8	11	*7	*	*5	*	*	*	*	*	*	*
759.89	*8	*5	*	*	*	*	*	*	*	*	*
760-779	355	205	151	346	*5	*	*	61	112	88	94
765	41	24	17	41	*	—	—	*7	12	12	9
765.0	*8	*	*	*8	—	—	—	*	*	*	*
765.1	33	20	13	33	*	—	—	*6	10	11	*5
765.18	*8	*6	*	*8	—	—	—	*	*	*	*
765.19	*6	*	*	*6	*	—	—	*	*	*	*
767	*5	*	*	*5	*	—	*	*	*	*	*
769	24	16	*8	24	*	*	—	*	*6	*7	9
770	76	45	31	73	*	*	*	15	25	11	24
770.1	*6	*	*	*6	—	—	—	*	*	*	*
770.2	*5	*	*	*5	—	—	—	*	*	*	*
770.6	10	*6	*	10	*	—	—	*	*	*	*
770.7	20	12	*7	19	—	*	*	*	*7	*	*7
770.8	27	15	12	27	*	*	—	*5	10	*	*7
771	35	19	16	33	*	*	—	*7	10	11	*7
771.8	26	13	13	25	*	*	—	*6	*7	*7	*7
772	*6	*	*	*6	—	—	—	*	*	*	*
773	*8	*6	*	*8	—	—	—	*	*	*	*
773.1	*5	*	*	*5	—	—	—	*	*	*	*
774	68	41	28	67	*	*	*	*7	21	22	19
774.2	18	11	*8	18	*	*	—	*	*8	*6	*
774.6	45	28	18	45	—	*	*	*	12	15	14
775	23	14	*9	22	*	*	—	*	*7	*6	*6
775.4	*6	*	*	*6	—	—	—	*	*	*	*
775.5	*8	*	*	*8	—	—	—	*	*	*	*
776	12	*6	*6	11	—	—	*	*	*	*	*
776.6	*5	*	*	*5	—	—	—	*	*	*	*
777	*7	*	*	*7	—	*	—	*	*	*	*
778	11	*6	*5	11	*	*	—	*	*5	*	*
778.4	*6	*	*	*6	—	—	—	*	*	*	*
779	21	10	11	20	*	*	*	*5	*8	*	*
779.3	11	*5	*6	11	—	—	*	*	*5	*	*
780-799	5,664	2,596	3,068	454	1,368	1,396	2,446	1,305	1,447	2,030	882
780	1,611	767	843	172	367	360	711	416	390	570	235
780.0	65	29	36	*	13	12	38	15	14	21	15
780.01	20	10	10	*	*	*	13	*	*	*6	*
780.09	40	16	23	*	*8	*8	22	*9	*9	14	*8
780.1	11	*5	*5	*	*	*	*	*	*	*6	*
780.2	324	145	179	*	51	65	204	90	68	120	45
780.3	647	319	328	82	175	160	230	181	156	231	80
780.4	91	31	60	*	14	19	56	26	26	25	15

NOTE: Estimates of 5,000-9,000 are to be used with caution; see methods section.

Table 3. Number of all-listed diagnoses for discharges from short-stay hospitals, by ICD-9-CM code, sex and age of patient, and geographic region of hospital: United States, 1994—Con.

[Discharges of inpatients from non-Federal hospitals. Excludes newborn infants. Code numbers are from the *International Classification of Diseases, 9th Revision, Clinical Modification* (ICD-9-CM). Totals include data for categories not listed in table; see methods section]

ICD-9-CM code	Total	Sex		Age				Region			
		Male	Female	Under 15 years	15-44 years	45-64 years	65 years and over	Northeast	Midwest	South	West
Number of all-listed diagnoses in thousands											
780.5	72	48	24	*7	21	30	15	19	16	23	14
780.52	*6	*	*	—	*	*	*	*	*	*	*
780.57	58	41	18	*6	18	26	*9	16	13	17	12
780.6	265	133	132	70	65	48	82	59	66	97	43
780.7	97	38	59	*	13	14	66	15	31	34	17
780.9	34	17	18	*	9	9	14	*8	9	11	*6
781	108	45	62	*8	17	16	67	26	30	31	20
781.0	14	*6	*8	*	*	*	*	*5	*	*	*
781.2	49	20	30	*	*	*6	39	11	16	13	*9
781.3	34	15	19	*5	*7	*	18	*8	*8	10	*8
781.9	*7	*	*	*	*	*	*	*	*	*	*
782	137	59	78	18	31	35	53	32	39	48	18
782.0	23	9	14	*	*8	10	*	*	*6	10	*
782.1	32	15	17	*8	9	*	11	*8	10	10	*
782.3	49	21	28	*	*7	13	29	13	13	17	*6
782.4	21	*8	13	*	*	*6	*7	*5	*7	*6	*
782.5	*5	*	*	*	—	*	*	*	*	*	*
783	145	69	77	55	26	15	51	32	40	47	26
783.0	32	16	16	*	*9	*	17	*5	10	12	*
783.2	43	20	23	*	12	*6	22	9	11	18	*5
783.3	10	*6	*	*	*	*	*5	*	*	*5	*
783.4	54	26	28	45	*	*	*	16	14	9	14
784	328	138	190	14	75	83	156	61	92	118	56
784.0	125	41	84	*7	55	36	27	23	34	51	16
784.2	10	*	*6	*	*	*	*	*	*	*	*
784.3	94	48	47	*	*	18	70	16	28	29	21
784.5	46	21	25	*	*5	*9	32	*6	15	14	10
784.7	45	20	25	*	*7	15	21	11	10	18	*6
785	271	122	148	16	50	70	134	72	68	88	43
785.0	38	15	23	*	10	9	15	*	9	17	*6
785.1	21	*	17	—	*8	*8	*6	*5	*	*8	*
785.2	16	*6	10	*	*6	*	*	*	*	*6	*
785.4	89	46	44	*	9	29	50	24	22	29	14
785.5	71	34	37	*	*6	15	48	21	18	19	13
785.50	*5	*	*	*	*	*	*	*	*	*	*
785.51	28	16	12	*	*	*6	21	10	*7	*7	*
785.59	38	15	22	*	*	*7	24	10	11	9	*8
785.6	26	14	12	*	12	*6	*5	10	*6	*7	*
785.9	*9	*	*6	*	*	*	*7	*	*	*	*
786	985	465	520	63	217	359	346	200	256	385	144
786.0	137	68	69	52	18	23	44	29	37	45	25
786.01	*6	*	*	*	*	*	*	*	*	*	*
786.09	128	64	64	51	15	20	42	28	35	43	22
786.1	*5	*	*	*	*	*	*	*	*	*	*
786.2	11	*	*6	*	*	*	*	*	*	*	*
786.3	47	26	22	*	9	13	25	12	10	18	*7
786.5	748	343	404	*	185	312	249	149	195	300	104
786.50	588	276	312	*	146	254	186	116	159	234	80
786.51	18	*8	10	*	*	*9	*	*	*	*8	*
786.52	101	42	59	*	25	35	41	22	25	43	11
786.59	41	18	23	*	10	14	16	*8	*7	16	10
786.6	29	15	14	*	*	*6	21	*6	*7	14	*
787	361	123	238	38	81	77	165	65	104	130	62
787.0	248	79	169	33	67	56	91	44	69	93	42
787.2	91	36	55	*	10	16	63	18	27	29	16
787.6	12	*	*8	*	*	*	*8	*	*	*5	*

NOTE: Estimates of 5,000-9,000 are to be used with caution; see methods section.

Table 3. Number of all-listed diagnoses for discharges from short-stay hospitals, by ICD-9-CM code, sex and age of patient, and geographic region of hospital: United States, 1994—Con.[Discharges of inpatients from non-Federal hospitals. Excludes newborn infants. Code numbers are from the *International Classification of Diseases, 9th Revision, Clinical Modification* (ICD-9-CM). Totals include data for categories not listed in table; see methods section]

ICD-9-CM code	Total	Sex		Age				Region			
		Male	Female	Under 15 years	15-44 years	45-64 years	65 years and over	Northeast	Midwest	South	West
Number of all-listed diagnoses in thousands											
788	417	255	162	*	74	75	263	101	107	146	62
788.0	32	22	9	*	16	9	*7	11	*8	12	*
788.1	*8	*	*	*	*	*	*	*	*	*	*
788.2	262	177	85	*	41	41	178	62	62	101	38
788.20	218	149	69	*	33	34	149	50	50	86	32
788.21	10	*5	*	—	*	*	*6	*	*	*	*
788.29	34	22	11	*	*5	*6	23	10	*8	12	*
788.3	79	32	46	*	11	16	50	17	24	22	16
788.30	56	25	31	*	*7	*9	40	14	17	17	*9
788.31	*5	*	*	—	*	*	*	*	*	*	*
788.33	*8	—	*8	—	*	*	*	*	*	*	*
788.39	*6	*	*	*	*	*	*	*	*	*	*
788.4	9	*6	*	*	*	*	*6	*	*	*	*
788.41	*6	*	*	*	*	*	*	*	*	*	*
788.9	19	*7	12	*	*	*	16	*6	*6	*	*
789	458	183	275	29	160	130	140	92	123	165	79
789.0	329	115	214	26	131	86	87	57	88	126	58
789.1	12	*6	*6	*	*	*	*5	*	*	*	*
789.2	12	*8	*	*	*	*	*	*	*	*	*
789.3	14	*	12	*	*6	*	*5	*	*	*6	*
789.5	90	52	39	*	16	35	37	26	22	25	16
790	297	127	170	16	89	66	126	67	76	109	45
790.2	71	9	62	*	52	*8	10	*7	13	32	18
790.4	16	*8	*8	*	*	*	*6	*	*	*5	*
790.5	23	14	*9	*	*7	*5	9	*	*5	*8	*
790.6	131	65	65	*	15	36	75	32	35	51	12
790.7	29	12	17	*9	*	*5	10	10	*9	*8	*
790.9	21	15	*6	*	*	*5	13	*6	*7	*	*
790.92	11	*6	*5	*	*	*	*6	*5	*	*	*
790.93	*6	*6	—	—	—	*	*	*	*	*	*
791	23	14	10	*	*5	*6	10	*7	*6	*6	*
791.0	16	10	*6	*	*	*5	*7	*	*	*	*
792	65	11	54	*	47	*	16	18	15	23	10
792.1	21	9	11	*	*	*	15	*8	*5	*	*
792.3	42	—	42	*	42	—	—	*9	*8	18	*7
793	19	*8	11	*	*	*	12	*	*5	*7	*
793.1	11	*6	*5	*	*	*	*8	*	*	*6	*
794	88	40	49	*	25	29	32	20	18	34	15
794.3	29	12	17	*	*6	10	12	*7	*8	11	*
794.31	20	*7	12	*	*5	*6	*8	*	*	*9	*
794.39	*8	*	*	—	*	*	*	*	*	*	*
794.8	53	24	28	*	17	17	18	13	*9	20	11
795	56	29	27	*	40	*7	*7	26	9	12	*9
795.5	23	10	13	*	14	*	*6	*8	*	*5	*7
795.8	26	18	*9	*	22	*	*	17	*	*5	*
796	24	13	11	*	*6	9	*8	*	*8	*7	*
796.2	13	*8	*5	*	*	*	*	*	*5	*	*
796.3	*5	*	*	*	*	*	*	*	*	*	*
797	10	*	*6	—	—	—	10	*	*	*	*
799	259	124	135	11	58	52	139	58	55	103	44
799.0	109	49	60	*6	13	21	69	19	30	42	18
799.1	24	14	10	*	*	*	17	*	*5	11	*
799.3	17	*8	9	*	*	*	12	*	*7	*	*
799.4	29	18	11	*	*9	*6	14	*8	*	11	*6
799.8	12	*	*7	*	*	*	*	*	*	*	*
799.9	65	30	35	*	28	14	21	21	*6	30	*8

NOTE: Estimates of 5,000-9,000 are to be used with caution; see methods section.

Table 3. Number of all-listed diagnoses for discharges from short-stay hospitals, by ICD-9-CM code, sex and age of patient, and geographic region of hospital: United States, 1994—Con.

[Discharges of inpatients from non-Federal hospitals. Excludes newborn infants. Code numbers are from the *International Classification of Diseases, 9th Revision, Clinical Modification* (ICD-9-CM). Totals include data for categories not listed in table; see methods section]

ICD-9-CM code	Total	Sex		Age				Region			
		Male	Female	Under 15 years	15-44 years	45-64 years	65 years and over	Northeast	Midwest	South	West
Number of all-listed diagnoses in thousands											
800-999	5,972	3,112	2,860	455	2,161	1,206	2,150	1,378	1,440	2,010	1,145
800	14	10	*	*8	*	*	*	*	*	*	*
800.0	*6	*	*	*	*	*	*	*	*	*	*
801	34	25	*9	*7	17	*6	*	*8	*8	*7	11
801.0	16	10	*6	*	*8	*	*	*	*	*	*
801.01	*5	*	*	*	*	*	*	*	*	*	*
801.2	*8	*7	*	*	*	*	*	*	*	*	*
802	103	74	29	10	67	13	13	31	22	32	18
802.0	17	10	*8	*	11	*	*	*	*	*7	*
802.2	28	20	*9	*	20	*	*	*6	*6	10	*6
802.28	*5	*	*	*	*	*	*	*	*	*	*
802.3	*5	*	*	—	*	*	—	*	*	*	*
802.4	23	19	*	*	15	*	*	*7	*	*7	*
802.6	13	10	*	*	*8	*	*	*6	*	*	*
802.8	12	*9	*	*	*7	*	*	*	*	*	*
803	*8	*	*	*	*	*	*	*	*	*	*
805	126	61	66	*	49	16	57	26	31	46	23
805.0	27	17	10	*	17	*	*7	*6	*5	11	*
805.02	10	*5	*	*	*5	*	*	*	*	*	*
805.2	40	16	25	*	11	*6	23	*6	12	15	*6
805.4	48	24	24	*	16	*5	24	12	11	15	10
805.6	*9	*	*5	*	*5	*	*	*	*	*	*
806	*8	*7	*	*	*5	*	*	*	*	*	*
807	118	66	52	*	34	32	49	27	31	36	25
807.0	101	59	43	*	30	27	43	24	28	28	21
807.00	*6	*	*	*	*	*	*	*	*	*	*
807.01	29	16	13	*	10	*8	11	*7	*8	*7	*7
807.02	19	11	*9	*	*	*6	9	*5	*6	*	*
807.03	11	*7	*	*	*	*	*6	*	*	*	*
807.04	9	*6	*	*	*	*	*	*	*	*	*
807.05	*6	*	*	*	*	*	*	*	*	*	*
807.09	15	*8	*7	—	*	*	*7	*	*	*6	*
807.2	12	*	*8	—	*	*	*5	*	*	*7	*
808	89	31	58	*	25	11	49	20	22	30	17
808.0	14	*8	*6	*	*7	*	*	*	*	*6	*
808.2	50	12	37	*	11	*	32	12	12	16	9
808.4	16	*6	10	*	*	*	*8	*	*	*5	*
808.41	*5	*	*	*	*	*	*	*	*	*	*
808.42	*5	*	*	*	*	*	*	*	*	*	*
808.8	*7	*	*	*	*	*	*	*	*	*	*
810	22	13	9	*	11	*5	*	*	*7	*6	*
810.0	22	13	*9	*	11	*5	*	*	*7	*6	*
810.00	14	10	*	*	*6	*	*	*	*	*	*
810.02	*6	*	*	*	*	*	*	*	*	*	*
811	*9	*6	*	*	*	*	*	*	*	*	*
811.0	*8	*5	*	*	*	*	*	*	*	*	*
812	91	36	55	17	19	11	44	23	18	28	21
812.0	42	10	32	*	*5	*6	29	12	*8	13	9
812.00	17	*	14	*	*	*	14	*6	*	*5	*
812.01	13	*	10	*	*	*	10	*	*	*	*
812.09	*7	*	*	*	*	*	*	*	*	*	*
812.2	17	*7	10	*	*7	*	*8	*	*	*7	*
812.20	9	*	*6	*	*	*	*5	*	*	*	*
812.21	*8	*	*	*	*	*	*	*	*	*	*
812.4	27	15	12	14	*	*	*6	*7	*	*7	*8
812.40	*7	*	*	*	*	*	*	*	*	*	*
812.41	13	*7	*6	10	*	*	*	*	*	*	*

NOTE: Estimates of 5,000-9,000 are to be used with caution; see methods section.

Table 3. Number of all-listed diagnoses for discharges from short-stay hospitals, by ICD-9-CM code, sex and age of patient, and geographic region of hospital: United States, 1994—Con.[Discharges of inpatients from non-Federal hospitals. Excludes newborn infants. Code numbers are from the *International Classification of Diseases, 9th Revision, Clinical Modification* (ICD-9-CM). Totals include data for categories not listed in table; see methods section]

ICD-9-CM code	Total	Sex		Age				Region			
		Male	Female	Under 15 years	15-44 years	45-64 years	65 years and over	Northeast	Midwest	South	West
Number of all-listed diagnoses in thousands											
813	96	44	51	14	31	19	32	22	21	33	20
813.0	17	*9	*8	*	*6	*	*7	*	*	*6	*
813.01	9	*	*	*	*	*	*	*	*	*	*
813.2	*8	*	*	*	*	*	*	*	*	*	*
813.4	44	18	26	*6	13	9	16	10	10	14	10
813.41	9	*	*7	*	*	*	*	*	*	*	*
813.42	21	*9	12	*	*8	*5	*6	*5	*	*7	*
813.44	12	*6	*6	*	*	*	*	*	*	*	*
813.5	*6	*	*	*	*	*	*	*	*	*	*
813.8	13	*	9	*	*	*	*5	*	*	*5	*
813.83	*8	*	*5	*	*	*	*	*	*	*	*
814	10	*5	*5	*	*	*	*	*	*	*	*
814.0	*9	*	*	*	*	*	*	*	*	*	*
815	12	9	*	*	*8	*	*	*	*	*	*
815.0	*9	*6	*	*	*5	*	*	*	*	*	*
816	27	22	*5	*	16	*7	*	*9	*5	*8	*5
816.0	16	11	*	*	9	*	*	*5	*	*	*
816.00	*6	*5	*	*	*	*	*	*	*	*	*
816.01	*5	*	*	*	*	*	*	*	*	*	*
816.1	11	10	*	*	*7	*	*	*	*	*	*
816.11	*6	*5	*	*	*	*	*	*	*	*	*
820	339	91	249	*	9	24	303	66	89	126	58
820.0	109	26	83	*	*	*6	99	27	29	36	18
820.00	*5	*	*	—	—	—	*5	*	*	*	*
820.02	*5	*	*	*	*	*	*	*	*	*	*
820.03	*8	*	*5	—	*	*	*7	*	*	*	*
820.09	89	20	69	*	*	*6	81	23	23	31	12
820.2	149	44	105	*	*	13	132	31	43	51	24
820.20	11	*	*7	*	*	*	*8	*	*	*	*
820.21	126	35	90	*	*	9	114	27	36	44	19
820.22	13	*	*8	—	*	*	10	*	*	*	*
820.8	78	20	59	*	*	*6	71	*9	17	37	15
821	82	34	49	15	29	*7	30	15	20	29	19
821.0	46	19	27	11	19	*	12	*8	12	16	11
821.00	13	*	*8	*	*	*	*	*	*	*5	*
821.01	33	15	19	9	15	*	*7	*6	9	10	*7
821.2	29	9	20	*	*	*	18	*6	*7	10	*6
821.20	*8	*	*5	*	*	*	*	*	*	*	*
821.21	*5	*	*	*	*	*	*	*	*	*	*
821.23	13	*	10	*	*	*	10	*	*	*	*
822	20	10	11	*	*6	*	9	*	*5	*8	*
822.0	19	*8	10	*	*	*	9	*	*5	*8	*
823	91	52	38	11	41	17	22	21	20	32	18
823.0	36	17	19	*	12	*8	13	9	*7	13	*7
823.00	25	12	13	*	*9	*6	*9	*	*	11	*5
823.02	*7	*	*	*	*	*	*	*	*	*	*
823.2	15	11	*	*	9	*	*	*	*	*	*
823.22	9	*7	*	*	*6	*	*	*	*	*	*
823.8	26	14	12	*	11	*	*7	*	*6	11	*
823.80	*7	*	*	*	*	*	*	*	*	*	*
823.82	16	*9	*8	*	*6	*	*	*	*	*7	*
823.9	*6	*6	*	*	*	*	*	*	*	*	*
824	133	57	76	*	60	38	30	30	37	44	22
824.0	12	*6	*6	*	*7	*	*	*	*	*	*
824.2	12	*6	*6	*	*6	*	*	*	*	*6	*
824.4	38	14	24	*	15	14	*9	*7	13	14	*
824.6	27	*8	19	*	10	9	*8	*7	10	*7	*
824.8	38	19	18	*	19	*7	*9	11	*8	13	*6

NOTE: Estimates of 5,000-9,000 are to be used with caution; see methods section.

Table 3. Number of all-listed diagnoses for discharges from short-stay hospitals, by ICD-9-CM code, sex and age of patient, and geographic region of hospital: United States, 1994—Con.

[Discharges of inpatients from non-Federal hospitals. Excludes newborn infants. Code numbers are from the *International Classification of Diseases, 9th Revision, Clinical Modification* (ICD-9-CM). Totals include data for categories not listed in table; see methods section]

ICD-9-CM code	Total	Sex		Age				Region			
		Male	Female	Under 15 years	15-44 years	45-64 years	65 years and over	Northeast	Midwest	South	West
Number of all-listed diagnoses in thousands											
825	39	25	14	*	25	*7	*	11	*9	12	*7
825.0	12	10	*	*	*8	*	*	*	*	*	*
825.2	20	12	*9	*	12	*	*	*6	*5	*5	*
825.25	13	*8	*5	*	*8	*	*	*	*	*	*
825.3	*5	*	*	*	*	*	—	*	*	*	*
826	*9	*6	*	*	*	*	*	*	*	*	*
826.0	*6	*	*	*	*	*	*	*	*	*	*
831	12	*8	*	*	*7	*	*	*	*	*	*
831.0	12	*8	*	*	*7	*	*	*	*	*	*
835	*6	*	*	*	*	*	*	*	*	*	*
835.0	*6	*	*	*	*	*	*	*	*	*	*
836	43	25	17	*	29	*8	*	13	9	12	*8
836.0	21	13	*8	*	13	*5	*	*7	*	*6	*
836.1	14	*9	*5	*	10	*	*	*5	*	*	*
839	10	*5	*	*	*	*	*	*	*	*	*
839.0	*6	*	*	*	*	*	*	*	*	*	*
840	65	41	24	*	13	30	22	14	21	21	*9
840.4	56	35	21	—	*9	27	20	11	19	19	*8
842	*8	*	*	*	*	*	*	*	*	*	*
843	*5	*	*	*	*	*	*	*	*	*	*
844	48	26	22	*	31	*7	*6	11	14	15	*7
844.2	26	15	11	*	22	*	*	*	*8	*9	*
844.8	10	*	*6	*	*	*	*	*	*	*	*
844.9	*7	*	*	*	*	*	*	*	*	*	*
845	25	12	13	*	11	*6	*7	9	*6	*7	*
845.0	22	11	11	*	10	*	*7	*9	*	*7	*
845.00	12	*	*8	*	*	*	*6	*	*	*	*
845.09	*5	*	*	*	*	*	*	*	*	*	*
846	19	*7	12	—	*6	*	*9	*5	*8	*	*
846.0	16	*7	9	—	*	*	*7	*	*6	*	*
847	49	21	28	*	28	10	10	11	12	17	9
847.0	24	10	14	*	14	*	*6	*	*5	9	*5
847.2	17	*6	11	*	9	*	*	*	*	*6	*
848	*6	*	*	—	*	*	*	*	*	*	*
850	80	48	32	11	43	11	15	27	21	19	13
850.0	22	9	13	*	11	*	*7	*7	*8	*	*
850.1	26	18	*8	*	16	*	*	11	*	*6	*5
850.5	13	10	*	*	*8	*	*	*	*	*	*
850.9	18	10	*8	*	*7	*	*	*	*	*7	*
851	17	12	*	*	*9	*	*	*	*	*6	*
851.8	11	*8	*	*	*6	*	*	*	*	*5	*
852	33	22	11	*	9	*6	14	*7	*8	9	*9
852.0	9	*7	*	*	*	*	*	*	*	*	*
852.2	21	13	*8	*	*	*	11	*	*	*7	*6
852.20	*8	*5	*	*	*	*	*5	*	*	*	*
852.21	*6	*	*	*	*	*	*	*	*	*	*
853	*9	*7	*	*	*	*	*	*	*	*	*
853.0	*9	*6	*	*	*	*	*	*	*	*	*
854	66	39	27	12	35	*6	13	12	20	17	17
854.0	66	39	27	12	35	*6	13	12	20	17	17
854.00	21	12	*8	*	13	*	*	*	*7	*	*6
854.01	19	10	9	*5	*5	*	*6	*	*6	*5	*
854.02	11	*7	*	*	*6	*	*	*	*	*	*
854.06	*8	*6	*	*	*7	*	*	*	*	*	*

NOTE: Estimates of 5,000–9,000 are to be used with caution; see methods section.

Table 3. Number of all-listed diagnoses for discharges from short-stay hospitals, by ICD-9-CM code, sex and age of patient, and geographic region of hospital: United States, 1994—Con.[Discharges of inpatients from non-Federal hospitals. Excludes newborn infants. Code numbers are from the *International Classification of Diseases, 9th Revision, Clinical Modification* (ICD-9-CM). Totals include data for categories not listed in table; see methods section]

ICD-9-CM code	Total	Sex		Age				Region			
		Male	Female	Under 15 years	15-44 years	45-64 years	65 years and over	Northeast	Midwest	South	West
Number of all-listed diagnoses in thousands											
860	51	40	11	*	30	13	*6	12	12	14	14
860.0	27	20	*7	*	15	*7	*	*7	*7	*9	*
860.2	*8	*6	*	*	*	*	*	*	*	*	*
860.4	*7	*5	*	*	*	*	*	*	*	*	*
861	38	30	*8	*	20	10	*5	*9	*8	13	9
861.0	11	*8	*	*	*	*	*	*	*	*6	*
861.01	10	*7	*	*	*	*	*	*	*	*	*
861.2	24	19	*5	*	14	*6	*	*7	*	*6	*6
861.21	23	18	*5	*	14	*5	*	*7	*	*6	*6
862	*7	*	*	*	*	*	*	*	*	*	*
863	19	14	*5	*	15	*	*	*	*	*7	*
864	19	14	*5	*	13	*	*	*	*	*7	*
864.0	14	10	*	*	*9	*	*	*	*	*	*
864.1	*5	*	*	—	*	*	*	*	*	*	*
865	22	15	*7	*	14	*	*	*5	*6	*5	*5
865.0	19	13	*6	*	13	*	*	*5	*5	*	*
865.09	*5	*	*	*	*	*	*	*	*	*	*
866	18	14	*	*	11	*	*	*	*5	*	*
866.0	16	13	*	*	10	*	*	*	*	*	*
866.01	12	10	*	*	*7	*	*	*	*	*	*
867	12	*8	*	*	*	*	*6	*	*	*5	*
867.0	9	*7	*	*	*	*	*6	*	*	*	*
868	20	15	*	*	14	*	*	*	*5	*8	*
868.0	13	*9	*	*	*8	*	*	*	*	*5	*
868.03	*6	*	*	*	*	*	*	*	*	*	*
868.1	*7	*6	*	*	*6	*	*	*	*	*	*
870	21	14	*7	*	10	*	*	*	*6	*7	*
870.0	*5	*	*	*	*	*	*	*	*	*	*
870.8	10	*7	*	*	*5	*	*	*	*	*	*
871	10	*7	*	*	*	*	*	*	*	*	*
872	12	*6	*6	*	*7	*	*	*	*	*	*
872.0	*6	*	*	*	*	*	*	*	*	*	*
873	198	127	71	22	96	30	51	43	48	67	40
873.0	53	30	23	*6	19	*8	21	12	14	20	*6
873.2	*9	*5	*	*	*	*	*	*	*	*	*
873.20	*7	*	*	*	*	*	*	*	*	*	*
873.4	101	66	36	9	53	16	24	23	25	30	23
873.40	*6	*	*	*	*	*	*	*	*	*	*
873.41	*5	*	*	*	*	*	*	*	*	*	*
873.42	46	28	18	*	22	*7	14	10	11	14	11
873.43	18	12	*7	*	10	*	*	*	*	*5	*
873.44	14	10	*	*	10	*	*	*	*	*	*
873.49	11	*8	*	*	*6	*	*	*	*	*	*
873.5	9	*6	*	*	*6	*	*	*	*	*	*
873.6	15	10	*	*	9	*	*	*	*	*5	*
873.63	*8	*6	*	*	*6	*	*	*	*	*	*
874	10	*8	*	*	*8	*	*	*	*	*	*
874.8	*6	*5	*	*	*5	*	*	*	*	*	*
875	12	11	*	*	10	*	*	*	*	*	*
875.0	11	10	*	*	*9	*	*	*	*	*	*
876	*6	*	*	*	*	*	*	*	*	*	*
879	21	15	*6	*	15	*	*	*	*	11	*
879.8	*7	*	*	*	*	*	*	*	*	*	*
880	10	*8	*	*	*6	*	*	*	*	*	*
880.0	*7	*6	*	*	*	*	*	*	*	*	*

NOTE: Estimates of 5,000-9,000 are to be used with caution; see methods section.

Table 3. Number of all-listed diagnoses for discharges from short-stay hospitals, by ICD-9-CM code, sex and age of patient, and geographic region of hospital: United States, 1994—Con.

[Discharges of inpatients from non-Federal hospitals. Excludes newborn infants. Code numbers are from the *International Classification of Diseases, 9th Revision, Clinical Modification* (ICD-9-CM). Totals include data for categories not listed in table; see methods section]

ICD-9-CM code	Total	Sex		Age				Region			
		Male	Female	Under 15 years	15-44 years	45-64 years	65 years and over	Northeast	Midwest	South	West
Number of all-listed diagnoses in thousands											
881	43	27	16	*	28	*	9	10	10	13	10
881.0	31	18	13	*	20	*	*7	*6	*8	10	*7
881.00	11	*6	*5	*	*7	*	*	*	*	*	*
881.01	10	*8	*	*	*5	*	*	*	*	*	*
881.02	10	*	*6	*	*8	*	*	*	*	*	*
881.1	*7	*6	*	*	*	*	*	*	*	*	*
881.2	*5	*	*	*	*	*	*	*	*	*	*
882	25	19	*6	*	15	*5	*	*7	*6	*7	*5
882.0	13	9	*	*	*7	*	*	*	*	*5	*
882.1	*8	*6	*	*	*	*	*	*	*	*	*
883	28	23	*6	*	19	*5	*	11	*6	9	*
883.0	10	*7	*	*	*6	*	*	*	*	*	*
883.1	*8	*7	*	*	*6	*	*	*	*	*	*
883.2	10	*9	*	*	*7	*	*	*	*	*5	*
884	*9	*7	*	*	*	*	*	*	*	*	*
884.0	*5	*	*	—	*	*	*	*	*	*	*
886	*8	*7	*	*	*5	*	*	*	*	*	*
886.0	*7	*6	*	*	*	*	*	*	*	*	*
890	16	13	*	*	13	*	*	*	*	*7	*
890.0	12	9	*	*	10	*	*	*	*	*5	*
891	44	31	14	*	31	*6	*6	9	12	15	*9
891.0	22	15	*7	*	15	*	*	*	*5	*7	*6
891.1	16	11	*5	*	*9	*	*	*	*	*6	*
891.2	*6	*	*	*	*6	—	*	*	*	*	*
892	10	*8	*	*	*6	*	*	*	*	*	*
892.1	*6	*	*	*	*	*	*	*	*	*	*
903	*5	*	*	*	*	*	*	*	*	*	*
904	9	*8	*	*	*7	*	*	*	*	*	*
905	39	19	20	*	18	*7	13	10	9	9	10
905.2	*8	*	*	*	*	*	*	*	*	*	*
905.3	*7	*	*6	—	*	*	*5	*	*	*	*
905.4	12	*7	*	*	*5	*	*	*	*	*	*
906	11	*8	*	*	*6	*	*	*	*	*5	*
907	41	32	*9	*	24	11	*5	*5	14	11	10
907.0	19	13	*6	*	11	*	*	*	*8	*	*
907.2	20	18	*	*	12	*7	*	*	*	*6	*6
908	18	14	*	*	10	*5	*	*5	*	*5	*
908.9	10	*8	*	*	*7	*	*	*	*	*	*
909	*6	*	*	*	*	*	*	*	*	*	*
910	29	18	11	*7	11	*6	*5	*7	*9	*8	*5
910.0	23	16	*7	*6	10	*	*	*6	*8	*	*
911	10	*6	*	*	*	*	*	*	*	*	*
911.0	*8	*	*	*	*	*	*	*	*	*	*
913	11	*5	*6	*	*	*	*	*	*	*	*
913.0	10	*	*5	*	*	*	*	*	*	*	*
914	*5	*	*	*	*	—	*	*	*	*	*
916	21	11	11	*	11	*	*5	*6	*6	*	*5
916.0	18	10	*8	*	*9	*	*	*	*5	*	*
917	*5	*	*	*	*	*	*	*	*	*	*
919	22	15	*7	*	13	*	*	*6	*8	*5	*
919.0	19	13	*6	*	12	*	*	*5	*7	*	*
920	47	24	22	*6	13	*7	20	10	18	11	*8
921	14	*8	*7	*	*	*	*	*5	*	*	*

NOTE: Estimates of 5,000–9,000 are to be used with caution; see methods section.

Table 3. Number of all-listed diagnoses for discharges from short-stay hospitals, by ICD-9-CM code, sex and age of patient, and geographic region of hospital: United States, 1994—Con.[Discharges of inpatients from non-Federal hospitals. Excludes newborn infants. Code numbers are from the *International Classification of Diseases, 9th Revision, Clinical Modification* (ICD-9-CM). Totals include data for categories not listed in table; see methods section]

ICD-9-CM code	Total	Sex		Age				Region			
		Male	Female	Under 15 years	15-44 years	45-64 years	65 years and over	Northeast	Midwest	South	West
Number of all-listed diagnoses in thousands											
922	66	32	35	*	23	15	24	13	20	22	11
922.1	34	17	18	*	12	10	11	*8	11	10	*
922.2	17	*9	*8	*	*7	*	*	*	*	*6	*
922.3	12	*	*8	*	*	*	*8	*	*	*	*
923	26	13	14	*	13	*	10	*7	*9	*6	*5
923.0	10	*	*6	*	*	*	*	*	*	*	*
923.00	*7	*	*	*	*	*	*	*	*	*	*
923.1	*6	*	*	*	*	*	*	*	*	*	*
923.2	*6	*	*	*	*	*	*	*	*	*	*
924	104	42	62	*7	35	16	47	21	29	39	15
924.0	26	9	17	*	*6	*	17	*	10	*5	*7
924.00	*7	*	*	*	*	*	*	*	*	*	*
924.01	19	*5	14	*	*	*	14	*	*8	*	*
924.1	19	*9	11	*	*6	*	*9	*	*6	*7	*
924.10	*8	*5	*	*	*	*	*	*	*	*	*
924.11	12	*	*8	*	*	*	*5	*	*	*	*
924.8	44	17	27	*	17	9	15	*8	10	22	*
928	*5	*	*	*	*	*	*	*	*	*	*
933	13	*6	*7	*	*	*	*6	*	*	*5	*
933.1	10	*6	*	*	*	*	*6	*	*	*	*
934	12	*7	*5	*	*	*	*	*	*	*	*
934.8	*6	*	*	*	*	*	*	*	*	*	*
935	14	*8	*6	*	*	*	*	*6	*	*	*
935.1	11	*6	*	*	*	*	*	*5	*	*	*
941	15	*8	*7	*7	*5	*	*	*	*	*5	*
941.2	*8	*	*	*	*	*	*	*	*	*	*
942	13	*7	*6	*7	*	*	*	*	*	*	*
942.2	*9	*	*	*5	*	*	*	*	*	*	*
943	15	*9	*7	*6	*7	*	*	*	*	*7	*
943.2	*8	*6	*	*	*	*	*	*	*	*	*
943.3	*5	*	*	*	*	*	*	*	*	*	*
944	16	13	*	*5	*8	*	*	*	*5	*	*
944.2	10	*8	*	*	*	*	*	*	*	*	*
945	25	18	*7	*7	12	*	*	*	10	*8	*
945.2	14	10	*	*	*7	*	*	*	*6	*	*
945.3	*6	*	*	*	*	*	*	*	*	*	*
946	16	10	*5	*	*7	*	*	*6	*	*6	*
946.2	11	*7	*	*	*5	*	*	*	*	*	*
948	33	22	11	14	13	*	*	*8	*8	15	*
948.0	22	15	*7	10	*8	*	*	*6	*6	*8	*
948.00	22	15	*7	10	*8	*	*	*6	*6	*8	*
948.1	*6	*	*	*	*	*	*	*	*	*	*
952	*8	*7	*	*	*	*	*	*	*	*	*
955	13	9	*	*	*9	*	*	*	*	*	*
956	*6	*	*	*	*	*	*	*	*	*	*
958	36	26	10	*	22	*6	*5	*6	*8	14	*8
958.3	9	*6	*	*	*6	*	*	*	*	*5	*
958.7	*8	*7	*	*	*5	*	*	*	*	*	*
958.8	12	11	*	*	*7	*	*	*	*	*	*
959	49	27	22	*6	27	*8	*9	12	14	15	*8
959.1	16	10	*7	*	10	*	*	*	*	*	*
959.7	*6	*	*	*	*	*	*	*	*	*	*
959.8	*7	*	*	*	*	*	*	*	*	*	*
959.9	*5	*	*	*	*	*	*	*	*	*	*

NOTE: Estimates of 5,000-9,000 are to be used with caution; see methods section.

Table 3. Number of all-listed diagnoses for discharges from short-stay hospitals, by ICD-9-CM code, sex and age of patient, and geographic region of hospital: United States, 1994—Con.

[Discharges of inpatients from non-Federal hospitals. Excludes newborn infants. Code numbers are from the *International Classification of Diseases, 9th Revision, Clinical Modification* (ICD-9-CM). Totals include data for categories not listed in table; see methods section]

ICD-9-CM code	Total	Sex		Age				Region			
		Male	Female	Under 15 years	15-44 years	45-64 years	65 years and over	Northeast	Midwest	South	West
Number of all-listed diagnoses in thousands											
960	*7	*	*5	*	*	*	*	*	*	*	*
963	13	*	10	*	11	*	*	*	*	*	*
963.0	12	*	*9	*	11	*	*	*	*	*	*
964	*6	*	*	*	*	*	*	*	*	*	*
965	78	27	52	*8	61	*	*	18	16	29	14
965.0	10	*	*6	*	*8	*	*	*	*	*	*
965.1	16	*	12	*	10	*	*	*	*	*6	*
965.4	31	11	20	*	25	*	*	*7	*6	12	*
965.6	13	*	*8	*	10	*	—	*	*	*6	*
965.8	*5	*	*	*	*	*	*	*	*	*	*
966	15	*7	*8	*	*7	*	*	*	*	*7	*
966.1	9	*5	*	*	*	*	*	*	*	*	*
966.3	*6	*	*	*	*	*	—	*	*	*	*
967	13	*	9	*	*7	*	*	*	*	*	*
967.0	*7	*	*	*	*	*	*	*	*	*	*
968	11	*5	*6	—	9	*	*	*	*	*	*
968.5	*6	*	*	—	*5	*	—	*	*	*	*
969	104	34	70	*	76	18	*7	24	22	38	20
969.0	40	13	27	*	30	*8	*	*9	*8	15	*8
969.1	*7	*	*	*	*6	*	*	*	*	*	*
969.4	35	*9	26	*	24	*7	*	*9	*8	12	*6
969.5	*6	*	*5	*	*	*	*	*	*	*	*
969.7	*6	*	*	*	*	*	*	*	*	*	*
972	24	9	15	*	*	*	17	*	*7	13	*
972.1	17	*6	12	*	*	*	16	*	*6	9	*
974	*7	*	*	*	*	*	*	*	*	*5	*
974.1	*6	*	*	*	*	*	*	*	*	*	*
975	*6	*	*	*	*	*	*	*	*	*	*
977	23	*6	18	*	15	*	*	*	*5	12	*
977.8	*8	*	*7	*	*5	*	*	*	*	*	*
977.9	14	*	10	*	10	*	*	*	*	*8	*
980	18	*7	12	*	15	*	*	*	*	*7	*
980.0	15	*5	10	*	12	*	*	*	*	*5	*
987	11	*	*7	*	*7	*	*	*	*	*5	*
987.9	*8	*	*5	*	*6	*	*	*	*	*	*
989	13	*7	*6	*	*8	*	*	*	*	*7	*
989.5	*9	*	*	*	*6	*	*	*	*	*6	*
990	*6	*	*	*	*	*	*	*	*	*	*
991	12	*7	*	*	*	*	*7	*	*	*	*
991.6	9	*5	*	*	*	*	*6	*	*	*	*
994	*9	*7	*	*	*	*	*	*	*	*	*
995	93	34	59	*9	26	17	41	20	28	38	*6
995.0	*5	*	*	*	*	*	*	*	*	*	*
995.1	*8	*	*	*	*	*	*	*	*	*	*
995.2	57	19	38	*	11	11	34	13	14	27	*
995.3	*7	*	*	*	*	*	*	*	*	*	*
995.5	*6	*	*	*6	*	*	—	*	*	*	*
995.8	*6	*	*	*	*	*	*	*	*	*	*

NOTE: Estimates of 5,000–9,000 are to be used with caution; see methods section.

Table 3. Number of all-listed diagnoses for discharges from short-stay hospitals, by ICD-9-CM code, sex and age of patient, and geographic region of hospital: United States, 1994—Con.[Discharges of inpatients from non-Federal hospitals. Excludes newborn infants. Code numbers are from the *International Classification of Diseases, 9th Revision, Clinical Modification* (ICD-9-CM). Totals include data for categories not listed in table; see methods section]

ICD-9-CM code	Total	Sex		Age				Region			
		Male	Female	Under 15 years	15-44 years	45-64 years	65 years and over	Northeast	Midwest	South	West
Number of all-listed diagnoses in thousands											
996	633	326	307	28	128	172	305	151	132	227	123
996.0	94	58	36	*	*	25	64	18	26	37	13
996.01	27	11	17	*	*	*	24	*5	*6	13	*
996.02	*5	*	*	*	*	*	*	*	*	*	*
996.03	53	39	14	*	*	19	32	9	19	18	*7
996.09	*5	*	*	*	*	*	*	*	*	*	*
996.1	23	14	9	*	*	*9	*8	*	*6	*8	*
996.2	19	9	10	*7	*8	*	*	*	*6	*5	*
996.3	12	*7	*	*	*	*	*7	*	*	*6	*
996.39	*8	*5	*	*	*	*	*5	*	*	*	*
996.4	87	36	51	*	13	24	48	20	18	29	20
996.5	25	12	13	*	*5	*6	13	*6	*	*8	*8
996.59	19	9	10	*	*	*	11	*	*	*6	*6
996.6	141	68	73	*7	37	32	64	33	32	54	22
996.61	*6	*	*	*	*	*	*	*	*	*	*
996.62	64	31	32	*5	21	18	19	17	12	26	9
996.64	25	10	15	—	*	*	21	*	*7	11	*
996.65	*6	*	*	—	*	*	*	*	*	*	*
996.66	11	*6	*6	*	*	*	*8	*	*	*	*
996.67	*8	*	*	*	*	*	*	*	*	*	*
996.69	17	*8	*9	*	*6	*	*6	*	*	*8	*
996.7	199	104	96	*5	36	60	98	56	32	66	46
996.72	16	12	*	*	*	*6	9	*5	*	*	*
996.73	77	34	43	*	17	28	31	18	*6	27	25
996.74	56	30	26	*	*7	16	29	18	12	19	*8
996.76	14	9	*	*	*	*	12	*	*	*7	*
996.77	*9	*5	*	*	*	*	*6	*	*	*	*
996.78	15	*7	*8	*	*6	*	*	*	*	*	*
996.79	*9	*	*5	*	*	*	*	*	*	*	*
996.8	32	18	14	*	17	11	*	*7	*	14	*5
996.81	21	12	*9	*	12	*8	*	*	*	9	*
997	654	324	331	21	105	187	342	157	145	209	145
997.0	21	*8	12	*	*	*	13	*6	*	*	*7
997.1	145	85	60	*	10	41	92	37	34	45	29
997.2	20	12	*9	*	*	*6	10	*	*7	*5	*
997.3	187	91	96	*9	30	59	89	44	35	61	47
997.4	158	59	99	*6	35	43	74	35	39	51	33
997.5	92	48	44	*	18	25	48	24	18	31	19
997.6	22	14	*8	*	*	*7	12	*	*6	*9	*
997.62	17	11	*6	—	*	*6	*9	*	*	*7	*
997.9	*9	*5	*	*	*	*	*	*	*	*	*
998	577	263	314	19	138	158	263	133	133	200	112
998.1	196	96	99	*	38	57	96	50	44	70	31
998.2	65	27	38	*	16	19	28	10	15	23	16
998.3	40	22	18	*	11	11	17	*8	10	14	*8
998.5	145	62	82	*6	35	38	66	36	35	50	24
998.6	*8	*	*5	*	*	*	*	*	*	*	*
998.8	115	49	66	*5	35	28	47	25	25	37	28
999	57	28	29	*5	11	17	23	17	11	17	12
999.2	23	10	13	*	*	*9	9	*8	*	*7	*
999.3	14	*8	*6	*	*	*	*6	*	*	*	*
999.8	11	*6	*6	*	*	*	*6	*	*	*	*
999.9	*5	*	*	*	*	*	*	*	*	*	*
V01-V82	7,669	1,495	6,174	257	4,885	791	1,736	1,513	1,877	2,650	1,628
V01	*7	*	*	*	*	*	*	*	*	*	*
V02	14	*	*9	*	10	*	*	*	*	*	*
V02.5	*6	*	*	*	*	*	*	*	*	*	*
V02.6	*7	*	*	—	*	*	*	*	*	*	*

NOTE: Estimates of 5,000-9,000 are to be used with caution; see methods section.

Table 3. Number of all-listed diagnoses for discharges from short-stay hospitals, by ICD-9-CM code, sex and age of patient, and geographic region of hospital: United States, 1994—Con.

[Discharges of inpatients from non-Federal hospitals. Excludes newborn infants. Code numbers are from the *International Classification of Diseases, 9th Revision, Clinical Modification* (ICD-9-CM). Totals include data for categories not listed in table; see methods section]

ICD-9-CM code	Total	Sex		Age				Region			
		Male	Female	Under 15 years	15-44 years	45-64 years	65 years and over	Northeast	Midwest	South	West
Number of all-listed diagnoses in thousands											
V04	*8	*	*8	*	*8	—	—	*	*	*	*
V04.3	*8	—	*8	—	*8	—	—	*	*	*	*
V07	20	*	19	*	18	*	*	*9	*	*	*
V07.2	16	—	16	—	16	—	—	*8	*	*	*
V09	11	*6	*	*	*	*	*7	*	*5	*	*
V09.0	10	*6	*	*	*	*	*6	*	*	*	*
V10	747	303	444	*	55	180	507	185	206	224	132
V10.0	164	86	78	*	*9	36	120	47	40	50	27
V10.01	*5	*	*	—	*	*	*	*	*	*	*
V10.02	*6	*	*	*	*	*	*	*	*	*	*
V10.03	*6	*	*	—	*	*	*	*	*	*	*
V10.04	*8	*	*	—	*	*	*6	*	*	*	*
V10.05	114	58	56	—	*	22	89	34	31	32	17
V10.06	17	*9	*8	—	—	*5	12	*	*	*7	*5
V10.09	*6	*	*	—	*	*	*	*	*	*	*
V10.1	55	32	23	—	*	16	38	12	14	21	9
V10.11	55	32	23	—	*	16	38	12	14	21	9
V10.2	14	10	*	—	*	*	*9	*	*	*5	*
V10.21	12	9	*	—	*	*	*8	*	*	*	*
V10.3	199	*	196	*	15	55	128	50	56	56	36
V10.4	180	95	86	*	16	38	126	41	55	49	36
V10.41	23	—	23	—	*7	*7	9	*	10	*6	*
V10.42	29	—	29	—	*	*6	19	*9	*8	*6	*7
V10.43	29	—	29	*	*	15	12	*5	11	*6	*6
V10.46	90	89	*	*	*	*6	82	21	24	29	16
V10.5	55	38	17	*	*	9	44	13	17	19	*7
V10.51	32	23	*9	*	*	*	27	*8	10	10	*
V10.52	21	13	*8	*	*	*	15	*	*6	*8	*
V10.7	12	*6	*6	*	*	*	*5	*	*	*	*
V10.79	*8	*	*	*	*	*	*	*	*	*	*
V10.8	61	32	29	*	10	16	33	15	17	19	11
V10.82	14	9	*	—	*	*	*8	*	*	*	*
V10.83	17	10	*7	—	*	*	14	*	*6	*6	*
V10.85	*8	*	*	*	*	*	*	*	*	*	*
V10.87	9	*	*6	—	*	*	*	*	*	*	*
V11	27	15	12	—	10	*9	*8	*	*7	10	*6
V11.3	12	*8	*	—	*	*	*	*	*	*5	*
V11.9	*9	*	*	—	*	*	*	*	*	*	*
V12	396	168	228	14	50	101	230	84	125	132	55
V12.0	36	13	24	*	15	*5	14	11	*7	13	*5
V12.2	26	*8	18	*	*	*8	15	*	10	*8	*5
V12.4	14	*6	*8	*	*	*	*7	*	*	*	*
V12.5	208	92	117	*	14	56	136	47	63	70	27
V12.6	23	10	13	*	*	*6	10	*	10	*8	*
V12.7	85	39	46	*	10	24	46	16	30	28	11
V13	50	24	25	15	*9	*6	19	9	21	*9	11
V13.0	13	*7	*6	*	*	*	*7	*	*	*	*
V13.5	9	*	*7	*	*	*	*7	*	*5	*	*
V13.7	13	*8	*5	13	—	—	*	*	*7	*	*
V14	17	*5	11	*	*5	*5	*6	*	*	*7	*
V14.0	*8	*	*5	*	*	*	*	—	*	*	*
V15	185	95	89	17	55	52	60	30	57	60	38
V15.1	19	10	9	10	*	*	*	*7	*	*	*
V15.2	*6	*	*	*	*	*	*	*	*	*	*
V15.3	11	*6	*	*	*	*	*6	*	*	*	*
V15.5	20	14	*6	*	9	*5	*	*	*9	*6	*
V15.8	124	60	64	*	42	38	41	18	36	44	25
V15.81	70	35	35	*	32	20	16	13	18	22	17
V15.89	54	25	29	*	10	19	25	*5	18	22	*8

NOTE: Estimates of 5,000-9,000 are to be used with caution; see methods section.

Table 3. Number of all-listed diagnoses for discharges from short-stay hospitals, by ICD-9-CM code, sex and age of patient, and geographic region of hospital: United States, 1994—Con.[Discharges of inpatients from non-Federal hospitals. Excludes newborn infants. Code numbers are from the *International Classification of Diseases, 9th Revision, Clinical Modification* (ICD-9-CM). Totals include data for categories not listed in table; see methods section]

ICD-9-CM code	Total	Sex		Age				Region			
		Male	Female	Under 15 years	15-44 years	45-64 years	65 years and over	Northeast	Midwest	South	West
Number of all-listed diagnoses in thousands											
V16	10	*	*8	*	*	*	*	*	*	*	*
V17	12	*7	*6	*	*	*5	*	*	*	*	*
V17.4	*6	*	*	*	*	*	*	*	*	*	*
V18	10	*	*7	*	*	*	*	*	*	*	*
V22	51	—	51	*	49	—	—	*9	*7	16	18
V22.1	*9	—	*9	*	*8	—	—	*	*	*5	*
V22.2	41	—	41	*	40	—	—	*8	*6	11	16
V23	72	—	72	*	71	—	—	14	13	28	18
V23.7	53	—	53	*	52	—	—	*9	*7	23	14
V24	*5	—	*5	*	*5	—	—	*	*	*	*
V25	333	*	332	*	329	*	*	47	66	163	56
V25.2	326	*	324	*	322	*	*	46	66	157	56
V27	3,901	—	3,901	15	3,885	*	—	670	819	1,453	960
V27.0	2,760	—	2,760	12	2,747	*	—	476	565	1,081	637
V27.1	18	—	18	*	17	*	—	*	*	*6	*6
V27.2	41	—	41	*	40	*	—	*7	*8	17	*9
V27.9	1,081	—	1,081	*	1,078	*	—	184	242	347	308
V29	17	9	*8	16	*	—	—	*	10	*	*
V29.0	15	*8	*7	15	*	—	—	*	9	*	*
V30	18	10	*9	18	—	—	—	*	*	*7	*5
V30.1	18	10	*9	18	—	—	—	*	*	*7	*5
V42	28	16	12	*	10	9	*	10	*7	*6	*
V42.0	13	*7	*6	*	*6	*5	*	*	*	*	*
V43	99	40	59	*	*	19	75	27	44	15	13
V43.3	43	21	22	*	*	9	31	13	16	*7	*7
V43.6	53	18	35	—	*	9	42	13	26	*7	*6
V44	60	33	27	12	*7	13	27	21	21	9	*8
V44.0	11	*6	*	*	*	*	*	*	*	*	*
V44.1	19	9	9	*7	*	*	*7	*7	*5	*	*
V44.2	*6	*	*	*	*	*	*	*	*	*	*
V44.3	18	9	9	*	*	*	12	*6	*6	*	*
V45	457	263	194	18	33	113	293	114	176	94	73
V45.0	87	41	46	*	*	*8	75	28	28	16	14
V45.1	29	13	16	*	*6	9	13	*	*	9	12
V45.2	15	*8	*7	10	*	*	*	*6	*7	*	*
V45.8	315	197	117	*7	18	90	199	75	135	63	42
V45.81	229	154	75	*	*	65	159	62	88	49	30
V45.89	86	43	43	*7	13	25	40	13	47	14	12
V46	9	*5	*	*	*	*	*	*	*	*	*
V46.1	9	*5	*	*	*	*	*	*	*	*	*
V51	10	*	*7	*	*	*5	*	*	*	*	*
V54	26	13	13	*	10	*5	10	*6	*	10	*6
V54.0	13	*8	*5	*	*7	*	*	*	*	*5	*
V54.8	10	*	*6	*	*	*	*6	*	*	*	*5
V55	39	20	19	*5	*8	12	14	14	10	12	*
V55.1	*6	*	*	*	*	*	*	*	*	*	*
V55.3	23	12	10	*	*	9	*9	*	*7	9	*
V56	*6	*	*	*	*	*	*	*	*	*	*
V57	325	126	200	*	38	44	239	34	96	131	64
V57.1	108	38	70	*	*5	12	90	12	21	57	17
V57.2	25	*8	17	*	*	*	17	*	*7	12	*5
V57.8	182	74	108	*	27	28	125	17	66	57	42
V57.89	181	74	107	*	27	28	125	17	66	57	42
V57.9	*7	*	*	*	*	*	*	*	*	*	*

NOTE: Estimates of 5,000-9,000 are to be used with caution; see methods section.

Table 3. Number of all-listed diagnoses for discharges from short-stay hospitals, by ICD-9-CM code, sex and age of patient, and geographic region of hospital: United States, 1994—Con.

[Discharges of inpatients from non-Federal hospitals. Excludes newborn infants. Code numbers are from the *International Classification of Diseases, 9th Revision, Clinical Modification* (ICD-9-CM). Totals include data for categories not listed in table; see methods section]

ICD-9-CM code	Total	Sex		Age				Region			
		Male	Female	Under 15 years	15-44 years	45-64 years	65 years and over	Northeast	Midwest	South	West
Number of all-listed diagnoses in thousands											
V58	391	172	220	40	69	142	141	110	81	135	67
V58.0	48	21	26	*	*7	20	20	13	*6	20	*8
V58.1	302	133	169	34	56	116	96	90	65	95	51
V58.4	17	*7	9	*	*	*	*7	*	*	*	*
V58.8	19	*8	11	*	*	*	13	*	*	10	*
V59	*6	*	*	*	*	*	*	*	*	*	*
V60	10	*5	*5	*	*	*	*	*	*	*	*
V61	66	29	37	21	36	*6	*	13	25	23	*
V61.0	*7	*5	*	*	*	*	*	*	*	*	*
V61.1	14	*7	*7	*	11	*	*	*	*	*5	*
V61.2	20	12	*8	13	*6	*	*	*	11	*	*
V61.20	14	*8	*6	*8	*6	*	*	*	*7	*	*
V61.5	10	*	10	*	10	*	—	*	*	*7	*
V61.8	11	*	*7	*	*	*	*	*	*	*	*
V62	28	13	14	*	20	*	*	11	*6	9	*
V62.5	*6	*	*	—	*5	*	—	*	*	*5	—
V62.8	15	*7	*7	*	11	*	*	*9	*	*	*
V62.81	*5	*	*	*	*	*	*	*	*	*	*
V62.89	*8	*	*	*	*6	*	*	*	*	*	*
V64	52	25	27	*	14	10	25	16	*7	19	*9
V64.1	23	12	11	*	*	*	13	*7	*	*8	*
V64.2	15	*7	*9	*	*6	*	*7	*	*	*6	*
V64.3	13	*6	*6	*	*	*	*	*	*	*	*
V65	34	19	15	*6	11	*8	*9	*	*	*6	22
V65.3	24	11	12	*5	*7	*5	*7	*	*	*	17
V66	15	*7	*8	*	*	*	10	*	*	*	*7
V66.2	*6	*	*	*	*	*	*	*	*	*	*
V67	13	*6	*7	*	*	*	*7	*7	*	*	*
V67.0	10	*	*6	*	*	*	*5	*6	*	*	*
V70	11	*7	*	*	*7	*	*	*6	—	*	*
V70.7	10	*6	*	*	*6	*	*	*5	—	*	*
V71	34	15	19	11	11	*8	*	10	13	*7	*
V71.4	*7	*	*	*	*	*	*	*	*	*	*
V71.7	*5	*	*	*	*	*	*	*	*	*	*
V71.8	15	*7	*8	9	*	*	*	*	*8	*	*

NOTE: Estimates of 5,000-9,000 are to be used with caution; see methods section.

* Figures does not meet standard of reliability or precision.

— Quantity zero.

Table 4. Number of all-listed procedures for discharges from short-stay hospitals, by ICD-9-CM code, sex and age of patient, and geographic region of hospital: United States, 1994[Discharges of inpatients from non-Federal hospitals. Excludes newborn infants. Code numbers are from the *International Classification of Diseases, 9th Revision, Clinical Modification* (ICD-9-CM). Totals include data for categories not listed in table; see methods section]

ICD-9-CM code	Total	Sex		Age				Region			
		Male	Female	Under 15 years	15-44 years	45-64 years	65 years and over	Northeast	Midwest	South	West
Number of procedures in thousands											
All codes	40,710	15,870	24,840	1,884	15,375	9,174	14,277	10,392	8,607	13,436	8,275
01-05	933	446	488	195	323	196	219	230	212	298	194
01	110	61	49	14	26	30	41	29	24	34	23
01.0	*5	*	*	*	*	*	*	*	*	*	*
01.1	22	11	11	*	*5	*6	9	*7	*	*7	*
01.13	*6	*	*	*	*	*	*	*	*	*	*
01.14	*6	*	*	*	*	*	*	*	*	*	*
01.18	9	*6	*	*	*	*	*	*	*	*	*
01.2	22	11	11	*	*6	*	*8	*8	*	*6	*
01.24	16	*8	*9	*	*	*	*6	*6	*	*	*
01.3	24	16	*8	*	*	*5	12	*	*5	*9	*6
01.31	13	10	*	*	*	*	*7	*	*	*	*
01.39	10	*6	*	*	*	*	*	*	*	*	*
01.5	34	18	16	*	*8	12	10	*8	*8	12	*7
01.51	*6	*	*	*	*	*	*	*	*	*	*
01.59	26	14	12	*	*6	*8	*8	*6	*7	*8	*
02	102	52	50	32	40	14	16	24	23	33	22
02.0	16	9	*7	*6	*7	*	*	*	*	*	*
02.02	*8	*	*	*	*	*	—	*	*	*	*
02.1	*8	*	*	*	*	*	*	*	*	*	*
02.12	*6	*	*	*	*	*	*	*	*	*	*
02.2	14	*7	*7	*	*	*	*	*	*	*	*
02.3	18	*8	11	*6	*5	*	*	*	*	*7	*
02.34	13	*6	*7	*	*	*	*	*	*	*	*
02.4	26	12	14	11	11	*	*	*	*8	*8	*5
02.42	20	10	10	*9	*8	*	*	*	*8	*	*
02.43	*6	*	*	*	*	*	*	*	*	*	*
02.9	19	12	*7	*	12	*	*	*7	*	*7	*
02.94	15	9	*6	*	9	*	*	*	*	*6	*
03	642	294	348	147	225	123	146	151	153	205	134
03.0	88	46	42	*	24	32	31	17	23	30	17
03.02	*6	*	*	—	*	*	*	*	*	*	*
03.09	82	43	39	*	21	30	30	17	22	27	16
03.3	329	166	162	137	85	51	56	81	74	97	77
03.31	328	166	162	136	84	51	56	81	74	97	76
03.4	*8	*	*	*	*	*	*	*	*	*	*
03.5	13	*8	*	*	*5	*	*	*	*	*	*
03.53	*6	*	*	*	*	*	*	*	*	*	*
03.59	*6	*	*	*	*	*	*	*	*	*	*
03.6	12	*7	*	*	*5	*	*	*	*	*7	*
03.9	186	59	126	*	100	31	51	44	48	58	35
03.90	71	25	46	*	34	13	23	21	20	21	*9
03.91	59	16	44	*	38	*9	12	13	15	16	16
03.92	37	13	23	*	15	*5	13	*7	*8	16	*7
03.95	12	*	10	—	10	*	*	*	*	*	*
04	69	34	35	*	27	26	13	23	9	23	14
04.0	14	*	*9	*	*	*6	*	*	*	*	*
04.07	*9	*	*6	*	*	*	*	*	*	*	*
04.3	*7	*6	*	*	*6	*	*	*	*	*	*
04.4	26	13	13	*	12	10	*	10	*	10	*
04.43	12	*6	*6	*	*6	*	*	*6	*	*	*
04.49	9	*7	*	*	*5	*	*	*	*	*	*
04.8	13	*5	*8	—	*	*6	*	*	*	*	*
04.81	13	*5	*8	—	*	*6	*	*	*	*	*
05	11	*5	*6	*	*	*	*	*	*	*	*
05.3	*7	*	*	—	*	*	*	*	*	*	*
05.31	*7	*	*	—	*	*	*	*	*	*	*

NOTE: Estimates of 5,000-9,000 are to be used with caution; see methods section.

Table 4. Number of all-listed procedures for discharges from short-stay hospitals, by ICD-9-CM code, sex and age of patient, and geographic region of hospital: United States, 1994—Con.

[Discharges of inpatients from non-Federal hospitals. Excludes newborn infants. Code numbers are from the *International Classification of Diseases, 9th Revision, Clinical Modification* (ICD-9-CM). Totals include data for categories not listed in table; see methods section]

ICD-9-CM code	Total	Sex		Age				Region			
		Male	Female	Under 15 years	15-44 years	45-64 years	65 years and over	Northeast	Midwest	South	West
Number of procedures in thousands											
06-07	103	27	76	*	38	37	25	25	24	34	20
06	85	19	66	*	31	30	22	20	20	28	17
06.1	*5	*	*	—	*	*	*	*	*	*	*
06.2	25	*	22	*	11	9	*	*7	*5	*8	*5
06.3	18	*	15	*	*7	*7	*	*	*	*8	*
06.39	16	*	13	*	*7	*6	*	*	*	*7	*
06.4	12	*	10	*	*	*	*	*	*	*	*
06.8	14	*	11	—	*	*6	*5	*	*	*	*
06.89	12	*	10	—	*	*5	*	*	*	*	*
07	18	*8	9	*	*7	*6	*	*	*	*6	*
07.2	*5	*	*	*	*	*	*	*	*	*	*
07.6	*5	*	*	*	*	*	*	*	*	*	*
08-16	283	127	156	20	43	67	154	129	33	89	32
08	37	20	17	*6	12	9	*9	13	*8	10	*6
08.8	24	14	9	*	11	*5	*	*8	*6	*7	*
08.81	21	13	*8	*	10	*	*	*6	*5	*7	*
11	*9	*5	*	*	*	*	*	*	*	*	*
11.5	*5	*	*	*	*	*	*	*	*	*	*
12	20	*9	11	*	*	*	12	*7	*	9	*
12.6	*7	*	*	*	—	*	*6	*	*	*	*
12.9	*6	*	*	*	*	*	*	*	*	*	*
13	116	43	73	*	*	20	93	83	*	19	10
13.4	39	16	23	—	*	*8	31	29	*	*7	*
13.41	39	16	23	—	*	*8	31	29	*	*7	*
13.5	16	*5	11	*	*	*	13	12	*	*	*
13.59	16	*5	11	*	*	*	13	12	*	*	*
13.7	55	20	34	*	*	9	44	41	*	*8	*
13.71	54	20	34	—	*	9	44	41	*	*8	*
14	80	38	42	*	14	29	32	16	15	40	*8
14.2	*6	*	*	*	*	*	*	*	*	*	*
14.4	19	12	*7	*	*	*8	*8	*5	*	*8	*
14.49	15	9	*6	*	*	*6	*6	*	*	*5	*
14.5	11	*6	*5	*	*	*	*	*	*	*6	*
14.54	*6	*	*	*	*	*	*	*	*	*	*
14.7	30	12	18	*	*5	10	12	*6	*6	15	*
14.74	17	*7	11	*	*	*6	*7	*	*	*9	*
14.79	*5	*	*	—	*	*	*	*	*	*	*
14.9	*7	*	*	*	*	*	*	*	*	*5	*
16	13	*8	*5	*	*	*	*	*	*	*	*
16.0	*6	*	*	*	*	*	*	*	*	*	*
16.09	*5	*	*	*	*	*	*	*	*	*	*
18-20	80	44	37	44	15	10	11	31	11	20	18
18	22	14	*7	*8	*7	*	*6	*7	*	*	*7
18.4	*7	*	*	*	*	*	*	*	*	*	*
18.7	*8	*6	*	*6	*	*	*	*	*	*	*
19	10	*	*	*	*	*	*	*6	*	*	*
20	49	24	24	34	*6	*6	*	19	*6	16	*9
20.0	35	18	17	29	*	*	*	13	*	13	*6
20.01	33	17	16	27	*	*	*	12	*	13	*
20.4	*6	*	*	*	*	*	*	*	*	*	*

NOTE: Estimates of 5,000-9,000 are to be used with caution; see methods section.

Table 4. Number of all-listed procedures for discharges from short-stay hospitals, by ICD-9-CM code, sex and age of patient, and geographic region of hospital: United States, 1994—Con.[Discharges of inpatients from non-Federal hospitals. Excludes newborn infants. Code numbers are from the *International Classification of Diseases, 9th Revision, Clinical Modification* (ICD-9-CM). Totals include data for categories not listed in table; see methods section]

ICD-9-CM code	Total	Sex		Age				Region			
		Male	Female	Under 15 years	15-44 years	45-64 years	65 years and over	Northeast	Midwest	South	West
Number of procedures in thousands											
21-29	394	212	182	81	160	84	69	156	64	111	63
21	105	49	56	*7	51	21	27	46	18	29	12
21.0	33	15	18	*	*6	*8	19	10	*8	10	*6
21.01	10	*6	*	*	*	*	*	*	*	*	*
21.02	12	*5	*7	*	*	*	*7	*	*	*	*
21.03	*5	*	*	*	*	*	*	*	*	*	*
21.3	*7	*	*	*	*	*	*	*5	*	*	*
21.5	*7	*	*	*	*	*	*	*5	*	*	*
21.6	12	*6	*6	*	*8	*	*	*	*	*6	*
21.69	11	*5	*5	*	*7	*	*	*	*	*	*
21.7	*7	*	*	*	*5	*	*	*	*	*	*
21.8	34	16	18	*	23	*5	*	15	*	10	*
21.81	*5	*	*	*	*	*	*	*	*	*	*
21.88	18	9	*9	*	13	*	*	*7	*	*8	*
22	65	37	28	*9	27	20	10	28	9	17	11
22.1	9	*6	*	*	*	*	*	*	*	*	*
22.19	*8	*5	*	*	*	*	*	*	*	*	*
22.2	13	*8	*5	*	*5	*	*	*7	*	*	*
22.4	*5	*	*	—	*	*	*	*	*	*	*
22.6	27	14	13	*	12	10	*	14	*	*7	*
22.63	22	11	10	*	9	*7	*	12	*	*	*
23	33	19	14	*6	17	*5	*	11	*8	*9	*
23.0	12	*7	*5	*	*6	*	*	*	*	*	*
23.09	12	*7	*5	*	*5	*	*	*	*	*	*
23.1	17	10	*7	*	10	*	*	*6	*	*	*
23.19	17	10	*7	*	10	*	*	*6	*	*	*
24	10	*6	*	*	*	*	*	*	*	*	*
25	10	*7	*	*	*	*	*	*	*	*	*
26	17	*7	10	*	*	*	*7	*	*	*7	*
26.3	13	*5	*8	*	*	*	*6	*	*	*6	*
26.32	*6	*	*	—	*	*	*	*	*	*	*
27	58	32	26	17	21	12	*8	18	11	17	12
27.0	*9	*	*	*	*	*	*	*	*	*	*
27.4	*6	*	*	*	*	*	*	*	*	*	*
27.5	25	16	*9	*7	11	*	*	9	*5	*5	*5
27.51	13	9	*	*	*9	*	*	*	*	*	*
27.6	13	*7	*5	10	*	*	*	*	*	*	*
27.62	*8	*	*	*7	*	*	—	*	*	*	*
28	72	38	34	36	27	*7	*	34	*8	17	13
28.0	*8	*	*	*	*	*	*	*	*	*	*
28.2	22	10	11	*	14	*	*	10	*	*	*
28.3	29	15	15	25	*	—	—	17	*	*6	*
28.6	*5	*	*	*	*	—	—	*	*	*	*
29	23	16	*7	*	*6	10	*	*9	*	*7	*
29.1	*6	*	*	*	*	*	*	*	*	*	*
29.4	12	10	*	*	*	*7	*	*	*	*	*
30-34	981	567	414	42	181	281	477	262	221	319	180
30	9	*6	*	*	*	*	*	*	*	*	*
31	121	70	51	15	25	32	50	40	27	36	18
31.1	51	31	20	*	12	13	24	15	12	17	*8
31.2	17	9	*8	*	*	*	10	*5	*	*6	*
31.29	17	9	*8	*	*	*	10	*5	*	*6	*
31.4	44	23	21	10	*8	13	13	18	9	10	*7
31.42	35	17	19	10	*7	*9	10	15	*7	*8	*6
31.43	*6	*	*	*	*	*	*	*	*	*	*

NOTE: Estimates of 5,000-9,000 are to be used with caution; see methods section.

Table 4. Number of all-listed procedures for discharges from short-stay hospitals, by ICD-9-CM code, sex and age of patient, and geographic region of hospital: United States, 1994—Con.

[Discharges of inpatients from non-Federal hospitals. Excludes newborn infants. Code numbers are from the *International Classification of Diseases, 9th Revision, Clinical Modification* (ICD-9-CM). Totals include data for categories not listed in table; see methods section]

ICD-9-CM code	Total	Sex		Age				Region			
		Male	Female	Under 15 years	15-44 years	45-64 years	65 years and over	Northeast	Midwest	South	West
Number of procedures in thousands											
32	72	37	35	*	10	24	37	20	16	20	16
32.2	31	17	14	*	*5	10	16	10	*7	*8	*7
32.29	24	13	12	*	*	*8	13	*9	*	*7	*5
32.3	11	*	*6	*	*	*	*5	*	*	*	*
32.4	24	13	11	*	*	9	13	*5	*6	*7	*6
33	351	208	143	16	55	108	171	90	78	124	60
33.2	338	198	139	15	53	104	166	87	74	119	59
33.22	59	32	27	*	10	18	27	15	11	19	14
33.23	42	25	17	*7	*9	12	14	13	12	11	*6
33.24	127	73	54	*	20	37	68	29	30	46	23
33.26	25	17	*9	*	*	10	14	*6	*	12	*
33.27	59	37	22	*	10	18	30	17	10	24	*9
33.28	21	13	*9	*	*	*8	11	*6	*5	*6	*
33.3	*7	*	*	*	*	*	*	*	*	*	*
34	428	247	181	10	88	114	216	108	98	137	85
34.0	165	105	60	*7	52	40	66	41	40	50	34
34.03	*8	*6	*	*	*	*	*	*	*	*	*
34.04	130	80	50	*5	45	30	51	35	32	38	25
34.09	20	13	*6	*	*6	*6	*8	*	*	*5	*7
34.2	55	32	23	*	*8	17	29	18	10	17	10
34.21	16	10	*6	*	*	*	*6	*	*	*	*
34.22	16	10	*6	—	*	*5	10	*6	*	*	*
34.24	15	*8	*6	—	*	*	*9	*	*	*	*
34.5	14	12	*	*	*	*6	*	*	*	*6	*
34.51	11	10	*	*	*	*	*	*	*	*5	*
34.6	*7	*	*	—	*	*	*	*	*	*	*
34.8	*6	*	*	*	*	*	*	*	*	*	*
34.9	167	80	87	*	15	44	106	40	39	55	33
34.91	153	73	80	*	13	40	98	36	35	52	30
34.92	14	*7	*7	*	*	*	*8	*	*	*	*
35-39	4,653	2,724	1,928	138	495	1,619	2,401	994	1,060	1,726	873
35	91	46	45	20	11	22	37	26	19	24	22
35.1	*6	*	*	*	*	*	*	*	*	*	*
35.2	54	29	25	*	*6	16	31	12	11	16	15
35.21	*7	*	*	—	*	*	*5	*	*	*	*
35.22	28	16	12	*	*	*8	17	*7	*7	*7	*7
35.24	15	*7	*9	*	*	*6	*7	*	*	*	*
35.3	*6	*	*	*	*	*	*	*	*	*	*
35.33	*5	*	*	—	*	*	*	*	*	*	*
35.7	*9	*	*5	*7	*	*	*	*	*	*	*
36	931	644	287	*	50	411	469	183	230	330	188
36.0	428	280	148	*	32	193	203	68	115	154	91
36.01	340	218	122	*	26	154	159	59	91	120	71
36.02	13	10	*	—	*	*6	*5	*	*5	*	*
36.04	*7	*	*	—	*	*	*	*	*	*	*
36.05	51	35	16	—	*	22	26	*	15	19	12
36.09	14	11	*	—	*	*8	*6	*	*	*7	*
36.1	501	363	139	*	18	217	265	114	115	176	96
36.11	42	27	15	—	*	22	18	10	10	14	*8
36.12	92	65	27	*	*	38	51	23	22	26	20
36.13	101	73	28	—	*	39	60	21	25	36	19
36.14	67	49	18	—	*	26	37	13	12	30	12
36.15	184	137	47	*	*7	83	94	42	44	65	33
36.16	*7	*	*	—	*	*	*	*	*	*	*

NOTE: Estimates of 5,000-9,000 are to be used with caution; see methods section.

Table 4. Number of all-listed procedures for discharges from short-stay hospitals, by ICD-9-CM code, sex and age of patient, and geographic region of hospital: United States, 1994—Con.[Discharges of inpatients from non-Federal hospitals. Excludes newborn infants. Code numbers are from the *International Classification of Diseases, 9th Revision, Clinical Modification* (ICD-9-CM). Totals include data for categories not listed in table; see methods section]

ICD-9-CM code	Total	Sex		Age				Region			
		Male	Female	Under 15 years	15-44 years	45-64 years	65 years and over	Northeast	Midwest	South	West
Number of procedures in thousands											
37	1,559	901	658	21	127	554	856	344	347	618	249
37.0	9	*	*	*	*	*	*	*	*	*	*
37.1	12	*6	*6	*	*	*	*5	*	*	*	*
37.12	10	*	*5	*	*	*	*	*	*	*	*
37.2	1,122	678	444	15	103	471	532	232	258	448	184
37.21	55	35	20	*	*	24	25	12	*7	23	13
37.22	758	467	291	*	72	338	347	145	188	299	126
37.23	234	131	103	*9	12	83	130	56	51	98	29
37.26	59	36	24	*	10	21	26	17	10	20	12
37.27	*5	*	*	*	*	*	*	*	*	*	*
37.3	22	11	10	*	*7	*7	*6	*	*	10	*
37.34	17	*9	*8	*	*6	*5	*	*	*	*8	*
37.6	41	29	13	*	*	15	24	13	12	10	*6
37.61	35	24	11	—	*	13	20	10	10	9	*5
37.64	*5	*	*	—	*	*	*	*	*	*	*
37.7	189	91	99	*	*	27	157	49	38	76	26
37.71	49	18	31	*	*	*	44	12	10	20	*6
37.72	64	33	31	*	*	10	52	20	13	24	*8
37.75	*8	*	*	*	—	*	*7	*	*	*	*
37.76	10	*	*5	*	*	*	*8	*	*	*	*
37.78	51	27	24	*	*	11	39	14	10	18	*9
37.8	139	63	76	*	*	16	117	37	27	58	17
37.80	10	*	*6	—	*	*	9	*	*	*	*
37.81	31	10	22	*	*	*	28	*7	*	16	*
37.82	19	10	*9	*	*	*	16	*	*6	*7	*
37.83	62	32	30	*	*	9	51	18	13	25	*6
37.85	*5	*	*	*	*	*	*	*	*	*	*
37.87	*6	*	*	*	*	*	*	*	*	*	*
37.9	21	16	*5	*	*	*9	10	*	*	*6	*7
37.94	12	10	*	*	*	*6	*5	*	*	*	*
38	932	475	457	63	150	232	486	197	232	338	165
38.0	39	23	16	*	*	11	23	*8	11	13	*7
38.03	*8	*	*	*	*	*	*	*	*	*	*
38.08	21	13	*8	—	*	*5	13	*	*6	*7	*
38.1	134	76	58	—	*	34	98	25	30	62	17
38.12	108	61	47	—	*	26	81	19	23	54	12
38.18	18	10	*8	—	*	*6	11	*	*	*5	*
38.2	12	*	*8	—	*	*	*8	*	*	*	*
38.21	10	*	*7	—	*	*	*7	*	*	*	*
38.4	45	35	11	*	*	11	32	12	11	16	*7
38.44	31	25	*6	—	*	*6	25	*9	*8	9	*5
38.48	*5	*	*	—	*	*	*	*	*	*	*
38.5	11	*	*6	*	*	*7	*	*	*	*	*
38.59	10	*	*	—	*	*5	*	*	*	*	*
38.6	12	*8	*	*	*	*	*6	*	*	*	*
38.7	28	12	15	—	*	*5	19	*8	*9	10	*
38.8	22	10	11	*7	*6	*	*	*6	*	*8	*
38.85	*8	*	*	*6	*	*	*	*	*	*	*
38.9	625	300	325	53	128	154	290	126	157	219	123
38.91	96	56	40	18	12	25	41	22	29	29	16
38.92	*7	*	*	*6	—	*	—	*	*	*	*
38.93	396	172	225	24	93	94	186	81	90	146	79
38.94	12	*7	*	*	*	*	*	*	*	*	*
38.95	93	49	43	*	19	29	44	20	15	37	20
38.98	18	9	*8	*	*	*	12	*	17	*	—

NOTE: Estimates of 5,000-9,000 are to be used with caution; see methods section.

Table 4. Number of all-listed procedures for discharges from short-stay hospitals, by ICD-9-CM code, sex and age of patient, and geographic region of hospital: United States, 1994—Con.

[Discharges of inpatients from non-Federal hospitals. Excludes newborn infants. Code numbers are from the *International Classification of Diseases, 9th Revision, Clinical Modification* (ICD-9-CM). Totals include data for categories not listed in table; see methods section]

ICD-9-CM code	Total	Sex		Age				Region			
		Male	Female	Under 15 years	15-44 years	45-64 years	65 years and over	Northeast	Midwest	South	West
Number of procedures in thousands											
39	1,141	659	482	32	157	400	552	245	233	414	249
39.2	169	96	73	*	12	60	97	34	32	69	34
39.25	28	17	11	—	*	13	14	*6	*7	10	*6
39.27	51	25	26	*	*7	18	26	*8	*6	27	11
39.29	82	50	32	*	*	28	52	18	19	29	17
39.3	20	12	*8	*	*9	*6	*	*	*5	*9	*
39.31	14	9	*5	*	*6	*	*	*	*	*6	*
39.4	98	48	50	*	21	34	43	24	13	38	24
39.42	24	11	13	—	*5	9	9	*6	*	*7	*8
39.49	68	34	34	*	14	23	31	16	*8	28	15
39.5	98	55	43	*	12	35	47	26	25	34	13
39.51	9	*	*7	—	*	*	*	*	*	*	*
39.52	11	9	*	—	*	*	*8	*	*	*	*
39.56	*6	*	*	*	*	*	*	*	*	*	*
39.57	*6	*	*	—	*	*	*	*	*	*	*
39.59	57	30	27	*	*	20	30	16	16	17	*8
39.6	379	257	122	22	21	141	195	82	101	124	72
39.61	268	184	84	14	14	104	136	62	67	89	51
39.62	45	29	16	*	*	15	25	*8	16	10	10
39.63	23	16	*7	*	*	*8	11	*	10	*	*
39.64	41	27	14	*	*	14	24	*6	*7	21	*7
39.9	370	185	184	*	81	122	165	73	55	140	101
39.93	*7	*	*	*	*	*	*	*	*	*	*
39.95	348	173	175	*	74	116	157	69	52	129	98
39.98	*5	*	*	—	*	*	*	*	*	*	*
40-41	370	187	183	17	70	118	165	108	74	126	62
40	211	110	100	*	33	81	93	61	43	68	39
40.1	54	26	28	*	11	14	26	17	11	16	9
40.11	52	25	27	*	11	14	25	17	11	15	9
40.2	63	28	35	*	11	23	27	20	12	22	*9
40.23	17	*	16	—	*	*8	*5	*6	*	*6	*
40.24	*7	*	*	*	*	*	*	*	*	*	*
40.29	36	21	15	*	*6	10	19	*9	*9	14	*
40.3	59	34	26	*	*6	27	26	16	12	19	12
40.4	13	9	*	*	*	*6	*	*	*	*	*
40.41	10	*8	*	*	*	*	*	*	*	*	*
40.5	20	13	*7	—	*	10	*8	*	*	*7	*6
40.59	9	*6	*	—	*	*	*	*	*	*	*
41	160	77	83	13	37	37	73	47	32	58	24
41.0	*8	*	*	*	*	*	*	*	*	*	*
41.01	*6	*	*	*	*	*	*	*	*	*	*
41.3	120	58	61	*8	21	27	63	37	22	43	17
41.31	119	58	61	*8	21	27	63	37	22	43	17
41.5	22	10	12	*	*9	*	*8	*	*7	*7	*
41.9	*6	*	*	*	*	*	*	*	*	*	*
42-54	5,123	2,176	2,946	194	1,323	1,310	2,296	1,267	1,170	1,832	854
42	130	78	52	10	19	41	61	35	30	40	25
42.2	63	35	28	*8	11	17	27	19	12	19	12
42.23	55	30	25	*	11	15	24	16	12	18	10
42.3	27	19	*8	*	*6	12	9	*5	*7	*7	*8
42.33	25	18	*7	*	*6	11	*8	*5	*6	*7	*7
42.9	29	18	11	*	*	*7	20	*8	*7	10	*
42.92	28	17	11	*	*	*6	19	*8	*7	10	*

NOTE: Estimates of 5,000-9,000 are to be used with caution; see methods section.

Table 4. Number of all-listed procedures for discharges from short-stay hospitals, by ICD-9-CM code, sex and age of patient, and geographic region of hospital: United States, 1994—Con.[Discharges of inpatients from non-Federal hospitals. Excludes newborn infants. Code numbers are from the *International Classification of Diseases, 9th Revision, Clinical Modification* (ICD-9-CM). Totals include data for categories not listed in table; see methods section]

ICD-9-CM code	Total	Sex		Age				Region			
		Male	Female	Under 15 years	15-44 years	45-64 years	65 years and over	Northeast	Midwest	South	West
Number of procedures in thousands											
43	199	88	110	15	15	34	134	53	46	71	30
43.1	146	61	85	*6	11	22	107	39	34	53	20
43.11	109	43	66	*	*6	14	88	29	23	42	15
43.19	37	18	19	*5	*5	*8	18	10	11	11	*5
43.3	10	*9	*	9	*	*	*	*	*	*	*
43.4	15	*6	9	*	*	*	9	*	*	*5	*
43.41	11	*	*6	—	*	*	*8	*	*	*	*
43.6	*5	*	*	—	*	*	*	*	*	*	*
43.7	12	*7	*6	—	*	*	*8	*	*	*	*
44	175	89	85	*9	33	45	88	31	38	73	33
44.0	13	*	*8	—	*	*	*6	*	*	*6	*
44.01	*7	*	*	—	*	*	*	*	*	*	*
44.1	37	18	18	*	*5	12	19	*8	*6	20	*
44.13	21	10	11	*	*	*7	12	*	*	11	*
44.14	15	*8	*7	*	*	*6	*7	*	*	9	*
44.2	13	*7	*6	*	*	*	*8	*	*	*6	*
44.29	9	*	*	*	*	*	*5	*	*	*	*
44.3	15	*7	*8	*	*	*	*8	*	*	*8	*
44.39	14	*7	*7	*	*	*	*8	*	*	*7	*
44.4	57	38	19	*	*7	15	35	14	13	20	10
44.42	12	*7	*	—	*	*	*7	*	*	*	*
44.43	40	28	12	*	*	12	24	10	*8	14	*8
44.6	38	13	24	*7	13	*7	11	*	*8	14	13
44.66	24	9	14	*5	*6	*5	*7	*	*	*8	11
44.69	*7	*	*6	*	*	*	*	*	*	*	*
45	1,870	836	1,034	30	276	465	1,099	509	424	665	272
45.0	9	*	*6	*	*	*	*	*	*	*	*
45.1	883	409	473	15	154	220	493	219	200	324	139
45.13	485	237	248	*	86	126	269	106	112	187	80
45.16	387	168	219	10	67	91	218	109	86	134	58
45.2	553	227	326	*6	73	131	344	176	113	198	67
45.23	248	102	147	*	21	61	166	75	46	98	29
45.24	109	45	64	*	15	27	66	25	27	43	14
45.25	185	76	109	*	37	40	105	72	37	55	22
45.3	13	*7	*5	*	*	*	*8	*	*	*	*
45.30	*5	*	*	—	*	*	*	*	*	*	*
45.33	*6	*	*	*	*	*	*	*	*	*	*
45.4	98	48	50	*	*7	22	69	31	23	34	9
45.42	83	42	42	*	*5	20	58	27	19	30	*7
45.43	12	*6	*6	—	*	*	10	*	*	*	*
45.6	59	26	33	*	11	15	30	14	17	21	*8
45.62	55	25	30	*	9	15	27	13	15	19	*7
45.7	198	89	110	*	19	53	123	51	49	63	36
45.72	11	*6	*	*	*	*	*	*	*	*	*
45.73	58	23	34	*	*	11	43	13	14	21	10
45.74	12	*6	*6	*	*	*	*8	*	*	*	*
45.75	27	12	15	*	*	*8	16	*8	*6	*9	*
45.76	70	31	39	*	*7	21	42	19	18	21	12
45.79	20	10	10	*	*	*7	10	*6	*	*	*
45.8	*7	*	*	*	*	*	*	*	*	*	*
45.9	50	23	27	*	*8	17	24	10	13	16	11
45.91	12	*	*7	*	*	*5	*	*	*	*	*
45.93	21	*8	13	*	*	*5	12	*	*7	*6	*
45.94	12	*6	*6	*	*	*5	*6	*	*	*	*

NOTE: Estimates of 5,000-9,000 are to be used with caution; see methods section.

Table 4. Number of all-listed procedures for discharges from short-stay hospitals, by ICD-9-CM code, sex and age of patient, and geographic region of hospital: United States, 1994—Con.

[Discharges of inpatients from non-Federal hospitals. Excludes newborn infants. Code numbers are from the *International Classification of Diseases, 9th Revision, Clinical Modification* (ICD-9-CM). Totals include data for categories not listed in table; see methods section]

ICD-9-CM code	Total	Sex		Age				Region			
		Male	Female	Under 15 years	15-44 years	45-64 years	65 years and over	Northeast	Midwest	South	West
Number of procedures in thousands											
46	202	98	104	10	35	58	98	48	56	66	32
46.0	17	*8	*8	*	*	*6	*7	*	*	*7	*
46.03	13	*6	*7	*	*	*5	*6	*	*	*6	*
46.1	55	27	28	*	*7	16	31	17	13	16	*9
46.10	30	14	16	*	*	*9	16	9	*7	10	*
46.11	10	*	*5	*	*	*	*	*	*	*	*
46.13	15	*9	*7	*	*	*	10	*	*	*	*
46.2	10	*	*5	*	*	*	*	*	*	*	*
46.3	26	12	14	*	*	*6	16	*6	9	*8	*
46.39	22	10	12	*	*	*5	14	*5	*7	*7	*
46.4	10	*	*7	*	*	*	*	*	*	*	*
46.5	34	18	16	*	*6	12	14	*8	9	12	*
46.51	*6	*	*	*	*	*	*	*	*	*	*
46.52	28	15	13	*	*	11	12	*6	*8	10	*
46.7	32	15	18	*	12	*8	11	*7	10	10	*6
46.73	14	*7	*7	*	*6	*	*5	*	*	*	*
46.75	*8	*	*	*	*	*	*	*	*	*	*
46.8	14	9	*5	*	*	*	*9	*	*	*	*
46.85	*8	*5	*	—	*	*	*6	*	*	*	*
47	359	174	185	70	203	59	28	57	93	136	73
47.0	280	157	122	62	164	39	15	45	68	105	62
47.1	78	16	62	*7	39	20	13	12	25	31	11
48	132	64	68	*	27	33	66	39	26	47	20
48.2	58	27	30	*	11	15	29	18	13	20	*7
48.23	36	19	16	*	*8	11	17	*9	*8	14	*
48.24	20	*7	13	*	*	*	12	*8	*	*	*
48.3	14	*6	*8	*	*	*	11	*6	*	*	*
48.35	12	*5	*6	*	*	*	*9	*	*	*	*
48.5	11	*7	*	—	*	*	*6	*	*	*	*
48.6	25	10	14	*	*	*7	15	*8	*	*8	*
48.63	14	*5	*8	—	*	*	10	*	*	*	*
48.69	*8	*	*	—	*	*	*	*	*	*	*
48.7	*6	*	*5	*	*	*	*	*	*	*	*
48.8	14	9	*	*	*7	*	*	*	*	*6	*
48.81	13	*9	*	*	*7	*	*	*	*	*	*
49	73	42	31	*	32	22	17	19	16	28	9
49.0	11	*7	*	*	*7	*	*	*	*	*5	*
49.01	10	*7	*	*	*6	*	*	*	*	*	*
49.2	*9	*	*5	*	*	*	*	*	*	*5	*
49.21	*7	*	*	*	*	*	*	*	*	*	*
49.3	*6	*	*	*	*	*	*	*	*	*	*
49.4	30	17	13	*	10	12	*8	*8	*9	9	*
49.46	26	15	12	*	*9	10	*7	*7	*8	*8	*
49.5	*6	*	*	—	*	*	*	*	*	*	*
50	98	51	47	*	23	31	39	33	20	32	13
50.1	77	36	41	*	16	27	31	26	16	25	10
50.11	48	24	24	*	12	15	19	16	*9	16	*7
50.12	30	12	18	*	*	13	12	10	*8	*9	*
50.9	*5	*	*	*	*	*	*	*	*	*	*

NOTE: Estimates of 5,000-9,000 are to be used with caution; see methods section.

Table 4. Number of all-listed procedures for discharges from short-stay hospitals, by ICD-9-CM code, sex and age of patient, and geographic region of hospital: United States, 1994—Con.[Discharges of inpatients from non-Federal hospitals. Excludes newborn infants. Code numbers are from the *International Classification of Diseases, 9th Revision, Clinical Modification* (ICD-9-CM). Totals include data for categories not listed in table; see methods section]

ICD-9-CM code	Total	Sex		Age				Region			
		Male	Female	Under 15 years	15-44 years	45-64 years	65 years and over	Northeast	Midwest	South	West
Number of procedures in thousands											
51	708	238	470	*	208	201	295	172	145	246	144
51.1	99	33	66	*	26	25	47	24	19	28	28
51.10	86	29	57	*	22	23	40	21	17	23	25
51.11	*6	*	*	—	*	*	*	*	*	*	*
51.2	463	148	315	*	152	147	161	115	95	169	85
51.22	149	61	88	*	33	45	69	38	33	52	26
51.23	314	87	226	*	118	102	92	77	62	116	59
51.3	16	*9	*7	*	*	*	11	*	*	*7	*
51.32	*6	*	*	*	*	*	*	*	*	*	*
51.36	*8	*	*	*	*	*	*6	*	*	*	*
51.4	20	*8	12	*	*5	*	12	*6	*	*8	*
51.41	13	*5	*8	*	*	*	*8	*	*	*	*
51.43	*5	*	*	—	*	*	*	*	*	*	*
51.5	13	*6	*7	—	*	*	*8	*	*	*	*
51.51	12	*	*7	—	*	*	*7	*	*	*	*
51.8	83	28	55	*	18	17	49	17	21	24	21
51.85	40	13	27	*	10	*7	23	9	9	10	12
51.87	16	*7	9	—	*	*	10	*	*	*6	*
51.88	21	*7	14	—	*	*	14	*	*7	*6	*
51.9	*7	*	*	*	*	*	*	*	*	*	*
52	40	17	23	*	*9	12	18	*7	*9	15	9
52.1	16	*7	9	—	*	*6	10	*	*	*5	*
52.11	*9	*	*5	—	*	*	*	*	*	*	*
52.9	9	*	*6	*	*	*	*	*	*	*	*
52.93	*7	*	*	—	*	*	*	*	*	*	*
53	260	137	123	13	55	82	110	69	53	102	37
53.0	80	66	14	*5	18	18	39	23	14	29	13
53.00	15	12	*	*	*	*	*7	*	*	*6	*
53.01	10	*8	*	*	*	*	*5	*	*	*	*
53.02	18	16	*	*	*	*	*8	*7	*	*7	*
53.03	11	10	*	—	*	*	*6	*	*	*	*
53.04	15	12	*	—	*5	*	*7	*	*	*7	*
53.05	11	*9	*	—	*	*	*6	*	*	*	*
53.1	18	17	*	*	*	*	*5	*5	*	*7	*
53.2	*8	*	*	*	*	*	*6	*	*	*	*
53.4	44	17	27	*	12	17	14	12	*9	18	*6
53.49	41	16	25	*	11	15	13	11	*8	17	*6
53.5	48	16	32	*	*9	19	20	10	11	22	*
53.51	27	*9	18	*	*7	*7	13	*6	*7	12	*
53.59	21	*7	14	*	*	11	*8	*	*	10	*
53.6	46	13	33	*	*9	21	16	13	11	15	*7
53.61	35	10	25	—	*6	15	13	10	*8	11	*6
53.69	11	*	*8	*	*	*5	*	*	*	*	*
53.7	*8	*	*5	*	*	*	*	*	*	*	*
53.9	*6	*	*	*	*	*	*	*	*	*	*

NOTE: Estimates of 5,000-9,000 are to be used with caution; see methods section.

Table 4. Number of all-listed procedures for discharges from short-stay hospitals, by ICD-9-CM code, sex and age of patient, and geographic region of hospital: United States, 1994—Con.

[Discharges of inpatients from non-Federal hospitals. Excludes newborn infants. Code numbers are from the *International Classification of Diseases, 9th Revision, Clinical Modification* (ICD-9-CM). Totals include data for categories not listed in table; see methods section]

ICD-9-CM code	Total	Sex		Age				Region			
		Male	Female	Under 15 years	15-44 years	45-64 years	65 years and over	Northeast	Midwest	South	West
Number of procedures in thousands											
54	879	265	614	20	388	229	242	196	215	313	156
54.0	25	10	15	*	*7	*9	*8	*	*7	10	*
54.1	65	25	40	*	25	13	25	16	23	15	10
54.11	41	14	27	*	16	*7	16	11	16	*8	*6
54.19	20	*9	11	*	*7	*	*7	*	*	*7	*
54.2	215	61	154	*5	129	46	35	49	49	69	47
54.21	155	34	121	*	108	29	15	36	33	50	35
54.23	28	10	18	*	*	11	12	*7	*6	*8	*6
54.25	25	14	11	*	14	*5	*	*	*8	*8	*
54.3	16	*	13	*	*6	*6	*	*	*	*9	*
54.4	47	10	38	*	16	12	17	10	10	18	*8
54.5	328	63	265	*	153	84	87	67	82	127	52
54.6	11	*7	*	*	*	*	*	*	*	*	*
54.61	*6	*	*	*	*	*	*	*	*	*	*
54.7	10	*	*6	*	*	*	*	*	*	*6	*
54.9	161	80	81	*	43	54	59	41	35	56	30
54.91	87	43	44	*	16	33	36	21	18	33	14
54.93	13	*6	*8	*	*	*	*	*	*	*	*
54.95	*8	*	*	*	*	*	*	*	*	*	*
54.98	42	20	22	*	16	11	13	11	10	12	*9
55-59	1,186	610	575	32	261	317	575	362	267	367	190
55	126	65	61	*6	38	38	44	30	24	50	21
55.0	32	17	16	*	*5	11	16	10	*8	*9	*5
55.02	*5	*	*	*	*	*	*	*	*	*	*
55.03	22	13	*9	*	*	*8	10	*8	*	*5	*
55.2	26	14	12	*	11	*8	*5	*6	*	12	*
55.23	22	11	11	*	10	*6	*	*	*	10	*
55.5	34	18	16	*	9	*9	15	*7	*7	13	*7
55.51	31	17	14	*	*8	*7	15	*6	*6	11	*7
55.6	11	*6	*	*	*	*5	*	*	*	*7	*
55.69	11	*6	*	*	*	*5	*	*	*	*7	*
55.8	*5	*	*	*	*	*	*	*	*	*	*
55.9	11	*	*7	—	*5	*	*	*	*	*6	*
55.92	*5	*	*	—	*	*	*	*	*	*	*
55.93	*5	*	*	—	*	*	*	*	*	*	*
56	106	64	42	*9	33	32	32	28	33	31	15
56.0	48	34	14	*	18	16	13	13	17	12	*5
56.3	27	16	11	*	10	*8	*8	*7	10	*7	*
56.31	25	15	10	*	10	*8	*7	*6	10	*7	*
56.5	*8	*	*	—	*	*	*	*	*	*	*
56.51	*7	*	*	—	*	*	*	*	*	*	*
56.7	11	*	*7	*7	*	*	*	*	*	*	*
56.74	9	*	*6	*7	*	*	*	*	*	*	*

NOTE: Estimates of 5,000-9,000 are to be used with caution; see methods section.

Table 4. Number of all-listed procedures for discharges from short-stay hospitals, by ICD-9-CM code, sex and age of patient, and geographic region of hospital: United States, 1994—Con.[Discharges of inpatients from non-Federal hospitals. Excludes newborn infants. Code numbers are from the *International Classification of Diseases, 9th Revision, Clinical Modification* (ICD-9-CM). Totals include data for categories not listed in table; see methods section]

ICD-9-CM code	Total	Sex		Age				Region			
		Male	Female	Under 15 years	15-44 years	45-64 years	65 years and over	Northeast	Midwest	South	West
Number of procedures in thousands											
57	659	367	291	11	118	145	385	233	138	184	104
57.0	26	20	*5	*	*	*5	19	*9	*	*9	*
57.1	48	19	29	*	*7	14	24	14	*7	18	9
57.17	17	*	13	*	*	*7	*7	*	*	*	*
57.18	22	12	10	*	*	*5	14	*	*	11	*
57.19	*7	*	*	*	*	*	*	*	*	*	*
57.3	278	170	107	*	43	70	160	87	71	90	30
57.32	249	156	94	*	40	63	143	75	65	82	26
57.33	26	14	13	*	*	*7	17	11	*6	*7	*
57.4	68	51	16	*	*	10	55	22	13	23	10
57.49	68	51	16	*	*	10	55	22	13	23	10
57.7	*6	*	*	—	*	*	*	*	*	*	*
57.71	*6	*	*	—	*	*	*	*	*	*	*
57.8	20	*5	15	*	*7	*6	*6	*	*	*7	*5
57.81	*7	*	*7	*	*	*	*	*	*	*	*
57.89	*7	*	*6	*	*	*	*	*	*	*	*
57.9	205	89	116	*	56	37	111	95	36	31	43
57.91	11	11	*	—	*	*	9	*	*	*	*
57.94	188	74	114	*	55	34	98	89	33	26	40
58	84	58	26	*	13	20	45	27	15	33	*8
58.1	*6	*6	*	*	*	*	*5	*	*	*	*
58.4	11	*6	*5	*	*	*	*	*	*	*	*
58.49	*5	*	*	*	*	*	*	*	*	*	*
58.5	18	15	*	*	*	*	12	*6	*	*8	*
58.6	38	24	14	*	*6	10	21	14	*9	13	*
59	211	55	155	*	58	83	69	44	56	69	42
59.0	*5	*	*	*	*	*	*	*	*	*	*
59.5	39	—	39	*	13	17	*8	*	13	15	*8
59.7	51	*	51	*	12	24	16	*6	14	17	13
59.79	51	*	51	—	11	24	16	*6	14	17	13
59.8	94	49	45	*	26	34	33	28	25	30	12
59.9	*8	*	*	—	*	*	*	*	*	*	*
60-64	400	400	—	35	20	95	250	91	92	150	67
60	288	288	—	*	*	65	222	62	69	108	49
60.0	*5	*5	—	—	*	*	*	*	*	*	*
60.1	16	16	—	—	*	*	14	*5	*6	*	*
60.11	16	16	—	—	*	*	14	*	*6	*	*
60.2	203	203	—	—	*	36	166	43	49	77	34
60.5	45	45	—	—	*	22	23	10	9	15	11
60.6	*7	*7	—	—	*	*	*6	—	*	*5	*
60.69	*6	*6	—	—	—	*	*5	—	*	*	*
61	14	14	—	*	*	*5	*	*	*	*7	*
61.0	*7	*7	—	*	*	*	*	*	*	*	*
62	26	26	—	*6	*7	*	10	*6	*5	9	*6
62.3	*7	*7	—	*	*	*	*	*	*	*	*
62.4	9	9	—	*	*	*	*7	*	*	*	*
62.41	9	9	—	*	*	*	*7	*	*	*	*
62.5	*7	*7	—	*	*	*	—	*	*	*	*
63	18	18	—	*	*	*7	*	*6	*	*7	*
63.1	*7	*7	—	*	*	*	*	*	*	*	*
63.3	*7	*7	—	*	*	*	*	*	*	*	*
64	54	54	—	25	*	14	12	13	13	19	*9
64.0	33	33	—	24	*	*	*	*8	*8	11	*
64.9	16	16	—	*	*	*9	*6	*	*	*6	*
64.97	*8	*8	—	—	*	*	*	*	*	*	*

NOTE: Estimates of 5,000-9,000 are to be used with caution; see methods section.

Table 4. Number of all-listed procedures for discharges from short-stay hospitals, by ICD-9-CM code, sex and age of patient, and geographic region of hospital: United States, 1994—Con.

[Discharges of inpatients from non-Federal hospitals. Excludes newborn infants. Code numbers are from the *International Classification of Diseases, 9th Revision, Clinical Modification* (ICD-9-CM). Totals include data for categories not listed in table; see methods section]

ICD-9-CM code	Total	Sex		Age				Region			
		Male	Female	Under 15 years	15-44 years	45-64 years	65 years and over	Northeast	Midwest	South	West
Number of procedures in thousands											
65-71	2,106	—	2,106	*7	1,309	516	275	391	449	899	367
65	543	—	543	*	288	186	66	95	135	223	90
65.1	*7	—	*7	*	*5	*	*	*	*	*	*
65.12	*7	—	*7	*	*	*	*	*	*	*	*
65.2	53	—	53	*	44	*6	*	12	13	19	*8
65.29	49	—	49	*	41	*6	*	12	12	18	*8
65.3	22	—	22	*	13	*	*	*	*7	*8	*
65.4	79	—	79	*	59	15	*	16	18	33	12
65.5	*9	—	*9	—	*	*	*	*	*	*	*
65.51	*8	—	*8	—	*	*	*	*	*	*	*
65.6	335	—	335	—	129	155	51	52	82	143	58
65.61	321	—	321	—	123	152	46	48	79	138	57
65.62	13	—	13	—	*6	*	*	*	*	*	*
65.7	*6	—	*6	—	*6	—	—	*	*	*	*
65.8	17	—	17	—	13	*	*	*	*6	*	*
65.9	12	—	12	*	11	*	*	*	*	*	*
65.91	11	—	11	*	11	*	*	*	*	*	*
66	450	—	450	*	442	*5	*	70	84	215	81
66.0	12	—	12	*	11	*	—	*	*	*6	*
66.02	9	—	9	—	*9	*	—	*	*	*	*
66.2	17	—	17	—	17	*	—	*	*	*6	*
66.29	12	—	12	—	12	*	—	*	*	*	*
66.3	345	—	345	*	343	*	—	44	67	170	63
66.32	181	—	181	*	180	*	—	24	33	88	36
66.39	163	—	163	—	162	*	—	21	34	82	27
66.4	*7	—	*7	—	*6	*	*	*	*	*	*
66.5	10	—	10	—	*7	*	*	*	*	*	*
66.51	*7	—	*7	—	*5	*	*	*	*	*	*
66.6	41	—	41	*	40	*	*	*9	*8	18	*7
66.61	*7	—	*7	*	*6	*	*	*	*	*	*
66.62	25	—	25	—	25	*	—	*6	*	11	*
66.69	*7	—	*7	—	*7	*	—	*	*	*	*
66.7	10	—	10	—	10	—	—	*	*	*	*
66.79	*5	—	*5	—	*5	—	—	*	*	*	*
67	25	—	25	—	12	*8	*	10	*	10	*
67.3	*5	—	*5	—	*	*	*	*	*	*	*
67.5	*5	—	*5	—	*5	—	—	*	*	*	*
68	620	—	620	—	345	200	76	107	144	260	109
68.1	23	—	23	—	13	*6	*	*6	*	11	*
68.12	13	—	13	—	*8	*	*	*	*	*	*
68.16	*9	—	*9	—	*	*	*	*	*	*5	*
68.2	39	—	39	—	33	*5	*	11	*6	14	*8
68.29	38	—	38	—	32	*	*	11	*6	13	*8
68.3	*6	—	*6	—	*	*	*	*	*	*	*
68.4	354	—	354	—	192	128	34	60	91	147	56
68.5	178	—	178	—	93	51	33	27	39	74	38
68.6	*7	—	*7	—	*	*	*	*	*	*	*
68.9	11	—	11	—	*6	*	*	*	*	*8	*

NOTE: Estimates of 5,000-9,000 are to be used with caution; see methods section.

Table 4. Number of all-listed procedures for discharges from short-stay hospitals, by ICD-9-CM code, sex and age of patient, and geographic region of hospital: United States, 1994—Con.[Discharges of inpatients from non-Federal hospitals. Excludes newborn infants. Code numbers are from the *International Classification of Diseases, 9th Revision, Clinical Modification* (ICD-9-CM). Totals include data for categories not listed in table; see methods section]

ICD-9-CM code	Total	Sex		Age				Region			
		Male	Female	Under 15 years	15-44 years	45-64 years	65 years and over	Northeast	Midwest	South	West
Number of procedures in thousands											
69	173	—	173	*	141	21	10	61	22	65	25
69.0	114	—	114	*	89	17	*8	39	15	44	16
69.02	56	—	56	*	55	*	—	19	*7	21	*9
69.09	55	—	55	*	31	16	*8	19	*8	22	*6
69.1	*8	—	*8	*	*6	*	*	*	*	*	*
69.19	*8	—	*8	*	*6	*	*	*	*	*	*
69.2	*7	—	*7	—	*	*	*	*	*	*	*
69.22	*6	—	*6	—	*	*	*	*	*	*	*
69.5	27	—	27	*	26	*	*	14	*	*6	*
69.52	19	—	19	*	19	*	—	11	*	*	*
69.9	14	—	14	*	12	*	*	*	*	*6	*
69.96	*7	—	*7	*	*7	—	—	*	*	*	*
70	263	—	263	*	65	88	109	41	50	116	55
70.0	*6	—	*6	*	*5	*	*	*	*	*	*
70.1	*7	—	*7	*	*	*	*	*	*	*	*
70.2	*8	—	*8	*	*	*	*	*	*	*	*
70.3	13	—	13	—	*7	*	*	*	*	*6	*
70.32	*5	—	*5	—	*	*	*	*	*	*	*
70.33	*7	—	*7	—	*	*	*	*	*	*	*
70.5	157	—	157	—	30	60	67	24	33	69	32
70.50	90	—	90	—	15	34	41	13	15	44	18
70.51	35	—	35	—	*7	13	15	*6	11	12	*6
70.52	32	—	32	—	*9	13	11	*	*7	13	*8
70.7	30	—	30	*	*7	*9	14	*5	*	12	*8
70.77	19	—	19	—	*	*7	11	*	*	*7	*7
70.8	28	—	28	—	*6	9	13	*	*	14	*6
70.9	10	—	10	*	*	*	*6	*	*	*6	*
70.92	10	—	10	—	*	*	*6	*	*	*5	*
71	32	—	32	*	15	*8	*8	*7	10	10	*6
71.3	*7	—	*7	*	*5	*	*	*	*	*	*
71.7	14	—	14	*	*	*6	*	*	*5	*	*
71.71	*8	—	*8	*	*	*	*	*	*	*	*
71.79	*6	—	*6	—	*	*	*	*	*	*	*
72-75	6,772	—	6,772	28	6,741	*	—	1,238	1,458	2,252	1,824
72	471	—	471	*	469	*	—	67	96	182	126
72.0	18	—	18	*	18	—	—	*	*	12	*
72.1	153	—	153	*	153	—	—	17	30	83	23
72.2	14	—	14	—	14	—	—	*	*	*7	*
72.21	11	—	11	—	11	—	—	*	*	*6	*
72.4	*9	—	*9	—	*9	—	—	*	*	*	*
72.5	*7	—	*7	—	*7	—	—	*	*	*	*
72.7	267	—	267	*	265	*	—	43	55	74	95
72.71	193	—	193	*	192	—	—	34	41	53	65
72.79	74	—	74	*	74	*	—	*9	14	21	30
73	3,265	—	3,265	13	3,250	*	—	565	681	1,202	816
73.0	766	—	766	*	763	*	—	116	181	206	264
73.01	85	—	85	*	85	*	—	11	23	18	32
73.09	681	—	681	*	678	*	—	105	157	188	231
73.4	350	—	350	*	348	*	—	51	70	108	121
73.5	974	—	974	*6	968	*	—	162	153	441	218
73.51	11	—	11	—	11	—	—	—	*	*5	*
73.59	962	—	962	*6	956	*	—	162	148	436	216
73.6	1,155	—	1,155	*	1,151	*	—	235	276	444	200
73.9	13	—	13	—	13	*	—	*	*	*	12
73.99	11	—	11	—	10	*	—	—	*	—	11

NOTE: Estimates of 5,000-9,000 are to be used with caution; see methods section.

Table 4. Number of all-listed procedures for discharges from short-stay hospitals, by ICD-9-CM code, sex and age of patient, and geographic region of hospital: United States, 1994—Con.

[Discharges of inpatients from non-Federal hospitals. Excludes newborn infants. Code numbers are from the *International Classification of Diseases, 9th Revision, Clinical Modification* (ICD-9-CM). Totals include data for categories not listed in table; see methods section]

ICD-9-CM code	Total	Sex		Age				Region			
		Male	Female	Under 15 years	15-44 years	45-64 years	65 years and over	Northeast	Midwest	South	West
Number of procedures in thousands											
74	860	—	860	*	857	*	—	146	179	351	183
74.0	*9	—	*9	*	*8	—	—	*	*	*	*
74.1	833	—	833	*	830	*	—	142	174	337	179
74.9	13	—	13	—	13	—	—	*	*	*7	*
74.99	13	—	13	—	13	—	—	*	*	*7	*
75	2,177	—	2,177	10	2,166	*	—	459	502	517	699
75.1	31	—	31	*	31	*	—	*	*9	*8	11
75.3	1,158	—	1,158	*6	1,151	*	—	268	272	189	429
75.32	374	—	374	*	372	*	—	66	93	63	153
75.34	724	—	724	*	720	*	—	190	161	113	261
75.35	56	—	56	*	56	*	—	11	17	12	16
75.4	45	—	45	*	45	—	—	*7	12	14	12
75.5	*8	—	*8	—	*8	—	—	*	*	*	*
75.51	*5	—	*5	—	*5	—	—	*	*	*	*
75.6	903	—	903	*	900	*	—	174	203	287	239
75.61	31	—	31	—	31	—	—	*6	*8	10	*7
75.62	123	—	123	*	123	—	—	25	30	42	27
75.69	749	—	749	*	746	*	—	143	165	236	205
75.7	27	—	27	—	27	—	—	*	*	15	*6
76-84	3,167	1,601	1,566	171	1,118	824	1,054	771	744	1,092	559
76	102	61	41	*9	75	12	*6	28	19	32	23
76.5	*6	*	*6	*	*	*	—	*	*	*	*
76.6	26	13	13	*	23	*	—	*6	*	10	*
76.62	*7	*	*	*	*6	*	—	*	*	*	*
76.64	*6	*	*	*	*6	*	—	*	*	*	*
76.65	*8	*	*5	*	*8	*	—	*	*	*	*
76.7	49	37	12	*	35	*6	*	14	10	14	11
76.72	*9	*7	*	*	*6	*	*	*	*	*	*
76.75	9	*6	*	*	*7	*	*	*	*	*	*
76.76	16	12	*	*	13	*	*	*	*	*	*
76.79	*5	*	*	*	*	*	*	*	*	*	*
76.9	12	*7	*5	*	*8	*	*	*	*	*	*
76.91	*5	*	*	*	*	*	*	*	*	*	*
77	320	154	165	22	123	105	70	86	69	115	50
77.1	*7	*	*	*	*	*	*	*	*	*	*
77.2	*8	*	*	*	*	*	*	*	*	*	*
77.27	*6	*	*	*	*	*	—	*	*	*	*
77.3	21	12	*9	*7	*7	*	*	*8	*	*	*
77.35	*6	*	*	*	*	*	*	*	*	*	*
77.37	*6	*	*	*	*	*	*	*	*	*	*
77.4	23	9	14	*	*7	*	10	*5	*	9	*
77.49	13	*5	*8	*	*	*	*5	*	*	*6	*
77.5	21	*	19	*	*	12	*	10	*	*7	*
77.51	*7	*	*7	*	*	*	*	*	*	*	*
77.6	48	25	23	*	20	15	10	16	14	11	*7
77.61	*6	*5	*	—	*	*	*	*	*	*	*
77.67	*8	*	*	*	*	*	*	*	*	*	*
77.69	18	*9	*9	*	*8	*6	*	*7	*7	*	*
77.7	114	55	58	*6	53	36	19	21	24	52	17
77.79	103	49	54	*	47	33	18	18	22	48	16
77.8	69	38	31	*	24	24	20	16	16	25	13
77.81	24	14	10	*	*9	*9	*6	*6	*6	*8	*
77.88	*7	*	*	*	*	*	*	*	*	*	*
77.89	22	13	*9	*	*5	10	*6	*	*5	*8	*
77.9	*7	*	*	*	*	*	*	*	*	*	*

NOTE: Estimates of 5,000-9,000 are to be used with caution; see methods section.

Table 4. Number of all-listed procedures for discharges from short-stay hospitals, by ICD-9-CM code, sex and age of patient, and geographic region of hospital: United States, 1994—Con.[Discharges of inpatients from non-Federal hospitals. Excludes newborn infants. Code numbers are from the *International Classification of Diseases, 9th Revision, Clinical Modification* (ICD-9-CM). Totals include data for categories not listed in table; see methods section]

ICD-9-CM code	Total	Sex		Age				Region			
		Male	Female	Under 15 years	15-44 years	45-64 years	65 years and over	Northeast	Midwest	South	West
Number of procedures in thousands											
78	203	101	102	19	76	45	64	51	43	71	38
78.0	49	23	26	*	19	13	14	11	11	20	*7
78.03	*6	*	*	*	*	*	*	*	*	*	*
78.05	*9	*	*6	*	*	*	*	*	*	*	*
78.07	17	*7	9	*	*5	*	*7	*	*	*8	*
78.09	*8	*	*	*	*	*	*	*	*	*	*
78.1	23	14	*8	*	11	*	*	*6	*5	*8	*
78.13	*6	*	*	*	*	*	*	*	*	*	*
78.17	9	*6	*	*	*	*	*	*	*	*	*
78.4	*8	*6	*	*	*	*	*	*	*	*	*
78.5	49	22	28	*5	14	*8	22	12	10	15	12
78.55	28	10	18	*	*	*	17	*5	*7	*8	*7
78.57	*8	*6	*	*	*	*	*	*	*	*	*
78.59	*6	*	*	*	*	*	*	*	*	*	*
78.6	66	32	34	*	27	14	22	17	14	24	12
78.65	26	11	15	*	*6	*	15	*7	*6	10	*
78.67	13	*8	*5	*	*8	*	*	*	*	*	*
78.69	17	*9	*8	*	*9	*5	*	*	*	*8	*
79	636	301	335	63	206	121	246	158	157	211	110
79.0	86	41	45	26	20	14	25	25	22	26	12
79.01	12	*6	*7	*	*	*	*	*	*	*	*
79.02	26	12	13	10	*	*	*8	*8	*7	*8	*
79.05	12	*7	*6	*7	*	*	*	*	*	*	*
79.06	27	12	15	*6	*8	*5	*8	*8	*8	*9	*
79.1	71	38	33	12	21	10	29	16	18	25	13
79.11	12	*8	*	*7	*	*	*	*	*	*	*
79.12	11	*	*7	*	*	*	*	*	*	*	*
79.15	29	13	16	*	*	*	20	*6	*9	9	*5
79.16	10	*6	*	*	*6	*	*	*	*	*	*
79.2	*9	*5	*	*	*	*	*	*	*	*	*
79.3	399	174	225	14	132	82	171	99	100	133	66
79.31	25	12	13	*	*6	*6	*9	*8	*6	*5	*5
79.32	32	18	14	*	14	*7	*8	*8	*5	11	*7
79.33	*5	*	*	*	*	*	*	*	*	*	*
79.34	12	11	*	*	*7	*	*	*	*	*	*
79.35	169	52	116	*	21	19	127	39	44	60	27
79.36	138	66	72	*	71	39	24	32	37	47	21
79.37	*8	*6	*	*	*	*	*	*	*	*	*
79.39	*9	*	*	*	*	*	*	*	*	*	*
79.6	33	25	*8	*	19	*5	*	*8	*6	11	*8
79.62	*7	*	*	*	*	*	*	*	*	*	*
79.66	10	*7	*	*	*6	*	*	*	*	*	*
79.7	27	11	15	*	*7	*6	12	*6	*7	9	*5
79.75	16	*6	10	*	*	*	*8	*	*	*7	*
79.8	*8	*	*	*	*	*	*	*	*	*	*

NOTE: Estimates of 5,000-9,000 are to be used with caution; see methods section.

Table 4. Number of all-listed procedures for discharges from short-stay hospitals, by ICD-9-CM code, sex and age of patient, and geographic region of hospital: United States, 1994—Con.

[Discharges of inpatients from non-Federal hospitals. Excludes newborn infants. Code numbers are from the *International Classification of Diseases, 9th Revision, Clinical Modification* (ICD-9-CM). Totals include data for categories not listed in table; see methods section]

ICD-9-CM code	Total	Sex		Age				Region			
		Male	Female	Under 15 years	15-44 years	45-64 years	65 years and over	Northeast	Midwest	South	West
Number of procedures in thousands											
80	573	332	241	12	290	185	87	133	118	214	108
80.0	*8	*	*	*	*	*	*	*	*	*	*
80.1	31	21	10	*	12	9	*7	10	*7	*8	*6
80.16	13	10	*	*	*7	*	*	*	*	*	*
80.2	81	55	27	*	54	17	*7	25	16	23	17
80.21	15	11	*	*	*8	*5	*	*	*	*	*
80.26	64	42	22	*	45	11	*	21	11	18	14
80.4	20	9	11	*	*8	*	*6	*5	*	*6	*6
80.46	10	*	*6	*	*	*	*	*	*	*	*
80.5	317	172	145	*	157	118	41	49	68	144	55
80.51	311	170	142	*	154	115	41	49	67	141	55
80.6	46	29	17	*	30	11	*	18	*8	12	*9
80.7	20	13	*7	*	*6	*8	*6	*8	*	*5	*
80.76	15	9	*5	*	*	*6	*	*7	*	*	*
80.8	36	20	16	*	15	12	*8	12	*7	*8	*9
80.81	*9	*	*	*	*	*	*	*	*	*	*
80.86	17	10	*7	*	*9	*6	*	*6	*	*	*
80.9	10	*7	*	*	*	*	*	*	*	*	*
81	908	398	510	17	224	224	443	207	245	300	156
81.0	163	80	83	*5	75	60	23	25	40	74	25
81.02	75	36	38	*	35	32	*7	*8	17	38	11
81.05	11	*6	*6	*	*6	*	*	*	*	*	*
81.06	9	*	*6	—	*	*	*	*	*	*	*
81.07	14	*8	*6	*	*6	*	*	*	*6	*	*
81.08	29	14	15	*	14	9	*5	*6	*7	12	*
81.09	12	*7	*5	*	*	*6	*	*	*	*	*
81.1	16	*7	9	*	*8	*	*	*	*	*7	*
81.11	*7	*	*	—	*	*	*	*	*	*	*
81.2	*6	*	*	*	*	*	*	*	*	*	*
81.4	89	55	34	*	69	10	*5	27	21	24	16
81.45	50	34	16	*	46	*	*	10	14	16	10
81.47	26	16	10	*	15	*7	*	13	*5	*	*
81.5	474	167	307	*	25	99	350	103	139	149	83
81.51	124	49	75	*	13	29	82	29	38	34	23
81.52	93	18	75	*	*	*	87	18	23	33	18
81.53	28	12	17	—	*	*7	17	*6	*7	9	*6
81.54	209	78	130	*	*6	51	151	43	66	68	32
81.55	19	9	10	—	*	*5	13	*7	*	*	*
81.7	*8	*	*	*	*	*	*	*	*	*	*
81.8	78	45	33	*	26	31	21	23	23	21	11
81.81	*6	*	*	—	*	*	*	*	*	*	*
81.82	10	*7	*	—	*8	*	*	*	*	*	*
81.83	57	33	24	*	17	27	13	17	19	14	*8
81.9	74	38	36	*5	15	14	40	20	16	21	16
81.91	46	23	23	*5	*8	*7	26	12	10	14	10
81.92	19	*8	10	—	*	*	12	*6	*	*	*
82	40	29	11	*	22	10	*	14	*6	13	*8
82.0	*7	*5	*	*	*	*	*	*	*	*	*
82.3	*5	*	*	—	*	*	*	*	*	*	*
82.4	17	14	*	*	12	*	*	*	*	*8	*
82.45	10	*9	*	*	*7	*	*	*	*	*	*

NOTE: Estimates of 5,000-9,000 are to be used with caution; see methods section.

Table 4. Number of all-listed procedures for discharges from short-stay hospitals, by ICD-9-CM code, sex and age of patient, and geographic region of hospital: United States, 1994—Con.[Discharges of inpatients from non-Federal hospitals. Excludes newborn infants. Code numbers are from the *International Classification of Diseases, 9th Revision, Clinical Modification* (ICD-9-CM). Totals include data for categories not listed in table; see methods section]

ICD-9-CM code	Total	Sex		Age				Region			
		Male	Female	Under 15 years	15-44 years	45-64 years	65 years and over	Northeast	Midwest	South	West
Number of procedures in thousands											
83	237	135	102	23	84	76	54	65	56	77	41
83.0	17	10	*7	*	*7	*	*5	*	*	*	*
83.09	*9	*	*	*	*	*	*	*	*	*	*
83.1	31	20	12	*6	16	*5	*	*8	*6	12	*5
83.13	10	*5	*	*	*	*	*	*	*	*	*
83.14	15	12	*	*	9	*	*	*	*	*5	*
83.2	10	*	*6	*	*	*	*	*	*	*	*
83.21	10	*	*6	*	*	*	*	*	*	*	*
83.3	11	*5	*6	*	*	*	*	*	*	*	*
83.39	*8	*	*	*	*	*	*	*	*	*	*
83.4	16	9	*7	*	*7	*6	*	*6	*	*	*
83.45	*6	*	*	*	*	*	*	*	*	*	*
83.5	*8	*5	*	—	*	*	*	*	*	*	*
83.6	87	53	34	*	26	39	23	20	28	26	13
83.63	60	36	24	—	10	31	19	12	19	20	*9
83.64	15	11	*	*	*9	*	*	*6	*	*	*
83.65	11	*	*7	*	*6	*	*	*	*	*	*
83.7	*8	*	*	*	*	*	*	*	*	*	*
83.75	*5	*	*	*	*	*	*	*	*	*	*
83.8	40	22	18	12	12	9	*6	11	*6	15	*8
83.82	*8	*	*	*	*	*	*	*	*	*	*
83.85	*8	*	*	*6	*	*	*	*	*	*	*
83.88	15	*9	*7	*	*6	*	*	*	*	*8	*
83.9	*8	*	*5	*	*	*	*	*	*	*	*
84	147	89	58	*	19	46	81	30	31	59	27
84.0	11	9	*	*	*5	*	*	*	*	*	*
84.01	*8	*7	*	*	*	*	*	*	*	*	*
84.1	121	70	51	*	*8	39	73	23	26	50	21
84.11	42	27	16	*	*	16	21	*9	10	17	*7
84.12	11	*7	*	—	*	*	*6	*	*	*	*
84.15	33	19	14	*	*	10	21	*6	*7	13	*7
84.17	32	16	16	—	*	*7	24	*	*7	15	*5
84.3	12	*8	*	*	*	*	*6	*	*	*	*
85-86	1,313	574	739	79	440	360	434	370	284	449	211
85	258	*	256	*	66	108	83	75	55	86	41
85.0	*5	—	*5	*	*	*	*	*	*	*	*
85.1	35	*	35	—	*6	15	14	13	*6	9	*7
85.11	11	*	11	—	*	*	*	*	*	*5	*
85.12	20	*	20	—	*	*8	9	10	*	*	*
85.2	42	*	42	*	10	18	14	18	*7	10	*8
85.21	29	*	29	—	*7	13	9	13	*	*6	*5
85.23	11	—	11	—	*	*	*5	*	*	*	*
85.3	24	*	23	*	15	*8	*	*7	*	*8	*
85.32	19	*	18	*	12	*6	*	*	*	*7	*
85.4	108	*	107	*	14	43	51	22	30	41	15
85.41	16	*	16	—	*	9	*5	*	*	*7	*
85.43	86	*	86	*	12	31	43	17	25	33	11
85.5	*6	—	*6	—	*	*	*	*	*	*	*
85.6	*6	—	*6	—	*	*	*	*	*	*	*
85.7	*8	—	*8	—	*	*5	*	*	*	*	*
85.8	*7	—	*7	—	*	*	*	*	*	*	*
85.9	16	—	16	—	*6	*9	*	*	*	*6	*
85.94	*6	—	*6	—	*	*	*	*	*	*	*
85.95	*7	—	*7	—	*	*	*	*	*	*	*

NOTE: Estimates of 5,000-9,000 are to be used with caution; see methods section.

Table 4. Number of all-listed procedures for discharges from short-stay hospitals, by ICD-9-CM code, sex and age of patient, and geographic region of hospital: United States, 1994—Con.

[Discharges of inpatients from non-Federal hospitals. Excludes newborn infants. Code numbers are from the *International Classification of Diseases, 9th Revision, Clinical Modification* (ICD-9-CM). Totals include data for categories not listed in table; see methods section]

ICD-9-CM code	Total	Sex		Age				Region			
		Male	Female	Under 15 years	15-44 years	45-64 years	65 years and over	Northeast	Midwest	South	West
Number of procedures in thousands											
86	1,055	572	483	78	374	252	351	295	229	362	169
86.0	272	136	136	22	90	83	76	76	55	91	49
86.01	10	*6	*	*	*	*	*	*	*	*	*
86.04	96	52	44	*7	34	31	24	27	18	32	19
86.05	20	10	10	*	9	*5	*	*5	*	*8	*
86.06	*7	*	*	*	*	*	*	*	*	*	*
86.07	109	47	62	*8	29	35	37	34	22	34	19
86.09	28	16	12	*	11	*8	*6	*6	*6	11	*5
86.1	27	14	13	*	10	*	11	*9	*	11	*
86.11	26	14	13	*	9	*	11	*8	*	10	*
86.2	363	207	156	23	106	77	157	100	90	120	52
86.22	261	155	107	15	81	59	106	68	61	92	41
86.23	*9	*	*	*	*	*	*	*	*	*	*
86.27	22	11	12	—	*	*	19	14	*5	*	*
86.28	66	34	31	*7	19	14	26	13	20	22	10
86.3	77	28	50	*	32	19	23	22	13	31	11
86.4	16	9	*7	*	*	*6	*8	*6	*	*	*
86.5	154	100	55	10	80	23	42	35	40	50	29
86.59	153	99	54	10	79	22	41	34	39	50	29
86.6	77	48	29	12	26	18	20	22	13	31	11
86.69	58	35	23	*6	18	15	18	18	11	21	*9
86.7	33	20	13	*	13	9	*8	9	*6	11	*6
86.70	*6	*	*	*	*	*	*	*	*	*	*
86.72	*7	*	*	*	*	*	*	*	*	*	*
86.74	14	*8	*6	*	*	*	*	*	*	*	*
86.8	33	10	23	*	14	13	*	13	*	12	*
86.83	13	*	12	*	*6	*6	*	*	*	*6	*
86.84	9	*	*	*	*	*	*	*	*	*	*
86.89	*7	*	*	*	*	*	*	*	*	*	*
87-99	12,845	6,174	6,671	798	2,838	3,339	5,871	3,968	2,443	3,674	2,760
87	1,371	652	719	69	340	335	627	381	216	442	333
87.0	584	284	300	37	123	121	303	184	87	168	144
87.02	*7	*	*	*	*	*	*	*	*	*6	*
87.03	576	280	296	36	121	118	301	183	86	163	143
87.2	77	39	38	*	27	27	22	11	10	50	*6
87.21	68	34	35	*	26	23	19	10	*9	45	*
87.24	*5	*	*	*	*	*	*	*	*	*	*
87.3	11	*	*9	*	*	*	*	*	*	*	*
87.37	*7	—	*7	—	*	*	*	*	*	*	*
87.4	177	91	86	13	22	51	91	37	18	43	78
87.41	95	50	45	*	11	29	53	33	13	25	23
87.44	67	32	35	10	9	15	32	*	*	*8	51
87.49	11	*6	*5	*	*	*	*6	*	*	*6	*
87.5	166	60	106	*	54	47	64	34	35	60	37
87.53	152	54	98	*	52	42	58	31	32	56	34
87.54	*6	*	*	*	*	*	*	*	*	*	*
87.6	128	59	69	*8	27	31	63	46	17	30	35
87.61	23	12	10	*	*	*	14	*5	*	*9	*5
87.62	55	25	30	*	11	17	23	23	*6	11	15
87.63	16	*5	11	*	*	*	*8	*	*	*	*
87.64	27	12	15	*	*6	*6	14	11	*	*5	*8
87.7	224	116	108	*7	82	56	79	62	46	86	30
87.73	90	44	46	*	43	24	22	24	14	35	16
87.74	93	53	40	*	28	27	37	27	24	34	*7
87.77	*6	*	*	*	*	*	*	*	*	*	*
87.79	20	*8	13	*	*	*	11	*	*	13	*

NOTE: Estimates of 5,000-9,000 are to be used with caution; see methods section.

Table 4. Number of all-listed procedures for discharges from short-stay hospitals, by ICD-9-CM code, sex and age of patient, and geographic region of hospital: United States, 1994—Con.

[Discharges of inpatients from non-Federal hospitals. Excludes newborn infants. Code numbers are from the *International Classification of Diseases, 9th Revision, Clinical Modification* (ICD-9-CM). Totals include data for categories not listed in table; see methods section]

ICD-9-CM code	Total	Sex		Age				Region			
		Male	Female	Under 15 years	15-44 years	45-64 years	65 years and over	Northeast	Midwest	South	West
Number of procedures in thousands											
88	3,776	1,913	1,864	94	663	1,208	1,811	1,011	762	1,221	782
88.0	262	123	138	*9	72	70	111	79	41	74	68
88.01	252	118	133	*9	70	69	104	78	41	69	64
88.09	9	*	*	*	*	*	*7	*	—	*5	*
88.1	25	11	14	*	*7	*	12	*	*	10	11
88.19	24	10	13	*	*7	*	12	*	*	9	11
88.2	13	*6	*7	*	*	*	*6	*	*	*	*6
88.3	107	54	54	*7	29	31	41	41	15	31	20
88.38	103	51	52	*	28	30	39	40	14	30	19
88.4	347	185	162	*6	40	97	203	84	76	135	51
88.40	*8	*5	*	*	*	*	*	*	*	*	*
88.41	102	52	50	*	11	28	63	21	23	46	12
88.42	97	52	45	*	*7	25	63	23	20	41	13
88.43	15	*8	*7	*	*	*	*5	*	*	*	*
88.45	11	*	*7	*	*	*	*6	*	*	*	*
88.47	12	*7	*6	*	*	*	*8	*	*	*	*
88.48	83	46	37	*	9	25	49	24	20	26	13
88.49	17	10	*7	*	*	*6	*6	*	*	*7	*
88.5	1,457	873	584	10	134	615	699	295	377	565	220
88.50	*6	*	*	*	*	*	*	*	*	*	*
88.51	*5	*	*	*	*	*	*	*	*	*	*
88.53	614	366	248	*	57	262	292	125	162	238	89
88.54	29	18	11	*	*	11	12	*6	*8	13	*
88.55	17	10	*7	*	*	*7	9	*	*5	*6	*
88.56	661	396	266	*	64	277	320	141	178	238	104
88.57	122	77	44	*	*9	53	59	16	21	65	21
88.6	32	13	19	*	*5	10	16	*8	11	*9	*
88.66	20	*9	11	—	*	*6	11	*6	*7	*5	*
88.67	*8	*	*5	*	*	*	*	*	*	*	*
88.7	1,310	538	771	50	323	307	630	431	197	332	350
88.71	115	48	67	*6	*6	26	77	34	19	25	36
88.72	589	276	313	19	72	157	341	195	91	167	136
88.73	*9	*	*5	*	*	*	*	*	*	*	*
88.74	58	23	35	*	17	16	24	12	9	21	15
88.75	89	45	44	*8	22	21	38	35	11	19	22
88.76	213	85	129	11	79	48	74	69	27	44	73
88.77	109	50	59	*	19	28	62	41	19	22	26
88.78	84	—	84	*	82	*	*	23	13	23	26
88.79	44	*9	35	*	24	*7	10	18	*6	*8	13
88.9	225	110	115	11	51	72	92	71	40	62	51
88.91	139	65	75	*7	27	44	60	42	25	43	29
88.93	52	27	26	*	15	16	20	19	*8	13	13
88.94	*5	*	*	*	*	*	*	*	*	*	*
88.97	23	13	10	*	*5	*8	*8	*7	*	*5	*6

NOTE: Estimates of 5,000–9,000 are to be used with caution; see methods section.

Table 4. Number of all-listed procedures for discharges from short-stay hospitals, by ICD-9-CM code, sex and age of patient, and geographic region of hospital: United States, 1994—Con.

[Discharges of inpatients from non-Federal hospitals. Excludes newborn infants. Code numbers are from the *International Classification of Diseases, 9th Revision, Clinical Modification* (ICD-9-CM). Totals include data for categories not listed in table; see methods section]

ICD-9-CM code	Total	Sex		Age				Region			
		Male	Female	Under 15 years	15-44 years	45-64 years	65 years and over	Northeast	Midwest	South	West
Number of procedures in thousands											
89	1,428	686	742	76	221	388	743	434	234	345	414
89.1	150	72	78	28	28	29	65	63	16	39	32
89.14	125	57	68	20	23	23	59	53	13	35	25
89.17	*7	*	*	*	*	*	*	*	*	*	*
89.19	14	*9	*	*	*	*	*	*	*	*	*
89.2	40	16	24	*	11	*9	19	11	12	14	*
89.22	19	10	9	—	*	*	11	*7	*6	*	*
89.26	*7	—	*7	*	*	*	*	*	*	*	*
89.29	*7	*	*	*	*	*	*	*	*	*	*
89.3	73	33	40	14	18	16	26	25	16	14	17
89.37	35	14	22	*	12	*8	13	11	10	*5	*9
89.38	19	11	*7	*	*	*5	*7	9	*	*6	*
89.39	15	*6	*9	*7	*	*	*	*	*	*	*6
89.4	155	82	73	*	19	69	67	55	24	42	34
89.41	63	35	27	—	10	27	26	21	*9	14	19
89.44	91	46	44	*	*9	41	40	33	14	28	15
89.5	578	273	305	15	70	159	335	154	71	146	207
89.50	40	16	24	*	*	*6	29	28	*	*8	*
89.51	12	*5	*6	*	*	*	*7	*	*	—	11
89.52	164	76	88	*6	19	42	98	28	10	53	74
89.54	349	167	183	*7	42	106	195	95	54	83	118
89.59	12	*8	*	*	*	*	*6	*	*	*	*
89.6	427	208	219	18	74	106	229	124	94	90	119
89.61	10	*6	*	*	*	*	*5	*	*	*	*
89.62	31	15	16	*	*7	*5	17	11	*8	*8	*
89.64	96	51	45	—	9	27	60	26	31	26	13
89.65	273	128	146	13	55	66	140	78	44	53	99
89.68	10	*	*	*	*	*	*	*	*	*	*
90	31	12	19	*	*6	*8	13	*	*7	20	*
90.4	*8	*	*	—	*	*	*	*	*	*6	*
90.5	11	*	*8	*	*	*	*	*	*	*9	*
90.53	*7	*	*6	*	*	*	*	*	—	*7	—
90.8	*8	*	*5	—	*	*	*5	*	*	*	—
90.81	*7	*	*	—	*	*	*	*	*	*	—
91	14	*5	*8	*	*	*	9	*	*	*8	*
91.3	9	*	*5	*	*	*	*7	*	*	*6	*
91.33	*7	*	*	—	*	*	*7	*	—	*6	*
92	476	208	267	10	71	152	242	154	80	131	111
92.0	162	76	85	*	27	50	82	53	27	42	39
92.02	25	11	14	*	*6	*8	11	*8	*	*7	*7
92.03	13	*6	*7	*	*	*5	*	*	*	*	*
92.04	21	*8	12	*	*5	*	10	*	*	*6	*7
92.05	99	49	50	*	10	32	57	36	19	24	21
92.1	193	78	115	*6	30	56	100	64	29	50	50
92.12	*7	*	*	*	*	*	*	*	*	*	*
92.14	67	29	39	*	*7	15	42	26	12	13	16
92.15	93	36	57	*	16	32	44	25	14	28	25
92.18	*8	*	*	*	*	*	*	*	*	*	*
92.19	16	*7	*9	*	*	*	*6	*	*	*7	*
92.2	121	54	68	*	14	46	59	36	24	39	22
92.23	13	*7	*6	*	*	*6	*7	9	*	*	*
92.24	28	14	14	*	*	10	15	*8	*8	*	*9
92.27	21	*	16	*	*	10	*8	*	*	*9	*
92.29	49	24	25	*	*6	17	24	12	*9	20	*8

NOTE: Estimates of 5,000-9,000 are to be used with caution; see methods section.

Table 4. Number of all-listed procedures for discharges from short-stay hospitals, by ICD-9-CM code, sex and age of patient, and geographic region of hospital: United States, 1994—Con.[Discharges of inpatients from non-Federal hospitals. Excludes newborn infants. Code numbers are from the *International Classification of Diseases, 9th Revision, Clinical Modification* (ICD-9-CM). Totals include data for categories not listed in table; see methods section]

ICD-9-CM code	Total	Sex		Age				Region			
		Male	Female	Under 15 years	15-44 years	45-64 years	65 years and over	Northeast	Midwest	South	West
Number of procedures in thousands											
93	1,603	724	880	186	278	296	843	480	309	405	409
93.0	18	*8	10	*	*	*5	*7	*	*8	*	*
93.01	*9	*	*	*	*	*	*	*	*6	*	*
93.08	*7	*	*	*	*	*	*	*	*	*	*
93.1	20	*8	12	*	*	*	12	10	*6	*	*
93.2	84	35	50	*	12	16	55	36	22	*8	18
93.22	66	28	38	*	*6	12	47	30	16	*	16
93.24	*8	*	*5	*	*	*	*	*	*	*	*
93.26	*6	*	*	—	*	*	*	*	*	*	*
93.3	354	147	207	*6	55	57	236	102	64	110	77
93.32	12	*7	*5	*	*	*	*	*	*	*	*
93.38	*6	*	*	*	*	*	*	*	*	*	*
93.39	328	133	195	*	50	48	225	97	58	102	71
93.4	20	10	10	*	*	*	9	*9	*	*	*
93.44	9	*6	*	*	*	*	*	*	*	*	*
93.46	*7	*	*	*	*	*	*5	*	*	*	*
93.5	91	48	42	14	31	16	30	33	22	22	14
93.53	27	14	13	*6	*7	*	9	10	*6	*8	*
93.54	17	*8	*5	*	*6	*	*7	*	*	*6	*
93.55	*5	*	*	*	*	*	*	*	*	*	*
93.57	12	*8	*	*	*6	*	*	*	*	*	*
93.59	20	*9	12	*	*5	*	10	10	*6	*	*
93.6	*8	*	*5	—	*	*	*	*	*	*	—
93.7	40	18	22	*	*	*6	30	10	10	10	9
93.75	39	18	22	*	*	*6	29	10	10	10	*9
93.8	220	91	129	*6	56	35	123	67	48	68	37
93.81	39	16	23	*	14	*6	17	14	*7	14	*
93.83	169	70	99	*	39	26	100	51	40	49	29
93.89	10	*	*5	*	*	*	*5	*	*	*	*
93.9	749	356	393	151	107	153	338	208	120	173	247
93.90	20	12	*8	*	*	*6	*7	*7	*7	*	*
93.91	*6	*	*	—	*	*	*	*	*	*	*
93.94	253	122	131	76	34	47	96	88	28	56	81
93.96	362	169	193	57	48	78	178	66	67	101	128
93.99	104	48	55	14	20	19	50	46	16	*9	33
94	708	425	283	32	457	152	68	346	193	125	44
94.0	15	*7	*8	*	*8	*	*	*	*	11	*
94.01	*8	*	*	*	*	*	*	—	—	*8	*
94.1	*7	*	*	*	*	*	*	*	*	*	*
94.2	135	67	68	*7	73	33	22	83	24	12	15
94.22	10	*6	*	*	*7	*	*	*8	*	*	*
94.23	14	*9	*6	*	*8	*	*	12	—	*	*
94.25	80	43	37	*	52	16	*6	54	14	*	*7
94.27	30	10	21	—	*6	11	14	9	10	*6	*5
94.3	110	54	56	10	64	22	14	55	35	18	*
94.37	*7	*	*	*	*	—	—	*7	—	—	—
94.38	38	17	20	*	24	10	*	34	*	*	—
94.39	64	31	34	*6	36	12	11	15	31	18	*
94.4	96	49	47	9	58	18	11	54	29	11	*
94.44	83	41	42	*7	51	15	10	46	26	9	*
94.46	*6	*	*	—	*	*	*	*	*	*	—
94.6	343	244	99	*	247	77	18	148	104	68	24
94.61	14	*9	*	*	11	*	*	*6	*6	*	*
94.62	110	86	24	*	63	36	11	48	30	23	*8
94.63	47	34	13	*	25	18	*	10	20	12	*
94.65	46	27	20	*	38	*8	*	34	*	*6	*
94.66	16	10	*6	—	13	*	*	*	*7	*	*
94.67	19	13	*6	*	16	*	—	*	12	*	*
94.68	57	44	14	—	52	*	*	35	11	10	*
94.69	30	21	*9	*	23	*5	*	*	13	11	*

NOTE: Estimates of 5,000-9,000 are to be used with caution; see methods section.

Table 4. Number of all-listed procedures for discharges from short-stay hospitals, by ICD-9-CM code, sex and age of patient, and geographic region of hospital: United States, 1994—Con.

[Discharges of inpatients from non-Federal hospitals. Excludes newborn infants. Code numbers are from the *International Classification of Diseases, 9th Revision, Clinical Modification* (ICD-9-CM). Totals include data for categories not listed in table; see methods section]

ICD-9-CM code	Total	Sex		Age				Region			
		Male	Female	Under 15 years	15-44 years	45-64 years	65 years and over	Northeast	Midwest	South	West
Number of procedures in thousands											
95	*8	*	*	*	*	*	*	*	*	*	*
95.4	*6	*	*	*	*	*	*	*	*	*	*
96	1,065	510	555	99	198	230	538	313	231	317	204
96.0	453	221	232	35	72	107	239	134	96	133	90
96.04	338	170	169	31	50	77	180	92	72	113	61
96.05	9	*	*7	*	*	*	*6	*	*	*	*
96.07	97	44	53	*	20	27	47	37	18	14	27
96.2	*8	*	*6	*	*	*	*	*	*	*	*
96.3	32	15	17	*	17	*5	*6	*6	*8	12	*5
96.33	25	10	14	*	17	*	*	*	*5	10	*
96.4	38	*	34	*	34	*	*	*6	9	*8	15
96.49	35	*	33	*	33	*	*	*5	*8	*8	14
96.5	38	22	17	*	13	*6	15	9	12	12	*6
96.56	14	*7	*6	*	*	*	*8	*	*	*7	*
96.59	19	11	*8	*	10	*	*	*	*8	*	*
96.6	68	25	43	*6	*	*9	50	37	11	14	*6
96.7	424	220	204	50	55	101	218	119	93	132	80
96.70	11	*7	*	*	*	*	*	*	*	*	*
96.71	272	141	131	27	39	63	143	77	64	81	50
96.72	141	72	69	20	13	37	71	40	26	47	29
97	74	33	41	*7	16	16	34	24	14	22	12
97.0	23	*8	16	*	*	*	15	*6	*	9	*
97.02	16	*	11	*	*	*	10	*	*	*6	*
97.05	*5	*	*	*	*	*	*	*	*	*	*
97.2	*5	*	*	*	*	*	*	*	*	*	*
97.23	*5	*	*	*	*	*	*	*	*	*	*
97.4	*6	*	*	*	*	*	*	*	*	*	*
97.5	*5	*	*	*	*	*	*	*	*	*	*
97.6	12	*6	*6	*	*	*	*	*	*	*	*
97.62	9	*	*	*	*	*	*	*	*	*	*
97.8	13	*7	*6	*	*	*	*	*	*	*	*
97.89	*7	*	*	*	*	*	*	*	*	*	*
98	25	16	9	*	*7	*5	*9	*8	*5	*7	*
98.0	10	*6	*	*	*	*	*	*	*	*	*
98.02	*7	*	*	*	*	*	*	*	*	*	*
98.5	*7	*	*	*	*	*	*	*	*	*	*
98.51	*7	*	*	*	*	*	*	*	*	*	*

NOTE: Estimates of 5,000-9,000 are to be used with caution; see methods section.

Table 4. Number of all-listed procedures for discharges from short-stay hospitals, by ICD-9-CM code, sex and age of patient, and geographic region of hospital: United States, 1994—Con.

[Discharges of inpatients from non-Federal hospitals. Excludes newborn infants. Code numbers are from the *International Classification of Diseases, 9th Revision, Clinical Modification* (ICD-9-CM). Totals include data for categories not listed in table; see methods section]

ICD-9-CM code	Total	Sex		Age				Region			
		Male	Female	Under 15 years	15-44 years	45-64 years	65 years and over	Northeast	Midwest	South	West
Number of procedures in thousands											
99	2,267	987	1,280	210	577	546	934	808	388	627	443
99.0	717	311	406	24	116	158	419	224	118	251	124
99.02	47	20	27	*	*6	14	26	12	9	16	9
99.03	22	12	10	*	*7	*	10	*	*	12	*5
99.04	579	240	338	17	88	125	349	184	96	200	98
99.05	33	17	17	*	*6	*8	16	11	*	12	*5
99.07	31	19	13	*	*7	*7	17	10	*6	11	*
99.1	297	106	191	24	120	62	92	140	46	48	63
99.11	63	*	63	*	63	*	-	14	13	19	17
99.14	*6	*	*	*	*	*	*	*	*	*	*
99.15	80	38	41	14	19	15	32	36	18	13	13
99.17	44	16	27	*	12	13	17	20	*	*8	12
99.18	42	16	26	*	15	10	12	27	*	*	10
99.19	63	32	31	*	10	23	29	39	*6	*6	11
99.2	1,046	462	584	128	307	288	324	391	178	260	218
99.21	332	145	187	53	120	65	94	143	37	75	78
99.23	62	27	35	*9	18	15	20	32	10	14	*6
99.24	9	*	*9	*	*8	*	*	*	*	*8	*
99.25	353	155	198	34	66	132	121	112	72	108	62
99.29	283	133	151	31	91	74	87	102	59	53	70
99.4	15	-	15	-	15	-	*	*6	*	*	*
99.47	12	-	12	-	12	-	-	*5	*	*	*
99.5	*6	*	*	*	*	*	*	*	*	*	*
99.6	124	72	53	*	*6	31	86	36	33	36	20
99.60	35	19	17	*	*	*7	25	9	10	9	*6
99.61	24	15	*8	-	*	*7	16	*6	*5	10	*
99.62	58	35	23	*	*	16	40	20	15	15	*8
99.7	*8	*	*	*	*	*	*	*	*	*	*
99.71	*6	*	*	*	*	*	*	*	*	*	*
99.8	34	21	13	29	*	*	*	*	*7	12	11
99.83	28	17	10	28	-	*	-	*	*7	*9	9
99.9	15	*6	10	*	*5	*	*7	*	*	12	*
99.99	13	*	*9	*	*	*	*6	*	*	12	*

NOTE: Estimates of 5,000-9,000 are to be used with caution; see methods section.

* Figure does not meet standard of reliability or precision.

- Quantity zero.

Appendix I Technical Notes on Methods

Reliability of Estimates

The standard error is primarily a measure of sampling variability that occurs by chance because only a sample rather than the entire universe is surveyed. The standard error, as calculated for the National Hospital Discharge Survey (NHDS), also reflects part of the variation that arises in the measurement process, but does not include estimates of any systematic bias.

The relative standard error (RSE) of an estimate is defined as the standard error divided by the estimate. The resulting value can be multiplied by 100 to express the relative standard error as a percent of the estimate. To obtain the RSE of an estimate, use one of the appropriate formulas, as described below.

Estimates of sampling variability were calculated with SUDAAN software. A description of the software and the approach it uses has been published (26).

RSE for aggregate estimates—The parameters for relative standard error curves for the 1994 NHDS statistics are presented in table I. The relative standard error or RSE of an estimate X , expressed as a percent of X , may be estimated from the formula:

$$RSE(X) = 100 \sqrt{a+b/X}$$

where a and b are as defined in table I.

RSE for estimates of percents—The approximate RSE for a percent p expressed as a percent of p may be calculated directly using the formula:

$$RSE(p) = 100\sqrt{b(1-p)/(pX)}$$

where $100p$ is the percent of interest, X is the denominator of the percent, and b is the parameter b in the formula for approximating the RSE(X). The values for b are given in table I.

This approximation is valid if the relative standard error of the denominator is less than 5 percent or the relative standard errors of the numerator and denominator are both less than 10 percent (27,28).

RSE where the numerator is not a subclass of the denominator—If the denominator of the rate is an estimate produced by the U.S. Bureau of the Census for the total U.S. population or

one or more of the age-sex-race groups of the total population, then the approximate relative standard error of the rate is equivalent to the approximate relative standard error of the numerator that can be obtained from table I.

If the numerator X and the denominator Y are both estimated from the NHDS, then the approximate relative standard error of the ratio X/Y , expressed as a percent of X/Y , is calculated using the formula:

$$RSE(X/Y) = 100 \sqrt{[RSE(X)]^2 + [RSE(Y)]^2}$$

This approximation is valid if the relative standard error of the denominator is less than 5 percent or the relative standard errors of the numerator and denominator are both less than 10 percent (27,28).

Population Estimates

The population estimates (table II) used in computing rates are for the U.S. civilian population, including institutionalized persons, on July 1, 1994. These estimates are provided by the U.S. Bureau of the Census and are consistent with the population estimates published in *Current Population Reports*, Series P-25.

Table I. Estimated parameters for approximate relative standard error equations for National Hospital Discharge Survey statistics by selected characteristics: United States, 1994

Characteristic	Number of discharges or first-listed diagnosis		Number of all-listed diagnoses		Number of days of care		Number of procedures	
	<i>a</i>	<i>b</i>	<i>a</i>	<i>b</i>	<i>a</i>	<i>b</i>	<i>a</i>	<i>b</i>
Total	0.00164	807.099	0.00127	749.175	0.00168	2,239.645	0.00175	435.521
Sex								
Male	0.00420	232.683	0.00330	210.282	0.00190	2,074.208	0.00595	215.062
Female	0.00120	407.831	0.00122	522.273	0.00192	1,904.589	0.00240	453.275
Age								
Under 15 years	0.03390	88.459	0.02415	193.467	0.02779	274.185	0.02385	195.642
15–44 years	0.00136	325.536	0.00147	408.901	0.00202	1,667.222	0.00472	392.802
45–64 years	0.00344	144.077	0.01095	122.406	0.01697	447.267	0.02115	78.880
65 years and over	0.00366	213.177	0.00139	365.947	0.00522	2,672.346	0.00630	252.090
Region								
Northeast	0.00370	231.538	0.00503	299.925	0.00496	1,276.736	0.00908	170.128
Midwest	0.01114	199.629	0.00815	383.231	0.00565	436.024	0.01466	447.980
South	0.00598	851.312	0.00597	727.599	0.01402	1,788.231	0.01235	775.159
West	0.00411	444.032	0.00819	601.016	0.00795	982.092	0.01250	508.682

NOTE: The relative standard error (RSE) for an estimate (X) can be determined from the equation $RSE(X)=100 \sqrt{a+b/X}$.

Table II. Civilian population, by sex, age, and geographic region: United States, 1994

[Population estimates consistent with Series P-25, *Current Population Reports*, U.S. Bureau of the Census]

Sex, age, and geographic region	Population in thousands
Total	258,932
Sex	
Male	125,836
Female	133,096
Age	
Under 15 years	57,338
15-44 years	117,585
45-64 years	50,850
65 years and over	33,158
Geographic region	
Northeast	51,319
Midwest	61,290
South	89,918
West	56,405

Appendix II Conversion Tables of Changes in ICD-9-CM Codes

Although the *International Classification of Diseases, 9th Revision, Clinical Modification* has been used for coding NHDS data since 1979, the classification undergoes annual updating. Assignment of new diagnostic and procedure codes, fourth and fifth digit expansion of codes, as well as code deletions, are contained in addenda developed by the ICD-9-CM Coordination and Maintenance Committee and approved by the Director of NCHS and the Administrator of the Health Care Financing Administration. Addenda to

the ICD-9-CM become effective October 1 of the affected year and have been released annually since 1986.

The data in this report were coded using the addenda for October 1, 1986-93. When data were reported using code changes introduced in the October 1, 1994, addenda, the new codes were converted to their previous code assignments so that the annual estimates would be based on consistent coding.

The tables III and IV show the new ICD-9-CM codes from the 1986-93 addenda, the date they were introduced, and the code to which the diagnosis or procedure had been assigned prior to the development of the new code. Specific titles and more detailed information about the coding scheme can be found in appropriate volumes of the ICD-9-CM (25).

Table III. Diagnosis codes

Current code(s) assignment	Effective October 1	Previous code(s) assignment	Current code(s) assignment	Effective October 1	Previous code(s) assignment
008.00-008.09	1992	008.0	203.00	1991	203.0
008.43-008.47	1992	008.49	203.01	1991	V10.79
008.61-008.69	1992	008.6	203.10	1991	203.1
041.00-041.09	1992	041.0	203.11	1991	V10.79
041.10-041.19	1992	041.1	203.80	1991	203.8
041.81-041.89	1992	041.8	203.81	1991	V10.79
042.0-042.9	1986	279.19	204.00	1991	204.0
043.0-043.9	1986	279.19	204.01	1991	V10.61
044.0-044.9	1986	279.19	204.10	1991	204.1
070.20-070.21	1991	070.2	204.11	1991	V10.61
070.30-070.31	1991	070.3	204.20	1991	204.2
070.41-070.49	1991	070.4	204.21	1991	V10.61
070.51-070.59	1991	070.5	204.80	1991	204.8
077.98-077.99	1993	077.9	204.81	1991	V10.61
078.10-078.11, 078.19	1993	078.1	204.90	1991	204.9
078.88	1993	078.89	204.91	1991	V10.61
079.4	1993	079.8	205.00	1991	205.0
079.50-079.53, 079.59	1993	079.8	205.01	1991	V10.62
079.88-079.89	1993	079.8	205.10	1991	205.1
079.98-079.99	1993	079.9	205.11	1991	V10.62
088.81	1989	088.8	205.20	1991	205.2
088.82	1993	088.89	205.21	1991	V10.62
088.89	1989	088.8	205.30	1991	205.3
099.40-099.49	1992	099.4	205.31	1991	V10.62
099.50-099.59	1992	078.89	205.80	1991	205.8
112.84-112.85	1992	112.89	205.81	1991	V10.62
114.4-114.5	1993	114.3	205.90	1991	205.9
176.0-176.9	1991	173.0-173.9	205.91	1991	V10.62

Table III. Diagnosis codes—Con.

Current code(s) assignment	Effective October 1	Previous code(s) assignment	Current code(s) assignment	Effective October 1	Previous code(s) assignment
206.21	1991	V10.63	355.71	1993	354.4
206.80	1991	206.8	355.79	1993	355.7
206.81	1991	V10.63	371.82	1992	371.89
206.90	1991	206.9	374.87	1990	374.89
206.91	1991	V10.63	403.00–403.01	1989	403.0
207.00	1991	207.0	403.10–403.11	1989	403.1
207.01	1991	V10.69	403.90–403.91	1989	403.9
207.10	1991	207.1	404.00–404.03	1989	404.0
207.11	1991	V10.69	404.10–404.13	1989	404.1
207.20	1991	207.2	404.90–404.93	1989	404.9
207.21	1991	V10.69	410.00–410.02	1989	410.0
207.80	1991	207.8	410.10–410.12	1989	410.1
207.81	1991	V10.69	410.20–410.22	1989	410.2
208.00	1991	208.0	410.30–410.32	1989	410.3
208.01	1991	V10.60	410.40–410.42	1989	410.4
208.10	1991	208.1	410.50–410.52	1989	410.5
208.11	1991	V10.60	410.60–410.62	1989	410.6
208.20	1991	208.2	410.70–410.72	1989	410.7
208.21	1991	V10.60	410.80–410.82	1989	410.8
208.80	1991	208.8	410.90–410.92	1989	410.9
208.81	1991	V10.60	411.81	1989	410.9
208.90	1991	208.9	411.89	1989	411.8
208.91	1991	V10.60	429.71	1989	410.0–410.9
237.70–237.72	1990	237.7	429.79	1989	410.0–410.9
250.02	1993	250.90	433.00–433.01	1993	433.0
250.03	1993	250.91	433.10–433.11	1993	433.1
250.12	1993	250.10	433.20–433.21	1993	433.2
250.13	1993	250.11	433.30–433.31	1993	433.3
250.22	1993	250.20	433.80–433.81	1993	433.8
250.23	1993	250.21	433.90–433.91	1993	433.9
250.32	1993	250.30	434.00–434.01	1993	434.0
250.33	1993	250.31	434.10–434.11	1993	434.1
250.42	1993	250.40	434.90–434.91	1993	434.9
250.43	1993	250.41	437.7	1992	780.9
250.52	1993	250.50	440.20–440.22	1992	440.2
250.53	1993	250.51	440.23	1993	440.20 & 707.1 or 707.8 or 707.9
250.62	1993	250.60	440.24	1993	440.20 & 785.4
250.63	1993	250.61	440.29	1993	440.20
250.72	1993	250.70	441.6	1993	441.1 & 441.3
250.73	1993	250.71	441.7	1993	441.2 & 441.4
250.82	1993	250.80	446.20–446.21, 446.29	1990	446.2
250.83	1993	250.81	451.82–451.84	1993	451.89
250.92	1993	250.90	482.30–482.39	1992	482.3
250.93	1993	250.91	482.81–482.89	1992	482.8
283.10–283.11, 283.19	1993	283.1	483.0	1992	483
320.81–320.89	1992	320.8	483.8	1992	483
337.20–337.22, 337.29	1993	337.9	491.20–491.21	1991	491.2
344.81, 344.89	1993	344.8	493.20	1989	493.90
345.00–345.01	1989	345.0	493.21	1989	493.91
345.10–345.11	1989	345.1	518.81	1987	799.1
345.40–345.41	1989	345.4	518.82–518.89	1987	518.8
345.50–345.51	1989	345.5	524.00–524.09	1992	524.0
345.60–345.61	1989	345.6	524.10–524.19	1992	524.1
345.70–345.71	1989	345.7			
345.80–345.81	1989	345.8			
345.90–345.91	1989	345.9			
346.00–346.01	1992	346.0			
346.10–346.11	1992	346.1			
346.20–346.21	1992	346.2			
346.80–346.81	1992	346.8			
346.90–346.91	1992	346.9			

Table III. Diagnosis codes—Con

Current code(s) assignment	Effective October 1	Previous code(s) assignment	Current code(s) assignment	Effective October 1	Previous code(s) assignment
524.60–524.69	1991	524.6	765.00–765.09	1988	765.0
524.70–524.79	1992	524.8	765.10–765.19	1988	765.1
530.10–530.11, 530.19	1993	530.1	780.01–780.02	1992	780.0
530.81	1993	530.1	780.03	1993	780.01
530.82–530.84, 530.89	1993	530.8	780.04–780.09	1992	780.0
535.00–535.01	1991	535.0	780.57	1992	780.51, 780.53
535.10–535.11	1991	535.1	788.20–788.21, 788.29	1993	788.2
535.20–535.21	1991	535.2	788.30–788.39	1992	788.3
535.30–535.31	1991	535.3	788.41–788.43	1993	788.4
535.40–535.41	1991	535.4	788.61–788.62, 788.69	1993	788.6
535.50–535.51	1991	535.5	790.91	1993	790.9
535.60–535.61	1991	535.6	790.92	1993	286.9
537.82	1990	537.89	790.93, 790.99	1993	790.9
537.83	1991	537.82	795.8	1986	795.7
562.02	1991	562.00	864.05	1992	864.09
562.03	1991	562.01	864.15	1992	864.19
562.12	1991	562.10	925.1–925.2	1993	925
562.13	1991	562.11	995.60–995.69	1993	995.0
569.84	1990	557.1	996.51–996.59	1987	996.5
569.85	1991	569.84	996.60–996.69	1989	996.6
596.51–596.53	1992	596.5	996.70–996.79	1989	996.7
596.54	1992	344.61	996.80–996.89	1987	996.8
596.55–596.59	1992	596.5	996.85	1990	999.8
599.81–599.89	1992	599.8	V05.3–V05.4	1993	V05.8
645.0	1991	645	V07.4	1992	V07.8
651.30–651.31, 651.33	1989	651.00–651.01, 651.03	V09.0–V09.91	1993	None ²
651.40–651.41, 651.43	1989	651.10–651.11, 651.13	V25.43	1992	V25.49
651.50–651.51, 651.53	1989	651.20–651.21, 651.23	V25.5	1992	V25.8
651.60–651.61, 651.63	1989	651.80–651.81, 651.83	V29.0–V29.8	1992	V71.8
654.20–654.21, 654.23	1990	654.2, 654.9	V29.9	1992	V71.9
654.90–654.94	1990	654.2, 654.9	V30.00–V30.01	1989	V30.0
657.0	1991	657	V31.00–V31.01	1989	V31.0
659.60, 659.61, 659.63	1992	659.80, 659.81, 659.83	V32.00–V32.01	1989	V32.0
665.10, 665.11	1992	665.10, 665.11, 665.12, 665.14 ¹	V33.00–V33.01	1989	V33.0
670.0	1991	670	V34.00–V34.01	1989	V34.0
672.0	1991	672	V35.00–V35.01	1989	V35.0
692.72–692.74	1992	692.79	V36.00–V36.01	1989	V36.0
692.82–692.83	1992	692.89	V37.00–V37.01	1989	V37.0
702.0–702.8	1991	702	V39.00–V39.01	1989	V39.0
704.02	1993	704.09	V72.81–V72.85	1993	V72.8
710.5	1992	288.3, 729.1	V73.88–V73.89	1993	V73.8
733.10–733.16, 733.19	1993	733.1	V73.98–V73.99	1993	V73.9
738.10–738.19	1992	738.1			
747.60–747.64, 747.69	1993	747.6			
747.82	1993	747.89			
753.10–753.17, 753.19	1990	753.1			
759.81–759.89	1989	759.8			
760.75	1991	760.79			
764.00–764.09	1988	764.0			
764.10–764.19	1988	764.1			
764.20–764.29	1988	764.2			
764.90–764.99	1988	764.9			

¹The title for the subcategory, 665.1, has been changed, making the fifth-digit subclassification, 665.12 and 665.14 invalid.

²There were no previous code assignments for this code.

Table IV. Procedure codes

Current code(s) assignment	Effective October 1	Previous code(s) assignment	Current code(s) assignment	Effective October 1	Previous code(s) assignment
02.96	1992	89.19	43.11	1989	43.1
03.90	1987	03.99 (Insertion of catheter)	43.19	1989	43.1, 43.2
			43.41	1989	43.41, 43.49
11.75	1989	11.79	44.21	1986	44.2
11.76	1989	11.62	44.22	1986	44.99
20.96-20.98	1986	20.95	44.29	1986	44.2
22.12	1988	22.11	44.43	1989	43.49, 45.32
26.12	1988	26.11	44.44	1989	38.86
			44.49	1989	43.0
			44.93-44.94	1986	44.99
29.31	1991	83.02	45.16	1988	45.14 (45.15 before 1987)
29.32	1991	29.3	45.30	1989	45.31, 45.32
29.33	1991	29.3	45.42	1988	45.41
29.39	1991	29.3	45.43	1989	45.49
31.45	1988	31.43-31.44	45.75(Hartmann resection added)	1988	48.66 (code deleted)
31.95	1989	31.75	45.95	1987	45.93
32.01	1989	32.0	46.13	1992	46.12 (code deleted)
32.09	1989	32.0	46.32	1989	46.39
32.28	1989	32.29	46.85	1989	46.99
33.27	1987	33.22+33.27	49.31	1989	49.3
33.28	1987	33.27	49.39	1989	49.3
33.29	1987	33.28-33.29			
33.6	1990	33.5+37.5	51.10	1989	51.97
35.84	1988	35.82	51.11	1989	51.11, 51.97
35.96	1986	35.03	51.14	1989	51.12
36.00-36.03	1986	36.0	51.15	1989	51.97
36.04	1986	39.97	51.22	1991	51.21 (code deleted), 51.22
36.05	1986	36.01 ¹ ,36.02	51.23	1991	51.22
36.05	1987	36.01	51.64	1989	51.69
36.09	1986	36.0	51.84-51.88	1989	51.97
36.09	1991	36.00 (code deleted)	51.97	1986	52.91, 51.99, or 51.82
			51.98	1986	51.99
37.26-37.27	1988	37.29	52.13	1989	51.97, 52.91
37.34	1988	37.33	52.14	1989	52.11
37.70 (leads only)	1987(leads/device)	37.70	52.21	1989	52.2
37.71-37.72 (leads only)	1987(leads/device)	37.74	52.22	1989	52.2
37.73 (leads only)	1987(leads/device)	37.73	52.93	1989	52.93+52.91
37.74 (leads only)	1987(leads/device)	37.76	52.94	1989	52.09
37.75 (leads only)	1987(leads/device)	37.89	52.97	1989	52.91
37.76 (leads only)	1987(leads/device)	37.81	52.98	1989	52.91
37.77 (leads only)	1987(leads/device)	37.83-37.84	52.99	1989	52.93, 52.94, 52.99
37.78	1987	37.71-37.72	54.24	1987	54.23
37.79	1987	86.09	54.25	1993	54.98
37.80-37.87	1992	89.49 (code deleted) ²	55.03-55.04	1986	55.02
37.80 (device only)	1987(leads/device)	37.73-37.77	56.33-56.34	1987	56.33
37.81 (device only)	1987(leads/device)	37.73-37.77	56.35	1987	45.12
37.82 (device only)	1987(leads/device)	37.73-37.77	57.17-57.18	1989	57.21
37.83 (device only)	1987(leads/device)	37.73-37.77	57.22	1989	57.22, 57.82
37.85-37.87	1987	37.85	58.31	1990	58.3
37.89	1987	37.86+37.89	58.39	1990	58.3
37.94-37.98	1986	37.99	58.93	1986	57.99
38.22	1986	38.29	59.96	1986	59.95
38.44 (abdominal aorta only)	1986	38.44 (entire aorta)	60.95	1991	60.99
38.45 (thoracic aorta only)	1986	38.44-38.45	64.97	1986	64.95
38.95	1989	38.93	66.01	1992	66.0
39.28	1991	39.29	66.02	1992	66.73
39.65	1988	39.61			
39.66	1990	39.65			
41.00-41.03	1988	41.0			
42.25	1988	42.24			
42.33	1989	42.32, 42.39			
42.33	1990	42.91			

Table IV. Procedure codes—Con

Current code(s) assignment	Effective October 1	Previous code(s) assignment	Current code(s) assignment	Effective October 1	Previous code(s) assignment
68.15	1987	68.14	81.72	1989	81.79
68.16	1987	68.13	81.73–81.74	1989	81.86
68.9	1992	68.4	81.75	1989	81.87
74.3	1992	69.11 (code deleted)	81.79	1989	81.79, 81.87
77.56	1989	77.89, 78.49, 81.18	81.80	1989	81.81
77.57	1989	77.89, 80.48, 81.18, 83.85	81.97	1992	81.59
77.58	1989	77.59, 81.18	85.95	1987	85.99
78.10	1991	78.40	85.96	1987	85.99
78.11	1991	78.41	86.06	1987	86.09
78.12	1991	78.42	86.07	1990	86.09
78.13	1991	78.43	86.27	1986	86.22–86.23
78.14	1991	78.44	86.28	1988	86.22
78.15	1991	78.45	86.93	1987	86.89
78.16	1991	78.46	88.90	1986	88.39
78.17	1991	78.47	88.91	1986	89.15
78.18	1991	78.48	88.92	1986	89.39
78.19	1991	78.49	88.93	1986	89.15
78.20	1991	78.10, 78.20, 78.30	88.94	1986	89.39
78.21	1991	78.11, 78.31	88.95	1986	89.29
78.22	1991	78.12, 78.22, 78.32	88.97	1989	88.99
78.23	1991	78.13, 78.23, 78.33	88.98	1989	88.90
78.24	1991	78.14, 78.34	88.99	1986	89.39
78.25	1991	78.15, 78.25, 78.35	89.10	1989	89.15
78.27	1991	78.17, 78.27, 78.37	89.17–89.18	1988	89.15
78.28	1991	78.18, 78.38	89.19	1989	89.15
78.29	1991	78.11, 78.16, 78.19, 78.29, 78.39	89.50	1991	89.54
78.39	1991	78.31	93.90	1988	93.92
78.90 ³	1987	78.40	94.61–94.69	1989	94.25
78.91 ³	1987	78.41	96.6	1986	96.35
78.92 ³	1987	78.42	96.70	1991	93.92 (code deleted)
78.93 ³	1987	78.43	96.71	1991	93.92 (code deleted)
78.94 ³	1987	78.44	96.72	1991	93.92 (code deleted)
78.95 ³	1987	78.45	97.05	1989	51.97
78.96 ³	1987	78.46	98.51–98.52	1989	59.96 (code deleted)
78.97 ³	1987	78.47	98.59	1989	59.96 (code deleted)
78.98 ³	1987	78.48	99.15	1986	99.29
78.99 ³	1987	78.49	99.71–99.79 ⁴	1988	99.07
80.50–80.59	1986	80.5	99.85	1987	93.35
81.03	1989	81.02	99.86	1987	93.39
81.04–81.05	1989	81.03, 81.04, 81.05	99.88	1988	99.83
81.06–81.07	1989	81.06, 81.07			
81.08	1989	81.06, 81.07, 81.08			
81.09	1989	81.08			
81.40	1989	81.69			
81.51	1989	81.51, 81.59			
81.52	1989	81.61, 81.62, 81.63, 81.64			
81.53	1989	81.51, 81.59, 81.61, 81.62, 81.63, 81.64			
81.54–81.55	1989	81.41			
81.56	1989	81.48			
81.57	1989	81.31, 81.39			
81.59	1989	81.39			

¹Before October 1986, contents of current code 36.05 would have been assigned to 36.0.

²Code 89.49 deleted; this procedure is included in the code for pacemaker insertion/replacement.

³Codes 78.90–78.99 were retitled as "Insertion of bone growth stimulator" in October 1987; the previous contents of codes 78.90–78.99 were reassigned to codes 78.40–78.49.

⁴Codes 99.71–99.79 were deleted in October 1987; their contents were not transferred elsewhere. In the October 1988 revision, codes 99.71–99.79 were reclassified as "Therapeutic apheresis."

Vital and Health Statistics series descriptions

- SERIES 1. **Programs and Collection Procedures**—These reports describe the data collection programs of the National Center for Health Statistics. They include descriptions of the methods used to collect and process the data, definitions, and other material necessary for understanding the data.
- SERIES 2. **Data Evaluation and Methods Research**—These reports are studies of new statistical methods and include analytical techniques, objective evaluations of reliability of collected data, and contributions to statistical theory. These studies also include experimental tests of new survey methods and comparisons of U.S. methodology with those of other countries.
- SERIES 3. **Analytical and Epidemiological Studies**—These reports present analytical or interpretive studies based on vital and health statistics. These reports carry the analyses further than the expository types of reports in the other series.
- SERIES 4. **Documents and Committee Reports**—These are final reports of major committees concerned with vital and health statistics and documents such as recommended model vital registration laws and revised birth and death certificates.
- SERIES 5. **International Vital and Health Statistics Reports**—These reports are analytical or descriptive reports that compare U.S. vital and health statistics with those of other countries or present other international data of relevance to the health statistics system of the United States.
- SERIES 6. **Cognition and Survey Measurement**—These reports are from the National Laboratory for Collaborative Research in Cognition and Survey Measurement. They use methods of cognitive science to design, evaluate, and test survey instruments.
- SERIES 10. **Data From the National Health Interview Survey**—These reports contain statistics on illness; unintentional injuries; disability; use of hospital, medical, and other health services; and a wide range of special current health topics covering many aspects of health behaviors, health status, and health care utilization. They are based on data collected in a continuing national household interview survey.
- SERIES 11. **Data From the National Health Examination Survey, the National Health and Nutrition Examination Surveys, and the Hispanic Health and Nutrition Examination Survey**—Data from direct examination, testing, and measurement on representative samples of the civilian noninstitutionalized population provide the basis for (1) medically defined total prevalence of specific diseases or conditions in the United States and the distributions of the population with respect to physical, physiological, and psychological characteristics, and (2) analyses of trends and relationships among various measurements and between survey periods.
- SERIES 12. **Data From the Institutionalized Population Surveys**—Discontinued in 1975. Reports from these surveys are included in Series 13.
- SERIES 13. **Data From the National Health Care Survey**—These reports contain statistics on health resources and the public's use of health care resources including ambulatory, hospital, and long-term care services based on data collected directly from health care providers and provider records.
- SERIES 14. **Data on Health Resources: Manpower and Facilities**—Discontinued in 1990. Reports on the numbers, geographic distribution, and characteristics of health resources are now included in Series 13.
- SERIES 15. **Data From Special Surveys**—These reports contain statistics on health and health-related topics collected in special surveys that are not part of the continuing data systems of the National Center for Health Statistics.
- SERIES 16. **Compilations of Advance Data From Vital and Health Statistics**—Advance Data Reports provide early release of information from the National Center for Health Statistics' health and demographic surveys. They are compiled in the order in which they are published. Some of these releases may be followed by detailed reports in Series 10–13.
- SERIES 20. **Data on Mortality**—These reports contain statistics on mortality that are not included in regular, annual, or monthly reports. Special analyses by cause of death, age, other demographic variables, and geographic and trend analyses are included.
- SERIES 21. **Data on Natality, Marriage, and Divorce**—These reports contain statistics on natality, marriage, and divorce that are not included in regular, annual, or monthly reports. Special analyses by health and demographic variables and geographic and trend analyses are included.
- SERIES 22. **Data From the National Mortality and Natality Surveys**—Discontinued in 1975. Reports from these sample surveys, based on vital records, are now published in Series 20 or 21.
- SERIES 23. **Data From the National Survey of Family Growth**—These reports contain statistics on factors that affect birth rates, including contraception, infertility, cohabitation, marriage, divorce, and remarriage; adoption; use of medical care for family planning and infertility; and related maternal and infant health topics. These statistics are based on national surveys of women of childbearing age.
- SERIES 24. **Compilations of Data on Natality, Mortality, Marriage, Divorce, and Induced Terminations of Pregnancy**—These include advance reports of births, deaths, marriages, and divorces based on final data from the National Vital Statistics System that were published as supplements to the *Monthly Vital Statistics Report (MVSR)*. These reports provide highlights and summaries of detailed data subsequently published in *Vital Statistics of the United States*. Other supplements to the MVSR published here provide selected findings based on final data from the National Vital Statistics System and may be followed by detailed reports in Series 20 or 21.

For answers to questions about this report or for a list of reports published in these series, contact:

Data Dissemination Branch
National Center for Health Statistics
Centers for Disease Control and Prevention
Public Health Service
6525 Belcrest Road, Room 1064
Hyattsville, MD 20782
(301) 436-8500
E-mail: nchsquery@nch10a.em.cdc.gov
Internet: <http://www.cdc.gov/nchswwww/nchshome.htm>

**DEPARTMENT OF
HEALTH & HUMAN SERVICES**

Centers for Disease Control and Prevention
National Center for Health Statistics
6525 Belcrest Road
Hyattsville, Maryland 20782

OFFICIAL BUSINESS
PENALTY FOR PRIVATE USE, \$300

STANDARD MAIL (B)
POSTAGE & FEES PAID
PHS/NCHS
PERMIT NO. G-281