

Episode Public Use File (INJPOIEP)

IDN Variables

Tuesday, February 28, 2006

Unweighted Frequencies

IDN.000_00.000: File type identifier

RECTYPE	Frequency	Percent
10 Household	0	0.00
20 Person	0	0.00
30 Sample Adult	0	0.00
40 Sample Child	0	0.00
60 Family	0	0.00
70 Injury/Poisoning Episode	2440	100.00
75 Injury/Poisoning Verbatim	0	0.00

IDN.000_02.000: Year of National Health Interview Survey

SRVY_YR	Frequency	Percent
2004	2440	100.00

IDN.000_04.000: HH identifier

HHX	Frequency	Percent
All Values	2440	100.00

IDN.000_35.000: Family

FMX	Frequency	Percent
01-25 Family number 1 - 25	2440	100.00

IDN.000_40.000: Person

FPX	Frequency	Percent
01-25 Person number 1 thru 25	2440	100.00

IDN.000_55.000: Injury/Poisoning Episode Number

IPEPNO	Frequency	Percent
01 First injury or poisoning	2302	94.34
02 Second injury or poisoning	115	4.71
03 Third injury or poisoning	17	0.70
04 Fourth injury or poisoning	4	0.16
05 Fifth injury or poisoning	2	0.08
06 Sixth injury or poisoning	0	0.00
07 Seventh injury or poisoning	0	0.00
08 Eighth injury or poisoning	0	0.00
09 Ninth injury or poisoning	0	0.00
10 Tenth injury or poisoning	0	0.00

Unweighted Frequencies

IDN.000_70.000: Weight - Final Annual

WTFA	Frequency	Percent
-----	-----	-----
All Values	2440	100.00

Episode Public Use File (INJPOIEP)

FIJ Variables

Tuesday, February 28, 2006

Unweighted Frequencies

FIJ.050_01.000: Month of injury/poisoning episode

IPDATEM	Frequency	Percent
01 January	166	6.80
02 February	177	7.25
03 March	146	5.98
04 April	174	7.13
05 May	237	9.71
06 June	218	8.93
07 July	247	10.12
08 August	249	10.20
09 September	249	10.20
10 October	199	8.16
11 November	166	6.80
12 December	164	6.72
97 Refused	6	0.25
98 Not ascertained	0	0.00
99 Don't know	42	1.72

FIJ.050_03.000: Year of injury/poisoning episode

IPDATEY	Frequency	Percent
2003	216	9.03
2004	2175	90.93
2005	1	0.04
9997 Refused	0	0.00
9998 Not ascertained	0	0.00
9999 Don't know	0	0.00

Frequency Missing = 48

FIJ.051_01.000: Approximate time since injury/poisoning episode: Number

IPDATENO	Frequency	Percent
01-91 1-91	23	54.76
97 Refused	0	0.00
98 Not ascertained	0	0.00
99 Don't know	19	45.24

Frequency Missing = 2398

Episode Public Use File (INJPOIEP)

FIJ Variables

Tuesday, February 28, 2006

Unweighted Frequencies

FIJ.051_02.000: Approximate time since injury/poisoning episode: Time period

IPDATETP	Frequency	Percent
1 Days	0	0.00
2 Weeks	4	9.52
3 Months	19	45.24
7 Refused	0	0.00
8 Not ascertained	0	0.00
9 Don't know	19	45.24

Frequency Missing = 2398

FIJ.052_00.000: Approximate point in month of injury/poisoning episode

IPDATEMT	Frequency	Percent
1 Beginning	150	26.04
2 Middle	258	44.79
3 End	106	18.40
7 Refused	0	0.00
8 Not ascertained	0	0.00
9 Don't know	62	10.76

Frequency Missing = 1864

FIJ.052_00.000.R01: Time between the date of the injury/poisoning episode and the date the injury/poisoning questions were asked

RPCKDMR

000-499 0-499 days
 500 Same month as month the injury/poisoning questions were asked
 501 Month before the month the injury/poisoning questions were asked
 502-524 2-24 months before the month the injury/poisoning questions were asked
 998 Not ascertained

FIJ.052_00.000.R01: Time between the date of the injury/poisoning episode and the date the injury/poisoning questions were asked

Frequency	Percent
1813	74.30
33	1.35
191	7.83
355	14.55
48	1.97

2004 National Health Interview Survey (NHIS)
 Episode Public Use File (INJPOIEP)
 FIJ Variables
 Unweighted Frequencies

Tuesday, February 28, 2006

FIJ.052_00.000.R02: Days between the date of the injury/poisoning episode and the date the injury/poisoning questions were asked

RPD	Frequency	Percent
000-499 0-499 days	2440	100.00

FIJ.052_00.000.R03: Lower boundary of elapsed time interval in days

BIETD

000-499 0-499 days before the date the injury/poisoning questions were asked

FIJ.052_00.000.R03: Lower boundary of elapsed time interval in days

Frequency	Percent
2440	100.00

FIJ.052_00.000.R04: Upper boundary of elapsed time interval in days

EIETD

000-499 0-499 days before the date the injury/poisoning questions were asked

FIJ.052_00.000.R04: Upper boundary of elapsed time interval in days

Frequency	Percent
2440	100.00

FIJ.052_00.000.R05: Episode date information reported by the respondent

EDIPBR	Frequency	Percent
1 Month, day, and year	1813	74.30
2 Month, beginning of month, and year	150	6.15
3 Month, middle of month, and year	258	10.57
4 Month, end of month, and year	106	4.34
5 Month and year	65	2.66
6 Elapsed time in days	0	0.00
7 Elapsed time in weeks	4	0.16
8 Elapsed time in months	19	0.78
9 No information	25	1.02

Episode Public Use File (INJPOIEP)

FIJ Variables

Tuesday, February 28, 2006

Unweighted Frequencies

FIJ.052_00.000.R06: Imputed part of I/P date or elapsed time interval

IMPMETH	Frequency	Percent
0 No imputation necessary (month, day, and year reported; or elapsed time interval width = 0)	1813	74.30
1 Imputed day based on reported beginning, middle, or end of month	514	21.07
2 Imputed day of the month (no day of month information reported)	65	2.66
3 No imputation necessary (elapsed time reported in days)	0	0.00
4 Imputed time interval based on elapsed time reported in weeks	4	0.16
5 Imputed time interval based on elapsed time reported in months	19	0.78
6 Imputed elapsed time & elapsed time interval using hot deck imputation (no date information reported or no valid date information reported)	25	1.02

FIJ.052_00.000.R08: Imputed month

MUMON	Frequency	Percent
01 January	172	7.05
02 February	181	7.42
03 March	148	6.07
04 April	179	7.34
05 May	239	9.80
06 June	221	9.06
07 July	251	10.29
08 August	257	10.53
09 September	255	10.45
10 October	202	8.28
11 November	168	6.89
12 December	167	6.84

FIJ.052_00.000.R10: Imputed year

MUYEAR	Frequency	Percent
2003	223	9.14
2004	2216	90.82
2005	1	0.04

FIJ.052_00.000.R11: Elapsed time flag

ETFLG	Frequency	Percent
1 Elapsed time is > 91 days	128	5.25
2 Elapsed time is <= 91 days	2312	94.75

Episode Public Use File (INJPOIEP)

FIJ Variables

Tuesday, February 28, 2006

Unweighted Frequencies

FIJ.052_00.000.R12: Elapsed time interval boundary flag

BEIFLG

-
- 1 Only the upper boundary of the interval for elapsed time is > 91 days
 - 2 Upper and lower boundary of the interval for elapsed time is > 91 days
 - 3 Upper and lower boundary of the interval for elapsed time is <= 91 days

FIJ.052_00.000.R12: Elapsed time interval boundary flag

Frequency	Percent
68	2.79
97	3.98
2275	93.24

FIJ.065_00.000: Cause of injury episode

ICAUS	Frequency	Percent
01 In a motor vehicle	202	8.42
02 On a bike, scooter, skateboard, skates, skis, horse, etc.	109	4.54
03 Pedestrian who was struck by a vehicle such as a car or bicycle	19	0.79
04 In a boat, train, or plane	10	0.42
05 Fall	906	37.77
06 Burned or scalded by substances such as hot objects or liquids, fire, or chemicals	36	1.50
07 Other	1077	44.89
97 Refused	10	0.42
98 Not ascertained	0	0.00
99 Don't know	30	1.25

Frequency Missing = 41

FIJ.065_00.000.R03: Cause of injury/poisoning based on E codes

ECAUS	Frequency	Percent
01 Transportation (see Notes above)	298	12.21
02 Fire/burn/scald related	36	1.48
03 Fall	885	36.27
04 Poisoning	33	1.35
05 Overexertion/strenuous movements	348	14.26
06 Struck by object or person	255	10.45
07 Animal or insect bite	72	2.95
08 Cut/pierce	183	7.50
09 Machinery	27	1.11
10 Other	303	12.42
97 Refused	0	0.00
98 Not ascertained	0	0.00
99 Don't know	0	0.00

FIJ.070_01.000: Parts of body hurt: 1st body part

IJBODY1	Frequency	Percent
01 Ankle	246	10.25
02 Back	262	10.92
03 Buttocks	10	0.42
04 Chest	31	1.29
05 Ear	10	0.42
06 Elbow	66	2.75
07 Eye	60	2.50
08 Face	66	2.75
09 Finger/thumb	188	7.84
10 Foot	133	5.54
11 Forearm	84	3.50
12 Groin	10	0.42
13 Hand	136	5.67
14 Head (not face)	143	5.96
15 Hip	49	2.04
16 Jaw	1	0.04
17 Knee	206	8.59
18 Lower leg	110	4.59
19 Mouth	20	0.83
20 Neck	71	2.96
21 Nose	19	0.79
22 Shoulder	137	5.71
23 Stomach	15	0.63
24 Teeth	9	0.38
25 Thigh	31	1.29
26 Toe	44	1.83
27 Upper arm	30	1.25
28 Wrist	91	3.79
29 Other	101	4.21
97 Refused	9	0.38
98 Not ascertained	0	0.00
99 Don't know	11	0.46

Frequency Missing = 41

Unweighted Frequencies

FIJ.070_02.000: Parts of body hurt: 2nd body part

IJBODY2	Frequency	Percent
00 No second response	2043	85.16
01 Ankle	11	0.46
02 Back	29	1.21
03 Buttocks	6	0.25
04 Chest	15	0.63
05 Ear	1	0.04
06 Elbow	10	0.42
07 Eye	3	0.13
08 Face	13	0.54
09 Finger/thumb	7	0.29
10 Foot	11	0.46
11 Forearm	11	0.46
12 Groin	1	0.04
13 Hand	11	0.46
14 Head (not face)	17	0.71
15 Hip	11	0.46
16 Jaw	0	0.00
17 Knee	39	1.63
18 Lower leg	29	1.21
19 Mouth	3	0.13
20 Neck	40	1.67
21 Nose	4	0.17
22 Shoulder	28	1.17
23 Stomach	2	0.08
24 Teeth	2	0.08
25 Thigh	14	0.58
26 Toe	4	0.17
27 Upper arm	9	0.38
28 Wrist	8	0.33
29 Other	17	0.71
97 Refused	0	0.00
98 Not ascertained	0	0.00
99 Don't know	0	0.00

Frequency Missing = 41

2004 National Health Interview Survey (NHIS)
 Episode Public Use File (INJPOIEP)
 FIJ Variables
 Unweighted Frequencies

10

Tuesday, February 28, 2006

FIJ.070_03.000: Parts of body hurt: 3rd body part

IJBODY3	Frequency	Percent
00 No third response	2271	94.66
01 Ankle	3	0.13
02 Back	9	0.38
03 Buttocks	1	0.04
04 Chest	1	0.04
05 Ear	0	0.00
06 Elbow	1	0.04
07 Eye	1	0.04
08 Face	3	0.13
09 Finger/thumb	2	0.08
10 Foot	3	0.13
11 Forearm	7	0.29
12 Groin	0	0.00
13 Hand	2	0.08
14 Head (not face)	9	0.38
15 Hip	9	0.38
16 Jaw	1	0.04
17 Knee	7	0.29
18 Lower leg	10	0.42
19 Mouth	1	0.04
20 Neck	19	0.79
21 Nose	1	0.04
22 Shoulder	12	0.50
23 Stomach	2	0.08
24 Teeth	0	0.00
25 Thigh	7	0.29
26 Toe	1	0.04
27 Upper arm	8	0.33
28 Wrist	5	0.21
29 Other	3	0.13
97 Refused	0	0.00
98 Not ascertained	0	0.00
99 Don't know	0	0.00

Frequency Missing = 41

Unweighted Frequencies

FIJ.070_04.000: Parts of body hurt: 4th body part

IJBODY4	Frequency	Percent
00 No fourth response	2355	98.17
01 Ankle	0	0.00
02 Back	3	0.13
03 Buttocks	0	0.00
04 Chest	1	0.04
05 Ear	0	0.00
06 Elbow	2	0.08
07 Eye	0	0.00
08 Face	2	0.08
09 Finger/thumb	0	0.00
10 Foot	1	0.04
11 Forearm	4	0.17
12 Groin	0	0.00
13 Hand	2	0.08
14 Head (not face)	0	0.00
15 Hip	3	0.13
16 Jaw	0	0.00
17 Knee	3	0.13
18 Lower leg	5	0.21
19 Mouth	0	0.00
20 Neck	4	0.17
21 Nose	1	0.04
22 Shoulder	5	0.21
23 Stomach	0	0.00
24 Teeth	0	0.00
25 Thigh	0	0.00
26 Toe	0	0.00
27 Upper arm	4	0.17
28 Wrist	2	0.08
29 Other	2	0.08
97 Refused	0	0.00
98 Not ascertained	0	0.00
99 Don't know	0	0.00

Frequency Missing = 41

Unweighted Frequencies

FIJ.072_01.000: How body part 1 was hurt: First response

IJTYPE1A	Frequency	Percent
01 Broken bone or fracture	415	17.44
02 Sprain, strain, or twist	787	33.08
03 Cut	397	16.69
04 Scrape	58	2.44
05 Bruise	301	12.65
06 Burn	37	1.56
07 Insect bite	43	1.81
08 Animal bite	29	1.22
09 Other	297	12.48
97 Refused	1	0.04
98 Not ascertained	0	0.00
99 Don't know	14	0.59

Frequency Missing = 61

FIJ.072_02.000: How body part 1 was hurt: Second response

IJTYPE1B	Frequency	Percent
00 No second response	2240	94.16
01 Broken bone or fracture	1	0.04
02 Sprain, strain, or twist	16	0.67
03 Cut	12	0.50
04 Scrape	14	0.59
05 Bruise	70	2.94
06 Burn	1	0.04
07 Insect bite	0	0.00
08 Animal bite	2	0.08
09 Other	23	0.97
97 Refused	0	0.00
98 Not ascertained	0	0.00
99 Don't know	0	0.00

Frequency Missing = 61

2004 National Health Interview Survey (NHIS)
Episode Public Use File (INJPOIEP)
FIJ Variables
Unweighted Frequencies

13

Tuesday, February 28, 2006

FIJ.074_01.000: How body part 2 was hurt: First response

IJTYPE2A	Frequency	Percent
01 Broken bone or fracture	31	8.71
02 Sprain, strain, or twist	122	34.27
03 Cut	29	8.15
04 Scrape	24	6.74
05 Bruise	100	28.09
06 Burn	4	1.12
07 Insect bite	3	0.84
08 Animal bite	3	0.84
09 Other	36	10.11
97 Refused	0	0.00
98 Not ascertained	1	0.28
99 Don't know	3	0.84

Frequency Missing = 2084

FIJ.074_02.000: How body part 2 was hurt: Second response

IJTYPE2B	Frequency	Percent
00 No second response	309	86.80
01 Broken bone or fracture	0	0.00
02 Sprain, strain, or twist	4	1.12
03 Cut	3	0.84
04 Scrape	7	1.97
05 Bruise	28	7.87
06 Burn	0	0.00
07 Insect bite	0	0.00
08 Animal bite	0	0.00
09 Other	4	1.12
97 Refused	0	0.00
98 Not ascertained	1	0.28
99 Don't know	0	0.00

Frequency Missing = 2084

2004 National Health Interview Survey (NHIS)
Episode Public Use File (INJPOIEP)
FIJ Variables
Unweighted Frequencies

14

Tuesday, February 28, 2006

FIJ.076_01.000: How body part 3 was hurt: First response

IJTYPE3A	Frequency	Percent
01 Broken bone or fracture	9	7.03
02 Sprain, strain, or twist	51	39.84
03 Cut	8	6.25
04 Scrape	10	7.81
05 Bruise	37	28.91
06 Burn	1	0.78
07 Insect bite	1	0.78
08 Animal bite	2	1.56
09 Other	7	5.47
97 Refused	0	0.00
98 Not ascertained	0	0.00
99 Don't know	2	1.56

Frequency Missing = 2312

FIJ.076_02.000: How body part 3 was hurt: Second response

IJTYPE3B	Frequency	Percent
00 No second response	111	86.72
01 Broken bone or fracture	0	0.00
02 Sprain, strain, or twist	1	0.78
03 Cut	0	0.00
04 Scrape	2	1.56
05 Bruise	13	10.16
06 Burn	0	0.00
07 Insect bite	0	0.00
08 Animal bite	0	0.00
09 Other	1	0.78
97 Refused	0	0.00
98 Not ascertained	0	0.00
99 Don't know	0	0.00

Frequency Missing = 2312

Unweighted Frequencies

FIJ.078_01.000: How body part 4 was hurt: First response

IJTYPE4A	Frequency	Percent
01 Broken bone or fracture	4	9.09
02 Sprain, strain, or twist	13	29.55
03 Cut	4	9.09
04 Scrape	7	15.91
05 Bruise	10	22.73
06 Burn	3	6.82
07 Insect bite	1	2.27
08 Animal bite	0	0.00
09 Other	1	2.27
97 Refused	0	0.00
98 Not ascertained	0	0.00
99 Don't know	1	2.27

Frequency Missing = 2396

FIJ.078_02.000: How body part 4 was hurt: Second response

IJTYPE4B	Frequency	Percent
00 No second response	34	77.27
01 Broken bone or fracture	0	0.00
02 Sprain, strain, or twist	0	0.00
03 Cut	0	0.00
04 Scrape	2	4.55
05 Bruise	8	18.18
06 Burn	0	0.00
07 Insect bite	0	0.00
08 Animal bite	0	0.00
09 Other	0	0.00
97 Refused	0	0.00
98 Not ascertained	0	0.00
99 Don't know	0	0.00

Frequency Missing = 2396

FIJ.080_01.000: Where received medical care: Call to PCC

PPCC	Frequency	Percent
1 Yes	17	41.46
2 No	23	56.10
7 Refused	1	2.44
8 Not ascertained	0	0.00
9 Don't know	0	0.00

Frequency Missing = 2399

2004 National Health Interview Survey (NHIS)
 Episode Public Use File (INJPOIEP)
 FIJ Variables
 Unweighted Frequencies

16

Tuesday, February 28, 2006

FIJ.080_02.000: Where received medical care: Emergency vehicle

IPEV	Frequency	Percent
1 Yes	583	23.89
2 No	1845	75.61
7 Refused	2	0.08
8 Not ascertained	1	0.04
9 Don't know	9	0.37

FIJ.080_03.000: Where received medical care: Emergency room

IPER	Frequency	Percent
1 Yes	1294	53.03
2 No	1130	46.31
7 Refused	2	0.08
8 Not ascertained	1	0.04
9 Don't know	13	0.53

FIJ.080_04.000: Where received medical care: Doctor's office/clinic

IPDO	Frequency	Percent
1 Yes	1808	74.10
2 No	619	25.37
7 Refused	3	0.12
8 Not ascertained	1	0.04
9 Don't know	9	0.37

FIJ.080_05.000: Where received medical care: Call to medical prof

IPPCHCP	Frequency	Percent
1 Yes	916	37.54
2 No	1500	61.48
7 Refused	4	0.16
8 Not ascertained	1	0.04
9 Don't know	19	0.78

FIJ.080_06.000: Where received medical care: Any place else

IPTH	Frequency	Percent
1 Yes	313	12.83
2 No	2113	86.60
7 Refused	4	0.16
8 Not ascertained	1	0.04
9 Don't know	9	0.37

FIJ.090_00.000: Hospitalized overnight due to injury/poisoning episode

IPHOSP	Frequency	Percent
1 Yes	177	7.25
2 No	2254	92.38
7 Refused	3	0.12
8 Not ascertained	0	0.00
9 Don't know	6	0.25

FIJ.091_00.000: Number of nights in the hospital

IPIHNO	Frequency	Percent
01-94 1-94 nights	173	97.74
95 95+ nights	0	0.00
97 Refused	1	0.56
98 Not ascertained	0	0.00
99 Don't know	3	1.69

Frequency Missing = 2263

FIJ.109_00.000: Traffic-related injury

IMTRAF	Frequency	Percent
1 Yes	235	71.21
2 No	94	28.48
7 Refused	0	0.00
8 Not ascertained	0	0.00
9 Don't know	1	0.30

Frequency Missing = 2110

FIJ.110_00.000: Injured as . . .

IMVWHO

-
- 1 The driver of a motor vehicle
 - 2 A passenger in a motor vehicle
 - 3 A pedestrian
 - 4 A bicycle rider or tricycle rider
 - 5 The rider of a scooter, skateboard, skates, or other non-motorized vehicle
 - 7 Refused
 - 8 Not ascertained
 - 9 Don't know

FIJ.110_00.000: Injured as . . .

Frequency	Percent
143	43.33
59	17.88
21	6.36

Episode Public Use File (INJPOIEP)

FIJ Variables

Tuesday, February 28, 2006

Unweighted Frequencies

FIJ.110_00.000: Injured as . . .

Frequency	Percent
65	19.70
39	11.82
1	0.30
0	0.00
2	0.61

Frequency Missing = 2110

FIJ.111_00.000: Type of vehicle injured person was in

IMVTYP

01	Passenger car
02	Passenger truck, such as a pickup truck, van, or SUV
03	Bus
04	Large commercial truck, such as a semi-truck, big rig, or 18 wheeler
05	Motorcycle (including mopeds and minibikes)
06	All terrain vehicle or ski/snow-mobile
07	Farm equipment (such as a tractor)
08	Industrial or construction vehicle
09	Other
97	Refused
98	Not ascertained
99	Don't know

FIJ.111_00.000: Type of vehicle injured person was in

Frequency	Percent
126	62.38
53	26.24
0	0.00
5	2.48
12	5.94
3	1.49
0	0.00
0	0.00
2	0.99
0	0.00
0	0.00
1	0.50

Frequency Missing = 2238

2004 National Health Interview Survey (NHIS)
 Episode Public Use File (INJPOIEP)
 FIJ Variables
 Unweighted Frequencies

19

Tuesday, February 28, 2006

FIJ.112_00.000: Restrained at time of accident

ISBELT	Frequency	Percent
1 Yes	143	77.72
2 No	37	20.11
7 Refused	0	0.00
8 Not ascertained	0	0.00
9 Don't know	4	2.17

Frequency Missing = 2256

FIJ.113_00.000: Wearing a helmet at the time of the accident

IHELMT	Frequency	Percent
1 Yes	51	42.86
2 No	66	55.46
7 Refused	0	0.00
8 Not ascertained	0	0.00
9 Don't know	2	1.68

Frequency Missing = 2321

FIJ.130_01.000: How person fell: First response

IFALL1	Frequency	Percent
01 Stairs, steps, or escalator	117	12.91
02 Floor or level ground	277	30.57
03 Curb (including sidewalk)	49	5.41
04 Ladder or scaffolding	33	3.64
05 Playground equipment	39	4.30
06 Sports field, court, or rink	89	9.82
07 Building or other structure	29	3.20
08 Chair, bed, sofa, or other furniture	62	6.84
09 Bathtub, shower, toilet, or commode	16	1.77
10 Hole or other opening	13	1.43
11 Other	169	18.65
97 Refused	4	0.44
98 Not ascertained	0	0.00
99 Don't know	9	0.99

Frequency Missing = 1534

2004 National Health Interview Survey (NHIS)
 Episode Public Use File (INJPOIEP)
 FIJ Variables
 Unweighted Frequencies

20

Tuesday, February 28, 2006

FIJ.130_02.000: How person fell: Second response

IFALL2	Frequency	Percent
00 No second response	895	98.79
01 Stairs, steps, or escalator	1	0.11
02 Floor or level ground	2	0.22
03 Curb (including sidewalk)	1	0.11
04 Ladder or scaffolding	0	0.00
05 Playground equipment	0	0.00
06 Sports field, court, or rink	0	0.00
07 Building or other structure	2	0.22
08 Chair, bed, sofa, or other furniture	0	0.00
09 Bathtub, shower, toilet, or commode	1	0.11
10 Hole or other opening	2	0.22
11 Other	2	0.22
97 Refused	0	0.00
98 Not ascertained	0	0.00
99 Don't know	0	0.00

Frequency Missing = 1534

FIJ.131_00.000: Cause of fall

IFALLWHY

1 Slipping or tripping
2 Jumping or diving
3 Bumping into an object or another person
4 Being shoved or pushed by another person
5 Losing balance or having dizziness (becoming faint or having a seizure)
6 Other
7 Refused
8 Not ascertained
9 Don't know

FIJ.131_00.000: Cause of fall

Frequency	Percent
451	49.78
72	7.95
38	4.19
36	3.97
147	16.23
145	16.00
4	0.44
0	0.00
13	1.43

Frequency Missing = 1534

2004 National Health Interview Survey (NHIS)
 Episode Public Use File (INJPOIEP)
 FIJ Variables
 Unweighted Frequencies

21

Tuesday, February 28, 2006

FIJ.140_00.000: Cause of poisoning episode

PPOIS	Frequency
1 Swallowing a drug or medical substance mistakenly or in overdose	18
2 Swallowing or touching a harmful solid or liquid substance	2
3 Inhaling harmful gases or vapors	10
4 Eating a poisonous plant or other substance mistaken for food	0
5 Being bitten by a poisonous animal	3
6 Other, please specify	7
7 Refused	1
8 Not ascertained	0
9 Don't know	0

FIJ.140_00.000: Cause of poisoning episode

PPOIS	Percent
1 Swallowing a drug or medical substance mistakenly or in overdose	43.90
2 Swallowing or touching a harmful solid or liquid substance	4.88
3 Inhaling harmful gases or vapors	24.39
4 Eating a poisonous plant or other substance mistaken for food	0.00
5 Being bitten by a poisonous animal	7.32
6 Other, please specify	17.07
7 Refused	2.44
8 Not ascertained	0.00
9 Don't know	0.00

Frequency Missing = 2399

FIJ.150_01.000: Activity at time of inj/pois episode: First response

IPWHAT1	Frequency	Percent
01 Driving or riding in a motor vehicle	186	7.62
02 Working at a paid job	364	14.92
03 Working around the house or yard	340	13.93
04 Attending school	66	2.70
05 Unpaid work (such as volunteer work)	9	0.37
06 Sports and exercise	340	13.93
07 Leisure activity (excluding sports)	694	28.44
08 Sleeping, resting, eating, or drinking	69	2.83
09 Cooking	26	1.07
10 Being cared for (hands-on care from other person)	26	1.07
11 Other	285	11.68
97 Refused	9	0.37
98 Not ascertained	0	0.00
99 Don't know	26	1.07

FIJ.150_02.000: Activity at time of inj/pois episode: Second response

IPWHAT2	Frequency	Percent
00 No second response	2417	99.06
01 Driving or riding in a motor vehicle	1	0.04
02 Working at a paid job	6	0.25
03 Working around the house or yard	0	0.00
04 Attending school	0	0.00
05 Unpaid work (such as volunteer work)	0	0.00
06 Sports and exercise	6	0.25
07 Leisure activity	4	0.16
08 Sleeping, resting, eating, or drinking	2	0.08
09 Cooking	0	0.00
10 Being cared for (hands on care from other person)	0	0.00
11 Other	4	0.16
97 Refused	0	0.00
98 Not ascertained	0	0.00
99 Don't know	0	0.00

FIJ.160_01.000: Location at time of inj/pois episode: First response

IPWHERE1	Frequency	Percent
01 Home (inside)	628	25.74
02 Home (outside)	484	19.84
03 School (not residential)	159	6.52
04 Child care center or preschool	12	0.49
05 Residential institution (exclude hospital)	14	0.57
06 Health care facility (include hospital)	29	1.19
07 Street or highway	255	10.45
08 Sidewalk	45	1.84
09 Parking lot	47	1.93
10 Sport facility, athletic field, or playground	207	8.48
11 Shopping center, restaurant, store, bank, gas station, or other place of business	81	3.32
12 Farm	25	1.02
13 Park or recreation area (include bike or jog path)	71	2.91
14 River, lake, stream, or ocean	18	0.74
15 Industrial or construction area	89	3.65
16 Other public building	55	2.25
17 Other	185	7.58
97 Refused	11	0.45
98 Not ascertained	0	0.00
99 Don't know	25	1.02

Episode Public Use File (INJPOIEP)

FIJ Variables

Tuesday, February 28, 2006

Unweighted Frequencies

FIJ.160_02.000: Location at time of inj/pois episode: Second response

IPWHER2	Frequency	Percent
00 No second response	2416	99.02
01 Home (inside)	0	0.00
02 Home (outside)	3	0.12
03 School (not residential)	1	0.04
04 Child care center or preschool	0	0.00
05 Residential institution (exclude hospital)	1	0.04
06 Health care facility (include hospital)	1	0.04
07 Street or highway	2	0.08
08 Sidewalk	5	0.20
09 Parking lot	2	0.08
10 Sport facility, athletic field, or playground	4	0.16
11 Shopping center, restaurant, store, bank, gas station, or other place of business	1	0.04
12 Farm	0	0.00
13 Park or recreation area (include bike or jog path)	0	0.00
14 River, lake, stream, or ocean	0	0.00
15 Industrial or construction area	1	0.04
16 Other public building	1	0.04
17 Other	2	0.08
97 Refused	0	0.00
98 Not ascertained	0	0.00
99 Don't know	0	0.00

FIJ.170_00.000: Employed at the time of the injury/poisoning episode

IPEMP	Frequency	Percent
1 Full-time	953	46.92
2 Part-time	219	10.78
3 Not employed	849	41.80
7 Refused	5	0.25
8 Not ascertained	0	0.00
9 Don't know	5	0.25

Frequency Missing = 409

FIJ.171_00.000: Days of work missed

IPWKLS	Frequency	Percent
1 None	565	48.21
2 Less than one day	76	6.48
3 One to five days	276	23.55
4 Six or more days	243	20.73
7 Refused	3	0.26
8 Not ascertained	0	0.00
9 Don't know	9	0.77

Frequency Missing = 1268

FIJ.180_00.000: Student at the time of the injury/poisoning episode

IPSTU	Frequency	Percent
1 Full-time	566	24.60
2 Part-time	85	3.69
3 Not a student	1643	71.40
7 Refused	3	0.13
8 Not ascertained	0	0.00
9 Don't know	4	0.17

Frequency Missing = 139

FIJ.181_00.000: Days of school missed

IPSCLS	Frequency	Percent
1 None	399	61.29
2 Less than one day	50	7.68
3 One to five days	161	24.73
4 Six or more days	35	5.38
7 Refused	1	0.15
8 Not ascertained	0	0.00
9 Don't know	5	0.77

Frequency Missing = 1789

FIJ.181_01.000.R14: ICD-9-CM diagnosis code

ICD9_1	Frequency	Percent
80000-9999 ICD-9-CM codes	2440	100.00

FIJ.181_02.000.R15: ICD-9-CM diagnosis code

ICD9_2	Frequency	Percent
0010-9999 ICD-9-CM codes	476	100.00

Frequency Missing = 1964

FIJ.181_03.000.R16: ICD-9-CM diagnosis code

ICD9_3	Frequency	Percent
0010-9999 ICD-9-CM codes	162	100.00

Frequency Missing = 2278

2004 National Health Interview Survey (NHIS)
Episode Public Use File (INJPOIEP)
FIJ Variables
Unweighted Frequencies

25

Tuesday, February 28, 2006

FIJ.181_04.000.R17: ICD-9-CM diagnosis code

ICD9_4	Frequency	Percent
0010-9999 ICD-9-CM codes	73	100.00

Frequency Missing = 2367

FIJ.181_05.000.R18: ICD-9-CM diagnosis code

ICD9_5	Frequency	Percent
0010-9999 ICD-9-CM codes	21	100.00

Frequency Missing = 2419

FIJ.181_06.000.R19: ICD-9-CM diagnosis code

ICD9_6	Frequency	Percent
0010-9999 ICD-9-CM codes	12	100.00

Frequency Missing = 2428

FIJ.181_07.000.R20: ICD-9-CM diagnosis code

ICD9_7	Frequency	Percent
0010-9999 ICD-9-CM codes	6	100.00

Frequency Missing = 2434

FIJ.181_08.000.R21: ICD-9-CM diagnosis code

ICD9_8	Frequency	Percent
0010-9999 ICD-9-CM codes	5	100.00

Frequency Missing = 2435

FIJ.181_10.000.R22: ICD-9-CM external cause code

ECODE_1	Frequency	Percent
E8000-E999 E codes	2440	100.00

Unweighted Frequencies

FIJ.181_20.000.R23: ICD-9-CM external cause code

ECODE_2	Frequency	Percent
E8000-E999 E codes	2427	100.00

Frequency Missing = 13

FIJ.181_30.000.R24: ICD-9-CM external cause code

ECODE_3	Frequency	Percent
E8000-E999 E codes	55	100.00

Frequency Missing = 2385