

2005 National Health Interview Survey (NHIS)  
 Cancer Public Use File (cancerxx)  
 IDN Variables  
 Unweighted Frequencies

1

Tuesday, June 13, 2006

IDN.000\_00.000: File type identifier

| RECTYPE                      | Frequency | Percent |
|------------------------------|-----------|---------|
| 10 Household                 | 0         | 0.00    |
| 20 Person                    | 0         | 0.00    |
| 30 Sample Adult              | 0         | 0.00    |
| 31 Sample Adult Cancer       | 31428     | 100.00  |
| 40 Sample Child              | 0         | 0.00    |
| 60 Family                    | 0         | 0.00    |
| 70 Injury/Poisoning Episode  | 0         | 0.00    |
| 75 Injury/Poisoning Verbatim | 0         | 0.00    |

IDN.000\_02.000: Year of National Health Interview Survey

| SRVY_YR | Frequency | Percent |
|---------|-----------|---------|
| 2005    | 31428     | 100.00  |

IDN.000\_04.000: HH identifier

| HHX        | Frequency | Percent |
|------------|-----------|---------|
| All Values | 31428     | 100.00  |

IDN.000\_25.000: Interview Quarter

| INTV_QRT    | Frequency | Percent |
|-------------|-----------|---------|
| 1 Quarter 1 | 7005      | 22.29   |
| 2 Quarter 2 | 8155      | 25.95   |
| 3 Quarter 3 | 8238      | 26.21   |
| 4 Quarter 4 | 8030      | 25.55   |

IDN.000\_30.000: Assignment Week

| ASSIGNWK   | Frequency | Percent |
|------------|-----------|---------|
| 01 Week 1  | 1899      | 6.04    |
| 02 Week 2  | 1842      | 5.86    |
| 03 Week 3  | 2599      | 8.27    |
| 04 Week 4  | 2649      | 8.43    |
| 05 Week 5  | 2584      | 8.22    |
| 06 Week 6  | 2539      | 8.08    |
| 07 Week 7  | 2477      | 7.88    |
| 08 Week 8  | 2440      | 7.76    |
| 09 Week 9  | 2595      | 8.26    |
| 10 Week 10 | 2454      | 7.81    |
| 11 Week 11 | 2496      | 7.94    |
| 12 Week 12 | 2413      | 7.68    |
| 13 Week 13 | 2441      | 7.77    |

## Cancer Public Use File (cancerxx)

IDN Variables

Tuesday, June 13, 2006

## Unweighted Frequencies

## IDN.000\_35.000: Family Serial Number

| FMX                        | Frequency | Percent |
|----------------------------|-----------|---------|
| 01-25 Family number 1 - 25 | 31428     | 100.00  |

## IDN.000\_40.000: Person Number (in family)

| FPX                           | Frequency | Percent |
|-------------------------------|-----------|---------|
| 01-25 Person number 1 thru 25 | 31428     | 100.00  |

## IDN.000\_65.000: Weight - Interim Annual

| WTIA_SA    | Frequency | Percent |
|------------|-----------|---------|
| All Values | 31428     | 100.00  |

## IDN.000\_70.000: Weight - Final Annual

| WTFA_SA    | Frequency | Percent |
|------------|-----------|---------|
| All Values | 31428     | 100.00  |

## Cancer Public Use File (cancerxx)

UCF Variables

Tuesday, June 13, 2006

## Unweighted Frequencies

UCF.000\_00.000: Region

| REGION      | Frequency | Percent |
|-------------|-----------|---------|
| 1 Northeast | 5402      | 17.19   |
| 2 Midwest   | 7328      | 23.32   |
| 3 South     | 11608     | 36.94   |
| 4 West      | 7090      | 22.56   |

UCF.000\_00.000: Stratum for variance estimation

| STRATUM                         | Frequency | Percent |
|---------------------------------|-----------|---------|
| Stratum for variance estimation | 31428     | 100.00  |

UCF.000\_00.000: PSU for variance estimation

| PSU                         | Frequency | Percent |
|-----------------------------|-----------|---------|
| PSU for variance estimation | 31428     | 100.00  |

## Cancer Public Use File (cancerxx)

HHC Variables

Tuesday, June 13, 2006

Unweighted Frequencies

## HHC.110\_00.000: Sex

| SEX      | Frequency | Percent |
|----------|-----------|---------|
| 1 Male   | 13762     | 43.79   |
| 2 Female | 17666     | 56.21   |

## HHC.180\_00.000: Hispanic subgroup detail

| HISPAN_I   | Frequency | Percent |
|--|-----------|---------|
| 00 Multiple Hispanic                             | 69        | 0.22    |
| 01 Puerto Rico                                   | 535       | 1.70    |
| 02 Mexican                                       | 2087      | 6.64    |
| 03 Mexican-American                              | 1342      | 4.27    |
| 04 Cuban/Cuban American                          | 318       | 1.01    |
| 05 Dominican (Republic)                          | 149       | 0.47    |
| 06 Central or South American                     | 826       | 2.63    |
| 07 Other Latin American, type not specified      | 10        | 0.03    |
| 08 Other Spanish                                 | 170       | 0.54    |
| 09 Hispanic/Latino/Spanish, non-specific type    | 0         | 0.00    |
| 10 Hispanic/Latino/Spanish, type refused         | 0         | 0.00    |
| 11 Hispanic/Latino/Spanish, type not ascertained | 0         | 0.00    |
| 12 Not Hispanic/Spanish origin                   | 25922     | 82.48   |

## HHC.200\_01.000: OMB groups w/multiple race

| RACERPI2                                       | Frequency | Percent |
|--|-----------|---------|
| 01 White only                                  | 25408     | 80.85   |
| 02 Black/African American only                 | 4407      | 14.02   |
| 03 AIAN only                                   | 221       | 0.70    |
| 04 Asian only                                  | 986       | 3.14    |
| 05 Race group not releasable (See file layout) | 45        | 0.14    |
| 06 Multiple race                               | 361       | 1.15    |

## HHC.200\_01.000: Race coded to single/multiple race group

| MRACRPI2   | Frequency | Percent |
|--|-----------|---------|
| 01 White   | 25562     | 81.34   |
| 02 Black/African American                        | 4481      | 14.26   |
| 03 Indian (American), Alaska Native              | 273       | 0.87    |
| 09 Asian Indian                                  | 188       | 0.60    |
| 10 Chinese                                       | 188       | 0.60    |
| 11 Filipino                                      | 236       | 0.75    |
| 15 Other Asian (See file layout)                 | 389       | 1.24    |
| 16 Primary race not releasable (See file layout) | 59        | 0.19    |
| 17 Multiple race, no primary race selected       | 52        | 0.17    |

2005 National Health Interview Survey (NHIS)  
 Cancer Public Use File (cancerxx)  
 HHC Variables  
 Unweighted Frequencies

5

Tuesday, June 13, 2006

HHC.200\_01.000: Race coded to single/multiple race group

| MRACBPI2                                      | Frequency | Percent |
|---|-----------|---------|
| 01 White                                      | 23873     | 75.96   |
| 02 Black/African American                     | 4418      | 14.06   |
| 03 Indian (American) (includes Eskimo, Aleut) | 222       | 0.71    |
| 06 Chinese                                    | 183       | 0.58    |
| 07 Filipino                                   | 226       | 0.72    |
| 12 Asian Indian                               | 186       | 0.59    |
| 16 Other race (See file layout)               | 2260      | 7.19    |
| 17 Multiple race, no primary race selected    | 60        | 0.19    |

HHC.420\_00.000: Age

| AGE_P            | Frequency | Percent |
|------------------|-----------|---------|
| 00 Under 1 year  | 0         | 0.00    |
| 01-84 1-84 years | 30677     | 97.61   |
| 85 85+ years     | 751       | 2.39    |

HHC.430\_00.000: Record completion status

| COMPSTAT  | Frequency | Percent |
|---|-----------|---------|
| 1 Not ascertained answers only                  | 555       | 1.77    |
| 2 Refused and don't know answers only           | 47        | 0.15    |
| 3 Refused, DK, and not ascertained answers only | 21        | 0.07    |
| 4 At least one valid answer                     | 30805     | 98.02   |

## Unweighted Frequencies

## FID.250\_00.000: Marital Status

| R_MARITL                                | Frequency | Percent |
|---|-----------|---------|
| 0 Under 14 years                        | 0         | 0.00    |
| 1 Married - spouse in household         | 14381     | 45.76   |
| 2 Married - spouse not in household     | 493       | 1.57    |
| 3 Married - spouse in household unknown | 0         | 0.00    |
| 4 Widowed                               | 3094      | 9.84    |
| 5 Divorced                              | 4192      | 13.34   |
| 6 Separated                             | 1008      | 3.21    |
| 7 Never married                         | 6585      | 20.95   |
| 8 Living with partner                   | 1510      | 4.80    |
| 9 Unknown marital status                | 165       | 0.53    |

## NAC.005\_00.000: Language used most often

| SPSPEAK                              | Frequency | Percent |
|--------------------------------------|-----------|---------|
| 1 Only Spanish                       | 1504      | 4.79    |
| 2 Mostly Spanish                     | 1149      | 3.66    |
| 3 Spanish and English about the same | 1437      | 4.57    |
| 4 Mostly English                     | 4031      | 12.83   |
| 5 Only English                       | 21915     | 69.73   |
| 6 Other                              | 684       | 2.18    |
| 7 Refused                            | 111       | 0.35    |
| 8 Not ascertained                    | 585       | 1.86    |
| 9 Don't know                         | 12        | 0.04    |

## NAC.010\_00.000: Hot or cold breakfast cereals

| CEREAL                     | Frequency | Percent |
|----------------------------|-----------|---------|
| 00 Never                   | 5739      | 18.26   |
| 01 1-3 times last month    | 5399      | 17.18   |
| 02 1-2 times per week      | 5899      | 18.77   |
| 03 3-4 times per week      | 4662      | 14.83   |
| 04 5-6 times per week      | 2039      | 6.49    |
| 05 1 time per day          | 5418      | 17.24   |
| 06 2 times per day         | 234       | 0.74    |
| 07 3 times per day         | 49        | 0.16    |
| 08 4 times per day         | 18        | 0.06    |
| 09 5 or more times per day | 30        | 0.10    |
| 97 Refused                 | 729       | 2.32    |
| 98 Not ascertained         | 975       | 3.10    |
| 99 Don't know              | 237       | 0.75    |

## NAC.015\_01.000: Kind of cereal: Cooked cereals

| CERKIND1          | Frequency | Percent |
|-------------------|-----------|---------|
| 1 Mentioned       | 8442      | 35.55   |
| 2 Not mentioned   | 15161     | 63.84   |
| 7 Refused         | 14        | 0.06    |
| 8 Not ascertained | 15        | 0.06    |
| 9 Don't know      | 116       | 0.49    |

Frequency Missing = 7680

2005 National Health Interview Survey (NHIS)  
Cancer Public Use File (cancerxx)  
NAC Variables  
Unweighted Frequencies

8

Tuesday, June 13, 2006

NAC.015\_02.000: Kind of cereal: All bran cereals

| CERKIND2          | Frequency | Percent |
|-------------------|-----------|---------|
| 1 Mentioned       | 2951      | 12.43   |
| 2 Not mentioned   | 20652     | 86.96   |
| 7 Refused         | 14        | 0.06    |
| 8 Not ascertained | 15        | 0.06    |
| 9 Don't know      | 116       | 0.49    |

Frequency Missing = 7680

NAC.015\_03.000: Kind of cereal: Cereals with some bran or fiber

| CERKIND3          | Frequency | Percent |
|-------------------|-----------|---------|
| 1 Mentioned       | 9007      | 37.93   |
| 2 Not mentioned   | 14596     | 61.46   |
| 7 Refused         | 14        | 0.06    |
| 8 Not ascertained | 15        | 0.06    |
| 9 Don't know      | 116       | 0.49    |

Frequency Missing = 7680

NAC.015\_04.000: Kind of cereal: Cereals with little bran or fiber

| CERKIND4          | Frequency | Percent |
|-------------------|-----------|---------|
| 1 Mentioned       | 7769      | 32.71   |
| 2 Not mentioned   | 15834     | 66.68   |
| 7 Refused         | 14        | 0.06    |
| 8 Not ascertained | 15        | 0.06    |
| 9 Don't know      | 116       | 0.49    |

Frequency Missing = 7680

NAC.015\_05.000: Kind of cereal:Other cereal

| CERKIND5          | Frequency | Percent |
|-------------------|-----------|---------|
| 1 Mentioned       | 442       | 1.86    |
| 2 Not mentioned   | 23161     | 97.53   |
| 7 Refused         | 14        | 0.06    |
| 8 Not ascertained | 15        | 0.06    |
| 9 Don't know      | 116       | 0.49    |

Frequency Missing = 7680



2005 National Health Interview Survey (NHIS)  
 Cancer Public Use File (cancerxx)  
 NAC Variables  
 Unweighted Frequencies

9

Tuesday, June 13, 2006

NAC.020\_00.000: Drink milk in past month

| MILK                       | Frequency | Percent |
|----------------------------|-----------|---------|
| 00 Never                   | 4151      | 13.21   |
| 01 1-3 times last month    | 3442      | 10.95   |
| 02 1-2 times per week      | 4278      | 13.61   |
| 03 3-4 times per week      | 4110      | 13.08   |
| 04 5-6 times per week      | 2076      | 6.61    |
| 05 1 time per day          | 7980      | 25.39   |
| 06 2 times per day         | 2320      | 7.38    |
| 07 3 times per day         | 783       | 2.49    |
| 08 4 times per day         | 187       | 0.60    |
| 09 5 or more times per day | 124       | 0.39    |
| 97 Refused                 | 739       | 2.35    |
| 98 Not ascertained         | 1005      | 3.20    |
| 99 Don't know              | 233       | 0.74    |

NAC.030\_00.000: Drink soda past month

| SODA                       | Frequency | Percent |
|----------------------------|-----------|---------|
| 00 Never                   | 9901      | 31.50   |
| 01 1-3 times last month    | 4537      | 14.44   |
| 02 1-2 times per week      | 4226      | 13.45   |
| 03 3-4 times per week      | 2448      | 7.79    |
| 04 5-6 times per week      | 999       | 3.18    |
| 05 1 time per day          | 4017      | 12.78   |
| 06 2 times per day         | 1651      | 5.25    |
| 07 3 times per day         | 822       | 2.62    |
| 08 4 times per day         | 346       | 1.10    |
| 09 5 or more times per day | 461       | 1.47    |
| 97 Refused                 | 742       | 2.36    |
| 98 Not ascertained         | 1020      | 3.25    |
| 99 Don't know              | 258       | 0.82    |

NAC.040\_00.000: Drink fruit juice past month

| FRTJUICE                   | Frequency | Percent |
|----------------------------|-----------|---------|
| 00 Never                   | 5824      | 18.53   |
| 01 1-3 times last month    | 4275      | 13.60   |
| 02 1-2 times per week      | 5541      | 17.63   |
| 03 3-4 times per week      | 4220      | 13.43   |
| 04 5-6 times per week      | 1565      | 4.98    |
| 05 1 time per day          | 6697      | 21.31   |
| 06 2 times per day         | 827       | 2.63    |
| 07 3 times per day         | 288       | 0.92    |
| 08 4 times per day         | 79        | 0.25    |
| 09 5 or more times per day | 79        | 0.25    |
| 97 Refused                 | 743       | 2.36    |
| 98 Not ascertained         | 1030      | 3.28    |
| 99 Don't know              | 260       | 0.83    |

2005 National Health Interview Survey (NHIS)  
 Cancer Public Use File (cancerxx)  
 NAC Variables  
 Unweighted Frequencies

10

Tuesday, June 13, 2006

NAC.060\_00.000: Drink fruit drinks past month

| FRTDRINK                   | Frequency | Percent |
|----------------------------|-----------|---------|
| 00 Never                   | 16250     | 51.71   |
| 01 1-3 times last month    | 4044      | 12.87   |
| 02 1-2 times per week      | 3936      | 12.52   |
| 03 3-4 times per week      | 2049      | 6.52    |
| 04 5-6 times per week      | 662       | 2.11    |
| 05 1 time per day          | 1698      | 5.40    |
| 06 2 times per day         | 436       | 1.39    |
| 07 3 times per day         | 182       | 0.58    |
| 08 4 times per day         | 60        | 0.19    |
| 09 5 or more times per day | 71        | 0.23    |
| 97 Refused                 | 748       | 2.38    |
| 98 Not ascertained         | 1035      | 3.29    |
| 99 Don't know              | 257       | 0.82    |

NAC.070\_00.000: Eat fruit past month

| FRUIT                      | Frequency | Percent |
|----------------------------|-----------|---------|
| 00 Never                   | 1531      | 4.87    |
| 01 1-3 times last month    | 3184      | 10.13   |
| 02 1-2 times per week      | 5822      | 18.52   |
| 03 3-4 times per week      | 5651      | 17.98   |
| 04 5-6 times per week      | 2305      | 7.33    |
| 05 1 time per day          | 7725      | 24.58   |
| 06 2 times per day         | 2219      | 7.06    |
| 07 3 times per day         | 722       | 2.30    |
| 08 4 times per day         | 130       | 0.41    |
| 09 5 or more times per day | 99        | 0.32    |
| 97 Refused                 | 743       | 2.36    |
| 98 Not ascertained         | 1041      | 3.31    |
| 99 Don't know              | 256       | 0.81    |

NAC.090\_00.000: Eat salad past month

| SALAD                      | Frequency | Percent |
|----------------------------|-----------|---------|
| 00 Never                   | 2076      | 6.61    |
| 01 1-3 times last month    | 3352      | 10.67   |
| 02 1-2 times per week      | 7690      | 24.47   |
| 03 3-4 times per week      | 7408      | 23.57   |
| 04 5-6 times per week      | 2855      | 9.08    |
| 05 1 time per day          | 5272      | 16.77   |
| 06 2 times per day         | 549       | 1.75    |
| 07 3 times per day         | 108       | 0.34    |
| 08 4 times per day         | 23        | 0.07    |
| 09 5 or more times per day | 38        | 0.12    |
| 97 Refused                 | 746       | 2.37    |
| 98 Not ascertained         | 1046      | 3.33    |
| 99 Don't know              | 265       | 0.84    |

2005 National Health Interview Survey (NHIS)  
 Cancer Public Use File (cancerxx)  
 NAC Variables  
 Unweighted Frequencies

11

Tuesday, June 13, 2006

NAC.100\_00.000: Eat fries past month

| FRIES                      | Frequency | Percent |
|----------------------------|-----------|---------|
| 00 Never                   | 6312      | 20.08   |
| 01 1-3 times last month    | 9800      | 31.18   |
| 02 1-2 times per week      | 8847      | 28.15   |
| 03 3-4 times per week      | 2984      | 9.49    |
| 04 5-6 times per week      | 632       | 2.01    |
| 05 1 time per day          | 679       | 2.16    |
| 06 2 times per day         | 51        | 0.16    |
| 07 3 times per day         | 31        | 0.10    |
| 08 4 times per day         | 8         | 0.03    |
| 09 5 or more times per day | 16        | 0.05    |
| 97 Refused                 | 744       | 2.37    |
| 98 Not ascertained         | 1050      | 3.34    |
| 99 Don't know              | 274       | 0.87    |

NAC.110\_00.000: Eat potatoes past month

| POTATO                     | Frequency | Percent |
|----------------------------|-----------|---------|
| 00 Never                   | 3063      | 9.75    |
| 01 1-3 times last month    | 8118      | 25.83   |
| 02 1-2 times per week      | 11486     | 36.55   |
| 03 3-4 times per week      | 4707      | 14.98   |
| 04 5-6 times per week      | 899       | 2.86    |
| 05 1 time per day          | 998       | 3.18    |
| 06 2 times per day         | 42        | 0.13    |
| 07 3 times per day         | 9         | 0.03    |
| 08 4 times per day         | 4         | 0.01    |
| 09 5 or more times per day | 8         | 0.03    |
| 97 Refused                 | 747       | 2.38    |
| 98 Not ascertained         | 1054      | 3.35    |
| 99 Don't know              | 293       | 0.93    |

NAC.120\_00.000: Eat beans past month

| BEANS                      | Frequency | Percent |
|----------------------------|-----------|---------|
| 00 Never                   | 5728      | 18.23   |
| 01 1-3 times last month    | 9676      | 30.79   |
| 02 1-2 times per week      | 8365      | 26.62   |
| 03 3-4 times per week      | 3230      | 10.28   |
| 04 5-6 times per week      | 829       | 2.64    |
| 05 1 time per day          | 1290      | 4.10    |
| 06 2 times per day         | 146       | 0.46    |
| 07 3 times per day         | 32        | 0.10    |
| 08 4 times per day         | 6         | 0.02    |
| 09 5 or more times per day | 12        | 0.04    |
| 97 Refused                 | 753       | 2.40    |
| 98 Not ascertained         | 1059      | 3.37    |
| 99 Don't know              | 302       | 0.96    |

2005 National Health Interview Survey (NHIS)  
 Cancer Public Use File (cancerxx)  
 NAC Variables  
 Unweighted Frequencies

12

Tuesday, June 13, 2006

NAC.130\_00.000: Eat other vegetables past month

| OVEG                       | Frequency | Percent |
|----------------------------|-----------|---------|
| 00 Never                   | 711       | 2.26    |
| 01 1-3 times last month    | 1840      | 5.85    |
| 02 1-2 times per week      | 5337      | 16.98   |
| 03 3-4 times per week      | 6406      | 20.38   |
| 04 5-6 times per week      | 3013      | 9.59    |
| 05 1 time per day          | 9336      | 29.71   |
| 06 2 times per day         | 2233      | 7.11    |
| 07 3 times per day         | 340       | 1.08    |
| 08 4 times per day         | 67        | 0.21    |
| 09 5 or more times per day | 50        | 0.16    |
| 97 Refused                 | 754       | 2.40    |
| 98 Not ascertained         | 1062      | 3.38    |
| 99 Don't know              | 279       | 0.89    |

NAC.131\_00.000: Eat tomato sauce past month

| TOMSAUCE                   | Frequency | Percent |
|----------------------------|-----------|---------|
| 00 Never                   | 2795      | 8.89    |
| 01 1-3 times last month    | 8498      | 27.04   |
| 02 1-2 times per week      | 12303     | 39.15   |
| 03 3-4 times per week      | 3943      | 12.55   |
| 04 5-6 times per week      | 814       | 2.59    |
| 05 1 time per day          | 821       | 2.61    |
| 06 2 times per day         | 76        | 0.24    |
| 07 3 times per day         | 27        | 0.09    |
| 08 4 times per day         | 11        | 0.04    |
| 09 5 or more times per day | 9         | 0.03    |
| 97 Refused                 | 760       | 2.42    |
| 98 Not ascertained         | 1064      | 3.39    |
| 99 Don't know              | 307       | 0.98    |

NAC.132\_00.000: Eat salsa past month

| SALSA                      | Frequency | Percent |
|----------------------------|-----------|---------|
| 00 Never                   | 11237     | 35.75   |
| 01 1-3 times last month    | 8645      | 27.51   |
| 02 1-2 times per week      | 5166      | 16.44   |
| 03 3-4 times per week      | 1970      | 6.27    |
| 04 5-6 times per week      | 682       | 2.17    |
| 05 1 time per day          | 1319      | 4.20    |
| 06 2 times per day         | 194       | 0.62    |
| 07 3 times per day         | 60        | 0.19    |
| 08 4 times per day         | 15        | 0.05    |
| 09 5 or more times per day | 14        | 0.04    |
| 97 Refused                 | 763       | 2.43    |
| 98 Not ascertained         | 1065      | 3.39    |
| 99 Don't know              | 298       | 0.95    |

2005 National Health Interview Survey (NHIS)  
 Cancer Public Use File (cancerxx)  
 NAC Variables  
 Unweighted Frequencies

13

Tuesday, June 13, 2006

NAC.134\_00.000: Eat red meat past month

| REDMEAT                    | Frequency | Percent |
|----------------------------|-----------|---------|
| 00 Never                   | 2187      | 6.96    |
| 01 1-3 times last month    | 4896      | 15.58   |
| 02 1-2 times per week      | 10275     | 32.69   |
| 03 3-4 times per week      | 7561      | 24.06   |
| 04 5-6 times per week      | 1937      | 6.16    |
| 05 1 time per day          | 2115      | 6.73    |
| 06 2 times per day         | 277       | 0.88    |
| 07 3 times per day         | 56        | 0.18    |
| 08 4 times per day         | 13        | 0.04    |
| 09 5 or more times per day | 20        | 0.06    |
| 97 Refused                 | 758       | 2.41    |
| 98 Not ascertained         | 1065      | 3.39    |
| 99 Don't know              | 268       | 0.85    |

NAC.135\_00.000: Eat whole grain bread past month

| BREAD                      | Frequency | Percent |
|----------------------------|-----------|---------|
| 00 Never                   | 6065      | 19.30   |
| 01 1-3 times last month    | 3093      | 9.84    |
| 02 1-2 times per week      | 5072      | 16.14   |
| 03 3-4 times per week      | 4629      | 14.73   |
| 04 5-6 times per week      | 1978      | 6.29    |
| 05 1 time per day          | 6687      | 21.28   |
| 06 2 times per day         | 1486      | 4.73    |
| 07 3 times per day         | 220       | 0.70    |
| 08 4 times per day         | 36        | 0.11    |
| 09 5 or more times per day | 31        | 0.10    |
| 97 Refused                 | 761       | 2.42    |
| 98 Not ascertained         | 1066      | 3.39    |
| 99 Don't know              | 304       | 0.97    |

NAC.136\_00.000: Eat doughnuts past month

| DONUT                      | Frequency | Percent |
|----------------------------|-----------|---------|
| 00 Never                   | 11091     | 35.29   |
| 01 1-3 times last month    | 9058      | 28.82   |
| 02 1-2 times per week      | 5904      | 18.79   |
| 03 3-4 times per week      | 1705      | 5.43    |
| 04 5-6 times per week      | 434       | 1.38    |
| 05 1 time per day          | 1027      | 3.27    |
| 06 2 times per day         | 75        | 0.24    |
| 07 3 times per day         | 15        | 0.05    |
| 08 4 times per day         | 3         | 0.01    |
| 09 5 or more times per day | 8         | 0.03    |
| 97 Refused                 | 761       | 2.42    |
| 98 Not ascertained         | 1072      | 3.41    |
| 99 Don't know              | 275       | 0.88    |

2005 National Health Interview Survey (NHIS)  
 Cancer Public Use File (cancerxx)  
 NAC Variables  
 Unweighted Frequencies

14

Tuesday, June 13, 2006

NAC.137\_00.000: Eat cookies past month

| COOKIES                    | Frequency | Percent |
|----------------------------|-----------|---------|
| 00 Never                   | 5708      | 18.16   |
| 01 1-3 times last month    | 8759      | 27.87   |
| 02 1-2 times per week      | 8201      | 26.09   |
| 03 3-4 times per week      | 3243      | 10.32   |
| 04 5-6 times per week      | 870       | 2.77    |
| 05 1 time per day          | 2218      | 7.06    |
| 06 2 times per day         | 213       | 0.68    |
| 07 3 times per day         | 62        | 0.20    |
| 08 4 times per day         | 9         | 0.03    |
| 09 5 or more times per day | 20        | 0.06    |
| 97 Refused                 | 763       | 2.43    |
| 98 Not ascertained         | 1073      | 3.41    |
| 99 Don't know              | 289       | 0.92    |

NAC.138\_00.000: Eat cheese past month

| CHEESE                     | Frequency | Percent |
|----------------------------|-----------|---------|
| 00 Never                   | 1646      | 5.24    |
| 01 1-3 times last month    | 3298      | 10.49   |
| 02 1-2 times per week      | 7654      | 24.35   |
| 03 3-4 times per week      | 7661      | 24.38   |
| 04 5-6 times per week      | 2863      | 9.11    |
| 05 1 time per day          | 5147      | 16.38   |
| 06 2 times per day         | 730       | 2.32    |
| 07 3 times per day         | 209       | 0.67    |
| 08 4 times per day         | 50        | 0.16    |
| 09 5 or more times per day | 43        | 0.14    |
| 97 Refused                 | 762       | 2.42    |
| 98 Not ascertained         | 1081      | 3.44    |
| 99 Don't know              | 284       | 0.90    |

NAC.170\_00.000: Vitamin/mineral supplements past 12 months

| VITANY            | Frequency | Percent |
|-------------------|-----------|---------|
| 1 Yes             | 16126     | 51.31   |
| 2 No              | 13644     | 43.41   |
| 7 Refused         | 474       | 1.51    |
| 8 Not ascertained | 1090      | 3.47    |
| 9 Don't know      | 94        | 0.30    |

2005 National Health Interview Survey (NHIS)  
 Cancer Public Use File (cancerxx)  
 NAC Variables  
 Unweighted Frequencies

15

Tuesday, June 13, 2006

NAC.180\_00.000: Take any multi-vitamins in past 12 months

| VITMUL            | Frequency | Percent |
|-------------------|-----------|---------|
| 1 Yes             | 13800     | 85.58   |
| 2 No              | 2301      | 14.27   |
| 7 Refused         | 4         | 0.02    |
| 8 Not ascertained | 1         | 0.01    |
| 9 Don't know      | 20        | 0.12    |

Frequency Missing = 15302

NAC.190\_00.000: Number of months took multi-vitamins

| VITMULM            | Frequency | Percent |
|--------------------|-----------|---------|
| 01-12 1-12 months  | 13748     | 99.62   |
| 97 Refused         | 2         | 0.01    |
| 98 Not ascertained | 0         | 0.00    |
| 99 Don't know      | 50        | 0.36    |

Frequency Missing = 17628

NAC.200\_01.000: Freq taking multi-vitamins: # of units

| VITMULDN           | Frequency | Percent |
|--------------------|-----------|---------|
| 01-30 1-30 days    | 13702     | 99.67   |
| 95 Other           | 4         | 0.03    |
| 97 Refused         | 2         | 0.01    |
| 98 Not ascertained | 0         | 0.00    |
| 99 Don't know      | 40        | 0.29    |

Frequency Missing = 17680

NAC.200\_02.000: Freq taking multi-vitamins: Time unit

| VITMULDT          | Frequency | Percent |
|-------------------|-----------|---------|
| 1 Days per week   | 268       | 1.95    |
| 2 Days per month  | 13406     | 97.51   |
| 3 Other           | 32        | 0.23    |
| 7 Refused         | 2         | 0.01    |
| 8 Not ascertained | 0         | 0.00    |
| 9 Don't know      | 40        | 0.29    |

Frequency Missing = 17680

2005 National Health Interview Survey (NHIS)  
 Cancer Public Use File (cancerxx)  
 NAC Variables  
 Unweighted Frequencies

16

Tuesday, June 13, 2006

NAC.210\_00.000: Take any beta carotene in past 12 months

| BETAC             | Frequency | Percent |
|-------------------|-----------|---------|
| 1 Yes             | 822       | 5.10    |
| 2 No              | 15220     | 94.38   |
| 7 Refused         | 13        | 0.08    |
| 8 Not ascertained | 7         | 0.04    |
| 9 Don't know      | 64        | 0.40    |

Frequency Missing = 15302

NAC.220\_00.000: Number of months took beta carotene

| BETACM             | Frequency | Percent |
|--------------------|-----------|---------|
| 01-12 1-12 months  | 813       | 98.91   |
| 97 Refused         | 0         | 0.00    |
| 98 Not ascertained | 0         | 0.00    |
| 99 Don't know      | 9         | 1.09    |

Frequency Missing = 30606

NAC.230\_01.000: Freq taking beta carotene: # of units

| BETACDN            | Frequency | Percent |
|--------------------|-----------|---------|
| 01-30 1-30 days    | 808       | 99.38   |
| 95 Other           | 0         | 0.00    |
| 97 Refused         | 0         | 0.00    |
| 98 Not ascertained | 0         | 0.00    |
| 99 Don't know      | 5         | 0.62    |

Frequency Missing = 30615

NAC.230\_02.000: Freq taking beta carotene: Time units

| BETACDT           | Frequency | Percent |
|-------------------|-----------|---------|
| 1 Days per week   | 51        | 6.27    |
| 2 Days per month  | 746       | 91.76   |
| 3 Other           | 10        | 1.23    |
| 7 Refused         | 0         | 0.00    |
| 8 Not ascertained | 0         | 0.00    |
| 9 Don't know      | 6         | 0.74    |

Frequency Missing = 30615



2005 National Health Interview Survey (NHIS)  
 Cancer Public Use File (cancerxx)  
 NAC Variables  
 Unweighted Frequencies

17

Tuesday, June 13, 2006

NAC.270\_00.000: Take vitamin E during past 12 months

| VITE              | Frequency | Percent |
|-------------------|-----------|---------|
| 1 Yes             | 3509      | 21.76   |
| 2 No              | 12552     | 77.84   |
| 7 Refused         | 13        | 0.08    |
| 8 Not ascertained | 8         | 0.05    |
| 9 Don't know      | 44        | 0.27    |

Frequency Missing = 15302

NAC.280\_00.000: Number of months took vitamin E

| VITEM              | Frequency | Percent |
|--------------------|-----------|---------|
| 01-12 1-12 months  | 3476      | 99.06   |
| 97 Refused         | 0         | 0.00    |
| 98 Not ascertained | 0         | 0.00    |
| 99 Don't know      | 33        | 0.94    |

Frequency Missing = 27919

NAC.290\_01.000: Freq taking vitamin E: # of units

| VITEDN             | Frequency | Percent |
|--------------------|-----------|---------|
| 01-30 1-30 days    | 3458      | 99.48   |
| 95 Other           | 2         | 0.06    |
| 97 Refused         | 0         | 0.00    |
| 98 Not ascertained | 0         | 0.00    |
| 99 Don't know      | 16        | 0.46    |

Frequency Missing = 27952

NAC.290\_02.000: Freq taking vitamin E: Time unit

| VITEDT            | Frequency | Percent |
|-------------------|-----------|---------|
| 1 Days per week   | 94        | 2.70    |
| 2 Days per month  | 3353      | 96.46   |
| 3 Other           | 11        | 0.32    |
| 7 Refused         | 1         | 0.03    |
| 8 Not ascertained | 1         | 0.03    |
| 9 Don't know      | 16        | 0.46    |

Frequency Missing = 27952

2005 National Health Interview Survey (NHIS)  
Cancer Public Use File (cancerxx)  
NAC Variables  
Unweighted Frequencies

18

Tuesday, June 13, 2006

NAC.300\_00.000: Take calcium during past 12 months

| CALC              | Frequency | Percent |
|-------------------|-----------|---------|
| 1 Yes             | 5687      | 35.27   |
| 2 No              | 10376     | 64.34   |
| 7 Refused         | 16        | 0.10    |
| 8 Not ascertained | 9         | 0.06    |
| 9 Don't know      | 38        | 0.24    |

Frequency Missing = 15302

NAC.310\_00.000: Number of months took calcium

| CALCM              | Frequency | Percent |
|--------------------|-----------|---------|
| 01-12 1-12 months  | 5658      | 99.49   |
| 97 Refused         | 0         | 0.00    |
| 98 Not ascertained | 0         | 0.00    |
| 99 Don't know      | 29        | 0.51    |

Frequency Missing = 25741

NAC.320\_01.000: Freq taking calcium: # of units

| CALCDN             | Frequency | Percent |
|--------------------|-----------|---------|
| 01-30 1-30 days    | 5629      | 99.49   |
| 95 Other           | 3         | 0.05    |
| 97 Refused         | 0         | 0.00    |
| 98 Not ascertained | 0         | 0.00    |
| 99 Don't know      | 26        | 0.46    |

Frequency Missing = 25770

NAC.320\_02.000: Freq taking calcium: Time unit

| CALCDT            | Frequency | Percent |
|-------------------|-----------|---------|
| 1 Days per week   | 159       | 2.81    |
| 2 Days per month  | 5456      | 96.43   |
| 3 Other           | 16        | 0.28    |
| 7 Refused         | 0         | 0.00    |
| 8 Not ascertained | 0         | 0.00    |
| 9 Don't know      | 27        | 0.48    |

Frequency Missing = 25770

2005 National Health Interview Survey (NHIS)  
 Cancer Public Use File (cancerxx)  
 NAC Variables  
 Unweighted Frequencies

19

Tuesday, June 13, 2006

NAC.360\_00.000: Take selenium during past 12 months

| SELN              | Frequency | Percent |
|-------------------|-----------|---------|
| 1 Yes             | 497       | 3.08    |
| 2 No              | 15528     | 96.29   |
| 7 Refused         | 15        | 0.09    |
| 8 Not ascertained | 10        | 0.06    |
| 9 Don't know      | 76        | 0.47    |

Frequency Missing = 15302

NAC.370\_00.000: Number of months took selenium

| SELNM              | Frequency | Percent |
|--------------------|-----------|---------|
| 01-12 1-12 months  | 492       | 98.99   |
| 97 Refused         | 0         | 0.00    |
| 98 Not ascertained | 0         | 0.00    |
| 99 Don't know      | 5         | 1.01    |

Frequency Missing = 30931

NAC.380\_01.000: Freq taking selenium: # of units

| SELNDN             | Frequency | Percent |
|--------------------|-----------|---------|
| 01-30 1-30 days    | 491       | 99.80   |
| 95 Other           | 0         | 0.00    |
| 97 Refused         | 0         | 0.00    |
| 98 Not ascertained | 0         | 0.00    |
| 99 Don't know      | 1         | 0.20    |

Frequency Missing = 30936

NAC.380\_02.000: Freq taking selenium: Time unit

| SELNDT            | Frequency | Percent |
|-------------------|-----------|---------|
| 1 Days per week   | 23        | 4.67    |
| 2 Days per month  | 468       | 95.12   |
| 3 Other           | 0         | 0.00    |
| 7 Refused         | 0         | 0.00    |
| 8 Not ascertained | 0         | 0.00    |
| 9 Don't know      | 1         | 0.20    |

Frequency Missing = 30936

2005 National Health Interview Survey (NHIS)  
 Cancer Public Use File (cancerxx)  
 NAC Variables  
 Unweighted Frequencies

20

Tuesday, June 13, 2006

NAC.390\_00.000: Take herbal supplements during past 12 months

| HERBSUPP          | Frequency | Percent |
|-------------------|-----------|---------|
| 1 Yes             | 3174      | 10.10   |
| 2 No              | 26549     | 84.48   |
| 7 Refused         | 483       | 1.54    |
| 8 Not ascertained | 1104      | 3.51    |
| 9 Don't know      | 118       | 0.38    |

NAC.435\_00.000: Take medication to lower cholesterol regularly

| CHOLEST           | Frequency | Percent |
|-------------------|-----------|---------|
| 1 Yes             | 4479      | 14.25   |
| 2 No              | 25290     | 80.47   |
| 7 Refused         | 441       | 1.40    |
| 8 Not ascertained | 1109      | 3.53    |
| 9 Don't know      | 109       | 0.35    |

NAC.437\_00.000: Take cholesterol medication regularly last 3 months

| CHOLMTHS          | Frequency | Percent |
|-------------------|-----------|---------|
| 1 Yes             | 4220      | 94.22   |
| 2 No              | 256       | 5.72    |
| 7 Refused         | 1         | 0.02    |
| 8 Not ascertained | 0         | 0.00    |
| 9 Don't know      | 2         | 0.04    |

Frequency Missing = 26949

NAC.440\_00.000: Take pain medication regularly

| PAINMEDS          | Frequency | Percent |
|-------------------|-----------|---------|
| 1 Yes             | 8503      | 27.06   |
| 2 No              | 21272     | 67.68   |
| 7 Refused         | 458       | 1.46    |
| 8 Not ascertained | 1112      | 3.54    |
| 9 Don't know      | 83        | 0.26    |

2005 National Health Interview Survey (NHIS)  
Cancer Public Use File (cancerxx)  
NAC Variables  
Unweighted Frequencies

21

Tuesday, June 13, 2006

NAC.442\_00.000: Take pain medication regularly last 3 months

| PAINMTHS          | Frequency | Percent |
|-------------------|-----------|---------|
| 1 Yes             | 6637      | 78.05   |
| 2 No              | 1859      | 21.86   |
| 7 Refused         | 1         | 0.01    |
| 8 Not ascertained | 0         | 0.00    |
| 9 Don't know      | 6         | 0.07    |

Frequency Missing = 22925

NAC.450\_01.000: Took Aspirin regularly

| PAINKD1           | Frequency | Percent |
|-------------------|-----------|---------|
| 1 Mentioned       | 3009      | 45.34   |
| 2 Not mentioned   | 3599      | 54.23   |
| 7 Refused         | 4         | 0.06    |
| 8 Not ascertained | 0         | 0.00    |
| 9 Don't know      | 25        | 0.38    |

Frequency Missing = 24791

NAC.450\_02.000: Took Advil regularly

| PAINKD2           | Frequency | Percent |
|-------------------|-----------|---------|
| 1 Mentioned       | 1038      | 15.64   |
| 2 Not mentioned   | 5570      | 83.92   |
| 7 Refused         | 4         | 0.06    |
| 8 Not ascertained | 0         | 0.00    |
| 9 Don't know      | 25        | 0.38    |

Frequency Missing = 24791

NAC.450\_03.000: Took Aleve regularly

| PAINKD3           | Frequency | Percent |
|-------------------|-----------|---------|
| 1 Mentioned       | 693       | 10.44   |
| 2 Not mentioned   | 5915      | 89.12   |
| 7 Refused         | 4         | 0.06    |
| 8 Not ascertained | 0         | 0.00    |
| 9 Don't know      | 25        | 0.38    |

Frequency Missing = 24791

2005 National Health Interview Survey (NHIS)  
Cancer Public Use File (cancerxx)  
NAC Variables  
Unweighted Frequencies

22

Tuesday, June 13, 2006

NAC.450\_04.000: Took Bayer regularly

| PAINKD4           | Frequency | Percent |
|-------------------|-----------|---------|
| 1 Mentioned       | 270       | 4.07    |
| 2 Not mentioned   | 6338      | 95.49   |
| 7 Refused         | 4         | 0.06    |
| 8 Not ascertained | 0         | 0.00    |
| 9 Don't know      | 25        | 0.38    |

Frequency Missing = 24791

NAC.450\_05.000: Took Bufferin regularly

| PAINKD5           | Frequency | Percent |
|-------------------|-----------|---------|
| 1 Mentioned       | 56        | 0.84    |
| 2 Not mentioned   | 6552      | 98.72   |
| 7 Refused         | 4         | 0.06    |
| 8 Not ascertained | 0         | 0.00    |
| 9 Don't know      | 25        | 0.38    |

Frequency Missing = 24791

NAC.450\_06.000: Took Celecoxib regularly

| PAINKD6           | Frequency | Percent |
|-------------------|-----------|---------|
| 1 Mentioned       | 68        | 1.02    |
| 2 Not mentioned   | 6540      | 98.54   |
| 7 Refused         | 4         | 0.06    |
| 8 Not ascertained | 0         | 0.00    |
| 9 Don't know      | 25        | 0.38    |

Frequency Missing = 24791

NAC.450\_07.000: Took Excedrin regularly

| PAINKD7           | Frequency | Percent |
|-------------------|-----------|---------|
| 1 Mentioned       | 347       | 5.23    |
| 2 Not mentioned   | 6261      | 94.33   |
| 7 Refused         | 4         | 0.06    |
| 8 Not ascertained | 0         | 0.00    |
| 9 Don't know      | 25        | 0.38    |

Frequency Missing = 24791

2005 National Health Interview Survey (NHIS)  
Cancer Public Use File (cancerxx)  
NAC Variables  
Unweighted Frequencies

23

Tuesday, June 13, 2006

NAC.450\_08.000: Took Ibuprofen regularly

| PAINKD8           | Frequency | Percent |
|-------------------|-----------|---------|
| 1 Mentioned       | 1377      | 20.75   |
| 2 Not mentioned   | 5231      | 78.82   |
| 7 Refused         | 4         | 0.06    |
| 8 Not ascertained | 0         | 0.00    |
| 9 Don't know      | 25        | 0.38    |

Frequency Missing = 24791

NAC.450\_09.000: Took Motrin regularly

| PAINKD9           | Frequency | Percent |
|-------------------|-----------|---------|
| 1 Mentioned       | 404       | 6.09    |
| 2 Not mentioned   | 6204      | 93.48   |
| 7 Refused         | 4         | 0.06    |
| 8 Not ascertained | 0         | 0.00    |
| 9 Don't know      | 25        | 0.38    |

Frequency Missing = 24791

NAC.450\_10.000: Took Naprosyn (Naproxen) regularly

| PAINKD10          | Frequency | Percent |
|-------------------|-----------|---------|
| 1 Mentioned       | 228       | 3.44    |
| 2 Not mentioned   | 6380      | 96.13   |
| 7 Refused         | 4         | 0.06    |
| 8 Not ascertained | 0         | 0.00    |
| 9 Don't know      | 25        | 0.38    |

Frequency Missing = 24791

NAC.450\_11.000: Took Nuprin regularly

| PAINKD11          | Frequency | Percent |
|-------------------|-----------|---------|
| 1 Mentioned       | 11        | 0.17    |
| 2 Not mentioned   | 6597      | 99.40   |
| 7 Refused         | 4         | 0.06    |
| 8 Not ascertained | 0         | 0.00    |
| 9 Don't know      | 25        | 0.38    |

Frequency Missing = 24791

2005 National Health Interview Survey (NHIS)  
Cancer Public Use File (cancerxx)  
NAC Variables  
Unweighted Frequencies

24

Tuesday, June 13, 2006

NAC.450\_12.000: Took Vioxx regularly

| PAINKD12          | Frequency | Percent |
|-------------------|-----------|---------|
| 1 Mentioned       | 50        | 0.75    |
| 2 Not mentioned   | 6558      | 98.81   |
| 7 Refused         | 4         | 0.06    |
| 8 Not ascertained | 0         | 0.00    |
| 9 Don't know      | 25        | 0.38    |

Frequency Missing = 24791

NAC.450\_13.000: Took other pain medication regularly

| PAINKD13          | Frequency | Percent |
|-------------------|-----------|---------|
| 1 Mentioned       | 692       | 10.43   |
| 2 Not mentioned   | 5916      | 89.14   |
| 7 Refused         | 4         | 0.06    |
| 8 Not ascertained | 0         | 0.00    |
| 9 Don't know      | 25        | 0.38    |

Frequency Missing = 24791

NAC.460\_00.000: Take Propecia regularly

| PROPECIA          | Frequency | Percent |
|-------------------|-----------|---------|
| 1 Yes             | 165       | 1.20    |
| 2 No              | 12822     | 93.17   |
| 7 Refused         | 216       | 1.57    |
| 8 Not ascertained | 513       | 3.73    |
| 9 Don't know      | 46        | 0.33    |

Frequency Missing = 17666

NAC.470\_00.000: Take Propecia regularly past 3 months

| PROPMTHS          | Frequency | Percent |
|-------------------|-----------|---------|
| 1 Yes             | 117       | 70.91   |
| 2 No              | 46        | 27.88   |
| 7 Refused         | 0         | 0.00    |
| 8 Not ascertained | 0         | 0.00    |
| 9 Don't know      | 2         | 1.21    |

Frequency Missing = 31263



2005 National Health Interview Survey (NHIS)  
 Cancer Public Use File (cancerxx)  
 NAD Variables  
 Unweighted Frequencies

25

Tuesday, June 13, 2006

NAD.010\_00.000: Walk for transportation in past 7 days

| AD11              | Frequency | Percent |
|-------------------|-----------|---------|
| 1 Yes             | 8700      | 27.68   |
| 2 No              | 20158     | 64.14   |
| 3 Unable to walk  | 831       | 2.64    |
| 7 Refused         | 496       | 1.58    |
| 8 Not ascertained | 1143      | 3.64    |
| 9 Don't know      | 100       | 0.32    |

NAD.011\_00.000: Number of days walking for transportation in past week

| AD12               | Frequency | Percent |
|--------------------|-----------|---------|
| 01-07 1-7 days     | 8640      | 99.31   |
| 97 Refused         | 3         | 0.03    |
| 98 Not ascertained | 0         | 0.00    |
| 99 Don't know      | 57        | 0.66    |

Frequency Missing = 22728

NAD.012\_01.000: Duration of walking: # of units

| AD13NO              | Frequency | Percent |
|---------------------|-----------|---------|
| 001-995 1-995       | 8493      | 98.30   |
| 997 Refused         | 1         | 0.01    |
| 998 Not ascertained | 0         | 0.00    |
| 999 Don't know      | 146       | 1.69    |

Frequency Missing = 22788

NAD.012\_02.000: Duration of walking: Time unit

| AD13TP            | Frequency | Percent |
|-------------------|-----------|---------|
| 1 Minutes         | 7453      | 86.26   |
| 2 Hours           | 1037      | 12.00   |
| 7 Refused         | 1         | 0.01    |
| 8 Not ascertained | 0         | 0.00    |
| 9 Don't know      | 149       | 1.72    |

Frequency Missing = 22788

2005 National Health Interview Survey (NHIS)  
 Cancer Public Use File (cancerxx)  
 NAD Variables  
 Unweighted Frequencies

26

Tuesday, June 13, 2006

NAD.013\_00.000: Walk for leisure in past 7 days

| AD14              | Frequency | Percent |
|-------------------|-----------|---------|
| 1 Yes             | 12164     | 39.76   |
| 2 No              | 16668     | 54.48   |
| 7 Refused         | 494       | 1.61    |
| 8 Not ascertained | 1146      | 3.75    |
| 9 Don't know      | 125       | 0.41    |

Frequency Missing = 831

NAD.014\_00.000: Number of days walking for leisure in past week

| AD15               | Frequency | Percent |
|--------------------|-----------|---------|
| 01-07 1-7 days     | 12098     | 99.46   |
| 97 Refused         | 7         | 0.06    |
| 98 Not ascertained | 0         | 0.00    |
| 99 Don't know      | 59        | 0.49    |

Frequency Missing = 19264

NAD.015\_01.000: Duration of walking: # of units

| AD16NO              | Frequency | Percent |
|---------------------|-----------|---------|
| 001-995 1-995       | 11981     | 99.03   |
| 997 Refused         | 3         | 0.02    |
| 998 Not ascertained | 1         | 0.01    |
| 999 Don't know      | 113       | 0.93    |

Frequency Missing = 19330

NAD.015\_02.000: Duration of walking: Time unit

| AD16TP            | Frequency | Percent |
|-------------------|-----------|---------|
| 1 Minutes         | 10061     | 83.16   |
| 2 Hours           | 1920      | 15.87   |
| 7 Refused         | 3         | 0.02    |
| 8 Not ascertained | 1         | 0.01    |
| 9 Don't know      | 113       | 0.93    |

Frequency Missing = 19330

2005 National Health Interview Survey (NHIS)  
 Cancer Public Use File (cancerxx)  
 NAD Variables  
 Unweighted Frequencies

27

Tuesday, June 13, 2006

NAD.020\_00.000: Daily activities, moving around

| MOVE1                          | Frequency | Percent |
|--------------------------------|-----------|---------|
| 1 SIT during MOST of the day   | 11810     | 37.58   |
| 2 STAND during MOST of the day | 3438      | 10.94   |
| 3 WALK AROUND MOST of the day  | 13993     | 44.52   |
| 7 Refused                      | 501       | 1.59    |
| 8 Not ascertained              | 1156      | 3.68    |
| 9 Don't know                   | 530       | 1.69    |

NAD.030\_00.000: Daily activities, lifting or carrying

| LIFT                                  | Frequency | Percent |
|---------------------------------------|-----------|---------|
| 1 NOT lift or carry things very often | 8519      | 27.11   |
| 2 LIFT or carry LIGHT loads           | 10123     | 32.21   |
| 3 LIFT or carry MODERATE loads        | 8157      | 25.95   |
| 4 LIFT or carry HEAVY loads           | 2073      | 6.60    |
| 5 Unable to lift or carry loads       | 705       | 2.24    |
| 6 Other                               | 28        | 0.09    |
| 7 Refused                             | 488       | 1.55    |
| 8 Not ascertained                     | 1162      | 3.70    |
| 9 Don't know                          | 173       | 0.55    |

NAD.040\_00.000: Weekday hours sitting outside of work

| SITWDAY            | Frequency | Percent |
|--------------------|-----------|---------|
| 00 None            | 339       | 1.08    |
| 01-24 1-24 hours   | 27489     | 87.47   |
| 97 Refused         | 587       | 1.87    |
| 98 Not ascertained | 1174      | 3.74    |
| 99 Don't know      | 1839      | 5.85    |

NAD.050\_00.000: Weekend hours sitting outside of work

| SITWEND            | Frequency | Percent |
|--------------------|-----------|---------|
| 00 None            | 494       | 1.57    |
| 01-24 hours        | 27247     | 86.70   |
| 97 Refused         | 587       | 1.87    |
| 98 Not ascertained | 1180      | 3.75    |
| 99 Don't know      | 1920      | 6.11    |

NAD.060\_00.000: MD recommends exercise/physical activity

| MDEXER                                       | Frequency | Percent |
|--|-----------|---------|
| 1 Yes  | 7340      | 28.07   |
| 2 No   | 16627     | 63.58   |
| 3 Did not see a doctor in the PAST 12 MONTHS | 463       | 1.77    |
| 7 Refused                                    | 417       | 1.59    |
| 8 Not ascertained                            | 1108      | 4.24    |
| 9 Don't know                                 | 197       | 0.75    |

Frequency Missing = 5276

2005 National Health Interview Survey (NHIS)  
 Cancer Public Use File (cancerxx)  
 NAE Variables  
 Unweighted Frequencies

29

Tuesday, June 13, 2006

NAE.010\_00.000: Usual cigarette menthol/non menthol 12m before quitting

| MENTHOLF          | Frequency | Percent |
|-------------------|-----------|---------|
| 1 Menthol         | 1515      | 22.36   |
| 2 Non menthol     | 4434      | 65.46   |
| 3 No usual type   | 448       | 6.61    |
| 7 Refused         | 67        | 0.99    |
| 8 Not ascertained | 198       | 2.92    |
| 9 Don't know      | 112       | 1.65    |

Frequency Missing = 24654

NAE.015\_00.000: Number of cigarettes smoked daily

| NUMCIG                               | Frequency | Percent |
|--------------------------------------|-----------|---------|
| 01-94 1-94 cigarettes                | 6068      | 89.58   |
| 95 Varied                            | 37        | 0.55    |
| 96 Never smoked cigarettes regularly | 185       | 2.73    |
| 97 Refused                           | 71        | 1.05    |
| 98 Not ascertained                   | 199       | 2.94    |
| 99 Don't know                        | 214       | 3.16    |

Frequency Missing = 24654

NAE.017\_00.000: Average number of cigarettes during longest period smoked

| NUMCVAR               | Frequency | Percent |
|-----------------------|-----------|---------|
| 01-94 1-94 cigarettes | 31        | 83.78   |
| 97 Refused            | 0         | 0.00    |
| 98 Not ascertained    | 0         | 0.00    |
| 99 Don't know         | 6         | 16.22   |

Frequency Missing = 31391

NAE.020\_01.000: Use nicotine gum to stop smoking

| FE1A_1            | Frequency | Percent |
|-------------------|-----------|---------|
| 1 Yes             | 57        | 5.62    |
| 2 No              | 912       | 89.94   |
| 7 Refused         | 14        | 1.38    |
| 8 Not ascertained | 29        | 2.86    |
| 9 Don't know      | 2         | 0.20    |

Frequency Missing = 30414

2005 National Health Interview Survey (NHIS)  
Cancer Public Use File (cancerxx)  
NAE Variables  
Unweighted Frequencies

30

Tuesday, June 13, 2006

NAE.020\_02.000: Use nicotine patch to stop smoking

| FE1A_2            | Frequency | Percent |
|-------------------|-----------|---------|
| 1 Yes             | 132       | 13.02   |
| 2 No              | 836       | 82.45   |
| 7 Refused         | 14        | 1.38    |
| 8 Not ascertained | 30        | 2.96    |
| 9 Don't know      | 2         | 0.20    |

Frequency Missing = 30414

NAE.020\_03.000: Use nicotine spray/inhaler/lozenge/tablet to stop smoking

| FE1A_3            | Frequency | Percent |
|-------------------|-----------|---------|
| 1 Yes             | 32        | 3.16    |
| 2 No              | 935       | 92.21   |
| 7 Refused         | 14        | 1.38    |
| 8 Not ascertained | 30        | 2.96    |
| 9 Don't know      | 3         | 0.30    |

Frequency Missing = 30414

NAE.020\_04.000: Use prescription pill to stop smoking

| FE1A_4            | Frequency | Percent |
|-------------------|-----------|---------|
| 1 Yes             | 60        | 5.92    |
| 2 No              | 907       | 89.45   |
| 7 Refused         | 14        | 1.38    |
| 8 Not ascertained | 30        | 2.96    |
| 9 Don't know      | 3         | 0.30    |

Frequency Missing = 30414

NAE.025\_01.000: Use telephone help/quit line to stop smoking

| FE1B_1            | Frequency | Percent |
|-------------------|-----------|---------|
| 1 Yes             | 9         | 0.89    |
| 2 No              | 960       | 94.67   |
| 7 Refused         | 13        | 1.28    |
| 8 Not ascertained | 30        | 2.96    |
| 9 Don't know      | 2         | 0.20    |

Frequency Missing = 30414

2005 National Health Interview Survey (NHIS)  
Cancer Public Use File (cancerxx)  
NAE Variables  
Unweighted Frequencies

31

Tuesday, June 13, 2006

NAE.025\_02.000: Use stop smoking class/clinic/support group to stop smoking

| FE1B_2            | Frequency | Percent |
|-------------------|-----------|---------|
| 1 Yes             | 21        | 2.07    |
| 2 No              | 948       | 93.49   |
| 7 Refused         | 13        | 1.28    |
| 8 Not ascertained | 30        | 2.96    |
| 9 Don't know      | 2         | 0.20    |

Frequency Missing = 30414

NAE.025\_03.000: Use one-on-one counseling to stop smoking

| FE1B_3            | Frequency | Percent |
|-------------------|-----------|---------|
| 1 Yes             | 13        | 1.28    |
| 2 No              | 956       | 94.28   |
| 7 Refused         | 13        | 1.28    |
| 8 Not ascertained | 30        | 2.96    |
| 9 Don't know      | 2         | 0.20    |

Frequency Missing = 30414

NAE.025\_04.000: Use help/support from friends/family to stop smoking

| FE1B_4            | Frequency | Percent |
|-------------------|-----------|---------|
| 1 Yes             | 222       | 21.89   |
| 2 No              | 747       | 73.67   |
| 7 Refused         | 13        | 1.28    |
| 8 Not ascertained | 30        | 2.96    |
| 9 Don't know      | 2         | 0.20    |

Frequency Missing = 30414

NAE.025\_05.000: Use Internet/Web to stop smoking

| FE1B_5            | Frequency | Percent |
|-------------------|-----------|---------|
| 1 Yes             | 11        | 1.08    |
| 2 No              | 958       | 94.48   |
| 7 Refused         | 13        | 1.28    |
| 8 Not ascertained | 30        | 2.96    |
| 9 Don't know      | 2         | 0.20    |

Frequency Missing = 30414

2005 National Health Interview Survey (NHIS)  
Cancer Public Use File (cancerxx)  
NAE Variables  
Unweighted Frequencies

32

Tuesday, June 13, 2006

NAE.025\_06.000: Use books/pamphlets/videos to stop smoking

| FE1B_6            | Frequency | Percent |
|-------------------|-----------|---------|
| 1 Yes             | 36        | 3.55    |
| 2 No              | 933       | 92.01   |
| 7 Refused         | 13        | 1.28    |
| 8 Not ascertained | 30        | 2.96    |
| 9 Don't know      | 2         | 0.20    |

Frequency Missing = 30414

NAE.025\_07.000: Use acupuncture/hypnosis to stop smoking

| FE1B_7            | Frequency | Percent |
|-------------------|-----------|---------|
| 1 Yes             | 21        | 2.07    |
| 2 No              | 948       | 93.49   |
| 7 Refused         | 13        | 1.28    |
| 8 Not ascertained | 30        | 2.96    |
| 9 Don't know      | 2         | 0.20    |

Frequency Missing = 30414

NAE.060\_00.000: Usual cigarette brand menthol/non menthol

| MENTHOL           | Frequency | Percent |
|-------------------|-----------|---------|
| 1 Menthol         | 1700      | 26.11   |
| 2 Non menthol     | 4355      | 66.89   |
| 3 No usual type   | 144       | 2.21    |
| 7 Refused         | 79        | 1.21    |
| 8 Not ascertained | 212       | 3.26    |
| 9 Don't know      | 21        | 0.32    |

Frequency Missing = 24917

NAE.075\_00.000: Stopped smoking one day or longer

| CSQEV             | Frequency | Percent |
|-------------------|-----------|---------|
| 1 Yes             | 4095      | 62.89   |
| 2 No              | 2228      | 34.22   |
| 7 Refused         | 44        | 0.68    |
| 8 Not ascertained | 132       | 2.03    |
| 9 Don't know      | 12        | 0.18    |

Frequency Missing = 24917



2005 National Health Interview Survey (NHIS)  
Cancer Public Use File (cancerxx)  
NAE Variables  
Unweighted Frequencies

33

Tuesday, June 13, 2006

NAE.080\_01.000: Use nicotine gum to try to quit smoking

| CE1A_1            | Frequency | Percent |
|-------------------|-----------|---------|
| 1 Yes             | 303       | 11.03   |
| 2 No              | 2325      | 84.64   |
| 7 Refused         | 34        | 1.24    |
| 8 Not ascertained | 82        | 2.99    |
| 9 Don't know      | 3         | 0.11    |

Frequency Missing = 28681

NAE.080\_02.000: Use nicotine patch to try to quit smoking

| CE1A_2            | Frequency | Percent |
|-------------------|-----------|---------|
| 1 Yes             | 483       | 17.58   |
| 2 No              | 2145      | 78.09   |
| 7 Refused         | 34        | 1.24    |
| 8 Not ascertained | 82        | 2.99    |
| 9 Don't know      | 3         | 0.11    |

Frequency Missing = 28681

NAE.080\_03.000: Use nicotine spray/inhaler/lozenge/tablet to try to quit smoking

| CE1A_3            | Frequency | Percent |
|-------------------|-----------|---------|
| 1 Yes             | 129       | 4.70    |
| 2 No              | 2499      | 90.97   |
| 7 Refused         | 34        | 1.24    |
| 8 Not ascertained | 82        | 2.99    |
| 9 Don't know      | 3         | 0.11    |

Frequency Missing = 28681

NAE.080\_04.000: Use prescription pill to try to quit smoking

| CE1A_4            | Frequency | Percent |
|-------------------|-----------|---------|
| 1 Yes             | 184       | 6.70    |
| 2 No              | 2444      | 88.97   |
| 7 Refused         | 34        | 1.24    |
| 8 Not ascertained | 82        | 2.99    |
| 9 Don't know      | 3         | 0.11    |

Frequency Missing = 28681

2005 National Health Interview Survey (NHIS)  
Cancer Public Use File (cancerxx)  
NAE Variables  
Unweighted Frequencies

34

Tuesday, June 13, 2006

NAE.085\_01.000: Use telephone help/quit line to try to quit smoking

| CE1B_1            | Frequency | Percent |
|-------------------|-----------|---------|
| 1 Yes             | 45        | 1.64    |
| 2 No              | 2583      | 94.03   |
| 7 Refused         | 34        | 1.24    |
| 8 Not ascertained | 82        | 2.99    |
| 9 Don't know      | 3         | 0.11    |

Frequency Missing = 28681

NAE.085\_02.000: Use stop smoking class/clinic/support group to try to quit smoking

| CE1B_2            | Frequency | Percent |
|-------------------|-----------|---------|
| 1 Yes             | 57        | 2.07    |
| 2 No              | 2570      | 93.56   |
| 7 Refused         | 34        | 1.24    |
| 8 Not ascertained | 82        | 2.99    |
| 9 Don't know      | 4         | 0.15    |

Frequency Missing = 28681

NAE.085\_03.000: Use one-on-one counseling to try to quit smoking

| CE1B_3            | Frequency | Percent |
|-------------------|-----------|---------|
| 1 Yes             | 53        | 1.93    |
| 2 No              | 2575      | 93.74   |
| 7 Refused         | 33        | 1.20    |
| 8 Not ascertained | 82        | 2.99    |
| 9 Don't know      | 4         | 0.15    |

Frequency Missing = 28681

NAE.085\_04.000: Use help/support from friends/family to try to quit smoking

| CE1B_4            | Frequency | Percent |
|-------------------|-----------|---------|
| 1 Yes             | 680       | 24.75   |
| 2 No              | 1947      | 70.88   |
| 7 Refused         | 33        | 1.20    |
| 8 Not ascertained | 82        | 2.99    |
| 9 Don't know      | 5         | 0.18    |

Frequency Missing = 28681

2005 National Health Interview Survey (NHIS)  
Cancer Public Use File (cancerxx)  
NAE Variables  
Unweighted Frequencies

35

Tuesday, June 13, 2006

NAE.085\_05.000: Use Internet/Web to try to quit smoking

| CE1B_5            | Frequency | Percent |
|-------------------|-----------|---------|
| 1 Yes             | 74        | 2.69    |
| 2 No              | 2554      | 92.97   |
| 7 Refused         | 33        | 1.20    |
| 8 Not ascertained | 82        | 2.99    |
| 9 Don't know      | 4         | 0.15    |

Frequency Missing = 28681

NAE.085\_06.000: Use books/pamphlets/videos to try to quit smoking

| CE1B_6            | Frequency | Percent |
|-------------------|-----------|---------|
| 1 Yes             | 187       | 6.81    |
| 2 No              | 2440      | 88.82   |
| 7 Refused         | 34        | 1.24    |
| 8 Not ascertained | 82        | 2.99    |
| 9 Don't know      | 4         | 0.15    |

Frequency Missing = 28681

NAE.085\_07.000: Use acupuncture/hypnosis to try to quit smoking

| CE1B_7            | Frequency | Percent |
|-------------------|-----------|---------|
| 1 Yes             | 67        | 2.44    |
| 2 No              | 2561      | 93.23   |
| 7 Refused         | 33        | 1.20    |
| 8 Not ascertained | 82        | 2.99    |
| 9 Don't know      | 4         | 0.15    |

Frequency Missing = 28681

NAE.100\_00.000: Like to completely quit smoking

| QWANT             | Frequency | Percent |
|-------------------|-----------|---------|
| 1 Yes             | 4170      | 64.05   |
| 2 No              | 1898      | 29.15   |
| 7 Refused         | 76        | 1.17    |
| 8 Not ascertained | 216       | 3.32    |
| 9 Don't know      | 151       | 2.32    |

Frequency Missing = 24917

2005 National Health Interview Survey (NHIS)  
 Cancer Public Use File (cancerxx)  
 NAE Variables  
 Unweighted Frequencies

36

Tuesday, June 13, 2006

NAE.130\_00.000: MD asked if smoke/use tobacco

| MDTOB1A                                      | Frequency | Percent |
|--|-----------|---------|
| 1 Yes  | 9832      | 35.23   |
| 2 No   | 15615     | 55.95   |
| 3 Did not see a doctor in the PAST 12 MONTHS | 1033      | 3.70    |
| 7 Refused                                    | 423       | 1.52    |
| 8 Not ascertained                            | 820       | 2.94    |
| 9 Don't know                                 | 185       | 0.66    |

Frequency Missing = 3520

NAE.131\_00.000: MD already knew if smoke/use tobacco

| MDTOB1B                        | Frequency | Percent |
|--------------------------------|-----------|---------|
| 1 Yes                          | 8330      | 53.35   |
| 2 No                           | 6841      | 43.81   |
| 3 Varies from doctor to doctor | 160       | 1.02    |
| 7 Refused                      | 1         | 0.01    |
| 8 Not ascertained              | 0         | 0.00    |
| 9 Don't know                   | 283       | 1.81    |

Frequency Missing = 15813

NAE.135\_00.000: MD advised quit smoking/use tobacco

| MDTOB2            | Frequency | Percent |
|-------------------|-----------|---------|
| 1 Yes             | 3127      | 55.46   |
| 2 No              | 2390      | 42.39   |
| 7 Refused         | 84        | 1.49    |
| 8 Not ascertained | 1         | 0.02    |
| 9 Don't know      | 36        | 0.64    |

Frequency Missing = 25790

NAE.137\_01.000: MD advised quitting tobacco

| HPTOB21           | Frequency | Percent |
|-------------------|-----------|---------|
| 1 Mentioned       | 2907      | 92.96   |
| 2 Not mentioned   | 214       | 6.84    |
| 7 Refused         | 0         | 0.00    |
| 8 Not ascertained | 0         | 0.00    |
| 9 Don't know      | 6         | 0.19    |

Frequency Missing = 28301

2005 National Health Interview Survey (NHIS)  
Cancer Public Use File (cancerxx)  
NAE Variables  
Unweighted Frequencies

37

Tuesday, June 13, 2006

NAE.137\_02.000: Dentist advised quitting tobacco

| HPTOB22           | Frequency | Percent |
|-------------------|-----------|---------|
| 1 Mentioned       | 484       | 15.48   |
| 2 Not mentioned   | 2637      | 84.33   |
| 7 Refused         | 0         | 0.00    |
| 8 Not ascertained | 0         | 0.00    |
| 9 Don't know      | 6         | 0.19    |

Frequency Missing = 28301

NAE.137\_03.000: Nurse advised quitting tobacco

| HPTOB23           | Frequency | Percent |
|-------------------|-----------|---------|
| 1 Mentioned       | 164       | 5.24    |
| 2 Not mentioned   | 2957      | 94.56   |
| 7 Refused         | 0         | 0.00    |
| 8 Not ascertained | 0         | 0.00    |
| 9 Don't know      | 6         | 0.19    |

Frequency Missing = 28301

NAE.137\_04.000: Dental Hygienist advised quitting tobacco

| HPTOB24           | Frequency | Percent |
|-------------------|-----------|---------|
| 1 Mentioned       | 83        | 2.65    |
| 2 Not mentioned   | 3038      | 97.15   |
| 7 Refused         | 0         | 0.00    |
| 8 Not ascertained | 0         | 0.00    |
| 9 Don't know      | 6         | 0.19    |

Frequency Missing = 28301

NAE.137\_05.000: Other health prof advised quitting tobacco

| HPTOB25           | Frequency | Percent |
|-------------------|-----------|---------|
| 1 Mentioned       | 106       | 3.39    |
| 2 Not mentioned   | 3015      | 96.42   |
| 7 Refused         | 0         | 0.00    |
| 8 Not ascertained | 0         | 0.00    |
| 9 Don't know      | 6         | 0.19    |

Frequency Missing = 28301

2005 National Health Interview Survey (NHIS)  
 Cancer Public Use File (cancerxx)  
 NAE Variables  
 Unweighted Frequencies

38

Tuesday, June 13, 2006

NAE.140\_00.000: Ever smoked a pipe

| PIPEEV            | Frequency | Percent |
|-------------------|-----------|---------|
| 1 Yes             | 3937      | 12.53   |
| 2 No              | 25782     | 82.04   |
| 7 Refused         | 413       | 1.31    |
| 8 Not ascertained | 1205      | 3.83    |
| 9 Don't know      | 91        | 0.29    |

NAE.142\_00.000: Smoked a pipe at least 50 times

| PIPEEV50          | Frequency | Percent |
|-------------------|-----------|---------|
| 1 Yes             | 1263      | 32.08   |
| 2 No              | 2655      | 67.44   |
| 7 Refused         | 0         | 0.00    |
| 8 Not ascertained | 0         | 0.00    |
| 9 Don't know      | 19        | 0.48    |

Frequency Missing = 27491

NAE.144\_00.000: Pipe freq: Every day/Some days/Not at all

| PIPECUR           | Frequency | Percent |
|-------------------|-----------|---------|
| 1 Every day       | 59        | 1.50    |
| 2 Some days       | 138       | 3.51    |
| 3 Not at all      | 3739      | 94.97   |
| 7 Refused         | 0         | 0.00    |
| 8 Not ascertained | 0         | 0.00    |
| 9 Don't know      | 1         | 0.03    |

Frequency Missing = 27491

NAE.146\_00.000: Ever smoked cigar

| CIGEV1            | Frequency | Percent |
|-------------------|-----------|---------|
| 1 Yes             | 7844      | 24.96   |
| 2 No              | 21891     | 69.65   |
| 7 Refused         | 405       | 1.29    |
| 8 Not ascertained | 1205      | 3.83    |
| 9 Don't know      | 83        | 0.26    |

2005 National Health Interview Survey (NHIS)  
 Cancer Public Use File (cancerxx)  
 NAE Variables  
 Unweighted Frequencies

39

Tuesday, June 13, 2006

NAE.148\_00.000: Smoked at least 50 cigars

| CIGEV50           | Frequency | Percent |
|-------------------|-----------|---------|
| 1 Yes             | 1922      | 24.50   |
| 2 No              | 5897      | 75.18   |
| 7 Refused         | 1         | 0.01    |
| 8 Not ascertained | 0         | 0.00    |
| 9 Don't know      | 24        | 0.31    |

Frequency Missing = 23584

NAE.150\_00.000: Cigar freq: Every day/Some days/Not at all

| CIGCUR            | Frequency | Percent |
|-------------------|-----------|---------|
| 1 Every day       | 146       | 1.86    |
| 2 Some days       | 784       | 9.99    |
| 3 Not at all      | 6911      | 88.11   |
| 7 Refused         | 2         | 0.03    |
| 8 Not ascertained | 0         | 0.00    |
| 9 Don't know      | 1         | 0.01    |

Frequency Missing = 23584

NAE.152\_00.000: Times smoked cigar in past 30 days

| CIG30D             | Frequency | Percent |
|--------------------|-----------|---------|
| 00 None            | 308       | 39.14   |
| 01-30 1-30 days    | 466       | 59.21   |
| 97 Refused         | 2         | 0.25    |
| 98 Not ascertained | 0         | 0.00    |
| 99 Don't know      | 11        | 1.40    |

Frequency Missing = 30641

NAE.154\_00.000: Ever used snuff

| SNUFFEV           | Frequency | Percent |
|-------------------|-----------|---------|
| 1 Yes             | 1941      | 6.18    |
| 2 No              | 27794     | 88.44   |
| 7 Refused         | 403       | 1.28    |
| 8 Not ascertained | 1207      | 3.84    |
| 9 Don't know      | 83        | 0.26    |

2005 National Health Interview Survey (NHIS)  
Cancer Public Use File (cancerxx)  
NAE Variables  
Unweighted Frequencies

40

Tuesday, June 13, 2006

NAE.156\_00.000: Used snuff at least 20 times

| SNUFEV20          | Frequency | Percent |
|-------------------|-----------|---------|
| 1 Yes             | 1040      | 53.58   |
| 2 No              | 898       | 46.26   |
| 7 Refused         | 0         | 0.00    |
| 8 Not ascertained | 0         | 0.00    |
| 9 Don't know      | 3         | 0.15    |

Frequency Missing = 29487

NAE.158\_00.000: Snuff freq: Every day/Some days/Not at all

| SNUFFCUR          | Frequency | Percent |
|-------------------|-----------|---------|
| 1 Every day       | 236       | 12.16   |
| 2 Some days       | 140       | 7.21    |
| 3 Not at all      | 1565      | 80.63   |
| 7 Refused         | 0         | 0.00    |
| 8 Not ascertained | 0         | 0.00    |
| 9 Don't know      | 0         | 0.00    |

Frequency Missing = 29487

NAE.160\_00.000: Ever used chewing tobacco

| CHEWEV            | Frequency | Percent |
|-------------------|-----------|---------|
| 1 Yes             | 2234      | 7.11    |
| 2 No              | 27501     | 87.50   |
| 7 Refused         | 402       | 1.28    |
| 8 Not ascertained | 1207      | 3.84    |
| 9 Don't know      | 84        | 0.27    |

NAE.162\_00.000: Used chewing tobacco at least 20 times

| CHEWEV20          | Frequency | Percent |
|-------------------|-----------|---------|
| 1 Yes             | 1153      | 51.61   |
| 2 No              | 1081      | 48.39   |
| 7 Refused         | 0         | 0.00    |
| 8 Not ascertained | 0         | 0.00    |
| 9 Don't know      | 0         | 0.00    |

Frequency Missing = 29194



2005 National Health Interview Survey (NHIS)  
 Cancer Public Use File (cancerxx)  
 NAE Variables  
 Unweighted Frequencies

41

Tuesday, June 13, 2006

NAE.164\_00.000: Chew freq: Every day/Some days/Not at all

| CHEWCUR           | Frequency | Percent |
|-------------------|-----------|---------|
| 1 Every day       | 131       | 5.86    |
| 2 Some days       | 142       | 6.36    |
| 3 Not at all      | 1961      | 87.78   |
| 7 Refused         | 0         | 0.00    |
| 8 Not ascertained | 0         | 0.00    |
| 9 Don't know      | 0         | 0.00    |

Frequency Missing = 29194

NAE.166\_00.000: Ever smoked bidi

| BIDISEV           | Frequency | Percent |
|-------------------|-----------|---------|
| 1 Yes             | 621       | 1.98    |
| 2 No              | 29101     | 92.60   |
| 7 Refused         | 400       | 1.27    |
| 8 Not ascertained | 1209      | 3.85    |
| 9 Don't know      | 97        | 0.31    |

NAE.168\_00.000: Smoked bidis at least 20 times

| BIDIEV20          | Frequency | Percent |
|-------------------|-----------|---------|
| 1 Yes             | 195       | 31.40   |
| 2 No              | 426       | 68.60   |
| 7 Refused         | 0         | 0.00    |
| 8 Not ascertained | 0         | 0.00    |
| 9 Don't know      | 0         | 0.00    |

Frequency Missing = 30807

NAE.170\_00.000: Bidi freq: Every day/Some days/Not at all

| BIDISCUR          | Frequency | Percent |
|-------------------|-----------|---------|
| 1 Every day       | 2         | 0.32    |
| 2 Some days       | 22        | 3.54    |
| 3 Not at all      | 597       | 96.14   |
| 7 Refused         | 0         | 0.00    |
| 8 Not ascertained | 0         | 0.00    |
| 9 Don't know      | 0         | 0.00    |

Frequency Missing = 30807

2005 National Health Interview Survey (NHIS)  
 Cancer Public Use File (cancerxx)  
 NAE Variables  
 Unweighted Frequencies

42

Tuesday, June 13, 2006

NAE.173\_00.000: Residents smoke inside home

| LIVINTRO          | Frequency | Percent |
|-------------------|-----------|---------|
| 1 Yes             | 4102      | 13.05   |
| 2 No              | 25657     | 81.64   |
| 7 Refused         | 389       | 1.24    |
| 8 Not ascertained | 1212      | 3.86    |
| 9 Don't know      | 68        | 0.22    |

NAE.174\_00.000: Number of residents smoking inside home

| LIVSMOKE           | Frequency | Percent |
|--------------------|-----------|---------|
| 00 None            | 116       | 2.83    |
| 01-95 persons      | 3969      | 96.76   |
| 96 96+             | 0         | 0.00    |
| 97 Refused         | 1         | 0.02    |
| 98 Not ascertained | 2         | 0.05    |
| 99 Don't know      | 14        | 0.34    |

Frequency Missing = 27326

NAE.176\_00.000: Number of days residents smoke inside home

| LVDYSMOK                                  | Frequency | Percent |
|---|-----------|---------|
| 00 Less than one day per week/rarely/none | 103       | 2.60    |
| 01-07 days                                | 3833      | 96.57   |
| 97 Refused                                | 3         | 0.08    |
| 98 Not ascertained                        | 0         | 0.00    |
| 99 Don't know                             | 30        | 0.76    |

Frequency Missing = 27459

NAE.190\_00.000: Had live birth in past 5 years

| LIVEBTH           | Frequency | Percent |
|-------------------|-----------|---------|
| 1 Yes             | 2586      | 26.13   |
| 2 No              | 6827      | 68.98   |
| 7 Refused         | 106       | 1.07    |
| 8 Not ascertained | 367       | 3.71    |
| 9 Don't know      | 11        | 0.11    |

Frequency Missing = 21531

2005 National Health Interview Survey (NHIS)  
Cancer Public Use File (cancerxx)  
NAE Variables  
Unweighted Frequencies

43

Tuesday, June 13, 2006

NAE.200\_00.000: Smoking when became pregnant

| SMKPREG           | Frequency | Percent |
|-------------------|-----------|---------|
| 1 Yes             | 368       | 47.06   |
| 2 No              | 409       | 52.30   |
| 7 Refused         | 4         | 0.51    |
| 8 Not ascertained | 0         | 0.00    |
| 9 Don't know      | 1         | 0.13    |

Frequency Missing = 30646

NAE.210\_00.000: Smoke any time during pregnancy

| SMKLST            | Frequency | Percent |
|-------------------|-----------|---------|
| 1 Yes             | 251       | 32.10   |
| 2 No              | 526       | 67.26   |
| 7 Refused         | 4         | 0.51    |
| 8 Not ascertained | 0         | 0.00    |
| 9 Don't know      | 1         | 0.13    |

Frequency Missing = 30646

NAE.220\_00.000: Quit smoking a week+ during pregnancy

| QUTWK             | Frequency | Percent |
|-------------------|-----------|---------|
| 1 Yes             | 113       | 45.02   |
| 2 No              | 135       | 53.78   |
| 7 Refused         | 0         | 0.00    |
| 8 Not ascertained | 0         | 0.00    |
| 9 Don't know      | 3         | 1.20    |

Frequency Missing = 31177

2005 National Health Interview Survey (NHIS)  
Cancer Public Use File (cancerxx)  
NAE Variables  
Unweighted Frequencies

44

Tuesday, June 13, 2006

NAE.230\_00.000: Month of pregnancy quit smoking

| MTHQUIT            | Frequency | Percent |
|--------------------|-----------|---------|
| 01 First           | 14        | 12.39   |
| 02 Second          | 26        | 23.01   |
| 03 Third           | 22        | 19.47   |
| 04 Fourth          | 14        | 12.39   |
| 05 Fifth           | 5         | 4.42    |
| 06 Sixth           | 11        | 9.73    |
| 07 Seventh         | 4         | 3.54    |
| 08 Eighth          | 2         | 1.77    |
| 09 Ninth           | 5         | 4.42    |
| 97 Refused         | 0         | 0.00    |
| 98 Not ascertained | 0         | 0.00    |
| 99 Don't know      | 10        | 8.85    |

Frequency Missing = 31315

NAE.240\_00.000: Start smoking again during pregnancy

| STSMOK                         | Frequency | Percent |
|--------------------------------|-----------|---------|
| 1 Stayed off rest of pregnancy | 48        | 42.48   |
| 2 Started again                | 58        | 51.33   |
| 3 Never started again          | 6         | 5.31    |
| 7 Refused                      | 0         | 0.00    |
| 8 Not ascertained              | 0         | 0.00    |
| 9 Don't know                   | 1         | 0.88    |

Frequency Missing = 31315

2005 National Health Interview Survey (NHIS)  
 Cancer Public Use File (cancerxx)  
 NAF Variables  
 Unweighted Frequencies

45

Tuesday, June 13, 2006

NAF.010\_00.000: In sun 1 hr, effect on skin

| SUN1HR   | Frequency | Percent |
|--|-----------|---------|
| 01 Get a severe sunburn with blisters            | 2108      | 6.71    |
| 02 Have a moderate sunburn with peeling          | 6019      | 19.15   |
| 03 Burn mildly with some or no darkening/tanning | 6557      | 20.86   |
| 04 Turn darker without sunburn                   | 7622      | 24.25   |
| 05 Nothing would happen to my skin               | 4084      | 12.99   |
| 06 Do not go out in the sun                      | 2565      | 8.16    |
| 07 Other   | 206       | 0.66    |
| 97 Refused                                       | 629       | 2.00    |
| 98 Not ascertained                               | 1293      | 4.11    |
| 99 Don't know                                    | 345       | 1.10    |

NAF.015\_00.000: In sun a long time, effect on skin

| SUNTAN  | Frequency | Percent |
|---|-----------|---------|
| 01 Very dark or deeply tanned   | 3963      | 12.61   |
| 02 Dark/Moderately tanned   | 8951      | 28.48   |
| 03 A little dark/mildly tanned  | 7855      | 24.99   |
| 04 Freckled but still light skinned   | 1257      | 4.00    |
| 05 Burned repeatedly with little or no darkening or tanning---still light skinned | 3211      | 10.22   |
| 06 Don't go out in the sun  | 3178      | 10.11   |
| 07 Other  | 594       | 1.89    |
| 97 Refused  | 639       | 2.03    |
| 98 Not ascertained  | 1306      | 4.16    |
| 99 Don't know   | 474       | 1.51    |

NAF.020\_00.000: Stay in shade on warm sunny day

| SUN1_SHA                  | Frequency | Percent |
|---------------------------|-----------|---------|
| 1 Always                  | 2879      | 9.16    |
| 2 Most of the time        | 6803      | 21.65   |
| 3 Sometimes               | 9675      | 30.78   |
| 4 Rarely                  | 4300      | 13.68   |
| 5 Never                   | 3535      | 11.25   |
| 6 Don't go out in the sun | 2009      | 6.39    |
| 7 Refused                 | 652       | 2.07    |
| 8 Not ascertained         | 1315      | 4.18    |
| 9 Don't know              | 260       | 0.83    |

2005 National Health Interview Survey (NHIS)  
 Cancer Public Use File (cancerxx)  
 NAF Variables  
 Unweighted Frequencies

46

Tuesday, June 13, 2006

NAF.022\_00.000: Wear baseball cap/visor on warm sunny day

| SUN1_CAP                  | Frequency | Percent |
|---------------------------|-----------|---------|
| 1 Always                  | 4462      | 14.20   |
| 2 Most of the time        | 3685      | 11.73   |
| 3 Sometimes               | 5140      | 16.35   |
| 4 Rarely                  | 3044      | 9.69    |
| 5 Never                   | 10924     | 34.76   |
| 6 Don't go out in the sun | 2014      | 6.41    |
| 7 Refused                 | 653       | 2.08    |
| 8 Not ascertained         | 1317      | 4.19    |
| 9 Don't know              | 189       | 0.60    |

NAF.023\_00.000: Wear wide-brimmed hat on warm sunny day

| SUN1_HAT                  | Frequency | Percent |
|---------------------------|-----------|---------|
| 1 Always                  | 1830      | 5.82    |
| 2 Most of the time        | 1818      | 5.78    |
| 3 Sometimes               | 3662      | 11.65   |
| 4 Rarely                  | 3331      | 10.60   |
| 5 Never                   | 16559     | 52.69   |
| 6 Don't go out in the sun | 2057      | 6.55    |
| 7 Refused                 | 656       | 2.09    |
| 8 Not ascertained         | 1319      | 4.20    |
| 9 Don't know              | 196       | 0.62    |

NAF.024\_00.000: Wear long sleeved shirt on warm sunny day

| SUN2_LGS                  | Frequency | Percent |
|---------------------------|-----------|---------|
| 1 Always                  | 1400      | 4.45    |
| 2 Most of the time        | 1721      | 5.48    |
| 3 Sometimes               | 4645      | 14.78   |
| 4 Rarely                  | 4277      | 13.61   |
| 5 Never                   | 15160     | 48.24   |
| 6 Don't go out in the sun | 2052      | 6.53    |
| 7 Refused                 | 655       | 2.08    |
| 8 Not ascertained         | 1320      | 4.20    |
| 9 Don't know              | 198       | 0.63    |

2005 National Health Interview Survey (NHIS)  
 Cancer Public Use File (cancerxx)  
 NAF Variables  
 Unweighted Frequencies

47

Tuesday, June 13, 2006

NAF.025\_00.000: Wear long clothing to ankles on warm sunny day

| SUN2_LGP                  | Frequency | Percent |
|---------------------------|-----------|---------|
| 1 Always                  | 4587      | 14.60   |
| 2 Most of the time        | 3869      | 12.31   |
| 3 Sometimes               | 5668      | 18.03   |
| 4 Rarely                  | 3248      | 10.33   |
| 5 Never                   | 9836      | 31.30   |
| 6 Don't go out in the sun | 2045      | 6.51    |
| 7 Refused                 | 655       | 2.08    |
| 8 Not ascertained         | 1320      | 4.20    |
| 9 Don't know              | 200       | 0.64    |

NAF.026\_00.000: Use sunscreen on warm sunny day

| SUN2_SCR                  | Frequency | Percent |
|---------------------------|-----------|---------|
| 1 Always                  | 4377      | 13.93   |
| 2 Most of the time        | 3477      | 11.06   |
| 3 Sometimes               | 5033      | 16.01   |
| 4 Rarely                  | 2696      | 8.58    |
| 5 Never                   | 11763     | 37.43   |
| 6 Don't go out in the sun | 1962      | 6.24    |
| 7 Refused                 | 626       | 1.99    |
| 8 Not ascertained         | 1322      | 4.21    |
| 9 Don't know              | 172       | 0.55    |

NAF.027\_00.000: SPF of sunscreen used most often

| SPF                                     | Frequency | Percent |
|---|-----------|---------|
| 01-50 1-50                              | 14106     | 90.52   |
| 96 More than one, different ones, other | 84        | 0.54    |
| 97 Refused                              | 8         | 0.05    |
| 98 Not ascertained                      | 1         | 0.01    |
| 99 Don't know                           | 1384      | 8.88    |

Frequency Missing = 15845

NAF.028\_00.000: SPF number of usual sunscreen

| SPFSCALE          | Frequency | Percent |
|-------------------|-----------|---------|
| 1-14              | 256       | 17.34   |
| 2 15-50           | 564       | 38.21   |
| 7 Refused         | 6         | 0.41    |
| 8 Not ascertained | 1         | 0.07    |
| 9 Don't know      | 649       | 43.97   |

Frequency Missing = 29952

2005 National Health Interview Survey (NHIS)  
 Cancer Public Use File (cancerxx)  
 NAF Variables  
 Unweighted Frequencies

48

Tuesday, June 13, 2006

NAF.030\_00.000: Number of times sunburned in past year

| NBURN               | Frequency | Percent |
|---------------------|-----------|---------|
| 000 None            | 20300     | 64.59   |
| 001-365 1-365 times | 8950      | 28.48   |
| 997 Refused         | 583       | 1.86    |
| 998 Not ascertained | 1331      | 4.24    |
| 999 Don't know      | 264       | 0.84    |

NAF.033\_00.000: Number of times used tanning device in past year

| SNNUM               | Frequency | Percent |
|---------------------|-----------|---------|
| 000 None            | 25523     | 81.21   |
| 001-365 1-365 times | 3871      | 12.32   |
| 997 Refused         | 569       | 1.81    |
| 998 Not ascertained | 1332      | 4.24    |
| 999 Don't know      | 133       | 0.42    |

NAF.040\_00.000: Ever had skin cancer exam

| SKNX              | Frequency | Percent |
|-------------------|-----------|---------|
| 1 Yes             | 5107      | 16.25   |
| 2 No              | 24196     | 76.99   |
| 7 Refused         | 524       | 1.67    |
| 8 Not ascertained | 1346      | 4.28    |
| 9 Don't know      | 255       | 0.81    |

NAF.050\_01.000: Month of most recent skin exam

| RSKX1_MT              | Frequency | Percent |
|-----------------------|-----------|---------|
| 01 January            | 272       | 5.33    |
| 02 February           | 258       | 5.05    |
| 03 March              | 266       | 5.21    |
| 04 April              | 251       | 4.91    |
| 05 May                | 250       | 4.90    |
| 06 June               | 359       | 7.03    |
| 07 July               | 254       | 4.97    |
| 08 August             | 197       | 3.86    |
| 09 September          | 239       | 4.68    |
| 10 October            | 250       | 4.90    |
| 11 November           | 199       | 3.90    |
| 12 December           | 135       | 2.64    |
| 96 Time period format | 994       | 19.46   |
| 97 Refused            | 18        | 0.35    |
| 98 Not ascertained    | 0         | 0.00    |
| 99 Don't know         | 1165      | 22.81   |

Frequency Missing = 26321



2005 National Health Interview Survey (NHIS)  
 Cancer Public Use File (cancerxx)  
 NAF Variables  
 Unweighted Frequencies

49

Tuesday, June 13, 2006

NAF.050\_02.000: Year of most recent skin exam

| RSKX1_YR                | Frequency | Percent |
|-------------------------|-----------|---------|
| 1880-2006               | 3907      | 76.50   |
| 9996 Time period format | 994       | 19.46   |
| 9997 Refused            | 20        | 0.39    |
| 9998 Not ascertained    | 0         | 0.00    |
| 9999 Don't know         | 186       | 3.64    |

Frequency Missing = 26321

NAF.055\_01.000: Time ago date of skin exam: # of units

| RSKX1N             | Frequency | Percent |
|--------------------|-----------|---------|
| 01-94              | 944       | 94.97   |
| 95 95+             | 2         | 0.20    |
| 97 Refused         | 1         | 0.10    |
| 98 Not ascertained | 0         | 0.00    |
| 99 Don't know      | 47        | 4.73    |

Frequency Missing = 30434

NAF.055\_02.000: Time ago date of skin exam: Time unit

| RSKX1T            | Frequency | Percent |
|-------------------|-----------|---------|
| 1 Days ago        | 3         | 0.30    |
| 2 Weeks ago       | 8         | 0.80    |
| 3 Months ago      | 116       | 11.67   |
| 4 Years ago       | 819       | 82.39   |
| 7 Refused         | 1         | 0.10    |
| 8 Not ascertained | 0         | 0.00    |
| 9 Don't know      | 47        | 4.73    |

Frequency Missing = 30434

NAF.060\_00.000: Most recent skin exam, time categories

| RSKX2   | Frequency | Percent |
|---|-----------|---------|
| 1 A year ago or less                          | 265       | 12.93   |
| 2 More than 1 year but not more than 2 years  | 351       | 17.12   |
| 3 More than 2 years but not more than 3 years | 407       | 19.85   |
| 4 More than 3 years but not more than 5 years | 392       | 19.12   |
| 5 Over 5 years ago                            | 595       | 29.02   |
| 7 Refused                                     | 5         | 0.24    |
| 8 Not ascertained                             | 0         | 0.00    |
| 9 Don't know                                  | 35        | 1.71    |

Frequency Missing = 29378

2005 National Health Interview Survey (NHIS)  
 Cancer Public Use File (cancerxx)  
 NAF Variables  
 Unweighted Frequencies

50

Tuesday, June 13, 2006

NAF.070\_00.000: Reason for most recent skin exam

| SKINREAS                 | Frequency | Percent |
|--------------------------|-----------|---------|
| 1 Part of a routine exam | 3327      | 65.15   |
| 2 Because of a problem   | 1495      | 29.27   |
| 3 Other reason           | 266       | 5.21    |
| 7 Refused                | 5         | 0.10    |
| 8 Not ascertained        | 4         | 0.08    |
| 9 Don't know             | 10        | 0.20    |

Frequency Missing = 26321

NAF.080\_00.000: Age at first menstrual cycle

| MENSTAGE           | Frequency | Percent |
|--------------------|-----------|---------|
| 00 Haven't started | 35        | 0.20    |
| 06-60 6-60 years   | 15359     | 86.94   |
| 97 Refused         | 647       | 3.66    |
| 98 Not ascertained | 768       | 4.35    |
| 99 Don't know      | 857       | 4.85    |

Frequency Missing = 13762

NAF.090\_01.000: Ever used oral contraception

| BCONTRL1          | Frequency | Percent |
|-------------------|-----------|---------|
| 1 Mentioned       | 9024      | 51.08   |
| 2 Not mentioned   | 6861      | 38.84   |
| 7 Refused         | 766       | 4.34    |
| 8 Not ascertained | 773       | 4.38    |
| 9 Don't know      | 242       | 1.37    |

Frequency Missing = 13762

NAF.090\_02.000: Ever used patch

| BCONTRL2          | Frequency | Percent |
|-------------------|-----------|---------|
| 1 Mentioned       | 604       | 3.42    |
| 2 Not mentioned   | 15281     | 86.50   |
| 7 Refused         | 766       | 4.34    |
| 8 Not ascertained | 773       | 4.38    |
| 9 Don't know      | 242       | 1.37    |

Frequency Missing = 13762

2005 National Health Interview Survey (NHIS)  
Cancer Public Use File (cancerxx)  
NAF Variables  
Unweighted Frequencies

51

Tuesday, June 13, 2006

NAF.090\_03.000: Ever used ring

| BCONTRL3          | Frequency | Percent |
|-------------------|-----------|---------|
| 1 Mentioned       | 265       | 1.50    |
| 2 Not mentioned   | 15620     | 88.42   |
| 7 Refused         | 766       | 4.34    |
| 8 Not ascertained | 773       | 4.38    |
| 9 Don't know      | 242       | 1.37    |

Frequency Missing = 13762

NAF.090\_04.000: Ever used injection

| BCONTRL4          | Frequency | Percent |
|-------------------|-----------|---------|
| 1 Mentioned       | 989       | 5.60    |
| 2 Not mentioned   | 14896     | 84.32   |
| 7 Refused         | 766       | 4.34    |
| 8 Not ascertained | 773       | 4.38    |
| 9 Don't know      | 242       | 1.37    |

Frequency Missing = 13762

NAF.090\_05.000: Ever used IUD

| BCONTRL5          | Frequency | Percent |
|-------------------|-----------|---------|
| 1 Mentioned       | 1310      | 7.42    |
| 2 Not mentioned   | 14575     | 82.50   |
| 7 Refused         | 766       | 4.34    |
| 8 Not ascertained | 773       | 4.38    |
| 9 Don't know      | 242       | 1.37    |

Frequency Missing = 13762

NAF.090\_06.000: Ever used implant

| BCONTRL6          | Frequency | Percent |
|-------------------|-----------|---------|
| 1 Mentioned       | 134       | 0.76    |
| 2 Not mentioned   | 15751     | 89.16   |
| 7 Refused         | 766       | 4.34    |
| 8 Not ascertained | 773       | 4.38    |
| 9 Don't know      | 242       | 1.37    |

Frequency Missing = 13762

2005 National Health Interview Survey (NHIS)  
 Cancer Public Use File (cancerxx)  
 NAF Variables  
 Unweighted Frequencies

52

Tuesday, June 13, 2006

NAF.090\_07.000: Used none of these birth control methods

| BCONTRL0          | Frequency | Percent |
|-------------------|-----------|---------|
| 1 Mentioned       | 5874      | 33.25   |
| 2 Not mentioned   | 10011     | 56.67   |
| 7 Refused         | 766       | 4.34    |
| 8 Not ascertained | 773       | 4.38    |
| 9 Don't know      | 242       | 1.37    |

Frequency Missing = 13762

NAF.100\_01.000: Length used birth control: # of units

| BCNO               | Frequency | Percent |
|--------------------|-----------|---------|
| 01-94              | 9627      | 96.16   |
| 95 95+             | 4         | 0.04    |
| 97 Refused         | 27        | 0.27    |
| 98 Not ascertained | 0         | 0.00    |
| 99 Don't know      | 353       | 3.53    |

Frequency Missing = 21417

NAF.100\_02.000: Length used birth control: Time unit

| BCTP              | Frequency | Percent |
|-------------------|-----------|---------|
| 1 Weeks           | 72        | 0.72    |
| 2 Months          | 999       | 9.98    |
| 3 Years           | 8560      | 85.51   |
| 7 Refused         | 27        | 0.27    |
| 8 Not ascertained | 0         | 0.00    |
| 9 Don't know      | 353       | 3.53    |

Frequency Missing = 21417

NAF.110\_00.000: Ever gave birth to live born infant

| BIRTHEV           | Frequency | Percent |
|-------------------|-----------|---------|
| 1 Yes             | 12425     | 70.33   |
| 2 No              | 4106      | 23.24   |
| 7 Refused         | 337       | 1.91    |
| 8 Not ascertained | 755       | 4.27    |
| 9 Don't know      | 43        | 0.24    |

Frequency Missing = 13762

2005 National Health Interview Survey (NHIS)  
Cancer Public Use File (cancerxx)  
NAF Variables  
Unweighted Frequencies

53

Tuesday, June 13, 2006

NAF.111\_00.000: Total number of births

| BIRTHNUM           | Frequency | Percent |
|--------------------|-----------|---------|
| 01-25 1-25 births  | 12316     | 99.12   |
| 97 Refused         | 67        | 0.54    |
| 98 Not ascertained | 27        | 0.22    |
| 99 Don't know      | 15        | 0.12    |

Frequency Missing = 19003

NAF.120\_00.000: Age at first child born

| BIRTHAGE           | Frequency | Percent |
|--------------------|-----------|---------|
| 06-60 6-60 years   | 12108     | 97.45   |
| 97 Refused         | 186       | 1.50    |
| 98 Not ascertained | 30        | 0.24    |
| 99 Don't know      | 101       | 0.81    |

Frequency Missing = 19003

NAF.121\_00.000: Year first child born

| BIRTHAG2             | Frequency | Percent |
|----------------------|-----------|---------|
| 1890-2006            | 18        | 17.82   |
| 9997 Refused         | 4         | 3.96    |
| 9998 Not ascertained | 2         | 1.98    |
| 9999 Don't know      | 77        | 76.24   |

Frequency Missing = 31327

NAF.130\_00.000: Ever had Pap smear test

| PAPHAD            | Frequency | Percent |
|-------------------|-----------|---------|
| 1 Yes             | 15317     | 86.70   |
| 2 No              | 986       | 5.58    |
| 7 Refused         | 419       | 2.37    |
| 8 Not ascertained | 791       | 4.48    |
| 9 Don't know      | 153       | 0.87    |

Frequency Missing = 13762

2005 National Health Interview Survey (NHIS)  
 Cancer Public Use File (cancerxx)  
 NAF Variables  
 Unweighted Frequencies

54

Tuesday, June 13, 2006

NAF.140\_00.000: Number of Pap smears, last 6 years

| PAP6YR             | Frequency | Percent |
|--------------------|-----------|---------|
| 00 None            | 1548      | 10.11   |
| 01-94 1-94 times   | 13259     | 86.56   |
| 95 95+ times       | 1         | 0.01    |
| 97 Refused         | 76        | 0.50    |
| 98 Not ascertained | 2         | 0.01    |
| 99 Don't know      | 431       | 2.81    |

Frequency Missing = 16111

NAF.150\_01.000: Month of most recent Pap smear test

| RPAP1_MT              | Frequency | Percent |
|-----------------------|-----------|---------|
| 01 January            | 1079      | 7.04    |
| 02 February           | 907       | 5.92    |
| 03 March              | 928       | 6.06    |
| 04 April              | 790       | 5.16    |
| 05 May                | 772       | 5.04    |
| 06 June               | 846       | 5.52    |
| 07 July               | 786       | 5.13    |
| 08 August             | 833       | 5.44    |
| 09 September          | 777       | 5.07    |
| 10 October            | 930       | 6.07    |
| 11 November           | 754       | 4.92    |
| 12 December           | 623       | 4.07    |
| 96 Time period format | 2045      | 13.35   |
| 97 Refused            | 171       | 1.12    |
| 98 Not ascertained    | 8         | 0.05    |
| 99 Don't know         | 3068      | 20.03   |

Frequency Missing = 16111

NAF.150\_02.000: Year of most recent Pap smear test

| RPAP1_YR                | Frequency | Percent |
|-------------------------|-----------|---------|
| 1880-2006               | 12066     | 78.78   |
| 9996 Time period format | 2045      | 13.35   |
| 9997 Refused            | 177       | 1.16    |
| 9998 Not ascertained    | 9         | 0.06    |
| 9999 Don't know         | 1020      | 6.66    |

Frequency Missing = 16111

2005 National Health Interview Survey (NHIS)  
 Cancer Public Use File (cancerxx)  
 NAF Variables  
 Unweighted Frequencies

55

Tuesday, June 13, 2006

NAF.160\_01.000: Time ago date of Pap smear exam: # of units

| RPAP1N             | Frequency | Percent |
|--------------------|-----------|---------|
| 01-94 1-94         | 1897      | 92.76   |
| 95 95+             | 6         | 0.29    |
| 97 Refused         | 1         | 0.05    |
| 98 Not ascertained | 0         | 0.00    |
| 99 Don't know      | 141       | 6.89    |

Frequency Missing = 29383

NAF.160\_02.000: Time ago date of Pap smear: Time unit

| RPAP1T            | Frequency | Percent |
|-------------------|-----------|---------|
| 1 Days ago        | 2         | 0.10    |
| 2 Weeks ago       | 9         | 0.44    |
| 3 Months ago      | 227       | 11.10   |
| 4 Years ago       | 1664      | 81.37   |
| 7 Refused         | 1         | 0.05    |
| 8 Not ascertained | 0         | 0.00    |
| 9 Don't know      | 142       | 6.94    |

Frequency Missing = 29383

NAF.165\_00.000: Most recent Pap smear, time categories

| RPAP2CA                                       | Frequency | Percent |
|---|-----------|---------|
| 1 A year ago or less                          | 811       | 16.03   |
| 2 More than 1 year but not more than 2 years  | 888       | 17.55   |
| 3 More than 2 years but not more than 3 years | 869       | 17.17   |
| 4 More than 3 years but not more than 5 years | 579       | 11.44   |
| 5 Over 5 years ago                            | 1647      | 32.55   |
| 7 Refused                                     | 80        | 1.58    |
| 8 Not ascertained                             | 9         | 0.18    |
| 9 Don't know                                  | 177       | 3.50    |

Frequency Missing = 26368

NAF.170\_00.000: Reason for most recent Pap smear

| PAPREAS                  | Frequency | Percent |
|--------------------------|-----------|---------|
| 1 Part of a routine exam | 14332     | 93.57   |
| 2 Because of a problem   | 699       | 4.56    |
| 3 Other reason           | 194       | 1.27    |
| 7 Refused                | 39        | 0.25    |
| 8 Not ascertained        | 10        | 0.07    |
| 9 Don't know             | 43        | 0.28    |

Frequency Missing = 16111

2005 National Health Interview Survey (NHIS)  
Cancer Public Use File (cancerxx)  
NAF Variables  
Unweighted Frequencies

56

Tuesday, June 13, 2006

NAF.180\_00.000: Ever had abnormal Pap smear results

| PAPABN            | Frequency | Percent |
|-------------------|-----------|---------|
| 1 Yes             | 3070      | 20.04   |
| 2 No              | 12095     | 78.96   |
| 7 Refused         | 56        | 0.37    |
| 8 Not ascertained | 14        | 0.09    |
| 9 Don't know      | 82        | 0.54    |

Frequency Missing = 16111

NAF.190\_00.000: Abnormal Pap, additional tests

| PAPADDE           | Frequency | Percent |
|-------------------|-----------|---------|
| 1 Yes             | 2842      | 92.57   |
| 2 No              | 222       | 7.23    |
| 7 Refused         | 0         | 0.00    |
| 8 Not ascertained | 0         | 0.00    |
| 9 Don't know      | 6         | 0.20    |

Frequency Missing = 28358

NAF.200\_00.000: Abnormal Pap, treatment or surgery

| PAPTRT            | Frequency | Percent |
|-------------------|-----------|---------|
| 1 Yes             | 1583      | 51.56   |
| 2 No              | 1475      | 48.05   |
| 7 Refused         | 1         | 0.03    |
| 8 Not ascertained | 0         | 0.00    |
| 9 Don't know      | 11        | 0.36    |

Frequency Missing = 28358



2005 National Health Interview Survey (NHIS)  
 Cancer Public Use File (cancerxx)  
 NAF Variables  
 Unweighted Frequencies

57

Tuesday, June 13, 2006

NAF.210\_00.000: Reason why no Pap smear

| PAPNOT  | Frequency | Percent |
|---|-----------|---------|
| 01 No reason/Never thought about it                   | 1367      | 36.61   |
| 02 Didn't need/Didn't know I needed this type of test | 306       | 8.19    |
| 03 Doctor didn't order it/didn't say I needed it      | 431       | 11.54   |
| 04 Haven't had any problems                           | 298       | 7.98    |
| 05 Put it off/Didn't get around to it                 | 173       | 4.63    |
| 06 Too expensive/No insurance/Cost                    | 295       | 7.90    |
| 07 Too painful, unpleasant, or embarrassing           | 74        | 1.98    |
| 08 Had hysterectomy                                   | 537       | 14.38   |
| 09 Don't have doctor                                  | 84        | 2.25    |
| 10 Other  | 142       | 3.80    |
| 97 Refused  | 6         | 0.16    |
| 98 Not ascertained                                    | 6         | 0.16    |
| 99 Don't know   | 15        | 0.40    |

Frequency Missing = 27694

NAF.215\_00.000: MD recommended Pap smear in the last year

| MDRECPAP                                     | Frequency | Percent |
|--|-----------|---------|
| 1 Yes  | 8281      | 51.62   |
| 2 No   | 6289      | 39.20   |
| 3 Did not see a doctor in the PAST 12 MONTHS | 498       | 3.10    |
| 7 Refused                                    | 57        | 0.36    |
| 8 Not ascertained                            | 841       | 5.24    |
| 9 Don't know                                 | 76        | 0.47    |

Frequency Missing = 15386

NAF.220\_00.000: Ever had a hysterectomy

| HYST              | Frequency | Percent |
|-------------------|-----------|---------|
| 1 Yes             | 3215      | 18.20   |
| 2 No              | 13093     | 74.11   |
| 7 Refused         | 449       | 2.54    |
| 8 Not ascertained | 808       | 4.57    |
| 9 Don't know      | 101       | 0.57    |

Frequency Missing = 13762

## Cancer Public Use File (cancerxx)

NAF Variables

Tuesday, June 13, 2006

## Unweighted Frequencies

## NAF.221\_01.000: Month of hysterectomy

| RHYS1_MT              | Frequency | Percent |
|-----------------------|-----------|---------|
| 01 January            | 153       | 4.76    |
| 02 February           | 133       | 4.14    |
| 03 March              | 118       | 3.67    |
| 04 April              | 116       | 3.61    |
| 05 May                | 106       | 3.30    |
| 06 June               | 160       | 4.98    |
| 07 July               | 98        | 3.05    |
| 08 August             | 86        | 2.67    |
| 09 September          | 102       | 3.17    |
| 10 October            | 102       | 3.17    |
| 11 November           | 95        | 2.95    |
| 12 December           | 72        | 2.24    |
| 96 Time period format | 834       | 25.94   |
| 97 Refused            | 25        | 0.78    |
| 98 Not ascertained    | 0         | 0.00    |
| 99 Don't know         | 1015      | 31.57   |

Frequency Missing = 28213

## NAF.221\_02.000: Year of hysterectomy

| RHYS1_YR                | Frequency | Percent |
|-------------------------|-----------|---------|
| 1880-2006               | 2220      | 69.05   |
| 9996 Time period format | 834       | 25.94   |
| 9997 Refused            | 25        | 0.78    |
| 9998 Not ascertained    | 0         | 0.00    |
| 9999 Don't know         | 136       | 4.23    |

Frequency Missing = 28213

## NAF.222\_01.000: Time ago date of hysterectomy: # of units

| RHYS1N             | Frequency | Percent |
|--------------------|-----------|---------|
| 01-94 1-94         | 801       | 96.04   |
| 95 95+             | 0         | 0.00    |
| 97 Refused         | 1         | 0.12    |
| 98 Not ascertained | 0         | 0.00    |
| 99 Don't know      | 32        | 3.84    |

Frequency Missing = 30594

2005 National Health Interview Survey (NHIS)  
 Cancer Public Use File (cancerxx)  
 NAF Variables  
 Unweighted Frequencies

59

Tuesday, June 13, 2006

NAF.222\_02.000: Time ago date of hysterectomy: Time unit

| RHYS1T            | Frequency | Percent |
|-------------------|-----------|---------|
| 1 Days ago        | 0         | 0.00    |
| 2 Weeks ago       | 0         | 0.00    |
| 3 Months ago      | 5         | 0.60    |
| 4 Years ago       | 796       | 95.44   |
| 7 Refused         | 1         | 0.12    |
| 8 Not ascertained | 0         | 0.00    |
| 9 Don't know      | 32        | 3.84    |

Frequency Missing = 30594

NAF.225\_00.000: Date of hysterectomy, time categories

| RHYS2   | Frequency | Percent |
|---|-----------|---------|
| 1 A year ago or less                          | 1         | 0.05    |
| 2 More than 1 year but not more than 2 years  | 9         | 0.48    |
| 3 More than 2 years but not more than 3 years | 31        | 1.65    |
| 4 More than 3 years but not more than 5 years | 68        | 3.62    |
| 5 Over 5 years ago                            | 1755      | 93.50   |
| 7 Refused                                     | 6         | 0.32    |
| 8 Not ascertained                             | 0         | 0.00    |
| 9 Don't know                                  | 7         | 0.37    |

Frequency Missing = 29551

NAF.230\_00.000: Ever had mammogram

| MAMHAD            | Frequency | Percent |
|-------------------|-----------|---------|
| 1 Yes             | 9632      | 66.74   |
| 2 No              | 3621      | 25.09   |
| 7 Refused         | 386       | 2.67    |
| 8 Not ascertained | 685       | 4.75    |
| 9 Don't know      | 108       | 0.75    |

Frequency Missing = 16996

2005 National Health Interview Survey (NHIS)  
 Cancer Public Use File (cancerxx)  
 NAF Variables  
 Unweighted Frequencies

60

Tuesday, June 13, 2006

NAF.240\_00.000: Age at first mammogram, age categories

| MAMAGE              | Frequency | Percent |
|---------------------|-----------|---------|
| 1 Under 30 years    | 771       | 8.00    |
| 2 30-39             | 3052      | 31.69   |
| 3 40-49             | 3635      | 37.74   |
| 4 50-59             | 1178      | 12.23   |
| 5 60 years or older | 509       | 5.28    |
| 7 Refused           | 21        | 0.22    |
| 8 Not ascertained   | 0         | 0.00    |
| 9 Don't know        | 466       | 4.84    |

Frequency Missing = 21796

NAF.250\_00.000: Number of mammograms, last 6 years

| MAM6YR             | Frequency | Percent |
|--------------------|-----------|---------|
| 00 None            | 704       | 7.31    |
| 01-94 1-94         | 8667      | 89.98   |
| 95 95+             | 2         | 0.02    |
| 97 Refused         | 24        | 0.25    |
| 98 Not ascertained | 1         | 0.01    |
| 99 Don't know      | 234       | 2.43    |

Frequency Missing = 21796

NAF.260\_01.000: Month of most recent mammogram

| RMAM1_MT              | Frequency | Percent |
|-----------------------|-----------|---------|
| 01 January            | 712       | 7.39    |
| 02 February           | 584       | 6.06    |
| 03 March              | 563       | 5.85    |
| 04 April              | 518       | 5.38    |
| 05 May                | 455       | 4.72    |
| 06 June               | 562       | 5.83    |
| 07 July               | 472       | 4.90    |
| 08 August             | 490       | 5.09    |
| 09 September          | 461       | 4.79    |
| 10 October            | 673       | 6.99    |
| 11 November           | 492       | 5.11    |
| 12 December           | 371       | 3.85    |
| 96 Time period format | 1267      | 13.15   |
| 97 Refused            | 58        | 0.60    |
| 98 Not ascertained    | 1         | 0.01    |
| 99 Don't know         | 1953      | 20.28   |

Frequency Missing = 21796

2005 National Health Interview Survey (NHIS)  
 Cancer Public Use File (cancerxx)  
 NAF Variables  
 Unweighted Frequencies

61

Tuesday, June 13, 2006

NAF.260\_02.000: Year of most recent mammogram

| RMAM1_YR                | Frequency | Percent |
|-------------------------|-----------|---------|
| 1880-2006               | 7747      | 80.43   |
| 9996 Time period format | 1267      | 13.15   |
| 9997 Refused            | 60        | 0.62    |
| 9998 Not ascertained    | 1         | 0.01    |
| 9999 Don't know         | 557       | 5.78    |

Frequency Missing = 21796

NAF.270\_01.000: Time ago date of mammogram: # of units

| RMAM1N             | Frequency | Percent |
|--------------------|-----------|---------|
| 01-94 1-94         | 1189      | 93.84   |
| 95 95+             | 1         | 0.08    |
| 97 Refused         | 0         | 0.00    |
| 98 Not ascertained | 0         | 0.00    |
| 99 Don't know      | 77        | 6.08    |

Frequency Missing = 30161

NAF.270\_02.000: Time ago date of mammogram: Time unit

| RMAM1T            | Frequency | Percent |
|-------------------|-----------|---------|
| 1 Days ago        | 2         | 0.16    |
| 2 Weeks ago       | 4         | 0.32    |
| 3 Months ago      | 108       | 8.52    |
| 4 Years ago       | 1076      | 84.93   |
| 7 Refused         | 0         | 0.00    |
| 8 Not ascertained | 0         | 0.00    |
| 9 Don't know      | 77        | 6.08    |

Frequency Missing = 30161

NAF.275\_00.000: Most recent mammogram, time categories

| RMAM2CA                                       | Frequency | Percent |
|---|-----------|---------|
| 1 A year ago or less                          | 535       | 16.89   |
| 2 More than 1 year but not more than 2 years  | 622       | 19.64   |
| 3 More than 2 years but not more than 3 years | 601       | 18.98   |
| 4 More than 3 years but not more than 5 years | 447       | 14.11   |
| 5 Over 5 years ago                            | 832       | 26.27   |
| 7 Refused                                     | 24        | 0.76    |
| 8 Not ascertained                             | 1         | 0.03    |
| 9 Don't know                                  | 105       | 3.32    |

Frequency Missing = 28261

2005 National Health Interview Survey (NHIS)  
Cancer Public Use File (cancerxx)  
NAF Variables  
Unweighted Frequencies

62

Tuesday, June 13, 2006

NAF.310\_00.000: Reason for most recent mammogram

| MAMREAS                  | Frequency | Percent |
|--------------------------|-----------|---------|
| 1 Part of a routine exam | 8750      | 90.84   |
| 2 Because of a problem   | 703       | 7.30    |
| 3 Other reason           | 136       | 1.41    |
| 7 Refused                | 12        | 0.12    |
| 8 Not ascertained        | 2         | 0.02    |
| 9 Don't know             | 29        | 0.30    |

Frequency Missing = 21796

NAF.320\_00.000: Ever had abnormal mammogram results

| MAMABN            | Frequency | Percent |
|-------------------|-----------|---------|
| 1 Yes             | 2636      | 27.37   |
| 2 No              | 6919      | 71.83   |
| 7 Refused         | 22        | 0.23    |
| 8 Not ascertained | 5         | 0.05    |
| 9 Don't know      | 50        | 0.52    |

Frequency Missing = 21796

NAF.340\_00.000: Additional tests indicated cancer

| MAMCAN            | Frequency | Percent |
|-------------------|-----------|---------|
| 1 Yes             | 394       | 14.95   |
| 2 No              | 2236      | 84.83   |
| 7 Refused         | 0         | 0.00    |
| 8 Not ascertained | 0         | 0.00    |
| 9 Don't know      | 6         | 0.23    |

Frequency Missing = 28792

NAF.350\_00.000: Had non-cancerous breast lump removed

| LUMPEV                       | Frequency | Percent |
|------------------------------|-----------|---------|
| 1 Yes                        | 1198      | 12.44   |
| 2 No                         | 8267      | 85.83   |
| 3 Lump removed was cancerous | 110       | 1.14    |
| 7 Refused                    | 19        | 0.20    |
| 8 Not ascertained            | 5         | 0.05    |
| 9 Don't know                 | 33        | 0.34    |

Frequency Missing = 21796

## Cancer Public Use File (cancerxx)

NAF Variables

Tuesday, June 13, 2006

Unweighted Frequencies

NAF.351\_00.000: Total number of lumpectomies

| LUMPNUM               | Frequency | Percent |
|-----------------------|-----------|---------|
| 01-20 1-20 Operations | 1192      | 99.50   |
| 97 Refused            | 3         | 0.25    |
| 98 Not ascertained    | 0         | 0.00    |
| 99 Don't know         | 3         | 0.25    |

Frequency Missing = 30230

NAF.360\_00.000: Reason why no mammogram

| MAMNOT   | Frequency | Percent |
|--|-----------|---------|
| 01 No reason/never thought about it                      | 2328      | 38.47   |
| 02 Didn't need it/didn't know I needed this type of test | 474       | 7.83    |
| 03 Doctor didn't order it/didn't say I needed it         | 1011      | 16.71   |
| 04 Haven't had any problems                              | 450       | 7.44    |
| 05 Put it off/Didn't get around to it                    | 393       | 6.49    |
| 06 Too expensive/no insurance/cost                       | 422       | 6.97    |
| 07 Too painful, unpleasant or embarrassing               | 161       | 2.66    |
| 08 I'm too young   | 497       | 8.21    |
| 09 Don't have doctor                                     | 63        | 1.04    |
| 10 Other   | 219       | 3.62    |
| 97 Refused   | 8         | 0.13    |
| 98 Not ascertained                                       | 3         | 0.05    |
| 99 Don't know  | 22        | 0.36    |

Frequency Missing = 25377

NAF.370\_00.000: MD recommended mammogram in past year

| MDRECMAM                                     | Frequency | Percent |
|--|-----------|---------|
| 1 Yes  | 6140      | 47.73   |
| 2 No   | 5450      | 42.37   |
| 3 Did not see a doctor in the PAST 12 MONTHS | 483       | 3.75    |
| 7 Refused                                    | 19        | 0.15    |
| 8 Not ascertained                            | 717       | 5.57    |
| 9 Don't know                                 | 55        | 0.43    |

Frequency Missing = 18564

2005 National Health Interview Survey (NHIS)  
Cancer Public Use File (cancerxx)  
NAF Variables  
Unweighted Frequencies

64

Tuesday, June 13, 2006

NAF.380\_01.000: Currently taking HRT

| MEDHRT            | Frequency | Percent |
|-------------------|-----------|---------|
| 1 Yes             | 1097      | 7.60    |
| 2 No              | 12137     | 84.10   |
| 7 Refused         | 193       | 1.34    |
| 8 Not ascertained | 935       | 6.48    |
| 9 Don't know      | 70        | 0.49    |

Frequency Missing = 16996

NAF.380\_02.000: Currently taking tamoxifen

| MEDTAMX           | Frequency | Percent |
|-------------------|-----------|---------|
| 1 Yes             | 72        | 0.50    |
| 2 No              | 13158     | 91.17   |
| 7 Refused         | 193       | 1.34    |
| 8 Not ascertained | 936       | 6.49    |
| 9 Don't know      | 73        | 0.51    |

Frequency Missing = 16996

NAF.380\_03.000: Currently taking raloxifene

| MEDRALX           | Frequency | Percent |
|-------------------|-----------|---------|
| 1 Yes             | 93        | 0.64    |
| 2 No              | 13137     | 91.03   |
| 7 Refused         | 192       | 1.33    |
| 8 Not ascertained | 936       | 6.49    |
| 9 Don't know      | 74        | 0.51    |

Frequency Missing = 16996

NAF.380\_04.000: Currently taking birth control

| MEDBC             | Frequency | Percent |
|-------------------|-----------|---------|
| 1 Yes             | 1788      | 10.12   |
| 2 No              | 14539     | 82.30   |
| 7 Refused         | 454       | 2.57    |
| 8 Not ascertained | 801       | 4.53    |
| 9 Don't know      | 84        | 0.48    |

Frequency Missing = 13762



2005 National Health Interview Survey (NHIS)  
 Cancer Public Use File (cancerxx)  
 NAF Variables  
 Unweighted Frequencies

65

Tuesday, June 13, 2006

NAF.385\_00.000: Main reason taking tamoxifen

| TAMMAIN  | Frequency | Percent |
|--|-----------|---------|
| 1 As part of my treatment for breast cancer        | 55        | 76.39   |
| 2 To reduce the chance I may develop breast cancer | 12        | 16.67   |
| 3 Other  | 4         | 5.56    |
| 7 Refused  | 0         | 0.00    |
| 8 Not ascertained                                  | 0         | 0.00    |
| 9 Don't know                                       | 1         | 1.39    |

Frequency Missing = 31356

NAF.390\_00.000: Ever had a breast exam

| CBEHAD            | Frequency | Percent |
|-------------------|-----------|---------|
| 1 Yes             | 10612     | 73.53   |
| 2 No              | 2620      | 18.15   |
| 7 Refused         | 375       | 2.60    |
| 8 Not ascertained | 698       | 4.84    |
| 9 Don't know      | 127       | 0.88    |

Frequency Missing = 16996

NAF.400\_01.000: Month of most recent breast exam

| RCBE1_MT              | Frequency | Percent |
|-----------------------|-----------|---------|
| 01 January            | 773       | 7.28    |
| 02 February           | 665       | 6.27    |
| 03 March              | 667       | 6.29    |
| 04 April              | 633       | 5.96    |
| 05 May                | 560       | 5.28    |
| 06 June               | 651       | 6.13    |
| 07 July               | 556       | 5.24    |
| 08 August             | 611       | 5.76    |
| 09 September          | 548       | 5.16    |
| 10 October            | 754       | 7.11    |
| 11 November           | 566       | 5.33    |
| 12 December           | 434       | 4.09    |
| 96 Time period format | 1282      | 12.08   |
| 97 Refused            | 68        | 0.64    |
| 98 Not ascertained    | 1         | 0.01    |
| 99 Don't know         | 1843      | 17.37   |

Frequency Missing = 20816

2005 National Health Interview Survey (NHIS)  
 Cancer Public Use File (cancerxx)  
 NAF Variables  
 Unweighted Frequencies

66

Tuesday, June 13, 2006

NAF.400\_02.000: Year of most recent breast exam

| RCBE1_YR                | Frequency | Percent |
|-------------------------|-----------|---------|
| 1880-2006               | 8654      | 81.55   |
| 9996 Time period format | 1282      | 12.08   |
| 9997 Refused            | 69        | 0.65    |
| 9998 Not ascertained    | 1         | 0.01    |
| 9999 Don't know         | 606       | 5.71    |

Frequency Missing = 20816

NAF.410\_01.000: Time ago date of breast exam: # of units

| RCBE1N             | Frequency | Percent |
|--------------------|-----------|---------|
| 01-94 1-94         | 1199      | 93.53   |
| 95 95+             | 2         | 0.16    |
| 97 Refused         | 2         | 0.16    |
| 98 Not ascertained | 0         | 0.00    |
| 99 Don't know      | 79        | 6.16    |

Frequency Missing = 30146

NAF.410\_02.000: Time ago date of breast exam: Time unit

| RCBE1T            | Frequency | Percent |
|-------------------|-----------|---------|
| 1 Days ago        | 2         | 0.16    |
| 2 Weeks ago       | 10        | 0.78    |
| 3 Months ago      | 165       | 12.87   |
| 4 Years ago       | 1024      | 79.88   |
| 7 Refused         | 2         | 0.16    |
| 8 Not ascertained | 0         | 0.00    |
| 9 Don't know      | 79        | 6.16    |

Frequency Missing = 30146

NAF.415\_00.000: Most recent breast exam, time categories

| RCBE2   | Frequency | Percent |
|---|-----------|---------|
| 1 A year ago or less                          | 610       | 20.21   |
| 2 More than 1 year but not more than 2 years  | 592       | 19.61   |
| 3 More than 2 years but not more than 3 years | 521       | 17.26   |
| 4 More than 3 years but not more than 5 years | 375       | 12.42   |
| 5 Over 5 years ago                            | 748       | 24.78   |
| 7 Refused                                     | 25        | 0.83    |
| 8 Not ascertained                             | 1         | 0.03    |
| 9 Don't know                                  | 147       | 4.87    |

Frequency Missing = 28409

2005 National Health Interview Survey (NHIS)  
 Cancer Public Use File (cancerxx)  
 NAF Variables  
 Unweighted Frequencies

67

Tuesday, June 13, 2006

NAF.430\_00.000: Ever had PSA test

| PSAHAD            | Frequency | Percent |
|-------------------|-----------|---------|
| 1 Yes             | 3941      | 46.42   |
| 2 No              | 3708      | 43.67   |
| 7 Refused         | 180       | 2.12    |
| 8 Not ascertained | 365       | 4.30    |
| 9 Don't know      | 296       | 3.49    |

Frequency Missing = 22938

NAF.440\_00.000: Age category at first PSA test

| PSAAGE1               | Frequency | Percent |
|-----------------------|-----------|---------|
| 01 Under 40 years     | 293       | 7.43    |
| 02 40-44              | 645       | 16.37   |
| 03 45-49              | 640       | 16.24   |
| 04 50-54              | 846       | 21.47   |
| 05 55-59              | 484       | 12.28   |
| 06 60-64              | 392       | 9.95    |
| 07 65-69              | 210       | 5.33    |
| 08 70 years and older | 253       | 6.42    |
| 97 Refused            | 9         | 0.23    |
| 98 Not ascertained    | 0         | 0.00    |
| 99 Don't know         | 169       | 4.29    |

Frequency Missing = 27487

NAF.450\_00.000: Number of PSA tests, last 5 years

| PSA5YR             | Frequency | Percent |
|--------------------|-----------|---------|
| 00 None            | 242       | 6.14    |
| 01-94 1-94 times   | 3544      | 89.93   |
| 95 95+             | 0         | 0.00    |
| 97 Refused         | 8         | 0.20    |
| 98 Not ascertained | 0         | 0.00    |
| 99 Don't know      | 147       | 3.73    |

Frequency Missing = 27487

2005 National Health Interview Survey (NHIS)  
 Cancer Public Use File (cancerxx)  
 NAF Variables  
 Unweighted Frequencies

68

Tuesday, June 13, 2006

NAF.460\_01.000: Month of most recent PSA test

| RPSA1_MT              | Frequency | Percent |
|-----------------------|-----------|---------|
| 01 January            | 295       | 7.49    |
| 02 February           | 200       | 5.07    |
| 03 March              | 232       | 5.89    |
| 04 April              | 211       | 5.35    |
| 05 May                | 180       | 4.57    |
| 06 June               | 247       | 6.27    |
| 07 July               | 181       | 4.59    |
| 08 August             | 177       | 4.49    |
| 09 September          | 198       | 5.02    |
| 10 October            | 223       | 5.66    |
| 11 November           | 212       | 5.38    |
| 12 December           | 153       | 3.88    |
| 96 Time period format | 532       | 13.50   |
| 97 Refused            | 26        | 0.66    |
| 98 Not ascertained    | 1         | 0.03    |
| 99 Don't know         | 873       | 22.15   |

Frequency Missing = 27487

NAF.460\_02.000: Year of most recent PSA test

| RPSA1_YR                | Frequency | Percent |
|-------------------------|-----------|---------|
| 1880-2006               | 3152      | 79.98   |
| 9996 Time period format | 532       | 13.50   |
| 9997 Refused            | 26        | 0.66    |
| 9998 Not ascertained    | 1         | 0.03    |
| 9999 Don't know         | 230       | 5.84    |

Frequency Missing = 27487

NAF.470\_01.000: Time ago date of PSA test: # of units

| RPSA1N             | Frequency | Percent |
|--------------------|-----------|---------|
| 01-94 1-94         | 504       | 94.74   |
| 95 95+             | 3         | 0.56    |
| 97 Refused         | 1         | 0.19    |
| 98 Not ascertained | 0         | 0.00    |
| 99 Don't know      | 24        | 4.51    |

Frequency Missing = 30896

2005 National Health Interview Survey (NHIS)  
 Cancer Public Use File (cancerxx)  
 NAF Variables  
 Unweighted Frequencies

69

Tuesday, June 13, 2006

NAF.470\_02.000: Time ago date of PSA test: Time unit

| RPSA1T            | Frequency | Percent |
|-------------------|-----------|---------|
| 1 Days ago        | 2         | 0.38    |
| 2 Weeks ago       | 2         | 0.38    |
| 3 Months ago      | 67        | 12.59   |
| 4 Years ago       | 436       | 81.95   |
| 7 Refused         | 1         | 0.19    |
| 8 Not ascertained | 0         | 0.00    |
| 9 Don't know      | 24        | 4.51    |

Frequency Missing = 30896

NAF.475\_00.000: Most recent PSA test, time categories

| RPSA2   | Frequency | Percent |
|---|-----------|---------|
| 1 A year ago or less                          | 304       | 22.34   |
| 2 More than 1 year but not more than 2 years  | 272       | 19.99   |
| 3 More than 2 years but not more than 3 years | 262       | 19.25   |
| 4 More than 3 years but not more than 5 years | 200       | 14.70   |
| 5 Over 5 years ago                            | 233       | 17.12   |
| 7 Refused                                     | 12        | 0.88    |
| 8 Not ascertained                             | 2         | 0.15    |
| 9 Don't know                                  | 76        | 5.58    |

Frequency Missing = 30067

NAF.480\_00.000: Reason for most recent PSA

| PSAREAS                  | Frequency | Percent |
|--------------------------|-----------|---------|
| 1 Part of a routine exam | 3382      | 85.82   |
| 2 Because of a problem   | 446       | 11.32   |
| 3 Other reason           | 84        | 2.13    |
| 7 Refused                | 5         | 0.13    |
| 8 Not ascertained        | 2         | 0.05    |
| 9 Don't know             | 22        | 0.56    |

Frequency Missing = 27487

NAF.540\_00.000: Ever had colorectal screening exam

| CREHAD            | Frequency | Percent |
|-------------------|-----------|---------|
| 1 Yes             | 6770      | 34.51   |
| 2 No              | 11225     | 57.22   |
| 7 Refused         | 480       | 2.45    |
| 8 Not ascertained | 908       | 4.63    |
| 9 Don't know      | 235       | 1.20    |

Frequency Missing = 11810

2005 National Health Interview Survey (NHIS)  
 Cancer Public Use File (cancerxx)  
 NAF Variables  
 Unweighted Frequencies

70

Tuesday, June 13, 2006

NAF.550\_00.000: Number of colorectal exams, last 10 years

| CRE10YR            | Frequency | Percent |
|--------------------|-----------|---------|
| 00 None            | 423       | 6.25    |
| 01-94 1-94 times   | 6205      | 91.65   |
| 95 95+             | 1         | 0.01    |
| 97 Refused         | 10        | 0.15    |
| 98 Not ascertained | 2         | 0.03    |
| 99 Don't know      | 129       | 1.91    |

Frequency Missing = 24658

NAF.560\_01.000: Month of most recent colorectal exam

| RCRE1_MT              | Frequency | Percent |
|-----------------------|-----------|---------|
| 01 January            | 343       | 5.07    |
| 02 February           | 266       | 3.93    |
| 03 March              | 309       | 4.56    |
| 04 April              | 307       | 4.53    |
| 05 May                | 268       | 3.96    |
| 06 June               | 353       | 5.21    |
| 07 July               | 262       | 3.87    |
| 08 August             | 222       | 3.28    |
| 09 September          | 219       | 3.23    |
| 10 October            | 271       | 4.00    |
| 11 November           | 199       | 2.94    |
| 12 December           | 168       | 2.48    |
| 96 Time period format | 1461      | 21.58   |
| 97 Refused            | 31        | 0.46    |
| 98 Not ascertained    | 3         | 0.04    |
| 99 Don't know         | 2088      | 30.84   |

Frequency Missing = 24658

NAF.560\_02.000: Year of most recent colorectal exam

| RCRE1_YR                | Frequency | Percent |
|-------------------------|-----------|---------|
| 1880-2006               | 4868      | 71.91   |
| 9996 Time period format | 1461      | 21.58   |
| 9997 Refused            | 32        | 0.47    |
| 9998 Not ascertained    | 3         | 0.04    |
| 9999 Don't know         | 406       | 6.00    |

Frequency Missing = 24658

2005 National Health Interview Survey (NHIS)  
 Cancer Public Use File (cancerxx)  
 NAF Variables  
 Unweighted Frequencies

71

Tuesday, June 13, 2006

NAF.570\_01.000: Time ago date of colorectal exam: # of units

| RCRE1N             | Frequency | Percent |
|--------------------|-----------|---------|
| 01-94 1-94         | 1389      | 95.07   |
| 95 95+             | 1         | 0.07    |
| 97 Refused         | 1         | 0.07    |
| 98 Not ascertained | 0         | 0.00    |
| 99 Don't know      | 70        | 4.79    |

Frequency Missing = 29967

NAF.570\_02.000: Time ago date of colorectal exam: Time unit

| RCRE1T            | Frequency | Percent |
|-------------------|-----------|---------|
| 1 Days ago        | 1         | 0.07    |
| 2 Weeks ago       | 5         | 0.34    |
| 3 Months ago      | 62        | 4.24    |
| 4 Years ago       | 1322      | 90.49   |
| 7 Refused         | 1         | 0.07    |
| 8 Not ascertained | 0         | 0.00    |
| 9 Don't know      | 70        | 4.79    |

Frequency Missing = 29967

NAF.575\_00.000: Most recent colorectal exam, time categories

| RCRE2  | Frequency | Percent |
|--|-----------|---------|
| 1 A year ago or less                           | 257       | 7.31    |
| 2 More than 1 year but not more than 2 years   | 451       | 12.82   |
| 3 More than 2 years but not more than 3 years  | 662       | 18.82   |
| 4 More than 3 years but not more than 5 years  | 867       | 24.64   |
| 5 More than 5 years but not more than 10 years | 749       | 21.29   |
| 6 Over 10 years ago                            | 431       | 12.25   |
| 7 Refused                                      | 8         | 0.23    |
| 8 Not ascertained                              | 3         | 0.09    |
| 9 Don't know                                   | 90        | 2.56    |

Frequency Missing = 27910

2005 National Health Interview Survey (NHIS)  
 Cancer Public Use File (cancerxx)  
 NAF Variables  
 Unweighted Frequencies

72

Tuesday, June 13, 2006

NAF.580\_00.000: Type of recent colorectal exam

| CRENAM            | Frequency | Percent |
|-------------------|-----------|---------|
| 1 Sigmoidoscopy   | 842       | 12.44   |
| 2 Colonoscopy     | 5480      | 80.95   |
| 3 Proctoscopy     | 147       | 2.17    |
| 4 Something else  | 40        | 0.59    |
| 7 Refused         | 7         | 0.10    |
| 8 Not ascertained | 4         | 0.06    |
| 9 Don't know      | 250       | 3.69    |

Frequency Missing = 24658

NAF.590\_00.000: Reason for most recent colorectal exam

| CREREAS                  | Frequency | Percent |
|--------------------------|-----------|---------|
| 1 Part of a routine exam | 4485      | 66.25   |
| 2 Because of a problem   | 2035      | 30.06   |
| 3 Other reason           | 203       | 3.00    |
| 7 Refused                | 2         | 0.03    |
| 8 Not ascertained        | 4         | 0.06    |
| 9 Don't know             | 41        | 0.61    |

Frequency Missing = 24658

NAF.600\_00.000: Reason no recent colorectal screening exam

| CRENOT   | Frequency | Percent |
|--|-----------|---------|
| 01 No reason/never thought about it                      | 5713      | 48.61   |
| 02 Didn't need it/Didn't know I needed this type of test | 1225      | 10.42   |
| 03 Doctor didn't order it/didn't say I needed it         | 2514      | 21.39   |
| 04 Haven't had any problems                              | 1219      | 10.37   |
| 05 Put it off/Didn't get around to it                    | 288       | 2.45    |
| 06 Too expensive/No insurance/Cost                       | 233       | 1.98    |
| 07 Too painful, unpleasant, or embarrassing              | 178       | 1.51    |
| 08 Had another type of colorectal exam                   | 17        | 0.14    |
| 09 Don't have doctor                                     | 111       | 0.94    |
| 10 Other   | 204       | 1.74    |
| 97 Refused   | 12        | 0.10    |
| 98 Not ascertained                                       | 0         | 0.00    |
| 99 Don't know  | 38        | 0.32    |

Frequency Missing = 19676



2005 National Health Interview Survey (NHIS)  
 Cancer Public Use File (cancerxx)  
 NAF Variables  
 Unweighted Frequencies

73

Tuesday, June 13, 2006

NAF.610\_00.000: MD recommended colorectal screening exam

| CREREC                                       | Frequency | Percent |
|--|-----------|---------|
| 1 Yes  | 6374      | 39.16   |
| 2 No   | 8145      | 50.04   |
| 3 Did not see a doctor in the PAST 12 MONTHS | 751       | 4.61    |
| 7 Refused                                    | 15        | 0.09    |
| 8 Not ascertained                            | 936       | 5.75    |
| 9 Don't know                                 | 57        | 0.35    |

Frequency Missing = 15150

NAF.620\_00.000: Had blood stool test using home test kit

| HFOBHAD           | Frequency | Percent |
|-------------------|-----------|---------|
| 1 Yes             | 4825      | 24.59   |
| 2 No              | 13034     | 66.44   |
| 7 Refused         | 520       | 2.65    |
| 8 Not ascertained | 919       | 4.68    |
| 9 Don't know      | 320       | 1.63    |

Frequency Missing = 11810

NAF.630\_00.000: Number of home blood stool tests, last 3 years

| HFOB3YR            | Frequency | Percent |
|--------------------|-----------|---------|
| 00 None            | 1502      | 31.13   |
| 01-94 1-94 times   | 3217      | 66.67   |
| 95 95+             | 3         | 0.06    |
| 97 Refused         | 6         | 0.12    |
| 98 Not ascertained | 0         | 0.00    |
| 99 Don't know      | 97        | 2.01    |

Frequency Missing = 26603

2005 National Health Interview Survey (NHIS)  
 Cancer Public Use File (cancerxx)  
 NAF Variables  
 Unweighted Frequencies

74

Tuesday, June 13, 2006

NAF.640\_01.000: Month of most recent home blood stool test

| RHF01_MT              | Frequency | Percent |
|-----------------------|-----------|---------|
| 01 January            | 245       | 5.08    |
| 02 February           | 177       | 3.67    |
| 03 March              | 197       | 4.08    |
| 04 April              | 209       | 4.33    |
| 05 May                | 179       | 3.71    |
| 06 June               | 222       | 4.60    |
| 07 July               | 170       | 3.52    |
| 08 August             | 163       | 3.38    |
| 09 September          | 127       | 2.63    |
| 10 October            | 198       | 4.10    |
| 11 November           | 150       | 3.11    |
| 12 December           | 110       | 2.28    |
| 96 Time period format | 1097      | 22.74   |
| 97 Refused            | 21        | 0.44    |
| 98 Not ascertained    | 2         | 0.04    |
| 99 Don't know         | 1558      | 32.29   |

Frequency Missing = 26603

NAF.640\_02.000: Year of most recent home blood stool test

| RHF01_YR                | Frequency | Percent |
|-------------------------|-----------|---------|
| 1880-2006               | 3213      | 66.59   |
| 9996 Time period format | 1097      | 22.74   |
| 9997 Refused            | 21        | 0.44    |
| 9998 Not ascertained    | 2         | 0.04    |
| 9999 Don't know         | 492       | 10.20   |

Frequency Missing = 26603

NAF.650\_01.000: Time ago date of home blood stool test: # of units

| RHF01N             | Frequency | Percent |
|--------------------|-----------|---------|
| 01-94 1-94         | 1011      | 92.16   |
| 95 95+             | 1         | 0.09    |
| 97 Refused         | 0         | 0.00    |
| 98 Not ascertained | 0         | 0.00    |
| 99 Don't know      | 85        | 7.75    |

Frequency Missing = 30331

2005 National Health Interview Survey (NHIS)  
 Cancer Public Use File (cancerxx)  
 NAF Variables  
 Unweighted Frequencies

75

Tuesday, June 13, 2006

NAF.650\_02.000: Time ago date of home blood stool test: Time unit

| RHF01T            | Frequency | Percent |
|-------------------|-----------|---------|
| 1 Days ago        | 3         | 0.27    |
| 2 Weeks ago       | 1         | 0.09    |
| 3 Months ago      | 48        | 4.38    |
| 4 Years ago       | 960       | 87.51   |
| 7 Refused         | 0         | 0.00    |
| 8 Not ascertained | 0         | 0.00    |
| 9 Don't know      | 85        | 7.75    |

Frequency Missing = 30331

NAF.655\_00.000: Most recent home blood stool test, time categories

| RHF02  | Frequency | Percent |
|--|-----------|---------|
| 1 A year ago or less                           | 244       | 9.28    |
| 2 More than 1 year but not more than 2 years   | 332       | 12.63   |
| 3 More than 2 years but not more than 3 years  | 481       | 18.30   |
| 4 More than 3 years but not more than 5 years  | 512       | 19.48   |
| 5 More than 5 years but not more than 10 years | 572       | 21.77   |
| 6 Over 10 years ago                            | 357       | 13.58   |
| 7 Refused                                      | 7         | 0.27    |
| 8 Not ascertained                              | 2         | 0.08    |
| 9 Don't know                                   | 121       | 4.60    |

Frequency Missing = 28800

NAF.660\_00.000: Reason for recent home blood stool test

| HFOBREAS                 | Frequency | Percent |
|--------------------------|-----------|---------|
| 1 Part of a routine exam | 3984      | 82.57   |
| 2 Because of a problem   | 717       | 14.86   |
| 3 Other reason           | 86        | 1.78    |
| 7 Refused                | 5         | 0.10    |
| 8 Not ascertained        | 2         | 0.04    |
| 9 Don't know             | 31        | 0.64    |

Frequency Missing = 26603

2005 National Health Interview Survey (NHIS)  
 Cancer Public Use File (cancerxx)  
 NAF Variables  
 Unweighted Frequencies

76

Tuesday, June 13, 2006

NAF.670\_00.000: Had abnormal home blood stool test results

| HFOBABN           | Frequency | Percent |
|-------------------|-----------|---------|
| 1 Yes             | 282       | 5.84    |
| 2 No              | 4502      | 93.31   |
| 7 Refused         | 7         | 0.15    |
| 8 Not ascertained | 2         | 0.04    |
| 9 Don't know      | 32        | 0.66    |

Frequency Missing = 26603

NAF.672\_00.000: Was this your most recent test

| HFOREC            | Frequency | Percent |
|-------------------|-----------|---------|
| 1 Yes             | 180       | 63.83   |
| 2 No              | 96        | 34.04   |
| 7 Refused         | 0         | 0.00    |
| 8 Not ascertained | 0         | 0.00    |
| 9 Don't know      | 6         | 2.13    |

Frequency Missing = 31146

NAF.680\_01.000: Another Fecal Occult Blood Test

| HFOBTST1          | Frequency | Percent |
|-------------------|-----------|---------|
| 1 Mentioned       | 13        | 7.22    |
| 2 Not mentioned   | 164       | 91.11   |
| 7 Refused         | 0         | 0.00    |
| 8 Not ascertained | 0         | 0.00    |
| 9 Don't know      | 3         | 1.67    |

Frequency Missing = 31248

NAF.680\_02.000: Sigmoidoscopy

| HFOBTST2          | Frequency | Percent |
|-------------------|-----------|---------|
| 1 Mentioned       | 5         | 2.78    |
| 2 Not mentioned   | 172       | 95.56   |
| 7 Refused         | 0         | 0.00    |
| 8 Not ascertained | 0         | 0.00    |
| 9 Don't know      | 3         | 1.67    |

Frequency Missing = 31248

2005 National Health Interview Survey (NHIS)  
Cancer Public Use File (cancerxx)  
NAF Variables  
Unweighted Frequencies

77

Tuesday, June 13, 2006

NAF.680\_03.000: Colonoscopy

| HFOBTST3          | Frequency | Percent |
|-------------------|-----------|---------|
| 1 Mentioned       | 81        | 45.00   |
| 2 Not mentioned   | 96        | 53.33   |
| 7 Refused         | 0         | 0.00    |
| 8 Not ascertained | 0         | 0.00    |
| 9 Don't know      | 3         | 1.67    |

Frequency Missing = 31248

NAF.680\_04.000: Barium Enema

| HFOBTST4          | Frequency | Percent |
|-------------------|-----------|---------|
| 1 Mentioned       | 8         | 4.44    |
| 2 Not mentioned   | 169       | 93.89   |
| 7 Refused         | 0         | 0.00    |
| 8 Not ascertained | 0         | 0.00    |
| 9 Don't know      | 3         | 1.67    |

Frequency Missing = 31248

NAF.680\_05.000: Surgery

| HFOBTST5          | Frequency | Percent |
|-------------------|-----------|---------|
| 1 Mentioned       | 23        | 12.78   |
| 2 Not mentioned   | 154       | 85.56   |
| 7 Refused         | 0         | 0.00    |
| 8 Not ascertained | 0         | 0.00    |
| 9 Don't know      | 3         | 1.67    |

Frequency Missing = 31248

NAF.680\_06.000: No additional tests/surgery

| HFOBTST0          | Frequency | Percent |
|-------------------|-----------|---------|
| 1 Mentioned       | 60        | 33.33   |
| 2 Not mentioned   | 117       | 65.00   |
| 7 Refused         | 0         | 0.00    |
| 8 Not ascertained | 0         | 0.00    |
| 9 Don't know      | 3         | 1.67    |

Frequency Missing = 31248

2005 National Health Interview Survey (NHIS)  
 Cancer Public Use File (cancerxx)  
 NAF Variables  
 Unweighted Frequencies

78

Tuesday, June 13, 2006

NAF.690\_00.000: Reason no recent home blood stool test

| HFOBNOT  | Frequency | Percent |
|--|-----------|---------|
| 01 No reason/Never thought about it                      | 8152      | 50.56   |
| 02 Didn't need it/Didn't know I needed this type of test | 1747      | 10.84   |
| 03 Doctor didn't order it/didn't say I needed it         | 3874      | 24.03   |
| 04 Haven't had any problems                              | 1336      | 8.29    |
| 05 Put it off/Didn't get around to it                    | 230       | 1.43    |
| 06 Too expensive/No insurance/Cost                       | 132       | 0.82    |
| 07 Too painful, unpleasant, or embarrassing              | 43        | 0.27    |
| 08 Had another type of colorectal exam                   | 181       | 1.12    |
| 09 Don't have doctor                                     | 135       | 0.84    |
| 10 Other   | 202       | 1.25    |
| 97 Refused   | 15        | 0.09    |
| 98 Not ascertained                                       | 15        | 0.09    |
| 99 Don't know  | 61        | 0.38    |

Frequency Missing = 15305

NAF.700\_00.000: MD recommended home blood stool test, past year

| MDHFOB                                       | Frequency | Percent |
|--|-----------|---------|
| 1 Yes  | 1966      | 13.31   |
| 2 No   | 11037     | 74.73   |
| 3 Did not see a doctor in the PAST 12 MONTHS | 777       | 5.26    |
| 7 Refused                                    | 17        | 0.12    |
| 8 Not ascertained                            | 922       | 6.24    |
| 9 Don't know                                 | 50        | 0.34    |

Frequency Missing = 16659

NAF.710\_00.000: Ever had blood stool test

| FOBHAD            | Frequency | Percent |
|-------------------|-----------|---------|
| 1 Yes             | 2463      | 12.55   |
| 2 No              | 15102     | 76.98   |
| 7 Refused         | 557       | 2.84    |
| 8 Not ascertained | 923       | 4.70    |
| 9 Don't know      | 573       | 2.92    |

Frequency Missing = 11810

2005 National Health Interview Survey (NHIS)  
 Cancer Public Use File (cancerxx)  
 NAF Variables  
 Unweighted Frequencies

79

Tuesday, June 13, 2006

NAF.720\_01.000: Month of most recent office blood stool test

| RFOB1_MT              | Frequency | Percent |
|-----------------------|-----------|---------|
| 01 January            | 136       | 5.52    |
| 02 February           | 115       | 4.67    |
| 03 March              | 99        | 4.02    |
| 04 April              | 121       | 4.91    |
| 05 May                | 115       | 4.67    |
| 06 June               | 112       | 4.55    |
| 07 July               | 86        | 3.49    |
| 08 August             | 83        | 3.37    |
| 09 September          | 91        | 3.69    |
| 10 October            | 117       | 4.75    |
| 11 November           | 113       | 4.59    |
| 12 December           | 77        | 3.13    |
| 96 Time period format | 485       | 19.69   |
| 97 Refused            | 12        | 0.49    |
| 98 Not ascertained    | 0         | 0.00    |
| 99 Don't know         | 701       | 28.46   |

Frequency Missing = 28965

NAF.720\_02.000: Year of most recent office blood stool test

| RFOB1_YR                | Frequency | Percent |
|-------------------------|-----------|---------|
| 1880-2006               | 1696      | 68.86   |
| 9996 Time period format | 485       | 19.69   |
| 9997 Refused            | 12        | 0.49    |
| 9998 Not ascertained    | 0         | 0.00    |
| 9999 Don't know         | 270       | 10.96   |

Frequency Missing = 28965

NAF.730\_01.000: Time ago date of office blood stool test: # of units

| RFOB1N             | Frequency | Percent |
|--------------------|-----------|---------|
| 01-94 1-94         | 437       | 90.10   |
| 95 95+             | 0         | 0.00    |
| 97 Refused         | 0         | 0.00    |
| 98 Not ascertained | 0         | 0.00    |
| 99 Don't know      | 48        | 9.90    |

Frequency Missing = 30943

2005 National Health Interview Survey (NHIS)  
 Cancer Public Use File (cancerxx)  
 NAF Variables  
 Unweighted Frequencies

80

Tuesday, June 13, 2006

NAF.730\_02.000: Time ago date of office blood stool test: Time unit

| RFOB1T            | Frequency | Percent |
|-------------------|-----------|---------|
| 1 Days ago        | 0         | 0.00    |
| 2 Weeks ago       | 1         | 0.21    |
| 3 Months ago      | 23        | 4.74    |
| 4 Years ago       | 413       | 85.15   |
| 7 Refused         | 0         | 0.00    |
| 8 Not ascertained | 0         | 0.00    |
| 9 Don't know      | 48        | 9.90    |

Frequency Missing = 30943

NAF.735\_00.000: Most recent office blood stool test, time categories

| RFOB2  | Frequency | Percent |
|--|-----------|---------|
| 1 A year ago or less                           | 110       | 9.36    |
| 2 More than 1 year but not more than 2 years   | 182       | 15.49   |
| 3 More than 2 years but not more than 3 years  | 182       | 15.49   |
| 4 More than 3 years but not more than 5 years  | 208       | 17.70   |
| 5 More than 5 years but not more than 10 years | 269       | 22.89   |
| 6 Over 10 years ago                            | 144       | 12.26   |
| 7 Refused                                      | 3         | 0.26    |
| 8 Not ascertained                              | 0         | 0.00    |
| 9 Don't know                                   | 77        | 6.55    |

Frequency Missing = 30253



2005 National Health Interview Survey (NHIS)  
Cancer Public Use File (cancerxx)  
NAG Variables  
Unweighted Frequencies

81

Tuesday, June 13, 2006

NAG.010\_00.000: Heard of genetic testing for cancer risk

| GTHEARD           | Frequency | Percent |
|-------------------|-----------|---------|
| 1 Yes             | 11221     | 35.70   |
| 2 No              | 17822     | 56.71   |
| 7 Refused         | 620       | 1.97    |
| 8 Not ascertained | 1482      | 4.72    |
| 9 Don't know      | 283       | 0.90    |

NAG.020\_00.000: Discussed genetic test with MD

| GTPOSS            | Frequency | Percent |
|-------------------|-----------|---------|
| 1 Yes             | 640       | 5.70    |
| 2 No              | 10562     | 94.13   |
| 7 Refused         | 6         | 0.05    |
| 8 Not ascertained | 0         | 0.00    |
| 9 Don't know      | 13        | 0.12    |

Frequency Missing = 20207

NAG.025\_00.000: Advised to have genetic test for cancer

| GTADVISE          | Frequency | Percent |
|-------------------|-----------|---------|
| 1 Yes             | 254       | 39.69   |
| 2 No              | 381       | 59.53   |
| 7 Refused         | 0         | 0.00    |
| 8 Not ascertained | 0         | 0.00    |
| 9 Don't know      | 5         | 0.78    |

Frequency Missing = 30788

NAG.030\_00.000: Had genetic test for cancer risk

| GTGRISK           | Frequency | Percent |
|-------------------|-----------|---------|
| 1 Yes             | 168       | 1.50    |
| 2 No              | 11015     | 98.16   |
| 7 Refused         | 12        | 0.11    |
| 8 Not ascertained | 3         | 0.03    |
| 9 Don't know      | 23        | 0.20    |

Frequency Missing = 20207

2005 National Health Interview Survey (NHIS)  
Cancer Public Use File (cancerxx)  
NAG Variables  
Unweighted Frequencies

82

Tuesday, June 13, 2006

NAG.040\_01.000: Had genetic test for breast cancer risk

| GTBRE             | Frequency | Percent |
|-------------------|-----------|---------|
| 1 Yes             | 51        | 48.11   |
| 2 No              | 45        | 42.45   |
| 7 Refused         | 0         | 0.00    |
| 8 Not ascertained | 0         | 0.00    |
| 9 Don't know      | 10        | 9.43    |

Frequency Missing = 31322

NAG.040\_02.000: Had genetic test for ovarian cancer risk

| GTOVA             | Frequency | Percent |
|-------------------|-----------|---------|
| 1 Yes             | 38        | 35.85   |
| 2 No              | 57        | 53.77   |
| 7 Refused         | 0         | 0.00    |
| 8 Not ascertained | 0         | 0.00    |
| 9 Don't know      | 11        | 10.38   |

Frequency Missing = 31322

NAG.040\_03.000: Had genetic test for colon or rectal cancer risk

| GTCOL             | Frequency | Percent |
|-------------------|-----------|---------|
| 1 Yes             | 41        | 24.40   |
| 2 No              | 113       | 67.26   |
| 7 Refused         | 0         | 0.00    |
| 8 Not ascertained | 0         | 0.00    |
| 9 Don't know      | 14        | 8.33    |

Frequency Missing = 31260

NAG.040\_04.000: Had genetic test for other cancer risk

| GTOTH             | Frequency | Percent |
|-------------------|-----------|---------|
| 1 Yes             | 60        | 35.71   |
| 2 No              | 93        | 55.36   |
| 7 Refused         | 0         | 0.00    |
| 8 Not ascertained | 0         | 0.00    |
| 9 Don't know      | 15        | 8.93    |

Frequency Missing = 31260

2005 National Health Interview Survey (NHIS)  
 Cancer Public Use File (cancerxx)  
 NAG Variables  
 Unweighted Frequencies

83

Tuesday, June 13, 2006

NAG.050\_01.000: Month of last genetic test

| GTRSK_MT              | Frequency | Percent |
|-----------------------|-----------|---------|
| 01 January            | 13        | 7.74    |
| 02 February           | 4         | 2.38    |
| 03 March              | 8         | 4.76    |
| 04 April              | 7         | 4.17    |
| 05 May                | 5         | 2.98    |
| 06 June               | 19        | 11.31   |
| 07 July               | 11        | 6.55    |
| 08 August             | 5         | 2.98    |
| 09 September          | 9         | 5.36    |
| 10 October            | 10        | 5.95    |
| 11 November           | 9         | 5.36    |
| 12 December           | 6         | 3.57    |
| 96 Time period format | 28        | 16.67   |
| 97 Refused            | 3         | 1.79    |
| 98 Not ascertained    | 0         | 0.00    |
| 99 Don't know         | 31        | 18.45   |

Frequency Missing = 31260

NAG.050\_02.000: Year of last genetic test

| GTRSK_YR                | Frequency | Percent |
|-------------------------|-----------|---------|
| 1880-2006               | 135       | 80.36   |
| 9996 Time period format | 28        | 16.67   |
| 9997 Refused            | 3         | 1.79    |
| 9998 Not ascertained    | 0         | 0.00    |
| 9999 Don't know         | 2         | 1.19    |

Frequency Missing = 31260

NAG.055\_01.000: Time ago date of genetic test: # of units

| GTRSKN             | Frequency | Percent |
|--------------------|-----------|---------|
| 01-94 1-94         | 27        | 96.43   |
| 95 95+             | 1         | 3.57    |
| 97 Refused         | 0         | 0.00    |
| 98 Not ascertained | 0         | 0.00    |
| 99 Don't know      | 0         | 0.00    |

Frequency Missing = 31400

2005 National Health Interview Survey (NHIS)  
 Cancer Public Use File (cancerxx)  
 NAG Variables  
 Unweighted Frequencies

84

Tuesday, June 13, 2006

NAG.055\_02.000: Time ago date of genetic test: Time unit

| GTRSKT            | Frequency | Percent |
|-------------------|-----------|---------|
| 1 Days ago        | 1         | 3.57    |
| 2 Weeks ago       | 0         | 0.00    |
| 3 Months ago      | 2         | 7.14    |
| 4 Years ago       | 25        | 89.29   |
| 7 Refused         | 0         | 0.00    |
| 8 Not ascertained | 0         | 0.00    |
| 9 Don't know      | 0         | 0.00    |

Frequency Missing = 31400

NAG.060\_00.000: Genetic testing affects health insurance

| GTINSURE          | Frequency | Percent |
|-------------------|-----------|---------|
| 1 Yes             | 30        | 17.86   |
| 2 No              | 125       | 74.40   |
| 7 Refused         | 2         | 1.19    |
| 8 Not ascertained | 0         | 0.00    |
| 9 Don't know      | 11        | 6.55    |

Frequency Missing = 31260

NAG.070\_00.000: Risk of cancer compared to average man/woman

| GTCCOM                      | Frequency | Percent |
|-----------------------------|-----------|---------|
| 1 More likely to get cancer | 3610      | 11.49   |
| 2 Less likely               | 9190      | 29.24   |
| 3 About as likely           | 14503     | 46.15   |
| 7 Refused                   | 610       | 1.94    |
| 8 Not ascertained           | 1492      | 4.75    |
| 9 Don't know                | 2023      | 6.44    |

NAG.080\_00.000: Risk of colon/rectal cancer compared to average man/woman

| GTCCLOM                                     | Frequency | Percent |
|---|-----------|---------|
| 1 More likely to get colon or rectal cancer | 2037      | 6.48    |
| 2 Less likely                               | 10987     | 34.96   |
| 3 About as likely                           | 14088     | 44.83   |
| 7 Refused                                   | 610       | 1.94    |
| 8 Not ascertained                           | 1493      | 4.75    |
| 9 Don't know                                | 2213      | 7.04    |

2005 National Health Interview Survey (NHIS)  
Cancer Public Use File (cancerxx)  
NAG Variables  
Unweighted Frequencies

85

Tuesday, June 13, 2006

NAG.090\_00.000: Risk of breast cancer compared to average woman

| GTCBOM                             | Frequency | Percent |
|------------------------------------|-----------|---------|
| 1 More likely to get breast cancer | 1959      | 11.09   |
| 2 Less likely                      | 5470      | 30.96   |
| 3 About as likely                  | 7949      | 45.00   |
| 7 Refuse                           | 343       | 1.94    |
| 8 Not ascertained                  | 845       | 4.78    |
| 9 Don't know                       | 1100      | 6.23    |

Frequency Missing = 13762

2005 National Health Interview Survey (NHIS)  
 Cancer Public Use File (cancerxx)  
 NAH Variables  
 Unweighted Frequencies

86

Tuesday, June 13, 2006

NAH.010\_00.000: Biological father ever have cancer

| FHF CAN                                   | Frequency | Percent |
|---|-----------|---------|
| 1 Yes                                     | 5133      | 16.33   |
| 2 No                                      | 22807     | 72.57   |
| 3 Adopted or don't know biological father | 757       | 2.41    |
| 7 Refused                                 | 576       | 1.83    |
| 8 Not ascertained                         | 1508      | 4.80    |
| 9 Don't know                              | 647       | 2.06    |

NAH.020\_01.000: What kind of cancer...bladder

| FHFTYP1           | Frequency | Percent |
|-------------------|-----------|---------|
| 1 Mentioned       | 123       | 2.40    |
| 2 Not mentioned   | 4771      | 92.95   |
| 7 Refused         | 10        | 0.19    |
| 8 Not ascertained | 0         | 0.00    |
| 9 Don't know      | 229       | 4.46    |

Frequency Missing = 26295

NAH.020\_02.000: What kind of cancer...blood

| FHFTYP2           | Frequency | Percent |
|-------------------|-----------|---------|
| 1 Mentioned       | 37        | 0.72    |
| 2 Not mentioned   | 4857      | 94.62   |
| 7 Refused         | 10        | 0.19    |
| 8 Not ascertained | 0         | 0.00    |
| 9 Don't know      | 229       | 4.46    |

Frequency Missing = 26295

NAH.020\_03.000: What kind of cancer...bone

| FHFTYP3           | Frequency | Percent |
|-------------------|-----------|---------|
| 1 Mentioned       | 148       | 2.88    |
| 2 Not mentioned   | 4746      | 92.46   |
| 7 Refused         | 10        | 0.19    |
| 8 Not ascertained | 0         | 0.00    |
| 9 Don't know      | 229       | 4.46    |

Frequency Missing = 26295

2005 National Health Interview Survey (NHIS)  
Cancer Public Use File (cancerxx)  
NAH Variables  
Unweighted Frequencies

87

Tuesday, June 13, 2006

NAH.020\_04.000: What kind of cancer...brain

| FHFTYP4           | Frequency | Percent |
|-------------------|-----------|---------|
| 1 Mentioned       | 134       | 2.61    |
| 2 Not mentioned   | 4760      | 92.73   |
| 7 Refused         | 10        | 0.19    |
| 8 Not ascertained | 0         | 0.00    |
| 9 Don't know      | 229       | 4.46    |

Frequency Missing = 26295

NAH.020\_05.000: What kind of cancer...breast

| FHFTYP5           | Frequency | Percent |
|-------------------|-----------|---------|
| 1 Mentioned       | 14        | 0.27    |
| 2 Not mentioned   | 4880      | 95.07   |
| 7 Refused         | 10        | 0.19    |
| 8 Not ascertained | 0         | 0.00    |
| 9 Don't know      | 229       | 4.46    |

Frequency Missing = 26295

NAH.020\_07.000: What kind of cancer...colon

| FHFTYP7           | Frequency | Percent |
|-------------------|-----------|---------|
| 1 Mentioned       | 630       | 12.27   |
| 2 Not mentioned   | 4264      | 83.07   |
| 7 Refused         | 10        | 0.19    |
| 8 Not ascertained | 0         | 0.00    |
| 9 Don't know      | 229       | 4.46    |

Frequency Missing = 26295

NAH.020\_08.000: What kind of cancer...esophagus

| FHFTYP8           | Frequency | Percent |
|-------------------|-----------|---------|
| 1 Mentioned       | 79        | 1.54    |
| 2 Not mentioned   | 4815      | 93.80   |
| 7 Refused         | 10        | 0.19    |
| 8 Not ascertained | 0         | 0.00    |
| 9 Don't know      | 229       | 4.46    |

Frequency Missing = 26295

2005 National Health Interview Survey (NHIS)  
Cancer Public Use File (cancerxx)  
NAH Variables  
Unweighted Frequencies

88

Tuesday, June 13, 2006

NAH.020\_09.000: What kind of cancer...gall bladder

| FHFTYP9           | Frequency | Percent |
|-------------------|-----------|---------|
| 1 Mentioned       | 11        | 0.21    |
| 2 Not mentioned   | 4883      | 95.13   |
| 7 Refused         | 10        | 0.19    |
| 8 Not ascertained | 0         | 0.00    |
| 9 Don't know      | 229       | 4.46    |

Frequency Missing = 26295

NAH.020\_10.000: What kind of cancer...kidney

| FHFTYP10          | Frequency | Percent |
|-------------------|-----------|---------|
| 1 Mentioned       | 115       | 2.24    |
| 2 Not mentioned   | 4779      | 93.10   |
| 7 Refused         | 10        | 0.19    |
| 8 Not ascertained | 0         | 0.00    |
| 9 Don't know      | 229       | 4.46    |

Frequency Missing = 26295

NAH.020\_11.000: What kind of cancer...larynx-windpipe

| FHFTYP11          | Frequency | Percent |
|-------------------|-----------|---------|
| 1 Mentioned       | 38        | 0.74    |
| 2 Not mentioned   | 4856      | 94.60   |
| 7 Refused         | 10        | 0.19    |
| 8 Not ascertained | 0         | 0.00    |
| 9 Don't know      | 229       | 4.46    |

Frequency Missing = 26295

NAH.020\_12.000: What kind of cancer...leukemia

| FHFTYP12          | Frequency | Percent |
|-------------------|-----------|---------|
| 1 Mentioned       | 147       | 2.86    |
| 2 Not mentioned   | 4747      | 92.48   |
| 7 Refused         | 10        | 0.19    |
| 8 Not ascertained | 0         | 0.00    |
| 9 Don't know      | 229       | 4.46    |

Frequency Missing = 26295



2005 National Health Interview Survey (NHIS)  
Cancer Public Use File (cancerxx)  
NAH Variables  
Unweighted Frequencies

89

Tuesday, June 13, 2006

NAH.020\_13.000: What kind of cancer...liver

| FHFTYP13          | Frequency | Percent |
|-------------------|-----------|---------|
| 1 Mentioned       | 204       | 3.97    |
| 2 Not mentioned   | 4690      | 91.37   |
| 7 Refused         | 10        | 0.19    |
| 8 Not ascertained | 0         | 0.00    |
| 9 Don't know      | 229       | 4.46    |

Frequency Missing = 26295

NAH.020\_14.000: What kind of cancer...lung

| FHFTYP14          | Frequency | Percent |
|-------------------|-----------|---------|
| 1 Mentioned       | 971       | 18.92   |
| 2 Not mentioned   | 3923      | 76.43   |
| 7 Refused         | 10        | 0.19    |
| 8 Not ascertained | 0         | 0.00    |
| 9 Don't know      | 229       | 4.46    |

Frequency Missing = 26295

NAH.020\_15.000: What kind of cancer...lymphoma

| FHFTYP15          | Frequency | Percent |
|-------------------|-----------|---------|
| 1 Mentioned       | 131       | 2.55    |
| 2 Not mentioned   | 4763      | 92.79   |
| 7 Refused         | 10        | 0.19    |
| 8 Not ascertained | 0         | 0.00    |
| 9 Don't know      | 229       | 4.46    |

Frequency Missing = 26295

NAH.020\_16.000: What kind of cancer...melanoma

| FHFTYP16          | Frequency | Percent |
|-------------------|-----------|---------|
| 1 Mentioned       | 221       | 4.31    |
| 2 Not mentioned   | 4673      | 91.04   |
| 7 Refused         | 10        | 0.19    |
| 8 Not ascertained | 0         | 0.00    |
| 9 Don't know      | 229       | 4.46    |

Frequency Missing = 26295

2005 National Health Interview Survey (NHIS)  
Cancer Public Use File (cancerxx)  
NAH Variables  
Unweighted Frequencies

90

Tuesday, June 13, 2006

NAH.020\_17.000: What kind of cancer...mouth/tongue/lip

| FHFTYP17          | Frequency | Percent |
|-------------------|-----------|---------|
| 1 Mentioned       | 33        | 0.64    |
| 2 Not mentioned   | 4861      | 94.70   |
| 7 Refused         | 10        | 0.19    |
| 8 Not ascertained | 0         | 0.00    |
| 9 Don't know      | 229       | 4.46    |

Frequency Missing = 26295

NAH.020\_19.000: What kind of cancer...pancreas

| FHFTYP19          | Frequency | Percent |
|-------------------|-----------|---------|
| 1 Mentioned       | 163       | 3.18    |
| 2 Not mentioned   | 4731      | 92.17   |
| 7 Refused         | 10        | 0.19    |
| 8 Not ascertained | 0         | 0.00    |
| 9 Don't know      | 229       | 4.46    |

Frequency Missing = 26295

NAH.020\_20.000: What kind of cancer...prostate

| FHFTYP20          | Frequency | Percent |
|-------------------|-----------|---------|
| 1 Mentioned       | 1082      | 21.08   |
| 2 Not mentioned   | 3812      | 74.26   |
| 7 Refused         | 10        | 0.19    |
| 8 Not ascertained | 0         | 0.00    |
| 9 Don't know      | 229       | 4.46    |

Frequency Missing = 26295

NAH.020\_21.000: What kind of cancer...rectum

| FHFTYP21          | Frequency | Percent |
|-------------------|-----------|---------|
| 1 Mentioned       | 23        | 0.45    |
| 2 Not mentioned   | 4871      | 94.90   |
| 7 Refused         | 10        | 0.19    |
| 8 Not ascertained | 0         | 0.00    |
| 9 Don't know      | 229       | 4.46    |

Frequency Missing = 26295

2005 National Health Interview Survey (NHIS)  
Cancer Public Use File (cancerxx)  
NAH Variables  
Unweighted Frequencies

91

Tuesday, June 13, 2006

NAH.020\_22.000: What kind of cancer...skin (non-melanoma)

| FHFTYP22          | Frequency | Percent |
|-------------------|-----------|---------|
| 1 Mentioned       | 345       | 6.72    |
| 2 Not mentioned   | 4549      | 88.62   |
| 7 Refused         | 10        | 0.19    |
| 8 Not ascertained | 0         | 0.00    |
| 9 Don't know      | 229       | 4.46    |

Frequency Missing = 26295

NAH.020\_23.000: What kind of cancer...skin (DK what kind)

| FHFTYP23          | Frequency | Percent |
|-------------------|-----------|---------|
| 1 Mentioned       | 387       | 7.54    |
| 2 Not mentioned   | 4507      | 87.80   |
| 7 Refused         | 10        | 0.19    |
| 8 Not ascertained | 0         | 0.00    |
| 9 Don't know      | 229       | 4.46    |

Frequency Missing = 26295

NAH.020\_24.000: What kind of cancer...soft tissue (muscle or fat)

| FHFTYP24          | Frequency | Percent |
|-------------------|-----------|---------|
| 1 Mentioned       | 13        | 0.25    |
| 2 Not mentioned   | 4881      | 95.09   |
| 7 Refused         | 10        | 0.19    |
| 8 Not ascertained | 0         | 0.00    |
| 9 Don't know      | 229       | 4.46    |

Frequency Missing = 26295

NAH.020\_25.000: What kind of cancer...stomach

| FHFTYP25          | Frequency | Percent |
|-------------------|-----------|---------|
| 1 Mentioned       | 199       | 3.88    |
| 2 Not mentioned   | 4695      | 91.47   |
| 7 Refused         | 10        | 0.19    |
| 8 Not ascertained | 0         | 0.00    |
| 9 Don't know      | 229       | 4.46    |

Frequency Missing = 26295

2005 National Health Interview Survey (NHIS)  
Cancer Public Use File (cancerxx)  
NAH Variables  
Unweighted Frequencies

92

Tuesday, June 13, 2006

NAH.020\_26.000: What kind of cancer...testis

| FHFTYP26          | Frequency | Percent |
|-------------------|-----------|---------|
| 1 Mentioned       | 26        | 0.51    |
| 2 Not mentioned   | 4868      | 94.84   |
| 7 Refused         | 10        | 0.19    |
| 8 Not ascertained | 0         | 0.00    |
| 9 Don't know      | 229       | 4.46    |

Frequency Missing = 26295

NAH.020\_27.000: What kind of cancer...throat-pharynx

| FHFTYP27          | Frequency | Percent |
|-------------------|-----------|---------|
| 1 Mentioned       | 164       | 3.20    |
| 2 Not mentioned   | 4730      | 92.15   |
| 7 Refused         | 10        | 0.19    |
| 8 Not ascertained | 0         | 0.00    |
| 9 Don't know      | 229       | 4.46    |

Frequency Missing = 26295

NAH.020\_28.000: What kind of cancer...thyroid

| FHFTYP28          | Frequency | Percent |
|-------------------|-----------|---------|
| 1 Mentioned       | 12        | 0.23    |
| 2 Not mentioned   | 4882      | 95.11   |
| 7 Refused         | 10        | 0.19    |
| 8 Not ascertained | 0         | 0.00    |
| 9 Don't know      | 229       | 4.46    |

Frequency Missing = 26295

NAH.020\_30.000: What kind of cancer . . . Other

| FHFTYP30          | Frequency | Percent |
|-------------------|-----------|---------|
| 1 Mentioned       | 130       | 2.53    |
| 2 Not mentioned   | 4764      | 92.81   |
| 7 Refused         | 10        | 0.19    |
| 8 Not ascertained | 0         | 0.00    |
| 9 Don't know      | 229       | 4.46    |

Frequency Missing = 26295

2005 National Health Interview Survey (NHIS)  
Cancer Public Use File (cancerxx)  
NAH Variables  
Unweighted Frequencies

93

Tuesday, June 13, 2006

NAH.020\_31.000: What kind of cancer...more than 3 kinds

| FHFTYP31          | Frequency | Percent |
|-------------------|-----------|---------|
| 1 Mentioned       | 17        | 18.09   |
| 2 Not mentioned   | 77        | 81.91   |
| 7 Refused         | 0         | 0.00    |
| 8 Not ascertained | 0         | 0.00    |
| 9 Don't know      | 0         | 0.00    |

Frequency Missing = 31334

NAH.030\_01.000: Father <50 when diag w/bladder cancer

| FHFAGE01          | Frequency | Percent |
|-------------------|-----------|---------|
| 1 Yes             | 6         | 1.66    |
| 2 No              | 116       | 32.04   |
| 7 Refused         | 10        | 2.76    |
| 8 Not ascertained | 0         | 0.00    |
| 9 Don't know      | 230       | 63.54   |

Frequency Missing = 31066

NAH.030\_02.000: Father <50 when diag w/blood cancer

| FHFAGE02          | Frequency | Percent |
|-------------------|-----------|---------|
| 1 Yes             | 10        | 3.62    |
| 2 No              | 27        | 9.78    |
| 7 Refused         | 10        | 3.62    |
| 8 Not ascertained | 0         | 0.00    |
| 9 Don't know      | 229       | 82.97   |

Frequency Missing = 31152

NAH.030\_03.000: Father <50 when diag w/bone cancer

| FHFAGE03          | Frequency | Percent |
|-------------------|-----------|---------|
| 1 Yes             | 19        | 4.91    |
| 2 No              | 125       | 32.30   |
| 7 Refused         | 10        | 2.58    |
| 8 Not ascertained | 0         | 0.00    |
| 9 Don't know      | 233       | 60.21   |

Frequency Missing = 31041

2005 National Health Interview Survey (NHIS)  
Cancer Public Use File (cancerxx)  
NAH Variables  
Unweighted Frequencies

94

Tuesday, June 13, 2006

NAH.030\_04.000: Father <50 when diag w/brain cancer

| FHFAGE04          | Frequency | Percent |
|-------------------|-----------|---------|
| 1 Yes             | 28        | 7.51    |
| 2 No              | 105       | 28.15   |
| 7 Refused         | 10        | 2.68    |
| 8 Not ascertained | 0         | 0.00    |
| 9 Don't know      | 230       | 61.66   |

Frequency Missing = 31055

NAH.030\_05.000: Father <50 when diag w/breast cancer

| FHFAGE05          | Frequency | Percent |
|-------------------|-----------|---------|
| 1 Yes             | 3         | 1.19    |
| 2 No              | 11        | 4.35    |
| 7 Refused         | 10        | 3.95    |
| 8 Not ascertained | 0         | 0.00    |
| 9 Don't know      | 229       | 90.51   |

Frequency Missing = 31175

NAH.030\_07.000: Father <50 when diag w/colon cancer

| FHFAGE07          | Frequency | Percent |
|-------------------|-----------|---------|
| 1 Yes             | 91        | 10.47   |
| 2 No              | 533       | 61.33   |
| 7 Refused         | 10        | 1.15    |
| 8 Not ascertained | 0         | 0.00    |
| 9 Don't know      | 235       | 27.04   |

Frequency Missing = 30559

NAH.030\_08.000: Father <50 when diag w/esophageal cancer

| FHFAGE08          | Frequency | Percent |
|-------------------|-----------|---------|
| 1 Yes             | 9         | 2.83    |
| 2 No              | 70        | 22.01   |
| 7 Refused         | 10        | 3.14    |
| 8 Not ascertained | 0         | 0.00    |
| 9 Don't know      | 229       | 72.01   |

Frequency Missing = 31110

2005 National Health Interview Survey (NHIS)  
Cancer Public Use File (cancerxx)  
NAH Variables  
Unweighted Frequencies

95

Tuesday, June 13, 2006

NAH.030\_09.000: Father <50 when diag w/gall bladder cancer

| FHFAGE09          | Frequency | Percent |
|-------------------|-----------|---------|
| 1 Yes             | 0         | 0.00    |
| 2 No              | 11        | 4.40    |
| 7 Refused         | 10        | 4.00    |
| 8 Not ascertained | 0         | 0.00    |
| 9 Don't know      | 229       | 91.60   |

Frequency Missing = 31178

NAH.030\_10.000: Father <50 when diag w/kidney cancer

| FHFAGE10          | Frequency | Percent |
|-------------------|-----------|---------|
| 1 Yes             | 23        | 6.50    |
| 2 No              | 92        | 25.99   |
| 7 Refused         | 10        | 2.82    |
| 8 Not ascertained | 0         | 0.00    |
| 9 Don't know      | 229       | 64.69   |

Frequency Missing = 31074

NAH.030\_11.000: Father <50 when diag w/larynx-windpipe cancer

| FHFAGE11          | Frequency | Percent |
|-------------------|-----------|---------|
| 1 Yes             | 9         | 3.25    |
| 2 No              | 28        | 10.11   |
| 7 Refused         | 10        | 3.61    |
| 8 Not ascertained | 0         | 0.00    |
| 9 Don't know      | 230       | 83.03   |

Frequency Missing = 31151

NAH.030\_12.000: Father <50 when diag w/leukemia

| FHFAGE12          | Frequency | Percent |
|-------------------|-----------|---------|
| 1 Yes             | 35        | 9.07    |
| 2 No              | 110       | 28.50   |
| 7 Refused         | 10        | 2.59    |
| 8 Not ascertained | 0         | 0.00    |
| 9 Don't know      | 231       | 59.84   |

Frequency Missing = 31042

2005 National Health Interview Survey (NHIS)  
Cancer Public Use File (cancerxx)  
NAH Variables  
Unweighted Frequencies

96

Tuesday, June 13, 2006

NAH.030\_13.000: Father <50 when diag w/liver cancer

| FHFAGE13          | Frequency | Percent |
|-------------------|-----------|---------|
| 1 Yes             | 26        | 5.87    |
| 2 No              | 175       | 39.50   |
| 7 Refused         | 10        | 2.26    |
| 8 Not ascertained | 0         | 0.00    |
| 9 Don't know      | 232       | 52.37   |

Frequency Missing = 30985

NAH.030\_14.000: Father <50 when diag w/lung cancer

| FHFAGE14          | Frequency | Percent |
|-------------------|-----------|---------|
| 1 Yes             | 139       | 11.49   |
| 2 No              | 818       | 67.60   |
| 7 Refused         | 10        | 0.83    |
| 8 Not ascertained | 0         | 0.00    |
| 9 Don't know      | 243       | 20.08   |

Frequency Missing = 30218

NAH.030\_15.000: Father <50 when diag w/lymphoma

| FHFAGE15          | Frequency | Percent |
|-------------------|-----------|---------|
| 1 Yes             | 27        | 7.30    |
| 2 No              | 101       | 27.30   |
| 7 Refused         | 12        | 3.24    |
| 8 Not ascertained | 0         | 0.00    |
| 9 Don't know      | 230       | 62.16   |

Frequency Missing = 31058

NAH.030\_16.000: Father <50 when diag w/melanoma

| FHFAGE16          | Frequency | Percent |
|-------------------|-----------|---------|
| 1 Yes             | 62        | 13.48   |
| 2 No              | 156       | 33.91   |
| 7 Refused         | 10        | 2.17    |
| 8 Not ascertained | 0         | 0.00    |
| 9 Don't know      | 232       | 50.43   |

Frequency Missing = 30968



2005 National Health Interview Survey (NHIS)  
Cancer Public Use File (cancerxx)  
NAH Variables  
Unweighted Frequencies

97

Tuesday, June 13, 2006

NAH.030\_17.000: Father <50 when diag w/mouth/tongue/lip cancer

| FHFAGE17          | Frequency | Percent |
|-------------------|-----------|---------|
| 1 Yes             | 8         | 2.94    |
| 2 No              | 23        | 8.46    |
| 7 Refused         | 10        | 3.68    |
| 8 Not ascertained | 0         | 0.00    |
| 9 Don't know      | 231       | 84.93   |

Frequency Missing = 31156

NAH.030\_19.000: Father <50 when diag w/pancreatic cancer

| FHFAGE19          | Frequency | Percent |
|-------------------|-----------|---------|
| 1 Yes             | 21        | 5.22    |
| 2 No              | 141       | 35.07   |
| 7 Refused         | 10        | 2.49    |
| 8 Not ascertained | 0         | 0.00    |
| 9 Don't know      | 230       | 57.21   |

Frequency Missing = 31026

NAH.030\_20.000: Father <50 when diag w/prostate cancer

| FHFAGE20          | Frequency | Percent |
|-------------------|-----------|---------|
| 1 Yes             | 64        | 4.84    |
| 2 No              | 1004      | 76.00   |
| 7 Refused         | 10        | 0.76    |
| 8 Not ascertained | 0         | 0.00    |
| 9 Don't know      | 243       | 18.40   |

Frequency Missing = 30107

NAH.030\_21.000: Father <50 when diag w/rectal cancer

| FHFAGE21          | Frequency | Percent |
|-------------------|-----------|---------|
| 1 Yes             | 4         | 1.53    |
| 2 No              | 18        | 6.87    |
| 7 Refused         | 10        | 3.82    |
| 8 Not ascertained | 0         | 0.00    |
| 9 Don't know      | 230       | 87.79   |

Frequency Missing = 31166

2005 National Health Interview Survey (NHIS)  
Cancer Public Use File (cancerxx)  
NAH Variables  
Unweighted Frequencies

98

Tuesday, June 13, 2006

NAH.030\_22.000: Father <50 when diag w/skin (non-melanoma) cancer

| FHFAGE22          | Frequency | Percent |
|-------------------|-----------|---------|
| 1 Yes             | 67        | 11.47   |
| 2 No              | 268       | 45.89   |
| 7 Refused         | 10        | 1.71    |
| 8 Not ascertained | 0         | 0.00    |
| 9 Don't know      | 239       | 40.92   |

Frequency Missing = 30844

NAH.030\_23.000: Father <50 when diag w/skin (DK what kind) cancer

| FHFAGE23          | Frequency | Percent |
|-------------------|-----------|---------|
| 1 Yes             | 87        | 13.90   |
| 2 No              | 288       | 46.01   |
| 7 Refused         | 10        | 1.60    |
| 8 Not ascertained | 0         | 0.00    |
| 9 Don't know      | 241       | 38.50   |

Frequency Missing = 30802

NAH.030\_24.000: Father <50 when diag w/soft tissue (muscle or fat) cancer

| FHFAGE24          | Frequency | Percent |
|-------------------|-----------|---------|
| 1 Yes             | 4         | 1.59    |
| 2 No              | 9         | 3.57    |
| 7 Refused         | 10        | 3.97    |
| 8 Not ascertained | 0         | 0.00    |
| 9 Don't know      | 229       | 90.87   |

Frequency Missing = 31176

NAH.030\_25.000: Father <50 when diag w/stomach cancer

| FHFAGE25          | Frequency | Percent |
|-------------------|-----------|---------|
| 1 Yes             | 36        | 8.22    |
| 2 No              | 160       | 36.53   |
| 7 Refused         | 10        | 2.28    |
| 8 Not ascertained | 0         | 0.00    |
| 9 Don't know      | 232       | 52.97   |

Frequency Missing = 30990

2005 National Health Interview Survey (NHIS)  
Cancer Public Use File (cancerxx)  
NAH Variables  
Unweighted Frequencies

99

Tuesday, June 13, 2006

NAH.030\_26.000: Father <50 when diag w/testicular cancer

| FHFAGE26          | Frequency | Percent |
|-------------------|-----------|---------|
| 1 Yes             | 10        | 3.77    |
| 2 No              | 16        | 6.04    |
| 7 Refused         | 10        | 3.77    |
| 8 Not ascertained | 0         | 0.00    |
| 9 Don't know      | 229       | 86.42   |

Frequency Missing = 31163

NAH.030\_27.000: Father <50 when diag w/throat-pharynx cancer

| FHFAGE27          | Frequency | Percent |
|-------------------|-----------|---------|
| 1 Yes             | 31        | 7.69    |
| 2 No              | 127       | 31.51   |
| 7 Refused         | 10        | 2.48    |
| 8 Not ascertained | 0         | 0.00    |
| 9 Don't know      | 235       | 58.31   |

Frequency Missing = 31025

NAH.030\_28.000: Father <50 when diag w/thyroid cancer

| FHFAGE28          | Frequency | Percent |
|-------------------|-----------|---------|
| 1 Yes             | 7         | 2.79    |
| 2 No              | 5         | 1.99    |
| 7 Refused         | 10        | 3.98    |
| 8 Not ascertained | 0         | 0.00    |
| 9 Don't know      | 229       | 91.24   |

Frequency Missing = 31177

NAH.030\_30.000: Father <50 when diag w/other kind of cancer

| FHFAGE30          | Frequency | Percent |
|-------------------|-----------|---------|
| 1 Yes             | 24        | 6.50    |
| 2 No              | 105       | 28.46   |
| 7 Refused         | 10        | 2.71    |
| 8 Not ascertained | 0         | 0.00    |
| 9 Don't know      | 230       | 62.33   |

Frequency Missing = 31059

2005 National Health Interview Survey (NHIS)  
 Cancer Public Use File (cancerxx)  
 NAH Variables  
 Unweighted Frequencies

100

Tuesday, June 13, 2006

NAH.040\_00.000: Biological mother ever have cancer

| FHMCAN                                    | Frequency | Percent |
|---|-----------|---------|
| 1 Yes                                     | 5315      | 16.91   |
| 2 No                                      | 23364     | 74.34   |
| 3 Adopted or don't know biological mother | 302       | 0.96    |
| 7 Refused                                 | 566       | 1.80    |
| 8 Not ascertained                         | 1511      | 4.81    |
| 9 Don't know                              | 370       | 1.18    |

NAH.050\_01.000: What kind of cancer...bladder

| FHMTYP1           | Frequency | Percent |
|-------------------|-----------|---------|
| 1 Mentioned       | 46        | 0.87    |
| 2 Not mentioned   | 4984      | 93.77   |
| 7 Refused         | 8         | 0.15    |
| 8 Not ascertained | 0         | 0.00    |
| 9 Don't know      | 277       | 5.21    |

Frequency Missing = 26113

NAH.050\_02.000: What kind of cancer...blood

| FHMTYP2           | Frequency | Percent |
|-------------------|-----------|---------|
| 1 Mentioned       | 28        | 0.53    |
| 2 Not mentioned   | 5002      | 94.11   |
| 7 Refused         | 8         | 0.15    |
| 8 Not ascertained | 0         | 0.00    |
| 9 Don't know      | 277       | 5.21    |

Frequency Missing = 26113

NAH.050\_03.000: What kind of cancer...bone

| FHMTYP3           | Frequency | Percent |
|-------------------|-----------|---------|
| 1 Mentioned       | 111       | 2.09    |
| 2 Not mentioned   | 4919      | 92.55   |
| 7 Refused         | 8         | 0.15    |
| 8 Not ascertained | 0         | 0.00    |
| 9 Don't know      | 277       | 5.21    |

Frequency Missing = 26113

2005 National Health Interview Survey (NHIS)  
Cancer Public Use File (cancerxx)  
NAH Variables  
Unweighted Frequencies

101

Tuesday, June 13, 2006

NAH.050\_04.000: What kind of cancer...brain

| FHMTYP4           | Frequency | Percent |
|-------------------|-----------|---------|
| 1 Mentioned       | 130       | 2.45    |
| 2 Not mentioned   | 4900      | 92.19   |
| 7 Refused         | 8         | 0.15    |
| 8 Not ascertained | 0         | 0.00    |
| 9 Don't know      | 277       | 5.21    |

Frequency Missing = 26113

NAH.050\_05.000: What kind of cancer...breast

| FHMTYP5           | Frequency | Percent |
|-------------------|-----------|---------|
| 1 Mentioned       | 1529      | 28.77   |
| 2 Not mentioned   | 3501      | 65.87   |
| 7 Refused         | 8         | 0.15    |
| 8 Not ascertained | 0         | 0.00    |
| 9 Don't know      | 277       | 5.21    |

Frequency Missing = 26113

NAH.050\_06.000: What kind of cancer...cervix

| FHMTYP6           | Frequency | Percent |
|-------------------|-----------|---------|
| 1 Mentioned       | 307       | 5.78    |
| 2 Not mentioned   | 4723      | 88.86   |
| 7 Refused         | 8         | 0.15    |
| 8 Not ascertained | 0         | 0.00    |
| 9 Don't know      | 277       | 5.21    |

Frequency Missing = 26113

NAH.050\_07.000: What kind of cancer...colon

| FHMTYP7           | Frequency | Percent |
|-------------------|-----------|---------|
| 1 Mentioned       | 495       | 9.31    |
| 2 Not mentioned   | 4535      | 85.32   |
| 7 Refused         | 8         | 0.15    |
| 8 Not ascertained | 0         | 0.00    |
| 9 Don't know      | 277       | 5.21    |

Frequency Missing = 26113

2005 National Health Interview Survey (NHIS)  
Cancer Public Use File (cancerxx)  
NAH Variables  
Unweighted Frequencies

102

Tuesday, June 13, 2006

NAH.050\_08.000: What kind of cancer...esophagus

| FHMTYP8           | Frequency | Percent |
|-------------------|-----------|---------|
| 1 Mentioned       | 32        | 0.60    |
| 2 Not mentioned   | 4998      | 94.04   |
| 7 Refused         | 8         | 0.15    |
| 8 Not ascertained | 0         | 0.00    |
| 9 Don't know      | 277       | 5.21    |

Frequency Missing = 26113

NAH.050\_09.000: What kind of cancer...gall bladder

| FHMTYP9           | Frequency | Percent |
|-------------------|-----------|---------|
| 1 Mentioned       | 16        | 0.30    |
| 2 Not mentioned   | 5014      | 94.34   |
| 7 Refused         | 8         | 0.15    |
| 8 Not ascertained | 0         | 0.00    |
| 9 Don't know      | 277       | 5.21    |

Frequency Missing = 26113

NAH.050\_10.000: What kind of cancer...kidney

| FHMTYP10          | Frequency | Percent |
|-------------------|-----------|---------|
| 1 Mentioned       | 80        | 1.51    |
| 2 Not mentioned   | 4950      | 93.13   |
| 7 Refused         | 8         | 0.15    |
| 8 Not ascertained | 0         | 0.00    |
| 9 Don't know      | 277       | 5.21    |

Frequency Missing = 26113

NAH.050\_11.000: What kind of cancer...larynx-windpipe

| FHMTYP11          | Frequency | Percent |
|-------------------|-----------|---------|
| 1 Mentioned       | 11        | 0.21    |
| 2 Not mentioned   | 5019      | 94.43   |
| 7 Refused         | 8         | 0.15    |
| 8 Not ascertained | 0         | 0.00    |
| 9 Don't know      | 277       | 5.21    |

Frequency Missing = 26113

2005 National Health Interview Survey (NHIS)  
Cancer Public Use File (cancerxx)  
NAH Variables  
Unweighted Frequencies

103

Tuesday, June 13, 2006

NAH.050\_12.000: What kind of cancer...leukemia

| FHMTYP12          | Frequency | Percent |
|-------------------|-----------|---------|
| 1 Mentioned       | 120       | 2.26    |
| 2 Not mentioned   | 4910      | 92.38   |
| 7 Refused         | 8         | 0.15    |
| 8 Not ascertained | 0         | 0.00    |
| 9 Don't know      | 277       | 5.21    |

Frequency Missing = 26113

NAH.050\_13.000: What kind of cancer...liver

| FHMTYP13          | Frequency | Percent |
|-------------------|-----------|---------|
| 1 Mentioned       | 152       | 2.86    |
| 2 Not mentioned   | 4878      | 91.78   |
| 7 Refused         | 8         | 0.15    |
| 8 Not ascertained | 0         | 0.00    |
| 9 Don't know      | 277       | 5.21    |

Frequency Missing = 26113

NAH.050\_14.000: What kind of cancer...lung

| FHMTYP14          | Frequency | Percent |
|-------------------|-----------|---------|
| 1 Mentioned       | 514       | 9.67    |
| 2 Not mentioned   | 4516      | 84.97   |
| 7 Refused         | 8         | 0.15    |
| 8 Not ascertained | 0         | 0.00    |
| 9 Don't know      | 277       | 5.21    |

Frequency Missing = 26113

NAH.050\_15.000: What kind of cancer...lymphoma

| FHMTYP15          | Frequency | Percent |
|-------------------|-----------|---------|
| 1 Mentioned       | 134       | 2.52    |
| 2 Not mentioned   | 4896      | 92.12   |
| 7 Refused         | 8         | 0.15    |
| 8 Not ascertained | 0         | 0.00    |
| 9 Don't know      | 277       | 5.21    |

Frequency Missing = 26113

2005 National Health Interview Survey (NHIS)  
Cancer Public Use File (cancerxx)  
NAH Variables  
Unweighted Frequencies

104

Tuesday, June 13, 2006

NAH.050\_16.000: What kind of cancer...melanoma

| FHMTYP16          | Frequency | Percent |
|-------------------|-----------|---------|
| 1 Mentioned       | 161       | 3.03    |
| 2 Not mentioned   | 4869      | 91.61   |
| 7 Refused         | 8         | 0.15    |
| 8 Not ascertained | 0         | 0.00    |
| 9 Don't know      | 277       | 5.21    |

Frequency Missing = 26113

NAH.050\_17.000: What kind of cancer...mouth/tongue/lip

| FHMTYP17          | Frequency | Percent |
|-------------------|-----------|---------|
| 1 Mentioned       | 18        | 0.34    |
| 2 Not mentioned   | 5012      | 94.30   |
| 7 Refused         | 8         | 0.15    |
| 8 Not ascertained | 0         | 0.00    |
| 9 Don't know      | 277       | 5.21    |

Frequency Missing = 26113

NAH.050\_18.000: What kind of cancer...ovary

| FHMTYP18          | Frequency | Percent |
|-------------------|-----------|---------|
| 1 Mentioned       | 342       | 6.43    |
| 2 Not mentioned   | 4688      | 88.20   |
| 7 Refused         | 8         | 0.15    |
| 8 Not ascertained | 0         | 0.00    |
| 9 Don't know      | 277       | 5.21    |

Frequency Missing = 26113

NAH.050\_19.000: What kind of cancer...pancreas

| FHMTYP19          | Frequency | Percent |
|-------------------|-----------|---------|
| 1 Mentioned       | 147       | 2.77    |
| 2 Not mentioned   | 4883      | 91.87   |
| 7 Refused         | 8         | 0.15    |
| 8 Not ascertained | 0         | 0.00    |
| 9 Don't know      | 277       | 5.21    |

Frequency Missing = 26113



2005 National Health Interview Survey (NHIS)  
Cancer Public Use File (cancerxx)  
NAH Variables  
Unweighted Frequencies

105

Tuesday, June 13, 2006

NAH.050\_21.000: What kind of cancer...rectum

| FHMTYP21          | Frequency | Percent |
|-------------------|-----------|---------|
| 1 Mentioned       | 13        | 0.24    |
| 2 Not mentioned   | 5017      | 94.39   |
| 7 Refused         | 8         | 0.15    |
| 8 Not ascertained | 0         | 0.00    |
| 9 Don't know      | 277       | 5.21    |

Frequency Missing = 26113

NAH.050\_22.000: What kind of cancer...skin (non-melanoma)

| FHMTYP22          | Frequency | Percent |
|-------------------|-----------|---------|
| 1 Mentioned       | 262       | 4.93    |
| 2 Not mentioned   | 4768      | 89.71   |
| 7 Refused         | 8         | 0.15    |
| 8 Not ascertained | 0         | 0.00    |
| 9 Don't know      | 277       | 5.21    |

Frequency Missing = 26113

NAH.050\_23.000: What kind of cancer...skin (DK what kind)

| FHMTYP23          | Frequency | Percent |
|-------------------|-----------|---------|
| 1 Mentioned       | 256       | 4.82    |
| 2 Not mentioned   | 4774      | 89.82   |
| 7 Refused         | 8         | 0.15    |
| 8 Not ascertained | 0         | 0.00    |
| 9 Don't know      | 277       | 5.21    |

Frequency Missing = 26113

NAH.050\_24.000: What kind of cancer...soft tissue (muscle or fat)

| FHMTYP24          | Frequency | Percent |
|-------------------|-----------|---------|
| 1 Mentioned       | 9         | 0.17    |
| 2 Not mentioned   | 5021      | 94.47   |
| 7 Refused         | 8         | 0.15    |
| 8 Not ascertained | 0         | 0.00    |
| 9 Don't know      | 277       | 5.21    |

Frequency Missing = 26113

2005 National Health Interview Survey (NHIS)  
Cancer Public Use File (cancerxx)  
NAH Variables  
Unweighted Frequencies

106

Tuesday, June 13, 2006

NAH.050\_25.000: What kind of cancer...stomach

| FHMTYP25          | Frequency | Percent |
|-------------------|-----------|---------|
| 1 Mentioned       | 217       | 4.08    |
| 2 Not mentioned   | 4813      | 90.56   |
| 7 Refused         | 8         | 0.15    |
| 8 Not ascertained | 0         | 0.00    |
| 9 Don't know      | 277       | 5.21    |

Frequency Missing = 26113

NAH.050\_27.000: What kind of cancer...throat-pharynx

| FHMTYP27          | Frequency | Percent |
|-------------------|-----------|---------|
| 1 Mentioned       | 59        | 1.11    |
| 2 Not mentioned   | 4971      | 93.53   |
| 7 Refused         | 8         | 0.15    |
| 8 Not ascertained | 0         | 0.00    |
| 9 Don't know      | 277       | 5.21    |

Frequency Missing = 26113

NAH.050\_28.000: What kind of cancer...thyroid

| FHMTYP28          | Frequency | Percent |
|-------------------|-----------|---------|
| 1 Mentioned       | 72        | 1.35    |
| 2 Not mentioned   | 4958      | 93.28   |
| 7 Refused         | 8         | 0.15    |
| 8 Not ascertained | 0         | 0.00    |
| 9 Don't know      | 277       | 5.21    |

Frequency Missing = 26113

NAH.050\_29.000: What kind of cancer . . . Uterus

| FHMTYP29          | Frequency | Percent |
|-------------------|-----------|---------|
| 1 Mentioned       | 360       | 6.77    |
| 2 Not mentioned   | 4670      | 87.86   |
| 7 Refused         | 8         | 0.15    |
| 8 Not ascertained | 0         | 0.00    |
| 9 Don't know      | 277       | 5.21    |

Frequency Missing = 26113

2005 National Health Interview Survey (NHIS)  
Cancer Public Use File (cancerxx)  
NAH Variables  
Unweighted Frequencies

107

Tuesday, June 13, 2006

NAH.050\_30.000: What kind of cancer . . . Other

| FHMTYP30          | Frequency | Percent |
|-------------------|-----------|---------|
| 1 Mentioned       | 143       | 2.69    |
| 2 Not mentioned   | 4887      | 91.95   |
| 7 Refused         | 8         | 0.15    |
| 8 Not ascertained | 0         | 0.00    |
| 9 Don't know      | 277       | 5.21    |

Frequency Missing = 26113

NAH.050\_31.000: What kind of cancer...more than 3 kinds

| FHMTYP31          | Frequency | Percent |
|-------------------|-----------|---------|
| 1 Mentioned       | 21        | 19.27   |
| 2 Not mentioned   | 88        | 80.73   |
| 7 Refused         | 0         | 0.00    |
| 8 Not ascertained | 0         | 0.00    |
| 9 Don't know      | 0         | 0.00    |

Frequency Missing = 31319

NAH.060\_01.000: Mother <50 when diag w/bladder cancer

| FHMAGE01          | Frequency | Percent |
|-------------------|-----------|---------|
| 1 Yes             | 8         | 2.42    |
| 2 No              | 38        | 11.48   |
| 7 Refused         | 7         | 2.11    |
| 8 Not ascertained | 48        | 14.50   |
| 9 Don't know      | 230       | 69.49   |

Frequency Missing = 31097

NAH.060\_02.000: Mother <50 when diag w/blood cancer

| FHMAGE02          | Frequency | Percent |
|-------------------|-----------|---------|
| 1 Yes             | 9         | 2.88    |
| 2 No              | 18        | 5.75    |
| 7 Refused         | 7         | 2.24    |
| 8 Not ascertained | 48        | 15.34   |
| 9 Don't know      | 231       | 73.80   |

Frequency Missing = 31115

2005 National Health Interview Survey (NHIS)  
Cancer Public Use File (cancerxx)  
NAH Variables  
Unweighted Frequencies

108

Tuesday, June 13, 2006

NAH.060\_03.000: Mother <50 when diag w/bone cancer

| FHMAGE03          | Frequency | Percent |
|-------------------|-----------|---------|
| 1 Yes             | 15        | 3.79    |
| 2 No              | 95        | 23.99   |
| 7 Refused         | 7         | 1.77    |
| 8 Not ascertained | 48        | 12.12   |
| 9 Don't know      | 231       | 58.33   |

Frequency Missing = 31032

NAH.060\_04.000: Mother <50 when diag w/brain cancer

| FHMAGE04          | Frequency | Percent |
|-------------------|-----------|---------|
| 1 Yes             | 32        | 7.71    |
| 2 No              | 97        | 23.37   |
| 7 Refused         | 7         | 1.69    |
| 8 Not ascertained | 48        | 11.57   |
| 9 Don't know      | 231       | 55.66   |

Frequency Missing = 31013

NAH.060\_05.000: Mother <50 when diag w/breast cancer

| FHMAGE05          | Frequency | Percent |
|-------------------|-----------|---------|
| 1 Yes             | 518       | 28.56   |
| 2 No              | 994       | 54.80   |
| 7 Refused         | 8         | 0.44    |
| 8 Not ascertained | 48        | 2.65    |
| 9 Don't know      | 246       | 13.56   |

Frequency Missing = 29614

NAH.060\_06.000: Mother <50 when diag w/cervical cancer

| FHMAGE06          | Frequency | Percent |
|-------------------|-----------|---------|
| 1 Yes             | 186       | 31.42   |
| 2 No              | 117       | 19.76   |
| 7 Refused         | 7         | 1.18    |
| 8 Not ascertained | 48        | 8.11    |
| 9 Don't know      | 234       | 39.53   |

Frequency Missing = 30836

2005 National Health Interview Survey (NHIS)  
Cancer Public Use File (cancerxx)  
NAH Variables  
Unweighted Frequencies

109

Tuesday, June 13, 2006

NAH.060\_07.000: Mother <50 when diag w/colon cancer

| FHMAGE07          | Frequency | Percent |
|-------------------|-----------|---------|
| 1 Yes             | 89        | 11.41   |
| 2 No              | 401       | 51.41   |
| 7 Refused         | 7         | 0.90    |
| 8 Not ascertained | 48        | 6.15    |
| 9 Don't know      | 235       | 30.13   |

Frequency Missing = 30648

NAH.060\_08.000: Mother <50 when diag w/esophageal cancer

| FHMAGE08          | Frequency | Percent |
|-------------------|-----------|---------|
| 1 Yes             | 4         | 1.26    |
| 2 No              | 28        | 8.83    |
| 7 Refused         | 7         | 2.21    |
| 8 Not ascertained | 48        | 15.14   |
| 9 Don't know      | 230       | 72.56   |

Frequency Missing = 31111

NAH.060\_09.000: Mother <50 when diag w/gall bladder cancer

| FHMAGE09          | Frequency | Percent |
|-------------------|-----------|---------|
| 1 Yes             | 2         | 0.66    |
| 2 No              | 13        | 4.32    |
| 7 Refused         | 7         | 2.33    |
| 8 Not ascertained | 48        | 15.95   |
| 9 Don't know      | 231       | 76.74   |

Frequency Missing = 31127

NAH.060\_10.000: Mother <50 when diag w/kidney cancer

| FHMAGE10          | Frequency | Percent |
|-------------------|-----------|---------|
| 1 Yes             | 13        | 3.56    |
| 2 No              | 67        | 18.36   |
| 7 Refused         | 7         | 1.92    |
| 8 Not ascertained | 48        | 13.15   |
| 9 Don't know      | 230       | 63.01   |

Frequency Missing = 31063

2005 National Health Interview Survey (NHIS)  
Cancer Public Use File (cancerxx)  
NAH Variables  
Unweighted Frequencies

110

Tuesday, June 13, 2006

NAH.060\_11.000: Mother <50 when diag w/larynx-windpipe cancer

| FHMAGE11          | Frequency | Percent |
|-------------------|-----------|---------|
| 1 Yes             | 6         | 2.03    |
| 2 No              | 5         | 1.69    |
| 7 Refused         | 7         | 2.36    |
| 8 Not ascertained | 48        | 16.22   |
| 9 Don't know      | 230       | 77.70   |

Frequency Missing = 31132

NAH.060\_12.000: Mother <50 when diag w/leukemia

| FHMAGE12          | Frequency | Percent |
|-------------------|-----------|---------|
| 1 Yes             | 30        | 7.41    |
| 2 No              | 86        | 21.23   |
| 7 Refused         | 7         | 1.73    |
| 8 Not ascertained | 48        | 11.85   |
| 9 Don't know      | 234       | 57.78   |

Frequency Missing = 31023

NAH.060\_13.000: Mother <50 when diag w/liver cancer

| FHMAGE13          | Frequency | Percent |
|-------------------|-----------|---------|
| 1 Yes             | 33        | 7.55    |
| 2 No              | 115       | 26.32   |
| 7 Refused         | 7         | 1.60    |
| 8 Not ascertained | 48        | 10.98   |
| 9 Don't know      | 234       | 53.55   |

Frequency Missing = 30991

NAH.060\_14.000: Mother <50 when diag w/lung cancer

| FHMAGE14          | Frequency | Percent |
|-------------------|-----------|---------|
| 1 Yes             | 88        | 11.01   |
| 2 No              | 421       | 52.69   |
| 7 Refused         | 7         | 0.88    |
| 8 Not ascertained | 48        | 6.01    |
| 9 Don't know      | 235       | 29.41   |

Frequency Missing = 30629

2005 National Health Interview Survey (NHIS)  
Cancer Public Use File (cancerxx)  
NAH Variables  
Unweighted Frequencies

111

Tuesday, June 13, 2006

NAH.060\_15.000: Mother <50 when diag w/lymphoma

| FHMAGE15          | Frequency | Percent |
|-------------------|-----------|---------|
| 1 Yes             | 31        | 7.40    |
| 2 No              | 102       | 24.34   |
| 7 Refused         | 7         | 1.67    |
| 8 Not ascertained | 48        | 11.46   |
| 9 Don't know      | 231       | 55.13   |

Frequency Missing = 31009

NAH.060\_16.000: Mother <50 when diag w/melanoma

| FHMAGE16          | Frequency | Percent |
|-------------------|-----------|---------|
| 1 Yes             | 54        | 12.11   |
| 2 No              | 104       | 23.32   |
| 7 Refused         | 7         | 1.57    |
| 8 Not ascertained | 48        | 10.76   |
| 9 Don't know      | 233       | 52.24   |

Frequency Missing = 30982

NAH.060\_17.000: Mother <50 when diag w/mouth/tongue/lip cancer

| FHMAGE17          | Frequency | Percent |
|-------------------|-----------|---------|
| 1 Yes             | 2         | 0.66    |
| 2 No              | 16        | 5.28    |
| 7 Refused         | 7         | 2.31    |
| 8 Not ascertained | 48        | 15.84   |
| 9 Don't know      | 230       | 75.91   |

Frequency Missing = 31125

NAH.060\_18.000: Mother <50 when diag w/ovarian cancer

| FHMAGE18          | Frequency | Percent |
|-------------------|-----------|---------|
| 1 Yes             | 170       | 27.11   |
| 2 No              | 168       | 26.79   |
| 7 Refused         | 7         | 1.12    |
| 8 Not ascertained | 49        | 7.81    |
| 9 Don't know      | 233       | 37.16   |

Frequency Missing = 30801

2005 National Health Interview Survey (NHIS)  
Cancer Public Use File (cancerxx)  
NAH Variables  
Unweighted Frequencies

112

Tuesday, June 13, 2006

NAH.060\_19.000: Mother <50 when diag w/pancreatic cancer

| FHMAGE19          | Frequency | Percent |
|-------------------|-----------|---------|
| 1 Yes             | 21        | 4.86    |
| 2 No              | 126       | 29.17   |
| 7 Refused         | 7         | 1.62    |
| 8 Not ascertained | 48        | 11.11   |
| 9 Don't know      | 230       | 53.24   |

Frequency Missing = 30996

NAH.060\_21.000: Mother <50 when diag w/rectal cancer

| FHMAGE21          | Frequency | Percent |
|-------------------|-----------|---------|
| 1 Yes             | 2         | 0.67    |
| 2 No              | 11        | 3.69    |
| 7 Refused         | 7         | 2.35    |
| 8 Not ascertained | 48        | 16.11   |
| 9 Don't know      | 230       | 77.18   |

Frequency Missing = 31130

NAH.060\_22.000: Mother <50 when diag w/skin (non-melanoma) cancer

| FHMAGE22          | Frequency | Percent |
|-------------------|-----------|---------|
| 1 Yes             | 76        | 13.89   |
| 2 No              | 178       | 32.54   |
| 7 Refused         | 7         | 1.28    |
| 8 Not ascertained | 48        | 8.78    |
| 9 Don't know      | 238       | 43.51   |

Frequency Missing = 30881

NAH.060\_23.000: Mother <50 when diag w/skin (DK what kind) cancer

| FHMAGE23          | Frequency | Percent |
|-------------------|-----------|---------|
| 1 Yes             | 89        | 16.45   |
| 2 No              | 163       | 30.13   |
| 7 Refused         | 7         | 1.29    |
| 8 Not ascertained | 48        | 8.87    |
| 9 Don't know      | 234       | 43.25   |

Frequency Missing = 30887



2005 National Health Interview Survey (NHIS)  
Cancer Public Use File (cancerxx)  
NAH Variables  
Unweighted Frequencies

113

Tuesday, June 13, 2006

NAH.060\_24.000: Mother <50 when diag w/soft tissue (muscle or fat) cancer

| FHMAGE24          | Frequency | Percent |
|-------------------|-----------|---------|
| 1 Yes             | 1         | 0.34    |
| 2 No              | 8         | 2.72    |
| 7 Refused         | 7         | 2.38    |
| 8 Not ascertained | 48        | 16.33   |
| 9 Don't know      | 230       | 78.23   |

Frequency Missing = 31134

NAH.060\_25.000: Mother <50 when diag w/stomach cancer

| FHMAGE25          | Frequency | Percent |
|-------------------|-----------|---------|
| 1 Yes             | 45        | 8.96    |
| 2 No              | 169       | 33.67   |
| 7 Refused         | 7         | 1.39    |
| 8 Not ascertained | 48        | 9.56    |
| 9 Don't know      | 233       | 46.41   |

Frequency Missing = 30926

NAH.060\_27.000: Mother <50 when diag w/throat-pharynx cancer

| FHMAGE27          | Frequency | Percent |
|-------------------|-----------|---------|
| 1 Yes             | 15        | 4.36    |
| 2 No              | 43        | 12.50   |
| 7 Refused         | 8         | 2.33    |
| 8 Not ascertained | 48        | 13.95   |
| 9 Don't know      | 230       | 66.86   |

Frequency Missing = 31084

NAH.060\_28.000: Mother <50 when diag w/thyroid cancer

| FHMAGE28          | Frequency | Percent |
|-------------------|-----------|---------|
| 1 Yes             | 44        | 12.32   |
| 2 No              | 26        | 7.28    |
| 7 Refused         | 7         | 1.96    |
| 8 Not ascertained | 48        | 13.45   |
| 9 Don't know      | 232       | 64.99   |

Frequency Missing = 31071

2005 National Health Interview Survey (NHIS)  
 Cancer Public Use File (cancerxx)  
 NAH Variables  
 Unweighted Frequencies

114

Tuesday, June 13, 2006

NAH.060\_29.000: Mother <50 when diag w/uterine cancer

| FHMAGE29          | Frequency | Percent |
|-------------------|-----------|---------|
| 1 Yes             | 189       | 29.30   |
| 2 No              | 169       | 26.20   |
| 7 Refused         | 7         | 1.09    |
| 8 Not ascertained | 48        | 7.44    |
| 9 Don't know      | 232       | 35.97   |

Frequency Missing = 30783

NAH.060\_30.000: Mother <50 when diag w/other kind of cancer

| FHMAGE30          | Frequency | Percent |
|-------------------|-----------|---------|
| 1 Yes             | 42        | 9.81    |
| 2 No              | 99        | 23.13   |
| 7 Refused         | 7         | 1.64    |
| 8 Not ascertained | 48        | 11.21   |
| 9 Don't know      | 232       | 54.21   |

Frequency Missing = 31000

NAH.070\_00.000: # of full brothers

| FHBNUM              | Frequency | Percent |
|---------------------|-----------|---------|
| 00 None             | 8779      | 27.93   |
| 01-20 1-20 brothers | 20028     | 63.73   |
| 21 21+              | 1         | 0.00    |
| 97 Refused          | 799       | 2.54    |
| 98 Not ascertained  | 1535      | 4.88    |
| 99 Don't know       | 286       | 0.91    |

NAH.080\_00.000: # of full brothers who ever had cancer

| FHBCAN              | Frequency | Percent |
|---------------------|-----------|---------|
| 00 None             | 17888     | 89.31   |
| 01-20 1-20 brothers | 2031      | 10.14   |
| 21 21+              | 1         | 0.00    |
| 97 Refused          | 4         | 0.02    |
| 98 Not ascertained  | 0         | 0.00    |
| 99 Don't know       | 105       | 0.52    |

Frequency Missing = 11399

2005 National Health Interview Survey (NHIS)  
Cancer Public Use File (cancerxx)  
NAH Variables  
Unweighted Frequencies

115

Tuesday, June 13, 2006

NAH.090\_01.000: What kind of cancer...bladder

| FHBTYP1           | Frequency | Percent |
|-------------------|-----------|---------|
| 1 Mentioned       | 36        | 1.77    |
| 2 Not mentioned   | 1826      | 89.86   |
| 7 Refused         | 2         | 0.10    |
| 8 Not ascertained | 0         | 0.00    |
| 9 Don't know      | 168       | 8.27    |

Frequency Missing = 29396

NAH.090\_02.000: What kind of cancer...blood

| FHBTYP2           | Frequency | Percent |
|-------------------|-----------|---------|
| 1 Mentioned       | 10        | 0.49    |
| 2 Not mentioned   | 1852      | 91.14   |
| 7 Refused         | 2         | 0.10    |
| 8 Not ascertained | 0         | 0.00    |
| 9 Don't know      | 168       | 8.27    |

Frequency Missing = 29396

NAH.090\_03.000: What kind of cancer...bone

| FHBTYP3           | Frequency | Percent |
|-------------------|-----------|---------|
| 1 Mentioned       | 69        | 3.40    |
| 2 Not mentioned   | 1793      | 88.24   |
| 7 Refused         | 2         | 0.10    |
| 8 Not ascertained | 0         | 0.00    |
| 9 Don't know      | 168       | 8.27    |

Frequency Missing = 29396

NAH.090\_04.000: What kind of cancer...brain

| FHBTYP4           | Frequency | Percent |
|-------------------|-----------|---------|
| 1 Mentioned       | 101       | 4.97    |
| 2 Not mentioned   | 1761      | 86.66   |
| 7 Refused         | 2         | 0.10    |
| 8 Not ascertained | 0         | 0.00    |
| 9 Don't know      | 168       | 8.27    |

Frequency Missing = 29396

2005 National Health Interview Survey (NHIS)  
Cancer Public Use File (cancerxx)  
NAH Variables  
Unweighted Frequencies

116

Tuesday, June 13, 2006

NAH.090\_05.000: What kind of cancer...breast

| FHBTYP5           | Frequency | Percent |
|-------------------|-----------|---------|
| 1 Mentioned       | 5         | 0.25    |
| 2 Not mentioned   | 1857      | 91.39   |
| 7 Refused         | 2         | 0.10    |
| 8 Not ascertained | 0         | 0.00    |
| 9 Don't know      | 168       | 8.27    |

Frequency Missing = 29396

NAH.090\_07.000: What kind of cancer...colon

| FHBTYP7           | Frequency | Percent |
|-------------------|-----------|---------|
| 1 Mentioned       | 228       | 11.22   |
| 2 Not mentioned   | 1634      | 80.41   |
| 7 Refused         | 2         | 0.10    |
| 8 Not ascertained | 0         | 0.00    |
| 9 Don't know      | 168       | 8.27    |

Frequency Missing = 29396

NAH.090\_08.000: What kind of cancer...esophagus

| FHBTYP8           | Frequency | Percent |
|-------------------|-----------|---------|
| 1 Mentioned       | 32        | 1.57    |
| 2 Not mentioned   | 1830      | 90.06   |
| 7 Refused         | 2         | 0.10    |
| 8 Not ascertained | 0         | 0.00    |
| 9 Don't know      | 168       | 8.27    |

Frequency Missing = 29396

NAH.090\_09.000: What kind of cancer...gall bladder

| FHBTYP9           | Frequency | Percent |
|-------------------|-----------|---------|
| 1 Mentioned       | 6         | 0.30    |
| 2 Not mentioned   | 1856      | 91.34   |
| 7 Refused         | 2         | 0.10    |
| 8 Not ascertained | 0         | 0.00    |
| 9 Don't know      | 168       | 8.27    |

Frequency Missing = 29396

2005 National Health Interview Survey (NHIS)  
Cancer Public Use File (cancerxx)  
NAH Variables  
Unweighted Frequencies

117

Tuesday, June 13, 2006

NAH.090\_10.000: What kind of cancer...kidney

| FHBTYP10          | Frequency | Percent |
|-------------------|-----------|---------|
| 1 Mentioned       | 55        | 2.71    |
| 2 Not mentioned   | 1807      | 88.93   |
| 7 Refused         | 2         | 0.10    |
| 8 Not ascertained | 0         | 0.00    |
| 9 Don't know      | 168       | 8.27    |

Frequency Missing = 29396

NAH.090\_11.000: What kind of cancer...larynx-windpipe

| FHBTYP11          | Frequency | Percent |
|-------------------|-----------|---------|
| 1 Mentioned       | 15        | 0.74    |
| 2 Not mentioned   | 1847      | 90.90   |
| 7 Refused         | 2         | 0.10    |
| 8 Not ascertained | 0         | 0.00    |
| 9 Don't know      | 168       | 8.27    |

Frequency Missing = 29396

NAH.090\_12.000: What kind of cancer...leukemia

| FHBTYP12          | Frequency | Percent |
|-------------------|-----------|---------|
| 1 Mentioned       | 110       | 5.41    |
| 2 Not mentioned   | 1752      | 86.22   |
| 7 Refused         | 2         | 0.10    |
| 8 Not ascertained | 0         | 0.00    |
| 9 Don't know      | 168       | 8.27    |

Frequency Missing = 29396

NAH.090\_13.000: What kind of cancer...liver

| FHBTYP13          | Frequency | Percent |
|-------------------|-----------|---------|
| 1 Mentioned       | 81        | 3.99    |
| 2 Not mentioned   | 1781      | 87.65   |
| 7 Refused         | 2         | 0.10    |
| 8 Not ascertained | 0         | 0.00    |
| 9 Don't know      | 168       | 8.27    |

Frequency Missing = 29396

2005 National Health Interview Survey (NHIS)  
Cancer Public Use File (cancerxx)  
NAH Variables  
Unweighted Frequencies

118

Tuesday, June 13, 2006

NAH.090\_14.000: What kind of cancer...lung

| FHBTYP14          | Frequency | Percent |
|-------------------|-----------|---------|
| 1 Mentioned       | 354       | 17.42   |
| 2 Not mentioned   | 1508      | 74.21   |
| 7 Refused         | 2         | 0.10    |
| 8 Not ascertained | 0         | 0.00    |
| 9 Don't know      | 168       | 8.27    |

Frequency Missing = 29396

NAH.090\_15.000: What kind of cancer...lymphoma

| FHBTYP15          | Frequency | Percent |
|-------------------|-----------|---------|
| 1 Mentioned       | 83        | 4.08    |
| 2 Not mentioned   | 1779      | 87.55   |
| 7 Refused         | 2         | 0.10    |
| 8 Not ascertained | 0         | 0.00    |
| 9 Don't know      | 168       | 8.27    |

Frequency Missing = 29396

NAH.090\_16.000: What kind of cancer...melanoma

| FHBTYP16          | Frequency | Percent |
|-------------------|-----------|---------|
| 1 Mentioned       | 81        | 3.99    |
| 2 Not mentioned   | 1781      | 87.65   |
| 7 Refused         | 2         | 0.10    |
| 8 Not ascertained | 0         | 0.00    |
| 9 Don't know      | 168       | 8.27    |

Frequency Missing = 29396

NAH.090\_17.000: What kind of cancer...mouth/tongue/lip

| FHBTYP17          | Frequency | Percent |
|-------------------|-----------|---------|
| 1 Mentioned       | 15        | 0.74    |
| 2 Not mentioned   | 1847      | 90.90   |
| 7 Refused         | 2         | 0.10    |
| 8 Not ascertained | 0         | 0.00    |
| 9 Don't know      | 168       | 8.27    |

Frequency Missing = 29396

2005 National Health Interview Survey (NHIS)  
Cancer Public Use File (cancerxx)  
NAH Variables  
Unweighted Frequencies

119

Tuesday, June 13, 2006

NAH.090\_19.000: What kind of cancer...pancreas

| FHBTYP19          | Frequency | Percent |
|-------------------|-----------|---------|
| 1 Mentioned       | 49        | 2.41    |
| 2 Not mentioned   | 1813      | 89.22   |
| 7 Refused         | 2         | 0.10    |
| 8 Not ascertained | 0         | 0.00    |
| 9 Don't know      | 168       | 8.27    |

Frequency Missing = 29396

NAH.090\_20.000: What kind of cancer...prostate

| FHBTYP20          | Frequency | Percent |
|-------------------|-----------|---------|
| 1 Mentioned       | 333       | 16.39   |
| 2 Not mentioned   | 1529      | 75.25   |
| 7 Refused         | 2         | 0.10    |
| 8 Not ascertained | 0         | 0.00    |
| 9 Don't know      | 168       | 8.27    |

Frequency Missing = 29396

NAH.090\_21.000: What kind of cancer...rectum

| FHBTYP21          | Frequency | Percent |
|-------------------|-----------|---------|
| 1 Mentioned       | 12        | 0.59    |
| 2 Not mentioned   | 1850      | 91.04   |
| 7 Refused         | 2         | 0.10    |
| 8 Not ascertained | 0         | 0.00    |
| 9 Don't know      | 168       | 8.27    |

Frequency Missing = 29396

NAH.090\_22.000: What kind of cancer...skin (non-melanoma)

| FHBTYP22          | Frequency | Percent |
|-------------------|-----------|---------|
| 1 Mentioned       | 86        | 4.23    |
| 2 Not mentioned   | 1776      | 87.40   |
| 7 Refused         | 2         | 0.10    |
| 8 Not ascertained | 0         | 0.00    |
| 9 Don't know      | 168       | 8.27    |

Frequency Missing = 29396

2005 National Health Interview Survey (NHIS)  
Cancer Public Use File (cancerxx)  
NAH Variables  
Unweighted Frequencies

120

Tuesday, June 13, 2006

NAH.090\_23.000: What kind of cancer...skin (DK what kind)

| FHBTYP23          | Frequency | Percent |
|-------------------|-----------|---------|
| 1 Mentioned       | 111       | 5.46    |
| 2 Not mentioned   | 1751      | 86.17   |
| 7 Refused         | 2         | 0.10    |
| 8 Not ascertained | 0         | 0.00    |
| 9 Don't know      | 168       | 8.27    |

Frequency Missing = 29396

NAH.090\_24.000: What kind of cancer...soft tissue (muscle or fat)

| FHBTYP24          | Frequency | Percent |
|-------------------|-----------|---------|
| 1 Mentioned       | 8         | 0.39    |
| 2 Not mentioned   | 1854      | 91.24   |
| 7 Refused         | 2         | 0.10    |
| 8 Not ascertained | 0         | 0.00    |
| 9 Don't know      | 168       | 8.27    |

Frequency Missing = 29396

NAH.090\_25.000: What kind of cancer...stomach

| FHBTYP25          | Frequency | Percent |
|-------------------|-----------|---------|
| 1 Mentioned       | 101       | 4.97    |
| 2 Not mentioned   | 1761      | 86.66   |
| 7 Refused         | 2         | 0.10    |
| 8 Not ascertained | 0         | 0.00    |
| 9 Don't know      | 168       | 8.27    |

Frequency Missing = 29396

NAH.090\_26.000: What kind of cancer...testis

| FHBTYP26          | Frequency | Percent |
|-------------------|-----------|---------|
| 1 Mentioned       | 42        | 2.07    |
| 2 Not mentioned   | 1820      | 89.57   |
| 7 Refused         | 2         | 0.10    |
| 8 Not ascertained | 0         | 0.00    |
| 9 Don't know      | 168       | 8.27    |

Frequency Missing = 29396



2005 National Health Interview Survey (NHIS)  
Cancer Public Use File (cancerxx)  
NAH Variables  
Unweighted Frequencies

121

Tuesday, June 13, 2006

NAH.090\_27.000: What kind of cancer...throat-pharynx

| FHBTYP27          | Frequency | Percent |
|-------------------|-----------|---------|
| 1 Mentioned       | 69        | 3.40    |
| 2 Not mentioned   | 1793      | 88.24   |
| 7 Refused         | 2         | 0.10    |
| 8 Not ascertained | 0         | 0.00    |
| 9 Don't know      | 168       | 8.27    |

Frequency Missing = 29396

NAH.090\_28.000: What kind of cancer...thyroid

| FHBTYP28          | Frequency | Percent |
|-------------------|-----------|---------|
| 1 Mentioned       | 19        | 0.94    |
| 2 Not mentioned   | 1843      | 90.70   |
| 7 Refused         | 2         | 0.10    |
| 8 Not ascertained | 0         | 0.00    |
| 9 Don't know      | 168       | 8.27    |

Frequency Missing = 29396

NAH.090\_30.000: What kind of cancer . . . Other

| FHBTYP30          | Frequency | Percent |
|-------------------|-----------|---------|
| 1 Mentioned       | 74        | 3.64    |
| 2 Not mentioned   | 1788      | 87.99   |
| 7 Refused         | 2         | 0.10    |
| 8 Not ascertained | 0         | 0.00    |
| 9 Don't know      | 168       | 8.27    |

Frequency Missing = 29396

NAH.090\_31.000: What kind of cancer...more than 3 kinds

| FHBTYP31          | Frequency | Percent |
|-------------------|-----------|---------|
| 1 Mentioned       | 9         | 14.52   |
| 2 Not mentioned   | 53        | 85.48   |
| 7 Refused         | 0         | 0.00    |
| 8 Not ascertained | 0         | 0.00    |
| 9 Don't know      | 0         | 0.00    |

Frequency Missing = 31366

2005 National Health Interview Survey (NHIS)  
 Cancer Public Use File (cancerxx)  
 NAH Variables  
 Unweighted Frequencies

122

Tuesday, June 13, 2006

NAH.097\_01.000: Number of brothers diagnosed w/bladder cancer

| FHBMAN01            | Frequency | Percent |
|---------------------|-----------|---------|
| 01-20 1-20 brothers | 36        | 17.48   |
| 21 21+              | 0         | 0.00    |
| 97 Refused          | 2         | 0.97    |
| 98 Not ascertained  | 0         | 0.00    |
| 99 Don't know       | 168       | 81.55   |

Frequency Missing = 31222

NAH.097\_02.000: Number of brothers diagnosed w/blood cancer

| FHBMAN02            | Frequency | Percent |
|---------------------|-----------|---------|
| 01-20 1-20 brothers | 10        | 5.56    |
| 21 21+              | 0         | 0.00    |
| 97 Refused          | 2         | 1.11    |
| 98 Not ascertained  | 0         | 0.00    |
| 99 Don't know       | 168       | 93.33   |

Frequency Missing = 31248

NAH.097\_03.000: Number of brothers diagnosed w/bone cancer

| FHBMAN03            | Frequency | Percent |
|---------------------|-----------|---------|
| 01-20 1-20 brothers | 69        | 28.87   |
| 21 21+              | 0         | 0.00    |
| 97 Refused          | 2         | 0.84    |
| 98 Not ascertained  | 0         | 0.00    |
| 99 Don't know       | 168       | 70.29   |

Frequency Missing = 31189

NAH.097\_04.000: Number of brothers diagnosed w/brain cancer

| FHBMAN04            | Frequency | Percent |
|---------------------|-----------|---------|
| 01-20 1-20 brothers | 100       | 36.90   |
| 21 21+              | 0         | 0.00    |
| 97 Refused          | 2         | 0.74    |
| 98 Not ascertained  | 0         | 0.00    |
| 99 Don't know       | 169       | 62.36   |

Frequency Missing = 31157

2005 National Health Interview Survey (NHIS)  
Cancer Public Use File (cancerxx)  
NAH Variables  
Unweighted Frequencies

123

Tuesday, June 13, 2006

NAH.097\_05.000: Number of brothers diagnosed w/breast cancer

| FHBMAN05            | Frequency | Percent |
|---------------------|-----------|---------|
| 01-20 1-20 brothers | 5         | 2.86    |
| 21 21+              | 0         | 0.00    |
| 97 Refused          | 2         | 1.14    |
| 98 Not ascertained  | 0         | 0.00    |
| 99 Don't know       | 168       | 96.00   |

Frequency Missing = 31253

NAH.097\_07.000: Number of brothers diagnosed w/colon cancer

| FHBMAN07            | Frequency | Percent |
|---------------------|-----------|---------|
| 01-20 1-20 brothers | 227       | 57.04   |
| 21 21+              | 0         | 0.00    |
| 97 Refused          | 2         | 0.50    |
| 98 Not ascertained  | 0         | 0.00    |
| 99 Don't know       | 169       | 42.46   |

Frequency Missing = 31030

NAH.097\_08.000: Number of brothers diagnosed w/esophageal cancer

| FHBMAN08            | Frequency | Percent |
|---------------------|-----------|---------|
| 01-20 1-20 brothers | 32        | 15.84   |
| 21 21+              | 0         | 0.00    |
| 97 Refused          | 2         | 0.99    |
| 98 Not ascertained  | 0         | 0.00    |
| 99 Don't know       | 168       | 83.17   |

Frequency Missing = 31226

NAH.097\_09.000: Number of brothers diagnosed w/gall bladder cancer

| FHBMAN09            | Frequency | Percent |
|---------------------|-----------|---------|
| 01-20 1-20 brothers | 6         | 3.41    |
| 21 21+              | 0         | 0.00    |
| 97 Refused          | 2         | 1.14    |
| 98 Not ascertained  | 0         | 0.00    |
| 99 Don't know       | 168       | 95.45   |

Frequency Missing = 31252

2005 National Health Interview Survey (NHIS)  
Cancer Public Use File (cancerxx)  
NAH Variables  
Unweighted Frequencies

124

Tuesday, June 13, 2006

NAH.097\_10.000: Number of brothers diagnosed w/kidney cancer

| FHBMAN10            | Frequency | Percent |
|---------------------|-----------|---------|
| 01-20 1-20 brothers | 55        | 24.44   |
| 21 21+              | 0         | 0.00    |
| 97 Refused          | 2         | 0.89    |
| 98 Not ascertained  | 0         | 0.00    |
| 99 Don't know       | 168       | 74.67   |

Frequency Missing = 31203

NAH.097\_11.000: Number of brothers diagnosed w/larynx-windpipe cancer

| FHBMAN11            | Frequency | Percent |
|---------------------|-----------|---------|
| 01-20 1-20 brothers | 15        | 8.11    |
| 21 21+              | 0         | 0.00    |
| 97 Refused          | 2         | 1.08    |
| 98 Not ascertained  | 0         | 0.00    |
| 99 Don't know       | 168       | 90.81   |

Frequency Missing = 31243

NAH.097\_12.000: Number of brothers diagnosed w/leukemia

| FHBMAN12            | Frequency | Percent |
|---------------------|-----------|---------|
| 01-20 1-20 brothers | 110       | 39.29   |
| 21 21+              | 0         | 0.00    |
| 97 Refused          | 2         | 0.71    |
| 98 Not ascertained  | 0         | 0.00    |
| 99 Don't know       | 168       | 60.00   |

Frequency Missing = 31148

NAH.097\_13.000: Number of brothers diagnosed w/liver cancer

| FHBMAN13            | Frequency | Percent |
|---------------------|-----------|---------|
| 01-20 1-20 brothers | 81        | 32.27   |
| 21 21+              | 0         | 0.00    |
| 97 Refused          | 2         | 0.80    |
| 98 Not ascertained  | 0         | 0.00    |
| 99 Don't know       | 168       | 66.93   |

Frequency Missing = 31177

2005 National Health Interview Survey (NHIS)  
Cancer Public Use File (cancerxx)  
NAH Variables  
Unweighted Frequencies

125

Tuesday, June 13, 2006

NAH.097\_14.000: Number of brothers diagnosed w/lung cancer

| FHBMAN14            | Frequency | Percent |
|---------------------|-----------|---------|
| 01-20 1-20 brothers | 353       | 67.37   |
| 21 21+              | 0         | 0.00    |
| 97 Refused          | 2         | 0.38    |
| 98 Not ascertained  | 0         | 0.00    |
| 99 Don't know       | 169       | 32.25   |

Frequency Missing = 30904

NAH.097\_15.000: Number of brothers diagnosed w/lymphoma

| FHBMAN15            | Frequency | Percent |
|---------------------|-----------|---------|
| 01-20 1-20 brothers | 83        | 32.81   |
| 21 21+              | 0         | 0.00    |
| 97 Refused          | 2         | 0.79    |
| 98 Not ascertained  | 0         | 0.00    |
| 99 Don't know       | 168       | 66.40   |

Frequency Missing = 31175

NAH.097\_16.000: Number of brothers diagnosed w/melanoma

| FHBMAN16            | Frequency | Percent |
|---------------------|-----------|---------|
| 01-20 1-20 brothers | 81        | 32.27   |
| 21 21+              | 0         | 0.00    |
| 97 Refused          | 2         | 0.80    |
| 98 Not ascertained  | 0         | 0.00    |
| 99 Don't know       | 168       | 66.93   |

Frequency Missing = 31177

NAH.097\_17.000: Number of brothers diagnosed w/mouth/tongue/lip cancer

| FHBMAN17            | Frequency | Percent |
|---------------------|-----------|---------|
| 01-20 1-20 brothers | 15        | 8.11    |
| 21 21+              | 0         | 0.00    |
| 97 Refused          | 2         | 1.08    |
| 98 Not ascertained  | 0         | 0.00    |
| 99 Don't know       | 168       | 90.81   |

Frequency Missing = 31243

2005 National Health Interview Survey (NHIS)  
Cancer Public Use File (cancerxx)  
NAH Variables  
Unweighted Frequencies

126

Tuesday, June 13, 2006

NAH.097\_19.000: Number of brothers diagnosed w/pancreatic cancer

| FHBMAN19            | Frequency | Percent |
|---------------------|-----------|---------|
| 01-20 1-20 brothers | 49        | 22.37   |
| 21 21+              | 0         | 0.00    |
| 97 Refused          | 2         | 0.91    |
| 98 Not ascertained  | 0         | 0.00    |
| 99 Don't know       | 168       | 76.71   |

Frequency Missing = 31209

NAH.097\_20.000: Number of brothers diagnosed w/prostate cancer

| FHBMAN20            | Frequency | Percent |
|---------------------|-----------|---------|
| 01-20 1-20 brothers | 332       | 66.00   |
| 21 21+              | 0         | 0.00    |
| 97 Refused          | 2         | 0.40    |
| 98 Not ascertained  | 0         | 0.00    |
| 99 Don't know       | 169       | 33.60   |

Frequency Missing = 30925

NAH.097\_21.000: Number of brothers diagnosed w/rectal cancer

| FHBMAN21            | Frequency | Percent |
|---------------------|-----------|---------|
| 01-20 1-20 brothers | 12        | 6.59    |
| 21 21+              | 0         | 0.00    |
| 97 Refused          | 2         | 1.10    |
| 98 Not ascertained  | 0         | 0.00    |
| 99 Don't know       | 168       | 92.31   |

Frequency Missing = 31246

NAH.097\_22.000: Number of brothers diagnosed w/skin (non-melanoma) cancer

| FHBMAN22            | Frequency | Percent |
|---------------------|-----------|---------|
| 01-20 1-20 brothers | 86        | 33.59   |
| 21 21+              | 0         | 0.00    |
| 97 Refused          | 2         | 0.78    |
| 98 Not ascertained  | 0         | 0.00    |
| 99 Don't know       | 168       | 65.63   |

Frequency Missing = 31172

2005 National Health Interview Survey (NHIS)  
 Cancer Public Use File (cancerxx)  
 NAH Variables  
 Unweighted Frequencies

127

Tuesday, June 13, 2006

NAH.097\_23.000: Number of brothers diagnosed w/skin (DK what kind) cancer

| FHBMAN23            | Frequency | Percent |
|---------------------|-----------|---------|
| 01-20 1-20 brothers | 109       | 38.79   |
| 21 21+              | 0         | 0.00    |
| 97 Refused          | 2         | 0.71    |
| 98 Not ascertained  | 0         | 0.00    |
| 99 Don't know       | 170       | 60.50   |

Frequency Missing = 31147

NAH.097\_24.000: Number of brothers diagnosed  
 w/soft tissue (muscle or fat) cancer

| FHBMAN24            | Frequency | Percent |
|---------------------|-----------|---------|
| 01-20 1-20 brothers | 8         | 4.49    |
| 21 21+              | 0         | 0.00    |
| 97 Refused          | 2         | 1.12    |
| 98 Not ascertained  | 0         | 0.00    |
| 99 Don't know       | 168       | 94.38   |

Frequency Missing = 31250

NAH.097\_25.000: Number of brothers diagnosed w/stomach cancer

| FHBMAN25            | Frequency | Percent |
|---------------------|-----------|---------|
| 01-20 1-20 brothers | 101       | 37.27   |
| 21 21+              | 0         | 0.00    |
| 97 Refused          | 2         | 0.74    |
| 98 Not ascertained  | 0         | 0.00    |
| 99 Don't know       | 168       | 61.99   |

Frequency Missing = 31157

NAH.097\_26.000: Number of brothers diagnosed w/testicular cancer

| FHBMAN26            | Frequency | Percent |
|---------------------|-----------|---------|
| 01-20 1-20 brothers | 42        | 19.81   |
| 21 21+              | 0         | 0.00    |
| 97 Refused          | 2         | 0.94    |
| 98 Not ascertained  | 0         | 0.00    |
| 99 Don't know       | 168       | 79.25   |

Frequency Missing = 31216

2005 National Health Interview Survey (NHIS)  
 Cancer Public Use File (cancerxx)  
 NAH Variables  
 Unweighted Frequencies

128

Tuesday, June 13, 2006

NAH.097\_27.000: Number of brothers diagnosed w/throat-pharynx cancer

| FHBMAN27            | Frequency | Percent |
|---------------------|-----------|---------|
| 01-20 1-20 brothers | 69        | 28.87   |
| 21 21+              | 0         | 0.00    |
| 97 Refused          | 2         | 0.84    |
| 98 Not ascertained  | 0         | 0.00    |
| 99 Don't know       | 168       | 70.29   |

Frequency Missing = 31189

NAH.097\_28.000: Number of brothers diagnosed w/thyroid cancer

| FHBMAN28            | Frequency | Percent |
|---------------------|-----------|---------|
| 01-20 1-20 brothers | 19        | 10.05   |
| 21 21+              | 0         | 0.00    |
| 97 Refused          | 2         | 1.06    |
| 98 Not ascertained  | 0         | 0.00    |
| 99 Don't know       | 168       | 88.89   |

Frequency Missing = 31239

NAH.097\_30.000: Number of brothers diagnosed w/other kind of cancer

| FHBMAN30            | Frequency | Percent |
|---------------------|-----------|---------|
| 01-20 1-20 brothers | 72        | 29.51   |
| 21 21+              | 0         | 0.00    |
| 97 Refused          | 2         | 0.82    |
| 98 Not ascertained  | 0         | 0.00    |
| 99 Don't know       | 170       | 69.67   |

Frequency Missing = 31184

NAH.098\_01.000: Number of brothers <50 when diagnosed w/bladder cancer

| FHBAGE01            | Frequency | Percent |
|---------------------|-----------|---------|
| 00 None             | 26        | 12.62   |
| 01-20 1-20 brothers | 10        | 4.85    |
| 21 21+              | 0         | 0.00    |
| 97 Refused          | 2         | 0.97    |
| 98 Not ascertained  | 0         | 0.00    |
| 99 Don't know       | 168       | 81.55   |

Frequency Missing = 31222



2005 National Health Interview Survey (NHIS)  
Cancer Public Use File (cancerxx)  
NAH Variables  
Unweighted Frequencies

129

Tuesday, June 13, 2006

NAH.098\_02.000: Number of brothers <50 when diagnosed w/blood cancer

| FHBAGE02            | Frequency | Percent |
|---------------------|-----------|---------|
| 00 None             | 3         | 1.67    |
| 01-20 1-20 brothers | 7         | 3.89    |
| 21 21+              | 0         | 0.00    |
| 97 Refused          | 2         | 1.11    |
| 98 Not ascertained  | 0         | 0.00    |
| 99 Don't know       | 168       | 93.33   |

Frequency Missing = 31248

NAH.098\_03.000: Number of brothers <50 when diagnosed w/bone cancer

| FHBAGE03            | Frequency | Percent |
|---------------------|-----------|---------|
| 00 None             | 43        | 17.99   |
| 01-20 1-20 brothers | 24        | 10.04   |
| 21 21+              | 0         | 0.00    |
| 97 Refused          | 2         | 0.84    |
| 98 Not ascertained  | 0         | 0.00    |
| 99 Don't know       | 170       | 71.13   |

Frequency Missing = 31189

NAH.098\_04.000: Number of brothers <50 when diagnosed w/brain cancer

| FHBAGE04            | Frequency | Percent |
|---------------------|-----------|---------|
| 00 None             | 58        | 21.40   |
| 01-20 1-20 brothers | 41        | 15.13   |
| 21 21+              | 0         | 0.00    |
| 97 Refused          | 2         | 0.74    |
| 98 Not ascertained  | 0         | 0.00    |
| 99 Don't know       | 170       | 62.73   |

Frequency Missing = 31157

NAH.098\_05.000: Number of brothers <50 when diagnosed w/breast cancer

| FHBAGE05            | Frequency | Percent |
|---------------------|-----------|---------|
| 00 None             | 1         | 0.57    |
| 01-20 1-20 brothers | 4         | 2.29    |
| 21 21+              | 0         | 0.00    |
| 97 Refused          | 2         | 1.14    |
| 98 Not ascertained  | 0         | 0.00    |
| 99 Don't know       | 168       | 96.00   |

Frequency Missing = 31253

2005 National Health Interview Survey (NHIS)  
Cancer Public Use File (cancerxx)  
NAH Variables  
Unweighted Frequencies

130

Tuesday, June 13, 2006

NAH.098\_07.000: Number of brothers <50 when diagnosed w/colon cancer

| FHBAGE07            | Frequency | Percent |
|---------------------|-----------|---------|
| 00 None             | 163       | 40.95   |
| 01-20 1-20 brothers | 57        | 14.32   |
| 21 21+              | 0         | 0.00    |
| 97 Refused          | 2         | 0.50    |
| 98 Not ascertained  | 0         | 0.00    |
| 99 Don't know       | 176       | 44.22   |

Frequency Missing = 31030

NAH.098\_08.000: Number of brothers <50 when diagnosed w/esophageal cancer

| FHBAGE08            | Frequency | Percent |
|---------------------|-----------|---------|
| 00 None             | 25        | 12.38   |
| 01-20 1-20 brothers | 7         | 3.47    |
| 21 21+              | 0         | 0.00    |
| 97 Refused          | 2         | 0.99    |
| 98 Not ascertained  | 0         | 0.00    |
| 99 Don't know       | 168       | 83.17   |

Frequency Missing = 31226

NAH.098\_09.000: Number of brothers <50 when diagnosed w/gall bladder cancer

| FHBAGE09            | Frequency | Percent |
|---------------------|-----------|---------|
| 00 None             | 6         | 3.41    |
| 01-20 1-20 brothers | 0         | 0.00    |
| 21 21+              | 0         | 0.00    |
| 97 Refused          | 2         | 1.14    |
| 98 Not ascertained  | 0         | 0.00    |
| 99 Don't know       | 168       | 95.45   |

Frequency Missing = 31252

NAH.098\_10.000: Number of brothers <50 when diagnosed w/kidney cancer

| FHBAGE10            | Frequency | Percent |
|---------------------|-----------|---------|
| 00 None             | 36        | 16.00   |
| 01-20 1-20 brothers | 18        | 8.00    |
| 21 21+              | 0         | 0.00    |
| 97 Refused          | 2         | 0.89    |
| 98 Not ascertained  | 0         | 0.00    |
| 99 Don't know       | 169       | 75.11   |

Frequency Missing = 31203

2005 National Health Interview Survey (NHIS)  
 Cancer Public Use File (cancerxx)  
 NAH Variables  
 Unweighted Frequencies

131

Tuesday, June 13, 2006

NAH.098\_11.000: Number of brothers <50 when diagnosed w/larynx-windpipe cancer

| FHBAGE11            | Frequency | Percent |
|---------------------|-----------|---------|
| 00 None             | 11        | 5.95    |
| 01-20 1-20 brothers | 4         | 2.16    |
| 21 21+              | 0         | 0.00    |
| 97 Refused          | 2         | 1.08    |
| 98 Not ascertained  | 0         | 0.00    |
| 99 Don't know       | 168       | 90.81   |

Frequency Missing = 31243

NAH.098\_12.000: Number of brothers <50 when diagnosed w/leukemia

| FHBAGE12            | Frequency | Percent |
|---------------------|-----------|---------|
| 00 None             | 43        | 15.36   |
| 01-20 1-20 brothers | 66        | 23.57   |
| 21 21+              | 0         | 0.00    |
| 97 Refused          | 2         | 0.71    |
| 98 Not ascertained  | 0         | 0.00    |
| 99 Don't know       | 169       | 60.36   |

Frequency Missing = 31148

NAH.098\_13.000: Number of brothers <50 when diagnosed w/liver cancer

| FHBAGE13            | Frequency | Percent |
|---------------------|-----------|---------|
| 00 None             | 49        | 19.52   |
| 01-20 1-20 brothers | 31        | 12.35   |
| 21 21+              | 0         | 0.00    |
| 97 Refused          | 2         | 0.80    |
| 98 Not ascertained  | 0         | 0.00    |
| 99 Don't know       | 169       | 67.33   |

Frequency Missing = 31177

NAH.098\_14.000: Number of brothers <50 when diagnosed w/lung cancer

| FHBAGE14            | Frequency | Percent |
|---------------------|-----------|---------|
| 00 None             | 237       | 45.23   |
| 01-20 1-20 brothers | 106       | 20.23   |
| 21 21+              | 0         | 0.00    |
| 97 Refused          | 2         | 0.38    |
| 98 Not ascertained  | 1         | 0.19    |
| 99 Don't know       | 178       | 33.97   |

Frequency Missing = 30904

2005 National Health Interview Survey (NHIS)  
Cancer Public Use File (cancerxx)  
NAH Variables  
Unweighted Frequencies

132

Tuesday, June 13, 2006

NAH.098\_15.000: Number of brothers <50 when diagnosed w/lymphoma

| FHBAGE15            | Frequency | Percent |
|---------------------|-----------|---------|
| 00 None             | 29        | 11.46   |
| 01-20 1-20 brothers | 53        | 20.95   |
| 21 21+              | 0         | 0.00    |
| 97 Refused          | 2         | 0.79    |
| 98 Not ascertained  | 0         | 0.00    |
| 99 Don't know       | 169       | 66.80   |

Frequency Missing = 31175

NAH.098\_16.000: Number of brothers <50 when diagnosed w/melanoma

| FHBAGE16            | Frequency | Percent |
|---------------------|-----------|---------|
| 00 None             | 34        | 13.55   |
| 01-20 1-20 brothers | 47        | 18.73   |
| 21 21+              | 0         | 0.00    |
| 97 Refused          | 2         | 0.80    |
| 98 Not ascertained  | 0         | 0.00    |
| 99 Don't know       | 168       | 66.93   |

Frequency Missing = 31177

NAH.098\_17.000: Number of brothers <50 when diagnosed w/mouth/tongue/lip cancer

| FHBAGE17            | Frequency | Percent |
|---------------------|-----------|---------|
| 00 None             | 8         | 4.32    |
| 01-20 1-20 brothers | 7         | 3.78    |
| 21 21+              | 0         | 0.00    |
| 97 Refused          | 2         | 1.08    |
| 98 Not ascertained  | 0         | 0.00    |
| 99 Don't know       | 168       | 90.81   |

Frequency Missing = 31243

NAH.098\_19.000: Number of brothers <50 when diagnosed w/pancreatic cancer

| FHBAGE19            | Frequency | Percent |
|---------------------|-----------|---------|
| 00 None             | 39        | 17.81   |
| 01-20 1-20 brothers | 10        | 4.57    |
| 21 21+              | 0         | 0.00    |
| 97 Refused          | 2         | 0.91    |
| 98 Not ascertained  | 0         | 0.00    |
| 99 Don't know       | 168       | 76.71   |

Frequency Missing = 31209

2005 National Health Interview Survey (NHIS)  
 Cancer Public Use File (cancerxx)  
 NAH Variables  
 Unweighted Frequencies

133

Tuesday, June 13, 2006

NAH.098\_20.000: Number of brothers <50 when diagnosed w/prostate cancer

| FHBAGE20            | Frequency | Percent |
|---------------------|-----------|---------|
| 00 None             | 250       | 49.70   |
| 01-20 1-20 brothers | 74        | 14.71   |
| 21 21+              | 0         | 0.00    |
| 97 Refused          | 2         | 0.40    |
| 98 Not ascertained  | 0         | 0.00    |
| 99 Don't know       | 177       | 35.19   |

Frequency Missing = 30925

NAH.098\_21.000: Number of brothers <50 when diagnosed w/rectal cancer

| FHBAGE21            | Frequency | Percent |
|---------------------|-----------|---------|
| 00 None             | 9         | 4.95    |
| 01-20 1-20 brothers | 2         | 1.10    |
| 21 21+              | 0         | 0.00    |
| 97 Refused          | 2         | 1.10    |
| 98 Not ascertained  | 0         | 0.00    |
| 99 Don't know       | 169       | 92.86   |

Frequency Missing = 31246

NAH.098\_22.000: Number of brothers <50 when  
 diagnosed w/skin (non-melanoma) cancer

| FHBAGE22            | Frequency | Percent |
|---------------------|-----------|---------|
| 00 None             | 41        | 16.02   |
| 01-20 1-20 brothers | 44        | 17.19   |
| 21 21+              | 0         | 0.00    |
| 97 Refused          | 2         | 0.78    |
| 98 Not ascertained  | 0         | 0.00    |
| 99 Don't know       | 169       | 66.02   |

Frequency Missing = 31172

NAH.098\_23.000: Number of brothers <50 when  
 diagnosed w/skin (DK what kind) cancer

| FHBAGE23            | Frequency | Percent |
|---------------------|-----------|---------|
| 00 None             | 55        | 19.57   |
| 01-20 1-20 brothers | 51        | 18.15   |
| 21 21+              | 0         | 0.00    |
| 97 Refused          | 2         | 0.71    |
| 98 Not ascertained  | 0         | 0.00    |
| 99 Don't know       | 173       | 61.57   |

Frequency Missing = 31147

2005 National Health Interview Survey (NHIS)  
 Cancer Public Use File (cancerxx)  
 NAH Variables  
 Unweighted Frequencies

134

Tuesday, June 13, 2006

NAH.098\_24.000: Number of brothers <50 when diagnosed  
 w/soft tissue (muscle or fat) cancer

| FHBAGE24            | Frequency | Percent |
|---------------------|-----------|---------|
| 00 None             | 4         | 2.25    |
| 01-20 1-20 brothers | 4         | 2.25    |
| 21 21+              | 0         | 0.00    |
| 97 Refused          | 2         | 1.12    |
| 98 Not ascertained  | 0         | 0.00    |
| 99 Don't know       | 168       | 94.38   |

Frequency Missing = 31250

NAH.098\_25.000: Number of brothers <50 when diagnosed w/stomach cancer

| FHBAGE25            | Frequency | Percent |
|---------------------|-----------|---------|
| 00 None             | 56        | 20.66   |
| 01-20 1-20 brothers | 43        | 15.87   |
| 21 21+              | 0         | 0.00    |
| 97 Refused          | 2         | 0.74    |
| 98 Not ascertained  | 0         | 0.00    |
| 99 Don't know       | 170       | 62.73   |

Frequency Missing = 31157

NAH.098\_26.000: Number of brothers <50 when diagnosed w/testicular cancer

| FHBAGE26            | Frequency | Percent |
|---------------------|-----------|---------|
| 00 None             | 8         | 3.77    |
| 01-20 1-20 brothers | 34        | 16.04   |
| 21 21+              | 0         | 0.00    |
| 97 Refused          | 2         | 0.94    |
| 98 Not ascertained  | 0         | 0.00    |
| 99 Don't know       | 168       | 79.25   |

Frequency Missing = 31216

NAH.098\_27.000: Number of brothers <50 when diagnosed w/throat-pharynx cancer

| FHBAGE27            | Frequency | Percent |
|---------------------|-----------|---------|
| 00 None             | 37        | 15.48   |
| 01-20 1-20 brothers | 30        | 12.55   |
| 21 21+              | 0         | 0.00    |
| 97 Refused          | 2         | 0.84    |
| 98 Not ascertained  | 0         | 0.00    |
| 99 Don't know       | 170       | 71.13   |

Frequency Missing = 31189

2005 National Health Interview Survey (NHIS)  
 Cancer Public Use File (cancerxx)  
 NAH Variables  
 Unweighted Frequencies

135

Tuesday, June 13, 2006

NAH.098\_28.000: Number of brothers <50 when diagnosed w/thyroid cancer

| FHBAGE28            | Frequency | Percent |
|---------------------|-----------|---------|
| 00 None             | 5         | 2.65    |
| 01-20 1-20 brothers | 14        | 7.41    |
| 21 21+              | 0         | 0.00    |
| 97 Refused          | 2         | 1.06    |
| 98 Not ascertained  | 0         | 0.00    |
| 99 Don't know       | 168       | 88.89   |

Frequency Missing = 31239

NAH.098\_30.000: Number of brothers <50 when diagnosed w/other kind of cancer

| FHBAGE30            | Frequency | Percent |
|---------------------|-----------|---------|
| 00 None             | 35        | 14.34   |
| 01-20 1-20 brothers | 38        | 15.57   |
| 21 21+              | 0         | 0.00    |
| 97 Refused          | 2         | 0.82    |
| 98 Not ascertained  | 0         | 0.00    |
| 99 Don't know       | 169       | 69.26   |

Frequency Missing = 31184

NAH.100\_00.000: # of full sisters

| FHSNUM             | Frequency | Percent |
|--------------------|-----------|---------|
| 00 None            | 9379      | 29.84   |
| 01-20 1-20 sisters | 19424     | 61.80   |
| 21 21+             | 1         | 0.00    |
| 97 Refused         | 803       | 2.56    |
| 98 Not ascertained | 1538      | 4.89    |
| 99 Don't know      | 283       | 0.90    |

NAH.110\_00.000: # of full sisters who ever had cancer

| FHSCAN             | Frequency | Percent |
|--------------------|-----------|---------|
| 00 None            | 16715     | 86.05   |
| 01-20 1-20 sisters | 2587      | 13.32   |
| 21 21+             | 0         | 0.00    |
| 97 Refused         | 3         | 0.02    |
| 98 Not ascertained | 0         | 0.00    |
| 99 Don't know      | 120       | 0.62    |

Frequency Missing = 12003

2005 National Health Interview Survey (NHIS)  
Cancer Public Use File (cancerxx)  
NAH Variables  
Unweighted Frequencies

136

Tuesday, June 13, 2006

NAH.120\_01.000: What kind of cancer...bladder

| FHSTYP1           | Frequency | Percent |
|-------------------|-----------|---------|
| 1 Mentioned       | 20        | 0.77    |
| 2 Not mentioned   | 2403      | 92.89   |
| 7 Refused         | 4         | 0.15    |
| 8 Not ascertained | 0         | 0.00    |
| 9 Don't know      | 160       | 6.18    |

Frequency Missing = 28841

NAH.120\_02.000: What kind of cancer...blood

| FHSTYP2           | Frequency | Percent |
|-------------------|-----------|---------|
| 1 Mentioned       | 15        | 0.58    |
| 2 Not mentioned   | 2408      | 93.08   |
| 7 Refused         | 4         | 0.15    |
| 8 Not ascertained | 0         | 0.00    |
| 9 Don't know      | 160       | 6.18    |

Frequency Missing = 28841

NAH.120\_03.000: What kind of cancer...bone

| FHSTYP3           | Frequency | Percent |
|-------------------|-----------|---------|
| 1 Mentioned       | 49        | 1.89    |
| 2 Not mentioned   | 2374      | 91.77   |
| 7 Refused         | 4         | 0.15    |
| 8 Not ascertained | 0         | 0.00    |
| 9 Don't know      | 160       | 6.18    |

Frequency Missing = 28841

NAH.120\_04.000: What kind of cancer...brain

| FHSTYP4           | Frequency | Percent |
|-------------------|-----------|---------|
| 1 Mentioned       | 82        | 3.17    |
| 2 Not mentioned   | 2341      | 90.49   |
| 7 Refused         | 4         | 0.15    |
| 8 Not ascertained | 0         | 0.00    |
| 9 Don't know      | 160       | 6.18    |

Frequency Missing = 28841



2005 National Health Interview Survey (NHIS)  
Cancer Public Use File (cancerxx)  
NAH Variables  
Unweighted Frequencies

137

Tuesday, June 13, 2006

NAH.120\_05.000: What kind of cancer...breast

| FHSTYP5           | Frequency | Percent |
|-------------------|-----------|---------|
| 1 Mentioned       | 886       | 34.25   |
| 2 Not mentioned   | 1537      | 59.41   |
| 7 Refused         | 4         | 0.15    |
| 8 Not ascertained | 0         | 0.00    |
| 9 Don't know      | 160       | 6.18    |

Frequency Missing = 28841

NAH.120\_06.000: What kind of cancer...cervix

| FHSTYP6           | Frequency | Percent |
|-------------------|-----------|---------|
| 1 Mentioned       | 159       | 6.15    |
| 2 Not mentioned   | 2264      | 87.51   |
| 7 Refused         | 4         | 0.15    |
| 8 Not ascertained | 0         | 0.00    |
| 9 Don't know      | 160       | 6.18    |

Frequency Missing = 28841

NAH.120\_07.000: What kind of cancer...colon

| FHSTYP7           | Frequency | Percent |
|-------------------|-----------|---------|
| 1 Mentioned       | 205       | 7.92    |
| 2 Not mentioned   | 2218      | 85.74   |
| 7 Refused         | 4         | 0.15    |
| 8 Not ascertained | 0         | 0.00    |
| 9 Don't know      | 160       | 6.18    |

Frequency Missing = 28841

NAH.120\_08.000: What kind of cancer...esophagus

| FHSTYP8           | Frequency | Percent |
|-------------------|-----------|---------|
| 1 Mentioned       | 8         | 0.31    |
| 2 Not mentioned   | 2415      | 93.35   |
| 7 Refused         | 4         | 0.15    |
| 8 Not ascertained | 0         | 0.00    |
| 9 Don't know      | 160       | 6.18    |

Frequency Missing = 28841

2005 National Health Interview Survey (NHIS)  
Cancer Public Use File (cancerxx)  
NAH Variables  
Unweighted Frequencies

138

Tuesday, June 13, 2006

NAH.120\_09.000: What kind of cancer...gall bladder

| FHSTYP9           | Frequency | Percent |
|-------------------|-----------|---------|
| 1 Mentioned       | 3         | 0.12    |
| 2 Not mentioned   | 2420      | 93.54   |
| 7 Refused         | 4         | 0.15    |
| 8 Not ascertained | 0         | 0.00    |
| 9 Don't know      | 160       | 6.18    |

Frequency Missing = 28841

NAH.120\_10.000: What kind of cancer...kidney

| FHSTYP10          | Frequency | Percent |
|-------------------|-----------|---------|
| 1 Mentioned       | 34        | 1.31    |
| 2 Not mentioned   | 2389      | 92.35   |
| 7 Refused         | 4         | 0.15    |
| 8 Not ascertained | 0         | 0.00    |
| 9 Don't know      | 160       | 6.18    |

Frequency Missing = 28841

NAH.120\_11.000: What kind of cancer...larynx-windpipe

| FHSTYP11          | Frequency | Percent |
|-------------------|-----------|---------|
| 1 Mentioned       | 8         | 0.31    |
| 2 Not mentioned   | 2415      | 93.35   |
| 7 Refused         | 4         | 0.15    |
| 8 Not ascertained | 0         | 0.00    |
| 9 Don't know      | 160       | 6.18    |

Frequency Missing = 28841

NAH.120\_12.000: What kind of cancer...leukemia

| FHSTYP12          | Frequency | Percent |
|-------------------|-----------|---------|
| 1 Mentioned       | 87        | 3.36    |
| 2 Not mentioned   | 2336      | 90.30   |
| 7 Refused         | 4         | 0.15    |
| 8 Not ascertained | 0         | 0.00    |
| 9 Don't know      | 160       | 6.18    |

Frequency Missing = 28841

2005 National Health Interview Survey (NHIS)  
Cancer Public Use File (cancerxx)  
NAH Variables  
Unweighted Frequencies

139

Tuesday, June 13, 2006

NAH.120\_13.000: What kind of cancer...liver

| FHSTYP13          | Frequency | Percent |
|-------------------|-----------|---------|
| 1 Mentioned       | 74        | 2.86    |
| 2 Not mentioned   | 2349      | 90.80   |
| 7 Refused         | 4         | 0.15    |
| 8 Not ascertained | 0         | 0.00    |
| 9 Don't know      | 160       | 6.18    |

Frequency Missing = 28841

NAH.120\_14.000: What kind of cancer...lung

| FHSTYP14          | Frequency | Percent |
|-------------------|-----------|---------|
| 1 Mentioned       | 217       | 8.39    |
| 2 Not mentioned   | 2206      | 85.27   |
| 7 Refused         | 4         | 0.15    |
| 8 Not ascertained | 0         | 0.00    |
| 9 Don't know      | 160       | 6.18    |

Frequency Missing = 28841

NAH.120\_15.000: What kind of cancer...lymphoma

| FHSTYP15          | Frequency | Percent |
|-------------------|-----------|---------|
| 1 Mentioned       | 61        | 2.36    |
| 2 Not mentioned   | 2362      | 91.30   |
| 7 Refused         | 4         | 0.15    |
| 8 Not ascertained | 0         | 0.00    |
| 9 Don't know      | 160       | 6.18    |

Frequency Missing = 28841

NAH.120\_16.000: What kind of cancer...melanoma

| FHSTYP16          | Frequency | Percent |
|-------------------|-----------|---------|
| 1 Mentioned       | 69        | 2.67    |
| 2 Not mentioned   | 2354      | 90.99   |
| 7 Refused         | 4         | 0.15    |
| 8 Not ascertained | 0         | 0.00    |
| 9 Don't know      | 160       | 6.18    |

Frequency Missing = 28841

2005 National Health Interview Survey (NHIS)  
Cancer Public Use File (cancerxx)  
NAH Variables  
Unweighted Frequencies

140

Tuesday, June 13, 2006

NAH.120\_17.000: What kind of cancer...mouth/tongue/lip

| FHSTYP17          | Frequency | Percent |
|-------------------|-----------|---------|
| 1 Mentioned       | 11        | 0.43    |
| 2 Not mentioned   | 2412      | 93.24   |
| 7 Refused         | 4         | 0.15    |
| 8 Not ascertained | 0         | 0.00    |
| 9 Don't know      | 160       | 6.18    |

Frequency Missing = 28841

NAH.120\_18.000: What kind of cancer...ovary

| FHSTYP18          | Frequency | Percent |
|-------------------|-----------|---------|
| 1 Mentioned       | 174       | 6.73    |
| 2 Not mentioned   | 2249      | 86.93   |
| 7 Refused         | 4         | 0.15    |
| 8 Not ascertained | 0         | 0.00    |
| 9 Don't know      | 160       | 6.18    |

Frequency Missing = 28841

NAH.120\_19.000: What kind of cancer...pancreas

| FHSTYP19          | Frequency | Percent |
|-------------------|-----------|---------|
| 1 Mentioned       | 50        | 1.93    |
| 2 Not mentioned   | 2373      | 91.73   |
| 7 Refused         | 4         | 0.15    |
| 8 Not ascertained | 0         | 0.00    |
| 9 Don't know      | 160       | 6.18    |

Frequency Missing = 28841

NAH.120\_21.000: What kind of cancer...rectum

| FHSTYP21          | Frequency | Percent |
|-------------------|-----------|---------|
| 1 Mentioned       | 11        | 0.43    |
| 2 Not mentioned   | 2412      | 93.24   |
| 7 Refused         | 4         | 0.15    |
| 8 Not ascertained | 0         | 0.00    |
| 9 Don't know      | 160       | 6.18    |

Frequency Missing = 28841

2005 National Health Interview Survey (NHIS)  
Cancer Public Use File (cancerxx)  
NAH Variables  
Unweighted Frequencies

141

Tuesday, June 13, 2006

NAH.120\_22.000: What kind of cancer...skin (non-melanoma)

| FHSTYP22          | Frequency | Percent |
|-------------------|-----------|---------|
| 1 Mentioned       | 83        | 3.21    |
| 2 Not mentioned   | 2340      | 90.45   |
| 7 Refused         | 4         | 0.15    |
| 8 Not ascertained | 0         | 0.00    |
| 9 Don't know      | 160       | 6.18    |

Frequency Missing = 28841

NAH.120\_23.000: What kind of cancer...skin (DK what kind)

| FHSTYP23          | Frequency | Percent |
|-------------------|-----------|---------|
| 1 Mentioned       | 95        | 3.67    |
| 2 Not mentioned   | 2328      | 89.99   |
| 7 Refused         | 4         | 0.15    |
| 8 Not ascertained | 0         | 0.00    |
| 9 Don't know      | 160       | 6.18    |

Frequency Missing = 28841

NAH.120\_24.000: What kind of cancer...soft tissue (muscle or fat)

| FHSTYP24          | Frequency | Percent |
|-------------------|-----------|---------|
| 1 Mentioned       | 7         | 0.27    |
| 2 Not mentioned   | 2416      | 93.39   |
| 7 Refused         | 4         | 0.15    |
| 8 Not ascertained | 0         | 0.00    |
| 9 Don't know      | 160       | 6.18    |

Frequency Missing = 28841

NAH.120\_25.000: What kind of cancer...stomach

| FHSTYP25          | Frequency | Percent |
|-------------------|-----------|---------|
| 1 Mentioned       | 85        | 3.29    |
| 2 Not mentioned   | 2338      | 90.37   |
| 7 Refused         | 4         | 0.15    |
| 8 Not ascertained | 0         | 0.00    |
| 9 Don't know      | 160       | 6.18    |

Frequency Missing = 28841

2005 National Health Interview Survey (NHIS)  
Cancer Public Use File (cancerxx)  
NAH Variables  
Unweighted Frequencies

142

Tuesday, June 13, 2006

NAH.120\_27.000: What kind of cancer...throat-pharynx

| FHSTYP27          | Frequency | Percent |
|-------------------|-----------|---------|
| 1 Mentioned       | 30        | 1.16    |
| 2 Not mentioned   | 2393      | 92.50   |
| 7 Refused         | 4         | 0.15    |
| 8 Not ascertained | 0         | 0.00    |
| 9 Don't know      | 160       | 6.18    |

Frequency Missing = 28841

NAH.120\_28.000: What kind of cancer...thyroid

| FHSTYP28          | Frequency | Percent |
|-------------------|-----------|---------|
| 1 Mentioned       | 50        | 1.93    |
| 2 Not mentioned   | 2373      | 91.73   |
| 7 Refused         | 4         | 0.15    |
| 8 Not ascertained | 0         | 0.00    |
| 9 Don't know      | 160       | 6.18    |

Frequency Missing = 28841

NAH.120\_29.000: What kind of cancer...Uterus

| FHSTYP29          | Frequency | Percent |
|-------------------|-----------|---------|
| 1 Mentioned       | 163       | 6.30    |
| 2 Not mentioned   | 2260      | 87.36   |
| 7 Refused         | 4         | 0.15    |
| 8 Not ascertained | 0         | 0.00    |
| 9 Don't know      | 160       | 6.18    |

Frequency Missing = 28841

NAH.120\_30.000: What kind of cancer...Other

| FHSTYP30          | Frequency | Percent |
|-------------------|-----------|---------|
| 1 Mentioned       | 80        | 3.09    |
| 2 Not mentioned   | 2343      | 90.57   |
| 7 Refused         | 4         | 0.15    |
| 8 Not ascertained | 0         | 0.00    |
| 9 Don't know      | 160       | 6.18    |

Frequency Missing = 28841

2005 National Health Interview Survey (NHIS)  
Cancer Public Use File (cancerxx)  
NAH Variables  
Unweighted Frequencies

143

Tuesday, June 13, 2006

NAH.120\_31.000: What kind of cancer...more than 3 kinds

| FHSTYP31          | Frequency | Percent |
|-------------------|-----------|---------|
| 1 Mentioned       | 6         | 8.11    |
| 2 Not mentioned   | 68        | 91.89   |
| 7 Refused         | 0         | 0.00    |
| 8 Not ascertained | 0         | 0.00    |
| 9 Don't know      | 0         | 0.00    |

Frequency Missing = 31354

NAH.127\_01.000: Number of sisters diagnosed w/bladder cancer

| FHSMAN01           | Frequency | Percent |
|--------------------|-----------|---------|
| 01-20 1-20 sisters | 20        | 10.87   |
| 21 21+             | 0         | 0.00    |
| 97 Refused         | 4         | 2.17    |
| 98 Not ascertained | 0         | 0.00    |
| 99 Don't know      | 160       | 86.96   |

Frequency Missing = 31244

NAH.127\_02.000: Number of sisters diagnosed w/blood cancer

| FHSMAN02           | Frequency | Percent |
|--------------------|-----------|---------|
| 01-20 1-20 sisters | 15        | 8.38    |
| 21 21+             | 0         | 0.00    |
| 97 Refused         | 4         | 2.23    |
| 98 Not ascertained | 0         | 0.00    |
| 99 Don't know      | 160       | 89.39   |

Frequency Missing = 31249

NAH.127\_03.000: Number of sisters diagnosed w/bone cancer

| FHSMAN03           | Frequency | Percent |
|--------------------|-----------|---------|
| 01-20 1-20 sisters | 49        | 23.00   |
| 21 21+             | 0         | 0.00    |
| 97 Refused         | 4         | 1.88    |
| 98 Not ascertained | 0         | 0.00    |
| 99 Don't know      | 160       | 75.12   |

Frequency Missing = 31215

2005 National Health Interview Survey (NHIS)  
Cancer Public Use File (cancerxx)  
NAH Variables  
Unweighted Frequencies

144

Tuesday, June 13, 2006

NAH.127\_04.000: Number of sisters diagnosed w/brain cancer

| FHSMAN04           | Frequency | Percent |
|--------------------|-----------|---------|
| 01-20 1-20 sisters | 82        | 33.33   |
| 21 21+             | 0         | 0.00    |
| 97 Refused         | 4         | 1.63    |
| 98 Not ascertained | 0         | 0.00    |
| 99 Don't know      | 160       | 65.04   |

Frequency Missing = 31182

NAH.127\_05.000: Number of sisters diagnosed w/breast cancer

| FHSMAN05           | Frequency | Percent |
|--------------------|-----------|---------|
| 01-20 1-20 sisters | 886       | 84.38   |
| 21 21+             | 0         | 0.00    |
| 97 Refused         | 4         | 0.38    |
| 98 Not ascertained | 0         | 0.00    |
| 99 Don't know      | 160       | 15.24   |

Frequency Missing = 30378

NAH.127\_06.000: Number of sisters diagnosed w/cervical cancer

| FHSMAN06           | Frequency | Percent |
|--------------------|-----------|---------|
| 01-20 1-20 sisters | 159       | 49.23   |
| 21 21+             | 0         | 0.00    |
| 97 Refused         | 4         | 1.24    |
| 98 Not ascertained | 0         | 0.00    |
| 99 Don't know      | 160       | 49.54   |

Frequency Missing = 31105

NAH.127\_07.000: Number of sisters diagnosed w/colon cancer

| FHSMAN07           | Frequency | Percent |
|--------------------|-----------|---------|
| 01-20 1-20 sisters | 204       | 55.28   |
| 21 21+             | 0         | 0.00    |
| 97 Refused         | 4         | 1.08    |
| 98 Not ascertained | 0         | 0.00    |
| 99 Don't know      | 161       | 43.63   |

Frequency Missing = 31059



2005 National Health Interview Survey (NHIS)  
Cancer Public Use File (cancerxx)  
NAH Variables  
Unweighted Frequencies

145

Tuesday, June 13, 2006

NAH.127\_08.000: Number of sisters diagnosed w/esophageal cancer

| FHSMAN08           | Frequency | Percent |
|--------------------|-----------|---------|
| 01-20 1-20 sisters | 8         | 4.65    |
| 21 21+             | 0         | 0.00    |
| 97 Refused         | 4         | 2.33    |
| 98 Not ascertained | 0         | 0.00    |
| 99 Don't know      | 160       | 93.02   |

Frequency Missing = 31256

NAH.127\_09.000: Number of sisters diagnosed w/gall bladder cancer

| FHSMAN09           | Frequency | Percent |
|--------------------|-----------|---------|
| 01-20 1-20 sisters | 3         | 1.80    |
| 21 21+             | 0         | 0.00    |
| 97 Refused         | 4         | 2.40    |
| 98 Not ascertained | 0         | 0.00    |
| 99 Don't know      | 160       | 95.81   |

Frequency Missing = 31261

NAH.127\_10.000: Number of sisters diagnosed w/kidney cancer

| FHSMAN10           | Frequency | Percent |
|--------------------|-----------|---------|
| 01-20 1-20 sisters | 34        | 17.17   |
| 21 21+             | 0         | 0.00    |
| 97 Refused         | 4         | 2.02    |
| 98 Not ascertained | 0         | 0.00    |
| 99 Don't know      | 160       | 80.81   |

Frequency Missing = 31230

NAH.127\_11.000: Number of sisters diagnosed w/larynx-windpipe cancer

| FHSMAN11           | Frequency | Percent |
|--------------------|-----------|---------|
| 01-20 1-20 sisters | 8         | 4.65    |
| 21 21+             | 0         | 0.00    |
| 97 Refused         | 4         | 2.33    |
| 98 Not ascertained | 0         | 0.00    |
| 99 Don't know      | 160       | 93.02   |

Frequency Missing = 31256

2005 National Health Interview Survey (NHIS)  
 Cancer Public Use File (cancerxx)  
 NAH Variables  
 Unweighted Frequencies

146

Tuesday, June 13, 2006

NAH.127\_12.000: Number of sisters diagnosed w/leukemia

| FHSMAN12           | Frequency | Percent |
|--------------------|-----------|---------|
| 01-20 1-20 sisters | 87        | 34.66   |
| 21 21+             | 0         | 0.00    |
| 97 Refused         | 4         | 1.59    |
| 98 Not ascertained | 0         | 0.00    |
| 99 Don't know      | 160       | 63.75   |

Frequency Missing = 31177

NAH.127\_13.000: Number of sisters diagnosed w/liver cancer

| FHSMAN13           | Frequency | Percent |
|--------------------|-----------|---------|
| 01-20 1-20 sisters | 74        | 31.09   |
| 21 21+             | 0         | 0.00    |
| 97 Refused         | 4         | 1.68    |
| 98 Not ascertained | 0         | 0.00    |
| 99 Don't know      | 160       | 67.23   |

Frequency Missing = 31190

NAH.127\_14.000: Number of sisters diagnosed w/lung cancer

| FHSMAN14           | Frequency | Percent |
|--------------------|-----------|---------|
| 01-20 1-20 sisters | 217       | 56.96   |
| 21 21+             | 0         | 0.00    |
| 97 Refused         | 4         | 1.05    |
| 98 Not ascertained | 0         | 0.00    |
| 99 Don't know      | 160       | 41.99   |

Frequency Missing = 31047

NAH.127\_15.000: Number of sisters diagnosed w/lymphoma

| FHSMAN15           | Frequency | Percent |
|--------------------|-----------|---------|
| 01-20 1-20 sisters | 61        | 27.11   |
| 21 21+             | 0         | 0.00    |
| 97 Refused         | 4         | 1.78    |
| 98 Not ascertained | 0         | 0.00    |
| 99 Don't know      | 160       | 71.11   |

Frequency Missing = 31203

2005 National Health Interview Survey (NHIS)  
Cancer Public Use File (cancerxx)  
NAH Variables  
Unweighted Frequencies

147

Tuesday, June 13, 2006

NAH.127\_16.000: Number of sisters diagnosed w/melanoma

| FHSMAN16           | Frequency | Percent |
|--------------------|-----------|---------|
| 01-20 1-20 sisters | 69        | 29.61   |
| 21 21+             | 0         | 0.00    |
| 97 Refused         | 4         | 1.72    |
| 98 Not ascertained | 0         | 0.00    |
| 99 Don't know      | 160       | 68.67   |

Frequency Missing = 31195

NAH.127\_17.000: Number of sisters diagnosed w/mouth/tongue/lip cancer

| FHSMAN17           | Frequency | Percent |
|--------------------|-----------|---------|
| 01-20 1-20 sisters | 11        | 6.29    |
| 21 21+             | 0         | 0.00    |
| 97 Refused         | 4         | 2.29    |
| 98 Not ascertained | 0         | 0.00    |
| 99 Don't know      | 160       | 91.43   |

Frequency Missing = 31253

NAH.127\_18.000: Number of sisters diagnosed w/ovarian cancer

| FHSMAN18           | Frequency | Percent |
|--------------------|-----------|---------|
| 01-20 1-20 sisters | 174       | 51.48   |
| 21 21+             | 0         | 0.00    |
| 97 Refused         | 4         | 1.18    |
| 98 Not ascertained | 0         | 0.00    |
| 99 Don't know      | 160       | 47.34   |

Frequency Missing = 31090

NAH.127\_19.000: Number of sisters diagnosed w/pancreatic cancer

| FHSMAN19           | Frequency | Percent |
|--------------------|-----------|---------|
| 01-20 1-20 sisters | 50        | 23.36   |
| 21 21+             | 0         | 0.00    |
| 97 Refused         | 4         | 1.87    |
| 98 Not ascertained | 0         | 0.00    |
| 99 Don't know      | 160       | 74.77   |

Frequency Missing = 31214

2005 National Health Interview Survey (NHIS)  
Cancer Public Use File (cancerxx)  
NAH Variables  
Unweighted Frequencies

148

Tuesday, June 13, 2006

NAH.127\_21.000: Number of sisters diagnosed w/rectal cancer

| FHSMAN21           | Frequency | Percent |
|--------------------|-----------|---------|
| 01-20 1-20 sisters | 11        | 6.29    |
| 21 21+             | 0         | 0.00    |
| 97 Refused         | 4         | 2.29    |
| 98 Not ascertained | 0         | 0.00    |
| 99 Don't know      | 160       | 91.43   |

Frequency Missing = 31253

NAH.127\_22.000: Number of sisters diagnosed w/skin (non-melanoma) cancer

| FHSMAN22           | Frequency | Percent |
|--------------------|-----------|---------|
| 01-20 1-20 sisters | 83        | 33.60   |
| 21 21+             | 0         | 0.00    |
| 97 Refused         | 4         | 1.62    |
| 98 Not ascertained | 0         | 0.00    |
| 99 Don't know      | 160       | 64.78   |

Frequency Missing = 31181

NAH.127\_23.000: Number of sisters diagnosed w/skin (DK what kind) cancer

| FHSMAN23           | Frequency | Percent |
|--------------------|-----------|---------|
| 01-20 1-20 sisters | 95        | 36.68   |
| 21 21+             | 0         | 0.00    |
| 97 Refused         | 4         | 1.54    |
| 98 Not ascertained | 0         | 0.00    |
| 99 Don't know      | 160       | 61.78   |

Frequency Missing = 31169

NAH.127\_24.000: Number of sisters diagnosed w/soft tissue (muscle or fat) cancer

| FHSMAN24           | Frequency | Percent |
|--------------------|-----------|---------|
| 01-20 1-20 sisters | 7         | 4.09    |
| 21 21+             | 0         | 0.00    |
| 97 Refused         | 4         | 2.34    |
| 98 Not ascertained | 0         | 0.00    |
| 99 Don't know      | 160       | 93.57   |

Frequency Missing = 31257

2005 National Health Interview Survey (NHIS)  
Cancer Public Use File (cancerxx)  
NAH Variables  
Unweighted Frequencies

149

Tuesday, June 13, 2006

NAH.127\_25.000: Number of sisters diagnosed w/stomach cancer

| FHSMAN25           | Frequency | Percent |
|--------------------|-----------|---------|
| 01-20 1-20 sisters | 85        | 34.14   |
| 21 21+             | 0         | 0.00    |
| 97 Refused         | 4         | 1.61    |
| 98 Not ascertained | 0         | 0.00    |
| 99 Don't know      | 160       | 64.26   |

Frequency Missing = 31179

NAH.127\_27.000: Number of sisters diagnosed w/throat-pharynx cancer

| FHSMAN27           | Frequency | Percent |
|--------------------|-----------|---------|
| 01-20 1-20 sisters | 30        | 15.46   |
| 21 21+             | 0         | 0.00    |
| 97 Refused         | 4         | 2.06    |
| 98 Not ascertained | 0         | 0.00    |
| 99 Don't know      | 160       | 82.47   |

Frequency Missing = 31234

NAH.127\_28.000: Number of sisters diagnosed w/thyroid cancer

| FHSMAN28           | Frequency | Percent |
|--------------------|-----------|---------|
| 01-20 1-20 sisters | 50        | 23.36   |
| 21 21+             | 0         | 0.00    |
| 97 Refused         | 4         | 1.87    |
| 98 Not ascertained | 0         | 0.00    |
| 99 Don't know      | 160       | 74.77   |

Frequency Missing = 31214

NAH.127\_29.000: Number of sisters diagnosed w/uterine cancer

| FHSMAN29           | Frequency | Percent |
|--------------------|-----------|---------|
| 01-20 1-20 sisters | 163       | 49.85   |
| 21 21+             | 0         | 0.00    |
| 97 Refused         | 4         | 1.22    |
| 98 Not ascertained | 0         | 0.00    |
| 99 Don't know      | 160       | 48.93   |

Frequency Missing = 31101

2005 National Health Interview Survey (NHIS)  
 Cancer Public Use File (cancerxx)  
 NAH Variables  
 Unweighted Frequencies

150

Tuesday, June 13, 2006

NAH.127\_30.000: Number of sisters diagnosed w/other kind of cancer

| FHSMAN30           | Frequency | Percent |
|--------------------|-----------|---------|
| 01-20 1-20 sisters | 80        | 32.79   |
| 21 21+             | 0         | 0.00    |
| 97 Refused         | 4         | 1.64    |
| 98 Not ascertained | 0         | 0.00    |
| 99 Don't know      | 160       | 65.57   |

Frequency Missing = 31184

NAH.128\_01.000: Number of sisters <50 when diagnosed w/bladder cancer

| FHSAGE01           | Frequency | Percent |
|--------------------|-----------|---------|
| 00 None            | 11        | 5.98    |
| 01-20 1-20 sisters | 7         | 3.80    |
| 21 21+             | 0         | 0.00    |
| 97 Refused         | 4         | 2.17    |
| 98 Not ascertained | 0         | 0.00    |
| 99 Don't know      | 162       | 88.04   |

Frequency Missing = 31244

NAH.128\_02.000: Number of sisters <50 when diagnosed w/blood cancer

| FHSAGE02           | Frequency | Percent |
|--------------------|-----------|---------|
| 00 None            | 10        | 5.59    |
| 01-20 1-20 sisters | 5         | 2.79    |
| 21 21+             | 0         | 0.00    |
| 97 Refused         | 4         | 2.23    |
| 98 Not ascertained | 0         | 0.00    |
| 99 Don't know      | 160       | 89.39   |

Frequency Missing = 31249

NAH.128\_03.000: Number of sisters <50 when diagnosed w/bone cancer

| FHSAGE03           | Frequency | Percent |
|--------------------|-----------|---------|
| 00 None            | 34        | 15.96   |
| 01-20 1-20 sisters | 15        | 7.04    |
| 21 21+             | 0         | 0.00    |
| 97 Refused         | 4         | 1.88    |
| 98 Not ascertained | 0         | 0.00    |
| 99 Don't know      | 160       | 75.12   |

Frequency Missing = 31215

2005 National Health Interview Survey (NHIS)  
Cancer Public Use File (cancerxx)  
NAH Variables  
Unweighted Frequencies

151

Tuesday, June 13, 2006

NAH.128\_04.000: Number of sisters <50 when diagnosed w/brain cancer

| FHSAGE04           | Frequency | Percent |
|--------------------|-----------|---------|
| 00 None            | 48        | 19.51   |
| 01-20 1-20 sisters | 32        | 13.01   |
| 21 21+             | 0         | 0.00    |
| 97 Refused         | 4         | 1.63    |
| 98 Not ascertained | 0         | 0.00    |
| 99 Don't know      | 162       | 65.85   |

Frequency Missing = 31182

NAH.128\_05.000: Number of sisters <50 when diagnosed w/breast cancer

| FHSAGE05           | Frequency | Percent |
|--------------------|-----------|---------|
| 00 None            | 420       | 40.00   |
| 01-20 1-20 sisters | 454       | 43.24   |
| 21 21+             | 0         | 0.00    |
| 97 Refused         | 5         | 0.48    |
| 98 Not ascertained | 0         | 0.00    |
| 99 Don't know      | 171       | 16.29   |

Frequency Missing = 30378

NAH.128\_06.000: Number of sisters <50 when diagnosed w/cervical cancer

| FHSAGE06           | Frequency | Percent |
|--------------------|-----------|---------|
| 00 None            | 26        | 8.05    |
| 01-20 1-20 sisters | 129       | 39.94   |
| 21 21+             | 0         | 0.00    |
| 97 Refused         | 5         | 1.55    |
| 98 Not ascertained | 0         | 0.00    |
| 99 Don't know      | 163       | 50.46   |

Frequency Missing = 31105

NAH.128\_07.000: Number of sisters <50 when diagnosed w/colon cancer

| FHSAGE07           | Frequency | Percent |
|--------------------|-----------|---------|
| 00 None            | 129       | 34.96   |
| 01-20 1-20 sisters | 73        | 19.78   |
| 21 21+             | 0         | 0.00    |
| 97 Refused         | 4         | 1.08    |
| 98 Not ascertained | 0         | 0.00    |
| 99 Don't know      | 163       | 44.17   |

Frequency Missing = 31059

2005 National Health Interview Survey (NHIS)  
Cancer Public Use File (cancerxx)  
NAH Variables  
Unweighted Frequencies

152

Tuesday, June 13, 2006

NAH.128\_08.000: Number of sisters <50 when diagnosed w/esophageal cancer

| FHSAGE08           | Frequency | Percent |
|--------------------|-----------|---------|
| 00 None            | 3         | 1.74    |
| 01-20 1-20 sisters | 5         | 2.91    |
| 21 21+             | 0         | 0.00    |
| 97 Refused         | 4         | 2.33    |
| 98 Not ascertained | 0         | 0.00    |
| 99 Don't know      | 160       | 93.02   |

Frequency Missing = 31256

NAH.128\_09.000: Number of sisters <50 when diagnosed w/gall bladder cancer

| FHSAGE09           | Frequency | Percent |
|--------------------|-----------|---------|
| 00 None            | 2         | 1.20    |
| 01-20 1-20 sisters | 1         | 0.60    |
| 21 21+             | 0         | 0.00    |
| 97 Refused         | 4         | 2.40    |
| 98 Not ascertained | 0         | 0.00    |
| 99 Don't know      | 160       | 95.81   |

Frequency Missing = 31261

NAH.128\_10.000: Number of sisters <50 when diagnosed w/kidney cancer

| FHSAGE10           | Frequency | Percent |
|--------------------|-----------|---------|
| 00 None            | 24        | 12.12   |
| 01-20 1-20 sisters | 7         | 3.54    |
| 21 21+             | 0         | 0.00    |
| 97 Refused         | 4         | 2.02    |
| 98 Not ascertained | 0         | 0.00    |
| 99 Don't know      | 163       | 82.32   |

Frequency Missing = 31230

NAH.128\_11.000: Number of sisters <50 when diagnosed w/larynx-windpipe cancer

| FHSAGE11           | Frequency | Percent |
|--------------------|-----------|---------|
| 00 None            | 5         | 2.91    |
| 01-20 1-20 sisters | 3         | 1.74    |
| 21 21+             | 0         | 0.00    |
| 97 Refused         | 4         | 2.33    |
| 98 Not ascertained | 0         | 0.00    |
| 99 Don't know      | 160       | 93.02   |

Frequency Missing = 31256



2005 National Health Interview Survey (NHIS)  
Cancer Public Use File (cancerxx)  
NAH Variables  
Unweighted Frequencies

153

Tuesday, June 13, 2006

NAH.128\_12.000: Number of sisters <50 when diagnosed w/leukemia

| FHSAGE12           | Frequency | Percent |
|--------------------|-----------|---------|
| 00 None            | 35        | 13.94   |
| 01-20 1-20 sisters | 52        | 20.72   |
| 21 21+             | 0         | 0.00    |
| 97 Refused         | 4         | 1.59    |
| 98 Not ascertained | 0         | 0.00    |
| 99 Don't know      | 160       | 63.75   |

Frequency Missing = 31177

NAH.128\_13.000: Number of sisters <50 when diagnosed w/liver cancer

| FHSAGE13           | Frequency | Percent |
|--------------------|-----------|---------|
| 00 None            | 54        | 22.69   |
| 01-20 1-20 sisters | 20        | 8.40    |
| 21 21+             | 0         | 0.00    |
| 97 Refused         | 4         | 1.68    |
| 98 Not ascertained | 0         | 0.00    |
| 99 Don't know      | 160       | 67.23   |

Frequency Missing = 31190

NAH.128\_14.000: Number of sisters <50 when diagnosed w/lung cancer

| FHSAGE14           | Frequency | Percent |
|--------------------|-----------|---------|
| 00 None            | 145       | 38.06   |
| 01-20 1-20 sisters | 70        | 18.37   |
| 21 21+             | 0         | 0.00    |
| 97 Refused         | 4         | 1.05    |
| 98 Not ascertained | 0         | 0.00    |
| 99 Don't know      | 162       | 42.52   |

Frequency Missing = 31047

NAH.128\_15.000: Number of sisters <50 when diagnosed w/lymphoma

| FHSAGE15           | Frequency | Percent |
|--------------------|-----------|---------|
| 00 None            | 27        | 12.00   |
| 01-20 1-20 sisters | 34        | 15.11   |
| 21 21+             | 0         | 0.00    |
| 97 Refused         | 4         | 1.78    |
| 98 Not ascertained | 0         | 0.00    |
| 99 Don't know      | 160       | 71.11   |

Frequency Missing = 31203

2005 National Health Interview Survey (NHIS)  
Cancer Public Use File (cancerxx)  
NAH Variables  
Unweighted Frequencies

154

Tuesday, June 13, 2006

NAH.128\_16.000: Number of sisters <50 when diagnosed w/melanoma

| FHSAGE16           | Frequency | Percent |
|--------------------|-----------|---------|
| 00 None            | 20        | 8.58    |
| 01-20 1-20 sisters | 49        | 21.03   |
| 21 21+             | 0         | 0.00    |
| 97 Refused         | 4         | 1.72    |
| 98 Not ascertained | 0         | 0.00    |
| 99 Don't know      | 160       | 68.67   |

Frequency Missing = 31195

NAH.128\_17.000: Number of sisters <50 when diagnosed w/mouth/tongue/lip cancer

| FHSAGE17           | Frequency | Percent |
|--------------------|-----------|---------|
| 00 None            | 7         | 4.00    |
| 01-20 1-20 sisters | 4         | 2.29    |
| 21 21+             | 0         | 0.00    |
| 97 Refused         | 4         | 2.29    |
| 98 Not ascertained | 0         | 0.00    |
| 99 Don't know      | 160       | 91.43   |

Frequency Missing = 31253

NAH.128\_18.000: Number of sisters <50 when diagnosed w/ovarian cancer

| FHSAGE18           | Frequency | Percent |
|--------------------|-----------|---------|
| 00 None            | 63        | 18.64   |
| 01-20 1-20 sisters | 109       | 32.25   |
| 21 21+             | 0         | 0.00    |
| 97 Refused         | 5         | 1.48    |
| 98 Not ascertained | 0         | 0.00    |
| 99 Don't know      | 161       | 47.63   |

Frequency Missing = 31090

NAH.128\_19.000: Number of sisters <50 when diagnosed w/pancreatic cancer

| FHSAGE19           | Frequency | Percent |
|--------------------|-----------|---------|
| 00 None            | 38        | 17.76   |
| 01-20 1-20 sisters | 11        | 5.14    |
| 21 21+             | 0         | 0.00    |
| 97 Refused         | 4         | 1.87    |
| 98 Not ascertained | 0         | 0.00    |
| 99 Don't know      | 161       | 75.23   |

Frequency Missing = 31214

2005 National Health Interview Survey (NHIS)  
 Cancer Public Use File (cancerxx)  
 NAH Variables  
 Unweighted Frequencies

155

Tuesday, June 13, 2006

NAH.128\_21.000: Number of sisters <50 when diagnosed w/rectal cancer

| FHSAGE21           | Frequency | Percent |
|--------------------|-----------|---------|
| 00 None            | 9         | 5.14    |
| 01-20 1-20 sisters | 2         | 1.14    |
| 21 21+             | 0         | 0.00    |
| 97 Refused         | 4         | 2.29    |
| 98 Not ascertained | 0         | 0.00    |
| 99 Don't know      | 160       | 91.43   |

Frequency Missing = 31253

NAH.128\_22.000: Number of sisters <50 when  
 diagnosed w/skin (non-melanoma) cancer

| FHSAGE22           | Frequency | Percent |
|--------------------|-----------|---------|
| 00 None            | 33        | 13.36   |
| 01-20 1-20 sisters | 49        | 19.84   |
| 21 21+             | 0         | 0.00    |
| 97 Refused         | 4         | 1.62    |
| 98 Not ascertained | 0         | 0.00    |
| 99 Don't know      | 161       | 65.18   |

Frequency Missing = 31181

NAH.128\_23.000: Number of sisters <50 when  
 diagnosed w/skin (DK what kind) cancer

| FHSAGE23           | Frequency | Percent |
|--------------------|-----------|---------|
| 00 None            | 41        | 15.83   |
| 01-20 1-20 sisters | 52        | 20.08   |
| 21 21+             | 0         | 0.00    |
| 97 Refused         | 4         | 1.54    |
| 98 Not ascertained | 0         | 0.00    |
| 99 Don't know      | 162       | 62.55   |

Frequency Missing = 31169

2005 National Health Interview Survey (NHIS)  
 Cancer Public Use File (cancerxx)  
 NAH Variables  
 Unweighted Frequencies

156

Tuesday, June 13, 2006

NAH.128\_24.000: Number of sisters <50 when diagnosed  
 w/soft tissue (muscle or fat) cancer

| FHSAGE24           | Frequency | Percent |
|--------------------|-----------|---------|
| 00 None            | 2         | 1.17    |
| 01-20 1-20 sisters | 4         | 2.34    |
| 21 21+             | 0         | 0.00    |
| 97 Refused         | 4         | 2.34    |
| 98 Not ascertained | 0         | 0.00    |
| 99 Don't know      | 161       | 94.15   |

Frequency Missing = 31257

NAH.128\_25.000: Number of sisters <50 when diagnosed w/stomach cancer

| FHSAGE25           | Frequency | Percent |
|--------------------|-----------|---------|
| 00 None            | 59        | 23.69   |
| 01-20 1-20 sisters | 26        | 10.44   |
| 21 21+             | 0         | 0.00    |
| 97 Refused         | 4         | 1.61    |
| 98 Not ascertained | 0         | 0.00    |
| 99 Don't know      | 160       | 64.26   |

Frequency Missing = 31179

NAH.128\_27.000: Number of sisters <50 when diagnosed w/throat-pharynx cancer

| FHSAGE27           | Frequency | Percent |
|--------------------|-----------|---------|
| 00 None            | 12        | 6.19    |
| 01-20 1-20 sisters | 16        | 8.25    |
| 21 21+             | 0         | 0.00    |
| 97 Refused         | 4         | 2.06    |
| 98 Not ascertained | 0         | 0.00    |
| 99 Don't know      | 162       | 83.51   |

Frequency Missing = 31234

NAH.128\_28.000: Number of sisters <50 when diagnosed w/thyroid cancer

| FHSAGE28           | Frequency | Percent |
|--------------------|-----------|---------|
| 00 None            | 11        | 5.14    |
| 01-20 1-20 sisters | 38        | 17.76   |
| 21 21+             | 0         | 0.00    |
| 97 Refused         | 4         | 1.87    |
| 98 Not ascertained | 0         | 0.00    |
| 99 Don't know      | 161       | 75.23   |

Frequency Missing = 31214

2005 National Health Interview Survey (NHIS)  
 Cancer Public Use File (cancerxx)  
 NAH Variables  
 Unweighted Frequencies

157

Tuesday, June 13, 2006

NAH.128\_29.000: Number of sisters <50 when diagnosed w/uterine cancer

| FHSAGE29           | Frequency | Percent |
|--------------------|-----------|---------|
| 00 None            | 45        | 13.76   |
| 01-20 1-20 sisters | 116       | 35.47   |
| 21 21+             | 0         | 0.00    |
| 97 Refused         | 5         | 1.53    |
| 98 Not ascertained | 0         | 0.00    |
| 99 Don't know      | 161       | 49.24   |

Frequency Missing = 31101

NAH.128\_30.000: Number of sisters <50 when diagnosed w/other kind of cancer

| FHSAGE30           | Frequency | Percent |
|--------------------|-----------|---------|
| 00 None            | 35        | 14.34   |
| 01-20 1-20 sisters | 43        | 17.62   |
| 21 21+             | 0         | 0.00    |
| 97 Refused         | 4         | 1.64    |
| 98 Not ascertained | 0         | 0.00    |
| 99 Don't know      | 162       | 66.39   |

Frequency Missing = 31184

NAH.130\_00.000: # of sons

| FHNNUM                    | Frequency | Percent |
|---------------------------|-----------|---------|
| 00 None                   | 13185     | 41.95   |
| 01-20 1-20 sons           | 15872     | 50.50   |
| 21 21+                    | 0         | 0.00    |
| 96 No biological children | 24        | 0.08    |
| 97 Refused                | 680       | 2.16    |
| 98 Not ascertained        | 1538      | 4.89    |
| 99 Don't know             | 129       | 0.41    |

NAH.140\_00.000: # of full sons who ever had cancer

| FHNCAN             | Frequency | Percent |
|--------------------|-----------|---------|
| 00 None            | 15523     | 97.80   |
| 01-20 1-20 sons    | 319       | 2.01    |
| 21 21+             | 0         | 0.00    |
| 97 Refused         | 8         | 0.05    |
| 98 Not ascertained | 0         | 0.00    |
| 99 Don't know      | 22        | 0.14    |

Frequency Missing = 15556

2005 National Health Interview Survey (NHIS)  
Cancer Public Use File (cancerxx)  
NAH Variables  
Unweighted Frequencies

158

Tuesday, June 13, 2006

NAH.150\_01.000: What kind of cancer...bladder

| FHNTYP1           | Frequency | Percent |
|-------------------|-----------|---------|
| 1 Mentioned       | 1         | 0.31    |
| 2 Not mentioned   | 310       | 97.18   |
| 7 Refused         | 1         | 0.31    |
| 8 Not ascertained | 0         | 0.00    |
| 9 Don't know      | 7         | 2.19    |

Frequency Missing = 31109

NAH.150\_02.000: What kind of cancer...blood

| FHNTYP2           | Frequency | Percent |
|-------------------|-----------|---------|
| 1 Mentioned       | 2         | 0.63    |
| 2 Not mentioned   | 309       | 96.87   |
| 7 Refused         | 1         | 0.31    |
| 8 Not ascertained | 0         | 0.00    |
| 9 Don't know      | 7         | 2.19    |

Frequency Missing = 31109

NAH.150\_03.000: What kind of cancer...bone

| FHNTYP3           | Frequency | Percent |
|-------------------|-----------|---------|
| 1 Mentioned       | 6         | 1.88    |
| 2 Not mentioned   | 305       | 95.61   |
| 7 Refused         | 1         | 0.31    |
| 8 Not ascertained | 0         | 0.00    |
| 9 Don't know      | 7         | 2.19    |

Frequency Missing = 31109

NAH.150\_04.000: What kind of cancer...brain

| FHNTYP4           | Frequency | Percent |
|-------------------|-----------|---------|
| 1 Mentioned       | 19        | 5.96    |
| 2 Not mentioned   | 292       | 91.54   |
| 7 Refused         | 1         | 0.31    |
| 8 Not ascertained | 0         | 0.00    |
| 9 Don't know      | 7         | 2.19    |

Frequency Missing = 31109

2005 National Health Interview Survey (NHIS)  
Cancer Public Use File (cancerxx)  
NAH Variables  
Unweighted Frequencies

159

Tuesday, June 13, 2006

NAH.150\_05.000: What kind of cancer...breast

| FHNTYP5           | Frequency | Percent |
|-------------------|-----------|---------|
| 1 Mentioned       | 2         | 0.63    |
| 2 Not mentioned   | 309       | 96.87   |
| 7 Refused         | 1         | 0.31    |
| 8 Not ascertained | 0         | 0.00    |
| 9 Don't know      | 7         | 2.19    |

Frequency Missing = 31109

NAH.150\_07.000: What kind of cancer...colon

| FHNTYP7           | Frequency | Percent |
|-------------------|-----------|---------|
| 1 Mentioned       | 25        | 7.84    |
| 2 Not mentioned   | 286       | 89.66   |
| 7 Refused         | 1         | 0.31    |
| 8 Not ascertained | 0         | 0.00    |
| 9 Don't know      | 7         | 2.19    |

Frequency Missing = 31109

NAH.150\_08.000: What kind of cancer...esophagus

| FHNTYP8           | Frequency | Percent |
|-------------------|-----------|---------|
| 1 Mentioned       | 4         | 1.25    |
| 2 Not mentioned   | 307       | 96.24   |
| 7 Refused         | 1         | 0.31    |
| 8 Not ascertained | 0         | 0.00    |
| 9 Don't know      | 7         | 2.19    |

Frequency Missing = 31109

NAH.150\_09.000: What kind of cancer...gall bladder

| FHNTYP9           | Frequency | Percent |
|-------------------|-----------|---------|
| 1 Mentioned       | 0         | 0.00    |
| 2 Not mentioned   | 311       | 97.49   |
| 7 Refused         | 1         | 0.31    |
| 8 Not ascertained | 0         | 0.00    |
| 9 Don't know      | 7         | 2.19    |

Frequency Missing = 31109

2005 National Health Interview Survey (NHIS)  
Cancer Public Use File (cancerxx)  
NAH Variables  
Unweighted Frequencies

160

Tuesday, June 13, 2006

NAH.150\_10.000: What kind of cancer...kidney

| FHNTYP10          | Frequency | Percent |
|-------------------|-----------|---------|
| 1 Mentioned       | 6         | 1.88    |
| 2 Not mentioned   | 305       | 95.61   |
| 7 Refused         | 1         | 0.31    |
| 8 Not ascertained | 0         | 0.00    |
| 9 Don't know      | 7         | 2.19    |

Frequency Missing = 31109

NAH.150\_11.000: What kind of cancer...larynx-windpipe

| FHNTYP11          | Frequency | Percent |
|-------------------|-----------|---------|
| 1 Mentioned       | 2         | 0.63    |
| 2 Not mentioned   | 309       | 96.87   |
| 7 Refused         | 1         | 0.31    |
| 8 Not ascertained | 0         | 0.00    |
| 9 Don't know      | 7         | 2.19    |

Frequency Missing = 31109

NAH.150\_12.000: What kind of cancer...leukemia

| FHNTYP12          | Frequency | Percent |
|-------------------|-----------|---------|
| 1 Mentioned       | 22        | 6.90    |
| 2 Not mentioned   | 289       | 90.60   |
| 7 Refused         | 1         | 0.31    |
| 8 Not ascertained | 0         | 0.00    |
| 9 Don't know      | 7         | 2.19    |

Frequency Missing = 31109

NAH.150\_13.000: What kind of cancer...liver

| FHNTYP13          | Frequency | Percent |
|-------------------|-----------|---------|
| 1 Mentioned       | 11        | 3.45    |
| 2 Not mentioned   | 300       | 94.04   |
| 7 Refused         | 1         | 0.31    |
| 8 Not ascertained | 0         | 0.00    |
| 9 Don't know      | 7         | 2.19    |

Frequency Missing = 31109



2005 National Health Interview Survey (NHIS)  
Cancer Public Use File (cancerxx)  
NAH Variables  
Unweighted Frequencies

161

Tuesday, June 13, 2006

NAH.150\_14.000: What kind of cancer...lung

| FHNTYP14          | Frequency | Percent |
|-------------------|-----------|---------|
| 1 Mentioned       | 27        | 8.46    |
| 2 Not mentioned   | 284       | 89.03   |
| 7 Refused         | 1         | 0.31    |
| 8 Not ascertained | 0         | 0.00    |
| 9 Don't know      | 7         | 2.19    |

Frequency Missing = 31109

NAH.150\_15.000: What kind of cancer...lymphoma

| FHNTYP15          | Frequency | Percent |
|-------------------|-----------|---------|
| 1 Mentioned       | 25        | 7.84    |
| 2 Not mentioned   | 286       | 89.66   |
| 7 Refused         | 1         | 0.31    |
| 8 Not ascertained | 0         | 0.00    |
| 9 Don't know      | 7         | 2.19    |

Frequency Missing = 31109

NAH.150\_16.000: What kind of cancer...melanoma

| FHNTYP16          | Frequency | Percent |
|-------------------|-----------|---------|
| 1 Mentioned       | 31        | 9.72    |
| 2 Not mentioned   | 280       | 87.77   |
| 7 Refused         | 1         | 0.31    |
| 8 Not ascertained | 0         | 0.00    |
| 9 Don't know      | 7         | 2.19    |

Frequency Missing = 31109

NAH.150\_17.000: What kind of cancer...mouth/tongue/lip

| FHNTYP17          | Frequency | Percent |
|-------------------|-----------|---------|
| 1 Mentioned       | 0         | 0.00    |
| 2 Not mentioned   | 311       | 97.49   |
| 7 Refused         | 1         | 0.31    |
| 8 Not ascertained | 0         | 0.00    |
| 9 Don't know      | 7         | 2.19    |

Frequency Missing = 31109

2005 National Health Interview Survey (NHIS)  
Cancer Public Use File (cancerxx)  
NAH Variables  
Unweighted Frequencies

162

Tuesday, June 13, 2006

NAH.150\_19.000: What kind of cancer...pancreas

| FHNTYP19          | Frequency | Percent |
|-------------------|-----------|---------|
| 1 Mentioned       | 3         | 0.94    |
| 2 Not mentioned   | 308       | 96.55   |
| 7 Refused         | 1         | 0.31    |
| 8 Not ascertained | 0         | 0.00    |
| 9 Don't know      | 7         | 2.19    |

Frequency Missing = 31109

NAH.150\_20.000: What kind of cancer...prostate

| FHNTYP20          | Frequency | Percent |
|-------------------|-----------|---------|
| 1 Mentioned       | 28        | 8.78    |
| 2 Not mentioned   | 283       | 88.71   |
| 7 Refused         | 1         | 0.31    |
| 8 Not ascertained | 0         | 0.00    |
| 9 Don't know      | 7         | 2.19    |

Frequency Missing = 31109

NAH.150\_21.000: What kind of cancer...rectum

| FHNTYP21          | Frequency | Percent |
|-------------------|-----------|---------|
| 1 Mentioned       | 1         | 0.31    |
| 2 Not mentioned   | 310       | 97.18   |
| 7 Refused         | 1         | 0.31    |
| 8 Not ascertained | 0         | 0.00    |
| 9 Don't know      | 7         | 2.19    |

Frequency Missing = 31109

NAH.150\_22.000: What kind of cancer...skin (non-melanoma)

| FHNTYP22          | Frequency | Percent |
|-------------------|-----------|---------|
| 1 Mentioned       | 20        | 6.27    |
| 2 Not mentioned   | 291       | 91.22   |
| 7 Refused         | 1         | 0.31    |
| 8 Not ascertained | 0         | 0.00    |
| 9 Don't know      | 7         | 2.19    |

Frequency Missing = 31109

2005 National Health Interview Survey (NHIS)  
Cancer Public Use File (cancerxx)  
NAH Variables  
Unweighted Frequencies

163

Tuesday, June 13, 2006

NAH.150\_23.000: What kind of cancer...skin (DK what kind)

| FHNTYP23          | Frequency | Percent |
|-------------------|-----------|---------|
| 1 Mentioned       | 25        | 7.84    |
| 2 Not mentioned   | 286       | 89.66   |
| 7 Refused         | 1         | 0.31    |
| 8 Not ascertained | 0         | 0.00    |
| 9 Don't know      | 7         | 2.19    |

Frequency Missing = 31109

NAH.150\_24.000: What kind of cancer...soft tissue (muscle or fat)

| FHNTYP24          | Frequency | Percent |
|-------------------|-----------|---------|
| 1 Mentioned       | 1         | 0.31    |
| 2 Not mentioned   | 310       | 97.18   |
| 7 Refused         | 1         | 0.31    |
| 8 Not ascertained | 0         | 0.00    |
| 9 Don't know      | 7         | 2.19    |

Frequency Missing = 31109

NAH.150\_25.000: What kind of cancer...stomach

| FHNTYP25          | Frequency | Percent |
|-------------------|-----------|---------|
| 1 Mentioned       | 5         | 1.57    |
| 2 Not mentioned   | 306       | 95.92   |
| 7 Refused         | 1         | 0.31    |
| 8 Not ascertained | 0         | 0.00    |
| 9 Don't know      | 7         | 2.19    |

Frequency Missing = 31109

NAH.150\_26.000: What kind of cancer...testis

| FHNTYP26          | Frequency | Percent |
|-------------------|-----------|---------|
| 1 Mentioned       | 22        | 6.90    |
| 2 Not mentioned   | 289       | 90.60   |
| 7 Refused         | 1         | 0.31    |
| 8 Not ascertained | 0         | 0.00    |
| 9 Don't know      | 7         | 2.19    |

Frequency Missing = 31109

2005 National Health Interview Survey (NHIS)  
Cancer Public Use File (cancerxx)  
NAH Variables  
Unweighted Frequencies

164

Tuesday, June 13, 2006

NAH.150\_27.000: What kind of cancer...throat-pharynx

| FHNTYP27          | Frequency | Percent |
|-------------------|-----------|---------|
| 1 Mentioned       | 4         | 1.25    |
| 2 Not mentioned   | 307       | 96.24   |
| 7 Refused         | 1         | 0.31    |
| 8 Not ascertained | 0         | 0.00    |
| 9 Don't know      | 7         | 2.19    |

Frequency Missing = 31109

NAH.150\_28.000: What kind of cancer...thyroid

| FHNTYP28          | Frequency | Percent |
|-------------------|-----------|---------|
| 1 Mentioned       | 7         | 2.19    |
| 2 Not mentioned   | 304       | 95.30   |
| 7 Refused         | 1         | 0.31    |
| 8 Not ascertained | 0         | 0.00    |
| 9 Don't know      | 7         | 2.19    |

Frequency Missing = 31109

NAH.150\_30.000: What kind of cancer . . . Other

| FHNTYP30          | Frequency | Percent |
|-------------------|-----------|---------|
| 1 Mentioned       | 27        | 8.46    |
| 2 Not mentioned   | 284       | 89.03   |
| 7 Refused         | 1         | 0.31    |
| 8 Not ascertained | 0         | 0.00    |
| 9 Don't know      | 7         | 2.19    |

Frequency Missing = 31109

NAH.150\_31.000: What kind of cancer...more than 2 kinds

| FHNTYP31          | Frequency | Percent |
|-------------------|-----------|---------|
| 1 Mentioned       | 2         | 13.33   |
| 2 Not mentioned   | 13        | 86.67   |
| 7 Refused         | 0         | 0.00    |
| 8 Not ascertained | 0         | 0.00    |
| 9 Don't know      | 0         | 0.00    |

Frequency Missing = 31413

2005 National Health Interview Survey (NHIS)  
Cancer Public Use File (cancerxx)  
NAH Variables  
Unweighted Frequencies

165

Tuesday, June 13, 2006

NAH.155\_01.000: Number of sons diagnosed w/bladder cancer

| FHNMAN01           | Frequency | Percent |
|--------------------|-----------|---------|
| 01-20 1-20 sons    | 1         | 11.11   |
| 21 21+             | 0         | 0.00    |
| 97 Refused         | 1         | 11.11   |
| 98 Not ascertained | 0         | 0.00    |
| 99 Don't know      | 7         | 77.78   |

Frequency Missing = 31419

NAH.155\_02.000: Number of sons diagnosed w/blood cancer

| FHNMAN02           | Frequency | Percent |
|--------------------|-----------|---------|
| 01-20 1-20 sons    | 2         | 20.00   |
| 21 21+             | 0         | 0.00    |
| 97 Refused         | 1         | 10.00   |
| 98 Not ascertained | 0         | 0.00    |
| 99 Don't know      | 7         | 70.00   |

Frequency Missing = 31418

NAH.155\_03.000: Number of sons diagnosed w/bone cancer

| FHNMAN03           | Frequency | Percent |
|--------------------|-----------|---------|
| 01-20 1-20 sons    | 6         | 42.86   |
| 21 21+             | 0         | 0.00    |
| 97 Refused         | 1         | 7.14    |
| 98 Not ascertained | 0         | 0.00    |
| 99 Don't know      | 7         | 50.00   |

Frequency Missing = 31414

NAH.155\_04.000: Number of sons diagnosed w/brain cancer

| FHNMAN04           | Frequency | Percent |
|--------------------|-----------|---------|
| 01-20 1-20 sons    | 19        | 70.37   |
| 21 21+             | 0         | 0.00    |
| 97 Refused         | 1         | 3.70    |
| 98 Not ascertained | 0         | 0.00    |
| 99 Don't know      | 7         | 25.93   |

Frequency Missing = 31401

2005 National Health Interview Survey (NHIS)  
Cancer Public Use File (cancerxx)  
NAH Variables  
Unweighted Frequencies

166

Tuesday, June 13, 2006

NAH.155\_05.000: Number of sons diagnosed w/breast cancer

| FHNMAN05           | Frequency | Percent |
|--------------------|-----------|---------|
| 01-20 1-20 sons    | 2         | 20.00   |
| 21 21+             | 0         | 0.00    |
| 97 Refused         | 1         | 10.00   |
| 98 Not ascertained | 0         | 0.00    |
| 99 Don't know      | 7         | 70.00   |

Frequency Missing = 31418

NAH.155\_07.000: Number of sons diagnosed w/colon cancer

| FHNMAN07           | Frequency | Percent |
|--------------------|-----------|---------|
| 01-20 1-20 sons    | 25        | 75.76   |
| 21 21+             | 0         | 0.00    |
| 97 Refused         | 1         | 3.03    |
| 98 Not ascertained | 0         | 0.00    |
| 99 Don't know      | 7         | 21.21   |

Frequency Missing = 31395

NAH.155\_08.000: Number of sons diagnosed w/esophageal cancer

| FHNMAN08           | Frequency | Percent |
|--------------------|-----------|---------|
| 01-20 1-20 sons    | 4         | 33.33   |
| 21 21+             | 0         | 0.00    |
| 97 Refused         | 1         | 8.33    |
| 98 Not ascertained | 0         | 0.00    |
| 99 Don't know      | 7         | 58.33   |

Frequency Missing = 31416

NAH.155\_09.000: Number of sons diagnosed w/gall bladder cancer

| FHNMAN09           | Frequency | Percent |
|--------------------|-----------|---------|
| 01-20 1-20 sons    | 0         | 0.00    |
| 21 21+             | 0         | 0.00    |
| 97 Refused         | 1         | 12.50   |
| 98 Not ascertained | 0         | 0.00    |
| 99 Don't know      | 7         | 87.50   |

Frequency Missing = 31420

2005 National Health Interview Survey (NHIS)  
Cancer Public Use File (cancerxx)  
NAH Variables  
Unweighted Frequencies

167

Tuesday, June 13, 2006

NAH.155\_10.000: Number of sons diagnosed w/kidney cancer

| FHNMAN10           | Frequency | Percent |
|--------------------|-----------|---------|
| 01-20 1-20 sons    | 6         | 42.86   |
| 21 21+             | 0         | 0.00    |
| 97 Refused         | 1         | 7.14    |
| 98 Not ascertained | 0         | 0.00    |
| 99 Don't know      | 7         | 50.00   |

Frequency Missing = 31414

NAH.155\_11.000: Number of sons diagnosed w/larynx-windpipe cancer

| FHNMAN11           | Frequency | Percent |
|--------------------|-----------|---------|
| 01-20 1-20 sons    | 2         | 20.00   |
| 21 21+             | 0         | 0.00    |
| 97 Refused         | 1         | 10.00   |
| 98 Not ascertained | 0         | 0.00    |
| 99 Don't know      | 7         | 70.00   |

Frequency Missing = 31418

NAH.155\_12.000: Number of sons diagnosed w/leukemia

| FHNMAN12           | Frequency | Percent |
|--------------------|-----------|---------|
| 01-20 1-20 sons    | 22        | 73.33   |
| 21 21+             | 0         | 0.00    |
| 97 Refused         | 1         | 3.33    |
| 98 Not ascertained | 0         | 0.00    |
| 99 Don't know      | 7         | 23.33   |

Frequency Missing = 31398

NAH.155\_13.000: Number of sons diagnosed w/liver cancer

| FHNMAN13           | Frequency | Percent |
|--------------------|-----------|---------|
| 01-20 1-20 sons    | 11        | 57.89   |
| 21 21+             | 0         | 0.00    |
| 97 Refused         | 1         | 5.26    |
| 98 Not ascertained | 0         | 0.00    |
| 99 Don't know      | 7         | 36.84   |

Frequency Missing = 31409

2005 National Health Interview Survey (NHIS)  
Cancer Public Use File (cancerxx)  
NAH Variables  
Unweighted Frequencies

168

Tuesday, June 13, 2006

NAH.155\_14.000: Number of sons diagnosed w/lung cancer

| FHNMAN14           | Frequency | Percent |
|--------------------|-----------|---------|
| 01-20 1-20 sons    | 27        | 77.14   |
| 21 21+             | 0         | 0.00    |
| 97 Refused         | 1         | 2.86    |
| 98 Not ascertained | 0         | 0.00    |
| 99 Don't know      | 7         | 20.00   |

Frequency Missing = 31393

NAH.155\_15.000: Number of sons diagnosed w/lymphoma

| FHNMAN15           | Frequency | Percent |
|--------------------|-----------|---------|
| 01-20 1-20 sons    | 25        | 75.76   |
| 21 21+             | 0         | 0.00    |
| 97 Refused         | 1         | 3.03    |
| 98 Not ascertained | 0         | 0.00    |
| 99 Don't know      | 7         | 21.21   |

Frequency Missing = 31395

NAH.155\_16.000: Number of sons diagnosed w/melanoma

| FHNMAN16           | Frequency | Percent |
|--------------------|-----------|---------|
| 01-20 1-20 sons    | 31        | 79.49   |
| 21 21+             | 0         | 0.00    |
| 97 Refused         | 1         | 2.56    |
| 98 Not ascertained | 0         | 0.00    |
| 99 Don't know      | 7         | 17.95   |

Frequency Missing = 31389

NAH.155\_17.000: Number of sons diagnosed w/mouth/tongue/lip cancer

| FHNMAN17           | Frequency | Percent |
|--------------------|-----------|---------|
| 01-20 1-20 sons    | 0         | 0.00    |
| 21 21+             | 0         | 0.00    |
| 97 Refused         | 1         | 12.50   |
| 98 Not ascertained | 0         | 0.00    |
| 99 Don't know      | 7         | 87.50   |

Frequency Missing = 31420



2005 National Health Interview Survey (NHIS)  
Cancer Public Use File (cancerxx)  
NAH Variables  
Unweighted Frequencies

169

Tuesday, June 13, 2006

NAH.155\_19.000: Number of sons diagnosed w/pancreatic cancer

| FHNMAN19           | Frequency | Percent |
|--------------------|-----------|---------|
| 01-20 1-20 sons    | 3         | 27.27   |
| 21 21+             | 0         | 0.00    |
| 97 Refused         | 1         | 9.09    |
| 98 Not ascertained | 0         | 0.00    |
| 99 Don't know      | 7         | 63.64   |

Frequency Missing = 31417

NAH.155\_20.000: Number of sons diagnosed w/prostate cancer

| FHNMAN20           | Frequency | Percent |
|--------------------|-----------|---------|
| 01-20 1-20 sons    | 28        | 77.78   |
| 21 21+             | 0         | 0.00    |
| 97 Refused         | 1         | 2.78    |
| 98 Not ascertained | 0         | 0.00    |
| 99 Don't know      | 7         | 19.44   |

Frequency Missing = 31392

NAH.155\_21.000: Number of sons diagnosed w/rectal cancer

| FHNMAN21           | Frequency | Percent |
|--------------------|-----------|---------|
| 01-20 1-20 sons    | 1         | 11.11   |
| 21 21+             | 0         | 0.00    |
| 97 Refused         | 1         | 11.11   |
| 98 Not ascertained | 0         | 0.00    |
| 99 Don't know      | 7         | 77.78   |

Frequency Missing = 31419

NAH.155\_22.000: Number of sons diagnosed w/skin (non-melanoma) cancer

| FHNMAN22           | Frequency | Percent |
|--------------------|-----------|---------|
| 01-20 1-20 sons    | 20        | 71.43   |
| 21 21+             | 0         | 0.00    |
| 97 Refused         | 1         | 3.57    |
| 98 Not ascertained | 0         | 0.00    |
| 99 Don't know      | 7         | 25.00   |

Frequency Missing = 31400

2005 National Health Interview Survey (NHIS)  
Cancer Public Use File (cancerxx)  
NAH Variables  
Unweighted Frequencies

170

Tuesday, June 13, 2006

NAH.155\_23.000: Number of sons diagnosed w/skin (DK what kind) cancer

| FHNMAN23           | Frequency | Percent |
|--------------------|-----------|---------|
| 01-20 1-20 sons    | 25        | 75.76   |
| 21 21+             | 0         | 0.00    |
| 97 Refused         | 1         | 3.03    |
| 98 Not ascertained | 0         | 0.00    |
| 99 Don't know      | 7         | 21.21   |

Frequency Missing = 31395

NAH.155\_24.000: Number of sons diagnosed w/soft tissue (muscle or fat) cancer

| FHNMAN24           | Frequency | Percent |
|--------------------|-----------|---------|
| 01-20 1-20 sons    | 1         | 11.11   |
| 21 21+             | 0         | 0.00    |
| 97 Refused         | 1         | 11.11   |
| 98 Not ascertained | 0         | 0.00    |
| 99 Don't know      | 7         | 77.78   |

Frequency Missing = 31419

NAH.155\_25.000: Number of sons diagnosed w/stomach cancer

| FHNMAN25           | Frequency | Percent |
|--------------------|-----------|---------|
| 01-20 1-20 sons    | 5         | 38.46   |
| 21 21+             | 0         | 0.00    |
| 97 Refused         | 1         | 7.69    |
| 98 Not ascertained | 0         | 0.00    |
| 99 Don't know      | 7         | 53.85   |

Frequency Missing = 31415

NAH.155\_26.000: Number of sons diagnosed w/testicular cancer

| FHNMAN26           | Frequency | Percent |
|--------------------|-----------|---------|
| 01-20 1-20 sons    | 22        | 73.33   |
| 21 21+             | 0         | 0.00    |
| 97 Refused         | 1         | 3.33    |
| 98 Not ascertained | 0         | 0.00    |
| 99 Don't know      | 7         | 23.33   |

Frequency Missing = 31398

2005 National Health Interview Survey (NHIS)  
 Cancer Public Use File (cancerxx)  
 NAH Variables  
 Unweighted Frequencies

171

Tuesday, June 13, 2006

NAH.155\_27.000: Number of sons diagnosed w/throat-pharynx cancer

| FHNMAN27           | Frequency | Percent |
|--------------------|-----------|---------|
| 01-20 1-20 sons    | 4         | 33.33   |
| 21 21+             | 0         | 0.00    |
| 97 Refused         | 1         | 8.33    |
| 98 Not ascertained | 0         | 0.00    |
| 99 Don't know      | 7         | 58.33   |

Frequency Missing = 31416

NAH.155\_28.000: Number of sons diagnosed w/thyroid cancer

| FHNMAN28           | Frequency | Percent |
|--------------------|-----------|---------|
| 01-20 1-20 sons    | 7         | 46.67   |
| 21 21+             | 0         | 0.00    |
| 97 Refused         | 1         | 6.67    |
| 98 Not ascertained | 0         | 0.00    |
| 99 Don't know      | 7         | 46.67   |

Frequency Missing = 31413

NAH.155\_30.000: Number of sons diagnosed w/other kind of cancer

| FHNMAN30           | Frequency | Percent |
|--------------------|-----------|---------|
| 01-20 1-20 sons    | 27        | 77.14   |
| 21 21+             | 0         | 0.00    |
| 97 Refused         | 1         | 2.86    |
| 98 Not ascertained | 0         | 0.00    |
| 99 Don't know      | 7         | 20.00   |

Frequency Missing = 31393

NAH.156\_01.000: Number of sons <50 when diagnosed w/bladder cancer

| FHNAGE01           | Frequency | Percent |
|--------------------|-----------|---------|
| 00 None            | 1         | 11.11   |
| 01-20 1-20 sons    | 0         | 0.00    |
| 21 21+             | 0         | 0.00    |
| 97 Refused         | 1         | 11.11   |
| 98 Not ascertained | 0         | 0.00    |
| 99 Don't know      | 7         | 77.78   |

Frequency Missing = 31419

2005 National Health Interview Survey (NHIS)  
Cancer Public Use File (cancerxx)  
NAH Variables  
Unweighted Frequencies

172

Tuesday, June 13, 2006

NAH.156\_02.000: Number of sons <50 when diagnosed w/blood cancer

| FHNAGE02           | Frequency | Percent |
|--------------------|-----------|---------|
| 00 None            | 2         | 20.00   |
| 01-20 1-20 sons    | 0         | 0.00    |
| 21 21+             | 0         | 0.00    |
| 97 Refused         | 1         | 10.00   |
| 98 Not ascertained | 0         | 0.00    |
| 99 Don't know      | 7         | 70.00   |

Frequency Missing = 31418

NAH.156\_03.000: Number of sons <50 when diagnosed w/bone cancer

| FHNAGE03           | Frequency | Percent |
|--------------------|-----------|---------|
| 00 None            | 1         | 7.14    |
| 01-20 1-20 sons    | 5         | 35.71   |
| 21 21+             | 0         | 0.00    |
| 97 Refused         | 1         | 7.14    |
| 98 Not ascertained | 0         | 0.00    |
| 99 Don't know      | 7         | 50.00   |

Frequency Missing = 31414

NAH.156\_04.000: Number of sons <50 when diagnosed w/brain cancer

| FHNAGE04           | Frequency | Percent |
|--------------------|-----------|---------|
| 00 None            | 2         | 7.41    |
| 01-20 1-20 sons    | 17        | 62.96   |
| 21 21+             | 0         | 0.00    |
| 97 Refused         | 1         | 3.70    |
| 98 Not ascertained | 0         | 0.00    |
| 99 Don't know      | 7         | 25.93   |

Frequency Missing = 31401

NAH.156\_05.000: Number of sons <50 when diagnosed w/breast cancer

| FHNAGE05           | Frequency | Percent |
|--------------------|-----------|---------|
| 00 None            | 1         | 10.00   |
| 01-20 1-20 sons    | 1         | 10.00   |
| 21 21+             | 0         | 0.00    |
| 97 Refused         | 1         | 10.00   |
| 98 Not ascertained | 0         | 0.00    |
| 99 Don't know      | 7         | 70.00   |

Frequency Missing = 31418

2005 National Health Interview Survey (NHIS)  
Cancer Public Use File (cancerxx)  
NAH Variables  
Unweighted Frequencies

173

Tuesday, June 13, 2006

NAH.156\_07.000: Number of sons <50 when diagnosed w/colon cancer

| FHNAGE07           | Frequency | Percent |
|--------------------|-----------|---------|
| 00 None            | 12        | 36.36   |
| 01-20 1-20 sons    | 13        | 39.39   |
| 21 21+             | 0         | 0.00    |
| 97 Refused         | 1         | 3.03    |
| 98 Not ascertained | 0         | 0.00    |
| 99 Don't know      | 7         | 21.21   |

Frequency Missing = 31395

NAH.156\_08.000: Number of sons <50 when diagnosed w/esophageal cancer

| FHNAGE08           | Frequency | Percent |
|--------------------|-----------|---------|
| 00 None            | 2         | 16.67   |
| 01-20 1-20 sons    | 2         | 16.67   |
| 21 21+             | 0         | 0.00    |
| 97 Refused         | 1         | 8.33    |
| 98 Not ascertained | 0         | 0.00    |
| 99 Don't know      | 7         | 58.33   |

Frequency Missing = 31416

NAH.156\_09.000: Number of sons <50 when diagnosed w/gall bladder cancer

| FHNAGE09           | Frequency | Percent |
|--------------------|-----------|---------|
| 00 None            | 0         | 0.00    |
| 01-20 1-20 sons    | 0         | 0.00    |
| 21 21+             | 0         | 0.00    |
| 97 Refused         | 1         | 12.50   |
| 98 Not ascertained | 0         | 0.00    |
| 99 Don't know      | 7         | 87.50   |

Frequency Missing = 31420

NAH.156\_10.000: Number of sons <50 when diagnosed w/kidney cancer

| FHNAGE10           | Frequency | Percent |
|--------------------|-----------|---------|
| 00 None            | 3         | 21.43   |
| 01-20 1-20 sons    | 3         | 21.43   |
| 21 21+             | 0         | 0.00    |
| 97 Refused         | 1         | 7.14    |
| 98 Not ascertained | 0         | 0.00    |
| 99 Don't know      | 7         | 50.00   |

Frequency Missing = 31414

2005 National Health Interview Survey (NHIS)  
 Cancer Public Use File (cancerxx)  
 NAH Variables  
 Unweighted Frequencies

174

Tuesday, June 13, 2006

NAH.156\_11.000: Number of sons <50 when diagnosed w/larynx-windpipe cancer

| FHNAGE11           | Frequency | Percent |
|--------------------|-----------|---------|
| 00 None            | 1         | 10.00   |
| 01-20 1-20 sons    | 1         | 10.00   |
| 21 21+             | 0         | 0.00    |
| 97 Refused         | 1         | 10.00   |
| 98 Not ascertained | 0         | 0.00    |
| 99 Don't know      | 7         | 70.00   |

Frequency Missing = 31418

NAH.156\_12.000: Number of sons <50 when diagnosed w/leukemia

| FHNAGE12           | Frequency | Percent |
|--------------------|-----------|---------|
| 00 None            | 3         | 10.00   |
| 01-20 1-20 sons    | 19        | 63.33   |
| 21 21+             | 0         | 0.00    |
| 97 Refused         | 1         | 3.33    |
| 98 Not ascertained | 0         | 0.00    |
| 99 Don't know      | 7         | 23.33   |

Frequency Missing = 31398

NAH.156\_13.000: Number of sons <50 when diagnosed w/liver cancer

| FHNAGE13           | Frequency | Percent |
|--------------------|-----------|---------|
| 00 None            | 3         | 15.79   |
| 01-20 1-20 sons    | 8         | 42.11   |
| 21 21+             | 0         | 0.00    |
| 97 Refused         | 1         | 5.26    |
| 98 Not ascertained | 0         | 0.00    |
| 99 Don't know      | 7         | 36.84   |

Frequency Missing = 31409

NAH.156\_14.000: Number of sons <50 when diagnosed w/lung cancer

| FHNAGE14           | Frequency | Percent |
|--------------------|-----------|---------|
| 00 None            | 11        | 31.43   |
| 01-20 1-20 sons    | 16        | 45.71   |
| 21 21+             | 0         | 0.00    |
| 97 Refused         | 1         | 2.86    |
| 98 Not ascertained | 0         | 0.00    |
| 99 Don't know      | 7         | 20.00   |

Frequency Missing = 31393

2005 National Health Interview Survey (NHIS)  
 Cancer Public Use File (cancerxx)  
 NAH Variables  
 Unweighted Frequencies

175

Tuesday, June 13, 2006

NAH.156\_15.000: Number of sons <50 when diagnosed w/lymphoma

| FHNAGE15           | Frequency | Percent |
|--------------------|-----------|---------|
| 00 None            | 3         | 9.09    |
| 01-20 1-20 sons    | 22        | 66.67   |
| 21 21+             | 0         | 0.00    |
| 97 Refused         | 1         | 3.03    |
| 98 Not ascertained | 0         | 0.00    |
| 99 Don't know      | 7         | 21.21   |

Frequency Missing = 31395

NAH.156\_16.000: Number of sons <50 when diagnosed w/melanoma

| FHNAGE16           | Frequency | Percent |
|--------------------|-----------|---------|
| 00 None            | 5         | 12.82   |
| 01-20 1-20 sons    | 26        | 66.67   |
| 21 21+             | 0         | 0.00    |
| 97 Refused         | 1         | 2.56    |
| 98 Not ascertained | 0         | 0.00    |
| 99 Don't know      | 7         | 17.95   |

Frequency Missing = 31389

NAH.156\_17.000: Number of sons <50 when diagnosed w/mouth/tongue/lip cancer

| FHNAGE17           | Frequency | Percent |
|--------------------|-----------|---------|
| 00 None            | 0         | 0.00    |
| 01-20 1-20 sons    | 0         | 0.00    |
| 21 21+             | 0         | 0.00    |
| 97 Refused         | 1         | 12.50   |
| 98 Not ascertained | 0         | 0.00    |
| 99 Don't know      | 7         | 87.50   |

Frequency Missing = 31420

NAH.156\_19.000: Number of sons <50 when diagnosed w/pancreatic cancer

| FHNAGE19           | Frequency | Percent |
|--------------------|-----------|---------|
| 00 None            | 1         | 9.09    |
| 01-20 1-20 sons    | 2         | 18.18   |
| 21 21+             | 0         | 0.00    |
| 97 Refused         | 1         | 9.09    |
| 98 Not ascertained | 0         | 0.00    |
| 99 Don't know      | 7         | 63.64   |

Frequency Missing = 31417

2005 National Health Interview Survey (NHIS)  
Cancer Public Use File (cancerxx)  
NAH Variables  
Unweighted Frequencies

176

Tuesday, June 13, 2006

NAH.156\_20.000: Number of sons <50 when diagnosed w/prostate cancer

| FHNAGE20           | Frequency | Percent |
|--------------------|-----------|---------|
| 00 None            | 11        | 30.56   |
| 01-20 1-20 sons    | 17        | 47.22   |
| 21 21+             | 0         | 0.00    |
| 97 Refused         | 1         | 2.78    |
| 98 Not ascertained | 0         | 0.00    |
| 99 Don't know      | 7         | 19.44   |

Frequency Missing = 31392

NAH.156\_21.000: Number of sons <50 when diagnosed w/rectal cancer

| FHNAGE21           | Frequency | Percent |
|--------------------|-----------|---------|
| 00 None            | 0         | 0.00    |
| 01-20 1-20 sons    | 1         | 11.11   |
| 21 21+             | 0         | 0.00    |
| 97 Refused         | 1         | 11.11   |
| 98 Not ascertained | 0         | 0.00    |
| 99 Don't know      | 7         | 77.78   |

Frequency Missing = 31419

NAH.156\_22.000: Number of sons <50 when diagnosed w/skin (non-melanoma) cancer

| FHNAGE22           | Frequency | Percent |
|--------------------|-----------|---------|
| 00 None            | 2         | 7.14    |
| 01-20 1-20 sons    | 18        | 64.29   |
| 21 21+             | 0         | 0.00    |
| 97 Refused         | 1         | 3.57    |
| 98 Not ascertained | 0         | 0.00    |
| 99 Don't know      | 7         | 25.00   |

Frequency Missing = 31400

NAH.156\_23.000: Number of sons <50 when diagnosed w/skin (DK what kind) cancer

| FHNAGE23           | Frequency | Percent |
|--------------------|-----------|---------|
| 00 None            | 6         | 18.18   |
| 01-20 1-20 sons    | 18        | 54.55   |
| 21 21+             | 0         | 0.00    |
| 97 Refused         | 1         | 3.03    |
| 98 Not ascertained | 0         | 0.00    |
| 99 Don't know      | 8         | 24.24   |

Frequency Missing = 31395



2005 National Health Interview Survey (NHIS)  
 Cancer Public Use File (cancerxx)  
 NAH Variables  
 Unweighted Frequencies

177

Tuesday, June 13, 2006

NAH.156\_24.000: Number of sons <50 when diagnosed  
 w/soft tissue (muscle or fat) cancer

| FHNAGE24           | Frequency | Percent |
|--------------------|-----------|---------|
| 00 None            | 0         | 0.00    |
| 01-20 1-20 sons    | 1         | 11.11   |
| 21 21+             | 0         | 0.00    |
| 97 Refused         | 1         | 11.11   |
| 98 Not ascertained | 0         | 0.00    |
| 99 Don't know      | 7         | 77.78   |

Frequency Missing = 31419

NAH.156\_25.000: Number of sons <50 when diagnosed w/stomach cancer

| FHNAGE25           | Frequency | Percent |
|--------------------|-----------|---------|
| 00 None            | 1         | 7.69    |
| 01-20 1-20 sons    | 4         | 30.77   |
| 21 21+             | 0         | 0.00    |
| 97 Refused         | 1         | 7.69    |
| 98 Not ascertained | 0         | 0.00    |
| 99 Don't know      | 7         | 53.85   |

Frequency Missing = 31415

NAH.156\_26.000: Number of sons <50 when diagnosed w/testicular cancer

| FHNAGE26           | Frequency | Percent |
|--------------------|-----------|---------|
| 00 None            | 0         | 0.00    |
| 01-20 1-20 sons    | 22        | 73.33   |
| 21 21+             | 0         | 0.00    |
| 97 Refused         | 1         | 3.33    |
| 98 Not ascertained | 0         | 0.00    |
| 99 Don't know      | 7         | 23.33   |

Frequency Missing = 31398

NAH.156\_27.000: Number of sons <50 when diagnosed w/throat-pharynx cancer

| FHNAGE27           | Frequency | Percent |
|--------------------|-----------|---------|
| 00 None            | 1         | 8.33    |
| 01-20 1-20 sons    | 3         | 25.00   |
| 21 21+             | 0         | 0.00    |
| 97 Refused         | 1         | 8.33    |
| 98 Not ascertained | 0         | 0.00    |
| 99 Don't know      | 7         | 58.33   |

Frequency Missing = 31416

2005 National Health Interview Survey (NHIS)  
 Cancer Public Use File (cancerxx)  
 NAH Variables  
 Unweighted Frequencies

178

Tuesday, June 13, 2006

NAH.156\_28.000: Number of sons <50 when diagnosed w/thyroid cancer

| FHNAGE28           | Frequency | Percent |
|--------------------|-----------|---------|
| 00 None            | 1         | 6.67    |
| 01-20 1-20 sons    | 6         | 40.00   |
| 21 21+             | 0         | 0.00    |
| 97 Refused         | 1         | 6.67    |
| 98 Not ascertained | 0         | 0.00    |
| 99 Don't know      | 7         | 46.67   |

Frequency Missing = 31413

NAH.156\_30.000: Number of sons <50 when diagnosed w/other kind of cancer

| FHNAGE30           | Frequency | Percent |
|--------------------|-----------|---------|
| 00 None            | 3         | 8.57    |
| 01-20 1-20 sons    | 23        | 65.71   |
| 21 21+             | 0         | 0.00    |
| 97 Refused         | 1         | 2.86    |
| 98 Not ascertained | 0         | 0.00    |
| 99 Don't know      | 8         | 22.86   |

Frequency Missing = 31393

NAH.160\_00.000: # of daughters

| FHDNUM               | Frequency | Percent |
|----------------------|-----------|---------|
| 00 None              | 13692     | 43.57   |
| 01-20 1-20 daughters | 15373     | 48.91   |
| 21 21+               | 1         | 0.00    |
| 97 Refused           | 678       | 2.16    |
| 98 Not ascertained   | 1562      | 4.97    |
| 99 Don't know        | 122       | 0.39    |

NAH.170\_00.000: # of full daughters who ever had cancer

| FHDCAN               | Frequency | Percent |
|----------------------|-----------|---------|
| 00 None              | 14866     | 96.70   |
| 01-20 1-20 daughters | 481       | 3.13    |
| 21 21+               | 0         | 0.00    |
| 97 Refused           | 6         | 0.04    |
| 98 Not ascertained   | 0         | 0.00    |
| 99 Don't know        | 21        | 0.14    |

Frequency Missing = 16054

2005 National Health Interview Survey (NHIS)  
Cancer Public Use File (cancerxx)  
NAH Variables  
Unweighted Frequencies

179

Tuesday, June 13, 2006

NAH.180\_01.000: What kind of cancer...bladder

| FHDTYP1           | Frequency | Percent |
|-------------------|-----------|---------|
| 1 Mentioned       | 3         | 0.62    |
| 2 Not mentioned   | 460       | 95.63   |
| 7 Refused         | 1         | 0.21    |
| 8 Not ascertained | 0         | 0.00    |
| 9 Don't know      | 17        | 3.53    |

Frequency Missing = 30947

NAH.180\_02.000: What kind of cancer...blood

| FHDTYP2           | Frequency | Percent |
|-------------------|-----------|---------|
| 1 Mentioned       | 1         | 0.21    |
| 2 Not mentioned   | 462       | 96.05   |
| 7 Refused         | 1         | 0.21    |
| 8 Not ascertained | 0         | 0.00    |
| 9 Don't know      | 17        | 3.53    |

Frequency Missing = 30947

NAH.180\_03.000: What kind of cancer...bone

| FHDTYP3           | Frequency | Percent |
|-------------------|-----------|---------|
| 1 Mentioned       | 7         | 1.46    |
| 2 Not mentioned   | 456       | 94.80   |
| 7 Refused         | 1         | 0.21    |
| 8 Not ascertained | 0         | 0.00    |
| 9 Don't know      | 17        | 3.53    |

Frequency Missing = 30947

NAH.180\_04.000: What kind of cancer...brain

| FHDTYP4           | Frequency | Percent |
|-------------------|-----------|---------|
| 1 Mentioned       | 9         | 1.87    |
| 2 Not mentioned   | 454       | 94.39   |
| 7 Refused         | 1         | 0.21    |
| 8 Not ascertained | 0         | 0.00    |
| 9 Don't know      | 17        | 3.53    |

Frequency Missing = 30947

2005 National Health Interview Survey (NHIS)  
Cancer Public Use File (cancerxx)  
NAH Variables  
Unweighted Frequencies

180

Tuesday, June 13, 2006

NAH.180\_05.000: What kind of cancer...breast

| FHDTYP5           | Frequency | Percent |
|-------------------|-----------|---------|
| 1 Mentioned       | 121       | 25.16   |
| 2 Not mentioned   | 342       | 71.10   |
| 7 Refused         | 1         | 0.21    |
| 8 Not ascertained | 0         | 0.00    |
| 9 Don't know      | 17        | 3.53    |

Frequency Missing = 30947

NAH.180\_06.000: What kind of cancer...cervix

| FHDTYP6           | Frequency | Percent |
|-------------------|-----------|---------|
| 1 Mentioned       | 91        | 18.92   |
| 2 Not mentioned   | 372       | 77.34   |
| 7 Refused         | 1         | 0.21    |
| 8 Not ascertained | 0         | 0.00    |
| 9 Don't know      | 17        | 3.53    |

Frequency Missing = 30947

NAH.180\_07.000: What kind of cancer...colon

| FHDTYP7           | Frequency | Percent |
|-------------------|-----------|---------|
| 1 Mentioned       | 14        | 2.91    |
| 2 Not mentioned   | 449       | 93.35   |
| 7 Refused         | 1         | 0.21    |
| 8 Not ascertained | 0         | 0.00    |
| 9 Don't know      | 17        | 3.53    |

Frequency Missing = 30947

NAH.180\_08.000: What kind of cancer...esophagus

| FHDTYP8           | Frequency | Percent |
|-------------------|-----------|---------|
| 1 Mentioned       | 0         | 0.00    |
| 2 Not mentioned   | 463       | 96.26   |
| 7 Refused         | 1         | 0.21    |
| 8 Not ascertained | 0         | 0.00    |
| 9 Don't know      | 17        | 3.53    |

Frequency Missing = 30947

2005 National Health Interview Survey (NHIS)  
Cancer Public Use File (cancerxx)  
NAH Variables  
Unweighted Frequencies

181

Tuesday, June 13, 2006

NAH.180\_09.000: What kind of cancer...gall bladder

| FHDTYP9           | Frequency | Percent |
|-------------------|-----------|---------|
| 1 Mentioned       | 2         | 0.42    |
| 2 Not mentioned   | 461       | 95.84   |
| 7 Refused         | 1         | 0.21    |
| 8 Not ascertained | 0         | 0.00    |
| 9 Don't know      | 17        | 3.53    |

Frequency Missing = 30947

NAH.180\_10.000: What kind of cancer...kidney

| FHDTYP10          | Frequency | Percent |
|-------------------|-----------|---------|
| 1 Mentioned       | 5         | 1.04    |
| 2 Not mentioned   | 458       | 95.22   |
| 7 Refused         | 1         | 0.21    |
| 8 Not ascertained | 0         | 0.00    |
| 9 Don't know      | 17        | 3.53    |

Frequency Missing = 30947

NAH.180\_11.000: What kind of cancer...larynx-windpipe

| FHDTYP11          | Frequency | Percent |
|-------------------|-----------|---------|
| 1 Mentioned       | 1         | 0.21    |
| 2 Not mentioned   | 462       | 96.05   |
| 7 Refused         | 1         | 0.21    |
| 8 Not ascertained | 0         | 0.00    |
| 9 Don't know      | 17        | 3.53    |

Frequency Missing = 30947

NAH.180\_12.000: What kind of cancer...leukemia

| FHDTYP12          | Frequency | Percent |
|-------------------|-----------|---------|
| 1 Mentioned       | 24        | 4.99    |
| 2 Not mentioned   | 439       | 91.27   |
| 7 Refused         | 1         | 0.21    |
| 8 Not ascertained | 0         | 0.00    |
| 9 Don't know      | 17        | 3.53    |

Frequency Missing = 30947

2005 National Health Interview Survey (NHIS)  
Cancer Public Use File (cancerxx)  
NAH Variables  
Unweighted Frequencies

182

Tuesday, June 13, 2006

NAH.180\_13.000: What kind of cancer...liver

| FHDTYP13          | Frequency | Percent |
|-------------------|-----------|---------|
| 1 Mentioned       | 4         | 0.83    |
| 2 Not mentioned   | 459       | 95.43   |
| 7 Refused         | 1         | 0.21    |
| 8 Not ascertained | 0         | 0.00    |
| 9 Don't know      | 17        | 3.53    |

Frequency Missing = 30947

NAH.180\_14.000: What kind of cancer...lung

| FHDTYP14          | Frequency | Percent |
|-------------------|-----------|---------|
| 1 Mentioned       | 13        | 2.70    |
| 2 Not mentioned   | 450       | 93.56   |
| 7 Refused         | 1         | 0.21    |
| 8 Not ascertained | 0         | 0.00    |
| 9 Don't know      | 17        | 3.53    |

Frequency Missing = 30947

NAH.180\_15.000: What kind of cancer...lymphoma

| FHDTYP15          | Frequency | Percent |
|-------------------|-----------|---------|
| 1 Mentioned       | 23        | 4.78    |
| 2 Not mentioned   | 440       | 91.48   |
| 7 Refused         | 1         | 0.21    |
| 8 Not ascertained | 0         | 0.00    |
| 9 Don't know      | 17        | 3.53    |

Frequency Missing = 30947

NAH.180\_16.000: What kind of cancer...melanoma

| FHDTYP16          | Frequency | Percent |
|-------------------|-----------|---------|
| 1 Mentioned       | 31        | 6.44    |
| 2 Not mentioned   | 432       | 89.81   |
| 7 Refused         | 1         | 0.21    |
| 8 Not ascertained | 0         | 0.00    |
| 9 Don't know      | 17        | 3.53    |

Frequency Missing = 30947

2005 National Health Interview Survey (NHIS)  
Cancer Public Use File (cancerxx)  
NAH Variables  
Unweighted Frequencies

183

Tuesday, June 13, 2006

NAH.180\_17.000: What kind of cancer...mouth/tongue/lip

| FHDTYP17          | Frequency | Percent |
|-------------------|-----------|---------|
| 1 Mentioned       | 0         | 0.00    |
| 2 Not mentioned   | 463       | 96.26   |
| 7 Refused         | 1         | 0.21    |
| 8 Not ascertained | 0         | 0.00    |
| 9 Don't know      | 17        | 3.53    |

Frequency Missing = 30947

NAH.180\_18.000: What kind of cancer...ovary

| FHDTYP18          | Frequency | Percent |
|-------------------|-----------|---------|
| 1 Mentioned       | 21        | 4.37    |
| 2 Not mentioned   | 442       | 91.89   |
| 7 Refused         | 1         | 0.21    |
| 8 Not ascertained | 0         | 0.00    |
| 9 Don't know      | 17        | 3.53    |

Frequency Missing = 30947

NAH.180\_19.000: What kind of cancer...pancreas

| FHDTYP19          | Frequency | Percent |
|-------------------|-----------|---------|
| 1 Mentioned       | 3         | 0.62    |
| 2 Not mentioned   | 460       | 95.63   |
| 7 Refused         | 1         | 0.21    |
| 8 Not ascertained | 0         | 0.00    |
| 9 Don't know      | 17        | 3.53    |

Frequency Missing = 30947

NAH.180\_21.000: What kind of cancer...rectum

| FHDTYP21          | Frequency | Percent |
|-------------------|-----------|---------|
| 1 Mentioned       | 0         | 0.00    |
| 2 Not mentioned   | 463       | 96.26   |
| 7 Refused         | 1         | 0.21    |
| 8 Not ascertained | 0         | 0.00    |
| 9 Don't know      | 17        | 3.53    |

Frequency Missing = 30947

2005 National Health Interview Survey (NHIS)  
Cancer Public Use File (cancerxx)  
NAH Variables  
Unweighted Frequencies

184

Tuesday, June 13, 2006

NAH.180\_22.000: What kind of cancer...skin (non-melanoma)

| FHDTYP22          | Frequency | Percent |
|-------------------|-----------|---------|
| 1 Mentioned       | 23        | 4.78    |
| 2 Not mentioned   | 440       | 91.48   |
| 7 Refused         | 1         | 0.21    |
| 8 Not ascertained | 0         | 0.00    |
| 9 Don't know      | 17        | 3.53    |

Frequency Missing = 30947

NAH.180\_23.000: What kind of cancer...skin (DK what kind)

| FHDTYP23          | Frequency | Percent |
|-------------------|-----------|---------|
| 1 Mentioned       | 28        | 5.82    |
| 2 Not mentioned   | 435       | 90.44   |
| 7 Refused         | 1         | 0.21    |
| 8 Not ascertained | 0         | 0.00    |
| 9 Don't know      | 17        | 3.53    |

Frequency Missing = 30947

NAH.180\_24.000: What kind of cancer...soft tissue (muscle or fat)

| FHDTYP24          | Frequency | Percent |
|-------------------|-----------|---------|
| 1 Mentioned       | 4         | 0.83    |
| 2 Not mentioned   | 459       | 95.43   |
| 7 Refused         | 1         | 0.21    |
| 8 Not ascertained | 0         | 0.00    |
| 9 Don't know      | 17        | 3.53    |

Frequency Missing = 30947

NAH.180\_25.000: What kind of cancer...stomach

| FHDTYP25          | Frequency | Percent |
|-------------------|-----------|---------|
| 1 Mentioned       | 8         | 1.66    |
| 2 Not mentioned   | 455       | 94.59   |
| 7 Refused         | 1         | 0.21    |
| 8 Not ascertained | 0         | 0.00    |
| 9 Don't know      | 17        | 3.53    |

Frequency Missing = 30947



2005 National Health Interview Survey (NHIS)  
Cancer Public Use File (cancerxx)  
NAH Variables  
Unweighted Frequencies

185

Tuesday, June 13, 2006

NAH.180\_27.000: What kind of cancer...throat-pharynx

| FHDTYP27          | Frequency | Percent |
|-------------------|-----------|---------|
| 1 Mentioned       | 2         | 0.42    |
| 2 Not mentioned   | 461       | 95.84   |
| 7 Refused         | 1         | 0.21    |
| 8 Not ascertained | 0         | 0.00    |
| 9 Don't know      | 17        | 3.53    |

Frequency Missing = 30947

NAH.180\_28.000: What kind of cancer...thyroid

| FHDTYP28          | Frequency | Percent |
|-------------------|-----------|---------|
| 1 Mentioned       | 17        | 3.53    |
| 2 Not mentioned   | 446       | 92.72   |
| 7 Refused         | 1         | 0.21    |
| 8 Not ascertained | 0         | 0.00    |
| 9 Don't know      | 17        | 3.53    |

Frequency Missing = 30947

NAH.180\_29.000: What kind of cancer . . . Uterus

| FHDTYP29          | Frequency | Percent |
|-------------------|-----------|---------|
| 1 Mentioned       | 28        | 5.82    |
| 2 Not mentioned   | 435       | 90.44   |
| 7 Refused         | 1         | 0.21    |
| 8 Not ascertained | 0         | 0.00    |
| 9 Don't know      | 17        | 3.53    |

Frequency Missing = 30947

NAH.180\_30.000: What kind of cancer . . . Other

| FHDTYP30          | Frequency | Percent |
|-------------------|-----------|---------|
| 1 Mentioned       | 21        | 4.37    |
| 2 Not mentioned   | 442       | 91.89   |
| 7 Refused         | 1         | 0.21    |
| 8 Not ascertained | 0         | 0.00    |
| 9 Don't know      | 17        | 3.53    |

Frequency Missing = 30947

2005 National Health Interview Survey (NHIS)  
 Cancer Public Use File (cancerxx)  
 NAH Variables  
 Unweighted Frequencies

186

Tuesday, June 13, 2006

NAH.180\_31.000: What kind of cancer...more than 2 kinds

| FHDTP31           | Frequency | Percent |
|-------------------|-----------|---------|
| 1 Mentioned       | 6         | 13.95   |
| 2 Not mentioned   | 37        | 86.05   |
| 7 Refused         | 0         | 0.00    |
| 8 Not ascertained | 0         | 0.00    |
| 9 Don't know      | 0         | 0.00    |

Frequency Missing = 31385

NAH.194\_01.000: Number of daughters diagnosed w/bladder cancer

| FHDMAN01             | Frequency | Percent |
|----------------------|-----------|---------|
| 01-20 1-20 daughters | 3         | 14.29   |
| 21 21+               | 0         | 0.00    |
| 97 Refused           | 1         | 4.76    |
| 98 Not ascertained   | 0         | 0.00    |
| 99 Don't know        | 17        | 80.95   |

Frequency Missing = 31407

NAH.194\_02.000: Number of daughters diagnosed w/blood cancer

| FHDMAN02             | Frequency | Percent |
|----------------------|-----------|---------|
| 01-20 1-20 daughters | 1         | 5.26    |
| 21 21+               | 0         | 0.00    |
| 97 Refused           | 1         | 5.26    |
| 98 Not ascertained   | 0         | 0.00    |
| 99 Don't know        | 17        | 89.47   |

Frequency Missing = 31409

NAH.194\_03.000: Number of daughters diagnosed w/bone cancer

| FHDMAN03             | Frequency | Percent |
|----------------------|-----------|---------|
| 01-20 1-20 daughters | 7         | 28.00   |
| 21 21+               | 0         | 0.00    |
| 97 Refused           | 1         | 4.00    |
| 98 Not ascertained   | 0         | 0.00    |
| 99 Don't know        | 17        | 68.00   |

Frequency Missing = 31403

2005 National Health Interview Survey (NHIS)  
Cancer Public Use File (cancerxx)  
NAH Variables  
Unweighted Frequencies

187

Tuesday, June 13, 2006

NAH.194\_04.000: Number of daughters diagnosed w/brain cancer

| FHDMAN04             | Frequency | Percent |
|----------------------|-----------|---------|
| 01-20 1-20 daughters | 9         | 33.33   |
| 21 21+               | 0         | 0.00    |
| 97 Refused           | 1         | 3.70    |
| 98 Not ascertained   | 0         | 0.00    |
| 99 Don't know        | 17        | 62.96   |

Frequency Missing = 31401

NAH.194\_05.000: Number of daughters diagnosed w/breast cancer

| FHDMAN05             | Frequency | Percent |
|----------------------|-----------|---------|
| 01-20 1-20 daughters | 121       | 87.05   |
| 21 21+               | 0         | 0.00    |
| 97 Refused           | 1         | 0.72    |
| 98 Not ascertained   | 0         | 0.00    |
| 99 Don't know        | 17        | 12.23   |

Frequency Missing = 31289

NAH.194\_06.000: Number of daughters diagnosed w/cervical cancer

| FHDMAN06             | Frequency | Percent |
|----------------------|-----------|---------|
| 01-20 1-20 daughters | 91        | 83.49   |
| 21 21+               | 0         | 0.00    |
| 97 Refused           | 1         | 0.92    |
| 98 Not ascertained   | 0         | 0.00    |
| 99 Don't know        | 17        | 15.60   |

Frequency Missing = 31319

NAH.194\_07.000: Number of daughters diagnosed w/colon cancer

| FHDMAN07             | Frequency | Percent |
|----------------------|-----------|---------|
| 01-20 1-20 daughters | 14        | 43.75   |
| 21 21+               | 0         | 0.00    |
| 97 Refused           | 1         | 3.13    |
| 98 Not ascertained   | 0         | 0.00    |
| 99 Don't know        | 17        | 53.13   |

Frequency Missing = 31396

2005 National Health Interview Survey (NHIS)  
 Cancer Public Use File (cancerxx)  
 NAH Variables  
 Unweighted Frequencies

188

Tuesday, June 13, 2006

NAH.194\_08.000: Number of daughters diagnosed w/esophageal cancer

| FHDMAN08             | Frequency | Percent |
|----------------------|-----------|---------|
| 01-20 1-20 daughters | 0         | 0.00    |
| 21 21+               | 0         | 0.00    |
| 97 Refused           | 1         | 5.56    |
| 98 Not ascertained   | 0         | 0.00    |
| 99 Don't know        | 17        | 94.44   |

Frequency Missing = 31410

NAH.194\_09.000: Number of daughters diagnosed w/gall bladder cancer

| FHDMAN09             | Frequency | Percent |
|----------------------|-----------|---------|
| 01-20 1-20 daughters | 2         | 10.00   |
| 21 21+               | 0         | 0.00    |
| 97 Refused           | 1         | 5.00    |
| 98 Not ascertained   | 0         | 0.00    |
| 99 Don't know        | 17        | 85.00   |

Frequency Missing = 31408

NAH.194\_10.000: Number of daughters diagnosed w/kidney cancer

| FHDMAN10             | Frequency | Percent |
|----------------------|-----------|---------|
| 01-20 1-20 daughters | 5         | 21.74   |
| 21 21+               | 0         | 0.00    |
| 97 Refused           | 1         | 4.35    |
| 98 Not ascertained   | 0         | 0.00    |
| 99 Don't know        | 17        | 73.91   |

Frequency Missing = 31405

NAH.194\_11.000: Number of daughters diagnosed w/larynx-windpipe cancer

| FHDMAN11             | Frequency | Percent |
|----------------------|-----------|---------|
| 01-20 1-20 daughters | 1         | 5.26    |
| 21 21+               | 0         | 0.00    |
| 97 Refused           | 1         | 5.26    |
| 98 Not ascertained   | 0         | 0.00    |
| 99 Don't know        | 17        | 89.47   |

Frequency Missing = 31409

2005 National Health Interview Survey (NHIS)  
Cancer Public Use File (cancerxx)  
NAH Variables  
Unweighted Frequencies

189

Tuesday, June 13, 2006

NAH.194\_12.000: Number of daughters diagnosed w/leukemia

| FHDMAN12             | Frequency | Percent |
|----------------------|-----------|---------|
| 01-20 1-20 daughters | 24        | 57.14   |
| 21 21+               | 0         | 0.00    |
| 97 Refused           | 1         | 2.38    |
| 98 Not ascertained   | 0         | 0.00    |
| 99 Don't know        | 17        | 40.48   |

Frequency Missing = 31386

NAH.194\_13.000: Number of daughters diagnosed w/liver cancer

| FHDMAN13             | Frequency | Percent |
|----------------------|-----------|---------|
| 01-20 1-20 daughters | 4         | 18.18   |
| 21 21+               | 0         | 0.00    |
| 97 Refused           | 1         | 4.55    |
| 98 Not ascertained   | 0         | 0.00    |
| 99 Don't know        | 17        | 77.27   |

Frequency Missing = 31406

NAH.194\_14.000: Number of daughters diagnosed w/lung cancer

| FHDMAN14             | Frequency | Percent |
|----------------------|-----------|---------|
| 01-20 1-20 daughters | 13        | 41.94   |
| 21 21+               | 0         | 0.00    |
| 97 Refused           | 1         | 3.23    |
| 98 Not ascertained   | 0         | 0.00    |
| 99 Don't know        | 17        | 54.84   |

Frequency Missing = 31397

NAH.194\_15.000: Number of daughters diagnosed w/lymphoma

| FHDMAN15             | Frequency | Percent |
|----------------------|-----------|---------|
| 01-20 1-20 daughters | 23        | 56.10   |
| 21 21+               | 0         | 0.00    |
| 97 Refused           | 1         | 2.44    |
| 98 Not ascertained   | 0         | 0.00    |
| 99 Don't know        | 17        | 41.46   |

Frequency Missing = 31387

2005 National Health Interview Survey (NHIS)  
 Cancer Public Use File (cancerxx)  
 NAH Variables  
 Unweighted Frequencies

190

Tuesday, June 13, 2006

NAH.194\_16.000: Number of daughters diagnosed w/melanoma

| FHDMAN16             | Frequency | Percent |
|----------------------|-----------|---------|
| 01-20 1-20 daughters | 31        | 63.27   |
| 21 21+               | 0         | 0.00    |
| 97 Refused           | 1         | 2.04    |
| 98 Not ascertained   | 0         | 0.00    |
| 99 Don't know        | 17        | 34.69   |

Frequency Missing = 31379

NAH.194\_17.000: Number of daughters diagnosed w/mouth/tongue/lip cancer

| FHDMAN17             | Frequency | Percent |
|----------------------|-----------|---------|
| 01-20 1-20 daughters | 0         | 0.00    |
| 21 21+               | 0         | 0.00    |
| 97 Refused           | 1         | 5.56    |
| 98 Not ascertained   | 0         | 0.00    |
| 99 Don't know        | 17        | 94.44   |

Frequency Missing = 31410

NAH.194\_18.000: Number of daughters diagnosed w/ovarian cancer

| FHDMAN18             | Frequency | Percent |
|----------------------|-----------|---------|
| 01-20 1-20 daughters | 21        | 53.85   |
| 21 21+               | 0         | 0.00    |
| 97 Refused           | 1         | 2.56    |
| 98 Not ascertained   | 0         | 0.00    |
| 99 Don't know        | 17        | 43.59   |

Frequency Missing = 31389

NAH.194\_19.000: Number of daughters diagnosed w/pancreatic cancer

| FHDMAN19             | Frequency | Percent |
|----------------------|-----------|---------|
| 01-20 1-20 daughters | 3         | 14.29   |
| 21 21+               | 0         | 0.00    |
| 97 Refused           | 1         | 4.76    |
| 98 Not ascertained   | 0         | 0.00    |
| 99 Don't know        | 17        | 80.95   |

Frequency Missing = 31407

2005 National Health Interview Survey (NHIS)  
Cancer Public Use File (cancerxx)  
NAH Variables  
Unweighted Frequencies

191

Tuesday, June 13, 2006

NAH.194\_21.000: Number of daughters diagnosed w/rectal cancer

| FHDMAN21             | Frequency | Percent |
|----------------------|-----------|---------|
| 01-20 1-20 daughters | 0         | 0.00    |
| 21 21+               | 0         | 0.00    |
| 97 Refused           | 1         | 5.56    |
| 98 Not ascertained   | 0         | 0.00    |
| 99 Don't know        | 17        | 94.44   |

Frequency Missing = 31410

NAH.194\_22.000: Number of daughters diagnosed w/skin (non-melanoma) cancer

| FHDMAN22             | Frequency | Percent |
|----------------------|-----------|---------|
| 01-20 1-20 daughters | 23        | 56.10   |
| 21 21+               | 0         | 0.00    |
| 97 Refused           | 1         | 2.44    |
| 98 Not ascertained   | 0         | 0.00    |
| 99 Don't know        | 17        | 41.46   |

Frequency Missing = 31387

NAH.194\_23.000: Number of daughters diagnosed w/skin (DK what kind) cancer

| FHDMAN23             | Frequency | Percent |
|----------------------|-----------|---------|
| 01-20 1-20 daughters | 28        | 60.87   |
| 21 21+               | 0         | 0.00    |
| 97 Refused           | 1         | 2.17    |
| 98 Not ascertained   | 0         | 0.00    |
| 99 Don't know        | 17        | 36.96   |

Frequency Missing = 31382

NAH.194\_24.000: Number of daughters diagnosed  
w/soft tissue (muscle or fat) cancer

| FHDMAN24             | Frequency | Percent |
|----------------------|-----------|---------|
| 01-20 1-20 daughters | 4         | 18.18   |
| 21 21+               | 0         | 0.00    |
| 97 Refused           | 1         | 4.55    |
| 98 Not ascertained   | 0         | 0.00    |
| 99 Don't know        | 17        | 77.27   |

Frequency Missing = 31406

2005 National Health Interview Survey (NHIS)  
Cancer Public Use File (cancerxx)  
NAH Variables  
Unweighted Frequencies

192

Tuesday, June 13, 2006

NAH.194\_25.000: Number of daughters diagnosed w/stomach cancer

| FHDMAN25             | Frequency | Percent |
|----------------------|-----------|---------|
| 01-20 1-20 daughters | 8         | 30.77   |
| 21 21+               | 0         | 0.00    |
| 97 Refused           | 1         | 3.85    |
| 98 Not ascertained   | 0         | 0.00    |
| 99 Don't know        | 17        | 65.38   |

Frequency Missing = 31402

NAH.194\_27.000: Number of daughters diagnosed w/throat-pharynx cancer

| FHDMAN27             | Frequency | Percent |
|----------------------|-----------|---------|
| 01-20 1-20 daughters | 2         | 10.00   |
| 21 21+               | 0         | 0.00    |
| 97 Refused           | 1         | 5.00    |
| 98 Not ascertained   | 0         | 0.00    |
| 99 Don't know        | 17        | 85.00   |

Frequency Missing = 31408

NAH.194\_28.000: Number of daughters diagnosed w/thyroid cancer

| FHDMAN28             | Frequency | Percent |
|----------------------|-----------|---------|
| 01-20 1-20 daughters | 17        | 48.57   |
| 21 21+               | 0         | 0.00    |
| 97 Refused           | 1         | 2.86    |
| 98 Not ascertained   | 0         | 0.00    |
| 99 Don't know        | 17        | 48.57   |

Frequency Missing = 31393

NAH.194\_29.000: Number of daughters diagnosed w/uterine cancer

| FHDMAN29             | Frequency | Percent |
|----------------------|-----------|---------|
| 01-20 1-20 daughters | 27        | 58.70   |
| 21 21+               | 0         | 0.00    |
| 97 Refused           | 1         | 2.17    |
| 98 Not ascertained   | 0         | 0.00    |
| 99 Don't know        | 18        | 39.13   |

Frequency Missing = 31382



2005 National Health Interview Survey (NHIS)  
 Cancer Public Use File (cancerxx)  
 NAH Variables  
 Unweighted Frequencies

193

Tuesday, June 13, 2006

NAH.194\_30.000: Number of daughters diagnosed w/other kind of cancer

| FHDMAN30             | Frequency | Percent |
|----------------------|-----------|---------|
| 01-20 1-20 daughters | 21        | 53.85   |
| 21 21+               | 0         | 0.00    |
| 97 Refused           | 1         | 2.56    |
| 98 Not ascertained   | 0         | 0.00    |
| 99 Don't know        | 17        | 43.59   |

Frequency Missing = 31389

NAH.195\_01.000: Number of daughters <50 when diagnosed w/bladder cancer

| FHDAGE01             | Frequency | Percent |
|----------------------|-----------|---------|
| 00 None              | 0         | 0.00    |
| 01-20 1-20 daughters | 3         | 14.29   |
| 21 21+               | 0         | 0.00    |
| 97 Refused           | 1         | 4.76    |
| 98 Not ascertained   | 0         | 0.00    |
| 99 Don't know        | 17        | 80.95   |

Frequency Missing = 31407

NAH.195\_02.000: Number of daughters <50 when diagnosed w/blood cancer

| FHDAGE02             | Frequency | Percent |
|----------------------|-----------|---------|
| 00 None              | 1         | 5.26    |
| 01-20 1-20 daughters | 0         | 0.00    |
| 21 21+               | 0         | 0.00    |
| 97 Refused           | 1         | 5.26    |
| 98 Not ascertained   | 0         | 0.00    |
| 99 Don't know        | 17        | 89.47   |

Frequency Missing = 31409

NAH.195\_03.000: Number of daughters <50 when diagnosed w/bone cancer

| FHDAGE03             | Frequency | Percent |
|----------------------|-----------|---------|
| 00 None              | 1         | 4.00    |
| 01-20 1-20 daughters | 6         | 24.00   |
| 21 21+               | 0         | 0.00    |
| 97 Refused           | 1         | 4.00    |
| 98 Not ascertained   | 0         | 0.00    |
| 99 Don't know        | 17        | 68.00   |

Frequency Missing = 31403

2005 National Health Interview Survey (NHIS)  
 Cancer Public Use File (cancerxx)  
 NAH Variables  
 Unweighted Frequencies

194

Tuesday, June 13, 2006

NAH.195\_04.000: Number of daughters <50 when diagnosed w/brain cancer

| FHDAGE04             | Frequency | Percent |
|----------------------|-----------|---------|
| 00 None              | 0         | 0.00    |
| 01-20 1-20 daughters | 9         | 33.33   |
| 21 21+               | 0         | 0.00    |
| 97 Refused           | 1         | 3.70    |
| 98 Not ascertained   | 0         | 0.00    |
| 99 Don't know        | 17        | 62.96   |

Frequency Missing = 31401

NAH.195\_05.000: Number of daughters <50 when diagnosed w/breast cancer

| FHDAGE05             | Frequency | Percent |
|----------------------|-----------|---------|
| 00 None              | 24        | 17.27   |
| 01-20 1-20 daughters | 92        | 66.19   |
| 21 21+               | 0         | 0.00    |
| 97 Refused           | 1         | 0.72    |
| 98 Not ascertained   | 0         | 0.00    |
| 99 Don't know        | 22        | 15.83   |

Frequency Missing = 31289

NAH.195\_06.000: Number of daughters <50 when diagnosed w/cervical cancer

| FHDAGE06             | Frequency | Percent |
|----------------------|-----------|---------|
| 00 None              | 8         | 7.34    |
| 01-20 1-20 daughters | 83        | 76.15   |
| 21 21+               | 0         | 0.00    |
| 97 Refused           | 1         | 0.92    |
| 98 Not ascertained   | 0         | 0.00    |
| 99 Don't know        | 17        | 15.60   |

Frequency Missing = 31319

NAH.195\_07.000: Number of daughters <50 when diagnosed w/colon cancer

| FHDAGE07             | Frequency | Percent |
|----------------------|-----------|---------|
| 00 None              | 3         | 9.38    |
| 01-20 1-20 daughters | 11        | 34.38   |
| 21 21+               | 0         | 0.00    |
| 97 Refused           | 1         | 3.13    |
| 98 Not ascertained   | 0         | 0.00    |
| 99 Don't know        | 17        | 53.13   |

Frequency Missing = 31396

2005 National Health Interview Survey (NHIS)  
 Cancer Public Use File (cancerxx)  
 NAH Variables  
 Unweighted Frequencies

195

Tuesday, June 13, 2006

NAH.195\_08.000: Number of daughters <50 when diagnosed w/esophageal cancer

| FHDAGE08             | Frequency | Percent |
|----------------------|-----------|---------|
| 00 None              | 0         | 0.00    |
| 01-20 1-20 daughters | 0         | 0.00    |
| 21 21+               | 0         | 0.00    |
| 97 Refused           | 1         | 5.56    |
| 98 Not ascertained   | 0         | 0.00    |
| 99 Don't know        | 17        | 94.44   |

Frequency Missing = 31410

NAH.195\_09.000: Number of daughters <50 when diagnosed w/gall bladder cancer

| FHDAGE09             | Frequency | Percent |
|----------------------|-----------|---------|
| 00 None              | 1         | 5.00    |
| 01-20 1-20 daughters | 1         | 5.00    |
| 21 21+               | 0         | 0.00    |
| 97 Refused           | 1         | 5.00    |
| 98 Not ascertained   | 0         | 0.00    |
| 99 Don't know        | 17        | 85.00   |

Frequency Missing = 31408

NAH.195\_10.000: Number of daughters <50 when diagnosed w/kidney cancer

| FHDAGE10             | Frequency | Percent |
|----------------------|-----------|---------|
| 00 None              | 3         | 13.04   |
| 01-20 1-20 daughters | 2         | 8.70    |
| 21 21+               | 0         | 0.00    |
| 97 Refused           | 1         | 4.35    |
| 98 Not ascertained   | 0         | 0.00    |
| 99 Don't know        | 17        | 73.91   |

Frequency Missing = 31405

NAH.195\_11.000: Number of daughters <50 when diagnosed w/larynx-windpipe cancer

| FHDAGE11             | Frequency | Percent |
|----------------------|-----------|---------|
| 00 None              | 1         | 5.26    |
| 01-20 1-20 daughters | 0         | 0.00    |
| 21 21+               | 0         | 0.00    |
| 97 Refused           | 1         | 5.26    |
| 98 Not ascertained   | 0         | 0.00    |
| 99 Don't know        | 17        | 89.47   |

Frequency Missing = 31409

2005 National Health Interview Survey (NHIS)  
Cancer Public Use File (cancerxx)  
NAH Variables  
Unweighted Frequencies

196

Tuesday, June 13, 2006

NAH.195\_12.000: Number of daughters <50 when diagnosed w/leukemia

| FHDAGE12             | Frequency | Percent |
|----------------------|-----------|---------|
| 00 None              | 0         | 0.00    |
| 01-20 1-20 daughters | 24        | 57.14   |
| 21 21+               | 0         | 0.00    |
| 97 Refused           | 1         | 2.38    |
| 98 Not ascertained   | 0         | 0.00    |
| 99 Don't know        | 17        | 40.48   |

Frequency Missing = 31386

NAH.195\_13.000: Number of daughters <50 when diagnosed w/liver cancer

| FHDAGE13             | Frequency | Percent |
|----------------------|-----------|---------|
| 00 None              | 1         | 4.55    |
| 01-20 1-20 daughters | 3         | 13.64   |
| 21 21+               | 0         | 0.00    |
| 97 Refused           | 1         | 4.55    |
| 98 Not ascertained   | 0         | 0.00    |
| 99 Don't know        | 17        | 77.27   |

Frequency Missing = 31406

NAH.195\_14.000: Number of daughters <50 when diagnosed w/lung cancer

| FHDAGE14             | Frequency | Percent |
|----------------------|-----------|---------|
| 00 None              | 4         | 12.90   |
| 01-20 1-20 daughters | 8         | 25.81   |
| 21 21+               | 0         | 0.00    |
| 97 Refused           | 1         | 3.23    |
| 98 Not ascertained   | 0         | 0.00    |
| 99 Don't know        | 18        | 58.06   |

Frequency Missing = 31397

NAH.195\_15.000: Number of daughters <50 when diagnosed w/lymphoma

| FHDAGE15             | Frequency | Percent |
|----------------------|-----------|---------|
| 00 None              | 7         | 17.07   |
| 01-20 1-20 daughters | 16        | 39.02   |
| 21 21+               | 0         | 0.00    |
| 97 Refused           | 1         | 2.44    |
| 98 Not ascertained   | 0         | 0.00    |
| 99 Don't know        | 17        | 41.46   |

Frequency Missing = 31387

2005 National Health Interview Survey (NHIS)  
 Cancer Public Use File (cancerxx)  
 NAH Variables  
 Unweighted Frequencies

197

Tuesday, June 13, 2006

NAH.195\_16.000: Number of daughters <50 when diagnosed w/melanoma

| FHDAGE16             | Frequency | Percent |
|----------------------|-----------|---------|
| 00 None              | 3         | 6.12    |
| 01-20 1-20 daughters | 28        | 57.14   |
| 21 21+               | 0         | 0.00    |
| 97 Refused           | 1         | 2.04    |
| 98 Not ascertained   | 0         | 0.00    |
| 99 Don't know        | 17        | 34.69   |

Frequency Missing = 31379

NAH.195\_17.000: Number of daughters <50 when diagnosed w/mouth/tongue/lip cancer

| FHDAGE17             | Frequency | Percent |
|----------------------|-----------|---------|
| 00 None              | 0         | 0.00    |
| 01-20 1-20 daughters | 0         | 0.00    |
| 21 21+               | 0         | 0.00    |
| 97 Refused           | 1         | 5.56    |
| 98 Not ascertained   | 0         | 0.00    |
| 99 Don't know        | 17        | 94.44   |

Frequency Missing = 31410

NAH.195\_18.000: Number of daughters <50 when diagnosed w/ovarian cancer

| FHDAGE18             | Frequency | Percent |
|----------------------|-----------|---------|
| 00 None              | 3         | 7.69    |
| 01-20 1-20 daughters | 18        | 46.15   |
| 21 21+               | 0         | 0.00    |
| 97 Refused           | 1         | 2.56    |
| 98 Not ascertained   | 0         | 0.00    |
| 99 Don't know        | 17        | 43.59   |

Frequency Missing = 31389

NAH.195\_19.000: Number of daughters <50 when diagnosed w/pancreatic cancer

| FHDAGE19             | Frequency | Percent |
|----------------------|-----------|---------|
| 00 None              | 0         | 0.00    |
| 01-20 1-20 daughters | 3         | 14.29   |
| 21 21+               | 0         | 0.00    |
| 97 Refused           | 1         | 4.76    |
| 98 Not ascertained   | 0         | 0.00    |
| 99 Don't know        | 17        | 80.95   |

Frequency Missing = 31407

2005 National Health Interview Survey (NHIS)  
Cancer Public Use File (cancerxx)  
NAH Variables  
Unweighted Frequencies

198

Tuesday, June 13, 2006

NAH.195\_21.000: Number of daughters <50 when diagnosed w/rectal cancer

| FHDAGE21             | Frequency | Percent |
|----------------------|-----------|---------|
| 00 None              | 0         | 0.00    |
| 01-20 1-20 daughters | 0         | 0.00    |
| 21 21+               | 0         | 0.00    |
| 97 Refused           | 1         | 5.56    |
| 98 Not ascertained   | 0         | 0.00    |
| 99 Don't know        | 17        | 94.44   |

Frequency Missing = 31410

NAH.195\_22.000: Number of daughters <50 when  
diagnosed w/skin (non-melanoma) cancer

| FHDAGE22             | Frequency | Percent |
|----------------------|-----------|---------|
| 00 None              | 2         | 4.88    |
| 01-20 1-20 daughters | 21        | 51.22   |
| 21 21+               | 0         | 0.00    |
| 97 Refused           | 1         | 2.44    |
| 98 Not ascertained   | 0         | 0.00    |
| 99 Don't know        | 17        | 41.46   |

Frequency Missing = 31387

NAH.195\_23.000: Number of daughters <50 when  
diagnosed w/skin (DK what kind) cancer

| FHDAGE23             | Frequency | Percent |
|----------------------|-----------|---------|
| 00 None              | 4         | 8.70    |
| 01-20 1-20 daughters | 24        | 52.17   |
| 21 21+               | 0         | 0.00    |
| 97 Refused           | 1         | 2.17    |
| 98 Not ascertained   | 0         | 0.00    |
| 99 Don't know        | 17        | 36.96   |

Frequency Missing = 31382

2005 National Health Interview Survey (NHIS)  
 Cancer Public Use File (cancerxx)  
 NAH Variables  
 Unweighted Frequencies

199

Tuesday, June 13, 2006

NAH.195\_24.000: Number of daughters <50 when diagnosed  
 w/soft tissue (muscle or fat) cancer

| FHDAGE24             | Frequency | Percent |
|----------------------|-----------|---------|
| 00 None              | 0         | 0.00    |
| 01-20 1-20 daughters | 4         | 18.18   |
| 21 21+               | 0         | 0.00    |
| 97 Refused           | 1         | 4.55    |
| 98 Not ascertained   | 0         | 0.00    |
| 99 Don't know        | 17        | 77.27   |

Frequency Missing = 31406

NAH.195\_25.000: Number of daughters <50 when diagnosed w/stomach cancer

| FHDAGE25             | Frequency | Percent |
|----------------------|-----------|---------|
| 00 None              | 0         | 0.00    |
| 01-20 1-20 daughters | 8         | 30.77   |
| 21 21+               | 0         | 0.00    |
| 97 Refused           | 1         | 3.85    |
| 98 Not ascertained   | 0         | 0.00    |
| 99 Don't know        | 17        | 65.38   |

Frequency Missing = 31402

NAH.195\_27.000: Number of daughters <50 when diagnosed w/throat-pharynx cancer

| FHDAGE27             | Frequency | Percent |
|----------------------|-----------|---------|
| 00 None              | 0         | 0.00    |
| 01-20 1-20 daughters | 2         | 10.00   |
| 21 21+               | 0         | 0.00    |
| 97 Refused           | 1         | 5.00    |
| 98 Not ascertained   | 0         | 0.00    |
| 99 Don't know        | 17        | 85.00   |

Frequency Missing = 31408

NAH.195\_28.000: Number of daughters <50 when diagnosed w/thyroid cancer

| FHDAGE28             | Frequency | Percent |
|----------------------|-----------|---------|
| 00 None              | 2         | 5.71    |
| 01-20 1-20 daughters | 15        | 42.86   |
| 21 21+               | 0         | 0.00    |
| 97 Refused           | 1         | 2.86    |
| 98 Not ascertained   | 0         | 0.00    |
| 99 Don't know        | 17        | 48.57   |

Frequency Missing = 31393

2005 National Health Interview Survey (NHIS)  
Cancer Public Use File (cancerxx)  
NAH Variables  
Unweighted Frequencies

200

Tuesday, June 13, 2006

NAH.195\_29.000: Number of daughters <50 when diagnosed w/uterine cancer

| FHDAGE29             | Frequency | Percent |
|----------------------|-----------|---------|
| 00 None              | 3         | 6.52    |
| 01-20 1-20 daughters | 25        | 54.35   |
| 21 21+               | 0         | 0.00    |
| 97 Refused           | 1         | 2.17    |
| 98 Not ascertained   | 0         | 0.00    |
| 99 Don't know        | 17        | 36.96   |

Frequency Missing = 31382

NAH.195\_30.000: Number of daughters <50 when diagnosed w/other kind of cancer

| FHDAGE30             | Frequency | Percent |
|----------------------|-----------|---------|
| 00 None              | 2         | 5.13    |
| 01-20 1-20 daughters | 19        | 48.72   |
| 21 21+               | 0         | 0.00    |
| 97 Refused           | 1         | 2.56    |
| 98 Not ascertained   | 0         | 0.00    |
| 99 Don't know        | 17        | 43.59   |

Frequency Missing = 31389