

2007 NHIS Public Use Variable Summary

Child Alternative Medicine

Filename - Section: childcam - IDN

Document Version Date: May 22, 2008

Question #	Recode	Instrument Variable Name	FinalDocName	Processing Variable Label	Location	Length
IDN.000_00.000			RECTYPE	File type identifier	1 - 2	2
IDN.000_02.000			SRVY_YR	Year of National Health Interview Survey	3 - 6	4
IDN.000_04.000			HHX	HH identifier	7 - 12	6
IDN.000_35.000			FMX	Family Serial Number	13 - 14	2
IDN.000_40.000		FPX	FPX	Person Number (in family)	15 - 16	2
IDN.000_70.000			WTFA_SC	Weight - Final Annual	17 - 22	6
UCF.000_00.000	R15	RECODE	STRAT_P	Pseudo-stratum for public use file variance estimation	23 - 25	3
UCF.000_00.000	R16	RECODE	PSU_P	Pseudo-PSU for public use file variance estimation	26 - 27	2
CAL.010_00.000		CAC_USEM	CAC_USEM	Saw practitioner for acupuncture, past 12 months	28	1
CAL.020_00.000		CAY_USEM	CAY_USEM	Saw practitioner for ayurveda, past 12 months	29	1
CAL.030_00.000		CBI_USEM	CBI_USEM	Saw practitioner for biofeedback, past 12 months	30	1
CAL.040_00.000		CCH_USEM	CCH_USEM	Saw practitioner for chelation therapy, past 12 months	31	1
CAL.050_00.000		CCO_USEM	CCO_USEM	Saw practitioner for chiropractic or osteopathic manipulation, past 12 months	32	1
CAL.060_00.000		CEH_USEM	CEH_USEM	Saw practitioner for energy healing therapy, past 12 months	33	1
CAL.070_00.000		CHY_USEM	CHY_USEM	Saw practitioner for hypnosis, past 12 months	34	1
CAL.080_00.000		CMS_USEM	CMS_USEM	Saw practitioner for massage, past 12 months	35	1
CAL.090_00.000		CNT_USEM	CNT_USEM	Saw practitioner for naturopathy, past 12 months	36	1
CAL.100_00.000		CAC_TRET	CAC_TRET	Used acupuncture to treat a specific condition, past 12 months	37	1
CAL.105_01.000		CAC_COND1-CAC_COND40	CACCON01	Used acupuncture for abdominal pain, past 12 months	38	1
CAL.105_02.000		CAC_COND1-CAC_COND40	CACCON02	Used acupuncture for acid reflux or heartburn, past 12 months	39	1
CAL.105_03.000		CAC_COND1-CAC_COND40	CACCON03	Used acupuncture for allergies other than hay fever, respiratory allergies, food or digestive allergies, or skin allergies, past 12 months	40	1
CAL.105_04.000		CAC_COND1-CAC_COND40	CACCON04	Used acupuncture for anemia, past 12 months	41	1
CAL.105_05.000		CAC_COND1-CAC_COND40	CACCON05	Used acupuncture for anxiety or stress, past 12 months	42	1
CAL.105_06.000		CAC_COND1-CAC_COND40	CACCON06	Used acupuncture for arthritis, past 12 months	43	1
CAL.105_07.000		CAC_COND1-CAC_COND40	CACCON07	Used acupuncture for asthma, past 12 months	44	1
CAL.105_08.000		CAC_COND1-CAC_COND40	CACCON08	Used acupuncture for Attention Deficit Hyperactivity Disorder (ADHD)/Attention Deficit Disorder (ADD), past 12 months	45	1
CAL.105_09.000		CAC_COND1-CAC_COND40	CACCON09	Used acupuncture for autism, past 12 months	46	1
CAL.105_10.000		CAC_COND1-CAC_COND40	CACCON10	Used acupuncture for back or neck pain, past 12 months	47	1
CAL.105_11.000		CAC_COND1-CAC_COND40	CACCON11	Used acupuncture for cancer, past 12 months	48	1

2007 NHIS Public Use Variable Summary

Child Alternative Medicine

Filename - Section: childcam - CAL

Document Version Date: May 22, 2008

Question #	Recode	Instrument Variable Name	FinalDocName	Processing Variable Label	Location	Length
CAL.105_12.000		CAC_COND1-CAC_COND40	CACCON12	Used acupuncture for cerebral palsy, past 12 months	49	1
CAL.105_13.000		CAC_COND1-CAC_COND40	CACCON13	Used acupuncture for chicken pox, past 12 months	50	1
CAL.105_14.000		CAC_COND1-CAC_COND40	CACCON14	Used acupuncture for congenital heart disease, past 12 months	51	1
CAL.105_15.000		CAC_COND1-CAC_COND40	CACCON15	Used acupuncture for cystic fibrosis, past 12 months	52	1
CAL.105_16.000		CAC_COND1-CAC_COND40	CACCON16	Used acupuncture for depression, past 12 months	53	1
CAL.105_17.000		CAC_COND1-CAC_COND40	CACCON17	Used acupuncture for diabetes, past 12 months	54	1
CAL.105_18.000		CAC_COND1-CAC_COND40	CACCON18	Used acupuncture for Down syndrome, past 12 months	55	1
CAL.105_19.000		CAC_COND1-CAC_COND40	CACCON19	Used acupuncture for eczema or skin allergy, past 12 months	56	1
CAL.105_20.000		CAC_COND1-CAC_COND40	CACCON20	Used acupuncture for fatigue or lack of energy, past 12 months	57	1
CAL.105_21.000		CAC_COND1-CAC_COND40	CACCON21	Used acupuncture for fever, past 12 months	58	1
CAL.105_22.000		CAC_COND1-CAC_COND40	CACCON22	Used acupuncture for food or digestive allergy, past 12 months	59	1
CAL.105_23.000		CAC_COND1-CAC_COND40	CACCON23	Used acupuncture for frequent or repeated diarrhea or colitis, past 12 months	60	1
CAL.105_24.000		CAC_COND1-CAC_COND40	CACCON24	Used acupuncture for migraine headaches, past 12 months	61	1
CAL.105_25.000		CAC_COND1-CAC_COND40	CACCON25	Used acupuncture for gum disease, past 12 months	62	1
CAL.105_26.000		CAC_COND1-CAC_COND40	CACCON26	Used acupuncture for hay fever, past 12 months	63	1
CAL.105_27.000		CAC_COND1-CAC_COND40	CACCON27	Used acupuncture for head or chest cold, past 12 months	64	1
CAL.105_28.000		CAC_COND1-CAC_COND40	CACCON28	Used acupuncture for hearing problem, past 12 months	65	1
CAL.105_29.000		CAC_COND1-CAC_COND40	CACCON29	Used acupuncture for incontinence, including bed wetting, past 12 months	66	1
CAL.105_30.000		CAC_COND1-CAC_COND40	CACCON30	Used acupuncture for influenza or pneumonia, past 12 months	67	1
CAL.105_31.000		CAC_COND1-CAC_COND40	CACCON31	Used acupuncture for insomnia or trouble sleeping, past 12 months	68	1
CAL.105_32.000		CAC_COND1-CAC_COND40	CACCON32	Used acupuncture for lung or breathing problem, other than asthma, past 12 months	69	1
CAL.105_33.000		CAC_COND1-CAC_COND40	CACCON33	Used acupuncture for mental retardation, past 12 months	70	1
CAL.105_34.000		CAC_COND1-CAC_COND40	CACCON34	Used acupuncture for menstrual problems, past 12 months	71	1
CAL.105_35.000		CAC_COND1-CAC_COND40	CACCON35	Used acupuncture for muscular dystrophy, past 12 months	72	1
CAL.105_36.000		CAC_COND1-CAC_COND40	CACCON36	Used acupuncture for nausea and/or vomiting, past 12 months	73	1
CAL.105_37.000		CAC_COND1-CAC_COND40	CACCON37	Used acupuncture for neurological problems, past 12 months	74	1
CAL.105_38.000		CAC_COND1-CAC_COND40	CACCON38	Used acupuncture for other chronic pain, past 12 months	75	1
CAL.105_39.000		CAC_COND1-CAC_COND40	CACCON39	Used acupuncture for other developmental delay, past 12 months	76	1
CAL.105_40.000		CAC_COND1-CAC_COND40	CACCON40	Used acupuncture for other heart condition, past 12 months	77	1
CAL.105_41.000		CAC_COND1-CAC_COND40	CACCON41	Used acupuncture for phobia or fears, past 12 months	78	1

2007 NHIS Public Use Variable Summary

Child Alternative Medicine

Filename - Section: childcam - CAL

Document Version Date: May 22, 2008

Question #	Recode	Instrument Variable Name	FinalDocName	Processing Variable Label	Location	Length
CAL.105_42.000		CAC_COND1-CAC_COND40	CACCON42	Used acupuncture for problems with being overweight, past 12 months	79	1
CAL.105_43.000		CAC_COND1-CAC_COND40	CACCON43	Used acupuncture for non-migraine headaches, past 12 months	80	1
CAL.105_44.000		CAC_COND1-CAC_COND40	CACCON44	Used acupuncture for recurring constipation, past 12 months	81	1
CAL.105_45.000		CAC_COND1-CAC_COND40	CACCON45	Used acupuncture for respiratory allergy, past 12 months	82	1
CAL.105_46.000		CAC_COND1-CAC_COND40	CACCON46	Used acupuncture for seizures, past 12 months	83	1
CAL.105_47.000		CAC_COND1-CAC_COND40	CACCON47	Used acupuncture for severe acne, past 12 months	84	1
CAL.105_48.000		CAC_COND1-CAC_COND40	CACCON48	Used acupuncture for sickle cell anemia, past 12 months	85	1
CAL.105_49.000		CAC_COND1-CAC_COND40	CACCON49	Used acupuncture for sinusitis, past 12 months	86	1
CAL.105_50.000		CAC_COND1-CAC_COND40	CACCON50	Used acupuncture for skin problems other than eczema, acne, or warts, past 12 months	87	1
CAL.105_51.000		CAC_COND1-CAC_COND40	CACCON51	Used acupuncture for sore throat other than strep or tonsillitis, past 12 months	88	1
CAL.105_52.000		CAC_COND1-CAC_COND40	CACCON52	Used acupuncture for strep throat or tonsillitis, past 12 months	89	1
CAL.105_53.000		CAC_COND1-CAC_COND40	CACCON53	Used acupuncture for stuttering or stammering, past 12 months	90	1
CAL.105_54.000		CAC_COND1-CAC_COND40	CACCON54	Used acupuncture for three or more ear infections, past 12 months	91	1
CAL.105_55.000		CAC_COND1-CAC_COND40	CACCON55	Used acupuncture for urinary problems, including urinary tract infections, past 12 months	92	1
CAL.105_56.000		CAC_COND1-CAC_COND40	CACCON56	Used acupuncture for vision problems, past 12 months	93	1
CAL.105_57.000		CAC_COND1-CAC_COND40	CACCON57	Used acupuncture for warts, past 12 months	94	1
CAL.105_58.000		CAC_COND1-CAC_COND40	CACCON58	Used acupuncture for other - specify, past 12 months	95	1
CAL.105_59.000		CAC_COND1-CAC_COND40	CACCON59	Used acupuncture for other musculoskeletal, past 12 months	96	1
CAL.106_00.000		CAC_SPEC	CAC_SPEC	Other condition for which acupuncture used, past 12 months	97 - 171	75
CAL.110_00.000		CAY_TRET	CAY_TRET	Used ayurveda to treat a specific condition, past 12 months	172	1
CAL.115_01.000		CAY_COND1-CAY_COND40	CAYCON01	Used ayurveda for abdominal pain, past 12 months	173	1
CAL.115_02.000		CAY_COND1-CAY_COND40	CAYCON02	Used ayurveda for acid reflux or heartburn, past 12 months	174	1
CAL.115_03.000		CAY_COND1-CAY_COND40	CAYCON03	Used ayurveda for allergies other than hay fever, respiratory allergies, food or digestive allergies, or skin allergies, past 12 months	175	1
CAL.115_04.000		CAY_COND1-CAY_COND40	CAYCON04	Used ayurveda for anemia, past 12 months	176	1
CAL.115_05.000		CAY_COND1-CAY_COND40	CAYCON05	Used ayurveda for anxiety or stress, past 12 months	177	1
CAL.115_06.000		CAY_COND1-CAY_COND40	CAYCON06	Used ayurveda for arthritis, past 12 months	178	1
CAL.115_07.000		CAY_COND1-CAY_COND40	CAYCON07	Used ayurveda for asthma, past 12 months	179	1
CAL.115_08.000		CAY_COND1-CAY_COND40	CAYCON08	Used ayurveda for Attention Deficit Hyperactivity Disorder (ADHD)/Attention Deficit Disorder (ADD), past 12 months	180	1
CAL.115_09.000		CAY_COND1-CAY_COND40	CAYCON09	Used ayurveda for autism, past 12 months	181	1

2007 NHIS Public Use Variable Summary

Child Alternative Medicine

Filename - Section: childcam - CAL

Document Version Date: May 22, 2008

Question #	Recode	Instrument Variable Name	FinalDocName	Processing Variable Label	Location	Length
CAL.115_10.000		CAY_COND1-CAY_COND40	CAYCON10	Used ayurveda for back or neck pain, past 12 months	182	1
CAL.115_11.000		CAY_COND1-CAY_COND40	CAYCON11	Used ayurveda for cancer, past 12 months	183	1
CAL.115_12.000		CAY_COND1-CAY_COND40	CAYCON12	Used ayurveda for cerebral palsy, past 12 months	184	1
CAL.115_13.000		CAY_COND1-CAY_COND40	CAYCON13	Used ayurveda for chickenpox, past 12 months	185	1
CAL.115_14.000		CAY_COND1-CAY_COND40	CAYCON14	Used ayurveda for congenital heart disease, past 12 months	186	1
CAL.115_15.000		CAY_COND1-CAY_COND40	CAYCON15	Used ayurveda for cystic fibrosis, past 12 months	187	1
CAL.115_16.000		CAY_COND1-CAY_COND40	CAYCON16	Used ayurveda for depression, past 12 months	188	1
CAL.115_17.000		CAY_COND1-CAY_COND40	CAYCON17	Used ayurveda for diabetes, past 12 months	189	1
CAL.115_18.000		CAY_COND1-CAY_COND40	CAYCON18	Used ayurveda for Down syndrome, past 12 months	190	1
CAL.115_19.000		CAY_COND1-CAY_COND40	CAYCON19	Used ayurveda for eczema or skin allergy, past 12 months	191	1
CAL.115_20.000		CAY_COND1-CAY_COND40	CAYCON20	Used ayurveda for fatigue or lack of energy, past 12 months	192	1
CAL.115_21.000		CAY_COND1-CAY_COND40	CAYCON21	Used ayurveda for fever, past 12 months	193	1
CAL.115_22.000		CAY_COND1-CAY_COND40	CAYCON22	Used ayurveda for food or digestive allergy, past 12 months	194	1
CAL.115_23.000		CAY_COND1-CAY_COND40	CAYCON23	Used ayurveda for frequent or repeated diarrhea or colitis, past 12 months	195	1
CAL.115_24.000		CAY_COND1-CAY_COND40	CAYCON24	Used ayurveda for migraine headaches, past 12 months	196	1
CAL.115_25.000		CAY_COND1-CAY_COND40	CAYCON25	Used ayurveda for gum disease, past 12 months	197	1
CAL.115_26.000		CAY_COND1-CAY_COND40	CAYCON26	Used ayurveda for hay fever, past 12 months	198	1
CAL.115_27.000		CAY_COND1-CAY_COND40	CAYCON27	Used ayurveda for head or chest cold, past 12 months	199	1
CAL.115_28.000		CAY_COND1-CAY_COND40	CAYCON28	Used ayurveda for hearing problem, past 12 months	200	1
CAL.115_29.000		CAY_COND1-CAY_COND40	CAYCON29	Used ayurveda for incontinence, including bed wetting, past 12 months	201	1
CAL.115_30.000		CAY_COND1-CAY_COND40	CAYCON30	Used ayurveda for influenza or pneumonia, past 12 months	202	1
CAL.115_31.000		CAY_COND1-CAY_COND40	CAYCON31	Used ayurveda for insomnia or trouble sleeping, past 12 months	203	1
CAL.115_32.000		CAY_COND1-CAY_COND40	CAYCON32	Used ayurveda for lung or breathing problem, other than asthma, past 12 months	204	1
CAL.115_33.000		CAY_COND1-CAY_COND40	CAYCON33	Used ayurveda for mental retardation, past 12 months	205	1
CAL.115_34.000		CAY_COND1-CAY_COND40	CAYCON34	Used ayurveda for menstrual problems, past 12 months	206	1
CAL.115_35.000		CAY_COND1-CAY_COND40	CAYCON35	Used ayurveda for muscular dystrophy, past 12 months	207	1
CAL.115_36.000		CAY_COND1-CAY_COND40	CAYCON36	Used ayurveda for nausea and/or vomiting, past 12 months	208	1
CAL.115_37.000		CAY_COND1-CAY_COND40	CAYCON37	Used ayurveda for neurological problems, past 12 months	209	1
CAL.115_38.000		CAY_COND1-CAY_COND40	CAYCON38	Used ayurveda for other chronic pain, past 12 months	210	1
CAL.115_39.000		CAY_COND1-CAY_COND40	CAYCON39	Used ayurveda for other developmental delay, past 12 months	211	1

2007 NHIS Public Use Variable Summary

Child Alternative Medicine

Filename - Section: childcam - CAL

Document Version Date: May 22, 2008

Question #	Recode	Instrument Variable Name	FinalDocName	Processing Variable Label	Location	Length
CAL.115_40.000		CAY_COND1-CAY_COND40	CAYCON40	Used ayurveda for other heart condition, past 12 months	212	1
CAL.115_41.000		CAY_COND1-CAY_COND40	CAYCON41	Used ayurveda for phobia or fears, past 12 months	213	1
CAL.115_42.000		CAY_COND1-CAY_COND40	CAYCON42	Used ayurveda for problems with being overweight, past 12 months	214	1
CAL.115_43.000		CAY_COND1-CAY_COND40	CAYCON43	Used ayurveda for non-migraine headaches, past 12 months	215	1
CAL.115_44.000		CAY_COND1-CAY_COND40	CAYCON44	Used ayurveda for recurring constipation, past 12 months	216	1
CAL.115_45.000		CAY_COND1-CAY_COND40	CAYCON45	Used ayurveda for respiratory allergy, past 12 months	217	1
CAL.115_46.000		CAY_COND1-CAY_COND40	CAYCON46	Used ayurveda for seizures, past 12 months	218	1
CAL.115_47.000		CAY_COND1-CAY_COND40	CAYCON47	Used ayurveda for severe acne, past 12 months	219	1
CAL.115_48.000		CAY_COND1-CAY_COND40	CAYCON48	Used ayurveda for sickle cell anemia, past 12 months	220	1
CAL.115_49.000		CAY_COND1-CAY_COND40	CAYCON49	Used ayurveda for sinusitis, past 12 months	221	1
CAL.115_50.000		CAY_COND1-CAY_COND40	CAYCON50	Used ayurveda for skin problems other than eczema, acne, or warts, past 12 months	222	1
CAL.115_51.000		CAY_COND1-CAY_COND40	CAYCON51	Used ayurveda for sore throat other than strep or tonsillitis, past 12 months	223	1
CAL.115_52.000		CAY_COND1-CAY_COND40	CAYCON52	Used ayurveda for strep throat or tonsillitis, past 12 months	224	1
CAL.115_53.000		CAY_COND1-CAY_COND40	CAYCON53	Used ayurveda for stuttering or stammering, past 12 months	225	1
CAL.115_54.000		CAY_COND1-CAY_COND40	CAYCON54	Used ayurveda for three or more ear infections, past 12 months	226	1
CAL.115_55.000		CAY_COND1-CAY_COND40	CAYCON55	Used ayurveda for urinary problems, including urinary tract infections, past 12 months	227	1
CAL.115_56.000		CAY_COND1-CAY_COND40	CAYCON56	Used ayurveda for vision problem, past 12 months	228	1
CAL.115_57.000		CAY_COND1-CAY_COND40	CAYCON57	Used ayurveda for warts, past 12 months	229	1
CAL.115_58.000		CAY_COND1-CAY_COND40	CAYCON58	Used ayurveda for other- specify, past 12 months	230	1
CAL.115_59.000		CAY_COND1-CAY_COND40	CAYCON59	Used ayurveda for other musculoskeletal, past 12 months	231	1
CAL.116_00.000		CAY_SPEC	CAY_SPEC	Other condition for which ayurveda used, past 12 months	232 - 306	75
CAL.120_00.000		CBI_TRET	CBI_TRET	Used biofeedback to treat a specific condition, past 12 months	307	1
CAL.125_01.000		CBI_COND1-CBI_COND40	CBICON01	Used biofeedback for abdominal pain, past 12 months	308	1
CAL.125_02.000		CBI_COND1-CBI_COND40	CBICON02	Used biofeedback for acid reflux or heartburn, past 12 months	309	1
CAL.125_03.000		CBI_COND1-CBI_COND40	CBICON03	Used biofeedback for allergies other than hay fever, respiratory allergies, food or digestive allergies, or skin allergies, past 12 months	310	1
CAL.125_04.000		CBI_COND1-CBI_COND40	CBICON04	Used biofeedback for anemia, past 12 months	311	1
CAL.125_05.000		CBI_COND1-CBI_COND40	CBICON05	Used biofeedback for anxiety or stress, past 12 months	312	1
CAL.125_06.000		CBI_COND1-CBI_COND40	CBICON06	Used biofeedback for arthritis, past 12 months	313	1
CAL.125_07.000		CBI_COND1-CBI_COND40	CBICON07	Used biofeedback for asthma, past 12 months	314	1

2007 NHIS Public Use Variable Summary

Child Alternative Medicine

Filename - Section: childcam - CAL

Document Version Date: May 22, 2008

Question #	Recode	Instrument Variable Name	FinalDocName	Processing Variable Label	Location	Length
CAL.125_08.000		CBI_COND1-CBI_COND40	CBICON08	Used biofeedback for Attention Deficit Hyperactivity Disorder (ADHD)/Attention Deficit Disorder (ADD), past 12 months	315	1
CAL.125_09.000		CBI_COND1-CBI_COND40	CBICON09	Used biofeedback for autism, past 12 months	316	1
CAL.125_10.000		CBI_COND1-CBI_COND40	CBICON10	Used biofeedback for back or neck pain, past 12 months	317	1
CAL.125_11.000		CBI_COND1-CBI_COND40	CBICON11	Used biofeedback for cancer, past 12 months	318	1
CAL.125_12.000		CBI_COND1-CBI_COND40	CBICON12	Used biofeedback for cerebral palsy, past 12 months	319	1
CAL.125_13.000		CBI_COND1-CBI_COND40	CBICON13	Used biofeedback for chicken pox, past 12 months	320	1
CAL.125_14.000		CBI_COND1-CBI_COND40	CBICON14	Used biofeedback for congenital heart disease, past 12 months	321	1
CAL.125_15.000		CBI_COND1-CBI_COND40	CBICON15	Used biofeedback for cystic fibrosis, past 12 months	322	1
CAL.125_16.000		CBI_COND1-CBI_COND40	CBICON16	Used biofeedback for depression, past 12 months	323	1
CAL.125_17.000		CBI_COND1-CBI_COND40	CBICON17	Used biofeedback for diabetes, past 12 months	324	1
CAL.125_18.000		CBI_COND1-CBI_COND40	CBICON18	Used biofeedback for Down syndrome, past 12 months	325	1
CAL.125_19.000		CBI_COND1-CBI_COND40	CBICON19	Used biofeedback for eczema or skin allergy, past 12 months	326	1
CAL.125_20.000		CBI_COND1-CBI_COND40	CBICON20	Used biofeedback for fatigue or lack of energy, past 12 months	327	1
CAL.125_21.000		CBI_COND1-CBI_COND40	CBICON21	Used biofeedback for fever, past 12 months	328	1
CAL.125_22.000		CBI_COND1-CBI_COND40	CBICON22	Used biofeedback for food or digestive allergy, past 12 months	329	1
CAL.125_23.000		CBI_COND1-CBI_COND40	CBICON23	Used biofeedback for frequent or repeated diarrhea or colitis, past 12 months	330	1
CAL.125_24.000		CBI_COND1-CBI_COND40	CBICON24	Used biofeedback for migraine headaches, past 12 months	331	1
CAL.125_25.000		CBI_COND1-CBI_COND40	CBICON25	Used biofeedback for gum disease, past 12 months	332	1
CAL.125_26.000		CBI_COND1-CBI_COND40	CBICON26	Used biofeedback for hay fever, past 12 months	333	1
CAL.125_27.000		CBI_COND1-CBI_COND40	CBICON27	Used biofeedback for head or chest cold, past 12 months	334	1
CAL.125_28.000		CBI_COND1-CBI_COND40	CBICON28	Used biofeedback for hearing problem, past 12 months	335	1
CAL.125_29.000		CBI_COND1-CBI_COND40	CBICON29	Used biofeedback for incontinence, including bed wetting, past 12 months	336	1
CAL.125_30.000		CBI_COND1-CBI_COND40	CBICON30	Used biofeedback for influenza or pneumonia, past 12 months	337	1
CAL.125_31.000		CBI_COND1-CBI_COND40	CBICON31	Used biofeedback for insomnia or trouble sleeping, past 12 months	338	1
CAL.125_32.000		CBI_COND1-CBI_COND40	CBICON32	Used biofeedback for lung or breathing problem, other than asthma, past 12 months	339	1
CAL.125_33.000		CBI_COND1-CBI_COND40	CBICON33	Used biofeedback for mental retardation, past 12 months	340	1
CAL.125_34.000		CBI_COND1-CBI_COND40	CBICON34	Used biofeedback for menstrual problems, past 12 months	341	1
CAL.125_35.000		CBI_COND1-CBI_COND40	CBICON35	Used biofeedback for muscular dystrophy, past 12 months	342	1
CAL.125_36.000		CBI_COND1-CBI_COND40	CBICON36	Used biofeedback for nausea and/or vomiting, past 12 months	343	1

2007 NHIS Public Use Variable Summary

Child Alternative Medicine

Filename - Section: childcam - CAL

Document Version Date: May 22, 2008

Question #	Recode	Instrument Variable Name	FinalDocName	Processing Variable Label	Location	Length
CAL.125_37.000		CBI_COND1-CBI_COND40	CBICON37	Used biofeedback for neurological problems, past 12 months	344	1
CAL.125_38.000		CBI_COND1-CBI_COND40	CBICON38	Used biofeedback for other chronic pain, past 12 months	345	1
CAL.125_39.000		CBI_COND1-CBI_COND40	CBICON39	Used biofeedback for other developmental delay, past 12 months	346	1
CAL.125_40.000		CBI_COND1-CBI_COND40	CBICON40	Used biofeedback for other heart condition, past 12 months	347	1
CAL.125_41.000		CBI_COND1-CBI_COND40	CBICON41	Used biofeedback for phobia or fears, past 12 months	348	1
CAL.125_42.000		CBI_COND1-CBI_COND40	CBICON42	Used biofeedback for problems with being overweight, past 12 months	349	1
CAL.125_43.000		CBI_COND1-CBI_COND40	CBICON43	Used biofeedback for non-migraine headaches, past 12 months	350	1
CAL.125_44.000		CBI_COND1-CBI_COND40	CBICON44	Used biofeedback for recurring constipation, past 12 months	351	1
CAL.125_45.000		CBI_COND1-CBI_COND40	CBICON45	Used biofeedback for respiratory allergy, past 12 months	352	1
CAL.125_46.000		CBI_COND1-CBI_COND40	CBICON46	Used biofeedback for seizures, past 12 months	353	1
CAL.125_47.000		CBI_COND1-CBI_COND40	CBICON47	Used biofeedback for severe acne, past 12 months	354	1
CAL.125_48.000		CBI_COND1-CBI_COND40	CBICON48	Used biofeedback for sickle cell anemia, past 12 months	355	1
CAL.125_49.000		CBI_COND1-CBI_COND40	CBICON49	Used biofeedback for sinusitis, past 12 months	356	1
CAL.125_50.000		CBI_COND1-CBI_COND40	CBICON50	Used biofeedback for skin problems other than eczema, acne, or warts, past 12 months	357	1
CAL.125_51.000		CBI_COND1-CBI_COND40	CBICON51	Used biofeedback for sore throat other than strep or tonsillitis, past 12 months	358	1
CAL.125_52.000		CBI_COND1-CBI_COND40	CBICON52	Used biofeedback for strep throat or tonsillitis, past 12 months	359	1
CAL.125_53.000		CBI_COND1-CBI_COND40	CBICON53	Used biofeedback for stuttering or stammering, past 12 months	360	1
CAL.125_54.000		CBI_COND1-CBI_COND40	CBICON54	Used biofeedback for three or more ear infections, past 12 months	361	1
CAL.125_55.000		CBI_COND1-CBI_COND40	CBICON55	Used biofeedback for urinary problems, including urinary tract infections, past 12 months	362	1
CAL.125_56.000		CBI_COND1-CBI_COND40	CBICON56	Used biofeedback for vision problems, past 12 months	363	1
CAL.125_57.000		CBI_COND1-CBI_COND40	CBICON57	Used biofeedback for warts, past 12 months	364	1
CAL.125_58.000		CBI_COND1-CBI_COND40	CBICON58	Used biofeedback for other - specify, past 12 months	365	1
CAL.125_59.000		CBI_COND1-CBI_COND40	CBICON59	Used biofeedback for other musculoskeletal, past 12 months	366	1
CAL.126_00.000		CBI_SPEC	CBI_SPEC	Other condition for which biofeedback used, past 12 months	367 - 441	75
CAL.130_00.000		CCH_TRET	CCH_TRET	Used chelation therapy to treat a specific condition, past 12 months	442	1
CAL.135_01.000		CCH_COND1-CCH_COND40	CCHCON01	Used chelation therapy for abdominal pain, past 12 months	443	1
CAL.135_02.000		CCH_COND1-CCH_COND40	CCHCON02	Used chelation therapy for acid reflux or heartburn, past 12 months	444	1
CAL.135_03.000		CCH_COND1-CCH_COND40	CCHCON03	Used chelation therapy for allergies other than hay fever, respiratory allergies, food or digestive allergies, or skin allergies, past 12 months	445	1
CAL.135_04.000		CCH_COND1-CCH_COND40	CCHCON04	Used chelation therapy for anemia, past 12 months	446	1

2007 NHIS Public Use Variable Summary

Child Alternative Medicine

Filename - Section: childcam - CAL

Document Version Date: May 22, 2008

Question #	Recode	Instrument Variable Name	FinalDocName	Processing Variable Label	Location	Length
CAL.135_05.000		CCH_COND1-CCH_COND40	CCHCON05	Used chelation therapy for anxiety or stress, past 12 months	447	1
CAL.135_06.000		CCH_COND1-CCH_COND40	CCHCON06	Used chelation therapy for arthritis, past 12 months	448	1
CAL.135_07.000		CCH_COND1-CCH_COND40	CCHCON07	Used chelation therapy for asthma, past 12 months	449	1
CAL.135_08.000		CCH_COND1-CCH_COND40	CCHCON08	Used chelation therapy for Attention Deficit Hyperactivity Disorder (ADHD)/Attention Deficit Disorder (ADD), past 12 months	450	1
CAL.135_09.000		CCH_COND1-CCH_COND40	CCHCON09	Used chelation therapy for autism, past 12 months	451	1
CAL.135_10.000		CCH_COND1-CCH_COND40	CCHCON10	Used chelation therapy for back or neck pain, past 12 months	452	1
CAL.135_11.000		CCH_COND1-CCH_COND40	CCHCON11	Used chelation therapy for cancer, past 12 months	453	1
CAL.135_12.000		CCH_COND1-CCH_COND40	CCHCON12	Used chelation therapy for cerebral palsy, past 12 months	454	1
CAL.135_13.000		CCH_COND1-CCH_COND40	CCHCON13	Used chelation therapy for chicken pox, past 12 months	455	1
CAL.135_14.000		CCH_COND1-CCH_COND40	CCHCON14	Used chelation therapy for congenital heart disease, past 12 months	456	1
CAL.135_15.000		CCH_COND1-CCH_COND40	CCHCON15	Used chelation therapy for cystic fibrosis, past 12 months	457	1
CAL.135_16.000		CCH_COND1-CCH_COND40	CCHCON16	Used chelation therapy for depression, past 12 months	458	1
CAL.135_17.000		CCH_COND1-CCH_COND40	CCHCON17	Used chelation therapy for diabetes, past 12 months	459	1
CAL.135_18.000		CCH_COND1-CCH_COND40	CCHCON18	Used chelation therapy for Down syndrome, past 12 months	460	1
CAL.135_19.000		CCH_COND1-CCH_COND40	CCHCON19	Used chelation therapy for eczema or skin allergy, past 12 months	461	1
CAL.135_20.000		CCH_COND1-CCH_COND40	CCHCON20	Used chelation therapy for fatigue or lack of energy, past 12 months	462	1
CAL.135_21.000		CCH_COND1-CCH_COND40	CCHCON21	Used chelation therapy for fever, past 12 months	463	1
CAL.135_22.000		CCH_COND1-CCH_COND40	CCHCON22	Used chelation therapy for food or digestive allergy, past 12 months	464	1
CAL.135_23.000		CCH_COND1-CCH_COND40	CCHCON23	Used chelation therapy for frequent or repeated diarrhea or colitis, past 12 months	465	1
CAL.135_24.000		CCH_COND1-CCH_COND40	CCHCON24	Used chelation therapy for migraine headaches, past 12 months	466	1
CAL.135_25.000		CCH_COND1-CCH_COND40	CCHCON25	Used chelation therapy for gum disease, past 12 months	467	1
CAL.135_26.000		CCH_COND1-CCH_COND40	CCHCON26	Used chelation therapy for hay fever, past 12 months	468	1
CAL.135_27.000		CCH_COND1-CCH_COND40	CCHCON27	Used chelation therapy for head or chest cold, past 12 months	469	1
CAL.135_28.000		CCH_COND1-CCH_COND40	CCHCON28	Used chelation therapy for hearing problem, past 12 months	470	1
CAL.135_29.000		CCH_COND1-CCH_COND40	CCHCON29	Used chelation therapy for incontinence, including bed wetting, past 12 months	471	1
CAL.135_30.000		CCH_COND1-CCH_COND40	CCHCON30	Used chelation therapy for influenza or pneumonia, past 12 months	472	1
CAL.135_31.000		CCH_COND1-CCH_COND40	CCHCON31	Used chelation therapy for insomnia or trouble sleeping, past 12 months	473	1
CAL.135_32.000		CCH_COND1-CCH_COND40	CCHCON32	Used chelation therapy for lung or breathing problem, other than asthma, past 12 months	474	1
CAL.135_33.000		CCH_COND1-CCH_COND40	CCHCON33	Used chelation therapy for mental retardation, past 12 months	475	1

2007 NHIS Public Use Variable Summary

Child Alternative Medicine

Filename - Section: childcam - CAL

Document Version Date: May 22, 2008

Question #	Recode	Instrument Variable Name	FinalDocName	Processing Variable Label	Location	Length
CAL.135_34.000		CCH_COND1-CCH_COND40	CCHCON34	Used chelation therapy for menstrual problems, past 12 months	476	1
CAL.135_35.000		CCH_COND1-CCH_COND40	CCHCON35	Used chelation therapy for muscular dystrophy, past 12 months	477	1
CAL.135_36.000		CCH_COND1-CCH_COND40	CCHCON36	Used chelation therapy for nausea and/or vomiting, past 12 months	478	1
CAL.135_37.000		CCH_COND1-CCH_COND40	CCHCON37	Used chelation therapy for neurological problems, past 12 months	479	1
CAL.135_38.000		CCH_COND1-CCH_COND40	CCHCON38	Used chelation therapy for other chronic pain, past 12 months	480	1
CAL.135_39.000		CCH_COND1-CCH_COND40	CCHCON39	Used chelation therapy for other developmental delay, past 12 months	481	1
CAL.135_40.000		CCH_COND1-CCH_COND40	CCHCON40	Used chelation therapy for other heart condition, past 12 months	482	1
CAL.135_41.000		CCH_COND1-CCH_COND40	CCHCON41	Used chelation therapy for phobia or fears, past 12 months	483	1
CAL.135_42.000		CCH_COND1-CCH_COND40	CCHCON42	Used chelation therapy for problems with being overweight, past 12 months	484	1
CAL.135_43.000		CCH_COND1-CCH_COND40	CCHCON43	Used chelation therapy for non-migraine headaches, past 12 months	485	1
CAL.135_44.000		CCH_COND1-CCH_COND40	CCHCON44	Used chelation therapy for recurring constipation, past 12 months	486	1
CAL.135_45.000		CCH_COND1-CCH_COND40	CCHCON45	Used chelation therapy for respiratory allergy, past 12 months	487	1
CAL.135_46.000		CCH_COND1-CCH_COND40	CCHCON46	Used chelation therapy for seizures, past 12 months	488	1
CAL.135_47.000		CCH_COND1-CCH_COND40	CCHCON47	Used chelation therapy for severe acne, past 12 months	489	1
CAL.135_48.000		CCH_COND1-CCH_COND40	CCHCON48	Used chelation therapy for sickle cell anemia, past 12 months	490	1
CAL.135_49.000		CCH_COND1-CCH_COND40	CCHCON49	Used chelation therapy for sinusitis, past 12 months	491	1
CAL.135_50.000		CCH_COND1-CCH_COND40	CCHCON50	Used chelation therapy for skin problems other than eczema, acne, or warts, past 12 months	492	1
CAL.135_51.000		CCH_COND1-CCH_COND40	CCHCON51	Used chelation therapy for sore throat other than strep or tonsillitis, past 12 months	493	1
CAL.135_52.000		CCH_COND1-CCH_COND40	CCHCON52	Used chelation therapy for strep throat or tonsillitis, past 12 months	494	1
CAL.135_53.000		CCH_COND1-CCH_COND40	CCHCON53	Used chelation therapy for stuttering or stammering, past 12 months	495	1
CAL.135_54.000		CCH_COND1-CCH_COND40	CCHCON54	Used chelation therapy for three or more ear infections, past 12 months	496	1
CAL.135_55.000		CCH_COND1-CCH_COND40	CCHCON55	Used chelation therapy for urinary problems, including urinary tract infections, past 12 months	497	1
CAL.135_56.000		CCH_COND1-CCH_COND40	CCHCON56	Used chelation therapy for vision problems, past 12 months	498	1
CAL.135_57.000		CCH_COND1-CCH_COND40	CCHCON57	Used chelation therapy for warts, past 12 months	499	1
CAL.135_58.000		CCH_COND1-CCH_COND40	CCHCON58	Used chelation therapy for other - specify, past 12 months	500	1
CAL.135_59.000		CCH_COND1-CCH_COND40	CCHCON59	Used chelation therapy for other musculoskeletal, past 12 months	501	1
CAL.136_00.000		CCH_SPEC	CCH_SPEC	Other condition for which chelation therapy used, past 12 months	502 - 576	75
CAL.140_00.000		CCO_TRET	CCO_TRET	Used chiropractic or osteopathic manipulation to treat a specific condition, past 12 months	577	1
CAL.145_01.000		CCO_COND1-CCO_COND40	CCOCON01	Used chiropractic or osteopathic manipulation for abdominal pain, past 12 months	578	1

2007 NHIS Public Use Variable Summary

Child Alternative Medicine

Filename - Section: childcam - CAL

Document Version Date: May 22, 2008

Question #	Recode	Instrument Variable Name	FinalDocName	Processing Variable Label	Location	Length
CAL.145_02.000		CCO_COND1-CCO_COND40	CCOCON02	Used chiropractic or osteopathic manipulation for acid reflux or heartburn, past 12 months	579	1
CAL.145_03.000		CCO_COND1-CCO_COND40	CCOCON03	Used chiropractic or osteopathic manipulation for allergies other than hay fever, respiratory allergies, food or digestive allergies, or skin allergies, past 12 months	580	1
CAL.145_04.000		CCO_COND1-CCO_COND40	CCOCON04	Used chiropractic or osteopathic manipulation for anemia, past 12 months	581	1
CAL.145_05.000		CCO_COND1-CCO_COND40	CCOCON05	Used chiropractic or osteopathic manipulation for anxiety or stress, past 12 months	582	1
CAL.145_06.000		CCO_COND1-CCO_COND40	CCOCON06	Used chiropractic or osteopathic manipulation for arthritis, past 12 months	583	1
CAL.145_07.000		CCO_COND1-CCO_COND40	CCOCON07	Used chiropractic or osteopathic manipulation for asthma, past 12 months	584	1
CAL.145_08.000		CCO_COND1-CCO_COND40	CCOCON08	Used chiropractic or osteopathic manipulation for Attention Deficit Hyperactivity Disorder (ADHD)/Attention Deficit Disorder (ADD), past 12 months	585	1
CAL.145_09.000		CCO_COND1-CCO_COND40	CCOCON09	Used chiropractic or osteopathic manipulation for autism, past 12 months	586	1
CAL.145_10.000		CCO_COND1-CCO_COND40	CCOCON10	Used chiropractic or osteopathic manipulation for back or neck pain, past 12 months	587	1
CAL.145_11.000		CCO_COND1-CCO_COND40	CCOCON11	Used chiropractic or osteopathic manipulation for cancer, past 12 months	588	1
CAL.145_12.000		CCO_COND1-CCO_COND40	CCOCON12	Used chiropractic or osteopathic manipulation for cerebral palsy, past 12 months	589	1
CAL.145_13.000		CCO_COND1-CCO_COND40	CCOCON13	Used chiropractic or osteopathic manipulation for chicken pox, past 12 months	590	1
CAL.145_14.000		CCO_COND1-CCO_COND40	CCOCON14	Used chiropractic or osteopathic manipulation for congenital heart disease, past 12 months	591	1
CAL.145_15.000		CCO_COND1-CCO_COND40	CCOCON15	Used chiropractic or osteopathic manipulation for cystic fibrosis, past 12 months	592	1
CAL.145_16.000		CCO_COND1-CCO_COND40	CCOCON16	Used chiropractic or osteopathic manipulation for depression, past 12 months	593	1
CAL.145_17.000		CCO_COND1-CCO_COND40	CCOCON17	Used chiropractic or osteopathic manipulation for diabetes, past 12 months	594	1
CAL.145_18.000		CCO_COND1-CCO_COND40	CCOCON18	Used chiropractic or osteopathic manipulation for Down syndrome, past 12 months	595	1
CAL.145_19.000		CCO_COND1-CCO_COND40	CCOCON19	Used chiropractic or osteopathic manipulation for eczema or skin allergy, past 12 months	596	1
CAL.145_20.000		CCO_COND1-CCO_COND40	CCOCON20	Used chiropractic or osteopathic manipulation for fatigue or lack of energy, past 12 months	597	1
CAL.145_21.000		CCO_COND1-CCO_COND40	CCOCON21	Used chiropractic or osteopathic manipulation for fever, past 12 months	598	1
CAL.145_22.000		CCO_COND1-CCO_COND40	CCOCON22	Used chiropractic or osteopathic manipulation for food or digestive allergy, past 12 months	599	1
CAL.145_23.000		CCO_COND1-CCO_COND40	CCOCON23	Used chiropractic or osteopathic manipulation for frequent or repeated diarrhea or colitis, past 12 months	600	1
CAL.145_24.000		CCO_COND1-CCO_COND40	CCOCON24	Used chiropractic or osteopathic manipulation for migraine headaches, past 12 months	601	1
CAL.145_25.000		CCO_COND1-CCO_COND40	CCOCON25	Used chiropractic or osteopathic manipulation for gum disease, past 12 months	602	1
CAL.145_26.000		CCO_COND1-CCO_COND40	CCOCON26	Used chiropractic or osteopathic manipulation for hay fever, past 12 months	603	1
CAL.145_27.000		CCO_COND1-CCO_COND40	CCOCON27	Used chiropractic or osteopathic manipulation for head or chest cold, past 12 months	604	1
CAL.145_28.000		CCO_COND1-CCO_COND40	CCOCON28	Used chiropractic or osteopathic manipulation for hearing problem, past 12 months	605	1
CAL.145_29.000		CCO_COND1-CCO_COND40	CCOCON29	Used chiropractic or osteopathic manipulation for incontinence, including bed wetting, past 12 months	606	1

2007 NHIS Public Use Variable Summary

Child Alternative Medicine

Filename - Section: childcam - CAL

Document Version Date: May 22, 2008

Question #	Recode	Instrument Variable Name	FinalDocName	Processing Variable Label	Location	Length
CAL.145_30.000		CCO_COND1-CCO_COND40	CCOCON30	Used chiropractic or osteopathic manipulation for influenza or pneumonia, past 12 months	607	1
CAL.145_31.000		CCO_COND1-CCO_COND40	CCOCON31	Used chiropractic or osteopathic manipulation for insomnia or trouble sleeping, past 12 months	608	1
CAL.145_32.000		CCO_COND1-CCO_COND40	CCOCON32	Used chiropractic or osteopathic manipulation for lung or breathing problem, other than asthma, past 12 months	609	1
CAL.145_33.000		CCO_COND1-CCO_COND40	CCOCON33	Used chiropractic or osteopathic manipulation for mental retardation, past 12 months	610	1
CAL.145_34.000		CCO_COND1-CCO_COND40	CCOCON34	Used chiropractic or osteopathic manipulation for menstrual problems, past 12 months	611	1
CAL.145_35.000		CCO_COND1-CCO_COND40	CCOCON35	Used chiropractic or osteopathic manipulation for muscular dystrophy, past 12 months	612	1
CAL.145_36.000		CCO_COND1-CCO_COND40	CCOCON36	Used chiropractic or osteopathic manipulation for nausea and/or vomiting, past 12 months	613	1
CAL.145_37.000		CCO_COND1-CCO_COND40	CCOCON37	Used chiropractic or osteopathic manipulation for neurological problems, past 12 months	614	1
CAL.145_38.000		CCO_COND1-CCO_COND40	CCOCON38	Used chiropractic or osteopathic manipulation for other chronic pain, past 12 months	615	1
CAL.145_39.000		CCO_COND1-CCO_COND40	CCOCON39	Used chiropractic or osteopathic manipulation for other developmental delay, past 12 months	616	1
CAL.145_40.000		CCO_COND1-CCO_COND40	CCOCON40	Used chiropractic or osteopathic manipulation for other heart condition, past 12 months	617	1
CAL.145_41.000		CCO_COND1-CCO_COND40	CCOCON41	Used chiropractic or osteopathic manipulation for phobia or fears, past 12 months	618	1
CAL.145_42.000		CCO_COND1-CCO_COND40	CCOCON42	Used chiropractic or osteopathic manipulation for problems with being overweight, past 12 months	619	1
CAL.145_43.000		CCO_COND1-CCO_COND40	CCOCON43	Used chiropractic or osteopathic manipulation for non-migraine headaches, past 12 months	620	1
CAL.145_44.000		CCO_COND1-CCO_COND40	CCOCON44	Used chiropractic or osteopathic manipulation for recurring constipation, past 12 months	621	1
CAL.145_45.000		CCO_COND1-CCO_COND40	CCOCON45	Used chiropractic or osteopathic manipulation for respiratory allergy, past 12 months	622	1
CAL.145_46.000		CCO_COND1-CCO_COND40	CCOCON46	Used chiropractic or osteopathic manipulation for seizures, past 12 months	623	1
CAL.145_47.000		CCO_COND1-CCO_COND40	CCOCON47	Used chiropractic or osteopathic manipulation for severe acne, past 12 months	624	1
CAL.145_48.000		CCO_COND1-CCO_COND40	CCOCON48	Used chiropractic or osteopathic manipulation for sickle cell anemia, past 12 months	625	1
CAL.145_49.000		CCO_COND1-CCO_COND40	CCOCON49	Used chiropractic or osteopathic manipulation for sinusitis, past 12 months	626	1
CAL.145_50.000		CCO_COND1-CCO_COND40	CCOCON50	Used chiropractic or osteopathic manipulation for skin problems other than eczema, acne, or warts, past 12 months	627	1
CAL.145_51.000		CCO_COND1-CCO_COND40	CCOCON51	Used chiropractic or osteopathic manipulation for sore throat other than strep or tonsillitis, past 12 months	628	1
CAL.145_52.000		CCO_COND1-CCO_COND40	CCOCON52	Used chiropractic or osteopathic manipulation for strep throat or tonsillitis, past 12 months	629	1
CAL.145_53.000		CCO_COND1-CCO_COND40	CCOCON53	Used chiropractic or osteopathic manipulation for stuttering or stammering, past 12 months	630	1
CAL.145_54.000		CCO_COND1-CCO_COND40	CCOCON54	Used chiropractic or osteopathic manipulation for three or more ear infections, past 12 months	631	1
CAL.145_55.000		CCO_COND1-CCO_COND40	CCOCON55	Used chiropractic or osteopathic manipulation for urinary problems, including urinary tract infections, past 12 months	632	1

2007 NHIS Public Use Variable Summary

Child Alternative Medicine

Filename - Section: childcam - CAL

Document Version Date: May 22, 2008

Question #	Recode	Instrument Variable Name	FinalDocName	Processing Variable Label	Location	Length
CAL.145_56.000		CCO_COND1-CCO_COND40	CCOCON56	Used chiropractic or osteopathic manipulation for vision problems, past 12 months	633	1
CAL.145_57.000		CCO_COND1-CCO_COND40	CCOCON57	Used chiropractic or osteopathic manipulation for warts, past 12 months	634	1
CAL.145_58.000		CCO_COND1-CCO_COND40	CCOCON58	Used chiropractic or osteopathic manipulation for other - specify, past 12 months	635	1
CAL.145_59.000		CCO_COND1-CCO_COND40	CCOCON59	Used chiropractic or osteopathic manipulation for other musculoskeletal, past 12 months	636	1
CAL.146_00.000		CCO_SPEC	CCO_SPEC	Other condition for which chiropractic or osteopathic manipulation used, past 12 months	637 - 711	75
CAL.150_00.000		CEH_TRET	CEH_TRET	Used energy healing therapy to treat a specific condition, past 12 months	712	1
CAL.155_01.000		CEH_COND1-CEH_COND40	CEHCON01	Used energy healing therapy for abdominal pain, past 12 months	713	1
CAL.155_02.000		CEH_COND1-CEH_COND40	CEHCON02	Used energy healing therapy for acid reflux or heartburn, past 12 months	714	1
CAL.155_03.000		CEH_COND1-CEH_COND40	CEHCON03	Used energy healing therapy for allergies other than hay fever, respiratory allergies, food or digestive allergies, or skin allergies, past 12 months	715	1
CAL.155_04.000		CEH_COND1-CEH_COND40	CEHCON04	Used energy healing therapy for anemia, past 12 months	716	1
CAL.155_05.000		CEH_COND1-CEH_COND40	CEHCON05	Used energy healing therapy for anxiety or stress, past 12 months	717	1
CAL.155_06.000		CEH_COND1-CEH_COND40	CEHCON06	Used energy healing therapy for arthritis, past 12 months	718	1
CAL.155_07.000		CEH_COND1-CEH_COND40	CEHCON07	Used energy healing therapy for asthma, past 12 months	719	1
CAL.155_08.000		CEH_COND1-CEH_COND40	CEHCON08	Used energy healing therapy for Attention Deficit Hyperactivity Disorder (ADHD)/Attention Deficit Disorder (ADD), past 12 months	720	1
CAL.155_09.000		CEH_COND1-CEH_COND40	CEHCON09	Used energy healing therapy for autism, past 12 months	721	1
CAL.155_10.000		CEH_COND1-CEH_COND40	CEHCON10	Used energy healing therapy for back or neck pain, past 12 months	722	1
CAL.155_11.000		CEH_COND1-CEH_COND40	CEHCON11	Used energy healing therapy for cancer, past 12 months	723	1
CAL.155_12.000		CEH_COND1-CEH_COND40	CEHCON12	Used energy healing therapy for cerebral palsy, past 12 months	724	1
CAL.155_13.000		CEH_COND1-CEH_COND40	CEHCON13	Used energy healing therapy for chicken pox, past 12 months	725	1
CAL.155_14.000		CEH_COND1-CEH_COND40	CEHCON14	Used energy healing therapy for congenital heart disease, past 12 months	726	1
CAL.155_15.000		CEH_COND1-CEH_COND40	CEHCON15	Used energy healing therapy for cystic fibrosis, past 12 months	727	1
CAL.155_16.000		CEH_COND1-CEH_COND40	CEHCON16	Used energy healing therapy for depression, past 12 months	728	1
CAL.155_17.000		CEH_COND1-CEH_COND40	CEHCON17	Used energy healing therapy for diabetes, past 12 months	729	1
CAL.155_18.000		CEH_COND1-CEH_COND40	CEHCON18	Used energy healing therapy for Down syndrome, past 12 months	730	1
CAL.155_19.000		CEH_COND1-CEH_COND40	CEHCON19	Used energy healing therapy for eczema or skin allergy, past 12 months	731	1
CAL.155_20.000		CEH_COND1-CEH_COND40	CEHCON20	Used energy healing therapy for fatigue or lack of energy, past 12 months	732	1
CAL.155_21.000		CEH_COND1-CEH_COND40	CEHCON21	Used energy healing therapy for fever, past 12 months	733	1
CAL.155_22.000		CEH_COND1-CEH_COND40	CEHCON22	Used energy healing therapy for food or digestive allergy, past 12 months	734	1
CAL.155_23.000		CEH_COND1-CEH_COND40	CEHCON23	Used energy healing therapy for frequent or repeated diarrhea or colitis, past 12 months	735	1

2007 NHIS Public Use Variable Summary

Child Alternative Medicine

Filename - Section: childcam - CAL

Document Version Date: May 22, 2008

Question #	Recode	Instrument Variable Name	FinalDocName	Processing Variable Label	Location	Length
CAL.155_24.000		CEH_COND1-CEH_COND40	CEHCON24	Used energy healing therapy for migraine headaches, past 12 months	736	1
CAL.155_25.000		CEH_COND1-CEH_COND40	CEHCON25	Used energy healing therapy for gum disease, past 12 months	737	1
CAL.155_26.000		CEH_COND1-CEH_COND40	CEHCON26	Used energy healing therapy for hay fever, past 12 months	738	1
CAL.155_27.000		CEH_COND1-CEH_COND40	CEHCON27	Used energy healing therapy for head or chest cold, past 12 months	739	1
CAL.155_28.000		CEH_COND1-CEH_COND40	CEHCON28	Used energy healing therapy for hearing problem, past 12 months	740	1
CAL.155_29.000		CEH_COND1-CEH_COND40	CEHCON29	Used energy healing therapy for incontinence, including bed wetting, past 12 months	741	1
CAL.155_30.000		CEH_COND1-CEH_COND40	CEHCON30	Used energy healing therapy for influenza or pneumonia, past 12 months	742	1
CAL.155_31.000		CEH_COND1-CEH_COND40	CEHCON31	Used energy healing therapy for insomnia or trouble sleeping, past 12 months	743	1
CAL.155_32.000		CEH_COND1-CEH_COND40	CEHCON32	Used energy healing therapy for lung or breathing problem, other than asthma, past 12 months	744	1
CAL.155_33.000		CEH_COND1-CEH_COND40	CEHCON33	Used energy healing therapy for mental retardation, past 12 months	745	1
CAL.155_34.000		CEH_COND1-CEH_COND40	CEHCON34	Used energy healing therapy for menstrual problems, past 12 months	746	1
CAL.155_35.000		CEH_COND1-CEH_COND40	CEHCON35	Used energy healing therapy for muscular dystrophy, past 12 months	747	1
CAL.155_36.000		CEH_COND1-CEH_COND40	CEHCON36	Used energy healing therapy for nausea and/or vomiting, past 12 months	748	1
CAL.155_37.000		CEH_COND1-CEH_COND40	CEHCON37	Used energy healing therapy for neurological problems, past 12 months	749	1
CAL.155_38.000		CEH_COND1-CEH_COND40	CEHCON38	Used energy healing therapy for other chronic pain, past 12 months	750	1
CAL.155_39.000		CEH_COND1-CEH_COND40	CEHCON39	Used energy healing therapy for other developmental delay, past 12 months	751	1
CAL.155_40.000		CEH_COND1-CEH_COND40	CEHCON40	Used energy healing therapy for other heart condition, past 12 months	752	1
CAL.155_41.000		CEH_COND1-CEH_COND40	CEHCON41	Used energy healing therapy for phobia or fears, past 12 months	753	1
CAL.155_42.000		CEH_COND1-CEH_COND40	CEHCON42	Used energy healing therapy for problems with being overweight, past 12 months	754	1
CAL.155_43.000		CEH_COND1-CEH_COND40	CEHCON43	Used energy healing therapy for non-migraine headaches, past 12 months	755	1
CAL.155_44.000		CEH_COND1-CEH_COND40	CEHCON44	Used energy healing therapy for recurring constipation, past 12 months	756	1
CAL.155_45.000		CEH_COND1-CEH_COND40	CEHCON45	Used energy healing therapy for respiratory allergy, past 12 months	757	1
CAL.155_46.000		CEH_COND1-CEH_COND40	CEHCON46	Used energy healing therapy for seizures, past 12 months	758	1
CAL.155_47.000		CEH_COND1-CEH_COND40	CEHCON47	Used energy healing therapy for severe acne, past 12 months	759	1
CAL.155_48.000		CEH_COND1-CEH_COND40	CEHCON48	Used energy healing therapy for sickle cell anemia, past 12 months	760	1
CAL.155_49.000		CEH_COND1-CEH_COND40	CEHCON49	Used energy healing therapy for sinusitis, past 12 months	761	1
CAL.155_50.000		CEH_COND1-CEH_COND40	CEHCON50	Used energy healing therapy for skin problems other than eczema, acne, or warts, past 12 months	762	1
CAL.155_51.000		CEH_COND1-CEH_COND40	CEHCON51	Used energy healing therapy for sore throat other than strep or tonsillitis, past 12 months	763	1
CAL.155_52.000		CEH_COND1-CEH_COND40	CEHCON52	Used energy healing therapy for strep throat or tonsillitis, past 12 months	764	1

2007 NHIS Public Use Variable Summary

Child Alternative Medicine

Filename - Section: childcam - CAL

Document Version Date: May 22, 2008

Question #	Recode	Instrument Variable Name	FinalDocName	Processing Variable Label	Location	Length
CAL.155_53.000		CEH_COND1-CEH_COND40	CEHCON53	Used energy healing therapy for stuttering or stammering, past 12 months	765	1
CAL.155_54.000		CEH_COND1-CEH_COND40	CEHCON54	Used energy healing therapy for three or more ear infections, past 12 months	766	1
CAL.155_55.000		CEH_COND1-CEH_COND40	CEHCON55	Used energy healing therapy for urinary problems, including urinary tract infections, past 12 months	767	1
CAL.155_56.000		CEH_COND1-CEH_COND40	CEHCON56	Used energy healing therapy for vision problems, past 12 months	768	1
CAL.155_57.000		CEH_COND1-CEH_COND40	CEHCON57	Used energy healing therapy for warts, past 12 months	769	1
CAL.155_58.000		CEH_COND1-CEH_COND40	CEHCON58	Used energy healing therapy for other - specify, past 12 months	770	1
CAL.155_59.000		CEH_COND1-CEH_COND40	CEHCON59	Used energy healing therapy for other musculoskeletal, past 12 months	771	1
CAL.156_00.000		CEH_SPEC	CEH_SPEC	Other condition for which energy healing therapy used, past 12 months	772 - 846	75
CAL.160_00.000		CHY_TRET	CHY_TRET	Used hypnosis to treat a specific condition, past 12 months	847	1
CAL.165_01.000		CHY_COND1-CHY_COND40	CHYCON01	Used hypnosis for abdominal pain, past 12 months	848	1
CAL.165_02.000		CHY_COND1-CHY_COND40	CHYCON02	Used hypnosis for acid reflux or heartburn, past 12 months	849	1
CAL.165_03.000		CHY_COND1-CHY_COND40	CHYCON03	Used hypnosis for allergies other than hay fever, respiratory allergies, food or digestive allergies, or skin allergies, past 12 months	850	1
CAL.165_04.000		CHY_COND1-CHY_COND40	CHYCON04	Used hypnosis for anemia, past 12 months	851	1
CAL.165_05.000		CHY_COND1-CHY_COND40	CHYCON05	Used hypnosis for anxiety or stress, past 12 months	852	1
CAL.165_06.000		CHY_COND1-CHY_COND40	CHYCON06	Used hypnosis for arthritis, past 12 months	853	1
CAL.165_07.000		CHY_COND1-CHY_COND40	CHYCON07	Used hypnosis for asthma, past 12 months	854	1
CAL.165_08.000		CHY_COND1-CHY_COND40	CHYCON08	Used hypnosis for Attention Deficit Hyperactivity Disorder (ADHD)/Attention Deficit Disorder (ADD), past 12 months	855	1
CAL.165_09.000		CHY_COND1-CHY_COND40	CHYCON09	Used hypnosis for autism, past 12 months	856	1
CAL.165_10.000		CHY_COND1-CHY_COND40	CHYCON10	Used hypnosis for back or neck pain, past 12 months	857	1
CAL.165_11.000		CHY_COND1-CHY_COND40	CHYCON11	Used hypnosis for cancer, past 12 months	858	1
CAL.165_12.000		CHY_COND1-CHY_COND40	CHYCON12	Used hypnosis for cerebral palsy, past 12 months	859	1
CAL.165_13.000		CHY_COND1-CHY_COND40	CHYCON13	Used hypnosis for chicken pox, past 12 months	860	1
CAL.165_14.000		CHY_COND1-CHY_COND40	CHYCON14	Used hypnosis for congenital heart disease, past 12 months	861	1
CAL.165_15.000		CHY_COND1-CHY_COND40	CHYCON15	Used hypnosis for cystic fibrosis, past 12 months	862	1
CAL.165_16.000		CHY_COND1-CHY_COND40	CHYCON16	Used hypnosis for depression, past 12 months	863	1
CAL.165_17.000		CHY_COND1-CHY_COND40	CHYCON17	Used hypnosis for diabetes, past 12 months	864	1
CAL.165_18.000		CHY_COND1-CHY_COND40	CHYCON18	Used hypnosis for Down syndrome, past 12 months	865	1
CAL.165_19.000		CHY_COND1-CHY_COND40	CHYCON19	Used hypnosis for eczema or skin allergy, past 12 months	866	1
CAL.165_20.000		CHY_COND1-CHY_COND40	CHYCON20	Used hypnosis for fatigue or lack of energy, past 12 months	867	1

2007 NHIS Public Use Variable Summary

Child Alternative Medicine

Filename - Section: childcam - CAL

Document Version Date: May 22, 2008

Question #	Recode	Instrument Variable Name	FinalDocName	Processing Variable Label	Location	Length
CAL.165_21.000		CHY_COND1-CHY_COND40	CHYCON21	Used hypnosis for fever, past 12 months	868	1
CAL.165_22.000		CHY_COND1-CHY_COND40	CHYCON22	Used hypnosis for food or digestive allergy, past 12 months	869	1
CAL.165_23.000		CHY_COND1-CHY_COND40	CHYCON23	Used hypnosis for frequent or repeated diarrhea or colitis, past 12 months	870	1
CAL.165_24.000		CHY_COND1-CHY_COND40	CHYCON24	Used hypnosis for migraine headaches, past 12 months	871	1
CAL.165_25.000		CHY_COND1-CHY_COND40	CHYCON25	Used hypnosis for gum disease, past 12 months	872	1
CAL.165_26.000		CHY_COND1-CHY_COND40	CHYCON26	Used hypnosis for hay fever, past 12 months	873	1
CAL.165_27.000		CHY_COND1-CHY_COND40	CHYCON27	Used hypnosis for head or chest cold, past 12 months	874	1
CAL.165_28.000		CHY_COND1-CHY_COND40	CHYCON28	Used hypnosis for hearing problem, past 12 months	875	1
CAL.165_29.000		CHY_COND1-CHY_COND40	CHYCON29	Used hypnosis for incontinence, including bed wetting, past 12 months	876	1
CAL.165_30.000		CHY_COND1-CHY_COND40	CHYCON30	Used hypnosis for influenza or pneumonia, past 12 months	877	1
CAL.165_31.000		CHY_COND1-CHY_COND40	CHYCON31	Used hypnosis for insomnia or trouble sleeping, past 12 months	878	1
CAL.165_32.000		CHY_COND1-CHY_COND40	CHYCON32	Used hypnosis for lung or breathing problem, other than asthma, past 12 months	879	1
CAL.165_33.000		CHY_COND1-CHY_COND40	CHYCON33	Used hypnosis for mental retardation, past 12 months	880	1
CAL.165_34.000		CHY_COND1-CHY_COND40	CHYCON34	Used hypnosis for menstrual problems, past 12 months	881	1
CAL.165_35.000		CHY_COND1-CHY_COND40	CHYCON35	Used hypnosis for muscular dystrophy, past 12 months	882	1
CAL.165_36.000		CHY_COND1-CHY_COND40	CHYCON36	Used hypnosis for nausea and/or vomiting, past 12 months	883	1
CAL.165_37.000		CHY_COND1-CHY_COND40	CHYCON37	Used hypnosis for neurological problems, past 12 months	884	1
CAL.165_38.000		CHY_COND1-CHY_COND40	CHYCON38	Used hypnosis for other chronic pain, past 12 months	885	1
CAL.165_39.000		CHY_COND1-CHY_COND40	CHYCON39	Used hypnosis for other developmental delay, past 12 months	886	1
CAL.165_40.000		CHY_COND1-CHY_COND40	CHYCON40	Used hypnosis for other heart condition, past 12 months	887	1
CAL.165_41.000		CHY_COND1-CHY_COND40	CHYCON41	Used hypnosis for phobia or fears, past 12 months	888	1
CAL.165_42.000		CHY_COND1-CHY_COND40	CHYCON42	Used hypnosis for problems with being overweight, past 12 months	889	1
CAL.165_43.000		CHY_COND1-CHY_COND40	CHYCON43	Used hypnosis for non-migraine headaches, past 12 months	890	1
CAL.165_44.000		CHY_COND1-CHY_COND40	CHYCON44	Used hypnosis for recurring constipation, past 12 months	891	1
CAL.165_45.000		CHY_COND1-CHY_COND40	CHYCON45	Used hypnosis for respiratory allergy, past 12 months	892	1
CAL.165_46.000		CHY_COND1-CHY_COND40	CHYCON46	Used hypnosis for seizures, past 12 months	893	1
CAL.165_47.000		CHY_COND1-CHY_COND40	CHYCON47	Used hypnosis for severe acne, past 12 months	894	1
CAL.165_48.000		CHY_COND1-CHY_COND40	CHYCON48	Used hypnosis for sickle cell anemia, past 12 months	895	1
CAL.165_49.000		CHY_COND1-CHY_COND40	CHYCON49	Used hypnosis for sinusitis, past 12 months	896	1
CAL.165_50.000		CHY_COND1-CHY_COND40	CHYCON50	Used hypnosis for skin problems other than eczema, acne, or warts, past 12 months	897	1

2007 NHIS Public Use Variable Summary

Child Alternative Medicine

Filename - Section: childcam - CAL

Document Version Date: May 22, 2008

Question #	Recode	Instrument Variable Name	FinalDocName	Processing Variable Label	Location	Length
CAL.165_51.000		CHY_COND1-CHY_COND40	CHYCON51	Used hypnosis for sore throat other than strep or tonsillitis, past 12 months	898	1
CAL.165_52.000		CHY_COND1-CHY_COND40	CHYCON52	Used hypnosis for strep throat or tonsillitis, past 12 months	899	1
CAL.165_53.000		CHY_COND1-CHY_COND40	CHYCON53	Used hypnosis for stuttering or stammering, past 12 months	900	1
CAL.165_54.000		CHY_COND1-CHY_COND40	CHYCON54	Used hypnosis for three or more ear infections, past 12 months	901	1
CAL.165_55.000		CHY_COND1-CHY_COND40	CHYCON55	Used hypnosis for urinary problems, including urinary tract infections, past 12 months	902	1
CAL.165_56.000		CHY_COND1-CHY_COND40	CHYCON56	Used hypnosis for vision problems, past 12 months	903	1
CAL.165_57.000		CHY_COND1-CHY_COND40	CHYCON57	Used hypnosis for warts, past 12 months	904	1
CAL.165_58.000		CHY_COND1-CHY_COND40	CHYCON58	Used hypnosis for other - specify, past 12 months	905	1
CAL.165_59.000		CHY_COND1-CHY_COND40	CHYCON59	Used hypnosis for other musculoskeletal, past 12 months	906	1
CAL.166_00.000		CHY_SPEC	CHY_SPEC	Other condition for which hypnosis used, past 12 months	907 - 981	75
CAL.170_00.000		CMS_TRET	CMS_TRET	Used massage to treat a specific condition, past 12 months	982	1
CAL.175_01.000		CMS_COND1-CMS_COND40	CMSCON01	Used massage for abdominal pain, past 12 months	983	1
CAL.175_02.000		CMS_COND1-CMS_COND40	CMSCON02	Used massage for acid reflux or heartburn, past 12 months	984	1
CAL.175_03.000		CMS_COND1-CMS_COND40	CMSCON03	Used massage for allergies other than hay fever, respiratory allergies, food or digestive allergies, or skin allergies, past 12 months	985	1
CAL.175_04.000		CMS_COND1-CMS_COND40	CMSCON04	Used massage for anemia, past 12 months	986	1
CAL.175_05.000		CMS_COND1-CMS_COND40	CMSCON05	Used massage for anxiety or stress, past 12 months	987	1
CAL.175_06.000		CMS_COND1-CMS_COND40	CMSCON06	Used massage for arthritis, past 12 months	988	1
CAL.175_07.000		CMS_COND1-CMS_COND40	CMSCON07	Used massage for asthma, past 12 months	989	1
CAL.175_08.000		CMS_COND1-CMS_COND40	CMSCON08	Used massage for Attention Deficit Hyperactivity Disorder (ADHD)/Attention Deficit Disorder (ADD), past 12 months	990	1
CAL.175_09.000		CMS_COND1-CMS_COND40	CMSCON09	Used massage for autism, past 12 months	991	1
CAL.175_10.000		CMS_COND1-CMS_COND40	CMSCON10	Used massage for back or neck pain, past 12 months	992	1
CAL.175_11.000		CMS_COND1-CMS_COND40	CMSCON11	Used massage for cancer, past 12 months	993	1
CAL.175_12.000		CMS_COND1-CMS_COND40	CMSCON12	Used massage for cerebral palsy, past 12 months	994	1
CAL.175_13.000		CMS_COND1-CMS_COND40	CMSCON13	Used massage for chicken pox, past 12 months	995	1
CAL.175_14.000		CMS_COND1-CMS_COND40	CMSCON14	Used massage for congenital heart disease, past 12 months	996	1
CAL.175_15.000		CMS_COND1-CMS_COND40	CMSCON15	Used massage for cystic fibrosis, past 12 months	997	1
CAL.175_16.000		CMS_COND1-CMS_COND40	CMSCON16	Used massage for depression, past 12 months	998	1
CAL.175_17.000		CMS_COND1-CMS_COND40	CMSCON17	Used massage for diabetes, past 12 months	999	1
CAL.175_18.000		CMS_COND1-CMS_COND40	CMSCON18	Used massage for Down syndrome, past 12 months	1000	1

2007 NHIS Public Use Variable Summary

Child Alternative Medicine

Filename - Section: childcam - CAL

Document Version Date: May 22, 2008

Question #	Recode	Instrument Variable Name	FinalDocName	Processing Variable Label	Location	Length
CAL.175_19.000		CMS_COND1-CMS_COND40	CMSCON19	Used massage for eczema or skin allergy, past 12 months	1001	1
CAL.175_20.000		CMS_COND1-CMS_COND40	CMSCON20	Used massage for fatigue or lack of energy, past 12 months	1002	1
CAL.175_21.000		CMS_COND1-CMS_COND40	CMSCON21	Used massage for fever, past 12 months	1003	1
CAL.175_22.000		CMS_COND1-CMS_COND40	CMSCON22	Used massage for food or digestive allergy, past 12 months	1004	1
CAL.175_23.000		CMS_COND1-CMS_COND40	CMSCON23	Used massage for frequent or repeated diarrhea or colitis, past 12 months	1005	1
CAL.175_24.000		CMS_COND1-CMS_COND40	CMSCON24	Used massage for migraine headaches, past 12 months	1006	1
CAL.175_25.000		CMS_COND1-CMS_COND40	CMSCON25	Used massage for gum disease, past 12 months	1007	1
CAL.175_26.000		CMS_COND1-CMS_COND40	CMSCON26	Used massage for hay fever, past 12 months	1008	1
CAL.175_27.000		CMS_COND1-CMS_COND40	CMSCON27	Used massage for head or chest cold, past 12 months	1009	1
CAL.175_28.000		CMS_COND1-CMS_COND40	CMSCON28	Used massage for hearing problem, past 12 months	1010	1
CAL.175_29.000		CMS_COND1-CMS_COND40	CMSCON29	Used massage for incontinence, including bed wetting, past 12 months	1011	1
CAL.175_30.000		CMS_COND1-CMS_COND40	CMSCON30	Used massage for influenza or pneumonia, past 12 months	1012	1
CAL.175_31.000		CMS_COND1-CMS_COND40	CMSCON31	Used massage for insomnia or trouble sleeping, past 12 months	1013	1
CAL.175_32.000		CMS_COND1-CMS_COND40	CMSCON32	Used massage for lung or breathing problem, other than asthma, past 12 months	1014	1
CAL.175_33.000		CMS_COND1-CMS_COND40	CMSCON33	Used massage for mental retardation, past 12 months	1015	1
CAL.175_34.000		CMS_COND1-CMS_COND40	CMSCON34	Used massage for menstrual problems, past 12 months	1016	1
CAL.175_35.000		CMS_COND1-CMS_COND40	CMSCON35	Used massage for muscular dystrophy, past 12 months	1017	1
CAL.175_36.000		CMS_COND1-CMS_COND40	CMSCON36	Used massage for nausea and/or vomiting, past 12 months	1018	1
CAL.175_37.000		CMS_COND1-CMS_COND40	CMSCON37	Used massage for neurological problems, past 12 months	1019	1
CAL.175_38.000		CMS_COND1-CMS_COND40	CMSCON38	Used massage for other chronic pain, past 12 months	1020	1
CAL.175_39.000		CMS_COND1-CMS_COND40	CMSCON39	Used massage for other developmental delay, past 12 months	1021	1
CAL.175_40.000		CMS_COND1-CMS_COND40	CMSCON40	Used massage for other heart condition, past 12 months	1022	1
CAL.175_41.000		CMS_COND1-CMS_COND40	CMSCON41	Used massage for phobia or fears, past 12 months	1023	1
CAL.175_42.000		CMS_COND1-CMS_COND40	CMSCON42	Used massage for problems with being overweight, past 12 months	1024	1
CAL.175_43.000		CMS_COND1-CMS_COND40	CMSCON43	Used massage for non-migraine headaches, past 12 months	1025	1
CAL.175_44.000		CMS_COND1-CMS_COND40	CMSCON44	Used massage for recurring constipation, past 12 months	1026	1
CAL.175_45.000		CMS_COND1-CMS_COND40	CMSCON45	Used massage for respiratory allergy, past 12 months	1027	1
CAL.175_46.000		CMS_COND1-CMS_COND40	CMSCON46	Used massage for seizures, past 12 months	1028	1
CAL.175_47.000		CMS_COND1-CMS_COND40	CMSCON47	Used massage for severe acne, past 12 months	1029	1
CAL.175_48.000		CMS_COND1-CMS_COND40	CMSCON48	Used massage for sickle cell anemia, past 12 months	1030	1

2007 NHIS Public Use Variable Summary

Child Alternative Medicine

Filename - Section: childcam - CAL

Document Version Date: May 22, 2008

Question #	Recode	Instrument Variable Name	FinalDocName	Processing Variable Label	Location	Length
CAL.175_49.000		CMS_COND1-CMS_COND40	CMSCON49	Used massage for sinusitis, past 12 months	1031	1
CAL.175_50.000		CMS_COND1-CMS_COND40	CMSCON50	Used massage for skin problems other than eczema, acne, or warts, past 12 months	1032	1
CAL.175_51.000		CMS_COND1-CMS_COND40	CMSCON51	Used massage for sore throat other than strep or tonsillitis, past 12 months	1033	1
CAL.175_52.000		CMS_COND1-CMS_COND40	CMSCON52	Used massage for strep throat or tonsillitis, past 12 months	1034	1
CAL.175_53.000		CMS_COND1-CMS_COND40	CMSCON53	Used massage for stuttering or stammering, past 12 months	1035	1
CAL.175_54.000		CMS_COND1-CMS_COND40	CMSCON54	Used massage for three or more ear infections, past 12 months	1036	1
CAL.175_55.000		CMS_COND1-CMS_COND40	CMSCON55	Used massage for urinary problems, including urinary tract infections, past 12 months	1037	1
CAL.175_56.000		CMS_COND1-CMS_COND40	CMSCON56	Used massage for vision problems, past 12 months	1038	1
CAL.175_57.000		CMS_COND1-CMS_COND40	CMSCON57	Used massage for warts, past 12 months	1039	1
CAL.175_58.000		CMS_COND1-CMS_COND40	CMSCON58	Used massage for other- specify, past 12 months	1040	1
CAL.175_59.000		CMS_COND1-CMS_COND40	CMSCON59	Used massage for other musculoskeletal, past 12 months	1041	1
CAL.176_00.000		CMS_SPEC	CMS_SPEC	Other condition for which massage used, past 12 months	1042 -1116	75
CAL.180_00.000		CNT_TRET	CNT_TRET	Used naturopathy to treat a specific condition, past 12 months	1117	1
CAL.185_01.000		CNT_COND1-CNT_COND40	CNTCON01	Used naturopathy for abdominal pain, past 12 months	1118	1
CAL.185_02.000		CNT_COND1-CNT_COND40	CNTCON02	Used naturopathy for acid reflux or heartburn, past 12 months	1119	1
CAL.185_03.000		CNT_COND1-CNT_COND40	CNTCON03	Used naturopathy for allergies other than hay fever, respiratory allergies, food or digestive allergies, or skin allergies, past 12 months	1120	1
CAL.185_04.000		CNT_COND1-CNT_COND40	CNTCON04	Used naturopathy for anemia, past 12 months	1121	1
CAL.185_05.000		CNT_COND1-CNT_COND40	CNTCON05	Used naturopathy for anxiety or stress, past 12 months	1122	1
CAL.185_06.000		CNT_COND1-CNT_COND40	CNTCON06	Used naturopathy for arthritis, past 12 months	1123	1
CAL.185_07.000		CNT_COND1-CNT_COND40	CNTCON07	Used naturopathy for asthma, past 12 months	1124	1
CAL.185_08.000		CNT_COND1-CNT_COND40	CNTCON08	Used naturopathy for Attention Deficit Hyperactivity Disorder (ADHD)/Attention Deficit Disorder (ADD), past 12 months	1125	1
CAL.185_09.000		CNT_COND1-CNT_COND40	CNTCON09	Used naturopathy for autism, past 12 months	1126	1
CAL.185_10.000		CNT_COND1-CNT_COND40	CNTCON10	Used naturopathy for back or neck pain, past 12 months	1127	1
CAL.185_11.000		CNT_COND1-CNT_COND40	CNTCON11	Used naturopathy for cancer, past 12 months	1128	1
CAL.185_12.000		CNT_COND1-CNT_COND40	CNTCON12	Used naturopathy for cerebral palsy, past 12 months	1129	1
CAL.185_13.000		CNT_COND1-CNT_COND40	CNTCON13	Used naturopathy for chicken pox, past 12 months	1130	1
CAL.185_14.000		CNT_COND1-CNT_COND40	CNTCON14	Used naturopathy for congenital heart disease, past 12 months	1131	1
CAL.185_15.000		CNT_COND1-CNT_COND40	CNTCON15	Used naturopathy for cystic fibrosis, past 12 months	1132	1
CAL.185_16.000		CNT_COND1-CNT_COND40	CNTCON16	Used naturopathy for depression, past 12 months	1133	1

2007 NHIS Public Use Variable Summary

Child Alternative Medicine

Filename - Section: childcam - CAL

Document Version Date: May 22, 2008

Question #	Recode	Instrument Variable Name	FinalDocName	Processing Variable Label	Location	Length
CAL.185_17.000		CNT_COND1-CNT_COND40	CNTCON17	Used naturopathy for diabetes, past 12 months	1134	1
CAL.185_18.000		CNT_COND1-CNT_COND40	CNTCON18	Used naturopathy for Down syndrome, past 12 months	1135	1
CAL.185_19.000		CNT_COND1-CNT_COND40	CNTCON19	Used naturopathy for eczema or skin allergy, past 12 months	1136	1
CAL.185_20.000		CNT_COND1-CNT_COND40	CNTCON20	Used naturopathy for fatigue or lack of energy, past 12 months	1137	1
CAL.185_21.000		CNT_COND1-CNT_COND40	CNTCON21	Used naturopathy for fever, past 12 months	1138	1
CAL.185_22.000		CNT_COND1-CNT_COND40	CNTCON22	Used naturopathy for food or digestive allergy, past 12 months	1139	1
CAL.185_23.000		CNT_COND1-CNT_COND40	CNTCON23	Used naturopathy for frequent or repeated diarrhea or colitis, past 12 months	1140	1
CAL.185_24.000		CNT_COND1-CNT_COND40	CNTCON24	Used naturopathy for migraine headaches, past 12 months	1141	1
CAL.185_25.000		CNT_COND1-CNT_COND40	CNTCON25	Used naturopathy for gum disease, past 12 months	1142	1
CAL.185_26.000		CNT_COND1-CNT_COND40	CNTCON26	Used naturopathy for hay fever, past 12 months	1143	1
CAL.185_27.000		CNT_COND1-CNT_COND40	CNTCON27	Used naturopathy for head or chest cold, past 12 months	1144	1
CAL.185_28.000		CNT_COND1-CNT_COND40	CNTCON28	Used naturopathy for hearing problem, past 12 months	1145	1
CAL.185_29.000		CNT_COND1-CNT_COND40	CNTCON29	Used naturopathy for incontinence, including bed wetting, past 12 months	1146	1
CAL.185_30.000		CNT_COND1-CNT_COND40	CNTCON30	Used naturopathy for influenza or pneumonia, past 12 months	1147	1
CAL.185_31.000		CNT_COND1-CNT_COND40	CNTCON31	Used naturopathy for insomnia or trouble sleeping, past 12 months	1148	1
CAL.185_32.000		CNT_COND1-CNT_COND40	CNTCON32	Used naturopathy for lung or breathing problem, other than asthma, past 12 months	1149	1
CAL.185_33.000		CNT_COND1-CNT_COND40	CNTCON33	Used naturopathy for mental retardation, past 12 months	1150	1
CAL.185_34.000		CNT_COND1-CNT_COND40	CNTCON34	Used naturopathy for menstrual problems, past 12 months	1151	1
CAL.185_35.000		CNT_COND1-CNT_COND40	CNTCON35	Used naturopathy for muscular dystrophy, past 12 months	1152	1
CAL.185_36.000		CNT_COND1-CNT_COND40	CNTCON36	Used naturopathy for nausea and/or vomiting, past 12 months	1153	1
CAL.185_37.000		CNT_COND1-CNT_COND40	CNTCON37	Used naturopathy for neurological problems, past 12 months	1154	1
CAL.185_38.000		CNT_COND1-CNT_COND40	CNTCON38	Used naturopathy for other chronic pain, past 12 months	1155	1
CAL.185_39.000		CNT_COND1-CNT_COND40	CNTCON39	Used naturopathy for other developmental delay, past 12 months	1156	1
CAL.185_40.000		CNT_COND1-CNT_COND40	CNTCON40	Used naturopathy for other heart condition, past 12 months	1157	1
CAL.185_41.000		CNT_COND1-CNT_COND40	CNTCON41	Used naturopathy for phobia or fears, past 12 months	1158	1
CAL.185_42.000		CNT_COND1-CNT_COND40	CNTCON42	Used naturopathy for problems with being overweight, past 12 months	1159	1
CAL.185_43.000		CNT_COND1-CNT_COND40	CNTCON43	Used naturopathy for non-migraine headaches, past 12 months	1160	1
CAL.185_44.000		CNT_COND1-CNT_COND40	CNTCON44	Used naturopathy for recurring constipation, past 12 months	1161	1
CAL.185_45.000		CNT_COND1-CNT_COND40	CNTCON45	Used naturopathy for respiratory allergy, past 12 months	1162	1
CAL.185_46.000		CNT_COND1-CNT_COND40	CNTCON46	Used naturopathy for seizures, past 12 months	1163	1

2007 NHIS Public Use Variable Summary

Child Alternative Medicine

Filename - Section: childcam - CAL

Document Version Date: May 22, 2008

Question #	Recode	Instrument Variable Name	FinalDocName	Processing Variable Label	Location	Length
CAL.185_47.000		CNT_COND1-CNT_COND40	CNTCON47	Used naturopathy for severe acne, past 12 months	1164	1
CAL.185_48.000		CNT_COND1-CNT_COND40	CNTCON48	Used naturopathy for sickle cell anemia, past 12 months	1165	1
CAL.185_49.000		CNT_COND1-CNT_COND40	CNTCON49	Used naturopathy for sinusitis, past 12 months	1166	1
CAL.185_50.000		CNT_COND1-CNT_COND40	CNTCON50	Used naturopathy for skin problems other than eczema, acne, or warts, past 12 months	1167	1
CAL.185_51.000		CNT_COND1-CNT_COND40	CNTCON51	Used naturopathy for sore throat other than strep or tonsillitis, past 12 months	1168	1
CAL.185_52.000		CNT_COND1-CNT_COND40	CNTCON52	Used naturopathy for strep throat or tonsillitis, past 12 months	1169	1
CAL.185_53.000		CNT_COND1-CNT_COND40	CNTCON53	Used naturopathy for stuttering or stammering, past 12 months	1170	1
CAL.185_54.000		CNT_COND1-CNT_COND40	CNTCON54	Used naturopathy for three or more ear infections, past 12 months	1171	1
CAL.185_55.000		CNT_COND1-CNT_COND40	CNTCON55	Used naturopathy for urinary problems, including urinary tract infections, past 12 months	1172	1
CAL.185_56.000		CNT_COND1-CNT_COND40	CNTCON56	Used naturopathy for vision problems, past 12 months	1173	1
CAL.185_57.000		CNT_COND1-CNT_COND40	CNTCON57	Used naturopathy for warts, past 12 months	1174	1
CAL.185_58.000		CNT_COND1-CNT_COND40	CNTCON58	Used naturopathy for other specify, past 12 months	1175	1
CAL.185_59.000		CNT_COND1-CNT_COND40	CNTCON59	Used naturopathy for other musculoskeletal, past 12 months	1176	1
CAL.186_00.000		CNT_SPEC	CNT_SPEC	Other condition for which naturopathy used, past 12 months	1177 -1251	75
CAL.190_01.000		TRD1-TRD8	CCU_USEM	Saw Curandero, past 12 months	1252	1
CAL.190_02.000		TRD1-TRD8	CES_USEM	Saw Espiritista, past 12 months	1253	1
CAL.190_03.000		TRD1-TRD8	CYE_USEM	Saw Hierbero or Yerbera, past 12 months	1254	1
CAL.190_04.000		TRD1-TRD8	CSH_USEM	Saw Shaman, past 12 months	1255	1
CAL.190_05.000		TRD1-TRD8	CBT_USEM	Saw Botanica, past 12 months	1256	1
CAL.190_06.000		TRD1-TRD8	CNH_USEM	Saw Medicine man, past 12 months	1257	1
CAL.190_07.000		TRD1-TRD8	CSB_USEM	Saw Sobador, past 12 months	1258	1
CAL.190_08.000		TRD1-TRD8	TRDNONE	Did not see a traditional healer, past 12 months	1259	1
CAL.192_01.000			CTRUSECT	Number of traditional healers used	1260	1
CAL.195_00.000		CTR_TRET	CTR_TRET	Saw traditional healer to treat specific condition, past 12 months	1261	1
CAL.200_01.000		CTR_COND1-CTR_COND40	CTRCON01	Saw traditional healer for abdominal pain, past 12 months	1262	1
CAL.200_02.000		CTR_COND1-CTR_COND40	CTRCON02	Saw traditional healer for acid reflux or heartburn, past 12 months	1263	1
CAL.200_03.000		CTR_COND1-CTR_COND40	CTRCON03	Saw traditional healer for allergies other than hay fever, respiratory allergies, food or digestive allergies, or skin allergies, past 12 months	1264	1
CAL.200_04.000		CTR_COND1-CTR_COND40	CTRCON04	Saw traditional healer for anemia, past 12 months	1265	1
CAL.200_05.000		CTR_COND1-CTR_COND40	CTRCON05	Saw traditional healer for anxiety or stress, past 12 months	1266	1

2007 NHIS Public Use Variable Summary

Child Alternative Medicine

Filename - Section: childcam - CAL

Document Version Date: May 22, 2008

Question #	Recode	Instrument Variable Name	FinalDocName	Processing Variable Label	Location	Length
CAL.200_06.000		CTR_COND1-CTR_COND40	CTRCON06	Saw traditional healer for arthritis, past 12 months	1267	1
CAL.200_07.000		CTR_COND1-CTR_COND40	CTRCON07	Saw traditional healer for asthma, past 12 months	1268	1
CAL.200_08.000		CTR_COND1-CTR_COND40	CTRCON08	Saw traditional healer for Attention Deficit Hyperactivity Disorder (ADHD)/Attention Deficit Disorder (ADD), past 12 months	1269	1
CAL.200_09.000		CTR_COND1-CTR_COND40	CTRCON09	Saw traditional healer for autism, past 12 months	1270	1
CAL.200_10.000		CTR_COND1-CTR_COND40	CTRCON10	Saw traditional healer for back or neck pain, past 12 months	1271	1
CAL.200_11.000		CTR_COND1-CTR_COND40	CTRCON11	Saw traditional healer for cancer, past 12 months	1272	1
CAL.200_12.000		CTR_COND1-CTR_COND40	CTRCON12	Saw traditional healer for cerebral palsy, past 12 months	1273	1
CAL.200_13.000		CTR_COND1-CTR_COND40	CTRCON13	Saw traditional healer for chickenpox, past 12 months	1274	1
CAL.200_14.000		CTR_COND1-CTR_COND40	CTRCON14	Saw traditional healer for congenital heart disease, past 12 months	1275	1
CAL.200_15.000		CTR_COND1-CTR_COND40	CTRCON15	Saw traditional healer for cystic fibrosis, past 12 months	1276	1
CAL.200_16.000		CTR_COND1-CTR_COND40	CTRCON16	Saw traditional healer for depression, past 12 months	1277	1
CAL.200_17.000		CTR_COND1-CTR_COND40	CTRCON17	Saw traditional healer for diabetes, past 12 months	1278	1
CAL.200_18.000		CTR_COND1-CTR_COND40	CTRCON18	Saw traditional healer for Down syndrome, past 12 months	1279	1
CAL.200_19.000		CTR_COND1-CTR_COND40	CTRCON19	Saw traditional healer for eczema or skin allergy, past 12 months	1280	1
CAL.200_20.000		CTR_COND1-CTR_COND40	CTRCON20	Saw traditional healer for fatigue or lack of energy, past 12 months	1281	1
CAL.200_21.000		CTR_COND1-CTR_COND40	CTRCON21	Saw traditional healer for fever, past 12 months	1282	1
CAL.200_22.000		CTR_COND1-CTR_COND40	CTRCON22	Saw traditional healer for food or digestive allergy, past 12 months	1283	1
CAL.200_23.000		CTR_COND1-CTR_COND40	CTRCON23	Saw traditional healer for frequent or repeated diarrhea or colitis, past 12 months	1284	1
CAL.200_24.000		CTR_COND1-CTR_COND40	CTRCON24	Saw traditional healer for migraine headaches, past 12 months	1285	1
CAL.200_25.000		CTR_COND1-CTR_COND40	CTRCON25	Saw traditional healer for gum disease, past 12 months	1286	1
CAL.200_26.000		CTR_COND1-CTR_COND40	CTRCON26	Saw traditional healer for hay fever, past 12 months	1287	1
CAL.200_27.000		CTR_COND1-CTR_COND40	CTRCON27	Saw traditional healer for head or chest cold, past 12 months	1288	1
CAL.200_28.000		CTR_COND1-CTR_COND40	CTRCON28	Saw traditional healer for hearing problem, past 12 months	1289	1
CAL.200_29.000		CTR_COND1-CTR_COND40	CTRCON29	Saw traditional healer for incontinence, including bed wetting, past 12 months	1290	1
CAL.200_30.000		CTR_COND1-CTR_COND40	CTRCON30	Saw traditional healer for influenza or pneumonia, past 12 months	1291	1
CAL.200_31.000		CTR_COND1-CTR_COND40	CTRCON31	Saw traditional healer for insomnia or trouble sleeping, past 12 months	1292	1
CAL.200_32.000		CTR_COND1-CTR_COND40	CTRCON32	Saw traditional healer for lung or breathing problem, other than asthma, past 12 months	1293	1
CAL.200_33.000		CTR_COND1-CTR_COND40	CTRCON33	Saw traditional healer for mental retardation, past 12 months	1294	1
CAL.200_34.000		CTR_COND1-CTR_COND40	CTRCON34	Saw traditional healer for menstrual problems, past 12 months	1295	1

2007 NHIS Public Use Variable Summary

Child Alternative Medicine

Filename - Section: childcam - CAL

Document Version Date: May 22, 2008

Question #	Recode	Instrument Variable Name	FinalDocName	Processing Variable Label	Location	Length
CAL.200_35.000		CTR_COND1-CTR_COND40	CTRCON35	Saw traditional healer for muscular dystrophy, past 12 months	1296	1
CAL.200_36.000		CTR_COND1-CTR_COND40	CTRCON36	Saw traditional healer for nausea and/or vomiting, past 12 months	1297	1
CAL.200_37.000		CTR_COND1-CTR_COND40	CTRCON37	Saw traditional healer for neurological problems, past 12 months	1298	1
CAL.200_38.000		CTR_COND1-CTR_COND40	CTRCON38	Saw traditional healer for other chronic pain, past 12 months	1299	1
CAL.200_39.000		CTR_COND1-CTR_COND40	CTRCON39	Saw traditional healer for other developmental delay, past 12 months	1300	1
CAL.200_40.000		CTR_COND1-CTR_COND40	CTRCON40	Saw traditional healer for other heart condition, past 12 months	1301	1
CAL.200_41.000		CTR_COND1-CTR_COND40	CTRCON41	Saw traditional healer for phobia or fears, past 12 months	1302	1
CAL.200_42.000		CTR_COND1-CTR_COND40	CTRCON42	Saw traditional healer for problems with being overweight, past 12 months	1303	1
CAL.200_43.000		CTR_COND1-CTR_COND40	CTRCON43	Saw traditional healer for non-migraine headaches, past 12 months	1304	1
CAL.200_44.000		CTR_COND1-CTR_COND40	CTRCON44	Saw traditional healer for recurring constipation, past 12 months	1305	1
CAL.200_45.000		CTR_COND1-CTR_COND40	CTRCON45	Saw traditional healer for respiratory allergy, past 12 months	1306	1
CAL.200_46.000		CTR_COND1-CTR_COND40	CTRCON46	Saw traditional healer for seizures, past 12 months	1307	1
CAL.200_47.000		CTR_COND1-CTR_COND40	CTRCON47	Saw traditional healer for severe acne, past 12 months	1308	1
CAL.200_48.000		CTR_COND1-CTR_COND40	CTRCON48	Saw traditional healer for sickle cell anemia, past 12 months	1309	1
CAL.200_49.000		CTR_COND1-CTR_COND40	CTRCON49	Saw traditional healer for sinusitis, past 12 months	1310	1
CAL.200_50.000		CTR_COND1-CTR_COND40	CTRCON50	Saw traditional healer for skin problems other than eczema, acne, or warts, past 12 months	1311	1
CAL.200_51.000		CTR_COND1-CTR_COND40	CTRCON51	Saw traditional healer for sore throat other than strep or tonsillitis, past 12 months	1312	1
CAL.200_52.000		CTR_COND1-CTR_COND40	CTRCON52	Saw traditional healer for strep throat or tonsillitis, past 12 months	1313	1
CAL.200_53.000		CTR_COND1-CTR_COND40	CTRCON53	Saw traditional healer for stuttering or stammering, past 12 months	1314	1
CAL.200_54.000		CTR_COND1-CTR_COND40	CTRCON54	Saw traditional healer for three or more ear infections, past 12 months	1315	1
CAL.200_55.000		CTR_COND1-CTR_COND40	CTRCON55	Saw traditional healer for urinary problems, including urinary tract infections, past 12 months	1316	1
CAL.200_56.000		CTR_COND1-CTR_COND40	CTRCON56	Saw traditional healer for vision problem, past 12 months	1317	1
CAL.200_57.000		CTR_COND1-CTR_COND40	CTRCON57	Saw traditional healer for warts, past 12 months	1318	1
CAL.200_58.000		CTR_COND1-CTR_COND40	CTRCON58	Saw traditional healer for other - specify, past 12 months	1319	1
CAL.200_59.000		CTR_COND1-CTR_COND40	CTRCON59	Saw traditional healer for other musculoskeletal, past 12 months	1320	1
CAL.201_00.000		CTR_SPEC	CTR_SPEC	Other condition for which traditional healer seen, past 12 months	1321 -1395	75
CAL.205_00.000		MOV_FELD	CMV_FELD	Used Feldenkreis, past 12 months	1396	1
CAL.210_00.000		MOV_ALEX	CMV_ALEX	Used Alexander Technique, past 12 months	1397	1
CAL.215_00.000		MOV_PIL	CMV_PIL	Used Pilates, past 12 months	1398	1

2007 NHIS Public Use Variable Summary

Child Alternative Medicine

Filename - Section: childcam - CAL

Document Version Date: May 22, 2008

Question #	Recode	Instrument Variable Name	FinalDocName	Processing Variable Label	Location	Length
CAL.220_00.000		MOV_TRAG	CMV_TRAG	Used Trager Psychophysical Integration, past 12 months	1399	1
CAL.222_00.000			CMVUSECT	Number of movement techniques used	1400	1
CAL.225_00.000		CMV_TRET	CMV_TRET	Used movement technique(s) to treat a specific health problem or condition, past 12 months	1401	1
CAL.230_01.000		CMV_COND1-CMV_COND40	CMVCON01	Used movement technique(s) for abdominal pain, past 12 months	1402	1
CAL.230_02.000		CMV_COND1-CMV_COND40	CMVCON02	Used movement technique(s) for acid reflux or heartburn, past 12 months	1403	1
CAL.230_03.000		CMV_COND1-CMV_COND40	CMVCON03	Used movement technique(s) for allergies other than hay fever, respiratory allergies, food or digestive allergies or skin allergies, past 12 months	1404	1
CAL.230_04.000		CMV_COND1-CMV_COND40	CMVCON04	Used movement technique(s) for anemia, past 12 months	1405	1
CAL.230_05.000		CMV_COND1-CMV_COND40	CMVCON05	Used movement technique(s) for anxiety or stress, past 12 months	1406	1
CAL.230_06.000		CMV_COND1-CMV_COND40	CMVCON06	Used movement technique(s) for arthritis, past 12 months	1407	1
CAL.230_07.000		CMV_COND1-CMV_COND40	CMVCON07	Used movement technique(s) for asthma, past 12 months	1408	1
CAL.230_08.000		CMV_COND1-CMV_COND40	CMVCON08	Used movement technique(s) for Attention Deficit Hyperactivity Disorder (ADHD)/Attention Deficit Disorder (ADD), past 12 months	1409	1
CAL.230_09.000		CMV_COND1-CMV_COND40	CMVCON09	Used movement technique(s) for autism, past 12 months	1410	1
CAL.230_10.000		CMV_COND1-CMV_COND40	CMVCON10	Used movement technique(s) for back or neck pain, past 12 months	1411	1
CAL.230_11.000		CMV_COND1-CMV_COND40	CMVCON11	Used movement technique(s) for cancer, past 12 months	1412	1
CAL.230_12.000		CMV_COND1-CMV_COND40	CMVCON12	Used movement technique(s) for cerebral palsy, past 12 months	1413	1
CAL.230_13.000		CMV_COND1-CMV_COND40	CMVCON13	Used movement technique(s) for chickenpox, past 12 months	1414	1
CAL.230_14.000		CMV_COND1-CMV_COND40	CMVCON14	Used movement technique(s) for congenital heart disease, past 12 months	1415	1
CAL.230_15.000		CMV_COND1-CMV_COND40	CMVCON15	Used movement technique(s) for cystic fibrosis, past 12 months	1416	1
CAL.230_16.000		CMV_COND1-CMV_COND40	CMVCON16	Used movement technique(s) for depression, past 12 months	1417	1
CAL.230_17.000		CMV_COND1-CMV_COND40	CMVCON17	Used movement technique(s) for diabetes, past 12 months	1418	1
CAL.230_18.000		CMV_COND1-CMV_COND40	CMVCON18	Used movement technique(s) for Down syndrome, past 12 months	1419	1
CAL.230_19.000		CMV_COND1-CMV_COND40	CMVCON19	Used movement technique(s) for eczema or skin allergy, past 12 months	1420	1
CAL.230_20.000		CMV_COND1-CMV_COND40	CMVCON20	Used movement technique(s) for fatigue or lack of energy, past 12 months	1421	1
CAL.230_21.000		CMV_COND1-CMV_COND40	CMVCON21	Used movement technique(s) for fever, past 12 months	1422	1
CAL.230_22.000		CMV_COND1-CMV_COND40	CMVCON22	Used movement technique(s) for food or digestive allergy, past 12 months	1423	1
CAL.230_23.000		CMV_COND1-CMV_COND40	CMVCON23	Used movement technique(s) for frequent or repeated diarrhea or colitis, past 12 months	1424	1
CAL.230_24.000		CMV_COND1-CMV_COND40	CMVCON24	Used movement technique(s) for migraine headaches, past 12 months	1425	1
CAL.230_25.000		CMV_COND1-CMV_COND40	CMVCON25	Used movement technique(s) for gum disease, past 12 months	1426	1
CAL.230_26.000		CMV_COND1-CMV_COND40	CMVCON26	Used movement technique(s) for hay fever, past 12 months	1427	1

2007 NHIS Public Use Variable Summary

Child Alternative Medicine

Filename - Section: childcam - CAL

Document Version Date: May 22, 2008

Question #	Recode	Instrument Variable Name	FinalDocName	Processing Variable Label	Location	Length
CAL.230_27.000		CMV_COND1-CMV_COND40	CMVCON27	Used movement technique(s) for head or chest cold, past 12 months	1428	1
CAL.230_28.000		CMV_COND1-CMV_COND40	CMVCON28	Used movement technique(s) for hearing problem, past 12 months	1429	1
CAL.230_29.000		CMV_COND1-CMV_COND40	CMVCON29	Used movement technique(s) for incontinence, including bed wetting, past 12 months	1430	1
CAL.230_30.000		CMV_COND1-CMV_COND40	CMVCON30	Used movement technique(s) for influenza or pneumonia, past 12 months	1431	1
CAL.230_31.000		CMV_COND1-CMV_COND40	CMVCON31	Used movement technique(s) for insomnia or trouble sleeping, past 12 months	1432	1
CAL.230_32.000		CMV_COND1-CMV_COND40	CMVCON32	Used movement technique(s) for lung or breathing problem, other than asthma, past 12 months	1433	1
CAL.230_33.000		CMV_COND1-CMV_COND40	CMVCON33	Used movement technique(s) for mental retardation, past 12 months	1434	1
CAL.230_34.000		CMV_COND1-CMV_COND40	CMVCON34	Used movement technique(s) for menstrual problems, past 12 months	1435	1
CAL.230_35.000		CMV_COND1-CMV_COND40	CMVCON35	Used movement technique(s) for muscular dystrophy, past 12 months	1436	1
CAL.230_36.000		CMV_COND1-CMV_COND40	CMVCON36	Used movement technique(s) for nausea and/or vomiting, past 12 months	1437	1
CAL.230_37.000		CMV_COND1-CMV_COND40	CMVCON37	Used movement technique(s) for neurological problems, past 12 months	1438	1
CAL.230_38.000		CMV_COND1-CMV_COND40	CMVCON38	Used movement technique(s) for other chronic pain, past 12 months	1439	1
CAL.230_39.000		CMV_COND1-CMV_COND40	CMVCON39	Used movement technique(s) for other developmental delay, past 12 months	1440	1
CAL.230_40.000		CMV_COND1-CMV_COND40	CMVCON40	Used movement technique(s) for other heart condition, past 12 months	1441	1
CAL.230_41.000		CMV_COND1-CMV_COND40	CMVCON41	Used movement technique(s) for phobia or fears, past 12 months	1442	1
CAL.230_42.000		CMV_COND1-CMV_COND40	CMVCON42	Used movement technique(s) for problems with being overweight, past 12 months	1443	1
CAL.230_43.000		CMV_COND1-CMV_COND40	CMVCON43	Used movement technique(s) for non-migraine headaches, past 12 months	1444	1
CAL.230_44.000		CMV_COND1-CMV_COND40	CMVCON44	Used movement technique(s) for recurring constipation, past 12 months	1445	1
CAL.230_45.000		CMV_COND1-CMV_COND40	CMVCON45	Used movement technique(s) for respiratory allergy, past 12 months	1446	1
CAL.230_46.000		CMV_COND1-CMV_COND40	CMVCON46	Used movement technique(s) for seizures, past 12 months	1447	1
CAL.230_47.000		CMV_COND1-CMV_COND40	CMVCON47	Used movement technique(s) for severe acne, past 12 months	1448	1
CAL.230_48.000		CMV_COND1-CMV_COND40	CMVCON48	Used movement technique(s) for sickle cell anemia, past 12 months	1449	1
CAL.230_49.000		CMV_COND1-CMV_COND40	CMVCON49	Used movement technique(s) for sinusitis, past 12 months	1450	1
CAL.230_50.000		CMV_COND1-CMV_COND40	CMVCON50	Used movement technique(s) for skin problems other than eczema, acne, or warts, past 12 months	1451	1
CAL.230_51.000		CMV_COND1-CMV_COND40	CMVCON51	Used movement technique(s) for sore throat other than strep or tonsillitis, past 12 months	1452	1
CAL.230_52.000		CMV_COND1-CMV_COND40	CMVCON52	Used movement technique(s) for strep throat or tonsillitis, past 12 months	1453	1
CAL.230_53.000		CMV_COND1-CMV_COND40	CMVCON53	Used movement technique(s) for stuttering or stammering, past 12 months	1454	1
CAL.230_54.000		CMV_COND1-CMV_COND40	CMVCON54	Used movement technique(s) for three or more ear infections, past 12 months	1455	1
CAL.230_55.000		CMV_COND1-CMV_COND40	CMVCON55	Used movement technique(s) for urinary problems, including urinary tract infections, past 12 months	1456	1

2007 NHIS Public Use Variable Summary

Child Alternative Medicine

Filename - Section: childcam - CAL

Document Version Date: May 22, 2008

Question #	Recode	Instrument Variable Name	FinalDocName	Processing Variable Label	Location	Length
CAL.230_56.000		CMV_COND1-CMV_COND40	CMVCON56	Used movement technique(s) for vision problem, past 12 months	1457	1
CAL.230_57.000		CMV_COND1-CMV_COND40	CMVCON57	Used movement technique(s) for warts, past 12 months	1458	1
CAL.230_58.000		CMV_COND1-CMV_COND40	CMVCON58	Used movement technique(s) for other, specified past 12 months	1459	1
CAL.230_59.000		CMV_COND1-CMV_COND40	CMVCON59	Used movement technique(s) for other musculoskeletal, past 12 months	1460	1
CAL.231_00.000		CMV_SPEC	CMV_SPEC	Other condition for which movement technique(s) used, past 12 months	1461 -1535	75
CAL.235_00.000		CHB_USEM	CHB_USEM	Used herbal supplements - past 12 months	1536	1
CAL.240_00.000		CHERB_MO	CHERB_MO	Used herbal supplements - past 30 days	1537	1
CAL.245_01.000		CHRBTAKE1-CHRBTAKE40	CHBTAK01	Herbal supplements past 30 days . . . Combination herb pill	1538	1
CAL.245_02.000		CHRBTAKE1-CHRBTAKE40	CHBTAK02	Herbal supplements past 30 days . . . Androstenedione	1539	1
CAL.245_03.000		CHRBTAKE1-CHRBTAKE40	CHBTAK03	Herbal supplements past 30 days . . . Black cohosh	1540	1
CAL.245_04.000		CHRBTAKE1-CHRBTAKE40	CHBTAK04	Herbal supplements past 30 days . . . Carnitine	1541	1
CAL.245_05.000		CHRBTAKE1-CHRBTAKE40	CHBTAK05	Herbal supplements past 30 days . . . Chasteberry	1542	1
CAL.245_06.000		CHRBTAKE1-CHRBTAKE40	CHBTAK06	Herbal supplements past 30 days . . . Chondroitin	1543	1
CAL.245_07.000		CHRBTAKE1-CHRBTAKE40	CHBTAK07	Herbal supplements past 30 days . . . Coenzyme Q-10	1544	1
CAL.245_08.000		CHRBTAKE1-CHRBTAKE40	CHBTAK08	Herbal supplements past 30 days . . . Comfrey	1545	1
CAL.245_09.000		CHRBTAKE1-CHRBTAKE40	CHBTAK09	Herbal supplements past 30 days . . . Conjugated Linolenic Acid (CAL)	1546	1
CAL.245_10.000		CHRBTAKE1-CHRBTAKE40	CHBTAK10	Herbal supplements past 30 days . . . Cranberry (pills, gelpcaps)	1547	1
CAL.245_11.000		CHRBTAKE1-CHRBTAKE40	CHBTAK11	Herbal supplements past 30 days . . . Creatine	1548	1
CAL.245_12.000		CHRBTAKE1-CHRBTAKE40	CHBTAK12	Herbal supplements past 30 days . . . DHEA	1549	1
CAL.245_13.000		CHRBTAKE1-CHRBTAKE40	CHBTAK13	Herbal supplements past 30 days . . . Echinacea	1550	1
CAL.245_14.000		CHRBTAKE1-CHRBTAKE40	CHBTAK14	Herbal supplements past 30 days . . . Ephedra	1551	1
CAL.245_15.000		CHRBTAKE1-CHRBTAKE40	CHBTAK15	Herbal supplements past 30 days . . . Evening primrose	1552	1
CAL.245_16.000		CHRBTAKE1-CHRBTAKE40	CHBTAK16	Herbal supplements past 30 days . . . Feverfew	1553	1
CAL.245_17.000		CHRBTAKE1-CHRBTAKE40	CHBTAK17	Herbal supplements past 30 days . . . Fiber or Psyllium (pills or powder)	1554	1
CAL.245_18.000		CHRBTAKE1-CHRBTAKE40	CHBTAK18	Herbal supplements past 30 days . . . Fish oil or omega 3 or DHA fatty acid supplements	1555	1
CAL.245_19.000		CHRBTAKE1-CHRBTAKE40	CHBTAK19	Herbal supplements past 30 days . . . Flaxseed oil or pills	1556	1
CAL.245_20.000		CHRBTAKE1-CHRBTAKE40	CHBTAK20	Herbal supplements past 30 days . . . Garlic supplements (pills, gelpcaps)	1557	1
CAL.245_21.000		CHRBTAKE1-CHRBTAKE40	CHBTAK21	Herbal supplements past 30 days . . . Ginger pills or gelpcaps	1558	1
CAL.245_22.000		CHRBTAKE1-CHRBTAKE40	CHBTAK22	Herbal supplements past 30 days . . . Ginkgo biloba	1559	1
CAL.245_23.000		CHRBTAKE1-CHRBTAKE40	CHBTAK23	Herbal supplements past 30 days . . . Ginseng	1560	1

2007 NHIS Public Use Variable Summary

Child Alternative Medicine

Filename - Section: childcam - CAL

Document Version Date: May 22, 2008

Question #	Recode	Instrument Variable Name	FinalDocName	Processing Variable Label	Location	Length
CAL.245_24.000		CHRBTAKE1-CHRBTAKE40	CHBTAK24	Herbal supplements past 30 days . . . Glucosamine	1561	1
CAL.245_25.000		CHRBTAKE1-CHRBTAKE40	CHBTAK25	Herbal supplements past 30 days . . . Goldenseal	1562	1
CAL.245_26.000		CHRBTAKE1-CHRBTAKE40	CHBTAK26	Herbal supplements past 30 days . . . Guarana	1563	1
CAL.245_27.000		CHRBTAKE1-CHRBTAKE40	CHBTAK27	Herbal supplements past 30 days . . . Grape seed extract	1564	1
CAL.245_28.000		CHRBTAKE1-CHRBTAKE40	CHBTAK28	Herbal supplements past 30 days . . . Green tea pills (not brewed tea)	1565	1
CAL.245_29.000		CHRBTAKE1-CHRBTAKE40	CHBTAK29	Herbal supplements past 30 days . . . EGCG (pills)	1566	1
CAL.245_30.000		CHRBTAKE1-CHRBTAKE40	CHBTAK30	Herbal supplements past 30 days . . . Hawthorn	1567	1
CAL.245_31.000		CHRBTAKE1-CHRBTAKE40	CHBTAK31	Herbal supplements past 30 days . . . Horny goat weed	1568	1
CAL.245_32.000		CHRBTAKE1-CHRBTAKE40	CHBTAK32	Herbal supplements past 30 days . . . Kava kava	1569	1
CAL.245_33.000		CHRBTAKE1-CHRBTAKE40	CHBTAK33	Herbal supplements past 30 days . . . Lecithin	1570	1
CAL.245_34.000		CHRBTAKE1-CHRBTAKE40	CHBTAK34	Herbal supplements past 30 days . . . Lutein	1571	1
CAL.245_35.000		CHRBTAKE1-CHRBTAKE40	CHBTAK35	Herbal supplements past 30 days . . . Lycopene	1572	1
CAL.245_36.000		CHRBTAKE1-CHRBTAKE40	CHBTAK36	Herbal supplements past 30 days . . . Melatonin	1573	1
CAL.245_37.000		CHRBTAKE1-CHRBTAKE40	CHBTAK37	Herbal supplements past 30 days . . . MSM (Methylsulfonylmethane)	1574	1
CAL.245_38.000		CHRBTAKE1-CHRBTAKE40	CHBTAK38	Herbal supplements past 30 days . . . Milk thistle	1575	1
CAL.245_39.000		CHRBTAKE1-CHRBTAKE40	CHBTAK39	Herbal supplements past 30 days . . . Prebiotics or Probiotics	1576	1
CAL.245_40.000		CHRBTAKE1-CHRBTAKE40	CHBTAK40	Herbal supplements past 30 days . . . SAM-e	1577	1
CAL.245_41.000		CHRBTAKE1-CHRBTAKE40	CHBTAK41	Herbal supplements past 30 days . . . Saw palmetto	1578	1
CAL.245_42.000		CHRBTAKE1-CHRBTAKE40	CHBTAK42	Herbal supplements past 30 days . . . Senna	1579	1
CAL.245_43.000		CHRBTAKE1-CHRBTAKE40	CHBTAK43	Herbal supplements past 30 days . . . Soy supplements or soy isoflavones	1580	1
CAL.245_44.000		CHRBTAKE1-CHRBTAKE40	CHBTAK44	Herbal supplements past 30 days . . . St. John wort	1581	1
CAL.245_45.000		CHRBTAKE1-CHRBTAKE40	CHBTAK45	Herbal supplements past 30 days . . . Valerian	1582	1
CAL.246_00.000			CHBTAKCT	Number of herbal supplements taken	1583 -1584	2
CAL.250_01.000		CHB_TOP21	CHBTOP2A	Top 2 herbs - 1st herb	1585 -1586	2
CAL.250_02.000		CHB_TOP22	CHBTOP2B	Top 2 herbs - 2nd herb	1587 -1588	2
CAL.255_00.000		CHB_TRT1	CHB_TRT1	Used herbal supplements to treat a specific health problem or condition	1589	1
CAL.260_01.000		CHB_CON11-CHB_CON140	CHBCN101	1st herb taken for abdominal pain	1590	1
CAL.260_02.000		CHB_CON11-CHB_CON140	CHBCN102	1st herb taken for acid reflux or heartburn	1591	1
CAL.260_03.000		CHB_CON11-CHB_CON140	CHBCN103	1st herb taken for allergies other than hay fever, respiratory allergies, food or digestive allergies, or skin allergies	1592	1

2007 NHIS Public Use Variable Summary

Child Alternative Medicine

Filename - Section: childcam - CAL

Document Version Date: May 22, 2008

Question #	Recode	Instrument Variable Name	FinalDocName	Processing Variable Label	Location	Length
CAL.260_04.000		CHB_CON11-CHB_CON140	CHBCN104	1st herb taken for anemia	1593	1
CAL.260_05.000		CHB_CON11-CHB_CON140	CHBCN105	1st herb taken for anxiety or stress	1594	1
CAL.260_06.000		CHB_CON11-CHB_CON140	CHBCN106	1st herb taken for arthritis	1595	1
CAL.260_07.000		CHB_CON11-CHB_CON140	CHBCN107	1st herb taken for asthma	1596	1
CAL.260_08.000		CHB_CON11-CHB_CON140	CHBCN108	1st herb taken for Attention Deficit Hyperactivity Disorder (ADHD)/Attention Deficit Disorder (ADD)	1597	1
CAL.260_09.000		CHB_CON11-CHB_CON140	CHBCN109	1st herb taken for autism	1598	1
CAL.260_10.000		CHB_CON11-CHB_CON140	CHBCN110	1st herb taken for back or neck pain	1599	1
CAL.260_11.000		CHB_CON11-CHB_CON140	CHBCN111	1st herb taken for cancer	1600	1
CAL.260_12.000		CHB_CON11-CHB_CON140	CHBCN112	1st herb taken for cerebral palsy	1601	1
CAL.260_13.000		CHB_CON11-CHB_CON140	CHBCN113	1st herb taken for chicken pox	1602	1
CAL.260_14.000		CHB_CON11-CHB_CON140	CHBCN114	1st herb taken for congenital heart disease	1603	1
CAL.260_15.000		CHB_CON11-CHB_CON140	CHBCN115	1st herb taken for cystic fibrosis	1604	1
CAL.260_16.000		CHB_CON11-CHB_CON140	CHBCN116	1st herb taken for depression	1605	1
CAL.260_17.000		CHB_CON11-CHB_CON140	CHBCN117	1st herb taken for diabetes	1606	1
CAL.260_18.000		CHB_CON11-CHB_CON140	CHBCN118	1st herb taken for Down syndrome	1607	1
CAL.260_19.000		CHB_CON11-CHB_CON140	CHBCN119	1st herb taken for eczema or skin allergy	1608	1
CAL.260_20.000		CHB_CON11-CHB_CON140	CHBCN120	1st herb taken for fatigue or lack of energy	1609	1
CAL.260_21.000		CHB_CON11-CHB_CON140	CHBCN121	1st herb taken for fever	1610	1
CAL.260_22.000		CHB_CON11-CHB_CON140	CHBCN122	1st herb taken for food or digestive allergy	1611	1
CAL.260_23.000		CHB_CON11-CHB_CON140	CHBCN123	1st herb taken for frequent or repeated diarrhea or colitis	1612	1
CAL.260_24.000		CHB_CON11-CHB_CON140	CHBCN124	1st herb taken for migraine headaches	1613	1
CAL.260_25.000		CHB_CON11-CHB_CON140	CHBCN125	1st herb taken for gum disease	1614	1
CAL.260_26.000		CHB_CON11-CHB_CON140	CHBCN126	1st herb taken for hay fever	1615	1
CAL.260_27.000		CHB_CON11-CHB_CON140	CHBCN127	1st herb taken for head or chest cold	1616	1
CAL.260_28.000		CHB_CON11-CHB_CON140	CHBCN128	1st herb taken for hearing problem	1617	1
CAL.260_29.000		CHB_CON11-CHB_CON140	CHBCN129	1st herb taken for incontinence, including bed wetting	1618	1
CAL.260_30.000		CHB_CON11-CHB_CON140	CHBCN130	1st herb taken for influenza or pneumonia	1619	1
CAL.260_31.000		CHB_CON11-CHB_CON140	CHBCN131	1st herb taken for insomnia or trouble sleeping	1620	1
CAL.260_32.000		CHB_CON11-CHB_CON140	CHBCN132	1st herb taken for lung or breathing problem, other than asthma	1621	1

2007 NHIS Public Use Variable Summary

Child Alternative Medicine

Filename - Section: childcam - CAL

Document Version Date: May 22, 2008

Question #	Recode	Instrument Variable Name	FinalDocName	Processing Variable Label	Location	Length
CAL.260_33.000		CHB_CON11-CHB_CON140	CHBCN133	1st herb taken for mental retardation	1622	1
CAL.260_34.000		CHB_CON11-CHB_CON140	CHBCN134	1st herb taken for menstrual problems	1623	1
CAL.260_35.000		CHB_CON11-CHB_CON140	CHBCN135	1st herb taken for muscular dystrophy	1624	1
CAL.260_36.000		CHB_CON11-CHB_CON140	CHBCN136	1st herb taken for nausea and/or vomiting	1625	1
CAL.260_37.000		CHB_CON11-CHB_CON140	CHBCN137	1st herb taken for neurological problems	1626	1
CAL.260_38.000		CHB_CON11-CHB_CON140	CHBCN138	1st herb taken for other chronic pain	1627	1
CAL.260_39.000		CHB_CON11-CHB_CON140	CHBCN139	1st herb taken for other developmental delay	1628	1
CAL.260_40.000		CHB_CON11-CHB_CON140	CHBCN140	1st herb taken for other heart condition	1629	1
CAL.260_41.000		CHB_CON11-CHB_CON140	CHBCN141	1st herb taken for phobia or fears	1630	1
CAL.260_42.000		CHB_CON11-CHB_CON140	CHBCN142	1st herb taken for problems with being overweight	1631	1
CAL.260_43.000		CHB_CON11-CHB_CON140	CHBCN143	1st herb taken for non-migraine headaches	1632	1
CAL.260_44.000		CHB_CON11-CHB_CON140	CHBCN144	1st herb taken for recurring constipation	1633	1
CAL.260_45.000		CHB_CON11-CHB_CON140	CHBCN145	1st herb taken for respiratory allergy	1634	1
CAL.260_46.000		CHB_CON11-CHB_CON140	CHBCN146	1st herb taken for seizures	1635	1
CAL.260_47.000		CHB_CON11-CHB_CON140	CHBCN147	1st herb taken for severe acne	1636	1
CAL.260_48.000		CHB_CON11-CHB_CON140	CHBCN148	1st herb taken for sickle cell anemia	1637	1
CAL.260_49.000		CHB_CON11-CHB_CON140	CHBCN149	1st herb taken for sinusitis	1638	1
CAL.260_50.000		CHB_CON11-CHB_CON140	CHBCN150	1st herb taken for skin problems other than eczema, acne, or warts	1639	1
CAL.260_51.000		CHB_CON11-CHB_CON140	CHBCN151	1st herb taken for sore throat other than strep or tonsillitis	1640	1
CAL.260_52.000		CHB_CON11-CHB_CON140	CHBCN152	1st herb taken for strep throat or tonsillitis	1641	1
CAL.260_53.000		CHB_CON11-CHB_CON140	CHBCN153	1st herb taken for stuttering or stammering	1642	1
CAL.260_54.000		CHB_CON11-CHB_CON140	CHBCN154	1st herb taken for three or more ear infections	1643	1
CAL.260_55.000		CHB_CON11-CHB_CON140	CHBCN155	1st herb taken for urinary problems, including urinary tract infections	1644	1
CAL.260_56.000		CHB_CON11-CHB_CON140	CHBCN156	1st herb taken for vision problems	1645	1
CAL.260_57.000		CHB_CON11-CHB_CON140	CHBCN157	1st herb taken for warts	1646	1
CAL.260_58.000		CHB_CON11-CHB_CON140	CHBCN158	1st herb taken for other- specify	1647	1
CAL.260_59.000		CHB_CON11-CHB_CON140	CHBCN159	1st herb taken for other musculoskeletal	1648	1
CAL.261_00.000		CHB_SPC1	CHB_SPC1	Other condition for which 1st herb taken	1649 -1723	75
CAL.265_00.000		CHB_TRT2	CHB_TRT2	Used herbal supplements to treat a specific health problem or condition	1724	1
CAL.270_01.000		CHB_CON21-CHB_CON240	CHBCN201	2nd herb taken for abdominal pain	1725	1

2007 NHIS Public Use Variable Summary

Child Alternative Medicine

Filename - Section: childcam - CAL

Document Version Date: May 22, 2008

Question #	Recode	Instrument Variable Name	FinalDocName	Processing Variable Label	Location	Length
CAL.270_02.000		CHB_CON21-CHB_CON240	CHBCN202	2nd herb taken for acid reflux or heartburn	1726	1
CAL.270_03.000		CHB_CON21-CHB_CON240	CHBCN203	2nd herb taken for allergies other than hay fever, respiratory allergies, food or digestive allergies, or skin allergies	1727	1
CAL.270_04.000		CHB_CON21-CHB_CON240	CHBCN204	2nd herb taken for anemia	1728	1
CAL.270_05.000		CHB_CON21-CHB_CON240	CHBCN205	2nd herb taken for anxiety or stress	1729	1
CAL.270_06.000		CHB_CON21-CHB_CON240	CHBCN206	2nd herb taken for arthritis	1730	1
CAL.270_07.000		CHB_CON21-CHB_CON240	CHBCN207	2nd herb taken for asthma	1731	1
CAL.270_08.000		CHB_CON21-CHB_CON240	CHBCN208	2nd herb taken for Attention Deficit Hyperactivity Disorder (ADHD)/Attention Deficit Disorder (ADD)	1732	1
CAL.270_09.000		CHB_CON21-CHB_CON240	CHBCN209	2nd herb taken for autism	1733	1
CAL.270_10.000		CHB_CON21-CHB_CON240	CHBCN210	2nd herb taken for back or neck pain	1734	1
CAL.270_11.000		CHB_CON21-CHB_CON240	CHBCN211	2nd herb taken for cancer	1735	1
CAL.270_12.000		CHB_CON21-CHB_CON240	CHBCN212	2nd herb taken for cerebral palsy	1736	1
CAL.270_13.000		CHB_CON21-CHB_CON240	CHBCN213	2nd herb taken for chicken pox	1737	1
CAL.270_14.000		CHB_CON21-CHB_CON240	CHBCN214	2nd herb taken for congenital heart disease	1738	1
CAL.270_15.000		CHB_CON21-CHB_CON240	CHBCN215	2nd herb taken for cystic fibrosis	1739	1
CAL.270_16.000		CHB_CON21-CHB_CON240	CHBCN216	2nd herb taken for depression	1740	1
CAL.270_17.000		CHB_CON21-CHB_CON240	CHBCN217	2nd herb taken for diabetes	1741	1
CAL.270_18.000		CHB_CON21-CHB_CON240	CHBCN218	2nd herb taken for Down syndrome	1742	1
CAL.270_19.000		CHB_CON21-CHB_CON240	CHBCN219	2nd herb taken for eczema or skin allergy	1743	1
CAL.270_20.000		CHB_CON21-CHB_CON240	CHBCN220	2nd herb taken for fatigue or lack of energy	1744	1
CAL.270_21.000		CHB_CON21-CHB_CON240	CHBCN221	2nd herb taken for fever	1745	1
CAL.270_22.000		CHB_CON21-CHB_CON240	CHBCN222	2nd herb taken for food or digestive allergy	1746	1
CAL.270_23.000		CHB_CON21-CHB_CON240	CHBCN223	2nd herb taken for frequent or repeated diarrhea or colitis	1747	1
CAL.270_24.000		CHB_CON21-CHB_CON240	CHBCN224	2nd herb taken for migraine headaches	1748	1
CAL.270_25.000		CHB_CON21-CHB_CON240	CHBCN225	2nd herb taken for gum disease	1749	1
CAL.270_26.000		CHB_CON21-CHB_CON240	CHBCN226	2nd herb taken for hay fever	1750	1
CAL.270_27.000		CHB_CON21-CHB_CON240	CHBCN227	2nd herb taken for head or chest cold	1751	1
CAL.270_28.000		CHB_CON21-CHB_CON240	CHBCN228	2nd herb taken for hearing problem	1752	1
CAL.270_29.000		CHB_CON21-CHB_CON240	CHBCN229	2nd herb taken for incontinence, including bed wetting	1753	1
CAL.270_30.000		CHB_CON21-CHB_CON240	CHBCN230	2nd herb taken for influenza or pneumonia	1754	1

2007 NHIS Public Use Variable Summary

Child Alternative Medicine

Filename - Section: childcam - CAL

Document Version Date: May 22, 2008

Question #	Recode	Instrument Variable Name	FinalDocName	Processing Variable Label	Location	Length
CAL.270_31.000		CHB_CON21-CHB_CON240	CHBCN231	2nd herb taken for insomnia or trouble sleeping	1755	1
CAL.270_32.000		CHB_CON21-CHB_CON240	CHBCN232	2nd herb taken for lung or breathing problem, other than asthma	1756	1
CAL.270_33.000		CHB_CON21-CHB_CON240	CHBCN233	2nd herb taken for mental retardation	1757	1
CAL.270_34.000		CHB_CON21-CHB_CON240	CHBCN234	2nd herb taken for menstrual problems	1758	1
CAL.270_35.000		CHB_CON21-CHB_CON240	CHBCN235	2nd herb taken for muscular dystrophy	1759	1
CAL.270_36.000		CHB_CON21-CHB_CON240	CHBCN236	2nd herb taken for nausea and/or vomiting	1760	1
CAL.270_37.000		CHB_CON21-CHB_CON240	CHBCN237	2nd herb taken for neurological problems	1761	1
CAL.270_38.000		CHB_CON21-CHB_CON240	CHBCN238	2nd herb taken for other chronic pain	1762	1
CAL.270_39.000		CHB_CON21-CHB_CON240	CHBCN239	2nd herb taken for other developmental delay	1763	1
CAL.270_40.000		CHB_CON21-CHB_CON240	CHBCN240	2nd herb taken for other heart condition	1764	1
CAL.270_41.000		CHB_CON21-CHB_CON240	CHBCN241	2nd herb taken for phobia or fears	1765	1
CAL.270_42.000		CHB_CON21-CHB_CON240	CHBCN242	2nd herb taken for problems with being overweight	1766	1
CAL.270_43.000		CHB_CON21-CHB_CON240	CHBCN243	2nd herb taken for non-migraine headaches	1767	1
CAL.270_44.000		CHB_CON21-CHB_CON240	CHBCN244	2nd herb taken for recurring constipation	1768	1
CAL.270_45.000		CHB_CON21-CHB_CON240	CHBCN245	2nd herb taken for respiratory allergy	1769	1
CAL.270_46.000		CHB_CON21-CHB_CON240	CHBCN246	2nd herb taken for seizures	1770	1
CAL.270_47.000		CHB_CON21-CHB_CON240	CHBCN247	2nd herb taken for severe acne	1771	1
CAL.270_48.000		CHB_CON21-CHB_CON240	CHBCN248	2nd herb taken for sickle cell anemia	1772	1
CAL.270_49.000		CHB_CON21-CHB_CON240	CHBCN249	2nd herb taken for sinusitis	1773	1
CAL.270_50.000		CHB_CON21-CHB_CON240	CHBCN250	2nd herb taken for skin problems other than eczema, acne, or warts	1774	1
CAL.270_51.000		CHB_CON21-CHB_CON240	CHBCN251	2nd herb taken for sore throat other than strep or tonsillitis	1775	1
CAL.270_52.000		CHB_CON21-CHB_CON240	CHBCN252	2nd herb taken for strep throat or tonsillitis	1776	1
CAL.270_53.000		CHB_CON21-CHB_CON240	CHBCN253	2nd herb taken for stuttering or stammering	1777	1
CAL.270_54.000		CHB_CON21-CHB_CON240	CHBCN254	2nd herb taken for three or more ear infections	1778	1
CAL.270_55.000		CHB_CON21-CHB_CON240	CHBCN255	2nd herb taken for urinary problems, including urinary tract infections	1779	1
CAL.270_56.000		CHB_CON21-CHB_CON240	CHBCN256	2nd herb taken for vision problems	1780	1
CAL.270_57.000		CHB_CON21-CHB_CON240	CHBCN257	2nd herb taken for warts	1781	1
CAL.270_58.000		CHB_CON21-CHB_CON240	CHBCN258	2nd herb taken for other- specify	1782	1
CAL.270_59.000		CHB_CON21-CHB_CON240	CHBCN259	2nd herb taken for other musculoskeletal	1783	1
CAL.271_00.000		CHB_SPC2	CHB_SPC2	Other condition for which 2nd herb taken	1784 -1858	75

2007 NHIS Public Use Variable Summary

Child Alternative Medicine

Filename - Section: childcam - CAL

Document Version Date: May 22, 2008

Question #	Recode	Instrument Variable Name	FinalDocName	Processing Variable Label	Location	Length
CAL.285_00.000		CHB_SPRT	CHB_SPRT	Improve sports performance, past 30 days	1859	1
CAL.290_01.000		CHB_SPHB1-CHB_SPHB40	CHBSHB01	Herb for sports performance . . . Combination herb pill	1860	1
CAL.290_02.000		CHB_SPHB1-CHB_SPHB40	CHBSHB02	Herb for sports performance . . . Androstenedione	1861	1
CAL.290_03.000		CHB_SPHB1-CHB_SPHB40	CHBSHB03	Herb for sports performance . . . Black cohosh	1862	1
CAL.290_04.000		CHB_SPHB1-CHB_SPHB40	CHBSHB04	Herb for sports performance . . . Carnitine	1863	1
CAL.290_05.000		CHB_SPHB1-CHB_SPHB40	CHBSHB05	Herb for sports performance . . . Chasteberry	1864	1
CAL.290_06.000		CHB_SPHB1-CHB_SPHB40	CHBSHB06	Herb for sports performance . . . Chondroitin	1865	1
CAL.290_07.000		CHB_SPHB1-CHB_SPHB40	CHBSHB07	Herb for sports performance . . . Coenzyme Q-10	1866	1
CAL.290_08.000		CHB_SPHB1-CHB_SPHB40	CHBSHB08	Herb for sports performance . . . Comfrey	1867	1
CAL.290_09.000		CHB_SPHB1-CHB_SPHB40	CHBSHB09	Herb for sports performance . . . Conjugated Linolenic Acid (CAL)	1868	1
CAL.290_10.000		CHB_SPHB1-CHB_SPHB40	CHBSHB10	Herb for sports performance . . . Cranberry (pills, gelpcaps)	1869	1
CAL.290_11.000		CHB_SPHB1-CHB_SPHB40	CHBSHB11	Herb for sports performance . . . Creatine	1870	1
CAL.290_12.000		CHB_SPHB1-CHB_SPHB40	CHBSHB12	Herb for sports performance . . . DHEA	1871	1
CAL.290_13.000		CHB_SPHB1-CHB_SPHB40	CHBSHB13	Herb for sports performance . . . Echinacea	1872	1
CAL.290_14.000		CHB_SPHB1-CHB_SPHB40	CHBSHB14	Herb for sports performance . . . Ephedra	1873	1
CAL.290_15.000		CHB_SPHB1-CHB_SPHB40	CHBSHB15	Herb for sports performance . . . Evening primrose	1874	1
CAL.290_16.000		CHB_SPHB1-CHB_SPHB40	CHBSHB16	Herb for sports performance . . . Feverfew	1875	1
CAL.290_17.000		CHB_SPHB1-CHB_SPHB40	CHBSHB17	Herb for sports performance . . . Fiber or Psyllium (pills or powder)	1876	1
CAL.290_18.000		CHB_SPHB1-CHB_SPHB40	CHBSHB18	Herb for sports performance . . . Fish oil or omega 3 or DHA fatty acid supplements	1877	1
CAL.290_19.000		CHB_SPHB1-CHB_SPHB40	CHBSHB19	Herb for sports performance . . . Flaxseed oil or pills	1878	1
CAL.290_20.000		CHB_SPHB1-CHB_SPHB40	CHBSHB20	Herb for sports performance . . . Garlic supplements (pills, gelpcaps)	1879	1
CAL.290_21.000		CHB_SPHB1-CHB_SPHB40	CHBSHB21	Herb for sports performance . . . Ginger pills or gelpcaps	1880	1
CAL.290_22.000		CHB_SPHB1-CHB_SPHB40	CHBSHB22	Herb for sports performance . . . Ginkgo biloba	1881	1
CAL.290_23.000		CHB_SPHB1-CHB_SPHB40	CHBSHB23	Herb for sports performance . . . Ginseng	1882	1
CAL.290_24.000		CHB_SPHB1-CHB_SPHB40	CHBSHB24	Herb for sports performance . . . Glucosamine	1883	1
CAL.290_25.000		CHB_SPHB1-CHB_SPHB40	CHBSHB25	Herb for sports performance . . . Goldenseal	1884	1
CAL.290_26.000		CHB_SPHB1-CHB_SPHB40	CHBSHB26	Herb for sports performance . . . Guarana	1885	1
CAL.290_27.000		CHB_SPHB1-CHB_SPHB40	CHBSHB27	Herb for sports performance . . . Grape seed extract	1886	1
CAL.290_28.000		CHB_SPHB1-CHB_SPHB40	CHBSHB28	Herb for sports performance . . . Green tea pills (not brewed tea)	1887	1
CAL.290_29.000		CHB_SPHB1-CHB_SPHB40	CHBSHB29	Herb for sports performance . . . EGCG (pills)	1888	1

2007 NHIS Public Use Variable Summary

Child Alternative Medicine

Filename - Section: childcam - CAL

Document Version Date: May 22, 2008

Question #	Recode	Instrument Variable Name	FinalDocName	Processing Variable Label	Location	Length
CAL.290_30.000		CHB_SPHB1-CHB_SPHB40	CHBSHB30	Herb for sports performance . . . Hawthorn	1889	1
CAL.290_31.000		CHB_SPHB1-CHB_SPHB40	CHBSHB31	Herb for sports performance . . . Horny goat weed	1890	1
CAL.290_32.000		CHB_SPHB1-CHB_SPHB40	CHBSHB32	Herb for sports performance . . . Kava kava	1891	1
CAL.290_33.000		CHB_SPHB1-CHB_SPHB40	CHBSHB33	Herb for sports performance . . . Lecithin	1892	1
CAL.290_34.000		CHB_SPHB1-CHB_SPHB40	CHBSHB34	Herb for sports performance . . . Lutein	1893	1
CAL.290_35.000		CHB_SPHB1-CHB_SPHB40	CHBSHB35	Herb for sports performance . . . Lycopene	1894	1
CAL.290_36.000		CHB_SPHB1-CHB_SPHB40	CHBSHB36	Herb for sports performance . . . Melatonin	1895	1
CAL.290_37.000		CHB_SPHB1-CHB_SPHB40	CHBSHB37	Herb for sports performance . . . MSM (Methylsulfonylmethane)	1896	1
CAL.290_38.000		CHB_SPHB1-CHB_SPHB40	CHBSHB38	Herb for sports performance . . . Milk thistle	1897	1
CAL.290_39.000		CHB_SPHB1-CHB_SPHB40	CHBSHB39	Herb for sports performance . . . Prebiotics or Probiotics	1898	1
CAL.290_40.000		CHB_SPHB1-CHB_SPHB40	CHBSHB40	Herb for sports performance . . . SAM-e	1899	1
CAL.290_41.000		CHB_SPHB1-CHB_SPHB40	CHBSHB41	Herb for sports performance . . . Saw palmetto	1900	1
CAL.290_42.000		CHB_SPHB1-CHB_SPHB40	CHBSHB42	Herb for sports performance . . . Senna	1901	1
CAL.290_43.000		CHB_SPHB1-CHB_SPHB40	CHBSHB43	Herb for sports performance . . . Soy supplements or soy isoflavones	1902	1
CAL.290_44.000		CHB_SPHB1-CHB_SPHB40	CHBSHB44	Herb for sports performance . . . St. John wort	1903	1
CAL.290_45.000		CHB_SPHB1-CHB_SPHB40	CHBSHB45	Herb for sports performance . . . Valerian	1904	1
CAL.295_00.000		CVT_USEM	CVT_USEM	Vitamins - past 12 months	1905	1
CAL.300_00.000		CVIT_MO	CVIT_MO	Took vitamins, past 30 days	1906	1
CAL.305_01.000		CVITTAKE1-CVITTAKE20	CVTTAK01	Multivitamin and/or mineral combination, past 30 days	1907	1
CAL.305_02.000		CVITTAKE1-CVITTAKE20	CVTTAK02	Calcium, past 30 days	1908	1
CAL.305_03.000		CVITTAKE1-CVITTAKE20	CVTTAK03	Chromium, past 30 days	1909	1
CAL.305_04.000		CVITTAKE1-CVITTAKE20	CVTTAK04	Coral calcium, past 30 days	1910	1
CAL.305_05.000		CVITTAKE1-CVITTAKE20	CVTTAK05	Folic acid/folate, past 30 days	1911	1
CAL.305_06.000		CVITTAKE1-CVITTAKE20	CVTTAK06	Iron, past 30 days	1912	1
CAL.305_07.000		CVITTAKE1-CVITTAKE20	CVTTAK07	Magnesium, past 30 days	1913	1
CAL.305_08.000		CVITTAKE1-CVITTAKE20	CVTTAK08	Niacin, past 30 days	1914	1
CAL.305_09.000		CVITTAKE1-CVITTAKE20	CVTTAK09	Potassium, past 30 days	1915	1
CAL.305_10.000		CVITTAKE1-CVITTAKE20	CVTTAK10	Selenium, past 30 days	1916	1
CAL.305_11.000		CVITTAKE1-CVITTAKE20	CVTTAK11	Vitamin A, past 30 days	1917	1
CAL.305_12.000		CVITTAKE1-CVITTAKE20	CVTTAK12	Vitamin B complex, past 30 days	1918	1

2007 NHIS Public Use Variable Summary

Child Alternative Medicine

Filename - Section: childcam - CAL

Document Version Date: May 22, 2008

Question #	Recode	Instrument Variable Name	FinalDocName	Processing Variable Label	Location	Length
CAL.305_13.000		CVITTAKE1-CVITTAKE20	CVTTAK13	Vitamin B6, past 30 days	1919	1
CAL.305_14.000		CVITTAKE1-CVITTAKE20	CVTTAK14	Vitamin B12, past 30 days	1920	1
CAL.305_15.000		CVITTAKE1-CVITTAKE20	CVTTAK15	Vitamin C, past 30 days	1921	1
CAL.305_16.000		CVITTAKE1-CVITTAKE20	CVTTAK16	Vitamin D, past 30 days	1922	1
CAL.305_17.000		CVITTAKE1-CVITTAKE20	CVTTAK17	Vitamin E, past 30 days	1923	1
CAL.305_18.000		CVITTAKE1-CVITTAKE20	CVTTAK18	Vitamin K, past 30 days	1924	1
CAL.305_19.000		CVITTAKE1-CVITTAKE20	CVTTAK19	Zinc, past 30 days	1925	1
CAL.305_20.000		CVITTAKE1-CVITTAKE20	CVTTAK20	Vitamin packet, past 30 days	1926	1
CAL.306_00.000			CVTTAKCT	Number of vitamins and/or minerals taken	1927 -1928	2
CAL.310_01.000		CVT_TOP21	CVTTOP2A	Top 2 vitamins - 1st vitamin/mineral	1929 -1930	2
CAL.310_02.000		CVT_TOP22	CVTTOP2B	Top 2 vitamins - 2nd vitamin/mineral	1931 -1932	2
CAL.320_00.000		CVT_TRT1	CVT_TRT1	Used vitamins to treat a specific health problem or condition	1933	1
CAL.330_01.000		CVT_CON11-CVT_CON140	CVTCN101	1st vitamin/mineral taken for abdominal pain	1934	1
CAL.330_02.000		CVT_CON11-CVT_CON140	CVTCN102	1st vitamin/mineral taken for acid reflux or heartburn	1935	1
CAL.330_03.000		CVT_CON11-CVT_CON140	CVTCN103	1st vitamin/mineral taken for allergies other than hay fever, respiratory allergies, food or digestive allergies, or skin allergies	1936	1
CAL.330_04.000		CVT_CON11-CVT_CON140	CVTCN104	1st vitamin/mineral taken for anemia	1937	1
CAL.330_05.000		CVT_CON11-CVT_CON140	CVTCN105	1st vitamin/mineral taken for anxiety or stress	1938	1
CAL.330_06.000		CVT_CON11-CVT_CON140	CVTCN106	1st vitamin/mineral taken for arthritis	1939	1
CAL.330_07.000		CVT_CON11-CVT_CON140	CVTCN107	1st vitamin/mineral taken for asthma	1940	1
CAL.330_08.000		CVT_CON11-CVT_CON140	CVTCN108	1st vitamin/mineral taken for Attention Deficit Hyperactivity Disorder (ADHD)/Attention Deficit Disorder (ADD)	1941	1
CAL.330_09.000		CVT_CON11-CVT_CON140	CVTCN109	1st vitamin/mineral taken for autism	1942	1
CAL.330_10.000		CVT_CON11-CVT_CON140	CVTCN110	1st vitamin/mineral taken for back or neck pain	1943	1
CAL.330_11.000		CVT_CON11-CVT_CON140	CVTCN111	1st vitamin/mineral taken for cancer	1944	1
CAL.330_12.000		CVT_CON11-CVT_CON140	CVTCN112	1st vitamin/mineral taken for cerebral palsy	1945	1
CAL.330_13.000		CVT_CON11-CVT_CON140	CVTCN113	1st vitamin/mineral taken for chicken pox	1946	1
CAL.330_14.000		CVT_CON11-CVT_CON140	CVTCN114	1st vitamin/mineral taken for congenital heart disease	1947	1
CAL.330_15.000		CVT_CON11-CVT_CON140	CVTCN115	1st vitamin/mineral taken for cystic fibrosis	1948	1
CAL.330_16.000		CVT_CON11-CVT_CON140	CVTCN116	1st vitamin/mineral taken for depression	1949	1
CAL.330_17.000		CVT_CON11-CVT_CON140	CVTCN117	1st vitamin/mineral taken for diabetes	1950	1

2007 NHIS Public Use Variable Summary

Child Alternative Medicine

Filename - Section: childcam - CAL

Document Version Date: May 22, 2008

Question #	Recode	Instrument Variable Name	FinalDocName	Processing Variable Label	Location	Length
CAL.330_18.000		CVT_CON11-CVT_CON140	CVTCN118	1st vitamin/mineral taken for Down syndrome	1951	1
CAL.330_19.000		CVT_CON11-CVT_CON140	CVTCN119	1st vitamin/mineral taken for eczema or skin allergy	1952	1
CAL.330_20.000		CVT_CON11-CVT_CON140	CVTCN120	1st vitamin/mineral taken for fatigue or lack of energy	1953	1
CAL.330_21.000		CVT_CON11-CVT_CON140	CVTCN121	1st vitamin/mineral taken for fever	1954	1
CAL.330_22.000		CVT_CON11-CVT_CON140	CVTCN122	1st vitamin/mineral taken for food or digestive allergy	1955	1
CAL.330_23.000		CVT_CON11-CVT_CON140	CVTCN123	1st vitamin/mineral taken for frequent or repeated diarrhea or colitis	1956	1
CAL.330_24.000		CVT_CON11-CVT_CON140	CVTCN124	1st vitamin/mineral taken for migraine headaches	1957	1
CAL.330_25.000		CVT_CON11-CVT_CON140	CVTCN125	1st vitamin/mineral taken for gum disease	1958	1
CAL.330_26.000		CVT_CON11-CVT_CON140	CVTCN126	1st vitamin/mineral taken for hay fever	1959	1
CAL.330_27.000		CVT_CON11-CVT_CON140	CVTCN127	1st vitamin/mineral taken for head or chest cold	1960	1
CAL.330_28.000		CVT_CON11-CVT_CON140	CVTCN128	1st vitamin/mineral taken for hearing problem	1961	1
CAL.330_29.000		CVT_CON11-CVT_CON140	CVTCN129	1st vitamin/mineral taken for incontinence, including bed wetting	1962	1
CAL.330_30.000		CVT_CON11-CVT_CON140	CVTCN130	1st vitamin/mineral taken for influenza or pneumonia	1963	1
CAL.330_31.000		CVT_CON11-CVT_CON140	CVTCN131	1st vitamin/mineral taken for insomnia or trouble sleeping	1964	1
CAL.330_32.000		CVT_CON11-CVT_CON140	CVTCN132	1st vitamin/mineral taken for lung or breathing problem, other than asthma	1965	1
CAL.330_33.000		CVT_CON11-CVT_CON140	CVTCN133	1st vitamin/mineral taken for mental retardation	1966	1
CAL.330_34.000		CVT_CON11-CVT_CON140	CVTCN134	1st vitamin/mineral taken for menstrual problems	1967	1
CAL.330_35.000		CVT_CON11-CVT_CON140	CVTCN135	1st vitamin/mineral taken for muscular dystrophy	1968	1
CAL.330_36.000		CVT_CON11-CVT_CON140	CVTCN136	1st vitamin/mineral taken for nausea and/or vomiting	1969	1
CAL.330_37.000		CVT_CON11-CVT_CON140	CVTCN137	1st vitamin/mineral taken for neurological problems	1970	1
CAL.330_38.000		CVT_CON11-CVT_CON140	CVTCN138	1st vitamin/mineral taken for other chronic pain	1971	1
CAL.330_39.000		CVT_CON11-CVT_CON140	CVTCN139	1st vitamin/mineral taken for other developmental delay	1972	1
CAL.330_40.000		CVT_CON11-CVT_CON140	CVTCN140	1st vitamin/mineral taken for other heart condition	1973	1
CAL.330_41.000		CVT_CON11-CVT_CON140	CVTCN141	1st vitamin/mineral taken for phobia or fears	1974	1
CAL.330_42.000		CVT_CON11-CVT_CON140	CVTCN142	1st vitamin/mineral taken for problems with being overweight	1975	1
CAL.330_43.000		CVT_CON11-CVT_CON140	CVTCN143	1st vitamin/mineral taken for non-migraine headaches	1976	1
CAL.330_44.000		CVT_CON11-CVT_CON140	CVTCN144	1st vitamin/mineral taken for recurring constipation	1977	1
CAL.330_45.000		CVT_CON11-CVT_CON140	CVTCN145	1st vitamin/mineral taken for respiratory allergy	1978	1
CAL.330_46.000		CVT_CON11-CVT_CON140	CVTCN146	1st vitamin/mineral taken for seizures	1979	1
CAL.330_47.000		CVT_CON11-CVT_CON140	CVTCN147	1st vitamin/mineral taken for severe acne	1980	1

2007 NHIS Public Use Variable Summary

Child Alternative Medicine

Filename - Section: childcam - CAL

Document Version Date: May 22, 2008

Question #	Recode	Instrument Variable Name	FinalDocName	Processing Variable Label	Location	Length
CAL.330_48.000		CVT_CON11-CVT_CON140	CVTCN148	1st vitamin/mineral taken for sickle cell anemia	1981	1
CAL.330_49.000		CVT_CON11-CVT_CON140	CVTCN149	1st vitamin/mineral taken for sinusitis	1982	1
CAL.330_50.000		CVT_CON11-CVT_CON140	CVTCN150	1st vitamin/mineral taken for skin problems other than eczema, acne, or warts	1983	1
CAL.330_51.000		CVT_CON11-CVT_CON140	CVTCN151	1st vitamin/mineral taken for sore throat other than strep or tonsillitis	1984	1
CAL.330_52.000		CVT_CON11-CVT_CON140	CVTCN152	1st vitamin/mineral taken for strep throat or tonsillitis	1985	1
CAL.330_53.000		CVT_CON11-CVT_CON140	CVTCN153	1st vitamin/mineral taken for stuttering or stammering	1986	1
CAL.330_54.000		CVT_CON11-CVT_CON140	CVTCN154	1st vitamin/mineral taken for three or more ear infections	1987	1
CAL.330_55.000		CVT_CON11-CVT_CON140	CVTCN155	1st vitamin/mineral taken for urinary problems, including urinary tract infections	1988	1
CAL.330_56.000		CVT_CON11-CVT_CON140	CVTCN156	1st vitamin/mineral taken for vision problems	1989	1
CAL.330_57.000		CVT_CON11-CVT_CON140	CVTCN157	1st vitamin/mineral taken for warts	1990	1
CAL.330_58.000		CVT_CON11-CVT_CON140	CVTCN158	1st vitamin/mineral taken for other- specify	1991	1
CAL.330_59.000		CVT_CON11-CVT_CON140	CVTCN159	1st vitamin/mineral taken for other musculoskeletal	1992	1
CAL.331_00.000		CVT_SPC1	CVT_SPC1	Other condition for which 1st vitamin/mineral taken	1993 -2067	75
CAL.335_00.000		CVT_TRT2	CVT_TRT2	Used vitamins to treat a specific health problem or condition	2068	1
CAL.340_01.000		CVT_CON21-CVT_CON240	CVTCN201	2nd vitamin/mineral taken for abdominal pain	2069	1
CAL.340_02.000		CVT_CON21-CVT_CON240	CVTCN202	2nd vitamin/mineral taken for acid reflux or heartburn	2070	1
CAL.340_03.000		CVT_CON21-CVT_CON240	CVTCN203	2nd vitamin/mineral taken for allergies other than hay fever, respiratory allergies, food or digestive allergies, or skin allergies	2071	1
CAL.340_04.000		CVT_CON21-CVT_CON240	CVTCN204	2nd vitamin/mineral taken for anemia	2072	1
CAL.340_05.000		CVT_CON21-CVT_CON240	CVTCN205	2nd vitamin/mineral taken for anxiety or stress	2073	1
CAL.340_06.000		CVT_CON21-CVT_CON240	CVTCN206	2nd vitamin/mineral taken for arthritis	2074	1
CAL.340_07.000		CVT_CON21-CVT_CON240	CVTCN207	2nd vitamin/mineral taken for asthma	2075	1
CAL.340_08.000		CVT_CON21-CVT_CON240	CVTCN208	2nd vitamin/mineral taken for Attention Deficit Hyperactivity Disorder (ADHD)/Attention Deficit Disorder (ADD)	2076	1
CAL.340_09.000		CVT_CON21-CVT_CON240	CVTCN209	2nd vitamin/mineral taken for autism	2077	1
CAL.340_10.000		CVT_CON21-CVT_CON240	CVTCN210	2nd vitamin/mineral taken for back or neck pain	2078	1
CAL.340_11.000		CVT_CON21-CVT_CON240	CVTCN211	2nd vitamin/mineral taken for cancer	2079	1
CAL.340_12.000		CVT_CON21-CVT_CON240	CVTCN212	2nd vitamin/mineral taken for cerebral palsy	2080	1
CAL.340_13.000		CVT_CON21-CVT_CON240	CVTCN213	2nd vitamin/mineral taken for chicken pox	2081	1
CAL.340_14.000		CVT_CON21-CVT_CON240	CVTCN214	2nd vitamin/mineral taken for congenital heart disease	2082	1
CAL.340_15.000		CVT_CON21-CVT_CON240	CVTCN215	2nd vitamin/mineral taken for cystic fibrosis	2083	1

2007 NHIS Public Use Variable Summary

Child Alternative Medicine

Filename - Section: childcam - CAL

Document Version Date: May 22, 2008

Question #	Recode	Instrument Variable Name	FinalDocName	Processing Variable Label	Location	Length
CAL.340_16.000		CVT_CON21-CVT_CON240	CVTCN216	2nd vitamin/mineral taken for depression	2084	1
CAL.340_17.000		CVT_CON21-CVT_CON240	CVTCN217	2nd vitamin/mineral taken for diabetes	2085	1
CAL.340_18.000		CVT_CON21-CVT_CON240	CVTCN218	2nd vitamin/mineral taken for Down syndrome	2086	1
CAL.340_19.000		CVT_CON21-CVT_CON240	CVTCN219	2nd vitamin/mineral taken for eczema or skin allergy	2087	1
CAL.340_20.000		CVT_CON21-CVT_CON240	CVTCN220	2nd vitamin/mineral taken for fatigue or lack of energy	2088	1
CAL.340_21.000		CVT_CON21-CVT_CON240	CVTCN221	2nd vitamin/mineral taken for fever	2089	1
CAL.340_22.000		CVT_CON21-CVT_CON240	CVTCN222	2nd vitamin/mineral taken for food or digestive allergy	2090	1
CAL.340_23.000		CVT_CON21-CVT_CON240	CVTCN223	2nd vitamin/mineral taken for frequent or repeated diarrhea or colitis	2091	1
CAL.340_24.000		CVT_CON21-CVT_CON240	CVTCN224	2nd vitamin/mineral taken for migraine headaches	2092	1
CAL.340_25.000		CVT_CON21-CVT_CON240	CVTCN225	2nd vitamin/mineral taken for gum disease	2093	1
CAL.340_26.000		CVT_CON21-CVT_CON240	CVTCN226	2nd vitamin/mineral taken for hay fever	2094	1
CAL.340_27.000		CVT_CON21-CVT_CON240	CVTCN227	2nd vitamin/mineral taken for head or chest cold	2095	1
CAL.340_28.000		CVT_CON21-CVT_CON240	CVTCN228	2nd vitamin/mineral taken for hearing problem	2096	1
CAL.340_29.000		CVT_CON21-CVT_CON240	CVTCN229	2nd vitamin/mineral taken for incontinence, including bed wetting	2097	1
CAL.340_30.000		CVT_CON21-CVT_CON240	CVTCN230	2nd vitamin/mineral taken for influenza or pneumonia	2098	1
CAL.340_31.000		CVT_CON21-CVT_CON240	CVTCN231	2nd vitamin/mineral taken for insomnia or trouble sleeping	2099	1
CAL.340_32.000		CVT_CON21-CVT_CON240	CVTCN232	2nd vitamin/mineral taken for lung or breathing problem, other than asthma	2100	1
CAL.340_33.000		CVT_CON21-CVT_CON240	CVTCN233	2nd vitamin/mineral taken for mental retardation	2101	1
CAL.340_34.000		CVT_CON21-CVT_CON240	CVTCN234	2nd vitamin/mineral taken for menstrual problems	2102	1
CAL.340_35.000		CVT_CON21-CVT_CON240	CVTCN235	2nd vitamin/mineral taken for muscular dystrophy	2103	1
CAL.340_36.000		CVT_CON21-CVT_CON240	CVTCN236	2nd vitamin/mineral taken for nausea and/or vomiting	2104	1
CAL.340_37.000		CVT_CON21-CVT_CON240	CVTCN237	2nd vitamin/mineral taken for neurological problems	2105	1
CAL.340_38.000		CVT_CON21-CVT_CON240	CVTCN238	2nd vitamin/mineral taken for other chronic pain	2106	1
CAL.340_39.000		CVT_CON21-CVT_CON240	CVTCN239	2nd vitamin/mineral taken for other developmental delay	2107	1
CAL.340_40.000		CVT_CON21-CVT_CON240	CVTCN240	2nd vitamin/mineral taken for other heart condition	2108	1
CAL.340_41.000		CVT_CON21-CVT_CON240	CVTCN241	2nd vitamin/mineral taken for phobia or fears	2109	1
CAL.340_42.000		CVT_CON21-CVT_CON240	CVTCN242	2nd vitamin/mineral taken for problems with being overweight	2110	1
CAL.340_43.000		CVT_CON21-CVT_CON240	CVTCN243	2nd vitamin/mineral taken for non-migraine headaches	2111	1
CAL.340_44.000		CVT_CON21-CVT_CON240	CVTCN244	2nd vitamin/mineral taken for recurring constipation	2112	1
CAL.340_45.000		CVT_CON21-CVT_CON240	CVTCN245	2nd vitamin/mineral taken for respiratory allergy	2113	1

2007 NHIS Public Use Variable Summary

Child Alternative Medicine

Filename - Section: childcam - CAL

Document Version Date: May 22, 2008

Question #	Recode	Instrument Variable Name	FinalDocName	Processing Variable Label	Location	Length
CAL.340_46.000		CVT_CON21-CVT_CON240	CVTCN246	2nd vitamin/mineral taken for seizures	2114	1
CAL.340_47.000		CVT_CON21-CVT_CON240	CVTCN247	2nd vitamin/mineral taken for severe acne	2115	1
CAL.340_48.000		CVT_CON21-CVT_CON240	CVTCN248	2nd vitamin/mineral taken for sickle cell anemia	2116	1
CAL.340_49.000		CVT_CON21-CVT_CON240	CVTCN249	2nd vitamin/mineral taken for sinusitis	2117	1
CAL.340_50.000		CVT_CON21-CVT_CON240	CVTCN250	2nd vitamin/mineral taken for skin problems other than eczema, acne, or warts	2118	1
CAL.340_51.000		CVT_CON21-CVT_CON240	CVTCN251	2nd vitamin/mineral taken for sore throat other than strep or tonsillitis	2119	1
CAL.340_52.000		CVT_CON21-CVT_CON240	CVTCN252	2nd vitamin/mineral taken for strep throat or tonsillitis	2120	1
CAL.340_53.000		CVT_CON21-CVT_CON240	CVTCN253	2nd vitamin/mineral taken for stuttering or stammering	2121	1
CAL.340_54.000		CVT_CON21-CVT_CON240	CVTCN254	2nd vitamin/mineral taken for three or more ear infections	2122	1
CAL.340_55.000		CVT_CON21-CVT_CON240	CVTCN255	2nd vitamin/mineral taken for urinary problems, including urinary tract infections	2123	1
CAL.340_56.000		CVT_CON21-CVT_CON240	CVTCN256	2nd vitamin/mineral taken for vision problems	2124	1
CAL.340_57.000		CVT_CON21-CVT_CON240	CVTCN257	2nd vitamin/mineral taken for warts	2125	1
CAL.340_58.000		CVT_CON21-CVT_CON240	CVTCN258	2nd vitamin/mineral taken for other- specify	2126	1
CAL.340_59.000		CVT_CON21-CVT_CON240	CVTCN259	2nd vitamin/mineral taken for other musculoskeletal	2127	1
CAL.341_00.000		CVT_SPC2	CVT_SPC2	Other condition for which 2nd vitamin/mineral taken	2128 -2202	75
CAL.355_00.000		CVT_SPRT	CVT_SPRT	Improve sports performance, past 30 days	2203	1
CAL.360_01.000		CVT_SPVT1-CVT_SPVT20	CVTSVT01	Vitamin/mineral for sports performance . . . Multivitamin and/or mineral combination	2204	1
CAL.360_02.000		CVT_SPVT1-CVT_SPVT20	CVTSVT02	Vitamin/mineral for sports performance . . . Calcium	2205	1
CAL.360_03.000		CVT_SPVT1-CVT_SPVT20	CVTSVT03	Vitamin/mineral for sports performance . . . Chromium	2206	1
CAL.360_04.000		CVT_SPVT1-CVT_SPVT20	CVTSVT04	Vitamin/mineral for sports performance . . . Coral calcium	2207	1
CAL.360_05.000		CVT_SPVT1-CVT_SPVT20	CVTSVT05	Vitamin/mineral for sports performance . . . Folic acid/folate	2208	1
CAL.360_06.000		CVT_SPVT1-CVT_SPVT20	CVTSVT06	Vitamin/mineral for sports performance . . . Iron	2209	1
CAL.360_07.000		CVT_SPVT1-CVT_SPVT20	CVTSVT07	Vitamin/mineral for sports performance . . . Magnesium	2210	1
CAL.360_08.000		CVT_SPVT1-CVT_SPVT20	CVTSVT08	Vitamin/mineral for sports performance . . . Niacin	2211	1
CAL.360_09.000		CVT_SPVT1-CVT_SPVT20	CVTSVT09	Vitamin/mineral for sports performance . . . Potassium	2212	1
CAL.360_10.000		CVT_SPVT1-CVT_SPVT20	CVTSVT10	Vitamin/mineral for sports performance . . . Selenium	2213	1
CAL.360_11.000		CVT_SPVT1-CVT_SPVT20	CVTSVT11	Vitamin/mineral for sports performance . . . Vitamin A	2214	1
CAL.360_12.000		CVT_SPVT1-CVT_SPVT20	CVTSVT12	Vitamin/mineral for sports performance . . . Vitamin B complex	2215	1
CAL.360_13.000		CVT_SPVT1-CVT_SPVT20	CVTSVT13	Vitamin/mineral for sports performance . . . Vitamin B6	2216	1
CAL.360_14.000		CVT_SPVT1-CVT_SPVT20	CVTSVT14	Vitamin/mineral for sports performance . . . Vitamin B12	2217	1

2007 NHIS Public Use Variable Summary

Child Alternative Medicine

Filename - Section: childcam - CAL

Document Version Date: May 22, 2008

Question #	Recode	Instrument Variable Name	FinalDocName	Processing Variable Label	Location	Length
CAL.360_15.000		CVT_SPVT1-CVT_SPVT20	CVTSVT15	Vitamin/mineral for sports performance . . . Vitamin C	2218	1
CAL.360_16.000		CVT_SPVT1-CVT_SPVT20	CVTSVT16	Vitamin/mineral for sports performance . . . Vitamin D	2219	1
CAL.360_17.000		CVT_SPVT1-CVT_SPVT20	CVTSVT17	Vitamin/mineral for sports performance . . . Vitamin E	2220	1
CAL.360_18.000		CVT_SPVT1-CVT_SPVT20	CVTSVT18	Vitamin/mineral for sports performance . . . Vitamin K	2221	1
CAL.360_19.000		CVT_SPVT1-CVT_SPVT20	CVTSVT19	Vitamin/mineral for sports performance . . . Zinc	2222	1
CAL.360_20.000		CVT_SPVT1-CVT_SPVT20	CVTSVT20	Vitamin/mineral for sports performance . . . Vitamin packet	2223	1
CAL.365_00.000		HOM	HOM	Used homeopathy, past 12 months	2224	1
CAL.370_00.000		CHM_TRET	CHM_TRET	Used homeopathic treatment to treat a specific condition in the past 12 months	2225	1
CAL.375_01.000		CHM_COND1-CHM_COND40	CHMCON01	Used homeopathic treatment for abdominal pain, past 12 months	2226	1
CAL.375_02.000		CHM_COND1-CHM_COND40	CHMCON02	Used homeopathic treatment for acid reflux or heartburn, past 12 months	2227	1
CAL.375_03.000		CHM_COND1-CHM_COND40	CHMCON03	Used homeopathic treatment for allergies other than hay fever, respiratory allergies, food or digestive allergies, or skin allergies, past 12 months	2228	1
CAL.375_04.000		CHM_COND1-CHM_COND40	CHMCON04	Used homeopathic treatment for anemia, past 12 months	2229	1
CAL.375_05.000		CHM_COND1-CHM_COND40	CHMCON05	Used homeopathic treatment for anxiety or stress, past 12 months	2230	1
CAL.375_06.000		CHM_COND1-CHM_COND40	CHMCON06	Used homeopathic treatment for arthritis, past 12 months	2231	1
CAL.375_07.000		CHM_COND1-CHM_COND40	CHMCON07	Used homeopathic treatment for asthma, past 12 months	2232	1
CAL.375_08.000		CHM_COND1-CHM_COND40	CHMCON08	Used homeopathic treatment for Attention Deficit Hyperactivity Disorder (ADHD)/Attention Deficit Disorder (ADD), past 12 months	2233	1
CAL.375_09.000		CHM_COND1-CHM_COND40	CHMCON09	Used homeopathic treatment for autism, past 12 months	2234	1
CAL.375_10.000		CHM_COND1-CHM_COND40	CHMCON10	Used homeopathic treatment for back or neck pain, past 12 months	2235	1
CAL.375_11.000		CHM_COND1-CHM_COND40	CHMCON11	Used homeopathic treatment for cancer, past 12 months	2236	1
CAL.375_12.000		CHM_COND1-CHM_COND40	CHMCON12	Used homeopathic treatment for cerebral palsy, past 12 months	2237	1
CAL.375_13.000		CHM_COND1-CHM_COND40	CHMCON13	Used homeopathic treatment for chickenpox, past 12 months	2238	1
CAL.375_14.000		CHM_COND1-CHM_COND40	CHMCON14	Used homeopathic treatment for congenital heart disease, past 12 months	2239	1
CAL.375_15.000		CHM_COND1-CHM_COND40	CHMCON15	Used homeopathic treatment for cystic fibrosis, past 12 months	2240	1
CAL.375_16.000		CHM_COND1-CHM_COND40	CHMCON16	Used homeopathic treatment for depression, past 12 months	2241	1
CAL.375_17.000		CHM_COND1-CHM_COND40	CHMCON17	Used homeopathic treatment for diabetes, past 12 months	2242	1
CAL.375_18.000		CHM_COND1-CHM_COND40	CHMCON18	Used homeopathic treatment for Down syndrome, past 12 months	2243	1
CAL.375_19.000		CHM_COND1-CHM_COND40	CHMCON19	Used homeopathic treatment for eczema or skin allergy, past 12 months	2244	1
CAL.375_20.000		CHM_COND1-CHM_COND40	CHMCON20	Used homeopathic treatment for fatigue or lack of energy, past 12 months	2245	1
CAL.375_21.000		CHM_COND1-CHM_COND40	CHMCON21	Used homeopathic treatment for fever, past 12 months	2246	1

2007 NHIS Public Use Variable Summary

Child Alternative Medicine

Filename - Section: childcam - CAL

Document Version Date: May 22, 2008

Question #	Recode	Instrument Variable Name	FinalDocName	Processing Variable Label	Location	Length
CAL.375_22.000		CHM_COND1-CHM_COND40	CHMCON22	Used homeopathic treatment for food or digestive allergy, past 12 months	2247	1
CAL.375_23.000		CHM_COND1-CHM_COND40	CHMCON23	Used homeopathic treatment for frequent or repeated diarrhea or colitis, past 12 months	2248	1
CAL.375_24.000		CHM_COND1-CHM_COND40	CHMCON24	Used homeopathic treatment for migraine headaches, past 12 months	2249	1
CAL.375_25.000		CHM_COND1-CHM_COND40	CHMCON25	Used homeopathic treatment for gum disease, past 12 months	2250	1
CAL.375_26.000		CHM_COND1-CHM_COND40	CHMCON26	Used homeopathic treatment for hay fever, past 12 months	2251	1
CAL.375_27.000		CHM_COND1-CHM_COND40	CHMCON27	Used homeopathic treatment for head or chest cold, past 12 months	2252	1
CAL.375_28.000		CHM_COND1-CHM_COND40	CHMCON28	Used homeopathic treatment for hearing problem, past 12 months	2253	1
CAL.375_29.000		CHM_COND1-CHM_COND40	CHMCON29	Used homeopathic treatment for incontinence, including bed wetting, past 12 months	2254	1
CAL.375_30.000		CHM_COND1-CHM_COND40	CHMCON30	Used homeopathic treatment for influenza or pneumonia, past 12 months	2255	1
CAL.375_31.000		CHM_COND1-CHM_COND40	CHMCON31	Used homeopathic treatment for insomnia or trouble sleeping, past 12 months	2256	1
CAL.375_32.000		CHM_COND1-CHM_COND40	CHMCON32	Used homeopathic treatment for lung or breathing problem, other than asthma, past 12 months	2257	1
CAL.375_33.000		CHM_COND1-CHM_COND40	CHMCON33	Used homeopathic treatment for mental retardation, past 12 months	2258	1
CAL.375_34.000		CHM_COND1-CHM_COND40	CHMCON34	Used homeopathic treatment for menstrual problems, past 12 months	2259	1
CAL.375_35.000		CHM_COND1-CHM_COND40	CHMCON35	Used homeopathic treatment for muscular dystrophy, past 12 months	2260	1
CAL.375_36.000		CHM_COND1-CHM_COND40	CHMCON36	Used homeopathic treatment for nausea and/or vomiting, past 12 months	2261	1
CAL.375_37.000		CHM_COND1-CHM_COND40	CHMCON37	Used homeopathic treatment for neurological problems, past 12 months	2262	1
CAL.375_38.000		CHM_COND1-CHM_COND40	CHMCON38	Used homeopathic treatment for other chronic pain, past 12 months	2263	1
CAL.375_39.000		CHM_COND1-CHM_COND40	CHMCON39	Used homeopathic treatment for other developmental delay, past 12 months	2264	1
CAL.375_40.000		CHM_COND1-CHM_COND40	CHMCON40	Used homeopathic treatment for other heart condition, past 12 months	2265	1
CAL.375_41.000		CHM_COND1-CHM_COND40	CHMCON41	Used homeopathic treatment for phobia or fears, past 12 months	2266	1
CAL.375_42.000		CHM_COND1-CHM_COND40	CHMCON42	Used homeopathic treatment for problems with being overweight, past 12 months	2267	1
CAL.375_43.000		CHM_COND1-CHM_COND40	CHMCON43	Used homeopathic treatment for non-migraine headaches, past 12 months	2268	1
CAL.375_44.000		CHM_COND1-CHM_COND40	CHMCON44	Used homeopathic treatment for recurring constipation, past 12 months	2269	1
CAL.375_45.000		CHM_COND1-CHM_COND40	CHMCON45	Used homeopathic treatment for respiratory allergy, past 12 months	2270	1
CAL.375_46.000		CHM_COND1-CHM_COND40	CHMCON46	Used homeopathic treatment for seizures, past 12 months	2271	1
CAL.375_47.000		CHM_COND1-CHM_COND40	CHMCON47	Used homeopathic treatment for severe acne, past 12 months	2272	1
CAL.375_48.000		CHM_COND1-CHM_COND40	CHMCON48	Used homeopathic treatment for sickle cell anemia, past 12 months	2273	1
CAL.375_49.000		CHM_COND1-CHM_COND40	CHMCON49	Used homeopathic treatment for sinusitis, past 12 months	2274	1
CAL.375_50.000		CHM_COND1-CHM_COND40	CHMCON50	Used homeopathic treatment for skin problems other than eczema, acne, or warts, past 12 months	2275	1

2007 NHIS Public Use Variable Summary

Child Alternative Medicine

Filename - Section: childcam - CAL

Document Version Date: May 22, 2008

Question #	Recode	Instrument Variable Name	FinalDocName	Processing Variable Label	Location	Length
CAL.375_51.000		CHM_COND1-CHM_COND40	CHMCON51	Used homeopathic treatment for sore throat other than strep or tonsillitis, past 12 months	2276	1
CAL.375_52.000		CHM_COND1-CHM_COND40	CHMCON52	Used homeopathic treatment for strep throat or tonsillitis, past 12 months	2277	1
CAL.375_53.000		CHM_COND1-CHM_COND40	CHMCON53	Used homeopathic treatment for stuttering or stammering, past 12 months	2278	1
CAL.375_54.000		CHM_COND1-CHM_COND40	CHMCON54	Used homeopathic treatment for three or more ear infections, past 12 months	2279	1
CAL.375_55.000		CHM_COND1-CHM_COND40	CHMCON55	Used homeopathic treatment for urinary problems, including urinary tract infections, past 12 months	2280	1
CAL.375_56.000		CHM_COND1-CHM_COND40	CHMCON56	Used homeopathic treatment for vision problem, past 12 months	2281	1
CAL.375_57.000		CHM_COND1-CHM_COND40	CHMCON57	Used homeopathic treatment for warts, past 12 months	2282	1
CAL.375_58.000		CHM_COND1-CHM_COND40	CHMCON58	Used homeopathic treatment for other - specify, past 12 months	2283	1
CAL.375_59.000		CHM_COND1-CHM_COND40	CHMCON59	Used homeopathic treatment for other musculoskeletal, past 12 months	2284	1
CAL.376_00.000		CHM_SPEC	CHM_SPEC	Used homeopathic treatment for other (specify), past 12 months	2285 -2359	75
CAL.380_00.000		CDT_VEG	CDT_VEG	Used vegetarian diet for health reasons for 2 weeks or more, past 12 months	2360	1
CAL.385_00.000		CDT_MAC	CDT_MAC	Used macrobiotic diet for health reasons for 2 weeks or more, past 12 months	2361	1
CAL.390_00.000		CDT_ATK	CDT_ATK	Used Atkins diet for health reasons for 2 weeks or more, past 12 months	2362	1
CAL.395_00.000		CDT_PRT	CDT_PRT	Used Pritikin diet for health reasons for 2 weeks or more, past 12 months	2363	1
CAL.400_00.000		CDT_ORN	CDT_ORN	Used Ornish diet for health reasons for 2 weeks or more, past 12 months	2364	1
CAL.405_00.000		CDT_ZON	CDT_ZON	Used Zone diet for health reasons for 2 weeks or more, past 12 months	2365	1
CAL.410_00.000		CDT_SB	CDT_SB	Used South Beach diet for health reasons for 2 weeks or more, past 12 months	2366	1
CAL.412_00.000			CDTUSECT	Number of special diets used	2367	1
CAL.415_00.000		CDT_TRET	CDT_TRET	Used 1 or more special diets to treat a specific health problem or condition in past 12 months	2368	1
CAL.420_01.000		CDT_COND1-CDT_COND40	CDTCON01	Used diet for abdominal pain, past 12 months	2369	1
CAL.420_02.000		CDT_COND1-CDT_COND40	CDTCON02	Used diet for acid reflux or heartburn, past 12 months	2370	1
CAL.420_03.000		CDT_COND1-CDT_COND40	CDTCON03	Used diet for allergies other than hay fever, respiratory allergies, food or digestive allergies or skin allergies, past 12 months	2371	1
CAL.420_04.000		CDT_COND1-CDT_COND40	CDTCON04	Used diet for anemia, past 12 months	2372	1
CAL.420_05.000		CDT_COND1-CDT_COND40	CDTCON05	Used diet for anxiety or stress, past 12 months	2373	1
CAL.420_06.000		CDT_COND1-CDT_COND40	CDTCON06	Used diet for arthritis, past 12 months	2374	1
CAL.420_07.000		CDT_COND1-CDT_COND40	CDTCON07	Used diet for asthma, past 12 months	2375	1
CAL.420_08.000		CDT_COND1-CDT_COND40	CDTCON08	Used diet for Attention Deficit Hyperactivity Disorder (ADHD)/Attention Deficit Disorder (ADD), past 12 months	2376	1
CAL.420_09.000		CDT_COND1-CDT_COND40	CDTCON09	Used diet for autism, past 12 months	2377	1

2007 NHIS Public Use Variable Summary

Child Alternative Medicine

Filename - Section: childcam - CAL

Document Version Date: May 22, 2008

Question #	Recode	Instrument Variable Name	FinalDocName	Processing Variable Label	Location	Length
CAL.420_10.000		CDT_COND1-CDT_COND40	CDTCON10	Used diet for back or neck pain, past 12 months	2378	1
CAL.420_11.000		CDT_COND1-CDT_COND40	CDTCON11	Used diet for cancer, past 12 months	2379	1
CAL.420_12.000		CDT_COND1-CDT_COND40	CDTCON12	Used diet for cerebral palsy, past 12 months	2380	1
CAL.420_13.000		CDT_COND1-CDT_COND40	CDTCON13	Used diet for chickenpox, past 12 months	2381	1
CAL.420_14.000		CDT_COND1-CDT_COND40	CDTCON14	Used diet for congenital heart disease, past 12 months	2382	1
CAL.420_15.000		CDT_COND1-CDT_COND40	CDTCON15	Used diet for cystic fibrosis, past 12 months	2383	1
CAL.420_16.000		CDT_COND1-CDT_COND40	CDTCON16	Used diet for depression, past 12 months	2384	1
CAL.420_17.000		CDT_COND1-CDT_COND40	CDTCON17	Used diet for diabetes, past 12 months	2385	1
CAL.420_18.000		CDT_COND1-CDT_COND40	CDTCON18	Used diet for Down syndrome, past 12 months	2386	1
CAL.420_19.000		CDT_COND1-CDT_COND40	CDTCON19	Used diet for eczema or skin allergy, past 12 months	2387	1
CAL.420_20.000		CDT_COND1-CDT_COND40	CDTCON20	Used diet for fatigue or lack of energy, past 12 months	2388	1
CAL.420_21.000		CDT_COND1-CDT_COND40	CDTCON21	Used diet for fever, past 12 months	2389	1
CAL.420_22.000		CDT_COND1-CDT_COND40	CDTCON22	Used diet for food or digestive allergy, past 12 months	2390	1
CAL.420_23.000		CDT_COND1-CDT_COND40	CDTCON23	Used diet for frequent or repeated diarrhea or colitis, past 12 months	2391	1
CAL.420_24.000		CDT_COND1-CDT_COND40	CDTCON24	Used diet for migraine headaches, past 12 months	2392	1
CAL.420_25.000		CDT_COND1-CDT_COND40	CDTCON25	Used diet for gum disease, past 12 months	2393	1
CAL.420_26.000		CDT_COND1-CDT_COND40	CDTCON26	Used diet for hay fever, past 12 months	2394	1
CAL.420_27.000		CDT_COND1-CDT_COND40	CDTCON27	Used diet for head or chest cold, past 12 months	2395	1
CAL.420_28.000		CDT_COND1-CDT_COND40	CDTCON28	Used diet for hearing problem, past 12 months	2396	1
CAL.420_29.000		CDT_COND1-CDT_COND40	CDTCON29	Used diet for incontinence, including bed wetting, past 12 months	2397	1
CAL.420_30.000		CDT_COND1-CDT_COND40	CDTCON30	Used diet for influenza or pneumonia, past 12 months	2398	1
CAL.420_31.000		CDT_COND1-CDT_COND40	CDTCON31	Used diet for insomnia or trouble sleeping, past 12 months	2399	1
CAL.420_32.000		CDT_COND1-CDT_COND40	CDTCON32	Used diet for lung or breathing problem, other than asthma, past 12 months	2400	1
CAL.420_33.000		CDT_COND1-CDT_COND40	CDTCON33	Used diet for mental retardation, past 12 months	2401	1
CAL.420_34.000		CDT_COND1-CDT_COND40	CDTCON34	Used diet for menstrual problems, past 12 months	2402	1
CAL.420_35.000		CDT_COND1-CDT_COND40	CDTCON35	Used diet for muscular dystrophy, past 12 months	2403	1
CAL.420_36.000		CDT_COND1-CDT_COND40	CDTCON36	Used diet for nausea and/or vomiting, past 12 months	2404	1
CAL.420_37.000		CDT_COND1-CDT_COND40	CDTCON37	Used diet for neurological problems, past 12 months	2405	1
CAL.420_38.000		CDT_COND1-CDT_COND40	CDTCON38	Used diet for other chronic pain, past 12 months	2406	1
CAL.420_39.000		CDT_COND1-CDT_COND40	CDTCON39	Used diet for other developmental delay, past 12 months	2407	1

2007 NHIS Public Use Variable Summary

Child Alternative Medicine

Filename - Section: childcam - CAL

Document Version Date: May 22, 2008

Question #	Recode	Instrument Variable Name	FinalDocName	Processing Variable Label	Location	Length
CAL.420_40.000		CDT_COND1-CDT_COND40	CDTCON40	Used diet for other heart condition, past 12 months	2408	1
CAL.420_41.000		CDT_COND1-CDT_COND40	CDTCON41	Used diet for phobia or fears, past 12 months	2409	1
CAL.420_42.000		CDT_COND1-CDT_COND40	CDTCON42	Used diet for problems with being overweight, past 12 months	2410	1
CAL.420_43.000		CDT_COND1-CDT_COND40	CDTCON43	Used diet for non-migraine headaches, past 12 months	2411	1
CAL.420_44.000		CDT_COND1-CDT_COND40	CDTCON44	Used diet for recurring constipation, past 12 months	2412	1
CAL.420_45.000		CDT_COND1-CDT_COND40	CDTCON45	Used diet for respiratory allergy, past 12 months	2413	1
CAL.420_46.000		CDT_COND1-CDT_COND40	CDTCON46	Used diet for seizures, past 12 months	2414	1
CAL.420_47.000		CDT_COND1-CDT_COND40	CDTCON47	Used diet for severe acne, past 12 months	2415	1
CAL.420_48.000		CDT_COND1-CDT_COND40	CDTCON48	Used diet for sickle cell anemia, past 12 months	2416	1
CAL.420_49.000		CDT_COND1-CDT_COND40	CDTCON49	Used diet for sinusitis, past 12 months	2417	1
CAL.420_50.000		CDT_COND1-CDT_COND40	CDTCON50	Used diet for skin problems other than eczema, acne, or warts, past 12 months	2418	1
CAL.420_51.000		CDT_COND1-CDT_COND40	CDTCON51	Used diet for sore throat other than strep or tonsillitis, past 12 months	2419	1
CAL.420_52.000		CDT_COND1-CDT_COND40	CDTCON52	Used diet for strep throat or tonsillitis, past 12 months	2420	1
CAL.420_53.000		CDT_COND1-CDT_COND40	CDTCON53	Used diet for stuttering or stammering, past 12 months	2421	1
CAL.420_54.000		CDT_COND1-CDT_COND40	CDTCON54	Used diet for three or more ear infections, past 12 months	2422	1
CAL.420_55.000		CDT_COND1-CDT_COND40	CDTCON55	Used diet for urinary problems, including urinary tract infections, past 12 months	2423	1
CAL.420_56.000		CDT_COND1-CDT_COND40	CDTCON56	Used diet for vision problem, past 12 months	2424	1
CAL.420_57.000		CDT_COND1-CDT_COND40	CDTCON57	Used diet for warts, past 12 months	2425	1
CAL.420_58.000		CDT_COND1-CDT_COND40	CDTCON58	Used diet for other specify, past 12 months	2426	1
CAL.420_59.000		CDT_COND1-CDT_COND40	CDTCON59	Used diet for other musculoskeletal, past 12 months	2427	1
CAL.421_00.000		CDT_SPEC	CDT_SPEC	Used special diet for other (specify), past 12 months	2428 -2502	75
CAL.422_00.000		CDT_WGHT	CDT_WGHT	Used special diet for weight control or weight loss, past 12 months	2503	1
CAL.425_00.000		CYOGA	CYOGA	Practiced yoga, past 12 months	2504	1
CAL.430_00.000		CTAICHI	CTAICHI	Practiced Tai Chi, past 12 months	2505	1
CAL.435_00.000		CQIGONG	CQIGONG	Practiced Qi Gong, past 12 months	2506	1
CAL.436_00.000			CYGUSECT	Number of practices (yoga, tai chi, and qi gong) used	2507	1
CAL.440_00.000		CYG_TRET	CYG_TRET	Used yoga/tai chi/qi gong to treat a specific condition, past 12 months	2508	1
CAL.445_01.000		CYG_COND1-CYG_COND40	CYGCON01	Used Yoga/Tai Chi/Qi Gong for abdominal pain, past 12 months	2509	1
CAL.445_02.000		CYG_COND1-CYG_COND40	CYGCON02	Used Yoga/Tai Chi/Qi Gong for acid reflux or heartburn, past 12 months	2510	1

2007 NHIS Public Use Variable Summary

Child Alternative Medicine

Filename - Section: childcam - CAL

Document Version Date: May 22, 2008

Question #	Recode	Instrument Variable Name	FinalDocName	Processing Variable Label	Location	Length
CAL.445_03.000		CYG_CONDI-CYG_COND40	CYGCON03	Used Yoga/Tai Chi/Qi Gong for allergies other than hay fever, respiratory allergies, food or digestive allergies, or skin allergies, past 12 months	2511	1
CAL.445_04.000		CYG_CONDI-CYG_COND40	CYGCON04	Used Yoga/Tai Chi/Qi Gong for anemia, past 12 months	2512	1
CAL.445_05.000		CYG_CONDI-CYG_COND40	CYGCON05	Used Yoga/Tai Chi/Qi Gong for anxiety or stress, past 12 months	2513	1
CAL.445_06.000		CYG_CONDI-CYG_COND40	CYGCON06	Used Yoga/Tai Chi/Qi Gong for arthritis, past 12 months	2514	1
CAL.445_07.000		CYG_CONDI-CYG_COND40	CYGCON07	Used Yoga/Tai Chi/Qi Gong for asthma, past 12 months	2515	1
CAL.445_08.000		CYG_CONDI-CYG_COND40	CYGCON08	Used Yoga/Tai Chi/Qi Gong for Attention Deficit Hyperactivity Disorder (ADHD)/Attention Deficit Disorder (ADD), past 12 months	2516	1
CAL.445_09.000		CYG_CONDI-CYG_COND40	CYGCON09	Used Yoga/Tai Chi/Qi Gong for autism, past 12 months	2517	1
CAL.445_10.000		CYG_CONDI-CYG_COND40	CYGCON10	Used Yoga/Tai Chi/Qi Gong for back or neck pain, past 12 months	2518	1
CAL.445_11.000		CYG_CONDI-CYG_COND40	CYGCON11	Used Yoga/Tai Chi/Qi Gong for cancer, past 12 months	2519	1
CAL.445_12.000		CYG_CONDI-CYG_COND40	CYGCON12	Used Yoga/Tai Chi/Qi Gong for cerebral palsy, past 12 months	2520	1
CAL.445_13.000		CYG_CONDI-CYG_COND40	CYGCON13	Used Yoga/Tai Chi/Qi Gong for chickenpox, past 12 months	2521	1
CAL.445_14.000		CYG_CONDI-CYG_COND40	CYGCON14	Used Yoga/Tai Chi/Qi Gong for congenital heart disease, past 12 months	2522	1
CAL.445_15.000		CYG_CONDI-CYG_COND40	CYGCON15	Used Yoga/Tai Chi/Qi Gong for cystic fibrosis, past 12 months	2523	1
CAL.445_16.000		CYG_CONDI-CYG_COND40	CYGCON16	Used Yoga/Tai Chi/Qi Gong for depression, past 12 months	2524	1
CAL.445_17.000		CYG_CONDI-CYG_COND40	CYGCON17	Used Yoga/Tai Chi/Qi Gong for diabetes, past 12 months	2525	1
CAL.445_18.000		CYG_CONDI-CYG_COND40	CYGCON18	Used Yoga/Tai Chi/Qi Gong for Down syndrome, past 12 months	2526	1
CAL.445_19.000		CYG_CONDI-CYG_COND40	CYGCON19	Used Yoga/Tai Chi/Qi Gong for eczema or skin allergy, past 12 months	2527	1
CAL.445_20.000		CYG_CONDI-CYG_COND40	CYGCON20	Used Yoga/Tai Chi/Qi Gong for fatigue or lack of energy, past 12 months	2528	1
CAL.445_21.000		CYG_CONDI-CYG_COND40	CYGCON21	Used Yoga/Tai Chi/Qi Gong for fever, past 12 months	2529	1
CAL.445_22.000		CYG_CONDI-CYG_COND40	CYGCON22	Used Yoga/Tai Chi/Qi Gong for food or digestive allergy, past 12 months	2530	1
CAL.445_23.000		CYG_CONDI-CYG_COND40	CYGCON23	Used Yoga/Tai Chi/Qi Gong for frequent or repeated diarrhea or colitis, past 12 months	2531	1
CAL.445_24.000		CYG_CONDI-CYG_COND40	CYGCON24	Used Yoga/Tai Chi/Qi Gong for migraine headaches, past 12 months	2532	1
CAL.445_25.000		CYG_CONDI-CYG_COND40	CYGCON25	Used Yoga/Tai Chi/Qi Gong for gum disease, past 12 months	2533	1
CAL.445_26.000		CYG_CONDI-CYG_COND40	CYGCON26	Used Yoga/Tai Chi/Qi Gong for hay fever, past 12 months	2534	1
CAL.445_27.000		CYG_CONDI-CYG_COND40	CYGCON27	Used Yoga/Tai Chi/Qi Gong for head or chest cold, past 12 months	2535	1
CAL.445_28.000		CYG_CONDI-CYG_COND40	CYGCON28	Used Yoga/Tai Chi/Qi Gong for hearing problem, past 12 months	2536	1
CAL.445_29.000		CYG_CONDI-CYG_COND40	CYGCON29	Used Yoga/Tai Chi/Qi Gong for incontinence, including bed wetting, past 12 months	2537	1
CAL.445_30.000		CYG_CONDI-CYG_COND40	CYGCON30	Used Yoga/Tai Chi/Qi Gong for influenza or pneumonia, past 12 months	2538	1
CAL.445_31.000		CYG_CONDI-CYG_COND40	CYGCON31	Used Yoga/Tai Chi/Qi Gong for insomnia or trouble sleeping, past 12 months	2539	1

2007 NHIS Public Use Variable Summary

Child Alternative Medicine

Filename - Section: childcam - CAL

Document Version Date: May 22, 2008

Question #	Recode	Instrument Variable Name	FinalDocName	Processing Variable Label	Location	Length
CAL.445_32.000		CYG_CONDI-CYG_COND40	CYGCON32	Used Yoga/Tai Chi/Qi Gong for lung or breathing problem, other than asthma, past 12 months	2540	1
CAL.445_33.000		CYG_CONDI-CYG_COND40	CYGCON33	Used Yoga/Tai Chi/Qi Gong for mental retardation, past 12 months	2541	1
CAL.445_34.000		CYG_CONDI-CYG_COND40	CYGCON34	Used Yoga/Tai Chi/Qi Gong for menstrual problems, past 12 months	2542	1
CAL.445_35.000		CYG_CONDI-CYG_COND40	CYGCON35	Used Yoga/Tai Chi/Qi Gong for muscular dystrophy, past 12 months	2543	1
CAL.445_36.000		CYG_CONDI-CYG_COND40	CYGCON36	Used Yoga/Tai Chi/Qi Gong for nausea and/or vomiting, past 12 months	2544	1
CAL.445_37.000		CYG_CONDI-CYG_COND40	CYGCON37	Used Yoga/Tai Chi/Qi Gong for neurological problems, past 12 months	2545	1
CAL.445_38.000		CYG_CONDI-CYG_COND40	CYGCON38	Used Yoga/Tai Chi/Qi Gong for other chronic pain, past 12 months	2546	1
CAL.445_39.000		CYG_CONDI-CYG_COND40	CYGCON39	Used Yoga/Tai Chi/Qi Gong for other developmental delay, past 12 months	2547	1
CAL.445_40.000		CYG_CONDI-CYG_COND40	CYGCON40	Used Yoga/Tai Chi/Qi Gong for other heart condition, past 12 months	2548	1
CAL.445_41.000		CYG_CONDI-CYG_COND40	CYGCON41	Used Yoga/Tai Chi/Qi Gong for phobia or fears, past 12 months	2549	1
CAL.445_42.000		CYG_CONDI-CYG_COND40	CYGCON42	Used Yoga/Tai Chi/Qi Gong for problems with being overweight, past 12 months	2550	1
CAL.445_43.000		CYG_CONDI-CYG_COND40	CYGCON43	Used Yoga/Tai Chi/Qi Gong for non-migraine headaches, past 12 months	2551	1
CAL.445_44.000		CYG_CONDI-CYG_COND40	CYGCON44	Used Yoga/Tai Chi/Qi Gong for recurring constipation, past 12 months	2552	1
CAL.445_45.000		CYG_CONDI-CYG_COND40	CYGCON45	Used Yoga/Tai Chi/Qi Gong for respiratory allergy, past 12 months	2553	1
CAL.445_46.000		CYG_CONDI-CYG_COND40	CYGCON46	Used Yoga/Tai Chi/Qi Gong for seizures, past 12 months	2554	1
CAL.445_47.000		CYG_CONDI-CYG_COND40	CYGCON47	Used Yoga/Tai Chi/Qi Gong for severe acne, past 12 months	2555	1
CAL.445_48.000		CYG_CONDI-CYG_COND40	CYGCON48	Used Yoga/Tai Chi/Qi Gong for sickle cell anemia, past 12 months	2556	1
CAL.445_49.000		CYG_CONDI-CYG_COND40	CYGCON49	Used Yoga/Tai Chi/Qi Gong for sinusitis, past 12 months	2557	1
CAL.445_50.000		CYG_CONDI-CYG_COND40	CYGCON50	Used Yoga/Tai Chi/Qi Gong for skin problems other than eczema, acne, or warts, past 12 months	2558	1
CAL.445_51.000		CYG_CONDI-CYG_COND40	CYGCON51	Used Yoga/Tai Chi/Qi Gong for sore throat other than strep or tonsillitis, past 12 months	2559	1
CAL.445_52.000		CYG_CONDI-CYG_COND40	CYGCON52	Used Yoga/Tai Chi/Qi Gong for strep throat or tonsillitis, past 12 months	2560	1
CAL.445_53.000		CYG_CONDI-CYG_COND40	CYGCON53	Used Yoga/Tai Chi/Qi Gong for stuttering or stammering, past 12 months	2561	1
CAL.445_54.000		CYG_CONDI-CYG_COND40	CYGCON54	Used Yoga/Tai Chi/Qi Gong for three or more ear infections, past 12 months	2562	1
CAL.445_55.000		CYG_CONDI-CYG_COND40	CYGCON55	Used Yoga/Tai Chi/Qi Gong for urinary problems, including urinary tract infections, past 12 months	2563	1
CAL.445_56.000		CYG_CONDI-CYG_COND40	CYGCON56	Used Yoga/Tai Chi/Qi Gong for vision problem, past 12 months	2564	1
CAL.445_57.000		CYG_CONDI-CYG_COND40	CYGCON57	Used Yoga/Tai Chi/Qi Gong for warts, past 12 months	2565	1
CAL.445_58.000		CYG_CONDI-CYG_COND40	CYGCON58	Used Yoga/Tai Chi/Qi Gong for other - specify, past 12 months	2566	1
CAL.445_59.000		CYG_CONDI-CYG_COND40	CYGCON59	Used Yoga/Tai Chi/Qi Gong for other musculoskeletal, past 12 months	2567	1
CAL.446_00.000		CYG_SPEC	CYG_SPEC	Used Yoga/Tai Chi/Qi Gong for other (specify), past 12 months	2568 -2642	75

2007 NHIS Public Use Variable Summary

Child Alternative Medicine

Filename - Section: childcam - CAL

Document Version Date: May 22, 2008

Question #	Recode	Instrument Variable Name	FinalDocName	Processing Variable Label	Location	Length
CAL.450_00.000		CRL_MED	CRL_MED	Meditation	2643	1
CAL.455_00.000		CRL_GI	CRL_GI	Guided imagery	2644	1
CAL.460_00.000		CRL_PR	CRL_PR	Progressive relaxation	2645	1
CAL.465_00.000		CRL_DBE	CRL_DBE	Deep breathing exercises, past 12 months	2646	1
CAL.470_00.000		CRL_SG	CRL_SG	Support group meetings, past 12 months	2647	1
CAL.475_00.000		CRL_SMC	CRL_SMC	Stress management class, past 12 months	2648	1
CAL.476_00.000			CRLUSECT	Number of relaxation techniques used	2649	1
CAL.480_00.000		CRL_TRET	CRL_TRET	Used relaxation technique(s) to treat a specific condition in the past 12 months	2650	1
CAL.485_01.000		CRL_COND1-CRL_COND40	CRLCON01	Used relaxation techniques for abdominal pain, past 12 months	2651	1
CAL.485_02.000		CRL_COND1-CRL_COND40	CRLCON02	Used relaxation techniques for acid reflux or heartburn, past 12 months	2652	1
CAL.485_03.000		CRL_COND1-CRL_COND40	CRLCON03	Used relaxation techniques for allergies other than hay fever, respiratory allergies, food or digestive allergies, or skin allergies, past 12 months	2653	1
CAL.485_04.000		CRL_COND1-CRL_COND40	CRLCON04	Used relaxation techniques for anemia, past 12 months	2654	1
CAL.485_05.000		CRL_COND1-CRL_COND40	CRLCON05	Used relaxation techniques for anxiety or stress, past 12 months	2655	1
CAL.485_06.000		CRL_COND1-CRL_COND40	CRLCON06	Used relaxation techniques for arthritis, past 12 months	2656	1
CAL.485_07.000		CRL_COND1-CRL_COND40	CRLCON07	Used relaxation techniques for asthma, past 12 months	2657	1
CAL.485_08.000		CRL_COND1-CRL_COND40	CRLCON08	Used relaxation techniques for Attention Deficit Hyperactivity Disorder (ADHD)/Attention Deficit Disorder (ADD), past 12 months	2658	1
CAL.485_09.000		CRL_COND1-CRL_COND40	CRLCON09	Used relaxation techniques for autism, past 12 months	2659	1
CAL.485_10.000		CRL_COND1-CRL_COND40	CRLCON10	Used relaxation techniques for back or neck pain, past 12 months	2660	1
CAL.485_11.000		CRL_COND1-CRL_COND40	CRLCON11	Used relaxation techniques for cancer, past 12 months	2661	1
CAL.485_12.000		CRL_COND1-CRL_COND40	CRLCON12	Used relaxation techniques for cerebral palsy, past 12 months	2662	1
CAL.485_13.000		CRL_COND1-CRL_COND40	CRLCON13	Used relaxation techniques for chickenpox, past 12 months	2663	1
CAL.485_14.000		CRL_COND1-CRL_COND40	CRLCON14	Used relaxation techniques for congenital heart disease, past 12 months	2664	1
CAL.485_15.000		CRL_COND1-CRL_COND40	CRLCON15	Used relaxation techniques for cystic fibrosis, past 12 months	2665	1
CAL.485_16.000		CRL_COND1-CRL_COND40	CRLCON16	Used relaxation techniques for depression, past 12 months	2666	1
CAL.485_17.000		CRL_COND1-CRL_COND40	CRLCON17	Used relaxation techniques for diabetes, past 12 months	2667	1
CAL.485_18.000		CRL_COND1-CRL_COND40	CRLCON18	Used relaxation techniques for Down syndrome, past 12 months	2668	1
CAL.485_19.000		CRL_COND1-CRL_COND40	CRLCON19	Used relaxation techniques for eczema or skin allergy, past 12 months	2669	1
CAL.485_20.000		CRL_COND1-CRL_COND40	CRLCON20	Used relaxation techniques for fatigue or lack of energy, past 12 months	2670	1
CAL.485_21.000		CRL_COND1-CRL_COND40	CRLCON21	Used relaxation techniques for fever, past 12 months	2671	1

2007 NHIS Public Use Variable Summary

Child Alternative Medicine

Filename - Section: childcam - CAL

Document Version Date: May 22, 2008

Question #	Recode	Instrument Variable Name	FinalDocName	Processing Variable Label	Location	Length
CAL.485_22.000		CRL_COND1-CRL_COND40	CRLCON22	Used relaxation techniques for food or digestive allergy, past 12 months	2672	1
CAL.485_23.000		CRL_COND1-CRL_COND40	CRLCON23	Used relaxation techniques for frequent or repeated diarrhea or colitis, past 12 months	2673	1
CAL.485_24.000		CRL_COND1-CRL_COND40	CRLCON24	Used relaxation techniques for migraine headaches, past 12 months	2674	1
CAL.485_25.000		CRL_COND1-CRL_COND40	CRLCON25	Used relaxation techniques for gum disease, past 12 months	2675	1
CAL.485_26.000		CRL_COND1-CRL_COND40	CRLCON26	Used relaxation techniques for hay fever, past 12 months	2676	1
CAL.485_27.000		CRL_COND1-CRL_COND40	CRLCON27	Used relaxation techniques for head or chest cold, past 12 months	2677	1
CAL.485_28.000		CRL_COND1-CRL_COND40	CRLCON28	Used relaxation techniques for hearing problem, past 12 months	2678	1
CAL.485_29.000		CRL_COND1-CRL_COND40	CRLCON29	Used relaxation techniques for incontinence, including bed wetting, past 12 months	2679	1
CAL.485_30.000		CRL_COND1-CRL_COND40	CRLCON30	Used relaxation techniques for influenza or pneumonia, past 12 months	2680	1
CAL.485_31.000		CRL_COND1-CRL_COND40	CRLCON31	Used relaxation techniques for insomnia or trouble sleeping, past 12 months	2681	1
CAL.485_32.000		CRL_COND1-CRL_COND40	CRLCON32	Used relaxation techniques for lung or breathing problem, other than asthma, past 12 months	2682	1
CAL.485_33.000		CRL_COND1-CRL_COND40	CRLCON33	Used relaxation techniques for mental retardation, past 12 months	2683	1
CAL.485_34.000		CRL_COND1-CRL_COND40	CRLCON34	Used relaxation techniques for menstrual problems, past 12 months	2684	1
CAL.485_35.000		CRL_COND1-CRL_COND40	CRLCON35	Used relaxation techniques for muscular dystrophy, past 12 months	2685	1
CAL.485_36.000		CRL_COND1-CRL_COND40	CRLCON36	Used relaxation techniques for nausea and/or vomiting, past 12 months	2686	1
CAL.485_37.000		CRL_COND1-CRL_COND40	CRLCON37	Used relaxation techniques for neurological problems, past 12 months	2687	1
CAL.485_38.000		CRL_COND1-CRL_COND40	CRLCON38	Used relaxation techniques for other chronic pain, past 12 months	2688	1
CAL.485_39.000		CRL_COND1-CRL_COND40	CRLCON39	Used relaxation techniques for other developmental delay, past 12 months	2689	1
CAL.485_40.000		CRL_COND1-CRL_COND40	CRLCON40	Used relaxation techniques for other heart condition, past 12 months	2690	1
CAL.485_41.000		CRL_COND1-CRL_COND40	CRLCON41	Used relaxation techniques for phobia or fears, past 12 months	2691	1
CAL.485_42.000		CRL_COND1-CRL_COND40	CRLCON42	Used relaxation techniques for problems with being overweight, past 12 months	2692	1
CAL.485_43.000		CRL_COND1-CRL_COND40	CRLCON43	Used relaxation techniques for non-migraine headaches, past 12 months	2693	1
CAL.485_44.000		CRL_COND1-CRL_COND40	CRLCON44	Used relaxation techniques for recurring constipation, past 12 months	2694	1
CAL.485_45.000		CRL_COND1-CRL_COND40	CRLCON45	Used relaxation techniques for respiratory allergy, past 12 months	2695	1
CAL.485_46.000		CRL_COND1-CRL_COND40	CRLCON46	Used relaxation techniques for seizures, past 12 months	2696	1
CAL.485_47.000		CRL_COND1-CRL_COND40	CRLCON47	Used relaxation techniques for severe acne, past 12 months	2697	1
CAL.485_48.000		CRL_COND1-CRL_COND40	CRLCON48	Used relaxation techniques for sickle cell anemia, past 12 months	2698	1
CAL.485_49.000		CRL_COND1-CRL_COND40	CRLCON49	Used relaxation techniques for sinusitis, past 12 months	2699	1
CAL.485_50.000		CRL_COND1-CRL_COND40	CRLCON50	Used relaxation techniques for skin problems other than eczema, acne, or warts, past 12 months	2700	1

2007 NHIS Public Use Variable Summary

Child Alternative Medicine**Filename - Section:** childcam - CAL**Document Version Date:** May 22, 2008

Question #	Recode	Instrument Variable Name	FinalDocName	Processing Variable Label	Location	Length
CAL.485_51.000		CRL_COND1-CRL_COND40	CRLCON51	Used relaxation techniques for sore throat other than strep or tonsillitis, past 12 months	2701	1
CAL.485_52.000		CRL_COND1-CRL_COND40	CRLCON52	Used relaxation techniques for strep throat or tonsillitis, past 12 months	2702	1
CAL.485_53.000		CRL_COND1-CRL_COND40	CRLCON53	Used relaxation techniques for stuttering or stammering, past 12 months	2703	1
CAL.485_54.000		CRL_COND1-CRL_COND40	CRLCON54	Used relaxation techniques for three or more ear infections, past 12 months	2704	1
CAL.485_55.000		CRL_COND1-CRL_COND40	CRLCON55	Used relaxation techniques for urinary problems, including urinary tract infections, past 12 months	2705	1
CAL.485_56.000		CRL_COND1-CRL_COND40	CRLCON56	Used relaxation techniques for vision problem, past 12 months	2706	1
CAL.485_57.000		CRL_COND1-CRL_COND40	CRLCON57	Used relaxation techniques for warts, past 12 months	2707	1
CAL.485_58.000		CRL_COND1-CRL_COND40	CRLCON58	Used relaxation techniques for other - specify, past 12 months	2708	1
CAL.485_59.000		CRL_COND1-CRL_COND40	CRLCON59	Used relaxation techniques for other musculoskeletal, past 12 months	2709	1
CAL.486_00.000		CRL_SPEC	CRL_SPEC	Used relaxation techniques for other (specify), past 12 months	2710 -2784	75
CAL.000_00.000	RECODE		COMPSTAT	Record completion status	2785	1

Number of variables for Public Use file: Child Alternative Medicine 1354
