

File Documentation
Respondent File (Section E Questionnaire Items)

VARIABLE COLUMN NON-HISPANIC
NAME LOCATION HISP WHITE BLACK TOTAL QX TEXT AND CODE CATEGORIES

[BCADVICE] 6822-6822 Next we would like to ask you about birth control methods. In the last 12 months, that is since (INTERVIEW MONTH, 1994), did you get advice about birth control methods from any of the non-medical people on Card E-1?

Inapplicable:
R is age 25 or older (coded 25+ in AA-1 AGE).

1083	4781	1800	7912	Blank	= Blank, inapplicable
191	714	307	1252	1	= YES
278	988	339	1682	2	= NO
0	0	0	0	7	= Not Ascertained
1	0	0	1	8	= Refused
0	0	0	0	9	= Don't Know

[BCADVWH0] 6823-6824 Which of the people on the card gave you advice (about birth control)? (1st MENTIONED)

Inapplicable:
R is age 25 or older (coded 25+ in AA-1 AGE); R is under age 25 and did not get advice from non-medical people about birth control in the past 12 months (coded 2 in EA-1 BCADVICE); whether she got birth control advice from a non-medical person is not ascertained, refused or don't know (EA-1 BCADVICE coded 7,8 or 9).

1362	5769	2139	9595	Blank	= Blank, inapplicable
92	384	121	623	01	= FRIEND
61	204	121	389	02	= PARENT
13	41	35	89	03	= OTHER RELATIVE
23	72	26	132	04	= SCHOOL COUNSELOR OR TEACHER
0	7	3	10	05	= MINISTER, PRIEST, RABBI, CLERGY
2	6	1	9	06	= OTHER-NOT SHOWN SEPARATELY
0	0	0	0	97	= Not Ascertained
0	0	0	0	98	= Refused
0	0	0	0	99	= Don't Know

1995 NATIONAL SURVEY OF FAMILY GROWTH
 File Documentation
 Respondent File (Section E Questionnaire Items)

VARIABLE	COLUMN	NON-HISPANIC								
NAME	LOCATION	HISP	WHITE	BLACK						

[BCADVWH1] 6825-6826

Which of the people on the card gave you advice (about birth control)? (2nd MENTIONED)

Inapplicable:
 R is age 25 or older (coded 25+ in AA-1 AGE); R is under age 25 and did not get advice from non-medical people about birth control in the past 12 months (coded 2 in EA-1 BCADVICE); whether she got birth control advice from a non-medical person is not ascertained, refused or don't know (EA-1 BCADVICE coded 7,8 or 9); or R reported fewer than 2 people who gave her BC advice.

1500	6244	2362	10459	Blank		= Blank, inapplicable
9	26	5	40	01		= FRIEND
25	144	49	227	02		= PARENT
8	33	17	60	03		= OTHER RELATIVE
10	27	11	49	04		= SCHOOL COUNSELOR OR TEACHER
1	6	1	8	05		= MINISTER, PRIEST, RABBI, CLERGY
0	3	1	4	06		= OTHER-NOT SHOWN SEPARATELY
0	0	0	0	97		= Not Ascertained
0	0	0	0	98		= Refused
0	0	0	0	99		= Don't Know

1995 NATIONAL SURVEY OF FAMILY GROWTH
 File Documentation
 Respondent File (Section E Questionnaire Items)

VARIABLE COLUMN NON-HISPANIC
 NAME LOCATION HISP WHITE BLACK TOTAL QX TEXT AND CODE CATEGORIES

[BCADVWH2] 6827-6828

Which of the people on the card gave you advice (about birth control)? (3rd MENTIONED)

Inapplicable:

R is age 25 or older (coded 25+ in AA-1 AGE); R is under age 25 and did not get advice from non-medical people about birth control in the past 12 months (coded 2 in EA-1 BCADVICE); whether she got birth control advice from a non-medical person is not ascertained, refused or don't know (EA-1 BCADVICE coded 7,8 or 9); or R reported fewer than 3 people who gave her BC advice.

1537	6400	2411	10708	Blank	= Blank, inapplicable
0	4	2	6	01	= FRIEND
0	5	0	5	02	= PARENT
13	39	27	84	03	= OTHER RELATIVE
3	29	4	36	04	= SCHOOL COUNSELOR OR TEACHER
0	2	2	4	05	= MINISTER, PRIEST, RABBI, CLERGY
0	4	0	4	06	= OTHER-NOT SHOWN SEPARATELY
0	0	0	0	97	= Not Ascertained
0	0	0	0	98	= Refused
0	0	0	0	99	= Don't Know

1995 NATIONAL SURVEY OF FAMILY GROWTH
 File Documentation
 Respondent File (Section E Questionnaire Items)

VARIABLE	COLUMN	NON-HISPANIC								
NAME	LOCATION	HISP	WHITE	BLACK						TOTAL

[BCADVWH3] 6829-6830

Which of the people on the card gave you advice (about birth control)? (4th MENTIONED)

Inapplicable:
 R is age 25 or older (coded 25+ in AA-1 AGE); R is under age 25 and did not get advice from non-medical people about birth control in the past 12 months (coded 2 in EA-1 BCADVICE); whether she got birth control advice from a non-medical person is not ascertained, refused or don't know (EA-1 BCADVICE coded 7,8 or 9); or R reported fewer than 4 people who gave her BC advice.

1548	6465	2431	10805	Blank						
0	0	0	0	01	=	Blank, inapplicable				
0	0	0	0	02	=	FRIEND				
0	1	1	2	03	=	PARENT				
5	13	14	35	04	=	OTHER RELATIVE				
					=	SCHOOL COUNSELOR OR TEACHER				
0	3	0	3	05	=	MINISTER, PRIEST, RABBI, CLERGY				
0	1	0	2	06	=	OTHER-NOT SHOWN SEPARATELY				
0	0	0	0	97	=	Not Ascertained				
0	0	0	0	98	=	Refused				
0	0	0	0	99	=	Don't Know				

1995 NATIONAL SURVEY OF FAMILY GROWTH
 File Documentation
 Respondent File (Section E Questionnaire Items)

VARIABLE NAME	COLUMN LOCATION	NON-HISPANIC			QX TEXT AND CODE CATEGORIES	
		HISP	WHITE	BLACK	TOTAL	
[BCADVWH4]	6831-6832					Which of the people on the card gave you advice (about birth control)? (5th MENTIONED)

Inapplicable:
 R is age 25 or older (coded 25+ in AA-1 AGE); R is under age 25 and did not get advice from non-medical people about birth control in the past 12 months (coded 2 in EA-1 BCADVICE); whether she got birth control advice from a non-medical person is not ascertained, refused or don't know (EA-1 BCADVICE coded 7,8 or 9); or R reported fewer than 5 people who gave her BC advice.

1552	6481	2441	10837	Blank	= Blank, inapplicable
0	0	0	0	01	= FRIEND
0	0	0	0	02	= PARENT
0	0	0	0	03	= OTHER RELATIVE
0	0	0	0	04	= SCHOOL COUNSELOR OR TEACHER
1	2	5	10	05	= MINISTER, PRIEST, RABBI, CLERGY
0	0	0	0	06	= OTHER-NOT SHOWN SEPARATELY
0	0	0	0	97	= Not Ascertained
0	0	0	0	98	= Refused
0	0	0	0	99	= Don't Know

[EVERUSED]	6833-6833					EVER USED METHOD (COMPUTED). IF R ANSWERED YES (1) TO ANY METHOD IN EA , computed variable EVERUSED=1. ELSE, computed variable EVERUSED = 2.
------------	-----------	--	--	--	--	--

Computed for all Rs.

1327	5880	2241	9723	1	= YES
226	603	205	1124	2	= NO
0	0	0	0	7	= Not Ascertained
0	0	0	0	8	= Refused
0	0	0	0	9	= Don't Know

1995 NATIONAL SURVEY OF FAMILY GROWTH
 File Documentation
 Respondent File (Section E Questionnaire Items)

VARIABLE NAME	COLUMN LOCATION	NON-HISPANIC			TOTAL	QX	TEXT AND CODE	CATEGORIES
		HISP	WHITE	BLACK				
[PILL]	6834-6834						Have you ever used birth control pills?	
							Asked of all Rs.	
		0	0	0	0	Blank	= Blank, inapplicable	
		1048	5110	1934	8275	1	= YES	
		505	1371	511	2569	2	= NO	
		0	0	0	0	7	= Not Ascertained	
		0	2	1	3	8	= Refused	
		0	0	0	0	9	= Don't Know	
[NORPLANT]	6835-6835						(Have you ever used) Norplant (implants)?	
							Asked of all Rs.	
		0	0	0	0	Blank	= Blank, inapplicable	
		47	102	78	233	1	= YES	
		1506	6378	2368	10611	2	= NO	
		0	0	0	0	7	= Not Ascertained	
		0	3	0	3	8	= Refused	
		0	0	0	0	9	= Don't Know	
[CONDOM]	6836-6836						Have you ever used condoms or rubbers with a partner?	
							Inapplicable: R never had sex (computed variable RHADSEX coded 2,7,8 or 9).	
		144	586	149	941	Blank	= Blank, inapplicable	
		954	4995	1857	8023	1	= YES	
		455	898	439	1878	2	= NO	
		0	0	0	0	7	= Not Ascertained	
		0	4	1	5	8	= Refused	
		0	0	0	0	9	= Don't Know	

1995 NATIONAL SURVEY OF FAMILY GROWTH
File Documentation
Respondent File (Section E Questionnaire Items)

VARIABLE NAME	COLUMN LOCATION	NON-HISPANIC			TOTAL	QX	TEXT AND CODE CATEGORIES
		HISP	WHITE	BLACK			
[VASECTMY]	6837-6837						Have you ever had sex with a partner who had a vasectomy?
							Inapplicable: R never had sex (computed variable RHADSEX coded 2,7,8 or 9).
		144	586	149	941	Blank	= Blank, inapplicable
		94	1105	97	1329	1	= YES
		1312	4764	2187	8531	2	= NO
		0	0	0	0	7	= Not Ascertained
		0	5	0	5	8	= Refused
		3	23	13	41	9	= Don't Know
[DIAFRAGM]	6838-6838						Have you ever used a diaphragm with or without jelly or cream?
							Inapplicable: R never had sex (computed variable RHADSEX coded 2,7,8 or 9).
		144	586	149	941	Blank	= Blank, inapplicable
		120	1086	253	1484	1	= YES
		1289	4807	2044	8418	2	= NO
		0	0	0	0	7	= Not Ascertained
		0	4	0	4	8	= Refused
		0	0	0	0	9	= Don't Know
[RHYTHM]	6839-6839						Have you ever used rhythm or safe period by calendar to prevent pregnancy? (READ IF NECESSARY: This means that you did not have intercourse during your fertile period. You determined your fertile period by counting the days from the start of your period that month.)
							Inapplicable: R never had sex (computed variable RHADSEX coded 2,7,8 or 9).
		144	586	149	941	Blank	= Blank, inapplicable
		297	1537	429	2349	1	= YES
		1112	4356	1868	7553	2	= NO
		0	0	0	0	7	= Not Ascertained
		0	4	0	4	8	= Refused
		0	0	0	0	9	= Don't Know

1995 NATIONAL SURVEY OF FAMILY GROWTH
 File Documentation
 Respondent File (Section E Questionnaire Items)

VARIABLE NAME	COLUMN LOCATION	NON-HISPANIC			TOTAL	QX	TEXT AND CODE CATEGORIES
		HISP	WHITE	BLACK			
[TEMPSAFE]	6840-6840						(Have you ever used) natural family planning or safe period by temperature or cervical mucus test to prevent pregnancy? (READ IF NECESSARY: This means that you did not have intercourse during your fertile period. You determined your fertile period by using a thermometer to check your temperature and by looking at the consistency of your cervical mucus.)
							Inapplicable: R never had sex (computed variable RHADSEX coded 2,7,8 or 9).
		144	586	149	941	Blank	= Blank, inapplicable
		46	294	58	407	1	= YES
		1363	5599	2239	9495	2	= NO
		0	0	0	0	7	= Not Ascertained
		0	4	0	4	8	= Refused
		0	0	0	0	9	= Don't Know

[WIDRAWAL]	6841-6841						(Have you ever used) withdrawal or "pulling out"?
							Inapplicable: R never had sex (computed variable RHADSEX coded 2,7,8 or 9).
		144	586	149	941	Blank	= Blank, inapplicable
		484	2550	738	3875	1	= YES
		925	3342	1559	6026	2	= NO
		0	0	0	0	7	= Not Ascertained
		0	4	0	4	8	= Refused
		0	1	0	1	9	= Don't Know

1995 NATIONAL SURVEY OF FAMILY GROWTH
 File Documentation
 Respondent File (Section E Questionnaire Items)

VARIABLE NAME	COLUMN LOCATION	NON-HISPANIC			TOTAL	QX	TEXT AND CODE CATEGORIES
		HISP	WHITE	BLACK			
[WOCONDOM]	6842-6842						(Have you ever used) female condoms or vaginal pouches?
							Inapplicable: R never had sex (computed variable RHADSEX coded 2,7,8 or 9).
		144	586	149	941	Blank	= Blank, inapplicable
		17	61	55	135	1	= YES
		1392	5832	2242	9767	2	= NO
		0	0	0	0	7	= Not Ascertained
		0	4	0	4	8	= Refused
		0	0	0	0	9	= Don't Know

[FOAMALON]	6843-6843						(Have you ever used) foam?
							Inapplicable: R never had sex (computed variable RHADSEX coded 2,7,8 or 9).
		144	586	149	941	Blank	= Blank, inapplicable
		193	1173	473	1875	1	= YES
		1216	4719	1824	8026	2	= NO
		0	0	0	0	7	= Not Ascertained
		0	4	0	4	8	= Refused
		0	1	0	1	9	= Don't Know

[JELCRMAL]	6844-6844						(Have you ever used) jelly or cream/(Have you ever used)jelly or cream, other than with a diaphragm?
							Inapplicable: R never had sex (computed variable RHADSEX coded 2,7,8 or 9).
		144	586	149	941	Blank	= Blank, inapplicable
		96	571	226	912	1	= YES
		1313	5322	2071	8990	2	= NO
		0	0	0	0	7	= Not Ascertained
		0	4	0	4	8	= Refused
		0	0	0	0	9	= Don't Know

1995 NATIONAL SURVEY OF FAMILY GROWTH
 File Documentation
 Respondent File (Section E Questionnaire Items)

VARIABLE NAME	COLUMN LOCATION	NON-HISPANIC			QX	TEXT AND CODE	CATEGORIES
		HISP	WHITE	BLACK			
[CERVLCAP]	6845-6845						(Have you ever used) a cervical cap?
							Inapplicable: R never had sex (computed variable RHADSEX coded 2,7,8 or 9).
		144	586	149	941	Blank	= Blank, inapplicable
		4	44	23	71	1	= YES
		1405	5849	2274	9831	2	= NO
		0	0	0	0	7	= Not Ascertained
		0	4	0	4	8	= Refused
		0	0	0	0	9	= Don't Know
[SUPPOSIT]	6846-6846						(Have you ever used) a suppository or an insert?
							Inapplicable: R never had sex (computed variable RHADSEX coded 2,7,8 or 9).
		144	586	149	941	Blank	= Blank, inapplicable
		121	691	258	1093	1	= YES
		1288	5202	2039	8809	2	= NO
		0	0	0	0	7	= Not Ascertained
		0	4	0	4	8	= Refused
		0	0	0	0	9	= Don't Know
[TODAYSPG]	6847-6847						(Have you ever used) the Today™ sponge?
							Inapplicable: R never had sex (computed variable RHADSEX coded 2,7,8 or 9).
		144	586	149	941	Blank	= Blank, inapplicable
		96	816	235	1169	1	= YES
		1313	5077	2062	8733	2	= NO
		0	0	0	0	7	= Not Ascertained
		0	4	0	4	8	= Refused
		0	0	0	0	9	= Don't Know

1995 NATIONAL SURVEY OF FAMILY GROWTH
 File Documentation
 Respondent File (Section E Questionnaire Items)

VARIABLE NAME	COLUMN LOCATION	NON-HISPANIC			TOTAL	QX	TEXT AND CODE CATEGORIES
		HISP	WHITE	BLACK			
[IUD]	6848-6848						(Have you ever used) an IUD, coil, or loop?
							Inapplicable: R never had sex (computed variable RHADSEX coded 2,7,8 or 9).
		144	586	149	941	Blank	= Blank, inapplicable
		162	576	247	1019	1	= YES
		1247	5317	2050	8883	2	= NO
		0	0	0	0	7	= Not Ascertained
		0	4	0	4	8	= Refused
		0	0	0	0	9	= Don't Know
[DEPOPROV]	6849-6849						(Have you ever used) Depo-provera or injectables?
							Inapplicable: R never had sex (computed variable RHADSEX coded 2,7,8 or 9).
		144	586	149	941	Blank	= Blank, inapplicable
		108	213	151	481	1	= YES
		1301	5680	2146	9421	2	= NO
		0	0	0	0	7	= Not Ascertained
		0	4	0	4	8	= Refused
		0	0	0	0	9	= Don't Know
[MORNPILL]	6850-6850						(Have you ever used) "morning after" pills?
							Inapplicable: R never had sex (computed variable RHADSEX coded 2,7,8 or 9).
		144	586	149	941	Blank	= Blank, inapplicable
		5	61	11	79	1	= YES
		1404	5832	2286	9823	2	= NO
		0	0	0	0	7	= Not Ascertained
		0	4	0	4	8	= Refused
		0	0	0	0	9	= Don't Know

1995 NATIONAL SURVEY OF FAMILY GROWTH
File Documentation
Respondent File (Section E Questionnaire Items)

VARIABLE NAME	COLUMN LOCATION	NON-HISPANIC			TOTAL	QX	TEXT AND CODE CATEGORIES
		HISP	WHITE	BLACK			
[OTHRMETH]	6851-6851						Have you used any other methods?
							Note: See NEWMETH for responses volunteered by respondents who answered YES.
							Inapplicable: R never had sex (computed variable RHADSEX coded 2,7,8 or 9).
		144	586	149	941	Blank	= Blank, inapplicable
		6	15	7	28	1	= YES
		1403	5878	2290	9874	2	= NO
		0	0	0	0	7	= Not Ascertained
		0	4	0	4	8	= Refused
		0	0	0	0	9	= Don't Know

[NEWMETH]	6852-6853						CODE FOR OTHER METHOD SPECIFIED IN EA-20.
							Note: All responses were volunteered by respondents. They were not read aloud by the interviewer nor did they appear on Card E-2.
							Inapplicable: R never had sex (computed variable RHADSEX coded 2,7,8 or 9); or R did not say yes (1) to using other methods (EA-20 OTHRMETH NE 1).
		1548	6470	2440	10823	Blank	= Blank, inapplicable
		0	0	0	0	01	= Abstinence
		3	5	2	10	02	= Vaginal Contraceptive Film
		2	8	2	12	03	= Other method-not shown separately
		0	0	0	0	97	= Not Ascertained
		0	0	0	0	98	= Refused
		0	0	2	2	99	= Don't Know

1995 NATIONAL SURVEY OF FAMILY GROWTH
 File Documentation
 Respondent File (Section E Questionnaire Items)

VARIABLE	COLUMN	NON-HISPANIC			
NAME	LOCATION	HISP	WHITE	BLACK	TOTAL

QX TEXT AND CODE CATEGORIES

[DATFIRSM] 6854-6857

DATE OF 1ST METHOD USE (COMPUTED).
 IF EB-3 WNFSTUSE NE BLANK, DATFIRSM
 = EB-3 WNFSTUSE. ELSE, IF EB-2
 FIRSTIME = 2 (FIRST TIME R HAD SEX)
 AND CH-1 WNFSTSEX NE BLANK, 9997,
 9998 OR 9999, THEN DATFIRSM = CH-1
 WNFSTSEX. ELSE, IF EB-2 FIRSTIME =
 2 (FIRST TIME R HAD SEX) AND CH-9
 WNVOLSEX NE BLANK, 9997, 9998 OR
 9999, THEN DATFIRSM = CH-9 WNVOLSEX.

Inapplicable:

R never used a method (EVERUSED
 coded 1); date of first method use
 is not ascertained, refused or don't
 know (EB-3 WNFSTUSE coded 9997, 9998
 or 9999); R's first method use was
 at the time of first sex (EB-2
 FIRSTIME coded 2) and R's first sex
 was voluntary, but the date of first
 sex was not ascertained, refused, or
 don't know (CH-1 WNFSTSEX coded 9997
 , 9998 or 9999); or R's first method
 use was at the time of first sex
 (EB-2 FIRSTIME coded 2) and R's
 first sex was involuntary, but the
 date of involuntary first sex was
 not ascertained, refused, or don't
 know (CH-9 WNVOLSEX coded 9997, 9998
 or 9999).

245	710	250	1297	Blank	= Blank, inapplicable
1053	5085	1930	8283	0737-1092	= Before 1991
255	688	266	1267	1093-1150	= 1991 or later

1995 NATIONAL SURVEY OF FAMILY GROWTH
 File Documentation
 Respondent File (Section E Questionnaire Items)

VARIABLE NAME	COLUMN LOCATION	NON-HISPANIC			QX TEXT AND CODE CATEGORIES	
		HISP	WHITE	BLACK	TOTAL	
[FIRSME00]	6858-6859					The very first time you ever used a birth control method, which method on Card E-3 did you use? If you used more than one method that first time, please tell me about each one. For example, a woman's partner might use a condom and she might use the pill on the same occasion.
						Inapplicable: R never had sex and never used a birth control method, excluding female sterilization (computed variable RHADSEX coded 2,7,8 or 9 and computed variable EVERUSED = 2); R has had sex but has never used a birth control method (computed variable RHADSEX = 1 and computed variable EVERUSED = 2).
		237	664	223	1215	Blank = Blank, inapplicable
		0	0	0	0	01 = OFFICE USE ONLY
		0	0	0	0	02 = OFFICE USE ONLY
		680	2447	1310	4534	03 = BIRTH CONTROL PILLS
		407	2363	685	3557	04 = CONDOM
		3	15	1	21	05 = PARTNER'S VASECTOMY
		8	90	17	116	06 = DIAPHRAGM
		12	90	29	133	07 = FOAM
		3	10	5	18	08 = JELLY OR CREAM
		0	0	0	0	09 = CERVICAL CAP
		8	36	15	62	10 = SUPPOSITORY, INSERT
		6	21	5	32	11 = TODAY (TM) SPONGE
		0	0	0	0	12 = FEMALE CONDOM, VAGINAL POUCH
		50	51	32	143	13 = IUD, COIL, LOOP
		3	3	4	11	14 = NORPLANT (TM)
		20	5	8	34	15 = DEPO-PROVERA, INJECTABLES
		0	5	0	5	16 = MORNING AFTER PILLS
		23	117	26	186	17 = RHYTHM OR SAFE PERIOD BY CALENDAR
		3	11	0	16	18 = SAFE PERIOD BY TEMP, CERVICAL MUCUS TEST, NFP
		85	546	82	744	19 = WITHDRAWAL
		2	2	1	6	20 = RESPONDENT STERILE
		0	1	1	3	21 = PARTNER STERILE (NOT ON CARD)

(3134)

1995 NATIONAL SURVEY OF FAMILY GROWTH
 File Documentation
 Respondent File (Section E Questionnaire Items)

VARIABLE NAME	COLUMN LOCATION	NON-HISPANIC			TOTAL	QX	TEXT AND CODE CATEGORIES
		HISP	WHITE	BLACK			
		0	0	1	1	22	= OTHER METHOD-NOT SHOWN SEPARATELY
		1	3	0	4	97	= Not Ascertained
		0	0	0	0	98	= Refused
		2	3	1	6	99	= Don't Know

1995 NATIONAL SURVEY OF FAMILY GROWTH
 File Documentation
 Respondent File (Section E Questionnaire Items)

VARIABLE	COLUMN	NON-HISPANIC				QX TEXT AND CODE CATEGORIES
NAME	LOCATION	HISP	WHITE	BLACK		

[FIRSME01] 6860-6861

The very first time you ever used a birth control method, which method on Card E-3 did you use? If you used more than one method that first time, please tell me about each one. For example, a woman's partner might use a condom and she might use the pill on the same occasion.

Inapplicable:

R never had sex and never used a birth control method, excluding female sterilization (computed variable RHADSEX coded 2,7,8 or 9 and computed variable EVERUSED = 2); R has had sex but has never used a birth control method (computed variable RHADSEX = 1 and computed variable EVERUSED = 2); or R reported using fewer than 2 BC methods the first time she ever used a method.

1495	6212	2308	10363	Blank	= Blank, inapplicable
0	0	0	0	01	= OFFICE USE ONLY
0	0	0	0	02	= OFFICE USE ONLY
0	7	7	14	03	= BIRTH CONTROL PILLS
22	132	95	258	04	= CONDOM
0	0	0	0	05	= PARTNER'S VASECTOMY
1	5	1	7	06	= DIAPHRAGM
6	46	14	68	07	= FOAM
3	16	3	23	08	= JELLY OR CREAM
0	0	0	0	09	= CERVICAL CAP
2	10	5	17	10	= SUPPOSITORY, INSERT
1	2	1	5	11	= TODAY (TM) SPONGE
1	0	0	1	12	= FEMALE CONDOM, VAGINAL POUCH
2	1	0	3	13	= IUD, COIL, LOOP
0	0	2	2	14	= NORPLANT (TM)
5	0	1	6	15	= DEPO-PROVERA, INJECTABLES
0	0	0	0	16	= MORNING AFTER PILLS
5	10	1	16	17	= RHYTHM OR SAFE PERIOD BY CALENDAR
0	0	0	1	18	= SAFE PERIOD BY TEMP, CERVICAL MUCUS TEST, NFP
6	35	8	52	19	= WITHDRAWAL

1995 NATIONAL SURVEY OF FAMILY GROWTH
 File Documentation
 Respondent File (Section E Questionnaire Items)

VARIABLE NAME	COLUMN LOCATION	NON-HISPANIC			TOTAL	QX	TEXT AND CODE CATEGORIES
		HISP	WHITE	BLACK			
		1	1	0	2	20	= RESPONDENT STERILE
		0	0	0	0	21	= PARTNER STERILE (NOT ON CARD)
		0	0	0	0	22	= OTHER METHOD-NOT SHOWN SEPARATELY
		1	3	0	4	97	= Not Ascertained
		0	0	0	0	98	= Refused
		2	3	0	5	99	= Don't Know

1995 NATIONAL SURVEY OF FAMILY GROWTH
 File Documentation
 Respondent File (Section E Questionnaire Items)

VARIABLE	COLUMN	NON-HISPANIC				QX TEXT AND CODE CATEGORIES
NAME	LOCATION	HISP	WHITE	BLACK		

[FIRSME02] 6862-6863

The very first time you ever used a birth control method, which method on Card E-3 did you use? If you used more than one method that first time, please tell me about each one. For example, a woman's partner might use a condom and she might use the pill on the same occasion.

Inapplicable:
 R never had sex and never used a birth control method, excluding female sterilization (computed variable RHADSEX coded 2,7,8 or 9 and computed variable EVERUSED = 2); R has had sex but has never used a birth control method (computed variable RHADSEX = 1 and computed variable EVERUSED = 2); or R reported using fewer than 3 BC methods the first time she ever used a method.

1544	6463	2442	10812	Blank	= Blank, inapplicable
0	0	0	0	01	= OFFICE USE ONLY
0	0	0	0	02	= OFFICE USE ONLY
0	0	0	0	03	= BIRTH CONTROL PILLS
0	0	1	1	04	= CONDOM
0	0	0	0	05	= PARTNER'S VASECTOMY
0	1	0	1	06	= DIAPHRAGM
0	3	3	6	07	= FOAM
0	1	0	1	08	= JELLY OR CREAM
0	0	0	0	09	= CERVICAL CAP
0	0	0	0	10	= SUPPOSITORY, INSERT
1	0	0	1	11	= TODAY (TM) SPONGE
0	0	0	0	12	= FEMALE CONDOM, VAGINAL POUCH
1	1	0	2	13	= IUD, COIL, LOOP
0	0	0	0	14	= NORPLANT (TM)
1	0	0	1	15	= DEPO-PROVERA, INJECTABLES
0	0	0	0	16	= MORNING AFTER PILLS
1	2	0	4	17	= RHYTHM OR SAFE PERIOD BY CALENDAR
0	0	0	0	18	= SAFE PERIOD BY TEMP, CERVICAL MUCUS TEST, NFP
2	6	0	9	19	= WITHDRAWAL

(3138)

1995 NATIONAL SURVEY OF FAMILY GROWTH
 File Documentation
 Respondent File (Section E Questionnaire Items)

VARIABLE NAME	COLUMN LOCATION	NON-HISPANIC			TOTAL	QX	TEXT AND CODE CATEGORIES
		HISP	WHITE	BLACK			
		0	0	0	0	20	= RESPONDENT STERILE
		0	0	0	0	21	= PARTNER STERILE (NOT ON CARD)
		0	0	0	0	22	= OTHER METHOD-NOT SHOWN SEPARATELY
		1	3	0	4	97	= Not Ascertained
		0	0	0	0	98	= Refused
		2	3	0	5	99	= Don't Know

1995 NATIONAL SURVEY OF FAMILY GROWTH
 File Documentation
 Respondent File (Section E Questionnaire Items)

VARIABLE COLUMN NON-HISPANIC
 NAME LOCATION HISP WHITE BLACK TOTAL QX TEXT AND CODE CATEGORIES

[FIRSME03] 6864-6865

The very first time you ever used a birth control method, which method on Card E-3 did you use? If you used more than one method that first time, please tell me about each one. For example, a woman's partner might use a condom and she might use the pill on the same occasion.

Inapplicable:

R never had sex and never used a birth control method, excluding female sterilization (computed variable RHADSEX coded 2,7,8 or 9 and computed variable EVERUSED = 2); R has had sex but has never used a birth control method (computed variable RHADSEX = 1 and computed variable EVERUSED = 2); or R reported using fewer than 4 BC methods the first time she ever used a method.

1549	6475	2445	10833	Blank	= Blank, inapplicable
0	0	0	0	01	= OFFICE USE ONLY
0	0	0	0	02	= OFFICE USE ONLY
0	0	0	0	03	= BIRTH CONTROL PILLS
0	0	0	0	04	= CONDOM
0	0	0	0	05	= PARTNER'S VASECTOMY
0	0	0	0	06	= DIAPHRAGM
0	0	0	0	07	= FOAM
0	0	0	0	08	= JELLY OR CREAM
0	0	0	0	09	= CERVICAL CAP
0	0	0	0	10	= SUPPOSITORY, INSERT
0	0	1	1	11	= TODAY (TM) SPONGE
0	0	0	0	12	= FEMALE CONDOM, VAGINAL POUCH
0	0	0	0	13	= IUD, COIL, LOOP
0	0	0	0	14	= NORPLANT (TM)
1	0	0	1	15	= DEPO-PROVERA, INJECTABLES
0	0	0	0	16	= MORNING AFTER PILLS
0	0	0	0	17	= RHYTHM OR SAFE PERIOD BY CALENDAR
0	1	0	1	18	= SAFE PERIOD BY TEMP, CERVICAL MUCUS TEST, NFP
0	1	0	2	19	= WITHDRAWAL

(3140)

1995 NATIONAL SURVEY OF FAMILY GROWTH
 File Documentation
 Respondent File (Section E Questionnaire Items)

VARIABLE NAME	COLUMN LOCATION	NON-HISPANIC			TOTAL	QX	TEXT AND CODE CATEGORIES
		HISP	WHITE	BLACK			
		0	0	0	0	20	= RESPONDENT STERILE
		0	0	0	0	21	= PARTNER STERILE (NOT ON CARD)
		0	0	0	0	22	= OTHER METHOD-NOT SHOWN SEPARATELY
		1	3	0	4	97	= Not Ascertained
		0	0	0	0	98	= Refused
		2	3	0	5	99	= Don't Know

1995 NATIONAL SURVEY OF FAMILY GROWTH
 File Documentation
 Respondent File (Section E Questionnaire Items)

VARIABLE	COLUMN	NON-HISPANIC				QX TEXT AND CODE CATEGORIES
NAME	LOCATION	HISP	WHITE	BLACK		

[FIRSME04] 6866-6867

The very first time you ever used a birth control method, which method on Card E-3 did you use? If you used more than one method that first time, please tell me about each one. For example, a woman's partner might use a condom and she might use the pill on the same occasion.

Inapplicable:

R never had sex and never used a birth control method, excluding female sterilization (computed variable RHADSEX coded 2,7,8 or 9 and computed variable EVERUSED = 2); R has had sex but has never used a birth control method (computed variable RHADSEX = 1 and computed variable EVERUSED = 2); or R reported using fewer than 5 BC methods the first time she ever used a method.

1550	6477	2446	10838	Blank	= Blank, inapplicable
0	0	0	0	01	= OFFICE USE ONLY
0	0	0	0	02	= OFFICE USE ONLY
0	0	0	0	03	= BIRTH CONTROL PILLS
0	0	0	0	04	= CONDOM
0	0	0	0	05	= PARTNER'S VASECTOMY
0	0	0	0	06	= DIAPHRAGM
0	0	0	0	07	= FOAM
0	0	0	0	08	= JELLY OR CREAM
0	0	0	0	09	= CERVICAL CAP
0	0	0	0	10	= SUPPOSITORY, INSERT
0	0	0	0	11	= TODAY (TM) SPONGE
0	0	0	0	12	= FEMALE CONDOM, VAGINAL POUCH
0	0	0	0	13	= IUD, COIL, LOOP
0	0	0	0	14	= NORPLANT (TM)
0	0	0	0	15	= DEPO-PROVERA, INJECTABLES
0	0	0	0	16	= MORNING AFTER PILLS
0	0	0	0	17	= RHYTHM OR SAFE PERIOD BY CALENDAR
0	0	0	0	18	= SAFE PERIOD BY TEMP, CERVICAL MUCUS TEST, NFP
0	0	0	0	19	= WITHDRAWAL

(3142)

1995 NATIONAL SURVEY OF FAMILY GROWTH
 File Documentation
 Respondent File (Section E Questionnaire Items)

VARIABLE NAME	COLUMN LOCATION	NON-HISPANIC			TOTAL	QX	TEXT AND CODE CATEGORIES
		HISP	WHITE	BLACK			
		0	0	0	0	20	= RESPONDENT STERILE
		0	0	0	0	21	= PARTNER STERILE (NOT ON CARD)
		0	0	0	0	22	= OTHER METHOD-NOT SHOWN SEPARATELY
		1	3	0	4	97	= Not Ascertained
		0	0	0	0	98	= Refused
		2	3	0	5	99	= Don't Know

1995 NATIONAL SURVEY OF FAMILY GROWTH
 File Documentation
 Respondent File (Section E Questionnaire Items)

VARIABLE NAME	COLUMN LOCATION	NON-HISPANIC			QX	TEXT AND CODE CATEGORIES	
		HISP	WHITE	BLACK			TOTAL
[FIRSTIME]	6868-6868					<p>Please look at Card E-4. Thinking again of the very first time you ever used a method of birth control, was it (before your first (voluntary) intercourse), the first time you had (voluntary) intercourse, less than a month after your first (voluntary) intercourse, one to three months after first (voluntary) intercourse, four to twelve months after first (voluntary) intercourse, or more than twelve months after first (voluntary) intercourse?</p> <p>Inapplicable: R never had sex and never used a birth control method (computed variable RHADSEX coded 2,7,8 or 9 and computed variable EVERUSED = 2); R has had sex but has never used a birth control method (computed variable RHADSEX = 1 and computed variable EVERUSED = 2); R never had sex (computed variable RHADSEX coded 2,7,8 or 9).</p>	
		237	666	224	1218	Blank	= Blank, inapplicable
		137	1135	415	1720	1	= (Before your first (voluntary) intercourse)
		382	2671	721	3885	2	= The first time you had (voluntary) intercourse
		92	459	152	718	3	= Less than a month after your first (voluntary) intercourse
		87	410	175	695	4	= One to three months after first (voluntary) intercourse
		108	358	194	681	5	= Four to twelve months after first (voluntary) intercourse
		509	765	555	1899	6	= More than 12 months after first (voluntary) intercourse

(3144)

1995 NATIONAL SURVEY OF FAMILY GROWTH
 File Documentation
 Respondent File (Section E Questionnaire Items)

VARIABLE NAME	COLUMN LOCATION	NON-HISPANIC			TOTAL	QX TEXT AND CODE CATEGORIES
		HISP	WHITE	BLACK		
		1	2	0	3	intercourse
		0	7	2	9	= Not Ascertained
		0	10	8	19	= Refused
						= Don't Know

[WNFSTUSE] 6869-6872

We need to know when you first used a birth control method. It is very important that we get this date correct. Now, please look at your calendar, and tell me in what month and year you first used a method (for any reason).

Inapplicable:

R never had sex and never used a birth control method (computed variable RHADSEX coded 2,7,8 or 9 and computed variable EVERUSED = 2); R has had sex but has never used a birth control method (computed variable RHADSEX = 1 and computed variable EVERUSED = 2); or the first time R used a birth control method was the first time she had (voluntary) intercourse (EB-2 FIRSTIME = 2).

619	3335	944	5100	Blank	= Blank, inapplicable
772	2930	1356	5197	0781-1092	= Before Jan 1991
154	193	133	503	1093-1150	= Jan 1991 or later
1	7	1	10	9997	= Not ascertained
0	6	0	6	9998	= Refused
7	12	12	31	9999	= Don't know

1995 NATIONAL SURVEY OF FAMILY GROWTH
 File Documentation
 Respondent File (Section E Questionnaire Items)

VARIABLE	COLUMN	NON-HISPANIC				
NAME	LOCATION	HISP	WHITE	BLACK	TOTAL	QX TEXT AND CODE CATEGORIES

[AGEFSTUS] 6873-6874

How old were you the first time you used a method for any reason?

Inapplicable:
 R never had sex and never used a birth control method (computed variable RHADSEX coded 2,7,8 or 9 and computed variable EVERUSED = 2); R has had sex but has never used a birth control method (computed variable RHADSEX = 1 and computed variable EVERUSED = 2); or the first time R used a birth control method was the first time she had (voluntary) intercourse (EB-2 FIRSTMOM = 2).

619	3335	944	5100	Blank	= Blank, inapplicable
0	0	1	1	09	= 9 years
0	2	1	3	10	= 10 years
1	6	8	15	11	= 11 years
3	25	21	50	12	= 12 years
7	65	67	141	13	= 13 years
22	135	105	269	14	= 14 years
54	261	188	510	15	= 15 years
76	428	219	736	16	= 16 years
92	455	215	772	17	= 17 years
104	515	219	854	18	= 18 years
125	401	147	685	19	= 19 years
94	267	82	454	20	= 20 years
81	181	64	339	21	= 21 years
52	120	43	228	22	= 22 years
62	86	32	186	23	= 23 years
26	50	20	103	24	= 24 years
31	37	18	95	25	= 25 years
16	26	10	57	26	= 26 years
24	15	8	54	27	= 27 years
15	17	7	41	28	= 28 years
10	8	3	27	29	= 29 years
11	7	3	24	30	= 30 years
5	4	0	11	31	= 31 years
2	6	3	15	32	= 32 years
2	3	1	7	33	= 33 years
3	3	2	8	34	= 34 years
1	1	0	3	35	= 35 years
1	0	1	4	36	= 36 years
1	2	1	5	37	= 37 years
1	1	1	3	38	= 38 years

(3146)

1995 NATIONAL SURVEY OF FAMILY GROWTH
 File Documentation
 Respondent File (Section E Questionnaire Items)

VARIABLE NAME	COLUMN LOCATION	NON-HISPANIC			TOTAL	QX	TEXT AND CODE CATEGORIES
		HISP	WHITE	BLACK			
		1	1	0	2	39	= 39 years
		0	0	1	1	40	= 40 years
		1	0	0	1	41	= 41 years
		0	0	0	0	42	= 42 years
		1	0	0	1	43	= 43 years
		2	4	0	7	97	= Not ascertained
		0	8	0	8	98	= Refused
		7	8	11	27	99	= Don't know

1995 NATIONAL SURVEY OF FAMILY GROWTH
 File Documentation
 Respondent File (Section E Questionnaire Items)

VARIABLE NAME	COLUMN LOCATION	NON-HISPANIC			TOTAL	QX TEXT AND CODE CATEGORIES
		HISP	WHITE	BLACK		
[PLACGOT0]	6875-6876					Please look at Card E-5. Where did you get the (prescription for the) FIRST METHOD (you used as your first birth control method)?
						Inapplicable: R never had sex and never used a birth control method (computed variable RHADSEX coded 2,7,8 or 9 and computed variable EVERUSED = 2); R has had sex but has never used a birth control method (computed variable RHADSEX = 1 and computed variable EVERUSED = 2); R is age 25 or older (coded 25+ in AA-1 AGE); or R is under age 25 and first method used was not a drug or device (coded 14-24 in AA-1 AGE and method was not a drug or device).
		1256	5377	1959	8908	Blank = Blank, inapplicable
		77	161	188	438	01 = Clinic
		52	178	74	312	02 = Private doctor's office, or HMO
		11	40	10	62	03 = Other place
		1	1	1	3	04 = HOSPITAL-EMERGENCY ROOM
		5	2	8	16	05 = HOSPITAL-NOT EMERGENCY ROOM
		3	8	3	14	06 = School or college
		3	1	3	7	07 = Military facility
		0	0	1	1	08 = Home
		59	281	72	422	09 = Pharmacy, drug store, other store
		82	421	124	644	10 = Male partner supplied it, from some other place
		0	0	0	0	97 = Not Ascertained
		1	0	0	1	98 = Refused
		3	13	3	19	99 = Don't Know

1995 NATIONAL SURVEY OF FAMILY GROWTH
 File Documentation
 Respondent File (Section E Questionnaire Items)

VARIABLE	COLUMN	NON-HISPANIC				QX TEXT AND CODE CATEGORIES
NAME	LOCATION	HISP	WHITE	BLACK	TOTAL	

[PLACGOT1] 6877-6878

Please look at Card E-5. Where did you get the (prescription for the) FIRST METHOD (you used as your first birth control method)?

Inapplicable:

R never had sex and never used a birth control method (computed variable RHADSEX coded 2,7,8 or 9 and computed variable EVERUSED = 2); R has had sex but has never used a birth control method (computed variable RHADSEX = 1 and computed variable EVERUSED = 2); R is age 25 or older (coded 25+ in AA-1 AGE); or R is under age 25 and first method used was not a drug or device (coded 14-24 in AA-1 AGE and method was not a drug or device); or R reported fewer than 2 drug/device BC methods the first time she ever used a method.

1538	6416	2396	10711	Blank	= Blank, inapplicable
8	20	22	50	01	= Clinic
0	1	9	10	02	= Private doctor's office, or HMO
0	4	1	5	03	= Other place
0	0	0	0	04	= HOSPITAL-EMERGENCY ROOM
0	0	1	1	05	= HOSPITAL-NOT EMERGENCY ROOM
0	0	1	1	06	= School or college
0	0	0	0	07	= Military facility
0	0	0	0	08	= Home
1	23	8	34	09	= Pharmacy, drug store, other store
6	18	7	33	10	= Male partner supplied it, from some other place
0	0	0	0	97	= Not Ascertained
0	0	0	0	98	= Refused
0	1	1	2	99	= Don't Know

1995 NATIONAL SURVEY OF FAMILY GROWTH
 File Documentation
 Respondent File (Section E Questionnaire Items)

VARIABLE	COLUMN	NON-HISPANIC			QX TEXT AND CODE CATEGORIES
NAME	LOCATION	HISP	WHITE	BLACK	TOTAL

[PLACGOT2] 6879-6880

Please look at Card E-5. Where did you get the (prescription for the) FIRST METHOD (you used as your first birth control method)?

Inapplicable:

R never had sex and never used a birth control method (computed variable RHADSEX coded 2,7,8 or 9 and computed variable EVERUSED = 2); R has had sex but has never used a birth control method (computed variable RHADSEX = 1 and computed variable EVERUSED = 2); R is age 25 or older (coded 25+ in AA-1 AGE); or R is under age 25 and first method used was not a drug or device (coded 14-24 in AA-1 AGE and method was not a drug or device); or R reported fewer than 3 drug/device BC methods the first time she ever used a method.

1553	6483	2444	10845	Blank	= Blank, inapplicable
0	0	2	2	01	= Clinic
0	0	0	0	02	= Private doctor's office, or HMO
0	0	0	0	03	= Other place
0	0	0	0	04	= HOSPITAL-EMERGENCY ROOM
0	0	0	0	05	= HOSPITAL-NOT EMERGENCY ROOM
0	0	0	0	06	= School or college
0	0	0	0	07	= Military facility
0	0	0	0	08	= Home
0	0	0	0	09	= Pharmacy, drug store, other store
0	0	0	0	10	= Male partner supplied it, from some other place
0	0	0	0	97	= Not Ascertained
0	0	0	0	98	= Refused
0	0	0	0	99	= Don't Know

1995 NATIONAL SURVEY OF FAMILY GROWTH
 File Documentation
 Respondent File (Section E Questionnaire Items)

VARIABLE	COLUMN	NON-HISPANIC				
NAME	LOCATION	HISP	WHITE	BLACK	TOTAL	QX TEXT AND CODE CATEGORIES

[PLACGOT3] 6881-6882

Please look at Card E-5. Where did you get the (prescription for the) FIRST METHOD (you used as your first birth control method)?

Inapplicable:

R never had sex and never used a birth control method (computed variable RHADSEX coded 2,7,8 or 9 and computed variable EVERUSED = 2); R has had sex but has never used a birth control method (computed variable RHADSEX = 1 and computed variable EVERUSED = 2); R is age 25 or older (coded 25+ in AA-1 AGE); or R is under age 25 and first method used was not a drug or device (coded 14-24 in AA-1 AGE and method was not a drug or device); or R reported fewer than 4 drug/device BC methods the first time she ever used a method.

1553	6483	2446	10847	Blank	= Blank, inapplicable
0	0	0	0	01	= Clinic
0	0	0	0	02	= Private doctor's office, or HMO
0	0	0	0	03	= Other place
0	0	0	0	04	= HOSPITAL-EMERGENCY ROOM
0	0	0	0	05	= HOSPITAL-NOT EMERGENCY ROOM
0	0	0	0	06	= School or college
0	0	0	0	07	= Military facility
0	0	0	0	08	= Home
0	0	0	0	09	= Pharmacy, drug store, other store
0	0	0	0	10	= Male partner supplied it, from some other place
0	0	0	0	97	= Not Ascertained
0	0	0	0	98	= Refused
0	0	0	0	99	= Don't Know

1995 NATIONAL SURVEY OF FAMILY GROWTH
 File Documentation
 Respondent File (Section E Questionnaire Items)

VARIABLE	COLUMN	NON-HISPANIC				
NAME	LOCATION	HISP	WHITE	BLACK	TOTAL	QX TEXT AND CODE CATEGORIES

[PLACGOT4] 6883-6884

Please look at Card E-5. Where did you get the (prescription for the) FIRST METHOD (you used as your first birth control method)?

Inapplicable:
 R never had sex and never used a birth control method (computed variable RHADSEX coded 2,7,8 or 9 and computed variable EVERUSED = 2); R has had sex but has never used a birth control method (computed variable RHADSEX = 1 and computed variable EVERUSED = 2); R is age 25 or older (coded 25+ in AA-1 AGE); or R is under age 25 and first method used was not a drug or device (coded 14-24 in AA-1 AGE and method was not a drug or device); or R reported fewer than 5 drug/device BC methods the first time she ever used a method.

1553	6483	2446	10847	Blank	= Blank, inapplicable
0	0	0	0	01	= Clinic
0	0	0	0	02	= Private doctor's office, or HMO
0	0	0	0	03	= Other place
0	0	0	0	04	= HOSPITAL-EMERGENCY ROOM
0	0	0	0	05	= HOSPITAL-NOT EMERGENCY ROOM
0	0	0	0	06	= School or college
0	0	0	0	07	= Military facility
0	0	0	0	08	= Home
0	0	0	0	09	= Pharmacy, drug store, other store
0	0	0	0	10	= Male partner supplied it, from some other place
0	0	0	0	97	= Not Ascertained
0	0	0	0	98	= Refused
0	0	0	0	99	= Don't Know

1995 NATIONAL SURVEY OF FAMILY GROWTH
 File Documentation
 Respondent File (Section E Questionnaire Items)

VARIABLE NAME	COLUMN LOCATION	NON-HISPANIC			TOTAL	QX TEXT AND CODE CATEGORIES
		HISP	WHITE	BLACK		
[ATFIRST]	6885-6885					Used method at 1st sex (computed). IF R USED A METHOD AT FIRST SEX (EB- 6 USEFSTSX coded 1) or R's FIRST METHOD USE WAS AT TIME OF FIRST SEX (EB-2 FIRTIME coded 2), computed variable ATFIRST = YES (1). ELSE, computed variable ATFIRST = NO (2).
						Computed for all Rs.
		237	664	223	1215	Blank = Blank, inapplicable
		494	3669	1067	5362	1 = YES
		822	2150	1156	4270	2 = NO
		0	0	0	0	7 = Not Ascertained
		0	0	0	0	8 = Refused
		0	0	0	0	9 = Don't Know

1995 NATIONAL SURVEY OF FAMILY GROWTH
 File Documentation
 Respondent File (Section E Questionnaire Items)

VARIABLE NAME	COLUMN LOCATION	NON-HISPANIC			TOTAL	QX TEXT AND CODE CATEGORIES
		HISP	WHITE	BLACK		
[MTHFST0]	6886-6887					Method Used at 1st Sex-1st (Computed). IF R's FIRST METHOD USE WAS AT TIME OF FIRST SEX (EB-2 FIRSTIME coded 2), EB-5a MTHFSTn = EB-1 FIRSMEnn. ELSE IF R USED A METHOD AT FIRST SEX (EB-6 USEFSTSX coded 1), EB-5a MTHFSTn = EB-7 MTHFSTSn.
						Inapplicable: R has never used a method (computed variable EVERUSED = 2); or R did not report using her first method at the time of first sex (EB-2 FIRSTIME NE 2) and R did not report using a method at time of first sex (EB-6 USEFSTSX NE 1).
		1057	2800	1369	5458	Blank = Blank, inapplicable
		0	0	0	0	01 = OFFICE USE ONLY
		0	0	0	0	02 = OFFICE USE ONLY
		153	1171	458	1813	03 = BIRTH CONTROL PILLS
		259	1826	502	2651	04 = CONDOM
		2	14	0	16	05 = PARTNER'S VASECTOMY
		3	47	5	55	06 = DIAPHRAGM
		3	39	12	54	07 = FOAM
		1	6	3	10	08 = JELLY OR CREAM
		0	0	0	0	09 = CERVICAL CAP
		2	24	9	36	10 = SUPPOSITORY, INSERT
		1	12	3	16	11 = TODAY (TM) SPONGE
		0	0	0	0	12 = FEMALE CONDOM, VAGINAL POUCH
		2	8	2	12	13 = IUD, COIL, LOOP
		0	2	0	2	14 = NORPLANT (TM)
		0	1	1	2	15 = DEPO-PROVERA, INJECTABLES
		0	4	0	4	16 = MORNING AFTER PILLS
		7	66	12	94	17 = RHYTHM OR SAFE PERIOD BY CALENDAR
		1	6	0	8	18 = SAFE PERIOD BY TEMP, CERVICAL MUCUS TEST, NFP
		61	456	68	610	19 = WITHDRAWAL
		0	0	0	1	20 = RESPONDENT STERILE
		0	1	0	2	21 = PARTNER STERILE (NOT ON CARD)
		1	0	2	3	22 = OTHER METHOD-NOT SHOWN SEPARATELY

(3154)

1995 NATIONAL SURVEY OF FAMILY GROWTH
 File Documentation
 Respondent File (Section E Questionnaire Items)

VARIABLE NAME	COLUMN LOCATION	NON-HISPANIC			TOTAL	QX	TEXT AND CODE CATEGORIES
		HISP	WHITE	BLACK			
		0	0	0	0	97	= Not Ascertained
		0	0	0	0	98	= Refused
		0	0	0	0	99	= Don't Know

1995 NATIONAL SURVEY OF FAMILY GROWTH
 File Documentation
 Respondent File (Section E Questionnaire Items)

VARIABLE NAME	COLUMN LOCATION	NON-HISPANIC			QX TEXT AND CODE CATEGORIES	
		HISP	WHITE	BLACK	TOTAL	
[MTHFST1]	6888-6889					Method Used at 1st Sex-1st (Computed). IF R's FIRST METHOD USE WAS AT TIME OF FIRST SEX (EB-2 FIRSTIME coded 2), EB-5a MTHFSTn = EB-1 FIRSMEnn. ELSE IF R USED A METHOD AT FIRST SEX (EB-6 USEFSTSX coded 1), EB-5a MTHFSTn = EB-7 MTHFSTSn.
						Inapplicable: R has never used a method (computed variable EVERUSED = 2); or R did not report using her first method at the time of first sex (EB-2 FIRSTIME NE 2) and R did not report using a method at time of first sex (EB-6 USEFSTSX NE 1); or R reported using fewer than 2 BC methods the first time she ever had sex.
		1520	6232	2335	10441	Blank = Blank, inapplicable
		0	0	0	0	01 = OFFICE USE ONLY
		0	0	0	0	02 = OFFICE USE ONLY
		0	6	7	13	03 = BIRTH CONTROL PILLS
		17	143	83	250	04 = CONDOM
		0	0	0	0	05 = PARTNER'S VASECTOMY
		1	5	1	7	06 = DIAPHRAGM
		5	30	5	41	07 = FOAM
		3	14	3	21	08 = JELLY OR CREAM
		0	0	0	0	09 = CERVICAL CAP
		1	8	3	12	10 = SUPPOSITORY, INSERT
		0	3	1	4	11 = TODAY (TM) SPONGE
		1	0	0	1	12 = FEMALE CONDOM, VAGINAL POUCH
		0	0	0	0	13 = IUD, COIL, LOOP
		0	0	1	1	14 = NORPLANT (TM)
		0	0	0	0	15 = DEPO-PROVERA, INJECTABLES
		0	0	0	0	16 = MORNING AFTER PILLS
		2	8	1	11	17 = RHYTHM OR SAFE PERIOD BY CALENDAR
		0	0	0	0	18 = SAFE PERIOD BY TEMP, CERVICAL MUCUS TEST, NFP
		3	33	6	44	19 = WITHDRAWAL
		0	0	0	0	20 = RESPONDENT STERILE
		0	0	0	0	21 = PARTNER STERILE (NOT ON CARD)

(3156)

1995 NATIONAL SURVEY OF FAMILY GROWTH
 File Documentation
 Respondent File (Section E Questionnaire Items)

VARIABLE NAME	COLUMN LOCATION	NON-HISPANIC			TOTAL	QX	TEXT AND CODE CATEGORIES
		HISP	WHITE	BLACK			
		0	1	0	1	22	= OTHER METHOD-NOT SHOWN SEPARATELY
		0	0	0	0	97	= Not Ascertained
		0	0	0	0	98	= Refused
		0	0	0	0	99	= Don't Know

1995 NATIONAL SURVEY OF FAMILY GROWTH
 File Documentation
 Respondent File (Section E Questionnaire Items)

VARIABLE NAME	COLUMN LOCATION	NON-HISPANIC			QX TEXT AND CODE CATEGORIES	
		HISP	WHITE	BLACK	TOTAL	
[MTHFST2]	6890-6891					Method Used at 1st Sex-1st (Computed). IF R's FIRST METHOD USE WAS AT TIME OF FIRST SEX (EB-2 FIRSTIME coded 2), EB-5a MTHFSTn = EB-1 FIRSMEnn. ELSE IF R USED A METHOD AT FIRST SEX (EB-6 USEFSTSX coded 1), EB-5a MTHFSTn = EB-7 MTHFSTSn.
						Inapplicable: R has never used a method (computed variable EVERUSED = 2); or R did not report using her first method at the time of first sex (EB-2 FIRSTIME NE 2) and R did not report using a method at time of first sex (EB-6 USEFSTSX NE 1); or R reported using fewer than 3 BC methods the first time she ever had sex.
		1550	6472	2445	10831	Blank = Blank, inapplicable
		0	0	0	0	01 = OFFICE USE ONLY
		0	0	0	0	02 = OFFICE USE ONLY
		0	0	0	0	03 = BIRTH CONTROL PILLS
		0	0	0	0	04 = CONDOM
		0	0	0	0	05 = PARTNER'S VASECTOMY
		0	1	0	1	06 = DIAPHRAGM
		0	2	1	3	07 = FOAM
		0	2	0	2	08 = JELLY OR CREAM
		0	0	0	0	09 = CERVICAL CAP
		0	0	0	0	10 = SUPPOSITORY, INSERT
		1	0	0	1	11 = TODAY (TM) SPONGE
		0	0	0	0	12 = FEMALE CONDOM, VAGINAL POUCH
		0	0	0	0	13 = IUD, COIL, LOOP
		0	0	0	0	14 = NORPLANT (TM)
		0	0	0	0	15 = DEPO-PROVERA, INJECTABLES
		0	0	0	0	16 = MORNING AFTER PILLS
		1	1	0	3	17 = RHYTHM OR SAFE PERIOD BY CALENDAR
		0	0	0	0	18 = SAFE PERIOD BY TEMP, CERVICAL MUCUS TEST, NFP
		1	5	0	6	19 = WITHDRAWAL
		0	0	0	0	20 = RESPONDENT STERILE
		0	0	0	0	21 = PARTNER STERILE (NOT ON CARD)

(3158)

1995 NATIONAL SURVEY OF FAMILY GROWTH
 File Documentation
 Respondent File (Section E Questionnaire Items)

VARIABLE NAME	COLUMN LOCATION	NON-HISPANIC			TOTAL	QX	TEXT AND CODE CATEGORIES
		HISP	WHITE	BLACK			
		0	0	0	0	22	= OTHER METHOD-NOT SHOWN SEPARATELY
		0	0	0	0	97	= Not Ascertained
		0	0	0	0	98	= Refused
		0	0	0	0	99	= Don't Know

1995 NATIONAL SURVEY OF FAMILY GROWTH
 File Documentation
 Respondent File (Section E Questionnaire Items)

VARIABLE NAME	COLUMN LOCATION	NON-HISPANIC			QX TEXT AND CODE CATEGORIES	
		HISP	WHITE	BLACK	TOTAL	
[MTHFST3]	6892-6893					Method Used at 1st Sex-1st (Computed). IF R's FIRST METHOD USE WAS AT TIME OF FIRST SEX (EB-2 FIRSTIME coded 2), EB-5a MTHFSTn = EB-1 FIRSMEnn. ELSE IF R USED A METHOD AT FIRST SEX (EB-6 USEFSTSX coded 1), EB-5a MTHFSTn = EB-7 MTHFSTSn.
						Inapplicable: R has never used a method (computed variable EVERUSED = 2); or R did not report using her first method at the time of first sex (EB-2 FIRSTIME NE 2) and R did not report using a method at time of first sex (EB-6 USEFSTSX NE 1); or R reported using fewer than 4 BC methods the first time she ever had sex.
		1552	6482	2445	10843	Blank = Blank, inapplicable
		0	0	0	0	01 = OFFICE USE ONLY
		0	0	0	0	02 = OFFICE USE ONLY
		0	0	0	0	03 = BIRTH CONTROL PILLS
		0	0	0	0	04 = CONDOM
		0	0	0	0	05 = PARTNER'S VASECTOMY
		0	0	0	0	06 = DIAPHRAGM
		0	0	0	0	07 = FOAM
		0	0	0	0	08 = JELLY OR CREAM
		0	0	0	0	09 = CERVICAL CAP
		0	0	0	0	10 = SUPPOSITORY, INSERT
		0	0	1	1	11 = TODAY (TM) SPONGE
		0	0	0	0	12 = FEMALE CONDOM, VAGINAL POUCH
		0	0	0	0	13 = IUD, COIL, LOOP
		0	0	0	0	14 = NORPLANT (TM)
		0	0	0	0	15 = DEPO-PROVERA, INJECTABLES
		0	0	0	0	16 = MORNING AFTER PILLS
		0	0	0	0	17 = RHYTHM OR SAFE PERIOD BY CALENDAR
		0	1	0	1	18 = SAFE PERIOD BY TEMP, CERVICAL MUCUS TEST, NFP
		1	0	0	2	19 = WITHDRAWAL
		0	0	0	0	20 = RESPONDENT STERILE
		0	0	0	0	21 = PARTNER STERILE (NOT ON CARD)

1995 NATIONAL SURVEY OF FAMILY GROWTH
 File Documentation
 Respondent File (Section E Questionnaire Items)

VARIABLE NAME	COLUMN LOCATION	NON-HISPANIC			TOTAL	QX	TEXT	AND	CODE	CATEGORIES
		HISP	WHITE	BLACK						
		0	0	0	0	22				= OTHER METHOD-NOT SHOWN SEPARATELY
		0	0	0	0	97				= Not Ascertained
		0	0	0	0	98				= Refused
		0	0	0	0	99				= Don't Know

1995 NATIONAL SURVEY OF FAMILY GROWTH
 File Documentation
 Respondent File (Section E Questionnaire Items)

VARIABLE NAME	COLUMN LOCATION	NON-HISPANIC			QX TEXT AND CODE CATEGORIES	
		HISP	WHITE	BLACK	TOTAL	
[MTHFST4]	6894-6895					Method Used at 1st Sex-1st (Computed). IF R's FIRST METHOD USE WAS AT TIME OF FIRST SEX (EB-2 FIRSTIME coded 2), EB-5a MTHFSTn = EB-1 FIRSMEnn. ELSE IF R USED A METHOD AT FIRST SEX (EB-6 USEFSTSX coded 1), EB-5a MTHFSTn = EB-7 MTHFSTSn.
						Inapplicable: R has never used a method (computed variable EVERUSED = 2); or R did not report using her first method at the time of first sex (EB-2 FIRSTIME NE 2) and R did not report using a method at time of first sex (EB-6 USEFSTSX NE 1); or R reported using fewer than 5 BC methods the first time she ever had sex.
		1553	6483	2446	10847	Blank = Blank, inapplicable
		0	0	0	0	01 = OFFICE USE ONLY
		0	0	0	0	02 = OFFICE USE ONLY
		0	0	0	0	03 = BIRTH CONTROL PILLS
		0	0	0	0	04 = CONDOM
		0	0	0	0	05 = PARTNER'S VASECTOMY
		0	0	0	0	06 = DIAPHRAGM
		0	0	0	0	07 = FOAM
		0	0	0	0	08 = JELLY OR CREAM
		0	0	0	0	09 = CERVICAL CAP
		0	0	0	0	10 = SUPPOSITORY, INSERT
		0	0	0	0	11 = TODAY (TM) SPONGE
		0	0	0	0	12 = FEMALE CONDOM, VAGINAL POUCH
		0	0	0	0	13 = IUD, COIL, LOOP
		0	0	0	0	14 = NORPLANT (TM)
		0	0	0	0	15 = DEPO-PROVERA, INJECTABLES
		0	0	0	0	16 = MORNING AFTER PILLS
		0	0	0	0	17 = RHYTHM OR SAFE PERIOD BY CALENDAR
		0	0	0	0	18 = SAFE PERIOD BY TEMP, CERVICAL MUCUS TEST, NFP
		0	0	0	0	19 = WITHDRAWAL
		0	0	0	0	20 = RESPONDENT STERILE
		0	0	0	0	21 = PARTNER STERILE (NOT ON CARD)

(3162)

1995 NATIONAL SURVEY OF FAMILY GROWTH
 File Documentation
 Respondent File (Section E Questionnaire Items)

VARIABLE NAME	COLUMN LOCATION	NON-HISPANIC			TOTAL	QX	TEXT AND CODE CATEGORIES
		HISP	WHITE	BLACK			
		0	0	0	0	22	= OTHER METHOD-NOT SHOWN SEPARATELY
		0	0	0	0	97	= Not Ascertained
		0	0	0	0	98	= Refused
		0	0	0	0	99	= Don't Know

[USEFSTSX] 6896-6896

Did you use any birth control method the first time you had (voluntary) intercourse?

Inapplicable:

R never had sex and never used a birth control method (computed variable RHADSEX coded 2,7,8 or 9 and computed variable EVERUSED = 2); R has had sex but has never used a birth control method (computed variable RHADSEX = 1 and computed variable EVERUSED = 2); or R first used a method of birth control at or after first (voluntary) sex (EB-2 FIRSTIME NE 1).

1427	5433	2062	9261	Blank	= Blank, inapplicable
112	998	346	1477	1	= YES
13	48	37	102	2	= NO
1	4	1	7	7	= Not Ascertained
0	0	0	0	8	= Refused
0	0	0	0	9	= Don't Know

1995 NATIONAL SURVEY OF FAMILY GROWTH
 File Documentation
 Respondent File (Section E Questionnaire Items)

VARIABLE	COLUMN	NON-HISPANIC			QX TEXT AND CODE CATEGORIES
NAME	LOCATION	HISP	WHITE	BLACK	TOTAL

[MTHFSTS0] 6897-6898

Which method did you use the first time you had (voluntary) intercourse? The methods are listed on Card E-6. If you used more than one method at the same time, please tell me about that.

Inapplicable:
 R never had sex and never used a birth control method (computed variable RHADSEX coded 2,7,8 or 9 and computed variable EVERUSED = 2); R has had sex but has never used a birth control method (computed variable RHADSEX = 1 and computed variable EVERUSED = 2); R first used a method of birth control at or after first (voluntary) sex (EB-2 FIRSTIME NE 1); or R did not use any birth control method at first (voluntary)sex (EB-6 USEFSTSX = 2).

1441	5485	2100	9370	Blank	= Blank, inapplicable
0	0	0	0	01	= OFFICE USE ONLY
0	0	0	0	02	= OFFICE USE ONLY
108	967	333	1428	03	= BIRTH CONTROL PILLS
2	14	8	25	04	= CONDOM
0	2	0	2	05	= PARTNER'S VASECTOMY
0	1	1	2	06	= DIAPHRAGM
0	0	0	0	07	= FOAM
0	0	1	1	08	= JELLY OR CREAM
0	0	0	0	09	= CERVICAL CAP
0	0	0	0	10	= SUPPOSITORY, INSERT
0	0	0	0	11	= TODAY (TM) SPONGE
0	0	0	0	12	= FEMALE CONDOM, VAGINAL POUCH
1	5	2	8	13	= IUD, COIL, LOOP
0	0	0	0	14	= NORPLANT (TM)
0	0	1	1	15	= DEPO-PROVERA, INJECTABLES
0	0	0	0	16	= MORNING AFTER PILLS
0	5	0	5	17	= RHYTHM OR SAFE PERIOD BY CALENDAR
0	2	0	2	18	= SAFE PERIOD BY TEMP, CERVICAL MUCUS TEST, NFP
0	2	0	2	19	= WITHDRAWAL
0	0	0	0	20	= RESPONDENT STERILE

(3164)

1995 NATIONAL SURVEY OF FAMILY GROWTH
 File Documentation
 Respondent File (Section E Questionnaire Items)

VARIABLE NAME	COLUMN LOCATION	NON-HISPANIC			QX	TEXT AND CODE CATEGORIES	
		HISP	WHITE	BLACK			TOTAL
		0	0	0	0	21	= PARTNER STERILE (NOT ON CARD)
		1	0	0	1	22	= OTHER METHOD-NOT SHOWN SEPARATELY
		0	0	0	0	97	= Not Ascertained
		0	0	0	0	98	= Refused
		0	0	0	0	99	= Don't Know

1995 NATIONAL SURVEY OF FAMILY GROWTH
 File Documentation
 Respondent File (Section E Questionnaire Items)

VARIABLE COLUMN NON-HISPANIC
 NAME LOCATION HISP WHITE BLACK TOTAL QX TEXT AND CODE CATEGORIES

[MTHFSTS1] 6899-6900

Which method did you use the first time you had (voluntary) intercourse? The methods are listed on Card E-6. If you used more than one method at the same time, please tell me about that.

Inapplicable:

R never had sex and never used a birth control method (computed variable RHADSEX coded 2,7,8 or 9 and computed variable EVERUSED = 2); R has had sex but has never used a birth control method (computed variable RHADSEX = 1 and computed variable EVERUSED = 2); R first used a method of birth control at or after first (voluntary) sex (EB-2 FIRSTTIME NE 1); or R did not use any birth control method at first (voluntary)sex (EB-6 USEFSTSX = 2); or R reported using fewer than 2 BC methods the first time she ever had (voluntary) sex.

1548	6444	2430	10786	Blank	= Blank, inapplicable
0	0	0	0	01	= OFFICE USE ONLY
0	0	0	0	02	= OFFICE USE ONLY
0	1	1	2	03	= BIRTH CONTROL PILLS
4	35	15	55	04	= CONDOM
0	0	0	0	05	= PARTNER'S VASECTOMY
0	0	0	0	06	= DIAPHRAGM
0	0	0	0	07	= FOAM
1	1	0	2	08	= JELLY OR CREAM
0	0	0	0	09	= CERVICAL CAP
0	0	0	0	10	= SUPPOSITORY, INSERT
0	1	0	1	11	= TODAY (TM) SPONGE
0	0	0	0	12	= FEMALE CONDOM, VAGINAL POUCH
0	0	0	0	13	= IUD, COIL, LOOP
0	0	0	0	14	= NORPLANT (TM)
0	0	0	0	15	= DEPO-PROVERA, INJECTABLES
0	0	0	0	16	= MORNING AFTER PILLS
0	0	0	0	17	= RHYTHM OR SAFE PERIOD BY CALENDAR
0	0	0	0	18	= SAFE PERIOD BY TEMP, CERVICAL MUCUS TEST,

(3166)

1995 NATIONAL SURVEY OF FAMILY GROWTH
 File Documentation
 Respondent File (Section E Questionnaire Items)

VARIABLE NAME	COLUMN LOCATION	NON-HISPANIC			TOTAL	QX	TEXT AND CODE CATEGORIES
		HISP	WHITE	BLACK			
		0	1	0	1	19	NFP
		0	0	0	0	20	= WITHDRAWAL
		0	0	0	0	21	= RESPONDENT STERILE
							= PARTNER STERILE (NOT ON CARD)
		0	0	0	0	22	= OTHER METHOD-NOT SHOWN SEPARATELY
		0	0	0	0	97	= Not Ascertained
		0	0	0	0	98	= Refused
		0	0	0	0	99	= Don't Know

1995 NATIONAL SURVEY OF FAMILY GROWTH
 File Documentation
 Respondent File (Section E Questionnaire Items)

VARIABLE NAME	COLUMN LOCATION	NON-HISPANIC			TOTAL	QX	TEXT AND CODE CATEGORIES
		HISP	WHITE	BLACK			
		0	0	0	0	19	NFP = WITHDRAWAL
		0	0	0	0	20	= RESPONDENT STERILE
		0	0	0	0	21	= PARTNER STERILE (NOT ON CARD)
		0	0	0	0	22	= OTHER METHOD-NOT SHOWN SEPARATELY
		0	0	0	0	97	= Not Ascertained
		0	0	0	0	98	= Refused
		0	0	0	0	99	= Don't Know

1995 NATIONAL SURVEY OF FAMILY GROWTH
 File Documentation
 Respondent File (Section E Questionnaire Items)

VARIABLE	COLUMN	NON-HISPANIC								
NAME	LOCATION	HISP	WHITE	BLACK						

[MTHFSTS3] 6903-6904

Which method did you use the first time you had (voluntary) intercourse? The methods are listed on Card E-6. If you used more than one method at the same time, please tell me about that.

Inapplicable:
 R never had sex and never used a birth control method (computed variable RHADSEX coded 2,7,8 or 9 and computed variable EVERUSED = 2); R has had sex but has never used a birth control method (computed variable RHADSEX = 1 and computed variable EVERUSED = 2); R first used a method of birth control at or after first (voluntary) sex (EB-2 FIRSTTIME NE 1); or R did not use any birth control method at first (voluntary)sex (EB-6 USEFSTSX = 2); or R reported using fewer than 4 BC methods the first time she ever had (voluntary) sex.

1553	6483	2446	10847	Blank						
0	0	0	0	0	01	=	Blank, inapplicable			
0	0	0	0	0	02	=	OFFICE USE ONLY			
0	0	0	0	0	03	=	OFFICE USE ONLY			
0	0	0	0	0	04	=	BIRTH CONTROL PILLS			
0	0	0	0	0	05	=	CONDOM			
0	0	0	0	0	06	=	PARTNER'S VASECTOMY			
0	0	0	0	0	07	=	DIAPHRAGM			
0	0	0	0	0	08	=	FOAM			
0	0	0	0	0	09	=	JELLY OR CREAM			
0	0	0	0	0	10	=	CERVICAL CAP			
0	0	0	0	0	11	=	SUPPOSITORY, INSERT			
0	0	0	0	0	12	=	TODAY (TM) SPONGE			
0	0	0	0	0	13	=	FEMALE CONDOM, VAGINAL POUCH			
0	0	0	0	0	14	=	IUD, COIL, LOOP			
0	0	0	0	0	15	=	NORPLANT (TM)			
0	0	0	0	0	16	=	DEPO-PROVERA, INJECTABLES			
0	0	0	0	0	17	=	MORNING AFTER PILLS			
0	0	0	0	0	18	=	RHYTHM OR SAFE PERIOD BY CALENDAR			
0	0	0	0	0	18	=	SAFE PERIOD BY TEMP, CERVICAL MUCUS TEST,			

1995 NATIONAL SURVEY OF FAMILY GROWTH
 File Documentation
 Respondent File (Section E Questionnaire Items)

VARIABLE NAME	COLUMN LOCATION	NON-HISPANIC			TOTAL	QX	TEXT AND CODE CATEGORIES
		HISP	WHITE	BLACK			
		0	0	0	0	19	NFP
		0	0	0	0	20	= WITHDRAWAL
		0	0	0	0	21	= RESPONDENT STERILE
							= PARTNER STERILE (NOT ON CARD)
		0	0	0	0	22	= OTHER METHOD-NOT SHOWN SEPARATELY
		0	0	0	0	97	= Not Ascertained
		0	0	0	0	98	= Refused
		0	0	0	0	99	= Don't Know

1995 NATIONAL SURVEY OF FAMILY GROWTH
 File Documentation
 Respondent File (Section E Questionnaire Items)

VARIABLE	COLUMN	NON-HISPANIC							
NAME	LOCATION	HISP	WHITE	BLACK					

[MTHFSTS4] 6905-6906

Which method did you use the first time you had (voluntary) intercourse? The methods are listed on Card E-6. If you used more than one method at the same time, please tell me about that.

Inapplicable:
 R never had sex and never used a birth control method (computed variable RHADSEX coded 2,7,8 or 9 and computed variable EVERUSED = 2); R has had sex but has never used a birth control method (computed variable RHADSEX = 1 and computed variable EVERUSED = 2); R first used a method of birth control at or after first (voluntary) sex (EB-2 FIRSTTIME NE 1); or R did not use any birth control method at first (voluntary)sex (EB-6 USEFSTSX = 2); or R reported using fewer than 5 BC methods the first time she ever had (voluntary) sex.

1553	6483	2446	10847	Blank					
0	0	0	0	0	01	=	Blank, inapplicable		
0	0	0	0	0	02	=	OFFICE USE ONLY		
0	0	0	0	0	03	=	OFFICE USE ONLY		
0	0	0	0	0	04	=	BIRTH CONTROL PILLS		
0	0	0	0	0	05	=	CONDOM		
0	0	0	0	0	06	=	PARTNER'S VASECTOMY		
0	0	0	0	0	07	=	DIAPHRAGM		
0	0	0	0	0	08	=	FOAM		
0	0	0	0	0	09	=	JELLY OR CREAM		
0	0	0	0	0	10	=	CERVICAL CAP		
0	0	0	0	0	11	=	SUPPOSITORY, INSERT		
0	0	0	0	0	12	=	TODAY (TM) SPONGE		
0	0	0	0	0	13	=	FEMALE CONDOM, VAGINAL POUCH		
0	0	0	0	0	14	=	IUD, COIL, LOOP		
0	0	0	0	0	15	=	NORPLANT (TM)		
0	0	0	0	0	16	=	DEPO-PROVERA, INJECTABLES		
0	0	0	0	0	17	=	MORNING AFTER PILLS		
0	0	0	0	0	18	=	RHYTHM OR SAFE PERIOD BY CALENDAR		
0	0	0	0	0	18	=	SAFE PERIOD BY TEMP, CERVICAL MUCUS TEST,		

1995 NATIONAL SURVEY OF FAMILY GROWTH
File Documentation
Respondent File (Section E Questionnaire Items)

VARIABLE NAME	COLUMN LOCATION	NON-HISPANIC			TOTAL	QX	TEXT AND CODE CATEGORIES
		HISP	WHITE	BLACK			
		0	0	0	0	19	NFP = WITHDRAWAL
		0	0	0	0	20	= RESPONDENT STERILE
		0	0	0	0	21	= PARTNER STERILE (NOT ON CARD)
		0	0	0	0	22	= OTHER METHOD-NOT SHOWN SEPARATELY
		0	0	0	0	97	= Not Ascertained
		0	0	0	0	98	= Refused
		0	0	0	0	99	= Don't Know

[NOFUNAAL] 6907-6907

Many women have times when they are not having intercourse at all, for example, because of pregnancy, separation, not dating anyone, illness, or other reasons. Since (January 1991/the first time you had (voluntary) intercourse), have there been any times when you were not having intercourse at all for one month or more?

Inapplicable:

R never had sex and said no, don't know or refused to all birth control methods in EA series (computed variable RHADSEX coded 2,7,8 or 9 and computed variable EVERUSED = 2); R never had sex (computed variable RHADSEX coded 2,7,8 or 9).

144	593	152	951	Blank	= Blank, inapplicable
678	2999	1210	5050	1	= YES
730	2870	1081	4821	2	= NO
0	0	0	0	7	= Not Ascertained
1	11	3	15	8	= Refused
0	10	0	10	9	= Don't Know

1995 NATIONAL SURVEY OF FAMILY GROWTH
File Documentation
Respondent File (Section E Questionnaire Items)

VARIABLE NAME	COLUMN LOCATION	NON-HISPANIC			TOTAL	QX TEXT AND CODE CATEGORIES
		HISP	WHITE	BLACK		
[STRNOS00]	6908-6911					What months and years were those? (START DATE) (1st PERIOD)
						Inapplicable: R never had sex and never used any birth control methods in EA series (computed variable RHADSEX coded 2,7,8 or 9 and computed variable EVERUSED = 2); R never had sex (computed variable RHADSEX coded 2,7,8 or 9); or R did not report any times when she was not having sex for one month or more (coded 2 in EE-1 NOFUNAAL).
		875	3484	1236	5797	Blank = Blank, inapplicable
		53	169	86	315	0821-1092 = Before Jan 1991
		607	2656	1058	4470	1093-1150 = Jan 1991 or later
		0	1	0	1	1197 = No more periods of no sex
		0	3	2	5	9997 = Not ascertained
		0	10	5	15	9998 = Refused
		18	160	59	244	9999 = Don't know

[ENDNOSE0]	6912-6915					What months and years were those? (END DATE) (1st PERIOD)
						Inapplicable: R never had sex and never used any birth control methods in EA series (computed variable RHADSEX coded 2,7,8 or 9 and computed variable EVERUSED = 2); R never had sex (computed variable RHADSEX coded 2,7,8 or 9); or R did not report any times when she was not having sex for one month or more (coded 2 in EE-1 NOFUNAAL).
		875	3485	1236	5798	Blank = Blank, inapplicable
		29	84	47	161	0832-1092 = Before Jan 1991
		478	2311	855	3763	1093-1150 = Jan 1991 or later
		154	433	242	866	1189 = Period of no sex continued to interview date
		0	1	1	2	9997 = Not ascertained
		1	11	5	17	9998 = Refused
		16	158	60	240	9999 = Don't Know

(3174)

1995 NATIONAL SURVEY OF FAMILY GROWTH
 File Documentation
 Respondent File (Section E Questionnaire Items)

VARIABLE	COLUMN	NON-HISPANIC			QX TEXT AND CODE CATEGORIES
NAME	LOCATION	HISP	WHITE	BLACK	TOTAL

[STRNOS01] 6916-6919

What months and years were those?
 (START DATE) (2nd PERIOD)

Inapplicable:
 R never had sex and never used any birth control methods in EA series (computed variable RHADSEX coded 2,7,8 or 9 and computed variable EVERUSED = 2); R never had sex (computed variable RHADSEX coded 2,7,8 or 9); or R did not report any times when she was not having sex for one month or more (coded 2 in EE-1 NOFUNAAL); or R reported fewer than 2 periods of not having intercourse.

1028	3917	1477	6661	Blank	= Blank, inapplicable
8	47	14	70	0821-1092	= Before Jan 1991
204	977	372	1610	1093-1150	= Jan 1991 or later
307	1488	561	2420	1197	= No more periods of no sex
0	0	0	0	9997	= Not ascertained
2	7	2	11	9998	= Refused
4	47	20	75	9999	= Don't know

1995 NATIONAL SURVEY OF FAMILY GROWTH
 File Documentation
 Respondent File (Section E Questionnaire Items)

VARIABLE	COLUMN	NON-HISPANIC			QX	TEXT AND CODE CATEGORIES
NAME	LOCATION	HISP	WHITE	BLACK	TOTAL	

[ENDNOSE1] 6920-6923

What months and years were those?
 (END DATE) (2nd PERIOD)

Inapplicable:
 R never had sex and never used any birth control methods in EA series (computed variable RHADSEX coded 2,7,8 or 9 and computed variable EVERUSED = 2); R never had sex (computed variable RHADSEX coded 2,7,8 or 9); or R did not report any times when she was not having sex for one month or more (coded 2 in EE-1 NOFUNAAL); or R reported fewer than 2 periods of not having intercourse.

1335	5405	2038	9081	Blank	= Blank, inapplicable
3	37	13	54	0832-1092	= Before Jan 1991
178	840	320	1385	1093-1150	= Jan 1991 or later
31	147	55	243	1189	= Period of no sex continued to interview date
0	0	0	0	9997	= Not ascertained
1	8	2	11	9998	= Refused
5	46	18	73	9999	= Don't Know

1995 NATIONAL SURVEY OF FAMILY GROWTH
 File Documentation
 Respondent File (Section E Questionnaire Items)

VARIABLE	COLUMN	NON-HISPANIC			QX TEXT AND CODE CATEGORIES
NAME	LOCATION	HISP	WHITE	BLACK	TOTAL

[STRNOS02] 6924-6927

What months and years were those?
 (START DATE) (3rd PERIOD)

Inapplicable:
 R never had sex and never used any birth control methods in EA series (computed variable RHADSEX coded 2,7,8 or 9 and computed variable EVERUSED = 2); R never had sex (computed variable RHADSEX coded 2,7,8 or 9); or R did not report any times when she was not having sex for one month or more (coded 2 in EE-1 NOFUNAAL); or R reported fewer than 3 periods of not having intercourse.

1366	5552	2093	9324	Blank	= Blank, inapplicable
1	17	2	21	0821-1092	= Before Jan 1991
75	399	155	648	1093-1150	= Jan 1991 or later
108	493	184	815	1197	= No more periods of no sex
0	0	2	2	9997	= Not ascertained
0	3	1	4	9998	= Refused
3	19	9	33	9999	= Don't know

1995 NATIONAL SURVEY OF FAMILY GROWTH
 File Documentation
 Respondent File (Section E Questionnaire Items)

VARIABLE	COLUMN	NON-HISPANIC			QX TEXT AND CODE CATEGORIES
NAME	LOCATION	HISP	WHITE	BLACK	TOTAL

[ENDNOSE2] 6928-6931

What months and years were those?
 (END DATE) (3rd PERIOD)

Inapplicable:
 R never had sex and never used any birth control methods in EA series (computed variable RHADSEX coded 2,7,8 or 9 and computed variable EVERUSED = 2); R never had sex (computed variable RHADSEX coded 2,7,8 or 9); or R did not report any times when she was not having sex for one month or more (coded 2 in EE-1 NOFUNAAL); or R reported fewer than 3 periods of not having intercourse.

1474	6045	2277	10139	Blank	= Blank, inapplicable
1	15	2	18	0832-1092	= Before Jan 1991
57	343	134	548	1093-1150	= Jan 1991 or later
18	57	23	104	1189	= Period of no sex continued to interview date
0	0	1	1	9997	= Not ascertained
1	3	1	5	9998	= Refused
2	20	8	32	9999	= Don't Know

1995 NATIONAL SURVEY OF FAMILY GROWTH
 File Documentation
 Respondent File (Section E Questionnaire Items)

VARIABLE	COLUMN	NON-HISPANIC			QX TEXT AND CODE CATEGORIES
NAME	LOCATION	HISP	WHITE	BLACK	TOTAL

[STRNOS03] 6932-6935

What months and years were those?
 (START DATE) (4th PERIOD)

Inapplicable:
 R never had sex and never used any birth control methods in EA series (computed variable RHADSEX coded 2,7,8 or 9 and computed variable EVERUSED = 2); R never had sex (computed variable RHADSEX coded 2,7,8 or 9); or R did not report any times when she was not having sex for one month or more (coded 2 in EE-1 NOFUNAAL); or R reported fewer than 4 periods of not having intercourse.

1492	6102	2300	10243	Blank	= Blank, inapplicable
0	5	2	7	0821-1092	= Before Jan 1991
31	166	65	268	1093-1150	= Jan 1991 or later
28	202	76	315	1197	= No more periods of no sex
0	1	0	1	9997	= Not ascertained
0	2	0	2	9998	= Refused
2	5	3	11	9999	= Don't know

1995 NATIONAL SURVEY OF FAMILY GROWTH
 File Documentation
 Respondent File (Section E Questionnaire Items)

VARIABLE	COLUMN	NON-HISPANIC			QX TEXT AND CODE CATEGORIES
NAME	LOCATION	HISP	WHITE	BLACK	TOTAL

[ENDNOSE3] 6936-6939

What months and years were those?
 (END DATE) (4th PERIOD)

Inapplicable:
 R never had sex and never used any birth control methods in EA series (computed variable RHADSEX coded 2,7,8 or 9 and computed variable EVERUSED = 2); R never had sex (computed variable RHADSEX coded 2,7,8 or 9); or R did not report any times when she was not having sex for one month or more (coded 2 in EE-1 NOFUNAAL); or R reported fewer than 4 periods of not having intercourse.

1520	6304	2376	10558	Blank	= Blank, inapplicable
0	5	2	7	0832-1092	= Before Jan 1991
23	137	52	218	1093-1150	= Jan 1991 or later
8	29	14	51	1189	= Period of no sex continued to interview date
0	0	0	0	9997	= Not ascertained
1	2	0	3	9998	= Refused
1	6	2	10	9999	= Don't Know

1995 NATIONAL SURVEY OF FAMILY GROWTH
 File Documentation
 Respondent File (Section E Questionnaire Items)

VARIABLE NAME	COLUMN LOCATION	NON-HISPANIC			QX TEXT AND CODE CATEGORIES
		HISP	WHITE	BLACK TOTAL	
[METHH000]	6940-6941				ENTER METHOD (FIRST MENTIONED) USED IN JANUARY 1991: (MC1)
					Inapplicable: R never had sex as of this month and never used a birth control method as of this month but ever used one or more birth control methods in EA series (WNFSTSEX GE 1093 and DATFIRSM GE 1093 and computed variable EVERUSED = 1); R never had sex and said no, don't know or refused to all birth control methods in EA series (computed variable RHADSEX coded 2,7,8 or 9 and computed variable EVERUSED = 2); R said no, don't know or refused to all birth control methods in EA series (computed variable EVERUSED = 2).
		418	1295	425 2279	Blank = Blank, inapplicable
		336	1189	585 2168	01 = NO METHODS USED
		0	0	1 1	02 = SAME AS PREVIOUS MONTH
		281	1377	479 2176	03 = BIRTH CONTROL PILLS
		153	761	343 1304	04 = CONDOM
		17	282	8 314	05 = PARTNER'S VASECTOMY
		7	141	14 164	06 = DIAPHRAGM
		2	27	1 31	07 = FOAM
		1	7	1 9	08 = JELLY OR CREAM
		0	2	0 2	09 = CERVICAL CAP
		5	22	10 39	10 = SUPPOSITORY, INSERT
		4	36	10 50	11 = TODAY (TM) SPONGE
		0	0	0 0	12 = FEMALE CONDOM, VAGINAL POUCH
		21	28	17 70	13 = IUD, COIL, LOOP
		3	2	5 10	14 = NORPLANT (TM)
		7	6	3 16	15 = DEPO-PROVERA, INJECTABLES
		0	0	0 0	16 = MORNING AFTER PILLS
		29	112	22 173	17 = RHYTHM OR SAFE PERIOD BY CALENDAR
		2	18	1 21	18 = SAFE PERIOD BY TEMP, CERVICAL MUCUS TEST, NFP
		33	117	23 181	19 = WITHDRAWAL
		215	918	481 1656	20 = RESPONDENT STERILE

(3181)

1995 NATIONAL SURVEY OF FAMILY GROWTH
 File Documentation
 Respondent File (Section E Questionnaire Items)

VARIABLE NAME	COLUMN LOCATION	NON-HISPANIC			TOTAL	QX	TEXT AND CODE CATEGORIES
		HISP	WHITE	BLACK			
		18	132	10	163	21	= PARTNER STERILE (NOT ON CARD)
		0	3	3	6	22	= OTHER METHOD-NOT SHOWN SEPARATELY
		0	0	0	0	55	= SAME METHODS USED THROUGH END OF YEAR
		1	1	2	4	97	= Not Ascertained
		0	4	2	6	98	= Refused
		0	3	0	4	99	= Don't Know

1995 NATIONAL SURVEY OF FAMILY GROWTH
 File Documentation
 Respondent File (Section E Questionnaire Items)

VARIABLE NAME	COLUMN LOCATION	NON-HISPANIC			TOTAL	QX	TEXT AND CODE CATEGORIES
		HISP	WHITE	BLACK			
		0	6	9	15	20	= RESPONDENT STERILE
		0	8	0	9	21	= PARTNER STERILE (NOT ON CARD)
		0	0	0	0	22	= OTHER METHOD-NOT SHOWN SEPARATELY
		0	0	0	0	55	= SAME METHODS USED THROUGH END OF YEAR
		1	1	2	4	97	= Not Ascertained
		0	4	2	6	98	= Refused
		0	3	0	4	99	= Don't Know

1995 NATIONAL SURVEY OF FAMILY GROWTH
 File Documentation
 Respondent File (Section E Questionnaire Items)

VARIABLE COLUMN NON-HISPANIC
 NAME LOCATION HISP WHITE BLACK TOTAL QX TEXT AND CODE CATEGORIES

[METHH002] 6944-6945

ENTER METHOD (THIRD MENTIONED) USED
 IN JANUARY 1991: (MC1)

Inapplicable:

R never had sex as of this month and never used a birth control method as of this month but ever used one or more birth control methods in EA series (WNFSTSEX GE 1093 and DATFIRSM GE 1093 and computed variable EVERUSED = 1); R never had sex and said no, don't know or refused to all birth control methods in EA series (computed variable RHADSEX coded 2,7,8 or 9 and computed variable EVERUSED = 2); R said no, don't know or refused to all birth control methods in EA series (computed variable EVERUSED = 2); R used fewer than 3 methods in month.

1539	6414	2420	10732	Blank	= Blank, inapplicable
0	0	0	0	01	= NO METHODS USED
0	0	0	0	02	= SAME AS PREVIOUS MONTH
0	1	0	1	03	= BIRTH CONTROL PILLS
2	2	0	4	04	= CONDOM
1	0	0	1	05	= PARTNER'S VASECTOMY
0	0	0	0	06	= DIAPHRAGM
2	1	3	6	07	= FOAM
0	1	0	1	08	= JELLY OR CREAM
0	1	0	1	09	= CERVICAL CAP
1	5	0	6	10	= SUPPOSITORY, INSERT
1	5	0	8	11	= TODAY (TM) SPONGE
1	0	0	1	12	= FEMALE CONDOM, VAGINAL POUCH
0	0	0	0	13	= IUD, COIL, LOOP
0	0	0	0	14	= NORPLANT (TM)
0	0	0	0	15	= DEPO-PROVERA, INJECTABLES
0	1	0	1	16	= MORNING AFTER PILLS
2	9	1	12	17	= RHYTHM OR SAFE PERIOD BY CALENDAR
0	1	0	2	18	= SAFE PERIOD BY TEMP, CERVICAL MUCUS TEST, NFP
2	25	4	33	19	= WITHDRAWAL

(3185)

1995 NATIONAL SURVEY OF FAMILY GROWTH
 File Documentation
 Respondent File (Section E Questionnaire Items)

VARIABLE NAME	COLUMN LOCATION	NON-HISPANIC			TOTAL	QX	TEXT AND CODE CATEGORIES
		HISP	WHITE	BLACK			
		1	9	14	24	20	= RESPONDENT STERILE
		0	0	0	0	21	= PARTNER STERILE (NOT ON CARD)
		0	0	0	0	22	= OTHER METHOD-NOT SHOWN SEPARATELY
		0	0	0	0	55	= SAME METHODS USED THROUGH END OF YEAR
		1	1	2	4	97	= Not Ascertained
		0	4	2	6	98	= Refused
		0	3	0	4	99	= Don't Know

1995 NATIONAL SURVEY OF FAMILY GROWTH
 File Documentation
 Respondent File (Section E Questionnaire Items)

VARIABLE	COLUMN	NON-HISPANIC			QX TEXT AND CODE CATEGORIES	
NAME	LOCATION	HISP	WHITE	BLACK	TOTAL	
[METHH003]	6946-6947					ENTER METHOD (FOURTH MENTIONED) USED IN JANUARY 1991: (MC1)

Inapplicable:
 R never had sex as of this month and never used a birth control method as of this month but ever used one or more birth control methods in EA series (WNFSTSEX GE 1093 and DATFIRSM GE 1093 and computed variable EVERUSED = 1); R never had sex and said no, don't know or refused to all birth control methods in EA series (computed variable RHADSEX coded 2,7,8 or 9 and computed variable EVERUSED = 2); R said no, don't know or refused to all birth control methods in EA series (computed variable EVERUSED = 2); R used fewer than 4 methods in month.

1552	6469	2440	10825	Blank	= Blank, inapplicable
0	0	0	0	01	= NO METHODS USED
0	0	0	0	02	= SAME AS PREVIOUS MONTH
0	0	0	0	03	= BIRTH CONTROL PILLS
0	1	0	1	04	= CONDOM
0	0	0	0	05	= PARTNER'S VASECTOMY
0	0	0	0	06	= DIAPHRAGM
0	0	0	0	07	= FOAM
0	0	0	0	08	= JELLY OR CREAM
0	0	0	0	09	= CERVICAL CAP
0	0	1	1	10	= SUPPOSITORY, INSERT
0	1	0	1	11	= TODAY (TM) SPONGE
0	0	0	0	12	= FEMALE CONDOM, VAGINAL POUCH
0	0	0	0	13	= IUD, COIL, LOOP
0	0	0	0	14	= NORPLANT (TM)
0	0	0	0	15	= DEPO-PROVERA, INJECTABLES
0	0	0	0	16	= MORNING AFTER PILLS
0	3	0	3	17	= RHYTHM OR SAFE PERIOD BY CALENDAR
0	0	1	1	18	= SAFE PERIOD BY TEMP, CERVICAL MUCUS TEST, NFP
0	1	0	1	19	= WITHDRAWAL

(3187)

1995 NATIONAL SURVEY OF FAMILY GROWTH
File Documentation
Respondent File (Section E Questionnaire Items)

VARIABLE NAME	COLUMN LOCATION	NON-HISPANIC			TOTAL	QX	TEXT AND CODE	CATEGORIES
		HISP	WHITE	BLACK				
		0	0	0	0	20		= RESPONDENT STERILE
		0	0	0	0	21		= PARTNER STERILE (NOT ON CARD)
		0	0	0	0	22		= OTHER METHOD-NOT SHOWN SEPARATELY
		0	0	0	0	55		= SAME METHODS USED THROUGH END OF YEAR
		1	1	2	4	97		= Not Ascertained
		0	4	2	6	98		= Refused
		0	3	0	4	99		= Don't Know

[DATBEG00] 6948-6951

When did you start using this method (combination)? If you used this method (combination) on and off prior to (METHOD HISTORY START DATE), please tell me when you started using the method most recently prior to (METHOD HISTORY START DATE).

Inapplicable:

R never had sex and said no, don't know or refused to all birth control methods in EA series (computed variable RHADSEX coded 2,7,8 or 9 and computed variable EVERUSED = 2); R said no, don't know or refused to all birth control methods in EA series (computed variable EVERUSED = 2); R is less than 25 years old (AA-1 AGE < 25); or R did not use a method in the first month (EF-1 METHHnnn = NONE).

875	2962	1241	5299	Blank		= Blank, inapplicable
0	0	0	0	0013-0732		= 1960 or earlier
3	3	5	11	0733-0852		= 1961-1970
43	453	142	658	0853-0972		= 1971-1980
487	2681	865	4135	0973-1092		= 1981-1990
103	291	162	573	1093-1189		= 1991 or later
16	4	4	24	9997		= Not ascertained
1	3	1	5	9998		= Refused
25	86	26	142	9999		= Don't know

1995 NATIONAL SURVEY OF FAMILY GROWTH
 File Documentation
 Respondent File (Section E Questionnaire Items)

VARIABLE	COLUMN	NON-HISPANIC								
NAME	LOCATION	HISP	WHITE	BLACK						TOTAL

[SIMSEQ00] 6952-6952

Did you use those methods together, that is, at the same time, or did you use them at different times during the month? (MC1)

Inapplicable:
 R never had sex as of this month and never used a birth control method as of this month but ever used one or more birth control methods in EA series (WNFSTSEX GE 1093 and DATFIRSM GE 1093 and computed variable EVERUSED = 1); R never had sex and said no, don't know or refused to all birth control methods in EA series (computed variable RHADSEX coded 2,7,8 or 9 and computed variable EVERUSED = 2); R said no, don't know or refused to all birth control methods in EA series (computed variable EVERUSED = 2); R did not use multiple methods in the month; R used more than 2 methods in the month.

1502	6155	2299	10309	Blank	= Blank, inapplicable
34	211	113	364	1	= SAME TIME
17	117	34	174	2	= DIFFERENT TIMES
0	0	0	0	7	= Not Ascertained
0	0	0	0	8	= Refused
0	0	0	0	9	= Don't Know

1995 NATIONAL SURVEY OF FAMILY GROWTH
 File Documentation
 Respondent File (Section E Questionnaire Items)

VARIABLE COLUMN NON-HISPANIC
 NAME LOCATION HISP WHITE BLACK TOTAL QX TEXT AND CODE CATEGORIES

[MTHUS000] 6953-6954

During that month, which (of those/other) methods, if any, did you use at the same time? (1st METHOD MENTIONED, 1st COMBINATION, MC1)

Inapplicable:
 R said no, don't know or refused to all birth control methods in EA series (computed variable EVERUSED = 2); R never had sex as of this month and never used a birth control method as of this month but ever used one or more birth control methods in EA series (WNFSTSEX GE 1093 and DATFIRSM GE 1093 and computed variable EVERUSED = 1); R did not use multiple methods in the month; or R used only 2 methods in the month.

1541	6431	2437	10769	Blank	= Blank, inapplicable
5	7	3	15	01	= NONE
0	0	0	0	02	= OFFICE USE ONLY
1	8	3	14	03	= BIRTH CONTROL PILLS
6	25	1	35	04	= CONDOM
0	0	0	0	05	= PARTNER'S VASECTOMY
0	3	0	3	06	= DIAPHRAGM
0	1	0	1	07	= FOAM
0	0	0	0	08	= JELLY OR CREAM
0	0	0	0	09	= CERVICAL CAP
0	0	0	0	10	= SUPPOSITORY, INSERT
0	2	0	2	11	= TODAY (TM) SPONGE
0	0	0	0	12	= FEMALE CONDOM, VAGINAL POUCH
0	0	0	0	13	= IUD, COIL, LOOP
0	0	0	0	14	= NORPLANT (TM)
0	0	0	0	15	= DEPO-PROVERA, INJECTABLES
0	0	0	0	16	= MORNING AFTER PILLS
0	4	0	4	17	= RHYTHM OR SAFE PERIOD BY CALENDAR
0	1	0	1	18	= SAFE PERIOD BY TEMP, CERVICAL MUCUS TEST, NFP
0	1	1	2	19	= WITHDRAWAL
0	0	1	1	20	= RESPONDENT STERILE
0	0	0	0	21	= PARTNER STERILE (NOT

1995 NATIONAL SURVEY OF FAMILY GROWTH
 File Documentation
 Respondent File (Section E Questionnaire Items)

VARIABLE NAME	COLUMN LOCATION	NON-HISPANIC			TOTAL	QX	TEXT AND CODE CATEGORIES
		HISP	WHITE	BLACK			
		0	0	0	0	22	ON CARD) = OTHER METHOD-NOT SHOWN SEPARATELY
		0	0	0	0	97	= Not Ascertained
		0	0	0	0	98	= Refused
		0	0	0	0	99	= Don't Know

1995 NATIONAL SURVEY OF FAMILY GROWTH
 File Documentation
 Respondent File (Section E Questionnaire Items)

VARIABLE	COLUMN	NON-HISPANIC				
NAME	LOCATION	HISP	WHITE	BLACK	TOTAL	QX TEXT AND CODE CATEGORIES

[MTHUS001] 6955-6956

During that month, which (of those/other) methods, if any, did you use at the same time? (2nd METHOD MENTIONED, 1st COMBINATION, MC1)

Inapplicable:
 R said no, don't know or refused to all birth control methods in EA series (computed variable EVERUSED = 2); R never had sex as of this month and never used a birth control method as of this month but ever used one or more birth control methods in EA series (WNFSTSEX GE 1093 and DATFIRSM GE 1093 and computed variable EVERUSED = 1); R did not use multiple methods in the month; or R used only 2 methods in the month; or R reported using fewer than 2 BC methods for this combination in this month of the method calendar.

1546	6438	2440	10784	Blank	= Blank, inapplicable
0	0	0	0	01	= NONE
0	0	0	0	02	= OFFICE USE ONLY
0	0	0	0	03	= BIRTH CONTROL PILLS
1	8	2	13	04	= CONDOM
0	1	0	1	05	= PARTNER'S VASECTOMY
0	3	0	3	06	= DIAPHRAGM
2	2	0	4	07	= FOAM
1	1	1	3	08	= JELLY OR CREAM
0	0	0	0	09	= CERVICAL CAP
1	0	1	2	10	= SUPPOSITORY, INSERT
0	2	0	2	11	= TODAY (TM) SPONGE
0	0	0	0	12	= FEMALE CONDOM, VAGINAL POUCH
0	0	0	0	13	= IUD, COIL, LOOP
0	0	0	0	14	= NORPLANT (TM)
0	0	0	0	15	= DEPO-PROVERA, INJECTABLES
0	1	0	1	16	= MORNING AFTER PILLS
1	17	0	19	17	= RHYTHM OR SAFE PERIOD BY CALENDAR
0	0	0	0	18	= SAFE PERIOD BY TEMP, CERVICAL MUCUS TEST, NFP

1995 NATIONAL SURVEY OF FAMILY GROWTH
 File Documentation
 Respondent File (Section E Questionnaire Items)

VARIABLE NAME	COLUMN LOCATION	NON-HISPANIC			TOTAL	QX	TEXT AND CODE CATEGORIES
		HISP	WHITE	BLACK			
		1	10	2	15	19	= WITHDRAWAL
		0	0	0	0	20	= RESPONDENT STERILE
		0	0	0	0	21	= PARTNER STERILE (NOT ON CARD)
		0	0	0	0	22	= OTHER METHOD-NOT SHOWN SEPARATELY
		0	0	0	0	97	= Not Ascertained
		0	0	0	0	98	= Refused
		0	0	0	0	99	= Don't Know

1995 NATIONAL SURVEY OF FAMILY GROWTH
 File Documentation
 Respondent File (Section E Questionnaire Items)

VARIABLE COLUMN NON-HISPANIC
 NAME LOCATION HISP WHITE BLACK TOTAL QX TEXT AND CODE CATEGORIES

[MTHUS002] 6957-6958

During that month, which (of those/other) methods, if any, did you use at the same time? (3rd METHOD MENTIONED, 1st COMBINATION, MC1)

Inapplicable:
 R said no, don't know or refused to all birth control methods in EA series (computed variable EVERUSED = 2); R never had sex as of this month and never used a birth control method as of this month but ever used one or more birth control methods in EA series (WNFSTSEX GE 1093 and DATFIRSM GE 1093 and computed variable EVERUSED = 1); R did not use multiple methods in the month; or R used only 2 methods in the month; or R reported using fewer than 3 BC methods for this combination in this month of the method calendar.

1547	6459	2444	10813	Blank	= Blank, inapplicable
0	0	0	0	01	= NONE
0	0	0	0	02	= OFFICE USE ONLY
0	0	0	0	03	= BIRTH CONTROL PILLS
0	0	0	0	04	= CONDOM
1	0	0	1	05	= PARTNER'S VASECTOMY
0	0	0	0	06	= DIAPHRAGM
2	2	1	5	07	= FOAM
0	0	0	0	08	= JELLY OR CREAM
0	0	0	0	09	= CERVICAL CAP
0	1	0	1	10	= SUPPOSITORY, INSERT
1	2	0	4	11	= TODAY (TM) SPONGE
0	0	0	0	12	= FEMALE CONDOM, VAGINAL POUCH
0	0	0	0	13	= IUD, COIL, LOOP
0	0	0	0	14	= NORPLANT (TM)
0	0	0	0	15	= DEPO-PROVERA, INJECTABLES
0	0	0	0	16	= MORNING AFTER PILLS
2	6	1	9	17	= RHYTHM OR SAFE PERIOD BY CALENDAR
0	2	0	3	18	= SAFE PERIOD BY TEMP, CERVICAL MUCUS TEST, NFP

1995 NATIONAL SURVEY OF FAMILY GROWTH
 File Documentation
 Respondent File (Section E Questionnaire Items)

VARIABLE NAME	COLUMN LOCATION	NON-HISPANIC			TOTAL	QX	TEXT AND CODE CATEGORIES
		HISP	WHITE	BLACK			
		0	11	0	11	19	= WITHDRAWAL
		0	0	0	0	20	= RESPONDENT STERILE
		0	0	0	0	21	= PARTNER STERILE (NOT ON CARD)
		0	0	0	0	22	= OTHER METHOD-NOT SHOWN SEPARATELY
		0	0	0	0	97	= Not Ascertained
		0	0	0	0	98	= Refused
		0	0	0	0	99	= Don't Know

1995 NATIONAL SURVEY OF FAMILY GROWTH
 File Documentation
 Respondent File (Section E Questionnaire Items)

VARIABLE	COLUMN	NON-HISPANIC				QX TEXT AND CODE CATEGORIES
NAME	LOCATION	HISP	WHITE	BLACK		

[MTHUS003] 6959-6960

During that month, which (of those/other) methods, if any, did you use at the same time? (4th METHOD MENTIONED, 1st COMBINATION, MC1)

Inapplicable:
 R said no, don't know or refused to all birth control methods in EA series (computed variable EVERUSED = 2); R never had sex as of this month and never used a birth control method as of this month but ever used one or more birth control methods in EA series (WNFSTSEX GE 1093 and DATFIRSM GE 1093 and computed variable EVERUSED = 1); R did not use multiple methods in the month; or R used only 2 methods in the month; or R reported using fewer than 4 BC methods for this combination in this month of the method calendar.

1553	6482	2445	10845	Blank	= Blank, inapplicable
0	0	0	0	01	= NONE
0	0	0	0	02	= OFFICE USE ONLY
0	0	0	0	03	= BIRTH CONTROL PILLS
0	1	0	1	04	= CONDOM
0	0	0	0	05	= PARTNER'S VASECTOMY
0	0	0	0	06	= DIAPHRAGM
0	0	0	0	07	= FOAM
0	0	0	0	08	= JELLY OR CREAM
0	0	0	0	09	= CERVICAL CAP
0	0	0	0	10	= SUPPOSITORY, INSERT
0	0	0	0	11	= TODAY (TM) SPONGE
0	0	0	0	12	= FEMALE CONDOM, VAGINAL POUCH
0	0	0	0	13	= IUD, COIL, LOOP
0	0	0	0	14	= NORPLANT (TM)
0	0	0	0	15	= DEPO-PROVERA, INJECTABLES
0	0	0	0	16	= MORNING AFTER PILLS
0	0	0	0	17	= RHYTHM OR SAFE PERIOD BY CALENDAR
0	0	1	1	18	= SAFE PERIOD BY TEMP, CERVICAL MUCUS TEST, NFP

1995 NATIONAL SURVEY OF FAMILY GROWTH
 File Documentation
 Respondent File (Section E Questionnaire Items)

VARIABLE NAME	COLUMN LOCATION	NON-HISPANIC			TOTAL	QX	TEXT AND CODE CATEGORIES
		HISP	WHITE	BLACK			
		0	0	0	0	19	= WITHDRAWAL
		0	0	0	0	20	= RESPONDENT STERILE
		0	0	0	0	21	= PARTNER STERILE (NOT ON CARD)
		0	0	0	0	22	= OTHER METHOD-NOT SHOWN SEPARATELY
		0	0	0	0	97	= Not Ascertained
		0	0	0	0	98	= Refused
		0	0	0	0	99	= Don't Know

1995 NATIONAL SURVEY OF FAMILY GROWTH
 File Documentation
 Respondent File (Section E Questionnaire Items)

VARIABLE COLUMN NON-HISPANIC
 NAME LOCATION HISP WHITE BLACK TOTAL QX TEXT AND CODE CATEGORIES

[MTHUS004] 6961-6962

During that month, which (of those/other) methods, if any, did you use at the same time? (1st METHOD MENTIONED, 2nd COMBINATION, MC1)

Inapplicable:

R said no, don't know or refused to all birth control methods in EA series (computed variable EVERUSED = 2); R never had sex as of this month and never used a birth control method as of this month but ever used one or more birth control methods in EA series (WNFSTSEX GE 1093 and DATFIRSM GE 1093 and computed variable EVERUSED = 1); R did not use multiple methods in the month; or R used only 2 methods in the month; or R reported fewer than 2 BC method combinations.

1546	6438	2440	10784	Blank	= Blank, inapplicable
5	34	4	46	01	= NONE
0	0	0	0	02	= OFFICE USE ONLY
1	3	0	4	03	= BIRTH CONTROL PILLS
0	4	1	6	04	= CONDOM
0	0	0	0	05	= PARTNER'S VASECTOMY
0	0	0	0	06	= DIAPHRAGM
1	1	0	2	07	= FOAM
0	0	0	0	08	= JELLY OR CREAM
0	0	0	0	09	= CERVICAL CAP
0	0	0	0	10	= SUPPOSITORY, INSERT
0	0	0	1	11	= TODAY (TM) SPONGE
0	0	0	0	12	= FEMALE CONDOM, VAGINAL POUCH
0	0	0	0	13	= IUD, COIL, LOOP
0	0	0	0	14	= NORPLANT (TM)
0	0	0	0	15	= DEPO-PROVERA, INJECTABLES
0	0	0	0	16	= MORNING AFTER PILLS
0	1	0	1	17	= RHYTHM OR SAFE PERIOD BY CALENDAR
0	0	0	0	18	= SAFE PERIOD BY TEMP, CERVICAL MUCUS TEST, NFP
0	2	0	2	19	= WITHDRAWAL
0	0	1	1	20	= RESPONDENT STERILE

(3198)

1995 NATIONAL SURVEY OF FAMILY GROWTH
 File Documentation
 Respondent File (Section E Questionnaire Items)

VARIABLE NAME	COLUMN LOCATION	NON-HISPANIC			QX	TEXT AND CODE CATEGORIES
		HISP	WHITE	BLACK		
		0	0	0	0	21 = PARTNER STERILE (NOT ON CARD)
		0	0	0	0	22 = OTHER METHOD-NOT SHOWN SEPARATELY
		0	0	0	0	97 = Not Ascertained
		0	0	0	0	98 = Refused
		0	0	0	0	99 = Don't Know

1995 NATIONAL SURVEY OF FAMILY GROWTH
 File Documentation
 Respondent File (Section E Questionnaire Items)

VARIABLE COLUMN NON-HISPANIC
 NAME LOCATION HISP WHITE BLACK TOTAL QX TEXT AND CODE CATEGORIES

[MTHUS005] 6963-6964

During that month, which (of those/other) methods, if any, did you use at the same time? (2nd METHOD MENTIONED, 2nd COMBINATION, MC1)

Inapplicable:
 R said no, don't know or refused to all birth control methods in EA series (computed variable EVERUSED = 2); R never had sex as of this month and never used a birth control method as of this month but ever used one or more birth control methods in EA series (WNFSTSEX GE 1093 and DATFIRSM GE 1093 and computed variable EVERUSED = 1); R did not use multiple methods in the month; or R used only 2 methods in the month; or R reported fewer than 2 BC method combinations; or R reported using fewer than 2 BC methods for this combination in this month of the method calendar.

1552	6473	2445	10833	Blank	= Blank, inapplicable
0	0	0	0	01	= NONE
0	0	0	0	02	= OFFICE USE ONLY
0	0	0	1	03	= BIRTH CONTROL PILLS
1	1	0	2	04	= CONDOM
0	1	0	1	05	= PARTNER'S VASECTOMY
0	0	0	0	06	= DIAPHRAGM
0	1	0	1	07	= FOAM
0	0	0	0	08	= JELLY OR CREAM
0	0	0	0	09	= CERVICAL CAP
0	1	0	1	10	= SUPPOSITORY, INSERT
0	1	0	1	11	= TODAY (TM) SPONGE
0	0	0	0	12	= FEMALE CONDOM, VAGINAL POUCH
0	0	0	0	13	= IUD, COIL, LOOP
0	0	0	0	14	= NORPLANT (TM)
0	0	0	0	15	= DEPO-PROVERA, INJECTABLES
0	0	0	0	16	= MORNING AFTER PILLS
0	5	0	6	17	= RHYTHM OR SAFE PERIOD BY CALENDAR
0	0	0	0	18	= SAFE PERIOD BY TEMP, CERVICAL MUCUS TEST,

(3200)

1995 NATIONAL SURVEY OF FAMILY GROWTH
 File Documentation
 Respondent File (Section E Questionnaire Items)

VARIABLE NAME	COLUMN LOCATION	NON-HISPANIC			TOTAL	QX	TEXT AND CODE CATEGORIES
		HISP	WHITE	BLACK			
		0	0	1	1	19	NFP
		0	0	0	0	20	= WITHDRAWAL
		0	0	0	0	21	= RESPONDENT STERILE
							= PARTNER STERILE (NOT ON CARD)
		0	0	0	0	22	= OTHER METHOD-NOT SHOWN SEPARATELY
		0	0	0	0	97	= Not Ascertained
		0	0	0	0	98	= Refused
		0	0	0	0	99	= Don't Know

1995 NATIONAL SURVEY OF FAMILY GROWTH
 File Documentation
 Respondent File (Section E Questionnaire Items)

VARIABLE	COLUMN	NON-HISPANIC			
NAME	LOCATION	HISP	WHITE	BLACK TOTAL	

[MTHUS006] 6965-6966

During that month, which (of those/other) methods, if any, did you use at the same time? (3rd METHOD MENTIONED, 2nd COMBINATION, MC1)

Inapplicable:
 R said no, don't know or refused to all birth control methods in EA series (computed variable EVERUSED = 2); R never had sex as of this month and never used a birth control method as of this month but ever used one or more birth control methods in EA series (WNFSTSEX GE 1093 and DATFIRSM GE 1093 and computed variable EVERUSED = 1); R did not use multiple methods in the month; or R used only 2 methods in the month; or R reported fewer than 2 BC method combinations; or R reported using fewer than 3 BC methods for this combination in this month of the method calendar.

1552	6482	2446	10844	Blank	= Blank, inapplicable
0	0	0	0	01	= NONE
0	0	0	0	02	= OFFICE USE ONLY
0	0	0	0	03	= BIRTH CONTROL PILLS
0	0	0	0	04	= CONDOM
0	0	0	0	05	= PARTNER'S VASECTOMY
0	0	0	0	06	= DIAPHRAGM
0	0	0	0	07	= FOAM
0	0	0	0	08	= JELLY OR CREAM
0	0	0	0	09	= CERVICAL CAP
0	0	0	0	10	= SUPPOSITORY, INSERT
0	0	0	0	11	= TODAY (TM) SPONGE
0	0	0	0	12	= FEMALE CONDOM, VAGINAL POUCH
0	0	0	0	13	= IUD, COIL, LOOP
0	0	0	0	14	= NORPLANT (TM)
0	0	0	0	15	= DEPO-PROVERA, INJECTABLES
0	0	0	0	16	= MORNING AFTER PILLS
1	0	0	1	17	= RHYTHM OR SAFE PERIOD BY CALENDAR
0	0	0	1	18	= SAFE PERIOD BY TEMP, CERVICAL MUCUS TEST,

1995 NATIONAL SURVEY OF FAMILY GROWTH
 File Documentation
 Respondent File (Section E Questionnaire Items)

VARIABLE NAME	COLUMN LOCATION	NON-HISPANIC			TOTAL	QX	TEXT AND CODE CATEGORIES
		HISP	WHITE	BLACK			
		0	1	0	1	19	NFP
		0	0	0	0	20	= WITHDRAWAL
		0	0	0	0	21	= RESPONDENT STERILE
							= PARTNER STERILE (NOT ON CARD)
		0	0	0	0	22	= OTHER METHOD-NOT SHOWN SEPARATELY
		0	0	0	0	97	= Not Ascertained
		0	0	0	0	98	= Refused
		0	0	0	0	99	= Don't Know

1995 NATIONAL SURVEY OF FAMILY GROWTH
 File Documentation
 Respondent File (Section E Questionnaire Items)

VARIABLE	COLUMN	NON-HISPANIC				QX TEXT AND CODE CATEGORIES
NAME	LOCATION	HISP	WHITE	BLACK		

[MTHUS007] 6967-6968

During that month, which (of those/other) methods, if any, did you use at the same time? (4th METHOD MENTIONED, 2nd COMBINATION, MC1)

Inapplicable:
 R said no, don't know or refused to all birth control methods in EA series (computed variable EVERUSED = 2); R never had sex as of this month and never used a birth control method as of this month but ever used one or more birth control methods in EA series (WNFSTSEX GE 1093 and DATFIRSM GE 1093 and computed variable EVERUSED = 1); R did not use multiple methods in the month; or R used only 2 methods in the month; or R reported fewer than 2 BC method combinations; or R reported using fewer than 4 BC methods for this combination in this month of the method calendar.

1553	6483	2446	10847	Blank	= Blank, inapplicable
0	0	0	0	01	= NONE
0	0	0	0	02	= OFFICE USE ONLY
0	0	0	0	03	= BIRTH CONTROL PILLS
0	0	0	0	04	= CONDOM
0	0	0	0	05	= PARTNER'S VASECTOMY
0	0	0	0	06	= DIAPHRAGM
0	0	0	0	07	= FOAM
0	0	0	0	08	= JELLY OR CREAM
0	0	0	0	09	= CERVICAL CAP
0	0	0	0	10	= SUPPOSITORY, INSERT
0	0	0	0	11	= TODAY (TM) SPONGE
0	0	0	0	12	= FEMALE CONDOM, VAGINAL POUCH
0	0	0	0	13	= IUD, COIL, LOOP
0	0	0	0	14	= NORPLANT (TM)
0	0	0	0	15	= DEPO-PROVERA, INJECTABLES
0	0	0	0	16	= MORNING AFTER PILLS
0	0	0	0	17	= RHYTHM OR SAFE PERIOD BY CALENDAR
0	0	0	0	18	= SAFE PERIOD BY TEMP, CERVICAL MUCUS TEST,

1995 NATIONAL SURVEY OF FAMILY GROWTH
 File Documentation
 Respondent File (Section E Questionnaire Items)

VARIABLE NAME	COLUMN LOCATION	NON-HISPANIC			TOTAL	QX	TEXT AND CODE CATEGORIES
		HISP	WHITE	BLACK			
		0	0	0	0	19	NFP = WITHDRAWAL
		0	0	0	0	20	= RESPONDENT STERILE
		0	0	0	0	21	= PARTNER STERILE (NOT ON CARD)
		0	0	0	0	22	= OTHER METHOD-NOT SHOWN SEPARATELY
		0	0	0	0	97	= Not Ascertained
		0	0	0	0	98	= Refused
		0	0	0	0	99	= Don't Know

1995 NATIONAL SURVEY OF FAMILY GROWTH
 File Documentation
 Respondent File (Section E Questionnaire Items)

VARIABLE	COLUMN	NON-HISPANIC				
NAME	LOCATION	HISP	WHITE	BLACK	TOTAL	QX TEXT AND CODE CATEGORIES

[MTHUS008] 6969-6970

During that month, which (of those/other) methods, if any, did you use at the same time? (1st METHOD MENTIONED, 3rd COMBINATION, MC1)

Inapplicable:
 R said no, don't know or refused to all birth control methods in EA series (computed variable EVERUSED = 2); R never had sex as of this month and never used a birth control method as of this month but ever used one or more birth control methods in EA series (WNFSTSEX GE 1093 and DATFIRSM GE 1093 and computed variable EVERUSED = 1); R did not use multiple methods in the month; or R used only 2 methods in the month; or R reported fewer than 3 BC method combinations.

	1553	6482	2446	10846	Blank	
	0	0	0	0	0	= Blank, inapplicable
	0	0	0	0	0	= NONE
	0	0	0	0	0	= OFFICE USE ONLY
	0	1	0	1	0	= BIRTH CONTROL PILLS
	0	0	0	0	0	= CONDOM
	0	0	0	0	0	= PARTNER'S VASECTOMY
	0	0	0	0	0	= DIAPHRAGM
	0	0	0	0	0	= FOAM
	0	0	0	0	0	= JELLY OR CREAM
	0	0	0	0	0	= CERVICAL CAP
	0	0	0	0	0	= SUPPOSITORY, INSERT
	0	0	0	0	0	= TODAY (TM) SPONGE
	0	0	0	0	0	= FEMALE CONDOM, VAGINAL POUCH
	0	0	0	0	0	= IUD, COIL, LOOP
	0	0	0	0	0	= NORPLANT (TM)
	0	0	0	0	0	= DEPO-PROVERA, INJECTABLES
	0	0	0	0	0	= MORNING AFTER PILLS
	0	0	0	0	0	= RHYTHM OR SAFE PERIOD BY CALENDAR
	0	0	0	0	0	= SAFE PERIOD BY TEMP, CERVICAL MUCUS TEST, NFP
	0	0	0	0	0	= WITHDRAWAL
	0	0	0	0	0	= RESPONDENT STERILE

1995 NATIONAL SURVEY OF FAMILY GROWTH
 File Documentation
 Respondent File (Section E Questionnaire Items)

VARIABLE NAME	COLUMN LOCATION	NON-HISPANIC			QX	TEXT AND CODE CATEGORIES
		HISP	WHITE	BLACK		
		0	0	0	0	21 = PARTNER STERILE (NOT ON CARD)
		0	0	0	0	22 = OTHER METHOD-NOT SHOWN SEPARATELY
		0	0	0	0	97 = Not Ascertained
		0	0	0	0	98 = Refused
		0	0	0	0	99 = Don't Know

1995 NATIONAL SURVEY OF FAMILY GROWTH
 File Documentation
 Respondent File (Section E Questionnaire Items)

VARIABLE	COLUMN	NON-HISPANIC				
NAME	LOCATION	HISP	WHITE	BLACK	TOTAL	QX TEXT AND CODE CATEGORIES

[MTHUS009] 6971-6972

During that month, which (of those/other) methods, if any, did you use at the same time (2nd METHOD MENTIONED, 3rd COMBINATION, MC1)

Inapplicable:

R said no, don't know or refused to all birth control methods in EA series (computed variable EVERUSED = 2); R never had sex as of this month and never used a birth control method as of this month but ever used one or more birth control methods in EA series (WNFSTSEX GE 1093 and DATFIRSM GE 1093 and computed variable EVERUSED = 1); R did not use multiple methods in the month; or R used only 2 methods in the month; or R reported fewer than 3 BC method combinations; or R reported using fewer than 2 BC methods for this combination in this month of the method calendar.

1553	6482	2446	10846	Blank	= Blank, inapplicable
0	0	0	0	01	= NONE
0	0	0	0	02	= OFFICE USE ONLY
0	0	0	0	03	= BIRTH CONTROL PILLS
0	0	0	0	04	= CONDOM
0	0	0	0	05	= PARTNER'S VASECTOMY
0	0	0	0	06	= DIAPHRAGM
0	0	0	0	07	= FOAM
0	0	0	0	08	= JELLY OR CREAM
0	0	0	0	09	= CERVICAL CAP
0	0	0	0	10	= SUPPOSITORY, INSERT
0	0	0	0	11	= TODAY (TM) SPONGE
0	0	0	0	12	= FEMALE CONDOM, VAGINAL POUCH
0	0	0	0	13	= IUD, COIL, LOOP
0	0	0	0	14	= NORPLANT (TM)
0	0	0	0	15	= DEPO-PROVERA, INJECTABLES
0	0	0	0	16	= MORNING AFTER PILLS
0	1	0	1	17	= RHYTHM OR SAFE PERIOD BY CALENDAR
0	0	0	0	18	= SAFE PERIOD BY TEMP, CERVICAL MUCUS TEST, NFP

1995 NATIONAL SURVEY OF FAMILY GROWTH
 File Documentation
 Respondent File (Section E Questionnaire Items)

VARIABLE NAME	COLUMN LOCATION	NON-HISPANIC			TOTAL	QX	TEXT AND CODE CATEGORIES
		HISP	WHITE	BLACK			
		0	0	0	0	19	= WITHDRAWAL
		0	0	0	0	20	= RESPONDENT STERILE
		0	0	0	0	21	= PARTNER STERILE (NOT ON CARD)
		0	0	0	0	22	= OTHER METHOD-NOT SHOWN SEPARATELY
		0	0	0	0	97	= Not Ascertained
		0	0	0	0	98	= Refused
		0	0	0	0	99	= Don't Know

1995 NATIONAL SURVEY OF FAMILY GROWTH
 File Documentation
 Respondent File (Section E Questionnaire Items)

VARIABLE	COLUMN	NON-HISPANIC				
NAME	LOCATION	HISP	WHITE	BLACK	TOTAL	QX TEXT AND CODE CATEGORIES

[MTHUS010] 6973-6974

During that month, which (of those/other) methods, if any, did you use at the same time? (3rd METHOD MENTIONED, 3rd COMBINATION, MC1)

Inapplicable:
 R said no, don't know or refused to all birth control methods in EA series (computed variable EVERUSED = 2); R never had sex as of this month and never used a birth control method as of this month but ever used one or more birth control methods in EA series (WNFSTSEX GE 1093 and DATFIRSM GE 1093 and computed variable EVERUSED = 1); R did not use multiple methods in the month; or R used only 2 methods in the month; or R reported fewer than 3 BC method combinations; or R reported using fewer than 3 BC methods for this combination in this month of the method calendar.

1553	6483	2446	10847	Blank	= Blank, inapplicable
0	0	0	0	01	= NONE
0	0	0	0	02	= OFFICE USE ONLY
0	0	0	0	03	= BIRTH CONTROL PILLS
0	0	0	0	04	= CONDOM
0	0	0	0	05	= PARTNER'S VASECTOMY
0	0	0	0	06	= DIAPHRAGM
0	0	0	0	07	= FOAM
0	0	0	0	08	= JELLY OR CREAM
0	0	0	0	09	= CERVICAL CAP
0	0	0	0	10	= SUPPOSITORY, INSERT
0	0	0	0	11	= TODAY (TM) SPONGE
0	0	0	0	12	= FEMALE CONDOM, VAGINAL POUCH
0	0	0	0	13	= IUD, COIL, LOOP
0	0	0	0	14	= NORPLANT (TM)
0	0	0	0	15	= DEPO-PROVERA, INJECTABLES
0	0	0	0	16	= MORNING AFTER PILLS
0	0	0	0	17	= RHYTHM OR SAFE PERIOD BY CALENDAR
0	0	0	0	18	= SAFE PERIOD BY TEMP, CERVICAL MUCUS TEST,

1995 NATIONAL SURVEY OF FAMILY GROWTH
 File Documentation
 Respondent File (Section E Questionnaire Items)

VARIABLE NAME	COLUMN LOCATION	NON-HISPANIC			TOTAL	QX	TEXT AND CODE CATEGORIES
		HISP	WHITE	BLACK			
		0	0	0	0	19	NFP
		0	0	0	0	20	= WITHDRAWAL
		0	0	0	0	21	= RESPONDENT STERILE
							= PARTNER STERILE (NOT ON CARD)
		0	0	0	0	22	= OTHER METHOD-NOT SHOWN SEPARATELY
		0	0	0	0	97	= Not Ascertained
		0	0	0	0	98	= Refused
		0	0	0	0	99	= Don't Know

1995 NATIONAL SURVEY OF FAMILY GROWTH
 File Documentation
 Respondent File (Section E Questionnaire Items)

VARIABLE COLUMN NON-HISPANIC
 NAME LOCATION HISP WHITE BLACK TOTAL QX TEXT AND CODE CATEGORIES

[MTHUS011] 6975-6976

During that month, which (of those/other) methods, if any, did you use at the same time? (4th METHOD MENTIONED, 3rd COMBINATION, MC1)

Inapplicable:
 R said no, don't know or refused to all birth control methods in EA series (computed variable EVERUSED = 2); R never had sex as of this month and never used a birth control method as of this month but ever used one or more birth control methods in EA series (WNFSTSEX GE 1093 and DATFIRSM GE 1093 and computed variable EVERUSED = 1); R did not use multiple methods in the month; or R used only 2 methods in the month; or R reported fewer than 3 BC method combinations; or R reported using fewer than 4 BC methods for this combination in this month of the method calendar.

1553	6483	2446	10847	Blank	= Blank, inapplicable
0	0	0	0	01	= NONE
0	0	0	0	02	= OFFICE USE ONLY
0	0	0	0	03	= BIRTH CONTROL PILLS
0	0	0	0	04	= CONDOM
0	0	0	0	05	= PARTNER'S VASECTOMY
0	0	0	0	06	= DIAPHRAGM
0	0	0	0	07	= FOAM
0	0	0	0	08	= JELLY OR CREAM
0	0	0	0	09	= CERVICAL CAP
0	0	0	0	10	= SUPPOSITORY, INSERT
0	0	0	0	11	= TODAY (TM) SPONGE
0	0	0	0	12	= FEMALE CONDOM, VAGINAL POUCH
0	0	0	0	13	= IUD, COIL, LOOP
0	0	0	0	14	= NORPLANT (TM)
0	0	0	0	15	= DEPO-PROVERA, INJECTABLES
0	0	0	0	16	= MORNING AFTER PILLS
0	0	0	0	17	= RHYTHM OR SAFE PERIOD BY CALENDAR
0	0	0	0	18	= SAFE PERIOD BY TEMP, CERVICAL MUCUS TEST,

1995 NATIONAL SURVEY OF FAMILY GROWTH
 File Documentation
 Respondent File (Section E Questionnaire Items)

VARIABLE NAME	COLUMN LOCATION	NON-HISPANIC			TOTAL	QX	TEXT AND CODE CATEGORIES
		HISP	WHITE	BLACK			
		0	0	0	0	19	NFP = WITHDRAWAL
		0	0	0	0	20	= RESPONDENT STERILE
		0	0	0	0	21	= PARTNER STERILE (NOT ON CARD)
		0	0	0	0	22	= OTHER METHOD-NOT SHOWN SEPARATELY
		0	0	0	0	97	= Not Ascertained
		0	0	0	0	98	= Refused
		0	0	0	0	99	= Don't Know

1995 NATIONAL SURVEY OF FAMILY GROWTH
 File Documentation
 Respondent File (Section E Questionnaire Items)

VARIABLE NAME	COLUMN LOCATION	NON-HISPANIC			QX TEXT AND CODE CATEGORIES
		HISP	WHITE	BLACK TOTAL	
[METHH004]	6977-6978				ENTER METHOD (FIRST MENTIONED) USED IN FEBRUARY 1991: (MC2)
					Inapplicable: R never had sex as of this month and never used a birth control method as of this month but ever used one or more birth control methods in EA series (WNFSTSEX GE 1093 and DATFIRSM GE 1093 and computed variable EVERUSED = 1); R never had sex and said no, don't know or refused to all birth control methods in EA series (computed variable RHADSEX coded 2,7,8 or 9 and computed variable EVERUSED = 2); R said no, don't know or refused to all birth control methods in EA series (computed variable EVERUSED = 2).
		414	1282	422 2255	Blank = Blank, inapplicable
		347	1217	603 2230	01 = NO METHODS USED
		0	0	0 0	02 = SAME AS PREVIOUS MONTH
		273	1365	471 2147	03 = BIRTH CONTROL PILLS
		154	756	334 1290	04 = CONDOM
		18	284	8 316	05 = PARTNER'S VASECTOMY
		6	136	13 157	06 = DIAPHRAGM
		2	27	2 32	07 = FOAM
		1	7	1 9	08 = JELLY OR CREAM
		0	2	0 2	09 = CERVICAL CAP
		4	19	11 36	10 = SUPPOSITORY, INSERT
		3	35	9 47	11 = TODAY (TM) SPONGE
		0	0	0 0	12 = FEMALE CONDOM, VAGINAL POUCH
		17	30	17 68	13 = IUD, COIL, LOOP
		3	2	7 12	14 = NORPLANT (TM)
		8	6	4 18	15 = DEPO-PROVERA, INJECTABLES
		0	0	0 0	16 = MORNING AFTER PILLS
		30	113	21 175	17 = RHYTHM OR SAFE PERIOD BY CALENDAR
		2	19	0 21	18 = SAFE PERIOD BY TEMP, CERVICAL MUCUS TEST, NFP
		36	117	25 187	19 = WITHDRAWAL
		217	924	482 1665	20 = RESPONDENT STERILE

(3214)

1995 NATIONAL SURVEY OF FAMILY GROWTH
 File Documentation
 Respondent File (Section E Questionnaire Items)

VARIABLE NAME	COLUMN LOCATION	NON-HISPANIC			QX	TEXT AND CODE CATEGORIES	
		HISP	WHITE	BLACK			TOTAL
		17	131	9	160	21	= PARTNER STERILE (NOT ON CARD)
		0	3	3	6	22	= OTHER METHOD-NOT SHOWN SEPARATELY
		0	0	0	0	55	= SAME METHODS USED THROUGH END OF YEAR
		1	1	2	4	97	= Not Ascertained
		0	4	2	6	98	= Refused
		0	3	0	4	99	= Don't Know

1995 NATIONAL SURVEY OF FAMILY GROWTH
 File Documentation
 Respondent File (Section E Questionnaire Items)

VARIABLE NAME	COLUMN LOCATION	NON-HISPANIC HISP WHITE BLACK TOTAL			QX TEXT AND CODE CATEGORIES
[METHH005]	6979-6980				ENTER METHOD (SECOND MENTIONED) USED IN FEBRUARY 1991: (MC2)

Inapplicable:
 R never had sex as of this month and never used a birth control method as of this month but ever used one or more birth control methods in EA series (WNFSTSEX GE 1093 and DATFIRSM GE 1093 and computed variable EVERUSED = 1); R never had sex and said no, don't know or refused to all birth control methods in EA series (computed variable RHADSEX coded 2,7,8 or 9 and computed variable EVERUSED = 2); R said no, don't know or refused to all birth control methods in EA series (computed variable EVERUSED = 2); R used fewer than 2 methods in month.

1489	6097	2290	10223	Blank	= Blank, inapplicable
0	0	0	0	01	= NO METHODS USED
0	0	0	0	02	= SAME AS PREVIOUS MONTH
2	9	4	15	03	= BIRTH CONTROL PILLS
19	130	79	232	04	= CONDOM
0	6	2	8	05	= PARTNER'S VASECTOMY
2	12	5	19	06	= DIAPHRAGM
9	16	11	37	07	= FOAM
2	17	5	24	08	= JELLY OR CREAM
0	0	0	0	09	= CERVICAL CAP
5	7	6	18	10	= SUPPOSITORY, INSERT
2	16	8	26	11	= TODAY (TM) SPONGE
0	0	0	0	12	= FEMALE CONDOM, VAGINAL POUCH
0	0	0	0	13	= IUD, COIL, LOOP
0	0	1	1	14	= NORPLANT (TM)
0	1	0	1	15	= DEPO-PROVERA, INJECTABLES
0	0	0	0	16	= MORNING AFTER PILLS
8	55	4	73	17	= RHYTHM OR SAFE PERIOD BY CALENDAR
0	5	1	6	18	= SAFE PERIOD BY TEMP, CERVICAL MUCUS TEST, NFP
14	89	19	127	19	= WITHDRAWAL

(3216)

1995 NATIONAL SURVEY OF FAMILY GROWTH
 File Documentation
 Respondent File (Section E Questionnaire Items)

VARIABLE NAME	COLUMN LOCATION	NON-HISPANIC			TOTAL	QX	TEXT AND CODE CATEGORIES
		HISP	WHITE	BLACK			
		0	7	7	14	20	= RESPONDENT STERILE
		0	8	0	9	21	= PARTNER STERILE (NOT ON CARD)
		0	0	0	0	22	= OTHER METHOD-NOT SHOWN SEPARATELY
		0	0	0	0	55	= SAME METHODS USED THROUGH END OF YEAR
		1	1	2	4	97	= Not Ascertained
		0	4	2	6	98	= Refused
		0	3	0	4	99	= Don't Know

1995 NATIONAL SURVEY OF FAMILY GROWTH
 File Documentation
 Respondent File (Section E Questionnaire Items)

VARIABLE NAME	COLUMN LOCATION	NON-HISPANIC			TOTAL	QX	TEXT AND CODE CATEGORIES
		HISP	WHITE	BLACK			
		1	6	12	19	20	= RESPONDENT STERILE
		0	0	0	0	21	= PARTNER STERILE (NOT ON CARD)
		0	0	0	1	22	= OTHER METHOD-NOT SHOWN SEPARATELY
		0	0	0	0	55	= SAME METHODS USED THROUGH END OF YEAR
		1	1	2	4	97	= Not Ascertained
		0	4	2	6	98	= Refused
		0	3	0	4	99	= Don't Know

1995 NATIONAL SURVEY OF FAMILY GROWTH
 File Documentation
 Respondent File (Section E Questionnaire Items)

VARIABLE NAME	COLUMN LOCATION	NON-HISPANIC			TOTAL	QX	TEXT AND CODE CATEGORIES
		HISP	WHITE	BLACK			
		0	0	0	0	20	= RESPONDENT STERILE
		0	0	0	0	21	= PARTNER STERILE (NOT ON CARD)
		0	0	0	0	22	= OTHER METHOD-NOT SHOWN SEPARATELY
		0	0	0	0	55	= SAME METHODS USED THROUGH END OF YEAR
		1	1	2	4	97	= Not Ascertained
		0	4	2	6	98	= Refused
		0	3	0	4	99	= Don't Know

[SIMSEQ01] 6985-6985

Did you use those methods together,
 that is, at the same time, or did
 you use them at different times
 during the month? (MC2)

Inapplicable:

R never had sex as of this month and
 never used a birth control method as
 of this month but ever used one or
 more birth control methods in EA
 series (WNFSTSEX GE 1093 and
 DATFIRSM GE 1093 and computed
 variable EVERUSED = 1);
 R never had sex and said no, don't
 know or refused to all birth control
 methods in EA series (computed
 variable RHADSEX coded 2,7,8 or 9
 and computed variable EVERUSED = 2);
 R said no, don't know or refused to
 all birth control methods in EA
 series (computed variable EVERUSED =
 2); R did not use multiple methods
 in the month; R used more than 2
 methods in the month.

1502	6156	2300	10311	Blank	= Blank, inapplicable
34	214	112	366	1	= SAME TIME
17	112	34	169	2	= DIFFERENT TIMES
0	0	0	0	7	= Not Ascertained
0	0	0	0	8	= Refused
0	1	0	1	9	= Don't Know

1995 NATIONAL SURVEY OF FAMILY GROWTH
 File Documentation
 Respondent File (Section E Questionnaire Items)

VARIABLE	COLUMN	NON-HISPANIC			QX TEXT AND CODE CATEGORIES
NAME	LOCATION	HISP	WHITE	BLACK	TOTAL

[MTHUS012] 6986-6987

During that month, which (of those/other) methods, if any, did you use at the same time? (1st METHOD MENTIONED, 1st COMBINATION, MC2)

Inapplicable:
 R said no, don't know or refused to all birth control methods in EA series (computed variable EVERUSED = 2); R never had sex as of this month and never used a birth control method as of this month but ever used one or more birth control methods in EA series (WNFSTSEX GE 1093 and DATFIRSM GE 1093 and computed variable EVERUSED = 1); R did not use multiple methods in the month; or R used only 2 methods in the month.

1541	6432	2440	10773	Blank	= Blank, inapplicable
5	8	2	15	01	= NONE
0	0	0	0	02	= OFFICE USE ONLY
1	5	2	10	03	= BIRTH CONTROL PILLS
6	25	1	35	04	= CONDOM
0	0	0	0	05	= PARTNER'S VASECTOMY
0	3	0	3	06	= DIAPHRAGM
0	1	0	1	07	= FOAM
0	0	0	0	08	= JELLY OR CREAM
0	0	0	0	09	= CERVICAL CAP
0	0	0	0	10	= SUPPOSITORY, INSERT
0	2	0	2	11	= TODAY (TM) SPONGE
0	0	0	0	12	= FEMALE CONDOM, VAGINAL POUCH
0	0	0	0	13	= IUD, COIL, LOOP
0	0	0	0	14	= NORPLANT (TM)
0	0	0	0	15	= DEPO-PROVERA, INJECTABLES
0	0	0	0	16	= MORNING AFTER PILLS
0	5	0	5	17	= RHYTHM OR SAFE PERIOD BY CALENDAR
0	1	0	1	18	= SAFE PERIOD BY TEMP, CERVICAL MUCUS TEST, NFP
0	1	0	1	19	= WITHDRAWAL
0	0	1	1	20	= RESPONDENT STERILE
0	0	0	0	21	= PARTNER STERILE (NOT

(3222)

1995 NATIONAL SURVEY OF FAMILY GROWTH
 File Documentation
 Respondent File (Section E Questionnaire Items)

VARIABLE NAME	COLUMN LOCATION	NON-HISPANIC			TOTAL	QX	TEXT AND CODE CATEGORIES
		HISP	WHITE	BLACK			
		0	0	0	0	22	ON CARD) = OTHER METHOD-NOT SHOWN SEPARATELY
		0	0	0	0	97	= Not Ascertained
		0	0	0	0	98	= Refused
		0	0	0	0	99	= Don't Know

1995 NATIONAL SURVEY OF FAMILY GROWTH
 File Documentation
 Respondent File (Section E Questionnaire Items)

VARIABLE COLUMN NON-HISPANIC
 NAME LOCATION HISP WHITE BLACK TOTAL QX TEXT AND CODE CATEGORIES

[MTHUS013] 6988-6989

During that month, which (of those/other) methods, if any, did you use at the same time? (2nd METHOD MENTIONED, 1st COMBINATION, MC2)

Inapplicable:
 R said no, don't know or refused to all birth control methods in EA series (computed variable EVERUSED = 2); R never had sex as of this month and never used a birth control method as of this month but ever used one or more birth control methods in EA series (WNFSTSEX GE 1093 and DATFIRSM GE 1093 and computed variable EVERUSED = 1); R did not use multiple methods in the month; or R used only 2 methods in the month; or R reported using fewer than 2 BC methods for this combination in this month of the method calendar.

1546	6440	2442	10788	Blank	= Blank, inapplicable
0	0	0	0	01	= NONE
0	0	0	0	02	= OFFICE USE ONLY
0	0	0	0	03	= BIRTH CONTROL PILLS
1	6	2	10	04	= CONDOM
0	1	0	1	05	= PARTNER'S VASECTOMY
0	3	0	3	06	= DIAPHRAGM
2	2	0	4	07	= FOAM
1	1	1	3	08	= JELLY OR CREAM
0	0	0	0	09	= CERVICAL CAP
1	0	0	1	10	= SUPPOSITORY, INSERT
0	2	0	2	11	= TODAY (TM) SPONGE
0	0	0	0	12	= FEMALE CONDOM, VAGINAL POUCH
0	0	0	0	13	= IUD, COIL, LOOP
0	0	0	0	14	= NORPLANT (TM)
0	0	0	0	15	= DEPO-PROVERA, INJECTABLES
0	1	0	1	16	= MORNING AFTER PILLS
1	16	0	18	17	= RHYTHM OR SAFE PERIOD BY CALENDAR
0	0	0	0	18	= SAFE PERIOD BY TEMP, CERVICAL MUCUS TEST, NFP

(3224)

1995 NATIONAL SURVEY OF FAMILY GROWTH
 File Documentation
 Respondent File (Section E Questionnaire Items)

VARIABLE NAME	COLUMN LOCATION	NON-HISPANIC			TOTAL	QX	TEXT AND CODE CATEGORIES
		HISP	WHITE	BLACK			
		1	11	1	16	19	= WITHDRAWAL
		0	0	0	0	20	= RESPONDENT STERILE
		0	0	0	0	21	= PARTNER STERILE (NOT ON CARD)
		0	0	0	0	22	= OTHER METHOD-NOT SHOWN SEPARATELY
		0	0	0	0	97	= Not Ascertained
		0	0	0	0	98	= Refused
		0	0	0	0	99	= Don't Know

1995 NATIONAL SURVEY OF FAMILY GROWTH
 File Documentation
 Respondent File (Section E Questionnaire Items)

VARIABLE	COLUMN	NON-HISPANIC				QX TEXT AND CODE CATEGORIES
NAME	LOCATION	HISP	WHITE	BLACK		

[MTHUS014] 6990-6991

During that month, which (of those/other) methods, if any, did you use at the same time? (3rd METHOD MENTIONED, 1st COMBINATION, MC2)

Inapplicable:
 R said no, don't know or refused to all birth control methods in EA series (computed variable EVERUSED = 2); R never had sex as of this month and never used a birth control method as of this month but ever used one or more birth control methods in EA series (WNFSTSEX GE 1093 and DATFIRSM GE 1093 and computed variable EVERUSED = 1); R did not use multiple methods in the month; or R used only 2 methods in the month; or R reported using fewer than 3 BC methods for this combination in this month of the method calendar.

1547	6461	2444	10816	Blank	= Blank, inapplicable
0	0	0	0	01	= NONE
0	0	0	0	02	= OFFICE USE ONLY
0	0	0	0	03	= BIRTH CONTROL PILLS
0	0	0	0	04	= CONDOM
1	0	0	1	05	= PARTNER'S VASECTOMY
0	0	0	0	06	= DIAPHRAGM
2	2	1	5	07	= FOAM
0	0	0	0	08	= JELLY OR CREAM
0	0	0	0	09	= CERVICAL CAP
0	1	0	1	10	= SUPPOSITORY, INSERT
1	2	0	3	11	= TODAY (TM) SPONGE
0	0	0	0	12	= FEMALE CONDOM, VAGINAL POUCH
0	0	0	0	13	= IUD, COIL, LOOP
0	0	0	0	14	= NORPLANT (TM)
0	0	0	0	15	= DEPO-PROVERA, INJECTABLES
0	0	0	0	16	= MORNING AFTER PILLS
2	6	1	9	17	= RHYTHM OR SAFE PERIOD BY CALENDAR
0	2	0	3	18	= SAFE PERIOD BY TEMP, CERVICAL MUCUS TEST, NFP

1995 NATIONAL SURVEY OF FAMILY GROWTH
 File Documentation
 Respondent File (Section E Questionnaire Items)

VARIABLE NAME	COLUMN LOCATION	NON-HISPANIC			TOTAL	QX	TEXT AND CODE CATEGORIES
		HISP	WHITE	BLACK			
		0	9	0	9	19	= WITHDRAWAL
		0	0	0	0	20	= RESPONDENT STERILE
		0	0	0	0	21	= PARTNER STERILE (NOT ON CARD)
		0	0	0	0	22	= OTHER METHOD-NOT SHOWN SEPARATELY
		0	0	0	0	97	= Not Ascertained
		0	0	0	0	98	= Refused
		0	0	0	0	99	= Don't Know

1995 NATIONAL SURVEY OF FAMILY GROWTH
 File Documentation
 Respondent File (Section E Questionnaire Items)

VARIABLE	COLUMN	NON-HISPANIC				QX TEXT AND CODE CATEGORIES
NAME	LOCATION	HISP	WHITE	BLACK		

[MTHUS015] 6992-6993

During that month, which (of those/other) methods, if any, did you use at the same time? (4th METHOD MENTIONED, 1st COMBINATION, MC2)

Inapplicable:
 R said no, don't know or refused to all birth control methods in EA series (computed variable EVERUSED = 2); R never had sex as of this month and never used a birth control method as of this month but ever used one or more birth control methods in EA series (WNFSTSEX GE 1093 and DATFIRSM GE 1093 and computed variable EVERUSED = 1); R did not use multiple methods in the month; or R used only 2 methods in the month; or R reported using fewer than 4 BC methods for this combination in this month of the method calendar.

1553	6482	2445	10845	Blank	= Blank, inapplicable
0	0	0	0	01	= NONE
0	0	0	0	02	= OFFICE USE ONLY
0	0	0	0	03	= BIRTH CONTROL PILLS
0	1	0	1	04	= CONDOM
0	0	0	0	05	= PARTNER'S VASECTOMY
0	0	0	0	06	= DIAPHRAGM
0	0	0	0	07	= FOAM
0	0	0	0	08	= JELLY OR CREAM
0	0	0	0	09	= CERVICAL CAP
0	0	0	0	10	= SUPPOSITORY, INSERT
0	0	0	0	11	= TODAY (TM) SPONGE
0	0	0	0	12	= FEMALE CONDOM, VAGINAL POUCH
0	0	0	0	13	= IUD, COIL, LOOP
0	0	0	0	14	= NORPLANT (TM)
0	0	0	0	15	= DEPO-PROVERA, INJECTABLES
0	0	0	0	16	= MORNING AFTER PILLS
0	0	0	0	17	= RHYTHM OR SAFE PERIOD BY CALENDAR
0	0	1	1	18	= SAFE PERIOD BY TEMP, CERVICAL MUCUS TEST, NFP

1995 NATIONAL SURVEY OF FAMILY GROWTH
 File Documentation
 Respondent File (Section E Questionnaire Items)

VARIABLE NAME	COLUMN LOCATION	NON-HISPANIC			TOTAL	QX	TEXT AND CODE CATEGORIES
		HISP	WHITE	BLACK			
		0	0	0	0	19	= WITHDRAWAL
		0	0	0	0	20	= RESPONDENT STERILE
		0	0	0	0	21	= PARTNER STERILE (NOT ON CARD)
		0	0	0	0	22	= OTHER METHOD-NOT SHOWN SEPARATELY
		0	0	0	0	97	= Not Ascertained
		0	0	0	0	98	= Refused
		0	0	0	0	99	= Don't Know

1995 NATIONAL SURVEY OF FAMILY GROWTH
File Documentation
Respondent File (Section E Questionnaire Items)

VARIABLE	COLUMN	NON-HISPANIC							
NAME	LOCATION	HISP	WHITE	BLACK					

[MTHUS016] 6994-6995

During that month, which (of those/other) methods, if any, did you use at the same time? (1st METHOD MENTIONED, 2nd COMBINATION, MC2)

Inapplicable:
R said no, don't know or refused to all birth control methods in EA series (computed variable EVERUSED = 2); R never had sex as of this month and never used a birth control method as of this month but ever used one or more birth control methods in EA series (WNFSTSEX GE 1093 and DATFIRSM GE 1093 and computed variable EVERUSED = 1); R did not use multiple methods in the month; or R used only 2 methods in the month; or R reported fewer than 2 BC method combinations.

1546	6440	2442	10788	Blank					= Blank, inapplicable
5	32	2	42	01					= NONE
0	0	0	0	02					= OFFICE USE ONLY
1	2	0	3	03					= BIRTH CONTROL PILLS
0	5	1	7	04					= CONDOM
0	0	0	0	05					= PARTNER'S VASECTOMY
0	0	0	0	06					= DIAPHRAGM
1	1	0	2	07					= FOAM
0	0	0	0	08					= JELLY OR CREAM
0	0	0	0	09					= CERVICAL CAP
0	0	0	0	10					= SUPPOSITORY, INSERT
0	0	0	1	11					= TODAY (TM) SPONGE
0	0	0	0	12					= FEMALE CONDOM, VAGINAL POUCH
0	0	0	0	13					= IUD, COIL, LOOP
0	0	0	0	14					= NORPLANT (TM)
0	0	0	0	15					= DEPO-PROVERA, INJECTABLES
0	0	0	0	16					= MORNING AFTER PILLS
0	1	0	1	17					= RHYTHM OR SAFE PERIOD BY CALENDAR
0	0	0	0	18					= SAFE PERIOD BY TEMP, CERVICAL MUCUS TEST, NFP
0	2	0	2	19					= WITHDRAWAL
0	0	1	1	20					= RESPONDENT STERILE

(3230)

1995 NATIONAL SURVEY OF FAMILY GROWTH
 File Documentation
 Respondent File (Section E Questionnaire Items)

VARIABLE NAME	COLUMN LOCATION	NON-HISPANIC			QX	TEXT AND CODE CATEGORIES
		HISP	WHITE	BLACK		
		0	0	0	0	21 = PARTNER STERILE (NOT ON CARD)
		0	0	0	0	22 = OTHER METHOD-NOT SHOWN SEPARATELY
		0	0	0	0	97 = Not Ascertained
		0	0	0	0	98 = Refused
		0	0	0	0	99 = Don't Know

1995 NATIONAL SURVEY OF FAMILY GROWTH
 File Documentation
 Respondent File (Section E Questionnaire Items)

VARIABLE	COLUMN	NON-HISPANIC			QX TEXT AND CODE CATEGORIES
NAME	LOCATION	HISP	WHITE	BLACK	TOTAL

[MTHUS017] 6996-6997

During that month, which (of those/other) methods, if any, did you use at the same time? (2nd METHOD MENTIONED, 2nd COMBINATION, MC2)

Inapplicable:
 R said no, don't know or refused to all birth control methods in EA series (computed variable EVERUSED = 2); R never had sex as of this month and never used a birth control method as of this month but ever used one or more birth control methods in EA series (WNFSTSEX GE 1093 and DATFIRSM GE 1093 and computed variable EVERUSED = 1); R did not use multiple methods in the month; or R used only 2 methods in the month; or R reported fewer than 2 BC method combinations; or R reported using fewer than 2 BC methods for this combination in this month of the method calendar.

1552	6474	2445	10834	Blank	= Blank, inapplicable
0	0	0	0	01	= NONE
0	0	0	0	02	= OFFICE USE ONLY
0	0	0	1	03	= BIRTH CONTROL PILLS
1	1	0	2	04	= CONDOM
0	1	0	1	05	= PARTNER'S VASECTOMY
0	0	0	0	06	= DIAPHRAGM
0	1	0	1	07	= FOAM
0	0	0	0	08	= JELLY OR CREAM
0	0	0	0	09	= CERVICAL CAP
0	0	0	0	10	= SUPPOSITORY, INSERT
0	1	0	1	11	= TODAY (TM) SPONGE
0	0	0	0	12	= FEMALE CONDOM, VAGINAL POUCH
0	0	0	0	13	= IUD, COIL, LOOP
0	0	0	0	14	= NORPLANT (TM)
0	0	0	0	15	= DEPO-PROVERA, INJECTABLES
0	0	0	0	16	= MORNING AFTER PILLS
0	5	0	6	17	= RHYTHM OR SAFE PERIOD BY CALENDAR
0	0	0	0	18	= SAFE PERIOD BY TEMP, CERVICAL MUCUS TEST,

1995 NATIONAL SURVEY OF FAMILY GROWTH
 File Documentation
 Respondent File (Section E Questionnaire Items)

VARIABLE NAME	COLUMN LOCATION	NON-HISPANIC			TOTAL	QX TEXT AND CODE CATEGORIES	
		HISP	WHITE	BLACK			
		0	0	1	1	19	NFP
		0	0	0	0	20	= WITHDRAWAL
		0	0	0	0	21	= RESPONDENT STERILE
							= PARTNER STERILE (NOT ON CARD)
		0	0	0	0	22	= OTHER METHOD-NOT SHOWN SEPARATELY
		0	0	0	0	97	= Not Ascertained
		0	0	0	0	98	= Refused
		0	0	0	0	99	= Don't Know

1995 NATIONAL SURVEY OF FAMILY GROWTH
 File Documentation
 Respondent File (Section E Questionnaire Items)

VARIABLE	COLUMN	NON-HISPANIC				QX TEXT AND CODE CATEGORIES
NAME	LOCATION	HISP	WHITE	BLACK		

[MTHUS018] 6998-6999

During that month, which (of those/other) methods, if any, did you use at the same time? (3rd METHOD MENTIONED, 2nd COMBINATION, MC2)

Inapplicable:
 R said no, don't know or refused to all birth control methods in EA series (computed variable EVERUSED = 2); R never had sex as of this month and never used a birth control method as of this month but ever used one or more birth control methods in EA series (WNFSTSEX GE 1093 and DATFIRSM GE 1093 and computed variable EVERUSED = 1); R did not use multiple methods in the month; or R used only 2 methods in the month; or R reported fewer than 2 BC method combinations; or R reported using fewer than 3 BC methods for this combination in this month of the method calendar.

1552	6482	2446	10844	Blank	= Blank, inapplicable
0	0	0	0	01	= NONE
0	0	0	0	02	= OFFICE USE ONLY
0	0	0	0	03	= BIRTH CONTROL PILLS
0	0	0	0	04	= CONDOM
0	0	0	0	05	= PARTNER'S VASECTOMY
0	0	0	0	06	= DIAPHRAGM
0	0	0	0	07	= FOAM
0	0	0	0	08	= JELLY OR CREAM
0	0	0	0	09	= CERVICAL CAP
0	0	0	0	10	= SUPPOSITORY, INSERT
0	0	0	0	11	= TODAY (TM) SPONGE
0	0	0	0	12	= FEMALE CONDOM, VAGINAL POUCH
0	0	0	0	13	= IUD, COIL, LOOP
0	0	0	0	14	= NORPLANT (TM)
0	0	0	0	15	= DEPO-PROVERA, INJECTABLES
0	0	0	0	16	= MORNING AFTER PILLS
1	0	0	1	17	= RHYTHM OR SAFE PERIOD BY CALENDAR
0	0	0	1	18	= SAFE PERIOD BY TEMP, CERVICAL MUCUS TEST,

1995 NATIONAL SURVEY OF FAMILY GROWTH
 File Documentation
 Respondent File (Section E Questionnaire Items)

VARIABLE NAME	COLUMN LOCATION	NON-HISPANIC			TOTAL	QX TEXT AND CODE CATEGORIES	
		HISP	WHITE	BLACK			
		0	1	0	1	19	NFP
		0	0	0	0	20	= WITHDRAWAL
		0	0	0	0	21	= RESPONDENT STERILE
							= PARTNER STERILE (NOT ON CARD)
		0	0	0	0	22	= OTHER METHOD-NOT SHOWN SEPARATELY
		0	0	0	0	97	= Not Ascertained
		0	0	0	0	98	= Refused
		0	0	0	0	99	= Don't Know

1995 NATIONAL SURVEY OF FAMILY GROWTH
 File Documentation
 Respondent File (Section E Questionnaire Items)

VARIABLE	COLUMN	NON-HISPANIC				
NAME	LOCATION	HISP	WHITE	BLACK	TOTAL	QX TEXT AND CODE CATEGORIES

[MTHUS019] 7000-7001

During that month, which (of those/other) methods, if any, did you use at the same time? (4th METHOD MENTIONED, 2nd COMBINATION, MC2)

Inapplicable:

R said no, don't know or refused to all birth control methods in EA series (computed variable EVERUSED = 2); R never had sex as of this month and never used a birth control method as of this month but ever used one or more birth control methods in EA series (WNFSTSEX GE 1093 and DATFIRSM GE 1093 and computed variable EVERUSED = 1); R did not use multiple methods in the month; or R used only 2 methods in the month; or R reported fewer than 2 BC method combinations; or R reported using fewer than 4 BC methods for this combination in this month of the method calendar.

1553	6483	2446	10847	Blank	= Blank, inapplicable
0	0	0	0	01	= NONE
0	0	0	0	02	= OFFICE USE ONLY
0	0	0	0	03	= BIRTH CONTROL PILLS
0	0	0	0	04	= CONDOM
0	0	0	0	05	= PARTNER'S VASECTOMY
0	0	0	0	06	= DIAPHRAGM
0	0	0	0	07	= FOAM
0	0	0	0	08	= JELLY OR CREAM
0	0	0	0	09	= CERVICAL CAP
0	0	0	0	10	= SUPPOSITORY, INSERT
0	0	0	0	11	= TODAY (TM) SPONGE
0	0	0	0	12	= FEMALE CONDOM, VAGINAL POUCH
0	0	0	0	13	= IUD, COIL, LOOP
0	0	0	0	14	= NORPLANT (TM)
0	0	0	0	15	= DEPO-PROVERA, INJECTABLES
0	0	0	0	16	= MORNING AFTER PILLS
0	0	0	0	17	= RHYTHM OR SAFE PERIOD BY CALENDAR
0	0	0	0	18	= SAFE PERIOD BY TEMP, CERVICAL MUCUS TEST,

1995 NATIONAL SURVEY OF FAMILY GROWTH
 File Documentation
 Respondent File (Section E Questionnaire Items)

VARIABLE NAME	COLUMN LOCATION	NON-HISPANIC			TOTAL	QX	TEXT AND CODE CATEGORIES
		HISP	WHITE	BLACK			
		0	0	0	0	19	NFP = WITHDRAWAL
		0	0	0	0	20	= RESPONDENT STERILE
		0	0	0	0	21	= PARTNER STERILE (NOT ON CARD)
		0	0	0	0	22	= OTHER METHOD-NOT SHOWN SEPARATELY
		0	0	0	0	97	= Not Ascertained
		0	0	0	0	98	= Refused
		0	0	0	0	99	= Don't Know

1995 NATIONAL SURVEY OF FAMILY GROWTH
 File Documentation
 Respondent File (Section E Questionnaire Items)

VARIABLE	COLUMN	NON-HISPANIC			QX TEXT AND CODE CATEGORIES
NAME	LOCATION	HISP	WHITE	BLACK	TOTAL

[MTHUS020] 7002-7003

During that month, which (of those/other) methods, if any, did you use at the same time? (1st METHOD MENTIONED, 3rd COMBINATION, MC2)

Inapplicable:
 R said no, don't know or refused to all birth control methods in EA series (computed variable EVERUSED = 2); R never had sex as of this month and never used a birth control method as of this month but ever used one or more birth control methods in EA series (WNFSTSEX GE 1093 and DATFIRSM GE 1093 and computed variable EVERUSED = 1); R did not use multiple methods in the month; or R used only 2 methods in the month; or R reported fewer than 3 BC method combinations.

1553	6482	2446	10846	Blank	= Blank, inapplicable
0	0	0	0	0	01 = NONE
0	0	0	0	0	02 = OFFICE USE ONLY
0	0	0	0	0	03 = BIRTH CONTROL PILLS
0	1	0	1	0	04 = CONDOM
0	0	0	0	0	05 = PARTNER'S VASECTOMY
0	0	0	0	0	06 = DIAPHRAGM
0	0	0	0	0	07 = FOAM
0	0	0	0	0	08 = JELLY OR CREAM
0	0	0	0	0	09 = CERVICAL CAP
0	0	0	0	0	10 = SUPPOSITORY, INSERT
0	0	0	0	0	11 = TODAY (TM) SPONGE
0	0	0	0	0	12 = FEMALE CONDOM, VAGINAL POUCH
0	0	0	0	0	13 = IUD, COIL, LOOP
0	0	0	0	0	14 = NORPLANT (TM)
0	0	0	0	0	15 = DEPO-PROVERA, INJECTABLES
0	0	0	0	0	16 = MORNING AFTER PILLS
0	0	0	0	0	17 = RHYTHM OR SAFE PERIOD BY CALENDAR
0	0	0	0	0	18 = SAFE PERIOD BY TEMP, CERVICAL MUCUS TEST, NFP
0	0	0	0	0	19 = WITHDRAWAL
0	0	0	0	0	20 = RESPONDENT STERILE

1995 NATIONAL SURVEY OF FAMILY GROWTH
 File Documentation
 Respondent File (Section E Questionnaire Items)

VARIABLE NAME	COLUMN LOCATION	NON-HISPANIC			QX	TEXT AND CODE CATEGORIES
		HISP	WHITE	BLACK		
		0	0	0	0	21 = PARTNER STERILE (NOT ON CARD)
		0	0	0	0	22 = OTHER METHOD-NOT SHOWN SEPARATELY
		0	0	0	0	97 = Not Ascertained
		0	0	0	0	98 = Refused
		0	0	0	0	99 = Don't Know

1995 NATIONAL SURVEY OF FAMILY GROWTH
 File Documentation
 Respondent File (Section E Questionnaire Items)

VARIABLE COLUMN NON-HISPANIC
 NAME LOCATION HISP WHITE BLACK TOTAL QX TEXT AND CODE CATEGORIES

[MTHUS021] 7004-7005

During that month, which (of those/other) methods, if any, did you use at the same time? (2nd METHOD MENTIONED, 3rd COMBINATION, MC2)

Inapplicable:
 R said no, don't know or refused to all birth control methods in EA series (computed variable EVERUSED = 2); R never had sex as of this month and never used a birth control method as of this month but ever used one or more birth control methods in EA series (WNFSTSEX GE 1093 and DATFIRSM GE 1093 and computed variable EVERUSED = 1); R did not use multiple methods in the month; or R used only 2 methods in the month; or R reported fewer than 3 BC method combinations; or R reported using fewer than 2 BC methods for this combination in this month of the method calendar.

	1553	6482	2446	10846	Blank	
	0	0	0	0	01	= Blank, inapplicable
	0	0	0	0	02	= NONE
	0	0	0	0	03	= OFFICE USE ONLY
	0	0	0	0	04	= BIRTH CONTROL PILLS
	0	0	0	0	05	= CONDOM
	0	0	0	0	06	= PARTNER'S VASECTOMY
	0	0	0	0	07	= DIAPHRAGM
	0	0	0	0	08	= FOAM
	0	0	0	0	09	= JELLY OR CREAM
	0	0	0	0	10	= CERVICAL CAP
	0	0	0	0	11	= SUPPOSITORY, INSERT
	0	0	0	0	12	= TODAY (TM) SPONGE
	0	0	0	0	13	= FEMALE CONDOM, VAGINAL POUCH
	0	0	0	0	14	= IUD, COIL, LOOP
	0	0	0	0	15	= NORPLANT (TM)
	0	0	0	0	16	= DEPO-PROVERA, INJECTABLES
	0	0	0	0	17	= MORNING AFTER PILLS
	0	1	0	1	18	= RHYTHM OR SAFE PERIOD BY CALENDAR
	0	0	0	0	18	= SAFE PERIOD BY TEMP, CERVICAL MUCUS TEST,

1995 NATIONAL SURVEY OF FAMILY GROWTH
 File Documentation
 Respondent File (Section E Questionnaire Items)

VARIABLE NAME	COLUMN LOCATION	NON-HISPANIC			TOTAL	QX	TEXT AND CODE CATEGORIES
		HISP	WHITE	BLACK			
		0	0	0	0	19	NFP
		0	0	0	0	20	= WITHDRAWAL
		0	0	0	0	21	= RESPONDENT STERILE
							= PARTNER STERILE (NOT ON CARD)
		0	0	0	0	22	= OTHER METHOD-NOT SHOWN SEPARATELY
		0	0	0	0	97	= Not Ascertained
		0	0	0	0	98	= Refused
		0	0	0	0	99	= Don't Know

1995 NATIONAL SURVEY OF FAMILY GROWTH
 File Documentation
 Respondent File (Section E Questionnaire Items)

VARIABLE	COLUMN	NON-HISPANIC				
NAME	LOCATION	HISP	WHITE	BLACK	TOTAL	QX TEXT AND CODE CATEGORIES

[MTHUS022] 7006-7007

During that month, which (of those/other) methods, if any, did you use at the same time? (3rd METHOD MENTIONED, 3rd COMBINATION, MC2)

Inapplicable:
 R said no, don't know or refused to all birth control methods in EA series (computed variable EVERUSED = 2); R never had sex as of this month and never used a birth control method as of this month but ever used one or more birth control methods in EA series (WNFSTSEX GE 1093 and DATFIRSM GE 1093 and computed variable EVERUSED = 1); R did not use multiple methods in the month; or R used only 2 methods in the month; or R reported fewer than 3 BC method combinations; or R reported using fewer than 3 BC methods for this combination in this month of the method calendar.

1553	6483	2446	10847	Blank	= Blank, inapplicable
0	0	0	0	01	= NONE
0	0	0	0	02	= OFFICE USE ONLY
0	0	0	0	03	= BIRTH CONTROL PILLS
0	0	0	0	04	= CONDOM
0	0	0	0	05	= PARTNER'S VASECTOMY
0	0	0	0	06	= DIAPHRAGM
0	0	0	0	07	= FOAM
0	0	0	0	08	= JELLY OR CREAM
0	0	0	0	09	= CERVICAL CAP
0	0	0	0	10	= SUPPOSITORY, INSERT
0	0	0	0	11	= TODAY (TM) SPONGE
0	0	0	0	12	= FEMALE CONDOM, VAGINAL POUCH
0	0	0	0	13	= IUD, COIL, LOOP
0	0	0	0	14	= NORPLANT (TM)
0	0	0	0	15	= DEPO-PROVERA, INJECTABLES
0	0	0	0	16	= MORNING AFTER PILLS
0	0	0	0	17	= RHYTHM OR SAFE PERIOD BY CALENDAR
0	0	0	0	18	= SAFE PERIOD BY TEMP, CERVICAL MUCUS TEST,

(3242)

1995 NATIONAL SURVEY OF FAMILY GROWTH
 File Documentation
 Respondent File (Section E Questionnaire Items)

VARIABLE NAME	COLUMN LOCATION	NON-HISPANIC			TOTAL	QX	TEXT AND CODE CATEGORIES
		HISP	WHITE	BLACK			
		0	0	0	0	19	NFP = WITHDRAWAL
		0	0	0	0	20	= RESPONDENT STERILE
		0	0	0	0	21	= PARTNER STERILE (NOT ON CARD)
		0	0	0	0	22	= OTHER METHOD-NOT SHOWN SEPARATELY
		0	0	0	0	97	= Not Ascertained
		0	0	0	0	98	= Refused
		0	0	0	0	99	= Don't Know

1995 NATIONAL SURVEY OF FAMILY GROWTH
 File Documentation
 Respondent File (Section E Questionnaire Items)

VARIABLE	COLUMN	NON-HISPANIC				QX TEXT AND CODE CATEGORIES
NAME	LOCATION	HISP	WHITE	BLACK		

[MTHUS023] 7008-7009

During that month, which (of those/other) methods, if any, did you use at the same time? (4th METHOD MENTIONED, 3rd COMBINATION, MC2)

Inapplicable:
 R said no, don't know or refused to all birth control methods in EA series (computed variable EVERUSED = 2); R never had sex as of this month and never used a birth control method as of this month but ever used one or more birth control methods in EA series (WNFSTSEX GE 1093 and DATFIRSM GE 1093 and computed variable EVERUSED = 1); R did not use multiple methods in the month; or R used only 2 methods in the month; or R reported fewer than 3 BC method combinations; or R reported using fewer than 4 BC methods for this combination in this month of the method calendar.

1553	6483	2446	10847	Blank	= Blank, inapplicable
0	0	0	0	01	= NONE
0	0	0	0	02	= OFFICE USE ONLY
0	0	0	0	03	= BIRTH CONTROL PILLS
0	0	0	0	04	= CONDOM
0	0	0	0	05	= PARTNER'S VASECTOMY
0	0	0	0	06	= DIAPHRAGM
0	0	0	0	07	= FOAM
0	0	0	0	08	= JELLY OR CREAM
0	0	0	0	09	= CERVICAL CAP
0	0	0	0	10	= SUPPOSITORY, INSERT
0	0	0	0	11	= TODAY (TM) SPONGE
0	0	0	0	12	= FEMALE CONDOM, VAGINAL POUCH
0	0	0	0	13	= IUD, COIL, LOOP
0	0	0	0	14	= NORPLANT (TM)
0	0	0	0	15	= DEPO-PROVERA, INJECTABLES
0	0	0	0	16	= MORNING AFTER PILLS
0	0	0	0	17	= RHYTHM OR SAFE PERIOD BY CALENDAR
0	0	0	0	18	= SAFE PERIOD BY TEMP, CERVICAL MUCUS TEST,

(3244)

1995 NATIONAL SURVEY OF FAMILY GROWTH
 File Documentation
 Respondent File (Section E Questionnaire Items)

VARIABLE NAME	COLUMN LOCATION	NON-HISPANIC			TOTAL	QX	TEXT AND CODE CATEGORIES
		HISP	WHITE	BLACK			
		0	0	0	0	19	NFP = WITHDRAWAL
		0	0	0	0	20	= RESPONDENT STERILE
		0	0	0	0	21	= PARTNER STERILE (NOT ON CARD)
		0	0	0	0	22	= OTHER METHOD-NOT SHOWN SEPARATELY
		0	0	0	0	97	= Not Ascertained
		0	0	0	0	98	= Refused
		0	0	0	0	99	= Don't Know

1995 NATIONAL SURVEY OF FAMILY GROWTH
 File Documentation
 Respondent File (Section E Questionnaire Items)

VARIABLE NAME	COLUMN LOCATION	NON-HISPANIC			QX TEXT AND CODE CATEGORIES		
		HISP	WHITE	BLACK		TOTAL	
[METHH008]	7010-7011				ENTER METHOD (FIRST MENTIONED) USED IN MARCH 1991: (MC3)		
					Inapplicable: R never had sex as of this month and never used a birth control method as of this month but ever used one or more birth control methods in EA series (WNFSTSEX GE 1093 and DATFIRSM GE 1093 and computed variable EVERUSED = 1); R never had sex and said no, don't know or refused to all birth control methods in EA series (computed variable RHADSEX coded 2,7,8 or 9 and computed variable EVERUSED = 2); R said no, don't know or refused to all birth control methods in EA series (computed variable EVERUSED = 2).		
		412	1273	416	2238	Blank	= Blank, inapplicable
		347	1214	605	2228	01	= NO METHODS USED
		0	0	0	0	02	= SAME AS PREVIOUS MONTH
		275	1371	469	2152	03	= BIRTH CONTROL PILLS
		156	755	336	1295	04	= CONDOM
		18	285	8	318	05	= PARTNER'S VASECTOMY
		6	136	13	157	06	= DIAPHRAGM
		2	27	1	31	07	= FOAM
		1	7	1	9	08	= JELLY OR CREAM
		0	2	0	2	09	= CERVICAL CAP
		3	19	12	36	10	= SUPPOSITORY, INSERT
		3	34	10	47	11	= TODAY (TM) SPONGE
		0	0	0	0	12	= FEMALE CONDOM, VAGINAL POUCH
		17	30	17	68	13	= IUD, COIL, LOOP
		4	3	8	15	14	= NORPLANT (TM)
		8	6	4	18	15	= DEPO-PROVERA, INJECTABLES
		0	0	0	0	16	= MORNING AFTER PILLS
		29	113	20	172	17	= RHYTHM OR SAFE PERIOD BY CALENDAR
		2	19	1	22	18	= SAFE PERIOD BY TEMP, CERVICAL MUCUS TEST, NFP
		36	117	24	185	19	= WITHDRAWAL
		216	929	485	1673	20	= RESPONDENT STERILE

(3246)

1995 NATIONAL SURVEY OF FAMILY GROWTH
 File Documentation
 Respondent File (Section E Questionnaire Items)

VARIABLE NAME	COLUMN LOCATION	NON-HISPANIC			TOTAL	QX	TEXT AND CODE CATEGORIES
		HISP	WHITE	BLACK			
		17	132	9	161	21	= PARTNER STERILE (NOT ON CARD)
		0	3	3	6	22	= OTHER METHOD-NOT SHOWN SEPARATELY
		0	0	0	0	55	= SAME METHODS USED THROUGH END OF YEAR
		1	1	2	4	97	= Not Ascertained
		0	4	2	6	98	= Refused
		0	3	0	4	99	= Don't Know

1995 NATIONAL SURVEY OF FAMILY GROWTH
 File Documentation
 Respondent File (Section E Questionnaire Items)

VARIABLE NAME	COLUMN LOCATION	NON-HISPANIC			TOTAL	QX	TEXT AND CODE CATEGORIES
		HISP	WHITE	BLACK			
		0	6	7	13	20	= RESPONDENT STERILE
		0	8	0	9	21	= PARTNER STERILE (NOT ON CARD)
		0	0	0	0	22	= OTHER METHOD-NOT SHOWN SEPARATELY
		0	0	0	0	55	= SAME METHODS USED THROUGH END OF YEAR
		1	1	2	4	97	= Not Ascertained
		0	4	2	6	98	= Refused
		0	3	0	4	99	= Don't Know

1995 NATIONAL SURVEY OF FAMILY GROWTH
 File Documentation
 Respondent File (Section E Questionnaire Items)

VARIABLE COLUMN NON-HISPANIC
 NAME LOCATION HISP WHITE BLACK TOTAL QX TEXT AND CODE CATEGORIES

[METHH010] 7014-7015

ENTER METHOD (THIRD MENTIONED) USED
 IN MARCH 1991: (MC3)

Inapplicable:

R never had sex as of this month and never used a birth control method as of this month but ever used one or more birth control methods in EA series (WNFSTSEX GE 1093 and DATFIRSM GE 1093 and computed variable EVERUSED = 1); R never had sex and said no, don't know or refused to all birth control methods in EA series (computed variable RHADSEX coded 2,7,8 or 9 and computed variable EVERUSED = 2); R said no, don't know or refused to all birth control methods in EA series (computed variable EVERUSED = 2); R used fewer than 3 methods in month.

1539	6418	2423	10739	Blank	= Blank, inapplicable
0	0	0	0	01	= NO METHODS USED
0	0	0	0	02	= SAME AS PREVIOUS MONTH
0	1	0	1	03	= BIRTH CONTROL PILLS
2	2	0	4	04	= CONDOM
1	0	0	1	05	= PARTNER'S VASECTOMY
0	0	0	0	06	= DIAPHRAGM
2	2	2	6	07	= FOAM
0	2	0	2	08	= JELLY OR CREAM
0	0	0	0	09	= CERVICAL CAP
1	4	1	6	10	= SUPPOSITORY, INSERT
1	5	0	7	11	= TODAY (TM) SPONGE
1	0	0	1	12	= FEMALE CONDOM, VAGINAL POUCH
0	0	0	0	13	= IUD, COIL, LOOP
0	0	0	0	14	= NORPLANT (TM)
0	0	0	0	15	= DEPO-PROVERA, INJECTABLES
0	1	0	1	16	= MORNING AFTER PILLS
2	9	1	12	17	= RHYTHM OR SAFE PERIOD BY CALENDAR
0	1	0	2	18	= SAFE PERIOD BY TEMP, CERVICAL MUCUS TEST, NFP
2	24	1	29	19	= WITHDRAWAL

(3250)

1995 NATIONAL SURVEY OF FAMILY GROWTH
 File Documentation
 Respondent File (Section E Questionnaire Items)

VARIABLE NAME	COLUMN LOCATION	NON-HISPANIC			TOTAL	QX	TEXT AND CODE CATEGORIES
		HISP	WHITE	BLACK			
		1	6	14	21	20	= RESPONDENT STERILE
		0	0	0	0	21	= PARTNER STERILE (NOT ON CARD)
		0	0	0	1	22	= OTHER METHOD-NOT SHOWN SEPARATELY
		0	0	0	0	55	= SAME METHODS USED THROUGH END OF YEAR
		1	1	2	4	97	= Not Ascertained
		0	4	2	6	98	= Refused
		0	3	0	4	99	= Don't Know

1995 NATIONAL SURVEY OF FAMILY GROWTH
 File Documentation
 Respondent File (Section E Questionnaire Items)

VARIABLE NAME	COLUMN LOCATION	NON-HISPANIC			TOTAL	QX	TEXT AND CODE CATEGORIES
		HISP	WHITE	BLACK			
		0	0	0	0	20	= RESPONDENT STERILE
		0	0	0	0	21	= PARTNER STERILE (NOT ON CARD)
		0	0	0	0	22	= OTHER METHOD-NOT SHOWN SEPARATELY
		0	0	0	0	55	= SAME METHODS USED THROUGH END OF YEAR
		1	1	2	4	97	= Not Ascertained
		0	4	2	6	98	= Refused
		0	3	0	4	99	= Don't Know

[SIMSEQ02] 7018-7018

Did you use those methods together,
 that is, at the same time, or did
 you use them at different times
 during the month? (MC3)

Inapplicable:

R never had sex as of this month and
 never used a birth control method as
 of this month but ever used one or
 more birth control methods in EA
 series (WNFSTSEX GE 1093 and
 DATFIRSM GE 1093 and computed
 variable EVERUSED = 1); R never had
 sex and said no, don't know or
 refused to all birth control methods
 in EA series (computed variable
 RHADSEX coded 2,7,8 or 9 and
 computed variable EVERUSED = 2); R
 said no, don't know or refused to
 all birth control methods in EA
 series (computed variable EVERUSED =
 2); R did not use multiple methods
 in the month; R used more than 2
 methods in the month.

1498	6155	2298	10303	Blank	= Blank, inapplicable
35	214	112	368	1	= SAME TIME
20	113	36	175	2	= DIFFERENT TIMES
0	0	0	0	7	= Not Ascertained
0	0	0	0	8	= Refused
0	1	0	1	9	= Don't Know

1995 NATIONAL SURVEY OF FAMILY GROWTH
 File Documentation
 Respondent File (Section E Questionnaire Items)

VARIABLE	COLUMN	NON-HISPANIC				
NAME	LOCATION	HISP	WHITE	BLACK		TOTAL

[MTHUS024] 7019-7020

During that month, which (of those/other) methods, if any, did you use at the same time? (1st METHOD MENTIONED, 1st COMBINATION, MC3)

Inapplicable:
 R said no, don't know or refused to all birth control methods in EA series (computed variable EVERUSED = 2); R never had sex as of this month and never used a birth control method as of this month but ever used one or more birth control methods in EA series (WNFSTSEX GE 1093 and DATFIRSM GE 1093 and computed variable EVERUSED = 1); R did not use multiple methods in the month; or R used only 2 methods in the month.

1541	6432	2440	10773	Blank	= Blank, inapplicable
5	8	2	15	01	= NONE
0	0	0	0	02	= OFFICE USE ONLY
1	5	2	10	03	= BIRTH CONTROL PILLS
6	25	1	35	04	= CONDOM
0	0	0	0	05	= PARTNER'S VASECTOMY
0	3	0	3	06	= DIAPHRAGM
0	1	0	1	07	= FOAM
0	0	0	0	08	= JELLY OR CREAM
0	0	0	0	09	= CERVICAL CAP
0	0	0	0	10	= SUPPOSITORY, INSERT
0	2	0	2	11	= TODAY (TM) SPONGE
0	0	0	0	12	= FEMALE CONDOM, VAGINAL POUCH
0	0	0	0	13	= IUD, COIL, LOOP
0	0	0	0	14	= NORPLANT (TM)
0	0	0	0	15	= DEPO-PROVERA, INJECTABLES
0	0	0	0	16	= MORNING AFTER PILLS
0	5	0	5	17	= RHYTHM OR SAFE PERIOD BY CALENDAR
0	1	0	1	18	= SAFE PERIOD BY TEMP, CERVICAL MUCUS TEST, NFP
0	1	0	1	19	= WITHDRAWAL
0	0	1	1	20	= RESPONDENT STERILE
0	0	0	0	21	= PARTNER STERILE (NOT

(3254)

1995 NATIONAL SURVEY OF FAMILY GROWTH
 File Documentation
 Respondent File (Section E Questionnaire Items)

VARIABLE NAME	COLUMN LOCATION	NON-HISPANIC			TOTAL	QX	TEXT AND CODE CATEGORIES
		HISP	WHITE	BLACK			
		0	0	0	0	22	ON CARD) = OTHER METHOD-NOT SHOWN SEPARATELY
		0	0	0	0	97	= Not Ascertained
		0	0	0	0	98	= Refused
		0	0	0	0	99	= Don't Know

1995 NATIONAL SURVEY OF FAMILY GROWTH
 File Documentation
 Respondent File (Section E Questionnaire Items)

VARIABLE	COLUMN	NON-HISPANIC				QX TEXT AND CODE CATEGORIES
NAME	LOCATION	HISP	WHITE	BLACK		

[MTHUS025] 7021-7022

During that month, which (of those/other) methods, if any, did you use at the same time? (2nd METHOD MENTIONED, 1st COMBINATION, MC3)

Inapplicable:
 R said no, don't know or refused to all birth control methods in EA series (computed variable EVERUSED = 2); R never had sex as of this month and never used a birth control method as of this month but ever used one or more birth control methods in EA series (WNFSTSEX GE 1093 and DATFIRSM GE 1093 and computed variable EVERUSED = 1); R did not use multiple methods in the month; or R used only 2 methods in the month; or R reported using fewer than 2 BC methods for this combination in this month of the method calendar.

1546	6440	2442	10788	Blank	= Blank, inapplicable
0	0	0	0	01	= NONE
0	0	0	0	02	= OFFICE USE ONLY
0	0	0	0	03	= BIRTH CONTROL PILLS
1	6	2	10	04	= CONDOM
0	1	0	1	05	= PARTNER'S VASECTOMY
0	4	0	4	06	= DIAPHRAGM
2	2	0	4	07	= FOAM
1	1	1	3	08	= JELLY OR CREAM
0	0	0	0	09	= CERVICAL CAP
1	1	0	2	10	= SUPPOSITORY, INSERT
0	2	0	2	11	= TODAY (TM) SPONGE
0	0	0	0	12	= FEMALE CONDOM, VAGINAL POUCH
0	0	0	0	13	= IUD, COIL, LOOP
0	0	0	0	14	= NORPLANT (TM)
0	0	0	0	15	= DEPO-PROVERA, INJECTABLES
0	1	0	1	16	= MORNING AFTER PILLS
1	14	0	16	17	= RHYTHM OR SAFE PERIOD BY CALENDAR
0	0	0	0	18	= SAFE PERIOD BY TEMP, CERVICAL MUCUS TEST, NFP

1995 NATIONAL SURVEY OF FAMILY GROWTH
 File Documentation
 Respondent File (Section E Questionnaire Items)

VARIABLE NAME	COLUMN LOCATION	NON-HISPANIC			TOTAL	QX	TEXT AND CODE CATEGORIES
		HISP	WHITE	BLACK			
		1	11	1	16	19	= WITHDRAWAL
		0	0	0	0	20	= RESPONDENT STERILE
		0	0	0	0	21	= PARTNER STERILE (NOT ON CARD)
		0	0	0	0	22	= OTHER METHOD-NOT SHOWN SEPARATELY
		0	0	0	0	97	= Not Ascertained
		0	0	0	0	98	= Refused
		0	0	0	0	99	= Don't Know

1995 NATIONAL SURVEY OF FAMILY GROWTH
 File Documentation
 Respondent File (Section E Questionnaire Items)

VARIABLE COLUMN NON-HISPANIC
 NAME LOCATION HISP WHITE BLACK TOTAL QX TEXT AND CODE CATEGORIES

[MTHUS026] 7023-7024

During that month, which (of those/other) methods, if any, did you use at the same time? (3rd METHOD MENTIONED, 1st COMBINATION, MC3)

Inapplicable:
 R said no, don't know or refused to all birth control methods in EA series (computed variable EVERUSED = 2); R never had sex as of this month and never used a birth control method as of this month but ever used one or more birth control methods in EA series (WNFSTSEX GE 1093 and DATFIRSM GE 1093 and computed variable EVERUSED = 1); R did not use multiple methods in the month; or R used only 2 methods in the month; or R reported using fewer than 3 BC methods for this combination in this month of the method calendar.

	1547	6460	2444	10815	Blank	
	0	0	0	0	01	= Blank, inapplicable
	0	0	0	0	02	= NONE
	0	0	0	0	03	= OFFICE USE ONLY
	0	0	0	0	04	= BIRTH CONTROL PILLS
	1	0	0	1	05	= CONDOM
	0	0	0	0	06	= PARTNER'S VASECTOMY
	2	2	1	5	07	= DIAPHRAGM
	0	1	0	1	08	= FOAM
	0	0	0	0	09	= JELLY OR CREAM
	0	1	0	1	10	= CERVICAL CAP
	1	2	0	3	11	= SUPPOSITORY, INSERT
	0	0	0	0	12	= TODAY (TM) SPONGE
	0	0	0	0	13	= FEMALE CONDOM, VAGINAL POUCH
	0	0	0	0	14	= IUD, COIL, LOOP
	0	0	0	0	15	= NORPLANT (TM)
	0	0	0	0	16	= DEPO-PROVERA, INJECTABLES
	2	6	1	9	17	= MORNING AFTER PILLS
	0	2	0	3	18	= RHYTHM OR SAFE PERIOD BY CALENDAR
						= SAFE PERIOD BY TEMP, CERVICAL MUCUS TEST, NFP

1995 NATIONAL SURVEY OF FAMILY GROWTH
 File Documentation
 Respondent File (Section E Questionnaire Items)

VARIABLE NAME	COLUMN LOCATION	NON-HISPANIC			TOTAL	QX	TEXT AND CODE CATEGORIES
		HISP	WHITE	BLACK			
		0	9	0	9	19	= WITHDRAWAL
		0	0	0	0	20	= RESPONDENT STERILE
		0	0	0	0	21	= PARTNER STERILE (NOT ON CARD)
		0	0	0	0	22	= OTHER METHOD-NOT SHOWN SEPARATELY
		0	0	0	0	97	= Not Ascertained
		0	0	0	0	98	= Refused
		0	0	0	0	99	= Don't Know

1995 NATIONAL SURVEY OF FAMILY GROWTH
 File Documentation
 Respondent File (Section E Questionnaire Items)

VARIABLE	COLUMN	NON-HISPANIC				QX TEXT AND CODE CATEGORIES
NAME	LOCATION	HISP	WHITE	BLACK		

[MTHUS027] 7025-7026

During that month, which (of those/other) methods, if any, did you use at the same time? (4th METHOD MENTIONED, 1st COMBINATION, MC3)

Inapplicable:
 R said no, don't know or refused to all birth control methods in EA series (computed variable EVERUSED = 2); R never had sex as of this month and never used a birth control method as of this month but ever used one or more birth control methods in EA series (WNFSTSEX GE 1093 and DATFIRSM GE 1093 and computed variable EVERUSED = 1); R did not use multiple methods in the month; or R used only 2 methods in the month; or R reported using fewer than 4 BC methods for this combination in this month of the method calendar.

1553	6482	2445	10845	Blank	= Blank, inapplicable
0	0	0	0	01	= NONE
0	0	0	0	02	= OFFICE USE ONLY
0	0	0	0	03	= BIRTH CONTROL PILLS
0	1	0	1	04	= CONDOM
0	0	0	0	05	= PARTNER'S VASECTOMY
0	0	0	0	06	= DIAPHRAGM
0	0	0	0	07	= FOAM
0	0	0	0	08	= JELLY OR CREAM
0	0	0	0	09	= CERVICAL CAP
0	0	0	0	10	= SUPPOSITORY, INSERT
0	0	0	0	11	= TODAY (TM) SPONGE
0	0	0	0	12	= FEMALE CONDOM, VAGINAL POUCH
0	0	0	0	13	= IUD, COIL, LOOP
0	0	0	0	14	= NORPLANT (TM)
0	0	0	0	15	= DEPO-PROVERA, INJECTABLES
0	0	0	0	16	= MORNING AFTER PILLS
0	0	0	0	17	= RHYTHM OR SAFE PERIOD BY CALENDAR
0	0	1	1	18	= SAFE PERIOD BY TEMP, CERVICAL MUCUS TEST, NFP

1995 NATIONAL SURVEY OF FAMILY GROWTH
 File Documentation
 Respondent File (Section E Questionnaire Items)

VARIABLE NAME	COLUMN LOCATION	NON-HISPANIC			TOTAL	QX	TEXT AND CODE CATEGORIES
		HISP	WHITE	BLACK			
		0	0	0	0	19	= WITHDRAWAL
		0	0	0	0	20	= RESPONDENT STERILE
		0	0	0	0	21	= PARTNER STERILE (NOT ON CARD)
		0	0	0	0	22	= OTHER METHOD-NOT SHOWN SEPARATELY
		0	0	0	0	97	= Not Ascertained
		0	0	0	0	98	= Refused
		0	0	0	0	99	= Don't Know

1995 NATIONAL SURVEY OF FAMILY GROWTH
 File Documentation
 Respondent File (Section E Questionnaire Items)

VARIABLE COLUMN NON-HISPANIC
 NAME LOCATION HISP WHITE BLACK TOTAL QX TEXT AND CODE CATEGORIES

[MTHUS028] 7027-7028

During that month, which (of those/other) methods, if any, did you use at the same time? (1st METHOD MENTIONED, 2nd COMBINATION, MC3)

Inapplicable:
 R said no, don't know or refused to all birth control methods in EA series (computed variable EVERUSED = 2); R never had sex as of this month and never used a birth control method as of this month but ever used one or more birth control methods in EA series (WNFSTSEX GE 1093 and DATFIRSM GE 1093 and computed variable EVERUSED = 1); R did not use multiple methods in the month; or R used only 2 methods in the month; or R reported fewer than 2 BC method combinations.

	1546	6440	2442	10788	Blank	
	5	32	2	42	01	= Blank, inapplicable
	0	0	0	0	02	= NONE
	1	2	0	3	03	= OFFICE USE ONLY
	0	5	1	7	04	= BIRTH CONTROL PILLS
	0	0	0	0	05	= CONDOM
	0	0	0	0	06	= PARTNER'S VASECTOMY
	1	1	0	2	07	= DIAPHRAGM
	0	0	0	0	08	= FOAM
	0	0	0	0	09	= JELLY OR CREAM
	0	0	0	0	10	= CERVICAL CAP
	0	0	0	1	11	= SUPPOSITORY, INSERT
	0	0	0	0	12	= TODAY (TM) SPONGE
	0	0	0	0	13	= FEMALE CONDOM, VAGINAL POUCH
	0	0	0	0	14	= IUD, COIL, LOOP
	0	0	0	0	15	= NORPLANT (TM)
	0	0	0	0	16	= DEPO-PROVERA, INJECTABLES
	0	0	0	0	17	= MORNING AFTER PILLS
	0	2	0	2	18	= RHYTHM OR SAFE PERIOD BY CALENDAR
	0	0	0	0	19	= SAFE PERIOD BY TEMP, CERVICAL MUCUS TEST, NFP
	0	1	0	1	20	= WITHDRAWAL
	0	0	1	1	20	= RESPONDENT STERILE

(3262)

1995 NATIONAL SURVEY OF FAMILY GROWTH
 File Documentation
 Respondent File (Section E Questionnaire Items)

VARIABLE NAME	COLUMN LOCATION	NON-HISPANIC			TOTAL	QX	TEXT AND CODE CATEGORIES
		HISP	WHITE	BLACK			
		0	0	0	0	21	= PARTNER STERILE (NOT ON CARD)
		0	0	0	0	22	= OTHER METHOD-NOT SHOWN SEPARATELY
		0	0	0	0	97	= Not Ascertained
		0	0	0	0	98	= Refused
		0	0	0	0	99	= Don't Know

1995 NATIONAL SURVEY OF FAMILY GROWTH
 File Documentation
 Respondent File (Section E Questionnaire Items)

VARIABLE COLUMN NON-HISPANIC
 NAME LOCATION HISP WHITE BLACK TOTAL QX TEXT AND CODE CATEGORIES

[MTHUS029] 7029-7030

During that month, which (of those/other) methods, if any, did you use at the same time? (2nd METHOD MENTIONED, 2nd COMBINATION, MC3)

Inapplicable:
 R said no, don't know or refused to all birth control methods in EA series (computed variable EVERUSED = 2); R never had sex as of this month and never used a birth control method as of this month but ever used one or more birth control methods in EA series (WNFSTSEX GE 1093 and DATFIRSM GE 1093 and computed variable EVERUSED = 1); R did not use multiple methods in the month; or R used only 2 methods in the month; or R reported fewer than 2 BC method combinations; or R reported using fewer than 2 BC methods for this combination in this month of the method calendar.

	1552	6474	2445	10834	Blank	
	0	0	0	0	0	01 = Blank, inapplicable
	0	0	0	0	0	02 = NONE
	0	0	0	1	0	03 = OFFICE USE ONLY
	1	1	0	2	0	04 = BIRTH CONTROL PILLS
	0	1	0	1	0	05 = CONDOM
	0	0	0	0	0	06 = PARTNER'S VASECTOMY
	0	1	0	1	0	07 = DIAPHRAGM
	0	0	0	0	0	08 = FOAM
	0	0	0	0	0	09 = JELLY OR CREAM
	0	0	0	0	0	10 = CERVICAL CAP
	0	0	0	0	0	11 = SUPPOSITORY, INSERT
	0	1	0	1	0	12 = TODAY (TM) SPONGE
	0	0	0	0	0	13 = FEMALE CONDOM, VAGINAL POUCH
	0	0	0	0	0	14 = IUD, COIL, LOOP
	0	0	0	0	0	15 = NORPLANT (TM)
	0	0	0	0	0	16 = DEPO-PROVERA, INJECTABLES
	0	0	0	0	0	17 = MORNING AFTER PILLS
	0	4	0	5	0	18 = RHYTHM OR SAFE PERIOD BY CALENDAR
	0	0	0	0	0	19 = SAFE PERIOD BY TEMP, CERVICAL MUCUS TEST,

(3264)

1995 NATIONAL SURVEY OF FAMILY GROWTH
 File Documentation
 Respondent File (Section E Questionnaire Items)

VARIABLE NAME	COLUMN LOCATION	NON-HISPANIC			TOTAL	QX	TEXT AND CODE CATEGORIES
		HISP	WHITE	BLACK			
		0	1	1	2	19	NFP
		0	0	0	0	20	= WITHDRAWAL
		0	0	0	0	21	= RESPONDENT STERILE
							= PARTNER STERILE (NOT ON CARD)
		0	0	0	0	22	= OTHER METHOD-NOT SHOWN SEPARATELY
		0	0	0	0	97	= Not Ascertained
		0	0	0	0	98	= Refused
		0	0	0	0	99	= Don't Know

1995 NATIONAL SURVEY OF FAMILY GROWTH
 File Documentation
 Respondent File (Section E Questionnaire Items)

VARIABLE	COLUMN	NON-HISPANIC				QX TEXT AND CODE CATEGORIES
NAME	LOCATION	HISP	WHITE	BLACK		

[MTHUS030] 7031-7032

During that month, which (of those/other) methods, if any, did you use at the same time? (3rd METHOD MENTIONED, 2nd COMBINATION, MC3)

Inapplicable:
 R said no, don't know or refused to all birth control methods in EA series (computed variable EVERUSED = 2); R never had sex as of this month and never used a birth control method as of this month but ever used one or more birth control methods in EA series (WNFSTSEX GE 1093 and DATFIRSM GE 1093 and computed variable EVERUSED = 1); R did not use multiple methods in the month; or R used only 2 methods in the month; or R reported fewer than 2 BC method combinations; or R reported using fewer than 3 BC methods for this combination in this month of the method calendar.

1552	6482	2446	10844	Blank	= Blank, inapplicable
0	0	0	0	01	= NONE
0	0	0	0	02	= OFFICE USE ONLY
0	0	0	0	03	= BIRTH CONTROL PILLS
0	0	0	0	04	= CONDOM
0	0	0	0	05	= PARTNER'S VASECTOMY
0	0	0	0	06	= DIAPHRAGM
0	0	0	0	07	= FOAM
0	0	0	0	08	= JELLY OR CREAM
0	0	0	0	09	= CERVICAL CAP
0	0	0	0	10	= SUPPOSITORY, INSERT
0	0	0	0	11	= TODAY (TM) SPONGE
0	0	0	0	12	= FEMALE CONDOM, VAGINAL POUCH
0	0	0	0	13	= IUD, COIL, LOOP
0	0	0	0	14	= NORPLANT (TM)
0	0	0	0	15	= DEPO-PROVERA, INJECTABLES
0	0	0	0	16	= MORNING AFTER PILLS
1	0	0	1	17	= RHYTHM OR SAFE PERIOD BY CALENDAR
0	0	0	1	18	= SAFE PERIOD BY TEMP, CERVICAL MUCUS TEST,

1995 NATIONAL SURVEY OF FAMILY GROWTH
 File Documentation
 Respondent File (Section E Questionnaire Items)

VARIABLE NAME	COLUMN LOCATION	NON-HISPANIC			TOTAL	QX	TEXT AND CODE CATEGORIES
		HISP	WHITE	BLACK			
		0	1	0	1	19	NFP = WITHDRAWAL
		0	0	0	0	20	= RESPONDENT STERILE
		0	0	0	0	21	= PARTNER STERILE (NOT ON CARD)
		0	0	0	0	22	= OTHER METHOD-NOT SHOWN SEPARATELY
		0	0	0	0	97	= Not Ascertained
		0	0	0	0	98	= Refused
		0	0	0	0	99	= Don't Know

1995 NATIONAL SURVEY OF FAMILY GROWTH
 File Documentation
 Respondent File (Section E Questionnaire Items)

VARIABLE	COLUMN	NON-HISPANIC				QX TEXT AND CODE CATEGORIES
NAME	LOCATION	HISP	WHITE	BLACK		

[MTHUS031] 7033-7034

During that month, which (of those/other) methods, if any, did you use at the same time? (4th METHOD MENTIONED, 2nd COMBINATION, MC3)

Inapplicable:
 R said no, don't know or refused to all birth control methods in EA series (computed variable EVERUSED = 2); R never had sex as of this month and never used a birth control method as of this month but ever used one or more birth control methods in EA series (WNFSTSEX GE 1093 and DATFIRSM GE 1093 and computed variable EVERUSED = 1); R did not use multiple methods in the month; or R used only 2 methods in the month; or R reported fewer than 2 BC method combinations; or R reported using fewer than 4 BC methods for this combination in this month of the method calendar.

1553	6483	2446	10847	Blank	= Blank, inapplicable
0	0	0	0	01	= NONE
0	0	0	0	02	= OFFICE USE ONLY
0	0	0	0	03	= BIRTH CONTROL PILLS
0	0	0	0	04	= CONDOM
0	0	0	0	05	= PARTNER'S VASECTOMY
0	0	0	0	06	= DIAPHRAGM
0	0	0	0	07	= FOAM
0	0	0	0	08	= JELLY OR CREAM
0	0	0	0	09	= CERVICAL CAP
0	0	0	0	10	= SUPPOSITORY, INSERT
0	0	0	0	11	= TODAY (TM) SPONGE
0	0	0	0	12	= FEMALE CONDOM, VAGINAL POUCH
0	0	0	0	13	= IUD, COIL, LOOP
0	0	0	0	14	= NORPLANT (TM)
0	0	0	0	15	= DEPO-PROVERA, INJECTABLES
0	0	0	0	16	= MORNING AFTER PILLS
0	0	0	0	17	= RHYTHM OR SAFE PERIOD BY CALENDAR
0	0	0	0	18	= SAFE PERIOD BY TEMP, CERVICAL MUCUS TEST,

1995 NATIONAL SURVEY OF FAMILY GROWTH
 File Documentation
 Respondent File (Section E Questionnaire Items)

VARIABLE NAME	COLUMN LOCATION	NON-HISPANIC			TOTAL	QX	TEXT AND CODE CATEGORIES
		HISP	WHITE	BLACK			
		0	0	0	0	19	NFP
		0	0	0	0	20	= WITHDRAWAL
		0	0	0	0	21	= RESPONDENT STERILE
							= PARTNER STERILE (NOT ON CARD)
		0	0	0	0	22	= OTHER METHOD-NOT SHOWN SEPARATELY
		0	0	0	0	97	= Not Ascertained
		0	0	0	0	98	= Refused
		0	0	0	0	99	= Don't Know

1995 NATIONAL SURVEY OF FAMILY GROWTH
 File Documentation
 Respondent File (Section E Questionnaire Items)

VARIABLE COLUMN NON-HISPANIC
 NAME LOCATION HISP WHITE BLACK TOTAL QX TEXT AND CODE CATEGORIES

[MTHUS032] 7035-7036

During that month, which (of those/other) methods, if any, did you use at the same time? (1st METHOD MENTIONED, 3rd COMBINATION, MC3)

Inapplicable:
 R said no, don't know or refused to all birth control methods in EA series (computed variable EVERUSED = 2); R never had sex as of this month and never used a birth control method as of this month but ever used one or more birth control methods in EA series (WNFSTSEX GE 1093 and DATFIRSM GE 1093 and computed variable EVERUSED = 1); R did not use multiple methods in the month; or R used only 2 methods in the month; or R reported fewer than 3 BC method combinations.

1553	6481	2446	10845	Blank	= Blank, inapplicable
0	0	0	0	0 01	= NONE
0	0	0	0	0 02	= OFFICE USE ONLY
0	0	0	0	0 03	= BIRTH CONTROL PILLS
0	1	0	1	0 04	= CONDOM
0	0	0	0	0 05	= PARTNER'S VASECTOMY
0	0	0	0	0 06	= DIAPHRAGM
0	1	0	1	0 07	= FOAM
0	0	0	0	0 08	= JELLY OR CREAM
0	0	0	0	0 09	= CERVICAL CAP
0	0	0	0	0 10	= SUPPOSITORY, INSERT
0	0	0	0	0 11	= TODAY (TM) SPONGE
0	0	0	0	0 12	= FEMALE CONDOM, VAGINAL POUCH
0	0	0	0	0 13	= IUD, COIL, LOOP
0	0	0	0	0 14	= NORPLANT (TM)
0	0	0	0	0 15	= DEPO-PROVERA, INJECTABLES
0	0	0	0	0 16	= MORNING AFTER PILLS
0	0	0	0	0 17	= RHYTHM OR SAFE PERIOD BY CALENDAR
0	0	0	0	0 18	= SAFE PERIOD BY TEMP, CERVICAL MUCUS TEST, NFP
0	0	0	0	0 19	= WITHDRAWAL
0	0	0	0	0 20	= RESPONDENT STERILE

(3270)

1995 NATIONAL SURVEY OF FAMILY GROWTH
 File Documentation
 Respondent File (Section E Questionnaire Items)

VARIABLE NAME	COLUMN LOCATION	NON-HISPANIC			TOTAL	QX	TEXT AND CODE CATEGORIES
		HISP	WHITE	BLACK			
		0	0	0	0	21	= PARTNER STERILE (NOT ON CARD)
		0	0	0	0	22	= OTHER METHOD-NOT SHOWN SEPARATELY
		0	0	0	0	97	= Not Ascertained
		0	0	0	0	98	= Refused
		0	0	0	0	99	= Don't Know

1995 NATIONAL SURVEY OF FAMILY GROWTH
 File Documentation
 Respondent File (Section E Questionnaire Items)

VARIABLE	COLUMN	NON-HISPANIC				
NAME	LOCATION	HISP	WHITE	BLACK	TOTAL	QX TEXT AND CODE CATEGORIES

[MTHUS033] 7037-7038

During that month, which (of those/other) methods, if any, did you use at the same time? (2nd METHOD MENTIONED, 3rd COMBINATION, MC3)

Inapplicable:
 R said no, don't know or refused to all birth control methods in EA series (computed variable EVERUSED = 2); R never had sex as of this month and never used a birth control method as of this month but ever used one or more birth control methods in EA series (WNFSTSEX GE 1093 and DATFIRSM GE 1093 and computed variable EVERUSED = 1); R did not use multiple methods in the month; or R used only 2 methods in the month; or R reported fewer than 3 BC method combinations; or R reported using fewer than 2 BC methods for this combination in this month of the method calendar.

1553	6481	2446	10845	Blank	= Blank, inapplicable
0	0	0	0	01	= NONE
0	0	0	0	02	= OFFICE USE ONLY
0	0	0	0	03	= BIRTH CONTROL PILLS
0	0	0	0	04	= CONDOM
0	0	0	0	05	= PARTNER'S VASECTOMY
0	0	0	0	06	= DIAPHRAGM
0	0	0	0	07	= FOAM
0	0	0	0	08	= JELLY OR CREAM
0	0	0	0	09	= CERVICAL CAP
0	0	0	0	10	= SUPPOSITORY, INSERT
0	0	0	0	11	= TODAY (TM) SPONGE
0	0	0	0	12	= FEMALE CONDOM, VAGINAL POUCH
0	0	0	0	13	= IUD, COIL, LOOP
0	0	0	0	14	= NORPLANT (TM)
0	0	0	0	15	= DEPO-PROVERA, INJECTABLES
0	0	0	0	16	= MORNING AFTER PILLS
0	1	0	1	17	= RHYTHM OR SAFE PERIOD BY CALENDAR
0	0	0	0	18	= SAFE PERIOD BY TEMP, CERVICAL MUCUS TEST,

1995 NATIONAL SURVEY OF FAMILY GROWTH
 File Documentation
 Respondent File (Section E Questionnaire Items)

VARIABLE NAME	COLUMN LOCATION	NON-HISPANIC			TOTAL	QX TEXT AND CODE CATEGORIES	
		HISP	WHITE	BLACK			
		0	1	0	1	19	NFP
		0	0	0	0	20	= WITHDRAWAL
		0	0	0	0	21	= RESPONDENT STERILE
							= PARTNER STERILE (NOT ON CARD)
		0	0	0	0	22	= OTHER METHOD-NOT SHOWN SEPARATELY
		0	0	0	0	97	= Not Ascertained
		0	0	0	0	98	= Refused
		0	0	0	0	99	= Don't Know

1995 NATIONAL SURVEY OF FAMILY GROWTH
 File Documentation
 Respondent File (Section E Questionnaire Items)

VARIABLE	COLUMN	NON-HISPANIC							
NAME	LOCATION	HISP	WHITE	BLACK					

[MTHUS034] 7039-7040

During that month, which (of those/other) methods, if any, did you use at the same time? (3rd METHOD MENTIONED, 3rd COMBINATION, MC3)

Inapplicable:
 R said no, don't know or refused to all birth control methods in EA series (computed variable EVERUSED = 2); R never had sex as of this month and never used a birth control method as of this month but ever used one or more birth control methods in EA series (WNFSTSEX GE 1093 and DATFIRSM GE 1093 and computed variable EVERUSED = 1); R did not use multiple methods in the month; or R used only 2 methods in the month; or R reported fewer than 3 BC method combinations; or R reported using fewer than 3 BC methods for this combination in this month of the method calendar.

1553	6482	2446	10846	Blank	= Blank, inapplicable
0	0	0	0	01	= NONE
0	0	0	0	02	= OFFICE USE ONLY
0	0	0	0	03	= BIRTH CONTROL PILLS
0	0	0	0	04	= CONDOM
0	0	0	0	05	= PARTNER'S VASECTOMY
0	0	0	0	06	= DIAPHRAGM
0	0	0	0	07	= FOAM
0	0	0	0	08	= JELLY OR CREAM
0	0	0	0	09	= CERVICAL CAP
0	0	0	0	10	= SUPPOSITORY, INSERT
0	0	0	0	11	= TODAY (TM) SPONGE
0	0	0	0	12	= FEMALE CONDOM, VAGINAL POUCH
0	0	0	0	13	= IUD, COIL, LOOP
0	0	0	0	14	= NORPLANT (TM)
0	0	0	0	15	= DEPO-PROVERA, INJECTABLES
0	0	0	0	16	= MORNING AFTER PILLS
0	1	0	1	17	= RHYTHM OR SAFE PERIOD BY CALENDAR
0	0	0	0	18	= SAFE PERIOD BY TEMP, CERVICAL MUCUS TEST,

1995 NATIONAL SURVEY OF FAMILY GROWTH
 File Documentation
 Respondent File (Section E Questionnaire Items)

VARIABLE NAME	COLUMN LOCATION	NON-HISPANIC			TOTAL	QX	TEXT AND CODE CATEGORIES
		HISP	WHITE	BLACK			
		0	0	0	0	19	NFP
		0	0	0	0	20	= WITHDRAWAL
		0	0	0	0	21	= RESPONDENT STERILE
							= PARTNER STERILE (NOT ON CARD)
		0	0	0	0	22	= OTHER METHOD-NOT SHOWN SEPARATELY
		0	0	0	0	97	= Not Ascertained
		0	0	0	0	98	= Refused
		0	0	0	0	99	= Don't Know

1995 NATIONAL SURVEY OF FAMILY GROWTH
 File Documentation
 Respondent File (Section E Questionnaire Items)

VARIABLE	COLUMN	NON-HISPANIC				QX TEXT AND CODE CATEGORIES
NAME	LOCATION	HISP	WHITE	BLACK		

[MTHUS035] 7041-7042

During that month, which (of those/other) methods, if any, did you use at the same time? (4th METHOD MENTIONED, 3rd COMBINATION, MC3)

Inapplicable:
 R said no, don't know or refused to all birth control methods in EA series (computed variable EVERUSED = 2); R never had sex as of this month and never used a birth control method as of this month but ever used one or more birth control methods in EA series (WNFSTSEX GE 1093 and DATFIRSM GE 1093 and computed variable EVERUSED = 1); R did not use multiple methods in the month; or R used only 2 methods in the month; or R reported fewer than 3 BC method combinations; or R reported using fewer than 4 BC methods for this combination in this month of the method calendar.

1553	6483	2446	10847	Blank	= Blank, inapplicable
0	0	0	0	01	= NONE
0	0	0	0	02	= OFFICE USE ONLY
0	0	0	0	03	= BIRTH CONTROL PILLS
0	0	0	0	04	= CONDOM
0	0	0	0	05	= PARTNER'S VASECTOMY
0	0	0	0	06	= DIAPHRAGM
0	0	0	0	07	= FOAM
0	0	0	0	08	= JELLY OR CREAM
0	0	0	0	09	= CERVICAL CAP
0	0	0	0	10	= SUPPOSITORY, INSERT
0	0	0	0	11	= TODAY (TM) SPONGE
0	0	0	0	12	= FEMALE CONDOM, VAGINAL POUCH
0	0	0	0	13	= IUD, COIL, LOOP
0	0	0	0	14	= NORPLANT (TM)
0	0	0	0	15	= DEPO-PROVERA, INJECTABLES
0	0	0	0	16	= MORNING AFTER PILLS
0	0	0	0	17	= RHYTHM OR SAFE PERIOD BY CALENDAR
0	0	0	0	18	= SAFE PERIOD BY TEMP, CERVICAL MUCUS TEST,

1995 NATIONAL SURVEY OF FAMILY GROWTH
 File Documentation
 Respondent File (Section E Questionnaire Items)

VARIABLE NAME	COLUMN LOCATION	NON-HISPANIC			TOTAL	QX	TEXT AND CODE CATEGORIES
		HISP	WHITE	BLACK			
		0	0	0	0	19	NFP = WITHDRAWAL
		0	0	0	0	20	= RESPONDENT STERILE
		0	0	0	0	21	= PARTNER STERILE (NOT ON CARD)
		0	0	0	0	22	= OTHER METHOD-NOT SHOWN SEPARATELY
		0	0	0	0	97	= Not Ascertained
		0	0	0	0	98	= Refused
		0	0	0	0	99	= Don't Know

1995 NATIONAL SURVEY OF FAMILY GROWTH
 File Documentation
 Respondent File (Section E Questionnaire Items)

VARIABLE NAME	COLUMN LOCATION	NON-HISPANIC			QX	TEXT AND CODE CATEGORIES
		HISP	WHITE	BLACK		
[METHH012]	7043-7044					ENTER METHOD (FIRST MENTIONED) USED IN APRIL 1991: (MC4)
						Inapplicable: R never had sex as of this month and never used a birth control method as of this month but ever used one or more birth control methods in EA series (WNFSTSEX GE 1093 and DATFIRSM GE 1093 and computed variable EVERUSED = 1); R never had sex and said no, don't know or refused to all birth control methods in EA series (computed variable RHADSEX coded 2,7,8 or 9 and computed variable EVERUSED = 2); R said no, don't know or refused to all birth control methods in EA series (computed variable EVERUSED = 2).
		411	1255	414	2217	Blank = Blank, inapplicable
		354	1213	602	2229	01 = NO METHODS USED
		0	0	0	0	02 = SAME AS PREVIOUS MONTH
		271	1367	466	2142	03 = BIRTH CONTROL PILLS
		154	768	337	1307	04 = CONDOM
		18	288	8	322	05 = PARTNER'S VASECTOMY
		6	137	13	158	06 = DIAPHRAGM
		2	28	1	32	07 = FOAM
		1	8	1	10	08 = JELLY OR CREAM
		0	3	0	3	09 = CERVICAL CAP
		2	17	12	33	10 = SUPPOSITORY, INSERT
		3	33	10	46	11 = TODAY (TM) SPONGE
		0	0	1	1	12 = FEMALE CONDOM, VAGINAL POUCH
		18	31	17	70	13 = IUD, COIL, LOOP
		4	6	8	18	14 = NORPLANT (TM)
		8	5	5	18	15 = DEPO-PROVERA, INJECTABLES
		0	0	0	0	16 = MORNING AFTER PILLS
		28	110	19	168	17 = RHYTHM OR SAFE PERIOD BY CALENDAR
		2	18	0	20	18 = SAFE PERIOD BY TEMP, CERVICAL MUCUS TEST, NFP
		35	116	25	183	19 = WITHDRAWAL
		218	935	491	1687	20 = RESPONDENT STERILE

(3278)

1995 NATIONAL SURVEY OF FAMILY GROWTH
 File Documentation
 Respondent File (Section E Questionnaire Items)

VARIABLE NAME	COLUMN LOCATION	NON-HISPANIC			TOTAL	QX	TEXT AND CODE CATEGORIES
		HISP	WHITE	BLACK			
		17	134	9	163	21	= PARTNER STERILE (NOT ON CARD)
		0	3	3	6	22	= OTHER METHOD-NOT SHOWN SEPARATELY
		0	0	0	0	55	= SAME METHODS USED THROUGH END OF YEAR
		1	1	2	4	97	= Not Ascertained
		0	4	2	6	98	= Refused
		0	3	0	4	99	= Don't Know

1995 NATIONAL SURVEY OF FAMILY GROWTH
 File Documentation
 Respondent File (Section E Questionnaire Items)

VARIABLE NAME	COLUMN LOCATION	NON-HISPANIC			TOTAL	QX	TEXT AND CODE CATEGORIES
		HISP	WHITE	BLACK			
		0	6	8	14	20	= RESPONDENT STERILE
		0	8	0	9	21	= PARTNER STERILE (NOT ON CARD)
		0	0	0	0	22	= OTHER METHOD-NOT SHOWN SEPARATELY
		0	0	0	0	55	= SAME METHODS USED THROUGH END OF YEAR
		1	1	2	4	97	= Not Ascertained
		0	4	2	6	98	= Refused
		0	3	0	4	99	= Don't Know

1995 NATIONAL SURVEY OF FAMILY GROWTH
 File Documentation
 Respondent File (Section E Questionnaire Items)

VARIABLE COLUMN NON-HISPANIC
 NAME LOCATION HISP WHITE BLACK TOTAL QX TEXT AND CODE CATEGORIES

[METHH014] 7047-7048

ENTER METHOD (THIRD MENTIONED) USED
 IN APRIL 1991: (MC4)

Inapplicable:

R never had sex as of this month and never used a birth control method as of this month but ever used one or more birth control methods in EA series (WNFSTSEX GE 1093 and DATFIRSM GE 1093 and computed variable EVERUSED = 1); R never had sex and said no, don't know or refused to all birth control methods in EA series (computed variable RHADSEX coded 2,7,8 or 9 and computed variable EVERUSED = 2); R said no, don't know or refused to all birth control methods in EA series (computed variable EVERUSED = 2); R used fewer than 3 methods in month.

	1539	6421	2425	10744	Blank	
	0	0	0	0	0	01 = Blank, inapplicable
	0	0	0	0	0	02 = NO METHODS USED
	0	1	0	1	0	03 = SAME AS PREVIOUS MONTH
	2	2	0	4	0	04 = BIRTH CONTROL PILLS
	1	0	0	1	0	05 = CONDOM
	0	0	0	0	0	06 = PARTNER'S VASECTOMY
	2	2	2	6	0	07 = DIAPHRAGM
	0	1	0	1	0	08 = FOAM
	0	0	0	0	0	09 = JELLY OR CREAM
	1	4	0	5	0	10 = CERVICAL CAP
	1	5	0	7	0	11 = SUPPOSITORY, INSERT
	1	0	0	1	0	12 = TODAY (TM) SPONGE
	0	0	0	0	0	13 = FEMALE CONDOM, VAGINAL POUCH
	0	0	0	0	0	14 = IUD, COIL, LOOP
	0	0	0	0	0	15 = NORPLANT (TM)
	0	1	0	1	0	16 = DEPO-PROVERA, INJECTABLES
	2	9	1	12	0	17 = MORNING AFTER PILLS
	0	1	0	2	0	18 = RHYTHM OR SAFE PERIOD BY CALENDAR
	2	22	2	28	0	19 = SAFE PERIOD BY TEMP, CERVICAL MUCUS TEST, NFP
						20 = WITHDRAWAL

(3282)

1995 NATIONAL SURVEY OF FAMILY GROWTH
 File Documentation
 Respondent File (Section E Questionnaire Items)

VARIABLE NAME	COLUMN LOCATION	NON-HISPANIC			TOTAL	QX	TEXT AND CODE CATEGORIES
		HISP	WHITE	BLACK			
		1	6	12	19	20	= RESPONDENT STERILE
		0	0	0	0	21	= PARTNER STERILE (NOT ON CARD)
		0	0	0	1	22	= OTHER METHOD-NOT SHOWN SEPARATELY
		0	0	0	0	55	= SAME METHODS USED THROUGH END OF YEAR
		1	1	2	4	97	= Not Ascertained
		0	4	2	6	98	= Refused
		0	3	0	4	99	= Don't Know

1995 NATIONAL SURVEY OF FAMILY GROWTH
 File Documentation
 Respondent File (Section E Questionnaire Items)

VARIABLE NAME	COLUMN LOCATION	NON-HISPANIC			TOTAL	QX	TEXT AND CODE CATEGORIES
		HISP	WHITE	BLACK			
		0	0	0	0	20	= RESPONDENT STERILE
		0	0	0	0	21	= PARTNER STERILE (NOT ON CARD)
		0	0	0	0	22	= OTHER METHOD-NOT SHOWN SEPARATELY
		0	0	0	0	55	= SAME METHODS USED THROUGH END OF YEAR
		1	1	2	4	97	= Not Ascertained
		0	4	2	6	98	= Refused
		0	3	0	4	99	= Don't Know

[SIMSEQ03] 7051-7051

Did you use those methods together,
 that is, at the same time, or did
 you use them at different times
 during the month? (MC4)

Inapplicable:

R never had sex as of this month and
 never used a birth control method as
 of this month but ever used one or
 more birth control methods in EA
 series (WNFSTSEX GE 1093 and
 DATFIRSM GE 1093 and computed
 variable EVERUSED = 1); R never had
 sex and said no, don't know or
 refused to all birth control methods
 in EA series (computed variable
 RHADSEX coded 2,7,8 or 9 and
 computed variable EVERUSED = 2); R
 said no, don't know or refused to
 all birth control methods in EA
 series (computed variable EVERUSED =
 2); R did not use multiple methods
 in the month; R used more than 2
 methods in the month.

1500	6152	2299	10302	Blank	= Blank, inapplicable
33	213	112	366	1	= SAME TIME
20	117	35	178	2	= DIFFERENT TIMES
0	0	0	0	7	= Not Ascertained
0	0	0	0	8	= Refused
0	1	0	1	9	= Don't Know

1995 NATIONAL SURVEY OF FAMILY GROWTH
 File Documentation
 Respondent File (Section E Questionnaire Items)

VARIABLE	COLUMN	NON-HISPANIC								
NAME	LOCATION	HISP	WHITE	BLACK						

[MTHUS036] 7052-7053

During that month, which (of those/other) methods, if any, did you use at the same time? (1st METHOD MENTIONED, 1st COMBINATION, MC4)

Inapplicable:
 R said no, don't know or refused to all birth control methods in EA series (computed variable EVERUSED = 2); R never had sex as of this month and never used a birth control method as of this month but ever used one or more birth control methods in EA series (WNFSTSEX GE 1093 and DATFIRSM GE 1093 and computed variable EVERUSED = 1); R did not use multiple methods in the month; or R used only 2 methods in the month.

	1541	6435	2440	10776	Blank					
	5	7	1	13	01	=	Blank, inapplicable			
	0	0	0	0	02	=	NONE			
	1	5	2	10	03	=	OFFICE USE ONLY			
	6	23	1	33	04	=	BIRTH CONTROL PILLS			
	0	0	0	0	05	=	CONDOM			
	0	3	0	3	06	=	PARTNER'S VASECTOMY			
	0	1	0	1	07	=	DIAPHRAGM			
	0	0	0	0	08	=	FOAM			
	0	0	0	0	09	=	JELLY OR CREAM			
	0	0	0	0	10	=	CERVICAL CAP			
	0	0	0	0	10	=	SUPPOSITORY, INSERT			
	0	2	0	2	11	=	TODAY (TM) SPONGE			
	0	0	0	0	12	=	FEMALE CONDOM, VAGINAL POUCH			
	0	0	0	0	13	=	IUD, COIL, LOOP			
	0	0	0	0	14	=	NORPLANT (TM)			
	0	0	0	0	15	=	DEPO-PROVERA, INJECTABLES			
	0	0	0	0	16	=	MORNING AFTER PILLS			
	0	5	0	5	17	=	RHYTHM OR SAFE PERIOD BY CALENDAR			
	0	1	0	1	18	=	SAFE PERIOD BY TEMP, CERVICAL MUCUS TEST, NFP			
	0	1	1	2	19	=	WITHDRAWAL			
	0	0	1	1	20	=	RESPONDENT STERILE			
	0	0	0	0	21	=	PARTNER STERILE (NOT			

1995 NATIONAL SURVEY OF FAMILY GROWTH
 File Documentation
 Respondent File (Section E Questionnaire Items)

VARIABLE NAME	COLUMN LOCATION	NON-HISPANIC			TOTAL	QX	TEXT AND CODE CATEGORIES
		HISP	WHITE	BLACK			
		0	0	0	0	22	ON CARD) = OTHER METHOD-NOT SHOWN SEPARATELY
		0	0	0	0	97	= Not Ascertained
		0	0	0	0	98	= Refused
		0	0	0	0	99	= Don't Know

1995 NATIONAL SURVEY OF FAMILY GROWTH
 File Documentation
 Respondent File (Section E Questionnaire Items)

VARIABLE COLUMN NON-HISPANIC
 NAME LOCATION HISP WHITE BLACK TOTAL QX TEXT AND CODE CATEGORIES

[MTHUS037] 7054-7055

During that month, which (of those/other) methods, if any, did you use at the same time? (2nd METHOD MENTIONED, 1st COMBINATION, MC4)

Inapplicable:
 R said no, don't know or refused to all birth control methods in EA series (computed variable EVERUSED = 2); R never had sex as of this month and never used a birth control method as of this month but ever used one or more birth control methods in EA series (WNFSTSEX GE 1093 and DATFIRSM GE 1093 and computed variable EVERUSED = 1); R did not use multiple methods in the month; or R used only 2 methods in the month; or R reported using fewer than 2 BC methods for this combination in this month of the method calendar.

	1546	6442	2441	10789	Blank	
	0	0	0	0	01	= Blank, inapplicable
	0	0	0	0	02	= NONE
	0	0	0	0	03	= OFFICE USE ONLY
	1	6	2	10	04	= BIRTH CONTROL PILLS
	0	1	0	1	05	= CONDOM
	0	3	0	3	06	= PARTNER'S VASECTOMY
	2	2	0	4	07	= DIAPHRAGM
	1	1	1	3	08	= FOAM
	0	0	0	0	09	= JELLY OR CREAM
	1	1	1	3	10	= CERVICAL CAP
	0	1	0	1	11	= SUPPOSITORY, INSERT
	0	0	0	0	12	= TODAY (TM) SPONGE
	0	0	0	0	13	= FEMALE CONDOM, VAGINAL POUCH
	0	0	0	0	14	= IUD, COIL, LOOP
	0	0	0	0	15	= NORPLANT (TM)
	0	1	0	1	16	= DEPO-PROVERA, INJECTABLES
	1	14	0	16	17	= MORNING AFTER PILLS
	0	0	0	0	18	= RHYTHM OR SAFE PERIOD BY CALENDAR
						= SAFE PERIOD BY TEMP, CERVICAL MUCUS TEST, NFP

1995 NATIONAL SURVEY OF FAMILY GROWTH
 File Documentation
 Respondent File (Section E Questionnaire Items)

VARIABLE NAME	COLUMN LOCATION	NON-HISPANIC			TOTAL	QX	TEXT AND CODE CATEGORIES
		HISP	WHITE	BLACK			
		1	11	1	16	19	= WITHDRAWAL
		0	0	0	0	20	= RESPONDENT STERILE
		0	0	0	0	21	= PARTNER STERILE (NOT ON CARD)
		0	0	0	0	22	= OTHER METHOD-NOT SHOWN SEPARATELY
		0	0	0	0	97	= Not Ascertained
		0	0	0	0	98	= Refused
		0	0	0	0	99	= Don't Know

1995 NATIONAL SURVEY OF FAMILY GROWTH
 File Documentation
 Respondent File (Section E Questionnaire Items)

VARIABLE COLUMN NON-HISPANIC
 NAME LOCATION HISP WHITE BLACK TOTAL QX TEXT AND CODE CATEGORIES

[MTHUS038] 7056-7057

During that month, which (of those/other) methods, if any, did you use at the same time? (3rd METHOD MENTIONED, 1st COMBINATION, MC4)

Inapplicable:
 R said no, don't know or refused to all birth control methods in EA series (computed variable EVERUSED = 2); R never had sex as of this month and never used a birth control method as of this month but ever used one or more birth control methods in EA series (WNFSTSEX GE 1093 and DATFIRSM GE 1093 and computed variable EVERUSED = 1); R did not use multiple methods in the month; or R used only 2 methods in the month; or R reported using fewer than 3 BC methods for this combination in this month of the method calendar.

1547	6461	2444	10816	Blank	= Blank, inapplicable
0	0	0	0	01	= NONE
0	0	0	0	02	= OFFICE USE ONLY
0	0	0	0	03	= BIRTH CONTROL PILLS
0	0	0	0	04	= CONDOM
1	0	0	1	05	= PARTNER'S VASECTOMY
0	0	0	0	06	= DIAPHRAGM
2	2	1	5	07	= FOAM
0	0	0	0	08	= JELLY OR CREAM
0	0	0	0	09	= CERVICAL CAP
0	1	0	1	10	= SUPPOSITORY, INSERT
1	2	0	3	11	= TODAY (TM) SPONGE
0	0	0	0	12	= FEMALE CONDOM, VAGINAL POUCH
0	0	0	0	13	= IUD, COIL, LOOP
0	0	0	0	14	= NORPLANT (TM)
0	0	0	0	15	= DEPO-PROVERA, INJECTABLES
0	0	0	0	16	= MORNING AFTER PILLS
2	6	1	9	17	= RHYTHM OR SAFE PERIOD BY CALENDAR
0	2	0	3	18	= SAFE PERIOD BY TEMP, CERVICAL MUCUS TEST, NFP

1995 NATIONAL SURVEY OF FAMILY GROWTH
 File Documentation
 Respondent File (Section E Questionnaire Items)

VARIABLE NAME	COLUMN LOCATION	NON-HISPANIC			TOTAL	QX	TEXT AND CODE CATEGORIES
		HISP	WHITE	BLACK			
		0	9	0	9	19	= WITHDRAWAL
		0	0	0	0	20	= RESPONDENT STERILE
		0	0	0	0	21	= PARTNER STERILE (NOT ON CARD)
		0	0	0	0	22	= OTHER METHOD-NOT SHOWN SEPARATELY
		0	0	0	0	97	= Not Ascertained
		0	0	0	0	98	= Refused
		0	0	0	0	99	= Don't Know

1995 NATIONAL SURVEY OF FAMILY GROWTH
 File Documentation
 Respondent File (Section E Questionnaire Items)

VARIABLE	COLUMN	NON-HISPANIC				QX TEXT AND CODE CATEGORIES
NAME	LOCATION	HISP	WHITE	BLACK		

[MTHUS039] 7058-7059

During that month, which (of those/other) methods, if any, did you use at the same time? (4th METHOD MENTIONED, 1st COMBINATION, MC4)

Inapplicable:
 R said no, don't know or refused to all birth control methods in EA series (computed variable EVERUSED = 2); R never had sex as of this month and never used a birth control method as of this month but ever used one or more birth control methods in EA series (WNFSTSEX GE 1093 and DATFIRSM GE 1093 and computed variable EVERUSED = 1); R did not use multiple methods in the month; or R used only 2 methods in the month; or R reported using fewer than 4 BC methods for this combination in this month of the method calendar.

1553	6482	2445	10845	Blank	= Blank, inapplicable
0	0	0	0	01	= NONE
0	0	0	0	02	= OFFICE USE ONLY
0	0	0	0	03	= BIRTH CONTROL PILLS
0	1	0	1	04	= CONDOM
0	0	0	0	05	= PARTNER'S VASECTOMY
0	0	0	0	06	= DIAPHRAGM
0	0	0	0	07	= FOAM
0	0	0	0	08	= JELLY OR CREAM
0	0	0	0	09	= CERVICAL CAP
0	0	0	0	10	= SUPPOSITORY, INSERT
0	0	0	0	11	= TODAY (TM) SPONGE
0	0	0	0	12	= FEMALE CONDOM, VAGINAL POUCH
0	0	0	0	13	= IUD, COIL, LOOP
0	0	0	0	14	= NORPLANT (TM)
0	0	0	0	15	= DEPO-PROVERA, INJECTABLES
0	0	0	0	16	= MORNING AFTER PILLS
0	0	0	0	17	= RHYTHM OR SAFE PERIOD BY CALENDAR
0	0	1	1	18	= SAFE PERIOD BY TEMP, CERVICAL MUCUS TEST, NFP

1995 NATIONAL SURVEY OF FAMILY GROWTH
 File Documentation
 Respondent File (Section E Questionnaire Items)

VARIABLE NAME	COLUMN LOCATION	NON-HISPANIC			TOTAL	QX	TEXT AND CODE CATEGORIES
		HISP	WHITE	BLACK			
		0	0	0	0	19	= WITHDRAWAL
		0	0	0	0	20	= RESPONDENT STERILE
		0	0	0	0	21	= PARTNER STERILE (NOT ON CARD)
		0	0	0	0	22	= OTHER METHOD-NOT SHOWN SEPARATELY
		0	0	0	0	97	= Not Ascertained
		0	0	0	0	98	= Refused
		0	0	0	0	99	= Don't Know

1995 NATIONAL SURVEY OF FAMILY GROWTH
 File Documentation
 Respondent File (Section E Questionnaire Items)

VARIABLE	COLUMN	NON-HISPANIC				
NAME	LOCATION	HISP	WHITE	BLACK		TOTAL

[MTHUS040] 7060-7061

During that month, which (of those/other) methods, if any, did you use at the same time? (1st METHOD MENTIONED, 2nd COMBINATION, MC4)

Inapplicable:
 R said no, don't know or refused to all birth control methods in EA series (computed variable EVERUSED = 2); R never had sex as of this month and never used a birth control method as of this month but ever used one or more birth control methods in EA series (WNFSTSEX GE 1093 and DATFIRSM GE 1093 and computed variable EVERUSED = 1); R did not use multiple methods in the month; or R used only 2 methods in the month; or R reported fewer than 2 BC method combinations.

	1546	6442	2441	10789		
	5	30	2	40	01	= Blank, inapplicable
	0	0	0	0	02	= NONE
	1	2	0	3	03	= OFFICE USE ONLY
	0	5	1	7	04	= BIRTH CONTROL PILLS
	0	0	0	0	05	= CONDOM
	0	0	0	0	06	= PARTNER'S VASECTOMY
	1	1	0	2	07	= DIAPHRAGM
	0	0	0	0	08	= FOAM
	0	0	0	0	09	= JELLY OR CREAM
	0	0	0	0	10	= CERVICAL CAP
	0	0	0	1	11	= SUPPOSITORY, INSERT
	0	0	0	1	11	= TODAY (TM) SPONGE
	0	0	0	0	12	= FEMALE CONDOM, VAGINAL POUCH
	0	0	0	0	13	= IUD, COIL, LOOP
	0	0	0	0	14	= NORPLANT (TM)
	0	0	0	0	15	= DEPO-PROVERA, INJECTABLES
	0	0	0	0	16	= MORNING AFTER PILLS
	0	2	0	2	17	= RHYTHM OR SAFE PERIOD BY CALENDAR
	0	0	0	0	18	= SAFE PERIOD BY TEMP, CERVICAL MUCUS TEST, NFP
	0	1	1	2	19	= WITHDRAWAL
	0	0	1	1	20	= RESPONDENT STERILE

(3294)

1995 NATIONAL SURVEY OF FAMILY GROWTH
 File Documentation
 Respondent File (Section E Questionnaire Items)

VARIABLE NAME	COLUMN LOCATION	NON-HISPANIC			QX	TEXT AND CODE CATEGORIES
		HISP	WHITE	BLACK		
		0	0	0	0	21 = PARTNER STERILE (NOT ON CARD)
		0	0	0	0	22 = OTHER METHOD-NOT SHOWN SEPARATELY
		0	0	0	0	97 = Not Ascertained
		0	0	0	0	98 = Refused
		0	0	0	0	99 = Don't Know

1995 NATIONAL SURVEY OF FAMILY GROWTH
 File Documentation
 Respondent File (Section E Questionnaire Items)

VARIABLE COLUMN NON-HISPANIC
 NAME LOCATION HISP WHITE BLACK TOTAL QX TEXT AND CODE CATEGORIES

[MTHUS041] 7062-7063

During that month, which (of those/other) methods, if any, did you use at the same time? (2nd METHOD MENTIONED, 2nd COMBINATION, MC4)

Inapplicable:
 R said no, don't know or refused to all birth control methods in EA series (computed variable EVERUSED = 2); R never had sex as of this month and never used a birth control method as of this month but ever used one or more birth control methods in EA series (WNFSTSEX GE 1093 and DATFIRSM GE 1093 and computed variable EVERUSED = 1); R did not use multiple methods in the month; or R used only 2 methods in the month; or R reported fewer than 2 BC method combinations; or R reported using fewer than 2 BC methods for this combination in this month of the method calendar.

1552	6474	2444	10833	Blank	= Blank, inapplicable
0	0	0	0	01	= NONE
0	0	0	0	02	= OFFICE USE ONLY
0	0	0	1	03	= BIRTH CONTROL PILLS
1	1	0	2	04	= CONDOM
0	1	0	1	05	= PARTNER'S VASECTOMY
0	0	0	0	06	= DIAPHRAGM
0	1	0	1	07	= FOAM
0	0	0	0	08	= JELLY OR CREAM
0	0	0	0	09	= CERVICAL CAP
0	0	1	1	10	= SUPPOSITORY, INSERT
0	1	0	1	11	= TODAY (TM) SPONGE
0	0	0	0	12	= FEMALE CONDOM, VAGINAL POUCH
0	0	0	0	13	= IUD, COIL, LOOP
0	0	0	0	14	= NORPLANT (TM)
0	0	0	0	15	= DEPO-PROVERA, INJECTABLES
0	0	0	0	16	= MORNING AFTER PILLS
0	4	0	5	17	= RHYTHM OR SAFE PERIOD BY CALENDAR
0	0	0	0	18	= SAFE PERIOD BY TEMP, CERVICAL MUCUS TEST,

1995 NATIONAL SURVEY OF FAMILY GROWTH
 File Documentation
 Respondent File (Section E Questionnaire Items)

VARIABLE NAME	COLUMN LOCATION	NON-HISPANIC			TOTAL	QX	TEXT AND CODE CATEGORIES
		HISP	WHITE	BLACK			
		0	1	1	2	19	NFP
		0	0	0	0	20	= WITHDRAWAL
		0	0	0	0	21	= RESPONDENT STERILE
							= PARTNER STERILE (NOT ON CARD)
		0	0	0	0	22	= OTHER METHOD-NOT SHOWN SEPARATELY
		0	0	0	0	97	= Not Ascertained
		0	0	0	0	98	= Refused
		0	0	0	0	99	= Don't Know

1995 NATIONAL SURVEY OF FAMILY GROWTH
File Documentation
Respondent File (Section E Questionnaire Items)

VARIABLE	COLUMN	NON-HISPANIC								
NAME	LOCATION	HISP	WHITE	BLACK						TOTAL

[MTHUS042] 7064-7065

During that month, which (of those/other) methods, if any, did you use at the same time? (3rd METHOD MENTIONED, 2nd COMBINATION, MC4)

Inapplicable:
R said no, don't know or refused to all birth control methods in EA series (computed variable EVERUSED = 2); R never had sex as of this month and never used a birth control method as of this month but ever used one or more birth control methods in EA series (WNFSTSEX GE 1093 and DATFIRSM GE 1093 and computed variable EVERUSED = 1); R did not use multiple methods in the month; or R used only 2 methods in the month; or R reported fewer than 2 BC method combinations; or R reported using fewer than 3 BC methods for this combination in this month of the method calendar.

1552	6482	2446	10844	Blank		= Blank, inapplicable
0	0	0	0	0	01	= NONE
0	0	0	0	0	02	= OFFICE USE ONLY
0	0	0	0	0	03	= BIRTH CONTROL PILLS
0	0	0	0	0	04	= CONDOM
0	0	0	0	0	05	= PARTNER'S VASECTOMY
0	0	0	0	0	06	= DIAPHRAGM
0	0	0	0	0	07	= FOAM
0	0	0	0	0	08	= JELLY OR CREAM
0	0	0	0	0	09	= CERVICAL CAP
0	0	0	0	0	10	= SUPPOSITORY, INSERT
0	0	0	0	0	11	= TODAY (TM) SPONGE
0	0	0	0	0	12	= FEMALE CONDOM, VAGINAL POUCH
0	0	0	0	0	13	= IUD, COIL, LOOP
0	0	0	0	0	14	= NORPLANT (TM)
0	0	0	0	0	15	= DEPO-PROVERA, INJECTABLES
0	0	0	0	0	16	= MORNING AFTER PILLS
1	0	0	1	1	17	= RHYTHM OR SAFE PERIOD BY CALENDAR
0	0	0	1	1	18	= SAFE PERIOD BY TEMP, CERVICAL MUCUS TEST,

1995 NATIONAL SURVEY OF FAMILY GROWTH
 File Documentation
 Respondent File (Section E Questionnaire Items)

VARIABLE NAME	COLUMN LOCATION	NON-HISPANIC			TOTAL	QX TEXT AND CODE CATEGORIES	
		HISP	WHITE	BLACK			
		0	1	0	1	19	NFP
		0	0	0	0	20	= WITHDRAWAL
		0	0	0	0	21	= RESPONDENT STERILE
							= PARTNER STERILE (NOT ON CARD)
		0	0	0	0	22	= OTHER METHOD-NOT SHOWN SEPARATELY
		0	0	0	0	97	= Not Ascertained
		0	0	0	0	98	= Refused
		0	0	0	0	99	= Don't Know

1995 NATIONAL SURVEY OF FAMILY GROWTH
 File Documentation
 Respondent File (Section E Questionnaire Items)

VARIABLE	COLUMN	NON-HISPANIC				
NAME	LOCATION	HISP	WHITE	BLACK	TOTAL	QX TEXT AND CODE CATEGORIES

[MTHUS043] 7066-7067

During that month, which (of those/other) methods, if any, did you use at the same time? (4th METHOD MENTIONED, 2nd COMBINATION, MC4)

Inapplicable:
 R said no, don't know or refused to all birth control methods in EA series (computed variable EVERUSED = 2); R never had sex as of this month and never used a birth control method as of this month but ever used one or more birth control methods in EA series (WNFSTSEX GE 1093 and DATFIRSM GE 1093 and computed variable EVERUSED = 1); R did not use multiple methods in the month; or R used only 2 methods in the month; or R reported fewer than 2 BC method combinations; or R reported using fewer than 4 BC methods for this combination in this month of the method calendar.

1553	6483	2446	10847	Blank	= Blank, inapplicable
0	0	0	0	01	= NONE
0	0	0	0	02	= OFFICE USE ONLY
0	0	0	0	03	= BIRTH CONTROL PILLS
0	0	0	0	04	= CONDOM
0	0	0	0	05	= PARTNER'S VASECTOMY
0	0	0	0	06	= DIAPHRAGM
0	0	0	0	07	= FOAM
0	0	0	0	08	= JELLY OR CREAM
0	0	0	0	09	= CERVICAL CAP
0	0	0	0	10	= SUPPOSITORY, INSERT
0	0	0	0	11	= TODAY (TM) SPONGE
0	0	0	0	12	= FEMALE CONDOM, VAGINAL POUCH
0	0	0	0	13	= IUD, COIL, LOOP
0	0	0	0	14	= NORPLANT (TM)
0	0	0	0	15	= DEPO-PROVERA, INJECTABLES
0	0	0	0	16	= MORNING AFTER PILLS
0	0	0	0	17	= RHYTHM OR SAFE PERIOD BY CALENDAR
0	0	0	0	18	= SAFE PERIOD BY TEMP, CERVICAL MUCUS TEST,

1995 NATIONAL SURVEY OF FAMILY GROWTH
 File Documentation
 Respondent File (Section E Questionnaire Items)

VARIABLE NAME	COLUMN LOCATION	NON-HISPANIC			TOTAL	QX	TEXT AND CODE CATEGORIES
		HISP	WHITE	BLACK			
		0	0	0	0	19	NFP
		0	0	0	0	20	= WITHDRAWAL
		0	0	0	0	21	= RESPONDENT STERILE
							= PARTNER STERILE (NOT ON CARD)
		0	0	0	0	22	= OTHER METHOD-NOT SHOWN SEPARATELY
		0	0	0	0	97	= Not Ascertained
		0	0	0	0	98	= Refused
		0	0	0	0	99	= Don't Know

1995 NATIONAL SURVEY OF FAMILY GROWTH
 File Documentation
 Respondent File (Section E Questionnaire Items)

VARIABLE	COLUMN	NON-HISPANIC			QX TEXT AND CODE CATEGORIES
NAME	LOCATION	HISP	WHITE	BLACK	TOTAL

[MTHUS044] 7068-7069

During that month, which (of those/other) methods, if any, did you use at the same time? (1st METHOD MENTIONED, 3rd COMBINATION, MC4)

Inapplicable:
 R said no, don't know or refused to all birth control methods in EA series (computed variable EVERUSED = 2); R never had sex as of this month and never used a birth control method as of this month but ever used one or more birth control methods in EA series (WNFSTSEX GE 1093 and DATFIRSM GE 1093 and computed variable EVERUSED = 1); R did not use multiple methods in the month; or R used only 2 methods in the month; or R reported fewer than 3 BC method combinations.

1553	6481	2446	10845	Blank	= Blank, inapplicable
0	0	0	0	0	01 = NONE
0	0	0	0	0	02 = OFFICE USE ONLY
0	0	0	0	0	03 = BIRTH CONTROL PILLS
0	1	0	1	0	04 = CONDOM
0	0	0	0	0	05 = PARTNER'S VASECTOMY
0	0	0	0	0	06 = DIAPHRAGM
0	1	0	1	0	07 = FOAM
0	0	0	0	0	08 = JELLY OR CREAM
0	0	0	0	0	09 = CERVICAL CAP
0	0	0	0	0	10 = SUPPOSITORY, INSERT
0	0	0	0	0	11 = TODAY (TM) SPONGE
0	0	0	0	0	12 = FEMALE CONDOM, VAGINAL POUCH
0	0	0	0	0	13 = IUD, COIL, LOOP
0	0	0	0	0	14 = NORPLANT (TM)
0	0	0	0	0	15 = DEPO-PROVERA, INJECTABLES
0	0	0	0	0	16 = MORNING AFTER PILLS
0	0	0	0	0	17 = RHYTHM OR SAFE PERIOD BY CALENDAR
0	0	0	0	0	18 = SAFE PERIOD BY TEMP, CERVICAL MUCUS TEST, NFP
0	0	0	0	0	19 = WITHDRAWAL
0	0	0	0	0	20 = RESPONDENT STERILE

1995 NATIONAL SURVEY OF FAMILY GROWTH
 File Documentation
 Respondent File (Section E Questionnaire Items)

VARIABLE NAME	COLUMN LOCATION	NON-HISPANIC			TOTAL	QX	TEXT AND CODE CATEGORIES
		HISP	WHITE	BLACK			
		0	0	0	0	21	= PARTNER STERILE (NOT ON CARD)
		0	0	0	0	22	= OTHER METHOD-NOT SHOWN SEPARATELY
		0	0	0	0	97	= Not Ascertained
		0	0	0	0	98	= Refused
		0	0	0	0	99	= Don't Know

1995 NATIONAL SURVEY OF FAMILY GROWTH
 File Documentation
 Respondent File (Section E Questionnaire Items)

VARIABLE	COLUMN	NON-HISPANIC							
NAME	LOCATION	HISP	WHITE	BLACK					

[MTHUS045] 7070-7071

During that month, which (of those/other) methods, if any, did you use at the same time? (2nd METHOD MENTIONED, 3rd COMBINATION, MC4)

Inapplicable:
 R said no, don't know or refused to all birth control methods in EA series (computed variable EVERUSED = 2); R never had sex as of this month and never used a birth control method as of this month but ever used one or more birth control methods in EA series (WNFSTSEX GE 1093 and DATFIRSM GE 1093 and computed variable EVERUSED = 1); R did not use multiple methods in the month; or R used only 2 methods in the month; or R reported fewer than 3 BC method combinations; or R reported using fewer than 2 BC methods for this combination in this month of the method calendar.

1553	6481	2446	10845	Blank	= Blank, inapplicable
0	0	0	0	01	= NONE
0	0	0	0	02	= OFFICE USE ONLY
0	0	0	0	03	= BIRTH CONTROL PILLS
0	0	0	0	04	= CONDOM
0	0	0	0	05	= PARTNER'S VASECTOMY
0	0	0	0	06	= DIAPHRAGM
0	0	0	0	07	= FOAM
0	0	0	0	08	= JELLY OR CREAM
0	0	0	0	09	= CERVICAL CAP
0	0	0	0	10	= SUPPOSITORY, INSERT
0	0	0	0	11	= TODAY (TM) SPONGE
0	0	0	0	12	= FEMALE CONDOM, VAGINAL POUCH
0	0	0	0	13	= IUD, COIL, LOOP
0	0	0	0	14	= NORPLANT (TM)
0	0	0	0	15	= DEPO-PROVERA, INJECTABLES
0	0	0	0	16	= MORNING AFTER PILLS
0	1	0	1	17	= RHYTHM OR SAFE PERIOD BY CALENDAR
0	0	0	0	18	= SAFE PERIOD BY TEMP, CERVICAL MUCUS TEST,

1995 NATIONAL SURVEY OF FAMILY GROWTH
 File Documentation
 Respondent File (Section E Questionnaire Items)

VARIABLE NAME	COLUMN LOCATION	NON-HISPANIC			TOTAL	QX	TEXT AND CODE CATEGORIES
		HISP	WHITE	BLACK			
		0	1	0	1	19	NFP
		0	0	0	0	20	= WITHDRAWAL
		0	0	0	0	21	= RESPONDENT STERILE
							= PARTNER STERILE (NOT ON CARD)
		0	0	0	0	22	= OTHER METHOD-NOT SHOWN SEPARATELY
		0	0	0	0	97	= Not Ascertained
		0	0	0	0	98	= Refused
		0	0	0	0	99	= Don't Know

1995 NATIONAL SURVEY OF FAMILY GROWTH
 File Documentation
 Respondent File (Section E Questionnaire Items)

VARIABLE COLUMN NON-HISPANIC
 NAME LOCATION HISP WHITE BLACK TOTAL QX TEXT AND CODE CATEGORIES

[MTHUS046] 7072-7073

During that month, which (of those/other) methods, if any, did you use at the same time? (3rd METHOD MENTIONED, 3rd COMBINATION, MC4)

Inapplicable:
 R said no, don't know or refused to all birth control methods in EA series (computed variable EVERUSED = 2); R never had sex as of this month and never used a birth control method as of this month but ever used one or more birth control methods in EA series (WNFSTSEX GE 1093 and DATFIRSM GE 1093 and computed variable EVERUSED = 1); R did not use multiple methods in the month; or R used only 2 methods in the month; or R reported fewer than 3 BC method combinations; or R reported using fewer than 3 BC methods for this combination in this month of the method calendar.

1553	6482	2446	10846	Blank	
0	0	0	0	0	01 = Blank, inapplicable
0	0	0	0	0	02 = NONE
0	0	0	0	0	03 = OFFICE USE ONLY
0	0	0	0	0	04 = BIRTH CONTROL PILLS
0	0	0	0	0	05 = CONDOM
0	0	0	0	0	06 = PARTNER'S VASECTOMY
0	0	0	0	0	07 = DIAPHRAGM
0	0	0	0	0	08 = FOAM
0	0	0	0	0	09 = JELLY OR CREAM
0	0	0	0	0	10 = CERVICAL CAP
0	0	0	0	0	11 = SUPPOSITORY, INSERT
0	0	0	0	0	12 = TODAY (TM) SPONGE
0	0	0	0	0	13 = FEMALE CONDOM, VAGINAL POUCH
0	0	0	0	0	14 = IUD, COIL, LOOP
0	0	0	0	0	15 = NORPLANT (TM)
0	0	0	0	0	16 = DEPO-PROVERA, INJECTABLES
0	0	0	0	0	17 = MORNING AFTER PILLS
0	1	0	1	1	18 = RHYTHM OR SAFE PERIOD BY CALENDAR
0	0	0	0	0	18 = SAFE PERIOD BY TEMP, CERVICAL MUCUS TEST,

1995 NATIONAL SURVEY OF FAMILY GROWTH
 File Documentation
 Respondent File (Section E Questionnaire Items)

VARIABLE NAME	COLUMN LOCATION	NON-HISPANIC			TOTAL	QX	TEXT AND CODE CATEGORIES
		HISP	WHITE	BLACK			
		0	0	0	0	19	NFP
		0	0	0	0	20	= WITHDRAWAL
		0	0	0	0	21	= RESPONDENT STERILE
							= PARTNER STERILE (NOT ON CARD)
		0	0	0	0	22	= OTHER METHOD-NOT SHOWN SEPARATELY
		0	0	0	0	97	= Not Ascertained
		0	0	0	0	98	= Refused
		0	0	0	0	99	= Don't Know

1995 NATIONAL SURVEY OF FAMILY GROWTH
 File Documentation
 Respondent File (Section E Questionnaire Items)

VARIABLE COLUMN NON-HISPANIC
 NAME LOCATION HISP WHITE BLACK TOTAL QX TEXT AND CODE CATEGORIES

[MTHUS047] 7074-7075

During that month, which (of those/other) methods, if any, did you use at the same time? (4th METHOD MENTIONED, 3rd COMBINATION, MC4)

Inapplicable:
 R said no, don't know or refused to all birth control methods in EA series (computed variable EVERUSED = 2); R never had sex as of this month and never used a birth control method as of this month but ever used one or more birth control methods in EA series (WNFSTSEX GE 1093 and DATFIRSM GE 1093 and computed variable EVERUSED = 1); R did not use multiple methods in the month; or R used only 2 methods in the month; or R reported fewer than 3 BC method combinations; or R reported using fewer than 4 BC methods for this combination in this month of the method calendar.

1553	6483	2446	10847	Blank	= Blank, inapplicable
0	0	0	0	01	= NONE
0	0	0	0	02	= OFFICE USE ONLY
0	0	0	0	03	= BIRTH CONTROL PILLS
0	0	0	0	04	= CONDOM
0	0	0	0	05	= PARTNER'S VASECTOMY
0	0	0	0	06	= DIAPHRAGM
0	0	0	0	07	= FOAM
0	0	0	0	08	= JELLY OR CREAM
0	0	0	0	09	= CERVICAL CAP
0	0	0	0	10	= SUPPOSITORY, INSERT
0	0	0	0	11	= TODAY (TM) SPONGE
0	0	0	0	12	= FEMALE CONDOM, VAGINAL POUCH
0	0	0	0	13	= IUD, COIL, LOOP
0	0	0	0	14	= NORPLANT (TM)
0	0	0	0	15	= DEPO-PROVERA, INJECTABLES
0	0	0	0	16	= MORNING AFTER PILLS
0	0	0	0	17	= RHYTHM OR SAFE PERIOD BY CALENDAR
0	0	0	0	18	= SAFE PERIOD BY TEMP, CERVICAL MUCUS TEST,

1995 NATIONAL SURVEY OF FAMILY GROWTH
 File Documentation
 Respondent File (Section E Questionnaire Items)

VARIABLE NAME	COLUMN LOCATION	NON-HISPANIC			TOTAL	QX	TEXT AND CODE CATEGORIES
		HISP	WHITE	BLACK			
		0	0	0	0	19	NFP = WITHDRAWAL
		0	0	0	0	20	= RESPONDENT STERILE
		0	0	0	0	21	= PARTNER STERILE (NOT ON CARD)
		0	0	0	0	22	= OTHER METHOD-NOT SHOWN SEPARATELY
		0	0	0	0	97	= Not Ascertained
		0	0	0	0	98	= Refused
		0	0	0	0	99	= Don't Know

1995 NATIONAL SURVEY OF FAMILY GROWTH
 File Documentation
 Respondent File (Section E Questionnaire Items)

VARIABLE NAME	COLUMN LOCATION	NON-HISPANIC			QX	TEXT AND CODE CATEGORIES
		HISP	WHITE	BLACK		
[METHH016]	7076-7077					ENTER METHOD (FIRST MENTIONED) USED IN MAY 1991: (MC5)
						Inapplicable: R never had sex as of this month and never used a birth control method as of this month but ever used one or more birth control methods in EA series (WNFSTSEX GE 1093 and DATFIRSM GE 1093 and computed variable EVERUSED = 1); R never had sex and said no, don't know or refused to all birth control methods in EA series (computed variable RHADSEX coded 2,7,8 or 9 and computed variable EVERUSED = 2); R said no, don't know or refused to all birth control methods in EA series (computed variable EVERUSED = 2).
		408	1240	413	2198	Blank = Blank, inapplicable
		357	1205	599	2220	01 = NO METHODS USED
		0	0	0	0	02 = SAME AS PREVIOUS MONTH
		268	1363	468	2137	03 = BIRTH CONTROL PILLS
		152	779	336	1317	04 = CONDOM
		19	290	8	325	05 = PARTNER'S VASECTOMY
		6	132	13	153	06 = DIAPHRAGM
		2	27	1	31	07 = FOAM
		1	8	1	10	08 = JELLY OR CREAM
		0	3	0	3	09 = CERVICAL CAP
		1	17	13	33	10 = SUPPOSITORY, INSERT
		4	36	9	49	11 = TODAY (TM) SPONGE
		0	0	0	0	12 = FEMALE CONDOM, VAGINAL POUCH
		18	34	18	74	13 = IUD, COIL, LOOP
		5	6	8	19	14 = NORPLANT (TM)
		8	6	4	18	15 = DEPO-PROVERA, INJECTABLES
		0	0	0	0	16 = MORNING AFTER PILLS
		29	107	19	165	17 = RHYTHM OR SAFE PERIOD BY CALENDAR
		2	18	0	20	18 = SAFE PERIOD BY TEMP, CERVICAL MUCUS TEST, NFP
		35	120	23	185	19 = WITHDRAWAL
		220	943	497	1703	20 = RESPONDENT STERILE

(3310)

1995 NATIONAL SURVEY OF FAMILY GROWTH
 File Documentation
 Respondent File (Section E Questionnaire Items)

VARIABLE NAME	COLUMN LOCATION	NON-HISPANIC			TOTAL	QX	TEXT AND CODE CATEGORIES
		HISP	WHITE	BLACK			
		17	138	9	167	21	= PARTNER STERILE (NOT ON CARD)
		0	3	3	6	22	= OTHER METHOD-NOT SHOWN SEPARATELY
		0	0	0	0	55	= SAME METHODS USED THROUGH END OF YEAR
		1	1	2	4	97	= Not Ascertained
		0	4	2	6	98	= Refused
		0	3	0	4	99	= Don't Know

1995 NATIONAL SURVEY OF FAMILY GROWTH
 File Documentation
 Respondent File (Section E Questionnaire Items)

VARIABLE NAME	COLUMN LOCATION	NON-HISPANIC			TOTAL	QX	TEXT AND CODE CATEGORIES
		HISP	WHITE	BLACK			
		0	6	7	13	20	= RESPONDENT STERILE
		0	7	0	8	21	= PARTNER STERILE (NOT ON CARD)
		0	0	0	0	22	= OTHER METHOD-NOT SHOWN SEPARATELY
		0	0	0	0	55	= SAME METHODS USED THROUGH END OF YEAR
		1	1	2	4	97	= Not Ascertained
		0	4	2	6	98	= Refused
		0	3	0	4	99	= Don't Know

1995 NATIONAL SURVEY OF FAMILY GROWTH
 File Documentation
 Respondent File (Section E Questionnaire Items)

VARIABLE NAME	COLUMN LOCATION	NON-HISPANIC			TOTAL	QX	TEXT AND CODE CATEGORIES
		HISP	WHITE	BLACK			
		1	6	11	18	20	= RESPONDENT STERILE
		0	0	0	0	21	= PARTNER STERILE (NOT ON CARD)
		0	0	0	1	22	= OTHER METHOD-NOT SHOWN SEPARATELY
		0	0	0	0	55	= SAME METHODS USED THROUGH END OF YEAR
		1	1	2	4	97	= Not Ascertained
		0	4	2	6	98	= Refused
		0	3	0	4	99	= Don't Know

1995 NATIONAL SURVEY OF FAMILY GROWTH
 File Documentation
 Respondent File (Section E Questionnaire Items)

VARIABLE NAME	COLUMN LOCATION	NON-HISPANIC			TOTAL	QX	TEXT AND CODE CATEGORIES
		HISP	WHITE	BLACK			
		0	0	0	0	20	= RESPONDENT STERILE
		0	0	0	0	21	= PARTNER STERILE (NOT ON CARD)
		0	0	0	0	22	= OTHER METHOD-NOT SHOWN SEPARATELY
		0	0	0	0	55	= SAME METHODS USED THROUGH END OF YEAR
		1	1	2	4	97	= Not Ascertained
		0	4	2	6	98	= Refused
		0	3	0	4	99	= Don't Know

[SIMSEQ04] 7084-7084

Did you use those methods together,
 that is, at the same time, or did
 you use them at different times
 during the month? (MC5)

Inapplicable:
 R never had sex as of this month and
 never used a birth control method as
 of this month but ever used one or
 more birth control methods in EA
 series (WNFSTSEX GE 1093 and
 DATFIRSM GE 1093 and computed
 variable EVERUSED = 1); R never had
 sex and said no, don't know or
 refused to all birth control methods
 in EA series (computed variable
 RHADSEX coded 2,7,8 or 9 and
 computed variable EVERUSED = 2); R
 said no, don't know or refused to
 all birth control methods in EA
 series (computed variable EVERUSED =
 2); R did not use multiple methods
 in the month; R used more than 2
 methods in the month.

1498	6162	2299	10309	Blank	= Blank, inapplicable
34	203	113	358	1	= SAME TIME
21	117	34	179	2	= DIFFERENT TIMES
0	0	0	0	7	= Not Ascertained
0	0	0	0	8	= Refused
0	1	0	1	9	= Don't Know

1995 NATIONAL SURVEY OF FAMILY GROWTH
 File Documentation
 Respondent File (Section E Questionnaire Items)

VARIABLE COLUMN NON-HISPANIC
 NAME LOCATION HISP WHITE BLACK TOTAL QX TEXT AND CODE CATEGORIES

[MTHUS048] 7085-7086

During that month, which (of those/other) methods, if any, did you use at the same time? (1st METHOD MENTIONED, 1st COMBINATION, MC5)

Inapplicable:

R said no, don't know or refused to all birth control methods in EA series (computed variable EVERUSED = 2); R never had sex as of this month and never used a birth control method as of this month but ever used one or more birth control methods in EA series (WNFSTSEX GE 1093 and DATFIRSM GE 1093 and computed variable EVERUSED = 1); R did not use multiple methods in the month; or R used only 2 methods in the month.

1541	6437	2440	10778	Blank	= Blank, inapplicable
5	6	2	13	01	= NONE
0	0	0	0	02	= OFFICE USE ONLY
1	5	1	9	03	= BIRTH CONTROL PILLS
6	22	1	32	04	= CONDOM
0	0	0	0	05	= PARTNER'S VASECTOMY
0	3	0	3	06	= DIAPHRAGM
0	0	0	0	07	= FOAM
0	0	0	0	08	= JELLY OR CREAM
0	0	0	0	09	= CERVICAL CAP
0	0	0	0	10	= SUPPOSITORY, INSERT
0	2	0	2	11	= TODAY (TM) SPONGE
0	0	0	0	12	= FEMALE CONDOM, VAGINAL POUCH
0	0	0	0	13	= IUD, COIL, LOOP
0	0	0	0	14	= NORPLANT (TM)
0	0	0	0	15	= DEPO-PROVERA, INJECTABLES
0	0	0	0	16	= MORNING AFTER PILLS
0	6	0	6	17	= RHYTHM OR SAFE PERIOD BY CALENDAR
0	1	0	1	18	= SAFE PERIOD BY TEMP, CERVICAL MUCUS TEST, NFP
0	1	1	2	19	= WITHDRAWAL
0	0	1	1	20	= RESPONDENT STERILE
0	0	0	0	21	= PARTNER STERILE (NOT

(3318)

1995 NATIONAL SURVEY OF FAMILY GROWTH
 File Documentation
 Respondent File (Section E Questionnaire Items)

VARIABLE NAME	COLUMN LOCATION	NON-HISPANIC			TOTAL	QX	TEXT AND CODE CATEGORIES
		HISP	WHITE	BLACK			
		0	0	0	0	22	ON CARD) = OTHER METHOD-NOT SHOWN SEPARATELY
		0	0	0	0	97	= Not Ascertained
		0	0	0	0	98	= Refused
		0	0	0	0	99	= Don't Know

1995 NATIONAL SURVEY OF FAMILY GROWTH
 File Documentation
 Respondent File (Section E Questionnaire Items)

VARIABLE COLUMN NON-HISPANIC
 NAME LOCATION HISP WHITE BLACK TOTAL QX TEXT AND CODE CATEGORIES

[MTHUS049] 7087-7088

During that month, which (of those/other) methods, if any, did you use at the same time? (2nd METHOD MENTIONED, 1st COMBINATION, MC5)

Inapplicable:

R said no, don't know or refused to all birth control methods in EA series (computed variable EVERUSED = 2); R never had sex as of this month and never used a birth control method as of this month but ever used one or more birth control methods in EA series (WNFSTSEX GE 1093 and DATFIRSM GE 1093 and computed variable EVERUSED = 1); R did not use multiple methods in the month; or R used only 2 methods in the month; or R reported using fewer than 2 BC methods for this combination in this month of the method calendar.

1546	6443	2442	10791	Blank	= Blank, inapplicable
0	0	0	0	01	= NONE
0	0	0	0	02	= OFFICE USE ONLY
0	0	0	0	03	= BIRTH CONTROL PILLS
1	6	2	10	04	= CONDOM
0	1	0	1	05	= PARTNER'S VASECTOMY
0	3	0	3	06	= DIAPHRAGM
2	3	0	5	07	= FOAM
1	1	1	3	08	= JELLY OR CREAM
0	0	0	0	09	= CERVICAL CAP
1	1	1	3	10	= SUPPOSITORY, INSERT
0	1	0	1	11	= TODAY (TM) SPONGE
0	0	0	0	12	= FEMALE CONDOM, VAGINAL POUCH
0	0	0	0	13	= IUD, COIL, LOOP
0	0	0	0	14	= NORPLANT (TM)
0	0	0	0	15	= DEPO-PROVERA, INJECTABLES
0	1	0	1	16	= MORNING AFTER PILLS
1	12	0	14	17	= RHYTHM OR SAFE PERIOD BY CALENDAR
0	0	0	0	18	= SAFE PERIOD BY TEMP, CERVICAL MUCUS TEST, NFP

1995 NATIONAL SURVEY OF FAMILY GROWTH
 File Documentation
 Respondent File (Section E Questionnaire Items)

VARIABLE NAME	COLUMN LOCATION	NON-HISPANIC			TOTAL	QX	TEXT AND CODE CATEGORIES
		HISP	WHITE	BLACK			
		1	11	0	15	19	= WITHDRAWAL
		0	0	0	0	20	= RESPONDENT STERILE
		0	0	0	0	21	= PARTNER STERILE (NOT ON CARD)
		0	0	0	0	22	= OTHER METHOD-NOT SHOWN SEPARATELY
		0	0	0	0	97	= Not Ascertained
		0	0	0	0	98	= Refused
		0	0	0	0	99	= Don't Know

1995 NATIONAL SURVEY OF FAMILY GROWTH
 File Documentation
 Respondent File (Section E Questionnaire Items)

VARIABLE	COLUMN	NON-HISPANIC				
NAME	LOCATION	HISP	WHITE	BLACK	TOTAL	QX TEXT AND CODE CATEGORIES

[MTHUS050] 7089-7090

During that month, which (of those/other) methods, if any, did you use at the same time? (3rd METHOD MENTIONED, 1st COMBINATION, MC5)

Inapplicable:
 R said no, don't know or refused to all birth control methods in EA series (computed variable EVERUSED = 2); R never had sex as of this month and never used a birth control method as of this month but ever used one or more birth control methods in EA series (WNFSTSEX GE 1093 and DATFIRSM GE 1093 and computed variable EVERUSED = 1); R did not use multiple methods in the month; or R used only 2 methods in the month; or R reported using fewer than 3 BC methods for this combination in this month of the method calendar.

1547	6462	2444	10817	Blank	= Blank, inapplicable
0	0	0	0	01	= NONE
0	0	0	0	02	= OFFICE USE ONLY
0	0	0	0	03	= BIRTH CONTROL PILLS
0	0	0	0	04	= CONDOM
1	0	0	1	05	= PARTNER'S VASECTOMY
0	0	0	0	06	= DIAPHRAGM
2	2	1	5	07	= FOAM
0	0	0	0	08	= JELLY OR CREAM
0	0	0	0	09	= CERVICAL CAP
0	1	0	1	10	= SUPPOSITORY, INSERT
1	2	0	3	11	= TODAY (TM) SPONGE
0	0	0	0	12	= FEMALE CONDOM, VAGINAL POUCH
0	0	0	0	13	= IUD, COIL, LOOP
0	0	0	0	14	= NORPLANT (TM)
0	0	0	0	15	= DEPO-PROVERA, INJECTABLES
0	0	0	0	16	= MORNING AFTER PILLS
2	6	1	9	17	= RHYTHM OR SAFE PERIOD BY CALENDAR
0	2	0	3	18	= SAFE PERIOD BY TEMP, CERVICAL MUCUS TEST, NFP

1995 NATIONAL SURVEY OF FAMILY GROWTH
 File Documentation
 Respondent File (Section E Questionnaire Items)

VARIABLE NAME	COLUMN LOCATION	NON-HISPANIC			TOTAL	QX	TEXT AND CODE CATEGORIES
		HISP	WHITE	BLACK			
		0	8	0	8	19	= WITHDRAWAL
		0	0	0	0	20	= RESPONDENT STERILE
		0	0	0	0	21	= PARTNER STERILE (NOT ON CARD)
		0	0	0	0	22	= OTHER METHOD-NOT SHOWN SEPARATELY
		0	0	0	0	97	= Not Ascertained
		0	0	0	0	98	= Refused
		0	0	0	0	99	= Don't Know

1995 NATIONAL SURVEY OF FAMILY GROWTH
 File Documentation
 Respondent File (Section E Questionnaire Items)

VARIABLE	COLUMN	NON-HISPANIC				
NAME	LOCATION	HISP	WHITE	BLACK	TOTAL	QX TEXT AND CODE CATEGORIES

[MTHUS051] 7091-7092

During that month, which (of those/other) methods, if any, did you use at the same time? (4th METHOD MENTIONED, 1st COMBINATION, MC5)

Inapplicable:
 R said no, don't know or refused to all birth control methods in EA series (computed variable EVERUSED = 2); R never had sex as of this month and never used a birth control method as of this month but ever used one or more birth control methods in EA series (WNFSTSEX GE 1093 and DATFIRSM GE 1093 and computed variable EVERUSED = 1); R did not use multiple methods in the month; or R used only 2 methods in the month; or R reported using fewer than 4 BC methods for this combination in this month of the method calendar.

1553	6482	2445	10845	Blank	= Blank, inapplicable
0	0	0	0	01	= NONE
0	0	0	0	02	= OFFICE USE ONLY
0	0	0	0	03	= BIRTH CONTROL PILLS
0	1	0	1	04	= CONDOM
0	0	0	0	05	= PARTNER'S VASECTOMY
0	0	0	0	06	= DIAPHRAGM
0	0	0	0	07	= FOAM
0	0	0	0	08	= JELLY OR CREAM
0	0	0	0	09	= CERVICAL CAP
0	0	0	0	10	= SUPPOSITORY, INSERT
0	0	0	0	11	= TODAY (TM) SPONGE
0	0	0	0	12	= FEMALE CONDOM, VAGINAL POUCH
0	0	0	0	13	= IUD, COIL, LOOP
0	0	0	0	14	= NORPLANT (TM)
0	0	0	0	15	= DEPO-PROVERA, INJECTABLES
0	0	0	0	16	= MORNING AFTER PILLS
0	0	0	0	17	= RHYTHM OR SAFE PERIOD BY CALENDAR
0	0	1	1	18	= SAFE PERIOD BY TEMP, CERVICAL MUCUS TEST, NFP

1995 NATIONAL SURVEY OF FAMILY GROWTH
 File Documentation
 Respondent File (Section E Questionnaire Items)

VARIABLE NAME	COLUMN LOCATION	NON-HISPANIC			TOTAL	QX	TEXT AND CODE CATEGORIES
		HISP	WHITE	BLACK			
		0	0	0	0	19	= WITHDRAWAL
		0	0	0	0	20	= RESPONDENT STERILE
		0	0	0	0	21	= PARTNER STERILE (NOT ON CARD)
		0	0	0	0	22	= OTHER METHOD-NOT SHOWN SEPARATELY
		0	0	0	0	97	= Not Ascertained
		0	0	0	0	98	= Refused
		0	0	0	0	99	= Don't Know

1995 NATIONAL SURVEY OF FAMILY GROWTH
 File Documentation
 Respondent File (Section E Questionnaire Items)

VARIABLE	COLUMN	NON-HISPANIC			QX TEXT AND CODE CATEGORIES
NAME	LOCATION	HISP	WHITE	BLACK	TOTAL

[MTHUS052] 7093-7094

During that month, which (of those/other) methods, if any, did you use at the same time? (1st METHOD MENTIONED, 2nd COMBINATION, MC5)

Inapplicable:
 R said no, don't know or refused to all birth control methods in EA series (computed variable EVERUSED = 2); R never had sex as of this month and never used a birth control method as of this month but ever used one or more birth control methods in EA series (WNFSTSEX GE 1093 and DATFIRSM GE 1093 and computed variable EVERUSED = 1); R did not use multiple methods in the month; or R used only 2 methods in the month; or R reported fewer than 2 BC method combinations.

1546	6443	2442	10791	Blank	= Blank, inapplicable
5	29	2	39	01	= NONE
0	0	0	0	02	= OFFICE USE ONLY
1	2	0	3	03	= BIRTH CONTROL PILLS
0	5	0	6	04	= CONDOM
0	0	0	0	05	= PARTNER'S VASECTOMY
0	0	0	0	06	= DIAPHRAGM
1	1	0	2	07	= FOAM
0	0	0	0	08	= JELLY OR CREAM
0	0	0	0	09	= CERVICAL CAP
0	0	0	0	10	= SUPPOSITORY, INSERT
0	0	0	1	11	= TODAY (TM) SPONGE
0	0	0	0	12	= FEMALE CONDOM, VAGINAL POUCH
0	0	0	0	13	= IUD, COIL, LOOP
0	0	0	0	14	= NORPLANT (TM)
0	0	0	0	15	= DEPO-PROVERA, INJECTABLES
0	0	0	0	16	= MORNING AFTER PILLS
0	2	0	2	17	= RHYTHM OR SAFE PERIOD BY CALENDAR
0	0	0	0	18	= SAFE PERIOD BY TEMP, CERVICAL MUCUS TEST, NFP
0	1	1	2	19	= WITHDRAWAL
0	0	1	1	20	= RESPONDENT STERILE

(3326)

1995 NATIONAL SURVEY OF FAMILY GROWTH
 File Documentation
 Respondent File (Section E Questionnaire Items)

VARIABLE NAME	COLUMN LOCATION	NON-HISPANIC			TOTAL	QX	TEXT AND CODE CATEGORIES
		HISP	WHITE	BLACK			
		0	0	0	0	21	= PARTNER STERILE (NOT ON CARD)
		0	0	0	0	22	= OTHER METHOD-NOT SHOWN SEPARATELY
		0	0	0	0	97	= Not Ascertained
		0	0	0	0	98	= Refused
		0	0	0	0	99	= Don't Know

1995 NATIONAL SURVEY OF FAMILY GROWTH
File Documentation
Respondent File (Section E Questionnaire Items)

VARIABLE	COLUMN	NON-HISPANIC				
NAME	LOCATION	HISP	WHITE	BLACK	TOTAL	QX TEXT AND CODE CATEGORIES

[MTHUS053] 7095-7096

During that month, which (of those/other) methods, if any, did you use at the same time? (2nd METHOD MENTIONED, 2nd COMBINATION, MC5)

Inapplicable:
R said no, don't know or refused to all birth control methods in EA series (computed variable EVERUSED = 2); R never had sex as of this month and never used a birth control method as of this month but ever used one or more birth control methods in EA series (WNFSTSEX GE 1093 and DATFIRSM GE 1093 and computed variable EVERUSED = 1); R did not use multiple methods in the month; or R used only 2 methods in the month; or R reported fewer than 2 BC method combinations; or R reported using fewer than 2 BC methods for this combination in this month of the method calendar.

1552	6474	2444	10833	Blank	= Blank, inapplicable
0	0	0	0	01	= NONE
0	0	0	0	02	= OFFICE USE ONLY
0	0	0	1	03	= BIRTH CONTROL PILLS
1	1	0	2	04	= CONDOM
0	1	0	1	05	= PARTNER'S VASECTOMY
0	0	0	0	06	= DIAPHRAGM
0	1	0	1	07	= FOAM
0	0	0	0	08	= JELLY OR CREAM
0	0	0	0	09	= CERVICAL CAP
0	0	1	1	10	= SUPPOSITORY, INSERT
0	1	0	1	11	= TODAY (TM) SPONGE
0	0	0	0	12	= FEMALE CONDOM, VAGINAL POUCH
0	0	0	0	13	= IUD, COIL, LOOP
0	0	0	0	14	= NORPLANT (TM)
0	0	0	0	15	= DEPO-PROVERA, INJECTABLES
0	0	0	0	16	= MORNING AFTER PILLS
0	4	0	5	17	= RHYTHM OR SAFE PERIOD BY CALENDAR
0	0	0	0	18	= SAFE PERIOD BY TEMP, CERVICAL MUCUS TEST,

1995 NATIONAL SURVEY OF FAMILY GROWTH
 File Documentation
 Respondent File (Section E Questionnaire Items)

VARIABLE NAME	COLUMN LOCATION	NON-HISPANIC			TOTAL	QX	TEXT AND CODE CATEGORIES
		HISP	WHITE	BLACK			
		0	1	1	2	19	NFP
		0	0	0	0	20	= WITHDRAWAL
		0	0	0	0	21	= RESPONDENT STERILE
							= PARTNER STERILE (NOT ON CARD)
		0	0	0	0	22	= OTHER METHOD-NOT SHOWN SEPARATELY
		0	0	0	0	97	= Not Ascertained
		0	0	0	0	98	= Refused
		0	0	0	0	99	= Don't Know

1995 NATIONAL SURVEY OF FAMILY GROWTH
 File Documentation
 Respondent File (Section E Questionnaire Items)

VARIABLE NAME	COLUMN LOCATION	NON-HISPANIC			TOTAL	QX	TEXT AND CODE CATEGORIES
		HISP	WHITE	BLACK			
		0	1	0	1	19	NFP = WITHDRAWAL
		0	0	0	0	20	= RESPONDENT STERILE
		0	0	0	0	21	= PARTNER STERILE (NOT ON CARD)
		0	0	0	0	22	= OTHER METHOD-NOT SHOWN SEPARATELY
		0	0	0	0	97	= Not Ascertained
		0	0	0	0	98	= Refused
		0	0	0	0	99	= Don't Know

1995 NATIONAL SURVEY OF FAMILY GROWTH
 File Documentation
 Respondent File (Section E Questionnaire Items)

VARIABLE NAME	COLUMN LOCATION	NON-HISPANIC			TOTAL	QX	TEXT AND CODE CATEGORIES
		HISP	WHITE	BLACK			
		0	0	0	0	19	NFP = WITHDRAWAL
		0	0	0	0	20	= RESPONDENT STERILE
		0	0	0	0	21	= PARTNER STERILE (NOT ON CARD)
		0	0	0	0	22	= OTHER METHOD-NOT SHOWN SEPARATELY
		0	0	0	0	97	= Not Ascertained
		0	0	0	0	98	= Refused
		0	0	0	0	99	= Don't Know

1995 NATIONAL SURVEY OF FAMILY GROWTH
 File Documentation
 Respondent File (Section E Questionnaire Items)

VARIABLE	COLUMN	NON-HISPANIC				QX TEXT AND CODE CATEGORIES
NAME	LOCATION	HISP	WHITE	BLACK	TOTAL	

[MTHUS056] 7101-7102

During that month, which (of those/other) methods, if any, did you use at the same time? (1st METHOD MENTIONED, 3rd COMBINATION, MC5)

Inapplicable:
 R said no, don't know or refused to all birth control methods in EA series (computed variable EVERUSED = 2); R never had sex as of this month and never used a birth control method as of this month but ever used one or more birth control methods in EA series (WNFSTSEX GE 1093 and DATFIRSM GE 1093 and computed variable EVERUSED = 1); R did not use multiple methods in the month; or R used only 2 methods in the month; or R reported fewer than 3 BC method combinations.

1553	6481	2446	10845	Blank	= Blank, inapplicable
0	0	0	0	0	01 = NONE
0	0	0	0	0	02 = OFFICE USE ONLY
0	0	0	0	0	03 = BIRTH CONTROL PILLS
0	1	0	1	0	04 = CONDOM
0	0	0	0	0	05 = PARTNER'S VASECTOMY
0	0	0	0	0	06 = DIAPHRAGM
0	1	0	1	0	07 = FOAM
0	0	0	0	0	08 = JELLY OR CREAM
0	0	0	0	0	09 = CERVICAL CAP
0	0	0	0	0	10 = SUPPOSITORY, INSERT
0	0	0	0	0	11 = TODAY (TM) SPONGE
0	0	0	0	0	12 = FEMALE CONDOM, VAGINAL POUCH
0	0	0	0	0	13 = IUD, COIL, LOOP
0	0	0	0	0	14 = NORPLANT (TM)
0	0	0	0	0	15 = DEPO-PROVERA, INJECTABLES
0	0	0	0	0	16 = MORNING AFTER PILLS
0	0	0	0	0	17 = RHYTHM OR SAFE PERIOD BY CALENDAR
0	0	0	0	0	18 = SAFE PERIOD BY TEMP, CERVICAL MUCUS TEST, NFP
0	0	0	0	0	19 = WITHDRAWAL
0	0	0	0	0	20 = RESPONDENT STERILE

1995 NATIONAL SURVEY OF FAMILY GROWTH
 File Documentation
 Respondent File (Section E Questionnaire Items)

VARIABLE NAME	COLUMN LOCATION	NON-HISPANIC			QX	TEXT AND CODE CATEGORIES
		HISP	WHITE	BLACK		
		0	0	0	0	21 = PARTNER STERILE (NOT ON CARD)
		0	0	0	0	22 = OTHER METHOD-NOT SHOWN SEPARATELY
		0	0	0	0	97 = Not Ascertained
		0	0	0	0	98 = Refused
		0	0	0	0	99 = Don't Know

1995 NATIONAL SURVEY OF FAMILY GROWTH
 File Documentation
 Respondent File (Section E Questionnaire Items)

VARIABLE NAME	COLUMN LOCATION	NON-HISPANIC			TOTAL	QX	TEXT AND CODE CATEGORIES
		HISP	WHITE	BLACK			
		0	1	0	1	19	NFP
		0	0	0	0	20	= WITHDRAWAL
		0	0	0	0	21	= RESPONDENT STERILE
							= PARTNER STERILE (NOT ON CARD)
		0	0	0	0	22	= OTHER METHOD-NOT SHOWN SEPARATELY
		0	0	0	0	97	= Not Ascertained
		0	0	0	0	98	= Refused
		0	0	0	0	99	= Don't Know

1995 NATIONAL SURVEY OF FAMILY GROWTH
 File Documentation
 Respondent File (Section E Questionnaire Items)

VARIABLE	COLUMN	NON-HISPANIC				
NAME	LOCATION	HISP	WHITE	BLACK	TOTAL	QX TEXT AND CODE CATEGORIES

[MTHUS058] 7105-7106

During that month, which (of those/other) methods, if any, did you use at the same time? (3rd METHOD MENTIONED, 3rd COMBINATION, MC5)

Inapplicable:
 R said no, don't know or refused to all birth control methods in EA series (computed variable EVERUSED = 2); R never had sex as of this month and never used a birth control method as of this month but ever used one or more birth control methods in EA series (WNFSTSEX GE 1093 and DATFIRSM GE 1093 and computed variable EVERUSED = 1); R did not use multiple methods in the month; or R used only 2 methods in the month; or R reported fewer than 3 BC method combinations; or R reported using fewer than 3 BC methods for this combination in this month of the method calendar.

1553	6482	2446	10846	Blank	= Blank, inapplicable
0	0	0	0	01	= NONE
0	0	0	0	02	= OFFICE USE ONLY
0	0	0	0	03	= BIRTH CONTROL PILLS
0	0	0	0	04	= CONDOM
0	0	0	0	05	= PARTNER'S VASECTOMY
0	0	0	0	06	= DIAPHRAGM
0	0	0	0	07	= FOAM
0	0	0	0	08	= JELLY OR CREAM
0	0	0	0	09	= CERVICAL CAP
0	0	0	0	10	= SUPPOSITORY, INSERT
0	0	0	0	11	= TODAY (TM) SPONGE
0	0	0	0	12	= FEMALE CONDOM, VAGINAL POUCH
0	0	0	0	13	= IUD, COIL, LOOP
0	0	0	0	14	= NORPLANT (TM)
0	0	0	0	15	= DEPO-PROVERA, INJECTABLES
0	0	0	0	16	= MORNING AFTER PILLS
0	1	0	1	17	= RHYTHM OR SAFE PERIOD BY CALENDAR
0	0	0	0	18	= SAFE PERIOD BY TEMP, CERVICAL MUCUS TEST,

1995 NATIONAL SURVEY OF FAMILY GROWTH
 File Documentation
 Respondent File (Section E Questionnaire Items)

VARIABLE NAME	COLUMN LOCATION	NON-HISPANIC			TOTAL	QX	TEXT AND CODE CATEGORIES
		HISP	WHITE	BLACK			
		0	0	0	0	19	NFP = WITHDRAWAL
		0	0	0	0	20	= RESPONDENT STERILE
		0	0	0	0	21	= PARTNER STERILE (NOT ON CARD)
		0	0	0	0	22	= OTHER METHOD-NOT SHOWN SEPARATELY
		0	0	0	0	97	= Not Ascertained
		0	0	0	0	98	= Refused
		0	0	0	0	99	= Don't Know

1995 NATIONAL SURVEY OF FAMILY GROWTH
 File Documentation
 Respondent File (Section E Questionnaire Items)

VARIABLE COLUMN NON-HISPANIC
 NAME LOCATION HISP WHITE BLACK TOTAL QX TEXT AND CODE CATEGORIES

[MTHUS059] 7107-7108

During that month, which (of those/other) methods, if any, did you use at the same time? (4th METHOD MENTIONED, 3rd COMBINATION, MC5)

Inapplicable:
 R said no, don't know or refused to all birth control methods in EA series (computed variable EVERUSED = 2); R never had sex as of this month and never used a birth control method as of this month but ever used one or more birth control methods in EA series (WNFSTSEX GE 1093 and DATFIRSM GE 1093 and computed variable EVERUSED = 1); R did not use multiple methods in the month; or R used only 2 methods in the month; or R reported fewer than 3 BC method combinations; or R reported using fewer than 4 BC methods for this combination in this month of the method calendar.

1553	6483	2446	10847	Blank	= Blank, inapplicable
0	0	0	0	01	= NONE
0	0	0	0	02	= OFFICE USE ONLY
0	0	0	0	03	= BIRTH CONTROL PILLS
0	0	0	0	04	= CONDOM
0	0	0	0	05	= PARTNER'S VASECTOMY
0	0	0	0	06	= DIAPHRAGM
0	0	0	0	07	= FOAM
0	0	0	0	08	= JELLY OR CREAM
0	0	0	0	09	= CERVICAL CAP
0	0	0	0	10	= SUPPOSITORY, INSERT
0	0	0	0	11	= TODAY (TM) SPONGE
0	0	0	0	12	= FEMALE CONDOM, VAGINAL POUCH
0	0	0	0	13	= IUD, COIL, LOOP
0	0	0	0	14	= NORPLANT (TM)
0	0	0	0	15	= DEPO-PROVERA, INJECTABLES
0	0	0	0	16	= MORNING AFTER PILLS
0	0	0	0	17	= RHYTHM OR SAFE PERIOD BY CALENDAR
0	0	0	0	18	= SAFE PERIOD BY TEMP, CERVICAL MUCUS TEST,

1995 NATIONAL SURVEY OF FAMILY GROWTH
 File Documentation
 Respondent File (Section E Questionnaire Items)

VARIABLE NAME	COLUMN LOCATION	NON-HISPANIC			TOTAL	QX	TEXT AND CODE CATEGORIES
		HISP	WHITE	BLACK			
		0	0	0	0	19	NFP = WITHDRAWAL
		0	0	0	0	20	= RESPONDENT STERILE
		0	0	0	0	21	= PARTNER STERILE (NOT ON CARD)
		0	0	0	0	22	= OTHER METHOD-NOT SHOWN SEPARATELY
		0	0	0	0	97	= Not Ascertained
		0	0	0	0	98	= Refused
		0	0	0	0	99	= Don't Know

1995 NATIONAL SURVEY OF FAMILY GROWTH
 File Documentation
 Respondent File (Section E Questionnaire Items)

VARIABLE NAME	COLUMN LOCATION	NON-HISPANIC			QX TEXT AND CODE CATEGORIES
		HISP	WHITE	BLACK TOTAL	
[METHH020]	7109-7110				ENTER METHOD (FIRST MENTIONED) USED IN JUNE 1991: (MC6)
					Inapplicable: R never had sex as of this month and never used a birth control method as of this month but ever used one or more birth control methods in EA series (WNFSTSEX GE 1093 and DATFIRSM GE 1093 and computed variable EVERUSED = 1); R never had sex and said no, don't know or refused to all birth control methods in EA series (computed variable RHADSEX coded 2,7,8 or 9 and computed variable EVERUSED = 2); R said no, don't know or refused to all birth control methods in EA series (computed variable EVERUSED = 2).
		407	1219	407 2167	Blank = Blank, inapplicable
		348	1228	589 2222	01 = NO METHODS USED
		0	0	0 0	02 = SAME AS PREVIOUS MONTH
		272	1360	480 2150	03 = BIRTH CONTROL PILLS
		157	779	337 1328	04 = CONDOM
		19	290	8 325	05 = PARTNER'S VASECTOMY
		8	131	13 155	06 = DIAPHRAGM
		2	26	2 31	07 = FOAM
		1	8	1 10	08 = JELLY OR CREAM
		0	3	0 3	09 = CERVICAL CAP
		1	16	12 31	10 = SUPPOSITORY, INSERT
		4	33	8 45	11 = TODAY (TM) SPONGE
		0	0	0 0	12 = FEMALE CONDOM, VAGINAL POUCH
		16	34	19 72	13 = IUD, COIL, LOOP
		5	6	9 20	14 = NORPLANT (TM)
		7	6	4 17	15 = DEPO-PROVERA, INJECTABLES
		0	0	0 0	16 = MORNING AFTER PILLS
		29	106	18 163	17 = RHYTHM OR SAFE PERIOD BY CALENDAR
		2	17	0 19	18 = SAFE PERIOD BY TEMP, CERVICAL MUCUS TEST, NFP
		35	120	23 185	19 = WITHDRAWAL
		223	948	500 1714	20 = RESPONDENT STERILE

(3342)

1995 NATIONAL SURVEY OF FAMILY GROWTH
 File Documentation
 Respondent File (Section E Questionnaire Items)

VARIABLE NAME	COLUMN LOCATION	NON-HISPANIC			TOTAL	QX	TEXT AND CODE CATEGORIES
		HISP	WHITE	BLACK			
		17	141	9	170	21	= PARTNER STERILE (NOT ON CARD)
		0	3	3	6	22	= OTHER METHOD-NOT SHOWN SEPARATELY
		0	0	0	0	55	= SAME METHODS USED THROUGH END OF YEAR
		0	1	2	3	97	= Not Ascertained
		0	4	2	6	98	= Refused
		0	4	0	5	99	= Don't Know

1995 NATIONAL SURVEY OF FAMILY GROWTH
 File Documentation
 Respondent File (Section E Questionnaire Items)

VARIABLE NAME	COLUMN LOCATION	NON-HISPANIC			TOTAL	QX	TEXT AND CODE CATEGORIES
		HISP	WHITE	BLACK			
		0	7	7	14	20	= RESPONDENT STERILE
		0	7	0	8	21	= PARTNER STERILE (NOT ON CARD)
		0	0	0	0	22	= OTHER METHOD-NOT SHOWN SEPARATELY
		0	0	0	0	55	= SAME METHODS USED THROUGH END OF YEAR
		0	1	2	3	97	= Not Ascertained
		0	4	2	6	98	= Refused
		0	4	0	5	99	= Don't Know

1995 NATIONAL SURVEY OF FAMILY GROWTH
 File Documentation
 Respondent File (Section E Questionnaire Items)

VARIABLE NAME	COLUMN LOCATION	NON-HISPANIC			TOTAL	QX	TEXT AND CODE CATEGORIES
		HISP	WHITE	BLACK			
		1	6	12	19	20	= RESPONDENT STERILE
		0	0	0	0	21	= PARTNER STERILE (NOT ON CARD)
		0	0	0	1	22	= OTHER METHOD-NOT SHOWN SEPARATELY
		0	0	0	0	55	= SAME METHODS USED THROUGH END OF YEAR
		0	1	2	3	97	= Not Ascertained
		0	4	2	6	98	= Refused
		0	4	0	5	99	= Don't Know

1995 NATIONAL SURVEY OF FAMILY GROWTH
 File Documentation
 Respondent File (Section E Questionnaire Items)

VARIABLE NAME	COLUMN LOCATION	NON-HISPANIC			QX TEXT AND CODE CATEGORIES	
		HISP	WHITE	BLACK	TOTAL	
[METHH023]	7115-7116					ENTER METHOD (FOURTH MENTIONED) USED IN JUNE 1991: (MC6)

Inapplicable:
 R never had sex as of this month and never used a birth control method as of this month but ever used one or more birth control methods in EA series (WNFSTSEX GE 1093 and DATFIRSM GE 1093 and computed variable EVERUSED = 1); R never had sex and said no, don't know or refused to all birth control methods in EA series (computed variable RHADSEX coded 2,7,8 or 9 and computed variable EVERUSED = 2); R said no, don't know or refused to all birth control methods in EA series (computed variable EVERUSED = 2); R used fewer than 4 methods in month.

1553	6468	2441	10826	Blank	= Blank, inapplicable
0	0	0	0	01	= NO METHODS USED
0	0	0	0	02	= SAME AS PREVIOUS MONTH
0	0	0	0	03	= BIRTH CONTROL PILLS
0	1	0	1	04	= CONDOM
0	0	0	0	05	= PARTNER'S VASECTOMY
0	0	0	0	06	= DIAPHRAGM
0	0	0	0	07	= FOAM
0	0	0	0	08	= JELLY OR CREAM
0	0	0	0	09	= CERVICAL CAP
0	0	0	0	10	= SUPPOSITORY, INSERT
0	1	0	1	11	= TODAY (TM) SPONGE
0	0	0	0	12	= FEMALE CONDOM, VAGINAL POUCH
0	0	0	0	13	= IUD, COIL, LOOP
0	0	0	0	14	= NORPLANT (TM)
0	0	0	0	15	= DEPO-PROVERA, INJECTABLES
0	0	0	0	16	= MORNING AFTER PILLS
0	3	0	3	17	= RHYTHM OR SAFE PERIOD BY CALENDAR
0	0	1	1	18	= SAFE PERIOD BY TEMP, CERVICAL MUCUS TEST, NFP
0	1	0	1	19	= WITHDRAWAL

(3348)

1995 NATIONAL SURVEY OF FAMILY GROWTH
 File Documentation
 Respondent File (Section E Questionnaire Items)

VARIABLE NAME	COLUMN LOCATION	NON-HISPANIC			TOTAL	QX	TEXT AND CODE CATEGORIES
		HISP	WHITE	BLACK			
		0	0	0	0	20	= RESPONDENT STERILE
		0	0	0	0	21	= PARTNER STERILE (NOT ON CARD)
		0	0	0	0	22	= OTHER METHOD-NOT SHOWN SEPARATELY
		0	0	0	0	55	= SAME METHODS USED THROUGH END OF YEAR
		0	1	2	3	97	= Not Ascertained
		0	4	2	6	98	= Refused
		0	4	0	5	99	= Don't Know

[SIMSEQ05] 7117-7117

Did you use those methods together,
 that is, at the same time, or did
 you use them at different times
 during the month? (MC6)

Inapplicable:

R never had sex as of this month and
 never used a birth control method as
 of this month but ever used one or
 more birth control methods in EA
 series (WNFSTSEX GE 1093 and
 DATFIRSM GE 1093 and computed
 variable EVERUSED = 1); R never had
 sex and said no, don't know or
 refused to all birth control methods
 in EA series (computed variable
 RHADSEX coded 2,7,8 or 9 and
 computed variable EVERUSED = 2); R
 said no, don't know or refused to
 all birth control methods in EA
 series (computed variable EVERUSED =
 2); R did not use multiple methods
 in the month; R used more than 2
 methods in the month.

1497	6153	2300	10300	Blank	= Blank, inapplicable
33	210	112	363	1	= SAME TIME
23	119	34	183	2	= DIFFERENT TIMES
0	0	0	0	7	= Not Ascertained
0	0	0	0	8	= Refused
0	1	0	1	9	= Don't Know

1995 NATIONAL SURVEY OF FAMILY GROWTH
 File Documentation
 Respondent File (Section E Questionnaire Items)

VARIABLE	COLUMN	NON-HISPANIC				
NAME	LOCATION	HISP	WHITE	BLACK	TOTAL	QX TEXT AND CODE CATEGORIES

[MTHUS060] 7118-7119

During that month, which (of those/other) methods, if any, did you use at the same time? (1st METHOD MENTIONED, 1st COMBINATION, MC6)

Inapplicable:
 R said no, don't know or refused to all birth control methods in EA series (computed variable EVERUSED = 2); R never had sex as of this month and never used a birth control method as of this month but ever used one or more birth control methods in EA series (WNFSTSEX GE 1093 and DATFIRSM GE 1093 and computed variable EVERUSED = 1); R did not use multiple methods in the month; or R used only 2 methods in the month.

1541	6439	2440	10780	Blank	= Blank, inapplicable
5	6	2	13	01	= NONE
0	0	0	0	02	= OFFICE USE ONLY
1	6	1	10	03	= BIRTH CONTROL PILLS
6	19	1	29	04	= CONDOM
0	0	0	0	05	= PARTNER'S VASECTOMY
0	3	0	3	06	= DIAPHRAGM
0	0	0	0	07	= FOAM
0	0	0	0	08	= JELLY OR CREAM
0	0	0	0	09	= CERVICAL CAP
0	0	0	0	10	= SUPPOSITORY, INSERT
0	2	0	2	11	= TODAY (TM) SPONGE
0	0	0	0	12	= FEMALE CONDOM, VAGINAL POUCH
0	0	0	0	13	= IUD, COIL, LOOP
0	0	0	0	14	= NORPLANT (TM)
0	0	0	0	15	= DEPO-PROVERA, INJECTABLES
0	0	0	0	16	= MORNING AFTER PILLS
0	6	0	6	17	= RHYTHM OR SAFE PERIOD BY CALENDAR
0	1	0	1	18	= SAFE PERIOD BY TEMP, CERVICAL MUCUS TEST, NFP
0	1	1	2	19	= WITHDRAWAL
0	0	1	1	20	= RESPONDENT STERILE
0	0	0	0	21	= PARTNER STERILE (NOT

1995 NATIONAL SURVEY OF FAMILY GROWTH
 File Documentation
 Respondent File (Section E Questionnaire Items)

VARIABLE NAME	COLUMN LOCATION	NON-HISPANIC			TOTAL	QX	TEXT AND CODE CATEGORIES
		HISP	WHITE	BLACK			
		0	0	0	0	22	ON CARD) = OTHER METHOD-NOT SHOWN SEPARATELY
		0	0	0	0	97	= Not Ascertained
		0	0	0	0	98	= Refused
		0	0	0	0	99	= Don't Know

1995 NATIONAL SURVEY OF FAMILY GROWTH
 File Documentation
 Respondent File (Section E Questionnaire Items)

VARIABLE COLUMN NON-HISPANIC
 NAME LOCATION HISP WHITE BLACK TOTAL QX TEXT AND CODE CATEGORIES

[MTHUS061] 7120-7121

During that month, which (of those/other) methods, if any, did you use at the same time? (2nd METHOD MENTIONED, 1st COMBINATION, MC6)

Inapplicable:
 R said no, don't know or refused to all birth control methods in EA series (computed variable EVERUSED = 2); R never had sex as of this month and never used a birth control method as of this month but ever used one or more birth control methods in EA series (WNFSTSEX GE 1093 and DATFIRSM GE 1093 and computed variable EVERUSED = 1); R did not use multiple methods in the month; or R used only 2 methods in the month; or R reported using fewer than 2 BC methods for this combination in this month of the method calendar.

1546	6445	2442	10793	Blank	= Blank, inapplicable
0	0	0	0	01	= NONE
0	0	0	0	02	= OFFICE USE ONLY
0	0	0	0	03	= BIRTH CONTROL PILLS
1	7	2	11	04	= CONDOM
0	1	0	1	05	= PARTNER'S VASECTOMY
0	3	0	3	06	= DIAPHRAGM
2	3	0	5	07	= FOAM
1	1	1	3	08	= JELLY OR CREAM
0	0	0	0	09	= CERVICAL CAP
1	0	1	2	10	= SUPPOSITORY, INSERT
0	1	0	1	11	= TODAY (TM) SPONGE
0	0	0	0	12	= FEMALE CONDOM, VAGINAL POUCH
0	0	0	0	13	= IUD, COIL, LOOP
0	0	0	0	14	= NORPLANT (TM)
0	0	0	0	15	= DEPO-PROVERA, INJECTABLES
0	1	0	1	16	= MORNING AFTER PILLS
1	12	0	14	17	= RHYTHM OR SAFE PERIOD BY CALENDAR
0	0	0	0	18	= SAFE PERIOD BY TEMP, CERVICAL MUCUS TEST, NFP

(3352)

1995 NATIONAL SURVEY OF FAMILY GROWTH
 File Documentation
 Respondent File (Section E Questionnaire Items)

VARIABLE NAME	COLUMN LOCATION	NON-HISPANIC			TOTAL	QX	TEXT AND CODE CATEGORIES
		HISP	WHITE	BLACK			
		1	9	0	13	19	= WITHDRAWAL
		0	0	0	0	20	= RESPONDENT STERILE
		0	0	0	0	21	= PARTNER STERILE (NOT ON CARD)
		0	0	0	0	22	= OTHER METHOD-NOT SHOWN SEPARATELY
		0	0	0	0	97	= Not Ascertained
		0	0	0	0	98	= Refused
		0	0	0	0	99	= Don't Know

1995 NATIONAL SURVEY OF FAMILY GROWTH
 File Documentation
 Respondent File (Section E Questionnaire Items)

VARIABLE COLUMN NON-HISPANIC
 NAME LOCATION HISP WHITE BLACK TOTAL QX TEXT AND CODE CATEGORIES

[MTHUS062] 7122-7123

During that month, which (of those/other) methods, if any, did you use at the same time? (3rd METHOD MENTIONED, 1st COMBINATION, MC6)

Inapplicable:
 R said no, don't know or refused to all birth control methods in EA series (computed variable EVERUSED = 2); R never had sex as of this month and never used a birth control method as of this month but ever used one or more birth control methods in EA series (WNFSTSEX GE 1093 and DATFIRSM GE 1093 and computed variable EVERUSED = 1); R did not use multiple methods in the month; or R used only 2 methods in the month; or R reported using fewer than 3 BC methods for this combination in this month of the method calendar.

1547	6464	2444	10819	Blank	= Blank, inapplicable
0	0	0	0	01	= NONE
0	0	0	0	02	= OFFICE USE ONLY
0	0	0	0	03	= BIRTH CONTROL PILLS
0	0	0	0	04	= CONDOM
1	0	0	1	05	= PARTNER'S VASECTOMY
0	0	0	0	06	= DIAPHRAGM
2	2	1	5	07	= FOAM
0	0	0	0	08	= JELLY OR CREAM
0	0	0	0	09	= CERVICAL CAP
0	1	0	1	10	= SUPPOSITORY, INSERT
1	2	0	3	11	= TODAY (TM) SPONGE
0	0	0	0	12	= FEMALE CONDOM, VAGINAL POUCH
0	0	0	0	13	= IUD, COIL, LOOP
0	0	0	0	14	= NORPLANT (TM)
0	0	0	0	15	= DEPO-PROVERA, INJECTABLES
0	0	0	0	16	= MORNING AFTER PILLS
2	5	1	8	17	= RHYTHM OR SAFE PERIOD BY CALENDAR
0	2	0	3	18	= SAFE PERIOD BY TEMP, CERVICAL MUCUS TEST, NFP

(3354)

1995 NATIONAL SURVEY OF FAMILY GROWTH
 File Documentation
 Respondent File (Section E Questionnaire Items)

VARIABLE NAME	COLUMN LOCATION	NON-HISPANIC			TOTAL	QX	TEXT AND CODE CATEGORIES
		HISP	WHITE	BLACK			
		0	7	0	7	19	= WITHDRAWAL
		0	0	0	0	20	= RESPONDENT STERILE
		0	0	0	0	21	= PARTNER STERILE (NOT ON CARD)
		0	0	0	0	22	= OTHER METHOD-NOT SHOWN SEPARATELY
		0	0	0	0	97	= Not Ascertained
		0	0	0	0	98	= Refused
		0	0	0	0	99	= Don't Know

1995 NATIONAL SURVEY OF FAMILY GROWTH
 File Documentation
 Respondent File (Section E Questionnaire Items)

VARIABLE COLUMN NON-HISPANIC
 NAME LOCATION HISP WHITE BLACK TOTAL QX TEXT AND CODE CATEGORIES

[MTHUS063] 7124-7125

During that month, which (of those/other) methods, if any, did you use at the same time? (4th METHOD MENTIONED, 1st COMBINATION, MC6)

Inapplicable:
 R said no, don't know or refused to all birth control methods in EA series (computed variable EVERUSED = 2); R never had sex as of this month and never used a birth control method as of this month but ever used one or more birth control methods in EA series (WNFSTSEX GE 1093 and DATFIRSM GE 1093 and computed variable EVERUSED = 1); R did not use multiple methods in the month; or R used only 2 methods in the month; or R reported using fewer than 4 BC methods for this combination in this month of the method calendar.

1553	6482	2445	10845	Blank	= Blank, inapplicable
0	0	0	0	01	= NONE
0	0	0	0	02	= OFFICE USE ONLY
0	0	0	0	03	= BIRTH CONTROL PILLS
0	1	0	1	04	= CONDOM
0	0	0	0	05	= PARTNER'S VASECTOMY
0	0	0	0	06	= DIAPHRAGM
0	0	0	0	07	= FOAM
0	0	0	0	08	= JELLY OR CREAM
0	0	0	0	09	= CERVICAL CAP
0	0	0	0	10	= SUPPOSITORY, INSERT
0	0	0	0	11	= TODAY (TM) SPONGE
0	0	0	0	12	= FEMALE CONDOM, VAGINAL POUCH
0	0	0	0	13	= IUD, COIL, LOOP
0	0	0	0	14	= NORPLANT (TM)
0	0	0	0	15	= DEPO-PROVERA, INJECTABLES
0	0	0	0	16	= MORNING AFTER PILLS
0	0	0	0	17	= RHYTHM OR SAFE PERIOD BY CALENDAR
0	0	1	1	18	= SAFE PERIOD BY TEMP, CERVICAL MUCUS TEST, NFP

1995 NATIONAL SURVEY OF FAMILY GROWTH
 File Documentation
 Respondent File (Section E Questionnaire Items)

VARIABLE NAME	COLUMN LOCATION	NON-HISPANIC			TOTAL	QX	TEXT AND CODE CATEGORIES
		HISP	WHITE	BLACK			
		0	0	0	0	19	= WITHDRAWAL
		0	0	0	0	20	= RESPONDENT STERILE
		0	0	0	0	21	= PARTNER STERILE (NOT ON CARD)
		0	0	0	0	22	= OTHER METHOD-NOT SHOWN SEPARATELY
		0	0	0	0	97	= Not Ascertained
		0	0	0	0	98	= Refused
		0	0	0	0	99	= Don't Know

1995 NATIONAL SURVEY OF FAMILY GROWTH
File Documentation
Respondent File (Section E Questionnaire Items)

VARIABLE	COLUMN	NON-HISPANIC			QX TEXT AND CODE CATEGORIES
NAME	LOCATION	HISP	WHITE	BLACK TOTAL	

[MTHUS064] 7126-7127

During that month, which (of those/other) methods, if any, did you use at the same time? (1st METHOD MENTIONED, 2nd COMBINATION, MC6)

Inapplicable:
R said no, don't know or refused to all birth control methods in EA series (computed variable EVERUSED = 2); R never had sex as of this month and never used a birth control method as of this month but ever used one or more birth control methods in EA series (WNFSTSEX GE 1093 and DATFIRSM GE 1093 and computed variable EVERUSED = 1); R did not use multiple methods in the month; or R used only 2 methods in the month; or R reported fewer than 2 BC method combinations.

1546	6445	2442	10793	Blank	= Blank, inapplicable
5	27	2	37	01	= NONE
0	0	0	0	02	= OFFICE USE ONLY
1	3	0	4	03	= BIRTH CONTROL PILLS
0	4	0	5	04	= CONDOM
0	0	0	0	05	= PARTNER'S VASECTOMY
0	0	0	0	06	= DIAPHRAGM
1	1	0	2	07	= FOAM
0	0	0	0	08	= JELLY OR CREAM
0	0	0	0	09	= CERVICAL CAP
0	0	0	0	10	= SUPPOSITORY, INSERT
0	0	0	1	11	= TODAY (TM) SPONGE
0	0	0	0	12	= FEMALE CONDOM, VAGINAL POUCH
0	0	0	0	13	= IUD, COIL, LOOP
0	0	0	0	14	= NORPLANT (TM)
0	0	0	0	15	= DEPO-PROVERA, INJECTABLES
0	0	0	0	16	= MORNING AFTER PILLS
0	2	0	2	17	= RHYTHM OR SAFE PERIOD BY CALENDAR
0	0	0	0	18	= SAFE PERIOD BY TEMP, CERVICAL MUCUS TEST, NFP
0	1	1	2	19	= WITHDRAWAL
0	0	1	1	20	= RESPONDENT STERILE

(3358)

1995 NATIONAL SURVEY OF FAMILY GROWTH
 File Documentation
 Respondent File (Section E Questionnaire Items)

VARIABLE NAME	COLUMN LOCATION	NON-HISPANIC			TOTAL	QX	TEXT AND CODE CATEGORIES
		HISP	WHITE	BLACK			
		0	0	0	0	21	= PARTNER STERILE (NOT ON CARD)
		0	0	0	0	22	= OTHER METHOD-NOT SHOWN SEPARATELY
		0	0	0	0	97	= Not Ascertained
		0	0	0	0	98	= Refused
		0	0	0	0	99	= Don't Know

1995 NATIONAL SURVEY OF FAMILY GROWTH
 File Documentation
 Respondent File (Section E Questionnaire Items)

VARIABLE COLUMN NON-HISPANIC
 NAME LOCATION HISP WHITE BLACK TOTAL QX TEXT AND CODE CATEGORIES

[MTHUS065] 7128-7129

During that month, which (of those/other) methods, if any, did you use at the same time? (2nd METHOD MENTIONED, 2nd COMBINATION, MC6)

Inapplicable:
 R said no, don't know or refused to all birth control methods in EA series (computed variable EVERUSED = 2); R never had sex as of this month and never used a birth control method as of this month but ever used one or more birth control methods in EA series (WNFSTSEX GE 1093 and DATFIRSM GE 1093 and computed variable EVERUSED = 1); R did not use multiple methods in the month; or R used only 2 methods in the month; or R reported fewer than 2 BC method combinations; or R reported using fewer than 2 BC methods for this combination in this month of the method calendar.

	1552	6474	2444	10833	Blank	
	0	0	0	0	0	01 = Blank, inapplicable
	0	0	0	0	0	02 = NONE
	0	0	0	1	0	03 = OFFICE USE ONLY
	1	1	0	2	0	04 = BIRTH CONTROL PILLS
	0	1	0	1	0	05 = CONDOM
	0	0	0	0	0	06 = PARTNER'S VASECTOMY
	0	1	0	1	0	07 = DIAPHRAGM
	0	0	0	0	0	08 = FOAM
	0	0	0	0	0	09 = JELLY OR CREAM
	0	0	1	1	0	10 = CERVICAL CAP
	0	1	0	1	0	11 = SUPPOSITORY, INSERT
	0	0	0	0	0	12 = TODAY (TM) SPONGE
	0	0	0	0	0	13 = FEMALE CONDOM, VAGINAL POUCH
	0	0	0	0	0	14 = IUD, COIL, LOOP
	0	0	0	0	0	15 = NORPLANT (TM)
	0	0	0	0	0	16 = DEPO-PROVERA, INJECTABLES
	0	0	0	0	0	17 = MORNING AFTER PILLS
	0	3	0	4	0	18 = RHYTHM OR SAFE PERIOD BY CALENDAR
	0	0	0	0	0	19 = SAFE PERIOD BY TEMP, CERVICAL MUCUS TEST,

(3360)

1995 NATIONAL SURVEY OF FAMILY GROWTH
 File Documentation
 Respondent File (Section E Questionnaire Items)

VARIABLE NAME	COLUMN LOCATION	NON-HISPANIC			TOTAL	QX	TEXT AND CODE CATEGORIES
		HISP	WHITE	BLACK			
		0	2	1	3	19	NFP
		0	0	0	0	20	= WITHDRAWAL
		0	0	0	0	21	= RESPONDENT STERILE
							= PARTNER STERILE (NOT ON CARD)
		0	0	0	0	22	= OTHER METHOD-NOT SHOWN SEPARATELY
		0	0	0	0	97	= Not Ascertained
		0	0	0	0	98	= Refused
		0	0	0	0	99	= Don't Know

1995 NATIONAL SURVEY OF FAMILY GROWTH
 File Documentation
 Respondent File (Section E Questionnaire Items)

VARIABLE NAME	COLUMN LOCATION	NON-HISPANIC			TOTAL	QX	TEXT AND CODE CATEGORIES
		HISP	WHITE	BLACK			
		0	1	0	1	19	NFP
		0	0	0	0	20	= WITHDRAWAL
		0	0	0	0	21	= RESPONDENT STERILE
							= PARTNER STERILE (NOT ON CARD)
		0	0	0	0	22	= OTHER METHOD-NOT SHOWN SEPARATELY
		0	0	0	0	97	= Not Ascertained
		0	0	0	0	98	= Refused
		0	0	0	0	99	= Don't Know

1995 NATIONAL SURVEY OF FAMILY GROWTH
 File Documentation
 Respondent File (Section E Questionnaire Items)

VARIABLE	COLUMN	NON-HISPANIC				
NAME	LOCATION	HISP	WHITE	BLACK	TOTAL	QX TEXT AND CODE CATEGORIES

[MTHUS067] 7132-7133

During that month, which (of those/other) methods, if any, did you use at the same time? (4th METHOD MENTIONED, 2nd COMBINATION, MC6)

Inapplicable:
 R said no, don't know or refused to all birth control methods in EA series (computed variable EVERUSED = 2); R never had sex as of this month and never used a birth control method as of this month but ever used one or more birth control methods in EA series (WNFSTSEX GE 1093 and DATFIRSM GE 1093 and computed variable EVERUSED = 1); R did not use multiple methods in the month; or R used only 2 methods in the month; or R reported fewer than 2 BC method combinations; or R reported using fewer than 4 BC methods for this combination in this month of the method calendar.

1553	6483	2446	10847	Blank	= Blank, inapplicable
0	0	0	0	01	= NONE
0	0	0	0	02	= OFFICE USE ONLY
0	0	0	0	03	= BIRTH CONTROL PILLS
0	0	0	0	04	= CONDOM
0	0	0	0	05	= PARTNER'S VASECTOMY
0	0	0	0	06	= DIAPHRAGM
0	0	0	0	07	= FOAM
0	0	0	0	08	= JELLY OR CREAM
0	0	0	0	09	= CERVICAL CAP
0	0	0	0	10	= SUPPOSITORY, INSERT
0	0	0	0	11	= TODAY (TM) SPONGE
0	0	0	0	12	= FEMALE CONDOM, VAGINAL POUCH
0	0	0	0	13	= IUD, COIL, LOOP
0	0	0	0	14	= NORPLANT (TM)
0	0	0	0	15	= DEPO-PROVERA, INJECTABLES
0	0	0	0	16	= MORNING AFTER PILLS
0	0	0	0	17	= RHYTHM OR SAFE PERIOD BY CALENDAR
0	0	0	0	18	= SAFE PERIOD BY TEMP, CERVICAL MUCUS TEST,

(3364)

1995 NATIONAL SURVEY OF FAMILY GROWTH
 File Documentation
 Respondent File (Section E Questionnaire Items)

VARIABLE NAME	COLUMN LOCATION	NON-HISPANIC			TOTAL	QX	TEXT AND CODE CATEGORIES
		HISP	WHITE	BLACK			
		0	0	0	0	19	NFP
		0	0	0	0	20	= WITHDRAWAL
		0	0	0	0	21	= RESPONDENT STERILE
							= PARTNER STERILE (NOT ON CARD)
		0	0	0	0	22	= OTHER METHOD-NOT SHOWN SEPARATELY
		0	0	0	0	97	= Not Ascertained
		0	0	0	0	98	= Refused
		0	0	0	0	99	= Don't Know

1995 NATIONAL SURVEY OF FAMILY GROWTH
 File Documentation
 Respondent File (Section E Questionnaire Items)

VARIABLE COLUMN NON-HISPANIC
 NAME LOCATION HISP WHITE BLACK TOTAL QX TEXT AND CODE CATEGORIES

[MTHUS068] 7134-7135

During that month, which (of those/other) methods, if any, did you use at the same time? (1st METHOD MENTIONED, 3rd COMBINATION, MC6)

Inapplicable:
 R said no, don't know or refused to all birth control methods in EA series (computed variable EVERUSED = 2); R never had sex as of this month and never used a birth control method as of this month but ever used one or more birth control methods in EA series (WNFSTSEX GE 1093 and DATFIRSM GE 1093 and computed variable EVERUSED = 1); R did not use multiple methods in the month; or R used only 2 methods in the month; or R reported fewer than 3 BC method combinations.

1553	6481	2446	10845	Blank	
0	1	0	1	01	= Blank, inapplicable
0	0	0	0	02	= NONE
0	0	0	0	03	= OFFICE USE ONLY
0	1	0	1	04	= BIRTH CONTROL PILLS
0	0	0	0	05	= CONDOM
0	0	0	0	06	= PARTNER'S VASECTOMY
0	0	0	0	07	= DIAPHRAGM
0	0	0	0	08	= FOAM
0	0	0	0	09	= JELLY OR CREAM
0	0	0	0	10	= CERVICAL CAP
0	0	0	0	11	= SUPPOSITORY, INSERT
0	0	0	0	12	= TODAY (TM) SPONGE
0	0	0	0	13	= FEMALE CONDOM, VAGINAL POUCH
0	0	0	0	14	= IUD, COIL, LOOP
0	0	0	0	15	= NORPLANT (TM)
0	0	0	0	16	= DEPO-PROVERA, INJECTABLES
0	0	0	0	17	= MORNING AFTER PILLS
0	0	0	0	18	= RHYTHM OR SAFE PERIOD BY CALENDAR
0	0	0	0	19	= SAFE PERIOD BY TEMP, CERVICAL MUCUS TEST, NFP
0	0	0	0	20	= WITHDRAWAL
0	0	0	0	20	= RESPONDENT STERILE

1995 NATIONAL SURVEY OF FAMILY GROWTH
 File Documentation
 Respondent File (Section E Questionnaire Items)

VARIABLE NAME	COLUMN LOCATION	NON-HISPANIC			TOTAL	QX	TEXT AND CODE CATEGORIES
		HISP	WHITE	BLACK			
		0	0	0	0	21	= PARTNER STERILE (NOT ON CARD)
		0	0	0	0	22	= OTHER METHOD-NOT SHOWN SEPARATELY
		0	0	0	0	97	= Not Ascertained
		0	0	0	0	98	= Refused
		0	0	0	0	99	= Don't Know

1995 NATIONAL SURVEY OF FAMILY GROWTH
 File Documentation
 Respondent File (Section E Questionnaire Items)

VARIABLE COLUMN NON-HISPANIC
 NAME LOCATION HISP WHITE BLACK TOTAL QX TEXT AND CODE CATEGORIES

[MTHUS069] 7136-7137

During that month, which (of those/other) methods, if any, did you use at the same time? (2nd METHOD MENTIONED, 3rd COMBINATION, MC6)

Inapplicable:
 R said no, don't know or refused to all birth control methods in EA series (computed variable EVERUSED = 2); R never had sex as of this month and never used a birth control method as of this month but ever used one or more birth control methods in EA series (WNFSTSEX GE 1093 and DATFIRSM GE 1093 and computed variable EVERUSED = 1); R did not use multiple methods in the month; or R used only 2 methods in the month; or R reported fewer than 3 BC method combinations; or R reported using fewer than 2 BC methods for this combination in this month of the method calendar.

	1553	6482	2446	10846	Blank	
	0	0	0	0	01	= Blank, inapplicable
	0	0	0	0	02	= NONE
	0	0	0	0	03	= OFFICE USE ONLY
	0	0	0	0	04	= BIRTH CONTROL PILLS
	0	0	0	0	05	= CONDOM
	0	0	0	0	06	= PARTNER'S VASECTOMY
	0	0	0	0	07	= DIAPHRAGM
	0	0	0	0	08	= FOAM
	0	0	0	0	09	= JELLY OR CREAM
	0	0	0	0	10	= CERVICAL CAP
	0	0	0	0	11	= SUPPOSITORY, INSERT
	0	0	0	0	12	= TODAY (TM) SPONGE
	0	0	0	0	13	= FEMALE CONDOM, VAGINAL POUCH
	0	0	0	0	14	= IUD, COIL, LOOP
	0	0	0	0	15	= NORPLANT (TM)
	0	0	0	0	16	= DEPO-PROVERA, INJECTABLES
	0	0	0	0	17	= MORNING AFTER PILLS
	0	1	0	1	18	= RHYTHM OR SAFE PERIOD BY CALENDAR
	0	0	0	0	18	= SAFE PERIOD BY TEMP, CERVICAL MUCUS TEST,

(3368)

1995 NATIONAL SURVEY OF FAMILY GROWTH
 File Documentation
 Respondent File (Section E Questionnaire Items)

VARIABLE NAME	COLUMN LOCATION	NON-HISPANIC			TOTAL	QX	TEXT AND CODE CATEGORIES
		HISP	WHITE	BLACK			
		0	0	0	0	19	NFP
		0	0	0	0	20	= WITHDRAWAL
		0	0	0	0	21	= RESPONDENT STERILE
							= PARTNER STERILE (NOT ON CARD)
		0	0	0	0	22	= OTHER METHOD-NOT SHOWN SEPARATELY
		0	0	0	0	97	= Not Ascertained
		0	0	0	0	98	= Refused
		0	0	0	0	99	= Don't Know

1995 NATIONAL SURVEY OF FAMILY GROWTH
 File Documentation
 Respondent File (Section E Questionnaire Items)

VARIABLE	COLUMN	NON-HISPANIC				QX TEXT AND CODE CATEGORIES
NAME	LOCATION	HISP	WHITE	BLACK		

[MTHUS070] 7138-7139

During that month, which (of those/other) methods, if any, did you use at the same time? (3rd METHOD MENTIONED, 3rd COMBINATION, MC6)

Inapplicable:
 R said no, don't know or refused to all birth control methods in EA series (computed variable EVERUSED = 2); R never had sex as of this month and never used a birth control method as of this month but ever used one or more birth control methods in EA series (WNFSTSEX GE 1093 and DATFIRSM GE 1093 and computed variable EVERUSED = 1); R did not use multiple methods in the month; or R used only 2 methods in the month; or R reported fewer than 3 BC method combinations; or R reported using fewer than 3 BC methods for this combination in this month of the method calendar.

1553	6483	2446	10847	Blank	= Blank, inapplicable
0	0	0	0	01	= NONE
0	0	0	0	02	= OFFICE USE ONLY
0	0	0	0	03	= BIRTH CONTROL PILLS
0	0	0	0	04	= CONDOM
0	0	0	0	05	= PARTNER'S VASECTOMY
0	0	0	0	06	= DIAPHRAGM
0	0	0	0	07	= FOAM
0	0	0	0	08	= JELLY OR CREAM
0	0	0	0	09	= CERVICAL CAP
0	0	0	0	10	= SUPPOSITORY, INSERT
0	0	0	0	11	= TODAY (TM) SPONGE
0	0	0	0	12	= FEMALE CONDOM, VAGINAL POUCH
0	0	0	0	13	= IUD, COIL, LOOP
0	0	0	0	14	= NORPLANT (TM)
0	0	0	0	15	= DEPO-PROVERA, INJECTABLES
0	0	0	0	16	= MORNING AFTER PILLS
0	0	0	0	17	= RHYTHM OR SAFE PERIOD BY CALENDAR
0	0	0	0	18	= SAFE PERIOD BY TEMP, CERVICAL MUCUS TEST,

1995 NATIONAL SURVEY OF FAMILY GROWTH
 File Documentation
 Respondent File (Section E Questionnaire Items)

VARIABLE NAME	COLUMN LOCATION	NON-HISPANIC			TOTAL	QX	TEXT AND CODE CATEGORIES
		HISP	WHITE	BLACK			
		0	0	0	0	19	NFP
		0	0	0	0	20	= WITHDRAWAL
		0	0	0	0	21	= RESPONDENT STERILE
							= PARTNER STERILE (NOT ON CARD)
		0	0	0	0	22	= OTHER METHOD-NOT SHOWN SEPARATELY
		0	0	0	0	97	= Not Ascertained
		0	0	0	0	98	= Refused
		0	0	0	0	99	= Don't Know

1995 NATIONAL SURVEY OF FAMILY GROWTH
 File Documentation
 Respondent File (Section E Questionnaire Items)

VARIABLE COLUMN NON-HISPANIC
 NAME LOCATION HISP WHITE BLACK TOTAL QX TEXT AND CODE CATEGORIES

[MTHUS071] 7140-7141

During that month, which (of those/other) methods, if any, did you use at the same time? (4th METHOD MENTIONED, 3rd COMBINATION, MC6)

Inapplicable:
 R said no, don't know or refused to all birth control methods in EA series (computed variable EVERUSED = 2); R never had sex as of this month and never used a birth control method as of this month but ever used one or more birth control methods in EA series (WNFSTSEX GE 1093 and DATFIRSM GE 1093 and computed variable EVERUSED = 1); R did not use multiple methods in the month; or R used only 2 methods in the month; or R reported fewer than 3 BC method combinations; or R reported using fewer than 4 BC methods for this combination in this month of the method calendar.

1553	6483	2446	10847	Blank	
0	0	0	0	0	01 = Blank, inapplicable
0	0	0	0	0	02 = NONE
0	0	0	0	0	03 = OFFICE USE ONLY
0	0	0	0	0	04 = BIRTH CONTROL PILLS
0	0	0	0	0	05 = CONDOM
0	0	0	0	0	06 = PARTNER'S VASECTOMY
0	0	0	0	0	07 = DIAPHRAGM
0	0	0	0	0	08 = FOAM
0	0	0	0	0	09 = JELLY OR CREAM
0	0	0	0	0	10 = CERVICAL CAP
0	0	0	0	0	11 = SUPPOSITORY, INSERT
0	0	0	0	0	12 = TODAY (TM) SPONGE
0	0	0	0	0	13 = FEMALE CONDOM, VAGINAL POUCH
0	0	0	0	0	14 = IUD, COIL, LOOP
0	0	0	0	0	15 = NORPLANT (TM)
0	0	0	0	0	16 = DEPO-PROVERA, INJECTABLES
0	0	0	0	0	17 = MORNING AFTER PILLS
0	0	0	0	0	18 = RHYTHM OR SAFE PERIOD BY CALENDAR SAFE PERIOD BY TEMP, CERVICAL MUCUS TEST,

1995 NATIONAL SURVEY OF FAMILY GROWTH
 File Documentation
 Respondent File (Section E Questionnaire Items)

VARIABLE NAME	COLUMN LOCATION	NON-HISPANIC			TOTAL	QX	TEXT AND CODE CATEGORIES
		HISP	WHITE	BLACK			
		0	0	0	0	19	NFP = WITHDRAWAL
		0	0	0	0	20	= RESPONDENT STERILE
		0	0	0	0	21	= PARTNER STERILE (NOT ON CARD)
		0	0	0	0	22	= OTHER METHOD-NOT SHOWN SEPARATELY
		0	0	0	0	97	= Not Ascertained
		0	0	0	0	98	= Refused
		0	0	0	0	99	= Don't Know

1995 NATIONAL SURVEY OF FAMILY GROWTH
 File Documentation
 Respondent File (Section E Questionnaire Items)

VARIABLE NAME	COLUMN LOCATION	NON-HISPANIC			QX	TEXT AND CODE CATEGORIES
		HISP	WHITE	BLACK		
[METHH024]	7142-7143					ENTER METHOD (FIRST MENTIONED) USED IN JULY 1991: (MC7)
						Inapplicable: R never had sex as of this month and never used a birth control method as of this month but ever used one or more birth control methods in EA series (WNFSTSEX GE 1093 and DATFIRSM GE 1093 and computed variable EVERUSED = 1); R never had sex and said no, don't know or refused to all birth control methods in EA series (computed variable RHADSEX coded 2,7,8 or 9 and computed variable EVERUSED = 2); R said no, don't know or refused to all birth control methods in EA series (computed variable EVERUSED = 2).
		405	1208	402	2146	Blank = Blank, inapplicable
		338	1228	593	2217	01 = NO METHODS USED
		0	0	0	0	02 = SAME AS PREVIOUS MONTH
		279	1358	479	2153	03 = BIRTH CONTROL PILLS
		155	779	339	1330	04 = CONDOM
		19	290	8	325	05 = PARTNER'S VASECTOMY
		8	130	11	152	06 = DIAPHRAGM
		2	29	3	35	07 = FOAM
		1	8	1	10	08 = JELLY OR CREAM
		0	2	0	2	09 = CERVICAL CAP
		3	16	11	32	10 = SUPPOSITORY, INSERT
		3	33	8	44	11 = TODAY (TM) SPONGE
		0	0	0	0	12 = FEMALE CONDOM, VAGINAL POUCH
		16	34	20	73	13 = IUD, COIL, LOOP
		5	10	11	26	14 = NORPLANT (TM)
		7	7	4	18	15 = DEPO-PROVERA, INJECTABLES
		0	0	0	0	16 = MORNING AFTER PILLS
		28	105	18	161	17 = RHYTHM OR SAFE PERIOD BY CALENDAR
		2	17	0	19	18 = SAFE PERIOD BY TEMP, CERVICAL MUCUS TEST, NFP
		34	123	24	189	19 = WITHDRAWAL
		230	951	498	1722	20 = RESPONDENT STERILE

(3374)

1995 NATIONAL SURVEY OF FAMILY GROWTH
 File Documentation
 Respondent File (Section E Questionnaire Items)

VARIABLE NAME	COLUMN LOCATION	NON-HISPANIC			QX	TEXT AND CODE CATEGORIES	
		HISP	WHITE	BLACK			TOTAL
		17	143	9	172	21	= PARTNER STERILE (NOT ON CARD)
		1	3	3	7	22	= OTHER METHOD-NOT SHOWN SEPARATELY
		0	0	0	0	55	= SAME METHODS USED THROUGH END OF YEAR
		0	1	2	3	97	= Not Ascertained
		0	4	2	6	98	= Refused
		0	4	0	5	99	= Don't Know

1995 NATIONAL SURVEY OF FAMILY GROWTH
 File Documentation
 Respondent File (Section E Questionnaire Items)

VARIABLE NAME	COLUMN LOCATION	NON-HISPANIC			QX TEXT AND CODE CATEGORIES	
		HISP	WHITE	BLACK	TOTAL	
[METHH025]	7144-7145					ENTER METHOD (SECOND MENTIONED) USED IN JULY 1991: (MC7)

Inapplicable:
 R never had sex as of this month and never used a birth control method as of this month but ever used one or more birth control methods in EA series (WNFSTSEX GE 1093 and DATFIRSM GE 1093 and computed variable EVERUSED = 1); R never had sex and said no, don't know or refused to all birth control methods in EA series (computed variable RHADSEX coded 2,7,8 or 9 and computed variable EVERUSED = 2); R said no, don't know or refused to all birth control methods in EA series (computed variable EVERUSED = 2); R used fewer than 2 methods in month.

1490	6096	2286	10215	Blank	= Blank, inapplicable
0	0	0	0	01	= NO METHODS USED
0	0	0	0	02	= SAME AS PREVIOUS MONTH
0	8	5	13	03	= BIRTH CONTROL PILLS
21	132	82	240	04	= CONDOM
0	7	2	9	05	= PARTNER'S VASECTOMY
2	12	6	20	06	= DIAPHRAGM
7	22	11	41	07	= FOAM
2	14	6	22	08	= JELLY OR CREAM
0	0	0	0	09	= CERVICAL CAP
5	6	6	18	10	= SUPPOSITORY, INSERT
2	14	4	20	11	= TODAY (TM) SPONGE
0	0	0	0	12	= FEMALE CONDOM, VAGINAL POUCH
0	0	0	0	13	= IUD, COIL, LOOP
0	0	1	1	14	= NORPLANT (TM)
0	1	0	1	15	= DEPO-PROVERA, INJECTABLES
0	0	0	0	16	= MORNING AFTER PILLS
8	52	5	72	17	= RHYTHM OR SAFE PERIOD BY CALENDAR
0	6	1	7	18	= SAFE PERIOD BY TEMP, CERVICAL MUCUS TEST, NFP
16	90	19	131	19	= WITHDRAWAL

(3376)

1995 NATIONAL SURVEY OF FAMILY GROWTH
 File Documentation
 Respondent File (Section E Questionnaire Items)

VARIABLE NAME	COLUMN LOCATION	NON-HISPANIC			TOTAL	QX	TEXT AND CODE CATEGORIES
		HISP	WHITE	BLACK			
		0	7	8	15	20	= RESPONDENT STERILE
		0	7	0	8	21	= PARTNER STERILE (NOT ON CARD)
		0	0	0	0	22	= OTHER METHOD-NOT SHOWN SEPARATELY
		0	0	0	0	55	= SAME METHODS USED THROUGH END OF YEAR
		0	1	2	3	97	= Not Ascertained
		0	4	2	6	98	= Refused
		0	4	0	5	99	= Don't Know

1995 NATIONAL SURVEY OF FAMILY GROWTH
 File Documentation
 Respondent File (Section E Questionnaire Items)

VARIABLE NAME	COLUMN LOCATION	NON-HISPANIC			TOTAL	QX	TEXT AND CODE CATEGORIES
		HISP	WHITE	BLACK			
		1	6	13	20	20	= RESPONDENT STERILE
		0	0	0	0	21	= PARTNER STERILE (NOT ON CARD)
		0	0	0	1	22	= OTHER METHOD-NOT SHOWN SEPARATELY
		0	0	0	0	55	= SAME METHODS USED THROUGH END OF YEAR
		0	1	2	3	97	= Not Ascertained
		0	4	2	6	98	= Refused
		0	4	0	5	99	= Don't Know

1995 NATIONAL SURVEY OF FAMILY GROWTH
 File Documentation
 Respondent File (Section E Questionnaire Items)

VARIABLE NAME	COLUMN LOCATION	NON-HISPANIC			TOTAL	QX	TEXT AND CODE CATEGORIES
		HISP	WHITE	BLACK			
		0	0	0	0	20	= RESPONDENT STERILE
		0	0	0	0	21	= PARTNER STERILE (NOT ON CARD)
		0	0	0	0	22	= OTHER METHOD-NOT SHOWN SEPARATELY
		0	0	0	0	55	= SAME METHODS USED THROUGH END OF YEAR
		0	1	2	3	97	= Not Ascertained
		0	4	2	6	98	= Refused
		0	4	0	5	99	= Don't Know

[SIMSEQ06] 7150-7150

Did you use those methods together,
 that is, at the same time, or did
 you use them at different times
 during the month? (MC7)

Inapplicable:

R never had sex as of this month and
 never used a birth control method as
 of this month but ever used one or
 more birth control methods in EA
 series (WNFSTSEX GE 1093 and
 DATFIRSM GE 1093 and computed
 variable EVERUSED = 1); R never had
 sex and said no, don't know or
 refused to all birth control methods
 in EA series (computed variable
 RHADSEX coded 2,7,8 or 9 and
 computed variable EVERUSED = 2); R
 said no, don't know or refused to
 all birth control methods in EA
 series (computed variable EVERUSED =
 2); R did not use multiple methods
 in the month; R used more than 2
 methods in the month.

1502	6151	2297	10300	Blank	= Blank, inapplicable
30	213	116	367	1	= SAME TIME
21	118	33	179	2	= DIFFERENT TIMES
0	0	0	0	7	= Not Ascertained
0	0	0	0	8	= Refused
0	1	0	1	9	= Don't Know

1995 NATIONAL SURVEY OF FAMILY GROWTH
 File Documentation
 Respondent File (Section E Questionnaire Items)

VARIABLE COLUMN NON-HISPANIC
 NAME LOCATION HISP WHITE BLACK TOTAL QX TEXT AND CODE CATEGORIES

[MTHUS072] 7151-7152

During that month, which (of those/other) methods, if any, did you use at the same time? (1st METHOD MENTIONED, 1st COMBINATION, MC7)

Inapplicable:
 R said no, don't know or refused to all birth control methods in EA series (computed variable EVERUSED = 2); R never had sex as of this month and never used a birth control method as of this month but ever used one or more birth control methods in EA series (WNFSTSEX GE 1093 and DATFIRSM GE 1093 and computed variable EVERUSED = 1); R did not use multiple methods in the month; or R used only 2 methods in the month.

	1541	6437	2439	10776	Blank	
	5	7	2	14	01	= Blank, inapplicable
	0	0	0	0	02	= NONE
	1	5	2	10	03	= OFFICE USE ONLY
	6	21	1	32	04	= BIRTH CONTROL PILLS
	0	0	0	0	05	= CONDOM
	0	3	0	3	06	= PARTNER'S VASECTOMY
	0	1	0	1	07	= DIAPHRAGM
	0	0	0	0	08	= FOAM
	0	0	0	0	09	= JELLY OR CREAM
	0	0	0	0	10	= CERVICAL CAP
	0	2	0	2	11	= SUPPOSITORY, INSERT
	0	0	0	0	12	= TODAY (TM) SPONGE
						= FEMALE CONDOM, VAGINAL POUCH
	0	0	0	0	13	= IUD, COIL, LOOP
	0	0	0	0	14	= NORPLANT (TM)
	0	0	0	0	15	= DEPO-PROVERA, INJECTABLES
	0	0	0	0	16	= MORNING AFTER PILLS
	0	5	0	5	17	= RHYTHM OR SAFE PERIOD BY CALENDAR
	0	1	0	1	18	= SAFE PERIOD BY TEMP, CERVICAL MUCUS TEST, NFP
	0	1	1	2	19	= WITHDRAWAL
	0	0	1	1	20	= RESPONDENT STERILE
	0	0	0	0	21	= PARTNER STERILE (NOT

(3382)

1995 NATIONAL SURVEY OF FAMILY GROWTH
 File Documentation
 Respondent File (Section E Questionnaire Items)

VARIABLE NAME	COLUMN LOCATION	NON-HISPANIC			TOTAL	QX	TEXT AND CODE CATEGORIES
		HISP	WHITE	BLACK			
		0	0	0	0	22	ON CARD) = OTHER METHOD-NOT SHOWN SEPARATELY
		0	0	0	0	97	= Not Ascertained
		0	0	0	0	98	= Refused
		0	0	0	0	99	= Don't Know

1995 NATIONAL SURVEY OF FAMILY GROWTH
 File Documentation
 Respondent File (Section E Questionnaire Items)

VARIABLE COLUMN NON-HISPANIC
 NAME LOCATION HISP WHITE BLACK TOTAL QX TEXT AND CODE CATEGORIES

[MTHUS073] 7153-7154

During that month, which (of those/other) methods, if any, did you use at the same time? (2nd METHOD MENTIONED, 1st COMBINATION, MC7)

Inapplicable:
 R said no, don't know or refused to all birth control methods in EA series (computed variable EVERUSED = 2); R never had sex as of this month and never used a birth control method as of this month but ever used one or more birth control methods in EA series (WNFSTSEX GE 1093 and DATFIRSM GE 1093 and computed variable EVERUSED = 1); R did not use multiple methods in the month; or R used only 2 methods in the month; or R reported using fewer than 2 BC methods for this combination in this month of the method calendar.

1546	6444	2441	10790	Blank	= Blank, inapplicable
0	0	0	0	01	= NONE
0	0	0	0	02	= OFFICE USE ONLY
0	0	0	0	03	= BIRTH CONTROL PILLS
1	7	3	12	04	= CONDOM
0	1	0	1	05	= PARTNER'S VASECTOMY
0	4	0	4	06	= DIAPHRAGM
2	3	0	5	07	= FOAM
1	1	1	3	08	= JELLY OR CREAM
0	0	0	0	09	= CERVICAL CAP
1	0	1	2	10	= SUPPOSITORY, INSERT
0	1	0	1	11	= TODAY (TM) SPONGE
0	0	0	0	12	= FEMALE CONDOM, VAGINAL POUCH
0	0	0	0	13	= IUD, COIL, LOOP
0	0	0	0	14	= NORPLANT (TM)
0	0	0	0	15	= DEPO-PROVERA, INJECTABLES
0	1	0	1	16	= MORNING AFTER PILLS
1	12	0	15	17	= RHYTHM OR SAFE PERIOD BY CALENDAR
0	0	0	0	18	= SAFE PERIOD BY TEMP, CERVICAL MUCUS TEST, NFP

(3384)

1995 NATIONAL SURVEY OF FAMILY GROWTH
 File Documentation
 Respondent File (Section E Questionnaire Items)

VARIABLE NAME	COLUMN LOCATION	NON-HISPANIC			TOTAL	QX	TEXT AND CODE CATEGORIES
		HISP	WHITE	BLACK			
		1	9	0	13	19	= WITHDRAWAL
		0	0	0	0	20	= RESPONDENT STERILE
		0	0	0	0	21	= PARTNER STERILE (NOT ON CARD)
		0	0	0	0	22	= OTHER METHOD-NOT SHOWN SEPARATELY
		0	0	0	0	97	= Not Ascertained
		0	0	0	0	98	= Refused
		0	0	0	0	99	= Don't Know

1995 NATIONAL SURVEY OF FAMILY GROWTH
 File Documentation
 Respondent File (Section E Questionnaire Items)

VARIABLE	COLUMN	NON-HISPANIC				QX TEXT AND CODE CATEGORIES
NAME	LOCATION	HISP	WHITE	BLACK		

[MTHUS074] 7155-7156

During that month, which (of those/other) methods, if any, did you use at the same time? (3rd METHOD MENTIONED, 1st COMBINATION, MC7)

Inapplicable:
 R said no, don't know or refused to all birth control methods in EA series (computed variable EVERUSED = 2); R never had sex as of this month and never used a birth control method as of this month but ever used one or more birth control methods in EA series (WNFSTSEX GE 1093 and DATFIRSM GE 1093 and computed variable EVERUSED = 1); R did not use multiple methods in the month; or R used only 2 methods in the month; or R reported using fewer than 3 BC methods for this combination in this month of the method calendar.

1547	6461	2443	10815	Blank	= Blank, inapplicable
0	0	0	0	01	= NONE
0	0	0	0	02	= OFFICE USE ONLY
0	0	0	0	03	= BIRTH CONTROL PILLS
0	0	0	0	04	= CONDOM
1	0	0	1	05	= PARTNER'S VASECTOMY
0	0	0	0	06	= DIAPHRAGM
2	2	2	6	07	= FOAM
0	2	0	2	08	= JELLY OR CREAM
0	0	0	0	09	= CERVICAL CAP
0	1	0	1	10	= SUPPOSITORY, INSERT
1	3	0	4	11	= TODAY (TM) SPONGE
0	0	0	0	12	= FEMALE CONDOM, VAGINAL POUCH
0	0	0	0	13	= IUD, COIL, LOOP
0	0	0	0	14	= NORPLANT (TM)
0	0	0	0	15	= DEPO-PROVERA, INJECTABLES
0	0	0	0	16	= MORNING AFTER PILLS
2	5	1	8	17	= RHYTHM OR SAFE PERIOD BY CALENDAR
0	2	0	3	18	= SAFE PERIOD BY TEMP, CERVICAL MUCUS TEST, NFP

1995 NATIONAL SURVEY OF FAMILY GROWTH
 File Documentation
 Respondent File (Section E Questionnaire Items)

VARIABLE NAME	COLUMN LOCATION	NON-HISPANIC			TOTAL	QX	TEXT AND CODE CATEGORIES
		HISP	WHITE	BLACK			
		0	7	0	7	19	= WITHDRAWAL
		0	0	0	0	20	= RESPONDENT STERILE
		0	0	0	0	21	= PARTNER STERILE (NOT ON CARD)
		0	0	0	0	22	= OTHER METHOD-NOT SHOWN SEPARATELY
		0	0	0	0	97	= Not Ascertained
		0	0	0	0	98	= Refused
		0	0	0	0	99	= Don't Know

1995 NATIONAL SURVEY OF FAMILY GROWTH
 File Documentation
 Respondent File (Section E Questionnaire Items)

VARIABLE	COLUMN	NON-HISPANIC				QX TEXT AND CODE CATEGORIES
NAME	LOCATION	HISP	WHITE	BLACK		

[MTHUS075] 7157-7158

During that month, which (of those/other) methods, if any, did you use at the same time? (4th METHOD MENTIONED, 1st COMBINATION, MC7)

Inapplicable:
 R said no, don't know or refused to all birth control methods in EA series (computed variable EVERUSED = 2); R never had sex as of this month and never used a birth control method as of this month but ever used one or more birth control methods in EA series (WNFSTSEX GE 1093 and DATFIRSM GE 1093 and computed variable EVERUSED = 1); R did not use multiple methods in the month; or R used only 2 methods in the month; or R reported using fewer than 4 BC methods for this combination in this month of the method calendar.

1553	6482	2445	10845	Blank	= Blank, inapplicable
0	0	0	0	01	= NONE
0	0	0	0	02	= OFFICE USE ONLY
0	0	0	0	03	= BIRTH CONTROL PILLS
0	1	0	1	04	= CONDOM
0	0	0	0	05	= PARTNER'S VASECTOMY
0	0	0	0	06	= DIAPHRAGM
0	0	0	0	07	= FOAM
0	0	0	0	08	= JELLY OR CREAM
0	0	0	0	09	= CERVICAL CAP
0	0	0	0	10	= SUPPOSITORY, INSERT
0	0	0	0	11	= TODAY (TM) SPONGE
0	0	0	0	12	= FEMALE CONDOM, VAGINAL POUCH
0	0	0	0	13	= IUD, COIL, LOOP
0	0	0	0	14	= NORPLANT (TM)
0	0	0	0	15	= DEPO-PROVERA, INJECTABLES
0	0	0	0	16	= MORNING AFTER PILLS
0	0	0	0	17	= RHYTHM OR SAFE PERIOD BY CALENDAR
0	0	1	1	18	= SAFE PERIOD BY TEMP, CERVICAL MUCUS TEST, NFP

1995 NATIONAL SURVEY OF FAMILY GROWTH
 File Documentation
 Respondent File (Section E Questionnaire Items)

VARIABLE NAME	COLUMN LOCATION	NON-HISPANIC			TOTAL	QX	TEXT AND CODE CATEGORIES
		HISP	WHITE	BLACK			
		0	0	0	0	19	= WITHDRAWAL
		0	0	0	0	20	= RESPONDENT STERILE
		0	0	0	0	21	= PARTNER STERILE (NOT ON CARD)
		0	0	0	0	22	= OTHER METHOD-NOT SHOWN SEPARATELY
		0	0	0	0	97	= Not Ascertained
		0	0	0	0	98	= Refused
		0	0	0	0	99	= Don't Know

1995 NATIONAL SURVEY OF FAMILY GROWTH
 File Documentation
 Respondent File (Section E Questionnaire Items)

VARIABLE COLUMN NON-HISPANIC
 NAME LOCATION HISP WHITE BLACK TOTAL QX TEXT AND CODE CATEGORIES

[MTHUS076] 7159-7160

During that month, which (of those/other) methods, if any, did you use at the same time? (1st METHOD MENTIONED, 2nd COMBINATION, MC7)

Inapplicable:
 R said no, don't know or refused to all birth control methods in EA series (computed variable EVERUSED = 2); R never had sex as of this month and never used a birth control method as of this month but ever used one or more birth control methods in EA series (WNFSTSEX GE 1093 and DATFIRSM GE 1093 and computed variable EVERUSED = 1); R did not use multiple methods in the month; or R used only 2 methods in the month; or R reported fewer than 2 BC method combinations.

1546	6444	2441	10790	Blank	= Blank, inapplicable
5	28	2	39	01	= NONE
0	0	0	0	02	= OFFICE USE ONLY
1	2	1	4	03	= BIRTH CONTROL PILLS
0	5	0	6	04	= CONDOM
0	0	0	0	05	= PARTNER'S VASECTOMY
0	0	0	0	06	= DIAPHRAGM
1	1	0	2	07	= FOAM
0	0	0	0	08	= JELLY OR CREAM
0	0	0	0	09	= CERVICAL CAP
0	0	0	0	10	= SUPPOSITORY, INSERT
0	0	0	1	11	= TODAY (TM) SPONGE
0	0	0	0	12	= FEMALE CONDOM, VAGINAL POUCH
0	0	0	0	13	= IUD, COIL, LOOP
0	0	0	0	14	= NORPLANT (TM)
0	0	0	0	15	= DEPO-PROVERA, INJECTABLES
0	0	0	0	16	= MORNING AFTER PILLS
0	2	0	2	17	= RHYTHM OR SAFE PERIOD BY CALENDAR
0	0	0	0	18	= SAFE PERIOD BY TEMP, CERVICAL MUCUS TEST, NFP
0	1	1	2	19	= WITHDRAWAL
0	0	1	1	20	= RESPONDENT STERILE

(3390)

1995 NATIONAL SURVEY OF FAMILY GROWTH
 File Documentation
 Respondent File (Section E Questionnaire Items)

VARIABLE NAME	COLUMN LOCATION	NON-HISPANIC			QX	TEXT AND CODE CATEGORIES
		HISP	WHITE	BLACK		
		0	0	0	0	21 = PARTNER STERILE (NOT ON CARD)
		0	0	0	0	22 = OTHER METHOD-NOT SHOWN SEPARATELY
		0	0	0	0	97 = Not Ascertained
		0	0	0	0	98 = Refused
		0	0	0	0	99 = Don't Know

1995 NATIONAL SURVEY OF FAMILY GROWTH
 File Documentation
 Respondent File (Section E Questionnaire Items)

VARIABLE	COLUMN	NON-HISPANIC				
NAME	LOCATION	HISP	WHITE	BLACK	TOTAL	QX TEXT AND CODE CATEGORIES

[MTHUS077] 7161-7162

During that month, which (of those/other) methods, if any, did you use at the same time? (2nd METHOD MENTIONED, 2nd COMBINATION, MC7)

Inapplicable:
 R said no, don't know or refused to all birth control methods in EA series (computed variable EVERUSED = 2); R never had sex as of this month and never used a birth control method as of this month but ever used one or more birth control methods in EA series (WNFSTSEX GE 1093 and DATFIRSM GE 1093 and computed variable EVERUSED = 1); R did not use multiple methods in the month; or R used only 2 methods in the month; or R reported fewer than 2 BC method combinations; or R reported using fewer than 2 BC methods for this combination in this month of the method calendar.

1552	6474	2443	10832	Blank	= Blank, inapplicable
0	0	0	0	01	= NONE
0	0	0	0	02	= OFFICE USE ONLY
0	0	0	1	03	= BIRTH CONTROL PILLS
1	1	1	3	04	= CONDOM
0	1	0	1	05	= PARTNER'S VASECTOMY
0	0	0	0	06	= DIAPHRAGM
0	1	0	1	07	= FOAM
0	0	0	0	08	= JELLY OR CREAM
0	0	0	0	09	= CERVICAL CAP
0	0	1	1	10	= SUPPOSITORY, INSERT
0	1	0	1	11	= TODAY (TM) SPONGE
0	0	0	0	12	= FEMALE CONDOM, VAGINAL POUCH
0	0	0	0	13	= IUD, COIL, LOOP
0	0	0	0	14	= NORPLANT (TM)
0	0	0	0	15	= DEPO-PROVERA, INJECTABLES
0	0	0	0	16	= MORNING AFTER PILLS
0	3	0	4	17	= RHYTHM OR SAFE PERIOD BY CALENDAR
0	0	0	0	18	= SAFE PERIOD BY TEMP, CERVICAL MUCUS TEST,

1995 NATIONAL SURVEY OF FAMILY GROWTH
 File Documentation
 Respondent File (Section E Questionnaire Items)

VARIABLE NAME	COLUMN LOCATION	NON-HISPANIC			TOTAL	QX	TEXT AND CODE CATEGORIES
		HISP	WHITE	BLACK			
		0	2	1	3	19	NFP
		0	0	0	0	20	= WITHDRAWAL
		0	0	0	0	21	= RESPONDENT STERILE
							= PARTNER STERILE (NOT ON CARD)
		0	0	0	0	22	= OTHER METHOD-NOT SHOWN SEPARATELY
		0	0	0	0	97	= Not Ascertained
		0	0	0	0	98	= Refused
		0	0	0	0	99	= Don't Know

1995 NATIONAL SURVEY OF FAMILY GROWTH
 File Documentation
 Respondent File (Section E Questionnaire Items)

VARIABLE COLUMN NON-HISPANIC
 NAME LOCATION HISP WHITE BLACK TOTAL QX TEXT AND CODE CATEGORIES

[MTHUS078] 7163-7164

During that month, which (of those/other) methods, if any, did you use at the same time? (3rd METHOD MENTIONED, 2nd COMBINATION, MC7)

Inapplicable:
 R said no, don't know or refused to all birth control methods in EA series (computed variable EVERUSED = 2); R never had sex as of this month and never used a birth control method as of this month but ever used one or more birth control methods in EA series (WNFSTSEX GE 1093 and DATFIRSM GE 1093 and computed variable EVERUSED = 1); R did not use multiple methods in the month; or R used only 2 methods in the month; or R reported fewer than 2 BC method combinations; or R reported using fewer than 3 BC methods for this combination in this month of the method calendar.

1552	6481	2446	10843	Blank	= Blank, inapplicable
0	0	0	0	01	= NONE
0	0	0	0	02	= OFFICE USE ONLY
0	0	0	0	03	= BIRTH CONTROL PILLS
0	0	0	0	04	= CONDOM
0	0	0	0	05	= PARTNER'S VASECTOMY
0	0	0	0	06	= DIAPHRAGM
0	0	0	0	07	= FOAM
0	1	0	1	08	= JELLY OR CREAM
0	0	0	0	09	= CERVICAL CAP
0	0	0	0	10	= SUPPOSITORY, INSERT
0	0	0	0	11	= TODAY (TM) SPONGE
0	0	0	0	12	= FEMALE CONDOM, VAGINAL POUCH
0	0	0	0	13	= IUD, COIL, LOOP
0	0	0	0	14	= NORPLANT (TM)
0	0	0	0	15	= DEPO-PROVERA, INJECTABLES
0	0	0	0	16	= MORNING AFTER PILLS
1	0	0	1	17	= RHYTHM OR SAFE PERIOD BY CALENDAR
0	0	0	1	18	= SAFE PERIOD BY TEMP, CERVICAL MUCUS TEST,

1995 NATIONAL SURVEY OF FAMILY GROWTH
 File Documentation
 Respondent File (Section E Questionnaire Items)

VARIABLE NAME	COLUMN LOCATION	NON-HISPANIC			TOTAL	QX TEXT AND CODE CATEGORIES	
		HISP	WHITE	BLACK			
		0	1	0	1	19	NFP
		0	0	0	0	20	= WITHDRAWAL
		0	0	0	0	21	= RESPONDENT STERILE
							= PARTNER STERILE (NOT ON CARD)
		0	0	0	0	22	= OTHER METHOD-NOT SHOWN SEPARATELY
		0	0	0	0	97	= Not Ascertained
		0	0	0	0	98	= Refused
		0	0	0	0	99	= Don't Know

1995 NATIONAL SURVEY OF FAMILY GROWTH
 File Documentation
 Respondent File (Section E Questionnaire Items)

VARIABLE	COLUMN	NON-HISPANIC				
NAME	LOCATION	HISP	WHITE	BLACK	TOTAL	QX TEXT AND CODE CATEGORIES

[MTHUS079] 7165-7166

During that month, which (of those/other) methods, if any, did you use at the same time? (4th METHOD MENTIONED, 2nd COMBINATION, MC7)

Inapplicable:
 R said no, don't know or refused to all birth control methods in EA series (computed variable EVERUSED = 2); R never had sex as of this month and never used a birth control method as of this month but ever used one or more birth control methods in EA series (WNFSTSEX GE 1093 and DATFIRSM GE 1093 and computed variable EVERUSED = 1); R did not use multiple methods in the month; or R used only 2 methods in the month; or R reported fewer than 2 BC method combinations; or R reported using fewer than 4 BC methods for this combination in this month of the method calendar.

1553	6483	2446	10847	Blank	= Blank, inapplicable
0	0	0	0	01	= NONE
0	0	0	0	02	= OFFICE USE ONLY
0	0	0	0	03	= BIRTH CONTROL PILLS
0	0	0	0	04	= CONDOM
0	0	0	0	05	= PARTNER'S VASECTOMY
0	0	0	0	06	= DIAPHRAGM
0	0	0	0	07	= FOAM
0	0	0	0	08	= JELLY OR CREAM
0	0	0	0	09	= CERVICAL CAP
0	0	0	0	10	= SUPPOSITORY, INSERT
0	0	0	0	11	= TODAY (TM) SPONGE
0	0	0	0	12	= FEMALE CONDOM, VAGINAL POUCH
0	0	0	0	13	= IUD, COIL, LOOP
0	0	0	0	14	= NORPLANT (TM)
0	0	0	0	15	= DEPO-PROVERA, INJECTABLES
0	0	0	0	16	= MORNING AFTER PILLS
0	0	0	0	17	= RHYTHM OR SAFE PERIOD BY CALENDAR
0	0	0	0	18	= SAFE PERIOD BY TEMP, CERVICAL MUCUS TEST,

1995 NATIONAL SURVEY OF FAMILY GROWTH
 File Documentation
 Respondent File (Section E Questionnaire Items)

VARIABLE NAME	COLUMN LOCATION	NON-HISPANIC			TOTAL	QX	TEXT AND CODE CATEGORIES
		HISP	WHITE	BLACK			
		0	0	0	0	19	NFP
		0	0	0	0	20	= WITHDRAWAL
		0	0	0	0	21	= RESPONDENT STERILE
							= PARTNER STERILE (NOT ON CARD)
		0	0	0	0	22	= OTHER METHOD-NOT SHOWN SEPARATELY
		0	0	0	0	97	= Not Ascertained
		0	0	0	0	98	= Refused
		0	0	0	0	99	= Don't Know

1995 NATIONAL SURVEY OF FAMILY GROWTH
 File Documentation
 Respondent File (Section E Questionnaire Items)

VARIABLE	COLUMN	NON-HISPANIC			QX TEXT AND CODE CATEGORIES
NAME	LOCATION	HISP	WHITE	BLACK	TOTAL

[MTHUS080] 7167-7168

During that month, which (of those/other) methods, if any, did you use at the same time? (1st METHOD MENTIONED, 3rd COMBINATION, MC7)

Inapplicable:
 R said no, don't know or refused to all birth control methods in EA series (computed variable EVERUSED = 2); R never had sex as of this month and never used a birth control method as of this month but ever used one or more birth control methods in EA series (WNFSTSEX GE 1093 and DATFIRSM GE 1093 and computed variable EVERUSED = 1); R did not use multiple methods in the month; or R used only 2 methods in the month; or R reported fewer than 3 BC method combinations.

1553	6482	2446	10846	Blank	= Blank, inapplicable
0	0	0	0	0	01 = NONE
0	0	0	0	0	02 = OFFICE USE ONLY
0	0	0	0	0	03 = BIRTH CONTROL PILLS
0	1	0	1	0	04 = CONDOM
0	0	0	0	0	05 = PARTNER'S VASECTOMY
0	0	0	0	0	06 = DIAPHRAGM
0	0	0	0	0	07 = FOAM
0	0	0	0	0	08 = JELLY OR CREAM
0	0	0	0	0	09 = CERVICAL CAP
0	0	0	0	0	10 = SUPPOSITORY, INSERT
0	0	0	0	0	11 = TODAY (TM) SPONGE
0	0	0	0	0	12 = FEMALE CONDOM, VAGINAL POUCH
0	0	0	0	0	13 = IUD, COIL, LOOP
0	0	0	0	0	14 = NORPLANT (TM)
0	0	0	0	0	15 = DEPO-PROVERA, INJECTABLES
0	0	0	0	0	16 = MORNING AFTER PILLS
0	0	0	0	0	17 = RHYTHM OR SAFE PERIOD BY CALENDAR
0	0	0	0	0	18 = SAFE PERIOD BY TEMP, CERVICAL MUCUS TEST, NFP
0	0	0	0	0	19 = WITHDRAWAL
0	0	0	0	0	20 = RESPONDENT STERILE

(3398)

1995 NATIONAL SURVEY OF FAMILY GROWTH
 File Documentation
 Respondent File (Section E Questionnaire Items)

VARIABLE NAME	COLUMN LOCATION	NON-HISPANIC			TOTAL	QX	TEXT AND CODE CATEGORIES
		HISP	WHITE	BLACK			
		0	0	0	0	21	= PARTNER STERILE (NOT ON CARD)
		0	0	0	0	22	= OTHER METHOD-NOT SHOWN SEPARATELY
		0	0	0	0	97	= Not Ascertained
		0	0	0	0	98	= Refused
		0	0	0	0	99	= Don't Know

1995 NATIONAL SURVEY OF FAMILY GROWTH
 File Documentation
 Respondent File (Section E Questionnaire Items)

VARIABLE NAME	COLUMN LOCATION	NON-HISPANIC			TOTAL	QX	TEXT AND CODE CATEGORIES
		HISP	WHITE	BLACK			
		0	0	0	0	19	NFP
		0	0	0	0	20	= WITHDRAWAL
		0	0	0	0	21	= RESPONDENT STERILE
							= PARTNER STERILE (NOT ON CARD)
		0	0	0	0	22	= OTHER METHOD-NOT SHOWN SEPARATELY
		0	0	0	0	97	= Not Ascertained
		0	0	0	0	98	= Refused
		0	0	0	0	99	= Don't Know

1995 NATIONAL SURVEY OF FAMILY GROWTH
 File Documentation
 Respondent File (Section E Questionnaire Items)

VARIABLE	COLUMN	NON-HISPANIC				
NAME	LOCATION	HISP	WHITE	BLACK	TOTAL	QX TEXT AND CODE CATEGORIES

[MTHUS082] 7171-7172

During that month, which (of those/other) methods, if any, did you use at the same time? (3rd METHOD MENTIONED, 3rd COMBINATION, MC7)

Inapplicable:
 R said no, don't know or refused to all birth control methods in EA series (computed variable EVERUSED = 2); R never had sex as of this month and never used a birth control method as of this month but ever used one or more birth control methods in EA series (WNFSTSEX GE 1093 and DATFIRSM GE 1093 and computed variable EVERUSED = 1); R did not use multiple methods in the month; or R used only 2 methods in the month; or R reported fewer than 3 BC method combinations; or R reported using fewer than 3 BC methods for this combination in this month of the method calendar.

1553	6483	2446	10847	Blank	= Blank, inapplicable
0	0	0	0	01	= NONE
0	0	0	0	02	= OFFICE USE ONLY
0	0	0	0	03	= BIRTH CONTROL PILLS
0	0	0	0	04	= CONDOM
0	0	0	0	05	= PARTNER'S VASECTOMY
0	0	0	0	06	= DIAPHRAGM
0	0	0	0	07	= FOAM
0	0	0	0	08	= JELLY OR CREAM
0	0	0	0	09	= CERVICAL CAP
0	0	0	0	10	= SUPPOSITORY, INSERT
0	0	0	0	11	= TODAY (TM) SPONGE
0	0	0	0	12	= FEMALE CONDOM, VAGINAL POUCH
0	0	0	0	13	= IUD, COIL, LOOP
0	0	0	0	14	= NORPLANT (TM)
0	0	0	0	15	= DEPO-PROVERA, INJECTABLES
0	0	0	0	16	= MORNING AFTER PILLS
0	0	0	0	17	= RHYTHM OR SAFE PERIOD BY CALENDAR
0	0	0	0	18	= SAFE PERIOD BY TEMP, CERVICAL MUCUS TEST,

1995 NATIONAL SURVEY OF FAMILY GROWTH
 File Documentation
 Respondent File (Section E Questionnaire Items)

VARIABLE NAME	COLUMN LOCATION	NON-HISPANIC			TOTAL	QX	TEXT AND CODE CATEGORIES
		HISP	WHITE	BLACK			
		0	0	0	0	19	NFP = WITHDRAWAL
		0	0	0	0	20	= RESPONDENT STERILE
		0	0	0	0	21	= PARTNER STERILE (NOT ON CARD)
		0	0	0	0	22	= OTHER METHOD-NOT SHOWN SEPARATELY
		0	0	0	0	97	= Not Ascertained
		0	0	0	0	98	= Refused
		0	0	0	0	99	= Don't Know

1995 NATIONAL SURVEY OF FAMILY GROWTH
 File Documentation
 Respondent File (Section E Questionnaire Items)

VARIABLE NAME	COLUMN LOCATION	NON-HISPANIC			TOTAL	QX	TEXT AND CODE CATEGORIES
		HISP	WHITE	BLACK			
		0	0	0	0	19	NFP
		0	0	0	0	20	= WITHDRAWAL
		0	0	0	0	21	= RESPONDENT STERILE
							= PARTNER STERILE (NOT ON CARD)
		0	0	0	0	22	= OTHER METHOD-NOT SHOWN SEPARATELY
		0	0	0	0	97	= Not Ascertained
		0	0	0	0	98	= Refused
		0	0	0	0	99	= Don't Know

1995 NATIONAL SURVEY OF FAMILY GROWTH
 File Documentation
 Respondent File (Section E Questionnaire Items)

VARIABLE NAME	COLUMN LOCATION	NON-HISPANIC			QX TEXT AND CODE CATEGORIES		
		HISP	WHITE	BLACK TOTAL			
[METHH028]	7175-7176				ENTER METHOD (FIRST MENTIONED) USED IN AUGUST 1991: (MC8)		
					Inapplicable: R never had sex as of this month and never used a birth control method as of this month but ever used one or more birth control methods in EA series (WNFSTSEX GE 1093 and DATFIRSM GE 1093 and computed variable EVERUSED = 1); R never had sex and said no, don't know or refused to all birth control methods in EA series (computed variable RHADSEX coded 2,7,8 or 9 and computed variable EVERUSED = 2); R said no, don't know or refused to all birth control methods in EA series (computed variable EVERUSED = 2).		
		402	1187	397	2112	Blank	= Blank, inapplicable
		335	1210	580	2186	01	= NO METHODS USED
		0	0	0	0	02	= SAME AS PREVIOUS MONTH
		280	1372	489	2178	03	= BIRTH CONTROL PILLS
		158	778	342	1334	04	= CONDOM
		20	291	8	327	05	= PARTNER'S VASECTOMY
		7	130	13	153	06	= DIAPHRAGM
		2	27	1	31	07	= FOAM
		1	9	1	11	08	= JELLY OR CREAM
		0	3	0	3	09	= CERVICAL CAP
		3	20	12	37	10	= SUPPOSITORY, INSERT
		2	32	8	42	11	= TODAY (TM) SPONGE
		0	0	0	0	12	= FEMALE CONDOM, VAGINAL POUCH
		16	34	20	73	13	= IUD, COIL, LOOP
		5	14	14	33	14	= NORPLANT (TM)
		7	7	5	19	15	= DEPO-PROVERA, INJECTABLES
		0	0	0	0	16	= MORNING AFTER PILLS
		29	104	18	162	17	= RHYTHM OR SAFE PERIOD BY CALENDAR
		2	17	0	19	18	= SAFE PERIOD BY TEMP, CERVICAL MUCUS TEST, NFP
		34	128	22	193	19	= WITHDRAWAL
		232	964	500	1740	20	= RESPONDENT STERILE

(3406)

1995 NATIONAL SURVEY OF FAMILY GROWTH
 File Documentation
 Respondent File (Section E Questionnaire Items)

VARIABLE NAME	COLUMN LOCATION	NON-HISPANIC			TOTAL	QX	TEXT AND CODE CATEGORIES
		HISP	WHITE	BLACK			
		17	144	9	173	21	= PARTNER STERILE (NOT ON CARD)
		1	3	3	7	22	= OTHER METHOD-NOT SHOWN SEPARATELY
		0	0	0	0	55	= SAME METHODS USED THROUGH END OF YEAR
		0	1	2	3	97	= Not Ascertained
		0	4	2	6	98	= Refused
		0	4	0	5	99	= Don't Know

1995 NATIONAL SURVEY OF FAMILY GROWTH
 File Documentation
 Respondent File (Section E Questionnaire Items)

VARIABLE NAME	COLUMN LOCATION	NON-HISPANIC			QX TEXT AND CODE CATEGORIES	
		HISP	WHITE	BLACK	TOTAL	
[METHH029]	7177-7178					ENTER METHOD (SECOND MENTIONED) USED IN AUGUST 1991: (MC8)

Inapplicable:
 R never had sex as of this month and never used a birth control method as of this month but ever used one or more birth control methods in EA series (WNFSTSEX GE 1093 and DATFIRSM GE 1093 and computed variable EVERUSED = 1); R never had sex and said no, don't know or refused to all birth control methods in EA series (computed variable RHADSEX coded 2,7,8 or 9 and computed variable EVERUSED = 2); R said no, don't know or refused to all birth control methods in EA series (computed variable EVERUSED = 2); R used fewer than 2 methods in month.

1486	6090	2282	10200	Blank	= Blank, inapplicable
0	0	0	0	01	= NO METHODS USED
0	0	0	0	02	= SAME AS PREVIOUS MONTH
0	7	5	12	03	= BIRTH CONTROL PILLS
23	138	86	253	04	= CONDOM
0	7	2	9	05	= PARTNER'S VASECTOMY
2	11	6	19	06	= DIAPHRAGM
7	23	11	42	07	= FOAM
2	14	6	22	08	= JELLY OR CREAM
0	0	0	0	09	= CERVICAL CAP
5	7	7	20	10	= SUPPOSITORY, INSERT
2	13	5	20	11	= TODAY (TM) SPONGE
0	0	0	0	12	= FEMALE CONDOM, VAGINAL POUCH
0	0	0	0	13	= IUD, COIL, LOOP
0	0	1	1	14	= NORPLANT (TM)
0	1	0	1	15	= DEPO-PROVERA, INJECTABLES
0	0	0	0	16	= MORNING AFTER PILLS
8	51	5	71	17	= RHYTHM OR SAFE PERIOD BY CALENDAR
0	6	1	7	18	= SAFE PERIOD BY TEMP, CERVICAL MUCUS TEST, NFP
18	93	17	134	19	= WITHDRAWAL

(3408)

1995 NATIONAL SURVEY OF FAMILY GROWTH
 File Documentation
 Respondent File (Section E Questionnaire Items)

VARIABLE NAME	COLUMN LOCATION	NON-HISPANIC			TOTAL	QX	TEXT AND CODE CATEGORIES
		HISP	WHITE	BLACK			
		0	6	8	14	20	= RESPONDENT STERILE
		0	7	0	8	21	= PARTNER STERILE (NOT ON CARD)
		0	0	0	0	22	= OTHER METHOD-NOT SHOWN SEPARATELY
		0	0	0	0	55	= SAME METHODS USED THROUGH END OF YEAR
		0	1	2	3	97	= Not Ascertained
		0	4	2	6	98	= Refused
		0	4	0	5	99	= Don't Know

1995 NATIONAL SURVEY OF FAMILY GROWTH
 File Documentation
 Respondent File (Section E Questionnaire Items)

VARIABLE COLUMN NON-HISPANIC
 NAME LOCATION HISP WHITE BLACK TOTAL QX TEXT AND CODE CATEGORIES

[METHH030] 7179-7180

ENTER METHOD (THIRD MENTIONED) USED
 IN AUGUST 1991: (MC8)

Inapplicable:

R never had sex as of this month and never used a birth control method as of this month but ever used one or more birth control methods in EA series (WNFSTSEX GE 1093 and DATFIRSM GE 1093 and computed variable EVERUSED = 1); R never had sex and said no, don't know or refused to all birth control methods in EA series (computed variable RHADSEX coded 2,7,8 or 9 and computed variable EVERUSED = 2); R said no, don't know or refused to all birth control methods in EA series (computed variable EVERUSED = 2); R used fewer than 3 methods in month.

1540	6423	2422	10743	Blank	= Blank, inapplicable
0	0	0	0	01	= NO METHODS USED
0	0	0	0	02	= SAME AS PREVIOUS MONTH
0	1	0	1	03	= BIRTH CONTROL PILLS
2	2	0	4	04	= CONDOM
1	0	0	1	05	= PARTNER'S VASECTOMY
0	0	0	0	06	= DIAPHRAGM
2	2	3	7	07	= FOAM
0	2	0	2	08	= JELLY OR CREAM
0	0	0	0	09	= CERVICAL CAP
1	4	0	5	10	= SUPPOSITORY, INSERT
1	5	1	8	11	= TODAY (TM) SPONGE
1	0	0	1	12	= FEMALE CONDOM, VAGINAL POUCH
0	0	0	0	13	= IUD, COIL, LOOP
0	0	0	0	14	= NORPLANT (TM)
0	0	0	0	15	= DEPO-PROVERA, INJECTABLES
0	1	0	1	16	= MORNING AFTER PILLS
2	7	1	10	17	= RHYTHM OR SAFE PERIOD BY CALENDAR
0	1	0	2	18	= SAFE PERIOD BY TEMP, CERVICAL MUCUS TEST, NFP
2	19	2	26	19	= WITHDRAWAL

(3410)

1995 NATIONAL SURVEY OF FAMILY GROWTH
 File Documentation
 Respondent File (Section E Questionnaire Items)

VARIABLE NAME	COLUMN LOCATION	NON-HISPANIC			TOTAL	QX	TEXT AND CODE CATEGORIES
		HISP	WHITE	BLACK			
		1	7	13	21	20	= RESPONDENT STERILE
		0	0	0	0	21	= PARTNER STERILE (NOT ON CARD)
		0	0	0	1	22	= OTHER METHOD-NOT SHOWN SEPARATELY
		0	0	0	0	55	= SAME METHODS USED THROUGH END OF YEAR
		0	1	2	3	97	= Not Ascertained
		0	4	2	6	98	= Refused
		0	4	0	5	99	= Don't Know

1995 NATIONAL SURVEY OF FAMILY GROWTH
 File Documentation
 Respondent File (Section E Questionnaire Items)

VARIABLE NAME	COLUMN LOCATION	NON-HISPANIC			TOTAL	QX	TEXT AND CODE CATEGORIES
		HISP	WHITE	BLACK			
		0	0	0	0	20	= RESPONDENT STERILE
		0	0	0	0	21	= PARTNER STERILE (NOT ON CARD)
		0	0	0	0	22	= OTHER METHOD-NOT SHOWN SEPARATELY
		0	0	0	0	55	= SAME METHODS USED THROUGH END OF YEAR
		0	1	2	3	97	= Not Ascertained
		0	4	2	6	98	= Refused
		0	4	0	5	99	= Don't Know

[SIMSEQ07] 7183-7183

Did you use those methods together,
 that is, at the same time, or did
 you use them at different times
 during the month? (MC8)

Inapplicable:

R never had sex as of this month and
 never used a birth control method as
 of this month but ever used one or
 more birth control methods in EA
 series (WNFSTSEX GE 1093 and
 DATFIRSM GE 1093 and computed
 variable EVERUSED = 1); R never had
 sex and said no, don't know or
 refused to all birth control methods
 in EA series (computed variable
 RHADSEX coded 2,7,8 or 9 and
 computed variable EVERUSED = 2); R
 said no, don't know or refused to
 all birth control methods in EA
 series (computed variable EVERUSED =
 2); R did not use multiple methods
 in the month; R used more than 2
 methods in the month.

1498	6143	2294	10284	Blank	= Blank, inapplicable
34	218	120	381	1	= SAME TIME
21	121	32	181	2	= DIFFERENT TIMES
0	0	0	0	7	= Not Ascertained
0	0	0	0	8	= Refused
0	1	0	1	9	= Don't Know

1995 NATIONAL SURVEY OF FAMILY GROWTH
 File Documentation
 Respondent File (Section E Questionnaire Items)

VARIABLE	COLUMN	NON-HISPANIC				
NAME	LOCATION	HISP	WHITE	BLACK		TOTAL

[MTHUS084] 7184-7185

During that month, which (of those/other) methods, if any, did you use at the same time? (1st METHOD MENTIONED, 1st COMBINATION, MC8)

Inapplicable:
 R said no, don't know or refused to all birth control methods in EA series (computed variable EVERUSED = 2); R never had sex as of this month and never used a birth control method as of this month but ever used one or more birth control methods in EA series (WNFSTSEX GE 1093 and DATFIRSM GE 1093 and computed variable EVERUSED = 1); R did not use multiple methods in the month; or R used only 2 methods in the month.

1541	6439	2438	10777	Blank	= Blank, inapplicable
5	7	3	15	01	= NONE
0	0	0	0	02	= OFFICE USE ONLY
1	5	2	10	03	= BIRTH CONTROL PILLS
6	20	1	31	04	= CONDOM
0	0	0	0	05	= PARTNER'S VASECTOMY
0	3	0	3	06	= DIAPHRAGM
0	0	0	0	07	= FOAM
0	0	0	0	08	= JELLY OR CREAM
0	0	0	0	09	= CERVICAL CAP
0	0	0	0	10	= SUPPOSITORY, INSERT
0	2	0	2	11	= TODAY (TM) SPONGE
0	0	0	0	12	= FEMALE CONDOM, VAGINAL POUCH
0	0	0	0	13	= IUD, COIL, LOOP
0	0	0	0	14	= NORPLANT (TM)
0	0	0	0	15	= DEPO-PROVERA, INJECTABLES
0	0	0	0	16	= MORNING AFTER PILLS
0	5	0	5	17	= RHYTHM OR SAFE PERIOD BY CALENDAR
0	1	0	1	18	= SAFE PERIOD BY TEMP, CERVICAL MUCUS TEST, NFP
0	1	1	2	19	= WITHDRAWAL
0	0	1	1	20	= RESPONDENT STERILE
0	0	0	0	21	= PARTNER STERILE (NOT

(3414)

1995 NATIONAL SURVEY OF FAMILY GROWTH
 File Documentation
 Respondent File (Section E Questionnaire Items)

VARIABLE NAME	COLUMN LOCATION	NON-HISPANIC			TOTAL	QX	TEXT AND CODE CATEGORIES
		HISP	WHITE	BLACK			
		0	0	0	0	22	ON CARD) = OTHER METHOD-NOT SHOWN SEPARATELY
		0	0	0	0	97	= Not Ascertained
		0	0	0	0	98	= Refused
		0	0	0	0	99	= Don't Know

1995 NATIONAL SURVEY OF FAMILY GROWTH
 File Documentation
 Respondent File (Section E Questionnaire Items)

VARIABLE COLUMN NON-HISPANIC
 NAME LOCATION HISP WHITE BLACK TOTAL QX TEXT AND CODE CATEGORIES

[MTHUS085] 7186-7187

During that month, which (of those/other) methods, if any, did you use at the same time? (2nd METHOD MENTIONED, 1st COMBINATION, MC8)

Inapplicable:
 R said no, don't know or refused to all birth control methods in EA series (computed variable EVERUSED = 2); R never had sex as of this month and never used a birth control method as of this month but ever used one or more birth control methods in EA series (WNFSTSEX GE 1093 and DATFIRSM GE 1093 and computed variable EVERUSED = 1); R did not use multiple methods in the month; or R used only 2 methods in the month; or R reported using fewer than 2 BC methods for this combination in this month of the method calendar.

1546	6446	2441	10792	Blank	= Blank, inapplicable
0	0	0	0	01	= NONE
0	0	0	0	02	= OFFICE USE ONLY
0	0	0	0	03	= BIRTH CONTROL PILLS
1	6	3	11	04	= CONDOM
0	1	0	1	05	= PARTNER'S VASECTOMY
0	3	0	3	06	= DIAPHRAGM
2	3	0	5	07	= FOAM
1	1	1	3	08	= JELLY OR CREAM
0	0	0	0	09	= CERVICAL CAP
1	0	1	2	10	= SUPPOSITORY, INSERT
0	1	0	1	11	= TODAY (TM) SPONGE
0	0	0	0	12	= FEMALE CONDOM, VAGINAL POUCH
0	0	0	0	13	= IUD, COIL, LOOP
0	0	0	0	14	= NORPLANT (TM)
0	0	0	0	15	= DEPO-PROVERA, INJECTABLES
0	1	0	1	16	= MORNING AFTER PILLS
1	12	0	15	17	= RHYTHM OR SAFE PERIOD BY CALENDAR
0	0	0	0	18	= SAFE PERIOD BY TEMP, CERVICAL MUCUS TEST, NFP

(3416)

1995 NATIONAL SURVEY OF FAMILY GROWTH
 File Documentation
 Respondent File (Section E Questionnaire Items)

VARIABLE NAME	COLUMN LOCATION	NON-HISPANIC			TOTAL	QX	TEXT AND CODE CATEGORIES
		HISP	WHITE	BLACK			
		1	9	0	13	19	= WITHDRAWAL
		0	0	0	0	20	= RESPONDENT STERILE
		0	0	0	0	21	= PARTNER STERILE (NOT ON CARD)
		0	0	0	0	22	= OTHER METHOD-NOT SHOWN SEPARATELY
		0	0	0	0	97	= Not Ascertained
		0	0	0	0	98	= Refused
		0	0	0	0	99	= Don't Know

1995 NATIONAL SURVEY OF FAMILY GROWTH
 File Documentation
 Respondent File (Section E Questionnaire Items)

VARIABLE COLUMN NON-HISPANIC
 NAME LOCATION HISP WHITE BLACK TOTAL QX TEXT AND CODE CATEGORIES

[MTHUS086] 7188-7189

During that month, which (of those/other) methods, if any, did you use at the same time? (3rd METHOD MENTIONED, 1st COMBINATION, MC8)

Inapplicable:
 R said no, don't know or refused to all birth control methods in EA series (computed variable EVERUSED = 2); R never had sex as of this month and never used a birth control method as of this month but ever used one or more birth control methods in EA series (WNFSTSEX GE 1093 and DATFIRSM GE 1093 and computed variable EVERUSED = 1); R did not use multiple methods in the month; or R used only 2 methods in the month; or R reported using fewer than 3 BC methods for this combination in this month of the method calendar.

	1547	6463	2443	10817	Blank	
	0	0	0	0	0	01 = Blank, inapplicable
	0	0	0	0	0	02 = NONE
	0	0	0	0	0	03 = OFFICE USE ONLY
	0	0	0	0	0	04 = BIRTH CONTROL PILLS
	1	0	0	1	0	05 = CONDOM
	0	0	0	0	0	06 = PARTNER'S VASECTOMY
	2	2	2	6	0	07 = DIAPHRAGM
	0	1	0	1	0	08 = FOAM
	0	0	0	0	0	09 = JELLY OR CREAM
	0	1	0	1	0	10 = CERVICAL CAP
	1	2	0	3	1	11 = SUPPOSITORY, INSERT
	0	0	0	0	0	12 = TODAY (TM) SPONGE
	0	0	0	0	0	13 = FEMALE CONDOM, VAGINAL POUCH
	0	0	0	0	0	14 = IUD, COIL, LOOP
	0	0	0	0	0	15 = NORPLANT (TM)
	0	0	0	0	0	16 = DEPO-PROVERA, INJECTABLES
	2	5	1	8	1	17 = MORNING AFTER PILLS
	0	2	0	3	1	18 = RHYTHM OR SAFE PERIOD BY CALENDAR
						= SAFE PERIOD BY TEMP, CERVICAL MUCUS TEST, NFP

1995 NATIONAL SURVEY OF FAMILY GROWTH
 File Documentation
 Respondent File (Section E Questionnaire Items)

VARIABLE NAME	COLUMN LOCATION	NON-HISPANIC			TOTAL	QX	TEXT AND CODE CATEGORIES
		HISP	WHITE	BLACK			
		0	7	0	7	19	= WITHDRAWAL
		0	0	0	0	20	= RESPONDENT STERILE
		0	0	0	0	21	= PARTNER STERILE (NOT ON CARD)
		0	0	0	0	22	= OTHER METHOD-NOT SHOWN SEPARATELY
		0	0	0	0	97	= Not Ascertained
		0	0	0	0	98	= Refused
		0	0	0	0	99	= Don't Know

1995 NATIONAL SURVEY OF FAMILY GROWTH
 File Documentation
 Respondent File (Section E Questionnaire Items)

VARIABLE	COLUMN	NON-HISPANIC			QX TEXT AND CODE CATEGORIES
NAME	LOCATION	HISP	WHITE	BLACK	TOTAL

[MTHUS087] 7190-7191

During that month, which (of those/other) methods, if any, did you use at the same time? (4th METHOD MENTIONED, 1st COMBINATION, MC8)

Inapplicable:
 R said no, don't know or refused to all birth control methods in EA series (computed variable EVERUSED = 2); R never had sex as of this month and never used a birth control method as of this month but ever used one or more birth control methods in EA series (WNFSTSEX GE 1093 and DATFIRSM GE 1093 and computed variable EVERUSED = 1); R did not use multiple methods in the month; or R used only 2 methods in the month; or R reported using fewer than 4 BC methods for this combination in this month of the method calendar.

1553	6482	2445	10845	Blank	= Blank, inapplicable
0	0	0	0	01	= NONE
0	0	0	0	02	= OFFICE USE ONLY
0	0	0	0	03	= BIRTH CONTROL PILLS
0	1	0	1	04	= CONDOM
0	0	0	0	05	= PARTNER'S VASECTOMY
0	0	0	0	06	= DIAPHRAGM
0	0	0	0	07	= FOAM
0	0	0	0	08	= JELLY OR CREAM
0	0	0	0	09	= CERVICAL CAP
0	0	0	0	10	= SUPPOSITORY, INSERT
0	0	0	0	11	= TODAY (TM) SPONGE
0	0	0	0	12	= FEMALE CONDOM, VAGINAL POUCH
0	0	0	0	13	= IUD, COIL, LOOP
0	0	0	0	14	= NORPLANT (TM)
0	0	0	0	15	= DEPO-PROVERA, INJECTABLES
0	0	0	0	16	= MORNING AFTER PILLS
0	0	0	0	17	= RHYTHM OR SAFE PERIOD BY CALENDAR
0	0	1	1	18	= SAFE PERIOD BY TEMP, CERVICAL MUCUS TEST, NFP

1995 NATIONAL SURVEY OF FAMILY GROWTH
 File Documentation
 Respondent File (Section E Questionnaire Items)

VARIABLE NAME	COLUMN LOCATION	NON-HISPANIC			TOTAL	QX	TEXT AND CODE CATEGORIES
		HISP	WHITE	BLACK			
		0	0	0	0	19	= WITHDRAWAL
		0	0	0	0	20	= RESPONDENT STERILE
		0	0	0	0	21	= PARTNER STERILE (NOT ON CARD)
		0	0	0	0	22	= OTHER METHOD-NOT SHOWN SEPARATELY
		0	0	0	0	97	= Not Ascertained
		0	0	0	0	98	= Refused
		0	0	0	0	99	= Don't Know

1995 NATIONAL SURVEY OF FAMILY GROWTH
 File Documentation
 Respondent File (Section E Questionnaire Items)

VARIABLE COLUMN NON-HISPANIC
 NAME LOCATION HISP WHITE BLACK TOTAL QX TEXT AND CODE CATEGORIES

[MTHUS088] 7192-7193

During that month, which (of those/other) methods, if any, did you use at the same time? (1st METHOD MENTIONED, 2nd COMBINATION, MC8)

Inapplicable:
 R said no, don't know or refused to all birth control methods in EA series (computed variable EVERUSED = 2); R never had sex as of this month and never used a birth control method as of this month but ever used one or more birth control methods in EA series (WNFSTSEX GE 1093 and DATFIRSM GE 1093 and computed variable EVERUSED = 1); R did not use multiple methods in the month; or R used only 2 methods in the month; or R reported fewer than 2 BC method combinations.

1546	6446	2441	10792	Blank	
5	26	2	37	01	= Blank, inapplicable
0	0	0	0	02	= NONE
1	2	1	4	03	= OFFICE USE ONLY
0	5	0	6	04	= BIRTH CONTROL PILLS
0	0	0	0	05	= CONDOM
0	0	0	0	06	= PARTNER'S VASECTOMY
1	1	0	2	07	= DIAPHRAGM
0	0	0	0	08	= FOAM
0	0	0	0	09	= JELLY OR CREAM
0	0	0	0	10	= CERVICAL CAP
0	0	0	1	11	= SUPPOSITORY, INSERT
0	0	0	0	12	= TODAY (TM) SPONGE
0	0	0	0	13	= FEMALE CONDOM, VAGINAL POUCH
0	0	0	0	14	= IUD, COIL, LOOP
0	0	0	0	15	= NORPLANT (TM)
0	0	0	0	16	= DEPO-PROVERA, INJECTABLES
0	0	0	0	17	= MORNING AFTER PILLS
0	2	0	2	18	= RHYTHM OR SAFE PERIOD BY CALENDAR
0	0	0	0	19	= SAFE PERIOD BY TEMP, CERVICAL MUCUS TEST, NFP
0	1	1	2	20	= WITHDRAWAL
0	0	1	1	20	= RESPONDENT STERILE

(3422)

1995 NATIONAL SURVEY OF FAMILY GROWTH
 File Documentation
 Respondent File (Section E Questionnaire Items)

VARIABLE NAME	COLUMN LOCATION	NON-HISPANIC			QX	TEXT AND CODE CATEGORIES
		HISP	WHITE	BLACK		
		0	0	0	0	21 = PARTNER STERILE (NOT ON CARD)
		0	0	0	0	22 = OTHER METHOD-NOT SHOWN SEPARATELY
		0	0	0	0	97 = Not Ascertained
		0	0	0	0	98 = Refused
		0	0	0	0	99 = Don't Know

1995 NATIONAL SURVEY OF FAMILY GROWTH
 File Documentation
 Respondent File (Section E Questionnaire Items)

VARIABLE COLUMN NON-HISPANIC
 NAME LOCATION HISP WHITE BLACK TOTAL QX TEXT AND CODE CATEGORIES

[MTHUS089] 7194-7195

During that month, which (of those/other) methods, if any, did you use at the same time? (2nd METHOD MENTIONED, 2nd COMBINATION, MC8)

Inapplicable:
 R said no, don't know or refused to all birth control methods in EA series (computed variable EVERUSED = 2); R never had sex as of this month and never used a birth control method as of this month but ever used one or more birth control methods in EA series (WNFSTSEX GE 1093 and DATFIRSM GE 1093 and computed variable EVERUSED = 1); R did not use multiple methods in the month; or R used only 2 methods in the month; or R reported fewer than 2 BC method combinations; or R reported using fewer than 2 BC methods for this combination in this month of the method calendar.

1552	6474	2443	10832	Blank	= Blank, inapplicable
0	0	0	0	01	= NONE
0	0	0	0	02	= OFFICE USE ONLY
0	0	0	1	03	= BIRTH CONTROL PILLS
1	1	1	3	04	= CONDOM
0	1	0	1	05	= PARTNER'S VASECTOMY
0	0	0	0	06	= DIAPHRAGM
0	1	0	1	07	= FOAM
0	0	0	0	08	= JELLY OR CREAM
0	0	0	0	09	= CERVICAL CAP
0	0	1	1	10	= SUPPOSITORY, INSERT
0	1	0	1	11	= TODAY (TM) SPONGE
0	0	0	0	12	= FEMALE CONDOM, VAGINAL POUCH
0	0	0	0	13	= IUD, COIL, LOOP
0	0	0	0	14	= NORPLANT (TM)
0	0	0	0	15	= DEPO-PROVERA, INJECTABLES
0	0	0	0	16	= MORNING AFTER PILLS
0	3	0	4	17	= RHYTHM OR SAFE PERIOD BY CALENDAR
0	0	0	0	18	= SAFE PERIOD BY TEMP, CERVICAL MUCUS TEST,

(3424)

1995 NATIONAL SURVEY OF FAMILY GROWTH
 File Documentation
 Respondent File (Section E Questionnaire Items)

VARIABLE NAME	COLUMN LOCATION	NON-HISPANIC			TOTAL	QX	TEXT AND CODE CATEGORIES
		HISP	WHITE	BLACK			
		0	2	1	3	19	NFP
		0	0	0	0	20	= WITHDRAWAL
		0	0	0	0	21	= RESPONDENT STERILE
							= PARTNER STERILE (NOT ON CARD)
		0	0	0	0	22	= OTHER METHOD-NOT SHOWN SEPARATELY
		0	0	0	0	97	= Not Ascertained
		0	0	0	0	98	= Refused
		0	0	0	0	99	= Don't Know

1995 NATIONAL SURVEY OF FAMILY GROWTH
 File Documentation
 Respondent File (Section E Questionnaire Items)

VARIABLE NAME	COLUMN LOCATION	NON-HISPANIC			TOTAL	QX	TEXT AND CODE CATEGORIES
		HISP	WHITE	BLACK			
		0	1	0	1	19	NFP
		0	0	0	0	20	= WITHDRAWAL
		0	0	0	0	21	= RESPONDENT STERILE
							= PARTNER STERILE (NOT ON CARD)
		0	0	0	0	22	= OTHER METHOD-NOT SHOWN SEPARATELY
		0	0	0	0	97	= Not Ascertained
		0	0	0	0	98	= Refused
		0	0	0	0	99	= Don't Know

1995 NATIONAL SURVEY OF FAMILY GROWTH
 File Documentation
 Respondent File (Section E Questionnaire Items)

VARIABLE	COLUMN	NON-HISPANIC				
NAME	LOCATION	HISP	WHITE	BLACK	TOTAL	QX TEXT AND CODE CATEGORIES

[MTHUS091] 7198-7199

During that month, which (of those/other) methods, if any, did you use at the same time? (4th METHOD MENTIONED, 2nd COMBINATION, MC8)

Inapplicable:
 R said no, don't know or refused to all birth control methods in EA series (computed variable EVERUSED = 2); R never had sex as of this month and never used a birth control method as of this month but ever used one or more birth control methods in EA series (WNFSTSEX GE 1093 and DATFIRSM GE 1093 and computed variable EVERUSED = 1); R did not use multiple methods in the month; or R used only 2 methods in the month; or R reported fewer than 2 BC method combinations; or R reported using fewer than 4 BC methods for this combination in this month of the method calendar.

1553	6483	2446	10847	Blank	= Blank, inapplicable
0	0	0	0	01	= NONE
0	0	0	0	02	= OFFICE USE ONLY
0	0	0	0	03	= BIRTH CONTROL PILLS
0	0	0	0	04	= CONDOM
0	0	0	0	05	= PARTNER'S VASECTOMY
0	0	0	0	06	= DIAPHRAGM
0	0	0	0	07	= FOAM
0	0	0	0	08	= JELLY OR CREAM
0	0	0	0	09	= CERVICAL CAP
0	0	0	0	10	= SUPPOSITORY, INSERT
0	0	0	0	11	= TODAY (TM) SPONGE
0	0	0	0	12	= FEMALE CONDOM, VAGINAL POUCH
0	0	0	0	13	= IUD, COIL, LOOP
0	0	0	0	14	= NORPLANT (TM)
0	0	0	0	15	= DEPO-PROVERA, INJECTABLES
0	0	0	0	16	= MORNING AFTER PILLS
0	0	0	0	17	= RHYTHM OR SAFE PERIOD BY CALENDAR
0	0	0	0	18	= SAFE PERIOD BY TEMP, CERVICAL MUCUS TEST,

1995 NATIONAL SURVEY OF FAMILY GROWTH
 File Documentation
 Respondent File (Section E Questionnaire Items)

VARIABLE NAME	COLUMN LOCATION	NON-HISPANIC			TOTAL	QX	TEXT AND CODE CATEGORIES
		HISP	WHITE	BLACK			
		0	0	0	0	19	NFP = WITHDRAWAL
		0	0	0	0	20	= RESPONDENT STERILE
		0	0	0	0	21	= PARTNER STERILE (NOT ON CARD)
		0	0	0	0	22	= OTHER METHOD-NOT SHOWN SEPARATELY
		0	0	0	0	97	= Not Ascertained
		0	0	0	0	98	= Refused
		0	0	0	0	99	= Don't Know

1995 NATIONAL SURVEY OF FAMILY GROWTH
 File Documentation
 Respondent File (Section E Questionnaire Items)

VARIABLE	COLUMN	NON-HISPANIC			QX TEXT AND CODE CATEGORIES
NAME	LOCATION	HISP	WHITE	BLACK	TOTAL

[MTHUS092] 7200-7201

During that month, which (of those/other) methods, if any, did you use at the same time? (1st METHOD MENTIONED, 3rd COMBINATION, MC8)

Inapplicable:
 R said no, don't know or refused to all birth control methods in EA series (computed variable EVERUSED = 2); R never had sex as of this month and never used a birth control method as of this month but ever used one or more birth control methods in EA series (WNFSTSEX GE 1093 and DATFIRSM GE 1093 and computed variable EVERUSED = 1); R did not use multiple methods in the month; or R used only 2 methods in the month; or R reported fewer than 3 BC method combinations.

1553	6482	2446	10846	Blank	= Blank, inapplicable
0	0	0	0	0	01 = NONE
0	0	0	0	0	02 = OFFICE USE ONLY
0	0	0	0	0	03 = BIRTH CONTROL PILLS
0	1	0	1	0	04 = CONDOM
0	0	0	0	0	05 = PARTNER'S VASECTOMY
0	0	0	0	0	06 = DIAPHRAGM
0	0	0	0	0	07 = FOAM
0	0	0	0	0	08 = JELLY OR CREAM
0	0	0	0	0	09 = CERVICAL CAP
0	0	0	0	0	10 = SUPPOSITORY, INSERT
0	0	0	0	0	11 = TODAY (TM) SPONGE
0	0	0	0	0	12 = FEMALE CONDOM, VAGINAL POUCH
0	0	0	0	0	13 = IUD, COIL, LOOP
0	0	0	0	0	14 = NORPLANT (TM)
0	0	0	0	0	15 = DEPO-PROVERA, INJECTABLES
0	0	0	0	0	16 = MORNING AFTER PILLS
0	0	0	0	0	17 = RHYTHM OR SAFE PERIOD BY CALENDAR
0	0	0	0	0	18 = SAFE PERIOD BY TEMP, CERVICAL MUCUS TEST, NFP
0	0	0	0	0	19 = WITHDRAWAL
0	0	0	0	0	20 = RESPONDENT STERILE

1995 NATIONAL SURVEY OF FAMILY GROWTH
 File Documentation
 Respondent File (Section E Questionnaire Items)

VARIABLE NAME	COLUMN LOCATION	NON-HISPANIC			QX	TEXT AND CODE CATEGORIES
		HISP	WHITE	BLACK		
		0	0	0	0	21 = PARTNER STERILE (NOT ON CARD)
		0	0	0	0	22 = OTHER METHOD-NOT SHOWN SEPARATELY
		0	0	0	0	97 = Not Ascertained
		0	0	0	0	98 = Refused
		0	0	0	0	99 = Don't Know

1995 NATIONAL SURVEY OF FAMILY GROWTH
 File Documentation
 Respondent File (Section E Questionnaire Items)

VARIABLE	COLUMN	NON-HISPANIC				QX TEXT AND CODE CATEGORIES
NAME	LOCATION	HISP	WHITE	BLACK		

[MTHUS093] 7202-7203

During that month, which (of those/other) methods, if any, did you use at the same time? (2nd METHOD MENTIONED, 3rd COMBINATION, MC8)

Inapplicable:
 R said no, don't know or refused to all birth control methods in EA series (computed variable EVERUSED = 2); R never had sex as of this month and never used a birth control method as of this month but ever used one or more birth control methods in EA series (WNFSTSEX GE 1093 and DATFIRSM GE 1093 and computed variable EVERUSED = 1); R did not use multiple methods in the month; or R used only 2 methods in the month; or R reported fewer than 3 BC method combinations; or R reported using fewer than 2 BC methods for this combination in this month of the method calendar.

1553	6482	2446	10846	Blank	= Blank, inapplicable
0	0	0	0	01	= NONE
0	0	0	0	02	= OFFICE USE ONLY
0	0	0	0	03	= BIRTH CONTROL PILLS
0	0	0	0	04	= CONDOM
0	0	0	0	05	= PARTNER'S VASECTOMY
0	0	0	0	06	= DIAPHRAGM
0	0	0	0	07	= FOAM
0	0	0	0	08	= JELLY OR CREAM
0	0	0	0	09	= CERVICAL CAP
0	0	0	0	10	= SUPPOSITORY, INSERT
0	0	0	0	11	= TODAY (TM) SPONGE
0	0	0	0	12	= FEMALE CONDOM, VAGINAL POUCH
0	0	0	0	13	= IUD, COIL, LOOP
0	0	0	0	14	= NORPLANT (TM)
0	0	0	0	15	= DEPO-PROVERA, INJECTABLES
0	0	0	0	16	= MORNING AFTER PILLS
0	1	0	1	17	= RHYTHM OR SAFE PERIOD BY CALENDAR
0	0	0	0	18	= SAFE PERIOD BY TEMP, CERVICAL MUCUS TEST,

(3432)

1995 NATIONAL SURVEY OF FAMILY GROWTH
 File Documentation
 Respondent File (Section E Questionnaire Items)

VARIABLE NAME	COLUMN LOCATION	NON-HISPANIC			TOTAL	QX	TEXT AND CODE CATEGORIES
		HISP	WHITE	BLACK			
		0	0	0	0	19	NFP
		0	0	0	0	20	= WITHDRAWAL
		0	0	0	0	21	= RESPONDENT STERILE
							= PARTNER STERILE (NOT ON CARD)
		0	0	0	0	22	= OTHER METHOD-NOT SHOWN SEPARATELY
		0	0	0	0	97	= Not Ascertained
		0	0	0	0	98	= Refused
		0	0	0	0	99	= Don't Know

1995 NATIONAL SURVEY OF FAMILY GROWTH
 File Documentation
 Respondent File (Section E Questionnaire Items)

VARIABLE COLUMN NON-HISPANIC
 NAME LOCATION HISP WHITE BLACK TOTAL QX TEXT AND CODE CATEGORIES

[MTHUS094] 7204-7205

During that month, which (of those/other) methods, if any, did you use at the same time? (3rd METHOD MENTIONED, 3rd COMBINATION, MC8)

Inapplicable:
 R said no, don't know or refused to all birth control methods in EA series (computed variable EVERUSED = 2); R never had sex as of this month and never used a birth control method as of this month but ever used one or more birth control methods in EA series (WNFSTSEX GE 1093 and DATFIRSM GE 1093 and computed variable EVERUSED = 1); R did not use multiple methods in the month; or R used only 2 methods in the month; or R reported fewer than 3 BC method combinations; or R reported using fewer than 3 BC methods for this combination in this month of the method calendar.

1553	6483	2446	10847	Blank	
0	0	0	0	0	01 = Blank, inapplicable
0	0	0	0	0	02 = NONE
0	0	0	0	0	03 = OFFICE USE ONLY
0	0	0	0	0	04 = BIRTH CONTROL PILLS
0	0	0	0	0	05 = CONDOM
0	0	0	0	0	06 = PARTNER'S VASECTOMY
0	0	0	0	0	07 = DIAPHRAGM
0	0	0	0	0	08 = FOAM
0	0	0	0	0	09 = JELLY OR CREAM
0	0	0	0	0	10 = CERVICAL CAP
0	0	0	0	0	11 = SUPPOSITORY, INSERT
0	0	0	0	0	12 = TODAY (TM) SPONGE
0	0	0	0	0	13 = FEMALE CONDOM, VAGINAL POUCH
0	0	0	0	0	14 = IUD, COIL, LOOP
0	0	0	0	0	15 = NORPLANT (TM)
0	0	0	0	0	16 = DEPO-PROVERA, INJECTABLES
0	0	0	0	0	17 = MORNING AFTER PILLS
0	0	0	0	0	18 = RHYTHM OR SAFE PERIOD BY CALENDAR
0	0	0	0	0	18 = SAFE PERIOD BY TEMP, CERVICAL MUCUS TEST,

(3434)

1995 NATIONAL SURVEY OF FAMILY GROWTH
 File Documentation
 Respondent File (Section E Questionnaire Items)

VARIABLE NAME	COLUMN LOCATION	NON-HISPANIC			TOTAL	QX	TEXT AND CODE CATEGORIES
		HISP	WHITE	BLACK			
		0	0	0	0	19	NFP
		0	0	0	0	20	= WITHDRAWAL
		0	0	0	0	21	= RESPONDENT STERILE
							= PARTNER STERILE (NOT ON CARD)
		0	0	0	0	22	= OTHER METHOD-NOT SHOWN SEPARATELY
		0	0	0	0	97	= Not Ascertained
		0	0	0	0	98	= Refused
		0	0	0	0	99	= Don't Know

1995 NATIONAL SURVEY OF FAMILY GROWTH
 File Documentation
 Respondent File (Section E Questionnaire Items)

VARIABLE COLUMN NON-HISPANIC
 NAME LOCATION HISP WHITE BLACK TOTAL QX TEXT AND CODE CATEGORIES

[MTHUS095] 7206-7207

During that month, which (of those/other) methods, if any, did you use at the same time? (4th METHOD MENTIONED, 3rd COMBINATION, MC8)

Inapplicable:

R said no, don't know or refused to all birth control methods in EA series (computed variable EVERUSED = 2); R never had sex as of this month and never used a birth control method as of this month but ever used one or more birth control methods in EA series (WNFSTSEX GE 1093 and DATFIRSM GE 1093 and computed variable EVERUSED = 1); R did not use multiple methods in the month; or R used only 2 methods in the month; or R reported fewer than 3 BC method combinations; or R reported using fewer than 4 BC methods for this combination in this month of the method calendar.

1553	6483	2446	10847	Blank	= Blank, inapplicable
0	0	0	0	01	= NONE
0	0	0	0	02	= OFFICE USE ONLY
0	0	0	0	03	= BIRTH CONTROL PILLS
0	0	0	0	04	= CONDOM
0	0	0	0	05	= PARTNER'S VASECTOMY
0	0	0	0	06	= DIAPHRAGM
0	0	0	0	07	= FOAM
0	0	0	0	08	= JELLY OR CREAM
0	0	0	0	09	= CERVICAL CAP
0	0	0	0	10	= SUPPOSITORY, INSERT
0	0	0	0	11	= TODAY (TM) SPONGE
0	0	0	0	12	= FEMALE CONDOM, VAGINAL POUCH
0	0	0	0	13	= IUD, COIL, LOOP
0	0	0	0	14	= NORPLANT (TM)
0	0	0	0	15	= DEPO-PROVERA, INJECTABLES
0	0	0	0	16	= MORNING AFTER PILLS
0	0	0	0	17	= RHYTHM OR SAFE PERIOD BY CALENDAR
0	0	0	0	18	= SAFE PERIOD BY TEMP, CERVICAL MUCUS TEST,

(3436)

1995 NATIONAL SURVEY OF FAMILY GROWTH
 File Documentation
 Respondent File (Section E Questionnaire Items)

VARIABLE NAME	COLUMN LOCATION	NON-HISPANIC			TOTAL	QX	TEXT AND CODE CATEGORIES
		HISP	WHITE	BLACK			
		0	0	0	0	19	NFP
		0	0	0	0	20	= WITHDRAWAL
		0	0	0	0	21	= RESPONDENT STERILE
							= PARTNER STERILE (NOT ON CARD)
		0	0	0	0	22	= OTHER METHOD-NOT SHOWN SEPARATELY
		0	0	0	0	97	= Not Ascertained
		0	0	0	0	98	= Refused
		0	0	0	0	99	= Don't Know

1995 NATIONAL SURVEY OF FAMILY GROWTH
 File Documentation
 Respondent File (Section E Questionnaire Items)

VARIABLE NAME	COLUMN LOCATION	NON-HISPANIC			QX TEXT AND CODE CATEGORIES		
		HISP	WHITE	BLACK		TOTAL	
[METHH032]	7208-7209				ENTER METHOD (FIRST MENTIONED) USED IN SEPTEMBER 1991: (MC9)		
					Inapplicable: R never had sex as of this month and never used a birth control method as of this month but ever used one or more birth control methods in EA series (WNFSTSEX GE 1093 and DATFIRSM GE 1093 and computed variable EVERUSED = 1); R never had sex and said no, don't know or refused to all birth control methods in EA series (computed variable RHADSEX coded 2,7,8 or 9 and computed variable EVERUSED = 2); R said no, don't know or refused to all birth control methods in EA series (computed variable EVERUSED = 2).		
		400	1176	391	2092	Blank	= Blank, inapplicable
		336	1232	587	2212	01	= NO METHODS USED
		0	0	0	0	02	= SAME AS PREVIOUS MONTH
		277	1371	485	2173	03	= BIRTH CONTROL PILLS
		159	772	341	1331	04	= CONDOM
		20	291	8	327	05	= PARTNER'S VASECTOMY
		7	125	13	148	06	= DIAPHRAGM
		2	25	2	30	07	= FOAM
		1	9	1	11	08	= JELLY OR CREAM
		0	3	0	3	09	= CERVICAL CAP
		2	21	11	36	10	= SUPPOSITORY, INSERT
		4	31	8	43	11	= TODAY (TM) SPONGE
		0	0	0	0	12	= FEMALE CONDOM, VAGINAL POUCH
		17	33	18	71	13	= IUD, COIL, LOOP
		5	15	14	34	14	= NORPLANT (TM)
		7	7	5	19	15	= DEPO-PROVERA, INJECTABLES
		0	0	0	0	16	= MORNING AFTER PILLS
		31	107	19	168	17	= RHYTHM OR SAFE PERIOD BY CALENDAR
		1	18	0	19	18	= SAFE PERIOD BY TEMP, CERVICAL MUCUS TEST, NFP
		33	120	23	184	19	= WITHDRAWAL
		232	969	504	1749	20	= RESPONDENT STERILE

(3438)

1995 NATIONAL SURVEY OF FAMILY GROWTH
 File Documentation
 Respondent File (Section E Questionnaire Items)

VARIABLE NAME	COLUMN LOCATION	NON-HISPANIC			TOTAL	QX	TEXT AND CODE CATEGORIES
		HISP	WHITE	BLACK			
		17	147	9	176	21	= PARTNER STERILE (NOT ON CARD)
		2	2	3	7	22	= OTHER METHOD-NOT SHOWN SEPARATELY
		0	0	0	0	55	= SAME METHODS USED THROUGH END OF YEAR
		0	1	2	3	97	= Not Ascertained
		0	4	2	6	98	= Refused
		0	4	0	5	99	= Don't Know

1995 NATIONAL SURVEY OF FAMILY GROWTH
 File Documentation
 Respondent File (Section E Questionnaire Items)

VARIABLE NAME	COLUMN LOCATION	NON-HISPANIC			TOTAL	QX	TEXT AND CODE CATEGORIES
		HISP	WHITE	BLACK			
		0	6	8	14	20	= RESPONDENT STERILE
		0	7	0	8	21	= PARTNER STERILE (NOT ON CARD)
		0	0	0	0	22	= OTHER METHOD-NOT SHOWN SEPARATELY
		0	0	0	0	55	= SAME METHODS USED THROUGH END OF YEAR
		0	1	2	3	97	= Not Ascertained
		0	4	2	6	98	= Refused
		0	4	0	5	99	= Don't Know

1995 NATIONAL SURVEY OF FAMILY GROWTH
 File Documentation
 Respondent File (Section E Questionnaire Items)

VARIABLE NAME	COLUMN LOCATION	NON-HISPANIC			TOTAL	QX	TEXT AND CODE CATEGORIES
		HISP	WHITE	BLACK			
		1	5	14	20	20	= RESPONDENT STERILE
		0	0	0	0	21	= PARTNER STERILE (NOT ON CARD)
		0	0	0	1	22	= OTHER METHOD-NOT SHOWN SEPARATELY
		0	0	0	0	55	= SAME METHODS USED THROUGH END OF YEAR
		0	1	2	3	97	= Not Ascertained
		0	4	2	6	98	= Refused
		0	4	0	5	99	= Don't Know

1995 NATIONAL SURVEY OF FAMILY GROWTH
 File Documentation
 Respondent File (Section E Questionnaire Items)

VARIABLE NAME	COLUMN LOCATION	NON-HISPANIC			TOTAL	QX	TEXT AND CODE CATEGORIES
		HISP	WHITE	BLACK			
		0	0	0	0	20	= RESPONDENT STERILE
		0	0	0	0	21	= PARTNER STERILE (NOT ON CARD)
		0	0	0	0	22	= OTHER METHOD-NOT SHOWN SEPARATELY
		0	0	0	0	55	= SAME METHODS USED THROUGH END OF YEAR
		0	1	2	3	97	= Not Ascertained
		0	4	2	6	98	= Refused
		0	4	0	5	99	= Don't Know

[SIMSEQ08] 7216-7216

Did you use those methods together,
 that is, at the same time, or did
 you use them at different times
 during the month? (MC9)

Inapplicable:

R never had sex as of this month and
 never used a birth control method as
 of this month but ever used one or
 more birth control methods in EA
 series (WNFSTSEX GE 1093 and
 DATFIRSM GE 1093 and computed
 variable EVERUSED = 1); R never had
 sex and said no, don't know or
 refused to all birth control methods
 in EA series (computed variable
 RHADSEX coded 2,7,8 or 9 and
 computed variable EVERUSED = 2); R
 said no, don't know or refused to
 all birth control methods in EA
 series (computed variable EVERUSED =
 2); R did not use multiple methods
 in the month; R used more than 2
 methods in the month.

1500	6144	2299	10291	Blank	= Blank, inapplicable
33	216	115	372	1	= SAME TIME
20	122	32	183	2	= DIFFERENT TIMES
0	0	0	0	7	= Not Ascertained
0	0	0	0	8	= Refused
0	1	0	1	9	= Don't Know

1995 NATIONAL SURVEY OF FAMILY GROWTH
 File Documentation
 Respondent File (Section E Questionnaire Items)

VARIABLE	COLUMN	NON-HISPANIC				
NAME	LOCATION	HISP	WHITE	BLACK	TOTAL	QX TEXT AND CODE CATEGORIES

[MTHUS096] 7217-7218

During that month, which (of those/other) methods, if any, did you use at the same time? (1st METHOD MENTIONED, 1st COMBINATION, MC9)

Inapplicable:
 R said no, don't know or refused to all birth control methods in EA series (computed variable EVERUSED = 2); R never had sex as of this month and never used a birth control method as of this month but ever used one or more birth control methods in EA series (WNFSTSEX GE 1093 and DATFIRSM GE 1093 and computed variable EVERUSED = 1); R did not use multiple methods in the month; or R used only 2 methods in the month.

1540	6439	2437	10775	Blank	= Blank, inapplicable
5	6	4	15	01	= NONE
0	0	0	0	02	= OFFICE USE ONLY
2	5	2	11	03	= BIRTH CONTROL PILLS
6	21	1	32	04	= CONDOM
0	0	0	0	05	= PARTNER'S VASECTOMY
0	3	0	3	06	= DIAPHRAGM
0	0	0	0	07	= FOAM
0	0	0	0	08	= JELLY OR CREAM
0	0	0	0	09	= CERVICAL CAP
0	0	0	0	10	= SUPPOSITORY, INSERT
0	2	0	2	11	= TODAY (TM) SPONGE
0	0	0	0	12	= FEMALE CONDOM, VAGINAL POUCH
0	0	0	0	13	= IUD, COIL, LOOP
0	0	0	0	14	= NORPLANT (TM)
0	0	0	0	15	= DEPO-PROVERA, INJECTABLES
0	0	0	0	16	= MORNING AFTER PILLS
0	5	0	5	17	= RHYTHM OR SAFE PERIOD BY CALENDAR
0	1	0	1	18	= SAFE PERIOD BY TEMP, CERVICAL MUCUS TEST, NFP
0	1	1	2	19	= WITHDRAWAL
0	0	1	1	20	= RESPONDENT STERILE
0	0	0	0	21	= PARTNER STERILE (NOT

1995 NATIONAL SURVEY OF FAMILY GROWTH
 File Documentation
 Respondent File (Section E Questionnaire Items)

VARIABLE NAME	COLUMN LOCATION	NON-HISPANIC			TOTAL	QX	TEXT AND CODE CATEGORIES
		HISP	WHITE	BLACK			
		0	0	0	0	22	ON CARD) = OTHER METHOD-NOT SHOWN SEPARATELY
		0	0	0	0	97	= Not Ascertained
		0	0	0	0	98	= Refused
		0	0	0	0	99	= Don't Know

1995 NATIONAL SURVEY OF FAMILY GROWTH
 File Documentation
 Respondent File (Section E Questionnaire Items)

VARIABLE COLUMN NON-HISPANIC
 NAME LOCATION HISP WHITE BLACK TOTAL QX TEXT AND CODE CATEGORIES

[MTHUS097] 7219-7220

During that month, which (of those/other) methods, if any, did you use at the same time? (2nd METHOD MENTIONED, 1st COMBINATION, MC9)

Inapplicable:
 R said no, don't know or refused to all birth control methods in EA series (computed variable EVERUSED = 2); R never had sex as of this month and never used a birth control method as of this month but ever used one or more birth control methods in EA series (WNFSTSEX GE 1093 and DATFIRSM GE 1093 and computed variable EVERUSED = 1); R did not use multiple methods in the month; or R used only 2 methods in the month; or R reported using fewer than 2 BC methods for this combination in this month of the method calendar.

1545	6445	2441	10790	Blank	= Blank, inapplicable
0	0	0	0	01	= NONE
0	0	0	0	02	= OFFICE USE ONLY
0	0	0	0	03	= BIRTH CONTROL PILLS
2	6	3	12	04	= CONDOM
0	1	0	1	05	= PARTNER'S VASECTOMY
0	3	0	3	06	= DIAPHRAGM
2	3	0	5	07	= FOAM
1	1	1	3	08	= JELLY OR CREAM
0	0	0	0	09	= CERVICAL CAP
1	0	1	2	10	= SUPPOSITORY, INSERT
0	1	0	1	11	= TODAY (TM) SPONGE
0	0	0	0	12	= FEMALE CONDOM, VAGINAL POUCH
0	0	0	0	13	= IUD, COIL, LOOP
0	0	0	0	14	= NORPLANT (TM)
0	0	0	0	15	= DEPO-PROVERA, INJECTABLES
0	1	0	1	16	= MORNING AFTER PILLS
1	13	0	16	17	= RHYTHM OR SAFE PERIOD BY CALENDAR
0	0	0	0	18	= SAFE PERIOD BY TEMP, CERVICAL MUCUS TEST, NFP

1995 NATIONAL SURVEY OF FAMILY GROWTH
 File Documentation
 Respondent File (Section E Questionnaire Items)

VARIABLE NAME	COLUMN LOCATION	NON-HISPANIC			TOTAL	QX	TEXT AND CODE CATEGORIES
		HISP	WHITE	BLACK			
		1	9	0	13	19	= WITHDRAWAL
		0	0	0	0	20	= RESPONDENT STERILE
		0	0	0	0	21	= PARTNER STERILE (NOT ON CARD)
		0	0	0	0	22	= OTHER METHOD-NOT SHOWN SEPARATELY
		0	0	0	0	97	= Not Ascertained
		0	0	0	0	98	= Refused
		0	0	0	0	99	= Don't Know

1995 NATIONAL SURVEY OF FAMILY GROWTH
 File Documentation
 Respondent File (Section E Questionnaire Items)

VARIABLE COLUMN NON-HISPANIC
 NAME LOCATION HISP WHITE BLACK TOTAL QX TEXT AND CODE CATEGORIES

[MTHUS098] 7221-7222

During that month, which (of those/other) methods, if any, did you use at the same time? (3rd METHOD MENTIONED, 1st COMBINATION, MC9)

Inapplicable:
 R said no, don't know or refused to all birth control methods in EA series (computed variable EVERUSED = 2); R never had sex as of this month and never used a birth control method as of this month but ever used one or more birth control methods in EA series (WNFSTSEX GE 1093 and DATFIRSM GE 1093 and computed variable EVERUSED = 1); R did not use multiple methods in the month; or R used only 2 methods in the month; or R reported using fewer than 3 BC methods for this combination in this month of the method calendar.

1547	6463	2443	10817	Blank	= Blank, inapplicable
0	0	0	0	01	= NONE
0	0	0	0	02	= OFFICE USE ONLY
0	0	0	0	03	= BIRTH CONTROL PILLS
0	0	0	0	04	= CONDOM
1	0	0	1	05	= PARTNER'S VASECTOMY
0	0	0	0	06	= DIAPHRAGM
2	2	2	6	07	= FOAM
0	1	0	1	08	= JELLY OR CREAM
0	0	0	0	09	= CERVICAL CAP
0	1	0	1	10	= SUPPOSITORY, INSERT
1	2	0	3	11	= TODAY (TM) SPONGE
0	0	0	0	12	= FEMALE CONDOM, VAGINAL POUCH
0	0	0	0	13	= IUD, COIL, LOOP
0	0	0	0	14	= NORPLANT (TM)
0	0	0	0	15	= DEPO-PROVERA, INJECTABLES
0	0	0	0	16	= MORNING AFTER PILLS
2	5	1	8	17	= RHYTHM OR SAFE PERIOD BY CALENDAR
0	2	0	3	18	= SAFE PERIOD BY TEMP, CERVICAL MUCUS TEST, NFP

1995 NATIONAL SURVEY OF FAMILY GROWTH
 File Documentation
 Respondent File (Section E Questionnaire Items)

VARIABLE NAME	COLUMN LOCATION	NON-HISPANIC			TOTAL	QX	TEXT AND CODE CATEGORIES
		HISP	WHITE	BLACK			
		0	7	0	7	19	= WITHDRAWAL
		0	0	0	0	20	= RESPONDENT STERILE
		0	0	0	0	21	= PARTNER STERILE (NOT ON CARD)
		0	0	0	0	22	= OTHER METHOD-NOT SHOWN SEPARATELY
		0	0	0	0	97	= Not Ascertained
		0	0	0	0	98	= Refused
		0	0	0	0	99	= Don't Know

1995 NATIONAL SURVEY OF FAMILY GROWTH
 File Documentation
 Respondent File (Section E Questionnaire Items)

VARIABLE COLUMN NON-HISPANIC
 NAME LOCATION HISP WHITE BLACK TOTAL QX TEXT AND CODE CATEGORIES

[MTHUS099] 7223-7224

During that month, which (of those/other) methods, if any, did you use at the same time? (4th METHOD MENTIONED, 1st COMBINATION, MC9)

Inapplicable:
 R said no, don't know or refused to all birth control methods in EA series (computed variable EVERUSED = 2); R never had sex as of this month and never used a birth control method as of this month but ever used one or more birth control methods in EA series (WNFSTSEX GE 1093 and DATFIRSM GE 1093 and computed variable EVERUSED = 1); R did not use multiple methods in the month; or R used only 2 methods in the month; or R reported using fewer than 4 BC methods for this combination in this month of the method calendar.

1553	6482	2445	10845	Blank	= Blank, inapplicable
0	0	0	0	01	= NONE
0	0	0	0	02	= OFFICE USE ONLY
0	0	0	0	03	= BIRTH CONTROL PILLS
0	1	0	1	04	= CONDOM
0	0	0	0	05	= PARTNER'S VASECTOMY
0	0	0	0	06	= DIAPHRAGM
0	0	0	0	07	= FOAM
0	0	0	0	08	= JELLY OR CREAM
0	0	0	0	09	= CERVICAL CAP
0	0	0	0	10	= SUPPOSITORY, INSERT
0	0	0	0	11	= TODAY (TM) SPONGE
0	0	0	0	12	= FEMALE CONDOM, VAGINAL POUCH
0	0	0	0	13	= IUD, COIL, LOOP
0	0	0	0	14	= NORPLANT (TM)
0	0	0	0	15	= DEPO-PROVERA, INJECTABLES
0	0	0	0	16	= MORNING AFTER PILLS
0	0	0	0	17	= RHYTHM OR SAFE PERIOD BY CALENDAR
0	0	1	1	18	= SAFE PERIOD BY TEMP, CERVICAL MUCUS TEST, NFP

(3452)

1995 NATIONAL SURVEY OF FAMILY GROWTH
 File Documentation
 Respondent File (Section E Questionnaire Items)

VARIABLE NAME	COLUMN LOCATION	NON-HISPANIC			TOTAL	QX	TEXT AND CODE CATEGORIES
		HISP	WHITE	BLACK			
		0	0	0	0	19	= WITHDRAWAL
		0	0	0	0	20	= RESPONDENT STERILE
		0	0	0	0	21	= PARTNER STERILE (NOT ON CARD)
		0	0	0	0	22	= OTHER METHOD-NOT SHOWN SEPARATELY
		0	0	0	0	97	= Not Ascertained
		0	0	0	0	98	= Refused
		0	0	0	0	99	= Don't Know

1995 NATIONAL SURVEY OF FAMILY GROWTH
 File Documentation
 Respondent File (Section E Questionnaire Items)

VARIABLE	COLUMN	NON-HISPANIC			QX TEXT AND CODE CATEGORIES
NAME	LOCATION	HISP	WHITE	BLACK	

[MTHUS100] 7225-7226

During that month, which (of those/other) methods, if any, did you use at the same time? (1st METHOD MENTIONED, 2nd COMBINATION, MC9)

Inapplicable:
 R said no, don't know or refused to all birth control methods in EA series (computed variable EVERUSED = 2); R never had sex as of this month and never used a birth control method as of this month but ever used one or more birth control methods in EA series (WNFSTSEX GE 1093 and DATFIRSM GE 1093 and computed variable EVERUSED = 1); R did not use multiple methods in the month; or R used only 2 methods in the month; or R reported fewer than 2 BC method combinations.

1545	6445	2441	10790	Blank	= Blank, inapplicable
5	26	2	37	01	= NONE
0	0	0	0	02	= OFFICE USE ONLY
1	2	1	4	03	= BIRTH CONTROL PILLS
0	5	0	6	04	= CONDOM
0	0	0	0	05	= PARTNER'S VASECTOMY
0	0	0	0	06	= DIAPHRAGM
2	1	0	3	07	= FOAM
0	0	0	0	08	= JELLY OR CREAM
0	0	0	0	09	= CERVICAL CAP
0	0	0	0	10	= SUPPOSITORY, INSERT
0	0	0	1	11	= TODAY (TM) SPONGE
0	0	0	0	12	= FEMALE CONDOM, VAGINAL POUCH
0	0	0	0	13	= IUD, COIL, LOOP
0	0	0	0	14	= NORPLANT (TM)
0	0	0	0	15	= DEPO-PROVERA, INJECTABLES
0	0	0	0	16	= MORNING AFTER PILLS
0	3	0	3	17	= RHYTHM OR SAFE PERIOD BY CALENDAR
0	0	0	0	18	= SAFE PERIOD BY TEMP, CERVICAL MUCUS TEST, NFP
0	1	1	2	19	= WITHDRAWAL
0	0	1	1	20	= RESPONDENT STERILE

(3454)

1995 NATIONAL SURVEY OF FAMILY GROWTH
 File Documentation
 Respondent File (Section E Questionnaire Items)

VARIABLE NAME	COLUMN LOCATION	NON-HISPANIC			QX	TEXT AND CODE CATEGORIES
		HISP	WHITE	BLACK		
		0	0	0	0	21 = PARTNER STERILE (NOT ON CARD)
		0	0	0	0	22 = OTHER METHOD-NOT SHOWN SEPARATELY
		0	0	0	0	97 = Not Ascertained
		0	0	0	0	98 = Refused
		0	0	0	0	99 = Don't Know

1995 NATIONAL SURVEY OF FAMILY GROWTH
 File Documentation
 Respondent File (Section E Questionnaire Items)

VARIABLE	COLUMN	NON-HISPANIC				
NAME	LOCATION	HISP	WHITE	BLACK	TOTAL	QX TEXT AND CODE CATEGORIES

[MTHUS101] 7227-7228

During that month, which (of those/other) methods, if any, did you use at the same time? (2nd METHOD MENTIONED, 2nd COMBINATION, MC9)

Inapplicable:
 R said no, don't know or refused to all birth control methods in EA series (computed variable EVERUSED = 2); R never had sex as of this month and never used a birth control method as of this month but ever used one or more birth control methods in EA series (WNFSTSEX GE 1093 and DATFIRSM GE 1093 and computed variable EVERUSED = 1); R did not use multiple methods in the month; or R used only 2 methods in the month; or R reported fewer than 2 BC method combinations; or R reported using fewer than 2 BC methods for this combination in this month of the method calendar.

1551	6473	2443	10830	Blank	= Blank, inapplicable
0	0	0	0	01	= NONE
0	0	0	0	02	= OFFICE USE ONLY
1	0	0	2	03	= BIRTH CONTROL PILLS
1	1	1	3	04	= CONDOM
0	1	0	1	05	= PARTNER'S VASECTOMY
0	0	0	0	06	= DIAPHRAGM
0	1	0	1	07	= FOAM
0	0	0	0	08	= JELLY OR CREAM
0	0	0	0	09	= CERVICAL CAP
0	0	1	1	10	= SUPPOSITORY, INSERT
0	1	0	1	11	= TODAY (TM) SPONGE
0	0	0	0	12	= FEMALE CONDOM, VAGINAL POUCH
0	0	0	0	13	= IUD, COIL, LOOP
0	0	0	0	14	= NORPLANT (TM)
0	0	0	0	15	= DEPO-PROVERA, INJECTABLES
0	0	0	0	16	= MORNING AFTER PILLS
0	3	0	4	17	= RHYTHM OR SAFE PERIOD BY CALENDAR
0	0	0	0	18	= SAFE PERIOD BY TEMP, CERVICAL MUCUS TEST,

1995 NATIONAL SURVEY OF FAMILY GROWTH
 File Documentation
 Respondent File (Section E Questionnaire Items)

VARIABLE NAME	COLUMN LOCATION	NON-HISPANIC			TOTAL	QX	TEXT AND CODE CATEGORIES
		HISP	WHITE	BLACK			
		0	3	1	4	19	NFP
		0	0	0	0	20	= WITHDRAWAL
		0	0	0	0	21	= RESPONDENT STERILE
							= PARTNER STERILE (NOT ON CARD)
		0	0	0	0	22	= OTHER METHOD-NOT SHOWN SEPARATELY
		0	0	0	0	97	= Not Ascertained
		0	0	0	0	98	= Refused
		0	0	0	0	99	= Don't Know

1995 NATIONAL SURVEY OF FAMILY GROWTH
 File Documentation
 Respondent File (Section E Questionnaire Items)

VARIABLE COLUMN NON-HISPANIC
 NAME LOCATION HISP WHITE BLACK TOTAL QX TEXT AND CODE CATEGORIES

[MTHUS102] 7229-7230

During that month, which (of those/other) methods, if any, did you use at the same time? (3rd METHOD MENTIONED, 2nd COMBINATION, MC9)

Inapplicable:
 R said no, don't know or refused to all birth control methods in EA series (computed variable EVERUSED = 2); R never had sex as of this month and never used a birth control method as of this month but ever used one or more birth control methods in EA series (WNFSTSEX GE 1093 and DATFIRSM GE 1093 and computed variable EVERUSED = 1); R did not use multiple methods in the month; or R used only 2 methods in the month; or R reported fewer than 2 BC method combinations; or R reported using fewer than 3 BC methods for this combination in this month of the method calendar.

	1552	6481	2446	10843	Blank	
	0	0	0	0	0	01 = Blank, inapplicable
	0	0	0	0	0	02 = NONE
	0	0	0	0	0	03 = OFFICE USE ONLY
	0	0	0	0	0	04 = BIRTH CONTROL PILLS
	0	0	0	0	0	05 = CONDOM
	0	0	0	0	0	06 = PARTNER'S VASECTOMY
	0	0	0	0	0	07 = DIAPHRAGM
	0	1	0	1	0	08 = FOAM
	0	0	0	0	0	09 = JELLY OR CREAM
	0	0	0	0	0	10 = CERVICAL CAP
	0	0	0	0	0	11 = SUPPOSITORY, INSERT
	0	0	0	0	0	12 = TODAY (TM) SPONGE
	0	0	0	0	0	13 = FEMALE CONDOM, VAGINAL POUCH
	0	0	0	0	0	14 = IUD, COIL, LOOP
	0	0	0	0	0	15 = NORPLANT (TM)
	0	0	0	0	0	16 = DEPO-PROVERA, INJECTABLES
	0	0	0	0	0	17 = MORNING AFTER PILLS
	1	0	0	1	0	18 = RHYTHM OR SAFE PERIOD BY CALENDAR
	0	0	0	1	0	SAFE PERIOD BY TEMP, CERVICAL MUCUS TEST,

(3458)

1995 NATIONAL SURVEY OF FAMILY GROWTH
 File Documentation
 Respondent File (Section E Questionnaire Items)

VARIABLE NAME	COLUMN LOCATION	NON-HISPANIC			TOTAL	QX TEXT AND CODE CATEGORIES	
		HISP	WHITE	BLACK			
		0	1	0	1	19	NFP
		0	0	0	0	20	= WITHDRAWAL
		0	0	0	0	21	= RESPONDENT STERILE
							= PARTNER STERILE (NOT ON CARD)
		0	0	0	0	22	= OTHER METHOD-NOT SHOWN SEPARATELY
		0	0	0	0	97	= Not Ascertained
		0	0	0	0	98	= Refused
		0	0	0	0	99	= Don't Know

1995 NATIONAL SURVEY OF FAMILY GROWTH
 File Documentation
 Respondent File (Section E Questionnaire Items)

VARIABLE COLUMN NON-HISPANIC
 NAME LOCATION HISP WHITE BLACK TOTAL QX TEXT AND CODE CATEGORIES

[MTHUS103] 7231-7232

During that month, which (of those/other) methods, if any, did you use at the same time? (4th METHOD MENTIONED, 2nd COMBINATION, MC9)

Inapplicable:
 R said no, don't know or refused to all birth control methods in EA series (computed variable EVERUSED = 2); R never had sex as of this month and never used a birth control method as of this month but ever used one or more birth control methods in EA series (WNFSTSEX GE 1093 and DATFIRSM GE 1093 and computed variable EVERUSED = 1); R did not use multiple methods in the month; or R used only 2 methods in the month; or R reported fewer than 2 BC method combinations; or R reported using fewer than 4 BC methods for this combination in this month of the method calendar.

	1553	6483	2446	10847	Blank	
	0	0	0	0	01	= Blank, inapplicable
	0	0	0	0	02	= NONE
	0	0	0	0	03	= OFFICE USE ONLY
	0	0	0	0	04	= BIRTH CONTROL PILLS
	0	0	0	0	05	= CONDOM
	0	0	0	0	06	= PARTNER'S VASECTOMY
	0	0	0	0	07	= DIAPHRAGM
	0	0	0	0	08	= FOAM
	0	0	0	0	09	= JELLY OR CREAM
	0	0	0	0	10	= CERVICAL CAP
	0	0	0	0	11	= SUPPOSITORY, INSERT
	0	0	0	0	12	= TODAY (TM) SPONGE
	0	0	0	0	13	= FEMALE CONDOM, VAGINAL POUCH
	0	0	0	0	14	= IUD, COIL, LOOP
	0	0	0	0	15	= NORPLANT (TM)
	0	0	0	0	16	= DEPO-PROVERA, INJECTABLES
	0	0	0	0	17	= MORNING AFTER PILLS
	0	0	0	0	18	= RHYTHM OR SAFE PERIOD BY CALENDAR
	0	0	0	0	18	= SAFE PERIOD BY TEMP, CERVICAL MUCUS TEST,

(3460)

1995 NATIONAL SURVEY OF FAMILY GROWTH
 File Documentation
 Respondent File (Section E Questionnaire Items)

VARIABLE NAME	COLUMN LOCATION	NON-HISPANIC			TOTAL	QX	TEXT AND CODE CATEGORIES
		HISP	WHITE	BLACK			
		0	0	0	0	19	NFP = WITHDRAWAL
		0	0	0	0	20	= RESPONDENT STERILE
		0	0	0	0	21	= PARTNER STERILE (NOT ON CARD)
		0	0	0	0	22	= OTHER METHOD-NOT SHOWN SEPARATELY
		0	0	0	0	97	= Not Ascertained
		0	0	0	0	98	= Refused
		0	0	0	0	99	= Don't Know

1995 NATIONAL SURVEY OF FAMILY GROWTH
 File Documentation
 Respondent File (Section E Questionnaire Items)

VARIABLE COLUMN NON-HISPANIC
 NAME LOCATION HISP WHITE BLACK TOTAL QX TEXT AND CODE CATEGORIES

[MTHUS104] 7233-7234

During that month, which (of those/other) methods, if any, did you use at the same time? (1st METHOD MENTIONED, 3rd COMBINATION, MC9)

Inapplicable:
 R said no, don't know or refused to all birth control methods in EA series (computed variable EVERUSED = 2); R never had sex as of this month and never used a birth control method as of this month but ever used one or more birth control methods in EA series (WNFSTSEX GE 1093 and DATFIRSM GE 1093 and computed variable EVERUSED = 1); R did not use multiple methods in the month; or R used only 2 methods in the month; or R reported fewer than 3 BC method combinations.

	1553	6482	2446	10846	Blank	
	0	0	0	0	0	01 = Blank, inapplicable
	0	0	0	0	0	02 = NONE
	0	0	0	0	0	03 = OFFICE USE ONLY
	0	1	0	1	0	04 = BIRTH CONTROL PILLS
	0	0	0	0	0	05 = CONDOM
	0	0	0	0	0	06 = PARTNER'S VASECTOMY
	0	0	0	0	0	07 = DIAPHRAGM
	0	0	0	0	0	08 = FOAM
	0	0	0	0	0	09 = JELLY OR CREAM
	0	0	0	0	0	10 = CERVICAL CAP
	0	0	0	0	0	11 = SUPPOSITORY, INSERT
	0	0	0	0	0	12 = TODAY (TM) SPONGE
	0	0	0	0	0	13 = FEMALE CONDOM, VAGINAL POUCH
	0	0	0	0	0	14 = IUD, COIL, LOOP
	0	0	0	0	0	15 = NORPLANT (TM)
	0	0	0	0	0	16 = DEPO-PROVERA, INJECTABLES
	0	0	0	0	0	17 = MORNING AFTER PILLS
	0	0	0	0	0	18 = RHYTHM OR SAFE PERIOD BY CALENDAR
	0	0	0	0	0	19 = SAFE PERIOD BY TEMP, CERVICAL MUCUS TEST, NFP
	0	0	0	0	0	20 = WITHDRAWAL
	0	0	0	0	0	21 = RESPONDENT STERILE

(3462)

1995 NATIONAL SURVEY OF FAMILY GROWTH
 File Documentation
 Respondent File (Section E Questionnaire Items)

VARIABLE NAME	COLUMN LOCATION	NON-HISPANIC			QX	TEXT AND CODE CATEGORIES
		HISP	WHITE	BLACK		
		0	0	0	0	21 = PARTNER STERILE (NOT ON CARD)
		0	0	0	0	22 = OTHER METHOD-NOT SHOWN SEPARATELY
		0	0	0	0	97 = Not Ascertained
		0	0	0	0	98 = Refused
		0	0	0	0	99 = Don't Know

1995 NATIONAL SURVEY OF FAMILY GROWTH
 File Documentation
 Respondent File (Section E Questionnaire Items)

VARIABLE	COLUMN	NON-HISPANIC				
NAME	LOCATION	HISP	WHITE	BLACK	TOTAL	QX TEXT AND CODE CATEGORIES

[MTHUS105] 7235-7236

During that month, which (of those/other) methods, if any, did you use at the same time? (2nd METHOD MENTIONED, 3rd COMBINATION, MC9)

Inapplicable:
 R said no, don't know or refused to all birth control methods in EA series (computed variable EVERUSED = 2); R never had sex as of this month and never used a birth control method as of this month but ever used one or more birth control methods in EA series (WNFSTSEX GE 1093 and DATFIRSM GE 1093 and computed variable EVERUSED = 1); R did not use multiple methods in the month; or R used only 2 methods in the month; or R reported fewer than 3 BC method combinations; or R reported using fewer than 2 BC methods for this combination in this month of the method calendar.

1553	6482	2446	10846	Blank	= Blank, inapplicable
0	0	0	0	01	= NONE
0	0	0	0	02	= OFFICE USE ONLY
0	0	0	0	03	= BIRTH CONTROL PILLS
0	0	0	0	04	= CONDOM
0	0	0	0	05	= PARTNER'S VASECTOMY
0	0	0	0	06	= DIAPHRAGM
0	0	0	0	07	= FOAM
0	0	0	0	08	= JELLY OR CREAM
0	0	0	0	09	= CERVICAL CAP
0	0	0	0	10	= SUPPOSITORY, INSERT
0	0	0	0	11	= TODAY (TM) SPONGE
0	0	0	0	12	= FEMALE CONDOM, VAGINAL POUCH
0	0	0	0	13	= IUD, COIL, LOOP
0	0	0	0	14	= NORPLANT (TM)
0	0	0	0	15	= DEPO-PROVERA, INJECTABLES
0	0	0	0	16	= MORNING AFTER PILLS
0	1	0	1	17	= RHYTHM OR SAFE PERIOD BY CALENDAR
0	0	0	0	18	= SAFE PERIOD BY TEMP, CERVICAL MUCUS TEST,

(3464)

1995 NATIONAL SURVEY OF FAMILY GROWTH
 File Documentation
 Respondent File (Section E Questionnaire Items)

VARIABLE NAME	COLUMN LOCATION	NON-HISPANIC			TOTAL	QX	TEXT AND CODE CATEGORIES
		HISP	WHITE	BLACK			
		0	0	0	0	19	NFP
		0	0	0	0	20	= WITHDRAWAL
		0	0	0	0	21	= RESPONDENT STERILE
							= PARTNER STERILE (NOT ON CARD)
		0	0	0	0	22	= OTHER METHOD-NOT SHOWN SEPARATELY
		0	0	0	0	97	= Not Ascertained
		0	0	0	0	98	= Refused
		0	0	0	0	99	= Don't Know

1995 NATIONAL SURVEY OF FAMILY GROWTH
 File Documentation
 Respondent File (Section E Questionnaire Items)

VARIABLE COLUMN NON-HISPANIC
 NAME LOCATION HISP WHITE BLACK TOTAL QX TEXT AND CODE CATEGORIES

[MTHUS106] 7237-7238

During that month, which (of those/other) methods, if any, did you use at the same time? (3rd METHOD MENTIONED, 3rd COMBINATION, MC9)

Inapplicable:
 R said no, don't know or refused to all birth control methods in EA series (computed variable EVERUSED = 2); R never had sex as of this month and never used a birth control method as of this month but ever used one or more birth control methods in EA series (WNFSTSEX GE 1093 and DATFIRSM GE 1093 and computed variable EVERUSED = 1); R did not use multiple methods in the month; or R used only 2 methods in the month; or R reported fewer than 3 BC method combinations; or R reported using fewer than 3 BC methods for this combination in this month of the method calendar.

1553	6483	2446	10847	Blank	= Blank, inapplicable
0	0	0	0	01	= NONE
0	0	0	0	02	= OFFICE USE ONLY
0	0	0	0	03	= BIRTH CONTROL PILLS
0	0	0	0	04	= CONDOM
0	0	0	0	05	= PARTNER'S VASECTOMY
0	0	0	0	06	= DIAPHRAGM
0	0	0	0	07	= FOAM
0	0	0	0	08	= JELLY OR CREAM
0	0	0	0	09	= CERVICAL CAP
0	0	0	0	10	= SUPPOSITORY, INSERT
0	0	0	0	11	= TODAY (TM) SPONGE
0	0	0	0	12	= FEMALE CONDOM, VAGINAL POUCH
0	0	0	0	13	= IUD, COIL, LOOP
0	0	0	0	14	= NORPLANT (TM)
0	0	0	0	15	= DEPO-PROVERA, INJECTABLES
0	0	0	0	16	= MORNING AFTER PILLS
0	0	0	0	17	= RHYTHM OR SAFE PERIOD BY CALENDAR
0	0	0	0	18	= SAFE PERIOD BY TEMP, CERVICAL MUCUS TEST,

1995 NATIONAL SURVEY OF FAMILY GROWTH
 File Documentation
 Respondent File (Section E Questionnaire Items)

VARIABLE NAME	COLUMN LOCATION	NON-HISPANIC			TOTAL	QX	TEXT AND CODE CATEGORIES
		HISP	WHITE	BLACK			
		0	0	0	0	19	NFP
		0	0	0	0	20	= WITHDRAWAL
		0	0	0	0	21	= RESPONDENT STERILE
							= PARTNER STERILE (NOT ON CARD)
		0	0	0	0	22	= OTHER METHOD-NOT SHOWN SEPARATELY
		0	0	0	0	97	= Not Ascertained
		0	0	0	0	98	= Refused
		0	0	0	0	99	= Don't Know

1995 NATIONAL SURVEY OF FAMILY GROWTH
 File Documentation
 Respondent File (Section E Questionnaire Items)

VARIABLE	COLUMN	NON-HISPANIC				
NAME	LOCATION	HISP	WHITE	BLACK	TOTAL	QX TEXT AND CODE CATEGORIES

[MTHUS107] 7239-7240

During that month, which (of those/other) methods, if any, did you use at the same time? (4th METHOD MENTIONED, 3rd COMBINATION, MC9)

Inapplicable:
 R said no, don't know or refused to all birth control methods in EA series (computed variable EVERUSED = 2); R never had sex as of this month and never used a birth control method as of this month but ever used one or more birth control methods in EA series (WNFSTSEX GE 1093 and DATFIRSM GE 1093 and computed variable EVERUSED = 1); R did not use multiple methods in the month; or R used only 2 methods in the month; or R reported fewer than 3 BC method combinations; or R reported using fewer than 4 BC methods for this combination in this month of the method calendar.

1553	6483	2446	10847	Blank	= Blank, inapplicable
0	0	0	0	01	= NONE
0	0	0	0	02	= OFFICE USE ONLY
0	0	0	0	03	= BIRTH CONTROL PILLS
0	0	0	0	04	= CONDOM
0	0	0	0	05	= PARTNER'S VASECTOMY
0	0	0	0	06	= DIAPHRAGM
0	0	0	0	07	= FOAM
0	0	0	0	08	= JELLY OR CREAM
0	0	0	0	09	= CERVICAL CAP
0	0	0	0	10	= SUPPOSITORY, INSERT
0	0	0	0	11	= TODAY (TM) SPONGE
0	0	0	0	12	= FEMALE CONDOM, VAGINAL POUCH
0	0	0	0	13	= IUD, COIL, LOOP
0	0	0	0	14	= NORPLANT (TM)
0	0	0	0	15	= DEPO-PROVERA, INJECTABLES
0	0	0	0	16	= MORNING AFTER PILLS
0	0	0	0	17	= RHYTHM OR SAFE PERIOD BY CALENDAR
0	0	0	0	18	= SAFE PERIOD BY TEMP, CERVICAL MUCUS TEST,

(3468)

1995 NATIONAL SURVEY OF FAMILY GROWTH
 File Documentation
 Respondent File (Section E Questionnaire Items)

VARIABLE NAME	COLUMN LOCATION	NON-HISPANIC			TOTAL	QX	TEXT AND CODE CATEGORIES
		HISP	WHITE	BLACK			
		0	0	0	0	19	NFP
		0	0	0	0	20	= WITHDRAWAL
		0	0	0	0	21	= RESPONDENT STERILE
							= PARTNER STERILE (NOT ON CARD)
		0	0	0	0	22	= OTHER METHOD-NOT SHOWN SEPARATELY
		0	0	0	0	97	= Not Ascertained
		0	0	0	0	98	= Refused
		0	0	0	0	99	= Don't Know

1995 NATIONAL SURVEY OF FAMILY GROWTH
 File Documentation
 Respondent File (Section E Questionnaire Items)

VARIABLE NAME	COLUMN LOCATION	NON-HISPANIC			QX TEXT AND CODE CATEGORIES
		HISP	WHITE	BLACK TOTAL	
[METHH036]	7241-7242				ENTER METHOD (FIRST MENTIONED) USED IN OCTOBER 1991: (MC10)
					Inapplicable: R never had sex as of this month and never used a birth control method as of this month but ever used one or more birth control methods in EA series (WNFSTSEX GE 1093 and DATFIRSM GE 1093 and computed variable EVERUSED = 1); R never had sex and said no, don't know or refused to all birth control methods in EA series (computed variable RHADSEX coded 2,7,8 or 9 and computed variable EVERUSED = 2); R said no, don't know or refused to all birth control methods in EA series (computed variable EVERUSED = 2).
		397	1161	389 2069	Blank = Blank, inapplicable
		333	1223	584 2196	01 = NO METHODS USED
		0	0	0 0	02 = SAME AS PREVIOUS MONTH
		273	1379	481 2175	03 = BIRTH CONTROL PILLS
		163	777	348 1346	04 = CONDOM
		21	293	8 330	05 = PARTNER'S VASECTOMY
		7	126	13 149	06 = DIAPHRAGM
		3	24	2 31	07 = FOAM
		1	9	1 11	08 = JELLY OR CREAM
		0	3	0 3	09 = CERVICAL CAP
		2	19	10 33	10 = SUPPOSITORY, INSERT
		3	32	8 43	11 = TODAY (TM) SPONGE
		0	0	0 0	12 = FEMALE CONDOM, VAGINAL POUCH
		18	35	18 74	13 = IUD, COIL, LOOP
		5	15	15 35	14 = NORPLANT (TM)
		7	7	5 19	15 = DEPO-PROVERA, INJECTABLES
		0	0	0 0	16 = MORNING AFTER PILLS
		30	109	19 170	17 = RHYTHM OR SAFE PERIOD BY CALENDAR
		1	17	0 18	18 = SAFE PERIOD BY TEMP, CERVICAL MUCUS TEST, NFP
		34	120	22 185	19 = WITHDRAWAL
		236	973	507 1760	20 = RESPONDENT STERILE

(3470)

1995 NATIONAL SURVEY OF FAMILY GROWTH
 File Documentation
 Respondent File (Section E Questionnaire Items)

VARIABLE NAME	COLUMN LOCATION	NON-HISPANIC			TOTAL	QX	TEXT AND CODE CATEGORIES
		HISP	WHITE	BLACK			
		17	149	9	178	21	= PARTNER STERILE (NOT ON CARD)
		2	3	3	8	22	= OTHER METHOD-NOT SHOWN SEPARATELY
		0	0	0	0	55	= SAME METHODS USED THROUGH END OF YEAR
		0	1	2	3	97	= Not Ascertained
		0	4	2	6	98	= Refused
		0	4	0	5	99	= Don't Know

1995 NATIONAL SURVEY OF FAMILY GROWTH
 File Documentation
 Respondent File (Section E Questionnaire Items)

VARIABLE NAME	COLUMN LOCATION	NON-HISPANIC			QX TEXT AND CODE CATEGORIES	
		HISP	WHITE	BLACK	TOTAL	
[METHH037]	7243-7244					ENTER METHOD (SECOND MENTIONED) USED IN OCTOBER 1991: (MC10)

Inapplicable:
 R never had sex as of this month and never used a birth control method as of this month but ever used one or more birth control methods in EA series (WNFSTSEX GE 1093 and DATFIRSM GE 1093 and computed variable EVERUSED = 1); R never had sex and said no, don't know or refused to all birth control methods in EA series (computed variable RHADSEX coded 2,7,8 or 9 and computed variable EVERUSED = 2); R said no, don't know or refused to all birth control methods in EA series (computed variable EVERUSED = 2); R used fewer than 2 methods in month.

1484	6095	2283	10203	Blank	= Blank, inapplicable
0	0	0	0	01	= NO METHODS USED
0	0	0	0	02	= SAME AS PREVIOUS MONTH
1	7	4	12	03	= BIRTH CONTROL PILLS
23	133	85	246	04	= CONDOM
0	6	2	8	05	= PARTNER'S VASECTOMY
2	10	6	18	06	= DIAPHRAGM
7	25	13	46	07	= FOAM
2	14	6	22	08	= JELLY OR CREAM
0	0	0	0	09	= CERVICAL CAP
5	6	7	19	10	= SUPPOSITORY, INSERT
2	13	5	20	11	= TODAY (TM) SPONGE
0	0	0	0	12	= FEMALE CONDOM, VAGINAL POUCH
0	0	0	0	13	= IUD, COIL, LOOP
0	0	1	1	14	= NORPLANT (TM)
0	1	0	1	15	= DEPO-PROVERA, INJECTABLES
0	0	0	0	16	= MORNING AFTER PILLS
9	51	5	73	17	= RHYTHM OR SAFE PERIOD BY CALENDAR
0	6	1	8	18	= SAFE PERIOD BY TEMP, CERVICAL MUCUS TEST, NFP
18	93	16	133	19	= WITHDRAWAL

(3472)

1995 NATIONAL SURVEY OF FAMILY GROWTH
 File Documentation
 Respondent File (Section E Questionnaire Items)

VARIABLE NAME	COLUMN LOCATION	NON-HISPANIC			TOTAL	QX	TEXT AND CODE CATEGORIES
		HISP	WHITE	BLACK			
		0	7	8	15	20	= RESPONDENT STERILE
		0	7	0	8	21	= PARTNER STERILE (NOT ON CARD)
		0	0	0	0	22	= OTHER METHOD-NOT SHOWN SEPARATELY
		0	0	0	0	55	= SAME METHODS USED THROUGH END OF YEAR
		0	1	2	3	97	= Not Ascertained
		0	4	2	6	98	= Refused
		0	4	0	5	99	= Don't Know

1995 NATIONAL SURVEY OF FAMILY GROWTH
 File Documentation
 Respondent File (Section E Questionnaire Items)

VARIABLE COLUMN NON-HISPANIC
 NAME LOCATION HISP WHITE BLACK TOTAL QX TEXT AND CODE CATEGORIES

[METHH038] 7245-7246

ENTER METHOD (THIRD MENTIONED) USED
 IN OCTOBER 1991: (MC10)

Inapplicable:

R never had sex as of this month and never used a birth control method as of this month but ever used one or more birth control methods in EA series (WNFSTSEX GE 1093 and DATFIRSM GE 1093 and computed variable EVERUSED = 1); R never had sex and said no, don't know or refused to all birth control methods in EA series (computed variable RHADSEX coded 2,7,8 or 9 and computed variable EVERUSED = 2); R said no, don't know or refused to all birth control methods in EA series (computed variable EVERUSED = 2); R used fewer than 3 methods in month.

1539	6425	2420	10742	Blank	= Blank, inapplicable
0	0	0	0	01	= NO METHODS USED
0	0	0	0	02	= SAME AS PREVIOUS MONTH
0	1	0	1	03	= BIRTH CONTROL PILLS
2	2	0	4	04	= CONDOM
1	0	0	1	05	= PARTNER'S VASECTOMY
0	0	0	0	06	= DIAPHRAGM
3	2	3	8	07	= FOAM
0	2	0	2	08	= JELLY OR CREAM
0	0	0	0	09	= CERVICAL CAP
1	4	0	5	10	= SUPPOSITORY, INSERT
1	5	2	9	11	= TODAY (TM) SPONGE
1	0	0	1	12	= FEMALE CONDOM, VAGINAL POUCH
0	0	0	0	13	= IUD, COIL, LOOP
0	0	0	0	14	= NORPLANT (TM)
0	0	0	0	15	= DEPO-PROVERA, INJECTABLES
0	1	0	1	16	= MORNING AFTER PILLS
2	7	1	10	17	= RHYTHM OR SAFE PERIOD BY CALENDAR
0	1	0	2	18	= SAFE PERIOD BY TEMP, CERVICAL MUCUS TEST, NFP
2	19	2	26	19	= WITHDRAWAL

(3474)

1995 NATIONAL SURVEY OF FAMILY GROWTH
 File Documentation
 Respondent File (Section E Questionnaire Items)

VARIABLE NAME	COLUMN LOCATION	NON-HISPANIC			TOTAL	QX	TEXT AND CODE CATEGORIES
		HISP	WHITE	BLACK			
		1	5	14	20	20	= RESPONDENT STERILE
		0	0	0	0	21	= PARTNER STERILE (NOT ON CARD)
		0	0	0	1	22	= OTHER METHOD-NOT SHOWN SEPARATELY
		0	0	0	0	55	= SAME METHODS USED THROUGH END OF YEAR
		0	1	2	3	97	= Not Ascertained
		0	4	2	6	98	= Refused
		0	4	0	5	99	= Don't Know

1995 NATIONAL SURVEY OF FAMILY GROWTH
 File Documentation
 Respondent File (Section E Questionnaire Items)

VARIABLE	COLUMN	NON-HISPANIC			QX TEXT AND CODE CATEGORIES	
NAME	LOCATION	HISP	WHITE	BLACK	TOTAL	
[METHH039]	7247-7248					ENTER METHOD (FOURTH MENTIONED) USED IN OCTOBER 1991: (MC10)

Inapplicable:
 R never had sex as of this month and never used a birth control method as of this month but ever used one or more birth control methods in EA series (WNFSTSEX GE 1093 and DATFIRSM GE 1093 and computed variable EVERUSED = 1); R never had sex and said no, don't know or refused to all birth control methods in EA series (computed variable RHADSEX coded 2,7,8 or 9 and computed variable EVERUSED = 2); R said no, don't know or refused to all birth control methods in EA series (computed variable EVERUSED = 2); R used fewer than 4 methods in month.

1553	6469	2441	10826	Blank	= Blank, inapplicable
0	0	0	0	01	= NO METHODS USED
0	0	0	0	02	= SAME AS PREVIOUS MONTH
0	0	0	0	03	= BIRTH CONTROL PILLS
0	1	0	1	04	= CONDOM
0	0	0	0	05	= PARTNER'S VASECTOMY
0	0	0	0	06	= DIAPHRAGM
0	0	0	0	07	= FOAM
0	0	0	0	08	= JELLY OR CREAM
0	0	0	0	09	= CERVICAL CAP
0	0	0	0	10	= SUPPOSITORY, INSERT
0	1	0	1	11	= TODAY (TM) SPONGE
0	0	0	0	12	= FEMALE CONDOM, VAGINAL POUCH
0	0	0	0	13	= IUD, COIL, LOOP
0	0	0	0	14	= NORPLANT (TM)
0	0	0	0	15	= DEPO-PROVERA, INJECTABLES
0	0	0	0	16	= MORNING AFTER PILLS
0	2	0	3	17	= RHYTHM OR SAFE PERIOD BY CALENDAR
0	0	1	1	18	= SAFE PERIOD BY TEMP, CERVICAL MUCUS TEST, NFP
0	1	0	1	19	= WITHDRAWAL

(3476)

1995 NATIONAL SURVEY OF FAMILY GROWTH
 File Documentation
 Respondent File (Section E Questionnaire Items)

VARIABLE NAME	COLUMN LOCATION	NON-HISPANIC			TOTAL	QX	TEXT AND CODE CATEGORIES
		HISP	WHITE	BLACK			
		0	0	0	0	20	= RESPONDENT STERILE
		0	0	0	0	21	= PARTNER STERILE (NOT ON CARD)
		0	0	0	0	22	= OTHER METHOD-NOT SHOWN SEPARATELY
		0	0	0	0	55	= SAME METHODS USED THROUGH END OF YEAR
		0	1	2	3	97	= Not Ascertained
		0	4	2	6	98	= Refused
		0	4	0	5	99	= Don't Know

[SIMSEQ09] 7249-7249

Did you use those methods together,
 that is, at the same time, or did
 you use them at different times
 during the month? (MC10)

Inapplicable:

R never had sex as of this month and
 never used a birth control method as
 of this month but ever used one or
 more birth control methods in EA
 series (WNFSTSEX GE 1093 and
 DATFIRSM GE 1093 and computed
 variable EVERUSED = 1); R never had
 sex and said no, don't know or
 refused to all birth control methods
 in EA series (computed variable
 RHADSEX coded 2,7,8 or 9 and
 computed variable EVERUSED = 2); R
 said no, don't know or refused to
 all birth control methods in EA
 series (computed variable EVERUSED =
 2); R did not use multiple methods
 in the month; R used more than 2
 methods in the month.

1497	6148	2296	10289	Blank	= Blank, inapplicable
34	212	118	373	1	= SAME TIME
22	122	32	184	2	= DIFFERENT TIMES
0	0	0	0	7	= Not Ascertained
0	0	0	0	8	= Refused
0	1	0	1	9	= Don't Know

1995 NATIONAL SURVEY OF FAMILY GROWTH
 File Documentation
 Respondent File (Section E Questionnaire Items)

VARIABLE	COLUMN	NON-HISPANIC				QX TEXT AND CODE CATEGORIES
NAME	LOCATION	HISP	WHITE	BLACK		

[MTHUS108] 7250-7251

During that month, which (of those/other) methods, if any, did you use at the same time? (1st METHOD MENTIONED, 1st COMBINATION, MC10)

Inapplicable:
 R said no, don't know or refused to all birth control methods in EA series (computed variable EVERUSED = 2); R never had sex as of this month and never used a birth control method as of this month but ever used one or more birth control methods in EA series (WNFSTSEX GE 1093 and DATFIRSM GE 1093 and computed variable EVERUSED = 1); R did not use multiple methods in the month; or R used only 2 methods in the month.

1540	6439	2437	10775	Blank	= Blank, inapplicable
5	5	4	14	01	= NONE
0	0	0	0	02	= OFFICE USE ONLY
2	5	2	11	03	= BIRTH CONTROL PILLS
6	20	1	31	04	= CONDOM
0	0	0	0	05	= PARTNER'S VASECTOMY
0	3	0	3	06	= DIAPHRAGM
0	0	0	0	07	= FOAM
0	0	0	0	08	= JELLY OR CREAM
0	0	0	0	09	= CERVICAL CAP
0	0	0	0	10	= SUPPOSITORY, INSERT
0	2	0	2	11	= TODAY (TM) SPONGE
0	0	0	0	12	= FEMALE CONDOM, VAGINAL POUCH
0	0	0	0	13	= IUD, COIL, LOOP
0	0	0	0	14	= NORPLANT (TM)
0	0	0	0	15	= DEPO-PROVERA, INJECTABLES
0	0	0	0	16	= MORNING AFTER PILLS
0	7	0	7	17	= RHYTHM OR SAFE PERIOD BY CALENDAR
0	1	0	1	18	= SAFE PERIOD BY TEMP, CERVICAL MUCUS TEST, NFP
0	1	1	2	19	= WITHDRAWAL
0	0	1	1	20	= RESPONDENT STERILE
0	0	0	0	21	= PARTNER STERILE (NOT

(3478)

1995 NATIONAL SURVEY OF FAMILY GROWTH
 File Documentation
 Respondent File (Section E Questionnaire Items)

VARIABLE NAME	COLUMN LOCATION	NON-HISPANIC			TOTAL	QX	TEXT AND CODE CATEGORIES
		HISP	WHITE	BLACK			
		0	0	0	0	22	ON CARD) = OTHER METHOD-NOT SHOWN SEPARATELY
		0	0	0	0	97	= Not Ascertained
		0	0	0	0	98	= Refused
		0	0	0	0	99	= Don't Know

1995 NATIONAL SURVEY OF FAMILY GROWTH
 File Documentation
 Respondent File (Section E Questionnaire Items)

VARIABLE	COLUMN	NON-HISPANIC				QX TEXT AND CODE CATEGORIES
NAME	LOCATION	HISP	WHITE	BLACK		

[MTHUS109] 7252-7253

During that month, which (of those/other) methods, if any, did you use at the same time? (2nd METHOD MENTIONED, 1st COMBINATION, MC10)

Inapplicable:
 R said no, don't know or refused to all birth control methods in EA series (computed variable EVERUSED = 2); R never had sex as of this month and never used a birth control method as of this month but ever used one or more birth control methods in EA series (WNFSTSEX GE 1093 and DATFIRSM GE 1093 and computed variable EVERUSED = 1); R did not use multiple methods in the month; or R used only 2 methods in the month; or R reported using fewer than 2 BC methods for this combination in this month of the method calendar.

1545	6444	2441	10789	Blank	= Blank, inapplicable
0	0	0	0	01	= NONE
0	0	0	0	02	= OFFICE USE ONLY
0	0	0	0	03	= BIRTH CONTROL PILLS
2	7	3	13	04	= CONDOM
0	1	0	1	05	= PARTNER'S VASECTOMY
0	2	0	2	06	= DIAPHRAGM
2	3	0	5	07	= FOAM
1	1	1	3	08	= JELLY OR CREAM
0	0	0	0	09	= CERVICAL CAP
1	0	1	2	10	= SUPPOSITORY, INSERT
0	1	0	1	11	= TODAY (TM) SPONGE
0	0	0	0	12	= FEMALE CONDOM, VAGINAL POUCH
0	0	0	0	13	= IUD, COIL, LOOP
0	0	0	0	14	= NORPLANT (TM)
0	0	0	0	15	= DEPO-PROVERA, INJECTABLES
0	1	0	1	16	= MORNING AFTER PILLS
1	13	0	16	17	= RHYTHM OR SAFE PERIOD BY CALENDAR
0	0	0	0	18	= SAFE PERIOD BY TEMP, CERVICAL MUCUS TEST, NFP

1995 NATIONAL SURVEY OF FAMILY GROWTH
 File Documentation
 Respondent File (Section E Questionnaire Items)

VARIABLE NAME	COLUMN LOCATION	NON-HISPANIC			TOTAL	QX	TEXT AND CODE CATEGORIES
		HISP	WHITE	BLACK			
		1	10	0	14	19	= WITHDRAWAL
		0	0	0	0	20	= RESPONDENT STERILE
		0	0	0	0	21	= PARTNER STERILE (NOT ON CARD)
		0	0	0	0	22	= OTHER METHOD-NOT SHOWN SEPARATELY
		0	0	0	0	97	= Not Ascertained
		0	0	0	0	98	= Refused
		0	0	0	0	99	= Don't Know

1995 NATIONAL SURVEY OF FAMILY GROWTH
 File Documentation
 Respondent File (Section E Questionnaire Items)

VARIABLE COLUMN NON-HISPANIC
 NAME LOCATION HISP WHITE BLACK TOTAL QX TEXT AND CODE CATEGORIES

[MTHUS110] 7254-7255

During that month, which (of those/other) methods, if any, did you use at the same time? (3rd METHOD MENTIONED, 1st COMBINATION, MC10)

Inapplicable:
 R said no, don't know or refused to all birth control methods in EA series (computed variable EVERUSED = 2); R never had sex as of this month and never used a birth control method as of this month but ever used one or more birth control methods in EA series (WNFSTSEX GE 1093 and DATFIRSM GE 1093 and computed variable EVERUSED = 1); R did not use multiple methods in the month; or R used only 2 methods in the month; or R reported using fewer than 3 BC methods for this combination in this month of the method calendar.

1547	6463	2443	10817	Blank	= Blank, inapplicable
0	0	0	0	01	= NONE
0	0	0	0	02	= OFFICE USE ONLY
0	0	0	0	03	= BIRTH CONTROL PILLS
0	0	0	0	04	= CONDOM
1	0	0	1	05	= PARTNER'S VASECTOMY
0	0	0	0	06	= DIAPHRAGM
2	2	2	6	07	= FOAM
0	1	0	1	08	= JELLY OR CREAM
0	0	0	0	09	= CERVICAL CAP
0	1	0	1	10	= SUPPOSITORY, INSERT
1	2	0	3	11	= TODAY (TM) SPONGE
0	0	0	0	12	= FEMALE CONDOM, VAGINAL POUCH
0	0	0	0	13	= IUD, COIL, LOOP
0	0	0	0	14	= NORPLANT (TM)
0	0	0	0	15	= DEPO-PROVERA, INJECTABLES
0	0	0	0	16	= MORNING AFTER PILLS
2	5	1	8	17	= RHYTHM OR SAFE PERIOD BY CALENDAR
0	2	0	3	18	= SAFE PERIOD BY TEMP, CERVICAL MUCUS TEST, NFP

1995 NATIONAL SURVEY OF FAMILY GROWTH
 File Documentation
 Respondent File (Section E Questionnaire Items)

VARIABLE NAME	COLUMN LOCATION	NON-HISPANIC			TOTAL	QX	TEXT AND CODE CATEGORIES
		HISP	WHITE	BLACK			
		0	7	0	7	19	= WITHDRAWAL
		0	0	0	0	20	= RESPONDENT STERILE
		0	0	0	0	21	= PARTNER STERILE (NOT ON CARD)
		0	0	0	0	22	= OTHER METHOD-NOT SHOWN SEPARATELY
		0	0	0	0	97	= Not Ascertained
		0	0	0	0	98	= Refused
		0	0	0	0	99	= Don't Know

1995 NATIONAL SURVEY OF FAMILY GROWTH
 File Documentation
 Respondent File (Section E Questionnaire Items)

VARIABLE COLUMN NON-HISPANIC
 NAME LOCATION HISP WHITE BLACK TOTAL QX TEXT AND CODE CATEGORIES

[MTHUS111] 7256-7257

During that month, which (of those/other) methods, if any, did you use at the same time? (4th METHOD MENTIONED, 1st COMBINATION, MC10)

Inapplicable:
 R said no, don't know or refused to all birth control methods in EA series (computed variable EVERUSED = 2); R never had sex as of this month and never used a birth control method as of this month but ever used one or more birth control methods in EA series (WNFSTSEX GE 1093 and DATFIRSM GE 1093 and computed variable EVERUSED = 1); R did not use multiple methods in the month; or R used only 2 methods in the month; or R reported using fewer than 4 BC methods for this combination in this month of the method calendar.

	1553	6482	2445	10845	Blank	
	0	0	0	0	01	= Blank, inapplicable
	0	0	0	0	02	= NONE
	0	0	0	0	03	= OFFICE USE ONLY
	0	1	0	1	04	= BIRTH CONTROL PILLS
	0	0	0	0	05	= CONDOM
	0	0	0	0	06	= PARTNER'S VASECTOMY
	0	0	0	0	07	= DIAPHRAGM
	0	0	0	0	08	= FOAM
	0	0	0	0	09	= JELLY OR CREAM
	0	0	0	0	10	= CERVICAL CAP
	0	0	0	0	11	= SUPPOSITORY, INSERT
	0	0	0	0	12	= TODAY (TM) SPONGE
	0	0	0	0	13	= FEMALE CONDOM, VAGINAL POUCH
	0	0	0	0	14	= IUD, COIL, LOOP
	0	0	0	0	15	= NORPLANT (TM)
	0	0	0	0	16	= DEPO-PROVERA, INJECTABLES
	0	0	0	0	17	= MORNING AFTER PILLS
	0	0	0	0	18	= RHYTHM OR SAFE PERIOD BY CALENDAR
	0	0	1	1	18	= SAFE PERIOD BY TEMP, CERVICAL MUCUS TEST, NFP

(3484)

1995 NATIONAL SURVEY OF FAMILY GROWTH
 File Documentation
 Respondent File (Section E Questionnaire Items)

VARIABLE NAME	COLUMN LOCATION	NON-HISPANIC			TOTAL	QX	TEXT AND CODE CATEGORIES
		HISP	WHITE	BLACK			
		0	0	0	0	19	= WITHDRAWAL
		0	0	0	0	20	= RESPONDENT STERILE
		0	0	0	0	21	= PARTNER STERILE (NOT ON CARD)
		0	0	0	0	22	= OTHER METHOD-NOT SHOWN SEPARATELY
		0	0	0	0	97	= Not Ascertained
		0	0	0	0	98	= Refused
		0	0	0	0	99	= Don't Know

1995 NATIONAL SURVEY OF FAMILY GROWTH
 File Documentation
 Respondent File (Section E Questionnaire Items)

VARIABLE COLUMN NON-HISPANIC
 NAME LOCATION HISP WHITE BLACK TOTAL QX TEXT AND CODE CATEGORIES

[MTHUS112] 7258-7259

During that month, which (of those/other) methods, if any, did you use at the same time? (1st METHOD MENTIONED, 2nd COMBINATION, MC10)

Inapplicable:
 R said no, don't know or refused to all birth control methods in EA series (computed variable EVERUSED = 2); R never had sex as of this month and never used a birth control method as of this month but ever used one or more birth control methods in EA series (WNFSTSEX GE 1093 and DATFIRSM GE 1093 and computed variable EVERUSED = 1); R did not use multiple methods in the month; or R used only 2 methods in the month; or R reported fewer than 2 BC method combinations.

	1545	6444	2441	10789	Blank	
	5	27	2	38	01	= Blank, inapplicable
	0	0	0	0	02	= NONE
	1	2	1	4	03	= OFFICE USE ONLY
	0	5	0	6	04	= BIRTH CONTROL PILLS
	0	0	0	0	05	= CONDOM
	0	0	0	0	06	= PARTNER'S VASECTOMY
	2	1	0	3	07	= DIAPHRAGM
	0	0	0	0	08	= FOAM
	0	0	0	0	09	= JELLY OR CREAM
	0	0	0	0	10	= CERVICAL CAP
	0	0	0	0	10	= SUPPOSITORY, INSERT
	0	0	0	1	11	= TODAY (TM) SPONGE
	0	0	0	0	12	= FEMALE CONDOM, VAGINAL POUCH
	0	0	0	0	13	= IUD, COIL, LOOP
	0	0	0	0	14	= NORPLANT (TM)
	0	0	0	0	15	= DEPO-PROVERA, INJECTABLES
	0	0	0	0	16	= MORNING AFTER PILLS
	0	3	0	3	17	= RHYTHM OR SAFE PERIOD BY CALENDAR
	0	0	0	0	18	= SAFE PERIOD BY TEMP, CERVICAL MUCUS TEST, NFP
	0	1	1	2	19	= WITHDRAWAL
	0	0	1	1	20	= RESPONDENT STERILE

(3486)

1995 NATIONAL SURVEY OF FAMILY GROWTH
 File Documentation
 Respondent File (Section E Questionnaire Items)

VARIABLE NAME	COLUMN LOCATION	NON-HISPANIC			QX	TEXT AND CODE CATEGORIES
		HISP	WHITE	BLACK		
		0	0	0	0	21 = PARTNER STERILE (NOT ON CARD)
		0	0	0	0	22 = OTHER METHOD-NOT SHOWN SEPARATELY
		0	0	0	0	97 = Not Ascertained
		0	0	0	0	98 = Refused
		0	0	0	0	99 = Don't Know

1995 NATIONAL SURVEY OF FAMILY GROWTH
 File Documentation
 Respondent File (Section E Questionnaire Items)

VARIABLE COLUMN NON-HISPANIC
 NAME LOCATION HISP WHITE BLACK TOTAL QX TEXT AND CODE CATEGORIES

[MTHUS113] 7260-7261

During that month, which (of those/other) methods, if any, did you use at the same time? (2nd METHOD MENTIONED, 2nd COMBINATION, MC10)

Inapplicable:
 R said no, don't know or refused to all birth control methods in EA series (computed variable EVERUSED = 2); R never had sex as of this month and never used a birth control method as of this month but ever used one or more birth control methods in EA series (WNFSTSEX GE 1093 and DATFIRSM GE 1093 and computed variable EVERUSED = 1); R did not use multiple methods in the month; or R used only 2 methods in the month; or R reported fewer than 2 BC method combinations; or R reported using fewer than 2 BC methods for this combination in this month of the method calendar.

1551	6473	2443	10830	Blank	
0	0	0	0	0	01 = Blank, inapplicable
0	0	0	0	0	02 = NONE
1	0	0	2	0	03 = OFFICE USE ONLY
1	1	1	3	0	04 = BIRTH CONTROL PILLS
0	1	0	1	0	05 = CONDOM
0	0	0	0	0	06 = PARTNER'S VASECTOMY
0	1	0	1	0	07 = DIAPHRAGM
0	0	0	0	0	08 = FOAM
0	0	0	0	0	09 = JELLY OR CREAM
0	0	1	1	0	10 = CERVICAL CAP
0	1	0	1	0	11 = SUPPOSITORY, INSERT
0	0	0	0	0	12 = TODAY (TM) SPONGE
0	0	0	0	0	13 = FEMALE CONDOM, VAGINAL POUCH
0	0	0	0	0	14 = IUD, COIL, LOOP
0	0	0	0	0	15 = NORPLANT (TM)
0	0	0	0	0	16 = DEPO-PROVERA, INJECTABLES
0	3	0	4	0	17 = MORNING AFTER PILLS
0	0	0	0	0	18 = RHYTHM OR SAFE PERIOD BY CALENDAR
					= SAFE PERIOD BY TEMP, CERVICAL MUCUS TEST,

1995 NATIONAL SURVEY OF FAMILY GROWTH
 File Documentation
 Respondent File (Section E Questionnaire Items)

VARIABLE NAME	COLUMN LOCATION	NON-HISPANIC			TOTAL	QX	TEXT AND CODE CATEGORIES
		HISP	WHITE	BLACK			
		0	3	1	4	19	NFP
		0	0	0	0	20	= WITHDRAWAL
		0	0	0	0	21	= RESPONDENT STERILE
							= PARTNER STERILE (NOT ON CARD)
		0	0	0	0	22	= OTHER METHOD-NOT SHOWN SEPARATELY
		0	0	0	0	97	= Not Ascertained
		0	0	0	0	98	= Refused
		0	0	0	0	99	= Don't Know

1995 NATIONAL SURVEY OF FAMILY GROWTH
 File Documentation
 Respondent File (Section E Questionnaire Items)

VARIABLE COLUMN NON-HISPANIC
 NAME LOCATION HISP WHITE BLACK TOTAL QX TEXT AND CODE CATEGORIES

[MTHUS114] 7262-7263

During that month, which (of those/other) methods, if any, did you use at the same time? (3rd METHOD MENTIONED, 2nd COMBINATION, MC10)

Inapplicable:
 R said no, don't know or refused to all birth control methods in EA series (computed variable EVERUSED = 2); R never had sex as of this month and never used a birth control method as of this month but ever used one or more birth control methods in EA series (WNFSTSEX GE 1093 and DATFIRSM GE 1093 and computed variable EVERUSED = 1); R did not use multiple methods in the month; or R used only 2 methods in the month; or R reported fewer than 2 BC method combinations; or R reported using fewer than 3 BC methods for this combination in this month of the method calendar.

1552	6481	2446	10843	Blank	= Blank, inapplicable
0	0	0	0	01	= NONE
0	0	0	0	02	= OFFICE USE ONLY
0	0	0	0	03	= BIRTH CONTROL PILLS
0	0	0	0	04	= CONDOM
0	0	0	0	05	= PARTNER'S VASECTOMY
0	0	0	0	06	= DIAPHRAGM
0	0	0	0	07	= FOAM
0	1	0	1	08	= JELLY OR CREAM
0	0	0	0	09	= CERVICAL CAP
0	0	0	0	10	= SUPPOSITORY, INSERT
0	0	0	0	11	= TODAY (TM) SPONGE
0	0	0	0	12	= FEMALE CONDOM, VAGINAL POUCH
0	0	0	0	13	= IUD, COIL, LOOP
0	0	0	0	14	= NORPLANT (TM)
0	0	0	0	15	= DEPO-PROVERA, INJECTABLES
0	0	0	0	16	= MORNING AFTER PILLS
1	0	0	1	17	= RHYTHM OR SAFE PERIOD BY CALENDAR
0	0	0	1	18	= SAFE PERIOD BY TEMP, CERVICAL MUCUS TEST,

(3490)

1995 NATIONAL SURVEY OF FAMILY GROWTH
 File Documentation
 Respondent File (Section E Questionnaire Items)

VARIABLE NAME	COLUMN LOCATION	NON-HISPANIC			TOTAL	QX	TEXT AND CODE CATEGORIES
		HISP	WHITE	BLACK			
		0	1	0	1	19	NFP = WITHDRAWAL
		0	0	0	0	20	= RESPONDENT STERILE
		0	0	0	0	21	= PARTNER STERILE (NOT ON CARD)
		0	0	0	0	22	= OTHER METHOD-NOT SHOWN SEPARATELY
		0	0	0	0	97	= Not Ascertained
		0	0	0	0	98	= Refused
		0	0	0	0	99	= Don't Know

1995 NATIONAL SURVEY OF FAMILY GROWTH
 File Documentation
 Respondent File (Section E Questionnaire Items)

VARIABLE	COLUMN	NON-HISPANIC				QX TEXT AND CODE CATEGORIES
NAME	LOCATION	HISP	WHITE	BLACK		

[MTHUS115] 7264-7265

During that month, which (of those/other) methods, if any, did you use at the same time? (4th METHOD MENTIONED, 2nd COMBINATION, MC10)

Inapplicable:
 R said no, don't know or refused to all birth control methods in EA series (computed variable EVERUSED = 2); R never had sex as of this month and never used a birth control method as of this month but ever used one or more birth control methods in EA series (WNFSTSEX GE 1093 and DATFIRSM GE 1093 and computed variable EVERUSED = 1); R did not use multiple methods in the month; or R used only 2 methods in the month; or R reported fewer than 2 BC method combinations; or R reported using fewer than 4 BC methods for this combination in this month of the method calendar.

1553	6483	2446	10847	Blank	= Blank, inapplicable
0	0	0	0	01	= NONE
0	0	0	0	02	= OFFICE USE ONLY
0	0	0	0	03	= BIRTH CONTROL PILLS
0	0	0	0	04	= CONDOM
0	0	0	0	05	= PARTNER'S VASECTOMY
0	0	0	0	06	= DIAPHRAGM
0	0	0	0	07	= FOAM
0	0	0	0	08	= JELLY OR CREAM
0	0	0	0	09	= CERVICAL CAP
0	0	0	0	10	= SUPPOSITORY, INSERT
0	0	0	0	11	= TODAY (TM) SPONGE
0	0	0	0	12	= FEMALE CONDOM, VAGINAL POUCH
0	0	0	0	13	= IUD, COIL, LOOP
0	0	0	0	14	= NORPLANT (TM)
0	0	0	0	15	= DEPO-PROVERA, INJECTABLES
0	0	0	0	16	= MORNING AFTER PILLS
0	0	0	0	17	= RHYTHM OR SAFE PERIOD BY CALENDAR
0	0	0	0	18	= SAFE PERIOD BY TEMP, CERVICAL MUCUS TEST,

1995 NATIONAL SURVEY OF FAMILY GROWTH
 File Documentation
 Respondent File (Section E Questionnaire Items)

VARIABLE NAME	COLUMN LOCATION	NON-HISPANIC			TOTAL	QX	TEXT AND CODE CATEGORIES
		HISP	WHITE	BLACK			
		0	0	0	0	19	NFP
		0	0	0	0	20	= WITHDRAWAL
		0	0	0	0	21	= RESPONDENT STERILE
							= PARTNER STERILE (NOT ON CARD)
		0	0	0	0	22	= OTHER METHOD-NOT SHOWN SEPARATELY
		0	0	0	0	97	= Not Ascertained
		0	0	0	0	98	= Refused
		0	0	0	0	99	= Don't Know

1995 NATIONAL SURVEY OF FAMILY GROWTH
 File Documentation
 Respondent File (Section E Questionnaire Items)

VARIABLE	COLUMN	NON-HISPANIC			QX TEXT AND CODE CATEGORIES
NAME	LOCATION	HISP	WHITE	BLACK	TOTAL

[MTHUS116] 7266-7267

During that month, which (of those/other) methods, if any, did you use at the same time? (1st METHOD MENTIONED, 3rd COMBINATION, MC10)

Inapplicable:
 R said no, don't know or refused to all birth control methods in EA series (computed variable EVERUSED = 2); R never had sex as of this month and never used a birth control method as of this month but ever used one or more birth control methods in EA series (WNFSTSEX GE 1093 and DATFIRSM GE 1093 and computed variable EVERUSED = 1); R did not use multiple methods in the month; or R used only 2 methods in the month; or R reported fewer than 3 BC method combinations.

1553	6482	2446	10846	Blank	= Blank, inapplicable
0	0	0	0	0	01 = NONE
0	0	0	0	0	02 = OFFICE USE ONLY
0	0	0	0	0	03 = BIRTH CONTROL PILLS
0	1	0	1	0	04 = CONDOM
0	0	0	0	0	05 = PARTNER'S VASECTOMY
0	0	0	0	0	06 = DIAPHRAGM
0	0	0	0	0	07 = FOAM
0	0	0	0	0	08 = JELLY OR CREAM
0	0	0	0	0	09 = CERVICAL CAP
0	0	0	0	0	10 = SUPPOSITORY, INSERT
0	0	0	0	0	11 = TODAY (TM) SPONGE
0	0	0	0	0	12 = FEMALE CONDOM, VAGINAL POUCH
0	0	0	0	0	13 = IUD, COIL, LOOP
0	0	0	0	0	14 = NORPLANT (TM)
0	0	0	0	0	15 = DEPO-PROVERA, INJECTABLES
0	0	0	0	0	16 = MORNING AFTER PILLS
0	0	0	0	0	17 = RHYTHM OR SAFE PERIOD BY CALENDAR
0	0	0	0	0	18 = SAFE PERIOD BY TEMP, CERVICAL MUCUS TEST, NFP
0	0	0	0	0	19 = WITHDRAWAL
0	0	0	0	0	20 = RESPONDENT STERILE

(3494)

1995 NATIONAL SURVEY OF FAMILY GROWTH
 File Documentation
 Respondent File (Section E Questionnaire Items)

VARIABLE NAME	COLUMN LOCATION	NON-HISPANIC			QX	TEXT AND CODE CATEGORIES
		HISP	WHITE	BLACK		
		0	0	0	0	21 = PARTNER STERILE (NOT ON CARD)
		0	0	0	0	22 = OTHER METHOD-NOT SHOWN SEPARATELY
		0	0	0	0	97 = Not Ascertained
		0	0	0	0	98 = Refused
		0	0	0	0	99 = Don't Know

1995 NATIONAL SURVEY OF FAMILY GROWTH
 File Documentation
 Respondent File (Section E Questionnaire Items)

VARIABLE	COLUMN	NON-HISPANIC				QX TEXT AND CODE CATEGORIES
NAME	LOCATION	HISP	WHITE	BLACK		

[MTHUS117] 7268-7269

During that month, which (of those/other) methods, if any, did you use at the same time? (2nd METHOD MENTIONED, 3rd COMBINATION, MC10)

Inapplicable:
 R said no, don't know or refused to all birth control methods in EA series (computed variable EVERUSED = 2); R never had sex as of this month and never used a birth control method as of this month but ever used one or more birth control methods in EA series (WNFSTSEX GE 1093 and DATFIRSM GE 1093 and computed variable EVERUSED = 1); R did not use multiple methods in the month; or R used only 2 methods in the month; or R reported fewer than 3 BC method combinations; or R reported using fewer than 2 BC methods for this combination in this month of the method calendar.

1553	6482	2446	10846	Blank	= Blank, inapplicable
0	0	0	0	01	= NONE
0	0	0	0	02	= OFFICE USE ONLY
0	0	0	0	03	= BIRTH CONTROL PILLS
0	0	0	0	04	= CONDOM
0	0	0	0	05	= PARTNER'S VASECTOMY
0	0	0	0	06	= DIAPHRAGM
0	0	0	0	07	= FOAM
0	0	0	0	08	= JELLY OR CREAM
0	0	0	0	09	= CERVICAL CAP
0	0	0	0	10	= SUPPOSITORY, INSERT
0	0	0	0	11	= TODAY (TM) SPONGE
0	0	0	0	12	= FEMALE CONDOM, VAGINAL POUCH
0	0	0	0	13	= IUD, COIL, LOOP
0	0	0	0	14	= NORPLANT (TM)
0	0	0	0	15	= DEPO-PROVERA, INJECTABLES
0	0	0	0	16	= MORNING AFTER PILLS
0	1	0	1	17	= RHYTHM OR SAFE PERIOD BY CALENDAR
0	0	0	0	18	= SAFE PERIOD BY TEMP, CERVICAL MUCUS TEST,

1995 NATIONAL SURVEY OF FAMILY GROWTH
 File Documentation
 Respondent File (Section E Questionnaire Items)

VARIABLE NAME	COLUMN LOCATION	NON-HISPANIC			TOTAL	QX	TEXT AND CODE CATEGORIES
		HISP	WHITE	BLACK			
		0	0	0	0	19	NFP
		0	0	0	0	20	= WITHDRAWAL
		0	0	0	0	21	= RESPONDENT STERILE
							= PARTNER STERILE (NOT ON CARD)
		0	0	0	0	22	= OTHER METHOD-NOT SHOWN SEPARATELY
		0	0	0	0	97	= Not Ascertained
		0	0	0	0	98	= Refused
		0	0	0	0	99	= Don't Know

1995 NATIONAL SURVEY OF FAMILY GROWTH
 File Documentation
 Respondent File (Section E Questionnaire Items)

VARIABLE COLUMN NON-HISPANIC
 NAME LOCATION HISP WHITE BLACK TOTAL QX TEXT AND CODE CATEGORIES

[MTHUS118] 7270-7271

During that month, which (of those/other) methods, if any, did you use at the same time? (3rd METHOD MENTIONED, 3rd COMBINATION, MC10)

Inapplicable:
 R said no, don't know or refused to all birth control methods in EA series (computed variable EVERUSED = 2); R never had sex as of this month and never used a birth control method as of this month but ever used one or more birth control methods in EA series (WNFSTSEX GE 1093 and DATFIRSM GE 1093 and computed variable EVERUSED = 1); R did not use multiple methods in the month; or R used only 2 methods in the month; or R reported fewer than 3 BC method combinations; or R reported using fewer than 3 BC methods for this combination in this month of the method calendar.

1553	6483	2446	10847	Blank	= Blank, inapplicable
0	0	0	0	01	= NONE
0	0	0	0	02	= OFFICE USE ONLY
0	0	0	0	03	= BIRTH CONTROL PILLS
0	0	0	0	04	= CONDOM
0	0	0	0	05	= PARTNER'S VASECTOMY
0	0	0	0	06	= DIAPHRAGM
0	0	0	0	07	= FOAM
0	0	0	0	08	= JELLY OR CREAM
0	0	0	0	09	= CERVICAL CAP
0	0	0	0	10	= SUPPOSITORY, INSERT
0	0	0	0	11	= TODAY (TM) SPONGE
0	0	0	0	12	= FEMALE CONDOM, VAGINAL POUCH
0	0	0	0	13	= IUD, COIL, LOOP
0	0	0	0	14	= NORPLANT (TM)
0	0	0	0	15	= DEPO-PROVERA, INJECTABLES
0	0	0	0	16	= MORNING AFTER PILLS
0	0	0	0	17	= RHYTHM OR SAFE PERIOD BY CALENDAR
0	0	0	0	18	= SAFE PERIOD BY TEMP, CERVICAL MUCUS TEST,

1995 NATIONAL SURVEY OF FAMILY GROWTH
 File Documentation
 Respondent File (Section E Questionnaire Items)

VARIABLE NAME	COLUMN LOCATION	NON-HISPANIC			TOTAL	QX	TEXT AND CODE CATEGORIES
		HISP	WHITE	BLACK			
		0	0	0	0	19	NFP
		0	0	0	0	20	= WITHDRAWAL
		0	0	0	0	21	= RESPONDENT STERILE
							= PARTNER STERILE (NOT ON CARD)
		0	0	0	0	22	= OTHER METHOD-NOT SHOWN SEPARATELY
		0	0	0	0	97	= Not Ascertained
		0	0	0	0	98	= Refused
		0	0	0	0	99	= Don't Know

1995 NATIONAL SURVEY OF FAMILY GROWTH
 File Documentation
 Respondent File (Section E Questionnaire Items)

VARIABLE COLUMN NON-HISPANIC
 NAME LOCATION HISP WHITE BLACK TOTAL QX TEXT AND CODE CATEGORIES

[MTHUS119] 7272-7273

During that month, which (of those/other) methods, if any, did you use at the same time? (4th METHOD MENTIONED, 3rd COMBINATION, MC10)

Inapplicable:
 R said no, don't know or refused to all birth control methods in EA series (computed variable EVERUSED = 2); R never had sex as of this month and never used a birth control method as of this month but ever used one or more birth control methods in EA series (WNFSTSEX GE 1093 and DATFIRSM GE 1093 and computed variable EVERUSED = 1); R did not use multiple methods in the month; or R used only 2 methods in the month; or R reported fewer than 3 BC method combinations; or R reported using fewer than 4 BC methods for this combination in this month of the method calendar.

1553	6483	2446	10847	Blank	= Blank, inapplicable
0	0	0	0	01	= NONE
0	0	0	0	02	= OFFICE USE ONLY
0	0	0	0	03	= BIRTH CONTROL PILLS
0	0	0	0	04	= CONDOM
0	0	0	0	05	= PARTNER'S VASECTOMY
0	0	0	0	06	= DIAPHRAGM
0	0	0	0	07	= FOAM
0	0	0	0	08	= JELLY OR CREAM
0	0	0	0	09	= CERVICAL CAP
0	0	0	0	10	= SUPPOSITORY, INSERT
0	0	0	0	11	= TODAY (TM) SPONGE
0	0	0	0	12	= FEMALE CONDOM, VAGINAL POUCH
0	0	0	0	13	= IUD, COIL, LOOP
0	0	0	0	14	= NORPLANT (TM)
0	0	0	0	15	= DEPO-PROVERA, INJECTABLES
0	0	0	0	16	= MORNING AFTER PILLS
0	0	0	0	17	= RHYTHM OR SAFE PERIOD BY CALENDAR
0	0	0	0	18	= SAFE PERIOD BY TEMP, CERVICAL MUCUS TEST,

(3500)

1995 NATIONAL SURVEY OF FAMILY GROWTH
 File Documentation
 Respondent File (Section E Questionnaire Items)

VARIABLE NAME	COLUMN LOCATION	NON-HISPANIC			TOTAL	QX	TEXT AND CODE CATEGORIES
		HISP	WHITE	BLACK			
		0	0	0	0	19	NFP
		0	0	0	0	20	= WITHDRAWAL
		0	0	0	0	21	= RESPONDENT STERILE
							= PARTNER STERILE (NOT ON CARD)
		0	0	0	0	22	= OTHER METHOD-NOT SHOWN SEPARATELY
		0	0	0	0	97	= Not Ascertained
		0	0	0	0	98	= Refused
		0	0	0	0	99	= Don't Know

1995 NATIONAL SURVEY OF FAMILY GROWTH
 File Documentation
 Respondent File (Section E Questionnaire Items)

VARIABLE NAME	COLUMN LOCATION	NON-HISPANIC			QX TEXT AND CODE CATEGORIES	
		HISP	WHITE	BLACK	TOTAL	
[METHH040]	7274-7275					ENTER METHOD (FIRST MENTIONED) USED IN NOVEMBER 1991: (MC11)
						Inapplicable: R never had sex as of this month and never used a birth control method as of this month but ever used one or more birth control methods in EA series (WNFSTSEX GE 1093 and DATFIRSM GE 1093 and computed variable EVERUSED = 1); R never had sex and said no, don't know or refused to all birth control methods in EA series (computed variable RHADSEX coded 2,7,8 or 9 and computed variable EVERUSED = 2); R said no, don't know or refused to all birth control methods in EA series (computed variable EVERUSED = 2).
		393	1147	385	2046	Blank = Blank, inapplicable
		330	1232	573	2196	01 = NO METHODS USED
		0	0	0	0	02 = SAME AS PREVIOUS MONTH
		276	1393	477	2187	03 = BIRTH CONTROL PILLS
		166	762	363	1345	04 = CONDOM
		21	293	7	329	05 = PARTNER'S VASECTOMY
		8	125	12	148	06 = DIAPHRAGM
		3	26	2	32	07 = FOAM
		1	9	1	11	08 = JELLY OR CREAM
		0	3	0	3	09 = CERVICAL CAP
		2	21	8	33	10 = SUPPOSITORY, INSERT
		1	29	10	41	11 = TODAY (TM) SPONGE
		0	0	0	0	12 = FEMALE CONDOM, VAGINAL POUCH
		18	36	19	76	13 = IUD, COIL, LOOP
		4	16	15	35	14 = NORPLANT (TM)
		7	6	5	18	15 = DEPO-PROVERA, INJECTABLES
		0	1	0	1	16 = MORNING AFTER PILLS
		29	107	18	166	17 = RHYTHM OR SAFE PERIOD BY CALENDAR
		1	17	0	18	18 = SAFE PERIOD BY TEMP, CERVICAL MUCUS TEST, NFP
		36	121	23	190	19 = WITHDRAWAL
		239	977	511	1771	20 = RESPONDENT STERILE

(3502)

1995 NATIONAL SURVEY OF FAMILY GROWTH
 File Documentation
 Respondent File (Section E Questionnaire Items)

VARIABLE NAME	COLUMN LOCATION	NON-HISPANIC			TOTAL	QX	TEXT AND CODE CATEGORIES
		HISP	WHITE	BLACK			
		17	150	9	179	21	= PARTNER STERILE (NOT ON CARD)
		1	3	4	8	22	= OTHER METHOD-NOT SHOWN SEPARATELY
		0	0	0	0	55	= SAME METHODS USED THROUGH END OF YEAR
		0	1	2	3	97	= Not Ascertained
		0	4	2	6	98	= Refused
		0	4	0	5	99	= Don't Know

1995 NATIONAL SURVEY OF FAMILY GROWTH
 File Documentation
 Respondent File (Section E Questionnaire Items)

VARIABLE NAME	COLUMN LOCATION	NON-HISPANIC			QX TEXT AND CODE CATEGORIES	
		HISP	WHITE	BLACK	TOTAL	
[METHH041]	7276-7277					ENTER METHOD (SECOND MENTIONED) USED IN NOVEMBER 1991: (MC11)

Inapplicable:
 R never had sex as of this month and never used a birth control method as of this month but ever used one or more birth control methods in EA series (WNFSTSEX GE 1093 and DATFIRSM GE 1093 and computed variable EVERUSED = 1); R never had sex and said no, don't know or refused to all birth control methods in EA series (computed variable RHADSEX coded 2,7,8 or 9 and computed variable EVERUSED = 2); R said no, don't know or refused to all birth control methods in EA series (computed variable EVERUSED = 2); R used fewer than 2 methods in month.

1485	6085	2279	10191	Blank	= Blank, inapplicable
0	0	0	0	01	= NO METHODS USED
0	0	0	0	02	= SAME AS PREVIOUS MONTH
1	8	4	13	03	= BIRTH CONTROL PILLS
19	146	85	255	04	= CONDOM
0	6	1	7	05	= PARTNER'S VASECTOMY
3	10	7	20	06	= DIAPHRAGM
8	25	14	48	07	= FOAM
2	14	7	23	08	= JELLY OR CREAM
0	0	0	0	09	= CERVICAL CAP
5	6	9	21	10	= SUPPOSITORY, INSERT
2	12	5	19	11	= TODAY (TM) SPONGE
0	0	0	0	12	= FEMALE CONDOM, VAGINAL POUCH
0	0	0	0	13	= IUD, COIL, LOOP
0	0	1	1	14	= NORPLANT (TM)
0	1	0	1	15	= DEPO-PROVERA, INJECTABLES
0	0	0	0	16	= MORNING AFTER PILLS
9	50	5	71	17	= RHYTHM OR SAFE PERIOD BY CALENDAR
0	6	1	8	18	= SAFE PERIOD BY TEMP, CERVICAL MUCUS TEST, NFP
19	91	16	132	19	= WITHDRAWAL

(3504)

1995 NATIONAL SURVEY OF FAMILY GROWTH
 File Documentation
 Respondent File (Section E Questionnaire Items)

VARIABLE NAME	COLUMN LOCATION	NON-HISPANIC			TOTAL	QX	TEXT AND CODE CATEGORIES
		HISP	WHITE	BLACK			
		0	7	8	15	20	= RESPONDENT STERILE
		0	7	0	8	21	= PARTNER STERILE (NOT ON CARD)
		0	0	0	0	22	= OTHER METHOD-NOT SHOWN SEPARATELY
		0	0	0	0	55	= SAME METHODS USED THROUGH END OF YEAR
		0	1	2	3	97	= Not Ascertained
		0	4	2	6	98	= Refused
		0	4	0	5	99	= Don't Know

1995 NATIONAL SURVEY OF FAMILY GROWTH
 File Documentation
 Respondent File (Section E Questionnaire Items)

VARIABLE COLUMN NON-HISPANIC
 NAME LOCATION HISP WHITE BLACK TOTAL QX TEXT AND CODE CATEGORIES

[METHH042] 7278-7279

ENTER METHOD (THIRD MENTIONED) USED
 IN NOVEMBER 1991: (MC11)

Inapplicable:

R never had sex as of this month and never used a birth control method as of this month but ever used one or more birth control methods in EA series (WNFSTSEX GE 1093 and DATFIRSM GE 1093 and computed variable EVERUSED = 1); R never had sex and said no, don't know or refused to all birth control methods in EA series (computed variable RHADSEX coded 2,7,8 or 9 and computed variable EVERUSED = 2); R said no, don't know or refused to all birth control methods in EA series (computed variable EVERUSED = 2); R used fewer than 3 methods in month.

	1539	6423	2419	10739	Blank	
	0	0	0	0	0	01 = Blank, inapplicable
	0	0	0	0	0	02 = NO METHODS USED
	0	1	0	1	0	03 = SAME AS PREVIOUS MONTH
	2	2	0	4	0	04 = BIRTH CONTROL PILLS
	1	0	0	1	0	05 = CONDOM
	0	0	0	0	0	06 = PARTNER'S VASECTOMY
	3	3	3	9	0	07 = DIAPHRAGM
	0	2	0	2	0	08 = FOAM
	0	0	0	0	0	09 = JELLY OR CREAM
	1	4	0	5	0	10 = CERVICAL CAP
	1	5	2	9	0	11 = SUPPOSITORY, INSERT
	1	0	0	1	0	12 = TODAY (TM) SPONGE
	0	0	0	0	0	13 = FEMALE CONDOM, VAGINAL POUCH
	0	0	0	0	0	14 = IUD, COIL, LOOP
	0	0	0	0	0	15 = NORPLANT (TM)
	0	1	0	1	0	16 = DEPO-PROVERA, INJECTABLES
	2	7	1	10	0	17 = MORNING AFTER PILLS
	0	1	0	2	0	18 = RHYTHM OR SAFE PERIOD BY CALENDAR
	2	20	3	28	0	19 = SAFE PERIOD BY TEMP, CERVICAL MUCUS TEST, NFP
						20 = WITHDRAWAL

(3506)

1995 NATIONAL SURVEY OF FAMILY GROWTH
 File Documentation
 Respondent File (Section E Questionnaire Items)

VARIABLE NAME	COLUMN LOCATION	NON-HISPANIC			TOTAL	QX	TEXT AND CODE CATEGORIES
		HISP	WHITE	BLACK			
		1	5	14	20	20	= RESPONDENT STERILE
		0	0	0	0	21	= PARTNER STERILE (NOT ON CARD)
		0	0	0	1	22	= OTHER METHOD-NOT SHOWN SEPARATELY
		0	0	0	0	55	= SAME METHODS USED THROUGH END OF YEAR
		0	1	2	3	97	= Not Ascertained
		0	4	2	6	98	= Refused
		0	4	0	5	99	= Don't Know

1995 NATIONAL SURVEY OF FAMILY GROWTH
 File Documentation
 Respondent File (Section E Questionnaire Items)

VARIABLE NAME	COLUMN LOCATION	NON-HISPANIC			TOTAL	QX	TEXT AND CODE CATEGORIES
		HISP	WHITE	BLACK			
		0	0	0	0	20	= RESPONDENT STERILE
		0	0	0	0	21	= PARTNER STERILE (NOT ON CARD)
		0	0	0	0	22	= OTHER METHOD-NOT SHOWN SEPARATELY
		0	0	0	0	55	= SAME METHODS USED THROUGH END OF YEAR
		0	1	2	3	97	= Not Ascertained
		0	4	2	6	98	= Refused
		0	4	0	5	99	= Don't Know

[SIMSEQ10] 7282-7282

Did you use those methods together,
 that is, at the same time, or did
 you use them at different times
 during the month? (MC11)

Inapplicable:

R never had sex as of this month and
 never used a birth control method as
 of this month but ever used one or
 more birth control methods in EA
 series (WNFSTSEX GE 1093 and
 DATFIRSM GE 1093 and computed
 variable EVERUSED = 1); R never had
 sex and said no, don't know or
 refused to all birth control methods
 in EA series (computed variable
 RHADSEX coded 2,7,8 or 9 and
 computed variable EVERUSED = 2); R
 said no, don't know or refused to
 all birth control methods in EA
 series (computed variable EVERUSED =
 2); R did not use multiple methods
 in the month; R used more than 2
 methods in the month.

1498	6140	2293	10280	Blank	= Blank, inapplicable
35	221	120	385	1	= SAME TIME
20	121	33	181	2	= DIFFERENT TIMES
0	0	0	0	7	= Not Ascertained
0	0	0	0	8	= Refused
0	1	0	1	9	= Don't Know

1995 NATIONAL SURVEY OF FAMILY GROWTH
 File Documentation
 Respondent File (Section E Questionnaire Items)

VARIABLE NAME	COLUMN LOCATION	NON-HISPANIC			TOTAL	QX	TEXT AND CODE CATEGORIES
		HISP	WHITE	BLACK			
		0	0	0	0	22	ON CARD) = OTHER METHOD-NOT SHOWN SEPARATELY
		0	0	0	0	97	= Not Ascertained
		0	0	0	0	98	= Refused
		0	0	0	0	99	= Don't Know

1995 NATIONAL SURVEY OF FAMILY GROWTH
 File Documentation
 Respondent File (Section E Questionnaire Items)

VARIABLE COLUMN NON-HISPANIC
 NAME LOCATION HISP WHITE BLACK TOTAL QX TEXT AND CODE CATEGORIES

[MTHUS121] 7285-7286

During that month, which (of those/other) methods, if any, did you use at the same time? (2nd METHOD MENTIONED, 1st COMBINATION, MC11)

Inapplicable:

R said no, don't know or refused to all birth control methods in EA series (computed variable EVERUSED = 2); R never had sex as of this month and never used a birth control method as of this month but ever used one or more birth control methods in EA series (WNFSTSEX GE 1093 and DATFIRSM GE 1093 and computed variable EVERUSED = 1); R did not use multiple methods in the month; or R used only 2 methods in the month; or R reported using fewer than 2 BC methods for this combination in this month of the method calendar.

	1545	6442	2441	10787	Blank	
	0	0	0	0	01	= Blank, inapplicable
	0	0	0	0	02	= NONE
	0	0	0	0	03	= OFFICE USE ONLY
	2	8	3	14	04	= BIRTH CONTROL PILLS
	0	1	0	1	05	= CONDOM
	0	2	0	2	06	= PARTNER'S VASECTOMY
	2	3	0	5	07	= DIAPHRAGM
	1	1	1	3	08	= FOAM
	0	0	0	0	09	= JELLY OR CREAM
	1	0	1	2	10	= CERVICAL CAP
	0	1	0	1	11	= SUPPOSITORY, INSERT
	0	0	0	0	12	= TODAY (TM) SPONGE
						= FEMALE CONDOM, VAGINAL POUCH
	0	0	0	0	13	= IUD, COIL, LOOP
	0	0	0	0	14	= NORPLANT (TM)
	0	0	0	0	15	= DEPO-PROVERA, INJECTABLES
	0	1	0	1	16	= MORNING AFTER PILLS
	1	13	0	16	17	= RHYTHM OR SAFE PERIOD BY CALENDAR
	0	0	0	0	18	= SAFE PERIOD BY TEMP, CERVICAL MUCUS TEST, NFP

1995 NATIONAL SURVEY OF FAMILY GROWTH
 File Documentation
 Respondent File (Section E Questionnaire Items)

VARIABLE NAME	COLUMN LOCATION	NON-HISPANIC			TOTAL	QX	TEXT AND CODE CATEGORIES
		HISP	WHITE	BLACK			
		1	11	0	15	19	= WITHDRAWAL
		0	0	0	0	20	= RESPONDENT STERILE
		0	0	0	0	21	= PARTNER STERILE (NOT ON CARD)
		0	0	0	0	22	= OTHER METHOD-NOT SHOWN SEPARATELY
		0	0	0	0	97	= Not Ascertained
		0	0	0	0	98	= Refused
		0	0	0	0	99	= Don't Know

1995 NATIONAL SURVEY OF FAMILY GROWTH
 File Documentation
 Respondent File (Section E Questionnaire Items)

VARIABLE COLUMN NON-HISPANIC
 NAME LOCATION HISP WHITE BLACK TOTAL QX TEXT AND CODE CATEGORIES

[MTHUS122] 7287-7288

During that month, which (of those/other) methods, if any, did you use at the same time? (3rd METHOD MENTIONED, 1st COMBINATION, MC11)

Inapplicable:
 R said no, don't know or refused to all birth control methods in EA series (computed variable EVERUSED = 2); R never had sex as of this month and never used a birth control method as of this month but ever used one or more birth control methods in EA series (WNFSTSEX GE 1093 and DATFIRSM GE 1093 and computed variable EVERUSED = 1); R did not use multiple methods in the month; or R used only 2 methods in the month; or R reported using fewer than 3 BC methods for this combination in this month of the method calendar.

1547	6462	2443	10816	Blank	= Blank, inapplicable
0	0	0	0	01	= NONE
0	0	0	0	02	= OFFICE USE ONLY
0	0	0	0	03	= BIRTH CONTROL PILLS
0	0	0	0	04	= CONDOM
1	0	0	1	05	= PARTNER'S VASECTOMY
0	0	0	0	06	= DIAPHRAGM
2	3	2	7	07	= FOAM
0	1	0	1	08	= JELLY OR CREAM
0	0	0	0	09	= CERVICAL CAP
0	1	0	1	10	= SUPPOSITORY, INSERT
1	2	0	3	11	= TODAY (TM) SPONGE
0	0	0	0	12	= FEMALE CONDOM, VAGINAL POUCH
0	0	0	0	13	= IUD, COIL, LOOP
0	0	0	0	14	= NORPLANT (TM)
0	0	0	0	15	= DEPO-PROVERA, INJECTABLES
0	0	0	0	16	= MORNING AFTER PILLS
2	5	1	8	17	= RHYTHM OR SAFE PERIOD BY CALENDAR
0	2	0	3	18	= SAFE PERIOD BY TEMP, CERVICAL MUCUS TEST, NFP

(3514)

1995 NATIONAL SURVEY OF FAMILY GROWTH
 File Documentation
 Respondent File (Section E Questionnaire Items)

VARIABLE NAME	COLUMN LOCATION	NON-HISPANIC			TOTAL	QX	TEXT AND CODE CATEGORIES
		HISP	WHITE	BLACK			
		0	7	0	7	19	= WITHDRAWAL
		0	0	0	0	20	= RESPONDENT STERILE
		0	0	0	0	21	= PARTNER STERILE (NOT ON CARD)
		0	0	0	0	22	= OTHER METHOD-NOT SHOWN SEPARATELY
		0	0	0	0	97	= Not Ascertained
		0	0	0	0	98	= Refused
		0	0	0	0	99	= Don't Know

1995 NATIONAL SURVEY OF FAMILY GROWTH
 File Documentation
 Respondent File (Section E Questionnaire Items)

VARIABLE COLUMN NON-HISPANIC
 NAME LOCATION HISP WHITE BLACK TOTAL QX TEXT AND CODE CATEGORIES

[MTHUS123] 7289-7290

During that month, which (of those/other) methods, if any, did you use at the same time? (4th METHOD MENTIONED, 1st COMBINATION, MC11)

Inapplicable:
 R said no, don't know or refused to all birth control methods in EA series (computed variable EVERUSED = 2); R never had sex as of this month and never used a birth control method as of this month but ever used one or more birth control methods in EA series (WNFSTSEX GE 1093 and DATFIRSM GE 1093 and computed variable EVERUSED = 1); R did not use multiple methods in the month; or R used only 2 methods in the month; or R reported using fewer than 4 BC methods for this combination in this month of the method calendar.

1553	6482	2445	10845	Blank	= Blank, inapplicable
0	0	0	0	01	= NONE
0	0	0	0	02	= OFFICE USE ONLY
0	0	0	0	03	= BIRTH CONTROL PILLS
0	1	0	1	04	= CONDOM
0	0	0	0	05	= PARTNER'S VASECTOMY
0	0	0	0	06	= DIAPHRAGM
0	0	0	0	07	= FOAM
0	0	0	0	08	= JELLY OR CREAM
0	0	0	0	09	= CERVICAL CAP
0	0	0	0	10	= SUPPOSITORY, INSERT
0	0	0	0	11	= TODAY (TM) SPONGE
0	0	0	0	12	= FEMALE CONDOM, VAGINAL POUCH
0	0	0	0	13	= IUD, COIL, LOOP
0	0	0	0	14	= NORPLANT (TM)
0	0	0	0	15	= DEPO-PROVERA, INJECTABLES
0	0	0	0	16	= MORNING AFTER PILLS
0	0	0	0	17	= RHYTHM OR SAFE PERIOD BY CALENDAR
0	0	1	1	18	= SAFE PERIOD BY TEMP, CERVICAL MUCUS TEST, NFP

1995 NATIONAL SURVEY OF FAMILY GROWTH
 File Documentation
 Respondent File (Section E Questionnaire Items)

VARIABLE NAME	COLUMN LOCATION	NON-HISPANIC			TOTAL	QX	TEXT AND CODE CATEGORIES
		HISP	WHITE	BLACK			
		0	0	0	0	19	= WITHDRAWAL
		0	0	0	0	20	= RESPONDENT STERILE
		0	0	0	0	21	= PARTNER STERILE (NOT ON CARD)
		0	0	0	0	22	= OTHER METHOD-NOT SHOWN SEPARATELY
		0	0	0	0	97	= Not Ascertained
		0	0	0	0	98	= Refused
		0	0	0	0	99	= Don't Know

1995 NATIONAL SURVEY OF FAMILY GROWTH
 File Documentation
 Respondent File (Section E Questionnaire Items)

VARIABLE COLUMN NON-HISPANIC
 NAME LOCATION HISP WHITE BLACK TOTAL QX TEXT AND CODE CATEGORIES

[MTHUS124] 7291-7292

During that month, which (of those/other) methods, if any, did you use at the same time? (1st METHOD MENTIONED, 2nd COMBINATION, MC11)

Inapplicable:
 R said no, don't know or refused to all birth control methods in EA series (computed variable EVERUSED = 2); R never had sex as of this month and never used a birth control method as of this month but ever used one or more birth control methods in EA series (WNFSTSEX GE 1093 and DATFIRSM GE 1093 and computed variable EVERUSED = 1); R did not use multiple methods in the month; or R used only 2 methods in the month; or R reported fewer than 2 BC method combinations.

	1545	6442	2441	10787	Blank	
	5	27	2	38	01	= Blank, inapplicable
	0	0	0	0	02	= NONE
	1	3	1	5	03	= OFFICE USE ONLY
	0	5	0	6	04	= BIRTH CONTROL PILLS
	0	0	0	0	05	= CONDOM
	0	0	0	0	06	= PARTNER'S VASECTOMY
	2	1	0	3	07	= DIAPHRAGM
	0	0	0	0	08	= FOAM
	0	0	0	0	09	= JELLY OR CREAM
	0	1	0	1	10	= CERVICAL CAP
	0	0	0	1	11	= SUPPOSITORY, INSERT
	0	0	0	0	12	= TODAY (TM) SPONGE
	0	0	0	0	13	= FEMALE CONDOM, VAGINAL POUCH
	0	0	0	0	14	= IUD, COIL, LOOP
	0	0	0	0	15	= NORPLANT (TM)
	0	0	0	0	16	= DEPO-PROVERA, INJECTABLES
	0	0	0	0	17	= MORNING AFTER PILLS
	0	3	0	3	18	= RHYTHM OR SAFE PERIOD BY CALENDAR
	0	0	0	0	19	= SAFE PERIOD BY TEMP, CERVICAL MUCUS TEST, NFP
	0	1	1	2	20	= WITHDRAWAL
	0	0	1	1	20	= RESPONDENT STERILE

(3518)

1995 NATIONAL SURVEY OF FAMILY GROWTH
 File Documentation
 Respondent File (Section E Questionnaire Items)

VARIABLE NAME	COLUMN LOCATION	NON-HISPANIC			TOTAL	QX	TEXT AND CODE CATEGORIES
		HISP	WHITE	BLACK			
		0	0	0	0	21	= PARTNER STERILE (NOT ON CARD)
		0	0	0	0	22	= OTHER METHOD-NOT SHOWN SEPARATELY
		0	0	0	0	97	= Not Ascertained
		0	0	0	0	98	= Refused
		0	0	0	0	99	= Don't Know

1995 NATIONAL SURVEY OF FAMILY GROWTH
 File Documentation
 Respondent File (Section E Questionnaire Items)

VARIABLE	COLUMN	NON-HISPANIC				
NAME	LOCATION	HISP	WHITE	BLACK	TOTAL	QX TEXT AND CODE CATEGORIES

[MTHUS125] 7293-7294

During that month, which (of those/other) methods, if any, did you use at the same time? (2nd METHOD MENTIONED, 2nd COMBINATION, MC11)

Inapplicable:
 R said no, don't know or refused to all birth control methods in EA series (computed variable EVERUSED = 2); R never had sex as of this month and never used a birth control method as of this month but ever used one or more birth control methods in EA series (WNFSTSEX GE 1093 and DATFIRSM GE 1093 and computed variable EVERUSED = 1); R did not use multiple methods in the month; or R used only 2 methods in the month; or R reported fewer than 2 BC method combinations; or R reported using fewer than 2 BC methods for this combination in this month of the method calendar.

1551	6471	2443	10828	Blank	= Blank, inapplicable
0	0	0	0	01	= NONE
0	0	0	0	02	= OFFICE USE ONLY
1	0	0	2	03	= BIRTH CONTROL PILLS
1	2	1	4	04	= CONDOM
0	1	0	1	05	= PARTNER'S VASECTOMY
0	0	0	0	06	= DIAPHRAGM
0	1	0	1	07	= FOAM
0	0	0	0	08	= JELLY OR CREAM
0	0	0	0	09	= CERVICAL CAP
0	0	1	1	10	= SUPPOSITORY, INSERT
0	1	0	1	11	= TODAY (TM) SPONGE
0	0	0	0	12	= FEMALE CONDOM, VAGINAL POUCH
0	0	0	0	13	= IUD, COIL, LOOP
0	0	0	0	14	= NORPLANT (TM)
0	0	0	0	15	= DEPO-PROVERA, INJECTABLES
0	0	0	0	16	= MORNING AFTER PILLS
0	3	0	4	17	= RHYTHM OR SAFE PERIOD BY CALENDAR
0	0	0	0	18	= SAFE PERIOD BY TEMP, CERVICAL MUCUS TEST,

(3520)

1995 NATIONAL SURVEY OF FAMILY GROWTH
 File Documentation
 Respondent File (Section E Questionnaire Items)

VARIABLE NAME	COLUMN LOCATION	NON-HISPANIC			TOTAL	QX	TEXT AND CODE CATEGORIES
		HISP	WHITE	BLACK			
		0	4	1	5	19	NFP
		0	0	0	0	20	= WITHDRAWAL
		0	0	0	0	21	= RESPONDENT STERILE
							= PARTNER STERILE (NOT ON CARD)
		0	0	0	0	22	= OTHER METHOD-NOT SHOWN SEPARATELY
		0	0	0	0	97	= Not Ascertained
		0	0	0	0	98	= Refused
		0	0	0	0	99	= Don't Know

1995 NATIONAL SURVEY OF FAMILY GROWTH
 File Documentation
 Respondent File (Section E Questionnaire Items)

VARIABLE COLUMN NON-HISPANIC
 NAME LOCATION HISP WHITE BLACK TOTAL QX TEXT AND CODE CATEGORIES

[MTHUS126] 7295-7296

During that month, which (of those/other) methods, if any, did you use at the same time? (3rd METHOD MENTIONED, 2nd COMBINATION, MC11)

Inapplicable:
 R said no, don't know or refused to all birth control methods in EA series (computed variable EVERUSED = 2); R never had sex as of this month and never used a birth control method as of this month but ever used one or more birth control methods in EA series (WNFSTSEX GE 1093 and DATFIRSM GE 1093 and computed variable EVERUSED = 1); R did not use multiple methods in the month; or R used only 2 methods in the month; or R reported fewer than 2 BC method combinations; or R reported using fewer than 3 BC methods for this combination in this month of the method calendar.

1552	6480	2446	10842	Blank	= Blank, inapplicable
0	0	0	0	01	= NONE
0	0	0	0	02	= OFFICE USE ONLY
0	0	0	0	03	= BIRTH CONTROL PILLS
0	0	0	0	04	= CONDOM
0	0	0	0	05	= PARTNER'S VASECTOMY
0	0	0	0	06	= DIAPHRAGM
0	1	0	1	07	= FOAM
0	1	0	1	08	= JELLY OR CREAM
0	0	0	0	09	= CERVICAL CAP
0	0	0	0	10	= SUPPOSITORY, INSERT
0	0	0	0	11	= TODAY (TM) SPONGE
0	0	0	0	12	= FEMALE CONDOM, VAGINAL POUCH
0	0	0	0	13	= IUD, COIL, LOOP
0	0	0	0	14	= NORPLANT (TM)
0	0	0	0	15	= DEPO-PROVERA, INJECTABLES
0	0	0	0	16	= MORNING AFTER PILLS
1	0	0	1	17	= RHYTHM OR SAFE PERIOD BY CALENDAR
0	0	0	1	18	= SAFE PERIOD BY TEMP, CERVICAL MUCUS TEST,

(3522)

1995 NATIONAL SURVEY OF FAMILY GROWTH
 File Documentation
 Respondent File (Section E Questionnaire Items)

VARIABLE NAME	COLUMN LOCATION	NON-HISPANIC			TOTAL	QX	TEXT AND CODE CATEGORIES
		HISP	WHITE	BLACK			
		0	1	0	1	19	NFP
		0	0	0	0	20	= WITHDRAWAL
		0	0	0	0	21	= RESPONDENT STERILE
							= PARTNER STERILE (NOT ON CARD)
		0	0	0	0	22	= OTHER METHOD-NOT SHOWN SEPARATELY
		0	0	0	0	97	= Not Ascertained
		0	0	0	0	98	= Refused
		0	0	0	0	99	= Don't Know

1995 NATIONAL SURVEY OF FAMILY GROWTH
 File Documentation
 Respondent File (Section E Questionnaire Items)

VARIABLE	COLUMN	NON-HISPANIC				
NAME	LOCATION	HISP	WHITE	BLACK	TOTAL	QX TEXT AND CODE CATEGORIES

[MTHUS127] 7297-7298

During that month, which (of those/other) methods, if any, did you use at the same time? (4th METHOD MENTIONED, 2nd COMBINATION, MC11)

Inapplicable:
 R said no, don't know or refused to all birth control methods in EA series (computed variable EVERUSED = 2); R never had sex as of this month and never used a birth control method as of this month but ever used one or more birth control methods in EA series (WNFSTSEX GE 1093 and DATFIRSM GE 1093 and computed variable EVERUSED = 1); R did not use multiple methods in the month; or R used only 2 methods in the month; or R reported fewer than 2 BC method combinations; or R reported using fewer than 4 BC methods for this combination in this month of the method calendar.

1553	6483	2446	10847	Blank	= Blank, inapplicable
0	0	0	0	01	= NONE
0	0	0	0	02	= OFFICE USE ONLY
0	0	0	0	03	= BIRTH CONTROL PILLS
0	0	0	0	04	= CONDOM
0	0	0	0	05	= PARTNER'S VASECTOMY
0	0	0	0	06	= DIAPHRAGM
0	0	0	0	07	= FOAM
0	0	0	0	08	= JELLY OR CREAM
0	0	0	0	09	= CERVICAL CAP
0	0	0	0	10	= SUPPOSITORY, INSERT
0	0	0	0	11	= TODAY (TM) SPONGE
0	0	0	0	12	= FEMALE CONDOM, VAGINAL POUCH
0	0	0	0	13	= IUD, COIL, LOOP
0	0	0	0	14	= NORPLANT (TM)
0	0	0	0	15	= DEPO-PROVERA, INJECTABLES
0	0	0	0	16	= MORNING AFTER PILLS
0	0	0	0	17	= RHYTHM OR SAFE PERIOD BY CALENDAR
0	0	0	0	18	= SAFE PERIOD BY TEMP, CERVICAL MUCUS TEST,

1995 NATIONAL SURVEY OF FAMILY GROWTH
 File Documentation
 Respondent File (Section E Questionnaire Items)

VARIABLE NAME	COLUMN LOCATION	NON-HISPANIC			TOTAL	QX	TEXT AND CODE CATEGORIES
		HISP	WHITE	BLACK			
		0	0	0	0	19	NFP
		0	0	0	0	20	= WITHDRAWAL
		0	0	0	0	21	= RESPONDENT STERILE
							= PARTNER STERILE (NOT ON CARD)
		0	0	0	0	22	= OTHER METHOD-NOT SHOWN SEPARATELY
		0	0	0	0	97	= Not Ascertained
		0	0	0	0	98	= Refused
		0	0	0	0	99	= Don't Know

1995 NATIONAL SURVEY OF FAMILY GROWTH
 File Documentation
 Respondent File (Section E Questionnaire Items)

VARIABLE COLUMN NON-HISPANIC
 NAME LOCATION HISP WHITE BLACK TOTAL QX TEXT AND CODE CATEGORIES

[MTHUS128] 7299-7300

During that month, which (of those/other) methods, if any, did you use at the same time? (1st METHOD MENTIONED, 3rd COMBINATION, MC11)

Inapplicable:
 R said no, don't know or refused to all birth control methods in EA series (computed variable EVERUSED = 2); R never had sex as of this month and never used a birth control method as of this month but ever used one or more birth control methods in EA series (WNFSTSEX GE 1093 and DATFIRSM GE 1093 and computed variable EVERUSED = 1); R did not use multiple methods in the month; or R used only 2 methods in the month; or R reported fewer than 3 BC method combinations.

1553	6482	2446	10846	Blank	
0	0	0	0	0	01 = Blank, inapplicable
0	0	0	0	0	02 = NONE
0	0	0	0	0	03 = OFFICE USE ONLY
0	1	0	1	0	04 = BIRTH CONTROL PILLS
0	0	0	0	0	05 = CONDOM
0	0	0	0	0	06 = PARTNER'S VASECTOMY
0	0	0	0	0	07 = DIAPHRAGM
0	0	0	0	0	08 = FOAM
0	0	0	0	0	09 = JELLY OR CREAM
0	0	0	0	0	10 = CERVICAL CAP
0	0	0	0	0	11 = SUPPOSITORY, INSERT
0	0	0	0	0	12 = TODAY (TM) SPONGE
0	0	0	0	0	13 = FEMALE CONDOM, VAGINAL POUCH
0	0	0	0	0	14 = IUD, COIL, LOOP
0	0	0	0	0	15 = NORPLANT (TM)
0	0	0	0	0	16 = DEPO-PROVERA, INJECTABLES
0	0	0	0	0	17 = MORNING AFTER PILLS
0	0	0	0	0	18 = RHYTHM OR SAFE PERIOD BY CALENDAR
0	0	0	0	0	19 = SAFE PERIOD BY TEMP, CERVICAL MUCUS TEST, NFP
0	0	0	0	0	20 = WITHDRAWAL
0	0	0	0	0	21 = RESPONDENT STERILE

1995 NATIONAL SURVEY OF FAMILY GROWTH
 File Documentation
 Respondent File (Section E Questionnaire Items)

VARIABLE NAME	COLUMN LOCATION	NON-HISPANIC			QX	TEXT AND CODE CATEGORIES
		HISP	WHITE	BLACK		
		0	0	0	0	21 = PARTNER STERILE (NOT ON CARD)
		0	0	0	0	22 = OTHER METHOD-NOT SHOWN SEPARATELY
		0	0	0	0	97 = Not Ascertained
		0	0	0	0	98 = Refused
		0	0	0	0	99 = Don't Know

1995 NATIONAL SURVEY OF FAMILY GROWTH
 File Documentation
 Respondent File (Section E Questionnaire Items)

VARIABLE COLUMN NON-HISPANIC
 NAME LOCATION HISP WHITE BLACK TOTAL QX TEXT AND CODE CATEGORIES

[MTHUS129] 7301-7302

During that month, which (of those/other) methods, if any, did you use at the same time? (2nd METHOD MENTIONED, 3rd COMBINATION, MC11)

Inapplicable:
 R said no, don't know or refused to all birth control methods in EA series (computed variable EVERUSED = 2); R never had sex as of this month and never used a birth control method as of this month but ever used one or more birth control methods in EA series (WNFSTSEX GE 1093 and DATFIRSM GE 1093 and computed variable EVERUSED = 1); R did not use multiple methods in the month; or R used only 2 methods in the month; or R reported fewer than 3 BC method combinations; or R reported using fewer than 2 BC methods for this combination in this month of the method calendar.

1553	6482	2446	10846	Blank	= Blank, inapplicable
0	0	0	0	01	= NONE
0	0	0	0	02	= OFFICE USE ONLY
0	0	0	0	03	= BIRTH CONTROL PILLS
0	0	0	0	04	= CONDOM
0	0	0	0	05	= PARTNER'S VASECTOMY
0	0	0	0	06	= DIAPHRAGM
0	0	0	0	07	= FOAM
0	0	0	0	08	= JELLY OR CREAM
0	0	0	0	09	= CERVICAL CAP
0	0	0	0	10	= SUPPOSITORY, INSERT
0	0	0	0	11	= TODAY (TM) SPONGE
0	0	0	0	12	= FEMALE CONDOM, VAGINAL POUCH
0	0	0	0	13	= IUD, COIL, LOOP
0	0	0	0	14	= NORPLANT (TM)
0	0	0	0	15	= DEPO-PROVERA, INJECTABLES
0	0	0	0	16	= MORNING AFTER PILLS
0	1	0	1	17	= RHYTHM OR SAFE PERIOD BY CALENDAR
0	0	0	0	18	= SAFE PERIOD BY TEMP, CERVICAL MUCUS TEST,

1995 NATIONAL SURVEY OF FAMILY GROWTH
 File Documentation
 Respondent File (Section E Questionnaire Items)

VARIABLE NAME	COLUMN LOCATION	NON-HISPANIC			TOTAL	QX	TEXT AND CODE CATEGORIES
		HISP	WHITE	BLACK			
		0	0	0	0	19	NFP
		0	0	0	0	20	= WITHDRAWAL
		0	0	0	0	21	= RESPONDENT STERILE
							= PARTNER STERILE (NOT ON CARD)
		0	0	0	0	22	= OTHER METHOD-NOT SHOWN SEPARATELY
		0	0	0	0	97	= Not Ascertained
		0	0	0	0	98	= Refused
		0	0	0	0	99	= Don't Know

1995 NATIONAL SURVEY OF FAMILY GROWTH
 File Documentation
 Respondent File (Section E Questionnaire Items)

VARIABLE	COLUMN	NON-HISPANIC				
NAME	LOCATION	HISP	WHITE	BLACK	TOTAL	QX TEXT AND CODE CATEGORIES

[MTHUS130] 7303-7304

During that month, which (of those/other) methods, if any, did you use at the same time? (3rd METHOD MENTIONED, 3rd COMBINATION, MC11)

Inapplicable:
 R said no, don't know or refused to all birth control methods in EA series (computed variable EVERUSED = 2); R never had sex as of this month and never used a birth control method as of this month but ever used one or more birth control methods in EA series (WNFSTSEX GE 1093 and DATFIRSM GE 1093 and computed variable EVERUSED = 1); R did not use multiple methods in the month; or R used only 2 methods in the month; or R reported fewer than 3 BC method combinations; or R reported using fewer than 3 BC methods for this combination in this month of the method calendar.

1553	6483	2446	10847	Blank	= Blank, inapplicable
0	0	0	0	01	= NONE
0	0	0	0	02	= OFFICE USE ONLY
0	0	0	0	03	= BIRTH CONTROL PILLS
0	0	0	0	04	= CONDOM
0	0	0	0	05	= PARTNER'S VASECTOMY
0	0	0	0	06	= DIAPHRAGM
0	0	0	0	07	= FOAM
0	0	0	0	08	= JELLY OR CREAM
0	0	0	0	09	= CERVICAL CAP
0	0	0	0	10	= SUPPOSITORY, INSERT
0	0	0	0	11	= TODAY (TM) SPONGE
0	0	0	0	12	= FEMALE CONDOM, VAGINAL POUCH
0	0	0	0	13	= IUD, COIL, LOOP
0	0	0	0	14	= NORPLANT (TM)
0	0	0	0	15	= DEPO-PROVERA, INJECTABLES
0	0	0	0	16	= MORNING AFTER PILLS
0	0	0	0	17	= RHYTHM OR SAFE PERIOD BY CALENDAR
0	0	0	0	18	= SAFE PERIOD BY TEMP, CERVICAL MUCUS TEST,

1995 NATIONAL SURVEY OF FAMILY GROWTH
 File Documentation
 Respondent File (Section E Questionnaire Items)

VARIABLE NAME	COLUMN LOCATION	NON-HISPANIC			TOTAL	QX	TEXT AND CODE CATEGORIES
		HISP	WHITE	BLACK			
		0	0	0	0	19	NFP
		0	0	0	0	20	= WITHDRAWAL
		0	0	0	0	21	= RESPONDENT STERILE
							= PARTNER STERILE (NOT ON CARD)
		0	0	0	0	22	= OTHER METHOD-NOT SHOWN SEPARATELY
		0	0	0	0	97	= Not Ascertained
		0	0	0	0	98	= Refused
		0	0	0	0	99	= Don't Know

1995 NATIONAL SURVEY OF FAMILY GROWTH
 File Documentation
 Respondent File (Section E Questionnaire Items)

VARIABLE	COLUMN	NON-HISPANIC				QX TEXT AND CODE CATEGORIES
NAME	LOCATION	HISP	WHITE	BLACK		

[MTHUS131] 7305-7306

During that month, which (of those/other) methods, if any, did you use at the same time? (4th METHOD MENTIONED, 3rd COMBINATION, MC11)

Inapplicable:
 R said no, don't know or refused to all birth control methods in EA series (computed variable EVERUSED = 2); R never had sex as of this month and never used a birth control method as of this month but ever used one or more birth control methods in EA series (WNFSTSEX GE 1093 and DATFIRSM GE 1093 and computed variable EVERUSED = 1); R did not use multiple methods in the month; or R used only 2 methods in the month; or R reported fewer than 3 BC method combinations; or R reported using fewer than 4 BC methods for this combination in this month of the method calendar.

1553	6483	2446	10847	Blank	= Blank, inapplicable
0	0	0	0	01	= NONE
0	0	0	0	02	= OFFICE USE ONLY
0	0	0	0	03	= BIRTH CONTROL PILLS
0	0	0	0	04	= CONDOM
0	0	0	0	05	= PARTNER'S VASECTOMY
0	0	0	0	06	= DIAPHRAGM
0	0	0	0	07	= FOAM
0	0	0	0	08	= JELLY OR CREAM
0	0	0	0	09	= CERVICAL CAP
0	0	0	0	10	= SUPPOSITORY, INSERT
0	0	0	0	11	= TODAY (TM) SPONGE
0	0	0	0	12	= FEMALE CONDOM, VAGINAL POUCH
0	0	0	0	13	= IUD, COIL, LOOP
0	0	0	0	14	= NORPLANT (TM)
0	0	0	0	15	= DEPO-PROVERA, INJECTABLES
0	0	0	0	16	= MORNING AFTER PILLS
0	0	0	0	17	= RHYTHM OR SAFE PERIOD BY CALENDAR
0	0	0	0	18	= SAFE PERIOD BY TEMP, CERVICAL MUCUS TEST,

(3532)

1995 NATIONAL SURVEY OF FAMILY GROWTH
 File Documentation
 Respondent File (Section E Questionnaire Items)

VARIABLE NAME	COLUMN LOCATION	NON-HISPANIC			TOTAL	QX	TEXT AND CODE CATEGORIES
		HISP	WHITE	BLACK			
		0	0	0	0	19	NFP
		0	0	0	0	20	= WITHDRAWAL
		0	0	0	0	21	= RESPONDENT STERILE
							= PARTNER STERILE (NOT ON CARD)
		0	0	0	0	22	= OTHER METHOD-NOT SHOWN SEPARATELY
		0	0	0	0	97	= Not Ascertained
		0	0	0	0	98	= Refused
		0	0	0	0	99	= Don't Know

1995 NATIONAL SURVEY OF FAMILY GROWTH
 File Documentation
 Respondent File (Section E Questionnaire Items)

VARIABLE NAME	COLUMN LOCATION	NON-HISPANIC			QX	TEXT AND CODE CATEGORIES
		HISP	WHITE	BLACK		
[METHH044]	7307-7308					ENTER METHOD (FIRST MENTIONED) USED IN DECEMBER 1991: (MC12)
						Inapplicable: R never had sex as of this month and never used a birth control method as of this month but ever used one or more birth control methods in EA series (WNFSTSEX GE 1093 and DATFIRSM GE 1093 and computed variable EVERUSED = 1); R never had sex and said no, don't know or refused to all birth control methods in EA series (computed variable RHADSEX coded 2,7,8 or 9 and computed variable EVERUSED = 2); R said no, don't know or refused to all birth control methods in EA series (computed variable EVERUSED = 2).
		390	1137	384	2028	Blank = Blank, inapplicable
		330	1233	574	2195	01 = NO METHODS USED
		0	0	0	0	02 = SAME AS PREVIOUS MONTH
		275	1403	472	2193	03 = BIRTH CONTROL PILLS
		169	760	363	1350	04 = CONDOM
		22	291	7	328	05 = PARTNER'S VASECTOMY
		7	124	13	147	06 = DIAPHRAGM
		3	26	2	32	07 = FOAM
		1	9	1	11	08 = JELLY OR CREAM
		0	3	0	3	09 = CERVICAL CAP
		3	20	8	34	10 = SUPPOSITORY, INSERT
		1	28	10	39	11 = TODAY (TM) SPONGE
		0	0	0	0	12 = FEMALE CONDOM, VAGINAL POUCH
		19	37	19	78	13 = IUD, COIL, LOOP
		4	16	15	35	14 = NORPLANT (TM)
		7	6	5	18	15 = DEPO-PROVERA, INJECTABLES
		0	0	0	0	16 = MORNING AFTER PILLS
		28	105	18	163	17 = RHYTHM OR SAFE PERIOD BY CALENDAR
		1	17	0	18	18 = SAFE PERIOD BY TEMP, CERVICAL MUCUS TEST, NFP
		35	124	25	195	19 = WITHDRAWAL
		240	982	513	1779	20 = RESPONDENT STERILE

(3534)

1995 NATIONAL SURVEY OF FAMILY GROWTH
 File Documentation
 Respondent File (Section E Questionnaire Items)

VARIABLE NAME	COLUMN LOCATION	NON-HISPANIC			TOTAL	QX	TEXT AND CODE CATEGORIES
		HISP	WHITE	BLACK			
		17	150	9	179	21	= PARTNER STERILE (NOT ON CARD)
		1	3	4	8	22	= OTHER METHOD-NOT SHOWN SEPARATELY
		0	0	0	0	55	= SAME METHODS USED THROUGH END OF YEAR
		0	1	2	3	97	= Not Ascertained
		0	4	2	6	98	= Refused
		0	4	0	5	99	= Don't Know

1995 NATIONAL SURVEY OF FAMILY GROWTH
 File Documentation
 Respondent File (Section E Questionnaire Items)

VARIABLE NAME	COLUMN LOCATION	NON-HISPANIC			QX TEXT AND CODE CATEGORIES	
		HISP	WHITE	BLACK	TOTAL	
[METHH045]	7309-7310					ENTER METHOD (SECOND MENTIONED) USED IN DECEMBER 1991: (MC12)

Inapplicable:
 R never had sex as of this month and never used a birth control method as of this month but ever used one or more birth control methods in EA series (WNFSTSEX GE 1093 and DATFIRSM GE 1093 and computed variable EVERUSED = 1); R never had sex and said no, don't know or refused to all birth control methods in EA series (computed variable RHADSEX coded 2,7,8 or 9 and computed variable EVERUSED = 2); R said no, don't know or refused to all birth control methods in EA series (computed variable EVERUSED = 2); R used fewer than 2 methods in month.

1483	6081	2282	10188	Blank	= Blank, inapplicable
0	0	0	0	01	= NO METHODS USED
0	0	0	0	02	= SAME AS PREVIOUS MONTH
1	9	4	14	03	= BIRTH CONTROL PILLS
20	147	83	255	04	= CONDOM
0	6	1	7	05	= PARTNER'S VASECTOMY
3	10	6	19	06	= DIAPHRAGM
8	27	14	50	07	= FOAM
2	14	6	22	08	= JELLY OR CREAM
0	0	0	0	09	= CERVICAL CAP
5	5	8	19	10	= SUPPOSITORY, INSERT
3	13	5	21	11	= TODAY (TM) SPONGE
0	0	0	0	12	= FEMALE CONDOM, VAGINAL POUCH
0	0	0	0	13	= IUD, COIL, LOOP
0	0	1	1	14	= NORPLANT (TM)
0	1	0	1	15	= DEPO-PROVERA, INJECTABLES
0	0	0	0	16	= MORNING AFTER PILLS
8	48	6	69	17	= RHYTHM OR SAFE PERIOD BY CALENDAR
0	6	1	8	18	= SAFE PERIOD BY TEMP, CERVICAL MUCUS TEST, NFP
19	93	17	135	19	= WITHDRAWAL

(3536)

1995 NATIONAL SURVEY OF FAMILY GROWTH
 File Documentation
 Respondent File (Section E Questionnaire Items)

VARIABLE NAME	COLUMN LOCATION	NON-HISPANIC			TOTAL	QX	TEXT AND CODE CATEGORIES
		HISP	WHITE	BLACK			
		1	7	8	16	20	= RESPONDENT STERILE
		0	7	0	8	21	= PARTNER STERILE (NOT ON CARD)
		0	0	0	0	22	= OTHER METHOD-NOT SHOWN SEPARATELY
		0	0	0	0	55	= SAME METHODS USED THROUGH END OF YEAR
		0	1	2	3	97	= Not Ascertained
		0	4	2	6	98	= Refused
		0	4	0	5	99	= Don't Know

1995 NATIONAL SURVEY OF FAMILY GROWTH
 File Documentation
 Respondent File (Section E Questionnaire Items)

VARIABLE COLUMN NON-HISPANIC
 NAME LOCATION HISP WHITE BLACK TOTAL QX TEXT AND CODE CATEGORIES

[METHH046] 7311-7312

ENTER METHOD (THIRD MENTIONED) USED
 IN DECEMBER 1991: (MC12)

Inapplicable:

R never had sex as of this month and never used a birth control method as of this month but ever used one or more birth control methods in EA series (WNFSTSEX GE 1093 and DATFIRSM GE 1093 and computed variable EVERUSED = 1); R never had sex and said no, don't know or refused to all birth control methods in EA series (computed variable RHADSEX coded 2,7,8 or 9 and computed variable EVERUSED = 2); R said no, don't know or refused to all birth control methods in EA series (computed variable EVERUSED = 2); R used fewer than 3 methods in month.

1539	6424	2419	10740	Blank	= Blank, inapplicable
0	0	0	0	01	= NO METHODS USED
0	0	0	0	02	= SAME AS PREVIOUS MONTH
0	1	0	1	03	= BIRTH CONTROL PILLS
2	2	0	4	04	= CONDOM
1	0	0	1	05	= PARTNER'S VASECTOMY
0	0	0	0	06	= DIAPHRAGM
3	3	3	9	07	= FOAM
0	2	0	2	08	= JELLY OR CREAM
0	0	0	0	09	= CERVICAL CAP
1	4	0	5	10	= SUPPOSITORY, INSERT
1	5	2	9	11	= TODAY (TM) SPONGE
1	0	0	1	12	= FEMALE CONDOM, VAGINAL POUCH
0	0	0	0	13	= IUD, COIL, LOOP
0	0	0	0	14	= NORPLANT (TM)
0	0	0	0	15	= DEPO-PROVERA, INJECTABLES
0	1	0	1	16	= MORNING AFTER PILLS
2	7	1	10	17	= RHYTHM OR SAFE PERIOD BY CALENDAR
0	1	0	2	18	= SAFE PERIOD BY TEMP, CERVICAL MUCUS TEST, NFP
2	18	3	26	19	= WITHDRAWAL

(3538)

1995 NATIONAL SURVEY OF FAMILY GROWTH
 File Documentation
 Respondent File (Section E Questionnaire Items)

VARIABLE NAME	COLUMN LOCATION	NON-HISPANIC			TOTAL	QX	TEXT AND CODE CATEGORIES
		HISP	WHITE	BLACK			
		1	6	14	21	20	= RESPONDENT STERILE
		0	0	0	0	21	= PARTNER STERILE (NOT ON CARD)
		0	0	0	1	22	= OTHER METHOD-NOT SHOWN SEPARATELY
		0	0	0	0	55	= SAME METHODS USED THROUGH END OF YEAR
		0	1	2	3	97	= Not Ascertained
		0	4	2	6	98	= Refused
		0	4	0	5	99	= Don't Know

1995 NATIONAL SURVEY OF FAMILY GROWTH
 File Documentation
 Respondent File (Section E Questionnaire Items)

VARIABLE NAME	COLUMN LOCATION	NON-HISPANIC			QX TEXT AND CODE CATEGORIES	
		HISP	WHITE	BLACK	TOTAL	
[METHH047]	7313-7314					ENTER METHOD (FOURTH MENTIONED) USED IN DECEMBER 1991: (MC12)

Inapplicable:
 R never had sex as of this month and never used a birth control method as of this month but ever used one or more birth control methods in EA series (WNFSTSEX GE 1093 and DATFIRSM GE 1093 and computed variable EVERUSED = 1); R never had sex and said no, don't know or refused to all birth control methods in EA series (computed variable RHADSEX coded 2,7,8 or 9 and computed variable EVERUSED = 2); R said no, don't know or refused to all birth control methods in EA series (computed variable EVERUSED = 2); R used fewer than 4 methods in month.

1553	6469	2441	10826	Blank	= Blank, inapplicable
0	0	0	0	01	= NO METHODS USED
0	0	0	0	02	= SAME AS PREVIOUS MONTH
0	0	0	0	03	= BIRTH CONTROL PILLS
0	1	0	1	04	= CONDOM
0	0	0	0	05	= PARTNER'S VASECTOMY
0	0	0	0	06	= DIAPHRAGM
0	0	0	0	07	= FOAM
0	0	0	0	08	= JELLY OR CREAM
0	0	0	0	09	= CERVICAL CAP
0	0	0	0	10	= SUPPOSITORY, INSERT
0	1	0	1	11	= TODAY (TM) SPONGE
0	0	0	0	12	= FEMALE CONDOM, VAGINAL POUCH
0	0	0	0	13	= IUD, COIL, LOOP
0	0	0	0	14	= NORPLANT (TM)
0	0	0	0	15	= DEPO-PROVERA, INJECTABLES
0	0	0	0	16	= MORNING AFTER PILLS
0	2	0	3	17	= RHYTHM OR SAFE PERIOD BY CALENDAR
0	0	1	1	18	= SAFE PERIOD BY TEMP, CERVICAL MUCUS TEST, NFP
0	1	0	1	19	= WITHDRAWAL

(3540)

1995 NATIONAL SURVEY OF FAMILY GROWTH
 File Documentation
 Respondent File (Section E Questionnaire Items)

VARIABLE NAME	COLUMN LOCATION	NON-HISPANIC			TOTAL	QX	TEXT AND CODE CATEGORIES
		HISP	WHITE	BLACK			
		0	0	0	0	20	= RESPONDENT STERILE
		0	0	0	0	21	= PARTNER STERILE (NOT ON CARD)
		0	0	0	0	22	= OTHER METHOD-NOT SHOWN SEPARATELY
		0	0	0	0	55	= SAME METHODS USED THROUGH END OF YEAR
		0	1	2	3	97	= Not Ascertained
		0	4	2	6	98	= Refused
		0	4	0	5	99	= Don't Know

[SIMSEQ11] 7315-7315

Did you use those methods together,
 that is, at the same time, or did
 you use them at different times
 during the month? (MC12)

Inapplicable:

R never had sex as of this month and
 never used a birth control method as
 of this month but ever used one or
 more birth control methods in EA
 series (WNFSTSEX GE 1093 and
 DATFIRSM GE 1093 and computed
 variable EVERUSED = 1); R never had
 sex and said no, don't know or
 refused to all birth control methods
 in EA series (computed variable
 RHADSEX coded 2,7,8 or 9 and
 computed variable EVERUSED = 2); R
 said no, don't know or refused to
 all birth control methods in EA
 series (computed variable EVERUSED =
 2); R did not use multiple methods
 in the month; R used more than 2
 methods in the month.

1496	6134	2296	10275	Blank	= Blank, inapplicable
36	226	118	389	1	= SAME TIME
21	122	32	182	2	= DIFFERENT TIMES
0	0	0	0	7	= Not Ascertained
0	0	0	0	8	= Refused
0	1	0	1	9	= Don't Know

1995 NATIONAL SURVEY OF FAMILY GROWTH
 File Documentation
 Respondent File (Section E Questionnaire Items)

VARIABLE	COLUMN	NON-HISPANIC				
NAME	LOCATION	HISP	WHITE	BLACK		TOTAL

[MTHUS132] 7316-7317

During that month, which (of those/other) methods, if any, did you use at the same time? (1st METHOD MENTIONED, 1st COMBINATION, MC12)

Inapplicable:
 R said no, don't know or refused to all birth control methods in EA series (computed variable EVERUSED = 2); R never had sex as of this month and never used a birth control method as of this month but ever used one or more birth control methods in EA series (WNFSTSEX GE 1093 and DATFIRSM GE 1093 and computed variable EVERUSED = 1); R did not use multiple methods in the month; or R used only 2 methods in the month.

1540	6439	2436	10774	Blank	= Blank, inapplicable
5	5	5	15	01	= NONE
0	0	0	0	02	= OFFICE USE ONLY
2	6	2	12	03	= BIRTH CONTROL PILLS
6	20	1	31	04	= CONDOM
0	0	0	0	05	= PARTNER'S VASECTOMY
0	3	0	3	06	= DIAPHRAGM
0	0	0	0	07	= FOAM
0	0	0	0	08	= JELLY OR CREAM
0	0	0	0	09	= CERVICAL CAP
0	0	0	0	10	= SUPPOSITORY, INSERT
0	2	0	2	11	= TODAY (TM) SPONGE
0	0	0	0	12	= FEMALE CONDOM, VAGINAL POUCH
0	0	0	0	13	= IUD, COIL, LOOP
0	0	0	0	14	= NORPLANT (TM)
0	0	0	0	15	= DEPO-PROVERA, INJECTABLES
0	0	0	0	16	= MORNING AFTER PILLS
0	6	0	6	17	= RHYTHM OR SAFE PERIOD BY CALENDAR
0	1	0	1	18	= SAFE PERIOD BY TEMP, CERVICAL MUCUS TEST, NFP
0	1	1	2	19	= WITHDRAWAL
0	0	1	1	20	= RESPONDENT STERILE
0	0	0	0	21	= PARTNER STERILE (NOT

(3542)

1995 NATIONAL SURVEY OF FAMILY GROWTH
 File Documentation
 Respondent File (Section E Questionnaire Items)

VARIABLE NAME	COLUMN LOCATION	NON-HISPANIC			TOTAL	QX	TEXT AND CODE CATEGORIES
		HISP	WHITE	BLACK			
		0	0	0	0	22	ON CARD) = OTHER METHOD-NOT SHOWN SEPARATELY
		0	0	0	0	97	= Not Ascertained
		0	0	0	0	98	= Refused
		0	0	0	0	99	= Don't Know

1995 NATIONAL SURVEY OF FAMILY GROWTH
 File Documentation
 Respondent File (Section E Questionnaire Items)

VARIABLE COLUMN NON-HISPANIC
 NAME LOCATION HISP WHITE BLACK TOTAL QX TEXT AND CODE CATEGORIES

[MTHUS133] 7318-7319

During that month, which (of those/other) methods, if any, did you use at the same time? (2nd METHOD MENTIONED, 1st COMBINATION, MC12)

Inapplicable:
 R said no, don't know or refused to all birth control methods in EA series (computed variable EVERUSED = 2); R never had sex as of this month and never used a birth control method as of this month but ever used one or more birth control methods in EA series (WNFSTSEX GE 1093 and DATFIRSM GE 1093 and computed variable EVERUSED = 1); R did not use multiple methods in the month; or R used only 2 methods in the month; or R reported using fewer than 2 BC methods for this combination in this month of the method calendar.

1545	6444	2441	10789	Blank	= Blank, inapplicable
0	0	0	0	01	= NONE
0	0	0	0	02	= OFFICE USE ONLY
0	0	0	0	03	= BIRTH CONTROL PILLS
2	8	3	14	04	= CONDOM
0	1	0	1	05	= PARTNER'S VASECTOMY
0	2	0	2	06	= DIAPHRAGM
2	3	0	5	07	= FOAM
1	1	1	3	08	= JELLY OR CREAM
0	0	0	0	09	= CERVICAL CAP
1	0	1	2	10	= SUPPOSITORY, INSERT
0	1	0	1	11	= TODAY (TM) SPONGE
0	0	0	0	12	= FEMALE CONDOM, VAGINAL POUCH
0	0	0	0	13	= IUD, COIL, LOOP
0	0	0	0	14	= NORPLANT (TM)
0	0	0	0	15	= DEPO-PROVERA, INJECTABLES
0	1	0	1	16	= MORNING AFTER PILLS
1	13	0	16	17	= RHYTHM OR SAFE PERIOD BY CALENDAR
0	0	0	0	18	= SAFE PERIOD BY TEMP, CERVICAL MUCUS TEST, NFP

(3544)

1995 NATIONAL SURVEY OF FAMILY GROWTH
 File Documentation
 Respondent File (Section E Questionnaire Items)

VARIABLE NAME	COLUMN LOCATION	NON-HISPANIC			TOTAL	QX	TEXT AND CODE CATEGORIES
		HISP	WHITE	BLACK			
		1	9	0	13	19	= WITHDRAWAL
		0	0	0	0	20	= RESPONDENT STERILE
		0	0	0	0	21	= PARTNER STERILE (NOT ON CARD)
		0	0	0	0	22	= OTHER METHOD-NOT SHOWN SEPARATELY
		0	0	0	0	97	= Not Ascertained
		0	0	0	0	98	= Refused
		0	0	0	0	99	= Don't Know

1995 NATIONAL SURVEY OF FAMILY GROWTH
 File Documentation
 Respondent File (Section E Questionnaire Items)

VARIABLE COLUMN NON-HISPANIC
 NAME LOCATION HISP WHITE BLACK TOTAL QX TEXT AND CODE CATEGORIES

[MTHUS134] 7320-7321

During that month, which (of those/other) methods, if any, did you use at the same time? (3rd METHOD MENTIONED, 1st COMBINATION, MC12)

Inapplicable:
 R said no, don't know or refused to all birth control methods in EA series (computed variable EVERUSED = 2); R never had sex as of this month and never used a birth control method as of this month but ever used one or more birth control methods in EA series (WNFSTSEX GE 1093 and DATFIRSM GE 1093 and computed variable EVERUSED = 1); R did not use multiple methods in the month; or R used only 2 methods in the month; or R reported using fewer than 3 BC methods for this combination in this month of the method calendar.

1547	6462	2443	10816	Blank	= Blank, inapplicable
0	0	0	0	01	= NONE
0	0	0	0	02	= OFFICE USE ONLY
0	0	0	0	03	= BIRTH CONTROL PILLS
0	0	0	0	04	= CONDOM
1	0	0	1	05	= PARTNER'S VASECTOMY
0	0	0	0	06	= DIAPHRAGM
2	3	2	7	07	= FOAM
0	1	0	1	08	= JELLY OR CREAM
0	0	0	0	09	= CERVICAL CAP
0	1	0	1	10	= SUPPOSITORY, INSERT
1	2	0	3	11	= TODAY (TM) SPONGE
0	0	0	0	12	= FEMALE CONDOM, VAGINAL POUCH
0	0	0	0	13	= IUD, COIL, LOOP
0	0	0	0	14	= NORPLANT (TM)
0	0	0	0	15	= DEPO-PROVERA, INJECTABLES
0	0	0	0	16	= MORNING AFTER PILLS
2	5	1	8	17	= RHYTHM OR SAFE PERIOD BY CALENDAR
0	2	0	3	18	= SAFE PERIOD BY TEMP, CERVICAL MUCUS TEST, NFP

(3546)

1995 NATIONAL SURVEY OF FAMILY GROWTH
 File Documentation
 Respondent File (Section E Questionnaire Items)

VARIABLE NAME	COLUMN LOCATION	NON-HISPANIC			TOTAL	QX	TEXT AND CODE CATEGORIES
		HISP	WHITE	BLACK			
		0	7	0	7	19	= WITHDRAWAL
		0	0	0	0	20	= RESPONDENT STERILE
		0	0	0	0	21	= PARTNER STERILE (NOT ON CARD)
		0	0	0	0	22	= OTHER METHOD-NOT SHOWN SEPARATELY
		0	0	0	0	97	= Not Ascertained
		0	0	0	0	98	= Refused
		0	0	0	0	99	= Don't Know

1995 NATIONAL SURVEY OF FAMILY GROWTH
 File Documentation
 Respondent File (Section E Questionnaire Items)

VARIABLE COLUMN NON-HISPANIC
 NAME LOCATION HISP WHITE BLACK TOTAL QX TEXT AND CODE CATEGORIES

[MTHUS135] 7322-7323

During that month, which (of those/other) methods, if any, did you use at the same time? (4th METHOD MENTIONED, 1st COMBINATION, MC12)

Inapplicable:
 R said no, don't know or refused to all birth control methods in EA series (computed variable EVERUSED = 2); R never had sex as of this month and never used a birth control method as of this month but ever used one or more birth control methods in EA series (WNFSTSEX GE 1093 and DATFIRSM GE 1093 and computed variable EVERUSED = 1); R did not use multiple methods in the month; or R used only 2 methods in the month; or R reported using fewer than 4 BC methods for this combination in this month of the method calendar.

1553	6482	2445	10845	Blank	= Blank, inapplicable
0	0	0	0	01	= NONE
0	0	0	0	02	= OFFICE USE ONLY
0	0	0	0	03	= BIRTH CONTROL PILLS
0	1	0	1	04	= CONDOM
0	0	0	0	05	= PARTNER'S VASECTOMY
0	0	0	0	06	= DIAPHRAGM
0	0	0	0	07	= FOAM
0	0	0	0	08	= JELLY OR CREAM
0	0	0	0	09	= CERVICAL CAP
0	0	0	0	10	= SUPPOSITORY, INSERT
0	0	0	0	11	= TODAY (TM) SPONGE
0	0	0	0	12	= FEMALE CONDOM, VAGINAL POUCH
0	0	0	0	13	= IUD, COIL, LOOP
0	0	0	0	14	= NORPLANT (TM)
0	0	0	0	15	= DEPO-PROVERA, INJECTABLES
0	0	0	0	16	= MORNING AFTER PILLS
0	0	0	0	17	= RHYTHM OR SAFE PERIOD BY CALENDAR
0	0	1	1	18	= SAFE PERIOD BY TEMP, CERVICAL MUCUS TEST, NFP

(3548)

1995 NATIONAL SURVEY OF FAMILY GROWTH
 File Documentation
 Respondent File (Section E Questionnaire Items)

VARIABLE NAME	COLUMN LOCATION	NON-HISPANIC			TOTAL	QX	TEXT AND CODE CATEGORIES
		HISP	WHITE	BLACK			
		0	0	0	0	19	= WITHDRAWAL
		0	0	0	0	20	= RESPONDENT STERILE
		0	0	0	0	21	= PARTNER STERILE (NOT ON CARD)
		0	0	0	0	22	= OTHER METHOD-NOT SHOWN SEPARATELY
		0	0	0	0	97	= Not Ascertained
		0	0	0	0	98	= Refused
		0	0	0	0	99	= Don't Know

1995 NATIONAL SURVEY OF FAMILY GROWTH
 File Documentation
 Respondent File (Section E Questionnaire Items)

VARIABLE COLUMN NON-HISPANIC
 NAME LOCATION HISP WHITE BLACK TOTAL QX TEXT AND CODE CATEGORIES

[MTHUS136] 7324-7325

During that month, which (of those/other) methods, if any, did you use at the same time? (1st METHOD MENTIONED, 2nd COMBINATION, MC12)

Inapplicable:
 R said no, don't know or refused to all birth control methods in EA series (computed variable EVERUSED = 2); R never had sex as of this month and never used a birth control method as of this month but ever used one or more birth control methods in EA series (WNFSTSEX GE 1093 and DATFIRSM GE 1093 and computed variable EVERUSED = 1); R did not use multiple methods in the month; or R used only 2 methods in the month; or R reported fewer than 2 BC method combinations.

1545	6444	2441	10789	Blank	= Blank, inapplicable
5	26	2	37	01	= NONE
0	0	0	0	02	= OFFICE USE ONLY
1	3	1	5	03	= BIRTH CONTROL PILLS
0	5	0	6	04	= CONDOM
0	0	0	0	05	= PARTNER'S VASECTOMY
0	0	0	0	06	= DIAPHRAGM
2	1	0	3	07	= FOAM
0	0	0	0	08	= JELLY OR CREAM
0	0	0	0	09	= CERVICAL CAP
0	0	0	0	10	= SUPPOSITORY, INSERT
0	0	0	1	11	= TODAY (TM) SPONGE
0	0	0	0	12	= FEMALE CONDOM, VAGINAL POUCH
0	0	0	0	13	= IUD, COIL, LOOP
0	0	0	0	14	= NORPLANT (TM)
0	0	0	0	15	= DEPO-PROVERA, INJECTABLES
0	0	0	0	16	= MORNING AFTER PILLS
0	3	0	3	17	= RHYTHM OR SAFE PERIOD BY CALENDAR
0	0	0	0	18	= SAFE PERIOD BY TEMP, CERVICAL MUCUS TEST, NFP
0	1	1	2	19	= WITHDRAWAL
0	0	1	1	20	= RESPONDENT STERILE

(3550)

1995 NATIONAL SURVEY OF FAMILY GROWTH
 File Documentation
 Respondent File (Section E Questionnaire Items)

VARIABLE NAME	COLUMN LOCATION	NON-HISPANIC			TOTAL	QX	TEXT AND CODE CATEGORIES
		HISP	WHITE	BLACK			
		0	0	0	0	21	= PARTNER STERILE (NOT ON CARD)
		0	0	0	0	22	= OTHER METHOD-NOT SHOWN SEPARATELY
		0	0	0	0	97	= Not Ascertained
		0	0	0	0	98	= Refused
		0	0	0	0	99	= Don't Know

1995 NATIONAL SURVEY OF FAMILY GROWTH
 File Documentation
 Respondent File (Section E Questionnaire Items)

VARIABLE COLUMN NON-HISPANIC
 NAME LOCATION HISP WHITE BLACK TOTAL QX TEXT AND CODE CATEGORIES

[MTHUS137] 7326-7327

During that month, which (of those/other) methods, if any, did you use at the same time? (2nd METHOD MENTIONED, 2nd COMBINATION, MC12)

Inapplicable:
 R said no, don't know or refused to all birth control methods in EA series (computed variable EVERUSED = 2); R never had sex as of this month and never used a birth control method as of this month but ever used one or more birth control methods in EA series (WNFSTSEX GE 1093 and DATFIRSM GE 1093 and computed variable EVERUSED = 1); R did not use multiple methods in the month; or R used only 2 methods in the month; or R reported fewer than 2 BC method combinations; or R reported using fewer than 2 BC methods for this combination in this month of the method calendar.

1551	6472	2443	10829	Blank	= Blank, inapplicable
0	0	0	0	01	= NONE
0	0	0	0	02	= OFFICE USE ONLY
1	0	0	2	03	= BIRTH CONTROL PILLS
1	2	1	4	04	= CONDOM
0	1	0	1	05	= PARTNER'S VASECTOMY
0	0	0	0	06	= DIAPHRAGM
0	1	0	1	07	= FOAM
0	0	0	0	08	= JELLY OR CREAM
0	0	0	0	09	= CERVICAL CAP
0	0	1	1	10	= SUPPOSITORY, INSERT
0	1	0	1	11	= TODAY (TM) SPONGE
0	0	0	0	12	= FEMALE CONDOM, VAGINAL POUCH
0	0	0	0	13	= IUD, COIL, LOOP
0	0	0	0	14	= NORPLANT (TM)
0	0	0	0	15	= DEPO-PROVERA, INJECTABLES
0	0	0	0	16	= MORNING AFTER PILLS
0	3	0	4	17	= RHYTHM OR SAFE PERIOD BY CALENDAR
0	0	0	0	18	= SAFE PERIOD BY TEMP, CERVICAL MUCUS TEST,

(3552)

1995 NATIONAL SURVEY OF FAMILY GROWTH
 File Documentation
 Respondent File (Section E Questionnaire Items)

VARIABLE NAME	COLUMN LOCATION	NON-HISPANIC			TOTAL	QX	TEXT AND CODE CATEGORIES
		HISP	WHITE	BLACK			
		0	3	1	4	19	NFP
		0	0	0	0	20	= WITHDRAWAL
		0	0	0	0	21	= RESPONDENT STERILE
							= PARTNER STERILE (NOT ON CARD)
		0	0	0	0	22	= OTHER METHOD-NOT SHOWN SEPARATELY
		0	0	0	0	97	= Not Ascertained
		0	0	0	0	98	= Refused
		0	0	0	0	99	= Don't Know

1995 NATIONAL SURVEY OF FAMILY GROWTH
 File Documentation
 Respondent File (Section E Questionnaire Items)

VARIABLE	COLUMN	NON-HISPANIC				
NAME	LOCATION	HISP	WHITE	BLACK	TOTAL	QX TEXT AND CODE CATEGORIES

[MTHUS138] 7328-7329

During that month, which (of those/other) methods, if any, did you use at the same time? (3rd METHOD MENTIONED, 2nd COMBINATION, MC12)

Inapplicable:
 R said no, don't know or refused to all birth control methods in EA series (computed variable EVERUSED = 2); R never had sex as of this month and never used a birth control method as of this month but ever used one or more birth control methods in EA series (WNFSTSEX GE 1093 and DATFIRSM GE 1093 and computed variable EVERUSED = 1); R did not use multiple methods in the month; or R used only 2 methods in the month; or R reported fewer than 2 BC method combinations; or R reported using fewer than 3 BC methods for this combination in this month of the method calendar.

1552	6480	2446	10842	Blank	= Blank, inapplicable
0	0	0	0	01	= NONE
0	0	0	0	02	= OFFICE USE ONLY
0	0	0	0	03	= BIRTH CONTROL PILLS
0	0	0	0	04	= CONDOM
0	0	0	0	05	= PARTNER'S VASECTOMY
0	0	0	0	06	= DIAPHRAGM
0	1	0	1	07	= FOAM
0	1	0	1	08	= JELLY OR CREAM
0	0	0	0	09	= CERVICAL CAP
0	0	0	0	10	= SUPPOSITORY, INSERT
0	0	0	0	11	= TODAY (TM) SPONGE
0	0	0	0	12	= FEMALE CONDOM, VAGINAL POUCH
0	0	0	0	13	= IUD, COIL, LOOP
0	0	0	0	14	= NORPLANT (TM)
0	0	0	0	15	= DEPO-PROVERA, INJECTABLES
0	0	0	0	16	= MORNING AFTER PILLS
1	0	0	1	17	= RHYTHM OR SAFE PERIOD BY CALENDAR
0	0	0	1	18	= SAFE PERIOD BY TEMP, CERVICAL MUCUS TEST,

1995 NATIONAL SURVEY OF FAMILY GROWTH
 File Documentation
 Respondent File (Section E Questionnaire Items)

VARIABLE NAME	COLUMN LOCATION	NON-HISPANIC			TOTAL	QX	TEXT AND CODE CATEGORIES
		HISP	WHITE	BLACK			
		0	1	0	1	19	NFP
		0	0	0	0	20	= WITHDRAWAL
		0	0	0	0	21	= RESPONDENT STERILE
							= PARTNER STERILE (NOT ON CARD)
		0	0	0	0	22	= OTHER METHOD-NOT SHOWN SEPARATELY
		0	0	0	0	97	= Not Ascertained
		0	0	0	0	98	= Refused
		0	0	0	0	99	= Don't Know

1995 NATIONAL SURVEY OF FAMILY GROWTH
 File Documentation
 Respondent File (Section E Questionnaire Items)

VARIABLE NAME	COLUMN LOCATION	NON-HISPANIC			TOTAL	QX	TEXT AND CODE CATEGORIES
		HISP	WHITE	BLACK			
		0	0	0	0	19	NFP
		0	0	0	0	20	= WITHDRAWAL
		0	0	0	0	21	= RESPONDENT STERILE
							= PARTNER STERILE (NOT ON CARD)
		0	0	0	0	22	= OTHER METHOD-NOT SHOWN SEPARATELY
		0	0	0	0	97	= Not Ascertained
		0	0	0	0	98	= Refused
		0	0	0	0	99	= Don't Know

1995 NATIONAL SURVEY OF FAMILY GROWTH
 File Documentation
 Respondent File (Section E Questionnaire Items)

VARIABLE	COLUMN	NON-HISPANIC				
NAME	LOCATION	HISP	WHITE	BLACK	TOTAL	QX TEXT AND CODE CATEGORIES

[MTHUS140] 7332-7333

During that month, which (of those/other) methods, if any, did you use at the same time? (1st METHOD MENTIONED, 3rd COMBINATION, MC12)

Inapplicable:
 R said no, don't know or refused to all birth control methods in EA series (computed variable EVERUSED = 2); R never had sex as of this month and never used a birth control method as of this month but ever used one or more birth control methods in EA series (WNFSTSEX GE 1093 and DATFIRSM GE 1093 and computed variable EVERUSED = 1); R did not use multiple methods in the month; or R used only 2 methods in the month; or R reported fewer than 3 BC method combinations.

	1553	6482	2446	10846	Blank	
	0	0	0	0	0	= Blank, inapplicable
	0	0	0	0	0	= NONE
	0	0	0	0	0	= OFFICE USE ONLY
	0	1	0	1	0	= BIRTH CONTROL PILLS
	0	0	0	0	0	= CONDOM
	0	0	0	0	0	= PARTNER'S VASECTOMY
	0	0	0	0	0	= DIAPHRAGM
	0	0	0	0	0	= FOAM
	0	0	0	0	0	= JELLY OR CREAM
	0	0	0	0	0	= CERVICAL CAP
	0	0	0	0	0	= SUPPOSITORY, INSERT
	0	0	0	0	0	= TODAY (TM) SPONGE
	0	0	0	0	0	= FEMALE CONDOM, VAGINAL POUCH
	0	0	0	0	0	= IUD, COIL, LOOP
	0	0	0	0	0	= NORPLANT (TM)
	0	0	0	0	0	= DEPO-PROVERA, INJECTABLES
	0	0	0	0	0	= MORNING AFTER PILLS
	0	0	0	0	0	= RHYTHM OR SAFE PERIOD BY CALENDAR
	0	0	0	0	0	= SAFE PERIOD BY TEMP, CERVICAL MUCUS TEST, NFP
	0	0	0	0	0	= WITHDRAWAL
	0	0	0	0	0	= RESPONDENT STERILE

(3558)

1995 NATIONAL SURVEY OF FAMILY GROWTH
 File Documentation
 Respondent File (Section E Questionnaire Items)

VARIABLE NAME	COLUMN LOCATION	NON-HISPANIC			QX	TEXT AND CODE CATEGORIES
		HISP	WHITE	BLACK		
		0	0	0	0	21 = PARTNER STERILE (NOT ON CARD)
		0	0	0	0	22 = OTHER METHOD-NOT SHOWN SEPARATELY
		0	0	0	0	97 = Not Ascertained
		0	0	0	0	98 = Refused
		0	0	0	0	99 = Don't Know

1995 NATIONAL SURVEY OF FAMILY GROWTH
 File Documentation
 Respondent File (Section E Questionnaire Items)

VARIABLE COLUMN NON-HISPANIC
 NAME LOCATION HISP WHITE BLACK TOTAL QX TEXT AND CODE CATEGORIES

[MTHUS141] 7334-7335

During that month, which (of those/other) methods, if any, did you use at the same time? (2nd METHOD MENTIONED, 3rd COMBINATION, MC12)

Inapplicable:
 R said no, don't know or refused to all birth control methods in EA series (computed variable EVERUSED = 2); R never had sex as of this month and never used a birth control method as of this month but ever used one or more birth control methods in EA series (WNFSTSEX GE 1093 and DATFIRSM GE 1093 and computed variable EVERUSED = 1); R did not use multiple methods in the month; or R used only 2 methods in the month; or R reported fewer than 3 BC method combinations; or R reported using fewer than 2 BC methods for this combination in this month of the method calendar.

1553	6482	2446	10846	Blank	= Blank, inapplicable
0	0	0	0	01	= NONE
0	0	0	0	02	= OFFICE USE ONLY
0	0	0	0	03	= BIRTH CONTROL PILLS
0	0	0	0	04	= CONDOM
0	0	0	0	05	= PARTNER'S VASECTOMY
0	0	0	0	06	= DIAPHRAGM
0	0	0	0	07	= FOAM
0	0	0	0	08	= JELLY OR CREAM
0	0	0	0	09	= CERVICAL CAP
0	0	0	0	10	= SUPPOSITORY, INSERT
0	0	0	0	11	= TODAY (TM) SPONGE
0	0	0	0	12	= FEMALE CONDOM, VAGINAL POUCH
0	0	0	0	13	= IUD, COIL, LOOP
0	0	0	0	14	= NORPLANT (TM)
0	0	0	0	15	= DEPO-PROVERA, INJECTABLES
0	0	0	0	16	= MORNING AFTER PILLS
0	1	0	1	17	= RHYTHM OR SAFE PERIOD BY CALENDAR
0	0	0	0	18	= SAFE PERIOD BY TEMP, CERVICAL MUCUS TEST,

(3560)

1995 NATIONAL SURVEY OF FAMILY GROWTH
 File Documentation
 Respondent File (Section E Questionnaire Items)

VARIABLE NAME	COLUMN LOCATION	NON-HISPANIC			TOTAL	QX	TEXT AND CODE CATEGORIES
		HISP	WHITE	BLACK			
		0	0	0	0	19	NFP
		0	0	0	0	20	= WITHDRAWAL
		0	0	0	0	21	= RESPONDENT STERILE
							= PARTNER STERILE (NOT ON CARD)
		0	0	0	0	22	= OTHER METHOD-NOT SHOWN SEPARATELY
		0	0	0	0	97	= Not Ascertained
		0	0	0	0	98	= Refused
		0	0	0	0	99	= Don't Know

1995 NATIONAL SURVEY OF FAMILY GROWTH
 File Documentation
 Respondent File (Section E Questionnaire Items)

VARIABLE	COLUMN	NON-HISPANIC				QX TEXT AND CODE CATEGORIES
NAME	LOCATION	HISP	WHITE	BLACK		

[MTHUS142] 7336-7337

During that month, which (of those/other) methods, if any, did you use at the same time? (3rd METHOD MENTIONED, 3rd COMBINATION, MC12)

Inapplicable:
 R said no, don't know or refused to all birth control methods in EA series (computed variable EVERUSED = 2); R never had sex as of this month and never used a birth control method as of this month but ever used one or more birth control methods in EA series (WNFSTSEX GE 1093 and DATFIRSM GE 1093 and computed variable EVERUSED = 1); R did not use multiple methods in the month; or R used only 2 methods in the month; or R reported fewer than 3 BC method combinations; or R reported using fewer than 3 BC methods for this combination in this month of the method calendar.

1553	6483	2446	10847	Blank	= Blank, inapplicable
0	0	0	0	01	= NONE
0	0	0	0	02	= OFFICE USE ONLY
0	0	0	0	03	= BIRTH CONTROL PILLS
0	0	0	0	04	= CONDOM
0	0	0	0	05	= PARTNER'S VASECTOMY
0	0	0	0	06	= DIAPHRAGM
0	0	0	0	07	= FOAM
0	0	0	0	08	= JELLY OR CREAM
0	0	0	0	09	= CERVICAL CAP
0	0	0	0	10	= SUPPOSITORY, INSERT
0	0	0	0	11	= TODAY (TM) SPONGE
0	0	0	0	12	= FEMALE CONDOM, VAGINAL POUCH
0	0	0	0	13	= IUD, COIL, LOOP
0	0	0	0	14	= NORPLANT (TM)
0	0	0	0	15	= DEPO-PROVERA, INJECTABLES
0	0	0	0	16	= MORNING AFTER PILLS
0	0	0	0	17	= RHYTHM OR SAFE PERIOD BY CALENDAR
0	0	0	0	18	= SAFE PERIOD BY TEMP, CERVICAL MUCUS TEST,

(3562)

1995 NATIONAL SURVEY OF FAMILY GROWTH
 File Documentation
 Respondent File (Section E Questionnaire Items)

VARIABLE NAME	COLUMN LOCATION	NON-HISPANIC			TOTAL	QX	TEXT AND CODE CATEGORIES
		HISP	WHITE	BLACK			
		0	0	0	0	19	NFP
		0	0	0	0	20	= WITHDRAWAL
		0	0	0	0	21	= RESPONDENT STERILE
							= PARTNER STERILE (NOT ON CARD)
		0	0	0	0	22	= OTHER METHOD-NOT SHOWN SEPARATELY
		0	0	0	0	97	= Not Ascertained
		0	0	0	0	98	= Refused
		0	0	0	0	99	= Don't Know

1995 NATIONAL SURVEY OF FAMILY GROWTH
 File Documentation
 Respondent File (Section E Questionnaire Items)

VARIABLE COLUMN NON-HISPANIC
 NAME LOCATION HISP WHITE BLACK TOTAL QX TEXT AND CODE CATEGORIES

[MTHUS143] 7338-7339

During that month, which (of those/other) methods, if any, did you use at the same time? (4th METHOD MENTIONED, 3rd COMBINATION, MC12)

Inapplicable:
 R said no, don't know or refused to all birth control methods in EA series (computed variable EVERUSED = 2); R never had sex as of this month and never used a birth control method as of this month but ever used one or more birth control methods in EA series (WNFSTSEX GE 1093 and DATFIRSM GE 1093 and computed variable EVERUSED = 1); R did not use multiple methods in the month; or R used only 2 methods in the month; or R reported fewer than 3 BC method combinations; or R reported using fewer than 4 BC methods for this combination in this month of the method calendar.

1553	6483	2446	10847	Blank	= Blank, inapplicable
0	0	0	0	01	= NONE
0	0	0	0	02	= OFFICE USE ONLY
0	0	0	0	03	= BIRTH CONTROL PILLS
0	0	0	0	04	= CONDOM
0	0	0	0	05	= PARTNER'S VASECTOMY
0	0	0	0	06	= DIAPHRAGM
0	0	0	0	07	= FOAM
0	0	0	0	08	= JELLY OR CREAM
0	0	0	0	09	= CERVICAL CAP
0	0	0	0	10	= SUPPOSITORY, INSERT
0	0	0	0	11	= TODAY (TM) SPONGE
0	0	0	0	12	= FEMALE CONDOM, VAGINAL POUCH
0	0	0	0	13	= IUD, COIL, LOOP
0	0	0	0	14	= NORPLANT (TM)
0	0	0	0	15	= DEPO-PROVERA, INJECTABLES
0	0	0	0	16	= MORNING AFTER PILLS
0	0	0	0	17	= RHYTHM OR SAFE PERIOD BY CALENDAR
0	0	0	0	18	= SAFE PERIOD BY TEMP, CERVICAL MUCUS TEST,

(3564)

1995 NATIONAL SURVEY OF FAMILY GROWTH
 File Documentation
 Respondent File (Section E Questionnaire Items)

VARIABLE NAME	COLUMN LOCATION	NON-HISPANIC			TOTAL	QX	TEXT AND CODE CATEGORIES
		HISP	WHITE	BLACK			
		0	0	0	0	19	NFP = WITHDRAWAL
		0	0	0	0	20	= RESPONDENT STERILE
		0	0	0	0	21	= PARTNER STERILE (NOT ON CARD)
		0	0	0	0	22	= OTHER METHOD-NOT SHOWN SEPARATELY
		0	0	0	0	97	= Not Ascertained
		0	0	0	0	98	= Refused
		0	0	0	0	99	= Don't Know

1995 NATIONAL SURVEY OF FAMILY GROWTH
 File Documentation
 Respondent File (Section E Questionnaire Items)

VARIABLE NAME	COLUMN LOCATION	NON-HISPANIC			QX TEXT AND CODE CATEGORIES		
		HISP	WHITE	BLACK TOTAL			
[METHH048]	7340-7341				ENTER METHOD (FIRST MENTIONED) USED IN JANUARY 1992: (MC13)		
					Inapplicable: R never had sex as of this month and never used a birth control method as of this month but ever used one or more birth control methods in EA series (WNFSTSEX GE 1093 and DATFIRSM GE 1093 and computed variable EVERUSED = 1); R never had sex and said no, don't know or refused to all birth control methods in EA series (computed variable RHADSEX coded 2,7,8 or 9 and computed variable EVERUSED = 2); R said no, don't know or refused to all birth control methods in EA series (computed variable EVERUSED = 2).		
		386	1129	379	2011	Blank	= Blank, inapplicable
		330	1255	585	2232	01	= NO METHODS USED
		0	0	1	1	02	= SAME AS PREVIOUS MONTH
		267	1359	447	2115	03	= BIRTH CONTROL PILLS
		164	763	367	1350	04	= CONDOM
		23	297	8	336	05	= PARTNER'S VASECTOMY
		7	123	13	145	06	= DIAPHRAGM
		4	25	1	30	07	= FOAM
		1	9	1	11	08	= JELLY OR CREAM
		0	3	0	3	09	= CERVICAL CAP
		6	20	8	36	10	= SUPPOSITORY, INSERT
		1	31	12	44	11	= TODAY (TM) SPONGE
		0	0	0	0	12	= FEMALE CONDOM, VAGINAL POUCH
		18	37	17	75	13	= IUD, COIL, LOOP
		5	16	16	37	14	= NORPLANT (TM)
		8	7	7	22	15	= DEPO-PROVERA, INJECTABLES
		0	0	0	0	16	= MORNING AFTER PILLS
		27	110	18	168	17	= RHYTHM OR SAFE PERIOD BY CALENDAR
		2	12	0	14	18	= SAFE PERIOD BY TEMP, CERVICAL MUCUS TEST, NFP
		37	125	27	200	19	= WITHDRAWAL
		249	1001	522	1816	20	= RESPONDENT STERILE

(3566)

1995 NATIONAL SURVEY OF FAMILY GROWTH
 File Documentation
 Respondent File (Section E Questionnaire Items)

VARIABLE NAME	COLUMN LOCATION	NON-HISPANIC			TOTAL	QX	TEXT AND CODE CATEGORIES
		HISP	WHITE	BLACK			
		17	150	8	178	21	= PARTNER STERILE (NOT ON CARD)
		1	3	5	9	22	= OTHER METHOD-NOT SHOWN SEPARATELY
		0	0	0	0	55	= SAME METHODS USED THROUGH END OF YEAR
		0	1	2	3	97	= Not Ascertained
		0	4	2	6	98	= Refused
		0	3	0	5	99	= Don't Know

1995 NATIONAL SURVEY OF FAMILY GROWTH
 File Documentation
 Respondent File (Section E Questionnaire Items)

VARIABLE NAME	COLUMN LOCATION	NON-HISPANIC			TOTAL	QX	TEXT AND CODE CATEGORIES
		HISP	WHITE	BLACK			
		1	7	10	18	20	= RESPONDENT STERILE
		0	7	0	8	21	= PARTNER STERILE (NOT ON CARD)
		0	0	0	0	22	= OTHER METHOD-NOT SHOWN SEPARATELY
		0	0	0	0	55	= SAME METHODS USED THROUGH END OF YEAR
		0	1	2	3	97	= Not Ascertained
		0	4	2	6	98	= Refused
		0	3	0	5	99	= Don't Know

1995 NATIONAL SURVEY OF FAMILY GROWTH
 File Documentation
 Respondent File (Section E Questionnaire Items)

VARIABLE NAME	COLUMN LOCATION	NON-HISPANIC			TOTAL	QX	TEXT AND CODE CATEGORIES
		HISP	WHITE	BLACK			
		1	7	13	21	20	= RESPONDENT STERILE
		0	0	0	0	21	= PARTNER STERILE (NOT ON CARD)
		1	0	0	2	22	= OTHER METHOD-NOT SHOWN SEPARATELY
		0	0	0	0	55	= SAME METHODS USED THROUGH END OF YEAR
		0	1	2	3	97	= Not Ascertained
		0	4	2	6	98	= Refused
		0	3	0	5	99	= Don't Know

1995 NATIONAL SURVEY OF FAMILY GROWTH
 File Documentation
 Respondent File (Section E Questionnaire Items)

VARIABLE NAME	COLUMN LOCATION	NON-HISPANIC			QX TEXT AND CODE CATEGORIES	
		HISP	WHITE	BLACK	TOTAL	
[METHH051]	7346-7347					ENTER METHOD (FOURTH MENTIONED) USED IN JANUARY 1992: (MC13)

Inapplicable:
 R never had sex as of this month and never used a birth control method as of this month but ever used one or more birth control methods in EA series (WNFSTSEX GE 1093 and DATFIRSM GE 1093 and computed variable EVERUSED = 1); R never had sex and said no, don't know or refused to all birth control methods in EA series (computed variable RHADSEX coded 2,7,8 or 9 and computed variable EVERUSED = 2); R said no, don't know or refused to all birth control methods in EA series (computed variable EVERUSED = 2); R used fewer than 4 methods in month.

1553	6470	2442	10827	Blank	
0	0	0	0	0	01 = Blank, inapplicable
0	0	0	0	0	02 = NO METHODS USED
0	0	0	0	0	03 = SAME AS PREVIOUS MONTH
0	0	0	0	0	04 = BIRTH CONTROL PILLS
0	1	0	1	0	05 = CONDOM
0	0	0	0	0	06 = PARTNER'S VASECTOMY
0	0	0	0	0	07 = DIAPHRAGM
0	0	0	0	0	08 = FOAM
0	0	0	0	0	09 = JELLY OR CREAM
0	0	0	0	0	10 = CERVICAL CAP
0	0	0	0	0	11 = SUPPOSITORY, INSERT
0	1	0	1	0	12 = TODAY (TM) SPONGE
0	0	0	0	0	13 = FEMALE CONDOM, VAGINAL POUCH
0	0	0	0	0	14 = IUD, COIL, LOOP
0	0	0	0	0	15 = NORPLANT (TM)
0	0	0	0	0	16 = DEPO-PROVERA, INJECTABLES
0	0	0	0	0	17 = MORNING AFTER PILLS
0	2	0	3	0	18 = RHYTHM OR SAFE PERIOD BY CALENDAR
0	0	0	0	0	19 = SAFE PERIOD BY TEMP, CERVICAL MUCUS TEST, NFP
0	1	0	1	0	20 = WITHDRAWAL

(3572)

1995 NATIONAL SURVEY OF FAMILY GROWTH
 File Documentation
 Respondent File (Section E Questionnaire Items)

VARIABLE NAME	COLUMN LOCATION	NON-HISPANIC			TOTAL	QX	TEXT AND CODE CATEGORIES
		HISP	WHITE	BLACK			
		0	0	0	0	20	= RESPONDENT STERILE
		0	0	0	0	21	= PARTNER STERILE (NOT ON CARD)
		0	0	0	0	22	= OTHER METHOD-NOT SHOWN SEPARATELY
		0	0	0	0	55	= SAME METHODS USED THROUGH END OF YEAR
		0	1	2	3	97	= Not Ascertained
		0	4	2	6	98	= Refused
		0	3	0	5	99	= Don't Know

[SIMSEQ12] 7348-7348

Did you use those methods together,
 that is, at the same time, or did
 you use them at different times
 during the month? (MC13)

Inapplicable:

R never had sex as of this month and
 never used a birth control method as
 of this month but ever used one or
 more birth control methods in EA
 series (WNFSTSEX GE 1093 and
 DATFIRSM GE 1093 and computed
 variable EVERUSED = 1); R never had
 sex and said no, don't know or
 refused to all birth control methods
 in EA series (computed variable
 RHADSEX coded 2,7,8 or 9 and
 computed variable EVERUSED = 2); R
 said no, don't know or refused to
 all birth control methods in EA
 series (computed variable EVERUSED =
 2); R did not use multiple methods
 in the month; R used more than 2
 methods in the month.

1494	6151	2300	10292	Blank	= Blank, inapplicable
32	207	111	361	1	= SAME TIME
27	125	35	194	2	= DIFFERENT TIMES
0	0	0	0	7	= Not Ascertained
0	0	0	0	8	= Refused
0	0	0	0	9	= Don't Know

1995 NATIONAL SURVEY OF FAMILY GROWTH
 File Documentation
 Respondent File (Section E Questionnaire Items)

VARIABLE COLUMN NON-HISPANIC
 NAME LOCATION HISP WHITE BLACK TOTAL QX TEXT AND CODE CATEGORIES

[MTHUS144] 7349-7350

During that month, which (of those/other) methods, if any, did you use at the same time? (1st METHOD MENTIONED, 1st COMBINATION, MC13)

Inapplicable:
 R said no, don't know or refused to all birth control methods in EA series (computed variable EVERUSED = 2); R never had sex as of this month and never used a birth control method as of this month but ever used one or more birth control methods in EA series (WNFSTSEX GE 1093 and DATFIRSM GE 1093 and computed variable EVERUSED = 1); R did not use multiple methods in the month; or R used only 2 methods in the month.

1538	6437	2439	10774	Blank	
5	7	3	15	01	= Blank, inapplicable
0	0	0	0	02	= NONE
2	7	2	12	03	= OFFICE USE ONLY
8	20	0	32	04	= BIRTH CONTROL PILLS
0	0	0	0	05	= CONDOM
0	3	0	3	06	= PARTNER'S VASECTOMY
0	0	0	0	07	= DIAPHRAGM
0	0	0	0	08	= FOAM
0	0	0	0	09	= JELLY OR CREAM
0	0	0	0	10	= CERVICAL CAP
0	2	0	2	11	= SUPPOSITORY, INSERT
0	0	0	0	12	= TODAY (TM) SPONGE
					= FEMALE CONDOM, VAGINAL POUCH
0	0	0	0	13	= IUD, COIL, LOOP
0	0	0	0	14	= NORPLANT (TM)
0	0	0	0	15	= DEPO-PROVERA, INJECTABLES
0	0	0	0	16	= MORNING AFTER PILLS
0	6	0	6	17	= RHYTHM OR SAFE PERIOD BY CALENDAR
0	0	0	0	18	= SAFE PERIOD BY TEMP, CERVICAL MUCUS TEST, NFP
0	1	1	2	19	= WITHDRAWAL
0	0	1	1	20	= RESPONDENT STERILE
0	0	0	0	21	= PARTNER STERILE (NOT

(3574)

1995 NATIONAL SURVEY OF FAMILY GROWTH
 File Documentation
 Respondent File (Section E Questionnaire Items)

VARIABLE NAME	COLUMN LOCATION	NON-HISPANIC			TOTAL	QX	TEXT AND CODE CATEGORIES
		HISP	WHITE	BLACK			
		0	0	0	0	22	ON CARD) = OTHER METHOD-NOT SHOWN SEPARATELY
		0	0	0	0	97	= Not Ascertained
		0	0	0	0	98	= Refused
		0	0	0	0	99	= Don't Know

1995 NATIONAL SURVEY OF FAMILY GROWTH
 File Documentation
 Respondent File (Section E Questionnaire Items)

VARIABLE COLUMN NON-HISPANIC
 NAME LOCATION HISP WHITE BLACK TOTAL QX TEXT AND CODE CATEGORIES

[MTHUS145] 7351-7352

During that month, which (of those/other) methods, if any, did you use at the same time? (2nd METHOD MENTIONED, 1st COMBINATION, MC13)

Inapplicable:
 R said no, don't know or refused to all birth control methods in EA series (computed variable EVERUSED = 2); R never had sex as of this month and never used a birth control method as of this month but ever used one or more birth control methods in EA series (WNFSTSEX GE 1093 and DATFIRSM GE 1093 and computed variable EVERUSED = 1); R did not use multiple methods in the month; or R used only 2 methods in the month; or R reported using fewer than 2 BC methods for this combination in this month of the method calendar.

1543	6444	2442	10789	Blank	= Blank, inapplicable
0	0	0	0	01	= NONE
0	0	0	0	02	= OFFICE USE ONLY
0	0	0	0	03	= BIRTH CONTROL PILLS
2	8	3	13	04	= CONDOM
0	1	0	1	05	= PARTNER'S VASECTOMY
0	1	0	1	06	= DIAPHRAGM
1	2	0	3	07	= FOAM
1	0	0	1	08	= JELLY OR CREAM
0	0	0	0	09	= CERVICAL CAP
2	0	1	3	10	= SUPPOSITORY, INSERT
0	2	0	2	11	= TODAY (TM) SPONGE
0	0	0	0	12	= FEMALE CONDOM, VAGINAL POUCH
0	0	0	0	13	= IUD, COIL, LOOP
0	0	0	0	14	= NORPLANT (TM)
0	0	0	0	15	= DEPO-PROVERA, INJECTABLES
0	1	0	1	16	= MORNING AFTER PILLS
3	14	0	19	17	= RHYTHM OR SAFE PERIOD BY CALENDAR
0	0	0	0	18	= SAFE PERIOD BY TEMP, CERVICAL MUCUS TEST, NFP

(3576)

1995 NATIONAL SURVEY OF FAMILY GROWTH
 File Documentation
 Respondent File (Section E Questionnaire Items)

VARIABLE NAME	COLUMN LOCATION	NON-HISPANIC			TOTAL	QX	TEXT AND CODE CATEGORIES
		HISP	WHITE	BLACK			
		1	10	0	14	19	= WITHDRAWAL
		0	0	0	0	20	= RESPONDENT STERILE
		0	0	0	0	21	= PARTNER STERILE (NOT ON CARD)
		0	0	0	0	22	= OTHER METHOD-NOT SHOWN SEPARATELY
		0	0	0	0	97	= Not Ascertained
		0	0	0	0	98	= Refused
		0	0	0	0	99	= Don't Know

1995 NATIONAL SURVEY OF FAMILY GROWTH
 File Documentation
 Respondent File (Section E Questionnaire Items)

VARIABLE COLUMN NON-HISPANIC
 NAME LOCATION HISP WHITE BLACK TOTAL QX TEXT AND CODE CATEGORIES

[MTHUS146] 7353-7354

During that month, which (of those/other) methods, if any, did you use at the same time? (3rd METHOD MENTIONED, 1st COMBINATION, MC13)

Inapplicable:
 R said no, don't know or refused to all birth control methods in EA series (computed variable EVERUSED = 2); R never had sex as of this month and never used a birth control method as of this month but ever used one or more birth control methods in EA series (WNFSTSEX GE 1093 and DATFIRSM GE 1093 and computed variable EVERUSED = 1); R did not use multiple methods in the month; or R used only 2 methods in the month; or R reported using fewer than 3 BC methods for this combination in this month of the method calendar.

1546	6460	2444	10814	Blank	= Blank, inapplicable
0	0	0	0	01	= NONE
0	0	0	0	02	= OFFICE USE ONLY
0	0	0	0	03	= BIRTH CONTROL PILLS
0	0	0	0	04	= CONDOM
1	0	0	1	05	= PARTNER'S VASECTOMY
0	0	0	0	06	= DIAPHRAGM
2	2	2	6	07	= FOAM
0	2	0	2	08	= JELLY OR CREAM
0	0	0	0	09	= CERVICAL CAP
0	1	0	1	10	= SUPPOSITORY, INSERT
1	2	0	3	11	= TODAY (TM) SPONGE
0	0	0	0	12	= FEMALE CONDOM, VAGINAL POUCH
0	0	0	0	13	= IUD, COIL, LOOP
0	0	0	0	14	= NORPLANT (TM)
0	0	0	0	15	= DEPO-PROVERA, INJECTABLES
0	0	0	0	16	= MORNING AFTER PILLS
2	4	0	6	17	= RHYTHM OR SAFE PERIOD BY CALENDAR
0	2	0	3	18	= SAFE PERIOD BY TEMP, CERVICAL MUCUS TEST, NFP

(3578)

1995 NATIONAL SURVEY OF FAMILY GROWTH
 File Documentation
 Respondent File (Section E Questionnaire Items)

VARIABLE NAME	COLUMN LOCATION	NON-HISPANIC			QX	TEXT AND CODE CATEGORIES	
		HISP	WHITE	BLACK			TOTAL
		0	10	0	10	19	= WITHDRAWAL
		0	0	0	0	20	= RESPONDENT STERILE
		0	0	0	0	21	= PARTNER STERILE (NOT ON CARD)
		1	0	0	1	22	= OTHER METHOD-NOT SHOWN SEPARATELY
		0	0	0	0	97	= Not Ascertained
		0	0	0	0	98	= Refused
		0	0	0	0	99	= Don't Know

1995 NATIONAL SURVEY OF FAMILY GROWTH
 File Documentation
 Respondent File (Section E Questionnaire Items)

VARIABLE COLUMN NON-HISPANIC
 NAME LOCATION HISP WHITE BLACK TOTAL QX TEXT AND CODE CATEGORIES

[MTHUS147] 7355-7356

During that month, which (of those/other) methods, if any, did you use at the same time? (4th METHOD MENTIONED, 1st COMBINATION, MC13)

Inapplicable:
 R said no, don't know or refused to all birth control methods in EA series (computed variable EVERUSED = 2); R never had sex as of this month and never used a birth control method as of this month but ever used one or more birth control methods in EA series (WNFSTSEX GE 1093 and DATFIRSM GE 1093 and computed variable EVERUSED = 1); R did not use multiple methods in the month; or R used only 2 methods in the month; or R reported using fewer than 4 BC methods for this combination in this month of the method calendar.

	1553	6482	2446	10846	Blank	
	0	0	0	0	01	= Blank, inapplicable
	0	0	0	0	02	= NONE
	0	0	0	0	03	= OFFICE USE ONLY
	0	1	0	1	04	= BIRTH CONTROL PILLS
	0	0	0	0	05	= CONDOM
	0	0	0	0	06	= PARTNER'S VASECTOMY
	0	0	0	0	07	= DIAPHRAGM
	0	0	0	0	08	= FOAM
	0	0	0	0	09	= JELLY OR CREAM
	0	0	0	0	10	= CERVICAL CAP
	0	0	0	0	11	= SUPPOSITORY, INSERT
	0	0	0	0	12	= TODAY (TM) SPONGE
	0	0	0	0	13	= FEMALE CONDOM, VAGINAL POUCH
	0	0	0	0	14	= IUD, COIL, LOOP
	0	0	0	0	15	= NORPLANT (TM)
	0	0	0	0	16	= DEPO-PROVERA, INJECTABLES
	0	0	0	0	17	= MORNING AFTER PILLS
	0	0	0	0	18	= RHYTHM OR SAFE PERIOD BY CALENDAR
	0	0	0	0	18	= SAFE PERIOD BY TEMP, CERVICAL MUCUS TEST, NFP

1995 NATIONAL SURVEY OF FAMILY GROWTH
 File Documentation
 Respondent File (Section E Questionnaire Items)

VARIABLE NAME	COLUMN LOCATION	NON-HISPANIC			TOTAL	QX	TEXT AND CODE CATEGORIES
		HISP	WHITE	BLACK			
		0	0	0	0	19	= WITHDRAWAL
		0	0	0	0	20	= RESPONDENT STERILE
		0	0	0	0	21	= PARTNER STERILE (NOT ON CARD)
		0	0	0	0	22	= OTHER METHOD-NOT SHOWN SEPARATELY
		0	0	0	0	97	= Not Ascertained
		0	0	0	0	98	= Refused
		0	0	0	0	99	= Don't Know

1995 NATIONAL SURVEY OF FAMILY GROWTH
File Documentation
Respondent File (Section E Questionnaire Items)

VARIABLE COLUMN NON-HISPANIC
NAME LOCATION HISP WHITE BLACK TOTAL QX TEXT AND CODE CATEGORIES

[MTHUS148] 7357-7358

During that month, which (of those/other) methods, if any, did you use at the same time? (1st METHOD MENTIONED, 2nd COMBINATION, MC13)

Inapplicable:
R said no, don't know or refused to all birth control methods in EA series (computed variable EVERUSED = 2); R never had sex as of this month and never used a birth control method as of this month but ever used one or more birth control methods in EA series (WNFSTSEX GE 1093 and DATFIRSM GE 1093 and computed variable EVERUSED = 1); R did not use multiple methods in the month; or R used only 2 methods in the month; or R reported fewer than 2 BC method combinations.

1543	6444	2442	10789	Blank	= Blank, inapplicable
6	27	1	38	01	= NONE
0	0	0	0	02	= OFFICE USE ONLY
0	3	1	4	03	= BIRTH CONTROL PILLS
0	4	0	5	04	= CONDOM
0	0	0	0	05	= PARTNER'S VASECTOMY
0	0	0	0	06	= DIAPHRAGM
2	1	0	3	07	= FOAM
0	0	0	0	08	= JELLY OR CREAM
0	0	0	0	09	= CERVICAL CAP
0	0	0	0	10	= SUPPOSITORY, INSERT
0	0	0	0	11	= TODAY (TM) SPONGE
0	0	0	0	12	= FEMALE CONDOM, VAGINAL POUCH
0	0	0	0	13	= IUD, COIL, LOOP
0	0	0	0	14	= NORPLANT (TM)
0	0	0	0	15	= DEPO-PROVERA, INJECTABLES
0	0	0	0	16	= MORNING AFTER PILLS
0	3	0	3	17	= RHYTHM OR SAFE PERIOD BY CALENDAR
1	0	0	1	18	= SAFE PERIOD BY TEMP, CERVICAL MUCUS TEST, NFP
0	1	1	2	19	= WITHDRAWAL
0	0	1	1	20	= RESPONDENT STERILE

(3582)

1995 NATIONAL SURVEY OF FAMILY GROWTH
 File Documentation
 Respondent File (Section E Questionnaire Items)

VARIABLE NAME	COLUMN LOCATION	NON-HISPANIC			TOTAL	QX	TEXT AND CODE CATEGORIES
		HISP	WHITE	BLACK			
		0	0	0	0	21	= PARTNER STERILE (NOT ON CARD)
		1	0	0	1	22	= OTHER METHOD-NOT SHOWN SEPARATELY
		0	0	0	0	97	= Not Ascertained
		0	0	0	0	98	= Refused
		0	0	0	0	99	= Don't Know

1995 NATIONAL SURVEY OF FAMILY GROWTH
 File Documentation
 Respondent File (Section E Questionnaire Items)

VARIABLE COLUMN NON-HISPANIC
 NAME LOCATION HISP WHITE BLACK TOTAL QX TEXT AND CODE CATEGORIES

[MTHUS149] 7359-7360

During that month, which (of those/other) methods, if any, did you use at the same time? (2nd METHOD MENTIONED, 2nd COMBINATION, MC13)

Inapplicable:
 R said no, don't know or refused to all birth control methods in EA series (computed variable EVERUSED = 2); R never had sex as of this month and never used a birth control method as of this month but ever used one or more birth control methods in EA series (WNFSTSEX GE 1093 and DATFIRSM GE 1093 and computed variable EVERUSED = 1); R did not use multiple methods in the month; or R used only 2 methods in the month; or R reported fewer than 2 BC method combinations; or R reported using fewer than 2 BC methods for this combination in this month of the method calendar.

1551	6473	2443	10831	Blank	= Blank, inapplicable
0	0	0	0	01	= NONE
0	0	0	0	02	= OFFICE USE ONLY
1	0	0	1	03	= BIRTH CONTROL PILLS
1	2	1	4	04	= CONDOM
0	1	0	1	05	= PARTNER'S VASECTOMY
0	0	0	0	06	= DIAPHRAGM
0	0	0	0	07	= FOAM
0	0	0	0	08	= JELLY OR CREAM
0	0	0	0	09	= CERVICAL CAP
0	0	1	1	10	= SUPPOSITORY, INSERT
0	1	0	1	11	= TODAY (TM) SPONGE
0	0	0	0	12	= FEMALE CONDOM, VAGINAL POUCH
0	0	0	0	13	= IUD, COIL, LOOP
0	0	0	0	14	= NORPLANT (TM)
0	0	0	0	15	= DEPO-PROVERA, INJECTABLES
0	0	0	0	16	= MORNING AFTER PILLS
0	2	0	3	17	= RHYTHM OR SAFE PERIOD BY CALENDAR
0	1	0	1	18	= SAFE PERIOD BY TEMP, CERVICAL MUCUS TEST,

(3584)

1995 NATIONAL SURVEY OF FAMILY GROWTH
 File Documentation
 Respondent File (Section E Questionnaire Items)

VARIABLE NAME	COLUMN LOCATION	NON-HISPANIC			TOTAL	QX	TEXT AND CODE CATEGORIES
		HISP	WHITE	BLACK			
		0	3	1	4	19	NFP
		0	0	0	0	20	= WITHDRAWAL
		0	0	0	0	21	= RESPONDENT STERILE
							= PARTNER STERILE (NOT ON CARD)
		0	0	0	0	22	= OTHER METHOD-NOT SHOWN SEPARATELY
		0	0	0	0	97	= Not Ascertained
		0	0	0	0	98	= Refused
		0	0	0	0	99	= Don't Know

1995 NATIONAL SURVEY OF FAMILY GROWTH
 File Documentation
 Respondent File (Section E Questionnaire Items)

VARIABLE COLUMN NON-HISPANIC
 NAME LOCATION HISP WHITE BLACK TOTAL QX TEXT AND CODE CATEGORIES

[MTHUS150] 7361-7362

During that month, which (of those/other) methods, if any, did you use at the same time? (3rd METHOD MENTIONED, 2nd COMBINATION, MC13)

Inapplicable:
 R said no, don't know or refused to all birth control methods in EA series (computed variable EVERUSED = 2); R never had sex as of this month and never used a birth control method as of this month but ever used one or more birth control methods in EA series (WNFSTSEX GE 1093 and DATFIRSM GE 1093 and computed variable EVERUSED = 1); R did not use multiple methods in the month; or R used only 2 methods in the month; or R reported fewer than 2 BC method combinations; or R reported using fewer than 3 BC methods for this combination in this month of the method calendar.

1552	6479	2446	10841	Blank	= Blank, inapplicable
0	0	0	0	01	= NONE
0	0	0	0	02	= OFFICE USE ONLY
0	0	0	0	03	= BIRTH CONTROL PILLS
0	0	0	0	04	= CONDOM
0	0	0	0	05	= PARTNER'S VASECTOMY
0	0	0	0	06	= DIAPHRAGM
0	1	0	1	07	= FOAM
0	1	0	1	08	= JELLY OR CREAM
0	0	0	0	09	= CERVICAL CAP
0	0	0	0	10	= SUPPOSITORY, INSERT
0	0	0	0	11	= TODAY (TM) SPONGE
0	0	0	0	12	= FEMALE CONDOM, VAGINAL POUCH
0	0	0	0	13	= IUD, COIL, LOOP
0	0	0	0	14	= NORPLANT (TM)
0	0	0	0	15	= DEPO-PROVERA, INJECTABLES
0	0	0	0	16	= MORNING AFTER PILLS
1	0	0	1	17	= RHYTHM OR SAFE PERIOD BY CALENDAR
0	0	0	1	18	= SAFE PERIOD BY TEMP, CERVICAL MUCUS TEST,

(3586)

1995 NATIONAL SURVEY OF FAMILY GROWTH
 File Documentation
 Respondent File (Section E Questionnaire Items)

VARIABLE NAME	COLUMN LOCATION	NON-HISPANIC			TOTAL	QX	TEXT AND CODE CATEGORIES
		HISP	WHITE	BLACK			
		0	2	0	2	19	NFP
		0	0	0	0	20	= WITHDRAWAL
		0	0	0	0	21	= RESPONDENT STERILE
							= PARTNER STERILE (NOT ON CARD)
		0	0	0	0	22	= OTHER METHOD-NOT SHOWN SEPARATELY
		0	0	0	0	97	= Not Ascertained
		0	0	0	0	98	= Refused
		0	0	0	0	99	= Don't Know

1995 NATIONAL SURVEY OF FAMILY GROWTH
 File Documentation
 Respondent File (Section E Questionnaire Items)

VARIABLE	COLUMN	NON-HISPANIC				QX TEXT AND CODE CATEGORIES
NAME	LOCATION	HISP	WHITE	BLACK		

[MTHUS151] 7363-7364

During that month, which (of those/other) methods, if any, did you use at the same time? (4th METHOD MENTIONED, 2nd COMBINATION, MC13)

Inapplicable:
 R said no, don't know or refused to all birth control methods in EA series (computed variable EVERUSED = 2); R never had sex as of this month and never used a birth control method as of this month but ever used one or more birth control methods in EA series (WNFSTSEX GE 1093 and DATFIRSM GE 1093 and computed variable EVERUSED = 1); R did not use multiple methods in the month; or R used only 2 methods in the month; or R reported fewer than 2 BC method combinations; or R reported using fewer than 4 BC methods for this combination in this month of the method calendar.

1553	6483	2446	10847	Blank	= Blank, inapplicable
0	0	0	0	01	= NONE
0	0	0	0	02	= OFFICE USE ONLY
0	0	0	0	03	= BIRTH CONTROL PILLS
0	0	0	0	04	= CONDOM
0	0	0	0	05	= PARTNER'S VASECTOMY
0	0	0	0	06	= DIAPHRAGM
0	0	0	0	07	= FOAM
0	0	0	0	08	= JELLY OR CREAM
0	0	0	0	09	= CERVICAL CAP
0	0	0	0	10	= SUPPOSITORY, INSERT
0	0	0	0	11	= TODAY (TM) SPONGE
0	0	0	0	12	= FEMALE CONDOM, VAGINAL POUCH
0	0	0	0	13	= IUD, COIL, LOOP
0	0	0	0	14	= NORPLANT (TM)
0	0	0	0	15	= DEPO-PROVERA, INJECTABLES
0	0	0	0	16	= MORNING AFTER PILLS
0	0	0	0	17	= RHYTHM OR SAFE PERIOD BY CALENDAR
0	0	0	0	18	= SAFE PERIOD BY TEMP, CERVICAL MUCUS TEST,

(3588)

1995 NATIONAL SURVEY OF FAMILY GROWTH
 File Documentation
 Respondent File (Section E Questionnaire Items)

VARIABLE NAME	COLUMN LOCATION	NON-HISPANIC			TOTAL	QX	TEXT AND CODE CATEGORIES
		HISP	WHITE	BLACK			
		0	0	0	0	19	NFP = WITHDRAWAL
		0	0	0	0	20	= RESPONDENT STERILE
		0	0	0	0	21	= PARTNER STERILE (NOT ON CARD)
		0	0	0	0	22	= OTHER METHOD-NOT SHOWN SEPARATELY
		0	0	0	0	97	= Not Ascertained
		0	0	0	0	98	= Refused
		0	0	0	0	99	= Don't Know

1995 NATIONAL SURVEY OF FAMILY GROWTH
 File Documentation
 Respondent File (Section E Questionnaire Items)

VARIABLE COLUMN NON-HISPANIC
 NAME LOCATION HISP WHITE BLACK TOTAL QX TEXT AND CODE CATEGORIES

[MTHUS152] 7365-7366

During that month, which (of those/other) methods, if any, did you use at the same time? (1st METHOD MENTIONED, 3rd COMBINATION, MC13)

Inapplicable:
 R said no, don't know or refused to all birth control methods in EA series (computed variable EVERUSED = 2); R never had sex as of this month and never used a birth control method as of this month but ever used one or more birth control methods in EA series (WNFSTSEX GE 1093 and DATFIRSM GE 1093 and computed variable EVERUSED = 1); R did not use multiple methods in the month; or R used only 2 methods in the month; or R reported fewer than 3 BC method combinations.

	1553	6482	2446	10846	Blank	
	0	0	0	0	0	01 = Blank, inapplicable
	0	0	0	0	0	02 = NONE
	0	0	0	0	0	03 = OFFICE USE ONLY
	0	1	0	1	0	04 = BIRTH CONTROL PILLS
	0	0	0	0	0	05 = CONDOM
	0	0	0	0	0	06 = PARTNER'S VASECTOMY
	0	0	0	0	0	07 = DIAPHRAGM
	0	0	0	0	0	08 = FOAM
	0	0	0	0	0	09 = JELLY OR CREAM
	0	0	0	0	0	10 = CERVICAL CAP
	0	0	0	0	0	11 = SUPPOSITORY, INSERT
	0	0	0	0	0	12 = TODAY (TM) SPONGE
	0	0	0	0	0	13 = FEMALE CONDOM, VAGINAL POUCH
	0	0	0	0	0	14 = IUD, COIL, LOOP
	0	0	0	0	0	15 = NORPLANT (TM)
	0	0	0	0	0	16 = DEPO-PROVERA, INJECTABLES
	0	0	0	0	0	17 = MORNING AFTER PILLS
	0	0	0	0	0	18 = RHYTHM OR SAFE PERIOD BY CALENDAR
	0	0	0	0	0	19 = SAFE PERIOD BY TEMP, CERVICAL MUCUS TEST, NFP
	0	0	0	0	0	20 = WITHDRAWAL
	0	0	0	0	0	21 = RESPONDENT STERILE

(3590)

1995 NATIONAL SURVEY OF FAMILY GROWTH
 File Documentation
 Respondent File (Section E Questionnaire Items)

VARIABLE NAME	COLUMN LOCATION	NON-HISPANIC			QX	TEXT AND CODE CATEGORIES
		HISP	WHITE	BLACK		
		0	0	0	0	21 = PARTNER STERILE (NOT ON CARD)
		0	0	0	0	22 = OTHER METHOD-NOT SHOWN SEPARATELY
		0	0	0	0	97 = Not Ascertained
		0	0	0	0	98 = Refused
		0	0	0	0	99 = Don't Know

1995 NATIONAL SURVEY OF FAMILY GROWTH
 File Documentation
 Respondent File (Section E Questionnaire Items)

VARIABLE	COLUMN	NON-HISPANIC				QX TEXT AND CODE CATEGORIES
NAME	LOCATION	HISP	WHITE	BLACK		

[MTHUS153] 7367-7368

During that month, which (of those/other) methods, if any, did you use at the same time? (2nd METHOD MENTIONED, 3rd COMBINATION, MC13)

Inapplicable:
 R said no, don't know or refused to all birth control methods in EA series (computed variable EVERUSED = 2); R never had sex as of this month and never used a birth control method as of this month but ever used one or more birth control methods in EA series (WNFSTSEX GE 1093 and DATFIRSM GE 1093 and computed variable EVERUSED = 1); R did not use multiple methods in the month; or R used only 2 methods in the month; or R reported fewer than 3 BC method combinations; or R reported using fewer than 2 BC methods for this combination in this month of the method calendar.

1553	6482	2446	10846	Blank	= Blank, inapplicable
0	0	0	0	01	= NONE
0	0	0	0	02	= OFFICE USE ONLY
0	0	0	0	03	= BIRTH CONTROL PILLS
0	0	0	0	04	= CONDOM
0	0	0	0	05	= PARTNER'S VASECTOMY
0	0	0	0	06	= DIAPHRAGM
0	0	0	0	07	= FOAM
0	0	0	0	08	= JELLY OR CREAM
0	0	0	0	09	= CERVICAL CAP
0	0	0	0	10	= SUPPOSITORY, INSERT
0	0	0	0	11	= TODAY (TM) SPONGE
0	0	0	0	12	= FEMALE CONDOM, VAGINAL POUCH
0	0	0	0	13	= IUD, COIL, LOOP
0	0	0	0	14	= NORPLANT (TM)
0	0	0	0	15	= DEPO-PROVERA, INJECTABLES
0	0	0	0	16	= MORNING AFTER PILLS
0	1	0	1	17	= RHYTHM OR SAFE PERIOD BY CALENDAR
0	0	0	0	18	= SAFE PERIOD BY TEMP, CERVICAL MUCUS TEST,

1995 NATIONAL SURVEY OF FAMILY GROWTH
 File Documentation
 Respondent File (Section E Questionnaire Items)

VARIABLE NAME	COLUMN LOCATION	NON-HISPANIC			TOTAL	QX	TEXT AND CODE CATEGORIES
		HISP	WHITE	BLACK			
		0	0	0	0	19	NFP
		0	0	0	0	20	= WITHDRAWAL
		0	0	0	0	21	= RESPONDENT STERILE
							= PARTNER STERILE (NOT ON CARD)
		0	0	0	0	22	= OTHER METHOD-NOT SHOWN SEPARATELY
		0	0	0	0	97	= Not Ascertained
		0	0	0	0	98	= Refused
		0	0	0	0	99	= Don't Know

1995 NATIONAL SURVEY OF FAMILY GROWTH
 File Documentation
 Respondent File (Section E Questionnaire Items)

VARIABLE COLUMN NON-HISPANIC
 NAME LOCATION HISP WHITE BLACK TOTAL QX TEXT AND CODE CATEGORIES

[MTHUS154] 7369-7370

During that month, which (of those/other) methods, if any, did you use at the same time? (3rd METHOD MENTIONED, 3rd COMBINATION, MC13)

Inapplicable:
 R said no, don't know or refused to all birth control methods in EA series (computed variable EVERUSED = 2); R never had sex as of this month and never used a birth control method as of this month but ever used one or more birth control methods in EA series (WNFSTSEX GE 1093 and DATFIRSM GE 1093 and computed variable EVERUSED = 1); R did not use multiple methods in the month; or R used only 2 methods in the month; or R reported fewer than 3 BC method combinations; or R reported using fewer than 3 BC methods for this combination in this month of the method calendar.

1553	6483	2446	10847	Blank	= Blank, inapplicable
0	0	0	0	01	= NONE
0	0	0	0	02	= OFFICE USE ONLY
0	0	0	0	03	= BIRTH CONTROL PILLS
0	0	0	0	04	= CONDOM
0	0	0	0	05	= PARTNER'S VASECTOMY
0	0	0	0	06	= DIAPHRAGM
0	0	0	0	07	= FOAM
0	0	0	0	08	= JELLY OR CREAM
0	0	0	0	09	= CERVICAL CAP
0	0	0	0	10	= SUPPOSITORY, INSERT
0	0	0	0	11	= TODAY (TM) SPONGE
0	0	0	0	12	= FEMALE CONDOM, VAGINAL POUCH
0	0	0	0	13	= IUD, COIL, LOOP
0	0	0	0	14	= NORPLANT (TM)
0	0	0	0	15	= DEPO-PROVERA, INJECTABLES
0	0	0	0	16	= MORNING AFTER PILLS
0	0	0	0	17	= RHYTHM OR SAFE PERIOD BY CALENDAR
0	0	0	0	18	= SAFE PERIOD BY TEMP, CERVICAL MUCUS TEST,

(3594)

1995 NATIONAL SURVEY OF FAMILY GROWTH
 File Documentation
 Respondent File (Section E Questionnaire Items)

VARIABLE NAME	COLUMN LOCATION	NON-HISPANIC			TOTAL	QX	TEXT AND CODE CATEGORIES
		HISP	WHITE	BLACK			
		0	0	0	0	19	NFP
		0	0	0	0	20	= WITHDRAWAL
		0	0	0	0	21	= RESPONDENT STERILE
							= PARTNER STERILE (NOT ON CARD)
		0	0	0	0	22	= OTHER METHOD-NOT SHOWN SEPARATELY
		0	0	0	0	97	= Not Ascertained
		0	0	0	0	98	= Refused
		0	0	0	0	99	= Don't Know

1995 NATIONAL SURVEY OF FAMILY GROWTH
 File Documentation
 Respondent File (Section E Questionnaire Items)

VARIABLE	COLUMN	NON-HISPANIC				
NAME	LOCATION	HISP	WHITE	BLACK	TOTAL	QX TEXT AND CODE CATEGORIES

[MTHUS155] 7371-7372

During that month, which (of those/other) methods, if any, did you use at the same time? (4th METHOD MENTIONED, 3rd COMBINATION, MC13)

Inapplicable:
 R said no, don't know or refused to all birth control methods in EA series (computed variable EVERUSED = 2); R never had sex as of this month and never used a birth control method as of this month but ever used one or more birth control methods in EA series (WNFSTSEX GE 1093 and DATFIRSM GE 1093 and computed variable EVERUSED = 1); R did not use multiple methods in the month; or R used only 2 methods in the month; or R reported fewer than 3 BC method combinations; or R reported using fewer than 4 BC methods for this combination in this month of the method calendar.

1553	6483	2446	10847	Blank	= Blank, inapplicable
0	0	0	0	01	= NONE
0	0	0	0	02	= OFFICE USE ONLY
0	0	0	0	03	= BIRTH CONTROL PILLS
0	0	0	0	04	= CONDOM
0	0	0	0	05	= PARTNER'S VASECTOMY
0	0	0	0	06	= DIAPHRAGM
0	0	0	0	07	= FOAM
0	0	0	0	08	= JELLY OR CREAM
0	0	0	0	09	= CERVICAL CAP
0	0	0	0	10	= SUPPOSITORY, INSERT
0	0	0	0	11	= TODAY (TM) SPONGE
0	0	0	0	12	= FEMALE CONDOM, VAGINAL POUCH
0	0	0	0	13	= IUD, COIL, LOOP
0	0	0	0	14	= NORPLANT (TM)
0	0	0	0	15	= DEPO-PROVERA, INJECTABLES
0	0	0	0	16	= MORNING AFTER PILLS
0	0	0	0	17	= RHYTHM OR SAFE PERIOD BY CALENDAR
0	0	0	0	18	= SAFE PERIOD BY TEMP, CERVICAL MUCUS TEST,

1995 NATIONAL SURVEY OF FAMILY GROWTH
 File Documentation
 Respondent File (Section E Questionnaire Items)

VARIABLE NAME	COLUMN LOCATION	NON-HISPANIC			TOTAL	QX	TEXT AND CODE CATEGORIES
		HISP	WHITE	BLACK			
		0	0	0	0	19	NFP
		0	0	0	0	20	= WITHDRAWAL
		0	0	0	0	21	= RESPONDENT STERILE
							= PARTNER STERILE (NOT ON CARD)
		0	0	0	0	22	= OTHER METHOD-NOT SHOWN SEPARATELY
		0	0	0	0	97	= Not Ascertained
		0	0	0	0	98	= Refused
		0	0	0	0	99	= Don't Know

1995 NATIONAL SURVEY OF FAMILY GROWTH
 File Documentation
 Respondent File (Section E Questionnaire Items)

VARIABLE NAME	COLUMN LOCATION	NON-HISPANIC			QX	TEXT AND CODE CATEGORIES
		HISP	WHITE	BLACK		
[METHH052]	7373-7374					ENTER METHOD (FIRST MENTIONED) USED IN FEBRUARY 1992: (MC14)
						Inapplicable: R never had sex as of this month and never used a birth control method as of this month but ever used one or more birth control methods in EA series (WNFSTSEX GE 1093 and DATFIRSM GE 1093 and computed variable EVERUSED = 1); R never had sex and said no, don't know or refused to all birth control methods in EA series (computed variable RHADSEX coded 2,7,8 or 9 and computed variable EVERUSED = 2); R said no, don't know or refused to all birth control methods in EA series (computed variable EVERUSED = 2).
		384	1117	374	1991	Blank = Blank, inapplicable
		328	1253	579	2224	01 = NO METHODS USED
		0	0	1	1	02 = SAME AS PREVIOUS MONTH
		264	1358	453	2113	03 = BIRTH CONTROL PILLS
		164	765	368	1357	04 = CONDOM
		23	299	8	338	05 = PARTNER'S VASECTOMY
		8	121	13	144	06 = DIAPHRAGM
		2	26	3	32	07 = FOAM
		1	11	1	13	08 = JELLY OR CREAM
		0	3	0	3	09 = CERVICAL CAP
		5	21	7	35	10 = SUPPOSITORY, INSERT
		1	32	10	43	11 = TODAY (TM) SPONGE
		0	0	0	0	12 = FEMALE CONDOM, VAGINAL POUCH
		18	38	18	77	13 = IUD, COIL, LOOP
		5	18	19	42	14 = NORPLANT (TM)
		10	8	7	25	15 = DEPO-PROVERA, INJECTABLES
		0	0	0	0	16 = MORNING AFTER PILLS
		29	111	19	171	17 = RHYTHM OR SAFE PERIOD BY CALENDAR
		3	12	0	15	18 = SAFE PERIOD BY TEMP, CERVICAL MUCUS TEST, NFP
		37	121	25	193	19 = WITHDRAWAL
		253	1007	524	1828	20 = RESPONDENT STERILE

(3598)

1995 NATIONAL SURVEY OF FAMILY GROWTH
 File Documentation
 Respondent File (Section E Questionnaire Items)

VARIABLE NAME	COLUMN LOCATION	NON-HISPANIC			TOTAL	QX	TEXT AND CODE CATEGORIES
		HISP	WHITE	BLACK			
		17	151	8	179	21	= PARTNER STERILE (NOT ON CARD)
		1	3	5	9	22	= OTHER METHOD-NOT SHOWN SEPARATELY
		0	0	0	0	55	= SAME METHODS USED THROUGH END OF YEAR
		0	1	2	3	97	= Not Ascertained
		0	4	2	6	98	= Refused
		0	3	0	5	99	= Don't Know

1995 NATIONAL SURVEY OF FAMILY GROWTH
 File Documentation
 Respondent File (Section E Questionnaire Items)

VARIABLE NAME	COLUMN LOCATION	NON-HISPANIC			TOTAL	QX	TEXT AND CODE CATEGORIES
		HISP	WHITE	BLACK			
		1	7	11	19	20	= RESPONDENT STERILE
		0	7	0	8	21	= PARTNER STERILE (NOT ON CARD)
		0	1	0	1	22	= OTHER METHOD-NOT SHOWN SEPARATELY
		0	0	0	0	55	= SAME METHODS USED THROUGH END OF YEAR
		0	1	2	3	97	= Not Ascertained
		0	4	2	6	98	= Refused
		0	3	0	5	99	= Don't Know

1995 NATIONAL SURVEY OF FAMILY GROWTH
 File Documentation
 Respondent File (Section E Questionnaire Items)

VARIABLE COLUMN NON-HISPANIC
 NAME LOCATION HISP WHITE BLACK TOTAL QX TEXT AND CODE CATEGORIES

[METHH054] 7377-7378

ENTER METHOD (THIRD MENTIONED) USED
 IN FEBRUARY 1992: (MC14)

Inapplicable:

R never had sex as of this month and never used a birth control method as of this month but ever used one or more birth control methods in EA series (WNFSTSEX GE 1093 and DATFIRSM GE 1093 and computed variable EVERUSED = 1); R never had sex and said no, don't know or refused to all birth control methods in EA series (computed variable RHADSEX coded 2,7,8 or 9 and computed variable EVERUSED = 2); R said no, don't know or refused to all birth control methods in EA series (computed variable EVERUSED = 2); R used fewer than 3 methods in month.

1538	6423	2421	10740	Blank	= Blank, inapplicable
0	0	0	0	01	= NO METHODS USED
0	0	0	0	02	= SAME AS PREVIOUS MONTH
0	1	0	1	03	= BIRTH CONTROL PILLS
1	2	0	3	04	= CONDOM
1	0	0	1	05	= PARTNER'S VASECTOMY
0	0	0	0	06	= DIAPHRAGM
3	2	2	7	07	= FOAM
0	2	0	2	08	= JELLY OR CREAM
0	0	0	0	09	= CERVICAL CAP
1	2	0	3	10	= SUPPOSITORY, INSERT
1	5	1	7	11	= TODAY (TM) SPONGE
1	0	0	1	12	= FEMALE CONDOM, VAGINAL POUCH
0	0	0	0	13	= IUD, COIL, LOOP
0	0	0	0	14	= NORPLANT (TM)
0	0	0	0	15	= DEPO-PROVERA, INJECTABLES
0	1	0	1	16	= MORNING AFTER PILLS
2	7	0	9	17	= RHYTHM OR SAFE PERIOD BY CALENDAR
0	2	0	3	18	= SAFE PERIOD BY TEMP, CERVICAL MUCUS TEST, NFP
3	21	4	31	19	= WITHDRAWAL

(3602)

1995 NATIONAL SURVEY OF FAMILY GROWTH
 File Documentation
 Respondent File (Section E Questionnaire Items)

VARIABLE NAME	COLUMN LOCATION	NON-HISPANIC			TOTAL	QX	TEXT AND CODE CATEGORIES
		HISP	WHITE	BLACK			
		1	7	14	22	20	= RESPONDENT STERILE
		0	0	0	0	21	= PARTNER STERILE (NOT ON CARD)
		1	0	0	2	22	= OTHER METHOD-NOT SHOWN SEPARATELY
		0	0	0	0	55	= SAME METHODS USED THROUGH END OF YEAR
		0	1	2	3	97	= Not Ascertained
		0	4	2	6	98	= Refused
		0	3	0	5	99	= Don't Know

1995 NATIONAL SURVEY OF FAMILY GROWTH
 File Documentation
 Respondent File (Section E Questionnaire Items)

VARIABLE NAME	COLUMN LOCATION	NON-HISPANIC			TOTAL	QX	TEXT AND CODE CATEGORIES
		HISP	WHITE	BLACK			
		0	0	0	0	20	= RESPONDENT STERILE
		0	0	0	0	21	= PARTNER STERILE (NOT ON CARD)
		0	0	0	0	22	= OTHER METHOD-NOT SHOWN SEPARATELY
		0	0	0	0	55	= SAME METHODS USED THROUGH END OF YEAR
		0	1	2	3	97	= Not Ascertained
		0	4	2	6	98	= Refused
		0	3	0	5	99	= Don't Know

[SIMSEQ13] 7381-7381

Did you use those methods together,
 that is, at the same time, or did
 you use them at different times
 during the month? (MC14)

Inapplicable:

R never had sex as of this month and
 never used a birth control method as
 of this month but ever used one or
 more birth control methods in EA
 series (WNFSTSEX GE 1093 and
 DATFIRSM GE 1093 and computed
 variable EVERUSED = 1); R never had
 sex and said no, don't know or
 refused to all birth control methods
 in EA series (computed variable
 RHADSEX coded 2,7,8 or 9 and
 computed variable EVERUSED = 2); R
 said no, don't know or refused to
 all birth control methods in EA
 series (computed variable EVERUSED =
 2); R did not use multiple methods
 in the month; R used more than 2
 methods in the month.

1497	6144	2301	10288	Blank	= Blank, inapplicable
31	210	111	363	1	= SAME TIME
25	129	34	196	2	= DIFFERENT TIMES
0	0	0	0	7	= Not Ascertained
0	0	0	0	8	= Refused
0	0	0	0	9	= Don't Know

1995 NATIONAL SURVEY OF FAMILY GROWTH
 File Documentation
 Respondent File (Section E Questionnaire Items)

VARIABLE	COLUMN	NON-HISPANIC				QX TEXT AND CODE CATEGORIES
NAME	LOCATION	HISP	WHITE	BLACK		

[MTHUS156] 7382-7383

During that month, which (of those/other) methods, if any, did you use at the same time? (1st METHOD MENTIONED, 1st COMBINATION, MC14)

Inapplicable:
 R said no, don't know or refused to all birth control methods in EA series (computed variable EVERUSED = 2); R never had sex as of this month and never used a birth control method as of this month but ever used one or more birth control methods in EA series (WNFSTSEX GE 1093 and DATFIRSM GE 1093 and computed variable EVERUSED = 1); R did not use multiple methods in the month; or R used only 2 methods in the month.

1539	6438	2438	10775	Blank	= Blank, inapplicable
5	6	3	14	01	= NONE
0	0	0	0	02	= OFFICE USE ONLY
2	7	3	13	03	= BIRTH CONTROL PILLS
7	19	0	30	04	= CONDOM
0	0	0	0	05	= PARTNER'S VASECTOMY
0	3	0	3	06	= DIAPHRAGM
0	1	0	1	07	= FOAM
0	0	0	0	08	= JELLY OR CREAM
0	0	0	0	09	= CERVICAL CAP
0	0	0	0	10	= SUPPOSITORY, INSERT
0	2	0	2	11	= TODAY (TM) SPONGE
0	0	0	0	12	= FEMALE CONDOM, VAGINAL POUCH
0	0	0	0	13	= IUD, COIL, LOOP
0	0	0	0	14	= NORPLANT (TM)
0	0	0	0	15	= DEPO-PROVERA, INJECTABLES
0	0	0	0	16	= MORNING AFTER PILLS
0	6	0	6	17	= RHYTHM OR SAFE PERIOD BY CALENDAR
0	0	0	0	18	= SAFE PERIOD BY TEMP, CERVICAL MUCUS TEST, NFP
0	1	1	2	19	= WITHDRAWAL
0	0	1	1	20	= RESPONDENT STERILE
0	0	0	0	21	= PARTNER STERILE (NOT

1995 NATIONAL SURVEY OF FAMILY GROWTH
 File Documentation
 Respondent File (Section E Questionnaire Items)

VARIABLE NAME	COLUMN LOCATION	NON-HISPANIC			TOTAL	QX	TEXT AND CODE CATEGORIES
		HISP	WHITE	BLACK			
		0	0	0	0	22	ON CARD) = OTHER METHOD-NOT SHOWN SEPARATELY
		0	0	0	0	97	= Not Ascertained
		0	0	0	0	98	= Refused
		0	0	0	0	99	= Don't Know

1995 NATIONAL SURVEY OF FAMILY GROWTH
 File Documentation
 Respondent File (Section E Questionnaire Items)

VARIABLE COLUMN NON-HISPANIC
 NAME LOCATION HISP WHITE BLACK TOTAL QX TEXT AND CODE CATEGORIES

[MTHUS157] 7384-7385

During that month, which (of those/other) methods, if any, did you use at the same time? (2nd METHOD MENTIONED, 1st COMBINATION, MC14)

Inapplicable:
 R said no, don't know or refused to all birth control methods in EA series (computed variable EVERUSED = 2); R never had sex as of this month and never used a birth control method as of this month but ever used one or more birth control methods in EA series (WNFSTSEX GE 1093 and DATFIRSM GE 1093 and computed variable EVERUSED = 1); R did not use multiple methods in the month; or R used only 2 methods in the month; or R reported using fewer than 2 BC methods for this combination in this month of the method calendar.

1544	6444	2441	10789	Blank	= Blank, inapplicable
0	0	0	0	01	= NONE
0	0	0	0	02	= OFFICE USE ONLY
0	0	0	0	03	= BIRTH CONTROL PILLS
2	7	4	13	04	= CONDOM
0	1	0	1	05	= PARTNER'S VASECTOMY
0	1	0	1	06	= DIAPHRAGM
1	2	0	3	07	= FOAM
1	0	0	1	08	= JELLY OR CREAM
0	0	0	0	09	= CERVICAL CAP
1	0	1	2	10	= SUPPOSITORY, INSERT
0	2	0	2	11	= TODAY (TM) SPONGE
0	0	0	0	12	= FEMALE CONDOM, VAGINAL POUCH
0	0	0	0	13	= IUD, COIL, LOOP
0	0	0	0	14	= NORPLANT (TM)
0	0	0	0	15	= DEPO-PROVERA, INJECTABLES
0	1	0	1	16	= MORNING AFTER PILLS
3	15	0	20	17	= RHYTHM OR SAFE PERIOD BY CALENDAR
0	1	0	1	18	= SAFE PERIOD BY TEMP, CERVICAL MUCUS TEST, NFP

1995 NATIONAL SURVEY OF FAMILY GROWTH
 File Documentation
 Respondent File (Section E Questionnaire Items)

VARIABLE NAME	COLUMN LOCATION	NON-HISPANIC			TOTAL	QX	TEXT AND CODE CATEGORIES
		HISP	WHITE	BLACK			
		1	9	0	13	19	= WITHDRAWAL
		0	0	0	0	20	= RESPONDENT STERILE
		0	0	0	0	21	= PARTNER STERILE (NOT ON CARD)
		0	0	0	0	22	= OTHER METHOD-NOT SHOWN SEPARATELY
		0	0	0	0	97	= Not Ascertained
		0	0	0	0	98	= Refused
		0	0	0	0	99	= Don't Know

1995 NATIONAL SURVEY OF FAMILY GROWTH
 File Documentation
 Respondent File (Section E Questionnaire Items)

VARIABLE COLUMN NON-HISPANIC
 NAME LOCATION HISP WHITE BLACK TOTAL QX TEXT AND CODE CATEGORIES

[MTHUS158] 7386-7387

During that month, which (of those/other) methods, if any, did you use at the same time? (3rd METHOD MENTIONED, 1st COMBINATION, MC14)

Inapplicable:
 R said no, don't know or refused to all birth control methods in EA series (computed variable EVERUSED = 2); R never had sex as of this month and never used a birth control method as of this month but ever used one or more birth control methods in EA series (WNFSTSEX GE 1093 and DATFIRSM GE 1093 and computed variable EVERUSED = 1); R did not use multiple methods in the month; or R used only 2 methods in the month; or R reported using fewer than 3 BC methods for this combination in this month of the method calendar.

1546	6459	2444	10813	Blank	= Blank, inapplicable
0	0	0	0	01	= NONE
0	0	0	0	02	= OFFICE USE ONLY
0	0	0	0	03	= BIRTH CONTROL PILLS
0	0	0	0	04	= CONDOM
1	0	0	1	05	= PARTNER'S VASECTOMY
0	0	0	0	06	= DIAPHRAGM
2	2	2	6	07	= FOAM
0	2	0	2	08	= JELLY OR CREAM
0	0	0	0	09	= CERVICAL CAP
0	1	0	1	10	= SUPPOSITORY, INSERT
1	2	0	3	11	= TODAY (TM) SPONGE
0	0	0	0	12	= FEMALE CONDOM, VAGINAL POUCH
0	0	0	0	13	= IUD, COIL, LOOP
0	0	0	0	14	= NORPLANT (TM)
0	0	0	0	15	= DEPO-PROVERA, INJECTABLES
0	0	0	0	16	= MORNING AFTER PILLS
2	4	0	6	17	= RHYTHM OR SAFE PERIOD BY CALENDAR
0	1	0	2	18	= SAFE PERIOD BY TEMP, CERVICAL MUCUS TEST, NFP

(3610)

1995 NATIONAL SURVEY OF FAMILY GROWTH
 File Documentation
 Respondent File (Section E Questionnaire Items)

VARIABLE NAME	COLUMN LOCATION	NON-HISPANIC			TOTAL	QX	TEXT AND CODE CATEGORIES
		HISP	WHITE	BLACK			
		0	12	0	12	19	= WITHDRAWAL
		0	0	0	0	20	= RESPONDENT STERILE
		0	0	0	0	21	= PARTNER STERILE (NOT ON CARD)
		1	0	0	1	22	= OTHER METHOD-NOT SHOWN SEPARATELY
		0	0	0	0	97	= Not Ascertained
		0	0	0	0	98	= Refused
		0	0	0	0	99	= Don't Know

1995 NATIONAL SURVEY OF FAMILY GROWTH
 File Documentation
 Respondent File (Section E Questionnaire Items)

VARIABLE	COLUMN	NON-HISPANIC				QX TEXT AND CODE CATEGORIES
NAME	LOCATION	HISP	WHITE	BLACK		

[MTHUS159] 7388-7389

During that month, which (of those/other) methods, if any, did you use at the same time? (4th METHOD MENTIONED, 1st COMBINATION, MC14)

Inapplicable:
 R said no, don't know or refused to all birth control methods in EA series (computed variable EVERUSED = 2); R never had sex as of this month and never used a birth control method as of this month but ever used one or more birth control methods in EA series (WNFSTSEX GE 1093 and DATFIRSM GE 1093 and computed variable EVERUSED = 1); R did not use multiple methods in the month; or R used only 2 methods in the month; or R reported using fewer than 4 BC methods for this combination in this month of the method calendar.

1553	6482	2446	10846	Blank	= Blank, inapplicable
0	0	0	0	01	= NONE
0	0	0	0	02	= OFFICE USE ONLY
0	0	0	0	03	= BIRTH CONTROL PILLS
0	1	0	1	04	= CONDOM
0	0	0	0	05	= PARTNER'S VASECTOMY
0	0	0	0	06	= DIAPHRAGM
0	0	0	0	07	= FOAM
0	0	0	0	08	= JELLY OR CREAM
0	0	0	0	09	= CERVICAL CAP
0	0	0	0	10	= SUPPOSITORY, INSERT
0	0	0	0	11	= TODAY (TM) SPONGE
0	0	0	0	12	= FEMALE CONDOM, VAGINAL POUCH
0	0	0	0	13	= IUD, COIL, LOOP
0	0	0	0	14	= NORPLANT (TM)
0	0	0	0	15	= DEPO-PROVERA, INJECTABLES
0	0	0	0	16	= MORNING AFTER PILLS
0	0	0	0	17	= RHYTHM OR SAFE PERIOD BY CALENDAR
0	0	0	0	18	= SAFE PERIOD BY TEMP, CERVICAL MUCUS TEST, NFP

1995 NATIONAL SURVEY OF FAMILY GROWTH
 File Documentation
 Respondent File (Section E Questionnaire Items)

VARIABLE NAME	COLUMN LOCATION	NON-HISPANIC			TOTAL	QX	TEXT AND CODE CATEGORIES
		HISP	WHITE	BLACK			
		0	0	0	0	19	= WITHDRAWAL
		0	0	0	0	20	= RESPONDENT STERILE
		0	0	0	0	21	= PARTNER STERILE (NOT ON CARD)
		0	0	0	0	22	= OTHER METHOD-NOT SHOWN SEPARATELY
		0	0	0	0	97	= Not Ascertained
		0	0	0	0	98	= Refused
		0	0	0	0	99	= Don't Know

1995 NATIONAL SURVEY OF FAMILY GROWTH
 File Documentation
 Respondent File (Section E Questionnaire Items)

VARIABLE COLUMN NON-HISPANIC
 NAME LOCATION HISP WHITE BLACK TOTAL QX TEXT AND CODE CATEGORIES

[MTHUS160] 7390-7391

During that month, which (of those/other) methods, if any, did you use at the same time? (1st METHOD MENTIONED, 2nd COMBINATION, MC14)

Inapplicable:
 R said no, don't know or refused to all birth control methods in EA series (computed variable EVERUSED = 2); R never had sex as of this month and never used a birth control method as of this month but ever used one or more birth control methods in EA series (WNFSTSEX GE 1093 and DATFIRSM GE 1093 and computed variable EVERUSED = 1); R did not use multiple methods in the month; or R used only 2 methods in the month; or R reported fewer than 2 BC method combinations.

1544	6444	2441	10789	Blank	= Blank, inapplicable
6	27	2	39	01	= NONE
0	0	0	0	02	= OFFICE USE ONLY
0	3	1	4	03	= BIRTH CONTROL PILLS
0	4	0	5	04	= CONDOM
0	0	0	0	05	= PARTNER'S VASECTOMY
0	0	0	0	06	= DIAPHRAGM
2	1	0	3	07	= FOAM
0	0	0	0	08	= JELLY OR CREAM
0	0	0	0	09	= CERVICAL CAP
0	0	0	0	10	= SUPPOSITORY, INSERT
0	0	0	0	11	= TODAY (TM) SPONGE
0	0	0	0	12	= FEMALE CONDOM, VAGINAL POUCH
0	0	0	0	13	= IUD, COIL, LOOP
0	0	0	0	14	= NORPLANT (TM)
0	0	0	0	15	= DEPO-PROVERA, INJECTABLES
0	0	0	0	16	= MORNING AFTER PILLS
0	3	0	3	17	= RHYTHM OR SAFE PERIOD BY CALENDAR
0	0	0	0	18	= SAFE PERIOD BY TEMP, CERVICAL MUCUS TEST, NFP
0	1	1	2	19	= WITHDRAWAL
0	0	1	1	20	= RESPONDENT STERILE

(3614)

1995 NATIONAL SURVEY OF FAMILY GROWTH
 File Documentation
 Respondent File (Section E Questionnaire Items)

VARIABLE NAME	COLUMN LOCATION	NON-HISPANIC			QX	TEXT AND CODE CATEGORIES	
		HISP	WHITE	BLACK			TOTAL
		0	0	0	0	21	= PARTNER STERILE (NOT ON CARD)
		1	0	0	1	22	= OTHER METHOD-NOT SHOWN SEPARATELY
		0	0	0	0	97	= Not Ascertained
		0	0	0	0	98	= Refused
		0	0	0	0	99	= Don't Know

1995 NATIONAL SURVEY OF FAMILY GROWTH
 File Documentation
 Respondent File (Section E Questionnaire Items)

VARIABLE COLUMN NON-HISPANIC
 NAME LOCATION HISP WHITE BLACK TOTAL QX TEXT AND CODE CATEGORIES

[MTHUS161] 7392-7393

During that month, which (of those/other) methods, if any, did you use at the same time? (2nd METHOD MENTIONED, 2nd COMBINATION, MC14)

Inapplicable:
 R said no, don't know or refused to all birth control methods in EA series (computed variable EVERUSED = 2); R never had sex as of this month and never used a birth control method as of this month but ever used one or more birth control methods in EA series (WNFSTSEX GE 1093 and DATFIRSM GE 1093 and computed variable EVERUSED = 1); R did not use multiple methods in the month; or R used only 2 methods in the month; or R reported fewer than 2 BC method combinations; or R reported using fewer than 2 BC methods for this combination in this month of the method calendar.

1551	6473	2443	10831	Blank	= Blank, inapplicable
0	0	0	0	01	= NONE
0	0	0	0	02	= OFFICE USE ONLY
1	0	0	1	03	= BIRTH CONTROL PILLS
1	2	1	4	04	= CONDOM
0	1	0	1	05	= PARTNER'S VASECTOMY
0	0	0	0	06	= DIAPHRAGM
0	0	0	0	07	= FOAM
0	0	0	0	08	= JELLY OR CREAM
0	0	0	0	09	= CERVICAL CAP
0	0	1	1	10	= SUPPOSITORY, INSERT
0	1	0	1	11	= TODAY (TM) SPONGE
0	0	0	0	12	= FEMALE CONDOM, VAGINAL POUCH
0	0	0	0	13	= IUD, COIL, LOOP
0	0	0	0	14	= NORPLANT (TM)
0	0	0	0	15	= DEPO-PROVERA, INJECTABLES
0	0	0	0	16	= MORNING AFTER PILLS
0	2	0	3	17	= RHYTHM OR SAFE PERIOD BY CALENDAR
0	1	0	1	18	= SAFE PERIOD BY TEMP, CERVICAL MUCUS TEST,

(3616)

1995 NATIONAL SURVEY OF FAMILY GROWTH
 File Documentation
 Respondent File (Section E Questionnaire Items)

VARIABLE NAME	COLUMN LOCATION	NON-HISPANIC			TOTAL	QX	TEXT AND CODE CATEGORIES
		HISP	WHITE	BLACK			
		0	3	1	4	19	NFP
		0	0	0	0	20	= WITHDRAWAL
		0	0	0	0	21	= RESPONDENT STERILE
							= PARTNER STERILE (NOT ON CARD)
		0	0	0	0	22	= OTHER METHOD-NOT SHOWN SEPARATELY
		0	0	0	0	97	= Not Ascertained
		0	0	0	0	98	= Refused
		0	0	0	0	99	= Don't Know

1995 NATIONAL SURVEY OF FAMILY GROWTH
 File Documentation
 Respondent File (Section E Questionnaire Items)

VARIABLE	COLUMN	NON-HISPANIC				QX TEXT AND CODE CATEGORIES
NAME	LOCATION	HISP	WHITE	BLACK		

[MTHUS162] 7394-7395

During that month, which (of those/other) methods, if any, did you use at the same time? (3rd METHOD MENTIONED, 2nd COMBINATION, MC14)

Inapplicable:
 R said no, don't know or refused to all birth control methods in EA series (computed variable EVERUSED = 2); R never had sex as of this month and never used a birth control method as of this month but ever used one or more birth control methods in EA series (WNFSTSEX GE 1093 and DATFIRSM GE 1093 and computed variable EVERUSED = 1); R did not use multiple methods in the month; or R used only 2 methods in the month; or R reported fewer than 2 BC method combinations; or R reported using fewer than 3 BC methods for this combination in this month of the method calendar.

1552	6479	2446	10841	Blank	= Blank, inapplicable
0	0	0	0	01	= NONE
0	0	0	0	02	= OFFICE USE ONLY
0	0	0	0	03	= BIRTH CONTROL PILLS
0	0	0	0	04	= CONDOM
0	0	0	0	05	= PARTNER'S VASECTOMY
0	0	0	0	06	= DIAPHRAGM
0	1	0	1	07	= FOAM
0	1	0	1	08	= JELLY OR CREAM
0	0	0	0	09	= CERVICAL CAP
0	0	0	0	10	= SUPPOSITORY, INSERT
0	0	0	0	11	= TODAY (TM) SPONGE
0	0	0	0	12	= FEMALE CONDOM, VAGINAL POUCH
0	0	0	0	13	= IUD, COIL, LOOP
0	0	0	0	14	= NORPLANT (TM)
0	0	0	0	15	= DEPO-PROVERA, INJECTABLES
0	0	0	0	16	= MORNING AFTER PILLS
1	0	0	1	17	= RHYTHM OR SAFE PERIOD BY CALENDAR
0	0	0	1	18	= SAFE PERIOD BY TEMP, CERVICAL MUCUS TEST,

1995 NATIONAL SURVEY OF FAMILY GROWTH
 File Documentation
 Respondent File (Section E Questionnaire Items)

VARIABLE NAME	COLUMN LOCATION	NON-HISPANIC			TOTAL	QX	TEXT AND CODE CATEGORIES
		HISP	WHITE	BLACK			
		0	2	0	2	19	NFP
		0	0	0	0	20	= WITHDRAWAL
		0	0	0	0	21	= RESPONDENT STERILE
							= PARTNER STERILE (NOT ON CARD)
		0	0	0	0	22	= OTHER METHOD-NOT SHOWN SEPARATELY
		0	0	0	0	97	= Not Ascertained
		0	0	0	0	98	= Refused
		0	0	0	0	99	= Don't Know

1995 NATIONAL SURVEY OF FAMILY GROWTH
 File Documentation
 Respondent File (Section E Questionnaire Items)

VARIABLE NAME	COLUMN LOCATION	NON-HISPANIC			TOTAL	QX	TEXT AND CODE CATEGORIES
		HISP	WHITE	BLACK			
		0	0	0	0	19	NFP
		0	0	0	0	20	= WITHDRAWAL
		0	0	0	0	21	= RESPONDENT STERILE
							= PARTNER STERILE (NOT ON CARD)
		0	0	0	0	22	= OTHER METHOD-NOT SHOWN SEPARATELY
		0	0	0	0	97	= Not Ascertained
		0	0	0	0	98	= Refused
		0	0	0	0	99	= Don't Know

1995 NATIONAL SURVEY OF FAMILY GROWTH
 File Documentation
 Respondent File (Section E Questionnaire Items)

VARIABLE COLUMN NON-HISPANIC
 NAME LOCATION HISP WHITE BLACK TOTAL QX TEXT AND CODE CATEGORIES

[MTHUS164] 7398-7399

During that month, which (of those/other) methods, if any, did you use at the same time? (1st METHOD MENTIONED, 3rd COMBINATION, MC14)

Inapplicable:
 R said no, don't know or refused to all birth control methods in EA series (computed variable EVERUSED = 2); R never had sex as of this month and never used a birth control method as of this month but ever used one or more birth control methods in EA series (WNFSTSEX GE 1093 and DATFIRSM GE 1093 and computed variable EVERUSED = 1); R did not use multiple methods in the month; or R used only 2 methods in the month; or R reported fewer than 3 BC method combinations.

1553	6482	2446	10846	Blank	= Blank, inapplicable
0	0	0	0	01	= NONE
0	0	0	0	02	= OFFICE USE ONLY
0	0	0	0	03	= BIRTH CONTROL PILLS
0	1	0	1	04	= CONDOM
0	0	0	0	05	= PARTNER'S VASECTOMY
0	0	0	0	06	= DIAPHRAGM
0	0	0	0	07	= FOAM
0	0	0	0	08	= JELLY OR CREAM
0	0	0	0	09	= CERVICAL CAP
0	0	0	0	10	= SUPPOSITORY, INSERT
0	0	0	0	11	= TODAY (TM) SPONGE
0	0	0	0	12	= FEMALE CONDOM, VAGINAL POUCH
0	0	0	0	13	= IUD, COIL, LOOP
0	0	0	0	14	= NORPLANT (TM)
0	0	0	0	15	= DEPO-PROVERA, INJECTABLES
0	0	0	0	16	= MORNING AFTER PILLS
0	0	0	0	17	= RHYTHM OR SAFE PERIOD BY CALENDAR
0	0	0	0	18	= SAFE PERIOD BY TEMP, CERVICAL MUCUS TEST, NFP
0	0	0	0	19	= WITHDRAWAL
0	0	0	0	20	= RESPONDENT STERILE

(3622)

1995 NATIONAL SURVEY OF FAMILY GROWTH
 File Documentation
 Respondent File (Section E Questionnaire Items)

VARIABLE NAME	COLUMN LOCATION	NON-HISPANIC			QX	TEXT AND CODE CATEGORIES
		HISP	WHITE	BLACK		
		0	0	0	0	21 = PARTNER STERILE (NOT ON CARD)
		0	0	0	0	22 = OTHER METHOD-NOT SHOWN SEPARATELY
		0	0	0	0	97 = Not Ascertained
		0	0	0	0	98 = Refused
		0	0	0	0	99 = Don't Know

1995 NATIONAL SURVEY OF FAMILY GROWTH
 File Documentation
 Respondent File (Section E Questionnaire Items)

VARIABLE	COLUMN	NON-HISPANIC				
NAME	LOCATION	HISP	WHITE	BLACK	TOTAL	QX TEXT AND CODE CATEGORIES

[MTHUS165] 7400-7401

During that month, which (of those/other) methods, if any, did you use at the same time? (2nd METHOD MENTIONED, 3rd COMBINATION, MC14)

Inapplicable:
 R said no, don't know or refused to all birth control methods in EA series (computed variable EVERUSED = 2); R never had sex as of this month and never used a birth control method as of this month but ever used one or more birth control methods in EA series (WNFSTSEX GE 1093 and DATFIRSM GE 1093 and computed variable EVERUSED = 1); R did not use multiple methods in the month; or R used only 2 methods in the month; or R reported fewer than 3 BC method combinations; or R reported using fewer than 2 BC methods for this combination in this month of the method calendar.

1553	6482	2446	10846	Blank	= Blank, inapplicable
0	0	0	0	01	= NONE
0	0	0	0	02	= OFFICE USE ONLY
0	0	0	0	03	= BIRTH CONTROL PILLS
0	0	0	0	04	= CONDOM
0	0	0	0	05	= PARTNER'S VASECTOMY
0	0	0	0	06	= DIAPHRAGM
0	0	0	0	07	= FOAM
0	0	0	0	08	= JELLY OR CREAM
0	0	0	0	09	= CERVICAL CAP
0	0	0	0	10	= SUPPOSITORY, INSERT
0	0	0	0	11	= TODAY (TM) SPONGE
0	0	0	0	12	= FEMALE CONDOM, VAGINAL POUCH
0	0	0	0	13	= IUD, COIL, LOOP
0	0	0	0	14	= NORPLANT (TM)
0	0	0	0	15	= DEPO-PROVERA, INJECTABLES
0	0	0	0	16	= MORNING AFTER PILLS
0	1	0	1	17	= RHYTHM OR SAFE PERIOD BY CALENDAR
0	0	0	0	18	= SAFE PERIOD BY TEMP, CERVICAL MUCUS TEST,

1995 NATIONAL SURVEY OF FAMILY GROWTH
 File Documentation
 Respondent File (Section E Questionnaire Items)

VARIABLE NAME	COLUMN LOCATION	NON-HISPANIC			TOTAL	QX	TEXT AND CODE CATEGORIES
		HISP	WHITE	BLACK			
		0	0	0	0	19	NFP = WITHDRAWAL
		0	0	0	0	20	= RESPONDENT STERILE
		0	0	0	0	21	= PARTNER STERILE (NOT ON CARD)
		0	0	0	0	22	= OTHER METHOD-NOT SHOWN SEPARATELY
		0	0	0	0	97	= Not Ascertained
		0	0	0	0	98	= Refused
		0	0	0	0	99	= Don't Know

1995 NATIONAL SURVEY OF FAMILY GROWTH
 File Documentation
 Respondent File (Section E Questionnaire Items)

VARIABLE	COLUMN	NON-HISPANIC				
NAME	LOCATION	HISP	WHITE	BLACK	TOTAL	QX TEXT AND CODE CATEGORIES

[MTHUS166] 7402-7403

During that month, which (of those/other) methods, if any, did you use at the same time? (3rd METHOD MENTIONED, 3rd COMBINATION, MC14)

Inapplicable:
 R said no, don't know or refused to all birth control methods in EA series (computed variable EVERUSED = 2); R never had sex as of this month and never used a birth control method as of this month but ever used one or more birth control methods in EA series (WNFSTSEX GE 1093 and DATFIRSM GE 1093 and computed variable EVERUSED = 1); R did not use multiple methods in the month; or R used only 2 methods in the month; or R reported fewer than 3 BC method combinations; or R reported using fewer than 3 BC methods for this combination in this month of the method calendar.

1553	6483	2446	10847	Blank	= Blank, inapplicable
0	0	0	0	01	= NONE
0	0	0	0	02	= OFFICE USE ONLY
0	0	0	0	03	= BIRTH CONTROL PILLS
0	0	0	0	04	= CONDOM
0	0	0	0	05	= PARTNER'S VASECTOMY
0	0	0	0	06	= DIAPHRAGM
0	0	0	0	07	= FOAM
0	0	0	0	08	= JELLY OR CREAM
0	0	0	0	09	= CERVICAL CAP
0	0	0	0	10	= SUPPOSITORY, INSERT
0	0	0	0	11	= TODAY (TM) SPONGE
0	0	0	0	12	= FEMALE CONDOM, VAGINAL POUCH
0	0	0	0	13	= IUD, COIL, LOOP
0	0	0	0	14	= NORPLANT (TM)
0	0	0	0	15	= DEPO-PROVERA, INJECTABLES
0	0	0	0	16	= MORNING AFTER PILLS
0	0	0	0	17	= RHYTHM OR SAFE PERIOD BY CALENDAR
0	0	0	0	18	= SAFE PERIOD BY TEMP, CERVICAL MUCUS TEST,

1995 NATIONAL SURVEY OF FAMILY GROWTH
 File Documentation
 Respondent File (Section E Questionnaire Items)

VARIABLE NAME	COLUMN LOCATION	NON-HISPANIC			TOTAL	QX	TEXT AND CODE CATEGORIES
		HISP	WHITE	BLACK			
		0	0	0	0	19	NFP
		0	0	0	0	20	= WITHDRAWAL
		0	0	0	0	21	= RESPONDENT STERILE
							= PARTNER STERILE (NOT ON CARD)
		0	0	0	0	22	= OTHER METHOD-NOT SHOWN SEPARATELY
		0	0	0	0	97	= Not Ascertained
		0	0	0	0	98	= Refused
		0	0	0	0	99	= Don't Know

1995 NATIONAL SURVEY OF FAMILY GROWTH
 File Documentation
 Respondent File (Section E Questionnaire Items)

VARIABLE NAME	COLUMN LOCATION	NON-HISPANIC			TOTAL	QX	TEXT AND CODE CATEGORIES
		HISP	WHITE	BLACK			
		0	0	0	0	19	NFP = WITHDRAWAL
		0	0	0	0	20	= RESPONDENT STERILE
		0	0	0	0	21	= PARTNER STERILE (NOT ON CARD)
		0	0	0	0	22	= OTHER METHOD-NOT SHOWN SEPARATELY
		0	0	0	0	97	= Not Ascertained
		0	0	0	0	98	= Refused
		0	0	0	0	99	= Don't Know

1995 NATIONAL SURVEY OF FAMILY GROWTH
 File Documentation
 Respondent File (Section E Questionnaire Items)

VARIABLE NAME	COLUMN LOCATION	NON-HISPANIC			QX	TEXT AND CODE CATEGORIES
		HISP	WHITE	BLACK		
[METHH056]	7406-7407					ENTER METHOD (FIRST MENTIONED) USED IN MARCH 1992: (MC15)
						Inapplicable: R never had sex as of this month and never used a birth control method as of this month but ever used one or more birth control methods in EA series (WNFSTSEX GE 1093 and DATFIRSM GE 1093 and computed variable EVERUSED = 1); R never had sex and said no, don't know or refused to all birth control methods in EA series (computed variable RHADSEX coded 2,7,8 or 9 and computed variable EVERUSED = 2); R said no, don't know or refused to all birth control methods in EA series (computed variable EVERUSED = 2).
		380	1106	372	1973	Blank = Blank, inapplicable
		329	1247	577	2219	01 = NO METHODS USED
		0	0	1	1	02 = SAME AS PREVIOUS MONTH
		266	1356	448	2108	03 = BIRTH CONTROL PILLS
		165	770	364	1356	04 = CONDOM
		23	296	8	335	05 = PARTNER'S VASECTOMY
		8	124	13	147	06 = DIAPHRAGM
		2	27	3	34	07 = FOAM
		1	9	2	12	08 = JELLY OR CREAM
		0	3	0	3	09 = CERVICAL CAP
		5	22	8	37	10 = SUPPOSITORY, INSERT
		1	33	10	44	11 = TODAY (TM) SPONGE
		0	0	0	0	12 = FEMALE CONDOM, VAGINAL POUCH
		18	38	18	77	13 = IUD, COIL, LOOP
		5	19	23	47	14 = NORPLANT (TM)
		10	8	7	25	15 = DEPO-PROVERA, INJECTABLES
		0	0	0	0	16 = MORNING AFTER PILLS
		29	111	18	171	17 = RHYTHM OR SAFE PERIOD BY CALENDAR
		3	12	0	15	18 = SAFE PERIOD BY TEMP, CERVICAL MUCUS TEST, NFP
		37	124	28	199	19 = WITHDRAWAL
		254	1014	529	1841	20 = RESPONDENT STERILE

(3630)

1995 NATIONAL SURVEY OF FAMILY GROWTH
 File Documentation
 Respondent File (Section E Questionnaire Items)

VARIABLE NAME	COLUMN LOCATION	NON-HISPANIC			TOTAL	QX	TEXT AND CODE CATEGORIES
		HISP	WHITE	BLACK			
		17	152	8	180	21	= PARTNER STERILE (NOT ON CARD)
		0	4	5	9	22	= OTHER METHOD-NOT SHOWN SEPARATELY
		0	0	0	0	55	= SAME METHODS USED THROUGH END OF YEAR
		0	1	2	3	97	= Not Ascertained
		0	4	2	6	98	= Refused
		0	3	0	5	99	= Don't Know

1995 NATIONAL SURVEY OF FAMILY GROWTH
 File Documentation
 Respondent File (Section E Questionnaire Items)

VARIABLE NAME	COLUMN LOCATION	NON-HISPANIC			TOTAL	QX	TEXT AND CODE CATEGORIES
		HISP	WHITE	BLACK			
		1	9	11	21	20	= RESPONDENT STERILE
		0	7	0	8	21	= PARTNER STERILE (NOT ON CARD)
		0	0	0	0	22	= OTHER METHOD-NOT SHOWN SEPARATELY
		0	0	0	0	55	= SAME METHODS USED THROUGH END OF YEAR
		0	1	2	3	97	= Not Ascertained
		0	4	2	6	98	= Refused
		0	3	0	5	99	= Don't Know

1995 NATIONAL SURVEY OF FAMILY GROWTH
 File Documentation
 Respondent File (Section E Questionnaire Items)

VARIABLE COLUMN NON-HISPANIC
 NAME LOCATION HISP WHITE BLACK TOTAL QX TEXT AND CODE CATEGORIES

[METHH058] 7410-7411

ENTER METHOD (THIRD MENTIONED) USED
 IN MARCH 1992: (MC15)

Inapplicable:

R never had sex as of this month and never used a birth control method as of this month but ever used one or more birth control methods in EA series (WNFSTSEX GE 1093 and DATFIRSM GE 1093 and computed variable EVERUSED = 1); R never had sex and said no, don't know or refused to all birth control methods in EA series (computed variable RHADSEX coded 2,7,8 or 9 and computed variable EVERUSED = 2); R said no, don't know or refused to all birth control methods in EA series (computed variable EVERUSED = 2); R used fewer than 3 methods in month.

1538	6423	2421	10740	Blank	= Blank, inapplicable
0	0	0	0	01	= NO METHODS USED
0	0	0	0	02	= SAME AS PREVIOUS MONTH
0	1	1	2	03	= BIRTH CONTROL PILLS
1	2	0	3	04	= CONDOM
1	0	0	1	05	= PARTNER'S VASECTOMY
0	0	0	0	06	= DIAPHRAGM
3	1	2	6	07	= FOAM
0	2	0	2	08	= JELLY OR CREAM
0	0	0	0	09	= CERVICAL CAP
1	2	0	3	10	= SUPPOSITORY, INSERT
1	5	1	7	11	= TODAY (TM) SPONGE
1	0	0	1	12	= FEMALE CONDOM, VAGINAL POUCH
0	0	0	0	13	= IUD, COIL, LOOP
0	0	0	0	14	= NORPLANT (TM)
0	0	0	0	15	= DEPO-PROVERA, INJECTABLES
0	0	0	0	16	= MORNING AFTER PILLS
2	7	0	9	17	= RHYTHM OR SAFE PERIOD BY CALENDAR
0	3	0	4	18	= SAFE PERIOD BY TEMP, CERVICAL MUCUS TEST, NFP
3	21	3	30	19	= WITHDRAWAL

(3634)

1995 NATIONAL SURVEY OF FAMILY GROWTH
 File Documentation
 Respondent File (Section E Questionnaire Items)

VARIABLE NAME	COLUMN LOCATION	NON-HISPANIC			TOTAL	QX	TEXT AND CODE CATEGORIES
		HISP	WHITE	BLACK			
		1	8	14	23	20	= RESPONDENT STERILE
		0	0	0	0	21	= PARTNER STERILE (NOT ON CARD)
		1	0	0	2	22	= OTHER METHOD-NOT SHOWN SEPARATELY
		0	0	0	0	55	= SAME METHODS USED THROUGH END OF YEAR
		0	1	2	3	97	= Not Ascertained
		0	4	2	6	98	= Refused
		0	3	0	5	99	= Don't Know

1995 NATIONAL SURVEY OF FAMILY GROWTH
 File Documentation
 Respondent File (Section E Questionnaire Items)

VARIABLE NAME	COLUMN LOCATION	NON-HISPANIC			TOTAL	QX	TEXT AND CODE CATEGORIES
		HISP	WHITE	BLACK			
		0	0	0	0	20	= RESPONDENT STERILE
		0	0	0	0	21	= PARTNER STERILE (NOT ON CARD)
		0	0	0	0	22	= OTHER METHOD-NOT SHOWN SEPARATELY
		0	0	0	0	55	= SAME METHODS USED THROUGH END OF YEAR
		0	1	2	3	97	= Not Ascertained
		0	4	2	6	98	= Refused
		0	3	0	5	99	= Don't Know

[SIMSEQ14] 7414-7414

Did you use those methods together,
 that is, at the same time, or did
 you use them at different times
 during the month? (MC15)

Inapplicable:

R never had sex as of this month and
 never used a birth control method as
 of this month but ever used one or
 more birth control methods in EA
 series (WNFSTSEX GE 1093 and
 DATFIRSM GE 1093 and computed
 variable EVERUSED = 1); R never had
 sex and said no, don't know or
 refused to all birth control methods
 in EA series (computed variable
 RHADSEX coded 2,7,8 or 9 and
 computed variable EVERUSED = 2); R
 said no, don't know or refused to
 all birth control methods in EA
 series (computed variable EVERUSED =
 2); R did not use multiple methods
 in the month; R used more than 2
 methods in the month.

1499	6136	2300	10281	Blank	= Blank, inapplicable
29	221	112	373	1	= SAME TIME
25	126	34	193	2	= DIFFERENT TIMES
0	0	0	0	7	= Not Ascertained
0	0	0	0	8	= Refused
0	0	0	0	9	= Don't Know

1995 NATIONAL SURVEY OF FAMILY GROWTH
 File Documentation
 Respondent File (Section E Questionnaire Items)

VARIABLE	COLUMN	NON-HISPANIC				
NAME	LOCATION	HISP	WHITE	BLACK		TOTAL

[MTHUS168] 7415-7416

During that month, which (of those/other) methods, if any, did you use at the same time? (1st METHOD MENTIONED, 1st COMBINATION, MC15)

Inapplicable:
 R said no, don't know or refused to all birth control methods in EA series (computed variable EVERUSED = 2); R never had sex as of this month and never used a birth control method as of this month but ever used one or more birth control methods in EA series (WNFSTSEX GE 1093 and DATFIRSM GE 1093 and computed variable EVERUSED = 1); R did not use multiple methods in the month; or R used only 2 methods in the month.

1539	6439	2438	10776	Blank	= Blank, inapplicable
5	7	3	15	01	= NONE
0	0	0	0	02	= OFFICE USE ONLY
2	5	2	10	03	= BIRTH CONTROL PILLS
7	18	0	29	04	= CONDOM
0	0	0	0	05	= PARTNER'S VASECTOMY
0	4	0	4	06	= DIAPHRAGM
0	1	0	1	07	= FOAM
0	0	0	0	08	= JELLY OR CREAM
0	0	0	0	09	= CERVICAL CAP
0	0	0	0	10	= SUPPOSITORY, INSERT
0	2	0	2	11	= TODAY (TM) SPONGE
0	0	0	0	12	= FEMALE CONDOM, VAGINAL POUCH
0	0	0	0	13	= IUD, COIL, LOOP
0	0	0	0	14	= NORPLANT (TM)
0	0	0	0	15	= DEPO-PROVERA, INJECTABLES
0	0	0	0	16	= MORNING AFTER PILLS
0	6	0	6	17	= RHYTHM OR SAFE PERIOD BY CALENDAR
0	0	0	0	18	= SAFE PERIOD BY TEMP, CERVICAL MUCUS TEST, NFP
0	1	2	3	19	= WITHDRAWAL
0	0	1	1	20	= RESPONDENT STERILE
0	0	0	0	21	= PARTNER STERILE (NOT

(3638)

1995 NATIONAL SURVEY OF FAMILY GROWTH
 File Documentation
 Respondent File (Section E Questionnaire Items)

VARIABLE NAME	COLUMN LOCATION	NON-HISPANIC			TOTAL	QX	TEXT AND CODE CATEGORIES
		HISP	WHITE	BLACK			
		0	0	0	0	22	ON CARD) = OTHER METHOD-NOT SHOWN SEPARATELY
		0	0	0	0	97	= Not Ascertained
		0	0	0	0	98	= Refused
		0	0	0	0	99	= Don't Know

1995 NATIONAL SURVEY OF FAMILY GROWTH
 File Documentation
 Respondent File (Section E Questionnaire Items)

VARIABLE	COLUMN	NON-HISPANIC				
NAME	LOCATION	HISP	WHITE	BLACK		TOTAL

[MTHUS169] 7417-7418

During that month, which (of those/other) methods, if any, did you use at the same time? (2nd METHOD MENTIONED, 1st COMBINATION, MC15)

Inapplicable:
 R said no, don't know or refused to all birth control methods in EA series (computed variable EVERUSED = 2); R never had sex as of this month and never used a birth control method as of this month but ever used one or more birth control methods in EA series (WNFSTSEX GE 1093 and DATFIRSM GE 1093 and computed variable EVERUSED = 1); R did not use multiple methods in the month; or R used only 2 methods in the month; or R reported using fewer than 2 BC methods for this combination in this month of the method calendar.

1544	6446	2441	10791	Blank	= Blank, inapplicable
0	0	0	0	01	= NONE
0	0	0	0	02	= OFFICE USE ONLY
0	0	0	0	03	= BIRTH CONTROL PILLS
2	6	4	12	04	= CONDOM
0	1	0	1	05	= PARTNER'S VASECTOMY
0	1	0	1	06	= DIAPHRAGM
1	2	0	3	07	= FOAM
1	0	0	1	08	= JELLY OR CREAM
0	0	0	0	09	= CERVICAL CAP
1	0	1	2	10	= SUPPOSITORY, INSERT
0	1	0	1	11	= TODAY (TM) SPONGE
0	0	0	0	12	= FEMALE CONDOM, VAGINAL POUCH
0	0	0	0	13	= IUD, COIL, LOOP
0	0	0	0	14	= NORPLANT (TM)
0	0	0	0	15	= DEPO-PROVERA, INJECTABLES
0	0	0	0	16	= MORNING AFTER PILLS
3	16	0	21	17	= RHYTHM OR SAFE PERIOD BY CALENDAR
0	1	0	1	18	= SAFE PERIOD BY TEMP, CERVICAL MUCUS TEST, NFP

1995 NATIONAL SURVEY OF FAMILY GROWTH
 File Documentation
 Respondent File (Section E Questionnaire Items)

VARIABLE NAME	COLUMN LOCATION	NON-HISPANIC			TOTAL	QX	TEXT AND CODE CATEGORIES
		HISP	WHITE	BLACK			
		1	9	0	13	19	= WITHDRAWAL
		0	0	0	0	20	= RESPONDENT STERILE
		0	0	0	0	21	= PARTNER STERILE (NOT ON CARD)
		0	0	0	0	22	= OTHER METHOD-NOT SHOWN SEPARATELY
		0	0	0	0	97	= Not Ascertained
		0	0	0	0	98	= Refused
		0	0	0	0	99	= Don't Know

1995 NATIONAL SURVEY OF FAMILY GROWTH
 File Documentation
 Respondent File (Section E Questionnaire Items)

VARIABLE	COLUMN	NON-HISPANIC				QX TEXT AND CODE CATEGORIES
NAME	LOCATION	HISP	WHITE	BLACK		

[MTHUS170] 7419-7420

During that month, which (of those/other) methods, if any, did you use at the same time? (3rd METHOD MENTIONED, 1st COMBINATION, MC15)

Inapplicable:
 R said no, don't know or refused to all birth control methods in EA series (computed variable EVERUSED = 2); R never had sex as of this month and never used a birth control method as of this month but ever used one or more birth control methods in EA series (WNFSTSEX GE 1093 and DATFIRSM GE 1093 and computed variable EVERUSED = 1); R did not use multiple methods in the month; or R used only 2 methods in the month; or R reported using fewer than 3 BC methods for this combination in this month of the method calendar.

1546	6460	2443	10813	Blank	= Blank, inapplicable
0	0	0	0	01	= NONE
0	0	0	0	02	= OFFICE USE ONLY
0	0	1	1	03	= BIRTH CONTROL PILLS
0	0	0	0	04	= CONDOM
1	0	0	1	05	= PARTNER'S VASECTOMY
0	0	0	0	06	= DIAPHRAGM
2	1	2	5	07	= FOAM
0	2	0	2	08	= JELLY OR CREAM
0	0	0	0	09	= CERVICAL CAP
0	1	0	1	10	= SUPPOSITORY, INSERT
1	2	0	3	11	= TODAY (TM) SPONGE
0	0	0	0	12	= FEMALE CONDOM, VAGINAL POUCH
0	0	0	0	13	= IUD, COIL, LOOP
0	0	0	0	14	= NORPLANT (TM)
0	0	0	0	15	= DEPO-PROVERA, INJECTABLES
0	0	0	0	16	= MORNING AFTER PILLS
2	4	0	6	17	= RHYTHM OR SAFE PERIOD BY CALENDAR
0	2	0	3	18	= SAFE PERIOD BY TEMP, CERVICAL MUCUS TEST, NFP

(3642)

1995 NATIONAL SURVEY OF FAMILY GROWTH
 File Documentation
 Respondent File (Section E Questionnaire Items)

VARIABLE NAME	COLUMN LOCATION	NON-HISPANIC			TOTAL	QX	TEXT AND CODE CATEGORIES
		HISP	WHITE	BLACK			
		0	11	0	11	19	= WITHDRAWAL
		0	0	0	0	20	= RESPONDENT STERILE
		0	0	0	0	21	= PARTNER STERILE (NOT ON CARD)
		1	0	0	1	22	= OTHER METHOD-NOT SHOWN SEPARATELY
		0	0	0	0	97	= Not Ascertained
		0	0	0	0	98	= Refused
		0	0	0	0	99	= Don't Know

1995 NATIONAL SURVEY OF FAMILY GROWTH
 File Documentation
 Respondent File (Section E Questionnaire Items)

VARIABLE	COLUMN	NON-HISPANIC				QX TEXT AND CODE CATEGORIES
NAME	LOCATION	HISP	WHITE	BLACK		

[MTHUS171] 7421-7422

During that month, which (of those/other) methods, if any, did you use at the same time? (4th METHOD MENTIONED, 1st COMBINATION, MC15)

Inapplicable:
 R said no, don't know or refused to all birth control methods in EA series (computed variable EVERUSED = 2); R never had sex as of this month and never used a birth control method as of this month but ever used one or more birth control methods in EA series (WNFSTSEX GE 1093 and DATFIRSM GE 1093 and computed variable EVERUSED = 1); R did not use multiple methods in the month; or R used only 2 methods in the month; or R reported using fewer than 4 BC methods for this combination in this month of the method calendar.

1553	6482	2446	10846	Blank	= Blank, inapplicable
0	0	0	0	01	= NONE
0	0	0	0	02	= OFFICE USE ONLY
0	0	0	0	03	= BIRTH CONTROL PILLS
0	1	0	1	04	= CONDOM
0	0	0	0	05	= PARTNER'S VASECTOMY
0	0	0	0	06	= DIAPHRAGM
0	0	0	0	07	= FOAM
0	0	0	0	08	= JELLY OR CREAM
0	0	0	0	09	= CERVICAL CAP
0	0	0	0	10	= SUPPOSITORY, INSERT
0	0	0	0	11	= TODAY (TM) SPONGE
0	0	0	0	12	= FEMALE CONDOM, VAGINAL POUCH
0	0	0	0	13	= IUD, COIL, LOOP
0	0	0	0	14	= NORPLANT (TM)
0	0	0	0	15	= DEPO-PROVERA, INJECTABLES
0	0	0	0	16	= MORNING AFTER PILLS
0	0	0	0	17	= RHYTHM OR SAFE PERIOD BY CALENDAR
0	0	0	0	18	= SAFE PERIOD BY TEMP, CERVICAL MUCUS TEST, NFP

1995 NATIONAL SURVEY OF FAMILY GROWTH
 File Documentation
 Respondent File (Section E Questionnaire Items)

VARIABLE NAME	COLUMN LOCATION	NON-HISPANIC			TOTAL	QX	TEXT AND CODE CATEGORIES
		HISP	WHITE	BLACK			
		0	0	0	0	19	= WITHDRAWAL
		0	0	0	0	20	= RESPONDENT STERILE
		0	0	0	0	21	= PARTNER STERILE (NOT ON CARD)
		0	0	0	0	22	= OTHER METHOD-NOT SHOWN SEPARATELY
		0	0	0	0	97	= Not Ascertained
		0	0	0	0	98	= Refused
		0	0	0	0	99	= Don't Know

1995 NATIONAL SURVEY OF FAMILY GROWTH
File Documentation
Respondent File (Section E Questionnaire Items)

VARIABLE COLUMN NON-HISPANIC
NAME LOCATION HISP WHITE BLACK TOTAL QX TEXT AND CODE CATEGORIES

[MTHUS172] 7423-7424

During that month, which (of those/other) methods, if any, did you use at the same time? (1st METHOD MENTIONED, 2nd COMBINATION, MC15)

Inapplicable:
R said no, don't know or refused to all birth control methods in EA series (computed variable EVERUSED = 2); R never had sex as of this month and never used a birth control method as of this month but ever used one or more birth control methods in EA series (WNFSTSEX GE 1093 and DATFIRSM GE 1093 and computed variable EVERUSED = 1); R did not use multiple methods in the month; or R used only 2 methods in the month; or R reported fewer than 2 BC method combinations.

1544	6446	2441	10791	Blank	= Blank, inapplicable
6	26	1	37	01	= NONE
0	0	0	0	02	= OFFICE USE ONLY
0	2	1	3	03	= BIRTH CONTROL PILLS
0	4	0	5	04	= CONDOM
0	0	0	0	05	= PARTNER'S VASECTOMY
0	0	0	0	06	= DIAPHRAGM
2	1	0	3	07	= FOAM
0	0	0	0	08	= JELLY OR CREAM
0	0	0	0	09	= CERVICAL CAP
0	0	0	0	10	= SUPPOSITORY, INSERT
0	0	0	0	11	= TODAY (TM) SPONGE
0	0	0	0	12	= FEMALE CONDOM, VAGINAL POUCH
0	0	0	0	13	= IUD, COIL, LOOP
0	0	0	0	14	= NORPLANT (TM)
0	0	0	0	15	= DEPO-PROVERA, INJECTABLES
0	0	0	0	16	= MORNING AFTER PILLS
0	3	0	3	17	= RHYTHM OR SAFE PERIOD BY CALENDAR
0	0	0	0	18	= SAFE PERIOD BY TEMP, CERVICAL MUCUS TEST, NFP
0	1	2	3	19	= WITHDRAWAL
0	0	1	1	20	= RESPONDENT STERILE

(3646)

1995 NATIONAL SURVEY OF FAMILY GROWTH
 File Documentation
 Respondent File (Section E Questionnaire Items)

VARIABLE NAME	COLUMN LOCATION	NON-HISPANIC			QX	TEXT AND CODE CATEGORIES	
		HISP	WHITE	BLACK			TOTAL
		0	0	0	0	21	= PARTNER STERILE (NOT ON CARD)
		1	0	0	1	22	= OTHER METHOD-NOT SHOWN SEPARATELY
		0	0	0	0	97	= Not Ascertained
		0	0	0	0	98	= Refused
		0	0	0	0	99	= Don't Know

1995 NATIONAL SURVEY OF FAMILY GROWTH
 File Documentation
 Respondent File (Section E Questionnaire Items)

VARIABLE COLUMN NON-HISPANIC
 NAME LOCATION HISP WHITE BLACK TOTAL QX TEXT AND CODE CATEGORIES

[MTHUS173] 7425-7426

During that month, which (of those/other) methods, if any, did you use at the same time? (2nd METHOD MENTIONED, 2nd COMBINATION, MC15)

Inapplicable:
 R said no, don't know or refused to all birth control methods in EA series (computed variable EVERUSED = 2); R never had sex as of this month and never used a birth control method as of this month but ever used one or more birth control methods in EA series (WNFSTSEX GE 1093 and DATFIRSM GE 1093 and computed variable EVERUSED = 1); R did not use multiple methods in the month; or R used only 2 methods in the month; or R reported fewer than 2 BC method combinations; or R reported using fewer than 2 BC methods for this combination in this month of the method calendar.

1551	6474	2442	10831	Blank	= Blank, inapplicable
0	0	0	0	01	= NONE
0	0	0	0	02	= OFFICE USE ONLY
1	0	0	1	03	= BIRTH CONTROL PILLS
1	1	2	4	04	= CONDOM
0	1	0	1	05	= PARTNER'S VASECTOMY
0	0	0	0	06	= DIAPHRAGM
0	0	0	0	07	= FOAM
0	0	0	0	08	= JELLY OR CREAM
0	0	0	0	09	= CERVICAL CAP
0	0	1	1	10	= SUPPOSITORY, INSERT
0	1	0	1	11	= TODAY (TM) SPONGE
0	0	0	0	12	= FEMALE CONDOM, VAGINAL POUCH
0	0	0	0	13	= IUD, COIL, LOOP
0	0	0	0	14	= NORPLANT (TM)
0	0	0	0	15	= DEPO-PROVERA, INJECTABLES
0	0	0	0	16	= MORNING AFTER PILLS
0	2	0	3	17	= RHYTHM OR SAFE PERIOD BY CALENDAR
0	1	0	1	18	= SAFE PERIOD BY TEMP, CERVICAL MUCUS TEST,

(3648)

1995 NATIONAL SURVEY OF FAMILY GROWTH
 File Documentation
 Respondent File (Section E Questionnaire Items)

VARIABLE NAME	COLUMN LOCATION	NON-HISPANIC			TOTAL	QX	TEXT AND CODE CATEGORIES
		HISP	WHITE	BLACK			
		0	3	1	4	19	NFP
		0	0	0	0	20	= WITHDRAWAL
		0	0	0	0	21	= RESPONDENT STERILE
							= PARTNER STERILE (NOT ON CARD)
		0	0	0	0	22	= OTHER METHOD-NOT SHOWN SEPARATELY
		0	0	0	0	97	= Not Ascertained
		0	0	0	0	98	= Refused
		0	0	0	0	99	= Don't Know

1995 NATIONAL SURVEY OF FAMILY GROWTH
 File Documentation
 Respondent File (Section E Questionnaire Items)

VARIABLE	COLUMN	NON-HISPANIC				QX TEXT AND CODE CATEGORIES
NAME	LOCATION	HISP	WHITE	BLACK		

[MTHUS174] 7427-7428

During that month, which (of those/other) methods, if any, did you use at the same time? (3rd METHOD MENTIONED, 2nd COMBINATION, MC15)

Inapplicable:
 R said no, don't know or refused to all birth control methods in EA series (computed variable EVERUSED = 2); R never had sex as of this month and never used a birth control method as of this month but ever used one or more birth control methods in EA series (WNFSTSEX GE 1093 and DATFIRSM GE 1093 and computed variable EVERUSED = 1); R did not use multiple methods in the month; or R used only 2 methods in the month; or R reported fewer than 2 BC method combinations; or R reported using fewer than 3 BC methods for this combination in this month of the method calendar.

1552	6480	2445	10841	Blank	= Blank, inapplicable
0	0	0	0	01	= NONE
0	0	0	0	02	= OFFICE USE ONLY
0	0	1	1	03	= BIRTH CONTROL PILLS
0	0	0	0	04	= CONDOM
0	0	0	0	05	= PARTNER'S VASECTOMY
0	0	0	0	06	= DIAPHRAGM
0	0	0	0	07	= FOAM
0	1	0	1	08	= JELLY OR CREAM
0	0	0	0	09	= CERVICAL CAP
0	0	0	0	10	= SUPPOSITORY, INSERT
0	0	0	0	11	= TODAY (TM) SPONGE
0	0	0	0	12	= FEMALE CONDOM, VAGINAL POUCH
0	0	0	0	13	= IUD, COIL, LOOP
0	0	0	0	14	= NORPLANT (TM)
0	0	0	0	15	= DEPO-PROVERA, INJECTABLES
0	0	0	0	16	= MORNING AFTER PILLS
1	0	0	1	17	= RHYTHM OR SAFE PERIOD BY CALENDAR
0	0	0	1	18	= SAFE PERIOD BY TEMP, CERVICAL MUCUS TEST,

1995 NATIONAL SURVEY OF FAMILY GROWTH
 File Documentation
 Respondent File (Section E Questionnaire Items)

VARIABLE NAME	COLUMN LOCATION	NON-HISPANIC			TOTAL	QX	TEXT AND CODE CATEGORIES
		HISP	WHITE	BLACK			
		0	2	0	2	19	NFP
		0	0	0	0	20	= WITHDRAWAL
		0	0	0	0	21	= RESPONDENT STERILE
							= PARTNER STERILE (NOT ON CARD)
		0	0	0	0	22	= OTHER METHOD-NOT SHOWN SEPARATELY
		0	0	0	0	97	= Not Ascertained
		0	0	0	0	98	= Refused
		0	0	0	0	99	= Don't Know

1995 NATIONAL SURVEY OF FAMILY GROWTH
 File Documentation
 Respondent File (Section E Questionnaire Items)

VARIABLE COLUMN NON-HISPANIC
 NAME LOCATION HISP WHITE BLACK TOTAL QX TEXT AND CODE CATEGORIES

[MTHUS175] 7429-7430

During that month, which (of those/other) methods, if any, did you use at the same time? (4th METHOD MENTIONED, 2nd COMBINATION, MC15)

Inapplicable:
 R said no, don't know or refused to all birth control methods in EA series (computed variable EVERUSED = 2); R never had sex as of this month and never used a birth control method as of this month but ever used one or more birth control methods in EA series (WNFSTSEX GE 1093 and DATFIRSM GE 1093 and computed variable EVERUSED = 1); R did not use multiple methods in the month; or R used only 2 methods in the month; or R reported fewer than 2 BC method combinations; or R reported using fewer than 4 BC methods for this combination in this month of the method calendar.

1553	6483	2446	10847	Blank	= Blank, inapplicable
0	0	0	0	01	= NONE
0	0	0	0	02	= OFFICE USE ONLY
0	0	0	0	03	= BIRTH CONTROL PILLS
0	0	0	0	04	= CONDOM
0	0	0	0	05	= PARTNER'S VASECTOMY
0	0	0	0	06	= DIAPHRAGM
0	0	0	0	07	= FOAM
0	0	0	0	08	= JELLY OR CREAM
0	0	0	0	09	= CERVICAL CAP
0	0	0	0	10	= SUPPOSITORY, INSERT
0	0	0	0	11	= TODAY (TM) SPONGE
0	0	0	0	12	= FEMALE CONDOM, VAGINAL POUCH
0	0	0	0	13	= IUD, COIL, LOOP
0	0	0	0	14	= NORPLANT (TM)
0	0	0	0	15	= DEPO-PROVERA, INJECTABLES
0	0	0	0	16	= MORNING AFTER PILLS
0	0	0	0	17	= RHYTHM OR SAFE PERIOD BY CALENDAR
0	0	0	0	18	= SAFE PERIOD BY TEMP, CERVICAL MUCUS TEST,

(3652)

1995 NATIONAL SURVEY OF FAMILY GROWTH
 File Documentation
 Respondent File (Section E Questionnaire Items)

VARIABLE NAME	COLUMN LOCATION	NON-HISPANIC			TOTAL	QX	TEXT AND CODE CATEGORIES
		HISP	WHITE	BLACK			
		0	0	0	0	19	NFP
		0	0	0	0	20	= WITHDRAWAL
		0	0	0	0	21	= RESPONDENT STERILE
							= PARTNER STERILE (NOT ON CARD)
		0	0	0	0	22	= OTHER METHOD-NOT SHOWN SEPARATELY
		0	0	0	0	97	= Not Ascertained
		0	0	0	0	98	= Refused
		0	0	0	0	99	= Don't Know

1995 NATIONAL SURVEY OF FAMILY GROWTH
 File Documentation
 Respondent File (Section E Questionnaire Items)

VARIABLE COLUMN NON-HISPANIC
 NAME LOCATION HISP WHITE BLACK TOTAL QX TEXT AND CODE CATEGORIES

[MTHUS176] 7431-7432

During that month, which (of those/other) methods, if any, did you use at the same time? (1st METHOD MENTIONED, 3rd COMBINATION, MC15)

Inapplicable:
 R said no, don't know or refused to all birth control methods in EA series (computed variable EVERUSED = 2); R never had sex as of this month and never used a birth control method as of this month but ever used one or more birth control methods in EA series (WNFSTSEX GE 1093 and DATFIRSM GE 1093 and computed variable EVERUSED = 1); R did not use multiple methods in the month; or R used only 2 methods in the month; or R reported fewer than 3 BC method combinations.

	1553	6482	2446	10846	Blank	
	0	0	0	0	0	01 = Blank, inapplicable
	0	0	0	0	0	02 = NONE
	0	0	0	0	0	03 = OFFICE USE ONLY
	0	1	0	1	0	04 = BIRTH CONTROL PILLS
	0	0	0	0	0	05 = CONDOM
	0	0	0	0	0	06 = PARTNER'S VASECTOMY
	0	0	0	0	0	07 = DIAPHRAGM
	0	0	0	0	0	08 = FOAM
	0	0	0	0	0	09 = JELLY OR CREAM
	0	0	0	0	0	10 = CERVICAL CAP
	0	0	0	0	0	11 = SUPPOSITORY, INSERT
	0	0	0	0	0	12 = TODAY (TM) SPONGE
	0	0	0	0	0	13 = FEMALE CONDOM, VAGINAL POUCH
	0	0	0	0	0	14 = IUD, COIL, LOOP
	0	0	0	0	0	15 = NORPLANT (TM)
	0	0	0	0	0	16 = DEPO-PROVERA, INJECTABLES
	0	0	0	0	0	17 = MORNING AFTER PILLS
	0	0	0	0	0	18 = RHYTHM OR SAFE PERIOD BY CALENDAR
	0	0	0	0	0	19 = SAFE PERIOD BY TEMP, CERVICAL MUCUS TEST, NFP
	0	0	0	0	0	20 = WITHDRAWAL
	0	0	0	0	0	21 = RESPONDENT STERILE

(3654)

1995 NATIONAL SURVEY OF FAMILY GROWTH
 File Documentation
 Respondent File (Section E Questionnaire Items)

VARIABLE NAME	COLUMN LOCATION	NON-HISPANIC			QX	TEXT AND CODE CATEGORIES
		HISP	WHITE	BLACK		
		0	0	0	0	21 = PARTNER STERILE (NOT ON CARD)
		0	0	0	0	22 = OTHER METHOD-NOT SHOWN SEPARATELY
		0	0	0	0	97 = Not Ascertained
		0	0	0	0	98 = Refused
		0	0	0	0	99 = Don't Know

1995 NATIONAL SURVEY OF FAMILY GROWTH
 File Documentation
 Respondent File (Section E Questionnaire Items)

VARIABLE COLUMN NON-HISPANIC
 NAME LOCATION HISP WHITE BLACK TOTAL QX TEXT AND CODE CATEGORIES

[MTHUS177] 7433-7434

During that month, which (of those/other) methods, if any, did you use at the same time? (2nd METHOD MENTIONED, 3rd COMBINATION, MC15)

Inapplicable:
 R said no, don't know or refused to all birth control methods in EA series (computed variable EVERUSED = 2); R never had sex as of this month and never used a birth control method as of this month but ever used one or more birth control methods in EA series (WNFSTSEX GE 1093 and DATFIRSM GE 1093 and computed variable EVERUSED = 1); R did not use multiple methods in the month; or R used only 2 methods in the month; or R reported fewer than 3 BC method combinations; or R reported using fewer than 2 BC methods for this combination in this month of the method calendar.

1553	6482	2446	10846	Blank	= Blank, inapplicable
0	0	0	0	01	= NONE
0	0	0	0	02	= OFFICE USE ONLY
0	0	0	0	03	= BIRTH CONTROL PILLS
0	0	0	0	04	= CONDOM
0	0	0	0	05	= PARTNER'S VASECTOMY
0	0	0	0	06	= DIAPHRAGM
0	0	0	0	07	= FOAM
0	0	0	0	08	= JELLY OR CREAM
0	0	0	0	09	= CERVICAL CAP
0	0	0	0	10	= SUPPOSITORY, INSERT
0	0	0	0	11	= TODAY (TM) SPONGE
0	0	0	0	12	= FEMALE CONDOM, VAGINAL POUCH
0	0	0	0	13	= IUD, COIL, LOOP
0	0	0	0	14	= NORPLANT (TM)
0	0	0	0	15	= DEPO-PROVERA, INJECTABLES
0	0	0	0	16	= MORNING AFTER PILLS
0	1	0	1	17	= RHYTHM OR SAFE PERIOD BY CALENDAR
0	0	0	0	18	= SAFE PERIOD BY TEMP, CERVICAL MUCUS TEST,

1995 NATIONAL SURVEY OF FAMILY GROWTH
 File Documentation
 Respondent File (Section E Questionnaire Items)

VARIABLE NAME	COLUMN LOCATION	NON-HISPANIC			TOTAL	QX	TEXT AND CODE CATEGORIES
		HISP	WHITE	BLACK			
		0	0	0	0	19	NFP
		0	0	0	0	20	= WITHDRAWAL
		0	0	0	0	21	= RESPONDENT STERILE
							= PARTNER STERILE (NOT ON CARD)
		0	0	0	0	22	= OTHER METHOD-NOT SHOWN SEPARATELY
		0	0	0	0	97	= Not Ascertained
		0	0	0	0	98	= Refused
		0	0	0	0	99	= Don't Know

1995 NATIONAL SURVEY OF FAMILY GROWTH
 File Documentation
 Respondent File (Section E Questionnaire Items)

VARIABLE COLUMN NON-HISPANIC
 NAME LOCATION HISP WHITE BLACK TOTAL QX TEXT AND CODE CATEGORIES

[MTHUS178] 7435-7436

During that month, which (of those/other) methods, if any, did you use at the same time? (3rd METHOD MENTIONED, 3rd COMBINATION, MC15)

Inapplicable:
 R said no, don't know or refused to all birth control methods in EA series (computed variable EVERUSED = 2); R never had sex as of this month and never used a birth control method as of this month but ever used one or more birth control methods in EA series (WNFSTSEX GE 1093 and DATFIRSM GE 1093 and computed variable EVERUSED = 1); R did not use multiple methods in the month; or R used only 2 methods in the month; or R reported fewer than 3 BC method combinations; or R reported using fewer than 3 BC methods for this combination in this month of the method calendar.

1553	6483	2446	10847	Blank	= Blank, inapplicable
0	0	0	0	01	= NONE
0	0	0	0	02	= OFFICE USE ONLY
0	0	0	0	03	= BIRTH CONTROL PILLS
0	0	0	0	04	= CONDOM
0	0	0	0	05	= PARTNER'S VASECTOMY
0	0	0	0	06	= DIAPHRAGM
0	0	0	0	07	= FOAM
0	0	0	0	08	= JELLY OR CREAM
0	0	0	0	09	= CERVICAL CAP
0	0	0	0	10	= SUPPOSITORY, INSERT
0	0	0	0	11	= TODAY (TM) SPONGE
0	0	0	0	12	= FEMALE CONDOM, VAGINAL POUCH
0	0	0	0	13	= IUD, COIL, LOOP
0	0	0	0	14	= NORPLANT (TM)
0	0	0	0	15	= DEPO-PROVERA, INJECTABLES
0	0	0	0	16	= MORNING AFTER PILLS
0	0	0	0	17	= RHYTHM OR SAFE PERIOD BY CALENDAR
0	0	0	0	18	= SAFE PERIOD BY TEMP, CERVICAL MUCUS TEST,

(3658)

1995 NATIONAL SURVEY OF FAMILY GROWTH
 File Documentation
 Respondent File (Section E Questionnaire Items)

VARIABLE NAME	COLUMN LOCATION	NON-HISPANIC			TOTAL	QX	TEXT AND CODE CATEGORIES
		HISP	WHITE	BLACK			
		0	0	0	0	19	NFP = WITHDRAWAL
		0	0	0	0	20	= RESPONDENT STERILE
		0	0	0	0	21	= PARTNER STERILE (NOT ON CARD)
		0	0	0	0	22	= OTHER METHOD-NOT SHOWN SEPARATELY
		0	0	0	0	97	= Not Ascertained
		0	0	0	0	98	= Refused
		0	0	0	0	99	= Don't Know

1995 NATIONAL SURVEY OF FAMILY GROWTH
 File Documentation
 Respondent File (Section E Questionnaire Items)

VARIABLE NAME	COLUMN LOCATION	NON-HISPANIC			TOTAL	QX	TEXT AND CODE CATEGORIES
		HISP	WHITE	BLACK			
		0	0	0	0	19	NFP
		0	0	0	0	20	= WITHDRAWAL
		0	0	0	0	21	= RESPONDENT STERILE
							= PARTNER STERILE (NOT ON CARD)
		0	0	0	0	22	= OTHER METHOD-NOT SHOWN SEPARATELY
		0	0	0	0	97	= Not Ascertained
		0	0	0	0	98	= Refused
		0	0	0	0	99	= Don't Know

1995 NATIONAL SURVEY OF FAMILY GROWTH
 File Documentation
 Respondent File (Section E Questionnaire Items)

VARIABLE NAME	COLUMN LOCATION	NON-HISPANIC			QX	TEXT AND CODE CATEGORIES
		HISP	WHITE	BLACK		
[METHH060]	7439-7440					ENTER METHOD (FIRST MENTIONED) USED IN APRIL 1992: (MC16)
						Inapplicable: R never had sex as of this month and never used a birth control method as of this month but ever used one or more birth control methods in EA series (WNFSTSEX GE 1093 and DATFIRSM GE 1093 and computed variable EVERUSED = 1); R never had sex and said no, don't know or refused to all birth control methods in EA series (computed variable RHADSEX coded 2,7,8 or 9 and computed variable EVERUSED = 2); R said no, don't know or refused to all birth control methods in EA series (computed variable EVERUSED = 2).
		373	1088	367	1943	Blank = Blank, inapplicable
		331	1234	574	2206	01 = NO METHODS USED
		0	0	1	1	02 = SAME AS PREVIOUS MONTH
		268	1362	443	2111	03 = BIRTH CONTROL PILLS
		165	789	375	1387	04 = CONDOM
		23	298	8	337	05 = PARTNER'S VASECTOMY
		8	123	12	145	06 = DIAPHRAGM
		3	28	3	35	07 = FOAM
		1	9	2	12	08 = JELLY OR CREAM
		0	3	0	3	09 = CERVICAL CAP
		5	23	8	38	10 = SUPPOSITORY, INSERT
		2	29	10	41	11 = TODAY (TM) SPONGE
		0	0	0	0	12 = FEMALE CONDOM, VAGINAL POUCH
		19	38	19	79	13 = IUD, COIL, LOOP
		5	19	24	48	14 = NORPLANT (TM)
		11	8	7	26	15 = DEPO-PROVERA, INJECTABLES
		0	0	0	0	16 = MORNING AFTER PILLS
		28	109	18	168	17 = RHYTHM OR SAFE PERIOD BY CALENDAR
		3	11	0	14	18 = SAFE PERIOD BY TEMP, CERVICAL MUCUS TEST, NFP
		36	126	27	198	19 = WITHDRAWAL
		255	1022	532	1853	20 = RESPONDENT STERILE

(3662)

1995 NATIONAL SURVEY OF FAMILY GROWTH
 File Documentation
 Respondent File (Section E Questionnaire Items)

VARIABLE NAME	COLUMN LOCATION	NON-HISPANIC			TOTAL	QX	TEXT AND CODE CATEGORIES
		HISP	WHITE	BLACK			
		17	152	8	180	21	= PARTNER STERILE (NOT ON CARD)
		0	4	4	8	22	= OTHER METHOD-NOT SHOWN SEPARATELY
		0	0	0	0	55	= SAME METHODS USED THROUGH END OF YEAR
		0	1	2	3	97	= Not Ascertained
		0	4	2	6	98	= Refused
		0	3	0	5	99	= Don't Know

1995 NATIONAL SURVEY OF FAMILY GROWTH
 File Documentation
 Respondent File (Section E Questionnaire Items)

VARIABLE NAME	COLUMN LOCATION	NON-HISPANIC			TOTAL	QX	TEXT AND CODE CATEGORIES
		HISP	WHITE	BLACK			
		1	7	11	19	20	= RESPONDENT STERILE
		0	7	0	8	21	= PARTNER STERILE (NOT ON CARD)
		0	0	0	0	22	= OTHER METHOD-NOT SHOWN SEPARATELY
		0	0	0	0	55	= SAME METHODS USED THROUGH END OF YEAR
		0	1	2	3	97	= Not Ascertained
		0	4	2	6	98	= Refused
		0	3	0	5	99	= Don't Know

1995 NATIONAL SURVEY OF FAMILY GROWTH
 File Documentation
 Respondent File (Section E Questionnaire Items)

VARIABLE COLUMN NON-HISPANIC
 NAME LOCATION HISP WHITE BLACK TOTAL QX TEXT AND CODE CATEGORIES

[METHH062] 7443-7444

ENTER METHOD (THIRD MENTIONED) USED
 IN APRIL 1992: (MC16)

Inapplicable:

R never had sex as of this month and never used a birth control method as of this month but ever used one or more birth control methods in EA series (WNFSTSEX GE 1093 and DATFIRSM GE 1093 and computed variable EVERUSED = 1); R never had sex and said no, don't know or refused to all birth control methods in EA series (computed variable RHADSEX coded 2,7,8 or 9 and computed variable EVERUSED = 2); R said no, don't know or refused to all birth control methods in EA series (computed variable EVERUSED = 2); R used fewer than 3 methods in month.

1541	6420	2421	10740	Blank	
0	0	0	0	0	01 = Blank, inapplicable
0	0	0	0	0	02 = NO METHODS USED
					03 = SAME AS PREVIOUS MONTH
0	1	1	2	0	04 = BIRTH CONTROL PILLS
1	2	0	3	0	05 = CONDOM
1	0	0	1	0	06 = PARTNER'S VASECTOMY
0	0	0	0	0	07 = DIAPHRAGM
2	1	2	5	0	08 = FOAM
0	2	0	2	0	09 = JELLY OR CREAM
0	0	0	0	0	10 = CERVICAL CAP
0	2	0	2	0	11 = SUPPOSITORY, INSERT
1	6	0	7	0	12 = TODAY (TM) SPONGE
1	0	0	1	0	13 = FEMALE CONDOM, VAGINAL POUCH
0	0	0	0	0	14 = IUD, COIL, LOOP
0	0	0	0	0	15 = NORPLANT (TM)
0	0	0	0	0	16 = DEPO-PROVERA, INJECTABLES
0	0	0	0	0	17 = MORNING AFTER PILLS
2	7	0	9	0	18 = RHYTHM OR SAFE PERIOD BY CALENDAR
0	3	0	4	0	19 = SAFE PERIOD BY TEMP, CERVICAL MUCUS TEST, NFP
2	22	3	30	0	20 = WITHDRAWAL

(3666)

1995 NATIONAL SURVEY OF FAMILY GROWTH
 File Documentation
 Respondent File (Section E Questionnaire Items)

VARIABLE NAME	COLUMN LOCATION	NON-HISPANIC			TOTAL	QX	TEXT AND CODE CATEGORIES
		HISP	WHITE	BLACK			
		1	9	15	25	20	= RESPONDENT STERILE
		0	0	0	0	21	= PARTNER STERILE (NOT ON CARD)
		1	0	0	2	22	= OTHER METHOD-NOT SHOWN SEPARATELY
		0	0	0	0	55	= SAME METHODS USED THROUGH END OF YEAR
		0	1	2	3	97	= Not Ascertained
		0	4	2	6	98	= Refused
		0	3	0	5	99	= Don't Know

1995 NATIONAL SURVEY OF FAMILY GROWTH
File Documentation
Respondent File (Section E Questionnaire Items)

VARIABLE	COLUMN	NON-HISPANIC			QX TEXT AND CODE CATEGORIES	
NAME	LOCATION	HISP	WHITE	BLACK	TOTAL	
[METHH063]	7445-7446					ENTER METHOD (FOURTH MENTIONED) USED IN APRIL 1992: (MC16)

Inapplicable:

R never had sex as of this month and never used a birth control method as of this month but ever used one or more birth control methods in EA series (WNFSTSEX GE 1093 and DATFIRSM GE 1093 and computed variable EVERUSED = 1); R never had sex and said no, don't know or refused to all birth control methods in EA series (computed variable RHADSEX coded 2,7,8 or 9 and computed variable EVERUSED = 2); R said no, don't know or refused to all birth control methods in EA series (computed variable EVERUSED = 2); R used fewer than 4 methods in month.

1553	6471	2442	10828	Blank	= Blank, inapplicable
0	0	0	0	0 01	= NO METHODS USED
0	0	0	0	0 02	= SAME AS PREVIOUS MONTH
0	0	0	0	0 03	= BIRTH CONTROL PILLS
0	1	0	1	0 04	= CONDOM
0	0	0	0	0 05	= PARTNER'S VASECTOMY
0	0	0	0	0 06	= DIAPHRAGM
0	0	0	0	0 07	= FOAM
0	0	0	0	0 08	= JELLY OR CREAM
0	0	0	0	0 09	= CERVICAL CAP
0	0	0	0	0 10	= SUPPOSITORY, INSERT
0	0	0	0	0 11	= TODAY (TM) SPONGE
0	0	0	0	0 12	= FEMALE CONDOM, VAGINAL POUCH
0	0	0	0	0 13	= IUD, COIL, LOOP
0	0	0	0	0 14	= NORPLANT (TM)
0	0	0	0	0 15	= DEPO-PROVERA, INJECTABLES
0	0	0	0	0 16	= MORNING AFTER PILLS
0	2	0	3	0 17	= RHYTHM OR SAFE PERIOD BY CALENDAR
0	0	0	0	0 18	= SAFE PERIOD BY TEMP, CERVICAL MUCUS TEST, NFP
0	1	0	1	0 19	= WITHDRAWAL

(3668)

1995 NATIONAL SURVEY OF FAMILY GROWTH
 File Documentation
 Respondent File (Section E Questionnaire Items)

VARIABLE NAME	COLUMN LOCATION	NON-HISPANIC			TOTAL	QX	TEXT AND CODE CATEGORIES
		HISP	WHITE	BLACK			
		0	0	0	0	20	= RESPONDENT STERILE
		0	0	0	0	21	= PARTNER STERILE (NOT ON CARD)
		0	0	0	0	22	= OTHER METHOD-NOT SHOWN SEPARATELY
		0	0	0	0	55	= SAME METHODS USED THROUGH END OF YEAR
		0	1	2	3	97	= Not Ascertained
		0	4	2	6	98	= Refused
		0	3	0	5	99	= Don't Know

[SIMSEQ15] 7447-7447

Did you use those methods together,
 that is, at the same time, or did
 you use them at different times
 during the month? (MC16)

Inapplicable:

R never had sex as of this month and
 never used a birth control method as
 of this month but ever used one or
 more birth control methods in EA
 series (WNFSTSEX GE 1093 and
 DATFIRSM GE 1093 and computed
 variable EVERUSED = 1); R never had
 sex and said no, don't know or
 refused to all birth control methods
 in EA series (computed variable
 RHADSEX coded 2,7,8 or 9 and
 computed variable EVERUSED = 2); R
 said no, don't know or refused to
 all birth control methods in EA
 series (computed variable EVERUSED =
 2); R did not use multiple methods
 in the month; R used more than 2
 methods in the month.

1499	6137	2296	10277	Blank	= Blank, inapplicable
31	225	114	381	1	= SAME TIME
23	121	36	189	2	= DIFFERENT TIMES
0	0	0	0	7	= Not Ascertained
0	0	0	0	8	= Refused
0	0	0	0	9	= Don't Know

1995 NATIONAL SURVEY OF FAMILY GROWTH
 File Documentation
 Respondent File (Section E Questionnaire Items)

VARIABLE	COLUMN	NON-HISPANIC				
NAME	LOCATION	HISP	WHITE	BLACK	TOTAL	QX TEXT AND CODE CATEGORIES

[MTHUS180] 7448-7449

During that month, which (of those/other) methods, if any, did you use at the same time? (1st METHOD MENTIONED, 1st COMBINATION, MC16)

Inapplicable:
 R said no, don't know or refused to all birth control methods in EA series (computed variable EVERUSED = 2); R never had sex as of this month and never used a birth control method as of this month but ever used one or more birth control methods in EA series (WNFSTSEX GE 1093 and DATFIRSM GE 1093 and computed variable EVERUSED = 1); R did not use multiple methods in the month; or R used only 2 methods in the month.

1542	6437	2439	10778	Blank	= Blank, inapplicable
4	7	2	13	01	= NONE
0	0	0	0	02	= OFFICE USE ONLY
1	5	2	9	03	= BIRTH CONTROL PILLS
6	20	0	30	04	= CONDOM
0	0	0	0	05	= PARTNER'S VASECTOMY
0	4	0	4	06	= DIAPHRAGM
0	1	0	1	07	= FOAM
0	0	0	0	08	= JELLY OR CREAM
0	0	0	0	09	= CERVICAL CAP
0	0	0	0	10	= SUPPOSITORY, INSERT
0	2	0	2	11	= TODAY (TM) SPONGE
0	0	0	0	12	= FEMALE CONDOM, VAGINAL POUCH
0	0	0	0	13	= IUD, COIL, LOOP
0	0	0	0	14	= NORPLANT (TM)
0	0	0	0	15	= DEPO-PROVERA, INJECTABLES
0	0	0	0	16	= MORNING AFTER PILLS
0	6	0	6	17	= RHYTHM OR SAFE PERIOD BY CALENDAR
0	0	0	0	18	= SAFE PERIOD BY TEMP, CERVICAL MUCUS TEST, NFP
0	1	2	3	19	= WITHDRAWAL
0	0	1	1	20	= RESPONDENT STERILE
0	0	0	0	21	= PARTNER STERILE (NOT

(3670)

1995 NATIONAL SURVEY OF FAMILY GROWTH
 File Documentation
 Respondent File (Section E Questionnaire Items)

VARIABLE NAME	COLUMN LOCATION	NON-HISPANIC			TOTAL	QX	TEXT AND CODE CATEGORIES
		HISP	WHITE	BLACK			
		0	0	0	0	22	ON CARD) = OTHER METHOD-NOT SHOWN SEPARATELY
		0	0	0	0	97	= Not Ascertained
		0	0	0	0	98	= Refused
		0	0	0	0	99	= Don't Know

1995 NATIONAL SURVEY OF FAMILY GROWTH
 File Documentation
 Respondent File (Section E Questionnaire Items)

VARIABLE	COLUMN	NON-HISPANIC				
NAME	LOCATION	HISP	WHITE	BLACK	TOTAL	QX TEXT AND CODE CATEGORIES

[MTHUS181] 7450-7451

During that month, which (of those/other) methods, if any, did you use at the same time? (2nd METHOD MENTIONED, 1st COMBINATION, MC16)

Inapplicable:
 R said no, don't know or refused to all birth control methods in EA series (computed variable EVERUSED = 2); R never had sex as of this month and never used a birth control method as of this month but ever used one or more birth control methods in EA series (WNFSTSEX GE 1093 and DATFIRSM GE 1093 and computed variable EVERUSED = 1); R did not use multiple methods in the month; or R used only 2 methods in the month; or R reported using fewer than 2 BC methods for this combination in this month of the method calendar.

1546	6444	2441	10791	Blank	= Blank, inapplicable
0	0	0	0	01	= NONE
0	0	0	0	02	= OFFICE USE ONLY
0	0	0	0	03	= BIRTH CONTROL PILLS
1	6	4	11	04	= CONDOM
0	1	0	1	05	= PARTNER'S VASECTOMY
0	1	0	1	06	= DIAPHRAGM
1	3	0	4	07	= FOAM
1	0	0	1	08	= JELLY OR CREAM
0	0	0	0	09	= CERVICAL CAP
1	0	1	2	10	= SUPPOSITORY, INSERT
0	2	0	2	11	= TODAY (TM) SPONGE
0	0	0	0	12	= FEMALE CONDOM, VAGINAL POUCH
0	0	0	0	13	= IUD, COIL, LOOP
0	0	0	0	14	= NORPLANT (TM)
0	0	0	0	15	= DEPO-PROVERA, INJECTABLES
0	0	0	0	16	= MORNING AFTER PILLS
2	16	0	20	17	= RHYTHM OR SAFE PERIOD BY CALENDAR
0	1	0	1	18	= SAFE PERIOD BY TEMP, CERVICAL MUCUS TEST, NFP

1995 NATIONAL SURVEY OF FAMILY GROWTH
 File Documentation
 Respondent File (Section E Questionnaire Items)

VARIABLE NAME	COLUMN LOCATION	NON-HISPANIC			TOTAL	QX	TEXT AND CODE CATEGORIES
		HISP	WHITE	BLACK			
		1	9	0	13	19	= WITHDRAWAL
		0	0	0	0	20	= RESPONDENT STERILE
		0	0	0	0	21	= PARTNER STERILE (NOT ON CARD)
		0	0	0	0	22	= OTHER METHOD-NOT SHOWN SEPARATELY
		0	0	0	0	97	= Not Ascertained
		0	0	0	0	98	= Refused
		0	0	0	0	99	= Don't Know

1995 NATIONAL SURVEY OF FAMILY GROWTH
 File Documentation
 Respondent File (Section E Questionnaire Items)

VARIABLE COLUMN NON-HISPANIC
 NAME LOCATION HISP WHITE BLACK TOTAL QX TEXT AND CODE CATEGORIES

[MTHUS182] 7452-7453

During that month, which (of those/other) methods, if any, did you use at the same time? (3rd METHOD MENTIONED, 1st COMBINATION, MC16)

Inapplicable:
 R said no, don't know or refused to all birth control methods in EA series (computed variable EVERUSED = 2); R never had sex as of this month and never used a birth control method as of this month but ever used one or more birth control methods in EA series (WNFSTSEX GE 1093 and DATFIRSM GE 1093 and computed variable EVERUSED = 1); R did not use multiple methods in the month; or R used only 2 methods in the month; or R reported using fewer than 3 BC methods for this combination in this month of the method calendar.

1546	6459	2443	10812	Blank	= Blank, inapplicable
0	0	0	0	01	= NONE
0	0	0	0	02	= OFFICE USE ONLY
0	0	1	1	03	= BIRTH CONTROL PILLS
0	0	0	0	04	= CONDOM
1	0	0	1	05	= PARTNER'S VASECTOMY
0	0	0	0	06	= DIAPHRAGM
2	1	2	5	07	= FOAM
0	2	0	2	08	= JELLY OR CREAM
0	0	0	0	09	= CERVICAL CAP
0	1	0	1	10	= SUPPOSITORY, INSERT
1	2	0	3	11	= TODAY (TM) SPONGE
0	0	0	0	12	= FEMALE CONDOM, VAGINAL POUCH
0	0	0	0	13	= IUD, COIL, LOOP
0	0	0	0	14	= NORPLANT (TM)
0	0	0	0	15	= DEPO-PROVERA, INJECTABLES
0	0	0	0	16	= MORNING AFTER PILLS
2	4	0	6	17	= RHYTHM OR SAFE PERIOD BY CALENDAR
0	2	0	3	18	= SAFE PERIOD BY TEMP, CERVICAL MUCUS TEST, NFP

1995 NATIONAL SURVEY OF FAMILY GROWTH
 File Documentation
 Respondent File (Section E Questionnaire Items)

VARIABLE NAME	COLUMN LOCATION	NON-HISPANIC			TOTAL	QX	TEXT AND CODE CATEGORIES
		HISP	WHITE	BLACK			
		0	12	0	12	19	= WITHDRAWAL
		0	0	0	0	20	= RESPONDENT STERILE
		0	0	0	0	21	= PARTNER STERILE (NOT ON CARD)
		1	0	0	1	22	= OTHER METHOD-NOT SHOWN SEPARATELY
		0	0	0	0	97	= Not Ascertained
		0	0	0	0	98	= Refused
		0	0	0	0	99	= Don't Know

1995 NATIONAL SURVEY OF FAMILY GROWTH
 File Documentation
 Respondent File (Section E Questionnaire Items)

VARIABLE COLUMN NON-HISPANIC
 NAME LOCATION HISP WHITE BLACK TOTAL QX TEXT AND CODE CATEGORIES

[MTHUS183] 7454-7455

During that month, which (of those/other) methods, if any, did you use at the same time? (4th METHOD MENTIONED, 1st COMBINATION, MC16)

Inapplicable:
 R said no, don't know or refused to all birth control methods in EA series (computed variable EVERUSED = 2); R never had sex as of this month and never used a birth control method as of this month but ever used one or more birth control methods in EA series (WNFSTSEX GE 1093 and DATFIRSM GE 1093 and computed variable EVERUSED = 1); R did not use multiple methods in the month; or R used only 2 methods in the month; or R reported using fewer than 4 BC methods for this combination in this month of the method calendar.

1553	6482	2446	10846	Blank	= Blank, inapplicable
0	0	0	0	01	= NONE
0	0	0	0	02	= OFFICE USE ONLY
0	0	0	0	03	= BIRTH CONTROL PILLS
0	1	0	1	04	= CONDOM
0	0	0	0	05	= PARTNER'S VASECTOMY
0	0	0	0	06	= DIAPHRAGM
0	0	0	0	07	= FOAM
0	0	0	0	08	= JELLY OR CREAM
0	0	0	0	09	= CERVICAL CAP
0	0	0	0	10	= SUPPOSITORY, INSERT
0	0	0	0	11	= TODAY (TM) SPONGE
0	0	0	0	12	= FEMALE CONDOM, VAGINAL POUCH
0	0	0	0	13	= IUD, COIL, LOOP
0	0	0	0	14	= NORPLANT (TM)
0	0	0	0	15	= DEPO-PROVERA, INJECTABLES
0	0	0	0	16	= MORNING AFTER PILLS
0	0	0	0	17	= RHYTHM OR SAFE PERIOD BY CALENDAR
0	0	0	0	18	= SAFE PERIOD BY TEMP, CERVICAL MUCUS TEST, NFP

1995 NATIONAL SURVEY OF FAMILY GROWTH
 File Documentation
 Respondent File (Section E Questionnaire Items)

VARIABLE NAME	COLUMN LOCATION	NON-HISPANIC			TOTAL	QX	TEXT AND CODE CATEGORIES
		HISP	WHITE	BLACK			
		0	0	0	0	19	= WITHDRAWAL
		0	0	0	0	20	= RESPONDENT STERILE
		0	0	0	0	21	= PARTNER STERILE (NOT ON CARD)
		0	0	0	0	22	= OTHER METHOD-NOT SHOWN SEPARATELY
		0	0	0	0	97	= Not Ascertained
		0	0	0	0	98	= Refused
		0	0	0	0	99	= Don't Know

1995 NATIONAL SURVEY OF FAMILY GROWTH
 File Documentation
 Respondent File (Section E Questionnaire Items)

VARIABLE COLUMN NON-HISPANIC
 NAME LOCATION HISP WHITE BLACK TOTAL QX TEXT AND CODE CATEGORIES

[MTHUS184] 7456-7457

During that month, which (of those/other) methods, if any, did you use at the same time? (1st METHOD MENTIONED, 2nd COMBINATION, MC16)

Inapplicable:
 R said no, don't know or refused to all birth control methods in EA series (computed variable EVERUSED = 2); R never had sex as of this month and never used a birth control method as of this month but ever used one or more birth control methods in EA series (WNFSTSEX GE 1093 and DATFIRSM GE 1093 and computed variable EVERUSED = 1); R did not use multiple methods in the month; or R used only 2 methods in the month; or R reported fewer than 2 BC method combinations.

1546	6444	2441	10791	Blank	= Blank, inapplicable
5	27	1	37	01	= NONE
0	0	0	0	02	= OFFICE USE ONLY
0	2	1	3	03	= BIRTH CONTROL PILLS
0	4	0	5	04	= CONDOM
0	0	0	0	05	= PARTNER'S VASECTOMY
0	0	0	0	06	= DIAPHRAGM
1	1	0	2	07	= FOAM
0	0	0	0	08	= JELLY OR CREAM
0	0	0	0	09	= CERVICAL CAP
0	0	0	0	10	= SUPPOSITORY, INSERT
0	1	0	1	11	= TODAY (TM) SPONGE
0	0	0	0	12	= FEMALE CONDOM, VAGINAL POUCH
0	0	0	0	13	= IUD, COIL, LOOP
0	0	0	0	14	= NORPLANT (TM)
0	0	0	0	15	= DEPO-PROVERA, INJECTABLES
0	0	0	0	16	= MORNING AFTER PILLS
0	3	0	3	17	= RHYTHM OR SAFE PERIOD BY CALENDAR
0	0	0	0	18	= SAFE PERIOD BY TEMP, CERVICAL MUCUS TEST, NFP
0	1	2	3	19	= WITHDRAWAL
0	0	1	1	20	= RESPONDENT STERILE

(3678)

1995 NATIONAL SURVEY OF FAMILY GROWTH
 File Documentation
 Respondent File (Section E Questionnaire Items)

VARIABLE NAME	COLUMN LOCATION	NON-HISPANIC			QX	TEXT AND CODE CATEGORIES
		HISP	WHITE	BLACK		
		0	0	0	0	21 = PARTNER STERILE (NOT ON CARD)
		1	0	0	1	22 = OTHER METHOD-NOT SHOWN SEPARATELY
		0	0	0	0	97 = Not Ascertained
		0	0	0	0	98 = Refused
		0	0	0	0	99 = Don't Know

1995 NATIONAL SURVEY OF FAMILY GROWTH
 File Documentation
 Respondent File (Section E Questionnaire Items)

VARIABLE	COLUMN	NON-HISPANIC							
NAME	LOCATION	HISP	WHITE	BLACK					

[MTHUS185] 7458-7459

During that month, which (of those/other) methods, if any, did you use at the same time? (2nd METHOD MENTIONED, 2nd COMBINATION, MC16)

Inapplicable:
 R said no, don't know or refused to all birth control methods in EA series (computed variable EVERUSED = 2); R never had sex as of this month and never used a birth control method as of this month but ever used one or more birth control methods in EA series (WNFSTSEX GE 1093 and DATFIRSM GE 1093 and computed variable EVERUSED = 1); R did not use multiple methods in the month; or R used only 2 methods in the month; or R reported fewer than 2 BC method combinations; or R reported using fewer than 2 BC methods for this combination in this month of the method calendar.

1552	6474	2442	10832	Blank					
0	0	0	0	0	01	=	Blank, inapplicable		
0	0	0	0	0	02	=	NONE		
0	0	0	0	0	03	=	OFFICE USE ONLY		
1	1	2	4	04	=	BIRTH CONTROL PILLS			
0	1	0	1	05	=	CONDOM			
0	0	0	0	06	=	PARTNER'S VASECTOMY			
0	0	0	0	07	=	DIAPHRAGM			
0	0	0	0	08	=	FOAM			
0	0	0	0	09	=	JELLY OR CREAM			
0	0	0	0	10	=	CERVICAL CAP			
0	0	1	1	10	=	SUPPOSITORY, INSERT			
0	1	0	1	11	=	TODAY (TM) SPONGE			
0	0	0	0	12	=	FEMALE CONDOM, VAGINAL POUCH			
0	0	0	0	13	=	IUD, COIL, LOOP			
0	0	0	0	14	=	NORPLANT (TM)			
0	0	0	0	15	=	DEPO-PROVERA, INJECTABLES			
0	0	0	0	16	=	MORNING AFTER PILLS			
0	2	0	3	17	=	RHYTHM OR SAFE PERIOD BY CALENDAR			
0	1	0	1	18	=	SAFE PERIOD BY TEMP, CERVICAL MUCUS TEST,			

1995 NATIONAL SURVEY OF FAMILY GROWTH
 File Documentation
 Respondent File (Section E Questionnaire Items)

VARIABLE NAME	COLUMN LOCATION	NON-HISPANIC			TOTAL	QX	TEXT AND CODE CATEGORIES
		HISP	WHITE	BLACK			
		0	3	1	4	19	NFP
		0	0	0	0	20	= WITHDRAWAL
		0	0	0	0	21	= RESPONDENT STERILE
							= PARTNER STERILE (NOT ON CARD)
		0	0	0	0	22	= OTHER METHOD-NOT SHOWN SEPARATELY
		0	0	0	0	97	= Not Ascertained
		0	0	0	0	98	= Refused
		0	0	0	0	99	= Don't Know

1995 NATIONAL SURVEY OF FAMILY GROWTH
File Documentation
Respondent File (Section E Questionnaire Items)

VARIABLE	COLUMN	NON-HISPANIC				
NAME	LOCATION	HISP	WHITE	BLACK	TOTAL	QX TEXT AND CODE CATEGORIES

[MTHUS186] 7460-7461

During that month, which (of those/other) methods, if any, did you use at the same time? (3rd METHOD MENTIONED, 2nd COMBINATION, MC16)

Inapplicable:
R said no, don't know or refused to all birth control methods in EA series (computed variable EVERUSED = 2); R never had sex as of this month and never used a birth control method as of this month but ever used one or more birth control methods in EA series (WNFSTSEX GE 1093 and DATFIRSM GE 1093 and computed variable EVERUSED = 1); R did not use multiple methods in the month; or R used only 2 methods in the month; or R reported fewer than 2 BC method combinations; or R reported using fewer than 3 BC methods for this combination in this month of the method calendar.

1552	6480	2445	10841	Blank	= Blank, inapplicable
0	0	0	0	01	= NONE
0	0	0	0	02	= OFFICE USE ONLY
0	0	1	1	03	= BIRTH CONTROL PILLS
0	0	0	0	04	= CONDOM
0	0	0	0	05	= PARTNER'S VASECTOMY
0	0	0	0	06	= DIAPHRAGM
0	0	0	0	07	= FOAM
0	1	0	1	08	= JELLY OR CREAM
0	0	0	0	09	= CERVICAL CAP
0	0	0	0	10	= SUPPOSITORY, INSERT
0	0	0	0	11	= TODAY (TM) SPONGE
0	0	0	0	12	= FEMALE CONDOM, VAGINAL POUCH
0	0	0	0	13	= IUD, COIL, LOOP
0	0	0	0	14	= NORPLANT (TM)
0	0	0	0	15	= DEPO-PROVERA, INJECTABLES
0	0	0	0	16	= MORNING AFTER PILLS
1	0	0	1	17	= RHYTHM OR SAFE PERIOD BY CALENDAR
0	0	0	1	18	= SAFE PERIOD BY TEMP, CERVICAL MUCUS TEST,

(3682)

1995 NATIONAL SURVEY OF FAMILY GROWTH
 File Documentation
 Respondent File (Section E Questionnaire Items)

VARIABLE NAME	COLUMN LOCATION	NON-HISPANIC			TOTAL	QX	TEXT AND CODE CATEGORIES
		HISP	WHITE	BLACK			
		0	2	0	2	19	NFP
		0	0	0	0	20	= WITHDRAWAL
		0	0	0	0	21	= RESPONDENT STERILE
							= PARTNER STERILE (NOT ON CARD)
		0	0	0	0	22	= OTHER METHOD-NOT SHOWN SEPARATELY
		0	0	0	0	97	= Not Ascertained
		0	0	0	0	98	= Refused
		0	0	0	0	99	= Don't Know

1995 NATIONAL SURVEY OF FAMILY GROWTH
 File Documentation
 Respondent File (Section E Questionnaire Items)

VARIABLE	COLUMN	NON-HISPANIC				
NAME	LOCATION	HISP	WHITE	BLACK		

[MTHUS187] 7462-7463

During that month, which (of those/other) methods, if any, did you use at the same time? (4th METHOD MENTIONED, 2nd COMBINATION, MC16)

Inapplicable:
 R said no, don't know or refused to all birth control methods in EA series (computed variable EVERUSED = 2); R never had sex as of this month and never used a birth control method as of this month but ever used one or more birth control methods in EA series (WNFSTSEX GE 1093 and DATFIRSM GE 1093 and computed variable EVERUSED = 1); R did not use multiple methods in the month; or R used only 2 methods in the month; or R reported fewer than 2 BC method combinations; or R reported using fewer than 4 BC methods for this combination in this month of the method calendar.

1553	6483	2446	10847	Blank	= Blank, inapplicable
0	0	0	0	01	= NONE
0	0	0	0	02	= OFFICE USE ONLY
0	0	0	0	03	= BIRTH CONTROL PILLS
0	0	0	0	04	= CONDOM
0	0	0	0	05	= PARTNER'S VASECTOMY
0	0	0	0	06	= DIAPHRAGM
0	0	0	0	07	= FOAM
0	0	0	0	08	= JELLY OR CREAM
0	0	0	0	09	= CERVICAL CAP
0	0	0	0	10	= SUPPOSITORY, INSERT
0	0	0	0	11	= TODAY (TM) SPONGE
0	0	0	0	12	= FEMALE CONDOM, VAGINAL POUCH
0	0	0	0	13	= IUD, COIL, LOOP
0	0	0	0	14	= NORPLANT (TM)
0	0	0	0	15	= DEPO-PROVERA, INJECTABLES
0	0	0	0	16	= MORNING AFTER PILLS
0	0	0	0	17	= RHYTHM OR SAFE PERIOD BY CALENDAR
0	0	0	0	18	= SAFE PERIOD BY TEMP, CERVICAL MUCUS TEST,

(3684)

1995 NATIONAL SURVEY OF FAMILY GROWTH
 File Documentation
 Respondent File (Section E Questionnaire Items)

VARIABLE NAME	COLUMN LOCATION	NON-HISPANIC			TOTAL	QX	TEXT AND CODE CATEGORIES
		HISP	WHITE	BLACK			
		0	0	0	0	19	NFP = WITHDRAWAL
		0	0	0	0	20	= RESPONDENT STERILE
		0	0	0	0	21	= PARTNER STERILE (NOT ON CARD)
		0	0	0	0	22	= OTHER METHOD-NOT SHOWN SEPARATELY
		0	0	0	0	97	= Not Ascertained
		0	0	0	0	98	= Refused
		0	0	0	0	99	= Don't Know

1995 NATIONAL SURVEY OF FAMILY GROWTH
 File Documentation
 Respondent File (Section E Questionnaire Items)

VARIABLE	COLUMN	NON-HISPANIC			QX TEXT AND CODE CATEGORIES
NAME	LOCATION	HISP	WHITE	BLACK	TOTAL

[MTHUS188] 7464-7465

During that month, which (of those/other) methods, if any, did you use at the same time? (1st METHOD MENTIONED, 3rd COMBINATION, MC16)

Inapplicable:
 R said no, don't know or refused to all birth control methods in EA series (computed variable EVERUSED = 2); R never had sex as of this month and never used a birth control method as of this month but ever used one or more birth control methods in EA series (WNFSTSEX GE 1093 and DATFIRSM GE 1093 and computed variable EVERUSED = 1); R did not use multiple methods in the month; or R used only 2 methods in the month; or R reported fewer than 3 BC method combinations.

1553	6482	2446	10846	Blank	
0	0	0	0	0	01 = Blank, inapplicable
0	0	0	0	0	02 = NONE
0	0	0	0	0	03 = OFFICE USE ONLY
0	1	0	1	0	04 = BIRTH CONTROL PILLS
0	0	0	0	0	05 = CONDOM
0	0	0	0	0	06 = PARTNER'S VASECTOMY
0	0	0	0	0	07 = DIAPHRAGM
0	0	0	0	0	08 = FOAM
0	0	0	0	0	09 = JELLY OR CREAM
0	0	0	0	0	10 = CERVICAL CAP
0	0	0	0	0	11 = SUPPOSITORY, INSERT
0	0	0	0	0	12 = TODAY (TM) SPONGE
0	0	0	0	0	13 = FEMALE CONDOM, VAGINAL POUCH
0	0	0	0	0	14 = IUD, COIL, LOOP
0	0	0	0	0	15 = NORPLANT (TM)
0	0	0	0	0	16 = DEPO-PROVERA, INJECTABLES
0	0	0	0	0	17 = MORNING AFTER PILLS
0	0	0	0	0	18 = RHYTHM OR SAFE PERIOD BY CALENDAR
0	0	0	0	0	19 = SAFE PERIOD BY TEMP, CERVICAL MUCUS TEST, NFP
0	0	0	0	0	20 = WITHDRAWAL
0	0	0	0	0	21 = RESPONDENT STERILE

(3686)

1995 NATIONAL SURVEY OF FAMILY GROWTH
 File Documentation
 Respondent File (Section E Questionnaire Items)

VARIABLE NAME	COLUMN LOCATION	NON-HISPANIC			QX	TEXT AND CODE CATEGORIES
		HISP	WHITE	BLACK		
		0	0	0	0	21 = PARTNER STERILE (NOT ON CARD)
		0	0	0	0	22 = OTHER METHOD-NOT SHOWN SEPARATELY
		0	0	0	0	97 = Not Ascertained
		0	0	0	0	98 = Refused
		0	0	0	0	99 = Don't Know

1995 NATIONAL SURVEY OF FAMILY GROWTH
 File Documentation
 Respondent File (Section E Questionnaire Items)

VARIABLE	COLUMN	NON-HISPANIC				QX TEXT AND CODE CATEGORIES
NAME	LOCATION	HISP	WHITE	BLACK		

[MTHUS189] 7466-7467

During that month, which (of those/other) methods, if any, did you use at the same time? (2nd METHOD MENTIONED, 3rd COMBINATION, MC16)

Inapplicable:
 R said no, don't know or refused to all birth control methods in EA series (computed variable EVERUSED = 2); R never had sex as of this month and never used a birth control method as of this month but ever used one or more birth control methods in EA series (WNFSTSEX GE 1093 and DATFIRSM GE 1093 and computed variable EVERUSED = 1); R did not use multiple methods in the month; or R used only 2 methods in the month; or R reported fewer than 3 BC method combinations; or R reported using fewer than 2 BC methods for this combination in this month of the method calendar.

1553	6482	2446	10846	Blank	= Blank, inapplicable
0	0	0	0	01	= NONE
0	0	0	0	02	= OFFICE USE ONLY
0	0	0	0	03	= BIRTH CONTROL PILLS
0	0	0	0	04	= CONDOM
0	0	0	0	05	= PARTNER'S VASECTOMY
0	0	0	0	06	= DIAPHRAGM
0	0	0	0	07	= FOAM
0	0	0	0	08	= JELLY OR CREAM
0	0	0	0	09	= CERVICAL CAP
0	0	0	0	10	= SUPPOSITORY, INSERT
0	0	0	0	11	= TODAY (TM) SPONGE
0	0	0	0	12	= FEMALE CONDOM, VAGINAL POUCH
0	0	0	0	13	= IUD, COIL, LOOP
0	0	0	0	14	= NORPLANT (TM)
0	0	0	0	15	= DEPO-PROVERA, INJECTABLES
0	0	0	0	16	= MORNING AFTER PILLS
0	1	0	1	17	= RHYTHM OR SAFE PERIOD BY CALENDAR
0	0	0	0	18	= SAFE PERIOD BY TEMP, CERVICAL MUCUS TEST,

(3688)

1995 NATIONAL SURVEY OF FAMILY GROWTH
 File Documentation
 Respondent File (Section E Questionnaire Items)

VARIABLE NAME	COLUMN LOCATION	NON-HISPANIC			TOTAL	QX	TEXT AND CODE CATEGORIES
		HISP	WHITE	BLACK			
		0	0	0	0	19	NFP
		0	0	0	0	20	= WITHDRAWAL
		0	0	0	0	21	= RESPONDENT STERILE
							= PARTNER STERILE (NOT ON CARD)
		0	0	0	0	22	= OTHER METHOD-NOT SHOWN SEPARATELY
		0	0	0	0	97	= Not Ascertained
		0	0	0	0	98	= Refused
		0	0	0	0	99	= Don't Know

1995 NATIONAL SURVEY OF FAMILY GROWTH
 File Documentation
 Respondent File (Section E Questionnaire Items)

VARIABLE	COLUMN	NON-HISPANIC				
NAME	LOCATION	HISP	WHITE	BLACK	TOTAL	QX TEXT AND CODE CATEGORIES

[MTHUS190] 7468-7469

During that month, which (of those/other) methods, if any, did you use at the same time? (3rd METHOD MENTIONED, 3rd COMBINATION, MC16)

Inapplicable:
 R said no, don't know or refused to all birth control methods in EA series (computed variable EVERUSED = 2); R never had sex as of this month and never used a birth control method as of this month but ever used one or more birth control methods in EA series (WNFSTSEX GE 1093 and DATFIRSM GE 1093 and computed variable EVERUSED = 1); R did not use multiple methods in the month; or R used only 2 methods in the month; or R reported fewer than 3 BC method combinations; or R reported using fewer than 3 BC methods for this combination in this month of the method calendar.

1553	6483	2446	10847	Blank	= Blank, inapplicable
0	0	0	0	01	= NONE
0	0	0	0	02	= OFFICE USE ONLY
0	0	0	0	03	= BIRTH CONTROL PILLS
0	0	0	0	04	= CONDOM
0	0	0	0	05	= PARTNER'S VASECTOMY
0	0	0	0	06	= DIAPHRAGM
0	0	0	0	07	= FOAM
0	0	0	0	08	= JELLY OR CREAM
0	0	0	0	09	= CERVICAL CAP
0	0	0	0	10	= SUPPOSITORY, INSERT
0	0	0	0	11	= TODAY (TM) SPONGE
0	0	0	0	12	= FEMALE CONDOM, VAGINAL POUCH
0	0	0	0	13	= IUD, COIL, LOOP
0	0	0	0	14	= NORPLANT (TM)
0	0	0	0	15	= DEPO-PROVERA, INJECTABLES
0	0	0	0	16	= MORNING AFTER PILLS
0	0	0	0	17	= RHYTHM OR SAFE PERIOD BY CALENDAR
0	0	0	0	18	= SAFE PERIOD BY TEMP, CERVICAL MUCUS TEST,

1995 NATIONAL SURVEY OF FAMILY GROWTH
 File Documentation
 Respondent File (Section E Questionnaire Items)

VARIABLE NAME	COLUMN LOCATION	NON-HISPANIC			TOTAL	QX	TEXT AND CODE CATEGORIES
		HISP	WHITE	BLACK			
		0	0	0	0	19	NFP = WITHDRAWAL
		0	0	0	0	20	= RESPONDENT STERILE
		0	0	0	0	21	= PARTNER STERILE (NOT ON CARD)
		0	0	0	0	22	= OTHER METHOD-NOT SHOWN SEPARATELY
		0	0	0	0	97	= Not Ascertained
		0	0	0	0	98	= Refused
		0	0	0	0	99	= Don't Know

1995 NATIONAL SURVEY OF FAMILY GROWTH
File Documentation
Respondent File (Section E Questionnaire Items)

VARIABLE	COLUMN	NON-HISPANIC			QX TEXT AND CODE CATEGORIES
NAME	LOCATION	HISP	WHITE	BLACK TOTAL	

[MTHUS191] 7470-7471

During that month, which (of those/other) methods, if any, did you use at the same time? (4th METHOD MENTIONED, 3rd COMBINATION, MC16)

Inapplicable:
R said no, don't know or refused to all birth control methods in EA series (computed variable EVERUSED = 2); R never had sex as of this month and never used a birth control method as of this month but ever used one or more birth control methods in EA series (WNFSTSEX GE 1093 and DATFIRSM GE 1093 and computed variable EVERUSED = 1); R did not use multiple methods in the month; or R used only 2 methods in the month; or R reported fewer than 3 BC method combinations; or R reported using fewer than 4 BC methods for this combination in this month of the method calendar.

1553	6483	2446	10847	Blank	= Blank, inapplicable
0	0	0	0	01	= NONE
0	0	0	0	02	= OFFICE USE ONLY
0	0	0	0	03	= BIRTH CONTROL PILLS
0	0	0	0	04	= CONDOM
0	0	0	0	05	= PARTNER'S VASECTOMY
0	0	0	0	06	= DIAPHRAGM
0	0	0	0	07	= FOAM
0	0	0	0	08	= JELLY OR CREAM
0	0	0	0	09	= CERVICAL CAP
0	0	0	0	10	= SUPPOSITORY, INSERT
0	0	0	0	11	= TODAY (TM) SPONGE
0	0	0	0	12	= FEMALE CONDOM, VAGINAL POUCH
0	0	0	0	13	= IUD, COIL, LOOP
0	0	0	0	14	= NORPLANT (TM)
0	0	0	0	15	= DEPO-PROVERA, INJECTABLES
0	0	0	0	16	= MORNING AFTER PILLS
0	0	0	0	17	= RHYTHM OR SAFE PERIOD BY CALENDAR
0	0	0	0	18	= SAFE PERIOD BY TEMP, CERVICAL MUCUS TEST,

(3692)

1995 NATIONAL SURVEY OF FAMILY GROWTH
 File Documentation
 Respondent File (Section E Questionnaire Items)

VARIABLE NAME	COLUMN LOCATION	NON-HISPANIC			TOTAL	QX	TEXT AND CODE CATEGORIES
		HISP	WHITE	BLACK			
		0	0	0	0	19	NFP
		0	0	0	0	20	= WITHDRAWAL
		0	0	0	0	21	= RESPONDENT STERILE
							= PARTNER STERILE (NOT ON CARD)
		0	0	0	0	22	= OTHER METHOD-NOT SHOWN SEPARATELY
		0	0	0	0	97	= Not Ascertained
		0	0	0	0	98	= Refused
		0	0	0	0	99	= Don't Know

1995 NATIONAL SURVEY OF FAMILY GROWTH
 File Documentation
 Respondent File (Section E Questionnaire Items)

VARIABLE NAME	COLUMN LOCATION	NON-HISPANIC			QX	TEXT AND CODE CATEGORIES
		HISP	WHITE	BLACK		
[METHH064]	7472-7473					ENTER METHOD (FIRST MENTIONED) USED IN MAY 1992: (MC17)
						Inapplicable: R never had sex as of this month and never used a birth control method as of this month but ever used one or more birth control methods in EA series (WNFSTSEX GE 1093 and DATFIRSM GE 1093 and computed variable EVERUSED = 1); R never had sex and said no, don't know or refused to all birth control methods in EA series (computed variable RHADSEX coded 2,7,8 or 9 and computed variable EVERUSED = 2); R said no, don't know or refused to all birth control methods in EA series (computed variable EVERUSED = 2).
		371	1067	359	1911	Blank = Blank, inapplicable
		335	1247	570	2221	01 = NO METHODS USED
		0	0	1	1	02 = SAME AS PREVIOUS MONTH
		261	1355	444	2097	03 = BIRTH CONTROL PILLS
		166	795	382	1401	04 = CONDOM
		23	299	8	337	05 = PARTNER'S VASECTOMY
		7	125	12	146	06 = DIAPHRAGM
		3	25	4	33	07 = FOAM
		1	10	2	13	08 = JELLY OR CREAM
		0	3	0	3	09 = CERVICAL CAP
		5	22	8	37	10 = SUPPOSITORY, INSERT
		1	31	10	42	11 = TODAY (TM) SPONGE
		0	0	0	0	12 = FEMALE CONDOM, VAGINAL POUCH
		19	37	19	79	13 = IUD, COIL, LOOP
		7	19	24	50	14 = NORPLANT (TM)
		12	8	7	27	15 = DEPO-PROVERA, INJECTABLES
		0	1	0	1	16 = MORNING AFTER PILLS
		28	109	18	168	17 = RHYTHM OR SAFE PERIOD BY CALENDAR
		3	12	0	15	18 = SAFE PERIOD BY TEMP, CERVICAL MUCUS TEST, NFP
		37	130	25	201	19 = WITHDRAWAL
		256	1023	538	1861	20 = RESPONDENT STERILE

(3694)

1995 NATIONAL SURVEY OF FAMILY GROWTH
 File Documentation
 Respondent File (Section E Questionnaire Items)

VARIABLE NAME	COLUMN LOCATION	NON-HISPANIC			TOTAL	QX	TEXT AND CODE CATEGORIES
		HISP	WHITE	BLACK			
		17	154	7	181	21	= PARTNER STERILE (NOT ON CARD)
		1	4	4	9	22	= OTHER METHOD-NOT SHOWN SEPARATELY
		0	0	0	0	55	= SAME METHODS USED THROUGH END OF YEAR
		0	1	2	3	97	= Not Ascertained
		0	4	2	6	98	= Refused
		0	2	0	4	99	= Don't Know

1995 NATIONAL SURVEY OF FAMILY GROWTH
 File Documentation
 Respondent File (Section E Questionnaire Items)

VARIABLE NAME	COLUMN LOCATION	NON-HISPANIC			QX TEXT AND CODE CATEGORIES	
		HISP	WHITE	BLACK	TOTAL	
[METHH065]	7474-7475					ENTER METHOD (SECOND MENTIONED) USED IN MAY 1992: (MC17)

Inapplicable:
 R never had sex as of this month and never used a birth control method as of this month but ever used one or more birth control methods in EA series (WNFSTSEX GE 1093 and DATFIRSM GE 1093 and computed variable EVERUSED = 1); R never had sex and said no, don't know or refused to all birth control methods in EA series (computed variable RHADSEX coded 2,7,8 or 9 and computed variable EVERUSED = 2); R said no, don't know or refused to all birth control methods in EA series (computed variable EVERUSED = 2); R used fewer than 2 methods in month.

1488	6074	2281	10180	Blank	= Blank, inapplicable
0	0	0	0	01	= NO METHODS USED
0	0	0	0	02	= SAME AS PREVIOUS MONTH
0	10	4	14	03	= BIRTH CONTROL PILLS
17	132	81	234	04	= CONDOM
0	9	2	11	05	= PARTNER'S VASECTOMY
3	12	5	20	06	= DIAPHRAGM
8	27	10	46	07	= FOAM
2	15	6	23	08	= JELLY OR CREAM
0	0	0	0	09	= CERVICAL CAP
3	6	9	21	10	= SUPPOSITORY, INSERT
1	13	7	22	11	= TODAY (TM) SPONGE
0	0	0	0	12	= FEMALE CONDOM, VAGINAL POUCH
0	0	0	0	13	= IUD, COIL, LOOP
1	0	1	2	14	= NORPLANT (TM)
0	1	0	1	15	= DEPO-PROVERA, INJECTABLES
0	0	0	0	16	= MORNING AFTER PILLS
9	54	5	76	17	= RHYTHM OR SAFE PERIOD BY CALENDAR
0	8	1	10	18	= SAFE PERIOD BY TEMP, CERVICAL MUCUS TEST, NFP
20	100	18	145	19	= WITHDRAWAL

(3696)

1995 NATIONAL SURVEY OF FAMILY GROWTH
 File Documentation
 Respondent File (Section E Questionnaire Items)

VARIABLE NAME	COLUMN LOCATION	NON-HISPANIC			TOTAL	QX	TEXT AND CODE CATEGORIES
		HISP	WHITE	BLACK			
		1	8	11	20	20	= RESPONDENT STERILE
		0	7	1	9	21	= PARTNER STERILE (NOT ON CARD)
		0	0	0	0	22	= OTHER METHOD-NOT SHOWN SEPARATELY
		0	0	0	0	55	= SAME METHODS USED THROUGH END OF YEAR
		0	1	2	3	97	= Not Ascertained
		0	4	2	6	98	= Refused
		0	2	0	4	99	= Don't Know

1995 NATIONAL SURVEY OF FAMILY GROWTH
 File Documentation
 Respondent File (Section E Questionnaire Items)

VARIABLE COLUMN NON-HISPANIC
 NAME LOCATION HISP WHITE BLACK TOTAL QX TEXT AND CODE CATEGORIES

[METHH066] 7476-7477

ENTER METHOD (THIRD MENTIONED) USED
 IN MAY 1992: (MC17)

Inapplicable:

R never had sex as of this month and never used a birth control method as of this month but ever used one or more birth control methods in EA series (WNFSTSEX GE 1093 and DATFIRSM GE 1093 and computed variable EVERUSED = 1); R never had sex and said no, don't know or refused to all birth control methods in EA series (computed variable RHADSEX coded 2,7,8 or 9 and computed variable EVERUSED = 2); R said no, don't know or refused to all birth control methods in EA series (computed variable EVERUSED = 2); R used fewer than 3 methods in month.

1541	6418	2420	10737	Blank	= Blank, inapplicable
0	0	0	0	01	= NO METHODS USED
0	0	0	0	02	= SAME AS PREVIOUS MONTH
0	1	1	2	03	= BIRTH CONTROL PILLS
1	2	0	3	04	= CONDOM
1	0	0	1	05	= PARTNER'S VASECTOMY
0	0	0	0	06	= DIAPHRAGM
2	2	2	6	07	= FOAM
0	2	0	2	08	= JELLY OR CREAM
0	0	0	0	09	= CERVICAL CAP
0	2	0	2	10	= SUPPOSITORY, INSERT
1	6	0	7	11	= TODAY (TM) SPONGE
1	0	0	1	12	= FEMALE CONDOM, VAGINAL POUCH
0	0	0	0	13	= IUD, COIL, LOOP
0	0	0	0	14	= NORPLANT (TM)
0	0	0	0	15	= DEPO-PROVERA, INJECTABLES
0	1	0	1	16	= MORNING AFTER PILLS
2	7	0	9	17	= RHYTHM OR SAFE PERIOD BY CALENDAR
0	3	0	4	18	= SAFE PERIOD BY TEMP, CERVICAL MUCUS TEST, NFP
2	23	3	31	19	= WITHDRAWAL

(3698)

1995 NATIONAL SURVEY OF FAMILY GROWTH
 File Documentation
 Respondent File (Section E Questionnaire Items)

VARIABLE NAME	COLUMN LOCATION	NON-HISPANIC			TOTAL	QX	TEXT AND CODE CATEGORIES
		HISP	WHITE	BLACK			
		1	9	16	26	20	= RESPONDENT STERILE
		0	0	0	0	21	= PARTNER STERILE (NOT ON CARD)
		1	0	0	2	22	= OTHER METHOD-NOT SHOWN SEPARATELY
		0	0	0	0	55	= SAME METHODS USED THROUGH END OF YEAR
		0	1	2	3	97	= Not Ascertained
		0	4	2	6	98	= Refused
		0	2	0	4	99	= Don't Know

1995 NATIONAL SURVEY OF FAMILY GROWTH
 File Documentation
 Respondent File (Section E Questionnaire Items)

VARIABLE NAME	COLUMN LOCATION	NON-HISPANIC			QX TEXT AND CODE CATEGORIES	
		HISP	WHITE	BLACK	TOTAL	
[METHH067]	7478-7479					ENTER METHOD (FOURTH MENTIONED) USED IN MAY 1992: (MC17)

Inapplicable:
 R never had sex as of this month and never used a birth control method as of this month but ever used one or more birth control methods in EA series (WNFSTSEX GE 1093 and DATFIRSM GE 1093 and computed variable EVERUSED = 1); R never had sex and said no, don't know or refused to all birth control methods in EA series (computed variable RHADSEX coded 2,7,8 or 9 and computed variable EVERUSED = 2); R said no, don't know or refused to all birth control methods in EA series (computed variable EVERUSED = 2); R used fewer than 4 methods in month.

1553	6472	2442	10829	Blank	= Blank, inapplicable
0	0	0	0	01	= NO METHODS USED
0	0	0	0	02	= SAME AS PREVIOUS MONTH
0	0	0	0	03	= BIRTH CONTROL PILLS
0	1	0	1	04	= CONDOM
0	0	0	0	05	= PARTNER'S VASECTOMY
0	0	0	0	06	= DIAPHRAGM
0	0	0	0	07	= FOAM
0	0	0	0	08	= JELLY OR CREAM
0	0	0	0	09	= CERVICAL CAP
0	0	0	0	10	= SUPPOSITORY, INSERT
0	0	0	0	11	= TODAY (TM) SPONGE
0	0	0	0	12	= FEMALE CONDOM, VAGINAL POUCH
0	0	0	0	13	= IUD, COIL, LOOP
0	0	0	0	14	= NORPLANT (TM)
0	0	0	0	15	= DEPO-PROVERA, INJECTABLES
0	0	0	0	16	= MORNING AFTER PILLS
0	2	0	3	17	= RHYTHM OR SAFE PERIOD BY CALENDAR
0	0	0	0	18	= SAFE PERIOD BY TEMP, CERVICAL MUCUS TEST, NFP
0	1	0	1	19	= WITHDRAWAL

(3700)

1995 NATIONAL SURVEY OF FAMILY GROWTH
 File Documentation
 Respondent File (Section E Questionnaire Items)

VARIABLE NAME	COLUMN LOCATION	NON-HISPANIC			TOTAL	QX	TEXT AND CODE	CATEGORIES
		HISP	WHITE	BLACK				
		0	0	0	0	20	=	RESPONDENT STERILE
		0	0	0	0	21	=	PARTNER STERILE (NOT ON CARD)
		0	0	0	0	22	=	OTHER METHOD-NOT SHOWN SEPARATELY
		0	0	0	0	55	=	SAME METHODS USED THROUGH END OF YEAR
		0	1	2	3	97	=	Not Ascertained
		0	4	2	6	98	=	Refused
		0	2	0	4	99	=	Don't Know

[SIMSEQ16] 7480-7480

Did you use those methods together,
 that is, at the same time, or did
 you use them at different times
 during the month? (MC17)

Inapplicable:

R never had sex as of this month and
 never used a birth control method as
 of this month but ever used one or
 more birth control methods in EA
 series (WNFSTSEX GE 1093 and
 DATFIRSM GE 1093 and computed
 variable EVERUSED = 1); R never had
 sex and said no, don't know or
 refused to all birth control methods
 in EA series (computed variable
 RHADSEX coded 2,7,8 or 9 and
 computed variable EVERUSED = 2); R
 said no, don't know or refused to
 all birth control methods in EA
 series (computed variable EVERUSED =
 2); R did not use multiple methods
 in the month; R used more than 2
 methods in the month.

1499	6130	2292	10265	Blank	=	Blank, inapplicable
32	226	115	384	1	=	SAME TIME
22	127	39	198	2	=	DIFFERENT TIMES
0	0	0	0	7	=	Not Ascertained
0	0	0	0	8	=	Refused
0	0	0	0	9	=	Don't Know

1995 NATIONAL SURVEY OF FAMILY GROWTH
 File Documentation
 Respondent File (Section E Questionnaire Items)

VARIABLE	COLUMN	NON-HISPANIC								
NAME	LOCATION	HISP	WHITE	BLACK						

[MTHUS192] 7481-7482

During that month, which (of those/other) methods, if any, did you use at the same time? (1st METHOD MENTIONED, 1st COMBINATION, MC17)

Inapplicable:
 R said no, don't know or refused to all birth control methods in EA series (computed variable EVERUSED = 2); R never had sex as of this month and never used a birth control method as of this month but ever used one or more birth control methods in EA series (WNFSTSEX GE 1093 and DATFIRSM GE 1093 and computed variable EVERUSED = 1); R did not use multiple methods in the month; or R used only 2 methods in the month.

1542	6434	2439	10775	Blank						
4	7	2	13	01	=	Blank, inapplicable				
0	0	0	0	02	=	NONE				
1	6	2	10	03	=	OFFICE USE ONLY				
6	22	0	32	04	=	BIRTH CONTROL PILLS				
0	0	0	0	05	=	CONDOM				
0	4	0	4	06	=	PARTNER'S VASECTOMY				
0	1	0	1	07	=	DIAPHRAGM				
0	0	0	0	08	=	FOAM				
0	0	0	0	09	=	JELLY OR CREAM				
0	0	0	0	10	=	CERVICAL CAP				
0	0	0	0	10	=	SUPPOSITORY, INSERT				
0	2	0	2	11	=	TODAY (TM) SPONGE				
0	0	0	0	12	=	FEMALE CONDOM, VAGINAL POUCH				
0	0	0	0	13	=	IUD, COIL, LOOP				
0	0	0	0	14	=	NORPLANT (TM)				
0	0	0	0	15	=	DEPO-PROVERA, INJECTABLES				
0	0	0	0	16	=	MORNING AFTER PILLS				
0	6	0	6	17	=	RHYTHM OR SAFE PERIOD BY CALENDAR				
0	0	0	0	18	=	SAFE PERIOD BY TEMP, CERVICAL MUCUS TEST, NFP				
0	1	2	3	19	=	WITHDRAWAL				
0	0	1	1	20	=	RESPONDENT STERILE				
0	0	0	0	21	=	PARTNER STERILE (NOT				

(3702)

1995 NATIONAL SURVEY OF FAMILY GROWTH
 File Documentation
 Respondent File (Section E Questionnaire Items)

VARIABLE NAME	COLUMN LOCATION	NON-HISPANIC			TOTAL	QX	TEXT AND CODE CATEGORIES
		HISP	WHITE	BLACK			
		0	0	0	0	22	ON CARD) = OTHER METHOD-NOT SHOWN SEPARATELY
		0	0	0	0	97	= Not Ascertained
		0	0	0	0	98	= Refused
		0	0	0	0	99	= Don't Know

1995 NATIONAL SURVEY OF FAMILY GROWTH
File Documentation
Respondent File (Section E Questionnaire Items)

VARIABLE	COLUMN	NON-HISPANIC				QX TEXT AND CODE CATEGORIES
NAME	LOCATION	HISP	WHITE	BLACK		

[MTHUS193] 7483-7484

During that month, which (of those/other) methods, if any, did you use at the same time? (2nd METHOD MENTIONED, 1st COMBINATION, MC17)

Inapplicable:
R said no, don't know or refused to all birth control methods in EA series (computed variable EVERUSED = 2); R never had sex as of this month and never used a birth control method as of this month but ever used one or more birth control methods in EA series (WNFSTSEX GE 1093 and DATFIRSM GE 1093 and computed variable EVERUSED = 1); R did not use multiple methods in the month; or R used only 2 methods in the month; or R reported using fewer than 2 BC methods for this combination in this month of the method calendar.

1546	6441	2441	10788	Blank	= Blank, inapplicable
0	0	0	0	01	= NONE
0	0	0	0	02	= OFFICE USE ONLY
0	0	0	0	03	= BIRTH CONTROL PILLS
1	7	4	12	04	= CONDOM
0	1	0	1	05	= PARTNER'S VASECTOMY
0	1	0	1	06	= DIAPHRAGM
1	4	0	5	07	= FOAM
1	0	0	1	08	= JELLY OR CREAM
0	0	0	0	09	= CERVICAL CAP
1	0	1	2	10	= SUPPOSITORY, INSERT
0	2	0	2	11	= TODAY (TM) SPONGE
0	0	0	0	12	= FEMALE CONDOM, VAGINAL POUCH
0	0	0	0	13	= IUD, COIL, LOOP
0	0	0	0	14	= NORPLANT (TM)
0	0	0	0	15	= DEPO-PROVERA, INJECTABLES
0	1	0	1	16	= MORNING AFTER PILLS
2	16	0	20	17	= RHYTHM OR SAFE PERIOD BY CALENDAR
0	1	0	1	18	= SAFE PERIOD BY TEMP, CERVICAL MUCUS TEST, NFP

(3704)

1995 NATIONAL SURVEY OF FAMILY GROWTH
 File Documentation
 Respondent File (Section E Questionnaire Items)

VARIABLE NAME	COLUMN LOCATION	NON-HISPANIC			TOTAL	QX	TEXT AND CODE CATEGORIES
		HISP	WHITE	BLACK			
		1	9	0	13	19	= WITHDRAWAL
		0	0	0	0	20	= RESPONDENT STERILE
		0	0	0	0	21	= PARTNER STERILE (NOT ON CARD)
		0	0	0	0	22	= OTHER METHOD-NOT SHOWN SEPARATELY
		0	0	0	0	97	= Not Ascertained
		0	0	0	0	98	= Refused
		0	0	0	0	99	= Don't Know

1995 NATIONAL SURVEY OF FAMILY GROWTH
 File Documentation
 Respondent File (Section E Questionnaire Items)

VARIABLE	COLUMN	NON-HISPANIC				
NAME	LOCATION	HISP	WHITE	BLACK		TOTAL

[MTHUS194] 7485-7486

During that month, which (of those/other) methods, if any, did you use at the same time? (3rd METHOD MENTIONED, 1st COMBINATION, MC17)

Inapplicable:
 R said no, don't know or refused to all birth control methods in EA series (computed variable EVERUSED = 2); R never had sex as of this month and never used a birth control method as of this month but ever used one or more birth control methods in EA series (WNFSTSEX GE 1093 and DATFIRSM GE 1093 and computed variable EVERUSED = 1); R did not use multiple methods in the month; or R used only 2 methods in the month; or R reported using fewer than 3 BC methods for this combination in this month of the method calendar.

1546	6458	2443	10811	Blank	= Blank, inapplicable
0	0	0	0	01	= NONE
0	0	0	0	02	= OFFICE USE ONLY
0	0	1	1	03	= BIRTH CONTROL PILLS
0	0	0	0	04	= CONDOM
1	0	0	1	05	= PARTNER'S VASECTOMY
0	0	0	0	06	= DIAPHRAGM
2	1	2	5	07	= FOAM
0	2	0	2	08	= JELLY OR CREAM
0	0	0	0	09	= CERVICAL CAP
0	1	0	1	10	= SUPPOSITORY, INSERT
1	2	0	3	11	= TODAY (TM) SPONGE
0	0	0	0	12	= FEMALE CONDOM, VAGINAL POUCH
0	0	0	0	13	= IUD, COIL, LOOP
0	0	0	0	14	= NORPLANT (TM)
0	0	0	0	15	= DEPO-PROVERA, INJECTABLES
0	0	0	0	16	= MORNING AFTER PILLS
2	4	0	6	17	= RHYTHM OR SAFE PERIOD BY CALENDAR
0	2	0	3	18	= SAFE PERIOD BY TEMP, CERVICAL MUCUS TEST, NFP

1995 NATIONAL SURVEY OF FAMILY GROWTH
 File Documentation
 Respondent File (Section E Questionnaire Items)

VARIABLE NAME	COLUMN LOCATION	NON-HISPANIC			TOTAL	QX	TEXT AND CODE CATEGORIES
		HISP	WHITE	BLACK			
		0	13	0	13	19	= WITHDRAWAL
		0	0	0	0	20	= RESPONDENT STERILE
		0	0	0	0	21	= PARTNER STERILE (NOT ON CARD)
		1	0	0	1	22	= OTHER METHOD-NOT SHOWN SEPARATELY
		0	0	0	0	97	= Not Ascertained
		0	0	0	0	98	= Refused
		0	0	0	0	99	= Don't Know

1995 NATIONAL SURVEY OF FAMILY GROWTH
 File Documentation
 Respondent File (Section E Questionnaire Items)

VARIABLE	COLUMN	NON-HISPANIC				QX TEXT AND CODE CATEGORIES
NAME	LOCATION	HISP	WHITE	BLACK		

[MTHUS195] 7487-7488

During that month, which (of those/other) methods, if any, did you use at the same time? (4th METHOD MENTIONED, 1st COMBINATION, MC17)

Inapplicable:
 R said no, don't know or refused to all birth control methods in EA series (computed variable EVERUSED = 2); R never had sex as of this month and never used a birth control method as of this month but ever used one or more birth control methods in EA series (WNFSTSEX GE 1093 and DATFIRSM GE 1093 and computed variable EVERUSED = 1); R did not use multiple methods in the month; or R used only 2 methods in the month; or R reported using fewer than 4 BC methods for this combination in this month of the method calendar.

1553	6482	2446	10846	Blank	= Blank, inapplicable
0	0	0	0	01	= NONE
0	0	0	0	02	= OFFICE USE ONLY
0	0	0	0	03	= BIRTH CONTROL PILLS
0	1	0	1	04	= CONDOM
0	0	0	0	05	= PARTNER'S VASECTOMY
0	0	0	0	06	= DIAPHRAGM
0	0	0	0	07	= FOAM
0	0	0	0	08	= JELLY OR CREAM
0	0	0	0	09	= CERVICAL CAP
0	0	0	0	10	= SUPPOSITORY, INSERT
0	0	0	0	11	= TODAY (TM) SPONGE
0	0	0	0	12	= FEMALE CONDOM, VAGINAL POUCH
0	0	0	0	13	= IUD, COIL, LOOP
0	0	0	0	14	= NORPLANT (TM)
0	0	0	0	15	= DEPO-PROVERA, INJECTABLES
0	0	0	0	16	= MORNING AFTER PILLS
0	0	0	0	17	= RHYTHM OR SAFE PERIOD BY CALENDAR
0	0	0	0	18	= SAFE PERIOD BY TEMP, CERVICAL MUCUS TEST, NFP

1995 NATIONAL SURVEY OF FAMILY GROWTH
 File Documentation
 Respondent File (Section E Questionnaire Items)

VARIABLE NAME	COLUMN LOCATION	NON-HISPANIC			TOTAL	QX	TEXT AND CODE CATEGORIES
		HISP	WHITE	BLACK			
		0	0	0	0	19	= WITHDRAWAL
		0	0	0	0	20	= RESPONDENT STERILE
		0	0	0	0	21	= PARTNER STERILE (NOT ON CARD)
		0	0	0	0	22	= OTHER METHOD-NOT SHOWN SEPARATELY
		0	0	0	0	97	= Not Ascertained
		0	0	0	0	98	= Refused
		0	0	0	0	99	= Don't Know

1995 NATIONAL SURVEY OF FAMILY GROWTH
File Documentation
Respondent File (Section E Questionnaire Items)

VARIABLE	COLUMN	NON-HISPANIC				
NAME	LOCATION	HISP	WHITE	BLACK		TOTAL

[MTHUS196] 7489-7490

During that month, which (of those/other) methods, if any, did you use at the same time? (1st METHOD MENTIONED, 2nd COMBINATION, MC17)

Inapplicable:
R said no, don't know or refused to all birth control methods in EA series (computed variable EVERUSED = 2); R never had sex as of this month and never used a birth control method as of this month but ever used one or more birth control methods in EA series (WNFSTSEX GE 1093 and DATFIRSM GE 1093 and computed variable EVERUSED = 1); R did not use multiple methods in the month; or R used only 2 methods in the month; or R reported fewer than 2 BC method combinations.

	1546	6441	2441	10788	Blank	
	5	30	1	40	01	= Blank, inapplicable
	0	0	0	0	02	= NONE
	0	2	1	3	03	= OFFICE USE ONLY
	0	4	0	5	04	= BIRTH CONTROL PILLS
	0	0	0	0	05	= CONDOM
	0	0	0	0	06	= PARTNER'S VASECTOMY
	1	1	0	2	07	= DIAPHRAGM
	0	0	0	0	08	= FOAM
	0	0	0	0	09	= JELLY OR CREAM
	0	0	0	0	10	= CERVICAL CAP
	0	0	0	0	10	= SUPPOSITORY, INSERT
	0	1	0	1	11	= TODAY (TM) SPONGE
	0	0	0	0	12	= FEMALE CONDOM, VAGINAL POUCH
	0	0	0	0	13	= IUD, COIL, LOOP
	0	0	0	0	14	= NORPLANT (TM)
	0	0	0	0	15	= DEPO-PROVERA, INJECTABLES
	0	0	0	0	16	= MORNING AFTER PILLS
	0	3	0	3	17	= RHYTHM OR SAFE PERIOD BY CALENDAR
	0	0	0	0	18	= SAFE PERIOD BY TEMP, CERVICAL MUCUS TEST, NFP
	0	1	2	3	19	= WITHDRAWAL
	0	0	1	1	20	= RESPONDENT STERILE

(3710)

1995 NATIONAL SURVEY OF FAMILY GROWTH
 File Documentation
 Respondent File (Section E Questionnaire Items)

VARIABLE NAME	COLUMN LOCATION	NON-HISPANIC			QX	TEXT AND CODE CATEGORIES
		HISP	WHITE	BLACK		
		0	0	0	0	21 = PARTNER STERILE (NOT ON CARD)
		1	0	0	1	22 = OTHER METHOD-NOT SHOWN SEPARATELY
		0	0	0	0	97 = Not Ascertained
		0	0	0	0	98 = Refused
		0	0	0	0	99 = Don't Know

1995 NATIONAL SURVEY OF FAMILY GROWTH
File Documentation
Respondent File (Section E Questionnaire Items)

VARIABLE	COLUMN	NON-HISPANIC								
NAME	LOCATION	HISP	WHITE	BLACK						

[MTHUS197] 7491-7492

During that month, which (of those/other) methods, if any, did you use at the same time? (2nd METHOD MENTIONED, 2nd COMBINATION, MC17)

Inapplicable:
R said no, don't know or refused to all birth control methods in EA series (computed variable EVERUSED = 2); R never had sex as of this month and never used a birth control method as of this month but ever used one or more birth control methods in EA series (WNFSTSEX GE 1093 and DATFIRSM GE 1093 and computed variable EVERUSED = 1); R did not use multiple methods in the month; or R used only 2 methods in the month; or R reported fewer than 2 BC method combinations; or R reported using fewer than 2 BC methods for this combination in this month of the method calendar.

1552	6474	2442	10832	Blank						
0	0	0	0	0	01	=	Blank, inapplicable			
0	0	0	0	0	02	=	NONE			
0	0	0	0	0	03	=	OFFICE USE ONLY			
1	1	2	4	04	=	BIRTH CONTROL PILLS				
0	1	0	1	05	=	CONDOM				
0	0	0	0	06	=	PARTNER'S VASECTOMY				
0	0	0	0	07	=	DIAPHRAGM				
0	0	0	0	08	=	FOAM				
0	0	0	0	09	=	JELLY OR CREAM				
0	0	0	0	10	=	CERVICAL CAP				
0	0	1	1	10	=	SUPPOSITORY, INSERT				
0	1	0	1	11	=	TODAY (TM) SPONGE				
0	0	0	0	12	=	FEMALE CONDOM, VAGINAL POUCH				
0	0	0	0	13	=	IUD, COIL, LOOP				
0	0	0	0	14	=	NORPLANT (TM)				
0	0	0	0	15	=	DEPO-PROVERA, INJECTABLES				
0	0	0	0	16	=	MORNING AFTER PILLS				
0	2	0	3	17	=	RHYTHM OR SAFE PERIOD BY CALENDAR				
0	1	0	1	18	=	SAFE PERIOD BY TEMP, CERVICAL MUCUS TEST,				

(3712)

1995 NATIONAL SURVEY OF FAMILY GROWTH
 File Documentation
 Respondent File (Section E Questionnaire Items)

VARIABLE NAME	COLUMN LOCATION	NON-HISPANIC			TOTAL	QX	TEXT AND CODE CATEGORIES
		HISP	WHITE	BLACK			
		0	3	1	4	19	NFP
		0	0	0	0	20	= WITHDRAWAL
		0	0	0	0	21	= RESPONDENT STERILE
							= PARTNER STERILE (NOT ON CARD)
		0	0	0	0	22	= OTHER METHOD-NOT SHOWN SEPARATELY
		0	0	0	0	97	= Not Ascertained
		0	0	0	0	98	= Refused
		0	0	0	0	99	= Don't Know

1995 NATIONAL SURVEY OF FAMILY GROWTH
 File Documentation
 Respondent File (Section E Questionnaire Items)

VARIABLE COLUMN NON-HISPANIC
 NAME LOCATION HISP WHITE BLACK TOTAL QX TEXT AND CODE CATEGORIES

[MTHUS198] 7493-7494

During that month, which (of those/other) methods, if any, did you use at the same time? (3rd METHOD MENTIONED, 2nd COMBINATION, MC17)

Inapplicable:
 R said no, don't know or refused to all birth control methods in EA series (computed variable EVERUSED = 2); R never had sex as of this month and never used a birth control method as of this month but ever used one or more birth control methods in EA series (WNFSTSEX GE 1093 and DATFIRSM GE 1093 and computed variable EVERUSED = 1); R did not use multiple methods in the month; or R used only 2 methods in the month; or R reported fewer than 2 BC method combinations; or R reported using fewer than 3 BC methods for this combination in this month of the method calendar.

	1552	6480	2445	10841	Blank	
	0	0	0	0	0	01 = Blank, inapplicable
	0	0	0	0	0	02 = NONE
	0	0	1	1	0	03 = OFFICE USE ONLY
	0	0	0	0	0	04 = BIRTH CONTROL PILLS
	0	0	0	0	0	05 = CONDOM
	0	0	0	0	0	06 = PARTNER'S VASECTOMY
	0	0	0	0	0	07 = DIAPHRAGM
	0	1	0	1	0	08 = FOAM
	0	0	0	0	0	09 = JELLY OR CREAM
	0	0	0	0	0	10 = CERVICAL CAP
	0	0	0	0	0	11 = SUPPOSITORY, INSERT
	0	0	0	0	0	12 = TODAY (TM) SPONGE
	0	0	0	0	0	13 = FEMALE CONDOM, VAGINAL POUCH
	0	0	0	0	0	14 = IUD, COIL, LOOP
	0	0	0	0	0	15 = NORPLANT (TM)
	0	0	0	0	0	16 = DEPO-PROVERA, INJECTABLES
	0	0	0	0	0	17 = MORNING AFTER PILLS
	1	0	0	1	0	18 = RHYTHM OR SAFE PERIOD BY CALENDAR
	0	0	0	1	0	SAFE PERIOD BY TEMP, CERVICAL MUCUS TEST,

(3714)

1995 NATIONAL SURVEY OF FAMILY GROWTH
 File Documentation
 Respondent File (Section E Questionnaire Items)

VARIABLE NAME	COLUMN LOCATION	NON-HISPANIC			TOTAL	QX	TEXT AND CODE CATEGORIES
		HISP	WHITE	BLACK			
		0	2	0	2	19	NFP
		0	0	0	0	20	= WITHDRAWAL
		0	0	0	0	21	= RESPONDENT STERILE
							= PARTNER STERILE (NOT ON CARD)
		0	0	0	0	22	= OTHER METHOD-NOT SHOWN SEPARATELY
		0	0	0	0	97	= Not Ascertained
		0	0	0	0	98	= Refused
		0	0	0	0	99	= Don't Know

1995 NATIONAL SURVEY OF FAMILY GROWTH
 File Documentation
 Respondent File (Section E Questionnaire Items)

VARIABLE	COLUMN	NON-HISPANIC				QX TEXT AND CODE CATEGORIES
NAME	LOCATION	HISP	WHITE	BLACK		

[MTHUS199] 7495-7496

During that month, which (of those/other) methods, if any, did you use at the same time? (4th METHOD MENTIONED, 2nd COMBINATION, MC17)

Inapplicable:
 R said no, don't know or refused to all birth control methods in EA series (computed variable EVERUSED = 2); R never had sex as of this month and never used a birth control method as of this month but ever used one or more birth control methods in EA series (WNFSTSEX GE 1093 and DATFIRSM GE 1093 and computed variable EVERUSED = 1); R did not use multiple methods in the month; or R used only 2 methods in the month; or R reported fewer than 2 BC method combinations; or R reported using fewer than 4 BC methods for this combination in this month of the method calendar.

1553	6483	2446	10847	Blank	= Blank, inapplicable
0	0	0	0	01	= NONE
0	0	0	0	02	= OFFICE USE ONLY
0	0	0	0	03	= BIRTH CONTROL PILLS
0	0	0	0	04	= CONDOM
0	0	0	0	05	= PARTNER'S VASECTOMY
0	0	0	0	06	= DIAPHRAGM
0	0	0	0	07	= FOAM
0	0	0	0	08	= JELLY OR CREAM
0	0	0	0	09	= CERVICAL CAP
0	0	0	0	10	= SUPPOSITORY, INSERT
0	0	0	0	11	= TODAY (TM) SPONGE
0	0	0	0	12	= FEMALE CONDOM, VAGINAL POUCH
0	0	0	0	13	= IUD, COIL, LOOP
0	0	0	0	14	= NORPLANT (TM)
0	0	0	0	15	= DEPO-PROVERA, INJECTABLES
0	0	0	0	16	= MORNING AFTER PILLS
0	0	0	0	17	= RHYTHM OR SAFE PERIOD BY CALENDAR
0	0	0	0	18	= SAFE PERIOD BY TEMP, CERVICAL MUCUS TEST,

1995 NATIONAL SURVEY OF FAMILY GROWTH
 File Documentation
 Respondent File (Section E Questionnaire Items)

VARIABLE NAME	COLUMN LOCATION	NON-HISPANIC			TOTAL	QX	TEXT AND CODE CATEGORIES
		HISP	WHITE	BLACK			
		0	0	0	0	19	NFP = WITHDRAWAL
		0	0	0	0	20	= RESPONDENT STERILE
		0	0	0	0	21	= PARTNER STERILE (NOT ON CARD)
		0	0	0	0	22	= OTHER METHOD-NOT SHOWN SEPARATELY
		0	0	0	0	97	= Not Ascertained
		0	0	0	0	98	= Refused
		0	0	0	0	99	= Don't Know

1995 NATIONAL SURVEY OF FAMILY GROWTH
File Documentation
Respondent File (Section E Questionnaire Items)

VARIABLE	COLUMN	NON-HISPANIC								
NAME	LOCATION	HISP	WHITE	BLACK						

[MTHUS200] 7497-7498

During that month, which (of those/other) methods, if any, did you use at the same time? (1st METHOD MENTIONED, 3rd COMBINATION, MC17)

Inapplicable:
R said no, don't know or refused to all birth control methods in EA series (computed variable EVERUSED = 2); R never had sex as of this month and never used a birth control method as of this month but ever used one or more birth control methods in EA series (WNFSTSEX GE 1093 and DATFIRSM GE 1093 and computed variable EVERUSED = 1); R did not use multiple methods in the month; or R used only 2 methods in the month; or R reported fewer than 3 BC method combinations.

1553	6482	2446	10846	Blank	= Blank, inapplicable					
0	0	0	0	0 01	= NONE					
0	0	0	0	0 02	= OFFICE USE ONLY					
0	0	0	0	0 03	= BIRTH CONTROL PILLS					
0	1	0	1	0 04	= CONDOM					
0	0	0	0	0 05	= PARTNER'S VASECTOMY					
0	0	0	0	0 06	= DIAPHRAGM					
0	0	0	0	0 07	= FOAM					
0	0	0	0	0 08	= JELLY OR CREAM					
0	0	0	0	0 09	= CERVICAL CAP					
0	0	0	0	0 10	= SUPPOSITORY, INSERT					
0	0	0	0	0 11	= TODAY (TM) SPONGE					
0	0	0	0	0 12	= FEMALE CONDOM, VAGINAL POUCH					
0	0	0	0	0 13	= IUD, COIL, LOOP					
0	0	0	0	0 14	= NORPLANT (TM)					
0	0	0	0	0 15	= DEPO-PROVERA, INJECTABLES					
0	0	0	0	0 16	= MORNING AFTER PILLS					
0	0	0	0	0 17	= RHYTHM OR SAFE PERIOD BY CALENDAR					
0	0	0	0	0 18	= SAFE PERIOD BY TEMP, CERVICAL MUCUS TEST, NFP					
0	0	0	0	0 19	= WITHDRAWAL					
0	0	0	0	0 20	= RESPONDENT STERILE					

(3718)

1995 NATIONAL SURVEY OF FAMILY GROWTH
 File Documentation
 Respondent File (Section E Questionnaire Items)

VARIABLE NAME	COLUMN LOCATION	NON-HISPANIC			QX	TEXT AND CODE CATEGORIES
		HISP	WHITE	BLACK		
		0	0	0	0	21 = PARTNER STERILE (NOT ON CARD)
		0	0	0	0	22 = OTHER METHOD-NOT SHOWN SEPARATELY
		0	0	0	0	97 = Not Ascertained
		0	0	0	0	98 = Refused
		0	0	0	0	99 = Don't Know

1995 NATIONAL SURVEY OF FAMILY GROWTH
File Documentation
Respondent File (Section E Questionnaire Items)

VARIABLE	COLUMN	NON-HISPANIC			
NAME	LOCATION	HISP	WHITE	BLACK	TOTAL
QX TEXT AND CODE CATEGORIES					

[MTHUS201] 7499-7500

During that month, which (of those/other) methods, if any, did you use at the same time? (2nd METHOD MENTIONED, 3rd COMBINATION, MC17)

Inapplicable:
R said no, don't know or refused to all birth control methods in EA series (computed variable EVERUSED = 2); R never had sex as of this month and never used a birth control method as of this month but ever used one or more birth control methods in EA series (WNFSTSEX GE 1093 and DATFIRSM GE 1093 and computed variable EVERUSED = 1); R did not use multiple methods in the month; or R used only 2 methods in the month; or R reported fewer than 3 BC method combinations; or R reported using fewer than 2 BC methods for this combination in this month of the method calendar.

1553	6482	2446	10846	Blank	= Blank, inapplicable
0	0	0	0	01	= NONE
0	0	0	0	02	= OFFICE USE ONLY
0	0	0	0	03	= BIRTH CONTROL PILLS
0	0	0	0	04	= CONDOM
0	0	0	0	05	= PARTNER'S VASECTOMY
0	0	0	0	06	= DIAPHRAGM
0	0	0	0	07	= FOAM
0	0	0	0	08	= JELLY OR CREAM
0	0	0	0	09	= CERVICAL CAP
0	0	0	0	10	= SUPPOSITORY, INSERT
0	0	0	0	11	= TODAY (TM) SPONGE
0	0	0	0	12	= FEMALE CONDOM, VAGINAL POUCH
0	0	0	0	13	= IUD, COIL, LOOP
0	0	0	0	14	= NORPLANT (TM)
0	0	0	0	15	= DEPO-PROVERA, INJECTABLES
0	0	0	0	16	= MORNING AFTER PILLS
0	1	0	1	17	= RHYTHM OR SAFE PERIOD BY CALENDAR
0	0	0	0	18	= SAFE PERIOD BY TEMP, CERVICAL MUCUS TEST,

(3720)

1995 NATIONAL SURVEY OF FAMILY GROWTH
 File Documentation
 Respondent File (Section E Questionnaire Items)

VARIABLE NAME	COLUMN LOCATION	NON-HISPANIC			TOTAL	QX	TEXT AND CODE CATEGORIES
		HISP	WHITE	BLACK			
		0	0	0	0	19	NFP = WITHDRAWAL
		0	0	0	0	20	= RESPONDENT STERILE
		0	0	0	0	21	= PARTNER STERILE (NOT ON CARD)
		0	0	0	0	22	= OTHER METHOD-NOT SHOWN SEPARATELY
		0	0	0	0	97	= Not Ascertained
		0	0	0	0	98	= Refused
		0	0	0	0	99	= Don't Know

1995 NATIONAL SURVEY OF FAMILY GROWTH
 File Documentation
 Respondent File (Section E Questionnaire Items)

VARIABLE	COLUMN	NON-HISPANIC				
NAME	LOCATION	HISP	WHITE	BLACK	TOTAL	QX TEXT AND CODE CATEGORIES

[MTHUS202] 7501-7502

During that month, which (of those/other) methods, if any, did you use at the same time? (3rd METHOD MENTIONED, 3rd COMBINATION, MC17)

Inapplicable:
 R said no, don't know or refused to all birth control methods in EA series (computed variable EVERUSED = 2); R never had sex as of this month and never used a birth control method as of this month but ever used one or more birth control methods in EA series (WNFSTSEX GE 1093 and DATFIRSM GE 1093 and computed variable EVERUSED = 1); R did not use multiple methods in the month; or R used only 2 methods in the month; or R reported fewer than 3 BC method combinations; or R reported using fewer than 3 BC methods for this combination in this month of the method calendar.

1553	6483	2446	10847	Blank	= Blank, inapplicable
0	0	0	0	01	= NONE
0	0	0	0	02	= OFFICE USE ONLY
0	0	0	0	03	= BIRTH CONTROL PILLS
0	0	0	0	04	= CONDOM
0	0	0	0	05	= PARTNER'S VASECTOMY
0	0	0	0	06	= DIAPHRAGM
0	0	0	0	07	= FOAM
0	0	0	0	08	= JELLY OR CREAM
0	0	0	0	09	= CERVICAL CAP
0	0	0	0	10	= SUPPOSITORY, INSERT
0	0	0	0	11	= TODAY (TM) SPONGE
0	0	0	0	12	= FEMALE CONDOM, VAGINAL POUCH
0	0	0	0	13	= IUD, COIL, LOOP
0	0	0	0	14	= NORPLANT (TM)
0	0	0	0	15	= DEPO-PROVERA, INJECTABLES
0	0	0	0	16	= MORNING AFTER PILLS
0	0	0	0	17	= RHYTHM OR SAFE PERIOD BY CALENDAR
0	0	0	0	18	= SAFE PERIOD BY TEMP, CERVICAL MUCUS TEST,

(3722)

1995 NATIONAL SURVEY OF FAMILY GROWTH
 File Documentation
 Respondent File (Section E Questionnaire Items)

VARIABLE NAME	COLUMN LOCATION	NON-HISPANIC			TOTAL	QX	TEXT AND CODE CATEGORIES
		HISP	WHITE	BLACK			
		0	0	0	0	19	NFP
		0	0	0	0	20	= WITHDRAWAL
		0	0	0	0	21	= RESPONDENT STERILE
							= PARTNER STERILE (NOT ON CARD)
		0	0	0	0	22	= OTHER METHOD-NOT SHOWN SEPARATELY
		0	0	0	0	97	= Not Ascertained
		0	0	0	0	98	= Refused
		0	0	0	0	99	= Don't Know

1995 NATIONAL SURVEY OF FAMILY GROWTH
 File Documentation
 Respondent File (Section E Questionnaire Items)

VARIABLE COLUMN NON-HISPANIC
 NAME LOCATION HISP WHITE BLACK TOTAL QX TEXT AND CODE CATEGORIES

[MTHUS203] 7503-7504

During that month, which (of those/other) methods, if any, did you use at the same time? (4th METHOD MENTIONED, 3rd COMBINATION, MC17)

Inapplicable:
 R said no, don't know or refused to all birth control methods in EA series (computed variable EVERUSED = 2); R never had sex as of this month and never used a birth control method as of this month but ever used one or more birth control methods in EA series (WNFSTSEX GE 1093 and DATFIRSM GE 1093 and computed variable EVERUSED = 1); R did not use multiple methods in the month; or R used only 2 methods in the month; or R reported fewer than 3 BC method combinations; or R reported using fewer than 4 BC methods for this combination in this month of the method calendar.

1553	6483	2446	10847	Blank	= Blank, inapplicable
0	0	0	0	01	= NONE
0	0	0	0	02	= OFFICE USE ONLY
0	0	0	0	03	= BIRTH CONTROL PILLS
0	0	0	0	04	= CONDOM
0	0	0	0	05	= PARTNER'S VASECTOMY
0	0	0	0	06	= DIAPHRAGM
0	0	0	0	07	= FOAM
0	0	0	0	08	= JELLY OR CREAM
0	0	0	0	09	= CERVICAL CAP
0	0	0	0	10	= SUPPOSITORY, INSERT
0	0	0	0	11	= TODAY (TM) SPONGE
0	0	0	0	12	= FEMALE CONDOM, VAGINAL POUCH
0	0	0	0	13	= IUD, COIL, LOOP
0	0	0	0	14	= NORPLANT (TM)
0	0	0	0	15	= DEPO-PROVERA, INJECTABLES
0	0	0	0	16	= MORNING AFTER PILLS
0	0	0	0	17	= RHYTHM OR SAFE PERIOD BY CALENDAR
0	0	0	0	18	= SAFE PERIOD BY TEMP, CERVICAL MUCUS TEST,

1995 NATIONAL SURVEY OF FAMILY GROWTH
 File Documentation
 Respondent File (Section E Questionnaire Items)

VARIABLE NAME	COLUMN LOCATION	NON-HISPANIC			TOTAL	QX	TEXT AND CODE CATEGORIES
		HISP	WHITE	BLACK			
		0	0	0	0	19	NFP = WITHDRAWAL
		0	0	0	0	20	= RESPONDENT STERILE
		0	0	0	0	21	= PARTNER STERILE (NOT ON CARD)
		0	0	0	0	22	= OTHER METHOD-NOT SHOWN SEPARATELY
		0	0	0	0	97	= Not Ascertained
		0	0	0	0	98	= Refused
		0	0	0	0	99	= Don't Know

1995 NATIONAL SURVEY OF FAMILY GROWTH
 File Documentation
 Respondent File (Section E Questionnaire Items)

VARIABLE NAME	COLUMN LOCATION	NON-HISPANIC			QX	TEXT AND CODE CATEGORIES
		HISP	WHITE	BLACK		
[METHH068]	7505-7506					ENTER METHOD (FIRST MENTIONED) USED IN JUNE 1992: (MC18)
						Inapplicable: R never had sex as of this month and never used a birth control method as of this month but ever used one or more birth control methods in EA series (WNFSTSEX GE 1093 and DATFIRSM GE 1093 and computed variable EVERUSED = 1); R never had sex and said no, don't know or refused to all birth control methods in EA series (computed variable RHADSEX coded 2,7,8 or 9 and computed variable EVERUSED = 2); R said no, don't know or refused to all birth control methods in EA series (computed variable EVERUSED = 2).
		368	1051	349	1882	Blank = Blank, inapplicable
		340	1233	568	2205	01 = NO METHODS USED
		0	0	1	1	02 = SAME AS PREVIOUS MONTH
		258	1352	447	2093	03 = BIRTH CONTROL PILLS
		164	811	385	1420	04 = CONDOM
		23	305	8	344	05 = PARTNER'S VASECTOMY
		7	125	14	148	06 = DIAPHRAGM
		3	24	3	31	07 = FOAM
		1	9	2	12	08 = JELLY OR CREAM
		0	2	0	2	09 = CERVICAL CAP
		5	23	8	38	10 = SUPPOSITORY, INSERT
		1	35	11	47	11 = TODAY (TM) SPONGE
		0	0	0	0	12 = FEMALE CONDOM, VAGINAL POUCH
		19	37	19	79	13 = IUD, COIL, LOOP
		7	22	24	53	14 = NORPLANT (TM)
		13	8	7	29	15 = DEPO-PROVERA, INJECTABLES
		0	0	0	0	16 = MORNING AFTER PILLS
		29	108	19	169	17 = RHYTHM OR SAFE PERIOD BY CALENDAR
		3	12	0	15	18 = SAFE PERIOD BY TEMP, CERVICAL MUCUS TEST, NFP
		38	128	26	203	19 = WITHDRAWAL
		256	1031	540	1871	20 = RESPONDENT STERILE

(3726)

1995 NATIONAL SURVEY OF FAMILY GROWTH
 File Documentation
 Respondent File (Section E Questionnaire Items)

VARIABLE NAME	COLUMN LOCATION	NON-HISPANIC			QX	TEXT AND CODE CATEGORIES	
		HISP	WHITE	BLACK			TOTAL
		17	156	7	184	21	= PARTNER STERILE (NOT ON CARD)
		1	4	4	9	22	= OTHER METHOD-NOT SHOWN SEPARATELY
		0	0	0	0	55	= SAME METHODS USED THROUGH END OF YEAR
		0	1	2	3	97	= Not Ascertained
		0	4	2	6	98	= Refused
		0	2	0	3	99	= Don't Know

1995 NATIONAL SURVEY OF FAMILY GROWTH
File Documentation
Respondent File (Section E Questionnaire Items)

VARIABLE NAME	COLUMN LOCATION	NON-HISPANIC			QX TEXT AND CODE CATEGORIES	
		HISP	WHITE	BLACK	TOTAL	
[METHH069]	7507-7508					ENTER METHOD (SECOND MENTIONED) USED IN JUNE 1992: (MC18)

Inapplicable:
R never had sex as of this month and never used a birth control method as of this month but ever used one or more birth control methods in EA series (WNFSTSEX GE 1093 and DATFIRSM GE 1093 and computed variable EVERUSED = 1); R never had sex and said no, don't know or refused to all birth control methods in EA series (computed variable RHADSEX coded 2,7,8 or 9 and computed variable EVERUSED = 2); R said no, don't know or refused to all birth control methods in EA series (computed variable EVERUSED = 2); R used fewer than 2 methods in month.

1487	6082	2283	10190	Blank	= Blank, inapplicable
0	0	0	0	01	= NO METHODS USED
0	0	0	0	02	= SAME AS PREVIOUS MONTH
0	9	4	13	03	= BIRTH CONTROL PILLS
16	128	81	231	04	= CONDOM
0	8	2	10	05	= PARTNER'S VASECTOMY
3	13	5	21	06	= DIAPHRAGM
8	24	10	43	07	= FOAM
2	14	6	22	08	= JELLY OR CREAM
0	0	0	0	09	= CERVICAL CAP
3	8	8	21	10	= SUPPOSITORY, INSERT
1	14	7	23	11	= TODAY (TM) SPONGE
0	0	0	0	12	= FEMALE CONDOM, VAGINAL POUCH
0	0	0	0	13	= IUD, COIL, LOOP
1	1	1	3	14	= NORPLANT (TM)
0	1	0	1	15	= DEPO-PROVERA, INJECTABLES
0	0	0	0	16	= MORNING AFTER PILLS
10	55	5	77	17	= RHYTHM OR SAFE PERIOD BY CALENDAR
0	8	1	10	18	= SAFE PERIOD BY TEMP, CERVICAL MUCUS TEST, NFP
20	96	17	140	19	= WITHDRAWAL

(3728)

1995 NATIONAL SURVEY OF FAMILY GROWTH
 File Documentation
 Respondent File (Section E Questionnaire Items)

VARIABLE NAME	COLUMN LOCATION	NON-HISPANIC			TOTAL	QX	TEXT AND CODE CATEGORIES
		HISP	WHITE	BLACK			
		2	8	11	21	20	= RESPONDENT STERILE
		0	7	1	9	21	= PARTNER STERILE (NOT ON CARD)
		0	0	0	0	22	= OTHER METHOD-NOT SHOWN SEPARATELY
		0	0	0	0	55	= SAME METHODS USED THROUGH END OF YEAR
		0	1	2	3	97	= Not Ascertained
		0	4	2	6	98	= Refused
		0	2	0	3	99	= Don't Know

1995 NATIONAL SURVEY OF FAMILY GROWTH
 File Documentation
 Respondent File (Section E Questionnaire Items)

VARIABLE COLUMN NON-HISPANIC
 NAME LOCATION HISP WHITE BLACK TOTAL QX TEXT AND CODE CATEGORIES

[METHH070] 7509-7510

ENTER METHOD (THIRD MENTIONED) USED
 IN JUNE 1992: (MC18)

Inapplicable:

R never had sex as of this month and never used a birth control method as of this month but ever used one or more birth control methods in EA series (WNFSTSEX GE 1093 and DATFIRSM GE 1093 and computed variable EVERUSED = 1); R never had sex and said no, don't know or refused to all birth control methods in EA series (computed variable RHADSEX coded 2,7,8 or 9 and computed variable EVERUSED = 2); R said no, don't know or refused to all birth control methods in EA series (computed variable EVERUSED = 2); R used fewer than 3 methods in month.

1540	6417	2420	10736	Blank	= Blank, inapplicable
0	0	0	0	01	= NO METHODS USED
0	0	0	0	02	= SAME AS PREVIOUS MONTH
0	1	1	2	03	= BIRTH CONTROL PILLS
1	1	0	2	04	= CONDOM
1	0	0	1	05	= PARTNER'S VASECTOMY
0	0	0	0	06	= DIAPHRAGM
2	1	2	5	07	= FOAM
0	2	0	2	08	= JELLY OR CREAM
0	0	0	0	09	= CERVICAL CAP
0	2	0	2	10	= SUPPOSITORY, INSERT
1	7	0	8	11	= TODAY (TM) SPONGE
1	0	0	1	12	= FEMALE CONDOM, VAGINAL POUCH
0	0	0	0	13	= IUD, COIL, LOOP
0	0	0	0	14	= NORPLANT (TM)
0	0	0	0	15	= DEPO-PROVERA, INJECTABLES
0	1	0	1	16	= MORNING AFTER PILLS
2	7	0	9	17	= RHYTHM OR SAFE PERIOD BY CALENDAR
0	3	0	4	18	= SAFE PERIOD BY TEMP, CERVICAL MUCUS TEST, NFP
3	25	2	33	19	= WITHDRAWAL

(3730)

1995 NATIONAL SURVEY OF FAMILY GROWTH
 File Documentation
 Respondent File (Section E Questionnaire Items)

VARIABLE NAME	COLUMN LOCATION	NON-HISPANIC			TOTAL	QX	TEXT AND CODE CATEGORIES
		HISP	WHITE	BLACK			
		1	9	17	27	20	= RESPONDENT STERILE
		0	0	0	0	21	= PARTNER STERILE (NOT ON CARD)
		1	0	0	2	22	= OTHER METHOD-NOT SHOWN SEPARATELY
		0	0	0	0	55	= SAME METHODS USED THROUGH END OF YEAR
		0	1	2	3	97	= Not Ascertained
		0	4	2	6	98	= Refused
		0	2	0	3	99	= Don't Know

1995 NATIONAL SURVEY OF FAMILY GROWTH
 File Documentation
 Respondent File (Section E Questionnaire Items)

VARIABLE NAME	COLUMN LOCATION	NON-HISPANIC			TOTAL	QX	TEXT AND CODE CATEGORIES
		HISP	WHITE	BLACK			
		0	0	0	0	20	= RESPONDENT STERILE
		0	0	0	0	21	= PARTNER STERILE (NOT ON CARD)
		0	0	0	0	22	= OTHER METHOD-NOT SHOWN SEPARATELY
		0	0	0	0	55	= SAME METHODS USED THROUGH END OF YEAR
		0	1	2	3	97	= Not Ascertained
		0	4	2	6	98	= Refused
		0	2	0	3	99	= Don't Know

[SIMSEQ17] 7513-7513

Did you use those methods together,
 that is, at the same time, or did
 you use them at different times
 during the month? (MC18)

Inapplicable:

R never had sex as of this month and
 never used a birth control method as
 of this month but ever used one or
 more birth control methods in EA
 series (WNFSTSEX GE 1093 and
 DATFIRSM GE 1093 and computed
 variable EVERUSED = 1); R never had
 sex and said no, don't know or
 refused to all birth control methods
 in EA series (computed variable
 RHADSEX coded 2,7,8 or 9 and
 computed variable EVERUSED = 2); R
 said no, don't know or refused to
 all birth control methods in EA
 series (computed variable EVERUSED =
 2); R did not use multiple methods
 in the month; R used more than 2
 methods in the month.

1499	6139	2293	10275	Blank	= Blank, inapplicable
32	221	113	376	1	= SAME TIME
22	123	40	196	2	= DIFFERENT TIMES
0	0	0	0	7	= Not Ascertained
0	0	0	0	8	= Refused
0	0	0	0	9	= Don't Know

1995 NATIONAL SURVEY OF FAMILY GROWTH
 File Documentation
 Respondent File (Section E Questionnaire Items)

VARIABLE NAME	COLUMN LOCATION	NON-HISPANIC			TOTAL	QX	TEXT AND CODE CATEGORIES
		HISP	WHITE	BLACK			
		0	0	0	0	22	ON CARD) = OTHER METHOD-NOT SHOWN SEPARATELY
		0	0	0	0	97	= Not Ascertained
		0	0	0	0	98	= Refused
		0	0	0	0	99	= Don't Know

1995 NATIONAL SURVEY OF FAMILY GROWTH
 File Documentation
 Respondent File (Section E Questionnaire Items)

VARIABLE	COLUMN	NON-HISPANIC				QX TEXT AND CODE CATEGORIES
NAME	LOCATION	HISP	WHITE	BLACK		

[MTHUS205] 7516-7517

During that month, which (of those/other) methods, if any, did you use at the same time? (2nd METHOD MENTIONED, 1st COMBINATION, MC18)

Inapplicable:
 R said no, don't know or refused to all birth control methods in EA series (computed variable EVERUSED = 2); R never had sex as of this month and never used a birth control method as of this month but ever used one or more birth control methods in EA series (WNFSTSEX GE 1093 and DATFIRSM GE 1093 and computed variable EVERUSED = 1); R did not use multiple methods in the month; or R used only 2 methods in the month; or R reported using fewer than 2 BC methods for this combination in this month of the method calendar.

1545	6441	2441	10787	Blank	= Blank, inapplicable
0	0	0	0	01	= NONE
0	0	0	0	02	= OFFICE USE ONLY
0	0	0	0	03	= BIRTH CONTROL PILLS
1	9	4	14	04	= CONDOM
0	1	0	1	05	= PARTNER'S VASECTOMY
0	1	0	1	06	= DIAPHRAGM
1	4	0	5	07	= FOAM
1	0	0	1	08	= JELLY OR CREAM
0	0	0	0	09	= CERVICAL CAP
1	0	1	2	10	= SUPPOSITORY, INSERT
0	2	0	2	11	= TODAY (TM) SPONGE
0	0	0	0	12	= FEMALE CONDOM, VAGINAL POUCH
0	0	0	0	13	= IUD, COIL, LOOP
0	0	0	0	14	= NORPLANT (TM)
0	0	0	0	15	= DEPO-PROVERA, INJECTABLES
0	1	0	1	16	= MORNING AFTER PILLS
3	15	0	20	17	= RHYTHM OR SAFE PERIOD BY CALENDAR
0	1	0	1	18	= SAFE PERIOD BY TEMP, CERVICAL MUCUS TEST, NFP

1995 NATIONAL SURVEY OF FAMILY GROWTH
 File Documentation
 Respondent File (Section E Questionnaire Items)

VARIABLE NAME	COLUMN LOCATION	NON-HISPANIC			TOTAL	QX	TEXT AND CODE CATEGORIES
		HISP	WHITE	BLACK			
		1	8	0	12	19	= WITHDRAWAL
		0	0	0	0	20	= RESPONDENT STERILE
		0	0	0	0	21	= PARTNER STERILE (NOT ON CARD)
		0	0	0	0	22	= OTHER METHOD-NOT SHOWN SEPARATELY
		0	0	0	0	97	= Not Ascertained
		0	0	0	0	98	= Refused
		0	0	0	0	99	= Don't Know

1995 NATIONAL SURVEY OF FAMILY GROWTH
File Documentation
Respondent File (Section E Questionnaire Items)

VARIABLE	COLUMN	NON-HISPANIC							
NAME	LOCATION	HISP	WHITE	BLACK					

[MTHUS206] 7518-7519

During that month, which (of those/other) methods, if any, did you use at the same time? (3rd METHOD MENTIONED, 1st COMBINATION, MC18)

Inapplicable:
R said no, don't know or refused to all birth control methods in EA series (computed variable EVERUSED = 2); R never had sex as of this month and never used a birth control method as of this month but ever used one or more birth control methods in EA series (WNFSTSEX GE 1093 and DATFIRSM GE 1093 and computed variable EVERUSED = 1); R did not use multiple methods in the month; or R used only 2 methods in the month; or R reported using fewer than 3 BC methods for this combination in this month of the method calendar.

1546	6457	2443	10810	Blank	= Blank, inapplicable
0	0	0	0	01	= NONE
0	0	0	0	02	= OFFICE USE ONLY
0	0	1	1	03	= BIRTH CONTROL PILLS
0	0	0	0	04	= CONDOM
1	0	0	1	05	= PARTNER'S VASECTOMY
0	0	0	0	06	= DIAPHRAGM
2	1	2	5	07	= FOAM
0	2	0	2	08	= JELLY OR CREAM
0	0	0	0	09	= CERVICAL CAP
0	1	0	1	10	= SUPPOSITORY, INSERT
1	2	0	3	11	= TODAY (TM) SPONGE
0	0	0	0	12	= FEMALE CONDOM, VAGINAL POUCH
0	0	0	0	13	= IUD, COIL, LOOP
0	0	0	0	14	= NORPLANT (TM)
0	0	0	0	15	= DEPO-PROVERA, INJECTABLES
0	0	0	0	16	= MORNING AFTER PILLS
2	4	0	6	17	= RHYTHM OR SAFE PERIOD BY CALENDAR
0	2	0	3	18	= SAFE PERIOD BY TEMP, CERVICAL MUCUS TEST, NFP

(3738)

1995 NATIONAL SURVEY OF FAMILY GROWTH
 File Documentation
 Respondent File (Section E Questionnaire Items)

VARIABLE NAME	COLUMN LOCATION	NON-HISPANIC			TOTAL	QX	TEXT AND CODE CATEGORIES
		HISP	WHITE	BLACK			
		0	14	0	14	19	= WITHDRAWAL
		0	0	0	0	20	= RESPONDENT STERILE
		0	0	0	0	21	= PARTNER STERILE (NOT ON CARD)
		1	0	0	1	22	= OTHER METHOD-NOT SHOWN SEPARATELY
		0	0	0	0	97	= Not Ascertained
		0	0	0	0	98	= Refused
		0	0	0	0	99	= Don't Know

1995 NATIONAL SURVEY OF FAMILY GROWTH
 File Documentation
 Respondent File (Section E Questionnaire Items)

VARIABLE COLUMN NON-HISPANIC
 NAME LOCATION HISP WHITE BLACK TOTAL QX TEXT AND CODE CATEGORIES

[MTHUS207] 7520-7521

During that month, which (of those/other) methods, if any, did you use at the same time? (4th METHOD MENTIONED, 1st COMBINATION, MC18)

Inapplicable:
 R said no, don't know or refused to all birth control methods in EA series (computed variable EVERUSED = 2); R never had sex as of this month and never used a birth control method as of this month but ever used one or more birth control methods in EA series (WNFSTSEX GE 1093 and DATFIRSM GE 1093 and computed variable EVERUSED = 1); R did not use multiple methods in the month; or R used only 2 methods in the month; or R reported using fewer than 4 BC methods for this combination in this month of the method calendar.

1553	6482	2446	10846	Blank	= Blank, inapplicable
0	0	0	0	01	= NONE
0	0	0	0	02	= OFFICE USE ONLY
0	0	0	0	03	= BIRTH CONTROL PILLS
0	1	0	1	04	= CONDOM
0	0	0	0	05	= PARTNER'S VASECTOMY
0	0	0	0	06	= DIAPHRAGM
0	0	0	0	07	= FOAM
0	0	0	0	08	= JELLY OR CREAM
0	0	0	0	09	= CERVICAL CAP
0	0	0	0	10	= SUPPOSITORY, INSERT
0	0	0	0	11	= TODAY (TM) SPONGE
0	0	0	0	12	= FEMALE CONDOM, VAGINAL POUCH
0	0	0	0	13	= IUD, COIL, LOOP
0	0	0	0	14	= NORPLANT (TM)
0	0	0	0	15	= DEPO-PROVERA, INJECTABLES
0	0	0	0	16	= MORNING AFTER PILLS
0	0	0	0	17	= RHYTHM OR SAFE PERIOD BY CALENDAR
0	0	0	0	18	= SAFE PERIOD BY TEMP, CERVICAL MUCUS TEST, NFP

(3740)

1995 NATIONAL SURVEY OF FAMILY GROWTH
 File Documentation
 Respondent File (Section E Questionnaire Items)

VARIABLE NAME	COLUMN LOCATION	NON-HISPANIC			TOTAL	QX	TEXT AND CODE CATEGORIES
		HISP	WHITE	BLACK			
		0	0	0	0	19	= WITHDRAWAL
		0	0	0	0	20	= RESPONDENT STERILE
		0	0	0	0	21	= PARTNER STERILE (NOT ON CARD)
		0	0	0	0	22	= OTHER METHOD-NOT SHOWN SEPARATELY
		0	0	0	0	97	= Not Ascertained
		0	0	0	0	98	= Refused
		0	0	0	0	99	= Don't Know

1995 NATIONAL SURVEY OF FAMILY GROWTH
 File Documentation
 Respondent File (Section E Questionnaire Items)

VARIABLE COLUMN NON-HISPANIC
 NAME LOCATION HISP WHITE BLACK TOTAL QX TEXT AND CODE CATEGORIES

[MTHUS208] 7522-7523

During that month, which (of those/other) methods, if any, did you use at the same time? (1st METHOD MENTIONED, 2nd COMBINATION, MC18)

Inapplicable:
 R said no, don't know or refused to all birth control methods in EA series (computed variable EVERUSED = 2); R never had sex as of this month and never used a birth control method as of this month but ever used one or more birth control methods in EA series (WNFSTSEX GE 1093 and DATFIRSM GE 1093 and computed variable EVERUSED = 1); R did not use multiple methods in the month; or R used only 2 methods in the month; or R reported fewer than 2 BC method combinations.

1545	6441	2441	10787	Blank	= Blank, inapplicable
5	29	1	39	01	= NONE
0	0	0	0	02	= OFFICE USE ONLY
0	2	1	3	03	= BIRTH CONTROL PILLS
0	5	0	6	04	= CONDOM
0	0	0	0	05	= PARTNER'S VASECTOMY
0	0	0	0	06	= DIAPHRAGM
1	2	0	3	07	= FOAM
0	0	0	0	08	= JELLY OR CREAM
0	0	0	0	09	= CERVICAL CAP
0	0	0	0	10	= SUPPOSITORY, INSERT
0	1	0	1	11	= TODAY (TM) SPONGE
0	0	0	0	12	= FEMALE CONDOM, VAGINAL POUCH
0	0	0	0	13	= IUD, COIL, LOOP
0	0	0	0	14	= NORPLANT (TM)
0	0	0	0	15	= DEPO-PROVERA, INJECTABLES
0	0	0	0	16	= MORNING AFTER PILLS
0	2	0	2	17	= RHYTHM OR SAFE PERIOD BY CALENDAR
0	0	0	0	18	= SAFE PERIOD BY TEMP, CERVICAL MUCUS TEST, NFP
1	1	2	4	19	= WITHDRAWAL
0	0	1	1	20	= RESPONDENT STERILE

(3742)

1995 NATIONAL SURVEY OF FAMILY GROWTH
 File Documentation
 Respondent File (Section E Questionnaire Items)

VARIABLE NAME	COLUMN LOCATION	NON-HISPANIC			QX	TEXT AND CODE CATEGORIES
		HISP	WHITE	BLACK		
		0	0	0	0	21 = PARTNER STERILE (NOT ON CARD)
		1	0	0	1	22 = OTHER METHOD-NOT SHOWN SEPARATELY
		0	0	0	0	97 = Not Ascertained
		0	0	0	0	98 = Refused
		0	0	0	0	99 = Don't Know

1995 NATIONAL SURVEY OF FAMILY GROWTH
 File Documentation
 Respondent File (Section E Questionnaire Items)

VARIABLE COLUMN NON-HISPANIC
 NAME LOCATION HISP WHITE BLACK TOTAL QX TEXT AND CODE CATEGORIES

[MTHUS209] 7524-7525

During that month, which (of those/other) methods, if any, did you use at the same time? (2nd METHOD MENTIONED, 2nd COMBINATION, MC18)

Inapplicable:
 R said no, don't know or refused to all birth control methods in EA series (computed variable EVERUSED = 2); R never had sex as of this month and never used a birth control method as of this month but ever used one or more birth control methods in EA series (WNFSTSEX GE 1093 and DATFIRSM GE 1093 and computed variable EVERUSED = 1); R did not use multiple methods in the month; or R used only 2 methods in the month; or R reported fewer than 2 BC method combinations; or R reported using fewer than 2 BC methods for this combination in this month of the method calendar.

1552	6473	2442	10831	Blank	= Blank, inapplicable
0	0	0	0	01	= NONE
0	0	0	0	02	= OFFICE USE ONLY
0	0	0	0	03	= BIRTH CONTROL PILLS
1	1	2	4	04	= CONDOM
0	1	0	1	05	= PARTNER'S VASECTOMY
0	0	0	0	06	= DIAPHRAGM
0	0	0	0	07	= FOAM
0	0	0	0	08	= JELLY OR CREAM
0	0	0	0	09	= CERVICAL CAP
0	0	1	1	10	= SUPPOSITORY, INSERT
0	2	0	2	11	= TODAY (TM) SPONGE
0	0	0	0	12	= FEMALE CONDOM, VAGINAL POUCH
0	0	0	0	13	= IUD, COIL, LOOP
0	0	0	0	14	= NORPLANT (TM)
0	0	0	0	15	= DEPO-PROVERA, INJECTABLES
0	0	0	0	16	= MORNING AFTER PILLS
0	2	0	3	17	= RHYTHM OR SAFE PERIOD BY CALENDAR
0	1	0	1	18	= SAFE PERIOD BY TEMP, CERVICAL MUCUS TEST,

(3744)

1995 NATIONAL SURVEY OF FAMILY GROWTH
 File Documentation
 Respondent File (Section E Questionnaire Items)

VARIABLE NAME	COLUMN LOCATION	NON-HISPANIC			TOTAL	QX	TEXT AND CODE CATEGORIES
		HISP	WHITE	BLACK			
		0	3	1	4	19	NFP
		0	0	0	0	20	= WITHDRAWAL
		0	0	0	0	21	= RESPONDENT STERILE
							= PARTNER STERILE (NOT ON CARD)
		0	0	0	0	22	= OTHER METHOD-NOT SHOWN SEPARATELY
		0	0	0	0	97	= Not Ascertained
		0	0	0	0	98	= Refused
		0	0	0	0	99	= Don't Know

1995 NATIONAL SURVEY OF FAMILY GROWTH
 File Documentation
 Respondent File (Section E Questionnaire Items)

VARIABLE COLUMN NON-HISPANIC
 NAME LOCATION HISP WHITE BLACK TOTAL QX TEXT AND CODE CATEGORIES

[MTHUS210] 7526-7527

During that month, which (of those/other) methods, if any, did you use at the same time? (3rd METHOD MENTIONED, 2nd COMBINATION, MC18)

Inapplicable:
 R said no, don't know or refused to all birth control methods in EA series (computed variable EVERUSED = 2); R never had sex as of this month and never used a birth control method as of this month but ever used one or more birth control methods in EA series (WNFSTSEX GE 1093 and DATFIRSM GE 1093 and computed variable EVERUSED = 1); R did not use multiple methods in the month; or R used only 2 methods in the month; or R reported fewer than 2 BC method combinations; or R reported using fewer than 3 BC methods for this combination in this month of the method calendar.

1552	6479	2445	10840	Blank	= Blank, inapplicable
0	0	0	0	01	= NONE
0	0	0	0	02	= OFFICE USE ONLY
0	0	1	1	03	= BIRTH CONTROL PILLS
0	0	0	0	04	= CONDOM
0	0	0	0	05	= PARTNER'S VASECTOMY
0	0	0	0	06	= DIAPHRAGM
0	0	0	0	07	= FOAM
0	1	0	1	08	= JELLY OR CREAM
0	0	0	0	09	= CERVICAL CAP
0	0	0	0	10	= SUPPOSITORY, INSERT
0	0	0	0	11	= TODAY (TM) SPONGE
0	0	0	0	12	= FEMALE CONDOM, VAGINAL POUCH
0	0	0	0	13	= IUD, COIL, LOOP
0	0	0	0	14	= NORPLANT (TM)
0	0	0	0	15	= DEPO-PROVERA, INJECTABLES
0	0	0	0	16	= MORNING AFTER PILLS
1	0	0	1	17	= RHYTHM OR SAFE PERIOD BY CALENDAR
0	0	0	1	18	= SAFE PERIOD BY TEMP, CERVICAL MUCUS TEST,

(3746)

1995 NATIONAL SURVEY OF FAMILY GROWTH
 File Documentation
 Respondent File (Section E Questionnaire Items)

VARIABLE NAME	COLUMN LOCATION	NON-HISPANIC			TOTAL	QX	TEXT AND CODE CATEGORIES
		HISP	WHITE	BLACK			
		0	3	0	3	19	NFP
		0	0	0	0	20	= WITHDRAWAL
		0	0	0	0	21	= RESPONDENT STERILE
							= PARTNER STERILE (NOT ON CARD)
		0	0	0	0	22	= OTHER METHOD-NOT SHOWN SEPARATELY
		0	0	0	0	97	= Not Ascertained
		0	0	0	0	98	= Refused
		0	0	0	0	99	= Don't Know

1995 NATIONAL SURVEY OF FAMILY GROWTH
 File Documentation
 Respondent File (Section E Questionnaire Items)

VARIABLE COLUMN NON-HISPANIC
 NAME LOCATION HISP WHITE BLACK TOTAL QX TEXT AND CODE CATEGORIES

[MTHUS211] 7528-7529

During that month, which (of those/other) methods, if any, did you use at the same time? (4th METHOD MENTIONED, 2nd COMBINATION, MC18)

Inapplicable:
 R said no, don't know or refused to all birth control methods in EA series (computed variable EVERUSED = 2); R never had sex as of this month and never used a birth control method as of this month but ever used one or more birth control methods in EA series (WNFSTSEX GE 1093 and DATFIRSM GE 1093 and computed variable EVERUSED = 1); R did not use multiple methods in the month; or R used only 2 methods in the month; or R reported fewer than 2 BC method combinations; or R reported using fewer than 4 BC methods for this combination in this month of the method calendar.

	1553	6483	2446	10847	Blank	
	0	0	0	0	01	= Blank, inapplicable
	0	0	0	0	02	= NONE
	0	0	0	0	03	= OFFICE USE ONLY
	0	0	0	0	04	= BIRTH CONTROL PILLS
	0	0	0	0	05	= CONDOM
	0	0	0	0	06	= PARTNER'S VASECTOMY
	0	0	0	0	07	= DIAPHRAGM
	0	0	0	0	08	= FOAM
	0	0	0	0	09	= JELLY OR CREAM
	0	0	0	0	10	= CERVICAL CAP
	0	0	0	0	11	= SUPPOSITORY, INSERT
	0	0	0	0	12	= TODAY (TM) SPONGE
	0	0	0	0	13	= FEMALE CONDOM, VAGINAL POUCH
	0	0	0	0	14	= IUD, COIL, LOOP
	0	0	0	0	15	= NORPLANT (TM)
	0	0	0	0	16	= DEPO-PROVERA, INJECTABLES
	0	0	0	0	17	= MORNING AFTER PILLS
	0	0	0	0	18	= RHYTHM OR SAFE PERIOD BY CALENDAR
	0	0	0	0	18	= SAFE PERIOD BY TEMP, CERVICAL MUCUS TEST,

(3748)

1995 NATIONAL SURVEY OF FAMILY GROWTH
 File Documentation
 Respondent File (Section E Questionnaire Items)

VARIABLE NAME	COLUMN LOCATION	NON-HISPANIC			TOTAL	QX	TEXT AND CODE CATEGORIES
		HISP	WHITE	BLACK			
		0	0	0	0	19	NFP
		0	0	0	0	20	= WITHDRAWAL
		0	0	0	0	21	= RESPONDENT STERILE
							= PARTNER STERILE (NOT ON CARD)
		0	0	0	0	22	= OTHER METHOD-NOT SHOWN SEPARATELY
		0	0	0	0	97	= Not Ascertained
		0	0	0	0	98	= Refused
		0	0	0	0	99	= Don't Know

1995 NATIONAL SURVEY OF FAMILY GROWTH
 File Documentation
 Respondent File (Section E Questionnaire Items)

VARIABLE	COLUMN	NON-HISPANIC			QX TEXT AND CODE CATEGORIES
NAME	LOCATION	HISP	WHITE	BLACK	TOTAL

[MTHUS212] 7530-7531

During that month, which (of those/other) methods, if any, did you use at the same time? (1st METHOD MENTIONED, 3rd COMBINATION, MC18)

Inapplicable:
 R said no, don't know or refused to all birth control methods in EA series (computed variable EVERUSED = 2); R never had sex as of this month and never used a birth control method as of this month but ever used one or more birth control methods in EA series (WNFSTSEX GE 1093 and DATFIRSM GE 1093 and computed variable EVERUSED = 1); R did not use multiple methods in the month; or R used only 2 methods in the month; or R reported fewer than 3 BC method combinations.

1553	6481	2446	10845	Blank	= Blank, inapplicable
0	1	0	1	01	= NONE
0	0	0	0	02	= OFFICE USE ONLY
0	0	0	0	03	= BIRTH CONTROL PILLS
0	1	0	1	04	= CONDOM
0	0	0	0	05	= PARTNER'S VASECTOMY
0	0	0	0	06	= DIAPHRAGM
0	0	0	0	07	= FOAM
0	0	0	0	08	= JELLY OR CREAM
0	0	0	0	09	= CERVICAL CAP
0	0	0	0	10	= SUPPOSITORY, INSERT
0	0	0	0	11	= TODAY (TM) SPONGE
0	0	0	0	12	= FEMALE CONDOM, VAGINAL POUCH
0	0	0	0	13	= IUD, COIL, LOOP
0	0	0	0	14	= NORPLANT (TM)
0	0	0	0	15	= DEPO-PROVERA, INJECTABLES
0	0	0	0	16	= MORNING AFTER PILLS
0	0	0	0	17	= RHYTHM OR SAFE PERIOD BY CALENDAR
0	0	0	0	18	= SAFE PERIOD BY TEMP, CERVICAL MUCUS TEST, NFP
0	0	0	0	19	= WITHDRAWAL
0	0	0	0	20	= RESPONDENT STERILE

(3750)

1995 NATIONAL SURVEY OF FAMILY GROWTH
 File Documentation
 Respondent File (Section E Questionnaire Items)

VARIABLE NAME	COLUMN LOCATION	NON-HISPANIC			QX	TEXT AND CODE CATEGORIES
		HISP	WHITE	BLACK		
		0	0	0	0	21 = PARTNER STERILE (NOT ON CARD)
		0	0	0	0	22 = OTHER METHOD-NOT SHOWN SEPARATELY
		0	0	0	0	97 = Not Ascertained
		0	0	0	0	98 = Refused
		0	0	0	0	99 = Don't Know

1995 NATIONAL SURVEY OF FAMILY GROWTH
 File Documentation
 Respondent File (Section E Questionnaire Items)

VARIABLE NAME	COLUMN LOCATION	NON-HISPANIC			TOTAL	QX	TEXT AND CODE CATEGORIES
		HISP	WHITE	BLACK			
		0	0	0	0	19	NFP = WITHDRAWAL
		0	0	0	0	20	= RESPONDENT STERILE
		0	0	0	0	21	= PARTNER STERILE (NOT ON CARD)
		0	0	0	0	22	= OTHER METHOD-NOT SHOWN SEPARATELY
		0	0	0	0	97	= Not Ascertained
		0	0	0	0	98	= Refused
		0	0	0	0	99	= Don't Know

1995 NATIONAL SURVEY OF FAMILY GROWTH
 File Documentation
 Respondent File (Section E Questionnaire Items)

VARIABLE	COLUMN	NON-HISPANIC				
NAME	LOCATION	HISP	WHITE	BLACK	TOTAL	QX TEXT AND CODE CATEGORIES

[MTHUS214] 7534-7535

During that month, which (of those/other) methods, if any, did you use at the same time? (3rd METHOD MENTIONED, 3rd COMBINATION, MC18)

Inapplicable:
 R said no, don't know or refused to all birth control methods in EA series (computed variable EVERUSED = 2); R never had sex as of this month and never used a birth control method as of this month but ever used one or more birth control methods in EA series (WNFSTSEX GE 1093 and DATFIRSM GE 1093 and computed variable EVERUSED = 1); R did not use multiple methods in the month; or R used only 2 methods in the month; or R reported fewer than 3 BC method combinations; or R reported using fewer than 3 BC methods for this combination in this month of the method calendar.

1553	6483	2446	10847	Blank	= Blank, inapplicable
0	0	0	0	01	= NONE
0	0	0	0	02	= OFFICE USE ONLY
0	0	0	0	03	= BIRTH CONTROL PILLS
0	0	0	0	04	= CONDOM
0	0	0	0	05	= PARTNER'S VASECTOMY
0	0	0	0	06	= DIAPHRAGM
0	0	0	0	07	= FOAM
0	0	0	0	08	= JELLY OR CREAM
0	0	0	0	09	= CERVICAL CAP
0	0	0	0	10	= SUPPOSITORY, INSERT
0	0	0	0	11	= TODAY (TM) SPONGE
0	0	0	0	12	= FEMALE CONDOM, VAGINAL POUCH
0	0	0	0	13	= IUD, COIL, LOOP
0	0	0	0	14	= NORPLANT (TM)
0	0	0	0	15	= DEPO-PROVERA, INJECTABLES
0	0	0	0	16	= MORNING AFTER PILLS
0	0	0	0	17	= RHYTHM OR SAFE PERIOD BY CALENDAR
0	0	0	0	18	= SAFE PERIOD BY TEMP, CERVICAL MUCUS TEST,

(3754)

1995 NATIONAL SURVEY OF FAMILY GROWTH
 File Documentation
 Respondent File (Section E Questionnaire Items)

VARIABLE NAME	COLUMN LOCATION	NON-HISPANIC			TOTAL	QX	TEXT AND CODE CATEGORIES
		HISP	WHITE	BLACK			
		0	0	0	0	19	NFP
		0	0	0	0	20	= WITHDRAWAL
		0	0	0	0	21	= RESPONDENT STERILE
							= PARTNER STERILE (NOT ON CARD)
		0	0	0	0	22	= OTHER METHOD-NOT SHOWN SEPARATELY
		0	0	0	0	97	= Not Ascertained
		0	0	0	0	98	= Refused
		0	0	0	0	99	= Don't Know

1995 NATIONAL SURVEY OF FAMILY GROWTH
 File Documentation
 Respondent File (Section E Questionnaire Items)

VARIABLE	COLUMN	NON-HISPANIC				QX TEXT AND CODE CATEGORIES
NAME	LOCATION	HISP	WHITE	BLACK		

[MTHUS215] 7536-7537

During that month, which (of those/other) methods, if any, did you use at the same time? (4th METHOD MENTIONED, 3rd COMBINATION, MC18)

Inapplicable:
 R said no, don't know or refused to all birth control methods in EA series (computed variable EVERUSED = 2); R never had sex as of this month and never used a birth control method as of this month but ever used one or more birth control methods in EA series (WNFSTSEX GE 1093 and DATFIRSM GE 1093 and computed variable EVERUSED = 1); R did not use multiple methods in the month; or R used only 2 methods in the month; or R reported fewer than 3 BC method combinations; or R reported using fewer than 4 BC methods for this combination in this month of the method calendar.

1553	6483	2446	10847	Blank	= Blank, inapplicable
0	0	0	0	01	= NONE
0	0	0	0	02	= OFFICE USE ONLY
0	0	0	0	03	= BIRTH CONTROL PILLS
0	0	0	0	04	= CONDOM
0	0	0	0	05	= PARTNER'S VASECTOMY
0	0	0	0	06	= DIAPHRAGM
0	0	0	0	07	= FOAM
0	0	0	0	08	= JELLY OR CREAM
0	0	0	0	09	= CERVICAL CAP
0	0	0	0	10	= SUPPOSITORY, INSERT
0	0	0	0	11	= TODAY (TM) SPONGE
0	0	0	0	12	= FEMALE CONDOM, VAGINAL POUCH
0	0	0	0	13	= IUD, COIL, LOOP
0	0	0	0	14	= NORPLANT (TM)
0	0	0	0	15	= DEPO-PROVERA, INJECTABLES
0	0	0	0	16	= MORNING AFTER PILLS
0	0	0	0	17	= RHYTHM OR SAFE PERIOD BY CALENDAR
0	0	0	0	18	= SAFE PERIOD BY TEMP, CERVICAL MUCUS TEST,

1995 NATIONAL SURVEY OF FAMILY GROWTH
 File Documentation
 Respondent File (Section E Questionnaire Items)

VARIABLE NAME	COLUMN LOCATION	NON-HISPANIC			TOTAL	QX	TEXT AND CODE CATEGORIES
		HISP	WHITE	BLACK			
		0	0	0	0	19	NFP = WITHDRAWAL
		0	0	0	0	20	= RESPONDENT STERILE
		0	0	0	0	21	= PARTNER STERILE (NOT ON CARD)
		0	0	0	0	22	= OTHER METHOD-NOT SHOWN SEPARATELY
		0	0	0	0	97	= Not Ascertained
		0	0	0	0	98	= Refused
		0	0	0	0	99	= Don't Know

1995 NATIONAL SURVEY OF FAMILY GROWTH
 File Documentation
 Respondent File (Section E Questionnaire Items)

VARIABLE NAME	COLUMN LOCATION	NON-HISPANIC			QX TEXT AND CODE CATEGORIES
		HISP	WHITE	BLACK TOTAL	
[METHH072]	7538-7539				ENTER METHOD (FIRST MENTIONED) USED IN JULY 1992: (MC19)
					Inapplicable: R never had sex as of this month and never used a birth control method as of this month but ever used one or more birth control methods in EA series (WNFSTSEX GE 1093 and DATFIRSM GE 1093 and computed variable EVERUSED = 1); R never had sex and said no, don't know or refused to all birth control methods in EA series (computed variable RHADSEX coded 2,7,8 or 9 and computed variable EVERUSED = 2); R said no, don't know or refused to all birth control methods in EA series (computed variable EVERUSED = 2).
		363	1035	344 1855	Blank = Blank, inapplicable
		335	1232	565 2197	01 = NO METHODS USED
		0	0	1 1	02 = SAME AS PREVIOUS MONTH
		259	1353	446 2093	03 = BIRTH CONTROL PILLS
		169	814	391 1438	04 = CONDOM
		23	308	8 347	05 = PARTNER'S VASECTOMY
		6	127	14 149	06 = DIAPHRAGM
		3	25	2 31	07 = FOAM
		1	10	2 13	08 = JELLY OR CREAM
		0	2	0 2	09 = CERVICAL CAP
		5	22	7 36	10 = SUPPOSITORY, INSERT
		2	36	11 49	11 = TODAY (TM) SPONGE
		0	0	0 0	12 = FEMALE CONDOM, VAGINAL POUCH
		18	36	19 77	13 = IUD, COIL, LOOP
		10	24	25 59	14 = NORPLANT (TM)
		13	7	7 28	15 = DEPO-PROVERA, INJECTABLES
		0	1	0 1	16 = MORNING AFTER PILLS
		29	107	19 167	17 = RHYTHM OR SAFE PERIOD BY CALENDAR
		3	13	0 16	18 = SAFE PERIOD BY TEMP, CERVICAL MUCUS TEST, NFP
		37	128	27 201	19 = WITHDRAWAL
		259	1034	543 1880	20 = RESPONDENT STERILE

(3758)

1995 NATIONAL SURVEY OF FAMILY GROWTH
 File Documentation
 Respondent File (Section E Questionnaire Items)

VARIABLE NAME	COLUMN LOCATION	NON-HISPANIC			TOTAL	QX	TEXT AND CODE CATEGORIES
		HISP	WHITE	BLACK			
		17	158	7	186	21	= PARTNER STERILE (NOT ON CARD)
		1	4	4	9	22	= OTHER METHOD-NOT SHOWN SEPARATELY
		0	0	0	0	55	= SAME METHODS USED THROUGH END OF YEAR
		0	1	2	3	97	= Not Ascertained
		0	4	2	6	98	= Refused
		0	2	0	3	99	= Don't Know

1995 NATIONAL SURVEY OF FAMILY GROWTH
 File Documentation
 Respondent File (Section E Questionnaire Items)

VARIABLE NAME	COLUMN LOCATION	NON-HISPANIC			TOTAL	QX	TEXT AND CODE CATEGORIES
		HISP	WHITE	BLACK			
		2	8	11	21	20	= RESPONDENT STERILE
		0	7	1	9	21	= PARTNER STERILE (NOT ON CARD)
		0	0	0	0	22	= OTHER METHOD-NOT SHOWN SEPARATELY
		0	0	0	0	55	= SAME METHODS USED THROUGH END OF YEAR
		0	1	2	3	97	= Not Ascertained
		0	4	2	6	98	= Refused
		0	2	0	3	99	= Don't Know

1995 NATIONAL SURVEY OF FAMILY GROWTH
 File Documentation
 Respondent File (Section E Questionnaire Items)

VARIABLE COLUMN NON-HISPANIC
 NAME LOCATION HISP WHITE BLACK TOTAL QX TEXT AND CODE CATEGORIES

[METHH074] 7542-7543

ENTER METHOD (THIRD MENTIONED) USED
 IN JULY 1992: (MC19)

Inapplicable:

R never had sex as of this month and never used a birth control method as of this month but ever used one or more birth control methods in EA series (WNFSTSEX GE 1093 and DATFIRSM GE 1093 and computed variable EVERUSED = 1); R never had sex and said no, don't know or refused to all birth control methods in EA series (computed variable RHADSEX coded 2,7,8 or 9 and computed variable EVERUSED = 2); R said no, don't know or refused to all birth control methods in EA series (computed variable EVERUSED = 2); R used fewer than 3 methods in month.

1540	6416	2421	10737	Blank	= Blank, inapplicable
0	0	0	0	01	= NO METHODS USED
0	0	0	0	02	= SAME AS PREVIOUS MONTH
0	1	1	2	03	= BIRTH CONTROL PILLS
1	1	0	2	04	= CONDOM
1	0	0	1	05	= PARTNER'S VASECTOMY
0	0	0	0	06	= DIAPHRAGM
2	1	2	5	07	= FOAM
0	2	0	2	08	= JELLY OR CREAM
0	0	0	0	09	= CERVICAL CAP
0	2	0	2	10	= SUPPOSITORY, INSERT
1	6	0	7	11	= TODAY (TM) SPONGE
1	0	0	1	12	= FEMALE CONDOM, VAGINAL POUCH
0	0	0	0	13	= IUD, COIL, LOOP
0	0	0	0	14	= NORPLANT (TM)
0	0	0	0	15	= DEPO-PROVERA, INJECTABLES
0	1	0	1	16	= MORNING AFTER PILLS
2	7	0	9	17	= RHYTHM OR SAFE PERIOD BY CALENDAR
0	3	0	4	18	= SAFE PERIOD BY TEMP, CERVICAL MUCUS TEST, NFP
3	25	2	32	19	= WITHDRAWAL

(3762)

1995 NATIONAL SURVEY OF FAMILY GROWTH
 File Documentation
 Respondent File (Section E Questionnaire Items)

VARIABLE NAME	COLUMN LOCATION	NON-HISPANIC			TOTAL	QX	TEXT AND CODE CATEGORIES
		HISP	WHITE	BLACK			
		1	11	16	28	20	= RESPONDENT STERILE
		0	0	0	0	21	= PARTNER STERILE (NOT ON CARD)
		1	0	0	2	22	= OTHER METHOD-NOT SHOWN SEPARATELY
		0	0	0	0	55	= SAME METHODS USED THROUGH END OF YEAR
		0	1	2	3	97	= Not Ascertained
		0	4	2	6	98	= Refused
		0	2	0	3	99	= Don't Know

1995 NATIONAL SURVEY OF FAMILY GROWTH
 File Documentation
 Respondent File (Section E Questionnaire Items)

VARIABLE NAME	COLUMN LOCATION	NON-HISPANIC			TOTAL	QX	TEXT AND CODE CATEGORIES
		HISP	WHITE	BLACK			
		0	0	0	0	20	= RESPONDENT STERILE
		0	0	0	0	21	= PARTNER STERILE (NOT ON CARD)
		0	0	0	0	22	= OTHER METHOD-NOT SHOWN SEPARATELY
		0	0	0	0	55	= SAME METHODS USED THROUGH END OF YEAR
		0	1	2	3	97	= Not Ascertained
		0	4	2	6	98	= Refused
		0	2	0	3	99	= Don't Know

[SIMSEQ18] 7546-7546

Did you use those methods together,
 that is, at the same time, or did
 you use them at different times
 during the month? (MC19)

Inapplicable:

R never had sex as of this month and
 never used a birth control method as
 of this month but ever used one or
 more birth control methods in EA
 series (WNFSTSEX GE 1093 and
 DATFIRSM GE 1093 and computed
 variable EVERUSED = 1); R never had
 sex and said no, don't know or
 refused to all birth control methods
 in EA series (computed variable
 RHADSEX coded 2,7,8 or 9 and
 computed variable EVERUSED = 2); R
 said no, don't know or refused to
 all birth control methods in EA
 series (computed variable EVERUSED =
 2); R did not use multiple methods
 in the month; R used more than 2
 methods in the month.

1496	6137	2293	10270	Blank	= Blank, inapplicable
32	224	113	380	1	= SAME TIME
25	122	40	197	2	= DIFFERENT TIMES
0	0	0	0	7	= Not Ascertained
0	0	0	0	8	= Refused
0	0	0	0	9	= Don't Know

1995 NATIONAL SURVEY OF FAMILY GROWTH
 File Documentation
 Respondent File (Section E Questionnaire Items)

VARIABLE NAME	COLUMN LOCATION	NON-HISPANIC			TOTAL	QX	TEXT AND CODE CATEGORIES
		HISP	WHITE	BLACK			
		0	0	0	0	22	ON CARD) = OTHER METHOD-NOT SHOWN SEPARATELY
		0	0	0	0	97	= Not Ascertained
		0	0	0	0	98	= Refused
		0	0	0	0	99	= Don't Know

1995 NATIONAL SURVEY OF FAMILY GROWTH
 File Documentation
 Respondent File (Section E Questionnaire Items)

VARIABLE COLUMN NON-HISPANIC
 NAME LOCATION HISP WHITE BLACK TOTAL QX TEXT AND CODE CATEGORIES

[MTHUS217] 7549-7550

During that month, which (of those/other) methods, if any, did you use at the same time? (2nd METHOD MENTIONED, 1st COMBINATION, MC19)

Inapplicable:
 R said no, don't know or refused to all birth control methods in EA series (computed variable EVERUSED = 2); R never had sex as of this month and never used a birth control method as of this month but ever used one or more birth control methods in EA series (WNFSTSEX GE 1093 and DATFIRSM GE 1093 and computed variable EVERUSED = 1); R did not use multiple methods in the month; or R used only 2 methods in the month; or R reported using fewer than 2 BC methods for this combination in this month of the method calendar.

	1545	6442	2441	10789	Blank	
	0	0	0	0	01	= Blank, inapplicable
	0	0	0	0	02	= NONE
	0	0	0	0	03	= OFFICE USE ONLY
	1	9	4	14	04	= BIRTH CONTROL PILLS
	0	1	0	1	05	= CONDOM
	0	1	0	1	06	= PARTNER'S VASECTOMY
	1	4	0	5	07	= DIAPHRAGM
	1	0	0	1	08	= FOAM
	0	0	0	0	09	= JELLY OR CREAM
	1	0	1	2	10	= CERVICAL CAP
	0	1	0	1	11	= SUPPOSITORY, INSERT
	0	0	0	0	12	= TODAY (TM) SPONGE
	0	0	0	0	13	= FEMALE CONDOM, VAGINAL POUCH
	0	0	0	0	14	= IUD, COIL, LOOP
	0	0	0	0	15	= NORPLANT (TM)
	0	1	0	1	16	= DEPO-PROVERA, INJECTABLES
	3	15	0	19	17	= MORNING AFTER PILLS
	0	1	0	1	18	= RHYTHM OR SAFE PERIOD BY CALENDAR
						= SAFE PERIOD BY TEMP, CERVICAL MUCUS TEST, NFP

(3768)

1995 NATIONAL SURVEY OF FAMILY GROWTH
 File Documentation
 Respondent File (Section E Questionnaire Items)

VARIABLE NAME	COLUMN LOCATION	NON-HISPANIC			TOTAL	QX	TEXT AND CODE CATEGORIES
		HISP	WHITE	BLACK			
		1	8	0	12	19	= WITHDRAWAL
		0	0	0	0	20	= RESPONDENT STERILE
		0	0	0	0	21	= PARTNER STERILE (NOT ON CARD)
		0	0	0	0	22	= OTHER METHOD-NOT SHOWN SEPARATELY
		0	0	0	0	97	= Not Ascertained
		0	0	0	0	98	= Refused
		0	0	0	0	99	= Don't Know

1995 NATIONAL SURVEY OF FAMILY GROWTH
File Documentation
Respondent File (Section E Questionnaire Items)

VARIABLE	COLUMN	NON-HISPANIC				QX TEXT AND CODE CATEGORIES
NAME	LOCATION	HISP	WHITE	BLACK		

[MTHUS218] 7551-7552

During that month, which (of those/other) methods, if any, did you use at the same time? (3rd METHOD MENTIONED, 1st COMBINATION, MC19)

Inapplicable:
R said no, don't know or refused to all birth control methods in EA series (computed variable EVERUSED = 2); R never had sex as of this month and never used a birth control method as of this month but ever used one or more birth control methods in EA series (WNFSTSEX GE 1093 and DATFIRSM GE 1093 and computed variable EVERUSED = 1); R did not use multiple methods in the month; or R used only 2 methods in the month; or R reported using fewer than 3 BC methods for this combination in this month of the method calendar.

1546	6458	2443	10811	Blank	= Blank, inapplicable
0	0	0	0	01	= NONE
0	0	0	0	02	= OFFICE USE ONLY
0	0	1	1	03	= BIRTH CONTROL PILLS
0	0	0	0	04	= CONDOM
1	0	0	1	05	= PARTNER'S VASECTOMY
0	0	0	0	06	= DIAPHRAGM
2	1	2	5	07	= FOAM
0	2	0	2	08	= JELLY OR CREAM
0	0	0	0	09	= CERVICAL CAP
0	1	0	1	10	= SUPPOSITORY, INSERT
1	2	0	3	11	= TODAY (TM) SPONGE
0	0	0	0	12	= FEMALE CONDOM, VAGINAL POUCH
0	0	0	0	13	= IUD, COIL, LOOP
0	0	0	0	14	= NORPLANT (TM)
0	0	0	0	15	= DEPO-PROVERA, INJECTABLES
0	0	0	0	16	= MORNING AFTER PILLS
2	4	0	6	17	= RHYTHM OR SAFE PERIOD BY CALENDAR
0	2	0	3	18	= SAFE PERIOD BY TEMP, CERVICAL MUCUS TEST, NFP

1995 NATIONAL SURVEY OF FAMILY GROWTH
 File Documentation
 Respondent File (Section E Questionnaire Items)

VARIABLE NAME	COLUMN LOCATION	NON-HISPANIC			TOTAL	QX	TEXT AND CODE CATEGORIES
		HISP	WHITE	BLACK			
		0	13	0	13	19	= WITHDRAWAL
		0	0	0	0	20	= RESPONDENT STERILE
		0	0	0	0	21	= PARTNER STERILE (NOT ON CARD)
		1	0	0	1	22	= OTHER METHOD-NOT SHOWN SEPARATELY
		0	0	0	0	97	= Not Ascertained
		0	0	0	0	98	= Refused
		0	0	0	0	99	= Don't Know

1995 NATIONAL SURVEY OF FAMILY GROWTH
 File Documentation
 Respondent File (Section E Questionnaire Items)

VARIABLE COLUMN NON-HISPANIC
 NAME LOCATION HISP WHITE BLACK TOTAL QX TEXT AND CODE CATEGORIES

[MTHUS219] 7553-7554

During that month, which (of those/other) methods, if any, did you use at the same time? (4th METHOD MENTIONED, 1st COMBINATION, MC19)

Inapplicable:
 R said no, don't know or refused to all birth control methods in EA series (computed variable EVERUSED = 2); R never had sex as of this month and never used a birth control method as of this month but ever used one or more birth control methods in EA series (WNFSTSEX GE 1093 and DATFIRSM GE 1093 and computed variable EVERUSED = 1); R did not use multiple methods in the month; or R used only 2 methods in the month; or R reported using fewer than 4 BC methods for this combination in this month of the method calendar.

1553	6482	2446	10846	Blank	= Blank, inapplicable
0	0	0	0	01	= NONE
0	0	0	0	02	= OFFICE USE ONLY
0	0	0	0	03	= BIRTH CONTROL PILLS
0	1	0	1	04	= CONDOM
0	0	0	0	05	= PARTNER'S VASECTOMY
0	0	0	0	06	= DIAPHRAGM
0	0	0	0	07	= FOAM
0	0	0	0	08	= JELLY OR CREAM
0	0	0	0	09	= CERVICAL CAP
0	0	0	0	10	= SUPPOSITORY, INSERT
0	0	0	0	11	= TODAY (TM) SPONGE
0	0	0	0	12	= FEMALE CONDOM, VAGINAL POUCH
0	0	0	0	13	= IUD, COIL, LOOP
0	0	0	0	14	= NORPLANT (TM)
0	0	0	0	15	= DEPO-PROVERA, INJECTABLES
0	0	0	0	16	= MORNING AFTER PILLS
0	0	0	0	17	= RHYTHM OR SAFE PERIOD BY CALENDAR
0	0	0	0	18	= SAFE PERIOD BY TEMP, CERVICAL MUCUS TEST, NFP

1995 NATIONAL SURVEY OF FAMILY GROWTH
 File Documentation
 Respondent File (Section E Questionnaire Items)

VARIABLE NAME	COLUMN LOCATION	NON-HISPANIC			TOTAL	QX	TEXT AND CODE CATEGORIES
		HISP	WHITE	BLACK			
		0	0	0	0	19	= WITHDRAWAL
		0	0	0	0	20	= RESPONDENT STERILE
		0	0	0	0	21	= PARTNER STERILE (NOT ON CARD)
		0	0	0	0	22	= OTHER METHOD-NOT SHOWN SEPARATELY
		0	0	0	0	97	= Not Ascertained
		0	0	0	0	98	= Refused
		0	0	0	0	99	= Don't Know

1995 NATIONAL SURVEY OF FAMILY GROWTH
 File Documentation
 Respondent File (Section E Questionnaire Items)

VARIABLE COLUMN NON-HISPANIC
 NAME LOCATION HISP WHITE BLACK TOTAL QX TEXT AND CODE CATEGORIES

[MTHUS220] 7555-7556

During that month, which (of those/other) methods, if any, did you use at the same time? (1st METHOD MENTIONED, 2nd COMBINATION, MC19)

Inapplicable:
 R said no, don't know or refused to all birth control methods in EA series (computed variable EVERUSED = 2); R never had sex as of this month and never used a birth control method as of this month but ever used one or more birth control methods in EA series (WNFSTSEX GE 1093 and DATFIRSM GE 1093 and computed variable EVERUSED = 1); R did not use multiple methods in the month; or R used only 2 methods in the month; or R reported fewer than 2 BC method combinations.

1545	6442	2441	10789	Blank	= Blank, inapplicable
5	29	1	38	01	= NONE
0	0	0	0	02	= OFFICE USE ONLY
0	2	1	3	03	= BIRTH CONTROL PILLS
0	4	0	5	04	= CONDOM
0	0	0	0	05	= PARTNER'S VASECTOMY
0	0	0	0	06	= DIAPHRAGM
1	2	0	3	07	= FOAM
0	0	0	0	08	= JELLY OR CREAM
0	0	0	0	09	= CERVICAL CAP
0	0	0	0	10	= SUPPOSITORY, INSERT
0	1	0	1	11	= TODAY (TM) SPONGE
0	0	0	0	12	= FEMALE CONDOM, VAGINAL POUCH
0	0	0	0	13	= IUD, COIL, LOOP
0	0	0	0	14	= NORPLANT (TM)
0	0	0	0	15	= DEPO-PROVERA, INJECTABLES
0	0	0	0	16	= MORNING AFTER PILLS
0	2	0	2	17	= RHYTHM OR SAFE PERIOD BY CALENDAR
0	0	0	0	18	= SAFE PERIOD BY TEMP, CERVICAL MUCUS TEST, NFP
1	1	2	4	19	= WITHDRAWAL
0	0	1	1	20	= RESPONDENT STERILE

(3774)

1995 NATIONAL SURVEY OF FAMILY GROWTH
 File Documentation
 Respondent File (Section E Questionnaire Items)

VARIABLE NAME	COLUMN LOCATION	NON-HISPANIC			QX	TEXT AND CODE CATEGORIES
		HISP	WHITE	BLACK		
		0	0	0	0	21 = PARTNER STERILE (NOT ON CARD)
		1	0	0	1	22 = OTHER METHOD-NOT SHOWN SEPARATELY
		0	0	0	0	97 = Not Ascertained
		0	0	0	0	98 = Refused
		0	0	0	0	99 = Don't Know

1995 NATIONAL SURVEY OF FAMILY GROWTH
 File Documentation
 Respondent File (Section E Questionnaire Items)

VARIABLE	COLUMN	NON-HISPANIC				QX TEXT AND CODE CATEGORIES
NAME	LOCATION	HISP	WHITE	BLACK		

[MTHUS221] 7557-7558

During that month, which (of those/other) methods, if any, did you use at the same time? (2nd METHOD MENTIONED, 2nd COMBINATION, MC19)

Inapplicable:
 R said no, don't know or refused to all birth control methods in EA series (computed variable EVERUSED = 2); R never had sex as of this month and never used a birth control method as of this month but ever used one or more birth control methods in EA series (WNFSTSEX GE 1093 and DATFIRSM GE 1093 and computed variable EVERUSED = 1); R did not use multiple methods in the month; or R used only 2 methods in the month; or R reported fewer than 2 BC method combinations; or R reported using fewer than 2 BC methods for this combination in this month of the method calendar.

1552	6474	2442	10832	Blank	= Blank, inapplicable
0	0	0	0	01	= NONE
0	0	0	0	02	= OFFICE USE ONLY
0	0	0	0	03	= BIRTH CONTROL PILLS
1	1	2	4	04	= CONDOM
0	1	0	1	05	= PARTNER'S VASECTOMY
0	0	0	0	06	= DIAPHRAGM
0	0	0	0	07	= FOAM
0	0	0	0	08	= JELLY OR CREAM
0	0	0	0	09	= CERVICAL CAP
0	0	1	1	10	= SUPPOSITORY, INSERT
0	1	0	1	11	= TODAY (TM) SPONGE
0	0	0	0	12	= FEMALE CONDOM, VAGINAL POUCH
0	0	0	0	13	= IUD, COIL, LOOP
0	0	0	0	14	= NORPLANT (TM)
0	0	0	0	15	= DEPO-PROVERA, INJECTABLES
0	0	0	0	16	= MORNING AFTER PILLS
0	2	0	3	17	= RHYTHM OR SAFE PERIOD BY CALENDAR
0	1	0	1	18	= SAFE PERIOD BY TEMP, CERVICAL MUCUS TEST,

1995 NATIONAL SURVEY OF FAMILY GROWTH
 File Documentation
 Respondent File (Section E Questionnaire Items)

VARIABLE NAME	COLUMN LOCATION	NON-HISPANIC			TOTAL	QX	TEXT AND CODE CATEGORIES
		HISP	WHITE	BLACK			
		0	3	1	4	19	NFP
		0	0	0	0	20	= WITHDRAWAL
		0	0	0	0	21	= RESPONDENT STERILE
							= PARTNER STERILE (NOT ON CARD)
		0	0	0	0	22	= OTHER METHOD-NOT SHOWN SEPARATELY
		0	0	0	0	97	= Not Ascertained
		0	0	0	0	98	= Refused
		0	0	0	0	99	= Don't Know

1995 NATIONAL SURVEY OF FAMILY GROWTH
 File Documentation
 Respondent File (Section E Questionnaire Items)

VARIABLE COLUMN NON-HISPANIC
 NAME LOCATION HISP WHITE BLACK TOTAL QX TEXT AND CODE CATEGORIES

[MTHUS222] 7559-7560

During that month, which (of those/other) methods, if any, did you use at the same time? (3rd METHOD MENTIONED, 2nd COMBINATION, MC19)

Inapplicable:
 R said no, don't know or refused to all birth control methods in EA series (computed variable EVERUSED = 2); R never had sex as of this month and never used a birth control method as of this month but ever used one or more birth control methods in EA series (WNFSTSEX GE 1093 and DATFIRSM GE 1093 and computed variable EVERUSED = 1); R did not use multiple methods in the month; or R used only 2 methods in the month; or R reported fewer than 2 BC method combinations; or R reported using fewer than 3 BC methods for this combination in this month of the method calendar.

1552	6480	2445	10841	Blank	= Blank, inapplicable
0	0	0	0	01	= NONE
0	0	0	0	02	= OFFICE USE ONLY
0	0	1	1	03	= BIRTH CONTROL PILLS
0	0	0	0	04	= CONDOM
0	0	0	0	05	= PARTNER'S VASECTOMY
0	0	0	0	06	= DIAPHRAGM
0	0	0	0	07	= FOAM
0	1	0	1	08	= JELLY OR CREAM
0	0	0	0	09	= CERVICAL CAP
0	0	0	0	10	= SUPPOSITORY, INSERT
0	0	0	0	11	= TODAY (TM) SPONGE
0	0	0	0	12	= FEMALE CONDOM, VAGINAL POUCH
0	0	0	0	13	= IUD, COIL, LOOP
0	0	0	0	14	= NORPLANT (TM)
0	0	0	0	15	= DEPO-PROVERA, INJECTABLES
0	0	0	0	16	= MORNING AFTER PILLS
1	0	0	1	17	= RHYTHM OR SAFE PERIOD BY CALENDAR
0	0	0	1	18	= SAFE PERIOD BY TEMP, CERVICAL MUCUS TEST,

(3778)

1995 NATIONAL SURVEY OF FAMILY GROWTH
 File Documentation
 Respondent File (Section E Questionnaire Items)

VARIABLE NAME	COLUMN LOCATION	NON-HISPANIC			TOTAL	QX	TEXT AND CODE CATEGORIES
		HISP	WHITE	BLACK			
		0	2	0	2	19	NFP
		0	0	0	0	20	= WITHDRAWAL
		0	0	0	0	21	= RESPONDENT STERILE
							= PARTNER STERILE (NOT ON CARD)
		0	0	0	0	22	= OTHER METHOD-NOT SHOWN SEPARATELY
		0	0	0	0	97	= Not Ascertained
		0	0	0	0	98	= Refused
		0	0	0	0	99	= Don't Know

1995 NATIONAL SURVEY OF FAMILY GROWTH
 File Documentation
 Respondent File (Section E Questionnaire Items)

VARIABLE	COLUMN	NON-HISPANIC				
NAME	LOCATION	HISP	WHITE	BLACK	TOTAL	QX TEXT AND CODE CATEGORIES

[MTHUS223] 7561-7562

During that month, which (of those/other) methods, if any, did you use at the same time? (4th METHOD MENTIONED, 2nd COMBINATION, MC19)

Inapplicable:
 R said no, don't know or refused to all birth control methods in EA series (computed variable EVERUSED = 2); R never had sex as of this month and never used a birth control method as of this month but ever used one or more birth control methods in EA series (WNFSTSEX GE 1093 and DATFIRSM GE 1093 and computed variable EVERUSED = 1); R did not use multiple methods in the month; or R used only 2 methods in the month; or R reported fewer than 2 BC method combinations; or R reported using fewer than 4 BC methods for this combination in this month of the method calendar.

1553	6483	2446	10847	Blank	= Blank, inapplicable
0	0	0	0	01	= NONE
0	0	0	0	02	= OFFICE USE ONLY
0	0	0	0	03	= BIRTH CONTROL PILLS
0	0	0	0	04	= CONDOM
0	0	0	0	05	= PARTNER'S VASECTOMY
0	0	0	0	06	= DIAPHRAGM
0	0	0	0	07	= FOAM
0	0	0	0	08	= JELLY OR CREAM
0	0	0	0	09	= CERVICAL CAP
0	0	0	0	10	= SUPPOSITORY, INSERT
0	0	0	0	11	= TODAY (TM) SPONGE
0	0	0	0	12	= FEMALE CONDOM, VAGINAL POUCH
0	0	0	0	13	= IUD, COIL, LOOP
0	0	0	0	14	= NORPLANT (TM)
0	0	0	0	15	= DEPO-PROVERA, INJECTABLES
0	0	0	0	16	= MORNING AFTER PILLS
0	0	0	0	17	= RHYTHM OR SAFE PERIOD BY CALENDAR
0	0	0	0	18	= SAFE PERIOD BY TEMP, CERVICAL MUCUS TEST,

(3780)

1995 NATIONAL SURVEY OF FAMILY GROWTH
 File Documentation
 Respondent File (Section E Questionnaire Items)

VARIABLE NAME	COLUMN LOCATION	NON-HISPANIC			TOTAL	QX	TEXT AND CODE CATEGORIES
		HISP	WHITE	BLACK			
		0	0	0	0	19	NFP
		0	0	0	0	20	= WITHDRAWAL
		0	0	0	0	21	= RESPONDENT STERILE
							= PARTNER STERILE (NOT ON CARD)
		0	0	0	0	22	= OTHER METHOD-NOT SHOWN SEPARATELY
		0	0	0	0	97	= Not Ascertained
		0	0	0	0	98	= Refused
		0	0	0	0	99	= Don't Know

1995 NATIONAL SURVEY OF FAMILY GROWTH
 File Documentation
 Respondent File (Section E Questionnaire Items)

VARIABLE	COLUMN	NON-HISPANIC								
NAME	LOCATION	HISP	WHITE	BLACK						

[MTHUS224] 7563-7564

During that month, which (of those/other) methods, if any, did you use at the same time? (1st METHOD MENTIONED, 3rd COMBINATION, MC19)

Inapplicable:
 R said no, don't know or refused to all birth control methods in EA series (computed variable EVERUSED = 2); R never had sex as of this month and never used a birth control method as of this month but ever used one or more birth control methods in EA series (WNFSTSEX GE 1093 and DATFIRSM GE 1093 and computed variable EVERUSED = 1); R did not use multiple methods in the month; or R used only 2 methods in the month; or R reported fewer than 3 BC method combinations.

	1553	6482	2446	10846	Blank					= Blank, inapplicable
	0	0	0	0	0	01				= NONE
	0	0	0	0	0	02				= OFFICE USE ONLY
	0	0	0	0	0	03				= BIRTH CONTROL PILLS
	0	1	0	1	0	04				= CONDOM
	0	0	0	0	0	05				= PARTNER'S VASECTOMY
	0	0	0	0	0	06				= DIAPHRAGM
	0	0	0	0	0	07				= FOAM
	0	0	0	0	0	08				= JELLY OR CREAM
	0	0	0	0	0	09				= CERVICAL CAP
	0	0	0	0	0	10				= SUPPOSITORY, INSERT
	0	0	0	0	0	11				= TODAY (TM) SPONGE
	0	0	0	0	0	12				= FEMALE CONDOM, VAGINAL POUCH
	0	0	0	0	0	13				= IUD, COIL, LOOP
	0	0	0	0	0	14				= NORPLANT (TM)
	0	0	0	0	0	15				= DEPO-PROVERA, INJECTABLES
	0	0	0	0	0	16				= MORNING AFTER PILLS
	0	0	0	0	0	17				= RHYTHM OR SAFE PERIOD BY CALENDAR
	0	0	0	0	0	18				= SAFE PERIOD BY TEMP, CERVICAL MUCUS TEST, NFP
	0	0	0	0	0	19				= WITHDRAWAL
	0	0	0	0	0	20				= RESPONDENT STERILE

(3782)

1995 NATIONAL SURVEY OF FAMILY GROWTH
 File Documentation
 Respondent File (Section E Questionnaire Items)

VARIABLE NAME	COLUMN LOCATION	NON-HISPANIC			QX	TEXT AND CODE CATEGORIES
		HISP	WHITE	BLACK		
		0	0	0	0	21 = PARTNER STERILE (NOT ON CARD)
		0	0	0	0	22 = OTHER METHOD-NOT SHOWN SEPARATELY
		0	0	0	0	97 = Not Ascertained
		0	0	0	0	98 = Refused
		0	0	0	0	99 = Don't Know

1995 NATIONAL SURVEY OF FAMILY GROWTH
 File Documentation
 Respondent File (Section E Questionnaire Items)

VARIABLE COLUMN NON-HISPANIC
 NAME LOCATION HISP WHITE BLACK TOTAL QX TEXT AND CODE CATEGORIES

[MTHUS225] 7565-7566

During that month, which (of those/other) methods, if any, did you use at the same time? (2nd METHOD MENTIONED, 3rd COMBINATION, MC19)

Inapplicable:
 R said no, don't know or refused to all birth control methods in EA series (computed variable EVERUSED = 2); R never had sex as of this month and never used a birth control method as of this month but ever used one or more birth control methods in EA series (WNFSTSEX GE 1093 and DATFIRSM GE 1093 and computed variable EVERUSED = 1); R did not use multiple methods in the month; or R used only 2 methods in the month; or R reported fewer than 3 BC method combinations; or R reported using fewer than 2 BC methods for this combination in this month of the method calendar.

1553	6482	2446	10846	Blank	= Blank, inapplicable
0	0	0	0	01	= NONE
0	0	0	0	02	= OFFICE USE ONLY
0	0	0	0	03	= BIRTH CONTROL PILLS
0	0	0	0	04	= CONDOM
0	0	0	0	05	= PARTNER'S VASECTOMY
0	0	0	0	06	= DIAPHRAGM
0	0	0	0	07	= FOAM
0	0	0	0	08	= JELLY OR CREAM
0	0	0	0	09	= CERVICAL CAP
0	0	0	0	10	= SUPPOSITORY, INSERT
0	0	0	0	11	= TODAY (TM) SPONGE
0	0	0	0	12	= FEMALE CONDOM, VAGINAL POUCH
0	0	0	0	13	= IUD, COIL, LOOP
0	0	0	0	14	= NORPLANT (TM)
0	0	0	0	15	= DEPO-PROVERA, INJECTABLES
0	0	0	0	16	= MORNING AFTER PILLS
0	1	0	1	17	= RHYTHM OR SAFE PERIOD BY CALENDAR
0	0	0	0	18	= SAFE PERIOD BY TEMP, CERVICAL MUCUS TEST,

(3784)

1995 NATIONAL SURVEY OF FAMILY GROWTH
 File Documentation
 Respondent File (Section E Questionnaire Items)

VARIABLE NAME	COLUMN LOCATION	NON-HISPANIC			TOTAL	QX	TEXT AND CODE CATEGORIES
		HISP	WHITE	BLACK			
		0	0	0	0	19	NFP = WITHDRAWAL
		0	0	0	0	20	= RESPONDENT STERILE
		0	0	0	0	21	= PARTNER STERILE (NOT ON CARD)
		0	0	0	0	22	= OTHER METHOD-NOT SHOWN SEPARATELY
		0	0	0	0	97	= Not Ascertained
		0	0	0	0	98	= Refused
		0	0	0	0	99	= Don't Know

1995 NATIONAL SURVEY OF FAMILY GROWTH
 File Documentation
 Respondent File (Section E Questionnaire Items)

VARIABLE	COLUMN	NON-HISPANIC				
NAME	LOCATION	HISP	WHITE	BLACK	TOTAL	QX TEXT AND CODE CATEGORIES

[MTHUS226] 7567-7568

During that month, which (of those/other) methods, if any, did you use at the same time? (3rd METHOD MENTIONED, 3rd COMBINATION, MC19)

Inapplicable:
 R said no, don't know or refused to all birth control methods in EA series (computed variable EVERUSED = 2); R never had sex as of this month and never used a birth control method as of this month but ever used one or more birth control methods in EA series (WNFSTSEX GE 1093 and DATFIRSM GE 1093 and computed variable EVERUSED = 1); R did not use multiple methods in the month; or R used only 2 methods in the month; or R reported fewer than 3 BC method combinations; or R reported using fewer than 3 BC methods for this combination in this month of the method calendar.

1553	6483	2446	10847	Blank	= Blank, inapplicable
0	0	0	0	01	= NONE
0	0	0	0	02	= OFFICE USE ONLY
0	0	0	0	03	= BIRTH CONTROL PILLS
0	0	0	0	04	= CONDOM
0	0	0	0	05	= PARTNER'S VASECTOMY
0	0	0	0	06	= DIAPHRAGM
0	0	0	0	07	= FOAM
0	0	0	0	08	= JELLY OR CREAM
0	0	0	0	09	= CERVICAL CAP
0	0	0	0	10	= SUPPOSITORY, INSERT
0	0	0	0	11	= TODAY (TM) SPONGE
0	0	0	0	12	= FEMALE CONDOM, VAGINAL POUCH
0	0	0	0	13	= IUD, COIL, LOOP
0	0	0	0	14	= NORPLANT (TM)
0	0	0	0	15	= DEPO-PROVERA, INJECTABLES
0	0	0	0	16	= MORNING AFTER PILLS
0	0	0	0	17	= RHYTHM OR SAFE PERIOD BY CALENDAR
0	0	0	0	18	= SAFE PERIOD BY TEMP, CERVICAL MUCUS TEST,

(3786)

1995 NATIONAL SURVEY OF FAMILY GROWTH
 File Documentation
 Respondent File (Section E Questionnaire Items)

VARIABLE NAME	COLUMN LOCATION	NON-HISPANIC			TOTAL	QX	TEXT AND CODE CATEGORIES
		HISP	WHITE	BLACK			
		0	0	0	0	19	NFP
		0	0	0	0	20	= WITHDRAWAL
		0	0	0	0	21	= RESPONDENT STERILE
							= PARTNER STERILE (NOT ON CARD)
		0	0	0	0	22	= OTHER METHOD-NOT SHOWN SEPARATELY
		0	0	0	0	97	= Not Ascertained
		0	0	0	0	98	= Refused
		0	0	0	0	99	= Don't Know

1995 NATIONAL SURVEY OF FAMILY GROWTH
 File Documentation
 Respondent File (Section E Questionnaire Items)

VARIABLE	COLUMN	NON-HISPANIC				QX TEXT AND CODE CATEGORIES
NAME	LOCATION	HISP	WHITE	BLACK		

[MTHUS227] 7569-7570

During that month, which (of those/other) methods, if any, did you use at the same time? (4th METHOD MENTIONED, 3rd COMBINATION, MC19)

Inapplicable:
 R said no, don't know or refused to all birth control methods in EA series (computed variable EVERUSED = 2); R never had sex as of this month and never used a birth control method as of this month but ever used one or more birth control methods in EA series (WNFSTSEX GE 1093 and DATFIRSM GE 1093 and computed variable EVERUSED = 1); R did not use multiple methods in the month; or R used only 2 methods in the month; or R reported fewer than 3 BC method combinations; or R reported using fewer than 4 BC methods for this combination in this month of the method calendar.

1553	6483	2446	10847	Blank	= Blank, inapplicable
0	0	0	0	01	= NONE
0	0	0	0	02	= OFFICE USE ONLY
0	0	0	0	03	= BIRTH CONTROL PILLS
0	0	0	0	04	= CONDOM
0	0	0	0	05	= PARTNER'S VASECTOMY
0	0	0	0	06	= DIAPHRAGM
0	0	0	0	07	= FOAM
0	0	0	0	08	= JELLY OR CREAM
0	0	0	0	09	= CERVICAL CAP
0	0	0	0	10	= SUPPOSITORY, INSERT
0	0	0	0	11	= TODAY (TM) SPONGE
0	0	0	0	12	= FEMALE CONDOM, VAGINAL POUCH
0	0	0	0	13	= IUD, COIL, LOOP
0	0	0	0	14	= NORPLANT (TM)
0	0	0	0	15	= DEPO-PROVERA, INJECTABLES
0	0	0	0	16	= MORNING AFTER PILLS
0	0	0	0	17	= RHYTHM OR SAFE PERIOD BY CALENDAR
0	0	0	0	18	= SAFE PERIOD BY TEMP, CERVICAL MUCUS TEST,

(3788)

1995 NATIONAL SURVEY OF FAMILY GROWTH
 File Documentation
 Respondent File (Section E Questionnaire Items)

VARIABLE NAME	COLUMN LOCATION	NON-HISPANIC			TOTAL	QX	TEXT AND CODE CATEGORIES
		HISP	WHITE	BLACK			
		0	0	0	0	19	NFP = WITHDRAWAL
		0	0	0	0	20	= RESPONDENT STERILE
		0	0	0	0	21	= PARTNER STERILE (NOT ON CARD)
		0	0	0	0	22	= OTHER METHOD-NOT SHOWN SEPARATELY
		0	0	0	0	97	= Not Ascertained
		0	0	0	0	98	= Refused
		0	0	0	0	99	= Don't Know

1995 NATIONAL SURVEY OF FAMILY GROWTH
 File Documentation
 Respondent File (Section E Questionnaire Items)

VARIABLE NAME	COLUMN LOCATION	NON-HISPANIC			QX	TEXT AND CODE CATEGORIES
		HISP	WHITE	BLACK		
[METHH076]	7571-7572					ENTER METHOD (FIRST MENTIONED) USED IN AUGUST 1992: (MC20)
						Inapplicable: R never had sex as of this month and never used a birth control method as of this month but ever used one or more birth control methods in EA series (WNFSTSEX GE 1093 and DATFIRSM GE 1093 and computed variable EVERUSED = 1); R never had sex and said no, don't know or refused to all birth control methods in EA series (computed variable RHADSEX coded 2,7,8 or 9 and computed variable EVERUSED = 2); R said no, don't know or refused to all birth control methods in EA series (computed variable EVERUSED = 2).
		359	1019	341	1830	Blank = Blank, inapplicable
		336	1244	558	2204	01 = NO METHODS USED
		0	0	1	1	02 = SAME AS PREVIOUS MONTH
		255	1351	449	2090	03 = BIRTH CONTROL PILLS
		174	809	390	1436	04 = CONDOM
		23	309	8	348	05 = PARTNER'S VASECTOMY
		6	128	14	150	06 = DIAPHRAGM
		3	22	2	28	07 = FOAM
		1	9	2	12	08 = JELLY OR CREAM
		0	3	0	3	09 = CERVICAL CAP
		5	23	7	37	10 = SUPPOSITORY, INSERT
		1	33	11	45	11 = TODAY (TM) SPONGE
		0	0	0	0	12 = FEMALE CONDOM, VAGINAL POUCH
		18	35	19	76	13 = IUD, COIL, LOOP
		11	25	27	63	14 = NORPLANT (TM)
		13	8	7	29	15 = DEPO-PROVERA, INJECTABLES
		0	0	0	0	16 = MORNING AFTER PILLS
		30	107	19	169	17 = RHYTHM OR SAFE PERIOD BY CALENDAR
		3	13	0	16	18 = SAFE PERIOD BY TEMP, CERVICAL MUCUS TEST, NFP
		37	127	28	201	19 = WITHDRAWAL
		260	1048	548	1901	20 = RESPONDENT STERILE

(3790)

1995 NATIONAL SURVEY OF FAMILY GROWTH
 File Documentation
 Respondent File (Section E Questionnaire Items)

VARIABLE NAME	COLUMN LOCATION	NON-HISPANIC			TOTAL	QX	TEXT AND CODE CATEGORIES
		HISP	WHITE	BLACK			
		17	159	7	187	21	= PARTNER STERILE (NOT ON CARD)
		1	4	4	9	22	= OTHER METHOD-NOT SHOWN SEPARATELY
		0	0	0	0	55	= SAME METHODS USED THROUGH END OF YEAR
		0	1	2	3	97	= Not Ascertained
		0	4	2	6	98	= Refused
		0	2	0	3	99	= Don't Know

1995 NATIONAL SURVEY OF FAMILY GROWTH
 File Documentation
 Respondent File (Section E Questionnaire Items)

VARIABLE COLUMN NON-HISPANIC
 NAME LOCATION HISP WHITE BLACK TOTAL QX TEXT AND CODE CATEGORIES

[METHH077] 7573-7574 ENTER METHOD (SECOND MENTIONED) USED
 IN AUGUST 1992: (MC20)

Inapplicable:
 R never had sex as of this month and never used a birth control method as of this month but ever used one or more birth control methods in EA series (WNFSTSEX GE 1093 and DATFIRSM GE 1093 and computed variable EVERUSED = 1); R never had sex and said no, don't know or refused to all birth control methods in EA series (computed variable RHADSEX coded 2,7,8 or 9 and computed variable EVERUSED = 2); R said no, don't know or refused to all birth control methods in EA series (computed variable EVERUSED = 2); R used fewer than 2 methods in month.

1485	6078	2285	10186	Blank	
0	0	0	0	01	= Blank, inapplicable
0	0	0	0	02	= NO METHODS USED
					= SAME AS PREVIOUS MONTH
1	8	4	13	03	= BIRTH CONTROL PILLS
17	135	80	238	04	= CONDOM
0	10	2	12	05	= PARTNER'S VASECTOMY
3	12	5	20	06	= DIAPHRAGM
8	24	11	44	07	= FOAM
2	14	4	20	08	= JELLY OR CREAM
0	0	0	0	09	= CERVICAL CAP
3	8	8	20	10	= SUPPOSITORY, INSERT
1	14	8	24	11	= TODAY (TM) SPONGE
0	0	0	0	12	= FEMALE CONDOM, VAGINAL POUCH
0	0	0	0	13	= IUD, COIL, LOOP
0	0	1	1	14	= NORPLANT (TM)
0	1	0	1	15	= DEPO-PROVERA, INJECTABLES
0	0	0	0	16	= MORNING AFTER PILLS
10	54	5	77	17	= RHYTHM OR SAFE PERIOD BY CALENDAR
0	9	1	11	18	= SAFE PERIOD BY TEMP, CERVICAL MUCUS TEST, NFP
21	94	16	138	19	= WITHDRAWAL

(3792)

1995 NATIONAL SURVEY OF FAMILY GROWTH
 File Documentation
 Respondent File (Section E Questionnaire Items)

VARIABLE NAME	COLUMN LOCATION	NON-HISPANIC			TOTAL	QX	TEXT AND CODE CATEGORIES
		HISP	WHITE	BLACK			
		2	8	11	21	20	= RESPONDENT STERILE
		0	7	1	9	21	= PARTNER STERILE (NOT ON CARD)
		0	0	0	0	22	= OTHER METHOD-NOT SHOWN SEPARATELY
		0	0	0	0	55	= SAME METHODS USED THROUGH END OF YEAR
		0	1	2	3	97	= Not Ascertained
		0	4	2	6	98	= Refused
		0	2	0	3	99	= Don't Know

1995 NATIONAL SURVEY OF FAMILY GROWTH
 File Documentation
 Respondent File (Section E Questionnaire Items)

VARIABLE NAME	COLUMN LOCATION	NON-HISPANIC			TOTAL	QX	TEXT AND CODE CATEGORIES
		HISP	WHITE	BLACK			
		1	9	17	27	20	= RESPONDENT STERILE
		0	0	0	0	21	= PARTNER STERILE (NOT ON CARD)
		1	0	0	2	22	= OTHER METHOD-NOT SHOWN SEPARATELY
		0	0	0	0	55	= SAME METHODS USED THROUGH END OF YEAR
		0	1	2	3	97	= Not Ascertained
		0	4	2	6	98	= Refused
		0	2	0	3	99	= Don't Know

1995 NATIONAL SURVEY OF FAMILY GROWTH
 File Documentation
 Respondent File (Section E Questionnaire Items)

VARIABLE NAME	COLUMN LOCATION	NON-HISPANIC			QX TEXT AND CODE CATEGORIES	
		HISP	WHITE	BLACK	TOTAL	
[METHH079]	7577-7578					ENTER METHOD (FOURTH MENTIONED) USED IN AUGUST 1992: (MC20)

Inapplicable:
 R never had sex as of this month and never used a birth control method as of this month but ever used one or more birth control methods in EA series (WNFSTSEX GE 1093 and DATFIRSM GE 1093 and computed variable EVERUSED = 1); R never had sex and said no, don't know or refused to all birth control methods in EA series (computed variable RHADSEX coded 2,7,8 or 9 and computed variable EVERUSED = 2); R said no, don't know or refused to all birth control methods in EA series (computed variable EVERUSED = 2); R used fewer than 4 methods in month.

1553	6472	2442	10831	Blank	= Blank, inapplicable
0	0	0	0	01	= NO METHODS USED
0	0	0	0	02	= SAME AS PREVIOUS MONTH
0	0	0	0	03	= BIRTH CONTROL PILLS
0	1	0	1	04	= CONDOM
0	0	0	0	05	= PARTNER'S VASECTOMY
0	0	0	0	06	= DIAPHRAGM
0	0	0	0	07	= FOAM
0	0	0	0	08	= JELLY OR CREAM
0	0	0	0	09	= CERVICAL CAP
0	0	0	0	10	= SUPPOSITORY, INSERT
0	0	0	0	11	= TODAY (TM) SPONGE
0	0	0	0	12	= FEMALE CONDOM, VAGINAL POUCH
0	0	0	0	13	= IUD, COIL, LOOP
0	0	0	0	14	= NORPLANT (TM)
0	0	0	0	15	= DEPO-PROVERA, INJECTABLES
0	0	0	0	16	= MORNING AFTER PILLS
0	2	0	2	17	= RHYTHM OR SAFE PERIOD BY CALENDAR
0	0	0	0	18	= SAFE PERIOD BY TEMP, CERVICAL MUCUS TEST, NFP
0	1	0	1	19	= WITHDRAWAL

(3796)

1995 NATIONAL SURVEY OF FAMILY GROWTH
File Documentation
Respondent File (Section E Questionnaire Items)

VARIABLE NAME	COLUMN LOCATION	NON-HISPANIC			TOTAL	QX	TEXT AND CODE CATEGORIES
		HISP	WHITE	BLACK			
		0	0	0	0	20	= RESPONDENT STERILE
		0	0	0	0	21	= PARTNER STERILE (NOT ON CARD)
		0	0	0	0	22	= OTHER METHOD-NOT SHOWN SEPARATELY
		0	0	0	0	55	= SAME METHODS USED THROUGH END OF YEAR
		0	1	2	3	97	= Not Ascertained
		0	4	2	6	98	= Refused
		0	2	0	3	99	= Don't Know

[SIMSEQ19] 7579-7579

Did you use those methods together,
that is, at the same time, or did
you use them at different times
during the month? (MC20)

Inapplicable:

R never had sex as of this month and
never used a birth control method as
of this month but ever used one or
more birth control methods in EA
series (WNFSTSEX GE 1093 and
DATFIRSM GE 1093 and computed
variable EVERUSED = 1); R never had
sex and said no, don't know or
refused to all birth control methods
in EA series (computed variable
RHADSEX coded 2,7,8 or 9 and
computed variable EVERUSED = 2); R
said no, don't know or refused to
all birth control methods in EA
series (computed variable EVERUSED =
2); R did not use multiple methods
in the month; R used more than 2
methods in the month.

1497	6133	2295	10268	Blank	= Blank, inapplicable
32	231	113	389	1	= SAME TIME
24	119	38	190	2	= DIFFERENT TIMES
0	0	0	0	7	= Not Ascertained
0	0	0	0	8	= Refused
0	0	0	0	9	= Don't Know

1995 NATIONAL SURVEY OF FAMILY GROWTH
 File Documentation
 Respondent File (Section E Questionnaire Items)

VARIABLE COLUMN NON-HISPANIC
 NAME LOCATION HISP WHITE BLACK TOTAL QX TEXT AND CODE CATEGORIES

[MTHUS228] 7580-7581

During that month, which (of those/other) methods, if any, did you use at the same time? (1st METHOD MENTIONED, 1st COMBINATION, MC20)

Inapplicable:
 R said no, don't know or refused to all birth control methods in EA series (computed variable EVERUSED = 2); R never had sex as of this month and never used a birth control method as of this month but ever used one or more birth control methods in EA series (WNFSTSEX GE 1093 and DATFIRSM GE 1093 and computed variable EVERUSED = 1); R did not use multiple methods in the month; or R used only 2 methods in the month.

1541	6435	2440	10777	Blank	= Blank, inapplicable
4	8	1	13	01	= NONE
0	0	0	0	02	= OFFICE USE ONLY
1	5	2	9	03	= BIRTH CONTROL PILLS
7	21	0	31	04	= CONDOM
0	0	0	0	05	= PARTNER'S VASECTOMY
0	3	0	3	06	= DIAPHRAGM
0	2	0	2	07	= FOAM
0	0	0	0	08	= JELLY OR CREAM
0	0	0	0	09	= CERVICAL CAP
0	0	0	0	10	= SUPPOSITORY, INSERT
0	2	0	2	11	= TODAY (TM) SPONGE
0	0	0	0	12	= FEMALE CONDOM, VAGINAL POUCH
0	0	0	0	13	= IUD, COIL, LOOP
0	0	0	0	14	= NORPLANT (TM)
0	0	0	0	15	= DEPO-PROVERA, INJECTABLES
0	0	0	0	16	= MORNING AFTER PILLS
0	5	0	5	17	= RHYTHM OR SAFE PERIOD BY CALENDAR
0	0	0	0	18	= SAFE PERIOD BY TEMP, CERVICAL MUCUS TEST, NFP
0	1	2	3	19	= WITHDRAWAL
0	0	1	1	20	= RESPONDENT STERILE
0	1	0	1	21	= PARTNER STERILE (NOT

(3798)

1995 NATIONAL SURVEY OF FAMILY GROWTH
 File Documentation
 Respondent File (Section E Questionnaire Items)

VARIABLE NAME	COLUMN LOCATION	NON-HISPANIC			TOTAL	QX	TEXT AND CODE CATEGORIES
		HISP	WHITE	BLACK			
		0	0	0	0	22	ON CARD) = OTHER METHOD-NOT SHOWN SEPARATELY
		0	0	0	0	97	= Not Ascertained
		0	0	0	0	98	= Refused
		0	0	0	0	99	= Don't Know

1995 NATIONAL SURVEY OF FAMILY GROWTH
 File Documentation
 Respondent File (Section E Questionnaire Items)

VARIABLE COLUMN NON-HISPANIC
 NAME LOCATION HISP WHITE BLACK TOTAL QX TEXT AND CODE CATEGORIES

[MTHUS229] 7582-7583

During that month, which (of those/other) methods, if any, did you use at the same time? (2nd METHOD MENTIONED, 1st COMBINATION, MC20)

Inapplicable:
 R said no, don't know or refused to all birth control methods in EA series (computed variable EVERUSED = 2); R never had sex as of this month and never used a birth control method as of this month but ever used one or more birth control methods in EA series (WNFSTSEX GE 1093 and DATFIRSM GE 1093 and computed variable EVERUSED = 1); R did not use multiple methods in the month; or R used only 2 methods in the month; or R reported using fewer than 2 BC methods for this combination in this month of the method calendar.

1545	6443	2441	10790	Blank	= Blank, inapplicable
0	0	0	0	01	= NONE
0	0	0	0	02	= OFFICE USE ONLY
0	0	0	0	03	= BIRTH CONTROL PILLS
1	8	4	13	04	= CONDOM
0	1	0	1	05	= PARTNER'S VASECTOMY
0	1	0	1	06	= DIAPHRAGM
1	5	0	6	07	= FOAM
1	0	0	1	08	= JELLY OR CREAM
0	0	0	0	09	= CERVICAL CAP
1	0	1	2	10	= SUPPOSITORY, INSERT
0	1	0	1	11	= TODAY (TM) SPONGE
0	0	0	0	12	= FEMALE CONDOM, VAGINAL POUCH
0	0	0	0	13	= IUD, COIL, LOOP
0	0	0	0	14	= NORPLANT (TM)
0	0	0	0	15	= DEPO-PROVERA, INJECTABLES
0	1	0	1	16	= MORNING AFTER PILLS
3	14	0	18	17	= RHYTHM OR SAFE PERIOD BY CALENDAR
0	1	0	1	18	= SAFE PERIOD BY TEMP, CERVICAL MUCUS TEST, NFP

(3800)

1995 NATIONAL SURVEY OF FAMILY GROWTH
 File Documentation
 Respondent File (Section E Questionnaire Items)

VARIABLE NAME	COLUMN LOCATION	NON-HISPANIC			TOTAL	QX	TEXT AND CODE CATEGORIES
		HISP	WHITE	BLACK			
		1	8	0	12	19	= WITHDRAWAL
		0	0	0	0	20	= RESPONDENT STERILE
		0	0	0	0	21	= PARTNER STERILE (NOT ON CARD)
		0	0	0	0	22	= OTHER METHOD-NOT SHOWN SEPARATELY
		0	0	0	0	97	= Not Ascertained
		0	0	0	0	98	= Refused
		0	0	0	0	99	= Don't Know

1995 NATIONAL SURVEY OF FAMILY GROWTH
 File Documentation
 Respondent File (Section E Questionnaire Items)

VARIABLE COLUMN NON-HISPANIC
 NAME LOCATION HISP WHITE BLACK TOTAL QX TEXT AND CODE CATEGORIES

[MTHUS230] 7584-7585

During that month, which (of those/other) methods, if any, did you use at the same time? (3rd METHOD MENTIONED, 1st COMBINATION, MC20)

Inapplicable:
 R said no, don't know or refused to all birth control methods in EA series (computed variable EVERUSED = 2); R never had sex as of this month and never used a birth control method as of this month but ever used one or more birth control methods in EA series (WNFSTSEX GE 1093 and DATFIRSM GE 1093 and computed variable EVERUSED = 1); R did not use multiple methods in the month; or R used only 2 methods in the month; or R reported using fewer than 3 BC methods for this combination in this month of the method calendar.

1546	6460	2443	10813	Blank	= Blank, inapplicable
0	0	0	0	01	= NONE
0	0	0	0	02	= OFFICE USE ONLY
0	0	1	1	03	= BIRTH CONTROL PILLS
0	0	0	0	04	= CONDOM
1	0	0	1	05	= PARTNER'S VASECTOMY
0	0	0	0	06	= DIAPHRAGM
2	1	2	5	07	= FOAM
0	2	0	2	08	= JELLY OR CREAM
0	0	0	0	09	= CERVICAL CAP
0	0	0	0	10	= SUPPOSITORY, INSERT
1	2	0	3	11	= TODAY (TM) SPONGE
0	0	0	0	12	= FEMALE CONDOM, VAGINAL POUCH
0	0	0	0	13	= IUD, COIL, LOOP
0	0	0	0	14	= NORPLANT (TM)
0	0	0	0	15	= DEPO-PROVERA, INJECTABLES
0	0	0	0	16	= MORNING AFTER PILLS
2	4	0	6	17	= RHYTHM OR SAFE PERIOD BY CALENDAR
0	1	0	2	18	= SAFE PERIOD BY TEMP, CERVICAL MUCUS TEST, NFP

(3802)

1995 NATIONAL SURVEY OF FAMILY GROWTH
 File Documentation
 Respondent File (Section E Questionnaire Items)

VARIABLE NAME	COLUMN LOCATION	NON-HISPANIC			TOTAL	QX	TEXT AND CODE CATEGORIES
		HISP	WHITE	BLACK			
		0	13	0	13	19	= WITHDRAWAL
		0	0	0	0	20	= RESPONDENT STERILE
		0	0	0	0	21	= PARTNER STERILE (NOT ON CARD)
		1	0	0	1	22	= OTHER METHOD-NOT SHOWN SEPARATELY
		0	0	0	0	97	= Not Ascertained
		0	0	0	0	98	= Refused
		0	0	0	0	99	= Don't Know

1995 NATIONAL SURVEY OF FAMILY GROWTH
 File Documentation
 Respondent File (Section E Questionnaire Items)

VARIABLE	COLUMN	NON-HISPANIC				QX TEXT AND CODE CATEGORIES
NAME	LOCATION	HISP	WHITE	BLACK		

[MTHUS231] 7586-7587

During that month, which (of those/other) methods, if any, did you use at the same time? (4th METHOD MENTIONED, 1st COMBINATION, MC20)

Inapplicable:
 R said no, don't know or refused to all birth control methods in EA series (computed variable EVERUSED = 2); R never had sex as of this month and never used a birth control method as of this month but ever used one or more birth control methods in EA series (WNFSTSEX GE 1093 and DATFIRSM GE 1093 and computed variable EVERUSED = 1); R did not use multiple methods in the month; or R used only 2 methods in the month; or R reported using fewer than 4 BC methods for this combination in this month of the method calendar.

1553	6482	2446	10846	Blank	= Blank, inapplicable
0	0	0	0	01	= NONE
0	0	0	0	02	= OFFICE USE ONLY
0	0	0	0	03	= BIRTH CONTROL PILLS
0	1	0	1	04	= CONDOM
0	0	0	0	05	= PARTNER'S VASECTOMY
0	0	0	0	06	= DIAPHRAGM
0	0	0	0	07	= FOAM
0	0	0	0	08	= JELLY OR CREAM
0	0	0	0	09	= CERVICAL CAP
0	0	0	0	10	= SUPPOSITORY, INSERT
0	0	0	0	11	= TODAY (TM) SPONGE
0	0	0	0	12	= FEMALE CONDOM, VAGINAL POUCH
0	0	0	0	13	= IUD, COIL, LOOP
0	0	0	0	14	= NORPLANT (TM)
0	0	0	0	15	= DEPO-PROVERA, INJECTABLES
0	0	0	0	16	= MORNING AFTER PILLS
0	0	0	0	17	= RHYTHM OR SAFE PERIOD BY CALENDAR
0	0	0	0	18	= SAFE PERIOD BY TEMP, CERVICAL MUCUS TEST, NFP

1995 NATIONAL SURVEY OF FAMILY GROWTH
 File Documentation
 Respondent File (Section E Questionnaire Items)

VARIABLE NAME	COLUMN LOCATION	NON-HISPANIC			TOTAL	QX	TEXT AND CODE CATEGORIES
		HISP	WHITE	BLACK			
		0	0	0	0	19	= WITHDRAWAL
		0	0	0	0	20	= RESPONDENT STERILE
		0	0	0	0	21	= PARTNER STERILE (NOT ON CARD)
		0	0	0	0	22	= OTHER METHOD-NOT SHOWN SEPARATELY
		0	0	0	0	97	= Not Ascertained
		0	0	0	0	98	= Refused
		0	0	0	0	99	= Don't Know

1995 NATIONAL SURVEY OF FAMILY GROWTH
 File Documentation
 Respondent File (Section E Questionnaire Items)

VARIABLE COLUMN NON-HISPANIC
 NAME LOCATION HISP WHITE BLACK TOTAL QX TEXT AND CODE CATEGORIES

[MTHUS232] 7588-7589

During that month, which (of those/other) methods, if any, did you use at the same time? (1st METHOD MENTIONED, 2nd COMBINATION, MC20)

Inapplicable:
 R said no, don't know or refused to all birth control methods in EA series (computed variable EVERUSED = 2); R never had sex as of this month and never used a birth control method as of this month but ever used one or more birth control methods in EA series (WNFSTSEX GE 1093 and DATFIRSM GE 1093 and computed variable EVERUSED = 1); R did not use multiple methods in the month; or R used only 2 methods in the month; or R reported fewer than 2 BC method combinations.

1545	6443	2441	10790	Blank	= Blank, inapplicable
5	28	1	37	01	= NONE
0	0	0	0	02	= OFFICE USE ONLY
0	2	1	3	03	= BIRTH CONTROL PILLS
0	4	0	5	04	= CONDOM
0	0	0	0	05	= PARTNER'S VASECTOMY
0	0	0	0	06	= DIAPHRAGM
1	2	0	3	07	= FOAM
0	0	0	0	08	= JELLY OR CREAM
0	0	0	0	09	= CERVICAL CAP
0	0	0	0	10	= SUPPOSITORY, INSERT
0	1	0	1	11	= TODAY (TM) SPONGE
0	0	0	0	12	= FEMALE CONDOM, VAGINAL POUCH
0	0	0	0	13	= IUD, COIL, LOOP
0	0	0	0	14	= NORPLANT (TM)
0	0	0	0	15	= DEPO-PROVERA, INJECTABLES
0	0	0	0	16	= MORNING AFTER PILLS
0	2	0	2	17	= RHYTHM OR SAFE PERIOD BY CALENDAR
0	0	0	0	18	= SAFE PERIOD BY TEMP, CERVICAL MUCUS TEST, NFP
1	1	2	4	19	= WITHDRAWAL
0	0	1	1	20	= RESPONDENT STERILE

1995 NATIONAL SURVEY OF FAMILY GROWTH
 File Documentation
 Respondent File (Section E Questionnaire Items)

VARIABLE NAME	COLUMN LOCATION	NON-HISPANIC			TOTAL	QX	TEXT AND CODE CATEGORIES
		HISP	WHITE	BLACK			
		0	0	0	0	21	= PARTNER STERILE (NOT ON CARD)
		1	0	0	1	22	= OTHER METHOD-NOT SHOWN SEPARATELY
		0	0	0	0	97	= Not Ascertained
		0	0	0	0	98	= Refused
		0	0	0	0	99	= Don't Know

1995 NATIONAL SURVEY OF FAMILY GROWTH
 File Documentation
 Respondent File (Section E Questionnaire Items)

VARIABLE COLUMN NON-HISPANIC
 NAME LOCATION HISP WHITE BLACK TOTAL QX TEXT AND CODE CATEGORIES

[MTHUS233] 7590-7591

During that month, which (of those/other) methods, if any, did you use at the same time? (2nd METHOD MENTIONED, 2nd COMBINATION, MC20)

Inapplicable:
 R said no, don't know or refused to all birth control methods in EA series (computed variable EVERUSED = 2); R never had sex as of this month and never used a birth control method as of this month but ever used one or more birth control methods in EA series (WNFSTSEX GE 1093 and DATFIRSM GE 1093 and computed variable EVERUSED = 1); R did not use multiple methods in the month; or R used only 2 methods in the month; or R reported fewer than 2 BC method combinations; or R reported using fewer than 2 BC methods for this combination in this month of the method calendar.

1552	6474	2442	10832	Blank	= Blank, inapplicable
0	0	0	0	01	= NONE
0	0	0	0	02	= OFFICE USE ONLY
0	0	0	0	03	= BIRTH CONTROL PILLS
1	1	2	4	04	= CONDOM
0	1	0	1	05	= PARTNER'S VASECTOMY
0	0	0	0	06	= DIAPHRAGM
0	0	0	0	07	= FOAM
0	0	0	0	08	= JELLY OR CREAM
0	0	0	0	09	= CERVICAL CAP
0	0	1	1	10	= SUPPOSITORY, INSERT
0	1	0	1	11	= TODAY (TM) SPONGE
0	0	0	0	12	= FEMALE CONDOM, VAGINAL POUCH
0	0	0	0	13	= IUD, COIL, LOOP
0	0	0	0	14	= NORPLANT (TM)
0	0	0	0	15	= DEPO-PROVERA, INJECTABLES
0	0	0	0	16	= MORNING AFTER PILLS
0	2	0	3	17	= RHYTHM OR SAFE PERIOD BY CALENDAR
0	1	0	1	18	= SAFE PERIOD BY TEMP, CERVICAL MUCUS TEST,

1995 NATIONAL SURVEY OF FAMILY GROWTH
 File Documentation
 Respondent File (Section E Questionnaire Items)

VARIABLE NAME	COLUMN LOCATION	NON-HISPANIC			TOTAL	QX	TEXT AND CODE CATEGORIES
		HISP	WHITE	BLACK			
		0	3	1	4	19	NFP
		0	0	0	0	20	= WITHDRAWAL
		0	0	0	0	21	= RESPONDENT STERILE
							= PARTNER STERILE (NOT ON CARD)
		0	0	0	0	22	= OTHER METHOD-NOT SHOWN SEPARATELY
		0	0	0	0	97	= Not Ascertained
		0	0	0	0	98	= Refused
		0	0	0	0	99	= Don't Know

1995 NATIONAL SURVEY OF FAMILY GROWTH
 File Documentation
 Respondent File (Section E Questionnaire Items)

VARIABLE	COLUMN	NON-HISPANIC				
NAME	LOCATION	HISP	WHITE	BLACK	TOTAL	QX TEXT AND CODE CATEGORIES

[MTHUS234] 7592-7593

During that month, which (of those/other) methods, if any, did you use at the same time? (3rd METHOD MENTIONED, 2nd COMBINATION, MC20)

Inapplicable:
 R said no, don't know or refused to all birth control methods in EA series (computed variable EVERUSED = 2); R never had sex as of this month and never used a birth control method as of this month but ever used one or more birth control methods in EA series (WNFSTSEX GE 1093 and DATFIRSM GE 1093 and computed variable EVERUSED = 1); R did not use multiple methods in the month; or R used only 2 methods in the month; or R reported fewer than 2 BC method combinations; or R reported using fewer than 3 BC methods for this combination in this month of the method calendar.

1552	6480	2445	10841	Blank	= Blank, inapplicable
0	0	0	0	01	= NONE
0	0	0	0	02	= OFFICE USE ONLY
0	0	1	1	03	= BIRTH CONTROL PILLS
0	0	0	0	04	= CONDOM
0	0	0	0	05	= PARTNER'S VASECTOMY
0	0	0	0	06	= DIAPHRAGM
0	0	0	0	07	= FOAM
0	1	0	1	08	= JELLY OR CREAM
0	0	0	0	09	= CERVICAL CAP
0	0	0	0	10	= SUPPOSITORY, INSERT
0	0	0	0	11	= TODAY (TM) SPONGE
0	0	0	0	12	= FEMALE CONDOM, VAGINAL POUCH
0	0	0	0	13	= IUD, COIL, LOOP
0	0	0	0	14	= NORPLANT (TM)
0	0	0	0	15	= DEPO-PROVERA, INJECTABLES
0	0	0	0	16	= MORNING AFTER PILLS
1	0	0	1	17	= RHYTHM OR SAFE PERIOD BY CALENDAR
0	0	0	1	18	= SAFE PERIOD BY TEMP, CERVICAL MUCUS TEST,

(3810)

1995 NATIONAL SURVEY OF FAMILY GROWTH
 File Documentation
 Respondent File (Section E Questionnaire Items)

VARIABLE NAME	COLUMN LOCATION	NON-HISPANIC			TOTAL	QX	TEXT AND CODE CATEGORIES
		HISP	WHITE	BLACK			
		0	2	0	2	19	NFP
		0	0	0	0	20	= WITHDRAWAL
		0	0	0	0	21	= RESPONDENT STERILE
							= PARTNER STERILE (NOT ON CARD)
		0	0	0	0	22	= OTHER METHOD-NOT SHOWN SEPARATELY
		0	0	0	0	97	= Not Ascertained
		0	0	0	0	98	= Refused
		0	0	0	0	99	= Don't Know

1995 NATIONAL SURVEY OF FAMILY GROWTH
 File Documentation
 Respondent File (Section E Questionnaire Items)

VARIABLE	COLUMN	NON-HISPANIC								
NAME	LOCATION	HISP	WHITE	BLACK						

[MTHUS235] 7594-7595

During that month, which (of those/other) methods, if any, did you use at the same time? (4th METHOD MENTIONED, 2nd COMBINATION, MC20)

Inapplicable:
 R said no, don't know or refused to all birth control methods in EA series (computed variable EVERUSED = 2); R never had sex as of this month and never used a birth control method as of this month but ever used one or more birth control methods in EA series (WNFSTSEX GE 1093 and DATFIRSM GE 1093 and computed variable EVERUSED = 1); R did not use multiple methods in the month; or R used only 2 methods in the month; or R reported fewer than 2 BC method combinations; or R reported using fewer than 4 BC methods for this combination in this month of the method calendar.

1553	6483	2446	10847	Blank						
0	0	0	0	0	01	=	Blank, inapplicable			
0	0	0	0	0	02	=	NONE			
0	0	0	0	0	03	=	OFFICE USE ONLY			
0	0	0	0	0	04	=	BIRTH CONTROL PILLS			
0	0	0	0	0	05	=	CONDOM			
0	0	0	0	0	06	=	PARTNER'S VASECTOMY			
0	0	0	0	0	07	=	DIAPHRAGM			
0	0	0	0	0	08	=	FOAM			
0	0	0	0	0	09	=	JELLY OR CREAM			
0	0	0	0	0	10	=	CERVICAL CAP			
0	0	0	0	0	11	=	SUPPOSITORY, INSERT			
0	0	0	0	0	12	=	TODAY (TM) SPONGE			
0	0	0	0	0	13	=	FEMALE CONDOM, VAGINAL POUCH			
0	0	0	0	0	14	=	IUD, COIL, LOOP			
0	0	0	0	0	15	=	NORPLANT (TM)			
0	0	0	0	0	16	=	DEPO-PROVERA, INJECTABLES			
0	0	0	0	0	17	=	MORNING AFTER PILLS			
0	0	0	0	0	18	=	RHYTHM OR SAFE PERIOD BY CALENDAR			
0	0	0	0	0	18	=	SAFE PERIOD BY TEMP, CERVICAL MUCUS TEST,			

1995 NATIONAL SURVEY OF FAMILY GROWTH
 File Documentation
 Respondent File (Section E Questionnaire Items)

VARIABLE NAME	COLUMN LOCATION	NON-HISPANIC			TOTAL	QX	TEXT AND CODE CATEGORIES
		HISP	WHITE	BLACK			
		0	0	0	0	19	NFP = WITHDRAWAL
		0	0	0	0	20	= RESPONDENT STERILE
		0	0	0	0	21	= PARTNER STERILE (NOT ON CARD)
		0	0	0	0	22	= OTHER METHOD-NOT SHOWN SEPARATELY
		0	0	0	0	97	= Not Ascertained
		0	0	0	0	98	= Refused
		0	0	0	0	99	= Don't Know

1995 NATIONAL SURVEY OF FAMILY GROWTH
 File Documentation
 Respondent File (Section E Questionnaire Items)

VARIABLE	COLUMN	NON-HISPANIC			QX TEXT AND CODE CATEGORIES
NAME	LOCATION	HISP	WHITE	BLACK	

[MTHUS236] 7596-7597

During that month, which (of those/other) methods, if any, did you use at the same time? (1st METHOD MENTIONED, 3rd COMBINATION, MC20)

Inapplicable:
 R said no, don't know or refused to all birth control methods in EA series (computed variable EVERUSED = 2); R never had sex as of this month and never used a birth control method as of this month but ever used one or more birth control methods in EA series (WNFSTSEX GE 1093 and DATFIRSM GE 1093 and computed variable EVERUSED = 1); R did not use multiple methods in the month; or R used only 2 methods in the month; or R reported fewer than 3 BC method combinations.

1553	6482	2446	10846	Blank	= Blank, inapplicable
0	0	0	0	0	01 = NONE
0	0	0	0	0	02 = OFFICE USE ONLY
0	0	0	0	0	03 = BIRTH CONTROL PILLS
0	1	0	1	0	04 = CONDOM
0	0	0	0	0	05 = PARTNER'S VASECTOMY
0	0	0	0	0	06 = DIAPHRAGM
0	0	0	0	0	07 = FOAM
0	0	0	0	0	08 = JELLY OR CREAM
0	0	0	0	0	09 = CERVICAL CAP
0	0	0	0	0	10 = SUPPOSITORY, INSERT
0	0	0	0	0	11 = TODAY (TM) SPONGE
0	0	0	0	0	12 = FEMALE CONDOM, VAGINAL POUCH
0	0	0	0	0	13 = IUD, COIL, LOOP
0	0	0	0	0	14 = NORPLANT (TM)
0	0	0	0	0	15 = DEPO-PROVERA, INJECTABLES
0	0	0	0	0	16 = MORNING AFTER PILLS
0	0	0	0	0	17 = RHYTHM OR SAFE PERIOD BY CALENDAR
0	0	0	0	0	18 = SAFE PERIOD BY TEMP, CERVICAL MUCUS TEST, NFP
0	0	0	0	0	19 = WITHDRAWAL
0	0	0	0	0	20 = RESPONDENT STERILE

(3814)

1995 NATIONAL SURVEY OF FAMILY GROWTH
 File Documentation
 Respondent File (Section E Questionnaire Items)

VARIABLE NAME	COLUMN LOCATION	NON-HISPANIC			TOTAL	QX	TEXT AND CODE CATEGORIES
		HISP	WHITE	BLACK			
		0	0	0	0	21	= PARTNER STERILE (NOT ON CARD)
		0	0	0	0	22	= OTHER METHOD-NOT SHOWN SEPARATELY
		0	0	0	0	97	= Not Ascertained
		0	0	0	0	98	= Refused
		0	0	0	0	99	= Don't Know

1995 NATIONAL SURVEY OF FAMILY GROWTH
 File Documentation
 Respondent File (Section E Questionnaire Items)

VARIABLE NAME	COLUMN LOCATION	NON-HISPANIC			TOTAL	QX	TEXT AND CODE CATEGORIES
		HISP	WHITE	BLACK			
		0	0	0	0	19	NFP
		0	0	0	0	20	= WITHDRAWAL
		0	0	0	0	21	= RESPONDENT STERILE
							= PARTNER STERILE (NOT ON CARD)
		0	0	0	0	22	= OTHER METHOD-NOT SHOWN SEPARATELY
		0	0	0	0	97	= Not Ascertained
		0	0	0	0	98	= Refused
		0	0	0	0	99	= Don't Know

1995 NATIONAL SURVEY OF FAMILY GROWTH
 File Documentation
 Respondent File (Section E Questionnaire Items)

VARIABLE	COLUMN	NON-HISPANIC				
NAME	LOCATION	HISP	WHITE	BLACK	TOTAL	QX TEXT AND CODE CATEGORIES

[MTHUS238] 7600-7601

During that month, which (of those/other) methods, if any, did you use at the same time? (3rd METHOD MENTIONED, 3rd COMBINATION, MC20)

Inapplicable:
 R said no, don't know or refused to all birth control methods in EA series (computed variable EVERUSED = 2); R never had sex as of this month and never used a birth control method as of this month but ever used one or more birth control methods in EA series (WNFSTSEX GE 1093 and DATFIRSM GE 1093 and computed variable EVERUSED = 1); R did not use multiple methods in the month; or R used only 2 methods in the month; or R reported fewer than 3 BC method combinations; or R reported using fewer than 3 BC methods for this combination in this month of the method calendar.

1553	6483	2446	10847	Blank	= Blank, inapplicable
0	0	0	0	01	= NONE
0	0	0	0	02	= OFFICE USE ONLY
0	0	0	0	03	= BIRTH CONTROL PILLS
0	0	0	0	04	= CONDOM
0	0	0	0	05	= PARTNER'S VASECTOMY
0	0	0	0	06	= DIAPHRAGM
0	0	0	0	07	= FOAM
0	0	0	0	08	= JELLY OR CREAM
0	0	0	0	09	= CERVICAL CAP
0	0	0	0	10	= SUPPOSITORY, INSERT
0	0	0	0	11	= TODAY (TM) SPONGE
0	0	0	0	12	= FEMALE CONDOM, VAGINAL POUCH
0	0	0	0	13	= IUD, COIL, LOOP
0	0	0	0	14	= NORPLANT (TM)
0	0	0	0	15	= DEPO-PROVERA, INJECTABLES
0	0	0	0	16	= MORNING AFTER PILLS
0	0	0	0	17	= RHYTHM OR SAFE PERIOD BY CALENDAR
0	0	0	0	18	= SAFE PERIOD BY TEMP, CERVICAL MUCUS TEST,

1995 NATIONAL SURVEY OF FAMILY GROWTH
 File Documentation
 Respondent File (Section E Questionnaire Items)

VARIABLE NAME	COLUMN LOCATION	NON-HISPANIC			TOTAL	QX	TEXT AND CODE CATEGORIES
		HISP	WHITE	BLACK			
		0	0	0	0	19	NFP
		0	0	0	0	20	= WITHDRAWAL
		0	0	0	0	21	= RESPONDENT STERILE
							= PARTNER STERILE (NOT ON CARD)
		0	0	0	0	22	= OTHER METHOD-NOT SHOWN SEPARATELY
		0	0	0	0	97	= Not Ascertained
		0	0	0	0	98	= Refused
		0	0	0	0	99	= Don't Know

1995 NATIONAL SURVEY OF FAMILY GROWTH
 File Documentation
 Respondent File (Section E Questionnaire Items)

VARIABLE	COLUMN	NON-HISPANIC				
NAME	LOCATION	HISP	WHITE	BLACK	TOTAL	QX TEXT AND CODE CATEGORIES

[MTHUS239] 7602-7603

During that month, which (of those/other) methods, if any, did you use at the same time? (4th METHOD MENTIONED, 3rd COMBINATION, MC20)

Inapplicable:
 R said no, don't know or refused to all birth control methods in EA series (computed variable EVERUSED = 2); R never had sex as of this month and never used a birth control method as of this month but ever used one or more birth control methods in EA series (WNFSTSEX GE 1093 and DATFIRSM GE 1093 and computed variable EVERUSED = 1); R did not use multiple methods in the month; or R used only 2 methods in the month; or R reported fewer than 3 BC method combinations; or R reported using fewer than 4 BC methods for this combination in this month of the method calendar.

1553	6483	2446	10847	Blank	= Blank, inapplicable
0	0	0	0	01	= NONE
0	0	0	0	02	= OFFICE USE ONLY
0	0	0	0	03	= BIRTH CONTROL PILLS
0	0	0	0	04	= CONDOM
0	0	0	0	05	= PARTNER'S VASECTOMY
0	0	0	0	06	= DIAPHRAGM
0	0	0	0	07	= FOAM
0	0	0	0	08	= JELLY OR CREAM
0	0	0	0	09	= CERVICAL CAP
0	0	0	0	10	= SUPPOSITORY, INSERT
0	0	0	0	11	= TODAY (TM) SPONGE
0	0	0	0	12	= FEMALE CONDOM, VAGINAL POUCH
0	0	0	0	13	= IUD, COIL, LOOP
0	0	0	0	14	= NORPLANT (TM)
0	0	0	0	15	= DEPO-PROVERA, INJECTABLES
0	0	0	0	16	= MORNING AFTER PILLS
0	0	0	0	17	= RHYTHM OR SAFE PERIOD BY CALENDAR
0	0	0	0	18	= SAFE PERIOD BY TEMP, CERVICAL MUCUS TEST,

1995 NATIONAL SURVEY OF FAMILY GROWTH
 File Documentation
 Respondent File (Section E Questionnaire Items)

VARIABLE NAME	COLUMN LOCATION	NON-HISPANIC			TOTAL	QX	TEXT AND CODE CATEGORIES
		HISP	WHITE	BLACK			
		0	0	0	0	19	NFP
		0	0	0	0	20	= WITHDRAWAL
		0	0	0	0	21	= RESPONDENT STERILE
							= PARTNER STERILE (NOT ON CARD)
		0	0	0	0	22	= OTHER METHOD-NOT SHOWN SEPARATELY
		0	0	0	0	97	= Not Ascertained
		0	0	0	0	98	= Refused
		0	0	0	0	99	= Don't Know

1995 NATIONAL SURVEY OF FAMILY GROWTH
 File Documentation
 Respondent File (Section E Questionnaire Items)

VARIABLE NAME	COLUMN LOCATION	NON-HISPANIC			QX TEXT AND CODE CATEGORIES
		HISP	WHITE	BLACK TOTAL	
[METHH080]	7604-7605				ENTER METHOD (FIRST MENTIONED) USED IN SEPTEMBER 1992: (MC21)
					Inapplicable: R never had sex as of this month and never used a birth control method as of this month but ever used one or more birth control methods in EA series (WNFSTSEX GE 1093 and DATFIRSM GE 1093 and computed variable EVERUSED = 1); R never had sex and said no, don't know or refused to all birth control methods in EA series (computed variable RHADSEX coded 2,7,8 or 9 and computed variable EVERUSED = 2); R said no, don't know or refused to all birth control methods in EA series (computed variable EVERUSED = 2).
		354	1005	337 1805	Blank = Blank, inapplicable
		326	1241	556 2193	01 = NO METHODS USED
		0	0	0 0	02 = SAME AS PREVIOUS MONTH
		265	1348	449 2099	03 = BIRTH CONTROL PILLS
		175	802	390 1426	04 = CONDOM
		23	311	9 351	05 = PARTNER'S VASECTOMY
		6	131	14 153	06 = DIAPHRAGM
		3	26	2 32	07 = FOAM
		1	8	2 11	08 = JELLY OR CREAM
		0	4	0 4	09 = CERVICAL CAP
		5	24	7 38	10 = SUPPOSITORY, INSERT
		1	35	11 47	11 = TODAY (TM) SPONGE
		0	0	0 0	12 = FEMALE CONDOM, VAGINAL POUCH
		19	34	19 76	13 = IUD, COIL, LOOP
		15	26	27 69	14 = NORPLANT (TM)
		13	8	8 29	15 = DEPO-PROVERA, INJECTABLES
		0	0	0 0	16 = MORNING AFTER PILLS
		29	111	20 172	17 = RHYTHM OR SAFE PERIOD BY CALENDAR
		3	14	0 17	18 = SAFE PERIOD BY TEMP, CERVICAL MUCUS TEST, NFP
		37	131	28 206	19 = WITHDRAWAL
		260	1053	552 1910	20 = RESPONDENT STERILE

(3822)

1995 NATIONAL SURVEY OF FAMILY GROWTH
 File Documentation
 Respondent File (Section E Questionnaire Items)

VARIABLE NAME	COLUMN LOCATION	NON-HISPANIC			TOTAL	QX	TEXT AND CODE CATEGORIES
		HISP	WHITE	BLACK			
		17	161	7	189	21	= PARTNER STERILE (NOT ON CARD)
		1	3	4	8	22	= OTHER METHOD-NOT SHOWN SEPARATELY
		0	0	0	0	55	= SAME METHODS USED THROUGH END OF YEAR
		0	1	2	3	97	= Not Ascertained
		0	4	2	6	98	= Refused
		0	2	0	3	99	= Don't Know

1995 NATIONAL SURVEY OF FAMILY GROWTH
 File Documentation
 Respondent File (Section E Questionnaire Items)

VARIABLE NAME	COLUMN LOCATION	NON-HISPANIC HISP WHITE BLACK TOTAL			QX TEXT AND CODE CATEGORIES
[METHH081]	7606-7607				ENTER METHOD (SECOND MENTIONED) USED IN SEPTEMBER 1992: (MC21)

Inapplicable:
 R never had sex as of this month and never used a birth control method as of this month but ever used one or more birth control methods in EA series (WNFSTSEX GE 1093 and DATFIRSM GE 1093 and computed variable EVERUSED = 1); R never had sex and said no, don't know or refused to all birth control methods in EA series (computed variable RHADSEX coded 2,7,8 or 9 and computed variable EVERUSED = 2); R said no, don't know or refused to all birth control methods in EA series (computed variable EVERUSED = 2); R used fewer than 2 methods in month.

1485	6077	2284	10183	Blank	= Blank, inapplicable
0	0	0	0	01	= NO METHODS USED
0	0	0	0	02	= SAME AS PREVIOUS MONTH
0	9	4	13	03	= BIRTH CONTROL PILLS
17	128	79	231	04	= CONDOM
0	11	2	13	05	= PARTNER'S VASECTOMY
3	12	5	20	06	= DIAPHRAGM
7	24	12	44	07	= FOAM
2	15	5	22	08	= JELLY OR CREAM
0	0	0	0	09	= CERVICAL CAP
3	7	8	19	10	= SUPPOSITORY, INSERT
1	13	9	24	11	= TODAY (TM) SPONGE
0	0	0	0	12	= FEMALE CONDOM, VAGINAL POUCH
0	0	0	0	13	= IUD, COIL, LOOP
0	0	1	1	14	= NORPLANT (TM)
0	1	0	1	15	= DEPO-PROVERA, INJECTABLES
0	0	0	0	16	= MORNING AFTER PILLS
10	57	5	80	17	= RHYTHM OR SAFE PERIOD BY CALENDAR
0	9	1	11	18	= SAFE PERIOD BY TEMP, CERVICAL MUCUS TEST, NFP
23	98	15	143	19	= WITHDRAWAL

(3824)

1995 NATIONAL SURVEY OF FAMILY GROWTH
 File Documentation
 Respondent File (Section E Questionnaire Items)

VARIABLE NAME	COLUMN LOCATION	NON-HISPANIC			TOTAL	QX	TEXT AND CODE CATEGORIES
		HISP	WHITE	BLACK			
		2	8	11	21	20	= RESPONDENT STERILE
		0	7	1	9	21	= PARTNER STERILE (NOT ON CARD)
		0	0	0	0	22	= OTHER METHOD-NOT SHOWN SEPARATELY
		0	0	0	0	55	= SAME METHODS USED THROUGH END OF YEAR
		0	1	2	3	97	= Not Ascertained
		0	4	2	6	98	= Refused
		0	2	0	3	99	= Don't Know

1995 NATIONAL SURVEY OF FAMILY GROWTH
 File Documentation
 Respondent File (Section E Questionnaire Items)

VARIABLE COLUMN NON-HISPANIC
 NAME LOCATION HISP WHITE BLACK TOTAL QX TEXT AND CODE CATEGORIES

[METHH082] 7608-7609

ENTER METHOD (THIRD MENTIONED) USED
 IN SEPTEMBER 1992: (MC21)

Inapplicable:

R never had sex as of this month and never used a birth control method as of this month but ever used one or more birth control methods in EA series (WNFSTSEX GE 1093 and DATFIRSM GE 1093 and computed variable EVERUSED = 1); R never had sex and said no, don't know or refused to all birth control methods in EA series (computed variable RHADSEX coded 2,7,8 or 9 and computed variable EVERUSED = 2); R said no, don't know or refused to all birth control methods in EA series (computed variable EVERUSED = 2); R used fewer than 3 methods in month.

1540	6418	2418	10736	Blank	= Blank, inapplicable
0	0	0	0	01	= NO METHODS USED
0	0	0	0	02	= SAME AS PREVIOUS MONTH
0	1	1	2	03	= BIRTH CONTROL PILLS
1	1	0	2	04	= CONDOM
1	0	0	1	05	= PARTNER'S VASECTOMY
0	0	0	0	06	= DIAPHRAGM
2	1	2	5	07	= FOAM
0	2	0	2	08	= JELLY OR CREAM
0	0	0	0	09	= CERVICAL CAP
0	1	0	1	10	= SUPPOSITORY, INSERT
1	7	1	9	11	= TODAY (TM) SPONGE
1	0	0	1	12	= FEMALE CONDOM, VAGINAL POUCH
0	0	0	0	13	= IUD, COIL, LOOP
0	0	0	0	14	= NORPLANT (TM)
0	0	0	0	15	= DEPO-PROVERA, INJECTABLES
0	1	0	1	16	= MORNING AFTER PILLS
2	7	0	9	17	= RHYTHM OR SAFE PERIOD BY CALENDAR
0	3	0	4	18	= SAFE PERIOD BY TEMP, CERVICAL MUCUS TEST, NFP
3	25	2	32	19	= WITHDRAWAL

(3826)

1995 NATIONAL SURVEY OF FAMILY GROWTH
 File Documentation
 Respondent File (Section E Questionnaire Items)

VARIABLE NAME	COLUMN LOCATION	NON-HISPANIC			TOTAL	QX	TEXT AND CODE CATEGORIES
		HISP	WHITE	BLACK			
		1	9	18	28	20	= RESPONDENT STERILE
		0	0	0	0	21	= PARTNER STERILE (NOT ON CARD)
		1	0	0	2	22	= OTHER METHOD-NOT SHOWN SEPARATELY
		0	0	0	0	55	= SAME METHODS USED THROUGH END OF YEAR
		0	1	2	3	97	= Not Ascertained
		0	4	2	6	98	= Refused
		0	2	0	3	99	= Don't Know

1995 NATIONAL SURVEY OF FAMILY GROWTH
 File Documentation
 Respondent File (Section E Questionnaire Items)

VARIABLE	COLUMN	NON-HISPANIC			QX TEXT AND CODE CATEGORIES	
NAME	LOCATION	HISP	WHITE	BLACK	TOTAL	
[METHH083]	7610-7611					ENTER METHOD (FOURTH MENTIONED) USED IN SEPTEMBER 1992: (MC21)

Inapplicable:
 R never had sex as of this month and never used a birth control method as of this month but ever used one or more birth control methods in EA series (WNFSTSEX GE 1093 and DATFIRSM GE 1093 and computed variable EVERUSED = 1); R never had sex and said no, don't know or refused to all birth control methods in EA series (computed variable RHADSEX coded 2,7,8 or 9 and computed variable EVERUSED = 2); R said no, don't know or refused to all birth control methods in EA series (computed variable EVERUSED = 2); R used fewer than 4 methods in month.

1553	6471	2442	10830	Blank	= Blank, inapplicable
0	0	0	0	01	= NO METHODS USED
0	0	0	0	02	= SAME AS PREVIOUS MONTH
0	0	0	0	03	= BIRTH CONTROL PILLS
0	1	0	1	04	= CONDOM
0	0	0	0	05	= PARTNER'S VASECTOMY
0	0	0	0	06	= DIAPHRAGM
0	0	0	0	07	= FOAM
0	0	0	0	08	= JELLY OR CREAM
0	0	0	0	09	= CERVICAL CAP
0	1	0	1	10	= SUPPOSITORY, INSERT
0	0	0	0	11	= TODAY (TM) SPONGE
0	0	0	0	12	= FEMALE CONDOM, VAGINAL POUCH
0	0	0	0	13	= IUD, COIL, LOOP
0	0	0	0	14	= NORPLANT (TM)
0	0	0	0	15	= DEPO-PROVERA, INJECTABLES
0	0	0	0	16	= MORNING AFTER PILLS
0	2	0	2	17	= RHYTHM OR SAFE PERIOD BY CALENDAR
0	0	0	0	18	= SAFE PERIOD BY TEMP, CERVICAL MUCUS TEST, NFP
0	1	0	1	19	= WITHDRAWAL

(3828)

1995 NATIONAL SURVEY OF FAMILY GROWTH
 File Documentation
 Respondent File (Section E Questionnaire Items)

VARIABLE NAME	COLUMN LOCATION	NON-HISPANIC			TOTAL	QX	TEXT AND CODE CATEGORIES
		HISP	WHITE	BLACK			
		0	0	0	0	20	= RESPONDENT STERILE
		0	0	0	0	21	= PARTNER STERILE (NOT ON CARD)
		0	0	0	0	22	= OTHER METHOD-NOT SHOWN SEPARATELY
		0	0	0	0	55	= SAME METHODS USED THROUGH END OF YEAR
		0	1	2	3	97	= Not Ascertained
		0	4	2	6	98	= Refused
		0	2	0	3	99	= Don't Know

[SIMSEQ20] 7612-7612

Did you use those methods together,
 that is, at the same time, or did
 you use them at different times
 during the month? (MC21)

Inapplicable:

R never had sex as of this month and
 never used a birth control method as
 of this month but ever used one or
 more birth control methods in EA
 series (WNFSTSEX GE 1093 and
 DATFIRSM GE 1093 and computed
 variable EVERUSED = 1); R never had
 sex and said no, don't know or
 refused to all birth control methods
 in EA series (computed variable
 RHADSEX coded 2,7,8 or 9 and
 computed variable EVERUSED = 2); R
 said no, don't know or refused to
 all birth control methods in EA
 series (computed variable EVERUSED =
 2); R did not use multiple methods
 in the month; R used more than 2
 methods in the month.

1497	6133	2295	10267	Blank	= Blank, inapplicable
30	230	115	389	1	= SAME TIME
26	120	36	191	2	= DIFFERENT TIMES
0	0	0	0	7	= Not Ascertained
0	0	0	0	8	= Refused
0	0	0	0	9	= Don't Know

1995 NATIONAL SURVEY OF FAMILY GROWTH
 File Documentation
 Respondent File (Section E Questionnaire Items)

VARIABLE	COLUMN	NON-HISPANIC				
NAME	LOCATION	HISP	WHITE	BLACK	TOTAL	QX TEXT AND CODE CATEGORIES

[MTHUS240] 7613-7614

During that month, which (of those/other) methods, if any, did you use at the same time? (1st METHOD MENTIONED, 1st COMBINATION, MC21)

Inapplicable:
 R said no, don't know or refused to all birth control methods in EA series (computed variable EVERUSED = 2); R never had sex as of this month and never used a birth control method as of this month but ever used one or more birth control methods in EA series (WNFSTSEX GE 1093 and DATFIRSM GE 1093 and computed variable EVERUSED = 1); R did not use multiple methods in the month; or R used only 2 methods in the month.

1541	6434	2439	10775	Blank	= Blank, inapplicable
4	10	2	16	01	= NONE
0	0	0	0	02	= OFFICE USE ONLY
1	5	2	9	03	= BIRTH CONTROL PILLS
7	20	0	30	04	= CONDOM
0	0	0	0	05	= PARTNER'S VASECTOMY
0	3	0	3	06	= DIAPHRAGM
0	2	0	2	07	= FOAM
0	0	0	0	08	= JELLY OR CREAM
0	0	0	0	09	= CERVICAL CAP
0	0	0	0	10	= SUPPOSITORY, INSERT
0	2	0	2	11	= TODAY (TM) SPONGE
0	0	0	0	12	= FEMALE CONDOM, VAGINAL POUCH
0	0	0	0	13	= IUD, COIL, LOOP
0	0	0	0	14	= NORPLANT (TM)
0	0	0	0	15	= DEPO-PROVERA, INJECTABLES
0	0	0	0	16	= MORNING AFTER PILLS
0	6	0	6	17	= RHYTHM OR SAFE PERIOD BY CALENDAR
0	0	0	0	18	= SAFE PERIOD BY TEMP, CERVICAL MUCUS TEST, NFP
0	1	2	3	19	= WITHDRAWAL
0	0	1	1	20	= RESPONDENT STERILE
0	0	0	0	21	= PARTNER STERILE (NOT

(3830)

1995 NATIONAL SURVEY OF FAMILY GROWTH
 File Documentation
 Respondent File (Section E Questionnaire Items)

VARIABLE NAME	COLUMN LOCATION	NON-HISPANIC			TOTAL	QX	TEXT AND CODE CATEGORIES
		HISP	WHITE	BLACK			
		0	0	0	0	22	ON CARD) = OTHER METHOD-NOT SHOWN SEPARATELY
		0	0	0	0	97	= Not Ascertained
		0	0	0	0	98	= Refused
		0	0	0	0	99	= Don't Know

1995 NATIONAL SURVEY OF FAMILY GROWTH
 File Documentation
 Respondent File (Section E Questionnaire Items)

VARIABLE	COLUMN	NON-HISPANIC				QX TEXT AND CODE CATEGORIES
NAME	LOCATION	HISP	WHITE	BLACK		

[MTHUS241] 7615-7616

During that month, which (of those/other) methods, if any, did you use at the same time? (2nd METHOD MENTIONED, 1st COMBINATION, MC21)

Inapplicable:
 R said no, don't know or refused to all birth control methods in EA series (computed variable EVERUSED = 2); R never had sex as of this month and never used a birth control method as of this month but ever used one or more birth control methods in EA series (WNFSTSEX GE 1093 and DATFIRSM GE 1093 and computed variable EVERUSED = 1); R did not use multiple methods in the month; or R used only 2 methods in the month; or R reported using fewer than 2 BC methods for this combination in this month of the method calendar.

1545	6444	2441	10791	Blank	= Blank, inapplicable
0	0	0	0	01	= NONE
0	0	0	0	02	= OFFICE USE ONLY
0	0	0	0	03	= BIRTH CONTROL PILLS
1	8	4	13	04	= CONDOM
0	1	0	1	05	= PARTNER'S VASECTOMY
0	1	0	1	06	= DIAPHRAGM
1	3	0	4	07	= FOAM
1	0	0	1	08	= JELLY OR CREAM
0	0	0	0	09	= CERVICAL CAP
1	0	1	2	10	= SUPPOSITORY, INSERT
0	1	0	1	11	= TODAY (TM) SPONGE
0	0	0	0	12	= FEMALE CONDOM, VAGINAL POUCH
0	0	0	0	13	= IUD, COIL, LOOP
0	0	0	0	14	= NORPLANT (TM)
0	0	0	0	15	= DEPO-PROVERA, INJECTABLES
0	1	0	1	16	= MORNING AFTER PILLS
3	15	0	19	17	= RHYTHM OR SAFE PERIOD BY CALENDAR
0	1	0	1	18	= SAFE PERIOD BY TEMP, CERVICAL MUCUS TEST, NFP

1995 NATIONAL SURVEY OF FAMILY GROWTH
 File Documentation
 Respondent File (Section E Questionnaire Items)

VARIABLE NAME	COLUMN LOCATION	NON-HISPANIC			TOTAL	QX	TEXT AND CODE CATEGORIES
		HISP	WHITE	BLACK			
		1	8	0	12	19	= WITHDRAWAL
		0	0	0	0	20	= RESPONDENT STERILE
		0	0	0	0	21	= PARTNER STERILE (NOT ON CARD)
		0	0	0	0	22	= OTHER METHOD-NOT SHOWN SEPARATELY
		0	0	0	0	97	= Not Ascertained
		0	0	0	0	98	= Refused
		0	0	0	0	99	= Don't Know

1995 NATIONAL SURVEY OF FAMILY GROWTH
 File Documentation
 Respondent File (Section E Questionnaire Items)

VARIABLE COLUMN NON-HISPANIC
 NAME LOCATION HISP WHITE BLACK TOTAL QX TEXT AND CODE CATEGORIES

[MTHUS242] 7617-7618

During that month, which (of those/other) methods, if any, did you use at the same time? (3rd METHOD MENTIONED, 1st COMBINATION, MC21)

Inapplicable:
 R said no, don't know or refused to all birth control methods in EA series (computed variable EVERUSED = 2); R never had sex as of this month and never used a birth control method as of this month but ever used one or more birth control methods in EA series (WNFSTSEX GE 1093 and DATFIRSM GE 1093 and computed variable EVERUSED = 1); R did not use multiple methods in the month; or R used only 2 methods in the month; or R reported using fewer than 3 BC methods for this combination in this month of the method calendar.

1546	6460	2443	10813	Blank	= Blank, inapplicable
0	0	0	0	01	= NONE
0	0	0	0	02	= OFFICE USE ONLY
0	0	1	1	03	= BIRTH CONTROL PILLS
0	0	0	0	04	= CONDOM
1	0	0	1	05	= PARTNER'S VASECTOMY
0	0	0	0	06	= DIAPHRAGM
2	0	2	4	07	= FOAM
0	2	0	2	08	= JELLY OR CREAM
0	0	0	0	09	= CERVICAL CAP
0	0	0	0	10	= SUPPOSITORY, INSERT
1	2	0	3	11	= TODAY (TM) SPONGE
0	0	0	0	12	= FEMALE CONDOM, VAGINAL POUCH
0	0	0	0	13	= IUD, COIL, LOOP
0	0	0	0	14	= NORPLANT (TM)
0	0	0	0	15	= DEPO-PROVERA, INJECTABLES
0	0	0	0	16	= MORNING AFTER PILLS
2	4	0	6	17	= RHYTHM OR SAFE PERIOD BY CALENDAR
0	2	0	3	18	= SAFE PERIOD BY TEMP, CERVICAL MUCUS TEST, NFP

1995 NATIONAL SURVEY OF FAMILY GROWTH
 File Documentation
 Respondent File (Section E Questionnaire Items)

VARIABLE NAME	COLUMN LOCATION	NON-HISPANIC			QX	TEXT AND CODE CATEGORIES	
		HISP	WHITE	BLACK			TOTAL
		0	13	0	13	19	= WITHDRAWAL
		0	0	0	0	20	= RESPONDENT STERILE
		0	0	0	0	21	= PARTNER STERILE (NOT ON CARD)
		1	0	0	1	22	= OTHER METHOD-NOT SHOWN SEPARATELY
		0	0	0	0	97	= Not Ascertained
		0	0	0	0	98	= Refused
		0	0	0	0	99	= Don't Know

1995 NATIONAL SURVEY OF FAMILY GROWTH
 File Documentation
 Respondent File (Section E Questionnaire Items)

VARIABLE COLUMN NON-HISPANIC
 NAME LOCATION HISP WHITE BLACK TOTAL QX TEXT AND CODE CATEGORIES

[MTHUS243] 7619-7620

During that month, which (of those/other) methods, if any, did you use at the same time? (4th METHOD MENTIONED, 1st COMBINATION, MC21)

Inapplicable:
 R said no, don't know or refused to all birth control methods in EA series (computed variable EVERUSED = 2); R never had sex as of this month and never used a birth control method as of this month but ever used one or more birth control methods in EA series (WNFSTSEX GE 1093 and DATFIRSM GE 1093 and computed variable EVERUSED = 1); R did not use multiple methods in the month; or R used only 2 methods in the month; or R reported using fewer than 4 BC methods for this combination in this month of the method calendar.

1553	6482	2446	10846	Blank	= Blank, inapplicable
0	0	0	0	01	= NONE
0	0	0	0	02	= OFFICE USE ONLY
0	0	0	0	03	= BIRTH CONTROL PILLS
0	1	0	1	04	= CONDOM
0	0	0	0	05	= PARTNER'S VASECTOMY
0	0	0	0	06	= DIAPHRAGM
0	0	0	0	07	= FOAM
0	0	0	0	08	= JELLY OR CREAM
0	0	0	0	09	= CERVICAL CAP
0	0	0	0	10	= SUPPOSITORY, INSERT
0	0	0	0	11	= TODAY (TM) SPONGE
0	0	0	0	12	= FEMALE CONDOM, VAGINAL POUCH
0	0	0	0	13	= IUD, COIL, LOOP
0	0	0	0	14	= NORPLANT (TM)
0	0	0	0	15	= DEPO-PROVERA, INJECTABLES
0	0	0	0	16	= MORNING AFTER PILLS
0	0	0	0	17	= RHYTHM OR SAFE PERIOD BY CALENDAR
0	0	0	0	18	= SAFE PERIOD BY TEMP, CERVICAL MUCUS TEST, NFP

(3836)

1995 NATIONAL SURVEY OF FAMILY GROWTH
 File Documentation
 Respondent File (Section E Questionnaire Items)

VARIABLE NAME	COLUMN LOCATION	NON-HISPANIC			TOTAL	QX	TEXT AND CODE CATEGORIES
		HISP	WHITE	BLACK			
		0	0	0	0	19	= WITHDRAWAL
		0	0	0	0	20	= RESPONDENT STERILE
		0	0	0	0	21	= PARTNER STERILE (NOT ON CARD)
		0	0	0	0	22	= OTHER METHOD-NOT SHOWN SEPARATELY
		0	0	0	0	97	= Not Ascertained
		0	0	0	0	98	= Refused
		0	0	0	0	99	= Don't Know

1995 NATIONAL SURVEY OF FAMILY GROWTH
File Documentation
Respondent File (Section E Questionnaire Items)

VARIABLE	COLUMN	NON-HISPANIC				QX TEXT AND CODE CATEGORIES
NAME	LOCATION	HISP	WHITE	BLACK	TOTAL	

[MTHUS244] 7621-7622

During that month, which (of those/other) methods, if any, did you use at the same time? (1st METHOD MENTIONED, 2nd COMBINATION, MC21)

Inapplicable:
R said no, don't know or refused to all birth control methods in EA series (computed variable EVERUSED = 2); R never had sex as of this month and never used a birth control method as of this month but ever used one or more birth control methods in EA series (WNFSTSEX GE 1093 and DATFIRSM GE 1093 and computed variable EVERUSED = 1); R did not use multiple methods in the month; or R used only 2 methods in the month; or R reported fewer than 2 BC method combinations.

	1545	6444	2441	10791	Blank	
	5	26	1	35	01	= Blank, inapplicable
	0	0	0	0	02	= NONE
	0	2	1	3	03	= OFFICE USE ONLY
	0	5	0	6	04	= BIRTH CONTROL PILLS
	0	0	0	0	05	= CONDOM
	0	0	0	0	06	= PARTNER'S VASECTOMY
	1	1	0	2	07	= DIAPHRAGM
	0	0	0	0	08	= FOAM
	0	0	0	0	09	= JELLY OR CREAM
	0	0	0	0	10	= CERVICAL CAP
	0	0	0	0	10	= SUPPOSITORY, INSERT
	0	1	0	1	11	= TODAY (TM) SPONGE
	0	0	0	0	12	= FEMALE CONDOM, VAGINAL POUCH
	0	0	0	0	13	= IUD, COIL, LOOP
	0	0	0	0	14	= NORPLANT (TM)
	0	0	0	0	15	= DEPO-PROVERA, INJECTABLES
	0	0	0	0	16	= MORNING AFTER PILLS
	0	3	0	3	17	= RHYTHM OR SAFE PERIOD BY CALENDAR
	0	0	0	0	18	= SAFE PERIOD BY TEMP, CERVICAL MUCUS TEST, NFP
	1	1	2	4	19	= WITHDRAWAL
	0	0	1	1	20	= RESPONDENT STERILE

(3838)

1995 NATIONAL SURVEY OF FAMILY GROWTH
 File Documentation
 Respondent File (Section E Questionnaire Items)

VARIABLE NAME	COLUMN LOCATION	NON-HISPANIC			TOTAL	QX	TEXT AND CODE CATEGORIES
		HISP	WHITE	BLACK			
		0	0	0	0	21	= PARTNER STERILE (NOT ON CARD)
		1	0	0	1	22	= OTHER METHOD-NOT SHOWN SEPARATELY
		0	0	0	0	97	= Not Ascertained
		0	0	0	0	98	= Refused
		0	0	0	0	99	= Don't Know

1995 NATIONAL SURVEY OF FAMILY GROWTH
 File Documentation
 Respondent File (Section E Questionnaire Items)

VARIABLE COLUMN NON-HISPANIC
 NAME LOCATION HISP WHITE BLACK TOTAL QX TEXT AND CODE CATEGORIES

[MTHUS245] 7623-7624

During that month, which (of those/other) methods, if any, did you use at the same time? (2nd METHOD MENTIONED, 2nd COMBINATION, MC21)

Inapplicable:
 R said no, don't know or refused to all birth control methods in EA series (computed variable EVERUSED = 2); R never had sex as of this month and never used a birth control method as of this month but ever used one or more birth control methods in EA series (WNFSTSEX GE 1093 and DATFIRSM GE 1093 and computed variable EVERUSED = 1); R did not use multiple methods in the month; or R used only 2 methods in the month; or R reported fewer than 2 BC method combinations; or R reported using fewer than 2 BC methods for this combination in this month of the method calendar.

1552	6473	2442	10831	Blank	= Blank, inapplicable
0	0	0	0	01	= NONE
0	0	0	0	02	= OFFICE USE ONLY
0	0	0	0	03	= BIRTH CONTROL PILLS
1	1	2	4	04	= CONDOM
0	1	0	1	05	= PARTNER'S VASECTOMY
0	0	0	0	06	= DIAPHRAGM
0	0	0	0	07	= FOAM
0	0	0	0	08	= JELLY OR CREAM
0	0	0	0	09	= CERVICAL CAP
0	0	1	1	10	= SUPPOSITORY, INSERT
0	1	0	1	11	= TODAY (TM) SPONGE
0	0	0	0	12	= FEMALE CONDOM, VAGINAL POUCH
0	0	0	0	13	= IUD, COIL, LOOP
0	0	0	0	14	= NORPLANT (TM)
0	0	0	0	15	= DEPO-PROVERA, INJECTABLES
0	0	0	0	16	= MORNING AFTER PILLS
0	3	0	4	17	= RHYTHM OR SAFE PERIOD BY CALENDAR
0	1	0	1	18	= SAFE PERIOD BY TEMP, CERVICAL MUCUS TEST,

(3840)

1995 NATIONAL SURVEY OF FAMILY GROWTH
 File Documentation
 Respondent File (Section E Questionnaire Items)

VARIABLE NAME	COLUMN LOCATION	NON-HISPANIC			TOTAL	QX	TEXT AND CODE CATEGORIES
		HISP	WHITE	BLACK			
		0	3	1	4	19	NFP
		0	0	0	0	20	= WITHDRAWAL
		0	0	0	0	21	= RESPONDENT STERILE
							= PARTNER STERILE (NOT ON CARD)
		0	0	0	0	22	= OTHER METHOD-NOT SHOWN SEPARATELY
		0	0	0	0	97	= Not Ascertained
		0	0	0	0	98	= Refused
		0	0	0	0	99	= Don't Know

1995 NATIONAL SURVEY OF FAMILY GROWTH
 File Documentation
 Respondent File (Section E Questionnaire Items)

VARIABLE COLUMN NON-HISPANIC
 NAME LOCATION HISP WHITE BLACK TOTAL QX TEXT AND CODE CATEGORIES

[MTHUS246] 7625-7626

During that month, which (of those/other) methods, if any, did you use at the same time? (3rd METHOD MENTIONED, 2nd COMBINATION, MC21)

Inapplicable:
 R said no, don't know or refused to all birth control methods in EA series (computed variable EVERUSED = 2); R never had sex as of this month and never used a birth control method as of this month but ever used one or more birth control methods in EA series (WNFSTSEX GE 1093 and DATFIRSM GE 1093 and computed variable EVERUSED = 1); R did not use multiple methods in the month; or R used only 2 methods in the month; or R reported fewer than 2 BC method combinations; or R reported using fewer than 3 BC methods for this combination in this month of the method calendar.

1552	6479	2445	10840	Blank	
0	0	0	0	0	01 = Blank, inapplicable
0	0	0	0	0	02 = NONE
0	0	1	1	0	03 = OFFICE USE ONLY
0	0	0	0	0	04 = BIRTH CONTROL PILLS
0	0	0	0	0	05 = CONDOM
0	0	0	0	0	06 = PARTNER'S VASECTOMY
0	0	0	0	0	07 = DIAPHRAGM
0	1	0	1	0	08 = FOAM
0	0	0	0	0	09 = JELLY OR CREAM
0	0	0	0	0	10 = CERVICAL CAP
0	0	0	0	0	11 = SUPPOSITORY, INSERT
0	0	0	0	0	12 = TODAY (TM) SPONGE
0	0	0	0	0	13 = FEMALE CONDOM, VAGINAL POUCH
0	0	0	0	0	14 = IUD, COIL, LOOP
0	0	0	0	0	15 = NORPLANT (TM)
0	0	0	0	0	16 = DEPO-PROVERA, INJECTABLES
0	0	0	0	0	17 = MORNING AFTER PILLS
1	0	0	1	0	18 = RHYTHM OR SAFE PERIOD BY CALENDAR
0	1	0	2	0	18 = SAFE PERIOD BY TEMP, CERVICAL MUCUS TEST,

(3842)

1995 NATIONAL SURVEY OF FAMILY GROWTH
 File Documentation
 Respondent File (Section E Questionnaire Items)

VARIABLE NAME	COLUMN LOCATION	NON-HISPANIC			TOTAL	QX	TEXT AND CODE CATEGORIES
		HISP	WHITE	BLACK			
		0	2	0	2	19	NFP
		0	0	0	0	20	= WITHDRAWAL
		0	0	0	0	21	= RESPONDENT STERILE
							= PARTNER STERILE (NOT ON CARD)
		0	0	0	0	22	= OTHER METHOD-NOT SHOWN SEPARATELY
		0	0	0	0	97	= Not Ascertained
		0	0	0	0	98	= Refused
		0	0	0	0	99	= Don't Know

1995 NATIONAL SURVEY OF FAMILY GROWTH
 File Documentation
 Respondent File (Section E Questionnaire Items)

VARIABLE	COLUMN	NON-HISPANIC				QX TEXT AND CODE CATEGORIES
NAME	LOCATION	HISP	WHITE	BLACK	TOTAL	

[MTHUS247] 7627-7628

During that month, which (of those/other) methods, if any, did you use at the same time? (4th METHOD MENTIONED, 2nd COMBINATION, MC21)

Inapplicable:
 R said no, don't know or refused to all birth control methods in EA series (computed variable EVERUSED = 2); R never had sex as of this month and never used a birth control method as of this month but ever used one or more birth control methods in EA series (WNFSTSEX GE 1093 and DATFIRSM GE 1093 and computed variable EVERUSED = 1); R did not use multiple methods in the month; or R used only 2 methods in the month; or R reported fewer than 2 BC method combinations; or R reported using fewer than 4 BC methods for this combination in this month of the method calendar.

1553	6483	2446	10847	Blank	= Blank, inapplicable
0	0	0	0	01	= NONE
0	0	0	0	02	= OFFICE USE ONLY
0	0	0	0	03	= BIRTH CONTROL PILLS
0	0	0	0	04	= CONDOM
0	0	0	0	05	= PARTNER'S VASECTOMY
0	0	0	0	06	= DIAPHRAGM
0	0	0	0	07	= FOAM
0	0	0	0	08	= JELLY OR CREAM
0	0	0	0	09	= CERVICAL CAP
0	0	0	0	10	= SUPPOSITORY, INSERT
0	0	0	0	11	= TODAY (TM) SPONGE
0	0	0	0	12	= FEMALE CONDOM, VAGINAL POUCH
0	0	0	0	13	= IUD, COIL, LOOP
0	0	0	0	14	= NORPLANT (TM)
0	0	0	0	15	= DEPO-PROVERA, INJECTABLES
0	0	0	0	16	= MORNING AFTER PILLS
0	0	0	0	17	= RHYTHM OR SAFE PERIOD BY CALENDAR
0	0	0	0	18	= SAFE PERIOD BY TEMP, CERVICAL MUCUS TEST,

(3844)

1995 NATIONAL SURVEY OF FAMILY GROWTH
 File Documentation
 Respondent File (Section E Questionnaire Items)

VARIABLE NAME	COLUMN LOCATION	NON-HISPANIC			TOTAL	QX	TEXT AND CODE CATEGORIES
		HISP	WHITE	BLACK			
		0	0	0	0	19	NFP = WITHDRAWAL
		0	0	0	0	20	= RESPONDENT STERILE
		0	0	0	0	21	= PARTNER STERILE (NOT ON CARD)
		0	0	0	0	22	= OTHER METHOD-NOT SHOWN SEPARATELY
		0	0	0	0	97	= Not Ascertained
		0	0	0	0	98	= Refused
		0	0	0	0	99	= Don't Know

1995 NATIONAL SURVEY OF FAMILY GROWTH
 File Documentation
 Respondent File (Section E Questionnaire Items)

VARIABLE	COLUMN	NON-HISPANIC			QX TEXT AND CODE CATEGORIES
NAME	LOCATION	HISP	WHITE	BLACK	TOTAL

[MTHUS248] 7629-7630

During that month, which (of those/other) methods, if any, did you use at the same time? (1st METHOD MENTIONED, 3rd COMBINATION, MC21)

Inapplicable:
 R said no, don't know or refused to all birth control methods in EA series (computed variable EVERUSED = 2); R never had sex as of this month and never used a birth control method as of this month but ever used one or more birth control methods in EA series (WNFSTSEX GE 1093 and DATFIRSM GE 1093 and computed variable EVERUSED = 1); R did not use multiple methods in the month; or R used only 2 methods in the month; or R reported fewer than 3 BC method combinations.

1553	6482	2446	10846	Blank	= Blank, inapplicable
0	0	0	0	0	01 = NONE
0	0	0	0	0	02 = OFFICE USE ONLY
0	0	0	0	0	03 = BIRTH CONTROL PILLS
0	1	0	1	0	04 = CONDOM
0	0	0	0	0	05 = PARTNER'S VASECTOMY
0	0	0	0	0	06 = DIAPHRAGM
0	0	0	0	0	07 = FOAM
0	0	0	0	0	08 = JELLY OR CREAM
0	0	0	0	0	09 = CERVICAL CAP
0	0	0	0	0	10 = SUPPOSITORY, INSERT
0	0	0	0	0	11 = TODAY (TM) SPONGE
0	0	0	0	0	12 = FEMALE CONDOM, VAGINAL POUCH
0	0	0	0	0	13 = IUD, COIL, LOOP
0	0	0	0	0	14 = NORPLANT (TM)
0	0	0	0	0	15 = DEPO-PROVERA, INJECTABLES
0	0	0	0	0	16 = MORNING AFTER PILLS
0	0	0	0	0	17 = RHYTHM OR SAFE PERIOD BY CALENDAR
0	0	0	0	0	18 = SAFE PERIOD BY TEMP, CERVICAL MUCUS TEST, NFP
0	0	0	0	0	19 = WITHDRAWAL
0	0	0	0	0	20 = RESPONDENT STERILE

(3846)

1995 NATIONAL SURVEY OF FAMILY GROWTH
 File Documentation
 Respondent File (Section E Questionnaire Items)

VARIABLE NAME	COLUMN LOCATION	NON-HISPANIC			QX	TEXT AND CODE CATEGORIES
		HISP	WHITE	BLACK		
		0	0	0	0	21 = PARTNER STERILE (NOT ON CARD)
		0	0	0	0	22 = OTHER METHOD-NOT SHOWN SEPARATELY
		0	0	0	0	97 = Not Ascertained
		0	0	0	0	98 = Refused
		0	0	0	0	99 = Don't Know

1995 NATIONAL SURVEY OF FAMILY GROWTH
 File Documentation
 Respondent File (Section E Questionnaire Items)

VARIABLE	COLUMN	NON-HISPANIC				QX TEXT AND CODE CATEGORIES
NAME	LOCATION	HISP	WHITE	BLACK		

[MTHUS249] 7631-7632

During that month, which (of those/other) methods, if any, did you use at the same time? (2nd METHOD MENTIONED, 3rd COMBINATION, MC21)

Inapplicable:
 R said no, don't know or refused to all birth control methods in EA series (computed variable EVERUSED = 2); R never had sex as of this month and never used a birth control method as of this month but ever used one or more birth control methods in EA series (WNFSTSEX GE 1093 and DATFIRSM GE 1093 and computed variable EVERUSED = 1); R did not use multiple methods in the month; or R used only 2 methods in the month; or R reported fewer than 3 BC method combinations; or R reported using fewer than 2 BC methods for this combination in this month of the method calendar.

1553	6482	2446	10846	Blank	= Blank, inapplicable
0	0	0	0	01	= NONE
0	0	0	0	02	= OFFICE USE ONLY
0	0	0	0	03	= BIRTH CONTROL PILLS
0	0	0	0	04	= CONDOM
0	0	0	0	05	= PARTNER'S VASECTOMY
0	0	0	0	06	= DIAPHRAGM
0	0	0	0	07	= FOAM
0	0	0	0	08	= JELLY OR CREAM
0	0	0	0	09	= CERVICAL CAP
0	0	0	0	10	= SUPPOSITORY, INSERT
0	0	0	0	11	= TODAY (TM) SPONGE
0	0	0	0	12	= FEMALE CONDOM, VAGINAL POUCH
0	0	0	0	13	= IUD, COIL, LOOP
0	0	0	0	14	= NORPLANT (TM)
0	0	0	0	15	= DEPO-PROVERA, INJECTABLES
0	0	0	0	16	= MORNING AFTER PILLS
0	1	0	1	17	= RHYTHM OR SAFE PERIOD BY CALENDAR
0	0	0	0	18	= SAFE PERIOD BY TEMP, CERVICAL MUCUS TEST,

(3848)

1995 NATIONAL SURVEY OF FAMILY GROWTH
 File Documentation
 Respondent File (Section E Questionnaire Items)

VARIABLE NAME	COLUMN LOCATION	NON-HISPANIC			TOTAL	QX	TEXT AND CODE CATEGORIES
		HISP	WHITE	BLACK			
		0	0	0	0	19	NFP
		0	0	0	0	20	= WITHDRAWAL
		0	0	0	0	21	= RESPONDENT STERILE
							= PARTNER STERILE (NOT ON CARD)
		0	0	0	0	22	= OTHER METHOD-NOT SHOWN SEPARATELY
		0	0	0	0	97	= Not Ascertained
		0	0	0	0	98	= Refused
		0	0	0	0	99	= Don't Know

1995 NATIONAL SURVEY OF FAMILY GROWTH
 File Documentation
 Respondent File (Section E Questionnaire Items)

VARIABLE COLUMN NON-HISPANIC
 NAME LOCATION HISP WHITE BLACK TOTAL QX TEXT AND CODE CATEGORIES

[MTHUS250] 7633-7634

During that month, which (of those/other) methods, if any, did you use at the same time? (3rd METHOD MENTIONED, 3rd COMBINATION, MC21)

Inapplicable:
 R said no, don't know or refused to all birth control methods in EA series (computed variable EVERUSED = 2); R never had sex as of this month and never used a birth control method as of this month but ever used one or more birth control methods in EA series (WNFSTSEX GE 1093 and DATFIRSM GE 1093 and computed variable EVERUSED = 1); R did not use multiple methods in the month; or R used only 2 methods in the month; or R reported fewer than 3 BC method combinations; or R reported using fewer than 3 BC methods for this combination in this month of the method calendar.

	1553	6483	2446	10847	Blank	
	0	0	0	0	01	= Blank, inapplicable
	0	0	0	0	02	= NONE
	0	0	0	0	03	= OFFICE USE ONLY
	0	0	0	0	04	= BIRTH CONTROL PILLS
	0	0	0	0	05	= CONDOM
	0	0	0	0	06	= PARTNER'S VASECTOMY
	0	0	0	0	07	= DIAPHRAGM
	0	0	0	0	08	= FOAM
	0	0	0	0	09	= JELLY OR CREAM
	0	0	0	0	10	= CERVICAL CAP
	0	0	0	0	11	= SUPPOSITORY, INSERT
	0	0	0	0	12	= TODAY (TM) SPONGE
	0	0	0	0	13	= FEMALE CONDOM, VAGINAL POUCH
	0	0	0	0	14	= IUD, COIL, LOOP
	0	0	0	0	15	= NORPLANT (TM)
	0	0	0	0	16	= DEPO-PROVERA, INJECTABLES
	0	0	0	0	17	= MORNING AFTER PILLS
	0	0	0	0	18	= RHYTHM OR SAFE PERIOD BY CALENDAR
	0	0	0	0	18	= SAFE PERIOD BY TEMP, CERVICAL MUCUS TEST,

(3850)

1995 NATIONAL SURVEY OF FAMILY GROWTH
 File Documentation
 Respondent File (Section E Questionnaire Items)

VARIABLE NAME	COLUMN LOCATION	NON-HISPANIC			TOTAL	QX	TEXT AND CODE CATEGORIES
		HISP	WHITE	BLACK			
		0	0	0	0	19	NFP
		0	0	0	0	20	= WITHDRAWAL
		0	0	0	0	21	= RESPONDENT STERILE
							= PARTNER STERILE (NOT ON CARD)
		0	0	0	0	22	= OTHER METHOD-NOT SHOWN SEPARATELY
		0	0	0	0	97	= Not Ascertained
		0	0	0	0	98	= Refused
		0	0	0	0	99	= Don't Know

1995 NATIONAL SURVEY OF FAMILY GROWTH
 File Documentation
 Respondent File (Section E Questionnaire Items)

VARIABLE	COLUMN	NON-HISPANIC				
NAME	LOCATION	HISP	WHITE	BLACK	TOTAL	QX TEXT AND CODE CATEGORIES

[MTHUS251] 7635-7636

During that month, which (of those/other) methods, if any, did you use at the same time? (4th METHOD MENTIONED, 3rd COMBINATION, MC21)

Inapplicable:
 R said no, don't know or refused to all birth control methods in EA series (computed variable EVERUSED = 2); R never had sex as of this month and never used a birth control method as of this month but ever used one or more birth control methods in EA series (WNFSTSEX GE 1093 and DATFIRSM GE 1093 and computed variable EVERUSED = 1); R did not use multiple methods in the month; or R used only 2 methods in the month; or R reported fewer than 3 BC method combinations; or R reported using fewer than 4 BC methods for this combination in this month of the method calendar.

1553	6483	2446	10847	Blank	= Blank, inapplicable
0	0	0	0	01	= NONE
0	0	0	0	02	= OFFICE USE ONLY
0	0	0	0	03	= BIRTH CONTROL PILLS
0	0	0	0	04	= CONDOM
0	0	0	0	05	= PARTNER'S VASECTOMY
0	0	0	0	06	= DIAPHRAGM
0	0	0	0	07	= FOAM
0	0	0	0	08	= JELLY OR CREAM
0	0	0	0	09	= CERVICAL CAP
0	0	0	0	10	= SUPPOSITORY, INSERT
0	0	0	0	11	= TODAY (TM) SPONGE
0	0	0	0	12	= FEMALE CONDOM, VAGINAL POUCH
0	0	0	0	13	= IUD, COIL, LOOP
0	0	0	0	14	= NORPLANT (TM)
0	0	0	0	15	= DEPO-PROVERA, INJECTABLES
0	0	0	0	16	= MORNING AFTER PILLS
0	0	0	0	17	= RHYTHM OR SAFE PERIOD BY CALENDAR
0	0	0	0	18	= SAFE PERIOD BY TEMP, CERVICAL MUCUS TEST,

(3852)

1995 NATIONAL SURVEY OF FAMILY GROWTH
 File Documentation
 Respondent File (Section E Questionnaire Items)

VARIABLE NAME	COLUMN LOCATION	NON-HISPANIC			TOTAL	QX	TEXT AND CODE CATEGORIES
		HISP	WHITE	BLACK			
		0	0	0	0	19	NFP = WITHDRAWAL
		0	0	0	0	20	= RESPONDENT STERILE
		0	0	0	0	21	= PARTNER STERILE (NOT ON CARD)
		0	0	0	0	22	= OTHER METHOD-NOT SHOWN SEPARATELY
		0	0	0	0	97	= Not Ascertained
		0	0	0	0	98	= Refused
		0	0	0	0	99	= Don't Know

1995 NATIONAL SURVEY OF FAMILY GROWTH
 File Documentation
 Respondent File (Section E Questionnaire Items)

VARIABLE NAME	COLUMN LOCATION	NON-HISPANIC			QX TEXT AND CODE CATEGORIES		
		HISP	WHITE	BLACK TOTAL			
[METHH084]	7637-7638				ENTER METHOD (FIRST MENTIONED) USED IN OCTOBER 1992: (MC22)		
					Inapplicable: R never had sex as of this month and never used a birth control method as of this month but ever used one or more birth control methods in EA series (WNFSTSEX GE 1093 and DATFIRSM GE 1093 and computed variable EVERUSED = 1); R never had sex and said no, don't know or refused to all birth control methods in EA series (computed variable RHADSEX coded 2,7,8 or 9 and computed variable EVERUSED = 2); R said no, don't know or refused to all birth control methods in EA series (computed variable EVERUSED = 2).		
		344	991	335	1779	Blank	= Blank, inapplicable
		331	1217	557	2176	01	= NO METHODS USED
		0	0	0	0	02	= SAME AS PREVIOUS MONTH
		266	1354	443	2097	03	= BIRTH CONTROL PILLS
		174	828	391	1454	04	= CONDOM
		23	314	9	354	05	= PARTNER'S VASECTOMY
		6	126	14	148	06	= DIAPHRAGM
		3	24	2	29	07	= FOAM
		1	8	2	11	08	= JELLY OR CREAM
		0	4	0	4	09	= CERVICAL CAP
		5	24	8	39	10	= SUPPOSITORY, INSERT
		1	35	10	46	11	= TODAY (TM) SPONGE
		0	0	0	0	12	= FEMALE CONDOM, VAGINAL POUCH
		18	34	19	75	13	= IUD, COIL, LOOP
		16	29	30	76	14	= NORPLANT (TM)
		14	8	9	31	15	= DEPO-PROVERA, INJECTABLES
		0	0	0	0	16	= MORNING AFTER PILLS
		28	109	18	167	17	= RHYTHM OR SAFE PERIOD BY CALENDAR
		3	14	0	17	18	= SAFE PERIOD BY TEMP, CERVICAL MUCUS TEST, NFP
		39	129	28	206	19	= WITHDRAWAL
		263	1063	556	1928	20	= RESPONDENT STERILE

(3854)

1995 NATIONAL SURVEY OF FAMILY GROWTH
 File Documentation
 Respondent File (Section E Questionnaire Items)

VARIABLE NAME	COLUMN LOCATION	NON-HISPANIC			TOTAL	QX	TEXT AND CODE CATEGORIES
		HISP	WHITE	BLACK			
		17	161	7	189	21	= PARTNER STERILE (NOT ON CARD)
		1	4	4	9	22	= OTHER METHOD-NOT SHOWN SEPARATELY
		0	0	0	0	55	= SAME METHODS USED THROUGH END OF YEAR
		0	1	2	3	97	= Not Ascertained
		0	4	2	6	98	= Refused
		0	2	0	3	99	= Don't Know

1995 NATIONAL SURVEY OF FAMILY GROWTH
 File Documentation
 Respondent File (Section E Questionnaire Items)

VARIABLE NAME	COLUMN LOCATION	NON-HISPANIC			QX TEXT AND CODE CATEGORIES	
		HISP	WHITE	BLACK	TOTAL	
[METHH085]	7639-7640					ENTER METHOD (SECOND MENTIONED) USED IN OCTOBER 1992: (MC22)

Inapplicable:
 R never had sex as of this month and never used a birth control method as of this month but ever used one or more birth control methods in EA series (WNFSTSEX GE 1093 and DATFIRSM GE 1093 and computed variable EVERUSED = 1); R never had sex and said no, don't know or refused to all birth control methods in EA series (computed variable RHADSEX coded 2,7,8 or 9 and computed variable EVERUSED = 2); R said no, don't know or refused to all birth control methods in EA series (computed variable EVERUSED = 2); R used fewer than 2 methods in month.

1483	6083	2286	10190	Blank	= Blank, inapplicable
0	0	0	0	01	= NO METHODS USED
0	0	0	0	02	= SAME AS PREVIOUS MONTH
2	7	4	13	03	= BIRTH CONTROL PILLS
17	124	76	223	04	= CONDOM
0	10	2	12	05	= PARTNER'S VASECTOMY
3	12	5	20	06	= DIAPHRAGM
7	25	12	45	07	= FOAM
2	12	5	19	08	= JELLY OR CREAM
0	0	0	0	09	= CERVICAL CAP
3	7	8	19	10	= SUPPOSITORY, INSERT
1	14	9	25	11	= TODAY (TM) SPONGE
0	0	0	0	12	= FEMALE CONDOM, VAGINAL POUCH
0	0	0	0	13	= IUD, COIL, LOOP
0	0	1	1	14	= NORPLANT (TM)
0	1	0	1	15	= DEPO-PROVERA, INJECTABLES
0	0	0	0	16	= MORNING AFTER PILLS
10	59	5	82	17	= RHYTHM OR SAFE PERIOD BY CALENDAR
0	9	1	11	18	= SAFE PERIOD BY TEMP, CERVICAL MUCUS TEST, NFP
24	98	16	145	19	= WITHDRAWAL

(3856)

1995 NATIONAL SURVEY OF FAMILY GROWTH
 File Documentation
 Respondent File (Section E Questionnaire Items)

VARIABLE NAME	COLUMN LOCATION	NON-HISPANIC			TOTAL	QX	TEXT AND CODE CATEGORIES
		HISP	WHITE	BLACK			
		1	8	11	20	20	= RESPONDENT STERILE
		0	7	1	9	21	= PARTNER STERILE (NOT ON CARD)
		0	0	0	0	22	= OTHER METHOD-NOT SHOWN SEPARATELY
		0	0	0	0	55	= SAME METHODS USED THROUGH END OF YEAR
		0	1	2	3	97	= Not Ascertained
		0	4	2	6	98	= Refused
		0	2	0	3	99	= Don't Know

1995 NATIONAL SURVEY OF FAMILY GROWTH
 File Documentation
 Respondent File (Section E Questionnaire Items)

VARIABLE COLUMN NON-HISPANIC
 NAME LOCATION HISP WHITE BLACK TOTAL QX TEXT AND CODE CATEGORIES

[METHH086] 7641-7642 ENTER METHOD (THIRD MENTIONED) USED
 IN OCTOBER 1992: (MC22)

Inapplicable:
 R never had sex as of this month and never used a birth control method as of this month but ever used one or more birth control methods in EA series (WNFSTSEX GE 1093 and DATFIRSM GE 1093 and computed variable EVERUSED = 1); R never had sex and said no, don't know or refused to all birth control methods in EA series (computed variable RHADSEX coded 2,7,8 or 9 and computed variable EVERUSED = 2); R said no, don't know or refused to all birth control methods in EA series (computed variable EVERUSED = 2); R used fewer than 3 methods in month.

1540	6417	2418	10735	Blank	= Blank, inapplicable
0	0	0	0	01	= NO METHODS USED
0	0	0	0	02	= SAME AS PREVIOUS MONTH
0	1	1	2	03	= BIRTH CONTROL PILLS
1	1	0	2	04	= CONDOM
1	0	0	1	05	= PARTNER'S VASECTOMY
0	0	0	0	06	= DIAPHRAGM
2	1	1	4	07	= FOAM
0	2	0	2	08	= JELLY OR CREAM
0	0	0	0	09	= CERVICAL CAP
0	1	0	1	10	= SUPPOSITORY, INSERT
1	6	1	8	11	= TODAY (TM) SPONGE
1	0	0	1	12	= FEMALE CONDOM, VAGINAL POUCH
0	0	0	0	13	= IUD, COIL, LOOP
0	0	0	0	14	= NORPLANT (TM)
0	0	0	0	15	= DEPO-PROVERA, INJECTABLES
0	1	0	1	16	= MORNING AFTER PILLS
2	7	0	9	17	= RHYTHM OR SAFE PERIOD BY CALENDAR
0	4	0	5	18	= SAFE PERIOD BY TEMP, CERVICAL MUCUS TEST, NFP
3	26	3	34	19	= WITHDRAWAL

(3858)

1995 NATIONAL SURVEY OF FAMILY GROWTH
 File Documentation
 Respondent File (Section E Questionnaire Items)

VARIABLE NAME	COLUMN LOCATION	NON-HISPANIC			TOTAL	QX	TEXT AND CODE CATEGORIES
		HISP	WHITE	BLACK			
		1	9	18	28	20	= RESPONDENT STERILE
		0	0	0	0	21	= PARTNER STERILE (NOT ON CARD)
		1	0	0	2	22	= OTHER METHOD-NOT SHOWN SEPARATELY
		0	0	0	0	55	= SAME METHODS USED THROUGH END OF YEAR
		0	1	2	3	97	= Not Ascertained
		0	4	2	6	98	= Refused
		0	2	0	3	99	= Don't Know

1995 NATIONAL SURVEY OF FAMILY GROWTH
 File Documentation
 Respondent File (Section E Questionnaire Items)

VARIABLE NAME	COLUMN LOCATION	NON-HISPANIC			QX TEXT AND CODE CATEGORIES	
		HISP	WHITE	BLACK	TOTAL	
[METHH087]	7643-7644					ENTER METHOD (FOURTH MENTIONED) USED IN OCTOBER 1992: (MC22)

Inapplicable:
 R never had sex as of this month and never used a birth control method as of this month but ever used one or more birth control methods in EA series (WNFSTSEX GE 1093 and DATFIRSM GE 1093 and computed variable EVERUSED = 1); R never had sex and said no, don't know or refused to all birth control methods in EA series (computed variable RHADSEX coded 2,7,8 or 9 and computed variable EVERUSED = 2); R said no, don't know or refused to all birth control methods in EA series (computed variable EVERUSED = 2); R used fewer than 4 methods in month.

1553	6471	2442	10830	Blank	= Blank, inapplicable
0	0	0	0	01	= NO METHODS USED
0	0	0	0	02	= SAME AS PREVIOUS MONTH
0	0	0	0	03	= BIRTH CONTROL PILLS
0	1	0	1	04	= CONDOM
0	0	0	0	05	= PARTNER'S VASECTOMY
0	0	0	0	06	= DIAPHRAGM
0	0	0	0	07	= FOAM
0	0	0	0	08	= JELLY OR CREAM
0	0	0	0	09	= CERVICAL CAP
0	1	0	1	10	= SUPPOSITORY, INSERT
0	0	0	0	11	= TODAY (TM) SPONGE
0	0	0	0	12	= FEMALE CONDOM, VAGINAL POUCH
0	0	0	0	13	= IUD, COIL, LOOP
0	0	0	0	14	= NORPLANT (TM)
0	0	0	0	15	= DEPO-PROVERA, INJECTABLES
0	0	0	0	16	= MORNING AFTER PILLS
0	2	0	2	17	= RHYTHM OR SAFE PERIOD BY CALENDAR
0	0	0	0	18	= SAFE PERIOD BY TEMP, CERVICAL MUCUS TEST, NFP
0	1	0	1	19	= WITHDRAWAL

(3860)

1995 NATIONAL SURVEY OF FAMILY GROWTH
 File Documentation
 Respondent File (Section E Questionnaire Items)

VARIABLE NAME	COLUMN LOCATION	NON-HISPANIC			TOTAL	QX	TEXT AND CODE	CATEGORIES
		HISP	WHITE	BLACK				
		0	0	0	0	20	=	RESPONDENT STERILE
		0	0	0	0	21	=	PARTNER STERILE (NOT ON CARD)
		0	0	0	0	22	=	OTHER METHOD-NOT SHOWN SEPARATELY
		0	0	0	0	55	=	SAME METHODS USED THROUGH END OF YEAR
		0	1	2	3	97	=	Not Ascertained
		0	4	2	6	98	=	Refused
		0	2	0	3	99	=	Don't Know

[SIMSEQ21] 7645-7645

Did you use those methods together,
 that is, at the same time, or did
 you use them at different times
 during the month? (MC22)

Inapplicable:

R never had sex as of this month and
 never used a birth control method as
 of this month but ever used one or
 more birth control methods in EA
 series (WNFSTSEX GE 1093 and
 DATFIRSM GE 1093 and computed
 variable EVERUSED = 1); R never had
 sex and said no, don't know or
 refused to all birth control methods
 in EA series (computed variable
 RHADSEX coded 2,7,8 or 9 and
 computed variable EVERUSED = 2); R
 said no, don't know or refused to
 all birth control methods in EA
 series (computed variable EVERUSED =
 2); R did not use multiple methods
 in the month; R used more than 2
 methods in the month.

1495	6140	2297	10275	Blank	=	Blank, inapplicable
32	224	113	382	1	=	SAME TIME
26	119	36	190	2	=	DIFFERENT TIMES
0	0	0	0	7	=	Not Ascertained
0	0	0	0	8	=	Refused
0	0	0	0	9	=	Don't Know

1995 NATIONAL SURVEY OF FAMILY GROWTH
 File Documentation
 Respondent File (Section E Questionnaire Items)

VARIABLE	COLUMN	NON-HISPANIC				
NAME	LOCATION	HISP	WHITE	BLACK	TOTAL	QX TEXT AND CODE CATEGORIES

[MTHUS252] 7646-7647

During that month, which (of those/other) methods, if any, did you use at the same time? (1st METHOD MENTIONED, 1st COMBINATION, MC22)

Inapplicable:
 R said no, don't know or refused to all birth control methods in EA series (computed variable EVERUSED = 2); R never had sex as of this month and never used a birth control method as of this month but ever used one or more birth control methods in EA series (WNFSTSEX GE 1093 and DATFIRSM GE 1093 and computed variable EVERUSED = 1); R did not use multiple methods in the month; or R used only 2 methods in the month.

1541	6433	2439	10774	Blank	= Blank, inapplicable
4	9	2	15	01	= NONE
0	0	0	0	02	= OFFICE USE ONLY
1	5	1	8	03	= BIRTH CONTROL PILLS
7	21	0	31	04	= CONDOM
0	0	0	0	05	= PARTNER'S VASECTOMY
0	3	0	3	06	= DIAPHRAGM
0	2	0	2	07	= FOAM
0	0	0	0	08	= JELLY OR CREAM
0	0	0	0	09	= CERVICAL CAP
0	0	0	0	10	= SUPPOSITORY, INSERT
0	2	0	2	11	= TODAY (TM) SPONGE
0	0	0	0	12	= FEMALE CONDOM, VAGINAL POUCH
0	0	0	0	13	= IUD, COIL, LOOP
0	0	0	0	14	= NORPLANT (TM)
0	0	0	0	15	= DEPO-PROVERA, INJECTABLES
0	0	0	0	16	= MORNING AFTER PILLS
0	7	1	8	17	= RHYTHM OR SAFE PERIOD BY CALENDAR
0	0	0	0	18	= SAFE PERIOD BY TEMP, CERVICAL MUCUS TEST, NFP
0	1	2	3	19	= WITHDRAWAL
0	0	1	1	20	= RESPONDENT STERILE
0	0	0	0	21	= PARTNER STERILE (NOT

(3862)

1995 NATIONAL SURVEY OF FAMILY GROWTH
 File Documentation
 Respondent File (Section E Questionnaire Items)

VARIABLE NAME	COLUMN LOCATION	NON-HISPANIC			TOTAL	QX	TEXT AND CODE CATEGORIES
		HISP	WHITE	BLACK			
		0	0	0	0	22	ON CARD) = OTHER METHOD-NOT SHOWN SEPARATELY
		0	0	0	0	97	= Not Ascertained
		0	0	0	0	98	= Refused
		0	0	0	0	99	= Don't Know

1995 NATIONAL SURVEY OF FAMILY GROWTH
 File Documentation
 Respondent File (Section E Questionnaire Items)

VARIABLE COLUMN NON-HISPANIC
 NAME LOCATION HISP WHITE BLACK TOTAL QX TEXT AND CODE CATEGORIES

[MTHUS253] 7648-7649

During that month, which (of those/other) methods, if any, did you use at the same time? (2nd METHOD MENTIONED, 1st COMBINATION, MC22)

Inapplicable:
 R said no, don't know or refused to all birth control methods in EA series (computed variable EVERUSED = 2); R never had sex as of this month and never used a birth control method as of this month but ever used one or more birth control methods in EA series (WNFSTSEX GE 1093 and DATFIRSM GE 1093 and computed variable EVERUSED = 1); R did not use multiple methods in the month; or R used only 2 methods in the month; or R reported using fewer than 2 BC methods for this combination in this month of the method calendar.

1545	6442	2441	10789	Blank	= Blank, inapplicable
0	0	0	0	01	= NONE
0	0	0	0	02	= OFFICE USE ONLY
0	0	0	0	03	= BIRTH CONTROL PILLS
1	9	3	13	04	= CONDOM
0	1	0	1	05	= PARTNER'S VASECTOMY
0	1	0	1	06	= DIAPHRAGM
1	3	0	4	07	= FOAM
1	0	0	1	08	= JELLY OR CREAM
0	0	0	0	09	= CERVICAL CAP
1	0	1	2	10	= SUPPOSITORY, INSERT
0	1	0	1	11	= TODAY (TM) SPONGE
0	0	0	0	12	= FEMALE CONDOM, VAGINAL POUCH
0	0	0	0	13	= IUD, COIL, LOOP
0	0	0	0	14	= NORPLANT (TM)
0	0	0	0	15	= DEPO-PROVERA, INJECTABLES
0	1	0	1	16	= MORNING AFTER PILLS
3	16	0	20	17	= RHYTHM OR SAFE PERIOD BY CALENDAR
0	1	0	1	18	= SAFE PERIOD BY TEMP, CERVICAL MUCUS TEST, NFP

(3864)

1995 NATIONAL SURVEY OF FAMILY GROWTH
 File Documentation
 Respondent File (Section E Questionnaire Items)

VARIABLE NAME	COLUMN LOCATION	NON-HISPANIC			TOTAL	QX	TEXT AND CODE CATEGORIES
		HISP	WHITE	BLACK			
		1	8	1	13	19	= WITHDRAWAL
		0	0	0	0	20	= RESPONDENT STERILE
		0	0	0	0	21	= PARTNER STERILE (NOT ON CARD)
		0	0	0	0	22	= OTHER METHOD-NOT SHOWN SEPARATELY
		0	0	0	0	97	= Not Ascertained
		0	0	0	0	98	= Refused
		0	0	0	0	99	= Don't Know

1995 NATIONAL SURVEY OF FAMILY GROWTH
 File Documentation
 Respondent File (Section E Questionnaire Items)

VARIABLE	COLUMN	NON-HISPANIC				QX TEXT AND CODE CATEGORIES
NAME	LOCATION	HISP	WHITE	BLACK	TOTAL	

[MTHUS254] 7650-7651

During that month, which (of those/other) methods, if any, did you use at the same time? (3rd METHOD MENTIONED, 1st COMBINATION, MC22)

Inapplicable:
 R said no, don't know or refused to all birth control methods in EA series (computed variable EVERUSED = 2); R never had sex as of this month and never used a birth control method as of this month but ever used one or more birth control methods in EA series (WNFSTSEX GE 1093 and DATFIRSM GE 1093 and computed variable EVERUSED = 1); R did not use multiple methods in the month; or R used only 2 methods in the month; or R reported using fewer than 3 BC methods for this combination in this month of the method calendar.

1546	6459	2444	10813	Blank	= Blank, inapplicable
0	0	0	0	01	= NONE
0	0	0	0	02	= OFFICE USE ONLY
0	0	1	1	03	= BIRTH CONTROL PILLS
0	0	0	0	04	= CONDOM
1	0	0	1	05	= PARTNER'S VASECTOMY
0	0	0	0	06	= DIAPHRAGM
2	0	1	3	07	= FOAM
0	2	0	2	08	= JELLY OR CREAM
0	0	0	0	09	= CERVICAL CAP
0	0	0	0	10	= SUPPOSITORY, INSERT
1	2	0	3	11	= TODAY (TM) SPONGE
0	0	0	0	12	= FEMALE CONDOM, VAGINAL POUCH
0	0	0	0	13	= IUD, COIL, LOOP
0	0	0	0	14	= NORPLANT (TM)
0	0	0	0	15	= DEPO-PROVERA, INJECTABLES
0	0	0	0	16	= MORNING AFTER PILLS
2	4	0	6	17	= RHYTHM OR SAFE PERIOD BY CALENDAR
0	3	0	4	18	= SAFE PERIOD BY TEMP, CERVICAL MUCUS TEST, NFP

1995 NATIONAL SURVEY OF FAMILY GROWTH
 File Documentation
 Respondent File (Section E Questionnaire Items)

VARIABLE NAME	COLUMN LOCATION	NON-HISPANIC			TOTAL	QX	TEXT AND CODE CATEGORIES
		HISP	WHITE	BLACK			
		0	13	0	13	19	= WITHDRAWAL
		0	0	0	0	20	= RESPONDENT STERILE
		0	0	0	0	21	= PARTNER STERILE (NOT ON CARD)
		1	0	0	1	22	= OTHER METHOD-NOT SHOWN SEPARATELY
		0	0	0	0	97	= Not Ascertained
		0	0	0	0	98	= Refused
		0	0	0	0	99	= Don't Know

1995 NATIONAL SURVEY OF FAMILY GROWTH
 File Documentation
 Respondent File (Section E Questionnaire Items)

VARIABLE COLUMN NON-HISPANIC
 NAME LOCATION HISP WHITE BLACK TOTAL QX TEXT AND CODE CATEGORIES

[MTHUS255] 7652-7653

During that month, which (of those/other) methods, if any, did you use at the same time? (4th METHOD MENTIONED, 1st COMBINATION, MC22)

Inapplicable:
 R said no, don't know or refused to all birth control methods in EA series (computed variable EVERUSED = 2); R never had sex as of this month and never used a birth control method as of this month but ever used one or more birth control methods in EA series (WNFSTSEX GE 1093 and DATFIRSM GE 1093 and computed variable EVERUSED = 1); R did not use multiple methods in the month; or R used only 2 methods in the month; or R reported using fewer than 4 BC methods for this combination in this month of the method calendar.

	1553	6482	2446	10846	Blank	
	0	0	0	0	01	= Blank, inapplicable
	0	0	0	0	02	= NONE
	0	0	0	0	03	= OFFICE USE ONLY
	0	1	0	1	04	= BIRTH CONTROL PILLS
	0	0	0	0	05	= CONDOM
	0	0	0	0	06	= PARTNER'S VASECTOMY
	0	0	0	0	07	= DIAPHRAGM
	0	0	0	0	08	= FOAM
	0	0	0	0	09	= JELLY OR CREAM
	0	0	0	0	10	= CERVICAL CAP
	0	0	0	0	11	= SUPPOSITORY, INSERT
	0	0	0	0	12	= TODAY (TM) SPONGE
	0	0	0	0	13	= FEMALE CONDOM, VAGINAL POUCH
	0	0	0	0	14	= IUD, COIL, LOOP
	0	0	0	0	15	= NORPLANT (TM)
	0	0	0	0	16	= DEPO-PROVERA, INJECTABLES
	0	0	0	0	17	= MORNING AFTER PILLS
	0	0	0	0	18	= RHYTHM OR SAFE PERIOD BY CALENDAR
	0	0	0	0	18	= SAFE PERIOD BY TEMP, CERVICAL MUCUS TEST, NFP

1995 NATIONAL SURVEY OF FAMILY GROWTH
 File Documentation
 Respondent File (Section E Questionnaire Items)

VARIABLE NAME	COLUMN LOCATION	NON-HISPANIC			TOTAL	QX	TEXT AND CODE CATEGORIES
		HISP	WHITE	BLACK			
		0	0	0	0	19	= WITHDRAWAL
		0	0	0	0	20	= RESPONDENT STERILE
		0	0	0	0	21	= PARTNER STERILE (NOT ON CARD)
		0	0	0	0	22	= OTHER METHOD-NOT SHOWN SEPARATELY
		0	0	0	0	97	= Not Ascertained
		0	0	0	0	98	= Refused
		0	0	0	0	99	= Don't Know

1995 NATIONAL SURVEY OF FAMILY GROWTH
 File Documentation
 Respondent File (Section E Questionnaire Items)

VARIABLE COLUMN NON-HISPANIC
 NAME LOCATION HISP WHITE BLACK TOTAL QX TEXT AND CODE CATEGORIES

[MTHUS256] 7654-7655

During that month, which (of those/other) methods, if any, did you use at the same time? (1st METHOD MENTIONED, 2nd COMBINATION, MC22)

Inapplicable:
 R said no, don't know or refused to all birth control methods in EA series (computed variable EVERUSED = 2); R never had sex as of this month and never used a birth control method as of this month but ever used one or more birth control methods in EA series (WNFSTSEX GE 1093 and DATFIRSM GE 1093 and computed variable EVERUSED = 1); R did not use multiple methods in the month; or R used only 2 methods in the month; or R reported fewer than 2 BC method combinations.

1545	6442	2441	10789	Blank	= Blank, inapplicable
5	28	2	38	01	= NONE
0	0	0	0	02	= OFFICE USE ONLY
0	2	0	2	03	= BIRTH CONTROL PILLS
0	5	0	6	04	= CONDOM
0	0	0	0	05	= PARTNER'S VASECTOMY
0	0	0	0	06	= DIAPHRAGM
1	1	0	2	07	= FOAM
0	0	0	0	08	= JELLY OR CREAM
0	0	0	0	09	= CERVICAL CAP
0	0	0	0	10	= SUPPOSITORY, INSERT
0	1	0	1	11	= TODAY (TM) SPONGE
0	0	0	0	12	= FEMALE CONDOM, VAGINAL POUCH
0	0	0	0	13	= IUD, COIL, LOOP
0	0	0	0	14	= NORPLANT (TM)
0	0	0	0	15	= DEPO-PROVERA, INJECTABLES
0	0	0	0	16	= MORNING AFTER PILLS
0	3	0	3	17	= RHYTHM OR SAFE PERIOD BY CALENDAR
0	0	0	0	18	= SAFE PERIOD BY TEMP, CERVICAL MUCUS TEST, NFP
1	1	2	4	19	= WITHDRAWAL
0	0	1	1	20	= RESPONDENT STERILE

1995 NATIONAL SURVEY OF FAMILY GROWTH
 File Documentation
 Respondent File (Section E Questionnaire Items)

VARIABLE NAME	COLUMN LOCATION	NON-HISPANIC			QX	TEXT AND CODE CATEGORIES
		HISP	WHITE	BLACK		
		0	0	0	0	21 = PARTNER STERILE (NOT ON CARD)
		1	0	0	1	22 = OTHER METHOD-NOT SHOWN SEPARATELY
		0	0	0	0	97 = Not Ascertained
		0	0	0	0	98 = Refused
		0	0	0	0	99 = Don't Know

1995 NATIONAL SURVEY OF FAMILY GROWTH
 File Documentation
 Respondent File (Section E Questionnaire Items)

VARIABLE COLUMN NON-HISPANIC
 NAME LOCATION HISP WHITE BLACK TOTAL QX TEXT AND CODE CATEGORIES

[MTHUS257] 7656-7657

During that month, which (of those/other) methods, if any, did you use at the same time? (2nd METHOD MENTIONED, 2nd COMBINATION, MC22)

Inapplicable:
 R said no, don't know or refused to all birth control methods in EA series (computed variable EVERUSED = 2); R never had sex as of this month and never used a birth control method as of this month but ever used one or more birth control methods in EA series (WNFSTSEX GE 1093 and DATFIRSM GE 1093 and computed variable EVERUSED = 1); R did not use multiple methods in the month; or R used only 2 methods in the month; or R reported fewer than 2 BC method combinations; or R reported using fewer than 2 BC methods for this combination in this month of the method calendar.

1552	6473	2443	10832	Blank	= Blank, inapplicable
0	0	0	0	01	= NONE
0	0	0	0	02	= OFFICE USE ONLY
0	0	0	0	03	= BIRTH CONTROL PILLS
1	1	1	3	04	= CONDOM
0	1	0	1	05	= PARTNER'S VASECTOMY
0	0	0	0	06	= DIAPHRAGM
0	0	0	0	07	= FOAM
0	0	0	0	08	= JELLY OR CREAM
0	0	0	0	09	= CERVICAL CAP
0	0	1	1	10	= SUPPOSITORY, INSERT
0	1	0	1	11	= TODAY (TM) SPONGE
0	0	0	0	12	= FEMALE CONDOM, VAGINAL POUCH
0	0	0	0	13	= IUD, COIL, LOOP
0	0	0	0	14	= NORPLANT (TM)
0	0	0	0	15	= DEPO-PROVERA, INJECTABLES
0	0	0	0	16	= MORNING AFTER PILLS
0	3	0	4	17	= RHYTHM OR SAFE PERIOD BY CALENDAR
0	1	0	1	18	= SAFE PERIOD BY TEMP, CERVICAL MUCUS TEST,

(3872)

1995 NATIONAL SURVEY OF FAMILY GROWTH
 File Documentation
 Respondent File (Section E Questionnaire Items)

VARIABLE NAME	COLUMN LOCATION	NON-HISPANIC			TOTAL	QX	TEXT AND CODE CATEGORIES
		HISP	WHITE	BLACK			
		0	3	1	4	19	NFP
		0	0	0	0	20	= WITHDRAWAL
		0	0	0	0	21	= RESPONDENT STERILE
							= PARTNER STERILE (NOT ON CARD)
		0	0	0	0	22	= OTHER METHOD-NOT SHOWN SEPARATELY
		0	0	0	0	97	= Not Ascertained
		0	0	0	0	98	= Refused
		0	0	0	0	99	= Don't Know

1995 NATIONAL SURVEY OF FAMILY GROWTH
 File Documentation
 Respondent File (Section E Questionnaire Items)

VARIABLE COLUMN NON-HISPANIC
 NAME LOCATION HISP WHITE BLACK TOTAL QX TEXT AND CODE CATEGORIES

[MTHUS258] 7658-7659

During that month, which (of those/other) methods, if any, did you use at the same time? (3rd METHOD MENTIONED, 2nd COMBINATION, MC22)

Inapplicable:
 R said no, don't know or refused to all birth control methods in EA series (computed variable EVERUSED = 2); R never had sex as of this month and never used a birth control method as of this month but ever used one or more birth control methods in EA series (WNFSTSEX GE 1093 and DATFIRSM GE 1093 and computed variable EVERUSED = 1); R did not use multiple methods in the month; or R used only 2 methods in the month; or R reported fewer than 2 BC method combinations; or R reported using fewer than 3 BC methods for this combination in this month of the method calendar.

1552	6479	2445	10840	Blank	= Blank, inapplicable
0	0	0	0	01	= NONE
0	0	0	0	02	= OFFICE USE ONLY
0	0	1	1	03	= BIRTH CONTROL PILLS
0	0	0	0	04	= CONDOM
0	0	0	0	05	= PARTNER'S VASECTOMY
0	0	0	0	06	= DIAPHRAGM
0	0	0	0	07	= FOAM
0	1	0	1	08	= JELLY OR CREAM
0	0	0	0	09	= CERVICAL CAP
0	0	0	0	10	= SUPPOSITORY, INSERT
0	0	0	0	11	= TODAY (TM) SPONGE
0	0	0	0	12	= FEMALE CONDOM, VAGINAL POUCH
0	0	0	0	13	= IUD, COIL, LOOP
0	0	0	0	14	= NORPLANT (TM)
0	0	0	0	15	= DEPO-PROVERA, INJECTABLES
0	0	0	0	16	= MORNING AFTER PILLS
1	0	0	1	17	= RHYTHM OR SAFE PERIOD BY CALENDAR
0	1	0	2	18	= SAFE PERIOD BY TEMP, CERVICAL MUCUS TEST,

(3874)

1995 NATIONAL SURVEY OF FAMILY GROWTH
 File Documentation
 Respondent File (Section E Questionnaire Items)

VARIABLE NAME	COLUMN LOCATION	NON-HISPANIC			TOTAL	QX	TEXT AND CODE CATEGORIES
		HISP	WHITE	BLACK			
		0	2	0	2	19	NFP
		0	0	0	0	20	= WITHDRAWAL
		0	0	0	0	21	= RESPONDENT STERILE
							= PARTNER STERILE (NOT ON CARD)
		0	0	0	0	22	= OTHER METHOD-NOT SHOWN SEPARATELY
		0	0	0	0	97	= Not Ascertained
		0	0	0	0	98	= Refused
		0	0	0	0	99	= Don't Know

1995 NATIONAL SURVEY OF FAMILY GROWTH
 File Documentation
 Respondent File (Section E Questionnaire Items)

VARIABLE	COLUMN	NON-HISPANIC				
NAME	LOCATION	HISP	WHITE	BLACK	TOTAL	QX TEXT AND CODE CATEGORIES

[MTHUS259] 7660-7661

During that month, which (of those/other) methods, if any, did you use at the same time? (4th METHOD MENTIONED, 2nd COMBINATION, MC22)

Inapplicable:
 R said no, don't know or refused to all birth control methods in EA series (computed variable EVERUSED = 2); R never had sex as of this month and never used a birth control method as of this month but ever used one or more birth control methods in EA series (WNFSTSEX GE 1093 and DATFIRSM GE 1093 and computed variable EVERUSED = 1); R did not use multiple methods in the month; or R used only 2 methods in the month; or R reported fewer than 2 BC method combinations; or R reported using fewer than 4 BC methods for this combination in this month of the method calendar.

1553	6483	2446	10847	Blank	= Blank, inapplicable
0	0	0	0	01	= NONE
0	0	0	0	02	= OFFICE USE ONLY
0	0	0	0	03	= BIRTH CONTROL PILLS
0	0	0	0	04	= CONDOM
0	0	0	0	05	= PARTNER'S VASECTOMY
0	0	0	0	06	= DIAPHRAGM
0	0	0	0	07	= FOAM
0	0	0	0	08	= JELLY OR CREAM
0	0	0	0	09	= CERVICAL CAP
0	0	0	0	10	= SUPPOSITORY, INSERT
0	0	0	0	11	= TODAY (TM) SPONGE
0	0	0	0	12	= FEMALE CONDOM, VAGINAL POUCH
0	0	0	0	13	= IUD, COIL, LOOP
0	0	0	0	14	= NORPLANT (TM)
0	0	0	0	15	= DEPO-PROVERA, INJECTABLES
0	0	0	0	16	= MORNING AFTER PILLS
0	0	0	0	17	= RHYTHM OR SAFE PERIOD BY CALENDAR
0	0	0	0	18	= SAFE PERIOD BY TEMP, CERVICAL MUCUS TEST,

1995 NATIONAL SURVEY OF FAMILY GROWTH
 File Documentation
 Respondent File (Section E Questionnaire Items)

VARIABLE NAME	COLUMN LOCATION	NON-HISPANIC			TOTAL	QX	TEXT AND CODE CATEGORIES
		HISP	WHITE	BLACK			
		0	0	0	0	19	NFP
		0	0	0	0	20	= WITHDRAWAL
		0	0	0	0	21	= RESPONDENT STERILE
							= PARTNER STERILE (NOT ON CARD)
		0	0	0	0	22	= OTHER METHOD-NOT SHOWN SEPARATELY
		0	0	0	0	97	= Not Ascertained
		0	0	0	0	98	= Refused
		0	0	0	0	99	= Don't Know

1995 NATIONAL SURVEY OF FAMILY GROWTH
File Documentation
Respondent File (Section E Questionnaire Items)

VARIABLE	COLUMN	NON-HISPANIC			QX TEXT AND CODE CATEGORIES
NAME	LOCATION	HISP	WHITE	BLACK	TOTAL

[MTHUS260] 7662-7663

During that month, which (of those/other) methods, if any, did you use at the same time? (1st METHOD MENTIONED, 3rd COMBINATION, MC22)

Inapplicable:
R said no, don't know or refused to all birth control methods in EA series (computed variable EVERUSED = 2); R never had sex as of this month and never used a birth control method as of this month but ever used one or more birth control methods in EA series (WNFSTSEX GE 1093 and DATFIRSM GE 1093 and computed variable EVERUSED = 1); R did not use multiple methods in the month; or R used only 2 methods in the month; or R reported fewer than 3 BC method combinations.

1553	6482	2446	10846	Blank	= Blank, inapplicable
0	0	0	0	0	01 = NONE
0	0	0	0	0	02 = OFFICE USE ONLY
0	0	0	0	0	03 = BIRTH CONTROL PILLS
0	1	0	1	0	04 = CONDOM
0	0	0	0	0	05 = PARTNER'S VASECTOMY
0	0	0	0	0	06 = DIAPHRAGM
0	0	0	0	0	07 = FOAM
0	0	0	0	0	08 = JELLY OR CREAM
0	0	0	0	0	09 = CERVICAL CAP
0	0	0	0	0	10 = SUPPOSITORY, INSERT
0	0	0	0	0	11 = TODAY (TM) SPONGE
0	0	0	0	0	12 = FEMALE CONDOM, VAGINAL POUCH
0	0	0	0	0	13 = IUD, COIL, LOOP
0	0	0	0	0	14 = NORPLANT (TM)
0	0	0	0	0	15 = DEPO-PROVERA, INJECTABLES
0	0	0	0	0	16 = MORNING AFTER PILLS
0	0	0	0	0	17 = RHYTHM OR SAFE PERIOD BY CALENDAR
0	0	0	0	0	18 = SAFE PERIOD BY TEMP, CERVICAL MUCUS TEST, NFP
0	0	0	0	0	19 = WITHDRAWAL
0	0	0	0	0	20 = RESPONDENT STERILE

1995 NATIONAL SURVEY OF FAMILY GROWTH
 File Documentation
 Respondent File (Section E Questionnaire Items)

VARIABLE NAME	COLUMN LOCATION	NON-HISPANIC			QX	TEXT AND CODE CATEGORIES
		HISP	WHITE	BLACK		
		0	0	0	0	21 = PARTNER STERILE (NOT ON CARD)
		0	0	0	0	22 = OTHER METHOD-NOT SHOWN SEPARATELY
		0	0	0	0	97 = Not Ascertained
		0	0	0	0	98 = Refused
		0	0	0	0	99 = Don't Know

1995 NATIONAL SURVEY OF FAMILY GROWTH
 File Documentation
 Respondent File (Section E Questionnaire Items)

VARIABLE	COLUMN	NON-HISPANIC				QX TEXT AND CODE CATEGORIES
NAME	LOCATION	HISP	WHITE	BLACK		

[MTHUS261] 7664-7665

During that month, which (of those/other) methods, if any, did you use at the same time? (2nd METHOD MENTIONED, 3rd COMBINATION, MC22)

Inapplicable:
 R said no, don't know or refused to all birth control methods in EA series (computed variable EVERUSED = 2); R never had sex as of this month and never used a birth control method as of this month but ever used one or more birth control methods in EA series (WNFSTSEX GE 1093 and DATFIRSM GE 1093 and computed variable EVERUSED = 1); R did not use multiple methods in the month; or R used only 2 methods in the month; or R reported fewer than 3 BC method combinations; or R reported using fewer than 2 BC methods for this combination in this month of the method calendar.

1553	6482	2446	10846	Blank	= Blank, inapplicable
0	0	0	0	01	= NONE
0	0	0	0	02	= OFFICE USE ONLY
0	0	0	0	03	= BIRTH CONTROL PILLS
0	0	0	0	04	= CONDOM
0	0	0	0	05	= PARTNER'S VASECTOMY
0	0	0	0	06	= DIAPHRAGM
0	0	0	0	07	= FOAM
0	0	0	0	08	= JELLY OR CREAM
0	0	0	0	09	= CERVICAL CAP
0	0	0	0	10	= SUPPOSITORY, INSERT
0	0	0	0	11	= TODAY (TM) SPONGE
0	0	0	0	12	= FEMALE CONDOM, VAGINAL POUCH
0	0	0	0	13	= IUD, COIL, LOOP
0	0	0	0	14	= NORPLANT (TM)
0	0	0	0	15	= DEPO-PROVERA, INJECTABLES
0	0	0	0	16	= MORNING AFTER PILLS
0	1	0	1	17	= RHYTHM OR SAFE PERIOD BY CALENDAR
0	0	0	0	18	= SAFE PERIOD BY TEMP, CERVICAL MUCUS TEST,

1995 NATIONAL SURVEY OF FAMILY GROWTH
 File Documentation
 Respondent File (Section E Questionnaire Items)

VARIABLE NAME	COLUMN LOCATION	NON-HISPANIC			TOTAL	QX	TEXT AND CODE CATEGORIES
		HISP	WHITE	BLACK			
		0	0	0	0	19	NFP
		0	0	0	0	20	= WITHDRAWAL
		0	0	0	0	21	= RESPONDENT STERILE
							= PARTNER STERILE (NOT ON CARD)
		0	0	0	0	22	= OTHER METHOD-NOT SHOWN SEPARATELY
		0	0	0	0	97	= Not Ascertained
		0	0	0	0	98	= Refused
		0	0	0	0	99	= Don't Know

1995 NATIONAL SURVEY OF FAMILY GROWTH
 File Documentation
 Respondent File (Section E Questionnaire Items)

VARIABLE NAME	COLUMN LOCATION	NON-HISPANIC			TOTAL	QX	TEXT AND CODE CATEGORIES
		HISP	WHITE	BLACK			
		0	0	0	0	19	NFP
		0	0	0	0	20	= WITHDRAWAL
		0	0	0	0	21	= RESPONDENT STERILE
							= PARTNER STERILE (NOT ON CARD)
		0	0	0	0	22	= OTHER METHOD-NOT SHOWN SEPARATELY
		0	0	0	0	97	= Not Ascertained
		0	0	0	0	98	= Refused
		0	0	0	0	99	= Don't Know

1995 NATIONAL SURVEY OF FAMILY GROWTH
 File Documentation
 Respondent File (Section E Questionnaire Items)

VARIABLE COLUMN NON-HISPANIC
 NAME LOCATION HISP WHITE BLACK TOTAL QX TEXT AND CODE CATEGORIES

[MTHUS263] 7668-7669

During that month, which (of those/other) methods, if any, did you use at the same time? (4th METHOD MENTIONED, 3rd COMBINATION, MC22)

Inapplicable:
 R said no, don't know or refused to all birth control methods in EA series (computed variable EVERUSED = 2); R never had sex as of this month and never used a birth control method as of this month but ever used one or more birth control methods in EA series (WNFSTSEX GE 1093 and DATFIRSM GE 1093 and computed variable EVERUSED = 1); R did not use multiple methods in the month; or R used only 2 methods in the month; or R reported fewer than 3 BC method combinations; or R reported using fewer than 4 BC methods for this combination in this month of the method calendar.

1553	6483	2446	10847	Blank	= Blank, inapplicable
0	0	0	0	01	= NONE
0	0	0	0	02	= OFFICE USE ONLY
0	0	0	0	03	= BIRTH CONTROL PILLS
0	0	0	0	04	= CONDOM
0	0	0	0	05	= PARTNER'S VASECTOMY
0	0	0	0	06	= DIAPHRAGM
0	0	0	0	07	= FOAM
0	0	0	0	08	= JELLY OR CREAM
0	0	0	0	09	= CERVICAL CAP
0	0	0	0	10	= SUPPOSITORY, INSERT
0	0	0	0	11	= TODAY (TM) SPONGE
0	0	0	0	12	= FEMALE CONDOM, VAGINAL POUCH
0	0	0	0	13	= IUD, COIL, LOOP
0	0	0	0	14	= NORPLANT (TM)
0	0	0	0	15	= DEPO-PROVERA, INJECTABLES
0	0	0	0	16	= MORNING AFTER PILLS
0	0	0	0	17	= RHYTHM OR SAFE PERIOD BY CALENDAR
0	0	0	0	18	= SAFE PERIOD BY TEMP, CERVICAL MUCUS TEST,

(3884)

1995 NATIONAL SURVEY OF FAMILY GROWTH
 File Documentation
 Respondent File (Section E Questionnaire Items)

VARIABLE NAME	COLUMN LOCATION	NON-HISPANIC			TOTAL	QX	TEXT AND CODE CATEGORIES
		HISP	WHITE	BLACK			
		0	0	0	0	19	NFP = WITHDRAWAL
		0	0	0	0	20	= RESPONDENT STERILE
		0	0	0	0	21	= PARTNER STERILE (NOT ON CARD)
		0	0	0	0	22	= OTHER METHOD-NOT SHOWN SEPARATELY
		0	0	0	0	97	= Not Ascertained
		0	0	0	0	98	= Refused
		0	0	0	0	99	= Don't Know

1995 NATIONAL SURVEY OF FAMILY GROWTH
 File Documentation
 Respondent File (Section E Questionnaire Items)

VARIABLE NAME	COLUMN LOCATION	NON-HISPANIC			QX TEXT AND CODE CATEGORIES		
		HISP	WHITE	BLACK		TOTAL	
[METHH088]	7670-7671				ENTER METHOD (FIRST MENTIONED) USED IN NOVEMBER 1992: (MC23)		
					Inapplicable: R never had sex as of this month and never used a birth control method as of this month but ever used one or more birth control methods in EA series (WNFSTSEX GE 1093 and DATFIRSM GE 1093 and computed variable EVERUSED = 1); R never had sex and said no, don't know or refused to all birth control methods in EA series (computed variable RHADSEX coded 2,7,8 or 9 and computed variable EVERUSED = 2); R said no, don't know or refused to all birth control methods in EA series (computed variable EVERUSED = 2).		
		341	980	332	1761	Blank	= Blank, inapplicable
		332	1220	542	2161	01	= NO METHODS USED
		0	0	0	0	02	= SAME AS PREVIOUS MONTH
		269	1350	453	2105	03	= BIRTH CONTROL PILLS
		169	832	395	1460	04	= CONDOM
		23	315	9	356	05	= PARTNER'S VASECTOMY
		7	125	13	147	06	= DIAPHRAGM
		3	22	2	27	07	= FOAM
		1	8	2	11	08	= JELLY OR CREAM
		0	4	0	4	09	= CERVICAL CAP
		5	23	8	38	10	= SUPPOSITORY, INSERT
		1	35	8	44	11	= TODAY (TM) SPONGE
		0	0	0	0	12	= FEMALE CONDOM, VAGINAL POUCH
		18	34	18	74	13	= IUD, COIL, LOOP
		16	31	32	81	14	= NORPLANT (TM)
		14	7	9	30	15	= DEPO-PROVERA, INJECTABLES
		0	1	0	1	16	= MORNING AFTER PILLS
		28	107	18	165	17	= RHYTHM OR SAFE PERIOD BY CALENDAR
		3	16	0	19	18	= SAFE PERIOD BY TEMP, CERVICAL MUCUS TEST, NFP
		40	130	29	210	19	= WITHDRAWAL
		265	1068	561	1940	20	= RESPONDENT STERILE

(3886)

1995 NATIONAL SURVEY OF FAMILY GROWTH
 File Documentation
 Respondent File (Section E Questionnaire Items)

VARIABLE NAME	COLUMN LOCATION	NON-HISPANIC			TOTAL	QX	TEXT AND CODE CATEGORIES
		HISP	WHITE	BLACK			
		17	164	7	192	21	= PARTNER STERILE (NOT ON CARD)
		1	4	4	9	22	= OTHER METHOD-NOT SHOWN SEPARATELY
		0	0	0	0	55	= SAME METHODS USED THROUGH END OF YEAR
		0	1	2	3	97	= Not Ascertained
		0	4	2	6	98	= Refused
		0	2	0	3	99	= Don't Know

1995 NATIONAL SURVEY OF FAMILY GROWTH
 File Documentation
 Respondent File (Section E Questionnaire Items)

VARIABLE NAME	COLUMN LOCATION	NON-HISPANIC			TOTAL	QX	TEXT AND CODE CATEGORIES
		HISP	WHITE	BLACK			
		1	7	13	21	20	= RESPONDENT STERILE
		0	7	1	9	21	= PARTNER STERILE (NOT ON CARD)
		0	0	0	0	22	= OTHER METHOD-NOT SHOWN SEPARATELY
		0	0	0	0	55	= SAME METHODS USED THROUGH END OF YEAR
		0	1	2	3	97	= Not Ascertained
		0	4	2	6	98	= Refused
		0	2	0	3	99	= Don't Know

1995 NATIONAL SURVEY OF FAMILY GROWTH
 File Documentation
 Respondent File (Section E Questionnaire Items)

VARIABLE COLUMN NON-HISPANIC
 NAME LOCATION HISP WHITE BLACK TOTAL QX TEXT AND CODE CATEGORIES

[METHH090] 7674-7675

ENTER METHOD (THIRD MENTIONED) USED
 IN NOVEMBER 1992: (MC23)

Inapplicable:

R never had sex as of this month and never used a birth control method as of this month but ever used one or more birth control methods in EA series (WNFSTSEX GE 1093 and DATFIRSM GE 1093 and computed variable EVERUSED = 1); R never had sex and said no, don't know or refused to all birth control methods in EA series (computed variable RHADSEX coded 2,7,8 or 9 and computed variable EVERUSED = 2); R said no, don't know or refused to all birth control methods in EA series (computed variable EVERUSED = 2); R used fewer than 3 methods in month.

1539	6416	2417	10732	Blank	= Blank, inapplicable
0	0	0	0	01	= NO METHODS USED
0	0	0	0	02	= SAME AS PREVIOUS MONTH
0	1	1	2	03	= BIRTH CONTROL PILLS
1	1	0	2	04	= CONDOM
1	0	0	1	05	= PARTNER'S VASECTOMY
0	0	0	0	06	= DIAPHRAGM
2	1	1	4	07	= FOAM
0	2	0	2	08	= JELLY OR CREAM
0	0	0	0	09	= CERVICAL CAP
0	1	0	1	10	= SUPPOSITORY, INSERT
1	6	1	8	11	= TODAY (TM) SPONGE
1	0	0	1	12	= FEMALE CONDOM, VAGINAL POUCH
0	0	0	0	13	= IUD, COIL, LOOP
0	0	0	0	14	= NORPLANT (TM)
0	0	0	0	15	= DEPO-PROVERA, INJECTABLES
0	1	0	1	16	= MORNING AFTER PILLS
2	7	0	9	17	= RHYTHM OR SAFE PERIOD BY CALENDAR
0	4	0	5	18	= SAFE PERIOD BY TEMP, CERVICAL MUCUS TEST, NFP
4	27	2	35	19	= WITHDRAWAL

(3890)

1995 NATIONAL SURVEY OF FAMILY GROWTH
 File Documentation
 Respondent File (Section E Questionnaire Items)

VARIABLE NAME	COLUMN LOCATION	NON-HISPANIC			TOTAL	QX	TEXT AND CODE CATEGORIES
		HISP	WHITE	BLACK			
		1	9	20	30	20	= RESPONDENT STERILE
		0	0	0	0	21	= PARTNER STERILE (NOT ON CARD)
		1	0	0	2	22	= OTHER METHOD-NOT SHOWN SEPARATELY
		0	0	0	0	55	= SAME METHODS USED THROUGH END OF YEAR
		0	1	2	3	97	= Not Ascertained
		0	4	2	6	98	= Refused
		0	2	0	3	99	= Don't Know

1995 NATIONAL SURVEY OF FAMILY GROWTH
 File Documentation
 Respondent File (Section E Questionnaire Items)

VARIABLE	COLUMN	NON-HISPANIC			QX TEXT AND CODE CATEGORIES	
NAME	LOCATION	HISP	WHITE	BLACK	TOTAL	
[METHH091]	7676-7677					ENTER METHOD (FOURTH MENTIONED) USED IN NOVEMBER 1992: (MC23)

Inapplicable:
 R never had sex as of this month and never used a birth control method as of this month but ever used one or more birth control methods in EA series (WNFSTSEX GE 1093 and DATFIRSM GE 1093 and computed variable EVERUSED = 1); R never had sex and said no, don't know or refused to all birth control methods in EA series (computed variable RHADSEX coded 2,7,8 or 9 and computed variable EVERUSED = 2); R said no, don't know or refused to all birth control methods in EA series (computed variable EVERUSED = 2); R used fewer than 4 methods in month.

1553	6470	2442	10829	Blank	= Blank, inapplicable
0	0	0	0	0 01	= NO METHODS USED
0	0	0	0	0 02	= SAME AS PREVIOUS MONTH
0	0	0	0	0 03	= BIRTH CONTROL PILLS
0	1	0	1	0 04	= CONDOM
0	0	0	0	0 05	= PARTNER'S VASECTOMY
0	0	0	0	0 06	= DIAPHRAGM
0	0	0	0	0 07	= FOAM
0	0	0	0	0 08	= JELLY OR CREAM
0	0	0	0	0 09	= CERVICAL CAP
0	1	0	1	0 10	= SUPPOSITORY, INSERT
0	1	0	1	0 11	= TODAY (TM) SPONGE
0	0	0	0	0 12	= FEMALE CONDOM, VAGINAL POUCH
0	0	0	0	0 13	= IUD, COIL, LOOP
0	0	0	0	0 14	= NORPLANT (TM)
0	0	0	0	0 15	= DEPO-PROVERA, INJECTABLES
0	0	0	0	0 16	= MORNING AFTER PILLS
0	2	0	2	0 17	= RHYTHM OR SAFE PERIOD BY CALENDAR
0	0	0	0	0 18	= SAFE PERIOD BY TEMP, CERVICAL MUCUS TEST, NFP
0	1	0	1	0 19	= WITHDRAWAL

(3892)

1995 NATIONAL SURVEY OF FAMILY GROWTH
 File Documentation
 Respondent File (Section E Questionnaire Items)

VARIABLE NAME	COLUMN LOCATION	NON-HISPANIC			TOTAL	QX	TEXT AND CODE CATEGORIES
		HISP	WHITE	BLACK			
		0	0	0	0	20	= RESPONDENT STERILE
		0	0	0	0	21	= PARTNER STERILE (NOT ON CARD)
		0	0	0	0	22	= OTHER METHOD-NOT SHOWN SEPARATELY
		0	0	0	0	55	= SAME METHODS USED THROUGH END OF YEAR
		0	1	2	3	97	= Not Ascertained
		0	4	2	6	98	= Refused
		0	2	0	3	99	= Don't Know

[SIMSEQ22] 7678-7678

Did you use those methods together,
 that is, at the same time, or did
 you use them at different times
 during the month? (MC23)

Inapplicable:

R never had sex as of this month and
 never used a birth control method as
 of this month but ever used one or
 more birth control methods in EA
 series (WNFSTSEX GE 1093 and
 DATFIRSM GE 1093 and computed
 variable EVERUSED = 1); R never had
 sex and said no, don't know or
 refused to all birth control methods
 in EA series (computed variable
 RHADSEX coded 2,7,8 or 9 and
 computed variable EVERUSED = 2); R
 said no, don't know or refused to
 all birth control methods in EA
 series (computed variable EVERUSED =
 2); R did not use multiple methods
 in the month; R used more than 2
 methods in the month.

1499	6145	2291	10278	Blank	= Blank, inapplicable
29	221	118	381	1	= SAME TIME
25	117	37	188	2	= DIFFERENT TIMES
0	0	0	0	7	= Not Ascertained
0	0	0	0	8	= Refused
0	0	0	0	9	= Don't Know

1995 NATIONAL SURVEY OF FAMILY GROWTH
 File Documentation
 Respondent File (Section E Questionnaire Items)

VARIABLE	COLUMN	NON-HISPANIC				
NAME	LOCATION	HISP	WHITE	BLACK		TOTAL

[MTHUS264] 7679-7680

During that month, which (of those/other) methods, if any, did you use at the same time? (1st METHOD MENTIONED, 1st COMBINATION, MC23)

Inapplicable:
 R said no, don't know or refused to all birth control methods in EA series (computed variable EVERUSED = 2); R never had sex as of this month and never used a birth control method as of this month but ever used one or more birth control methods in EA series (WNFSTSEX GE 1093 and DATFIRSM GE 1093 and computed variable EVERUSED = 1); R did not use multiple methods in the month; or R used only 2 methods in the month.

1540	6432	2440	10773	Blank	= Blank, inapplicable
4	9	2	15	01	= NONE
0	0	0	0	02	= OFFICE USE ONLY
2	5	1	9	03	= BIRTH CONTROL PILLS
7	21	0	31	04	= CONDOM
0	0	0	0	05	= PARTNER'S VASECTOMY
0	3	0	3	06	= DIAPHRAGM
0	2	0	2	07	= FOAM
0	0	0	0	08	= JELLY OR CREAM
0	0	0	0	09	= CERVICAL CAP
0	0	0	0	10	= SUPPOSITORY, INSERT
0	3	0	3	11	= TODAY (TM) SPONGE
0	0	0	0	12	= FEMALE CONDOM, VAGINAL POUCH
0	0	0	0	13	= IUD, COIL, LOOP
0	0	0	0	14	= NORPLANT (TM)
0	0	0	0	15	= DEPO-PROVERA, INJECTABLES
0	0	0	0	16	= MORNING AFTER PILLS
0	7	0	7	17	= RHYTHM OR SAFE PERIOD BY CALENDAR
0	0	0	0	18	= SAFE PERIOD BY TEMP, CERVICAL MUCUS TEST, NFP
0	1	2	3	19	= WITHDRAWAL
0	0	1	1	20	= RESPONDENT STERILE
0	0	0	0	21	= PARTNER STERILE (NOT

(3894)

1995 NATIONAL SURVEY OF FAMILY GROWTH
 File Documentation
 Respondent File (Section E Questionnaire Items)

VARIABLE NAME	COLUMN LOCATION	NON-HISPANIC			TOTAL	QX	TEXT AND CODE CATEGORIES
		HISP	WHITE	BLACK			
		0	0	0	0	22	ON CARD) = OTHER METHOD-NOT SHOWN SEPARATELY
		0	0	0	0	97	= Not Ascertained
		0	0	0	0	98	= Refused
		0	0	0	0	99	= Don't Know

1995 NATIONAL SURVEY OF FAMILY GROWTH
 File Documentation
 Respondent File (Section E Questionnaire Items)

VARIABLE COLUMN NON-HISPANIC
 NAME LOCATION HISP WHITE BLACK TOTAL QX TEXT AND CODE CATEGORIES

[MTHUS265] 7681-7682

During that month, which (of those/other) methods, if any, did you use at the same time? (2nd METHOD MENTIONED, 1st COMBINATION, MC23)

Inapplicable:
 R said no, don't know or refused to all birth control methods in EA series (computed variable EVERUSED = 2); R never had sex as of this month and never used a birth control method as of this month but ever used one or more birth control methods in EA series (WNFSTSEX GE 1093 and DATFIRSM GE 1093 and computed variable EVERUSED = 1); R did not use multiple methods in the month; or R used only 2 methods in the month; or R reported using fewer than 2 BC methods for this combination in this month of the method calendar.

	1544	6441	2442	10788	Blank	
	0	0	0	0	01	= Blank, inapplicable
	0	0	0	0	02	= NONE
	0	0	0	0	03	= OFFICE USE ONLY
	2	9	3	14	04	= BIRTH CONTROL PILLS
	0	1	0	1	05	= CONDOM
	0	1	0	1	06	= PARTNER'S VASECTOMY
	1	3	0	4	07	= DIAPHRAGM
	1	0	0	1	08	= FOAM
	0	0	0	0	09	= JELLY OR CREAM
	1	0	1	2	10	= CERVICAL CAP
	0	1	0	1	11	= SUPPOSITORY, INSERT
	0	0	0	0	12	= TODAY (TM) SPONGE
	0	0	0	0	13	= FEMALE CONDOM, VAGINAL POUCH
	0	0	0	0	14	= IUD, COIL, LOOP
	0	0	0	0	15	= NORPLANT (TM)
	0	1	0	1	16	= DEPO-PROVERA, INJECTABLES
	3	16	0	20	17	= MORNING AFTER PILLS
	0	2	0	2	18	= RHYTHM OR SAFE PERIOD BY CALENDAR
						= SAFE PERIOD BY TEMP, CERVICAL MUCUS TEST, NFP

1995 NATIONAL SURVEY OF FAMILY GROWTH
 File Documentation
 Respondent File (Section E Questionnaire Items)

VARIABLE NAME	COLUMN LOCATION	NON-HISPANIC			TOTAL	QX	TEXT AND CODE CATEGORIES
		HISP	WHITE	BLACK			
		1	8	0	12	19	= WITHDRAWAL
		0	0	0	0	20	= RESPONDENT STERILE
		0	0	0	0	21	= PARTNER STERILE (NOT ON CARD)
		0	0	0	0	22	= OTHER METHOD-NOT SHOWN SEPARATELY
		0	0	0	0	97	= Not Ascertained
		0	0	0	0	98	= Refused
		0	0	0	0	99	= Don't Know

1995 NATIONAL SURVEY OF FAMILY GROWTH
 File Documentation
 Respondent File (Section E Questionnaire Items)

VARIABLE COLUMN NON-HISPANIC
 NAME LOCATION HISP WHITE BLACK TOTAL QX TEXT AND CODE CATEGORIES

[MTHUS266] 7683-7684

During that month, which (of those/other) methods, if any, did you use at the same time? (3rd METHOD MENTIONED, 1st COMBINATION, MC23)

Inapplicable:
 R said no, don't know or refused to all birth control methods in EA series (computed variable EVERUSED = 2); R never had sex as of this month and never used a birth control method as of this month but ever used one or more birth control methods in EA series (WNFSTSEX GE 1093 and DATFIRSM GE 1093 and computed variable EVERUSED = 1); R did not use multiple methods in the month; or R used only 2 methods in the month; or R reported using fewer than 3 BC methods for this combination in this month of the method calendar.

	1546	6459	2444	10813	Blank	
	0	0	0	0	01	= Blank, inapplicable
	0	0	0	0	02	= NONE
	0	0	1	1	03	= OFFICE USE ONLY
	0	0	0	0	04	= BIRTH CONTROL PILLS
	1	0	0	1	05	= CONDOM
	0	0	0	0	06	= PARTNER'S VASECTOMY
	2	0	1	3	07	= DIAPHRAGM
	0	2	0	2	08	= FOAM
	0	0	0	0	09	= JELLY OR CREAM
	0	0	0	0	10	= CERVICAL CAP
	1	2	0	3	11	= SUPPOSITORY, INSERT
	0	0	0	0	12	= TODAY (TM) SPONGE
	0	0	0	0	13	= FEMALE CONDOM, VAGINAL POUCH
	0	0	0	0	14	= IUD, COIL, LOOP
	0	0	0	0	15	= NORPLANT (TM)
	0	0	0	0	16	= DEPO-PROVERA, INJECTABLES
	2	4	0	6	17	= MORNING AFTER PILLS
	0	3	0	4	18	= RHYTHM OR SAFE PERIOD BY CALENDAR
						= SAFE PERIOD BY TEMP, CERVICAL MUCUS TEST, NFP

1995 NATIONAL SURVEY OF FAMILY GROWTH
 File Documentation
 Respondent File (Section E Questionnaire Items)

VARIABLE NAME	COLUMN LOCATION	NON-HISPANIC			TOTAL	QX	TEXT AND CODE CATEGORIES
		HISP	WHITE	BLACK			
		0	13	0	13	19	= WITHDRAWAL
		0	0	0	0	20	= RESPONDENT STERILE
		0	0	0	0	21	= PARTNER STERILE (NOT ON CARD)
		1	0	0	1	22	= OTHER METHOD-NOT SHOWN SEPARATELY
		0	0	0	0	97	= Not Ascertained
		0	0	0	0	98	= Refused
		0	0	0	0	99	= Don't Know

1995 NATIONAL SURVEY OF FAMILY GROWTH
 File Documentation
 Respondent File (Section E Questionnaire Items)

VARIABLE COLUMN NON-HISPANIC
 NAME LOCATION HISP WHITE BLACK TOTAL QX TEXT AND CODE CATEGORIES

[MTHUS267] 7685-7686

During that month, which (of those/other) methods, if any, did you use at the same time? (4th METHOD MENTIONED, 1st COMBINATION, MC23)

Inapplicable:
 R said no, don't know or refused to all birth control methods in EA series (computed variable EVERUSED = 2); R never had sex as of this month and never used a birth control method as of this month but ever used one or more birth control methods in EA series (WNFSTSEX GE 1093 and DATFIRSM GE 1093 and computed variable EVERUSED = 1); R did not use multiple methods in the month; or R used only 2 methods in the month; or R reported using fewer than 4 BC methods for this combination in this month of the method calendar.

	1553	6482	2446	10846	Blank	
	0	0	0	0	01	= Blank, inapplicable
	0	0	0	0	02	= NONE
	0	0	0	0	03	= OFFICE USE ONLY
	0	1	0	1	04	= BIRTH CONTROL PILLS
	0	0	0	0	05	= CONDOM
	0	0	0	0	06	= PARTNER'S VASECTOMY
	0	0	0	0	07	= DIAPHRAGM
	0	0	0	0	08	= FOAM
	0	0	0	0	09	= JELLY OR CREAM
	0	0	0	0	10	= CERVICAL CAP
	0	0	0	0	11	= SUPPOSITORY, INSERT
	0	0	0	0	12	= TODAY (TM) SPONGE
	0	0	0	0	13	= FEMALE CONDOM, VAGINAL POUCH
	0	0	0	0	14	= IUD, COIL, LOOP
	0	0	0	0	15	= NORPLANT (TM)
	0	0	0	0	16	= DEPO-PROVERA, INJECTABLES
	0	0	0	0	17	= MORNING AFTER PILLS
	0	0	0	0	18	= RHYTHM OR SAFE PERIOD BY CALENDAR
	0	0	0	0	18	= SAFE PERIOD BY TEMP, CERVICAL MUCUS TEST, NFP

1995 NATIONAL SURVEY OF FAMILY GROWTH
 File Documentation
 Respondent File (Section E Questionnaire Items)

VARIABLE NAME	COLUMN LOCATION	NON-HISPANIC			TOTAL	QX	TEXT AND CODE CATEGORIES
		HISP	WHITE	BLACK			
		0	0	0	0	19	= WITHDRAWAL
		0	0	0	0	20	= RESPONDENT STERILE
		0	0	0	0	21	= PARTNER STERILE (NOT ON CARD)
		0	0	0	0	22	= OTHER METHOD-NOT SHOWN SEPARATELY
		0	0	0	0	97	= Not Ascertained
		0	0	0	0	98	= Refused
		0	0	0	0	99	= Don't Know

1995 NATIONAL SURVEY OF FAMILY GROWTH
 File Documentation
 Respondent File (Section E Questionnaire Items)

VARIABLE COLUMN NON-HISPANIC
 NAME LOCATION HISP WHITE BLACK TOTAL QX TEXT AND CODE CATEGORIES

[MTHUS268] 7687-7688

During that month, which (of those/other) methods, if any, did you use at the same time? (1st METHOD MENTIONED, 2nd COMBINATION, MC23)

Inapplicable:
 R said no, don't know or refused to all birth control methods in EA series (computed variable EVERUSED = 2); R never had sex as of this month and never used a birth control method as of this month but ever used one or more birth control methods in EA series (WNFSTSEX GE 1093 and DATFIRSM GE 1093 and computed variable EVERUSED = 1); R did not use multiple methods in the month; or R used only 2 methods in the month; or R reported fewer than 2 BC method combinations.

1544	6441	2442	10788	Blank	
5	29	1	38	01	= Blank, inapplicable
0	0	0	0	02	= NONE
1	2	0	3	03	= OFFICE USE ONLY
0	5	0	6	04	= BIRTH CONTROL PILLS
0	0	0	0	05	= CONDOM
0	0	0	0	06	= PARTNER'S VASECTOMY
1	1	0	2	07	= DIAPHRAGM
0	0	0	0	08	= FOAM
0	0	0	0	09	= JELLY OR CREAM
0	0	0	0	10	= CERVICAL CAP
0	0	0	0	10	= SUPPOSITORY, INSERT
0	1	0	1	11	= TODAY (TM) SPONGE
0	0	0	0	12	= FEMALE CONDOM, VAGINAL POUCH
0	0	0	0	13	= IUD, COIL, LOOP
0	0	0	0	14	= NORPLANT (TM)
0	0	0	0	15	= DEPO-PROVERA, INJECTABLES
0	0	0	0	16	= MORNING AFTER PILLS
0	3	0	3	17	= RHYTHM OR SAFE PERIOD BY CALENDAR
0	0	0	0	18	= SAFE PERIOD BY TEMP, CERVICAL MUCUS TEST, NFP
1	1	2	4	19	= WITHDRAWAL
0	0	1	1	20	= RESPONDENT STERILE

(3902)

1995 NATIONAL SURVEY OF FAMILY GROWTH
 File Documentation
 Respondent File (Section E Questionnaire Items)

VARIABLE NAME	COLUMN LOCATION	NON-HISPANIC			TOTAL	QX	TEXT AND CODE CATEGORIES
		HISP	WHITE	BLACK			
		0	0	0	0	21	= PARTNER STERILE (NOT ON CARD)
		1	0	0	1	22	= OTHER METHOD-NOT SHOWN SEPARATELY
		0	0	0	0	97	= Not Ascertained
		0	0	0	0	98	= Refused
		0	0	0	0	99	= Don't Know

1995 NATIONAL SURVEY OF FAMILY GROWTH
 File Documentation
 Respondent File (Section E Questionnaire Items)

VARIABLE	COLUMN	NON-HISPANIC			QX TEXT AND CODE CATEGORIES
NAME	LOCATION	HISP	WHITE	BLACK	TOTAL

[MTHUS269] 7689-7690

During that month, which (of those/other) methods, if any, did you use at the same time? (2nd METHOD MENTIONED, 2nd COMBINATION, MC23)

Inapplicable:
 R said no, don't know or refused to all birth control methods in EA series (computed variable EVERUSED = 2); R never had sex as of this month and never used a birth control method as of this month but ever used one or more birth control methods in EA series (WNFSTSEX GE 1093 and DATFIRSM GE 1093 and computed variable EVERUSED = 1); R did not use multiple methods in the month; or R used only 2 methods in the month; or R reported fewer than 2 BC method combinations; or R reported using fewer than 2 BC methods for this combination in this month of the method calendar.

1551	6473	2443	10831	Blank	= Blank, inapplicable
0	0	0	0	01	= NONE
0	0	0	0	02	= OFFICE USE ONLY
0	0	0	0	03	= BIRTH CONTROL PILLS
1	1	1	3	04	= CONDOM
0	1	0	1	05	= PARTNER'S VASECTOMY
0	0	0	0	06	= DIAPHRAGM
0	0	0	0	07	= FOAM
0	0	0	0	08	= JELLY OR CREAM
0	0	0	0	09	= CERVICAL CAP
0	0	1	1	10	= SUPPOSITORY, INSERT
0	1	0	1	11	= TODAY (TM) SPONGE
0	0	0	0	12	= FEMALE CONDOM, VAGINAL POUCH
0	0	0	0	13	= IUD, COIL, LOOP
0	0	0	0	14	= NORPLANT (TM)
0	0	0	0	15	= DEPO-PROVERA, INJECTABLES
0	0	0	0	16	= MORNING AFTER PILLS
0	3	0	4	17	= RHYTHM OR SAFE PERIOD BY CALENDAR
0	1	0	1	18	= SAFE PERIOD BY TEMP, CERVICAL MUCUS TEST,

1995 NATIONAL SURVEY OF FAMILY GROWTH
 File Documentation
 Respondent File (Section E Questionnaire Items)

VARIABLE NAME	COLUMN LOCATION	NON-HISPANIC			TOTAL	QX TEXT AND CODE CATEGORIES	
		HISP	WHITE	BLACK			
		1	3	1	5	19	NFP
		0	0	0	0	20	= WITHDRAWAL
		0	0	0	0	21	= RESPONDENT STERILE
							= PARTNER STERILE (NOT ON CARD)
		0	0	0	0	22	= OTHER METHOD-NOT SHOWN SEPARATELY
		0	0	0	0	97	= Not Ascertained
		0	0	0	0	98	= Refused
		0	0	0	0	99	= Don't Know

1995 NATIONAL SURVEY OF FAMILY GROWTH
 File Documentation
 Respondent File (Section E Questionnaire Items)

VARIABLE COLUMN NON-HISPANIC
 NAME LOCATION HISP WHITE BLACK TOTAL QX TEXT AND CODE CATEGORIES

[MTHUS270] 7691-7692

During that month, which (of those/other) methods, if any, did you use at the same time? (3rd METHOD MENTIONED, 2nd COMBINATION, MC23)

Inapplicable:
 R said no, don't know or refused to all birth control methods in EA series (computed variable EVERUSED = 2); R never had sex as of this month and never used a birth control method as of this month but ever used one or more birth control methods in EA series (WNFSTSEX GE 1093 and DATFIRSM GE 1093 and computed variable EVERUSED = 1); R did not use multiple methods in the month; or R used only 2 methods in the month; or R reported fewer than 2 BC method combinations; or R reported using fewer than 3 BC methods for this combination in this month of the method calendar.

1552	6479	2445	10840	Blank	= Blank, inapplicable
0	0	0	0	01	= NONE
0	0	0	0	02	= OFFICE USE ONLY
0	0	1	1	03	= BIRTH CONTROL PILLS
0	0	0	0	04	= CONDOM
0	0	0	0	05	= PARTNER'S VASECTOMY
0	0	0	0	06	= DIAPHRAGM
0	0	0	0	07	= FOAM
0	1	0	1	08	= JELLY OR CREAM
0	0	0	0	09	= CERVICAL CAP
0	0	0	0	10	= SUPPOSITORY, INSERT
0	0	0	0	11	= TODAY (TM) SPONGE
0	0	0	0	12	= FEMALE CONDOM, VAGINAL POUCH
0	0	0	0	13	= IUD, COIL, LOOP
0	0	0	0	14	= NORPLANT (TM)
0	0	0	0	15	= DEPO-PROVERA, INJECTABLES
0	0	0	0	16	= MORNING AFTER PILLS
1	0	0	1	17	= RHYTHM OR SAFE PERIOD BY CALENDAR
0	1	0	2	18	= SAFE PERIOD BY TEMP, CERVICAL MUCUS TEST,

(3906)

1995 NATIONAL SURVEY OF FAMILY GROWTH
 File Documentation
 Respondent File (Section E Questionnaire Items)

VARIABLE NAME	COLUMN LOCATION	NON-HISPANIC			TOTAL	QX	TEXT AND CODE CATEGORIES
		HISP	WHITE	BLACK			
		0	2	0	2	19	NFP
		0	0	0	0	20	= WITHDRAWAL
		0	0	0	0	21	= RESPONDENT STERILE
							= PARTNER STERILE (NOT ON CARD)
		0	0	0	0	22	= OTHER METHOD-NOT SHOWN SEPARATELY
		0	0	0	0	97	= Not Ascertained
		0	0	0	0	98	= Refused
		0	0	0	0	99	= Don't Know

1995 NATIONAL SURVEY OF FAMILY GROWTH
 File Documentation
 Respondent File (Section E Questionnaire Items)

VARIABLE	COLUMN	NON-HISPANIC				QX TEXT AND CODE CATEGORIES
NAME	LOCATION	HISP	WHITE	BLACK		

[MTHUS271] 7693-7694

During that month, which (of those/other) methods, if any, did you use at the same time? (4th METHOD MENTIONED, 2nd COMBINATION, MC23)

Inapplicable:
 R said no, don't know or refused to all birth control methods in EA series (computed variable EVERUSED = 2); R never had sex as of this month and never used a birth control method as of this month but ever used one or more birth control methods in EA series (WNFSTSEX GE 1093 and DATFIRSM GE 1093 and computed variable EVERUSED = 1); R did not use multiple methods in the month; or R used only 2 methods in the month; or R reported fewer than 2 BC method combinations; or R reported using fewer than 4 BC methods for this combination in this month of the method calendar.

1553	6483	2446	10847	Blank	= Blank, inapplicable
0	0	0	0	01	= NONE
0	0	0	0	02	= OFFICE USE ONLY
0	0	0	0	03	= BIRTH CONTROL PILLS
0	0	0	0	04	= CONDOM
0	0	0	0	05	= PARTNER'S VASECTOMY
0	0	0	0	06	= DIAPHRAGM
0	0	0	0	07	= FOAM
0	0	0	0	08	= JELLY OR CREAM
0	0	0	0	09	= CERVICAL CAP
0	0	0	0	10	= SUPPOSITORY, INSERT
0	0	0	0	11	= TODAY (TM) SPONGE
0	0	0	0	12	= FEMALE CONDOM, VAGINAL POUCH
0	0	0	0	13	= IUD, COIL, LOOP
0	0	0	0	14	= NORPLANT (TM)
0	0	0	0	15	= DEPO-PROVERA, INJECTABLES
0	0	0	0	16	= MORNING AFTER PILLS
0	0	0	0	17	= RHYTHM OR SAFE PERIOD BY CALENDAR
0	0	0	0	18	= SAFE PERIOD BY TEMP, CERVICAL MUCUS TEST,

1995 NATIONAL SURVEY OF FAMILY GROWTH
 File Documentation
 Respondent File (Section E Questionnaire Items)

VARIABLE NAME	COLUMN LOCATION	NON-HISPANIC			TOTAL	QX	TEXT AND CODE CATEGORIES
		HISP	WHITE	BLACK			
		0	0	0	0	19	NFP
		0	0	0	0	20	= WITHDRAWAL
		0	0	0	0	21	= RESPONDENT STERILE
							= PARTNER STERILE (NOT ON CARD)
		0	0	0	0	22	= OTHER METHOD-NOT SHOWN SEPARATELY
		0	0	0	0	97	= Not Ascertained
		0	0	0	0	98	= Refused
		0	0	0	0	99	= Don't Know

1995 NATIONAL SURVEY OF FAMILY GROWTH
 File Documentation
 Respondent File (Section E Questionnaire Items)

VARIABLE	COLUMN	NON-HISPANIC				QX TEXT AND CODE CATEGORIES
NAME	LOCATION	HISP	WHITE	BLACK	TOTAL	

[MTHUS272] 7695-7696

During that month, which (of those/other) methods, if any, did you use at the same time? (1st METHOD MENTIONED, 3rd COMBINATION, MC23)

Inapplicable:
 R said no, don't know or refused to all birth control methods in EA series (computed variable EVERUSED = 2); R never had sex as of this month and never used a birth control method as of this month but ever used one or more birth control methods in EA series (WNFSTSEX GE 1093 and DATFIRSM GE 1093 and computed variable EVERUSED = 1); R did not use multiple methods in the month; or R used only 2 methods in the month; or R reported fewer than 3 BC method combinations.

1553	6482	2446	10846	Blank	= Blank, inapplicable
0	0	0	0	0	01 = NONE
0	0	0	0	0	02 = OFFICE USE ONLY
0	0	0	0	0	03 = BIRTH CONTROL PILLS
0	1	0	1	0	04 = CONDOM
0	0	0	0	0	05 = PARTNER'S VASECTOMY
0	0	0	0	0	06 = DIAPHRAGM
0	0	0	0	0	07 = FOAM
0	0	0	0	0	08 = JELLY OR CREAM
0	0	0	0	0	09 = CERVICAL CAP
0	0	0	0	0	10 = SUPPOSITORY, INSERT
0	0	0	0	0	11 = TODAY (TM) SPONGE
0	0	0	0	0	12 = FEMALE CONDOM, VAGINAL POUCH
0	0	0	0	0	13 = IUD, COIL, LOOP
0	0	0	0	0	14 = NORPLANT (TM)
0	0	0	0	0	15 = DEPO-PROVERA, INJECTABLES
0	0	0	0	0	16 = MORNING AFTER PILLS
0	0	0	0	0	17 = RHYTHM OR SAFE PERIOD BY CALENDAR
0	0	0	0	0	18 = SAFE PERIOD BY TEMP, CERVICAL MUCUS TEST, NFP
0	0	0	0	0	19 = WITHDRAWAL
0	0	0	0	0	20 = RESPONDENT STERILE

1995 NATIONAL SURVEY OF FAMILY GROWTH
 File Documentation
 Respondent File (Section E Questionnaire Items)

VARIABLE NAME	COLUMN LOCATION	NON-HISPANIC			QX	TEXT AND CODE CATEGORIES
		HISP	WHITE	BLACK		
		0	0	0	0	21 = PARTNER STERILE (NOT ON CARD)
		0	0	0	0	22 = OTHER METHOD-NOT SHOWN SEPARATELY
		0	0	0	0	97 = Not Ascertained
		0	0	0	0	98 = Refused
		0	0	0	0	99 = Don't Know

1995 NATIONAL SURVEY OF FAMILY GROWTH
 File Documentation
 Respondent File (Section E Questionnaire Items)

VARIABLE NAME	COLUMN LOCATION	NON-HISPANIC			TOTAL	QX	TEXT AND CODE CATEGORIES
		HISP	WHITE	BLACK			
		0	0	0	0	19	NFP
		0	0	0	0	20	= WITHDRAWAL
		0	0	0	0	21	= RESPONDENT STERILE
							= PARTNER STERILE (NOT ON CARD)
		0	0	0	0	22	= OTHER METHOD-NOT SHOWN SEPARATELY
		0	0	0	0	97	= Not Ascertained
		0	0	0	0	98	= Refused
		0	0	0	0	99	= Don't Know

1995 NATIONAL SURVEY OF FAMILY GROWTH
 File Documentation
 Respondent File (Section E Questionnaire Items)

VARIABLE	COLUMN	NON-HISPANIC				QX TEXT AND CODE CATEGORIES
NAME	LOCATION	HISP	WHITE	BLACK		

[MTHUS274] 7699-7700

During that month, which (of those/other) methods, if any, did you use at the same time? (3rd METHOD MENTIONED, 3rd COMBINATION, MC23)

Inapplicable:
 R said no, don't know or refused to all birth control methods in EA series (computed variable EVERUSED = 2); R never had sex as of this month and never used a birth control method as of this month but ever used one or more birth control methods in EA series (WNFSTSEX GE 1093 and DATFIRSM GE 1093 and computed variable EVERUSED = 1); R did not use multiple methods in the month; or R used only 2 methods in the month; or R reported fewer than 3 BC method combinations; or R reported using fewer than 3 BC methods for this combination in this month of the method calendar.

1553	6483	2446	10847	Blank	= Blank, inapplicable
0	0	0	0	01	= NONE
0	0	0	0	02	= OFFICE USE ONLY
0	0	0	0	03	= BIRTH CONTROL PILLS
0	0	0	0	04	= CONDOM
0	0	0	0	05	= PARTNER'S VASECTOMY
0	0	0	0	06	= DIAPHRAGM
0	0	0	0	07	= FOAM
0	0	0	0	08	= JELLY OR CREAM
0	0	0	0	09	= CERVICAL CAP
0	0	0	0	10	= SUPPOSITORY, INSERT
0	0	0	0	11	= TODAY (TM) SPONGE
0	0	0	0	12	= FEMALE CONDOM, VAGINAL POUCH
0	0	0	0	13	= IUD, COIL, LOOP
0	0	0	0	14	= NORPLANT (TM)
0	0	0	0	15	= DEPO-PROVERA, INJECTABLES
0	0	0	0	16	= MORNING AFTER PILLS
0	0	0	0	17	= RHYTHM OR SAFE PERIOD BY CALENDAR
0	0	0	0	18	= SAFE PERIOD BY TEMP, CERVICAL MUCUS TEST,

1995 NATIONAL SURVEY OF FAMILY GROWTH
 File Documentation
 Respondent File (Section E Questionnaire Items)

VARIABLE NAME	COLUMN LOCATION	NON-HISPANIC			TOTAL	QX	TEXT AND CODE CATEGORIES
		HISP	WHITE	BLACK			
		0	0	0	0	19	NFP
		0	0	0	0	20	= WITHDRAWAL
		0	0	0	0	21	= RESPONDENT STERILE
							= PARTNER STERILE (NOT ON CARD)
		0	0	0	0	22	= OTHER METHOD-NOT SHOWN SEPARATELY
		0	0	0	0	97	= Not Ascertained
		0	0	0	0	98	= Refused
		0	0	0	0	99	= Don't Know

1995 NATIONAL SURVEY OF FAMILY GROWTH
 File Documentation
 Respondent File (Section E Questionnaire Items)

VARIABLE	COLUMN	NON-HISPANIC				
NAME	LOCATION	HISP	WHITE	BLACK	TOTAL	QX TEXT AND CODE CATEGORIES

[MTHUS275] 7701-7702

During that month, which (of those/other) methods, if any, did you use at the same time? (4th METHOD MENTIONED, 3rd COMBINATION, MC23)

Inapplicable:
 R said no, don't know or refused to all birth control methods in EA series (computed variable EVERUSED = 2); R never had sex as of this month and never used a birth control method as of this month but ever used one or more birth control methods in EA series (WNFSTSEX GE 1093 and DATFIRSM GE 1093 and computed variable EVERUSED = 1); R did not use multiple methods in the month; or R used only 2 methods in the month; or R reported fewer than 3 BC method combinations; or R reported using fewer than 4 BC methods for this combination in this month of the method calendar.

1553	6483	2446	10847	Blank	= Blank, inapplicable
0	0	0	0	01	= NONE
0	0	0	0	02	= OFFICE USE ONLY
0	0	0	0	03	= BIRTH CONTROL PILLS
0	0	0	0	04	= CONDOM
0	0	0	0	05	= PARTNER'S VASECTOMY
0	0	0	0	06	= DIAPHRAGM
0	0	0	0	07	= FOAM
0	0	0	0	08	= JELLY OR CREAM
0	0	0	0	09	= CERVICAL CAP
0	0	0	0	10	= SUPPOSITORY, INSERT
0	0	0	0	11	= TODAY (TM) SPONGE
0	0	0	0	12	= FEMALE CONDOM, VAGINAL POUCH
0	0	0	0	13	= IUD, COIL, LOOP
0	0	0	0	14	= NORPLANT (TM)
0	0	0	0	15	= DEPO-PROVERA, INJECTABLES
0	0	0	0	16	= MORNING AFTER PILLS
0	0	0	0	17	= RHYTHM OR SAFE PERIOD BY CALENDAR
0	0	0	0	18	= SAFE PERIOD BY TEMP, CERVICAL MUCUS TEST,

1995 NATIONAL SURVEY OF FAMILY GROWTH
 File Documentation
 Respondent File (Section E Questionnaire Items)

VARIABLE NAME	COLUMN LOCATION	NON-HISPANIC			TOTAL	QX	TEXT AND CODE CATEGORIES
		HISP	WHITE	BLACK			
		0	0	0	0	19	NFP = WITHDRAWAL
		0	0	0	0	20	= RESPONDENT STERILE
		0	0	0	0	21	= PARTNER STERILE (NOT ON CARD)
		0	0	0	0	22	= OTHER METHOD-NOT SHOWN SEPARATELY
		0	0	0	0	97	= Not Ascertained
		0	0	0	0	98	= Refused
		0	0	0	0	99	= Don't Know

1995 NATIONAL SURVEY OF FAMILY GROWTH
 File Documentation
 Respondent File (Section E Questionnaire Items)

VARIABLE NAME	COLUMN LOCATION	NON-HISPANIC			QX TEXT AND CODE CATEGORIES		
		HISP	WHITE	BLACK TOTAL			
[METHH092]	7703-7704				ENTER METHOD (FIRST MENTIONED) USED IN DECEMBER 1992: (MC24)		
					Inapplicable: R never had sex as of this month and never used a birth control method as of this month but ever used one or more birth control methods in EA series (WNFSTSEX GE 1093 and DATFIRSM GE 1093 and computed variable EVERUSED = 1); R never had sex and said no, don't know or refused to all birth control methods in EA series (computed variable RHADSEX coded 2,7,8 or 9 and computed variable EVERUSED = 2); R said no, don't know or refused to all birth control methods in EA series (computed variable EVERUSED = 2).		
		336	971	330	1745	Blank	= Blank, inapplicable
		332	1205	545	2148	01	= NO METHODS USED
		0	0	0	0	02	= SAME AS PREVIOUS MONTH
		270	1356	456	2115	03	= BIRTH CONTROL PILLS
		173	838	393	1468	04	= CONDOM
		23	316	9	357	05	= PARTNER'S VASECTOMY
		7	127	13	149	06	= DIAPHRAGM
		3	22	2	27	07	= FOAM
		1	8	2	11	08	= JELLY OR CREAM
		0	3	0	3	09	= CERVICAL CAP
		5	24	7	38	10	= SUPPOSITORY, INSERT
		1	35	8	44	11	= TODAY (TM) SPONGE
		0	0	0	0	12	= FEMALE CONDOM, VAGINAL POUCH
		18	34	18	74	13	= IUD, COIL, LOOP
		15	32	36	85	14	= NORPLANT (TM)
		15	8	8	31	15	= DEPO-PROVERA, INJECTABLES
		0	0	0	0	16	= MORNING AFTER PILLS
		27	106	18	163	17	= RHYTHM OR SAFE PERIOD BY CALENDAR
		3	16	0	19	18	= SAFE PERIOD BY TEMP, CERVICAL MUCUS TEST, NFP
		40	133	27	212	19	= WITHDRAWAL
		266	1075	559	1946	20	= RESPONDENT STERILE

(3918)

1995 NATIONAL SURVEY OF FAMILY GROWTH
 File Documentation
 Respondent File (Section E Questionnaire Items)

VARIABLE NAME	COLUMN LOCATION	NON-HISPANIC			TOTAL	QX	TEXT AND CODE CATEGORIES
		HISP	WHITE	BLACK			
		17	164	7	192	21	= PARTNER STERILE (NOT ON CARD)
		1	3	4	8	22	= OTHER METHOD-NOT SHOWN SEPARATELY
		0	0	0	0	55	= SAME METHODS USED THROUGH END OF YEAR
		0	1	2	3	97	= Not Ascertained
		0	4	2	6	98	= Refused
		0	2	0	3	99	= Don't Know

1995 NATIONAL SURVEY OF FAMILY GROWTH
 File Documentation
 Respondent File (Section E Questionnaire Items)

VARIABLE NAME	COLUMN LOCATION	NON-HISPANIC			QX TEXT AND CODE CATEGORIES	
		HISP	WHITE	BLACK	TOTAL	
[METHH093]	7705-7706					ENTER METHOD (SECOND MENTIONED) USED IN DECEMBER 1992: (MC24)

Inapplicable:
 R never had sex as of this month and never used a birth control method as of this month but ever used one or more birth control methods in EA series (WNFSTSEX GE 1093 and DATFIRSM GE 1093 and computed variable EVERUSED = 1); R never had sex and said no, don't know or refused to all birth control methods in EA series (computed variable RHADSEX coded 2,7,8 or 9 and computed variable EVERUSED = 2); R said no, don't know or refused to all birth control methods in EA series (computed variable EVERUSED = 2); R used fewer than 2 methods in month.

1485	6081	2282	10186	Blank	= Blank, inapplicable
0	0	0	0	01	= NO METHODS USED
0	0	0	0	02	= SAME AS PREVIOUS MONTH
0	8	4	12	03	= BIRTH CONTROL PILLS
17	123	78	224	04	= CONDOM
0	12	2	14	05	= PARTNER'S VASECTOMY
3	11	5	19	06	= DIAPHRAGM
7	23	13	44	07	= FOAM
2	13	4	19	08	= JELLY OR CREAM
0	0	0	0	09	= CERVICAL CAP
3	8	7	19	10	= SUPPOSITORY, INSERT
1	13	9	24	11	= TODAY (TM) SPONGE
0	0	0	0	12	= FEMALE CONDOM, VAGINAL POUCH
0	0	0	0	13	= IUD, COIL, LOOP
0	0	1	1	14	= NORPLANT (TM)
0	1	0	1	15	= DEPO-PROVERA, INJECTABLES
0	0	0	0	16	= MORNING AFTER PILLS
10	62	5	85	17	= RHYTHM OR SAFE PERIOD BY CALENDAR
0	9	1	11	18	= SAFE PERIOD BY TEMP, CERVICAL MUCUS TEST, NFP
24	98	17	146	19	= WITHDRAWAL

(3920)

1995 NATIONAL SURVEY OF FAMILY GROWTH
 File Documentation
 Respondent File (Section E Questionnaire Items)

VARIABLE NAME	COLUMN LOCATION	NON-HISPANIC			TOTAL	QX	TEXT AND CODE CATEGORIES
		HISP	WHITE	BLACK			
		1	7	13	21	20	= RESPONDENT STERILE
		0	7	1	9	21	= PARTNER STERILE (NOT ON CARD)
		0	0	0	0	22	= OTHER METHOD-NOT SHOWN SEPARATELY
		0	0	0	0	55	= SAME METHODS USED THROUGH END OF YEAR
		0	1	2	3	97	= Not Ascertained
		0	4	2	6	98	= Refused
		0	2	0	3	99	= Don't Know

1995 NATIONAL SURVEY OF FAMILY GROWTH
 File Documentation
 Respondent File (Section E Questionnaire Items)

VARIABLE COLUMN NON-HISPANIC
 NAME LOCATION HISP WHITE BLACK TOTAL QX TEXT AND CODE CATEGORIES

[METHH094] 7707-7708

ENTER METHOD (THIRD MENTIONED) USED
 IN DECEMBER 1992: (MC24)

Inapplicable:

R never had sex as of this month and never used a birth control method as of this month but ever used one or more birth control methods in EA series (WNFSTSEX GE 1093 and DATFIRSM GE 1093 and computed variable EVERUSED = 1); R never had sex and said no, don't know or refused to all birth control methods in EA series (computed variable RHADSEX coded 2,7,8 or 9 and computed variable EVERUSED = 2); R said no, don't know or refused to all birth control methods in EA series (computed variable EVERUSED = 2); R used fewer than 3 methods in month.

1540	6415	2414	10729	Blank	= Blank, inapplicable
0	0	0	0	01	= NO METHODS USED
0	0	0	0	02	= SAME AS PREVIOUS MONTH
0	1	1	2	03	= BIRTH CONTROL PILLS
1	2	0	3	04	= CONDOM
1	0	0	1	05	= PARTNER'S VASECTOMY
0	0	0	0	06	= DIAPHRAGM
2	1	1	4	07	= FOAM
0	2	1	3	08	= JELLY OR CREAM
0	0	0	0	09	= CERVICAL CAP
0	1	0	1	10	= SUPPOSITORY, INSERT
1	6	1	8	11	= TODAY (TM) SPONGE
1	0	0	1	12	= FEMALE CONDOM, VAGINAL POUCH
0	0	0	0	13	= IUD, COIL, LOOP
0	0	0	0	14	= NORPLANT (TM)
0	0	0	0	15	= DEPO-PROVERA, INJECTABLES
0	1	0	1	16	= MORNING AFTER PILLS
2	6	0	8	17	= RHYTHM OR SAFE PERIOD BY CALENDAR
0	4	0	5	18	= SAFE PERIOD BY TEMP, CERVICAL MUCUS TEST, NFP
3	28	2	35	19	= WITHDRAWAL

(3922)

1995 NATIONAL SURVEY OF FAMILY GROWTH
 File Documentation
 Respondent File (Section E Questionnaire Items)

VARIABLE NAME	COLUMN LOCATION	NON-HISPANIC			TOTAL	QX	TEXT AND CODE CATEGORIES
		HISP	WHITE	BLACK			
		1	9	22	32	20	= RESPONDENT STERILE
		0	0	0	0	21	= PARTNER STERILE (NOT ON CARD)
		1	0	0	2	22	= OTHER METHOD-NOT SHOWN SEPARATELY
		0	0	0	0	55	= SAME METHODS USED THROUGH END OF YEAR
		0	1	2	3	97	= Not Ascertained
		0	4	2	6	98	= Refused
		0	2	0	3	99	= Don't Know

1995 NATIONAL SURVEY OF FAMILY GROWTH
 File Documentation
 Respondent File (Section E Questionnaire Items)

VARIABLE NAME	COLUMN LOCATION	NON-HISPANIC			TOTAL	QX	TEXT AND CODE CATEGORIES
		HISP	WHITE	BLACK			
		0	0	0	0	20	= RESPONDENT STERILE
		0	0	0	0	21	= PARTNER STERILE (NOT ON CARD)
		0	0	0	0	22	= OTHER METHOD-NOT SHOWN SEPARATELY
		0	0	0	0	55	= SAME METHODS USED THROUGH END OF YEAR
		0	1	2	3	97	= Not Ascertained
		0	4	2	6	98	= Refused
		0	2	0	3	99	= Don't Know

[SIMSEQ23] 7711-7711

Did you use those methods together,
 that is, at the same time, or did
 you use them at different times
 during the month? (MC24)

Inapplicable:

R never had sex as of this month and
 never used a birth control method as
 of this month but ever used one or
 more birth control methods in EA
 series (WNFSTSEX GE 1093 and
 DATFIRSM GE 1093 and computed
 variable EVERUSED = 1); R never had
 sex and said no, don't know or
 refused to all birth control methods
 in EA series (computed variable
 RHADSEX coded 2,7,8 or 9 and
 computed variable EVERUSED = 2); R
 said no, don't know or refused to
 all birth control methods in EA
 series (computed variable EVERUSED =
 2); R did not use multiple methods
 in the month; R used more than 2
 methods in the month.

1497	6140	2293	10273	Blank	= Blank, inapplicable
30	221	115	379	1	= SAME TIME
26	122	38	195	2	= DIFFERENT TIMES
0	0	0	0	7	= Not Ascertained
0	0	0	0	8	= Refused
0	0	0	0	9	= Don't Know

1995 NATIONAL SURVEY OF FAMILY GROWTH
 File Documentation
 Respondent File (Section E Questionnaire Items)

VARIABLE COLUMN NON-HISPANIC
 NAME LOCATION HISP WHITE BLACK TOTAL QX TEXT AND CODE CATEGORIES

[MTHUS276] 7712-7713

During that month, which (of those/other) methods, if any, did you use at the same time? (1st METHOD MENTIONED, 1st COMBINATION, MC24)

Inapplicable:
 R said no, don't know or refused to all birth control methods in EA series (computed variable EVERUSED = 2); R never had sex as of this month and never used a birth control method as of this month but ever used one or more birth control methods in EA series (WNFSTSEX GE 1093 and DATFIRSM GE 1093 and computed variable EVERUSED = 1); R did not use multiple methods in the month; or R used only 2 methods in the month.

1541	6431	2439	10772	Blank	= Blank, inapplicable
4	9	2	15	01	= NONE
0	0	0	0	02	= OFFICE USE ONLY
1	6	1	9	03	= BIRTH CONTROL PILLS
7	20	1	31	04	= CONDOM
0	0	0	0	05	= PARTNER'S VASECTOMY
0	4	0	4	06	= DIAPHRAGM
0	2	0	2	07	= FOAM
0	0	0	0	08	= JELLY OR CREAM
0	0	0	0	09	= CERVICAL CAP
0	0	0	0	10	= SUPPOSITORY, INSERT
0	3	0	3	11	= TODAY (TM) SPONGE
0	0	0	0	12	= FEMALE CONDOM, VAGINAL POUCH
0	0	0	0	13	= IUD, COIL, LOOP
0	0	0	0	14	= NORPLANT (TM)
0	0	0	0	15	= DEPO-PROVERA, INJECTABLES
0	0	0	0	16	= MORNING AFTER PILLS
0	7	0	7	17	= RHYTHM OR SAFE PERIOD BY CALENDAR
0	0	0	0	18	= SAFE PERIOD BY TEMP, CERVICAL MUCUS TEST, NFP
0	1	2	3	19	= WITHDRAWAL
0	0	1	1	20	= RESPONDENT STERILE
0	0	0	0	21	= PARTNER STERILE (NOT

(3926)

1995 NATIONAL SURVEY OF FAMILY GROWTH
 File Documentation
 Respondent File (Section E Questionnaire Items)

VARIABLE NAME	COLUMN LOCATION	NON-HISPANIC			TOTAL	QX	TEXT AND CODE CATEGORIES
		HISP	WHITE	BLACK			
		0	0	0	0	22	ON CARD) = OTHER METHOD-NOT SHOWN SEPARATELY
		0	0	0	0	97	= Not Ascertained
		0	0	0	0	98	= Refused
		0	0	0	0	99	= Don't Know

1995 NATIONAL SURVEY OF FAMILY GROWTH
 File Documentation
 Respondent File (Section E Questionnaire Items)

VARIABLE COLUMN NON-HISPANIC
 NAME LOCATION HISP WHITE BLACK TOTAL QX TEXT AND CODE CATEGORIES

[MTHUS277] 7714-7715

During that month, which (of those/other) methods, if any, did you use at the same time? (2nd METHOD MENTIONED, 1st COMBINATION, MC24)

Inapplicable:
 R said no, don't know or refused to all birth control methods in EA series (computed variable EVERUSED = 2); R never had sex as of this month and never used a birth control method as of this month but ever used one or more birth control methods in EA series (WNFSTSEX GE 1093 and DATFIRSM GE 1093 and computed variable EVERUSED = 1); R did not use multiple methods in the month; or R used only 2 methods in the month; or R reported using fewer than 2 BC methods for this combination in this month of the method calendar.

1545	6440	2441	10787	Blank	= Blank, inapplicable
0	0	0	0	01	= NONE
0	0	0	0	02	= OFFICE USE ONLY
0	0	0	0	03	= BIRTH CONTROL PILLS
1	9	3	13	04	= CONDOM
0	1	0	1	05	= PARTNER'S VASECTOMY
0	0	0	0	06	= DIAPHRAGM
1	3	0	4	07	= FOAM
1	1	1	3	08	= JELLY OR CREAM
0	0	0	0	09	= CERVICAL CAP
1	0	1	2	10	= SUPPOSITORY, INSERT
0	1	0	1	11	= TODAY (TM) SPONGE
0	0	0	0	12	= FEMALE CONDOM, VAGINAL POUCH
0	0	0	0	13	= IUD, COIL, LOOP
0	0	0	0	14	= NORPLANT (TM)
0	0	0	0	15	= DEPO-PROVERA, INJECTABLES
0	1	0	1	16	= MORNING AFTER PILLS
3	16	0	20	17	= RHYTHM OR SAFE PERIOD BY CALENDAR
0	2	0	2	18	= SAFE PERIOD BY TEMP, CERVICAL MUCUS TEST, NFP

1995 NATIONAL SURVEY OF FAMILY GROWTH
 File Documentation
 Respondent File (Section E Questionnaire Items)

VARIABLE NAME	COLUMN LOCATION	NON-HISPANIC			TOTAL	QX	TEXT AND CODE CATEGORIES
		HISP	WHITE	BLACK			
		1	9	0	13	19	= WITHDRAWAL
		0	0	0	0	20	= RESPONDENT STERILE
		0	0	0	0	21	= PARTNER STERILE (NOT ON CARD)
		0	0	0	0	22	= OTHER METHOD-NOT SHOWN SEPARATELY
		0	0	0	0	97	= Not Ascertained
		0	0	0	0	98	= Refused
		0	0	0	0	99	= Don't Know

1995 NATIONAL SURVEY OF FAMILY GROWTH
 File Documentation
 Respondent File (Section E Questionnaire Items)

VARIABLE COLUMN NON-HISPANIC
 NAME LOCATION HISP WHITE BLACK TOTAL QX TEXT AND CODE CATEGORIES

[MTHUS278] 7716-7717

During that month, which (of those/other) methods, if any, did you use at the same time? (3rd METHOD MENTIONED, 1st COMBINATION, MC24)

Inapplicable:
 R said no, don't know or refused to all birth control methods in EA series (computed variable EVERUSED = 2); R never had sex as of this month and never used a birth control method as of this month but ever used one or more birth control methods in EA series (WNFSTSEX GE 1093 and DATFIRSM GE 1093 and computed variable EVERUSED = 1); R did not use multiple methods in the month; or R used only 2 methods in the month; or R reported using fewer than 3 BC methods for this combination in this month of the method calendar.

	1546	6460	2444	10814	Blank	
	0	0	0	0	01	= Blank, inapplicable
	0	0	0	0	02	= NONE
	0	0	1	1	03	= OFFICE USE ONLY
	0	0	0	0	04	= BIRTH CONTROL PILLS
	1	0	0	1	05	= CONDOM
	0	0	0	0	06	= PARTNER'S VASECTOMY
	2	0	1	3	07	= DIAPHRAGM
	0	2	0	2	08	= FOAM
	0	0	0	0	09	= JELLY OR CREAM
	0	0	0	0	10	= CERVICAL CAP
	1	2	0	3	11	= SUPPOSITORY, INSERT
	0	0	0	0	12	= TODAY (TM) SPONGE
	0	0	0	0	13	= FEMALE CONDOM, VAGINAL POUCH
	0	0	0	0	14	= IUD, COIL, LOOP
	0	0	0	0	15	= NORPLANT (TM)
	0	0	0	0	16	= DEPO-PROVERA, INJECTABLES
	2	3	0	5	17	= MORNING AFTER PILLS
	0	3	0	4	18	= RHYTHM OR SAFE PERIOD BY CALENDAR
						= SAFE PERIOD BY TEMP, CERVICAL MUCUS TEST, NFP

1995 NATIONAL SURVEY OF FAMILY GROWTH
 File Documentation
 Respondent File (Section E Questionnaire Items)

VARIABLE NAME	COLUMN LOCATION	NON-HISPANIC			TOTAL	QX	TEXT AND CODE CATEGORIES
		HISP	WHITE	BLACK			
		0	13	0	13	19	= WITHDRAWAL
		0	0	0	0	20	= RESPONDENT STERILE
		0	0	0	0	21	= PARTNER STERILE (NOT ON CARD)
		1	0	0	1	22	= OTHER METHOD-NOT SHOWN SEPARATELY
		0	0	0	0	97	= Not Ascertained
		0	0	0	0	98	= Refused
		0	0	0	0	99	= Don't Know

1995 NATIONAL SURVEY OF FAMILY GROWTH
 File Documentation
 Respondent File (Section E Questionnaire Items)

VARIABLE	COLUMN	NON-HISPANIC				
NAME	LOCATION	HISP	WHITE	BLACK	TOTAL	QX TEXT AND CODE CATEGORIES

[MTHUS279] 7718-7719

During that month, which (of those/other) methods, if any, did you use at the same time? (4th METHOD MENTIONED, 1st COMBINATION, MC24)

Inapplicable:
 R said no, don't know or refused to all birth control methods in EA series (computed variable EVERUSED = 2); R never had sex as of this month and never used a birth control method as of this month but ever used one or more birth control methods in EA series (WNFSTSEX GE 1093 and DATFIRSM GE 1093 and computed variable EVERUSED = 1); R did not use multiple methods in the month; or R used only 2 methods in the month; or R reported using fewer than 4 BC methods for this combination in this month of the method calendar.

1553	6482	2446	10846	Blank	= Blank, inapplicable
0	0	0	0	01	= NONE
0	0	0	0	02	= OFFICE USE ONLY
0	0	0	0	03	= BIRTH CONTROL PILLS
0	1	0	1	04	= CONDOM
0	0	0	0	05	= PARTNER'S VASECTOMY
0	0	0	0	06	= DIAPHRAGM
0	0	0	0	07	= FOAM
0	0	0	0	08	= JELLY OR CREAM
0	0	0	0	09	= CERVICAL CAP
0	0	0	0	10	= SUPPOSITORY, INSERT
0	0	0	0	11	= TODAY (TM) SPONGE
0	0	0	0	12	= FEMALE CONDOM, VAGINAL POUCH
0	0	0	0	13	= IUD, COIL, LOOP
0	0	0	0	14	= NORPLANT (TM)
0	0	0	0	15	= DEPO-PROVERA, INJECTABLES
0	0	0	0	16	= MORNING AFTER PILLS
0	0	0	0	17	= RHYTHM OR SAFE PERIOD BY CALENDAR
0	0	0	0	18	= SAFE PERIOD BY TEMP, CERVICAL MUCUS TEST, NFP

1995 NATIONAL SURVEY OF FAMILY GROWTH
 File Documentation
 Respondent File (Section E Questionnaire Items)

VARIABLE NAME	COLUMN LOCATION	NON-HISPANIC			TOTAL	QX	TEXT AND CODE CATEGORIES
		HISP	WHITE	BLACK			
		0	0	0	0	19	= WITHDRAWAL
		0	0	0	0	20	= RESPONDENT STERILE
		0	0	0	0	21	= PARTNER STERILE (NOT ON CARD)
		0	0	0	0	22	= OTHER METHOD-NOT SHOWN SEPARATELY
		0	0	0	0	97	= Not Ascertained
		0	0	0	0	98	= Refused
		0	0	0	0	99	= Don't Know

1995 NATIONAL SURVEY OF FAMILY GROWTH
 File Documentation
 Respondent File (Section E Questionnaire Items)

VARIABLE COLUMN NON-HISPANIC
 NAME LOCATION HISP WHITE BLACK TOTAL QX TEXT AND CODE CATEGORIES

[MTHUS280] 7720-7721

During that month, which (of those/other) methods, if any, did you use at the same time? (1st METHOD MENTIONED, 2nd COMBINATION, MC24)

Inapplicable:
 R said no, don't know or refused to all birth control methods in EA series (computed variable EVERUSED = 2); R never had sex as of this month and never used a birth control method as of this month but ever used one or more birth control methods in EA series (WNFSTSEX GE 1093 and DATFIRSM GE 1093 and computed variable EVERUSED = 1); R did not use multiple methods in the month; or R used only 2 methods in the month; or R reported fewer than 2 BC method combinations.

	1545	6440	2441	10787	Blank	
	5	29	2	39	01	= Blank, inapplicable
	0	0	0	0	02	= NONE
	0	3	0	3	03	= OFFICE USE ONLY
	0	5	0	6	04	= BIRTH CONTROL PILLS
	0	0	0	0	05	= CONDOM
	0	0	0	0	06	= PARTNER'S VASECTOMY
	1	1	0	2	07	= DIAPHRAGM
	0	0	0	0	08	= FOAM
	0	0	0	0	09	= JELLY OR CREAM
	0	0	0	0	10	= CERVICAL CAP
	0	0	0	0	10	= SUPPOSITORY, INSERT
	0	1	0	1	11	= TODAY (TM) SPONGE
	0	0	0	0	12	= FEMALE CONDOM, VAGINAL POUCH
	0	0	0	0	13	= IUD, COIL, LOOP
	0	0	0	0	14	= NORPLANT (TM)
	0	0	0	0	15	= DEPO-PROVERA, INJECTABLES
	0	0	0	0	16	= MORNING AFTER PILLS
	0	3	0	3	17	= RHYTHM OR SAFE PERIOD BY CALENDAR
	0	0	0	0	18	= SAFE PERIOD BY TEMP, CERVICAL MUCUS TEST, NFP
	1	1	2	4	19	= WITHDRAWAL
	0	0	1	1	20	= RESPONDENT STERILE

(3934)

1995 NATIONAL SURVEY OF FAMILY GROWTH
 File Documentation
 Respondent File (Section E Questionnaire Items)

VARIABLE NAME	COLUMN LOCATION	NON-HISPANIC			QX	TEXT AND CODE CATEGORIES
		HISP	WHITE	BLACK		
		0	0	0	0	21 = PARTNER STERILE (NOT ON CARD)
		1	0	0	1	22 = OTHER METHOD-NOT SHOWN SEPARATELY
		0	0	0	0	97 = Not Ascertained
		0	0	0	0	98 = Refused
		0	0	0	0	99 = Don't Know

1995 NATIONAL SURVEY OF FAMILY GROWTH
 File Documentation
 Respondent File (Section E Questionnaire Items)

VARIABLE COLUMN NON-HISPANIC
 NAME LOCATION HISP WHITE BLACK TOTAL QX TEXT AND CODE CATEGORIES

[MTHUS281] 7722-7723

During that month, which (of those/other) methods, if any, did you use at the same time? (2nd METHOD MENTIONED, 2nd COMBINATION, MC24)

Inapplicable:
 R said no, don't know or refused to all birth control methods in EA series (computed variable EVERUSED = 2); R never had sex as of this month and never used a birth control method as of this month but ever used one or more birth control methods in EA series (WNFSTSEX GE 1093 and DATFIRSM GE 1093 and computed variable EVERUSED = 1); R did not use multiple methods in the month; or R used only 2 methods in the month; or R reported fewer than 2 BC method combinations; or R reported using fewer than 2 BC methods for this combination in this month of the method calendar.

1552	6472	2443	10831	Blank	= Blank, inapplicable
0	0	0	0	01	= NONE
0	0	0	0	02	= OFFICE USE ONLY
0	0	0	0	03	= BIRTH CONTROL PILLS
1	2	1	4	04	= CONDOM
0	1	0	1	05	= PARTNER'S VASECTOMY
0	0	0	0	06	= DIAPHRAGM
0	0	0	0	07	= FOAM
0	0	0	0	08	= JELLY OR CREAM
0	0	0	0	09	= CERVICAL CAP
0	0	1	1	10	= SUPPOSITORY, INSERT
0	1	0	1	11	= TODAY (TM) SPONGE
0	0	0	0	12	= FEMALE CONDOM, VAGINAL POUCH
0	0	0	0	13	= IUD, COIL, LOOP
0	0	0	0	14	= NORPLANT (TM)
0	0	0	0	15	= DEPO-PROVERA, INJECTABLES
0	0	0	0	16	= MORNING AFTER PILLS
0	3	0	4	17	= RHYTHM OR SAFE PERIOD BY CALENDAR
0	1	0	1	18	= SAFE PERIOD BY TEMP, CERVICAL MUCUS TEST,

1995 NATIONAL SURVEY OF FAMILY GROWTH
 File Documentation
 Respondent File (Section E Questionnaire Items)

VARIABLE NAME	COLUMN LOCATION	NON-HISPANIC			TOTAL	QX	TEXT AND CODE CATEGORIES
		HISP	WHITE	BLACK			
		0	3	1	4	19	NFP
		0	0	0	0	20	= WITHDRAWAL
		0	0	0	0	21	= RESPONDENT STERILE
							= PARTNER STERILE (NOT ON CARD)
		0	0	0	0	22	= OTHER METHOD-NOT SHOWN SEPARATELY
		0	0	0	0	97	= Not Ascertained
		0	0	0	0	98	= Refused
		0	0	0	0	99	= Don't Know

1995 NATIONAL SURVEY OF FAMILY GROWTH
 File Documentation
 Respondent File (Section E Questionnaire Items)

VARIABLE COLUMN NON-HISPANIC
 NAME LOCATION HISP WHITE BLACK TOTAL QX TEXT AND CODE CATEGORIES

[MTHUS282] 7724-7725

During that month, which (of those/other) methods, if any, did you use at the same time? (3rd METHOD MENTIONED, 2nd COMBINATION, MC24)

Inapplicable:
 R said no, don't know or refused to all birth control methods in EA series (computed variable EVERUSED = 2); R never had sex as of this month and never used a birth control method as of this month but ever used one or more birth control methods in EA series (WNFSTSEX GE 1093 and DATFIRSM GE 1093 and computed variable EVERUSED = 1); R did not use multiple methods in the month; or R used only 2 methods in the month; or R reported fewer than 2 BC method combinations; or R reported using fewer than 3 BC methods for this combination in this month of the method calendar.

1552	6479	2445	10840	Blank	= Blank, inapplicable
0	0	0	0	01	= NONE
0	0	0	0	02	= OFFICE USE ONLY
0	0	1	1	03	= BIRTH CONTROL PILLS
0	0	0	0	04	= CONDOM
0	0	0	0	05	= PARTNER'S VASECTOMY
0	0	0	0	06	= DIAPHRAGM
0	0	0	0	07	= FOAM
0	1	0	1	08	= JELLY OR CREAM
0	0	0	0	09	= CERVICAL CAP
0	0	0	0	10	= SUPPOSITORY, INSERT
0	0	0	0	11	= TODAY (TM) SPONGE
0	0	0	0	12	= FEMALE CONDOM, VAGINAL POUCH
0	0	0	0	13	= IUD, COIL, LOOP
0	0	0	0	14	= NORPLANT (TM)
0	0	0	0	15	= DEPO-PROVERA, INJECTABLES
0	0	0	0	16	= MORNING AFTER PILLS
1	0	0	1	17	= RHYTHM OR SAFE PERIOD BY CALENDAR
0	1	0	2	18	= SAFE PERIOD BY TEMP, CERVICAL MUCUS TEST,

(3938)

1995 NATIONAL SURVEY OF FAMILY GROWTH
 File Documentation
 Respondent File (Section E Questionnaire Items)

VARIABLE NAME	COLUMN LOCATION	NON-HISPANIC			TOTAL	QX	TEXT AND CODE CATEGORIES
		HISP	WHITE	BLACK			
		0	2	0	2	19	NFP
		0	0	0	0	20	= WITHDRAWAL
		0	0	0	0	21	= RESPONDENT STERILE
							= PARTNER STERILE (NOT ON CARD)
		0	0	0	0	22	= OTHER METHOD-NOT SHOWN SEPARATELY
		0	0	0	0	97	= Not Ascertained
		0	0	0	0	98	= Refused
		0	0	0	0	99	= Don't Know

1995 NATIONAL SURVEY OF FAMILY GROWTH
 File Documentation
 Respondent File (Section E Questionnaire Items)

VARIABLE	COLUMN	NON-HISPANIC				
NAME	LOCATION	HISP	WHITE	BLACK	TOTAL	QX TEXT AND CODE CATEGORIES

[MTHUS283] 7726-7727

During that month, which (of those/other) methods, if any, did you use at the same time? (4th METHOD MENTIONED, 2nd COMBINATION, MC24)

Inapplicable:
 R said no, don't know or refused to all birth control methods in EA series (computed variable EVERUSED = 2); R never had sex as of this month and never used a birth control method as of this month but ever used one or more birth control methods in EA series (WNFSTSEX GE 1093 and DATFIRSM GE 1093 and computed variable EVERUSED = 1); R did not use multiple methods in the month; or R used only 2 methods in the month; or R reported fewer than 2 BC method combinations; or R reported using fewer than 4 BC methods for this combination in this month of the method calendar.

1553	6483	2446	10847	Blank	= Blank, inapplicable
0	0	0	0	01	= NONE
0	0	0	0	02	= OFFICE USE ONLY
0	0	0	0	03	= BIRTH CONTROL PILLS
0	0	0	0	04	= CONDOM
0	0	0	0	05	= PARTNER'S VASECTOMY
0	0	0	0	06	= DIAPHRAGM
0	0	0	0	07	= FOAM
0	0	0	0	08	= JELLY OR CREAM
0	0	0	0	09	= CERVICAL CAP
0	0	0	0	10	= SUPPOSITORY, INSERT
0	0	0	0	11	= TODAY (TM) SPONGE
0	0	0	0	12	= FEMALE CONDOM, VAGINAL POUCH
0	0	0	0	13	= IUD, COIL, LOOP
0	0	0	0	14	= NORPLANT (TM)
0	0	0	0	15	= DEPO-PROVERA, INJECTABLES
0	0	0	0	16	= MORNING AFTER PILLS
0	0	0	0	17	= RHYTHM OR SAFE PERIOD BY CALENDAR
0	0	0	0	18	= SAFE PERIOD BY TEMP, CERVICAL MUCUS TEST,

1995 NATIONAL SURVEY OF FAMILY GROWTH
 File Documentation
 Respondent File (Section E Questionnaire Items)

VARIABLE NAME	COLUMN LOCATION	NON-HISPANIC			TOTAL	QX	TEXT AND CODE CATEGORIES
		HISP	WHITE	BLACK			
		0	0	0	0	19	NFP = WITHDRAWAL
		0	0	0	0	20	= RESPONDENT STERILE
		0	0	0	0	21	= PARTNER STERILE (NOT ON CARD)
		0	0	0	0	22	= OTHER METHOD-NOT SHOWN SEPARATELY
		0	0	0	0	97	= Not Ascertained
		0	0	0	0	98	= Refused
		0	0	0	0	99	= Don't Know

1995 NATIONAL SURVEY OF FAMILY GROWTH
 File Documentation
 Respondent File (Section E Questionnaire Items)

VARIABLE	COLUMN	NON-HISPANIC			QX TEXT AND CODE CATEGORIES
NAME	LOCATION	HISP	WHITE	BLACK	TOTAL

[MTHUS284] 7728-7729

During that month, which (of those/other) methods, if any, did you use at the same time? (1st METHOD MENTIONED, 3rd COMBINATION, MC24)

Inapplicable:
 R said no, don't know or refused to all birth control methods in EA series (computed variable EVERUSED = 2); R never had sex as of this month and never used a birth control method as of this month but ever used one or more birth control methods in EA series (WNFSTSEX GE 1093 and DATFIRSM GE 1093 and computed variable EVERUSED = 1); R did not use multiple methods in the month; or R used only 2 methods in the month; or R reported fewer than 3 BC method combinations.

1553	6481	2446	10845	Blank	= Blank, inapplicable
0	0	0	0	0	01 = NONE
0	0	0	0	0	02 = OFFICE USE ONLY
0	1	0	1	0	03 = BIRTH CONTROL PILLS
0	1	0	1	0	04 = CONDOM
0	0	0	0	0	05 = PARTNER'S VASECTOMY
0	0	0	0	0	06 = DIAPHRAGM
0	0	0	0	0	07 = FOAM
0	0	0	0	0	08 = JELLY OR CREAM
0	0	0	0	0	09 = CERVICAL CAP
0	0	0	0	0	10 = SUPPOSITORY, INSERT
0	0	0	0	0	11 = TODAY (TM) SPONGE
0	0	0	0	0	12 = FEMALE CONDOM, VAGINAL POUCH
0	0	0	0	0	13 = IUD, COIL, LOOP
0	0	0	0	0	14 = NORPLANT (TM)
0	0	0	0	0	15 = DEPO-PROVERA, INJECTABLES
0	0	0	0	0	16 = MORNING AFTER PILLS
0	0	0	0	0	17 = RHYTHM OR SAFE PERIOD BY CALENDAR
0	0	0	0	0	18 = SAFE PERIOD BY TEMP, CERVICAL MUCUS TEST, NFP
0	0	0	0	0	19 = WITHDRAWAL
0	0	0	0	0	20 = RESPONDENT STERILE

(3942)

1995 NATIONAL SURVEY OF FAMILY GROWTH
 File Documentation
 Respondent File (Section E Questionnaire Items)

VARIABLE NAME	COLUMN LOCATION	NON-HISPANIC			QX	TEXT AND CODE CATEGORIES
		HISP	WHITE	BLACK		
		0	0	0	0	21 = PARTNER STERILE (NOT ON CARD)
		0	0	0	0	22 = OTHER METHOD-NOT SHOWN SEPARATELY
		0	0	0	0	97 = Not Ascertained
		0	0	0	0	98 = Refused
		0	0	0	0	99 = Don't Know

1995 NATIONAL SURVEY OF FAMILY GROWTH
 File Documentation
 Respondent File (Section E Questionnaire Items)

VARIABLE	COLUMN	NON-HISPANIC				
NAME	LOCATION	HISP	WHITE	BLACK	TOTAL	QX TEXT AND CODE CATEGORIES

[MTHUS285] 7730-7731

During that month, which (of those/other) methods, if any, did you use at the same time? (2nd METHOD MENTIONED, 3rd COMBINATION, MC24)

Inapplicable:
 R said no, don't know or refused to all birth control methods in EA series (computed variable EVERUSED = 2); R never had sex as of this month and never used a birth control method as of this month but ever used one or more birth control methods in EA series (WNFSTSEX GE 1093 and DATFIRSM GE 1093 and computed variable EVERUSED = 1); R did not use multiple methods in the month; or R used only 2 methods in the month; or R reported fewer than 3 BC method combinations; or R reported using fewer than 2 BC methods for this combination in this month of the method calendar.

1553	6481	2446	10845	Blank	= Blank, inapplicable
0	0	0	0	01	= NONE
0	0	0	0	02	= OFFICE USE ONLY
0	0	0	0	03	= BIRTH CONTROL PILLS
0	0	0	0	04	= CONDOM
0	0	0	0	05	= PARTNER'S VASECTOMY
0	0	0	0	06	= DIAPHRAGM
0	0	0	0	07	= FOAM
0	0	0	0	08	= JELLY OR CREAM
0	0	0	0	09	= CERVICAL CAP
0	0	0	0	10	= SUPPOSITORY, INSERT
0	1	0	1	11	= TODAY (TM) SPONGE
0	0	0	0	12	= FEMALE CONDOM, VAGINAL POUCH
0	0	0	0	13	= IUD, COIL, LOOP
0	0	0	0	14	= NORPLANT (TM)
0	0	0	0	15	= DEPO-PROVERA, INJECTABLES
0	0	0	0	16	= MORNING AFTER PILLS
0	1	0	1	17	= RHYTHM OR SAFE PERIOD BY CALENDAR
0	0	0	0	18	= SAFE PERIOD BY TEMP, CERVICAL MUCUS TEST,

(3944)

1995 NATIONAL SURVEY OF FAMILY GROWTH
 File Documentation
 Respondent File (Section E Questionnaire Items)

VARIABLE NAME	COLUMN LOCATION	NON-HISPANIC			TOTAL	QX	TEXT AND CODE CATEGORIES
		HISP	WHITE	BLACK			
		0	0	0	0	19	NFP = WITHDRAWAL
		0	0	0	0	20	= RESPONDENT STERILE
		0	0	0	0	21	= PARTNER STERILE (NOT ON CARD)
		0	0	0	0	22	= OTHER METHOD-NOT SHOWN SEPARATELY
		0	0	0	0	97	= Not Ascertained
		0	0	0	0	98	= Refused
		0	0	0	0	99	= Don't Know

1995 NATIONAL SURVEY OF FAMILY GROWTH
 File Documentation
 Respondent File (Section E Questionnaire Items)

VARIABLE NAME	COLUMN LOCATION	NON-HISPANIC			TOTAL	QX	TEXT AND CODE CATEGORIES
		HISP	WHITE	BLACK			
		0	0	0	0	19	NFP = WITHDRAWAL
		0	0	0	0	20	= RESPONDENT STERILE
		0	0	0	0	21	= PARTNER STERILE (NOT ON CARD)
		0	0	0	0	22	= OTHER METHOD-NOT SHOWN SEPARATELY
		0	0	0	0	97	= Not Ascertained
		0	0	0	0	98	= Refused
		0	0	0	0	99	= Don't Know

1995 NATIONAL SURVEY OF FAMILY GROWTH
 File Documentation
 Respondent File (Section E Questionnaire Items)

VARIABLE COLUMN NON-HISPANIC
 NAME LOCATION HISP WHITE BLACK TOTAL QX TEXT AND CODE CATEGORIES

[MTHUS287] 7734-7735

During that month, which (of those/other) methods, if any, did you use at the same time? (4th METHOD MENTIONED, 3rd COMBINATION, MC24)

Inapplicable:
 R said no, don't know or refused to all birth control methods in EA series (computed variable EVERUSED = 2); R never had sex as of this month and never used a birth control method as of this month but ever used one or more birth control methods in EA series (WNFSTSEX GE 1093 and DATFIRSM GE 1093 and computed variable EVERUSED = 1); R did not use multiple methods in the month; or R used only 2 methods in the month; or R reported fewer than 3 BC method combinations; or R reported using fewer than 4 BC methods for this combination in this month of the method calendar.

1553	6483	2446	10847	Blank	= Blank, inapplicable
0	0	0	0	01	= NONE
0	0	0	0	02	= OFFICE USE ONLY
0	0	0	0	03	= BIRTH CONTROL PILLS
0	0	0	0	04	= CONDOM
0	0	0	0	05	= PARTNER'S VASECTOMY
0	0	0	0	06	= DIAPHRAGM
0	0	0	0	07	= FOAM
0	0	0	0	08	= JELLY OR CREAM
0	0	0	0	09	= CERVICAL CAP
0	0	0	0	10	= SUPPOSITORY, INSERT
0	0	0	0	11	= TODAY (TM) SPONGE
0	0	0	0	12	= FEMALE CONDOM, VAGINAL POUCH
0	0	0	0	13	= IUD, COIL, LOOP
0	0	0	0	14	= NORPLANT (TM)
0	0	0	0	15	= DEPO-PROVERA, INJECTABLES
0	0	0	0	16	= MORNING AFTER PILLS
0	0	0	0	17	= RHYTHM OR SAFE PERIOD BY CALENDAR
0	0	0	0	18	= SAFE PERIOD BY TEMP, CERVICAL MUCUS TEST,

(3948)

1995 NATIONAL SURVEY OF FAMILY GROWTH
 File Documentation
 Respondent File (Section E Questionnaire Items)

VARIABLE NAME	COLUMN LOCATION	NON-HISPANIC			TOTAL	QX	TEXT AND CODE CATEGORIES
		HISP	WHITE	BLACK			
		0	0	0	0	19	NFP
		0	0	0	0	20	= WITHDRAWAL
		0	0	0	0	21	= RESPONDENT STERILE
							= PARTNER STERILE (NOT ON CARD)
		0	0	0	0	22	= OTHER METHOD-NOT SHOWN SEPARATELY
		0	0	0	0	97	= Not Ascertained
		0	0	0	0	98	= Refused
		0	0	0	0	99	= Don't Know

1995 NATIONAL SURVEY OF FAMILY GROWTH
 File Documentation
 Respondent File (Section E Questionnaire Items)

VARIABLE NAME	COLUMN LOCATION	NON-HISPANIC			QX TEXT AND CODE CATEGORIES	
		HISP	WHITE	BLACK	TOTAL	
[METHH096]	7736-7737					ENTER METHOD (FIRST MENTIONED) USED IN JANUARY 1993: (MC25)
						Inapplicable: R never had sex as of this month and never used a birth control method as of this month but ever used one or more birth control methods in EA series (WNFSTSEX GE 1093 and DATFIRSM GE 1093 and computed variable EVERUSED = 1); R never had sex and said no, don't know or refused to all birth control methods in EA series (computed variable RHADSEX coded 2,7,8 or 9 and computed variable EVERUSED = 2); R said no, don't know or refused to all birth control methods in EA series (computed variable EVERUSED = 2).
		328	961	326	1723	Blank = Blank, inapplicable
		347	1249	565	2226	01 = NO METHODS USED
		0	0	0	0	02 = SAME AS PREVIOUS MONTH
		260	1318	439	2052	03 = BIRTH CONTROL PILLS
		174	834	384	1455	04 = CONDOM
		23	319	9	361	05 = PARTNER'S VASECTOMY
		5	110	13	130	06 = DIAPHRAGM
		4	24	3	31	07 = FOAM
		1	8	3	12	08 = JELLY OR CREAM
		0	3	0	3	09 = CERVICAL CAP
		5	24	6	37	10 = SUPPOSITORY, INSERT
		1	36	8	45	11 = TODAY (TM) SPONGE
		0	1	0	1	12 = FEMALE CONDOM, VAGINAL POUCH
		18	33	18	73	13 = IUD, COIL, LOOP
		17	32	36	87	14 = NORPLANT (TM)
		12	12	10	34	15 = DEPO-PROVERA, INJECTABLES
		0	0	0	0	16 = MORNING AFTER PILLS
		27	109	17	165	17 = RHYTHM OR SAFE PERIOD BY CALENDAR
		3	14	0	17	18 = SAFE PERIOD BY TEMP, CERVICAL MUCUS TEST, NFP
		41	134	24	210	19 = WITHDRAWAL
		269	1088	568	1971	20 = RESPONDENT STERILE

(3950)

1995 NATIONAL SURVEY OF FAMILY GROWTH
 File Documentation
 Respondent File (Section E Questionnaire Items)

VARIABLE NAME	COLUMN LOCATION	NON-HISPANIC			TOTAL	QX	TEXT AND CODE CATEGORIES
		HISP	WHITE	BLACK			
		17	163	9	193	21	= PARTNER STERILE (NOT ON CARD)
		1	2	4	7	22	= OTHER METHOD-NOT SHOWN SEPARATELY
		0	0	0	0	55	= SAME METHODS USED THROUGH END OF YEAR
		0	1	2	3	97	= Not Ascertained
		0	6	2	8	98	= Refused
		0	2	0	3	99	= Don't Know

1995 NATIONAL SURVEY OF FAMILY GROWTH
 File Documentation
 Respondent File (Section E Questionnaire Items)

VARIABLE NAME	COLUMN LOCATION	NON-HISPANIC HISP WHITE BLACK TOTAL			QX TEXT AND CODE CATEGORIES
[METHH097]	7738-7739				ENTER METHOD (SECOND MENTIONED) USED IN JANUARY 1993: (MC25)

Inapplicable:
 R never had sex as of this month and never used a birth control method as of this month but ever used one or more birth control methods in EA series (WNFSTSEX GE 1093 and DATFIRSM GE 1093 and computed variable EVERUSED = 1); R never had sex and said no, don't know or refused to all birth control methods in EA series (computed variable RHADSEX coded 2,7,8 or 9 and computed variable EVERUSED = 2); R said no, don't know or refused to all birth control methods in EA series (computed variable EVERUSED = 2); R used fewer than 2 methods in month.

1486	6063	2288	10172	Blank	= Blank, inapplicable
0	0	0	0	01	= NO METHODS USED
0	0	0	0	02	= SAME AS PREVIOUS MONTH
0	8	3	11	03	= BIRTH CONTROL PILLS
19	134	74	234	04	= CONDOM
0	12	2	14	05	= PARTNER'S VASECTOMY
3	11	5	19	06	= DIAPHRAGM
6	23	10	41	07	= FOAM
2	13	5	20	08	= JELLY OR CREAM
0	0	0	0	09	= CERVICAL CAP
3	7	7	17	10	= SUPPOSITORY, INSERT
0	14	5	20	11	= TODAY (TM) SPONGE
0	0	0	0	12	= FEMALE CONDOM, VAGINAL POUCH
0	0	0	0	13	= IUD, COIL, LOOP
0	0	2	2	14	= NORPLANT (TM)
0	1	0	1	15	= DEPO-PROVERA, INJECTABLES
0	0	0	0	16	= MORNING AFTER PILLS
10	57	7	83	17	= RHYTHM OR SAFE PERIOD BY CALENDAR
0	9	1	11	18	= SAFE PERIOD BY TEMP, CERVICAL MUCUS TEST, NFP
24	105	19	156	19	= WITHDRAWAL

(3952)

1995 NATIONAL SURVEY OF FAMILY GROWTH
 File Documentation
 Respondent File (Section E Questionnaire Items)

VARIABLE NAME	COLUMN LOCATION	NON-HISPANIC			TOTAL	QX	TEXT AND CODE CATEGORIES
		HISP	WHITE	BLACK			
		0	9	14	23	20	= RESPONDENT STERILE
		0	7	0	8	21	= PARTNER STERILE (NOT ON CARD)
		0	1	0	1	22	= OTHER METHOD-NOT SHOWN SEPARATELY
		0	0	0	0	55	= SAME METHODS USED THROUGH END OF YEAR
		0	1	2	3	97	= Not Ascertained
		0	6	2	8	98	= Refused
		0	2	0	3	99	= Don't Know

1995 NATIONAL SURVEY OF FAMILY GROWTH
 File Documentation
 Respondent File (Section E Questionnaire Items)

VARIABLE COLUMN NON-HISPANIC
 NAME LOCATION HISP WHITE BLACK TOTAL QX TEXT AND CODE CATEGORIES

[METHH098] 7740-7741

ENTER METHOD (THIRD MENTIONED) USED
 IN JANUARY 1993: (MC25)

Inapplicable:

R never had sex as of this month and never used a birth control method as of this month but ever used one or more birth control methods in EA series (WNFSTSEX GE 1093 and DATFIRSM GE 1093 and computed variable EVERUSED = 1); R never had sex and said no, don't know or refused to all birth control methods in EA series (computed variable RHADSEX coded 2,7,8 or 9 and computed variable EVERUSED = 2); R said no, don't know or refused to all birth control methods in EA series (computed variable EVERUSED = 2); R used fewer than 3 methods in month.

1542	6414	2416	10732	Blank	= Blank, inapplicable
0	0	0	0	01	= NO METHODS USED
0	0	0	0	02	= SAME AS PREVIOUS MONTH
0	1	0	1	03	= BIRTH CONTROL PILLS
0	2	0	2	04	= CONDOM
1	0	0	1	05	= PARTNER'S VASECTOMY
0	0	0	0	06	= DIAPHRAGM
2	0	1	3	07	= FOAM
0	2	1	3	08	= JELLY OR CREAM
0	0	0	0	09	= CERVICAL CAP
0	1	0	1	10	= SUPPOSITORY, INSERT
1	5	0	6	11	= TODAY (TM) SPONGE
1	0	0	1	12	= FEMALE CONDOM, VAGINAL POUCH
0	0	0	0	13	= IUD, COIL, LOOP
0	0	0	0	14	= NORPLANT (TM)
0	0	0	0	15	= DEPO-PROVERA, INJECTABLES
0	1	0	1	16	= MORNING AFTER PILLS
2	7	2	11	17	= RHYTHM OR SAFE PERIOD BY CALENDAR
0	4	0	5	18	= SAFE PERIOD BY TEMP, CERVICAL MUCUS TEST, NFP
2	28	3	35	19	= WITHDRAWAL

(3954)

1995 NATIONAL SURVEY OF FAMILY GROWTH
 File Documentation
 Respondent File (Section E Questionnaire Items)

VARIABLE NAME	COLUMN LOCATION	NON-HISPANIC			TOTAL	QX	TEXT AND CODE CATEGORIES
		HISP	WHITE	BLACK			
		1	9	19	29	20	= RESPONDENT STERILE
		0	0	0	0	21	= PARTNER STERILE (NOT ON CARD)
		1	0	0	2	22	= OTHER METHOD-NOT SHOWN SEPARATELY
		0	0	0	0	55	= SAME METHODS USED THROUGH END OF YEAR
		0	1	2	3	97	= Not Ascertained
		0	6	2	8	98	= Refused
		0	2	0	3	99	= Don't Know

1995 NATIONAL SURVEY OF FAMILY GROWTH
 File Documentation
 Respondent File (Section E Questionnaire Items)

VARIABLE NAME	COLUMN LOCATION	NON-HISPANIC			QX TEXT AND CODE CATEGORIES	
		HISP	WHITE	BLACK	TOTAL	
[METHH099]	7742-7743					ENTER METHOD (FOURTH MENTIONED) USED IN JANUARY 1993: (MC25)

Inapplicable:
 R never had sex as of this month and never used a birth control method as of this month but ever used one or more birth control methods in EA series (WNFSTSEX GE 1093 and DATFIRSM GE 1093 and computed variable EVERUSED = 1); R never had sex and said no, don't know or refused to all birth control methods in EA series (computed variable RHADSEX coded 2,7,8 or 9 and computed variable EVERUSED = 2); R said no, don't know or refused to all birth control methods in EA series (computed variable EVERUSED = 2); R used fewer than 4 methods in month.

1553	6469	2441	10827	Blank	= Blank, inapplicable
0	0	0	0	01	= NO METHODS USED
0	0	0	0	02	= SAME AS PREVIOUS MONTH
0	0	0	0	03	= BIRTH CONTROL PILLS
0	1	0	1	04	= CONDOM
0	0	0	0	05	= PARTNER'S VASECTOMY
0	0	0	0	06	= DIAPHRAGM
0	0	0	0	07	= FOAM
0	0	0	0	08	= JELLY OR CREAM
0	0	0	0	09	= CERVICAL CAP
0	0	0	0	10	= SUPPOSITORY, INSERT
0	1	0	1	11	= TODAY (TM) SPONGE
0	0	0	0	12	= FEMALE CONDOM, VAGINAL POUCH
0	0	0	0	13	= IUD, COIL, LOOP
0	0	0	0	14	= NORPLANT (TM)
0	0	0	0	15	= DEPO-PROVERA, INJECTABLES
0	0	0	0	16	= MORNING AFTER PILLS
0	2	0	2	17	= RHYTHM OR SAFE PERIOD BY CALENDAR
0	0	1	1	18	= SAFE PERIOD BY TEMP, CERVICAL MUCUS TEST, NFP
0	1	0	1	19	= WITHDRAWAL

(3956)

1995 NATIONAL SURVEY OF FAMILY GROWTH
 File Documentation
 Respondent File (Section E Questionnaire Items)

VARIABLE NAME	COLUMN LOCATION	NON-HISPANIC			TOTAL	QX	TEXT AND CODE CATEGORIES
		HISP	WHITE	BLACK			
		0	0	0	0	20	= RESPONDENT STERILE
		0	0	0	0	21	= PARTNER STERILE (NOT ON CARD)
		0	0	0	0	22	= OTHER METHOD-NOT SHOWN SEPARATELY
		0	0	0	0	55	= SAME METHODS USED THROUGH END OF YEAR
		0	1	2	3	97	= Not Ascertained
		0	6	2	8	98	= Refused
		0	2	0	3	99	= Don't Know

[SIMSEQ24] 7744-7744

Did you use those methods together,
 that is, at the same time, or did
 you use them at different times
 during the month? (MC25)

Inapplicable:

R never had sex as of this month and
 never used a birth control method as
 of this month but ever used one or
 more birth control methods in EA
 series (WNFSTSEX GE 1093 and
 DATFIRSM GE 1093 and computed
 variable EVERUSED = 1); R never had
 sex and said no, don't know or
 refused to all birth control methods
 in EA series (computed variable
 RHADSEX coded 2,7,8 or 9 and
 computed variable EVERUSED = 2); R
 said no, don't know or refused to
 all birth control methods in EA
 series (computed variable EVERUSED =
 2); R did not use multiple methods
 in the month; R used more than 2
 methods in the month.

1496	6123	2300	10259	Blank	= Blank, inapplicable
30	239	113	395	1	= SAME TIME
27	121	33	193	2	= DIFFERENT TIMES
0	0	0	0	7	= Not Ascertained
0	0	0	0	8	= Refused
0	0	0	0	9	= Don't Know

1995 NATIONAL SURVEY OF FAMILY GROWTH
 File Documentation
 Respondent File (Section E Questionnaire Items)

VARIABLE	COLUMN	NON-HISPANIC				QX TEXT AND CODE CATEGORIES
NAME	LOCATION	HISP	WHITE	BLACK		

[MTHUS288] 7745-7746

During that month, which (of those/other) methods, if any, did you use at the same time? (1st METHOD MENTIONED, 1st COMBINATION, MC25)

Inapplicable:
 R said no, don't know or refused to all birth control methods in EA series (computed variable EVERUSED = 2); R never had sex as of this month and never used a birth control method as of this month but ever used one or more birth control methods in EA series (WNFSTSEX GE 1093 and DATFIRSM GE 1093 and computed variable EVERUSED = 1); R did not use multiple methods in the month; or R used only 2 methods in the month.

	1543	6432	2438	10774	Blank	
	2	10	1	13	01	= Blank, inapplicable
	0	0	0	0	02	= NONE
	1	6	2	10	03	= OFFICE USE ONLY
	7	20	3	33	04	= BIRTH CONTROL PILLS
	0	0	0	0	05	= CONDOM
	0	4	0	4	06	= PARTNER'S VASECTOMY
	0	2	0	2	07	= DIAPHRAGM
	0	0	0	0	08	= FOAM
	0	0	0	0	09	= JELLY OR CREAM
	0	0	0	0	10	= CERVICAL CAP
	0	3	0	3	11	= SUPPOSITORY, INSERT
	0	0	0	0	12	= TODAY (TM) SPONGE
						= FEMALE CONDOM, VAGINAL POUCH
	0	0	0	0	13	= IUD, COIL, LOOP
	0	0	0	0	14	= NORPLANT (TM)
	0	0	0	0	15	= DEPO-PROVERA, INJECTABLES
	0	0	0	0	16	= MORNING AFTER PILLS
	0	5	0	5	17	= RHYTHM OR SAFE PERIOD BY CALENDAR
	0	0	0	0	18	= SAFE PERIOD BY TEMP, CERVICAL MUCUS TEST, NFP
	0	1	1	2	19	= WITHDRAWAL
	0	0	1	1	20	= RESPONDENT STERILE
	0	0	0	0	21	= PARTNER STERILE (NOT

(3958)

1995 NATIONAL SURVEY OF FAMILY GROWTH
 File Documentation
 Respondent File (Section E Questionnaire Items)

VARIABLE NAME	COLUMN LOCATION	NON-HISPANIC			TOTAL	QX	TEXT AND CODE CATEGORIES
		HISP	WHITE	BLACK			
		0	0	0	0	22	ON CARD) = OTHER METHOD-NOT SHOWN SEPARATELY
		0	0	0	0	97	= Not Ascertained
		0	0	0	0	98	= Refused
		0	0	0	0	99	= Don't Know

1995 NATIONAL SURVEY OF FAMILY GROWTH
 File Documentation
 Respondent File (Section E Questionnaire Items)

VARIABLE COLUMN NON-HISPANIC
 NAME LOCATION HISP WHITE BLACK TOTAL QX TEXT AND CODE CATEGORIES

[MTHUS289] 7747-7748

During that month, which (of those/other) methods, if any, did you use at the same time? (2nd METHOD MENTIONED, 1st COMBINATION, MC25)

Inapplicable:
 R said no, don't know or refused to all birth control methods in EA series (computed variable EVERUSED = 2); R never had sex as of this month and never used a birth control method as of this month but ever used one or more birth control methods in EA series (WNFSTSEX GE 1093 and DATFIRSM GE 1093 and computed variable EVERUSED = 1); R did not use multiple methods in the month; or R used only 2 methods in the month; or R reported using fewer than 2 BC methods for this combination in this month of the method calendar.

1545	6442	2439	10787	Blank	= Blank, inapplicable
0	0	0	0	01	= NONE
0	0	0	0	02	= OFFICE USE ONLY
0	0	0	0	03	= BIRTH CONTROL PILLS
1	9	3	13	04	= CONDOM
0	1	0	1	05	= PARTNER'S VASECTOMY
0	0	0	0	06	= DIAPHRAGM
1	3	0	4	07	= FOAM
1	1	2	4	08	= JELLY OR CREAM
0	0	0	0	09	= CERVICAL CAP
1	0	1	2	10	= SUPPOSITORY, INSERT
0	1	0	1	11	= TODAY (TM) SPONGE
0	0	0	0	12	= FEMALE CONDOM, VAGINAL POUCH
0	0	0	0	13	= IUD, COIL, LOOP
0	0	0	0	14	= NORPLANT (TM)
0	0	0	0	15	= DEPO-PROVERA, INJECTABLES
0	1	0	1	16	= MORNING AFTER PILLS
3	16	0	20	17	= RHYTHM OR SAFE PERIOD BY CALENDAR
0	2	0	2	18	= SAFE PERIOD BY TEMP, CERVICAL MUCUS TEST, NFP

(3960)

1995 NATIONAL SURVEY OF FAMILY GROWTH
 File Documentation
 Respondent File (Section E Questionnaire Items)

VARIABLE NAME	COLUMN LOCATION	NON-HISPANIC			TOTAL	QX	TEXT AND CODE CATEGORIES
		HISP	WHITE	BLACK			
		1	7	1	12	19	= WITHDRAWAL
		0	0	0	0	20	= RESPONDENT STERILE
		0	0	0	0	21	= PARTNER STERILE (NOT ON CARD)
		0	0	0	0	22	= OTHER METHOD-NOT SHOWN SEPARATELY
		0	0	0	0	97	= Not Ascertained
		0	0	0	0	98	= Refused
		0	0	0	0	99	= Don't Know

1995 NATIONAL SURVEY OF FAMILY GROWTH
 File Documentation
 Respondent File (Section E Questionnaire Items)

VARIABLE	COLUMN	NON-HISPANIC				
NAME	LOCATION	HISP	WHITE	BLACK	TOTAL	QX TEXT AND CODE CATEGORIES

[MTHUS290] 7749-7750

During that month, which (of those/other) methods, if any, did you use at the same time? (3rd METHOD MENTIONED, 1st COMBINATION, MC25)

Inapplicable:
 R said no, don't know or refused to all birth control methods in EA series (computed variable EVERUSED = 2); R never had sex as of this month and never used a birth control method as of this month but ever used one or more birth control methods in EA series (WNFSTSEX GE 1093 and DATFIRSM GE 1093 and computed variable EVERUSED = 1); R did not use multiple methods in the month; or R used only 2 methods in the month; or R reported using fewer than 3 BC methods for this combination in this month of the method calendar.

1546	6459	2444	10813	Blank	= Blank, inapplicable
0	0	0	0	01	= NONE
0	0	0	0	02	= OFFICE USE ONLY
0	0	0	0	03	= BIRTH CONTROL PILLS
0	0	0	0	04	= CONDOM
1	0	0	1	05	= PARTNER'S VASECTOMY
0	0	0	0	06	= DIAPHRAGM
2	0	1	3	07	= FOAM
0	2	0	2	08	= JELLY OR CREAM
0	0	0	0	09	= CERVICAL CAP
0	0	0	0	10	= SUPPOSITORY, INSERT
1	2	0	3	11	= TODAY (TM) SPONGE
0	0	0	0	12	= FEMALE CONDOM, VAGINAL POUCH
0	0	0	0	13	= IUD, COIL, LOOP
0	0	0	0	14	= NORPLANT (TM)
0	0	0	0	15	= DEPO-PROVERA, INJECTABLES
0	0	0	0	16	= MORNING AFTER PILLS
2	3	1	6	17	= RHYTHM OR SAFE PERIOD BY CALENDAR
0	3	0	4	18	= SAFE PERIOD BY TEMP, CERVICAL MUCUS TEST, NFP

(3962)

1995 NATIONAL SURVEY OF FAMILY GROWTH
 File Documentation
 Respondent File (Section E Questionnaire Items)

VARIABLE NAME	COLUMN LOCATION	NON-HISPANIC			TOTAL	QX	TEXT AND CODE CATEGORIES
		HISP	WHITE	BLACK			
		0	14	0	14	19	= WITHDRAWAL
		0	0	0	0	20	= RESPONDENT STERILE
		0	0	0	0	21	= PARTNER STERILE (NOT ON CARD)
		1	0	0	1	22	= OTHER METHOD-NOT SHOWN SEPARATELY
		0	0	0	0	97	= Not Ascertained
		0	0	0	0	98	= Refused
		0	0	0	0	99	= Don't Know

1995 NATIONAL SURVEY OF FAMILY GROWTH
 File Documentation
 Respondent File (Section E Questionnaire Items)

VARIABLE COLUMN NON-HISPANIC
 NAME LOCATION HISP WHITE BLACK TOTAL QX TEXT AND CODE CATEGORIES

[MTHUS291] 7751-7752

During that month, which (of those/other) methods, if any, did you use at the same time? (4th METHOD MENTIONED, 1st COMBINATION, MC25)

Inapplicable:
 R said no, don't know or refused to all birth control methods in EA series (computed variable EVERUSED = 2); R never had sex as of this month and never used a birth control method as of this month but ever used one or more birth control methods in EA series (WNFSTSEX GE 1093 and DATFIRSM GE 1093 and computed variable EVERUSED = 1); R did not use multiple methods in the month; or R used only 2 methods in the month; or R reported using fewer than 4 BC methods for this combination in this month of the method calendar.

1553	6482	2445	10845	Blank	= Blank, inapplicable
0	0	0	0	01	= NONE
0	0	0	0	02	= OFFICE USE ONLY
0	0	0	0	03	= BIRTH CONTROL PILLS
0	1	0	1	04	= CONDOM
0	0	0	0	05	= PARTNER'S VASECTOMY
0	0	0	0	06	= DIAPHRAGM
0	0	0	0	07	= FOAM
0	0	0	0	08	= JELLY OR CREAM
0	0	0	0	09	= CERVICAL CAP
0	0	0	0	10	= SUPPOSITORY, INSERT
0	0	0	0	11	= TODAY (TM) SPONGE
0	0	0	0	12	= FEMALE CONDOM, VAGINAL POUCH
0	0	0	0	13	= IUD, COIL, LOOP
0	0	0	0	14	= NORPLANT (TM)
0	0	0	0	15	= DEPO-PROVERA, INJECTABLES
0	0	0	0	16	= MORNING AFTER PILLS
0	0	0	0	17	= RHYTHM OR SAFE PERIOD BY CALENDAR
0	0	1	1	18	= SAFE PERIOD BY TEMP, CERVICAL MUCUS TEST, NFP

(3964)

1995 NATIONAL SURVEY OF FAMILY GROWTH
 File Documentation
 Respondent File (Section E Questionnaire Items)

VARIABLE NAME	COLUMN LOCATION	NON-HISPANIC			TOTAL	QX	TEXT AND CODE CATEGORIES
		HISP	WHITE	BLACK			
		0	0	0	0	19	= WITHDRAWAL
		0	0	0	0	20	= RESPONDENT STERILE
		0	0	0	0	21	= PARTNER STERILE (NOT ON CARD)
		0	0	0	0	22	= OTHER METHOD-NOT SHOWN SEPARATELY
		0	0	0	0	97	= Not Ascertained
		0	0	0	0	98	= Refused
		0	0	0	0	99	= Don't Know

1995 NATIONAL SURVEY OF FAMILY GROWTH
 File Documentation
 Respondent File (Section E Questionnaire Items)

VARIABLE COLUMN NON-HISPANIC
 NAME LOCATION HISP WHITE BLACK TOTAL QX TEXT AND CODE CATEGORIES

[MTHUS292] 7753-7754

During that month, which (of those/other) methods, if any, did you use at the same time? (1st METHOD MENTIONED, 2nd COMBINATION, MC25)

Inapplicable:
 R said no, don't know or refused to all birth control methods in EA series (computed variable EVERUSED = 2); R never had sex as of this month and never used a birth control method as of this month but ever used one or more birth control methods in EA series (WNFSTSEX GE 1093 and DATFIRSM GE 1093 and computed variable EVERUSED = 1); R did not use multiple methods in the month; or R used only 2 methods in the month; or R reported fewer than 2 BC method combinations.

	1545	6442	2439	10787	Blank	
	5	30	5	43	01	= Blank, inapplicable
	0	0	0	0	02	= NONE
	0	2	0	2	03	= OFFICE USE ONLY
	0	3	0	4	04	= BIRTH CONTROL PILLS
	0	0	0	0	05	= CONDOM
	0	0	0	0	06	= PARTNER'S VASECTOMY
	1	2	0	3	07	= DIAPHRAGM
	0	0	0	0	08	= FOAM
	0	0	0	0	09	= JELLY OR CREAM
	0	0	0	0	10	= CERVICAL CAP
	0	0	0	0	11	= SUPPOSITORY, INSERT
	0	0	0	0	12	= TODAY (TM) SPONGE
	0	0	0	0	13	= FEMALE CONDOM, VAGINAL POUCH
	0	0	0	0	14	= IUD, COIL, LOOP
	0	0	0	0	15	= NORPLANT (TM)
	0	0	0	0	16	= DEPO-PROVERA, INJECTABLES
	0	0	0	0	17	= MORNING AFTER PILLS
	0	3	0	3	18	= RHYTHM OR SAFE PERIOD BY CALENDAR
	0	0	0	0	19	= SAFE PERIOD BY TEMP, CERVICAL MUCUS TEST, NFP
	1	1	1	3	20	= WITHDRAWAL
	0	0	1	1	20	= RESPONDENT STERILE

(3966)

1995 NATIONAL SURVEY OF FAMILY GROWTH
 File Documentation
 Respondent File (Section E Questionnaire Items)

VARIABLE NAME	COLUMN LOCATION	NON-HISPANIC			QX	TEXT AND CODE CATEGORIES
		HISP	WHITE	BLACK		
		0	0	0	0	21 = PARTNER STERILE (NOT ON CARD)
		1	0	0	1	22 = OTHER METHOD-NOT SHOWN SEPARATELY
		0	0	0	0	97 = Not Ascertained
		0	0	0	0	98 = Refused
		0	0	0	0	99 = Don't Know

1995 NATIONAL SURVEY OF FAMILY GROWTH
 File Documentation
 Respondent File (Section E Questionnaire Items)

VARIABLE COLUMN NON-HISPANIC
 NAME LOCATION HISP WHITE BLACK TOTAL QX TEXT AND CODE CATEGORIES

[MTHUS293] 7755-7756

During that month, which (of those/other) methods, if any, did you use at the same time? (2nd METHOD MENTIONED, 2nd COMBINATION, MC25)

Inapplicable:
 R said no, don't know or refused to all birth control methods in EA series (computed variable EVERUSED = 2); R never had sex as of this month and never used a birth control method as of this month but ever used one or more birth control methods in EA series (WNFSTSEX GE 1093 and DATFIRSM GE 1093 and computed variable EVERUSED = 1); R did not use multiple methods in the month; or R used only 2 methods in the month; or R reported fewer than 2 BC method combinations; or R reported using fewer than 2 BC methods for this combination in this month of the method calendar.

1552	6473	2444	10833	Blank	= Blank, inapplicable
0	0	0	0	01	= NONE
0	0	0	0	02	= OFFICE USE ONLY
0	0	0	0	03	= BIRTH CONTROL PILLS
1	1	0	2	04	= CONDOM
0	1	0	1	05	= PARTNER'S VASECTOMY
0	0	0	0	06	= DIAPHRAGM
0	0	0	0	07	= FOAM
0	0	0	0	08	= JELLY OR CREAM
0	0	0	0	09	= CERVICAL CAP
0	0	1	1	10	= SUPPOSITORY, INSERT
0	1	0	1	11	= TODAY (TM) SPONGE
0	0	0	0	12	= FEMALE CONDOM, VAGINAL POUCH
0	0	0	0	13	= IUD, COIL, LOOP
0	0	0	0	14	= NORPLANT (TM)
0	0	0	0	15	= DEPO-PROVERA, INJECTABLES
0	0	0	0	16	= MORNING AFTER PILLS
0	2	0	3	17	= RHYTHM OR SAFE PERIOD BY CALENDAR
0	1	0	1	18	= SAFE PERIOD BY TEMP, CERVICAL MUCUS TEST,

(3968)

1995 NATIONAL SURVEY OF FAMILY GROWTH
 File Documentation
 Respondent File (Section E Questionnaire Items)

VARIABLE NAME	COLUMN LOCATION	NON-HISPANIC			TOTAL	QX	TEXT AND CODE CATEGORIES
		HISP	WHITE	BLACK			
		0	4	1	5	19	NFP
		0	0	0	0	20	= WITHDRAWAL
		0	0	0	0	21	= RESPONDENT STERILE
							= PARTNER STERILE (NOT ON CARD)
		0	0	0	0	22	= OTHER METHOD-NOT SHOWN SEPARATELY
		0	0	0	0	97	= Not Ascertained
		0	0	0	0	98	= Refused
		0	0	0	0	99	= Don't Know

1995 NATIONAL SURVEY OF FAMILY GROWTH
 File Documentation
 Respondent File (Section E Questionnaire Items)

VARIABLE COLUMN NON-HISPANIC
 NAME LOCATION HISP WHITE BLACK TOTAL QX TEXT AND CODE CATEGORIES

[MTHUS294] 7757-7758

During that month, which (of those/other) methods, if any, did you use at the same time? (3rd METHOD MENTIONED, 2nd COMBINATION, MC25)

Inapplicable:
 R said no, don't know or refused to all birth control methods in EA series (computed variable EVERUSED = 2); R never had sex as of this month and never used a birth control method as of this month but ever used one or more birth control methods in EA series (WNFSTSEX GE 1093 and DATFIRSM GE 1093 and computed variable EVERUSED = 1); R did not use multiple methods in the month; or R used only 2 methods in the month; or R reported fewer than 2 BC method combinations; or R reported using fewer than 3 BC methods for this combination in this month of the method calendar.

1552	6480	2446	10842	Blank	= Blank, inapplicable
0	0	0	0	01	= NONE
0	0	0	0	02	= OFFICE USE ONLY
0	0	0	0	03	= BIRTH CONTROL PILLS
0	0	0	0	04	= CONDOM
0	0	0	0	05	= PARTNER'S VASECTOMY
0	0	0	0	06	= DIAPHRAGM
0	0	0	0	07	= FOAM
0	1	0	1	08	= JELLY OR CREAM
0	0	0	0	09	= CERVICAL CAP
0	0	0	0	10	= SUPPOSITORY, INSERT
0	0	0	0	11	= TODAY (TM) SPONGE
0	0	0	0	12	= FEMALE CONDOM, VAGINAL POUCH
0	0	0	0	13	= IUD, COIL, LOOP
0	0	0	0	14	= NORPLANT (TM)
0	0	0	0	15	= DEPO-PROVERA, INJECTABLES
0	0	0	0	16	= MORNING AFTER PILLS
1	0	0	1	17	= RHYTHM OR SAFE PERIOD BY CALENDAR
0	1	0	2	18	= SAFE PERIOD BY TEMP, CERVICAL MUCUS TEST,

1995 NATIONAL SURVEY OF FAMILY GROWTH
 File Documentation
 Respondent File (Section E Questionnaire Items)

VARIABLE NAME	COLUMN LOCATION	NON-HISPANIC			TOTAL	QX	TEXT AND CODE CATEGORIES
		HISP	WHITE	BLACK			
		0	1	0	1	19	NFP
		0	0	0	0	20	= WITHDRAWAL
		0	0	0	0	21	= RESPONDENT STERILE
							= PARTNER STERILE (NOT ON CARD)
		0	0	0	0	22	= OTHER METHOD-NOT SHOWN SEPARATELY
		0	0	0	0	97	= Not Ascertained
		0	0	0	0	98	= Refused
		0	0	0	0	99	= Don't Know

1995 NATIONAL SURVEY OF FAMILY GROWTH
 File Documentation
 Respondent File (Section E Questionnaire Items)

VARIABLE COLUMN NON-HISPANIC
 NAME LOCATION HISP WHITE BLACK TOTAL QX TEXT AND CODE CATEGORIES

[MTHUS295] 7759-7760

During that month, which (of those/other) methods, if any, did you use at the same time? (4th METHOD MENTIONED, 2nd COMBINATION, MC25)

Inapplicable:
 R said no, don't know or refused to all birth control methods in EA series (computed variable EVERUSED = 2); R never had sex as of this month and never used a birth control method as of this month but ever used one or more birth control methods in EA series (WNFSTSEX GE 1093 and DATFIRSM GE 1093 and computed variable EVERUSED = 1); R did not use multiple methods in the month; or R used only 2 methods in the month; or R reported fewer than 2 BC method combinations; or R reported using fewer than 4 BC methods for this combination in this month of the method calendar.

1553	6483	2446	10847	Blank	= Blank, inapplicable
0	0	0	0	01	= NONE
0	0	0	0	02	= OFFICE USE ONLY
0	0	0	0	03	= BIRTH CONTROL PILLS
0	0	0	0	04	= CONDOM
0	0	0	0	05	= PARTNER'S VASECTOMY
0	0	0	0	06	= DIAPHRAGM
0	0	0	0	07	= FOAM
0	0	0	0	08	= JELLY OR CREAM
0	0	0	0	09	= CERVICAL CAP
0	0	0	0	10	= SUPPOSITORY, INSERT
0	0	0	0	11	= TODAY (TM) SPONGE
0	0	0	0	12	= FEMALE CONDOM, VAGINAL POUCH
0	0	0	0	13	= IUD, COIL, LOOP
0	0	0	0	14	= NORPLANT (TM)
0	0	0	0	15	= DEPO-PROVERA, INJECTABLES
0	0	0	0	16	= MORNING AFTER PILLS
0	0	0	0	17	= RHYTHM OR SAFE PERIOD BY CALENDAR
0	0	0	0	18	= SAFE PERIOD BY TEMP, CERVICAL MUCUS TEST,

(3972)

1995 NATIONAL SURVEY OF FAMILY GROWTH
 File Documentation
 Respondent File (Section E Questionnaire Items)

VARIABLE NAME	COLUMN LOCATION	NON-HISPANIC			TOTAL	QX	TEXT AND CODE CATEGORIES
		HISP	WHITE	BLACK			
		0	0	0	0	19	NFP = WITHDRAWAL
		0	0	0	0	20	= RESPONDENT STERILE
		0	0	0	0	21	= PARTNER STERILE (NOT ON CARD)
		0	0	0	0	22	= OTHER METHOD-NOT SHOWN SEPARATELY
		0	0	0	0	97	= Not Ascertained
		0	0	0	0	98	= Refused
		0	0	0	0	99	= Don't Know

1995 NATIONAL SURVEY OF FAMILY GROWTH
 File Documentation
 Respondent File (Section E Questionnaire Items)

VARIABLE	COLUMN	NON-HISPANIC				
NAME	LOCATION	HISP	WHITE	BLACK	TOTAL	QX TEXT AND CODE CATEGORIES

[MTHUS296] 7761-7762

During that month, which (of those/other) methods, if any, did you use at the same time? (1st METHOD MENTIONED, 3rd COMBINATION, MC25)

Inapplicable:
 R said no, don't know or refused to all birth control methods in EA series (computed variable EVERUSED = 2); R never had sex as of this month and never used a birth control method as of this month but ever used one or more birth control methods in EA series (WNFSTSEX GE 1093 and DATFIRSM GE 1093 and computed variable EVERUSED = 1); R did not use multiple methods in the month; or R used only 2 methods in the month; or R reported fewer than 3 BC method combinations.

	1553	6482	2446	10846	Blank	
	0	0	0	0	0	= Blank, inapplicable
	0	0	0	0	0	= NONE
	0	0	0	0	0	= OFFICE USE ONLY
	0	1	0	1	0	= BIRTH CONTROL PILLS
	0	0	0	0	0	= CONDOM
	0	0	0	0	0	= PARTNER'S VASECTOMY
	0	0	0	0	0	= DIAPHRAGM
	0	0	0	0	0	= FOAM
	0	0	0	0	0	= JELLY OR CREAM
	0	0	0	0	0	= CERVICAL CAP
	0	0	0	0	0	= SUPPOSITORY, INSERT
	0	0	0	0	0	= TODAY (TM) SPONGE
	0	0	0	0	0	= FEMALE CONDOM, VAGINAL POUCH
	0	0	0	0	0	= IUD, COIL, LOOP
	0	0	0	0	0	= NORPLANT (TM)
	0	0	0	0	0	= DEPO-PROVERA, INJECTABLES
	0	0	0	0	0	= MORNING AFTER PILLS
	0	0	0	0	0	= RHYTHM OR SAFE PERIOD BY CALENDAR
	0	0	0	0	0	= SAFE PERIOD BY TEMP, CERVICAL MUCUS TEST, NFP
	0	0	0	0	0	= WITHDRAWAL
	0	0	0	0	0	= RESPONDENT STERILE

(3974)

1995 NATIONAL SURVEY OF FAMILY GROWTH
 File Documentation
 Respondent File (Section E Questionnaire Items)

VARIABLE NAME	COLUMN LOCATION	NON-HISPANIC			TOTAL	QX	TEXT AND CODE CATEGORIES
		HISP	WHITE	BLACK			
		0	0	0	0	21	= PARTNER STERILE (NOT ON CARD)
		0	0	0	0	22	= OTHER METHOD-NOT SHOWN SEPARATELY
		0	0	0	0	97	= Not Ascertained
		0	0	0	0	98	= Refused
		0	0	0	0	99	= Don't Know

1995 NATIONAL SURVEY OF FAMILY GROWTH
 File Documentation
 Respondent File (Section E Questionnaire Items)

VARIABLE COLUMN NON-HISPANIC
 NAME LOCATION HISP WHITE BLACK TOTAL QX TEXT AND CODE CATEGORIES

[MTHUS297] 7763-7764

During that month, which (of those/other) methods, if any, did you use at the same time? (2nd METHOD MENTIONED, 3rd COMBINATION, MC25)

Inapplicable:
 R said no, don't know or refused to all birth control methods in EA series (computed variable EVERUSED = 2); R never had sex as of this month and never used a birth control method as of this month but ever used one or more birth control methods in EA series (WNFSTSEX GE 1093 and DATFIRSM GE 1093 and computed variable EVERUSED = 1); R did not use multiple methods in the month; or R used only 2 methods in the month; or R reported fewer than 3 BC method combinations; or R reported using fewer than 2 BC methods for this combination in this month of the method calendar.

	1553	6482	2446	10846	Blank	
	0	0	0	0	0	01 = Blank, inapplicable
	0	0	0	0	0	02 = NONE
	0	0	0	0	0	03 = OFFICE USE ONLY
	0	0	0	0	0	04 = BIRTH CONTROL PILLS
	0	0	0	0	0	05 = CONDOM
	0	0	0	0	0	06 = PARTNER'S VASECTOMY
	0	0	0	0	0	07 = DIAPHRAGM
	0	0	0	0	0	08 = FOAM
	0	0	0	0	0	09 = JELLY OR CREAM
	0	0	0	0	0	10 = CERVICAL CAP
	0	0	0	0	0	11 = SUPPOSITORY, INSERT
	0	0	0	0	0	12 = TODAY (TM) SPONGE
	0	0	0	0	0	13 = FEMALE CONDOM, VAGINAL POUCH
	0	0	0	0	0	14 = IUD, COIL, LOOP
	0	0	0	0	0	15 = NORPLANT (TM)
	0	0	0	0	0	16 = DEPO-PROVERA, INJECTABLES
	0	0	0	0	0	17 = MORNING AFTER PILLS
	0	1	0	1	1	18 = RHYTHM OR SAFE PERIOD BY CALENDAR
	0	0	0	0	0	SAFE PERIOD BY TEMP, CERVICAL MUCUS TEST,

1995 NATIONAL SURVEY OF FAMILY GROWTH
 File Documentation
 Respondent File (Section E Questionnaire Items)

VARIABLE NAME	COLUMN LOCATION	NON-HISPANIC			TOTAL	QX	TEXT AND CODE CATEGORIES
		HISP	WHITE	BLACK			
		0	0	0	0	19	NFP
		0	0	0	0	20	= WITHDRAWAL
		0	0	0	0	21	= RESPONDENT STERILE
							= PARTNER STERILE (NOT ON CARD)
		0	0	0	0	22	= OTHER METHOD-NOT SHOWN SEPARATELY
		0	0	0	0	97	= Not Ascertained
		0	0	0	0	98	= Refused
		0	0	0	0	99	= Don't Know

1995 NATIONAL SURVEY OF FAMILY GROWTH
 File Documentation
 Respondent File (Section E Questionnaire Items)

VARIABLE	COLUMN	NON-HISPANIC				
NAME	LOCATION	HISP	WHITE	BLACK	TOTAL	QX TEXT AND CODE CATEGORIES

[MTHUS298] 7765-7766

During that month, which (of those/other) methods, if any, did you use at the same time? (3rd METHOD MENTIONED, 3rd COMBINATION, MC25)

Inapplicable:
 R said no, don't know or refused to all birth control methods in EA series (computed variable EVERUSED = 2); R never had sex as of this month and never used a birth control method as of this month but ever used one or more birth control methods in EA series (WNFSTSEX GE 1093 and DATFIRSM GE 1093 and computed variable EVERUSED = 1); R did not use multiple methods in the month; or R used only 2 methods in the month; or R reported fewer than 3 BC method combinations; or R reported using fewer than 3 BC methods for this combination in this month of the method calendar.

1553	6483	2446	10847	Blank	= Blank, inapplicable
0	0	0	0	01	= NONE
0	0	0	0	02	= OFFICE USE ONLY
0	0	0	0	03	= BIRTH CONTROL PILLS
0	0	0	0	04	= CONDOM
0	0	0	0	05	= PARTNER'S VASECTOMY
0	0	0	0	06	= DIAPHRAGM
0	0	0	0	07	= FOAM
0	0	0	0	08	= JELLY OR CREAM
0	0	0	0	09	= CERVICAL CAP
0	0	0	0	10	= SUPPOSITORY, INSERT
0	0	0	0	11	= TODAY (TM) SPONGE
0	0	0	0	12	= FEMALE CONDOM, VAGINAL POUCH
0	0	0	0	13	= IUD, COIL, LOOP
0	0	0	0	14	= NORPLANT (TM)
0	0	0	0	15	= DEPO-PROVERA, INJECTABLES
0	0	0	0	16	= MORNING AFTER PILLS
0	0	0	0	17	= RHYTHM OR SAFE PERIOD BY CALENDAR
0	0	0	0	18	= SAFE PERIOD BY TEMP, CERVICAL MUCUS TEST,

1995 NATIONAL SURVEY OF FAMILY GROWTH
 File Documentation
 Respondent File (Section E Questionnaire Items)

VARIABLE NAME	COLUMN LOCATION	NON-HISPANIC			TOTAL	QX	TEXT AND CODE CATEGORIES
		HISP	WHITE	BLACK			
		0	0	0	0	19	NFP
		0	0	0	0	20	= WITHDRAWAL
		0	0	0	0	21	= RESPONDENT STERILE
							= PARTNER STERILE (NOT ON CARD)
		0	0	0	0	22	= OTHER METHOD-NOT SHOWN SEPARATELY
		0	0	0	0	97	= Not Ascertained
		0	0	0	0	98	= Refused
		0	0	0	0	99	= Don't Know

1995 NATIONAL SURVEY OF FAMILY GROWTH
 File Documentation
 Respondent File (Section E Questionnaire Items)

VARIABLE COLUMN NON-HISPANIC
 NAME LOCATION HISP WHITE BLACK TOTAL QX TEXT AND CODE CATEGORIES

[MTHUS299] 7767-7768

During that month, which (of those/other) methods, if any, did you use at the same time? (4th METHOD MENTIONED, 3rd COMBINATION, MC25)

Inapplicable:
 R said no, don't know or refused to all birth control methods in EA series (computed variable EVERUSED = 2); R never had sex as of this month and never used a birth control method as of this month but ever used one or more birth control methods in EA series (WNFSTSEX GE 1093 and DATFIRSM GE 1093 and computed variable EVERUSED = 1); R did not use multiple methods in the month; or R used only 2 methods in the month; or R reported fewer than 3 BC method combinations; or R reported using fewer than 4 BC methods for this combination in this month of the method calendar.

1553	6483	2446	10847	Blank	= Blank, inapplicable
0	0	0	0	01	= NONE
0	0	0	0	02	= OFFICE USE ONLY
0	0	0	0	03	= BIRTH CONTROL PILLS
0	0	0	0	04	= CONDOM
0	0	0	0	05	= PARTNER'S VASECTOMY
0	0	0	0	06	= DIAPHRAGM
0	0	0	0	07	= FOAM
0	0	0	0	08	= JELLY OR CREAM
0	0	0	0	09	= CERVICAL CAP
0	0	0	0	10	= SUPPOSITORY, INSERT
0	0	0	0	11	= TODAY (TM) SPONGE
0	0	0	0	12	= FEMALE CONDOM, VAGINAL POUCH
0	0	0	0	13	= IUD, COIL, LOOP
0	0	0	0	14	= NORPLANT (TM)
0	0	0	0	15	= DEPO-PROVERA, INJECTABLES
0	0	0	0	16	= MORNING AFTER PILLS
0	0	0	0	17	= RHYTHM OR SAFE PERIOD BY CALENDAR
0	0	0	0	18	= SAFE PERIOD BY TEMP, CERVICAL MUCUS TEST,

1995 NATIONAL SURVEY OF FAMILY GROWTH
 File Documentation
 Respondent File (Section E Questionnaire Items)

VARIABLE NAME	COLUMN LOCATION	NON-HISPANIC			TOTAL	QX	TEXT AND CODE CATEGORIES
		HISP	WHITE	BLACK			
		0	0	0	0	19	NFP
		0	0	0	0	20	= WITHDRAWAL
		0	0	0	0	21	= RESPONDENT STERILE
							= PARTNER STERILE (NOT ON CARD)
		0	0	0	0	22	= OTHER METHOD-NOT SHOWN SEPARATELY
		0	0	0	0	97	= Not Ascertained
		0	0	0	0	98	= Refused
		0	0	0	0	99	= Don't Know

1995 NATIONAL SURVEY OF FAMILY GROWTH
 File Documentation
 Respondent File (Section E Questionnaire Items)

VARIABLE NAME	COLUMN LOCATION	NON-HISPANIC			QX TEXT AND CODE CATEGORIES	
		HISP	WHITE	BLACK	TOTAL	
[METHH100]	7769-7770					ENTER METHOD (FIRST MENTIONED) USED IN FEBRUARY 1993: (MC26)
						Inapplicable: R never had sex as of this month and never used a birth control method as of this month but ever used one or more birth control methods in EA series (WNFSTSEX GE 1093 and DATFIRSM GE 1093 and computed variable EVERUSED = 1); R never had sex and said no, don't know or refused to all birth control methods in EA series (computed variable RHADSEX coded 2,7,8 or 9 and computed variable EVERUSED = 2); R said no, don't know or refused to all birth control methods in EA series (computed variable EVERUSED = 2).
		323	952	322	1705	Blank = Blank, inapplicable
		354	1245	564	2229	01 = NO METHODS USED
		0	0	0	0	02 = SAME AS PREVIOUS MONTH
		253	1317	432	2037	03 = BIRTH CONTROL PILLS
		175	839	391	1467	04 = CONDOM
		23	320	9	362	05 = PARTNER'S VASECTOMY
		5	107	13	127	06 = DIAPHRAGM
		4	25	3	32	07 = FOAM
		1	8	1	10	08 = JELLY OR CREAM
		0	3	0	3	09 = CERVICAL CAP
		6	21	6	35	10 = SUPPOSITORY, INSERT
		1	35	8	44	11 = TODAY (TM) SPONGE
		0	1	0	1	12 = FEMALE CONDOM, VAGINAL POUCH
		19	33	18	74	13 = IUD, COIL, LOOP
		17	32	38	89	14 = NORPLANT (TM)
		13	14	12	39	15 = DEPO-PROVERA, INJECTABLES
		0	0	0	0	16 = MORNING AFTER PILLS
		28	107	17	164	17 = RHYTHM OR SAFE PERIOD BY CALENDAR
		2	14	0	16	18 = SAFE PERIOD BY TEMP, CERVICAL MUCUS TEST, NFP
		40	137	23	211	19 = WITHDRAWAL
		271	1097	571	1985	20 = RESPONDENT STERILE

(3982)

1995 NATIONAL SURVEY OF FAMILY GROWTH
 File Documentation
 Respondent File (Section E Questionnaire Items)

VARIABLE NAME	COLUMN LOCATION	NON-HISPANIC			TOTAL	QX	TEXT AND CODE CATEGORIES
		HISP	WHITE	BLACK			
		17	164	10	195	21	= PARTNER STERILE (NOT ON CARD)
		1	2	4	7	22	= OTHER METHOD-NOT SHOWN SEPARATELY
		0	0	0	0	55	= SAME METHODS USED THROUGH END OF YEAR
		0	1	2	3	97	= Not Ascertained
		0	6	2	8	98	= Refused
		0	3	0	4	99	= Don't Know

1995 NATIONAL SURVEY OF FAMILY GROWTH
 File Documentation
 Respondent File (Section E Questionnaire Items)

VARIABLE NAME	COLUMN LOCATION	NON-HISPANIC HISP WHITE BLACK TOTAL			QX TEXT AND CODE CATEGORIES
[METHH101]	7771-7772				ENTER METHOD (SECOND MENTIONED) USED IN FEBRUARY 1993: (MC26)

Inapplicable:
 R never had sex as of this month and never used a birth control method as of this month but ever used one or more birth control methods in EA series (WNFSTSEX GE 1093 and DATFIRSM GE 1093 and computed variable EVERUSED = 1); R never had sex and said no, don't know or refused to all birth control methods in EA series (computed variable RHADSEX coded 2,7,8 or 9 and computed variable EVERUSED = 2); R said no, don't know or refused to all birth control methods in EA series (computed variable EVERUSED = 2); R used fewer than 2 methods in month.

1486	6054	2283	10158	Blank	= Blank, inapplicable
0	0	0	0	01	= NO METHODS USED
0	0	0	0	02	= SAME AS PREVIOUS MONTH
0	8	3	11	03	= BIRTH CONTROL PILLS
18	133	75	233	04	= CONDOM
0	13	2	15	05	= PARTNER'S VASECTOMY
3	11	4	18	06	= DIAPHRAGM
6	24	10	42	07	= FOAM
2	12	7	21	08	= JELLY OR CREAM
0	0	0	0	09	= CERVICAL CAP
3	9	8	20	10	= SUPPOSITORY, INSERT
0	14	6	21	11	= TODAY (TM) SPONGE
0	0	0	0	12	= FEMALE CONDOM, VAGINAL POUCH
0	0	0	0	13	= IUD, COIL, LOOP
0	1	2	3	14	= NORPLANT (TM)
1	2	0	3	15	= DEPO-PROVERA, INJECTABLES
0	0	0	0	16	= MORNING AFTER PILLS
10	60	8	87	17	= RHYTHM OR SAFE PERIOD BY CALENDAR
0	9	1	11	18	= SAFE PERIOD BY TEMP, CERVICAL MUCUS TEST, NFP
24	106	19	157	19	= WITHDRAWAL

(3984)

1995 NATIONAL SURVEY OF FAMILY GROWTH
 File Documentation
 Respondent File (Section E Questionnaire Items)

VARIABLE NAME	COLUMN LOCATION	NON-HISPANIC			TOTAL	QX	TEXT AND CODE CATEGORIES
		HISP	WHITE	BLACK			
		0	9	14	23	20	= RESPONDENT STERILE
		0	8	0	9	21	= PARTNER STERILE (NOT ON CARD)
		0	0	0	0	22	= OTHER METHOD-NOT SHOWN SEPARATELY
		0	0	0	0	55	= SAME METHODS USED THROUGH END OF YEAR
		0	2	2	4	97	= Not Ascertained
		0	6	2	8	98	= Refused
		0	2	0	3	99	= Don't Know

1995 NATIONAL SURVEY OF FAMILY GROWTH
 File Documentation
 Respondent File (Section E Questionnaire Items)

VARIABLE COLUMN NON-HISPANIC
 NAME LOCATION HISP WHITE BLACK TOTAL QX TEXT AND CODE CATEGORIES

[METHH102] 7773-7774

ENTER METHOD (THIRD MENTIONED) USED
 IN FEBRUARY 1993: (MC26)

Inapplicable:

R never had sex as of this month and never used a birth control method as of this month but ever used one or more birth control methods in EA series (WNFSTSEX GE 1093 and DATFIRSM GE 1093 and computed variable EVERUSED = 1); R never had sex and said no, don't know or refused to all birth control methods in EA series (computed variable RHADSEX coded 2,7,8 or 9 and computed variable EVERUSED = 2); R said no, don't know or refused to all birth control methods in EA series (computed variable EVERUSED = 2); R used fewer than 3 methods in month.

1542	6414	2417	10733	Blank	= Blank, inapplicable
0	0	0	0	01	= NO METHODS USED
0	0	0	0	02	= SAME AS PREVIOUS MONTH
0	1	0	1	03	= BIRTH CONTROL PILLS
0	2	0	2	04	= CONDOM
1	0	0	1	05	= PARTNER'S VASECTOMY
0	0	0	0	06	= DIAPHRAGM
2	0	1	3	07	= FOAM
0	2	1	3	08	= JELLY OR CREAM
0	0	0	0	09	= CERVICAL CAP
0	1	0	1	10	= SUPPOSITORY, INSERT
1	5	0	6	11	= TODAY (TM) SPONGE
1	0	0	1	12	= FEMALE CONDOM, VAGINAL POUCH
0	0	0	0	13	= IUD, COIL, LOOP
0	0	0	0	14	= NORPLANT (TM)
0	0	0	0	15	= DEPO-PROVERA, INJECTABLES
0	1	0	1	16	= MORNING AFTER PILLS
2	7	2	11	17	= RHYTHM OR SAFE PERIOD BY CALENDAR
0	4	0	5	18	= SAFE PERIOD BY TEMP, CERVICAL MUCUS TEST, NFP
2	28	3	35	19	= WITHDRAWAL

(3986)

1995 NATIONAL SURVEY OF FAMILY GROWTH
 File Documentation
 Respondent File (Section E Questionnaire Items)

VARIABLE NAME	COLUMN LOCATION	NON-HISPANIC			TOTAL	QX	TEXT AND CODE CATEGORIES
		HISP	WHITE	BLACK			
		1	8	18	27	20	= RESPONDENT STERILE
		0	0	0	0	21	= PARTNER STERILE (NOT ON CARD)
		1	0	0	2	22	= OTHER METHOD-NOT SHOWN SEPARATELY
		0	0	0	0	55	= SAME METHODS USED THROUGH END OF YEAR
		0	2	2	4	97	= Not Ascertained
		0	6	2	8	98	= Refused
		0	2	0	3	99	= Don't Know

1995 NATIONAL SURVEY OF FAMILY GROWTH
 File Documentation
 Respondent File (Section E Questionnaire Items)

VARIABLE NAME	COLUMN LOCATION	NON-HISPANIC			TOTAL	QX	TEXT AND CODE CATEGORIES
		HISP	WHITE	BLACK			
		0	0	0	0	20	= RESPONDENT STERILE
		0	0	0	0	21	= PARTNER STERILE (NOT ON CARD)
		0	0	0	0	22	= OTHER METHOD-NOT SHOWN SEPARATELY
		0	0	0	0	55	= SAME METHODS USED THROUGH END OF YEAR
		0	2	2	4	97	= Not Ascertained
		0	6	2	8	98	= Refused
		0	2	0	3	99	= Don't Know

[SIMSEQ25] 7777-7777

Did you use those methods together,
 that is, at the same time, or did
 you use them at different times
 during the month? (MC26)

Inapplicable:

R never had sex as of this month and
 never used a birth control method as
 of this month but ever used one or
 more birth control methods in EA
 series (WNFSTSEX GE 1093 and
 DATFIRSM GE 1093 and computed
 variable EVERUSED = 1); R never had
 sex and said no, don't know or
 refused to all birth control methods
 in EA series (computed variable
 RHADSEX coded 2,7,8 or 9 and
 computed variable EVERUSED = 2); R
 said no, don't know or refused to
 all birth control methods in EA
 series (computed variable EVERUSED =
 2); R did not use multiple methods
 in the month; R used more than 2
 methods in the month.

1496	6115	2295	10246	Blank	= Blank, inapplicable
29	242	115	399	1	= SAME TIME
28	126	36	202	2	= DIFFERENT TIMES
0	0	0	0	7	= Not Ascertained
0	0	0	0	8	= Refused
0	0	0	0	9	= Don't Know

1995 NATIONAL SURVEY OF FAMILY GROWTH
 File Documentation
 Respondent File (Section E Questionnaire Items)

VARIABLE	COLUMN	NON-HISPANIC				QX TEXT AND CODE CATEGORIES
NAME	LOCATION	HISP	WHITE	BLACK		

[MTHUS300] 7778-7779

During that month, which (of those/other) methods, if any, did you use at the same time? (1st METHOD MENTIONED, 1st COMBINATION, MC26)

Inapplicable:
 R said no, don't know or refused to all birth control methods in EA series (computed variable EVERUSED = 2); R never had sex as of this month and never used a birth control method as of this month but ever used one or more birth control methods in EA series (WNFSTSEX GE 1093 and DATFIRSM GE 1093 and computed variable EVERUSED = 1); R did not use multiple methods in the month; or R used only 2 methods in the month.

	1543	6432	2438	10774	Blank	
	2	10	1	13	01	= Blank, inapplicable
	0	0	0	0	02	= NONE
	1	5	2	9	03	= OFFICE USE ONLY
	7	21	3	34	04	= BIRTH CONTROL PILLS
	0	0	0	0	05	= CONDOM
	0	4	0	4	06	= PARTNER'S VASECTOMY
	0	2	0	2	07	= DIAPHRAGM
	0	0	0	0	08	= FOAM
	0	0	0	0	09	= JELLY OR CREAM
	0	0	0	0	10	= CERVICAL CAP
	0	3	0	3	11	= SUPPOSITORY, INSERT
	0	0	0	0	12	= TODAY (TM) SPONGE
						= FEMALE CONDOM, VAGINAL POUCH
	0	0	0	0	13	= IUD, COIL, LOOP
	0	0	0	0	14	= NORPLANT (TM)
	0	0	0	0	15	= DEPO-PROVERA, INJECTABLES
	0	0	0	0	16	= MORNING AFTER PILLS
	0	5	0	5	17	= RHYTHM OR SAFE PERIOD BY CALENDAR
	0	0	0	0	18	= SAFE PERIOD BY TEMP, CERVICAL MUCUS TEST, NFP
	0	1	1	2	19	= WITHDRAWAL
	0	0	1	1	20	= RESPONDENT STERILE
	0	0	0	0	21	= PARTNER STERILE (NOT

1995 NATIONAL SURVEY OF FAMILY GROWTH
 File Documentation
 Respondent File (Section E Questionnaire Items)

VARIABLE NAME	COLUMN LOCATION	NON-HISPANIC			TOTAL	QX	TEXT AND CODE CATEGORIES
		HISP	WHITE	BLACK			
		0	0	0	0	22	ON CARD) = OTHER METHOD-NOT SHOWN SEPARATELY
		0	0	0	0	97	= Not Ascertained
		0	0	0	0	98	= Refused
		0	0	0	0	99	= Don't Know

1995 NATIONAL SURVEY OF FAMILY GROWTH
 File Documentation
 Respondent File (Section E Questionnaire Items)

VARIABLE COLUMN NON-HISPANIC
 NAME LOCATION HISP WHITE BLACK TOTAL QX TEXT AND CODE CATEGORIES

[MTHUS301] 7780-7781

During that month, which (of those/other) methods, if any, did you use at the same time? (2nd METHOD MENTIONED, 1st COMBINATION, MC26)

Inapplicable:
 R said no, don't know or refused to all birth control methods in EA series (computed variable EVERUSED = 2); R never had sex as of this month and never used a birth control method as of this month but ever used one or more birth control methods in EA series (WNFSTSEX GE 1093 and DATFIRSM GE 1093 and computed variable EVERUSED = 1); R did not use multiple methods in the month; or R used only 2 methods in the month; or R reported using fewer than 2 BC methods for this combination in this month of the method calendar.

1545	6442	2439	10787	Blank	= Blank, inapplicable
0	0	0	0	01	= NONE
0	0	0	0	02	= OFFICE USE ONLY
0	0	0	0	03	= BIRTH CONTROL PILLS
1	8	3	12	04	= CONDOM
0	1	0	1	05	= PARTNER'S VASECTOMY
0	0	0	0	06	= DIAPHRAGM
1	3	0	4	07	= FOAM
1	1	2	4	08	= JELLY OR CREAM
0	0	0	0	09	= CERVICAL CAP
1	0	1	2	10	= SUPPOSITORY, INSERT
0	1	0	1	11	= TODAY (TM) SPONGE
0	0	0	0	12	= FEMALE CONDOM, VAGINAL POUCH
0	0	0	0	13	= IUD, COIL, LOOP
0	0	0	0	14	= NORPLANT (TM)
0	0	0	0	15	= DEPO-PROVERA, INJECTABLES
0	1	0	1	16	= MORNING AFTER PILLS
3	17	0	21	17	= RHYTHM OR SAFE PERIOD BY CALENDAR
0	2	0	2	18	= SAFE PERIOD BY TEMP, CERVICAL MUCUS TEST, NFP

(3992)

1995 NATIONAL SURVEY OF FAMILY GROWTH
 File Documentation
 Respondent File (Section E Questionnaire Items)

VARIABLE NAME	COLUMN LOCATION	NON-HISPANIC			TOTAL	QX	TEXT AND CODE CATEGORIES
		HISP	WHITE	BLACK			
		1	7	1	12	19	= WITHDRAWAL
		0	0	0	0	20	= RESPONDENT STERILE
		0	0	0	0	21	= PARTNER STERILE (NOT ON CARD)
		0	0	0	0	22	= OTHER METHOD-NOT SHOWN SEPARATELY
		0	0	0	0	97	= Not Ascertained
		0	0	0	0	98	= Refused
		0	0	0	0	99	= Don't Know

1995 NATIONAL SURVEY OF FAMILY GROWTH
 File Documentation
 Respondent File (Section E Questionnaire Items)

VARIABLE COLUMN NON-HISPANIC
 NAME LOCATION HISP WHITE BLACK TOTAL QX TEXT AND CODE CATEGORIES

[MTHUS302] 7782-7783

During that month, which (of those/other) methods, if any, did you use at the same time? (3rd METHOD MENTIONED, 1st COMBINATION, MC26)

Inapplicable:
 R said no, don't know or refused to all birth control methods in EA series (computed variable EVERUSED = 2); R never had sex as of this month and never used a birth control method as of this month but ever used one or more birth control methods in EA series (WNFSTSEX GE 1093 and DATFIRSM GE 1093 and computed variable EVERUSED = 1); R did not use multiple methods in the month; or R used only 2 methods in the month; or R reported using fewer than 3 BC methods for this combination in this month of the method calendar.

1546	6460	2444	10814	Blank	= Blank, inapplicable
0	0	0	0	01	= NONE
0	0	0	0	02	= OFFICE USE ONLY
0	0	0	0	03	= BIRTH CONTROL PILLS
0	0	0	0	04	= CONDOM
1	0	0	1	05	= PARTNER'S VASECTOMY
0	0	0	0	06	= DIAPHRAGM
2	0	1	3	07	= FOAM
0	2	0	2	08	= JELLY OR CREAM
0	0	0	0	09	= CERVICAL CAP
0	0	0	0	10	= SUPPOSITORY, INSERT
1	2	0	3	11	= TODAY (TM) SPONGE
0	0	0	0	12	= FEMALE CONDOM, VAGINAL POUCH
0	0	0	0	13	= IUD, COIL, LOOP
0	0	0	0	14	= NORPLANT (TM)
0	0	0	0	15	= DEPO-PROVERA, INJECTABLES
0	0	0	0	16	= MORNING AFTER PILLS
2	3	1	6	17	= RHYTHM OR SAFE PERIOD BY CALENDAR
0	3	0	4	18	= SAFE PERIOD BY TEMP, CERVICAL MUCUS TEST, NFP

(3994)

1995 NATIONAL SURVEY OF FAMILY GROWTH
 File Documentation
 Respondent File (Section E Questionnaire Items)

VARIABLE NAME	COLUMN LOCATION	NON-HISPANIC			TOTAL	QX	TEXT AND CODE CATEGORIES
		HISP	WHITE	BLACK			
		0	13	0	13	19	= WITHDRAWAL
		0	0	0	0	20	= RESPONDENT STERILE
		0	0	0	0	21	= PARTNER STERILE (NOT ON CARD)
		1	0	0	1	22	= OTHER METHOD-NOT SHOWN SEPARATELY
		0	0	0	0	97	= Not Ascertained
		0	0	0	0	98	= Refused
		0	0	0	0	99	= Don't Know

1995 NATIONAL SURVEY OF FAMILY GROWTH
 File Documentation
 Respondent File (Section E Questionnaire Items)

VARIABLE	COLUMN	NON-HISPANIC				QX TEXT AND CODE CATEGORIES
NAME	LOCATION	HISP	WHITE	BLACK		

[MTHUS303] 7784-7785

During that month, which (of those/other) methods, if any, did you use at the same time? (4th METHOD MENTIONED, 1st COMBINATION, MC26)

Inapplicable:
 R said no, don't know or refused to all birth control methods in EA series (computed variable EVERUSED = 2); R never had sex as of this month and never used a birth control method as of this month but ever used one or more birth control methods in EA series (WNFSTSEX GE 1093 and DATFIRSM GE 1093 and computed variable EVERUSED = 1); R did not use multiple methods in the month; or R used only 2 methods in the month; or R reported using fewer than 4 BC methods for this combination in this month of the method calendar.

1553	6482	2445	10845	Blank	= Blank, inapplicable
0	0	0	0	01	= NONE
0	0	0	0	02	= OFFICE USE ONLY
0	0	0	0	03	= BIRTH CONTROL PILLS
0	1	0	1	04	= CONDOM
0	0	0	0	05	= PARTNER'S VASECTOMY
0	0	0	0	06	= DIAPHRAGM
0	0	0	0	07	= FOAM
0	0	0	0	08	= JELLY OR CREAM
0	0	0	0	09	= CERVICAL CAP
0	0	0	0	10	= SUPPOSITORY, INSERT
0	0	0	0	11	= TODAY (TM) SPONGE
0	0	0	0	12	= FEMALE CONDOM, VAGINAL POUCH
0	0	0	0	13	= IUD, COIL, LOOP
0	0	0	0	14	= NORPLANT (TM)
0	0	0	0	15	= DEPO-PROVERA, INJECTABLES
0	0	0	0	16	= MORNING AFTER PILLS
0	0	0	0	17	= RHYTHM OR SAFE PERIOD BY CALENDAR
0	0	1	1	18	= SAFE PERIOD BY TEMP, CERVICAL MUCUS TEST, NFP

1995 NATIONAL SURVEY OF FAMILY GROWTH
 File Documentation
 Respondent File (Section E Questionnaire Items)

VARIABLE NAME	COLUMN LOCATION	NON-HISPANIC			TOTAL	QX	TEXT AND CODE CATEGORIES
		HISP	WHITE	BLACK			
		0	0	0	0	19	= WITHDRAWAL
		0	0	0	0	20	= RESPONDENT STERILE
		0	0	0	0	21	= PARTNER STERILE (NOT ON CARD)
		0	0	0	0	22	= OTHER METHOD-NOT SHOWN SEPARATELY
		0	0	0	0	97	= Not Ascertained
		0	0	0	0	98	= Refused
		0	0	0	0	99	= Don't Know

1995 NATIONAL SURVEY OF FAMILY GROWTH
 File Documentation
 Respondent File (Section E Questionnaire Items)

VARIABLE COLUMN NON-HISPANIC
 NAME LOCATION HISP WHITE BLACK TOTAL QX TEXT AND CODE CATEGORIES

[MTHUS304] 7786-7787

During that month, which (of those/other) methods, if any, did you use at the same time? (1st METHOD MENTIONED, 2nd COMBINATION, MC26)

Inapplicable:
 R said no, don't know or refused to all birth control methods in EA series (computed variable EVERUSED = 2); R never had sex as of this month and never used a birth control method as of this month but ever used one or more birth control methods in EA series (WNFSTSEX GE 1093 and DATFIRSM GE 1093 and computed variable EVERUSED = 1); R did not use multiple methods in the month; or R used only 2 methods in the month; or R reported fewer than 2 BC method combinations.

1545	6442	2439	10787	Blank	
5	30	5	43	01	= Blank, inapplicable
0	0	0	0	02	= NONE
0	2	0	2	03	= OFFICE USE ONLY
0	3	0	4	04	= BIRTH CONTROL PILLS
0	0	0	0	05	= CONDOM
0	0	0	0	06	= PARTNER'S VASECTOMY
1	2	0	3	07	= DIAPHRAGM
0	0	0	0	08	= FOAM
0	0	0	0	09	= JELLY OR CREAM
0	0	0	0	10	= CERVICAL CAP
0	0	0	0	11	= SUPPOSITORY, INSERT
0	0	0	0	12	= TODAY (TM) SPONGE
0	0	0	0	13	= FEMALE CONDOM, VAGINAL POUCH
0	0	0	0	14	= IUD, COIL, LOOP
0	0	0	0	15	= NORPLANT (TM)
0	0	0	0	16	= DEPO-PROVERA, INJECTABLES
0	0	0	0	17	= MORNING AFTER PILLS
0	3	0	3	18	= RHYTHM OR SAFE PERIOD BY CALENDAR
0	0	0	0	19	= SAFE PERIOD BY TEMP, CERVICAL MUCUS TEST, NFP
1	1	1	3	20	= WITHDRAWAL
0	0	1	1	20	= RESPONDENT STERILE

(3998)

1995 NATIONAL SURVEY OF FAMILY GROWTH
 File Documentation
 Respondent File (Section E Questionnaire Items)

VARIABLE NAME	COLUMN LOCATION	NON-HISPANIC			QX	TEXT AND CODE CATEGORIES
		HISP	WHITE	BLACK		
		0	0	0	0	21 = PARTNER STERILE (NOT ON CARD)
		1	0	0	1	22 = OTHER METHOD-NOT SHOWN SEPARATELY
		0	0	0	0	97 = Not Ascertained
		0	0	0	0	98 = Refused
		0	0	0	0	99 = Don't Know

1995 NATIONAL SURVEY OF FAMILY GROWTH
 File Documentation
 Respondent File (Section E Questionnaire Items)

VARIABLE COLUMN NON-HISPANIC
 NAME LOCATION HISP WHITE BLACK TOTAL QX TEXT AND CODE CATEGORIES

[MTHUS305] 7788-7789

During that month, which (of those/other) methods, if any, did you use at the same time? (2nd METHOD MENTIONED, 2nd COMBINATION, MC26)

Inapplicable:
 R said no, don't know or refused to all birth control methods in EA series (computed variable EVERUSED = 2); R never had sex as of this month and never used a birth control method as of this month but ever used one or more birth control methods in EA series (WNFSTSEX GE 1093 and DATFIRSM GE 1093 and computed variable EVERUSED = 1); R did not use multiple methods in the month; or R used only 2 methods in the month; or R reported fewer than 2 BC method combinations; or R reported using fewer than 2 BC methods for this combination in this month of the method calendar.

	1552	6473	2444	10833	Blank	
	0	0	0	0	01	= Blank, inapplicable
	0	0	0	0	02	= NONE
	0	0	0	0	03	= OFFICE USE ONLY
	1	1	0	2	04	= BIRTH CONTROL PILLS
	0	1	0	1	05	= CONDOM
	0	0	0	0	06	= PARTNER'S VASECTOMY
	0	0	0	0	07	= DIAPHRAGM
	0	0	0	0	08	= FOAM
	0	0	0	0	09	= JELLY OR CREAM
	0	0	0	0	10	= CERVICAL CAP
	0	0	1	1	11	= SUPPOSITORY, INSERT
	0	1	0	1	12	= TODAY (TM) SPONGE
	0	0	0	0	13	= FEMALE CONDOM, VAGINAL POUCH
	0	0	0	0	14	= IUD, COIL, LOOP
	0	0	0	0	15	= NORPLANT (TM)
	0	0	0	0	16	= DEPO-PROVERA, INJECTABLES
	0	0	0	0	17	= MORNING AFTER PILLS
	0	2	0	3	18	= RHYTHM OR SAFE PERIOD BY CALENDAR
	0	1	0	1	18	= SAFE PERIOD BY TEMP, CERVICAL MUCUS TEST,

(4000)

1995 NATIONAL SURVEY OF FAMILY GROWTH
 File Documentation
 Respondent File (Section E Questionnaire Items)

VARIABLE NAME	COLUMN LOCATION	NON-HISPANIC			TOTAL	QX	TEXT AND CODE CATEGORIES
		HISP	WHITE	BLACK			
		0	4	1	5	19	NFP
		0	0	0	0	20	= WITHDRAWAL
		0	0	0	0	21	= RESPONDENT STERILE
							= PARTNER STERILE (NOT ON CARD)
		0	0	0	0	22	= OTHER METHOD-NOT SHOWN SEPARATELY
		0	0	0	0	97	= Not Ascertained
		0	0	0	0	98	= Refused
		0	0	0	0	99	= Don't Know

1995 NATIONAL SURVEY OF FAMILY GROWTH
 File Documentation
 Respondent File (Section E Questionnaire Items)

VARIABLE	COLUMN	NON-HISPANIC				
NAME	LOCATION	HISP	WHITE	BLACK	TOTAL	QX TEXT AND CODE CATEGORIES

[MTHUS306] 7790-7791

During that month, which (of those/other) methods, if any, did you use at the same time? (3rd METHOD MENTIONED, 2nd COMBINATION, MC26)

Inapplicable:
 R said no, don't know or refused to all birth control methods in EA series (computed variable EVERUSED = 2); R never had sex as of this month and never used a birth control method as of this month but ever used one or more birth control methods in EA series (WNFSTSEX GE 1093 and DATFIRSM GE 1093 and computed variable EVERUSED = 1); R did not use multiple methods in the month; or R used only 2 methods in the month; or R reported fewer than 2 BC method combinations; or R reported using fewer than 3 BC methods for this combination in this month of the method calendar.

1552	6480	2446	10842	Blank	= Blank, inapplicable
0	0	0	0	01	= NONE
0	0	0	0	02	= OFFICE USE ONLY
0	0	0	0	03	= BIRTH CONTROL PILLS
0	0	0	0	04	= CONDOM
0	0	0	0	05	= PARTNER'S VASECTOMY
0	0	0	0	06	= DIAPHRAGM
0	0	0	0	07	= FOAM
0	1	0	1	08	= JELLY OR CREAM
0	0	0	0	09	= CERVICAL CAP
0	0	0	0	10	= SUPPOSITORY, INSERT
0	0	0	0	11	= TODAY (TM) SPONGE
0	0	0	0	12	= FEMALE CONDOM, VAGINAL POUCH
0	0	0	0	13	= IUD, COIL, LOOP
0	0	0	0	14	= NORPLANT (TM)
0	0	0	0	15	= DEPO-PROVERA, INJECTABLES
0	0	0	0	16	= MORNING AFTER PILLS
1	0	0	1	17	= RHYTHM OR SAFE PERIOD BY CALENDAR
0	1	0	2	18	= SAFE PERIOD BY TEMP, CERVICAL MUCUS TEST,

1995 NATIONAL SURVEY OF FAMILY GROWTH
 File Documentation
 Respondent File (Section E Questionnaire Items)

VARIABLE NAME	COLUMN LOCATION	NON-HISPANIC			TOTAL	QX	TEXT AND CODE CATEGORIES
		HISP	WHITE	BLACK			
		0	1	0	1	19	NFP = WITHDRAWAL
		0	0	0	0	20	= RESPONDENT STERILE
		0	0	0	0	21	= PARTNER STERILE (NOT ON CARD)
		0	0	0	0	22	= OTHER METHOD-NOT SHOWN SEPARATELY
		0	0	0	0	97	= Not Ascertained
		0	0	0	0	98	= Refused
		0	0	0	0	99	= Don't Know

1995 NATIONAL SURVEY OF FAMILY GROWTH
 File Documentation
 Respondent File (Section E Questionnaire Items)

VARIABLE	COLUMN	NON-HISPANIC				
NAME	LOCATION	HISP	WHITE	BLACK	TOTAL	QX TEXT AND CODE CATEGORIES

[MTHUS307] 7792-7793

During that month, which (of those/other) methods, if any, did you use at the same time? (4th METHOD MENTIONED, 2nd COMBINATION, MC26)

Inapplicable:
 R said no, don't know or refused to all birth control methods in EA series (computed variable EVERUSED = 2); R never had sex as of this month and never used a birth control method as of this month but ever used one or more birth control methods in EA series (WNFSTSEX GE 1093 and DATFIRSM GE 1093 and computed variable EVERUSED = 1); R did not use multiple methods in the month; or R used only 2 methods in the month; or R reported fewer than 2 BC method combinations; or R reported using fewer than 4 BC methods for this combination in this month of the method calendar.

1553	6483	2446	10847	Blank	= Blank, inapplicable
0	0	0	0	01	= NONE
0	0	0	0	02	= OFFICE USE ONLY
0	0	0	0	03	= BIRTH CONTROL PILLS
0	0	0	0	04	= CONDOM
0	0	0	0	05	= PARTNER'S VASECTOMY
0	0	0	0	06	= DIAPHRAGM
0	0	0	0	07	= FOAM
0	0	0	0	08	= JELLY OR CREAM
0	0	0	0	09	= CERVICAL CAP
0	0	0	0	10	= SUPPOSITORY, INSERT
0	0	0	0	11	= TODAY (TM) SPONGE
0	0	0	0	12	= FEMALE CONDOM, VAGINAL POUCH
0	0	0	0	13	= IUD, COIL, LOOP
0	0	0	0	14	= NORPLANT (TM)
0	0	0	0	15	= DEPO-PROVERA, INJECTABLES
0	0	0	0	16	= MORNING AFTER PILLS
0	0	0	0	17	= RHYTHM OR SAFE PERIOD BY CALENDAR
0	0	0	0	18	= SAFE PERIOD BY TEMP, CERVICAL MUCUS TEST,

1995 NATIONAL SURVEY OF FAMILY GROWTH
 File Documentation
 Respondent File (Section E Questionnaire Items)

VARIABLE NAME	COLUMN LOCATION	NON-HISPANIC			TOTAL	QX	TEXT AND CODE CATEGORIES
		HISP	WHITE	BLACK			
		0	0	0	0	19	NFP
		0	0	0	0	20	= WITHDRAWAL
		0	0	0	0	21	= RESPONDENT STERILE
							= PARTNER STERILE (NOT ON CARD)
		0	0	0	0	22	= OTHER METHOD-NOT SHOWN SEPARATELY
		0	0	0	0	97	= Not Ascertained
		0	0	0	0	98	= Refused
		0	0	0	0	99	= Don't Know

1995 NATIONAL SURVEY OF FAMILY GROWTH
 File Documentation
 Respondent File (Section E Questionnaire Items)

VARIABLE COLUMN NON-HISPANIC
 NAME LOCATION HISP WHITE BLACK TOTAL QX TEXT AND CODE CATEGORIES

[MTHUS308] 7794-7795

During that month, which (of those/other) methods, if any, did you use at the same time? (1st METHOD MENTIONED, 3rd COMBINATION, MC26)

Inapplicable:
 R said no, don't know or refused to all birth control methods in EA series (computed variable EVERUSED = 2); R never had sex as of this month and never used a birth control method as of this month but ever used one or more birth control methods in EA series (WNFSTSEX GE 1093 and DATFIRSM GE 1093 and computed variable EVERUSED = 1); R did not use multiple methods in the month; or R used only 2 methods in the month; or R reported fewer than 3 BC method combinations.

1553	6481	2446	10845	Blank	
0	0	0	0	0	01 = Blank, inapplicable
0	0	0	0	0	02 = NONE
0	0	0	0	0	03 = OFFICE USE ONLY
0	1	0	1	0	04 = BIRTH CONTROL PILLS
0	0	0	0	0	05 = CONDOM
0	0	0	0	0	06 = PARTNER'S VASECTOMY
0	0	0	0	0	07 = DIAPHRAGM
0	0	0	0	0	08 = FOAM
0	0	0	0	0	09 = JELLY OR CREAM
0	0	0	0	0	10 = CERVICAL CAP
0	0	0	0	0	11 = SUPPOSITORY, INSERT
0	1	0	1	0	12 = TODAY (TM) SPONGE
0	0	0	0	0	13 = FEMALE CONDOM, VAGINAL POUCH
0	0	0	0	0	14 = IUD, COIL, LOOP
0	0	0	0	0	15 = NORPLANT (TM)
0	0	0	0	0	16 = DEPO-PROVERA, INJECTABLES
0	0	0	0	0	17 = MORNING AFTER PILLS
0	0	0	0	0	18 = RHYTHM OR SAFE PERIOD BY CALENDAR
0	0	0	0	0	19 = SAFE PERIOD BY TEMP, CERVICAL MUCUS TEST, NFP
0	0	0	0	0	20 = WITHDRAWAL
0	0	0	0	0	21 = RESPONDENT STERILE

(4006)

1995 NATIONAL SURVEY OF FAMILY GROWTH
 File Documentation
 Respondent File (Section E Questionnaire Items)

VARIABLE NAME	COLUMN LOCATION	NON-HISPANIC			TOTAL	QX	TEXT AND CODE CATEGORIES
		HISP	WHITE	BLACK			
		0	0	0	0	21	= PARTNER STERILE (NOT ON CARD)
		0	0	0	0	22	= OTHER METHOD-NOT SHOWN SEPARATELY
		0	0	0	0	97	= Not Ascertained
		0	0	0	0	98	= Refused
		0	0	0	0	99	= Don't Know

1995 NATIONAL SURVEY OF FAMILY GROWTH
 File Documentation
 Respondent File (Section E Questionnaire Items)

VARIABLE	COLUMN	NON-HISPANIC				QX TEXT AND CODE CATEGORIES
NAME	LOCATION	HISP	WHITE	BLACK		

[MTHUS309] 7796-7797

During that month, which (of those/other) methods, if any, did you use at the same time? (2nd METHOD MENTIONED, 3rd COMBINATION, MC26)

Inapplicable:
 R said no, don't know or refused to all birth control methods in EA series (computed variable EVERUSED = 2); R never had sex as of this month and never used a birth control method as of this month but ever used one or more birth control methods in EA series (WNFSTSEX GE 1093 and DATFIRSM GE 1093 and computed variable EVERUSED = 1); R did not use multiple methods in the month; or R used only 2 methods in the month; or R reported fewer than 3 BC method combinations; or R reported using fewer than 2 BC methods for this combination in this month of the method calendar.

1553	6482	2446	10846	Blank	= Blank, inapplicable
0	0	0	0	01	= NONE
0	0	0	0	02	= OFFICE USE ONLY
0	0	0	0	03	= BIRTH CONTROL PILLS
0	0	0	0	04	= CONDOM
0	0	0	0	05	= PARTNER'S VASECTOMY
0	0	0	0	06	= DIAPHRAGM
0	0	0	0	07	= FOAM
0	0	0	0	08	= JELLY OR CREAM
0	0	0	0	09	= CERVICAL CAP
0	0	0	0	10	= SUPPOSITORY, INSERT
0	0	0	0	11	= TODAY (TM) SPONGE
0	0	0	0	12	= FEMALE CONDOM, VAGINAL POUCH
0	0	0	0	13	= IUD, COIL, LOOP
0	0	0	0	14	= NORPLANT (TM)
0	0	0	0	15	= DEPO-PROVERA, INJECTABLES
0	0	0	0	16	= MORNING AFTER PILLS
0	1	0	1	17	= RHYTHM OR SAFE PERIOD BY CALENDAR
0	0	0	0	18	= SAFE PERIOD BY TEMP, CERVICAL MUCUS TEST,

1995 NATIONAL SURVEY OF FAMILY GROWTH
 File Documentation
 Respondent File (Section E Questionnaire Items)

VARIABLE NAME	COLUMN LOCATION	NON-HISPANIC			TOTAL	QX	TEXT AND CODE CATEGORIES
		HISP	WHITE	BLACK			
		0	0	0	0	19	NFP
		0	0	0	0	20	= WITHDRAWAL
		0	0	0	0	21	= RESPONDENT STERILE
							= PARTNER STERILE (NOT ON CARD)
		0	0	0	0	22	= OTHER METHOD-NOT SHOWN SEPARATELY
		0	0	0	0	97	= Not Ascertained
		0	0	0	0	98	= Refused
		0	0	0	0	99	= Don't Know

1995 NATIONAL SURVEY OF FAMILY GROWTH
 File Documentation
 Respondent File (Section E Questionnaire Items)

VARIABLE	COLUMN	NON-HISPANIC				QX TEXT AND CODE CATEGORIES
NAME	LOCATION	HISP	WHITE	BLACK		

[MTHUS310] 7798-7799

During that month, which (of those/other) methods, if any, did you use at the same time? (3rd METHOD MENTIONED, 3rd COMBINATION, MC26)

Inapplicable:
 R said no, don't know or refused to all birth control methods in EA series (computed variable EVERUSED = 2); R never had sex as of this month and never used a birth control method as of this month but ever used one or more birth control methods in EA series (WNFSTSEX GE 1093 and DATFIRSM GE 1093 and computed variable EVERUSED = 1); R did not use multiple methods in the month; or R used only 2 methods in the month; or R reported fewer than 3 BC method combinations; or R reported using fewer than 3 BC methods for this combination in this month of the method calendar.

1553	6483	2446	10847	Blank	= Blank, inapplicable
0	0	0	0	01	= NONE
0	0	0	0	02	= OFFICE USE ONLY
0	0	0	0	03	= BIRTH CONTROL PILLS
0	0	0	0	04	= CONDOM
0	0	0	0	05	= PARTNER'S VASECTOMY
0	0	0	0	06	= DIAPHRAGM
0	0	0	0	07	= FOAM
0	0	0	0	08	= JELLY OR CREAM
0	0	0	0	09	= CERVICAL CAP
0	0	0	0	10	= SUPPOSITORY, INSERT
0	0	0	0	11	= TODAY (TM) SPONGE
0	0	0	0	12	= FEMALE CONDOM, VAGINAL POUCH
0	0	0	0	13	= IUD, COIL, LOOP
0	0	0	0	14	= NORPLANT (TM)
0	0	0	0	15	= DEPO-PROVERA, INJECTABLES
0	0	0	0	16	= MORNING AFTER PILLS
0	0	0	0	17	= RHYTHM OR SAFE PERIOD BY CALENDAR
0	0	0	0	18	= SAFE PERIOD BY TEMP, CERVICAL MUCUS TEST,

1995 NATIONAL SURVEY OF FAMILY GROWTH
 File Documentation
 Respondent File (Section E Questionnaire Items)

VARIABLE NAME	COLUMN LOCATION	NON-HISPANIC			TOTAL	QX	TEXT AND CODE CATEGORIES
		HISP	WHITE	BLACK			
		0	0	0	0	19	NFP
		0	0	0	0	20	= WITHDRAWAL
		0	0	0	0	21	= RESPONDENT STERILE
							= PARTNER STERILE (NOT ON CARD)
		0	0	0	0	22	= OTHER METHOD-NOT SHOWN SEPARATELY
		0	0	0	0	97	= Not Ascertained
		0	0	0	0	98	= Refused
		0	0	0	0	99	= Don't Know

1995 NATIONAL SURVEY OF FAMILY GROWTH
 File Documentation
 Respondent File (Section E Questionnaire Items)

VARIABLE NAME	COLUMN LOCATION	NON-HISPANIC			TOTAL	QX	TEXT AND CODE CATEGORIES
		HISP	WHITE	BLACK			
		0	0	0	0	19	NFP
		0	0	0	0	20	= WITHDRAWAL
		0	0	0	0	21	= RESPONDENT STERILE
							= PARTNER STERILE (NOT ON CARD)
		0	0	0	0	22	= OTHER METHOD-NOT SHOWN SEPARATELY
		0	0	0	0	97	= Not Ascertained
		0	0	0	0	98	= Refused
		0	0	0	0	99	= Don't Know

1995 NATIONAL SURVEY OF FAMILY GROWTH
 File Documentation
 Respondent File (Section E Questionnaire Items)

VARIABLE NAME	COLUMN LOCATION	NON-HISPANIC			QX TEXT AND CODE CATEGORIES		
		HISP	WHITE	BLACK		TOTAL	
[METHH104]	7802-7803				ENTER METHOD (FIRST MENTIONED) USED IN MARCH 1993: (MC27)		
					Inapplicable: R never had sex as of this month and never used a birth control method as of this month but ever used one or more birth control methods in EA series (WNFSTSEX GE 1093 and DATFIRSM GE 1093 and computed variable EVERUSED = 1); R never had sex and said no, don't know or refused to all birth control methods in EA series (computed variable RHADSEX coded 2,7,8 or 9 and computed variable EVERUSED = 2); R said no, don't know or refused to all birth control methods in EA series (computed variable EVERUSED = 2).		
		316	944	313	1680	Blank	= Blank, inapplicable
		356	1252	566	2243	01	= NO METHODS USED
		0	0	0	0	02	= SAME AS PREVIOUS MONTH
		249	1314	429	2026	03	= BIRTH CONTROL PILLS
		178	836	393	1469	04	= CONDOM
		21	322	9	362	05	= PARTNER'S VASECTOMY
		6	104	13	125	06	= DIAPHRAGM
		4	25	2	31	07	= FOAM
		1	8	2	11	08	= JELLY OR CREAM
		0	3	0	3	09	= CERVICAL CAP
		6	22	7	37	10	= SUPPOSITORY, INSERT
		1	35	7	43	11	= TODAY (TM) SPONGE
		0	1	0	1	12	= FEMALE CONDOM, VAGINAL POUCH
		19	31	18	72	13	= IUD, COIL, LOOP
		19	36	37	94	14	= NORPLANT (TM)
		16	16	13	45	15	= DEPO-PROVERA, INJECTABLES
		0	1	0	1	16	= MORNING AFTER PILLS
		27	106	18	162	17	= RHYTHM OR SAFE PERIOD BY CALENDAR
		2	14	0	16	18	= SAFE PERIOD BY TEMP, CERVICAL MUCUS TEST, NFP
		40	138	23	212	19	= WITHDRAWAL
		274	1100	578	1998	20	= RESPONDENT STERILE

(4014)

1995 NATIONAL SURVEY OF FAMILY GROWTH
 File Documentation
 Respondent File (Section E Questionnaire Items)

VARIABLE NAME	COLUMN LOCATION	NON-HISPANIC			QX	TEXT AND CODE CATEGORIES	
		HISP	WHITE	BLACK			TOTAL
		17	163	10	194	21	= PARTNER STERILE (NOT ON CARD)
		1	2	4	7	22	= OTHER METHOD-NOT SHOWN SEPARATELY
		0	0	0	0	55	= SAME METHODS USED THROUGH END OF YEAR
		0	1	2	3	97	= Not Ascertained
		0	6	2	8	98	= Refused
		0	3	0	4	99	= Don't Know

1995 NATIONAL SURVEY OF FAMILY GROWTH
 File Documentation
 Respondent File (Section E Questionnaire Items)

VARIABLE	COLUMN	NON-HISPANIC			QX TEXT AND CODE CATEGORIES	
NAME	LOCATION	HISP	WHITE	BLACK	TOTAL	
[METHH105]	7804-7805					ENTER METHOD (SECOND MENTIONED) USED IN MARCH 1993: (MC27)

Inapplicable:
 R never had sex as of this month and never used a birth control method as of this month but ever used one or more birth control methods in EA series (WNFSTSEX GE 1093 and DATFIRSM GE 1093 and computed variable EVERUSED = 1); R never had sex and said no, don't know or refused to all birth control methods in EA series (computed variable RHADSEX coded 2,7,8 or 9 and computed variable EVERUSED = 2); R said no, don't know or refused to all birth control methods in EA series (computed variable EVERUSED = 2); R used fewer than 2 methods in month.

1483	6047	2290	10157	Blank	= Blank, inapplicable
0	0	0	0	01	= NO METHODS USED
0	0	0	0	02	= SAME AS PREVIOUS MONTH
0	10	3	13	03	= BIRTH CONTROL PILLS
19	130	73	230	04	= CONDOM
0	14	2	16	05	= PARTNER'S VASECTOMY
3	11	3	17	06	= DIAPHRAGM
8	24	9	43	07	= FOAM
2	13	6	21	08	= JELLY OR CREAM
0	0	0	0	09	= CERVICAL CAP
3	8	8	19	10	= SUPPOSITORY, INSERT
0	16	5	22	11	= TODAY (TM) SPONGE
0	0	0	0	12	= FEMALE CONDOM, VAGINAL POUCH
0	0	0	0	13	= IUD, COIL, LOOP
0	1	2	3	14	= NORPLANT (TM)
0	2	1	3	15	= DEPO-PROVERA, INJECTABLES
0	0	0	0	16	= MORNING AFTER PILLS
13	61	8	89	17	= RHYTHM OR SAFE PERIOD BY CALENDAR
0	9	1	10	18	= SAFE PERIOD BY TEMP, CERVICAL MUCUS TEST, NFP
22	109	17	156	19	= WITHDRAWAL

(4016)

1995 NATIONAL SURVEY OF FAMILY GROWTH
 File Documentation
 Respondent File (Section E Questionnaire Items)

VARIABLE NAME	COLUMN LOCATION	NON-HISPANIC			QX	TEXT AND CODE CATEGORIES	
		HISP	WHITE	BLACK			TOTAL
		0	10	14	24	20	= RESPONDENT STERILE
		0	8	0	9	21	= PARTNER STERILE (NOT ON CARD)
		0	0	0	0	22	= OTHER METHOD-NOT SHOWN SEPARATELY
		0	0	0	0	55	= SAME METHODS USED THROUGH END OF YEAR
		0	2	2	4	97	= Not Ascertained
		0	6	2	8	98	= Refused
		0	2	0	3	99	= Don't Know

1995 NATIONAL SURVEY OF FAMILY GROWTH
 File Documentation
 Respondent File (Section E Questionnaire Items)

VARIABLE COLUMN NON-HISPANIC
 NAME LOCATION HISP WHITE BLACK TOTAL QX TEXT AND CODE CATEGORIES

[METHH106] 7806-7807

ENTER METHOD (THIRD MENTIONED) USED
 IN MARCH 1993: (MC27)

Inapplicable:

R never had sex as of this month and never used a birth control method as of this month but ever used one or more birth control methods in EA series (WNFSTSEX GE 1093 and DATFIRSM GE 1093 and computed variable EVERUSED = 1); R never had sex and said no, don't know or refused to all birth control methods in EA series (computed variable RHADSEX coded 2,7,8 or 9 and computed variable EVERUSED = 2); R said no, don't know or refused to all birth control methods in EA series (computed variable EVERUSED = 2); R used fewer than 3 methods in month.

1542	6415	2417	10735	Blank	
0	0	0	0	0	01 = Blank, inapplicable
0	0	0	0	0	02 = NO METHODS USED
					03 = SAME AS PREVIOUS MONTH
0	1	0	1	0	04 = BIRTH CONTROL PILLS
0	2	0	2	0	05 = CONDOM
1	0	0	1	0	06 = PARTNER'S VASECTOMY
0	0	0	0	0	07 = DIAPHRAGM
2	0	0	2	0	08 = FOAM
0	2	1	3	0	09 = JELLY OR CREAM
0	0	0	0	0	10 = CERVICAL CAP
0	1	0	1	0	11 = SUPPOSITORY, INSERT
1	5	0	6	0	12 = TODAY (TM) SPONGE
1	0	0	1	0	13 = FEMALE CONDOM, VAGINAL POUCH
0	0	0	0	0	14 = IUD, COIL, LOOP
0	0	0	0	0	15 = NORPLANT (TM)
0	0	0	0	0	16 = DEPO-PROVERA, INJECTABLES
0	1	0	1	0	17 = MORNING AFTER PILLS
2	7	2	11	0	18 = RHYTHM OR SAFE PERIOD BY CALENDAR
0	4	0	5	0	19 = SAFE PERIOD BY TEMP, CERVICAL MUCUS TEST, NFP
2	28	3	34	0	20 = WITHDRAWAL

(4018)

1995 NATIONAL SURVEY OF FAMILY GROWTH
 File Documentation
 Respondent File (Section E Questionnaire Items)

VARIABLE NAME	COLUMN LOCATION	NON-HISPANIC			TOTAL	QX	TEXT AND CODE CATEGORIES
		HISP	WHITE	BLACK			
		1	7	19	27	20	= RESPONDENT STERILE
		0	0	0	0	21	= PARTNER STERILE (NOT ON CARD)
		1	0	0	2	22	= OTHER METHOD-NOT SHOWN SEPARATELY
		0	0	0	0	55	= SAME METHODS USED THROUGH END OF YEAR
		0	2	2	4	97	= Not Ascertained
		0	6	2	8	98	= Refused
		0	2	0	3	99	= Don't Know

1995 NATIONAL SURVEY OF FAMILY GROWTH
 File Documentation
 Respondent File (Section E Questionnaire Items)

VARIABLE	COLUMN	NON-HISPANIC			QX TEXT AND CODE CATEGORIES	
NAME	LOCATION	HISP	WHITE	BLACK	TOTAL	
[METHH107]	7808-7809					ENTER METHOD (FOURTH MENTIONED) USED IN MARCH 1993: (MC27)

Inapplicable:
 R never had sex as of this month and never used a birth control method as of this month but ever used one or more birth control methods in EA series (WNFSTSEX GE 1093 and DATFIRSM GE 1093 and computed variable EVERUSED = 1); R never had sex and said no, don't know or refused to all birth control methods in EA series (computed variable RHADSEX coded 2,7,8 or 9 and computed variable EVERUSED = 2); R said no, don't know or refused to all birth control methods in EA series (computed variable EVERUSED = 2); R used fewer than 4 methods in month.

1553	6467	2441	10825	Blank	= Blank, inapplicable
0	0	0	0	01	= NO METHODS USED
0	0	0	0	02	= SAME AS PREVIOUS MONTH
0	0	0	0	03	= BIRTH CONTROL PILLS
0	1	0	1	04	= CONDOM
0	0	0	0	05	= PARTNER'S VASECTOMY
0	0	0	0	06	= DIAPHRAGM
0	0	0	0	07	= FOAM
0	0	0	0	08	= JELLY OR CREAM
0	0	0	0	09	= CERVICAL CAP
0	0	0	0	10	= SUPPOSITORY, INSERT
0	1	0	1	11	= TODAY (TM) SPONGE
0	0	0	0	12	= FEMALE CONDOM, VAGINAL POUCH
0	0	0	0	13	= IUD, COIL, LOOP
0	0	0	0	14	= NORPLANT (TM)
0	0	0	0	15	= DEPO-PROVERA, INJECTABLES
0	0	0	0	16	= MORNING AFTER PILLS
0	2	0	2	17	= RHYTHM OR SAFE PERIOD BY CALENDAR
0	0	1	1	18	= SAFE PERIOD BY TEMP, CERVICAL MUCUS TEST, NFP
0	2	0	2	19	= WITHDRAWAL

(4020)

1995 NATIONAL SURVEY OF FAMILY GROWTH
 File Documentation
 Respondent File (Section E Questionnaire Items)

VARIABLE NAME	COLUMN LOCATION	NON-HISPANIC			TOTAL	QX	TEXT AND CODE CATEGORIES
		HISP	WHITE	BLACK			
		0	0	0	0	20	= RESPONDENT STERILE
		0	0	0	0	21	= PARTNER STERILE (NOT ON CARD)
		0	0	0	0	22	= OTHER METHOD-NOT SHOWN SEPARATELY
		0	0	0	0	55	= SAME METHODS USED THROUGH END OF YEAR
		0	2	2	4	97	= Not Ascertained
		0	6	2	8	98	= Refused
		0	2	0	3	99	= Don't Know

[SIMSEQ26] 7810-7810

Did you use those methods together,
 that is, at the same time, or did
 you use them at different times
 during the month? (MC27)

Inapplicable:

R never had sex as of this month and
 never used a birth control method as
 of this month but ever used one or
 more birth control methods in EA
 series (WNFSTSEX GE 1093 and
 DATFIRSM GE 1093 and computed
 variable EVERUSED = 1); R never had
 sex and said no, don't know or
 refused to all birth control methods
 in EA series (computed variable
 RHADSEX coded 2,7,8 or 9 and
 computed variable EVERUSED = 2); R
 said no, don't know or refused to
 all birth control methods in EA
 series (computed variable EVERUSED =
 2); R did not use multiple methods
 in the month; R used more than 2
 methods in the month.

1493	6108	2301	10243	Blank	= Blank, inapplicable
33	246	113	404	1	= SAME TIME
27	129	32	200	2	= DIFFERENT TIMES
0	0	0	0	7	= Not Ascertained
0	0	0	0	8	= Refused
0	0	0	0	9	= Don't Know

1995 NATIONAL SURVEY OF FAMILY GROWTH
 File Documentation
 Respondent File (Section E Questionnaire Items)

VARIABLE COLUMN NON-HISPANIC
 NAME LOCATION HISP WHITE BLACK TOTAL QX TEXT AND CODE CATEGORIES

[MTHUS312] 7811-7812

During that month, which (of those/other) methods, if any, did you use at the same time? (1st METHOD MENTIONED, 1st COMBINATION, MC27)

Inapplicable:
 R said no, don't know or refused to all birth control methods in EA series (computed variable EVERUSED = 2); R never had sex as of this month and never used a birth control method as of this month but ever used one or more birth control methods in EA series (WNFSTSEX GE 1093 and DATFIRSM GE 1093 and computed variable EVERUSED = 1); R did not use multiple methods in the month; or R used only 2 methods in the month.

1543	6432	2439	10776	Blank	= Blank, inapplicable
2	10	1	13	01	= NONE
0	0	0	0	02	= OFFICE USE ONLY
1	5	1	8	03	= BIRTH CONTROL PILLS
7	21	3	33	04	= CONDOM
0	0	0	0	05	= PARTNER'S VASECTOMY
0	4	0	4	06	= DIAPHRAGM
0	2	0	2	07	= FOAM
0	0	0	0	08	= JELLY OR CREAM
0	0	0	0	09	= CERVICAL CAP
0	0	0	0	10	= SUPPOSITORY, INSERT
0	3	0	3	11	= TODAY (TM) SPONGE
0	0	0	0	12	= FEMALE CONDOM, VAGINAL POUCH
0	0	0	0	13	= IUD, COIL, LOOP
0	0	0	0	14	= NORPLANT (TM)
0	0	0	0	15	= DEPO-PROVERA, INJECTABLES
0	0	0	0	16	= MORNING AFTER PILLS
0	5	0	5	17	= RHYTHM OR SAFE PERIOD BY CALENDAR
0	0	0	0	18	= SAFE PERIOD BY TEMP, CERVICAL MUCUS TEST, NFP
0	1	1	2	19	= WITHDRAWAL
0	0	1	1	20	= RESPONDENT STERILE
0	0	0	0	21	= PARTNER STERILE (NOT

(4022)

1995 NATIONAL SURVEY OF FAMILY GROWTH
 File Documentation
 Respondent File (Section E Questionnaire Items)

VARIABLE NAME	COLUMN LOCATION	NON-HISPANIC			TOTAL	QX	TEXT AND CODE CATEGORIES
		HISP	WHITE	BLACK			
		0	0	0	0	22	ON CARD) = OTHER METHOD-NOT SHOWN SEPARATELY
		0	0	0	0	97	= Not Ascertained
		0	0	0	0	98	= Refused
		0	0	0	0	99	= Don't Know

1995 NATIONAL SURVEY OF FAMILY GROWTH
 File Documentation
 Respondent File (Section E Questionnaire Items)

VARIABLE	COLUMN	NON-HISPANIC				QX TEXT AND CODE CATEGORIES
NAME	LOCATION	HISP	WHITE	BLACK		

[MTHUS313] 7813-7814

During that month, which (of those/other) methods, if any, did you use at the same time? (2nd METHOD MENTIONED, 1st COMBINATION, MC27)

Inapplicable:
 R said no, don't know or refused to all birth control methods in EA series (computed variable EVERUSED = 2); R never had sex as of this month and never used a birth control method as of this month but ever used one or more birth control methods in EA series (WNFSTSEX GE 1093 and DATFIRSM GE 1093 and computed variable EVERUSED = 1); R did not use multiple methods in the month; or R used only 2 methods in the month; or R reported using fewer than 2 BC methods for this combination in this month of the method calendar.

1545	6442	2440	10789	Blank	= Blank, inapplicable
0	0	0	0	01	= NONE
0	0	0	0	02	= OFFICE USE ONLY
0	0	0	0	03	= BIRTH CONTROL PILLS
1	8	2	11	04	= CONDOM
0	1	0	1	05	= PARTNER'S VASECTOMY
0	0	0	0	06	= DIAPHRAGM
1	3	0	4	07	= FOAM
1	1	2	4	08	= JELLY OR CREAM
0	0	0	0	09	= CERVICAL CAP
1	0	1	2	10	= SUPPOSITORY, INSERT
0	1	0	1	11	= TODAY (TM) SPONGE
0	0	0	0	12	= FEMALE CONDOM, VAGINAL POUCH
0	0	0	0	13	= IUD, COIL, LOOP
0	0	0	0	14	= NORPLANT (TM)
0	0	0	0	15	= DEPO-PROVERA, INJECTABLES
0	1	0	1	16	= MORNING AFTER PILLS
3	17	0	21	17	= RHYTHM OR SAFE PERIOD BY CALENDAR
0	2	0	2	18	= SAFE PERIOD BY TEMP, CERVICAL MUCUS TEST, NFP

1995 NATIONAL SURVEY OF FAMILY GROWTH
 File Documentation
 Respondent File (Section E Questionnaire Items)

VARIABLE NAME	COLUMN LOCATION	NON-HISPANIC			TOTAL	QX	TEXT AND CODE CATEGORIES
		HISP	WHITE	BLACK			
		1	7	1	11	19	= WITHDRAWAL
		0	0	0	0	20	= RESPONDENT STERILE
		0	0	0	0	21	= PARTNER STERILE (NOT ON CARD)
		0	0	0	0	22	= OTHER METHOD-NOT SHOWN SEPARATELY
		0	0	0	0	97	= Not Ascertained
		0	0	0	0	98	= Refused
		0	0	0	0	99	= Don't Know

1995 NATIONAL SURVEY OF FAMILY GROWTH
 File Documentation
 Respondent File (Section E Questionnaire Items)

VARIABLE	COLUMN	NON-HISPANIC				QX TEXT AND CODE CATEGORIES
NAME	LOCATION	HISP	WHITE	BLACK		

[MTHUS314] 7815-7816

During that month, which (of those/other) methods, if any, did you use at the same time? (3rd METHOD MENTIONED, 1st COMBINATION, MC27)

Inapplicable:
 R said no, don't know or refused to all birth control methods in EA series (computed variable EVERUSED = 2); R never had sex as of this month and never used a birth control method as of this month but ever used one or more birth control methods in EA series (WNFSTSEX GE 1093 and DATFIRSM GE 1093 and computed variable EVERUSED = 1); R did not use multiple methods in the month; or R used only 2 methods in the month; or R reported using fewer than 3 BC methods for this combination in this month of the method calendar.

1546	6460	2445	10815	Blank	= Blank, inapplicable
0	0	0	0	01	= NONE
0	0	0	0	02	= OFFICE USE ONLY
0	0	0	0	03	= BIRTH CONTROL PILLS
0	0	0	0	04	= CONDOM
1	0	0	1	05	= PARTNER'S VASECTOMY
0	0	0	0	06	= DIAPHRAGM
2	0	0	2	07	= FOAM
0	2	0	2	08	= JELLY OR CREAM
0	0	0	0	09	= CERVICAL CAP
0	0	0	0	10	= SUPPOSITORY, INSERT
1	2	0	3	11	= TODAY (TM) SPONGE
0	0	0	0	12	= FEMALE CONDOM, VAGINAL POUCH
0	0	0	0	13	= IUD, COIL, LOOP
0	0	0	0	14	= NORPLANT (TM)
0	0	0	0	15	= DEPO-PROVERA, INJECTABLES
0	0	0	0	16	= MORNING AFTER PILLS
2	3	1	6	17	= RHYTHM OR SAFE PERIOD BY CALENDAR
0	3	0	4	18	= SAFE PERIOD BY TEMP, CERVICAL MUCUS TEST, NFP

1995 NATIONAL SURVEY OF FAMILY GROWTH
 File Documentation
 Respondent File (Section E Questionnaire Items)

VARIABLE NAME	COLUMN LOCATION	NON-HISPANIC			TOTAL	QX	TEXT AND CODE CATEGORIES
		HISP	WHITE	BLACK			
		0	13	0	13	19	= WITHDRAWAL
		0	0	0	0	20	= RESPONDENT STERILE
		0	0	0	0	21	= PARTNER STERILE (NOT ON CARD)
		1	0	0	1	22	= OTHER METHOD-NOT SHOWN SEPARATELY
		0	0	0	0	97	= Not Ascertained
		0	0	0	0	98	= Refused
		0	0	0	0	99	= Don't Know

1995 NATIONAL SURVEY OF FAMILY GROWTH
 File Documentation
 Respondent File (Section E Questionnaire Items)

VARIABLE	COLUMN	NON-HISPANIC				QX TEXT AND CODE CATEGORIES
NAME	LOCATION	HISP	WHITE	BLACK		

[MTHUS315] 7817-7818

During that month, which (of those/other) methods, if any, did you use at the same time? (4th METHOD MENTIONED, 1st COMBINATION, MC27)

Inapplicable:
 R said no, don't know or refused to all birth control methods in EA series (computed variable EVERUSED = 2); R never had sex as of this month and never used a birth control method as of this month but ever used one or more birth control methods in EA series (WNFSTSEX GE 1093 and DATFIRSM GE 1093 and computed variable EVERUSED = 1); R did not use multiple methods in the month; or R used only 2 methods in the month; or R reported using fewer than 4 BC methods for this combination in this month of the method calendar.

1553	6482	2445	10845	Blank	= Blank, inapplicable
0	0	0	0	01	= NONE
0	0	0	0	02	= OFFICE USE ONLY
0	0	0	0	03	= BIRTH CONTROL PILLS
0	1	0	1	04	= CONDOM
0	0	0	0	05	= PARTNER'S VASECTOMY
0	0	0	0	06	= DIAPHRAGM
0	0	0	0	07	= FOAM
0	0	0	0	08	= JELLY OR CREAM
0	0	0	0	09	= CERVICAL CAP
0	0	0	0	10	= SUPPOSITORY, INSERT
0	0	0	0	11	= TODAY (TM) SPONGE
0	0	0	0	12	= FEMALE CONDOM, VAGINAL POUCH
0	0	0	0	13	= IUD, COIL, LOOP
0	0	0	0	14	= NORPLANT (TM)
0	0	0	0	15	= DEPO-PROVERA, INJECTABLES
0	0	0	0	16	= MORNING AFTER PILLS
0	0	0	0	17	= RHYTHM OR SAFE PERIOD BY CALENDAR
0	0	1	1	18	= SAFE PERIOD BY TEMP, CERVICAL MUCUS TEST, NFP

1995 NATIONAL SURVEY OF FAMILY GROWTH
 File Documentation
 Respondent File (Section E Questionnaire Items)

VARIABLE NAME	COLUMN LOCATION	NON-HISPANIC			TOTAL	QX	TEXT AND CODE CATEGORIES
		HISP	WHITE	BLACK			
		0	0	0	0	19	= WITHDRAWAL
		0	0	0	0	20	= RESPONDENT STERILE
		0	0	0	0	21	= PARTNER STERILE (NOT ON CARD)
		0	0	0	0	22	= OTHER METHOD-NOT SHOWN SEPARATELY
		0	0	0	0	97	= Not Ascertained
		0	0	0	0	98	= Refused
		0	0	0	0	99	= Don't Know

1995 NATIONAL SURVEY OF FAMILY GROWTH
 File Documentation
 Respondent File (Section E Questionnaire Items)

VARIABLE COLUMN NON-HISPANIC
 NAME LOCATION HISP WHITE BLACK TOTAL QX TEXT AND CODE CATEGORIES

[MTHUS316] 7819-7820

During that month, which (of those/other) methods, if any, did you use at the same time? (1st METHOD MENTIONED, 2nd COMBINATION, MC27)

Inapplicable:
 R said no, don't know or refused to all birth control methods in EA series (computed variable EVERUSED = 2); R never had sex as of this month and never used a birth control method as of this month but ever used one or more birth control methods in EA series (WNFSTSEX GE 1093 and DATFIRSM GE 1093 and computed variable EVERUSED = 1); R did not use multiple methods in the month; or R used only 2 methods in the month; or R reported fewer than 2 BC method combinations.

1545	6442	2440	10789	Blank	= Blank, inapplicable
5	30	4	41	01	= NONE
0	0	0	0	02	= OFFICE USE ONLY
0	2	0	2	03	= BIRTH CONTROL PILLS
0	3	0	4	04	= CONDOM
0	0	0	0	05	= PARTNER'S VASECTOMY
0	0	0	0	06	= DIAPHRAGM
1	2	0	3	07	= FOAM
0	0	0	0	08	= JELLY OR CREAM
0	0	0	0	09	= CERVICAL CAP
0	0	0	0	10	= SUPPOSITORY, INSERT
0	0	0	0	11	= TODAY (TM) SPONGE
0	0	0	0	12	= FEMALE CONDOM, VAGINAL POUCH
0	0	0	0	13	= IUD, COIL, LOOP
0	0	0	0	14	= NORPLANT (TM)
0	0	0	0	15	= DEPO-PROVERA, INJECTABLES
0	0	0	0	16	= MORNING AFTER PILLS
0	3	0	3	17	= RHYTHM OR SAFE PERIOD BY CALENDAR
0	0	0	0	18	= SAFE PERIOD BY TEMP, CERVICAL MUCUS TEST, NFP
1	1	1	3	19	= WITHDRAWAL
0	0	1	1	20	= RESPONDENT STERILE

(4030)

1995 NATIONAL SURVEY OF FAMILY GROWTH
 File Documentation
 Respondent File (Section E Questionnaire Items)

VARIABLE NAME	COLUMN LOCATION	NON-HISPANIC			TOTAL	QX	TEXT AND CODE CATEGORIES
		HISP	WHITE	BLACK			
		0	0	0	0	21	= PARTNER STERILE (NOT ON CARD)
		1	0	0	1	22	= OTHER METHOD-NOT SHOWN SEPARATELY
		0	0	0	0	97	= Not Ascertained
		0	0	0	0	98	= Refused
		0	0	0	0	99	= Don't Know

1995 NATIONAL SURVEY OF FAMILY GROWTH
 File Documentation
 Respondent File (Section E Questionnaire Items)

VARIABLE COLUMN NON-HISPANIC
 NAME LOCATION HISP WHITE BLACK TOTAL QX TEXT AND CODE CATEGORIES

[MTHUS317] 7821-7822

During that month, which (of those/other) methods, if any, did you use at the same time? (2nd METHOD MENTIONED, 2nd COMBINATION, MC27)

Inapplicable:
 R said no, don't know or refused to all birth control methods in EA series (computed variable EVERUSED = 2); R never had sex as of this month and never used a birth control method as of this month but ever used one or more birth control methods in EA series (WNFSTSEX GE 1093 and DATFIRSM GE 1093 and computed variable EVERUSED = 1); R did not use multiple methods in the month; or R used only 2 methods in the month; or R reported fewer than 2 BC method combinations; or R reported using fewer than 2 BC methods for this combination in this month of the method calendar.

1552	6473	2444	10833	Blank	= Blank, inapplicable
0	0	0	0	01	= NONE
0	0	0	0	02	= OFFICE USE ONLY
0	0	0	0	03	= BIRTH CONTROL PILLS
1	1	0	2	04	= CONDOM
0	1	0	1	05	= PARTNER'S VASECTOMY
0	0	0	0	06	= DIAPHRAGM
0	0	0	0	07	= FOAM
0	0	0	0	08	= JELLY OR CREAM
0	0	0	0	09	= CERVICAL CAP
0	0	1	1	10	= SUPPOSITORY, INSERT
0	1	0	1	11	= TODAY (TM) SPONGE
0	0	0	0	12	= FEMALE CONDOM, VAGINAL POUCH
0	0	0	0	13	= IUD, COIL, LOOP
0	0	0	0	14	= NORPLANT (TM)
0	0	0	0	15	= DEPO-PROVERA, INJECTABLES
0	0	0	0	16	= MORNING AFTER PILLS
0	2	0	3	17	= RHYTHM OR SAFE PERIOD BY CALENDAR
0	1	0	1	18	= SAFE PERIOD BY TEMP, CERVICAL MUCUS TEST,

(4032)

1995 NATIONAL SURVEY OF FAMILY GROWTH
 File Documentation
 Respondent File (Section E Questionnaire Items)

VARIABLE NAME	COLUMN LOCATION	NON-HISPANIC			TOTAL	QX	TEXT AND CODE CATEGORIES
		HISP	WHITE	BLACK			
		0	4	1	5	19	NFP
		0	0	0	0	20	= WITHDRAWAL
		0	0	0	0	21	= RESPONDENT STERILE
							= PARTNER STERILE (NOT ON CARD)
		0	0	0	0	22	= OTHER METHOD-NOT SHOWN SEPARATELY
		0	0	0	0	97	= Not Ascertained
		0	0	0	0	98	= Refused
		0	0	0	0	99	= Don't Know

1995 NATIONAL SURVEY OF FAMILY GROWTH
 File Documentation
 Respondent File (Section E Questionnaire Items)

VARIABLE COLUMN NON-HISPANIC
 NAME LOCATION HISP WHITE BLACK TOTAL QX TEXT AND CODE CATEGORIES

[MTHUS318] 7823-7824

During that month, which (of those/other) methods, if any, did you use at the same time? (3rd METHOD MENTIONED, 2nd COMBINATION, MC27)

Inapplicable:
 R said no, don't know or refused to all birth control methods in EA series (computed variable EVERUSED = 2); R never had sex as of this month and never used a birth control method as of this month but ever used one or more birth control methods in EA series (WNFSTSEX GE 1093 and DATFIRSM GE 1093 and computed variable EVERUSED = 1); R did not use multiple methods in the month; or R used only 2 methods in the month; or R reported fewer than 2 BC method combinations; or R reported using fewer than 3 BC methods for this combination in this month of the method calendar.

1552	6480	2446	10842	Blank	= Blank, inapplicable
0	0	0	0	01	= NONE
0	0	0	0	02	= OFFICE USE ONLY
0	0	0	0	03	= BIRTH CONTROL PILLS
0	0	0	0	04	= CONDOM
0	0	0	0	05	= PARTNER'S VASECTOMY
0	0	0	0	06	= DIAPHRAGM
0	0	0	0	07	= FOAM
0	1	0	1	08	= JELLY OR CREAM
0	0	0	0	09	= CERVICAL CAP
0	0	0	0	10	= SUPPOSITORY, INSERT
0	0	0	0	11	= TODAY (TM) SPONGE
0	0	0	0	12	= FEMALE CONDOM, VAGINAL POUCH
0	0	0	0	13	= IUD, COIL, LOOP
0	0	0	0	14	= NORPLANT (TM)
0	0	0	0	15	= DEPO-PROVERA, INJECTABLES
0	0	0	0	16	= MORNING AFTER PILLS
1	0	0	1	17	= RHYTHM OR SAFE PERIOD BY CALENDAR
0	1	0	2	18	= SAFE PERIOD BY TEMP, CERVICAL MUCUS TEST,

1995 NATIONAL SURVEY OF FAMILY GROWTH
 File Documentation
 Respondent File (Section E Questionnaire Items)

VARIABLE NAME	COLUMN LOCATION	NON-HISPANIC			TOTAL	QX	TEXT AND CODE CATEGORIES
		HISP	WHITE	BLACK			
		0	1	0	1	19	NFP
		0	0	0	0	20	= WITHDRAWAL
		0	0	0	0	21	= RESPONDENT STERILE
							= PARTNER STERILE (NOT ON CARD)
		0	0	0	0	22	= OTHER METHOD-NOT SHOWN SEPARATELY
		0	0	0	0	97	= Not Ascertained
		0	0	0	0	98	= Refused
		0	0	0	0	99	= Don't Know

1995 NATIONAL SURVEY OF FAMILY GROWTH
 File Documentation
 Respondent File (Section E Questionnaire Items)

VARIABLE	COLUMN	NON-HISPANIC				
NAME	LOCATION	HISP	WHITE	BLACK	TOTAL	QX TEXT AND CODE CATEGORIES

[MTHUS319] 7825-7826

During that month, which (of those/other) methods, if any, did you use at the same time? (4th METHOD MENTIONED, 2nd COMBINATION, MC27)

Inapplicable:
 R said no, don't know or refused to all birth control methods in EA series (computed variable EVERUSED = 2); R never had sex as of this month and never used a birth control method as of this month but ever used one or more birth control methods in EA series (WNFSTSEX GE 1093 and DATFIRSM GE 1093 and computed variable EVERUSED = 1); R did not use multiple methods in the month; or R used only 2 methods in the month; or R reported fewer than 2 BC method combinations; or R reported using fewer than 4 BC methods for this combination in this month of the method calendar.

1553	6483	2446	10847	Blank	= Blank, inapplicable
0	0	0	0	01	= NONE
0	0	0	0	02	= OFFICE USE ONLY
0	0	0	0	03	= BIRTH CONTROL PILLS
0	0	0	0	04	= CONDOM
0	0	0	0	05	= PARTNER'S VASECTOMY
0	0	0	0	06	= DIAPHRAGM
0	0	0	0	07	= FOAM
0	0	0	0	08	= JELLY OR CREAM
0	0	0	0	09	= CERVICAL CAP
0	0	0	0	10	= SUPPOSITORY, INSERT
0	0	0	0	11	= TODAY (TM) SPONGE
0	0	0	0	12	= FEMALE CONDOM, VAGINAL POUCH
0	0	0	0	13	= IUD, COIL, LOOP
0	0	0	0	14	= NORPLANT (TM)
0	0	0	0	15	= DEPO-PROVERA, INJECTABLES
0	0	0	0	16	= MORNING AFTER PILLS
0	0	0	0	17	= RHYTHM OR SAFE PERIOD BY CALENDAR
0	0	0	0	18	= SAFE PERIOD BY TEMP, CERVICAL MUCUS TEST,

1995 NATIONAL SURVEY OF FAMILY GROWTH
 File Documentation
 Respondent File (Section E Questionnaire Items)

VARIABLE NAME	COLUMN LOCATION	NON-HISPANIC			TOTAL	QX	TEXT AND CODE CATEGORIES
		HISP	WHITE	BLACK			
		0	0	0	0	19	NFP
		0	0	0	0	20	= WITHDRAWAL
		0	0	0	0	21	= RESPONDENT STERILE
							= PARTNER STERILE (NOT ON CARD)
		0	0	0	0	22	= OTHER METHOD-NOT SHOWN SEPARATELY
		0	0	0	0	97	= Not Ascertained
		0	0	0	0	98	= Refused
		0	0	0	0	99	= Don't Know

1995 NATIONAL SURVEY OF FAMILY GROWTH
 File Documentation
 Respondent File (Section E Questionnaire Items)

VARIABLE	COLUMN	NON-HISPANIC			QX TEXT AND CODE CATEGORIES
NAME	LOCATION	HISP	WHITE	BLACK	TOTAL

[MTHUS320] 7827-7828

During that month, which (of those/other) methods, if any, did you use at the same time? (1st METHOD MENTIONED, 3rd COMBINATION, MC27)

Inapplicable:
 R said no, don't know or refused to all birth control methods in EA series (computed variable EVERUSED = 2); R never had sex as of this month and never used a birth control method as of this month but ever used one or more birth control methods in EA series (WNFSTSEX GE 1093 and DATFIRSM GE 1093 and computed variable EVERUSED = 1); R did not use multiple methods in the month; or R used only 2 methods in the month; or R reported fewer than 3 BC method combinations.

1553	6482	2446	10846	Blank	= Blank, inapplicable
0	0	0	0	0	01 = NONE
0	0	0	0	0	02 = OFFICE USE ONLY
0	0	0	0	0	03 = BIRTH CONTROL PILLS
0	1	0	1	0	04 = CONDOM
0	0	0	0	0	05 = PARTNER'S VASECTOMY
0	0	0	0	0	06 = DIAPHRAGM
0	0	0	0	0	07 = FOAM
0	0	0	0	0	08 = JELLY OR CREAM
0	0	0	0	0	09 = CERVICAL CAP
0	0	0	0	0	10 = SUPPOSITORY, INSERT
0	0	0	0	0	11 = TODAY (TM) SPONGE
0	0	0	0	0	12 = FEMALE CONDOM, VAGINAL POUCH
0	0	0	0	0	13 = IUD, COIL, LOOP
0	0	0	0	0	14 = NORPLANT (TM)
0	0	0	0	0	15 = DEPO-PROVERA, INJECTABLES
0	0	0	0	0	16 = MORNING AFTER PILLS
0	0	0	0	0	17 = RHYTHM OR SAFE PERIOD BY CALENDAR
0	0	0	0	0	18 = SAFE PERIOD BY TEMP, CERVICAL MUCUS TEST, NFP
0	0	0	0	0	19 = WITHDRAWAL
0	0	0	0	0	20 = RESPONDENT STERILE

1995 NATIONAL SURVEY OF FAMILY GROWTH
 File Documentation
 Respondent File (Section E Questionnaire Items)

VARIABLE NAME	COLUMN LOCATION	NON-HISPANIC			QX	TEXT AND CODE CATEGORIES
		HISP	WHITE	BLACK		
		0	0	0	0	21 = PARTNER STERILE (NOT ON CARD)
		0	0	0	0	22 = OTHER METHOD-NOT SHOWN SEPARATELY
		0	0	0	0	97 = Not Ascertained
		0	0	0	0	98 = Refused
		0	0	0	0	99 = Don't Know

1995 NATIONAL SURVEY OF FAMILY GROWTH
 File Documentation
 Respondent File (Section E Questionnaire Items)

VARIABLE	COLUMN	NON-HISPANIC				QX TEXT AND CODE CATEGORIES
NAME	LOCATION	HISP	WHITE	BLACK		

[MTHUS321] 7829-7830

During that month, which (of those/other) methods, if any, did you use at the same time? (2nd METHOD MENTIONED, 3rd COMBINATION, MC27)

Inapplicable:
 R said no, don't know or refused to all birth control methods in EA series (computed variable EVERUSED = 2); R never had sex as of this month and never used a birth control method as of this month but ever used one or more birth control methods in EA series (WNFSTSEX GE 1093 and DATFIRSM GE 1093 and computed variable EVERUSED = 1); R did not use multiple methods in the month; or R used only 2 methods in the month; or R reported fewer than 3 BC method combinations; or R reported using fewer than 2 BC methods for this combination in this month of the method calendar.

1553	6482	2446	10846	Blank	= Blank, inapplicable
0	0	0	0	01	= NONE
0	0	0	0	02	= OFFICE USE ONLY
0	0	0	0	03	= BIRTH CONTROL PILLS
0	0	0	0	04	= CONDOM
0	0	0	0	05	= PARTNER'S VASECTOMY
0	0	0	0	06	= DIAPHRAGM
0	0	0	0	07	= FOAM
0	0	0	0	08	= JELLY OR CREAM
0	0	0	0	09	= CERVICAL CAP
0	0	0	0	10	= SUPPOSITORY, INSERT
0	0	0	0	11	= TODAY (TM) SPONGE
0	0	0	0	12	= FEMALE CONDOM, VAGINAL POUCH
0	0	0	0	13	= IUD, COIL, LOOP
0	0	0	0	14	= NORPLANT (TM)
0	0	0	0	15	= DEPO-PROVERA, INJECTABLES
0	0	0	0	16	= MORNING AFTER PILLS
0	1	0	1	17	= RHYTHM OR SAFE PERIOD BY CALENDAR
0	0	0	0	18	= SAFE PERIOD BY TEMP, CERVICAL MUCUS TEST,

1995 NATIONAL SURVEY OF FAMILY GROWTH
 File Documentation
 Respondent File (Section E Questionnaire Items)

VARIABLE NAME	COLUMN LOCATION	NON-HISPANIC			TOTAL	QX	TEXT AND CODE CATEGORIES
		HISP	WHITE	BLACK			
		0	0	0	0	19	NFP
		0	0	0	0	20	= WITHDRAWAL
		0	0	0	0	21	= RESPONDENT STERILE
							= PARTNER STERILE (NOT ON CARD)
		0	0	0	0	22	= OTHER METHOD-NOT SHOWN SEPARATELY
		0	0	0	0	97	= Not Ascertained
		0	0	0	0	98	= Refused
		0	0	0	0	99	= Don't Know

1995 NATIONAL SURVEY OF FAMILY GROWTH
 File Documentation
 Respondent File (Section E Questionnaire Items)

VARIABLE COLUMN NON-HISPANIC
 NAME LOCATION HISP WHITE BLACK TOTAL QX TEXT AND CODE CATEGORIES

[MTHUS322] 7831-7832

During that month, which (of those/other) methods, if any, did you use at the same time? (3rd METHOD MENTIONED, 3rd COMBINATION, MC27)

Inapplicable:
 R said no, don't know or refused to all birth control methods in EA series (computed variable EVERUSED = 2); R never had sex as of this month and never used a birth control method as of this month but ever used one or more birth control methods in EA series (WNFSTSEX GE 1093 and DATFIRSM GE 1093 and computed variable EVERUSED = 1); R did not use multiple methods in the month; or R used only 2 methods in the month; or R reported fewer than 3 BC method combinations; or R reported using fewer than 3 BC methods for this combination in this month of the method calendar.

1553	6483	2446	10847	Blank	= Blank, inapplicable
0	0	0	0	01	= NONE
0	0	0	0	02	= OFFICE USE ONLY
0	0	0	0	03	= BIRTH CONTROL PILLS
0	0	0	0	04	= CONDOM
0	0	0	0	05	= PARTNER'S VASECTOMY
0	0	0	0	06	= DIAPHRAGM
0	0	0	0	07	= FOAM
0	0	0	0	08	= JELLY OR CREAM
0	0	0	0	09	= CERVICAL CAP
0	0	0	0	10	= SUPPOSITORY, INSERT
0	0	0	0	11	= TODAY (TM) SPONGE
0	0	0	0	12	= FEMALE CONDOM, VAGINAL POUCH
0	0	0	0	13	= IUD, COIL, LOOP
0	0	0	0	14	= NORPLANT (TM)
0	0	0	0	15	= DEPO-PROVERA, INJECTABLES
0	0	0	0	16	= MORNING AFTER PILLS
0	0	0	0	17	= RHYTHM OR SAFE PERIOD BY CALENDAR
0	0	0	0	18	= SAFE PERIOD BY TEMP, CERVICAL MUCUS TEST,

1995 NATIONAL SURVEY OF FAMILY GROWTH
 File Documentation
 Respondent File (Section E Questionnaire Items)

VARIABLE NAME	COLUMN LOCATION	NON-HISPANIC			TOTAL	QX	TEXT AND CODE CATEGORIES
		HISP	WHITE	BLACK			
		0	0	0	0	19	NFP
		0	0	0	0	20	= WITHDRAWAL
		0	0	0	0	21	= RESPONDENT STERILE
							= PARTNER STERILE (NOT ON CARD)
		0	0	0	0	22	= OTHER METHOD-NOT SHOWN SEPARATELY
		0	0	0	0	97	= Not Ascertained
		0	0	0	0	98	= Refused
		0	0	0	0	99	= Don't Know

1995 NATIONAL SURVEY OF FAMILY GROWTH
 File Documentation
 Respondent File (Section E Questionnaire Items)

VARIABLE	COLUMN	NON-HISPANIC				
NAME	LOCATION	HISP	WHITE	BLACK	TOTAL	QX TEXT AND CODE CATEGORIES

[MTHUS323] 7833-7834

During that month, which (of those/other) methods, if any, did you use at the same time? (4th METHOD MENTIONED, 3rd COMBINATION, MC27)

Inapplicable:
 R said no, don't know or refused to all birth control methods in EA series (computed variable EVERUSED = 2); R never had sex as of this month and never used a birth control method as of this month but ever used one or more birth control methods in EA series (WNFSTSEX GE 1093 and DATFIRSM GE 1093 and computed variable EVERUSED = 1); R did not use multiple methods in the month; or R used only 2 methods in the month; or R reported fewer than 3 BC method combinations; or R reported using fewer than 4 BC methods for this combination in this month of the method calendar.

1553	6483	2446	10847	Blank	= Blank, inapplicable
0	0	0	0	01	= NONE
0	0	0	0	02	= OFFICE USE ONLY
0	0	0	0	03	= BIRTH CONTROL PILLS
0	0	0	0	04	= CONDOM
0	0	0	0	05	= PARTNER'S VASECTOMY
0	0	0	0	06	= DIAPHRAGM
0	0	0	0	07	= FOAM
0	0	0	0	08	= JELLY OR CREAM
0	0	0	0	09	= CERVICAL CAP
0	0	0	0	10	= SUPPOSITORY, INSERT
0	0	0	0	11	= TODAY (TM) SPONGE
0	0	0	0	12	= FEMALE CONDOM, VAGINAL POUCH
0	0	0	0	13	= IUD, COIL, LOOP
0	0	0	0	14	= NORPLANT (TM)
0	0	0	0	15	= DEPO-PROVERA, INJECTABLES
0	0	0	0	16	= MORNING AFTER PILLS
0	0	0	0	17	= RHYTHM OR SAFE PERIOD BY CALENDAR
0	0	0	0	18	= SAFE PERIOD BY TEMP, CERVICAL MUCUS TEST,

1995 NATIONAL SURVEY OF FAMILY GROWTH
 File Documentation
 Respondent File (Section E Questionnaire Items)

VARIABLE NAME	COLUMN LOCATION	NON-HISPANIC			TOTAL	QX	TEXT AND CODE CATEGORIES
		HISP	WHITE	BLACK			
		0	0	0	0	19	NFP
		0	0	0	0	20	= WITHDRAWAL
		0	0	0	0	21	= RESPONDENT STERILE
							= PARTNER STERILE (NOT ON CARD)
		0	0	0	0	22	= OTHER METHOD-NOT SHOWN SEPARATELY
		0	0	0	0	97	= Not Ascertained
		0	0	0	0	98	= Refused
		0	0	0	0	99	= Don't Know

1995 NATIONAL SURVEY OF FAMILY GROWTH
 File Documentation
 Respondent File (Section E Questionnaire Items)

VARIABLE NAME	COLUMN LOCATION	NON-HISPANIC			QX TEXT AND CODE CATEGORIES
		HISP	WHITE	BLACK TOTAL	
[METHH108]	7835-7836				ENTER METHOD (FIRST MENTIONED) USED IN APRIL 1993: (MC28)
					Inapplicable: R never had sex as of this month and never used a birth control method as of this month but ever used one or more birth control methods in EA series (WNFSTSEX GE 1093 and DATFIRSM GE 1093 and computed variable EVERUSED = 1); R never had sex and said no, don't know or refused to all birth control methods in EA series (computed variable RHADSEX coded 2,7,8 or 9 and computed variable EVERUSED = 2); R said no, don't know or refused to all birth control methods in EA series (computed variable EVERUSED = 2).
		311	930	310 1658	Blank = Blank, inapplicable
		348	1255	564 2231	01 = NO METHODS USED
		0	0	0 0	02 = SAME AS PREVIOUS MONTH
		246	1312	424 2017	03 = BIRTH CONTROL PILLS
		187	837	394 1482	04 = CONDOM
		21	330	9 370	05 = PARTNER'S VASECTOMY
		6	100	13 121	06 = DIAPHRAGM
		4	26	2 32	07 = FOAM
		1	9	2 12	08 = JELLY OR CREAM
		0	3	0 3	09 = CERVICAL CAP
		6	22	5 35	10 = SUPPOSITORY, INSERT
		1	35	9 45	11 = TODAY (TM) SPONGE
		0	1	0 1	12 = FEMALE CONDOM, VAGINAL POUCH
		20	31	18 72	13 = IUD, COIL, LOOP
		19	38	38 98	14 = NORPLANT (TM)
		16	18	12 46	15 = DEPO-PROVERA, INJECTABLES
		0	0	0 0	16 = MORNING AFTER PILLS
		27	104	19 162	17 = RHYTHM OR SAFE PERIOD BY CALENDAR
		2	14	0 16	18 = SAFE PERIOD BY TEMP, CERVICAL MUCUS TEST, NFP
		40	135	23 209	19 = WITHDRAWAL
		280	1106	584 2017	20 = RESPONDENT STERILE

(4046)

1995 NATIONAL SURVEY OF FAMILY GROWTH
 File Documentation
 Respondent File (Section E Questionnaire Items)

VARIABLE NAME	COLUMN LOCATION	NON-HISPANIC			TOTAL	QX	TEXT AND CODE CATEGORIES
		HISP	WHITE	BLACK			
		17	165	11	197	21	= PARTNER STERILE (NOT ON CARD)
		1	2	5	8	22	= OTHER METHOD-NOT SHOWN SEPARATELY
		0	0	0	0	55	= SAME METHODS USED THROUGH END OF YEAR
		0	2	2	4	97	= Not Ascertained
		0	6	2	8	98	= Refused
		0	2	0	3	99	= Don't Know

1995 NATIONAL SURVEY OF FAMILY GROWTH
 File Documentation
 Respondent File (Section E Questionnaire Items)

VARIABLE NAME	COLUMN LOCATION	NON-HISPANIC			QX TEXT AND CODE CATEGORIES	
		HISP	WHITE	BLACK	TOTAL	
[METHH109]	7837-7838					ENTER METHOD (SECOND MENTIONED) USED IN APRIL 1993: (MC28)

Inapplicable:
 R never had sex as of this month and never used a birth control method as of this month but ever used one or more birth control methods in EA series (WNFSTSEX GE 1093 and DATFIRSM GE 1093 and computed variable EVERUSED = 1); R never had sex and said no, don't know or refused to all birth control methods in EA series (computed variable RHADSEX coded 2,7,8 or 9 and computed variable EVERUSED = 2); R said no, don't know or refused to all birth control methods in EA series (computed variable EVERUSED = 2); R used fewer than 2 methods in month.

1479	6048	2288	10151	Blank	= Blank, inapplicable
0	0	0	0	01	= NO METHODS USED
0	0	0	0	02	= SAME AS PREVIOUS MONTH
0	10	4	14	03	= BIRTH CONTROL PILLS
21	131	74	234	04	= CONDOM
0	13	2	15	05	= PARTNER'S VASECTOMY
3	12	3	18	06	= DIAPHRAGM
7	25	9	43	07	= FOAM
2	13	7	22	08	= JELLY OR CREAM
0	0	0	0	09	= CERVICAL CAP
3	8	7	19	10	= SUPPOSITORY, INSERT
0	13	4	18	11	= TODAY (TM) SPONGE
0	0	0	0	12	= FEMALE CONDOM, VAGINAL POUCH
0	0	0	0	13	= IUD, COIL, LOOP
0	1	2	3	14	= NORPLANT (TM)
0	2	1	3	15	= DEPO-PROVERA, INJECTABLES
0	0	0	0	16	= MORNING AFTER PILLS
14	62	6	89	17	= RHYTHM OR SAFE PERIOD BY CALENDAR
0	9	1	10	18	= SAFE PERIOD BY TEMP, CERVICAL MUCUS TEST, NFP
24	108	19	159	19	= WITHDRAWAL

(4048)

1995 NATIONAL SURVEY OF FAMILY GROWTH
 File Documentation
 Respondent File (Section E Questionnaire Items)

VARIABLE NAME	COLUMN LOCATION	NON-HISPANIC			QX	TEXT AND CODE CATEGORIES	
		HISP	WHITE	BLACK			TOTAL
		0	10	14	24	20	= RESPONDENT STERILE
		0	8	0	9	21	= PARTNER STERILE (NOT ON CARD)
		0	0	1	1	22	= OTHER METHOD-NOT SHOWN SEPARATELY
		0	0	0	0	55	= SAME METHODS USED THROUGH END OF YEAR
		0	2	2	4	97	= Not Ascertained
		0	6	2	8	98	= Refused
		0	2	0	3	99	= Don't Know

1995 NATIONAL SURVEY OF FAMILY GROWTH
 File Documentation
 Respondent File (Section E Questionnaire Items)

VARIABLE COLUMN NON-HISPANIC
 NAME LOCATION HISP WHITE BLACK TOTAL QX TEXT AND CODE CATEGORIES

[METHH110] 7839-7840

ENTER METHOD (THIRD MENTIONED) USED
 IN APRIL 1993: (MC28)

Inapplicable:

R never had sex as of this month and never used a birth control method as of this month but ever used one or more birth control methods in EA series (WNFSTSEX GE 1093 and DATFIRSM GE 1093 and computed variable EVERUSED = 1); R never had sex and said no, don't know or refused to all birth control methods in EA series (computed variable RHADSEX coded 2,7,8 or 9 and computed variable EVERUSED = 2); R said no, don't know or refused to all birth control methods in EA series (computed variable EVERUSED = 2); R used fewer than 3 methods in month.

1541	6415	2418	10735	Blank	
0	0	0	0	0	01 = Blank, inapplicable
0	0	0	0	0	02 = NO METHODS USED
0	1	0	1	03 = SAME AS PREVIOUS MONTH	
0	2	0	2	04 = BIRTH CONTROL PILLS	
1	0	0	1	05 = CONDOM	
0	0	0	0	06 = PARTNER'S VASECTOMY	
2	0	0	2	07 = DIAPHRAGM	
0	2	1	3	08 = FOAM	
0	0	0	0	09 = JELLY OR CREAM	
0	1	0	1	10 = CERVICAL CAP	
1	5	0	6	11 = SUPPOSITORY, INSERT	
1	0	0	1	12 = TODAY (TM) SPONGE	
0	0	0	0	13 = FEMALE CONDOM, VAGINAL POUCH	
0	0	0	0	14 = IUD, COIL, LOOP	
0	0	0	0	15 = NORPLANT (TM)	
0	1	0	1	16 = DEPO-PROVERA, INJECTABLES	
2	6	2	10	17 = MORNING AFTER PILLS	
0	4	0	5	18 = RHYTHM OR SAFE PERIOD BY CALENDAR	
3	29	3	36	19 = SAFE PERIOD BY TEMP, CERVICAL MUCUS TEST, NFP	
					= WITHDRAWAL

(4050)

1995 NATIONAL SURVEY OF FAMILY GROWTH
 File Documentation
 Respondent File (Section E Questionnaire Items)

VARIABLE NAME	COLUMN LOCATION	NON-HISPANIC			TOTAL	QX	TEXT AND CODE CATEGORIES
		HISP	WHITE	BLACK			
		1	7	18	26	20	= RESPONDENT STERILE
		0	0	0	0	21	= PARTNER STERILE (NOT ON CARD)
		1	0	0	2	22	= OTHER METHOD-NOT SHOWN SEPARATELY
		0	0	0	0	55	= SAME METHODS USED THROUGH END OF YEAR
		0	2	2	4	97	= Not Ascertained
		0	6	2	8	98	= Refused
		0	2	0	3	99	= Don't Know

1995 NATIONAL SURVEY OF FAMILY GROWTH
 File Documentation
 Respondent File (Section E Questionnaire Items)

VARIABLE	COLUMN	NON-HISPANIC			QX TEXT AND CODE CATEGORIES	
NAME	LOCATION	HISP	WHITE	BLACK	TOTAL	
[METHH111]	7841-7842					ENTER METHOD (FOURTH MENTIONED) USED IN APRIL 1993: (MC28)

Inapplicable:
 R never had sex as of this month and never used a birth control method as of this month but ever used one or more birth control methods in EA series (WNFSTSEX GE 1093 and DATFIRSM GE 1093 and computed variable EVERUSED = 1); R never had sex and said no, don't know or refused to all birth control methods in EA series (computed variable RHADSEX coded 2,7,8 or 9 and computed variable EVERUSED = 2); R said no, don't know or refused to all birth control methods in EA series (computed variable EVERUSED = 2); R used fewer than 4 methods in month.

1553	6467	2441	10825	Blank	= Blank, inapplicable
0	0	0	0	01	= NO METHODS USED
0	0	0	0	02	= SAME AS PREVIOUS MONTH
0	0	0	0	03	= BIRTH CONTROL PILLS
0	1	0	1	04	= CONDOM
0	0	0	0	05	= PARTNER'S VASECTOMY
0	0	0	0	06	= DIAPHRAGM
0	0	0	0	07	= FOAM
0	0	0	0	08	= JELLY OR CREAM
0	0	0	0	09	= CERVICAL CAP
0	0	0	0	10	= SUPPOSITORY, INSERT
0	1	0	1	11	= TODAY (TM) SPONGE
0	0	0	0	12	= FEMALE CONDOM, VAGINAL POUCH
0	0	0	0	13	= IUD, COIL, LOOP
0	0	0	0	14	= NORPLANT (TM)
0	0	0	0	15	= DEPO-PROVERA, INJECTABLES
0	0	0	0	16	= MORNING AFTER PILLS
0	2	0	2	17	= RHYTHM OR SAFE PERIOD BY CALENDAR
0	0	1	1	18	= SAFE PERIOD BY TEMP, CERVICAL MUCUS TEST, NFP
0	2	0	2	19	= WITHDRAWAL

(4052)

1995 NATIONAL SURVEY OF FAMILY GROWTH
 File Documentation
 Respondent File (Section E Questionnaire Items)

VARIABLE NAME	COLUMN LOCATION	NON-HISPANIC			TOTAL	QX	TEXT AND CODE CATEGORIES
		HISP	WHITE	BLACK			
		0	0	0	0	20	= RESPONDENT STERILE
		0	0	0	0	21	= PARTNER STERILE (NOT ON CARD)
		0	0	0	0	22	= OTHER METHOD-NOT SHOWN SEPARATELY
		0	0	0	0	55	= SAME METHODS USED THROUGH END OF YEAR
		0	2	2	4	97	= Not Ascertained
		0	6	2	8	98	= Refused
		0	2	0	3	99	= Don't Know

[SIMSEQ27] 7843-7843

Did you use those methods together,
 that is, at the same time, or did
 you use them at different times
 during the month? (MC28)

Inapplicable:

R never had sex as of this month and
 never used a birth control method as
 of this month but ever used one or
 more birth control methods in EA
 series (WNFSTSEX GE 1093 and
 DATFIRSM GE 1093 and computed
 variable EVERUSED = 1); R never had
 sex and said no, don't know or
 refused to all birth control methods
 in EA series (computed variable
 RHADSEX coded 2,7,8 or 9 and
 computed variable EVERUSED = 2); R
 said no, don't know or refused to
 all birth control methods in EA
 series (computed variable EVERUSED =
 2); R did not use multiple methods
 in the month; R used more than 2
 methods in the month.

1490	6109	2299	10238	Blank	= Blank, inapplicable
35	247	116	411	1	= SAME TIME
28	127	31	198	2	= DIFFERENT TIMES
0	0	0	0	7	= Not Ascertained
0	0	0	0	8	= Refused
0	0	0	0	9	= Don't Know

1995 NATIONAL SURVEY OF FAMILY GROWTH
 File Documentation
 Respondent File (Section E Questionnaire Items)

VARIABLE COLUMN NON-HISPANIC
 NAME LOCATION HISP WHITE BLACK TOTAL QX TEXT AND CODE CATEGORIES

[MTHUS324] 7844-7845

During that month, which (of those/other) methods, if any, did you use at the same time? (1st METHOD MENTIONED, 1st COMBINATION, MC28)

Inapplicable:
 R said no, don't know or refused to all birth control methods in EA series (computed variable EVERUSED = 2); R never had sex as of this month and never used a birth control method as of this month but ever used one or more birth control methods in EA series (WNFSTSEX GE 1093 and DATFIRSM GE 1093 and computed variable EVERUSED = 1); R did not use multiple methods in the month; or R used only 2 methods in the month.

1542	6432	2439	10775	Blank	= Blank, inapplicable
3	10	1	14	01	= NONE
0	0	0	0	02	= OFFICE USE ONLY
1	5	1	8	03	= BIRTH CONTROL PILLS
7	20	3	32	04	= CONDOM
0	0	0	0	05	= PARTNER'S VASECTOMY
0	4	0	4	06	= DIAPHRAGM
0	2	0	2	07	= FOAM
0	0	0	0	08	= JELLY OR CREAM
0	0	0	0	09	= CERVICAL CAP
0	0	0	0	10	= SUPPOSITORY, INSERT
0	3	0	3	11	= TODAY (TM) SPONGE
0	0	0	0	12	= FEMALE CONDOM, VAGINAL POUCH
0	0	0	0	13	= IUD, COIL, LOOP
0	0	0	0	14	= NORPLANT (TM)
0	0	0	0	15	= DEPO-PROVERA, INJECTABLES
0	0	0	0	16	= MORNING AFTER PILLS
0	6	0	6	17	= RHYTHM OR SAFE PERIOD BY CALENDAR
0	0	0	0	18	= SAFE PERIOD BY TEMP, CERVICAL MUCUS TEST, NFP
0	1	1	2	19	= WITHDRAWAL
0	0	1	1	20	= RESPONDENT STERILE
0	0	0	0	21	= PARTNER STERILE (NOT

(4054)

1995 NATIONAL SURVEY OF FAMILY GROWTH
 File Documentation
 Respondent File (Section E Questionnaire Items)

VARIABLE NAME	COLUMN LOCATION	NON-HISPANIC			TOTAL	QX	TEXT AND CODE CATEGORIES
		HISP	WHITE	BLACK			
		0	0	0	0	22	ON CARD) = OTHER METHOD-NOT SHOWN SEPARATELY
		0	0	0	0	97	= Not Ascertained
		0	0	0	0	98	= Refused
		0	0	0	0	99	= Don't Know

1995 NATIONAL SURVEY OF FAMILY GROWTH
 File Documentation
 Respondent File (Section E Questionnaire Items)

VARIABLE COLUMN NON-HISPANIC
 NAME LOCATION HISP WHITE BLACK TOTAL QX TEXT AND CODE CATEGORIES

[MTHUS325] 7846-7847

During that month, which (of those/other) methods, if any, did you use at the same time? (2nd METHOD MENTIONED, 1st COMBINATION, MC28)

Inapplicable:
 R said no, don't know or refused to all birth control methods in EA series (computed variable EVERUSED = 2); R never had sex as of this month and never used a birth control method as of this month but ever used one or more birth control methods in EA series (WNFSTSEX GE 1093 and DATFIRSM GE 1093 and computed variable EVERUSED = 1); R did not use multiple methods in the month; or R used only 2 methods in the month; or R reported using fewer than 2 BC methods for this combination in this month of the method calendar.

1545	6442	2440	10789	Blank	= Blank, inapplicable
0	0	0	0	01	= NONE
0	0	0	0	02	= OFFICE USE ONLY
0	0	0	0	03	= BIRTH CONTROL PILLS
1	8	2	11	04	= CONDOM
0	1	0	1	05	= PARTNER'S VASECTOMY
0	0	0	0	06	= DIAPHRAGM
1	3	0	4	07	= FOAM
1	1	2	4	08	= JELLY OR CREAM
0	0	0	0	09	= CERVICAL CAP
1	0	1	2	10	= SUPPOSITORY, INSERT
0	1	0	1	11	= TODAY (TM) SPONGE
0	0	0	0	12	= FEMALE CONDOM, VAGINAL POUCH
0	0	0	0	13	= IUD, COIL, LOOP
0	0	0	0	14	= NORPLANT (TM)
0	0	0	0	15	= DEPO-PROVERA, INJECTABLES
0	1	0	1	16	= MORNING AFTER PILLS
3	16	0	20	17	= RHYTHM OR SAFE PERIOD BY CALENDAR
0	2	0	2	18	= SAFE PERIOD BY TEMP, CERVICAL MUCUS TEST, NFP

1995 NATIONAL SURVEY OF FAMILY GROWTH
 File Documentation
 Respondent File (Section E Questionnaire Items)

VARIABLE NAME	COLUMN LOCATION	NON-HISPANIC			TOTAL	QX	TEXT AND CODE CATEGORIES
		HISP	WHITE	BLACK			
		1	8	1	12	19	= WITHDRAWAL
		0	0	0	0	20	= RESPONDENT STERILE
		0	0	0	0	21	= PARTNER STERILE (NOT ON CARD)
		0	0	0	0	22	= OTHER METHOD-NOT SHOWN SEPARATELY
		0	0	0	0	97	= Not Ascertained
		0	0	0	0	98	= Refused
		0	0	0	0	99	= Don't Know

1995 NATIONAL SURVEY OF FAMILY GROWTH
 File Documentation
 Respondent File (Section E Questionnaire Items)

VARIABLE	COLUMN	NON-HISPANIC				QX TEXT AND CODE CATEGORIES
NAME	LOCATION	HISP	WHITE	BLACK		

[MTHUS326] 7848-7849

During that month, which (of those/other) methods, if any, did you use at the same time? (3rd METHOD MENTIONED, 1st COMBINATION, MC28)

Inapplicable:
 R said no, don't know or refused to all birth control methods in EA series (computed variable EVERUSED = 2); R never had sex as of this month and never used a birth control method as of this month but ever used one or more birth control methods in EA series (WNFSTSEX GE 1093 and DATFIRSM GE 1093 and computed variable EVERUSED = 1); R did not use multiple methods in the month; or R used only 2 methods in the month; or R reported using fewer than 3 BC methods for this combination in this month of the method calendar.

1546	6460	2445	10815	Blank	= Blank, inapplicable
0	0	0	0	01	= NONE
0	0	0	0	02	= OFFICE USE ONLY
0	0	0	0	03	= BIRTH CONTROL PILLS
0	0	0	0	04	= CONDOM
1	0	0	1	05	= PARTNER'S VASECTOMY
0	0	0	0	06	= DIAPHRAGM
2	0	0	2	07	= FOAM
0	2	0	2	08	= JELLY OR CREAM
0	0	0	0	09	= CERVICAL CAP
0	0	0	0	10	= SUPPOSITORY, INSERT
1	2	0	3	11	= TODAY (TM) SPONGE
0	0	0	0	12	= FEMALE CONDOM, VAGINAL POUCH
0	0	0	0	13	= IUD, COIL, LOOP
0	0	0	0	14	= NORPLANT (TM)
0	0	0	0	15	= DEPO-PROVERA, INJECTABLES
0	0	0	0	16	= MORNING AFTER PILLS
2	3	1	6	17	= RHYTHM OR SAFE PERIOD BY CALENDAR
0	3	0	4	18	= SAFE PERIOD BY TEMP, CERVICAL MUCUS TEST, NFP

1995 NATIONAL SURVEY OF FAMILY GROWTH
 File Documentation
 Respondent File (Section E Questionnaire Items)

VARIABLE NAME	COLUMN LOCATION	NON-HISPANIC			TOTAL	QX	TEXT AND CODE CATEGORIES
		HISP	WHITE	BLACK			
		0	13	0	13	19	= WITHDRAWAL
		0	0	0	0	20	= RESPONDENT STERILE
		0	0	0	0	21	= PARTNER STERILE (NOT ON CARD)
		1	0	0	1	22	= OTHER METHOD-NOT SHOWN SEPARATELY
		0	0	0	0	97	= Not Ascertained
		0	0	0	0	98	= Refused
		0	0	0	0	99	= Don't Know

1995 NATIONAL SURVEY OF FAMILY GROWTH
 File Documentation
 Respondent File (Section E Questionnaire Items)

VARIABLE COLUMN NON-HISPANIC
 NAME LOCATION HISP WHITE BLACK TOTAL QX TEXT AND CODE CATEGORIES

[MTHUS327] 7850-7851

During that month, which (of those/other) methods, if any, did you use at the same time? (4th METHOD MENTIONED, 1st COMBINATION, MC28)

Inapplicable:
 R said no, don't know or refused to all birth control methods in EA series (computed variable EVERUSED = 2); R never had sex as of this month and never used a birth control method as of this month but ever used one or more birth control methods in EA series (WNFSTSEX GE 1093 and DATFIRSM GE 1093 and computed variable EVERUSED = 1); R did not use multiple methods in the month; or R used only 2 methods in the month; or R reported using fewer than 4 BC methods for this combination in this month of the method calendar.

	1553	6482	2445	10845	Blank	
	0	0	0	0	01	= Blank, inapplicable
	0	0	0	0	02	= NONE
	0	0	0	0	03	= OFFICE USE ONLY
	0	1	0	1	04	= BIRTH CONTROL PILLS
	0	0	0	0	05	= CONDOM
	0	0	0	0	06	= PARTNER'S VASECTOMY
	0	0	0	0	07	= DIAPHRAGM
	0	0	0	0	08	= FOAM
	0	0	0	0	09	= JELLY OR CREAM
	0	0	0	0	10	= CERVICAL CAP
	0	0	0	0	11	= SUPPOSITORY, INSERT
	0	0	0	0	12	= TODAY (TM) SPONGE
	0	0	0	0	13	= FEMALE CONDOM, VAGINAL POUCH
	0	0	0	0	14	= IUD, COIL, LOOP
	0	0	0	0	15	= NORPLANT (TM)
	0	0	0	0	16	= DEPO-PROVERA, INJECTABLES
	0	0	0	0	17	= MORNING AFTER PILLS
	0	0	0	0	18	= RHYTHM OR SAFE PERIOD BY CALENDAR
	0	0	1	1		= SAFE PERIOD BY TEMP, CERVICAL MUCUS TEST, NFP

1995 NATIONAL SURVEY OF FAMILY GROWTH
 File Documentation
 Respondent File (Section E Questionnaire Items)

VARIABLE NAME	COLUMN LOCATION	NON-HISPANIC			TOTAL	QX	TEXT AND CODE CATEGORIES
		HISP	WHITE	BLACK			
		0	0	0	0	19	= WITHDRAWAL
		0	0	0	0	20	= RESPONDENT STERILE
		0	0	0	0	21	= PARTNER STERILE (NOT ON CARD)
		0	0	0	0	22	= OTHER METHOD-NOT SHOWN SEPARATELY
		0	0	0	0	97	= Not Ascertained
		0	0	0	0	98	= Refused
		0	0	0	0	99	= Don't Know

1995 NATIONAL SURVEY OF FAMILY GROWTH
 File Documentation
 Respondent File (Section E Questionnaire Items)

VARIABLE COLUMN NON-HISPANIC
 NAME LOCATION HISP WHITE BLACK TOTAL QX TEXT AND CODE CATEGORIES

[MTHUS328] 7852-7853

During that month, which (of those/other) methods, if any, did you use at the same time? (1st METHOD MENTIONED, 2nd COMBINATION, MC28)

Inapplicable:
 R said no, don't know or refused to all birth control methods in EA series (computed variable EVERUSED = 2); R never had sex as of this month and never used a birth control method as of this month but ever used one or more birth control methods in EA series (WNFSTSEX GE 1093 and DATFIRSM GE 1093 and computed variable EVERUSED = 1); R did not use multiple methods in the month; or R used only 2 methods in the month; or R reported fewer than 2 BC method combinations.

1545	6442	2440	10789	Blank	
5	30	4	41	01	= Blank, inapplicable
0	0	0	0	02	= NONE
0	2	0	2	03	= OFFICE USE ONLY
0	4	0	5	04	= BIRTH CONTROL PILLS
0	0	0	0	05	= CONDOM
0	0	0	0	06	= PARTNER'S VASECTOMY
1	2	0	3	07	= DIAPHRAGM
0	0	0	0	08	= FOAM
0	0	0	0	09	= JELLY OR CREAM
0	0	0	0	10	= CERVICAL CAP
0	0	0	0	11	= SUPPOSITORY, INSERT
0	0	0	0	12	= TODAY (TM) SPONGE
0	0	0	0	13	= FEMALE CONDOM, VAGINAL POUCH
0	0	0	0	14	= IUD, COIL, LOOP
0	0	0	0	15	= NORPLANT (TM)
0	0	0	0	16	= DEPO-PROVERA, INJECTABLES
0	0	0	0	17	= MORNING AFTER PILLS
0	3	0	3	18	= RHYTHM OR SAFE PERIOD BY CALENDAR
0	0	0	0	19	= SAFE PERIOD BY TEMP, CERVICAL MUCUS TEST, NFP
1	0	1	2	20	= WITHDRAWAL
0	0	1	1	20	= RESPONDENT STERILE

(4062)

1995 NATIONAL SURVEY OF FAMILY GROWTH
 File Documentation
 Respondent File (Section E Questionnaire Items)

VARIABLE NAME	COLUMN LOCATION	NON-HISPANIC			QX	TEXT AND CODE CATEGORIES	
		HISP	WHITE	BLACK			TOTAL
		0	0	0	0	21	= PARTNER STERILE (NOT ON CARD)
		1	0	0	1	22	= OTHER METHOD-NOT SHOWN SEPARATELY
		0	0	0	0	97	= Not Ascertained
		0	0	0	0	98	= Refused
		0	0	0	0	99	= Don't Know

1995 NATIONAL SURVEY OF FAMILY GROWTH
 File Documentation
 Respondent File (Section E Questionnaire Items)

VARIABLE COLUMN NON-HISPANIC
 NAME LOCATION HISP WHITE BLACK TOTAL QX TEXT AND CODE CATEGORIES

[MTHUS329] 7854-7855

During that month, which (of those/other) methods, if any, did you use at the same time? (2nd METHOD MENTIONED, 2nd COMBINATION, MC28)

Inapplicable:
 R said no, don't know or refused to all birth control methods in EA series (computed variable EVERUSED = 2); R never had sex as of this month and never used a birth control method as of this month but ever used one or more birth control methods in EA series (WNFSTSEX GE 1093 and DATFIRSM GE 1093 and computed variable EVERUSED = 1); R did not use multiple methods in the month; or R used only 2 methods in the month; or R reported fewer than 2 BC method combinations; or R reported using fewer than 2 BC methods for this combination in this month of the method calendar.

	1552	6473	2444	10833	Blank	
	0	0	0	0	0	01 = Blank, inapplicable
	0	0	0	0	0	02 = NONE
	0	0	0	0	0	03 = OFFICE USE ONLY
	1	1	0	2	0	04 = BIRTH CONTROL PILLS
	0	1	0	1	0	05 = CONDOM
	0	0	0	0	0	06 = PARTNER'S VASECTOMY
	0	0	0	0	0	07 = DIAPHRAGM
	0	0	0	0	0	08 = FOAM
	0	0	0	0	0	09 = JELLY OR CREAM
	0	0	0	0	0	10 = CERVICAL CAP
	0	0	1	1	1	11 = SUPPOSITORY, INSERT
	0	1	0	1	0	12 = TODAY (TM) SPONGE
	0	0	0	0	0	13 = FEMALE CONDOM, VAGINAL POUCH
	0	0	0	0	0	14 = IUD, COIL, LOOP
	0	0	0	0	0	15 = NORPLANT (TM)
	0	0	0	0	0	16 = DEPO-PROVERA, INJECTABLES
	0	0	0	0	0	17 = MORNING AFTER PILLS
	0	2	0	3	0	18 = RHYTHM OR SAFE PERIOD BY CALENDAR
	0	1	0	1	0	SAFE PERIOD BY TEMP, CERVICAL MUCUS TEST,

(4064)

1995 NATIONAL SURVEY OF FAMILY GROWTH
 File Documentation
 Respondent File (Section E Questionnaire Items)

VARIABLE NAME	COLUMN LOCATION	NON-HISPANIC			TOTAL	QX	TEXT AND CODE CATEGORIES
		HISP	WHITE	BLACK			
		0	4	1	5	19	NFP
		0	0	0	0	20	= WITHDRAWAL
		0	0	0	0	21	= RESPONDENT STERILE
							= PARTNER STERILE (NOT ON CARD)
		0	0	0	0	22	= OTHER METHOD-NOT SHOWN SEPARATELY
		0	0	0	0	97	= Not Ascertained
		0	0	0	0	98	= Refused
		0	0	0	0	99	= Don't Know

1995 NATIONAL SURVEY OF FAMILY GROWTH
 File Documentation
 Respondent File (Section E Questionnaire Items)

VARIABLE	COLUMN	NON-HISPANIC								
NAME	LOCATION	HISP	WHITE	BLACK						TOTAL

[MTHUS330] 7856-7857

During that month, which (of those/other) methods, if any, did you use at the same time? (3rd METHOD MENTIONED, 2nd COMBINATION, MC28)

Inapplicable:
 R said no, don't know or refused to all birth control methods in EA series (computed variable EVERUSED = 2); R never had sex as of this month and never used a birth control method as of this month but ever used one or more birth control methods in EA series (WNFSTSEX GE 1093 and DATFIRSM GE 1093 and computed variable EVERUSED = 1); R did not use multiple methods in the month; or R used only 2 methods in the month; or R reported fewer than 2 BC method combinations; or R reported using fewer than 3 BC methods for this combination in this month of the method calendar.

1552	6480	2446	10842	Blank		= Blank, inapplicable
0	0	0	0	0	01	= NONE
0	0	0	0	0	02	= OFFICE USE ONLY
0	0	0	0	0	03	= BIRTH CONTROL PILLS
0	0	0	0	0	04	= CONDOM
0	0	0	0	0	05	= PARTNER'S VASECTOMY
0	0	0	0	0	06	= DIAPHRAGM
0	0	0	0	0	07	= FOAM
0	1	0	1	0	08	= JELLY OR CREAM
0	0	0	0	0	09	= CERVICAL CAP
0	0	0	0	0	10	= SUPPOSITORY, INSERT
0	0	0	0	0	11	= TODAY (TM) SPONGE
0	0	0	0	0	12	= FEMALE CONDOM, VAGINAL POUCH
0	0	0	0	0	13	= IUD, COIL, LOOP
0	0	0	0	0	14	= NORPLANT (TM)
0	0	0	0	0	15	= DEPO-PROVERA, INJECTABLES
0	0	0	0	0	16	= MORNING AFTER PILLS
1	0	0	1	0	17	= RHYTHM OR SAFE PERIOD BY CALENDAR
0	1	0	2	0	18	= SAFE PERIOD BY TEMP, CERVICAL MUCUS TEST,

1995 NATIONAL SURVEY OF FAMILY GROWTH
 File Documentation
 Respondent File (Section E Questionnaire Items)

VARIABLE NAME	COLUMN LOCATION	NON-HISPANIC			TOTAL	QX	TEXT AND CODE CATEGORIES
		HISP	WHITE	BLACK			
		0	1	0	1	19	NFP
		0	0	0	0	20	= WITHDRAWAL
		0	0	0	0	21	= RESPONDENT STERILE
							= PARTNER STERILE (NOT ON CARD)
		0	0	0	0	22	= OTHER METHOD-NOT SHOWN SEPARATELY
		0	0	0	0	97	= Not Ascertained
		0	0	0	0	98	= Refused
		0	0	0	0	99	= Don't Know

1995 NATIONAL SURVEY OF FAMILY GROWTH
 File Documentation
 Respondent File (Section E Questionnaire Items)

VARIABLE	COLUMN	NON-HISPANIC				QX TEXT AND CODE CATEGORIES
NAME	LOCATION	HISP	WHITE	BLACK		

[MTHUS331] 7858-7859

During that month, which (of those/other) methods, if any, did you use at the same time? (4th METHOD MENTIONED, 2nd COMBINATION, MC28)

Inapplicable:
 R said no, don't know or refused to all birth control methods in EA series (computed variable EVERUSED = 2); R never had sex as of this month and never used a birth control method as of this month but ever used one or more birth control methods in EA series (WNFSTSEX GE 1093 and DATFIRSM GE 1093 and computed variable EVERUSED = 1); R did not use multiple methods in the month; or R used only 2 methods in the month; or R reported fewer than 2 BC method combinations; or R reported using fewer than 4 BC methods for this combination in this month of the method calendar.

1553	6483	2446	10847	Blank	= Blank, inapplicable
0	0	0	0	01	= NONE
0	0	0	0	02	= OFFICE USE ONLY
0	0	0	0	03	= BIRTH CONTROL PILLS
0	0	0	0	04	= CONDOM
0	0	0	0	05	= PARTNER'S VASECTOMY
0	0	0	0	06	= DIAPHRAGM
0	0	0	0	07	= FOAM
0	0	0	0	08	= JELLY OR CREAM
0	0	0	0	09	= CERVICAL CAP
0	0	0	0	10	= SUPPOSITORY, INSERT
0	0	0	0	11	= TODAY (TM) SPONGE
0	0	0	0	12	= FEMALE CONDOM, VAGINAL POUCH
0	0	0	0	13	= IUD, COIL, LOOP
0	0	0	0	14	= NORPLANT (TM)
0	0	0	0	15	= DEPO-PROVERA, INJECTABLES
0	0	0	0	16	= MORNING AFTER PILLS
0	0	0	0	17	= RHYTHM OR SAFE PERIOD BY CALENDAR
0	0	0	0	18	= SAFE PERIOD BY TEMP, CERVICAL MUCUS TEST,

(4068)

1995 NATIONAL SURVEY OF FAMILY GROWTH
 File Documentation
 Respondent File (Section E Questionnaire Items)

VARIABLE NAME	COLUMN LOCATION	NON-HISPANIC			TOTAL	QX	TEXT AND CODE CATEGORIES
		HISP	WHITE	BLACK			
		0	0	0	0	19	NFP
		0	0	0	0	20	= WITHDRAWAL
		0	0	0	0	21	= RESPONDENT STERILE
							= PARTNER STERILE (NOT ON CARD)
		0	0	0	0	22	= OTHER METHOD-NOT SHOWN SEPARATELY
		0	0	0	0	97	= Not Ascertained
		0	0	0	0	98	= Refused
		0	0	0	0	99	= Don't Know

1995 NATIONAL SURVEY OF FAMILY GROWTH
 File Documentation
 Respondent File (Section E Questionnaire Items)

VARIABLE	COLUMN	NON-HISPANIC			QX TEXT AND CODE CATEGORIES
NAME	LOCATION	HISP	WHITE	BLACK	TOTAL

[MTHUS332] 7860-7861

During that month, which (of those/other) methods, if any, did you use at the same time? (1st METHOD MENTIONED, 3rd COMBINATION, MC28)

Inapplicable:
 R said no, don't know or refused to all birth control methods in EA series (computed variable EVERUSED = 2); R never had sex as of this month and never used a birth control method as of this month but ever used one or more birth control methods in EA series (WNFSTSEX GE 1093 and DATFIRSM GE 1093 and computed variable EVERUSED = 1); R did not use multiple methods in the month; or R used only 2 methods in the month; or R reported fewer than 3 BC method combinations.

1553	6482	2446	10846	Blank	= Blank, inapplicable
0	0	0	0	0 01	= NONE
0	0	0	0	0 02	= OFFICE USE ONLY
0	0	0	0	0 03	= BIRTH CONTROL PILLS
0	1	0	1	0 04	= CONDOM
0	0	0	0	0 05	= PARTNER'S VASECTOMY
0	0	0	0	0 06	= DIAPHRAGM
0	0	0	0	0 07	= FOAM
0	0	0	0	0 08	= JELLY OR CREAM
0	0	0	0	0 09	= CERVICAL CAP
0	0	0	0	0 10	= SUPPOSITORY, INSERT
0	0	0	0	0 11	= TODAY (TM) SPONGE
0	0	0	0	0 12	= FEMALE CONDOM, VAGINAL POUCH
0	0	0	0	0 13	= IUD, COIL, LOOP
0	0	0	0	0 14	= NORPLANT (TM)
0	0	0	0	0 15	= DEPO-PROVERA, INJECTABLES
0	0	0	0	0 16	= MORNING AFTER PILLS
0	0	0	0	0 17	= RHYTHM OR SAFE PERIOD BY CALENDAR
0	0	0	0	0 18	= SAFE PERIOD BY TEMP, CERVICAL MUCUS TEST, NFP
0	0	0	0	0 19	= WITHDRAWAL
0	0	0	0	0 20	= RESPONDENT STERILE

(4070)

1995 NATIONAL SURVEY OF FAMILY GROWTH
 File Documentation
 Respondent File (Section E Questionnaire Items)

VARIABLE NAME	COLUMN LOCATION	NON-HISPANIC			QX	TEXT AND CODE CATEGORIES
		HISP	WHITE	BLACK		
		0	0	0	0	21 = PARTNER STERILE (NOT ON CARD)
		0	0	0	0	22 = OTHER METHOD-NOT SHOWN SEPARATELY
		0	0	0	0	97 = Not Ascertained
		0	0	0	0	98 = Refused
		0	0	0	0	99 = Don't Know

1995 NATIONAL SURVEY OF FAMILY GROWTH
 File Documentation
 Respondent File (Section E Questionnaire Items)

VARIABLE	COLUMN	NON-HISPANIC				
NAME	LOCATION	HISP	WHITE	BLACK	TOTAL	QX TEXT AND CODE CATEGORIES

[MTHUS333] 7862-7863

During that month, which (of those/other) methods, if any, did you use at the same time? (2nd METHOD MENTIONED, 3rd COMBINATION, MC28)

Inapplicable:
 R said no, don't know or refused to all birth control methods in EA series (computed variable EVERUSED = 2); R never had sex as of this month and never used a birth control method as of this month but ever used one or more birth control methods in EA series (WNFSTSEX GE 1093 and DATFIRSM GE 1093 and computed variable EVERUSED = 1); R did not use multiple methods in the month; or R used only 2 methods in the month; or R reported fewer than 3 BC method combinations; or R reported using fewer than 2 BC methods for this combination in this month of the method calendar.

1553	6482	2446	10846	Blank	= Blank, inapplicable
0	0	0	0	01	= NONE
0	0	0	0	02	= OFFICE USE ONLY
0	0	0	0	03	= BIRTH CONTROL PILLS
0	0	0	0	04	= CONDOM
0	0	0	0	05	= PARTNER'S VASECTOMY
0	0	0	0	06	= DIAPHRAGM
0	0	0	0	07	= FOAM
0	0	0	0	08	= JELLY OR CREAM
0	0	0	0	09	= CERVICAL CAP
0	0	0	0	10	= SUPPOSITORY, INSERT
0	0	0	0	11	= TODAY (TM) SPONGE
0	0	0	0	12	= FEMALE CONDOM, VAGINAL POUCH
0	0	0	0	13	= IUD, COIL, LOOP
0	0	0	0	14	= NORPLANT (TM)
0	0	0	0	15	= DEPO-PROVERA, INJECTABLES
0	0	0	0	16	= MORNING AFTER PILLS
0	1	0	1	17	= RHYTHM OR SAFE PERIOD BY CALENDAR
0	0	0	0	18	= SAFE PERIOD BY TEMP, CERVICAL MUCUS TEST,

1995 NATIONAL SURVEY OF FAMILY GROWTH
 File Documentation
 Respondent File (Section E Questionnaire Items)

VARIABLE NAME	COLUMN LOCATION	NON-HISPANIC			TOTAL	QX	TEXT AND CODE CATEGORIES
		HISP	WHITE	BLACK			
		0	0	0	0	19	NFP = WITHDRAWAL
		0	0	0	0	20	= RESPONDENT STERILE
		0	0	0	0	21	= PARTNER STERILE (NOT ON CARD)
		0	0	0	0	22	= OTHER METHOD-NOT SHOWN SEPARATELY
		0	0	0	0	97	= Not Ascertained
		0	0	0	0	98	= Refused
		0	0	0	0	99	= Don't Know

1995 NATIONAL SURVEY OF FAMILY GROWTH
 File Documentation
 Respondent File (Section E Questionnaire Items)

VARIABLE	COLUMN	NON-HISPANIC				
NAME	LOCATION	HISP	WHITE	BLACK	TOTAL	QX TEXT AND CODE CATEGORIES

[MTHUS334] 7864-7865

During that month, which (of those/other) methods, if any, did you use at the same time? (3rd METHOD MENTIONED, 3rd COMBINATION, MC28)

Inapplicable:
 R said no, don't know or refused to all birth control methods in EA series (computed variable EVERUSED = 2); R never had sex as of this month and never used a birth control method as of this month but ever used one or more birth control methods in EA series (WNFSTSEX GE 1093 and DATFIRSM GE 1093 and computed variable EVERUSED = 1); R did not use multiple methods in the month; or R used only 2 methods in the month; or R reported fewer than 3 BC method combinations; or R reported using fewer than 3 BC methods for this combination in this month of the method calendar.

1553	6483	2446	10847	Blank	= Blank, inapplicable
0	0	0	0	01	= NONE
0	0	0	0	02	= OFFICE USE ONLY
0	0	0	0	03	= BIRTH CONTROL PILLS
0	0	0	0	04	= CONDOM
0	0	0	0	05	= PARTNER'S VASECTOMY
0	0	0	0	06	= DIAPHRAGM
0	0	0	0	07	= FOAM
0	0	0	0	08	= JELLY OR CREAM
0	0	0	0	09	= CERVICAL CAP
0	0	0	0	10	= SUPPOSITORY, INSERT
0	0	0	0	11	= TODAY (TM) SPONGE
0	0	0	0	12	= FEMALE CONDOM, VAGINAL POUCH
0	0	0	0	13	= IUD, COIL, LOOP
0	0	0	0	14	= NORPLANT (TM)
0	0	0	0	15	= DEPO-PROVERA, INJECTABLES
0	0	0	0	16	= MORNING AFTER PILLS
0	0	0	0	17	= RHYTHM OR SAFE PERIOD BY CALENDAR
0	0	0	0	18	= SAFE PERIOD BY TEMP, CERVICAL MUCUS TEST,

1995 NATIONAL SURVEY OF FAMILY GROWTH
 File Documentation
 Respondent File (Section E Questionnaire Items)

VARIABLE NAME	COLUMN LOCATION	NON-HISPANIC			TOTAL	QX	TEXT AND CODE CATEGORIES
		HISP	WHITE	BLACK			
		0	0	0	0	19	NFP
		0	0	0	0	20	= WITHDRAWAL
		0	0	0	0	21	= RESPONDENT STERILE
							= PARTNER STERILE (NOT ON CARD)
		0	0	0	0	22	= OTHER METHOD-NOT SHOWN SEPARATELY
		0	0	0	0	97	= Not Ascertained
		0	0	0	0	98	= Refused
		0	0	0	0	99	= Don't Know

1995 NATIONAL SURVEY OF FAMILY GROWTH
File Documentation
Respondent File (Section E Questionnaire Items)

VARIABLE	COLUMN	NON-HISPANIC							
NAME	LOCATION	HISP	WHITE	BLACK					

[MTHUS335] 7866-7867

During that month, which (of those/other) methods, if any, did you use at the same time? (4th METHOD MENTIONED, 3rd COMBINATION, MC28)

Inapplicable:
R said no, don't know or refused to all birth control methods in EA series (computed variable EVERUSED = 2); R never had sex as of this month and never used a birth control method as of this month but ever used one or more birth control methods in EA series (WNFSTSEX GE 1093 and DATFIRSM GE 1093 and computed variable EVERUSED = 1); R did not use multiple methods in the month; or R used only 2 methods in the month; or R reported fewer than 3 BC method combinations; or R reported using fewer than 4 BC methods for this combination in this month of the method calendar.

1553	6483	2446	10847	Blank	= Blank, inapplicable
0	0	0	0	01	= NONE
0	0	0	0	02	= OFFICE USE ONLY
0	0	0	0	03	= BIRTH CONTROL PILLS
0	0	0	0	04	= CONDOM
0	0	0	0	05	= PARTNER'S VASECTOMY
0	0	0	0	06	= DIAPHRAGM
0	0	0	0	07	= FOAM
0	0	0	0	08	= JELLY OR CREAM
0	0	0	0	09	= CERVICAL CAP
0	0	0	0	10	= SUPPOSITORY, INSERT
0	0	0	0	11	= TODAY (TM) SPONGE
0	0	0	0	12	= FEMALE CONDOM, VAGINAL POUCH
0	0	0	0	13	= IUD, COIL, LOOP
0	0	0	0	14	= NORPLANT (TM)
0	0	0	0	15	= DEPO-PROVERA, INJECTABLES
0	0	0	0	16	= MORNING AFTER PILLS
0	0	0	0	17	= RHYTHM OR SAFE PERIOD BY CALENDAR
0	0	0	0	18	= SAFE PERIOD BY TEMP, CERVICAL MUCUS TEST,

1995 NATIONAL SURVEY OF FAMILY GROWTH
 File Documentation
 Respondent File (Section E Questionnaire Items)

VARIABLE NAME	COLUMN LOCATION	NON-HISPANIC			TOTAL	QX	TEXT AND CODE CATEGORIES
		HISP	WHITE	BLACK			
		0	0	0	0	19	NFP
		0	0	0	0	20	= WITHDRAWAL
		0	0	0	0	21	= RESPONDENT STERILE
							= PARTNER STERILE (NOT ON CARD)
		0	0	0	0	22	= OTHER METHOD-NOT SHOWN SEPARATELY
		0	0	0	0	97	= Not Ascertained
		0	0	0	0	98	= Refused
		0	0	0	0	99	= Don't Know

1995 NATIONAL SURVEY OF FAMILY GROWTH
 File Documentation
 Respondent File (Section E Questionnaire Items)

VARIABLE NAME	COLUMN LOCATION	NON-HISPANIC			QX TEXT AND CODE CATEGORIES		
		HISP	WHITE	BLACK		TOTAL	
[METHH112]	7868-7869				ENTER METHOD (FIRST MENTIONED) USED IN MAY 1993: (MC29)		
					Inapplicable: R never had sex as of this month and never used a birth control method as of this month but ever used one or more birth control methods in EA series (WNFSTSEX GE 1093 and DATFIRSM GE 1093 and computed variable EVERUSED = 1); R never had sex and said no, don't know or refused to all birth control methods in EA series (computed variable RHADSEX coded 2,7,8 or 9 and computed variable EVERUSED = 2); R said no, don't know or refused to all birth control methods in EA series (computed variable EVERUSED = 2).		
		307	919	306	1639	Blank	= Blank, inapplicable
		341	1251	567	2223	01	= NO METHODS USED
		0	0	0	0	02	= SAME AS PREVIOUS MONTH
		243	1308	423	2007	03	= BIRTH CONTROL PILLS
		187	832	390	1473	04	= CONDOM
		21	332	9	372	05	= PARTNER'S VASECTOMY
		6	102	12	122	06	= DIAPHRAGM
		6	26	2	34	07	= FOAM
		1	9	1	11	08	= JELLY OR CREAM
		0	3	0	3	09	= CERVICAL CAP
		7	22	5	36	10	= SUPPOSITORY, INSERT
		1	35	8	44	11	= TODAY (TM) SPONGE
		0	1	0	1	12	= FEMALE CONDOM, VAGINAL POUCH
		20	31	18	72	13	= IUD, COIL, LOOP
		20	37	39	99	14	= NORPLANT (TM)
		17	23	15	56	15	= DEPO-PROVERA, INJECTABLES
		0	0	0	0	16	= MORNING AFTER PILLS
		29	106	18	165	17	= RHYTHM OR SAFE PERIOD BY CALENDAR
		2	15	0	17	18	= SAFE PERIOD BY TEMP, CERVICAL MUCUS TEST, NFP
		43	136	25	216	19	= WITHDRAWAL
		283	1114	587	2031	20	= RESPONDENT STERILE

1995 NATIONAL SURVEY OF FAMILY GROWTH
 File Documentation
 Respondent File (Section E Questionnaire Items)

VARIABLE NAME	COLUMN LOCATION	NON-HISPANIC			TOTAL	QX	TEXT AND CODE CATEGORIES
		HISP	WHITE	BLACK			
		17	169	12	202	21	= PARTNER STERILE (NOT ON CARD)
		2	2	5	9	22	= OTHER METHOD-NOT SHOWN SEPARATELY
		0	0	0	0	55	= SAME METHODS USED THROUGH END OF YEAR
		0	2	2	4	97	= Not Ascertained
		0	6	2	8	98	= Refused
		0	2	0	3	99	= Don't Know

1995 NATIONAL SURVEY OF FAMILY GROWTH
 File Documentation
 Respondent File (Section E Questionnaire Items)

VARIABLE COLUMN NON-HISPANIC
 NAME LOCATION HISP WHITE BLACK TOTAL QX TEXT AND CODE CATEGORIES

[METHH113] 7870-7871 ENTER METHOD (SECOND MENTIONED) USED
 IN MAY 1993: (MC29)

Inapplicable:
 R never had sex as of this month and never used a birth control method as of this month but ever used one or more birth control methods in EA series (WNFSTSEX GE 1093 and DATFIRSM GE 1093 and computed variable EVERUSED = 1); R never had sex and said no, don't know or refused to all birth control methods in EA series (computed variable RHADSEX coded 2,7,8 or 9 and computed variable EVERUSED = 2); R said no, don't know or refused to all birth control methods in EA series (computed variable EVERUSED = 2); R used fewer than 2 methods in month.

1480	6050	2286	10154	Blank	= Blank, inapplicable
0	0	0	0	01	= NO METHODS USED
0	0	0	0	02	= SAME AS PREVIOUS MONTH
0	10	3	13	03	= BIRTH CONTROL PILLS
21	130	77	236	04	= CONDOM
0	12	2	14	05	= PARTNER'S VASECTOMY
3	12	3	18	06	= DIAPHRAGM
6	26	8	42	07	= FOAM
2	14	6	22	08	= JELLY OR CREAM
0	0	0	0	09	= CERVICAL CAP
3	8	7	18	10	= SUPPOSITORY, INSERT
0	11	5	17	11	= TODAY (TM) SPONGE
0	0	0	0	12	= FEMALE CONDOM, VAGINAL POUCH
0	0	0	0	13	= IUD, COIL, LOOP
0	2	2	4	14	= NORPLANT (TM)
0	2	1	3	15	= DEPO-PROVERA, INJECTABLES
0	0	0	0	16	= MORNING AFTER PILLS
14	62	7	89	17	= RHYTHM OR SAFE PERIOD BY CALENDAR
0	9	1	10	18	= SAFE PERIOD BY TEMP, CERVICAL MUCUS TEST, NFP
23	109	19	159	19	= WITHDRAWAL

(4080)

1995 NATIONAL SURVEY OF FAMILY GROWTH
 File Documentation
 Respondent File (Section E Questionnaire Items)

VARIABLE NAME	COLUMN LOCATION	NON-HISPANIC			TOTAL	QX	TEXT AND CODE CATEGORIES
		HISP	WHITE	BLACK			
		1	9	14	24	20	= RESPONDENT STERILE
		0	7	0	8	21	= PARTNER STERILE (NOT ON CARD)
		0	0	1	1	22	= OTHER METHOD-NOT SHOWN SEPARATELY
		0	0	0	0	55	= SAME METHODS USED THROUGH END OF YEAR
		0	2	2	4	97	= Not Ascertained
		0	6	2	8	98	= Refused
		0	2	0	3	99	= Don't Know

1995 NATIONAL SURVEY OF FAMILY GROWTH
 File Documentation
 Respondent File (Section E Questionnaire Items)

VARIABLE NAME	COLUMN LOCATION	NON-HISPANIC			TOTAL	QX	TEXT AND CODE CATEGORIES
		HISP	WHITE	BLACK			
		1	7	18	26	20	= RESPONDENT STERILE
		0	0	0	0	21	= PARTNER STERILE (NOT ON CARD)
		1	0	0	2	22	= OTHER METHOD-NOT SHOWN SEPARATELY
		0	0	0	0	55	= SAME METHODS USED THROUGH END OF YEAR
		0	2	2	4	97	= Not Ascertained
		0	6	2	8	98	= Refused
		0	2	0	3	99	= Don't Know

1995 NATIONAL SURVEY OF FAMILY GROWTH
 File Documentation
 Respondent File (Section E Questionnaire Items)

VARIABLE NAME	COLUMN LOCATION	NON-HISPANIC			TOTAL	QX	TEXT AND CODE CATEGORIES
		HISP	WHITE	BLACK			
		0	0	0	0	20	= RESPONDENT STERILE
		0	0	0	0	21	= PARTNER STERILE (NOT ON CARD)
		0	0	0	0	22	= OTHER METHOD-NOT SHOWN SEPARATELY
		0	0	0	0	55	= SAME METHODS USED THROUGH END OF YEAR
		0	2	2	4	97	= Not Ascertained
		0	6	2	8	98	= Refused
		0	2	0	3	99	= Don't Know

[SIMSEQ28] 7876-7876

Did you use those methods together,
 that is, at the same time, or did
 you use them at different times
 during the month? (MC29)

Inapplicable:

R never had sex as of this month and
 never used a birth control method as
 of this month but ever used one or
 more birth control methods in EA
 series (WNFSTSEX GE 1093 and
 DATFIRSM GE 1093 and computed
 variable EVERUSED = 1); R never had
 sex and said no, don't know or
 refused to all birth control methods
 in EA series (computed variable
 RHADSEX coded 2,7,8 or 9 and
 computed variable EVERUSED = 2); R
 said no, don't know or refused to
 all birth control methods in EA
 series (computed variable EVERUSED =
 2); R did not use multiple methods
 in the month; R used more than 2
 methods in the month.

1492	6111	2298	10242	Blank	= Blank, inapplicable
31	242	117	402	1	= SAME TIME
30	130	31	203	2	= DIFFERENT TIMES
0	0	0	0	7	= Not Ascertained
0	0	0	0	8	= Refused
0	0	0	0	9	= Don't Know

1995 NATIONAL SURVEY OF FAMILY GROWTH
 File Documentation
 Respondent File (Section E Questionnaire Items)

VARIABLE COLUMN NON-HISPANIC
 NAME LOCATION HISP WHITE BLACK TOTAL QX TEXT AND CODE CATEGORIES

[MTHUS336] 7877-7878

During that month, which (of those/other) methods, if any, did you use at the same time? (1st METHOD MENTIONED, 1st COMBINATION, MC29)

Inapplicable:

R said no, don't know or refused to all birth control methods in EA series (computed variable EVERUSED = 2); R never had sex as of this month and never used a birth control method as of this month but ever used one or more birth control methods in EA series (WNFSTSEX GE 1093 and DATFIRSM GE 1093 and computed variable EVERUSED = 1); R did not use multiple methods in the month; or R used only 2 methods in the month.

1541	6432	2438	10774	Blank	= Blank, inapplicable
3	10	2	15	01	= NONE
0	0	0	0	02	= OFFICE USE ONLY
1	5	1	8	03	= BIRTH CONTROL PILLS
8	20	3	32	04	= CONDOM
0	0	0	0	05	= PARTNER'S VASECTOMY
0	4	0	4	06	= DIAPHRAGM
0	2	0	2	07	= FOAM
0	0	0	0	08	= JELLY OR CREAM
0	0	0	0	09	= CERVICAL CAP
0	0	0	0	10	= SUPPOSITORY, INSERT
0	3	0	3	11	= TODAY (TM) SPONGE
0	0	0	0	12	= FEMALE CONDOM, VAGINAL POUCH
0	0	0	0	13	= IUD, COIL, LOOP
0	0	0	0	14	= NORPLANT (TM)
0	0	0	0	15	= DEPO-PROVERA, INJECTABLES
0	0	0	0	16	= MORNING AFTER PILLS
0	6	0	6	17	= RHYTHM OR SAFE PERIOD BY CALENDAR
0	0	0	0	18	= SAFE PERIOD BY TEMP, CERVICAL MUCUS TEST, NFP
0	1	1	2	19	= WITHDRAWAL
0	0	1	1	20	= RESPONDENT STERILE
0	0	0	0	21	= PARTNER STERILE (NOT

(4086)

1995 NATIONAL SURVEY OF FAMILY GROWTH
 File Documentation
 Respondent File (Section E Questionnaire Items)

VARIABLE NAME	COLUMN LOCATION	NON-HISPANIC			TOTAL	QX	TEXT AND CODE CATEGORIES
		HISP	WHITE	BLACK			
		0	0	0	0	22	ON CARD) = OTHER METHOD-NOT SHOWN SEPARATELY
		0	0	0	0	97	= Not Ascertained
		0	0	0	0	98	= Refused
		0	0	0	0	99	= Don't Know

1995 NATIONAL SURVEY OF FAMILY GROWTH
 File Documentation
 Respondent File (Section E Questionnaire Items)

VARIABLE	COLUMN	NON-HISPANIC				
NAME	LOCATION	HISP	WHITE	BLACK		TOTAL

[MTHUS337] 7879-7880

During that month, which (of those/other) methods, if any, did you use at the same time? (2nd METHOD MENTIONED, 1st COMBINATION, MC29)

Inapplicable:
 R said no, don't know or refused to all birth control methods in EA series (computed variable EVERUSED = 2); R never had sex as of this month and never used a birth control method as of this month but ever used one or more birth control methods in EA series (WNFSTSEX GE 1093 and DATFIRSM GE 1093 and computed variable EVERUSED = 1); R did not use multiple methods in the month; or R used only 2 methods in the month; or R reported using fewer than 2 BC methods for this combination in this month of the method calendar.

1544	6442	2440	10789	Blank	= Blank, inapplicable
0	0	0	0	01	= NONE
0	0	0	0	02	= OFFICE USE ONLY
0	0	0	0	03	= BIRTH CONTROL PILLS
1	8	2	11	04	= CONDOM
0	1	0	1	05	= PARTNER'S VASECTOMY
0	0	0	0	06	= DIAPHRAGM
1	3	0	4	07	= FOAM
1	1	2	4	08	= JELLY OR CREAM
0	0	0	0	09	= CERVICAL CAP
1	0	1	2	10	= SUPPOSITORY, INSERT
0	1	0	1	11	= TODAY (TM) SPONGE
0	0	0	0	12	= FEMALE CONDOM, VAGINAL POUCH
0	0	0	0	13	= IUD, COIL, LOOP
0	0	0	0	14	= NORPLANT (TM)
0	0	0	0	15	= DEPO-PROVERA, INJECTABLES
0	1	0	1	16	= MORNING AFTER PILLS
4	16	0	20	17	= RHYTHM OR SAFE PERIOD BY CALENDAR
0	2	0	2	18	= SAFE PERIOD BY TEMP, CERVICAL MUCUS TEST, NFP

1995 NATIONAL SURVEY OF FAMILY GROWTH
 File Documentation
 Respondent File (Section E Questionnaire Items)

VARIABLE NAME	COLUMN LOCATION	NON-HISPANIC			TOTAL	QX	TEXT AND CODE CATEGORIES
		HISP	WHITE	BLACK			
		1	8	1	12	19	= WITHDRAWAL
		0	0	0	0	20	= RESPONDENT STERILE
		0	0	0	0	21	= PARTNER STERILE (NOT ON CARD)
		0	0	0	0	22	= OTHER METHOD-NOT SHOWN SEPARATELY
		0	0	0	0	97	= Not Ascertained
		0	0	0	0	98	= Refused
		0	0	0	0	99	= Don't Know

1995 NATIONAL SURVEY OF FAMILY GROWTH
 File Documentation
 Respondent File (Section E Questionnaire Items)

VARIABLE	COLUMN	NON-HISPANIC				QX TEXT AND CODE CATEGORIES
NAME	LOCATION	HISP	WHITE	BLACK		

[MTHUS338] 7881-7882

During that month, which (of those/other) methods, if any, did you use at the same time? (3rd METHOD MENTIONED, 1st COMBINATION, MC29)

Inapplicable:
 R said no, don't know or refused to all birth control methods in EA series (computed variable EVERUSED = 2); R never had sex as of this month and never used a birth control method as of this month but ever used one or more birth control methods in EA series (WNFSTSEX GE 1093 and DATFIRSM GE 1093 and computed variable EVERUSED = 1); R did not use multiple methods in the month; or R used only 2 methods in the month; or R reported using fewer than 3 BC methods for this combination in this month of the method calendar.

1545	6460	2445	10815	Blank	= Blank, inapplicable
0	0	0	0	01	= NONE
0	0	0	0	02	= OFFICE USE ONLY
0	0	0	0	03	= BIRTH CONTROL PILLS
0	0	0	0	04	= CONDOM
1	0	0	1	05	= PARTNER'S VASECTOMY
0	0	0	0	06	= DIAPHRAGM
2	0	0	2	07	= FOAM
0	2	0	2	08	= JELLY OR CREAM
0	0	0	0	09	= CERVICAL CAP
0	0	0	0	10	= SUPPOSITORY, INSERT
1	2	0	3	11	= TODAY (TM) SPONGE
0	0	0	0	12	= FEMALE CONDOM, VAGINAL POUCH
0	0	0	0	13	= IUD, COIL, LOOP
0	0	0	0	14	= NORPLANT (TM)
0	0	0	0	15	= DEPO-PROVERA, INJECTABLES
0	0	0	0	16	= MORNING AFTER PILLS
2	3	1	6	17	= RHYTHM OR SAFE PERIOD BY CALENDAR
0	3	0	3	18	= SAFE PERIOD BY TEMP, CERVICAL MUCUS TEST, NFP

1995 NATIONAL SURVEY OF FAMILY GROWTH
 File Documentation
 Respondent File (Section E Questionnaire Items)

VARIABLE NAME	COLUMN LOCATION	NON-HISPANIC			TOTAL	QX	TEXT AND CODE CATEGORIES
		HISP	WHITE	BLACK			
		1	13	0	14	19	= WITHDRAWAL
		0	0	0	0	20	= RESPONDENT STERILE
		0	0	0	0	21	= PARTNER STERILE (NOT ON CARD)
		1	0	0	1	22	= OTHER METHOD-NOT SHOWN SEPARATELY
		0	0	0	0	97	= Not Ascertained
		0	0	0	0	98	= Refused
		0	0	0	0	99	= Don't Know

1995 NATIONAL SURVEY OF FAMILY GROWTH
 File Documentation
 Respondent File (Section E Questionnaire Items)

VARIABLE COLUMN NON-HISPANIC
 NAME LOCATION HISP WHITE BLACK TOTAL QX TEXT AND CODE CATEGORIES

[MTHUS339] 7883-7884

During that month, which (of those/other) methods, if any, did you use at the same time? (4th METHOD MENTIONED, 1st COMBINATION, MC29)

Inapplicable:
 R said no, don't know or refused to all birth control methods in EA series (computed variable EVERUSED = 2); R never had sex as of this month and never used a birth control method as of this month but ever used one or more birth control methods in EA series (WNFSTSEX GE 1093 and DATFIRSM GE 1093 and computed variable EVERUSED = 1); R did not use multiple methods in the month; or R used only 2 methods in the month; or R reported using fewer than 4 BC methods for this combination in this month of the method calendar.

1553	6482	2445	10845	Blank	= Blank, inapplicable
0	0	0	0	01	= NONE
0	0	0	0	02	= OFFICE USE ONLY
0	0	0	0	03	= BIRTH CONTROL PILLS
0	1	0	1	04	= CONDOM
0	0	0	0	05	= PARTNER'S VASECTOMY
0	0	0	0	06	= DIAPHRAGM
0	0	0	0	07	= FOAM
0	0	0	0	08	= JELLY OR CREAM
0	0	0	0	09	= CERVICAL CAP
0	0	0	0	10	= SUPPOSITORY, INSERT
0	0	0	0	11	= TODAY (TM) SPONGE
0	0	0	0	12	= FEMALE CONDOM, VAGINAL POUCH
0	0	0	0	13	= IUD, COIL, LOOP
0	0	0	0	14	= NORPLANT (TM)
0	0	0	0	15	= DEPO-PROVERA, INJECTABLES
0	0	0	0	16	= MORNING AFTER PILLS
0	0	0	0	17	= RHYTHM OR SAFE PERIOD BY CALENDAR
0	0	1	1	18	= SAFE PERIOD BY TEMP, CERVICAL MUCUS TEST, NFP

1995 NATIONAL SURVEY OF FAMILY GROWTH
 File Documentation
 Respondent File (Section E Questionnaire Items)

VARIABLE NAME	COLUMN LOCATION	NON-HISPANIC			TOTAL	QX	TEXT AND CODE CATEGORIES
		HISP	WHITE	BLACK			
		0	0	0	0	19	= WITHDRAWAL
		0	0	0	0	20	= RESPONDENT STERILE
		0	0	0	0	21	= PARTNER STERILE (NOT ON CARD)
		0	0	0	0	22	= OTHER METHOD-NOT SHOWN SEPARATELY
		0	0	0	0	97	= Not Ascertained
		0	0	0	0	98	= Refused
		0	0	0	0	99	= Don't Know

1995 NATIONAL SURVEY OF FAMILY GROWTH
 File Documentation
 Respondent File (Section E Questionnaire Items)

VARIABLE COLUMN NON-HISPANIC
 NAME LOCATION HISP WHITE BLACK TOTAL QX TEXT AND CODE CATEGORIES

[MTHUS340] 7885-7886

During that month, which (of those/other) methods, if any, did you use at the same time? (1st METHOD MENTIONED, 2nd COMBINATION, MC29)

Inapplicable:
 R said no, don't know or refused to all birth control methods in EA series (computed variable EVERUSED = 2); R never had sex as of this month and never used a birth control method as of this month but ever used one or more birth control methods in EA series (WNFSTSEX GE 1093 and DATFIRSM GE 1093 and computed variable EVERUSED = 1); R did not use multiple methods in the month; or R used only 2 methods in the month; or R reported fewer than 2 BC method combinations.

	1544	6442	2440	10789	Blank	
	5	30	4	41	01	= Blank, inapplicable
	0	0	0	0	02	= NONE
	0	2	0	2	03	= OFFICE USE ONLY
	1	5	0	6	04	= BIRTH CONTROL PILLS
	0	0	0	0	05	= CONDOM
	0	0	0	0	06	= PARTNER'S VASECTOMY
	1	1	0	2	07	= DIAPHRAGM
	0	0	0	0	08	= FOAM
	0	0	0	0	09	= JELLY OR CREAM
	0	0	0	0	10	= CERVICAL CAP
	0	0	0	0	11	= SUPPOSITORY, INSERT
	0	0	0	0	12	= TODAY (TM) SPONGE
	0	0	0	0	13	= FEMALE CONDOM, VAGINAL POUCH
	0	0	0	0	14	= IUD, COIL, LOOP
	0	0	0	0	15	= NORPLANT (TM)
	0	0	0	0	16	= DEPO-PROVERA, INJECTABLES
	0	0	0	0	17	= MORNING AFTER PILLS
	0	3	0	3	18	= RHYTHM OR SAFE PERIOD BY CALENDAR
	0	0	0	0	19	= SAFE PERIOD BY TEMP, CERVICAL MUCUS TEST, NFP
	1	0	1	2	20	= WITHDRAWAL
	0	0	1	1	20	= RESPONDENT STERILE

(4094)

1995 NATIONAL SURVEY OF FAMILY GROWTH
 File Documentation
 Respondent File (Section E Questionnaire Items)

VARIABLE NAME	COLUMN LOCATION	NON-HISPANIC			QX	TEXT AND CODE CATEGORIES	
		HISP	WHITE	BLACK			TOTAL
		0	0	0	0	21	= PARTNER STERILE (NOT ON CARD)
		1	0	0	1	22	= OTHER METHOD-NOT SHOWN SEPARATELY
		0	0	0	0	97	= Not Ascertained
		0	0	0	0	98	= Refused
		0	0	0	0	99	= Don't Know

1995 NATIONAL SURVEY OF FAMILY GROWTH
 File Documentation
 Respondent File (Section E Questionnaire Items)

VARIABLE	COLUMN	NON-HISPANIC				
NAME	LOCATION	HISP	WHITE	BLACK	TOTAL	QX TEXT AND CODE CATEGORIES

[MTHUS341] 7887-7888

During that month, which (of those/other) methods, if any, did you use at the same time? (2nd METHOD MENTIONED, 2nd COMBINATION, MC29)

Inapplicable:
 R said no, don't know or refused to all birth control methods in EA series (computed variable EVERUSED = 2); R never had sex as of this month and never used a birth control method as of this month but ever used one or more birth control methods in EA series (WNFSTSEX GE 1093 and DATFIRSM GE 1093 and computed variable EVERUSED = 1); R did not use multiple methods in the month; or R used only 2 methods in the month; or R reported fewer than 2 BC method combinations; or R reported using fewer than 2 BC methods for this combination in this month of the method calendar.

1551	6473	2444	10833	Blank	= Blank, inapplicable
0	0	0	0	01	= NONE
0	0	0	0	02	= OFFICE USE ONLY
0	0	0	0	03	= BIRTH CONTROL PILLS
1	1	0	2	04	= CONDOM
0	1	0	1	05	= PARTNER'S VASECTOMY
0	0	0	0	06	= DIAPHRAGM
0	1	0	1	07	= FOAM
0	0	0	0	08	= JELLY OR CREAM
0	0	0	0	09	= CERVICAL CAP
0	0	1	1	10	= SUPPOSITORY, INSERT
0	1	0	1	11	= TODAY (TM) SPONGE
0	0	0	0	12	= FEMALE CONDOM, VAGINAL POUCH
0	0	0	0	13	= IUD, COIL, LOOP
0	0	0	0	14	= NORPLANT (TM)
0	0	0	0	15	= DEPO-PROVERA, INJECTABLES
0	0	0	0	16	= MORNING AFTER PILLS
1	2	0	3	17	= RHYTHM OR SAFE PERIOD BY CALENDAR
0	1	0	1	18	= SAFE PERIOD BY TEMP, CERVICAL MUCUS TEST,

1995 NATIONAL SURVEY OF FAMILY GROWTH
 File Documentation
 Respondent File (Section E Questionnaire Items)

VARIABLE NAME	COLUMN LOCATION	NON-HISPANIC			TOTAL	QX	TEXT AND CODE CATEGORIES
		HISP	WHITE	BLACK			
		0	3	1	4	19	NFP
		0	0	0	0	20	= WITHDRAWAL
		0	0	0	0	21	= RESPONDENT STERILE
							= PARTNER STERILE (NOT ON CARD)
		0	0	0	0	22	= OTHER METHOD-NOT SHOWN SEPARATELY
		0	0	0	0	97	= Not Ascertained
		0	0	0	0	98	= Refused
		0	0	0	0	99	= Don't Know

1995 NATIONAL SURVEY OF FAMILY GROWTH
 File Documentation
 Respondent File (Section E Questionnaire Items)

VARIABLE NAME	COLUMN LOCATION	NON-HISPANIC			TOTAL	QX	TEXT AND CODE CATEGORIES
		HISP	WHITE	BLACK			
		1	1	0	2	19	NFP
		0	0	0	0	20	= WITHDRAWAL
		0	0	0	0	21	= RESPONDENT STERILE
							= PARTNER STERILE (NOT ON CARD)
		0	0	0	0	22	= OTHER METHOD-NOT SHOWN SEPARATELY
		0	0	0	0	97	= Not Ascertained
		0	0	0	0	98	= Refused
		0	0	0	0	99	= Don't Know

1995 NATIONAL SURVEY OF FAMILY GROWTH
 File Documentation
 Respondent File (Section E Questionnaire Items)

VARIABLE	COLUMN	NON-HISPANIC				
NAME	LOCATION	HISP	WHITE	BLACK	TOTAL	QX TEXT AND CODE CATEGORIES

[MTHUS343] 7891-7892

During that month, which (of those/other) methods, if any, did you use at the same time? (4th METHOD MENTIONED, 2nd COMBINATION, MC29)

Inapplicable:
 R said no, don't know or refused to all birth control methods in EA series (computed variable EVERUSED = 2); R never had sex as of this month and never used a birth control method as of this month but ever used one or more birth control methods in EA series (WNFSTSEX GE 1093 and DATFIRSM GE 1093 and computed variable EVERUSED = 1); R did not use multiple methods in the month; or R used only 2 methods in the month; or R reported fewer than 2 BC method combinations; or R reported using fewer than 4 BC methods for this combination in this month of the method calendar.

1553	6483	2446	10847	Blank	= Blank, inapplicable
0	0	0	0	01	= NONE
0	0	0	0	02	= OFFICE USE ONLY
0	0	0	0	03	= BIRTH CONTROL PILLS
0	0	0	0	04	= CONDOM
0	0	0	0	05	= PARTNER'S VASECTOMY
0	0	0	0	06	= DIAPHRAGM
0	0	0	0	07	= FOAM
0	0	0	0	08	= JELLY OR CREAM
0	0	0	0	09	= CERVICAL CAP
0	0	0	0	10	= SUPPOSITORY, INSERT
0	0	0	0	11	= TODAY (TM) SPONGE
0	0	0	0	12	= FEMALE CONDOM, VAGINAL POUCH
0	0	0	0	13	= IUD, COIL, LOOP
0	0	0	0	14	= NORPLANT (TM)
0	0	0	0	15	= DEPO-PROVERA, INJECTABLES
0	0	0	0	16	= MORNING AFTER PILLS
0	0	0	0	17	= RHYTHM OR SAFE PERIOD BY CALENDAR
0	0	0	0	18	= SAFE PERIOD BY TEMP, CERVICAL MUCUS TEST,

(4100)

1995 NATIONAL SURVEY OF FAMILY GROWTH
 File Documentation
 Respondent File (Section E Questionnaire Items)

VARIABLE NAME	COLUMN LOCATION	NON-HISPANIC			TOTAL	QX	TEXT AND CODE CATEGORIES
		HISP	WHITE	BLACK			
		0	0	0	0	19	NFP = WITHDRAWAL
		0	0	0	0	20	= RESPONDENT STERILE
		0	0	0	0	21	= PARTNER STERILE (NOT ON CARD)
		0	0	0	0	22	= OTHER METHOD-NOT SHOWN SEPARATELY
		0	0	0	0	97	= Not Ascertained
		0	0	0	0	98	= Refused
		0	0	0	0	99	= Don't Know

1995 NATIONAL SURVEY OF FAMILY GROWTH
 File Documentation
 Respondent File (Section E Questionnaire Items)

VARIABLE COLUMN NON-HISPANIC
 NAME LOCATION HISP WHITE BLACK TOTAL QX TEXT AND CODE CATEGORIES

[MTHUS344] 7893-7894

During that month, which (of those/other) methods, if any, did you use at the same time? (1st METHOD MENTIONED, 3rd COMBINATION, MC29)

Inapplicable:
 R said no, don't know or refused to all birth control methods in EA series (computed variable EVERUSED = 2); R never had sex as of this month and never used a birth control method as of this month but ever used one or more birth control methods in EA series (WNFSTSEX GE 1093 and DATFIRSM GE 1093 and computed variable EVERUSED = 1); R did not use multiple methods in the month; or R used only 2 methods in the month; or R reported fewer than 3 BC method combinations.

	1553	6482	2446	10846	Blank	
	0	0	0	0	0	01 = Blank, inapplicable
	0	0	0	0	0	02 = NONE
	0	0	0	0	0	03 = OFFICE USE ONLY
	0	1	0	1	0	04 = BIRTH CONTROL PILLS
	0	0	0	0	0	05 = CONDOM
	0	0	0	0	0	06 = PARTNER'S VASECTOMY
	0	0	0	0	0	07 = DIAPHRAGM
	0	0	0	0	0	08 = FOAM
	0	0	0	0	0	09 = JELLY OR CREAM
	0	0	0	0	0	10 = CERVICAL CAP
	0	0	0	0	0	11 = SUPPOSITORY, INSERT
	0	0	0	0	0	12 = TODAY (TM) SPONGE
	0	0	0	0	0	13 = FEMALE CONDOM, VAGINAL POUCH
	0	0	0	0	0	14 = IUD, COIL, LOOP
	0	0	0	0	0	15 = NORPLANT (TM)
	0	0	0	0	0	16 = DEPO-PROVERA, INJECTABLES
	0	0	0	0	0	17 = MORNING AFTER PILLS
	0	0	0	0	0	18 = RHYTHM OR SAFE PERIOD BY CALENDAR
	0	0	0	0	0	19 = SAFE PERIOD BY TEMP, CERVICAL MUCUS TEST, NFP
	0	0	0	0	0	20 = WITHDRAWAL
	0	0	0	0	0	21 = RESPONDENT STERILE

(4102)

1995 NATIONAL SURVEY OF FAMILY GROWTH
 File Documentation
 Respondent File (Section E Questionnaire Items)

VARIABLE NAME	COLUMN LOCATION	NON-HISPANIC			QX	TEXT AND CODE CATEGORIES
		HISP	WHITE	BLACK		
		0	0	0	0	21 = PARTNER STERILE (NOT ON CARD)
		0	0	0	0	22 = OTHER METHOD-NOT SHOWN SEPARATELY
		0	0	0	0	97 = Not Ascertained
		0	0	0	0	98 = Refused
		0	0	0	0	99 = Don't Know

1995 NATIONAL SURVEY OF FAMILY GROWTH
 File Documentation
 Respondent File (Section E Questionnaire Items)

VARIABLE	COLUMN	NON-HISPANIC				
NAME	LOCATION	HISP	WHITE	BLACK	TOTAL	QX TEXT AND CODE CATEGORIES

[MTHUS345] 7895-7896

During that month, which (of those/other) methods, if any, did you use at the same time? (2nd METHOD MENTIONED, 3rd COMBINATION, MC29)

Inapplicable:
 R said no, don't know or refused to all birth control methods in EA series (computed variable EVERUSED = 2); R never had sex as of this month and never used a birth control method as of this month but ever used one or more birth control methods in EA series (WNFSTSEX GE 1093 and DATFIRSM GE 1093 and computed variable EVERUSED = 1); R did not use multiple methods in the month; or R used only 2 methods in the month; or R reported fewer than 3 BC method combinations; or R reported using fewer than 2 BC methods for this combination in this month of the method calendar.

1553	6482	2446	10846	Blank	= Blank, inapplicable
0	0	0	0	01	= NONE
0	0	0	0	02	= OFFICE USE ONLY
0	0	0	0	03	= BIRTH CONTROL PILLS
0	0	0	0	04	= CONDOM
0	0	0	0	05	= PARTNER'S VASECTOMY
0	0	0	0	06	= DIAPHRAGM
0	0	0	0	07	= FOAM
0	0	0	0	08	= JELLY OR CREAM
0	0	0	0	09	= CERVICAL CAP
0	0	0	0	10	= SUPPOSITORY, INSERT
0	0	0	0	11	= TODAY (TM) SPONGE
0	0	0	0	12	= FEMALE CONDOM, VAGINAL POUCH
0	0	0	0	13	= IUD, COIL, LOOP
0	0	0	0	14	= NORPLANT (TM)
0	0	0	0	15	= DEPO-PROVERA, INJECTABLES
0	0	0	0	16	= MORNING AFTER PILLS
0	1	0	1	17	= RHYTHM OR SAFE PERIOD BY CALENDAR
0	0	0	0	18	= SAFE PERIOD BY TEMP, CERVICAL MUCUS TEST,

1995 NATIONAL SURVEY OF FAMILY GROWTH
 File Documentation
 Respondent File (Section E Questionnaire Items)

VARIABLE NAME	COLUMN LOCATION	NON-HISPANIC			TOTAL	QX	TEXT AND CODE CATEGORIES
		HISP	WHITE	BLACK			
		0	0	0	0	19	NFP
		0	0	0	0	20	= WITHDRAWAL
		0	0	0	0	21	= RESPONDENT STERILE
							= PARTNER STERILE (NOT ON CARD)
		0	0	0	0	22	= OTHER METHOD-NOT SHOWN SEPARATELY
		0	0	0	0	97	= Not Ascertained
		0	0	0	0	98	= Refused
		0	0	0	0	99	= Don't Know

1995 NATIONAL SURVEY OF FAMILY GROWTH
 File Documentation
 Respondent File (Section E Questionnaire Items)

VARIABLE	COLUMN	NON-HISPANIC				QX TEXT AND CODE CATEGORIES
NAME	LOCATION	HISP	WHITE	BLACK		

[MTHUS346] 7897-7898

During that month, which (of those/other) methods, if any, did you use at the same time? (3rd METHOD MENTIONED, 3rd COMBINATION, MC29)

Inapplicable:
 R said no, don't know or refused to all birth control methods in EA series (computed variable EVERUSED = 2); R never had sex as of this month and never used a birth control method as of this month but ever used one or more birth control methods in EA series (WNFSTSEX GE 1093 and DATFIRSM GE 1093 and computed variable EVERUSED = 1); R did not use multiple methods in the month; or R used only 2 methods in the month; or R reported fewer than 3 BC method combinations; or R reported using fewer than 3 BC methods for this combination in this month of the method calendar.

1553	6483	2446	10847	Blank	= Blank, inapplicable
0	0	0	0	01	= NONE
0	0	0	0	02	= OFFICE USE ONLY
0	0	0	0	03	= BIRTH CONTROL PILLS
0	0	0	0	04	= CONDOM
0	0	0	0	05	= PARTNER'S VASECTOMY
0	0	0	0	06	= DIAPHRAGM
0	0	0	0	07	= FOAM
0	0	0	0	08	= JELLY OR CREAM
0	0	0	0	09	= CERVICAL CAP
0	0	0	0	10	= SUPPOSITORY, INSERT
0	0	0	0	11	= TODAY (TM) SPONGE
0	0	0	0	12	= FEMALE CONDOM, VAGINAL POUCH
0	0	0	0	13	= IUD, COIL, LOOP
0	0	0	0	14	= NORPLANT (TM)
0	0	0	0	15	= DEPO-PROVERA, INJECTABLES
0	0	0	0	16	= MORNING AFTER PILLS
0	0	0	0	17	= RHYTHM OR SAFE PERIOD BY CALENDAR
0	0	0	0	18	= SAFE PERIOD BY TEMP, CERVICAL MUCUS TEST,

1995 NATIONAL SURVEY OF FAMILY GROWTH
 File Documentation
 Respondent File (Section E Questionnaire Items)

VARIABLE NAME	COLUMN LOCATION	NON-HISPANIC			TOTAL	QX	TEXT AND CODE CATEGORIES
		HISP	WHITE	BLACK			
		0	0	0	0	19	NFP
		0	0	0	0	20	= WITHDRAWAL
		0	0	0	0	21	= RESPONDENT STERILE
							= PARTNER STERILE (NOT ON CARD)
		0	0	0	0	22	= OTHER METHOD-NOT SHOWN SEPARATELY
		0	0	0	0	97	= Not Ascertained
		0	0	0	0	98	= Refused
		0	0	0	0	99	= Don't Know

1995 NATIONAL SURVEY OF FAMILY GROWTH
 File Documentation
 Respondent File (Section E Questionnaire Items)

VARIABLE	COLUMN	NON-HISPANIC				
NAME	LOCATION	HISP	WHITE	BLACK	TOTAL	QX TEXT AND CODE CATEGORIES

[MTHUS347] 7899-7900

During that month, which (of those/other) methods, if any, did you use at the same time? (4th METHOD MENTIONED, 3rd COMBINATION, MC29)

Inapplicable:
 R said no, don't know or refused to all birth control methods in EA series (computed variable EVERUSED = 2); R never had sex as of this month and never used a birth control method as of this month but ever used one or more birth control methods in EA series (WNFSTSEX GE 1093 and DATFIRSM GE 1093 and computed variable EVERUSED = 1); R did not use multiple methods in the month; or R used only 2 methods in the month; or R reported fewer than 3 BC method combinations; or R reported using fewer than 4 BC methods for this combination in this month of the method calendar.

1553	6483	2446	10847	Blank	= Blank, inapplicable
0	0	0	0	01	= NONE
0	0	0	0	02	= OFFICE USE ONLY
0	0	0	0	03	= BIRTH CONTROL PILLS
0	0	0	0	04	= CONDOM
0	0	0	0	05	= PARTNER'S VASECTOMY
0	0	0	0	06	= DIAPHRAGM
0	0	0	0	07	= FOAM
0	0	0	0	08	= JELLY OR CREAM
0	0	0	0	09	= CERVICAL CAP
0	0	0	0	10	= SUPPOSITORY, INSERT
0	0	0	0	11	= TODAY (TM) SPONGE
0	0	0	0	12	= FEMALE CONDOM, VAGINAL POUCH
0	0	0	0	13	= IUD, COIL, LOOP
0	0	0	0	14	= NORPLANT (TM)
0	0	0	0	15	= DEPO-PROVERA, INJECTABLES
0	0	0	0	16	= MORNING AFTER PILLS
0	0	0	0	17	= RHYTHM OR SAFE PERIOD BY CALENDAR
0	0	0	0	18	= SAFE PERIOD BY TEMP, CERVICAL MUCUS TEST,

1995 NATIONAL SURVEY OF FAMILY GROWTH
 File Documentation
 Respondent File (Section E Questionnaire Items)

VARIABLE NAME	COLUMN LOCATION	NON-HISPANIC			TOTAL	QX	TEXT AND CODE CATEGORIES
		HISP	WHITE	BLACK			
		0	0	0	0	19	NFP
		0	0	0	0	20	= WITHDRAWAL
		0	0	0	0	21	= RESPONDENT STERILE
							= PARTNER STERILE (NOT ON CARD)
		0	0	0	0	22	= OTHER METHOD-NOT SHOWN SEPARATELY
		0	0	0	0	97	= Not Ascertained
		0	0	0	0	98	= Refused
		0	0	0	0	99	= Don't Know

1995 NATIONAL SURVEY OF FAMILY GROWTH
 File Documentation
 Respondent File (Section E Questionnaire Items)

VARIABLE NAME	COLUMN LOCATION	NON-HISPANIC			QX TEXT AND CODE CATEGORIES		
		HISP	WHITE	BLACK		TOTAL	
[METHH116]	7901-7902				ENTER METHOD (FIRST MENTIONED) USED IN JUNE 1993: (MC30)		
					Inapplicable: R never had sex as of this month and never used a birth control method as of this month but ever used one or more birth control methods in EA series (WNFSTSEX GE 1093 and DATFIRSM GE 1093 and computed variable EVERUSED = 1); R never had sex and said no, don't know or refused to all birth control methods in EA series (computed variable RHADSEX coded 2,7,8 or 9 and computed variable EVERUSED = 2); R said no, don't know or refused to all birth control methods in EA series (computed variable EVERUSED = 2).		
		303	896	298	1604	Blank	= Blank, inapplicable
		337	1260	556	2219	01	= NO METHODS USED
		0	0	0	0	02	= SAME AS PREVIOUS MONTH
		245	1294	427	2000	03	= BIRTH CONTROL PILLS
		194	839	406	1501	04	= CONDOM
		21	332	9	372	05	= PARTNER'S VASECTOMY
		5	100	12	119	06	= DIAPHRAGM
		5	26	2	33	07	= FOAM
		1	10	1	12	08	= JELLY OR CREAM
		0	2	0	2	09	= CERVICAL CAP
		6	21	7	36	10	= SUPPOSITORY, INSERT
		1	35	8	44	11	= TODAY (TM) SPONGE
		0	1	0	1	12	= FEMALE CONDOM, VAGINAL POUCH
		20	33	18	74	13	= IUD, COIL, LOOP
		20	43	38	104	14	= NORPLANT (TM)
		16	28	16	61	15	= DEPO-PROVERA, INJECTABLES
		0	0	0	0	16	= MORNING AFTER PILLS
		29	108	17	165	17	= RHYTHM OR SAFE PERIOD BY CALENDAR
		2	17	0	19	18	= SAFE PERIOD BY TEMP, CERVICAL MUCUS TEST, NFP
		42	134	19	206	19	= WITHDRAWAL
		287	1122	591	2048	20	= RESPONDENT STERILE

(4110)

1995 NATIONAL SURVEY OF FAMILY GROWTH
 File Documentation
 Respondent File (Section E Questionnaire Items)

VARIABLE NAME	COLUMN LOCATION	NON-HISPANIC			TOTAL	QX	TEXT AND CODE CATEGORIES
		HISP	WHITE	BLACK			
		17	171	12	204	21	= PARTNER STERILE (NOT ON CARD)
		2	2	5	9	22	= OTHER METHOD-NOT SHOWN SEPARATELY
		0	0	0	0	55	= SAME METHODS USED THROUGH END OF YEAR
		0	2	2	4	97	= Not Ascertained
		0	5	2	7	98	= Refused
		0	2	0	3	99	= Don't Know

1995 NATIONAL SURVEY OF FAMILY GROWTH
 File Documentation
 Respondent File (Section E Questionnaire Items)

VARIABLE NAME	COLUMN LOCATION	NON-HISPANIC			TOTAL	QX	TEXT AND CODE CATEGORIES
		HISP	WHITE	BLACK			
		0	9	14	23	20	= RESPONDENT STERILE
		0	7	0	8	21	= PARTNER STERILE (NOT ON CARD)
		0	0	0	0	22	= OTHER METHOD-NOT SHOWN SEPARATELY
		0	0	0	0	55	= SAME METHODS USED THROUGH END OF YEAR
		0	2	2	4	97	= Not Ascertained
		0	5	2	7	98	= Refused
		0	2	0	3	99	= Don't Know

1995 NATIONAL SURVEY OF FAMILY GROWTH
 File Documentation
 Respondent File (Section E Questionnaire Items)

VARIABLE NAME	COLUMN LOCATION	NON-HISPANIC			TOTAL	QX	TEXT AND CODE CATEGORIES
		HISP	WHITE	BLACK			
		1	7	19	27	20	= RESPONDENT STERILE
		0	0	0	0	21	= PARTNER STERILE (NOT ON CARD)
		1	0	0	2	22	= OTHER METHOD-NOT SHOWN SEPARATELY
		0	0	0	0	55	= SAME METHODS USED THROUGH END OF YEAR
		0	2	2	4	97	= Not Ascertained
		0	5	2	7	98	= Refused
		0	2	0	3	99	= Don't Know

1995 NATIONAL SURVEY OF FAMILY GROWTH
 File Documentation
 Respondent File (Section E Questionnaire Items)

VARIABLE NAME	COLUMN LOCATION	NON-HISPANIC			TOTAL	QX	TEXT AND CODE CATEGORIES
		HISP	WHITE	BLACK			
		0	0	0	0	20	= RESPONDENT STERILE
		0	0	0	0	21	= PARTNER STERILE (NOT ON CARD)
		0	0	0	0	22	= OTHER METHOD-NOT SHOWN SEPARATELY
		0	0	0	0	55	= SAME METHODS USED THROUGH END OF YEAR
		0	2	2	4	97	= Not Ascertained
		0	5	2	7	98	= Refused
		0	2	0	3	99	= Don't Know

[SIMSEQ29] 7909-7909

Did you use those methods together,
 that is, at the same time, or did
 you use them at different times
 during the month? (MC30)

Inapplicable:

R never had sex as of this month and
 never used a birth control method as
 of this month but ever used one or
 more birth control methods in EA
 series (WNFSTSEX GE 1093 and
 DATFIRSM GE 1093 and computed
 variable EVERUSED = 1); R never had
 sex and said no, don't know or
 refused to all birth control methods
 in EA series (computed variable
 RHADSEX coded 2,7,8 or 9 and
 computed variable EVERUSED = 2); R
 said no, don't know or refused to
 all birth control methods in EA
 series (computed variable EVERUSED =
 2); R did not use multiple methods
 in the month; R used more than 2
 methods in the month.

1491	6105	2298	10236	Blank	= Blank, inapplicable
34	246	119	411	1	= SAME TIME
28	132	29	200	2	= DIFFERENT TIMES
0	0	0	0	7	= Not Ascertained
0	0	0	0	8	= Refused
0	0	0	0	9	= Don't Know

1995 NATIONAL SURVEY OF FAMILY GROWTH
 File Documentation
 Respondent File (Section E Questionnaire Items)

VARIABLE	COLUMN	NON-HISPANIC				
NAME	LOCATION	HISP	WHITE	BLACK	TOTAL	QX TEXT AND CODE CATEGORIES

[MTHUS348] 7910-7911

During that month, which (of those/other) methods, if any, did you use at the same time? (1st METHOD MENTIONED, 1st COMBINATION, MC30)

Inapplicable:
 R said no, don't know or refused to all birth control methods in EA series (computed variable EVERUSED = 2); R never had sex as of this month and never used a birth control method as of this month but ever used one or more birth control methods in EA series (WNFSTSEX GE 1093 and DATFIRSM GE 1093 and computed variable EVERUSED = 1); R did not use multiple methods in the month; or R used only 2 methods in the month.

1541	6428	2437	10769	Blank	= Blank, inapplicable
3	11	3	17	01	= NONE
0	0	0	0	02	= OFFICE USE ONLY
1	7	1	10	03	= BIRTH CONTROL PILLS
8	22	3	34	04	= CONDOM
0	0	0	0	05	= PARTNER'S VASECTOMY
0	4	0	4	06	= DIAPHRAGM
0	2	0	2	07	= FOAM
0	0	0	0	08	= JELLY OR CREAM
0	0	0	0	09	= CERVICAL CAP
0	0	0	0	10	= SUPPOSITORY, INSERT
0	3	0	3	11	= TODAY (TM) SPONGE
0	0	0	0	12	= FEMALE CONDOM, VAGINAL POUCH
0	0	0	0	13	= IUD, COIL, LOOP
0	0	0	0	14	= NORPLANT (TM)
0	0	0	0	15	= DEPO-PROVERA, INJECTABLES
0	0	0	0	16	= MORNING AFTER PILLS
0	5	0	5	17	= RHYTHM OR SAFE PERIOD BY CALENDAR
0	0	0	0	18	= SAFE PERIOD BY TEMP, CERVICAL MUCUS TEST, NFP
0	1	1	2	19	= WITHDRAWAL
0	0	1	1	20	= RESPONDENT STERILE
0	0	0	0	21	= PARTNER STERILE (NOT

(4118)

1995 NATIONAL SURVEY OF FAMILY GROWTH
 File Documentation
 Respondent File (Section E Questionnaire Items)

VARIABLE NAME	COLUMN LOCATION	NON-HISPANIC			TOTAL	QX	TEXT AND CODE CATEGORIES
		HISP	WHITE	BLACK			
		0	0	0	0	22	ON CARD) = OTHER METHOD-NOT SHOWN SEPARATELY
		0	0	0	0	97	= Not Ascertained
		0	0	0	0	98	= Refused
		0	0	0	0	99	= Don't Know

1995 NATIONAL SURVEY OF FAMILY GROWTH
 File Documentation
 Respondent File (Section E Questionnaire Items)

VARIABLE COLUMN NON-HISPANIC
 NAME LOCATION HISP WHITE BLACK TOTAL QX TEXT AND CODE CATEGORIES

[MTHUS349] 7912-7913

During that month, which (of those/other) methods, if any, did you use at the same time? (2nd METHOD MENTIONED, 1st COMBINATION, MC30)

Inapplicable:
 R said no, don't know or refused to all birth control methods in EA series (computed variable EVERUSED = 2); R never had sex as of this month and never used a birth control method as of this month but ever used one or more birth control methods in EA series (WNFSTSEX GE 1093 and DATFIRSM GE 1093 and computed variable EVERUSED = 1); R did not use multiple methods in the month; or R used only 2 methods in the month; or R reported using fewer than 2 BC methods for this combination in this month of the method calendar.

1544	6439	2440	10786	Blank	= Blank, inapplicable
0	0	0	0	01	= NONE
0	0	0	0	02	= OFFICE USE ONLY
0	0	0	0	03	= BIRTH CONTROL PILLS
1	9	2	12	04	= CONDOM
0	1	0	1	05	= PARTNER'S VASECTOMY
0	0	0	0	06	= DIAPHRAGM
1	3	0	4	07	= FOAM
1	1	2	4	08	= JELLY OR CREAM
0	0	0	0	09	= CERVICAL CAP
1	0	1	2	10	= SUPPOSITORY, INSERT
0	1	0	1	11	= TODAY (TM) SPONGE
0	0	0	0	12	= FEMALE CONDOM, VAGINAL POUCH
0	0	0	0	13	= IUD, COIL, LOOP
0	0	0	0	14	= NORPLANT (TM)
0	0	0	0	15	= DEPO-PROVERA, INJECTABLES
0	1	0	1	16	= MORNING AFTER PILLS
4	17	0	21	17	= RHYTHM OR SAFE PERIOD BY CALENDAR
0	2	0	2	18	= SAFE PERIOD BY TEMP, CERVICAL MUCUS TEST, NFP

(4120)

1995 NATIONAL SURVEY OF FAMILY GROWTH
 File Documentation
 Respondent File (Section E Questionnaire Items)

VARIABLE NAME	COLUMN LOCATION	NON-HISPANIC			TOTAL	QX	TEXT AND CODE CATEGORIES
		HISP	WHITE	BLACK			
		1	9	1	13	19	= WITHDRAWAL
		0	0	0	0	20	= RESPONDENT STERILE
		0	0	0	0	21	= PARTNER STERILE (NOT ON CARD)
		0	0	0	0	22	= OTHER METHOD-NOT SHOWN SEPARATELY
		0	0	0	0	97	= Not Ascertained
		0	0	0	0	98	= Refused
		0	0	0	0	99	= Don't Know

1995 NATIONAL SURVEY OF FAMILY GROWTH
 File Documentation
 Respondent File (Section E Questionnaire Items)

VARIABLE	COLUMN	NON-HISPANIC				
NAME	LOCATION	HISP	WHITE	BLACK	TOTAL	QX TEXT AND CODE CATEGORIES

[MTHUS350] 7914-7915

During that month, which (of those/other) methods, if any, did you use at the same time? (3rd METHOD MENTIONED, 1st COMBINATION, MC30)

Inapplicable:
 R said no, don't know or refused to all birth control methods in EA series (computed variable EVERUSED = 2); R never had sex as of this month and never used a birth control method as of this month but ever used one or more birth control methods in EA series (WNFSTSEX GE 1093 and DATFIRSM GE 1093 and computed variable EVERUSED = 1); R did not use multiple methods in the month; or R used only 2 methods in the month; or R reported using fewer than 3 BC methods for this combination in this month of the method calendar.

1545	6459	2445	10814	Blank	= Blank, inapplicable
0	0	0	0	01	= NONE
0	0	0	0	02	= OFFICE USE ONLY
0	0	0	0	03	= BIRTH CONTROL PILLS
0	0	0	0	04	= CONDOM
1	0	0	1	05	= PARTNER'S VASECTOMY
0	0	0	0	06	= DIAPHRAGM
2	0	0	2	07	= FOAM
0	2	0	2	08	= JELLY OR CREAM
0	0	0	0	09	= CERVICAL CAP
0	0	0	0	10	= SUPPOSITORY, INSERT
1	2	0	3	11	= TODAY (TM) SPONGE
0	0	0	0	12	= FEMALE CONDOM, VAGINAL POUCH
0	0	0	0	13	= IUD, COIL, LOOP
0	0	0	0	14	= NORPLANT (TM)
0	0	0	0	15	= DEPO-PROVERA, INJECTABLES
0	0	0	0	16	= MORNING AFTER PILLS
2	3	1	6	17	= RHYTHM OR SAFE PERIOD BY CALENDAR
0	3	0	3	18	= SAFE PERIOD BY TEMP, CERVICAL MUCUS TEST, NFP

1995 NATIONAL SURVEY OF FAMILY GROWTH
 File Documentation
 Respondent File (Section E Questionnaire Items)

VARIABLE NAME	COLUMN LOCATION	NON-HISPANIC			TOTAL	QX	TEXT AND CODE CATEGORIES
		HISP	WHITE	BLACK			
		1	14	0	15	19	= WITHDRAWAL
		0	0	0	0	20	= RESPONDENT STERILE
		0	0	0	0	21	= PARTNER STERILE (NOT ON CARD)
		1	0	0	1	22	= OTHER METHOD-NOT SHOWN SEPARATELY
		0	0	0	0	97	= Not Ascertained
		0	0	0	0	98	= Refused
		0	0	0	0	99	= Don't Know

1995 NATIONAL SURVEY OF FAMILY GROWTH
 File Documentation
 Respondent File (Section E Questionnaire Items)

VARIABLE COLUMN NON-HISPANIC
 NAME LOCATION HISP WHITE BLACK TOTAL QX TEXT AND CODE CATEGORIES

[MTHUS351] 7916-7917

During that month, which (of those/other) methods, if any, did you use at the same time? (4th METHOD MENTIONED, 1st COMBINATION, MC30)

Inapplicable:
 R said no, don't know or refused to all birth control methods in EA series (computed variable EVERUSED = 2); R never had sex as of this month and never used a birth control method as of this month but ever used one or more birth control methods in EA series (WNFSTSEX GE 1093 and DATFIRSM GE 1093 and computed variable EVERUSED = 1); R did not use multiple methods in the month; or R used only 2 methods in the month; or R reported using fewer than 4 BC methods for this combination in this month of the method calendar.

1553	6482	2445	10845	Blank	= Blank, inapplicable
0	0	0	0	01	= NONE
0	0	0	0	02	= OFFICE USE ONLY
0	0	0	0	03	= BIRTH CONTROL PILLS
0	1	0	1	04	= CONDOM
0	0	0	0	05	= PARTNER'S VASECTOMY
0	0	0	0	06	= DIAPHRAGM
0	0	0	0	07	= FOAM
0	0	0	0	08	= JELLY OR CREAM
0	0	0	0	09	= CERVICAL CAP
0	0	0	0	10	= SUPPOSITORY, INSERT
0	0	0	0	11	= TODAY (TM) SPONGE
0	0	0	0	12	= FEMALE CONDOM, VAGINAL POUCH
0	0	0	0	13	= IUD, COIL, LOOP
0	0	0	0	14	= NORPLANT (TM)
0	0	0	0	15	= DEPO-PROVERA, INJECTABLES
0	0	0	0	16	= MORNING AFTER PILLS
0	0	0	0	17	= RHYTHM OR SAFE PERIOD BY CALENDAR
0	0	1	1	18	= SAFE PERIOD BY TEMP, CERVICAL MUCUS TEST, NFP

1995 NATIONAL SURVEY OF FAMILY GROWTH
 File Documentation
 Respondent File (Section E Questionnaire Items)

VARIABLE NAME	COLUMN LOCATION	NON-HISPANIC			TOTAL	QX	TEXT AND CODE CATEGORIES
		HISP	WHITE	BLACK			
		0	0	0	0	19	= WITHDRAWAL
		0	0	0	0	20	= RESPONDENT STERILE
		0	0	0	0	21	= PARTNER STERILE (NOT ON CARD)
		0	0	0	0	22	= OTHER METHOD-NOT SHOWN SEPARATELY
		0	0	0	0	97	= Not Ascertained
		0	0	0	0	98	= Refused
		0	0	0	0	99	= Don't Know

1995 NATIONAL SURVEY OF FAMILY GROWTH
File Documentation
Respondent File (Section E Questionnaire Items)

VARIABLE	COLUMN	NON-HISPANIC							
NAME	LOCATION	HISP	WHITE	BLACK					

[MTHUS352] 7918-7919

During that month, which (of those/other) methods, if any, did you use at the same time? (1st METHOD MENTIONED, 2nd COMBINATION, MC30)

Inapplicable:
R said no, don't know or refused to all birth control methods in EA series (computed variable EVERUSED = 2); R never had sex as of this month and never used a birth control method as of this month but ever used one or more birth control methods in EA series (WNFSTSEX GE 1093 and DATFIRSM GE 1093 and computed variable EVERUSED = 1); R did not use multiple methods in the month; or R used only 2 methods in the month; or R reported fewer than 2 BC method combinations.

1544	6439	2440	10786	Blank					= Blank, inapplicable
5	33	4	44	01					= NONE
0	0	0	0	02					= OFFICE USE ONLY
0	2	0	2	03					= BIRTH CONTROL PILLS
1	5	0	6	04					= CONDOM
0	0	0	0	05					= PARTNER'S VASECTOMY
0	0	0	0	06					= DIAPHRAGM
1	1	0	2	07					= FOAM
0	0	0	0	08					= JELLY OR CREAM
0	0	0	0	09					= CERVICAL CAP
0	1	0	1	10					= SUPPOSITORY, INSERT
0	0	0	0	11					= TODAY (TM) SPONGE
0	0	0	0	12					= FEMALE CONDOM, VAGINAL POUCH
0	0	0	0	13					= IUD, COIL, LOOP
0	0	0	0	14					= NORPLANT (TM)
0	0	0	0	15					= DEPO-PROVERA, INJECTABLES
0	0	0	0	16					= MORNING AFTER PILLS
0	2	0	2	17					= RHYTHM OR SAFE PERIOD BY CALENDAR
0	0	0	0	18					= SAFE PERIOD BY TEMP, CERVICAL MUCUS TEST, NFP
1	0	1	2	19					= WITHDRAWAL
0	0	1	1	20					= RESPONDENT STERILE

(4126)

1995 NATIONAL SURVEY OF FAMILY GROWTH
 File Documentation
 Respondent File (Section E Questionnaire Items)

VARIABLE NAME	COLUMN LOCATION	NON-HISPANIC			TOTAL	QX	TEXT AND CODE CATEGORIES
		HISP	WHITE	BLACK			
		0	0	0	0	21	= PARTNER STERILE (NOT ON CARD)
		1	0	0	1	22	= OTHER METHOD-NOT SHOWN SEPARATELY
		0	0	0	0	97	= Not Ascertained
		0	0	0	0	98	= Refused
		0	0	0	0	99	= Don't Know

1995 NATIONAL SURVEY OF FAMILY GROWTH
 File Documentation
 Respondent File (Section E Questionnaire Items)

VARIABLE	COLUMN	NON-HISPANIC				
NAME	LOCATION	HISP	WHITE	BLACK	TOTAL	QX TEXT AND CODE CATEGORIES

[MTHUS353] 7920-7921

During that month, which (of those/other) methods, if any, did you use at the same time? (2nd METHOD MENTIONED, 2nd COMBINATION, MC30)

Inapplicable:
 R said no, don't know or refused to all birth control methods in EA series (computed variable EVERUSED = 2); R never had sex as of this month and never used a birth control method as of this month but ever used one or more birth control methods in EA series (WNFSTSEX GE 1093 and DATFIRSM GE 1093 and computed variable EVERUSED = 1); R did not use multiple methods in the month; or R used only 2 methods in the month; or R reported fewer than 2 BC method combinations; or R reported using fewer than 2 BC methods for this combination in this month of the method calendar.

1551	6473	2444	10833	Blank	= Blank, inapplicable
0	0	0	0	01	= NONE
0	0	0	0	02	= OFFICE USE ONLY
0	0	0	0	03	= BIRTH CONTROL PILLS
1	1	0	2	04	= CONDOM
0	1	0	1	05	= PARTNER'S VASECTOMY
0	0	0	0	06	= DIAPHRAGM
0	0	0	0	07	= FOAM
0	1	0	1	08	= JELLY OR CREAM
0	0	0	0	09	= CERVICAL CAP
0	0	1	1	10	= SUPPOSITORY, INSERT
0	1	0	1	11	= TODAY (TM) SPONGE
0	0	0	0	12	= FEMALE CONDOM, VAGINAL POUCH
0	0	0	0	13	= IUD, COIL, LOOP
0	0	0	0	14	= NORPLANT (TM)
0	0	0	0	15	= DEPO-PROVERA, INJECTABLES
0	0	0	0	16	= MORNING AFTER PILLS
1	2	0	3	17	= RHYTHM OR SAFE PERIOD BY CALENDAR
0	1	0	1	18	= SAFE PERIOD BY TEMP, CERVICAL MUCUS TEST,

1995 NATIONAL SURVEY OF FAMILY GROWTH
 File Documentation
 Respondent File (Section E Questionnaire Items)

VARIABLE NAME	COLUMN LOCATION	NON-HISPANIC			TOTAL	QX	TEXT AND CODE CATEGORIES
		HISP	WHITE	BLACK			
		0	3	1	4	19	NFP
		0	0	0	0	20	= WITHDRAWAL
		0	0	0	0	21	= RESPONDENT STERILE
							= PARTNER STERILE (NOT ON CARD)
		0	0	0	0	22	= OTHER METHOD-NOT SHOWN SEPARATELY
		0	0	0	0	97	= Not Ascertained
		0	0	0	0	98	= Refused
		0	0	0	0	99	= Don't Know

1995 NATIONAL SURVEY OF FAMILY GROWTH
 File Documentation
 Respondent File (Section E Questionnaire Items)

VARIABLE COLUMN NON-HISPANIC
 NAME LOCATION HISP WHITE BLACK TOTAL QX TEXT AND CODE CATEGORIES

[MTHUS354] 7922-7923

During that month, which (of those/other) methods, if any, did you use at the same time? (3rd METHOD MENTIONED, 2nd COMBINATION, MC30)

Inapplicable:
 R said no, don't know or refused to all birth control methods in EA series (computed variable EVERUSED = 2); R never had sex as of this month and never used a birth control method as of this month but ever used one or more birth control methods in EA series (WNFSTSEX GE 1093 and DATFIRSM GE 1093 and computed variable EVERUSED = 1); R did not use multiple methods in the month; or R used only 2 methods in the month; or R reported fewer than 2 BC method combinations; or R reported using fewer than 3 BC methods for this combination in this month of the method calendar.

1551	6480	2446	10842	Blank	= Blank, inapplicable
0	0	0	0	01	= NONE
0	0	0	0	02	= OFFICE USE ONLY
0	0	0	0	03	= BIRTH CONTROL PILLS
0	0	0	0	04	= CONDOM
0	0	0	0	05	= PARTNER'S VASECTOMY
0	0	0	0	06	= DIAPHRAGM
0	0	0	0	07	= FOAM
0	1	0	1	08	= JELLY OR CREAM
0	0	0	0	09	= CERVICAL CAP
0	0	0	0	10	= SUPPOSITORY, INSERT
0	0	0	0	11	= TODAY (TM) SPONGE
0	0	0	0	12	= FEMALE CONDOM, VAGINAL POUCH
0	0	0	0	13	= IUD, COIL, LOOP
0	0	0	0	14	= NORPLANT (TM)
0	0	0	0	15	= DEPO-PROVERA, INJECTABLES
0	0	0	0	16	= MORNING AFTER PILLS
1	0	0	1	17	= RHYTHM OR SAFE PERIOD BY CALENDAR
0	1	0	1	18	= SAFE PERIOD BY TEMP, CERVICAL MUCUS TEST,

1995 NATIONAL SURVEY OF FAMILY GROWTH
 File Documentation
 Respondent File (Section E Questionnaire Items)

VARIABLE NAME	COLUMN LOCATION	NON-HISPANIC			TOTAL	QX	TEXT AND CODE CATEGORIES
		HISP	WHITE	BLACK			
		1	1	0	2	19	NFP
		0	0	0	0	20	= WITHDRAWAL
		0	0	0	0	21	= RESPONDENT STERILE
							= PARTNER STERILE (NOT ON CARD)
		0	0	0	0	22	= OTHER METHOD-NOT SHOWN SEPARATELY
		0	0	0	0	97	= Not Ascertained
		0	0	0	0	98	= Refused
		0	0	0	0	99	= Don't Know

1995 NATIONAL SURVEY OF FAMILY GROWTH
 File Documentation
 Respondent File (Section E Questionnaire Items)

VARIABLE COLUMN NON-HISPANIC
 NAME LOCATION HISP WHITE BLACK TOTAL QX TEXT AND CODE CATEGORIES

[MTHUS355] 7924-7925

During that month, which (of those/other) methods, if any, did you use at the same time? (4th METHOD MENTIONED, 2nd COMBINATION, MC30)

Inapplicable:
 R said no, don't know or refused to all birth control methods in EA series (computed variable EVERUSED = 2); R never had sex as of this month and never used a birth control method as of this month but ever used one or more birth control methods in EA series (WNFSTSEX GE 1093 and DATFIRSM GE 1093 and computed variable EVERUSED = 1); R did not use multiple methods in the month; or R used only 2 methods in the month; or R reported fewer than 2 BC method combinations; or R reported using fewer than 4 BC methods for this combination in this month of the method calendar.

1553	6483	2446	10847	Blank	
0	0	0	0	0	01 = Blank, inapplicable
0	0	0	0	0	02 = NONE
0	0	0	0	0	03 = OFFICE USE ONLY
0	0	0	0	0	04 = BIRTH CONTROL PILLS
0	0	0	0	0	05 = CONDOM
0	0	0	0	0	06 = PARTNER'S VASECTOMY
0	0	0	0	0	07 = DIAPHRAGM
0	0	0	0	0	08 = FOAM
0	0	0	0	0	09 = JELLY OR CREAM
0	0	0	0	0	10 = CERVICAL CAP
0	0	0	0	0	11 = SUPPOSITORY, INSERT
0	0	0	0	0	12 = TODAY (TM) SPONGE
0	0	0	0	0	13 = FEMALE CONDOM, VAGINAL POUCH
0	0	0	0	0	14 = IUD, COIL, LOOP
0	0	0	0	0	15 = NORPLANT (TM)
0	0	0	0	0	16 = DEPO-PROVERA, INJECTABLES
0	0	0	0	0	17 = MORNING AFTER PILLS
0	0	0	0	0	18 = RHYTHM OR SAFE PERIOD BY CALENDAR
0	0	0	0	0	18 = SAFE PERIOD BY TEMP, CERVICAL MUCUS TEST,

1995 NATIONAL SURVEY OF FAMILY GROWTH
 File Documentation
 Respondent File (Section E Questionnaire Items)

VARIABLE NAME	COLUMN LOCATION	NON-HISPANIC			TOTAL	QX	TEXT AND CODE CATEGORIES
		HISP	WHITE	BLACK			
		0	0	0	0	19	NFP
		0	0	0	0	20	= WITHDRAWAL
		0	0	0	0	21	= RESPONDENT STERILE
							= PARTNER STERILE (NOT ON CARD)
		0	0	0	0	22	= OTHER METHOD-NOT SHOWN SEPARATELY
		0	0	0	0	97	= Not Ascertained
		0	0	0	0	98	= Refused
		0	0	0	0	99	= Don't Know

1995 NATIONAL SURVEY OF FAMILY GROWTH
 File Documentation
 Respondent File (Section E Questionnaire Items)

VARIABLE COLUMN NON-HISPANIC
 NAME LOCATION HISP WHITE BLACK TOTAL QX TEXT AND CODE CATEGORIES

[MTHUS356] 7926-7927

During that month, which (of those/other) methods, if any, did you use at the same time? (1st METHOD MENTIONED, 3rd COMBINATION, MC30)

Inapplicable:
 R said no, don't know or refused to all birth control methods in EA series (computed variable EVERUSED = 2); R never had sex as of this month and never used a birth control method as of this month but ever used one or more birth control methods in EA series (WNFSTSEX GE 1093 and DATFIRSM GE 1093 and computed variable EVERUSED = 1); R did not use multiple methods in the month; or R used only 2 methods in the month; or R reported fewer than 3 BC method combinations.

	1553	6482	2446	10846	Blank	
	0	0	0	0	0	01 = Blank, inapplicable
	0	0	0	0	0	02 = NONE
	0	0	0	0	0	03 = OFFICE USE ONLY
	0	1	0	1	0	04 = BIRTH CONTROL PILLS
	0	0	0	0	0	05 = CONDOM
	0	0	0	0	0	06 = PARTNER'S VASECTOMY
	0	0	0	0	0	07 = DIAPHRAGM
	0	0	0	0	0	08 = FOAM
	0	0	0	0	0	09 = JELLY OR CREAM
	0	0	0	0	0	10 = CERVICAL CAP
	0	0	0	0	0	11 = SUPPOSITORY, INSERT
	0	0	0	0	0	12 = TODAY (TM) SPONGE
	0	0	0	0	0	13 = FEMALE CONDOM, VAGINAL POUCH
	0	0	0	0	0	14 = IUD, COIL, LOOP
	0	0	0	0	0	15 = NORPLANT (TM)
	0	0	0	0	0	16 = DEPO-PROVERA, INJECTABLES
	0	0	0	0	0	17 = MORNING AFTER PILLS
	0	0	0	0	0	18 = RHYTHM OR SAFE PERIOD BY CALENDAR
	0	0	0	0	0	19 = SAFE PERIOD BY TEMP, CERVICAL MUCUS TEST, NFP
	0	0	0	0	0	20 = WITHDRAWAL
	0	0	0	0	0	21 = RESPONDENT STERILE

(4134)

1995 NATIONAL SURVEY OF FAMILY GROWTH
 File Documentation
 Respondent File (Section E Questionnaire Items)

VARIABLE NAME	COLUMN LOCATION	NON-HISPANIC			TOTAL	QX	TEXT AND CODE CATEGORIES
		HISP	WHITE	BLACK			
		0	0	0	0	21	= PARTNER STERILE (NOT ON CARD)
		0	0	0	0	22	= OTHER METHOD-NOT SHOWN SEPARATELY
		0	0	0	0	97	= Not Ascertained
		0	0	0	0	98	= Refused
		0	0	0	0	99	= Don't Know

1995 NATIONAL SURVEY OF FAMILY GROWTH
 File Documentation
 Respondent File (Section E Questionnaire Items)

VARIABLE COLUMN NON-HISPANIC
 NAME LOCATION HISP WHITE BLACK TOTAL QX TEXT AND CODE CATEGORIES

[MTHUS357] 7928-7929

During that month, which (of those/other) methods, if any, did you use at the same time? (2nd METHOD MENTIONED, 3rd COMBINATION, MC30)

Inapplicable:
 R said no, don't know or refused to all birth control methods in EA series (computed variable EVERUSED = 2); R never had sex as of this month and never used a birth control method as of this month but ever used one or more birth control methods in EA series (WNFSTSEX GE 1093 and DATFIRSM GE 1093 and computed variable EVERUSED = 1); R did not use multiple methods in the month; or R used only 2 methods in the month; or R reported fewer than 3 BC method combinations; or R reported using fewer than 2 BC methods for this combination in this month of the method calendar.

1553	6482	2446	10846	Blank	= Blank, inapplicable
0	0	0	0	01	= NONE
0	0	0	0	02	= OFFICE USE ONLY
0	0	0	0	03	= BIRTH CONTROL PILLS
0	0	0	0	04	= CONDOM
0	0	0	0	05	= PARTNER'S VASECTOMY
0	0	0	0	06	= DIAPHRAGM
0	0	0	0	07	= FOAM
0	0	0	0	08	= JELLY OR CREAM
0	0	0	0	09	= CERVICAL CAP
0	0	0	0	10	= SUPPOSITORY, INSERT
0	0	0	0	11	= TODAY (TM) SPONGE
0	0	0	0	12	= FEMALE CONDOM, VAGINAL POUCH
0	0	0	0	13	= IUD, COIL, LOOP
0	0	0	0	14	= NORPLANT (TM)
0	0	0	0	15	= DEPO-PROVERA, INJECTABLES
0	0	0	0	16	= MORNING AFTER PILLS
0	1	0	1	17	= RHYTHM OR SAFE PERIOD BY CALENDAR
0	0	0	0	18	= SAFE PERIOD BY TEMP, CERVICAL MUCUS TEST,

1995 NATIONAL SURVEY OF FAMILY GROWTH
 File Documentation
 Respondent File (Section E Questionnaire Items)

VARIABLE NAME	COLUMN LOCATION	NON-HISPANIC			TOTAL	QX	TEXT AND CODE CATEGORIES
		HISP	WHITE	BLACK			
		0	0	0	0	19	NFP = WITHDRAWAL
		0	0	0	0	20	= RESPONDENT STERILE
		0	0	0	0	21	= PARTNER STERILE (NOT ON CARD)
		0	0	0	0	22	= OTHER METHOD-NOT SHOWN SEPARATELY
		0	0	0	0	97	= Not Ascertained
		0	0	0	0	98	= Refused
		0	0	0	0	99	= Don't Know

1995 NATIONAL SURVEY OF FAMILY GROWTH
 File Documentation
 Respondent File (Section E Questionnaire Items)

VARIABLE	COLUMN	NON-HISPANIC				
NAME	LOCATION	HISP	WHITE	BLACK	TOTAL	QX TEXT AND CODE CATEGORIES

[MTHUS358] 7930-7931

During that month, which (of those/other) methods, if any, did you use at the same time? (3rd METHOD MENTIONED, 3rd COMBINATION, MC30)

Inapplicable:
 R said no, don't know or refused to all birth control methods in EA series (computed variable EVERUSED = 2); R never had sex as of this month and never used a birth control method as of this month but ever used one or more birth control methods in EA series (WNFSTSEX GE 1093 and DATFIRSM GE 1093 and computed variable EVERUSED = 1); R did not use multiple methods in the month; or R used only 2 methods in the month; or R reported fewer than 3 BC method combinations; or R reported using fewer than 3 BC methods for this combination in this month of the method calendar.

1553	6483	2446	10847	Blank	= Blank, inapplicable
0	0	0	0	01	= NONE
0	0	0	0	02	= OFFICE USE ONLY
0	0	0	0	03	= BIRTH CONTROL PILLS
0	0	0	0	04	= CONDOM
0	0	0	0	05	= PARTNER'S VASECTOMY
0	0	0	0	06	= DIAPHRAGM
0	0	0	0	07	= FOAM
0	0	0	0	08	= JELLY OR CREAM
0	0	0	0	09	= CERVICAL CAP
0	0	0	0	10	= SUPPOSITORY, INSERT
0	0	0	0	11	= TODAY (TM) SPONGE
0	0	0	0	12	= FEMALE CONDOM, VAGINAL POUCH
0	0	0	0	13	= IUD, COIL, LOOP
0	0	0	0	14	= NORPLANT (TM)
0	0	0	0	15	= DEPO-PROVERA, INJECTABLES
0	0	0	0	16	= MORNING AFTER PILLS
0	0	0	0	17	= RHYTHM OR SAFE PERIOD BY CALENDAR
0	0	0	0	18	= SAFE PERIOD BY TEMP, CERVICAL MUCUS TEST,

1995 NATIONAL SURVEY OF FAMILY GROWTH
 File Documentation
 Respondent File (Section E Questionnaire Items)

VARIABLE NAME	COLUMN LOCATION	NON-HISPANIC			TOTAL	QX	TEXT AND CODE CATEGORIES
		HISP	WHITE	BLACK			
		0	0	0	0	19	NFP
		0	0	0	0	20	= WITHDRAWAL
		0	0	0	0	21	= RESPONDENT STERILE
							= PARTNER STERILE (NOT ON CARD)
		0	0	0	0	22	= OTHER METHOD-NOT SHOWN SEPARATELY
		0	0	0	0	97	= Not Ascertained
		0	0	0	0	98	= Refused
		0	0	0	0	99	= Don't Know

1995 NATIONAL SURVEY OF FAMILY GROWTH
 File Documentation
 Respondent File (Section E Questionnaire Items)

VARIABLE	COLUMN	NON-HISPANIC				QX TEXT AND CODE CATEGORIES
NAME	LOCATION	HISP	WHITE	BLACK		

[MTHUS359] 7932-7933

During that month, which (of those/other) methods, if any, did you use at the same time? (4th METHOD MENTIONED, 3rd COMBINATION, MC30)

Inapplicable:
 R said no, don't know or refused to all birth control methods in EA series (computed variable EVERUSED = 2); R never had sex as of this month and never used a birth control method as of this month but ever used one or more birth control methods in EA series (WNFSTSEX GE 1093 and DATFIRSM GE 1093 and computed variable EVERUSED = 1); R did not use multiple methods in the month; or R used only 2 methods in the month; or R reported fewer than 3 BC method combinations; or R reported using fewer than 4 BC methods for this combination in this month of the method calendar.

1553	6483	2446	10847	Blank	= Blank, inapplicable
0	0	0	0	01	= NONE
0	0	0	0	02	= OFFICE USE ONLY
0	0	0	0	03	= BIRTH CONTROL PILLS
0	0	0	0	04	= CONDOM
0	0	0	0	05	= PARTNER'S VASECTOMY
0	0	0	0	06	= DIAPHRAGM
0	0	0	0	07	= FOAM
0	0	0	0	08	= JELLY OR CREAM
0	0	0	0	09	= CERVICAL CAP
0	0	0	0	10	= SUPPOSITORY, INSERT
0	0	0	0	11	= TODAY (TM) SPONGE
0	0	0	0	12	= FEMALE CONDOM, VAGINAL POUCH
0	0	0	0	13	= IUD, COIL, LOOP
0	0	0	0	14	= NORPLANT (TM)
0	0	0	0	15	= DEPO-PROVERA, INJECTABLES
0	0	0	0	16	= MORNING AFTER PILLS
0	0	0	0	17	= RHYTHM OR SAFE PERIOD BY CALENDAR
0	0	0	0	18	= SAFE PERIOD BY TEMP, CERVICAL MUCUS TEST,

1995 NATIONAL SURVEY OF FAMILY GROWTH
 File Documentation
 Respondent File (Section E Questionnaire Items)

VARIABLE NAME	COLUMN LOCATION	NON-HISPANIC			TOTAL	QX	TEXT AND CODE CATEGORIES
		HISP	WHITE	BLACK			
		0	0	0	0	19	NFP
		0	0	0	0	20	= WITHDRAWAL
		0	0	0	0	21	= RESPONDENT STERILE
							= PARTNER STERILE (NOT ON CARD)
		0	0	0	0	22	= OTHER METHOD-NOT SHOWN SEPARATELY
		0	0	0	0	97	= Not Ascertained
		0	0	0	0	98	= Refused
		0	0	0	0	99	= Don't Know

1995 NATIONAL SURVEY OF FAMILY GROWTH
 File Documentation
 Respondent File (Section E Questionnaire Items)

VARIABLE NAME	COLUMN LOCATION	NON-HISPANIC			QX TEXT AND CODE CATEGORIES		
		HISP	WHITE	BLACK		TOTAL	
[METHH120]	7934-7935				ENTER METHOD (FIRST MENTIONED) USED IN JULY 1993: (MC31)		
					Inapplicable: R never had sex as of this month and never used a birth control method as of this month but ever used one or more birth control methods in EA series (WNFSTSEX GE 1093 and DATFIRSM GE 1093 and computed variable EVERUSED = 1); R never had sex and said no, don't know or refused to all birth control methods in EA series (computed variable RHADSEX coded 2,7,8 or 9 and computed variable EVERUSED = 2); R said no, don't know or refused to all birth control methods in EA series (computed variable EVERUSED = 2).		
		301	881	295	1582	Blank	= Blank, inapplicable
		336	1242	543	2190	01	= NO METHODS USED
		0	0	0	0	02	= SAME AS PREVIOUS MONTH
		244	1289	424	1988	03	= BIRTH CONTROL PILLS
		189	853	417	1521	04	= CONDOM
		21	333	9	373	05	= PARTNER'S VASECTOMY
		6	95	13	116	06	= DIAPHRAGM
		3	25	3	31	07	= FOAM
		1	10	1	12	08	= JELLY OR CREAM
		0	3	0	3	09	= CERVICAL CAP
		5	22	6	35	10	= SUPPOSITORY, INSERT
		1	37	8	46	11	= TODAY (TM) SPONGE
		0	1	0	1	12	= FEMALE CONDOM, VAGINAL POUCH
		21	34	17	75	13	= IUD, COIL, LOOP
		21	46	39	109	14	= NORPLANT (TM)
		18	33	18	70	15	= DEPO-PROVERA, INJECTABLES
		0	0	0	0	16	= MORNING AFTER PILLS
		29	106	17	164	17	= RHYTHM OR SAFE PERIOD BY CALENDAR
		2	17	0	19	18	= SAFE PERIOD BY TEMP, CERVICAL MUCUS TEST, NFP
		45	141	20	218	19	= WITHDRAWAL
		291	1132	596	2067	20	= RESPONDENT STERILE

(4142)

1995 NATIONAL SURVEY OF FAMILY GROWTH
 File Documentation
 Respondent File (Section E Questionnaire Items)

VARIABLE NAME	COLUMN LOCATION	NON-HISPANIC			QX	TEXT AND CODE CATEGORIES	
		HISP	WHITE	BLACK			TOTAL
		17	171	12	204	21	= PARTNER STERILE (NOT ON CARD)
		2	3	4	9	22	= OTHER METHOD-NOT SHOWN SEPARATELY
		0	0	0	0	55	= SAME METHODS USED THROUGH END OF YEAR
		0	2	2	4	97	= Not Ascertained
		0	5	2	7	98	= Refused
		0	2	0	3	99	= Don't Know

1995 NATIONAL SURVEY OF FAMILY GROWTH
 File Documentation
 Respondent File (Section E Questionnaire Items)

VARIABLE NAME	COLUMN LOCATION	NON-HISPANIC			QX TEXT AND CODE CATEGORIES	
		HISP	WHITE	BLACK	TOTAL	
[METHH121]	7936-7937					ENTER METHOD (SECOND MENTIONED) USED IN JULY 1993: (MC31)

Inapplicable:
 R never had sex as of this month and never used a birth control method as of this month but ever used one or more birth control methods in EA series (WNFSTSEX GE 1093 and DATFIRSM GE 1093 and computed variable EVERUSED = 1); R never had sex and said no, don't know or refused to all birth control methods in EA series (computed variable RHADSEX coded 2,7,8 or 9 and computed variable EVERUSED = 2); R said no, don't know or refused to all birth control methods in EA series (computed variable EVERUSED = 2); R used fewer than 2 methods in month.

1478	6035	2284	10138	Blank	= Blank, inapplicable
0	0	0	0	01	= NO METHODS USED
0	0	0	0	02	= SAME AS PREVIOUS MONTH
0	14	3	17	03	= BIRTH CONTROL PILLS
22	141	77	246	04	= CONDOM
0	13	2	15	05	= PARTNER'S VASECTOMY
3	13	3	19	06	= DIAPHRAGM
7	25	9	43	07	= FOAM
2	15	5	22	08	= JELLY OR CREAM
0	0	0	0	09	= CERVICAL CAP
3	10	7	20	10	= SUPPOSITORY, INSERT
0	12	7	21	11	= TODAY (TM) SPONGE
0	0	0	0	12	= FEMALE CONDOM, VAGINAL POUCH
0	0	0	0	13	= IUD, COIL, LOOP
1	1	3	5	14	= NORPLANT (TM)
0	1	1	2	15	= DEPO-PROVERA, INJECTABLES
0	0	0	0	16	= MORNING AFTER PILLS
13	60	6	83	17	= RHYTHM OR SAFE PERIOD BY CALENDAR
0	9	1	10	18	= SAFE PERIOD BY TEMP, CERVICAL MUCUS TEST, NFP
24	110	20	162	19	= WITHDRAWAL

(4144)

1995 NATIONAL SURVEY OF FAMILY GROWTH
 File Documentation
 Respondent File (Section E Questionnaire Items)

VARIABLE NAME	COLUMN LOCATION	NON-HISPANIC			TOTAL	QX	TEXT AND CODE CATEGORIES
		HISP	WHITE	BLACK			
		0	7	14	21	20	= RESPONDENT STERILE
		0	8	0	9	21	= PARTNER STERILE (NOT ON CARD)
		0	0	0	0	22	= OTHER METHOD-NOT SHOWN SEPARATELY
		0	0	0	0	55	= SAME METHODS USED THROUGH END OF YEAR
		0	2	2	4	97	= Not Ascertained
		0	5	2	7	98	= Refused
		0	2	0	3	99	= Don't Know

1995 NATIONAL SURVEY OF FAMILY GROWTH
 File Documentation
 Respondent File (Section E Questionnaire Items)

VARIABLE COLUMN NON-HISPANIC
 NAME LOCATION HISP WHITE BLACK TOTAL QX TEXT AND CODE CATEGORIES

[METHH122] 7938-7939

ENTER METHOD (THIRD MENTIONED) USED
 IN JULY 1993: (MC31)

Inapplicable:

R never had sex as of this month and never used a birth control method as of this month but ever used one or more birth control methods in EA series (WNFSTSEX GE 1093 and DATFIRSM GE 1093 and computed variable EVERUSED = 1); R never had sex and said no, don't know or refused to all birth control methods in EA series (computed variable RHADSEX coded 2,7,8 or 9 and computed variable EVERUSED = 2); R said no, don't know or refused to all birth control methods in EA series (computed variable EVERUSED = 2); R used fewer than 3 methods in month.

1540	6409	2417	10728	Blank	= Blank, inapplicable
0	0	0	0	01	= NO METHODS USED
0	0	0	0	02	= SAME AS PREVIOUS MONTH
0	1	0	1	03	= BIRTH CONTROL PILLS
0	3	0	3	04	= CONDOM
1	0	0	1	05	= PARTNER'S VASECTOMY
0	0	0	0	06	= DIAPHRAGM
2	0	1	3	07	= FOAM
0	2	1	3	08	= JELLY OR CREAM
0	0	0	0	09	= CERVICAL CAP
0	1	0	1	10	= SUPPOSITORY, INSERT
1	5	0	6	11	= TODAY (TM) SPONGE
1	0	0	1	12	= FEMALE CONDOM, VAGINAL POUCH
0	0	0	0	13	= IUD, COIL, LOOP
0	0	0	0	14	= NORPLANT (TM)
0	0	0	0	15	= DEPO-PROVERA, INJECTABLES
0	1	0	1	16	= MORNING AFTER PILLS
2	7	2	11	17	= RHYTHM OR SAFE PERIOD BY CALENDAR
0	4	0	4	18	= SAFE PERIOD BY TEMP, CERVICAL MUCUS TEST, NFP
4	32	3	40	19	= WITHDRAWAL

(4146)

1995 NATIONAL SURVEY OF FAMILY GROWTH
 File Documentation
 Respondent File (Section E Questionnaire Items)

VARIABLE NAME	COLUMN LOCATION	NON-HISPANIC			TOTAL	QX	TEXT AND CODE CATEGORIES
		HISP	WHITE	BLACK			
		1	9	18	28	20	= RESPONDENT STERILE
		0	0	0	0	21	= PARTNER STERILE (NOT ON CARD)
		1	0	0	2	22	= OTHER METHOD-NOT SHOWN SEPARATELY
		0	0	0	0	55	= SAME METHODS USED THROUGH END OF YEAR
		0	2	2	4	97	= Not Ascertained
		0	5	2	7	98	= Refused
		0	2	0	3	99	= Don't Know

1995 NATIONAL SURVEY OF FAMILY GROWTH
 File Documentation
 Respondent File (Section E Questionnaire Items)

VARIABLE	COLUMN	NON-HISPANIC			QX TEXT AND CODE CATEGORIES	
NAME	LOCATION	HISP	WHITE	BLACK	TOTAL	
[METHH123]	7940-7941					ENTER METHOD (FOURTH MENTIONED) USED IN JULY 1993: (MC31)

Inapplicable:
 R never had sex as of this month and never used a birth control method as of this month but ever used one or more birth control methods in EA series (WNFSTSEX GE 1093 and DATFIRSM GE 1093 and computed variable EVERUSED = 1); R never had sex and said no, don't know or refused to all birth control methods in EA series (computed variable RHADSEX coded 2,7,8 or 9 and computed variable EVERUSED = 2); R said no, don't know or refused to all birth control methods in EA series (computed variable EVERUSED = 2); R used fewer than 4 methods in month.

1553	6467	2441	10825	Blank	= Blank, inapplicable
0	0	0	0	01	= NO METHODS USED
0	0	0	0	02	= SAME AS PREVIOUS MONTH
0	0	0	0	03	= BIRTH CONTROL PILLS
0	1	0	1	04	= CONDOM
0	0	0	0	05	= PARTNER'S VASECTOMY
0	0	0	0	06	= DIAPHRAGM
0	0	0	0	07	= FOAM
0	0	0	0	08	= JELLY OR CREAM
0	0	0	0	09	= CERVICAL CAP
0	0	0	0	10	= SUPPOSITORY, INSERT
0	1	0	1	11	= TODAY (TM) SPONGE
0	0	0	0	12	= FEMALE CONDOM, VAGINAL POUCH
0	0	0	0	13	= IUD, COIL, LOOP
0	0	0	0	14	= NORPLANT (TM)
0	0	0	0	15	= DEPO-PROVERA, INJECTABLES
0	0	0	0	16	= MORNING AFTER PILLS
0	2	0	2	17	= RHYTHM OR SAFE PERIOD BY CALENDAR
0	0	1	1	18	= SAFE PERIOD BY TEMP, CERVICAL MUCUS TEST, NFP
0	3	0	3	19	= WITHDRAWAL

(4148)

1995 NATIONAL SURVEY OF FAMILY GROWTH
 File Documentation
 Respondent File (Section E Questionnaire Items)

VARIABLE NAME	COLUMN LOCATION	NON-HISPANIC			TOTAL	QX	TEXT AND CODE CATEGORIES
		HISP	WHITE	BLACK			
		0	0	0	0	20	= RESPONDENT STERILE
		0	0	0	0	21	= PARTNER STERILE (NOT ON CARD)
		0	0	0	0	22	= OTHER METHOD-NOT SHOWN SEPARATELY
		0	0	0	0	55	= SAME METHODS USED THROUGH END OF YEAR
		0	2	2	4	97	= Not Ascertained
		0	5	2	7	98	= Refused
		0	2	0	3	99	= Don't Know

[SIMSEQ30] 7942-7942

Did you use those methods together,
 that is, at the same time, or did
 you use them at different times
 during the month? (MC31)

Inapplicable:

R never had sex as of this month and
 never used a birth control method as
 of this month but ever used one or
 more birth control methods in EA
 series (WNFSTSEX GE 1093 and
 DATFIRSM GE 1093 and computed
 variable EVERUSED = 1); R never had
 sex and said no, don't know or
 refused to all birth control methods
 in EA series (computed variable
 RHADSEX coded 2,7,8 or 9 and
 computed variable EVERUSED = 2); R
 said no, don't know or refused to
 all birth control methods in EA
 series (computed variable EVERUSED =
 2); R did not use multiple methods
 in the month; R used more than 2
 methods in the month.

1490	6100	2296	10230	Blank	= Blank, inapplicable
36	252	118	417	1	= SAME TIME
27	131	32	200	2	= DIFFERENT TIMES
0	0	0	0	7	= Not Ascertained
0	0	0	0	8	= Refused
0	0	0	0	9	= Don't Know

1995 NATIONAL SURVEY OF FAMILY GROWTH
 File Documentation
 Respondent File (Section E Questionnaire Items)

VARIABLE	COLUMN	NON-HISPANIC				
NAME	LOCATION	HISP	WHITE	BLACK	TOTAL	QX TEXT AND CODE CATEGORIES

[MTHUS360] 7943-7944

During that month, which (of those/other) methods, if any, did you use at the same time? (1st METHOD MENTIONED, 1st COMBINATION, MC31)

Inapplicable:
 R said no, don't know or refused to all birth control methods in EA series (computed variable EVERUSED = 2); R never had sex as of this month and never used a birth control method as of this month but ever used one or more birth control methods in EA series (WNFSTSEX GE 1093 and DATFIRSM GE 1093 and computed variable EVERUSED = 1); R did not use multiple methods in the month; or R used only 2 methods in the month.

1541	6427	2438	10769	Blank	= Blank, inapplicable
2	13	2	17	01	= NONE
0	0	0	0	02	= OFFICE USE ONLY
2	7	1	11	03	= BIRTH CONTROL PILLS
8	21	3	33	04	= CONDOM
0	0	0	0	05	= PARTNER'S VASECTOMY
0	4	0	4	06	= DIAPHRAGM
0	2	0	2	07	= FOAM
0	0	0	0	08	= JELLY OR CREAM
0	0	0	0	09	= CERVICAL CAP
0	0	0	0	10	= SUPPOSITORY, INSERT
0	3	0	3	11	= TODAY (TM) SPONGE
0	0	0	0	12	= FEMALE CONDOM, VAGINAL POUCH
0	0	0	0	13	= IUD, COIL, LOOP
0	0	0	0	14	= NORPLANT (TM)
0	0	0	0	15	= DEPO-PROVERA, INJECTABLES
0	0	0	0	16	= MORNING AFTER PILLS
0	5	0	5	17	= RHYTHM OR SAFE PERIOD BY CALENDAR
0	0	0	0	18	= SAFE PERIOD BY TEMP, CERVICAL MUCUS TEST, NFP
0	1	1	2	19	= WITHDRAWAL
0	0	1	1	20	= RESPONDENT STERILE
0	0	0	0	21	= PARTNER STERILE (NOT

(4150)

1995 NATIONAL SURVEY OF FAMILY GROWTH
 File Documentation
 Respondent File (Section E Questionnaire Items)

VARIABLE NAME	COLUMN LOCATION	NON-HISPANIC			TOTAL	QX	TEXT AND CODE CATEGORIES
		HISP	WHITE	BLACK			
		0	0	0	0	22	ON CARD) = OTHER METHOD-NOT SHOWN SEPARATELY
		0	0	0	0	97	= Not Ascertained
		0	0	0	0	98	= Refused
		0	0	0	0	99	= Don't Know

1995 NATIONAL SURVEY OF FAMILY GROWTH
 File Documentation
 Respondent File (Section E Questionnaire Items)

VARIABLE COLUMN NON-HISPANIC
 NAME LOCATION HISP WHITE BLACK TOTAL QX TEXT AND CODE CATEGORIES

[MTHUS361] 7945-7946

During that month, which (of those/other) methods, if any, did you use at the same time? (2nd METHOD MENTIONED, 1st COMBINATION, MC31)

Inapplicable:
 R said no, don't know or refused to all birth control methods in EA series (computed variable EVERUSED = 2); R never had sex as of this month and never used a birth control method as of this month but ever used one or more birth control methods in EA series (WNFSTSEX GE 1093 and DATFIRSM GE 1093 and computed variable EVERUSED = 1); R did not use multiple methods in the month; or R used only 2 methods in the month; or R reported using fewer than 2 BC methods for this combination in this month of the method calendar.

1543	6440	2440	10786	Blank	= Blank, inapplicable
0	0	0	0	01	= NONE
0	0	0	0	02	= OFFICE USE ONLY
0	0	0	0	03	= BIRTH CONTROL PILLS
2	9	2	13	04	= CONDOM
0	1	0	1	05	= PARTNER'S VASECTOMY
0	0	0	0	06	= DIAPHRAGM
1	2	0	3	07	= FOAM
1	1	2	4	08	= JELLY OR CREAM
0	0	0	0	09	= CERVICAL CAP
1	1	1	3	10	= SUPPOSITORY, INSERT
0	1	0	1	11	= TODAY (TM) SPONGE
0	0	0	0	12	= FEMALE CONDOM, VAGINAL POUCH
0	0	0	0	13	= IUD, COIL, LOOP
0	0	0	0	14	= NORPLANT (TM)
0	0	0	0	15	= DEPO-PROVERA, INJECTABLES
0	1	0	1	16	= MORNING AFTER PILLS
4	16	0	20	17	= RHYTHM OR SAFE PERIOD BY CALENDAR
0	2	0	2	18	= SAFE PERIOD BY TEMP, CERVICAL MUCUS TEST, NFP

(4152)

1995 NATIONAL SURVEY OF FAMILY GROWTH
 File Documentation
 Respondent File (Section E Questionnaire Items)

VARIABLE NAME	COLUMN LOCATION	NON-HISPANIC			TOTAL	QX	TEXT AND CODE CATEGORIES
		HISP	WHITE	BLACK			
		1	9	1	13	19	= WITHDRAWAL
		0	0	0	0	20	= RESPONDENT STERILE
		0	0	0	0	21	= PARTNER STERILE (NOT ON CARD)
		0	0	0	0	22	= OTHER METHOD-NOT SHOWN SEPARATELY
		0	0	0	0	97	= Not Ascertained
		0	0	0	0	98	= Refused
		0	0	0	0	99	= Don't Know

1995 NATIONAL SURVEY OF FAMILY GROWTH
 File Documentation
 Respondent File (Section E Questionnaire Items)

VARIABLE	COLUMN	NON-HISPANIC				
NAME	LOCATION	HISP	WHITE	BLACK	TOTAL	QX TEXT AND CODE CATEGORIES

[MTHUS362] 7947-7948

During that month, which (of those/other) methods, if any, did you use at the same time? (3rd METHOD MENTIONED, 1st COMBINATION, MC31)

Inapplicable:
 R said no, don't know or refused to all birth control methods in EA series (computed variable EVERUSED = 2); R never had sex as of this month and never used a birth control method as of this month but ever used one or more birth control methods in EA series (WNFSTSEX GE 1093 and DATFIRSM GE 1093 and computed variable EVERUSED = 1); R did not use multiple methods in the month; or R used only 2 methods in the month; or R reported using fewer than 3 BC methods for this combination in this month of the method calendar.

1545	6458	2445	10813	Blank	= Blank, inapplicable
0	0	0	0	01	= NONE
0	0	0	0	02	= OFFICE USE ONLY
0	0	0	0	03	= BIRTH CONTROL PILLS
0	0	0	0	04	= CONDOM
1	0	0	1	05	= PARTNER'S VASECTOMY
0	0	0	0	06	= DIAPHRAGM
2	0	0	2	07	= FOAM
0	2	0	2	08	= JELLY OR CREAM
0	0	0	0	09	= CERVICAL CAP
0	0	0	0	10	= SUPPOSITORY, INSERT
1	2	0	3	11	= TODAY (TM) SPONGE
0	0	0	0	12	= FEMALE CONDOM, VAGINAL POUCH
0	0	0	0	13	= IUD, COIL, LOOP
0	0	0	0	14	= NORPLANT (TM)
0	0	0	0	15	= DEPO-PROVERA, INJECTABLES
0	0	0	0	16	= MORNING AFTER PILLS
2	3	1	6	17	= RHYTHM OR SAFE PERIOD BY CALENDAR
0	3	0	3	18	= SAFE PERIOD BY TEMP, CERVICAL MUCUS TEST, NFP

(4154)

1995 NATIONAL SURVEY OF FAMILY GROWTH
 File Documentation
 Respondent File (Section E Questionnaire Items)

VARIABLE NAME	COLUMN LOCATION	NON-HISPANIC			TOTAL	QX	TEXT AND CODE CATEGORIES
		HISP	WHITE	BLACK			
		1	15	0	16	19	= WITHDRAWAL
		0	0	0	0	20	= RESPONDENT STERILE
		0	0	0	0	21	= PARTNER STERILE (NOT ON CARD)
		1	0	0	1	22	= OTHER METHOD-NOT SHOWN SEPARATELY
		0	0	0	0	97	= Not Ascertained
		0	0	0	0	98	= Refused
		0	0	0	0	99	= Don't Know

1995 NATIONAL SURVEY OF FAMILY GROWTH
 File Documentation
 Respondent File (Section E Questionnaire Items)

VARIABLE COLUMN NON-HISPANIC
 NAME LOCATION HISP WHITE BLACK TOTAL QX TEXT AND CODE CATEGORIES

[MTHUS363] 7949-7950

During that month, which (of those/other) methods, if any, did you use at the same time? (4th METHOD MENTIONED, 1st COMBINATION, MC31)

Inapplicable:
 R said no, don't know or refused to all birth control methods in EA series (computed variable EVERUSED = 2); R never had sex as of this month and never used a birth control method as of this month but ever used one or more birth control methods in EA series (WNFSTSEX GE 1093 and DATFIRSM GE 1093 and computed variable EVERUSED = 1); R did not use multiple methods in the month; or R used only 2 methods in the month; or R reported using fewer than 4 BC methods for this combination in this month of the method calendar.

1553	6482	2445	10845	Blank	= Blank, inapplicable
0	0	0	0	01	= NONE
0	0	0	0	02	= OFFICE USE ONLY
0	0	0	0	03	= BIRTH CONTROL PILLS
0	1	0	1	04	= CONDOM
0	0	0	0	05	= PARTNER'S VASECTOMY
0	0	0	0	06	= DIAPHRAGM
0	0	0	0	07	= FOAM
0	0	0	0	08	= JELLY OR CREAM
0	0	0	0	09	= CERVICAL CAP
0	0	0	0	10	= SUPPOSITORY, INSERT
0	0	0	0	11	= TODAY (TM) SPONGE
0	0	0	0	12	= FEMALE CONDOM, VAGINAL POUCH
0	0	0	0	13	= IUD, COIL, LOOP
0	0	0	0	14	= NORPLANT (TM)
0	0	0	0	15	= DEPO-PROVERA, INJECTABLES
0	0	0	0	16	= MORNING AFTER PILLS
0	0	0	0	17	= RHYTHM OR SAFE PERIOD BY CALENDAR
0	0	1	1	18	= SAFE PERIOD BY TEMP, CERVICAL MUCUS TEST, NFP

1995 NATIONAL SURVEY OF FAMILY GROWTH
 File Documentation
 Respondent File (Section E Questionnaire Items)

VARIABLE NAME	COLUMN LOCATION	NON-HISPANIC			TOTAL	QX	TEXT AND CODE CATEGORIES
		HISP	WHITE	BLACK			
		0	0	0	0	19	= WITHDRAWAL
		0	0	0	0	20	= RESPONDENT STERILE
		0	0	0	0	21	= PARTNER STERILE (NOT ON CARD)
		0	0	0	0	22	= OTHER METHOD-NOT SHOWN SEPARATELY
		0	0	0	0	97	= Not Ascertained
		0	0	0	0	98	= Refused
		0	0	0	0	99	= Don't Know

1995 NATIONAL SURVEY OF FAMILY GROWTH
 File Documentation
 Respondent File (Section E Questionnaire Items)

VARIABLE COLUMN NON-HISPANIC
 NAME LOCATION HISP WHITE BLACK TOTAL QX TEXT AND CODE CATEGORIES

[MTHUS364] 7951-7952

During that month, which (of those/other) methods, if any, did you use at the same time? (1st METHOD MENTIONED, 2nd COMBINATION, MC31)

Inapplicable:
 R said no, don't know or refused to all birth control methods in EA series (computed variable EVERUSED = 2); R never had sex as of this month and never used a birth control method as of this month but ever used one or more birth control methods in EA series (WNFSTSEX GE 1093 and DATFIRSM GE 1093 and computed variable EVERUSED = 1); R did not use multiple methods in the month; or R used only 2 methods in the month; or R reported fewer than 2 BC method combinations.

	1543	6440	2440	10786	Blank	
	5	33	4	44	01	= Blank, inapplicable
	0	0	0	0	02	= NONE
	1	2	0	3	03	= OFFICE USE ONLY
	1	4	0	5	04	= BIRTH CONTROL PILLS
	0	0	0	0	05	= CONDOM
	0	0	0	0	06	= PARTNER'S VASECTOMY
	1	1	0	2	07	= DIAPHRAGM
	0	0	0	0	08	= FOAM
	0	0	0	0	09	= JELLY OR CREAM
	0	0	0	0	10	= CERVICAL CAP
	0	1	0	1	10	= SUPPOSITORY, INSERT
	0	0	0	0	11	= TODAY (TM) SPONGE
	0	0	0	0	12	= FEMALE CONDOM, VAGINAL POUCH
	0	0	0	0	13	= IUD, COIL, LOOP
	0	0	0	0	14	= NORPLANT (TM)
	0	0	0	0	15	= DEPO-PROVERA, INJECTABLES
	0	0	0	0	16	= MORNING AFTER PILLS
	0	2	0	2	17	= RHYTHM OR SAFE PERIOD BY CALENDAR
	0	0	0	0	18	= SAFE PERIOD BY TEMP, CERVICAL MUCUS TEST, NFP
	1	0	1	2	19	= WITHDRAWAL
	0	0	1	1	20	= RESPONDENT STERILE

(4158)

1995 NATIONAL SURVEY OF FAMILY GROWTH
 File Documentation
 Respondent File (Section E Questionnaire Items)

VARIABLE NAME	COLUMN LOCATION	NON-HISPANIC			TOTAL	QX	TEXT AND CODE CATEGORIES
		HISP	WHITE	BLACK			
		0	0	0	0	21	= PARTNER STERILE (NOT ON CARD)
		1	0	0	1	22	= OTHER METHOD-NOT SHOWN SEPARATELY
		0	0	0	0	97	= Not Ascertained
		0	0	0	0	98	= Refused
		0	0	0	0	99	= Don't Know

1995 NATIONAL SURVEY OF FAMILY GROWTH
 File Documentation
 Respondent File (Section E Questionnaire Items)

VARIABLE COLUMN NON-HISPANIC
 NAME LOCATION HISP WHITE BLACK TOTAL QX TEXT AND CODE CATEGORIES

[MTHUS365] 7953-7954

During that month, which (of those/other) methods, if any, did you use at the same time? (2nd METHOD MENTIONED, 2nd COMBINATION, MC31)

Inapplicable:
 R said no, don't know or refused to all birth control methods in EA series (computed variable EVERUSED = 2); R never had sex as of this month and never used a birth control method as of this month but ever used one or more birth control methods in EA series (WNFSTSEX GE 1093 and DATFIRSM GE 1093 and computed variable EVERUSED = 1); R did not use multiple methods in the month; or R used only 2 methods in the month; or R reported fewer than 2 BC method combinations; or R reported using fewer than 2 BC methods for this combination in this month of the method calendar.

1550	6474	2444	10833	Blank	= Blank, inapplicable
0	0	0	0	01	= NONE
0	0	0	0	02	= OFFICE USE ONLY
0	0	0	0	03	= BIRTH CONTROL PILLS
2	1	0	3	04	= CONDOM
0	1	0	1	05	= PARTNER'S VASECTOMY
0	0	0	0	06	= DIAPHRAGM
0	0	0	0	07	= FOAM
0	0	0	0	08	= JELLY OR CREAM
0	0	0	0	09	= CERVICAL CAP
0	0	1	1	10	= SUPPOSITORY, INSERT
0	1	0	1	11	= TODAY (TM) SPONGE
0	0	0	0	12	= FEMALE CONDOM, VAGINAL POUCH
0	0	0	0	13	= IUD, COIL, LOOP
0	0	0	0	14	= NORPLANT (TM)
0	0	0	0	15	= DEPO-PROVERA, INJECTABLES
0	0	0	0	16	= MORNING AFTER PILLS
1	2	0	3	17	= RHYTHM OR SAFE PERIOD BY CALENDAR
0	1	0	1	18	= SAFE PERIOD BY TEMP, CERVICAL MUCUS TEST,

(4160)

1995 NATIONAL SURVEY OF FAMILY GROWTH
 File Documentation
 Respondent File (Section E Questionnaire Items)

VARIABLE NAME	COLUMN LOCATION	NON-HISPANIC			TOTAL	QX	TEXT AND CODE CATEGORIES
		HISP	WHITE	BLACK			
		0	3	1	4	19	NFP
		0	0	0	0	20	= WITHDRAWAL
		0	0	0	0	21	= RESPONDENT STERILE
							= PARTNER STERILE (NOT ON CARD)
		0	0	0	0	22	= OTHER METHOD-NOT SHOWN SEPARATELY
		0	0	0	0	97	= Not Ascertained
		0	0	0	0	98	= Refused
		0	0	0	0	99	= Don't Know

1995 NATIONAL SURVEY OF FAMILY GROWTH
 File Documentation
 Respondent File (Section E Questionnaire Items)

VARIABLE	COLUMN	NON-HISPANIC				QX TEXT AND CODE CATEGORIES
NAME	LOCATION	HISP	WHITE	BLACK		

[MTHUS366] 7955-7956

During that month, which (of those/other) methods, if any, did you use at the same time? (3rd METHOD MENTIONED, 2nd COMBINATION, MC31)

Inapplicable:
 R said no, don't know or refused to all birth control methods in EA series (computed variable EVERUSED = 2); R never had sex as of this month and never used a birth control method as of this month but ever used one or more birth control methods in EA series (WNFSTSEX GE 1093 and DATFIRSM GE 1093 and computed variable EVERUSED = 1); R did not use multiple methods in the month; or R used only 2 methods in the month; or R reported fewer than 2 BC method combinations; or R reported using fewer than 3 BC methods for this combination in this month of the method calendar.

1551	6480	2446	10842	Blank	= Blank, inapplicable
0	0	0	0	01	= NONE
0	0	0	0	02	= OFFICE USE ONLY
0	0	0	0	03	= BIRTH CONTROL PILLS
0	0	0	0	04	= CONDOM
0	0	0	0	05	= PARTNER'S VASECTOMY
0	0	0	0	06	= DIAPHRAGM
0	0	0	0	07	= FOAM
0	1	0	1	08	= JELLY OR CREAM
0	0	0	0	09	= CERVICAL CAP
0	0	0	0	10	= SUPPOSITORY, INSERT
0	0	0	0	11	= TODAY (TM) SPONGE
0	0	0	0	12	= FEMALE CONDOM, VAGINAL POUCH
0	0	0	0	13	= IUD, COIL, LOOP
0	0	0	0	14	= NORPLANT (TM)
0	0	0	0	15	= DEPO-PROVERA, INJECTABLES
0	0	0	0	16	= MORNING AFTER PILLS
1	0	0	1	17	= RHYTHM OR SAFE PERIOD BY CALENDAR
0	1	0	1	18	= SAFE PERIOD BY TEMP, CERVICAL MUCUS TEST,

1995 NATIONAL SURVEY OF FAMILY GROWTH
 File Documentation
 Respondent File (Section E Questionnaire Items)

VARIABLE NAME	COLUMN LOCATION	NON-HISPANIC			TOTAL	QX	TEXT AND CODE CATEGORIES
		HISP	WHITE	BLACK			
		1	1	0	2	19	NFP
		0	0	0	0	20	= WITHDRAWAL
		0	0	0	0	21	= RESPONDENT STERILE
							= PARTNER STERILE (NOT ON CARD)
		0	0	0	0	22	= OTHER METHOD-NOT SHOWN SEPARATELY
		0	0	0	0	97	= Not Ascertained
		0	0	0	0	98	= Refused
		0	0	0	0	99	= Don't Know

1995 NATIONAL SURVEY OF FAMILY GROWTH
 File Documentation
 Respondent File (Section E Questionnaire Items)

VARIABLE	COLUMN	NON-HISPANIC				QX TEXT AND CODE CATEGORIES
NAME	LOCATION	HISP	WHITE	BLACK		

[MTHUS367] 7957-7958

During that month, which (of those/other) methods, if any, did you use at the same time? (4th METHOD MENTIONED, 2nd COMBINATION, MC31)

Inapplicable:
 R said no, don't know or refused to all birth control methods in EA series (computed variable EVERUSED = 2); R never had sex as of this month and never used a birth control method as of this month but ever used one or more birth control methods in EA series (WNFSTSEX GE 1093 and DATFIRSM GE 1093 and computed variable EVERUSED = 1); R did not use multiple methods in the month; or R used only 2 methods in the month; or R reported fewer than 2 BC method combinations; or R reported using fewer than 4 BC methods for this combination in this month of the method calendar.

1553	6483	2446	10847	Blank	= Blank, inapplicable
0	0	0	0	01	= NONE
0	0	0	0	02	= OFFICE USE ONLY
0	0	0	0	03	= BIRTH CONTROL PILLS
0	0	0	0	04	= CONDOM
0	0	0	0	05	= PARTNER'S VASECTOMY
0	0	0	0	06	= DIAPHRAGM
0	0	0	0	07	= FOAM
0	0	0	0	08	= JELLY OR CREAM
0	0	0	0	09	= CERVICAL CAP
0	0	0	0	10	= SUPPOSITORY, INSERT
0	0	0	0	11	= TODAY (TM) SPONGE
0	0	0	0	12	= FEMALE CONDOM, VAGINAL POUCH
0	0	0	0	13	= IUD, COIL, LOOP
0	0	0	0	14	= NORPLANT (TM)
0	0	0	0	15	= DEPO-PROVERA, INJECTABLES
0	0	0	0	16	= MORNING AFTER PILLS
0	0	0	0	17	= RHYTHM OR SAFE PERIOD BY CALENDAR
0	0	0	0	18	= SAFE PERIOD BY TEMP, CERVICAL MUCUS TEST,

1995 NATIONAL SURVEY OF FAMILY GROWTH
 File Documentation
 Respondent File (Section E Questionnaire Items)

VARIABLE NAME	COLUMN LOCATION	NON-HISPANIC			TOTAL	QX	TEXT AND CODE CATEGORIES
		HISP	WHITE	BLACK			
		0	0	0	0	19	NFP
		0	0	0	0	20	= WITHDRAWAL
		0	0	0	0	21	= RESPONDENT STERILE
							= PARTNER STERILE (NOT ON CARD)
		0	0	0	0	22	= OTHER METHOD-NOT SHOWN SEPARATELY
		0	0	0	0	97	= Not Ascertained
		0	0	0	0	98	= Refused
		0	0	0	0	99	= Don't Know

1995 NATIONAL SURVEY OF FAMILY GROWTH
 File Documentation
 Respondent File (Section E Questionnaire Items)

VARIABLE	COLUMN	NON-HISPANIC			QX TEXT AND CODE CATEGORIES
NAME	LOCATION	HISP	WHITE	BLACK	TOTAL

[MTHUS368] 7959-7960

During that month, which (of those/other) methods, if any, did you use at the same time? (1st METHOD MENTIONED, 3rd COMBINATION, MC31)

Inapplicable:
 R said no, don't know or refused to all birth control methods in EA series (computed variable EVERUSED = 2); R never had sex as of this month and never used a birth control method as of this month but ever used one or more birth control methods in EA series (WNFSTSEX GE 1093 and DATFIRSM GE 1093 and computed variable EVERUSED = 1); R did not use multiple methods in the month; or R used only 2 methods in the month; or R reported fewer than 3 BC method combinations.

1553	6482	2446	10846	Blank	= Blank, inapplicable
0	0	0	0	0	01 = NONE
0	0	0	0	0	02 = OFFICE USE ONLY
0	0	0	0	0	03 = BIRTH CONTROL PILLS
0	1	0	1	0	04 = CONDOM
0	0	0	0	0	05 = PARTNER'S VASECTOMY
0	0	0	0	0	06 = DIAPHRAGM
0	0	0	0	0	07 = FOAM
0	0	0	0	0	08 = JELLY OR CREAM
0	0	0	0	0	09 = CERVICAL CAP
0	0	0	0	0	10 = SUPPOSITORY, INSERT
0	0	0	0	0	11 = TODAY (TM) SPONGE
0	0	0	0	0	12 = FEMALE CONDOM, VAGINAL POUCH
0	0	0	0	0	13 = IUD, COIL, LOOP
0	0	0	0	0	14 = NORPLANT (TM)
0	0	0	0	0	15 = DEPO-PROVERA, INJECTABLES
0	0	0	0	0	16 = MORNING AFTER PILLS
0	0	0	0	0	17 = RHYTHM OR SAFE PERIOD BY CALENDAR
0	0	0	0	0	18 = SAFE PERIOD BY TEMP, CERVICAL MUCUS TEST, NFP
0	0	0	0	0	19 = WITHDRAWAL
0	0	0	0	0	20 = RESPONDENT STERILE

(4166)

1995 NATIONAL SURVEY OF FAMILY GROWTH
 File Documentation
 Respondent File (Section E Questionnaire Items)

VARIABLE NAME	COLUMN LOCATION	NON-HISPANIC			QX	TEXT AND CODE CATEGORIES
		HISP	WHITE	BLACK		
		0	0	0	0	21 = PARTNER STERILE (NOT ON CARD)
		0	0	0	0	22 = OTHER METHOD-NOT SHOWN SEPARATELY
		0	0	0	0	97 = Not Ascertained
		0	0	0	0	98 = Refused
		0	0	0	0	99 = Don't Know

1995 NATIONAL SURVEY OF FAMILY GROWTH
 File Documentation
 Respondent File (Section E Questionnaire Items)

VARIABLE	COLUMN	NON-HISPANIC							
NAME	LOCATION	HISP	WHITE	BLACK					

[MTHUS369] 7961-7962

During that month, which (of those/other) methods, if any, did you use at the same time? (2nd METHOD MENTIONED, 3rd COMBINATION, MC31)

Inapplicable:
 R said no, don't know or refused to all birth control methods in EA series (computed variable EVERUSED = 2); R never had sex as of this month and never used a birth control method as of this month but ever used one or more birth control methods in EA series (WNFSTSEX GE 1093 and DATFIRSM GE 1093 and computed variable EVERUSED = 1); R did not use multiple methods in the month; or R used only 2 methods in the month; or R reported fewer than 3 BC method combinations; or R reported using fewer than 2 BC methods for this combination in this month of the method calendar.

1553	6482	2446	10846	Blank	= Blank, inapplicable
0	0	0	0	01	= NONE
0	0	0	0	02	= OFFICE USE ONLY
0	0	0	0	03	= BIRTH CONTROL PILLS
0	0	0	0	04	= CONDOM
0	0	0	0	05	= PARTNER'S VASECTOMY
0	0	0	0	06	= DIAPHRAGM
0	0	0	0	07	= FOAM
0	0	0	0	08	= JELLY OR CREAM
0	0	0	0	09	= CERVICAL CAP
0	0	0	0	10	= SUPPOSITORY, INSERT
0	0	0	0	11	= TODAY (TM) SPONGE
0	0	0	0	12	= FEMALE CONDOM, VAGINAL POUCH
0	0	0	0	13	= IUD, COIL, LOOP
0	0	0	0	14	= NORPLANT (TM)
0	0	0	0	15	= DEPO-PROVERA, INJECTABLES
0	0	0	0	16	= MORNING AFTER PILLS
0	1	0	1	17	= RHYTHM OR SAFE PERIOD BY CALENDAR
0	0	0	0	18	= SAFE PERIOD BY TEMP, CERVICAL MUCUS TEST,

1995 NATIONAL SURVEY OF FAMILY GROWTH
 File Documentation
 Respondent File (Section E Questionnaire Items)

VARIABLE NAME	COLUMN LOCATION	NON-HISPANIC			TOTAL	QX	TEXT AND CODE CATEGORIES
		HISP	WHITE	BLACK			
		0	0	0	0	19	NFP
		0	0	0	0	20	= WITHDRAWAL
		0	0	0	0	21	= RESPONDENT STERILE
							= PARTNER STERILE (NOT ON CARD)
		0	0	0	0	22	= OTHER METHOD-NOT SHOWN SEPARATELY
		0	0	0	0	97	= Not Ascertained
		0	0	0	0	98	= Refused
		0	0	0	0	99	= Don't Know

1995 NATIONAL SURVEY OF FAMILY GROWTH
 File Documentation
 Respondent File (Section E Questionnaire Items)

VARIABLE	COLUMN	NON-HISPANIC				
NAME	LOCATION	HISP	WHITE	BLACK	TOTAL	QX TEXT AND CODE CATEGORIES

[MTHUS370] 7963-7964

During that month, which (of those/other) methods, if any, did you use at the same time? (3rd METHOD MENTIONED, 3rd COMBINATION, MC31)

Inapplicable:
 R said no, don't know or refused to all birth control methods in EA series (computed variable EVERUSED = 2); R never had sex as of this month and never used a birth control method as of this month but ever used one or more birth control methods in EA series (WNFSTSEX GE 1093 and DATFIRSM GE 1093 and computed variable EVERUSED = 1); R did not use multiple methods in the month; or R used only 2 methods in the month; or R reported fewer than 3 BC method combinations; or R reported using fewer than 3 BC methods for this combination in this month of the method calendar.

1553	6483	2446	10847	Blank	= Blank, inapplicable
0	0	0	0	01	= NONE
0	0	0	0	02	= OFFICE USE ONLY
0	0	0	0	03	= BIRTH CONTROL PILLS
0	0	0	0	04	= CONDOM
0	0	0	0	05	= PARTNER'S VASECTOMY
0	0	0	0	06	= DIAPHRAGM
0	0	0	0	07	= FOAM
0	0	0	0	08	= JELLY OR CREAM
0	0	0	0	09	= CERVICAL CAP
0	0	0	0	10	= SUPPOSITORY, INSERT
0	0	0	0	11	= TODAY (TM) SPONGE
0	0	0	0	12	= FEMALE CONDOM, VAGINAL POUCH
0	0	0	0	13	= IUD, COIL, LOOP
0	0	0	0	14	= NORPLANT (TM)
0	0	0	0	15	= DEPO-PROVERA, INJECTABLES
0	0	0	0	16	= MORNING AFTER PILLS
0	0	0	0	17	= RHYTHM OR SAFE PERIOD BY CALENDAR
0	0	0	0	18	= SAFE PERIOD BY TEMP, CERVICAL MUCUS TEST,

1995 NATIONAL SURVEY OF FAMILY GROWTH
 File Documentation
 Respondent File (Section E Questionnaire Items)

VARIABLE NAME	COLUMN LOCATION	NON-HISPANIC			TOTAL	QX	TEXT AND CODE CATEGORIES
		HISP	WHITE	BLACK			
		0	0	0	0	19	NFP
		0	0	0	0	20	= WITHDRAWAL
		0	0	0	0	21	= RESPONDENT STERILE
							= PARTNER STERILE (NOT ON CARD)
		0	0	0	0	22	= OTHER METHOD-NOT SHOWN SEPARATELY
		0	0	0	0	97	= Not Ascertained
		0	0	0	0	98	= Refused
		0	0	0	0	99	= Don't Know

1995 NATIONAL SURVEY OF FAMILY GROWTH
 File Documentation
 Respondent File (Section E Questionnaire Items)

VARIABLE COLUMN NON-HISPANIC
 NAME LOCATION HISP WHITE BLACK TOTAL QX TEXT AND CODE CATEGORIES

[MTHUS371] 7965-7966

During that month, which (of those/other) methods, if any, did you use at the same time? (4th METHOD MENTIONED, 3rd COMBINATION, MC31)

Inapplicable:
 R said no, don't know or refused to all birth control methods in EA series (computed variable EVERUSED = 2); R never had sex as of this month and never used a birth control method as of this month but ever used one or more birth control methods in EA series (WNFSTSEX GE 1093 and DATFIRSM GE 1093 and computed variable EVERUSED = 1); R did not use multiple methods in the month; or R used only 2 methods in the month; or R reported fewer than 3 BC method combinations; or R reported using fewer than 4 BC methods for this combination in this month of the method calendar.

1553	6483	2446	10847	Blank	= Blank, inapplicable
0	0	0	0	01	= NONE
0	0	0	0	02	= OFFICE USE ONLY
0	0	0	0	03	= BIRTH CONTROL PILLS
0	0	0	0	04	= CONDOM
0	0	0	0	05	= PARTNER'S VASECTOMY
0	0	0	0	06	= DIAPHRAGM
0	0	0	0	07	= FOAM
0	0	0	0	08	= JELLY OR CREAM
0	0	0	0	09	= CERVICAL CAP
0	0	0	0	10	= SUPPOSITORY, INSERT
0	0	0	0	11	= TODAY (TM) SPONGE
0	0	0	0	12	= FEMALE CONDOM, VAGINAL POUCH
0	0	0	0	13	= IUD, COIL, LOOP
0	0	0	0	14	= NORPLANT (TM)
0	0	0	0	15	= DEPO-PROVERA, INJECTABLES
0	0	0	0	16	= MORNING AFTER PILLS
0	0	0	0	17	= RHYTHM OR SAFE PERIOD BY CALENDAR
0	0	0	0	18	= SAFE PERIOD BY TEMP, CERVICAL MUCUS TEST,

1995 NATIONAL SURVEY OF FAMILY GROWTH
 File Documentation
 Respondent File (Section E Questionnaire Items)

VARIABLE NAME	COLUMN LOCATION	NON-HISPANIC			TOTAL	QX	TEXT AND CODE CATEGORIES
		HISP	WHITE	BLACK			
		0	0	0	0	19	NFP
		0	0	0	0	20	= WITHDRAWAL
		0	0	0	0	21	= RESPONDENT STERILE
							= PARTNER STERILE (NOT ON CARD)
		0	0	0	0	22	= OTHER METHOD-NOT SHOWN SEPARATELY
		0	0	0	0	97	= Not Ascertained
		0	0	0	0	98	= Refused
		0	0	0	0	99	= Don't Know

1995 NATIONAL SURVEY OF FAMILY GROWTH
 File Documentation
 Respondent File (Section E Questionnaire Items)

VARIABLE NAME	COLUMN LOCATION	NON-HISPANIC			QX TEXT AND CODE CATEGORIES		
		HISP	WHITE	BLACK TOTAL			
[METHH124]	7967-7968				ENTER METHOD (FIRST MENTIONED) USED IN AUGUST 1993: (MC32)		
					Inapplicable: R never had sex as of this month and never used a birth control method as of this month but ever used one or more birth control methods in EA series (WNFSTSEX GE 1093 and DATFIRSM GE 1093 and computed variable EVERUSED = 1); R never had sex and said no, don't know or refused to all birth control methods in EA series (computed variable RHADSEX coded 2,7,8 or 9 and computed variable EVERUSED = 2); R said no, don't know or refused to all birth control methods in EA series (computed variable EVERUSED = 2).		
		294	862	288	1549	Blank	= Blank, inapplicable
		333	1247	536	2183	01	= NO METHODS USED
		0	0	0	0	02	= SAME AS PREVIOUS MONTH
		245	1292	431	1999	03	= BIRTH CONTROL PILLS
		193	853	412	1524	04	= CONDOM
		21	335	9	374	05	= PARTNER'S VASECTOMY
		6	95	14	117	06	= DIAPHRAGM
		4	24	3	31	07	= FOAM
		1	10	1	12	08	= JELLY OR CREAM
		0	4	0	4	09	= CERVICAL CAP
		5	25	6	38	10	= SUPPOSITORY, INSERT
		2	34	9	45	11	= TODAY (TM) SPONGE
		0	2	0	2	12	= FEMALE CONDOM, VAGINAL POUCH
		21	32	17	73	13	= IUD, COIL, LOOP
		22	49	40	114	14	= NORPLANT (TM)
		18	31	21	72	15	= DEPO-PROVERA, INJECTABLES
		0	0	0	0	16	= MORNING AFTER PILLS
		29	104	18	162	17	= RHYTHM OR SAFE PERIOD BY CALENDAR
		2	17	0	19	18	= SAFE PERIOD BY TEMP, CERVICAL MUCUS TEST, NFP
		44	144	20	219	19	= WITHDRAWAL
		294	1140	600	2082	20	= RESPONDENT STERILE

(4174)

1995 NATIONAL SURVEY OF FAMILY GROWTH
 File Documentation
 Respondent File (Section E Questionnaire Items)

VARIABLE NAME	COLUMN LOCATION	NON-HISPANIC			QX	TEXT AND CODE CATEGORIES	
		HISP	WHITE	BLACK			TOTAL
		17	171	13	205	21	= PARTNER STERILE (NOT ON CARD)
		2	3	4	9	22	= OTHER METHOD-NOT SHOWN SEPARATELY
		0	0	0	0	55	= SAME METHODS USED THROUGH END OF YEAR
		0	2	2	4	97	= Not Ascertained
		0	5	2	7	98	= Refused
		0	2	0	3	99	= Don't Know

1995 NATIONAL SURVEY OF FAMILY GROWTH
 File Documentation
 Respondent File (Section E Questionnaire Items)

VARIABLE NAME	COLUMN LOCATION	NON-HISPANIC WHITE BLACK TOTAL			QX TEXT AND CODE CATEGORIES
[METHH125]	7969-7970				ENTER METHOD (SECOND MENTIONED) USED IN AUGUST 1993: (MC32)

Inapplicable:
 R never had sex as of this month and never used a birth control method as of this month but ever used one or more birth control methods in EA series (WNFSTSEX GE 1093 and DATFIRSM GE 1093 and computed variable EVERUSED = 1); R never had sex and said no, don't know or refused to all birth control methods in EA series (computed variable RHADSEX coded 2,7,8 or 9 and computed variable EVERUSED = 2); R said no, don't know or refused to all birth control methods in EA series (computed variable EVERUSED = 2); R used fewer than 2 methods in month.

1477	6035	2279	10133	Blank	= Blank, inapplicable
0	0	0	0	01	= NO METHODS USED
0	0	0	0	02	= SAME AS PREVIOUS MONTH
0	11	3	14	03	= BIRTH CONTROL PILLS
22	145	81	254	04	= CONDOM
0	12	2	14	05	= PARTNER'S VASECTOMY
3	13	3	19	06	= DIAPHRAGM
6	26	9	43	07	= FOAM
2	14	5	21	08	= JELLY OR CREAM
0	0	0	0	09	= CERVICAL CAP
3	10	7	20	10	= SUPPOSITORY, INSERT
0	14	7	23	11	= TODAY (TM) SPONGE
0	0	0	0	12	= FEMALE CONDOM, VAGINAL POUCH
0	0	0	0	13	= IUD, COIL, LOOP
0	1	3	4	14	= NORPLANT (TM)
0	1	1	2	15	= DEPO-PROVERA, INJECTABLES
0	0	0	0	16	= MORNING AFTER PILLS
16	59	6	85	17	= RHYTHM OR SAFE PERIOD BY CALENDAR
0	9	1	10	18	= SAFE PERIOD BY TEMP, CERVICAL MUCUS TEST, NFP
24	107	20	158	19	= WITHDRAWAL

(4176)

1995 NATIONAL SURVEY OF FAMILY GROWTH
 File Documentation
 Respondent File (Section E Questionnaire Items)

VARIABLE NAME	COLUMN LOCATION	NON-HISPANIC			TOTAL	QX	TEXT AND CODE CATEGORIES
		HISP	WHITE	BLACK			
		0	9	15	24	20	= RESPONDENT STERILE
		0	8	0	9	21	= PARTNER STERILE (NOT ON CARD)
		0	0	0	0	22	= OTHER METHOD-NOT SHOWN SEPARATELY
		0	0	0	0	55	= SAME METHODS USED THROUGH END OF YEAR
		0	2	2	4	97	= Not Ascertained
		0	5	2	7	98	= Refused
		0	2	0	3	99	= Don't Know

1995 NATIONAL SURVEY OF FAMILY GROWTH
 File Documentation
 Respondent File (Section E Questionnaire Items)

VARIABLE NAME	COLUMN LOCATION	NON-HISPANIC			TOTAL	QX	TEXT AND CODE CATEGORIES
		HISP	WHITE	BLACK			
		1	7	18	26	20	= RESPONDENT STERILE
		0	0	0	0	21	= PARTNER STERILE (NOT ON CARD)
		1	0	0	2	22	= OTHER METHOD-NOT SHOWN SEPARATELY
		0	0	0	0	55	= SAME METHODS USED THROUGH END OF YEAR
		0	2	2	4	97	= Not Ascertained
		0	5	2	7	98	= Refused
		0	2	0	3	99	= Don't Know

1995 NATIONAL SURVEY OF FAMILY GROWTH
File Documentation
Respondent File (Section E Questionnaire Items)

VARIABLE NAME	COLUMN LOCATION	NON-HISPANIC			QX TEXT AND CODE CATEGORIES	
		HISP	WHITE	BLACK	TOTAL	
[METHH127]	7973-7974					ENTER METHOD (FOURTH MENTIONED) USED IN AUGUST 1993: (MC32)

Inapplicable:
R never had sex as of this month and never used a birth control method as of this month but ever used one or more birth control methods in EA series (WNFSTSEX GE 1093 and DATFIRSM GE 1093 and computed variable EVERUSED = 1); R never had sex and said no, don't know or refused to all birth control methods in EA series (computed variable RHADSEX coded 2,7,8 or 9 and computed variable EVERUSED = 2); R said no, don't know or refused to all birth control methods in EA series (computed variable EVERUSED = 2); R used fewer than 4 methods in month.

1553	6467	2441	10825	Blank	= Blank, inapplicable
0	0	0	0	01	= NO METHODS USED
0	0	0	0	02	= SAME AS PREVIOUS MONTH
0	0	0	0	03	= BIRTH CONTROL PILLS
0	1	0	1	04	= CONDOM
0	0	0	0	05	= PARTNER'S VASECTOMY
0	0	0	0	06	= DIAPHRAGM
0	0	0	0	07	= FOAM
0	0	0	0	08	= JELLY OR CREAM
0	0	0	0	09	= CERVICAL CAP
0	0	0	0	10	= SUPPOSITORY, INSERT
0	1	0	1	11	= TODAY (TM) SPONGE
0	0	0	0	12	= FEMALE CONDOM, VAGINAL POUCH
0	0	0	0	13	= IUD, COIL, LOOP
0	0	0	0	14	= NORPLANT (TM)
0	0	0	0	15	= DEPO-PROVERA, INJECTABLES
0	0	0	0	16	= MORNING AFTER PILLS
0	2	0	2	17	= RHYTHM OR SAFE PERIOD BY CALENDAR
0	0	1	1	18	= SAFE PERIOD BY TEMP, CERVICAL MUCUS TEST, NFP
0	3	0	3	19	= WITHDRAWAL

(4180)

1995 NATIONAL SURVEY OF FAMILY GROWTH
 File Documentation
 Respondent File (Section E Questionnaire Items)

VARIABLE NAME	COLUMN LOCATION	NON-HISPANIC			TOTAL	QX	TEXT AND CODE CATEGORIES
		HISP	WHITE	BLACK			
		0	0	0	0	20	= RESPONDENT STERILE
		0	0	0	0	21	= PARTNER STERILE (NOT ON CARD)
		0	0	0	0	22	= OTHER METHOD-NOT SHOWN SEPARATELY
		0	0	0	0	55	= SAME METHODS USED THROUGH END OF YEAR
		0	2	2	4	97	= Not Ascertained
		0	5	2	7	98	= Refused
		0	2	0	3	99	= Don't Know

[SIMSEQ31] 7975-7975

Did you use those methods together,
 that is, at the same time, or did
 you use them at different times
 during the month? (MC32)

Inapplicable:

R never had sex as of this month and
 never used a birth control method as
 of this month but ever used one or
 more birth control methods in EA
 series (WNFSTSEX GE 1093 and
 DATFIRSM GE 1093 and computed
 variable EVERUSED = 1); R never had
 sex and said no, don't know or
 refused to all birth control methods
 in EA series (computed variable
 RHADSEX coded 2,7,8 or 9 and
 computed variable EVERUSED = 2); R
 said no, don't know or refused to
 all birth control methods in EA
 series (computed variable EVERUSED =
 2); R did not use multiple methods
 in the month; R used more than 2
 methods in the month.

1488	6100	2291	10224	Blank	= Blank, inapplicable
36	254	124	425	1	= SAME TIME
29	129	31	198	2	= DIFFERENT TIMES
0	0	0	0	7	= Not Ascertained
0	0	0	0	8	= Refused
0	0	0	0	9	= Don't Know

1995 NATIONAL SURVEY OF FAMILY GROWTH
 File Documentation
 Respondent File (Section E Questionnaire Items)

VARIABLE	COLUMN	NON-HISPANIC				
NAME	LOCATION	HISP	WHITE	BLACK	TOTAL	QX TEXT AND CODE CATEGORIES

[MTHUS372] 7976-7977

During that month, which (of those/other) methods, if any, did you use at the same time? (1st METHOD MENTIONED, 1st COMBINATION, MC32)

Inapplicable:
 R said no, don't know or refused to all birth control methods in EA series (computed variable EVERUSED = 2); R never had sex as of this month and never used a birth control method as of this month but ever used one or more birth control methods in EA series (WNFSTSEX GE 1093 and DATFIRSM GE 1093 and computed variable EVERUSED = 1); R did not use multiple methods in the month; or R used only 2 methods in the month.

1542	6427	2438	10770	Blank	= Blank, inapplicable
2	13	2	17	01	= NONE
0	0	0	0	02	= OFFICE USE ONLY
1	7	1	10	03	= BIRTH CONTROL PILLS
8	21	3	33	04	= CONDOM
0	0	0	0	05	= PARTNER'S VASECTOMY
0	4	0	4	06	= DIAPHRAGM
0	2	0	2	07	= FOAM
0	0	0	0	08	= JELLY OR CREAM
0	0	0	0	09	= CERVICAL CAP
0	0	0	0	10	= SUPPOSITORY, INSERT
0	3	0	3	11	= TODAY (TM) SPONGE
0	0	0	0	12	= FEMALE CONDOM, VAGINAL POUCH
0	0	0	0	13	= IUD, COIL, LOOP
0	0	0	0	14	= NORPLANT (TM)
0	0	0	0	15	= DEPO-PROVERA, INJECTABLES
0	0	0	0	16	= MORNING AFTER PILLS
0	5	0	5	17	= RHYTHM OR SAFE PERIOD BY CALENDAR
0	0	0	0	18	= SAFE PERIOD BY TEMP, CERVICAL MUCUS TEST, NFP
0	1	1	2	19	= WITHDRAWAL
0	0	1	1	20	= RESPONDENT STERILE
0	0	0	0	21	= PARTNER STERILE (NOT

(4182)

1995 NATIONAL SURVEY OF FAMILY GROWTH
 File Documentation
 Respondent File (Section E Questionnaire Items)

VARIABLE NAME	COLUMN LOCATION	NON-HISPANIC			TOTAL	QX	TEXT AND CODE CATEGORIES
		HISP	WHITE	BLACK			
		0	0	0	0	22	ON CARD) = OTHER METHOD-NOT SHOWN SEPARATELY
		0	0	0	0	97	= Not Ascertained
		0	0	0	0	98	= Refused
		0	0	0	0	99	= Don't Know

1995 NATIONAL SURVEY OF FAMILY GROWTH
 File Documentation
 Respondent File (Section E Questionnaire Items)

VARIABLE COLUMN NON-HISPANIC
 NAME LOCATION HISP WHITE BLACK TOTAL QX TEXT AND CODE CATEGORIES

[MTHUS373] 7978-7979

During that month, which (of those/other) methods, if any, did you use at the same time? (2nd METHOD MENTIONED, 1st COMBINATION, MC32)

Inapplicable:
 R said no, don't know or refused to all birth control methods in EA series (computed variable EVERUSED = 2); R never had sex as of this month and never used a birth control method as of this month but ever used one or more birth control methods in EA series (WNFSTSEX GE 1093 and DATFIRSM GE 1093 and computed variable EVERUSED = 1); R did not use multiple methods in the month; or R used only 2 methods in the month; or R reported using fewer than 2 BC methods for this combination in this month of the method calendar.

1544	6440	2440	10787	Blank	= Blank, inapplicable
0	0	0	0	01	= NONE
0	0	0	0	02	= OFFICE USE ONLY
0	0	0	0	03	= BIRTH CONTROL PILLS
1	9	2	12	04	= CONDOM
0	1	0	1	05	= PARTNER'S VASECTOMY
0	0	0	0	06	= DIAPHRAGM
1	3	0	4	07	= FOAM
1	1	2	4	08	= JELLY OR CREAM
0	0	0	0	09	= CERVICAL CAP
1	1	1	3	10	= SUPPOSITORY, INSERT
0	1	0	1	11	= TODAY (TM) SPONGE
0	0	0	0	12	= FEMALE CONDOM, VAGINAL POUCH
0	0	0	0	13	= IUD, COIL, LOOP
0	0	0	0	14	= NORPLANT (TM)
0	0	0	0	15	= DEPO-PROVERA, INJECTABLES
0	1	0	1	16	= MORNING AFTER PILLS
4	16	0	20	17	= RHYTHM OR SAFE PERIOD BY CALENDAR
0	2	0	2	18	= SAFE PERIOD BY TEMP, CERVICAL MUCUS TEST, NFP

(4184)

1995 NATIONAL SURVEY OF FAMILY GROWTH
 File Documentation
 Respondent File (Section E Questionnaire Items)

VARIABLE NAME	COLUMN LOCATION	NON-HISPANIC			TOTAL	QX	TEXT AND CODE CATEGORIES
		HISP	WHITE	BLACK			
		1	8	1	12	19	= WITHDRAWAL
		0	0	0	0	20	= RESPONDENT STERILE
		0	0	0	0	21	= PARTNER STERILE (NOT ON CARD)
		0	0	0	0	22	= OTHER METHOD-NOT SHOWN SEPARATELY
		0	0	0	0	97	= Not Ascertained
		0	0	0	0	98	= Refused
		0	0	0	0	99	= Don't Know

1995 NATIONAL SURVEY OF FAMILY GROWTH
 File Documentation
 Respondent File (Section E Questionnaire Items)

VARIABLE	COLUMN	NON-HISPANIC				QX TEXT AND CODE CATEGORIES
NAME	LOCATION	HISP	WHITE	BLACK		

[MTHUS374] 7980-7981

During that month, which (of those/other) methods, if any, did you use at the same time? (3rd METHOD MENTIONED, 1st COMBINATION, MC32)

Inapplicable:
 R said no, don't know or refused to all birth control methods in EA series (computed variable EVERUSED = 2); R never had sex as of this month and never used a birth control method as of this month but ever used one or more birth control methods in EA series (WNFSTSEX GE 1093 and DATFIRSM GE 1093 and computed variable EVERUSED = 1); R did not use multiple methods in the month; or R used only 2 methods in the month; or R reported using fewer than 3 BC methods for this combination in this month of the method calendar.

1545	6458	2445	10813	Blank	= Blank, inapplicable
0	0	0	0	01	= NONE
0	0	0	0	02	= OFFICE USE ONLY
0	0	0	0	03	= BIRTH CONTROL PILLS
0	0	0	0	04	= CONDOM
1	0	0	1	05	= PARTNER'S VASECTOMY
0	0	0	0	06	= DIAPHRAGM
2	0	0	2	07	= FOAM
0	2	0	2	08	= JELLY OR CREAM
0	0	0	0	09	= CERVICAL CAP
0	0	0	0	10	= SUPPOSITORY, INSERT
1	2	0	3	11	= TODAY (TM) SPONGE
0	0	0	0	12	= FEMALE CONDOM, VAGINAL POUCH
0	0	0	0	13	= IUD, COIL, LOOP
0	0	0	0	14	= NORPLANT (TM)
0	0	0	0	15	= DEPO-PROVERA, INJECTABLES
0	0	0	0	16	= MORNING AFTER PILLS
2	3	1	6	17	= RHYTHM OR SAFE PERIOD BY CALENDAR
0	2	0	2	18	= SAFE PERIOD BY TEMP, CERVICAL MUCUS TEST, NFP

1995 NATIONAL SURVEY OF FAMILY GROWTH
 File Documentation
 Respondent File (Section E Questionnaire Items)

VARIABLE NAME	COLUMN LOCATION	NON-HISPANIC			TOTAL	QX	TEXT AND CODE CATEGORIES
		HISP	WHITE	BLACK			
		1	16	0	17	19	= WITHDRAWAL
		0	0	0	0	20	= RESPONDENT STERILE
		0	0	0	0	21	= PARTNER STERILE (NOT ON CARD)
		1	0	0	1	22	= OTHER METHOD-NOT SHOWN SEPARATELY
		0	0	0	0	97	= Not Ascertained
		0	0	0	0	98	= Refused
		0	0	0	0	99	= Don't Know

1995 NATIONAL SURVEY OF FAMILY GROWTH
 File Documentation
 Respondent File (Section E Questionnaire Items)

VARIABLE COLUMN NON-HISPANIC
 NAME LOCATION HISP WHITE BLACK TOTAL QX TEXT AND CODE CATEGORIES

[MTHUS375] 7982-7983

During that month, which (of those/other) methods, if any, did you use at the same time? (4th METHOD MENTIONED, 1st COMBINATION, MC32)

Inapplicable:
 R said no, don't know or refused to all birth control methods in EA series (computed variable EVERUSED = 2); R never had sex as of this month and never used a birth control method as of this month but ever used one or more birth control methods in EA series (WNFSTSEX GE 1093 and DATFIRSM GE 1093 and computed variable EVERUSED = 1); R did not use multiple methods in the month; or R used only 2 methods in the month; or R reported using fewer than 4 BC methods for this combination in this month of the method calendar.

	1553	6482	2445	10845	Blank	
	0	0	0	0	01	= Blank, inapplicable
	0	0	0	0	02	= NONE
	0	0	0	0	03	= OFFICE USE ONLY
	0	1	0	1	04	= BIRTH CONTROL PILLS
	0	0	0	0	05	= CONDOM
	0	0	0	0	06	= PARTNER'S VASECTOMY
	0	0	0	0	07	= DIAPHRAGM
	0	0	0	0	08	= FOAM
	0	0	0	0	09	= JELLY OR CREAM
	0	0	0	0	10	= CERVICAL CAP
	0	0	0	0	11	= SUPPOSITORY, INSERT
	0	0	0	0	12	= TODAY (TM) SPONGE
	0	0	0	0	13	= FEMALE CONDOM, VAGINAL POUCH
	0	0	0	0	14	= IUD, COIL, LOOP
	0	0	0	0	15	= NORPLANT (TM)
	0	0	0	0	16	= DEPO-PROVERA, INJECTABLES
	0	0	0	0	17	= MORNING AFTER PILLS
	0	0	0	0	18	= RHYTHM OR SAFE PERIOD BY CALENDAR
	0	0	1	1	18	= SAFE PERIOD BY TEMP, CERVICAL MUCUS TEST, NFP

1995 NATIONAL SURVEY OF FAMILY GROWTH
 File Documentation
 Respondent File (Section E Questionnaire Items)

VARIABLE NAME	COLUMN LOCATION	NON-HISPANIC			TOTAL	QX	TEXT AND CODE CATEGORIES
		HISP	WHITE	BLACK			
		0	0	0	0	19	= WITHDRAWAL
		0	0	0	0	20	= RESPONDENT STERILE
		0	0	0	0	21	= PARTNER STERILE (NOT ON CARD)
		0	0	0	0	22	= OTHER METHOD-NOT SHOWN SEPARATELY
		0	0	0	0	97	= Not Ascertained
		0	0	0	0	98	= Refused
		0	0	0	0	99	= Don't Know

1995 NATIONAL SURVEY OF FAMILY GROWTH
 File Documentation
 Respondent File (Section E Questionnaire Items)

VARIABLE COLUMN NON-HISPANIC
 NAME LOCATION HISP WHITE BLACK TOTAL QX TEXT AND CODE CATEGORIES

[MTHUS376] 7984-7985

During that month, which (of those/other) methods, if any, did you use at the same time? (1st METHOD MENTIONED, 2nd COMBINATION, MC32)

Inapplicable:
 R said no, don't know or refused to all birth control methods in EA series (computed variable EVERUSED = 2); R never had sex as of this month and never used a birth control method as of this month but ever used one or more birth control methods in EA series (WNFSTSEX GE 1093 and DATFIRSM GE 1093 and computed variable EVERUSED = 1); R did not use multiple methods in the month; or R used only 2 methods in the month; or R reported fewer than 2 BC method combinations.

1544	6440	2440	10787	Blank	
5	33	4	44	01	= Blank, inapplicable
0	0	0	0	02	= NONE
0	2	0	2	03	= OFFICE USE ONLY
1	5	0	6	04	= BIRTH CONTROL PILLS
0	0	0	0	05	= CONDOM
0	0	0	0	06	= PARTNER'S VASECTOMY
1	1	0	2	07	= DIAPHRAGM
0	0	0	0	08	= FOAM
0	0	0	0	09	= JELLY OR CREAM
0	0	0	0	10	= CERVICAL CAP
0	0	0	0	11	= SUPPOSITORY, INSERT
0	0	0	0	12	= TODAY (TM) SPONGE
0	0	0	0	13	= FEMALE CONDOM, VAGINAL POUCH
0	0	0	0	14	= IUD, COIL, LOOP
0	0	0	0	15	= NORPLANT (TM)
0	0	0	0	16	= DEPO-PROVERA, INJECTABLES
0	0	0	0	17	= MORNING AFTER PILLS
0	2	0	2	18	= RHYTHM OR SAFE PERIOD BY CALENDAR
0	0	0	0	19	= SAFE PERIOD BY TEMP, CERVICAL MUCUS TEST, NFP
1	0	1	2	20	= WITHDRAWAL
0	0	1	1	20	= RESPONDENT STERILE

(4190)

1995 NATIONAL SURVEY OF FAMILY GROWTH
 File Documentation
 Respondent File (Section E Questionnaire Items)

VARIABLE NAME	COLUMN LOCATION	NON-HISPANIC			TOTAL	QX	TEXT AND CODE CATEGORIES
		HISP	WHITE	BLACK			
		0	0	0	0	21	= PARTNER STERILE (NOT ON CARD)
		1	0	0	1	22	= OTHER METHOD-NOT SHOWN SEPARATELY
		0	0	0	0	97	= Not Ascertained
		0	0	0	0	98	= Refused
		0	0	0	0	99	= Don't Know

1995 NATIONAL SURVEY OF FAMILY GROWTH
 File Documentation
 Respondent File (Section E Questionnaire Items)

VARIABLE	COLUMN	NON-HISPANIC							
NAME	LOCATION	HISP	WHITE	BLACK					

[MTHUS377] 7986-7987

During that month, which (of those/other) methods, if any, did you use at the same time? (2nd METHOD MENTIONED, 2nd COMBINATION, MC32)

Inapplicable:
 R said no, don't know or refused to all birth control methods in EA series (computed variable EVERUSED = 2); R never had sex as of this month and never used a birth control method as of this month but ever used one or more birth control methods in EA series (WNFSTSEX GE 1093 and DATFIRSM GE 1093 and computed variable EVERUSED = 1); R did not use multiple methods in the month; or R used only 2 methods in the month; or R reported fewer than 2 BC method combinations; or R reported using fewer than 2 BC methods for this combination in this month of the method calendar.

1551	6474	2444	10834	Blank	= Blank, inapplicable
0	0	0	0	01	= NONE
0	0	0	0	02	= OFFICE USE ONLY
0	0	0	0	03	= BIRTH CONTROL PILLS
1	1	0	2	04	= CONDOM
0	1	0	1	05	= PARTNER'S VASECTOMY
0	0	0	0	06	= DIAPHRAGM
0	0	0	0	07	= FOAM
0	1	0	1	08	= JELLY OR CREAM
0	0	0	0	09	= CERVICAL CAP
0	0	1	1	10	= SUPPOSITORY, INSERT
0	1	0	1	11	= TODAY (TM) SPONGE
0	0	0	0	12	= FEMALE CONDOM, VAGINAL POUCH
0	0	0	0	13	= IUD, COIL, LOOP
0	0	0	0	14	= NORPLANT (TM)
0	0	0	0	15	= DEPO-PROVERA, INJECTABLES
0	0	0	0	16	= MORNING AFTER PILLS
1	2	0	3	17	= RHYTHM OR SAFE PERIOD BY CALENDAR
0	1	0	1	18	= SAFE PERIOD BY TEMP, CERVICAL MUCUS TEST,

1995 NATIONAL SURVEY OF FAMILY GROWTH
 File Documentation
 Respondent File (Section E Questionnaire Items)

VARIABLE NAME	COLUMN LOCATION	NON-HISPANIC			TOTAL	QX TEXT AND CODE CATEGORIES	
		HISP	WHITE	BLACK			
		0	2	1	3	19	NFP
		0	0	0	0	20	= WITHDRAWAL
		0	0	0	0	21	= RESPONDENT STERILE
							= PARTNER STERILE (NOT ON CARD)
		0	0	0	0	22	= OTHER METHOD-NOT SHOWN SEPARATELY
		0	0	0	0	97	= Not Ascertained
		0	0	0	0	98	= Refused
		0	0	0	0	99	= Don't Know

1995 NATIONAL SURVEY OF FAMILY GROWTH
 File Documentation
 Respondent File (Section E Questionnaire Items)

VARIABLE NAME	COLUMN LOCATION	NON-HISPANIC			TOTAL	QX	TEXT AND CODE CATEGORIES
		HISP	WHITE	BLACK			
		1	1	0	2	19	NFP
		0	0	0	0	20	= WITHDRAWAL
		0	0	0	0	21	= RESPONDENT STERILE
							= PARTNER STERILE (NOT ON CARD)
		0	0	0	0	22	= OTHER METHOD-NOT SHOWN SEPARATELY
		0	0	0	0	97	= Not Ascertained
		0	0	0	0	98	= Refused
		0	0	0	0	99	= Don't Know

1995 NATIONAL SURVEY OF FAMILY GROWTH
 File Documentation
 Respondent File (Section E Questionnaire Items)

VARIABLE	COLUMN	NON-HISPANIC				QX TEXT AND CODE CATEGORIES
NAME	LOCATION	HISP	WHITE	BLACK		

[MTHUS379] 7990-7991

During that month, which (of those/other) methods, if any, did you use at the same time? (4th METHOD MENTIONED, 2nd COMBINATION, MC32)

Inapplicable:
 R said no, don't know or refused to all birth control methods in EA series (computed variable EVERUSED = 2); R never had sex as of this month and never used a birth control method as of this month but ever used one or more birth control methods in EA series (WNFSTSEX GE 1093 and DATFIRSM GE 1093 and computed variable EVERUSED = 1); R did not use multiple methods in the month; or R used only 2 methods in the month; or R reported fewer than 2 BC method combinations; or R reported using fewer than 4 BC methods for this combination in this month of the method calendar.

1553	6483	2446	10847	Blank	= Blank, inapplicable
0	0	0	0	01	= NONE
0	0	0	0	02	= OFFICE USE ONLY
0	0	0	0	03	= BIRTH CONTROL PILLS
0	0	0	0	04	= CONDOM
0	0	0	0	05	= PARTNER'S VASECTOMY
0	0	0	0	06	= DIAPHRAGM
0	0	0	0	07	= FOAM
0	0	0	0	08	= JELLY OR CREAM
0	0	0	0	09	= CERVICAL CAP
0	0	0	0	10	= SUPPOSITORY, INSERT
0	0	0	0	11	= TODAY (TM) SPONGE
0	0	0	0	12	= FEMALE CONDOM, VAGINAL POUCH
0	0	0	0	13	= IUD, COIL, LOOP
0	0	0	0	14	= NORPLANT (TM)
0	0	0	0	15	= DEPO-PROVERA, INJECTABLES
0	0	0	0	16	= MORNING AFTER PILLS
0	0	0	0	17	= RHYTHM OR SAFE PERIOD BY CALENDAR
0	0	0	0	18	= SAFE PERIOD BY TEMP, CERVICAL MUCUS TEST,

1995 NATIONAL SURVEY OF FAMILY GROWTH
 File Documentation
 Respondent File (Section E Questionnaire Items)

VARIABLE NAME	COLUMN LOCATION	NON-HISPANIC			TOTAL	QX	TEXT AND CODE CATEGORIES
		HISP	WHITE	BLACK			
		0	0	0	0	19	NFP
		0	0	0	0	20	= WITHDRAWAL
		0	0	0	0	21	= RESPONDENT STERILE
							= PARTNER STERILE (NOT ON CARD)
		0	0	0	0	22	= OTHER METHOD-NOT SHOWN SEPARATELY
		0	0	0	0	97	= Not Ascertained
		0	0	0	0	98	= Refused
		0	0	0	0	99	= Don't Know

1995 NATIONAL SURVEY OF FAMILY GROWTH
 File Documentation
 Respondent File (Section E Questionnaire Items)

VARIABLE	COLUMN	NON-HISPANIC			QX TEXT AND CODE CATEGORIES
NAME	LOCATION	HISP	WHITE	BLACK	TOTAL

[MTHUS380] 7992-7993

During that month, which (of those/other) methods, if any, did you use at the same time? (1st METHOD MENTIONED, 3rd COMBINATION, MC32)

Inapplicable:
 R said no, don't know or refused to all birth control methods in EA series (computed variable EVERUSED = 2); R never had sex as of this month and never used a birth control method as of this month but ever used one or more birth control methods in EA series (WNFSTSEX GE 1093 and DATFIRSM GE 1093 and computed variable EVERUSED = 1); R did not use multiple methods in the month; or R used only 2 methods in the month; or R reported fewer than 3 BC method combinations.

1553	6482	2446	10846	Blank	= Blank, inapplicable
0	0	0	0	0	01 = NONE
0	0	0	0	0	02 = OFFICE USE ONLY
0	0	0	0	0	03 = BIRTH CONTROL PILLS
0	1	0	1	0	04 = CONDOM
0	0	0	0	0	05 = PARTNER'S VASECTOMY
0	0	0	0	0	06 = DIAPHRAGM
0	0	0	0	0	07 = FOAM
0	0	0	0	0	08 = JELLY OR CREAM
0	0	0	0	0	09 = CERVICAL CAP
0	0	0	0	0	10 = SUPPOSITORY, INSERT
0	0	0	0	0	11 = TODAY (TM) SPONGE
0	0	0	0	0	12 = FEMALE CONDOM, VAGINAL POUCH
0	0	0	0	0	13 = IUD, COIL, LOOP
0	0	0	0	0	14 = NORPLANT (TM)
0	0	0	0	0	15 = DEPO-PROVERA, INJECTABLES
0	0	0	0	0	16 = MORNING AFTER PILLS
0	0	0	0	0	17 = RHYTHM OR SAFE PERIOD BY CALENDAR
0	0	0	0	0	18 = SAFE PERIOD BY TEMP, CERVICAL MUCUS TEST, NFP
0	0	0	0	0	19 = WITHDRAWAL
0	0	0	0	0	20 = RESPONDENT STERILE

(4198)

1995 NATIONAL SURVEY OF FAMILY GROWTH
 File Documentation
 Respondent File (Section E Questionnaire Items)

VARIABLE NAME	COLUMN LOCATION	NON-HISPANIC			QX	TEXT AND CODE CATEGORIES
		HISP	WHITE	BLACK		
		0	0	0	0	21 = PARTNER STERILE (NOT ON CARD)
		0	0	0	0	22 = OTHER METHOD-NOT SHOWN SEPARATELY
		0	0	0	0	97 = Not Ascertained
		0	0	0	0	98 = Refused
		0	0	0	0	99 = Don't Know

1995 NATIONAL SURVEY OF FAMILY GROWTH
 File Documentation
 Respondent File (Section E Questionnaire Items)

VARIABLE COLUMN NON-HISPANIC
 NAME LOCATION HISP WHITE BLACK TOTAL QX TEXT AND CODE CATEGORIES

[MTHUS381] 7994-7995

During that month, which (of those/other) methods, if any, did you use at the same time? (2nd METHOD MENTIONED, 3rd COMBINATION, MC32)

Inapplicable:
 R said no, don't know or refused to all birth control methods in EA series (computed variable EVERUSED = 2); R never had sex as of this month and never used a birth control method as of this month but ever used one or more birth control methods in EA series (WNFSTSEX GE 1093 and DATFIRSM GE 1093 and computed variable EVERUSED = 1); R did not use multiple methods in the month; or R used only 2 methods in the month; or R reported fewer than 3 BC method combinations; or R reported using fewer than 2 BC methods for this combination in this month of the method calendar.

1553	6482	2446	10846	Blank	= Blank, inapplicable
0	0	0	0	01	= NONE
0	0	0	0	02	= OFFICE USE ONLY
0	0	0	0	03	= BIRTH CONTROL PILLS
0	0	0	0	04	= CONDOM
0	0	0	0	05	= PARTNER'S VASECTOMY
0	0	0	0	06	= DIAPHRAGM
0	0	0	0	07	= FOAM
0	0	0	0	08	= JELLY OR CREAM
0	0	0	0	09	= CERVICAL CAP
0	0	0	0	10	= SUPPOSITORY, INSERT
0	0	0	0	11	= TODAY (TM) SPONGE
0	0	0	0	12	= FEMALE CONDOM, VAGINAL POUCH
0	0	0	0	13	= IUD, COIL, LOOP
0	0	0	0	14	= NORPLANT (TM)
0	0	0	0	15	= DEPO-PROVERA, INJECTABLES
0	0	0	0	16	= MORNING AFTER PILLS
0	1	0	1	17	= RHYTHM OR SAFE PERIOD BY CALENDAR
0	0	0	0	18	= SAFE PERIOD BY TEMP, CERVICAL MUCUS TEST,

1995 NATIONAL SURVEY OF FAMILY GROWTH
 File Documentation
 Respondent File (Section E Questionnaire Items)

VARIABLE NAME	COLUMN LOCATION	NON-HISPANIC			TOTAL	QX	TEXT AND CODE CATEGORIES
		HISP	WHITE	BLACK			
		0	0	0	0	19	NFP = WITHDRAWAL
		0	0	0	0	20	= RESPONDENT STERILE
		0	0	0	0	21	= PARTNER STERILE (NOT ON CARD)
		0	0	0	0	22	= OTHER METHOD-NOT SHOWN SEPARATELY
		0	0	0	0	97	= Not Ascertained
		0	0	0	0	98	= Refused
		0	0	0	0	99	= Don't Know

1995 NATIONAL SURVEY OF FAMILY GROWTH
File Documentation
Respondent File (Section E Questionnaire Items)

VARIABLE	COLUMN	NON-HISPANIC							
NAME	LOCATION	HISP	WHITE	BLACK					

[MTHUS382] 7996-7997

During that month, which (of those/other) methods, if any, did you use at the same time? (3rd METHOD MENTIONED, 3rd COMBINATION, MC32)

Inapplicable:
R said no, don't know or refused to all birth control methods in EA series (computed variable EVERUSED = 2); R never had sex as of this month and never used a birth control method as of this month but ever used one or more birth control methods in EA series (WNFSTSEX GE 1093 and DATFIRSM GE 1093 and computed variable EVERUSED = 1); R did not use multiple methods in the month; or R used only 2 methods in the month; or R reported fewer than 3 BC method combinations; or R reported using fewer than 3 BC methods for this combination in this month of the method calendar.

1553	6483	2446	10847	Blank	= Blank, inapplicable
0	0	0	0	01	= NONE
0	0	0	0	02	= OFFICE USE ONLY
0	0	0	0	03	= BIRTH CONTROL PILLS
0	0	0	0	04	= CONDOM
0	0	0	0	05	= PARTNER'S VASECTOMY
0	0	0	0	06	= DIAPHRAGM
0	0	0	0	07	= FOAM
0	0	0	0	08	= JELLY OR CREAM
0	0	0	0	09	= CERVICAL CAP
0	0	0	0	10	= SUPPOSITORY, INSERT
0	0	0	0	11	= TODAY (TM) SPONGE
0	0	0	0	12	= FEMALE CONDOM, VAGINAL POUCH
0	0	0	0	13	= IUD, COIL, LOOP
0	0	0	0	14	= NORPLANT (TM)
0	0	0	0	15	= DEPO-PROVERA, INJECTABLES
0	0	0	0	16	= MORNING AFTER PILLS
0	0	0	0	17	= RHYTHM OR SAFE PERIOD BY CALENDAR
0	0	0	0	18	= SAFE PERIOD BY TEMP, CERVICAL MUCUS TEST,

1995 NATIONAL SURVEY OF FAMILY GROWTH
 File Documentation
 Respondent File (Section E Questionnaire Items)

VARIABLE NAME	COLUMN LOCATION	NON-HISPANIC			TOTAL	QX	TEXT AND CODE CATEGORIES
		HISP	WHITE	BLACK			
		0	0	0	0	19	NFP
		0	0	0	0	20	= WITHDRAWAL
		0	0	0	0	21	= RESPONDENT STERILE
							= PARTNER STERILE (NOT ON CARD)
		0	0	0	0	22	= OTHER METHOD-NOT SHOWN SEPARATELY
		0	0	0	0	97	= Not Ascertained
		0	0	0	0	98	= Refused
		0	0	0	0	99	= Don't Know

1995 NATIONAL SURVEY OF FAMILY GROWTH
 File Documentation
 Respondent File (Section E Questionnaire Items)

VARIABLE COLUMN NON-HISPANIC
 NAME LOCATION HISP WHITE BLACK TOTAL QX TEXT AND CODE CATEGORIES

[MTHUS383] 7998-7999

During that month, which (of those/other) methods, if any, did you use at the same time? (4th METHOD MENTIONED, 3rd COMBINATION, MC32)

Inapplicable:
 R said no, don't know or refused to all birth control methods in EA series (computed variable EVERUSED = 2); R never had sex as of this month and never used a birth control method as of this month but ever used one or more birth control methods in EA series (WNFSTSEX GE 1093 and DATFIRSM GE 1093 and computed variable EVERUSED = 1); R did not use multiple methods in the month; or R used only 2 methods in the month; or R reported fewer than 3 BC method combinations; or R reported using fewer than 4 BC methods for this combination in this month of the method calendar.

1553	6483	2446	10847	Blank	= Blank, inapplicable
0	0	0	0	01	= NONE
0	0	0	0	02	= OFFICE USE ONLY
0	0	0	0	03	= BIRTH CONTROL PILLS
0	0	0	0	04	= CONDOM
0	0	0	0	05	= PARTNER'S VASECTOMY
0	0	0	0	06	= DIAPHRAGM
0	0	0	0	07	= FOAM
0	0	0	0	08	= JELLY OR CREAM
0	0	0	0	09	= CERVICAL CAP
0	0	0	0	10	= SUPPOSITORY, INSERT
0	0	0	0	11	= TODAY (TM) SPONGE
0	0	0	0	12	= FEMALE CONDOM, VAGINAL POUCH
0	0	0	0	13	= IUD, COIL, LOOP
0	0	0	0	14	= NORPLANT (TM)
0	0	0	0	15	= DEPO-PROVERA, INJECTABLES
0	0	0	0	16	= MORNING AFTER PILLS
0	0	0	0	17	= RHYTHM OR SAFE PERIOD BY CALENDAR
0	0	0	0	18	= SAFE PERIOD BY TEMP, CERVICAL MUCUS TEST,

1995 NATIONAL SURVEY OF FAMILY GROWTH
 File Documentation
 Respondent File (Section E Questionnaire Items)

VARIABLE NAME	COLUMN LOCATION	NON-HISPANIC			TOTAL	QX	TEXT AND CODE CATEGORIES
		HISP	WHITE	BLACK			
		0	0	0	0	19	NFP
		0	0	0	0	20	= WITHDRAWAL
		0	0	0	0	21	= RESPONDENT STERILE
							= PARTNER STERILE (NOT ON CARD)
		0	0	0	0	22	= OTHER METHOD-NOT SHOWN SEPARATELY
		0	0	0	0	97	= Not Ascertained
		0	0	0	0	98	= Refused
		0	0	0	0	99	= Don't Know

1995 NATIONAL SURVEY OF FAMILY GROWTH
 File Documentation
 Respondent File (Section E Questionnaire Items)

VARIABLE NAME	COLUMN LOCATION	NON-HISPANIC			QX TEXT AND CODE CATEGORIES		
		HISP	WHITE	BLACK		TOTAL	
[METHH128]	8000-8001				ENTER METHOD (FIRST MENTIONED) USED IN SEPTEMBER 1993: (MC33)		
					Inapplicable: R never had sex as of this month and never used a birth control method as of this month but ever used one or more birth control methods in EA series (WNFSTSEX GE 1093 and DATFIRSM GE 1093 and computed variable EVERUSED = 1); R never had sex and said no, don't know or refused to all birth control methods in EA series (computed variable RHADSEX coded 2,7,8 or 9 and computed variable EVERUSED = 2); R said no, don't know or refused to all birth control methods in EA series (computed variable EVERUSED = 2).		
		293	850	284	1531	Blank	= Blank, inapplicable
		340	1257	534	2197	01	= NO METHODS USED
		0	0	0	0	02	= SAME AS PREVIOUS MONTH
		240	1288	432	1992	03	= BIRTH CONTROL PILLS
		194	861	406	1524	04	= CONDOM
		20	335	9	374	05	= PARTNER'S VASECTOMY
		5	89	12	108	06	= DIAPHRAGM
		5	24	2	31	07	= FOAM
		1	10	1	12	08	= JELLY OR CREAM
		0	3	0	3	09	= CERVICAL CAP
		5	25	6	38	10	= SUPPOSITORY, INSERT
		2	33	9	44	11	= TODAY (TM) SPONGE
		0	1	0	1	12	= FEMALE CONDOM, VAGINAL POUCH
		20	32	16	72	13	= IUD, COIL, LOOP
		22	49	42	116	14	= NORPLANT (TM)
		21	35	26	84	15	= DEPO-PROVERA, INJECTABLES
		0	0	0	0	16	= MORNING AFTER PILLS
		30	102	17	161	17	= RHYTHM OR SAFE PERIOD BY CALENDAR
		2	18	0	20	18	= SAFE PERIOD BY TEMP, CERVICAL MUCUS TEST, NFP
		40	138	24	213	19	= WITHDRAWAL
		294	1147	605	2095	20	= RESPONDENT STERILE

(4206)

1995 NATIONAL SURVEY OF FAMILY GROWTH
 File Documentation
 Respondent File (Section E Questionnaire Items)

VARIABLE NAME	COLUMN LOCATION	NON-HISPANIC			TOTAL	QX	TEXT AND CODE CATEGORIES
		HISP	WHITE	BLACK			
		17	173	13	207	21	= PARTNER STERILE (NOT ON CARD)
		2	3	4	9	22	= OTHER METHOD-NOT SHOWN SEPARATELY
		0	0	0	0	55	= SAME METHODS USED THROUGH END OF YEAR
		0	2	2	4	97	= Not Ascertained
		0	6	2	8	98	= Refused
		0	2	0	3	99	= Don't Know

1995 NATIONAL SURVEY OF FAMILY GROWTH
 File Documentation
 Respondent File (Section E Questionnaire Items)

VARIABLE NAME	COLUMN LOCATION	NON-HISPANIC			QX TEXT AND CODE CATEGORIES	
		HISP	WHITE	BLACK	TOTAL	
[METHH129]	8002-8003					ENTER METHOD (SECOND MENTIONED) USED IN SEPTEMBER 1993: (MC33)

Inapplicable:
 R never had sex as of this month and never used a birth control method as of this month but ever used one or more birth control methods in EA series (WNFSTSEX GE 1093 and DATFIRSM GE 1093 and computed variable EVERUSED = 1); R never had sex and said no, don't know or refused to all birth control methods in EA series (computed variable RHADSEX coded 2,7,8 or 9 and computed variable EVERUSED = 2); R said no, don't know or refused to all birth control methods in EA series (computed variable EVERUSED = 2); R used fewer than 2 methods in month.

1476	6043	2282	10143	Blank	= Blank, inapplicable
0	0	0	0	01	= NO METHODS USED
0	0	0	0	02	= SAME AS PREVIOUS MONTH
0	11	3	14	03	= BIRTH CONTROL PILLS
20	143	81	250	04	= CONDOM
0	12	2	14	05	= PARTNER'S VASECTOMY
3	13	3	19	06	= DIAPHRAGM
7	23	10	42	07	= FOAM
2	13	5	20	08	= JELLY OR CREAM
0	0	0	0	09	= CERVICAL CAP
3	8	6	17	10	= SUPPOSITORY, INSERT
0	14	6	21	11	= TODAY (TM) SPONGE
0	0	0	0	12	= FEMALE CONDOM, VAGINAL POUCH
0	0	0	0	13	= IUD, COIL, LOOP
1	1	3	5	14	= NORPLANT (TM)
0	1	1	2	15	= DEPO-PROVERA, INJECTABLES
0	0	0	0	16	= MORNING AFTER PILLS
15	58	6	84	17	= RHYTHM OR SAFE PERIOD BY CALENDAR
0	9	1	10	18	= SAFE PERIOD BY TEMP, CERVICAL MUCUS TEST, NFP
26	108	18	159	19	= WITHDRAWAL

(4208)

1995 NATIONAL SURVEY OF FAMILY GROWTH
 File Documentation
 Respondent File (Section E Questionnaire Items)

VARIABLE NAME	COLUMN LOCATION	NON-HISPANIC			TOTAL	QX	TEXT AND CODE CATEGORIES
		HISP	WHITE	BLACK			
		0	9	15	24	20	= RESPONDENT STERILE
		0	7	0	8	21	= PARTNER STERILE (NOT ON CARD)
		0	0	0	0	22	= OTHER METHOD-NOT SHOWN SEPARATELY
		0	0	0	0	55	= SAME METHODS USED THROUGH END OF YEAR
		0	2	2	4	97	= Not Ascertained
		0	6	2	8	98	= Refused
		0	2	0	3	99	= Don't Know

1995 NATIONAL SURVEY OF FAMILY GROWTH
 File Documentation
 Respondent File (Section E Questionnaire Items)

VARIABLE NAME	COLUMN LOCATION	NON-HISPANIC			TOTAL	QX	TEXT AND CODE CATEGORIES
		HISP	WHITE	BLACK			
		1	7	19	27	20	= RESPONDENT STERILE
		0	0	0	0	21	= PARTNER STERILE (NOT ON CARD)
		1	0	0	2	22	= OTHER METHOD-NOT SHOWN SEPARATELY
		0	0	0	0	55	= SAME METHODS USED THROUGH END OF YEAR
		0	2	2	4	97	= Not Ascertained
		0	6	2	8	98	= Refused
		0	2	0	3	99	= Don't Know

1995 NATIONAL SURVEY OF FAMILY GROWTH
 File Documentation
 Respondent File (Section E Questionnaire Items)

VARIABLE	COLUMN	NON-HISPANIC			QX TEXT AND CODE CATEGORIES	
NAME	LOCATION	HISP	WHITE	BLACK	TOTAL	
[METHH131]	8006-8007					ENTER METHOD (FOURTH MENTIONED) USED IN SEPTEMBER 1993: (MC33)

Inapplicable:
 R never had sex as of this month and never used a birth control method as of this month but ever used one or more birth control methods in EA series (WNFSTSEX GE 1093 and DATFIRSM GE 1093 and computed variable EVERUSED = 1); R never had sex and said no, don't know or refused to all birth control methods in EA series (computed variable RHADSEX coded 2,7,8 or 9 and computed variable EVERUSED = 2); R said no, don't know or refused to all birth control methods in EA series (computed variable EVERUSED = 2); R used fewer than 4 methods in month.

1553	6466	2441	10824	Blank	
0	0	0	0	0	01 = Blank, inapplicable
0	0	0	0	0	02 = NO METHODS USED
0	0	0	0	0	03 = SAME AS PREVIOUS MONTH
0	0	0	0	0	04 = BIRTH CONTROL PILLS
0	1	0	1	0	05 = CONDOM
0	0	0	0	0	06 = PARTNER'S VASECTOMY
0	0	0	0	0	07 = DIAPHRAGM
0	0	0	0	0	08 = FOAM
0	0	0	0	0	09 = JELLY OR CREAM
0	0	0	0	0	10 = CERVICAL CAP
0	0	0	0	0	11 = SUPPOSITORY, INSERT
0	1	0	1	0	12 = TODAY (TM) SPONGE
0	0	0	0	0	13 = FEMALE CONDOM, VAGINAL POUCH
0	0	0	0	0	14 = IUD, COIL, LOOP
0	0	0	0	0	15 = NORPLANT (TM)
0	0	0	0	0	16 = DEPO-PROVERA, INJECTABLES
0	0	0	0	0	17 = MORNING AFTER PILLS
0	2	0	2	0	18 = RHYTHM OR SAFE PERIOD BY CALENDAR
0	0	1	1	0	19 = SAFE PERIOD BY TEMP, CERVICAL MUCUS TEST, NFP
0	3	0	3	0	20 = WITHDRAWAL

(4212)

1995 NATIONAL SURVEY OF FAMILY GROWTH
 File Documentation
 Respondent File (Section E Questionnaire Items)

VARIABLE NAME	COLUMN LOCATION	NON-HISPANIC			TOTAL	QX	TEXT AND CODE	CATEGORIES
		HISP	WHITE	BLACK				
		0	0	0	0	20	=	RESPONDENT STERILE
		0	0	0	0	21	=	PARTNER STERILE (NOT ON CARD)
		0	0	0	0	22	=	OTHER METHOD-NOT SHOWN SEPARATELY
		0	0	0	0	55	=	SAME METHODS USED THROUGH END OF YEAR
		0	2	2	4	97	=	Not Ascertained
		0	6	2	8	98	=	Refused
		0	2	0	3	99	=	Don't Know

[SIMSEQ32] 8008-8008

Did you use those methods together,
 that is, at the same time, or did
 you use them at different times
 during the month? (MC33)

Inapplicable:

R never had sex as of this month and
 never used a birth control method as
 of this month but ever used one or
 more birth control methods in EA
 series (WNFSTSEX GE 1093 and
 DATFIRSM GE 1093 and computed
 variable EVERUSED = 1); R never had
 sex and said no, don't know or
 refused to all birth control methods
 in EA series (computed variable
 RHADSEX coded 2,7,8 or 9 and
 computed variable EVERUSED = 2); R
 said no, don't know or refused to
 all birth control methods in EA
 series (computed variable EVERUSED =
 2); R did not use multiple methods
 in the month; R used more than 2
 methods in the month.

1486	6113	2295	10239	Blank	=	Blank, inapplicable
38	246	123	417	1	=	SAME TIME
29	124	28	191	2	=	DIFFERENT TIMES
0	0	0	0	7	=	Not Ascertained
0	0	0	0	8	=	Refused
0	0	0	0	9	=	Don't Know

1995 NATIONAL SURVEY OF FAMILY GROWTH
 File Documentation
 Respondent File (Section E Questionnaire Items)

VARIABLE	COLUMN	NON-HISPANIC				
NAME	LOCATION	HISP	WHITE	BLACK		TOTAL

[MTHUS384] 8009-8010

During that month, which (of those/other) methods, if any, did you use at the same time? (1st METHOD MENTIONED, 1st COMBINATION, MC33)

Inapplicable:
 R said no, don't know or refused to all birth control methods in EA series (computed variable EVERUSED = 2); R never had sex as of this month and never used a birth control method as of this month but ever used one or more birth control methods in EA series (WNFSTSEX GE 1093 and DATFIRSM GE 1093 and computed variable EVERUSED = 1); R did not use multiple methods in the month; or R used only 2 methods in the month.

1543	6423	2437	10766	Blank	= Blank, inapplicable
2	13	3	18	01	= NONE
0	0	0	0	02	= OFFICE USE ONLY
1	7	1	10	03	= BIRTH CONTROL PILLS
7	23	3	34	04	= CONDOM
0	0	0	0	05	= PARTNER'S VASECTOMY
0	4	0	4	06	= DIAPHRAGM
0	2	0	2	07	= FOAM
0	0	0	0	08	= JELLY OR CREAM
0	0	0	0	09	= CERVICAL CAP
0	0	0	0	10	= SUPPOSITORY, INSERT
0	3	0	3	11	= TODAY (TM) SPONGE
0	0	0	0	12	= FEMALE CONDOM, VAGINAL POUCH
0	0	0	0	13	= IUD, COIL, LOOP
0	0	0	0	14	= NORPLANT (TM)
0	0	0	0	15	= DEPO-PROVERA, INJECTABLES
0	0	0	0	16	= MORNING AFTER PILLS
0	6	0	6	17	= RHYTHM OR SAFE PERIOD BY CALENDAR
0	0	0	0	18	= SAFE PERIOD BY TEMP, CERVICAL MUCUS TEST, NFP
0	1	1	2	19	= WITHDRAWAL
0	0	1	1	20	= RESPONDENT STERILE
0	0	0	0	21	= PARTNER STERILE (NOT

(4214)

1995 NATIONAL SURVEY OF FAMILY GROWTH
 File Documentation
 Respondent File (Section E Questionnaire Items)

VARIABLE NAME	COLUMN LOCATION	NON-HISPANIC			TOTAL	QX	TEXT AND CODE CATEGORIES
		HISP	WHITE	BLACK			
		0	0	0	0	22	ON CARD) = OTHER METHOD-NOT SHOWN SEPARATELY
		0	0	0	0	97	= Not Ascertained
		0	0	0	0	98	= Refused
		0	1	0	1	99	= Don't Know

1995 NATIONAL SURVEY OF FAMILY GROWTH
 File Documentation
 Respondent File (Section E Questionnaire Items)

VARIABLE COLUMN NON-HISPANIC
 NAME LOCATION HISP WHITE BLACK TOTAL QX TEXT AND CODE CATEGORIES

[MTHUS385] 8011-8012

During that month, which (of those/other) methods, if any, did you use at the same time? (2nd METHOD MENTIONED, 1st COMBINATION, MC33)

Inapplicable:
 R said no, don't know or refused to all birth control methods in EA series (computed variable EVERUSED = 2); R never had sex as of this month and never used a birth control method as of this month but ever used one or more birth control methods in EA series (WNFSTSEX GE 1093 and DATFIRSM GE 1093 and computed variable EVERUSED = 1); R did not use multiple methods in the month; or R used only 2 methods in the month; or R reported using fewer than 2 BC methods for this combination in this month of the method calendar.

1545	6436	2440	10784	Blank	= Blank, inapplicable
0	0	0	0	01	= NONE
0	0	0	0	02	= OFFICE USE ONLY
0	0	0	0	03	= BIRTH CONTROL PILLS
1	10	2	13	04	= CONDOM
0	1	0	1	05	= PARTNER'S VASECTOMY
0	0	0	0	06	= DIAPHRAGM
1	4	0	5	07	= FOAM
1	2	2	5	08	= JELLY OR CREAM
0	0	0	0	09	= CERVICAL CAP
1	0	1	2	10	= SUPPOSITORY, INSERT
0	1	0	1	11	= TODAY (TM) SPONGE
0	0	0	0	12	= FEMALE CONDOM, VAGINAL POUCH
0	0	0	0	13	= IUD, COIL, LOOP
0	0	0	0	14	= NORPLANT (TM)
0	0	0	0	15	= DEPO-PROVERA, INJECTABLES
0	1	0	1	16	= MORNING AFTER PILLS
3	17	0	20	17	= RHYTHM OR SAFE PERIOD BY CALENDAR
0	2	0	2	18	= SAFE PERIOD BY TEMP, CERVICAL MUCUS TEST, NFP

(4216)

1995 NATIONAL SURVEY OF FAMILY GROWTH
 File Documentation
 Respondent File (Section E Questionnaire Items)

VARIABLE NAME	COLUMN LOCATION	NON-HISPANIC			TOTAL	QX	TEXT AND CODE CATEGORIES
		HISP	WHITE	BLACK			
		1	8	1	12	19	= WITHDRAWAL
		0	0	0	0	20	= RESPONDENT STERILE
		0	0	0	0	21	= PARTNER STERILE (NOT ON CARD)
		0	0	0	0	22	= OTHER METHOD-NOT SHOWN SEPARATELY
		0	0	0	0	97	= Not Ascertained
		0	0	0	0	98	= Refused
		0	1	0	1	99	= Don't Know

1995 NATIONAL SURVEY OF FAMILY GROWTH
 File Documentation
 Respondent File (Section E Questionnaire Items)

VARIABLE	COLUMN	NON-HISPANIC				
NAME	LOCATION	HISP	WHITE	BLACK	TOTAL	QX TEXT AND CODE CATEGORIES

[MTHUS386] 8013-8014

During that month, which (of those/other) methods, if any, did you use at the same time? (3rd METHOD MENTIONED, 1st COMBINATION, MC33)

Inapplicable:
 R said no, don't know or refused to all birth control methods in EA series (computed variable EVERUSED = 2); R never had sex as of this month and never used a birth control method as of this month but ever used one or more birth control methods in EA series (WNFSTSEX GE 1093 and DATFIRSM GE 1093 and computed variable EVERUSED = 1); R did not use multiple methods in the month; or R used only 2 methods in the month; or R reported using fewer than 3 BC methods for this combination in this month of the method calendar.

1546	6456	2445	10812	Blank	= Blank, inapplicable
0	0	0	0	01	= NONE
0	0	0	0	02	= OFFICE USE ONLY
0	0	0	0	03	= BIRTH CONTROL PILLS
0	0	0	0	04	= CONDOM
1	1	0	2	05	= PARTNER'S VASECTOMY
0	0	0	0	06	= DIAPHRAGM
2	0	0	2	07	= FOAM
0	2	0	2	08	= JELLY OR CREAM
0	0	0	0	09	= CERVICAL CAP
0	0	0	0	10	= SUPPOSITORY, INSERT
1	2	0	3	11	= TODAY (TM) SPONGE
0	0	0	0	12	= FEMALE CONDOM, VAGINAL POUCH
0	0	0	0	13	= IUD, COIL, LOOP
0	0	0	0	14	= NORPLANT (TM)
0	0	0	0	15	= DEPO-PROVERA, INJECTABLES
0	0	0	0	16	= MORNING AFTER PILLS
2	3	1	6	17	= RHYTHM OR SAFE PERIOD BY CALENDAR
0	2	0	2	18	= SAFE PERIOD BY TEMP, CERVICAL MUCUS TEST, NFP

1995 NATIONAL SURVEY OF FAMILY GROWTH
 File Documentation
 Respondent File (Section E Questionnaire Items)

VARIABLE NAME	COLUMN LOCATION	NON-HISPANIC			TOTAL	QX	TEXT AND CODE CATEGORIES
		HISP	WHITE	BLACK			
		0	16	0	16	19	= WITHDRAWAL
		0	0	0	0	20	= RESPONDENT STERILE
		0	0	0	0	21	= PARTNER STERILE (NOT ON CARD)
		1	0	0	1	22	= OTHER METHOD-NOT SHOWN SEPARATELY
		0	0	0	0	97	= Not Ascertained
		0	0	0	0	98	= Refused
		0	1	0	1	99	= Don't Know

1995 NATIONAL SURVEY OF FAMILY GROWTH
 File Documentation
 Respondent File (Section E Questionnaire Items)

VARIABLE	COLUMN	NON-HISPANIC				QX TEXT AND CODE CATEGORIES
NAME	LOCATION	HISP	WHITE	BLACK		

[MTHUS387] 8015-8016

During that month, which (of those/other) methods, if any, did you use at the same time? (4th METHOD MENTIONED, 1st COMBINATION, MC33)

Inapplicable:
 R said no, don't know or refused to all birth control methods in EA series (computed variable EVERUSED = 2); R never had sex as of this month and never used a birth control method as of this month but ever used one or more birth control methods in EA series (WNFSTSEX GE 1093 and DATFIRSM GE 1093 and computed variable EVERUSED = 1); R did not use multiple methods in the month; or R used only 2 methods in the month; or R reported using fewer than 4 BC methods for this combination in this month of the method calendar.

1553	6481	2445	10844	Blank	= Blank, inapplicable
0	0	0	0	01	= NONE
0	0	0	0	02	= OFFICE USE ONLY
0	0	0	0	03	= BIRTH CONTROL PILLS
0	1	0	1	04	= CONDOM
0	0	0	0	05	= PARTNER'S VASECTOMY
0	0	0	0	06	= DIAPHRAGM
0	0	0	0	07	= FOAM
0	0	0	0	08	= JELLY OR CREAM
0	0	0	0	09	= CERVICAL CAP
0	0	0	0	10	= SUPPOSITORY, INSERT
0	0	0	0	11	= TODAY (TM) SPONGE
0	0	0	0	12	= FEMALE CONDOM, VAGINAL POUCH
0	0	0	0	13	= IUD, COIL, LOOP
0	0	0	0	14	= NORPLANT (TM)
0	0	0	0	15	= DEPO-PROVERA, INJECTABLES
0	0	0	0	16	= MORNING AFTER PILLS
0	0	0	0	17	= RHYTHM OR SAFE PERIOD BY CALENDAR
0	0	1	1	18	= SAFE PERIOD BY TEMP, CERVICAL MUCUS TEST, NFP

1995 NATIONAL SURVEY OF FAMILY GROWTH
 File Documentation
 Respondent File (Section E Questionnaire Items)

VARIABLE NAME	COLUMN LOCATION	NON-HISPANIC			TOTAL	QX	TEXT AND CODE CATEGORIES
		HISP	WHITE	BLACK			
		0	0	0	0	19	= WITHDRAWAL
		0	0	0	0	20	= RESPONDENT STERILE
		0	0	0	0	21	= PARTNER STERILE (NOT ON CARD)
		0	0	0	0	22	= OTHER METHOD-NOT SHOWN SEPARATELY
		0	0	0	0	97	= Not Ascertained
		0	0	0	0	98	= Refused
		0	1	0	1	99	= Don't Know

1995 NATIONAL SURVEY OF FAMILY GROWTH
 File Documentation
 Respondent File (Section E Questionnaire Items)

VARIABLE COLUMN NON-HISPANIC
 NAME LOCATION HISP WHITE BLACK TOTAL QX TEXT AND CODE CATEGORIES

[MTHUS388] 8017-8018

During that month, which (of those/other) methods, if any, did you use at the same time? (1st METHOD MENTIONED, 2nd COMBINATION, MC33)

Inapplicable:
 R said no, don't know or refused to all birth control methods in EA series (computed variable EVERUSED = 2); R never had sex as of this month and never used a birth control method as of this month but ever used one or more birth control methods in EA series (WNFSTSEX GE 1093 and DATFIRSM GE 1093 and computed variable EVERUSED = 1); R did not use multiple methods in the month; or R used only 2 methods in the month; or R reported fewer than 2 BC method combinations.

1545	6436	2440	10784	Blank	= Blank, inapplicable
5	34	4	45	01	= NONE
0	0	0	0	02	= OFFICE USE ONLY
0	2	0	2	03	= BIRTH CONTROL PILLS
0	6	0	6	04	= CONDOM
0	0	0	0	05	= PARTNER'S VASECTOMY
0	0	0	0	06	= DIAPHRAGM
1	1	0	2	07	= FOAM
0	0	0	0	08	= JELLY OR CREAM
0	0	0	0	09	= CERVICAL CAP
0	0	0	0	10	= SUPPOSITORY, INSERT
0	0	0	0	11	= TODAY (TM) SPONGE
0	0	0	0	12	= FEMALE CONDOM, VAGINAL POUCH
0	0	0	0	13	= IUD, COIL, LOOP
0	0	0	0	14	= NORPLANT (TM)
0	0	0	0	15	= DEPO-PROVERA, INJECTABLES
0	0	0	0	16	= MORNING AFTER PILLS
0	3	0	3	17	= RHYTHM OR SAFE PERIOD BY CALENDAR
0	0	0	0	18	= SAFE PERIOD BY TEMP, CERVICAL MUCUS TEST, NFP
1	0	1	2	19	= WITHDRAWAL
0	0	1	1	20	= RESPONDENT STERILE

(4222)

1995 NATIONAL SURVEY OF FAMILY GROWTH
 File Documentation
 Respondent File (Section E Questionnaire Items)

VARIABLE NAME	COLUMN LOCATION	NON-HISPANIC			QX	TEXT AND CODE CATEGORIES	
		HISP	WHITE	BLACK			TOTAL
		0	0	0	0	21	= PARTNER STERILE (NOT ON CARD)
		1	0	0	1	22	= OTHER METHOD-NOT SHOWN SEPARATELY
		0	0	0	0	97	= Not Ascertained
		0	0	0	0	98	= Refused
		0	1	0	1	99	= Don't Know

1995 NATIONAL SURVEY OF FAMILY GROWTH
 File Documentation
 Respondent File (Section E Questionnaire Items)

VARIABLE COLUMN NON-HISPANIC
 NAME LOCATION HISP WHITE BLACK TOTAL QX TEXT AND CODE CATEGORIES

[MTHUS389] 8019-8020

During that month, which (of those/other) methods, if any, did you use at the same time? (2nd METHOD MENTIONED, 2nd COMBINATION, MC33)

Inapplicable:
 R said no, don't know or refused to all birth control methods in EA series (computed variable EVERUSED = 2); R never had sex as of this month and never used a birth control method as of this month but ever used one or more birth control methods in EA series (WNFSTSEX GE 1093 and DATFIRSM GE 1093 and computed variable EVERUSED = 1); R did not use multiple methods in the month; or R used only 2 methods in the month; or R reported fewer than 2 BC method combinations; or R reported using fewer than 2 BC methods for this combination in this month of the method calendar.

1552	6471	2444	10832	Blank	= Blank, inapplicable
0	0	0	0	01	= NONE
0	0	0	0	02	= OFFICE USE ONLY
0	0	0	0	03	= BIRTH CONTROL PILLS
1	1	0	2	04	= CONDOM
0	1	0	1	05	= PARTNER'S VASECTOMY
0	0	0	0	06	= DIAPHRAGM
0	0	0	0	07	= FOAM
0	1	0	1	08	= JELLY OR CREAM
0	0	0	0	09	= CERVICAL CAP
0	0	1	1	10	= SUPPOSITORY, INSERT
0	1	0	1	11	= TODAY (TM) SPONGE
0	0	0	0	12	= FEMALE CONDOM, VAGINAL POUCH
0	0	0	0	13	= IUD, COIL, LOOP
0	0	0	0	14	= NORPLANT (TM)
0	1	0	1	15	= DEPO-PROVERA, INJECTABLES
0	0	0	0	16	= MORNING AFTER PILLS
0	2	0	2	17	= RHYTHM OR SAFE PERIOD BY CALENDAR
0	1	0	1	18	= SAFE PERIOD BY TEMP, CERVICAL MUCUS TEST,

1995 NATIONAL SURVEY OF FAMILY GROWTH
 File Documentation
 Respondent File (Section E Questionnaire Items)

VARIABLE NAME	COLUMN LOCATION	NON-HISPANIC			TOTAL	QX	TEXT AND CODE CATEGORIES
		HISP	WHITE	BLACK			
		0	3	1	4	19	NFP
		0	0	0	0	20	= WITHDRAWAL
		0	0	0	0	21	= RESPONDENT STERILE
							= PARTNER STERILE (NOT ON CARD)
		0	0	0	0	22	= OTHER METHOD-NOT SHOWN SEPARATELY
		0	0	0	0	97	= Not Ascertained
		0	0	0	0	98	= Refused
		0	1	0	1	99	= Don't Know

1995 NATIONAL SURVEY OF FAMILY GROWTH
 File Documentation
 Respondent File (Section E Questionnaire Items)

VARIABLE COLUMN NON-HISPANIC
 NAME LOCATION HISP WHITE BLACK TOTAL QX TEXT AND CODE CATEGORIES

[MTHUS390] 8021-8022

During that month, which (of those/other) methods, if any, did you use at the same time? (3rd METHOD MENTIONED, 2nd COMBINATION, MC33)

Inapplicable:
 R said no, don't know or refused to all birth control methods in EA series (computed variable EVERUSED = 2); R never had sex as of this month and never used a birth control method as of this month but ever used one or more birth control methods in EA series (WNFSTSEX GE 1093 and DATFIRSM GE 1093 and computed variable EVERUSED = 1); R did not use multiple methods in the month; or R used only 2 methods in the month; or R reported fewer than 2 BC method combinations; or R reported using fewer than 3 BC methods for this combination in this month of the method calendar.

1552	6479	2446	10842	Blank	
0	0	0	0	0	01 = Blank, inapplicable
0	0	0	0	0	02 = NONE
0	0	0	0	0	03 = OFFICE USE ONLY
0	0	0	0	0	04 = BIRTH CONTROL PILLS
0	0	0	0	0	05 = CONDOM
0	0	0	0	0	06 = PARTNER'S VASECTOMY
0	0	0	0	0	07 = DIAPHRAGM
0	1	0	1	0	08 = FOAM
0	0	0	0	0	09 = JELLY OR CREAM
0	0	0	0	0	10 = CERVICAL CAP
0	0	0	0	0	11 = SUPPOSITORY, INSERT
0	0	0	0	0	12 = TODAY (TM) SPONGE
0	0	0	0	0	13 = FEMALE CONDOM, VAGINAL POUCH
0	0	0	0	0	14 = IUD, COIL, LOOP
0	0	0	0	0	15 = NORPLANT (TM)
0	0	0	0	0	16 = DEPO-PROVERA, INJECTABLES
0	0	0	0	0	17 = MORNING AFTER PILLS
1	0	0	1	0	18 = RHYTHM OR SAFE PERIOD BY CALENDAR
0	1	0	1	0	19 = SAFE PERIOD BY TEMP, CERVICAL MUCUS TEST,

1995 NATIONAL SURVEY OF FAMILY GROWTH
 File Documentation
 Respondent File (Section E Questionnaire Items)

VARIABLE NAME	COLUMN LOCATION	NON-HISPANIC			TOTAL	QX	TEXT AND CODE CATEGORIES
		HISP	WHITE	BLACK			
		0	1	0	1	19	NFP = WITHDRAWAL
		0	0	0	0	20	= RESPONDENT STERILE
		0	0	0	0	21	= PARTNER STERILE (NOT ON CARD)
		0	0	0	0	22	= OTHER METHOD-NOT SHOWN SEPARATELY
		0	0	0	0	97	= Not Ascertained
		0	0	0	0	98	= Refused
		0	1	0	1	99	= Don't Know

1995 NATIONAL SURVEY OF FAMILY GROWTH
 File Documentation
 Respondent File (Section E Questionnaire Items)

VARIABLE NAME	COLUMN LOCATION	NON-HISPANIC			TOTAL	QX	TEXT AND CODE CATEGORIES
		HISP	WHITE	BLACK			
		0	0	0	0	19	NFP = WITHDRAWAL
		0	0	0	0	20	= RESPONDENT STERILE
		0	0	0	0	21	= PARTNER STERILE (NOT ON CARD)
		0	0	0	0	22	= OTHER METHOD-NOT SHOWN SEPARATELY
		0	0	0	0	97	= Not Ascertained
		0	0	0	0	98	= Refused
		0	1	0	1	99	= Don't Know

1995 NATIONAL SURVEY OF FAMILY GROWTH
 File Documentation
 Respondent File (Section E Questionnaire Items)

VARIABLE COLUMN NON-HISPANIC
 NAME LOCATION HISP WHITE BLACK TOTAL QX TEXT AND CODE CATEGORIES

[MTHUS392] 8025-8026

During that month, which (of those/other) methods, if any, did you use at the same time? (1st METHOD MENTIONED, 3rd COMBINATION, MC33)

Inapplicable:
 R said no, don't know or refused to all birth control methods in EA series (computed variable EVERUSED = 2); R never had sex as of this month and never used a birth control method as of this month but ever used one or more birth control methods in EA series (WNFSTSEX GE 1093 and DATFIRSM GE 1093 and computed variable EVERUSED = 1); R did not use multiple methods in the month; or R used only 2 methods in the month; or R reported fewer than 3 BC method combinations.

	1553	6482	2446	10846	Blank	
	0	0	0	0	0	01 = Blank, inapplicable
	0	0	0	0	0	02 = NONE
	0	0	0	0	0	03 = OFFICE USE ONLY
	0	1	0	1	0	04 = BIRTH CONTROL PILLS
	0	0	0	0	0	05 = CONDOM
	0	0	0	0	0	06 = PARTNER'S VASECTOMY
	0	0	0	0	0	07 = DIAPHRAGM
	0	0	0	0	0	08 = FOAM
	0	0	0	0	0	09 = JELLY OR CREAM
	0	0	0	0	0	10 = CERVICAL CAP
	0	0	0	0	0	11 = SUPPOSITORY, INSERT
	0	0	0	0	0	12 = TODAY (TM) SPONGE
	0	0	0	0	0	13 = FEMALE CONDOM, VAGINAL POUCH
	0	0	0	0	0	14 = IUD, COIL, LOOP
	0	0	0	0	0	15 = NORPLANT (TM)
	0	0	0	0	0	16 = DEPO-PROVERA, INJECTABLES
	0	0	0	0	0	17 = MORNING AFTER PILLS
	0	0	0	0	0	18 = RHYTHM OR SAFE PERIOD BY CALENDAR
	0	0	0	0	0	19 = SAFE PERIOD BY TEMP, CERVICAL MUCUS TEST, NFP
	0	0	0	0	0	20 = WITHDRAWAL
	0	0	0	0	0	21 = RESPONDENT STERILE

1995 NATIONAL SURVEY OF FAMILY GROWTH
 File Documentation
 Respondent File (Section E Questionnaire Items)

VARIABLE NAME	COLUMN LOCATION	NON-HISPANIC			TOTAL	QX	TEXT AND CODE CATEGORIES
		HISP	WHITE	BLACK			
		0	0	0	0	21	= PARTNER STERILE (NOT ON CARD)
		0	0	0	0	22	= OTHER METHOD-NOT SHOWN SEPARATELY
		0	0	0	0	97	= Not Ascertained
		0	0	0	0	98	= Refused
		0	0	0	0	99	= Don't Know

1995 NATIONAL SURVEY OF FAMILY GROWTH
 File Documentation
 Respondent File (Section E Questionnaire Items)

VARIABLE NAME	COLUMN LOCATION	NON-HISPANIC			TOTAL	QX	TEXT AND CODE CATEGORIES
		HISP	WHITE	BLACK			
		0	0	0	0	19	NFP
		0	0	0	0	20	= WITHDRAWAL
		0	0	0	0	21	= RESPONDENT STERILE
							= PARTNER STERILE (NOT ON CARD)
		0	0	0	0	22	= OTHER METHOD-NOT SHOWN SEPARATELY
		0	0	0	0	97	= Not Ascertained
		0	0	0	0	98	= Refused
		0	0	0	0	99	= Don't Know

1995 NATIONAL SURVEY OF FAMILY GROWTH
 File Documentation
 Respondent File (Section E Questionnaire Items)

VARIABLE NAME	COLUMN LOCATION	NON-HISPANIC			TOTAL	QX	TEXT AND CODE CATEGORIES
		HISP	WHITE	BLACK			
		0	0	0	0	19	NFP
		0	0	0	0	20	= WITHDRAWAL
		0	0	0	0	21	= RESPONDENT STERILE
							= PARTNER STERILE (NOT ON CARD)
		0	0	0	0	22	= OTHER METHOD-NOT SHOWN SEPARATELY
		0	0	0	0	97	= Not Ascertained
		0	0	0	0	98	= Refused
		0	0	0	0	99	= Don't Know

1995 NATIONAL SURVEY OF FAMILY GROWTH
 File Documentation
 Respondent File (Section E Questionnaire Items)

VARIABLE	COLUMN	NON-HISPANIC				
NAME	LOCATION	HISP	WHITE	BLACK	TOTAL	QX TEXT AND CODE CATEGORIES

[MTHUS395] 8031-8032

During that month, which (of those/other) methods, if any, did you use at the same time? (4th METHOD MENTIONED, 3rd COMBINATION, MC33)

Inapplicable:
 R said no, don't know or refused to all birth control methods in EA series (computed variable EVERUSED = 2); R never had sex as of this month and never used a birth control method as of this month but ever used one or more birth control methods in EA series (WNFSTSEX GE 1093 and DATFIRSM GE 1093 and computed variable EVERUSED = 1); R did not use multiple methods in the month; or R used only 2 methods in the month; or R reported fewer than 3 BC method combinations; or R reported using fewer than 4 BC methods for this combination in this month of the method calendar.

1553	6483	2446	10847	Blank	= Blank, inapplicable
0	0	0	0	01	= NONE
0	0	0	0	02	= OFFICE USE ONLY
0	0	0	0	03	= BIRTH CONTROL PILLS
0	0	0	0	04	= CONDOM
0	0	0	0	05	= PARTNER'S VASECTOMY
0	0	0	0	06	= DIAPHRAGM
0	0	0	0	07	= FOAM
0	0	0	0	08	= JELLY OR CREAM
0	0	0	0	09	= CERVICAL CAP
0	0	0	0	10	= SUPPOSITORY, INSERT
0	0	0	0	11	= TODAY (TM) SPONGE
0	0	0	0	12	= FEMALE CONDOM, VAGINAL POUCH
0	0	0	0	13	= IUD, COIL, LOOP
0	0	0	0	14	= NORPLANT (TM)
0	0	0	0	15	= DEPO-PROVERA, INJECTABLES
0	0	0	0	16	= MORNING AFTER PILLS
0	0	0	0	17	= RHYTHM OR SAFE PERIOD BY CALENDAR
0	0	0	0	18	= SAFE PERIOD BY TEMP, CERVICAL MUCUS TEST,

1995 NATIONAL SURVEY OF FAMILY GROWTH
 File Documentation
 Respondent File (Section E Questionnaire Items)

VARIABLE NAME	COLUMN LOCATION	NON-HISPANIC			TOTAL	QX	TEXT AND CODE CATEGORIES
		HISP	WHITE	BLACK			
		0	0	0	0	19	NFP
		0	0	0	0	20	= WITHDRAWAL
		0	0	0	0	21	= RESPONDENT STERILE
							= PARTNER STERILE (NOT ON CARD)
		0	0	0	0	22	= OTHER METHOD-NOT SHOWN SEPARATELY
		0	0	0	0	97	= Not Ascertained
		0	0	0	0	98	= Refused
		0	0	0	0	99	= Don't Know

1995 NATIONAL SURVEY OF FAMILY GROWTH
 File Documentation
 Respondent File (Section E Questionnaire Items)

VARIABLE NAME	COLUMN LOCATION	NON-HISPANIC			QX TEXT AND CODE CATEGORIES		
		HISP	WHITE	BLACK		TOTAL	
[METHH132]	8033-8034				ENTER METHOD (FIRST MENTIONED) USED IN OCTOBER 1993: (MC34)		
					Inapplicable: R never had sex as of this month and never used a birth control method as of this month but ever used one or more birth control methods in EA series (WNFSTSEX GE 1093 and DATFIRSM GE 1093 and computed variable EVERUSED = 1); R never had sex and said no, don't know or refused to all birth control methods in EA series (computed variable RHADSEX coded 2,7,8 or 9 and computed variable EVERUSED = 2); R said no, don't know or refused to all birth control methods in EA series (computed variable EVERUSED = 2).		
		289	837	277	1507	Blank	= Blank, inapplicable
		337	1240	532	2178	01	= NO METHODS USED
		0	0	0	0	02	= SAME AS PREVIOUS MONTH
		246	1286	437	2000	03	= BIRTH CONTROL PILLS
		191	861	405	1518	04	= CONDOM
		20	337	9	376	05	= PARTNER'S VASECTOMY
		5	96	12	115	06	= DIAPHRAGM
		5	24	2	31	07	= FOAM
		1	11	1	13	08	= JELLY OR CREAM
		0	3	0	3	09	= CERVICAL CAP
		5	27	6	40	10	= SUPPOSITORY, INSERT
		2	33	10	45	11	= TODAY (TM) SPONGE
		0	1	0	1	12	= FEMALE CONDOM, VAGINAL POUCH
		20	31	16	71	13	= IUD, COIL, LOOP
		22	51	41	117	14	= NORPLANT (TM)
		22	43	28	95	15	= DEPO-PROVERA, INJECTABLES
		0	0	0	0	16	= MORNING AFTER PILLS
		30	102	17	161	17	= RHYTHM OR SAFE PERIOD BY CALENDAR
		2	19	0	21	18	= SAFE PERIOD BY TEMP, CERVICAL MUCUS TEST, NFP
		40	144	22	217	19	= WITHDRAWAL
		297	1150	608	2104	20	= RESPONDENT STERILE

(4238)

1995 NATIONAL SURVEY OF FAMILY GROWTH
 File Documentation
 Respondent File (Section E Questionnaire Items)

VARIABLE NAME	COLUMN LOCATION	NON-HISPANIC			TOTAL	QX	TEXT AND CODE CATEGORIES
		HISP	WHITE	BLACK			
		17	174	14	209	21	= PARTNER STERILE (NOT ON CARD)
		2	3	5	10	22	= OTHER METHOD-NOT SHOWN SEPARATELY
		0	0	0	0	55	= SAME METHODS USED THROUGH END OF YEAR
		0	2	2	4	97	= Not Ascertained
		0	6	2	8	98	= Refused
		0	2	0	3	99	= Don't Know

1995 NATIONAL SURVEY OF FAMILY GROWTH
 File Documentation
 Respondent File (Section E Questionnaire Items)

VARIABLE NAME	COLUMN LOCATION	NON-HISPANIC			QX TEXT AND CODE CATEGORIES	
		HISP	WHITE	BLACK	TOTAL	
[METHH133]	8035-8036					ENTER METHOD (SECOND MENTIONED) USED IN OCTOBER 1993: (MC34)

Inapplicable:
 R never had sex as of this month and never used a birth control method as of this month but ever used one or more birth control methods in EA series (WNFSTSEX GE 1093 and DATFIRSM GE 1093 and computed variable EVERUSED = 1); R never had sex and said no, don't know or refused to all birth control methods in EA series (computed variable RHADSEX coded 2,7,8 or 9 and computed variable EVERUSED = 2); R said no, don't know or refused to all birth control methods in EA series (computed variable EVERUSED = 2); R used fewer than 2 methods in month.

1477	6043	2284	10143	Blank	= Blank, inapplicable
0	0	0	0	01	= NO METHODS USED
0	0	0	0	02	= SAME AS PREVIOUS MONTH
0	12	3	15	03	= BIRTH CONTROL PILLS
20	144	78	250	04	= CONDOM
0	13	2	15	05	= PARTNER'S VASECTOMY
3	13	3	19	06	= DIAPHRAGM
7	22	11	42	07	= FOAM
3	12	5	21	08	= JELLY OR CREAM
0	0	0	0	09	= CERVICAL CAP
3	8	6	17	10	= SUPPOSITORY, INSERT
0	13	6	20	11	= TODAY (TM) SPONGE
0	0	0	0	12	= FEMALE CONDOM, VAGINAL POUCH
0	0	0	0	13	= IUD, COIL, LOOP
0	1	3	4	14	= NORPLANT (TM)
0	2	1	3	15	= DEPO-PROVERA, INJECTABLES
0	0	0	0	16	= MORNING AFTER PILLS
15	59	6	85	17	= RHYTHM OR SAFE PERIOD BY CALENDAR
0	7	1	8	18	= SAFE PERIOD BY TEMP, CERVICAL MUCUS TEST, NFP
25	108	18	158	19	= WITHDRAWAL

(4240)

1995 NATIONAL SURVEY OF FAMILY GROWTH
 File Documentation
 Respondent File (Section E Questionnaire Items)

VARIABLE NAME	COLUMN LOCATION	NON-HISPANIC			TOTAL	QX	TEXT AND CODE CATEGORIES
		HISP	WHITE	BLACK			
		0	9	15	24	20	= RESPONDENT STERILE
		0	7	0	8	21	= PARTNER STERILE (NOT ON CARD)
		0	0	0	0	22	= OTHER METHOD-NOT SHOWN SEPARATELY
		0	0	0	0	55	= SAME METHODS USED THROUGH END OF YEAR
		0	2	2	4	97	= Not Ascertained
		0	6	2	8	98	= Refused
		0	2	0	3	99	= Don't Know

1995 NATIONAL SURVEY OF FAMILY GROWTH
 File Documentation
 Respondent File (Section E Questionnaire Items)

VARIABLE NAME	COLUMN LOCATION	NON-HISPANIC			TOTAL	QX	TEXT AND CODE CATEGORIES
		HISP	WHITE	BLACK			
		1	8	20	29	20	= RESPONDENT STERILE
		0	0	0	0	21	= PARTNER STERILE (NOT ON CARD)
		1	0	0	2	22	= OTHER METHOD-NOT SHOWN SEPARATELY
		0	0	0	0	55	= SAME METHODS USED THROUGH END OF YEAR
		0	2	2	4	97	= Not Ascertained
		0	6	2	8	98	= Refused
		0	2	0	3	99	= Don't Know

1995 NATIONAL SURVEY OF FAMILY GROWTH
 File Documentation
 Respondent File (Section E Questionnaire Items)

VARIABLE	COLUMN	NON-HISPANIC			QX TEXT AND CODE CATEGORIES	
NAME	LOCATION	HISP	WHITE	BLACK	TOTAL	
[METHH135]	8039-8040					ENTER METHOD (FOURTH MENTIONED) USED IN OCTOBER 1993: (MC34)

Inapplicable:
 R never had sex as of this month and never used a birth control method as of this month but ever used one or more birth control methods in EA series (WNFSTSEX GE 1093 and DATFIRSM GE 1093 and computed variable EVERUSED = 1); R never had sex and said no, don't know or refused to all birth control methods in EA series (computed variable RHADSEX coded 2,7,8 or 9 and computed variable EVERUSED = 2); R said no, don't know or refused to all birth control methods in EA series (computed variable EVERUSED = 2); R used fewer than 4 methods in month.

1553	6466	2441	10824	Blank	= Blank, inapplicable
0	0	0	0	01	= NO METHODS USED
0	0	0	0	02	= SAME AS PREVIOUS MONTH
0	0	0	0	03	= BIRTH CONTROL PILLS
0	1	0	1	04	= CONDOM
0	0	0	0	05	= PARTNER'S VASECTOMY
0	0	0	0	06	= DIAPHRAGM
0	0	0	0	07	= FOAM
0	0	0	0	08	= JELLY OR CREAM
0	0	0	0	09	= CERVICAL CAP
0	0	0	0	10	= SUPPOSITORY, INSERT
0	1	0	1	11	= TODAY (TM) SPONGE
0	0	0	0	12	= FEMALE CONDOM, VAGINAL POUCH
0	0	0	0	13	= IUD, COIL, LOOP
0	0	0	0	14	= NORPLANT (TM)
0	0	0	0	15	= DEPO-PROVERA, INJECTABLES
0	0	0	0	16	= MORNING AFTER PILLS
0	2	0	2	17	= RHYTHM OR SAFE PERIOD BY CALENDAR
0	0	1	1	18	= SAFE PERIOD BY TEMP, CERVICAL MUCUS TEST, NFP
0	3	0	3	19	= WITHDRAWAL

(4244)

1995 NATIONAL SURVEY OF FAMILY GROWTH
 File Documentation
 Respondent File (Section E Questionnaire Items)

VARIABLE NAME	COLUMN LOCATION	NON-HISPANIC			TOTAL	QX	TEXT AND CODE CATEGORIES
		HISP	WHITE	BLACK			
		0	0	0	0	20	= RESPONDENT STERILE
		0	0	0	0	21	= PARTNER STERILE (NOT ON CARD)
		0	0	0	0	22	= OTHER METHOD-NOT SHOWN SEPARATELY
		0	0	0	0	55	= SAME METHODS USED THROUGH END OF YEAR
		0	2	2	4	97	= Not Ascertained
		0	6	2	8	98	= Refused
		0	2	0	3	99	= Don't Know

[SIMSEQ33] 8041-8041

Did you use those methods together,
 that is, at the same time, or did
 you use them at different times
 during the month? (MC34)

Inapplicable:

R never had sex as of this month and
 never used a birth control method as
 of this month but ever used one or
 more birth control methods in EA
 series (WNFSTSEX GE 1093 and
 DATFIRSM GE 1093 and computed
 variable EVERUSED = 1); R never had
 sex and said no, don't know or
 refused to all birth control methods
 in EA series (computed variable
 RHADSEX coded 2,7,8 or 9 and
 computed variable EVERUSED = 2); R
 said no, don't know or refused to
 all birth control methods in EA
 series (computed variable EVERUSED =
 2); R did not use multiple methods
 in the month; R used more than 2
 methods in the month.

1487	6111	2297	10237	Blank	= Blank, inapplicable
38	249	121	420	1	= SAME TIME
28	123	28	190	2	= DIFFERENT TIMES
0	0	0	0	7	= Not Ascertained
0	0	0	0	8	= Refused
0	0	0	0	9	= Don't Know

1995 NATIONAL SURVEY OF FAMILY GROWTH
 File Documentation
 Respondent File (Section E Questionnaire Items)

VARIABLE	COLUMN	NON-HISPANIC				
NAME	LOCATION	HISP	WHITE	BLACK		TOTAL

[MTHUS396] 8042-8043

During that month, which (of those/other) methods, if any, did you use at the same time? (1st METHOD MENTIONED, 1st COMBINATION, MC34)

Inapplicable:
 R said no, don't know or refused to all birth control methods in EA series (computed variable EVERUSED = 2); R never had sex as of this month and never used a birth control method as of this month but ever used one or more birth control methods in EA series (WNFSTSEX GE 1093 and DATFIRSM GE 1093 and computed variable EVERUSED = 1); R did not use multiple methods in the month; or R used only 2 methods in the month.

1543	6425	2437	10768	Blank	= Blank, inapplicable
2	14	3	19	01	= NONE
0	0	0	0	02	= OFFICE USE ONLY
1	7	1	10	03	= BIRTH CONTROL PILLS
7	21	3	32	04	= CONDOM
0	0	0	0	05	= PARTNER'S VASECTOMY
0	4	0	4	06	= DIAPHRAGM
0	2	0	2	07	= FOAM
0	0	0	0	08	= JELLY OR CREAM
0	0	0	0	09	= CERVICAL CAP
0	0	0	0	10	= SUPPOSITORY, INSERT
0	3	0	3	11	= TODAY (TM) SPONGE
0	0	0	0	12	= FEMALE CONDOM, VAGINAL POUCH
0	0	0	0	13	= IUD, COIL, LOOP
0	0	0	0	14	= NORPLANT (TM)
0	0	0	0	15	= DEPO-PROVERA, INJECTABLES
0	0	0	0	16	= MORNING AFTER PILLS
0	5	0	5	17	= RHYTHM OR SAFE PERIOD BY CALENDAR
0	0	0	0	18	= SAFE PERIOD BY TEMP, CERVICAL MUCUS TEST, NFP
0	1	1	2	19	= WITHDRAWAL
0	0	1	1	20	= RESPONDENT STERILE
0	0	0	0	21	= PARTNER STERILE (NOT

1995 NATIONAL SURVEY OF FAMILY GROWTH
 File Documentation
 Respondent File (Section E Questionnaire Items)

VARIABLE NAME	COLUMN LOCATION	NON-HISPANIC			TOTAL	QX	TEXT AND CODE CATEGORIES
		HISP	WHITE	BLACK			
		0	0	0	0	22	ON CARD) = OTHER METHOD-NOT SHOWN SEPARATELY
		0	0	0	0	97	= Not Ascertained
		0	0	0	0	98	= Refused
		0	1	0	1	99	= Don't Know

1995 NATIONAL SURVEY OF FAMILY GROWTH
 File Documentation
 Respondent File (Section E Questionnaire Items)

VARIABLE COLUMN NON-HISPANIC
 NAME LOCATION HISP WHITE BLACK TOTAL QX TEXT AND CODE CATEGORIES

[MTHUS397] 8044-8045

During that month, which (of those/other) methods, if any, did you use at the same time? (2nd METHOD MENTIONED, 1st COMBINATION, MC34)

Inapplicable:

R said no, don't know or refused to all birth control methods in EA series (computed variable EVERUSED = 2); R never had sex as of this month and never used a birth control method as of this month but ever used one or more birth control methods in EA series (WNFSTSEX GE 1093 and DATFIRSM GE 1093 and computed variable EVERUSED = 1); R did not use multiple methods in the month; or R used only 2 methods in the month; or R reported using fewer than 2 BC methods for this combination in this month of the method calendar.

1545	6439	2440	10787	Blank	= Blank, inapplicable
0	0	0	0	01	= NONE
0	0	0	0	02	= OFFICE USE ONLY
0	0	0	0	03	= BIRTH CONTROL PILLS
1	9	2	12	04	= CONDOM
0	2	0	2	05	= PARTNER'S VASECTOMY
0	0	0	0	06	= DIAPHRAGM
1	3	0	4	07	= FOAM
1	1	2	4	08	= JELLY OR CREAM
0	0	0	0	09	= CERVICAL CAP
1	0	1	2	10	= SUPPOSITORY, INSERT
0	1	0	1	11	= TODAY (TM) SPONGE
0	0	0	0	12	= FEMALE CONDOM, VAGINAL POUCH
0	0	0	0	13	= IUD, COIL, LOOP
0	0	0	0	14	= NORPLANT (TM)
0	0	0	0	15	= DEPO-PROVERA, INJECTABLES
0	1	0	1	16	= MORNING AFTER PILLS
3	17	0	20	17	= RHYTHM OR SAFE PERIOD BY CALENDAR
0	1	0	1	18	= SAFE PERIOD BY TEMP, CERVICAL MUCUS TEST, NFP

(4248)

1995 NATIONAL SURVEY OF FAMILY GROWTH
 File Documentation
 Respondent File (Section E Questionnaire Items)

VARIABLE NAME	COLUMN LOCATION	NON-HISPANIC			TOTAL	QX	TEXT AND CODE CATEGORIES
		HISP	WHITE	BLACK			
		1	8	1	12	19	= WITHDRAWAL
		0	0	0	0	20	= RESPONDENT STERILE
		0	0	0	0	21	= PARTNER STERILE (NOT ON CARD)
		0	0	0	0	22	= OTHER METHOD-NOT SHOWN SEPARATELY
		0	0	0	0	97	= Not Ascertained
		0	0	0	0	98	= Refused
		0	1	0	1	99	= Don't Know

1995 NATIONAL SURVEY OF FAMILY GROWTH
 File Documentation
 Respondent File (Section E Questionnaire Items)

VARIABLE	COLUMN	NON-HISPANIC				
NAME	LOCATION	HISP	WHITE	BLACK	TOTAL	QX TEXT AND CODE CATEGORIES

[MTHUS398] 8046-8047

During that month, which (of those/other) methods, if any, did you use at the same time? (3rd METHOD MENTIONED, 1st COMBINATION, MC34)

Inapplicable:
 R said no, don't know or refused to all birth control methods in EA series (computed variable EVERUSED = 2); R never had sex as of this month and never used a birth control method as of this month but ever used one or more birth control methods in EA series (WNFSTSEX GE 1093 and DATFIRSM GE 1093 and computed variable EVERUSED = 1); R did not use multiple methods in the month; or R used only 2 methods in the month; or R reported using fewer than 3 BC methods for this combination in this month of the method calendar.

1546	6458	2445	10814	Blank	= Blank, inapplicable
0	0	0	0	01	= NONE
0	0	0	0	02	= OFFICE USE ONLY
0	0	0	0	03	= BIRTH CONTROL PILLS
0	0	0	0	04	= CONDOM
1	0	0	1	05	= PARTNER'S VASECTOMY
0	0	0	0	06	= DIAPHRAGM
2	0	0	2	07	= FOAM
0	3	0	3	08	= JELLY OR CREAM
0	0	0	0	09	= CERVICAL CAP
0	0	0	0	10	= SUPPOSITORY, INSERT
1	2	0	3	11	= TODAY (TM) SPONGE
0	0	0	0	12	= FEMALE CONDOM, VAGINAL POUCH
0	0	0	0	13	= IUD, COIL, LOOP
0	0	0	0	14	= NORPLANT (TM)
0	0	0	0	15	= DEPO-PROVERA, INJECTABLES
0	0	0	0	16	= MORNING AFTER PILLS
2	3	1	6	17	= RHYTHM OR SAFE PERIOD BY CALENDAR
0	3	0	3	18	= SAFE PERIOD BY TEMP, CERVICAL MUCUS TEST, NFP

1995 NATIONAL SURVEY OF FAMILY GROWTH
 File Documentation
 Respondent File (Section E Questionnaire Items)

VARIABLE NAME	COLUMN LOCATION	NON-HISPANIC			TOTAL	QX	TEXT AND CODE CATEGORIES
		HISP	WHITE	BLACK			
		0	13	0	13	19	= WITHDRAWAL
		0	0	0	0	20	= RESPONDENT STERILE
		0	0	0	0	21	= PARTNER STERILE (NOT ON CARD)
		1	0	0	1	22	= OTHER METHOD-NOT SHOWN SEPARATELY
		0	0	0	0	97	= Not Ascertained
		0	0	0	0	98	= Refused
		0	1	0	1	99	= Don't Know

1995 NATIONAL SURVEY OF FAMILY GROWTH
 File Documentation
 Respondent File (Section E Questionnaire Items)

VARIABLE	COLUMN	NON-HISPANIC				QX TEXT AND CODE CATEGORIES
NAME	LOCATION	HISP	WHITE	BLACK		

[MTHUS399] 8048-8049

During that month, which (of those/other) methods, if any, did you use at the same time? (4th METHOD MENTIONED, 1st COMBINATION, MC34)

Inapplicable:
 R said no, don't know or refused to all birth control methods in EA series (computed variable EVERUSED = 2); R never had sex as of this month and never used a birth control method as of this month but ever used one or more birth control methods in EA series (WNFSTSEX GE 1093 and DATFIRSM GE 1093 and computed variable EVERUSED = 1); R did not use multiple methods in the month; or R used only 2 methods in the month; or R reported using fewer than 4 BC methods for this combination in this month of the method calendar.

1553	6481	2445	10844	Blank	= Blank, inapplicable
0	0	0	0	01	= NONE
0	0	0	0	02	= OFFICE USE ONLY
0	0	0	0	03	= BIRTH CONTROL PILLS
0	1	0	1	04	= CONDOM
0	0	0	0	05	= PARTNER'S VASECTOMY
0	0	0	0	06	= DIAPHRAGM
0	0	0	0	07	= FOAM
0	0	0	0	08	= JELLY OR CREAM
0	0	0	0	09	= CERVICAL CAP
0	0	0	0	10	= SUPPOSITORY, INSERT
0	0	0	0	11	= TODAY (TM) SPONGE
0	0	0	0	12	= FEMALE CONDOM, VAGINAL POUCH
0	0	0	0	13	= IUD, COIL, LOOP
0	0	0	0	14	= NORPLANT (TM)
0	0	0	0	15	= DEPO-PROVERA, INJECTABLES
0	0	0	0	16	= MORNING AFTER PILLS
0	0	0	0	17	= RHYTHM OR SAFE PERIOD BY CALENDAR
0	0	1	1	18	= SAFE PERIOD BY TEMP, CERVICAL MUCUS TEST, NFP

1995 NATIONAL SURVEY OF FAMILY GROWTH
 File Documentation
 Respondent File (Section E Questionnaire Items)

VARIABLE NAME	COLUMN LOCATION	NON-HISPANIC			TOTAL	QX	TEXT AND CODE CATEGORIES
		HISP	WHITE	BLACK			
		0	0	0	0	19	= WITHDRAWAL
		0	0	0	0	20	= RESPONDENT STERILE
		0	0	0	0	21	= PARTNER STERILE (NOT ON CARD)
		0	0	0	0	22	= OTHER METHOD-NOT SHOWN SEPARATELY
		0	0	0	0	97	= Not Ascertained
		0	0	0	0	98	= Refused
		0	1	0	1	99	= Don't Know

1995 NATIONAL SURVEY OF FAMILY GROWTH
 File Documentation
 Respondent File (Section E Questionnaire Items)

VARIABLE	COLUMN	NON-HISPANIC				QX TEXT AND CODE CATEGORIES
NAME	LOCATION	HISP	WHITE	BLACK		

[MTHUS400] 8050-8051

During that month, which (of those/other) methods, if any, did you use at the same time? (1st METHOD MENTIONED, 2nd COMBINATION, MC34)

Inapplicable:
 R said no, don't know or refused to all birth control methods in EA series (computed variable EVERUSED = 2); R never had sex as of this month and never used a birth control method as of this month but ever used one or more birth control methods in EA series (WNFSTSEX GE 1093 and DATFIRSM GE 1093 and computed variable EVERUSED = 1); R did not use multiple methods in the month; or R used only 2 methods in the month; or R reported fewer than 2 BC method combinations.

1545	6439	2440	10787	Blank		= Blank, inapplicable
5	33	4	44	01		= NONE
0	0	0	0	02		= OFFICE USE ONLY
0	2	0	2	03		= BIRTH CONTROL PILLS
0	4	0	4	04		= CONDOM
0	0	0	0	05		= PARTNER'S VASECTOMY
0	0	0	0	06		= DIAPHRAGM
1	1	0	2	07		= FOAM
0	0	0	0	08		= JELLY OR CREAM
0	0	0	0	09		= CERVICAL CAP
0	0	0	0	10		= SUPPOSITORY, INSERT
0	0	0	0	11		= TODAY (TM) SPONGE
0	0	0	0	12		= FEMALE CONDOM, VAGINAL POUCH
0	0	0	0	13		= IUD, COIL, LOOP
0	0	0	0	14		= NORPLANT (TM)
0	0	0	0	15		= DEPO-PROVERA, INJECTABLES
0	0	0	0	16		= MORNING AFTER PILLS
0	3	0	3	17		= RHYTHM OR SAFE PERIOD BY CALENDAR
0	0	0	0	18		= SAFE PERIOD BY TEMP, CERVICAL MUCUS TEST, NFP
1	0	1	2	19		= WITHDRAWAL
0	0	1	1	20		= RESPONDENT STERILE

(4254)

1995 NATIONAL SURVEY OF FAMILY GROWTH
 File Documentation
 Respondent File (Section E Questionnaire Items)

VARIABLE NAME	COLUMN LOCATION	NON-HISPANIC			TOTAL	QX	TEXT AND CODE CATEGORIES
		HISP	WHITE	BLACK			
		0	0	0	0	21	= PARTNER STERILE (NOT ON CARD)
		1	0	0	1	22	= OTHER METHOD-NOT SHOWN SEPARATELY
		0	0	0	0	97	= Not Ascertained
		0	0	0	0	98	= Refused
		0	1	0	1	99	= Don't Know

1995 NATIONAL SURVEY OF FAMILY GROWTH
 File Documentation
 Respondent File (Section E Questionnaire Items)

VARIABLE COLUMN NON-HISPANIC
 NAME LOCATION HISP WHITE BLACK TOTAL QX TEXT AND CODE CATEGORIES

[MTHUS401] 8052-8053

During that month, which (of those/other) methods, if any, did you use at the same time? (2nd METHOD MENTIONED, 2nd COMBINATION, MC34)

Inapplicable:
 R said no, don't know or refused to all birth control methods in EA series (computed variable EVERUSED = 2); R never had sex as of this month and never used a birth control method as of this month but ever used one or more birth control methods in EA series (WNFSTSEX GE 1093 and DATFIRSM GE 1093 and computed variable EVERUSED = 1); R did not use multiple methods in the month; or R used only 2 methods in the month; or R reported fewer than 2 BC method combinations; or R reported using fewer than 2 BC methods for this combination in this month of the method calendar.

1552	6473	2444	10834	Blank	= Blank, inapplicable
0	0	0	0	01	= NONE
0	0	0	0	02	= OFFICE USE ONLY
0	0	0	0	03	= BIRTH CONTROL PILLS
1	1	0	2	04	= CONDOM
0	1	0	1	05	= PARTNER'S VASECTOMY
0	0	0	0	06	= DIAPHRAGM
0	0	0	0	07	= FOAM
0	1	0	1	08	= JELLY OR CREAM
0	0	0	0	09	= CERVICAL CAP
0	0	1	1	10	= SUPPOSITORY, INSERT
0	1	0	1	11	= TODAY (TM) SPONGE
0	0	0	0	12	= FEMALE CONDOM, VAGINAL POUCH
0	0	0	0	13	= IUD, COIL, LOOP
0	0	0	0	14	= NORPLANT (TM)
0	0	0	0	15	= DEPO-PROVERA, INJECTABLES
0	0	0	0	16	= MORNING AFTER PILLS
0	2	0	2	17	= RHYTHM OR SAFE PERIOD BY CALENDAR
0	0	0	0	18	= SAFE PERIOD BY TEMP, CERVICAL MUCUS TEST,

1995 NATIONAL SURVEY OF FAMILY GROWTH
 File Documentation
 Respondent File (Section E Questionnaire Items)

VARIABLE NAME	COLUMN LOCATION	NON-HISPANIC			TOTAL	QX	TEXT AND CODE CATEGORIES
		HISP	WHITE	BLACK			
		0	3	1	4	19	NFP
		0	0	0	0	20	= WITHDRAWAL
		0	0	0	0	21	= RESPONDENT STERILE
							= PARTNER STERILE (NOT ON CARD)
		0	0	0	0	22	= OTHER METHOD-NOT SHOWN SEPARATELY
		0	0	0	0	97	= Not Ascertained
		0	0	0	0	98	= Refused
		0	1	0	1	99	= Don't Know

1995 NATIONAL SURVEY OF FAMILY GROWTH
 File Documentation
 Respondent File (Section E Questionnaire Items)

VARIABLE COLUMN NON-HISPANIC
 NAME LOCATION HISP WHITE BLACK TOTAL QX TEXT AND CODE CATEGORIES

[MTHUS402] 8054-8055

During that month, which (of those/other) methods, if any, did you use at the same time? (3rd METHOD MENTIONED, 2nd COMBINATION, MC34)

Inapplicable:
 R said no, don't know or refused to all birth control methods in EA series (computed variable EVERUSED = 2); R never had sex as of this month and never used a birth control method as of this month but ever used one or more birth control methods in EA series (WNFSTSEX GE 1093 and DATFIRSM GE 1093 and computed variable EVERUSED = 1); R did not use multiple methods in the month; or R used only 2 methods in the month; or R reported fewer than 2 BC method combinations; or R reported using fewer than 3 BC methods for this combination in this month of the method calendar.

1552	6480	2446	10843	Blank	= Blank, inapplicable
0	0	0	0	01	= NONE
0	0	0	0	02	= OFFICE USE ONLY
0	0	0	0	03	= BIRTH CONTROL PILLS
0	0	0	0	04	= CONDOM
0	0	0	0	05	= PARTNER'S VASECTOMY
0	0	0	0	06	= DIAPHRAGM
0	0	0	0	07	= FOAM
0	1	0	1	08	= JELLY OR CREAM
0	0	0	0	09	= CERVICAL CAP
0	0	0	0	10	= SUPPOSITORY, INSERT
0	0	0	0	11	= TODAY (TM) SPONGE
0	0	0	0	12	= FEMALE CONDOM, VAGINAL POUCH
0	0	0	0	13	= IUD, COIL, LOOP
0	0	0	0	14	= NORPLANT (TM)
0	0	0	0	15	= DEPO-PROVERA, INJECTABLES
0	0	0	0	16	= MORNING AFTER PILLS
1	0	0	1	17	= RHYTHM OR SAFE PERIOD BY CALENDAR
0	1	0	1	18	= SAFE PERIOD BY TEMP, CERVICAL MUCUS TEST,

(4258)

1995 NATIONAL SURVEY OF FAMILY GROWTH
 File Documentation
 Respondent File (Section E Questionnaire Items)

VARIABLE NAME	COLUMN LOCATION	NON-HISPANIC			TOTAL	QX	TEXT AND CODE CATEGORIES
		HISP	WHITE	BLACK			
		0	0	0	0	19	NFP
		0	0	0	0	20	= WITHDRAWAL
		0	0	0	0	21	= RESPONDENT STERILE
							= PARTNER STERILE (NOT ON CARD)
		0	0	0	0	22	= OTHER METHOD-NOT SHOWN SEPARATELY
		0	0	0	0	97	= Not Ascertained
		0	0	0	0	98	= Refused
		0	1	0	1	99	= Don't Know

1995 NATIONAL SURVEY OF FAMILY GROWTH
 File Documentation
 Respondent File (Section E Questionnaire Items)

VARIABLE	COLUMN	NON-HISPANIC				QX TEXT AND CODE CATEGORIES
NAME	LOCATION	HISP	WHITE	BLACK		

[MTHUS403] 8056-8057

During that month, which (of those/other) methods, if any, did you use at the same time? (4th METHOD MENTIONED, 2nd COMBINATION, MC34)

Inapplicable:
 R said no, don't know or refused to all birth control methods in EA series (computed variable EVERUSED = 2); R never had sex as of this month and never used a birth control method as of this month but ever used one or more birth control methods in EA series (WNFSTSEX GE 1093 and DATFIRSM GE 1093 and computed variable EVERUSED = 1); R did not use multiple methods in the month; or R used only 2 methods in the month; or R reported fewer than 2 BC method combinations; or R reported using fewer than 4 BC methods for this combination in this month of the method calendar.

1553	6482	2446	10846	Blank	= Blank, inapplicable
0	0	0	0	01	= NONE
0	0	0	0	02	= OFFICE USE ONLY
0	0	0	0	03	= BIRTH CONTROL PILLS
0	0	0	0	04	= CONDOM
0	0	0	0	05	= PARTNER'S VASECTOMY
0	0	0	0	06	= DIAPHRAGM
0	0	0	0	07	= FOAM
0	0	0	0	08	= JELLY OR CREAM
0	0	0	0	09	= CERVICAL CAP
0	0	0	0	10	= SUPPOSITORY, INSERT
0	0	0	0	11	= TODAY (TM) SPONGE
0	0	0	0	12	= FEMALE CONDOM, VAGINAL POUCH
0	0	0	0	13	= IUD, COIL, LOOP
0	0	0	0	14	= NORPLANT (TM)
0	0	0	0	15	= DEPO-PROVERA, INJECTABLES
0	0	0	0	16	= MORNING AFTER PILLS
0	0	0	0	17	= RHYTHM OR SAFE PERIOD BY CALENDAR
0	0	0	0	18	= SAFE PERIOD BY TEMP, CERVICAL MUCUS TEST,

1995 NATIONAL SURVEY OF FAMILY GROWTH
 File Documentation
 Respondent File (Section E Questionnaire Items)

VARIABLE NAME	COLUMN LOCATION	NON-HISPANIC			TOTAL	QX	TEXT AND CODE CATEGORIES
		HISP	WHITE	BLACK			
		0	0	0	0	19	NFP = WITHDRAWAL
		0	0	0	0	20	= RESPONDENT STERILE
		0	0	0	0	21	= PARTNER STERILE (NOT ON CARD)
		0	0	0	0	22	= OTHER METHOD-NOT SHOWN SEPARATELY
		0	0	0	0	97	= Not Ascertained
		0	0	0	0	98	= Refused
		0	1	0	1	99	= Don't Know

1995 NATIONAL SURVEY OF FAMILY GROWTH
 File Documentation
 Respondent File (Section E Questionnaire Items)

VARIABLE COLUMN NON-HISPANIC
 NAME LOCATION HISP WHITE BLACK TOTAL QX TEXT AND CODE CATEGORIES

[MTHUS404] 8058-8059

During that month, which (of those/other) methods, if any, did you use at the same time? (1st METHOD MENTIONED, 3rd COMBINATION, MC34)

Inapplicable:
 R said no, don't know or refused to all birth control methods in EA series (computed variable EVERUSED = 2); R never had sex as of this month and never used a birth control method as of this month but ever used one or more birth control methods in EA series (WNFSTSEX GE 1093 and DATFIRSM GE 1093 and computed variable EVERUSED = 1); R did not use multiple methods in the month; or R used only 2 methods in the month; or R reported fewer than 3 BC method combinations.

	1553	6482	2446	10846	Blank	
	0	0	0	0	0	01 = Blank, inapplicable
	0	0	0	0	0	02 = NONE
	0	0	0	0	0	03 = OFFICE USE ONLY
	0	1	0	1	0	04 = BIRTH CONTROL PILLS
	0	0	0	0	0	05 = CONDOM
	0	0	0	0	0	06 = PARTNER'S VASECTOMY
	0	0	0	0	0	07 = DIAPHRAGM
	0	0	0	0	0	08 = FOAM
	0	0	0	0	0	09 = JELLY OR CREAM
	0	0	0	0	0	10 = CERVICAL CAP
	0	0	0	0	0	11 = SUPPOSITORY, INSERT
	0	0	0	0	0	12 = TODAY (TM) SPONGE
	0	0	0	0	0	13 = FEMALE CONDOM, VAGINAL POUCH
	0	0	0	0	0	14 = IUD, COIL, LOOP
	0	0	0	0	0	15 = NORPLANT (TM)
	0	0	0	0	0	16 = DEPO-PROVERA, INJECTABLES
	0	0	0	0	0	17 = MORNING AFTER PILLS
	0	0	0	0	0	18 = RHYTHM OR SAFE PERIOD BY CALENDAR
	0	0	0	0	0	19 = SAFE PERIOD BY TEMP, CERVICAL MUCUS TEST, NFP
	0	0	0	0	0	20 = WITHDRAWAL
	0	0	0	0	0	21 = RESPONDENT STERILE

(4262)

1995 NATIONAL SURVEY OF FAMILY GROWTH
 File Documentation
 Respondent File (Section E Questionnaire Items)

VARIABLE NAME	COLUMN LOCATION	NON-HISPANIC			QX	TEXT AND CODE CATEGORIES
		HISP	WHITE	BLACK		
		0	0	0	0	21 = PARTNER STERILE (NOT ON CARD)
		0	0	0	0	22 = OTHER METHOD-NOT SHOWN SEPARATELY
		0	0	0	0	97 = Not Ascertained
		0	0	0	0	98 = Refused
		0	0	0	0	99 = Don't Know

1995 NATIONAL SURVEY OF FAMILY GROWTH
 File Documentation
 Respondent File (Section E Questionnaire Items)

VARIABLE NAME	COLUMN LOCATION	NON-HISPANIC			TOTAL	QX	TEXT AND CODE CATEGORIES
		HISP	WHITE	BLACK			
		0	0	0	0	19	NFP
		0	0	0	0	20	= WITHDRAWAL
		0	0	0	0	21	= RESPONDENT STERILE
							= PARTNER STERILE (NOT ON CARD)
		0	0	0	0	22	= OTHER METHOD-NOT SHOWN SEPARATELY
		0	0	0	0	97	= Not Ascertained
		0	0	0	0	98	= Refused
		0	0	0	0	99	= Don't Know

1995 NATIONAL SURVEY OF FAMILY GROWTH
 File Documentation
 Respondent File (Section E Questionnaire Items)

VARIABLE	COLUMN	NON-HISPANIC				QX TEXT AND CODE CATEGORIES
NAME	LOCATION	HISP	WHITE	BLACK		

[MTHUS406] 8062-8063

During that month, which (of those/other) methods, if any, did you use at the same time? (3rd METHOD MENTIONED, 3rd COMBINATION, MC34)

Inapplicable:
 R said no, don't know or refused to all birth control methods in EA series (computed variable EVERUSED = 2); R never had sex as of this month and never used a birth control method as of this month but ever used one or more birth control methods in EA series (WNFSTSEX GE 1093 and DATFIRSM GE 1093 and computed variable EVERUSED = 1); R did not use multiple methods in the month; or R used only 2 methods in the month; or R reported fewer than 3 BC method combinations; or R reported using fewer than 3 BC methods for this combination in this month of the method calendar.

1553	6483	2446	10847	Blank	= Blank, inapplicable
0	0	0	0	01	= NONE
0	0	0	0	02	= OFFICE USE ONLY
0	0	0	0	03	= BIRTH CONTROL PILLS
0	0	0	0	04	= CONDOM
0	0	0	0	05	= PARTNER'S VASECTOMY
0	0	0	0	06	= DIAPHRAGM
0	0	0	0	07	= FOAM
0	0	0	0	08	= JELLY OR CREAM
0	0	0	0	09	= CERVICAL CAP
0	0	0	0	10	= SUPPOSITORY, INSERT
0	0	0	0	11	= TODAY (TM) SPONGE
0	0	0	0	12	= FEMALE CONDOM, VAGINAL POUCH
0	0	0	0	13	= IUD, COIL, LOOP
0	0	0	0	14	= NORPLANT (TM)
0	0	0	0	15	= DEPO-PROVERA, INJECTABLES
0	0	0	0	16	= MORNING AFTER PILLS
0	0	0	0	17	= RHYTHM OR SAFE PERIOD BY CALENDAR
0	0	0	0	18	= SAFE PERIOD BY TEMP, CERVICAL MUCUS TEST,

1995 NATIONAL SURVEY OF FAMILY GROWTH
 File Documentation
 Respondent File (Section E Questionnaire Items)

VARIABLE NAME	COLUMN LOCATION	NON-HISPANIC			TOTAL	QX	TEXT AND CODE CATEGORIES
		HISP	WHITE	BLACK			
		0	0	0	0	19	NFP
		0	0	0	0	20	= WITHDRAWAL
		0	0	0	0	21	= RESPONDENT STERILE
							= PARTNER STERILE (NOT ON CARD)
		0	0	0	0	22	= OTHER METHOD-NOT SHOWN SEPARATELY
		0	0	0	0	97	= Not Ascertained
		0	0	0	0	98	= Refused
		0	0	0	0	99	= Don't Know

1995 NATIONAL SURVEY OF FAMILY GROWTH
 File Documentation
 Respondent File (Section E Questionnaire Items)

VARIABLE	COLUMN	NON-HISPANIC				
NAME	LOCATION	HISP	WHITE	BLACK	TOTAL	QX TEXT AND CODE CATEGORIES

[MTHUS407] 8064-8065

During that month, which (of those/other) methods, if any, did you use at the same time? (4th METHOD MENTIONED, 3rd COMBINATION, MC34)

Inapplicable:
 R said no, don't know or refused to all birth control methods in EA series (computed variable EVERUSED = 2); R never had sex as of this month and never used a birth control method as of this month but ever used one or more birth control methods in EA series (WNFSTSEX GE 1093 and DATFIRSM GE 1093 and computed variable EVERUSED = 1); R did not use multiple methods in the month; or R used only 2 methods in the month; or R reported fewer than 3 BC method combinations; or R reported using fewer than 4 BC methods for this combination in this month of the method calendar.

1553	6483	2446	10847	Blank	= Blank, inapplicable
0	0	0	0	01	= NONE
0	0	0	0	02	= OFFICE USE ONLY
0	0	0	0	03	= BIRTH CONTROL PILLS
0	0	0	0	04	= CONDOM
0	0	0	0	05	= PARTNER'S VASECTOMY
0	0	0	0	06	= DIAPHRAGM
0	0	0	0	07	= FOAM
0	0	0	0	08	= JELLY OR CREAM
0	0	0	0	09	= CERVICAL CAP
0	0	0	0	10	= SUPPOSITORY, INSERT
0	0	0	0	11	= TODAY (TM) SPONGE
0	0	0	0	12	= FEMALE CONDOM, VAGINAL POUCH
0	0	0	0	13	= IUD, COIL, LOOP
0	0	0	0	14	= NORPLANT (TM)
0	0	0	0	15	= DEPO-PROVERA, INJECTABLES
0	0	0	0	16	= MORNING AFTER PILLS
0	0	0	0	17	= RHYTHM OR SAFE PERIOD BY CALENDAR
0	0	0	0	18	= SAFE PERIOD BY TEMP, CERVICAL MUCUS TEST,

1995 NATIONAL SURVEY OF FAMILY GROWTH
 File Documentation
 Respondent File (Section E Questionnaire Items)

VARIABLE NAME	COLUMN LOCATION	NON-HISPANIC			TOTAL	QX	TEXT AND CODE CATEGORIES
		HISP	WHITE	BLACK			
		0	0	0	0	19	NFP
		0	0	0	0	20	= WITHDRAWAL
		0	0	0	0	21	= RESPONDENT STERILE
							= PARTNER STERILE (NOT ON CARD)
		0	0	0	0	22	= OTHER METHOD-NOT SHOWN SEPARATELY
		0	0	0	0	97	= Not Ascertained
		0	0	0	0	98	= Refused
		0	0	0	0	99	= Don't Know

1995 NATIONAL SURVEY OF FAMILY GROWTH
 File Documentation
 Respondent File (Section E Questionnaire Items)

VARIABLE NAME	COLUMN LOCATION	NON-HISPANIC			QX TEXT AND CODE CATEGORIES		
		HISP	WHITE	BLACK		TOTAL	
[METHH136]	8066-8067				ENTER METHOD (FIRST MENTIONED) USED IN NOVEMBER 1993: (MC35)		
					Inapplicable: R never had sex as of this month and never used a birth control method as of this month but ever used one or more birth control methods in EA series (WNFSTSEX GE 1093 and DATFIRSM GE 1093 and computed variable EVERUSED = 1); R never had sex and said no, don't know or refused to all birth control methods in EA series (computed variable RHADSEX coded 2,7,8 or 9 and computed variable EVERUSED = 2); R said no, don't know or refused to all birth control methods in EA series (computed variable EVERUSED = 2).		
		285	828	270	1487	Blank	= Blank, inapplicable
		339	1252	528	2185	01	= NO METHODS USED
		0	0	0	0	02	= SAME AS PREVIOUS MONTH
		244	1285	441	2001	03	= BIRTH CONTROL PILLS
		192	859	406	1519	04	= CONDOM
		20	340	9	379	05	= PARTNER'S VASECTOMY
		4	94	11	111	06	= DIAPHRAGM
		5	25	3	33	07	= FOAM
		1	12	2	15	08	= JELLY OR CREAM
		1	3	0	4	09	= CERVICAL CAP
		5	25	6	38	10	= SUPPOSITORY, INSERT
		2	29	11	42	11	= TODAY (TM) SPONGE
		0	1	0	1	12	= FEMALE CONDOM, VAGINAL POUCH
		20	31	16	70	13	= IUD, COIL, LOOP
		23	51	41	118	14	= NORPLANT (TM)
		22	41	29	95	15	= DEPO-PROVERA, INJECTABLES
		0	0	0	0	16	= MORNING AFTER PILLS
		29	101	18	160	17	= RHYTHM OR SAFE PERIOD BY CALENDAR
		2	18	0	20	18	= SAFE PERIOD BY TEMP, CERVICAL MUCUS TEST, NFP
		41	141	23	217	19	= WITHDRAWAL
		299	1158	611	2118	20	= RESPONDENT STERILE

(4270)

1995 NATIONAL SURVEY OF FAMILY GROWTH
 File Documentation
 Respondent File (Section E Questionnaire Items)

VARIABLE NAME	COLUMN LOCATION	NON-HISPANIC			TOTAL	QX	TEXT AND CODE CATEGORIES
		HISP	WHITE	BLACK			
		18	175	14	211	21	= PARTNER STERILE (NOT ON CARD)
		1	4	4	9	22	= OTHER METHOD-NOT SHOWN SEPARATELY
		0	0	0	0	55	= SAME METHODS USED THROUGH END OF YEAR
		0	2	1	3	97	= Not Ascertained
		0	6	2	8	98	= Refused
		0	2	0	3	99	= Don't Know

1995 NATIONAL SURVEY OF FAMILY GROWTH
 File Documentation
 Respondent File (Section E Questionnaire Items)

VARIABLE NAME	COLUMN LOCATION	NON-HISPANIC			QX TEXT AND CODE CATEGORIES	
		HISP	WHITE	BLACK	TOTAL	
[METHH137]	8068-8069					ENTER METHOD (SECOND MENTIONED) USED IN NOVEMBER 1993: (MC35)

Inapplicable:
 R never had sex as of this month and never used a birth control method as of this month but ever used one or more birth control methods in EA series (WNFSTSEX GE 1093 and DATFIRSM GE 1093 and computed variable EVERUSED = 1); R never had sex and said no, don't know or refused to all birth control methods in EA series (computed variable RHADSEX coded 2,7,8 or 9 and computed variable EVERUSED = 2); R said no, don't know or refused to all birth control methods in EA series (computed variable EVERUSED = 2); R used fewer than 2 methods in month.

1474	6039	2277	10130	Blank	= Blank, inapplicable
0	0	0	0	01	= NO METHODS USED
0	0	0	0	02	= SAME AS PREVIOUS MONTH
0	11	3	14	03	= BIRTH CONTROL PILLS
21	145	82	256	04	= CONDOM
0	12	2	14	05	= PARTNER'S VASECTOMY
3	14	3	20	06	= DIAPHRAGM
7	23	11	43	07	= FOAM
4	13	5	22	08	= JELLY OR CREAM
0	0	0	0	09	= CERVICAL CAP
3	8	7	18	10	= SUPPOSITORY, INSERT
0	14	7	22	11	= TODAY (TM) SPONGE
0	0	0	0	12	= FEMALE CONDOM, VAGINAL POUCH
0	0	0	0	13	= IUD, COIL, LOOP
1	2	3	6	14	= NORPLANT (TM)
1	2	1	4	15	= DEPO-PROVERA, INJECTABLES
0	0	0	0	16	= MORNING AFTER PILLS
15	59	6	85	17	= RHYTHM OR SAFE PERIOD BY CALENDAR
0	7	1	8	18	= SAFE PERIOD BY TEMP, CERVICAL MUCUS TEST, NFP
23	109	19	158	19	= WITHDRAWAL

(4272)

1995 NATIONAL SURVEY OF FAMILY GROWTH
 File Documentation
 Respondent File (Section E Questionnaire Items)

VARIABLE NAME	COLUMN LOCATION	NON-HISPANIC			TOTAL	QX	TEXT AND CODE CATEGORIES
		HISP	WHITE	BLACK			
		1	8	15	24	20	= RESPONDENT STERILE
		0	7	0	8	21	= PARTNER STERILE (NOT ON CARD)
		0	0	0	0	22	= OTHER METHOD-NOT SHOWN SEPARATELY
		0	0	0	0	55	= SAME METHODS USED THROUGH END OF YEAR
		0	2	2	4	97	= Not Ascertained
		0	6	2	8	98	= Refused
		0	2	0	3	99	= Don't Know

1995 NATIONAL SURVEY OF FAMILY GROWTH
 File Documentation
 Respondent File (Section E Questionnaire Items)

VARIABLE NAME	COLUMN LOCATION	NON-HISPANIC			TOTAL	QX	TEXT AND CODE CATEGORIES
		HISP	WHITE	BLACK			
		1	8	21	30	20	= RESPONDENT STERILE
		0	0	0	0	21	= PARTNER STERILE (NOT ON CARD)
		1	0	0	2	22	= OTHER METHOD-NOT SHOWN SEPARATELY
		0	0	0	0	55	= SAME METHODS USED THROUGH END OF YEAR
		0	2	2	4	97	= Not Ascertained
		0	6	2	8	98	= Refused
		0	2	0	3	99	= Don't Know

1995 NATIONAL SURVEY OF FAMILY GROWTH
 File Documentation
 Respondent File (Section E Questionnaire Items)

VARIABLE NAME	COLUMN LOCATION	NON-HISPANIC			TOTAL	QX	TEXT AND CODE CATEGORIES
		HISP	WHITE	BLACK			
		0	0	0	0	20	= RESPONDENT STERILE
		0	0	0	0	21	= PARTNER STERILE (NOT ON CARD)
		0	0	0	0	22	= OTHER METHOD-NOT SHOWN SEPARATELY
		0	0	0	0	55	= SAME METHODS USED THROUGH END OF YEAR
		0	2	2	4	97	= Not Ascertained
		0	6	2	8	98	= Refused
		0	2	0	3	99	= Don't Know

[SIMSEQ34] 8074-8074

Did you use those methods together,
 that is, at the same time, or did
 you use them at different times
 during the month? (MC35)

Inapplicable:

R never had sex as of this month and
 never used a birth control method as
 of this month but ever used one or
 more birth control methods in EA
 series (WNFSTSEX GE 1093 and
 DATFIRSM GE 1093 and computed
 variable EVERUSED = 1); R never had
 sex and said no, don't know or
 refused to all birth control methods
 in EA series (computed variable
 RHADSEX coded 2,7,8 or 9 and
 computed variable EVERUSED = 2); R
 said no, don't know or refused to
 all birth control methods in EA
 series (computed variable EVERUSED =
 2); R did not use multiple methods
 in the month; R used more than 2
 methods in the month.

1484	6106	2292	10225	Blank	= Blank, inapplicable
40	250	125	427	1	= SAME TIME
28	127	29	194	2	= DIFFERENT TIMES
1	0	0	1	7	= Not Ascertained
0	0	0	0	8	= Refused
0	0	0	0	9	= Don't Know

1995 NATIONAL SURVEY OF FAMILY GROWTH
 File Documentation
 Respondent File (Section E Questionnaire Items)

VARIABLE	COLUMN	NON-HISPANIC				QX TEXT AND CODE CATEGORIES
NAME	LOCATION	HISP	WHITE	BLACK		

[MTHUS408] 8075-8076

During that month, which (of those/other) methods, if any, did you use at the same time? (1st METHOD MENTIONED, 1st COMBINATION, MC35)

Inapplicable:
 R said no, don't know or refused to all birth control methods in EA series (computed variable EVERUSED = 2); R never had sex as of this month and never used a birth control method as of this month but ever used one or more birth control methods in EA series (WNFSTSEX GE 1093 and DATFIRSM GE 1093 and computed variable EVERUSED = 1); R did not use multiple methods in the month; or R used only 2 methods in the month.

1543	6426	2435	10767	Blank	= Blank, inapplicable
2	13	3	18	01	= NONE
0	0	0	0	02	= OFFICE USE ONLY
1	7	1	10	03	= BIRTH CONTROL PILLS
7	19	4	31	04	= CONDOM
0	1	0	1	05	= PARTNER'S VASECTOMY
0	4	0	4	06	= DIAPHRAGM
0	3	0	3	07	= FOAM
0	0	0	0	08	= JELLY OR CREAM
0	0	0	0	09	= CERVICAL CAP
0	0	0	0	10	= SUPPOSITORY, INSERT
0	3	1	4	11	= TODAY (TM) SPONGE
0	0	0	0	12	= FEMALE CONDOM, VAGINAL POUCH
0	0	0	0	13	= IUD, COIL, LOOP
0	0	0	0	14	= NORPLANT (TM)
0	0	0	0	15	= DEPO-PROVERA, INJECTABLES
0	0	0	0	16	= MORNING AFTER PILLS
0	5	0	5	17	= RHYTHM OR SAFE PERIOD BY CALENDAR
0	0	0	0	18	= SAFE PERIOD BY TEMP, CERVICAL MUCUS TEST, NFP
0	1	1	2	19	= WITHDRAWAL
0	0	1	1	20	= RESPONDENT STERILE
0	0	0	0	21	= PARTNER STERILE (NOT

(4278)

1995 NATIONAL SURVEY OF FAMILY GROWTH
 File Documentation
 Respondent File (Section E Questionnaire Items)

VARIABLE NAME	COLUMN LOCATION	NON-HISPANIC			TOTAL	QX	TEXT AND CODE CATEGORIES
		HISP	WHITE	BLACK			
		0	0	0	0	22	ON CARD) = OTHER METHOD-NOT SHOWN SEPARATELY
		0	0	0	0	97	= Not Ascertained
		0	0	0	0	98	= Refused
		0	1	0	1	99	= Don't Know

1995 NATIONAL SURVEY OF FAMILY GROWTH
 File Documentation
 Respondent File (Section E Questionnaire Items)

VARIABLE	COLUMN	NON-HISPANIC				
NAME	LOCATION	HISP	WHITE	BLACK	TOTAL	QX TEXT AND CODE CATEGORIES

[MTHUS409] 8077-8078

During that month, which (of those/other) methods, if any, did you use at the same time? (2nd METHOD MENTIONED, 1st COMBINATION, MC35)

Inapplicable:
 R said no, don't know or refused to all birth control methods in EA series (computed variable EVERUSED = 2); R never had sex as of this month and never used a birth control method as of this month but ever used one or more birth control methods in EA series (WNFSTSEX GE 1093 and DATFIRSM GE 1093 and computed variable EVERUSED = 1); R did not use multiple methods in the month; or R used only 2 methods in the month; or R reported using fewer than 2 BC methods for this combination in this month of the method calendar.

1545	6439	2438	10785	Blank	= Blank, inapplicable
0	0	0	0	01	= NONE
0	0	0	0	02	= OFFICE USE ONLY
0	0	0	0	03	= BIRTH CONTROL PILLS
1	10	2	13	04	= CONDOM
0	1	0	1	05	= PARTNER'S VASECTOMY
0	1	0	1	06	= DIAPHRAGM
1	2	1	4	07	= FOAM
1	1	3	5	08	= JELLY OR CREAM
0	0	0	0	09	= CERVICAL CAP
1	0	1	2	10	= SUPPOSITORY, INSERT
0	1	0	1	11	= TODAY (TM) SPONGE
0	0	0	0	12	= FEMALE CONDOM, VAGINAL POUCH
0	0	0	0	13	= IUD, COIL, LOOP
0	0	0	0	14	= NORPLANT (TM)
0	0	0	0	15	= DEPO-PROVERA, INJECTABLES
0	1	0	1	16	= MORNING AFTER PILLS
3	17	0	20	17	= RHYTHM OR SAFE PERIOD BY CALENDAR
0	1	0	1	18	= SAFE PERIOD BY TEMP, CERVICAL MUCUS TEST, NFP

1995 NATIONAL SURVEY OF FAMILY GROWTH
 File Documentation
 Respondent File (Section E Questionnaire Items)

VARIABLE NAME	COLUMN LOCATION	NON-HISPANIC			TOTAL	QX	TEXT AND CODE CATEGORIES
		HISP	WHITE	BLACK			
		1	8	1	12	19	= WITHDRAWAL
		0	0	0	0	20	= RESPONDENT STERILE
		0	0	0	0	21	= PARTNER STERILE (NOT ON CARD)
		0	0	0	0	22	= OTHER METHOD-NOT SHOWN SEPARATELY
		0	0	0	0	97	= Not Ascertained
		0	0	0	0	98	= Refused
		0	1	0	1	99	= Don't Know

1995 NATIONAL SURVEY OF FAMILY GROWTH
 File Documentation
 Respondent File (Section E Questionnaire Items)

VARIABLE	COLUMN	NON-HISPANIC				
NAME	LOCATION	HISP	WHITE	BLACK		

[MTHUS410] 8079-8080

During that month, which (of those/other) methods, if any, did you use at the same time? (3rd METHOD MENTIONED, 1st COMBINATION, MC35)

Inapplicable:
 R said no, don't know or refused to all birth control methods in EA series (computed variable EVERUSED = 2); R never had sex as of this month and never used a birth control method as of this month but ever used one or more birth control methods in EA series (WNFSTSEX GE 1093 and DATFIRSM GE 1093 and computed variable EVERUSED = 1); R did not use multiple methods in the month; or R used only 2 methods in the month; or R reported using fewer than 3 BC methods for this combination in this month of the method calendar.

1546	6458	2444	10813	Blank	= Blank, inapplicable
0	0	0	0	01	= NONE
0	0	0	0	02	= OFFICE USE ONLY
0	0	0	0	03	= BIRTH CONTROL PILLS
0	1	0	1	04	= CONDOM
1	0	0	1	05	= PARTNER'S VASECTOMY
0	0	0	0	06	= DIAPHRAGM
2	0	0	2	07	= FOAM
0	2	0	2	08	= JELLY OR CREAM
0	0	0	0	09	= CERVICAL CAP
0	0	0	0	10	= SUPPOSITORY, INSERT
1	2	0	3	11	= TODAY (TM) SPONGE
0	0	0	0	12	= FEMALE CONDOM, VAGINAL POUCH
0	0	0	0	13	= IUD, COIL, LOOP
0	0	0	0	14	= NORPLANT (TM)
0	0	0	0	15	= DEPO-PROVERA, INJECTABLES
0	0	0	0	16	= MORNING AFTER PILLS
2	3	1	6	17	= RHYTHM OR SAFE PERIOD BY CALENDAR
0	2	0	2	18	= SAFE PERIOD BY TEMP, CERVICAL MUCUS TEST, NFP

1995 NATIONAL SURVEY OF FAMILY GROWTH
 File Documentation
 Respondent File (Section E Questionnaire Items)

VARIABLE NAME	COLUMN LOCATION	NON-HISPANIC			TOTAL	QX	TEXT AND CODE CATEGORIES
		HISP	WHITE	BLACK			
		0	14	1	15	19	= WITHDRAWAL
		0	0	0	0	20	= RESPONDENT STERILE
		0	0	0	0	21	= PARTNER STERILE (NOT ON CARD)
		1	0	0	1	22	= OTHER METHOD-NOT SHOWN SEPARATELY
		0	0	0	0	97	= Not Ascertained
		0	0	0	0	98	= Refused
		0	1	0	1	99	= Don't Know

1995 NATIONAL SURVEY OF FAMILY GROWTH
 File Documentation
 Respondent File (Section E Questionnaire Items)

VARIABLE	COLUMN	NON-HISPANIC				QX TEXT AND CODE CATEGORIES
NAME	LOCATION	HISP	WHITE	BLACK		

[MTHUS411] 8081-8082

During that month, which (of those/other) methods, if any, did you use at the same time? (4th METHOD MENTIONED, 1st COMBINATION, MC35)

Inapplicable:
 R said no, don't know or refused to all birth control methods in EA series (computed variable EVERUSED = 2); R never had sex as of this month and never used a birth control method as of this month but ever used one or more birth control methods in EA series (WNFSTSEX GE 1093 and DATFIRSM GE 1093 and computed variable EVERUSED = 1); R did not use multiple methods in the month; or R used only 2 methods in the month; or R reported using fewer than 4 BC methods for this combination in this month of the method calendar.

1553	6481	2445	10844	Blank	= Blank, inapplicable
0	0	0	0	01	= NONE
0	0	0	0	02	= OFFICE USE ONLY
0	0	0	0	03	= BIRTH CONTROL PILLS
0	1	0	1	04	= CONDOM
0	0	0	0	05	= PARTNER'S VASECTOMY
0	0	0	0	06	= DIAPHRAGM
0	0	0	0	07	= FOAM
0	0	0	0	08	= JELLY OR CREAM
0	0	0	0	09	= CERVICAL CAP
0	0	0	0	10	= SUPPOSITORY, INSERT
0	0	0	0	11	= TODAY (TM) SPONGE
0	0	0	0	12	= FEMALE CONDOM, VAGINAL POUCH
0	0	0	0	13	= IUD, COIL, LOOP
0	0	0	0	14	= NORPLANT (TM)
0	0	0	0	15	= DEPO-PROVERA, INJECTABLES
0	0	0	0	16	= MORNING AFTER PILLS
0	0	0	0	17	= RHYTHM OR SAFE PERIOD BY CALENDAR
0	0	1	1	18	= SAFE PERIOD BY TEMP, CERVICAL MUCUS TEST, NFP

1995 NATIONAL SURVEY OF FAMILY GROWTH
 File Documentation
 Respondent File (Section E Questionnaire Items)

VARIABLE NAME	COLUMN LOCATION	NON-HISPANIC			TOTAL	QX	TEXT AND CODE CATEGORIES
		HISP	WHITE	BLACK			
		0	0	0	0	19	= WITHDRAWAL
		0	0	0	0	20	= RESPONDENT STERILE
		0	0	0	0	21	= PARTNER STERILE (NOT ON CARD)
		0	0	0	0	22	= OTHER METHOD-NOT SHOWN SEPARATELY
		0	0	0	0	97	= Not Ascertained
		0	0	0	0	98	= Refused
		0	1	0	1	99	= Don't Know

1995 NATIONAL SURVEY OF FAMILY GROWTH
File Documentation
Respondent File (Section E Questionnaire Items)

VARIABLE	COLUMN	NON-HISPANIC				
NAME	LOCATION	HISP	WHITE	BLACK	TOTAL	QX TEXT AND CODE CATEGORIES

[MTHUS412] 8083-8084

During that month, which (of those/other) methods, if any, did you use at the same time? (1st METHOD MENTIONED, 2nd COMBINATION, MC35)

Inapplicable:
R said no, don't know or refused to all birth control methods in EA series (computed variable EVERUSED = 2); R never had sex as of this month and never used a birth control method as of this month but ever used one or more birth control methods in EA series (WNFSTSEX GE 1093 and DATFIRSM GE 1093 and computed variable EVERUSED = 1); R did not use multiple methods in the month; or R used only 2 methods in the month; or R reported fewer than 2 BC method combinations.

	1545	6439	2438	10785		
	5	33	6	46	01	= Blank, inapplicable
	0	0	0	0	02	= NONE
	0	2	0	2	03	= OFFICE USE ONLY
	0	3	0	3	04	= BIRTH CONTROL PILLS
	0	0	0	0	05	= CONDOM
	0	0	0	0	06	= PARTNER'S VASECTOMY
	1	1	0	2	07	= DIAPHRAGM
	0	1	0	1	08	= FOAM
	0	0	0	0	09	= JELLY OR CREAM
	0	0	0	0	10	= CERVICAL CAP
	0	0	0	0	11	= SUPPOSITORY, INSERT
	0	0	0	0	12	= TODAY (TM) SPONGE
	0	0	0	0	13	= FEMALE CONDOM, VAGINAL POUCH
	0	0	0	0	14	= IUD, COIL, LOOP
	0	0	0	0	15	= NORPLANT (TM)
	0	0	0	0	16	= DEPO-PROVERA, INJECTABLES
	0	0	0	0	17	= MORNING AFTER PILLS
	0	3	0	3	18	= RHYTHM OR SAFE PERIOD BY CALENDAR
	0	0	0	0	19	= SAFE PERIOD BY TEMP, CERVICAL MUCUS TEST, NFP
	1	0	1	2	20	= WITHDRAWAL
	0	0	1	1	20	= RESPONDENT STERILE

(4286)

1995 NATIONAL SURVEY OF FAMILY GROWTH
 File Documentation
 Respondent File (Section E Questionnaire Items)

VARIABLE NAME	COLUMN LOCATION	NON-HISPANIC			QX	TEXT AND CODE CATEGORIES
		HISP	WHITE	BLACK		
		0	0	0	0	21 = PARTNER STERILE (NOT ON CARD)
		1	0	0	1	22 = OTHER METHOD-NOT SHOWN SEPARATELY
		0	0	0	0	97 = Not Ascertained
		0	0	0	0	98 = Refused
		0	1	0	1	99 = Don't Know

1995 NATIONAL SURVEY OF FAMILY GROWTH
 File Documentation
 Respondent File (Section E Questionnaire Items)

VARIABLE	COLUMN	NON-HISPANIC			QX TEXT AND CODE CATEGORIES
NAME	LOCATION	HISP	WHITE	BLACK	TOTAL

[MTHUS413] 8085-8086

During that month, which (of those/other) methods, if any, did you use at the same time? (2nd METHOD MENTIONED, 2nd COMBINATION, MC35)

Inapplicable:
 R said no, don't know or refused to all birth control methods in EA series (computed variable EVERUSED = 2); R never had sex as of this month and never used a birth control method as of this month but ever used one or more birth control methods in EA series (WNFSTSEX GE 1093 and DATFIRSM GE 1093 and computed variable EVERUSED = 1); R did not use multiple methods in the month; or R used only 2 methods in the month; or R reported fewer than 2 BC method combinations; or R reported using fewer than 2 BC methods for this combination in this month of the method calendar.

1552	6473	2444	10834	Blank	= Blank, inapplicable
0	0	0	0	01	= NONE
0	0	0	0	02	= OFFICE USE ONLY
0	0	0	0	03	= BIRTH CONTROL PILLS
1	2	0	3	04	= CONDOM
0	1	0	1	05	= PARTNER'S VASECTOMY
0	0	0	0	06	= DIAPHRAGM
0	0	0	0	07	= FOAM
0	0	0	0	08	= JELLY OR CREAM
0	0	0	0	09	= CERVICAL CAP
0	0	1	1	10	= SUPPOSITORY, INSERT
0	1	0	1	11	= TODAY (TM) SPONGE
0	0	0	0	12	= FEMALE CONDOM, VAGINAL POUCH
0	0	0	0	13	= IUD, COIL, LOOP
0	0	0	0	14	= NORPLANT (TM)
0	0	0	0	15	= DEPO-PROVERA, INJECTABLES
0	0	0	0	16	= MORNING AFTER PILLS
0	2	0	2	17	= RHYTHM OR SAFE PERIOD BY CALENDAR
0	0	0	0	18	= SAFE PERIOD BY TEMP, CERVICAL MUCUS TEST,

(4288)

1995 NATIONAL SURVEY OF FAMILY GROWTH
 File Documentation
 Respondent File (Section E Questionnaire Items)

VARIABLE NAME	COLUMN LOCATION	NON-HISPANIC			TOTAL	QX	TEXT AND CODE CATEGORIES
		HISP	WHITE	BLACK			
		0	3	1	4	19	NFP
		0	0	0	0	20	= WITHDRAWAL
		0	0	0	0	21	= RESPONDENT STERILE
							= PARTNER STERILE (NOT ON CARD)
		0	0	0	0	22	= OTHER METHOD-NOT SHOWN SEPARATELY
		0	0	0	0	97	= Not Ascertained
		0	0	0	0	98	= Refused
		0	1	0	1	99	= Don't Know

1995 NATIONAL SURVEY OF FAMILY GROWTH
 File Documentation
 Respondent File (Section E Questionnaire Items)

VARIABLE	COLUMN	NON-HISPANIC				
NAME	LOCATION	HISP	WHITE	BLACK	TOTAL	QX TEXT AND CODE CATEGORIES

[MTHUS414] 8087-8088

During that month, which (of those/other) methods, if any, did you use at the same time? (3rd METHOD MENTIONED, 2nd COMBINATION, MC35)

Inapplicable:
 R said no, don't know or refused to all birth control methods in EA series (computed variable EVERUSED = 2); R never had sex as of this month and never used a birth control method as of this month but ever used one or more birth control methods in EA series (WNFSTSEX GE 1093 and DATFIRSM GE 1093 and computed variable EVERUSED = 1); R did not use multiple methods in the month; or R used only 2 methods in the month; or R reported fewer than 2 BC method combinations; or R reported using fewer than 3 BC methods for this combination in this month of the method calendar.

1552	6480	2446	10843	Blank	= Blank, inapplicable
0	0	0	0	01	= NONE
0	0	0	0	02	= OFFICE USE ONLY
0	0	0	0	03	= BIRTH CONTROL PILLS
0	0	0	0	04	= CONDOM
0	0	0	0	05	= PARTNER'S VASECTOMY
0	0	0	0	06	= DIAPHRAGM
0	0	0	0	07	= FOAM
0	1	0	1	08	= JELLY OR CREAM
0	0	0	0	09	= CERVICAL CAP
0	0	0	0	10	= SUPPOSITORY, INSERT
0	0	0	0	11	= TODAY (TM) SPONGE
0	0	0	0	12	= FEMALE CONDOM, VAGINAL POUCH
0	0	0	0	13	= IUD, COIL, LOOP
0	0	0	0	14	= NORPLANT (TM)
0	0	0	0	15	= DEPO-PROVERA, INJECTABLES
0	0	0	0	16	= MORNING AFTER PILLS
1	0	0	1	17	= RHYTHM OR SAFE PERIOD BY CALENDAR
0	1	0	1	18	= SAFE PERIOD BY TEMP, CERVICAL MUCUS TEST,

1995 NATIONAL SURVEY OF FAMILY GROWTH
 File Documentation
 Respondent File (Section E Questionnaire Items)

VARIABLE NAME	COLUMN LOCATION	NON-HISPANIC			TOTAL	QX	TEXT AND CODE CATEGORIES
		HISP	WHITE	BLACK			
		0	0	0	0	19	NFP = WITHDRAWAL
		0	0	0	0	20	= RESPONDENT STERILE
		0	0	0	0	21	= PARTNER STERILE (NOT ON CARD)
		0	0	0	0	22	= OTHER METHOD-NOT SHOWN SEPARATELY
		0	0	0	0	97	= Not Ascertained
		0	0	0	0	98	= Refused
		0	1	0	1	99	= Don't Know

1995 NATIONAL SURVEY OF FAMILY GROWTH
File Documentation
Respondent File (Section E Questionnaire Items)

VARIABLE	COLUMN	NON-HISPANIC				QX TEXT AND CODE CATEGORIES
NAME	LOCATION	HISP	WHITE	BLACK		

[MTHUS415] 8089-8090

During that month, which (of those/other) methods, if any, did you use at the same time? (4th METHOD MENTIONED, 2nd COMBINATION, MC35)

Inapplicable:
R said no, don't know or refused to all birth control methods in EA series (computed variable EVERUSED = 2); R never had sex as of this month and never used a birth control method as of this month but ever used one or more birth control methods in EA series (WNFSTSEX GE 1093 and DATFIRSM GE 1093 and computed variable EVERUSED = 1); R did not use multiple methods in the month; or R used only 2 methods in the month; or R reported fewer than 2 BC method combinations; or R reported using fewer than 4 BC methods for this combination in this month of the method calendar.

1553	6482	2446	10846	Blank	= Blank, inapplicable
0	0	0	0	01	= NONE
0	0	0	0	02	= OFFICE USE ONLY
0	0	0	0	03	= BIRTH CONTROL PILLS
0	0	0	0	04	= CONDOM
0	0	0	0	05	= PARTNER'S VASECTOMY
0	0	0	0	06	= DIAPHRAGM
0	0	0	0	07	= FOAM
0	0	0	0	08	= JELLY OR CREAM
0	0	0	0	09	= CERVICAL CAP
0	0	0	0	10	= SUPPOSITORY, INSERT
0	0	0	0	11	= TODAY (TM) SPONGE
0	0	0	0	12	= FEMALE CONDOM, VAGINAL POUCH
0	0	0	0	13	= IUD, COIL, LOOP
0	0	0	0	14	= NORPLANT (TM)
0	0	0	0	15	= DEPO-PROVERA, INJECTABLES
0	0	0	0	16	= MORNING AFTER PILLS
0	0	0	0	17	= RHYTHM OR SAFE PERIOD BY CALENDAR
0	0	0	0	18	= SAFE PERIOD BY TEMP, CERVICAL MUCUS TEST,

1995 NATIONAL SURVEY OF FAMILY GROWTH
 File Documentation
 Respondent File (Section E Questionnaire Items)

VARIABLE NAME	COLUMN LOCATION	NON-HISPANIC			TOTAL	QX	TEXT AND CODE CATEGORIES
		HISP	WHITE	BLACK			
		0	0	0	0	19	NFP
		0	0	0	0	20	= WITHDRAWAL
		0	0	0	0	21	= RESPONDENT STERILE
							= PARTNER STERILE (NOT ON CARD)
		0	0	0	0	22	= OTHER METHOD-NOT SHOWN SEPARATELY
		0	0	0	0	97	= Not Ascertained
		0	0	0	0	98	= Refused
		0	1	0	1	99	= Don't Know

1995 NATIONAL SURVEY OF FAMILY GROWTH
 File Documentation
 Respondent File (Section E Questionnaire Items)

VARIABLE	COLUMN	NON-HISPANIC			QX TEXT AND CODE CATEGORIES
NAME	LOCATION	HISP	WHITE	BLACK	TOTAL

[MTHUS416] 8091-8092

During that month, which (of those/other) methods, if any, did you use at the same time? (1st METHOD MENTIONED, 3rd COMBINATION, MC35)

Inapplicable:
 R said no, don't know or refused to all birth control methods in EA series (computed variable EVERUSED = 2); R never had sex as of this month and never used a birth control method as of this month but ever used one or more birth control methods in EA series (WNFSTSEX GE 1093 and DATFIRSM GE 1093 and computed variable EVERUSED = 1); R did not use multiple methods in the month; or R used only 2 methods in the month; or R reported fewer than 3 BC method combinations.

1553	6482	2446	10846	Blank	= Blank, inapplicable
0	0	0	0	0	01 = NONE
0	0	0	0	0	02 = OFFICE USE ONLY
0	0	0	0	0	03 = BIRTH CONTROL PILLS
0	1	0	1	0	04 = CONDOM
0	0	0	0	0	05 = PARTNER'S VASECTOMY
0	0	0	0	0	06 = DIAPHRAGM
0	0	0	0	0	07 = FOAM
0	0	0	0	0	08 = JELLY OR CREAM
0	0	0	0	0	09 = CERVICAL CAP
0	0	0	0	0	10 = SUPPOSITORY, INSERT
0	0	0	0	0	11 = TODAY (TM) SPONGE
0	0	0	0	0	12 = FEMALE CONDOM, VAGINAL POUCH
0	0	0	0	0	13 = IUD, COIL, LOOP
0	0	0	0	0	14 = NORPLANT (TM)
0	0	0	0	0	15 = DEPO-PROVERA, INJECTABLES
0	0	0	0	0	16 = MORNING AFTER PILLS
0	0	0	0	0	17 = RHYTHM OR SAFE PERIOD BY CALENDAR
0	0	0	0	0	18 = SAFE PERIOD BY TEMP, CERVICAL MUCUS TEST, NFP
0	0	0	0	0	19 = WITHDRAWAL
0	0	0	0	0	20 = RESPONDENT STERILE

(4294)

1995 NATIONAL SURVEY OF FAMILY GROWTH
 File Documentation
 Respondent File (Section E Questionnaire Items)

VARIABLE NAME	COLUMN LOCATION	NON-HISPANIC			QX	TEXT AND CODE CATEGORIES
		HISP	WHITE	BLACK		
		0	0	0	0	21 = PARTNER STERILE (NOT ON CARD)
		0	0	0	0	22 = OTHER METHOD-NOT SHOWN SEPARATELY
		0	0	0	0	97 = Not Ascertained
		0	0	0	0	98 = Refused
		0	0	0	0	99 = Don't Know

1995 NATIONAL SURVEY OF FAMILY GROWTH
 File Documentation
 Respondent File (Section E Questionnaire Items)

VARIABLE COLUMN NON-HISPANIC
 NAME LOCATION HISP WHITE BLACK TOTAL QX TEXT AND CODE CATEGORIES

[MTHUS417] 8093-8094

During that month, which (of those/other) methods, if any, did you use at the same time? (2nd METHOD MENTIONED, 3rd COMBINATION, MC35)

Inapplicable:
 R said no, don't know or refused to all birth control methods in EA series (computed variable EVERUSED = 2); R never had sex as of this month and never used a birth control method as of this month but ever used one or more birth control methods in EA series (WNFSTSEX GE 1093 and DATFIRSM GE 1093 and computed variable EVERUSED = 1); R did not use multiple methods in the month; or R used only 2 methods in the month; or R reported fewer than 3 BC method combinations; or R reported using fewer than 2 BC methods for this combination in this month of the method calendar.

1553	6482	2446	10846	Blank	
0	0	0	0	0	01 = Blank, inapplicable
0	0	0	0	0	02 = NONE
0	0	0	0	0	03 = OFFICE USE ONLY
0	0	0	0	0	04 = BIRTH CONTROL PILLS
0	0	0	0	0	05 = CONDOM
0	0	0	0	0	06 = PARTNER'S VASECTOMY
0	0	0	0	0	07 = DIAPHRAGM
0	0	0	0	0	08 = FOAM
0	0	0	0	0	09 = JELLY OR CREAM
0	0	0	0	0	10 = CERVICAL CAP
0	0	0	0	0	11 = SUPPOSITORY, INSERT
0	0	0	0	0	12 = TODAY (TM) SPONGE
0	0	0	0	0	13 = FEMALE CONDOM, VAGINAL POUCH
0	0	0	0	0	14 = IUD, COIL, LOOP
0	0	0	0	0	15 = NORPLANT (TM)
0	0	0	0	0	16 = DEPO-PROVERA, INJECTABLES
0	0	0	0	0	17 = MORNING AFTER PILLS
0	1	0	1	1	18 = RHYTHM OR SAFE PERIOD BY CALENDAR
0	0	0	0	0	19 = SAFE PERIOD BY TEMP, CERVICAL MUCUS TEST,

1995 NATIONAL SURVEY OF FAMILY GROWTH
 File Documentation
 Respondent File (Section E Questionnaire Items)

VARIABLE NAME	COLUMN LOCATION	NON-HISPANIC			TOTAL	QX	TEXT AND CODE CATEGORIES
		HISP	WHITE	BLACK			
		0	0	0	0	19	NFP
		0	0	0	0	20	= WITHDRAWAL
		0	0	0	0	21	= RESPONDENT STERILE
							= PARTNER STERILE (NOT ON CARD)
		0	0	0	0	22	= OTHER METHOD-NOT SHOWN SEPARATELY
		0	0	0	0	97	= Not Ascertained
		0	0	0	0	98	= Refused
		0	0	0	0	99	= Don't Know

1995 NATIONAL SURVEY OF FAMILY GROWTH
 File Documentation
 Respondent File (Section E Questionnaire Items)

VARIABLE	COLUMN	NON-HISPANIC				
NAME	LOCATION	HISP	WHITE	BLACK	TOTAL	QX TEXT AND CODE CATEGORIES

[MTHUS418] 8095-8096

During that month, which (of those/other) methods, if any, did you use at the same time? (3rd METHOD MENTIONED, 3rd COMBINATION, MC35)

Inapplicable:
 R said no, don't know or refused to all birth control methods in EA series (computed variable EVERUSED = 2); R never had sex as of this month and never used a birth control method as of this month but ever used one or more birth control methods in EA series (WNFSTSEX GE 1093 and DATFIRSM GE 1093 and computed variable EVERUSED = 1); R did not use multiple methods in the month; or R used only 2 methods in the month; or R reported fewer than 3 BC method combinations; or R reported using fewer than 3 BC methods for this combination in this month of the method calendar.

1553	6483	2446	10847	Blank	= Blank, inapplicable
0	0	0	0	01	= NONE
0	0	0	0	02	= OFFICE USE ONLY
0	0	0	0	03	= BIRTH CONTROL PILLS
0	0	0	0	04	= CONDOM
0	0	0	0	05	= PARTNER'S VASECTOMY
0	0	0	0	06	= DIAPHRAGM
0	0	0	0	07	= FOAM
0	0	0	0	08	= JELLY OR CREAM
0	0	0	0	09	= CERVICAL CAP
0	0	0	0	10	= SUPPOSITORY, INSERT
0	0	0	0	11	= TODAY (TM) SPONGE
0	0	0	0	12	= FEMALE CONDOM, VAGINAL POUCH
0	0	0	0	13	= IUD, COIL, LOOP
0	0	0	0	14	= NORPLANT (TM)
0	0	0	0	15	= DEPO-PROVERA, INJECTABLES
0	0	0	0	16	= MORNING AFTER PILLS
0	0	0	0	17	= RHYTHM OR SAFE PERIOD BY CALENDAR
0	0	0	0	18	= SAFE PERIOD BY TEMP, CERVICAL MUCUS TEST,

1995 NATIONAL SURVEY OF FAMILY GROWTH
 File Documentation
 Respondent File (Section E Questionnaire Items)

VARIABLE NAME	COLUMN LOCATION	NON-HISPANIC			TOTAL	QX	TEXT AND CODE CATEGORIES
		HISP	WHITE	BLACK			
		0	0	0	0	19	NFP
		0	0	0	0	20	= WITHDRAWAL
		0	0	0	0	21	= RESPONDENT STERILE
							= PARTNER STERILE (NOT ON CARD)
		0	0	0	0	22	= OTHER METHOD-NOT SHOWN SEPARATELY
		0	0	0	0	97	= Not Ascertained
		0	0	0	0	98	= Refused
		0	0	0	0	99	= Don't Know

1995 NATIONAL SURVEY OF FAMILY GROWTH
 File Documentation
 Respondent File (Section E Questionnaire Items)

VARIABLE COLUMN NON-HISPANIC
 NAME LOCATION HISP WHITE BLACK TOTAL QX TEXT AND CODE CATEGORIES

[MTHUS419] 8097-8098

During that month, which (of those/other) methods, if any, did you use at the same time? (4th METHOD MENTIONED, 3rd COMBINATION, MC35)

Inapplicable:
 R said no, don't know or refused to all birth control methods in EA series (computed variable EVERUSED = 2); R never had sex as of this month and never used a birth control method as of this month but ever used one or more birth control methods in EA series (WNFSTSEX GE 1093 and DATFIRSM GE 1093 and computed variable EVERUSED = 1); R did not use multiple methods in the month; or R used only 2 methods in the month; or R reported fewer than 3 BC method combinations; or R reported using fewer than 4 BC methods for this combination in this month of the method calendar.

1553	6483	2446	10847	Blank	
0	0	0	0	0	01 = Blank, inapplicable
0	0	0	0	0	02 = NONE
0	0	0	0	0	03 = OFFICE USE ONLY
0	0	0	0	0	04 = BIRTH CONTROL PILLS
0	0	0	0	0	05 = CONDOM
0	0	0	0	0	06 = PARTNER'S VASECTOMY
0	0	0	0	0	07 = DIAPHRAGM
0	0	0	0	0	08 = FOAM
0	0	0	0	0	09 = JELLY OR CREAM
0	0	0	0	0	10 = CERVICAL CAP
0	0	0	0	0	11 = SUPPOSITORY, INSERT
0	0	0	0	0	12 = TODAY (TM) SPONGE
0	0	0	0	0	13 = FEMALE CONDOM, VAGINAL POUCH
0	0	0	0	0	14 = IUD, COIL, LOOP
0	0	0	0	0	15 = NORPLANT (TM)
0	0	0	0	0	16 = DEPO-PROVERA, INJECTABLES
0	0	0	0	0	17 = MORNING AFTER PILLS
0	0	0	0	0	18 = RHYTHM OR SAFE PERIOD BY CALENDAR
0	0	0	0	0	18 = SAFE PERIOD BY TEMP, CERVICAL MUCUS TEST,

(4300)

1995 NATIONAL SURVEY OF FAMILY GROWTH
 File Documentation
 Respondent File (Section E Questionnaire Items)

VARIABLE NAME	COLUMN LOCATION	NON-HISPANIC			TOTAL	QX	TEXT AND CODE CATEGORIES
		HISP	WHITE	BLACK			
		0	0	0	0	19	NFP
		0	0	0	0	20	= WITHDRAWAL
		0	0	0	0	21	= RESPONDENT STERILE
							= PARTNER STERILE (NOT ON CARD)
		0	0	0	0	22	= OTHER METHOD-NOT SHOWN SEPARATELY
		0	0	0	0	97	= Not Ascertained
		0	0	0	0	98	= Refused
		0	0	0	0	99	= Don't Know

1995 NATIONAL SURVEY OF FAMILY GROWTH
 File Documentation
 Respondent File (Section E Questionnaire Items)

VARIABLE NAME	COLUMN LOCATION	NON-HISPANIC			QX TEXT AND CODE CATEGORIES		
		HISP	WHITE	BLACK TOTAL			
[METHH140]	8099-8100				ENTER METHOD (FIRST MENTIONED) USED IN DECEMBER 1993: (MC36)		
					Inapplicable: R never had sex as of this month and never used a birth control method as of this month but ever used one or more birth control methods in EA series (WNFSTSEX GE 1093 and DATFIRSM GE 1093 and computed variable EVERUSED = 1); R never had sex and said no, don't know or refused to all birth control methods in EA series (computed variable RHADSEX coded 2,7,8 or 9 and computed variable EVERUSED = 2); R said no, don't know or refused to all birth control methods in EA series (computed variable EVERUSED = 2).		
		283	817	268	1469	Blank	= Blank, inapplicable
		331	1241	526	2163	01	= NO METHODS USED
		0	0	0	0	02	= SAME AS PREVIOUS MONTH
		243	1278	439	1992	03	= BIRTH CONTROL PILLS
		196	869	402	1532	04	= CONDOM
		21	341	9	381	05	= PARTNER'S VASECTOMY
		4	97	11	114	06	= DIAPHRAGM
		3	23	2	28	07	= FOAM
		2	11	2	15	08	= JELLY OR CREAM
		0	4	0	4	09	= CERVICAL CAP
		5	26	7	40	10	= SUPPOSITORY, INSERT
		2	28	9	39	11	= TODAY (TM) SPONGE
		0	1	0	1	12	= FEMALE CONDOM, VAGINAL POUCH
		21	30	16	70	13	= IUD, COIL, LOOP
		24	52	40	119	14	= NORPLANT (TM)
		22	45	33	103	15	= DEPO-PROVERA, INJECTABLES
		0	0	0	0	16	= MORNING AFTER PILLS
		31	101	17	161	17	= RHYTHM OR SAFE PERIOD BY CALENDAR
		2	17	0	19	18	= SAFE PERIOD BY TEMP, CERVICAL MUCUS TEST, NFP
		41	147	24	224	19	= WITHDRAWAL
		303	1165	619	2137	20	= RESPONDENT STERILE

(4302)

1995 NATIONAL SURVEY OF FAMILY GROWTH
 File Documentation
 Respondent File (Section E Questionnaire Items)

VARIABLE NAME	COLUMN LOCATION	NON-HISPANIC			TOTAL	QX	TEXT AND CODE CATEGORIES
		HISP	WHITE	BLACK			
		18	176	14	212	21	= PARTNER STERILE (NOT ON CARD)
		1	4	5	10	22	= OTHER METHOD-NOT SHOWN SEPARATELY
		0	0	0	0	55	= SAME METHODS USED THROUGH END OF YEAR
		0	2	1	3	97	= Not Ascertained
		0	6	2	8	98	= Refused
		0	2	0	3	99	= Don't Know

1995 NATIONAL SURVEY OF FAMILY GROWTH
 File Documentation
 Respondent File (Section E Questionnaire Items)

VARIABLE NAME	COLUMN LOCATION	NON-HISPANIC			TOTAL	QX	TEXT AND CODE CATEGORIES
		HISP	WHITE	BLACK			
		1	8	15	24	20	= RESPONDENT STERILE
		0	7	0	8	21	= PARTNER STERILE (NOT ON CARD)
		0	0	0	0	22	= OTHER METHOD-NOT SHOWN SEPARATELY
		0	0	0	0	55	= SAME METHODS USED THROUGH END OF YEAR
		0	2	2	4	97	= Not Ascertained
		0	6	2	8	98	= Refused
		0	2	0	3	99	= Don't Know

1995 NATIONAL SURVEY OF FAMILY GROWTH
 File Documentation
 Respondent File (Section E Questionnaire Items)

VARIABLE NAME	COLUMN LOCATION	NON-HISPANIC			TOTAL	QX	TEXT AND CODE CATEGORIES
		HISP	WHITE	BLACK			
		1	8	19	28	20	= RESPONDENT STERILE
		0	0	0	0	21	= PARTNER STERILE (NOT ON CARD)
		0	0	0	1	22	= OTHER METHOD-NOT SHOWN SEPARATELY
		0	0	0	0	55	= SAME METHODS USED THROUGH END OF YEAR
		0	2	2	4	97	= Not Ascertained
		0	6	2	8	98	= Refused
		0	2	0	3	99	= Don't Know

1995 NATIONAL SURVEY OF FAMILY GROWTH
 File Documentation
 Respondent File (Section E Questionnaire Items)

VARIABLE NAME	COLUMN LOCATION	NON-HISPANIC			QX TEXT AND CODE CATEGORIES	
		HISP	WHITE	BLACK	TOTAL	
[METHH143]	8105-8106					ENTER METHOD (FOURTH MENTIONED) USED IN DECEMBER 1993: (MC36)

Inapplicable:
 R never had sex as of this month and never used a birth control method as of this month but ever used one or more birth control methods in EA series (WNFSTSEX GE 1093 and DATFIRSM GE 1093 and computed variable EVERUSED = 1); R never had sex and said no, don't know or refused to all birth control methods in EA series (computed variable RHADSEX coded 2,7,8 or 9 and computed variable EVERUSED = 2); R said no, don't know or refused to all birth control methods in EA series (computed variable EVERUSED = 2); R used fewer than 4 methods in month.

1553	6466	2441	10824	Blank	= Blank, inapplicable
0	0	0	0	01	= NO METHODS USED
0	0	0	0	02	= SAME AS PREVIOUS MONTH
0	0	0	0	03	= BIRTH CONTROL PILLS
0	1	0	1	04	= CONDOM
0	0	0	0	05	= PARTNER'S VASECTOMY
0	0	0	0	06	= DIAPHRAGM
0	0	0	0	07	= FOAM
0	0	0	0	08	= JELLY OR CREAM
0	0	0	0	09	= CERVICAL CAP
0	0	0	0	10	= SUPPOSITORY, INSERT
0	1	0	1	11	= TODAY (TM) SPONGE
0	0	0	0	12	= FEMALE CONDOM, VAGINAL POUCH
0	0	0	0	13	= IUD, COIL, LOOP
0	0	0	0	14	= NORPLANT (TM)
0	0	0	0	15	= DEPO-PROVERA, INJECTABLES
0	0	0	0	16	= MORNING AFTER PILLS
0	2	0	2	17	= RHYTHM OR SAFE PERIOD BY CALENDAR
0	0	1	1	18	= SAFE PERIOD BY TEMP, CERVICAL MUCUS TEST, NFP
0	3	0	3	19	= WITHDRAWAL

(4308)

1995 NATIONAL SURVEY OF FAMILY GROWTH
 File Documentation
 Respondent File (Section E Questionnaire Items)

VARIABLE NAME	COLUMN LOCATION	NON-HISPANIC			TOTAL	QX	TEXT AND CODE CATEGORIES
		HISP	WHITE	BLACK			
		0	0	0	0	20	= RESPONDENT STERILE
		0	0	0	0	21	= PARTNER STERILE (NOT ON CARD)
		0	0	0	0	22	= OTHER METHOD-NOT SHOWN SEPARATELY
		0	0	0	0	55	= SAME METHODS USED THROUGH END OF YEAR
		0	2	2	4	97	= Not Ascertained
		0	6	2	8	98	= Refused
		0	2	0	3	99	= Don't Know

[SIMSEQ35] 8107-8107

Did you use those methods together,
 that is, at the same time, or did
 you use them at different times
 during the month? (MC36)

Inapplicable:

R never had sex as of this month and
 never used a birth control method as
 of this month but ever used one or
 more birth control methods in EA
 series (WNFSTSEX GE 1093 and
 DATFIRSM GE 1093 and computed
 variable EVERUSED = 1); R never had
 sex and said no, don't know or
 refused to all birth control methods
 in EA series (computed variable
 RHADSEX coded 2,7,8 or 9 and
 computed variable EVERUSED = 2); R
 said no, don't know or refused to
 all birth control methods in EA
 series (computed variable EVERUSED =
 2); R did not use multiple methods
 in the month; R used more than 2
 methods in the month.

1482	6099	2295	10219	Blank	= Blank, inapplicable
43	252	123	429	1	= SAME TIME
28	132	28	199	2	= DIFFERENT TIMES
0	0	0	0	7	= Not Ascertained
0	0	0	0	8	= Refused
0	0	0	0	9	= Don't Know

1995 NATIONAL SURVEY OF FAMILY GROWTH
 File Documentation
 Respondent File (Section E Questionnaire Items)

VARIABLE	COLUMN	NON-HISPANIC				QX TEXT AND CODE CATEGORIES
NAME	LOCATION	HISP	WHITE	BLACK		

[MTHUS420] 8108-8109

During that month, which (of those/other) methods, if any, did you use at the same time? (1st METHOD MENTIONED, 1st COMBINATION, MC36)

Inapplicable:
 R said no, don't know or refused to all birth control methods in EA series (computed variable EVERUSED = 2); R never had sex as of this month and never used a birth control method as of this month but ever used one or more birth control methods in EA series (WNFSTSEX GE 1093 and DATFIRSM GE 1093 and computed variable EVERUSED = 1); R did not use multiple methods in the month; or R used only 2 methods in the month.

1542	6426	2435	10766	Blank	= Blank, inapplicable
2	13	3	18	01	= NONE
0	0	0	0	02	= OFFICE USE ONLY
1	7	1	10	03	= BIRTH CONTROL PILLS
7	21	4	33	04	= CONDOM
0	1	0	1	05	= PARTNER'S VASECTOMY
0	4	0	4	06	= DIAPHRAGM
0	1	0	1	07	= FOAM
0	0	0	0	08	= JELLY OR CREAM
0	0	0	0	09	= CERVICAL CAP
0	0	0	0	10	= SUPPOSITORY, INSERT
0	3	1	4	11	= TODAY (TM) SPONGE
0	0	0	0	12	= FEMALE CONDOM, VAGINAL POUCH
0	0	0	0	13	= IUD, COIL, LOOP
0	0	0	0	14	= NORPLANT (TM)
0	0	0	0	15	= DEPO-PROVERA, INJECTABLES
0	0	0	0	16	= MORNING AFTER PILLS
1	5	0	6	17	= RHYTHM OR SAFE PERIOD BY CALENDAR
0	0	0	0	18	= SAFE PERIOD BY TEMP, CERVICAL MUCUS TEST, NFP
0	1	1	2	19	= WITHDRAWAL
0	0	1	1	20	= RESPONDENT STERILE
0	0	0	0	21	= PARTNER STERILE (NOT

1995 NATIONAL SURVEY OF FAMILY GROWTH
 File Documentation
 Respondent File (Section E Questionnaire Items)

VARIABLE NAME	COLUMN LOCATION	NON-HISPANIC			TOTAL	QX	TEXT AND CODE CATEGORIES
		HISP	WHITE	BLACK			
		0	0	0	0	22	ON CARD) = OTHER METHOD-NOT SHOWN SEPARATELY
		0	0	0	0	97	= Not Ascertained
		0	0	0	0	98	= Refused
		0	1	0	1	99	= Don't Know

1995 NATIONAL SURVEY OF FAMILY GROWTH
File Documentation
Respondent File (Section E Questionnaire Items)

VARIABLE	COLUMN	NON-HISPANIC								
NAME	LOCATION	HISP	WHITE	BLACK						TOTAL

[MTHUS421] 8110-8111

During that month, which (of those/other) methods, if any, did you use at the same time? (2nd METHOD MENTIONED, 1st COMBINATION, MC36)

Inapplicable:
R said no, don't know or refused to all birth control methods in EA series (computed variable EVERUSED = 2); R never had sex as of this month and never used a birth control method as of this month but ever used one or more birth control methods in EA series (WNFSTSEX GE 1093 and DATFIRSM GE 1093 and computed variable EVERUSED = 1); R did not use multiple methods in the month; or R used only 2 methods in the month; or R reported using fewer than 2 BC methods for this combination in this month of the method calendar.

1544	6439	2438	10784	Blank	= Blank, inapplicable
0	0	0	0	01	= NONE
0	0	0	0	02	= OFFICE USE ONLY
0	0	0	0	03	= BIRTH CONTROL PILLS
1	9	2	12	04	= CONDOM
0	1	0	1	05	= PARTNER'S VASECTOMY
0	1	0	1	06	= DIAPHRAGM
1	2	1	4	07	= FOAM
1	1	3	5	08	= JELLY OR CREAM
0	0	0	0	09	= CERVICAL CAP
1	0	1	2	10	= SUPPOSITORY, INSERT
0	1	0	1	11	= TODAY (TM) SPONGE
0	0	0	0	12	= FEMALE CONDOM, VAGINAL POUCH
0	0	0	0	13	= IUD, COIL, LOOP
0	0	0	0	14	= NORPLANT (TM)
0	0	0	0	15	= DEPO-PROVERA, INJECTABLES
0	1	0	1	16	= MORNING AFTER PILLS
3	18	0	21	17	= RHYTHM OR SAFE PERIOD BY CALENDAR
0	1	0	1	18	= SAFE PERIOD BY TEMP, CERVICAL MUCUS TEST, NFP

(4312)

1995 NATIONAL SURVEY OF FAMILY GROWTH
 File Documentation
 Respondent File (Section E Questionnaire Items)

VARIABLE NAME	COLUMN LOCATION	NON-HISPANIC			TOTAL	QX	TEXT AND CODE CATEGORIES
		HISP	WHITE	BLACK			
		2	8	1	13	19	= WITHDRAWAL
		0	0	0	0	20	= RESPONDENT STERILE
		0	0	0	0	21	= PARTNER STERILE (NOT ON CARD)
		0	0	0	0	22	= OTHER METHOD-NOT SHOWN SEPARATELY
		0	0	0	0	97	= Not Ascertained
		0	0	0	0	98	= Refused
		0	1	0	1	99	= Don't Know

1995 NATIONAL SURVEY OF FAMILY GROWTH
 File Documentation
 Respondent File (Section E Questionnaire Items)

VARIABLE	COLUMN	NON-HISPANIC				QX TEXT AND CODE CATEGORIES
NAME	LOCATION	HISP	WHITE	BLACK		

[MTHUS422] 8112-8113

During that month, which (of those/other) methods, if any, did you use at the same time? (3rd METHOD MENTIONED, 1st COMBINATION, MC36)

Inapplicable:
 R said no, don't know or refused to all birth control methods in EA series (computed variable EVERUSED = 2); R never had sex as of this month and never used a birth control method as of this month but ever used one or more birth control methods in EA series (WNFSTSEX GE 1093 and DATFIRSM GE 1093 and computed variable EVERUSED = 1); R did not use multiple methods in the month; or R used only 2 methods in the month; or R reported using fewer than 3 BC methods for this combination in this month of the method calendar.

1546	6457	2444	10812	Blank	= Blank, inapplicable
0	0	0	0	01	= NONE
0	0	0	0	02	= OFFICE USE ONLY
0	0	0	0	03	= BIRTH CONTROL PILLS
0	1	0	1	04	= CONDOM
1	0	0	1	05	= PARTNER'S VASECTOMY
0	0	0	0	06	= DIAPHRAGM
2	0	0	2	07	= FOAM
0	2	0	2	08	= JELLY OR CREAM
0	0	0	0	09	= CERVICAL CAP
0	0	0	0	10	= SUPPOSITORY, INSERT
1	2	0	3	11	= TODAY (TM) SPONGE
0	0	0	0	12	= FEMALE CONDOM, VAGINAL POUCH
0	0	0	0	13	= IUD, COIL, LOOP
0	0	0	0	14	= NORPLANT (TM)
0	0	0	0	15	= DEPO-PROVERA, INJECTABLES
0	0	0	0	16	= MORNING AFTER PILLS
2	3	1	6	17	= RHYTHM OR SAFE PERIOD BY CALENDAR
0	2	0	2	18	= SAFE PERIOD BY TEMP, CERVICAL MUCUS TEST, NFP

1995 NATIONAL SURVEY OF FAMILY GROWTH
 File Documentation
 Respondent File (Section E Questionnaire Items)

VARIABLE NAME	COLUMN LOCATION	NON-HISPANIC			TOTAL	QX	TEXT AND CODE CATEGORIES
		HISP	WHITE	BLACK			
		1	15	1	17	19	= WITHDRAWAL
		0	0	0	0	20	= RESPONDENT STERILE
		0	0	0	0	21	= PARTNER STERILE (NOT ON CARD)
		0	0	0	0	22	= OTHER METHOD-NOT SHOWN SEPARATELY
		0	0	0	0	97	= Not Ascertained
		0	0	0	0	98	= Refused
		0	1	0	1	99	= Don't Know

1995 NATIONAL SURVEY OF FAMILY GROWTH
 File Documentation
 Respondent File (Section E Questionnaire Items)

VARIABLE COLUMN NON-HISPANIC
 NAME LOCATION HISP WHITE BLACK TOTAL QX TEXT AND CODE CATEGORIES

[MTHUS423] 8114-8115

During that month, which (of those/other) methods, if any, did you use at the same time? (4th METHOD MENTIONED, 1st COMBINATION, MC36)

Inapplicable:
 R said no, don't know or refused to all birth control methods in EA series (computed variable EVERUSED = 2); R never had sex as of this month and never used a birth control method as of this month but ever used one or more birth control methods in EA series (WNFSTSEX GE 1093 and DATFIRSM GE 1093 and computed variable EVERUSED = 1); R did not use multiple methods in the month; or R used only 2 methods in the month; or R reported using fewer than 4 BC methods for this combination in this month of the method calendar.

1553	6481	2445	10844	Blank	= Blank, inapplicable
0	0	0	0	01	= NONE
0	0	0	0	02	= OFFICE USE ONLY
0	0	0	0	03	= BIRTH CONTROL PILLS
0	1	0	1	04	= CONDOM
0	0	0	0	05	= PARTNER'S VASECTOMY
0	0	0	0	06	= DIAPHRAGM
0	0	0	0	07	= FOAM
0	0	0	0	08	= JELLY OR CREAM
0	0	0	0	09	= CERVICAL CAP
0	0	0	0	10	= SUPPOSITORY, INSERT
0	0	0	0	11	= TODAY (TM) SPONGE
0	0	0	0	12	= FEMALE CONDOM, VAGINAL POUCH
0	0	0	0	13	= IUD, COIL, LOOP
0	0	0	0	14	= NORPLANT (TM)
0	0	0	0	15	= DEPO-PROVERA, INJECTABLES
0	0	0	0	16	= MORNING AFTER PILLS
0	0	0	0	17	= RHYTHM OR SAFE PERIOD BY CALENDAR
0	0	1	1	18	= SAFE PERIOD BY TEMP, CERVICAL MUCUS TEST, NFP

1995 NATIONAL SURVEY OF FAMILY GROWTH
 File Documentation
 Respondent File (Section E Questionnaire Items)

VARIABLE NAME	COLUMN LOCATION	NON-HISPANIC			TOTAL	QX	TEXT AND CODE CATEGORIES
		HISP	WHITE	BLACK			
		0	0	0	0	19	= WITHDRAWAL
		0	0	0	0	20	= RESPONDENT STERILE
		0	0	0	0	21	= PARTNER STERILE (NOT ON CARD)
		0	0	0	0	22	= OTHER METHOD-NOT SHOWN SEPARATELY
		0	0	0	0	97	= Not Ascertained
		0	0	0	0	98	= Refused
		0	1	0	1	99	= Don't Know

1995 NATIONAL SURVEY OF FAMILY GROWTH
 File Documentation
 Respondent File (Section E Questionnaire Items)

VARIABLE COLUMN NON-HISPANIC
 NAME LOCATION HISP WHITE BLACK TOTAL QX TEXT AND CODE CATEGORIES

[MTHUS424] 8116-8117

During that month, which (of those/other) methods, if any, did you use at the same time? (1st METHOD MENTIONED, 2nd COMBINATION, MC36)

Inapplicable:
 R said no, don't know or refused to all birth control methods in EA series (computed variable EVERUSED = 2); R never had sex as of this month and never used a birth control method as of this month but ever used one or more birth control methods in EA series (WNFSTSEX GE 1093 and DATFIRSM GE 1093 and computed variable EVERUSED = 1); R did not use multiple methods in the month; or R used only 2 methods in the month; or R reported fewer than 2 BC method combinations.

	1544	6439	2438	10784	Blank	
	6	34	6	48	01	= Blank, inapplicable
	0	0	0	0	02	= NONE
	0	2	0	2	03	= OFFICE USE ONLY
	1	3	0	4	04	= BIRTH CONTROL PILLS
	0	0	0	0	05	= CONDOM
	0	0	0	0	06	= PARTNER'S VASECTOMY
	1	1	0	2	07	= DIAPHRAGM
	0	0	0	0	08	= FOAM
	0	0	0	0	09	= JELLY OR CREAM
	0	0	0	0	10	= CERVICAL CAP
	0	0	0	0	11	= SUPPOSITORY, INSERT
	0	0	0	0	12	= TODAY (TM) SPONGE
	0	0	0	0	13	= FEMALE CONDOM, VAGINAL POUCH
	0	0	0	0	14	= IUD, COIL, LOOP
	0	0	0	0	15	= NORPLANT (TM)
	0	0	0	0	16	= DEPO-PROVERA, INJECTABLES
	0	0	0	0	17	= MORNING AFTER PILLS
	0	3	0	3	18	= RHYTHM OR SAFE PERIOD BY CALENDAR
	0	0	0	0	19	= SAFE PERIOD BY TEMP, CERVICAL MUCUS TEST, NFP
	1	0	1	2	20	= WITHDRAWAL
	0	0	1	1	20	= RESPONDENT STERILE

(4318)

1995 NATIONAL SURVEY OF FAMILY GROWTH
 File Documentation
 Respondent File (Section E Questionnaire Items)

VARIABLE NAME	COLUMN LOCATION	NON-HISPANIC			QX	TEXT AND CODE CATEGORIES
		HISP	WHITE	BLACK		
		0	0	0	0	21 = PARTNER STERILE (NOT ON CARD)
		0	0	0	0	22 = OTHER METHOD-NOT SHOWN SEPARATELY
		0	0	0	0	97 = Not Ascertained
		0	0	0	0	98 = Refused
		0	1	0	1	99 = Don't Know

1995 NATIONAL SURVEY OF FAMILY GROWTH
 File Documentation
 Respondent File (Section E Questionnaire Items)

VARIABLE	COLUMN	NON-HISPANIC				QX TEXT AND CODE CATEGORIES
NAME	LOCATION	HISP	WHITE	BLACK		

[MTHUS425] 8118-8119

During that month, which (of those/other) methods, if any, did you use at the same time? (2nd METHOD MENTIONED, 2nd COMBINATION, MC36)

Inapplicable:
 R said no, don't know or refused to all birth control methods in EA series (computed variable EVERUSED = 2); R never had sex as of this month and never used a birth control method as of this month but ever used one or more birth control methods in EA series (WNFSTSEX GE 1093 and DATFIRSM GE 1093 and computed variable EVERUSED = 1); R did not use multiple methods in the month; or R used only 2 methods in the month; or R reported fewer than 2 BC method combinations; or R reported using fewer than 2 BC methods for this combination in this month of the method calendar.

1552	6474	2444	10835	Blank	= Blank, inapplicable
0	0	0	0	01	= NONE
0	0	0	0	02	= OFFICE USE ONLY
0	0	0	0	03	= BIRTH CONTROL PILLS
1	1	0	2	04	= CONDOM
0	1	0	1	05	= PARTNER'S VASECTOMY
0	0	0	0	06	= DIAPHRAGM
0	0	0	0	07	= FOAM
0	0	0	0	08	= JELLY OR CREAM
0	0	0	0	09	= CERVICAL CAP
0	0	1	1	10	= SUPPOSITORY, INSERT
0	1	0	1	11	= TODAY (TM) SPONGE
0	0	0	0	12	= FEMALE CONDOM, VAGINAL POUCH
0	0	0	0	13	= IUD, COIL, LOOP
0	0	0	0	14	= NORPLANT (TM)
0	0	0	0	15	= DEPO-PROVERA, INJECTABLES
0	0	0	0	16	= MORNING AFTER PILLS
0	2	0	2	17	= RHYTHM OR SAFE PERIOD BY CALENDAR
0	0	0	0	18	= SAFE PERIOD BY TEMP, CERVICAL MUCUS TEST,

1995 NATIONAL SURVEY OF FAMILY GROWTH
 File Documentation
 Respondent File (Section E Questionnaire Items)

VARIABLE NAME	COLUMN LOCATION	NON-HISPANIC			TOTAL	QX	TEXT AND CODE CATEGORIES
		HISP	WHITE	BLACK			
		0	3	1	4	19	NFP
		0	0	0	0	20	= WITHDRAWAL
		0	0	0	0	21	= RESPONDENT STERILE
							= PARTNER STERILE (NOT ON CARD)
		0	0	0	0	22	= OTHER METHOD-NOT SHOWN SEPARATELY
		0	0	0	0	97	= Not Ascertained
		0	0	0	0	98	= Refused
		0	1	0	1	99	= Don't Know

1995 NATIONAL SURVEY OF FAMILY GROWTH
 File Documentation
 Respondent File (Section E Questionnaire Items)

VARIABLE COLUMN NON-HISPANIC
 NAME LOCATION HISP WHITE BLACK TOTAL QX TEXT AND CODE CATEGORIES

[MTHUS426] 8120-8121

During that month, which (of those/other) methods, if any, did you use at the same time? (3rd METHOD MENTIONED, 2nd COMBINATION, MC36)

Inapplicable:
 R said no, don't know or refused to all birth control methods in EA series (computed variable EVERUSED = 2); R never had sex as of this month and never used a birth control method as of this month but ever used one or more birth control methods in EA series (WNFSTSEX GE 1093 and DATFIRSM GE 1093 and computed variable EVERUSED = 1); R did not use multiple methods in the month; or R used only 2 methods in the month; or R reported fewer than 2 BC method combinations; or R reported using fewer than 3 BC methods for this combination in this month of the method calendar.

1552	6480	2446	10843	Blank	= Blank, inapplicable
0	0	0	0	01	= NONE
0	0	0	0	02	= OFFICE USE ONLY
0	0	0	0	03	= BIRTH CONTROL PILLS
0	0	0	0	04	= CONDOM
0	0	0	0	05	= PARTNER'S VASECTOMY
0	0	0	0	06	= DIAPHRAGM
0	0	0	0	07	= FOAM
0	1	0	1	08	= JELLY OR CREAM
0	0	0	0	09	= CERVICAL CAP
0	0	0	0	10	= SUPPOSITORY, INSERT
0	0	0	0	11	= TODAY (TM) SPONGE
0	0	0	0	12	= FEMALE CONDOM, VAGINAL POUCH
0	0	0	0	13	= IUD, COIL, LOOP
0	0	0	0	14	= NORPLANT (TM)
0	0	0	0	15	= DEPO-PROVERA, INJECTABLES
0	0	0	0	16	= MORNING AFTER PILLS
1	0	0	1	17	= RHYTHM OR SAFE PERIOD BY CALENDAR
0	1	0	1	18	= SAFE PERIOD BY TEMP, CERVICAL MUCUS TEST,

(4322)

1995 NATIONAL SURVEY OF FAMILY GROWTH
 File Documentation
 Respondent File (Section E Questionnaire Items)

VARIABLE NAME	COLUMN LOCATION	NON-HISPANIC			TOTAL	QX	TEXT AND CODE CATEGORIES
		HISP	WHITE	BLACK			
		0	0	0	0	19	NFP = WITHDRAWAL
		0	0	0	0	20	= RESPONDENT STERILE
		0	0	0	0	21	= PARTNER STERILE (NOT ON CARD)
		0	0	0	0	22	= OTHER METHOD-NOT SHOWN SEPARATELY
		0	0	0	0	97	= Not Ascertained
		0	0	0	0	98	= Refused
		0	1	0	1	99	= Don't Know

1995 NATIONAL SURVEY OF FAMILY GROWTH
File Documentation
Respondent File (Section E Questionnaire Items)

VARIABLE	COLUMN	NON-HISPANIC					
NAME	LOCATION	HISP	WHITE	BLACK			

[MTHUS427] 8122-8123

During that month, which (of those/other) methods, if any, did you use at the same time? (4th METHOD MENTIONED, 2nd COMBINATION, MC36)

Inapplicable:
R said no, don't know or refused to all birth control methods in EA series (computed variable EVERUSED = 2); R never had sex as of this month and never used a birth control method as of this month but ever used one or more birth control methods in EA series (WNFSTSEX GE 1093 and DATFIRSM GE 1093 and computed variable EVERUSED = 1); R did not use multiple methods in the month; or R used only 2 methods in the month; or R reported fewer than 2 BC method combinations; or R reported using fewer than 4 BC methods for this combination in this month of the method calendar.

1553	6482	2446	10846	Blank	= Blank, inapplicable
0	0	0	0	01	= NONE
0	0	0	0	02	= OFFICE USE ONLY
0	0	0	0	03	= BIRTH CONTROL PILLS
0	0	0	0	04	= CONDOM
0	0	0	0	05	= PARTNER'S VASECTOMY
0	0	0	0	06	= DIAPHRAGM
0	0	0	0	07	= FOAM
0	0	0	0	08	= JELLY OR CREAM
0	0	0	0	09	= CERVICAL CAP
0	0	0	0	10	= SUPPOSITORY, INSERT
0	0	0	0	11	= TODAY (TM) SPONGE
0	0	0	0	12	= FEMALE CONDOM, VAGINAL POUCH
0	0	0	0	13	= IUD, COIL, LOOP
0	0	0	0	14	= NORPLANT (TM)
0	0	0	0	15	= DEPO-PROVERA, INJECTABLES
0	0	0	0	16	= MORNING AFTER PILLS
0	0	0	0	17	= RHYTHM OR SAFE PERIOD BY CALENDAR
0	0	0	0	18	= SAFE PERIOD BY TEMP, CERVICAL MUCUS TEST,

1995 NATIONAL SURVEY OF FAMILY GROWTH
 File Documentation
 Respondent File (Section E Questionnaire Items)

VARIABLE NAME	COLUMN LOCATION	NON-HISPANIC			TOTAL	QX	TEXT AND CODE CATEGORIES
		HISP	WHITE	BLACK			
		0	0	0	0	19	NFP
		0	0	0	0	20	= WITHDRAWAL
		0	0	0	0	21	= RESPONDENT STERILE
							= PARTNER STERILE (NOT ON CARD)
		0	0	0	0	22	= OTHER METHOD-NOT SHOWN SEPARATELY
		0	0	0	0	97	= Not Ascertained
		0	0	0	0	98	= Refused
		0	1	0	1	99	= Don't Know

1995 NATIONAL SURVEY OF FAMILY GROWTH
 File Documentation
 Respondent File (Section E Questionnaire Items)

VARIABLE	COLUMN	NON-HISPANIC								
NAME	LOCATION	HISP	WHITE	BLACK						

[MTHUS428] 8124-8125

During that month, which (of those/other) methods, if any, did you use at the same time? (1st METHOD MENTIONED, 3rd COMBINATION, MC36)

Inapplicable:
 R said no, don't know or refused to all birth control methods in EA series (computed variable EVERUSED = 2); R never had sex as of this month and never used a birth control method as of this month but ever used one or more birth control methods in EA series (WNFSTSEX GE 1093 and DATFIRSM GE 1093 and computed variable EVERUSED = 1); R did not use multiple methods in the month; or R used only 2 methods in the month; or R reported fewer than 3 BC method combinations.

	1553	6482	2446	10846	Blank					= Blank, inapplicable
	0	0	0	0	0	01				= NONE
	0	0	0	0	0	02				= OFFICE USE ONLY
	0	0	0	0	0	03				= BIRTH CONTROL PILLS
	0	1	0	1	0	04				= CONDOM
	0	0	0	0	0	05				= PARTNER'S VASECTOMY
	0	0	0	0	0	06				= DIAPHRAGM
	0	0	0	0	0	07				= FOAM
	0	0	0	0	0	08				= JELLY OR CREAM
	0	0	0	0	0	09				= CERVICAL CAP
	0	0	0	0	0	10				= SUPPOSITORY, INSERT
	0	0	0	0	0	11				= TODAY (TM) SPONGE
	0	0	0	0	0	12				= FEMALE CONDOM, VAGINAL POUCH
	0	0	0	0	0	13				= IUD, COIL, LOOP
	0	0	0	0	0	14				= NORPLANT (TM)
	0	0	0	0	0	15				= DEPO-PROVERA, INJECTABLES
	0	0	0	0	0	16				= MORNING AFTER PILLS
	0	0	0	0	0	17				= RHYTHM OR SAFE PERIOD BY CALENDAR
	0	0	0	0	0	18				= SAFE PERIOD BY TEMP, CERVICAL MUCUS TEST, NFP
	0	0	0	0	0	19				= WITHDRAWAL
	0	0	0	0	0	20				= RESPONDENT STERILE

(4326)

1995 NATIONAL SURVEY OF FAMILY GROWTH
 File Documentation
 Respondent File (Section E Questionnaire Items)

VARIABLE NAME	COLUMN LOCATION	NON-HISPANIC			TOTAL	QX	TEXT AND CODE CATEGORIES
		HISP	WHITE	BLACK			
		0	0	0	0	21	= PARTNER STERILE (NOT ON CARD)
		0	0	0	0	22	= OTHER METHOD-NOT SHOWN SEPARATELY
		0	0	0	0	97	= Not Ascertained
		0	0	0	0	98	= Refused
		0	0	0	0	99	= Don't Know

1995 NATIONAL SURVEY OF FAMILY GROWTH
 File Documentation
 Respondent File (Section E Questionnaire Items)

VARIABLE COLUMN NON-HISPANIC
 NAME LOCATION HISP WHITE BLACK TOTAL QX TEXT AND CODE CATEGORIES

[MTHUS429] 8126-8127

During that month, which (of those/other) methods, if any, did you use at the same time? (2nd METHOD MENTIONED, 3rd COMBINATION, MC36)

Inapplicable:
 R said no, don't know or refused to all birth control methods in EA series (computed variable EVERUSED = 2); R never had sex as of this month and never used a birth control method as of this month but ever used one or more birth control methods in EA series (WNFSTSEX GE 1093 and DATFIRSM GE 1093 and computed variable EVERUSED = 1); R did not use multiple methods in the month; or R used only 2 methods in the month; or R reported fewer than 3 BC method combinations; or R reported using fewer than 2 BC methods for this combination in this month of the method calendar.

1553	6482	2446	10846	Blank	= Blank, inapplicable
0	0	0	0	01	= NONE
0	0	0	0	02	= OFFICE USE ONLY
0	0	0	0	03	= BIRTH CONTROL PILLS
0	0	0	0	04	= CONDOM
0	0	0	0	05	= PARTNER'S VASECTOMY
0	0	0	0	06	= DIAPHRAGM
0	0	0	0	07	= FOAM
0	0	0	0	08	= JELLY OR CREAM
0	0	0	0	09	= CERVICAL CAP
0	0	0	0	10	= SUPPOSITORY, INSERT
0	0	0	0	11	= TODAY (TM) SPONGE
0	0	0	0	12	= FEMALE CONDOM, VAGINAL POUCH
0	0	0	0	13	= IUD, COIL, LOOP
0	0	0	0	14	= NORPLANT (TM)
0	0	0	0	15	= DEPO-PROVERA, INJECTABLES
0	0	0	0	16	= MORNING AFTER PILLS
0	1	0	1	17	= RHYTHM OR SAFE PERIOD BY CALENDAR
0	0	0	0	18	= SAFE PERIOD BY TEMP, CERVICAL MUCUS TEST,

1995 NATIONAL SURVEY OF FAMILY GROWTH
 File Documentation
 Respondent File (Section E Questionnaire Items)

VARIABLE NAME	COLUMN LOCATION	NON-HISPANIC			TOTAL	QX	TEXT AND CODE CATEGORIES
		HISP	WHITE	BLACK			
		0	0	0	0	19	NFP
		0	0	0	0	20	= WITHDRAWAL
		0	0	0	0	21	= RESPONDENT STERILE
							= PARTNER STERILE (NOT ON CARD)
		0	0	0	0	22	= OTHER METHOD-NOT SHOWN SEPARATELY
		0	0	0	0	97	= Not Ascertained
		0	0	0	0	98	= Refused
		0	0	0	0	99	= Don't Know

1995 NATIONAL SURVEY OF FAMILY GROWTH
 File Documentation
 Respondent File (Section E Questionnaire Items)

VARIABLE	COLUMN	NON-HISPANIC				
NAME	LOCATION	HISP	WHITE	BLACK	TOTAL	QX TEXT AND CODE CATEGORIES

[MTHUS430] 8128-8129

During that month, which (of those/other) methods, if any, did you use at the same time? (3rd METHOD MENTIONED, 3rd COMBINATION, MC36)

Inapplicable:
 R said no, don't know or refused to all birth control methods in EA series (computed variable EVERUSED = 2); R never had sex as of this month and never used a birth control method as of this month but ever used one or more birth control methods in EA series (WNFSTSEX GE 1093 and DATFIRSM GE 1093 and computed variable EVERUSED = 1); R did not use multiple methods in the month; or R used only 2 methods in the month; or R reported fewer than 3 BC method combinations; or R reported using fewer than 3 BC methods for this combination in this month of the method calendar.

1553	6483	2446	10847	Blank	= Blank, inapplicable
0	0	0	0	01	= NONE
0	0	0	0	02	= OFFICE USE ONLY
0	0	0	0	03	= BIRTH CONTROL PILLS
0	0	0	0	04	= CONDOM
0	0	0	0	05	= PARTNER'S VASECTOMY
0	0	0	0	06	= DIAPHRAGM
0	0	0	0	07	= FOAM
0	0	0	0	08	= JELLY OR CREAM
0	0	0	0	09	= CERVICAL CAP
0	0	0	0	10	= SUPPOSITORY, INSERT
0	0	0	0	11	= TODAY (TM) SPONGE
0	0	0	0	12	= FEMALE CONDOM, VAGINAL POUCH
0	0	0	0	13	= IUD, COIL, LOOP
0	0	0	0	14	= NORPLANT (TM)
0	0	0	0	15	= DEPO-PROVERA, INJECTABLES
0	0	0	0	16	= MORNING AFTER PILLS
0	0	0	0	17	= RHYTHM OR SAFE PERIOD BY CALENDAR
0	0	0	0	18	= SAFE PERIOD BY TEMP, CERVICAL MUCUS TEST,

1995 NATIONAL SURVEY OF FAMILY GROWTH
 File Documentation
 Respondent File (Section E Questionnaire Items)

VARIABLE NAME	COLUMN LOCATION	NON-HISPANIC			TOTAL	QX	TEXT AND CODE CATEGORIES
		HISP	WHITE	BLACK			
		0	0	0	0	19	NFP
		0	0	0	0	20	= WITHDRAWAL
		0	0	0	0	21	= RESPONDENT STERILE
							= PARTNER STERILE (NOT ON CARD)
		0	0	0	0	22	= OTHER METHOD-NOT SHOWN SEPARATELY
		0	0	0	0	97	= Not Ascertained
		0	0	0	0	98	= Refused
		0	0	0	0	99	= Don't Know

1995 NATIONAL SURVEY OF FAMILY GROWTH
 File Documentation
 Respondent File (Section E Questionnaire Items)

VARIABLE	COLUMN	NON-HISPANIC				QX TEXT AND CODE CATEGORIES
NAME	LOCATION	HISP	WHITE	BLACK		

[MTHUS431] 8130-8131

During that month, which (of those/other) methods, if any, did you use at the same time? (4th METHOD MENTIONED, 3rd COMBINATION, MC36)

Inapplicable:
 R said no, don't know or refused to all birth control methods in EA series (computed variable EVERUSED = 2); R never had sex as of this month and never used a birth control method as of this month but ever used one or more birth control methods in EA series (WNFSTSEX GE 1093 and DATFIRSM GE 1093 and computed variable EVERUSED = 1); R did not use multiple methods in the month; or R used only 2 methods in the month; or R reported fewer than 3 BC method combinations; or R reported using fewer than 4 BC methods for this combination in this month of the method calendar.

1553	6483	2446	10847	Blank	= Blank, inapplicable
0	0	0	0	01	= NONE
0	0	0	0	02	= OFFICE USE ONLY
0	0	0	0	03	= BIRTH CONTROL PILLS
0	0	0	0	04	= CONDOM
0	0	0	0	05	= PARTNER'S VASECTOMY
0	0	0	0	06	= DIAPHRAGM
0	0	0	0	07	= FOAM
0	0	0	0	08	= JELLY OR CREAM
0	0	0	0	09	= CERVICAL CAP
0	0	0	0	10	= SUPPOSITORY, INSERT
0	0	0	0	11	= TODAY (TM) SPONGE
0	0	0	0	12	= FEMALE CONDOM, VAGINAL POUCH
0	0	0	0	13	= IUD, COIL, LOOP
0	0	0	0	14	= NORPLANT (TM)
0	0	0	0	15	= DEPO-PROVERA, INJECTABLES
0	0	0	0	16	= MORNING AFTER PILLS
0	0	0	0	17	= RHYTHM OR SAFE PERIOD BY CALENDAR
0	0	0	0	18	= SAFE PERIOD BY TEMP, CERVICAL MUCUS TEST,

(4332)

1995 NATIONAL SURVEY OF FAMILY GROWTH
 File Documentation
 Respondent File (Section E Questionnaire Items)

VARIABLE NAME	COLUMN LOCATION	NON-HISPANIC			TOTAL	QX	TEXT AND CODE CATEGORIES
		HISP	WHITE	BLACK			
		0	0	0	0	19	NFP
		0	0	0	0	20	= WITHDRAWAL
		0	0	0	0	21	= RESPONDENT STERILE
							= PARTNER STERILE (NOT ON CARD)
		0	0	0	0	22	= OTHER METHOD-NOT SHOWN SEPARATELY
		0	0	0	0	97	= Not Ascertained
		0	0	0	0	98	= Refused
		0	0	0	0	99	= Don't Know

1995 NATIONAL SURVEY OF FAMILY GROWTH
 File Documentation
 Respondent File (Section E Questionnaire Items)

VARIABLE NAME	COLUMN LOCATION	NON-HISPANIC			QX TEXT AND CODE CATEGORIES		
		HISP	WHITE	BLACK TOTAL			
[METHH144]	8132-8133				ENTER METHOD (FIRST MENTIONED) USED IN JANUARY 1994: (MC37)		
					Inapplicable: R never had sex as of this month and never used a birth control method as of this month but ever used one or more birth control methods in EA series (WNFSTSEX GE 1093 and DATFIRSM GE 1093 and computed variable EVERUSED = 1); R never had sex and said no, don't know or refused to all birth control methods in EA series (computed variable RHADSEX coded 2,7,8 or 9 and computed variable EVERUSED = 2); R said no, don't know or refused to all birth control methods in EA series (computed variable EVERUSED = 2).		
		279	803	267	1449	Blank	= Blank, inapplicable
		340	1253	521	2182	01	= NO METHODS USED
		0	0	0	0	02	= SAME AS PREVIOUS MONTH
		235	1257	433	1957	03	= BIRTH CONTROL PILLS
		189	871	396	1519	04	= CONDOM
		23	347	9	389	05	= PARTNER'S VASECTOMY
		4	94	10	109	06	= DIAPHRAGM
		2	22	2	26	07	= FOAM
		2	12	3	17	08	= JELLY OR CREAM
		0	3	0	3	09	= CERVICAL CAP
		5	24	10	41	10	= SUPPOSITORY, INSERT
		2	27	9	38	11	= TODAY (TM) SPONGE
		0	1	0	1	12	= FEMALE CONDOM, VAGINAL POUCH
		21	32	16	72	13	= IUD, COIL, LOOP
		24	53	40	120	14	= NORPLANT (TM)
		27	57	39	126	15	= DEPO-PROVERA, INJECTABLES
		0	0	0	0	16	= MORNING AFTER PILLS
		34	99	18	164	17	= RHYTHM OR SAFE PERIOD BY CALENDAR
		3	16	0	19	18	= SAFE PERIOD BY TEMP, CERVICAL MUCUS TEST, NFP
		39	148	28	226	19	= WITHDRAWAL
		304	1174	624	2153	20	= RESPONDENT STERILE

(4334)

1995 NATIONAL SURVEY OF FAMILY GROWTH
 File Documentation
 Respondent File (Section E Questionnaire Items)

VARIABLE NAME	COLUMN LOCATION	NON-HISPANIC			TOTAL	QX	TEXT AND CODE CATEGORIES
		HISP	WHITE	BLACK			
		19	179	13	215	21	= PARTNER STERILE (NOT ON CARD)
		1	2	5	8	22	= OTHER METHOD-NOT SHOWN SEPARATELY
		0	0	0	0	55	= SAME METHODS USED THROUGH END OF YEAR
		0	1	1	2	97	= Not Ascertained
		0	5	2	7	98	= Refused
		0	3	0	4	99	= Don't Know

1995 NATIONAL SURVEY OF FAMILY GROWTH
 File Documentation
 Respondent File (Section E Questionnaire Items)

VARIABLE COLUMN NON-HISPANIC
 NAME LOCATION HISP WHITE BLACK TOTAL QX TEXT AND CODE CATEGORIES

[METHH145] 8134-8135 ENTER METHOD (SECOND MENTIONED) USED
 IN JANUARY 1994: (MC37)

Inapplicable:
 R never had sex as of this month and never used a birth control method as of this month but ever used one or more birth control methods in EA series (WNFSTSEX GE 1093 and DATFIRSM GE 1093 and computed variable EVERUSED = 1); R never had sex and said no, don't know or refused to all birth control methods in EA series (computed variable RHADSEX coded 2,7,8 or 9 and computed variable EVERUSED = 2); R said no, don't know or refused to all birth control methods in EA series (computed variable EVERUSED = 2); R used fewer than 2 methods in month.

1476	6031	2272	10117	Blank	= Blank, inapplicable
0	0	0	0	01	= NO METHODS USED
0	0	0	0	02	= SAME AS PREVIOUS MONTH
0	14	4	18	03	= BIRTH CONTROL PILLS
24	129	85	245	04	= CONDOM
0	11	1	12	05	= PARTNER'S VASECTOMY
2	13	4	19	06	= DIAPHRAGM
8	23	11	43	07	= FOAM
4	14	6	25	08	= JELLY OR CREAM
0	0	0	0	09	= CERVICAL CAP
3	10	7	20	10	= SUPPOSITORY, INSERT
0	11	6	18	11	= TODAY (TM) SPONGE
0	0	0	0	12	= FEMALE CONDOM, VAGINAL POUCH
0	0	0	0	13	= IUD, COIL, LOOP
1	1	4	6	14	= NORPLANT (TM)
0	1	0	1	15	= DEPO-PROVERA, INJECTABLES
0	0	0	0	16	= MORNING AFTER PILLS
13	66	6	90	17	= RHYTHM OR SAFE PERIOD BY CALENDAR
0	10	1	11	18	= SAFE PERIOD BY TEMP, CERVICAL MUCUS TEST, NFP
22	123	20	175	19	= WITHDRAWAL

(4336)

1995 NATIONAL SURVEY OF FAMILY GROWTH
 File Documentation
 Respondent File (Section E Questionnaire Items)

VARIABLE NAME	COLUMN LOCATION	NON-HISPANIC			TOTAL	QX	TEXT AND CODE CATEGORIES
		HISP	WHITE	BLACK			
		0	9	14	23	20	= RESPONDENT STERILE
		0	8	1	10	21	= PARTNER STERILE (NOT ON CARD)
		0	0	0	0	22	= OTHER METHOD-NOT SHOWN SEPARATELY
		0	0	0	0	55	= SAME METHODS USED THROUGH END OF YEAR
		0	1	2	3	97	= Not Ascertained
		0	5	2	7	98	= Refused
		0	3	0	4	99	= Don't Know

1995 NATIONAL SURVEY OF FAMILY GROWTH
 File Documentation
 Respondent File (Section E Questionnaire Items)

VARIABLE NAME	COLUMN LOCATION	NON-HISPANIC			TOTAL	QX	TEXT AND CODE CATEGORIES
		HISP	WHITE	BLACK			
		1	8	23	32	20	= RESPONDENT STERILE
		0	0	0	0	21	= PARTNER STERILE (NOT ON CARD)
		0	0	0	1	22	= OTHER METHOD-NOT SHOWN SEPARATELY
		0	0	0	0	55	= SAME METHODS USED THROUGH END OF YEAR
		0	1	2	3	97	= Not Ascertained
		0	5	2	7	98	= Refused
		0	3	0	4	99	= Don't Know

1995 NATIONAL SURVEY OF FAMILY GROWTH
 File Documentation
 Respondent File (Section E Questionnaire Items)

VARIABLE NAME	COLUMN LOCATION	NON-HISPANIC			QX TEXT AND CODE CATEGORIES	
		HISP	WHITE	BLACK	TOTAL	
[METHH147]	8138-8139					ENTER METHOD (FOURTH MENTIONED) USED IN JANUARY 1994: (MC37)

Inapplicable:
 R never had sex as of this month and never used a birth control method as of this month but ever used one or more birth control methods in EA series (WNFSTSEX GE 1093 and DATFIRSM GE 1093 and computed variable EVERUSED = 1); R never had sex and said no, don't know or refused to all birth control methods in EA series (computed variable RHADSEX coded 2,7,8 or 9 and computed variable EVERUSED = 2); R said no, don't know or refused to all birth control methods in EA series (computed variable EVERUSED = 2); R used fewer than 4 methods in month.

1553	6464	2441	10821	Blank	= Blank, inapplicable
0	0	0	0	0 01	= NO METHODS USED
0	0	0	0	0 02	= SAME AS PREVIOUS MONTH
0	0	0	0	0 03	= BIRTH CONTROL PILLS
0	1	0	1	0 04	= CONDOM
0	0	0	0	0 05	= PARTNER'S VASECTOMY
0	0	0	0	0 06	= DIAPHRAGM
0	0	0	0	0 07	= FOAM
0	1	0	1	0 08	= JELLY OR CREAM
0	0	0	0	0 09	= CERVICAL CAP
0	0	0	0	0 10	= SUPPOSITORY, INSERT
0	1	0	1	0 11	= TODAY (TM) SPONGE
0	0	0	0	0 12	= FEMALE CONDOM, VAGINAL POUCH
0	0	0	0	0 13	= IUD, COIL, LOOP
0	0	0	0	0 14	= NORPLANT (TM)
0	0	0	0	0 15	= DEPO-PROVERA, INJECTABLES
0	0	0	0	0 16	= MORNING AFTER PILLS
0	2	0	2	0 17	= RHYTHM OR SAFE PERIOD BY CALENDAR
0	1	1	2	0 18	= SAFE PERIOD BY TEMP, CERVICAL MUCUS TEST, NFP
0	4	0	5	0 19	= WITHDRAWAL

(4340)

1995 NATIONAL SURVEY OF FAMILY GROWTH
 File Documentation
 Respondent File (Section E Questionnaire Items)

VARIABLE NAME	COLUMN LOCATION	NON-HISPANIC			TOTAL	QX	TEXT AND CODE	CATEGORIES
		HISP	WHITE	BLACK				
		0	0	0	0	20	=	RESPONDENT STERILE
		0	0	0	0	21	=	PARTNER STERILE (NOT ON CARD)
		0	0	0	0	22	=	OTHER METHOD-NOT SHOWN SEPARATELY
		0	0	0	0	55	=	SAME METHODS USED THROUGH END OF YEAR
		0	1	2	3	97	=	Not Ascertained
		0	5	2	7	98	=	Refused
		0	3	0	4	99	=	Don't Know

[SIMSEQ36] 8140-8140

Did you use those methods together,
 that is, at the same time, or did
 you use them at different times
 during the month? (MC37)

Inapplicable:

R never had sex as of this month and
 never used a birth control method as
 of this month but ever used one or
 more birth control methods in EA
 series (WNFSTSEX GE 1093 and
 DATFIRSM GE 1093 and computed
 variable EVERUSED = 1); R never had
 sex and said no, don't know or
 refused to all birth control methods
 in EA series (computed variable
 RHADSEX coded 2,7,8 or 9 and
 computed variable EVERUSED = 2); R
 said no, don't know or refused to
 all birth control methods in EA
 series (computed variable EVERUSED =
 2); R did not use multiple methods
 in the month; R used more than 2
 methods in the month.

1486	6101	2285	10214	Blank	=	Blank, inapplicable
41	242	128	423	1	=	SAME TIME
26	140	32	209	2	=	DIFFERENT TIMES
0	0	1	1	7	=	Not Ascertained
0	0	0	0	8	=	Refused
0	0	0	0	9	=	Don't Know

1995 NATIONAL SURVEY OF FAMILY GROWTH
 File Documentation
 Respondent File (Section E Questionnaire Items)

VARIABLE	COLUMN	NON-HISPANIC				QX TEXT AND CODE CATEGORIES
NAME	LOCATION	HISP	WHITE	BLACK		

[MTHUS432] 8141-8142

During that month, which (of those/other) methods, if any, did you use at the same time? (1st METHOD MENTIONED, 1st COMBINATION, MC37)

Inapplicable:
 R said no, don't know or refused to all birth control methods in EA series (computed variable EVERUSED = 2); R never had sex as of this month and never used a birth control method as of this month but ever used one or more birth control methods in EA series (WNFSTSEX GE 1093 and DATFIRSM GE 1093 and computed variable EVERUSED = 1); R did not use multiple methods in the month; or R used only 2 methods in the month.

1543	6422	2437	10764	Blank	= Blank, inapplicable
2	15	2	19	01	= NONE
0	0	0	0	02	= OFFICE USE ONLY
1	7	2	11	03	= BIRTH CONTROL PILLS
7	21	3	33	04	= CONDOM
0	1	0	1	05	= PARTNER'S VASECTOMY
0	4	0	4	06	= DIAPHRAGM
0	1	0	1	07	= FOAM
0	0	0	0	08	= JELLY OR CREAM
0	0	0	0	09	= CERVICAL CAP
0	0	0	0	10	= SUPPOSITORY, INSERT
0	2	0	2	11	= TODAY (TM) SPONGE
0	0	0	0	12	= FEMALE CONDOM, VAGINAL POUCH
0	0	0	0	13	= IUD, COIL, LOOP
0	0	0	0	14	= NORPLANT (TM)
0	1	0	1	15	= DEPO-PROVERA, INJECTABLES
0	0	0	0	16	= MORNING AFTER PILLS
0	6	0	6	17	= RHYTHM OR SAFE PERIOD BY CALENDAR
0	0	0	0	18	= SAFE PERIOD BY TEMP, CERVICAL MUCUS TEST, NFP
0	1	1	2	19	= WITHDRAWAL
0	0	1	1	20	= RESPONDENT STERILE
0	0	0	0	21	= PARTNER STERILE (NOT

(4342)

1995 NATIONAL SURVEY OF FAMILY GROWTH
 File Documentation
 Respondent File (Section E Questionnaire Items)

VARIABLE NAME	COLUMN LOCATION	NON-HISPANIC			TOTAL	QX	TEXT AND CODE CATEGORIES
		HISP	WHITE	BLACK			
		0	0	0	0	22	ON CARD) = OTHER METHOD-NOT SHOWN SEPARATELY
		0	0	0	0	97	= Not Ascertained
		0	0	0	0	98	= Refused
		0	2	0	2	99	= Don't Know

1995 NATIONAL SURVEY OF FAMILY GROWTH
 File Documentation
 Respondent File (Section E Questionnaire Items)

VARIABLE COLUMN NON-HISPANIC
 NAME LOCATION HISP WHITE BLACK TOTAL QX TEXT AND CODE CATEGORIES

[MTHUS433] 8143-8144

During that month, which (of those/other) methods, if any, did you use at the same time? (2nd METHOD MENTIONED, 1st COMBINATION, MC37)

Inapplicable:
 R said no, don't know or refused to all birth control methods in EA series (computed variable EVERUSED = 2); R never had sex as of this month and never used a birth control method as of this month but ever used one or more birth control methods in EA series (WNFSTSEX GE 1093 and DATFIRSM GE 1093 and computed variable EVERUSED = 1); R did not use multiple methods in the month; or R used only 2 methods in the month; or R reported using fewer than 2 BC methods for this combination in this month of the method calendar.

1545	6437	2439	10783	Blank	= Blank, inapplicable
0	0	0	0	01	= NONE
0	0	0	0	02	= OFFICE USE ONLY
0	0	0	0	03	= BIRTH CONTROL PILLS
1	10	2	13	04	= CONDOM
0	1	0	1	05	= PARTNER'S VASECTOMY
0	1	0	1	06	= DIAPHRAGM
1	2	2	5	07	= FOAM
1	1	1	4	08	= JELLY OR CREAM
0	0	0	0	09	= CERVICAL CAP
1	0	1	2	10	= SUPPOSITORY, INSERT
0	0	0	0	11	= TODAY (TM) SPONGE
0	0	0	0	12	= FEMALE CONDOM, VAGINAL POUCH
0	0	0	0	13	= IUD, COIL, LOOP
0	0	0	0	14	= NORPLANT (TM)
0	0	0	0	15	= DEPO-PROVERA, INJECTABLES
0	1	0	1	16	= MORNING AFTER PILLS
3	18	0	21	17	= RHYTHM OR SAFE PERIOD BY CALENDAR
0	1	0	1	18	= SAFE PERIOD BY TEMP, CERVICAL MUCUS TEST, NFP

(4344)

1995 NATIONAL SURVEY OF FAMILY GROWTH
 File Documentation
 Respondent File (Section E Questionnaire Items)

VARIABLE NAME	COLUMN LOCATION	NON-HISPANIC			TOTAL	QX	TEXT AND CODE CATEGORIES
		HISP	WHITE	BLACK			
		1	9	1	13	19	= WITHDRAWAL
		0	0	0	0	20	= RESPONDENT STERILE
		0	0	0	0	21	= PARTNER STERILE (NOT ON CARD)
		0	0	0	0	22	= OTHER METHOD-NOT SHOWN SEPARATELY
		0	0	0	0	97	= Not Ascertained
		0	0	0	0	98	= Refused
		0	2	0	2	99	= Don't Know

1995 NATIONAL SURVEY OF FAMILY GROWTH
 File Documentation
 Respondent File (Section E Questionnaire Items)

VARIABLE COLUMN NON-HISPANIC
 NAME LOCATION HISP WHITE BLACK TOTAL QX TEXT AND CODE CATEGORIES

[MTHUS434] 8145-8146

During that month, which (of those/other) methods, if any, did you use at the same time? (3rd METHOD MENTIONED, 1st COMBINATION, MC37)

Inapplicable:

R said no, don't know or refused to all birth control methods in EA series (computed variable EVERUSED = 2); R never had sex as of this month and never used a birth control method as of this month but ever used one or more birth control methods in EA series (WNFSTSEX GE 1093 and DATFIRSM GE 1093 and computed variable EVERUSED = 1); R did not use multiple methods in the month; or R used only 2 methods in the month; or R reported using fewer than 3 BC methods for this combination in this month of the method calendar.

1546	6456	2443	10809	Blank	= Blank, inapplicable
0	0	0	0	01	= NONE
0	0	0	0	02	= OFFICE USE ONLY
0	0	0	0	03	= BIRTH CONTROL PILLS
0	1	1	2	04	= CONDOM
1	0	0	1	05	= PARTNER'S VASECTOMY
0	0	0	0	06	= DIAPHRAGM
2	0	0	2	07	= FOAM
0	2	0	2	08	= JELLY OR CREAM
0	0	0	0	09	= CERVICAL CAP
0	0	0	0	10	= SUPPOSITORY, INSERT
1	2	0	3	11	= TODAY (TM) SPONGE
0	0	0	0	12	= FEMALE CONDOM, VAGINAL POUCH
0	0	0	0	13	= IUD, COIL, LOOP
0	0	0	0	14	= NORPLANT (TM)
0	0	0	0	15	= DEPO-PROVERA, INJECTABLES
0	0	0	0	16	= MORNING AFTER PILLS
2	3	1	7	17	= RHYTHM OR SAFE PERIOD BY CALENDAR
0	3	0	3	18	= SAFE PERIOD BY TEMP, CERVICAL MUCUS TEST, NFP

1995 NATIONAL SURVEY OF FAMILY GROWTH
 File Documentation
 Respondent File (Section E Questionnaire Items)

VARIABLE NAME	COLUMN LOCATION	NON-HISPANIC			TOTAL	QX	TEXT AND CODE CATEGORIES
		HISP	WHITE	BLACK			
		1	14	1	16	19	= WITHDRAWAL
		0	0	0	0	20	= RESPONDENT STERILE
		0	0	0	0	21	= PARTNER STERILE (NOT ON CARD)
		0	0	0	0	22	= OTHER METHOD-NOT SHOWN SEPARATELY
		0	0	0	0	97	= Not Ascertained
		0	0	0	0	98	= Refused
		0	2	0	2	99	= Don't Know

1995 NATIONAL SURVEY OF FAMILY GROWTH
 File Documentation
 Respondent File (Section E Questionnaire Items)

VARIABLE	COLUMN	NON-HISPANIC				QX TEXT AND CODE CATEGORIES
NAME	LOCATION	HISP	WHITE	BLACK		

[MTHUS435] 8147-8148

During that month, which (of those/other) methods, if any, did you use at the same time? (4th METHOD MENTIONED, 1st COMBINATION, MC37)

Inapplicable:
 R said no, don't know or refused to all birth control methods in EA series (computed variable EVERUSED = 2); R never had sex as of this month and never used a birth control method as of this month but ever used one or more birth control methods in EA series (WNFSTSEX GE 1093 and DATFIRSM GE 1093 and computed variable EVERUSED = 1); R did not use multiple methods in the month; or R used only 2 methods in the month; or R reported using fewer than 4 BC methods for this combination in this month of the method calendar.

1553	6480	2445	10842	Blank	= Blank, inapplicable
0	0	0	0	01	= NONE
0	0	0	0	02	= OFFICE USE ONLY
0	0	0	0	03	= BIRTH CONTROL PILLS
0	1	0	1	04	= CONDOM
0	0	0	0	05	= PARTNER'S VASECTOMY
0	0	0	0	06	= DIAPHRAGM
0	0	0	0	07	= FOAM
0	0	0	0	08	= JELLY OR CREAM
0	0	0	0	09	= CERVICAL CAP
0	0	0	0	10	= SUPPOSITORY, INSERT
0	0	0	0	11	= TODAY (TM) SPONGE
0	0	0	0	12	= FEMALE CONDOM, VAGINAL POUCH
0	0	0	0	13	= IUD, COIL, LOOP
0	0	0	0	14	= NORPLANT (TM)
0	0	0	0	15	= DEPO-PROVERA, INJECTABLES
0	0	0	0	16	= MORNING AFTER PILLS
0	0	0	0	17	= RHYTHM OR SAFE PERIOD BY CALENDAR
0	0	1	1	18	= SAFE PERIOD BY TEMP, CERVICAL MUCUS TEST, NFP

1995 NATIONAL SURVEY OF FAMILY GROWTH
 File Documentation
 Respondent File (Section E Questionnaire Items)

VARIABLE NAME	COLUMN LOCATION	NON-HISPANIC			TOTAL	QX	TEXT AND CODE CATEGORIES
		HISP	WHITE	BLACK			
		0	0	0	1	19	= WITHDRAWAL
		0	0	0	0	20	= RESPONDENT STERILE
		0	0	0	0	21	= PARTNER STERILE (NOT ON CARD)
		0	0	0	0	22	= OTHER METHOD-NOT SHOWN SEPARATELY
		0	0	0	0	97	= Not Ascertained
		0	0	0	0	98	= Refused
		0	2	0	2	99	= Don't Know

1995 NATIONAL SURVEY OF FAMILY GROWTH
File Documentation
Respondent File (Section E Questionnaire Items)

VARIABLE	COLUMN	NON-HISPANIC							
NAME	LOCATION	HISP	WHITE	BLACK					

[MTHUS436] 8149-8150

During that month, which (of those/other) methods, if any, did you use at the same time? (1st METHOD MENTIONED, 2nd COMBINATION, MC37)

Inapplicable:
R said no, don't know or refused to all birth control methods in EA series (computed variable EVERUSED = 2); R never had sex as of this month and never used a birth control method as of this month but ever used one or more birth control methods in EA series (WNFSTSEX GE 1093 and DATFIRSM GE 1093 and computed variable EVERUSED = 1); R did not use multiple methods in the month; or R used only 2 methods in the month; or R reported fewer than 2 BC method combinations.

1545	6437	2439	10783	Blank	
6	33	4	46	01	= Blank, inapplicable
0	0	0	0	02	= NONE
0	2	1	3	03	= OFFICE USE ONLY
0	3	0	3	04	= BIRTH CONTROL PILLS
0	0	0	0	05	= CONDOM
0	0	0	0	05	= PARTNER'S VASECTOMY
0	1	0	1	06	= DIAPHRAGM
1	1	0	2	07	= FOAM
0	0	0	0	08	= JELLY OR CREAM
0	0	0	0	09	= CERVICAL CAP
0	0	0	0	10	= SUPPOSITORY, INSERT
0	0	0	0	11	= TODAY (TM) SPONGE
0	0	0	0	12	= FEMALE CONDOM, VAGINAL POUCH
0	0	0	0	13	= IUD, COIL, LOOP
0	0	0	0	14	= NORPLANT (TM)
0	1	0	1	15	= DEPO-PROVERA, INJECTABLES
0	0	0	0	16	= MORNING AFTER PILLS
0	3	0	3	17	= RHYTHM OR SAFE PERIOD BY CALENDAR
0	0	0	0	18	= SAFE PERIOD BY TEMP, CERVICAL MUCUS TEST, NFP
1	0	1	2	19	= WITHDRAWAL
0	0	1	1	20	= RESPONDENT STERILE

(4350)

1995 NATIONAL SURVEY OF FAMILY GROWTH
 File Documentation
 Respondent File (Section E Questionnaire Items)

VARIABLE NAME	COLUMN LOCATION	NON-HISPANIC			TOTAL	QX	TEXT AND CODE CATEGORIES
		HISP	WHITE	BLACK			
		0	0	0	0	21	= PARTNER STERILE (NOT ON CARD)
		0	0	0	0	22	= OTHER METHOD-NOT SHOWN SEPARATELY
		0	1	0	1	97	= Not Ascertained
		0	0	0	0	98	= Refused
		0	1	0	1	99	= Don't Know

1995 NATIONAL SURVEY OF FAMILY GROWTH
 File Documentation
 Respondent File (Section E Questionnaire Items)

VARIABLE COLUMN NON-HISPANIC
 NAME LOCATION HISP WHITE BLACK TOTAL QX TEXT AND CODE CATEGORIES

[MTHUS437] 8151-8152

During that month, which (of those/other) methods, if any, did you use at the same time? (2nd METHOD MENTIONED, 2nd COMBINATION, MC37)

Inapplicable:
 R said no, don't know or refused to all birth control methods in EA series (computed variable EVERUSED = 2); R never had sex as of this month and never used a birth control method as of this month but ever used one or more birth control methods in EA series (WNFSTSEX GE 1093 and DATFIRSM GE 1093 and computed variable EVERUSED = 1); R did not use multiple methods in the month; or R used only 2 methods in the month; or R reported fewer than 2 BC method combinations; or R reported using fewer than 2 BC methods for this combination in this month of the method calendar.

1552	6471	2443	10831	Blank	= Blank, inapplicable
0	0	0	0	01	= NONE
0	0	0	0	02	= OFFICE USE ONLY
0	0	0	0	03	= BIRTH CONTROL PILLS
1	1	1	3	04	= CONDOM
0	1	0	1	05	= PARTNER'S VASECTOMY
0	0	0	0	06	= DIAPHRAGM
0	0	0	0	07	= FOAM
0	0	0	0	08	= JELLY OR CREAM
0	0	0	0	09	= CERVICAL CAP
0	0	1	1	10	= SUPPOSITORY, INSERT
0	1	0	1	11	= TODAY (TM) SPONGE
0	0	0	0	12	= FEMALE CONDOM, VAGINAL POUCH
0	0	0	0	13	= IUD, COIL, LOOP
0	0	0	0	14	= NORPLANT (TM)
0	0	0	0	15	= DEPO-PROVERA, INJECTABLES
0	0	0	0	16	= MORNING AFTER PILLS
0	2	0	2	17	= RHYTHM OR SAFE PERIOD BY CALENDAR
0	1	0	1	18	= SAFE PERIOD BY TEMP, CERVICAL MUCUS TEST,

(4352)

1995 NATIONAL SURVEY OF FAMILY GROWTH
 File Documentation
 Respondent File (Section E Questionnaire Items)

VARIABLE NAME	COLUMN LOCATION	NON-HISPANIC			TOTAL	QX	TEXT AND CODE CATEGORIES
		HISP	WHITE	BLACK			
		0	3	1	4	19	NFP
		0	0	0	0	20	= WITHDRAWAL
		0	1	0	1	21	= RESPONDENT STERILE
							= PARTNER STERILE (NOT ON CARD)
		0	0	0	0	22	= OTHER METHOD-NOT SHOWN SEPARATELY
		0	1	0	1	97	= Not Ascertained
		0	0	0	0	98	= Refused
		0	1	0	1	99	= Don't Know

1995 NATIONAL SURVEY OF FAMILY GROWTH
 File Documentation
 Respondent File (Section E Questionnaire Items)

VARIABLE	COLUMN	NON-HISPANIC								
NAME	LOCATION	HISP	WHITE	BLACK						TOTAL

[MTHUS438] 8153-8154

During that month, which (of those/other) methods, if any, did you use at the same time? (3rd METHOD MENTIONED, 2nd COMBINATION, MC37)

Inapplicable:
 R said no, don't know or refused to all birth control methods in EA series (computed variable EVERUSED = 2); R never had sex as of this month and never used a birth control method as of this month but ever used one or more birth control methods in EA series (WNFSTSEX GE 1093 and DATFIRSM GE 1093 and computed variable EVERUSED = 1); R did not use multiple methods in the month; or R used only 2 methods in the month; or R reported fewer than 2 BC method combinations; or R reported using fewer than 3 BC methods for this combination in this month of the method calendar.

1552	6478	2446	10841	Blank							
0	0	0	0	0	01	=	Blank, inapplicable				
0	0	0	0	0	02	=	NONE				
0	0	0	0	0	03	=	OFFICE USE ONLY				
0	0	0	0	0	04	=	BIRTH CONTROL PILLS				
0	0	0	0	0	05	=	CONDOM				
0	0	0	0	0	06	=	PARTNER'S VASECTOMY				
0	0	0	0	0	07	=	DIAPHRAGM				
0	1	0	1	08	=	FOAM					
0	0	0	0	09	=	JELLY OR CREAM					
0	0	0	0	10	=	CERVICAL CAP					
0	0	0	0	11	=	SUPPOSITORY, INSERT					
0	0	0	0	12	=	TODAY (TM) SPONGE					
0	0	0	0	13	=	FEMALE CONDOM, VAGINAL POUCH					
0	0	0	0	14	=	IUD, COIL, LOOP					
0	0	0	0	15	=	NORPLANT (TM)					
0	0	0	0	16	=	DEPO-PROVERA, INJECTABLES					
0	0	0	0	17	=	MORNING AFTER PILLS					
1	0	0	1	18	=	RHYTHM OR SAFE PERIOD BY CALENDAR					
0	1	0	1	18	=	SAFE PERIOD BY TEMP, CERVICAL MUCUS TEST,					

(4354)

1995 NATIONAL SURVEY OF FAMILY GROWTH
 File Documentation
 Respondent File (Section E Questionnaire Items)

VARIABLE NAME	COLUMN LOCATION	NON-HISPANIC			TOTAL	QX	TEXT AND CODE CATEGORIES
		HISP	WHITE	BLACK			
		0	1	0	1	19	NFP
		0	0	0	0	20	= WITHDRAWAL
		0	0	0	0	21	= RESPONDENT STERILE
							= PARTNER STERILE (NOT ON CARD)
		0	0	0	0	22	= OTHER METHOD-NOT SHOWN SEPARATELY
		0	1	0	1	97	= Not Ascertained
		0	0	0	0	98	= Refused
		0	1	0	1	99	= Don't Know

1995 NATIONAL SURVEY OF FAMILY GROWTH
 File Documentation
 Respondent File (Section E Questionnaire Items)

VARIABLE NAME	COLUMN LOCATION	NON-HISPANIC			TOTAL	QX	TEXT AND CODE CATEGORIES
		HISP	WHITE	BLACK			
		0	0	0	0	19	NFP = WITHDRAWAL
		0	0	0	0	20	= RESPONDENT STERILE
		0	0	0	0	21	= PARTNER STERILE (NOT ON CARD)
		0	0	0	0	22	= OTHER METHOD-NOT SHOWN SEPARATELY
		0	1	0	1	97	= Not Ascertained
		0	0	0	0	98	= Refused
		0	1	0	1	99	= Don't Know

1995 NATIONAL SURVEY OF FAMILY GROWTH
 File Documentation
 Respondent File (Section E Questionnaire Items)

VARIABLE	COLUMN	NON-HISPANIC			QX TEXT AND CODE CATEGORIES
NAME	LOCATION	HISP	WHITE	BLACK	TOTAL

[MTHUS440] 8157-8158

During that month, which (of those/other) methods, if any, did you use at the same time? (1st METHOD MENTIONED, 3rd COMBINATION, MC37)

Inapplicable:
 R said no, don't know or refused to all birth control methods in EA series (computed variable EVERUSED = 2); R never had sex as of this month and never used a birth control method as of this month but ever used one or more birth control methods in EA series (WNFSTSEX GE 1093 and DATFIRSM GE 1093 and computed variable EVERUSED = 1); R did not use multiple methods in the month; or R used only 2 methods in the month; or R reported fewer than 3 BC method combinations.

1553	6481	2446	10845	Blank	= Blank, inapplicable
0	1	0	1	01	= NONE
0	0	0	0	02	= OFFICE USE ONLY
0	0	0	0	03	= BIRTH CONTROL PILLS
0	1	0	1	04	= CONDOM
0	0	0	0	05	= PARTNER'S VASECTOMY
0	0	0	0	06	= DIAPHRAGM
0	0	0	0	07	= FOAM
0	0	0	0	08	= JELLY OR CREAM
0	0	0	0	09	= CERVICAL CAP
0	0	0	0	10	= SUPPOSITORY, INSERT
0	0	0	0	11	= TODAY (TM) SPONGE
0	0	0	0	12	= FEMALE CONDOM, VAGINAL POUCH
0	0	0	0	13	= IUD, COIL, LOOP
0	0	0	0	14	= NORPLANT (TM)
0	0	0	0	15	= DEPO-PROVERA, INJECTABLES
0	0	0	0	16	= MORNING AFTER PILLS
0	0	0	0	17	= RHYTHM OR SAFE PERIOD BY CALENDAR
0	0	0	0	18	= SAFE PERIOD BY TEMP, CERVICAL MUCUS TEST, NFP
0	0	0	0	19	= WITHDRAWAL
0	0	0	0	20	= RESPONDENT STERILE

(4358)

1995 NATIONAL SURVEY OF FAMILY GROWTH
 File Documentation
 Respondent File (Section E Questionnaire Items)

VARIABLE NAME	COLUMN LOCATION	NON-HISPANIC			QX	TEXT AND CODE CATEGORIES
		HISP	WHITE	BLACK		
		0	0	0	0	21 = PARTNER STERILE (NOT ON CARD)
		0	0	0	0	22 = OTHER METHOD-NOT SHOWN SEPARATELY
		0	0	0	0	97 = Not Ascertained
		0	0	0	0	98 = Refused
		0	0	0	0	99 = Don't Know

1995 NATIONAL SURVEY OF FAMILY GROWTH
 File Documentation
 Respondent File (Section E Questionnaire Items)

VARIABLE NAME	COLUMN LOCATION	NON-HISPANIC			TOTAL	QX	TEXT AND CODE CATEGORIES
		HISP	WHITE	BLACK			
		0	0	0	0	19	NFP
		0	0	0	0	20	= WITHDRAWAL
		0	0	0	0	21	= RESPONDENT STERILE
							= PARTNER STERILE (NOT ON CARD)
		0	0	0	0	22	= OTHER METHOD-NOT SHOWN SEPARATELY
		0	0	0	0	97	= Not Ascertained
		0	0	0	0	98	= Refused
		0	0	0	0	99	= Don't Know

1995 NATIONAL SURVEY OF FAMILY GROWTH
 File Documentation
 Respondent File (Section E Questionnaire Items)

VARIABLE NAME	COLUMN LOCATION	NON-HISPANIC			TOTAL	QX	TEXT AND CODE CATEGORIES
		HISP	WHITE	BLACK			
		0	0	0	0	19	NFP
		0	0	0	0	20	= WITHDRAWAL
		0	0	0	0	21	= RESPONDENT STERILE
							= PARTNER STERILE (NOT ON CARD)
		0	0	0	0	22	= OTHER METHOD-NOT SHOWN SEPARATELY
		0	0	0	0	97	= Not Ascertained
		0	0	0	0	98	= Refused
		0	0	0	0	99	= Don't Know

1995 NATIONAL SURVEY OF FAMILY GROWTH
 File Documentation
 Respondent File (Section E Questionnaire Items)

VARIABLE	COLUMN	NON-HISPANIC				QX TEXT AND CODE CATEGORIES
NAME	LOCATION	HISP	WHITE	BLACK		

[MTHUS443] 8163-8164

During that month, which (of those/other) methods, if any, did you use at the same time? (4th METHOD MENTIONED, 3rd COMBINATION, MC37)

Inapplicable:
 R said no, don't know or refused to all birth control methods in EA series (computed variable EVERUSED = 2); R never had sex as of this month and never used a birth control method as of this month but ever used one or more birth control methods in EA series (WNFSTSEX GE 1093 and DATFIRSM GE 1093 and computed variable EVERUSED = 1); R did not use multiple methods in the month; or R used only 2 methods in the month; or R reported fewer than 3 BC method combinations; or R reported using fewer than 4 BC methods for this combination in this month of the method calendar.

1553	6483	2446	10847	Blank	= Blank, inapplicable
0	0	0	0	01	= NONE
0	0	0	0	02	= OFFICE USE ONLY
0	0	0	0	03	= BIRTH CONTROL PILLS
0	0	0	0	04	= CONDOM
0	0	0	0	05	= PARTNER'S VASECTOMY
0	0	0	0	06	= DIAPHRAGM
0	0	0	0	07	= FOAM
0	0	0	0	08	= JELLY OR CREAM
0	0	0	0	09	= CERVICAL CAP
0	0	0	0	10	= SUPPOSITORY, INSERT
0	0	0	0	11	= TODAY (TM) SPONGE
0	0	0	0	12	= FEMALE CONDOM, VAGINAL POUCH
0	0	0	0	13	= IUD, COIL, LOOP
0	0	0	0	14	= NORPLANT (TM)
0	0	0	0	15	= DEPO-PROVERA, INJECTABLES
0	0	0	0	16	= MORNING AFTER PILLS
0	0	0	0	17	= RHYTHM OR SAFE PERIOD BY CALENDAR
0	0	0	0	18	= SAFE PERIOD BY TEMP, CERVICAL MUCUS TEST,

(4364)

1995 NATIONAL SURVEY OF FAMILY GROWTH
 File Documentation
 Respondent File (Section E Questionnaire Items)

VARIABLE NAME	COLUMN LOCATION	NON-HISPANIC			TOTAL	QX	TEXT AND CODE CATEGORIES
		HISP	WHITE	BLACK			
		0	0	0	0	19	NFP
		0	0	0	0	20	= WITHDRAWAL
		0	0	0	0	21	= RESPONDENT STERILE
							= PARTNER STERILE (NOT ON CARD)
		0	0	0	0	22	= OTHER METHOD-NOT SHOWN SEPARATELY
		0	0	0	0	97	= Not Ascertained
		0	0	0	0	98	= Refused
		0	0	0	0	99	= Don't Know

1995 NATIONAL SURVEY OF FAMILY GROWTH
File Documentation
Respondent File (Section E Questionnaire Items)

VARIABLE NAME	COLUMN LOCATION	NON-HISPANIC			QX TEXT AND CODE CATEGORIES		
		HISP	WHITE	BLACK TOTAL			
[METHH148]	8165-8166				ENTER METHOD (FIRST MENTIONED) USED IN FEBRUARY 1994: (MC38)		
					Inapplicable: R never had sex as of this month and never used a birth control method as of this month but ever used one or more birth control methods in EA series (WNFSTSEX GE 1093 and DATFIRSM GE 1093 and computed variable EVERUSED = 1); R never had sex and said no, don't know or refused to all birth control methods in EA series (computed variable RHADSEX coded 2,7,8 or 9 and computed variable EVERUSED = 2); R said no, don't know or refused to all birth control methods in EA series (computed variable EVERUSED = 2).		
		274	792	263	1429	Blank	= Blank, inapplicable
		337	1278	531	2213	01	= NO METHODS USED
		0	0	0	0	02	= SAME AS PREVIOUS MONTH
		242	1257	426	1957	03	= BIRTH CONTROL PILLS
		192	859	392	1506	04	= CONDOM
		23	345	11	389	05	= PARTNER'S VASECTOMY
		4	92	11	108	06	= DIAPHRAGM
		2	21	1	24	07	= FOAM
		2	12	3	18	08	= JELLY OR CREAM
		0	3	0	3	09	= CERVICAL CAP
		4	26	10	42	10	= SUPPOSITORY, INSERT
		2	27	9	38	11	= TODAY (TM) SPONGE
		0	1	0	1	12	= FEMALE CONDOM, VAGINAL POUCH
		20	32	16	71	13	= IUD, COIL, LOOP
		25	53	40	121	14	= NORPLANT (TM)
		26	57	41	127	15	= DEPO-PROVERA, INJECTABLES
		0	0	0	0	16	= MORNING AFTER PILLS
		35	97	17	162	17	= RHYTHM OR SAFE PERIOD BY CALENDAR
		2	15	0	17	18	= SAFE PERIOD BY TEMP, CERVICAL MUCUS TEST, NFP
		40	148	28	227	19	= WITHDRAWAL
		304	1175	625	2155	20	= RESPONDENT STERILE

(4366)

1995 NATIONAL SURVEY OF FAMILY GROWTH
 File Documentation
 Respondent File (Section E Questionnaire Items)

VARIABLE NAME	COLUMN LOCATION	NON-HISPANIC			TOTAL	QX	TEXT AND CODE CATEGORIES
		HISP	WHITE	BLACK			
		19	181	13	217	21	= PARTNER STERILE (NOT ON CARD)
		0	3	6	9	22	= OTHER METHOD-NOT SHOWN SEPARATELY
		0	0	0	0	55	= SAME METHODS USED THROUGH END OF YEAR
		0	1	1	2	97	= Not Ascertained
		0	5	2	7	98	= Refused
		0	3	0	4	99	= Don't Know

1995 NATIONAL SURVEY OF FAMILY GROWTH
 File Documentation
 Respondent File (Section E Questionnaire Items)

VARIABLE NAME	COLUMN LOCATION	NON-HISPANIC			TOTAL	QX	TEXT AND CODE CATEGORIES
		HISP	WHITE	BLACK			
		0	12	14	26	20	= RESPONDENT STERILE
		0	8	1	10	21	= PARTNER STERILE (NOT ON CARD)
		0	0	0	0	22	= OTHER METHOD-NOT SHOWN SEPARATELY
		0	0	0	0	55	= SAME METHODS USED THROUGH END OF YEAR
		0	1	2	3	97	= Not Ascertained
		0	5	2	7	98	= Refused
		0	3	0	4	99	= Don't Know

1995 NATIONAL SURVEY OF FAMILY GROWTH
 File Documentation
 Respondent File (Section E Questionnaire Items)

VARIABLE COLUMN NON-HISPANIC
 NAME LOCATION HISP WHITE BLACK TOTAL QX TEXT AND CODE CATEGORIES

[METHH150] 8169-8170

ENTER METHOD (THIRD MENTIONED) USED
 IN FEBRUARY 1994: (MC38)

Inapplicable:

R never had sex as of this month and never used a birth control method as of this month but ever used one or more birth control methods in EA series (WNFSTSEX GE 1093 and DATFIRSM GE 1093 and computed variable EVERUSED = 1); R never had sex and said no, don't know or refused to all birth control methods in EA series (computed variable RHADSEX coded 2,7,8 or 9 and computed variable EVERUSED = 2); R said no, don't know or refused to all birth control methods in EA series (computed variable EVERUSED = 2); R used fewer than 3 methods in month.

1542	6406	2410	10719	Blank	= Blank, inapplicable
0	0	0	0	01	= NO METHODS USED
0	0	0	0	02	= SAME AS PREVIOUS MONTH
0	1	0	1	03	= BIRTH CONTROL PILLS
0	3	1	4	04	= CONDOM
1	0	0	1	05	= PARTNER'S VASECTOMY
0	0	0	0	06	= DIAPHRAGM
2	1	1	4	07	= FOAM
0	3	0	3	08	= JELLY OR CREAM
0	0	0	0	09	= CERVICAL CAP
0	2	0	2	10	= SUPPOSITORY, INSERT
1	4	0	5	11	= TODAY (TM) SPONGE
1	0	0	1	12	= FEMALE CONDOM, VAGINAL POUCH
0	0	0	0	13	= IUD, COIL, LOOP
0	0	0	0	14	= NORPLANT (TM)
0	1	0	1	15	= DEPO-PROVERA, INJECTABLES
0	1	0	1	16	= MORNING AFTER PILLS
2	10	3	15	17	= RHYTHM OR SAFE PERIOD BY CALENDAR
0	4	0	5	18	= SAFE PERIOD BY TEMP, CERVICAL MUCUS TEST, NFP
3	30	3	37	19	= WITHDRAWAL

(4370)

1995 NATIONAL SURVEY OF FAMILY GROWTH
 File Documentation
 Respondent File (Section E Questionnaire Items)

VARIABLE NAME	COLUMN LOCATION	NON-HISPANIC			TOTAL	QX	TEXT AND CODE CATEGORIES
		HISP	WHITE	BLACK			
		1	8	24	33	20	= RESPONDENT STERILE
		0	0	0	0	21	= PARTNER STERILE (NOT ON CARD)
		0	0	0	1	22	= OTHER METHOD-NOT SHOWN SEPARATELY
		0	0	0	0	55	= SAME METHODS USED THROUGH END OF YEAR
		0	1	2	3	97	= Not Ascertained
		0	5	2	7	98	= Refused
		0	3	0	4	99	= Don't Know

1995 NATIONAL SURVEY OF FAMILY GROWTH
 File Documentation
 Respondent File (Section E Questionnaire Items)

VARIABLE NAME	COLUMN LOCATION	NON-HISPANIC			TOTAL	QX	TEXT AND CODE CATEGORIES
		HISP	WHITE	BLACK			
		0	0	0	0	20	= RESPONDENT STERILE
		0	0	0	0	21	= PARTNER STERILE (NOT ON CARD)
		0	0	0	0	22	= OTHER METHOD-NOT SHOWN SEPARATELY
		0	0	0	0	55	= SAME METHODS USED THROUGH END OF YEAR
		0	1	2	3	97	= Not Ascertained
		0	5	2	7	98	= Refused
		0	3	0	4	99	= Don't Know

[SIMSEQ37] 8173-8173

Did you use those methods together,
 that is, at the same time, or did
 you use them at different times
 during the month? (MC38)

Inapplicable:

R never had sex as of this month and
 never used a birth control method as
 of this month but ever used one or
 more birth control methods in EA
 series (WNFSTSEX GE 1093 and
 DATFIRSM GE 1093 and computed
 variable EVERUSED = 1); R never had
 sex and said no, don't know or
 refused to all birth control methods
 in EA series (computed variable
 RHADSEX coded 2,7,8 or 9 and
 computed variable EVERUSED = 2); R
 said no, don't know or refused to
 all birth control methods in EA
 series (computed variable EVERUSED =
 2); R did not use multiple methods
 in the month; R used more than 2
 methods in the month.

1488	6111	2279	10219	Blank	= Blank, inapplicable
39	239	132	422	1	= SAME TIME
26	133	34	205	2	= DIFFERENT TIMES
0	0	1	1	7	= Not Ascertained
0	0	0	0	8	= Refused
0	0	0	0	9	= Don't Know

1995 NATIONAL SURVEY OF FAMILY GROWTH
 File Documentation
 Respondent File (Section E Questionnaire Items)

VARIABLE COLUMN NON-HISPANIC
 NAME LOCATION HISP WHITE BLACK TOTAL QX TEXT AND CODE CATEGORIES

[MTHUS444] 8174-8175

During that month, which (of those/other) methods, if any, did you use at the same time? (1st METHOD MENTIONED, 1st COMBINATION, MC38)

Inapplicable:
 R said no, don't know or refused to all birth control methods in EA series (computed variable EVERUSED = 2); R never had sex as of this month and never used a birth control method as of this month but ever used one or more birth control methods in EA series (WNFSTSEX GE 1093 and DATFIRSM GE 1093 and computed variable EVERUSED = 1); R did not use multiple methods in the month; or R used only 2 methods in the month.

1543	6423	2437	10765	Blank	= Blank, inapplicable
2	15	2	19	01	= NONE
0	0	0	0	02	= OFFICE USE ONLY
1	7	2	11	03	= BIRTH CONTROL PILLS
7	22	3	34	04	= CONDOM
0	0	0	0	05	= PARTNER'S VASECTOMY
0	4	0	4	06	= DIAPHRAGM
0	1	0	1	07	= FOAM
0	0	0	0	08	= JELLY OR CREAM
0	0	0	0	09	= CERVICAL CAP
0	0	0	0	10	= SUPPOSITORY, INSERT
0	2	0	2	11	= TODAY (TM) SPONGE
0	0	0	0	12	= FEMALE CONDOM, VAGINAL POUCH
0	0	0	0	13	= IUD, COIL, LOOP
0	0	0	0	14	= NORPLANT (TM)
0	1	0	1	15	= DEPO-PROVERA, INJECTABLES
0	0	0	0	16	= MORNING AFTER PILLS
0	6	0	6	17	= RHYTHM OR SAFE PERIOD BY CALENDAR
0	0	0	0	18	= SAFE PERIOD BY TEMP, CERVICAL MUCUS TEST, NFP
0	1	1	2	19	= WITHDRAWAL
0	0	1	1	20	= RESPONDENT STERILE
0	0	0	0	21	= PARTNER STERILE (NOT

(4374)

1995 NATIONAL SURVEY OF FAMILY GROWTH
 File Documentation
 Respondent File (Section E Questionnaire Items)

VARIABLE NAME	COLUMN LOCATION	NON-HISPANIC			TOTAL	QX	TEXT AND CODE CATEGORIES
		HISP	WHITE	BLACK			
		0	0	0	0	22	ON CARD) = OTHER METHOD-NOT SHOWN SEPARATELY
		0	0	0	0	97	= Not Ascertained
		0	0	0	0	98	= Refused
		0	1	0	1	99	= Don't Know

1995 NATIONAL SURVEY OF FAMILY GROWTH
 File Documentation
 Respondent File (Section E Questionnaire Items)

VARIABLE	COLUMN	NON-HISPANIC				QX TEXT AND CODE CATEGORIES
NAME	LOCATION	HISP	WHITE	BLACK		

[MTHUS445] 8176-8177

During that month, which (of those/other) methods, if any, did you use at the same time? (2nd METHOD MENTIONED, 1st COMBINATION, MC38)

Inapplicable:
 R said no, don't know or refused to all birth control methods in EA series (computed variable EVERUSED = 2); R never had sex as of this month and never used a birth control method as of this month but ever used one or more birth control methods in EA series (WNFSTSEX GE 1093 and DATFIRSM GE 1093 and computed variable EVERUSED = 1); R did not use multiple methods in the month; or R used only 2 methods in the month; or R reported using fewer than 2 BC methods for this combination in this month of the method calendar.

1545	6438	2439	10784	Blank	= Blank, inapplicable
0	0	0	0	01	= NONE
0	0	0	0	02	= OFFICE USE ONLY
0	0	0	0	03	= BIRTH CONTROL PILLS
1	10	2	13	04	= CONDOM
0	1	0	1	05	= PARTNER'S VASECTOMY
0	0	0	0	06	= DIAPHRAGM
1	2	1	4	07	= FOAM
1	1	1	3	08	= JELLY OR CREAM
0	0	0	0	09	= CERVICAL CAP
1	0	1	2	10	= SUPPOSITORY, INSERT
0	0	0	0	11	= TODAY (TM) SPONGE
0	0	0	0	12	= FEMALE CONDOM, VAGINAL POUCH
0	0	0	0	13	= IUD, COIL, LOOP
0	0	0	0	14	= NORPLANT (TM)
0	0	0	0	15	= DEPO-PROVERA, INJECTABLES
0	1	0	1	16	= MORNING AFTER PILLS
3	19	1	24	17	= RHYTHM OR SAFE PERIOD BY CALENDAR
0	1	0	1	18	= SAFE PERIOD BY TEMP, CERVICAL MUCUS TEST, NFP

1995 NATIONAL SURVEY OF FAMILY GROWTH
 File Documentation
 Respondent File (Section E Questionnaire Items)

VARIABLE NAME	COLUMN LOCATION	NON-HISPANIC			TOTAL	QX	TEXT AND CODE CATEGORIES
		HISP	WHITE	BLACK			
		1	9	1	13	19	= WITHDRAWAL
		0	0	0	0	20	= RESPONDENT STERILE
		0	0	0	0	21	= PARTNER STERILE (NOT ON CARD)
		0	0	0	0	22	= OTHER METHOD-NOT SHOWN SEPARATELY
		0	0	0	0	97	= Not Ascertained
		0	0	0	0	98	= Refused
		0	1	0	1	99	= Don't Know

1995 NATIONAL SURVEY OF FAMILY GROWTH
 File Documentation
 Respondent File (Section E Questionnaire Items)

VARIABLE COLUMN NON-HISPANIC
 NAME LOCATION HISP WHITE BLACK TOTAL QX TEXT AND CODE CATEGORIES

[MTHUS446] 8178-8179

During that month, which (of those/other) methods, if any, did you use at the same time? (3rd METHOD MENTIONED, 1st COMBINATION, MC38)

Inapplicable:
 R said no, don't know or refused to all birth control methods in EA series (computed variable EVERUSED = 2); R never had sex as of this month and never used a birth control method as of this month but ever used one or more birth control methods in EA series (WNFSTSEX GE 1093 and DATFIRSM GE 1093 and computed variable EVERUSED = 1); R did not use multiple methods in the month; or R used only 2 methods in the month; or R reported using fewer than 3 BC methods for this combination in this month of the method calendar.

	1546	6458	2444	10812	Blank	
	0	0	0	0	01	= Blank, inapplicable
	0	0	0	0	02	= NONE
	0	0	0	0	03	= OFFICE USE ONLY
	0	0	1	1	04	= BIRTH CONTROL PILLS
	1	0	0	1	05	= CONDOM
	0	0	0	0	06	= PARTNER'S VASECTOMY
	2	0	0	2	07	= DIAPHRAGM
	0	3	0	3	08	= FOAM
	0	0	0	0	09	= JELLY OR CREAM
	0	0	0	0	10	= CERVICAL CAP
	1	2	0	3	11	= SUPPOSITORY, INSERT
	0	0	0	0	12	= TODAY (TM) SPONGE
	0	0	0	0	13	= FEMALE CONDOM, VAGINAL POUCH
	0	0	0	0	14	= IUD, COIL, LOOP
	0	0	0	0	15	= NORPLANT (TM)
	0	0	0	0	16	= DEPO-PROVERA, INJECTABLES
	2	3	1	6	17	= MORNING AFTER PILLS
	0	3	0	4	18	= RHYTHM OR SAFE PERIOD BY CALENDAR
						= SAFE PERIOD BY TEMP, CERVICAL MUCUS TEST, NFP

1995 NATIONAL SURVEY OF FAMILY GROWTH
 File Documentation
 Respondent File (Section E Questionnaire Items)

VARIABLE NAME	COLUMN LOCATION	NON-HISPANIC			TOTAL	QX	TEXT AND CODE CATEGORIES
		HISP	WHITE	BLACK			
		1	13	0	14	19	= WITHDRAWAL
		0	0	0	0	20	= RESPONDENT STERILE
		0	0	0	0	21	= PARTNER STERILE (NOT ON CARD)
		0	0	0	0	22	= OTHER METHOD-NOT SHOWN SEPARATELY
		0	0	0	0	97	= Not Ascertained
		0	0	0	0	98	= Refused
		0	1	0	1	99	= Don't Know

1995 NATIONAL SURVEY OF FAMILY GROWTH
 File Documentation
 Respondent File (Section E Questionnaire Items)

VARIABLE	COLUMN	NON-HISPANIC				QX TEXT AND CODE CATEGORIES
NAME	LOCATION	HISP	WHITE	BLACK		

[MTHUS447] 8180-8181

During that month, which (of those/other) methods, if any, did you use at the same time? (4th METHOD MENTIONED, 1st COMBINATION, MC38)

Inapplicable:
 R said no, don't know or refused to all birth control methods in EA series (computed variable EVERUSED = 2); R never had sex as of this month and never used a birth control method as of this month but ever used one or more birth control methods in EA series (WNFSTSEX GE 1093 and DATFIRSM GE 1093 and computed variable EVERUSED = 1); R did not use multiple methods in the month; or R used only 2 methods in the month; or R reported using fewer than 4 BC methods for this combination in this month of the method calendar.

1553	6481	2445	10844	Blank	= Blank, inapplicable
0	0	0	0	01	= NONE
0	0	0	0	02	= OFFICE USE ONLY
0	0	0	0	03	= BIRTH CONTROL PILLS
0	1	0	1	04	= CONDOM
0	0	0	0	05	= PARTNER'S VASECTOMY
0	0	0	0	06	= DIAPHRAGM
0	0	0	0	07	= FOAM
0	0	0	0	08	= JELLY OR CREAM
0	0	0	0	09	= CERVICAL CAP
0	0	0	0	10	= SUPPOSITORY, INSERT
0	0	0	0	11	= TODAY (TM) SPONGE
0	0	0	0	12	= FEMALE CONDOM, VAGINAL POUCH
0	0	0	0	13	= IUD, COIL, LOOP
0	0	0	0	14	= NORPLANT (TM)
0	0	0	0	15	= DEPO-PROVERA, INJECTABLES
0	0	0	0	16	= MORNING AFTER PILLS
0	0	0	0	17	= RHYTHM OR SAFE PERIOD BY CALENDAR
0	0	1	1	18	= SAFE PERIOD BY TEMP, CERVICAL MUCUS TEST, NFP

1995 NATIONAL SURVEY OF FAMILY GROWTH
 File Documentation
 Respondent File (Section E Questionnaire Items)

VARIABLE NAME	COLUMN LOCATION	NON-HISPANIC			TOTAL	QX	TEXT AND CODE CATEGORIES
		HISP	WHITE	BLACK			
		0	0	0	0	19	= WITHDRAWAL
		0	0	0	0	20	= RESPONDENT STERILE
		0	0	0	0	21	= PARTNER STERILE (NOT ON CARD)
		0	0	0	0	22	= OTHER METHOD-NOT SHOWN SEPARATELY
		0	0	0	0	97	= Not Ascertained
		0	0	0	0	98	= Refused
		0	1	0	1	99	= Don't Know

1995 NATIONAL SURVEY OF FAMILY GROWTH
 File Documentation
 Respondent File (Section E Questionnaire Items)

VARIABLE COLUMN NON-HISPANIC
 NAME LOCATION HISP WHITE BLACK TOTAL QX TEXT AND CODE CATEGORIES

[MTHUS448] 8182-8183

During that month, which (of those/other) methods, if any, did you use at the same time? (1st METHOD MENTIONED, 2nd COMBINATION, MC38)

Inapplicable:
 R said no, don't know or refused to all birth control methods in EA series (computed variable EVERUSED = 2); R never had sex as of this month and never used a birth control method as of this month but ever used one or more birth control methods in EA series (WNFSTSEX GE 1093 and DATFIRSM GE 1093 and computed variable EVERUSED = 1); R did not use multiple methods in the month; or R used only 2 methods in the month; or R reported fewer than 2 BC method combinations.

1545	6438	2439	10784	Blank	
6	32	4	44	01	= Blank, inapplicable
0	0	0	0	02	= NONE
0	3	1	4	03	= OFFICE USE ONLY
0	3	0	4	04	= BIRTH CONTROL PILLS
0	0	0	0	05	= CONDOM
0	1	0	1	06	= PARTNER'S VASECTOMY
1	1	0	2	07	= DIAPHRAGM
0	0	0	0	08	= FOAM
0	0	0	0	09	= JELLY OR CREAM
0	0	0	0	10	= CERVICAL CAP
0	0	0	0	11	= SUPPOSITORY, INSERT
0	0	0	0	12	= TODAY (TM) SPONGE
0	0	0	0	13	= FEMALE CONDOM, VAGINAL POUCH
0	0	0	0	14	= IUD, COIL, LOOP
0	0	0	0	15	= NORPLANT (TM)
0	1	0	1	16	= DEPO-PROVERA, INJECTABLES
0	0	0	0	17	= MORNING AFTER PILLS
0	3	0	3	18	= RHYTHM OR SAFE PERIOD BY CALENDAR
0	0	0	0	19	= SAFE PERIOD BY TEMP, CERVICAL MUCUS TEST, NFP
1	0	1	2	20	= WITHDRAWAL
0	0	1	1	20	= RESPONDENT STERILE

(4382)

1995 NATIONAL SURVEY OF FAMILY GROWTH
 File Documentation
 Respondent File (Section E Questionnaire Items)

VARIABLE NAME	COLUMN LOCATION	NON-HISPANIC			TOTAL	QX	TEXT AND CODE CATEGORIES
		HISP	WHITE	BLACK			
		0	0	0	0	21	= PARTNER STERILE (NOT ON CARD)
		0	0	0	0	22	= OTHER METHOD-NOT SHOWN SEPARATELY
		0	1	0	1	97	= Not Ascertained
		0	0	0	0	98	= Refused
		0	0	0	0	99	= Don't Know

1995 NATIONAL SURVEY OF FAMILY GROWTH
 File Documentation
 Respondent File (Section E Questionnaire Items)

VARIABLE COLUMN NON-HISPANIC
 NAME LOCATION HISP WHITE BLACK TOTAL QX TEXT AND CODE CATEGORIES

[MTHUS449] 8184-8185

During that month, which (of those/other) methods, if any, did you use at the same time? (2nd METHOD MENTIONED, 2nd COMBINATION, MC38)

Inapplicable:
 R said no, don't know or refused to all birth control methods in EA series (computed variable EVERUSED = 2); R never had sex as of this month and never used a birth control method as of this month but ever used one or more birth control methods in EA series (WNFSTSEX GE 1093 and DATFIRSM GE 1093 and computed variable EVERUSED = 1); R did not use multiple methods in the month; or R used only 2 methods in the month; or R reported fewer than 2 BC method combinations; or R reported using fewer than 2 BC methods for this combination in this month of the method calendar.

1552	6471	2443	10830	Blank	= Blank, inapplicable
0	0	0	0	01	= NONE
0	0	0	0	02	= OFFICE USE ONLY
0	0	0	0	03	= BIRTH CONTROL PILLS
1	2	1	4	04	= CONDOM
0	1	0	1	05	= PARTNER'S VASECTOMY
0	0	0	0	06	= DIAPHRAGM
0	0	0	0	07	= FOAM
0	0	0	0	08	= JELLY OR CREAM
0	0	0	0	09	= CERVICAL CAP
0	0	1	1	10	= SUPPOSITORY, INSERT
0	1	0	1	11	= TODAY (TM) SPONGE
0	0	0	0	12	= FEMALE CONDOM, VAGINAL POUCH
0	0	0	0	13	= IUD, COIL, LOOP
0	0	0	0	14	= NORPLANT (TM)
0	0	0	0	15	= DEPO-PROVERA, INJECTABLES
0	0	0	0	16	= MORNING AFTER PILLS
0	2	0	3	17	= RHYTHM OR SAFE PERIOD BY CALENDAR
0	1	0	1	18	= SAFE PERIOD BY TEMP, CERVICAL MUCUS TEST,

(4384)

1995 NATIONAL SURVEY OF FAMILY GROWTH
 File Documentation
 Respondent File (Section E Questionnaire Items)

VARIABLE NAME	COLUMN LOCATION	NON-HISPANIC			TOTAL	QX	TEXT AND CODE CATEGORIES
		HISP	WHITE	BLACK			
		0	3	1	4	19	NFP
		0	0	0	0	20	= WITHDRAWAL
		0	1	0	1	21	= RESPONDENT STERILE
							= PARTNER STERILE (NOT ON CARD)
		0	0	0	0	22	= OTHER METHOD-NOT SHOWN SEPARATELY
		0	1	0	1	97	= Not Ascertained
		0	0	0	0	98	= Refused
		0	0	0	0	99	= Don't Know

1995 NATIONAL SURVEY OF FAMILY GROWTH
 File Documentation
 Respondent File (Section E Questionnaire Items)

VARIABLE COLUMN NON-HISPANIC
 NAME LOCATION HISP WHITE BLACK TOTAL QX TEXT AND CODE CATEGORIES

[MTHUS450] 8186-8187

During that month, which (of those/other) methods, if any, did you use at the same time? (3rd METHOD MENTIONED, 2nd COMBINATION, MC38)

Inapplicable:
 R said no, don't know or refused to all birth control methods in EA series (computed variable EVERUSED = 2); R never had sex as of this month and never used a birth control method as of this month but ever used one or more birth control methods in EA series (WNFSTSEX GE 1093 and DATFIRSM GE 1093 and computed variable EVERUSED = 1); R did not use multiple methods in the month; or R used only 2 methods in the month; or R reported fewer than 2 BC method combinations; or R reported using fewer than 3 BC methods for this combination in this month of the method calendar.

1552	6478	2446	10840	Blank	= Blank, inapplicable
0	0	0	0	01	= NONE
0	0	0	0	02	= OFFICE USE ONLY
0	0	0	0	03	= BIRTH CONTROL PILLS
0	0	0	0	04	= CONDOM
0	0	0	0	05	= PARTNER'S VASECTOMY
0	0	0	0	06	= DIAPHRAGM
0	0	0	0	07	= FOAM
0	2	0	2	08	= JELLY OR CREAM
0	0	0	0	09	= CERVICAL CAP
0	0	0	0	10	= SUPPOSITORY, INSERT
0	0	0	0	11	= TODAY (TM) SPONGE
0	0	0	0	12	= FEMALE CONDOM, VAGINAL POUCH
0	0	0	0	13	= IUD, COIL, LOOP
0	0	0	0	14	= NORPLANT (TM)
0	0	0	0	15	= DEPO-PROVERA, INJECTABLES
0	0	0	0	16	= MORNING AFTER PILLS
1	0	0	1	17	= RHYTHM OR SAFE PERIOD BY CALENDAR
0	1	0	2	18	= SAFE PERIOD BY TEMP, CERVICAL MUCUS TEST,

1995 NATIONAL SURVEY OF FAMILY GROWTH
 File Documentation
 Respondent File (Section E Questionnaire Items)

VARIABLE NAME	COLUMN LOCATION	NON-HISPANIC			TOTAL	QX	TEXT AND CODE CATEGORIES
		HISP	WHITE	BLACK			
		0	1	0	1	19	NFP
		0	0	0	0	20	= WITHDRAWAL
		0	0	0	0	21	= RESPONDENT STERILE
							= PARTNER STERILE (NOT ON CARD)
		0	0	0	0	22	= OTHER METHOD-NOT SHOWN SEPARATELY
		0	1	0	1	97	= Not Ascertained
		0	0	0	0	98	= Refused
		0	0	0	0	99	= Don't Know

1995 NATIONAL SURVEY OF FAMILY GROWTH
 File Documentation
 Respondent File (Section E Questionnaire Items)

VARIABLE NAME	COLUMN LOCATION	NON-HISPANIC			TOTAL	QX	TEXT AND CODE CATEGORIES
		HISP	WHITE	BLACK			
		0	0	0	0	19	NFP
		0	0	0	0	20	= WITHDRAWAL
		0	0	0	0	21	= RESPONDENT STERILE
							= PARTNER STERILE (NOT ON CARD)
		0	0	0	0	22	= OTHER METHOD-NOT SHOWN SEPARATELY
		0	1	0	1	97	= Not Ascertained
		0	0	0	0	98	= Refused
		0	0	0	0	99	= Don't Know

1995 NATIONAL SURVEY OF FAMILY GROWTH
 File Documentation
 Respondent File (Section E Questionnaire Items)

VARIABLE	COLUMN	NON-HISPANIC			QX TEXT AND CODE CATEGORIES
NAME	LOCATION	HISP	WHITE	BLACK	TOTAL

[MTHUS452] 8190-8191

During that month, which (of those/other) methods, if any, did you use at the same time? (1st METHOD MENTIONED, 3rd COMBINATION, MC38)

Inapplicable:
 R said no, don't know or refused to all birth control methods in EA series (computed variable EVERUSED = 2); R never had sex as of this month and never used a birth control method as of this month but ever used one or more birth control methods in EA series (WNFSTSEX GE 1093 and DATFIRSM GE 1093 and computed variable EVERUSED = 1); R did not use multiple methods in the month; or R used only 2 methods in the month; or R reported fewer than 3 BC method combinations.

1553	6481	2446	10845	Blank	= Blank, inapplicable
0	1	0	1	01	= NONE
0	0	0	0	02	= OFFICE USE ONLY
0	0	0	0	03	= BIRTH CONTROL PILLS
0	1	0	1	04	= CONDOM
0	0	0	0	05	= PARTNER'S VASECTOMY
0	0	0	0	06	= DIAPHRAGM
0	0	0	0	07	= FOAM
0	0	0	0	08	= JELLY OR CREAM
0	0	0	0	09	= CERVICAL CAP
0	0	0	0	10	= SUPPOSITORY, INSERT
0	0	0	0	11	= TODAY (TM) SPONGE
0	0	0	0	12	= FEMALE CONDOM, VAGINAL POUCH
0	0	0	0	13	= IUD, COIL, LOOP
0	0	0	0	14	= NORPLANT (TM)
0	0	0	0	15	= DEPO-PROVERA, INJECTABLES
0	0	0	0	16	= MORNING AFTER PILLS
0	0	0	0	17	= RHYTHM OR SAFE PERIOD BY CALENDAR
0	0	0	0	18	= SAFE PERIOD BY TEMP, CERVICAL MUCUS TEST, NFP
0	0	0	0	19	= WITHDRAWAL
0	0	0	0	20	= RESPONDENT STERILE

1995 NATIONAL SURVEY OF FAMILY GROWTH
 File Documentation
 Respondent File (Section E Questionnaire Items)

VARIABLE NAME	COLUMN LOCATION	NON-HISPANIC			TOTAL	QX	TEXT AND CODE CATEGORIES
		HISP	WHITE	BLACK			
		0	0	0	0	21	= PARTNER STERILE (NOT ON CARD)
		0	0	0	0	22	= OTHER METHOD-NOT SHOWN SEPARATELY
		0	0	0	0	97	= Not Ascertained
		0	0	0	0	98	= Refused
		0	0	0	0	99	= Don't Know

1995 NATIONAL SURVEY OF FAMILY GROWTH
 File Documentation
 Respondent File (Section E Questionnaire Items)

VARIABLE NAME	COLUMN LOCATION	NON-HISPANIC			TOTAL	QX	TEXT AND CODE CATEGORIES
		HISP	WHITE	BLACK			
		0	0	0	0	19	NFP
		0	0	0	0	20	= WITHDRAWAL
		0	0	0	0	21	= RESPONDENT STERILE
							= PARTNER STERILE (NOT ON CARD)
		0	0	0	0	22	= OTHER METHOD-NOT SHOWN SEPARATELY
		0	0	0	0	97	= Not Ascertained
		0	0	0	0	98	= Refused
		0	0	0	0	99	= Don't Know

1995 NATIONAL SURVEY OF FAMILY GROWTH
 File Documentation
 Respondent File (Section E Questionnaire Items)

VARIABLE COLUMN NON-HISPANIC
 NAME LOCATION HISP WHITE BLACK TOTAL QX TEXT AND CODE CATEGORIES

[MTHUS454] 8194-8195

During that month, which (of those/other) methods, if any, did you use at the same time? (3rd METHOD MENTIONED, 3rd COMBINATION, MC38)

Inapplicable:
 R said no, don't know or refused to all birth control methods in EA series (computed variable EVERUSED = 2); R never had sex as of this month and never used a birth control method as of this month but ever used one or more birth control methods in EA series (WNFSTSEX GE 1093 and DATFIRSM GE 1093 and computed variable EVERUSED = 1); R did not use multiple methods in the month; or R used only 2 methods in the month; or R reported fewer than 3 BC method combinations; or R reported using fewer than 3 BC methods for this combination in this month of the method calendar.

	1553	6483	2446	10847	Blank	
	0	0	0	0	01	= Blank, inapplicable
	0	0	0	0	02	= NONE
	0	0	0	0	03	= OFFICE USE ONLY
	0	0	0	0	04	= BIRTH CONTROL PILLS
	0	0	0	0	05	= CONDOM
	0	0	0	0	06	= PARTNER'S VASECTOMY
	0	0	0	0	07	= DIAPHRAGM
	0	0	0	0	08	= FOAM
	0	0	0	0	09	= JELLY OR CREAM
	0	0	0	0	10	= CERVICAL CAP
	0	0	0	0	11	= SUPPOSITORY, INSERT
	0	0	0	0	12	= TODAY (TM) SPONGE
	0	0	0	0	13	= FEMALE CONDOM, VAGINAL POUCH
	0	0	0	0	14	= IUD, COIL, LOOP
	0	0	0	0	15	= NORPLANT (TM)
	0	0	0	0	16	= DEPO-PROVERA, INJECTABLES
	0	0	0	0	17	= MORNING AFTER PILLS
	0	0	0	0	18	= RHYTHM OR SAFE PERIOD BY CALENDAR
	0	0	0	0	18	= SAFE PERIOD BY TEMP, CERVICAL MUCUS TEST,

1995 NATIONAL SURVEY OF FAMILY GROWTH
 File Documentation
 Respondent File (Section E Questionnaire Items)

VARIABLE NAME	COLUMN LOCATION	NON-HISPANIC			TOTAL	QX	TEXT AND CODE CATEGORIES
		HISP	WHITE	BLACK			
		0	0	0	0	19	NFP
		0	0	0	0	20	= WITHDRAWAL
		0	0	0	0	21	= RESPONDENT STERILE
							= PARTNER STERILE (NOT ON CARD)
		0	0	0	0	22	= OTHER METHOD-NOT SHOWN SEPARATELY
		0	0	0	0	97	= Not Ascertained
		0	0	0	0	98	= Refused
		0	0	0	0	99	= Don't Know

1995 NATIONAL SURVEY OF FAMILY GROWTH
 File Documentation
 Respondent File (Section E Questionnaire Items)

VARIABLE	COLUMN	NON-HISPANIC				QX TEXT AND CODE CATEGORIES
NAME	LOCATION	HISP	WHITE	BLACK		

[MTHUS455] 8196-8197

During that month, which (of those/other) methods, if any, did you use at the same time? (4th METHOD MENTIONED, 3rd COMBINATION, MC38)

Inapplicable:
 R said no, don't know or refused to all birth control methods in EA series (computed variable EVERUSED = 2); R never had sex as of this month and never used a birth control method as of this month but ever used one or more birth control methods in EA series (WNFSTSEX GE 1093 and DATFIRSM GE 1093 and computed variable EVERUSED = 1); R did not use multiple methods in the month; or R used only 2 methods in the month; or R reported fewer than 3 BC method combinations; or R reported using fewer than 4 BC methods for this combination in this month of the method calendar.

1553	6483	2446	10847	Blank	= Blank, inapplicable
0	0	0	0	01	= NONE
0	0	0	0	02	= OFFICE USE ONLY
0	0	0	0	03	= BIRTH CONTROL PILLS
0	0	0	0	04	= CONDOM
0	0	0	0	05	= PARTNER'S VASECTOMY
0	0	0	0	06	= DIAPHRAGM
0	0	0	0	07	= FOAM
0	0	0	0	08	= JELLY OR CREAM
0	0	0	0	09	= CERVICAL CAP
0	0	0	0	10	= SUPPOSITORY, INSERT
0	0	0	0	11	= TODAY (TM) SPONGE
0	0	0	0	12	= FEMALE CONDOM, VAGINAL POUCH
0	0	0	0	13	= IUD, COIL, LOOP
0	0	0	0	14	= NORPLANT (TM)
0	0	0	0	15	= DEPO-PROVERA, INJECTABLES
0	0	0	0	16	= MORNING AFTER PILLS
0	0	0	0	17	= RHYTHM OR SAFE PERIOD BY CALENDAR
0	0	0	0	18	= SAFE PERIOD BY TEMP, CERVICAL MUCUS TEST,

1995 NATIONAL SURVEY OF FAMILY GROWTH
 File Documentation
 Respondent File (Section E Questionnaire Items)

VARIABLE NAME	COLUMN LOCATION	NON-HISPANIC			TOTAL	QX	TEXT AND CODE CATEGORIES
		HISP	WHITE	BLACK			
		0	0	0	0	19	NFP
		0	0	0	0	20	= WITHDRAWAL
		0	0	0	0	21	= RESPONDENT STERILE
							= PARTNER STERILE (NOT ON CARD)
		0	0	0	0	22	= OTHER METHOD-NOT SHOWN SEPARATELY
		0	0	0	0	97	= Not Ascertained
		0	0	0	0	98	= Refused
		0	0	0	0	99	= Don't Know

1995 NATIONAL SURVEY OF FAMILY GROWTH
 File Documentation
 Respondent File (Section E Questionnaire Items)

VARIABLE NAME	COLUMN LOCATION	NON-HISPANIC			QX	TEXT AND CODE CATEGORIES
		HISP	WHITE	BLACK		
[METHH152]	8198-8199					ENTER METHOD (FIRST MENTIONED) USED IN MARCH 1994: (MC39)
						Inapplicable: R never had sex as of this month and never used a birth control method as of this month but ever used one or more birth control methods in EA series (WNFSTSEX GE 1093 and DATFIRSM GE 1093 and computed variable EVERUSED = 1); R never had sex and said no, don't know or refused to all birth control methods in EA series (computed variable RHADSEX coded 2,7,8 or 9 and computed variable EVERUSED = 2); R said no, don't know or refused to all birth control methods in EA series (computed variable EVERUSED = 2).
		272	785	263	1420	Blank = Blank, inapplicable
		336	1270	533	2208	01 = NO METHODS USED
		0	0	0	0	02 = SAME AS PREVIOUS MONTH
		243	1260	419	1955	03 = BIRTH CONTROL PILLS
		198	861	392	1511	04 = CONDOM
		23	349	10	392	05 = PARTNER'S VASECTOMY
		4	92	10	107	06 = DIAPHRAGM
		2	23	1	26	07 = FOAM
		2	12	3	17	08 = JELLY OR CREAM
		1	3	0	4	09 = CERVICAL CAP
		4	26	10	42	10 = SUPPOSITORY, INSERT
		2	27	8	37	11 = TODAY (TM) SPONGE
		0	1	0	1	12 = FEMALE CONDOM, VAGINAL POUCH
		20	33	17	73	13 = IUD, COIL, LOOP
		25	52	40	120	14 = NORPLANT (TM)
		27	60	44	134	15 = DEPO-PROVERA, INJECTABLES
		0	0	0	0	16 = MORNING AFTER PILLS
		32	95	16	156	17 = RHYTHM OR SAFE PERIOD BY CALENDAR
		2	16	0	18	18 = SAFE PERIOD BY TEMP, CERVICAL MUCUS TEST, NFP
		37	147	28	224	19 = WITHDRAWAL
		304	1179	630	2164	20 = RESPONDENT STERILE

(4398)

1995 NATIONAL SURVEY OF FAMILY GROWTH
 File Documentation
 Respondent File (Section E Questionnaire Items)

VARIABLE NAME	COLUMN LOCATION	NON-HISPANIC			QX	TEXT AND CODE CATEGORIES	
		HISP	WHITE	BLACK			TOTAL
		19	180	13	216	21	= PARTNER STERILE (NOT ON CARD)
		0	3	6	9	22	= OTHER METHOD-NOT SHOWN SEPARATELY
		0	0	0	0	55	= SAME METHODS USED THROUGH END OF YEAR
		0	1	1	2	97	= Not Ascertained
		0	5	2	7	98	= Refused
		0	3	0	4	99	= Don't Know

1995 NATIONAL SURVEY OF FAMILY GROWTH
 File Documentation
 Respondent File (Section E Questionnaire Items)

VARIABLE NAME	COLUMN LOCATION	NON-HISPANIC			QX TEXT AND CODE CATEGORIES	
		HISP	WHITE	BLACK	TOTAL	
[METHH153]	8200-8201					ENTER METHOD (SECOND MENTIONED) USED IN MARCH 1994: (MC39)

Inapplicable:
 R never had sex as of this month and never used a birth control method as of this month but ever used one or more birth control methods in EA series (WNFSTSEX GE 1093 and DATFIRSM GE 1093 and computed variable EVERUSED = 1); R never had sex and said no, don't know or refused to all birth control methods in EA series (computed variable RHADSEX coded 2,7,8 or 9 and computed variable EVERUSED = 2); R said no, don't know or refused to all birth control methods in EA series (computed variable EVERUSED = 2); R used fewer than 2 methods in month.

1476	6042	2269	10123	Blank	= Blank, inapplicable
0	0	0	0	01	= NO METHODS USED
0	0	0	0	02	= SAME AS PREVIOUS MONTH
0	11	4	15	03	= BIRTH CONTROL PILLS
22	130	88	249	04	= CONDOM
0	11	1	12	05	= PARTNER'S VASECTOMY
2	13	4	19	06	= DIAPHRAGM
8	22	11	42	07	= FOAM
2	14	7	23	08	= JELLY OR CREAM
0	0	0	0	09	= CERVICAL CAP
3	10	5	18	10	= SUPPOSITORY, INSERT
0	11	5	17	11	= TODAY (TM) SPONGE
0	0	0	0	12	= FEMALE CONDOM, VAGINAL POUCH
0	0	0	0	13	= IUD, COIL, LOOP
0	1	4	5	14	= NORPLANT (TM)
1	1	0	2	15	= DEPO-PROVERA, INJECTABLES
0	0	0	0	16	= MORNING AFTER PILLS
15	68	6	94	17	= RHYTHM OR SAFE PERIOD BY CALENDAR
0	9	1	10	18	= SAFE PERIOD BY TEMP, CERVICAL MUCUS TEST, NFP
24	111	22	168	19	= WITHDRAWAL

(4400)

1995 NATIONAL SURVEY OF FAMILY GROWTH
 File Documentation
 Respondent File (Section E Questionnaire Items)

VARIABLE NAME	COLUMN LOCATION	NON-HISPANIC			TOTAL	QX	TEXT AND CODE CATEGORIES
		HISP	WHITE	BLACK			
		0	12	14	26	20	= RESPONDENT STERILE
		0	8	1	10	21	= PARTNER STERILE (NOT ON CARD)
		0	0	0	0	22	= OTHER METHOD-NOT SHOWN SEPARATELY
		0	0	0	0	55	= SAME METHODS USED THROUGH END OF YEAR
		0	1	2	3	97	= Not Ascertained
		0	5	2	7	98	= Refused
		0	3	0	4	99	= Don't Know

1995 NATIONAL SURVEY OF FAMILY GROWTH
 File Documentation
 Respondent File (Section E Questionnaire Items)

VARIABLE COLUMN NON-HISPANIC
 NAME LOCATION HISP WHITE BLACK TOTAL QX TEXT AND CODE CATEGORIES

[METHH154] 8202-8203

ENTER METHOD (THIRD MENTIONED) USED
 IN MARCH 1994: (MC39)

Inapplicable:

R never had sex as of this month and never used a birth control method as of this month but ever used one or more birth control methods in EA series (WNFSTSEX GE 1093 and DATFIRSM GE 1093 and computed variable EVERUSED = 1); R never had sex and said no, don't know or refused to all birth control methods in EA series (computed variable RHADSEX coded 2,7,8 or 9 and computed variable EVERUSED = 2); R said no, don't know or refused to all birth control methods in EA series (computed variable EVERUSED = 2); R used fewer than 3 methods in month.

1541	6403	2407	10711	Blank	= Blank, inapplicable
0	0	0	0	01	= NO METHODS USED
0	0	0	0	02	= SAME AS PREVIOUS MONTH
0	1	0	1	03	= BIRTH CONTROL PILLS
0	3	1	4	04	= CONDOM
1	0	0	1	05	= PARTNER'S VASECTOMY
0	0	0	0	06	= DIAPHRAGM
2	1	1	4	07	= FOAM
0	3	1	4	08	= JELLY OR CREAM
0	0	0	0	09	= CERVICAL CAP
0	2	0	2	10	= SUPPOSITORY, INSERT
1	4	1	6	11	= TODAY (TM) SPONGE
1	0	0	1	12	= FEMALE CONDOM, VAGINAL POUCH
0	0	0	0	13	= IUD, COIL, LOOP
0	0	0	0	14	= NORPLANT (TM)
0	1	0	1	15	= DEPO-PROVERA, INJECTABLES
0	1	0	1	16	= MORNING AFTER PILLS
2	11	3	16	17	= RHYTHM OR SAFE PERIOD BY CALENDAR
0	3	0	4	18	= SAFE PERIOD BY TEMP, CERVICAL MUCUS TEST, NFP
3	31	4	40	19	= WITHDRAWAL

(4402)

1995 NATIONAL SURVEY OF FAMILY GROWTH
 File Documentation
 Respondent File (Section E Questionnaire Items)

VARIABLE NAME	COLUMN LOCATION	NON-HISPANIC			TOTAL	QX	TEXT AND CODE CATEGORIES
		HISP	WHITE	BLACK			
		2	10	24	36	20	= RESPONDENT STERILE
		0	0	0	0	21	= PARTNER STERILE (NOT ON CARD)
		0	0	0	1	22	= OTHER METHOD-NOT SHOWN SEPARATELY
		0	0	0	0	55	= SAME METHODS USED THROUGH END OF YEAR
		0	1	2	3	97	= Not Ascertained
		0	5	2	7	98	= Refused
		0	3	0	4	99	= Don't Know

1995 NATIONAL SURVEY OF FAMILY GROWTH
File Documentation
Respondent File (Section E Questionnaire Items)

VARIABLE NAME	COLUMN LOCATION	NON-HISPANIC			TOTAL	QX	TEXT AND CODE CATEGORIES
		HISP	WHITE	BLACK			
		0	0	0	0	20	= RESPONDENT STERILE
		0	0	0	0	21	= PARTNER STERILE (NOT ON CARD)
		0	0	0	0	22	= OTHER METHOD-NOT SHOWN SEPARATELY
		0	0	0	0	55	= SAME METHODS USED THROUGH END OF YEAR
		0	1	2	3	97	= Not Ascertained
		0	5	2	7	98	= Refused
		0	3	0	4	99	= Don't Know

[SIMSEQ38] 8206-8206

Did you use those methods together,
that is, at the same time, or did
you use them at different times
during the month? (MC39)

Inapplicable:

R never had sex as of this month and
never used a birth control method as
of this month but ever used one or
more birth control methods in EA
series (WNFSTSEX GE 1093 and
DATFIRSM GE 1093 and computed
variable EVERUSED = 1); R never had
sex and said no, don't know or
refused to all birth control methods
in EA series (computed variable
RHADSEX coded 2,7,8 or 9 and
computed variable EVERUSED = 2); R
said no, don't know or refused to
all birth control methods in EA
series (computed variable EVERUSED =
2); R did not use multiple methods
in the month; R used more than 2
methods in the month.

1486	6112	2285	10224	Blank	= Blank, inapplicable
37	240	128	418	1	= SAME TIME
30	131	32	204	2	= DIFFERENT TIMES
0	0	1	1	7	= Not Ascertained
0	0	0	0	8	= Refused
0	0	0	0	9	= Don't Know

1995 NATIONAL SURVEY OF FAMILY GROWTH
 File Documentation
 Respondent File (Section E Questionnaire Items)

VARIABLE	COLUMN	NON-HISPANIC			
NAME	LOCATION	HISP	WHITE	BLACK TOTAL	

[MTHUS456] 8207-8208

During that month, which (of those/other) methods, if any, did you use at the same time? (1st METHOD MENTIONED, 1st COMBINATION, MC39)

Inapplicable:
 R said no, don't know or refused to all birth control methods in EA series (computed variable EVERUSED = 2); R never had sex as of this month and never used a birth control method as of this month but ever used one or more birth control methods in EA series (WNFSTSEX GE 1093 and DATFIRSM GE 1093 and computed variable EVERUSED = 1); R did not use multiple methods in the month; or R used only 2 methods in the month.

1543	6422	2434	10760	Blank	= Blank, inapplicable
2	16	2	20	01	= NONE
0	0	0	0	02	= OFFICE USE ONLY
1	7	3	13	03	= BIRTH CONTROL PILLS
7	22	5	36	04	= CONDOM
0	0	0	0	05	= PARTNER'S VASECTOMY
0	4	0	4	06	= DIAPHRAGM
0	1	0	1	07	= FOAM
0	0	0	0	08	= JELLY OR CREAM
0	0	0	0	09	= CERVICAL CAP
0	0	0	0	10	= SUPPOSITORY, INSERT
0	2	0	2	11	= TODAY (TM) SPONGE
0	0	0	0	12	= FEMALE CONDOM, VAGINAL POUCH
0	0	0	0	13	= IUD, COIL, LOOP
0	0	0	0	14	= NORPLANT (TM)
0	1	0	1	15	= DEPO-PROVERA, INJECTABLES
0	0	0	0	16	= MORNING AFTER PILLS
0	6	0	6	17	= RHYTHM OR SAFE PERIOD BY CALENDAR
0	0	0	0	18	= SAFE PERIOD BY TEMP, CERVICAL MUCUS TEST, NFP
0	1	1	2	19	= WITHDRAWAL
0	0	1	1	20	= RESPONDENT STERILE
0	0	0	0	21	= PARTNER STERILE (NOT

1995 NATIONAL SURVEY OF FAMILY GROWTH
 File Documentation
 Respondent File (Section E Questionnaire Items)

VARIABLE NAME	COLUMN LOCATION	NON-HISPANIC			TOTAL	QX	TEXT AND CODE CATEGORIES
		HISP	WHITE	BLACK			
		0	0	0	0	22	ON CARD) = OTHER METHOD-NOT SHOWN SEPARATELY
		0	0	0	0	97	= Not Ascertained
		0	0	0	0	98	= Refused
		0	1	0	1	99	= Don't Know

1995 NATIONAL SURVEY OF FAMILY GROWTH
 File Documentation
 Respondent File (Section E Questionnaire Items)

VARIABLE COLUMN NON-HISPANIC
 NAME LOCATION HISP WHITE BLACK TOTAL QX TEXT AND CODE CATEGORIES

[MTHUS457] 8209-8210

During that month, which (of those/other) methods, if any, did you use at the same time? (2nd METHOD MENTIONED, 1st COMBINATION, MC39)

Inapplicable:
 R said no, don't know or refused to all birth control methods in EA series (computed variable EVERUSED = 2); R never had sex as of this month and never used a birth control method as of this month but ever used one or more birth control methods in EA series (WNFSTSEX GE 1093 and DATFIRSM GE 1093 and computed variable EVERUSED = 1); R did not use multiple methods in the month; or R used only 2 methods in the month; or R reported using fewer than 2 BC methods for this combination in this month of the method calendar.

1545	6438	2436	10780	Blank	= Blank, inapplicable
0	0	0	0	01	= NONE
0	0	0	0	02	= OFFICE USE ONLY
0	0	0	0	03	= BIRTH CONTROL PILLS
1	10	3	15	04	= CONDOM
0	1	0	1	05	= PARTNER'S VASECTOMY
0	0	0	0	06	= DIAPHRAGM
1	2	1	4	07	= FOAM
1	1	2	4	08	= JELLY OR CREAM
0	0	0	0	09	= CERVICAL CAP
1	0	2	3	10	= SUPPOSITORY, INSERT
0	0	0	0	11	= TODAY (TM) SPONGE
0	0	0	0	12	= FEMALE CONDOM, VAGINAL POUCH
0	0	0	0	13	= IUD, COIL, LOOP
0	0	0	0	14	= NORPLANT (TM)
0	0	0	0	15	= DEPO-PROVERA, INJECTABLES
0	1	0	1	16	= MORNING AFTER PILLS
3	19	1	24	17	= RHYTHM OR SAFE PERIOD BY CALENDAR
0	1	0	1	18	= SAFE PERIOD BY TEMP, CERVICAL MUCUS TEST, NFP

1995 NATIONAL SURVEY OF FAMILY GROWTH
 File Documentation
 Respondent File (Section E Questionnaire Items)

VARIABLE NAME	COLUMN LOCATION	NON-HISPANIC			TOTAL	QX	TEXT AND CODE CATEGORIES
		HISP	WHITE	BLACK			
		1	9	1	13	19	= WITHDRAWAL
		0	0	0	0	20	= RESPONDENT STERILE
		0	0	0	0	21	= PARTNER STERILE (NOT ON CARD)
		0	0	0	0	22	= OTHER METHOD-NOT SHOWN SEPARATELY
		0	0	0	0	97	= Not Ascertained
		0	0	0	0	98	= Refused
		0	1	0	1	99	= Don't Know

1995 NATIONAL SURVEY OF FAMILY GROWTH
 File Documentation
 Respondent File (Section E Questionnaire Items)

VARIABLE	COLUMN	NON-HISPANIC				
NAME	LOCATION	HISP	WHITE	BLACK	TOTAL	QX TEXT AND CODE CATEGORIES

[MTHUS458] 8211-8212

During that month, which (of those/other) methods, if any, did you use at the same time? (3rd METHOD MENTIONED, 1st COMBINATION, MC39)

Inapplicable:
 R said no, don't know or refused to all birth control methods in EA series (computed variable EVERUSED = 2); R never had sex as of this month and never used a birth control method as of this month but ever used one or more birth control methods in EA series (WNFSTSEX GE 1093 and DATFIRSM GE 1093 and computed variable EVERUSED = 1); R did not use multiple methods in the month; or R used only 2 methods in the month; or R reported using fewer than 3 BC methods for this combination in this month of the method calendar.

1546	6458	2442	10809	Blank	= Blank, inapplicable
0	0	0	0	01	= NONE
0	0	0	0	02	= OFFICE USE ONLY
0	0	0	0	03	= BIRTH CONTROL PILLS
0	0	1	1	04	= CONDOM
1	0	0	1	05	= PARTNER'S VASECTOMY
0	0	0	0	06	= DIAPHRAGM
2	0	0	2	07	= FOAM
0	3	0	3	08	= JELLY OR CREAM
0	0	0	0	09	= CERVICAL CAP
0	0	0	0	10	= SUPPOSITORY, INSERT
1	2	1	4	11	= TODAY (TM) SPONGE
0	0	0	0	12	= FEMALE CONDOM, VAGINAL POUCH
0	0	0	0	13	= IUD, COIL, LOOP
0	0	0	0	14	= NORPLANT (TM)
0	0	0	0	15	= DEPO-PROVERA, INJECTABLES
0	0	0	0	16	= MORNING AFTER PILLS
2	3	1	6	17	= RHYTHM OR SAFE PERIOD BY CALENDAR
0	2	0	3	18	= SAFE PERIOD BY TEMP, CERVICAL MUCUS TEST, NFP

1995 NATIONAL SURVEY OF FAMILY GROWTH
 File Documentation
 Respondent File (Section E Questionnaire Items)

VARIABLE NAME	COLUMN LOCATION	NON-HISPANIC			TOTAL	QX	TEXT AND CODE CATEGORIES
		HISP	WHITE	BLACK			
		1	14	1	17	19	= WITHDRAWAL
		0	0	0	0	20	= RESPONDENT STERILE
		0	0	0	0	21	= PARTNER STERILE (NOT ON CARD)
		0	0	0	0	22	= OTHER METHOD-NOT SHOWN SEPARATELY
		0	0	0	0	97	= Not Ascertained
		0	0	0	0	98	= Refused
		0	1	0	1	99	= Don't Know

1995 NATIONAL SURVEY OF FAMILY GROWTH
 File Documentation
 Respondent File (Section E Questionnaire Items)

VARIABLE	COLUMN	NON-HISPANIC				QX TEXT AND CODE CATEGORIES
NAME	LOCATION	HISP	WHITE	BLACK		

[MTHUS459] 8213-8214

During that month, which (of those/other) methods, if any, did you use at the same time? (4th METHOD MENTIONED, 1st COMBINATION, MC39)

Inapplicable:
 R said no, don't know or refused to all birth control methods in EA series (computed variable EVERUSED = 2); R never had sex as of this month and never used a birth control method as of this month but ever used one or more birth control methods in EA series (WNFSTSEX GE 1093 and DATFIRSM GE 1093 and computed variable EVERUSED = 1); R did not use multiple methods in the month; or R used only 2 methods in the month; or R reported using fewer than 4 BC methods for this combination in this month of the method calendar.

1553	6481	2445	10844	Blank	= Blank, inapplicable
0	0	0	0	01	= NONE
0	0	0	0	02	= OFFICE USE ONLY
0	0	0	0	03	= BIRTH CONTROL PILLS
0	1	0	1	04	= CONDOM
0	0	0	0	05	= PARTNER'S VASECTOMY
0	0	0	0	06	= DIAPHRAGM
0	0	0	0	07	= FOAM
0	0	0	0	08	= JELLY OR CREAM
0	0	0	0	09	= CERVICAL CAP
0	0	0	0	10	= SUPPOSITORY, INSERT
0	0	0	0	11	= TODAY (TM) SPONGE
0	0	0	0	12	= FEMALE CONDOM, VAGINAL POUCH
0	0	0	0	13	= IUD, COIL, LOOP
0	0	0	0	14	= NORPLANT (TM)
0	0	0	0	15	= DEPO-PROVERA, INJECTABLES
0	0	0	0	16	= MORNING AFTER PILLS
0	0	0	0	17	= RHYTHM OR SAFE PERIOD BY CALENDAR
0	0	1	1	18	= SAFE PERIOD BY TEMP, CERVICAL MUCUS TEST, NFP

1995 NATIONAL SURVEY OF FAMILY GROWTH
 File Documentation
 Respondent File (Section E Questionnaire Items)

VARIABLE NAME	COLUMN LOCATION	NON-HISPANIC			TOTAL	QX	TEXT AND CODE CATEGORIES
		HISP	WHITE	BLACK			
		0	0	0	0	19	= WITHDRAWAL
		0	0	0	0	20	= RESPONDENT STERILE
		0	0	0	0	21	= PARTNER STERILE (NOT ON CARD)
		0	0	0	0	22	= OTHER METHOD-NOT SHOWN SEPARATELY
		0	0	0	0	97	= Not Ascertained
		0	0	0	0	98	= Refused
		0	1	0	1	99	= Don't Know

1995 NATIONAL SURVEY OF FAMILY GROWTH
 File Documentation
 Respondent File (Section E Questionnaire Items)

VARIABLE COLUMN NON-HISPANIC
 NAME LOCATION HISP WHITE BLACK TOTAL QX TEXT AND CODE CATEGORIES

[MTHUS460] 8215-8216

During that month, which (of those/other) methods, if any, did you use at the same time? (1st METHOD MENTIONED, 2nd COMBINATION, MC39)

Inapplicable:
 R said no, don't know or refused to all birth control methods in EA series (computed variable EVERUSED = 2); R never had sex as of this month and never used a birth control method as of this month but ever used one or more birth control methods in EA series (WNFSTSEX GE 1093 and DATFIRSM GE 1093 and computed variable EVERUSED = 1); R did not use multiple methods in the month; or R used only 2 methods in the month; or R reported fewer than 2 BC method combinations.

1545	6438	2436	10780	Blank	
6	32	6	47	01	= Blank, inapplicable
0	0	0	0	02	= NONE
0	2	1	3	03	= OFFICE USE ONLY
0	3	1	5	04	= BIRTH CONTROL PILLS
0	0	0	0	05	= CONDOM
0	1	0	1	06	= PARTNER'S VASECTOMY
1	1	0	2	07	= DIAPHRAGM
0	1	0	1	08	= FOAM
0	0	0	0	09	= JELLY OR CREAM
0	0	0	0	10	= CERVICAL CAP
0	0	0	0	11	= SUPPOSITORY, INSERT
0	0	0	0	12	= TODAY (TM) SPONGE
0	0	0	0	13	= FEMALE CONDOM, VAGINAL POUCH
0	0	0	0	14	= IUD, COIL, LOOP
0	0	0	0	15	= NORPLANT (TM)
0	1	0	1	16	= DEPO-PROVERA, INJECTABLES
0	0	0	0	17	= MORNING AFTER PILLS
0	3	0	3	18	= RHYTHM OR SAFE PERIOD BY CALENDAR
0	0	0	0	19	= SAFE PERIOD BY TEMP, CERVICAL MUCUS TEST, NFP
1	0	1	2	20	= WITHDRAWAL
0	0	1	1	20	= RESPONDENT STERILE

(4414)

1995 NATIONAL SURVEY OF FAMILY GROWTH
 File Documentation
 Respondent File (Section E Questionnaire Items)

VARIABLE NAME	COLUMN LOCATION	NON-HISPANIC			QX	TEXT AND CODE CATEGORIES	
		HISP	WHITE	BLACK			TOTAL
		0	0	0	0	21	= PARTNER STERILE (NOT ON CARD)
		0	0	0	0	22	= OTHER METHOD-NOT SHOWN SEPARATELY
		0	1	0	1	97	= Not Ascertained
		0	0	0	0	98	= Refused
		0	0	0	0	99	= Don't Know

1995 NATIONAL SURVEY OF FAMILY GROWTH
 File Documentation
 Respondent File (Section E Questionnaire Items)

VARIABLE COLUMN NON-HISPANIC
 NAME LOCATION HISP WHITE BLACK TOTAL QX TEXT AND CODE CATEGORIES

[MTHUS461] 8217-8218

During that month, which (of those/other) methods, if any, did you use at the same time? (2nd METHOD MENTIONED, 2nd COMBINATION, MC39)

Inapplicable:
 R said no, don't know or refused to all birth control methods in EA series (computed variable EVERUSED = 2); R never had sex as of this month and never used a birth control method as of this month but ever used one or more birth control methods in EA series (WNFSTSEX GE 1093 and DATFIRSM GE 1093 and computed variable EVERUSED = 1); R did not use multiple methods in the month; or R used only 2 methods in the month; or R reported fewer than 2 BC method combinations; or R reported using fewer than 2 BC methods for this combination in this month of the method calendar.

1552	6472	2442	10830	Blank	
0	0	0	0	0	01 = Blank, inapplicable
0	0	0	0	0	02 = NONE
0	0	0	0	0	03 = OFFICE USE ONLY
1	1	1	3	0	04 = BIRTH CONTROL PILLS
0	1	0	1	0	05 = CONDOM
0	0	0	0	0	06 = PARTNER'S VASECTOMY
0	0	1	1	0	07 = DIAPHRAGM
0	0	0	0	0	08 = FOAM
0	0	0	0	0	09 = JELLY OR CREAM
0	0	1	1	0	10 = CERVICAL CAP
0	1	0	1	0	11 = SUPPOSITORY, INSERT
0	0	0	0	0	12 = TODAY (TM) SPONGE
0	0	0	0	0	13 = FEMALE CONDOM, VAGINAL POUCH
0	0	0	0	0	14 = IUD, COIL, LOOP
0	0	0	0	0	15 = NORPLANT (TM)
0	0	0	0	0	16 = DEPO-PROVERA, INJECTABLES
0	2	0	3	0	17 = MORNING AFTER PILLS
0	1	0	1	0	18 = RHYTHM OR SAFE PERIOD BY CALENDAR SAFE PERIOD BY TEMP, CERVICAL MUCUS TEST,

1995 NATIONAL SURVEY OF FAMILY GROWTH
 File Documentation
 Respondent File (Section E Questionnaire Items)

VARIABLE NAME	COLUMN LOCATION	NON-HISPANIC			TOTAL	QX	TEXT AND CODE CATEGORIES
		HISP	WHITE	BLACK			
		0	3	1	4	19	NFP
		0	0	0	0	20	= WITHDRAWAL
		0	1	0	1	21	= RESPONDENT STERILE
							= PARTNER STERILE (NOT ON CARD)
		0	0	0	0	22	= OTHER METHOD-NOT SHOWN SEPARATELY
		0	1	0	1	97	= Not Ascertained
		0	0	0	0	98	= Refused
		0	0	0	0	99	= Don't Know

1995 NATIONAL SURVEY OF FAMILY GROWTH
 File Documentation
 Respondent File (Section E Questionnaire Items)

VARIABLE	COLUMN	NON-HISPANIC				
NAME	LOCATION	HISP	WHITE	BLACK	TOTAL	QX TEXT AND CODE CATEGORIES

[MTHUS462] 8219-8220

During that month, which (of those/other) methods, if any, did you use at the same time? (3rd METHOD MENTIONED, 2nd COMBINATION, MC39)

Inapplicable:
 R said no, don't know or refused to all birth control methods in EA series (computed variable EVERUSED = 2); R never had sex as of this month and never used a birth control method as of this month but ever used one or more birth control methods in EA series (WNFSTSEX GE 1093 and DATFIRSM GE 1093 and computed variable EVERUSED = 1); R did not use multiple methods in the month; or R used only 2 methods in the month; or R reported fewer than 2 BC method combinations; or R reported using fewer than 3 BC methods for this combination in this month of the method calendar.

1552	6479	2446	10841	Blank	= Blank, inapplicable
0	0	0	0	01	= NONE
0	0	0	0	02	= OFFICE USE ONLY
0	0	0	0	03	= BIRTH CONTROL PILLS
0	0	0	0	04	= CONDOM
0	0	0	0	05	= PARTNER'S VASECTOMY
0	0	0	0	06	= DIAPHRAGM
0	0	0	0	07	= FOAM
0	1	0	1	08	= JELLY OR CREAM
0	0	0	0	09	= CERVICAL CAP
0	0	0	0	10	= SUPPOSITORY, INSERT
0	0	0	0	11	= TODAY (TM) SPONGE
0	0	0	0	12	= FEMALE CONDOM, VAGINAL POUCH
0	0	0	0	13	= IUD, COIL, LOOP
0	0	0	0	14	= NORPLANT (TM)
0	0	0	0	15	= DEPO-PROVERA, INJECTABLES
0	0	0	0	16	= MORNING AFTER PILLS
1	0	0	1	17	= RHYTHM OR SAFE PERIOD BY CALENDAR
0	1	0	2	18	= SAFE PERIOD BY TEMP, CERVICAL MUCUS TEST,

1995 NATIONAL SURVEY OF FAMILY GROWTH
 File Documentation
 Respondent File (Section E Questionnaire Items)

VARIABLE NAME	COLUMN LOCATION	NON-HISPANIC			TOTAL	QX	TEXT AND CODE CATEGORIES
		HISP	WHITE	BLACK			
		0	1	0	1	19	NFP
		0	0	0	0	20	= WITHDRAWAL
		0	0	0	0	21	= RESPONDENT STERILE
							= PARTNER STERILE (NOT ON CARD)
		0	0	0	0	22	= OTHER METHOD-NOT SHOWN SEPARATELY
		0	1	0	1	97	= Not Ascertained
		0	0	0	0	98	= Refused
		0	0	0	0	99	= Don't Know

1995 NATIONAL SURVEY OF FAMILY GROWTH
 File Documentation
 Respondent File (Section E Questionnaire Items)

VARIABLE	COLUMN	NON-HISPANIC				
NAME	LOCATION	HISP	WHITE	BLACK	TOTAL	QX TEXT AND CODE CATEGORIES

[MTHUS463] 8221-8222

During that month, which (of those/other) methods, if any, did you use at the same time? (4th METHOD MENTIONED, 2nd COMBINATION, MC39)

Inapplicable:
 R said no, don't know or refused to all birth control methods in EA series (computed variable EVERUSED = 2); R never had sex as of this month and never used a birth control method as of this month but ever used one or more birth control methods in EA series (WNFSTSEX GE 1093 and DATFIRSM GE 1093 and computed variable EVERUSED = 1); R did not use multiple methods in the month; or R used only 2 methods in the month; or R reported fewer than 2 BC method combinations; or R reported using fewer than 4 BC methods for this combination in this month of the method calendar.

1553	6482	2446	10846	Blank	= Blank, inapplicable
0	0	0	0	01	= NONE
0	0	0	0	02	= OFFICE USE ONLY
0	0	0	0	03	= BIRTH CONTROL PILLS
0	0	0	0	04	= CONDOM
0	0	0	0	05	= PARTNER'S VASECTOMY
0	0	0	0	06	= DIAPHRAGM
0	0	0	0	07	= FOAM
0	0	0	0	08	= JELLY OR CREAM
0	0	0	0	09	= CERVICAL CAP
0	0	0	0	10	= SUPPOSITORY, INSERT
0	0	0	0	11	= TODAY (TM) SPONGE
0	0	0	0	12	= FEMALE CONDOM, VAGINAL POUCH
0	0	0	0	13	= IUD, COIL, LOOP
0	0	0	0	14	= NORPLANT (TM)
0	0	0	0	15	= DEPO-PROVERA, INJECTABLES
0	0	0	0	16	= MORNING AFTER PILLS
0	0	0	0	17	= RHYTHM OR SAFE PERIOD BY CALENDAR
0	0	0	0	18	= SAFE PERIOD BY TEMP, CERVICAL MUCUS TEST,

1995 NATIONAL SURVEY OF FAMILY GROWTH
 File Documentation
 Respondent File (Section E Questionnaire Items)

VARIABLE NAME	COLUMN LOCATION	NON-HISPANIC			TOTAL	QX	TEXT AND CODE CATEGORIES
		HISP	WHITE	BLACK			
		0	0	0	0	19	NFP = WITHDRAWAL
		0	0	0	0	20	= RESPONDENT STERILE
		0	0	0	0	21	= PARTNER STERILE (NOT ON CARD)
		0	0	0	0	22	= OTHER METHOD-NOT SHOWN SEPARATELY
		0	1	0	1	97	= Not Ascertained
		0	0	0	0	98	= Refused
		0	0	0	0	99	= Don't Know

1995 NATIONAL SURVEY OF FAMILY GROWTH
File Documentation
Respondent File (Section E Questionnaire Items)

VARIABLE	COLUMN	NON-HISPANIC				QX TEXT AND CODE CATEGORIES
NAME	LOCATION	HISP	WHITE	BLACK	TOTAL	

[MTHUS464] 8223-8224

During that month, which (of those/other) methods, if any, did you use at the same time? (1st METHOD MENTIONED, 3rd COMBINATION, MC39)

Inapplicable:
R said no, don't know or refused to all birth control methods in EA series (computed variable EVERUSED = 2); R never had sex as of this month and never used a birth control method as of this month but ever used one or more birth control methods in EA series (WNFSTSEX GE 1093 and DATFIRSM GE 1093 and computed variable EVERUSED = 1); R did not use multiple methods in the month; or R used only 2 methods in the month; or R reported fewer than 3 BC method combinations.

1553	6481	2445	10844	Blank	= Blank, inapplicable
0	1	0	1	01	= NONE
0	0	0	0	02	= OFFICE USE ONLY
0	0	0	0	03	= BIRTH CONTROL PILLS
0	1	1	2	04	= CONDOM
0	0	0	0	05	= PARTNER'S VASECTOMY
0	0	0	0	06	= DIAPHRAGM
0	0	0	0	07	= FOAM
0	0	0	0	08	= JELLY OR CREAM
0	0	0	0	09	= CERVICAL CAP
0	0	0	0	10	= SUPPOSITORY, INSERT
0	0	0	0	11	= TODAY (TM) SPONGE
0	0	0	0	12	= FEMALE CONDOM, VAGINAL POUCH
0	0	0	0	13	= IUD, COIL, LOOP
0	0	0	0	14	= NORPLANT (TM)
0	0	0	0	15	= DEPO-PROVERA, INJECTABLES
0	0	0	0	16	= MORNING AFTER PILLS
0	0	0	0	17	= RHYTHM OR SAFE PERIOD BY CALENDAR
0	0	0	0	18	= SAFE PERIOD BY TEMP, CERVICAL MUCUS TEST, NFP
0	0	0	0	19	= WITHDRAWAL
0	0	0	0	20	= RESPONDENT STERILE

(4422)

1995 NATIONAL SURVEY OF FAMILY GROWTH
 File Documentation
 Respondent File (Section E Questionnaire Items)

VARIABLE NAME	COLUMN LOCATION	NON-HISPANIC			QX	TEXT AND CODE CATEGORIES
		HISP	WHITE	BLACK		
		0	0	0	0	21 = PARTNER STERILE (NOT ON CARD)
		0	0	0	0	22 = OTHER METHOD-NOT SHOWN SEPARATELY
		0	0	0	0	97 = Not Ascertained
		0	0	0	0	98 = Refused
		0	0	0	0	99 = Don't Know

1995 NATIONAL SURVEY OF FAMILY GROWTH
 File Documentation
 Respondent File (Section E Questionnaire Items)

VARIABLE	COLUMN	NON-HISPANIC				QX TEXT AND CODE CATEGORIES
NAME	LOCATION	HISP	WHITE	BLACK		

[MTHUS465] 8225-8226

During that month, which (of those/other) methods, if any, did you use at the same time? (2nd METHOD MENTIONED, 3rd COMBINATION, MC39)

Inapplicable:
 R said no, don't know or refused to all birth control methods in EA series (computed variable EVERUSED = 2); R never had sex as of this month and never used a birth control method as of this month but ever used one or more birth control methods in EA series (WNFSTSEX GE 1093 and DATFIRSM GE 1093 and computed variable EVERUSED = 1); R did not use multiple methods in the month; or R used only 2 methods in the month; or R reported fewer than 3 BC method combinations; or R reported using fewer than 2 BC methods for this combination in this month of the method calendar.

1553	6482	2445	10845	Blank	= Blank, inapplicable
0	0	0	0	01	= NONE
0	0	0	0	02	= OFFICE USE ONLY
0	0	0	0	03	= BIRTH CONTROL PILLS
0	0	0	0	04	= CONDOM
0	0	0	0	05	= PARTNER'S VASECTOMY
0	0	0	0	06	= DIAPHRAGM
0	1	0	1	07	= FOAM
0	0	1	1	08	= JELLY OR CREAM
0	0	0	0	09	= CERVICAL CAP
0	0	0	0	10	= SUPPOSITORY, INSERT
0	0	0	0	11	= TODAY (TM) SPONGE
0	0	0	0	12	= FEMALE CONDOM, VAGINAL POUCH
0	0	0	0	13	= IUD, COIL, LOOP
0	0	0	0	14	= NORPLANT (TM)
0	0	0	0	15	= DEPO-PROVERA, INJECTABLES
0	0	0	0	16	= MORNING AFTER PILLS
0	0	0	0	17	= RHYTHM OR SAFE PERIOD BY CALENDAR
0	0	0	0	18	= SAFE PERIOD BY TEMP, CERVICAL MUCUS TEST,

1995 NATIONAL SURVEY OF FAMILY GROWTH
 File Documentation
 Respondent File (Section E Questionnaire Items)

VARIABLE NAME	COLUMN LOCATION	NON-HISPANIC			TOTAL	QX	TEXT AND CODE CATEGORIES
		HISP	WHITE	BLACK			
		0	0	0	0	19	NFP = WITHDRAWAL
		0	0	0	0	20	= RESPONDENT STERILE
		0	0	0	0	21	= PARTNER STERILE (NOT ON CARD)
		0	0	0	0	22	= OTHER METHOD-NOT SHOWN SEPARATELY
		0	0	0	0	97	= Not Ascertained
		0	0	0	0	98	= Refused
		0	0	0	0	99	= Don't Know

1995 NATIONAL SURVEY OF FAMILY GROWTH
 File Documentation
 Respondent File (Section E Questionnaire Items)

VARIABLE	COLUMN	NON-HISPANIC				QX TEXT AND CODE CATEGORIES
NAME	LOCATION	HISP	WHITE	BLACK		

[MTHUS466] 8227-8228

During that month, which (of those/other) methods, if any, did you use at the same time? (3rd METHOD MENTIONED, 3rd COMBINATION, MC39)

Inapplicable:
 R said no, don't know or refused to all birth control methods in EA series (computed variable EVERUSED = 2); R never had sex as of this month and never used a birth control method as of this month but ever used one or more birth control methods in EA series (WNFSTSEX GE 1093 and DATFIRSM GE 1093 and computed variable EVERUSED = 1); R did not use multiple methods in the month; or R used only 2 methods in the month; or R reported fewer than 3 BC method combinations; or R reported using fewer than 3 BC methods for this combination in this month of the method calendar.

1553	6483	2446	10847	Blank	= Blank, inapplicable
0	0	0	0	01	= NONE
0	0	0	0	02	= OFFICE USE ONLY
0	0	0	0	03	= BIRTH CONTROL PILLS
0	0	0	0	04	= CONDOM
0	0	0	0	05	= PARTNER'S VASECTOMY
0	0	0	0	06	= DIAPHRAGM
0	0	0	0	07	= FOAM
0	0	0	0	08	= JELLY OR CREAM
0	0	0	0	09	= CERVICAL CAP
0	0	0	0	10	= SUPPOSITORY, INSERT
0	0	0	0	11	= TODAY (TM) SPONGE
0	0	0	0	12	= FEMALE CONDOM, VAGINAL POUCH
0	0	0	0	13	= IUD, COIL, LOOP
0	0	0	0	14	= NORPLANT (TM)
0	0	0	0	15	= DEPO-PROVERA, INJECTABLES
0	0	0	0	16	= MORNING AFTER PILLS
0	0	0	0	17	= RHYTHM OR SAFE PERIOD BY CALENDAR
0	0	0	0	18	= SAFE PERIOD BY TEMP, CERVICAL MUCUS TEST,

1995 NATIONAL SURVEY OF FAMILY GROWTH
 File Documentation
 Respondent File (Section E Questionnaire Items)

VARIABLE NAME	COLUMN LOCATION	NON-HISPANIC			TOTAL	QX	TEXT AND CODE CATEGORIES
		HISP	WHITE	BLACK			
		0	0	0	0	19	NFP = WITHDRAWAL
		0	0	0	0	20	= RESPONDENT STERILE
		0	0	0	0	21	= PARTNER STERILE (NOT ON CARD)
		0	0	0	0	22	= OTHER METHOD-NOT SHOWN SEPARATELY
		0	0	0	0	97	= Not Ascertained
		0	0	0	0	98	= Refused
		0	0	0	0	99	= Don't Know

1995 NATIONAL SURVEY OF FAMILY GROWTH
 File Documentation
 Respondent File (Section E Questionnaire Items)

VARIABLE	COLUMN	NON-HISPANIC				QX TEXT AND CODE CATEGORIES
NAME	LOCATION	HISP	WHITE	BLACK		

[MTHUS467] 8229-8230

During that month, which (of those/other) methods, if any, did you use at the same time? (4th METHOD MENTIONED, 3rd COMBINATION, MC39)

Inapplicable:
 R said no, don't know or refused to all birth control methods in EA series (computed variable EVERUSED = 2); R never had sex as of this month and never used a birth control method as of this month but ever used one or more birth control methods in EA series (WNFSTSEX GE 1093 and DATFIRSM GE 1093 and computed variable EVERUSED = 1); R did not use multiple methods in the month; or R used only 2 methods in the month; or R reported fewer than 3 BC method combinations; or R reported using fewer than 4 BC methods for this combination in this month of the method calendar.

1553	6483	2446	10847	Blank	= Blank, inapplicable
0	0	0	0	01	= NONE
0	0	0	0	02	= OFFICE USE ONLY
0	0	0	0	03	= BIRTH CONTROL PILLS
0	0	0	0	04	= CONDOM
0	0	0	0	05	= PARTNER'S VASECTOMY
0	0	0	0	06	= DIAPHRAGM
0	0	0	0	07	= FOAM
0	0	0	0	08	= JELLY OR CREAM
0	0	0	0	09	= CERVICAL CAP
0	0	0	0	10	= SUPPOSITORY, INSERT
0	0	0	0	11	= TODAY (TM) SPONGE
0	0	0	0	12	= FEMALE CONDOM, VAGINAL POUCH
0	0	0	0	13	= IUD, COIL, LOOP
0	0	0	0	14	= NORPLANT (TM)
0	0	0	0	15	= DEPO-PROVERA, INJECTABLES
0	0	0	0	16	= MORNING AFTER PILLS
0	0	0	0	17	= RHYTHM OR SAFE PERIOD BY CALENDAR
0	0	0	0	18	= SAFE PERIOD BY TEMP, CERVICAL MUCUS TEST,

1995 NATIONAL SURVEY OF FAMILY GROWTH
 File Documentation
 Respondent File (Section E Questionnaire Items)

VARIABLE NAME	COLUMN LOCATION	NON-HISPANIC			TOTAL	QX	TEXT AND CODE CATEGORIES
		HISP	WHITE	BLACK			
		0	0	0	0	19	NFP
		0	0	0	0	20	= WITHDRAWAL
		0	0	0	0	21	= RESPONDENT STERILE
							= PARTNER STERILE (NOT ON CARD)
		0	0	0	0	22	= OTHER METHOD-NOT SHOWN SEPARATELY
		0	0	0	0	97	= Not Ascertained
		0	0	0	0	98	= Refused
		0	0	0	0	99	= Don't Know

1995 NATIONAL SURVEY OF FAMILY GROWTH
File Documentation
Respondent File (Section E Questionnaire Items)

VARIABLE NAME	COLUMN LOCATION	NON-HISPANIC			QX TEXT AND CODE CATEGORIES		
		HISP	WHITE	BLACK		TOTAL	
[METHH156]	8231-8232				ENTER METHOD (FIRST MENTIONED) USED IN APRIL 1994: (MC40)		
					Inapplicable: R never had sex as of this month and never used a birth control method as of this month but ever used one or more birth control methods in EA series (WNFSTSEX GE 1093 and DATFIRSM GE 1093 and computed variable EVERUSED = 1); R never had sex and said no, don't know or refused to all birth control methods in EA series (computed variable RHADSEX coded 2,7,8 or 9 and computed variable EVERUSED = 2); R said no, don't know or refused to all birth control methods in EA series (computed variable EVERUSED = 2).		
		267	775	258	1399	Blank	= Blank, inapplicable
		333	1271	530	2204	01	= NO METHODS USED
		0	0	0	0	02	= SAME AS PREVIOUS MONTH
		240	1250	414	1938	03	= BIRTH CONTROL PILLS
		201	865	396	1524	04	= CONDOM
		23	350	11	394	05	= PARTNER'S VASECTOMY
		4	90	10	105	06	= DIAPHRAGM
		3	22	1	26	07	= FOAM
		2	13	2	17	08	= JELLY OR CREAM
		1	3	0	4	09	= CERVICAL CAP
		4	27	10	43	10	= SUPPOSITORY, INSERT
		2	26	7	35	11	= TODAY (TM) SPONGE
		0	1	0	1	12	= FEMALE CONDOM, VAGINAL POUCH
		19	34	17	73	13	= IUD, COIL, LOOP
		24	52	41	120	14	= NORPLANT (TM)
		34	67	48	152	15	= DEPO-PROVERA, INJECTABLES
		0	0	0	0	16	= MORNING AFTER PILLS
		30	95	16	153	17	= RHYTHM OR SAFE PERIOD BY CALENDAR
		2	16	0	18	18	= SAFE PERIOD BY TEMP, CERVICAL MUCUS TEST, NFP
		37	147	30	224	19	= WITHDRAWAL
		307	1186	633	2177	20	= RESPONDENT STERILE

(4430)

1995 NATIONAL SURVEY OF FAMILY GROWTH
 File Documentation
 Respondent File (Section E Questionnaire Items)

VARIABLE NAME	COLUMN LOCATION	NON-HISPANIC			TOTAL	QX	TEXT AND CODE CATEGORIES
		HISP	WHITE	BLACK			
		19	181	13	217	21	= PARTNER STERILE (NOT ON CARD)
		1	3	6	10	22	= OTHER METHOD-NOT SHOWN SEPARATELY
		0	0	0	0	55	= SAME METHODS USED THROUGH END OF YEAR
		0	1	1	2	97	= Not Ascertained
		0	5	2	7	98	= Refused
		0	3	0	4	99	= Don't Know

1995 NATIONAL SURVEY OF FAMILY GROWTH
 File Documentation
 Respondent File (Section E Questionnaire Items)

VARIABLE NAME	COLUMN LOCATION	NON-HISPANIC			TOTAL	QX	TEXT AND CODE CATEGORIES
		HISP	WHITE	BLACK			
		1	12	14	27	20	= RESPONDENT STERILE
		0	9	1	11	21	= PARTNER STERILE (NOT ON CARD)
		0	0	0	0	22	= OTHER METHOD-NOT SHOWN SEPARATELY
		0	0	0	0	55	= SAME METHODS USED THROUGH END OF YEAR
		0	1	2	3	97	= Not Ascertained
		0	5	2	7	98	= Refused
		0	3	0	4	99	= Don't Know

1995 NATIONAL SURVEY OF FAMILY GROWTH
 File Documentation
 Respondent File (Section E Questionnaire Items)

VARIABLE COLUMN NON-HISPANIC
 NAME LOCATION HISP WHITE BLACK TOTAL QX TEXT AND CODE CATEGORIES

[METHH158] 8235-8236

ENTER METHOD (THIRD MENTIONED) USED
 IN APRIL 1994: (MC40)

Inapplicable:

R never had sex as of this month and never used a birth control method as of this month but ever used one or more birth control methods in EA series (WNFSTSEX GE 1093 and DATFIRSM GE 1093 and computed variable EVERUSED = 1); R never had sex and said no, don't know or refused to all birth control methods in EA series (computed variable RHADSEX coded 2,7,8 or 9 and computed variable EVERUSED = 2); R said no, don't know or refused to all birth control methods in EA series (computed variable EVERUSED = 2); R used fewer than 3 methods in month.

1542	6404	2410	10715	Blank	= Blank, inapplicable
0	0	0	0	01	= NO METHODS USED
0	0	0	0	02	= SAME AS PREVIOUS MONTH
0	1	0	1	03	= BIRTH CONTROL PILLS
0	2	0	2	04	= CONDOM
1	0	0	1	05	= PARTNER'S VASECTOMY
0	0	0	0	06	= DIAPHRAGM
1	1	1	3	07	= FOAM
0	3	0	3	08	= JELLY OR CREAM
0	0	0	0	09	= CERVICAL CAP
0	2	0	2	10	= SUPPOSITORY, INSERT
1	4	0	5	11	= TODAY (TM) SPONGE
1	0	0	1	12	= FEMALE CONDOM, VAGINAL POUCH
0	0	0	0	13	= IUD, COIL, LOOP
0	0	0	0	14	= NORPLANT (TM)
0	0	0	0	15	= DEPO-PROVERA, INJECTABLES
0	1	0	1	16	= MORNING AFTER PILLS
2	11	3	16	17	= RHYTHM OR SAFE PERIOD BY CALENDAR
0	3	0	4	18	= SAFE PERIOD BY TEMP, CERVICAL MUCUS TEST, NFP
3	31	4	41	19	= WITHDRAWAL

(4434)

1995 NATIONAL SURVEY OF FAMILY GROWTH
 File Documentation
 Respondent File (Section E Questionnaire Items)

VARIABLE NAME	COLUMN LOCATION	NON-HISPANIC			TOTAL	QX	TEXT AND CODE CATEGORIES
		HISP	WHITE	BLACK			
		2	10	24	36	20	= RESPONDENT STERILE
		0	1	0	1	21	= PARTNER STERILE (NOT ON CARD)
		0	0	0	1	22	= OTHER METHOD-NOT SHOWN SEPARATELY
		0	0	0	0	55	= SAME METHODS USED THROUGH END OF YEAR
		0	1	2	3	97	= Not Ascertained
		0	5	2	7	98	= Refused
		0	3	0	4	99	= Don't Know

1995 NATIONAL SURVEY OF FAMILY GROWTH
 File Documentation
 Respondent File (Section E Questionnaire Items)

VARIABLE	COLUMN	NON-HISPANIC			QX TEXT AND CODE CATEGORIES	
NAME	LOCATION	HISP	WHITE	BLACK	TOTAL	
[METHH159]	8237-8238					ENTER METHOD (FOURTH MENTIONED) USED IN APRIL 1994: (MC40)

Inapplicable:
 R never had sex as of this month and never used a birth control method as of this month but ever used one or more birth control methods in EA series (WNFSTSEX GE 1093 and DATFIRSM GE 1093 and computed variable EVERUSED = 1); R never had sex and said no, don't know or refused to all birth control methods in EA series (computed variable RHADSEX coded 2,7,8 or 9 and computed variable EVERUSED = 2); R said no, don't know or refused to all birth control methods in EA series (computed variable EVERUSED = 2); R used fewer than 4 methods in month.

1553	6463	2441	10821	Blank	= Blank, inapplicable
0	0	0	0	0 01	= NO METHODS USED
0	0	0	0	0 02	= SAME AS PREVIOUS MONTH
0	0	0	0	0 03	= BIRTH CONTROL PILLS
0	1	0	1	0 04	= CONDOM
0	0	0	0	0 05	= PARTNER'S VASECTOMY
0	0	0	0	0 06	= DIAPHRAGM
0	0	0	0	0 07	= FOAM
0	1	0	1	0 08	= JELLY OR CREAM
0	0	0	0	0 09	= CERVICAL CAP
0	0	0	0	0 10	= SUPPOSITORY, INSERT
0	1	0	1	0 11	= TODAY (TM) SPONGE
0	0	0	0	0 12	= FEMALE CONDOM, VAGINAL POUCH
0	0	0	0	0 13	= IUD, COIL, LOOP
0	0	0	0	0 14	= NORPLANT (TM)
0	0	0	0	0 15	= DEPO-PROVERA, INJECTABLES
0	0	0	0	0 16	= MORNING AFTER PILLS
0	2	0	2	0 17	= RHYTHM OR SAFE PERIOD BY CALENDAR
0	1	1	2	0 18	= SAFE PERIOD BY TEMP, CERVICAL MUCUS TEST, NFP
0	5	0	5	0 19	= WITHDRAWAL

(4436)

1995 NATIONAL SURVEY OF FAMILY GROWTH
 File Documentation
 Respondent File (Section E Questionnaire Items)

VARIABLE NAME	COLUMN LOCATION	NON-HISPANIC			TOTAL	QX	TEXT AND CODE CATEGORIES
		HISP	WHITE	BLACK			
		0	0	0	0	20	= RESPONDENT STERILE
		0	0	0	0	21	= PARTNER STERILE (NOT ON CARD)
		0	0	0	0	22	= OTHER METHOD-NOT SHOWN SEPARATELY
		0	0	0	0	55	= SAME METHODS USED THROUGH END OF YEAR
		0	1	2	3	97	= Not Ascertained
		0	5	2	7	98	= Refused
		0	3	0	4	99	= Don't Know

[SIMSEQ39] 8239-8239

Did you use those methods together,
 that is, at the same time, or did
 you use them at different times
 during the month? (MC40)

Inapplicable:

R never had sex as of this month and
 never used a birth control method as
 of this month but ever used one or
 more birth control methods in EA
 series (WNFSTSEX GE 1093 and
 DATFIRSM GE 1093 and computed
 variable EVERUSED = 1); R never had
 sex and said no, don't know or
 refused to all birth control methods
 in EA series (computed variable
 RHADSEX coded 2,7,8 or 9 and
 computed variable EVERUSED = 2); R
 said no, don't know or refused to
 all birth control methods in EA
 series (computed variable EVERUSED =
 2); R did not use multiple methods
 in the month; R used more than 2
 methods in the month.

1486	6112	2279	10219	Blank	= Blank, inapplicable
39	240	136	428	1	= SAME TIME
28	131	30	199	2	= DIFFERENT TIMES
0	0	1	1	7	= Not Ascertained
0	0	0	0	8	= Refused
0	0	0	0	9	= Don't Know

1995 NATIONAL SURVEY OF FAMILY GROWTH
 File Documentation
 Respondent File (Section E Questionnaire Items)

VARIABLE	COLUMN	NON-HISPANIC				
NAME	LOCATION	HISP	WHITE	BLACK		TOTAL

[MTHUS468] 8240-8241

During that month, which (of those/other) methods, if any, did you use at the same time? (1st METHOD MENTIONED, 1st COMBINATION, MC40)

Inapplicable:
 R said no, don't know or refused to all birth control methods in EA series (computed variable EVERUSED = 2); R never had sex as of this month and never used a birth control method as of this month but ever used one or more birth control methods in EA series (WNFSTSEX GE 1093 and DATFIRSM GE 1093 and computed variable EVERUSED = 1); R did not use multiple methods in the month; or R used only 2 methods in the month.

1544	6423	2437	10764	Blank	= Blank, inapplicable
2	16	2	20	01	= NONE
0	0	0	0	02	= OFFICE USE ONLY
1	8	1	12	03	= BIRTH CONTROL PILLS
6	21	4	33	04	= CONDOM
0	0	0	0	05	= PARTNER'S VASECTOMY
0	4	0	4	06	= DIAPHRAGM
0	1	0	1	07	= FOAM
0	0	0	0	08	= JELLY OR CREAM
0	0	0	0	09	= CERVICAL CAP
0	1	0	2	10	= SUPPOSITORY, INSERT
0	1	0	1	11	= TODAY (TM) SPONGE
0	0	0	0	12	= FEMALE CONDOM, VAGINAL POUCH
0	0	0	0	13	= IUD, COIL, LOOP
0	0	0	0	14	= NORPLANT (TM)
0	0	0	0	15	= DEPO-PROVERA, INJECTABLES
0	0	0	0	16	= MORNING AFTER PILLS
0	6	0	6	17	= RHYTHM OR SAFE PERIOD BY CALENDAR
0	0	0	0	18	= SAFE PERIOD BY TEMP, CERVICAL MUCUS TEST, NFP
0	1	1	2	19	= WITHDRAWAL
0	0	1	1	20	= RESPONDENT STERILE
0	0	0	0	21	= PARTNER STERILE (NOT

(4438)

1995 NATIONAL SURVEY OF FAMILY GROWTH
 File Documentation
 Respondent File (Section E Questionnaire Items)

VARIABLE NAME	COLUMN LOCATION	NON-HISPANIC			TOTAL	QX	TEXT AND CODE CATEGORIES
		HISP	WHITE	BLACK			
		0	0	0	0	22	ON CARD) = OTHER METHOD-NOT SHOWN SEPARATELY
		0	0	0	0	97	= Not Ascertained
		0	0	0	0	98	= Refused
		0	1	0	1	99	= Don't Know

1995 NATIONAL SURVEY OF FAMILY GROWTH
 File Documentation
 Respondent File (Section E Questionnaire Items)

VARIABLE	COLUMN	NON-HISPANIC				
NAME	LOCATION	HISP	WHITE	BLACK	TOTAL	QX TEXT AND CODE CATEGORIES

[MTHUS469] 8242-8243

During that month, which (of those/other) methods, if any, did you use at the same time? (2nd METHOD MENTIONED, 1st COMBINATION, MC40)

Inapplicable:
 R said no, don't know or refused to all birth control methods in EA series (computed variable EVERUSED = 2); R never had sex as of this month and never used a birth control method as of this month but ever used one or more birth control methods in EA series (WNFSTSEX GE 1093 and DATFIRSM GE 1093 and computed variable EVERUSED = 1); R did not use multiple methods in the month; or R used only 2 methods in the month; or R reported using fewer than 2 BC methods for this combination in this month of the method calendar.

1546	6439	2439	10784	Blank	= Blank, inapplicable
0	0	0	0	01	= NONE
0	0	0	0	02	= OFFICE USE ONLY
0	0	0	0	03	= BIRTH CONTROL PILLS
1	9	2	13	04	= CONDOM
0	1	0	1	05	= PARTNER'S VASECTOMY
0	0	0	0	06	= DIAPHRAGM
1	2	0	3	07	= FOAM
1	1	2	4	08	= JELLY OR CREAM
0	0	0	0	09	= CERVICAL CAP
0	0	1	1	10	= SUPPOSITORY, INSERT
0	0	0	0	11	= TODAY (TM) SPONGE
0	0	0	0	12	= FEMALE CONDOM, VAGINAL POUCH
0	0	0	0	13	= IUD, COIL, LOOP
0	0	0	0	14	= NORPLANT (TM)
0	0	0	0	15	= DEPO-PROVERA, INJECTABLES
0	1	0	1	16	= MORNING AFTER PILLS
3	18	1	23	17	= RHYTHM OR SAFE PERIOD BY CALENDAR
0	1	0	1	18	= SAFE PERIOD BY TEMP, CERVICAL MUCUS TEST, NFP

1995 NATIONAL SURVEY OF FAMILY GROWTH
 File Documentation
 Respondent File (Section E Questionnaire Items)

VARIABLE NAME	COLUMN LOCATION	NON-HISPANIC			TOTAL	QX	TEXT AND CODE CATEGORIES
		HISP	WHITE	BLACK			
		1	9	1	14	19	= WITHDRAWAL
		0	0	0	0	20	= RESPONDENT STERILE
		0	1	0	1	21	= PARTNER STERILE (NOT ON CARD)
		0	0	0	0	22	= OTHER METHOD-NOT SHOWN SEPARATELY
		0	0	0	0	97	= Not Ascertained
		0	0	0	0	98	= Refused
		0	1	0	1	99	= Don't Know

1995 NATIONAL SURVEY OF FAMILY GROWTH
 File Documentation
 Respondent File (Section E Questionnaire Items)

VARIABLE	COLUMN	NON-HISPANIC				QX TEXT AND CODE CATEGORIES
NAME	LOCATION	HISP	WHITE	BLACK		

[MTHUS470] 8244-8245

During that month, which (of those/other) methods, if any, did you use at the same time? (3rd METHOD MENTIONED, 1st COMBINATION, MC40)

Inapplicable:
 R said no, don't know or refused to all birth control methods in EA series (computed variable EVERUSED = 2); R never had sex as of this month and never used a birth control method as of this month but ever used one or more birth control methods in EA series (WNFSTSEX GE 1093 and DATFIRSM GE 1093 and computed variable EVERUSED = 1); R did not use multiple methods in the month; or R used only 2 methods in the month; or R reported using fewer than 3 BC methods for this combination in this month of the method calendar.

1547	6459	2444	10813	Blank	= Blank, inapplicable
0	0	0	0	01	= NONE
0	0	0	0	02	= OFFICE USE ONLY
0	0	0	0	03	= BIRTH CONTROL PILLS
0	0	0	0	04	= CONDOM
1	0	0	1	05	= PARTNER'S VASECTOMY
0	0	0	0	06	= DIAPHRAGM
1	0	0	1	07	= FOAM
0	3	0	3	08	= JELLY OR CREAM
0	0	0	0	09	= CERVICAL CAP
0	0	0	0	10	= SUPPOSITORY, INSERT
1	2	0	3	11	= TODAY (TM) SPONGE
0	0	0	0	12	= FEMALE CONDOM, VAGINAL POUCH
0	0	0	0	13	= IUD, COIL, LOOP
0	0	0	0	14	= NORPLANT (TM)
0	0	0	0	15	= DEPO-PROVERA, INJECTABLES
0	0	0	0	16	= MORNING AFTER PILLS
2	2	1	5	17	= RHYTHM OR SAFE PERIOD BY CALENDAR
0	2	0	3	18	= SAFE PERIOD BY TEMP, CERVICAL MUCUS TEST, NFP

1995 NATIONAL SURVEY OF FAMILY GROWTH
 File Documentation
 Respondent File (Section E Questionnaire Items)

VARIABLE NAME	COLUMN LOCATION	NON-HISPANIC			TOTAL	QX	TEXT AND CODE CATEGORIES
		HISP	WHITE	BLACK			
		1	14	1	17	19	= WITHDRAWAL
		0	0	0	0	20	= RESPONDENT STERILE
		0	0	0	0	21	= PARTNER STERILE (NOT ON CARD)
		0	0	0	0	22	= OTHER METHOD-NOT SHOWN SEPARATELY
		0	0	0	0	97	= Not Ascertained
		0	0	0	0	98	= Refused
		0	1	0	1	99	= Don't Know

1995 NATIONAL SURVEY OF FAMILY GROWTH
 File Documentation
 Respondent File (Section E Questionnaire Items)

VARIABLE	COLUMN	NON-HISPANIC				QX TEXT AND CODE CATEGORIES
NAME	LOCATION	HISP	WHITE	BLACK		

[MTHUS471] 8246-8247

During that month, which (of those/other) methods, if any, did you use at the same time? (4th METHOD MENTIONED, 1st COMBINATION, MC40)

Inapplicable:
 R said no, don't know or refused to all birth control methods in EA series (computed variable EVERUSED = 2); R never had sex as of this month and never used a birth control method as of this month but ever used one or more birth control methods in EA series (WNFSTSEX GE 1093 and DATFIRSM GE 1093 and computed variable EVERUSED = 1); R did not use multiple methods in the month; or R used only 2 methods in the month; or R reported using fewer than 4 BC methods for this combination in this month of the method calendar.

1553	6481	2445	10844	Blank	= Blank, inapplicable
0	0	0	0	01	= NONE
0	0	0	0	02	= OFFICE USE ONLY
0	0	0	0	03	= BIRTH CONTROL PILLS
0	1	0	1	04	= CONDOM
0	0	0	0	05	= PARTNER'S VASECTOMY
0	0	0	0	06	= DIAPHRAGM
0	0	0	0	07	= FOAM
0	0	0	0	08	= JELLY OR CREAM
0	0	0	0	09	= CERVICAL CAP
0	0	0	0	10	= SUPPOSITORY, INSERT
0	0	0	0	11	= TODAY (TM) SPONGE
0	0	0	0	12	= FEMALE CONDOM, VAGINAL POUCH
0	0	0	0	13	= IUD, COIL, LOOP
0	0	0	0	14	= NORPLANT (TM)
0	0	0	0	15	= DEPO-PROVERA, INJECTABLES
0	0	0	0	16	= MORNING AFTER PILLS
0	0	0	0	17	= RHYTHM OR SAFE PERIOD BY CALENDAR
0	0	1	1	18	= SAFE PERIOD BY TEMP, CERVICAL MUCUS TEST, NFP

(4444)

1995 NATIONAL SURVEY OF FAMILY GROWTH
 File Documentation
 Respondent File (Section E Questionnaire Items)

VARIABLE NAME	COLUMN LOCATION	NON-HISPANIC			TOTAL	QX	TEXT AND CODE CATEGORIES
		HISP	WHITE	BLACK			
		0	0	0	0	19	= WITHDRAWAL
		0	0	0	0	20	= RESPONDENT STERILE
		0	0	0	0	21	= PARTNER STERILE (NOT ON CARD)
		0	0	0	0	22	= OTHER METHOD-NOT SHOWN SEPARATELY
		0	0	0	0	97	= Not Ascertained
		0	0	0	0	98	= Refused
		0	1	0	1	99	= Don't Know

1995 NATIONAL SURVEY OF FAMILY GROWTH
 File Documentation
 Respondent File (Section E Questionnaire Items)

VARIABLE	COLUMN	NON-HISPANIC				QX TEXT AND CODE CATEGORIES
NAME	LOCATION	HISP	WHITE	BLACK		

[MTHUS472] 8248-8249

During that month, which (of those/other) methods, if any, did you use at the same time? (1st METHOD MENTIONED, 2nd COMBINATION, MC40)

Inapplicable:
 R said no, don't know or refused to all birth control methods in EA series (computed variable EVERUSED = 2); R never had sex as of this month and never used a birth control method as of this month but ever used one or more birth control methods in EA series (WNFSTSEX GE 1093 and DATFIRSM GE 1093 and computed variable EVERUSED = 1); R did not use multiple methods in the month; or R used only 2 methods in the month; or R reported fewer than 2 BC method combinations.

1546	6439	2439	10784	Blank	
5	31	5	45	01	= Blank, inapplicable
0	0	0	0	02	= NONE
0	3	0	3	03	= OFFICE USE ONLY
0	3	0	4	04	= BIRTH CONTROL PILLS
0	0	0	0	05	= CONDOM
0	1	0	1	06	= PARTNER'S VASECTOMY
1	1	0	2	07	= DIAPHRAGM
0	1	0	1	08	= FOAM
0	0	0	0	09	= JELLY OR CREAM
0	0	0	0	10	= CERVICAL CAP
0	0	0	0	11	= SUPPOSITORY, INSERT
0	0	0	0	12	= TODAY (TM) SPONGE
0	0	0	0	13	= FEMALE CONDOM, VAGINAL POUCH
0	0	0	0	14	= IUD, COIL, LOOP
0	0	0	0	15	= NORPLANT (TM)
0	0	0	0	16	= DEPO-PROVERA, INJECTABLES
0	0	0	0	17	= MORNING AFTER PILLS
0	3	0	3	18	= RHYTHM OR SAFE PERIOD BY CALENDAR
0	0	0	0	19	= SAFE PERIOD BY TEMP, CERVICAL MUCUS TEST, NFP
1	0	1	2	20	= WITHDRAWAL
0	0	1	1	20	= RESPONDENT STERILE

(4446)

1995 NATIONAL SURVEY OF FAMILY GROWTH
 File Documentation
 Respondent File (Section E Questionnaire Items)

VARIABLE NAME	COLUMN LOCATION	NON-HISPANIC			QX	TEXT AND CODE CATEGORIES
		HISP	WHITE	BLACK		
		0	0	0	0	21 = PARTNER STERILE (NOT ON CARD)
		0	0	0	0	22 = OTHER METHOD-NOT SHOWN SEPARATELY
		0	1	0	1	97 = Not Ascertained
		0	0	0	0	98 = Refused
		0	0	0	0	99 = Don't Know

1995 NATIONAL SURVEY OF FAMILY GROWTH
 File Documentation
 Respondent File (Section E Questionnaire Items)

VARIABLE COLUMN NON-HISPANIC
 NAME LOCATION HISP WHITE BLACK TOTAL QX TEXT AND CODE CATEGORIES

[MTHUS473] 8250-8251

During that month, which (of those/other) methods, if any, did you use at the same time? (2nd METHOD MENTIONED, 2nd COMBINATION, MC40)

Inapplicable:
 R said no, don't know or refused to all birth control methods in EA series (computed variable EVERUSED = 2); R never had sex as of this month and never used a birth control method as of this month but ever used one or more birth control methods in EA series (WNFSTSEX GE 1093 and DATFIRSM GE 1093 and computed variable EVERUSED = 1); R did not use multiple methods in the month; or R used only 2 methods in the month; or R reported fewer than 2 BC method combinations; or R reported using fewer than 2 BC methods for this combination in this month of the method calendar.

1552	6472	2444	10832	Blank	= Blank, inapplicable
0	0	0	0	01	= NONE
0	0	0	0	02	= OFFICE USE ONLY
0	0	0	0	03	= BIRTH CONTROL PILLS
1	2	0	3	04	= CONDOM
0	1	0	1	05	= PARTNER'S VASECTOMY
0	0	0	0	06	= DIAPHRAGM
0	0	0	0	07	= FOAM
0	0	0	0	08	= JELLY OR CREAM
0	0	0	0	09	= CERVICAL CAP
0	0	1	1	10	= SUPPOSITORY, INSERT
0	1	0	1	11	= TODAY (TM) SPONGE
0	0	0	0	12	= FEMALE CONDOM, VAGINAL POUCH
0	0	0	0	13	= IUD, COIL, LOOP
0	0	0	0	14	= NORPLANT (TM)
0	0	0	0	15	= DEPO-PROVERA, INJECTABLES
0	0	0	0	16	= MORNING AFTER PILLS
0	2	0	3	17	= RHYTHM OR SAFE PERIOD BY CALENDAR
0	1	0	1	18	= SAFE PERIOD BY TEMP, CERVICAL MUCUS TEST,

(4448)

1995 NATIONAL SURVEY OF FAMILY GROWTH
 File Documentation
 Respondent File (Section E Questionnaire Items)

VARIABLE NAME	COLUMN LOCATION	NON-HISPANIC			TOTAL	QX	TEXT AND CODE CATEGORIES
		HISP	WHITE	BLACK			
		0	3	1	4	19	NFP
		0	0	0	0	20	= WITHDRAWAL
		0	0	0	0	21	= RESPONDENT STERILE
							= PARTNER STERILE (NOT ON CARD)
		0	0	0	0	22	= OTHER METHOD-NOT SHOWN SEPARATELY
		0	1	0	1	97	= Not Ascertained
		0	0	0	0	98	= Refused
		0	0	0	0	99	= Don't Know

1995 NATIONAL SURVEY OF FAMILY GROWTH
 File Documentation
 Respondent File (Section E Questionnaire Items)

VARIABLE COLUMN NON-HISPANIC
 NAME LOCATION HISP WHITE BLACK TOTAL QX TEXT AND CODE CATEGORIES

[MTHUS474] 8252-8253

During that month, which (of those/other) methods, if any, did you use at the same time? (3rd METHOD MENTIONED, 2nd COMBINATION, MC40)

Inapplicable:
 R said no, don't know or refused to all birth control methods in EA series (computed variable EVERUSED = 2); R never had sex as of this month and never used a birth control method as of this month but ever used one or more birth control methods in EA series (WNFSTSEX GE 1093 and DATFIRSM GE 1093 and computed variable EVERUSED = 1); R did not use multiple methods in the month; or R used only 2 methods in the month; or R reported fewer than 2 BC method combinations; or R reported using fewer than 3 BC methods for this combination in this month of the method calendar.

1552	6479	2446	10841	Blank	= Blank, inapplicable
0	0	0	0	01	= NONE
0	0	0	0	02	= OFFICE USE ONLY
0	0	0	0	03	= BIRTH CONTROL PILLS
0	0	0	0	04	= CONDOM
0	0	0	0	05	= PARTNER'S VASECTOMY
0	0	0	0	06	= DIAPHRAGM
0	0	0	0	07	= FOAM
0	1	0	1	08	= JELLY OR CREAM
0	0	0	0	09	= CERVICAL CAP
0	0	0	0	10	= SUPPOSITORY, INSERT
0	0	0	0	11	= TODAY (TM) SPONGE
0	0	0	0	12	= FEMALE CONDOM, VAGINAL POUCH
0	0	0	0	13	= IUD, COIL, LOOP
0	0	0	0	14	= NORPLANT (TM)
0	0	0	0	15	= DEPO-PROVERA, INJECTABLES
0	0	0	0	16	= MORNING AFTER PILLS
1	0	0	1	17	= RHYTHM OR SAFE PERIOD BY CALENDAR
0	1	0	2	18	= SAFE PERIOD BY TEMP, CERVICAL MUCUS TEST,

(4450)

1995 NATIONAL SURVEY OF FAMILY GROWTH
 File Documentation
 Respondent File (Section E Questionnaire Items)

VARIABLE NAME	COLUMN LOCATION	NON-HISPANIC			TOTAL	QX	TEXT AND CODE CATEGORIES
		HISP	WHITE	BLACK			
		0	1	0	1	19	NFP
		0	0	0	0	20	= WITHDRAWAL
		0	0	0	0	21	= RESPONDENT STERILE
							= PARTNER STERILE (NOT ON CARD)
		0	0	0	0	22	= OTHER METHOD-NOT SHOWN SEPARATELY
		0	1	0	1	97	= Not Ascertained
		0	0	0	0	98	= Refused
		0	0	0	0	99	= Don't Know

1995 NATIONAL SURVEY OF FAMILY GROWTH
 File Documentation
 Respondent File (Section E Questionnaire Items)

VARIABLE	COLUMN	NON-HISPANIC							
NAME	LOCATION	HISP	WHITE	BLACK					

[MTHUS475] 8254-8255

During that month, which (of those/other) methods, if any, did you use at the same time? (4th METHOD MENTIONED, 2nd COMBINATION, MC40)

Inapplicable:
 R said no, don't know or refused to all birth control methods in EA series (computed variable EVERUSED = 2); R never had sex as of this month and never used a birth control method as of this month but ever used one or more birth control methods in EA series (WNFSTSEX GE 1093 and DATFIRSM GE 1093 and computed variable EVERUSED = 1); R did not use multiple methods in the month; or R used only 2 methods in the month; or R reported fewer than 2 BC method combinations; or R reported using fewer than 4 BC methods for this combination in this month of the method calendar.

1553	6482	2446	10846	Blank	= Blank, inapplicable
0	0	0	0	01	= NONE
0	0	0	0	02	= OFFICE USE ONLY
0	0	0	0	03	= BIRTH CONTROL PILLS
0	0	0	0	04	= CONDOM
0	0	0	0	05	= PARTNER'S VASECTOMY
0	0	0	0	06	= DIAPHRAGM
0	0	0	0	07	= FOAM
0	0	0	0	08	= JELLY OR CREAM
0	0	0	0	09	= CERVICAL CAP
0	0	0	0	10	= SUPPOSITORY, INSERT
0	0	0	0	11	= TODAY (TM) SPONGE
0	0	0	0	12	= FEMALE CONDOM, VAGINAL POUCH
0	0	0	0	13	= IUD, COIL, LOOP
0	0	0	0	14	= NORPLANT (TM)
0	0	0	0	15	= DEPO-PROVERA, INJECTABLES
0	0	0	0	16	= MORNING AFTER PILLS
0	0	0	0	17	= RHYTHM OR SAFE PERIOD BY CALENDAR
0	0	0	0	18	= SAFE PERIOD BY TEMP, CERVICAL MUCUS TEST,

(4452)

1995 NATIONAL SURVEY OF FAMILY GROWTH
 File Documentation
 Respondent File (Section E Questionnaire Items)

VARIABLE NAME	COLUMN LOCATION	NON-HISPANIC			TOTAL	QX	TEXT AND CODE CATEGORIES
		HISP	WHITE	BLACK			
		0	0	0	0	19	NFP = WITHDRAWAL
		0	0	0	0	20	= RESPONDENT STERILE
		0	0	0	0	21	= PARTNER STERILE (NOT ON CARD)
		0	0	0	0	22	= OTHER METHOD-NOT SHOWN SEPARATELY
		0	1	0	1	97	= Not Ascertained
		0	0	0	0	98	= Refused
		0	0	0	0	99	= Don't Know

1995 NATIONAL SURVEY OF FAMILY GROWTH
 File Documentation
 Respondent File (Section E Questionnaire Items)

VARIABLE COLUMN NON-HISPANIC
 NAME LOCATION HISP WHITE BLACK TOTAL QX TEXT AND CODE CATEGORIES

[MTHUS476] 8256-8257

During that month, which (of those/other) methods, if any, did you use at the same time? (1st METHOD MENTIONED, 3rd COMBINATION, MC40)

Inapplicable:
 R said no, don't know or refused to all birth control methods in EA series (computed variable EVERUSED = 2); R never had sex as of this month and never used a birth control method as of this month but ever used one or more birth control methods in EA series (WNFSTSEX GE 1093 and DATFIRSM GE 1093 and computed variable EVERUSED = 1); R did not use multiple methods in the month; or R used only 2 methods in the month; or R reported fewer than 3 BC method combinations.

1553	6481	2446	10845	Blank	
0	1	0	1	01	= Blank, inapplicable
0	0	0	0	02	= NONE
0	0	0	0	03	= OFFICE USE ONLY
0	1	0	1	04	= BIRTH CONTROL PILLS
0	0	0	0	05	= CONDOM
0	0	0	0	06	= PARTNER'S VASECTOMY
0	0	0	0	07	= DIAPHRAGM
0	0	0	0	08	= FOAM
0	0	0	0	09	= JELLY OR CREAM
0	0	0	0	10	= CERVICAL CAP
0	0	0	0	11	= SUPPOSITORY, INSERT
0	0	0	0	12	= TODAY (TM) SPONGE
0	0	0	0	13	= FEMALE CONDOM, VAGINAL POUCH
0	0	0	0	14	= IUD, COIL, LOOP
0	0	0	0	15	= NORPLANT (TM)
0	0	0	0	16	= DEPO-PROVERA, INJECTABLES
0	0	0	0	17	= MORNING AFTER PILLS
0	0	0	0	18	= RHYTHM OR SAFE PERIOD BY CALENDAR
0	0	0	0	19	= SAFE PERIOD BY TEMP, CERVICAL MUCUS TEST, NFP
0	0	0	0	20	= WITHDRAWAL
0	0	0	0	20	= RESPONDENT STERILE

(4454)

1995 NATIONAL SURVEY OF FAMILY GROWTH
 File Documentation
 Respondent File (Section E Questionnaire Items)

VARIABLE NAME	COLUMN LOCATION	NON-HISPANIC			QX	TEXT AND CODE CATEGORIES
		HISP	WHITE	BLACK		
		0	0	0	0	21 = PARTNER STERILE (NOT ON CARD)
		0	0	0	0	22 = OTHER METHOD-NOT SHOWN SEPARATELY
		0	0	0	0	97 = Not Ascertained
		0	0	0	0	98 = Refused
		0	0	0	0	99 = Don't Know

1995 NATIONAL SURVEY OF FAMILY GROWTH
 File Documentation
 Respondent File (Section E Questionnaire Items)

VARIABLE COLUMN NON-HISPANIC
 NAME LOCATION HISP WHITE BLACK TOTAL QX TEXT AND CODE CATEGORIES

[MTHUS477] 8258-8259

During that month, which (of those/other) methods, if any, did you use at the same time? (2nd METHOD MENTIONED, 3rd COMBINATION, MC40)

Inapplicable:
 R said no, don't know or refused to all birth control methods in EA series (computed variable EVERUSED = 2); R never had sex as of this month and never used a birth control method as of this month but ever used one or more birth control methods in EA series (WNFSTSEX GE 1093 and DATFIRSM GE 1093 and computed variable EVERUSED = 1); R did not use multiple methods in the month; or R used only 2 methods in the month; or R reported fewer than 3 BC method combinations; or R reported using fewer than 2 BC methods for this combination in this month of the method calendar.

1553	6482	2446	10846	Blank	= Blank, inapplicable
0	0	0	0	01	= NONE
0	0	0	0	02	= OFFICE USE ONLY
0	0	0	0	03	= BIRTH CONTROL PILLS
0	0	0	0	04	= CONDOM
0	0	0	0	05	= PARTNER'S VASECTOMY
0	0	0	0	06	= DIAPHRAGM
0	1	0	1	07	= FOAM
0	0	0	0	08	= JELLY OR CREAM
0	0	0	0	09	= CERVICAL CAP
0	0	0	0	10	= SUPPOSITORY, INSERT
0	0	0	0	11	= TODAY (TM) SPONGE
0	0	0	0	12	= FEMALE CONDOM, VAGINAL POUCH
0	0	0	0	13	= IUD, COIL, LOOP
0	0	0	0	14	= NORPLANT (TM)
0	0	0	0	15	= DEPO-PROVERA, INJECTABLES
0	0	0	0	16	= MORNING AFTER PILLS
0	0	0	0	17	= RHYTHM OR SAFE PERIOD BY CALENDAR
0	0	0	0	18	= SAFE PERIOD BY TEMP, CERVICAL MUCUS TEST,

(4456)

1995 NATIONAL SURVEY OF FAMILY GROWTH
 File Documentation
 Respondent File (Section E Questionnaire Items)

VARIABLE NAME	COLUMN LOCATION	NON-HISPANIC			TOTAL	QX	TEXT AND CODE CATEGORIES
		HISP	WHITE	BLACK			
		0	0	0	0	19	NFP
		0	0	0	0	20	= WITHDRAWAL
		0	0	0	0	21	= RESPONDENT STERILE
							= PARTNER STERILE (NOT ON CARD)
		0	0	0	0	22	= OTHER METHOD-NOT SHOWN SEPARATELY
		0	0	0	0	97	= Not Ascertained
		0	0	0	0	98	= Refused
		0	0	0	0	99	= Don't Know

1995 NATIONAL SURVEY OF FAMILY GROWTH
 File Documentation
 Respondent File (Section E Questionnaire Items)

VARIABLE	COLUMN	NON-HISPANIC				
NAME	LOCATION	HISP	WHITE	BLACK	TOTAL	QX TEXT AND CODE CATEGORIES

[MTHUS478] 8260-8261

During that month, which (of those/other) methods, if any, did you use at the same time? (3rd METHOD MENTIONED, 3rd COMBINATION, MC40)

Inapplicable:
 R said no, don't know or refused to all birth control methods in EA series (computed variable EVERUSED = 2); R never had sex as of this month and never used a birth control method as of this month but ever used one or more birth control methods in EA series (WNFSTSEX GE 1093 and DATFIRSM GE 1093 and computed variable EVERUSED = 1); R did not use multiple methods in the month; or R used only 2 methods in the month; or R reported fewer than 3 BC method combinations; or R reported using fewer than 3 BC methods for this combination in this month of the method calendar.

1553	6483	2446	10847	Blank	= Blank, inapplicable
0	0	0	0	01	= NONE
0	0	0	0	02	= OFFICE USE ONLY
0	0	0	0	03	= BIRTH CONTROL PILLS
0	0	0	0	04	= CONDOM
0	0	0	0	05	= PARTNER'S VASECTOMY
0	0	0	0	06	= DIAPHRAGM
0	0	0	0	07	= FOAM
0	0	0	0	08	= JELLY OR CREAM
0	0	0	0	09	= CERVICAL CAP
0	0	0	0	10	= SUPPOSITORY, INSERT
0	0	0	0	11	= TODAY (TM) SPONGE
0	0	0	0	12	= FEMALE CONDOM, VAGINAL POUCH
0	0	0	0	13	= IUD, COIL, LOOP
0	0	0	0	14	= NORPLANT (TM)
0	0	0	0	15	= DEPO-PROVERA, INJECTABLES
0	0	0	0	16	= MORNING AFTER PILLS
0	0	0	0	17	= RHYTHM OR SAFE PERIOD BY CALENDAR
0	0	0	0	18	= SAFE PERIOD BY TEMP, CERVICAL MUCUS TEST,

1995 NATIONAL SURVEY OF FAMILY GROWTH
 File Documentation
 Respondent File (Section E Questionnaire Items)

VARIABLE NAME	COLUMN LOCATION	NON-HISPANIC			TOTAL	QX	TEXT AND CODE CATEGORIES
		HISP	WHITE	BLACK			
		0	0	0	0	19	NFP
		0	0	0	0	20	= WITHDRAWAL
		0	0	0	0	21	= RESPONDENT STERILE
							= PARTNER STERILE (NOT ON CARD)
		0	0	0	0	22	= OTHER METHOD-NOT SHOWN SEPARATELY
		0	0	0	0	97	= Not Ascertained
		0	0	0	0	98	= Refused
		0	0	0	0	99	= Don't Know

1995 NATIONAL SURVEY OF FAMILY GROWTH
 File Documentation
 Respondent File (Section E Questionnaire Items)

VARIABLE	COLUMN	NON-HISPANIC				QX TEXT AND CODE CATEGORIES
NAME	LOCATION	HISP	WHITE	BLACK		

[MTHUS479] 8262-8263

During that month, which (of those/other) methods, if any, did you use at the same time? (4th METHOD MENTIONED, 3rd COMBINATION, MC40)

Inapplicable:
 R said no, don't know or refused to all birth control methods in EA series (computed variable EVERUSED = 2); R never had sex as of this month and never used a birth control method as of this month but ever used one or more birth control methods in EA series (WNFSTSEX GE 1093 and DATFIRSM GE 1093 and computed variable EVERUSED = 1); R did not use multiple methods in the month; or R used only 2 methods in the month; or R reported fewer than 3 BC method combinations; or R reported using fewer than 4 BC methods for this combination in this month of the method calendar.

1553	6483	2446	10847	Blank	= Blank, inapplicable
0	0	0	0	01	= NONE
0	0	0	0	02	= OFFICE USE ONLY
0	0	0	0	03	= BIRTH CONTROL PILLS
0	0	0	0	04	= CONDOM
0	0	0	0	05	= PARTNER'S VASECTOMY
0	0	0	0	06	= DIAPHRAGM
0	0	0	0	07	= FOAM
0	0	0	0	08	= JELLY OR CREAM
0	0	0	0	09	= CERVICAL CAP
0	0	0	0	10	= SUPPOSITORY, INSERT
0	0	0	0	11	= TODAY (TM) SPONGE
0	0	0	0	12	= FEMALE CONDOM, VAGINAL POUCH
0	0	0	0	13	= IUD, COIL, LOOP
0	0	0	0	14	= NORPLANT (TM)
0	0	0	0	15	= DEPO-PROVERA, INJECTABLES
0	0	0	0	16	= MORNING AFTER PILLS
0	0	0	0	17	= RHYTHM OR SAFE PERIOD BY CALENDAR
0	0	0	0	18	= SAFE PERIOD BY TEMP, CERVICAL MUCUS TEST,

1995 NATIONAL SURVEY OF FAMILY GROWTH
 File Documentation
 Respondent File (Section E Questionnaire Items)

VARIABLE NAME	COLUMN LOCATION	NON-HISPANIC			TOTAL	QX	TEXT AND CODE CATEGORIES
		HISP	WHITE	BLACK			
		0	0	0	0	19	NFP
		0	0	0	0	20	= WITHDRAWAL
		0	0	0	0	21	= RESPONDENT STERILE
							= PARTNER STERILE (NOT ON CARD)
		0	0	0	0	22	= OTHER METHOD-NOT SHOWN SEPARATELY
		0	0	0	0	97	= Not Ascertained
		0	0	0	0	98	= Refused
		0	0	0	0	99	= Don't Know

1995 NATIONAL SURVEY OF FAMILY GROWTH
 File Documentation
 Respondent File (Section E Questionnaire Items)

VARIABLE NAME	COLUMN LOCATION	NON-HISPANIC			QX	TEXT AND CODE CATEGORIES
		HISP	WHITE	BLACK		
[METHH160]	8264-8265					ENTER METHOD (FIRST MENTIONED) USED IN MAY 1994: (MC41)
						Inapplicable: R never had sex as of this month and never used a birth control method as of this month but ever used one or more birth control methods in EA series (WNFSTSEX GE 1093 and DATFIRSM GE 1093 and computed variable EVERUSED = 1); R never had sex and said no, don't know or refused to all birth control methods in EA series (computed variable RHADSEX coded 2,7,8 or 9 and computed variable EVERUSED = 2); R said no, don't know or refused to all birth control methods in EA series (computed variable EVERUSED = 2).
		267	765	257	1388	Blank = Blank, inapplicable
		327	1259	536	2192	01 = NO METHODS USED
		0	0	0	0	02 = SAME AS PREVIOUS MONTH
		236	1258	406	1936	03 = BIRTH CONTROL PILLS
		207	887	396	1550	04 = CONDOM
		24	348	11	393	05 = PARTNER'S VASECTOMY
		4	91	10	106	06 = DIAPHRAGM
		4	20	2	26	07 = FOAM
		1	11	2	14	08 = JELLY OR CREAM
		0	2	0	2	09 = CERVICAL CAP
		4	24	11	41	10 = SUPPOSITORY, INSERT
		3	26	7	36	11 = TODAY (TM) SPONGE
		0	1	0	1	12 = FEMALE CONDOM, VAGINAL POUCH
		18	32	17	70	13 = IUD, COIL, LOOP
		24	50	41	118	14 = NORPLANT (TM)
		33	63	50	149	15 = DEPO-PROVERA, INJECTABLES
		0	0	0	0	16 = MORNING AFTER PILLS
		32	96	15	155	17 = RHYTHM OR SAFE PERIOD BY CALENDAR
		2	16	0	18	18 = SAFE PERIOD BY TEMP, CERVICAL MUCUS TEST, NFP
		37	149	29	225	19 = WITHDRAWAL
		310	1190	633	2184	20 = RESPONDENT STERILE

(4462)

1995 NATIONAL SURVEY OF FAMILY GROWTH
 File Documentation
 Respondent File (Section E Questionnaire Items)

VARIABLE NAME	COLUMN LOCATION	NON-HISPANIC			QX	TEXT AND CODE CATEGORIES	
		HISP	WHITE	BLACK			TOTAL
		19	182	13	218	21	= PARTNER STERILE (NOT ON CARD)
		1	4	7	12	22	= OTHER METHOD-NOT SHOWN SEPARATELY
		0	0	0	0	55	= SAME METHODS USED THROUGH END OF YEAR
		0	1	1	2	97	= Not Ascertained
		0	5	2	7	98	= Refused
		0	3	0	4	99	= Don't Know

1995 NATIONAL SURVEY OF FAMILY GROWTH
 File Documentation
 Respondent File (Section E Questionnaire Items)

VARIABLE NAME	COLUMN LOCATION	NON-HISPANIC			QX TEXT AND CODE CATEGORIES	
		HISP	WHITE	BLACK	TOTAL	
[METHH161]	8266-8267					ENTER METHOD (SECOND MENTIONED) USED IN MAY 1994: (MC41)

Inapplicable:
 R never had sex as of this month and never used a birth control method as of this month but ever used one or more birth control methods in EA series (WNFSTSEX GE 1093 and DATFIRSM GE 1093 and computed variable EVERUSED = 1); R never had sex and said no, don't know or refused to all birth control methods in EA series (computed variable RHADSEX coded 2,7,8 or 9 and computed variable EVERUSED = 2); R said no, don't know or refused to all birth control methods in EA series (computed variable EVERUSED = 2); R used fewer than 2 methods in month.

1476	6039	2269	10121	Blank	= Blank, inapplicable
0	0	0	0	01	= NO METHODS USED
0	0	0	0	02	= SAME AS PREVIOUS MONTH
0	9	4	13	03	= BIRTH CONTROL PILLS
19	129	89	245	04	= CONDOM
0	12	1	13	05	= PARTNER'S VASECTOMY
2	14	3	19	06	= DIAPHRAGM
8	21	10	40	07	= FOAM
2	16	7	25	08	= JELLY OR CREAM
0	0	0	0	09	= CERVICAL CAP
2	10	5	17	10	= SUPPOSITORY, INSERT
0	10	5	16	11	= TODAY (TM) SPONGE
0	0	0	0	12	= FEMALE CONDOM, VAGINAL POUCH
0	0	0	0	13	= IUD, COIL, LOOP
2	1	4	7	14	= NORPLANT (TM)
0	1	1	2	15	= DEPO-PROVERA, INJECTABLES
0	0	0	0	16	= MORNING AFTER PILLS
15	71	6	97	17	= RHYTHM OR SAFE PERIOD BY CALENDAR
0	9	1	10	18	= SAFE PERIOD BY TEMP, CERVICAL MUCUS TEST, NFP
26	111	21	169	19	= WITHDRAWAL

(4464)

1995 NATIONAL SURVEY OF FAMILY GROWTH
 File Documentation
 Respondent File (Section E Questionnaire Items)

VARIABLE NAME	COLUMN LOCATION	NON-HISPANIC			TOTAL	QX	TEXT AND CODE CATEGORIES
		HISP	WHITE	BLACK			
		1	12	14	27	20	= RESPONDENT STERILE
		0	9	1	11	21	= PARTNER STERILE (NOT ON CARD)
		0	0	1	1	22	= OTHER METHOD-NOT SHOWN SEPARATELY
		0	0	0	0	55	= SAME METHODS USED THROUGH END OF YEAR
		0	1	2	3	97	= Not Ascertained
		0	5	2	7	98	= Refused
		0	3	0	4	99	= Don't Know

1995 NATIONAL SURVEY OF FAMILY GROWTH
 File Documentation
 Respondent File (Section E Questionnaire Items)

VARIABLE COLUMN NON-HISPANIC
 NAME LOCATION HISP WHITE BLACK TOTAL QX TEXT AND CODE CATEGORIES

[METHH162] 8268-8269

ENTER METHOD (THIRD MENTIONED) USED
 IN MAY 1994: (MC41)

Inapplicable:

R never had sex as of this month and never used a birth control method as of this month but ever used one or more birth control methods in EA series (WNFSTSEX GE 1093 and DATFIRSM GE 1093 and computed variable EVERUSED = 1); R never had sex and said no, don't know or refused to all birth control methods in EA series (computed variable RHADSEX coded 2,7,8 or 9 and computed variable EVERUSED = 2); R said no, don't know or refused to all birth control methods in EA series (computed variable EVERUSED = 2); R used fewer than 3 methods in month.

	1543	6402	2408	10713	Blank	
	0	0	0	0	0	01 = Blank, inapplicable
	0	0	0	0	0	02 = NO METHODS USED
	0	1	0	1	0	03 = SAME AS PREVIOUS MONTH
	0	1	0	1	0	04 = BIRTH CONTROL PILLS
	0	0	0	0	0	05 = CONDOM
	0	0	0	0	0	06 = PARTNER'S VASECTOMY
	1	2	0	3	0	07 = DIAPHRAGM
	0	3	0	3	0	08 = FOAM
	0	0	0	0	0	09 = JELLY OR CREAM
	0	2	0	2	0	10 = CERVICAL CAP
	1	4	0	5	0	11 = SUPPOSITORY, INSERT
	1	0	0	1	0	12 = TODAY (TM) SPONGE
	0	0	0	0	0	13 = FEMALE CONDOM, VAGINAL POUCH
	0	0	0	0	0	14 = IUD, COIL, LOOP
	0	0	0	0	0	15 = NORPLANT (TM)
	0	0	0	0	0	16 = DEPO-PROVERA, INJECTABLES
	2	13	3	18	0	17 = MORNING AFTER PILLS
	0	3	0	4	0	18 = RHYTHM OR SAFE PERIOD BY CALENDAR
	4	31	5	42	0	19 = SAFE PERIOD BY TEMP, CERVICAL MUCUS TEST, NFP
						20 = WITHDRAWAL

(4466)

1995 NATIONAL SURVEY OF FAMILY GROWTH
 File Documentation
 Respondent File (Section E Questionnaire Items)

VARIABLE NAME	COLUMN LOCATION	NON-HISPANIC			TOTAL	QX	TEXT AND CODE CATEGORIES
		HISP	WHITE	BLACK			
		1	10	26	37	20	= RESPONDENT STERILE
		0	2	0	2	21	= PARTNER STERILE (NOT ON CARD)
		0	0	0	1	22	= OTHER METHOD-NOT SHOWN SEPARATELY
		0	0	0	0	55	= SAME METHODS USED THROUGH END OF YEAR
		0	1	2	3	97	= Not Ascertained
		0	5	2	7	98	= Refused
		0	3	0	4	99	= Don't Know

1995 NATIONAL SURVEY OF FAMILY GROWTH
 File Documentation
 Respondent File (Section E Questionnaire Items)

VARIABLE	COLUMN	NON-HISPANIC			QX TEXT AND CODE CATEGORIES	
NAME	LOCATION	HISP	WHITE	BLACK	TOTAL	
[METHH163]	8270-8271					ENTER METHOD (FOURTH MENTIONED) USED IN MAY 1994: (MC41)

Inapplicable:
 R never had sex as of this month and never used a birth control method as of this month but ever used one or more birth control methods in EA series (WNFSTSEX GE 1093 and DATFIRSM GE 1093 and computed variable EVERUSED = 1); R never had sex and said no, don't know or refused to all birth control methods in EA series (computed variable RHADSEX coded 2,7,8 or 9 and computed variable EVERUSED = 2); R said no, don't know or refused to all birth control methods in EA series (computed variable EVERUSED = 2); R used fewer than 4 methods in month.

1553	6463	2441	10821	Blank	
0	0	0	0	0	01 = Blank, inapplicable
0	0	0	0	0	02 = NO METHODS USED
0	0	0	0	0	03 = SAME AS PREVIOUS MONTH
0	1	0	1	0	04 = BIRTH CONTROL PILLS
0	0	0	0	0	05 = CONDOM
0	0	0	0	0	06 = PARTNER'S VASECTOMY
0	0	0	0	0	07 = DIAPHRAGM
0	1	0	1	0	08 = FOAM
0	0	0	0	0	09 = JELLY OR CREAM
0	0	0	0	0	10 = CERVICAL CAP
0	1	0	1	0	11 = SUPPOSITORY, INSERT
0	0	0	0	0	12 = TODAY (TM) SPONGE
0	0	0	0	0	13 = FEMALE CONDOM, VAGINAL POUCH
0	0	0	0	0	14 = IUD, COIL, LOOP
0	0	0	0	0	15 = NORPLANT (TM)
0	0	0	0	0	16 = DEPO-PROVERA, INJECTABLES
0	0	0	0	0	17 = MORNING AFTER PILLS
0	2	0	2	0	18 = RHYTHM OR SAFE PERIOD BY CALENDAR
0	1	1	2	0	19 = SAFE PERIOD BY TEMP, CERVICAL MUCUS TEST, NFP
0	5	0	5	0	20 = WITHDRAWAL

(4468)

1995 NATIONAL SURVEY OF FAMILY GROWTH
 File Documentation
 Respondent File (Section E Questionnaire Items)

VARIABLE NAME	COLUMN LOCATION	NON-HISPANIC			TOTAL	QX	TEXT AND CODE	CATEGORIES
		HISP	WHITE	BLACK				
		0	0	0	0	20	=	RESPONDENT STERILE
		0	0	0	0	21	=	PARTNER STERILE (NOT ON CARD)
		0	0	0	0	22	=	OTHER METHOD-NOT SHOWN SEPARATELY
		0	0	0	0	55	=	SAME METHODS USED THROUGH END OF YEAR
		0	1	2	3	97	=	Not Ascertained
		0	5	2	7	98	=	Refused
		0	3	0	4	99	=	Don't Know

[SIMSEQ40] 8272-8272

Did you use those methods together,
 that is, at the same time, or did
 you use them at different times
 during the month? (MC41)

Inapplicable:

R never had sex as of this month and
 never used a birth control method as
 of this month but ever used one or
 more birth control methods in EA
 series (WNFSTSEX GE 1093 and
 DATFIRSM GE 1093 and computed
 variable EVERUSED = 1); R never had
 sex and said no, don't know or
 refused to all birth control methods
 in EA series (computed variable
 RHADSEX coded 2,7,8 or 9 and
 computed variable EVERUSED = 2); R
 said no, don't know or refused to
 all birth control methods in EA
 series (computed variable EVERUSED =
 2); R did not use multiple methods
 in the month; R used more than 2
 methods in the month.

1485	6110	2282	10219	Blank	=	Blank, inapplicable
40	244	130	427	1	=	SAME TIME
28	129	33	200	2	=	DIFFERENT TIMES
0	0	1	1	7	=	Not Ascertained
0	0	0	0	8	=	Refused
0	0	0	0	9	=	Don't Know

1995 NATIONAL SURVEY OF FAMILY GROWTH
 File Documentation
 Respondent File (Section E Questionnaire Items)

VARIABLE COLUMN NON-HISPANIC
 NAME LOCATION HISP WHITE BLACK TOTAL QX TEXT AND CODE CATEGORIES

[MTHUS480] 8273-8274

During that month, which (of those/other) methods, if any, did you use at the same time? (1st METHOD MENTIONED, 1st COMBINATION, MC41)

Inapplicable:

R said no, don't know or refused to all birth control methods in EA series (computed variable EVERUSED = 2); R never had sex as of this month and never used a birth control method as of this month but ever used one or more birth control methods in EA series (WNFSTSEX GE 1093 and DATFIRSM GE 1093 and computed variable EVERUSED = 1); R did not use multiple methods in the month; or R used only 2 methods in the month.

1544	6421	2437	10763	Blank	= Blank, inapplicable
3	18	1	22	01	= NONE
0	0	0	0	02	= OFFICE USE ONLY
0	7	1	10	03	= BIRTH CONTROL PILLS
6	21	5	34	04	= CONDOM
0	0	0	0	05	= PARTNER'S VASECTOMY
0	5	0	5	06	= DIAPHRAGM
0	0	0	0	07	= FOAM
0	0	0	0	08	= JELLY OR CREAM
0	0	0	0	09	= CERVICAL CAP
0	1	0	1	10	= SUPPOSITORY, INSERT
0	1	0	1	11	= TODAY (TM) SPONGE
0	0	0	0	12	= FEMALE CONDOM, VAGINAL POUCH
0	0	0	0	13	= IUD, COIL, LOOP
0	0	0	0	14	= NORPLANT (TM)
0	1	0	1	15	= DEPO-PROVERA, INJECTABLES
0	0	0	0	16	= MORNING AFTER PILLS
0	6	0	6	17	= RHYTHM OR SAFE PERIOD BY CALENDAR
0	0	0	0	18	= SAFE PERIOD BY TEMP, CERVICAL MUCUS TEST, NFP
0	1	1	2	19	= WITHDRAWAL
0	0	1	1	20	= RESPONDENT STERILE
0	0	0	0	21	= PARTNER STERILE (NOT

(4470)

1995 NATIONAL SURVEY OF FAMILY GROWTH
 File Documentation
 Respondent File (Section E Questionnaire Items)

VARIABLE NAME	COLUMN LOCATION	NON-HISPANIC			TOTAL	QX	TEXT AND CODE CATEGORIES
		HISP	WHITE	BLACK			
		0	0	0	0	22	ON CARD) = OTHER METHOD-NOT SHOWN SEPARATELY
		0	0	0	0	97	= Not Ascertained
		0	0	0	0	98	= Refused
		0	1	0	1	99	= Don't Know

1995 NATIONAL SURVEY OF FAMILY GROWTH
 File Documentation
 Respondent File (Section E Questionnaire Items)

VARIABLE	COLUMN	NON-HISPANIC				
NAME	LOCATION	HISP	WHITE	BLACK	TOTAL	QX TEXT AND CODE CATEGORIES

[MTHUS481] 8275-8276

During that month, which (of those/other) methods, if any, did you use at the same time? (2nd METHOD MENTIONED, 1st COMBINATION, MC41)

Inapplicable:
 R said no, don't know or refused to all birth control methods in EA series (computed variable EVERUSED = 2); R never had sex as of this month and never used a birth control method as of this month but ever used one or more birth control methods in EA series (WNFSTSEX GE 1093 and DATFIRSM GE 1093 and computed variable EVERUSED = 1); R did not use multiple methods in the month; or R used only 2 methods in the month; or R reported using fewer than 2 BC methods for this combination in this month of the method calendar.

1547	6439	2438	10785	Blank	= Blank, inapplicable
0	0	0	0	01	= NONE
0	0	0	0	02	= OFFICE USE ONLY
0	0	0	0	03	= BIRTH CONTROL PILLS
0	9	2	12	04	= CONDOM
0	1	0	1	05	= PARTNER'S VASECTOMY
0	0	0	0	06	= DIAPHRAGM
1	2	1	4	07	= FOAM
1	1	2	4	08	= JELLY OR CREAM
0	0	0	0	09	= CERVICAL CAP
0	0	1	1	10	= SUPPOSITORY, INSERT
0	0	0	0	11	= TODAY (TM) SPONGE
0	0	0	0	12	= FEMALE CONDOM, VAGINAL POUCH
0	0	0	0	13	= IUD, COIL, LOOP
0	0	0	0	14	= NORPLANT (TM)
0	0	0	0	15	= DEPO-PROVERA, INJECTABLES
0	0	0	0	16	= MORNING AFTER PILLS
3	18	1	23	17	= RHYTHM OR SAFE PERIOD BY CALENDAR
0	1	0	1	18	= SAFE PERIOD BY TEMP, CERVICAL MUCUS TEST, NFP

1995 NATIONAL SURVEY OF FAMILY GROWTH
 File Documentation
 Respondent File (Section E Questionnaire Items)

VARIABLE NAME	COLUMN LOCATION	NON-HISPANIC			TOTAL	QX	TEXT AND CODE CATEGORIES
		HISP	WHITE	BLACK			
		1	9	1	13	19	= WITHDRAWAL
		0	0	0	0	20	= RESPONDENT STERILE
		0	2	0	2	21	= PARTNER STERILE (NOT ON CARD)
		0	0	0	0	22	= OTHER METHOD-NOT SHOWN SEPARATELY
		0	0	0	0	97	= Not Ascertained
		0	0	0	0	98	= Refused
		0	1	0	1	99	= Don't Know

1995 NATIONAL SURVEY OF FAMILY GROWTH
 File Documentation
 Respondent File (Section E Questionnaire Items)

VARIABLE COLUMN NON-HISPANIC
 NAME LOCATION HISP WHITE BLACK TOTAL QX TEXT AND CODE CATEGORIES

[MTHUS482] 8277-8278

During that month, which (of those/other) methods, if any, did you use at the same time? (3rd METHOD MENTIONED, 1st COMBINATION, MC41)

Inapplicable:
 R said no, don't know or refused to all birth control methods in EA series (computed variable EVERUSED = 2); R never had sex as of this month and never used a birth control method as of this month but ever used one or more birth control methods in EA series (WNFSTSEX GE 1093 and DATFIRSM GE 1093 and computed variable EVERUSED = 1); R did not use multiple methods in the month; or R used only 2 methods in the month; or R reported using fewer than 3 BC methods for this combination in this month of the method calendar.

1548	6458	2443	10812	Blank	= Blank, inapplicable
0	0	0	0	01	= NONE
0	0	0	0	02	= OFFICE USE ONLY
0	0	0	0	03	= BIRTH CONTROL PILLS
0	0	0	0	04	= CONDOM
0	0	0	0	05	= PARTNER'S VASECTOMY
0	0	0	0	06	= DIAPHRAGM
1	1	0	2	07	= FOAM
0	3	0	3	08	= JELLY OR CREAM
0	0	0	0	09	= CERVICAL CAP
0	0	0	0	10	= SUPPOSITORY, INSERT
1	2	0	3	11	= TODAY (TM) SPONGE
0	0	0	0	12	= FEMALE CONDOM, VAGINAL POUCH
0	0	0	0	13	= IUD, COIL, LOOP
0	0	0	0	14	= NORPLANT (TM)
0	0	0	0	15	= DEPO-PROVERA, INJECTABLES
0	0	0	0	16	= MORNING AFTER PILLS
2	3	1	6	17	= RHYTHM OR SAFE PERIOD BY CALENDAR
0	2	0	3	18	= SAFE PERIOD BY TEMP, CERVICAL MUCUS TEST, NFP

1995 NATIONAL SURVEY OF FAMILY GROWTH
 File Documentation
 Respondent File (Section E Questionnaire Items)

VARIABLE NAME	COLUMN LOCATION	NON-HISPANIC			TOTAL	QX	TEXT AND CODE CATEGORIES
		HISP	WHITE	BLACK			
		1	13	2	17	19	= WITHDRAWAL
		0	0	0	0	20	= RESPONDENT STERILE
		0	0	0	0	21	= PARTNER STERILE (NOT ON CARD)
		0	0	0	0	22	= OTHER METHOD-NOT SHOWN SEPARATELY
		0	0	0	0	97	= Not Ascertained
		0	0	0	0	98	= Refused
		0	1	0	1	99	= Don't Know

1995 NATIONAL SURVEY OF FAMILY GROWTH
 File Documentation
 Respondent File (Section E Questionnaire Items)

VARIABLE	COLUMN	NON-HISPANIC				QX TEXT AND CODE CATEGORIES
NAME	LOCATION	HISP	WHITE	BLACK		

[MTHUS483] 8279-8280

During that month, which (of those/other) methods, if any, did you use at the same time? (4th METHOD MENTIONED, 1st COMBINATION, MC41)

Inapplicable:
 R said no, don't know or refused to all birth control methods in EA series (computed variable EVERUSED = 2); R never had sex as of this month and never used a birth control method as of this month but ever used one or more birth control methods in EA series (WNFSTSEX GE 1093 and DATFIRSM GE 1093 and computed variable EVERUSED = 1); R did not use multiple methods in the month; or R used only 2 methods in the month; or R reported using fewer than 4 BC methods for this combination in this month of the method calendar.

1553	6481	2445	10844	Blank	= Blank, inapplicable
0	0	0	0	01	= NONE
0	0	0	0	02	= OFFICE USE ONLY
0	0	0	0	03	= BIRTH CONTROL PILLS
0	1	0	1	04	= CONDOM
0	0	0	0	05	= PARTNER'S VASECTOMY
0	0	0	0	06	= DIAPHRAGM
0	0	0	0	07	= FOAM
0	0	0	0	08	= JELLY OR CREAM
0	0	0	0	09	= CERVICAL CAP
0	0	0	0	10	= SUPPOSITORY, INSERT
0	0	0	0	11	= TODAY (TM) SPONGE
0	0	0	0	12	= FEMALE CONDOM, VAGINAL POUCH
0	0	0	0	13	= IUD, COIL, LOOP
0	0	0	0	14	= NORPLANT (TM)
0	0	0	0	15	= DEPO-PROVERA, INJECTABLES
0	0	0	0	16	= MORNING AFTER PILLS
0	0	0	0	17	= RHYTHM OR SAFE PERIOD BY CALENDAR
0	0	1	1	18	= SAFE PERIOD BY TEMP, CERVICAL MUCUS TEST, NFP

1995 NATIONAL SURVEY OF FAMILY GROWTH
 File Documentation
 Respondent File (Section E Questionnaire Items)

VARIABLE NAME	COLUMN LOCATION	NON-HISPANIC			TOTAL	QX	TEXT AND CODE CATEGORIES
		HISP	WHITE	BLACK			
		0	0	0	0	19	= WITHDRAWAL
		0	0	0	0	20	= RESPONDENT STERILE
		0	0	0	0	21	= PARTNER STERILE (NOT ON CARD)
		0	0	0	0	22	= OTHER METHOD-NOT SHOWN SEPARATELY
		0	0	0	0	97	= Not Ascertained
		0	0	0	0	98	= Refused
		0	1	0	1	99	= Don't Know

1995 NATIONAL SURVEY OF FAMILY GROWTH
 File Documentation
 Respondent File (Section E Questionnaire Items)

VARIABLE COLUMN NON-HISPANIC
 NAME LOCATION HISP WHITE BLACK TOTAL QX TEXT AND CODE CATEGORIES

[MTHUS484] 8281-8282

During that month, which (of those/other) methods, if any, did you use at the same time? (1st METHOD MENTIONED, 2nd COMBINATION, MC41)

Inapplicable:
 R said no, don't know or refused to all birth control methods in EA series (computed variable EVERUSED = 2); R never had sex as of this month and never used a birth control method as of this month but ever used one or more birth control methods in EA series (WNFSTSEX GE 1093 and DATFIRSM GE 1093 and computed variable EVERUSED = 1); R did not use multiple methods in the month; or R used only 2 methods in the month; or R reported fewer than 2 BC method combinations.

1547	6439	2438	10785	Blank	
4	30	6	43	01	= Blank, inapplicable
0	0	0	0	02	= NONE
0	3	0	3	03	= OFFICE USE ONLY
0	3	0	4	04	= BIRTH CONTROL PILLS
0	0	0	0	05	= CONDOM
0	1	0	1	06	= PARTNER'S VASECTOMY
1	2	0	3	07	= DIAPHRAGM
0	1	0	1	08	= FOAM
0	0	0	0	09	= JELLY OR CREAM
0	0	0	0	10	= CERVICAL CAP
0	0	0	0	11	= SUPPOSITORY, INSERT
0	0	0	0	12	= TODAY (TM) SPONGE
0	0	0	0	13	= FEMALE CONDOM, VAGINAL POUCH
0	0	0	0	14	= IUD, COIL, LOOP
0	0	0	0	15	= NORPLANT (TM)
0	0	0	0	16	= DEPO-PROVERA, INJECTABLES
0	0	0	0	17	= MORNING AFTER PILLS
0	3	0	3	18	= RHYTHM OR SAFE PERIOD BY CALENDAR
0	0	0	0	19	= SAFE PERIOD BY TEMP, CERVICAL MUCUS TEST, NFP
1	0	1	2	20	= WITHDRAWAL
0	0	1	1	20	= RESPONDENT STERILE

(4478)

1995 NATIONAL SURVEY OF FAMILY GROWTH
 File Documentation
 Respondent File (Section E Questionnaire Items)

VARIABLE NAME	COLUMN LOCATION	NON-HISPANIC			QX	TEXT AND CODE CATEGORIES
		HISP	WHITE	BLACK		
		0	0	0	0	21 = PARTNER STERILE (NOT ON CARD)
		0	0	0	0	22 = OTHER METHOD-NOT SHOWN SEPARATELY
		0	1	0	1	97 = Not Ascertained
		0	0	0	0	98 = Refused
		0	0	0	0	99 = Don't Know

1995 NATIONAL SURVEY OF FAMILY GROWTH
 File Documentation
 Respondent File (Section E Questionnaire Items)

VARIABLE	COLUMN	NON-HISPANIC				QX TEXT AND CODE CATEGORIES
NAME	LOCATION	HISP	WHITE	BLACK		

[MTHUS485] 8283-8284

During that month, which (of those/other) methods, if any, did you use at the same time? (2nd METHOD MENTIONED, 2nd COMBINATION, MC41)

Inapplicable:
 R said no, don't know or refused to all birth control methods in EA series (computed variable EVERUSED = 2); R never had sex as of this month and never used a birth control method as of this month but ever used one or more birth control methods in EA series (WNFSTSEX GE 1093 and DATFIRSM GE 1093 and computed variable EVERUSED = 1); R did not use multiple methods in the month; or R used only 2 methods in the month; or R reported fewer than 2 BC method combinations; or R reported using fewer than 2 BC methods for this combination in this month of the method calendar.

1552	6471	2444	10831	Blank	= Blank, inapplicable
0	0	0	0	01	= NONE
0	0	0	0	02	= OFFICE USE ONLY
0	0	0	0	03	= BIRTH CONTROL PILLS
1	2	0	3	04	= CONDOM
0	1	0	1	05	= PARTNER'S VASECTOMY
0	0	0	0	06	= DIAPHRAGM
0	0	0	0	07	= FOAM
0	0	0	0	08	= JELLY OR CREAM
0	0	0	0	09	= CERVICAL CAP
0	0	1	1	10	= SUPPOSITORY, INSERT
0	1	0	1	11	= TODAY (TM) SPONGE
0	0	0	0	12	= FEMALE CONDOM, VAGINAL POUCH
0	0	0	0	13	= IUD, COIL, LOOP
0	0	0	0	14	= NORPLANT (TM)
0	0	0	0	15	= DEPO-PROVERA, INJECTABLES
0	0	0	0	16	= MORNING AFTER PILLS
0	2	0	3	17	= RHYTHM OR SAFE PERIOD BY CALENDAR
0	1	0	1	18	= SAFE PERIOD BY TEMP, CERVICAL MUCUS TEST,

1995 NATIONAL SURVEY OF FAMILY GROWTH
 File Documentation
 Respondent File (Section E Questionnaire Items)

VARIABLE NAME	COLUMN LOCATION	NON-HISPANIC			TOTAL	QX	TEXT AND CODE CATEGORIES
		HISP	WHITE	BLACK			
		0	3	1	4	19	NFP
		0	0	0	0	20	= WITHDRAWAL
		0	1	0	1	21	= RESPONDENT STERILE
							= PARTNER STERILE (NOT ON CARD)
		0	0	0	0	22	= OTHER METHOD-NOT SHOWN SEPARATELY
		0	1	0	1	97	= Not Ascertained
		0	0	0	0	98	= Refused
		0	0	0	0	99	= Don't Know

1995 NATIONAL SURVEY OF FAMILY GROWTH
 File Documentation
 Respondent File (Section E Questionnaire Items)

VARIABLE COLUMN NON-HISPANIC
 NAME LOCATION HISP WHITE BLACK TOTAL QX TEXT AND CODE CATEGORIES

[MTHUS486] 8285-8286

During that month, which (of those/other) methods, if any, did you use at the same time? (3rd METHOD MENTIONED, 2nd COMBINATION, MC41)

Inapplicable:
 R said no, don't know or refused to all birth control methods in EA series (computed variable EVERUSED = 2); R never had sex as of this month and never used a birth control method as of this month but ever used one or more birth control methods in EA series (WNFSTSEX GE 1093 and DATFIRSM GE 1093 and computed variable EVERUSED = 1); R did not use multiple methods in the month; or R used only 2 methods in the month; or R reported fewer than 2 BC method combinations; or R reported using fewer than 3 BC methods for this combination in this month of the method calendar.

1552	6479	2446	10841	Blank	= Blank, inapplicable
0	0	0	0	01	= NONE
0	0	0	0	02	= OFFICE USE ONLY
0	0	0	0	03	= BIRTH CONTROL PILLS
0	0	0	0	04	= CONDOM
0	0	0	0	05	= PARTNER'S VASECTOMY
0	0	0	0	06	= DIAPHRAGM
0	0	0	0	07	= FOAM
0	1	0	1	08	= JELLY OR CREAM
0	0	0	0	09	= CERVICAL CAP
0	0	0	0	10	= SUPPOSITORY, INSERT
0	0	0	0	11	= TODAY (TM) SPONGE
0	0	0	0	12	= FEMALE CONDOM, VAGINAL POUCH
0	0	0	0	13	= IUD, COIL, LOOP
0	0	0	0	14	= NORPLANT (TM)
0	0	0	0	15	= DEPO-PROVERA, INJECTABLES
0	0	0	0	16	= MORNING AFTER PILLS
1	0	0	1	17	= RHYTHM OR SAFE PERIOD BY CALENDAR
0	1	0	2	18	= SAFE PERIOD BY TEMP, CERVICAL MUCUS TEST,

(4482)

1995 NATIONAL SURVEY OF FAMILY GROWTH
 File Documentation
 Respondent File (Section E Questionnaire Items)

VARIABLE NAME	COLUMN LOCATION	NON-HISPANIC			TOTAL	QX	TEXT AND CODE CATEGORIES
		HISP	WHITE	BLACK			
		0	1	0	1	19	NFP = WITHDRAWAL
		0	0	0	0	20	= RESPONDENT STERILE
		0	0	0	0	21	= PARTNER STERILE (NOT ON CARD)
		0	0	0	0	22	= OTHER METHOD-NOT SHOWN SEPARATELY
		0	1	0	1	97	= Not Ascertained
		0	0	0	0	98	= Refused
		0	0	0	0	99	= Don't Know

1995 NATIONAL SURVEY OF FAMILY GROWTH
 File Documentation
 Respondent File (Section E Questionnaire Items)

VARIABLE COLUMN NON-HISPANIC
 NAME LOCATION HISP WHITE BLACK TOTAL QX TEXT AND CODE CATEGORIES

[MTHUS487] 8287-8288

During that month, which (of those/other) methods, if any, did you use at the same time? (4th METHOD MENTIONED, 2nd COMBINATION, MC41)

Inapplicable:
 R said no, don't know or refused to all birth control methods in EA series (computed variable EVERUSED = 2); R never had sex as of this month and never used a birth control method as of this month but ever used one or more birth control methods in EA series (WNFSTSEX GE 1093 and DATFIRSM GE 1093 and computed variable EVERUSED = 1); R did not use multiple methods in the month; or R used only 2 methods in the month; or R reported fewer than 2 BC method combinations; or R reported using fewer than 4 BC methods for this combination in this month of the method calendar.

1553	6482	2446	10846	Blank	= Blank, inapplicable
0	0	0	0	01	= NONE
0	0	0	0	02	= OFFICE USE ONLY
0	0	0	0	03	= BIRTH CONTROL PILLS
0	0	0	0	04	= CONDOM
0	0	0	0	05	= PARTNER'S VASECTOMY
0	0	0	0	06	= DIAPHRAGM
0	0	0	0	07	= FOAM
0	0	0	0	08	= JELLY OR CREAM
0	0	0	0	09	= CERVICAL CAP
0	0	0	0	10	= SUPPOSITORY, INSERT
0	0	0	0	11	= TODAY (TM) SPONGE
0	0	0	0	12	= FEMALE CONDOM, VAGINAL POUCH
0	0	0	0	13	= IUD, COIL, LOOP
0	0	0	0	14	= NORPLANT (TM)
0	0	0	0	15	= DEPO-PROVERA, INJECTABLES
0	0	0	0	16	= MORNING AFTER PILLS
0	0	0	0	17	= RHYTHM OR SAFE PERIOD BY CALENDAR
0	0	0	0	18	= SAFE PERIOD BY TEMP, CERVICAL MUCUS TEST,

(4484)

1995 NATIONAL SURVEY OF FAMILY GROWTH
 File Documentation
 Respondent File (Section E Questionnaire Items)

VARIABLE NAME	COLUMN LOCATION	NON-HISPANIC			TOTAL	QX	TEXT AND CODE CATEGORIES
		HISP	WHITE	BLACK			
		0	0	0	0	19	NFP
		0	0	0	0	20	= WITHDRAWAL
		0	0	0	0	21	= RESPONDENT STERILE
							= PARTNER STERILE (NOT ON CARD)
		0	0	0	0	22	= OTHER METHOD-NOT SHOWN SEPARATELY
		0	1	0	1	97	= Not Ascertained
		0	0	0	0	98	= Refused
		0	0	0	0	99	= Don't Know

1995 NATIONAL SURVEY OF FAMILY GROWTH
 File Documentation
 Respondent File (Section E Questionnaire Items)

VARIABLE	COLUMN	NON-HISPANIC			QX TEXT AND CODE CATEGORIES
NAME	LOCATION	HISP	WHITE	BLACK	TOTAL

[MTHUS488] 8289-8290

During that month, which (of those/other) methods, if any, did you use at the same time? (1st METHOD MENTIONED, 3rd COMBINATION, MC41)

Inapplicable:
 R said no, don't know or refused to all birth control methods in EA series (computed variable EVERUSED = 2); R never had sex as of this month and never used a birth control method as of this month but ever used one or more birth control methods in EA series (WNFSTSEX GE 1093 and DATFIRSM GE 1093 and computed variable EVERUSED = 1); R did not use multiple methods in the month; or R used only 2 methods in the month; or R reported fewer than 3 BC method combinations.

1553	6481	2446	10845	Blank	= Blank, inapplicable
0	1	0	1	01	= NONE
0	0	0	0	02	= OFFICE USE ONLY
0	0	0	0	03	= BIRTH CONTROL PILLS
0	1	0	1	04	= CONDOM
0	0	0	0	05	= PARTNER'S VASECTOMY
0	0	0	0	06	= DIAPHRAGM
0	0	0	0	07	= FOAM
0	0	0	0	08	= JELLY OR CREAM
0	0	0	0	09	= CERVICAL CAP
0	0	0	0	10	= SUPPOSITORY, INSERT
0	0	0	0	11	= TODAY (TM) SPONGE
0	0	0	0	12	= FEMALE CONDOM, VAGINAL POUCH
0	0	0	0	13	= IUD, COIL, LOOP
0	0	0	0	14	= NORPLANT (TM)
0	0	0	0	15	= DEPO-PROVERA, INJECTABLES
0	0	0	0	16	= MORNING AFTER PILLS
0	0	0	0	17	= RHYTHM OR SAFE PERIOD BY CALENDAR
0	0	0	0	18	= SAFE PERIOD BY TEMP, CERVICAL MUCUS TEST, NFP
0	0	0	0	19	= WITHDRAWAL
0	0	0	0	20	= RESPONDENT STERILE

(4486)

1995 NATIONAL SURVEY OF FAMILY GROWTH
 File Documentation
 Respondent File (Section E Questionnaire Items)

VARIABLE NAME	COLUMN LOCATION	NON-HISPANIC			QX	TEXT AND CODE CATEGORIES
		HISP	WHITE	BLACK		
		0	0	0	0	21 = PARTNER STERILE (NOT ON CARD)
		0	0	0	0	22 = OTHER METHOD-NOT SHOWN SEPARATELY
		0	0	0	0	97 = Not Ascertained
		0	0	0	0	98 = Refused
		0	0	0	0	99 = Don't Know

1995 NATIONAL SURVEY OF FAMILY GROWTH
 File Documentation
 Respondent File (Section E Questionnaire Items)

VARIABLE	COLUMN	NON-HISPANIC								
NAME	LOCATION	HISP	WHITE	BLACK						

[MTHUS489] 8291-8292

During that month, which (of those/other) methods, if any, did you use at the same time? (2nd METHOD MENTIONED, 3rd COMBINATION, MC41)

Inapplicable:
 R said no, don't know or refused to all birth control methods in EA series (computed variable EVERUSED = 2); R never had sex as of this month and never used a birth control method as of this month but ever used one or more birth control methods in EA series (WNFSTSEX GE 1093 and DATFIRSM GE 1093 and computed variable EVERUSED = 1); R did not use multiple methods in the month; or R used only 2 methods in the month; or R reported fewer than 3 BC method combinations; or R reported using fewer than 2 BC methods for this combination in this month of the method calendar.

1553	6482	2446	10846	Blank	= Blank, inapplicable
0	0	0	0	01	= NONE
0	0	0	0	02	= OFFICE USE ONLY
0	0	0	0	03	= BIRTH CONTROL PILLS
0	0	0	0	04	= CONDOM
0	0	0	0	05	= PARTNER'S VASECTOMY
0	0	0	0	06	= DIAPHRAGM
0	1	0	1	07	= FOAM
0	0	0	0	08	= JELLY OR CREAM
0	0	0	0	09	= CERVICAL CAP
0	0	0	0	10	= SUPPOSITORY, INSERT
0	0	0	0	11	= TODAY (TM) SPONGE
0	0	0	0	12	= FEMALE CONDOM, VAGINAL POUCH
0	0	0	0	13	= IUD, COIL, LOOP
0	0	0	0	14	= NORPLANT (TM)
0	0	0	0	15	= DEPO-PROVERA, INJECTABLES
0	0	0	0	16	= MORNING AFTER PILLS
0	0	0	0	17	= RHYTHM OR SAFE PERIOD BY CALENDAR
0	0	0	0	18	= SAFE PERIOD BY TEMP, CERVICAL MUCUS TEST,

1995 NATIONAL SURVEY OF FAMILY GROWTH
 File Documentation
 Respondent File (Section E Questionnaire Items)

VARIABLE NAME	COLUMN LOCATION	NON-HISPANIC			TOTAL	QX	TEXT AND CODE CATEGORIES
		HISP	WHITE	BLACK			
		0	0	0	0	19	NFP
		0	0	0	0	20	= WITHDRAWAL
		0	0	0	0	21	= RESPONDENT STERILE
							= PARTNER STERILE (NOT ON CARD)
		0	0	0	0	22	= OTHER METHOD-NOT SHOWN SEPARATELY
		0	0	0	0	97	= Not Ascertained
		0	0	0	0	98	= Refused
		0	0	0	0	99	= Don't Know

1995 NATIONAL SURVEY OF FAMILY GROWTH
 File Documentation
 Respondent File (Section E Questionnaire Items)

VARIABLE	COLUMN	NON-HISPANIC				
NAME	LOCATION	HISP	WHITE	BLACK	TOTAL	QX TEXT AND CODE CATEGORIES

[MTHUS490] 8293-8294

During that month, which (of those/other) methods, if any, did you use at the same time? (3rd METHOD MENTIONED, 3rd COMBINATION, MC41)

Inapplicable:
 R said no, don't know or refused to all birth control methods in EA series (computed variable EVERUSED = 2); R never had sex as of this month and never used a birth control method as of this month but ever used one or more birth control methods in EA series (WNFSTSEX GE 1093 and DATFIRSM GE 1093 and computed variable EVERUSED = 1); R did not use multiple methods in the month; or R used only 2 methods in the month; or R reported fewer than 3 BC method combinations; or R reported using fewer than 3 BC methods for this combination in this month of the method calendar.

1553	6483	2446	10847	Blank	= Blank, inapplicable
0	0	0	0	01	= NONE
0	0	0	0	02	= OFFICE USE ONLY
0	0	0	0	03	= BIRTH CONTROL PILLS
0	0	0	0	04	= CONDOM
0	0	0	0	05	= PARTNER'S VASECTOMY
0	0	0	0	06	= DIAPHRAGM
0	0	0	0	07	= FOAM
0	0	0	0	08	= JELLY OR CREAM
0	0	0	0	09	= CERVICAL CAP
0	0	0	0	10	= SUPPOSITORY, INSERT
0	0	0	0	11	= TODAY (TM) SPONGE
0	0	0	0	12	= FEMALE CONDOM, VAGINAL POUCH
0	0	0	0	13	= IUD, COIL, LOOP
0	0	0	0	14	= NORPLANT (TM)
0	0	0	0	15	= DEPO-PROVERA, INJECTABLES
0	0	0	0	16	= MORNING AFTER PILLS
0	0	0	0	17	= RHYTHM OR SAFE PERIOD BY CALENDAR
0	0	0	0	18	= SAFE PERIOD BY TEMP, CERVICAL MUCUS TEST,

1995 NATIONAL SURVEY OF FAMILY GROWTH
 File Documentation
 Respondent File (Section E Questionnaire Items)

VARIABLE NAME	COLUMN LOCATION	NON-HISPANIC			TOTAL	QX	TEXT AND CODE CATEGORIES
		HISP	WHITE	BLACK			
		0	0	0	0	19	NFP
		0	0	0	0	20	= WITHDRAWAL
		0	0	0	0	21	= RESPONDENT STERILE
							= PARTNER STERILE (NOT ON CARD)
		0	0	0	0	22	= OTHER METHOD-NOT SHOWN SEPARATELY
		0	0	0	0	97	= Not Ascertained
		0	0	0	0	98	= Refused
		0	0	0	0	99	= Don't Know

1995 NATIONAL SURVEY OF FAMILY GROWTH
 File Documentation
 Respondent File (Section E Questionnaire Items)

VARIABLE COLUMN NON-HISPANIC
 NAME LOCATION HISP WHITE BLACK TOTAL QX TEXT AND CODE CATEGORIES

[MTHUS491] 8295-8296

During that month, which (of those/other) methods, if any, did you use at the same time? (4th METHOD MENTIONED, 3rd COMBINATION, MC41)

Inapplicable:
 R said no, don't know or refused to all birth control methods in EA series (computed variable EVERUSED = 2); R never had sex as of this month and never used a birth control method as of this month but ever used one or more birth control methods in EA series (WNFSTSEX GE 1093 and DATFIRSM GE 1093 and computed variable EVERUSED = 1); R did not use multiple methods in the month; or R used only 2 methods in the month; or R reported fewer than 3 BC method combinations; or R reported using fewer than 4 BC methods for this combination in this month of the method calendar.

1553	6483	2446	10847	Blank	= Blank, inapplicable
0	0	0	0	01	= NONE
0	0	0	0	02	= OFFICE USE ONLY
0	0	0	0	03	= BIRTH CONTROL PILLS
0	0	0	0	04	= CONDOM
0	0	0	0	05	= PARTNER'S VASECTOMY
0	0	0	0	06	= DIAPHRAGM
0	0	0	0	07	= FOAM
0	0	0	0	08	= JELLY OR CREAM
0	0	0	0	09	= CERVICAL CAP
0	0	0	0	10	= SUPPOSITORY, INSERT
0	0	0	0	11	= TODAY (TM) SPONGE
0	0	0	0	12	= FEMALE CONDOM, VAGINAL POUCH
0	0	0	0	13	= IUD, COIL, LOOP
0	0	0	0	14	= NORPLANT (TM)
0	0	0	0	15	= DEPO-PROVERA, INJECTABLES
0	0	0	0	16	= MORNING AFTER PILLS
0	0	0	0	17	= RHYTHM OR SAFE PERIOD BY CALENDAR
0	0	0	0	18	= SAFE PERIOD BY TEMP, CERVICAL MUCUS TEST,

(4492)

1995 NATIONAL SURVEY OF FAMILY GROWTH
 File Documentation
 Respondent File (Section E Questionnaire Items)

VARIABLE NAME	COLUMN LOCATION	NON-HISPANIC			TOTAL	QX	TEXT AND CODE CATEGORIES
		HISP	WHITE	BLACK			
		0	0	0	0	19	NFP
		0	0	0	0	20	= WITHDRAWAL
		0	0	0	0	21	= RESPONDENT STERILE
							= PARTNER STERILE (NOT ON CARD)
		0	0	0	0	22	= OTHER METHOD-NOT SHOWN SEPARATELY
		0	0	0	0	97	= Not Ascertained
		0	0	0	0	98	= Refused
		0	0	0	0	99	= Don't Know

1995 NATIONAL SURVEY OF FAMILY GROWTH
 File Documentation
 Respondent File (Section E Questionnaire Items)

VARIABLE NAME	COLUMN LOCATION	NON-HISPANIC			QX TEXT AND CODE CATEGORIES
		HISP	WHITE	BLACK TOTAL	
[METHH164]	8297-8298				ENTER METHOD (FIRST MENTIONED) USED IN JUNE 1994: (MC42)
					Inapplicable: R never had sex as of this month and never used a birth control method as of this month but ever used one or more birth control methods in EA series (WNFSTSEX GE 1093 and DATFIRSM GE 1093 and computed variable EVERUSED = 1); R never had sex and said no, don't know or refused to all birth control methods in EA series (computed variable RHADSEX coded 2,7,8 or 9 and computed variable EVERUSED = 2); R said no, don't know or refused to all birth control methods in EA series (computed variable EVERUSED = 2).
		264	750	254 1367	Blank = Blank, inapplicable
		328	1250	524 2168	01 = NO METHODS USED
		0	0	0 0	02 = SAME AS PREVIOUS MONTH
		229	1260	407 1932	03 = BIRTH CONTROL PILLS
		208	895	404 1569	04 = CONDOM
		24	351	11 396	05 = PARTNER'S VASECTOMY
		4	91	11 107	06 = DIAPHRAGM
		4	21	2 27	07 = FOAM
		1	12	1 14	08 = JELLY OR CREAM
		0	2	0 2	09 = CERVICAL CAP
		4	24	11 41	10 = SUPPOSITORY, INSERT
		3	22	7 32	11 = TODAY (TM) SPONGE
		0	1	0 1	12 = FEMALE CONDOM, VAGINAL POUCH
		18	32	16 69	13 = IUD, COIL, LOOP
		24	50	40 118	14 = NORPLANT (TM)
		36	69	51 159	15 = DEPO-PROVERA, INJECTABLES
		0	0	0 0	16 = MORNING AFTER PILLS
		33	103	15 163	17 = RHYTHM OR SAFE PERIOD BY CALENDAR
		3	15	0 18	18 = SAFE PERIOD BY TEMP, CERVICAL MUCUS TEST, NFP
		37	144	30 220	19 = WITHDRAWAL
		313	1197	639 2202	20 = RESPONDENT STERILE

(4494)

1995 NATIONAL SURVEY OF FAMILY GROWTH
 File Documentation
 Respondent File (Section E Questionnaire Items)

VARIABLE NAME	COLUMN LOCATION	NON-HISPANIC			QX	TEXT AND CODE CATEGORIES	
		HISP	WHITE	BLACK			TOTAL
		19	182	13	218	21	= PARTNER STERILE (NOT ON CARD)
		1	4	7	12	22	= OTHER METHOD-NOT SHOWN SEPARATELY
		0	0	0	0	55	= SAME METHODS USED THROUGH END OF YEAR
		0	1	1	2	97	= Not Ascertained
		0	5	2	7	98	= Refused
		0	2	0	3	99	= Don't Know

1995 NATIONAL SURVEY OF FAMILY GROWTH
 File Documentation
 Respondent File (Section E Questionnaire Items)

VARIABLE NAME	COLUMN LOCATION	NON-HISPANIC			TOTAL	QX	TEXT AND CODE CATEGORIES
		HISP	WHITE	BLACK			
		1	12	14	27	20	= RESPONDENT STERILE
		0	10	1	12	21	= PARTNER STERILE (NOT ON CARD)
		0	0	0	0	22	= OTHER METHOD-NOT SHOWN SEPARATELY
		0	0	0	0	55	= SAME METHODS USED THROUGH END OF YEAR
		0	1	2	3	97	= Not Ascertained
		0	5	2	7	98	= Refused
		0	2	0	3	99	= Don't Know

1995 NATIONAL SURVEY OF FAMILY GROWTH
 File Documentation
 Respondent File (Section E Questionnaire Items)

VARIABLE NAME	COLUMN LOCATION	NON-HISPANIC			TOTAL	QX	TEXT AND CODE CATEGORIES
		HISP	WHITE	BLACK			
		1	9	24	34	20	= RESPONDENT STERILE
		0	1	0	1	21	= PARTNER STERILE (NOT ON CARD)
		0	1	0	2	22	= OTHER METHOD-NOT SHOWN SEPARATELY
		0	0	0	0	55	= SAME METHODS USED THROUGH END OF YEAR
		0	1	2	3	97	= Not Ascertained
		0	5	2	7	98	= Refused
		0	2	0	3	99	= Don't Know

1995 NATIONAL SURVEY OF FAMILY GROWTH
 File Documentation
 Respondent File (Section E Questionnaire Items)

VARIABLE NAME	COLUMN LOCATION	NON-HISPANIC			TOTAL	QX	TEXT AND CODE	CATEGORIES
		HISP	WHITE	BLACK				
		0	0	0	0	20	=	RESPONDENT STERILE
		0	0	0	0	21	=	PARTNER STERILE (NOT ON CARD)
		0	0	0	0	22	=	OTHER METHOD-NOT SHOWN SEPARATELY
		0	0	0	0	55	=	SAME METHODS USED THROUGH END OF YEAR
		0	1	2	3	97	=	Not Ascertained
		0	5	2	7	98	=	Refused
		0	2	0	3	99	=	Don't Know

[SIMSEQ41] 8305-8305

Did you use those methods together,
 that is, at the same time, or did
 you use them at different times
 during the month? (MC42)

Inapplicable:

R never had sex as of this month and
 never used a birth control method as
 of this month but ever used one or
 more birth control methods in EA
 series (WNFSTSEX GE 1093 and
 DATFIRSM GE 1093 and computed
 variable EVERUSED = 1); R never had
 sex and said no, don't know or
 refused to all birth control methods
 in EA series (computed variable
 RHADSEX coded 2,7,8 or 9 and
 computed variable EVERUSED = 2); R
 said no, don't know or refused to
 all birth control methods in EA
 series (computed variable EVERUSED =
 2); R did not use multiple methods
 in the month; R used more than 2
 methods in the month.

1486	6113	2280	10221	Blank	=	Blank, inapplicable
36	240	132	421	1	=	SAME TIME
31	130	33	204	2	=	DIFFERENT TIMES
0	0	1	1	7	=	Not Ascertained
0	0	0	0	8	=	Refused
0	0	0	0	9	=	Don't Know

1995 NATIONAL SURVEY OF FAMILY GROWTH
 File Documentation
 Respondent File (Section E Questionnaire Items)

VARIABLE	COLUMN	NON-HISPANIC				QX TEXT AND CODE CATEGORIES
NAME	LOCATION	HISP	WHITE	BLACK		

[MTHUS492] 8306-8307

During that month, which (of those/other) methods, if any, did you use at the same time? (1st METHOD MENTIONED, 1st COMBINATION, MC42)

Inapplicable:
 R said no, don't know or refused to all birth control methods in EA series (computed variable EVERUSED = 2); R never had sex as of this month and never used a birth control method as of this month but ever used one or more birth control methods in EA series (WNFSTSEX GE 1093 and DATFIRSM GE 1093 and computed variable EVERUSED = 1); R did not use multiple methods in the month; or R used only 2 methods in the month.

1544	6425	2437	10767	Blank	= Blank, inapplicable
3	15	1	19	01	= NONE
0	0	0	0	02	= OFFICE USE ONLY
0	6	1	9	03	= BIRTH CONTROL PILLS
6	23	5	36	04	= CONDOM
0	0	0	0	05	= PARTNER'S VASECTOMY
0	5	0	5	06	= DIAPHRAGM
0	0	0	0	07	= FOAM
0	0	0	0	08	= JELLY OR CREAM
0	0	0	0	09	= CERVICAL CAP
0	1	0	1	10	= SUPPOSITORY, INSERT
0	1	0	1	11	= TODAY (TM) SPONGE
0	0	0	0	12	= FEMALE CONDOM, VAGINAL POUCH
0	0	0	0	13	= IUD, COIL, LOOP
0	0	0	0	14	= NORPLANT (TM)
0	0	0	0	15	= DEPO-PROVERA, INJECTABLES
0	0	0	0	16	= MORNING AFTER PILLS
0	5	0	5	17	= RHYTHM OR SAFE PERIOD BY CALENDAR
0	0	0	0	18	= SAFE PERIOD BY TEMP, CERVICAL MUCUS TEST, NFP
0	1	1	2	19	= WITHDRAWAL
0	0	1	1	20	= RESPONDENT STERILE
0	0	0	0	21	= PARTNER STERILE (NOT

(4502)

1995 NATIONAL SURVEY OF FAMILY GROWTH
 File Documentation
 Respondent File (Section E Questionnaire Items)

VARIABLE NAME	COLUMN LOCATION	NON-HISPANIC			TOTAL	QX	TEXT AND CODE CATEGORIES
		HISP	WHITE	BLACK			
		0	0	0	0	22	ON CARD) = OTHER METHOD-NOT SHOWN SEPARATELY
		0	0	0	0	97	= Not Ascertained
		0	0	0	0	98	= Refused
		0	1	0	1	99	= Don't Know

1995 NATIONAL SURVEY OF FAMILY GROWTH
 File Documentation
 Respondent File (Section E Questionnaire Items)

VARIABLE	COLUMN	NON-HISPANIC				QX TEXT AND CODE CATEGORIES
NAME	LOCATION	HISP	WHITE	BLACK		

[MTHUS493] 8308-8309

During that month, which (of those/other) methods, if any, did you use at the same time? (2nd METHOD MENTIONED, 1st COMBINATION, MC42)

Inapplicable:
 R said no, don't know or refused to all birth control methods in EA series (computed variable EVERUSED = 2); R never had sex as of this month and never used a birth control method as of this month but ever used one or more birth control methods in EA series (WNFSTSEX GE 1093 and DATFIRSM GE 1093 and computed variable EVERUSED = 1); R did not use multiple methods in the month; or R used only 2 methods in the month; or R reported using fewer than 2 BC methods for this combination in this month of the method calendar.

1547	6440	2438	10786	Blank	= Blank, inapplicable
0	0	0	0	01	= NONE
0	0	0	0	02	= OFFICE USE ONLY
0	0	0	0	03	= BIRTH CONTROL PILLS
0	7	2	10	04	= CONDOM
0	1	0	1	05	= PARTNER'S VASECTOMY
0	0	0	0	06	= DIAPHRAGM
1	3	1	5	07	= FOAM
1	1	2	4	08	= JELLY OR CREAM
0	0	0	0	09	= CERVICAL CAP
0	0	1	1	10	= SUPPOSITORY, INSERT
0	0	0	0	11	= TODAY (TM) SPONGE
0	0	0	0	12	= FEMALE CONDOM, VAGINAL POUCH
0	0	0	0	13	= IUD, COIL, LOOP
0	0	0	0	14	= NORPLANT (TM)
0	0	0	0	15	= DEPO-PROVERA, INJECTABLES
0	0	0	0	16	= MORNING AFTER PILLS
3	18	1	23	17	= RHYTHM OR SAFE PERIOD BY CALENDAR
0	1	0	1	18	= SAFE PERIOD BY TEMP, CERVICAL MUCUS TEST, NFP

1995 NATIONAL SURVEY OF FAMILY GROWTH
 File Documentation
 Respondent File (Section E Questionnaire Items)

VARIABLE NAME	COLUMN LOCATION	NON-HISPANIC			TOTAL	QX	TEXT AND CODE CATEGORIES
		HISP	WHITE	BLACK			
		1	10	1	14	19	= WITHDRAWAL
		0	0	0	0	20	= RESPONDENT STERILE
		0	1	0	1	21	= PARTNER STERILE (NOT ON CARD)
		0	0	0	0	22	= OTHER METHOD-NOT SHOWN SEPARATELY
		0	0	0	0	97	= Not Ascertained
		0	0	0	0	98	= Refused
		0	1	0	1	99	= Don't Know

1995 NATIONAL SURVEY OF FAMILY GROWTH
 File Documentation
 Respondent File (Section E Questionnaire Items)

VARIABLE	COLUMN	NON-HISPANIC				
NAME	LOCATION	HISP	WHITE	BLACK		TOTAL

[MTHUS494] 8310-8311

During that month, which (of those/other) methods, if any, did you use at the same time? (3rd METHOD MENTIONED, 1st COMBINATION, MC42)

Inapplicable:
 R said no, don't know or refused to all birth control methods in EA series (computed variable EVERUSED = 2); R never had sex as of this month and never used a birth control method as of this month but ever used one or more birth control methods in EA series (WNFSTSEX GE 1093 and DATFIRSM GE 1093 and computed variable EVERUSED = 1); R did not use multiple methods in the month; or R used only 2 methods in the month; or R reported using fewer than 3 BC methods for this combination in this month of the method calendar.

1548	6456	2442	10809	Blank	= Blank, inapplicable
0	0	0	0	01	= NONE
0	0	0	0	02	= OFFICE USE ONLY
0	0	0	0	03	= BIRTH CONTROL PILLS
0	0	0	0	04	= CONDOM
0	0	0	0	05	= PARTNER'S VASECTOMY
0	0	0	0	06	= DIAPHRAGM
1	0	1	2	07	= FOAM
0	3	0	3	08	= JELLY OR CREAM
0	0	0	0	09	= CERVICAL CAP
0	0	0	0	10	= SUPPOSITORY, INSERT
1	2	0	3	11	= TODAY (TM) SPONGE
0	0	0	0	12	= FEMALE CONDOM, VAGINAL POUCH
0	0	0	0	13	= IUD, COIL, LOOP
0	0	0	0	14	= NORPLANT (TM)
0	0	0	0	15	= DEPO-PROVERA, INJECTABLES
0	0	0	0	16	= MORNING AFTER PILLS
2	3	1	6	17	= RHYTHM OR SAFE PERIOD BY CALENDAR
0	3	0	4	18	= SAFE PERIOD BY TEMP, CERVICAL MUCUS TEST, NFP

1995 NATIONAL SURVEY OF FAMILY GROWTH
 File Documentation
 Respondent File (Section E Questionnaire Items)

VARIABLE NAME	COLUMN LOCATION	NON-HISPANIC			TOTAL	QX	TEXT AND CODE CATEGORIES
		HISP	WHITE	BLACK			
		1	14	2	18	19	= WITHDRAWAL
		0	0	0	0	20	= RESPONDENT STERILE
		0	0	0	0	21	= PARTNER STERILE (NOT ON CARD)
		0	1	0	1	22	= OTHER METHOD-NOT SHOWN SEPARATELY
		0	0	0	0	97	= Not Ascertained
		0	0	0	0	98	= Refused
		0	1	0	1	99	= Don't Know

1995 NATIONAL SURVEY OF FAMILY GROWTH
 File Documentation
 Respondent File (Section E Questionnaire Items)

VARIABLE	COLUMN	NON-HISPANIC				QX TEXT AND CODE CATEGORIES
NAME	LOCATION	HISP	WHITE	BLACK		

[MTHUS495] 8312-8313

During that month, which (of those/other) methods, if any, did you use at the same time? (4th METHOD MENTIONED, 1st COMBINATION, MC42)

Inapplicable:
 R said no, don't know or refused to all birth control methods in EA series (computed variable EVERUSED = 2); R never had sex as of this month and never used a birth control method as of this month but ever used one or more birth control methods in EA series (WNFSTSEX GE 1093 and DATFIRSM GE 1093 and computed variable EVERUSED = 1); R did not use multiple methods in the month; or R used only 2 methods in the month; or R reported using fewer than 4 BC methods for this combination in this month of the method calendar.

1553	6481	2445	10844	Blank	= Blank, inapplicable
0	0	0	0	01	= NONE
0	0	0	0	02	= OFFICE USE ONLY
0	0	0	0	03	= BIRTH CONTROL PILLS
0	1	0	1	04	= CONDOM
0	0	0	0	05	= PARTNER'S VASECTOMY
0	0	0	0	06	= DIAPHRAGM
0	0	0	0	07	= FOAM
0	0	0	0	08	= JELLY OR CREAM
0	0	0	0	09	= CERVICAL CAP
0	0	0	0	10	= SUPPOSITORY, INSERT
0	0	0	0	11	= TODAY (TM) SPONGE
0	0	0	0	12	= FEMALE CONDOM, VAGINAL POUCH
0	0	0	0	13	= IUD, COIL, LOOP
0	0	0	0	14	= NORPLANT (TM)
0	0	0	0	15	= DEPO-PROVERA, INJECTABLES
0	0	0	0	16	= MORNING AFTER PILLS
0	0	0	0	17	= RHYTHM OR SAFE PERIOD BY CALENDAR
0	0	1	1	18	= SAFE PERIOD BY TEMP, CERVICAL MUCUS TEST, NFP

1995 NATIONAL SURVEY OF FAMILY GROWTH
 File Documentation
 Respondent File (Section E Questionnaire Items)

VARIABLE NAME	COLUMN LOCATION	NON-HISPANIC			TOTAL	QX	TEXT AND CODE CATEGORIES
		HISP	WHITE	BLACK			
		0	0	0	0	19	= WITHDRAWAL
		0	0	0	0	20	= RESPONDENT STERILE
		0	0	0	0	21	= PARTNER STERILE (NOT ON CARD)
		0	0	0	0	22	= OTHER METHOD-NOT SHOWN SEPARATELY
		0	0	0	0	97	= Not Ascertained
		0	0	0	0	98	= Refused
		0	1	0	1	99	= Don't Know

1995 NATIONAL SURVEY OF FAMILY GROWTH
 File Documentation
 Respondent File (Section E Questionnaire Items)

VARIABLE COLUMN NON-HISPANIC
 NAME LOCATION HISP WHITE BLACK TOTAL QX TEXT AND CODE CATEGORIES

[MTHUS496] 8314-8315

During that month, which (of those/other) methods, if any, did you use at the same time? (1st METHOD MENTIONED, 2nd COMBINATION, MC42)

Inapplicable:
 R said no, don't know or refused to all birth control methods in EA series (computed variable EVERUSED = 2); R never had sex as of this month and never used a birth control method as of this month but ever used one or more birth control methods in EA series (WNFSTSEX GE 1093 and DATFIRSM GE 1093 and computed variable EVERUSED = 1); R did not use multiple methods in the month; or R used only 2 methods in the month; or R reported fewer than 2 BC method combinations.

1547	6440	2438	10786	Blank	
4	30	6	43	01	= Blank, inapplicable
0	0	0	0	02	= NONE
0	3	0	3	03	= OFFICE USE ONLY
0	3	0	4	04	= BIRTH CONTROL PILLS
0	0	0	0	05	= CONDOM
0	1	0	1	06	= PARTNER'S VASECTOMY
1	2	0	3	07	= DIAPHRAGM
0	1	0	1	08	= FOAM
0	0	0	0	09	= JELLY OR CREAM
0	0	0	0	10	= CERVICAL CAP
0	0	0	0	11	= SUPPOSITORY, INSERT
0	0	0	0	12	= TODAY (TM) SPONGE
0	0	0	0	13	= FEMALE CONDOM, VAGINAL POUCH
0	0	0	0	14	= IUD, COIL, LOOP
0	0	0	0	15	= NORPLANT (TM)
0	0	0	0	16	= DEPO-PROVERA, INJECTABLES
0	0	0	0	17	= MORNING AFTER PILLS
0	2	0	2	18	= RHYTHM OR SAFE PERIOD BY CALENDAR
0	0	0	0	19	= SAFE PERIOD BY TEMP, CERVICAL MUCUS TEST, NFP
1	0	1	2	20	= WITHDRAWAL
0	0	1	1	20	= RESPONDENT STERILE

(4510)

1995 NATIONAL SURVEY OF FAMILY GROWTH
 File Documentation
 Respondent File (Section E Questionnaire Items)

VARIABLE NAME	COLUMN LOCATION	NON-HISPANIC			TOTAL	QX	TEXT AND CODE CATEGORIES
		HISP	WHITE	BLACK			
		0	0	0	0	21	= PARTNER STERILE (NOT ON CARD)
		0	0	0	0	22	= OTHER METHOD-NOT SHOWN SEPARATELY
		0	1	0	1	97	= Not Ascertained
		0	0	0	0	98	= Refused
		0	0	0	0	99	= Don't Know

1995 NATIONAL SURVEY OF FAMILY GROWTH
 File Documentation
 Respondent File (Section E Questionnaire Items)

VARIABLE	COLUMN	NON-HISPANIC				
NAME	LOCATION	HISP	WHITE	BLACK	TOTAL	QX TEXT AND CODE CATEGORIES

[MTHUS497] 8316-8317

During that month, which (of those/other) methods, if any, did you use at the same time? (2nd METHOD MENTIONED, 2nd COMBINATION, MC42)

Inapplicable:
 R said no, don't know or refused to all birth control methods in EA series (computed variable EVERUSED = 2); R never had sex as of this month and never used a birth control method as of this month but ever used one or more birth control methods in EA series (WNFSTSEX GE 1093 and DATFIRSM GE 1093 and computed variable EVERUSED = 1); R did not use multiple methods in the month; or R used only 2 methods in the month; or R reported fewer than 2 BC method combinations; or R reported using fewer than 2 BC methods for this combination in this month of the method calendar.

1552	6472	2444	10832	Blank	= Blank, inapplicable
0	0	0	0	01	= NONE
0	0	0	0	02	= OFFICE USE ONLY
0	0	0	0	03	= BIRTH CONTROL PILLS
1	2	0	3	04	= CONDOM
0	1	0	1	05	= PARTNER'S VASECTOMY
0	0	0	0	06	= DIAPHRAGM
0	0	0	0	07	= FOAM
0	0	0	0	08	= JELLY OR CREAM
0	0	0	0	09	= CERVICAL CAP
0	0	1	1	10	= SUPPOSITORY, INSERT
0	1	0	1	11	= TODAY (TM) SPONGE
0	0	0	0	12	= FEMALE CONDOM, VAGINAL POUCH
0	0	0	0	13	= IUD, COIL, LOOP
0	0	0	0	14	= NORPLANT (TM)
0	0	0	0	15	= DEPO-PROVERA, INJECTABLES
0	0	0	0	16	= MORNING AFTER PILLS
0	2	0	3	17	= RHYTHM OR SAFE PERIOD BY CALENDAR
0	1	0	1	18	= SAFE PERIOD BY TEMP, CERVICAL MUCUS TEST,

(4512)

1995 NATIONAL SURVEY OF FAMILY GROWTH
 File Documentation
 Respondent File (Section E Questionnaire Items)

VARIABLE NAME	COLUMN LOCATION	NON-HISPANIC			TOTAL	QX	TEXT AND CODE CATEGORIES
		HISP	WHITE	BLACK			
		0	2	1	3	19	NFP
		0	0	0	0	20	= WITHDRAWAL
		0	1	0	1	21	= RESPONDENT STERILE
							= PARTNER STERILE (NOT ON CARD)
		0	0	0	0	22	= OTHER METHOD-NOT SHOWN SEPARATELY
		0	1	0	1	97	= Not Ascertained
		0	0	0	0	98	= Refused
		0	0	0	0	99	= Don't Know

1995 NATIONAL SURVEY OF FAMILY GROWTH
 File Documentation
 Respondent File (Section E Questionnaire Items)

VARIABLE COLUMN NON-HISPANIC
 NAME LOCATION HISP WHITE BLACK TOTAL QX TEXT AND CODE CATEGORIES

[MTHUS498] 8318-8319

During that month, which (of those/other) methods, if any, did you use at the same time? (3rd METHOD MENTIONED, 2nd COMBINATION, MC42)

Inapplicable:
 R said no, don't know or refused to all birth control methods in EA series (computed variable EVERUSED = 2); R never had sex as of this month and never used a birth control method as of this month but ever used one or more birth control methods in EA series (WNFSTSEX GE 1093 and DATFIRSM GE 1093 and computed variable EVERUSED = 1); R did not use multiple methods in the month; or R used only 2 methods in the month; or R reported fewer than 2 BC method combinations; or R reported using fewer than 3 BC methods for this combination in this month of the method calendar.

1552	6479	2446	10841	Blank	= Blank, inapplicable
0	0	0	0	01	= NONE
0	0	0	0	02	= OFFICE USE ONLY
0	0	0	0	03	= BIRTH CONTROL PILLS
0	0	0	0	04	= CONDOM
0	0	0	0	05	= PARTNER'S VASECTOMY
0	0	0	0	06	= DIAPHRAGM
0	0	0	0	07	= FOAM
0	1	0	1	08	= JELLY OR CREAM
0	0	0	0	09	= CERVICAL CAP
0	0	0	0	10	= SUPPOSITORY, INSERT
0	0	0	0	11	= TODAY (TM) SPONGE
0	0	0	0	12	= FEMALE CONDOM, VAGINAL POUCH
0	0	0	0	13	= IUD, COIL, LOOP
0	0	0	0	14	= NORPLANT (TM)
0	0	0	0	15	= DEPO-PROVERA, INJECTABLES
0	0	0	0	16	= MORNING AFTER PILLS
1	0	0	1	17	= RHYTHM OR SAFE PERIOD BY CALENDAR
0	1	0	2	18	= SAFE PERIOD BY TEMP, CERVICAL MUCUS TEST,

(4514)

1995 NATIONAL SURVEY OF FAMILY GROWTH
 File Documentation
 Respondent File (Section E Questionnaire Items)

VARIABLE NAME	COLUMN LOCATION	NON-HISPANIC			TOTAL	QX	TEXT AND CODE CATEGORIES
		HISP	WHITE	BLACK			
		0	1	0	1	19	NFP = WITHDRAWAL
		0	0	0	0	20	= RESPONDENT STERILE
		0	0	0	0	21	= PARTNER STERILE (NOT ON CARD)
		0	0	0	0	22	= OTHER METHOD-NOT SHOWN SEPARATELY
		0	1	0	1	97	= Not Ascertained
		0	0	0	0	98	= Refused
		0	0	0	0	99	= Don't Know

1995 NATIONAL SURVEY OF FAMILY GROWTH
 File Documentation
 Respondent File (Section E Questionnaire Items)

VARIABLE NAME	COLUMN LOCATION	NON-HISPANIC			TOTAL	QX	TEXT AND CODE CATEGORIES
		HISP	WHITE	BLACK			
		0	0	0	0	19	NFP = WITHDRAWAL
		0	0	0	0	20	= RESPONDENT STERILE
		0	0	0	0	21	= PARTNER STERILE (NOT ON CARD)
		0	0	0	0	22	= OTHER METHOD-NOT SHOWN SEPARATELY
		0	1	0	1	97	= Not Ascertained
		0	0	0	0	98	= Refused
		0	0	0	0	99	= Don't Know

1995 NATIONAL SURVEY OF FAMILY GROWTH
 File Documentation
 Respondent File (Section E Questionnaire Items)

VARIABLE	COLUMN	NON-HISPANIC			QX TEXT AND CODE CATEGORIES
NAME	LOCATION	HISP	WHITE	BLACK	TOTAL

[MTHUS500] 8322-8323

During that month, which (of those/other) methods, if any, did you use at the same time? (1st METHOD MENTIONED, 3rd COMBINATION, MC42)

Inapplicable:
 R said no, don't know or refused to all birth control methods in EA series (computed variable EVERUSED = 2); R never had sex as of this month and never used a birth control method as of this month but ever used one or more birth control methods in EA series (WNFSTSEX GE 1093 and DATFIRSM GE 1093 and computed variable EVERUSED = 1); R did not use multiple methods in the month; or R used only 2 methods in the month; or R reported fewer than 3 BC method combinations.

1553	6481	2446	10845	Blank	= Blank, inapplicable
0	1	0	1	01	= NONE
0	0	0	0	02	= OFFICE USE ONLY
0	0	0	0	03	= BIRTH CONTROL PILLS
0	1	0	1	04	= CONDOM
0	0	0	0	05	= PARTNER'S VASECTOMY
0	0	0	0	06	= DIAPHRAGM
0	0	0	0	07	= FOAM
0	0	0	0	08	= JELLY OR CREAM
0	0	0	0	09	= CERVICAL CAP
0	0	0	0	10	= SUPPOSITORY, INSERT
0	0	0	0	11	= TODAY (TM) SPONGE
0	0	0	0	12	= FEMALE CONDOM, VAGINAL POUCH
0	0	0	0	13	= IUD, COIL, LOOP
0	0	0	0	14	= NORPLANT (TM)
0	0	0	0	15	= DEPO-PROVERA, INJECTABLES
0	0	0	0	16	= MORNING AFTER PILLS
0	0	0	0	17	= RHYTHM OR SAFE PERIOD BY CALENDAR
0	0	0	0	18	= SAFE PERIOD BY TEMP, CERVICAL MUCUS TEST, NFP
0	0	0	0	19	= WITHDRAWAL
0	0	0	0	20	= RESPONDENT STERILE

(4518)

1995 NATIONAL SURVEY OF FAMILY GROWTH
 File Documentation
 Respondent File (Section E Questionnaire Items)

VARIABLE NAME	COLUMN LOCATION	NON-HISPANIC			QX	TEXT AND CODE CATEGORIES
		HISP	WHITE	BLACK		
		0	0	0	0	21 = PARTNER STERILE (NOT ON CARD)
		0	0	0	0	22 = OTHER METHOD-NOT SHOWN SEPARATELY
		0	0	0	0	97 = Not Ascertained
		0	0	0	0	98 = Refused
		0	0	0	0	99 = Don't Know

1995 NATIONAL SURVEY OF FAMILY GROWTH
 File Documentation
 Respondent File (Section E Questionnaire Items)

VARIABLE COLUMN NON-HISPANIC
 NAME LOCATION HISP WHITE BLACK TOTAL QX TEXT AND CODE CATEGORIES

[MTHUS501] 8324-8325

During that month, which (of those/other) methods, if any, did you use at the same time? (2nd METHOD MENTIONED, 3rd COMBINATION, MC42)

Inapplicable:
 R said no, don't know or refused to all birth control methods in EA series (computed variable EVERUSED = 2); R never had sex as of this month and never used a birth control method as of this month but ever used one or more birth control methods in EA series (WNFSTSEX GE 1093 and DATFIRSM GE 1093 and computed variable EVERUSED = 1); R did not use multiple methods in the month; or R used only 2 methods in the month; or R reported fewer than 3 BC method combinations; or R reported using fewer than 2 BC methods for this combination in this month of the method calendar.

1553	6482	2446	10846	Blank	
0	0	0	0	0	01 = Blank, inapplicable
0	0	0	0	0	02 = NONE
0	0	0	0	0	03 = OFFICE USE ONLY
0	0	0	0	0	04 = BIRTH CONTROL PILLS
0	0	0	0	0	05 = CONDOM
0	0	0	0	0	06 = PARTNER'S VASECTOMY
0	1	0	1	0	07 = DIAPHRAGM
0	0	0	0	0	08 = FOAM
0	0	0	0	0	09 = JELLY OR CREAM
0	0	0	0	0	10 = CERVICAL CAP
0	0	0	0	0	11 = SUPPOSITORY, INSERT
0	0	0	0	0	12 = TODAY (TM) SPONGE
0	0	0	0	0	13 = FEMALE CONDOM, VAGINAL POUCH
0	0	0	0	0	14 = IUD, COIL, LOOP
0	0	0	0	0	15 = NORPLANT (TM)
0	0	0	0	0	16 = DEPO-PROVERA, INJECTABLES
0	0	0	0	0	17 = MORNING AFTER PILLS
0	0	0	0	0	18 = RHYTHM OR SAFE PERIOD BY CALENDAR
0	0	0	0	0	18 = SAFE PERIOD BY TEMP, CERVICAL MUCUS TEST,

1995 NATIONAL SURVEY OF FAMILY GROWTH
 File Documentation
 Respondent File (Section E Questionnaire Items)

VARIABLE NAME	COLUMN LOCATION	NON-HISPANIC			TOTAL	QX	TEXT AND CODE CATEGORIES
		HISP	WHITE	BLACK			
		0	0	0	0	19	NFP
		0	0	0	0	20	= WITHDRAWAL
		0	0	0	0	21	= RESPONDENT STERILE
							= PARTNER STERILE (NOT ON CARD)
		0	0	0	0	22	= OTHER METHOD-NOT SHOWN SEPARATELY
		0	0	0	0	97	= Not Ascertained
		0	0	0	0	98	= Refused
		0	0	0	0	99	= Don't Know

1995 NATIONAL SURVEY OF FAMILY GROWTH
 File Documentation
 Respondent File (Section E Questionnaire Items)

VARIABLE	COLUMN	NON-HISPANIC				QX TEXT AND CODE CATEGORIES
NAME	LOCATION	HISP	WHITE	BLACK		

[MTHUS502] 8326-8327

During that month, which (of those/other) methods, if any, did you use at the same time? (3rd METHOD MENTIONED, 3rd COMBINATION, MC42)

Inapplicable:
 R said no, don't know or refused to all birth control methods in EA series (computed variable EVERUSED = 2); R never had sex as of this month and never used a birth control method as of this month but ever used one or more birth control methods in EA series (WNFSTSEX GE 1093 and DATFIRSM GE 1093 and computed variable EVERUSED = 1); R did not use multiple methods in the month; or R used only 2 methods in the month; or R reported fewer than 3 BC method combinations; or R reported using fewer than 3 BC methods for this combination in this month of the method calendar.

1553	6483	2446	10847	Blank	= Blank, inapplicable
0	0	0	0	01	= NONE
0	0	0	0	02	= OFFICE USE ONLY
0	0	0	0	03	= BIRTH CONTROL PILLS
0	0	0	0	04	= CONDOM
0	0	0	0	05	= PARTNER'S VASECTOMY
0	0	0	0	06	= DIAPHRAGM
0	0	0	0	07	= FOAM
0	0	0	0	08	= JELLY OR CREAM
0	0	0	0	09	= CERVICAL CAP
0	0	0	0	10	= SUPPOSITORY, INSERT
0	0	0	0	11	= TODAY (TM) SPONGE
0	0	0	0	12	= FEMALE CONDOM, VAGINAL POUCH
0	0	0	0	13	= IUD, COIL, LOOP
0	0	0	0	14	= NORPLANT (TM)
0	0	0	0	15	= DEPO-PROVERA, INJECTABLES
0	0	0	0	16	= MORNING AFTER PILLS
0	0	0	0	17	= RHYTHM OR SAFE PERIOD BY CALENDAR
0	0	0	0	18	= SAFE PERIOD BY TEMP, CERVICAL MUCUS TEST,

1995 NATIONAL SURVEY OF FAMILY GROWTH
 File Documentation
 Respondent File (Section E Questionnaire Items)

VARIABLE NAME	COLUMN LOCATION	NON-HISPANIC			TOTAL	QX	TEXT AND CODE CATEGORIES
		HISP	WHITE	BLACK			
		0	0	0	0	19	NFP = WITHDRAWAL
		0	0	0	0	20	= RESPONDENT STERILE
		0	0	0	0	21	= PARTNER STERILE (NOT ON CARD)
		0	0	0	0	22	= OTHER METHOD-NOT SHOWN SEPARATELY
		0	0	0	0	97	= Not Ascertained
		0	0	0	0	98	= Refused
		0	0	0	0	99	= Don't Know

1995 NATIONAL SURVEY OF FAMILY GROWTH
 File Documentation
 Respondent File (Section E Questionnaire Items)

VARIABLE	COLUMN	NON-HISPANIC				
NAME	LOCATION	HISP	WHITE	BLACK	TOTAL	QX TEXT AND CODE CATEGORIES

[MTHUS503] 8328-8329

During that month, which (of those/other) methods, if any, did you use at the same time? (4th METHOD MENTIONED, 3rd COMBINATION, MC42)

Inapplicable:
 R said no, don't know or refused to all birth control methods in EA series (computed variable EVERUSED = 2); R never had sex as of this month and never used a birth control method as of this month but ever used one or more birth control methods in EA series (WNFSTSEX GE 1093 and DATFIRSM GE 1093 and computed variable EVERUSED = 1); R did not use multiple methods in the month; or R used only 2 methods in the month; or R reported fewer than 3 BC method combinations; or R reported using fewer than 4 BC methods for this combination in this month of the method calendar.

1553	6483	2446	10847	Blank	= Blank, inapplicable
0	0	0	0	01	= NONE
0	0	0	0	02	= OFFICE USE ONLY
0	0	0	0	03	= BIRTH CONTROL PILLS
0	0	0	0	04	= CONDOM
0	0	0	0	05	= PARTNER'S VASECTOMY
0	0	0	0	06	= DIAPHRAGM
0	0	0	0	07	= FOAM
0	0	0	0	08	= JELLY OR CREAM
0	0	0	0	09	= CERVICAL CAP
0	0	0	0	10	= SUPPOSITORY, INSERT
0	0	0	0	11	= TODAY (TM) SPONGE
0	0	0	0	12	= FEMALE CONDOM, VAGINAL POUCH
0	0	0	0	13	= IUD, COIL, LOOP
0	0	0	0	14	= NORPLANT (TM)
0	0	0	0	15	= DEPO-PROVERA, INJECTABLES
0	0	0	0	16	= MORNING AFTER PILLS
0	0	0	0	17	= RHYTHM OR SAFE PERIOD BY CALENDAR
0	0	0	0	18	= SAFE PERIOD BY TEMP, CERVICAL MUCUS TEST,

(4524)

1995 NATIONAL SURVEY OF FAMILY GROWTH
 File Documentation
 Respondent File (Section E Questionnaire Items)

VARIABLE NAME	COLUMN LOCATION	NON-HISPANIC			TOTAL	QX	TEXT AND CODE CATEGORIES
		HISP	WHITE	BLACK			
		0	0	0	0	19	NFP
		0	0	0	0	20	= WITHDRAWAL
		0	0	0	0	21	= RESPONDENT STERILE
							= PARTNER STERILE (NOT ON CARD)
		0	0	0	0	22	= OTHER METHOD-NOT SHOWN SEPARATELY
		0	0	0	0	97	= Not Ascertained
		0	0	0	0	98	= Refused
		0	0	0	0	99	= Don't Know

1995 NATIONAL SURVEY OF FAMILY GROWTH
 File Documentation
 Respondent File (Section E Questionnaire Items)

VARIABLE NAME	COLUMN LOCATION	NON-HISPANIC			QX TEXT AND CODE CATEGORIES		
		HISP	WHITE	BLACK		TOTAL	
[METHH168]	8330-8331				ENTER METHOD (FIRST MENTIONED) USED IN JULY 1994: (MC43)		
					Inapplicable: R never had sex as of this month and never used a birth control method as of this month but ever used one or more birth control methods in EA series (WNFSTSEX GE 1093 and DATFIRSM GE 1093 and computed variable EVERUSED = 1); R never had sex and said no, don't know or refused to all birth control methods in EA series (computed variable RHADSEX coded 2,7,8 or 9 and computed variable EVERUSED = 2); R said no, don't know or refused to all birth control methods in EA series (computed variable EVERUSED = 2).		
		259	741	249	1348	Blank	= Blank, inapplicable
		329	1258	524	2177	01	= NO METHODS USED
		0	0	0	0	02	= SAME AS PREVIOUS MONTH
		229	1256	404	1923	03	= BIRTH CONTROL PILLS
		209	889	408	1569	04	= CONDOM
		24	351	11	396	05	= PARTNER'S VASECTOMY
		4	92	11	108	06	= DIAPHRAGM
		4	24	2	30	07	= FOAM
		1	10	2	13	08	= JELLY OR CREAM
		0	2	0	2	09	= CERVICAL CAP
		4	24	10	40	10	= SUPPOSITORY, INSERT
		3	21	5	29	11	= TODAY (TM) SPONGE
		0	1	0	1	12	= FEMALE CONDOM, VAGINAL POUCH
		17	31	16	67	13	= IUD, COIL, LOOP
		23	49	40	116	14	= NORPLANT (TM)
		35	68	49	155	15	= DEPO-PROVERA, INJECTABLES
		0	0	0	0	16	= MORNING AFTER PILLS
		32	100	15	159	17	= RHYTHM OR SAFE PERIOD BY CALENDAR
		3	15	0	18	18	= SAFE PERIOD BY TEMP, CERVICAL MUCUS TEST, NFP
		39	144	31	224	19	= WITHDRAWAL
		317	1210	646	2226	20	= RESPONDENT STERILE

(4526)

1995 NATIONAL SURVEY OF FAMILY GROWTH
 File Documentation
 Respondent File (Section E Questionnaire Items)

VARIABLE NAME	COLUMN LOCATION	NON-HISPANIC			QX	TEXT AND CODE CATEGORIES	
		HISP	WHITE	BLACK			TOTAL
		19	184	13	220	21	= PARTNER STERILE (NOT ON CARD)
		2	5	7	14	22	= OTHER METHOD-NOT SHOWN SEPARATELY
		0	0	0	0	55	= SAME METHODS USED THROUGH END OF YEAR
		0	1	1	2	97	= Not Ascertained
		0	5	2	7	98	= Refused
		0	2	0	3	99	= Don't Know

1995 NATIONAL SURVEY OF FAMILY GROWTH
 File Documentation
 Respondent File (Section E Questionnaire Items)

VARIABLE COLUMN NON-HISPANIC
 NAME LOCATION HISP WHITE BLACK TOTAL QX TEXT AND CODE CATEGORIES

[METHH169] 8332-8333 ENTER METHOD (SECOND MENTIONED) USED
 IN JULY 1994: (MC43)

Inapplicable:
 R never had sex as of this month and never used a birth control method as of this month but ever used one or more birth control methods in EA series (WNFSTSEX GE 1093 and DATFIRSM GE 1093 and computed variable EVERUSED = 1); R never had sex and said no, don't know or refused to all birth control methods in EA series (computed variable RHADSEX coded 2,7,8 or 9 and computed variable EVERUSED = 2); R said no, don't know or refused to all birth control methods in EA series (computed variable EVERUSED = 2); R used fewer than 2 methods in month.

	1478	6047	2269	10131	Blank	
	0	0	0	0	01	= Blank, inapplicable
	0	0	0	0	02	= NO METHODS USED
	0	9	4	13	03	= SAME AS PREVIOUS MONTH
	18	122	88	236	04	= BIRTH CONTROL PILLS
	0	12	1	13	05	= CONDOM
	2	15	4	21	06	= PARTNER'S VASECTOMY
	6	23	10	40	07	= DIAPHRAGM
	3	16	8	27	08	= FOAM
	0	0	0	0	09	= JELLY OR CREAM
	2	10	6	18	10	= CERVICAL CAP
	0	11	4	16	11	= SUPPOSITORY, INSERT
	0	0	0	0	12	= TODAY (TM) SPONGE
	0	0	0	0	13	= FEMALE CONDOM, VAGINAL POUCH
	1	1	4	6	14	= IUD, COIL, LOOP
	0	2	1	3	15	= NORPLANT (TM)
	0	1	0	1	16	= DEPO-PROVERA, INJECTABLES
	16	68	5	94	17	= MORNING AFTER PILLS
	0	9	1	10	18	= RHYTHM OR SAFE PERIOD BY CALENDAR
	26	108	21	166	19	= SAFE PERIOD BY TEMP, CERVICAL MUCUS TEST, NFP
						= WITHDRAWAL

(4528)

1995 NATIONAL SURVEY OF FAMILY GROWTH
 File Documentation
 Respondent File (Section E Questionnaire Items)

VARIABLE NAME	COLUMN LOCATION	NON-HISPANIC			TOTAL	QX	TEXT AND CODE CATEGORIES
		HISP	WHITE	BLACK			
		1	11	14	26	20	= RESPONDENT STERILE
		0	10	1	12	21	= PARTNER STERILE (NOT ON CARD)
		0	0	1	1	22	= OTHER METHOD-NOT SHOWN SEPARATELY
		0	0	0	0	55	= SAME METHODS USED THROUGH END OF YEAR
		0	1	2	3	97	= Not Ascertained
		0	5	2	7	98	= Refused
		0	2	0	3	99	= Don't Know

1995 NATIONAL SURVEY OF FAMILY GROWTH
 File Documentation
 Respondent File (Section E Questionnaire Items)

VARIABLE COLUMN NON-HISPANIC
 NAME LOCATION HISP WHITE BLACK TOTAL QX TEXT AND CODE CATEGORIES

[METHH170] 8334-8335

ENTER METHOD (THIRD MENTIONED) USED
 IN JULY 1994: (MC43)

Inapplicable:

R never had sex as of this month and never used a birth control method as of this month but ever used one or more birth control methods in EA series (WNFSTSEX GE 1093 and DATFIRSM GE 1093 and computed variable EVERUSED = 1); R never had sex and said no, don't know or refused to all birth control methods in EA series (computed variable RHADSEX coded 2,7,8 or 9 and computed variable EVERUSED = 2); R said no, don't know or refused to all birth control methods in EA series (computed variable EVERUSED = 2); R used fewer than 3 methods in month.

1543	6406	2408	10717	Blank	= Blank, inapplicable
0	0	0	0	01	= NO METHODS USED
0	0	0	0	02	= SAME AS PREVIOUS MONTH
0	1	0	1	03	= BIRTH CONTROL PILLS
0	1	0	1	04	= CONDOM
0	0	0	0	05	= PARTNER'S VASECTOMY
0	0	0	0	06	= DIAPHRAGM
1	3	0	4	07	= FOAM
0	4	1	5	08	= JELLY OR CREAM
0	0	0	0	09	= CERVICAL CAP
0	4	0	4	10	= SUPPOSITORY, INSERT
1	4	0	5	11	= TODAY (TM) SPONGE
1	0	0	1	12	= FEMALE CONDOM, VAGINAL POUCH
0	0	0	0	13	= IUD, COIL, LOOP
0	0	0	0	14	= NORPLANT (TM)
0	0	0	0	15	= DEPO-PROVERA, INJECTABLES
0	0	0	0	16	= MORNING AFTER PILLS
2	11	3	16	17	= RHYTHM OR SAFE PERIOD BY CALENDAR
0	4	0	5	18	= SAFE PERIOD BY TEMP, CERVICAL MUCUS TEST, NFP
4	27	4	37	19	= WITHDRAWAL

(4530)

1995 NATIONAL SURVEY OF FAMILY GROWTH
 File Documentation
 Respondent File (Section E Questionnaire Items)

VARIABLE NAME	COLUMN LOCATION	NON-HISPANIC			TOTAL	QX	TEXT AND CODE CATEGORIES
		HISP	WHITE	BLACK			
		1	9	26	36	20	= RESPONDENT STERILE
		0	1	0	1	21	= PARTNER STERILE (NOT ON CARD)
		0	0	0	1	22	= OTHER METHOD-NOT SHOWN SEPARATELY
		0	0	0	0	55	= SAME METHODS USED THROUGH END OF YEAR
		0	1	2	3	97	= Not Ascertained
		0	5	2	7	98	= Refused
		0	2	0	3	99	= Don't Know

1995 NATIONAL SURVEY OF FAMILY GROWTH
 File Documentation
 Respondent File (Section E Questionnaire Items)

VARIABLE NAME	COLUMN LOCATION	NON-HISPANIC			TOTAL	QX	TEXT AND CODE CATEGORIES
		HISP	WHITE	BLACK			
		0	0	0	0	20	= RESPONDENT STERILE
		0	0	0	0	21	= PARTNER STERILE (NOT ON CARD)
		0	0	0	0	22	= OTHER METHOD-NOT SHOWN SEPARATELY
		0	0	0	0	55	= SAME METHODS USED THROUGH END OF YEAR
		0	1	2	3	97	= Not Ascertained
		0	5	2	7	98	= Refused
		0	2	0	3	99	= Don't Know

[SIMSEQ42] 8338-8338

Did you use those methods together,
 that is, at the same time, or did
 you use them at different times
 during the month? (MC43)

Inapplicable:

R never had sex as of this month and
 never used a birth control method as
 of this month but ever used one or
 more birth control methods in EA
 series (WNFSTSEX GE 1093 and
 DATFIRSM GE 1093 and computed
 variable EVERUSED = 1); R never had
 sex and said no, don't know or
 refused to all birth control methods
 in EA series (computed variable
 RHADSEX coded 2,7,8 or 9 and
 computed variable EVERUSED = 2); R
 said no, don't know or refused to
 all birth control methods in EA
 series (computed variable EVERUSED =
 2); R did not use multiple methods
 in the month; R used more than 2
 methods in the month.

1487	6115	2282	10226	Blank	= Blank, inapplicable
36	235	132	416	1	= SAME TIME
30	133	32	205	2	= DIFFERENT TIMES
0	0	0	0	7	= Not Ascertained
0	0	0	0	8	= Refused
0	0	0	0	9	= Don't Know

1995 NATIONAL SURVEY OF FAMILY GROWTH
 File Documentation
 Respondent File (Section E Questionnaire Items)

VARIABLE	COLUMN	NON-HISPANIC				
NAME	LOCATION	HISP	WHITE	BLACK		

[MTHUS504] 8339-8340

During that month, which (of those/other) methods, if any, did you use at the same time? (1st METHOD MENTIONED, 1st COMBINATION, MC43)

Inapplicable:
 R said no, don't know or refused to all birth control methods in EA series (computed variable EVERUSED = 2); R never had sex as of this month and never used a birth control method as of this month but ever used one or more birth control methods in EA series (WNFSTSEX GE 1093 and DATFIRSM GE 1093 and computed variable EVERUSED = 1); R did not use multiple methods in the month; or R used only 2 methods in the month.

1544	6423	2437	10765	Blank	= Blank, inapplicable
3	17	1	21	01	= NONE
0	0	0	0	02	= OFFICE USE ONLY
0	6	1	9	03	= BIRTH CONTROL PILLS
6	23	5	36	04	= CONDOM
0	0	0	0	05	= PARTNER'S VASECTOMY
0	5	0	5	06	= DIAPHRAGM
0	0	0	0	07	= FOAM
0	0	0	0	08	= JELLY OR CREAM
0	0	0	0	09	= CERVICAL CAP
0	1	0	1	10	= SUPPOSITORY, INSERT
0	1	0	1	11	= TODAY (TM) SPONGE
0	0	0	0	12	= FEMALE CONDOM, VAGINAL POUCH
0	0	0	0	13	= IUD, COIL, LOOP
0	0	0	0	14	= NORPLANT (TM)
0	1	0	1	15	= DEPO-PROVERA, INJECTABLES
0	0	0	0	16	= MORNING AFTER PILLS
0	4	0	4	17	= RHYTHM OR SAFE PERIOD BY CALENDAR
0	0	0	0	18	= SAFE PERIOD BY TEMP, CERVICAL MUCUS TEST, NFP
0	1	1	2	19	= WITHDRAWAL
0	0	1	1	20	= RESPONDENT STERILE
0	0	0	0	21	= PARTNER STERILE (NOT

(4534)

1995 NATIONAL SURVEY OF FAMILY GROWTH
 File Documentation
 Respondent File (Section E Questionnaire Items)

VARIABLE NAME	COLUMN LOCATION	NON-HISPANIC			TOTAL	QX	TEXT AND CODE CATEGORIES
		HISP	WHITE	BLACK			
		0	0	0	0	22	ON CARD) = OTHER METHOD-NOT SHOWN SEPARATELY
		0	0	0	0	97	= Not Ascertained
		0	0	0	0	98	= Refused
		0	1	0	1	99	= Don't Know

1995 NATIONAL SURVEY OF FAMILY GROWTH
 File Documentation
 Respondent File (Section E Questionnaire Items)

VARIABLE	COLUMN	NON-HISPANIC				QX TEXT AND CODE CATEGORIES
NAME	LOCATION	HISP	WHITE	BLACK		

[MTHUS05] 8341-8342

During that month, which (of those/other) methods, if any, did you use at the same time? (2nd METHOD MENTIONED, 1st COMBINATION, MC43)

Inapplicable:
 R said no, don't know or refused to all birth control methods in EA series (computed variable EVERUSED = 2); R never had sex as of this month and never used a birth control method as of this month but ever used one or more birth control methods in EA series (WNFSTSEX GE 1093 and DATFIRSM GE 1093 and computed variable EVERUSED = 1); R did not use multiple methods in the month; or R used only 2 methods in the month; or R reported using fewer than 2 BC methods for this combination in this month of the method calendar.

1547	6440	2438	10786	Blank	= Blank, inapplicable
0	0	0	0	01	= NONE
0	0	0	0	02	= OFFICE USE ONLY
0	0	0	0	03	= BIRTH CONTROL PILLS
0	8	2	11	04	= CONDOM
0	1	0	1	05	= PARTNER'S VASECTOMY
0	0	0	0	06	= DIAPHRAGM
1	3	1	5	07	= FOAM
1	1	2	4	08	= JELLY OR CREAM
0	0	0	0	09	= CERVICAL CAP
0	1	1	2	10	= SUPPOSITORY, INSERT
0	0	0	0	11	= TODAY (TM) SPONGE
0	0	0	0	12	= FEMALE CONDOM, VAGINAL POUCH
0	0	0	0	13	= IUD, COIL, LOOP
0	0	0	0	14	= NORPLANT (TM)
0	0	0	0	15	= DEPO-PROVERA, INJECTABLES
0	0	0	0	16	= MORNING AFTER PILLS
3	18	1	23	17	= RHYTHM OR SAFE PERIOD BY CALENDAR
0	1	0	1	18	= SAFE PERIOD BY TEMP, CERVICAL MUCUS TEST, NFP

1995 NATIONAL SURVEY OF FAMILY GROWTH
 File Documentation
 Respondent File (Section E Questionnaire Items)

VARIABLE NAME	COLUMN LOCATION	NON-HISPANIC			TOTAL	QX	TEXT AND CODE CATEGORIES
		HISP	WHITE	BLACK			
		1	8	1	12	19	= WITHDRAWAL
		0	0	0	0	20	= RESPONDENT STERILE
		0	1	0	1	21	= PARTNER STERILE (NOT ON CARD)
		0	0	0	0	22	= OTHER METHOD-NOT SHOWN SEPARATELY
		0	0	0	0	97	= Not Ascertained
		0	0	0	0	98	= Refused
		0	1	0	1	99	= Don't Know

1995 NATIONAL SURVEY OF FAMILY GROWTH
 File Documentation
 Respondent File (Section E Questionnaire Items)

VARIABLE COLUMN NON-HISPANIC
 NAME LOCATION HISP WHITE BLACK TOTAL QX TEXT AND CODE CATEGORIES

[MTHUS506] 8343-8344

During that month, which (of those/other) methods, if any, did you use at the same time? (3rd METHOD MENTIONED, 1st COMBINATION, MC43)

Inapplicable:
 R said no, don't know or refused to all birth control methods in EA series (computed variable EVERUSED = 2); R never had sex as of this month and never used a birth control method as of this month but ever used one or more birth control methods in EA series (WNFSTSEX GE 1093 and DATFIRSM GE 1093 and computed variable EVERUSED = 1); R did not use multiple methods in the month; or R used only 2 methods in the month; or R reported using fewer than 3 BC methods for this combination in this month of the method calendar.

	1548	6456	2442	10809	Blank	
	0	0	0	0	01	= Blank, inapplicable
	0	0	0	0	02	= NONE
	0	0	0	0	03	= OFFICE USE ONLY
	0	0	0	0	04	= BIRTH CONTROL PILLS
	0	0	0	0	05	= CONDOM
	0	0	0	0	06	= PARTNER'S VASECTOMY
	1	1	0	2	07	= DIAPHRAGM
	0	4	1	5	08	= FOAM
	0	0	0	0	09	= JELLY OR CREAM
	0	0	0	0	10	= CERVICAL CAP
	1	2	0	3	11	= SUPPOSITORY, INSERT
	0	0	0	0	12	= TODAY (TM) SPONGE
	0	0	0	0	13	= FEMALE CONDOM, VAGINAL POUCH
	0	0	0	0	14	= IUD, COIL, LOOP
	0	0	0	0	15	= NORPLANT (TM)
	0	0	0	0	16	= DEPO-PROVERA, INJECTABLES
	2	3	1	6	17	= MORNING AFTER PILLS
	0	3	0	4	18	= RHYTHM OR SAFE PERIOD BY CALENDAR
						= SAFE PERIOD BY TEMP, CERVICAL MUCUS TEST, NFP

(4538)

1995 NATIONAL SURVEY OF FAMILY GROWTH
 File Documentation
 Respondent File (Section E Questionnaire Items)

VARIABLE NAME	COLUMN LOCATION	NON-HISPANIC			TOTAL	QX	TEXT AND CODE CATEGORIES
		HISP	WHITE	BLACK			
		1	13	2	17	19	= WITHDRAWAL
		0	0	0	0	20	= RESPONDENT STERILE
		0	0	0	0	21	= PARTNER STERILE (NOT ON CARD)
		0	0	0	0	22	= OTHER METHOD-NOT SHOWN SEPARATELY
		0	0	0	0	97	= Not Ascertained
		0	0	0	0	98	= Refused
		0	1	0	1	99	= Don't Know

1995 NATIONAL SURVEY OF FAMILY GROWTH
 File Documentation
 Respondent File (Section E Questionnaire Items)

VARIABLE	COLUMN	NON-HISPANIC				QX TEXT AND CODE CATEGORIES
NAME	LOCATION	HISP	WHITE	BLACK		

[MTHUS07] 8345-8346

During that month, which (of those/other) methods, if any, did you use at the same time? (4th METHOD MENTIONED, 1st COMBINATION, MC43)

Inapplicable:
 R said no, don't know or refused to all birth control methods in EA series (computed variable EVERUSED = 2); R never had sex as of this month and never used a birth control method as of this month but ever used one or more birth control methods in EA series (WNFSTSEX GE 1093 and DATFIRSM GE 1093 and computed variable EVERUSED = 1); R did not use multiple methods in the month; or R used only 2 methods in the month; or R reported using fewer than 4 BC methods for this combination in this month of the method calendar.

1553	6481	2445	10844	Blank	= Blank, inapplicable
0	0	0	0	01	= NONE
0	0	0	0	02	= OFFICE USE ONLY
0	0	0	0	03	= BIRTH CONTROL PILLS
0	1	0	1	04	= CONDOM
0	0	0	0	05	= PARTNER'S VASECTOMY
0	0	0	0	06	= DIAPHRAGM
0	0	0	0	07	= FOAM
0	0	0	0	08	= JELLY OR CREAM
0	0	0	0	09	= CERVICAL CAP
0	0	0	0	10	= SUPPOSITORY, INSERT
0	0	0	0	11	= TODAY (TM) SPONGE
0	0	0	0	12	= FEMALE CONDOM, VAGINAL POUCH
0	0	0	0	13	= IUD, COIL, LOOP
0	0	0	0	14	= NORPLANT (TM)
0	0	0	0	15	= DEPO-PROVERA, INJECTABLES
0	0	0	0	16	= MORNING AFTER PILLS
0	0	0	0	17	= RHYTHM OR SAFE PERIOD BY CALENDAR
0	0	1	1	18	= SAFE PERIOD BY TEMP, CERVICAL MUCUS TEST, NFP

1995 NATIONAL SURVEY OF FAMILY GROWTH
 File Documentation
 Respondent File (Section E Questionnaire Items)

VARIABLE NAME	COLUMN LOCATION	NON-HISPANIC			TOTAL	QX	TEXT AND CODE CATEGORIES
		HISP	WHITE	BLACK			
		0	0	0	0	19	= WITHDRAWAL
		0	0	0	0	20	= RESPONDENT STERILE
		0	0	0	0	21	= PARTNER STERILE (NOT ON CARD)
		0	0	0	0	22	= OTHER METHOD-NOT SHOWN SEPARATELY
		0	0	0	0	97	= Not Ascertained
		0	0	0	0	98	= Refused
		0	1	0	1	99	= Don't Know

1995 NATIONAL SURVEY OF FAMILY GROWTH
 File Documentation
 Respondent File (Section E Questionnaire Items)

VARIABLE COLUMN NON-HISPANIC
 NAME LOCATION HISP WHITE BLACK TOTAL QX TEXT AND CODE CATEGORIES

[MTHUS508] 8347-8348

During that month, which (of those/other) methods, if any, did you use at the same time? (1st METHOD MENTIONED, 2nd COMBINATION, MC43)

Inapplicable:
 R said no, don't know or refused to all birth control methods in EA series (computed variable EVERUSED = 2); R never had sex as of this month and never used a birth control method as of this month but ever used one or more birth control methods in EA series (WNFSTSEX GE 1093 and DATFIRSM GE 1093 and computed variable EVERUSED = 1); R did not use multiple methods in the month; or R used only 2 methods in the month; or R reported fewer than 2 BC method combinations.

1547	6440	2438	10786	Blank	
4	31	6	44	01	= Blank, inapplicable
0	0	0	0	02	= NONE
0	2	0	2	03	= OFFICE USE ONLY
0	3	0	4	04	= BIRTH CONTROL PILLS
0	0	0	0	05	= CONDOM
0	1	0	1	06	= PARTNER'S VASECTOMY
1	2	0	3	07	= DIAPHRAGM
0	1	0	1	08	= FOAM
0	0	0	0	09	= JELLY OR CREAM
0	0	0	0	10	= CERVICAL CAP
0	0	0	0	11	= SUPPOSITORY, INSERT
0	0	0	0	12	= TODAY (TM) SPONGE
0	0	0	0	13	= FEMALE CONDOM, VAGINAL POUCH
0	0	0	0	14	= IUD, COIL, LOOP
0	0	0	0	15	= NORPLANT (TM)
0	0	0	0	16	= DEPO-PROVERA, INJECTABLES
0	0	0	0	17	= MORNING AFTER PILLS
0	2	0	2	18	= RHYTHM OR SAFE PERIOD BY CALENDAR
0	0	0	0	19	= SAFE PERIOD BY TEMP, CERVICAL MUCUS TEST, NFP
1	0	1	2	20	= WITHDRAWAL
0	0	1	1	20	= RESPONDENT STERILE

(4542)

1995 NATIONAL SURVEY OF FAMILY GROWTH
 File Documentation
 Respondent File (Section E Questionnaire Items)

VARIABLE NAME	COLUMN LOCATION	NON-HISPANIC			QX	TEXT AND CODE CATEGORIES
		HISP	WHITE	BLACK		
		0	0	0	0	21 = PARTNER STERILE (NOT ON CARD)
		0	0	0	0	22 = OTHER METHOD-NOT SHOWN SEPARATELY
		0	1	0	1	97 = Not Ascertained
		0	0	0	0	98 = Refused
		0	0	0	0	99 = Don't Know

1995 NATIONAL SURVEY OF FAMILY GROWTH
 File Documentation
 Respondent File (Section E Questionnaire Items)

VARIABLE COLUMN NON-HISPANIC
 NAME LOCATION HISP WHITE BLACK TOTAL QX TEXT AND CODE CATEGORIES

[MTHUS509] 8349-8350

During that month, which (of those/other) methods, if any, did you use at the same time? (2nd METHOD MENTIONED, 2nd COMBINATION, MC43)

Inapplicable:
 R said no, don't know or refused to all birth control methods in EA series (computed variable EVERUSED = 2); R never had sex as of this month and never used a birth control method as of this month but ever used one or more birth control methods in EA series (WNFSTSEX GE 1093 and DATFIRSM GE 1093 and computed variable EVERUSED = 1); R did not use multiple methods in the month; or R used only 2 methods in the month; or R reported fewer than 2 BC method combinations; or R reported using fewer than 2 BC methods for this combination in this month of the method calendar.

1552	6473	2444	10833	Blank	= Blank, inapplicable
0	0	0	0	01	= NONE
0	0	0	0	02	= OFFICE USE ONLY
0	0	0	0	03	= BIRTH CONTROL PILLS
1	1	0	2	04	= CONDOM
0	1	0	1	05	= PARTNER'S VASECTOMY
0	0	0	0	06	= DIAPHRAGM
0	0	0	0	07	= FOAM
0	0	0	0	08	= JELLY OR CREAM
0	0	0	0	09	= CERVICAL CAP
0	0	1	1	10	= SUPPOSITORY, INSERT
0	1	0	1	11	= TODAY (TM) SPONGE
0	0	0	0	12	= FEMALE CONDOM, VAGINAL POUCH
0	0	0	0	13	= IUD, COIL, LOOP
0	0	0	0	14	= NORPLANT (TM)
0	0	0	0	15	= DEPO-PROVERA, INJECTABLES
0	0	0	0	16	= MORNING AFTER PILLS
0	2	0	3	17	= RHYTHM OR SAFE PERIOD BY CALENDAR
0	1	0	1	18	= SAFE PERIOD BY TEMP, CERVICAL MUCUS TEST,

(4544)

1995 NATIONAL SURVEY OF FAMILY GROWTH
 File Documentation
 Respondent File (Section E Questionnaire Items)

VARIABLE NAME	COLUMN LOCATION	NON-HISPANIC			TOTAL	QX	TEXT AND CODE CATEGORIES
		HISP	WHITE	BLACK			
		0	2	1	3	19	NFP
		0	0	0	0	20	= WITHDRAWAL
		0	1	0	1	21	= RESPONDENT STERILE
							= PARTNER STERILE (NOT ON CARD)
		0	0	0	0	22	= OTHER METHOD-NOT SHOWN SEPARATELY
		0	1	0	1	97	= Not Ascertained
		0	0	0	0	98	= Refused
		0	0	0	0	99	= Don't Know

1995 NATIONAL SURVEY OF FAMILY GROWTH
 File Documentation
 Respondent File (Section E Questionnaire Items)

VARIABLE COLUMN NON-HISPANIC
 NAME LOCATION HISP WHITE BLACK TOTAL QX TEXT AND CODE CATEGORIES

[MTHUS510] 8351-8352

During that month, which (of those/other) methods, if any, did you use at the same time? (3rd METHOD MENTIONED, 2nd COMBINATION, MC43)

Inapplicable:
 R said no, don't know or refused to all birth control methods in EA series (computed variable EVERUSED = 2); R never had sex as of this month and never used a birth control method as of this month but ever used one or more birth control methods in EA series (WNFSTSEX GE 1093 and DATFIRSM GE 1093 and computed variable EVERUSED = 1); R did not use multiple methods in the month; or R used only 2 methods in the month; or R reported fewer than 2 BC method combinations; or R reported using fewer than 3 BC methods for this combination in this month of the method calendar.

1552	6479	2446	10841	Blank	= Blank, inapplicable
0	0	0	0	01	= NONE
0	0	0	0	02	= OFFICE USE ONLY
0	0	0	0	03	= BIRTH CONTROL PILLS
0	0	0	0	04	= CONDOM
0	0	0	0	05	= PARTNER'S VASECTOMY
0	0	0	0	06	= DIAPHRAGM
0	0	0	0	07	= FOAM
0	1	0	1	08	= JELLY OR CREAM
0	0	0	0	09	= CERVICAL CAP
0	0	0	0	10	= SUPPOSITORY, INSERT
0	0	0	0	11	= TODAY (TM) SPONGE
0	0	0	0	12	= FEMALE CONDOM, VAGINAL POUCH
0	0	0	0	13	= IUD, COIL, LOOP
0	0	0	0	14	= NORPLANT (TM)
0	0	0	0	15	= DEPO-PROVERA, INJECTABLES
0	0	0	0	16	= MORNING AFTER PILLS
1	0	0	1	17	= RHYTHM OR SAFE PERIOD BY CALENDAR
0	1	0	2	18	= SAFE PERIOD BY TEMP, CERVICAL MUCUS TEST,

(4546)

1995 NATIONAL SURVEY OF FAMILY GROWTH
 File Documentation
 Respondent File (Section E Questionnaire Items)

VARIABLE NAME	COLUMN LOCATION	NON-HISPANIC			TOTAL	QX	TEXT AND CODE CATEGORIES
		HISP	WHITE	BLACK			
		0	1	0	1	19	NFP = WITHDRAWAL
		0	0	0	0	20	= RESPONDENT STERILE
		0	0	0	0	21	= PARTNER STERILE (NOT ON CARD)
		0	0	0	0	22	= OTHER METHOD-NOT SHOWN SEPARATELY
		0	1	0	1	97	= Not Ascertained
		0	0	0	0	98	= Refused
		0	0	0	0	99	= Don't Know

1995 NATIONAL SURVEY OF FAMILY GROWTH
 File Documentation
 Respondent File (Section E Questionnaire Items)

VARIABLE	COLUMN	NON-HISPANIC				QX TEXT AND CODE CATEGORIES
NAME	LOCATION	HISP	WHITE	BLACK		

[MTHUS511] 8353-8354

During that month, which (of those/other) methods, if any, did you use at the same time? (4th METHOD MENTIONED, 2nd COMBINATION, MC43)

Inapplicable:
 R said no, don't know or refused to all birth control methods in EA series (computed variable EVERUSED = 2); R never had sex as of this month and never used a birth control method as of this month but ever used one or more birth control methods in EA series (WNFSTSEX GE 1093 and DATFIRSM GE 1093 and computed variable EVERUSED = 1); R did not use multiple methods in the month; or R used only 2 methods in the month; or R reported fewer than 2 BC method combinations; or R reported using fewer than 4 BC methods for this combination in this month of the method calendar.

1553	6482	2446	10846	Blank	= Blank, inapplicable
0	0	0	0	01	= NONE
0	0	0	0	02	= OFFICE USE ONLY
0	0	0	0	03	= BIRTH CONTROL PILLS
0	0	0	0	04	= CONDOM
0	0	0	0	05	= PARTNER'S VASECTOMY
0	0	0	0	06	= DIAPHRAGM
0	0	0	0	07	= FOAM
0	0	0	0	08	= JELLY OR CREAM
0	0	0	0	09	= CERVICAL CAP
0	0	0	0	10	= SUPPOSITORY, INSERT
0	0	0	0	11	= TODAY (TM) SPONGE
0	0	0	0	12	= FEMALE CONDOM, VAGINAL POUCH
0	0	0	0	13	= IUD, COIL, LOOP
0	0	0	0	14	= NORPLANT (TM)
0	0	0	0	15	= DEPO-PROVERA, INJECTABLES
0	0	0	0	16	= MORNING AFTER PILLS
0	0	0	0	17	= RHYTHM OR SAFE PERIOD BY CALENDAR
0	0	0	0	18	= SAFE PERIOD BY TEMP, CERVICAL MUCUS TEST,

(4548)

1995 NATIONAL SURVEY OF FAMILY GROWTH
 File Documentation
 Respondent File (Section E Questionnaire Items)

VARIABLE NAME	COLUMN LOCATION	NON-HISPANIC			TOTAL	QX	TEXT AND CODE CATEGORIES
		HISP	WHITE	BLACK			
		0	0	0	0	19	NFP
		0	0	0	0	20	= WITHDRAWAL
		0	0	0	0	21	= RESPONDENT STERILE
							= PARTNER STERILE (NOT ON CARD)
		0	0	0	0	22	= OTHER METHOD-NOT SHOWN SEPARATELY
		0	1	0	1	97	= Not Ascertained
		0	0	0	0	98	= Refused
		0	0	0	0	99	= Don't Know

1995 NATIONAL SURVEY OF FAMILY GROWTH
 File Documentation
 Respondent File (Section E Questionnaire Items)

VARIABLE COLUMN NON-HISPANIC
 NAME LOCATION HISP WHITE BLACK TOTAL QX TEXT AND CODE CATEGORIES

[MTHUS512] 8355-8356

During that month, which (of those/other) methods, if any, did you use at the same time? (1st METHOD MENTIONED, 3rd COMBINATION, MC43)

Inapplicable:
 R said no, don't know or refused to all birth control methods in EA series (computed variable EVERUSED = 2); R never had sex as of this month and never used a birth control method as of this month but ever used one or more birth control methods in EA series (WNFSTSEX GE 1093 and DATFIRSM GE 1093 and computed variable EVERUSED = 1); R did not use multiple methods in the month; or R used only 2 methods in the month; or R reported fewer than 3 BC method combinations.

1553	6481	2446	10845	Blank	
0	1	0	1	01	= Blank, inapplicable
0	0	0	0	02	= NONE
0	0	0	0	03	= OFFICE USE ONLY
0	1	0	1	04	= BIRTH CONTROL PILLS
0	0	0	0	05	= CONDOM
0	0	0	0	06	= PARTNER'S VASECTOMY
0	0	0	0	07	= DIAPHRAGM
0	0	0	0	08	= FOAM
0	0	0	0	09	= JELLY OR CREAM
0	0	0	0	10	= CERVICAL CAP
0	0	0	0	11	= SUPPOSITORY, INSERT
0	0	0	0	12	= TODAY (TM) SPONGE
0	0	0	0	13	= FEMALE CONDOM, VAGINAL POUCH
0	0	0	0	14	= IUD, COIL, LOOP
0	0	0	0	15	= NORPLANT (TM)
0	0	0	0	16	= DEPO-PROVERA, INJECTABLES
0	0	0	0	17	= MORNING AFTER PILLS
0	0	0	0	18	= RHYTHM OR SAFE PERIOD BY CALENDAR
0	0	0	0	19	= SAFE PERIOD BY TEMP, CERVICAL MUCUS TEST, NFP
0	0	0	0	20	= WITHDRAWAL
0	0	0	0	20	= RESPONDENT STERILE

(4550)

1995 NATIONAL SURVEY OF FAMILY GROWTH
 File Documentation
 Respondent File (Section E Questionnaire Items)

VARIABLE NAME	COLUMN LOCATION	NON-HISPANIC			TOTAL	QX	TEXT AND CODE CATEGORIES
		HISP	WHITE	BLACK			
		0	0	0	0	21	= PARTNER STERILE (NOT ON CARD)
		0	0	0	0	22	= OTHER METHOD-NOT SHOWN SEPARATELY
		0	0	0	0	97	= Not Ascertained
		0	0	0	0	98	= Refused
		0	0	0	0	99	= Don't Know

1995 NATIONAL SURVEY OF FAMILY GROWTH
 File Documentation
 Respondent File (Section E Questionnaire Items)

VARIABLE	COLUMN	NON-HISPANIC				QX TEXT AND CODE CATEGORIES
NAME	LOCATION	HISP	WHITE	BLACK		

[MTHUS513] 8357-8358

During that month, which (of those/other) methods, if any, did you use at the same time? (2nd METHOD MENTIONED, 3rd COMBINATION, MC43)

Inapplicable:
 R said no, don't know or refused to all birth control methods in EA series (computed variable EVERUSED = 2); R never had sex as of this month and never used a birth control method as of this month but ever used one or more birth control methods in EA series (WNFSTSEX GE 1093 and DATFIRSM GE 1093 and computed variable EVERUSED = 1); R did not use multiple methods in the month; or R used only 2 methods in the month; or R reported fewer than 3 BC method combinations; or R reported using fewer than 2 BC methods for this combination in this month of the method calendar.

1553	6482	2446	10846	Blank	= Blank, inapplicable
0	0	0	0	01	= NONE
0	0	0	0	02	= OFFICE USE ONLY
0	0	0	0	03	= BIRTH CONTROL PILLS
0	0	0	0	04	= CONDOM
0	0	0	0	05	= PARTNER'S VASECTOMY
0	0	0	0	06	= DIAPHRAGM
0	1	0	1	07	= FOAM
0	0	0	0	08	= JELLY OR CREAM
0	0	0	0	09	= CERVICAL CAP
0	0	0	0	10	= SUPPOSITORY, INSERT
0	0	0	0	11	= TODAY (TM) SPONGE
0	0	0	0	12	= FEMALE CONDOM, VAGINAL POUCH
0	0	0	0	13	= IUD, COIL, LOOP
0	0	0	0	14	= NORPLANT (TM)
0	0	0	0	15	= DEPO-PROVERA, INJECTABLES
0	0	0	0	16	= MORNING AFTER PILLS
0	0	0	0	17	= RHYTHM OR SAFE PERIOD BY CALENDAR
0	0	0	0	18	= SAFE PERIOD BY TEMP, CERVICAL MUCUS TEST,

(4552)

1995 NATIONAL SURVEY OF FAMILY GROWTH
 File Documentation
 Respondent File (Section E Questionnaire Items)

VARIABLE NAME	COLUMN LOCATION	NON-HISPANIC			TOTAL	QX	TEXT AND CODE CATEGORIES
		HISP	WHITE	BLACK			
		0	0	0	0	19	NFP
		0	0	0	0	20	= WITHDRAWAL
		0	0	0	0	21	= RESPONDENT STERILE
							= PARTNER STERILE (NOT ON CARD)
		0	0	0	0	22	= OTHER METHOD-NOT SHOWN SEPARATELY
		0	0	0	0	97	= Not Ascertained
		0	0	0	0	98	= Refused
		0	0	0	0	99	= Don't Know

1995 NATIONAL SURVEY OF FAMILY GROWTH
 File Documentation
 Respondent File (Section E Questionnaire Items)

VARIABLE	COLUMN	NON-HISPANIC				
NAME	LOCATION	HISP	WHITE	BLACK	TOTAL	QX TEXT AND CODE CATEGORIES

[MTHUS514] 8359-8360

During that month, which (of those/other) methods, if any, did you use at the same time? (3rd METHOD MENTIONED, 3rd COMBINATION, MC43)

Inapplicable:
 R said no, don't know or refused to all birth control methods in EA series (computed variable EVERUSED = 2); R never had sex as of this month and never used a birth control method as of this month but ever used one or more birth control methods in EA series (WNFSTSEX GE 1093 and DATFIRSM GE 1093 and computed variable EVERUSED = 1); R did not use multiple methods in the month; or R used only 2 methods in the month; or R reported fewer than 3 BC method combinations; or R reported using fewer than 3 BC methods for this combination in this month of the method calendar.

1553	6483	2446	10847	Blank	= Blank, inapplicable
0	0	0	0	01	= NONE
0	0	0	0	02	= OFFICE USE ONLY
0	0	0	0	03	= BIRTH CONTROL PILLS
0	0	0	0	04	= CONDOM
0	0	0	0	05	= PARTNER'S VASECTOMY
0	0	0	0	06	= DIAPHRAGM
0	0	0	0	07	= FOAM
0	0	0	0	08	= JELLY OR CREAM
0	0	0	0	09	= CERVICAL CAP
0	0	0	0	10	= SUPPOSITORY, INSERT
0	0	0	0	11	= TODAY (TM) SPONGE
0	0	0	0	12	= FEMALE CONDOM, VAGINAL POUCH
0	0	0	0	13	= IUD, COIL, LOOP
0	0	0	0	14	= NORPLANT (TM)
0	0	0	0	15	= DEPO-PROVERA, INJECTABLES
0	0	0	0	16	= MORNING AFTER PILLS
0	0	0	0	17	= RHYTHM OR SAFE PERIOD BY CALENDAR
0	0	0	0	18	= SAFE PERIOD BY TEMP, CERVICAL MUCUS TEST,

(4554)

1995 NATIONAL SURVEY OF FAMILY GROWTH
 File Documentation
 Respondent File (Section E Questionnaire Items)

VARIABLE NAME	COLUMN LOCATION	NON-HISPANIC			TOTAL	QX	TEXT AND CODE CATEGORIES
		HISP	WHITE	BLACK			
		0	0	0	0	19	NFP
		0	0	0	0	20	= WITHDRAWAL
		0	0	0	0	21	= RESPONDENT STERILE
							= PARTNER STERILE (NOT ON CARD)
		0	0	0	0	22	= OTHER METHOD-NOT SHOWN SEPARATELY
		0	0	0	0	97	= Not Ascertained
		0	0	0	0	98	= Refused
		0	0	0	0	99	= Don't Know

1995 NATIONAL SURVEY OF FAMILY GROWTH
 File Documentation
 Respondent File (Section E Questionnaire Items)

VARIABLE	COLUMN	NON-HISPANIC				
NAME	LOCATION	HISP	WHITE	BLACK	TOTAL	QX TEXT AND CODE CATEGORIES

[MTHUS515] 8361-8362

During that month, which (of those/other) methods, if any, did you use at the same time? (4th METHOD MENTIONED, 3rd COMBINATION, MC43)

Inapplicable:
 R said no, don't know or refused to all birth control methods in EA series (computed variable EVERUSED = 2); R never had sex as of this month and never used a birth control method as of this month but ever used one or more birth control methods in EA series (WNFSTSEX GE 1093 and DATFIRSM GE 1093 and computed variable EVERUSED = 1); R did not use multiple methods in the month; or R used only 2 methods in the month; or R reported fewer than 3 BC method combinations; or R reported using fewer than 4 BC methods for this combination in this month of the method calendar.

1553	6483	2446	10847	Blank	= Blank, inapplicable
0	0	0	0	01	= NONE
0	0	0	0	02	= OFFICE USE ONLY
0	0	0	0	03	= BIRTH CONTROL PILLS
0	0	0	0	04	= CONDOM
0	0	0	0	05	= PARTNER'S VASECTOMY
0	0	0	0	06	= DIAPHRAGM
0	0	0	0	07	= FOAM
0	0	0	0	08	= JELLY OR CREAM
0	0	0	0	09	= CERVICAL CAP
0	0	0	0	10	= SUPPOSITORY, INSERT
0	0	0	0	11	= TODAY (TM) SPONGE
0	0	0	0	12	= FEMALE CONDOM, VAGINAL POUCH
0	0	0	0	13	= IUD, COIL, LOOP
0	0	0	0	14	= NORPLANT (TM)
0	0	0	0	15	= DEPO-PROVERA, INJECTABLES
0	0	0	0	16	= MORNING AFTER PILLS
0	0	0	0	17	= RHYTHM OR SAFE PERIOD BY CALENDAR
0	0	0	0	18	= SAFE PERIOD BY TEMP, CERVICAL MUCUS TEST,

1995 NATIONAL SURVEY OF FAMILY GROWTH
 File Documentation
 Respondent File (Section E Questionnaire Items)

VARIABLE NAME	COLUMN LOCATION	NON-HISPANIC			TOTAL	QX	TEXT AND CODE CATEGORIES
		HISP	WHITE	BLACK			
		0	0	0	0	19	NFP
		0	0	0	0	20	= WITHDRAWAL
		0	0	0	0	21	= RESPONDENT STERILE
							= PARTNER STERILE (NOT ON CARD)
		0	0	0	0	22	= OTHER METHOD-NOT SHOWN SEPARATELY
		0	0	0	0	97	= Not Ascertained
		0	0	0	0	98	= Refused
		0	0	0	0	99	= Don't Know

1995 NATIONAL SURVEY OF FAMILY GROWTH
 File Documentation
 Respondent File (Section E Questionnaire Items)

VARIABLE NAME	COLUMN LOCATION	NON-HISPANIC			QX TEXT AND CODE CATEGORIES		
		HISP	WHITE	BLACK TOTAL			
[METHH172]	8363-8364				ENTER METHOD (FIRST MENTIONED) USED IN AUGUST 1994: (MC44)		
					Inapplicable: R never had sex as of this month and never used a birth control method as of this month but ever used one or more birth control methods in EA series (WNFSTSEX GE 1093 and DATFIRSM GE 1093 and computed variable EVERUSED = 1); R never had sex and said no, don't know or refused to all birth control methods in EA series (computed variable RHADSEX coded 2,7,8 or 9 and computed variable EVERUSED = 2); R said no, don't know or refused to all birth control methods in EA series (computed variable EVERUSED = 2).		
		255	731	245	1327	Blank	= Blank, inapplicable
		325	1252	526	2169	01	= NO METHODS USED
		0	0	0	0	02	= SAME AS PREVIOUS MONTH
		234	1255	402	1925	03	= BIRTH CONTROL PILLS
		210	898	406	1578	04	= CONDOM
		24	354	11	399	05	= PARTNER'S VASECTOMY
		4	95	10	110	06	= DIAPHRAGM
		4	26	2	32	07	= FOAM
		1	9	2	12	08	= JELLY OR CREAM
		1	3	0	4	09	= CERVICAL CAP
		4	23	8	37	10	= SUPPOSITORY, INSERT
		3	20	6	29	11	= TODAY (TM) SPONGE
		0	1	0	1	12	= FEMALE CONDOM, VAGINAL POUCH
		17	30	16	66	13	= IUD, COIL, LOOP
		24	49	40	117	14	= NORPLANT (TM)
		34	73	53	163	15	= DEPO-PROVERA, INJECTABLES
		0	0	0	0	16	= MORNING AFTER PILLS
		30	98	16	156	17	= RHYTHM OR SAFE PERIOD BY CALENDAR
		3	16	0	19	18	= SAFE PERIOD BY TEMP, CERVICAL MUCUS TEST, NFP
		39	138	28	216	19	= WITHDRAWAL
		320	1214	652	2240	20	= RESPONDENT STERILE

(4558)

1995 NATIONAL SURVEY OF FAMILY GROWTH
 File Documentation
 Respondent File (Section E Questionnaire Items)

VARIABLE NAME	COLUMN LOCATION	NON-HISPANIC			TOTAL	QX	TEXT AND CODE CATEGORIES
		HISP	WHITE	BLACK			
		19	185	13	221	21	= PARTNER STERILE (NOT ON CARD)
		2	5	7	14	22	= OTHER METHOD-NOT SHOWN SEPARATELY
		0	0	0	0	55	= SAME METHODS USED THROUGH END OF YEAR
		0	1	1	2	97	= Not Ascertained
		0	5	2	7	98	= Refused
		0	2	0	3	99	= Don't Know

1995 NATIONAL SURVEY OF FAMILY GROWTH
 File Documentation
 Respondent File (Section E Questionnaire Items)

VARIABLE NAME	COLUMN LOCATION	NON-HISPANIC			QX TEXT AND CODE CATEGORIES	
		HISP	WHITE	BLACK	TOTAL	
[METHH173]	8365-8366					ENTER METHOD (SECOND MENTIONED) USED IN AUGUST 1994: (MC44)

Inapplicable:
 R never had sex as of this month and never used a birth control method as of this month but ever used one or more birth control methods in EA series (WNFSTSEX GE 1093 and DATFIRSM GE 1093 and computed variable EVERUSED = 1); R never had sex and said no, don't know or refused to all birth control methods in EA series (computed variable RHADSEX coded 2,7,8 or 9 and computed variable EVERUSED = 2); R said no, don't know or refused to all birth control methods in EA series (computed variable EVERUSED = 2); R used fewer than 2 methods in month.

1479	6046	2273	10136	Blank	= Blank, inapplicable
0	0	0	0	01	= NO METHODS USED
0	0	0	0	02	= SAME AS PREVIOUS MONTH
0	10	4	14	03	= BIRTH CONTROL PILLS
18	130	86	241	04	= CONDOM
0	12	1	13	05	= PARTNER'S VASECTOMY
2	14	5	21	06	= DIAPHRAGM
5	24	9	39	07	= FOAM
3	15	8	26	08	= JELLY OR CREAM
0	0	0	0	09	= CERVICAL CAP
2	12	6	20	10	= SUPPOSITORY, INSERT
0	10	4	15	11	= TODAY (TM) SPONGE
0	0	0	0	12	= FEMALE CONDOM, VAGINAL POUCH
0	0	0	0	13	= IUD, COIL, LOOP
2	1	4	7	14	= NORPLANT (TM)
0	2	1	3	15	= DEPO-PROVERA, INJECTABLES
0	1	0	1	16	= MORNING AFTER PILLS
16	65	5	91	17	= RHYTHM OR SAFE PERIOD BY CALENDAR
0	10	1	11	18	= SAFE PERIOD BY TEMP, CERVICAL MUCUS TEST, NFP
25	102	20	158	19	= WITHDRAWAL

(4560)

1995 NATIONAL SURVEY OF FAMILY GROWTH
 File Documentation
 Respondent File (Section E Questionnaire Items)

VARIABLE NAME	COLUMN LOCATION	NON-HISPANIC			TOTAL	QX	TEXT AND CODE CATEGORIES
		HISP	WHITE	BLACK			
		1	12	14	27	20	= RESPONDENT STERILE
		0	9	1	11	21	= PARTNER STERILE (NOT ON CARD)
		0	0	0	0	22	= OTHER METHOD-NOT SHOWN SEPARATELY
		0	0	0	0	55	= SAME METHODS USED THROUGH END OF YEAR
		0	1	2	3	97	= Not Ascertained
		0	5	2	7	98	= Refused
		0	2	0	3	99	= Don't Know

1995 NATIONAL SURVEY OF FAMILY GROWTH
 File Documentation
 Respondent File (Section E Questionnaire Items)

VARIABLE NAME	COLUMN LOCATION	NON-HISPANIC			TOTAL	QX	TEXT AND CODE CATEGORIES
		HISP	WHITE	BLACK			
		1	10	25	36	20	= RESPONDENT STERILE
		0	0	0	0	21	= PARTNER STERILE (NOT ON CARD)
		0	0	0	1	22	= OTHER METHOD-NOT SHOWN SEPARATELY
		0	0	0	0	55	= SAME METHODS USED THROUGH END OF YEAR
		0	1	2	3	97	= Not Ascertained
		0	5	2	7	98	= Refused
		0	2	0	3	99	= Don't Know

1995 NATIONAL SURVEY OF FAMILY GROWTH
 File Documentation
 Respondent File (Section E Questionnaire Items)

VARIABLE NAME	COLUMN LOCATION	NON-HISPANIC			QX TEXT AND CODE CATEGORIES	
		HISP	WHITE	BLACK	TOTAL	
[METHH175]	8369-8370					ENTER METHOD (FOURTH MENTIONED) USED IN AUGUST 1994: (MC44)

Inapplicable:
 R never had sex as of this month and never used a birth control method as of this month but ever used one or more birth control methods in EA series (WNFSTSEX GE 1093 and DATFIRSM GE 1093 and computed variable EVERUSED = 1); R never had sex and said no, don't know or refused to all birth control methods in EA series (computed variable RHADSEX coded 2,7,8 or 9 and computed variable EVERUSED = 2); R said no, don't know or refused to all birth control methods in EA series (computed variable EVERUSED = 2); R used fewer than 4 methods in month.

1553	6465	2441	10823	Blank	= Blank, inapplicable
0	0	0	0	01	= NO METHODS USED
0	0	0	0	02	= SAME AS PREVIOUS MONTH
0	0	0	0	03	= BIRTH CONTROL PILLS
0	1	0	1	04	= CONDOM
0	0	0	0	05	= PARTNER'S VASECTOMY
0	0	0	0	06	= DIAPHRAGM
0	0	0	0	07	= FOAM
0	1	0	1	08	= JELLY OR CREAM
0	0	0	0	09	= CERVICAL CAP
0	0	0	0	10	= SUPPOSITORY, INSERT
0	1	0	1	11	= TODAY (TM) SPONGE
0	0	0	0	12	= FEMALE CONDOM, VAGINAL POUCH
0	0	0	0	13	= IUD, COIL, LOOP
0	0	0	0	14	= NORPLANT (TM)
0	0	0	0	15	= DEPO-PROVERA, INJECTABLES
0	0	0	0	16	= MORNING AFTER PILLS
0	2	0	2	17	= RHYTHM OR SAFE PERIOD BY CALENDAR
0	1	1	2	18	= SAFE PERIOD BY TEMP, CERVICAL MUCUS TEST, NFP
0	4	0	4	19	= WITHDRAWAL

(4564)

1995 NATIONAL SURVEY OF FAMILY GROWTH
 File Documentation
 Respondent File (Section E Questionnaire Items)

VARIABLE NAME	COLUMN LOCATION	NON-HISPANIC			TOTAL	QX	TEXT AND CODE	CATEGORIES
		HISP	WHITE	BLACK				
		0	0	0	0	20	=	RESPONDENT STERILE
		0	0	0	0	21	=	PARTNER STERILE (NOT ON CARD)
		0	0	0	0	22	=	OTHER METHOD-NOT SHOWN SEPARATELY
		0	0	0	0	55	=	SAME METHODS USED THROUGH END OF YEAR
		0	1	2	3	97	=	Not Ascertained
		0	5	2	7	98	=	Refused
		0	2	0	3	99	=	Don't Know

[SIMSEQ43] 8371-8371

Did you use those methods together,
 that is, at the same time, or did
 you use them at different times
 during the month? (MC44)

Inapplicable:

R never had sex as of this month and
 never used a birth control method as
 of this month but ever used one or
 more birth control methods in EA
 series (WNFSTSEX GE 1093 and
 DATFIRSM GE 1093 and computed
 variable EVERUSED = 1); R never had
 sex and said no, don't know or
 refused to all birth control methods
 in EA series (computed variable
 RHADSEX coded 2,7,8 or 9 and
 computed variable EVERUSED = 2); R
 said no, don't know or refused to
 all birth control methods in EA
 series (computed variable EVERUSED =
 2); R did not use multiple methods
 in the month; R used more than 2
 methods in the month.

1489	6109	2286	10227	Blank	=	Blank, inapplicable
35	243	128	418	1	=	SAME TIME
29	131	32	202	2	=	DIFFERENT TIMES
0	0	0	0	7	=	Not Ascertained
0	0	0	0	8	=	Refused
0	0	0	0	9	=	Don't Know

1995 NATIONAL SURVEY OF FAMILY GROWTH
 File Documentation
 Respondent File (Section E Questionnaire Items)

VARIABLE COLUMN NON-HISPANIC
 NAME LOCATION HISP WHITE BLACK TOTAL QX TEXT AND CODE CATEGORIES

[MTHUS516] 8372-8373

During that month, which (of those/other) methods, if any, did you use at the same time? (1st METHOD MENTIONED, 1st COMBINATION, MC44)

Inapplicable:
 R said no, don't know or refused to all birth control methods in EA series (computed variable EVERUSED = 2); R never had sex as of this month and never used a birth control method as of this month but ever used one or more birth control methods in EA series (WNFSTSEX GE 1093 and DATFIRSM GE 1093 and computed variable EVERUSED = 1); R did not use multiple methods in the month; or R used only 2 methods in the month.

	1543	6428	2437	10769	Blank	
	3	17	1	21	01	= Blank, inapplicable
	0	0	0	0	02	= NONE
	0	5	2	9	03	= OFFICE USE ONLY
	6	20	4	32	04	= BIRTH CONTROL PILLS
	0	0	0	0	05	= CONDOM
	0	5	0	5	06	= PARTNER'S VASECTOMY
	0	0	0	0	07	= DIAPHRAGM
	0	0	0	0	08	= FOAM
	0	0	0	0	09	= JELLY OR CREAM
	0	1	0	1	10	= CERVICAL CAP
	0	1	0	1	11	= SUPPOSITORY, INSERT
	0	0	0	0	12	= TODAY (TM) SPONGE
						= FEMALE CONDOM, VAGINAL POUCH
	0	0	0	0	13	= IUD, COIL, LOOP
	0	0	0	0	14	= NORPLANT (TM)
	0	0	0	0	15	= DEPO-PROVERA, INJECTABLES
	0	0	0	0	16	= MORNING AFTER PILLS
	1	4	0	5	17	= RHYTHM OR SAFE PERIOD BY CALENDAR
	0	0	0	0	18	= SAFE PERIOD BY TEMP, CERVICAL MUCUS TEST, NFP
	0	1	1	2	19	= WITHDRAWAL
	0	0	1	1	20	= RESPONDENT STERILE
	0	0	0	0	21	= PARTNER STERILE (NOT

(4566)

1995 NATIONAL SURVEY OF FAMILY GROWTH
 File Documentation
 Respondent File (Section E Questionnaire Items)

VARIABLE NAME	COLUMN LOCATION	NON-HISPANIC			TOTAL	QX	TEXT AND CODE CATEGORIES
		HISP	WHITE	BLACK			
		0	0	0	0	22	ON CARD) = OTHER METHOD-NOT SHOWN SEPARATELY
		0	0	0	0	97	= Not Ascertained
		0	0	0	0	98	= Refused
		0	1	0	1	99	= Don't Know

1995 NATIONAL SURVEY OF FAMILY GROWTH
 File Documentation
 Respondent File (Section E Questionnaire Items)

VARIABLE COLUMN NON-HISPANIC
 NAME LOCATION HISP WHITE BLACK TOTAL QX TEXT AND CODE CATEGORIES

[MTHUS517] 8374-8375

During that month, which (of those/other) methods, if any, did you use at the same time? (2nd METHOD MENTIONED, 1st COMBINATION, MC44)

Inapplicable:

R said no, don't know or refused to all birth control methods in EA series (computed variable EVERUSED = 2); R never had sex as of this month and never used a birth control method as of this month but ever used one or more birth control methods in EA series (WNFSTSEX GE 1093 and DATFIRSM GE 1093 and computed variable EVERUSED = 1); R did not use multiple methods in the month; or R used only 2 methods in the month; or R reported using fewer than 2 BC methods for this combination in this month of the method calendar.

1546	6445	2438	10790	Blank	= Blank, inapplicable
0	0	0	0	01	= NONE
0	0	0	0	02	= OFFICE USE ONLY
0	0	0	0	03	= BIRTH CONTROL PILLS
0	6	3	10	04	= CONDOM
0	1	0	1	05	= PARTNER'S VASECTOMY
0	0	0	0	06	= DIAPHRAGM
1	3	1	5	07	= FOAM
1	1	2	4	08	= JELLY OR CREAM
0	0	0	0	09	= CERVICAL CAP
0	0	1	1	10	= SUPPOSITORY, INSERT
0	0	0	0	11	= TODAY (TM) SPONGE
0	0	0	0	12	= FEMALE CONDOM, VAGINAL POUCH
0	0	0	0	13	= IUD, COIL, LOOP
0	0	0	0	14	= NORPLANT (TM)
0	0	0	0	15	= DEPO-PROVERA, INJECTABLES
0	0	0	0	16	= MORNING AFTER PILLS
3	17	0	21	17	= RHYTHM OR SAFE PERIOD BY CALENDAR
0	1	0	1	18	= SAFE PERIOD BY TEMP, CERVICAL MUCUS TEST, NFP

(4568)

1995 NATIONAL SURVEY OF FAMILY GROWTH
 File Documentation
 Respondent File (Section E Questionnaire Items)

VARIABLE NAME	COLUMN LOCATION	NON-HISPANIC			TOTAL	QX	TEXT AND CODE CATEGORIES
		HISP	WHITE	BLACK			
		2	8	1	13	19	= WITHDRAWAL
		0	0	0	0	20	= RESPONDENT STERILE
		0	0	0	0	21	= PARTNER STERILE (NOT ON CARD)
		0	0	0	0	22	= OTHER METHOD-NOT SHOWN SEPARATELY
		0	0	0	0	97	= Not Ascertained
		0	0	0	0	98	= Refused
		0	1	0	1	99	= Don't Know

1995 NATIONAL SURVEY OF FAMILY GROWTH
 File Documentation
 Respondent File (Section E Questionnaire Items)

VARIABLE COLUMN NON-HISPANIC
 NAME LOCATION HISP WHITE BLACK TOTAL QX TEXT AND CODE CATEGORIES

[MTHUS518] 8376-8377

During that month, which (of those/other) methods, if any, did you use at the same time? (3rd METHOD MENTIONED, 1st COMBINATION, MC44)

Inapplicable:
 R said no, don't know or refused to all birth control methods in EA series (computed variable EVERUSED = 2); R never had sex as of this month and never used a birth control method as of this month but ever used one or more birth control methods in EA series (WNFSTSEX GE 1093 and DATFIRSM GE 1093 and computed variable EVERUSED = 1); R did not use multiple methods in the month; or R used only 2 methods in the month; or R reported using fewer than 3 BC methods for this combination in this month of the method calendar.

1548	6459	2441	10811	Blank	= Blank, inapplicable
0	0	0	0	01	= NONE
0	0	0	0	02	= OFFICE USE ONLY
0	0	0	0	03	= BIRTH CONTROL PILLS
0	0	0	0	04	= CONDOM
0	0	0	0	05	= PARTNER'S VASECTOMY
0	0	0	0	06	= DIAPHRAGM
1	0	0	1	07	= FOAM
0	3	0	3	08	= JELLY OR CREAM
0	0	0	0	09	= CERVICAL CAP
0	0	1	1	10	= SUPPOSITORY, INSERT
1	2	0	3	11	= TODAY (TM) SPONGE
0	0	0	0	12	= FEMALE CONDOM, VAGINAL POUCH
0	0	0	0	13	= IUD, COIL, LOOP
0	0	0	0	14	= NORPLANT (TM)
0	0	0	0	15	= DEPO-PROVERA, INJECTABLES
0	0	0	0	16	= MORNING AFTER PILLS
2	3	1	6	17	= RHYTHM OR SAFE PERIOD BY CALENDAR
0	2	0	3	18	= SAFE PERIOD BY TEMP, CERVICAL MUCUS TEST, NFP

1995 NATIONAL SURVEY OF FAMILY GROWTH
 File Documentation
 Respondent File (Section E Questionnaire Items)

VARIABLE NAME	COLUMN LOCATION	NON-HISPANIC			TOTAL	QX	TEXT AND CODE CATEGORIES
		HISP	WHITE	BLACK			
		1	13	3	18	19	= WITHDRAWAL
		0	0	0	0	20	= RESPONDENT STERILE
		0	0	0	0	21	= PARTNER STERILE (NOT ON CARD)
		0	0	0	0	22	= OTHER METHOD-NOT SHOWN SEPARATELY
		0	0	0	0	97	= Not Ascertained
		0	0	0	0	98	= Refused
		0	1	0	1	99	= Don't Know

1995 NATIONAL SURVEY OF FAMILY GROWTH
 File Documentation
 Respondent File (Section E Questionnaire Items)

VARIABLE COLUMN NON-HISPANIC
 NAME LOCATION HISP WHITE BLACK TOTAL QX TEXT AND CODE CATEGORIES

[MTHUS519] 8378-8379

During that month, which (of those/other) methods, if any, did you use at the same time? (4th METHOD MENTIONED, 1st COMBINATION, MC44)

Inapplicable:
 R said no, don't know or refused to all birth control methods in EA series (computed variable EVERUSED = 2); R never had sex as of this month and never used a birth control method as of this month but ever used one or more birth control methods in EA series (WNFSTSEX GE 1093 and DATFIRSM GE 1093 and computed variable EVERUSED = 1); R did not use multiple methods in the month; or R used only 2 methods in the month; or R reported using fewer than 4 BC methods for this combination in this month of the method calendar.

	1553	6481	2445	10844	Blank	
	0	0	0	0	01	= Blank, inapplicable
	0	0	0	0	02	= NONE
	0	0	0	0	03	= OFFICE USE ONLY
	0	1	0	1	04	= BIRTH CONTROL PILLS
	0	0	0	0	05	= CONDOM
	0	0	0	0	06	= PARTNER'S VASECTOMY
	0	0	0	0	07	= DIAPHRAGM
	0	0	0	0	08	= FOAM
	0	0	0	0	09	= JELLY OR CREAM
	0	0	0	0	10	= CERVICAL CAP
	0	0	0	0	11	= SUPPOSITORY, INSERT
	0	0	0	0	12	= TODAY (TM) SPONGE
	0	0	0	0	13	= FEMALE CONDOM, VAGINAL POUCH
	0	0	0	0	14	= IUD, COIL, LOOP
	0	0	0	0	15	= NORPLANT (TM)
	0	0	0	0	16	= DEPO-PROVERA, INJECTABLES
	0	0	0	0	17	= MORNING AFTER PILLS
	0	0	0	0	18	= RHYTHM OR SAFE PERIOD BY CALENDAR
	0	0	1	1	18	= SAFE PERIOD BY TEMP, CERVICAL MUCUS TEST, NFP

(4572)

1995 NATIONAL SURVEY OF FAMILY GROWTH
 File Documentation
 Respondent File (Section E Questionnaire Items)

VARIABLE NAME	COLUMN LOCATION	NON-HISPANIC			TOTAL	QX	TEXT AND CODE CATEGORIES
		HISP	WHITE	BLACK			
		0	0	0	0	19	= WITHDRAWAL
		0	0	0	0	20	= RESPONDENT STERILE
		0	0	0	0	21	= PARTNER STERILE (NOT ON CARD)
		0	0	0	0	22	= OTHER METHOD-NOT SHOWN SEPARATELY
		0	0	0	0	97	= Not Ascertained
		0	0	0	0	98	= Refused
		0	1	0	1	99	= Don't Know

1995 NATIONAL SURVEY OF FAMILY GROWTH
 File Documentation
 Respondent File (Section E Questionnaire Items)

VARIABLE COLUMN NON-HISPANIC
 NAME LOCATION HISP WHITE BLACK TOTAL QX TEXT AND CODE CATEGORIES

[MTHUS520] 8380-8381

During that month, which (of those/other) methods, if any, did you use at the same time? (1st METHOD MENTIONED, 2nd COMBINATION, MC44)

Inapplicable:
 R said no, don't know or refused to all birth control methods in EA series (computed variable EVERUSED = 2); R never had sex as of this month and never used a birth control method as of this month but ever used one or more birth control methods in EA series (WNFSTSEX GE 1093 and DATFIRSM GE 1093 and computed variable EVERUSED = 1); R did not use multiple methods in the month; or R used only 2 methods in the month; or R reported fewer than 2 BC method combinations.

1546	6445	2438	10790	Blank	
4	27	6	40	01	= Blank, inapplicable
0	0	0	0	02	= NONE
0	2	0	2	03	= OFFICE USE ONLY
1	3	0	5	04	= BIRTH CONTROL PILLS
0	0	0	0	05	= CONDOM
0	1	0	1	06	= PARTNER'S VASECTOMY
1	1	0	2	07	= DIAPHRAGM
0	1	0	1	08	= FOAM
0	0	0	0	09	= JELLY OR CREAM
0	0	0	0	10	= CERVICAL CAP
0	0	0	0	11	= SUPPOSITORY, INSERT
0	0	0	0	12	= TODAY (TM) SPONGE
0	0	0	0	13	= FEMALE CONDOM, VAGINAL POUCH
0	0	0	0	14	= IUD, COIL, LOOP
0	0	0	0	15	= NORPLANT (TM)
0	0	0	0	16	= DEPO-PROVERA, INJECTABLES
0	0	0	0	17	= MORNING AFTER PILLS
0	2	0	2	18	= RHYTHM OR SAFE PERIOD BY CALENDAR
0	0	0	0	19	= SAFE PERIOD BY TEMP, CERVICAL MUCUS TEST, NFP
1	0	1	2	20	= WITHDRAWAL
0	0	1	1	20	= RESPONDENT STERILE

(4574)

1995 NATIONAL SURVEY OF FAMILY GROWTH
 File Documentation
 Respondent File (Section E Questionnaire Items)

VARIABLE NAME	COLUMN LOCATION	NON-HISPANIC			TOTAL	QX	TEXT AND CODE CATEGORIES
		HISP	WHITE	BLACK			
		0	0	0	0	21	= PARTNER STERILE (NOT ON CARD)
		0	0	0	0	22	= OTHER METHOD-NOT SHOWN SEPARATELY
		0	1	0	1	97	= Not Ascertained
		0	0	0	0	98	= Refused
		0	0	0	0	99	= Don't Know

1995 NATIONAL SURVEY OF FAMILY GROWTH
 File Documentation
 Respondent File (Section E Questionnaire Items)

VARIABLE	COLUMN	NON-HISPANIC				
NAME	LOCATION	HISP	WHITE	BLACK	TOTAL	QX TEXT AND CODE CATEGORIES

[MTHUS521] 8382-8383

During that month, which (of those/other) methods, if any, did you use at the same time? (2nd METHOD MENTIONED, 2nd COMBINATION, MC44)

Inapplicable:
 R said no, don't know or refused to all birth control methods in EA series (computed variable EVERUSED = 2); R never had sex as of this month and never used a birth control method as of this month but ever used one or more birth control methods in EA series (WNFSTSEX GE 1093 and DATFIRSM GE 1093 and computed variable EVERUSED = 1); R did not use multiple methods in the month; or R used only 2 methods in the month; or R reported fewer than 2 BC method combinations; or R reported using fewer than 2 BC methods for this combination in this month of the method calendar.

1552	6474	2444	10834	Blank	= Blank, inapplicable
0	0	0	0	01	= NONE
0	0	0	0	02	= OFFICE USE ONLY
0	0	0	0	03	= BIRTH CONTROL PILLS
1	1	0	2	04	= CONDOM
0	1	0	1	05	= PARTNER'S VASECTOMY
0	0	0	0	06	= DIAPHRAGM
0	0	0	0	07	= FOAM
0	0	0	0	08	= JELLY OR CREAM
0	0	0	0	09	= CERVICAL CAP
0	0	1	1	10	= SUPPOSITORY, INSERT
0	1	0	1	11	= TODAY (TM) SPONGE
0	0	0	0	12	= FEMALE CONDOM, VAGINAL POUCH
0	0	0	0	13	= IUD, COIL, LOOP
0	0	0	0	14	= NORPLANT (TM)
0	0	0	0	15	= DEPO-PROVERA, INJECTABLES
0	0	0	0	16	= MORNING AFTER PILLS
0	2	0	3	17	= RHYTHM OR SAFE PERIOD BY CALENDAR
0	1	0	1	18	= SAFE PERIOD BY TEMP, CERVICAL MUCUS TEST,

1995 NATIONAL SURVEY OF FAMILY GROWTH
 File Documentation
 Respondent File (Section E Questionnaire Items)

VARIABLE NAME	COLUMN LOCATION	NON-HISPANIC			TOTAL	QX	TEXT AND CODE CATEGORIES
		HISP	WHITE	BLACK			
		0	2	1	3	19	NFP
		0	0	0	0	20	= WITHDRAWAL
		0	0	0	0	21	= RESPONDENT STERILE
							= PARTNER STERILE (NOT ON CARD)
		0	0	0	0	22	= OTHER METHOD-NOT SHOWN SEPARATELY
		0	1	0	1	97	= Not Ascertained
		0	0	0	0	98	= Refused
		0	0	0	0	99	= Don't Know

1995 NATIONAL SURVEY OF FAMILY GROWTH
 File Documentation
 Respondent File (Section E Questionnaire Items)

VARIABLE	COLUMN	NON-HISPANIC								
NAME	LOCATION	HISP	WHITE	BLACK						

[MTHUS522] 8384-8385

During that month, which (of those/other) methods, if any, did you use at the same time? (3rd METHOD MENTIONED, 2nd COMBINATION, MC44)

Inapplicable:
 R said no, don't know or refused to all birth control methods in EA series (computed variable EVERUSED = 2); R never had sex as of this month and never used a birth control method as of this month but ever used one or more birth control methods in EA series (WNFSTSEX GE 1093 and DATFIRSM GE 1093 and computed variable EVERUSED = 1); R did not use multiple methods in the month; or R used only 2 methods in the month; or R reported fewer than 2 BC method combinations; or R reported using fewer than 3 BC methods for this combination in this month of the method calendar.

1552	6479	2446	10841	Blank		= Blank, inapplicable
0	0	0	0	0	01	= NONE
0	0	0	0	0	02	= OFFICE USE ONLY
0	0	0	0	0	03	= BIRTH CONTROL PILLS
0	0	0	0	0	04	= CONDOM
0	0	0	0	0	05	= PARTNER'S VASECTOMY
0	0	0	0	0	06	= DIAPHRAGM
0	0	0	0	0	07	= FOAM
0	1	0	1	08		= JELLY OR CREAM
0	0	0	0	09		= CERVICAL CAP
0	0	0	0	10		= SUPPOSITORY, INSERT
0	0	0	0	11		= TODAY (TM) SPONGE
0	0	0	0	12		= FEMALE CONDOM, VAGINAL POUCH
0	0	0	0	13		= IUD, COIL, LOOP
0	0	0	0	14		= NORPLANT (TM)
0	0	0	0	15		= DEPO-PROVERA, INJECTABLES
0	0	0	0	16		= MORNING AFTER PILLS
1	0	0	1	17		= RHYTHM OR SAFE PERIOD BY CALENDAR
0	1	0	2	18		= SAFE PERIOD BY TEMP, CERVICAL MUCUS TEST,

1995 NATIONAL SURVEY OF FAMILY GROWTH
 File Documentation
 Respondent File (Section E Questionnaire Items)

VARIABLE NAME	COLUMN LOCATION	NON-HISPANIC			TOTAL	QX	TEXT AND CODE CATEGORIES
		HISP	WHITE	BLACK			
		0	1	0	1	19	NFP
		0	0	0	0	20	= WITHDRAWAL
		0	0	0	0	21	= RESPONDENT STERILE
							= PARTNER STERILE (NOT ON CARD)
		0	0	0	0	22	= OTHER METHOD-NOT SHOWN SEPARATELY
		0	1	0	1	97	= Not Ascertained
		0	0	0	0	98	= Refused
		0	0	0	0	99	= Don't Know

1995 NATIONAL SURVEY OF FAMILY GROWTH
 File Documentation
 Respondent File (Section E Questionnaire Items)

VARIABLE NAME	COLUMN LOCATION	NON-HISPANIC			TOTAL	QX	TEXT AND CODE CATEGORIES
		HISP	WHITE	BLACK			
		0	0	0	0	19	NFP
		0	0	0	0	20	= WITHDRAWAL
		0	0	0	0	21	= RESPONDENT STERILE
							= PARTNER STERILE (NOT ON CARD)
		0	0	0	0	22	= OTHER METHOD-NOT SHOWN SEPARATELY
		0	1	0	1	97	= Not Ascertained
		0	0	0	0	98	= Refused
		0	0	0	0	99	= Don't Know

1995 NATIONAL SURVEY OF FAMILY GROWTH
 File Documentation
 Respondent File (Section E Questionnaire Items)

VARIABLE	COLUMN	NON-HISPANIC				
NAME	LOCATION	HISP	WHITE	BLACK	TOTAL	QX TEXT AND CODE CATEGORIES

[MTHUS524] 8388-8389

During that month, which (of those/other) methods, if any, did you use at the same time? (1st METHOD MENTIONED, 3rd COMBINATION, MC44)

Inapplicable:
 R said no, don't know or refused to all birth control methods in EA series (computed variable EVERUSED = 2); R never had sex as of this month and never used a birth control method as of this month but ever used one or more birth control methods in EA series (WNFSTSEX GE 1093 and DATFIRSM GE 1093 and computed variable EVERUSED = 1); R did not use multiple methods in the month; or R used only 2 methods in the month; or R reported fewer than 3 BC method combinations.

	1553	6481	2446	10845	Blank	
	0	1	0	1	01	= Blank, inapplicable
	0	0	0	0	02	= NONE
	0	0	0	0	03	= OFFICE USE ONLY
	0	1	0	1	04	= BIRTH CONTROL PILLS
	0	0	0	0	05	= CONDOM
	0	0	0	0	06	= PARTNER'S VASECTOMY
	0	0	0	0	07	= DIAPHRAGM
	0	0	0	0	08	= FOAM
	0	0	0	0	09	= JELLY OR CREAM
	0	0	0	0	10	= CERVICAL CAP
	0	0	0	0	11	= SUPPOSITORY, INSERT
	0	0	0	0	12	= TODAY (TM) SPONGE
	0	0	0	0	13	= FEMALE CONDOM, VAGINAL POUCH
	0	0	0	0	14	= IUD, COIL, LOOP
	0	0	0	0	15	= NORPLANT (TM)
	0	0	0	0	16	= DEPO-PROVERA, INJECTABLES
	0	0	0	0	17	= MORNING AFTER PILLS
	0	0	0	0	18	= RHYTHM OR SAFE PERIOD BY CALENDAR
	0	0	0	0	19	= SAFE PERIOD BY TEMP, CERVICAL MUCUS TEST, NFP
	0	0	0	0	20	= WITHDRAWAL
	0	0	0	0	20	= RESPONDENT STERILE

(4582)

1995 NATIONAL SURVEY OF FAMILY GROWTH
 File Documentation
 Respondent File (Section E Questionnaire Items)

VARIABLE NAME	COLUMN LOCATION	NON-HISPANIC			QX	TEXT AND CODE CATEGORIES
		HISP	WHITE	BLACK		
		0	0	0	0	21 = PARTNER STERILE (NOT ON CARD)
		0	0	0	0	22 = OTHER METHOD-NOT SHOWN SEPARATELY
		0	0	0	0	97 = Not Ascertained
		0	0	0	0	98 = Refused
		0	0	0	0	99 = Don't Know

1995 NATIONAL SURVEY OF FAMILY GROWTH
 File Documentation
 Respondent File (Section E Questionnaire Items)

VARIABLE COLUMN NON-HISPANIC
 NAME LOCATION HISP WHITE BLACK TOTAL QX TEXT AND CODE CATEGORIES

[MTHUS525] 8390-8391

During that month, which (of those/other) methods, if any, did you use at the same time? (2nd METHOD MENTIONED, 3rd COMBINATION, MC44)

Inapplicable:
 R said no, don't know or refused to all birth control methods in EA series (computed variable EVERUSED = 2); R never had sex as of this month and never used a birth control method as of this month but ever used one or more birth control methods in EA series (WNFSTSEX GE 1093 and DATFIRSM GE 1093 and computed variable EVERUSED = 1); R did not use multiple methods in the month; or R used only 2 methods in the month; or R reported fewer than 3 BC method combinations; or R reported using fewer than 2 BC methods for this combination in this month of the method calendar.

1553	6482	2446	10846	Blank	= Blank, inapplicable
0	0	0	0	01	= NONE
0	0	0	0	02	= OFFICE USE ONLY
0	0	0	0	03	= BIRTH CONTROL PILLS
0	0	0	0	04	= CONDOM
0	0	0	0	05	= PARTNER'S VASECTOMY
0	0	0	0	06	= DIAPHRAGM
0	1	0	1	07	= FOAM
0	0	0	0	08	= JELLY OR CREAM
0	0	0	0	09	= CERVICAL CAP
0	0	0	0	10	= SUPPOSITORY, INSERT
0	0	0	0	11	= TODAY (TM) SPONGE
0	0	0	0	12	= FEMALE CONDOM, VAGINAL POUCH
0	0	0	0	13	= IUD, COIL, LOOP
0	0	0	0	14	= NORPLANT (TM)
0	0	0	0	15	= DEPO-PROVERA, INJECTABLES
0	0	0	0	16	= MORNING AFTER PILLS
0	0	0	0	17	= RHYTHM OR SAFE PERIOD BY CALENDAR
0	0	0	0	18	= SAFE PERIOD BY TEMP, CERVICAL MUCUS TEST,

(4584)

1995 NATIONAL SURVEY OF FAMILY GROWTH
 File Documentation
 Respondent File (Section E Questionnaire Items)

VARIABLE NAME	COLUMN LOCATION	NON-HISPANIC			TOTAL	QX	TEXT AND CODE CATEGORIES
		HISP	WHITE	BLACK			
		0	0	0	0	19	NFP
		0	0	0	0	20	= WITHDRAWAL
		0	0	0	0	21	= RESPONDENT STERILE
							= PARTNER STERILE (NOT ON CARD)
		0	0	0	0	22	= OTHER METHOD-NOT SHOWN SEPARATELY
		0	0	0	0	97	= Not Ascertained
		0	0	0	0	98	= Refused
		0	0	0	0	99	= Don't Know

1995 NATIONAL SURVEY OF FAMILY GROWTH
 File Documentation
 Respondent File (Section E Questionnaire Items)

VARIABLE COLUMN NON-HISPANIC
 NAME LOCATION HISP WHITE BLACK TOTAL QX TEXT AND CODE CATEGORIES

[MTHUS526] 8392-8393

During that month, which (of those/other) methods, if any, did you use at the same time? (3rd METHOD MENTIONED, 3rd COMBINATION, MC44)

Inapplicable:
 R said no, don't know or refused to all birth control methods in EA series (computed variable EVERUSED = 2); R never had sex as of this month and never used a birth control method as of this month but ever used one or more birth control methods in EA series (WNFSTSEX GE 1093 and DATFIRSM GE 1093 and computed variable EVERUSED = 1); R did not use multiple methods in the month; or R used only 2 methods in the month; or R reported fewer than 3 BC method combinations; or R reported using fewer than 3 BC methods for this combination in this month of the method calendar.

1553	6483	2446	10847	Blank	
0	0	0	0	0	01 = Blank, inapplicable
0	0	0	0	0	02 = NONE
0	0	0	0	0	03 = OFFICE USE ONLY
0	0	0	0	0	04 = BIRTH CONTROL PILLS
0	0	0	0	0	05 = CONDOM
0	0	0	0	0	06 = PARTNER'S VASECTOMY
0	0	0	0	0	07 = DIAPHRAGM
0	0	0	0	0	08 = FOAM
0	0	0	0	0	09 = JELLY OR CREAM
0	0	0	0	0	10 = CERVICAL CAP
0	0	0	0	0	11 = SUPPOSITORY, INSERT
0	0	0	0	0	12 = TODAY (TM) SPONGE
0	0	0	0	0	13 = FEMALE CONDOM, VAGINAL POUCH
0	0	0	0	0	14 = IUD, COIL, LOOP
0	0	0	0	0	15 = NORPLANT (TM)
0	0	0	0	0	16 = DEPO-PROVERA, INJECTABLES
0	0	0	0	0	17 = MORNING AFTER PILLS
0	0	0	0	0	18 = RHYTHM OR SAFE PERIOD BY CALENDAR
0	0	0	0	0	18 = SAFE PERIOD BY TEMP, CERVICAL MUCUS TEST,

(4586)

1995 NATIONAL SURVEY OF FAMILY GROWTH
 File Documentation
 Respondent File (Section E Questionnaire Items)

VARIABLE NAME	COLUMN LOCATION	NON-HISPANIC			TOTAL	QX	TEXT AND CODE CATEGORIES
		HISP	WHITE	BLACK			
		0	0	0	0	19	NFP
		0	0	0	0	20	= WITHDRAWAL
		0	0	0	0	21	= RESPONDENT STERILE
							= PARTNER STERILE (NOT ON CARD)
		0	0	0	0	22	= OTHER METHOD-NOT SHOWN SEPARATELY
		0	0	0	0	97	= Not Ascertained
		0	0	0	0	98	= Refused
		0	0	0	0	99	= Don't Know

1995 NATIONAL SURVEY OF FAMILY GROWTH
 File Documentation
 Respondent File (Section E Questionnaire Items)

VARIABLE	COLUMN	NON-HISPANIC				
NAME	LOCATION	HISP	WHITE	BLACK	TOTAL	QX TEXT AND CODE CATEGORIES

[MTHUS527] 8394-8395

During that month, which (of those/other) methods, if any, did you use at the same time? (4th METHOD MENTIONED, 3rd COMBINATION, MC44)

Inapplicable:
 R said no, don't know or refused to all birth control methods in EA series (computed variable EVERUSED = 2); R never had sex as of this month and never used a birth control method as of this month but ever used one or more birth control methods in EA series (WNFSTSEX GE 1093 and DATFIRSM GE 1093 and computed variable EVERUSED = 1); R did not use multiple methods in the month; or R used only 2 methods in the month; or R reported fewer than 3 BC method combinations; or R reported using fewer than 4 BC methods for this combination in this month of the method calendar.

1553	6483	2446	10847	Blank	= Blank, inapplicable
0	0	0	0	01	= NONE
0	0	0	0	02	= OFFICE USE ONLY
0	0	0	0	03	= BIRTH CONTROL PILLS
0	0	0	0	04	= CONDOM
0	0	0	0	05	= PARTNER'S VASECTOMY
0	0	0	0	06	= DIAPHRAGM
0	0	0	0	07	= FOAM
0	0	0	0	08	= JELLY OR CREAM
0	0	0	0	09	= CERVICAL CAP
0	0	0	0	10	= SUPPOSITORY, INSERT
0	0	0	0	11	= TODAY (TM) SPONGE
0	0	0	0	12	= FEMALE CONDOM, VAGINAL POUCH
0	0	0	0	13	= IUD, COIL, LOOP
0	0	0	0	14	= NORPLANT (TM)
0	0	0	0	15	= DEPO-PROVERA, INJECTABLES
0	0	0	0	16	= MORNING AFTER PILLS
0	0	0	0	17	= RHYTHM OR SAFE PERIOD BY CALENDAR
0	0	0	0	18	= SAFE PERIOD BY TEMP, CERVICAL MUCUS TEST,

(4588)

1995 NATIONAL SURVEY OF FAMILY GROWTH
 File Documentation
 Respondent File (Section E Questionnaire Items)

VARIABLE NAME	COLUMN LOCATION	NON-HISPANIC			TOTAL	QX	TEXT AND CODE CATEGORIES
		HISP	WHITE	BLACK			
		0	0	0	0	19	NFP
		0	0	0	0	20	= WITHDRAWAL
		0	0	0	0	21	= RESPONDENT STERILE
							= PARTNER STERILE (NOT ON CARD)
		0	0	0	0	22	= OTHER METHOD-NOT SHOWN SEPARATELY
		0	0	0	0	97	= Not Ascertained
		0	0	0	0	98	= Refused
		0	0	0	0	99	= Don't Know

1995 NATIONAL SURVEY OF FAMILY GROWTH
 File Documentation
 Respondent File (Section E Questionnaire Items)

VARIABLE NAME	COLUMN LOCATION	NON-HISPANIC			QX TEXT AND CODE CATEGORIES
		HISP	WHITE	BLACK TOTAL	
[METHH176]	8396-8397				ENTER METHOD (FIRST MENTIONED) USED IN SEPTEMBER 1994: (MC45)
					Inapplicable: R never had sex as of this month and never used a birth control method as of this month but ever used one or more birth control methods in EA series (WNFSTSEX GE 1093 and DATFIRSM GE 1093 and computed variable EVERUSED = 1); R never had sex and said no, don't know or refused to all birth control methods in EA series (computed variable RHADSEX coded 2,7,8 or 9 and computed variable EVERUSED = 2); R said no, don't know or refused to all birth control methods in EA series (computed variable EVERUSED = 2).
		252	720	242 1308	Blank = Blank, inapplicable
		327	1262	536 2190	01 = NO METHODS USED
		0	0	0 0	02 = SAME AS PREVIOUS MONTH
		236	1233	400 1906	03 = BIRTH CONTROL PILLS
		207	911	399 1582	04 = CONDOM
		24	354	11 399	05 = PARTNER'S VASECTOMY
		5	95	11 112	06 = DIAPHRAGM
		5	24	2 31	07 = FOAM
		1	10	2 13	08 = JELLY OR CREAM
		1	3	0 4	09 = CERVICAL CAP
		4	26	9 41	10 = SUPPOSITORY, INSERT
		1	16	7 24	11 = TODAY (TM) SPONGE
		0	1	0 1	12 = FEMALE CONDOM, VAGINAL POUCH
		18	31	15 67	13 = IUD, COIL, LOOP
		25	51	39 119	14 = NORPLANT (TM)
		35	76	52 166	15 = DEPO-PROVERA, INJECTABLES
		0	0	0 0	16 = MORNING AFTER PILLS
		29	94	16 151	17 = RHYTHM OR SAFE PERIOD BY CALENDAR
		3	16	0 19	18 = SAFE PERIOD BY TEMP, CERVICAL MUCUS TEST, NFP
		38	142	26 216	19 = WITHDRAWAL
		321	1217	656 2248	20 = RESPONDENT STERILE

(4590)

1995 NATIONAL SURVEY OF FAMILY GROWTH
 File Documentation
 Respondent File (Section E Questionnaire Items)

VARIABLE NAME	COLUMN LOCATION	NON-HISPANIC			QX	TEXT AND CODE CATEGORIES	
		HISP	WHITE	BLACK			TOTAL
		19	188	13	224	21	= PARTNER STERILE (NOT ON CARD)
		2	5	7	14	22	= OTHER METHOD-NOT SHOWN SEPARATELY
		0	0	0	0	55	= SAME METHODS USED THROUGH END OF YEAR
		0	1	1	2	97	= Not Ascertained
		0	5	2	7	98	= Refused
		0	2	0	3	99	= Don't Know

1995 NATIONAL SURVEY OF FAMILY GROWTH
 File Documentation
 Respondent File (Section E Questionnaire Items)

VARIABLE NAME	COLUMN LOCATION	NON-HISPANIC			QX TEXT AND CODE CATEGORIES	
		HISP	WHITE	BLACK	TOTAL	
[METHH177]	8398-8399					ENTER METHOD (SECOND MENTIONED) USED IN SEPTEMBER 1994: (MC45)

Inapplicable:
 R never had sex as of this month and never used a birth control method as of this month but ever used one or more birth control methods in EA series (WNFSTSEX GE 1093 and DATFIRSM GE 1093 and computed variable EVERUSED = 1); R never had sex and said no, don't know or refused to all birth control methods in EA series (computed variable RHADSEX coded 2,7,8 or 9 and computed variable EVERUSED = 2); R said no, don't know or refused to all birth control methods in EA series (computed variable EVERUSED = 2); R used fewer than 2 methods in month.

1477	6047	2273	10133	Blank	= Blank, inapplicable
0	0	0	0	01	= NO METHODS USED
0	0	0	0	02	= SAME AS PREVIOUS MONTH
0	9	6	15	03	= BIRTH CONTROL PILLS
18	125	83	234	04	= CONDOM
0	14	2	16	05	= PARTNER'S VASECTOMY
2	13	4	19	06	= DIAPHRAGM
5	26	10	42	07	= FOAM
3	16	9	28	08	= JELLY OR CREAM
0	0	0	0	09	= CERVICAL CAP
2	12	6	20	10	= SUPPOSITORY, INSERT
0	7	4	12	11	= TODAY (TM) SPONGE
0	0	0	0	12	= FEMALE CONDOM, VAGINAL POUCH
0	0	0	0	13	= IUD, COIL, LOOP
1	1	4	6	14	= NORPLANT (TM)
1	2	1	4	15	= DEPO-PROVERA, INJECTABLES
0	1	0	1	16	= MORNING AFTER PILLS
16	65	5	92	17	= RHYTHM OR SAFE PERIOD BY CALENDAR
0	11	1	12	18	= SAFE PERIOD BY TEMP, CERVICAL MUCUS TEST, NFP
27	103	19	160	19	= WITHDRAWAL

(4592)

1995 NATIONAL SURVEY OF FAMILY GROWTH
 File Documentation
 Respondent File (Section E Questionnaire Items)

VARIABLE NAME	COLUMN LOCATION	NON-HISPANIC			TOTAL	QX	TEXT AND CODE CATEGORIES
		HISP	WHITE	BLACK			
		1	13	14	28	20	= RESPONDENT STERILE
		0	10	1	12	21	= PARTNER STERILE (NOT ON CARD)
		0	0	0	0	22	= OTHER METHOD-NOT SHOWN SEPARATELY
		0	0	0	0	55	= SAME METHODS USED THROUGH END OF YEAR
		0	1	2	3	97	= Not Ascertained
		0	5	2	7	98	= Refused
		0	2	0	3	99	= Don't Know

1995 NATIONAL SURVEY OF FAMILY GROWTH
 File Documentation
 Respondent File (Section E Questionnaire Items)

VARIABLE COLUMN NON-HISPANIC
 NAME LOCATION HISP WHITE BLACK TOTAL QX TEXT AND CODE CATEGORIES

[METHH178] 8400-8401

ENTER METHOD (THIRD MENTIONED) USED
 IN SEPTEMBER 1994: (MC45)

Inapplicable:

R never had sex as of this month and never used a birth control method as of this month but ever used one or more birth control methods in EA series (WNFSTSEX GE 1093 and DATFIRSM GE 1093 and computed variable EVERUSED = 1); R never had sex and said no, don't know or refused to all birth control methods in EA series (computed variable RHADSEX coded 2,7,8 or 9 and computed variable EVERUSED = 2); R said no, don't know or refused to all birth control methods in EA series (computed variable EVERUSED = 2); R used fewer than 3 methods in month.

	1543	6408	2407	10718	Blank	
	0	0	0	0	0	01 = Blank, inapplicable
	0	0	0	0	0	02 = NO METHODS USED
	0	1	0	1	0	03 = SAME AS PREVIOUS MONTH
	0	1	0	1	0	04 = BIRTH CONTROL PILLS
	0	0	0	0	0	05 = CONDOM
	0	0	0	0	0	06 = PARTNER'S VASECTOMY
	1	2	0	3	0	07 = DIAPHRAGM
	0	3	0	3	0	08 = FOAM
	0	0	1	1	0	09 = JELLY OR CREAM
	0	2	0	2	0	10 = CERVICAL CAP
	1	4	1	6	1	11 = SUPPOSITORY, INSERT
	1	0	0	1	1	12 = TODAY (TM) SPONGE
	0	0	0	0	0	13 = FEMALE CONDOM, VAGINAL POUCH
	0	0	0	0	0	14 = IUD, COIL, LOOP
	0	0	0	0	0	15 = NORPLANT (TM)
	0	0	0	0	0	16 = DEPO-PROVERA, INJECTABLES
	2	10	2	14	0	17 = MORNING AFTER PILLS
	0	4	0	5	0	18 = RHYTHM OR SAFE PERIOD BY CALENDAR
	4	29	5	40	0	19 = SAFE PERIOD BY TEMP, CERVICAL MUCUS TEST, NFP
						20 = WITHDRAWAL

(4594)

1995 NATIONAL SURVEY OF FAMILY GROWTH
 File Documentation
 Respondent File (Section E Questionnaire Items)

VARIABLE NAME	COLUMN LOCATION	NON-HISPANIC			TOTAL	QX	TEXT AND CODE CATEGORIES
		HISP	WHITE	BLACK			
		1	11	26	38	20	= RESPONDENT STERILE
		0	0	0	0	21	= PARTNER STERILE (NOT ON CARD)
		0	0	0	1	22	= OTHER METHOD-NOT SHOWN SEPARATELY
		0	0	0	0	55	= SAME METHODS USED THROUGH END OF YEAR
		0	1	2	3	97	= Not Ascertained
		0	5	2	7	98	= Refused
		0	2	0	3	99	= Don't Know

1995 NATIONAL SURVEY OF FAMILY GROWTH
 File Documentation
 Respondent File (Section E Questionnaire Items)

VARIABLE NAME	COLUMN LOCATION	NON-HISPANIC			TOTAL	QX	TEXT AND CODE CATEGORIES
		HISP	WHITE	BLACK			
		0	0	0	0	20	= RESPONDENT STERILE
		0	0	0	0	21	= PARTNER STERILE (NOT ON CARD)
		0	0	0	0	22	= OTHER METHOD-NOT SHOWN SEPARATELY
		0	0	0	0	55	= SAME METHODS USED THROUGH END OF YEAR
		0	1	2	3	97	= Not Ascertained
		0	5	2	7	98	= Refused
		0	2	0	3	99	= Don't Know

[SIMSEQ44] 8404-8404

Did you use those methods together,
 that is, at the same time, or did
 you use them at different times
 during the month? (MC45)

Inapplicable:

R never had sex as of this month and
 never used a birth control method as
 of this month but ever used one or
 more birth control methods in EA
 series (WNFSTSEX GE 1093 and
 DATFIRSM GE 1093 and computed
 variable EVERUSED = 1); R never had
 sex and said no, don't know or
 refused to all birth control methods
 in EA series (computed variable
 RHADSEX coded 2,7,8 or 9 and
 computed variable EVERUSED = 2); R
 said no, don't know or refused to
 all birth control methods in EA
 series (computed variable EVERUSED =
 2); R did not use multiple methods
 in the month; R used more than 2
 methods in the month.

1486	6111	2287	10225	Blank	= Blank, inapplicable
36	244	128	422	1	= SAME TIME
30	128	31	199	2	= DIFFERENT TIMES
1	0	0	1	7	= Not Ascertained
0	0	0	0	8	= Refused
0	0	0	0	9	= Don't Know

1995 NATIONAL SURVEY OF FAMILY GROWTH
 File Documentation
 Respondent File (Section E Questionnaire Items)

VARIABLE	COLUMN	NON-HISPANIC				
NAME	LOCATION	HISP	WHITE	BLACK	TOTAL	QX TEXT AND CODE CATEGORIES

[MTHUS528] 8405-8406

During that month, which (of those/other) methods, if any, did you use at the same time? (1st METHOD MENTIONED, 1st COMBINATION, MC45)

Inapplicable:
 R said no, don't know or refused to all birth control methods in EA series (computed variable EVERUSED = 2); R never had sex as of this month and never used a birth control method as of this month but ever used one or more birth control methods in EA series (WNFSTSEX GE 1093 and DATFIRSM GE 1093 and computed variable EVERUSED = 1); R did not use multiple methods in the month; or R used only 2 methods in the month.

1544	6427	2436	10768	Blank	= Blank, inapplicable
3	13	2	18	01	= NONE
0	0	0	0	02	= OFFICE USE ONLY
0	5	2	9	03	= BIRTH CONTROL PILLS
6	24	4	36	04	= CONDOM
0	0	0	0	05	= PARTNER'S VASECTOMY
0	5	0	5	06	= DIAPHRAGM
0	0	0	0	07	= FOAM
0	0	0	0	08	= JELLY OR CREAM
0	0	0	0	09	= CERVICAL CAP
0	1	0	1	10	= SUPPOSITORY, INSERT
0	1	0	1	11	= TODAY (TM) SPONGE
0	0	0	0	12	= FEMALE CONDOM, VAGINAL POUCH
0	0	0	0	13	= IUD, COIL, LOOP
0	0	0	0	14	= NORPLANT (TM)
0	0	0	0	15	= DEPO-PROVERA, INJECTABLES
0	0	0	0	16	= MORNING AFTER PILLS
0	5	0	5	17	= RHYTHM OR SAFE PERIOD BY CALENDAR
0	0	0	0	18	= SAFE PERIOD BY TEMP, CERVICAL MUCUS TEST, NFP
0	1	1	2	19	= WITHDRAWAL
0	0	1	1	20	= RESPONDENT STERILE
0	0	0	0	21	= PARTNER STERILE (NOT

(4598)

1995 NATIONAL SURVEY OF FAMILY GROWTH
 File Documentation
 Respondent File (Section E Questionnaire Items)

VARIABLE NAME	COLUMN LOCATION	NON-HISPANIC			TOTAL	QX	TEXT AND CODE CATEGORIES
		HISP	WHITE	BLACK			
		0	0	0	0	22	ON CARD) = OTHER METHOD-NOT SHOWN SEPARATELY
		0	0	0	0	97	= Not Ascertained
		0	0	0	0	98	= Refused
		0	1	0	1	99	= Don't Know

1995 NATIONAL SURVEY OF FAMILY GROWTH
 File Documentation
 Respondent File (Section E Questionnaire Items)

VARIABLE COLUMN NON-HISPANIC
 NAME LOCATION HISP WHITE BLACK TOTAL QX TEXT AND CODE CATEGORIES

[MTHUS529] 8407-8408

During that month, which (of those/other) methods, if any, did you use at the same time? (2nd METHOD MENTIONED, 1st COMBINATION, MC45)

Inapplicable:
 R said no, don't know or refused to all birth control methods in EA series (computed variable EVERUSED = 2); R never had sex as of this month and never used a birth control method as of this month but ever used one or more birth control methods in EA series (WNFSTSEX GE 1093 and DATFIRSM GE 1093 and computed variable EVERUSED = 1); R did not use multiple methods in the month; or R used only 2 methods in the month; or R reported using fewer than 2 BC methods for this combination in this month of the method calendar.

1547	6440	2438	10786	Blank	= Blank, inapplicable
0	0	0	0	01	= NONE
0	0	0	0	02	= OFFICE USE ONLY
0	0	0	0	03	= BIRTH CONTROL PILLS
0	7	3	11	04	= CONDOM
0	1	0	1	05	= PARTNER'S VASECTOMY
0	0	0	0	06	= DIAPHRAGM
1	3	1	5	07	= FOAM
1	1	2	4	08	= JELLY OR CREAM
0	0	0	0	09	= CERVICAL CAP
0	0	1	1	10	= SUPPOSITORY, INSERT
0	0	0	0	11	= TODAY (TM) SPONGE
0	0	0	0	12	= FEMALE CONDOM, VAGINAL POUCH
0	0	0	0	13	= IUD, COIL, LOOP
0	0	0	0	14	= NORPLANT (TM)
0	0	0	0	15	= DEPO-PROVERA, INJECTABLES
0	0	0	0	16	= MORNING AFTER PILLS
3	20	0	24	17	= RHYTHM OR SAFE PERIOD BY CALENDAR
0	2	0	2	18	= SAFE PERIOD BY TEMP, CERVICAL MUCUS TEST, NFP

(4600)

1995 NATIONAL SURVEY OF FAMILY GROWTH
 File Documentation
 Respondent File (Section E Questionnaire Items)

VARIABLE NAME	COLUMN LOCATION	NON-HISPANIC			TOTAL	QX	TEXT AND CODE CATEGORIES
		HISP	WHITE	BLACK			
		1	8	1	12	19	= WITHDRAWAL
		0	0	0	0	20	= RESPONDENT STERILE
		0	0	0	0	21	= PARTNER STERILE (NOT ON CARD)
		0	0	0	0	22	= OTHER METHOD-NOT SHOWN SEPARATELY
		0	0	0	0	97	= Not Ascertained
		0	0	0	0	98	= Refused
		0	1	0	1	99	= Don't Know

1995 NATIONAL SURVEY OF FAMILY GROWTH
 File Documentation
 Respondent File (Section E Questionnaire Items)

VARIABLE COLUMN NON-HISPANIC
 NAME LOCATION HISP WHITE BLACK TOTAL QX TEXT AND CODE CATEGORIES

[MTHUS530] 8409-8410

During that month, which (of those/other) methods, if any, did you use at the same time? (3rd METHOD MENTIONED, 1st COMBINATION, MC45)

Inapplicable:
 R said no, don't know or refused to all birth control methods in EA series (computed variable EVERUSED = 2); R never had sex as of this month and never used a birth control method as of this month but ever used one or more birth control methods in EA series (WNFSTSEX GE 1093 and DATFIRSM GE 1093 and computed variable EVERUSED = 1); R did not use multiple methods in the month; or R used only 2 methods in the month; or R reported using fewer than 3 BC methods for this combination in this month of the method calendar.

1548	6457	2441	10809	Blank	= Blank, inapplicable
0	0	0	0	01	= NONE
0	0	0	0	02	= OFFICE USE ONLY
0	0	0	0	03	= BIRTH CONTROL PILLS
0	0	0	0	04	= CONDOM
0	0	0	0	05	= PARTNER'S VASECTOMY
0	0	0	0	06	= DIAPHRAGM
1	0	0	1	07	= FOAM
0	3	0	3	08	= JELLY OR CREAM
0	0	1	1	09	= CERVICAL CAP
0	0	0	0	10	= SUPPOSITORY, INSERT
1	2	0	3	11	= TODAY (TM) SPONGE
0	0	0	0	12	= FEMALE CONDOM, VAGINAL POUCH
0	0	0	0	13	= IUD, COIL, LOOP
0	0	0	0	14	= NORPLANT (TM)
0	0	0	0	15	= DEPO-PROVERA, INJECTABLES
0	0	0	0	16	= MORNING AFTER PILLS
2	3	1	6	17	= RHYTHM OR SAFE PERIOD BY CALENDAR
0	3	0	4	18	= SAFE PERIOD BY TEMP, CERVICAL MUCUS TEST, NFP

(4602)

1995 NATIONAL SURVEY OF FAMILY GROWTH
 File Documentation
 Respondent File (Section E Questionnaire Items)

VARIABLE NAME	COLUMN LOCATION	NON-HISPANIC			TOTAL	QX	TEXT AND CODE CATEGORIES
		HISP	WHITE	BLACK			
		1	14	3	19	19	= WITHDRAWAL
		0	0	0	0	20	= RESPONDENT STERILE
		0	0	0	0	21	= PARTNER STERILE (NOT ON CARD)
		0	0	0	0	22	= OTHER METHOD-NOT SHOWN SEPARATELY
		0	0	0	0	97	= Not Ascertained
		0	0	0	0	98	= Refused
		0	1	0	1	99	= Don't Know

1995 NATIONAL SURVEY OF FAMILY GROWTH
 File Documentation
 Respondent File (Section E Questionnaire Items)

VARIABLE	COLUMN	NON-HISPANIC				QX TEXT AND CODE CATEGORIES
NAME	LOCATION	HISP	WHITE	BLACK		

[MTHUS531] 8411-8412

During that month, which (of those/other) methods, if any, did you use at the same time? (4th METHOD MENTIONED, 1st COMBINATION, MC45)

Inapplicable:
 R said no, don't know or refused to all birth control methods in EA series (computed variable EVERUSED = 2); R never had sex as of this month and never used a birth control method as of this month but ever used one or more birth control methods in EA series (WNFSTSEX GE 1093 and DATFIRSM GE 1093 and computed variable EVERUSED = 1); R did not use multiple methods in the month; or R used only 2 methods in the month; or R reported using fewer than 4 BC methods for this combination in this month of the method calendar.

1553	6481	2445	10844	Blank	= Blank, inapplicable
0	0	0	0	01	= NONE
0	0	0	0	02	= OFFICE USE ONLY
0	0	0	0	03	= BIRTH CONTROL PILLS
0	1	0	1	04	= CONDOM
0	0	0	0	05	= PARTNER'S VASECTOMY
0	0	0	0	06	= DIAPHRAGM
0	0	0	0	07	= FOAM
0	0	0	0	08	= JELLY OR CREAM
0	0	0	0	09	= CERVICAL CAP
0	0	0	0	10	= SUPPOSITORY, INSERT
0	0	0	0	11	= TODAY (TM) SPONGE
0	0	0	0	12	= FEMALE CONDOM, VAGINAL POUCH
0	0	0	0	13	= IUD, COIL, LOOP
0	0	0	0	14	= NORPLANT (TM)
0	0	0	0	15	= DEPO-PROVERA, INJECTABLES
0	0	0	0	16	= MORNING AFTER PILLS
0	0	0	0	17	= RHYTHM OR SAFE PERIOD BY CALENDAR
0	0	1	1	18	= SAFE PERIOD BY TEMP, CERVICAL MUCUS TEST, NFP

1995 NATIONAL SURVEY OF FAMILY GROWTH
 File Documentation
 Respondent File (Section E Questionnaire Items)

VARIABLE NAME	COLUMN LOCATION	NON-HISPANIC			TOTAL	QX	TEXT AND CODE CATEGORIES
		HISP	WHITE	BLACK			
		0	0	0	0	19	= WITHDRAWAL
		0	0	0	0	20	= RESPONDENT STERILE
		0	0	0	0	21	= PARTNER STERILE (NOT ON CARD)
		0	0	0	0	22	= OTHER METHOD-NOT SHOWN SEPARATELY
		0	0	0	0	97	= Not Ascertained
		0	0	0	0	98	= Refused
		0	1	0	1	99	= Don't Know

1995 NATIONAL SURVEY OF FAMILY GROWTH
File Documentation
Respondent File (Section E Questionnaire Items)

VARIABLE	COLUMN	NON-HISPANIC								
NAME	LOCATION	HISP	WHITE	BLACK						TOTAL

[MTHUS532] 8413-8414

During that month, which (of those/other) methods, if any, did you use at the same time? (1st METHOD MENTIONED, 2nd COMBINATION, MC45)

Inapplicable:
R said no, don't know or refused to all birth control methods in EA series (computed variable EVERUSED = 2); R never had sex as of this month and never used a birth control method as of this month but ever used one or more birth control methods in EA series (WNFSTSEX GE 1093 and DATFIRSM GE 1093 and computed variable EVERUSED = 1); R did not use multiple methods in the month; or R used only 2 methods in the month; or R reported fewer than 2 BC method combinations.

1547	6440	2438	10786	Blank						= Blank, inapplicable
4	30	6	43	01						= NONE
0	0	0	0	02						= OFFICE USE ONLY
0	2	0	2	03						= BIRTH CONTROL PILLS
0	3	0	4	04						= CONDOM
0	0	0	0	05						= PARTNER'S VASECTOMY
0	1	0	1	06						= DIAPHRAGM
1	1	0	2	07						= FOAM
0	1	0	1	08						= JELLY OR CREAM
0	0	0	0	09						= CERVICAL CAP
0	0	0	0	10						= SUPPOSITORY, INSERT
0	0	0	0	11						= TODAY (TM) SPONGE
0	0	0	0	12						= FEMALE CONDOM, VAGINAL POUCH
0	0	0	0	13						= IUD, COIL, LOOP
0	0	0	0	14						= NORPLANT (TM)
0	0	0	0	15						= DEPO-PROVERA, INJECTABLES
0	0	0	0	16						= MORNING AFTER PILLS
0	4	0	4	17						= RHYTHM OR SAFE PERIOD BY CALENDAR
0	0	0	0	18						= SAFE PERIOD BY TEMP, CERVICAL MUCUS TEST, NFP
1	0	1	2	19						= WITHDRAWAL
0	0	1	1	20						= RESPONDENT STERILE

(4606)

1995 NATIONAL SURVEY OF FAMILY GROWTH
 File Documentation
 Respondent File (Section E Questionnaire Items)

VARIABLE NAME	COLUMN LOCATION	NON-HISPANIC			QX	TEXT AND CODE CATEGORIES
		HISP	WHITE	BLACK		
		0	0	0	0	21 = PARTNER STERILE (NOT ON CARD)
		0	0	0	0	22 = OTHER METHOD-NOT SHOWN SEPARATELY
		0	1	0	1	97 = Not Ascertained
		0	0	0	0	98 = Refused
		0	0	0	0	99 = Don't Know

1995 NATIONAL SURVEY OF FAMILY GROWTH
 File Documentation
 Respondent File (Section E Questionnaire Items)

VARIABLE NAME	COLUMN LOCATION	NON-HISPANIC			TOTAL	QX	TEXT AND CODE CATEGORIES
		HISP	WHITE	BLACK			
		0	4	1	5	19	NFP
		0	0	0	0	20	= WITHDRAWAL
		0	0	0	0	21	= RESPONDENT STERILE
							= PARTNER STERILE (NOT ON CARD)
		0	0	0	0	22	= OTHER METHOD-NOT SHOWN SEPARATELY
		0	1	0	1	97	= Not Ascertained
		0	0	0	0	98	= Refused
		0	0	0	0	99	= Don't Know

1995 NATIONAL SURVEY OF FAMILY GROWTH
 File Documentation
 Respondent File (Section E Questionnaire Items)

VARIABLE COLUMN NON-HISPANIC
 NAME LOCATION HISP WHITE BLACK TOTAL QX TEXT AND CODE CATEGORIES

[MTHUS534] 8417-8418

During that month, which (of those/other) methods, if any, did you use at the same time? (3rd METHOD MENTIONED, 2nd COMBINATION, MC45)

Inapplicable:
 R said no, don't know or refused to all birth control methods in EA series (computed variable EVERUSED = 2); R never had sex as of this month and never used a birth control method as of this month but ever used one or more birth control methods in EA series (WNFSTSEX GE 1093 and DATFIRSM GE 1093 and computed variable EVERUSED = 1); R did not use multiple methods in the month; or R used only 2 methods in the month; or R reported fewer than 2 BC method combinations; or R reported using fewer than 3 BC methods for this combination in this month of the method calendar.

1552	6479	2446	10841	Blank	= Blank, inapplicable
0	0	0	0	01	= NONE
0	0	0	0	02	= OFFICE USE ONLY
0	0	0	0	03	= BIRTH CONTROL PILLS
0	0	0	0	04	= CONDOM
0	0	0	0	05	= PARTNER'S VASECTOMY
0	0	0	0	06	= DIAPHRAGM
0	0	0	0	07	= FOAM
0	1	0	1	08	= JELLY OR CREAM
0	0	0	0	09	= CERVICAL CAP
0	0	0	0	10	= SUPPOSITORY, INSERT
0	0	0	0	11	= TODAY (TM) SPONGE
0	0	0	0	12	= FEMALE CONDOM, VAGINAL POUCH
0	0	0	0	13	= IUD, COIL, LOOP
0	0	0	0	14	= NORPLANT (TM)
0	0	0	0	15	= DEPO-PROVERA, INJECTABLES
0	0	0	0	16	= MORNING AFTER PILLS
1	0	0	1	17	= RHYTHM OR SAFE PERIOD BY CALENDAR
0	1	0	2	18	= SAFE PERIOD BY TEMP, CERVICAL MUCUS TEST,

1995 NATIONAL SURVEY OF FAMILY GROWTH
 File Documentation
 Respondent File (Section E Questionnaire Items)

VARIABLE NAME	COLUMN LOCATION	NON-HISPANIC			TOTAL	QX	TEXT AND CODE CATEGORIES
		HISP	WHITE	BLACK			
		0	1	0	1	19	NFP = WITHDRAWAL
		0	0	0	0	20	= RESPONDENT STERILE
		0	0	0	0	21	= PARTNER STERILE (NOT ON CARD)
		0	0	0	0	22	= OTHER METHOD-NOT SHOWN SEPARATELY
		0	1	0	1	97	= Not Ascertained
		0	0	0	0	98	= Refused
		0	0	0	0	99	= Don't Know

1995 NATIONAL SURVEY OF FAMILY GROWTH
 File Documentation
 Respondent File (Section E Questionnaire Items)

VARIABLE	COLUMN	NON-HISPANIC				
NAME	LOCATION	HISP	WHITE	BLACK	TOTAL	QX TEXT AND CODE CATEGORIES

[MTHUS535] 8419-8420

During that month, which (of those/other) methods, if any, did you use at the same time? (4th METHOD MENTIONED, 2nd COMBINATION, MC45)

Inapplicable:
 R said no, don't know or refused to all birth control methods in EA series (computed variable EVERUSED = 2); R never had sex as of this month and never used a birth control method as of this month but ever used one or more birth control methods in EA series (WNFSTSEX GE 1093 and DATFIRSM GE 1093 and computed variable EVERUSED = 1); R did not use multiple methods in the month; or R used only 2 methods in the month; or R reported fewer than 2 BC method combinations; or R reported using fewer than 4 BC methods for this combination in this month of the method calendar.

1553	6482	2446	10846	Blank	= Blank, inapplicable
0	0	0	0	01	= NONE
0	0	0	0	02	= OFFICE USE ONLY
0	0	0	0	03	= BIRTH CONTROL PILLS
0	0	0	0	04	= CONDOM
0	0	0	0	05	= PARTNER'S VASECTOMY
0	0	0	0	06	= DIAPHRAGM
0	0	0	0	07	= FOAM
0	0	0	0	08	= JELLY OR CREAM
0	0	0	0	09	= CERVICAL CAP
0	0	0	0	10	= SUPPOSITORY, INSERT
0	0	0	0	11	= TODAY (TM) SPONGE
0	0	0	0	12	= FEMALE CONDOM, VAGINAL POUCH
0	0	0	0	13	= IUD, COIL, LOOP
0	0	0	0	14	= NORPLANT (TM)
0	0	0	0	15	= DEPO-PROVERA, INJECTABLES
0	0	0	0	16	= MORNING AFTER PILLS
0	0	0	0	17	= RHYTHM OR SAFE PERIOD BY CALENDAR
0	0	0	0	18	= SAFE PERIOD BY TEMP, CERVICAL MUCUS TEST,

1995 NATIONAL SURVEY OF FAMILY GROWTH
 File Documentation
 Respondent File (Section E Questionnaire Items)

VARIABLE NAME	COLUMN LOCATION	NON-HISPANIC			TOTAL	QX	TEXT AND CODE CATEGORIES
		HISP	WHITE	BLACK			
		0	0	0	0	19	NFP
		0	0	0	0	20	= WITHDRAWAL
		0	0	0	0	21	= RESPONDENT STERILE
							= PARTNER STERILE (NOT ON CARD)
		0	0	0	0	22	= OTHER METHOD-NOT SHOWN SEPARATELY
		0	1	0	1	97	= Not Ascertained
		0	0	0	0	98	= Refused
		0	0	0	0	99	= Don't Know

1995 NATIONAL SURVEY OF FAMILY GROWTH
 File Documentation
 Respondent File (Section E Questionnaire Items)

VARIABLE COLUMN NON-HISPANIC
 NAME LOCATION HISP WHITE BLACK TOTAL QX TEXT AND CODE CATEGORIES

[MTHUS536] 8421-8422

During that month, which (of those/other) methods, if any, did you use at the same time? (1st METHOD MENTIONED, 3rd COMBINATION, MC45)

Inapplicable:
 R said no, don't know or refused to all birth control methods in EA series (computed variable EVERUSED = 2); R never had sex as of this month and never used a birth control method as of this month but ever used one or more birth control methods in EA series (WNFSTSEX GE 1093 and DATFIRSM GE 1093 and computed variable EVERUSED = 1); R did not use multiple methods in the month; or R used only 2 methods in the month; or R reported fewer than 3 BC method combinations.

1553	6481	2446	10845	Blank	
0	1	0	1	01	= Blank, inapplicable
0	0	0	0	02	= NONE
0	0	0	0	03	= OFFICE USE ONLY
0	1	0	1	04	= BIRTH CONTROL PILLS
0	0	0	0	05	= CONDOM
0	0	0	0	06	= PARTNER'S VASECTOMY
0	0	0	0	07	= DIAPHRAGM
0	0	0	0	08	= FOAM
0	0	0	0	09	= JELLY OR CREAM
0	0	0	0	10	= CERVICAL CAP
0	0	0	0	11	= SUPPOSITORY, INSERT
0	0	0	0	12	= TODAY (TM) SPONGE
0	0	0	0	13	= FEMALE CONDOM, VAGINAL POUCH
0	0	0	0	14	= IUD, COIL, LOOP
0	0	0	0	15	= NORPLANT (TM)
0	0	0	0	16	= DEPO-PROVERA, INJECTABLES
0	0	0	0	17	= MORNING AFTER PILLS
0	0	0	0	18	= RHYTHM OR SAFE PERIOD BY CALENDAR
0	0	0	0	19	= SAFE PERIOD BY TEMP, CERVICAL MUCUS TEST, NFP
0	0	0	0	20	= WITHDRAWAL
0	0	0	0	20	= RESPONDENT STERILE

(4614)

1995 NATIONAL SURVEY OF FAMILY GROWTH
 File Documentation
 Respondent File (Section E Questionnaire Items)

VARIABLE NAME	COLUMN LOCATION	NON-HISPANIC			TOTAL	QX	TEXT AND CODE CATEGORIES
		HISP	WHITE	BLACK			
		0	0	0	0	21	= PARTNER STERILE (NOT ON CARD)
		0	0	0	0	22	= OTHER METHOD-NOT SHOWN SEPARATELY
		0	0	0	0	97	= Not Ascertained
		0	0	0	0	98	= Refused
		0	0	0	0	99	= Don't Know

1995 NATIONAL SURVEY OF FAMILY GROWTH
 File Documentation
 Respondent File (Section E Questionnaire Items)

VARIABLE COLUMN NON-HISPANIC
 NAME LOCATION HISP WHITE BLACK TOTAL QX TEXT AND CODE CATEGORIES

[MTHUS537] 8423-8424

During that month, which (of those/other) methods, if any, did you use at the same time? (2nd METHOD MENTIONED, 3rd COMBINATION, MC45)

Inapplicable:
 R said no, don't know or refused to all birth control methods in EA series (computed variable EVERUSED = 2); R never had sex as of this month and never used a birth control method as of this month but ever used one or more birth control methods in EA series (WNFSTSEX GE 1093 and DATFIRSM GE 1093 and computed variable EVERUSED = 1); R did not use multiple methods in the month; or R used only 2 methods in the month; or R reported fewer than 3 BC method combinations; or R reported using fewer than 2 BC methods for this combination in this month of the method calendar.

1553	6482	2446	10846	Blank	= Blank, inapplicable
0	0	0	0	01	= NONE
0	0	0	0	02	= OFFICE USE ONLY
0	0	0	0	03	= BIRTH CONTROL PILLS
0	0	0	0	04	= CONDOM
0	0	0	0	05	= PARTNER'S VASECTOMY
0	0	0	0	06	= DIAPHRAGM
0	1	0	1	07	= FOAM
0	0	0	0	08	= JELLY OR CREAM
0	0	0	0	09	= CERVICAL CAP
0	0	0	0	10	= SUPPOSITORY, INSERT
0	0	0	0	11	= TODAY (TM) SPONGE
0	0	0	0	12	= FEMALE CONDOM, VAGINAL POUCH
0	0	0	0	13	= IUD, COIL, LOOP
0	0	0	0	14	= NORPLANT (TM)
0	0	0	0	15	= DEPO-PROVERA, INJECTABLES
0	0	0	0	16	= MORNING AFTER PILLS
0	0	0	0	17	= RHYTHM OR SAFE PERIOD BY CALENDAR
0	0	0	0	18	= SAFE PERIOD BY TEMP, CERVICAL MUCUS TEST,

(4616)

1995 NATIONAL SURVEY OF FAMILY GROWTH
 File Documentation
 Respondent File (Section E Questionnaire Items)

VARIABLE NAME	COLUMN LOCATION	NON-HISPANIC			TOTAL	QX	TEXT AND CODE CATEGORIES
		HISP	WHITE	BLACK			
		0	0	0	0	19	NFP
		0	0	0	0	20	= WITHDRAWAL
		0	0	0	0	21	= RESPONDENT STERILE
							= PARTNER STERILE (NOT ON CARD)
		0	0	0	0	22	= OTHER METHOD-NOT SHOWN SEPARATELY
		0	0	0	0	97	= Not Ascertained
		0	0	0	0	98	= Refused
		0	0	0	0	99	= Don't Know

1995 NATIONAL SURVEY OF FAMILY GROWTH
 File Documentation
 Respondent File (Section E Questionnaire Items)

VARIABLE COLUMN NON-HISPANIC
 NAME LOCATION HISP WHITE BLACK TOTAL QX TEXT AND CODE CATEGORIES

[MTHUS538] 8425-8426

During that month, which (of those/other) methods, if any, did you use at the same time? (3rd METHOD MENTIONED, 3rd COMBINATION, MC45)

Inapplicable:
 R said no, don't know or refused to all birth control methods in EA series (computed variable EVERUSED = 2); R never had sex as of this month and never used a birth control method as of this month but ever used one or more birth control methods in EA series (WNFSTSEX GE 1093 and DATFIRSM GE 1093 and computed variable EVERUSED = 1); R did not use multiple methods in the month; or R used only 2 methods in the month; or R reported fewer than 3 BC method combinations; or R reported using fewer than 3 BC methods for this combination in this month of the method calendar.

	1553	6483	2446	10847	Blank	
	0	0	0	0	01	= Blank, inapplicable
	0	0	0	0	02	= NONE
	0	0	0	0	03	= OFFICE USE ONLY
	0	0	0	0	04	= BIRTH CONTROL PILLS
	0	0	0	0	05	= CONDOM
	0	0	0	0	06	= PARTNER'S VASECTOMY
	0	0	0	0	07	= DIAPHRAGM
	0	0	0	0	08	= FOAM
	0	0	0	0	09	= JELLY OR CREAM
	0	0	0	0	10	= CERVICAL CAP
	0	0	0	0	11	= SUPPOSITORY, INSERT
	0	0	0	0	12	= TODAY (TM) SPONGE
	0	0	0	0	13	= FEMALE CONDOM, VAGINAL POUCH
	0	0	0	0	14	= IUD, COIL, LOOP
	0	0	0	0	15	= NORPLANT (TM)
	0	0	0	0	16	= DEPO-PROVERA, INJECTABLES
	0	0	0	0	17	= MORNING AFTER PILLS
	0	0	0	0	18	= RHYTHM OR SAFE PERIOD BY CALENDAR
	0	0	0	0	18	= SAFE PERIOD BY TEMP, CERVICAL MUCUS TEST,

(4618)

1995 NATIONAL SURVEY OF FAMILY GROWTH
 File Documentation
 Respondent File (Section E Questionnaire Items)

VARIABLE NAME	COLUMN LOCATION	NON-HISPANIC			TOTAL	QX	TEXT AND CODE CATEGORIES
		HISP	WHITE	BLACK			
		0	0	0	0	19	NFP = WITHDRAWAL
		0	0	0	0	20	= RESPONDENT STERILE
		0	0	0	0	21	= PARTNER STERILE (NOT ON CARD)
		0	0	0	0	22	= OTHER METHOD-NOT SHOWN SEPARATELY
		0	0	0	0	97	= Not Ascertained
		0	0	0	0	98	= Refused
		0	0	0	0	99	= Don't Know

1995 NATIONAL SURVEY OF FAMILY GROWTH
 File Documentation
 Respondent File (Section E Questionnaire Items)

VARIABLE	COLUMN	NON-HISPANIC				QX TEXT AND CODE CATEGORIES
NAME	LOCATION	HISP	WHITE	BLACK		

[MTHUS539] 8427-8428

During that month, which (of those/other) methods, if any, did you use at the same time? (4th METHOD MENTIONED, 3rd COMBINATION, MC45)

Inapplicable:
 R said no, don't know or refused to all birth control methods in EA series (computed variable EVERUSED = 2); R never had sex as of this month and never used a birth control method as of this month but ever used one or more birth control methods in EA series (WNFSTSEX GE 1093 and DATFIRSM GE 1093 and computed variable EVERUSED = 1); R did not use multiple methods in the month; or R used only 2 methods in the month; or R reported fewer than 3 BC method combinations; or R reported using fewer than 4 BC methods for this combination in this month of the method calendar.

1553	6483	2446	10847	Blank	= Blank, inapplicable
0	0	0	0	01	= NONE
0	0	0	0	02	= OFFICE USE ONLY
0	0	0	0	03	= BIRTH CONTROL PILLS
0	0	0	0	04	= CONDOM
0	0	0	0	05	= PARTNER'S VASECTOMY
0	0	0	0	06	= DIAPHRAGM
0	0	0	0	07	= FOAM
0	0	0	0	08	= JELLY OR CREAM
0	0	0	0	09	= CERVICAL CAP
0	0	0	0	10	= SUPPOSITORY, INSERT
0	0	0	0	11	= TODAY (TM) SPONGE
0	0	0	0	12	= FEMALE CONDOM, VAGINAL POUCH
0	0	0	0	13	= IUD, COIL, LOOP
0	0	0	0	14	= NORPLANT (TM)
0	0	0	0	15	= DEPO-PROVERA, INJECTABLES
0	0	0	0	16	= MORNING AFTER PILLS
0	0	0	0	17	= RHYTHM OR SAFE PERIOD BY CALENDAR
0	0	0	0	18	= SAFE PERIOD BY TEMP, CERVICAL MUCUS TEST,

1995 NATIONAL SURVEY OF FAMILY GROWTH
 File Documentation
 Respondent File (Section E Questionnaire Items)

VARIABLE NAME	COLUMN LOCATION	NON-HISPANIC			TOTAL	QX	TEXT AND CODE CATEGORIES
		HISP	WHITE	BLACK			
		0	0	0	0	19	NFP = WITHDRAWAL
		0	0	0	0	20	= RESPONDENT STERILE
		0	0	0	0	21	= PARTNER STERILE (NOT ON CARD)
		0	0	0	0	22	= OTHER METHOD-NOT SHOWN SEPARATELY
		0	0	0	0	97	= Not Ascertained
		0	0	0	0	98	= Refused
		0	0	0	0	99	= Don't Know

1995 NATIONAL SURVEY OF FAMILY GROWTH
 File Documentation
 Respondent File (Section E Questionnaire Items)

VARIABLE NAME	COLUMN LOCATION	NON-HISPANIC			QX TEXT AND CODE CATEGORIES
		HISP	WHITE	BLACK TOTAL	
[METHH180]	8429-8430				ENTER METHOD (FIRST MENTIONED) USED IN OCTOBER 1994: (MC46)
					Inapplicable: R never had sex as of this month and never used a birth control method as of this month but ever used one or more birth control methods in EA series (WNFSTSEX GE 1093 and DATFIRSM GE 1093 and computed variable EVERUSED = 1); R never had sex and said no, don't know or refused to all birth control methods in EA series (computed variable RHADSEX coded 2,7,8 or 9 and computed variable EVERUSED = 2); R said no, don't know or refused to all birth control methods in EA series (computed variable EVERUSED = 2).
		249	706	233 1280	Blank = Blank, inapplicable
		330	1276	543 2212	01 = NO METHODS USED
		0	0	0 02	= SAME AS PREVIOUS MONTH
		236	1224	388 1884	03 = BIRTH CONTROL PILLS
		211	906	396 1579	04 = CONDOM
		24	355	11 400	05 = PARTNER'S VASECTOMY
		5	94	11 111	06 = DIAPHRAGM
		5	24	3 32	07 = FOAM
		1	10	3 14	08 = JELLY OR CREAM
		1	3	0 4	09 = CERVICAL CAP
		4	25	9 40	10 = SUPPOSITORY, INSERT
		1	16	6 23	11 = TODAY (TM) SPONGE
		0	1	0 1	12 = FEMALE CONDOM, VAGINAL POUCH
		18	31	15 67	13 = IUD, COIL, LOOP
		25	53	38 120	14 = NORPLANT (TM)
		34	86	59 183	15 = DEPO-PROVERA, INJECTABLES
		0	0	0 0	16 = MORNING AFTER PILLS
		28	89	17 147	17 = RHYTHM OR SAFE PERIOD BY CALENDAR
		2	17	0 19	18 = SAFE PERIOD BY TEMP, CERVICAL MUCUS TEST, NFP
		36	144	31 222	19 = WITHDRAWAL
		323	1220	659 2257	20 = RESPONDENT STERILE

(4622)

1995 NATIONAL SURVEY OF FAMILY GROWTH
 File Documentation
 Respondent File (Section E Questionnaire Items)

VARIABLE NAME	COLUMN LOCATION	NON-HISPANIC			QX	TEXT AND CODE CATEGORIES	
		HISP	WHITE	BLACK			TOTAL
		19	190	13	226	21	= PARTNER STERILE (NOT ON CARD)
		1	5	8	14	22	= OTHER METHOD-NOT SHOWN SEPARATELY
		0	0	0	0	55	= SAME METHODS USED THROUGH END OF YEAR
		0	1	1	2	97	= Not Ascertained
		0	5	2	7	98	= Refused
		0	2	0	3	99	= Don't Know

1995 NATIONAL SURVEY OF FAMILY GROWTH
 File Documentation
 Respondent File (Section E Questionnaire Items)

VARIABLE NAME	COLUMN LOCATION	NON-HISPANIC HISP WHITE BLACK TOTAL			QX TEXT AND CODE CATEGORIES
[METHH181]	8431-8432				ENTER METHOD (SECOND MENTIONED) USED IN OCTOBER 1994: (MC46)

Inapplicable:
 R never had sex as of this month and never used a birth control method as of this month but ever used one or more birth control methods in EA series (WNFSTSEX GE 1093 and DATFIRSM GE 1093 and computed variable EVERUSED = 1); R never had sex and said no, don't know or refused to all birth control methods in EA series (computed variable RHADSEX coded 2,7,8 or 9 and computed variable EVERUSED = 2); R said no, don't know or refused to all birth control methods in EA series (computed variable EVERUSED = 2); R used fewer than 2 methods in month.

1478	6048	2285	10146	Blank	= Blank, inapplicable
0	0	0	0	01	= NO METHODS USED
0	0	0	0	02	= SAME AS PREVIOUS MONTH
0	11	6	17	03	= BIRTH CONTROL PILLS
19	125	75	227	04	= CONDOM
0	14	2	16	05	= PARTNER'S VASECTOMY
2	16	4	22	06	= DIAPHRAGM
5	26	10	42	07	= FOAM
3	14	8	25	08	= JELLY OR CREAM
0	0	0	0	09	= CERVICAL CAP
2	13	4	19	10	= SUPPOSITORY, INSERT
0	8	4	13	11	= TODAY (TM) SPONGE
0	0	0	0	12	= FEMALE CONDOM, VAGINAL POUCH
0	0	0	0	13	= IUD, COIL, LOOP
1	1	4	6	14	= NORPLANT (TM)
0	2	1	3	15	= DEPO-PROVERA, INJECTABLES
0	1	0	1	16	= MORNING AFTER PILLS
16	62	6	91	17	= RHYTHM OR SAFE PERIOD BY CALENDAR
0	10	1	11	18	= SAFE PERIOD BY TEMP, CERVICAL MUCUS TEST, NFP
26	102	17	156	19	= WITHDRAWAL

(4624)

1995 NATIONAL SURVEY OF FAMILY GROWTH
 File Documentation
 Respondent File (Section E Questionnaire Items)

VARIABLE NAME	COLUMN LOCATION	NON-HISPANIC			TOTAL	QX	TEXT AND CODE CATEGORIES
		HISP	WHITE	BLACK			
		1	13	14	28	20	= RESPONDENT STERILE
		0	9	1	11	21	= PARTNER STERILE (NOT ON CARD)
		0	0	0	0	22	= OTHER METHOD-NOT SHOWN SEPARATELY
		0	0	0	0	55	= SAME METHODS USED THROUGH END OF YEAR
		0	1	2	3	97	= Not Ascertained
		0	5	2	7	98	= Refused
		0	2	0	3	99	= Don't Know

1995 NATIONAL SURVEY OF FAMILY GROWTH
 File Documentation
 Respondent File (Section E Questionnaire Items)

VARIABLE COLUMN NON-HISPANIC
 NAME LOCATION HISP WHITE BLACK TOTAL QX TEXT AND CODE CATEGORIES

[METHH182] 8433-8434

ENTER METHOD (THIRD MENTIONED) USED
 IN OCTOBER 1994: (MC46)

Inapplicable:

R never had sex as of this month and never used a birth control method as of this month but ever used one or more birth control methods in EA series (WNFSTSEX GE 1093 and DATFIRSM GE 1093 and computed variable EVERUSED = 1); R never had sex and said no, don't know or refused to all birth control methods in EA series (computed variable RHADSEX coded 2,7,8 or 9 and computed variable EVERUSED = 2); R said no, don't know or refused to all birth control methods in EA series (computed variable EVERUSED = 2); R used fewer than 3 methods in month.

1542	6407	2407	10716	Blank	= Blank, inapplicable
0	0	0	0	01	= NO METHODS USED
0	0	0	0	02	= SAME AS PREVIOUS MONTH
0	1	0	1	03	= BIRTH CONTROL PILLS
0	2	0	2	04	= CONDOM
0	0	0	0	05	= PARTNER'S VASECTOMY
0	0	0	0	06	= DIAPHRAGM
1	4	0	5	07	= FOAM
0	3	0	3	08	= JELLY OR CREAM
0	0	1	1	09	= CERVICAL CAP
0	3	0	3	10	= SUPPOSITORY, INSERT
1	4	1	6	11	= TODAY (TM) SPONGE
1	0	0	1	12	= FEMALE CONDOM, VAGINAL POUCH
0	0	0	0	13	= IUD, COIL, LOOP
0	0	0	0	14	= NORPLANT (TM)
0	0	0	0	15	= DEPO-PROVERA, INJECTABLES
0	0	0	0	16	= MORNING AFTER PILLS
2	11	2	15	17	= RHYTHM OR SAFE PERIOD BY CALENDAR
0	4	0	5	18	= SAFE PERIOD BY TEMP, CERVICAL MUCUS TEST, NFP
4	25	5	36	19	= WITHDRAWAL

(4626)

1995 NATIONAL SURVEY OF FAMILY GROWTH
 File Documentation
 Respondent File (Section E Questionnaire Items)

VARIABLE NAME	COLUMN LOCATION	NON-HISPANIC			TOTAL	QX	TEXT AND CODE CATEGORIES
		HISP	WHITE	BLACK			
		2	11	26	39	20	= RESPONDENT STERILE
		0	0	0	0	21	= PARTNER STERILE (NOT ON CARD)
		0	0	0	1	22	= OTHER METHOD-NOT SHOWN SEPARATELY
		0	0	0	0	55	= SAME METHODS USED THROUGH END OF YEAR
		0	1	2	3	97	= Not Ascertained
		0	5	2	7	98	= Refused
		0	2	0	3	99	= Don't Know

1995 NATIONAL SURVEY OF FAMILY GROWTH
 File Documentation
 Respondent File (Section E Questionnaire Items)

VARIABLE NAME	COLUMN LOCATION	NON-HISPANIC			TOTAL	QX	TEXT AND CODE CATEGORIES
		HISP	WHITE	BLACK			
		0	0	0	0	20	= RESPONDENT STERILE
		0	0	0	0	21	= PARTNER STERILE (NOT ON CARD)
		0	0	0	0	22	= OTHER METHOD-NOT SHOWN SEPARATELY
		0	0	0	0	55	= SAME METHODS USED THROUGH END OF YEAR
		0	1	2	3	97	= Not Ascertained
		0	5	2	7	98	= Refused
		0	2	0	3	99	= Don't Know

[SIMSEQ45] 8437-8437

Did you use those methods together,
 that is, at the same time, or did
 you use them at different times
 during the month? (MC46)

Inapplicable:

R never had sex as of this month and
 never used a birth control method as
 of this month but ever used one or
 more birth control methods in EA
 series (WNFSTSEX GE 1093 and
 DATFIRSM GE 1093 and computed
 variable EVERUSED = 1); R never had
 sex and said no, don't know or
 refused to all birth control methods
 in EA series (computed variable
 RHADSEX coded 2,7,8 or 9 and
 computed variable EVERUSED = 2); R
 said no, don't know or refused to
 all birth control methods in EA
 series (computed variable EVERUSED =
 2); R did not use multiple methods
 in the month; R used more than 2
 methods in the month.

1487	6113	2299	10239	Blank	= Blank, inapplicable
37	243	120	414	1	= SAME TIME
29	127	27	194	2	= DIFFERENT TIMES
0	0	0	0	7	= Not Ascertained
0	0	0	0	8	= Refused
0	0	0	0	9	= Don't Know

1995 NATIONAL SURVEY OF FAMILY GROWTH
 File Documentation
 Respondent File (Section E Questionnaire Items)

VARIABLE	COLUMN	NON-HISPANIC				QX TEXT AND CODE CATEGORIES
NAME	LOCATION	HISP	WHITE	BLACK		

[MTHUS540] 8438-8439

During that month, which (of those/other) methods, if any, did you use at the same time? (1st METHOD MENTIONED, 1st COMBINATION, MC46)

Inapplicable:
 R said no, don't know or refused to all birth control methods in EA series (computed variable EVERUSED = 2); R never had sex as of this month and never used a birth control method as of this month but ever used one or more birth control methods in EA series (WNFSTSEX GE 1093 and DATFIRSM GE 1093 and computed variable EVERUSED = 1); R did not use multiple methods in the month; or R used only 2 methods in the month.

1544	6426	2436	10767	Blank	= Blank, inapplicable
3	15	2	20	01	= NONE
0	0	0	0	02	= OFFICE USE ONLY
0	5	2	9	03	= BIRTH CONTROL PILLS
6	23	4	35	04	= CONDOM
0	0	0	0	05	= PARTNER'S VASECTOMY
0	5	0	5	06	= DIAPHRAGM
0	0	0	0	07	= FOAM
0	0	0	0	08	= JELLY OR CREAM
0	0	0	0	09	= CERVICAL CAP
0	1	0	1	10	= SUPPOSITORY, INSERT
0	1	0	1	11	= TODAY (TM) SPONGE
0	0	0	0	12	= FEMALE CONDOM, VAGINAL POUCH
0	0	0	0	13	= IUD, COIL, LOOP
0	0	0	0	14	= NORPLANT (TM)
0	0	0	0	15	= DEPO-PROVERA, INJECTABLES
0	0	0	0	16	= MORNING AFTER PILLS
0	5	0	5	17	= RHYTHM OR SAFE PERIOD BY CALENDAR
0	0	0	0	18	= SAFE PERIOD BY TEMP, CERVICAL MUCUS TEST, NFP
0	1	1	2	19	= WITHDRAWAL
0	0	1	1	20	= RESPONDENT STERILE
0	0	0	0	21	= PARTNER STERILE (NOT

1995 NATIONAL SURVEY OF FAMILY GROWTH
 File Documentation
 Respondent File (Section E Questionnaire Items)

VARIABLE NAME	COLUMN LOCATION	NON-HISPANIC			TOTAL	QX	TEXT AND CODE CATEGORIES
		HISP	WHITE	BLACK			
		0	0	0	0	22	ON CARD) = OTHER METHOD-NOT SHOWN SEPARATELY
		0	0	0	0	97	= Not Ascertained
		0	0	0	0	98	= Refused
		0	1	0	1	99	= Don't Know

1995 NATIONAL SURVEY OF FAMILY GROWTH
 File Documentation
 Respondent File (Section E Questionnaire Items)

VARIABLE COLUMN NON-HISPANIC
 NAME LOCATION HISP WHITE BLACK TOTAL QX TEXT AND CODE CATEGORIES

[MTHUS541] 8440-8441

During that month, which (of those/other) methods, if any, did you use at the same time? (2nd METHOD MENTIONED, 1st COMBINATION, MC46)

Inapplicable:
 R said no, don't know or refused to all birth control methods in EA series (computed variable EVERUSED = 2); R never had sex as of this month and never used a birth control method as of this month but ever used one or more birth control methods in EA series (WNFSTSEX GE 1093 and DATFIRSM GE 1093 and computed variable EVERUSED = 1); R did not use multiple methods in the month; or R used only 2 methods in the month; or R reported using fewer than 2 BC methods for this combination in this month of the method calendar.

	1547	6441	2438	10787	Blank	
	0	0	0	0	01	= Blank, inapplicable
	0	0	0	0	02	= NONE
	0	0	0	0	03	= OFFICE USE ONLY
	0	7	3	11	04	= BIRTH CONTROL PILLS
	0	1	0	1	05	= CONDOM
	0	0	0	0	06	= PARTNER'S VASECTOMY
	1	5	1	7	07	= DIAPHRAGM
	1	1	2	4	08	= FOAM
	0	0	0	0	09	= JELLY OR CREAM
	0	0	1	1	10	= CERVICAL CAP
	0	0	0	0	11	= SUPPOSITORY, INSERT
	0	0	0	0	12	= TODAY (TM) SPONGE
	0	0	0	0	13	= FEMALE CONDOM, VAGINAL POUCH
	0	0	0	0	14	= IUD, COIL, LOOP
	0	0	0	0	15	= NORPLANT (TM)
	0	0	0	0	16	= DEPO-PROVERA, INJECTABLES
	3	16	0	20	17	= MORNING AFTER PILLS
	0	2	0	2	18	= RHYTHM OR SAFE PERIOD BY CALENDAR
						= SAFE PERIOD BY TEMP, CERVICAL MUCUS TEST, NFP

1995 NATIONAL SURVEY OF FAMILY GROWTH
 File Documentation
 Respondent File (Section E Questionnaire Items)

VARIABLE NAME	COLUMN LOCATION	NON-HISPANIC			TOTAL	QX	TEXT AND CODE CATEGORIES
		HISP	WHITE	BLACK			
		1	9	1	13	19	= WITHDRAWAL
		0	0	0	0	20	= RESPONDENT STERILE
		0	0	0	0	21	= PARTNER STERILE (NOT ON CARD)
		0	0	0	0	22	= OTHER METHOD-NOT SHOWN SEPARATELY
		0	0	0	0	97	= Not Ascertained
		0	0	0	0	98	= Refused
		0	1	0	1	99	= Don't Know

1995 NATIONAL SURVEY OF FAMILY GROWTH
 File Documentation
 Respondent File (Section E Questionnaire Items)

VARIABLE	COLUMN	NON-HISPANIC				QX TEXT AND CODE CATEGORIES
NAME	LOCATION	HISP	WHITE	BLACK		

[MTHUS542] 8442-8443

During that month, which (of those/other) methods, if any, did you use at the same time? (3rd METHOD MENTIONED, 1st COMBINATION, MC46)

Inapplicable:
 R said no, don't know or refused to all birth control methods in EA series (computed variable EVERUSED = 2); R never had sex as of this month and never used a birth control method as of this month but ever used one or more birth control methods in EA series (WNFSTSEX GE 1093 and DATFIRSM GE 1093 and computed variable EVERUSED = 1); R did not use multiple methods in the month; or R used only 2 methods in the month; or R reported using fewer than 3 BC methods for this combination in this month of the method calendar.

1548	6458	2441	10810	Blank	= Blank, inapplicable
0	0	0	0	01	= NONE
0	0	0	0	02	= OFFICE USE ONLY
0	0	0	0	03	= BIRTH CONTROL PILLS
0	0	0	0	04	= CONDOM
0	0	0	0	05	= PARTNER'S VASECTOMY
0	0	0	0	06	= DIAPHRAGM
1	0	0	1	07	= FOAM
0	3	0	3	08	= JELLY OR CREAM
0	0	1	1	09	= CERVICAL CAP
0	1	0	1	10	= SUPPOSITORY, INSERT
1	2	0	3	11	= TODAY (TM) SPONGE
0	0	0	0	12	= FEMALE CONDOM, VAGINAL POUCH
0	0	0	0	13	= IUD, COIL, LOOP
0	0	0	0	14	= NORPLANT (TM)
0	0	0	0	15	= DEPO-PROVERA, INJECTABLES
0	0	0	0	16	= MORNING AFTER PILLS
2	3	1	6	17	= RHYTHM OR SAFE PERIOD BY CALENDAR
0	3	0	4	18	= SAFE PERIOD BY TEMP, CERVICAL MUCUS TEST, NFP

1995 NATIONAL SURVEY OF FAMILY GROWTH
 File Documentation
 Respondent File (Section E Questionnaire Items)

VARIABLE NAME	COLUMN LOCATION	NON-HISPANIC			TOTAL	QX	TEXT AND CODE CATEGORIES
		HISP	WHITE	BLACK			
		1	12	3	17	19	= WITHDRAWAL
		0	0	0	0	20	= RESPONDENT STERILE
		0	0	0	0	21	= PARTNER STERILE (NOT ON CARD)
		0	0	0	0	22	= OTHER METHOD-NOT SHOWN SEPARATELY
		0	0	0	0	97	= Not Ascertained
		0	0	0	0	98	= Refused
		0	1	0	1	99	= Don't Know

1995 NATIONAL SURVEY OF FAMILY GROWTH
 File Documentation
 Respondent File (Section E Questionnaire Items)

VARIABLE COLUMN NON-HISPANIC
 NAME LOCATION HISP WHITE BLACK TOTAL QX TEXT AND CODE CATEGORIES

[MTHUS543] 8444-8445

During that month, which (of those/other) methods, if any, did you use at the same time? (4th METHOD MENTIONED, 1st COMBINATION, MC46)

Inapplicable:
 R said no, don't know or refused to all birth control methods in EA series (computed variable EVERUSED = 2); R never had sex as of this month and never used a birth control method as of this month but ever used one or more birth control methods in EA series (WNFSTSEX GE 1093 and DATFIRSM GE 1093 and computed variable EVERUSED = 1); R did not use multiple methods in the month; or R used only 2 methods in the month; or R reported using fewer than 4 BC methods for this combination in this month of the method calendar.

1553	6481	2445	10844	Blank	= Blank, inapplicable
0	0	0	0	01	= NONE
0	0	0	0	02	= OFFICE USE ONLY
0	0	0	0	03	= BIRTH CONTROL PILLS
0	1	0	1	04	= CONDOM
0	0	0	0	05	= PARTNER'S VASECTOMY
0	0	0	0	06	= DIAPHRAGM
0	0	0	0	07	= FOAM
0	0	0	0	08	= JELLY OR CREAM
0	0	0	0	09	= CERVICAL CAP
0	0	0	0	10	= SUPPOSITORY, INSERT
0	0	0	0	11	= TODAY (TM) SPONGE
0	0	0	0	12	= FEMALE CONDOM, VAGINAL POUCH
0	0	0	0	13	= IUD, COIL, LOOP
0	0	0	0	14	= NORPLANT (TM)
0	0	0	0	15	= DEPO-PROVERA, INJECTABLES
0	0	0	0	16	= MORNING AFTER PILLS
0	0	0	0	17	= RHYTHM OR SAFE PERIOD BY CALENDAR
0	0	1	1	18	= SAFE PERIOD BY TEMP, CERVICAL MUCUS TEST, NFP

1995 NATIONAL SURVEY OF FAMILY GROWTH
 File Documentation
 Respondent File (Section E Questionnaire Items)

VARIABLE NAME	COLUMN LOCATION	NON-HISPANIC			TOTAL	QX	TEXT AND CODE CATEGORIES
		HISP	WHITE	BLACK			
		0	0	0	0	19	= WITHDRAWAL
		0	0	0	0	20	= RESPONDENT STERILE
		0	0	0	0	21	= PARTNER STERILE (NOT ON CARD)
		0	0	0	0	22	= OTHER METHOD-NOT SHOWN SEPARATELY
		0	0	0	0	97	= Not Ascertained
		0	0	0	0	98	= Refused
		0	1	0	1	99	= Don't Know

1995 NATIONAL SURVEY OF FAMILY GROWTH
 File Documentation
 Respondent File (Section E Questionnaire Items)

VARIABLE COLUMN NON-HISPANIC
 NAME LOCATION HISP WHITE BLACK TOTAL QX TEXT AND CODE CATEGORIES

[MTHUS544] 8446-8447

During that month, which (of those/other) methods, if any, did you use at the same time? (1st METHOD MENTIONED, 2nd COMBINATION, MC46)

Inapplicable:
 R said no, don't know or refused to all birth control methods in EA series (computed variable EVERUSED = 2); R never had sex as of this month and never used a birth control method as of this month but ever used one or more birth control methods in EA series (WNFSTSEX GE 1093 and DATFIRSM GE 1093 and computed variable EVERUSED = 1); R did not use multiple methods in the month; or R used only 2 methods in the month; or R reported fewer than 2 BC method combinations.

	1547	6441	2438	10787	Blank	
	4	28	6	41	01	= Blank, inapplicable
	0	0	0	0	02	= NONE
	0	3	0	3	03	= OFFICE USE ONLY
	0	3	0	4	04	= BIRTH CONTROL PILLS
	0	0	0	0	05	= CONDOM
	0	1	0	1	06	= PARTNER'S VASECTOMY
	1	1	0	2	07	= DIAPHRAGM
	0	1	0	1	08	= FOAM
	0	0	0	0	09	= JELLY OR CREAM
	0	1	0	1	10	= CERVICAL CAP
	0	0	0	0	11	= SUPPOSITORY, INSERT
	0	0	0	0	12	= TODAY (TM) SPONGE
	0	0	0	0	13	= FEMALE CONDOM, VAGINAL POUCH
	0	0	0	0	14	= IUD, COIL, LOOP
	0	0	0	0	15	= NORPLANT (TM)
	0	0	0	0	16	= DEPO-PROVERA, INJECTABLES
	0	0	0	0	17	= MORNING AFTER PILLS
	0	3	0	3	18	= RHYTHM OR SAFE PERIOD BY CALENDAR
	0	0	0	0	19	= SAFE PERIOD BY TEMP, CERVICAL MUCUS TEST, NFP
	1	0	1	2	20	= WITHDRAWAL
	0	0	1	1	20	= RESPONDENT STERILE

(4638)

1995 NATIONAL SURVEY OF FAMILY GROWTH
 File Documentation
 Respondent File (Section E Questionnaire Items)

VARIABLE NAME	COLUMN LOCATION	NON-HISPANIC			TOTAL	QX	TEXT AND CODE CATEGORIES
		HISP	WHITE	BLACK			
		0	0	0	0	21	= PARTNER STERILE (NOT ON CARD)
		0	0	0	0	22	= OTHER METHOD-NOT SHOWN SEPARATELY
		0	1	0	1	97	= Not Ascertained
		0	0	0	0	98	= Refused
		0	0	0	0	99	= Don't Know

1995 NATIONAL SURVEY OF FAMILY GROWTH
 File Documentation
 Respondent File (Section E Questionnaire Items)

VARIABLE COLUMN NON-HISPANIC
 NAME LOCATION HISP WHITE BLACK TOTAL QX TEXT AND CODE CATEGORIES

[MTHUS545] 8448-8449

During that month, which (of those/other) methods, if any, did you use at the same time? (2nd METHOD MENTIONED, 2nd COMBINATION, MC46)

Inapplicable:
 R said no, don't know or refused to all birth control methods in EA series (computed variable EVERUSED = 2); R never had sex as of this month and never used a birth control method as of this month but ever used one or more birth control methods in EA series (WNFSTSEX GE 1093 and DATFIRSM GE 1093 and computed variable EVERUSED = 1); R did not use multiple methods in the month; or R used only 2 methods in the month; or R reported fewer than 2 BC method combinations; or R reported using fewer than 2 BC methods for this combination in this month of the method calendar.

1552	6471	2444	10831	Blank	= Blank, inapplicable
0	0	0	0	01	= NONE
0	0	0	0	02	= OFFICE USE ONLY
0	0	0	0	03	= BIRTH CONTROL PILLS
1	1	0	2	04	= CONDOM
0	1	0	1	05	= PARTNER'S VASECTOMY
0	0	0	0	06	= DIAPHRAGM
0	0	0	0	07	= FOAM
0	0	0	0	08	= JELLY OR CREAM
0	0	0	0	09	= CERVICAL CAP
0	0	1	1	10	= SUPPOSITORY, INSERT
0	1	0	1	11	= TODAY (TM) SPONGE
0	0	0	0	12	= FEMALE CONDOM, VAGINAL POUCH
0	0	0	0	13	= IUD, COIL, LOOP
0	0	0	0	14	= NORPLANT (TM)
0	0	0	0	15	= DEPO-PROVERA, INJECTABLES
0	0	0	0	16	= MORNING AFTER PILLS
0	3	0	4	17	= RHYTHM OR SAFE PERIOD BY CALENDAR
0	1	0	1	18	= SAFE PERIOD BY TEMP, CERVICAL MUCUS TEST,

(4640)

1995 NATIONAL SURVEY OF FAMILY GROWTH
 File Documentation
 Respondent File (Section E Questionnaire Items)

VARIABLE NAME	COLUMN LOCATION	NON-HISPANIC			TOTAL	QX	TEXT AND CODE CATEGORIES
		HISP	WHITE	BLACK			
		0	4	1	5	19	NFP
		0	0	0	0	20	= WITHDRAWAL
		0	0	0	0	21	= RESPONDENT STERILE
							= PARTNER STERILE (NOT ON CARD)
		0	0	0	0	22	= OTHER METHOD-NOT SHOWN SEPARATELY
		0	1	0	1	97	= Not Ascertained
		0	0	0	0	98	= Refused
		0	0	0	0	99	= Don't Know

1995 NATIONAL SURVEY OF FAMILY GROWTH
 File Documentation
 Respondent File (Section E Questionnaire Items)

VARIABLE COLUMN NON-HISPANIC
 NAME LOCATION HISP WHITE BLACK TOTAL QX TEXT AND CODE CATEGORIES

[MTHUS546] 8450-8451

During that month, which (of those/other) methods, if any, did you use at the same time? (3rd METHOD MENTIONED, 2nd COMBINATION, MC46)

Inapplicable:
 R said no, don't know or refused to all birth control methods in EA series (computed variable EVERUSED = 2); R never had sex as of this month and never used a birth control method as of this month but ever used one or more birth control methods in EA series (WNFSTSEX GE 1093 and DATFIRSM GE 1093 and computed variable EVERUSED = 1); R did not use multiple methods in the month; or R used only 2 methods in the month; or R reported fewer than 2 BC method combinations; or R reported using fewer than 3 BC methods for this combination in this month of the method calendar.

1552	6478	2446	10840	Blank	= Blank, inapplicable
0	0	0	0	01	= NONE
0	0	0	0	02	= OFFICE USE ONLY
0	0	0	0	03	= BIRTH CONTROL PILLS
0	0	0	0	04	= CONDOM
0	0	0	0	05	= PARTNER'S VASECTOMY
0	0	0	0	06	= DIAPHRAGM
0	0	0	0	07	= FOAM
0	1	0	1	08	= JELLY OR CREAM
0	0	0	0	09	= CERVICAL CAP
0	0	0	0	10	= SUPPOSITORY, INSERT
0	0	0	0	11	= TODAY (TM) SPONGE
0	0	0	0	12	= FEMALE CONDOM, VAGINAL POUCH
0	0	0	0	13	= IUD, COIL, LOOP
0	0	0	0	14	= NORPLANT (TM)
0	0	0	0	15	= DEPO-PROVERA, INJECTABLES
0	0	0	0	16	= MORNING AFTER PILLS
1	0	0	1	17	= RHYTHM OR SAFE PERIOD BY CALENDAR
0	1	0	2	18	= SAFE PERIOD BY TEMP, CERVICAL MUCUS TEST,

(4642)

1995 NATIONAL SURVEY OF FAMILY GROWTH
 File Documentation
 Respondent File (Section E Questionnaire Items)

VARIABLE NAME	COLUMN LOCATION	NON-HISPANIC			TOTAL	QX	TEXT AND CODE CATEGORIES
		HISP	WHITE	BLACK			
		0	2	0	2	19	NFP
		0	0	0	0	20	= WITHDRAWAL
		0	0	0	0	21	= RESPONDENT STERILE
							= PARTNER STERILE (NOT ON CARD)
		0	0	0	0	22	= OTHER METHOD-NOT SHOWN SEPARATELY
		0	1	0	1	97	= Not Ascertained
		0	0	0	0	98	= Refused
		0	0	0	0	99	= Don't Know

1995 NATIONAL SURVEY OF FAMILY GROWTH
 File Documentation
 Respondent File (Section E Questionnaire Items)

VARIABLE COLUMN NON-HISPANIC
 NAME LOCATION HISP WHITE BLACK TOTAL QX TEXT AND CODE CATEGORIES

[MTHUS547] 8452-8453

During that month, which (of those/other) methods, if any, did you use at the same time? (4th METHOD MENTIONED, 2nd COMBINATION, MC46)

Inapplicable:
 R said no, don't know or refused to all birth control methods in EA series (computed variable EVERUSED = 2); R never had sex as of this month and never used a birth control method as of this month but ever used one or more birth control methods in EA series (WNFSTSEX GE 1093 and DATFIRSM GE 1093 and computed variable EVERUSED = 1); R did not use multiple methods in the month; or R used only 2 methods in the month; or R reported fewer than 2 BC method combinations; or R reported using fewer than 4 BC methods for this combination in this month of the method calendar.

1553	6482	2446	10846	Blank	
0	0	0	0	01	= Blank, inapplicable
0	0	0	0	02	= NONE
0	0	0	0	03	= OFFICE USE ONLY
0	0	0	0	04	= BIRTH CONTROL PILLS
0	0	0	0	05	= CONDOM
0	0	0	0	06	= PARTNER'S VASECTOMY
0	0	0	0	07	= DIAPHRAGM
0	0	0	0	08	= FOAM
0	0	0	0	09	= JELLY OR CREAM
0	0	0	0	10	= CERVICAL CAP
0	0	0	0	11	= SUPPOSITORY, INSERT
0	0	0	0	12	= TODAY (TM) SPONGE
0	0	0	0	13	= FEMALE CONDOM, VAGINAL POUCH
0	0	0	0	14	= IUD, COIL, LOOP
0	0	0	0	15	= NORPLANT (TM)
0	0	0	0	16	= DEPO-PROVERA, INJECTABLES
0	0	0	0	17	= MORNING AFTER PILLS
0	0	0	0	18	= RHYTHM OR SAFE PERIOD BY CALENDAR
0	0	0	0	18	= SAFE PERIOD BY TEMP, CERVICAL MUCUS TEST,

(4644)

1995 NATIONAL SURVEY OF FAMILY GROWTH
 File Documentation
 Respondent File (Section E Questionnaire Items)

VARIABLE NAME	COLUMN LOCATION	NON-HISPANIC			TOTAL	QX	TEXT AND CODE CATEGORIES
		HISP	WHITE	BLACK			
		0	0	0	0	19	NFP
		0	0	0	0	20	= WITHDRAWAL
		0	0	0	0	21	= RESPONDENT STERILE
							= PARTNER STERILE (NOT ON CARD)
		0	0	0	0	22	= OTHER METHOD-NOT SHOWN SEPARATELY
		0	1	0	1	97	= Not Ascertained
		0	0	0	0	98	= Refused
		0	0	0	0	99	= Don't Know

1995 NATIONAL SURVEY OF FAMILY GROWTH
 File Documentation
 Respondent File (Section E Questionnaire Items)

VARIABLE COLUMN NON-HISPANIC
 NAME LOCATION HISP WHITE BLACK TOTAL QX TEXT AND CODE CATEGORIES

[MTHUS548] 8454-8455

During that month, which (of those/other) methods, if any, did you use at the same time? (1st METHOD MENTIONED, 3rd COMBINATION, MC46)

Inapplicable:
 R said no, don't know or refused to all birth control methods in EA series (computed variable EVERUSED = 2); R never had sex as of this month and never used a birth control method as of this month but ever used one or more birth control methods in EA series (WNFSTSEX GE 1093 and DATFIRSM GE 1093 and computed variable EVERUSED = 1); R did not use multiple methods in the month; or R used only 2 methods in the month; or R reported fewer than 3 BC method combinations.

1553	6479	2446	10843	Blank	
0	3	0	3	01	= Blank, inapplicable
0	0	0	0	02	= NONE
0	0	0	0	03	= OFFICE USE ONLY
0	1	0	1	04	= BIRTH CONTROL PILLS
0	0	0	0	05	= CONDOM
0	0	0	0	06	= PARTNER'S VASECTOMY
0	0	0	0	07	= DIAPHRAGM
0	0	0	0	08	= FOAM
0	0	0	0	09	= JELLY OR CREAM
0	0	0	0	10	= CERVICAL CAP
0	0	0	0	11	= SUPPOSITORY, INSERT
0	0	0	0	12	= TODAY (TM) SPONGE
0	0	0	0	13	= FEMALE CONDOM, VAGINAL POUCH
0	0	0	0	14	= IUD, COIL, LOOP
0	0	0	0	15	= NORPLANT (TM)
0	0	0	0	16	= DEPO-PROVERA, INJECTABLES
0	0	0	0	17	= MORNING AFTER PILLS
0	0	0	0	18	= RHYTHM OR SAFE PERIOD BY CALENDAR
0	0	0	0	19	= SAFE PERIOD BY TEMP, CERVICAL MUCUS TEST, NFP
0	0	0	0	20	= WITHDRAWAL
0	0	0	0	20	= RESPONDENT STERILE

(4646)

1995 NATIONAL SURVEY OF FAMILY GROWTH
 File Documentation
 Respondent File (Section E Questionnaire Items)

VARIABLE NAME	COLUMN LOCATION	NON-HISPANIC			QX	TEXT AND CODE CATEGORIES
		HISP	WHITE	BLACK		
		0	0	0	0	21 = PARTNER STERILE (NOT ON CARD)
		0	0	0	0	22 = OTHER METHOD-NOT SHOWN SEPARATELY
		0	0	0	0	97 = Not Ascertained
		0	0	0	0	98 = Refused
		0	0	0	0	99 = Don't Know

1995 NATIONAL SURVEY OF FAMILY GROWTH
 File Documentation
 Respondent File (Section E Questionnaire Items)

VARIABLE	COLUMN	NON-HISPANIC				QX TEXT AND CODE CATEGORIES
NAME	LOCATION	HISP	WHITE	BLACK		

[MTHUS549] 8456-8457

During that month, which (of those/other) methods, if any, did you use at the same time? (2nd METHOD MENTIONED, 3rd COMBINATION, MC46)

Inapplicable:
 R said no, don't know or refused to all birth control methods in EA series (computed variable EVERUSED = 2); R never had sex as of this month and never used a birth control method as of this month but ever used one or more birth control methods in EA series (WNFSTSEX GE 1093 and DATFIRSM GE 1093 and computed variable EVERUSED = 1); R did not use multiple methods in the month; or R used only 2 methods in the month; or R reported fewer than 3 BC method combinations; or R reported using fewer than 2 BC methods for this combination in this month of the method calendar.

1553	6482	2446	10846	Blank	= Blank, inapplicable
0	0	0	0	01	= NONE
0	0	0	0	02	= OFFICE USE ONLY
0	0	0	0	03	= BIRTH CONTROL PILLS
0	0	0	0	04	= CONDOM
0	0	0	0	05	= PARTNER'S VASECTOMY
0	0	0	0	06	= DIAPHRAGM
0	1	0	1	07	= FOAM
0	0	0	0	08	= JELLY OR CREAM
0	0	0	0	09	= CERVICAL CAP
0	0	0	0	10	= SUPPOSITORY, INSERT
0	0	0	0	11	= TODAY (TM) SPONGE
0	0	0	0	12	= FEMALE CONDOM, VAGINAL POUCH
0	0	0	0	13	= IUD, COIL, LOOP
0	0	0	0	14	= NORPLANT (TM)
0	0	0	0	15	= DEPO-PROVERA, INJECTABLES
0	0	0	0	16	= MORNING AFTER PILLS
0	0	0	0	17	= RHYTHM OR SAFE PERIOD BY CALENDAR
0	0	0	0	18	= SAFE PERIOD BY TEMP, CERVICAL MUCUS TEST,

1995 NATIONAL SURVEY OF FAMILY GROWTH
 File Documentation
 Respondent File (Section E Questionnaire Items)

VARIABLE NAME	COLUMN LOCATION	NON-HISPANIC			TOTAL	QX	TEXT AND CODE CATEGORIES
		HISP	WHITE	BLACK			
		0	0	0	0	19	NFP
		0	0	0	0	20	= WITHDRAWAL
		0	0	0	0	21	= RESPONDENT STERILE
							= PARTNER STERILE (NOT ON CARD)
		0	0	0	0	22	= OTHER METHOD-NOT SHOWN SEPARATELY
		0	0	0	0	97	= Not Ascertained
		0	0	0	0	98	= Refused
		0	0	0	0	99	= Don't Know

1995 NATIONAL SURVEY OF FAMILY GROWTH
 File Documentation
 Respondent File (Section E Questionnaire Items)

VARIABLE COLUMN NON-HISPANIC
 NAME LOCATION HISP WHITE BLACK TOTAL QX TEXT AND CODE CATEGORIES

[MTHUS550] 8458-8459

During that month, which (of those/other) methods, if any, did you use at the same time? (3rd METHOD MENTIONED, 3rd COMBINATION, MC46)

Inapplicable:
 R said no, don't know or refused to all birth control methods in EA series (computed variable EVERUSED = 2); R never had sex as of this month and never used a birth control method as of this month but ever used one or more birth control methods in EA series (WNFSTSEX GE 1093 and DATFIRSM GE 1093 and computed variable EVERUSED = 1); R did not use multiple methods in the month; or R used only 2 methods in the month; or R reported fewer than 3 BC method combinations; or R reported using fewer than 3 BC methods for this combination in this month of the method calendar.

1553	6483	2446	10847	Blank	= Blank, inapplicable
0	0	0	0	01	= NONE
0	0	0	0	02	= OFFICE USE ONLY
0	0	0	0	03	= BIRTH CONTROL PILLS
0	0	0	0	04	= CONDOM
0	0	0	0	05	= PARTNER'S VASECTOMY
0	0	0	0	06	= DIAPHRAGM
0	0	0	0	07	= FOAM
0	0	0	0	08	= JELLY OR CREAM
0	0	0	0	09	= CERVICAL CAP
0	0	0	0	10	= SUPPOSITORY, INSERT
0	0	0	0	11	= TODAY (TM) SPONGE
0	0	0	0	12	= FEMALE CONDOM, VAGINAL POUCH
0	0	0	0	13	= IUD, COIL, LOOP
0	0	0	0	14	= NORPLANT (TM)
0	0	0	0	15	= DEPO-PROVERA, INJECTABLES
0	0	0	0	16	= MORNING AFTER PILLS
0	0	0	0	17	= RHYTHM OR SAFE PERIOD BY CALENDAR
0	0	0	0	18	= SAFE PERIOD BY TEMP, CERVICAL MUCUS TEST,

(4650)

1995 NATIONAL SURVEY OF FAMILY GROWTH
 File Documentation
 Respondent File (Section E Questionnaire Items)

VARIABLE NAME	COLUMN LOCATION	NON-HISPANIC			TOTAL	QX	TEXT AND CODE CATEGORIES
		HISP	WHITE	BLACK			
		0	0	0	0	19	NFP
		0	0	0	0	20	= WITHDRAWAL
		0	0	0	0	21	= RESPONDENT STERILE
							= PARTNER STERILE (NOT ON CARD)
		0	0	0	0	22	= OTHER METHOD-NOT SHOWN SEPARATELY
		0	0	0	0	97	= Not Ascertained
		0	0	0	0	98	= Refused
		0	0	0	0	99	= Don't Know

1995 NATIONAL SURVEY OF FAMILY GROWTH
 File Documentation
 Respondent File (Section E Questionnaire Items)

VARIABLE	COLUMN	NON-HISPANIC				QX TEXT AND CODE CATEGORIES
NAME	LOCATION	HISP	WHITE	BLACK		

[MTHUS551] 8460-8461

During that month, which (of those/other) methods, if any, did you use at the same time? (4th METHOD MENTIONED, 3rd COMBINATION, MC46)

Inapplicable:
 R said no, don't know or refused to all birth control methods in EA series (computed variable EVERUSED = 2); R never had sex as of this month and never used a birth control method as of this month but ever used one or more birth control methods in EA series (WNFSTSEX GE 1093 and DATFIRSM GE 1093 and computed variable EVERUSED = 1); R did not use multiple methods in the month; or R used only 2 methods in the month; or R reported fewer than 3 BC method combinations; or R reported using fewer than 4 BC methods for this combination in this month of the method calendar.

1553	6483	2446	10847	Blank	= Blank, inapplicable
0	0	0	0	01	= NONE
0	0	0	0	02	= OFFICE USE ONLY
0	0	0	0	03	= BIRTH CONTROL PILLS
0	0	0	0	04	= CONDOM
0	0	0	0	05	= PARTNER'S VASECTOMY
0	0	0	0	06	= DIAPHRAGM
0	0	0	0	07	= FOAM
0	0	0	0	08	= JELLY OR CREAM
0	0	0	0	09	= CERVICAL CAP
0	0	0	0	10	= SUPPOSITORY, INSERT
0	0	0	0	11	= TODAY (TM) SPONGE
0	0	0	0	12	= FEMALE CONDOM, VAGINAL POUCH
0	0	0	0	13	= IUD, COIL, LOOP
0	0	0	0	14	= NORPLANT (TM)
0	0	0	0	15	= DEPO-PROVERA, INJECTABLES
0	0	0	0	16	= MORNING AFTER PILLS
0	0	0	0	17	= RHYTHM OR SAFE PERIOD BY CALENDAR
0	0	0	0	18	= SAFE PERIOD BY TEMP, CERVICAL MUCUS TEST,

(4652)

1995 NATIONAL SURVEY OF FAMILY GROWTH
 File Documentation
 Respondent File (Section E Questionnaire Items)

VARIABLE NAME	COLUMN LOCATION	NON-HISPANIC			TOTAL	QX	TEXT AND CODE CATEGORIES
		HISP	WHITE	BLACK			
		0	0	0	0	19	NFP
		0	0	0	0	20	= WITHDRAWAL
		0	0	0	0	21	= RESPONDENT STERILE
							= PARTNER STERILE (NOT ON CARD)
		0	0	0	0	22	= OTHER METHOD-NOT SHOWN SEPARATELY
		0	0	0	0	97	= Not Ascertained
		0	0	0	0	98	= Refused
		0	0	0	0	99	= Don't Know

1995 NATIONAL SURVEY OF FAMILY GROWTH
 File Documentation
 Respondent File (Section E Questionnaire Items)

VARIABLE NAME	COLUMN LOCATION	NON-HISPANIC			QX TEXT AND CODE CATEGORIES		
		HISP	WHITE	BLACK TOTAL			
[METHH184]	8462-8463				ENTER METHOD (FIRST MENTIONED) USED IN NOVEMBER 1994: (MC47)		
					Inapplicable: R never had sex as of this month and never used a birth control method as of this month but ever used one or more birth control methods in EA series (WNFSTSEX GE 1093 and DATFIRSM GE 1093 and computed variable EVERUSED = 1); R never had sex and said no, don't know or refused to all birth control methods in EA series (computed variable RHADSEX coded 2,7,8 or 9 and computed variable EVERUSED = 2); R said no, don't know or refused to all birth control methods in EA series (computed variable EVERUSED = 2).		
		248	697	229	1265	Blank	= Blank, inapplicable
		330	1274	544	2212	01	= NO METHODS USED
		0	0	0	0	02	= SAME AS PREVIOUS MONTH
		236	1213	380	1866	03	= BIRTH CONTROL PILLS
		207	917	397	1587	04	= CONDOM
		24	357	11	402	05	= PARTNER'S VASECTOMY
		5	94	11	111	06	= DIAPHRAGM
		5	26	3	34	07	= FOAM
		2	11	3	16	08	= JELLY OR CREAM
		1	3	0	4	09	= CERVICAL CAP
		5	26	9	42	10	= SUPPOSITORY, INSERT
		0	17	7	24	11	= TODAY (TM) SPONGE
		0	1	0	1	12	= FEMALE CONDOM, VAGINAL POUCH
		18	31	15	67	13	= IUD, COIL, LOOP
		25	53	37	119	14	= NORPLANT (TM)
		34	91	62	191	15	= DEPO-PROVERA, INJECTABLES
		0	0	0	0	16	= MORNING AFTER PILLS
		29	91	17	150	17	= RHYTHM OR SAFE PERIOD BY CALENDAR
		2	18	1	21	18	= SAFE PERIOD BY TEMP, CERVICAL MUCUS TEST, NFP
		35	134	32	211	19	= WITHDRAWAL
		327	1223	663	2268	20	= RESPONDENT STERILE

(4654)

1995 NATIONAL SURVEY OF FAMILY GROWTH
 File Documentation
 Respondent File (Section E Questionnaire Items)

VARIABLE NAME	COLUMN LOCATION	NON-HISPANIC			TOTAL	QX	TEXT AND CODE CATEGORIES
		HISP	WHITE	BLACK			
		19	192	13	228	21	= PARTNER STERILE (NOT ON CARD)
		1	5	9	15	22	= OTHER METHOD-NOT SHOWN SEPARATELY
		0	0	0	0	55	= SAME METHODS USED THROUGH END OF YEAR
		0	1	1	2	97	= Not Ascertained
		0	5	2	7	98	= Refused
		0	3	0	4	99	= Don't Know

1995 NATIONAL SURVEY OF FAMILY GROWTH
 File Documentation
 Respondent File (Section E Questionnaire Items)

VARIABLE NAME	COLUMN LOCATION	NON-HISPANIC			QX TEXT AND CODE CATEGORIES	
		HISP	WHITE	BLACK	TOTAL	
[METHH185]	8464-8465					ENTER METHOD (SECOND MENTIONED) USED IN NOVEMBER 1994: (MC47)

Inapplicable:
 R never had sex as of this month and never used a birth control method as of this month but ever used one or more birth control methods in EA series (WNFSTSEX GE 1093 and DATFIRSM GE 1093 and computed variable EVERUSED = 1); R never had sex and said no, don't know or refused to all birth control methods in EA series (computed variable RHADSEX coded 2,7,8 or 9 and computed variable EVERUSED = 2); R said no, don't know or refused to all birth control methods in EA series (computed variable EVERUSED = 2); R used fewer than 2 methods in month.

1482	6030	2285	10132	Blank	= Blank, inapplicable
0	0	0	0	01	= NO METHODS USED
0	0	0	0	02	= SAME AS PREVIOUS MONTH
0	8	7	15	03	= BIRTH CONTROL PILLS
17	131	71	227	04	= CONDOM
0	13	2	15	05	= PARTNER'S VASECTOMY
2	14	4	20	06	= DIAPHRAGM
5	25	9	40	07	= FOAM
3	16	8	27	08	= JELLY OR CREAM
0	0	0	0	09	= CERVICAL CAP
2	14	5	21	10	= SUPPOSITORY, INSERT
1	8	4	14	11	= TODAY (TM) SPONGE
0	1	1	2	12	= FEMALE CONDOM, VAGINAL POUCH
0	0	0	0	13	= IUD, COIL, LOOP
1	1	4	6	14	= NORPLANT (TM)
0	2	2	4	15	= DEPO-PROVERA, INJECTABLES
0	1	0	1	16	= MORNING AFTER PILLS
14	64	7	92	17	= RHYTHM OR SAFE PERIOD BY CALENDAR
0	10	1	11	18	= SAFE PERIOD BY TEMP, CERVICAL MUCUS TEST, NFP
25	113	18	167	19	= WITHDRAWAL

(4656)

1995 NATIONAL SURVEY OF FAMILY GROWTH
 File Documentation
 Respondent File (Section E Questionnaire Items)

VARIABLE NAME	COLUMN LOCATION	NON-HISPANIC			TOTAL	QX	TEXT AND CODE CATEGORIES
		HISP	WHITE	BLACK			
		1	14	13	28	20	= RESPONDENT STERILE
		0	9	1	11	21	= PARTNER STERILE (NOT ON CARD)
		0	0	0	0	22	= OTHER METHOD-NOT SHOWN SEPARATELY
		0	0	0	0	55	= SAME METHODS USED THROUGH END OF YEAR
		0	1	2	3	97	= Not Ascertained
		0	5	2	7	98	= Refused
		0	3	0	4	99	= Don't Know

1995 NATIONAL SURVEY OF FAMILY GROWTH
 File Documentation
 Respondent File (Section E Questionnaire Items)

VARIABLE COLUMN NON-HISPANIC
 NAME LOCATION HISP WHITE BLACK TOTAL QX TEXT AND CODE CATEGORIES

[METHH186] 8466-8467

ENTER METHOD (THIRD MENTIONED) USED
 IN NOVEMBER 1994: (MC47)

Inapplicable:

R never had sex as of this month and never used a birth control method as of this month but ever used one or more birth control methods in EA series (WNFSTSEX GE 1093 and DATFIRSM GE 1093 and computed variable EVERUSED = 1); R never had sex and said no, don't know or refused to all birth control methods in EA series (computed variable RHADSEX coded 2,7,8 or 9 and computed variable EVERUSED = 2); R said no, don't know or refused to all birth control methods in EA series (computed variable EVERUSED = 2); R used fewer than 3 methods in month.

1543	6403	2405	10711	Blank	= Blank, inapplicable
0	0	0	0	01	= NO METHODS USED
0	0	0	0	02	= SAME AS PREVIOUS MONTH
0	1	0	1	03	= BIRTH CONTROL PILLS
0	1	0	1	04	= CONDOM
0	0	0	0	05	= PARTNER'S VASECTOMY
0	0	0	0	06	= DIAPHRAGM
1	3	0	4	07	= FOAM
0	4	0	4	08	= JELLY OR CREAM
0	0	1	1	09	= CERVICAL CAP
0	3	0	3	10	= SUPPOSITORY, INSERT
1	4	2	7	11	= TODAY (TM) SPONGE
1	0	0	1	12	= FEMALE CONDOM, VAGINAL POUCH
0	0	0	0	13	= IUD, COIL, LOOP
0	0	0	0	14	= NORPLANT (TM)
0	0	0	0	15	= DEPO-PROVERA, INJECTABLES
0	0	0	0	16	= MORNING AFTER PILLS
2	10	2	14	17	= RHYTHM OR SAFE PERIOD BY CALENDAR
0	4	0	5	18	= SAFE PERIOD BY TEMP, CERVICAL MUCUS TEST, NFP
3	29	5	39	19	= WITHDRAWAL

(4658)

1995 NATIONAL SURVEY OF FAMILY GROWTH
 File Documentation
 Respondent File (Section E Questionnaire Items)

VARIABLE NAME	COLUMN LOCATION	NON-HISPANIC			TOTAL	QX	TEXT AND CODE CATEGORIES
		HISP	WHITE	BLACK			
		2	12	27	41	20	= RESPONDENT STERILE
		0	0	0	0	21	= PARTNER STERILE (NOT ON CARD)
		0	0	0	1	22	= OTHER METHOD-NOT SHOWN SEPARATELY
		0	0	0	0	55	= SAME METHODS USED THROUGH END OF YEAR
		0	1	2	3	97	= Not Ascertained
		0	5	2	7	98	= Refused
		0	3	0	4	99	= Don't Know

1995 NATIONAL SURVEY OF FAMILY GROWTH
 File Documentation
 Respondent File (Section E Questionnaire Items)

VARIABLE	COLUMN	NON-HISPANIC			QX TEXT AND CODE CATEGORIES	
NAME	LOCATION	HISP	WHITE	BLACK	TOTAL	
[METHH187]	8468-8469					ENTER METHOD (FOURTH MENTIONED) USED IN NOVEMBER 1994: (MC47)

Inapplicable:
 R never had sex as of this month and never used a birth control method as of this month but ever used one or more birth control methods in EA series (WNFSTSEX GE 1093 and DATFIRSM GE 1093 and computed variable EVERUSED = 1); R never had sex and said no, don't know or refused to all birth control methods in EA series (computed variable RHADSEX coded 2,7,8 or 9 and computed variable EVERUSED = 2); R said no, don't know or refused to all birth control methods in EA series (computed variable EVERUSED = 2); R used fewer than 4 methods in month.

1553	6464	2440	10821	Blank	= Blank, inapplicable
0	0	0	0	0 01	= NO METHODS USED
0	0	0	0	0 02	= SAME AS PREVIOUS MONTH
0	0	0	0	0 03	= BIRTH CONTROL PILLS
0	1	0	1	0 04	= CONDOM
0	0	0	0	0 05	= PARTNER'S VASECTOMY
0	0	0	0	0 06	= DIAPHRAGM
0	0	0	0	0 07	= FOAM
0	1	0	1	0 08	= JELLY OR CREAM
0	0	0	0	0 09	= CERVICAL CAP
0	0	1	1	0 10	= SUPPOSITORY, INSERT
0	1	0	1	0 11	= TODAY (TM) SPONGE
0	0	0	0	0 12	= FEMALE CONDOM, VAGINAL POUCH
0	0	0	0	0 13	= IUD, COIL, LOOP
0	0	0	0	0 14	= NORPLANT (TM)
0	0	0	0	0 15	= DEPO-PROVERA, INJECTABLES
0	0	0	0	0 16	= MORNING AFTER PILLS
0	2	0	2	0 17	= RHYTHM OR SAFE PERIOD BY CALENDAR
0	1	1	2	0 18	= SAFE PERIOD BY TEMP, CERVICAL MUCUS TEST, NFP
0	4	0	4	0 19	= WITHDRAWAL

(4660)

1995 NATIONAL SURVEY OF FAMILY GROWTH
 File Documentation
 Respondent File (Section E Questionnaire Items)

VARIABLE NAME	COLUMN LOCATION	NON-HISPANIC			TOTAL	QX	TEXT AND CODE CATEGORIES
		HISP	WHITE	BLACK			
		0	0	0	0	20	= RESPONDENT STERILE
		0	0	0	0	21	= PARTNER STERILE (NOT ON CARD)
		0	0	0	0	22	= OTHER METHOD-NOT SHOWN SEPARATELY
		0	0	0	0	55	= SAME METHODS USED THROUGH END OF YEAR
		0	1	2	3	97	= Not Ascertained
		0	5	2	7	98	= Refused
		0	3	0	4	99	= Don't Know

[SIMSEQ46] 8470-8470

Did you use those methods together,
 that is, at the same time, or did
 you use them at different times
 during the month? (MC47)

Inapplicable:

R never had sex as of this month and
 never used a birth control method as
 of this month but ever used one or
 more birth control methods in EA
 series (WNFSTSEX GE 1093 and
 DATFIRSM GE 1093 and computed
 variable EVERUSED = 1); R never had
 sex and said no, don't know or
 refused to all birth control methods
 in EA series (computed variable
 RHADSEX coded 2,7,8 or 9 and
 computed variable EVERUSED = 2); R
 said no, don't know or refused to
 all birth control methods in EA
 series (computed variable EVERUSED =
 2); R did not use multiple methods
 in the month; R used more than 2
 methods in the month.

1490	6098	2300	10228	Blank	= Blank, inapplicable
35	251	119	419	1	= SAME TIME
28	134	27	200	2	= DIFFERENT TIMES
0	0	0	0	7	= Not Ascertained
0	0	0	0	8	= Refused
0	0	0	0	9	= Don't Know

1995 NATIONAL SURVEY OF FAMILY GROWTH
 File Documentation
 Respondent File (Section E Questionnaire Items)

VARIABLE COLUMN NON-HISPANIC
 NAME LOCATION HISP WHITE BLACK TOTAL QX TEXT AND CODE CATEGORIES

[MTHUS552] 8471-8472

During that month, which (of those/other) methods, if any, did you use at the same time? (1st METHOD MENTIONED, 1st COMBINATION, MC47)

Inapplicable:
 R said no, don't know or refused to all birth control methods in EA series (computed variable EVERUSED = 2); R never had sex as of this month and never used a birth control method as of this month but ever used one or more birth control methods in EA series (WNFSTSEX GE 1093 and DATFIRSM GE 1093 and computed variable EVERUSED = 1); R did not use multiple methods in the month; or R used only 2 methods in the month.

1545	6424	2435	10765	Blank	= Blank, inapplicable
3	13	2	18	01	= NONE
0	0	0	0	02	= OFFICE USE ONLY
0	7	2	11	03	= BIRTH CONTROL PILLS
5	24	4	35	04	= CONDOM
0	0	0	0	05	= PARTNER'S VASECTOMY
0	5	0	5	06	= DIAPHRAGM
0	0	0	0	07	= FOAM
0	0	0	0	08	= JELLY OR CREAM
0	0	0	0	09	= CERVICAL CAP
0	1	0	1	10	= SUPPOSITORY, INSERT
0	1	0	1	11	= TODAY (TM) SPONGE
0	0	0	0	12	= FEMALE CONDOM, VAGINAL POUCH
0	0	0	0	13	= IUD, COIL, LOOP
0	0	0	0	14	= NORPLANT (TM)
0	0	0	0	15	= DEPO-PROVERA, INJECTABLES
0	0	0	0	16	= MORNING AFTER PILLS
0	6	1	7	17	= RHYTHM OR SAFE PERIOD BY CALENDAR
0	0	0	0	18	= SAFE PERIOD BY TEMP, CERVICAL MUCUS TEST, NFP
0	1	1	2	19	= WITHDRAWAL
0	0	1	1	20	= RESPONDENT STERILE
0	0	0	0	21	= PARTNER STERILE (NOT

(4662)

1995 NATIONAL SURVEY OF FAMILY GROWTH
 File Documentation
 Respondent File (Section E Questionnaire Items)

VARIABLE NAME	COLUMN LOCATION	NON-HISPANIC			TOTAL	QX	TEXT AND CODE CATEGORIES
		HISP	WHITE	BLACK			
		0	0	0	0	22	ON CARD) = OTHER METHOD-NOT SHOWN SEPARATELY
		0	0	0	0	97	= Not Ascertained
		0	0	0	0	98	= Refused
		0	1	0	1	99	= Don't Know

1995 NATIONAL SURVEY OF FAMILY GROWTH
 File Documentation
 Respondent File (Section E Questionnaire Items)

VARIABLE COLUMN NON-HISPANIC
 NAME LOCATION HISP WHITE BLACK TOTAL QX TEXT AND CODE CATEGORIES

[MTHUS553] 8473-8474

During that month, which (of those/other) methods, if any, did you use at the same time? (2nd METHOD MENTIONED, 1st COMBINATION, MC47)

Inapplicable:
 R said no, don't know or refused to all birth control methods in EA series (computed variable EVERUSED = 2); R never had sex as of this month and never used a birth control method as of this month but ever used one or more birth control methods in EA series (WNFSTSEX GE 1093 and DATFIRSM GE 1093 and computed variable EVERUSED = 1); R did not use multiple methods in the month; or R used only 2 methods in the month; or R reported using fewer than 2 BC methods for this combination in this month of the method calendar.

1548	6437	2437	10783	Blank	= Blank, inapplicable
0	0	0	0	01	= NONE
0	0	0	0	02	= OFFICE USE ONLY
0	0	0	0	03	= BIRTH CONTROL PILLS
0	8	3	12	04	= CONDOM
0	1	0	1	05	= PARTNER'S VASECTOMY
0	0	0	0	06	= DIAPHRAGM
1	6	0	7	07	= FOAM
1	1	2	4	08	= JELLY OR CREAM
0	0	0	0	09	= CERVICAL CAP
0	0	1	1	10	= SUPPOSITORY, INSERT
0	0	0	0	11	= TODAY (TM) SPONGE
0	0	1	1	12	= FEMALE CONDOM, VAGINAL POUCH
0	0	0	0	13	= IUD, COIL, LOOP
0	0	0	0	14	= NORPLANT (TM)
0	0	0	0	15	= DEPO-PROVERA, INJECTABLES
0	0	0	0	16	= MORNING AFTER PILLS
2	18	0	21	17	= RHYTHM OR SAFE PERIOD BY CALENDAR
0	2	0	2	18	= SAFE PERIOD BY TEMP, CERVICAL MUCUS TEST, NFP

(4664)

1995 NATIONAL SURVEY OF FAMILY GROWTH
 File Documentation
 Respondent File (Section E Questionnaire Items)

VARIABLE NAME	COLUMN LOCATION	NON-HISPANIC			TOTAL	QX	TEXT AND CODE CATEGORIES
		HISP	WHITE	BLACK			
		1	9	2	14	19	= WITHDRAWAL
		0	0	0	0	20	= RESPONDENT STERILE
		0	0	0	0	21	= PARTNER STERILE (NOT ON CARD)
		0	0	0	0	22	= OTHER METHOD-NOT SHOWN SEPARATELY
		0	0	0	0	97	= Not Ascertained
		0	0	0	0	98	= Refused
		0	1	0	1	99	= Don't Know

1995 NATIONAL SURVEY OF FAMILY GROWTH
 File Documentation
 Respondent File (Section E Questionnaire Items)

VARIABLE COLUMN NON-HISPANIC
 NAME LOCATION HISP WHITE BLACK TOTAL QX TEXT AND CODE CATEGORIES

[MTHUS554] 8475-8476

During that month, which (of those/other) methods, if any, did you use at the same time? (3rd METHOD MENTIONED, 1st COMBINATION, MC47)

Inapplicable:
 R said no, don't know or refused to all birth control methods in EA series (computed variable EVERUSED = 2); R never had sex as of this month and never used a birth control method as of this month but ever used one or more birth control methods in EA series (WNFSTSEX GE 1093 and DATFIRSM GE 1093 and computed variable EVERUSED = 1); R did not use multiple methods in the month; or R used only 2 methods in the month; or R reported using fewer than 3 BC methods for this combination in this month of the method calendar.

1548	6455	2440	10806	Blank	= Blank, inapplicable
0	0	0	0	01	= NONE
0	0	0	0	02	= OFFICE USE ONLY
0	0	0	0	03	= BIRTH CONTROL PILLS
0	0	0	0	04	= CONDOM
0	0	0	0	05	= PARTNER'S VASECTOMY
0	0	0	0	06	= DIAPHRAGM
1	0	0	1	07	= FOAM
0	4	0	4	08	= JELLY OR CREAM
0	0	1	1	09	= CERVICAL CAP
0	1	1	2	10	= SUPPOSITORY, INSERT
1	2	1	4	11	= TODAY (TM) SPONGE
0	0	0	0	12	= FEMALE CONDOM, VAGINAL POUCH
0	0	0	0	13	= IUD, COIL, LOOP
0	0	0	0	14	= NORPLANT (TM)
0	0	0	0	15	= DEPO-PROVERA, INJECTABLES
0	0	0	0	16	= MORNING AFTER PILLS
2	3	1	6	17	= RHYTHM OR SAFE PERIOD BY CALENDAR
0	3	0	4	18	= SAFE PERIOD BY TEMP, CERVICAL MUCUS TEST, NFP

1995 NATIONAL SURVEY OF FAMILY GROWTH
 File Documentation
 Respondent File (Section E Questionnaire Items)

VARIABLE NAME	COLUMN LOCATION	NON-HISPANIC			TOTAL	QX	TEXT AND CODE CATEGORIES
		HISP	WHITE	BLACK			
		1	14	2	18	19	= WITHDRAWAL
		0	0	0	0	20	= RESPONDENT STERILE
		0	0	0	0	21	= PARTNER STERILE (NOT ON CARD)
		0	0	0	0	22	= OTHER METHOD-NOT SHOWN SEPARATELY
		0	0	0	0	97	= Not Ascertained
		0	0	0	0	98	= Refused
		0	1	0	1	99	= Don't Know

1995 NATIONAL SURVEY OF FAMILY GROWTH
 File Documentation
 Respondent File (Section E Questionnaire Items)

VARIABLE	COLUMN	NON-HISPANIC				QX TEXT AND CODE CATEGORIES
NAME	LOCATION	HISP	WHITE	BLACK		

[MTHUS555] 8477-8478

During that month, which (of those/other) methods, if any, did you use at the same time? (4th METHOD MENTIONED, 1st COMBINATION, MC47)

Inapplicable:
 R said no, don't know or refused to all birth control methods in EA series (computed variable EVERUSED = 2); R never had sex as of this month and never used a birth control method as of this month but ever used one or more birth control methods in EA series (WNFSTSEX GE 1093 and DATFIRSM GE 1093 and computed variable EVERUSED = 1); R did not use multiple methods in the month; or R used only 2 methods in the month; or R reported using fewer than 4 BC methods for this combination in this month of the method calendar.

1553	6481	2445	10844	Blank	= Blank, inapplicable
0	0	0	0	01	= NONE
0	0	0	0	02	= OFFICE USE ONLY
0	0	0	0	03	= BIRTH CONTROL PILLS
0	1	0	1	04	= CONDOM
0	0	0	0	05	= PARTNER'S VASECTOMY
0	0	0	0	06	= DIAPHRAGM
0	0	0	0	07	= FOAM
0	0	0	0	08	= JELLY OR CREAM
0	0	0	0	09	= CERVICAL CAP
0	0	0	0	10	= SUPPOSITORY, INSERT
0	0	0	0	11	= TODAY (TM) SPONGE
0	0	0	0	12	= FEMALE CONDOM, VAGINAL POUCH
0	0	0	0	13	= IUD, COIL, LOOP
0	0	0	0	14	= NORPLANT (TM)
0	0	0	0	15	= DEPO-PROVERA, INJECTABLES
0	0	0	0	16	= MORNING AFTER PILLS
0	0	0	0	17	= RHYTHM OR SAFE PERIOD BY CALENDAR
0	0	1	1	18	= SAFE PERIOD BY TEMP, CERVICAL MUCUS TEST, NFP

1995 NATIONAL SURVEY OF FAMILY GROWTH
 File Documentation
 Respondent File (Section E Questionnaire Items)

VARIABLE NAME	COLUMN LOCATION	NON-HISPANIC			TOTAL	QX	TEXT AND CODE CATEGORIES
		HISP	WHITE	BLACK			
		0	0	0	0	19	= WITHDRAWAL
		0	0	0	0	20	= RESPONDENT STERILE
		0	0	0	0	21	= PARTNER STERILE (NOT ON CARD)
		0	0	0	0	22	= OTHER METHOD-NOT SHOWN SEPARATELY
		0	0	0	0	97	= Not Ascertained
		0	0	0	0	98	= Refused
		0	1	0	1	99	= Don't Know

1995 NATIONAL SURVEY OF FAMILY GROWTH
File Documentation
Respondent File (Section E Questionnaire Items)

VARIABLE	COLUMN	NON-HISPANIC			
NAME	LOCATION	HISP	WHITE	BLACK TOTAL	

[MTHUS556] 8479-8480

During that month, which (of those/other) methods, if any, did you use at the same time? (1st METHOD MENTIONED, 2nd COMBINATION, MC47)

Inapplicable:
R said no, don't know or refused to all birth control methods in EA series (computed variable EVERUSED = 2); R never had sex as of this month and never used a birth control method as of this month but ever used one or more birth control methods in EA series (WNFSTSEX GE 1093 and DATFIRSM GE 1093 and computed variable EVERUSED = 1); R did not use multiple methods in the month; or R used only 2 methods in the month; or R reported fewer than 2 BC method combinations.

1548	6437	2437	10783	Blank		= Blank, inapplicable
4	32	7	46	01		= NONE
0	0	0	0	02		= OFFICE USE ONLY
0	3	0	3	03		= BIRTH CONTROL PILLS
0	4	0	5	04		= CONDOM
0	0	0	0	05		= PARTNER'S VASECTOMY
0	1	0	1	06		= DIAPHRAGM
1	1	0	2	07		= FOAM
0	1	0	1	08		= JELLY OR CREAM
0	0	0	0	09		= CERVICAL CAP
0	0	0	0	10		= SUPPOSITORY, INSERT
0	0	0	0	11		= TODAY (TM) SPONGE
0	0	0	0	12		= FEMALE CONDOM, VAGINAL POUCH
0	0	0	0	13		= IUD, COIL, LOOP
0	0	0	0	14		= NORPLANT (TM)
0	0	0	0	15		= DEPO-PROVERA, INJECTABLES
0	0	0	0	16		= MORNING AFTER PILLS
0	3	0	3	17		= RHYTHM OR SAFE PERIOD BY CALENDAR
0	0	0	0	18		= SAFE PERIOD BY TEMP, CERVICAL MUCUS TEST, NFP
0	0	1	1	19		= WITHDRAWAL
0	0	1	1	20		= RESPONDENT STERILE

(4670)

1995 NATIONAL SURVEY OF FAMILY GROWTH
 File Documentation
 Respondent File (Section E Questionnaire Items)

VARIABLE NAME	COLUMN LOCATION	NON-HISPANIC			TOTAL	QX	TEXT AND CODE CATEGORIES
		HISP	WHITE	BLACK			
		0	0	0	0	21	= PARTNER STERILE (NOT ON CARD)
		0	0	0	0	22	= OTHER METHOD-NOT SHOWN SEPARATELY
		0	1	0	1	97	= Not Ascertained
		0	0	0	0	98	= Refused
		0	0	0	0	99	= Don't Know

1995 NATIONAL SURVEY OF FAMILY GROWTH
 File Documentation
 Respondent File (Section E Questionnaire Items)

VARIABLE COLUMN NON-HISPANIC
 NAME LOCATION HISP WHITE BLACK TOTAL QX TEXT AND CODE CATEGORIES

[MTHUS557] 8481-8482

During that month, which (of those/other) methods, if any, did you use at the same time? (2nd METHOD MENTIONED, 2nd COMBINATION, MC47)

Inapplicable:
 R said no, don't know or refused to all birth control methods in EA series (computed variable EVERUSED = 2); R never had sex as of this month and never used a birth control method as of this month but ever used one or more birth control methods in EA series (WNFSTSEX GE 1093 and DATFIRSM GE 1093 and computed variable EVERUSED = 1); R did not use multiple methods in the month; or R used only 2 methods in the month; or R reported fewer than 2 BC method combinations; or R reported using fewer than 2 BC methods for this combination in this month of the method calendar.

1552	6471	2444	10831	Blank	= Blank, inapplicable
0	0	0	0	01	= NONE
0	0	0	0	02	= OFFICE USE ONLY
0	1	0	1	03	= BIRTH CONTROL PILLS
1	2	0	3	04	= CONDOM
0	1	0	1	05	= PARTNER'S VASECTOMY
0	0	0	0	06	= DIAPHRAGM
0	0	0	0	07	= FOAM
0	0	0	0	08	= JELLY OR CREAM
0	0	0	0	09	= CERVICAL CAP
0	0	1	1	10	= SUPPOSITORY, INSERT
0	1	0	1	11	= TODAY (TM) SPONGE
0	0	0	0	12	= FEMALE CONDOM, VAGINAL POUCH
0	0	0	0	13	= IUD, COIL, LOOP
0	0	0	0	14	= NORPLANT (TM)
0	0	0	0	15	= DEPO-PROVERA, INJECTABLES
0	0	0	0	16	= MORNING AFTER PILLS
0	2	0	3	17	= RHYTHM OR SAFE PERIOD BY CALENDAR
0	1	0	1	18	= SAFE PERIOD BY TEMP, CERVICAL MUCUS TEST,

(4672)

1995 NATIONAL SURVEY OF FAMILY GROWTH
 File Documentation
 Respondent File (Section E Questionnaire Items)

VARIABLE NAME	COLUMN LOCATION	NON-HISPANIC			TOTAL	QX	TEXT AND CODE CATEGORIES
		HISP	WHITE	BLACK			
		0	3	1	4	19	NFP
		0	0	0	0	20	= WITHDRAWAL
		0	0	0	0	21	= RESPONDENT STERILE
							= PARTNER STERILE (NOT ON CARD)
		0	0	0	0	22	= OTHER METHOD-NOT SHOWN SEPARATELY
		0	1	0	1	97	= Not Ascertained
		0	0	0	0	98	= Refused
		0	0	0	0	99	= Don't Know

1995 NATIONAL SURVEY OF FAMILY GROWTH
 File Documentation
 Respondent File (Section E Questionnaire Items)

VARIABLE COLUMN NON-HISPANIC
 NAME LOCATION HISP WHITE BLACK TOTAL QX TEXT AND CODE CATEGORIES

[MTHUS558] 8483-8484

During that month, which (of those/other) methods, if any, did you use at the same time? (3rd METHOD MENTIONED, 2nd COMBINATION, MC47)

Inapplicable:
 R said no, don't know or refused to all birth control methods in EA series (computed variable EVERUSED = 2); R never had sex as of this month and never used a birth control method as of this month but ever used one or more birth control methods in EA series (WNFSTSEX GE 1093 and DATFIRSM GE 1093 and computed variable EVERUSED = 1); R did not use multiple methods in the month; or R used only 2 methods in the month; or R reported fewer than 2 BC method combinations; or R reported using fewer than 3 BC methods for this combination in this month of the method calendar.

1552	6478	2446	10840	Blank	= Blank, inapplicable
0	0	0	0	01	= NONE
0	0	0	0	02	= OFFICE USE ONLY
0	0	0	0	03	= BIRTH CONTROL PILLS
0	0	0	0	04	= CONDOM
0	0	0	0	05	= PARTNER'S VASECTOMY
0	0	0	0	06	= DIAPHRAGM
0	0	0	0	07	= FOAM
0	1	0	1	08	= JELLY OR CREAM
0	0	0	0	09	= CERVICAL CAP
0	0	0	0	10	= SUPPOSITORY, INSERT
0	0	0	0	11	= TODAY (TM) SPONGE
0	0	0	0	12	= FEMALE CONDOM, VAGINAL POUCH
0	0	0	0	13	= IUD, COIL, LOOP
0	0	0	0	14	= NORPLANT (TM)
0	0	0	0	15	= DEPO-PROVERA, INJECTABLES
0	0	0	0	16	= MORNING AFTER PILLS
1	0	0	1	17	= RHYTHM OR SAFE PERIOD BY CALENDAR
0	1	0	2	18	= SAFE PERIOD BY TEMP, CERVICAL MUCUS TEST,

(4674)

1995 NATIONAL SURVEY OF FAMILY GROWTH
 File Documentation
 Respondent File (Section E Questionnaire Items)

VARIABLE NAME	COLUMN LOCATION	NON-HISPANIC			TOTAL	QX	TEXT AND CODE CATEGORIES
		HISP	WHITE	BLACK			
		0	2	0	2	19	NFP
		0	0	0	0	20	= WITHDRAWAL
		0	0	0	0	21	= RESPONDENT STERILE
							= PARTNER STERILE (NOT ON CARD)
		0	0	0	0	22	= OTHER METHOD-NOT SHOWN SEPARATELY
		0	1	0	1	97	= Not Ascertained
		0	0	0	0	98	= Refused
		0	0	0	0	99	= Don't Know

1995 NATIONAL SURVEY OF FAMILY GROWTH
 File Documentation
 Respondent File (Section E Questionnaire Items)

VARIABLE NAME	COLUMN LOCATION	NON-HISPANIC			TOTAL	QX	TEXT AND CODE CATEGORIES
		HISP	WHITE	BLACK			
		0	0	0	0	19	NFP
		0	0	0	0	20	= WITHDRAWAL
		0	0	0	0	21	= RESPONDENT STERILE
							= PARTNER STERILE (NOT ON CARD)
		0	0	0	0	22	= OTHER METHOD-NOT SHOWN SEPARATELY
		0	1	0	1	97	= Not Ascertained
		0	0	0	0	98	= Refused
		0	0	0	0	99	= Don't Know

1995 NATIONAL SURVEY OF FAMILY GROWTH
 File Documentation
 Respondent File (Section E Questionnaire Items)

VARIABLE COLUMN NON-HISPANIC
 NAME LOCATION HISP WHITE BLACK TOTAL QX TEXT AND CODE CATEGORIES

[MTHUS560] 8487-8488

During that month, which (of those/other) methods, if any, did you use at the same time? (1st METHOD MENTIONED, 3rd COMBINATION, MC47)

Inapplicable:
 R said no, don't know or refused to all birth control methods in EA series (computed variable EVERUSED = 2); R never had sex as of this month and never used a birth control method as of this month but ever used one or more birth control methods in EA series (WNFSTSEX GE 1093 and DATFIRSM GE 1093 and computed variable EVERUSED = 1); R did not use multiple methods in the month; or R used only 2 methods in the month; or R reported fewer than 3 BC method combinations.

	1553	6480	2446	10844	Blank	
	0	1	0	1	01	= Blank, inapplicable
	0	0	0	0	02	= NONE
	0	1	0	1	03	= OFFICE USE ONLY
	0	1	0	1	04	= BIRTH CONTROL PILLS
	0	0	0	0	05	= CONDOM
	0	0	0	0	06	= PARTNER'S VASECTOMY
	0	0	0	0	07	= DIAPHRAGM
	0	0	0	0	08	= FOAM
	0	0	0	0	09	= JELLY OR CREAM
	0	0	0	0	10	= CERVICAL CAP
	0	0	0	0	11	= SUPPOSITORY, INSERT
	0	0	0	0	12	= TODAY (TM) SPONGE
	0	0	0	0	13	= FEMALE CONDOM, VAGINAL POUCH
	0	0	0	0	14	= IUD, COIL, LOOP
	0	0	0	0	15	= NORPLANT (TM)
	0	0	0	0	16	= DEPO-PROVERA, INJECTABLES
	0	0	0	0	17	= MORNING AFTER PILLS
	0	0	0	0	18	= RHYTHM OR SAFE PERIOD BY CALENDAR
	0	0	0	0	19	= SAFE PERIOD BY TEMP, CERVICAL MUCUS TEST, NFP
	0	0	0	0	20	= WITHDRAWAL
	0	0	0	0	20	= RESPONDENT STERILE

(4678)

1995 NATIONAL SURVEY OF FAMILY GROWTH
 File Documentation
 Respondent File (Section E Questionnaire Items)

VARIABLE NAME	COLUMN LOCATION	NON-HISPANIC			TOTAL	QX	TEXT AND CODE CATEGORIES
		HISP	WHITE	BLACK			
		0	0	0	0	21	= PARTNER STERILE (NOT ON CARD)
		0	0	0	0	22	= OTHER METHOD-NOT SHOWN SEPARATELY
		0	0	0	0	97	= Not Ascertained
		0	0	0	0	98	= Refused
		0	0	0	0	99	= Don't Know

1995 NATIONAL SURVEY OF FAMILY GROWTH
 File Documentation
 Respondent File (Section E Questionnaire Items)

VARIABLE	COLUMN	NON-HISPANIC				QX TEXT AND CODE CATEGORIES
NAME	LOCATION	HISP	WHITE	BLACK		

[MTHUS561] 8489-8490

During that month, which (of those/other) methods, if any, did you use at the same time? (2nd METHOD MENTIONED, 3rd COMBINATION, MC47)

Inapplicable:
 R said no, don't know or refused to all birth control methods in EA series (computed variable EVERUSED = 2); R never had sex as of this month and never used a birth control method as of this month but ever used one or more birth control methods in EA series (WNFSTSEX GE 1093 and DATFIRSM GE 1093 and computed variable EVERUSED = 1); R did not use multiple methods in the month; or R used only 2 methods in the month; or R reported fewer than 3 BC method combinations; or R reported using fewer than 2 BC methods for this combination in this month of the method calendar.

1553	6481	2446	10845	Blank	= Blank, inapplicable
0	0	0	0	01	= NONE
0	0	0	0	02	= OFFICE USE ONLY
0	0	0	0	03	= BIRTH CONTROL PILLS
0	0	0	0	04	= CONDOM
0	0	0	0	05	= PARTNER'S VASECTOMY
0	0	0	0	06	= DIAPHRAGM
0	2	0	2	07	= FOAM
0	0	0	0	08	= JELLY OR CREAM
0	0	0	0	09	= CERVICAL CAP
0	0	0	0	10	= SUPPOSITORY, INSERT
0	0	0	0	11	= TODAY (TM) SPONGE
0	0	0	0	12	= FEMALE CONDOM, VAGINAL POUCH
0	0	0	0	13	= IUD, COIL, LOOP
0	0	0	0	14	= NORPLANT (TM)
0	0	0	0	15	= DEPO-PROVERA, INJECTABLES
0	0	0	0	16	= MORNING AFTER PILLS
0	0	0	0	17	= RHYTHM OR SAFE PERIOD BY CALENDAR
0	0	0	0	18	= SAFE PERIOD BY TEMP, CERVICAL MUCUS TEST,

1995 NATIONAL SURVEY OF FAMILY GROWTH
 File Documentation
 Respondent File (Section E Questionnaire Items)

VARIABLE NAME	COLUMN LOCATION	NON-HISPANIC			TOTAL	QX	TEXT AND CODE CATEGORIES
		HISP	WHITE	BLACK			
		0	0	0	0	19	NFP
		0	0	0	0	20	= WITHDRAWAL
		0	0	0	0	21	= RESPONDENT STERILE
							= PARTNER STERILE (NOT ON CARD)
		0	0	0	0	22	= OTHER METHOD-NOT SHOWN SEPARATELY
		0	0	0	0	97	= Not Ascertained
		0	0	0	0	98	= Refused
		0	0	0	0	99	= Don't Know

1995 NATIONAL SURVEY OF FAMILY GROWTH
 File Documentation
 Respondent File (Section E Questionnaire Items)

VARIABLE NAME	COLUMN LOCATION	NON-HISPANIC			TOTAL	QX	TEXT AND CODE CATEGORIES
		HISP	WHITE	BLACK			
		0	0	0	0	19	NFP
		0	0	0	0	20	= WITHDRAWAL
		0	0	0	0	21	= RESPONDENT STERILE
							= PARTNER STERILE (NOT ON CARD)
		0	0	0	0	22	= OTHER METHOD-NOT SHOWN SEPARATELY
		0	0	0	0	97	= Not Ascertained
		0	0	0	0	98	= Refused
		0	0	0	0	99	= Don't Know

1995 NATIONAL SURVEY OF FAMILY GROWTH
 File Documentation
 Respondent File (Section E Questionnaire Items)

VARIABLE	COLUMN	NON-HISPANIC				
NAME	LOCATION	HISP	WHITE	BLACK	TOTAL	QX TEXT AND CODE CATEGORIES

[MTHUS563] 8493-8494

During that month, which (of those/other) methods, if any, did you use at the same time? (4th METHOD MENTIONED, 3rd COMBINATION, MC47)

Inapplicable:
 R said no, don't know or refused to all birth control methods in EA series (computed variable EVERUSED = 2); R never had sex as of this month and never used a birth control method as of this month but ever used one or more birth control methods in EA series (WNFSTSEX GE 1093 and DATFIRSM GE 1093 and computed variable EVERUSED = 1); R did not use multiple methods in the month; or R used only 2 methods in the month; or R reported fewer than 3 BC method combinations; or R reported using fewer than 4 BC methods for this combination in this month of the method calendar.

1553	6483	2446	10847	Blank	= Blank, inapplicable
0	0	0	0	01	= NONE
0	0	0	0	02	= OFFICE USE ONLY
0	0	0	0	03	= BIRTH CONTROL PILLS
0	0	0	0	04	= CONDOM
0	0	0	0	05	= PARTNER'S VASECTOMY
0	0	0	0	06	= DIAPHRAGM
0	0	0	0	07	= FOAM
0	0	0	0	08	= JELLY OR CREAM
0	0	0	0	09	= CERVICAL CAP
0	0	0	0	10	= SUPPOSITORY, INSERT
0	0	0	0	11	= TODAY (TM) SPONGE
0	0	0	0	12	= FEMALE CONDOM, VAGINAL POUCH
0	0	0	0	13	= IUD, COIL, LOOP
0	0	0	0	14	= NORPLANT (TM)
0	0	0	0	15	= DEPO-PROVERA, INJECTABLES
0	0	0	0	16	= MORNING AFTER PILLS
0	0	0	0	17	= RHYTHM OR SAFE PERIOD BY CALENDAR
0	0	0	0	18	= SAFE PERIOD BY TEMP, CERVICAL MUCUS TEST,

(4684)

1995 NATIONAL SURVEY OF FAMILY GROWTH
 File Documentation
 Respondent File (Section E Questionnaire Items)

VARIABLE NAME	COLUMN LOCATION	NON-HISPANIC			TOTAL	QX	TEXT AND CODE CATEGORIES
		HISP	WHITE	BLACK			
		0	0	0	0	19	NFP
		0	0	0	0	20	= WITHDRAWAL
		0	0	0	0	21	= RESPONDENT STERILE
							= PARTNER STERILE (NOT ON CARD)
		0	0	0	0	22	= OTHER METHOD-NOT SHOWN SEPARATELY
		0	0	0	0	97	= Not Ascertained
		0	0	0	0	98	= Refused
		0	0	0	0	99	= Don't Know

1995 NATIONAL SURVEY OF FAMILY GROWTH
 File Documentation
 Respondent File (Section E Questionnaire Items)

VARIABLE NAME	COLUMN LOCATION	NON-HISPANIC			QX TEXT AND CODE CATEGORIES		
		HISP	WHITE	BLACK TOTAL			
[METHH188]	8495-8496				ENTER METHOD (FIRST MENTIONED) USED IN DECEMBER 1994: (MC48)		
					Inapplicable: R never had sex as of this month and never used a birth control method as of this month but ever used one or more birth control methods in EA series (WNFSTSEX GE 1093 and DATFIRSM GE 1093 and computed variable EVERUSED = 1); R never had sex and said no, don't know or refused to all birth control methods in EA series (computed variable RHADSEX coded 2,7,8 or 9 and computed variable EVERUSED = 2); R said no, don't know or refused to all birth control methods in EA series (computed variable EVERUSED = 2).		
		245	691	227	1254	Blank	= Blank, inapplicable
		325	1252	533	2178	01	= NO METHODS USED
		0	0	0	0	02	= SAME AS PREVIOUS MONTH
		232	1216	379	1863	03	= BIRTH CONTROL PILLS
		210	912	400	1585	04	= CONDOM
		24	360	11	406	05	= PARTNER'S VASECTOMY
		5	94	11	111	06	= DIAPHRAGM
		3	25	2	30	07	= FOAM
		2	11	3	16	08	= JELLY OR CREAM
		1	3	0	4	09	= CERVICAL CAP
		5	26	9	42	10	= SUPPOSITORY, INSERT
		0	16	7	23	11	= TODAY (TM) SPONGE
		0	1	0	1	12	= FEMALE CONDOM, VAGINAL POUCH
		18	33	15	69	13	= IUD, COIL, LOOP
		23	53	36	116	14	= NORPLANT (TM)
		38	93	70	205	15	= DEPO-PROVERA, INJECTABLES
		0	1	0	1	16	= MORNING AFTER PILLS
		30	93	16	151	17	= RHYTHM OR SAFE PERIOD BY CALENDAR
		2	19	1	22	18	= SAFE PERIOD BY TEMP, CERVICAL MUCUS TEST, NFP
		38	139	31	218	19	= WITHDRAWAL
		332	1240	669	2296	20	= RESPONDENT STERILE

(4686)

1995 NATIONAL SURVEY OF FAMILY GROWTH
 File Documentation
 Respondent File (Section E Questionnaire Items)

VARIABLE NAME	COLUMN LOCATION	NON-HISPANIC			TOTAL	QX	TEXT AND CODE CATEGORIES
		HISP	WHITE	BLACK			
		19	191	13	227	21	= PARTNER STERILE (NOT ON CARD)
		1	5	10	16	22	= OTHER METHOD-NOT SHOWN SEPARATELY
		0	0	0	0	55	= SAME METHODS USED THROUGH END OF YEAR
		0	1	1	2	97	= Not Ascertained
		0	5	2	7	98	= Refused
		0	3	0	4	99	= Don't Know

1995 NATIONAL SURVEY OF FAMILY GROWTH
 File Documentation
 Respondent File (Section E Questionnaire Items)

VARIABLE NAME	COLUMN LOCATION	NON-HISPANIC			TOTAL	QX	TEXT AND CODE CATEGORIES
		HISP	WHITE	BLACK			
		1	13	13	27	20	= RESPONDENT STERILE
		0	9	1	11	21	= PARTNER STERILE (NOT ON CARD)
		0	0	0	0	22	= OTHER METHOD-NOT SHOWN SEPARATELY
		0	0	0	0	55	= SAME METHODS USED THROUGH END OF YEAR
		0	1	2	3	97	= Not Ascertained
		0	5	2	7	98	= Refused
		0	3	0	4	99	= Don't Know

1995 NATIONAL SURVEY OF FAMILY GROWTH
 File Documentation
 Respondent File (Section E Questionnaire Items)

VARIABLE NAME	COLUMN LOCATION	NON-HISPANIC			TOTAL	QX	TEXT AND CODE CATEGORIES
		HISP	WHITE	BLACK			
		2	9	27	38	20	= RESPONDENT STERILE
		0	0	0	0	21	= PARTNER STERILE (NOT ON CARD)
		0	0	0	1	22	= OTHER METHOD-NOT SHOWN SEPARATELY
		0	0	0	0	55	= SAME METHODS USED THROUGH END OF YEAR
		0	1	2	3	97	= Not Ascertained
		0	5	2	7	98	= Refused
		0	3	0	4	99	= Don't Know

1995 NATIONAL SURVEY OF FAMILY GROWTH
 File Documentation
 Respondent File (Section E Questionnaire Items)

VARIABLE	COLUMN	NON-HISPANIC			QX TEXT AND CODE CATEGORIES	
NAME	LOCATION	HISP	WHITE	BLACK	TOTAL	
[METHH191]	8501-8502					ENTER METHOD (FOURTH MENTIONED) USED IN DECEMBER 1994: (MC48)

Inapplicable:
 R never had sex as of this month and never used a birth control method as of this month but ever used one or more birth control methods in EA series (WNFSTSEX GE 1093 and DATFIRSM GE 1093 and computed variable EVERUSED = 1); R never had sex and said no, don't know or refused to all birth control methods in EA series (computed variable RHADSEX coded 2,7,8 or 9 and computed variable EVERUSED = 2); R said no, don't know or refused to all birth control methods in EA series (computed variable EVERUSED = 2); R used fewer than 4 methods in month.

1553	6465	2440	10822	Blank	= Blank, inapplicable
0	0	0	0	01	= NO METHODS USED
0	0	0	0	02	= SAME AS PREVIOUS MONTH
0	0	0	0	03	= BIRTH CONTROL PILLS
0	1	0	1	04	= CONDOM
0	0	0	0	05	= PARTNER'S VASECTOMY
0	0	0	0	06	= DIAPHRAGM
0	0	0	0	07	= FOAM
0	1	0	1	08	= JELLY OR CREAM
0	0	0	0	09	= CERVICAL CAP
0	0	1	1	10	= SUPPOSITORY, INSERT
0	1	0	1	11	= TODAY (TM) SPONGE
0	0	0	0	12	= FEMALE CONDOM, VAGINAL POUCH
0	0	0	0	13	= IUD, COIL, LOOP
0	0	0	0	14	= NORPLANT (TM)
0	0	0	0	15	= DEPO-PROVERA, INJECTABLES
0	0	0	0	16	= MORNING AFTER PILLS
0	2	0	2	17	= RHYTHM OR SAFE PERIOD BY CALENDAR
0	1	1	2	18	= SAFE PERIOD BY TEMP, CERVICAL MUCUS TEST, NFP
0	3	0	3	19	= WITHDRAWAL

(4692)

1995 NATIONAL SURVEY OF FAMILY GROWTH
 File Documentation
 Respondent File (Section E Questionnaire Items)

VARIABLE NAME	COLUMN LOCATION	NON-HISPANIC			TOTAL	QX	TEXT AND CODE CATEGORIES
		HISP	WHITE	BLACK			
		0	0	0	0	20	= RESPONDENT STERILE
		0	0	0	0	21	= PARTNER STERILE (NOT ON CARD)
		0	0	0	0	22	= OTHER METHOD-NOT SHOWN SEPARATELY
		0	0	0	0	55	= SAME METHODS USED THROUGH END OF YEAR
		0	1	2	3	97	= Not Ascertained
		0	5	2	7	98	= Refused
		0	3	0	4	99	= Don't Know

[SIMSEQ47] 8503-8503

Did you use those methods together,
 that is, at the same time, or did
 you use them at different times
 during the month? (MC48)

Inapplicable:

R never had sex as of this month and
 never used a birth control method as
 of this month but ever used one or
 more birth control methods in EA
 series (WNFSTSEX GE 1093 and
 DATFIRSM GE 1093 and computed
 variable EVERUSED = 1); R never had
 sex and said no, don't know or
 refused to all birth control methods
 in EA series (computed variable
 RHADSEX coded 2,7,8 or 9 and
 computed variable EVERUSED = 2); R
 said no, don't know or refused to
 all birth control methods in EA
 series (computed variable EVERUSED =
 2); R did not use multiple methods
 in the month; R used more than 2
 methods in the month.

1492	6098	2296	10227	Blank	= Blank, inapplicable
35	255	122	426	1	= SAME TIME
26	130	27	193	2	= DIFFERENT TIMES
0	0	1	1	7	= Not Ascertained
0	0	0	0	8	= Refused
0	0	0	0	9	= Don't Know

1995 NATIONAL SURVEY OF FAMILY GROWTH
 File Documentation
 Respondent File (Section E Questionnaire Items)

VARIABLE COLUMN NON-HISPANIC
 NAME LOCATION HISP WHITE BLACK TOTAL QX TEXT AND CODE CATEGORIES

[MTHUS564] 8504-8505

During that month, which (of those/other) methods, if any, did you use at the same time? (1st METHOD MENTIONED, 1st COMBINATION, MC48)

Inapplicable:
 R said no, don't know or refused to all birth control methods in EA series (computed variable EVERUSED = 2); R never had sex as of this month and never used a birth control method as of this month but ever used one or more birth control methods in EA series (WNFSTSEX GE 1093 and DATFIRSM GE 1093 and computed variable EVERUSED = 1); R did not use multiple methods in the month; or R used only 2 methods in the month.

	1545	6425	2434	10765	Blank	
	3	14	2	19	01	= Blank, inapplicable
	0	0	0	0	02	= NONE
	0	7	2	11	03	= OFFICE USE ONLY
	5	22	5	34	04	= BIRTH CONTROL PILLS
	0	0	0	0	05	= CONDOM
	0	5	0	5	06	= PARTNER'S VASECTOMY
	0	0	0	0	07	= DIAPHRAGM
	0	0	0	0	08	= FOAM
	0	0	0	0	09	= JELLY OR CREAM
	0	1	0	1	10	= CERVICAL CAP
	0	1	0	1	11	= SUPPOSITORY, INSERT
	0	0	0	0	12	= TODAY (TM) SPONGE
						= FEMALE CONDOM, VAGINAL POUCH
	0	0	0	0	13	= IUD, COIL, LOOP
	0	0	0	0	14	= NORPLANT (TM)
	0	0	0	0	15	= DEPO-PROVERA, INJECTABLES
	0	0	0	0	16	= MORNING AFTER PILLS
	0	6	1	7	17	= RHYTHM OR SAFE PERIOD BY CALENDAR
	0	0	0	0	18	= SAFE PERIOD BY TEMP, CERVICAL MUCUS TEST, NFP
	0	1	1	2	19	= WITHDRAWAL
	0	0	1	1	20	= RESPONDENT STERILE
	0	0	0	0	21	= PARTNER STERILE (NOT

(4694)

1995 NATIONAL SURVEY OF FAMILY GROWTH
 File Documentation
 Respondent File (Section E Questionnaire Items)

VARIABLE NAME	COLUMN LOCATION	NON-HISPANIC			TOTAL	QX	TEXT AND CODE CATEGORIES
		HISP	WHITE	BLACK			
		0	0	0	0	22	ON CARD) = OTHER METHOD-NOT SHOWN SEPARATELY
		0	0	0	0	97	= Not Ascertained
		0	0	0	0	98	= Refused
		0	1	0	1	99	= Don't Know

1995 NATIONAL SURVEY OF FAMILY GROWTH
 File Documentation
 Respondent File (Section E Questionnaire Items)

VARIABLE COLUMN NON-HISPANIC
 NAME LOCATION HISP WHITE BLACK TOTAL QX TEXT AND CODE CATEGORIES

[MTHUS565] 8506-8507

During that month, which (of those/other) methods, if any, did you use at the same time? (2nd METHOD MENTIONED, 1st COMBINATION, MC48)

Inapplicable:
 R said no, don't know or refused to all birth control methods in EA series (computed variable EVERUSED = 2); R never had sex as of this month and never used a birth control method as of this month but ever used one or more birth control methods in EA series (WNFSTSEX GE 1093 and DATFIRSM GE 1093 and computed variable EVERUSED = 1); R did not use multiple methods in the month; or R used only 2 methods in the month; or R reported using fewer than 2 BC methods for this combination in this month of the method calendar.

1548	6439	2436	10784	Blank	= Blank, inapplicable
0	0	0	0	01	= NONE
0	0	0	0	02	= OFFICE USE ONLY
0	0	0	0	03	= BIRTH CONTROL PILLS
0	9	3	13	04	= CONDOM
0	1	0	1	05	= PARTNER'S VASECTOMY
0	0	0	0	06	= DIAPHRAGM
1	5	1	7	07	= FOAM
1	1	2	4	08	= JELLY OR CREAM
0	0	0	0	09	= CERVICAL CAP
0	0	1	1	10	= SUPPOSITORY, INSERT
0	0	0	0	11	= TODAY (TM) SPONGE
0	0	1	1	12	= FEMALE CONDOM, VAGINAL POUCH
0	0	0	0	13	= IUD, COIL, LOOP
0	0	0	0	14	= NORPLANT (TM)
0	0	0	0	15	= DEPO-PROVERA, INJECTABLES
0	0	0	0	16	= MORNING AFTER PILLS
2	16	0	19	17	= RHYTHM OR SAFE PERIOD BY CALENDAR
0	2	0	2	18	= SAFE PERIOD BY TEMP, CERVICAL MUCUS TEST, NFP

1995 NATIONAL SURVEY OF FAMILY GROWTH
 File Documentation
 Respondent File (Section E Questionnaire Items)

VARIABLE NAME	COLUMN LOCATION	NON-HISPANIC			TOTAL	QX	TEXT AND CODE CATEGORIES
		HISP	WHITE	BLACK			
		1	9	2	14	19	= WITHDRAWAL
		0	0	0	0	20	= RESPONDENT STERILE
		0	0	0	0	21	= PARTNER STERILE (NOT ON CARD)
		0	0	0	0	22	= OTHER METHOD-NOT SHOWN SEPARATELY
		0	0	0	0	97	= Not Ascertained
		0	0	0	0	98	= Refused
		0	1	0	1	99	= Don't Know

1995 NATIONAL SURVEY OF FAMILY GROWTH
 File Documentation
 Respondent File (Section E Questionnaire Items)

VARIABLE COLUMN NON-HISPANIC
 NAME LOCATION HISP WHITE BLACK TOTAL QX TEXT AND CODE CATEGORIES

[MTHUS566] 8508-8509

During that month, which (of those/other) methods, if any, did you use at the same time? (3rd METHOD MENTIONED, 1st COMBINATION, MC48)

Inapplicable:
 R said no, don't know or refused to all birth control methods in EA series (computed variable EVERUSED = 2); R never had sex as of this month and never used a birth control method as of this month but ever used one or more birth control methods in EA series (WNFSTSEX GE 1093 and DATFIRSM GE 1093 and computed variable EVERUSED = 1); R did not use multiple methods in the month; or R used only 2 methods in the month; or R reported using fewer than 3 BC methods for this combination in this month of the method calendar.

	1548	6456	2439	10806	Blank	
	0	0	0	0	0	01 = Blank, inapplicable
	0	0	0	0	0	02 = NONE
	0	0	0	0	0	03 = OFFICE USE ONLY
	0	0	0	0	0	04 = BIRTH CONTROL PILLS
	0	0	0	0	0	05 = CONDOM
	0	0	0	0	0	06 = PARTNER'S VASECTOMY
	1	0	0	1	1	07 = DIAPHRAGM
	0	4	0	4	0	08 = FOAM
	0	0	1	1	0	09 = JELLY OR CREAM
	0	1	1	2	1	10 = CERVICAL CAP
	1	2	1	4	1	11 = SUPPOSITORY, INSERT
	0	0	0	0	0	12 = TODAY (TM) SPONGE
	0	0	0	0	0	13 = FEMALE CONDOM, VAGINAL POUCH
	0	0	0	0	0	14 = IUD, COIL, LOOP
	0	0	0	0	0	15 = NORPLANT (TM)
	0	0	0	0	0	16 = DEPO-PROVERA, INJECTABLES
	0	0	0	0	0	17 = MORNING AFTER PILLS
	2	3	1	6	1	18 = RHYTHM OR SAFE PERIOD BY CALENDAR
	0	3	0	4	1	= SAFE PERIOD BY TEMP, CERVICAL MUCUS TEST, NFP

1995 NATIONAL SURVEY OF FAMILY GROWTH
 File Documentation
 Respondent File (Section E Questionnaire Items)

VARIABLE NAME	COLUMN LOCATION	NON-HISPANIC			TOTAL	QX	TEXT AND CODE CATEGORIES
		HISP	WHITE	BLACK			
		1	13	3	18	19	= WITHDRAWAL
		0	0	0	0	20	= RESPONDENT STERILE
		0	0	0	0	21	= PARTNER STERILE (NOT ON CARD)
		0	0	0	0	22	= OTHER METHOD-NOT SHOWN SEPARATELY
		0	0	0	0	97	= Not Ascertained
		0	0	0	0	98	= Refused
		0	1	0	1	99	= Don't Know

1995 NATIONAL SURVEY OF FAMILY GROWTH
 File Documentation
 Respondent File (Section E Questionnaire Items)

VARIABLE	COLUMN	NON-HISPANIC				QX TEXT AND CODE CATEGORIES
NAME	LOCATION	HISP	WHITE	BLACK		

[MTHUS567] 8510-8511

During that month, which (of those/other) methods, if any, did you use at the same time? (4th METHOD MENTIONED, 1st COMBINATION, MC48)

Inapplicable:
 R said no, don't know or refused to all birth control methods in EA series (computed variable EVERUSED = 2); R never had sex as of this month and never used a birth control method as of this month but ever used one or more birth control methods in EA series (WNFSTSEX GE 1093 and DATFIRSM GE 1093 and computed variable EVERUSED = 1); R did not use multiple methods in the month; or R used only 2 methods in the month; or R reported using fewer than 4 BC methods for this combination in this month of the method calendar.

1553	6481	2445	10844	Blank	= Blank, inapplicable
0	0	0	0	01	= NONE
0	0	0	0	02	= OFFICE USE ONLY
0	0	0	0	03	= BIRTH CONTROL PILLS
0	1	0	1	04	= CONDOM
0	0	0	0	05	= PARTNER'S VASECTOMY
0	0	0	0	06	= DIAPHRAGM
0	0	0	0	07	= FOAM
0	0	0	0	08	= JELLY OR CREAM
0	0	0	0	09	= CERVICAL CAP
0	0	0	0	10	= SUPPOSITORY, INSERT
0	0	0	0	11	= TODAY (TM) SPONGE
0	0	0	0	12	= FEMALE CONDOM, VAGINAL POUCH
0	0	0	0	13	= IUD, COIL, LOOP
0	0	0	0	14	= NORPLANT (TM)
0	0	0	0	15	= DEPO-PROVERA, INJECTABLES
0	0	0	0	16	= MORNING AFTER PILLS
0	0	0	0	17	= RHYTHM OR SAFE PERIOD BY CALENDAR
0	0	1	1	18	= SAFE PERIOD BY TEMP, CERVICAL MUCUS TEST, NFP

(4700)

1995 NATIONAL SURVEY OF FAMILY GROWTH
 File Documentation
 Respondent File (Section E Questionnaire Items)

VARIABLE NAME	COLUMN LOCATION	NON-HISPANIC			TOTAL	QX	TEXT AND CODE CATEGORIES
		HISP	WHITE	BLACK			
		0	0	0	0	19	= WITHDRAWAL
		0	0	0	0	20	= RESPONDENT STERILE
		0	0	0	0	21	= PARTNER STERILE (NOT ON CARD)
		0	0	0	0	22	= OTHER METHOD-NOT SHOWN SEPARATELY
		0	0	0	0	97	= Not Ascertained
		0	0	0	0	98	= Refused
		0	1	0	1	99	= Don't Know

1995 NATIONAL SURVEY OF FAMILY GROWTH
File Documentation
Respondent File (Section E Questionnaire Items)

VARIABLE	COLUMN	NON-HISPANIC								
NAME	LOCATION	HISP	WHITE	BLACK						

[MTHUS568] 8512-8513

During that month, which (of those/other) methods, if any, did you use at the same time? (1st METHOD MENTIONED, 2nd COMBINATION, MC48)

Inapplicable:
R said no, don't know or refused to all birth control methods in EA series (computed variable EVERUSED = 2); R never had sex as of this month and never used a birth control method as of this month but ever used one or more birth control methods in EA series (WNFSTSEX GE 1093 and DATFIRSM GE 1093 and computed variable EVERUSED = 1); R did not use multiple methods in the month; or R used only 2 methods in the month; or R reported fewer than 2 BC method combinations.

1548	6439	2436	10784	Blank	= Blank, inapplicable					
4	31	8	46	01	= NONE					
0	0	0	0	02	= OFFICE USE ONLY					
0	3	0	3	03	= BIRTH CONTROL PILLS					
0	3	0	4	04	= CONDOM					
0	0	0	0	05	= PARTNER'S VASECTOMY					
0	1	0	1	06	= DIAPHRAGM					
1	1	0	2	07	= FOAM					
0	1	0	1	08	= JELLY OR CREAM					
0	0	0	0	09	= CERVICAL CAP					
0	0	0	0	10	= SUPPOSITORY, INSERT					
0	0	0	0	11	= TODAY (TM) SPONGE					
0	0	0	0	12	= FEMALE CONDOM, VAGINAL POUCH					
0	0	0	0	13	= IUD, COIL, LOOP					
0	0	0	0	14	= NORPLANT (TM)					
0	0	0	0	15	= DEPO-PROVERA, INJECTABLES					
0	0	0	0	16	= MORNING AFTER PILLS					
0	3	0	3	17	= RHYTHM OR SAFE PERIOD BY CALENDAR					
0	0	0	0	18	= SAFE PERIOD BY TEMP, CERVICAL MUCUS TEST, NFP					
0	0	1	1	19	= WITHDRAWAL					
0	0	1	1	20	= RESPONDENT STERILE					

(4702)

1995 NATIONAL SURVEY OF FAMILY GROWTH
 File Documentation
 Respondent File (Section E Questionnaire Items)

VARIABLE NAME	COLUMN LOCATION	NON-HISPANIC			TOTAL	QX	TEXT AND CODE CATEGORIES
		HISP	WHITE	BLACK			
		0	0	0	0	21	= PARTNER STERILE (NOT ON CARD)
		0	0	0	0	22	= OTHER METHOD-NOT SHOWN SEPARATELY
		0	1	0	1	97	= Not Ascertained
		0	0	0	0	98	= Refused
		0	0	0	0	99	= Don't Know

1995 NATIONAL SURVEY OF FAMILY GROWTH
 File Documentation
 Respondent File (Section E Questionnaire Items)

VARIABLE	COLUMN	NON-HISPANIC			QX TEXT AND CODE CATEGORIES
NAME	LOCATION	HISP	WHITE	BLACK	TOTAL

[MTHUS569] 8514-8515

During that month, which (of those/other) methods, if any, did you use at the same time? (2nd METHOD MENTIONED, 2nd COMBINATION, MC48)

Inapplicable:
 R said no, don't know or refused to all birth control methods in EA series (computed variable EVERUSED = 2); R never had sex as of this month and never used a birth control method as of this month but ever used one or more birth control methods in EA series (WNFSTSEX GE 1093 and DATFIRSM GE 1093 and computed variable EVERUSED = 1); R did not use multiple methods in the month; or R used only 2 methods in the month; or R reported fewer than 2 BC method combinations; or R reported using fewer than 2 BC methods for this combination in this month of the method calendar.

1552	6472	2444	10832	Blank	= Blank, inapplicable
0	0	0	0	01	= NONE
0	0	0	0	02	= OFFICE USE ONLY
0	0	0	0	03	= BIRTH CONTROL PILLS
1	2	0	3	04	= CONDOM
0	1	0	1	05	= PARTNER'S VASECTOMY
0	0	0	0	06	= DIAPHRAGM
0	0	0	0	07	= FOAM
0	0	0	0	08	= JELLY OR CREAM
0	0	0	0	09	= CERVICAL CAP
0	0	1	1	10	= SUPPOSITORY, INSERT
0	1	0	1	11	= TODAY (TM) SPONGE
0	0	0	0	12	= FEMALE CONDOM, VAGINAL POUCH
0	0	0	0	13	= IUD, COIL, LOOP
0	0	0	0	14	= NORPLANT (TM)
0	0	0	0	15	= DEPO-PROVERA, INJECTABLES
0	0	0	0	16	= MORNING AFTER PILLS
0	2	0	3	17	= RHYTHM OR SAFE PERIOD BY CALENDAR
0	1	0	1	18	= SAFE PERIOD BY TEMP, CERVICAL MUCUS TEST,

(4704)

1995 NATIONAL SURVEY OF FAMILY GROWTH
 File Documentation
 Respondent File (Section E Questionnaire Items)

VARIABLE NAME	COLUMN LOCATION	NON-HISPANIC			TOTAL	QX	TEXT AND CODE CATEGORIES
		HISP	WHITE	BLACK			
		0	3	1	4	19	NFP
		0	0	0	0	20	= WITHDRAWAL
		0	0	0	0	21	= RESPONDENT STERILE
							= PARTNER STERILE (NOT ON CARD)
		0	0	0	0	22	= OTHER METHOD-NOT SHOWN SEPARATELY
		0	1	0	1	97	= Not Ascertained
		0	0	0	0	98	= Refused
		0	0	0	0	99	= Don't Know

1995 NATIONAL SURVEY OF FAMILY GROWTH
 File Documentation
 Respondent File (Section E Questionnaire Items)

VARIABLE	COLUMN	NON-HISPANIC				QX TEXT AND CODE CATEGORIES
NAME	LOCATION	HISP	WHITE	BLACK		

[MTHUS570] 8516-8517

During that month, which (of those/other) methods, if any, did you use at the same time? (3rd METHOD MENTIONED, 2nd COMBINATION, MC48)

Inapplicable:
 R said no, don't know or refused to all birth control methods in EA series (computed variable EVERUSED = 2); R never had sex as of this month and never used a birth control method as of this month but ever used one or more birth control methods in EA series (WNFSTSEX GE 1093 and DATFIRSM GE 1093 and computed variable EVERUSED = 1); R did not use multiple methods in the month; or R used only 2 methods in the month; or R reported fewer than 2 BC method combinations; or R reported using fewer than 3 BC methods for this combination in this month of the method calendar.

1552	6478	2446	10840	Blank	= Blank, inapplicable
0	0	0	0	01	= NONE
0	0	0	0	02	= OFFICE USE ONLY
0	0	0	0	03	= BIRTH CONTROL PILLS
0	0	0	0	04	= CONDOM
0	0	0	0	05	= PARTNER'S VASECTOMY
0	0	0	0	06	= DIAPHRAGM
0	0	0	0	07	= FOAM
0	1	0	1	08	= JELLY OR CREAM
0	0	0	0	09	= CERVICAL CAP
0	0	0	0	10	= SUPPOSITORY, INSERT
0	0	0	0	11	= TODAY (TM) SPONGE
0	0	0	0	12	= FEMALE CONDOM, VAGINAL POUCH
0	0	0	0	13	= IUD, COIL, LOOP
0	0	0	0	14	= NORPLANT (TM)
0	0	0	0	15	= DEPO-PROVERA, INJECTABLES
0	0	0	0	16	= MORNING AFTER PILLS
1	0	0	1	17	= RHYTHM OR SAFE PERIOD BY CALENDAR
0	1	0	2	18	= SAFE PERIOD BY TEMP, CERVICAL MUCUS TEST,

1995 NATIONAL SURVEY OF FAMILY GROWTH
 File Documentation
 Respondent File (Section E Questionnaire Items)

VARIABLE NAME	COLUMN LOCATION	NON-HISPANIC			TOTAL	QX	TEXT AND CODE CATEGORIES
		HISP	WHITE	BLACK			
		0	2	0	2	19	NFP
		0	0	0	0	20	= WITHDRAWAL
		0	0	0	0	21	= RESPONDENT STERILE
							= PARTNER STERILE (NOT ON CARD)
		0	0	0	0	22	= OTHER METHOD-NOT SHOWN SEPARATELY
		0	1	0	1	97	= Not Ascertained
		0	0	0	0	98	= Refused
		0	0	0	0	99	= Don't Know

1995 NATIONAL SURVEY OF FAMILY GROWTH
 File Documentation
 Respondent File (Section E Questionnaire Items)

VARIABLE	COLUMN	NON-HISPANIC								
NAME	LOCATION	HISP	WHITE	BLACK						

[MTHUS571] 8518-8519

During that month, which (of those/other) methods, if any, did you use at the same time? (4th METHOD MENTIONED, 2nd COMBINATION, MC48)

Inapplicable:
 R said no, don't know or refused to all birth control methods in EA series (computed variable EVERUSED = 2); R never had sex as of this month and never used a birth control method as of this month but ever used one or more birth control methods in EA series (WNFSTSEX GE 1093 and DATFIRSM GE 1093 and computed variable EVERUSED = 1); R did not use multiple methods in the month; or R used only 2 methods in the month; or R reported fewer than 2 BC method combinations; or R reported using fewer than 4 BC methods for this combination in this month of the method calendar.

1553	6482	2446	10846	Blank	= Blank, inapplicable
0	0	0	0	01	= NONE
0	0	0	0	02	= OFFICE USE ONLY
0	0	0	0	03	= BIRTH CONTROL PILLS
0	0	0	0	04	= CONDOM
0	0	0	0	05	= PARTNER'S VASECTOMY
0	0	0	0	06	= DIAPHRAGM
0	0	0	0	07	= FOAM
0	0	0	0	08	= JELLY OR CREAM
0	0	0	0	09	= CERVICAL CAP
0	0	0	0	10	= SUPPOSITORY, INSERT
0	0	0	0	11	= TODAY (TM) SPONGE
0	0	0	0	12	= FEMALE CONDOM, VAGINAL POUCH
0	0	0	0	13	= IUD, COIL, LOOP
0	0	0	0	14	= NORPLANT (TM)
0	0	0	0	15	= DEPO-PROVERA, INJECTABLES
0	0	0	0	16	= MORNING AFTER PILLS
0	0	0	0	17	= RHYTHM OR SAFE PERIOD BY CALENDAR
0	0	0	0	18	= SAFE PERIOD BY TEMP, CERVICAL MUCUS TEST,

(4708)

1995 NATIONAL SURVEY OF FAMILY GROWTH
 File Documentation
 Respondent File (Section E Questionnaire Items)

VARIABLE NAME	COLUMN LOCATION	NON-HISPANIC			TOTAL	QX	TEXT AND CODE CATEGORIES
		HISP	WHITE	BLACK			
		0	0	0	0	19	NFP
		0	0	0	0	20	= WITHDRAWAL
		0	0	0	0	21	= RESPONDENT STERILE
							= PARTNER STERILE (NOT ON CARD)
		0	0	0	0	22	= OTHER METHOD-NOT SHOWN SEPARATELY
		0	1	0	1	97	= Not Ascertained
		0	0	0	0	98	= Refused
		0	0	0	0	99	= Don't Know

1995 NATIONAL SURVEY OF FAMILY GROWTH
 File Documentation
 Respondent File (Section E Questionnaire Items)

VARIABLE	COLUMN	NON-HISPANIC				QX TEXT AND CODE CATEGORIES
NAME	LOCATION	HISP	WHITE	BLACK	TOTAL	

[MTHUS572] 8520-8521

During that month, which (of those/other) methods, if any, did you use at the same time? (1st METHOD MENTIONED, 3rd COMBINATION, MC48)

Inapplicable:
 R said no, don't know or refused to all birth control methods in EA series (computed variable EVERUSED = 2); R never had sex as of this month and never used a birth control method as of this month but ever used one or more birth control methods in EA series (WNFSTSEX GE 1093 and DATFIRSM GE 1093 and computed variable EVERUSED = 1); R did not use multiple methods in the month; or R used only 2 methods in the month; or R reported fewer than 3 BC method combinations.

1553	6481	2446	10845	Blank	= Blank, inapplicable
0	1	0	1	01	= NONE
0	0	0	0	02	= OFFICE USE ONLY
0	0	0	0	03	= BIRTH CONTROL PILLS
0	1	0	1	04	= CONDOM
0	0	0	0	05	= PARTNER'S VASECTOMY
0	0	0	0	06	= DIAPHRAGM
0	0	0	0	07	= FOAM
0	0	0	0	08	= JELLY OR CREAM
0	0	0	0	09	= CERVICAL CAP
0	0	0	0	10	= SUPPOSITORY, INSERT
0	0	0	0	11	= TODAY (TM) SPONGE
0	0	0	0	12	= FEMALE CONDOM, VAGINAL POUCH
0	0	0	0	13	= IUD, COIL, LOOP
0	0	0	0	14	= NORPLANT (TM)
0	0	0	0	15	= DEPO-PROVERA, INJECTABLES
0	0	0	0	16	= MORNING AFTER PILLS
0	0	0	0	17	= RHYTHM OR SAFE PERIOD BY CALENDAR
0	0	0	0	18	= SAFE PERIOD BY TEMP, CERVICAL MUCUS TEST, NFP
0	0	0	0	19	= WITHDRAWAL
0	0	0	0	20	= RESPONDENT STERILE

(4710)

1995 NATIONAL SURVEY OF FAMILY GROWTH
 File Documentation
 Respondent File (Section E Questionnaire Items)

VARIABLE NAME	COLUMN LOCATION	NON-HISPANIC			TOTAL	QX	TEXT AND CODE CATEGORIES
		HISP	WHITE	BLACK			
		0	0	0	0	21	= PARTNER STERILE (NOT ON CARD)
		0	0	0	0	22	= OTHER METHOD-NOT SHOWN SEPARATELY
		0	0	0	0	97	= Not Ascertained
		0	0	0	0	98	= Refused
		0	0	0	0	99	= Don't Know

1995 NATIONAL SURVEY OF FAMILY GROWTH
 File Documentation
 Respondent File (Section E Questionnaire Items)

VARIABLE	COLUMN	NON-HISPANIC				QX TEXT AND CODE CATEGORIES
NAME	LOCATION	HISP	WHITE	BLACK		

[MTHUS573] 8522-8523

During that month, which (of those/other) methods, if any, did you use at the same time? (2nd METHOD MENTIONED, 3rd COMBINATION, MC48)

Inapplicable:
 R said no, don't know or refused to all birth control methods in EA series (computed variable EVERUSED = 2); R never had sex as of this month and never used a birth control method as of this month but ever used one or more birth control methods in EA series (WNFSTSEX GE 1093 and DATFIRSM GE 1093 and computed variable EVERUSED = 1); R did not use multiple methods in the month; or R used only 2 methods in the month; or R reported fewer than 3 BC method combinations; or R reported using fewer than 2 BC methods for this combination in this month of the method calendar.

1553	6482	2446	10846	Blank	= Blank, inapplicable
0	0	0	0	01	= NONE
0	0	0	0	02	= OFFICE USE ONLY
0	0	0	0	03	= BIRTH CONTROL PILLS
0	0	0	0	04	= CONDOM
0	0	0	0	05	= PARTNER'S VASECTOMY
0	0	0	0	06	= DIAPHRAGM
0	1	0	1	07	= FOAM
0	0	0	0	08	= JELLY OR CREAM
0	0	0	0	09	= CERVICAL CAP
0	0	0	0	10	= SUPPOSITORY, INSERT
0	0	0	0	11	= TODAY (TM) SPONGE
0	0	0	0	12	= FEMALE CONDOM, VAGINAL POUCH
0	0	0	0	13	= IUD, COIL, LOOP
0	0	0	0	14	= NORPLANT (TM)
0	0	0	0	15	= DEPO-PROVERA, INJECTABLES
0	0	0	0	16	= MORNING AFTER PILLS
0	0	0	0	17	= RHYTHM OR SAFE PERIOD BY CALENDAR
0	0	0	0	18	= SAFE PERIOD BY TEMP, CERVICAL MUCUS TEST,

(4712)

1995 NATIONAL SURVEY OF FAMILY GROWTH
 File Documentation
 Respondent File (Section E Questionnaire Items)

VARIABLE NAME	COLUMN LOCATION	NON-HISPANIC			TOTAL	QX	TEXT AND CODE CATEGORIES
		HISP	WHITE	BLACK			
		0	0	0	0	19	NFP = WITHDRAWAL
		0	0	0	0	20	= RESPONDENT STERILE
		0	0	0	0	21	= PARTNER STERILE (NOT ON CARD)
		0	0	0	0	22	= OTHER METHOD-NOT SHOWN SEPARATELY
		0	0	0	0	97	= Not Ascertained
		0	0	0	0	98	= Refused
		0	0	0	0	99	= Don't Know

1995 NATIONAL SURVEY OF FAMILY GROWTH
 File Documentation
 Respondent File (Section E Questionnaire Items)

VARIABLE	COLUMN	NON-HISPANIC				QX TEXT AND CODE CATEGORIES
NAME	LOCATION	HISP	WHITE	BLACK		

[MTHUS574] 8524-8525

During that month, which (of those/other) methods, if any, did you use at the same time? (3rd METHOD MENTIONED, 3rd COMBINATION, MC48)

Inapplicable:
 R said no, don't know or refused to all birth control methods in EA series (computed variable EVERUSED = 2); R never had sex as of this month and never used a birth control method as of this month but ever used one or more birth control methods in EA series (WNFSTSEX GE 1093 and DATFIRSM GE 1093 and computed variable EVERUSED = 1); R did not use multiple methods in the month; or R used only 2 methods in the month; or R reported fewer than 3 BC method combinations; or R reported using fewer than 3 BC methods for this combination in this month of the method calendar.

1553	6483	2446	10847	Blank	= Blank, inapplicable
0	0	0	0	01	= NONE
0	0	0	0	02	= OFFICE USE ONLY
0	0	0	0	03	= BIRTH CONTROL PILLS
0	0	0	0	04	= CONDOM
0	0	0	0	05	= PARTNER'S VASECTOMY
0	0	0	0	06	= DIAPHRAGM
0	0	0	0	07	= FOAM
0	0	0	0	08	= JELLY OR CREAM
0	0	0	0	09	= CERVICAL CAP
0	0	0	0	10	= SUPPOSITORY, INSERT
0	0	0	0	11	= TODAY (TM) SPONGE
0	0	0	0	12	= FEMALE CONDOM, VAGINAL POUCH
0	0	0	0	13	= IUD, COIL, LOOP
0	0	0	0	14	= NORPLANT (TM)
0	0	0	0	15	= DEPO-PROVERA, INJECTABLES
0	0	0	0	16	= MORNING AFTER PILLS
0	0	0	0	17	= RHYTHM OR SAFE PERIOD BY CALENDAR
0	0	0	0	18	= SAFE PERIOD BY TEMP, CERVICAL MUCUS TEST,

(4714)

1995 NATIONAL SURVEY OF FAMILY GROWTH
 File Documentation
 Respondent File (Section E Questionnaire Items)

VARIABLE NAME	COLUMN LOCATION	NON-HISPANIC			TOTAL	QX	TEXT AND CODE CATEGORIES
		HISP	WHITE	BLACK			
		0	0	0	0	19	NFP
		0	0	0	0	20	= WITHDRAWAL
		0	0	0	0	21	= RESPONDENT STERILE
							= PARTNER STERILE (NOT ON CARD)
		0	0	0	0	22	= OTHER METHOD-NOT SHOWN SEPARATELY
		0	0	0	0	97	= Not Ascertained
		0	0	0	0	98	= Refused
		0	0	0	0	99	= Don't Know

1995 NATIONAL SURVEY OF FAMILY GROWTH
 File Documentation
 Respondent File (Section E Questionnaire Items)

VARIABLE	COLUMN	NON-HISPANIC				
NAME	LOCATION	HISP	WHITE	BLACK	TOTAL	QX TEXT AND CODE CATEGORIES

[MTHUS575] 8526-8527

During that month, which (of those/other) methods, if any, did you use at the same time? (4th METHOD MENTIONED, 3rd COMBINATION, MC48)

Inapplicable:
 R said no, don't know or refused to all birth control methods in EA series (computed variable EVERUSED = 2); R never had sex as of this month and never used a birth control method as of this month but ever used one or more birth control methods in EA series (WNFSTSEX GE 1093 and DATFIRSM GE 1093 and computed variable EVERUSED = 1); R did not use multiple methods in the month; or R used only 2 methods in the month; or R reported fewer than 3 BC method combinations; or R reported using fewer than 4 BC methods for this combination in this month of the method calendar.

1553	6483	2446	10847	Blank	= Blank, inapplicable
0	0	0	0	01	= NONE
0	0	0	0	02	= OFFICE USE ONLY
0	0	0	0	03	= BIRTH CONTROL PILLS
0	0	0	0	04	= CONDOM
0	0	0	0	05	= PARTNER'S VASECTOMY
0	0	0	0	06	= DIAPHRAGM
0	0	0	0	07	= FOAM
0	0	0	0	08	= JELLY OR CREAM
0	0	0	0	09	= CERVICAL CAP
0	0	0	0	10	= SUPPOSITORY, INSERT
0	0	0	0	11	= TODAY (TM) SPONGE
0	0	0	0	12	= FEMALE CONDOM, VAGINAL POUCH
0	0	0	0	13	= IUD, COIL, LOOP
0	0	0	0	14	= NORPLANT (TM)
0	0	0	0	15	= DEPO-PROVERA, INJECTABLES
0	0	0	0	16	= MORNING AFTER PILLS
0	0	0	0	17	= RHYTHM OR SAFE PERIOD BY CALENDAR
0	0	0	0	18	= SAFE PERIOD BY TEMP, CERVICAL MUCUS TEST,

1995 NATIONAL SURVEY OF FAMILY GROWTH
 File Documentation
 Respondent File (Section E Questionnaire Items)

VARIABLE NAME	COLUMN LOCATION	NON-HISPANIC			TOTAL	QX	TEXT AND CODE CATEGORIES
		HISP	WHITE	BLACK			
		0	0	0	0	19	NFP
		0	0	0	0	20	= WITHDRAWAL
		0	0	0	0	21	= RESPONDENT STERILE
							= PARTNER STERILE (NOT ON CARD)
		0	0	0	0	22	= OTHER METHOD-NOT SHOWN SEPARATELY
		0	0	0	0	97	= Not Ascertained
		0	0	0	0	98	= Refused
		0	0	0	0	99	= Don't Know

1995 NATIONAL SURVEY OF FAMILY GROWTH
 File Documentation
 Respondent File (Section E Questionnaire Items)

VARIABLE NAME	COLUMN LOCATION	NON-HISPANIC			QX TEXT AND CODE CATEGORIES
		HISP	WHITE	BLACK TOTAL	
[METHH192]	8528-8529				ENTER METHOD (FIRST MENTIONED) USED IN JANUARY 1995: (MC49)
					Inapplicable: R never had sex as of this month and never used a birth control method as of this month but ever used one or more birth control methods in EA series (WNFSTSEX GE 1093 and DATFIRSM GE 1093 and computed variable EVERUSED = 1); R never had sex and said no, don't know or refused to all birth control methods in EA series (computed variable RHADSEX coded 2,7,8 or 9 and computed variable EVERUSED = 2); R said no, don't know or refused to all birth control methods in EA series (computed variable EVERUSED = 2).
		241	682	224 1238	Blank = Blank, inapplicable
		343	1303	551 2265	01 = NO METHODS USED
		0	0	0 02	= SAME AS PREVIOUS MONTH
		217	1185	358 1796	03 = BIRTH CONTROL PILLS
		206	899	394 1563	04 = CONDOM
		24	362	11 407	05 = PARTNER'S VASECTOMY
		6	87	11 105	06 = DIAPHRAGM
		5	25	3 33	07 = FOAM
		2	11	2 15	08 = JELLY OR CREAM
		1	2	0 3	09 = CERVICAL CAP
		4	26	7 39	10 = SUPPOSITORY, INSERT
		0	13	8 21	11 = TODAY (TM) SPONGE
		0	1	0 1	12 = FEMALE CONDOM, VAGINAL POUCH
		19	33	15 70	13 = IUD, COIL, LOOP
		22	53	37 116	14 = NORPLANT (TM)
		41	88	74 207	15 = DEPO-PROVERA, INJECTABLES
		0	0	0 0	16 = MORNING AFTER PILLS
		28	97	17 154	17 = RHYTHM OR SAFE PERIOD BY CALENDAR
		2	18	0 20	18 = SAFE PERIOD BY TEMP, CERVICAL MUCUS TEST, NFP
		34	142	27 213	19 = WITHDRAWAL
		335	1252	681 2323	20 = RESPONDENT STERILE

(4718)

1995 NATIONAL SURVEY OF FAMILY GROWTH
 File Documentation
 Respondent File (Section E Questionnaire Items)

VARIABLE NAME	COLUMN LOCATION	NON-HISPANIC			QX	TEXT AND CODE CATEGORIES
		HISP	WHITE	BLACK		
		21	191	13	229	21 = PARTNER STERILE (NOT ON CARD)
		2	7	10	19	22 = OTHER METHOD-NOT SHOWN SEPARATELY
		0	0	0	0	55 = SAME METHODS USED THROUGH END OF YEAR
		0	1	1	2	97 = Not Ascertained
		0	4	2	6	98 = Refused
		0	1	0	2	99 = Don't Know

1995 NATIONAL SURVEY OF FAMILY GROWTH
 File Documentation
 Respondent File (Section E Questionnaire Items)

VARIABLE NAME	COLUMN LOCATION	NON-HISPANIC			QX TEXT AND CODE CATEGORIES	
		HISP	WHITE	BLACK	TOTAL	
[METHH193]	8530-8531					ENTER METHOD (SECOND MENTIONED) USED IN JANUARY 1995: (MC49)

Inapplicable:
 R never had sex as of this month and never used a birth control method as of this month but ever used one or more birth control methods in EA series (WNFSTSEX GE 1093 and DATFIRSM GE 1093 and computed variable EVERUSED = 1); R never had sex and said no, don't know or refused to all birth control methods in EA series (computed variable RHADSEX coded 2,7,8 or 9 and computed variable EVERUSED = 2); R said no, don't know or refused to all birth control methods in EA series (computed variable EVERUSED = 2); R used fewer than 2 methods in month.

1489	6048	2282	10154	Blank	= Blank, inapplicable
0	0	0	0	01	= NO METHODS USED
0	0	0	0	02	= SAME AS PREVIOUS MONTH
1	5	6	12	03	= BIRTH CONTROL PILLS
13	128	72	221	04	= CONDOM
0	11	2	13	05	= PARTNER'S VASECTOMY
3	17	5	25	06	= DIAPHRAGM
5	25	10	40	07	= FOAM
4	16	6	26	08	= JELLY OR CREAM
0	0	0	0	09	= CERVICAL CAP
2	12	7	21	10	= SUPPOSITORY, INSERT
0	7	4	12	11	= TODAY (TM) SPONGE
0	0	0	0	12	= FEMALE CONDOM, VAGINAL POUCH
0	0	0	0	13	= IUD, COIL, LOOP
0	1	2	3	14	= NORPLANT (TM)
0	3	3	6	15	= DEPO-PROVERA, INJECTABLES
0	1	0	1	16	= MORNING AFTER PILLS
13	57	7	85	17	= RHYTHM OR SAFE PERIOD BY CALENDAR
0	9	1	10	18	= SAFE PERIOD BY TEMP, CERVICAL MUCUS TEST, NFP
21	118	19	169	19	= WITHDRAWAL

(4720)

1995 NATIONAL SURVEY OF FAMILY GROWTH
 File Documentation
 Respondent File (Section E Questionnaire Items)

VARIABLE NAME	COLUMN LOCATION	NON-HISPANIC			TOTAL	QX	TEXT AND CODE CATEGORIES
		HISP	WHITE	BLACK			
		2	9	15	26	20	= RESPONDENT STERILE
		0	10	1	12	21	= PARTNER STERILE (NOT ON CARD)
		0	0	0	0	22	= OTHER METHOD-NOT SHOWN SEPARATELY
		0	0	0	0	55	= SAME METHODS USED THROUGH END OF YEAR
		0	1	2	3	97	= Not Ascertained
		0	4	2	6	98	= Refused
		0	1	0	2	99	= Don't Know

1995 NATIONAL SURVEY OF FAMILY GROWTH
 File Documentation
 Respondent File (Section E Questionnaire Items)

VARIABLE COLUMN NON-HISPANIC
 NAME LOCATION HISP WHITE BLACK TOTAL QX TEXT AND CODE CATEGORIES

[METHH194] 8532-8533 ENTER METHOD (THIRD MENTIONED) USED
 IN JANUARY 1995: (MC49)

Inapplicable:
 R never had sex as of this month and never used a birth control method as of this month but ever used one or more birth control methods in EA series (WNFSTSEX GE 1093 and DATFIRSM GE 1093 and computed variable EVERUSED = 1); R never had sex and said no, don't know or refused to all birth control methods in EA series (computed variable RHADSEX coded 2,7,8 or 9 and computed variable EVERUSED = 2); R said no, don't know or refused to all birth control methods in EA series (computed variable EVERUSED = 2); R used fewer than 3 methods in month.

1544	6410	2411	10726	Blank	= Blank, inapplicable
0	0	0	0	01	= NO METHODS USED
0	0	0	0	02	= SAME AS PREVIOUS MONTH
0	1	0	1	03	= BIRTH CONTROL PILLS
1	3	0	4	04	= CONDOM
0	0	0	0	05	= PARTNER'S VASECTOMY
0	0	0	0	06	= DIAPHRAGM
0	1	0	1	07	= FOAM
0	4	1	5	08	= JELLY OR CREAM
0	0	0	0	09	= CERVICAL CAP
0	4	0	4	10	= SUPPOSITORY, INSERT
1	4	0	5	11	= TODAY (TM) SPONGE
1	0	0	1	12	= FEMALE CONDOM, VAGINAL POUCH
0	0	0	0	13	= IUD, COIL, LOOP
0	0	0	0	14	= NORPLANT (TM)
0	0	0	0	15	= DEPO-PROVERA, INJECTABLES
0	0	0	0	16	= MORNING AFTER PILLS
2	9	2	13	17	= RHYTHM OR SAFE PERIOD BY CALENDAR
0	4	0	5	18	= SAFE PERIOD BY TEMP, CERVICAL MUCUS TEST, NFP
2	28	4	35	19	= WITHDRAWAL

(4722)

1995 NATIONAL SURVEY OF FAMILY GROWTH
 File Documentation
 Respondent File (Section E Questionnaire Items)

VARIABLE NAME	COLUMN LOCATION	NON-HISPANIC			TOTAL	QX	TEXT AND CODE CATEGORIES
		HISP	WHITE	BLACK			
		1	9	24	34	20	= RESPONDENT STERILE
		0	0	0	0	21	= PARTNER STERILE (NOT ON CARD)
		1	0	0	2	22	= OTHER METHOD-NOT SHOWN SEPARATELY
		0	0	0	0	55	= SAME METHODS USED THROUGH END OF YEAR
		0	1	2	3	97	= Not Ascertained
		0	4	2	6	98	= Refused
		0	1	0	2	99	= Don't Know

1995 NATIONAL SURVEY OF FAMILY GROWTH
 File Documentation
 Respondent File (Section E Questionnaire Items)

VARIABLE	COLUMN	NON-HISPANIC			QX TEXT AND CODE CATEGORIES	
NAME	LOCATION	HISP	WHITE	BLACK	TOTAL	
[METHH195]	8534-8535					ENTER METHOD (FOURTH MENTIONED) USED IN JANUARY 1995: (MC49)

Inapplicable:
 R never had sex as of this month and never used a birth control method as of this month but ever used one or more birth control methods in EA series (WNFSTSEX GE 1093 and DATFIRSM GE 1093 and computed variable EVERUSED = 1); R never had sex and said no, don't know or refused to all birth control methods in EA series (computed variable RHADSEX coded 2,7,8 or 9 and computed variable EVERUSED = 2); R said no, don't know or refused to all birth control methods in EA series (computed variable EVERUSED = 2); R used fewer than 4 methods in month.

1553	6468	2440	10825	Blank	= Blank, inapplicable
0	0	0	0	01	= NO METHODS USED
0	0	0	0	02	= SAME AS PREVIOUS MONTH
0	0	0	0	03	= BIRTH CONTROL PILLS
0	1	0	1	04	= CONDOM
0	0	0	0	05	= PARTNER'S VASECTOMY
0	0	0	0	06	= DIAPHRAGM
0	0	0	0	07	= FOAM
0	0	0	0	08	= JELLY OR CREAM
0	0	0	0	09	= CERVICAL CAP
0	0	1	1	10	= SUPPOSITORY, INSERT
0	1	0	1	11	= TODAY (TM) SPONGE
0	0	0	0	12	= FEMALE CONDOM, VAGINAL POUCH
0	0	0	0	13	= IUD, COIL, LOOP
0	0	0	0	14	= NORPLANT (TM)
0	0	0	0	15	= DEPO-PROVERA, INJECTABLES
0	0	0	0	16	= MORNING AFTER PILLS
0	2	0	2	17	= RHYTHM OR SAFE PERIOD BY CALENDAR
0	1	1	2	18	= SAFE PERIOD BY TEMP, CERVICAL MUCUS TEST, NFP
0	4	0	4	19	= WITHDRAWAL

(4724)

1995 NATIONAL SURVEY OF FAMILY GROWTH
 File Documentation
 Respondent File (Section E Questionnaire Items)

VARIABLE NAME	COLUMN LOCATION	NON-HISPANIC			TOTAL	QX	TEXT AND CODE	CATEGORIES
		HISP	WHITE	BLACK				
		0	0	0	0	20	=	RESPONDENT STERILE
		0	0	0	0	21	=	PARTNER STERILE (NOT ON CARD)
		0	0	0	0	22	=	OTHER METHOD-NOT SHOWN SEPARATELY
		0	0	0	0	55	=	SAME METHODS USED THROUGH END OF YEAR
		0	1	2	3	97	=	Not Ascertained
		0	4	2	6	98	=	Refused
		0	1	0	2	99	=	Don't Know

[SIMSEQ48] 8536-8536

Did you use those methods together,
 that is, at the same time, or did
 you use them at different times
 during the month? (MC49)

Inapplicable:

R never had sex as of this month and
 never used a birth control method as
 of this month but ever used one or
 more birth control methods in EA
 series (WNFSTSEX GE 1093 and
 DATFIRSM GE 1093 and computed
 variable EVERUSED = 1); R never had
 sex and said no, don't know or
 refused to all birth control methods
 in EA series (computed variable
 RHADSEX coded 2,7,8 or 9 and
 computed variable EVERUSED = 2); R
 said no, don't know or refused to
 all birth control methods in EA
 series (computed variable EVERUSED =
 2); R did not use multiple methods
 in the month; R used more than 2
 methods in the month.

1497	6112	2294	10242	Blank	=	Blank, inapplicable
31	245	120	411	1	=	SAME TIME
25	126	30	192	2	=	DIFFERENT TIMES
0	0	2	2	7	=	Not Ascertained
0	0	0	0	8	=	Refused
0	0	0	0	9	=	Don't Know

1995 NATIONAL SURVEY OF FAMILY GROWTH
 File Documentation
 Respondent File (Section E Questionnaire Items)

VARIABLE	COLUMN	NON-HISPANIC				
NAME	LOCATION	HISP	WHITE	BLACK	TOTAL	QX TEXT AND CODE CATEGORIES

[MTHUS576] 8537-8538

During that month, which (of those/other) methods, if any, did you use at the same time? (1st METHOD MENTIONED, 1st COMBINATION, MC49)

Inapplicable:
 R said no, don't know or refused to all birth control methods in EA series (computed variable EVERUSED = 2); R never had sex as of this month and never used a birth control method as of this month but ever used one or more birth control methods in EA series (WNFSTSEX GE 1093 and DATFIRSM GE 1093 and computed variable EVERUSED = 1); R did not use multiple methods in the month; or R used only 2 methods in the month.

1545	6425	2438	10770	Blank	= Blank, inapplicable
2	15	1	18	01	= NONE
0	0	0	0	02	= OFFICE USE ONLY
0	7	0	9	03	= BIRTH CONTROL PILLS
5	20	4	30	04	= CONDOM
0	0	0	0	05	= PARTNER'S VASECTOMY
0	5	1	6	06	= DIAPHRAGM
0	0	0	0	07	= FOAM
0	0	0	0	08	= JELLY OR CREAM
0	0	0	0	09	= CERVICAL CAP
0	1	0	1	10	= SUPPOSITORY, INSERT
0	1	0	1	11	= TODAY (TM) SPONGE
0	0	0	0	12	= FEMALE CONDOM, VAGINAL POUCH
0	0	0	0	13	= IUD, COIL, LOOP
0	0	0	0	14	= NORPLANT (TM)
0	0	0	0	15	= DEPO-PROVERA, INJECTABLES
0	0	0	0	16	= MORNING AFTER PILLS
1	7	1	9	17	= RHYTHM OR SAFE PERIOD BY CALENDAR
0	0	0	0	18	= SAFE PERIOD BY TEMP, CERVICAL MUCUS TEST, NFP
0	2	0	2	19	= WITHDRAWAL
0	0	1	1	20	= RESPONDENT STERILE
0	0	0	0	21	= PARTNER STERILE (NOT

1995 NATIONAL SURVEY OF FAMILY GROWTH
 File Documentation
 Respondent File (Section E Questionnaire Items)

VARIABLE NAME	COLUMN LOCATION	NON-HISPANIC			TOTAL	QX	TEXT AND CODE CATEGORIES
		HISP	WHITE	BLACK			
		0	0	0	0	22	ON CARD) = OTHER METHOD-NOT SHOWN SEPARATELY
		0	0	0	0	97	= Not Ascertained
		0	0	0	0	98	= Refused
		0	0	0	0	99	= Don't Know

1995 NATIONAL SURVEY OF FAMILY GROWTH
 File Documentation
 Respondent File (Section E Questionnaire Items)

VARIABLE COLUMN NON-HISPANIC
 NAME LOCATION HISP WHITE BLACK TOTAL QX TEXT AND CODE CATEGORIES

[MTHUS577] 8539-8540

During that month, which (of those/other) methods, if any, did you use at the same time? (2nd METHOD MENTIONED, 1st COMBINATION, MC49)

Inapplicable:
 R said no, don't know or refused to all birth control methods in EA series (computed variable EVERUSED = 2); R never had sex as of this month and never used a birth control method as of this month but ever used one or more birth control methods in EA series (WNFSTSEX GE 1093 and DATFIRSM GE 1093 and computed variable EVERUSED = 1); R did not use multiple methods in the month; or R used only 2 methods in the month; or R reported using fewer than 2 BC methods for this combination in this month of the method calendar.

1547	6440	2439	10788	Blank	= Blank, inapplicable
0	0	0	0	01	= NONE
0	0	0	0	02	= OFFICE USE ONLY
0	0	0	0	03	= BIRTH CONTROL PILLS
0	9	1	11	04	= CONDOM
0	1	0	1	05	= PARTNER'S VASECTOMY
0	0	0	0	06	= DIAPHRAGM
2	6	2	10	07	= FOAM
1	2	2	5	08	= JELLY OR CREAM
0	0	0	0	09	= CERVICAL CAP
0	0	0	0	10	= SUPPOSITORY, INSERT
0	0	0	0	11	= TODAY (TM) SPONGE
0	0	0	0	12	= FEMALE CONDOM, VAGINAL POUCH
0	0	0	0	13	= IUD, COIL, LOOP
0	0	0	0	14	= NORPLANT (TM)
0	0	0	0	15	= DEPO-PROVERA, INJECTABLES
0	0	0	0	16	= MORNING AFTER PILLS
2	16	0	19	17	= RHYTHM OR SAFE PERIOD BY CALENDAR
0	2	0	2	18	= SAFE PERIOD BY TEMP, CERVICAL MUCUS TEST, NFP

(4728)

1995 NATIONAL SURVEY OF FAMILY GROWTH
 File Documentation
 Respondent File (Section E Questionnaire Items)

VARIABLE NAME	COLUMN LOCATION	NON-HISPANIC			TOTAL	QX	TEXT AND CODE CATEGORIES
		HISP	WHITE	BLACK			
		1	7	2	11	19	= WITHDRAWAL
		0	0	0	0	20	= RESPONDENT STERILE
		0	0	0	0	21	= PARTNER STERILE (NOT ON CARD)
		0	0	0	0	22	= OTHER METHOD-NOT SHOWN SEPARATELY
		0	0	0	0	97	= Not Ascertained
		0	0	0	0	98	= Refused
		0	0	0	0	99	= Don't Know

1995 NATIONAL SURVEY OF FAMILY GROWTH
 File Documentation
 Respondent File (Section E Questionnaire Items)

VARIABLE COLUMN NON-HISPANIC
 NAME LOCATION HISP WHITE BLACK TOTAL QX TEXT AND CODE CATEGORIES

[MTHUS578] 8541-8542

During that month, which (of those/other) methods, if any, did you use at the same time? (3rd METHOD MENTIONED, 1st COMBINATION, MC49)

Inapplicable:
 R said no, don't know or refused to all birth control methods in EA series (computed variable EVERUSED = 2); R never had sex as of this month and never used a birth control method as of this month but ever used one or more birth control methods in EA series (WNFSTSEX GE 1093 and DATFIRSM GE 1093 and computed variable EVERUSED = 1); R did not use multiple methods in the month; or R used only 2 methods in the month; or R reported using fewer than 3 BC methods for this combination in this month of the method calendar.

1547	6457	2441	10808	Blank	= Blank, inapplicable
0	0	0	0	01	= NONE
0	0	0	0	02	= OFFICE USE ONLY
0	0	0	0	03	= BIRTH CONTROL PILLS
1	0	0	1	04	= CONDOM
0	0	0	0	05	= PARTNER'S VASECTOMY
0	0	0	0	06	= DIAPHRAGM
0	0	0	0	07	= FOAM
0	4	1	5	08	= JELLY OR CREAM
0	0	0	0	09	= CERVICAL CAP
0	1	1	2	10	= SUPPOSITORY, INSERT
1	2	0	3	11	= TODAY (TM) SPONGE
0	0	0	0	12	= FEMALE CONDOM, VAGINAL POUCH
0	0	0	0	13	= IUD, COIL, LOOP
0	0	0	0	14	= NORPLANT (TM)
0	0	0	0	15	= DEPO-PROVERA, INJECTABLES
0	0	0	0	16	= MORNING AFTER PILLS
2	2	1	5	17	= RHYTHM OR SAFE PERIOD BY CALENDAR
0	3	0	4	18	= SAFE PERIOD BY TEMP, CERVICAL MUCUS TEST, NFP

(4730)

1995 NATIONAL SURVEY OF FAMILY GROWTH
 File Documentation
 Respondent File (Section E Questionnaire Items)

VARIABLE NAME	COLUMN LOCATION	NON-HISPANIC			QX	TEXT AND CODE CATEGORIES
		HISP	WHITE	BLACK		
		1	14	2	18	19 = WITHDRAWAL
		0	0	0	0	20 = RESPONDENT STERILE
		0	0	0	0	21 = PARTNER STERILE (NOT ON CARD)
		1	0	0	1	22 = OTHER METHOD-NOT SHOWN SEPARATELY
		0	0	0	0	97 = Not Ascertained
		0	0	0	0	98 = Refused
		0	0	0	0	99 = Don't Know

1995 NATIONAL SURVEY OF FAMILY GROWTH
 File Documentation
 Respondent File (Section E Questionnaire Items)

VARIABLE COLUMN NON-HISPANIC
 NAME LOCATION HISP WHITE BLACK TOTAL QX TEXT AND CODE CATEGORIES

[MTHUS579] 8543-8544

During that month, which (of those/other) methods, if any, did you use at the same time? (4th METHOD MENTIONED, 1st COMBINATION, MC49)

Inapplicable:
 R said no, don't know or refused to all birth control methods in EA series (computed variable EVERUSED = 2); R never had sex as of this month and never used a birth control method as of this month but ever used one or more birth control methods in EA series (WNFSTSEX GE 1093 and DATFIRSM GE 1093 and computed variable EVERUSED = 1); R did not use multiple methods in the month; or R used only 2 methods in the month; or R reported using fewer than 4 BC methods for this combination in this month of the method calendar.

	1553	6482	2445	10845	Blank	
	0	0	0	0	01	= Blank, inapplicable
	0	0	0	0	02	= NONE
	0	0	0	0	03	= OFFICE USE ONLY
	0	1	0	1	04	= BIRTH CONTROL PILLS
	0	0	0	0	05	= CONDOM
	0	0	0	0	06	= PARTNER'S VASECTOMY
	0	0	0	0	07	= DIAPHRAGM
	0	0	0	0	08	= FOAM
	0	0	0	0	09	= JELLY OR CREAM
	0	0	0	0	10	= CERVICAL CAP
	0	0	0	0	11	= SUPPOSITORY, INSERT
	0	0	0	0	12	= TODAY (TM) SPONGE
	0	0	0	0	13	= FEMALE CONDOM, VAGINAL POUCH
	0	0	0	0	14	= IUD, COIL, LOOP
	0	0	0	0	15	= NORPLANT (TM)
	0	0	0	0	16	= DEPO-PROVERA, INJECTABLES
	0	0	0	0	17	= MORNING AFTER PILLS
	0	0	0	0	18	= RHYTHM OR SAFE PERIOD BY CALENDAR
	0	0	1	1	18	= SAFE PERIOD BY TEMP, CERVICAL MUCUS TEST, NFP

(4732)

1995 NATIONAL SURVEY OF FAMILY GROWTH
 File Documentation
 Respondent File (Section E Questionnaire Items)

VARIABLE NAME	COLUMN LOCATION	NON-HISPANIC			TOTAL	QX	TEXT AND CODE CATEGORIES
		HISP	WHITE	BLACK			
		0	0	0	0	19	= WITHDRAWAL
		0	0	0	0	20	= RESPONDENT STERILE
		0	0	0	0	21	= PARTNER STERILE (NOT ON CARD)
		0	0	0	0	22	= OTHER METHOD-NOT SHOWN SEPARATELY
		0	0	0	0	97	= Not Ascertained
		0	0	0	0	98	= Refused
		0	0	0	0	99	= Don't Know

1995 NATIONAL SURVEY OF FAMILY GROWTH
 File Documentation
 Respondent File (Section E Questionnaire Items)

VARIABLE	COLUMN	NON-HISPANIC				QX TEXT AND CODE CATEGORIES
NAME	LOCATION	HISP	WHITE	BLACK		

[MTHUS580] 8545-8546

During that month, which (of those/other) methods, if any, did you use at the same time? (1st METHOD MENTIONED, 2nd COMBINATION, MC49)

Inapplicable:
 R said no, don't know or refused to all birth control methods in EA series (computed variable EVERUSED = 2); R never had sex as of this month and never used a birth control method as of this month but ever used one or more birth control methods in EA series (WNFSTSEX GE 1093 and DATFIRSM GE 1093 and computed variable EVERUSED = 1); R did not use multiple methods in the month; or R used only 2 methods in the month; or R reported fewer than 2 BC method combinations.

1547	6440	2439	10788	Blank		= Blank, inapplicable
5	29	6	42	01		= NONE
0	0	0	0	02		= OFFICE USE ONLY
0	4	0	4	03		= BIRTH CONTROL PILLS
0	4	0	5	04		= CONDOM
0	0	0	0	05		= PARTNER'S VASECTOMY
0	1	0	1	06		= DIAPHRAGM
1	1	0	2	07		= FOAM
0	2	0	2	08		= JELLY OR CREAM
0	0	0	0	09		= CERVICAL CAP
0	0	0	0	10		= SUPPOSITORY, INSERT
0	0	0	0	11		= TODAY (TM) SPONGE
0	0	0	0	12		= FEMALE CONDOM, VAGINAL POUCH
0	0	0	0	13		= IUD, COIL, LOOP
0	0	0	0	14		= NORPLANT (TM)
0	0	0	0	15		= DEPO-PROVERA, INJECTABLES
0	0	0	0	16		= MORNING AFTER PILLS
0	2	0	2	17		= RHYTHM OR SAFE PERIOD BY CALENDAR
0	0	0	0	18		= SAFE PERIOD BY TEMP, CERVICAL MUCUS TEST, NFP
0	0	0	0	19		= WITHDRAWAL
0	0	1	1	20		= RESPONDENT STERILE

(4734)

1995 NATIONAL SURVEY OF FAMILY GROWTH
 File Documentation
 Respondent File (Section E Questionnaire Items)

VARIABLE NAME	COLUMN LOCATION	NON-HISPANIC			TOTAL	QX	TEXT AND CODE CATEGORIES
		HISP	WHITE	BLACK			
		0	0	0	0	21	= PARTNER STERILE (NOT ON CARD)
		0	0	0	0	22	= OTHER METHOD-NOT SHOWN SEPARATELY
		0	0	0	0	97	= Not Ascertained
		0	0	0	0	98	= Refused
		0	0	0	0	99	= Don't Know

1995 NATIONAL SURVEY OF FAMILY GROWTH
 File Documentation
 Respondent File (Section E Questionnaire Items)

VARIABLE	COLUMN	NON-HISPANIC				QX TEXT AND CODE CATEGORIES
NAME	LOCATION	HISP	WHITE	BLACK		

[MTHUS581] 8547-8548

During that month, which (of those/other) methods, if any, did you use at the same time? (2nd METHOD MENTIONED, 2nd COMBINATION, MC49)

Inapplicable:
 R said no, don't know or refused to all birth control methods in EA series (computed variable EVERUSED = 2); R never had sex as of this month and never used a birth control method as of this month but ever used one or more birth control methods in EA series (WNFSTSEX GE 1093 and DATFIRSM GE 1093 and computed variable EVERUSED = 1); R did not use multiple methods in the month; or R used only 2 methods in the month; or R reported fewer than 2 BC method combinations; or R reported using fewer than 2 BC methods for this combination in this month of the method calendar.

1552	6471	2445	10832	Blank	= Blank, inapplicable
0	0	0	0	01	= NONE
0	0	0	0	02	= OFFICE USE ONLY
0	0	0	0	03	= BIRTH CONTROL PILLS
1	3	0	4	04	= CONDOM
0	1	0	1	05	= PARTNER'S VASECTOMY
0	0	0	0	06	= DIAPHRAGM
0	0	0	0	07	= FOAM
0	0	0	0	08	= JELLY OR CREAM
0	0	0	0	09	= CERVICAL CAP
0	1	0	1	10	= SUPPOSITORY, INSERT
0	1	0	1	11	= TODAY (TM) SPONGE
0	0	0	0	12	= FEMALE CONDOM, VAGINAL POUCH
0	0	0	0	13	= IUD, COIL, LOOP
0	0	0	0	14	= NORPLANT (TM)
0	0	0	0	15	= DEPO-PROVERA, INJECTABLES
0	0	0	0	16	= MORNING AFTER PILLS
0	3	0	4	17	= RHYTHM OR SAFE PERIOD BY CALENDAR
0	1	0	1	18	= SAFE PERIOD BY TEMP, CERVICAL MUCUS TEST,

1995 NATIONAL SURVEY OF FAMILY GROWTH
 File Documentation
 Respondent File (Section E Questionnaire Items)

VARIABLE NAME	COLUMN LOCATION	NON-HISPANIC			TOTAL	QX	TEXT AND CODE CATEGORIES
		HISP	WHITE	BLACK			
		0	2	1	3	19	NFP
		0	0	0	0	20	= WITHDRAWAL
		0	0	0	0	21	= RESPONDENT STERILE
							= PARTNER STERILE (NOT ON CARD)
		0	0	0	0	22	= OTHER METHOD-NOT SHOWN SEPARATELY
		0	0	0	0	97	= Not Ascertained
		0	0	0	0	98	= Refused
		0	0	0	0	99	= Don't Know

1995 NATIONAL SURVEY OF FAMILY GROWTH
 File Documentation
 Respondent File (Section E Questionnaire Items)

VARIABLE COLUMN NON-HISPANIC
 NAME LOCATION HISP WHITE BLACK TOTAL QX TEXT AND CODE CATEGORIES

[MTHUS582] 8549-8550

During that month, which (of those/other) methods, if any, did you use at the same time? (3rd METHOD MENTIONED, 2nd COMBINATION, MC49)

Inapplicable:
 R said no, don't know or refused to all birth control methods in EA series (computed variable EVERUSED = 2); R never had sex as of this month and never used a birth control method as of this month but ever used one or more birth control methods in EA series (WNFSTSEX GE 1093 and DATFIRSM GE 1093 and computed variable EVERUSED = 1); R did not use multiple methods in the month; or R used only 2 methods in the month; or R reported fewer than 2 BC method combinations; or R reported using fewer than 3 BC methods for this combination in this month of the method calendar.

1552	6479	2446	10841	Blank	= Blank, inapplicable
0	0	0	0	01	= NONE
0	0	0	0	02	= OFFICE USE ONLY
0	0	0	0	03	= BIRTH CONTROL PILLS
0	0	0	0	04	= CONDOM
0	0	0	0	05	= PARTNER'S VASECTOMY
0	0	0	0	06	= DIAPHRAGM
0	0	0	0	07	= FOAM
0	1	0	1	08	= JELLY OR CREAM
0	0	0	0	09	= CERVICAL CAP
0	0	0	0	10	= SUPPOSITORY, INSERT
0	0	0	0	11	= TODAY (TM) SPONGE
0	0	0	0	12	= FEMALE CONDOM, VAGINAL POUCH
0	0	0	0	13	= IUD, COIL, LOOP
0	0	0	0	14	= NORPLANT (TM)
0	0	0	0	15	= DEPO-PROVERA, INJECTABLES
0	0	0	0	16	= MORNING AFTER PILLS
1	0	0	1	17	= RHYTHM OR SAFE PERIOD BY CALENDAR
0	1	0	2	18	= SAFE PERIOD BY TEMP, CERVICAL MUCUS TEST,

(4738)

1995 NATIONAL SURVEY OF FAMILY GROWTH
 File Documentation
 Respondent File (Section E Questionnaire Items)

VARIABLE NAME	COLUMN LOCATION	NON-HISPANIC			TOTAL	QX	TEXT AND CODE CATEGORIES
		HISP	WHITE	BLACK			
		0	2	0	2	19	NFP
		0	0	0	0	20	= WITHDRAWAL
		0	0	0	0	21	= RESPONDENT STERILE
							= PARTNER STERILE (NOT ON CARD)
		0	0	0	0	22	= OTHER METHOD-NOT SHOWN SEPARATELY
		0	0	0	0	97	= Not Ascertained
		0	0	0	0	98	= Refused
		0	0	0	0	99	= Don't Know

1995 NATIONAL SURVEY OF FAMILY GROWTH
 File Documentation
 Respondent File (Section E Questionnaire Items)

VARIABLE COLUMN NON-HISPANIC
 NAME LOCATION HISP WHITE BLACK TOTAL QX TEXT AND CODE CATEGORIES

[MTHUS583] 8551-8552

During that month, which (of those/other) methods, if any, did you use at the same time? (4th METHOD MENTIONED, 2nd COMBINATION, MC49)

Inapplicable:
 R said no, don't know or refused to all birth control methods in EA series (computed variable EVERUSED = 2); R never had sex as of this month and never used a birth control method as of this month but ever used one or more birth control methods in EA series (WNFSTSEX GE 1093 and DATFIRSM GE 1093 and computed variable EVERUSED = 1); R did not use multiple methods in the month; or R used only 2 methods in the month; or R reported fewer than 2 BC method combinations; or R reported using fewer than 4 BC methods for this combination in this month of the method calendar.

1553	6483	2446	10847	Blank	= Blank, inapplicable
0	0	0	0	01	= NONE
0	0	0	0	02	= OFFICE USE ONLY
0	0	0	0	03	= BIRTH CONTROL PILLS
0	0	0	0	04	= CONDOM
0	0	0	0	05	= PARTNER'S VASECTOMY
0	0	0	0	06	= DIAPHRAGM
0	0	0	0	07	= FOAM
0	0	0	0	08	= JELLY OR CREAM
0	0	0	0	09	= CERVICAL CAP
0	0	0	0	10	= SUPPOSITORY, INSERT
0	0	0	0	11	= TODAY (TM) SPONGE
0	0	0	0	12	= FEMALE CONDOM, VAGINAL POUCH
0	0	0	0	13	= IUD, COIL, LOOP
0	0	0	0	14	= NORPLANT (TM)
0	0	0	0	15	= DEPO-PROVERA, INJECTABLES
0	0	0	0	16	= MORNING AFTER PILLS
0	0	0	0	17	= RHYTHM OR SAFE PERIOD BY CALENDAR
0	0	0	0	18	= SAFE PERIOD BY TEMP, CERVICAL MUCUS TEST,

(4740)

1995 NATIONAL SURVEY OF FAMILY GROWTH
 File Documentation
 Respondent File (Section E Questionnaire Items)

VARIABLE NAME	COLUMN LOCATION	NON-HISPANIC			TOTAL	QX	TEXT AND CODE CATEGORIES
		HISP	WHITE	BLACK			
		0	0	0	0	19	NFP
		0	0	0	0	20	= WITHDRAWAL
		0	0	0	0	21	= RESPONDENT STERILE
							= PARTNER STERILE (NOT ON CARD)
		0	0	0	0	22	= OTHER METHOD-NOT SHOWN SEPARATELY
		0	0	0	0	97	= Not Ascertained
		0	0	0	0	98	= Refused
		0	0	0	0	99	= Don't Know

1995 NATIONAL SURVEY OF FAMILY GROWTH
 File Documentation
 Respondent File (Section E Questionnaire Items)

VARIABLE	COLUMN	NON-HISPANIC			QX TEXT AND CODE CATEGORIES
NAME	LOCATION	HISP	WHITE	BLACK TOTAL	

[MTHUS584] 8553-8554

During that month, which (of those/other) methods, if any, did you use at the same time? (1st METHOD MENTIONED, 3rd COMBINATION, MC49)

Inapplicable:
 R said no, don't know or refused to all birth control methods in EA series (computed variable EVERUSED = 2); R never had sex as of this month and never used a birth control method as of this month but ever used one or more birth control methods in EA series (WNFSTSEX GE 1093 and DATFIRSM GE 1093 and computed variable EVERUSED = 1); R did not use multiple methods in the month; or R used only 2 methods in the month; or R reported fewer than 3 BC method combinations.

	1553	6480	2446	10844	Blank	
	0	1	0	1	01	= Blank, inapplicable
	0	0	0	0	02	= NONE
	0	1	0	1	03	= OFFICE USE ONLY
	0	1	0	1	04	= BIRTH CONTROL PILLS
	0	0	0	0	05	= CONDOM
	0	0	0	0	06	= PARTNER'S VASECTOMY
	0	0	0	0	07	= DIAPHRAGM
	0	0	0	0	08	= FOAM
	0	0	0	0	09	= JELLY OR CREAM
	0	0	0	0	10	= CERVICAL CAP
	0	0	0	0	11	= SUPPOSITORY, INSERT
	0	0	0	0	12	= TODAY (TM) SPONGE
	0	0	0	0	13	= FEMALE CONDOM, VAGINAL POUCH
	0	0	0	0	14	= IUD, COIL, LOOP
	0	0	0	0	15	= NORPLANT (TM)
	0	0	0	0	16	= DEPO-PROVERA, INJECTABLES
	0	0	0	0	17	= MORNING AFTER PILLS
	0	0	0	0	18	= RHYTHM OR SAFE PERIOD BY CALENDAR
	0	0	0	0	19	= SAFE PERIOD BY TEMP, CERVICAL MUCUS TEST, NFP
	0	0	0	0	20	= WITHDRAWAL
	0	0	0	0	20	= RESPONDENT STERILE

(4742)

1995 NATIONAL SURVEY OF FAMILY GROWTH
 File Documentation
 Respondent File (Section E Questionnaire Items)

VARIABLE NAME	COLUMN LOCATION	NON-HISPANIC			TOTAL	QX	TEXT AND CODE CATEGORIES
		HISP	WHITE	BLACK			
		0	0	0	0	21	= PARTNER STERILE (NOT ON CARD)
		0	0	0	0	22	= OTHER METHOD-NOT SHOWN SEPARATELY
		0	0	0	0	97	= Not Ascertained
		0	0	0	0	98	= Refused
		0	0	0	0	99	= Don't Know

1995 NATIONAL SURVEY OF FAMILY GROWTH
 File Documentation
 Respondent File (Section E Questionnaire Items)

VARIABLE	COLUMN	NON-HISPANIC				QX TEXT AND CODE CATEGORIES
NAME	LOCATION	HISP	WHITE	BLACK		

[MTHUS585] 8555-8556

During that month, which (of those/other) methods, if any, did you use at the same time? (2nd METHOD MENTIONED, 3rd COMBINATION, MC49)

Inapplicable:
 R said no, don't know or refused to all birth control methods in EA series (computed variable EVERUSED = 2); R never had sex as of this month and never used a birth control method as of this month but ever used one or more birth control methods in EA series (WNFSTSEX GE 1093 and DATFIRSM GE 1093 and computed variable EVERUSED = 1); R did not use multiple methods in the month; or R used only 2 methods in the month; or R reported fewer than 3 BC method combinations; or R reported using fewer than 2 BC methods for this combination in this month of the method calendar.

1553	6481	2446	10845	Blank	= Blank, inapplicable
0	0	0	0	01	= NONE
0	0	0	0	02	= OFFICE USE ONLY
0	0	0	0	03	= BIRTH CONTROL PILLS
0	0	0	0	04	= CONDOM
0	0	0	0	05	= PARTNER'S VASECTOMY
0	0	0	0	06	= DIAPHRAGM
0	1	0	1	07	= FOAM
0	0	0	0	08	= JELLY OR CREAM
0	0	0	0	09	= CERVICAL CAP
0	0	0	0	10	= SUPPOSITORY, INSERT
0	0	0	0	11	= TODAY (TM) SPONGE
0	0	0	0	12	= FEMALE CONDOM, VAGINAL POUCH
0	0	0	0	13	= IUD, COIL, LOOP
0	0	0	0	14	= NORPLANT (TM)
0	0	0	0	15	= DEPO-PROVERA, INJECTABLES
0	0	0	0	16	= MORNING AFTER PILLS
0	0	0	0	17	= RHYTHM OR SAFE PERIOD BY CALENDAR
0	0	0	0	18	= SAFE PERIOD BY TEMP, CERVICAL MUCUS TEST,

(4744)

1995 NATIONAL SURVEY OF FAMILY GROWTH
 File Documentation
 Respondent File (Section E Questionnaire Items)

VARIABLE NAME	COLUMN LOCATION	NON-HISPANIC			TOTAL	QX	TEXT AND CODE CATEGORIES
		HISP	WHITE	BLACK			
		0	1	0	1	19	NFP
		0	0	0	0	20	= WITHDRAWAL
		0	0	0	0	21	= RESPONDENT STERILE
							= PARTNER STERILE (NOT ON CARD)
		0	0	0	0	22	= OTHER METHOD-NOT SHOWN SEPARATELY
		0	0	0	0	97	= Not Ascertained
		0	0	0	0	98	= Refused
		0	0	0	0	99	= Don't Know

1995 NATIONAL SURVEY OF FAMILY GROWTH
 File Documentation
 Respondent File (Section E Questionnaire Items)

VARIABLE	COLUMN	NON-HISPANIC				QX TEXT AND CODE CATEGORIES
NAME	LOCATION	HISP	WHITE	BLACK		

[MTHUS586] 8557-8558

During that month, which (of those/other) methods, if any, did you use at the same time? (3rd METHOD MENTIONED, 3rd COMBINATION, MC49)

Inapplicable:
 R said no, don't know or refused to all birth control methods in EA series (computed variable EVERUSED = 2); R never had sex as of this month and never used a birth control method as of this month but ever used one or more birth control methods in EA series (WNFSTSEX GE 1093 and DATFIRSM GE 1093 and computed variable EVERUSED = 1); R did not use multiple methods in the month; or R used only 2 methods in the month; or R reported fewer than 3 BC method combinations; or R reported using fewer than 3 BC methods for this combination in this month of the method calendar.

1553	6483	2446	10847	Blank	= Blank, inapplicable
0	0	0	0	01	= NONE
0	0	0	0	02	= OFFICE USE ONLY
0	0	0	0	03	= BIRTH CONTROL PILLS
0	0	0	0	04	= CONDOM
0	0	0	0	05	= PARTNER'S VASECTOMY
0	0	0	0	06	= DIAPHRAGM
0	0	0	0	07	= FOAM
0	0	0	0	08	= JELLY OR CREAM
0	0	0	0	09	= CERVICAL CAP
0	0	0	0	10	= SUPPOSITORY, INSERT
0	0	0	0	11	= TODAY (TM) SPONGE
0	0	0	0	12	= FEMALE CONDOM, VAGINAL POUCH
0	0	0	0	13	= IUD, COIL, LOOP
0	0	0	0	14	= NORPLANT (TM)
0	0	0	0	15	= DEPO-PROVERA, INJECTABLES
0	0	0	0	16	= MORNING AFTER PILLS
0	0	0	0	17	= RHYTHM OR SAFE PERIOD BY CALENDAR
0	0	0	0	18	= SAFE PERIOD BY TEMP, CERVICAL MUCUS TEST,

1995 NATIONAL SURVEY OF FAMILY GROWTH
 File Documentation
 Respondent File (Section E Questionnaire Items)

VARIABLE NAME	COLUMN LOCATION	NON-HISPANIC			TOTAL	QX	TEXT AND CODE CATEGORIES
		HISP	WHITE	BLACK			
		0	0	0	0	19	NFP = WITHDRAWAL
		0	0	0	0	20	= RESPONDENT STERILE
		0	0	0	0	21	= PARTNER STERILE (NOT ON CARD)
		0	0	0	0	22	= OTHER METHOD-NOT SHOWN SEPARATELY
		0	0	0	0	97	= Not Ascertained
		0	0	0	0	98	= Refused
		0	0	0	0	99	= Don't Know

1995 NATIONAL SURVEY OF FAMILY GROWTH
 File Documentation
 Respondent File (Section E Questionnaire Items)

VARIABLE NAME	COLUMN LOCATION	NON-HISPANIC			TOTAL	QX	TEXT AND CODE CATEGORIES
		HISP	WHITE	BLACK			
		0	0	0	0	19	NFP
		0	0	0	0	20	= WITHDRAWAL
		0	0	0	0	21	= RESPONDENT STERILE
							= PARTNER STERILE (NOT ON CARD)
		0	0	0	0	22	= OTHER METHOD-NOT SHOWN SEPARATELY
		0	0	0	0	97	= Not Ascertained
		0	0	0	0	98	= Refused
		0	0	0	0	99	= Don't Know

1995 NATIONAL SURVEY OF FAMILY GROWTH
 File Documentation
 Respondent File (Section E Questionnaire Items)

VARIABLE NAME	COLUMN LOCATION	NON-HISPANIC			QX TEXT AND CODE CATEGORIES		
		HISP	WHITE	BLACK		TOTAL	
[METHH196]	8561-8562				ENTER METHOD (FIRST MENTIONED) USED IN FEBRUARY 1995: (MC50)		
					Inapplicable: R never had sex as of this month and never used a birth control method as of this month but ever used one or more birth control methods in EA series (WNFSTSEX GE 1093 and DATFIRSM GE 1093 and computed variable EVERUSED = 1); month R was interviewed preceded this month; R never had sex and said no, don't know or refused to all birth control methods in EA series (computed variable RHADSEX coded 2,7,8 or 9 and computed variable EVERUSED = 2); R said no, don't know or refused to all birth control methods in EA series (computed variable EVERUSED = 2); or R completed the interview prior to this month.		
		273	922	389	1682	Blank	= Blank, inapplicable
		335	1261	520	2182	01	= NO METHODS USED
		0	0	0	0	02	= SAME AS PREVIOUS MONTH
		216	1133	335	1718	03	= BIRTH CONTROL PILLS
		193	851	350	1458	04	= CONDOM
		24	340	9	382	05	= PARTNER'S VASECTOMY
		5	79	11	96	06	= DIAPHRAGM
		2	27	3	32	07	= FOAM
		2	11	3	16	08	= JELLY OR CREAM
		1	2	0	3	09	= CERVICAL CAP
		4	23	8	37	10	= SUPPOSITORY, INSERT
		0	12	7	19	11	= TODAY (TM) SPONGE
		0	1	0	1	12	= FEMALE CONDOM, VAGINAL POUCH
		17	31	12	63	13	= IUD, COIL, LOOP
		22	51	37	113	14	= NORPLANT (TM)
		42	92	63	201	15	= DEPO-PROVERA, INJECTABLES
		0	0	0	0	16	= MORNING AFTER PILLS
		27	94	17	149	17	= RHYTHM OR SAFE PERIOD BY CALENDAR
		2	18	0	20	18	= SAFE PERIOD BY TEMP, CERVICAL MUCUS TEST, NFP

(4750)

1995 NATIONAL SURVEY OF FAMILY GROWTH
 File Documentation
 Respondent File (Section E Questionnaire Items)

VARIABLE NAME	COLUMN LOCATION	NON-HISPANIC			TOTAL	QX	TEXT AND CODE CATEGORIES
		HISP	WHITE	BLACK			
		36	128	22	196	19	= WITHDRAWAL
		330	1204	634	2223	20	= RESPONDENT STERILE
		20	191	14	229	21	= PARTNER STERILE (NOT ON CARD)
		2	7	9	18	22	= OTHER METHOD-NOT SHOWN SEPARATELY
		0	0	0	0	55	= SAME METHODS USED THROUGH END OF YEAR
		0	1	1	2	97	= Not Ascertained
		0	4	2	6	98	= Refused
		0	0	0	1	99	= Don't Know

1995 NATIONAL SURVEY OF FAMILY GROWTH
 File Documentation
 Respondent File (Section E Questionnaire Items)

VARIABLE	COLUMN	NON-HISPANIC			QX TEXT AND CODE CATEGORIES
NAME	LOCATION	HISP	WHITE	BLACK	TOTAL
[METHH197]	8563-8564				

ENTER METHOD (SECOND MENTIONED) USED
 IN FEBRUARY 1995: (MC50)

Inapplicable:
 R never had sex as of this month and never used a birth control method as of this month but ever used one or more birth control methods in EA series (WNFSTSEX GE 1093 and DATFIRSM GE 1093 and computed variable EVERUSED = 1); month R was interviewed preceded this month; R never had sex and said no, don't know or refused to all birth control methods in EA series (computed variable RHADSEX coded 2,7,8 or 9 and computed variable EVERUSED = 2); R said no, don't know or refused to all birth control methods in EA series (computed variable EVERUSED = 2); R used fewer than 2 methods in month; or R completed the interview prior to this month.

1488	6065	2303	10192	Blank	= Blank, inapplicable
0	0	0	0	01	= NO METHODS USED
0	0	0	0	02	= SAME AS PREVIOUS MONTH
1	7	5	13	03	= BIRTH CONTROL PILLS
13	122	62	204	04	= CONDOM
1	10	2	13	05	= PARTNER'S VASECTOMY
3	16	4	23	06	= DIAPHRAGM
6	23	7	36	07	= FOAM
4	16	5	25	08	= JELLY OR CREAM
0	0	0	0	09	= CERVICAL CAP
2	12	6	20	10	= SUPPOSITORY, INSERT
0	7	3	11	11	= TODAY (TM) SPONGE
0	0	0	0	12	= FEMALE CONDOM, VAGINAL POUCH
0	0	0	0	13	= IUD, COIL, LOOP
0	1	2	3	14	= NORPLANT (TM)
0	3	1	4	15	= DEPO-PROVERA, INJECTABLES
0	1	0	1	16	= MORNING AFTER PILLS
11	54	7	80	17	= RHYTHM OR SAFE PERIOD BY CALENDAR
0	8	1	9	18	= SAFE PERIOD BY TEMP, CERVICAL MUCUS TEST,

(4752)

1995 NATIONAL SURVEY OF FAMILY GROWTH
 File Documentation
 Respondent File (Section E Questionnaire Items)

VARIABLE NAME	COLUMN LOCATION	NON-HISPANIC			TOTAL	QX	TEXT AND CODE CATEGORIES
		HISP	WHITE	BLACK			
		22	114	19	166	19	NFP
		2	9	14	25	20	= WITHDRAWAL
		0	9	1	11	21	= RESPONDENT STERILE
							= PARTNER STERILE (NOT ON CARD)
		0	1	0	1	22	= OTHER METHOD-NOT SHOWN SEPARATELY
		0	0	0	0	55	= SAME METHODS USED THROUGH END OF YEAR
		0	1	2	3	97	= Not Ascertained
		0	4	2	6	98	= Refused
		0	0	0	1	99	= Don't Know

1995 NATIONAL SURVEY OF FAMILY GROWTH
 File Documentation
 Respondent File (Section E Questionnaire Items)

VARIABLE	COLUMN	NON-HISPANIC								
NAME	LOCATION	HISP	WHITE	BLACK						

[METHH198]	8565-8566				ENTER METHOD (THIRD MENTIONED) USED IN FEBRUARY 1995: (MC50)					
------------	-----------	--	--	--	---	--	--	--	--	--

Inapplicable:
 R never had sex as of this month and never used a birth control method as of this month but ever used one or more birth control methods in EA series (WNFSTSEX GE 1093 and DATFIRSM GE 1093 and computed variable EVERUSED = 1); month R was interviewed preceded this month; R never had sex and said no, don't know or refused to all birth control methods in EA series (computed variable RHADSEX coded 2,7,8 or 9 and computed variable EVERUSED = 2); R said no, don't know or refused to all birth control methods in EA series (computed variable EVERUSED = 2); R used fewer than 3 methods in month; R completed the interview prior to this month.

1545	6417	2413	10736	Blank		= Blank, inapplicable
0	0	0	0	01		= NO METHODS USED
0	0	0	0	02		= SAME AS PREVIOUS MONTH
0	1	0	1	03		= BIRTH CONTROL PILLS
0	2	0	2	04		= CONDOM
0	0	0	0	05		= PARTNER'S VASECTOMY
0	0	0	0	06		= DIAPHRAGM
0	1	0	1	07		= FOAM
0	4	0	4	08		= JELLY OR CREAM
0	0	0	0	09		= CERVICAL CAP
0	4	0	4	10		= SUPPOSITORY, INSERT
1	4	0	5	11		= TODAY (TM) SPONGE
1	0	0	1	12		= FEMALE CONDOM, VAGINAL POUCH
0	0	0	0	13		= IUD, COIL, LOOP
0	0	0	0	14		= NORPLANT (TM)
0	0	0	0	15		= DEPO-PROVERA, INJECTABLES
0	0	0	0	16		= MORNING AFTER PILLS
2	7	2	11	17		= RHYTHM OR SAFE PERIOD BY CALENDAR
0	4	0	5	18		= SAFE PERIOD BY TEMP, CERVICAL MUCUS TEST,

(4754)

1995 NATIONAL SURVEY OF FAMILY GROWTH
 File Documentation
 Respondent File (Section E Questionnaire Items)

VARIABLE NAME	COLUMN LOCATION	NON-HISPANIC			QX TEXT AND CODE CATEGORIES		
		HISP	WHITE	BLACK	TOTAL		
		2	26	3	32	19	NFP
		1	8	24	33	20	= WITHDRAWAL
		0	0	0	0	21	= RESPONDENT STERILE
		1	0	0	2	22	= PARTNER STERILE (NOT ON CARD)
		0	0	0	0	55	= OTHER METHOD-NOT SHOWN SEPARATELY
		0	1	2	3	97	= SAME METHODS USED THROUGH END OF YEAR
		0	4	2	6	98	= Not Ascertained
		0	0	0	1	99	= Refused
							= Don't Know

1995 NATIONAL SURVEY OF FAMILY GROWTH
 File Documentation
 Respondent File (Section E Questionnaire Items)

VARIABLE NAME	COLUMN LOCATION	NON-HISPANIC			QX TEXT AND CODE CATEGORIES	
		HISP	WHITE	BLACK	TOTAL	
[METHH199]	8567-8568					ENTER METHOD (FOURTH MENTIONED) USED IN FEBRUARY 1995: (MC50)

Inapplicable:
 R never had sex as of this month and never used a birth control method as of this month but ever used one or more birth control methods in EA series (WNFSTSEX GE 1093 and DATFIRSM GE 1093 and computed variable EVERUSED = 1); month R was interviewed preceded this month; R never had sex and said no, don't know or refused to all birth control methods in EA series (computed variable RHADSEX coded 2,7,8 or 9 and computed variable EVERUSED = 2); R said no, don't know or refused to all birth control methods in EA series (computed variable EVERUSED = 2); R used fewer than 4 methods in month; R completed the interview prior to this month.

1553	6470	2440	10827	Blank	= Blank, inapplicable
0	0	0	0	01	= NO METHODS USED
0	0	0	0	02	= SAME AS PREVIOUS MONTH
0	0	0	0	03	= BIRTH CONTROL PILLS
0	1	0	1	04	= CONDOM
0	0	0	0	05	= PARTNER'S VASECTOMY
0	0	0	0	06	= DIAPHRAGM
0	0	0	0	07	= FOAM
0	0	0	0	08	= JELLY OR CREAM
0	0	0	0	09	= CERVICAL CAP
0	0	1	1	10	= SUPPOSITORY, INSERT
0	1	0	1	11	= TODAY (TM) SPONGE
0	0	0	0	12	= FEMALE CONDOM, VAGINAL POUCH
0	0	0	0	13	= IUD, COIL, LOOP
0	0	0	0	14	= NORPLANT (TM)
0	0	0	0	15	= DEPO-PROVERA, INJECTABLES
0	0	0	0	16	= MORNING AFTER PILLS
0	2	0	2	17	= RHYTHM OR SAFE PERIOD BY CALENDAR
0	1	1	2	18	= SAFE PERIOD BY TEMP, CERVICAL MUCUS TEST,

(4756)

1995 NATIONAL SURVEY OF FAMILY GROWTH
 File Documentation
 Respondent File (Section E Questionnaire Items)

VARIABLE NAME	COLUMN LOCATION	NON-HISPANIC			TOTAL	QX	TEXT AND CODE CATEGORIES
		HISP	WHITE	BLACK			
		0	3	0	3	19	NFP = WITHDRAWAL
		0	0	0	0	20	= RESPONDENT STERILE
		0	0	0	0	21	= PARTNER STERILE (NOT ON CARD)
		0	0	0	0	22	= OTHER METHOD-NOT SHOWN SEPARATELY
		0	0	0	0	55	= SAME METHODS USED THROUGH END OF YEAR
		0	1	2	3	97	= Not Ascertained
		0	4	2	6	98	= Refused
		0	0	0	1	99	= Don't Know

[SIMSEQ49] 8569-8569

Did you use those methods together,
 that is, at the same time, or did
 you use them at different times
 during the month? (MC50)

Inapplicable:

R never had sex as of this month and
 never used a birth control method as
 of this month but ever used one or
 more birth control methods in EA
 series (WNFSTSEX GE 1093 and
 DATFIRSM GE 1093 and computed
 variable EVERUSED = 1); month R was
 interviewed preceded this month; R
 never had sex and said no, don't
 know or refused to all birth control
 methods in EA series (computed
 variable RHADSEX coded 2,7,8 or 9
 and computed variable EVERUSED = 2);
 R said no, don't know or refused to
 all birth control methods in EA
 series (computed variable EVERUSED =
 2); R did not use multiple methods
 in the month; R used more than 2
 methods in the month.

1495	6123	2313	10271	Blank	= Blank, inapplicable
34	236	102	387	1	= SAME TIME
24	124	30	188	2	= DIFFERENT TIMES
0	0	1	1	7	= Not Ascertained
0	0	0	0	8	= Refused
0	0	0	0	9	= Don't Know

1995 NATIONAL SURVEY OF FAMILY GROWTH
 File Documentation
 Respondent File (Section E Questionnaire Items)

VARIABLE	COLUMN	NON-HISPANIC			QX TEXT AND CODE CATEGORIES
NAME	LOCATION	HISP	WHITE	BLACK	TOTAL

[MTHUS588] 8570-8571

During that month, which (of those/other) methods, if any, did you use at the same time? (1st METHOD MENTIONED, 1st COMBINATION, MC50)

Inapplicable:
 R said no, don't know or refused to all birth control methods in EA series (computed variable EVERUSED = 2); R never had sex as of this month and never used a birth control method as of this month but ever used one or more birth control methods in EA series (WNFSTSEX GE 1093 and DATFIRSM GE 1093 and computed variable EVERUSED = 1); month R was interviewed preceded this month; R did not use multiple methods in the month; or R used only 2 methods in the month.

1546	6430	2440	10778	Blank	= Blank, inapplicable
2	16	1	19	01	= NONE
0	0	0	0	02	= OFFICE USE ONLY
0	7	0	9	03	= BIRTH CONTROL PILLS
5	17	3	26	04	= CONDOM
0	0	0	0	05	= PARTNER'S VASECTOMY
0	4	0	4	06	= DIAPHRAGM
0	1	0	1	07	= FOAM
0	0	0	0	08	= JELLY OR CREAM
0	0	0	0	09	= CERVICAL CAP
0	0	0	0	10	= SUPPOSITORY, INSERT
0	1	0	1	11	= TODAY (TM) SPONGE
0	0	0	0	12	= FEMALE CONDOM, VAGINAL POUCH
0	0	0	0	13	= IUD, COIL, LOOP
0	0	0	0	14	= NORPLANT (TM)
0	0	0	0	15	= DEPO-PROVERA, INJECTABLES
0	0	0	0	16	= MORNING AFTER PILLS
0	6	1	7	17	= RHYTHM OR SAFE PERIOD BY CALENDAR
0	0	0	0	18	= SAFE PERIOD BY TEMP, CERVICAL MUCUS TEST, NFP
0	1	0	1	19	= WITHDRAWAL
0	0	1	1	20	= RESPONDENT STERILE

(4758)

1995 NATIONAL SURVEY OF FAMILY GROWTH
 File Documentation
 Respondent File (Section E Questionnaire Items)

VARIABLE NAME	COLUMN LOCATION	NON-HISPANIC			QX	TEXT AND CODE CATEGORIES
		HISP	WHITE	BLACK		
		0	0	0	0	21 = PARTNER STERILE (NOT ON CARD)
		0	0	0	0	22 = OTHER METHOD-NOT SHOWN SEPARATELY
		0	0	0	0	97 = Not Ascertained
		0	0	0	0	98 = Refused
		0	0	0	0	99 = Don't Know

1995 NATIONAL SURVEY OF FAMILY GROWTH
 File Documentation
 Respondent File (Section E Questionnaire Items)

VARIABLE NAME	COLUMN LOCATION	NON-HISPANIC			TOTAL	QX	TEXT AND CODE CATEGORIES
		HISP	WHITE	BLACK			
		1	7	2	11	19	NFP
		0	0	0	0	20	= WITHDRAWAL
		0	0	0	0	21	= RESPONDENT STERILE
							= PARTNER STERILE (NOT ON CARD)
		0	0	0	0	22	= OTHER METHOD-NOT SHOWN SEPARATELY
		0	0	0	0	97	= Not Ascertained
		0	0	0	0	98	= Refused
		0	0	0	0	99	= Don't Know

1995 NATIONAL SURVEY OF FAMILY GROWTH
 File Documentation
 Respondent File (Section E Questionnaire Items)

VARIABLE COLUMN NON-HISPANIC
 NAME LOCATION HISP WHITE BLACK TOTAL QX TEXT AND CODE CATEGORIES

[MTHUS590] 8574-8575

During that month, which (of those/other) methods, if any, did you use at the same time? (3rd METHOD MENTIONED, 1st COMBINATION, MC50)

Inapplicable:
 R said no, don't know or refused to all birth control methods in EA series (computed variable EVERUSED = 2); R never had sex as of this month and never used a birth control method as of this month but ever used one or more birth control methods in EA series (WNFSTSEX GE 1093 and DATFIRSM GE 1093 and computed variable EVERUSED = 1); month R was interviewed preceded this month; R did not use multiple methods in the month; or R used only 2 methods in the month; or R reported using fewer than 3 BC methods for this combination in this month of the method calendar.

1548	6458	2443	10812	Blank	= Blank, inapplicable
0	0	0	0	01	= NONE
0	0	0	0	02	= OFFICE USE ONLY
0	0	0	0	03	= BIRTH CONTROL PILLS
0	0	0	0	04	= CONDOM
0	0	0	0	05	= PARTNER'S VASECTOMY
0	0	0	0	06	= DIAPHRAGM
0	0	0	0	07	= FOAM
0	4	0	4	08	= JELLY OR CREAM
0	0	0	0	09	= CERVICAL CAP
0	2	1	3	10	= SUPPOSITORY, INSERT
1	2	0	3	11	= TODAY (TM) SPONGE
0	0	0	0	12	= FEMALE CONDOM, VAGINAL POUCH
0	0	0	0	13	= IUD, COIL, LOOP
0	0	0	0	14	= NORPLANT (TM)
0	0	0	0	15	= DEPO-PROVERA, INJECTABLES
0	0	0	0	16	= MORNING AFTER PILLS
2	2	1	5	17	= RHYTHM OR SAFE PERIOD BY CALENDAR
0	3	0	4	18	= SAFE PERIOD BY TEMP, CERVICAL MUCUS TEST,

(4762)

1995 NATIONAL SURVEY OF FAMILY GROWTH
 File Documentation
 Respondent File (Section E Questionnaire Items)

VARIABLE NAME	COLUMN LOCATION	NON-HISPANIC			TOTAL	QX TEXT AND CODE CATEGORIES	
		HISP	WHITE	BLACK			
		1	12	1	15	19	NFP
		0	0	0	0	20	= WITHDRAWAL
		0	0	0	0	21	= RESPONDENT STERILE
							= PARTNER STERILE (NOT ON CARD)
		1	0	0	1	22	= OTHER METHOD-NOT SHOWN SEPARATELY
		0	0	0	0	97	= Not Ascertained
		0	0	0	0	98	= Refused
		0	0	0	0	99	= Don't Know

1995 NATIONAL SURVEY OF FAMILY GROWTH
 File Documentation
 Respondent File (Section E Questionnaire Items)

VARIABLE	COLUMN	NON-HISPANIC				
NAME	LOCATION	HISP	WHITE	BLACK	TOTAL	QX TEXT AND CODE CATEGORIES

[MTHUS591] 8576-8577

During that month, which (of those/other) methods, if any, did you use at the same time? (4th METHOD MENTIONED, 1st COMBINATION, MC50)

Inapplicable:
 R said no, don't know or refused to all birth control methods in EA series (computed variable EVERUSED = 2); R never had sex as of this month and never used a birth control method as of this month but ever used one or more birth control methods in EA series (WNFSTSEX GE 1093 and DATFIRSM GE 1093 and computed variable EVERUSED = 1); month R was interviewed preceded this month; R did not use multiple methods in the month; or R used only 2 methods in the month; or R reported using fewer than 4 BC methods for this combination in this month of the method calendar.

1553	6482	2445	10845	Blank	= Blank, inapplicable
0	0	0	0	01	= NONE
0	0	0	0	02	= OFFICE USE ONLY
0	0	0	0	03	= BIRTH CONTROL PILLS
0	1	0	1	04	= CONDOM
0	0	0	0	05	= PARTNER'S VASECTOMY
0	0	0	0	06	= DIAPHRAGM
0	0	0	0	07	= FOAM
0	0	0	0	08	= JELLY OR CREAM
0	0	0	0	09	= CERVICAL CAP
0	0	0	0	10	= SUPPOSITORY, INSERT
0	0	0	0	11	= TODAY (TM) SPONGE
0	0	0	0	12	= FEMALE CONDOM, VAGINAL POUCH
0	0	0	0	13	= IUD, COIL, LOOP
0	0	0	0	14	= NORPLANT (TM)
0	0	0	0	15	= DEPO-PROVERA, INJECTABLES
0	0	0	0	16	= MORNING AFTER PILLS
0	0	0	0	17	= RHYTHM OR SAFE PERIOD BY CALENDAR
0	0	1	1	18	= SAFE PERIOD BY TEMP, CERVICAL MUCUS TEST,

(4764)

1995 NATIONAL SURVEY OF FAMILY GROWTH
 File Documentation
 Respondent File (Section E Questionnaire Items)

VARIABLE NAME	COLUMN LOCATION	NON-HISPANIC			TOTAL	QX	TEXT AND CODE CATEGORIES
		HISP	WHITE	BLACK			
		0	0	0	0	19	NFP
		0	0	0	0	20	= WITHDRAWAL
		0	0	0	0	21	= RESPONDENT STERILE
							= PARTNER STERILE (NOT ON CARD)
		0	0	0	0	22	= OTHER METHOD-NOT SHOWN SEPARATELY
		0	0	0	0	97	= Not Ascertained
		0	0	0	0	98	= Refused
		0	0	0	0	99	= Don't Know

1995 NATIONAL SURVEY OF FAMILY GROWTH
 File Documentation
 Respondent File (Section E Questionnaire Items)

VARIABLE COLUMN NON-HISPANIC
 NAME LOCATION HISP WHITE BLACK TOTAL QX TEXT AND CODE CATEGORIES

[MTHUS592] 8578-8579

During that month, which (of those/other) methods, if any, did you use at the same time? (1st METHOD MENTIONED, 2nd COMBINATION, MC50)

Inapplicable:
 R said no, don't know or refused to all birth control methods in EA series (computed variable EVERUSED = 2); R never had sex as of this month and never used a birth control method as of this month but ever used one or more birth control methods in EA series (WNFSTSEX GE 1093 and DATFIRSM GE 1093 and computed variable EVERUSED = 1); month R was interviewed preceded this month; R did not use multiple methods in the month; or R used only 2 methods in the month; or R reported fewer than 2 BC method combinations.

1548	6446	2441	10797	Blank	
4	25	4	35	01	= Blank, inapplicable
0	0	0	0	02	= NONE
0	3	0	3	03	= OFFICE USE ONLY
0	4	0	5	04	= BIRTH CONTROL PILLS
0	0	0	0	05	= CONDOM
0	1	0	1	06	= PARTNER'S VASECTOMY
1	0	0	1	07	= DIAPHRAGM
0	2	0	2	08	= FOAM
0	0	0	0	09	= JELLY OR CREAM
0	0	0	0	10	= CERVICAL CAP
0	0	0	0	11	= SUPPOSITORY, INSERT
0	0	0	0	12	= TODAY (TM) SPONGE
0	0	0	0	13	= FEMALE CONDOM, VAGINAL POUCH
0	0	0	0	14	= IUD, COIL, LOOP
0	0	0	0	15	= NORPLANT (TM)
0	0	0	0	16	= DEPO-PROVERA, INJECTABLES
0	0	0	0	17	= MORNING AFTER PILLS
0	2	0	2	18	= RHYTHM OR SAFE PERIOD BY CALENDAR
0	0	0	0	18	= SAFE PERIOD BY TEMP, CERVICAL MUCUS TEST, NFP

1995 NATIONAL SURVEY OF FAMILY GROWTH
 File Documentation
 Respondent File (Section E Questionnaire Items)

VARIABLE NAME	COLUMN LOCATION	NON-HISPANIC			TOTAL	QX	TEXT AND CODE CATEGORIES
		HISP	WHITE	BLACK			
		0	0	0	0	19	= WITHDRAWAL
		0	0	1	1	20	= RESPONDENT STERILE
		0	0	0	0	21	= PARTNER STERILE (NOT ON CARD)
		0	0	0	0	22	= OTHER METHOD-NOT SHOWN SEPARATELY
		0	0	0	0	97	= Not Ascertained
		0	0	0	0	98	= Refused
		0	0	0	0	99	= Don't Know

1995 NATIONAL SURVEY OF FAMILY GROWTH
 File Documentation
 Respondent File (Section E Questionnaire Items)

VARIABLE	COLUMN	NON-HISPANIC			QX TEXT AND CODE CATEGORIES
NAME	LOCATION	HISP	WHITE	BLACK	TOTAL

[MTHUS593] 8580-8581

During that month, which (of those/other) methods, if any, did you use at the same time? (2nd METHOD MENTIONED, 2nd COMBINATION, MC50)

Inapplicable:
 R said no, don't know or refused to all birth control methods in EA series (computed variable EVERUSED = 2); R never had sex as of this month and never used a birth control method as of this month but ever used one or more birth control methods in EA series (WNFSTSEX GE 1093 and DATFIRSM GE 1093 and computed variable EVERUSED = 1); month R was interviewed preceded this month; R did not use multiple methods in the month; or R used only 2 methods in the month; or R reported fewer than 2 BC method combinations; or R reported using fewer than 2 BC methods for this combination in this month of the method calendar.

1552	6473	2445	10834	Blank	= Blank, inapplicable
0	0	0	0	01	= NONE
0	0	0	0	02	= OFFICE USE ONLY
0	0	0	0	03	= BIRTH CONTROL PILLS
1	3	0	4	04	= CONDOM
0	1	0	1	05	= PARTNER'S VASECTOMY
0	0	0	0	06	= DIAPHRAGM
0	1	0	1	07	= FOAM
0	0	0	0	08	= JELLY OR CREAM
0	0	0	0	09	= CERVICAL CAP
0	0	0	0	10	= SUPPOSITORY, INSERT
0	1	0	1	11	= TODAY (TM) SPONGE
0	0	0	0	12	= FEMALE CONDOM, VAGINAL POUCH
0	0	0	0	13	= IUD, COIL, LOOP
0	0	0	0	14	= NORPLANT (TM)
0	0	0	0	15	= DEPO-PROVERA, INJECTABLES
0	0	0	0	16	= MORNING AFTER PILLS
0	1	0	2	17	= RHYTHM OR SAFE PERIOD BY CALENDAR

(4768)

1995 NATIONAL SURVEY OF FAMILY GROWTH
 File Documentation
 Respondent File (Section E Questionnaire Items)

VARIABLE NAME	COLUMN LOCATION	NON-HISPANIC			TOTAL	QX	TEXT AND CODE CATEGORIES
		HISP	WHITE	BLACK			
		0	1	0	1	18	= SAFE PERIOD BY TEMP, CERVICAL MUCUS TEST, NFP
		0	2	1	3	19	= WITHDRAWAL
		0	0	0	0	20	= RESPONDENT STERILE
		0	0	0	0	21	= PARTNER STERILE (NOT ON CARD)
		0	0	0	0	22	= OTHER METHOD-NOT SHOWN SEPARATELY
		0	0	0	0	97	= Not Ascertained
		0	0	0	0	98	= Refused
		0	0	0	0	99	= Don't Know

1995 NATIONAL SURVEY OF FAMILY GROWTH
 File Documentation
 Respondent File (Section E Questionnaire Items)

VARIABLE	COLUMN	NON-HISPANIC			QX TEXT AND CODE CATEGORIES
NAME	LOCATION	HISP	WHITE	BLACK	TOTAL

[MTHUS594] 8582-8583

During that month, which (of those/other) methods, if any, did you use at the same time? (3rd METHOD MENTIONED, 2nd COMBINATION, MC50)

Inapplicable:
 R said no, don't know or refused to all birth control methods in EA series (computed variable EVERUSED = 2); R never had sex as of this month and never used a birth control method as of this month but ever used one or more birth control methods in EA series (WNFSTSEX GE 1093 and DATFIRSM GE 1093 and computed variable EVERUSED = 1); month R was interviewed preceded this month; R did not use multiple methods in the month; or R used only 2 methods in the month; or R reported fewer than 2 BC method combinations; or R reported using fewer than 3 BC methods for this combination in this month of the method calendar.

1552	6480	2446	10842	Blank	= Blank, inapplicable
0	0	0	0	01	= NONE
0	0	0	0	02	= OFFICE USE ONLY
0	0	0	0	03	= BIRTH CONTROL PILLS
0	0	0	0	04	= CONDOM
0	0	0	0	05	= PARTNER'S VASECTOMY
0	0	0	0	06	= DIAPHRAGM
0	0	0	0	07	= FOAM
0	1	0	1	08	= JELLY OR CREAM
0	0	0	0	09	= CERVICAL CAP
0	0	0	0	10	= SUPPOSITORY, INSERT
0	0	0	0	11	= TODAY (TM) SPONGE
0	0	0	0	12	= FEMALE CONDOM, VAGINAL POUCH
0	0	0	0	13	= IUD, COIL, LOOP
0	0	0	0	14	= NORPLANT (TM)
0	0	0	0	15	= DEPO-PROVERA, INJECTABLES
0	0	0	0	16	= MORNING AFTER PILLS
1	0	0	1	17	= RHYTHM OR SAFE PERIOD BY CALENDAR

(4770)

1995 NATIONAL SURVEY OF FAMILY GROWTH
 File Documentation
 Respondent File (Section E Questionnaire Items)

VARIABLE NAME	COLUMN LOCATION	NON-HISPANIC			TOTAL	QX	TEXT AND CODE CATEGORIES
		HISP	WHITE	BLACK			
		0	1	0	2	18	= SAFE PERIOD BY TEMP, CERVICAL MUCUS TEST, NFP
		0	1	0	1	19	= WITHDRAWAL
		0	0	0	0	20	= RESPONDENT STERILE
		0	0	0	0	21	= PARTNER STERILE (NOT ON CARD)
		0	0	0	0	22	= OTHER METHOD-NOT SHOWN SEPARATELY
		0	0	0	0	97	= Not Ascertained
		0	0	0	0	98	= Refused
		0	0	0	0	99	= Don't Know

1995 NATIONAL SURVEY OF FAMILY GROWTH
 File Documentation
 Respondent File (Section E Questionnaire Items)

VARIABLE	COLUMN	NON-HISPANIC				QX TEXT AND CODE CATEGORIES
NAME	LOCATION	HISP	WHITE	BLACK	TOTAL	

[MTHUS595] 8584-8585

During that month, which (of those/other) methods, if any, did you use at the same time? (4th METHOD MENTIONED, 2nd COMBINATION, MC50)

Inapplicable:
 R said no, don't know or refused to all birth control methods in EA series (computed variable EVERUSED = 2); R never had sex as of this month and never used a birth control method as of this month but ever used one or more birth control methods in EA series (WNFSTSEX GE 1093 and DATFIRSM GE 1093 and computed variable EVERUSED = 1); month R was interviewed preceded this month; R did not use multiple methods in the month; or R used only 2 methods in the month; or R reported fewer than 2 BC method combinations; or R reported using fewer than 4 BC methods for this combination in this month of the method calendar.

1553	6483	2446	10847	Blank	= Blank, inapplicable
0	0	0	0	01	= NONE
0	0	0	0	02	= OFFICE USE ONLY
0	0	0	0	03	= BIRTH CONTROL PILLS
0	0	0	0	04	= CONDOM
0	0	0	0	05	= PARTNER'S VASECTOMY
0	0	0	0	06	= DIAPHRAGM
0	0	0	0	07	= FOAM
0	0	0	0	08	= JELLY OR CREAM
0	0	0	0	09	= CERVICAL CAP
0	0	0	0	10	= SUPPOSITORY, INSERT
0	0	0	0	11	= TODAY (TM) SPONGE
0	0	0	0	12	= FEMALE CONDOM, VAGINAL POUCH
0	0	0	0	13	= IUD, COIL, LOOP
0	0	0	0	14	= NORPLANT (TM)
0	0	0	0	15	= DEPO-PROVERA, INJECTABLES
0	0	0	0	16	= MORNING AFTER PILLS
0	0	0	0	17	= RHYTHM OR SAFE PERIOD BY CALENDAR

1995 NATIONAL SURVEY OF FAMILY GROWTH
 File Documentation
 Respondent File (Section E Questionnaire Items)

VARIABLE NAME	COLUMN LOCATION	NON-HISPANIC			TOTAL	QX	TEXT AND CODE CATEGORIES
		HISP	WHITE	BLACK			
		0	0	0	0	18	= SAFE PERIOD BY TEMP, CERVICAL MUCUS TEST, NFP
		0	0	0	0	19	= WITHDRAWAL
		0	0	0	0	20	= RESPONDENT STERILE
		0	0	0	0	21	= PARTNER STERILE (NOT ON CARD)
		0	0	0	0	22	= OTHER METHOD-NOT SHOWN SEPARATELY
		0	0	0	0	97	= Not Ascertained
		0	0	0	0	98	= Refused
		0	0	0	0	99	= Don't Know

1995 NATIONAL SURVEY OF FAMILY GROWTH
 File Documentation
 Respondent File (Section E Questionnaire Items)

VARIABLE COLUMN NON-HISPANIC
 NAME LOCATION HISP WHITE BLACK TOTAL QX TEXT AND CODE CATEGORIES

[MTHUS596] 8586-8587

During that month, which (of those/other) methods, if any, did you use at the same time? (1st METHOD MENTIONED, 3rd COMBINATION, MC50)

Inapplicable:
 R said no, don't know or refused to all birth control methods in EA series (computed variable EVERUSED = 2); R never had sex as of this month and never used a birth control method as of this month but ever used one or more birth control methods in EA series (WNFSTSEX GE 1093 and DATFIRSM GE 1093 and computed variable EVERUSED = 1); month R was interviewed preceded this month; R did not use multiple methods in the month; or R used only 2 methods in the month; or R reported fewer than 3 BC method combinations.

1553	6481	2446	10845	Blank	= Blank, inapplicable
0	1	0	1	01	= NONE
0	0	0	0	02	= OFFICE USE ONLY
0	0	0	0	03	= BIRTH CONTROL PILLS
0	0	0	0	04	= CONDOM
0	0	0	0	05	= PARTNER'S VASECTOMY
0	0	0	0	06	= DIAPHRAGM
0	0	0	0	07	= FOAM
0	0	0	0	08	= JELLY OR CREAM
0	0	0	0	09	= CERVICAL CAP
0	1	0	1	10	= SUPPOSITORY, INSERT
0	0	0	0	11	= TODAY (TM) SPONGE
0	0	0	0	12	= FEMALE CONDOM, VAGINAL POUCH
0	0	0	0	13	= IUD, COIL, LOOP
0	0	0	0	14	= NORPLANT (TM)
0	0	0	0	15	= DEPO-PROVERA, INJECTABLES
0	0	0	0	16	= MORNING AFTER PILLS
0	0	0	0	17	= RHYTHM OR SAFE PERIOD BY CALENDAR
0	0	0	0	18	= SAFE PERIOD BY TEMP, CERVICAL MUCUS TEST, NFP

(4774)

1995 NATIONAL SURVEY OF FAMILY GROWTH
 File Documentation
 Respondent File (Section E Questionnaire Items)

VARIABLE NAME	COLUMN LOCATION	NON-HISPANIC			TOTAL	QX	TEXT AND CODE CATEGORIES
		HISP	WHITE	BLACK			
		0	0	0	0	19	= WITHDRAWAL
		0	0	0	0	20	= RESPONDENT STERILE
		0	0	0	0	21	= PARTNER STERILE (NOT ON CARD)
		0	0	0	0	22	= OTHER METHOD-NOT SHOWN SEPARATELY
		0	0	0	0	97	= Not Ascertained
		0	0	0	0	98	= Refused
		0	0	0	0	99	= Don't Know

1995 NATIONAL SURVEY OF FAMILY GROWTH
 File Documentation
 Respondent File (Section E Questionnaire Items)

VARIABLE	COLUMN	NON-HISPANIC				QX TEXT AND CODE CATEGORIES
NAME	LOCATION	HISP	WHITE	BLACK	TOTAL	

[MTHUS597] 8588-8589

During that month, which (of those/other) methods, if any, did you use at the same time? (2nd METHOD MENTIONED, 3rd COMBINATION, MC50)

Inapplicable:
 R said no, don't know or refused to all birth control methods in EA series (computed variable EVERUSED = 2); R never had sex as of this month and never used a birth control method as of this month but ever used one or more birth control methods in EA series (WNFSTSEX GE 1093 and DATFIRSM GE 1093 and computed variable EVERUSED = 1); month R was interviewed preceded this month; R did not use multiple methods in the month; or R used only 2 methods in the month; or R reported fewer than 3 BC method combinations; or R reported using fewer than 2 BC methods for this combination in this month of the method calendar.

1553	6482	2446	10846	Blank	= Blank, inapplicable
0	0	0	0	01	= NONE
0	0	0	0	02	= OFFICE USE ONLY
0	0	0	0	03	= BIRTH CONTROL PILLS
0	0	0	0	04	= CONDOM
0	0	0	0	05	= PARTNER'S VASECTOMY
0	0	0	0	06	= DIAPHRAGM
0	0	0	0	07	= FOAM
0	0	0	0	08	= JELLY OR CREAM
0	0	0	0	09	= CERVICAL CAP
0	0	0	0	10	= SUPPOSITORY, INSERT
0	0	0	0	11	= TODAY (TM) SPONGE
0	0	0	0	12	= FEMALE CONDOM, VAGINAL POUCH
0	0	0	0	13	= IUD, COIL, LOOP
0	0	0	0	14	= NORPLANT (TM)
0	0	0	0	15	= DEPO-PROVERA, INJECTABLES
0	0	0	0	16	= MORNING AFTER PILLS
0	0	0	0	17	= RHYTHM OR SAFE PERIOD BY CALENDAR

1995 NATIONAL SURVEY OF FAMILY GROWTH
 File Documentation
 Respondent File (Section E Questionnaire Items)

VARIABLE NAME	COLUMN LOCATION	NON-HISPANIC			TOTAL	QX	TEXT AND CODE CATEGORIES
		HISP	WHITE	BLACK			
		0	0	0	0	18	= SAFE PERIOD BY TEMP, CERVICAL MUCUS TEST, NFP
		0	1	0	1	19	= WITHDRAWAL
		0	0	0	0	20	= RESPONDENT STERILE
		0	0	0	0	21	= PARTNER STERILE (NOT ON CARD)
		0	0	0	0	22	= OTHER METHOD-NOT SHOWN SEPARATELY
		0	0	0	0	97	= Not Ascertained
		0	0	0	0	98	= Refused
		0	0	0	0	99	= Don't Know

1995 NATIONAL SURVEY OF FAMILY GROWTH
 File Documentation
 Respondent File (Section E Questionnaire Items)

VARIABLE	COLUMN	NON-HISPANIC				QX TEXT AND CODE CATEGORIES
NAME	LOCATION	HISP	WHITE	BLACK	TOTAL	

[MTHUS598] 8590-8591

During that month, which (of those/other) methods, if any, did you use at the same time? (3rd METHOD MENTIONED, 3rd COMBINATION, MC50)

Inapplicable:
 R said no, don't know or refused to all birth control methods in EA series (computed variable EVERUSED = 2); R never had sex as of this month and never used a birth control method as of this month but ever used one or more birth control methods in EA series (WNFSTSEX GE 1093 and DATFIRSM GE 1093 and computed variable EVERUSED = 1); month R was interviewed preceded this month; R did not use multiple methods in the month; or R used only 2 methods in the month; or R reported fewer than 3 BC method combinations; or R reported using fewer than 3 BC methods for this combination in this month of the method calendar.

1553	6483	2446	10847	Blank	= Blank, inapplicable
0	0	0	0	01	= NONE
0	0	0	0	02	= OFFICE USE ONLY
0	0	0	0	03	= BIRTH CONTROL PILLS
0	0	0	0	04	= CONDOM
0	0	0	0	05	= PARTNER'S VASECTOMY
0	0	0	0	06	= DIAPHRAGM
0	0	0	0	07	= FOAM
0	0	0	0	08	= JELLY OR CREAM
0	0	0	0	09	= CERVICAL CAP
0	0	0	0	10	= SUPPOSITORY, INSERT
0	0	0	0	11	= TODAY (TM) SPONGE
0	0	0	0	12	= FEMALE CONDOM, VAGINAL POUCH
0	0	0	0	13	= IUD, COIL, LOOP
0	0	0	0	14	= NORPLANT (TM)
0	0	0	0	15	= DEPO-PROVERA, INJECTABLES
0	0	0	0	16	= MORNING AFTER PILLS
0	0	0	0	17	= RHYTHM OR SAFE PERIOD BY CALENDAR

1995 NATIONAL SURVEY OF FAMILY GROWTH
 File Documentation
 Respondent File (Section E Questionnaire Items)

VARIABLE NAME	COLUMN LOCATION	NON-HISPANIC			TOTAL	QX	TEXT AND CODE CATEGORIES
		HISP	WHITE	BLACK			
		0	0	0	0	18	= SAFE PERIOD BY TEMP, CERVICAL MUCUS TEST, NFP
		0	0	0	0	19	= WITHDRAWAL
		0	0	0	0	20	= RESPONDENT STERILE
		0	0	0	0	21	= PARTNER STERILE (NOT ON CARD)
		0	0	0	0	22	= OTHER METHOD-NOT SHOWN SEPARATELY
		0	0	0	0	97	= Not Ascertained
		0	0	0	0	98	= Refused
		0	0	0	0	99	= Don't Know

1995 NATIONAL SURVEY OF FAMILY GROWTH
 File Documentation
 Respondent File (Section E Questionnaire Items)

VARIABLE	COLUMN	NON-HISPANIC				QX TEXT AND CODE CATEGORIES
NAME	LOCATION	HISP	WHITE	BLACK	TOTAL	

[MTHUS599] 8592-8593

During that month, which (of those/other) methods, if any, did you use at the same time? (4th METHOD MENTIONED, 3rd COMBINATION, MC50)

Inapplicable:
 R said no, don't know or refused to all birth control methods in EA series (computed variable EVERUSED = 2); R never had sex as of this month and never used a birth control method as of this month but ever used one or more birth control methods in EA series (WNFSTSEX GE 1093 and DATFIRSM GE 1093 and computed variable EVERUSED = 1); month R was interviewed preceded this month; R did not use multiple methods in the month; or R used only 2 methods in the month; or R reported fewer than 3 BC method combinations; or R reported using fewer than 4 BC methods for this combination in this month of the method calendar.

1553	6483	2446	10847	Blank	= Blank, inapplicable
0	0	0	0	01	= NONE
0	0	0	0	02	= OFFICE USE ONLY
0	0	0	0	03	= BIRTH CONTROL PILLS
0	0	0	0	04	= CONDOM
0	0	0	0	05	= PARTNER'S VASECTOMY
0	0	0	0	06	= DIAPHRAGM
0	0	0	0	07	= FOAM
0	0	0	0	08	= JELLY OR CREAM
0	0	0	0	09	= CERVICAL CAP
0	0	0	0	10	= SUPPOSITORY, INSERT
0	0	0	0	11	= TODAY (TM) SPONGE
0	0	0	0	12	= FEMALE CONDOM, VAGINAL POUCH
0	0	0	0	13	= IUD, COIL, LOOP
0	0	0	0	14	= NORPLANT (TM)
0	0	0	0	15	= DEPO-PROVERA, INJECTABLES
0	0	0	0	16	= MORNING AFTER PILLS
0	0	0	0	17	= RHYTHM OR SAFE PERIOD BY CALENDAR

(4780)

1995 NATIONAL SURVEY OF FAMILY GROWTH
 File Documentation
 Respondent File (Section E Questionnaire Items)

VARIABLE NAME	COLUMN LOCATION	NON-HISPANIC			QX	TEXT AND CODE CATEGORIES
		HISP	WHITE	BLACK		
		0	0	0	0	18 = SAFE PERIOD BY TEMP, CERVICAL MUCUS TEST, NFP
		0	0	0	0	19 = WITHDRAWAL
		0	0	0	0	20 = RESPONDENT STERILE
		0	0	0	0	21 = PARTNER STERILE (NOT ON CARD)
		0	0	0	0	22 = OTHER METHOD-NOT SHOWN SEPARATELY
		0	0	0	0	97 = Not Ascertained
		0	0	0	0	98 = Refused
		0	0	0	0	99 = Don't Know

1995 NATIONAL SURVEY OF FAMILY GROWTH
 File Documentation
 Respondent File (Section E Questionnaire Items)

VARIABLE NAME	COLUMN LOCATION	NON-HISPANIC			QX TEXT AND CODE CATEGORIES	
		HISP	WHITE	BLACK	TOTAL	
[METHH200]	8594-8595					ENTER METHOD (FIRST MENTIONED) USED IN MARCH 1995: (MC51)
						Inapplicable: R never had sex as of this month and never used a birth control method as of this month but ever used one or more birth control methods in EA series (WNFSTSEX GE 1093 and DATFIRSM GE 1093 and computed variable EVERUSED = 1); month R was interviewed preceded this month; R never had sex and said no, don't know or refused to all birth control methods in EA series (computed variable RHADSEX coded 2,7,8 or 9 and computed variable EVERUSED = 2); R said no, don't know or refused to all birth control methods in EA series (computed variable EVERUSED = 2); or R completed the interview prior to this month.
		516	2216	934	3819	Blank = Blank, inapplicable
		266	951	371	1643	01 = NO METHODS USED
		0	0	0	0	02 = SAME AS PREVIOUS MONTH
		179	877	253	1335	03 = BIRTH CONTROL PILLS
		159	666	265	1144	04 = CONDOM
		17	252	9	284	05 = PARTNER'S VASECTOMY
		3	65	5	74	06 = DIAPHRAGM
		1	21	3	25	07 = FOAM
		2	6	2	10	08 = JELLY OR CREAM
		0	2	0	2	09 = CERVICAL CAP
		2	18	7	29	10 = SUPPOSITORY, INSERT
		0	12	6	18	11 = TODAY (TM) SPONGE
		0	1	0	1	12 = FEMALE CONDOM, VAGINAL POUCH
		12	23	11	49	13 = IUD, COIL, LOOP
		17	40	26	85	14 = NORPLANT (TM)
		33	69	49	156	15 = DEPO-PROVERA, INJECTABLES
		0	0	0	0	16 = MORNING AFTER PILLS
		24	77	14	126	17 = RHYTHM OR SAFE PERIOD BY CALENDAR
		1	10	0	11	18 = SAFE PERIOD BY TEMP, CERVICAL MUCUS TEST, NFP

1995 NATIONAL SURVEY OF FAMILY GROWTH
 File Documentation
 Respondent File (Section E Questionnaire Items)

VARIABLE NAME	COLUMN LOCATION	NON-HISPANIC			QX	TEXT AND CODE CATEGORIES	
		HISP	WHITE	BLACK			TOTAL
		33	98	14	147	19	= WITHDRAWAL
		272	919	457	1690	20	= RESPONDENT STERILE
		14	150	12	179	21	= PARTNER STERILE (NOT ON CARD)
		2	4	6	12	22	= OTHER METHOD-NOT SHOWN SEPARATELY
		0	0	0	0	55	= SAME METHODS USED THROUGH END OF YEAR
		0	1	1	2	97	= Not Ascertained
		0	4	1	5	98	= Refused
		0	1	0	1	99	= Don't Know

1995 NATIONAL SURVEY OF FAMILY GROWTH
 File Documentation
 Respondent File (Section E Questionnaire Items)

VARIABLE	COLUMN	NON-HISPANIC			QX TEXT AND CODE CATEGORIES	
NAME	LOCATION	HISP	WHITE	BLACK	TOTAL	
[METHH201]	8596-8597					ENTER METHOD (SECOND MENTIONED) USED IN MARCH 1995: (MC51)

Inapplicable:
 R never had sex as of this month and never used a birth control method as of this month but ever used one or more birth control methods in EA series (WNFSTSEX GE 1093 and DATFIRSM GE 1093 and computed variable EVERUSED = 1); month R was interviewed preceded this month; R never had sex and said no, don't know or refused to all birth control methods in EA series (computed variable RHADSEX coded 2,7,8 or 9 and computed variable EVERUSED = 2); R said no, don't know or refused to all birth control methods in EA series (computed variable EVERUSED = 2); R used fewer than 2 methods in month; R completed the interview prior to this month.

1508	6162	2341	10354	Blank	= Blank, inapplicable
0	0	0	0	01	= NO METHODS USED
0	0	0	0	02	= SAME AS PREVIOUS MONTH
1	4	3	8	03	= BIRTH CONTROL PILLS
10	87	43	146	04	= CONDOM
0	8	2	10	05	= PARTNER'S VASECTOMY
3	12	4	19	06	= DIAPHRAGM
5	18	6	29	07	= FOAM
2	15	5	22	08	= JELLY OR CREAM
0	0	0	0	09	= CERVICAL CAP
1	13	2	16	10	= SUPPOSITORY, INSERT
0	7	3	11	11	= TODAY (TM) SPONGE
0	0	0	0	12	= FEMALE CONDOM, VAGINAL POUCH
0	0	0	0	13	= IUD, COIL, LOOP
0	1	1	2	14	= NORPLANT (TM)
0	3	1	4	15	= DEPO-PROVERA, INJECTABLES
0	1	0	1	16	= MORNING AFTER PILLS
7	39	4	56	17	= RHYTHM OR SAFE PERIOD BY CALENDAR
0	8	1	9	18	= SAFE PERIOD BY TEMP, CERVICAL MUCUS TEST,

(4784)

1995 NATIONAL SURVEY OF FAMILY GROWTH
 File Documentation
 Respondent File (Section E Questionnaire Items)

VARIABLE NAME	COLUMN LOCATION	NON-HISPANIC			TOTAL	QX	TEXT AND CODE CATEGORIES
		HISP	WHITE	BLACK			
		14	86	15	123	19	NFP
		2	6	12	20	20	= WITHDRAWAL
		0	7	1	9	21	= RESPONDENT STERILE
							= PARTNER STERILE (NOT ON CARD)
		0	0	0	0	22	= OTHER METHOD-NOT SHOWN SEPARATELY
		0	0	0	0	55	= SAME METHODS USED THROUGH END OF YEAR
		0	1	1	2	97	= Not Ascertained
		0	4	1	5	98	= Refused
		0	1	0	1	99	= Don't Know

1995 NATIONAL SURVEY OF FAMILY GROWTH
 File Documentation
 Respondent File (Section E Questionnaire Items)

VARIABLE COLUMN NON-HISPANIC
 NAME LOCATION HISP WHITE BLACK TOTAL QX TEXT AND CODE CATEGORIES

[METHH202] 8598-8599

ENTER METHOD (THIRD MENTIONED) USED
 IN MARCH 1995: (MC51)

Inapplicable:

R never had sex as of this month and never used a birth control method as of this month but ever used one or more birth control methods in EA series (WNFSTSEX GE 1093 and DATFIRSM GE 1093 and computed variable EVERUSED = 1); month R was interviewed preceded this month; R never had sex and said no, don't know or refused to all birth control methods in EA series (computed variable RHADSEX coded 2,7,8 or 9 and computed variable EVERUSED = 2); R said no, don't know or refused to all birth control methods in EA series (computed variable EVERUSED = 2); R used fewer than 3 methods in month; R completed the interview prior to this month.

1548	6428	2422	10760	Blank	= Blank, inapplicable
0	0	0	0	01	= NO METHODS USED
0	0	0	0	02	= SAME AS PREVIOUS MONTH
0	1	0	1	03	= BIRTH CONTROL PILLS
0	2	0	2	04	= CONDOM
0	0	0	0	05	= PARTNER'S VASECTOMY
0	0	0	0	06	= DIAPHRAGM
0	0	0	0	07	= FOAM
0	3	0	3	08	= JELLY OR CREAM
0	0	0	0	09	= CERVICAL CAP
0	2	0	2	10	= SUPPOSITORY, INSERT
1	4	0	5	11	= TODAY (TM) SPONGE
1	0	0	1	12	= FEMALE CONDOM, VAGINAL POUCH
0	0	0	0	13	= IUD, COIL, LOOP
0	0	0	0	14	= NORPLANT (TM)
0	0	0	0	15	= DEPO-PROVERA, INJECTABLES
0	0	0	0	16	= MORNING AFTER PILLS
2	6	2	10	17	= RHYTHM OR SAFE PERIOD BY CALENDAR
0	2	0	3	18	= SAFE PERIOD BY TEMP, CERVICAL MUCUS TEST,

(4786)

1995 NATIONAL SURVEY OF FAMILY GROWTH
 File Documentation
 Respondent File (Section E Questionnaire Items)

VARIABLE NAME	COLUMN LOCATION	NON-HISPANIC			TOTAL	QX	TEXT AND CODE CATEGORIES
		HISP	WHITE	BLACK			
		1	21	3	26	19	NFP
		0	8	17	25	20	= WITHDRAWAL
		0	0	0	0	21	= RESPONDENT STERILE
							= PARTNER STERILE (NOT ON CARD)
		0	0	0	1	22	= OTHER METHOD-NOT SHOWN SEPARATELY
		0	0	0	0	55	= SAME METHODS USED THROUGH END OF YEAR
		0	1	1	2	97	= Not Ascertained
		0	4	1	5	98	= Refused
		0	1	0	1	99	= Don't Know

1995 NATIONAL SURVEY OF FAMILY GROWTH
 File Documentation
 Respondent File (Section E Questionnaire Items)

VARIABLE	COLUMN	NON-HISPANIC			QX TEXT AND CODE CATEGORIES	
NAME	LOCATION	HISP	WHITE	BLACK	TOTAL	
[METHH203]	8600-8601					ENTER METHOD (FOURTH MENTIONED) USED IN MARCH 1995: (MC51)

Inapplicable:
 R never had sex as of this month and never used a birth control method as of this month but ever used one or more birth control methods in EA series (WNFSTSEX GE 1093 and DATFIRSM GE 1093 and computed variable EVERUSED = 1); month R was interviewed preceded this month; R never had sex and said no, don't know or refused to all birth control methods in EA series (computed variable RHADSEX coded 2,7,8 or 9 and computed variable EVERUSED = 2); R said no, don't know or refused to all birth control methods in EA series (computed variable EVERUSED = 2); R used fewer than 4 methods in month; R completed the interview prior to this month.

1553	6473	2442	10833	Blank	= Blank, inapplicable
0	0	0	0	01	= NO METHODS USED
0	0	0	0	02	= SAME AS PREVIOUS MONTH
0	0	0	0	03	= BIRTH CONTROL PILLS
0	1	0	1	04	= CONDOM
0	0	0	0	05	= PARTNER'S VASECTOMY
0	0	0	0	06	= DIAPHRAGM
0	0	0	0	07	= FOAM
0	0	0	0	08	= JELLY OR CREAM
0	0	0	0	09	= CERVICAL CAP
0	0	1	1	10	= SUPPOSITORY, INSERT
0	0	0	0	11	= TODAY (TM) SPONGE
0	0	0	0	12	= FEMALE CONDOM, VAGINAL POUCH
0	0	0	0	13	= IUD, COIL, LOOP
0	0	0	0	14	= NORPLANT (TM)
0	0	0	0	15	= DEPO-PROVERA, INJECTABLES
0	0	0	0	16	= MORNING AFTER PILLS
0	1	0	1	17	= RHYTHM OR SAFE PERIOD BY CALENDAR
0	0	1	1	18	= SAFE PERIOD BY TEMP, CERVICAL MUCUS TEST,

(4788)

1995 NATIONAL SURVEY OF FAMILY GROWTH
 File Documentation
 Respondent File (Section E Questionnaire Items)

VARIABLE NAME	COLUMN LOCATION	NON-HISPANIC			TOTAL	QX	TEXT AND CODE CATEGORIES
		HISP	WHITE	BLACK			
		0	2	0	2	19	NFP = WITHDRAWAL
		0	0	0	0	20	= RESPONDENT STERILE
		0	0	0	0	21	= PARTNER STERILE (NOT ON CARD)
		0	0	0	0	22	= OTHER METHOD-NOT SHOWN SEPARATELY
		0	0	0	0	55	= SAME METHODS USED THROUGH END OF YEAR
		0	1	1	2	97	= Not Ascertained
		0	4	1	5	98	= Refused
		0	1	0	1	99	= Don't Know

[SIMSEQ50] 8602-8602

Did you use those methods together,
 that is, at the same time, or did
 you use them at different times
 during the month? (MC51)

Inapplicable:

R never had sex as of this month and
 never used a birth control method as
 of this month but ever used one or
 more birth control methods in EA
 series (WNFSTSEX GE 1093 and
 DATFIRSM GE 1093 and computed
 variable EVERUSED = 1); month R was
 interviewed preceded this month; R
 never had sex and said no, don't
 know or refused to all birth control
 methods in EA series (computed
 variable RHADSEX coded 2,7,8 or 9
 and computed variable EVERUSED = 2);
 R said no, don't know or refused to
 all birth control methods in EA
 series (computed variable EVERUSED =
 2); R did not use multiple methods
 in the month; R used more than 2
 methods in the month.

1513	6209	2349	10417	Blank	= Blank, inapplicable
25	173	76	286	1	= SAME TIME
15	100	20	142	2	= DIFFERENT TIMES
0	0	1	1	7	= Not Ascertained
0	0	0	0	8	= Refused
0	1	0	1	9	= Don't Know

1995 NATIONAL SURVEY OF FAMILY GROWTH
 File Documentation
 Respondent File (Section E Questionnaire Items)

VARIABLE COLUMN NON-HISPANIC
 NAME LOCATION HISP WHITE BLACK TOTAL QX TEXT AND CODE CATEGORIES

[MTHUS600] 8603-8604

During that month, which (of those/other) methods, if any, did you use at the same time? (1st METHOD MENTIONED, 1st COMBINATION, MC51)

Inapplicable:
 R said no, don't know or refused to all birth control methods in EA series (computed variable EVERUSED = 2); R never had sex as of this month and never used a birth control method as of this month but ever used one or more birth control methods in EA series (WNFSTSEX GE 1093 and DATFIRSM GE 1093 and computed variable EVERUSED = 1); month R was interviewed preceded this month; R did not use multiple methods in the month; or R used only 2 methods in the month.

1548	6442	2440	10792	Blank	= Blank, inapplicable
2	14	1	17	01	= NONE
0	0	0	0	02	= OFFICE USE ONLY
0	6	0	8	03	= BIRTH CONTROL PILLS
3	11	3	18	04	= CONDOM
0	0	0	0	05	= PARTNER'S VASECTOMY
0	4	0	4	06	= DIAPHRAGM
0	0	0	0	07	= FOAM
0	0	0	0	08	= JELLY OR CREAM
0	0	0	0	09	= CERVICAL CAP
0	0	0	0	10	= SUPPOSITORY, INSERT
0	0	0	0	11	= TODAY (TM) SPONGE
0	0	0	0	12	= FEMALE CONDOM, VAGINAL POUCH
0	0	0	0	13	= IUD, COIL, LOOP
0	0	0	0	14	= NORPLANT (TM)
0	0	0	0	15	= DEPO-PROVERA, INJECTABLES
0	0	0	0	16	= MORNING AFTER PILLS
0	5	1	6	17	= RHYTHM OR SAFE PERIOD BY CALENDAR
0	0	0	0	18	= SAFE PERIOD BY TEMP, CERVICAL MUCUS TEST, NFP
0	1	0	1	19	= WITHDRAWAL
0	0	1	1	20	= RESPONDENT STERILE

(4790)

1995 NATIONAL SURVEY OF FAMILY GROWTH
 File Documentation
 Respondent File (Section E Questionnaire Items)

VARIABLE NAME	COLUMN LOCATION	NON-HISPANIC			QX	TEXT AND CODE CATEGORIES
		HISP	WHITE	BLACK		
		0	0	0	0	21 = PARTNER STERILE (NOT ON CARD)
		0	0	0	0	22 = OTHER METHOD-NOT SHOWN SEPARATELY
		0	0	0	0	97 = Not Ascertained
		0	0	0	0	98 = Refused
		0	0	0	0	99 = Don't Know

1995 NATIONAL SURVEY OF FAMILY GROWTH
 File Documentation
 Respondent File (Section E Questionnaire Items)

VARIABLE NAME	COLUMN LOCATION	NON-HISPANIC			TOTAL	QX	TEXT AND CODE CATEGORIES
		HISP	WHITE	BLACK			
		1	5	2	9	19	NFP
		0	0	0	0	20	= WITHDRAWAL
		0	0	0	0	21	= RESPONDENT STERILE
							= PARTNER STERILE (NOT ON CARD)
		0	0	0	0	22	= OTHER METHOD-NOT SHOWN SEPARATELY
		0	0	0	0	97	= Not Ascertained
		0	0	0	0	98	= Refused
		0	0	0	0	99	= Don't Know

1995 NATIONAL SURVEY OF FAMILY GROWTH
 File Documentation
 Respondent File (Section E Questionnaire Items)

VARIABLE COLUMN NON-HISPANIC
 NAME LOCATION HISP WHITE BLACK TOTAL QX TEXT AND CODE CATEGORIES

[MTHUS602] 8607-8608

During that month, which (of those/other) methods, if any, did you use at the same time? (3rd METHOD MENTIONED, 1st COMBINATION, MC51)

Inapplicable:
 R said no, don't know or refused to all birth control methods in EA series (computed variable EVERUSED = 2); R never had sex as of this month and never used a birth control method as of this month but ever used one or more birth control methods in EA series (WNFSTSEX GE 1093 and DATFIRSM GE 1093 and computed variable EVERUSED = 1); month R was interviewed preceded this month; R did not use multiple methods in the month; or R used only 2 methods in the month; or R reported using fewer than 3 BC methods for this combination in this month of the method calendar.

1550	6465	2443	10821	Blank	= Blank, inapplicable
0	0	0	0	01	= NONE
0	0	0	0	02	= OFFICE USE ONLY
0	0	0	0	03	= BIRTH CONTROL PILLS
0	0	0	0	04	= CONDOM
0	0	0	0	05	= PARTNER'S VASECTOMY
0	0	0	0	06	= DIAPHRAGM
0	0	0	0	07	= FOAM
0	3	0	3	08	= JELLY OR CREAM
0	0	0	0	09	= CERVICAL CAP
0	1	1	2	10	= SUPPOSITORY, INSERT
1	2	0	3	11	= TODAY (TM) SPONGE
0	0	0	0	12	= FEMALE CONDOM, VAGINAL POUCH
0	0	0	0	13	= IUD, COIL, LOOP
0	0	0	0	14	= NORPLANT (TM)
0	0	0	0	15	= DEPO-PROVERA, INJECTABLES
0	0	0	0	16	= MORNING AFTER PILLS
2	2	1	5	17	= RHYTHM OR SAFE PERIOD BY CALENDAR
0	1	0	2	18	= SAFE PERIOD BY TEMP, CERVICAL MUCUS TEST,

(4794)

1995 NATIONAL SURVEY OF FAMILY GROWTH
 File Documentation
 Respondent File (Section E Questionnaire Items)

VARIABLE NAME	COLUMN LOCATION	NON-HISPANIC			TOTAL	QX	TEXT AND CODE CATEGORIES
		HISP	WHITE	BLACK			
		0	9	1	11	19	NFP
		0	0	0	0	20	= WITHDRAWAL
		0	0	0	0	21	= RESPONDENT STERILE
							= PARTNER STERILE (NOT ON CARD)
		0	0	0	0	22	= OTHER METHOD-NOT SHOWN SEPARATELY
		0	0	0	0	97	= Not Ascertained
		0	0	0	0	98	= Refused
		0	0	0	0	99	= Don't Know

1995 NATIONAL SURVEY OF FAMILY GROWTH
 File Documentation
 Respondent File (Section E Questionnaire Items)

VARIABLE	COLUMN	NON-HISPANIC				
NAME	LOCATION	HISP	WHITE	BLACK	TOTAL	QX TEXT AND CODE CATEGORIES

[MTHUS603] 8609-8610

During that month, which (of those/other) methods, if any, did you use at the same time? (4th METHOD MENTIONED, 1st COMBINATION, MC51)

Inapplicable:
 R said no, don't know or refused to all birth control methods in EA series (computed variable EVERUSED = 2); R never had sex as of this month and never used a birth control method as of this month but ever used one or more birth control methods in EA series (WNFSTSEX GE 1093 and DATFIRSM GE 1093 and computed variable EVERUSED = 1); month R was interviewed preceded this month; R did not use multiple methods in the month; or R used only 2 methods in the month; or R reported using fewer than 4 BC methods for this combination in this month of the method calendar.

1553	6482	2445	10845	Blank	= Blank, inapplicable
0	0	0	0	01	= NONE
0	0	0	0	02	= OFFICE USE ONLY
0	0	0	0	03	= BIRTH CONTROL PILLS
0	1	0	1	04	= CONDOM
0	0	0	0	05	= PARTNER'S VASECTOMY
0	0	0	0	06	= DIAPHRAGM
0	0	0	0	07	= FOAM
0	0	0	0	08	= JELLY OR CREAM
0	0	0	0	09	= CERVICAL CAP
0	0	0	0	10	= SUPPOSITORY, INSERT
0	0	0	0	11	= TODAY (TM) SPONGE
0	0	0	0	12	= FEMALE CONDOM, VAGINAL POUCH
0	0	0	0	13	= IUD, COIL, LOOP
0	0	0	0	14	= NORPLANT (TM)
0	0	0	0	15	= DEPO-PROVERA, INJECTABLES
0	0	0	0	16	= MORNING AFTER PILLS
0	0	0	0	17	= RHYTHM OR SAFE PERIOD BY CALENDAR
0	0	1	1	18	= SAFE PERIOD BY TEMP, CERVICAL MUCUS TEST,

1995 NATIONAL SURVEY OF FAMILY GROWTH
 File Documentation
 Respondent File (Section E Questionnaire Items)

VARIABLE NAME	COLUMN LOCATION	NON-HISPANIC			TOTAL	QX	TEXT AND CODE CATEGORIES
		HISP	WHITE	BLACK			
		0	0	0	0	19	NFP = WITHDRAWAL
		0	0	0	0	20	= RESPONDENT STERILE
		0	0	0	0	21	= PARTNER STERILE (NOT ON CARD)
		0	0	0	0	22	= OTHER METHOD-NOT SHOWN SEPARATELY
		0	0	0	0	97	= Not Ascertained
		0	0	0	0	98	= Refused
		0	0	0	0	99	= Don't Know

1995 NATIONAL SURVEY OF FAMILY GROWTH
 File Documentation
 Respondent File (Section E Questionnaire Items)

VARIABLE	COLUMN	NON-HISPANIC				QX TEXT AND CODE CATEGORIES
NAME	LOCATION	HISP	WHITE	BLACK		

[MTHUS604] 8611-8612

During that month, which (of those/other) methods, if any, did you use at the same time? (1st METHOD MENTIONED, 2nd COMBINATION, MC51)

Inapplicable:
 R said no, don't know or refused to all birth control methods in EA series (computed variable EVERUSED = 2); R never had sex as of this month and never used a birth control method as of this month but ever used one or more birth control methods in EA series (WNFSTSEX GE 1093 and DATFIRSM GE 1093 and computed variable EVERUSED = 1); month R was interviewed preceded this month; R did not use multiple methods in the month; or R used only 2 methods in the month; or R reported fewer than 2 BC method combinations.

1550	6456	2441	10809	Blank	= Blank, inapplicable
2	18	4	26	01	= NONE
0	0	0	0	02	= OFFICE USE ONLY
0	3	0	3	03	= BIRTH CONTROL PILLS
0	2	0	3	04	= CONDOM
0	0	0	0	05	= PARTNER'S VASECTOMY
0	0	0	0	06	= DIAPHRAGM
1	0	0	1	07	= FOAM
0	2	0	2	08	= JELLY OR CREAM
0	0	0	0	09	= CERVICAL CAP
0	0	0	0	10	= SUPPOSITORY, INSERT
0	0	0	0	11	= TODAY (TM) SPONGE
0	0	0	0	12	= FEMALE CONDOM, VAGINAL POUCH
0	0	0	0	13	= IUD, COIL, LOOP
0	0	0	0	14	= NORPLANT (TM)
0	0	0	0	15	= DEPO-PROVERA, INJECTABLES
0	0	0	0	16	= MORNING AFTER PILLS
0	2	0	2	17	= RHYTHM OR SAFE PERIOD BY CALENDAR
0	0	0	0	18	= SAFE PERIOD BY TEMP, CERVICAL MUCUS TEST, NFP

1995 NATIONAL SURVEY OF FAMILY GROWTH
 File Documentation
 Respondent File (Section E Questionnaire Items)

VARIABLE NAME	COLUMN LOCATION	NON-HISPANIC			TOTAL	QX	TEXT AND CODE CATEGORIES
		HISP	WHITE	BLACK			
		0	0	0	0	19	= WITHDRAWAL
		0	0	1	1	20	= RESPONDENT STERILE
		0	0	0	0	21	= PARTNER STERILE (NOT ON CARD)
		0	0	0	0	22	= OTHER METHOD-NOT SHOWN SEPARATELY
		0	0	0	0	97	= Not Ascertained
		0	0	0	0	98	= Refused
		0	0	0	0	99	= Don't Know

1995 NATIONAL SURVEY OF FAMILY GROWTH
 File Documentation
 Respondent File (Section E Questionnaire Items)

VARIABLE COLUMN NON-HISPANIC
 NAME LOCATION HISP WHITE BLACK TOTAL QX TEXT AND CODE CATEGORIES

[MTHUS605] 8613-8614

During that month, which (of those/other) methods, if any, did you use at the same time? (2nd METHOD MENTIONED, 2nd COMBINATION, MC51)

Inapplicable:
 R said no, don't know or refused to all birth control methods in EA series (computed variable EVERUSED = 2); R never had sex as of this month and never used a birth control method as of this month but ever used one or more birth control methods in EA series (WNFSTSEX GE 1093 and DATFIRSM GE 1093 and computed variable EVERUSED = 1); month R was interviewed preceded this month; R did not use multiple methods in the month; or R used only 2 methods in the month; or R reported fewer than 2 BC method combinations; or R reported using fewer than 2 BC methods for this combination in this month of the method calendar.

	1552	6476	2445	10837	Blank	
	0	0	0	0	01	= Blank, inapplicable
	0	0	0	0	02	= NONE
	0	0	0	0	03	= OFFICE USE ONLY
	1	2	0	3	04	= BIRTH CONTROL PILLS
	0	1	0	1	05	= CONDOM
	0	0	0	0	06	= PARTNER'S VASECTOMY
	0	0	0	0	07	= DIAPHRAGM
	0	0	0	0	08	= FOAM
	0	0	0	0	09	= JELLY OR CREAM
	0	0	0	0	10	= CERVICAL CAP
	0	1	0	1	11	= SUPPOSITORY, INSERT
	0	0	0	0	12	= TODAY (TM) SPONGE
						= FEMALE CONDOM, VAGINAL POUCH
	0	0	0	0	13	= IUD, COIL, LOOP
	0	0	0	0	14	= NORPLANT (TM)
	0	0	0	0	15	= DEPO-PROVERA, INJECTABLES
	0	0	0	0	16	= MORNING AFTER PILLS
	0	0	0	1	17	= RHYTHM OR SAFE PERIOD BY CALENDAR

(4800)

1995 NATIONAL SURVEY OF FAMILY GROWTH
 File Documentation
 Respondent File (Section E Questionnaire Items)

VARIABLE NAME	COLUMN LOCATION	NON-HISPANIC			TOTAL	QX	TEXT AND CODE CATEGORIES
		HISP	WHITE	BLACK			
		0	0	0	0	18	= SAFE PERIOD BY TEMP, CERVICAL MUCUS TEST, NFP
		0	3	1	4	19	= WITHDRAWAL
		0	0	0	0	20	= RESPONDENT STERILE
		0	0	0	0	21	= PARTNER STERILE (NOT ON CARD)
		0	0	0	0	22	= OTHER METHOD-NOT SHOWN SEPARATELY
		0	0	0	0	97	= Not Ascertained
		0	0	0	0	98	= Refused
		0	0	0	0	99	= Don't Know

1995 NATIONAL SURVEY OF FAMILY GROWTH
 File Documentation
 Respondent File (Section E Questionnaire Items)

VARIABLE	COLUMN	NON-HISPANIC				QX TEXT AND CODE CATEGORIES
NAME	LOCATION	HISP	WHITE	BLACK	TOTAL	

[MTHUS606] 8615-8616

During that month, which (of those/other) methods, if any, did you use at the same time? (3rd METHOD MENTIONED, 2nd COMBINATION, MC51)

Inapplicable:
 R said no, don't know or refused to all birth control methods in EA series (computed variable EVERUSED = 2); R never had sex as of this month and never used a birth control method as of this month but ever used one or more birth control methods in EA series (WNFSTSEX GE 1093 and DATFIRSM GE 1093 and computed variable EVERUSED = 1); month R was interviewed preceded this month; R did not use multiple methods in the month; or R used only 2 methods in the month; or R reported fewer than 2 BC method combinations; or R reported using fewer than 3 BC methods for this combination in this month of the method calendar.

1552	6482	2446	10844	Blank	= Blank, inapplicable
0	0	0	0	01	= NONE
0	0	0	0	02	= OFFICE USE ONLY
0	0	0	0	03	= BIRTH CONTROL PILLS
0	0	0	0	04	= CONDOM
0	0	0	0	05	= PARTNER'S VASECTOMY
0	0	0	0	06	= DIAPHRAGM
0	0	0	0	07	= FOAM
0	1	0	1	08	= JELLY OR CREAM
0	0	0	0	09	= CERVICAL CAP
0	0	0	0	10	= SUPPOSITORY, INSERT
0	0	0	0	11	= TODAY (TM) SPONGE
0	0	0	0	12	= FEMALE CONDOM, VAGINAL POUCH
0	0	0	0	13	= IUD, COIL, LOOP
0	0	0	0	14	= NORPLANT (TM)
0	0	0	0	15	= DEPO-PROVERA, INJECTABLES
0	0	0	0	16	= MORNING AFTER PILLS
1	0	0	1	17	= RHYTHM OR SAFE PERIOD BY CALENDAR

1995 NATIONAL SURVEY OF FAMILY GROWTH
 File Documentation
 Respondent File (Section E Questionnaire Items)

VARIABLE NAME	COLUMN LOCATION	NON-HISPANIC			TOTAL	QX	TEXT AND CODE CATEGORIES
		HISP	WHITE	BLACK			
		0	0	0	1	18	= SAFE PERIOD BY TEMP, CERVICAL MUCUS TEST, NFP
		0	0	0	0	19	= WITHDRAWAL
		0	0	0	0	20	= RESPONDENT STERILE
		0	0	0	0	21	= PARTNER STERILE (NOT ON CARD)
		0	0	0	0	22	= OTHER METHOD-NOT SHOWN SEPARATELY
		0	0	0	0	97	= Not Ascertained
		0	0	0	0	98	= Refused
		0	0	0	0	99	= Don't Know

1995 NATIONAL SURVEY OF FAMILY GROWTH
 File Documentation
 Respondent File (Section E Questionnaire Items)

VARIABLE	COLUMN	NON-HISPANIC								
NAME	LOCATION	HISP	WHITE	BLACK						

[MTHUS607] 8617-8618

During that month, which (of those/other) methods, if any, did you use at the same time? (4th METHOD MENTIONED, 2nd COMBINATION, MC51)

Inapplicable:
 R said no, don't know or refused to all birth control methods in EA series (computed variable EVERUSED = 2); R never had sex as of this month and never used a birth control method as of this month but ever used one or more birth control methods in EA series (WNFSTSEX GE 1093 and DATFIRSM GE 1093 and computed variable EVERUSED = 1); month R was interviewed preceded this month; R did not use multiple methods in the month; or R used only 2 methods in the month; or R reported fewer than 2 BC method combinations; or R reported using fewer than 4 BC methods for this combination in this month of the method calendar.

1553	6483	2446	10847	Blank	= Blank, inapplicable					
0	0	0	0	01	= NONE					
0	0	0	0	02	= OFFICE USE ONLY					
0	0	0	0	03	= BIRTH CONTROL PILLS					
0	0	0	0	04	= CONDOM					
0	0	0	0	05	= PARTNER'S VASECTOMY					
0	0	0	0	06	= DIAPHRAGM					
0	0	0	0	07	= FOAM					
0	0	0	0	08	= JELLY OR CREAM					
0	0	0	0	09	= CERVICAL CAP					
0	0	0	0	10	= SUPPOSITORY, INSERT					
0	0	0	0	11	= TODAY (TM) SPONGE					
0	0	0	0	12	= FEMALE CONDOM, VAGINAL POUCH					
0	0	0	0	13	= IUD, COIL, LOOP					
0	0	0	0	14	= NORPLANT (TM)					
0	0	0	0	15	= DEPO-PROVERA, INJECTABLES					
0	0	0	0	16	= MORNING AFTER PILLS					
0	0	0	0	17	= RHYTHM OR SAFE PERIOD BY CALENDAR					

1995 NATIONAL SURVEY OF FAMILY GROWTH
 File Documentation
 Respondent File (Section E Questionnaire Items)

VARIABLE NAME	COLUMN LOCATION	NON-HISPANIC			TOTAL	QX	TEXT AND CODE CATEGORIES
		HISP	WHITE	BLACK			
		0	0	0	0	18	= SAFE PERIOD BY TEMP, CERVICAL MUCUS TEST, NFP
		0	0	0	0	19	= WITHDRAWAL
		0	0	0	0	20	= RESPONDENT STERILE
		0	0	0	0	21	= PARTNER STERILE (NOT ON CARD)
		0	0	0	0	22	= OTHER METHOD-NOT SHOWN SEPARATELY
		0	0	0	0	97	= Not Ascertained
		0	0	0	0	98	= Refused
		0	0	0	0	99	= Don't Know

1995 NATIONAL SURVEY OF FAMILY GROWTH
 File Documentation
 Respondent File (Section E Questionnaire Items)

VARIABLE	COLUMN	NON-HISPANIC				
NAME	LOCATION	HISP	WHITE	BLACK	TOTAL	QX TEXT AND CODE CATEGORIES

[MTHUS608] 8619-8620

During that month, which (of those/other) methods, if any, did you use at the same time? (1st METHOD MENTIONED, 3rd COMBINATION, MC51)

Inapplicable:
 R said no, don't know or refused to all birth control methods in EA series (computed variable EVERUSED = 2); R never had sex as of this month and never used a birth control method as of this month but ever used one or more birth control methods in EA series (WNFSTSEX GE 1093 and DATFIRSM GE 1093 and computed variable EVERUSED = 1); month R was interviewed preceded this month; R did not use multiple methods in the month; or R used only 2 methods in the month; or R reported fewer than 3 BC method combinations.

1553	6483	2446	10847	Blank	= Blank, inapplicable
0	0	0	0	01	= NONE
0	0	0	0	02	= OFFICE USE ONLY
0	0	0	0	03	= BIRTH CONTROL PILLS
0	0	0	0	04	= CONDOM
0	0	0	0	05	= PARTNER'S VASECTOMY
0	0	0	0	06	= DIAPHRAGM
0	0	0	0	07	= FOAM
0	0	0	0	08	= JELLY OR CREAM
0	0	0	0	09	= CERVICAL CAP
0	0	0	0	10	= SUPPOSITORY, INSERT
0	0	0	0	11	= TODAY (TM) SPONGE
0	0	0	0	12	= FEMALE CONDOM, VAGINAL POUCH
0	0	0	0	13	= IUD, COIL, LOOP
0	0	0	0	14	= NORPLANT (TM)
0	0	0	0	15	= DEPO-PROVERA, INJECTABLES
0	0	0	0	16	= MORNING AFTER PILLS
0	0	0	0	17	= RHYTHM OR SAFE PERIOD BY CALENDAR
0	0	0	0	18	= SAFE PERIOD BY TEMP, CERVICAL MUCUS TEST, NFP

1995 NATIONAL SURVEY OF FAMILY GROWTH
 File Documentation
 Respondent File (Section E Questionnaire Items)

VARIABLE NAME	COLUMN LOCATION	NON-HISPANIC			TOTAL	QX	TEXT AND CODE CATEGORIES
		HISP	WHITE	BLACK			
		0	0	0	0	19	= WITHDRAWAL
		0	0	0	0	20	= RESPONDENT STERILE
		0	0	0	0	21	= PARTNER STERILE (NOT ON CARD)
		0	0	0	0	22	= OTHER METHOD-NOT SHOWN SEPARATELY
		0	0	0	0	97	= Not Ascertained
		0	0	0	0	98	= Refused
		0	0	0	0	99	= Don't Know

1995 NATIONAL SURVEY OF FAMILY GROWTH
File Documentation
Respondent File (Section E Questionnaire Items)

VARIABLE	COLUMN	NON-HISPANIC				QX TEXT AND CODE CATEGORIES
NAME	LOCATION	HISP	WHITE	BLACK	TOTAL	

[MTHUS609] 8621-8622

During that month, which (of those/other) methods, if any, did you use at the same time? (2nd METHOD MENTIONED, 3rd COMBINATION, MC51)

Inapplicable:
R said no, don't know or refused to all birth control methods in EA series (computed variable EVERUSED = 2); R never had sex as of this month and never used a birth control method as of this month but ever used one or more birth control methods in EA series (WNFSTSEX GE 1093 and DATFIRSM GE 1093 and computed variable EVERUSED = 1); month R was interviewed preceded this month; R did not use multiple methods in the month; or R used only 2 methods in the month; or R reported fewer than 3 BC method combinations; or R reported using fewer than 2 BC methods for this combination in this month of the method calendar.

1553	6483	2446	10847	Blank	= Blank, inapplicable
0	0	0	0	01	= NONE
0	0	0	0	02	= OFFICE USE ONLY
0	0	0	0	03	= BIRTH CONTROL PILLS
0	0	0	0	04	= CONDOM
0	0	0	0	05	= PARTNER'S VASECTOMY
0	0	0	0	06	= DIAPHRAGM
0	0	0	0	07	= FOAM
0	0	0	0	08	= JELLY OR CREAM
0	0	0	0	09	= CERVICAL CAP
0	0	0	0	10	= SUPPOSITORY, INSERT
0	0	0	0	11	= TODAY (TM) SPONGE
0	0	0	0	12	= FEMALE CONDOM, VAGINAL POUCH
0	0	0	0	13	= IUD, COIL, LOOP
0	0	0	0	14	= NORPLANT (TM)
0	0	0	0	15	= DEPO-PROVERA, INJECTABLES
0	0	0	0	16	= MORNING AFTER PILLS
0	0	0	0	17	= RHYTHM OR SAFE PERIOD BY CALENDAR

1995 NATIONAL SURVEY OF FAMILY GROWTH
 File Documentation
 Respondent File (Section E Questionnaire Items)

VARIABLE NAME	COLUMN LOCATION	NON-HISPANIC			TOTAL	QX	TEXT AND CODE CATEGORIES
		HISP	WHITE	BLACK			
		0	0	0	0	18	= SAFE PERIOD BY TEMP, CERVICAL MUCUS TEST, NFP
		0	0	0	0	19	= WITHDRAWAL
		0	0	0	0	20	= RESPONDENT STERILE
		0	0	0	0	21	= PARTNER STERILE (NOT ON CARD)
		0	0	0	0	22	= OTHER METHOD-NOT SHOWN SEPARATELY
		0	0	0	0	97	= Not Ascertained
		0	0	0	0	98	= Refused
		0	0	0	0	99	= Don't Know

1995 NATIONAL SURVEY OF FAMILY GROWTH
 File Documentation
 Respondent File (Section E Questionnaire Items)

VARIABLE	COLUMN	NON-HISPANIC		
NAME	LOCATION	HISP	WHITE BLACK TOTAL	QX TEXT AND CODE CATEGORIES

[MTHUS610] 8623-8624

During that month, which (of those/other) methods, if any, did you use at the same time? (3rd METHOD MENTIONED, 3rd COMBINATION, MC51)

Inapplicable:
 R said no, don't know or refused to all birth control methods in EA series (computed variable EVERUSED = 2); R never had sex as of this month and never used a birth control method as of this month but ever used one or more birth control methods in EA series (WNFSTSEX GE 1093 and DATFIRSM GE 1093 and computed variable EVERUSED = 1); month R was interviewed preceded this month; R did not use multiple methods in the month; or R used only 2 methods in the month; or R reported fewer than 3 BC method combinations; or R reported using fewer than 3 BC methods for this combination in this month of the method calendar.

1553	6483	2446	10847	Blank	= Blank, inapplicable
0	0	0	0	01	= NONE
0	0	0	0	02	= OFFICE USE ONLY
0	0	0	0	03	= BIRTH CONTROL PILLS
0	0	0	0	04	= CONDOM
0	0	0	0	05	= PARTNER'S VASECTOMY
0	0	0	0	06	= DIAPHRAGM
0	0	0	0	07	= FOAM
0	0	0	0	08	= JELLY OR CREAM
0	0	0	0	09	= CERVICAL CAP
0	0	0	0	10	= SUPPOSITORY, INSERT
0	0	0	0	11	= TODAY (TM) SPONGE
0	0	0	0	12	= FEMALE CONDOM, VAGINAL POUCH
0	0	0	0	13	= IUD, COIL, LOOP
0	0	0	0	14	= NORPLANT (TM)
0	0	0	0	15	= DEPO-PROVERA, INJECTABLES
0	0	0	0	16	= MORNING AFTER PILLS
0	0	0	0	17	= RHYTHM OR SAFE PERIOD BY CALENDAR

(4810)

1995 NATIONAL SURVEY OF FAMILY GROWTH
 File Documentation
 Respondent File (Section E Questionnaire Items)

VARIABLE NAME	COLUMN LOCATION	NON-HISPANIC			QX	TEXT AND CODE CATEGORIES
		HISP	WHITE	BLACK		
		0	0	0	0	18 = SAFE PERIOD BY TEMP, CERVICAL MUCUS TEST, NFP
		0	0	0	0	19 = WITHDRAWAL
		0	0	0	0	20 = RESPONDENT STERILE
		0	0	0	0	21 = PARTNER STERILE (NOT ON CARD)
		0	0	0	0	22 = OTHER METHOD-NOT SHOWN SEPARATELY
		0	0	0	0	97 = Not Ascertained
		0	0	0	0	98 = Refused
		0	0	0	0	99 = Don't Know

1995 NATIONAL SURVEY OF FAMILY GROWTH
 File Documentation
 Respondent File (Section E Questionnaire Items)

VARIABLE	COLUMN	NON-HISPANIC				QX TEXT AND CODE CATEGORIES
NAME	LOCATION	HISP	WHITE	BLACK	TOTAL	

[MTHUS611] 8625-8626

During that month, which (of those/other) methods, if any, did you use at the same time? (4th METHOD MENTIONED, 3rd COMBINATION, MC51)

Inapplicable:
 R said no, don't know or refused to all birth control methods in EA series (computed variable EVERUSED = 2); R never had sex as of this month and never used a birth control method as of this month but ever used one or more birth control methods in EA series (WNFSTSEX GE 1093 and DATFIRSM GE 1093 and computed variable EVERUSED = 1); month R was interviewed preceded this month; R did not use multiple methods in the month; or R used only 2 methods in the month; or R reported fewer than 3 BC method combinations; or R reported using fewer than 4 BC methods for this combination in this month of the method calendar.

1553	6483	2446	10847	Blank	= Blank, inapplicable
0	0	0	0	01	= NONE
0	0	0	0	02	= OFFICE USE ONLY
0	0	0	0	03	= BIRTH CONTROL PILLS
0	0	0	0	04	= CONDOM
0	0	0	0	05	= PARTNER'S VASECTOMY
0	0	0	0	06	= DIAPHRAGM
0	0	0	0	07	= FOAM
0	0	0	0	08	= JELLY OR CREAM
0	0	0	0	09	= CERVICAL CAP
0	0	0	0	10	= SUPPOSITORY, INSERT
0	0	0	0	11	= TODAY (TM) SPONGE
0	0	0	0	12	= FEMALE CONDOM, VAGINAL POUCH
0	0	0	0	13	= IUD, COIL, LOOP
0	0	0	0	14	= NORPLANT (TM)
0	0	0	0	15	= DEPO-PROVERA, INJECTABLES
0	0	0	0	16	= MORNING AFTER PILLS
0	0	0	0	17	= RHYTHM OR SAFE PERIOD BY CALENDAR

(4812)

1995 NATIONAL SURVEY OF FAMILY GROWTH
 File Documentation
 Respondent File (Section E Questionnaire Items)

VARIABLE NAME	COLUMN LOCATION	NON-HISPANIC			TOTAL	QX	TEXT AND CODE CATEGORIES
		HISP	WHITE	BLACK			
		0	0	0	0	18	= SAFE PERIOD BY TEMP, CERVICAL MUCUS TEST, NFP
		0	0	0	0	19	= WITHDRAWAL
		0	0	0	0	20	= RESPONDENT STERILE
		0	0	0	0	21	= PARTNER STERILE (NOT ON CARD)
		0	0	0	0	22	= OTHER METHOD-NOT SHOWN SEPARATELY
		0	0	0	0	97	= Not Ascertained
		0	0	0	0	98	= Refused
		0	0	0	0	99	= Don't Know

1995 NATIONAL SURVEY OF FAMILY GROWTH
 File Documentation
 Respondent File (Section E Questionnaire Items)

VARIABLE NAME	COLUMN LOCATION	NON-HISPANIC			QX TEXT AND CODE CATEGORIES	
		HISP	WHITE	BLACK	TOTAL	
[METHH204]	8627-8628					ENTER METHOD (FIRST MENTIONED) USED IN APRIL 1995: (MC52)
						Inapplicable: R never had sex as of this month and never used a birth control method as of this month but ever used one or more birth control methods in EA series (WNFSTSEX GE 1093 and DATFIRSM GE 1093 and computed variable EVERUSED = 1); month R was interviewed preceded this month; R never had sex and said no, don't know or refused to all birth control methods in EA series (computed variable RHADSEX coded 2,7,8 or 9 and computed variable EVERUSED = 2); R said no, don't know or refused to all birth control methods in EA series (computed variable EVERUSED = 2); or R completed the interview prior to this month.
		848	3552	1385	6003	Blank = Blank, inapplicable
		185	662	263	1151	01 = NO METHODS USED
		0	0	0	0	02 = SAME AS PREVIOUS MONTH
		128	606	172	922	03 = BIRTH CONTROL PILLS
		103	464	194	795	04 = CONDOM
		11	156	6	177	05 = PARTNER'S VASECTOMY
		3	47	5	55	06 = DIAPHRAGM
		0	12	2	14	07 = FOAM
		2	4	2	8	08 = JELLY OR CREAM
		0	2	0	2	09 = CERVICAL CAP
		1	14	3	19	10 = SUPPOSITORY, INSERT
		0	8	5	13	11 = TODAY (TM) SPONGE
		0	1	0	1	12 = FEMALE CONDOM, VAGINAL POUCH
		9	16	10	38	13 = IUD, COIL, LOOP
		14	20	12	48	14 = NORPLANT (TM)
		25	47	37	113	15 = DEPO-PROVERA, INJECTABLES
		0	0	0	0	16 = MORNING AFTER PILLS
		14	51	10	84	17 = RHYTHM OR SAFE PERIOD BY CALENDAR
		0	8	0	8	18 = SAFE PERIOD BY TEMP, CERVICAL MUCUS TEST, NFP

(4814)

1995 NATIONAL SURVEY OF FAMILY GROWTH
 File Documentation
 Respondent File (Section E Questionnaire Items)

VARIABLE NAME	COLUMN LOCATION	NON-HISPANIC			QX	TEXT AND CODE CATEGORIES	
		HISP	WHITE	BLACK			TOTAL
		23	71	7	103	19	= WITHDRAWAL
		176	625	315	1144	20	= RESPONDENT STERILE
		10	112	11	136	21	= PARTNER STERILE (NOT ON CARD)
		1	1	5	7	22	= OTHER METHOD-NOT SHOWN SEPARATELY
		0	0	0	0	55	= SAME METHODS USED THROUGH END OF YEAR
		0	1	1	2	97	= Not Ascertained
		0	2	1	3	98	= Refused
		0	1	0	1	99	= Don't Know

1995 NATIONAL SURVEY OF FAMILY GROWTH
 File Documentation
 Respondent File (Section E Questionnaire Items)

VARIABLE NAME	COLUMN LOCATION	NON-HISPANIC			TOTAL	QX	TEXT AND CODE CATEGORIES
		HISP	WHITE	BLACK			
		10	58	13	86	19	NFP
		0	2	7	9	20	= WITHDRAWAL
		0	5	1	7	21	= RESPONDENT STERILE
							= PARTNER STERILE (NOT ON CARD)
		0	0	0	0	22	= OTHER METHOD-NOT SHOWN SEPARATELY
		0	0	0	0	55	= SAME METHODS USED THROUGH END OF YEAR
		0	1	1	2	97	= Not Ascertained
		0	2	1	3	98	= Refused
		0	1	0	1	99	= Don't Know

1995 NATIONAL SURVEY OF FAMILY GROWTH
 File Documentation
 Respondent File (Section E Questionnaire Items)

VARIABLE NAME	COLUMN LOCATION	NON-HISPANIC			TOTAL	QX	TEXT AND CODE CATEGORIES
		HISP	WHITE	BLACK			
		1	13	3	18	19	NFP
		0	3	10	13	20	= WITHDRAWAL
		0	0	0	0	21	= RESPONDENT STERILE
							= PARTNER STERILE (NOT ON CARD)
		0	0	0	1	22	= OTHER METHOD-NOT SHOWN SEPARATELY
		0	0	0	0	55	= SAME METHODS USED THROUGH END OF YEAR
		0	1	1	2	97	= Not Ascertained
		0	2	1	3	98	= Refused
		0	1	0	1	99	= Don't Know

1995 NATIONAL SURVEY OF FAMILY GROWTH
 File Documentation
 Respondent File (Section E Questionnaire Items)

VARIABLE	COLUMN	NON-HISPANIC			QX TEXT AND CODE CATEGORIES	
NAME	LOCATION	HISP	WHITE	BLACK	TOTAL	
[METHH207]	8633-8634					ENTER METHOD (FOURTH MENTIONED) USED IN APRIL 1995: (MC52)

Inapplicable:
 R never had sex as of this month and never used a birth control method as of this month but ever used one or more birth control methods in EA series (WNFSTSEX GE 1093 and DATFIRSM GE 1093 and computed variable EVERUSED = 1); month R was interviewed preceded this month; R never had sex and said no, don't know or refused to all birth control methods in EA series (computed variable RHADSEX coded 2,7,8 or 9 and computed variable EVERUSED = 2); R said no, don't know or refused to all birth control methods in EA series (computed variable EVERUSED = 2); R used fewer than 4 methods in month; R completed the interview prior to this month.

1552	6475	2442	10834	Blank	= Blank, inapplicable
0	0	0	0	01	= NO METHODS USED
0	0	0	0	02	= SAME AS PREVIOUS MONTH
0	0	0	0	03	= BIRTH CONTROL PILLS
0	1	0	1	04	= CONDOM
0	0	0	0	05	= PARTNER'S VASECTOMY
0	0	0	0	06	= DIAPHRAGM
0	0	0	0	07	= FOAM
0	0	0	0	08	= JELLY OR CREAM
0	0	0	0	09	= CERVICAL CAP
0	0	1	1	10	= SUPPOSITORY, INSERT
0	0	0	0	11	= TODAY (TM) SPONGE
0	0	0	0	12	= FEMALE CONDOM, VAGINAL POUCH
0	0	0	0	13	= IUD, COIL, LOOP
0	0	0	0	14	= NORPLANT (TM)
0	0	0	0	15	= DEPO-PROVERA, INJECTABLES
0	0	0	0	16	= MORNING AFTER PILLS
0	1	0	1	17	= RHYTHM OR SAFE PERIOD BY CALENDAR
0	0	1	1	18	= SAFE PERIOD BY TEMP, CERVICAL MUCUS TEST,

1995 NATIONAL SURVEY OF FAMILY GROWTH
 File Documentation
 Respondent File (Section E Questionnaire Items)

VARIABLE NAME	COLUMN LOCATION	NON-HISPANIC			TOTAL	QX	TEXT AND CODE CATEGORIES
		HISP	WHITE	BLACK			
		0	2	0	2	19	NFP = WITHDRAWAL
		1	0	0	1	20	= RESPONDENT STERILE
		0	0	0	0	21	= PARTNER STERILE (NOT ON CARD)
		0	0	0	0	22	= OTHER METHOD-NOT SHOWN SEPARATELY
		0	0	0	0	55	= SAME METHODS USED THROUGH END OF YEAR
		0	1	1	2	97	= Not Ascertained
		0	2	1	3	98	= Refused
		0	1	0	1	99	= Don't Know

[SIMSEQ51] 8635-8635

Did you use those methods together,
 that is, at the same time, or did
 you use them at different times
 during the month? (MC52)

Inapplicable:

R never had sex as of this month and
 never used a birth control method as
 of this month but ever used one or
 more birth control methods in EA
 series (WNFSTSEX GE 1093 and
 DATFIRSM GE 1093 and computed
 variable EVERUSED = 1); month R was
 interviewed preceded this month; R
 never had sex and said no, don't
 know or refused to all birth control
 methods in EA series (computed
 variable RHADSEX coded 2,7,8 or 9
 and computed variable EVERUSED = 2);
 R said no, don't know or refused to
 all birth control methods in EA
 series (computed variable EVERUSED =
 2); R did not use multiple methods
 in the month; R used more than 2
 methods in the month.

1532	6300	2376	10562	Blank	= Blank, inapplicable
13	112	52	182	1	= SAME TIME
8	71	18	103	2	= DIFFERENT TIMES
0	0	0	0	7	= Not Ascertained
0	0	0	0	8	= Refused
0	0	0	0	9	= Don't Know

1995 NATIONAL SURVEY OF FAMILY GROWTH
 File Documentation
 Respondent File (Section E Questionnaire Items)

VARIABLE COLUMN NON-HISPANIC
 NAME LOCATION HISP WHITE BLACK TOTAL QX TEXT AND CODE CATEGORIES

[MTHUS612] 8636-8637

During that month, which (of those/other) methods, if any, did you use at the same time? (1st METHOD MENTIONED, 1st COMBINATION, MC52)

Inapplicable:
 R said no, don't know or refused to all birth control methods in EA series (computed variable EVERUSED = 2); R never had sex as of this month and never used a birth control method as of this month but ever used one or more birth control methods in EA series (WNFSTSEX GE 1093 and DATFIRSM GE 1093 and computed variable EVERUSED = 1); month R was interviewed preceded this month; R did not use multiple methods in the month; or R used only 2 methods in the month.

1550	6458	2440	10810	Blank	= Blank, inapplicable
1	10	1	12	01	= NONE
0	0	0	0	02	= OFFICE USE ONLY
0	5	0	7	03	= BIRTH CONTROL PILLS
2	3	3	9	04	= CONDOM
0	0	0	0	05	= PARTNER'S VASECTOMY
0	2	0	2	06	= DIAPHRAGM
0	0	0	0	07	= FOAM
0	0	0	0	08	= JELLY OR CREAM
0	0	0	0	09	= CERVICAL CAP
0	0	0	0	10	= SUPPOSITORY, INSERT
0	0	0	0	11	= TODAY (TM) SPONGE
0	0	0	0	12	= FEMALE CONDOM, VAGINAL POUCH
0	0	0	0	13	= IUD, COIL, LOOP
0	0	0	0	14	= NORPLANT (TM)
0	0	0	0	15	= DEPO-PROVERA, INJECTABLES
0	0	0	0	16	= MORNING AFTER PILLS
0	4	1	5	17	= RHYTHM OR SAFE PERIOD BY CALENDAR
0	0	0	0	18	= SAFE PERIOD BY TEMP, CERVICAL MUCUS TEST, NFP
0	1	0	1	19	= WITHDRAWAL
0	0	1	1	20	= RESPONDENT STERILE

(4822)

1995 NATIONAL SURVEY OF FAMILY GROWTH
 File Documentation
 Respondent File (Section E Questionnaire Items)

VARIABLE NAME	COLUMN LOCATION	NON-HISPANIC			TOTAL	QX	TEXT AND CODE CATEGORIES
		HISP	WHITE	BLACK			
		0	0	0	0	21	= PARTNER STERILE (NOT ON CARD)
		0	0	0	0	22	= OTHER METHOD-NOT SHOWN SEPARATELY
		0	0	0	0	97	= Not Ascertained
		0	0	0	0	98	= Refused
		0	0	0	0	99	= Don't Know

1995 NATIONAL SURVEY OF FAMILY GROWTH
 File Documentation
 Respondent File (Section E Questionnaire Items)

VARIABLE NAME	COLUMN LOCATION	NON-HISPANIC			TOTAL	QX	TEXT AND CODE CATEGORIES
		HISP	WHITE	BLACK			
		0	3	2	6	19	NFP
		0	0	0	0	20	= WITHDRAWAL
		0	0	0	0	21	= RESPONDENT STERILE
							= PARTNER STERILE (NOT ON CARD)
		0	0	0	0	22	= OTHER METHOD-NOT SHOWN SEPARATELY
		0	0	0	0	97	= Not Ascertained
		0	0	0	0	98	= Refused
		0	0	0	0	99	= Don't Know

1995 NATIONAL SURVEY OF FAMILY GROWTH
 File Documentation
 Respondent File (Section E Questionnaire Items)

VARIABLE COLUMN NON-HISPANIC
 NAME LOCATION HISP WHITE BLACK TOTAL QX TEXT AND CODE CATEGORIES

[MTHUS614] 8640-8641

During that month, which (of those/other) methods, if any, did you use at the same time? (3rd METHOD MENTIONED, 1st COMBINATION, MC52)

Inapplicable:
 R said no, don't know or refused to all birth control methods in EA series (computed variable EVERUSED = 2); R never had sex as of this month and never used a birth control method as of this month but ever used one or more birth control methods in EA series (WNFSTSEX GE 1093 and DATFIRSM GE 1093 and computed variable EVERUSED = 1); month R was interviewed preceded this month; R did not use multiple methods in the month; or R used only 2 methods in the month; or R reported using fewer than 3 BC methods for this combination in this month of the method calendar.

	1551	6475	2443	10832	Blank	
	0	0	0	0	0	01 = Blank, inapplicable
	0	0	0	0	0	02 = NONE
	0	0	0	0	0	03 = OFFICE USE ONLY
	0	0	0	0	0	04 = BIRTH CONTROL PILLS
	0	0	0	0	0	05 = CONDOM
	0	0	0	0	0	06 = PARTNER'S VASECTOMY
	0	0	0	0	0	07 = DIAPHRAGM
	0	1	0	1	0	08 = FOAM
	0	0	0	0	0	09 = JELLY OR CREAM
	0	0	1	1	1	10 = CERVICAL CAP
	0	1	0	1	1	11 = SUPPOSITORY, INSERT
	0	0	0	0	0	12 = TODAY (TM) SPONGE
	0	0	0	0	0	13 = FEMALE CONDOM, VAGINAL POUCH
	0	0	0	0	0	14 = IUD, COIL, LOOP
	0	0	0	0	0	15 = NORPLANT (TM)
	0	0	0	0	0	16 = DEPO-PROVERA, INJECTABLES
	0	0	0	0	0	17 = MORNING AFTER PILLS
	2	2	1	5	17	= RHYTHM OR SAFE PERIOD BY CALENDAR
	0	0	0	1	18	= SAFE PERIOD BY TEMP, CERVICAL MUCUS TEST,

1995 NATIONAL SURVEY OF FAMILY GROWTH
 File Documentation
 Respondent File (Section E Questionnaire Items)

VARIABLE NAME	COLUMN LOCATION	NON-HISPANIC			TOTAL	QX	TEXT AND CODE CATEGORIES
		HISP	WHITE	BLACK			
		0	4	1	6	19	NFP
		0	0	0	0	20	= WITHDRAWAL
		0	0	0	0	21	= RESPONDENT STERILE
							= PARTNER STERILE (NOT ON CARD)
		0	0	0	0	22	= OTHER METHOD-NOT SHOWN SEPARATELY
		0	0	0	0	97	= Not Ascertained
		0	0	0	0	98	= Refused
		0	0	0	0	99	= Don't Know

1995 NATIONAL SURVEY OF FAMILY GROWTH
 File Documentation
 Respondent File (Section E Questionnaire Items)

VARIABLE	COLUMN	NON-HISPANIC				
NAME	LOCATION	HISP	WHITE	BLACK	TOTAL	QX TEXT AND CODE CATEGORIES

[MTHUS615] 8642-8643

During that month, which (of those/other) methods, if any, did you use at the same time? (4th METHOD MENTIONED, 1st COMBINATION, MC52)

Inapplicable:
 R said no, don't know or refused to all birth control methods in EA series (computed variable EVERUSED = 2); R never had sex as of this month and never used a birth control method as of this month but ever used one or more birth control methods in EA series (WNFSTSEX GE 1093 and DATFIRSM GE 1093 and computed variable EVERUSED = 1); month R was interviewed preceded this month; R did not use multiple methods in the month; or R used only 2 methods in the month; or R reported using fewer than 4 BC methods for this combination in this month of the method calendar.

1553	6482	2445	10845	Blank	= Blank, inapplicable
0	0	0	0	01	= NONE
0	0	0	0	02	= OFFICE USE ONLY
0	0	0	0	03	= BIRTH CONTROL PILLS
0	1	0	1	04	= CONDOM
0	0	0	0	05	= PARTNER'S VASECTOMY
0	0	0	0	06	= DIAPHRAGM
0	0	0	0	07	= FOAM
0	0	0	0	08	= JELLY OR CREAM
0	0	0	0	09	= CERVICAL CAP
0	0	0	0	10	= SUPPOSITORY, INSERT
0	0	0	0	11	= TODAY (TM) SPONGE
0	0	0	0	12	= FEMALE CONDOM, VAGINAL POUCH
0	0	0	0	13	= IUD, COIL, LOOP
0	0	0	0	14	= NORPLANT (TM)
0	0	0	0	15	= DEPO-PROVERA, INJECTABLES
0	0	0	0	16	= MORNING AFTER PILLS
0	0	0	0	17	= RHYTHM OR SAFE PERIOD BY CALENDAR
0	0	1	1	18	= SAFE PERIOD BY TEMP, CERVICAL MUCUS TEST,

1995 NATIONAL SURVEY OF FAMILY GROWTH
 File Documentation
 Respondent File (Section E Questionnaire Items)

VARIABLE NAME	COLUMN LOCATION	NON-HISPANIC			TOTAL	QX	TEXT AND CODE CATEGORIES
		HISP	WHITE	BLACK			
		0	0	0	0	19	NFP
		0	0	0	0	20	= WITHDRAWAL
		0	0	0	0	21	= RESPONDENT STERILE
							= PARTNER STERILE (NOT ON CARD)
		0	0	0	0	22	= OTHER METHOD-NOT SHOWN SEPARATELY
		0	0	0	0	97	= Not Ascertained
		0	0	0	0	98	= Refused
		0	0	0	0	99	= Don't Know

1995 NATIONAL SURVEY OF FAMILY GROWTH
 File Documentation
 Respondent File (Section E Questionnaire Items)

VARIABLE COLUMN NON-HISPANIC
 NAME LOCATION HISP WHITE BLACK TOTAL QX TEXT AND CODE CATEGORIES

[MTHUS616] 8644-8645

During that month, which (of those/other) methods, if any, did you use at the same time? (1st METHOD MENTIONED, 2nd COMBINATION, MC52)

Inapplicable:
 R said no, don't know or refused to all birth control methods in EA series (computed variable EVERUSED = 2); R never had sex as of this month and never used a birth control method as of this month but ever used one or more birth control methods in EA series (WNFSTSEX GE 1093 and DATFIRSM GE 1093 and computed variable EVERUSED = 1); month R was interviewed preceded this month; R did not use multiple methods in the month; or R used only 2 methods in the month; or R reported fewer than 2 BC method combinations.

	1551	6468	2441	10822	Blank	
	1	9	4	16	01	= Blank, inapplicable
	0	0	0	0	02	= NONE
	0	3	0	3	03	= OFFICE USE ONLY
	0	1	0	2	04	= BIRTH CONTROL PILLS
	0	0	0	0	05	= CONDOM
	0	0	0	0	06	= PARTNER'S VASECTOMY
	1	0	0	1	07	= DIAPHRAGM
	0	1	0	1	08	= FOAM
	0	0	0	0	09	= JELLY OR CREAM
	0	0	0	0	10	= CERVICAL CAP
	0	0	0	0	11	= SUPPOSITORY, INSERT
	0	0	0	0	12	= TODAY (TM) SPONGE
	0	0	0	0	13	= FEMALE CONDOM, VAGINAL POUCH
	0	0	0	0	14	= IUD, COIL, LOOP
	0	0	0	0	15	= NORPLANT (TM)
	0	0	0	0	16	= DEPO-PROVERA, INJECTABLES
	0	1	0	1	17	= MORNING AFTER PILLS
	0	0	0	0	18	= RHYTHM OR SAFE PERIOD BY CALENDAR
	0	0	0	0	18	= SAFE PERIOD BY TEMP, CERVICAL MUCUS TEST, NFP

1995 NATIONAL SURVEY OF FAMILY GROWTH
 File Documentation
 Respondent File (Section E Questionnaire Items)

VARIABLE NAME	COLUMN LOCATION	NON-HISPANIC			TOTAL	QX	TEXT AND CODE CATEGORIES
		HISP	WHITE	BLACK			
		0	0	0	0	19	= WITHDRAWAL
		0	0	1	1	20	= RESPONDENT STERILE
		0	0	0	0	21	= PARTNER STERILE (NOT ON CARD)
		0	0	0	0	22	= OTHER METHOD-NOT SHOWN SEPARATELY
		0	0	0	0	97	= Not Ascertained
		0	0	0	0	98	= Refused
		0	0	0	0	99	= Don't Know

1995 NATIONAL SURVEY OF FAMILY GROWTH
 File Documentation
 Respondent File (Section E Questionnaire Items)

VARIABLE COLUMN NON-HISPANIC
 NAME LOCATION HISP WHITE BLACK TOTAL QX TEXT AND CODE CATEGORIES

[MTHUS617] 8646-8647

During that month, which (of those/other) methods, if any, did you use at the same time? (2nd METHOD MENTIONED, 2nd COMBINATION, MC52)

Inapplicable:
 R said no, don't know or refused to all birth control methods in EA series (computed variable EVERUSED = 2); R never had sex as of this month and never used a birth control method as of this month but ever used one or more birth control methods in EA series (WNFSTSEX GE 1093 and DATFIRSM GE 1093 and computed variable EVERUSED = 1); month R was interviewed preceded this month; R did not use multiple methods in the month; or R used only 2 methods in the month; or R reported fewer than 2 BC method combinations; or R reported using fewer than 2 BC methods for this combination in this month of the method calendar.

	1552	6478	2445	10839	Blank	
	0	0	0	0	01	= Blank, inapplicable
	0	0	0	0	02	= NONE
	0	0	0	0	03	= OFFICE USE ONLY
	1	2	0	3	04	= BIRTH CONTROL PILLS
	0	1	0	1	05	= CONDOM
	0	0	0	0	06	= PARTNER'S VASECTOMY
	0	0	0	0	07	= DIAPHRAGM
	0	0	0	0	08	= FOAM
	0	0	0	0	09	= JELLY OR CREAM
	0	0	0	0	10	= CERVICAL CAP
	0	0	0	0	11	= SUPPOSITORY, INSERT
	0	0	0	0	12	= TODAY (TM) SPONGE
	0	0	0	0	13	= FEMALE CONDOM, VAGINAL POUCH
	0	0	0	0	14	= IUD, COIL, LOOP
	0	0	0	0	15	= NORPLANT (TM)
	0	0	0	0	16	= DEPO-PROVERA, INJECTABLES
	0	0	0	0	17	= MORNING AFTER PILLS
	0	0	0	1		= RHYTHM OR SAFE PERIOD BY CALENDAR

(4832)

1995 NATIONAL SURVEY OF FAMILY GROWTH
 File Documentation
 Respondent File (Section E Questionnaire Items)

VARIABLE NAME	COLUMN LOCATION	NON-HISPANIC			QX	TEXT AND CODE CATEGORIES
		HISP	WHITE	BLACK		
		0	0	0	0	18 = SAFE PERIOD BY TEMP, CERVICAL MUCUS TEST, NFP
		0	2	1	3	19 = WITHDRAWAL
		0	0	0	0	20 = RESPONDENT STERILE
		0	0	0	0	21 = PARTNER STERILE (NOT ON CARD)
		0	0	0	0	22 = OTHER METHOD-NOT SHOWN SEPARATELY
		0	0	0	0	97 = Not Ascertained
		0	0	0	0	98 = Refused
		0	0	0	0	99 = Don't Know

1995 NATIONAL SURVEY OF FAMILY GROWTH
 File Documentation
 Respondent File (Section E Questionnaire Items)

VARIABLE COLUMN NON-HISPANIC
 NAME LOCATION HISP WHITE BLACK TOTAL QX TEXT AND CODE CATEGORIES

[MTHUS618] 8648-8649

During that month, which (of those/other) methods, if any, did you use at the same time? (3rd METHOD MENTIONED, 2nd COMBINATION, MC52)

Inapplicable:
 R said no, don't know or refused to all birth control methods in EA series (computed variable EVERUSED = 2); R never had sex as of this month and never used a birth control method as of this month but ever used one or more birth control methods in EA series (WNFSTSEX GE 1093 and DATFIRSM GE 1093 and computed variable EVERUSED = 1); month R was interviewed preceded this month; R did not use multiple methods in the month; or R used only 2 methods in the month; or R reported fewer than 2 BC method combinations; or R reported using fewer than 3 BC methods for this combination in this month of the method calendar.

1552	6483	2446	10845	Blank	= Blank, inapplicable
0	0	0	0	01	= NONE
0	0	0	0	02	= OFFICE USE ONLY
0	0	0	0	03	= BIRTH CONTROL PILLS
0	0	0	0	04	= CONDOM
0	0	0	0	05	= PARTNER'S VASECTOMY
0	0	0	0	06	= DIAPHRAGM
0	0	0	0	07	= FOAM
0	0	0	0	08	= JELLY OR CREAM
0	0	0	0	09	= CERVICAL CAP
0	0	0	0	10	= SUPPOSITORY, INSERT
0	0	0	0	11	= TODAY (TM) SPONGE
0	0	0	0	12	= FEMALE CONDOM, VAGINAL POUCH
0	0	0	0	13	= IUD, COIL, LOOP
0	0	0	0	14	= NORPLANT (TM)
0	0	0	0	15	= DEPO-PROVERA, INJECTABLES
0	0	0	0	16	= MORNING AFTER PILLS
1	0	0	1	17	= RHYTHM OR SAFE PERIOD BY CALENDAR

(4834)

1995 NATIONAL SURVEY OF FAMILY GROWTH
 File Documentation
 Respondent File (Section E Questionnaire Items)

VARIABLE NAME	COLUMN LOCATION	NON-HISPANIC			TOTAL	QX	TEXT AND CODE CATEGORIES
		HISP	WHITE	BLACK			
		0	0	0	1	18	= SAFE PERIOD BY TEMP, CERVICAL MUCUS TEST, NFP
		0	0	0	0	19	= WITHDRAWAL
		0	0	0	0	20	= RESPONDENT STERILE
		0	0	0	0	21	= PARTNER STERILE (NOT ON CARD)
		0	0	0	0	22	= OTHER METHOD-NOT SHOWN SEPARATELY
		0	0	0	0	97	= Not Ascertained
		0	0	0	0	98	= Refused
		0	0	0	0	99	= Don't Know

1995 NATIONAL SURVEY OF FAMILY GROWTH
 File Documentation
 Respondent File (Section E Questionnaire Items)

VARIABLE COLUMN NON-HISPANIC
 NAME LOCATION HISP WHITE BLACK TOTAL QX TEXT AND CODE CATEGORIES

[MTHUS619] 8650-8651

During that month, which (of those/other) methods, if any, did you use at the same time? (4th METHOD MENTIONED, 2nd COMBINATION, MC52)

Inapplicable:
 R said no, don't know or refused to all birth control methods in EA series (computed variable EVERUSED = 2); R never had sex as of this month and never used a birth control method as of this month but ever used one or more birth control methods in EA series (WNFSTSEX GE 1093 and DATFIRSM GE 1093 and computed variable EVERUSED = 1); month R was interviewed preceded this month; R did not use multiple methods in the month; or R used only 2 methods in the month; or R reported fewer than 2 BC method combinations; or R reported using fewer than 4 BC methods for this combination in this month of the method calendar.

	1553	6483	2446	10847	Blank	
	0	0	0	0	01	= Blank, inapplicable
	0	0	0	0	02	= NONE
	0	0	0	0	03	= OFFICE USE ONLY
	0	0	0	0	04	= BIRTH CONTROL PILLS
	0	0	0	0	05	= CONDOM
	0	0	0	0	06	= PARTNER'S VASECTOMY
	0	0	0	0	07	= DIAPHRAGM
	0	0	0	0	08	= FOAM
	0	0	0	0	09	= JELLY OR CREAM
	0	0	0	0	10	= CERVICAL CAP
	0	0	0	0	11	= SUPPOSITORY, INSERT
	0	0	0	0	12	= TODAY (TM) SPONGE
	0	0	0	0		= FEMALE CONDOM, VAGINAL POUCH
	0	0	0	0	13	= IUD, COIL, LOOP
	0	0	0	0	14	= NORPLANT (TM)
	0	0	0	0	15	= DEPO-PROVERA, INJECTABLES
	0	0	0	0	16	= MORNING AFTER PILLS
	0	0	0	0	17	= RHYTHM OR SAFE PERIOD BY CALENDAR

(4836)

1995 NATIONAL SURVEY OF FAMILY GROWTH
 File Documentation
 Respondent File (Section E Questionnaire Items)

VARIABLE NAME	COLUMN LOCATION	NON-HISPANIC			TOTAL	QX	TEXT AND CODE CATEGORIES
		HISP	WHITE	BLACK			
		0	0	0	0	18	= SAFE PERIOD BY TEMP, CERVICAL MUCUS TEST, NFP
		0	0	0	0	19	= WITHDRAWAL
		0	0	0	0	20	= RESPONDENT STERILE
		0	0	0	0	21	= PARTNER STERILE (NOT ON CARD)
		0	0	0	0	22	= OTHER METHOD-NOT SHOWN SEPARATELY
		0	0	0	0	97	= Not Ascertained
		0	0	0	0	98	= Refused
		0	0	0	0	99	= Don't Know

1995 NATIONAL SURVEY OF FAMILY GROWTH
 File Documentation
 Respondent File (Section E Questionnaire Items)

VARIABLE COLUMN NON-HISPANIC
 NAME LOCATION HISP WHITE BLACK TOTAL QX TEXT AND CODE CATEGORIES

[MTHUS620] 8652-8653

During that month, which (of those/other) methods, if any, did you use at the same time? (1st METHOD MENTIONED, 3rd COMBINATION, MC52)

Inapplicable:
 R said no, don't know or refused to all birth control methods in EA series (computed variable EVERUSED = 2); R never had sex as of this month and never used a birth control method as of this month but ever used one or more birth control methods in EA series (WNFSTSEX GE 1093 and DATFIRSM GE 1093 and computed variable EVERUSED = 1); month R was interviewed preceded this month; R did not use multiple methods in the month; or R used only 2 methods in the month; or R reported fewer than 3 BC method combinations.

	1553	6483	2446	10847	Blank	
	0	0	0	0	01	= Blank, inapplicable
	0	0	0	0	02	= NONE
	0	0	0	0	03	= OFFICE USE ONLY
	0	0	0	0	04	= BIRTH CONTROL PILLS
	0	0	0	0	05	= CONDOM
	0	0	0	0	06	= PARTNER'S VASECTOMY
	0	0	0	0	07	= DIAPHRAGM
	0	0	0	0	08	= FOAM
	0	0	0	0	09	= JELLY OR CREAM
	0	0	0	0	10	= CERVICAL CAP
	0	0	0	0	11	= SUPPOSITORY, INSERT
	0	0	0	0	12	= TODAY (TM) SPONGE
	0	0	0	0	13	= FEMALE CONDOM, VAGINAL POUCH
	0	0	0	0	14	= IUD, COIL, LOOP
	0	0	0	0	15	= NORPLANT (TM)
	0	0	0	0	16	= DEPO-PROVERA, INJECTABLES
	0	0	0	0	17	= MORNING AFTER PILLS
	0	0	0	0	18	= RHYTHM OR SAFE PERIOD BY CALENDAR
	0	0	0	0		= SAFE PERIOD BY TEMP, CERVICAL MUCUS TEST, NFP

(4838)

1995 NATIONAL SURVEY OF FAMILY GROWTH
 File Documentation
 Respondent File (Section E Questionnaire Items)

VARIABLE NAME	COLUMN LOCATION	NON-HISPANIC			TOTAL	QX	TEXT AND CODE CATEGORIES
		HISP	WHITE	BLACK			
		0	0	0	0	19	= WITHDRAWAL
		0	0	0	0	20	= RESPONDENT STERILE
		0	0	0	0	21	= PARTNER STERILE (NOT ON CARD)
		0	0	0	0	22	= OTHER METHOD-NOT SHOWN SEPARATELY
		0	0	0	0	97	= Not Ascertained
		0	0	0	0	98	= Refused
		0	0	0	0	99	= Don't Know

1995 NATIONAL SURVEY OF FAMILY GROWTH
 File Documentation
 Respondent File (Section E Questionnaire Items)

VARIABLE	COLUMN	NON-HISPANIC				QX TEXT AND CODE CATEGORIES
NAME	LOCATION	HISP	WHITE	BLACK	TOTAL	

[MTHUS621] 8654-8655

During that month, which (of those/other) methods, if any, did you use at the same time? (2nd METHOD MENTIONED, 3rd COMBINATION, MC52)

Inapplicable:
 R said no, don't know or refused to all birth control methods in EA series (computed variable EVERUSED = 2); R never had sex as of this month and never used a birth control method as of this month but ever used one or more birth control methods in EA series (WNFSTSEX GE 1093 and DATFIRSM GE 1093 and computed variable EVERUSED = 1); month R was interviewed preceded this month; R did not use multiple methods in the month; or R used only 2 methods in the month; or R reported fewer than 3 BC method combinations; or R reported using fewer than 2 BC methods for this combination in this month of the method calendar.

1553	6483	2446	10847	Blank	= Blank, inapplicable
0	0	0	0	01	= NONE
0	0	0	0	02	= OFFICE USE ONLY
0	0	0	0	03	= BIRTH CONTROL PILLS
0	0	0	0	04	= CONDOM
0	0	0	0	05	= PARTNER'S VASECTOMY
0	0	0	0	06	= DIAPHRAGM
0	0	0	0	07	= FOAM
0	0	0	0	08	= JELLY OR CREAM
0	0	0	0	09	= CERVICAL CAP
0	0	0	0	10	= SUPPOSITORY, INSERT
0	0	0	0	11	= TODAY (TM) SPONGE
0	0	0	0	12	= FEMALE CONDOM, VAGINAL POUCH
0	0	0	0	13	= IUD, COIL, LOOP
0	0	0	0	14	= NORPLANT (TM)
0	0	0	0	15	= DEPO-PROVERA, INJECTABLES
0	0	0	0	16	= MORNING AFTER PILLS
0	0	0	0	17	= RHYTHM OR SAFE PERIOD BY CALENDAR

(4840)

1995 NATIONAL SURVEY OF FAMILY GROWTH
 File Documentation
 Respondent File (Section E Questionnaire Items)

VARIABLE NAME	COLUMN LOCATION	NON-HISPANIC			TOTAL	QX	TEXT AND CODE CATEGORIES
		HISP	WHITE	BLACK			
		0	0	0	0	18	= SAFE PERIOD BY TEMP, CERVICAL MUCUS TEST, NFP
		0	0	0	0	19	= WITHDRAWAL
		0	0	0	0	20	= RESPONDENT STERILE
		0	0	0	0	21	= PARTNER STERILE (NOT ON CARD)
		0	0	0	0	22	= OTHER METHOD-NOT SHOWN SEPARATELY
		0	0	0	0	97	= Not Ascertained
		0	0	0	0	98	= Refused
		0	0	0	0	99	= Don't Know

1995 NATIONAL SURVEY OF FAMILY GROWTH
 File Documentation
 Respondent File (Section E Questionnaire Items)

VARIABLE	COLUMN	NON-HISPANIC								
NAME	LOCATION	HISP	WHITE	BLACK						

[MTHUS622] 8656-8657

During that month, which (of those/other) methods, if any, did you use at the same time? (3rd METHOD MENTIONED, 3rd COMBINATION, MC52)

Inapplicable:
 R said no, don't know or refused to all birth control methods in EA series (computed variable EVERUSED = 2); R never had sex as of this month and never used a birth control method as of this month but ever used one or more birth control methods in EA series (WNFSTSEX GE 1093 and DATFIRSM GE 1093 and computed variable EVERUSED = 1); month R was interviewed preceded this month; R did not use multiple methods in the month; or R used only 2 methods in the month; or R reported fewer than 3 BC method combinations; or R reported using fewer than 3 BC methods for this combination in this month of the method calendar.

1553	6483	2446	10847	Blank	= Blank, inapplicable					
0	0	0	0	01	= NONE					
0	0	0	0	02	= OFFICE USE ONLY					
0	0	0	0	03	= BIRTH CONTROL PILLS					
0	0	0	0	04	= CONDOM					
0	0	0	0	05	= PARTNER'S VASECTOMY					
0	0	0	0	06	= DIAPHRAGM					
0	0	0	0	07	= FOAM					
0	0	0	0	08	= JELLY OR CREAM					
0	0	0	0	09	= CERVICAL CAP					
0	0	0	0	10	= SUPPOSITORY, INSERT					
0	0	0	0	11	= TODAY (TM) SPONGE					
0	0	0	0	12	= FEMALE CONDOM, VAGINAL POUCH					
0	0	0	0	13	= IUD, COIL, LOOP					
0	0	0	0	14	= NORPLANT (TM)					
0	0	0	0	15	= DEPO-PROVERA, INJECTABLES					
0	0	0	0	16	= MORNING AFTER PILLS					
0	0	0	0	17	= RHYTHM OR SAFE PERIOD BY CALENDAR					

(4842)

1995 NATIONAL SURVEY OF FAMILY GROWTH
 File Documentation
 Respondent File (Section E Questionnaire Items)

VARIABLE NAME	COLUMN LOCATION	NON-HISPANIC			TOTAL	QX	TEXT AND CODE CATEGORIES
		HISP	WHITE	BLACK			
		0	0	0	0	18	= SAFE PERIOD BY TEMP, CERVICAL MUCUS TEST, NFP
		0	0	0	0	19	= WITHDRAWAL
		0	0	0	0	20	= RESPONDENT STERILE
		0	0	0	0	21	= PARTNER STERILE (NOT ON CARD)
		0	0	0	0	22	= OTHER METHOD-NOT SHOWN SEPARATELY
		0	0	0	0	97	= Not Ascertained
		0	0	0	0	98	= Refused
		0	0	0	0	99	= Don't Know

1995 NATIONAL SURVEY OF FAMILY GROWTH
 File Documentation
 Respondent File (Section E Questionnaire Items)

VARIABLE	COLUMN	NON-HISPANIC				QX TEXT AND CODE CATEGORIES
NAME	LOCATION	HISP	WHITE	BLACK	TOTAL	

[MTHUS623] 8658-8659

During that month, which (of those/other) methods, if any, did you use at the same time? (4th METHOD MENTIONED, 3rd COMBINATION, MC52)

Inapplicable:
 R said no, don't know or refused to all birth control methods in EA series (computed variable EVERUSED = 2); R never had sex as of this month and never used a birth control method as of this month but ever used one or more birth control methods in EA series (WNFSTSEX GE 1093 and DATFIRSM GE 1093 and computed variable EVERUSED = 1); month R was interviewed preceded this month; R did not use multiple methods in the month; or R used only 2 methods in the month; or R reported fewer than 3 BC method combinations; or R reported using fewer than 4 BC methods for this combination in this month of the method calendar.

1553	6483	2446	10847	Blank	= Blank, inapplicable
0	0	0	0	01	= NONE
0	0	0	0	02	= OFFICE USE ONLY
0	0	0	0	03	= BIRTH CONTROL PILLS
0	0	0	0	04	= CONDOM
0	0	0	0	05	= PARTNER'S VASECTOMY
0	0	0	0	06	= DIAPHRAGM
0	0	0	0	07	= FOAM
0	0	0	0	08	= JELLY OR CREAM
0	0	0	0	09	= CERVICAL CAP
0	0	0	0	10	= SUPPOSITORY, INSERT
0	0	0	0	11	= TODAY (TM) SPONGE
0	0	0	0	12	= FEMALE CONDOM, VAGINAL POUCH
0	0	0	0	13	= IUD, COIL, LOOP
0	0	0	0	14	= NORPLANT (TM)
0	0	0	0	15	= DEPO-PROVERA, INJECTABLES
0	0	0	0	16	= MORNING AFTER PILLS
0	0	0	0	17	= RHYTHM OR SAFE PERIOD BY CALENDAR

(4844)

1995 NATIONAL SURVEY OF FAMILY GROWTH
 File Documentation
 Respondent File (Section E Questionnaire Items)

VARIABLE NAME	COLUMN LOCATION	NON-HISPANIC			TOTAL	QX	TEXT AND CODE CATEGORIES
		HISP	WHITE	BLACK			
		0	0	0	0	18	= SAFE PERIOD BY TEMP, CERVICAL MUCUS TEST, NFP
		0	0	0	0	19	= WITHDRAWAL
		0	0	0	0	20	= RESPONDENT STERILE
		0	0	0	0	21	= PARTNER STERILE (NOT ON CARD)
		0	0	0	0	22	= OTHER METHOD-NOT SHOWN SEPARATELY
		0	0	0	0	97	= Not Ascertained
		0	0	0	0	98	= Refused
		0	0	0	0	99	= Don't Know

1995 NATIONAL SURVEY OF FAMILY GROWTH
 File Documentation
 Respondent File (Section E Questionnaire Items)

VARIABLE	COLUMN	NON-HISPANIC								
NAME	LOCATION	HISP	WHITE	BLACK						TOTAL

[METHH208] 8660-8661

ENTER METHOD (FIRST MENTIONED) USED
 IN MAY 1995: (MC53)

Inapplicable:

R never had sex as of this month and never used a birth control method as of this month but ever used one or more birth control methods in EA series (WNFSTSEX GE 1093 and DATFIRSM GE 1093 and computed variable EVERUSED = 1); month R was interviewed preceded this month; R never had sex and said no, don't know or refused to all birth control methods in EA series (computed variable RHADSEX coded 2,7,8 or 9 and computed variable EVERUSED = 2); R said no, don't know or refused to all birth control methods in EA series (computed variable EVERUSED = 2); or R completed the interview prior to this month.

1090	4451	1706	7497	Blank	= Blank, inapplicable
115	437	202	788	01	= NO METHODS USED
0	0	0	0	02	= SAME AS PREVIOUS MONTH
84	443	126	668	03	= BIRTH CONTROL PILLS
69	330	129	553	04	= CONDOM
5	113	4	125	05	= PARTNER'S VASECTOMY
1	26	2	29	06	= DIAPHRAGM
0	9	1	10	07	= FOAM
1	3	2	6	08	= JELLY OR CREAM
0	2	0	2	09	= CERVICAL CAP
0	9	3	12	10	= SUPPOSITORY, INSERT
0	4	3	7	11	= TODAY (TM) SPONGE
0	1	0	1	12	= FEMALE CONDOM, VAGINAL POUCH
6	11	4	22	13	= IUD, COIL, LOOP
10	13	10	35	14	= NORPLANT (TM)
19	29	27	79	15	= DEPO-PROVERA, INJECTABLES
0	0	0	0	16	= MORNING AFTER PILLS
9	40	7	62	17	= RHYTHM OR SAFE PERIOD BY CALENDAR
0	4	0	4	18	= SAFE PERIOD BY TEMP, CERVICAL MUCUS TEST, NFP

(4846)

1995 NATIONAL SURVEY OF FAMILY GROWTH
 File Documentation
 Respondent File (Section E Questionnaire Items)

VARIABLE NAME	COLUMN LOCATION	NON-HISPANIC			TOTAL	QX	TEXT AND CODE CATEGORIES
		HISP	WHITE	BLACK			
		16	47	2	66	19	= WITHDRAWAL
		119	429	205	774	20	= RESPONDENT STERILE
		9	78	7	97	21	= PARTNER STERILE (NOT ON CARD)
		0	1	4	5	22	= OTHER METHOD-NOT SHOWN SEPARATELY
		0	0	0	0	55	= SAME METHODS USED THROUGH END OF YEAR
		0	1	1	2	97	= Not Ascertained
		0	1	1	2	98	= Refused
		0	1	0	1	99	= Don't Know

1995 NATIONAL SURVEY OF FAMILY GROWTH
 File Documentation
 Respondent File (Section E Questionnaire Items)

VARIABLE	COLUMN	NON-HISPANIC			QX	TEXT AND CODE	CATEGORIES
NAME	LOCATION	HISP	WHITE	BLACK	TOTAL		
[METHH209]	8662-8663					ENTER METHOD (SECOND MENTIONED) USED	
						IN MAY 1995: (MC53)	

Inapplicable:
 R never had sex as of this month and never used a birth control method as of this month but ever used one or more birth control methods in EA series (WNFSTSEX GE 1093 and DATFIRSM GE 1093 and computed variable EVERUSED = 1); month R was interviewed preceded this month; R never had sex and said no, don't know or refused to all birth control methods in EA series (computed variable RHADSEX coded 2,7,8 or 9 and computed variable EVERUSED = 2); R said no, don't know or refused to all birth control methods in EA series (computed variable EVERUSED = 2); R used fewer than 2 methods in month; R completed the interview prior to this month.

1538	6332	2394	10618	Blank	= Blank, inapplicable
0	0	0	0	01	= NO METHODS USED
0	0	0	0	02	= SAME AS PREVIOUS MONTH
0	3	1	4	03	= BIRTH CONTROL PILLS
4	40	21	69	04	= CONDOM
0	3	2	5	05	= PARTNER'S VASECTOMY
1	5	1	7	06	= DIAPHRAGM
2	11	2	15	07	= FOAM
1	7	2	10	08	= JELLY OR CREAM
0	0	0	0	09	= CERVICAL CAP
0	2	2	4	10	= SUPPOSITORY, INSERT
0	6	2	8	11	= TODAY (TM) SPONGE
0	0	0	0	12	= FEMALE CONDOM, VAGINAL POUCH
0	0	0	0	13	= IUD, COIL, LOOP
0	1	0	1	14	= NORPLANT (TM)
0	0	0	0	15	= DEPO-PROVERA, INJECTABLES
0	0	0	0	16	= MORNING AFTER PILLS
1	20	3	26	17	= RHYTHM OR SAFE PERIOD BY CALENDAR
0	3	1	4	18	= SAFE PERIOD BY TEMP, CERVICAL MUCUS TEST,

(4848)

1995 NATIONAL SURVEY OF FAMILY GROWTH
 File Documentation
 Respondent File (Section E Questionnaire Items)

VARIABLE NAME	COLUMN LOCATION	NON-HISPANIC			TOTAL	QX	TEXT AND CODE CATEGORIES
		HISP	WHITE	BLACK			
		6	44	7	62	19	NFP
		0	0	5	5	20	= WITHDRAWAL
		0	3	1	4	21	= RESPONDENT STERILE
							= PARTNER STERILE (NOT ON CARD)
		0	0	0	0	22	= OTHER METHOD-NOT SHOWN SEPARATELY
		0	0	0	0	55	= SAME METHODS USED THROUGH END OF YEAR
		0	1	1	2	97	= Not Ascertained
		0	1	1	2	98	= Refused
		0	1	0	1	99	= Don't Know

1995 NATIONAL SURVEY OF FAMILY GROWTH
 File Documentation
 Respondent File (Section E Questionnaire Items)

VARIABLE	COLUMN	NON-HISPANIC								
NAME	LOCATION	HISP	WHITE	BLACK						TOTAL

[METHH210] 8664-8665

ENTER METHOD (THIRD MENTIONED) USED
 IN MAY 1995: (MC53)

Inapplicable:

R never had sex as of this month and never used a birth control method as of this month but ever used one or more birth control methods in EA series (WNFSTSEX GE 1093 and DATFIRSM GE 1093 and computed variable EVERUSED = 1); month R was interviewed preceded this month; R never had sex and said no, don't know or refused to all birth control methods in EA series (computed variable RHADSEX coded 2,7,8 or 9 and computed variable EVERUSED = 2); R said no, don't know or refused to all birth control methods in EA series (computed variable EVERUSED = 2); R used fewer than 3 methods in month; R completed the interview prior to this month.

1551	6460	2436	10810	Blank		= Blank, inapplicable
0	0	0	0	01		= NO METHODS USED
0	0	0	0	02		= SAME AS PREVIOUS MONTH
0	1	0	1	03		= BIRTH CONTROL PILLS
0	1	0	1	04		= CONDOM
0	0	0	0	05		= PARTNER'S VASECTOMY
0	0	0	0	06		= DIAPHRAGM
0	0	0	0	07		= FOAM
0	0	0	0	08		= JELLY OR CREAM
0	0	0	0	09		= CERVICAL CAP
0	1	0	1	10		= SUPPOSITORY, INSERT
0	2	0	2	11		= TODAY (TM) SPONGE
0	0	0	0	12		= FEMALE CONDOM, VAGINAL POUCH
0	0	0	0	13		= IUD, COIL, LOOP
0	0	0	0	14		= NORPLANT (TM)
0	0	0	0	15		= DEPO-PROVERA, INJECTABLES
0	0	0	0	16		= MORNING AFTER PILLS
1	3	0	4	17		= RHYTHM OR SAFE PERIOD BY CALENDAR
0	0	0	0	18		= SAFE PERIOD BY TEMP, CERVICAL MUCUS TEST,

(4850)

1995 NATIONAL SURVEY OF FAMILY GROWTH
 File Documentation
 Respondent File (Section E Questionnaire Items)

VARIABLE NAME	COLUMN LOCATION	NON-HISPANIC			TOTAL	QX	TEXT AND CODE CATEGORIES
		HISP	WHITE	BLACK			
		1	9	1	12	19	NFP
		0	3	7	10	20	= WITHDRAWAL
		0	0	0	0	21	= RESPONDENT STERILE
							= PARTNER STERILE (NOT ON CARD)
		0	0	0	1	22	= OTHER METHOD-NOT SHOWN SEPARATELY
		0	0	0	0	55	= SAME METHODS USED THROUGH END OF YEAR
		0	1	1	2	97	= Not Ascertained
		0	1	1	2	98	= Refused
		0	1	0	1	99	= Don't Know

1995 NATIONAL SURVEY OF FAMILY GROWTH
 File Documentation
 Respondent File (Section E Questionnaire Items)

VARIABLE NAME	COLUMN LOCATION	NON-HISPANIC			QX TEXT AND CODE CATEGORIES	
		HISP	WHITE	BLACK	TOTAL	
[METHH211]	8666-8667					ENTER METHOD (FOURTH MENTIONED) USED IN MAY 1995: (MC53)

Inapplicable:
 R never had sex as of this month and never used a birth control method as of this month but ever used one or more birth control methods in EA series (WNFSTSEX GE 1093 and DATFIRSM GE 1093 and computed variable EVERUSED = 1); month R was interviewed preceded this month; R never had sex and said no, don't know or refused to all birth control methods in EA series (computed variable RHADSEX coded 2,7,8 or 9 and computed variable EVERUSED = 2); R said no, don't know or refused to all birth control methods in EA series (computed variable EVERUSED = 2); R used fewer than 4 methods in month; R completed the interview prior to this month.

1552	6477	2443	10837	Blank	= Blank, inapplicable
0	0	0	0	01	= NO METHODS USED
0	0	0	0	02	= SAME AS PREVIOUS MONTH
0	0	0	0	03	= BIRTH CONTROL PILLS
0	1	0	1	04	= CONDOM
0	0	0	0	05	= PARTNER'S VASECTOMY
0	0	0	0	06	= DIAPHRAGM
0	0	0	0	07	= FOAM
0	0	0	0	08	= JELLY OR CREAM
0	0	0	0	09	= CERVICAL CAP
0	0	1	1	10	= SUPPOSITORY, INSERT
0	0	0	0	11	= TODAY (TM) SPONGE
0	0	0	0	12	= FEMALE CONDOM, VAGINAL POUCH
0	0	0	0	13	= IUD, COIL, LOOP
0	0	0	0	14	= NORPLANT (TM)
0	0	0	0	15	= DEPO-PROVERA, INJECTABLES
0	0	0	0	16	= MORNING AFTER PILLS
0	1	0	1	17	= RHYTHM OR SAFE PERIOD BY CALENDAR
0	0	0	0	18	= SAFE PERIOD BY TEMP, CERVICAL MUCUS TEST,

(4852)

1995 NATIONAL SURVEY OF FAMILY GROWTH
 File Documentation
 Respondent File (Section E Questionnaire Items)

VARIABLE NAME	COLUMN LOCATION	NON-HISPANIC			TOTAL	QX	TEXT AND CODE CATEGORIES
		HISP	WHITE	BLACK			
		0	1	0	1	19	NFP = WITHDRAWAL
		1	0	0	1	20	= RESPONDENT STERILE
		0	0	0	0	21	= PARTNER STERILE (NOT ON CARD)
		0	0	0	0	22	= OTHER METHOD-NOT SHOWN SEPARATELY
		0	0	0	0	55	= SAME METHODS USED THROUGH END OF YEAR
		0	1	1	2	97	= Not Ascertained
		0	1	1	2	98	= Refused
		0	1	0	1	99	= Don't Know

[SIMSEQ52] 8668-8668

Did you use those methods together,
 that is, at the same time, or did
 you use them at different times
 during the month? (MC53)

Inapplicable:

R never had sex as of this month and
 never used a birth control method as
 of this month but ever used one or
 more birth control methods in EA
 series (WNFSTSEX GE 1093 and
 DATFIRSM GE 1093 and computed
 variable EVERUSED = 1); month R was
 interviewed preceded this month; R
 never had sex and said no, don't
 know or refused to all birth control
 methods in EA series (computed
 variable RHADSEX coded 2,7,8 or 9
 and computed variable EVERUSED = 2);
 R said no, don't know or refused to
 all birth control methods in EA
 series (computed variable EVERUSED =
 2); R did not use multiple methods
 in the month; R used more than 2
 methods in the month.

1540	6352	2398	10646	Blank	= Blank, inapplicable
7	77	36	123	1	= SAME TIME
6	54	12	78	2	= DIFFERENT TIMES
0	0	0	0	7	= Not Ascertained
0	0	0	0	8	= Refused
0	0	0	0	9	= Don't Know

1995 NATIONAL SURVEY OF FAMILY GROWTH
 File Documentation
 Respondent File (Section E Questionnaire Items)

VARIABLE COLUMN NON-HISPANIC
 NAME LOCATION HISP WHITE BLACK TOTAL QX TEXT AND CODE CATEGORIES

[MTHUS624] 8669-8670

During that month, which (of those/other) methods, if any, did you use at the same time? (1st METHOD MENTIONED, 1st COMBINATION, MC53)

Inapplicable:
 R said no, don't know or refused to all birth control methods in EA series (computed variable EVERUSED = 2); R never had sex as of this month and never used a birth control method as of this month but ever used one or more birth control methods in EA series (WNFSTSEX GE 1093 and DATFIRSM GE 1093 and computed variable EVERUSED = 1); month R was interviewed preceded this month; R did not use multiple methods in the month; or R used only 2 methods in the month.

	1551	6466	2444	10824	Blank	
	1	8	0	9	01	= Blank, inapplicable
	0	0	0	0	02	= NONE
	0	1	0	3	03	= OFFICE USE ONLY
	1	3	0	4	04	= BIRTH CONTROL PILLS
	0	0	0	0	05	= CONDOM
	0	2	0	2	06	= PARTNER'S VASECTOMY
	0	0	0	0	07	= DIAPHRAGM
	0	0	0	0	08	= FOAM
	0	0	0	0	09	= JELLY OR CREAM
	0	0	0	0	10	= CERVICAL CAP
	0	0	0	0	11	= SUPPOSITORY, INSERT
	0	0	0	0	12	= TODAY (TM) SPONGE
	0	0	0	0	13	= FEMALE CONDOM, VAGINAL POUCH
	0	0	0	0	14	= IUD, COIL, LOOP
	0	0	0	0	15	= NORPLANT (TM)
	0	0	0	0	16	= DEPO-PROVERA, INJECTABLES
	0	0	0	0	17	= MORNING AFTER PILLS
	0	2	1	3	18	= RHYTHM OR SAFE PERIOD BY CALENDAR
	0	0	0	0	19	= SAFE PERIOD BY TEMP, CERVICAL MUCUS TEST, NFP
	0	1	0	1	20	= WITHDRAWAL
	0	0	1	1	20	= RESPONDENT STERILE

(4854)

1995 NATIONAL SURVEY OF FAMILY GROWTH
 File Documentation
 Respondent File (Section E Questionnaire Items)

VARIABLE NAME	COLUMN LOCATION	NON-HISPANIC			QX	TEXT AND CODE CATEGORIES
		HISP	WHITE	BLACK		
		0	0	0	0	21 = PARTNER STERILE (NOT ON CARD)
		0	0	0	0	22 = OTHER METHOD-NOT SHOWN SEPARATELY
		0	0	0	0	97 = Not Ascertained
		0	0	0	0	98 = Refused
		0	0	0	0	99 = Don't Know

1995 NATIONAL SURVEY OF FAMILY GROWTH
 File Documentation
 Respondent File (Section E Questionnaire Items)

VARIABLE COLUMN NON-HISPANIC
 NAME LOCATION HISP WHITE BLACK TOTAL QX TEXT AND CODE CATEGORIES

[MTHUS625] 8671-8672

During that month, which (of those/other) methods, if any, did you use at the same time? (2nd METHOD MENTIONED, 1st COMBINATION, MC53)

Inapplicable:
 R said no, don't know or refused to all birth control methods in EA series (computed variable EVERUSED = 2); R never had sex as of this month and never used a birth control method as of this month but ever used one or more birth control methods in EA series (WNFSTSEX GE 1093 and DATFIRSM GE 1093 and computed variable EVERUSED = 1); month R was interviewed preceded this month; R did not use multiple methods in the month; or R used only 2 methods in the month; or R reported using fewer than 2 BC methods for this combination in this month of the method calendar.

1552	6474	2444	10833	Blank	= Blank, inapplicable
0	0	0	0	01	= NONE
0	0	0	0	02	= OFFICE USE ONLY
0	0	0	0	03	= BIRTH CONTROL PILLS
0	1	1	3	04	= CONDOM
0	1	0	1	05	= PARTNER'S VASECTOMY
0	0	0	0	06	= DIAPHRAGM
0	2	0	2	07	= FOAM
1	1	0	2	08	= JELLY OR CREAM
0	0	0	0	09	= CERVICAL CAP
0	0	0	0	10	= SUPPOSITORY, INSERT
0	0	0	0	11	= TODAY (TM) SPONGE
0	0	0	0	12	= FEMALE CONDOM, VAGINAL POUCH
0	0	0	0	13	= IUD, COIL, LOOP
0	0	0	0	14	= NORPLANT (TM)
0	0	0	0	15	= DEPO-PROVERA, INJECTABLES
0	0	0	0	16	= MORNING AFTER PILLS
0	2	0	2	17	= RHYTHM OR SAFE PERIOD BY CALENDAR
0	0	0	0	18	= SAFE PERIOD BY TEMP, CERVICAL MUCUS TEST,

(4856)

1995 NATIONAL SURVEY OF FAMILY GROWTH
 File Documentation
 Respondent File (Section E Questionnaire Items)

VARIABLE NAME	COLUMN LOCATION	NON-HISPANIC			TOTAL	QX	TEXT AND CODE CATEGORIES
		HISP	WHITE	BLACK			
		0	2	1	4	19	NFP
		0	0	0	0	20	= WITHDRAWAL
		0	0	0	0	21	= RESPONDENT STERILE
							= PARTNER STERILE (NOT ON CARD)
		0	0	0	0	22	= OTHER METHOD-NOT SHOWN SEPARATELY
		0	0	0	0	97	= Not Ascertained
		0	0	0	0	98	= Refused
		0	0	0	0	99	= Don't Know

1995 NATIONAL SURVEY OF FAMILY GROWTH
 File Documentation
 Respondent File (Section E Questionnaire Items)

VARIABLE COLUMN NON-HISPANIC
 NAME LOCATION HISP WHITE BLACK TOTAL QX TEXT AND CODE CATEGORIES

[MTHUS626] 8673-8674

During that month, which (of those/other) methods, if any, did you use at the same time? (3rd METHOD MENTIONED, 1st COMBINATION, MC53)

Inapplicable:
 R said no, don't know or refused to all birth control methods in EA series (computed variable EVERUSED = 2); R never had sex as of this month and never used a birth control method as of this month but ever used one or more birth control methods in EA series (WNFSTSEX GE 1093 and DATFIRSM GE 1093 and computed variable EVERUSED = 1); month R was interviewed preceded this month; R did not use multiple methods in the month; or R used only 2 methods in the month; or R reported using fewer than 3 BC methods for this combination in this month of the method calendar.

	1552	6478	2445	10839	Blank	
	0	0	0	0	0	01 = Blank, inapplicable
	0	0	0	0	0	02 = NONE
	0	0	0	0	0	03 = OFFICE USE ONLY
	0	0	0	0	0	04 = BIRTH CONTROL PILLS
	0	0	0	0	0	05 = CONDOM
	0	0	0	0	0	06 = PARTNER'S VASECTOMY
	0	0	0	0	0	07 = DIAPHRAGM
	0	0	0	0	0	08 = FOAM
	0	0	0	0	0	09 = JELLY OR CREAM
	0	0	0	0	0	10 = CERVICAL CAP
	0	0	1	1	1	11 = SUPPOSITORY, INSERT
	0	1	0	1	1	12 = TODAY (TM) SPONGE
	0	0	0	0	0	13 = FEMALE CONDOM, VAGINAL POUCH
	0	0	0	0	0	14 = IUD, COIL, LOOP
	0	0	0	0	0	15 = NORPLANT (TM)
	0	0	0	0	0	16 = DEPO-PROVERA, INJECTABLES
	0	0	0	0	0	17 = MORNING AFTER PILLS
	1	2	0	3	3	18 = RHYTHM OR SAFE PERIOD BY CALENDAR
	0	0	0	0	0	19 = SAFE PERIOD BY TEMP, CERVICAL MUCUS TEST,

(4858)

1995 NATIONAL SURVEY OF FAMILY GROWTH
 File Documentation
 Respondent File (Section E Questionnaire Items)

VARIABLE NAME	COLUMN LOCATION	NON-HISPANIC			TOTAL	QX	TEXT AND CODE CATEGORIES
		HISP	WHITE	BLACK			
		0	2	0	3	19	NFP
		0	0	0	0	20	= WITHDRAWAL
		0	0	0	0	21	= RESPONDENT STERILE
							= PARTNER STERILE (NOT ON CARD)
		0	0	0	0	22	= OTHER METHOD-NOT SHOWN SEPARATELY
		0	0	0	0	97	= Not Ascertained
		0	0	0	0	98	= Refused
		0	0	0	0	99	= Don't Know

1995 NATIONAL SURVEY OF FAMILY GROWTH
 File Documentation
 Respondent File (Section E Questionnaire Items)

VARIABLE NAME	COLUMN LOCATION	NON-HISPANIC			TOTAL	QX	TEXT AND CODE CATEGORIES
		HISP	WHITE	BLACK			
		0	0	0	0	19	NFP
		0	0	0	0	20	= WITHDRAWAL
		0	0	0	0	21	= RESPONDENT STERILE
							= PARTNER STERILE (NOT ON CARD)
		0	0	0	0	22	= OTHER METHOD-NOT SHOWN SEPARATELY
		0	0	0	0	97	= Not Ascertained
		0	0	0	0	98	= Refused
		0	0	0	0	99	= Don't Know

1995 NATIONAL SURVEY OF FAMILY GROWTH
 File Documentation
 Respondent File (Section E Questionnaire Items)

VARIABLE COLUMN NON-HISPANIC
 NAME LOCATION HISP WHITE BLACK TOTAL QX TEXT AND CODE CATEGORIES

[MTHUS628] 8677-8678

During that month, which (of those/other) methods, if any, did you use at the same time? (1st METHOD MENTIONED, 2nd COMBINATION, MC53)

Inapplicable:
 R said no, don't know or refused to all birth control methods in EA series (computed variable EVERUSED = 2); R never had sex as of this month and never used a birth control method as of this month but ever used one or more birth control methods in EA series (WNFSTSEX GE 1093 and DATFIRSM GE 1093 and computed variable EVERUSED = 1); month R was interviewed preceded this month; R did not use multiple methods in the month; or R used only 2 methods in the month; or R reported fewer than 2 BC method combinations.

	1552	6474	2444	10833	Blank	
	1	6	1	10	01	= Blank, inapplicable
	0	0	0	0	02	= NONE
	0	1	0	1	03	= OFFICE USE ONLY
	0	1	0	1	04	= BIRTH CONTROL PILLS
	0	0	0	0	05	= CONDOM
	0	0	0	0	06	= PARTNER'S VASECTOMY
	0	0	0	0	07	= DIAPHRAGM
	0	0	0	0	07	= FOAM
	0	1	0	1	08	= JELLY OR CREAM
	0	0	0	0	09	= CERVICAL CAP
	0	0	0	0	10	= SUPPOSITORY, INSERT
	0	0	0	0	11	= TODAY (TM) SPONGE
	0	0	0	0	12	= FEMALE CONDOM, VAGINAL POUCH
	0	0	0	0	13	= IUD, COIL, LOOP
	0	0	0	0	14	= NORPLANT (TM)
	0	0	0	0	15	= DEPO-PROVERA, INJECTABLES
	0	0	0	0	16	= MORNING AFTER PILLS
	0	0	0	0	17	= RHYTHM OR SAFE PERIOD BY CALENDAR
	0	0	0	0	18	= SAFE PERIOD BY TEMP, CERVICAL MUCUS TEST, NFP

1995 NATIONAL SURVEY OF FAMILY GROWTH
 File Documentation
 Respondent File (Section E Questionnaire Items)

VARIABLE NAME	COLUMN LOCATION	NON-HISPANIC			TOTAL	QX	TEXT AND CODE CATEGORIES
		HISP	WHITE	BLACK			
		0	0	0	0	19	= WITHDRAWAL
		0	0	1	1	20	= RESPONDENT STERILE
		0	0	0	0	21	= PARTNER STERILE (NOT ON CARD)
		0	0	0	0	22	= OTHER METHOD-NOT SHOWN SEPARATELY
		0	0	0	0	97	= Not Ascertained
		0	0	0	0	98	= Refused
		0	0	0	0	99	= Don't Know

1995 NATIONAL SURVEY OF FAMILY GROWTH
 File Documentation
 Respondent File (Section E Questionnaire Items)

VARIABLE	COLUMN	NON-HISPANIC				QX TEXT AND CODE CATEGORIES
NAME	LOCATION	HISP	WHITE	BLACK	TOTAL	

[MTHUS629] 8679-8680

During that month, which (of those/other) methods, if any, did you use at the same time? (2nd METHOD MENTIONED, 2nd COMBINATION, MC53)

Inapplicable:
 R said no, don't know or refused to all birth control methods in EA series (computed variable EVERUSED = 2); R never had sex as of this month and never used a birth control method as of this month but ever used one or more birth control methods in EA series (WNFSTSEX GE 1093 and DATFIRSM GE 1093 and computed variable EVERUSED = 1); month R was interviewed preceded this month; R did not use multiple methods in the month; or R used only 2 methods in the month; or R reported fewer than 2 BC method combinations; or R reported using fewer than 2 BC methods for this combination in this month of the method calendar.

1553	6481	2445	10844	Blank	= Blank, inapplicable
0	0	0	0	01	= NONE
0	0	0	0	02	= OFFICE USE ONLY
0	0	0	0	03	= BIRTH CONTROL PILLS
0	1	0	1	04	= CONDOM
0	1	0	1	05	= PARTNER'S VASECTOMY
0	0	0	0	06	= DIAPHRAGM
0	0	0	0	07	= FOAM
0	0	0	0	08	= JELLY OR CREAM
0	0	0	0	09	= CERVICAL CAP
0	0	0	0	10	= SUPPOSITORY, INSERT
0	0	0	0	11	= TODAY (TM) SPONGE
0	0	0	0	12	= FEMALE CONDOM, VAGINAL POUCH
0	0	0	0	13	= IUD, COIL, LOOP
0	0	0	0	14	= NORPLANT (TM)
0	0	0	0	15	= DEPO-PROVERA, INJECTABLES
0	0	0	0	16	= MORNING AFTER PILLS
0	0	0	0	17	= RHYTHM OR SAFE PERIOD BY CALENDAR

(4864)

1995 NATIONAL SURVEY OF FAMILY GROWTH
 File Documentation
 Respondent File (Section E Questionnaire Items)

VARIABLE NAME	COLUMN LOCATION	NON-HISPANIC			TOTAL	QX	TEXT AND CODE CATEGORIES
		HISP	WHITE	BLACK			
		0	0	0	0	18	= SAFE PERIOD BY TEMP, CERVICAL MUCUS TEST, NFP
		0	0	1	1	19	= WITHDRAWAL
		0	0	0	0	20	= RESPONDENT STERILE
		0	0	0	0	21	= PARTNER STERILE (NOT ON CARD)
		0	0	0	0	22	= OTHER METHOD-NOT SHOWN SEPARATELY
		0	0	0	0	97	= Not Ascertained
		0	0	0	0	98	= Refused
		0	0	0	0	99	= Don't Know

1995 NATIONAL SURVEY OF FAMILY GROWTH
 File Documentation
 Respondent File (Section E Questionnaire Items)

VARIABLE	COLUMN	NON-HISPANIC								
NAME	LOCATION	HISP	WHITE	BLACK						

[MTHUS630] 8681-8682

During that month, which (of those/other) methods, if any, did you use at the same time? (3rd METHOD MENTIONED, 2nd COMBINATION, MC53)

Inapplicable:
 R said no, don't know or refused to all birth control methods in EA series (computed variable EVERUSED = 2); R never had sex as of this month and never used a birth control method as of this month but ever used one or more birth control methods in EA series (WNFSTSEX GE 1093 and DATFIRSM GE 1093 and computed variable EVERUSED = 1); month R was interviewed preceded this month; R did not use multiple methods in the month; or R used only 2 methods in the month; or R reported fewer than 2 BC method combinations; or R reported using fewer than 3 BC methods for this combination in this month of the method calendar.

1553	6483	2446	10847	Blank	=	Blank, inapplicable				
0	0	0	0	01	=	NONE				
0	0	0	0	02	=	OFFICE USE ONLY				
0	0	0	0	03	=	BIRTH CONTROL PILLS				
0	0	0	0	04	=	CONDOM				
0	0	0	0	05	=	PARTNER'S VASECTOMY				
0	0	0	0	06	=	DIAPHRAGM				
0	0	0	0	07	=	FOAM				
0	0	0	0	08	=	JELLY OR CREAM				
0	0	0	0	09	=	CERVICAL CAP				
0	0	0	0	10	=	SUPPOSITORY, INSERT				
0	0	0	0	11	=	TODAY (TM) SPONGE				
0	0	0	0	12	=	FEMALE CONDOM, VAGINAL POUCH				
0	0	0	0	13	=	IUD, COIL, LOOP				
0	0	0	0	14	=	NORPLANT (TM)				
0	0	0	0	15	=	DEPO-PROVERA, INJECTABLES				
0	0	0	0	16	=	MORNING AFTER PILLS				
0	0	0	0	17	=	RHYTHM OR SAFE PERIOD BY CALENDAR				

1995 NATIONAL SURVEY OF FAMILY GROWTH
 File Documentation
 Respondent File (Section E Questionnaire Items)

VARIABLE NAME	COLUMN LOCATION	NON-HISPANIC			TOTAL	QX	TEXT AND CODE CATEGORIES
		HISP	WHITE	BLACK			
		0	0	0	0	18	= SAFE PERIOD BY TEMP, CERVICAL MUCUS TEST, NFP
		0	0	0	0	19	= WITHDRAWAL
		0	0	0	0	20	= RESPONDENT STERILE
		0	0	0	0	21	= PARTNER STERILE (NOT ON CARD)
		0	0	0	0	22	= OTHER METHOD-NOT SHOWN SEPARATELY
		0	0	0	0	97	= Not Ascertained
		0	0	0	0	98	= Refused
		0	0	0	0	99	= Don't Know

1995 NATIONAL SURVEY OF FAMILY GROWTH
 File Documentation
 Respondent File (Section E Questionnaire Items)

VARIABLE	COLUMN	NON-HISPANIC		
NAME	LOCATION	HISP	WHITE BLACK TOTAL	QX TEXT AND CODE CATEGORIES

[MTHUS631] 8683-8684

During that month, which (of those/other) methods, if any, did you use at the same time? (4th METHOD MENTIONED, 2nd COMBINATION, MC53)

Inapplicable:
 R said no, don't know or refused to all birth control methods in EA series (computed variable EVERUSED = 2); R never had sex as of this month and never used a birth control method as of this month but ever used one or more birth control methods in EA series (WNFSTSEX GE 1093 and DATFIRSM GE 1093 and computed variable EVERUSED = 1); month R was interviewed preceded this month; R did not use multiple methods in the month; or R used only 2 methods in the month; or R reported fewer than 2 BC method combinations; or R reported using fewer than 4 BC methods for this combination in this month of the method calendar.

1553	6483	2446	10847	Blank	= Blank, inapplicable
0	0	0	0	01	= NONE
0	0	0	0	02	= OFFICE USE ONLY
0	0	0	0	03	= BIRTH CONTROL PILLS
0	0	0	0	04	= CONDOM
0	0	0	0	05	= PARTNER'S VASECTOMY
0	0	0	0	06	= DIAPHRAGM
0	0	0	0	07	= FOAM
0	0	0	0	08	= JELLY OR CREAM
0	0	0	0	09	= CERVICAL CAP
0	0	0	0	10	= SUPPOSITORY, INSERT
0	0	0	0	11	= TODAY (TM) SPONGE
0	0	0	0	12	= FEMALE CONDOM, VAGINAL POUCH
0	0	0	0	13	= IUD, COIL, LOOP
0	0	0	0	14	= NORPLANT (TM)
0	0	0	0	15	= DEPO-PROVERA, INJECTABLES
0	0	0	0	16	= MORNING AFTER PILLS
0	0	0	0	17	= RHYTHM OR SAFE PERIOD BY CALENDAR

(4868)

1995 NATIONAL SURVEY OF FAMILY GROWTH
 File Documentation
 Respondent File (Section E Questionnaire Items)

VARIABLE NAME	COLUMN LOCATION	NON-HISPANIC			TOTAL	QX	TEXT AND CODE CATEGORIES
		HISP	WHITE	BLACK			
		0	0	0	0	18	= SAFE PERIOD BY TEMP, CERVICAL MUCUS TEST, NFP
		0	0	0	0	19	= WITHDRAWAL
		0	0	0	0	20	= RESPONDENT STERILE
		0	0	0	0	21	= PARTNER STERILE (NOT ON CARD)
		0	0	0	0	22	= OTHER METHOD-NOT SHOWN SEPARATELY
		0	0	0	0	97	= Not Ascertained
		0	0	0	0	98	= Refused
		0	0	0	0	99	= Don't Know

1995 NATIONAL SURVEY OF FAMILY GROWTH
 File Documentation
 Respondent File (Section E Questionnaire Items)

VARIABLE	COLUMN	NON-HISPANIC				
NAME	LOCATION	HISP	WHITE	BLACK	TOTAL	QX TEXT AND CODE CATEGORIES

[MTHUS632] 8685-8686

During that month, which (of those/other) methods, if any, did you use at the same time? (1st METHOD MENTIONED, 3rd COMBINATION, MC53)

Inapplicable:
 R said no, don't know or refused to all birth control methods in EA series (computed variable EVERUSED = 2); R never had sex as of this month and never used a birth control method as of this month but ever used one or more birth control methods in EA series (WNFSTSEX GE 1093 and DATFIRSM GE 1093 and computed variable EVERUSED = 1); month R was interviewed preceded this month; R did not use multiple methods in the month; or R used only 2 methods in the month; or R reported fewer than 3 BC method combinations.

1553	6483	2446	10847	Blank	= Blank, inapplicable
0	0	0	0	01	= NONE
0	0	0	0	02	= OFFICE USE ONLY
0	0	0	0	03	= BIRTH CONTROL PILLS
0	0	0	0	04	= CONDOM
0	0	0	0	05	= PARTNER'S VASECTOMY
0	0	0	0	06	= DIAPHRAGM
0	0	0	0	07	= FOAM
0	0	0	0	08	= JELLY OR CREAM
0	0	0	0	09	= CERVICAL CAP
0	0	0	0	10	= SUPPOSITORY, INSERT
0	0	0	0	11	= TODAY (TM) SPONGE
0	0	0	0	12	= FEMALE CONDOM, VAGINAL POUCH
0	0	0	0	13	= IUD, COIL, LOOP
0	0	0	0	14	= NORPLANT (TM)
0	0	0	0	15	= DEPO-PROVERA, INJECTABLES
0	0	0	0	16	= MORNING AFTER PILLS
0	0	0	0	17	= RHYTHM OR SAFE PERIOD BY CALENDAR
0	0	0	0	18	= SAFE PERIOD BY TEMP, CERVICAL MUCUS TEST, NFP

1995 NATIONAL SURVEY OF FAMILY GROWTH
 File Documentation
 Respondent File (Section E Questionnaire Items)

VARIABLE NAME	COLUMN LOCATION	NON-HISPANIC			TOTAL	QX	TEXT AND CODE CATEGORIES
		HISP	WHITE	BLACK			
		0	0	0	0	19	= WITHDRAWAL
		0	0	0	0	20	= RESPONDENT STERILE
		0	0	0	0	21	= PARTNER STERILE (NOT ON CARD)
		0	0	0	0	22	= OTHER METHOD-NOT SHOWN SEPARATELY
		0	0	0	0	97	= Not Ascertained
		0	0	0	0	98	= Refused
		0	0	0	0	99	= Don't Know

1995 NATIONAL SURVEY OF FAMILY GROWTH
 File Documentation
 Respondent File (Section E Questionnaire Items)

VARIABLE	COLUMN	NON-HISPANIC				QX TEXT AND CODE CATEGORIES
NAME	LOCATION	HISP	WHITE	BLACK	TOTAL	

[MTHUS633] 8687-8688

During that month, which (of those/other) methods, if any, did you use at the same time? (2nd METHOD MENTIONED, 3rd COMBINATION, MC53)

Inapplicable:
 R said no, don't know or refused to all birth control methods in EA series (computed variable EVERUSED = 2); R never had sex as of this month and never used a birth control method as of this month but ever used one or more birth control methods in EA series (WNFSTSEX GE 1093 and DATFIRSM GE 1093 and computed variable EVERUSED = 1); month R was interviewed preceded this month; R did not use multiple methods in the month; or R used only 2 methods in the month; or R reported fewer than 3 BC method combinations; or R reported using fewer than 2 BC methods for this combination in this month of the method calendar.

1553	6483	2446	10847	Blank	= Blank, inapplicable
0	0	0	0	01	= NONE
0	0	0	0	02	= OFFICE USE ONLY
0	0	0	0	03	= BIRTH CONTROL PILLS
0	0	0	0	04	= CONDOM
0	0	0	0	05	= PARTNER'S VASECTOMY
0	0	0	0	06	= DIAPHRAGM
0	0	0	0	07	= FOAM
0	0	0	0	08	= JELLY OR CREAM
0	0	0	0	09	= CERVICAL CAP
0	0	0	0	10	= SUPPOSITORY, INSERT
0	0	0	0	11	= TODAY (TM) SPONGE
0	0	0	0	12	= FEMALE CONDOM, VAGINAL POUCH
0	0	0	0	13	= IUD, COIL, LOOP
0	0	0	0	14	= NORPLANT (TM)
0	0	0	0	15	= DEPO-PROVERA, INJECTABLES
0	0	0	0	16	= MORNING AFTER PILLS
0	0	0	0	17	= RHYTHM OR SAFE PERIOD BY CALENDAR

1995 NATIONAL SURVEY OF FAMILY GROWTH
 File Documentation
 Respondent File (Section E Questionnaire Items)

VARIABLE NAME	COLUMN LOCATION	NON-HISPANIC			TOTAL	QX	TEXT AND CODE CATEGORIES
		HISP	WHITE	BLACK			
		0	0	0	0	18	= SAFE PERIOD BY TEMP, CERVICAL MUCUS TEST, NFP
		0	0	0	0	19	= WITHDRAWAL
		0	0	0	0	20	= RESPONDENT STERILE
		0	0	0	0	21	= PARTNER STERILE (NOT ON CARD)
		0	0	0	0	22	= OTHER METHOD-NOT SHOWN SEPARATELY
		0	0	0	0	97	= Not Ascertained
		0	0	0	0	98	= Refused
		0	0	0	0	99	= Don't Know

1995 NATIONAL SURVEY OF FAMILY GROWTH
 File Documentation
 Respondent File (Section E Questionnaire Items)

VARIABLE	COLUMN	NON-HISPANIC				QX TEXT AND CODE CATEGORIES
NAME	LOCATION	HISP	WHITE	BLACK	TOTAL	

[MTHUS634] 8689-8690

During that month, which (of those/other) methods, if any, did you use at the same time? (3rd METHOD MENTIONED, 3rd COMBINATION, MC53)

Inapplicable:
 R said no, don't know or refused to all birth control methods in EA series (computed variable EVERUSED = 2); R never had sex as of this month and never used a birth control method as of this month but ever used one or more birth control methods in EA series (WNFSTSEX GE 1093 and DATFIRSM GE 1093 and computed variable EVERUSED = 1); month R was interviewed preceded this month; R did not use multiple methods in the month; or R used only 2 methods in the month; or R reported fewer than 3 BC method combinations; or R reported using fewer than 3 BC methods for this combination in this month of the method calendar.

1553	6483	2446	10847	Blank	= Blank, inapplicable
0	0	0	0	01	= NONE
0	0	0	0	02	= OFFICE USE ONLY
0	0	0	0	03	= BIRTH CONTROL PILLS
0	0	0	0	04	= CONDOM
0	0	0	0	05	= PARTNER'S VASECTOMY
0	0	0	0	06	= DIAPHRAGM
0	0	0	0	07	= FOAM
0	0	0	0	08	= JELLY OR CREAM
0	0	0	0	09	= CERVICAL CAP
0	0	0	0	10	= SUPPOSITORY, INSERT
0	0	0	0	11	= TODAY (TM) SPONGE
0	0	0	0	12	= FEMALE CONDOM, VAGINAL POUCH
0	0	0	0	13	= IUD, COIL, LOOP
0	0	0	0	14	= NORPLANT (TM)
0	0	0	0	15	= DEPO-PROVERA, INJECTABLES
0	0	0	0	16	= MORNING AFTER PILLS
0	0	0	0	17	= RHYTHM OR SAFE PERIOD BY CALENDAR

(4874)

1995 NATIONAL SURVEY OF FAMILY GROWTH
 File Documentation
 Respondent File (Section E Questionnaire Items)

VARIABLE NAME	COLUMN LOCATION	NON-HISPANIC			TOTAL	QX	TEXT AND CODE CATEGORIES
		HISP	WHITE	BLACK			
		0	0	0	0	18	= SAFE PERIOD BY TEMP, CERVICAL MUCUS TEST, NFP
		0	0	0	0	19	= WITHDRAWAL
		0	0	0	0	20	= RESPONDENT STERILE
		0	0	0	0	21	= PARTNER STERILE (NOT ON CARD)
		0	0	0	0	22	= OTHER METHOD-NOT SHOWN SEPARATELY
		0	0	0	0	97	= Not Ascertained
		0	0	0	0	98	= Refused
		0	0	0	0	99	= Don't Know

1995 NATIONAL SURVEY OF FAMILY GROWTH
 File Documentation
 Respondent File (Section E Questionnaire Items)

VARIABLE COLUMN NON-HISPANIC
 NAME LOCATION HISP WHITE BLACK TOTAL QX TEXT AND CODE CATEGORIES

[MTHUS635] 8691-8692

During that month, which (of those/other) methods, if any, did you use at the same time? (4th METHOD MENTIONED, 3rd COMBINATION, MC53)

Inapplicable:
 R said no, don't know or refused to all birth control methods in EA series (computed variable EVERUSED = 2); R never had sex as of this month and never used a birth control method as of this month but ever used one or more birth control methods in EA series (WNFSTSEX GE 1093 and DATFIRSM GE 1093 and computed variable EVERUSED = 1); month R was interviewed preceded this month; R did not use multiple methods in the month; or R used only 2 methods in the month; or R reported fewer than 3 BC method combinations; or R reported using fewer than 4 BC methods for this combination in this month of the method calendar.

	1553	6483	2446	10847	Blank	
	0	0	0	0	01	= Blank, inapplicable
	0	0	0	0	02	= NONE
	0	0	0	0	03	= OFFICE USE ONLY
	0	0	0	0	04	= BIRTH CONTROL PILLS
	0	0	0	0	05	= CONDOM
	0	0	0	0	06	= PARTNER'S VASECTOMY
	0	0	0	0	07	= DIAPHRAGM
	0	0	0	0	08	= FOAM
	0	0	0	0	09	= JELLY OR CREAM
	0	0	0	0	10	= CERVICAL CAP
	0	0	0	0	11	= SUPPOSITORY, INSERT
	0	0	0	0	12	= TODAY (TM) SPONGE
	0	0	0	0	13	= FEMALE CONDOM, VAGINAL POUCH
	0	0	0	0	14	= IUD, COIL, LOOP
	0	0	0	0	15	= NORPLANT (TM)
	0	0	0	0	16	= DEPO-PROVERA, INJECTABLES
	0	0	0	0	17	= MORNING AFTER PILLS
	0	0	0	0		= RHYTHM OR SAFE PERIOD BY CALENDAR

1995 NATIONAL SURVEY OF FAMILY GROWTH
 File Documentation
 Respondent File (Section E Questionnaire Items)

VARIABLE NAME	COLUMN LOCATION	NON-HISPANIC			TOTAL	QX	TEXT AND CODE CATEGORIES
		HISP	WHITE	BLACK			
		0	0	0	0	18	= SAFE PERIOD BY TEMP, CERVICAL MUCUS TEST, NFP
		0	0	0	0	19	= WITHDRAWAL
		0	0	0	0	20	= RESPONDENT STERILE
		0	0	0	0	21	= PARTNER STERILE (NOT ON CARD)
		0	0	0	0	22	= OTHER METHOD-NOT SHOWN SEPARATELY
		0	0	0	0	97	= Not Ascertained
		0	0	0	0	98	= Refused
		0	0	0	0	99	= Don't Know

1995 NATIONAL SURVEY OF FAMILY GROWTH
 File Documentation
 Respondent File (Section E Questionnaire Items)

VARIABLE COLUMN NON-HISPANIC
 NAME LOCATION HISP WHITE BLACK TOTAL QX TEXT AND CODE CATEGORIES

[METHH212] 8693-8694 ENTER METHOD (FIRST MENTIONED) USED
 IN JUNE 1995: (MC54)

Inapplicable:
 R never had sex as of this month and never used a birth control method as of this month but ever used one or more birth control methods in EA series (WNFSTSEX GE 1093 and DATFIRSM GE 1093 and computed variable EVERUSED = 1); month R was interviewed preceded this month; R never had sex and said no, don't know or refused to all birth control methods in EA series (computed variable RHADSEX coded 2,7,8 or 9 and computed variable EVERUSED = 2); R said no, don't know or refused to all birth control methods in EA series (computed variable EVERUSED = 2); or R completed the interview prior to this month.

1233	5237	1974	8739	Blank	= Blank, inapplicable
66	255	122	466	01	= NO METHODS USED
0	0	0	0	02	= SAME AS PREVIOUS MONTH
58	294	85	448	03	= BIRTH CONTROL PILLS
55	207	89	364	04	= CONDOM
3	61	1	67	05	= PARTNER'S VASECTOMY
1	13	1	15	06	= DIAPHRAGM
0	5	1	6	07	= FOAM
1	1	2	4	08	= JELLY OR CREAM
0	1	0	1	09	= CERVICAL CAP
0	2	2	4	10	= SUPPOSITORY, INSERT
0	4	2	6	11	= TODAY (TM) SPONGE
0	1	0	1	12	= FEMALE CONDOM, VAGINAL POUCH
5	7	2	15	13	= IUD, COIL, LOOP
5	7	6	20	14	= NORPLANT (TM)
16	19	15	50	15	= DEPO-PROVERA, INJECTABLES
0	0	0	0	16	= MORNING AFTER PILLS
6	21	5	33	17	= RHYTHM OR SAFE PERIOD BY CALENDAR
0	2	0	2	18	= SAFE PERIOD BY TEMP, CERVICAL MUCUS TEST, NFP

(4878)

1995 NATIONAL SURVEY OF FAMILY GROWTH
 File Documentation
 Respondent File (Section E Questionnaire Items)

VARIABLE NAME	COLUMN LOCATION	NON-HISPANIC			TOTAL	QX	TEXT AND CODE CATEGORIES
		HISP	WHITE	BLACK			
		10	32	1	44	19	= WITHDRAWAL
		88	267	128	498	20	= RESPONDENT STERILE
		6	43	4	54	21	= PARTNER STERILE (NOT ON CARD)
		0	1	4	5	22	= OTHER METHOD-NOT SHOWN SEPARATELY
		0	0	0	0	55	= SAME METHODS USED THROUGH END OF YEAR
		0	1	1	2	97	= Not Ascertained
		0	1	1	2	98	= Refused
		0	1	0	1	99	= Don't Know

1995 NATIONAL SURVEY OF FAMILY GROWTH
 File Documentation
 Respondent File (Section E Questionnaire Items)

VARIABLE NAME	COLUMN LOCATION	NON-HISPANIC			TOTAL	QX	TEXT AND CODE CATEGORIES
		HISP	WHITE	BLACK			
		4	28	4	39	19	NFP
		0	0	2	2	20	= WITHDRAWAL
		0	0	0	0	21	= RESPONDENT STERILE
							= PARTNER STERILE (NOT ON CARD)
		0	0	0	0	22	= OTHER METHOD-NOT SHOWN SEPARATELY
		0	0	0	0	55	= SAME METHODS USED THROUGH END OF YEAR
		0	1	1	2	97	= Not Ascertained
		0	1	1	2	98	= Refused
		0	1	0	1	99	= Don't Know

1995 NATIONAL SURVEY OF FAMILY GROWTH
 File Documentation
 Respondent File (Section E Questionnaire Items)

VARIABLE COLUMN NON-HISPANIC
 NAME LOCATION HISP WHITE BLACK TOTAL QX TEXT AND CODE CATEGORIES

[METHH214] 8697-8698 ENTER METHOD (THIRD MENTIONED) USED
 IN JUNE 1995: (MC54)

Inapplicable:
 R never had sex as of this month and never used a birth control method as of this month but ever used one or more birth control methods in EA series (WNFSTSEX GE 1093 and DATFIRSM GE 1093 and computed variable EVERUSED = 1); month R was interviewed preceded this month; R never had sex and said no, don't know or refused to all birth control methods in EA series (computed variable RHADSEX coded 2,7,8 or 9 and computed variable EVERUSED = 2); R said no, don't know or refused to all birth control methods in EA series (computed variable EVERUSED = 2); R used fewer than 3 methods in month; R completed the interview prior to this month.

	1552	6470	2440	10826	Blank	
	0	0	0	0	01	= Blank, inapplicable
	0	0	0	0	02	= NO METHODS USED
						= SAME AS PREVIOUS MONTH
	0	0	0	0	03	= BIRTH CONTROL PILLS
	0	0	0	0	04	= CONDOM
	0	0	0	0	05	= PARTNER'S VASECTOMY
	0	0	0	0	06	= DIAPHRAGM
	0	0	0	0	07	= FOAM
	0	0	0	0	08	= JELLY OR CREAM
	0	0	0	0	09	= CERVICAL CAP
	0	1	0	1	10	= SUPPOSITORY, INSERT
	0	1	0	1	11	= TODAY (TM) SPONGE
	0	0	0	0	12	= FEMALE CONDOM, VAGINAL POUCH
	0	0	0	0	13	= IUD, COIL, LOOP
	0	0	0	0	14	= NORPLANT (TM)
	0	0	0	0	15	= DEPO-PROVERA, INJECTABLES
	0	0	0	0	16	= MORNING AFTER PILLS
	1	1	0	2	17	= RHYTHM OR SAFE PERIOD BY CALENDAR
	0	0	0	0	18	= SAFE PERIOD BY TEMP, CERVICAL MUCUS TEST,

(4882)

1995 NATIONAL SURVEY OF FAMILY GROWTH
 File Documentation
 Respondent File (Section E Questionnaire Items)

VARIABLE NAME	COLUMN LOCATION	NON-HISPANIC			TOTAL	QX	TEXT AND CODE CATEGORIES
		HISP	WHITE	BLACK			
		0	4	1	5	19	NFP
		0	3	3	6	20	= WITHDRAWAL
		0	0	0	0	21	= RESPONDENT STERILE
							= PARTNER STERILE (NOT ON CARD)
		0	0	0	1	22	= OTHER METHOD-NOT SHOWN SEPARATELY
		0	0	0	0	55	= SAME METHODS USED THROUGH END OF YEAR
		0	1	1	2	97	= Not Ascertained
		0	1	1	2	98	= Refused
		0	1	0	1	99	= Don't Know

1995 NATIONAL SURVEY OF FAMILY GROWTH
 File Documentation
 Respondent File (Section E Questionnaire Items)

VARIABLE	COLUMN	NON-HISPANIC			QX TEXT AND CODE CATEGORIES	
NAME	LOCATION	HISP	WHITE	BLACK	TOTAL	
[METHH215]	8699-8700					ENTER METHOD (FOURTH MENTIONED) USED IN JUNE 1995: (MC54)

Inapplicable:
 R never had sex as of this month and never used a birth control method as of this month but ever used one or more birth control methods in EA series (WNFSTSEX GE 1093 and DATFIRSM GE 1093 and computed variable EVERUSED = 1); month R was interviewed preceded this month; R never had sex and said no, don't know or refused to all birth control methods in EA series (computed variable RHADSEX coded 2,7,8 or 9 and computed variable EVERUSED = 2); R said no, don't know or refused to all birth control methods in EA series (computed variable EVERUSED = 2); R used fewer than 4 methods in month; R completed the interview prior to this month.

1553	6478	2443	10839	Blank	= Blank, inapplicable
0	0	0	0	01	= NO METHODS USED
0	0	0	0	02	= SAME AS PREVIOUS MONTH
0	0	0	0	03	= BIRTH CONTROL PILLS
0	0	0	0	04	= CONDOM
0	0	0	0	05	= PARTNER'S VASECTOMY
0	0	0	0	06	= DIAPHRAGM
0	0	0	0	07	= FOAM
0	0	0	0	08	= JELLY OR CREAM
0	0	0	0	09	= CERVICAL CAP
0	0	1	1	10	= SUPPOSITORY, INSERT
0	0	0	0	11	= TODAY (TM) SPONGE
0	0	0	0	12	= FEMALE CONDOM, VAGINAL POUCH
0	0	0	0	13	= IUD, COIL, LOOP
0	0	0	0	14	= NORPLANT (TM)
0	0	0	0	15	= DEPO-PROVERA, INJECTABLES
0	0	0	0	16	= MORNING AFTER PILLS
0	1	0	1	17	= RHYTHM OR SAFE PERIOD BY CALENDAR
0	0	0	0	18	= SAFE PERIOD BY TEMP, CERVICAL MUCUS TEST,

(4884)

1995 NATIONAL SURVEY OF FAMILY GROWTH
File Documentation
Respondent File (Section E Questionnaire Items)

VARIABLE NAME	COLUMN LOCATION	NON-HISPANIC			TOTAL	QX	TEXT AND CODE CATEGORIES
		HISP	WHITE	BLACK			
		0	1	0	1	19	NFP = WITHDRAWAL
		0	0	0	0	20	= RESPONDENT STERILE
		0	0	0	0	21	= PARTNER STERILE (NOT ON CARD)
		0	0	0	0	22	= OTHER METHOD-NOT SHOWN SEPARATELY
		0	0	0	0	55	= SAME METHODS USED THROUGH END OF YEAR
		0	1	1	2	97	= Not Ascertained
		0	1	1	2	98	= Refused
		0	1	0	1	99	= Don't Know

[SIMSEQ53] 8701-8701

Did you use those methods together,
that is, at the same time, or did
you use them at different times
during the month? (MC54)

Inapplicable:

R never had sex as of this month and
never used a birth control method as
of this month but ever used one or
more birth control methods in EA
series (WNFSTSEX GE 1093 and
DATFIRSM GE 1093 and computed
variable EVERUSED = 1); month R was
interviewed preceded this month; R
never had sex and said no, don't
know or refused to all birth control
methods in EA series (computed
variable RHADSEX coded 2,7,8 or 9
and computed variable EVERUSED = 2);
R said no, don't know or refused to
all birth control methods in EA
series (computed variable EVERUSED =
2); R did not use multiple methods
in the month; R used more than 2
methods in the month.

1545	6400	2413	10718	Blank	= Blank, inapplicable
3	50	24	78	1	= SAME TIME
5	33	9	51	2	= DIFFERENT TIMES
0	0	0	0	7	= Not Ascertained
0	0	0	0	8	= Refused
0	0	0	0	9	= Don't Know

1995 NATIONAL SURVEY OF FAMILY GROWTH
 File Documentation
 Respondent File (Section E Questionnaire Items)

VARIABLE COLUMN NON-HISPANIC
 NAME LOCATION HISP WHITE BLACK TOTAL QX TEXT AND CODE CATEGORIES

[MTHUS636] 8702-8703

During that month, which (of those/other) methods, if any, did you use at the same time? (1st METHOD MENTIONED, 1st COMBINATION, MC54)

Inapplicable:
 R said no, don't know or refused to all birth control methods in EA series (computed variable EVERUSED = 2); R never had sex as of this month and never used a birth control method as of this month but ever used one or more birth control methods in EA series (WNFSTSEX GE 1093 and DATFIRSM GE 1093 and computed variable EVERUSED = 1); month R was interviewed preceded this month; R did not use multiple methods in the month; or R used only 2 methods in the month.

	1552	6476	2445	10837	Blank	
	0	3	0	3	01	= Blank, inapplicable
	0	0	0	0	02	= NONE
	0	0	0	1	03	= OFFICE USE ONLY
	1	3	0	4	04	= BIRTH CONTROL PILLS
	0	0	0	0	05	= CONDOM
	0	1	0	1	06	= PARTNER'S VASECTOMY
	0	0	0	0	07	= DIAPHRAGM
	0	0	0	0	08	= FOAM
	0	0	0	0	09	= JELLY OR CREAM
	0	0	0	0	10	= CERVICAL CAP
	0	0	0	0	11	= SUPPOSITORY, INSERT
	0	0	0	0	12	= TODAY (TM) SPONGE
	0	0	0	0	13	= FEMALE CONDOM, VAGINAL POUCH
	0	0	0	0	14	= IUD, COIL, LOOP
	0	0	0	0	15	= NORPLANT (TM)
	0	0	0	0	16	= DEPO-PROVERA, INJECTABLES
	0	0	0	0	17	= MORNING AFTER PILLS
	0	0	1	1	18	= RHYTHM OR SAFE PERIOD BY CALENDAR
	0	0	0	0	19	= SAFE PERIOD BY TEMP, CERVICAL MUCUS TEST, NFP
	0	0	0	0	20	= WITHDRAWAL
	0	0	0	0	20	= RESPONDENT STERILE

(4886)

1995 NATIONAL SURVEY OF FAMILY GROWTH
 File Documentation
 Respondent File (Section E Questionnaire Items)

VARIABLE NAME	COLUMN LOCATION	NON-HISPANIC			QX	TEXT AND CODE CATEGORIES
		HISP	WHITE	BLACK		
		0	0	0	0	21 = PARTNER STERILE (NOT ON CARD)
		0	0	0	0	22 = OTHER METHOD-NOT SHOWN SEPARATELY
		0	0	0	0	97 = Not Ascertained
		0	0	0	0	98 = Refused
		0	0	0	0	99 = Don't Know

1995 NATIONAL SURVEY OF FAMILY GROWTH
 File Documentation
 Respondent File (Section E Questionnaire Items)

VARIABLE	COLUMN	NON-HISPANIC				QX TEXT AND CODE CATEGORIES
NAME	LOCATION	HISP	WHITE	BLACK		

[MTHUS637] 8704-8705

During that month, which (of those/other) methods, if any, did you use at the same time? (2nd METHOD MENTIONED, 1st COMBINATION, MC54)

Inapplicable:
 R said no, don't know or refused to all birth control methods in EA series (computed variable EVERUSED = 2); R never had sex as of this month and never used a birth control method as of this month but ever used one or more birth control methods in EA series (WNFSTSEX GE 1093 and DATFIRSM GE 1093 and computed variable EVERUSED = 1); month R was interviewed preceded this month; R did not use multiple methods in the month; or R used only 2 methods in the month; or R reported using fewer than 2 BC methods for this combination in this month of the method calendar.

1552	6479	2445	10840	Blank	= Blank, inapplicable
0	0	0	0	01	= NONE
0	0	0	0	02	= OFFICE USE ONLY
0	0	0	0	03	= BIRTH CONTROL PILLS
0	0	0	0	04	= CONDOM
0	0	0	0	05	= PARTNER'S VASECTOMY
0	0	0	0	06	= DIAPHRAGM
0	1	0	1	07	= FOAM
1	0	0	1	08	= JELLY OR CREAM
0	0	0	0	09	= CERVICAL CAP
0	1	0	1	10	= SUPPOSITORY, INSERT
0	0	0	0	11	= TODAY (TM) SPONGE
0	0	0	0	12	= FEMALE CONDOM, VAGINAL POUCH
0	0	0	0	13	= IUD, COIL, LOOP
0	0	0	0	14	= NORPLANT (TM)
0	0	0	0	15	= DEPO-PROVERA, INJECTABLES
0	0	0	0	16	= MORNING AFTER PILLS
0	1	0	1	17	= RHYTHM OR SAFE PERIOD BY CALENDAR
0	0	0	0	18	= SAFE PERIOD BY TEMP, CERVICAL MUCUS TEST,

1995 NATIONAL SURVEY OF FAMILY GROWTH
 File Documentation
 Respondent File (Section E Questionnaire Items)

VARIABLE NAME	COLUMN LOCATION	NON-HISPANIC			TOTAL	QX	TEXT AND CODE CATEGORIES
		HISP	WHITE	BLACK			
		0	1	1	3	19	NFP
		0	0	0	0	20	= WITHDRAWAL
		0	0	0	0	21	= RESPONDENT STERILE
							= PARTNER STERILE (NOT ON CARD)
		0	0	0	0	22	= OTHER METHOD-NOT SHOWN SEPARATELY
		0	0	0	0	97	= Not Ascertained
		0	0	0	0	98	= Refused
		0	0	0	0	99	= Don't Know

1995 NATIONAL SURVEY OF FAMILY GROWTH
 File Documentation
 Respondent File (Section E Questionnaire Items)

VARIABLE	COLUMN	NON-HISPANIC				
NAME	LOCATION	HISP	WHITE	BLACK	TOTAL	QX TEXT AND CODE CATEGORIES

[MTHUS638] 8706-8707

During that month, which (of those/other) methods, if any, did you use at the same time? (3rd METHOD MENTIONED, 1st COMBINATION, MC54)

Inapplicable:
 R said no, don't know or refused to all birth control methods in EA series (computed variable EVERUSED = 2); R never had sex as of this month and never used a birth control method as of this month but ever used one or more birth control methods in EA series (WNFSTSEX GE 1093 and DATFIRSM GE 1093 and computed variable EVERUSED = 1); month R was interviewed preceded this month; R did not use multiple methods in the month; or R used only 2 methods in the month; or R reported using fewer than 3 BC methods for this combination in this month of the method calendar.

1552	6481	2445	10843	Blank	= Blank, inapplicable
0	0	0	0	01	= NONE
0	0	0	0	02	= OFFICE USE ONLY
0	0	0	0	03	= BIRTH CONTROL PILLS
0	0	0	0	04	= CONDOM
0	0	0	0	05	= PARTNER'S VASECTOMY
0	0	0	0	06	= DIAPHRAGM
0	0	0	0	07	= FOAM
0	0	0	0	08	= JELLY OR CREAM
0	0	0	0	09	= CERVICAL CAP
0	0	1	1	10	= SUPPOSITORY, INSERT
0	0	0	0	11	= TODAY (TM) SPONGE
0	0	0	0	12	= FEMALE CONDOM, VAGINAL POUCH
0	0	0	0	13	= IUD, COIL, LOOP
0	0	0	0	14	= NORPLANT (TM)
0	0	0	0	15	= DEPO-PROVERA, INJECTABLES
0	0	0	0	16	= MORNING AFTER PILLS
1	1	0	2	17	= RHYTHM OR SAFE PERIOD BY CALENDAR
0	0	0	0	18	= SAFE PERIOD BY TEMP, CERVICAL MUCUS TEST,

1995 NATIONAL SURVEY OF FAMILY GROWTH
 File Documentation
 Respondent File (Section E Questionnaire Items)

VARIABLE NAME	COLUMN LOCATION	NON-HISPANIC			TOTAL	QX	TEXT AND CODE CATEGORIES
		HISP	WHITE	BLACK			
		0	1	0	1	19	NFP
		0	0	0	0	20	= WITHDRAWAL
		0	0	0	0	21	= RESPONDENT STERILE
							= PARTNER STERILE (NOT ON CARD)
		0	0	0	0	22	= OTHER METHOD-NOT SHOWN SEPARATELY
		0	0	0	0	97	= Not Ascertained
		0	0	0	0	98	= Refused
		0	0	0	0	99	= Don't Know

1995 NATIONAL SURVEY OF FAMILY GROWTH
 File Documentation
 Respondent File (Section E Questionnaire Items)

VARIABLE	COLUMN	NON-HISPANIC								
NAME	LOCATION	HISP	WHITE	BLACK						

[MTHUS639] 8708-8709

During that month, which (of those/other) methods, if any, did you use at the same time? (4th METHOD MENTIONED, 1st COMBINATION, MC54)

Inapplicable:
 R said no, don't know or refused to all birth control methods in EA series (computed variable EVERUSED = 2); R never had sex as of this month and never used a birth control method as of this month but ever used one or more birth control methods in EA series (WNFSTSEX GE 1093 and DATFIRSM GE 1093 and computed variable EVERUSED = 1); month R was interviewed preceded this month; R did not use multiple methods in the month; or R used only 2 methods in the month; or R reported using fewer than 4 BC methods for this combination in this month of the method calendar.

1553	6483	2446	10847	Blank		= Blank, inapplicable
0	0	0	0	0	01	= NONE
0	0	0	0	0	02	= OFFICE USE ONLY
0	0	0	0	0	03	= BIRTH CONTROL PILLS
0	0	0	0	0	04	= CONDOM
0	0	0	0	0	05	= PARTNER'S VASECTOMY
0	0	0	0	0	06	= DIAPHRAGM
0	0	0	0	0	07	= FOAM
0	0	0	0	0	08	= JELLY OR CREAM
0	0	0	0	0	09	= CERVICAL CAP
0	0	0	0	0	10	= SUPPOSITORY, INSERT
0	0	0	0	0	11	= TODAY (TM) SPONGE
0	0	0	0	0	12	= FEMALE CONDOM, VAGINAL POUCH
0	0	0	0	0	13	= IUD, COIL, LOOP
0	0	0	0	0	14	= NORPLANT (TM)
0	0	0	0	0	15	= DEPO-PROVERA, INJECTABLES
0	0	0	0	0	16	= MORNING AFTER PILLS
0	0	0	0	0	17	= RHYTHM OR SAFE PERIOD BY CALENDAR
0	0	0	0	0	18	= SAFE PERIOD BY TEMP, CERVICAL MUCUS TEST,

(4892)

1995 NATIONAL SURVEY OF FAMILY GROWTH
 File Documentation
 Respondent File (Section E Questionnaire Items)

VARIABLE NAME	COLUMN LOCATION	NON-HISPANIC			TOTAL	QX	TEXT AND CODE CATEGORIES
		HISP	WHITE	BLACK			
		0	0	0	0	19	NFP
		0	0	0	0	20	= WITHDRAWAL
		0	0	0	0	21	= RESPONDENT STERILE
							= PARTNER STERILE (NOT ON CARD)
		0	0	0	0	22	= OTHER METHOD-NOT SHOWN SEPARATELY
		0	0	0	0	97	= Not Ascertained
		0	0	0	0	98	= Refused
		0	0	0	0	99	= Don't Know

1995 NATIONAL SURVEY OF FAMILY GROWTH
 File Documentation
 Respondent File (Section E Questionnaire Items)

VARIABLE	COLUMN	NON-HISPANIC				
NAME	LOCATION	HISP	WHITE	BLACK		

[MTHUS640] 8710-8711

During that month, which (of those/other) methods, if any, did you use at the same time? (1st METHOD MENTIONED, 2nd COMBINATION, MC54)

Inapplicable:
 R said no, don't know or refused to all birth control methods in EA series (computed variable EVERUSED = 2); R never had sex as of this month and never used a birth control method as of this month but ever used one or more birth control methods in EA series (WNFSTSEX GE 1093 and DATFIRSM GE 1093 and computed variable EVERUSED = 1); month R was interviewed preceded this month; R did not use multiple methods in the month; or R used only 2 methods in the month; or R reported fewer than 2 BC method combinations.

1552	6479	2445	10840	Blank	= Blank, inapplicable
1	4	1	7	01	= NONE
0	0	0	0	02	= OFFICE USE ONLY
0	0	0	0	03	= BIRTH CONTROL PILLS
0	0	0	0	04	= CONDOM
0	0	0	0	05	= PARTNER'S VASECTOMY
0	0	0	0	06	= DIAPHRAGM
0	0	0	0	07	= FOAM
0	0	0	0	08	= JELLY OR CREAM
0	0	0	0	09	= CERVICAL CAP
0	0	0	0	10	= SUPPOSITORY, INSERT
0	0	0	0	11	= TODAY (TM) SPONGE
0	0	0	0	12	= FEMALE CONDOM, VAGINAL POUCH
0	0	0	0	13	= IUD, COIL, LOOP
0	0	0	0	14	= NORPLANT (TM)
0	0	0	0	15	= DEPO-PROVERA, INJECTABLES
0	0	0	0	16	= MORNING AFTER PILLS
0	0	0	0	17	= RHYTHM OR SAFE PERIOD BY CALENDAR
0	0	0	0	18	= SAFE PERIOD BY TEMP, CERVICAL MUCUS TEST, NFP

1995 NATIONAL SURVEY OF FAMILY GROWTH
 File Documentation
 Respondent File (Section E Questionnaire Items)

VARIABLE NAME	COLUMN LOCATION	NON-HISPANIC			TOTAL	QX	TEXT AND CODE CATEGORIES
		HISP	WHITE	BLACK			
		0	0	0	0	19	= WITHDRAWAL
		0	0	0	0	20	= RESPONDENT STERILE
		0	0	0	0	21	= PARTNER STERILE (NOT ON CARD)
		0	0	0	0	22	= OTHER METHOD-NOT SHOWN SEPARATELY
		0	0	0	0	97	= Not Ascertained
		0	0	0	0	98	= Refused
		0	0	0	0	99	= Don't Know

1995 NATIONAL SURVEY OF FAMILY GROWTH
 File Documentation
 Respondent File (Section E Questionnaire Items)

VARIABLE COLUMN NON-HISPANIC
 NAME LOCATION HISP WHITE BLACK TOTAL QX TEXT AND CODE CATEGORIES

[MTHUS641] 8712-8713

During that month, which (of those/other) methods, if any, did you use at the same time? (2nd METHOD MENTIONED, 2nd COMBINATION, MC54)

Inapplicable:
 R said no, don't know or refused to all birth control methods in EA series (computed variable EVERUSED = 2); R never had sex as of this month and never used a birth control method as of this month but ever used one or more birth control methods in EA series (WNFSTSEX GE 1093 and DATFIRSM GE 1093 and computed variable EVERUSED = 1); month R was interviewed preceded this month; R did not use multiple methods in the month; or R used only 2 methods in the month; or R reported fewer than 2 BC method combinations; or R reported using fewer than 2 BC methods for this combination in this month of the method calendar.

1553	6483	2446	10847	Blank	= Blank, inapplicable
0	0	0	0	01	= NONE
0	0	0	0	02	= OFFICE USE ONLY
0	0	0	0	03	= BIRTH CONTROL PILLS
0	0	0	0	04	= CONDOM
0	0	0	0	05	= PARTNER'S VASECTOMY
0	0	0	0	06	= DIAPHRAGM
0	0	0	0	07	= FOAM
0	0	0	0	08	= JELLY OR CREAM
0	0	0	0	09	= CERVICAL CAP
0	0	0	0	10	= SUPPOSITORY, INSERT
0	0	0	0	11	= TODAY (TM) SPONGE
0	0	0	0	12	= FEMALE CONDOM, VAGINAL POUCH
0	0	0	0	13	= IUD, COIL, LOOP
0	0	0	0	14	= NORPLANT (TM)
0	0	0	0	15	= DEPO-PROVERA, INJECTABLES
0	0	0	0	16	= MORNING AFTER PILLS
0	0	0	0	17	= RHYTHM OR SAFE PERIOD BY CALENDAR

(4896)

1995 NATIONAL SURVEY OF FAMILY GROWTH
 File Documentation
 Respondent File (Section E Questionnaire Items)

VARIABLE NAME	COLUMN LOCATION	NON-HISPANIC			TOTAL	QX	TEXT AND CODE CATEGORIES
		HISP	WHITE	BLACK			
		0	0	0	0	18	= SAFE PERIOD BY TEMP, CERVICAL MUCUS TEST, NFP
		0	0	0	0	19	= WITHDRAWAL
		0	0	0	0	20	= RESPONDENT STERILE
		0	0	0	0	21	= PARTNER STERILE (NOT ON CARD)
		0	0	0	0	22	= OTHER METHOD-NOT SHOWN SEPARATELY
		0	0	0	0	97	= Not Ascertained
		0	0	0	0	98	= Refused
		0	0	0	0	99	= Don't Know

1995 NATIONAL SURVEY OF FAMILY GROWTH
 File Documentation
 Respondent File (Section E Questionnaire Items)

VARIABLE	COLUMN	NON-HISPANIC								
NAME	LOCATION	HISP	WHITE	BLACK						

[MTHUS642] 8714-8715

During that month, which (of those/other) methods, if any, did you use at the same time? (3rd METHOD MENTIONED, 2nd COMBINATION, MC54)

Inapplicable:
 R said no, don't know or refused to all birth control methods in EA series (computed variable EVERUSED = 2); R never had sex as of this month and never used a birth control method as of this month but ever used one or more birth control methods in EA series (WNFSTSEX GE 1093 and DATFIRSM GE 1093 and computed variable EVERUSED = 1); month R was interviewed preceded this month; R did not use multiple methods in the month; or R used only 2 methods in the month; or R reported fewer than 2 BC method combinations; or R reported using fewer than 3 BC methods for this combination in this month of the method calendar.

1553	6483	2446	10847	Blank	= Blank, inapplicable
0	0	0	0	01	= NONE
0	0	0	0	02	= OFFICE USE ONLY
0	0	0	0	03	= BIRTH CONTROL PILLS
0	0	0	0	04	= CONDOM
0	0	0	0	05	= PARTNER'S VASECTOMY
0	0	0	0	06	= DIAPHRAGM
0	0	0	0	07	= FOAM
0	0	0	0	08	= JELLY OR CREAM
0	0	0	0	09	= CERVICAL CAP
0	0	0	0	10	= SUPPOSITORY, INSERT
0	0	0	0	11	= TODAY (TM) SPONGE
0	0	0	0	12	= FEMALE CONDOM, VAGINAL POUCH
0	0	0	0	13	= IUD, COIL, LOOP
0	0	0	0	14	= NORPLANT (TM)
0	0	0	0	15	= DEPO-PROVERA, INJECTABLES
0	0	0	0	16	= MORNING AFTER PILLS
0	0	0	0	17	= RHYTHM OR SAFE PERIOD BY CALENDAR

(4898)

1995 NATIONAL SURVEY OF FAMILY GROWTH
 File Documentation
 Respondent File (Section E Questionnaire Items)

VARIABLE NAME	COLUMN LOCATION	NON-HISPANIC			TOTAL	QX	TEXT AND CODE CATEGORIES
		HISP	WHITE	BLACK			
		0	0	0	0	18	= SAFE PERIOD BY TEMP, CERVICAL MUCUS TEST, NFP
		0	0	0	0	19	= WITHDRAWAL
		0	0	0	0	20	= RESPONDENT STERILE
		0	0	0	0	21	= PARTNER STERILE (NOT ON CARD)
		0	0	0	0	22	= OTHER METHOD-NOT SHOWN SEPARATELY
		0	0	0	0	97	= Not Ascertained
		0	0	0	0	98	= Refused
		0	0	0	0	99	= Don't Know

1995 NATIONAL SURVEY OF FAMILY GROWTH
 File Documentation
 Respondent File (Section E Questionnaire Items)

VARIABLE COLUMN NON-HISPANIC
 NAME LOCATION HISP WHITE BLACK TOTAL QX TEXT AND CODE CATEGORIES

[MTHUS643] 8716-8717

During that month, which (of those/other) methods, if any, did you use at the same time? (4th METHOD MENTIONED, 2nd COMBINATION, MC54)

Inapplicable:
 R said no, don't know or refused to all birth control methods in EA series (computed variable EVERUSED = 2); R never had sex as of this month and never used a birth control method as of this month but ever used one or more birth control methods in EA series (WNFSTSEX GE 1093 and DATFIRSM GE 1093 and computed variable EVERUSED = 1); month R was interviewed preceded this month; R did not use multiple methods in the month; or R used only 2 methods in the month; or R reported fewer than 2 BC method combinations; or R reported using fewer than 4 BC methods for this combination in this month of the method calendar.

	1553	6483	2446	10847	Blank	
	0	0	0	0	01	= Blank, inapplicable
	0	0	0	0	02	= NONE
	0	0	0	0	03	= OFFICE USE ONLY
	0	0	0	0	04	= BIRTH CONTROL PILLS
	0	0	0	0	05	= CONDOM
	0	0	0	0	06	= PARTNER'S VASECTOMY
	0	0	0	0	07	= DIAPHRAGM
	0	0	0	0	08	= FOAM
	0	0	0	0	09	= JELLY OR CREAM
	0	0	0	0	10	= CERVICAL CAP
	0	0	0	0	11	= SUPPOSITORY, INSERT
	0	0	0	0	12	= TODAY (TM) SPONGE
	0	0	0	0	13	= FEMALE CONDOM, VAGINAL POUCH
	0	0	0	0	14	= IUD, COIL, LOOP
	0	0	0	0	15	= NORPLANT (TM)
	0	0	0	0	16	= DEPO-PROVERA, INJECTABLES
	0	0	0	0	17	= MORNING AFTER PILLS
	0	0	0	0		= RHYTHM OR SAFE PERIOD BY CALENDAR

(4900)

1995 NATIONAL SURVEY OF FAMILY GROWTH
 File Documentation
 Respondent File (Section E Questionnaire Items)

VARIABLE NAME	COLUMN LOCATION	NON-HISPANIC			QX	TEXT AND CODE CATEGORIES
		HISP	WHITE	BLACK		
		0	0	0	0	18 = SAFE PERIOD BY TEMP, CERVICAL MUCUS TEST, NFP
		0	0	0	0	19 = WITHDRAWAL
		0	0	0	0	20 = RESPONDENT STERILE
		0	0	0	0	21 = PARTNER STERILE (NOT ON CARD)
		0	0	0	0	22 = OTHER METHOD-NOT SHOWN SEPARATELY
		0	0	0	0	97 = Not Ascertained
		0	0	0	0	98 = Refused
		0	0	0	0	99 = Don't Know

1995 NATIONAL SURVEY OF FAMILY GROWTH
 File Documentation
 Respondent File (Section E Questionnaire Items)

VARIABLE COLUMN NON-HISPANIC
 NAME LOCATION HISP WHITE BLACK TOTAL QX TEXT AND CODE CATEGORIES

[MTHUS644] 8718-8719

During that month, which (of those/other) methods, if any, did you use at the same time? (1st METHOD MENTIONED, 3rd COMBINATION, MC54)

Inapplicable:
 R said no, don't know or refused to all birth control methods in EA series (computed variable EVERUSED = 2); R never had sex as of this month and never used a birth control method as of this month but ever used one or more birth control methods in EA series (WNFSTSEX GE 1093 and DATFIRSM GE 1093 and computed variable EVERUSED = 1); month R was interviewed preceded this month; R did not use multiple methods in the month; or R used only 2 methods in the month; or R reported fewer than 3 BC method combinations.

1553	6483	2446	10847	Blank	= Blank, inapplicable
0	0	0	0	01	= NONE
0	0	0	0	02	= OFFICE USE ONLY
0	0	0	0	03	= BIRTH CONTROL PILLS
0	0	0	0	04	= CONDOM
0	0	0	0	05	= PARTNER'S VASECTOMY
0	0	0	0	06	= DIAPHRAGM
0	0	0	0	07	= FOAM
0	0	0	0	08	= JELLY OR CREAM
0	0	0	0	09	= CERVICAL CAP
0	0	0	0	10	= SUPPOSITORY, INSERT
0	0	0	0	11	= TODAY (TM) SPONGE
0	0	0	0	12	= FEMALE CONDOM, VAGINAL POUCH
0	0	0	0	13	= IUD, COIL, LOOP
0	0	0	0	14	= NORPLANT (TM)
0	0	0	0	15	= DEPO-PROVERA, INJECTABLES
0	0	0	0	16	= MORNING AFTER PILLS
0	0	0	0	17	= RHYTHM OR SAFE PERIOD BY CALENDAR
0	0	0	0	18	= SAFE PERIOD BY TEMP, CERVICAL MUCUS TEST, NFP

(4902)

1995 NATIONAL SURVEY OF FAMILY GROWTH
 File Documentation
 Respondent File (Section E Questionnaire Items)

VARIABLE NAME	COLUMN LOCATION	NON-HISPANIC			TOTAL	QX	TEXT AND CODE CATEGORIES
		HISP	WHITE	BLACK			
		0	0	0	0	19	= WITHDRAWAL
		0	0	0	0	20	= RESPONDENT STERILE
		0	0	0	0	21	= PARTNER STERILE (NOT ON CARD)
		0	0	0	0	22	= OTHER METHOD-NOT SHOWN SEPARATELY
		0	0	0	0	97	= Not Ascertained
		0	0	0	0	98	= Refused
		0	0	0	0	99	= Don't Know

1995 NATIONAL SURVEY OF FAMILY GROWTH
 File Documentation
 Respondent File (Section E Questionnaire Items)

VARIABLE	COLUMN	NON-HISPANIC				QX TEXT AND CODE CATEGORIES
NAME	LOCATION	HISP	WHITE	BLACK	TOTAL	

[MTHUS645] 8720-8721

During that month, which (of those/other) methods, if any, did you use at the same time? (2nd METHOD MENTIONED, 3rd COMBINATION, MC54)

Inapplicable:
 R said no, don't know or refused to all birth control methods in EA series (computed variable EVERUSED = 2); R never had sex as of this month and never used a birth control method as of this month but ever used one or more birth control methods in EA series (WNFSTSEX GE 1093 and DATFIRSM GE 1093 and computed variable EVERUSED = 1); month R was interviewed preceded this month; R did not use multiple methods in the month; or R used only 2 methods in the month; or R reported fewer than 3 BC method combinations; or R reported using fewer than 2 BC methods for this combination in this month of the method calendar.

1553	6483	2446	10847	Blank	= Blank, inapplicable
0	0	0	0	01	= NONE
0	0	0	0	02	= OFFICE USE ONLY
0	0	0	0	03	= BIRTH CONTROL PILLS
0	0	0	0	04	= CONDOM
0	0	0	0	05	= PARTNER'S VASECTOMY
0	0	0	0	06	= DIAPHRAGM
0	0	0	0	07	= FOAM
0	0	0	0	08	= JELLY OR CREAM
0	0	0	0	09	= CERVICAL CAP
0	0	0	0	10	= SUPPOSITORY, INSERT
0	0	0	0	11	= TODAY (TM) SPONGE
0	0	0	0	12	= FEMALE CONDOM, VAGINAL POUCH
0	0	0	0	13	= IUD, COIL, LOOP
0	0	0	0	14	= NORPLANT (TM)
0	0	0	0	15	= DEPO-PROVERA, INJECTABLES
0	0	0	0	16	= MORNING AFTER PILLS
0	0	0	0	17	= RHYTHM OR SAFE PERIOD BY CALENDAR

(4904)

1995 NATIONAL SURVEY OF FAMILY GROWTH
 File Documentation
 Respondent File (Section E Questionnaire Items)

VARIABLE NAME	COLUMN LOCATION	NON-HISPANIC			QX	TEXT AND CODE CATEGORIES
		HISP	WHITE	BLACK		
		0	0	0	0	18 = SAFE PERIOD BY TEMP, CERVICAL MUCUS TEST, NFP
		0	0	0	0	19 = WITHDRAWAL
		0	0	0	0	20 = RESPONDENT STERILE
		0	0	0	0	21 = PARTNER STERILE (NOT ON CARD)
		0	0	0	0	22 = OTHER METHOD-NOT SHOWN SEPARATELY
		0	0	0	0	97 = Not Ascertained
		0	0	0	0	98 = Refused
		0	0	0	0	99 = Don't Know

1995 NATIONAL SURVEY OF FAMILY GROWTH
 File Documentation
 Respondent File (Section E Questionnaire Items)

VARIABLE	COLUMN	NON-HISPANIC				QX TEXT AND CODE CATEGORIES
NAME	LOCATION	HISP	WHITE	BLACK	TOTAL	

[MTHUS646] 8722-8723

During that month, which (of those/other) methods, if any, did you use at the same time? (3rd METHOD MENTIONED, 3rd COMBINATION, MC54)

Inapplicable:
 R said no, don't know or refused to all birth control methods in EA series (computed variable EVERUSED = 2); R never had sex as of this month and never used a birth control method as of this month but ever used one or more birth control methods in EA series (WNFSTSEX GE 1093 and DATFIRSM GE 1093 and computed variable EVERUSED = 1); month R was interviewed preceded this month; R did not use multiple methods in the month; or R used only 2 methods in the month; or R reported fewer than 3 BC method combinations; or R reported using fewer than 3 BC methods for this combination in this month of the method calendar.

1553	6483	2446	10847	Blank	= Blank, inapplicable
0	0	0	0	01	= NONE
0	0	0	0	02	= OFFICE USE ONLY
0	0	0	0	03	= BIRTH CONTROL PILLS
0	0	0	0	04	= CONDOM
0	0	0	0	05	= PARTNER'S VASECTOMY
0	0	0	0	06	= DIAPHRAGM
0	0	0	0	07	= FOAM
0	0	0	0	08	= JELLY OR CREAM
0	0	0	0	09	= CERVICAL CAP
0	0	0	0	10	= SUPPOSITORY, INSERT
0	0	0	0	11	= TODAY (TM) SPONGE
0	0	0	0	12	= FEMALE CONDOM, VAGINAL POUCH
0	0	0	0	13	= IUD, COIL, LOOP
0	0	0	0	14	= NORPLANT (TM)
0	0	0	0	15	= DEPO-PROVERA, INJECTABLES
0	0	0	0	16	= MORNING AFTER PILLS
0	0	0	0	17	= RHYTHM OR SAFE PERIOD BY CALENDAR

1995 NATIONAL SURVEY OF FAMILY GROWTH
 File Documentation
 Respondent File (Section E Questionnaire Items)

VARIABLE NAME	COLUMN LOCATION	NON-HISPANIC			TOTAL	QX	TEXT AND CODE CATEGORIES
		HISP	WHITE	BLACK			
		0	0	0	0	18	= SAFE PERIOD BY TEMP, CERVICAL MUCUS TEST, NFP
		0	0	0	0	19	= WITHDRAWAL
		0	0	0	0	20	= RESPONDENT STERILE
		0	0	0	0	21	= PARTNER STERILE (NOT ON CARD)
		0	0	0	0	22	= OTHER METHOD-NOT SHOWN SEPARATELY
		0	0	0	0	97	= Not Ascertained
		0	0	0	0	98	= Refused
		0	0	0	0	99	= Don't Know

1995 NATIONAL SURVEY OF FAMILY GROWTH
 File Documentation
 Respondent File (Section E Questionnaire Items)

VARIABLE	COLUMN	NON-HISPANIC		QX TEXT AND CODE CATEGORIES
NAME	LOCATION	HISP	WHITE BLACK TOTAL	

[MTHUS647] 8724-8725

During that month, which (of those/other) methods, if any, did you use at the same time? (4th METHOD MENTIONED, 3rd COMBINATION, MC54)

Inapplicable:
 R said no, don't know or refused to all birth control methods in EA series (computed variable EVERUSED = 2); R never had sex as of this month and never used a birth control method as of this month but ever used one or more birth control methods in EA series (WNFSTSEX GE 1093 and DATFIRSM GE 1093 and computed variable EVERUSED = 1); month R was interviewed preceded this month; R did not use multiple methods in the month; or R used only 2 methods in the month; or R reported fewer than 3 BC method combinations; or R reported using fewer than 4 BC methods for this combination in this month of the method calendar.

1553	6483	2446	10847	Blank	= Blank, inapplicable
0	0	0	0	01	= NONE
0	0	0	0	02	= OFFICE USE ONLY
0	0	0	0	03	= BIRTH CONTROL PILLS
0	0	0	0	04	= CONDOM
0	0	0	0	05	= PARTNER'S VASECTOMY
0	0	0	0	06	= DIAPHRAGM
0	0	0	0	07	= FOAM
0	0	0	0	08	= JELLY OR CREAM
0	0	0	0	09	= CERVICAL CAP
0	0	0	0	10	= SUPPOSITORY, INSERT
0	0	0	0	11	= TODAY (TM) SPONGE
0	0	0	0	12	= FEMALE CONDOM, VAGINAL POUCH
0	0	0	0	13	= IUD, COIL, LOOP
0	0	0	0	14	= NORPLANT (TM)
0	0	0	0	15	= DEPO-PROVERA, INJECTABLES
0	0	0	0	16	= MORNING AFTER PILLS
0	0	0	0	17	= RHYTHM OR SAFE PERIOD BY CALENDAR

(4908)

1995 NATIONAL SURVEY OF FAMILY GROWTH
 File Documentation
 Respondent File (Section E Questionnaire Items)

VARIABLE NAME	COLUMN LOCATION	NON-HISPANIC			TOTAL	QX	TEXT AND CODE CATEGORIES
		HISP	WHITE	BLACK			
		0	0	0	0	18	= SAFE PERIOD BY TEMP, CERVICAL MUCUS TEST, NFP
		0	0	0	0	19	= WITHDRAWAL
		0	0	0	0	20	= RESPONDENT STERILE
		0	0	0	0	21	= PARTNER STERILE (NOT ON CARD)
		0	0	0	0	22	= OTHER METHOD-NOT SHOWN SEPARATELY
		0	0	0	0	97	= Not Ascertained
		0	0	0	0	98	= Refused
		0	0	0	0	99	= Don't Know

1995 NATIONAL SURVEY OF FAMILY GROWTH
 File Documentation
 Respondent File (Section E Questionnaire Items)

VARIABLE	COLUMN	NON-HISPANIC				
NAME	LOCATION	HISP	WHITE	BLACK	TOTAL	QX TEXT AND CODE CATEGORIES

[METHH216] 8726-8727

ENTER METHOD (FIRST MENTIONED) USED
 IN JULY 1995: (MC55)

Inapplicable:

R never had sex as of this month and never used a birth control method as of this month but ever used one or more birth control methods in EA series (WNFSTSEX GE 1093 and DATFIRSM GE 1093 and computed variable EVERUSED = 1); month R was interviewed preceded this month; R never had sex and said no, don't know or refused to all birth control methods in EA series (computed variable RHADSEX coded 2,7,8 or 9 and computed variable EVERUSED = 2); R said no, don't know or refused to all birth control methods in EA series (computed variable EVERUSED = 2); or R completed the interview prior to this month.

1368	5830	2175	9697	Blank	= Blank, inapplicable
37	136	67	252	01	= NO METHODS USED
0	0	0	0	02	= SAME AS PREVIOUS MONTH
37	161	43	250	03	= BIRTH CONTROL PILLS
30	108	59	202	04	= CONDOM
2	31	0	34	05	= PARTNER'S VASECTOMY
0	8	1	9	06	= DIAPHRAGM
0	2	1	3	07	= FOAM
0	0	2	2	08	= JELLY OR CREAM
0	1	0	1	09	= CERVICAL CAP
0	2	1	3	10	= SUPPOSITORY, INSERT
0	2	1	3	11	= TODAY (TM) SPONGE
0	1	0	1	12	= FEMALE CONDOM, VAGINAL POUCH
1	4	2	8	13	= IUD, COIL, LOOP
4	6	3	15	14	= NORPLANT (TM)
9	13	6	28	15	= DEPO-PROVERA, INJECTABLES
0	0	0	0	16	= MORNING AFTER PILLS
4	10	3	17	17	= RHYTHM OR SAFE PERIOD BY CALENDAR
0	2	0	2	18	= SAFE PERIOD BY TEMP, CERVICAL MUCUS TEST, NFP

1995 NATIONAL SURVEY OF FAMILY GROWTH
 File Documentation
 Respondent File (Section E Questionnaire Items)

VARIABLE NAME	COLUMN LOCATION	NON-HISPANIC			TOTAL	QX	TEXT AND CODE CATEGORIES
		HISP	WHITE	BLACK			
		4	17	1	23	19	= WITHDRAWAL
		55	126	77	268	20	= RESPONDENT STERILE
		2	21	2	25	21	= PARTNER STERILE (NOT ON CARD)
		0	0	1	1	22	= OTHER METHOD-NOT SHOWN SEPARATELY
		0	0	0	0	55	= SAME METHODS USED THROUGH END OF YEAR
		0	0	1	1	97	= Not Ascertained
		0	1	0	1	98	= Refused
		0	1	0	1	99	= Don't Know

1995 NATIONAL SURVEY OF FAMILY GROWTH
 File Documentation
 Respondent File (Section E Questionnaire Items)

VARIABLE NAME	COLUMN LOCATION	NON-HISPANIC			QX TEXT AND CODE CATEGORIES	
		HISP	WHITE	BLACK	TOTAL	
[METHH217]	8728-8729					ENTER METHOD (SECOND MENTIONED) USED IN JULY 1995: (MC55)

Inapplicable:
 R never had sex as of this month and never used a birth control method as of this month but ever used one or more birth control methods in EA series (WNFSTSEX GE 1093 and DATFIRSM GE 1093 and computed variable EVERUSED = 1); month R was interviewed preceded this month; R never had sex and said no, don't know or refused to all birth control methods in EA series (computed variable RHADSEX coded 2,7,8 or 9 and computed variable EVERUSED = 2); R said no, don't know or refused to all birth control methods in EA series (computed variable EVERUSED = 2); R used fewer than 2 methods in month; R completed the interview prior to this month.

1547	6434	2422	10766	Blank	= Blank, inapplicable
0	0	0	0	01	= NO METHODS USED
0	0	0	0	02	= SAME AS PREVIOUS MONTH
0	1	1	2	03	= BIRTH CONTROL PILLS
2	16	10	30	04	= CONDOM
0	0	2	2	05	= PARTNER'S VASECTOMY
0	2	1	3	06	= DIAPHRAGM
0	1	1	2	07	= FOAM
1	3	0	4	08	= JELLY OR CREAM
0	0	0	0	09	= CERVICAL CAP
0	1	1	2	10	= SUPPOSITORY, INSERT
0	2	1	3	11	= TODAY (TM) SPONGE
0	0	0	0	12	= FEMALE CONDOM, VAGINAL POUCH
0	0	0	0	13	= IUD, COIL, LOOP
0	0	0	0	14	= NORPLANT (TM)
0	0	0	0	15	= DEPO-PROVERA, INJECTABLES
0	0	0	0	16	= MORNING AFTER PILLS
0	4	2	6	17	= RHYTHM OR SAFE PERIOD BY CALENDAR
0	1	1	2	18	= SAFE PERIOD BY TEMP, CERVICAL MUCUS TEST,

(4912)

1995 NATIONAL SURVEY OF FAMILY GROWTH
 File Documentation
 Respondent File (Section E Questionnaire Items)

VARIABLE NAME	COLUMN LOCATION	NON-HISPANIC			TOTAL	QX	TEXT AND CODE CATEGORIES
		HISP	WHITE	BLACK			
		3	16	1	20	19	NFP
		0	0	2	2	20	= WITHDRAWAL
		0	0	0	0	21	= RESPONDENT STERILE
							= PARTNER STERILE (NOT ON CARD)
		0	0	0	0	22	= OTHER METHOD-NOT SHOWN SEPARATELY
		0	0	0	0	55	= SAME METHODS USED THROUGH END OF YEAR
		0	0	1	1	97	= Not Ascertained
		0	1	0	1	98	= Refused
		0	1	0	1	99	= Don't Know

1995 NATIONAL SURVEY OF FAMILY GROWTH
 File Documentation
 Respondent File (Section E Questionnaire Items)

VARIABLE NAME	COLUMN LOCATION	NON-HISPANIC			TOTAL	QX	TEXT AND CODE CATEGORIES
		HISP	WHITE	BLACK			
		0	2	0	2	19	NFP
		0	2	2	4	20	= WITHDRAWAL
		0	0	0	0	21	= RESPONDENT STERILE
							= PARTNER STERILE (NOT ON CARD)
		0	0	0	0	22	= OTHER METHOD-NOT SHOWN SEPARATELY
		0	0	0	0	55	= SAME METHODS USED THROUGH END OF YEAR
		0	0	1	1	97	= Not Ascertained
		0	1	0	1	98	= Refused
		0	1	0	1	99	= Don't Know

1995 NATIONAL SURVEY OF FAMILY GROWTH
 File Documentation
 Respondent File (Section E Questionnaire Items)

VARIABLE	COLUMN	NON-HISPANIC			QX TEXT AND CODE CATEGORIES	
NAME	LOCATION	HISP	WHITE	BLACK	TOTAL	
[METHH219]	8732-8733					ENTER METHOD (FOURTH MENTIONED) USED IN JULY 1995: (MC55)

Inapplicable:
 R never had sex as of this month and never used a birth control method as of this month but ever used one or more birth control methods in EA series (WNFSTSEX GE 1093 and DATFIRSM GE 1093 and computed variable EVERUSED = 1); month R was interviewed preceded this month; R never had sex and said no, don't know or refused to all birth control methods in EA series (computed variable RHADSEX coded 2,7,8 or 9 and computed variable EVERUSED = 2); R said no, don't know or refused to all birth control methods in EA series (computed variable EVERUSED = 2); R used fewer than 4 methods in month; R completed the interview prior to this month.

1553	6480	2445	10843	Blank	= Blank, inapplicable
0	0	0	0	01	= NO METHODS USED
0	0	0	0	02	= SAME AS PREVIOUS MONTH
0	0	0	0	03	= BIRTH CONTROL PILLS
0	0	0	0	04	= CONDOM
0	0	0	0	05	= PARTNER'S VASECTOMY
0	0	0	0	06	= DIAPHRAGM
0	0	0	0	07	= FOAM
0	0	0	0	08	= JELLY OR CREAM
0	0	0	0	09	= CERVICAL CAP
0	0	0	0	10	= SUPPOSITORY, INSERT
0	0	0	0	11	= TODAY (TM) SPONGE
0	0	0	0	12	= FEMALE CONDOM, VAGINAL POUCH
0	0	0	0	13	= IUD, COIL, LOOP
0	0	0	0	14	= NORPLANT (TM)
0	0	0	0	15	= DEPO-PROVERA, INJECTABLES
0	0	0	0	16	= MORNING AFTER PILLS
0	1	0	1	17	= RHYTHM OR SAFE PERIOD BY CALENDAR
0	0	0	0	18	= SAFE PERIOD BY TEMP, CERVICAL MUCUS TEST,

1995 NATIONAL SURVEY OF FAMILY GROWTH
File Documentation
Respondent File (Section E Questionnaire Items)

VARIABLE NAME	COLUMN LOCATION	NON-HISPANIC			TOTAL	QX	TEXT AND CODE CATEGORIES
		HISP	WHITE	BLACK			
		0	0	0	0	19	NFP = WITHDRAWAL
		0	0	0	0	20	= RESPONDENT STERILE
		0	0	0	0	21	= PARTNER STERILE (NOT ON CARD)
		0	0	0	0	22	= OTHER METHOD-NOT SHOWN SEPARATELY
		0	0	0	0	55	= SAME METHODS USED THROUGH END OF YEAR
		0	0	1	1	97	= Not Ascertained
		0	1	0	1	98	= Refused
		0	1	0	1	99	= Don't Know

[SIMSEQ54] 8734-8734

Did you use those methods together,
that is, at the same time, or did
you use them at different times
during the month? (MC55)

Inapplicable:

R never had sex as of this month and
never used a birth control method as
of this month but ever used one or
more birth control methods in EA
series (WNFSTSEX GE 1093 and
DATFIRSM GE 1093 and computed
variable EVERUSED = 1); month R was
interviewed preceded this month; R
never had sex and said no, don't
know or refused to all birth control
methods in EA series (computed
variable RHADSEX coded 2,7,8 or 9
and computed variable EVERUSED = 2);
R said no, don't know or refused to
all birth control methods in EA
series (computed variable EVERUSED =
2); R did not use multiple methods
in the month; R used more than 2
methods in the month.

1547	6438	2423	10771	Blank	= Blank, inapplicable
3	28	16	48	1	= SAME TIME
3	17	7	28	2	= DIFFERENT TIMES
0	0	0	0	7	= Not Ascertained
0	0	0	0	8	= Refused
0	0	0	0	9	= Don't Know

1995 NATIONAL SURVEY OF FAMILY GROWTH
 File Documentation
 Respondent File (Section E Questionnaire Items)

VARIABLE	COLUMN	NON-HISPANIC			QX TEXT AND CODE CATEGORIES
NAME	LOCATION	HISP	WHITE	BLACK	TOTAL

[MTHUS648] 8735-8736

During that month, which (of those/other) methods, if any, did you use at the same time? (1st METHOD MENTIONED, 1st COMBINATION, MC55)

Inapplicable:
 R said no, don't know or refused to all birth control methods in EA series (computed variable EVERUSED = 2); R never had sex as of this month and never used a birth control method as of this month but ever used one or more birth control methods in EA series (WNFSTSEX GE 1093 and DATFIRSM GE 1093 and computed variable EVERUSED = 1); month R was interviewed preceded this month; R did not use multiple methods in the month; or R used only 2 methods in the month.

1553	6481	2446	10845	Blank	= Blank, inapplicable
0	0	0	0	0	01 = NONE
0	0	0	0	0	02 = OFFICE USE ONLY
0	0	0	0	0	03 = BIRTH CONTROL PILLS
0	1	0	1	0	04 = CONDOM
0	0	0	0	0	05 = PARTNER'S VASECTOMY
0	1	0	1	0	06 = DIAPHRAGM
0	0	0	0	0	07 = FOAM
0	0	0	0	0	08 = JELLY OR CREAM
0	0	0	0	0	09 = CERVICAL CAP
0	0	0	0	0	10 = SUPPOSITORY, INSERT
0	0	0	0	0	11 = TODAY (TM) SPONGE
0	0	0	0	0	12 = FEMALE CONDOM, VAGINAL POUCH
0	0	0	0	0	13 = IUD, COIL, LOOP
0	0	0	0	0	14 = NORPLANT (TM)
0	0	0	0	0	15 = DEPO-PROVERA, INJECTABLES
0	0	0	0	0	16 = MORNING AFTER PILLS
0	0	0	0	0	17 = RHYTHM OR SAFE PERIOD BY CALENDAR
0	0	0	0	0	18 = SAFE PERIOD BY TEMP, CERVICAL MUCUS TEST, NFP
0	0	0	0	0	19 = WITHDRAWAL
0	0	0	0	0	20 = RESPONDENT STERILE

(4918)

1995 NATIONAL SURVEY OF FAMILY GROWTH
 File Documentation
 Respondent File (Section E Questionnaire Items)

VARIABLE NAME	COLUMN LOCATION	NON-HISPANIC			TOTAL	QX	TEXT AND CODE CATEGORIES
		HISP	WHITE	BLACK			
		0	0	0	0	21	= PARTNER STERILE (NOT ON CARD)
		0	0	0	0	22	= OTHER METHOD-NOT SHOWN SEPARATELY
		0	0	0	0	97	= Not Ascertained
		0	0	0	0	98	= Refused
		0	0	0	0	99	= Don't Know

1995 NATIONAL SURVEY OF FAMILY GROWTH
 File Documentation
 Respondent File (Section E Questionnaire Items)

VARIABLE	COLUMN	NON-HISPANIC								
NAME	LOCATION	HISP	WHITE	BLACK						TOTAL

[MTHUS649] 8737-8738

During that month, which (of those/other) methods, if any, did you use at the same time? (2nd METHOD MENTIONED, 1st COMBINATION, MC55)

Inapplicable:
 R said no, don't know or refused to all birth control methods in EA series (computed variable EVERUSED = 2); R never had sex as of this month and never used a birth control method as of this month but ever used one or more birth control methods in EA series (WNFSTSEX GE 1093 and DATFIRSM GE 1093 and computed variable EVERUSED = 1); month R was interviewed preceded this month; R did not use multiple methods in the month; or R used only 2 methods in the month; or R reported using fewer than 2 BC methods for this combination in this month of the method calendar.

1553	6481	2446	10845	Blank		= Blank, inapplicable
0	0	0	0	0	01	= NONE
0	0	0	0	0	02	= OFFICE USE ONLY
0	0	0	0	0	03	= BIRTH CONTROL PILLS
0	0	0	0	0	04	= CONDOM
0	0	0	0	0	05	= PARTNER'S VASECTOMY
0	0	0	0	0	06	= DIAPHRAGM
0	0	0	0	0	07	= FOAM
0	0	0	0	0	08	= JELLY OR CREAM
0	0	0	0	0	09	= CERVICAL CAP
0	0	0	0	0	10	= SUPPOSITORY, INSERT
0	0	0	0	0	11	= TODAY (TM) SPONGE
0	0	0	0	0	12	= FEMALE CONDOM, VAGINAL POUCH
0	0	0	0	0	13	= IUD, COIL, LOOP
0	0	0	0	0	14	= NORPLANT (TM)
0	0	0	0	0	15	= DEPO-PROVERA, INJECTABLES
0	0	0	0	0	16	= MORNING AFTER PILLS
0	1	0	1	1	17	= RHYTHM OR SAFE PERIOD BY CALENDAR
0	0	0	0	0	18	= SAFE PERIOD BY TEMP, CERVICAL MUCUS TEST,

1995 NATIONAL SURVEY OF FAMILY GROWTH
 File Documentation
 Respondent File (Section E Questionnaire Items)

VARIABLE NAME	COLUMN LOCATION	NON-HISPANIC			TOTAL	QX	TEXT AND CODE CATEGORIES
		HISP	WHITE	BLACK			
		0	1	0	1	19	NFP = WITHDRAWAL
		0	0	0	0	20	= RESPONDENT STERILE
		0	0	0	0	21	= PARTNER STERILE (NOT ON CARD)
		0	0	0	0	22	= OTHER METHOD-NOT SHOWN SEPARATELY
		0	0	0	0	97	= Not Ascertained
		0	0	0	0	98	= Refused
		0	0	0	0	99	= Don't Know

1995 NATIONAL SURVEY OF FAMILY GROWTH
 File Documentation
 Respondent File (Section E Questionnaire Items)

VARIABLE	COLUMN	NON-HISPANIC								
NAME	LOCATION	HISP	WHITE	BLACK						TOTAL

[MTHUS650] 8739-8740

During that month, which (of those/other) methods, if any, did you use at the same time? (3rd METHOD MENTIONED, 1st COMBINATION, MC55)

Inapplicable:
 R said no, don't know or refused to all birth control methods in EA series (computed variable EVERUSED = 2); R never had sex as of this month and never used a birth control method as of this month but ever used one or more birth control methods in EA series (WNFSTSEX GE 1093 and DATFIRSM GE 1093 and computed variable EVERUSED = 1); month R was interviewed preceded this month; R did not use multiple methods in the month; or R used only 2 methods in the month; or R reported using fewer than 3 BC methods for this combination in this month of the method calendar.

1553	6482	2446	10846	Blank		= Blank, inapplicable
0	0	0	0	01		= NONE
0	0	0	0	02		= OFFICE USE ONLY
0	0	0	0	03		= BIRTH CONTROL PILLS
0	0	0	0	04		= CONDOM
0	0	0	0	05		= PARTNER'S VASECTOMY
0	0	0	0	06		= DIAPHRAGM
0	0	0	0	07		= FOAM
0	0	0	0	08		= JELLY OR CREAM
0	0	0	0	09		= CERVICAL CAP
0	0	0	0	10		= SUPPOSITORY, INSERT
0	0	0	0	11		= TODAY (TM) SPONGE
0	0	0	0	12		= FEMALE CONDOM, VAGINAL POUCH
0	0	0	0	13		= IUD, COIL, LOOP
0	0	0	0	14		= NORPLANT (TM)
0	0	0	0	15		= DEPO-PROVERA, INJECTABLES
0	0	0	0	16		= MORNING AFTER PILLS
0	0	0	0	17		= RHYTHM OR SAFE PERIOD BY CALENDAR
0	0	0	0	18		= SAFE PERIOD BY TEMP, CERVICAL MUCUS TEST,

1995 NATIONAL SURVEY OF FAMILY GROWTH
 File Documentation
 Respondent File (Section E Questionnaire Items)

VARIABLE NAME	COLUMN LOCATION	NON-HISPANIC			TOTAL	QX	TEXT AND CODE CATEGORIES
		HISP	WHITE	BLACK			
		0	1	0	1	19	NFP
		0	0	0	0	20	= WITHDRAWAL
		0	0	0	0	21	= RESPONDENT STERILE
							= PARTNER STERILE (NOT ON CARD)
		0	0	0	0	22	= OTHER METHOD-NOT SHOWN SEPARATELY
		0	0	0	0	97	= Not Ascertained
		0	0	0	0	98	= Refused
		0	0	0	0	99	= Don't Know

1995 NATIONAL SURVEY OF FAMILY GROWTH
 File Documentation
 Respondent File (Section E Questionnaire Items)

VARIABLE COLUMN NON-HISPANIC
 NAME LOCATION HISP WHITE BLACK TOTAL QX TEXT AND CODE CATEGORIES

[MTHUS651] 8741-8742

During that month, which (of those/other) methods, if any, did you use at the same time? (4th METHOD MENTIONED, 1st COMBINATION, MC55)

Inapplicable:
 R said no, don't know or refused to all birth control methods in EA series (computed variable EVERUSED = 2); R never had sex as of this month and never used a birth control method as of this month but ever used one or more birth control methods in EA series (WNFSTSEX GE 1093 and DATFIRSM GE 1093 and computed variable EVERUSED = 1); month R was interviewed preceded this month; R did not use multiple methods in the month; or R used only 2 methods in the month; or R reported using fewer than 4 BC methods for this combination in this month of the method calendar.

1553	6483	2446	10847	Blank	
0	0	0	0	0	01 = Blank, inapplicable
0	0	0	0	0	02 = NONE
0	0	0	0	0	03 = OFFICE USE ONLY
0	0	0	0	0	04 = BIRTH CONTROL PILLS
0	0	0	0	0	05 = CONDOM
0	0	0	0	0	06 = PARTNER'S VASECTOMY
0	0	0	0	0	07 = DIAPHRAGM
0	0	0	0	0	08 = FOAM
0	0	0	0	0	09 = JELLY OR CREAM
0	0	0	0	0	10 = CERVICAL CAP
0	0	0	0	0	11 = SUPPOSITORY, INSERT
0	0	0	0	0	12 = TODAY (TM) SPONGE
0	0	0	0	0	13 = FEMALE CONDOM, VAGINAL POUCH
0	0	0	0	0	14 = IUD, COIL, LOOP
0	0	0	0	0	15 = NORPLANT (TM)
0	0	0	0	0	16 = DEPO-PROVERA, INJECTABLES
0	0	0	0	0	17 = MORNING AFTER PILLS
0	0	0	0	0	18 = RHYTHM OR SAFE PERIOD BY CALENDAR
0	0	0	0	0	18 = SAFE PERIOD BY TEMP, CERVICAL MUCUS TEST,

1995 NATIONAL SURVEY OF FAMILY GROWTH
 File Documentation
 Respondent File (Section E Questionnaire Items)

VARIABLE NAME	COLUMN LOCATION	NON-HISPANIC			TOTAL	QX	TEXT AND CODE CATEGORIES
		HISP	WHITE	BLACK			
		0	0	0	0	19	NFP
		0	0	0	0	20	= WITHDRAWAL
		0	0	0	0	21	= RESPONDENT STERILE
							= PARTNER STERILE (NOT ON CARD)
		0	0	0	0	22	= OTHER METHOD-NOT SHOWN SEPARATELY
		0	0	0	0	97	= Not Ascertained
		0	0	0	0	98	= Refused
		0	0	0	0	99	= Don't Know

1995 NATIONAL SURVEY OF FAMILY GROWTH
 File Documentation
 Respondent File (Section E Questionnaire Items)

VARIABLE	COLUMN	NON-HISPANIC				QX TEXT AND CODE CATEGORIES
NAME	LOCATION	HISP	WHITE	BLACK		

[MTHUS652] 8743-8744

During that month, which (of those/other) methods, if any, did you use at the same time? (1st METHOD MENTIONED, 2nd COMBINATION, MC55)

Inapplicable:
 R said no, don't know or refused to all birth control methods in EA series (computed variable EVERUSED = 2); R never had sex as of this month and never used a birth control method as of this month but ever used one or more birth control methods in EA series (WNFSTSEX GE 1093 and DATFIRSM GE 1093 and computed variable EVERUSED = 1); month R was interviewed preceded this month; R did not use multiple methods in the month; or R used only 2 methods in the month; or R reported fewer than 2 BC method combinations.

1553	6481	2446	10845	Blank	= Blank, inapplicable
0	2	0	2	01	= NONE
0	0	0	0	02	= OFFICE USE ONLY
0	0	0	0	03	= BIRTH CONTROL PILLS
0	0	0	0	04	= CONDOM
0	0	0	0	05	= PARTNER'S VASECTOMY
0	0	0	0	06	= DIAPHRAGM
0	0	0	0	07	= FOAM
0	0	0	0	08	= JELLY OR CREAM
0	0	0	0	09	= CERVICAL CAP
0	0	0	0	10	= SUPPOSITORY, INSERT
0	0	0	0	11	= TODAY (TM) SPONGE
0	0	0	0	12	= FEMALE CONDOM, VAGINAL POUCH
0	0	0	0	13	= IUD, COIL, LOOP
0	0	0	0	14	= NORPLANT (TM)
0	0	0	0	15	= DEPO-PROVERA, INJECTABLES
0	0	0	0	16	= MORNING AFTER PILLS
0	0	0	0	17	= RHYTHM OR SAFE PERIOD BY CALENDAR
0	0	0	0	18	= SAFE PERIOD BY TEMP, CERVICAL MUCUS TEST, NFP

1995 NATIONAL SURVEY OF FAMILY GROWTH
 File Documentation
 Respondent File (Section E Questionnaire Items)

VARIABLE NAME	COLUMN LOCATION	NON-HISPANIC			TOTAL	QX	TEXT AND CODE CATEGORIES
		HISP	WHITE	BLACK			
		0	0	0	0	19	= WITHDRAWAL
		0	0	0	0	20	= RESPONDENT STERILE
		0	0	0	0	21	= PARTNER STERILE (NOT ON CARD)
		0	0	0	0	22	= OTHER METHOD-NOT SHOWN SEPARATELY
		0	0	0	0	97	= Not Ascertained
		0	0	0	0	98	= Refused
		0	0	0	0	99	= Don't Know

1995 NATIONAL SURVEY OF FAMILY GROWTH
 File Documentation
 Respondent File (Section E Questionnaire Items)

VARIABLE	COLUMN	NON-HISPANIC				QX TEXT AND CODE CATEGORIES
NAME	LOCATION	HISP	WHITE	BLACK	TOTAL	

[MTHUS653] 8745-8746

During that month, which (of those/other) methods, if any, did you use at the same time? (2nd METHOD MENTIONED, 2nd COMBINATION, MC55)

Inapplicable:
 R said no, don't know or refused to all birth control methods in EA series (computed variable EVERUSED = 2); R never had sex as of this month and never used a birth control method as of this month but ever used one or more birth control methods in EA series (WNFSTSEX GE 1093 and DATFIRSM GE 1093 and computed variable EVERUSED = 1); month R was interviewed preceded this month; R did not use multiple methods in the month; or R used only 2 methods in the month; or R reported fewer than 2 BC method combinations; or R reported using fewer than 2 BC methods for this combination in this month of the method calendar.

1553	6483	2446	10847	Blank	= Blank, inapplicable
0	0	0	0	01	= NONE
0	0	0	0	02	= OFFICE USE ONLY
0	0	0	0	03	= BIRTH CONTROL PILLS
0	0	0	0	04	= CONDOM
0	0	0	0	05	= PARTNER'S VASECTOMY
0	0	0	0	06	= DIAPHRAGM
0	0	0	0	07	= FOAM
0	0	0	0	08	= JELLY OR CREAM
0	0	0	0	09	= CERVICAL CAP
0	0	0	0	10	= SUPPOSITORY, INSERT
0	0	0	0	11	= TODAY (TM) SPONGE
0	0	0	0	12	= FEMALE CONDOM, VAGINAL POUCH
0	0	0	0	13	= IUD, COIL, LOOP
0	0	0	0	14	= NORPLANT (TM)
0	0	0	0	15	= DEPO-PROVERA, INJECTABLES
0	0	0	0	16	= MORNING AFTER PILLS
0	0	0	0	17	= RHYTHM OR SAFE PERIOD BY CALENDAR

1995 NATIONAL SURVEY OF FAMILY GROWTH
 File Documentation
 Respondent File (Section E Questionnaire Items)

VARIABLE NAME	COLUMN LOCATION	NON-HISPANIC			TOTAL	QX	TEXT AND CODE CATEGORIES
		HISP	WHITE	BLACK			
		0	0	0	0	18	= SAFE PERIOD BY TEMP, CERVICAL MUCUS TEST, NFP
		0	0	0	0	19	= WITHDRAWAL
		0	0	0	0	20	= RESPONDENT STERILE
		0	0	0	0	21	= PARTNER STERILE (NOT ON CARD)
		0	0	0	0	22	= OTHER METHOD-NOT SHOWN SEPARATELY
		0	0	0	0	97	= Not Ascertained
		0	0	0	0	98	= Refused
		0	0	0	0	99	= Don't Know

1995 NATIONAL SURVEY OF FAMILY GROWTH
 File Documentation
 Respondent File (Section E Questionnaire Items)

VARIABLE	COLUMN	NON-HISPANIC			QX TEXT AND CODE CATEGORIES
NAME	LOCATION	HISP	WHITE	BLACK	TOTAL

[MTHUS654] 8747-8748

During that month, which (of those/other) methods, if any, did you use at the same time? (3rd METHOD MENTIONED, 2nd COMBINATION, MC55)

Inapplicable:
 R said no, don't know or refused to all birth control methods in EA series (computed variable EVERUSED = 2); R never had sex as of this month and never used a birth control method as of this month but ever used one or more birth control methods in EA series (WNFSTSEX GE 1093 and DATFIRSM GE 1093 and computed variable EVERUSED = 1); month R was interviewed preceded this month; R did not use multiple methods in the month; or R used only 2 methods in the month; or R reported fewer than 2 BC method combinations; or R reported using fewer than 3 BC methods for this combination in this month of the method calendar.

1553	6483	2446	10847	Blank	= Blank, inapplicable
0	0	0	0	01	= NONE
0	0	0	0	02	= OFFICE USE ONLY
0	0	0	0	03	= BIRTH CONTROL PILLS
0	0	0	0	04	= CONDOM
0	0	0	0	05	= PARTNER'S VASECTOMY
0	0	0	0	06	= DIAPHRAGM
0	0	0	0	07	= FOAM
0	0	0	0	08	= JELLY OR CREAM
0	0	0	0	09	= CERVICAL CAP
0	0	0	0	10	= SUPPOSITORY, INSERT
0	0	0	0	11	= TODAY (TM) SPONGE
0	0	0	0	12	= FEMALE CONDOM, VAGINAL POUCH
0	0	0	0	13	= IUD, COIL, LOOP
0	0	0	0	14	= NORPLANT (TM)
0	0	0	0	15	= DEPO-PROVERA, INJECTABLES
0	0	0	0	16	= MORNING AFTER PILLS
0	0	0	0	17	= RHYTHM OR SAFE PERIOD BY CALENDAR

1995 NATIONAL SURVEY OF FAMILY GROWTH
 File Documentation
 Respondent File (Section E Questionnaire Items)

VARIABLE NAME	COLUMN LOCATION	NON-HISPANIC			TOTAL	QX	TEXT AND CODE CATEGORIES
		HISP	WHITE	BLACK			
		0	0	0	0	18	= SAFE PERIOD BY TEMP, CERVICAL MUCUS TEST, NFP
		0	0	0	0	19	= WITHDRAWAL
		0	0	0	0	20	= RESPONDENT STERILE
		0	0	0	0	21	= PARTNER STERILE (NOT ON CARD)
		0	0	0	0	22	= OTHER METHOD-NOT SHOWN SEPARATELY
		0	0	0	0	97	= Not Ascertained
		0	0	0	0	98	= Refused
		0	0	0	0	99	= Don't Know

1995 NATIONAL SURVEY OF FAMILY GROWTH
 File Documentation
 Respondent File (Section E Questionnaire Items)

VARIABLE	COLUMN	NON-HISPANIC		
NAME	LOCATION	HISP	WHITE BLACK TOTAL	QX TEXT AND CODE CATEGORIES

[MTHUS655] 8749-8750

During that month, which (of those/other) methods, if any, did you use at the same time? (4th METHOD MENTIONED, 2nd COMBINATION, MC55)

Inapplicable:
 R said no, don't know or refused to all birth control methods in EA series (computed variable EVERUSED = 2); R never had sex as of this month and never used a birth control method as of this month but ever used one or more birth control methods in EA series (WNFSTSEX GE 1093 and DATFIRSM GE 1093 and computed variable EVERUSED = 1); month R was interviewed preceded this month; R did not use multiple methods in the month; or R used only 2 methods in the month; or R reported fewer than 2 BC method combinations; or R reported using fewer than 4 BC methods for this combination in this month of the method calendar.

1553	6483	2446	10847	Blank	= Blank, inapplicable
0	0	0	0	01	= NONE
0	0	0	0	02	= OFFICE USE ONLY
0	0	0	0	03	= BIRTH CONTROL PILLS
0	0	0	0	04	= CONDOM
0	0	0	0	05	= PARTNER'S VASECTOMY
0	0	0	0	06	= DIAPHRAGM
0	0	0	0	07	= FOAM
0	0	0	0	08	= JELLY OR CREAM
0	0	0	0	09	= CERVICAL CAP
0	0	0	0	10	= SUPPOSITORY, INSERT
0	0	0	0	11	= TODAY (TM) SPONGE
0	0	0	0	12	= FEMALE CONDOM, VAGINAL POUCH
0	0	0	0	13	= IUD, COIL, LOOP
0	0	0	0	14	= NORPLANT (TM)
0	0	0	0	15	= DEPO-PROVERA, INJECTABLES
0	0	0	0	16	= MORNING AFTER PILLS
0	0	0	0	17	= RHYTHM OR SAFE PERIOD BY CALENDAR

(4932)

1995 NATIONAL SURVEY OF FAMILY GROWTH
 File Documentation
 Respondent File (Section E Questionnaire Items)

VARIABLE NAME	COLUMN LOCATION	NON-HISPANIC			TOTAL	QX	TEXT AND CODE CATEGORIES
		HISP	WHITE	BLACK			
		0	0	0	0	18	= SAFE PERIOD BY TEMP, CERVICAL MUCUS TEST, NFP
		0	0	0	0	19	= WITHDRAWAL
		0	0	0	0	20	= RESPONDENT STERILE
		0	0	0	0	21	= PARTNER STERILE (NOT ON CARD)
		0	0	0	0	22	= OTHER METHOD-NOT SHOWN SEPARATELY
		0	0	0	0	97	= Not Ascertained
		0	0	0	0	98	= Refused
		0	0	0	0	99	= Don't Know

1995 NATIONAL SURVEY OF FAMILY GROWTH
 File Documentation
 Respondent File (Section E Questionnaire Items)

VARIABLE	COLUMN	NON-HISPANIC								
NAME	LOCATION	HISP	WHITE	BLACK						

[MTHUS656] 8751-8752

During that month, which (of those/other) methods, if any, did you use at the same time? (1st METHOD MENTIONED, 3rd COMBINATION, MC55)

Inapplicable:
 R said no, don't know or refused to all birth control methods in EA series (computed variable EVERUSED = 2); R never had sex as of this month and never used a birth control method as of this month but ever used one or more birth control methods in EA series (WNFSTSEX GE 1093 and DATFIRSM GE 1093 and computed variable EVERUSED = 1); month R was interviewed preceded this month; R did not use multiple methods in the month; or R used only 2 methods in the month; or R reported fewer than 3 BC method combinations.

1553	6483	2446	10847	Blank	= Blank, inapplicable
0	0	0	0	01	= NONE
0	0	0	0	02	= OFFICE USE ONLY
0	0	0	0	03	= BIRTH CONTROL PILLS
0	0	0	0	04	= CONDOM
0	0	0	0	05	= PARTNER'S VASECTOMY
0	0	0	0	06	= DIAPHRAGM
0	0	0	0	07	= FOAM
0	0	0	0	08	= JELLY OR CREAM
0	0	0	0	09	= CERVICAL CAP
0	0	0	0	10	= SUPPOSITORY, INSERT
0	0	0	0	11	= TODAY (TM) SPONGE
0	0	0	0	12	= FEMALE CONDOM, VAGINAL POUCH
0	0	0	0	13	= IUD, COIL, LOOP
0	0	0	0	14	= NORPLANT (TM)
0	0	0	0	15	= DEPO-PROVERA, INJECTABLES
0	0	0	0	16	= MORNING AFTER PILLS
0	0	0	0	17	= RHYTHM OR SAFE PERIOD BY CALENDAR
0	0	0	0	18	= SAFE PERIOD BY TEMP, CERVICAL MUCUS TEST, NFP

1995 NATIONAL SURVEY OF FAMILY GROWTH
 File Documentation
 Respondent File (Section E Questionnaire Items)

VARIABLE NAME	COLUMN LOCATION	NON-HISPANIC			TOTAL	QX	TEXT AND CODE CATEGORIES
		HISP	WHITE	BLACK			
		0	0	0	0	19	= WITHDRAWAL
		0	0	0	0	20	= RESPONDENT STERILE
		0	0	0	0	21	= PARTNER STERILE (NOT ON CARD)
		0	0	0	0	22	= OTHER METHOD-NOT SHOWN SEPARATELY
		0	0	0	0	97	= Not Ascertained
		0	0	0	0	98	= Refused
		0	0	0	0	99	= Don't Know

1995 NATIONAL SURVEY OF FAMILY GROWTH
 File Documentation
 Respondent File (Section E Questionnaire Items)

VARIABLE	COLUMN	NON-HISPANIC			QX TEXT AND CODE CATEGORIES
NAME	LOCATION	HISP	WHITE	BLACK	TOTAL

[MTHUS657] 8753-8754

During that month, which (of those/other) methods, if any, did you use at the same time? (2nd METHOD MENTIONED, 3rd COMBINATION, MC55)

Inapplicable:
 R said no, don't know or refused to all birth control methods in EA series (computed variable EVERUSED = 2); R never had sex as of this month and never used a birth control method as of this month but ever used one or more birth control methods in EA series (WNFSTSEX GE 1093 and DATFIRSM GE 1093 and computed variable EVERUSED = 1); month R was interviewed preceded this month; R did not use multiple methods in the month; or R used only 2 methods in the month; or R reported fewer than 3 BC method combinations; or R reported using fewer than 2 BC methods for this combination in this month of the method calendar.

1553	6483	2446	10847	Blank	= Blank, inapplicable
0	0	0	0	01	= NONE
0	0	0	0	02	= OFFICE USE ONLY
0	0	0	0	03	= BIRTH CONTROL PILLS
0	0	0	0	04	= CONDOM
0	0	0	0	05	= PARTNER'S VASECTOMY
0	0	0	0	06	= DIAPHRAGM
0	0	0	0	07	= FOAM
0	0	0	0	08	= JELLY OR CREAM
0	0	0	0	09	= CERVICAL CAP
0	0	0	0	10	= SUPPOSITORY, INSERT
0	0	0	0	11	= TODAY (TM) SPONGE
0	0	0	0	12	= FEMALE CONDOM, VAGINAL POUCH
0	0	0	0	13	= IUD, COIL, LOOP
0	0	0	0	14	= NORPLANT (TM)
0	0	0	0	15	= DEPO-PROVERA, INJECTABLES
0	0	0	0	16	= MORNING AFTER PILLS
0	0	0	0	17	= RHYTHM OR SAFE PERIOD BY CALENDAR

1995 NATIONAL SURVEY OF FAMILY GROWTH
 File Documentation
 Respondent File (Section E Questionnaire Items)

VARIABLE NAME	COLUMN LOCATION	NON-HISPANIC			TOTAL	QX	TEXT AND CODE CATEGORIES
		HISP	WHITE	BLACK			
		0	0	0	0	18	= SAFE PERIOD BY TEMP, CERVICAL MUCUS TEST, NFP
		0	0	0	0	19	= WITHDRAWAL
		0	0	0	0	20	= RESPONDENT STERILE
		0	0	0	0	21	= PARTNER STERILE (NOT ON CARD)
		0	0	0	0	22	= OTHER METHOD-NOT SHOWN SEPARATELY
		0	0	0	0	97	= Not Ascertained
		0	0	0	0	98	= Refused
		0	0	0	0	99	= Don't Know

1995 NATIONAL SURVEY OF FAMILY GROWTH
 File Documentation
 Respondent File (Section E Questionnaire Items)

VARIABLE	COLUMN	NON-HISPANIC				QX TEXT AND CODE CATEGORIES
NAME	LOCATION	HISP	WHITE	BLACK	TOTAL	

[MTHUS658] 8755-8756

During that month, which (of those/other) methods, if any, did you use at the same time? (3rd METHOD MENTIONED, 3rd COMBINATION, MC55)

Inapplicable:
 R said no, don't know or refused to all birth control methods in EA series (computed variable EVERUSED = 2); R never had sex as of this month and never used a birth control method as of this month but ever used one or more birth control methods in EA series (WNFSTSEX GE 1093 and DATFIRSM GE 1093 and computed variable EVERUSED = 1); month R was interviewed preceded this month; R did not use multiple methods in the month; or R used only 2 methods in the month; or R reported fewer than 3 BC method combinations; or R reported using fewer than 3 BC methods for this combination in this month of the method calendar.

1553	6483	2446	10847	Blank	= Blank, inapplicable
0	0	0	0	01	= NONE
0	0	0	0	02	= OFFICE USE ONLY
0	0	0	0	03	= BIRTH CONTROL PILLS
0	0	0	0	04	= CONDOM
0	0	0	0	05	= PARTNER'S VASECTOMY
0	0	0	0	06	= DIAPHRAGM
0	0	0	0	07	= FOAM
0	0	0	0	08	= JELLY OR CREAM
0	0	0	0	09	= CERVICAL CAP
0	0	0	0	10	= SUPPOSITORY, INSERT
0	0	0	0	11	= TODAY (TM) SPONGE
0	0	0	0	12	= FEMALE CONDOM, VAGINAL POUCH
0	0	0	0	13	= IUD, COIL, LOOP
0	0	0	0	14	= NORPLANT (TM)
0	0	0	0	15	= DEPO-PROVERA, INJECTABLES
0	0	0	0	16	= MORNING AFTER PILLS
0	0	0	0	17	= RHYTHM OR SAFE PERIOD BY CALENDAR

(4938)

1995 NATIONAL SURVEY OF FAMILY GROWTH
 File Documentation
 Respondent File (Section E Questionnaire Items)

VARIABLE NAME	COLUMN LOCATION	NON-HISPANIC			TOTAL	QX	TEXT AND CODE CATEGORIES
		HISP	WHITE	BLACK			
		0	0	0	0	18	= SAFE PERIOD BY TEMP, CERVICAL MUCUS TEST, NFP
		0	0	0	0	19	= WITHDRAWAL
		0	0	0	0	20	= RESPONDENT STERILE
		0	0	0	0	21	= PARTNER STERILE (NOT ON CARD)
		0	0	0	0	22	= OTHER METHOD-NOT SHOWN SEPARATELY
		0	0	0	0	97	= Not Ascertained
		0	0	0	0	98	= Refused
		0	0	0	0	99	= Don't Know

1995 NATIONAL SURVEY OF FAMILY GROWTH
 File Documentation
 Respondent File (Section E Questionnaire Items)

VARIABLE	COLUMN	NON-HISPANIC								
NAME	LOCATION	HISP	WHITE	BLACK						TOTAL

[MTHUS659] 8757-8758

During that month, which (of those/other) methods, if any, did you use at the same time? (4th METHOD MENTIONED, 3rd COMBINATION, MC55)

Inapplicable:
 R said no, don't know or refused to all birth control methods in EA series (computed variable EVERUSED = 2); R never had sex as of this month and never used a birth control method as of this month but ever used one or more birth control methods in EA series (WNFSTSEX GE 1093 and DATFIRSM GE 1093 and computed variable EVERUSED = 1); month R was interviewed preceded this month; R did not use multiple methods in the month; or R used only 2 methods in the month; or R reported fewer than 3 BC method combinations; or R reported using fewer than 4 BC methods for this combination in this month of the method calendar.

1553	6483	2446	10847	Blank	=	Blank, inapplicable				
0	0	0	0	01	=	NONE				
0	0	0	0	02	=	OFFICE USE ONLY				
0	0	0	0	03	=	BIRTH CONTROL PILLS				
0	0	0	0	04	=	CONDOM				
0	0	0	0	05	=	PARTNER'S VASECTOMY				
0	0	0	0	06	=	DIAPHRAGM				
0	0	0	0	07	=	FOAM				
0	0	0	0	08	=	JELLY OR CREAM				
0	0	0	0	09	=	CERVICAL CAP				
0	0	0	0	10	=	SUPPOSITORY, INSERT				
0	0	0	0	11	=	TODAY (TM) SPONGE				
0	0	0	0	12	=	FEMALE CONDOM, VAGINAL POUCH				
0	0	0	0	13	=	IUD, COIL, LOOP				
0	0	0	0	14	=	NORPLANT (TM)				
0	0	0	0	15	=	DEPO-PROVERA, INJECTABLES				
0	0	0	0	16	=	MORNING AFTER PILLS				
0	0	0	0	17	=	RHYTHM OR SAFE PERIOD BY CALENDAR				

(4940)

1995 NATIONAL SURVEY OF FAMILY GROWTH
 File Documentation
 Respondent File (Section E Questionnaire Items)

VARIABLE NAME	COLUMN LOCATION	NON-HISPANIC			QX	TEXT AND CODE CATEGORIES
		HISP	WHITE	BLACK		
		0	0	0	0	18 = SAFE PERIOD BY TEMP, CERVICAL MUCUS TEST, NFP
		0	0	0	0	19 = WITHDRAWAL
		0	0	0	0	20 = RESPONDENT STERILE
		0	0	0	0	21 = PARTNER STERILE (NOT ON CARD)
		0	0	0	0	22 = OTHER METHOD-NOT SHOWN SEPARATELY
		0	0	0	0	97 = Not Ascertained
		0	0	0	0	98 = Refused
		0	0	0	0	99 = Don't Know

1995 NATIONAL SURVEY OF FAMILY GROWTH
 File Documentation
 Respondent File (Section E Questionnaire Items)

VARIABLE	COLUMN	NON-HISPANIC				
NAME	LOCATION	HISP	WHITE	BLACK	TOTAL	QX TEXT AND CODE CATEGORIES

[METHH220] 8759-8760

ENTER METHOD (FIRST MENTIONED) USED
 IN AUGUST 1995: (MC56)

Inapplicable:
 R never had sex as of this month and never used a birth control method as of this month but ever used one or more birth control methods in EA series (WNFSTSEX GE 1093 and DATFIRSM GE 1093 and computed variable EVERUSED = 1); month R was interviewed preceded this month; R never had sex and said no, don't know or refused to all birth control methods in EA series (computed variable RHADSEX coded 2,7,8 or 9 and computed variable EVERUSED = 2); R said no, don't know or refused to all birth control methods in EA series (computed variable EVERUSED = 2); or R completed the interview prior to this month.

1456	6226	2321	10347	Blank	= Blank, inapplicable
20	53	42	119	01	= NO METHODS USED
0	0	0	0	02	= SAME AS PREVIOUS MONTH
19	53	20	99	03	= BIRTH CONTROL PILLS
16	44	24	86	04	= CONDOM
2	14	0	16	05	= PARTNER'S VASECTOMY
0	2	0	2	06	= DIAPHRAGM
0	1	0	1	07	= FOAM
0	0	1	1	08	= JELLY OR CREAM
0	0	0	0	09	= CERVICAL CAP
0	3	1	4	10	= SUPPOSITORY, INSERT
0	1	0	1	11	= TODAY (TM) SPONGE
0	0	0	0	12	= FEMALE CONDOM, VAGINAL POUCH
1	0	0	2	13	= IUD, COIL, LOOP
2	6	0	10	14	= NORPLANT (TM)
6	5	4	15	15	= DEPO-PROVERA, INJECTABLES
0	0	0	0	16	= MORNING AFTER PILLS
1	6	1	8	17	= RHYTHM OR SAFE PERIOD BY CALENDAR
0	0	0	0	18	= SAFE PERIOD BY TEMP, CERVICAL MUCUS TEST, NFP

1995 NATIONAL SURVEY OF FAMILY GROWTH
 File Documentation
 Respondent File (Section E Questionnaire Items)

VARIABLE NAME	COLUMN LOCATION	NON-HISPANIC			TOTAL	QX	TEXT AND CODE CATEGORIES
		HISP	WHITE	BLACK			
		2	9	0	12	19	= WITHDRAWAL
		28	51	30	113	20	= RESPONDENT STERILE
		0	9	2	11	21	= PARTNER STERILE (NOT ON CARD)
		0	0	0	0	22	= OTHER METHOD-NOT SHOWN SEPARATELY
		0	0	0	0	55	= SAME METHODS USED THROUGH END OF YEAR
		0	0	0	0	97	= Not Ascertained
		0	0	0	0	98	= Refused
		0	0	0	0	99	= Don't Know

1995 NATIONAL SURVEY OF FAMILY GROWTH
 File Documentation
 Respondent File (Section E Questionnaire Items)

VARIABLE	COLUMN	NON-HISPANIC			QX TEXT AND CODE CATEGORIES	
NAME	LOCATION	HISP	WHITE	BLACK	TOTAL	
[METHH221]	8761-8762					ENTER METHOD (SECOND MENTIONED) USED IN AUGUST 1995: (MC56)

Inapplicable:
 R never had sex as of this month and never used a birth control method as of this month but ever used one or more birth control methods in EA series (WNFSTSEX GE 1093 and DATFIRSM GE 1093 and computed variable EVERUSED = 1); month R was interviewed preceded this month; R never had sex and said no, don't know or refused to all birth control methods in EA series (computed variable RHADSEX coded 2,7,8 or 9 and computed variable EVERUSED = 2); R said no, don't know or refused to all birth control methods in EA series (computed variable EVERUSED = 2); R used fewer than 2 methods in month; R completed the interview prior to this month.

1551	6465	2437	10815	Blank	= Blank, inapplicable
0	0	0	0	01	= NO METHODS USED
0	0	0	0	02	= SAME AS PREVIOUS MONTH
0	0	1	1	03	= BIRTH CONTROL PILLS
1	6	6	16	04	= CONDOM
0	0	0	0	05	= PARTNER'S VASECTOMY
0	1	0	1	06	= DIAPHRAGM
0	0	0	0	07	= FOAM
0	1	0	1	08	= JELLY OR CREAM
0	0	0	0	09	= CERVICAL CAP
0	0	1	1	10	= SUPPOSITORY, INSERT
0	1	0	1	11	= TODAY (TM) SPONGE
0	0	0	0	12	= FEMALE CONDOM, VAGINAL POUCH
0	0	0	0	13	= IUD, COIL, LOOP
0	0	0	0	14	= NORPLANT (TM)
0	0	0	0	15	= DEPO-PROVERA, INJECTABLES
0	0	0	0	16	= MORNING AFTER PILLS
0	2	0	2	17	= RHYTHM OR SAFE PERIOD BY CALENDAR
0	0	0	0	18	= SAFE PERIOD BY TEMP, CERVICAL MUCUS TEST,

(4944)

1995 NATIONAL SURVEY OF FAMILY GROWTH
 File Documentation
 Respondent File (Section E Questionnaire Items)

VARIABLE NAME	COLUMN LOCATION	NON-HISPANIC			TOTAL	QX	TEXT AND CODE CATEGORIES
		HISP	WHITE	BLACK			
		1	7	1	9	19	NFP
		0	0	0	0	20	= WITHDRAWAL
		0	0	0	0	21	= RESPONDENT STERILE
							= PARTNER STERILE (NOT ON CARD)
		0	0	0	0	22	= OTHER METHOD-NOT SHOWN SEPARATELY
		0	0	0	0	55	= SAME METHODS USED THROUGH END OF YEAR
		0	0	0	0	97	= Not Ascertained
		0	0	0	0	98	= Refused
		0	0	0	0	99	= Don't Know

1995 NATIONAL SURVEY OF FAMILY GROWTH
 File Documentation
 Respondent File (Section E Questionnaire Items)

VARIABLE	COLUMN	NON-HISPANIC								
NAME	LOCATION	HISP	WHITE	BLACK						TOTAL

[METHH222] 8763-8764

ENTER METHOD (THIRD MENTIONED) USED
 IN AUGUST 1995: (MC56)

Inapplicable:
 R never had sex as of this month and never used a birth control method as of this month but ever used one or more birth control methods in EA series (WNFSTSEX GE 1093 and DATFIRSM GE 1093 and computed variable EVERUSED = 1); month R was interviewed preceded this month; R never had sex and said no, don't know or refused to all birth control methods in EA series (computed variable RHADSEX coded 2,7,8 or 9 and computed variable EVERUSED = 2); R said no, don't know or refused to all birth control methods in EA series (computed variable EVERUSED = 2); R used fewer than 3 methods in month; R completed the interview prior to this month.

1553	6479	2444	10841	Blank	= Blank, inapplicable
0	0	0	0	01	= NO METHODS USED
0	0	0	0	02	= SAME AS PREVIOUS MONTH
0	0	0	0	03	= BIRTH CONTROL PILLS
0	0	0	0	04	= CONDOM
0	0	0	0	05	= PARTNER'S VASECTOMY
0	0	0	0	06	= DIAPHRAGM
0	0	0	0	07	= FOAM
0	0	0	0	08	= JELLY OR CREAM
0	0	0	0	09	= CERVICAL CAP
0	0	0	0	10	= SUPPOSITORY, INSERT
0	0	0	0	11	= TODAY (TM) SPONGE
0	0	0	0	12	= FEMALE CONDOM, VAGINAL POUCH
0	0	0	0	13	= IUD, COIL, LOOP
0	0	0	0	14	= NORPLANT (TM)
0	0	0	0	15	= DEPO-PROVERA, INJECTABLES
0	0	0	0	16	= MORNING AFTER PILLS
0	0	0	0	17	= RHYTHM OR SAFE PERIOD BY CALENDAR
0	0	0	0	18	= SAFE PERIOD BY TEMP, CERVICAL MUCUS TEST,

1995 NATIONAL SURVEY OF FAMILY GROWTH
 File Documentation
 Respondent File (Section E Questionnaire Items)

VARIABLE NAME	COLUMN LOCATION	NON-HISPANIC			TOTAL	QX	TEXT AND CODE CATEGORIES
		HISP	WHITE	BLACK			
		0	2	0	2	19	NFP = WITHDRAWAL
		0	2	2	4	20	= RESPONDENT STERILE
		0	0	0	0	21	= PARTNER STERILE (NOT ON CARD)
		0	0	0	0	22	= OTHER METHOD-NOT SHOWN SEPARATELY
		0	0	0	0	55	= SAME METHODS USED THROUGH END OF YEAR
		0	0	0	0	97	= Not Ascertained
		0	0	0	0	98	= Refused
		0	0	0	0	99	= Don't Know

1995 NATIONAL SURVEY OF FAMILY GROWTH
File Documentation
Respondent File (Section E Questionnaire Items)

VARIABLE NAME	COLUMN LOCATION	NON-HISPANIC			TOTAL	QX	TEXT AND CODE CATEGORIES
		HISP	WHITE	BLACK			
		0	0	0	0	19	NFP
		0	0	0	0	20	= WITHDRAWAL
		0	0	0	0	21	= RESPONDENT STERILE
							= PARTNER STERILE (NOT ON CARD)
		0	0	0	0	22	= OTHER METHOD-NOT SHOWN SEPARATELY
		0	0	0	0	55	= SAME METHODS USED THROUGH END OF YEAR
		0	0	0	0	97	= Not Ascertained
		0	0	0	0	98	= Refused
		0	0	0	0	99	= Don't Know

[SIMSEQ55] 8767-8767

Did you use those methods together, that is, at the same time, or did you use them at different times during the month? (MC56)

Inapplicable:

R never had sex as of this month and never used a birth control method as of this month but ever used one or more birth control methods in EA series (WNFSTSEX GE 1093 and DATFIRSM GE 1093 and computed variable EVERUSED = 1); month R was interviewed preceded this month; R never had sex and said no, don't know or refused to all birth control methods in EA series (computed variable RHADSEX coded 2,7,8 or 9 and computed variable EVERUSED = 2); R said no, don't know or refused to all birth control methods in EA series (computed variable EVERUSED = 2); R did not use multiple methods in the month; R used more than 2 methods in the month.

1551	6467	2437	10817	Blank		= Blank, inapplicable
1	10	6	19	1		= SAME TIME
1	6	3	11	2		= DIFFERENT TIMES
0	0	0	0	7		= Not Ascertained
0	0	0	0	8		= Refused
0	0	0	0	9		= Don't Know

1995 NATIONAL SURVEY OF FAMILY GROWTH
 File Documentation
 Respondent File (Section E Questionnaire Items)

VARIABLE COLUMN NON-HISPANIC
 NAME LOCATION HISP WHITE BLACK TOTAL QX TEXT AND CODE CATEGORIES

[MTHUS660] 8768-8769

During that month, which (of those/other) methods, if any, did you use at the same time? (1st METHOD MENTIONED, 1st COMBINATION, MC56)

Inapplicable:
 R said no, don't know or refused to all birth control methods in EA series (computed variable EVERUSED = 2); R never had sex as of this month and never used a birth control method as of this month but ever used one or more birth control methods in EA series (WNFSTSEX GE 1093 and DATFIRSM GE 1093 and computed variable EVERUSED = 1); month R was interviewed preceded this month; R did not use multiple methods in the month; or R used only 2 methods in the month.

1553	6481	2446	10845	Blank	
0	1	0	1	01	= Blank, inapplicable
0	0	0	0	02	= NONE
0	0	0	0	03	= OFFICE USE ONLY
0	1	0	1	04	= BIRTH CONTROL PILLS
0	0	0	0	05	= CONDOM
0	0	0	0	06	= PARTNER'S VASECTOMY
0	0	0	0	07	= DIAPHRAGM
0	0	0	0	08	= FOAM
0	0	0	0	09	= JELLY OR CREAM
0	0	0	0	10	= CERVICAL CAP
0	0	0	0	11	= SUPPOSITORY, INSERT
0	0	0	0	12	= TODAY (TM) SPONGE
0	0	0	0	13	= FEMALE CONDOM, VAGINAL POUCH
0	0	0	0	14	= IUD, COIL, LOOP
0	0	0	0	15	= NORPLANT (TM)
0	0	0	0	16	= DEPO-PROVERA, INJECTABLES
0	0	0	0	17	= MORNING AFTER PILLS
0	0	0	0	18	= RHYTHM OR SAFE PERIOD BY CALENDAR
0	0	0	0	19	= SAFE PERIOD BY TEMP, CERVICAL MUCUS TEST, NFP
0	0	0	0	20	= WITHDRAWAL
0	0	0	0	20	= RESPONDENT STERILE

1995 NATIONAL SURVEY OF FAMILY GROWTH
 File Documentation
 Respondent File (Section E Questionnaire Items)

VARIABLE NAME	COLUMN LOCATION	NON-HISPANIC			TOTAL	QX	TEXT AND CODE CATEGORIES
		HISP	WHITE	BLACK			
		0	0	0	0	21	= PARTNER STERILE (NOT ON CARD)
		0	0	0	0	22	= OTHER METHOD-NOT SHOWN SEPARATELY
		0	0	0	0	97	= Not Ascertained
		0	0	0	0	98	= Refused
		0	0	0	0	99	= Don't Know

1995 NATIONAL SURVEY OF FAMILY GROWTH
 File Documentation
 Respondent File (Section E Questionnaire Items)

VARIABLE	COLUMN	NON-HISPANIC				
NAME	LOCATION	HISP	WHITE	BLACK	TOTAL	QX TEXT AND CODE CATEGORIES

[MTHUS661] 8770-8771

During that month, which (of those/other) methods, if any, did you use at the same time? (2nd METHOD MENTIONED, 1st COMBINATION, MC56)

Inapplicable:
 R said no, don't know or refused to all birth control methods in EA series (computed variable EVERUSED = 2); R never had sex as of this month and never used a birth control method as of this month but ever used one or more birth control methods in EA series (WNFSTSEX GE 1093 and DATFIRSM GE 1093 and computed variable EVERUSED = 1); month R was interviewed preceded this month; R did not use multiple methods in the month; or R used only 2 methods in the month; or R reported using fewer than 2 BC methods for this combination in this month of the method calendar.

1553	6482	2446	10846	Blank	= Blank, inapplicable
0	0	0	0	01	= NONE
0	0	0	0	02	= OFFICE USE ONLY
0	0	0	0	03	= BIRTH CONTROL PILLS
0	0	0	0	04	= CONDOM
0	0	0	0	05	= PARTNER'S VASECTOMY
0	0	0	0	06	= DIAPHRAGM
0	0	0	0	07	= FOAM
0	0	0	0	08	= JELLY OR CREAM
0	0	0	0	09	= CERVICAL CAP
0	0	0	0	10	= SUPPOSITORY, INSERT
0	0	0	0	11	= TODAY (TM) SPONGE
0	0	0	0	12	= FEMALE CONDOM, VAGINAL POUCH
0	0	0	0	13	= IUD, COIL, LOOP
0	0	0	0	14	= NORPLANT (TM)
0	0	0	0	15	= DEPO-PROVERA, INJECTABLES
0	0	0	0	16	= MORNING AFTER PILLS
0	1	0	1	17	= RHYTHM OR SAFE PERIOD BY CALENDAR
0	0	0	0	18	= SAFE PERIOD BY TEMP, CERVICAL MUCUS TEST,

(4952)

1995 NATIONAL SURVEY OF FAMILY GROWTH
 File Documentation
 Respondent File (Section E Questionnaire Items)

VARIABLE NAME	COLUMN LOCATION	NON-HISPANIC			TOTAL	QX	TEXT AND CODE CATEGORIES
		HISP	WHITE	BLACK			
		0	0	0	0	19	NFP = WITHDRAWAL
		0	0	0	0	20	= RESPONDENT STERILE
		0	0	0	0	21	= PARTNER STERILE (NOT ON CARD)
		0	0	0	0	22	= OTHER METHOD-NOT SHOWN SEPARATELY
		0	0	0	0	97	= Not Ascertained
		0	0	0	0	98	= Refused
		0	0	0	0	99	= Don't Know

1995 NATIONAL SURVEY OF FAMILY GROWTH
 File Documentation
 Respondent File (Section E Questionnaire Items)

VARIABLE NAME	COLUMN LOCATION	NON-HISPANIC			TOTAL	QX TEXT AND CODE CATEGORIES	
		HISP	WHITE	BLACK			
		0	1	0	1	19	NFP
		0	0	0	0	20	= WITHDRAWAL
		0	0	0	0	21	= RESPONDENT STERILE
							= PARTNER STERILE (NOT ON CARD)
		0	0	0	0	22	= OTHER METHOD-NOT SHOWN SEPARATELY
		0	0	0	0	97	= Not Ascertained
		0	0	0	0	98	= Refused
		0	0	0	0	99	= Don't Know

1995 NATIONAL SURVEY OF FAMILY GROWTH
 File Documentation
 Respondent File (Section E Questionnaire Items)

VARIABLE	COLUMN	NON-HISPANIC								
NAME	LOCATION	HISP	WHITE	BLACK						

[MTHUS663] 8774-8775

During that month, which (of those/other) methods, if any, did you use at the same time? (4th METHOD MENTIONED, 1st COMBINATION, MC56)

Inapplicable:
 R said no, don't know or refused to all birth control methods in EA series (computed variable EVERUSED = 2); R never had sex as of this month and never used a birth control method as of this month but ever used one or more birth control methods in EA series (WNFSTSEX GE 1093 and DATFIRSM GE 1093 and computed variable EVERUSED = 1); month R was interviewed preceded this month; R did not use multiple methods in the month; or R used only 2 methods in the month; or R reported using fewer than 4 BC methods for this combination in this month of the method calendar.

1553	6483	2446	10847	Blank		= Blank, inapplicable
0	0	0	0	01		= NONE
0	0	0	0	02		= OFFICE USE ONLY
0	0	0	0	03		= BIRTH CONTROL PILLS
0	0	0	0	04		= CONDOM
0	0	0	0	05		= PARTNER'S VASECTOMY
0	0	0	0	06		= DIAPHRAGM
0	0	0	0	07		= FOAM
0	0	0	0	08		= JELLY OR CREAM
0	0	0	0	09		= CERVICAL CAP
0	0	0	0	10		= SUPPOSITORY, INSERT
0	0	0	0	11		= TODAY (TM) SPONGE
0	0	0	0	12		= FEMALE CONDOM, VAGINAL POUCH
0	0	0	0	13		= IUD, COIL, LOOP
0	0	0	0	14		= NORPLANT (TM)
0	0	0	0	15		= DEPO-PROVERA, INJECTABLES
0	0	0	0	16		= MORNING AFTER PILLS
0	0	0	0	17		= RHYTHM OR SAFE PERIOD BY CALENDAR
0	0	0	0	18		= SAFE PERIOD BY TEMP, CERVICAL MUCUS TEST,

1995 NATIONAL SURVEY OF FAMILY GROWTH
 File Documentation
 Respondent File (Section E Questionnaire Items)

VARIABLE NAME	COLUMN LOCATION	NON-HISPANIC			TOTAL	QX	TEXT AND CODE CATEGORIES
		HISP	WHITE	BLACK			
		0	0	0	0	19	NFP
		0	0	0	0	20	= WITHDRAWAL
		0	0	0	0	21	= RESPONDENT STERILE
							= PARTNER STERILE (NOT ON CARD)
		0	0	0	0	22	= OTHER METHOD-NOT SHOWN SEPARATELY
		0	0	0	0	97	= Not Ascertained
		0	0	0	0	98	= Refused
		0	0	0	0	99	= Don't Know

1995 NATIONAL SURVEY OF FAMILY GROWTH
 File Documentation
 Respondent File (Section E Questionnaire Items)

VARIABLE COLUMN NON-HISPANIC
 NAME LOCATION HISP WHITE BLACK TOTAL QX TEXT AND CODE CATEGORIES

[MTHUS664] 8776-8777

During that month, which (of those/other) methods, if any, did you use at the same time? (1st METHOD MENTIONED, 2nd COMBINATION, MC56)

Inapplicable:
 R said no, don't know or refused to all birth control methods in EA series (computed variable EVERUSED = 2); R never had sex as of this month and never used a birth control method as of this month but ever used one or more birth control methods in EA series (WNFSTSEX GE 1093 and DATFIRSM GE 1093 and computed variable EVERUSED = 1); month R was interviewed preceded this month; R did not use multiple methods in the month; or R used only 2 methods in the month; or R reported fewer than 2 BC method combinations.

1553	6482	2446	10846	Blank	
0	1	0	1	01	= Blank, inapplicable
0	0	0	0	02	= NONE
0	0	0	0	03	= OFFICE USE ONLY
0	0	0	0	04	= BIRTH CONTROL PILLS
0	0	0	0	05	= CONDOM
0	0	0	0	06	= PARTNER'S VASECTOMY
0	0	0	0	07	= DIAPHRAGM
0	0	0	0	08	= FOAM
0	0	0	0	09	= JELLY OR CREAM
0	0	0	0	10	= CERVICAL CAP
0	0	0	0	11	= SUPPOSITORY, INSERT
0	0	0	0	12	= TODAY (TM) SPONGE
0	0	0	0	13	= FEMALE CONDOM, VAGINAL POUCH
0	0	0	0	14	= IUD, COIL, LOOP
0	0	0	0	15	= NORPLANT (TM)
0	0	0	0	16	= DEPO-PROVERA, INJECTABLES
0	0	0	0	17	= MORNING AFTER PILLS
0	0	0	0	18	= RHYTHM OR SAFE PERIOD BY CALENDAR
0	0	0	0	18	= SAFE PERIOD BY TEMP, CERVICAL MUCUS TEST, NFP

1995 NATIONAL SURVEY OF FAMILY GROWTH
 File Documentation
 Respondent File (Section E Questionnaire Items)

VARIABLE NAME	COLUMN LOCATION	NON-HISPANIC			TOTAL	QX	TEXT AND CODE CATEGORIES
		HISP	WHITE	BLACK			
		0	0	0	0	19	= WITHDRAWAL
		0	0	0	0	20	= RESPONDENT STERILE
		0	0	0	0	21	= PARTNER STERILE (NOT ON CARD)
		0	0	0	0	22	= OTHER METHOD-NOT SHOWN SEPARATELY
		0	0	0	0	97	= Not Ascertained
		0	0	0	0	98	= Refused
		0	0	0	0	99	= Don't Know

1995 NATIONAL SURVEY OF FAMILY GROWTH
 File Documentation
 Respondent File (Section E Questionnaire Items)

VARIABLE	COLUMN	NON-HISPANIC				QX TEXT AND CODE CATEGORIES
NAME	LOCATION	HISP	WHITE	BLACK	TOTAL	

[MTHUS665] 8778-8779

During that month, which (of those/other) methods, if any, did you use at the same time? (2nd METHOD MENTIONED, 2nd COMBINATION, MC56)

Inapplicable:
 R said no, don't know or refused to all birth control methods in EA series (computed variable EVERUSED = 2); R never had sex as of this month and never used a birth control method as of this month but ever used one or more birth control methods in EA series (WNFSTSEX GE 1093 and DATFIRSM GE 1093 and computed variable EVERUSED = 1); month R was interviewed preceded this month; R did not use multiple methods in the month; or R used only 2 methods in the month; or R reported fewer than 2 BC method combinations; or R reported using fewer than 2 BC methods for this combination in this month of the method calendar.

1553	6483	2446	10847	Blank	= Blank, inapplicable
0	0	0	0	01	= NONE
0	0	0	0	02	= OFFICE USE ONLY
0	0	0	0	03	= BIRTH CONTROL PILLS
0	0	0	0	04	= CONDOM
0	0	0	0	05	= PARTNER'S VASECTOMY
0	0	0	0	06	= DIAPHRAGM
0	0	0	0	07	= FOAM
0	0	0	0	08	= JELLY OR CREAM
0	0	0	0	09	= CERVICAL CAP
0	0	0	0	10	= SUPPOSITORY, INSERT
0	0	0	0	11	= TODAY (TM) SPONGE
0	0	0	0	12	= FEMALE CONDOM, VAGINAL POUCH
0	0	0	0	13	= IUD, COIL, LOOP
0	0	0	0	14	= NORPLANT (TM)
0	0	0	0	15	= DEPO-PROVERA, INJECTABLES
0	0	0	0	16	= MORNING AFTER PILLS
0	0	0	0	17	= RHYTHM OR SAFE PERIOD BY CALENDAR

1995 NATIONAL SURVEY OF FAMILY GROWTH
 File Documentation
 Respondent File (Section E Questionnaire Items)

VARIABLE NAME	COLUMN LOCATION	NON-HISPANIC			TOTAL	QX	TEXT AND CODE CATEGORIES
		HISP	WHITE	BLACK			
		0	0	0	0	18	= SAFE PERIOD BY TEMP, CERVICAL MUCUS TEST, NFP
		0	0	0	0	19	= WITHDRAWAL
		0	0	0	0	20	= RESPONDENT STERILE
		0	0	0	0	21	= PARTNER STERILE (NOT ON CARD)
		0	0	0	0	22	= OTHER METHOD-NOT SHOWN SEPARATELY
		0	0	0	0	97	= Not Ascertained
		0	0	0	0	98	= Refused
		0	0	0	0	99	= Don't Know

1995 NATIONAL SURVEY OF FAMILY GROWTH
 File Documentation
 Respondent File (Section E Questionnaire Items)

VARIABLE	COLUMN	NON-HISPANIC								
NAME	LOCATION	HISP	WHITE	BLACK						

[MTHUS666] 8780-8781

During that month, which (of those/other) methods, if any, did you use at the same time? (3rd METHOD MENTIONED, 2nd COMBINATION, MC56)

Inapplicable:
 R said no, don't know or refused to all birth control methods in EA series (computed variable EVERUSED = 2); R never had sex as of this month and never used a birth control method as of this month but ever used one or more birth control methods in EA series (WNFSTSEX GE 1093 and DATFIRSM GE 1093 and computed variable EVERUSED = 1); month R was interviewed preceded this month; R did not use multiple methods in the month; or R used only 2 methods in the month; or R reported fewer than 2 BC method combinations; or R reported using fewer than 3 BC methods for this combination in this month of the method calendar.

1553	6483	2446	10847	Blank	= Blank, inapplicable					
0	0	0	0	01	= NONE					
0	0	0	0	02	= OFFICE USE ONLY					
0	0	0	0	03	= BIRTH CONTROL PILLS					
0	0	0	0	04	= CONDOM					
0	0	0	0	05	= PARTNER'S VASECTOMY					
0	0	0	0	06	= DIAPHRAGM					
0	0	0	0	07	= FOAM					
0	0	0	0	08	= JELLY OR CREAM					
0	0	0	0	09	= CERVICAL CAP					
0	0	0	0	10	= SUPPOSITORY, INSERT					
0	0	0	0	11	= TODAY (TM) SPONGE					
0	0	0	0	12	= FEMALE CONDOM, VAGINAL POUCH					
0	0	0	0	13	= IUD, COIL, LOOP					
0	0	0	0	14	= NORPLANT (TM)					
0	0	0	0	15	= DEPO-PROVERA, INJECTABLES					
0	0	0	0	16	= MORNING AFTER PILLS					
0	0	0	0	17	= RHYTHM OR SAFE PERIOD BY CALENDAR					

(4962)

1995 NATIONAL SURVEY OF FAMILY GROWTH
 File Documentation
 Respondent File (Section E Questionnaire Items)

VARIABLE NAME	COLUMN LOCATION	NON-HISPANIC			TOTAL	QX	TEXT AND CODE CATEGORIES
		HISP	WHITE	BLACK			
		0	0	0	0	18	= SAFE PERIOD BY TEMP, CERVICAL MUCUS TEST, NFP
		0	0	0	0	19	= WITHDRAWAL
		0	0	0	0	20	= RESPONDENT STERILE
		0	0	0	0	21	= PARTNER STERILE (NOT ON CARD)
		0	0	0	0	22	= OTHER METHOD-NOT SHOWN SEPARATELY
		0	0	0	0	97	= Not Ascertained
		0	0	0	0	98	= Refused
		0	0	0	0	99	= Don't Know

1995 NATIONAL SURVEY OF FAMILY GROWTH
 File Documentation
 Respondent File (Section E Questionnaire Items)

VARIABLE	COLUMN	NON-HISPANIC				QX TEXT AND CODE CATEGORIES
NAME	LOCATION	HISP	WHITE	BLACK	TOTAL	

[MTHUS667] 8782-8783

During that month, which (of those/other) methods, if any, did you use at the same time? (4th METHOD MENTIONED, 2nd COMBINATION, MC56)

Inapplicable:
 R said no, don't know or refused to all birth control methods in EA series (computed variable EVERUSED = 2); R never had sex as of this month and never used a birth control method as of this month but ever used one or more birth control methods in EA series (WNFSTSEX GE 1093 and DATFIRSM GE 1093 and computed variable EVERUSED = 1); month R was interviewed preceded this month; R did not use multiple methods in the month; or R used only 2 methods in the month; or R reported fewer than 2 BC method combinations; or R reported using fewer than 4 BC methods for this combination in this month of the method calendar.

1553	6483	2446	10847	Blank	= Blank, inapplicable
0	0	0	0	01	= NONE
0	0	0	0	02	= OFFICE USE ONLY
0	0	0	0	03	= BIRTH CONTROL PILLS
0	0	0	0	04	= CONDOM
0	0	0	0	05	= PARTNER'S VASECTOMY
0	0	0	0	06	= DIAPHRAGM
0	0	0	0	07	= FOAM
0	0	0	0	08	= JELLY OR CREAM
0	0	0	0	09	= CERVICAL CAP
0	0	0	0	10	= SUPPOSITORY, INSERT
0	0	0	0	11	= TODAY (TM) SPONGE
0	0	0	0	12	= FEMALE CONDOM, VAGINAL POUCH
0	0	0	0	13	= IUD, COIL, LOOP
0	0	0	0	14	= NORPLANT (TM)
0	0	0	0	15	= DEPO-PROVERA, INJECTABLES
0	0	0	0	16	= MORNING AFTER PILLS
0	0	0	0	17	= RHYTHM OR SAFE PERIOD BY CALENDAR

(4964)

1995 NATIONAL SURVEY OF FAMILY GROWTH
 File Documentation
 Respondent File (Section E Questionnaire Items)

VARIABLE NAME	COLUMN LOCATION	NON-HISPANIC			TOTAL	QX	TEXT AND CODE CATEGORIES
		HISP	WHITE	BLACK			
		0	0	0	0	18	= SAFE PERIOD BY TEMP, CERVICAL MUCUS TEST, NFP
		0	0	0	0	19	= WITHDRAWAL
		0	0	0	0	20	= RESPONDENT STERILE
		0	0	0	0	21	= PARTNER STERILE (NOT ON CARD)
		0	0	0	0	22	= OTHER METHOD-NOT SHOWN SEPARATELY
		0	0	0	0	97	= Not Ascertained
		0	0	0	0	98	= Refused
		0	0	0	0	99	= Don't Know

1995 NATIONAL SURVEY OF FAMILY GROWTH
 File Documentation
 Respondent File (Section E Questionnaire Items)

VARIABLE	COLUMN	NON-HISPANIC								
NAME	LOCATION	HISP	WHITE	BLACK						

[MTHUS668] 8784-8785

During that month, which (of those/other) methods, if any, did you use at the same time? (1st METHOD MENTIONED, 3rd COMBINATION, MC56)

Inapplicable:
 R said no, don't know or refused to all birth control methods in EA series (computed variable EVERUSED = 2); R never had sex as of this month and never used a birth control method as of this month but ever used one or more birth control methods in EA series (WNFSTSEX GE 1093 and DATFIRSM GE 1093 and computed variable EVERUSED = 1); month R was interviewed preceded this month; R did not use multiple methods in the month; or R used only 2 methods in the month; or R reported fewer than 3 BC method combinations.

1553	6483	2446	10847	Blank	= Blank, inapplicable
0	0	0	0	01	= NONE
0	0	0	0	02	= OFFICE USE ONLY
0	0	0	0	03	= BIRTH CONTROL PILLS
0	0	0	0	04	= CONDOM
0	0	0	0	05	= PARTNER'S VASECTOMY
0	0	0	0	06	= DIAPHRAGM
0	0	0	0	07	= FOAM
0	0	0	0	08	= JELLY OR CREAM
0	0	0	0	09	= CERVICAL CAP
0	0	0	0	10	= SUPPOSITORY, INSERT
0	0	0	0	11	= TODAY (TM) SPONGE
0	0	0	0	12	= FEMALE CONDOM, VAGINAL POUCH
0	0	0	0	13	= IUD, COIL, LOOP
0	0	0	0	14	= NORPLANT (TM)
0	0	0	0	15	= DEPO-PROVERA, INJECTABLES
0	0	0	0	16	= MORNING AFTER PILLS
0	0	0	0	17	= RHYTHM OR SAFE PERIOD BY CALENDAR
0	0	0	0	18	= SAFE PERIOD BY TEMP, CERVICAL MUCUS TEST, NFP

1995 NATIONAL SURVEY OF FAMILY GROWTH
 File Documentation
 Respondent File (Section E Questionnaire Items)

VARIABLE NAME	COLUMN LOCATION	NON-HISPANIC			TOTAL	QX	TEXT AND CODE CATEGORIES
		HISP	WHITE	BLACK			
		0	0	0	0	19	= WITHDRAWAL
		0	0	0	0	20	= RESPONDENT STERILE
		0	0	0	0	21	= PARTNER STERILE (NOT ON CARD)
		0	0	0	0	22	= OTHER METHOD-NOT SHOWN SEPARATELY
		0	0	0	0	97	= Not Ascertained
		0	0	0	0	98	= Refused
		0	0	0	0	99	= Don't Know

1995 NATIONAL SURVEY OF FAMILY GROWTH
 File Documentation
 Respondent File (Section E Questionnaire Items)

VARIABLE	COLUMN	NON-HISPANIC			QX TEXT AND CODE CATEGORIES
NAME	LOCATION	HISP	WHITE	BLACK	TOTAL

[MTHUS669] 8786-8787

During that month, which (of those/other) methods, if any, did you use at the same time? (2nd METHOD MENTIONED, 3rd COMBINATION, MC56)

Inapplicable:
 R said no, don't know or refused to all birth control methods in EA series (computed variable EVERUSED = 2); R never had sex as of this month and never used a birth control method as of this month but ever used one or more birth control methods in EA series (WNFSTSEX GE 1093 and DATFIRSM GE 1093 and computed variable EVERUSED = 1); month R was interviewed preceded this month; R did not use multiple methods in the month; or R used only 2 methods in the month; or R reported fewer than 3 BC method combinations; or R reported using fewer than 2 BC methods for this combination in this month of the method calendar.

1553	6483	2446	10847	Blank	= Blank, inapplicable
0	0	0	0	01	= NONE
0	0	0	0	02	= OFFICE USE ONLY
0	0	0	0	03	= BIRTH CONTROL PILLS
0	0	0	0	04	= CONDOM
0	0	0	0	05	= PARTNER'S VASECTOMY
0	0	0	0	06	= DIAPHRAGM
0	0	0	0	07	= FOAM
0	0	0	0	08	= JELLY OR CREAM
0	0	0	0	09	= CERVICAL CAP
0	0	0	0	10	= SUPPOSITORY, INSERT
0	0	0	0	11	= TODAY (TM) SPONGE
0	0	0	0	12	= FEMALE CONDOM, VAGINAL POUCH
0	0	0	0	13	= IUD, COIL, LOOP
0	0	0	0	14	= NORPLANT (TM)
0	0	0	0	15	= DEPO-PROVERA, INJECTABLES
0	0	0	0	16	= MORNING AFTER PILLS
0	0	0	0	17	= RHYTHM OR SAFE PERIOD BY CALENDAR

(4968)

1995 NATIONAL SURVEY OF FAMILY GROWTH
 File Documentation
 Respondent File (Section E Questionnaire Items)

VARIABLE NAME	COLUMN LOCATION	NON-HISPANIC			TOTAL	QX	TEXT AND CODE CATEGORIES
		HISP	WHITE	BLACK			
		0	0	0	0	18	= SAFE PERIOD BY TEMP, CERVICAL MUCUS TEST, NFP
		0	0	0	0	19	= WITHDRAWAL
		0	0	0	0	20	= RESPONDENT STERILE
		0	0	0	0	21	= PARTNER STERILE (NOT ON CARD)
		0	0	0	0	22	= OTHER METHOD-NOT SHOWN SEPARATELY
		0	0	0	0	97	= Not Ascertained
		0	0	0	0	98	= Refused
		0	0	0	0	99	= Don't Know

1995 NATIONAL SURVEY OF FAMILY GROWTH
File Documentation
Respondent File (Section E Questionnaire Items)

VARIABLE	COLUMN	NON-HISPANIC								
NAME	LOCATION	HISP	WHITE	BLACK						

[MTHUS670] 8788-8789

During that month, which (of those/other) methods, if any, did you use at the same time? (3rd METHOD MENTIONED, 3rd COMBINATION, MC56)

Inapplicable:
R said no, don't know or refused to all birth control methods in EA series (computed variable EVERUSED = 2); R never had sex as of this month and never used a birth control method as of this month but ever used one or more birth control methods in EA series (WNFSTSEX GE 1093 and DATFIRSM GE 1093 and computed variable EVERUSED = 1); month R was interviewed preceded this month; R did not use multiple methods in the month; or R used only 2 methods in the month; or R reported fewer than 3 BC method combinations; or R reported using fewer than 3 BC methods for this combination in this month of the method calendar.

1553	6483	2446	10847	Blank	= Blank, inapplicable
0	0	0	0	01	= NONE
0	0	0	0	02	= OFFICE USE ONLY
0	0	0	0	03	= BIRTH CONTROL PILLS
0	0	0	0	04	= CONDOM
0	0	0	0	05	= PARTNER'S VASECTOMY
0	0	0	0	06	= DIAPHRAGM
0	0	0	0	07	= FOAM
0	0	0	0	08	= JELLY OR CREAM
0	0	0	0	09	= CERVICAL CAP
0	0	0	0	10	= SUPPOSITORY, INSERT
0	0	0	0	11	= TODAY (TM) SPONGE
0	0	0	0	12	= FEMALE CONDOM, VAGINAL POUCH
0	0	0	0	13	= IUD, COIL, LOOP
0	0	0	0	14	= NORPLANT (TM)
0	0	0	0	15	= DEPO-PROVERA, INJECTABLES
0	0	0	0	16	= MORNING AFTER PILLS
0	0	0	0	17	= RHYTHM OR SAFE PERIOD BY CALENDAR

1995 NATIONAL SURVEY OF FAMILY GROWTH
 File Documentation
 Respondent File (Section E Questionnaire Items)

VARIABLE NAME	COLUMN LOCATION	NON-HISPANIC			QX	TEXT AND CODE CATEGORIES
		HISP	WHITE	BLACK		
		0	0	0	0	18 = SAFE PERIOD BY TEMP, CERVICAL MUCUS TEST, NFP
		0	0	0	0	19 = WITHDRAWAL
		0	0	0	0	20 = RESPONDENT STERILE
		0	0	0	0	21 = PARTNER STERILE (NOT ON CARD)
		0	0	0	0	22 = OTHER METHOD-NOT SHOWN SEPARATELY
		0	0	0	0	97 = Not Ascertained
		0	0	0	0	98 = Refused
		0	0	0	0	99 = Don't Know

1995 NATIONAL SURVEY OF FAMILY GROWTH
 File Documentation
 Respondent File (Section E Questionnaire Items)

VARIABLE	COLUMN	NON-HISPANIC			QX TEXT AND CODE CATEGORIES
NAME	LOCATION	HISP	WHITE	BLACK	TOTAL

[MTHUS671] 8790-8791

During that month, which (of those/other) methods, if any, did you use at the same time? (4th METHOD MENTIONED, 3rd COMBINATION, MC56)

Inapplicable:
 R said no, don't know or refused to all birth control methods in EA series (computed variable EVERUSED = 2); R never had sex as of this month and never used a birth control method as of this month but ever used one or more birth control methods in EA series (WNFSTSEX GE 1093 and DATFIRSM GE 1093 and computed variable EVERUSED = 1); month R was interviewed preceded this month; R did not use multiple methods in the month; or R used only 2 methods in the month; or R reported fewer than 3 BC method combinations; or R reported using fewer than 4 BC methods for this combination in this month of the method calendar.

1553	6483	2446	10847	Blank	= Blank, inapplicable
0	0	0	0	01	= NONE
0	0	0	0	02	= OFFICE USE ONLY
0	0	0	0	03	= BIRTH CONTROL PILLS
0	0	0	0	04	= CONDOM
0	0	0	0	05	= PARTNER'S VASECTOMY
0	0	0	0	06	= DIAPHRAGM
0	0	0	0	07	= FOAM
0	0	0	0	08	= JELLY OR CREAM
0	0	0	0	09	= CERVICAL CAP
0	0	0	0	10	= SUPPOSITORY, INSERT
0	0	0	0	11	= TODAY (TM) SPONGE
0	0	0	0	12	= FEMALE CONDOM, VAGINAL POUCH
0	0	0	0	13	= IUD, COIL, LOOP
0	0	0	0	14	= NORPLANT (TM)
0	0	0	0	15	= DEPO-PROVERA, INJECTABLES
0	0	0	0	16	= MORNING AFTER PILLS
0	0	0	0	17	= RHYTHM OR SAFE PERIOD BY CALENDAR

1995 NATIONAL SURVEY OF FAMILY GROWTH
 File Documentation
 Respondent File (Section E Questionnaire Items)

VARIABLE NAME	COLUMN LOCATION	NON-HISPANIC			TOTAL	QX	TEXT AND CODE CATEGORIES
		HISP	WHITE	BLACK			
		0	0	0	0	18	= SAFE PERIOD BY TEMP, CERVICAL MUCUS TEST, NFP
		0	0	0	0	19	= WITHDRAWAL
		0	0	0	0	20	= RESPONDENT STERILE
		0	0	0	0	21	= PARTNER STERILE (NOT ON CARD)
		0	0	0	0	22	= OTHER METHOD-NOT SHOWN SEPARATELY
		0	0	0	0	97	= Not Ascertained
		0	0	0	0	98	= Refused
		0	0	0	0	99	= Don't Know

1995 NATIONAL SURVEY OF FAMILY GROWTH
File Documentation
Respondent File (Section E Questionnaire Items)

VARIABLE NAME	COLUMN LOCATION	NON-HISPANIC			QX TEXT AND CODE CATEGORIES
		HISP	WHITE	BLACK TOTAL	
[METHH224]	8792-8793				ENTER METHOD (FIRST MENTIONED) USED IN SEPTEMBER 1995: (MC57)
					Inapplicable: R never had sex as of this month and never used a birth control method as of this month but ever used one or more birth control methods in EA series (WNFSTSEX GE 1093 and DATFIRSM GE 1093 and computed variable EVERUSED = 1); month R was interviewed preceded this month; R never had sex and said no, don't know or refused to all birth control methods in EA series (computed variable RHADSEX coded 2,7,8 or 9 and computed variable EVERUSED = 2); R said no, don't know or refused to all birth control methods in EA series (computed variable EVERUSED = 2); or R completed the interview prior to this month.
		1489	6306	2366 10511	Blank = Blank, inapplicable
		15	36	30 86	01 = NO METHODS USED
		0	0	0 0	02 = SAME AS PREVIOUS MONTH
		17	33	13 67	03 = BIRTH CONTROL PILLS
		10	35	15 61	04 = CONDOM
		2	10	0 12	05 = PARTNER'S VASECTOMY
		0	1	0 1	06 = DIAPHRAGM
		0	0	0 0	07 = FOAM
		0	0	1 1	08 = JELLY OR CREAM
		0	0	0 0	09 = CERVICAL CAP
		0	3	0 3	10 = SUPPOSITORY, INSERT
		0	1	0 1	11 = TODAY (TM) SPONGE
		0	0	0 0	12 = FEMALE CONDOM, VAGINAL POUCH
		1	0	0 2	13 = IUD, COIL, LOOP
		1	2	0 4	14 = NORPLANT (TM)
		3	5	3 11	15 = DEPO-PROVERA, INJECTABLES
		0	0	0 0	16 = MORNING AFTER PILLS
		0	3	0 3	17 = RHYTHM OR SAFE PERIOD BY CALENDAR
		0	0	0 0	18 = SAFE PERIOD BY TEMP, CERVICAL MUCUS TEST, NFP

1995 NATIONAL SURVEY OF FAMILY GROWTH
 File Documentation
 Respondent File (Section E Questionnaire Items)

VARIABLE NAME	COLUMN LOCATION	NON-HISPANIC			TOTAL	QX	TEXT AND CODE CATEGORIES
		HISP	WHITE	BLACK			
		2	7	0	10	19	= WITHDRAWAL
		13	35	17	67	20	= RESPONDENT STERILE
		0	6	1	7	21	= PARTNER STERILE (NOT ON CARD)
		0	0	0	0	22	= OTHER METHOD-NOT SHOWN SEPARATELY
		0	0	0	0	55	= SAME METHODS USED THROUGH END OF YEAR
		0	0	0	0	97	= Not Ascertained
		0	0	0	0	98	= Refused
		0	0	0	0	99	= Don't Know

1995 NATIONAL SURVEY OF FAMILY GROWTH
 File Documentation
 Respondent File (Section E Questionnaire Items)

VARIABLE	COLUMN	NON-HISPANIC			QX TEXT AND CODE CATEGORIES	
NAME	LOCATION	HISP	WHITE	BLACK	TOTAL	
[METHH225]	8794-8795					ENTER METHOD (SECOND MENTIONED) USED IN SEPTEMBER 1995: (MC57)

Inapplicable:
 R never had sex as of this month and never used a birth control method as of this month but ever used one or more birth control methods in EA series (WNFSTSEX GE 1093 and DATFIRSM GE 1093 and computed variable EVERUSED = 1); month R was interviewed preceded this month; R never had sex and said no, don't know or refused to all birth control methods in EA series (computed variable RHADSEX coded 2,7,8 or 9 and computed variable EVERUSED = 2); R said no, don't know or refused to all birth control methods in EA series (computed variable EVERUSED = 2); R used fewer than 2 methods in month; R completed the interview prior to this month.

1551	6473	2439	10826	Blank	= Blank, inapplicable
0	0	0	0	01	= NO METHODS USED
0	0	0	0	02	= SAME AS PREVIOUS MONTH
0	0	1	1	03	= BIRTH CONTROL PILLS
1	2	5	10	04	= CONDOM
0	0	0	0	05	= PARTNER'S VASECTOMY
0	1	0	1	06	= DIAPHRAGM
0	0	0	0	07	= FOAM
0	1	0	1	08	= JELLY OR CREAM
0	0	0	0	09	= CERVICAL CAP
0	0	1	1	10	= SUPPOSITORY, INSERT
0	0	0	0	11	= TODAY (TM) SPONGE
0	0	0	0	12	= FEMALE CONDOM, VAGINAL POUCH
0	0	0	0	13	= IUD, COIL, LOOP
0	0	0	0	14	= NORPLANT (TM)
0	0	0	0	15	= DEPO-PROVERA, INJECTABLES
0	0	0	0	16	= MORNING AFTER PILLS
0	0	0	0	17	= RHYTHM OR SAFE PERIOD BY CALENDAR
0	0	0	0	18	= SAFE PERIOD BY TEMP, CERVICAL MUCUS TEST,

1995 NATIONAL SURVEY OF FAMILY GROWTH
 File Documentation
 Respondent File (Section E Questionnaire Items)

VARIABLE NAME	COLUMN LOCATION	NON-HISPANIC			TOTAL	QX	TEXT AND CODE CATEGORIES
		HISP	WHITE	BLACK			
		1	6	0	7	19	NFP
		0	0	0	0	20	= WITHDRAWAL
		0	0	0	0	21	= RESPONDENT STERILE
							= PARTNER STERILE (NOT ON CARD)
		0	0	0	0	22	= OTHER METHOD-NOT SHOWN SEPARATELY
		0	0	0	0	55	= SAME METHODS USED THROUGH END OF YEAR
		0	0	0	0	97	= Not Ascertained
		0	0	0	0	98	= Refused
		0	0	0	0	99	= Don't Know

1995 NATIONAL SURVEY OF FAMILY GROWTH
 File Documentation
 Respondent File (Section E Questionnaire Items)

VARIABLE	COLUMN	NON-HISPANIC								
NAME	LOCATION	HISP	WHITE	BLACK						TOTAL

[METHH226] 8796-8797

ENTER METHOD (THIRD MENTIONED) USED
 IN SEPTEMBER 1995: (MC57)

Inapplicable:

R never had sex as of this month and never used a birth control method as of this month but ever used one or more birth control methods in EA series (WNFSTSEX GE 1093 and DATFIRSM GE 1093 and computed variable EVERUSED = 1); month R was interviewed preceded this month; R never had sex and said no, don't know or refused to all birth control methods in EA series (computed variable RHADSEX coded 2,7,8 or 9 and computed variable EVERUSED = 2); R said no, don't know or refused to all birth control methods in EA series (computed variable EVERUSED = 2); R used fewer than 3 methods in month; R completed the interview prior to this month.

1553	6480	2444	10842	Blank	= Blank, inapplicable
0	0	0	0	01	= NO METHODS USED
0	0	0	0	02	= SAME AS PREVIOUS MONTH
0	0	0	0	03	= BIRTH CONTROL PILLS
0	0	0	0	04	= CONDOM
0	0	0	0	05	= PARTNER'S VASECTOMY
0	0	0	0	06	= DIAPHRAGM
0	0	0	0	07	= FOAM
0	0	0	0	08	= JELLY OR CREAM
0	0	0	0	09	= CERVICAL CAP
0	0	0	0	10	= SUPPOSITORY, INSERT
0	0	0	0	11	= TODAY (TM) SPONGE
0	0	0	0	12	= FEMALE CONDOM, VAGINAL POUCH
0	0	0	0	13	= IUD, COIL, LOOP
0	0	0	0	14	= NORPLANT (TM)
0	0	0	0	15	= DEPO-PROVERA, INJECTABLES
0	0	0	0	16	= MORNING AFTER PILLS
0	0	0	0	17	= RHYTHM OR SAFE PERIOD BY CALENDAR
0	0	0	0	18	= SAFE PERIOD BY TEMP, CERVICAL MUCUS TEST,

1995 NATIONAL SURVEY OF FAMILY GROWTH
 File Documentation
 Respondent File (Section E Questionnaire Items)

VARIABLE NAME	COLUMN LOCATION	NON-HISPANIC			TOTAL	QX TEXT AND CODE CATEGORIES	
		HISP	WHITE	BLACK			
		0	1	0	1	19	NFP
		0	2	2	4	20	= WITHDRAWAL
		0	0	0	0	21	= RESPONDENT STERILE
							= PARTNER STERILE (NOT ON CARD)
		0	0	0	0	22	= OTHER METHOD-NOT SHOWN SEPARATELY
		0	0	0	0	55	= SAME METHODS USED THROUGH END OF YEAR
		0	0	0	0	97	= Not Ascertained
		0	0	0	0	98	= Refused
		0	0	0	0	99	= Don't Know

1995 NATIONAL SURVEY OF FAMILY GROWTH
 File Documentation
 Respondent File (Section E Questionnaire Items)

VARIABLE	COLUMN	NON-HISPANIC			QX TEXT AND CODE CATEGORIES	
NAME	LOCATION	HISP	WHITE	BLACK	TOTAL	
[METHH227]	8798-8799					ENTER METHOD (FOURTH MENTIONED) USED IN SEPTEMBER 1995: (MC57)

Inapplicable:
 R never had sex as of this month and never used a birth control method as of this month but ever used one or more birth control methods in EA series (WNFSTSEX GE 1093 and DATFIRSM GE 1093 and computed variable EVERUSED = 1); month R was interviewed preceded this month; R never had sex and said no, don't know or refused to all birth control methods in EA series (computed variable RHADSEX coded 2,7,8 or 9 and computed variable EVERUSED = 2); R said no, don't know or refused to all birth control methods in EA series (computed variable EVERUSED = 2); R used fewer than 4 methods in month; R completed the interview prior to this month.

1553	6483	2446	10847	Blank	= Blank, inapplicable
0	0	0	0	01	= NO METHODS USED
0	0	0	0	02	= SAME AS PREVIOUS MONTH
0	0	0	0	03	= BIRTH CONTROL PILLS
0	0	0	0	04	= CONDOM
0	0	0	0	05	= PARTNER'S VASECTOMY
0	0	0	0	06	= DIAPHRAGM
0	0	0	0	07	= FOAM
0	0	0	0	08	= JELLY OR CREAM
0	0	0	0	09	= CERVICAL CAP
0	0	0	0	10	= SUPPOSITORY, INSERT
0	0	0	0	11	= TODAY (TM) SPONGE
0	0	0	0	12	= FEMALE CONDOM, VAGINAL POUCH
0	0	0	0	13	= IUD, COIL, LOOP
0	0	0	0	14	= NORPLANT (TM)
0	0	0	0	15	= DEPO-PROVERA, INJECTABLES
0	0	0	0	16	= MORNING AFTER PILLS
0	0	0	0	17	= RHYTHM OR SAFE PERIOD BY CALENDAR
0	0	0	0	18	= SAFE PERIOD BY TEMP, CERVICAL MUCUS TEST,

1995 NATIONAL SURVEY OF FAMILY GROWTH
File Documentation
Respondent File (Section E Questionnaire Items)

VARIABLE NAME	COLUMN LOCATION	NON-HISPANIC			TOTAL	QX	TEXT AND CODE CATEGORIES
		HISP	WHITE	BLACK			
		0	0	0	0	19	NFP = WITHDRAWAL
		0	0	0	0	20	= RESPONDENT STERILE
		0	0	0	0	21	= PARTNER STERILE (NOT ON CARD)
		0	0	0	0	22	= OTHER METHOD-NOT SHOWN SEPARATELY
		0	0	0	0	55	= SAME METHODS USED THROUGH END OF YEAR
		0	0	0	0	97	= Not Ascertained
		0	0	0	0	98	= Refused
		0	0	0	0	99	= Don't Know

[SIMSEQ56] 8800-8800

Did you use those methods together,
that is, at the same time, or did
you use them at different times
during the month? (MC57)

Inapplicable:

R never had sex as of this month and
never used a birth control method as
of this month but ever used one or
more birth control methods in EA
series (WNFSTSEX GE 1093 and
DATFIRSM GE 1093 and computed
variable EVERUSED = 1); month R was
interviewed preceded this month; R
never had sex and said no, don't
know or refused to all birth control
methods in EA series (computed
variable RHADSEX coded 2,7,8 or 9
and computed variable EVERUSED = 2);
R said no, don't know or refused to
all birth control methods in EA
series (computed variable EVERUSED =
2); R did not use multiple methods
in the month; R used more than 2
methods in the month.

1551	6474	2439	10827	Blank		= Blank, inapplicable
1	4	5	11	1		= SAME TIME
1	5	2	9	2		= DIFFERENT TIMES
0	0	0	0	7		= Not Ascertained
0	0	0	0	8		= Refused
0	0	0	0	9		= Don't Know

1995 NATIONAL SURVEY OF FAMILY GROWTH
 File Documentation
 Respondent File (Section E Questionnaire Items)

VARIABLE	COLUMN	NON-HISPANIC				QX TEXT AND CODE CATEGORIES
NAME	LOCATION	HISP	WHITE	BLACK	TOTAL	

[MTHUS672] 8801-8802

During that month, which (of those/other) methods, if any, did you use at the same time? (1st METHOD MENTIONED, 1st COMBINATION, MC57)

Inapplicable:
 R said no, don't know or refused to all birth control methods in EA series (computed variable EVERUSED = 2); R never had sex as of this month and never used a birth control method as of this month but ever used one or more birth control methods in EA series (WNFSTSEX GE 1093 and DATFIRSM GE 1093 and computed variable EVERUSED = 1); month R was interviewed preceded this month; R did not use multiple methods in the month; or R used only 2 methods in the month.

1553	6482	2446	10846	Blank	= Blank, inapplicable
0	1	0	1	01	= NONE
0	0	0	0	02	= OFFICE USE ONLY
0	0	0	0	03	= BIRTH CONTROL PILLS
0	0	0	0	04	= CONDOM
0	0	0	0	05	= PARTNER'S VASECTOMY
0	0	0	0	06	= DIAPHRAGM
0	0	0	0	07	= FOAM
0	0	0	0	08	= JELLY OR CREAM
0	0	0	0	09	= CERVICAL CAP
0	0	0	0	10	= SUPPOSITORY, INSERT
0	0	0	0	11	= TODAY (TM) SPONGE
0	0	0	0	12	= FEMALE CONDOM, VAGINAL POUCH
0	0	0	0	13	= IUD, COIL, LOOP
0	0	0	0	14	= NORPLANT (TM)
0	0	0	0	15	= DEPO-PROVERA, INJECTABLES
0	0	0	0	16	= MORNING AFTER PILLS
0	0	0	0	17	= RHYTHM OR SAFE PERIOD BY CALENDAR
0	0	0	0	18	= SAFE PERIOD BY TEMP, CERVICAL MUCUS TEST, NFP
0	0	0	0	19	= WITHDRAWAL
0	0	0	0	20	= RESPONDENT STERILE

(4982)

1995 NATIONAL SURVEY OF FAMILY GROWTH
 File Documentation
 Respondent File (Section E Questionnaire Items)

VARIABLE NAME	COLUMN LOCATION	NON-HISPANIC			QX	TEXT AND CODE CATEGORIES
		HISP	WHITE	BLACK		
		0	0	0	0	21 = PARTNER STERILE (NOT ON CARD)
		0	0	0	0	22 = OTHER METHOD-NOT SHOWN SEPARATELY
		0	0	0	0	97 = Not Ascertained
		0	0	0	0	98 = Refused
		0	0	0	0	99 = Don't Know

1995 NATIONAL SURVEY OF FAMILY GROWTH
 File Documentation
 Respondent File (Section E Questionnaire Items)

VARIABLE	COLUMN	NON-HISPANIC								
NAME	LOCATION	HISP	WHITE	BLACK						TOTAL

[MTHUS673] 8803-8804

During that month, which (of those/other) methods, if any, did you use at the same time? (2nd METHOD MENTIONED, 1st COMBINATION, MC57)

Inapplicable:
 R said no, don't know or refused to all birth control methods in EA series (computed variable EVERUSED = 2); R never had sex as of this month and never used a birth control method as of this month but ever used one or more birth control methods in EA series (WNFSTSEX GE 1093 and DATFIRSM GE 1093 and computed variable EVERUSED = 1); month R was interviewed preceded this month; R did not use multiple methods in the month; or R used only 2 methods in the month; or R reported using fewer than 2 BC methods for this combination in this month of the method calendar.

1553	6483	2446	10847	Blank		= Blank, inapplicable
0	0	0	0	01		= NONE
0	0	0	0	02		= OFFICE USE ONLY
0	0	0	0	03		= BIRTH CONTROL PILLS
0	0	0	0	04		= CONDOM
0	0	0	0	05		= PARTNER'S VASECTOMY
0	0	0	0	06		= DIAPHRAGM
0	0	0	0	07		= FOAM
0	0	0	0	08		= JELLY OR CREAM
0	0	0	0	09		= CERVICAL CAP
0	0	0	0	10		= SUPPOSITORY, INSERT
0	0	0	0	11		= TODAY (TM) SPONGE
0	0	0	0	12		= FEMALE CONDOM, VAGINAL POUCH
0	0	0	0	13		= IUD, COIL, LOOP
0	0	0	0	14		= NORPLANT (TM)
0	0	0	0	15		= DEPO-PROVERA, INJECTABLES
0	0	0	0	16		= MORNING AFTER PILLS
0	0	0	0	17		= RHYTHM OR SAFE PERIOD BY CALENDAR
0	0	0	0	18		= SAFE PERIOD BY TEMP, CERVICAL MUCUS TEST,

1995 NATIONAL SURVEY OF FAMILY GROWTH
 File Documentation
 Respondent File (Section E Questionnaire Items)

VARIABLE NAME	COLUMN LOCATION	NON-HISPANIC			TOTAL	QX	TEXT AND CODE CATEGORIES
		HISP	WHITE	BLACK			
		0	0	0	0	19	NFP
		0	0	0	0	20	= WITHDRAWAL
		0	0	0	0	21	= RESPONDENT STERILE
							= PARTNER STERILE (NOT ON CARD)
		0	0	0	0	22	= OTHER METHOD-NOT SHOWN SEPARATELY
		0	0	0	0	97	= Not Ascertained
		0	0	0	0	98	= Refused
		0	0	0	0	99	= Don't Know

1995 NATIONAL SURVEY OF FAMILY GROWTH
 File Documentation
 Respondent File (Section E Questionnaire Items)

VARIABLE COLUMN NON-HISPANIC
 NAME LOCATION HISP WHITE BLACK TOTAL QX TEXT AND CODE CATEGORIES

[MTHUS674] 8805-8806

During that month, which (of those/other) methods, if any, did you use at the same time? (3rd METHOD MENTIONED, 1st COMBINATION, MC57)

Inapplicable:
 R said no, don't know or refused to all birth control methods in EA series (computed variable EVERUSED = 2); R never had sex as of this month and never used a birth control method as of this month but ever used one or more birth control methods in EA series (WNFSTSEX GE 1093 and DATFIRSM GE 1093 and computed variable EVERUSED = 1); month R was interviewed preceded this month; R did not use multiple methods in the month; or R used only 2 methods in the month; or R reported using fewer than 3 BC methods for this combination in this month of the method calendar.

	1553	6483	2446	10847	Blank	
	0	0	0	0	0	01 = Blank, inapplicable
	0	0	0	0	0	02 = NONE
	0	0	0	0	0	03 = OFFICE USE ONLY
	0	0	0	0	0	04 = BIRTH CONTROL PILLS
	0	0	0	0	0	05 = CONDOM
	0	0	0	0	0	06 = PARTNER'S VASECTOMY
	0	0	0	0	0	07 = DIAPHRAGM
	0	0	0	0	0	08 = FOAM
	0	0	0	0	0	09 = JELLY OR CREAM
	0	0	0	0	0	10 = CERVICAL CAP
	0	0	0	0	0	11 = SUPPOSITORY, INSERT
	0	0	0	0	0	12 = TODAY (TM) SPONGE
	0	0	0	0	0	13 = FEMALE CONDOM, VAGINAL POUCH
	0	0	0	0	0	14 = IUD, COIL, LOOP
	0	0	0	0	0	15 = NORPLANT (TM)
	0	0	0	0	0	16 = DEPO-PROVERA, INJECTABLES
	0	0	0	0	0	17 = MORNING AFTER PILLS
	0	0	0	0	0	18 = RHYTHM OR SAFE PERIOD BY CALENDAR
	0	0	0	0	0	SAFE PERIOD BY TEMP, CERVICAL MUCUS TEST,

1995 NATIONAL SURVEY OF FAMILY GROWTH
 File Documentation
 Respondent File (Section E Questionnaire Items)

VARIABLE NAME	COLUMN LOCATION	NON-HISPANIC			TOTAL	QX	TEXT AND CODE CATEGORIES
		HISP	WHITE	BLACK			
		0	0	0	0	19	NFP
		0	0	0	0	20	= WITHDRAWAL
		0	0	0	0	21	= RESPONDENT STERILE
							= PARTNER STERILE (NOT ON CARD)
		0	0	0	0	22	= OTHER METHOD-NOT SHOWN SEPARATELY
		0	0	0	0	97	= Not Ascertained
		0	0	0	0	98	= Refused
		0	0	0	0	99	= Don't Know

1995 NATIONAL SURVEY OF FAMILY GROWTH
 File Documentation
 Respondent File (Section E Questionnaire Items)

VARIABLE	COLUMN	NON-HISPANIC				
NAME	LOCATION	HISP	WHITE	BLACK	TOTAL	QX TEXT AND CODE CATEGORIES

[MTHUS675] 8807-8808

During that month, which (of those/other) methods, if any, did you use at the same time? (4th METHOD MENTIONED, 1st COMBINATION, MC57)

Inapplicable:
 R said no, don't know or refused to all birth control methods in EA series (computed variable EVERUSED = 2); R never had sex as of this month and never used a birth control method as of this month but ever used one or more birth control methods in EA series (WNFSTSEX GE 1093 and DATFIRSM GE 1093 and computed variable EVERUSED = 1); month R was interviewed preceded this month; R did not use multiple methods in the month; or R used only 2 methods in the month; or R reported using fewer than 4 BC methods for this combination in this month of the method calendar.

1553	6483	2446	10847	Blank	= Blank, inapplicable
0	0	0	0	01	= NONE
0	0	0	0	02	= OFFICE USE ONLY
0	0	0	0	03	= BIRTH CONTROL PILLS
0	0	0	0	04	= CONDOM
0	0	0	0	05	= PARTNER'S VASECTOMY
0	0	0	0	06	= DIAPHRAGM
0	0	0	0	07	= FOAM
0	0	0	0	08	= JELLY OR CREAM
0	0	0	0	09	= CERVICAL CAP
0	0	0	0	10	= SUPPOSITORY, INSERT
0	0	0	0	11	= TODAY (TM) SPONGE
0	0	0	0	12	= FEMALE CONDOM, VAGINAL POUCH
0	0	0	0	13	= IUD, COIL, LOOP
0	0	0	0	14	= NORPLANT (TM)
0	0	0	0	15	= DEPO-PROVERA, INJECTABLES
0	0	0	0	16	= MORNING AFTER PILLS
0	0	0	0	17	= RHYTHM OR SAFE PERIOD BY CALENDAR
0	0	0	0	18	= SAFE PERIOD BY TEMP, CERVICAL MUCUS TEST,

1995 NATIONAL SURVEY OF FAMILY GROWTH
 File Documentation
 Respondent File (Section E Questionnaire Items)

VARIABLE NAME	COLUMN LOCATION	NON-HISPANIC			TOTAL	QX	TEXT AND CODE CATEGORIES
		HISP	WHITE	BLACK			
		0	0	0	0	19	NFP = WITHDRAWAL
		0	0	0	0	20	= RESPONDENT STERILE
		0	0	0	0	21	= PARTNER STERILE (NOT ON CARD)
		0	0	0	0	22	= OTHER METHOD-NOT SHOWN SEPARATELY
		0	0	0	0	97	= Not Ascertained
		0	0	0	0	98	= Refused
		0	0	0	0	99	= Don't Know

1995 NATIONAL SURVEY OF FAMILY GROWTH
 File Documentation
 Respondent File (Section E Questionnaire Items)

VARIABLE	COLUMN	NON-HISPANIC								
NAME	LOCATION	HISP	WHITE	BLACK						TOTAL

[MTHUS676] 8809-8810

During that month, which (of those/other) methods, if any, did you use at the same time? (1st METHOD MENTIONED, 2nd COMBINATION, MC57)

Inapplicable:
 R said no, don't know or refused to all birth control methods in EA series (computed variable EVERUSED = 2); R never had sex as of this month and never used a birth control method as of this month but ever used one or more birth control methods in EA series (WNFSTSEX GE 1093 and DATFIRSM GE 1093 and computed variable EVERUSED = 1); month R was interviewed preceded this month; R did not use multiple methods in the month; or R used only 2 methods in the month; or R reported fewer than 2 BC method combinations.

1553	6483	2446	10847	Blank	= Blank, inapplicable
0	0	0	0	01	= NONE
0	0	0	0	02	= OFFICE USE ONLY
0	0	0	0	03	= BIRTH CONTROL PILLS
0	0	0	0	04	= CONDOM
0	0	0	0	05	= PARTNER'S VASECTOMY
0	0	0	0	06	= DIAPHRAGM
0	0	0	0	07	= FOAM
0	0	0	0	08	= JELLY OR CREAM
0	0	0	0	09	= CERVICAL CAP
0	0	0	0	10	= SUPPOSITORY, INSERT
0	0	0	0	11	= TODAY (TM) SPONGE
0	0	0	0	12	= FEMALE CONDOM, VAGINAL POUCH
0	0	0	0	13	= IUD, COIL, LOOP
0	0	0	0	14	= NORPLANT (TM)
0	0	0	0	15	= DEPO-PROVERA, INJECTABLES
0	0	0	0	16	= MORNING AFTER PILLS
0	0	0	0	17	= RHYTHM OR SAFE PERIOD BY CALENDAR
0	0	0	0	18	= SAFE PERIOD BY TEMP, CERVICAL MUCUS TEST, NFP

1995 NATIONAL SURVEY OF FAMILY GROWTH
 File Documentation
 Respondent File (Section E Questionnaire Items)

VARIABLE NAME	COLUMN LOCATION	NON-HISPANIC			TOTAL	QX	TEXT AND CODE CATEGORIES
		HISP	WHITE	BLACK			
		0	0	0	0	19	= WITHDRAWAL
		0	0	0	0	20	= RESPONDENT STERILE
		0	0	0	0	21	= PARTNER STERILE (NOT ON CARD)
		0	0	0	0	22	= OTHER METHOD-NOT SHOWN SEPARATELY
		0	0	0	0	97	= Not Ascertained
		0	0	0	0	98	= Refused
		0	0	0	0	99	= Don't Know

1995 NATIONAL SURVEY OF FAMILY GROWTH
 File Documentation
 Respondent File (Section E Questionnaire Items)

VARIABLE COLUMN NON-HISPANIC
 NAME LOCATION HISP WHITE BLACK TOTAL QX TEXT AND CODE CATEGORIES

[MTHUS677] 8811-8812

During that month, which (of those/other) methods, if any, did you use at the same time? (2nd METHOD MENTIONED, 2nd COMBINATION, MC57)

Inapplicable:
 R said no, don't know or refused to all birth control methods in EA series (computed variable EVERUSED = 2); R never had sex as of this month and never used a birth control method as of this month but ever used one or more birth control methods in EA series (WNFSTSEX GE 1093 and DATFIRSM GE 1093 and computed variable EVERUSED = 1); month R was interviewed preceded this month; R did not use multiple methods in the month; or R used only 2 methods in the month; or R reported fewer than 2 BC method combinations; or R reported using fewer than 2 BC methods for this combination in this month of the method calendar.

1553	6483	2446	10847	Blank	= Blank, inapplicable
0	0	0	0	01	= NONE
0	0	0	0	02	= OFFICE USE ONLY
0	0	0	0	03	= BIRTH CONTROL PILLS
0	0	0	0	04	= CONDOM
0	0	0	0	05	= PARTNER'S VASECTOMY
0	0	0	0	06	= DIAPHRAGM
0	0	0	0	07	= FOAM
0	0	0	0	08	= JELLY OR CREAM
0	0	0	0	09	= CERVICAL CAP
0	0	0	0	10	= SUPPOSITORY, INSERT
0	0	0	0	11	= TODAY (TM) SPONGE
0	0	0	0	12	= FEMALE CONDOM, VAGINAL POUCH
0	0	0	0	13	= IUD, COIL, LOOP
0	0	0	0	14	= NORPLANT (TM)
0	0	0	0	15	= DEPO-PROVERA, INJECTABLES
0	0	0	0	16	= MORNING AFTER PILLS
0	0	0	0	17	= RHYTHM OR SAFE PERIOD BY CALENDAR

(4992)

1995 NATIONAL SURVEY OF FAMILY GROWTH
 File Documentation
 Respondent File (Section E Questionnaire Items)

VARIABLE NAME	COLUMN LOCATION	NON-HISPANIC			TOTAL	QX	TEXT AND CODE CATEGORIES
		HISP	WHITE	BLACK			
		0	0	0	0	18	= SAFE PERIOD BY TEMP, CERVICAL MUCUS TEST, NFP
		0	0	0	0	19	= WITHDRAWAL
		0	0	0	0	20	= RESPONDENT STERILE
		0	0	0	0	21	= PARTNER STERILE (NOT ON CARD)
		0	0	0	0	22	= OTHER METHOD-NOT SHOWN SEPARATELY
		0	0	0	0	97	= Not Ascertained
		0	0	0	0	98	= Refused
		0	0	0	0	99	= Don't Know

1995 NATIONAL SURVEY OF FAMILY GROWTH
 File Documentation
 Respondent File (Section E Questionnaire Items)

VARIABLE	COLUMN	NON-HISPANIC								
NAME	LOCATION	HISP	WHITE	BLACK						

[MTHUS678] 8813-8814

During that month, which (of those/other) methods, if any, did you use at the same time? (3rd METHOD MENTIONED, 2nd COMBINATION, MC57)

Inapplicable:
 R said no, don't know or refused to all birth control methods in EA series (computed variable EVERUSED = 2); R never had sex as of this month and never used a birth control method as of this month but ever used one or more birth control methods in EA series (WNFSTSEX GE 1093 and DATFIRSM GE 1093 and computed variable EVERUSED = 1); month R was interviewed preceded this month; R did not use multiple methods in the month; or R used only 2 methods in the month; or R reported fewer than 2 BC method combinations; or R reported using fewer than 3 BC methods for this combination in this month of the method calendar.

1553	6483	2446	10847	Blank	= Blank, inapplicable
0	0	0	0	01	= NONE
0	0	0	0	02	= OFFICE USE ONLY
0	0	0	0	03	= BIRTH CONTROL PILLS
0	0	0	0	04	= CONDOM
0	0	0	0	05	= PARTNER'S VASECTOMY
0	0	0	0	06	= DIAPHRAGM
0	0	0	0	07	= FOAM
0	0	0	0	08	= JELLY OR CREAM
0	0	0	0	09	= CERVICAL CAP
0	0	0	0	10	= SUPPOSITORY, INSERT
0	0	0	0	11	= TODAY (TM) SPONGE
0	0	0	0	12	= FEMALE CONDOM, VAGINAL POUCH
0	0	0	0	13	= IUD, COIL, LOOP
0	0	0	0	14	= NORPLANT (TM)
0	0	0	0	15	= DEPO-PROVERA, INJECTABLES
0	0	0	0	16	= MORNING AFTER PILLS
0	0	0	0	17	= RHYTHM OR SAFE PERIOD BY CALENDAR

1995 NATIONAL SURVEY OF FAMILY GROWTH
 File Documentation
 Respondent File (Section E Questionnaire Items)

VARIABLE NAME	COLUMN LOCATION	NON-HISPANIC			TOTAL	QX	TEXT AND CODE CATEGORIES
		HISP	WHITE	BLACK			
		0	0	0	0	18	= SAFE PERIOD BY TEMP, CERVICAL MUCUS TEST, NFP
		0	0	0	0	19	= WITHDRAWAL
		0	0	0	0	20	= RESPONDENT STERILE
		0	0	0	0	21	= PARTNER STERILE (NOT ON CARD)
		0	0	0	0	22	= OTHER METHOD-NOT SHOWN SEPARATELY
		0	0	0	0	97	= Not Ascertained
		0	0	0	0	98	= Refused
		0	0	0	0	99	= Don't Know

1995 NATIONAL SURVEY OF FAMILY GROWTH
 File Documentation
 Respondent File (Section E Questionnaire Items)

VARIABLE	COLUMN	NON-HISPANIC				QX TEXT AND CODE CATEGORIES
NAME	LOCATION	HISP	WHITE	BLACK	TOTAL	

[MTHUS679] 8815-8816

During that month, which (of those/other) methods, if any, did you use at the same time? (4th METHOD MENTIONED, 2nd COMBINATION, MC57)

Inapplicable:
 R said no, don't know or refused to all birth control methods in EA series (computed variable EVERUSED = 2); R never had sex as of this month and never used a birth control method as of this month but ever used one or more birth control methods in EA series (WNFSTSEX GE 1093 and DATFIRSM GE 1093 and computed variable EVERUSED = 1); month R was interviewed preceded this month; R did not use multiple methods in the month; or R used only 2 methods in the month; or R reported fewer than 2 BC method combinations; or R reported using fewer than 4 BC methods for this combination in this month of the method calendar.

1553	6483	2446	10847	Blank	= Blank, inapplicable
0	0	0	0	01	= NONE
0	0	0	0	02	= OFFICE USE ONLY
0	0	0	0	03	= BIRTH CONTROL PILLS
0	0	0	0	04	= CONDOM
0	0	0	0	05	= PARTNER'S VASECTOMY
0	0	0	0	06	= DIAPHRAGM
0	0	0	0	07	= FOAM
0	0	0	0	08	= JELLY OR CREAM
0	0	0	0	09	= CERVICAL CAP
0	0	0	0	10	= SUPPOSITORY, INSERT
0	0	0	0	11	= TODAY (TM) SPONGE
0	0	0	0	12	= FEMALE CONDOM, VAGINAL POUCH
0	0	0	0	13	= IUD, COIL, LOOP
0	0	0	0	14	= NORPLANT (TM)
0	0	0	0	15	= DEPO-PROVERA, INJECTABLES
0	0	0	0	16	= MORNING AFTER PILLS
0	0	0	0	17	= RHYTHM OR SAFE PERIOD BY CALENDAR

1995 NATIONAL SURVEY OF FAMILY GROWTH
 File Documentation
 Respondent File (Section E Questionnaire Items)

VARIABLE NAME	COLUMN LOCATION	NON-HISPANIC			TOTAL	QX	TEXT AND CODE CATEGORIES
		HISP	WHITE	BLACK			
		0	0	0	0	18	= SAFE PERIOD BY TEMP, CERVICAL MUCUS TEST, NFP
		0	0	0	0	19	= WITHDRAWAL
		0	0	0	0	20	= RESPONDENT STERILE
		0	0	0	0	21	= PARTNER STERILE (NOT ON CARD)
		0	0	0	0	22	= OTHER METHOD-NOT SHOWN SEPARATELY
		0	0	0	0	97	= Not Ascertained
		0	0	0	0	98	= Refused
		0	0	0	0	99	= Don't Know

1995 NATIONAL SURVEY OF FAMILY GROWTH
 File Documentation
 Respondent File (Section E Questionnaire Items)

VARIABLE	COLUMN	NON-HISPANIC				QX TEXT AND CODE CATEGORIES
NAME	LOCATION	HISP	WHITE	BLACK	TOTAL	

[MTHUS680] 8817-8818

During that month, which (of those/other) methods, if any, did you use at the same time? (1st METHOD MENTIONED, 3rd COMBINATION, MC57)

Inapplicable:
 R said no, don't know or refused to all birth control methods in EA series (computed variable EVERUSED = 2); R never had sex as of this month and never used a birth control method as of this month but ever used one or more birth control methods in EA series (WNFSTSEX GE 1093 and DATFIRSM GE 1093 and computed variable EVERUSED = 1); month R was interviewed preceded this month; R did not use multiple methods in the month; or R used only 2 methods in the month; or R reported fewer than 3 BC method combinations.

1553	6483	2446	10847	Blank	= Blank, inapplicable
0	0	0	0	01	= NONE
0	0	0	0	02	= OFFICE USE ONLY
0	0	0	0	03	= BIRTH CONTROL PILLS
0	0	0	0	04	= CONDOM
0	0	0	0	05	= PARTNER'S VASECTOMY
0	0	0	0	06	= DIAPHRAGM
0	0	0	0	07	= FOAM
0	0	0	0	08	= JELLY OR CREAM
0	0	0	0	09	= CERVICAL CAP
0	0	0	0	10	= SUPPOSITORY, INSERT
0	0	0	0	11	= TODAY (TM) SPONGE
0	0	0	0	12	= FEMALE CONDOM, VAGINAL POUCH
0	0	0	0	13	= IUD, COIL, LOOP
0	0	0	0	14	= NORPLANT (TM)
0	0	0	0	15	= DEPO-PROVERA, INJECTABLES
0	0	0	0	16	= MORNING AFTER PILLS
0	0	0	0	17	= RHYTHM OR SAFE PERIOD BY CALENDAR
0	0	0	0	18	= SAFE PERIOD BY TEMP, CERVICAL MUCUS TEST, NFP

1995 NATIONAL SURVEY OF FAMILY GROWTH
 File Documentation
 Respondent File (Section E Questionnaire Items)

VARIABLE NAME	COLUMN LOCATION	NON-HISPANIC			TOTAL	QX	TEXT AND CODE CATEGORIES
		HISP	WHITE	BLACK			
		0	0	0	0	19	= WITHDRAWAL
		0	0	0	0	20	= RESPONDENT STERILE
		0	0	0	0	21	= PARTNER STERILE (NOT ON CARD)
		0	0	0	0	22	= OTHER METHOD-NOT SHOWN SEPARATELY
		0	0	0	0	97	= Not Ascertained
		0	0	0	0	98	= Refused
		0	0	0	0	99	= Don't Know

1995 NATIONAL SURVEY OF FAMILY GROWTH
 File Documentation
 Respondent File (Section E Questionnaire Items)

VARIABLE	COLUMN	NON-HISPANIC		
NAME	LOCATION	HISP	WHITE BLACK TOTAL	QX TEXT AND CODE CATEGORIES

[MTHUS681] 8819-8820

During that month, which (of those/other) methods, if any, did you use at the same time? (2nd METHOD MENTIONED, 3rd COMBINATION, MC57)

Inapplicable:
 R said no, don't know or refused to all birth control methods in EA series (computed variable EVERUSED = 2); R never had sex as of this month and never used a birth control method as of this month but ever used one or more birth control methods in EA series (WNFSTSEX GE 1093 and DATFIRSM GE 1093 and computed variable EVERUSED = 1); month R was interviewed preceded this month; R did not use multiple methods in the month; or R used only 2 methods in the month; or R reported fewer than 3 BC method combinations; or R reported using fewer than 2 BC methods for this combination in this month of the method calendar.

1553	6483	2446	10847	Blank	= Blank, inapplicable
0	0	0	0	01	= NONE
0	0	0	0	02	= OFFICE USE ONLY
0	0	0	0	03	= BIRTH CONTROL PILLS
0	0	0	0	04	= CONDOM
0	0	0	0	05	= PARTNER'S VASECTOMY
0	0	0	0	06	= DIAPHRAGM
0	0	0	0	07	= FOAM
0	0	0	0	08	= JELLY OR CREAM
0	0	0	0	09	= CERVICAL CAP
0	0	0	0	10	= SUPPOSITORY, INSERT
0	0	0	0	11	= TODAY (TM) SPONGE
0	0	0	0	12	= FEMALE CONDOM, VAGINAL POUCH
0	0	0	0	13	= IUD, COIL, LOOP
0	0	0	0	14	= NORPLANT (TM)
0	0	0	0	15	= DEPO-PROVERA, INJECTABLES
0	0	0	0	16	= MORNING AFTER PILLS
0	0	0	0	17	= RHYTHM OR SAFE PERIOD BY CALENDAR

(5000)

1995 NATIONAL SURVEY OF FAMILY GROWTH
 File Documentation
 Respondent File (Section E Questionnaire Items)

VARIABLE NAME	COLUMN LOCATION	NON-HISPANIC			TOTAL	QX	TEXT AND CODE CATEGORIES
		HISP	WHITE	BLACK			
		0	0	0	0	18	= SAFE PERIOD BY TEMP, CERVICAL MUCUS TEST, NFP
		0	0	0	0	19	= WITHDRAWAL
		0	0	0	0	20	= RESPONDENT STERILE
		0	0	0	0	21	= PARTNER STERILE (NOT ON CARD)
		0	0	0	0	22	= OTHER METHOD-NOT SHOWN SEPARATELY
		0	0	0	0	97	= Not Ascertained
		0	0	0	0	98	= Refused
		0	0	0	0	99	= Don't Know

1995 NATIONAL SURVEY OF FAMILY GROWTH
 File Documentation
 Respondent File (Section E Questionnaire Items)

VARIABLE	COLUMN	NON-HISPANIC								
NAME	LOCATION	HISP	WHITE	BLACK						

[MTHUS682] 8821-8822

During that month, which (of those/other) methods, if any, did you use at the same time? (3rd METHOD MENTIONED, 3rd COMBINATION, MC57)

Inapplicable:
 R said no, don't know or refused to all birth control methods in EA series (computed variable EVERUSED = 2); R never had sex as of this month and never used a birth control method as of this month but ever used one or more birth control methods in EA series (WNFSTSEX GE 1093 and DATFIRSM GE 1093 and computed variable EVERUSED = 1); month R was interviewed preceded this month; R did not use multiple methods in the month; or R used only 2 methods in the month; or R reported fewer than 3 BC method combinations; or R reported using fewer than 3 BC methods for this combination in this month of the method calendar.

1553	6483	2446	10847	Blank	= Blank, inapplicable
0	0	0	0	01	= NONE
0	0	0	0	02	= OFFICE USE ONLY
0	0	0	0	03	= BIRTH CONTROL PILLS
0	0	0	0	04	= CONDOM
0	0	0	0	05	= PARTNER'S VASECTOMY
0	0	0	0	06	= DIAPHRAGM
0	0	0	0	07	= FOAM
0	0	0	0	08	= JELLY OR CREAM
0	0	0	0	09	= CERVICAL CAP
0	0	0	0	10	= SUPPOSITORY, INSERT
0	0	0	0	11	= TODAY (TM) SPONGE
0	0	0	0	12	= FEMALE CONDOM, VAGINAL POUCH
0	0	0	0	13	= IUD, COIL, LOOP
0	0	0	0	14	= NORPLANT (TM)
0	0	0	0	15	= DEPO-PROVERA, INJECTABLES
0	0	0	0	16	= MORNING AFTER PILLS
0	0	0	0	17	= RHYTHM OR SAFE PERIOD BY CALENDAR

(5002)

1995 NATIONAL SURVEY OF FAMILY GROWTH
 File Documentation
 Respondent File (Section E Questionnaire Items)

VARIABLE NAME	COLUMN LOCATION	NON-HISPANIC			TOTAL	QX	TEXT AND CODE CATEGORIES
		HISP	WHITE	BLACK			
		0	0	0	0	18	= SAFE PERIOD BY TEMP, CERVICAL MUCUS TEST, NFP
		0	0	0	0	19	= WITHDRAWAL
		0	0	0	0	20	= RESPONDENT STERILE
		0	0	0	0	21	= PARTNER STERILE (NOT ON CARD)
		0	0	0	0	22	= OTHER METHOD-NOT SHOWN SEPARATELY
		0	0	0	0	97	= Not Ascertained
		0	0	0	0	98	= Refused
		0	0	0	0	99	= Don't Know

1995 NATIONAL SURVEY OF FAMILY GROWTH
 File Documentation
 Respondent File (Section E Questionnaire Items)

VARIABLE	COLUMN	NON-HISPANIC				QX TEXT AND CODE CATEGORIES
NAME	LOCATION	HISP	WHITE	BLACK	TOTAL	

[MTHUS683] 8823-8824

During that month, which (of those/other) methods, if any, did you use at the same time? (4th METHOD MENTIONED, 3rd COMBINATION, MC57)

Inapplicable:
 R said no, don't know or refused to all birth control methods in EA series (computed variable EVERUSED = 2); R never had sex as of this month and never used a birth control method as of this month but ever used one or more birth control methods in EA series (WNFSTSEX GE 1093 and DATFIRSM GE 1093 and computed variable EVERUSED = 1); month R was interviewed preceded this month; R did not use multiple methods in the month; or R used only 2 methods in the month; or R reported fewer than 3 BC method combinations; or R reported using fewer than 4 BC methods for this combination in this month of the method calendar.

1553	6483	2446	10847	Blank	= Blank, inapplicable
0	0	0	0	01	= NONE
0	0	0	0	02	= OFFICE USE ONLY
0	0	0	0	03	= BIRTH CONTROL PILLS
0	0	0	0	04	= CONDOM
0	0	0	0	05	= PARTNER'S VASECTOMY
0	0	0	0	06	= DIAPHRAGM
0	0	0	0	07	= FOAM
0	0	0	0	08	= JELLY OR CREAM
0	0	0	0	09	= CERVICAL CAP
0	0	0	0	10	= SUPPOSITORY, INSERT
0	0	0	0	11	= TODAY (TM) SPONGE
0	0	0	0	12	= FEMALE CONDOM, VAGINAL POUCH
0	0	0	0	13	= IUD, COIL, LOOP
0	0	0	0	14	= NORPLANT (TM)
0	0	0	0	15	= DEPO-PROVERA, INJECTABLES
0	0	0	0	16	= MORNING AFTER PILLS
0	0	0	0	17	= RHYTHM OR SAFE PERIOD BY CALENDAR

(5004)

1995 NATIONAL SURVEY OF FAMILY GROWTH
 File Documentation
 Respondent File (Section E Questionnaire Items)

VARIABLE NAME	COLUMN LOCATION	NON-HISPANIC			TOTAL	QX	TEXT AND CODE CATEGORIES
		HISP	WHITE	BLACK			
		0	0	0	0	18	= SAFE PERIOD BY TEMP, CERVICAL MUCUS TEST, NFP
		0	0	0	0	19	= WITHDRAWAL
		0	0	0	0	20	= RESPONDENT STERILE
		0	0	0	0	21	= PARTNER STERILE (NOT ON CARD)
		0	0	0	0	22	= OTHER METHOD-NOT SHOWN SEPARATELY
		0	0	0	0	97	= Not Ascertained
		0	0	0	0	98	= Refused
		0	0	0	0	99	= Don't Know

1995 NATIONAL SURVEY OF FAMILY GROWTH
 File Documentation
 Respondent File (Section E Questionnaire Items)

VARIABLE	COLUMN	NON-HISPANIC				QX TEXT AND CODE CATEGORIES
NAME	LOCATION	HISP	WHITE	BLACK	TOTAL	

[METHH228] 8825-8826

ENTER METHOD (FIRST MENTIONED) USED
 IN OCTOBER 1995: (MC58)

Inapplicable:
 R never had sex as of this month and never used a birth control method as of this month but ever used one or more birth control methods in EA series (WNFSTSEX GE 1093 and DATFIRSM GE 1093 and computed variable EVERUSED = 1); month R was interviewed preceded this month; R never had sex and said no, don't know or refused to all birth control methods in EA series (computed variable RHADSEX coded 2,7,8 or 9 and computed variable EVERUSED = 2); R said no, don't know or refused to all birth control methods in EA series (computed variable EVERUSED = 2); or R completed the interview prior to this month.

1503	6343	2383	10583	Blank	= Blank, inapplicable
11	27	19	60	01	= NO METHODS USED
0	0	0	0	02	= SAME AS PREVIOUS MONTH
11	25	12	52	03	= BIRTH CONTROL PILLS
8	29	12	49	04	= CONDOM
2	10	0	12	05	= PARTNER'S VASECTOMY
0	0	0	0	06	= DIAPHRAGM
0	0	0	0	07	= FOAM
0	0	1	1	08	= JELLY OR CREAM
0	0	0	0	09	= CERVICAL CAP
0	3	0	3	10	= SUPPOSITORY, INSERT
0	1	0	1	11	= TODAY (TM) SPONGE
0	0	0	0	12	= FEMALE CONDOM, VAGINAL POUCH
1	0	0	2	13	= IUD, COIL, LOOP
1	2	0	3	14	= NORPLANT (TM)
2	3	3	8	15	= DEPO-PROVERA, INJECTABLES
0	0	0	0	16	= MORNING AFTER PILLS
0	2	0	2	17	= RHYTHM OR SAFE PERIOD BY CALENDAR
0	0	0	0	18	= SAFE PERIOD BY TEMP, CERVICAL MUCUS TEST, NFP

1995 NATIONAL SURVEY OF FAMILY GROWTH
 File Documentation
 Respondent File (Section E Questionnaire Items)

VARIABLE NAME	COLUMN LOCATION	NON-HISPANIC			TOTAL	QX	TEXT AND CODE CATEGORIES
		HISP	WHITE	BLACK			
		2	3	0	6	19	= WITHDRAWAL
		12	29	15	58	20	= RESPONDENT STERILE
		0	6	1	7	21	= PARTNER STERILE (NOT ON CARD)
		0	0	0	0	22	= OTHER METHOD-NOT SHOWN SEPARATELY
		0	0	0	0	55	= SAME METHODS USED THROUGH END OF YEAR
		0	0	0	0	97	= Not Ascertained
		0	0	0	0	98	= Refused
		0	0	0	0	99	= Don't Know

1995 NATIONAL SURVEY OF FAMILY GROWTH
 File Documentation
 Respondent File (Section E Questionnaire Items)

VARIABLE	COLUMN	NON-HISPANIC			QX TEXT AND CODE CATEGORIES
NAME	LOCATION	HISP	WHITE	BLACK	TOTAL
[METHH229]	8827-8828				

ENTER METHOD (SECOND MENTIONED) USED
 IN OCTOBER 1995: (MC58)

Inapplicable:
 R never had sex as of this month and never used a birth control method as of this month but ever used one or more birth control methods in EA series (WNFSTSEX GE 1093 and DATFIRSM GE 1093 and computed variable EVERUSED = 1); month R was interviewed preceded this month; R never had sex and said no, don't know or refused to all birth control methods in EA series (computed variable RHADSEX coded 2,7,8 or 9 and computed variable EVERUSED = 2); R said no, don't know or refused to all birth control methods in EA series (computed variable EVERUSED = 2); R used fewer than 2 methods in month; R completed the interview prior to this month.

1552	6475	2439	10829	Blank	= Blank, inapplicable
0	0	0	0	01	= NO METHODS USED
0	0	0	0	02	= SAME AS PREVIOUS MONTH
0	0	1	1	03	= BIRTH CONTROL PILLS
0	2	5	9	04	= CONDOM
0	0	0	0	05	= PARTNER'S VASECTOMY
0	1	0	1	06	= DIAPHRAGM
0	0	0	0	07	= FOAM
0	1	0	1	08	= JELLY OR CREAM
0	0	0	0	09	= CERVICAL CAP
0	0	1	1	10	= SUPPOSITORY, INSERT
0	0	0	0	11	= TODAY (TM) SPONGE
0	0	0	0	12	= FEMALE CONDOM, VAGINAL POUCH
0	0	0	0	13	= IUD, COIL, LOOP
0	0	0	0	14	= NORPLANT (TM)
0	0	0	0	15	= DEPO-PROVERA, INJECTABLES
0	0	0	0	16	= MORNING AFTER PILLS
0	0	0	0	17	= RHYTHM OR SAFE PERIOD BY CALENDAR
0	0	0	0	18	= SAFE PERIOD BY TEMP, CERVICAL MUCUS TEST,

(5008)

1995 NATIONAL SURVEY OF FAMILY GROWTH
 File Documentation
 Respondent File (Section E Questionnaire Items)

VARIABLE NAME	COLUMN LOCATION	NON-HISPANIC			TOTAL	QX	TEXT AND CODE CATEGORIES
		HISP	WHITE	BLACK			
		1	4	0	5	19	NFP
		0	0	0	0	20	= WITHDRAWAL
		0	0	0	0	21	= RESPONDENT STERILE
							= PARTNER STERILE (NOT ON CARD)
		0	0	0	0	22	= OTHER METHOD-NOT SHOWN SEPARATELY
		0	0	0	0	55	= SAME METHODS USED THROUGH END OF YEAR
		0	0	0	0	97	= Not Ascertained
		0	0	0	0	98	= Refused
		0	0	0	0	99	= Don't Know

1995 NATIONAL SURVEY OF FAMILY GROWTH
 File Documentation
 Respondent File (Section E Questionnaire Items)

VARIABLE	COLUMN	NON-HISPANIC								
NAME	LOCATION	HISP	WHITE	BLACK						

[METHH230]	8829-8830				ENTER METHOD (THIRD MENTIONED) USED IN OCTOBER 1995: (MC58)					
------------	-----------	--	--	--	--	--	--	--	--	--

Inapplicable:
 R never had sex as of this month and never used a birth control method as of this month but ever used one or more birth control methods in EA series (WNFSTSEX GE 1093 and DATFIRSM GE 1093 and computed variable EVERUSED = 1); month R was interviewed preceded this month; R never had sex and said no, don't know or refused to all birth control methods in EA series (computed variable RHADSEX coded 2,7,8 or 9 and computed variable EVERUSED = 2); R said no, don't know or refused to all birth control methods in EA series (computed variable EVERUSED = 2); R used fewer than 3 methods in month; R completed the interview prior to this month.

1553	6480	2444	10842	Blank	= Blank, inapplicable
0	0	0	0	01	= NO METHODS USED
0	0	0	0	02	= SAME AS PREVIOUS MONTH
0	0	0	0	03	= BIRTH CONTROL PILLS
0	0	0	0	04	= CONDOM
0	0	0	0	05	= PARTNER'S VASECTOMY
0	0	0	0	06	= DIAPHRAGM
0	0	0	0	07	= FOAM
0	0	0	0	08	= JELLY OR CREAM
0	0	0	0	09	= CERVICAL CAP
0	0	0	0	10	= SUPPOSITORY, INSERT
0	0	0	0	11	= TODAY (TM) SPONGE
0	0	0	0	12	= FEMALE CONDOM, VAGINAL POUCH
0	0	0	0	13	= IUD, COIL, LOOP
0	0	0	0	14	= NORPLANT (TM)
0	0	0	0	15	= DEPO-PROVERA, INJECTABLES
0	0	0	0	16	= MORNING AFTER PILLS
0	0	0	0	17	= RHYTHM OR SAFE PERIOD BY CALENDAR
0	0	0	0	18	= SAFE PERIOD BY TEMP, CERVICAL MUCUS TEST,

1995 NATIONAL SURVEY OF FAMILY GROWTH
 File Documentation
 Respondent File (Section E Questionnaire Items)

VARIABLE NAME	COLUMN LOCATION	NON-HISPANIC			TOTAL	QX	TEXT AND CODE CATEGORIES
		HISP	WHITE	BLACK			
		0	1	0	1	19	NFP = WITHDRAWAL
		0	2	2	4	20	= RESPONDENT STERILE
		0	0	0	0	21	= PARTNER STERILE (NOT ON CARD)
		0	0	0	0	22	= OTHER METHOD-NOT SHOWN SEPARATELY
		0	0	0	0	55	= SAME METHODS USED THROUGH END OF YEAR
		0	0	0	0	97	= Not Ascertained
		0	0	0	0	98	= Refused
		0	0	0	0	99	= Don't Know

1995 NATIONAL SURVEY OF FAMILY GROWTH
File Documentation
Respondent File (Section E Questionnaire Items)

VARIABLE	COLUMN	NON-HISPANIC			QX TEXT AND CODE CATEGORIES	
NAME	LOCATION	HISP	WHITE	BLACK	TOTAL	
[METHH231]	8831-8832					ENTER METHOD (FOURTH MENTIONED) USED IN OCTOBER 1995: (MC58)

Inapplicable:
R never had sex as of this month and never used a birth control method as of this month but ever used one or more birth control methods in EA series (WNFSTSEX GE 1093 and DATFIRSM GE 1093 and computed variable EVERUSED = 1); month R was interviewed preceded this month; R never had sex and said no, don't know or refused to all birth control methods in EA series (computed variable RHADSEX coded 2,7,8 or 9 and computed variable EVERUSED = 2); R said no, don't know or refused to all birth control methods in EA series (computed variable EVERUSED = 2); R used fewer than 4 methods in month; R completed the interview prior to this month.

1553	6483	2446	10847	Blank	= Blank, inapplicable
0	0	0	0	01	= NO METHODS USED
0	0	0	0	02	= SAME AS PREVIOUS MONTH
0	0	0	0	03	= BIRTH CONTROL PILLS
0	0	0	0	04	= CONDOM
0	0	0	0	05	= PARTNER'S VASECTOMY
0	0	0	0	06	= DIAPHRAGM
0	0	0	0	07	= FOAM
0	0	0	0	08	= JELLY OR CREAM
0	0	0	0	09	= CERVICAL CAP
0	0	0	0	10	= SUPPOSITORY, INSERT
0	0	0	0	11	= TODAY (TM) SPONGE
0	0	0	0	12	= FEMALE CONDOM, VAGINAL POUCH
0	0	0	0	13	= IUD, COIL, LOOP
0	0	0	0	14	= NORPLANT (TM)
0	0	0	0	15	= DEPO-PROVERA, INJECTABLES
0	0	0	0	16	= MORNING AFTER PILLS
0	0	0	0	17	= RHYTHM OR SAFE PERIOD BY CALENDAR
0	0	0	0	18	= SAFE PERIOD BY TEMP, CERVICAL MUCUS TEST,

1995 NATIONAL SURVEY OF FAMILY GROWTH
 File Documentation
 Respondent File (Section E Questionnaire Items)

VARIABLE NAME	COLUMN LOCATION	NON-HISPANIC			TOTAL	QX	TEXT AND CODE CATEGORIES
		HISP	WHITE	BLACK			
		0	0	0	0	19	NFP = WITHDRAWAL
		0	0	0	0	20	= RESPONDENT STERILE
		0	0	0	0	21	= PARTNER STERILE (NOT ON CARD)
		0	0	0	0	22	= OTHER METHOD-NOT SHOWN SEPARATELY
		0	0	0	0	55	= SAME METHODS USED THROUGH END OF YEAR
		0	0	0	0	97	= Not Ascertained
		0	0	0	0	98	= Refused
		0	0	0	0	99	= Don't Know

[SIMSEQ57] 8833-8833

Did you use those methods together,
 that is, at the same time, or did
 you use them at different times
 during the month? (MC58)

Inapplicable:
 R never had sex as of this month and
 never used a birth control method as
 of this month but ever used one or
 more birth control methods in EA
 series (WNFSTSEX GE 1093 and
 DATFIRSM GE 1093 and computed
 variable EVERUSED = 1); month R was
 interviewed preceded this month; R
 never had sex and said no, don't
 know or refused to all birth control
 methods in EA series (computed
 variable RHADSEX coded 2,7,8 or 9
 and computed variable EVERUSED = 2);
 R said no, don't know or refused to
 all birth control methods in EA
 series (computed variable EVERUSED =
 2); R did not use multiple methods
 in the month; R used more than 2
 methods in the month.

1552	6476	2439	10830	Blank	= Blank, inapplicable
0	3	5	9	1	= SAME TIME
1	4	2	8	2	= DIFFERENT TIMES
0	0	0	0	7	= Not Ascertained
0	0	0	0	8	= Refused
0	0	0	0	9	= Don't Know

1995 NATIONAL SURVEY OF FAMILY GROWTH
 File Documentation
 Respondent File (Section E Questionnaire Items)

VARIABLE	COLUMN	NON-HISPANIC			QX TEXT AND CODE CATEGORIES
NAME	LOCATION	HISP	WHITE	BLACK	TOTAL

[MTHUS684] 8834-8835

During that month, which (of those/other) methods, if any, did you use at the same time? (1st METHOD MENTIONED, 1st COMBINATION, MC58)

Inapplicable:
 R said no, don't know or refused to all birth control methods in EA series (computed variable EVERUSED = 2); R never had sex as of this month and never used a birth control method as of this month but ever used one or more birth control methods in EA series (WNFSTSEX GE 1093 and DATFIRSM GE 1093 and computed variable EVERUSED = 1); month R was interviewed preceded this month; R did not use multiple methods in the month; or R used only 2 methods in the month.

1553	6482	2446	10846	Blank	= Blank, inapplicable
0	1	0	1	01	= NONE
0	0	0	0	02	= OFFICE USE ONLY
0	0	0	0	03	= BIRTH CONTROL PILLS
0	0	0	0	04	= CONDOM
0	0	0	0	05	= PARTNER'S VASECTOMY
0	0	0	0	06	= DIAPHRAGM
0	0	0	0	07	= FOAM
0	0	0	0	08	= JELLY OR CREAM
0	0	0	0	09	= CERVICAL CAP
0	0	0	0	10	= SUPPOSITORY, INSERT
0	0	0	0	11	= TODAY (TM) SPONGE
0	0	0	0	12	= FEMALE CONDOM, VAGINAL POUCH
0	0	0	0	13	= IUD, COIL, LOOP
0	0	0	0	14	= NORPLANT (TM)
0	0	0	0	15	= DEPO-PROVERA, INJECTABLES
0	0	0	0	16	= MORNING AFTER PILLS
0	0	0	0	17	= RHYTHM OR SAFE PERIOD BY CALENDAR
0	0	0	0	18	= SAFE PERIOD BY TEMP, CERVICAL MUCUS TEST, NFP
0	0	0	0	19	= WITHDRAWAL
0	0	0	0	20	= RESPONDENT STERILE

(5014)

1995 NATIONAL SURVEY OF FAMILY GROWTH
 File Documentation
 Respondent File (Section E Questionnaire Items)

VARIABLE NAME	COLUMN LOCATION	NON-HISPANIC			TOTAL	QX	TEXT AND CODE CATEGORIES
		HISP	WHITE	BLACK			
		0	0	0	0	21	= PARTNER STERILE (NOT ON CARD)
		0	0	0	0	22	= OTHER METHOD-NOT SHOWN SEPARATELY
		0	0	0	0	97	= Not Ascertained
		0	0	0	0	98	= Refused
		0	0	0	0	99	= Don't Know

1995 NATIONAL SURVEY OF FAMILY GROWTH
 File Documentation
 Respondent File (Section E Questionnaire Items)

VARIABLE	COLUMN	NON-HISPANIC								
NAME	LOCATION	HISP	WHITE	BLACK						

[MTHUS685] 8836-8837

During that month, which (of those/other) methods, if any, did you use at the same time? (2nd METHOD MENTIONED, 1st COMBINATION, MC58)

Inapplicable:
 R said no, don't know or refused to all birth control methods in EA series (computed variable EVERUSED = 2); R never had sex as of this month and never used a birth control method as of this month but ever used one or more birth control methods in EA series (WNFSTSEX GE 1093 and DATFIRSM GE 1093 and computed variable EVERUSED = 1); month R was interviewed preceded this month; R did not use multiple methods in the month; or R used only 2 methods in the month; or R reported using fewer than 2 BC methods for this combination in this month of the method calendar.

1553	6483	2446	10847	Blank		= Blank, inapplicable
0	0	0	0	01		= NONE
0	0	0	0	02		= OFFICE USE ONLY
0	0	0	0	03		= BIRTH CONTROL PILLS
0	0	0	0	04		= CONDOM
0	0	0	0	05		= PARTNER'S VASECTOMY
0	0	0	0	06		= DIAPHRAGM
0	0	0	0	07		= FOAM
0	0	0	0	08		= JELLY OR CREAM
0	0	0	0	09		= CERVICAL CAP
0	0	0	0	10		= SUPPOSITORY, INSERT
0	0	0	0	11		= TODAY (TM) SPONGE
0	0	0	0	12		= FEMALE CONDOM, VAGINAL POUCH
0	0	0	0	13		= IUD, COIL, LOOP
0	0	0	0	14		= NORPLANT (TM)
0	0	0	0	15		= DEPO-PROVERA, INJECTABLES
0	0	0	0	16		= MORNING AFTER PILLS
0	0	0	0	17		= RHYTHM OR SAFE PERIOD BY CALENDAR
0	0	0	0	18		= SAFE PERIOD BY TEMP, CERVICAL MUCUS TEST,

1995 NATIONAL SURVEY OF FAMILY GROWTH
 File Documentation
 Respondent File (Section E Questionnaire Items)

VARIABLE NAME	COLUMN LOCATION	NON-HISPANIC			TOTAL	QX	TEXT AND CODE CATEGORIES
		HISP	WHITE	BLACK			
		0	0	0	0	19	NFP
		0	0	0	0	20	= WITHDRAWAL
		0	0	0	0	21	= RESPONDENT STERILE
							= PARTNER STERILE (NOT ON CARD)
		0	0	0	0	22	= OTHER METHOD-NOT SHOWN SEPARATELY
		0	0	0	0	97	= Not Ascertained
		0	0	0	0	98	= Refused
		0	0	0	0	99	= Don't Know

1995 NATIONAL SURVEY OF FAMILY GROWTH
 File Documentation
 Respondent File (Section E Questionnaire Items)

VARIABLE	COLUMN	NON-HISPANIC								
NAME	LOCATION	HISP	WHITE	BLACK						

[MTHUS686] 8838-8839

During that month, which (of those/other) methods, if any, did you use at the same time? (3rd METHOD MENTIONED, 1st COMBINATION, MC58)

Inapplicable:
 R said no, don't know or refused to all birth control methods in EA series (computed variable EVERUSED = 2); R never had sex as of this month and never used a birth control method as of this month but ever used one or more birth control methods in EA series (WNFSTSEX GE 1093 and DATFIRSM GE 1093 and computed variable EVERUSED = 1); month R was interviewed preceded this month; R did not use multiple methods in the month; or R used only 2 methods in the month; or R reported using fewer than 3 BC methods for this combination in this month of the method calendar.

1553	6483	2446	10847	Blank		= Blank, inapplicable
0	0	0	0	0	01	= NONE
0	0	0	0	0	02	= OFFICE USE ONLY
0	0	0	0	0	03	= BIRTH CONTROL PILLS
0	0	0	0	0	04	= CONDOM
0	0	0	0	0	05	= PARTNER'S VASECTOMY
0	0	0	0	0	06	= DIAPHRAGM
0	0	0	0	0	07	= FOAM
0	0	0	0	0	08	= JELLY OR CREAM
0	0	0	0	0	09	= CERVICAL CAP
0	0	0	0	0	10	= SUPPOSITORY, INSERT
0	0	0	0	0	11	= TODAY (TM) SPONGE
0	0	0	0	0	12	= FEMALE CONDOM, VAGINAL POUCH
0	0	0	0	0	13	= IUD, COIL, LOOP
0	0	0	0	0	14	= NORPLANT (TM)
0	0	0	0	0	15	= DEPO-PROVERA, INJECTABLES
0	0	0	0	0	16	= MORNING AFTER PILLS
0	0	0	0	0	17	= RHYTHM OR SAFE PERIOD BY CALENDAR
0	0	0	0	0	18	= SAFE PERIOD BY TEMP, CERVICAL MUCUS TEST,

1995 NATIONAL SURVEY OF FAMILY GROWTH
 File Documentation
 Respondent File (Section E Questionnaire Items)

VARIABLE NAME	COLUMN LOCATION	NON-HISPANIC			TOTAL	QX	TEXT AND CODE CATEGORIES
		HISP	WHITE	BLACK			
		0	0	0	0	19	NFP
		0	0	0	0	20	= WITHDRAWAL
		0	0	0	0	21	= RESPONDENT STERILE
							= PARTNER STERILE (NOT ON CARD)
		0	0	0	0	22	= OTHER METHOD-NOT SHOWN SEPARATELY
		0	0	0	0	97	= Not Ascertained
		0	0	0	0	98	= Refused
		0	0	0	0	99	= Don't Know

1995 NATIONAL SURVEY OF FAMILY GROWTH
File Documentation
Respondent File (Section E Questionnaire Items)

VARIABLE	COLUMN	NON-HISPANIC				
NAME	LOCATION	HISP	WHITE	BLACK	TOTAL	QX TEXT AND CODE CATEGORIES

[MTHUS687] 8840-8841

During that month, which (of those/other) methods, if any, did you use at the same time? (4th METHOD MENTIONED, 1st COMBINATION, MC58)

Inapplicable:
R said no, don't know or refused to all birth control methods in EA series (computed variable EVERUSED = 2); R never had sex as of this month and never used a birth control method as of this month but ever used one or more birth control methods in EA series (WNFSTSEX GE 1093 and DATFIRSM GE 1093 and computed variable EVERUSED = 1); month R was interviewed preceded this month; R did not use multiple methods in the month; or R used only 2 methods in the month; or R reported using fewer than 4 BC methods for this combination in this month of the method calendar.

1553	6483	2446	10847	Blank	= Blank, inapplicable
0	0	0	0	01	= NONE
0	0	0	0	02	= OFFICE USE ONLY
0	0	0	0	03	= BIRTH CONTROL PILLS
0	0	0	0	04	= CONDOM
0	0	0	0	05	= PARTNER'S VASECTOMY
0	0	0	0	06	= DIAPHRAGM
0	0	0	0	07	= FOAM
0	0	0	0	08	= JELLY OR CREAM
0	0	0	0	09	= CERVICAL CAP
0	0	0	0	10	= SUPPOSITORY, INSERT
0	0	0	0	11	= TODAY (TM) SPONGE
0	0	0	0	12	= FEMALE CONDOM, VAGINAL POUCH
0	0	0	0	13	= IUD, COIL, LOOP
0	0	0	0	14	= NORPLANT (TM)
0	0	0	0	15	= DEPO-PROVERA, INJECTABLES
0	0	0	0	16	= MORNING AFTER PILLS
0	0	0	0	17	= RHYTHM OR SAFE PERIOD BY CALENDAR
0	0	0	0	18	= SAFE PERIOD BY TEMP, CERVICAL MUCUS TEST,

1995 NATIONAL SURVEY OF FAMILY GROWTH
 File Documentation
 Respondent File (Section E Questionnaire Items)

VARIABLE NAME	COLUMN LOCATION	NON-HISPANIC			TOTAL	QX	TEXT AND CODE CATEGORIES
		HISP	WHITE	BLACK			
		0	0	0	0	19	NFP
		0	0	0	0	20	= WITHDRAWAL
		0	0	0	0	21	= RESPONDENT STERILE
							= PARTNER STERILE (NOT ON CARD)
		0	0	0	0	22	= OTHER METHOD-NOT SHOWN SEPARATELY
		0	0	0	0	97	= Not Ascertained
		0	0	0	0	98	= Refused
		0	0	0	0	99	= Don't Know

1995 NATIONAL SURVEY OF FAMILY GROWTH
 File Documentation
 Respondent File (Section E Questionnaire Items)

VARIABLE COLUMN NON-HISPANIC
 NAME LOCATION HISP WHITE BLACK TOTAL QX TEXT AND CODE CATEGORIES

[MTHUS688] 8842-8843

During that month, which (of those/other) methods, if any, did you use at the same time? (1st METHOD MENTIONED, 2nd COMBINATION, MC58)

Inapplicable:
 R said no, don't know or refused to all birth control methods in EA series (computed variable EVERUSED = 2); R never had sex as of this month and never used a birth control method as of this month but ever used one or more birth control methods in EA series (WNFSTSEX GE 1093 and DATFIRSM GE 1093 and computed variable EVERUSED = 1); month R was interviewed preceded this month; R did not use multiple methods in the month; or R used only 2 methods in the month; or R reported fewer than 2 BC method combinations.

1553	6483	2446	10847	Blank	= Blank, inapplicable
0	0	0	0	01	= NONE
0	0	0	0	02	= OFFICE USE ONLY
0	0	0	0	03	= BIRTH CONTROL PILLS
0	0	0	0	04	= CONDOM
0	0	0	0	05	= PARTNER'S VASECTOMY
0	0	0	0	06	= DIAPHRAGM
0	0	0	0	07	= FOAM
0	0	0	0	08	= JELLY OR CREAM
0	0	0	0	09	= CERVICAL CAP
0	0	0	0	10	= SUPPOSITORY, INSERT
0	0	0	0	11	= TODAY (TM) SPONGE
0	0	0	0	12	= FEMALE CONDOM, VAGINAL POUCH
0	0	0	0	13	= IUD, COIL, LOOP
0	0	0	0	14	= NORPLANT (TM)
0	0	0	0	15	= DEPO-PROVERA, INJECTABLES
0	0	0	0	16	= MORNING AFTER PILLS
0	0	0	0	17	= RHYTHM OR SAFE PERIOD BY CALENDAR
0	0	0	0	18	= SAFE PERIOD BY TEMP, CERVICAL MUCUS TEST, NFP

(5022)

1995 NATIONAL SURVEY OF FAMILY GROWTH
 File Documentation
 Respondent File (Section E Questionnaire Items)

VARIABLE NAME	COLUMN LOCATION	NON-HISPANIC			TOTAL	QX	TEXT AND CODE CATEGORIES
		HISP	WHITE	BLACK			
		0	0	0	0	19	= WITHDRAWAL
		0	0	0	0	20	= RESPONDENT STERILE
		0	0	0	0	21	= PARTNER STERILE (NOT ON CARD)
		0	0	0	0	22	= OTHER METHOD-NOT SHOWN SEPARATELY
		0	0	0	0	97	= Not Ascertained
		0	0	0	0	98	= Refused
		0	0	0	0	99	= Don't Know

1995 NATIONAL SURVEY OF FAMILY GROWTH
 File Documentation
 Respondent File (Section E Questionnaire Items)

VARIABLE	COLUMN	NON-HISPANIC		QX TEXT AND CODE CATEGORIES
NAME	LOCATION	HISP	WHITE BLACK TOTAL	

[MTHUS689] 8844-8845

During that month, which (of those/other) methods, if any, did you use at the same time? (2nd METHOD MENTIONED, 2nd COMBINATION, MC58)

Inapplicable:
 R said no, don't know or refused to all birth control methods in EA series (computed variable EVERUSED = 2); R never had sex as of this month and never used a birth control method as of this month but ever used one or more birth control methods in EA series (WNFSTSEX GE 1093 and DATFIRSM GE 1093 and computed variable EVERUSED = 1); month R was interviewed preceded this month; R did not use multiple methods in the month; or R used only 2 methods in the month; or R reported fewer than 2 BC method combinations; or R reported using fewer than 2 BC methods for this combination in this month of the method calendar.

1553	6483	2446	10847	Blank	= Blank, inapplicable
0	0	0	0	01	= NONE
0	0	0	0	02	= OFFICE USE ONLY
0	0	0	0	03	= BIRTH CONTROL PILLS
0	0	0	0	04	= CONDOM
0	0	0	0	05	= PARTNER'S VASECTOMY
0	0	0	0	06	= DIAPHRAGM
0	0	0	0	07	= FOAM
0	0	0	0	08	= JELLY OR CREAM
0	0	0	0	09	= CERVICAL CAP
0	0	0	0	10	= SUPPOSITORY, INSERT
0	0	0	0	11	= TODAY (TM) SPONGE
0	0	0	0	12	= FEMALE CONDOM, VAGINAL POUCH
0	0	0	0	13	= IUD, COIL, LOOP
0	0	0	0	14	= NORPLANT (TM)
0	0	0	0	15	= DEPO-PROVERA, INJECTABLES
0	0	0	0	16	= MORNING AFTER PILLS
0	0	0	0	17	= RHYTHM OR SAFE PERIOD BY CALENDAR

1995 NATIONAL SURVEY OF FAMILY GROWTH
 File Documentation
 Respondent File (Section E Questionnaire Items)

VARIABLE NAME	COLUMN LOCATION	NON-HISPANIC			TOTAL	QX	TEXT AND CODE CATEGORIES
		HISP	WHITE	BLACK			
		0	0	0	0	18	= SAFE PERIOD BY TEMP, CERVICAL MUCUS TEST, NFP
		0	0	0	0	19	= WITHDRAWAL
		0	0	0	0	20	= RESPONDENT STERILE
		0	0	0	0	21	= PARTNER STERILE (NOT ON CARD)
		0	0	0	0	22	= OTHER METHOD-NOT SHOWN SEPARATELY
		0	0	0	0	97	= Not Ascertained
		0	0	0	0	98	= Refused
		0	0	0	0	99	= Don't Know

1995 NATIONAL SURVEY OF FAMILY GROWTH
 File Documentation
 Respondent File (Section E Questionnaire Items)

VARIABLE	COLUMN	NON-HISPANIC				QX TEXT AND CODE CATEGORIES
NAME	LOCATION	HISP	WHITE	BLACK	TOTAL	

[MTHUS690] 8846-8847

During that month, which (of those/other) methods, if any, did you use at the same time? (3rd METHOD MENTIONED, 2nd COMBINATION, MC58)

Inapplicable:
 R said no, don't know or refused to all birth control methods in EA series (computed variable EVERUSED = 2); R never had sex as of this month and never used a birth control method as of this month but ever used one or more birth control methods in EA series (WNFSTSEX GE 1093 and DATFIRSM GE 1093 and computed variable EVERUSED = 1); month R was interviewed preceded this month; R did not use multiple methods in the month; or R used only 2 methods in the month; or R reported fewer than 2 BC method combinations; or R reported using fewer than 3 BC methods for this combination in this month of the method calendar.

1553	6483	2446	10847	Blank	= Blank, inapplicable
0	0	0	0	01	= NONE
0	0	0	0	02	= OFFICE USE ONLY
0	0	0	0	03	= BIRTH CONTROL PILLS
0	0	0	0	04	= CONDOM
0	0	0	0	05	= PARTNER'S VASECTOMY
0	0	0	0	06	= DIAPHRAGM
0	0	0	0	07	= FOAM
0	0	0	0	08	= JELLY OR CREAM
0	0	0	0	09	= CERVICAL CAP
0	0	0	0	10	= SUPPOSITORY, INSERT
0	0	0	0	11	= TODAY (TM) SPONGE
0	0	0	0	12	= FEMALE CONDOM, VAGINAL POUCH
0	0	0	0	13	= IUD, COIL, LOOP
0	0	0	0	14	= NORPLANT (TM)
0	0	0	0	15	= DEPO-PROVERA, INJECTABLES
0	0	0	0	16	= MORNING AFTER PILLS
0	0	0	0	17	= RHYTHM OR SAFE PERIOD BY CALENDAR

1995 NATIONAL SURVEY OF FAMILY GROWTH
 File Documentation
 Respondent File (Section E Questionnaire Items)

VARIABLE NAME	COLUMN LOCATION	NON-HISPANIC			TOTAL	QX	TEXT AND CODE CATEGORIES
		HISP	WHITE	BLACK			
		0	0	0	0	18	= SAFE PERIOD BY TEMP, CERVICAL MUCUS TEST, NFP
		0	0	0	0	19	= WITHDRAWAL
		0	0	0	0	20	= RESPONDENT STERILE
		0	0	0	0	21	= PARTNER STERILE (NOT ON CARD)
		0	0	0	0	22	= OTHER METHOD-NOT SHOWN SEPARATELY
		0	0	0	0	97	= Not Ascertained
		0	0	0	0	98	= Refused
		0	0	0	0	99	= Don't Know

1995 NATIONAL SURVEY OF FAMILY GROWTH
 File Documentation
 Respondent File (Section E Questionnaire Items)

VARIABLE	COLUMN	NON-HISPANIC				QX TEXT AND CODE CATEGORIES
NAME	LOCATION	HISP	WHITE	BLACK	TOTAL	

[MTHUS691] 8848-8849

During that month, which (of those/other) methods, if any, did you use at the same time? (4th METHOD MENTIONED, 2nd COMBINATION, MC58)

Inapplicable:
 R said no, don't know or refused to all birth control methods in EA series (computed variable EVERUSED = 2); R never had sex as of this month and never used a birth control method as of this month but ever used one or more birth control methods in EA series (WNFSTSEX GE 1093 and DATFIRSM GE 1093 and computed variable EVERUSED = 1); month R was interviewed preceded this month; R did not use multiple methods in the month; or R used only 2 methods in the month; or R reported fewer than 2 BC method combinations; or R reported using fewer than 4 BC methods for this combination in this month of the method calendar.

1553	6483	2446	10847	Blank	= Blank, inapplicable
0	0	0	0	01	= NONE
0	0	0	0	02	= OFFICE USE ONLY
0	0	0	0	03	= BIRTH CONTROL PILLS
0	0	0	0	04	= CONDOM
0	0	0	0	05	= PARTNER'S VASECTOMY
0	0	0	0	06	= DIAPHRAGM
0	0	0	0	07	= FOAM
0	0	0	0	08	= JELLY OR CREAM
0	0	0	0	09	= CERVICAL CAP
0	0	0	0	10	= SUPPOSITORY, INSERT
0	0	0	0	11	= TODAY (TM) SPONGE
0	0	0	0	12	= FEMALE CONDOM, VAGINAL POUCH
0	0	0	0	13	= IUD, COIL, LOOP
0	0	0	0	14	= NORPLANT (TM)
0	0	0	0	15	= DEPO-PROVERA, INJECTABLES
0	0	0	0	16	= MORNING AFTER PILLS
0	0	0	0	17	= RHYTHM OR SAFE PERIOD BY CALENDAR

(5028)

1995 NATIONAL SURVEY OF FAMILY GROWTH
 File Documentation
 Respondent File (Section E Questionnaire Items)

VARIABLE NAME	COLUMN LOCATION	NON-HISPANIC			QX	TEXT AND CODE CATEGORIES
		HISP	WHITE	BLACK		
		0	0	0	0	18 = SAFE PERIOD BY TEMP, CERVICAL MUCUS TEST, NFP
		0	0	0	0	19 = WITHDRAWAL
		0	0	0	0	20 = RESPONDENT STERILE
		0	0	0	0	21 = PARTNER STERILE (NOT ON CARD)
		0	0	0	0	22 = OTHER METHOD-NOT SHOWN SEPARATELY
		0	0	0	0	97 = Not Ascertained
		0	0	0	0	98 = Refused
		0	0	0	0	99 = Don't Know

1995 NATIONAL SURVEY OF FAMILY GROWTH
 File Documentation
 Respondent File (Section E Questionnaire Items)

VARIABLE	COLUMN	NON-HISPANIC								
NAME	LOCATION	HISP	WHITE	BLACK						TOTAL

[MTHUS692] 8850-8851

During that month, which (of those/other) methods, if any, did you use at the same time? (1st METHOD MENTIONED, 3rd COMBINATION, MC58)

Inapplicable:
 R said no, don't know or refused to all birth control methods in EA series (computed variable EVERUSED = 2); R never had sex as of this month and never used a birth control method as of this month but ever used one or more birth control methods in EA series (WNFSTSEX GE 1093 and DATFIRSM GE 1093 and computed variable EVERUSED = 1); month R was interviewed preceded this month; R did not use multiple methods in the month; or R used only 2 methods in the month; or R reported fewer than 3 BC method combinations.

1553	6483	2446	10847	Blank	= Blank, inapplicable
0	0	0	0	01	= NONE
0	0	0	0	02	= OFFICE USE ONLY
0	0	0	0	03	= BIRTH CONTROL PILLS
0	0	0	0	04	= CONDOM
0	0	0	0	05	= PARTNER'S VASECTOMY
0	0	0	0	06	= DIAPHRAGM
0	0	0	0	07	= FOAM
0	0	0	0	08	= JELLY OR CREAM
0	0	0	0	09	= CERVICAL CAP
0	0	0	0	10	= SUPPOSITORY, INSERT
0	0	0	0	11	= TODAY (TM) SPONGE
0	0	0	0	12	= FEMALE CONDOM, VAGINAL POUCH
0	0	0	0	13	= IUD, COIL, LOOP
0	0	0	0	14	= NORPLANT (TM)
0	0	0	0	15	= DEPO-PROVERA, INJECTABLES
0	0	0	0	16	= MORNING AFTER PILLS
0	0	0	0	17	= RHYTHM OR SAFE PERIOD BY CALENDAR
0	0	0	0	18	= SAFE PERIOD BY TEMP, CERVICAL MUCUS TEST, NFP

1995 NATIONAL SURVEY OF FAMILY GROWTH
 File Documentation
 Respondent File (Section E Questionnaire Items)

VARIABLE NAME	COLUMN LOCATION	NON-HISPANIC			TOTAL	QX	TEXT AND CODE CATEGORIES
		HISP	WHITE	BLACK			
		0	0	0	0	19	= WITHDRAWAL
		0	0	0	0	20	= RESPONDENT STERILE
		0	0	0	0	21	= PARTNER STERILE (NOT ON CARD)
		0	0	0	0	22	= OTHER METHOD-NOT SHOWN SEPARATELY
		0	0	0	0	97	= Not Ascertained
		0	0	0	0	98	= Refused
		0	0	0	0	99	= Don't Know

1995 NATIONAL SURVEY OF FAMILY GROWTH
 File Documentation
 Respondent File (Section E Questionnaire Items)

VARIABLE	COLUMN	NON-HISPANIC			QX TEXT AND CODE CATEGORIES
NAME	LOCATION	HISP	WHITE	BLACK	TOTAL

[MTHUS693] 8852-8853

During that month, which (of those/other) methods, if any, did you use at the same time? (2nd METHOD MENTIONED, 3rd COMBINATION, MC58)

Inapplicable:
 R said no, don't know or refused to all birth control methods in EA series (computed variable EVERUSED = 2); R never had sex as of this month and never used a birth control method as of this month but ever used one or more birth control methods in EA series (WNFSTSEX GE 1093 and DATFIRSM GE 1093 and computed variable EVERUSED = 1); month R was interviewed preceded this month; R did not use multiple methods in the month; or R used only 2 methods in the month; or R reported fewer than 3 BC method combinations; or R reported using fewer than 2 BC methods for this combination in this month of the method calendar.

1553	6483	2446	10847	Blank	= Blank, inapplicable
0	0	0	0	01	= NONE
0	0	0	0	02	= OFFICE USE ONLY
0	0	0	0	03	= BIRTH CONTROL PILLS
0	0	0	0	04	= CONDOM
0	0	0	0	05	= PARTNER'S VASECTOMY
0	0	0	0	06	= DIAPHRAGM
0	0	0	0	07	= FOAM
0	0	0	0	08	= JELLY OR CREAM
0	0	0	0	09	= CERVICAL CAP
0	0	0	0	10	= SUPPOSITORY, INSERT
0	0	0	0	11	= TODAY (TM) SPONGE
0	0	0	0	12	= FEMALE CONDOM, VAGINAL POUCH
0	0	0	0	13	= IUD, COIL, LOOP
0	0	0	0	14	= NORPLANT (TM)
0	0	0	0	15	= DEPO-PROVERA, INJECTABLES
0	0	0	0	16	= MORNING AFTER PILLS
0	0	0	0	17	= RHYTHM OR SAFE PERIOD BY CALENDAR

(5032)

1995 NATIONAL SURVEY OF FAMILY GROWTH
 File Documentation
 Respondent File (Section E Questionnaire Items)

VARIABLE NAME	COLUMN LOCATION	NON-HISPANIC			QX	TEXT AND CODE CATEGORIES
		HISP	WHITE	BLACK		
		0	0	0	0	18 = SAFE PERIOD BY TEMP, CERVICAL MUCUS TEST, NFP
		0	0	0	0	19 = WITHDRAWAL
		0	0	0	0	20 = RESPONDENT STERILE
		0	0	0	0	21 = PARTNER STERILE (NOT ON CARD)
		0	0	0	0	22 = OTHER METHOD-NOT SHOWN SEPARATELY
		0	0	0	0	97 = Not Ascertained
		0	0	0	0	98 = Refused
		0	0	0	0	99 = Don't Know

1995 NATIONAL SURVEY OF FAMILY GROWTH
 File Documentation
 Respondent File (Section E Questionnaire Items)

VARIABLE	COLUMN	NON-HISPANIC				QX TEXT AND CODE CATEGORIES
NAME	LOCATION	HISP	WHITE	BLACK	TOTAL	

[MTHUS694] 8854-8855

During that month, which (of those/other) methods, if any, did you use at the same time? (3rd METHOD MENTIONED, 3rd COMBINATION, MC58)

Inapplicable:
 R said no, don't know or refused to all birth control methods in EA series (computed variable EVERUSED = 2); R never had sex as of this month and never used a birth control method as of this month but ever used one or more birth control methods in EA series (WNFSTSEX GE 1093 and DATFIRSM GE 1093 and computed variable EVERUSED = 1); month R was interviewed preceded this month; R did not use multiple methods in the month; or R used only 2 methods in the month; or R reported fewer than 3 BC method combinations; or R reported using fewer than 3 BC methods for this combination in this month of the method calendar.

1553	6483	2446	10847	Blank	= Blank, inapplicable
0	0	0	0	01	= NONE
0	0	0	0	02	= OFFICE USE ONLY
0	0	0	0	03	= BIRTH CONTROL PILLS
0	0	0	0	04	= CONDOM
0	0	0	0	05	= PARTNER'S VASECTOMY
0	0	0	0	06	= DIAPHRAGM
0	0	0	0	07	= FOAM
0	0	0	0	08	= JELLY OR CREAM
0	0	0	0	09	= CERVICAL CAP
0	0	0	0	10	= SUPPOSITORY, INSERT
0	0	0	0	11	= TODAY (TM) SPONGE
0	0	0	0	12	= FEMALE CONDOM, VAGINAL POUCH
0	0	0	0	13	= IUD, COIL, LOOP
0	0	0	0	14	= NORPLANT (TM)
0	0	0	0	15	= DEPO-PROVERA, INJECTABLES
0	0	0	0	16	= MORNING AFTER PILLS
0	0	0	0	17	= RHYTHM OR SAFE PERIOD BY CALENDAR

1995 NATIONAL SURVEY OF FAMILY GROWTH
 File Documentation
 Respondent File (Section E Questionnaire Items)

VARIABLE NAME	COLUMN LOCATION	NON-HISPANIC			TOTAL	QX	TEXT AND CODE CATEGORIES
		HISP	WHITE	BLACK			
		0	0	0	0	18	= SAFE PERIOD BY TEMP, CERVICAL MUCUS TEST, NFP
		0	0	0	0	19	= WITHDRAWAL
		0	0	0	0	20	= RESPONDENT STERILE
		0	0	0	0	21	= PARTNER STERILE (NOT ON CARD)
		0	0	0	0	22	= OTHER METHOD-NOT SHOWN SEPARATELY
		0	0	0	0	97	= Not Ascertained
		0	0	0	0	98	= Refused
		0	0	0	0	99	= Don't Know

1995 NATIONAL SURVEY OF FAMILY GROWTH
 File Documentation
 Respondent File (Section E Questionnaire Items)

VARIABLE	COLUMN	NON-HISPANIC		
NAME	LOCATION	HISP	WHITE BLACK TOTAL	QX TEXT AND CODE CATEGORIES

[MTHUS695] 8856-8857

During that month, which (of those/other) methods, if any, did you use at the same time? (4th METHOD MENTIONED, 3rd COMBINATION, MC58)

Inapplicable:
 R said no, don't know or refused to all birth control methods in EA series (computed variable EVERUSED = 2); R never had sex as of this month and never used a birth control method as of this month but ever used one or more birth control methods in EA series (WNFSTSEX GE 1093 and DATFIRSM GE 1093 and computed variable EVERUSED = 1); month R was interviewed preceded this month; R did not use multiple methods in the month; or R used only 2 methods in the month; or R reported fewer than 3 BC method combinations; or R reported using fewer than 4 BC methods for this combination in this month of the method calendar.

1553	6483	2446	10847	Blank	= Blank, inapplicable
0	0	0	0	01	= NONE
0	0	0	0	02	= OFFICE USE ONLY
0	0	0	0	03	= BIRTH CONTROL PILLS
0	0	0	0	04	= CONDOM
0	0	0	0	05	= PARTNER'S VASECTOMY
0	0	0	0	06	= DIAPHRAGM
0	0	0	0	07	= FOAM
0	0	0	0	08	= JELLY OR CREAM
0	0	0	0	09	= CERVICAL CAP
0	0	0	0	10	= SUPPOSITORY, INSERT
0	0	0	0	11	= TODAY (TM) SPONGE
0	0	0	0	12	= FEMALE CONDOM, VAGINAL POUCH
0	0	0	0	13	= IUD, COIL, LOOP
0	0	0	0	14	= NORPLANT (TM)
0	0	0	0	15	= DEPO-PROVERA, INJECTABLES
0	0	0	0	16	= MORNING AFTER PILLS
0	0	0	0	17	= RHYTHM OR SAFE PERIOD BY CALENDAR

1995 NATIONAL SURVEY OF FAMILY GROWTH
 File Documentation
 Respondent File (Section E Questionnaire Items)

VARIABLE NAME	COLUMN LOCATION	NON-HISPANIC			TOTAL	QX	TEXT AND CODE CATEGORIES
		HISP	WHITE	BLACK			
		0	0	0	0	18	= SAFE PERIOD BY TEMP, CERVICAL MUCUS TEST, NFP
		0	0	0	0	19	= WITHDRAWAL
		0	0	0	0	20	= RESPONDENT STERILE
		0	0	0	0	21	= PARTNER STERILE (NOT ON CARD)
		0	0	0	0	22	= OTHER METHOD-NOT SHOWN SEPARATELY
		0	0	0	0	97	= Not Ascertained
		0	0	0	0	98	= Refused
		0	0	0	0	99	= Don't Know

[WYNOTUSE] 8858-8858

Is the reason you are not using a method of birth control now because you, yourself, want to become pregnant as soon as possible?

Inapplicable:

R never had sex and said no, don't know or refused to all birth control methods in EA series (computed variable RHADSEX coded 2,7,8 or 9 and computed variable EVERUSED = 2); R never had sex and has used the pill (computed variable RHADSEX coded 2,7,8 or 9 and EA-3 PILL = 1); R never had sex and has never used the pill (computed variable RHADSEX coded 2,7,8 or 9 and EA-3 PILL = 2); R is currently pregnant (coded 1 in BA-2 PREGNOWQ); R has not had sex in the interview month (date reported in EE-3 ENDNOSE0-3 = A_DOI); R is sterile (computed variable RSTERILE = 1); R used a birth control method in the interview month (EF-1 METHHnnn for interview month NE 1 or blank).

1372	5742	2113	9540	Blank	= Blank, inapplicable
56	235	74	389	1	= YES
119	496	255	898	2	= NO
5	4	2	11	7	= Not Ascertained
0	2	0	2	8	= Refused
1	4	2	7	9	= Don't Know

1995 NATIONAL SURVEY OF FAMILY GROWTH
 File Documentation
 Respondent File (Section E Questionnaire Items)

VARIABLE	COLUMN	NON-HISPANIC			QX TEXT AND CODE CATEGORIES
NAME	LOCATION	HISP	WHITE	BLACK	TOTAL

[HPPREGQ] 8859-8859

And your partner, does he want you to become pregnant as soon as possible?

Inapplicable:
 R never had sex and said no, don't know or refused to all birth control methods in EA series (computed variable RHADSEX coded 2,7,8 or 9 and computed variable EVERUSED = 2);
 R never had sex and has used the pill (computed variable RHADSEX coded 2,7,8 or 9 and EA-3 PILL = 1);
 R never had sex and has never used the pill (computed variable RHADSEX coded 2,7,8 or 9 and EA-3 PILL = 2);
 R is currently pregnant (coded 1 in BA-2 PREGNOWQ); R has not had sex in the interview month (date reported in EE-3 ENDNOSE0-3 = E_DOI); R is sterile (computed variable RSTERILE = 1); R used a birth control method in the interview month (EF-1 METHHnnn for interview month NE 1 or blank).

1372	5742	2113	9540	Blank	= Blank, inapplicable
66	250	104	445	1	= YES
108	476	220	830	2	= NO
5	4	2	11	7	= Not Ascertained
0	2	1	3	8	= Refused
2	9	6	18	9	= Don't Know

1995 NATIONAL SURVEY OF FAMILY GROWTH
File Documentation
Respondent File (Section E Questionnaire Items)

VARIABLE	COLUMN	NON-HISPANIC								
NAME	LOCATION	HISP	WHITE	BLACK						

[PLACCUR0] 8860-8861

Please look at Card E-9. Where did you get the (prescription for the) (METHOD) you used last month. (1st MENTIONED)

Inapplicable:

R never had sex and never used any birth control methods in EA series (computed variable RHADSEX coded 2,7,8 or 9 and computed variable EVERUSED = 2); R never had sex and has used the pill (computed variable RHADSEX coded 2,7,8 or 9 and EA-3 PILL = 1); R never had sex and has never used the pill (computed variable RHADSEX coded 2,7,8 or 9 and EA-3 PILL = 2); R is currently pregnant (coded 1 in BA-2 PREGNOWQ); R has not had sex in the interview month (date reported in EE-3 ENDNOSE0-3 = E_DOI); R is sterile (computed variable RSTERILE = 1); R did not use a birth control method in the interview month (EF-1 METHHnnn for interview month = 1 or blank); R used a method in the month prior to the interview but it was not a drug or device (EF-1 METHHnnn for month prior to interview month NE 1 or blank and the method was not a drug or device).

1061	4201	1669	7189	Blank	= Blank, inapplicable
152	353	246	769	01	= Clinic
152	1018	270	1470	02	= Private doctor's office, or HMO
13	27	17	60	03	= Other place
2	5	3	10	04	= HOSPITAL-EMERGENCY ROOM
3	13	13	32	05	= HOSPITAL-NOT EMERGENCY ROOM
1	10	4	17	06	= School or college
1	7	2	10	07	= Military facility
0	0	0	0	08	= Home
141	739	172	1093	09	= Pharmacy, drug store, other store
22	100	50	182	10	= Male partner supplied it, from

(5039)

1995 NATIONAL SURVEY OF FAMILY GROWTH
 File Documentation
 Respondent File (Section E Questionnaire Items)

VARIABLE NAME	COLUMN LOCATION	NON-HISPANIC			TOTAL	QX	TEXT AND CODE CATEGORIES
		HISP	WHITE	BLACK			
		4	5	0	9	97	some other place
		0	0	0	0	98	= Not Ascertained
		1	5	0	6	99	= Refused = Don't Know
[FILLER]	9512-9512						This file location is blank.

1995 NATIONAL SURVEY OF FAMILY GROWTH
 File Documentation
 Respondent File (Section E Questionnaire Items)

VARIABLE	COLUMN	NON-HISPANIC			
NAME	LOCATION	HISP	WHITE	BLACK	TOTAL

QX TEXT AND CODE CATEGORIES

[TITTENC0] 8872-8872

Title X Clinic? -Where R Got Method
 Used Last Month (1st MENTIONED)

Inapplicable:
 R never had sex and never used any birth control methods in EA series (computed variable RHADSEX coded 2,7,8 or 9 and computed variable EVERUSED = 2); R never had sex and has used the pill (computed variable RHADSEX coded 2,7,8 or 9 and EA-3 PILL = 1); R never had sex and has never used the pill (computed variable RHADSEX coded 2,7,8 or 9 and EA-3 PILL = 2); R is currently pregnant (coded 1 in BA-2 PREGNOWQ); R has not had sex in the interview month (date reported in EE-3 ENDNOSE0-3 = E_DOI); R is sterile (computed variable RSTERILE = 1); R did not use a birth control method in the interview month (EF-1 METHHnnn for interview month = 1 or blank); R used a method in the month prior to the interview but it was not a drug or device (EF-1 METHHnnn for month prior to interview month NE 1 or blank and the method was not a drug or device); Method R used in month prior to interview was a drug or device and was not obtained from a clinic (EF-1 METHHnnn for month prior to interview month NE 1 or blank, and the method was a drug or device, and EH-3 PLACCURO NE 1); or clinic could not be found in clinic database.

1446	6237	2262	10298	Blank	= Blank, inapplicable
56	188	126	375	1	= YES
51	58	58	174	2	= NO
0	0	0	0	7	= Not Ascertained
0	0	0	0	8	= Refused
0	0	0	0	9	= Don't Know

1995 NATIONAL SURVEY OF FAMILY GROWTH
 File Documentation
 Respondent File (Section E Questionnaire Items)

VARIABLE COLUMN NON-HISPANIC
 NAME LOCATION HISP WHITE BLACK TOTAL QX TEXT AND CODE CATEGORIES

[TYPAGYC0] 8873-8873

Type of agency-Where R Got Method
 Used Last Month (1st MENTIONED)

Inapplicable:

R never had sex and never used any birth control methods in EA series (computed variable RHADSEX coded 2,7,8 or 9 and computed variable EVERUSED = 2); R never had sex and has used the pill (computed variable RHADSEX coded 2,7,8 or 9 and EA-3 PILL = 1); R never had sex and has never used the pill (computed variable RHADSEX coded 2,7,8 or 9 and EA-3 PILL = 2); R is currently pregnant (coded 1 in BA-2 PREGNOWQ); R has not had sex in the interview month (date reported in EE-3 ENDNOSE0-3 = E_DOI); R is sterile (computed variable RSTERILE = 1); R did not use a birth control method in the interview month (EF-1 METHHnnn for interview month = 1 or blank); R used a method in the month prior to the interview but it was not a drug or device (EF-1 METHHnnn for month prior to interview month NE 1 or blank and the method was not a drug or device); Method R used in month prior to interview was a drug or device and was not obtained from a clinic (EF-1 METHHnnn for month prior to interview month NE 1 or blank, the method was a drug or device, and EH-3 PLACCUR0 NE 1); or clinic could not be found in clinic database.

1446	6237	2262	10298	Blank	= Blank, inapplicable
14	14	32	62	1	= Hospital
34	93	95	224	2	= Health Department
29	109	24	164	3	= Planned Parenthood
30	30	33	99	4	= Other
0	0	0	0	7	= Not Ascertained
0	0	0	0	8	= Refused
0	0	0	0	9	= Don't Know

1995 NATIONAL SURVEY OF FAMILY GROWTH
 File Documentation
 Respondent File (Section E Questionnaire Items)

VARIABLE	COLUMN	NON-HISPANIC				
NAME	LOCATION	HISP	WHITE	BLACK	TOTAL	QX TEXT AND CODE CATEGORIES

[PLACCUR1] 8874-8875

Please look at Card E-9. Where did you get the (prescription for the) (METHOD) you used last month. (2nd MENTIONED)

Inapplicable:

R never had sex and never used any birth control methods in EA series (computed variable RHADSEX coded 2,7,8 or 9 and computed variable EVERUSED = 2); R never had sex and has used the pill (computed variable RHADSEX coded 2,7,8 or 9 and EA-3 PILL = 1); R never had sex and has never used the pill (computed variable RHADSEX coded 2,7,8 or 9 and EA-3 PILL = 2); R is currently pregnant (coded 1 in BA-2 PREGNOWQ); R has not had sex in the interview month (date reported in EE-3 ENDNOSE0-3 = E_DOI); R is sterile (computed variable RSTERILE = 1); R did not use a birth control method in the interview month (EF-1 METHHnnn for interview month = 1 or blank); R used a method in the month prior to the interview but it was not a drug or device (EF-1 METHHnnn for month prior to interview month NE 1 or blank and the method was not a drug or device); or R reported using fewer than 2 drug/device BC methods last month.

1526	6268	2351	10504	Blank		= Blank, inapplicable	
	5	26	29	60	01	= Clinic	
	6	30	16	52	02	= Private doctor's office, or HMO	
	0	7	4	12	03	= Other place	
	0	0	0	0	04	= HOSPITAL-EMERGENCY ROOM	
	0	0	1	1	05	= HOSPITAL-NOT EMERGENCY ROOM	
	0	2	1	3	06	= School or college	
	0	0	0	0	07	= Military facility	
	0	0	0	0	08	= Home	
	15	127	34	179	09	= Pharmacy, drug store, other store	

(5043)

1995 NATIONAL SURVEY OF FAMILY GROWTH
 File Documentation
 Respondent File (Section E Questionnaire Items)

VARIABLE NAME	COLUMN LOCATION	NON-HISPANIC			TOTAL	QX	TEXT AND CODE CATEGORIES
		HISP	WHITE	BLACK			
		0	22	9	33	10	= Male partner supplied it, from some other place
		0	0	1	1	97	= Not Ascertained
		0	0	0	0	98	= Refused
		1	1	0	2	99	= Don't Know
[FILLER]	8876-8885						This file location is blank.

1995 NATIONAL SURVEY OF FAMILY GROWTH
 File Documentation
 Respondent File (Section E Questionnaire Items)

VARIABLE COLUMN NON-HISPANIC
 NAME LOCATION HISP WHITE BLACK TOTAL QX TEXT AND CODE CATEGORIES

[TYPAGYC1] 8887-8887

Type of agency-Where R Got Method
 Used Last Month (2nd MENTIONED)

Inapplicable:
 R never had sex and never used any birth control methods in EA series (computed variable RHADSEX coded 2,7,8 or 9 and computed variable EVERUSED = 2); R never had sex and has used the pill (computed variable RHADSEX coded 2,7,8 or 9 and EA-3 PILL = 1); R never had sex and has never used the pill (computed variable RHADSEX coded 2,7,8 or 9 and EA-3 PILL = 2); R is currently pregnant (coded 1 in BA-2 PREGNOWQ); R has not had sex in the interview month (date reported in EE-3 ENDNOSE0-3 = E_DOI); R is sterile (computed variable RSTERILE = 1); R did not use a birth control method in the interview month (EF-1 METHHnnn for interview month = 1 or blank); R used a method in the month prior to the interview but it was not a drug or device (EF-1 METHHnnn for month prior to interview month NE 1 or blank and the method was not a drug or device); Method R used in month prior to interview was a drug or device and was not obtained from a clinic (EF-1 METHHnnn for month prior to interview month NE 1 or blank, the method was a drug or device, and EH-3 PLACCUR0 NE 1); or clinic could not be found in clinic database; or R reported using fewer than 2 drug/device BC methods last month.

1548	6463	2426	10802	Blank	= Blank, inapplicable
1	2	3	6	1	= Hospital
0	11	13	24	2	= Health Department
4	4	1	9	3	= Planned Parenthood
0	3	3	6	4	= Other
0	0	0	0	7	= Not Ascertained
0	0	0	0	8	= Refused
0	0	0	0	9	= Don't Know

(5046)

1995 NATIONAL SURVEY OF FAMILY GROWTH
 File Documentation
 Respondent File (Section E Questionnaire Items)

VARIABLE	COLUMN	NON-HISPANIC				QX TEXT AND CODE CATEGORIES
NAME	LOCATION	HISP	WHITE	BLACK	TOTAL	

[PLACCUR2] 8888-8889

Please look at Card E-9. Where did you get the (prescription for the) (METHOD) you used last month. (3rd MENTIONED)

Inapplicable:

R never had sex and never used any birth control methods in EA series (computed variable RHADSEX coded 2,7,8 or 9 and computed variable EVERUSED = 2); R never had sex and has used the pill (computed variable RHADSEX coded 2,7,8 or 9 and EA-3 PILL = 1); R never had sex and has never used the pill (computed variable RHADSEX coded 2,7,8 or 9 and EA-3 PILL = 2); R is currently pregnant (coded 1 in BA-2 PREGNOWQ); R has not had sex in the interview month (date reported in EE-3 ENDNOSE0-3 = E_DOI); R is sterile (computed variable RSTERILE = 1); R did not use a birth control method in the interview month (EF-1 METHHnnn for interview month = 1 or blank); R used a method in the month prior to the interview but it was not a drug or device (EF-1 METHHnnn for month prior to interview month NE 1 or blank and the method was not a drug or device); or R reported using fewer than 3 drug/device BC methods last month.

	1551	6468	2446	10830	Blank	
	0	1	0	1	01	= Blank, inapplicable
	0	1	0	1	02	= Clinic
						= Private doctor's office, or HMO
	0	1	0	1	03	= Other place
	0	0	0	0	04	= HOSPITAL-EMERGENCY ROOM
	0	0	0	0	05	= HOSPITAL-NOT EMERGENCY ROOM
	0	0	0	0	06	= School or college
	0	0	0	0	07	= Military facility
	0	0	0	0	08	= Home
	2	12	0	14	09	= Pharmacy, drug store, other store

(5047)

1995 NATIONAL SURVEY OF FAMILY GROWTH
 File Documentation
 Respondent File (Section E Questionnaire Items)

VARIABLE NAME	COLUMN LOCATION	NON-HISPANIC			TOTAL	QX	TEXT AND CODE CATEGORIES
		HISP	WHITE	BLACK			
		0	0	0	0	10	= Male partner supplied it, from some other place
		0	0	0	0	97	= Not Ascertained
		0	0	0	0	98	= Refused
		0	0	0	0	99	= Don't Know
[FILLER]	8890-8899						This file location is blank.

1995 NATIONAL SURVEY OF FAMILY GROWTH
 File Documentation
 Respondent File (Section E Questionnaire Items)

VARIABLE	COLUMN	NON-HISPANIC				QX TEXT AND CODE CATEGORIES
NAME	LOCATION	HISP	WHITE	BLACK	TOTAL	

[TITTENC2] 8900-8900

Title X Clinic? -Where R Got Method
 Used Last Month (3rd MENTIONED)

Inapplicable:
 R never had sex and never used any birth control methods in EA series (computed variable RHADSEX coded 2,7,8 or 9 and computed variable EVERUSED = 2); R never had sex and has used the pill (computed variable RHADSEX coded 2,7,8 or 9 and EA-3 PILL = 1); R never had sex and has never used the pill (computed variable RHADSEX coded 2,7,8 or 9 and EA-3 PILL = 2); R is currently pregnant (coded 1 in BA-2 PREGNOWQ); R has not had sex in the interview month (date reported in EE-3 ENDNOSE0-3 = E_DOI); R is sterile (computed variable RSTERILE = 1); R did not use a birth control method in the interview month (EF-1 METHHnnn for interview month = 1 or blank); R used a method in the month prior to the interview but it was not a drug or device (EF-1 METHHnnn for month prior to interview month NE 1 or blank and the method was not a drug or device); Method R used in month prior to interview was a drug or device and was not obtained from a clinic (EF-1 METHHnnn for month prior to interview month NE 1 or blank, and the method was a drug or device, and EH-3 PLACCURO NE 1); or clinic could not be found in clinic database; or R reported using fewer than 3 drug/device BC methods last month.

1553	6482	2446	10846	Blank	= Blank, inapplicable
0	1	0	1	1	= YES
0	0	0	0	2	= NO
0	0	0	0	7	= Not Ascertained
0	0	0	0	8	= Refused
0	0	0	0	9	= Don't Know

1995 NATIONAL SURVEY OF FAMILY GROWTH
 File Documentation
 Respondent File (Section E Questionnaire Items)

VARIABLE	COLUMN	NON-HISPANIC			
NAME	LOCATION	HISP	WHITE	BLACK	TOTAL

QX TEXT AND CODE CATEGORIES

[TYPAGYC2] 8901-8901

Type of agency-Where R Got Method
 Used Last Month (3rd MENTIONED)

Inapplicable:
 R never had sex and never used any birth control methods in EA series (computed variable RHADSEX coded 2,7,8 or 9 and computed variable EVERUSED = 2); R never had sex and has used the pill (computed variable RHADSEX coded 2,7,8 or 9 and EA-3 PILL = 1); R never had sex and has never used the pill (computed variable RHADSEX coded 2,7,8 or 9 and EA-3 PILL = 2); R is currently pregnant (coded 1 in BA-2 PREGNOWQ); R has not had sex in the interview month (date reported in EE-3 ENDNOSE0-3 = E_DOI); R is sterile (computed variable RSTERILE = 1); R did not use a birth control method in the interview month (EF-1 METHHnnn for interview month = 1 or blank); R used a method in the month prior to the interview but it was not a drug or device (EF-1 METHHnnn for month prior to interview month NE 1 or blank and the method was not a drug or device); Method R used in month prior to interview was a drug or device and was not obtained from a clinic (EF-1 METHHnnn for month prior to interview month NE 1 or blank, the method was a drug or device, and EH-3 PLACCUR0 NE 1); or clinic could not be found in clinic database; or R reported using fewer than 3 drug/device BC methods last month.

1553	6482	2446	10846	Blank	= Blank, inapplicable
0	0	0	0	1	= Hospital
0	1	0	1	2	= Health Department
0	0	0	0	3	= Planned Parenthood
0	0	0	0	4	= Other
0	0	0	0	7	= Not Ascertained
0	0	0	0	8	= Refused
0	0	0	0	9	= Don't Know

(5050)

1995 NATIONAL SURVEY OF FAMILY GROWTH
 File Documentation
 Respondent File (Section E Questionnaire Items)

VARIABLE	COLUMN	NON-HISPANIC								
NAME	LOCATION	HISP	WHITE	BLACK						

[PLACCUR3] 8902-8903

Please look at Card E-9. Where did you get the (prescription for the) (METHOD) you used last month. (4th MENTIONED)

Inapplicable:
 R never had sex and never used any birth control methods in EA series (computed variable RHADSEX coded 2,7,8 or 9 and computed variable EVERUSED = 2); R never had sex and has used the pill (computed variable RHADSEX coded 2,7,8 or 9 and EA-3 PILL = 1); R never had sex and has never used the pill (computed variable RHADSEX coded 2,7,8 or 9 and EA-3 PILL = 2); R is currently pregnant (coded 1 in BA-2 PREGNOWQ); R has not had sex in the interview month (date reported in EE-3 ENDNOSE0-3 = E_DOI); R is sterile (computed variable RSTERILE = 1); R did not use a birth control method in the interview month (EF-1 METHHnnn for interview month = 1 or blank); R used a method in the month prior to the interview but it was not a drug or device (EF-1 METHHnnn for month prior to interview month NE 1 or blank and the method was not a drug or device); or R reported using fewer than 4 drug/device BC methods last month.

1553	6481	2445	10844	Blank						= Blank, inapplicable
0	0	0	0	0	01					= Clinic
0	0	0	0	0	02					= Private doctor's office, or HMO
0	1	0	1	03						= Other place
0	0	0	0	04						= HOSPITAL-EMERGENCY ROOM
0	0	0	0	05						= HOSPITAL-NOT EMERGENCY ROOM
0	0	0	0	06						= School or college
0	0	0	0	07						= Military facility
0	0	0	0	08						= Home
0	1	1	2	09						= Pharmacy, drug store, other store

(5051)

1995 NATIONAL SURVEY OF FAMILY GROWTH
 File Documentation
 Respondent File (Section E Questionnaire Items)

VARIABLE NAME	COLUMN LOCATION	NON-HISPANIC			TOTAL	QX	TEXT AND CODE CATEGORIES
		HISP	WHITE	BLACK			
		0	0	0	0	10	= Male partner supplied it, from some other place
		0	0	0	0	97	= Not Ascertained
		0	0	0	0	98	= Refused
		0	0	0	0	99	= Don't Know

[FILLER] 8904-8913 This file location is blank.

1995 NATIONAL SURVEY OF FAMILY GROWTH
 File Documentation
 Respondent File (Section E Questionnaire Items)

VARIABLE	COLUMN	NON-HISPANIC				QX TEXT AND CODE CATEGORIES
NAME	LOCATION	HISP	WHITE	BLACK	TOTAL	

[TITTENC3] 8914-8914

Title X Clinic? -Where R Got Method
 Used Last Month (4th MENTIONED)

Inapplicable:
 R never had sex and never used any birth control methods in EA series (computed variable RHADSEX coded 2,7,8 or 9 and computed variable EVERUSED = 2); R never had sex and has used the pill (computed variable RHADSEX coded 2,7,8 or 9 and EA-3 PILL = 1); R never had sex and has never used the pill (computed variable RHADSEX coded 2,7,8 or 9 and EA-3 PILL = 2); R is currently pregnant (coded 1 in BA-2 PREGNOWQ); R has not had sex in the interview month (date reported in EE-3 ENDNOSE0-3 = E_DOI); R is sterile (computed variable RSTERILE = 1); R did not use a birth control method in the interview month (EF-1 METHHnnn for interview month = 1 or blank); R used a method in the month prior to the interview but it was not a drug or device (EF-1 METHHnnn for month prior to interview month NE 1 or blank and the method was not a drug or device); Method R used in month prior to interview was a drug or device and was not obtained from a clinic (EF-1 METHHnnn for month prior to interview month NE 1 or blank, and the method was a drug or device, and EH-3 PLACCURO NE 1); or clinic could not be found in clinic database; or R reported using fewer than 4 drug/device BC methods last month.

1553	6483	2446	10847	Blank	= Blank, inapplicable
0	0	0	0	1	= YES
0	0	0	0	2	= NO
0	0	0	0	7	= Not Ascertained
0	0	0	0	8	= Refused
0	0	0	0	9	= Don't Know

1995 NATIONAL SURVEY OF FAMILY GROWTH
 File Documentation
 Respondent File (Section E Questionnaire Items)

VARIABLE	COLUMN	NON-HISPANIC				
NAME	LOCATION	HISP	WHITE	BLACK	TOTAL	QX TEXT AND CODE CATEGORIES

[TYPAGYC3] 8915-8915

Type of agency-Where R Got Method
 Used Last Month (4th MENTIONED)

Inapplicable:
 R never had sex and never used any birth control methods in EA series (computed variable RHADSEX coded 2,7,8 or 9 and computed variable EVERUSED = 2); R never had sex and has used the pill (computed variable RHADSEX coded 2,7,8 or 9 and EA-3 PILL = 1); R never had sex and has never used the pill (computed variable RHADSEX coded 2,7,8 or 9 and EA-3 PILL = 2); R is currently pregnant (coded 1 in BA-2 PREGNOWQ); R has not had sex in the interview month (date reported in EE-3 ENDNOSE0-3 = E_DOI); R is sterile (computed variable RSTERILE = 1); R did not use a birth control method in the interview month (EF-1 METHHnnn for interview month = 1 or blank); R used a method in the month prior to the interview but it was not a drug or device (EF-1 METHHnnn for month prior to interview month NE 1 or blank and the method was not a drug or device); Method R used in month prior to interview was a drug or device and was not obtained from a clinic (EF-1 METHHnnn for month prior to interview month NE 1 or blank, the method was a drug or device, and EH-3 PLACCUR0 NE 1); or clinic could not be found in clinic database; or R reported using fewer than 4 drug/device BC methods last month.

1553	6483	2446	10847	Blank	= Blank, inapplicable
0	0	0	0	1	= Hospital
0	0	0	0	2	= Health Department
0	0	0	0	3	= Planned Parenthood
0	0	0	0	4	= Other
0	0	0	0	7	= Not Ascertained
0	0	0	0	8	= Refused
0	0	0	0	9	= Don't Know

(5054)

1995 NATIONAL SURVEY OF FAMILY GROWTH
 File Documentation
 Respondent File (Section E Questionnaire Items)

VARIABLE NAME	COLUMN LOCATION	NON-HISPANIC			QX TEXT AND CODE CATEGORIES	
		HISP	WHITE	BLACK	TOTAL	
[EIRECONT]	8916-8916					Recontacted R to ask questions EI2-EI6 (computed). Computed variable EIRECONT set to 1 if R was recontacted. Otherwise, computed variable EIRECONT = 2. Computed for all Rs.
		73	318	89	492	1 = Yes
		1480	6165	2357	10355	2 = No
[FREQSEX]	8917-8917					Please look at Card E-10. In the last three months, that is, during (MON(CUR-3)), (MON(CUR-2)), and (MON(CUR-1)), how frequently did you have intercourse? Inapplicable: R never had sex and said no, don't know or refused to all birth control methods in EA series (computed variable RHADSEX coded 2,7,8 or 9 and computed variable EVERUSED = 2); R never had sex and has used the pill (computed variable RHADSEX coded 2,7,8 or 9 and EA-3 PILL = 1); R never had sex and has never used the pill (computed variable RHADSEX coded 2,7,8 or 9 and EA-3 PILL = 2); R did not have sex in the 3 months prior to the interview (as given in EE-2 STRNOS00-EE-2 STRNOS03 and EE-3 ENDNOSE0-EE-3 ENDNOSE3).
		347	1273	499	2237	Blank = Blank, inapplicable
		176	698	399	1303	1 = Once a month or less
		239	1199	468	1970	2 = Two or three times a month
		245	1224	349	1879	3 = Once a week
		416	1573	554	2611	4 = Two or three times a week
		114	457	150	740	5 = Four or more times a week
		1	2	0	3	7 = Not Ascertained
		13	46	26	89	8 = Refused
		2	11	1	15	9 = Don't Know

1995 NATIONAL SURVEY OF FAMILY GROWTH
 File Documentation
 Respondent File (Section E Questionnaire Items)

VARIABLE	COLUMN	NON-HISPANIC				
NAME	LOCATION	HISP	WHITE	BLACK	TOTAL	QX TEXT AND CODE CATEGORIES

[MISSPILL] 8918-8918

During (MON(CUR-3)), (MON(CUR-2)), and (MON(CUR-1)), how many pills that you were supposed to take did you miss?

Inapplicable:
 R never had sex and said no, don't know or refused to all birth control methods in EA series (computed variable RHADSEX coded 2,7,8 or 9 and computed variable EVERUSED = 2);
 R never had sex and has used the pill (computed variable RHADSEX coded 2,7,8 or 9 and EA-3 PILL = 1);
 R never had sex and has never used the pill (computed variable RHADSEX coded 2,7,8 or 9 and EA-3 PILL = 2);
 R did not have sex in the 3 months prior to the interview (as given in EE-2 STRNOS00-EE-2 STRNOS03 and EE-3 ENDNOSE0-EE-3 ENDNOSE3); R has said no, don't know or refused to all birth control methods in EA series (computed variable EVERUSED = 2); R has been sterile for at least 3 months (computed variable RSTERILE=1 and ((DATOPNNX+3) < MON(CUR-1))); the only birth control methods reported for three months prior to the interview are none, Norplant, Depo-provera, female sterilization, IUD, partner's vasectomy, or partner's sterility (EF-1 METHHnnn for 3 months prior to interview month are only coded one or more of the following: 1, 5, 13, 14, 15, 20, or 21); R did not use the pill in any of the 3 months prior to the interview (EF-1 METHHnnn for the 3 months prior to interview month are all NE 3).

1338	5343	2100	9112	Blank	= Blank, inapplicable
121	789	223	1152	1	= Never missed a pill
18	161	45	229	2	= Missed only one pill
54	154	69	286	3	= Missed two or more pills
19	34	7	61	7	= Not Ascertained

1995 NATIONAL SURVEY OF FAMILY GROWTH
 File Documentation
 Respondent File (Section E Questionnaire Items)

VARIABLE NAME	COLUMN LOCATION	NON-HISPANIC			TOTAL	QX	TEXT AND CODE CATEGORIES
		HISP	WHITE	BLACK			
		0	2	0	2	8	= Refused
		3	0	2	5	9	= Don't Know

1995 NATIONAL SURVEY OF FAMILY GROWTH
 File Documentation
 Respondent File (Section E Questionnaire Items)

VARIABLE	COLUMN	NON-HISPANIC			QX TEXT AND CODE CATEGORIES
NAME	LOCATION	HISP	WHITE	BLACK	TOTAL

[USERHYTH] 8919-8919

Please look at Card E-11. During (MON(CUR-3)), (MON(CUR-2)), and (MON(CUR-1)), did you have intercourse during your "safe times only," during your "safe times" and at other times, or during other times only?

Inapplicable:
 R never had sex and said no, don't know or refused to all birth control methods in EA series (computed variable RHADSEX coded 2,7,8 or 9 and computed variable EVERUSED = 2); R never had sex and has used the pill (computed variable RHADSEX coded 2,7,8 or 9 and EA-3 PILL = 1); R never had sex and has never used the pill (computed variable RHADSEX coded 2,7,8 or 9 and EA-3 PILL = 2); R did not have sex in the 3 months prior to the interview (as given in EE-2 STRNOS00-EE-2 STRNOS03 and EE-3 ENDNOSE0-EE-3 ENDNOSE3); R has said no, don't know or refused to all birth control methods in EA series (computed variable EVERUSED = 2); R has been sterile for at least 3 months (computed variable RSTERILE=1 and ((DATOPNNX+3) < MON(CUR-1)); the only birth control methods reported for three months prior to the interview are none, Norplant, Depo-provera, female sterilization, IUD, partner's vasectomy, or partner's sterility (EF-1 METHHnnn for 3 months prior to interview month are only coded one or more of the following: 1, 5, 13, 14, 15, 20, or 21); R used only the pill in the 3 months prior to the interview (EF-1 METHHnnn for the 3 months prior to the interview month = only 3); R did not use rhythm or safe period by temperature as methods of birth control in the 3 months prior to interview (EF-1 METHHnnn for the 3 months prior to interview NE 17 or

1995 NATIONAL SURVEY OF FAMILY GROWTH
 File Documentation
 Respondent File (Section E Questionnaire Items)

VARIABLE NAME	COLUMN LOCATION	NON-HISPANIC			TOTAL	QX TEXT AND CODE CATEGORIES
		HISP	WHITE	BLACK		
		1507	6292	2422	10568	Blank
		23	91	8	131	1 = Blank, inapplicable
		22	84	15	127	2 = SAFE TIMES ONLY
						3 = SAFE TIMES AND OTHER TIMES
		1	11	1	13	3 = OTHER TIMES ONLY
		0	4	0	5	7 = Not Ascertained
		0	0	0	0	8 = Refused
		0	1	0	3	9 = Don't Know

18).

1995 NATIONAL SURVEY OF FAMILY GROWTH
 File Documentation
 Respondent File (Section E Questionnaire Items)

VARIABLE NAME	COLUMN LOCATION	NON-HISPANIC WHITE BLACK TOTAL	QX TEXT AND CODE CATEGORIES
[HOWOFTEN]	8920-8920		<p>(Not counting the pill and rhythm or safe period methods), during (MON(CUR-3)), (MON(CUR-2)), and (MON(CUR-1)), how often did you and your partner usually use a method of birth control for any reason? Would you say you used a method less than half the time, about half the time, more than half the time, or every time you had intercourse?</p> <p>Inapplicable: R never had sex and said no, don't know or refused to all birth control methods in EA series (computed variable RHADSEX coded 2,7,8 or 9 and computed variable EVERUSED = 2); R never had sex and has used the pill (computed variable RHADSEX coded 2,7,8 or 9 and EA-3 PILL = 1); R never had sex and has never used the pill (computed variable RHADSEX coded 2,7,8 or 9 and EA-3 PILL = 2); R did not have sex in the 3 months prior to the interview (as given in EE-2 STRNOS00-EE-2 STRNOS03 and EE-3 ENDNOSE0-EE-3 ENDNOSE3); R has said no, don't know or refused to all birth control methods in EA series (computed variable EVERUSED = 2); R has been sterile for at least 3 months (computed variable RSTERILE=1 and ((DATOPNNX+3) < MON(CUR-1))); the only birth control methods reported for three months prior to the interview are none, Norplant, Depo-provera, female sterilization, IUD, partner's vasectomy, or partner's sterility (EF-1 METHHhnn for 3 months prior to interview month are only coded one or more of the following: 1, 5, 13, 14, 15, 20, or 21); R used the pill, rhythm, or safe period by temperature as her only methods of birth control in the 3 months prior to interview (EF-1 METHHhnn for the 3 months prior to interview only = 3, 17 or 18).</p>

1995 NATIONAL SURVEY OF FAMILY GROWTH
 File Documentation
 Respondent File (Section E Questionnaire Items)

VARIABLE NAME	COLUMN LOCATION	NON-HISPANIC			TOTAL	QX	TEXT AND CODE CATEGORIES
		HISP	WHITE	BLACK			
		1267	5071	1959	8577	Blank	= Blank, inapplicable
		42	182	77	313	1	= LESS THAN HALF THE TIME
		24	80	40	153	2	= ABOUT HALF OF THE TIME
		37	174	63	286	3	= MORE THAN HALF THE TIME
		164	906	272	1388	4	= EVERY TIME
		18	65	32	121	7	= Not Ascertained
		1	3	0	4	8	= Refused
		0	2	3	5	9	= Don't Know

1995 NATIONAL SURVEY OF FAMILY GROWTH
 File Documentation
 Respondent File (Section E Questionnaire Items)

VARIABLE	COLUMN	NON-HISPANIC			
NAME	LOCATION	HISP	WHITE	BLACK	TOTAL
QX TEXT AND CODE CATEGORIES					

[USELSTSX] 8921-8921

The last time you had intercourse, did you or your partner use any method?

Inapplicable:

R never had sex and said no, don't know or refused to all birth control methods in EA series (computed variable RHADSEX coded 2,7,8 or 9 and computed variable EVERUSED = 2); R never had sex and has used the pill (computed variable RHADSEX coded 2,7,8 or 9 and EA-3 PILL = 1); R never had sex and has never used the pill (computed variable RHADSEX coded 2,7,8 or 9 and EA-3 PILL = 2); R did not have sex in the 3 months prior to the interview (as given in EE-2 STRNOS00-EE-2 STRNOS03 and EE-3 ENDNOSE0-EE-3 ENDNOSE3); R has said no, don't know or refused to all birth control methods in EA series (computed variable EVERUSED = 2); R has been sterile for at least 3 months (computed variable RSTERILE=1 and ((DATOPNNX+3) < MON(CUR-1))); the only birth control methods reported for three months prior to the interview are none, Norplant, Depo-provera, female sterilization, IUD, partner's vasectomy, or partner's sterility (EF-1 METHHnnn for 3 months prior to interview month are only coded one or more of the following: 1, 5, 13, 14, 15, 20, or 21).

1048	4016	1676	6984	Blank	= Blank, inapplicable
360	2009	572	3037	1	= YES
111	360	164	653	2	= NO
32	93	34	166	7	= Not Ascertained
1	4	0	5	8	= Refused
1	1	0	2	9	= Don't Know

1995 NATIONAL SURVEY OF FAMILY GROWTH
 File Documentation
 Respondent File (Section E Questionnaire Items)

VARIABLE	COLUMN	NON-HISPANIC				
NAME	LOCATION	HISP	WHITE	BLACK	TOTAL	QX TEXT AND CODE CATEGORIES

[MTHLSTS0] 8922-8923

Which methods on Card E-12 did you use?

Inapplicable:
 R never had sex and said no, don't know or refused to all birth control methods in EA series (computed variable RHADSEX coded 2,7,8 or 9 and computed variable EVERUSED = 2); R never had sex and has used the pill (computed variable RHADSEX coded 2,7,8 or 9 and EA-3 PILL = 1); R never had sex and has never used the pill (computed variable RHADSEX coded 2,7,8 or 9 and EA-3 PILL = 2); R did not have sex in the 3 months prior to the interview (as given in EE-2 STRNOS00-EE-2 STRNOS03 and EE-3 ENDNOSE0-EE-3 ENDNOSE3); R has said no, don't know or refused to all birth control methods in EA series (computed variable EVERUSED = 2); R has been sterile for at least 3 months (computed variable RSTERILE=1 and ((DATOPNNX+3) < MON(CUR-1))); the only birth control methods reported for three months prior to the interview are none, Norplant, Depo-provera, female sterilization, IUD, partner's vasectomy, or partner's sterility (EF-1 METHHnnn for 3 months prior to interview month are only coded one or more of the following: 1, 5, 13, 14, 15, 20, or 21); R did not use a method of birth control the last time she had intercourse (EI-5 USELSTSX = 2).

1193	4474	1874	7810	Blank	= Blank, inapplicable
0	0	0	0	01	= OFFICE USE ONLY
0	0	0	0	02	= OFFICE USE ONLY
143	953	255	1380	03	= BIRTH CONTROL PILLS
154	706	259	1165	04	= CONDOM
1	7	2	10	05	= PARTNER'S VASECTOMY
4	66	7	78	06	= DIAPHRAGM
2	18	2	22	07	= FOAM
2	10	1	13	08	= JELLY OR CREAM
1	1	0	2	09	= CERVICAL CAP

(5063)

1995 NATIONAL SURVEY OF FAMILY GROWTH
 File Documentation
 Respondent File (Section E Questionnaire Items)

VARIABLE NAME	COLUMN LOCATION	NON-HISPANIC			QX	TEXT AND CODE CATEGORIES
		HISP	WHITE	BLACK		
		5	17	7	31	10 = SUPPOSITORY, INSERT
		0	7	5	12	11 = TODAY (TM) SPONGE
		0	2	0	2	12 = FEMALE CONDOM, VAGINAL POUCH
		0	0	0	1	13 = IUD, COIL, LOOP
		2	1	0	3	14 = NORPLANT (TM)
		5	15	9	29	15 = DEPO-PROVERA, INJECTABLES
		0	0	0	0	16 = MORNING AFTER PILLS
		18	50	7	83	17 = RHYTHM OR SAFE PERIOD BY CALENDAR
		0	12	0	12	18 = SAFE PERIOD BY TEMP, CERVICAL MUCUS TEST, NFP
		22	132	17	180	19 = WITHDRAWAL
		0	3	1	4	20 = RESPONDENT STERILE
		0	5	0	5	21 = PARTNER STERILE (NOT ON CARD)
		0	4	0	4	22 = OTHER METHOD-NOT SHOWN SEPARATELY
		1	0	0	1	97 = Not Ascertained
		0	0	0	0	98 = Refused
		0	0	0	0	99 = Don't Know

1995 NATIONAL SURVEY OF FAMILY GROWTH
 File Documentation
 Respondent File (Section E Questionnaire Items)

VARIABLE	COLUMN	NON-HISPANIC				
NAME	LOCATION	HISP	WHITE	BLACK	TOTAL	QX TEXT AND CODE CATEGORIES

[MTHLSTS1] 8924-8925

Which methods on Card E-12 did you use?

Inapplicable:
 R never had sex and said no, don't know or refused to all birth control methods in EA series (computed variable RHADSEX coded 2,7,8 or 9 and computed variable EVERUSED = 2); R never had sex and has used the pill (computed variable RHADSEX coded 2,7,8 or 9 and EA-3 PILL = 1); R never had sex and has never used the pill (computed variable RHADSEX coded 2,7,8 or 9 and EA-3 PILL = 2); R did not have sex in the 3 months prior to the interview (as given in EE-2 STRNOS00-EE-2 STRNOS03 and EE-3 ENDNOSE0-EE-3 ENDNOSE3); R has said no, don't know or refused to all birth control methods in EA series (computed variable EVERUSED = 2); R has been sterile for at least 3 months (computed variable RSTERILE=1 and ((DATOPNNX+3) < MON(CUR-1))); the only birth control methods reported for three months prior to the interview are none, Norplant, Depo-provera, female sterilization, IUD, partner's vasectomy, or partner's sterility (EF-1 METHHnnn for 3 months prior to interview month are only coded one or more of the following: 1, 5, 13, 14, 15, 20, or 21); R did not use a method of birth control the last time she had intercourse (EI-5 USELSTSX = 2). or R reported using fewer than 2 BC methods the last time she had sex in the 3 months prior to interview.

1519	6275	2355	10502	Blank	= Blank, inapplicable
0	0	0	0	01	= OFFICE USE ONLY
0	0	0	0	02	= OFFICE USE ONLY
0	9	9	18	03	= BIRTH CONTROL PILLS
7	93	58	164	04	= CONDOM
0	6	0	6	05	= PARTNER'S VASECTOMY
1	8	2	11	06	= DIAPHRAGM

(5065)

1995 NATIONAL SURVEY OF FAMILY GROWTH
 File Documentation
 Respondent File (Section E Questionnaire Items)

VARIABLE NAME	COLUMN LOCATION	NON-HISPANIC			TOTAL	QX	TEXT AND CODE CATEGORIES
		HISP	WHITE	BLACK			
		0	12	2	14	07	= FOAM
		4	16	2	22	08	= JELLY OR CREAM
		0	1	0	1	09	= CERVICAL CAP
		2	8	5	15	10	= SUPPOSITORY, INSERT
		0	1	0	1	11	= TODAY (TM) SPONGE
		0	0	0	0	12	= FEMALE CONDOM, VAGINAL POUCH
		0	0	0	0	13	= IUD, COIL, LOOP
		0	2	2	4	14	= NORPLANT (TM)
		1	0	1	2	15	= DEPO-PROVERA, INJECTABLES
		0	0	0	0	16	= MORNING AFTER PILLS
		5	14	3	24	17	= RHYTHM OR SAFE PERIOD BY CALENDAR
		1	5	1	7	18	= SAFE PERIOD BY TEMP, CERVICAL MUCUS TEST, NFP
		11	28	5	48	19	= WITHDRAWAL
		1	2	1	4	20	= RESPONDENT STERILE
		0	2	0	2	21	= PARTNER STERILE (NOT ON CARD)
		0	1	0	1	22	= OTHER METHOD-NOT SHOWN SEPARATELY
		1	0	0	1	97	= Not Ascertained
		0	0	0	0	98	= Refused
		0	0	0	0	99	= Don't Know

1995 NATIONAL SURVEY OF FAMILY GROWTH
 File Documentation
 Respondent File (Section E Questionnaire Items)

VARIABLE	COLUMN	NON-HISPANIC			
NAME	LOCATION	HISP	WHITE	BLACK	TOTAL
QX TEXT AND CODE CATEGORIES					

[MTHLSTS2] 8926-8927

Which methods on Card E-12 did you use?

Inapplicable:
 R never had sex and said no, don't know or refused to all birth control methods in EA series (computed variable RHADSEX coded 2,7,8 or 9 and computed variable EVERUSED = 2); R never had sex and has used the pill (computed variable RHADSEX coded 2,7,8 or 9 and EA-3 PILL = 1); R never had sex and has never used the pill (computed variable RHADSEX coded 2,7,8 or 9 and EA-3 PILL = 2); R did not have sex in the 3 months prior to the interview (as given in EE-2 STRNOS00-EE-2 STRNOS03 and EE-3 ENDNOSE0-EE-3 ENDNOSE3); R has said no, don't know or refused to all birth control methods in EA series (computed variable EVERUSED = 2); R has been sterile for at least 3 months (computed variable RSTERILE=1 and ((DATOPNNX+3) < MON(CUR-1))); the only birth control methods reported for three months prior to the interview are none, Norplant, Depo-provera, female sterilization, IUD, partner's vasectomy, or partner's sterility (EF-1 METHHnnn for 3 months prior to interview month are only coded one or more of the following: 1, 5, 13, 14, 15, 20, or 21); R did not use a method of birth control the last time she had intercourse (EI-5 USELSTSX = 2). or R reported using fewer than 3 BC methods the last time she had sex in the 3 months prior to interview.

1551	6474	2445	10835	Blank	= Blank, inapplicable
0	0	0	0	01	= OFFICE USE ONLY
0	0	0	0	02	= OFFICE USE ONLY
1	0	0	1	03	= BIRTH CONTROL PILLS
0	0	0	0	04	= CONDOM
0	0	0	0	05	= PARTNER'S VASECTOMY
0	0	0	0	06	= DIAPHRAGM

(5067)

1995 NATIONAL SURVEY OF FAMILY GROWTH
 File Documentation
 Respondent File (Section E Questionnaire Items)

VARIABLE NAME	COLUMN LOCATION	NON-HISPANIC			QX TEXT AND CODE CATEGORIES
		HISP	WHITE	BLACK TOTAL	
		0	0	0	07 = FOAM
		0	1	0	08 = JELLY OR CREAM
		0	0	0	09 = CERVICAL CAP
		0	2	0	10 = SUPPOSITORY, INSERT
		0	0	1	11 = TODAY (TM) SPONGE
		0	0	0	12 = FEMALE CONDOM, VAGINAL POUCH
		0	0	0	13 = IUD, COIL, LOOP
		0	0	0	14 = NORPLANT (TM)
		0	0	0	15 = DEPO-PROVERA, INJECTABLES
		0	0	0	16 = MORNING AFTER PILLS
		0	0	0	17 = RHYTHM OR SAFE PERIOD BY CALENDAR
		0	1	0	18 = SAFE PERIOD BY TEMP, CERVICAL MUCUS TEST, NFP
		0	5	0	19 = WITHDRAWAL
		0	0	0	20 = RESPONDENT STERILE
		0	0	0	21 = PARTNER STERILE (NOT ON CARD)
		0	0	0	22 = OTHER METHOD-NOT SHOWN SEPARATELY
		1	0	0	97 = Not Ascertained
		0	0	0	98 = Refused
		0	0	0	99 = Don't Know

1995 NATIONAL SURVEY OF FAMILY GROWTH
 File Documentation
 Respondent File (Section E Questionnaire Items)

VARIABLE	COLUMN	NON-HISPANIC								
NAME	LOCATION	HISP	WHITE	BLACK						TOTAL

[MTHLSTS3] 8928-8929

Which methods on Card E-12 did you use?

Inapplicable:
 R never had sex and said no, don't know or refused to all birth control methods in EA series (computed variable RHADSEX coded 2,7,8 or 9 and computed variable EVERUSED = 2); R never had sex and has used the pill (computed variable RHADSEX coded 2,7,8 or 9 and EA-3 PILL = 1); R never had sex and has never used the pill (computed variable RHADSEX coded 2,7,8 or 9 and EA-3 PILL = 2); R did not have sex in the 3 months prior to the interview (as given in EE-2 STRNOS00-EE-2 STRNOS03 and EE-3 ENDNOSE0-EE-3 ENDNOSE3); R has said no, don't know or refused to all birth control methods in EA series (computed variable EVERUSED = 2); R has been sterile for at least 3 months (computed variable RSTERILE=1 and ((DATOPNNX+3) < MON(CUR-1))); the only birth control methods reported for three months prior to the interview are none, Norplant, Depo-provera, female sterilization, IUD, partner's vasectomy, or partner's sterility (EF-1 METHHnnn for 3 months prior to interview month are only coded one or more of the following: 1, 5, 13, 14, 15, 20, or 21); R did not use a method of birth control the last time she had intercourse (EI-5 USELSTSX = 2). or R reported using fewer than 4 BC methods the last time she had sex in the 3 months prior to interview.

1552	6483	2446	10846	Blank	= Blank, inapplicable
0	0	0	0	01	= OFFICE USE ONLY
0	0	0	0	02	= OFFICE USE ONLY
0	0	0	0	03	= BIRTH CONTROL PILLS
0	0	0	0	04	= CONDOM
0	0	0	0	05	= PARTNER'S VASECTOMY
0	0	0	0	06	= DIAPHRAGM

1995 NATIONAL SURVEY OF FAMILY GROWTH
 File Documentation
 Respondent File (Section E Questionnaire Items)

VARIABLE NAME	COLUMN LOCATION	NON-HISPANIC			QX	TEXT AND CODE CATEGORIES
		HISP	WHITE	BLACK		
		0	0	0	0	07 = FOAM
		0	0	0	0	08 = JELLY OR CREAM
		0	0	0	0	09 = CERVICAL CAP
		0	0	0	0	10 = SUPPOSITORY, INSERT
		0	0	0	0	11 = TODAY (TM) SPONGE
		0	0	0	0	12 = FEMALE CONDOM, VAGINAL POUCH
		0	0	0	0	13 = IUD, COIL, LOOP
		0	0	0	0	14 = NORPLANT (TM)
		0	0	0	0	15 = DEPO-PROVERA, INJECTABLES
		0	0	0	0	16 = MORNING AFTER PILLS
		0	0	0	0	17 = RHYTHM OR SAFE PERIOD BY CALENDAR
		0	0	0	0	18 = SAFE PERIOD BY TEMP, CERVICAL MUCUS TEST, NFP
		0	0	0	0	19 = WITHDRAWAL
		0	0	0	0	20 = RESPONDENT STERILE
		0	0	0	0	21 = PARTNER STERILE (NOT ON CARD)
		0	0	0	0	22 = OTHER METHOD-NOT SHOWN SEPARATELY
		1	0	0	1	97 = Not Ascertained
		0	0	0	0	98 = Refused
		0	0	0	0	99 = Don't Know

1995 NATIONAL SURVEY OF FAMILY GROWTH
 File Documentation
 Respondent File (Section E Questionnaire Items)

VARIABLE	COLUMN	NON-HISPANIC				
NAME	LOCATION	HISP	WHITE	BLACK	TOTAL	QX TEXT AND CODE CATEGORIES

[MTHLSTS4] 8930-8931

Which methods on Card E-12 did you use?

Inapplicable:
 R never had sex and said no, don't know or refused to all birth control methods in EA series (computed variable RHADSEX coded 2,7,8 or 9 and computed variable EVERUSED = 2);
 R never had sex and has used the pill (computed variable RHADSEX coded 2,7,8 or 9 and EA-3 PILL = 1);
 R never had sex and has never used the pill (computed variable RHADSEX coded 2,7,8 or 9 and EA-3 PILL = 2);
 R did not have sex in the 3 months prior to the interview (as given in EE-2 STRNOS00-EE-2 STRNOS03 and EE-3 ENDNOSE0-EE-3 ENDNOSE3); R has said no, don't know or refused to all birth control methods in EA series (computed variable EVERUSED = 2); R has been sterile for at least 3 months (computed variable RSTERILE=1 and ((DATOPNNX+3) < MON(CUR-1))); the only birth control methods reported for three months prior to the interview are none, Norplant, Depo-provera, female sterilization, IUD, partner's vasectomy, or partner's sterility (EF-1 METHHnnn for 3 months prior to interview month are only coded one or more of the following: 1, 5, 13, 14, 15, 20, or 21); R did not use a method of birth control the last time she had intercourse (EI-5 USELSTSX = 2). or R reported using fewer than 5 BC methods the last time she had sex in the 3 months prior to interview.

1553	6483	2446	10847	Blank	= Blank, inapplicable
0	0	0	0	01	= OFFICE USE ONLY
0	0	0	0	02	= OFFICE USE ONLY
0	0	0	0	03	= BIRTH CONTROL PILLS
0	0	0	0	04	= CONDOM
0	0	0	0	05	= PARTNER'S VASECTOMY
0	0	0	0	06	= DIAPHRAGM

1995 NATIONAL SURVEY OF FAMILY GROWTH
 File Documentation
 Respondent File (Section E Questionnaire Items)

VARIABLE NAME	COLUMN LOCATION	NON-HISPANIC			QX	TEXT AND CODE CATEGORIES
		HISP	WHITE	BLACK		
		0	0	0	0	07 = FOAM
		0	0	0	0	08 = JELLY OR CREAM
		0	0	0	0	09 = CERVICAL CAP
		0	0	0	0	10 = SUPPOSITORY, INSERT
		0	0	0	0	11 = TODAY (TM) SPONGE
		0	0	0	0	12 = FEMALE CONDOM, VAGINAL POUCH
		0	0	0	0	13 = IUD, COIL, LOOP
		0	0	0	0	14 = NORPLANT (TM)
		0	0	0	0	15 = DEPO-PROVERA, INJECTABLES
		0	0	0	0	16 = MORNING AFTER PILLS
		0	0	0	0	17 = RHYTHM OR SAFE PERIOD BY CALENDAR
		0	0	0	0	18 = SAFE PERIOD BY TEMP, CERVICAL MUCUS TEST, NFP
		0	0	0	0	19 = WITHDRAWAL
		0	0	0	0	20 = RESPONDENT STERILE
		0	0	0	0	21 = PARTNER STERILE (NOT ON CARD)
		0	0	0	0	22 = OTHER METHOD-NOT SHOWN SEPARATELY
		0	0	0	0	97 = Not Ascertained
		0	0	0	0	98 = Refused
		0	0	0	0	99 = Don't Know

1995 NATIONAL SURVEY OF FAMILY GROWTH
 File Documentation
 Respondent File (Section E Questionnaire Items)

VARIABLE	COLUMN	NON-HISPANIC								
NAME	LOCATION	HISP	WHITE	BLACK						

[YUSEPI00] 8932-8933

Now I would like to know all of the reasons you have ever used the pill.

Inapplicable:
 R never had sex and said no, don't know or refused to all birth control methods in EA series (computed variable RHADSEX coded 2,7,8 or 9 and computed variable EVERUSED = 2); R never had sex and has never used the pill (computed variable RHADSEX coded 2,7,8 or 9 and EA-3 PILL = 2); R has never used the pill (EA-3 PILL NE 1 and (EB-1 FIRSME00-EB-1 FIRSME04, EB-7 MTHFSTS0-EB-7 MTHFSTS4, ED-4a METHUSE1-ED-4e METHUSE5, EF-1 METHSECT and EI-6 MTHLSTS0-EI-6 MTHLSTS4 are all NE 3)).

516	1434	531	2664	Blank	= Blank, inapplicable
986	4735	1801	7690	01	= Birth control
24	147	57	233	02	= Cramps, or pain during menstrual periods
5	32	12	52	03	= Other reasons
0	8	2	11	04	= Endometriosis
16	104	39	163	05	= Regulate periods
4	20	4	28	06	= Ovarian cysts
2	0	0	2	97	= Not Ascertained
0	2	0	3	98	= Refused
0	1	0	1	99	= Don't Know

1995 NATIONAL SURVEY OF FAMILY GROWTH
 File Documentation
 Respondent File (Section E Questionnaire Items)

VARIABLE	COLUMN	NON-HISPANIC								
NAME	LOCATION	HISP	WHITE	BLACK						

[YUSEPI01] 8934-8935

Now I would like to know all of the reasons you have ever used the pill.

Inapplicable:
 R never had sex and said no, don't know or refused to all birth control methods in EA series (computed variable RHADSEX coded 2,7,8 or 9 and computed variable EVERUSED = 2); R never had sex and has never used the pill (computed variable RHADSEX coded 2,7,8 or 9 and EA-3 PILL = 2); R has never used the pill (EA-3 PILL NE 1 and (EB-1 FIRSME00-EB-1 FIRSME04, EB-7 MTHFSTS0-EB-7 MTHFSTS4, ED-4a METHUSE1-ED-4e METHUSE5, EF-1 METHESECT and EI-6 MTHLSTS0-EI-6 MTHLSTS4 are all NE 3)); or R reported fewer than 2 reasons for ever using the pill.

1432	5201	2190	9156	Blank		
5	27	8	40	01		= Blank, inapplicable
78	871	194	1162	02		= Birth control
						= Cramps, or pain during menstrual periods
7	55	9	72	03		= Other reasons
0	19	0	20	04		= Endometriosis
27	267	42	345	05		= Regulate periods
3	39	3	46	06		= Ovarian cysts
1	0	0	1	97		= Not Ascertained
0	2	0	3	98		= Refused
0	2	0	2	99		= Don't Know

1995 NATIONAL SURVEY OF FAMILY GROWTH
 File Documentation
 Respondent File (Section E Questionnaire Items)

VARIABLE	COLUMN	NON-HISPANIC				
NAME	LOCATION	HISP	WHITE	BLACK	TOTAL	QX TEXT AND CODE CATEGORIES

[YUSEPI02] 8936-8937

Now I would like to know all of the reasons you have ever used the pill.

Inapplicable:
 R never had sex and said no, don't know or refused to all birth control methods in EA series (computed variable RHADSEX coded 2,7,8 or 9 and computed variable EVERUSED = 2); R never had sex and has never used the pill (computed variable RHADSEX coded 2,7,8 or 9 and EA-3 PILL = 2); R has never used the pill (EA-3 PILL NE 1 and (EB-1 FIRSME00-EB-1 FIRSME04, EB-7 MTHFSTS0-EB-7 MTHFSTS4, ED-4a METHUSE1-ED-4e METHUSE5, EF-1 METHESECT and EI-6 MTHLSTS0-EI-6 MTHLSTS4 are all NE 3)); or R reported fewer than 3 reasons for ever using the pill.

1542	6336	2435	10674	Blank	= Blank, inapplicable
0	0	0	0	01	= Birth control
0	0	0	0	02	= Cramps, or pain during menstrual periods
2	16	3	21	03	= Other reasons
0	6	0	7	04	= Endometriosis
8	109	8	127	05	= Regulate periods
0	13	0	13	06	= Ovarian cysts
1	0	0	1	97	= Not Ascertained
0	2	0	3	98	= Refused
0	1	0	1	99	= Don't Know

1995 NATIONAL SURVEY OF FAMILY GROWTH
 File Documentation
 Respondent File (Section E Questionnaire Items)

VARIABLE	COLUMN	NON-HISPANIC				QX TEXT AND CODE CATEGORIES
NAME	LOCATION	HISP	WHITE	BLACK	TOTAL	

[TYPEPILL] 8938-8939

This chart shows types of oral contraceptive pills that are available for women today. Please tell me the number next to the type that you are currently using or used most recently.

Inapplicable:

R never had sex and said no, don't know or refused to all birth control methods in EA series (computed variable RHADSEX coded 2,7,8 or 9 and computed variable EVERUSED = 2); R never had sex and has never used the pill (computed variable RHADSEX coded 2,7,8 or 9 and EA-3 PILL = 2); R has never used the pill (EA-3 PILL NE 1 and (EB-1 FIRSME00-EB-1 FIRSME04, EB-7 MTHFSTS0-EB-7 MTHFSTS4, ED-4a METHUSE1-ED-4e METHUSE5, EF-1 METHSECT and EI-6 MTHLSTS0-EI-6 MTHLSTS4 are all NE 3)); R was not using the pill in the month of interview or the month prior to interview (EF-1 METHHnnn NE 3 for the month of interview or the month prior to interview).

1323	5251	2069	8971	Blank		= Blank, inapplicable
3	11	6	21	01		= Ortho Tri-Cyclen-- 21 day
	9	39	12	62	02	= Ortho Tri-Cyclen-- 28 day
	5	28	9	42	03	= Ortho-Cept-- 21 day
20	102	10	134	04		= Ortho-Cept-- 28 day
2	10	2	14	05		= Ortho-Cyclen-- 21 day
	8	32	9	50	06	= Ortho-Cyclen-- 28 day
15	50	18	85	07		= Ortho-Novum 7/7/7-- 21 day
41	155	52	254	08		= Ortho-Novum 7/7/7-- 28 day
	2	4	0	6	09	= Ortho-Novum 10/11-- 21 day
	1	7	4	12	10	= Ortho-Novum 10/11-- 28 day

1995 NATIONAL SURVEY OF FAMILY GROWTH
File Documentation
Respondent File (Section E Questionnaire Items)

VARIABLE NAME	COLUMN LOCATION	NON-HISPANIC			QX	TEXT AND CODE CATEGORIES	
		HISP	WHITE	BLACK			TOTAL
		6	37	2	46	11	= Ortho-Novum 1/35-- 21 day
		11	81	23	118	12	= Ortho-Novum 1/35-- 28 day
		1	2	4	7	13	= Modicon 21/28-- 21 day
		2	8	3	15	14	= Modicon 21/28-- 28 day
		3	7	2	12	15	= Ortho-Novum 1/50-- 21 day
		1	6	7	17	16	= Ortho-Novum 1/50-- 28 day
		6	10	4	20	17	= Micronor-28 day
		1	8	6	15	18	= Tri-Levlen-- 21 day
		6	41	12	60	19	= Tri-Levlen-- 28 day
		2	3	2	7	20	= Levlen-21 day
		2	14	8	24	21	= Levlen-28 day
		2	10	5	17	22	= Ovcon 35-- 21 day
		4	28	12	45	23	= Ovcon 35-- 28 day
		2	3	1	6	24	= Ovcon 50-- 21 day
		0	9	2	11	25	= Ovcon 50-- 28 day
		0	3	0	3	26	= Loestrin 21 1/20-- 21 day
		7	12	5	24	27	= Loestrin Fe 1/20-- 28 day
		6	19	16	41	28	= Loestrin 21 1.5/30-- 21 day
		6	39	7	54	29	= Loestrin Fe 1.5/30-- 28 day
		3	9	6	18	30	= Jenest-28-- 28 day
		6	64	16	89	31	= Desogen-28 day
		1	11	2	14	32	= Demulen 1/35-- 21 day
		2	30	5	38	33	= Demulen 1/35-- 28 day
		0	2	0	2	34	= Demulen 1/50-- 21 day
		0	7	3	10	35	= Demulen 1/50-- 28 day
		0	5	0	5	36	= Tri-Norinyl-- 21 day
		4	15	5	24	37	= Tri-Norinyl-- 28 day
		0	1	1	2	38	= Brevicon-21 day
		1	2	1	5	39	= Brevicon-28 day
		0	1	0	1	40	= Norinyl 1+35-- 21 day
		0	9	5	14	41	= Norinyl 1+35-- 28 day
		0	0	0	0	42	= Norinyl 1+50-- 21 day

(5077)

1995 NATIONAL SURVEY OF FAMILY GROWTH
 File Documentation
 Respondent File (Section E Questionnaire Items)

VARIABLE NAME	COLUMN LOCATION	NON-HISPANIC			TOTAL	QX	TEXT AND CODE CATEGORIES
		HISP	WHITE	BLACK			
		2	1	0	3	43	= Norinyl 1+50-- 28 day
		0	2	0	2	44	= Nor-QD-- 42 day
		1	24	6	32	45	= Triphasil-21 day
		7	120	47	176	46	= Triphasil-28 day
		3	21	0	25	47	= Lo/Ovral-21 day
		11	51	14	76	48	= Lo/Ovral-28 day
		3	5	3	11	49	= Nordette-21 day
		3	28	3	34	50	= Nordette-28 day
		2	0	1	3	51	= Ovral-21 day
		1	2	1	4	52	= Ovral-28 day
		1	1	1	3	53	= Ovrette-28 day
		0	15	1	16	54	= Other unspecified/Code from old pill chart
		0	0	1	1	57	= Other unspecified/Code from old pill chart
		0	1	0	1	60	= Other unspecified/Code from old pill chart
		0	1	0	1	66	= Other unspecified/Code from old pill chart
		0	0	1	1	67	= Other unspecified/Code from old pill chart
		0	0	1	1	68	= Other unspecified/Code from old pill chart
		0	0	1	1	71	= Other unspecified/Code from old pill chart
		1	0	1	2	97	= Not ascertained
		0	3	0	3	98	= Refused
		4	23	8	36	99	= Don't Know

1995 NATIONAL SURVEY OF FAMILY GROWTH
 File Documentation
 Respondent File (Section E Questionnaire Items)

VARIABLE NAME	COLUMN LOCATION	NON-HISPANIC			TOTAL	QX	TEXT AND CODE CATEGORIES
		HISP	WHITE	BLACK			
[METH_12M]	8940-8940						Any birth control method used in last 12 months (computed in recodes).
							Inapplicable: R has never used a birth control method for any reason, including surgical sterilization (i.e., never got asked the method calendar).
		0	8	2	11	Blank	= Blank, inapplicable
		1162	5084	1903	8386	1	= Yes
		391	1391	541	2450	2	= No
[METH_36M]	8941-8941						Any birth control method used in last 36 months (computed in recodes).
							Inapplicable: R has never used a birth control method for any reason, including surgical sterilization (i.e., never got asked the method calendar).
		0	8	2	11	Blank	= Blank, inapplicable
		1244	5333	2011	8838	1	= Yes
		309	1142	433	1998	2	= No
[METH_LPG]	8942-8942						Any birth control method used since last pregnancy ended (computed in recodes).
							Inapplicable: R has never used a birth control method for any reason, including surgical sterilization (i.e., never got asked the method calendar).
		0	6	2	9	Blank	= Blank, inapplicable
		974	3705	1586	6444	1	= Yes
		579	2772	858	4394	2	= No

1995 NATIONAL SURVEY OF FAMILY GROWTH
 File Documentation
 Respondent File (Section E Questionnaire Items)

VARIABLE	COLUMN	NON-HISPANIC			QX TEXT AND CODE CATEGORIES	
NAME	LOCATION	HISP	WHITE	BLACK	TOTAL	
[WNLSTPRG]	8943-8946					Date last pregnancy ended (computed in recodes)
						Inapplicable: R has never been pregnant (NUMPREGS coded 00, 97, 98, or 99), or R is currently pregnant for first time (NUMPREGS coded 01 and (PREGNOWQ coded YES or MAYBPREG coded "probably yes"))).
						363 2164 528 3187 Blank = Blank, inapplicable
						549 2534 1091 4291 0792-1092 = Before 1991
						641 1785 827 3369 1093-1149 = 1991 or later
						0 0 0 0 9997 = Not Ascertained
						0 0 0 0 9998 = Refused
						0 0 0 0 9999 = Don't Know