

**Table A-3a. Age-adjusted percentages (with standard errors) of cancer among adults aged 18 and over, by selected characteristics: United States, 2013**

Selected characteristic	Any cancer <sup>1</sup>	Breast cancer <sup>1</sup>	Cervical cancer <sup>1</sup>	Prostate cancer <sup>1</sup>
Total	7.9 (0.17)	1.4 (0.07)	1.1 (0.12)	2.3 (0.14)
Sex				
Male	7.5 (0.25)	*0.1 (0.03)	-	2.3 (0.14)
Female	8.4 (0.25)	2.5 (0.13)	1.1 (0.12)	-
Age (years)				
18-44	1.8 (0.15)	0.1 (0.03)	1.0 (0.19)	-
45-64	9.5 (0.35)	1.6 (0.15)	1.3 (0.19)	1.4 (0.20)
65-74	21.2 (0.81)	3.6 (0.35)	1.5 (0.31)	9.0 (0.91)
75 and over	27.1 (1.01)	6.1 (0.56)	*0.4 (0.11)	13.0 (1.32)
Race				
One race <sup>2</sup>	7.8 (0.17)	1.4 (0.07)	1.0 (0.12)	2.3 (0.14)
White	8.6 (0.20)	1.5 (0.08)	1.2 (0.15)	2.1 (0.15)
Black or African American	5.0 (0.35)	0.8 (0.14)	0.5 (0.14)	4.0 (0.51)
American Indian or Alaska Native	*3.6 (1.07)	*	*	*
Asian	2.7 (0.45)	*0.5 (0.17)	*0.4 (0.17)	*2.0 (0.75)
Native Hawaiian or Other Pacific Islander	*	-	-	-
Two or more races <sup>3</sup>	12.0 (1.62)	*2.6 (0.87)	*1.5 (0.58)	*
Black or African American, white	*5.3 (2.59)	*	-	-
American Indian or Alaska Native, white	15.0 (2.32)	*3.5 (1.31)	*2.6 (1.20)	*
Hispanic or Latino origin <sup>4</sup> and race				
Hispanic or Latino	4.1 (0.34)	0.8 (0.16)	0.6 (0.15)	1.6 (0.41)
Mexican or Mexican American	3.7 (0.43)	0.8 (0.23)	0.7 (0.19)	*1.6 (0.52)
Not Hispanic or Latino	8.3 (0.19)	1.4 (0.08)	1.1 (0.14)	2.3 (0.15)
White, single race	9.2 (0.23)	1.5 (0.09)	1.3 (0.18)	2.2 (0.16)
Black or African American, single race	5.1 (0.36)	0.8 (0.14)	*0.4 (0.13)	4.0 (0.51)
Education <sup>5</sup>				
Less than a high school diploma	6.7 (0.38)	1.0 (0.16)	1.0 (0.22)	2.0 (0.31)
High school diploma or GED <sup>6</sup>	9.1 (0.38)	1.7 (0.17)	1.5 (0.29)	3.0 (0.36)
Some college	9.4 (0.39)	1.7 (0.17)	1.7 (0.35)	2.2 (0.32)
Bachelor's degree or higher	9.7 (0.39)	1.6 (0.17)	0.6 (0.12)	2.9 (0.31)
Current employment status <sup>7</sup>				
Employed	6.9 (0.37)	0.9 (0.14)	0.9 (0.16)	2.1 (0.36)
Full-time	7.5 (0.65)	1.0 (0.26)	1.0 (0.22)	1.8 (0.52)
Part-time	7.2 (0.59)	1.2 (0.28)	1.0 (0.26)	2.6 (0.62)
Not employed but has worked previously	9.8 (0.33)	1.7 (0.13)	1.5 (0.21)	2.5 (0.20)
Not employed and has never worked	5.3 (0.65)	1.9 (0.39)	*	*

**Table A-3a. Age-adjusted percentages (with standard errors) of cancer among adults aged 18 and over, by selected characteristics: United States, 2013**

Selected characteristic	Any cancer <sup>1</sup>	Breast cancer <sup>1</sup>	Cervical cancer <sup>1</sup>	Prostate cancer <sup>1</sup>
<b>Family income<sup>8</sup></b>				
Less than \$35,000	7.3 (0.26)	1.2 (0.10)	1.3 (0.18)	2.1 (0.23)
\$35,000 or more	8.4 (0.25)	1.5 (0.11)	1.0 (0.16)	2.4 (0.21)
\$35,000–\$49,999	8.4 (0.53)	1.6 (0.21)	*1.8 (0.62)	2.4 (0.38)
\$50,000–\$74,999	7.8 (0.42)	1.4 (0.19)	1.1 (0.23)	2.5 (0.36)
\$75,000–\$99,999	9.5 (0.64)	1.7 (0.32)	1.0 (0.29)	1.9 (0.47)
\$100,000 or more	8.4 (0.48)	1.3 (0.22)	*0.4 (0.13)	3.0 (0.51)
<b>Poverty status<sup>9</sup></b>				
Poor	6.5 (0.40)	1.0 (0.15)	1.4 (0.25)	1.3 (0.31)
Near poor	7.3 (0.42)	1.1 (0.14)	*1.4 (0.44)	2.0 (0.34)
Not poor	8.4 (0.23)	1.5 (0.10)	0.8 (0.11)	2.5 (0.19)
<b>Health insurance coverage<sup>10</sup></b>				
Under 65:				
Private	4.6 (0.20)	0.7 (0.07)	0.8 (0.11)	0.5 (0.10)
Medicaid	5.4 (0.49)	0.9 (0.17)	1.1 (0.23)	*
Other	6.8 (0.74)	*0.9 (0.29)	*2.3 (0.73)	1.3 (0.34)
Uninsured	3.2 (0.37)	0.3 (0.09)	1.8 (0.52)	*
65 and over:				
Private	26.2 (0.96)	5.3 (0.48)	0.7 (0.20)	11.8 (1.09)
Medicare and Medicaid	21.3 (2.04)	4.0 (0.88)	*	10.1 (2.47)
Medicare only	20.6 (1.02)	4.6 (0.53)	*1.2 (0.37)	8.6 (1.23)
Other	30.4 (2.59)	*3.4 (1.23)	*2.3 (1.08)	15.4 (3.20)
Uninsured	*	*	-	-
<b>Marital status</b>				
Married	8.3 (0.27)	1.3 (0.11)	1.2 (0.22)	2.4 (0.19)
Widowed	9.1 (1.02)	1.8 (0.26)	*1.0 (0.32)	2.0 (0.40)
Divorced or separated	9.1 (0.50)	1.4 (0.20)	1.6 (0.31)	2.2 (0.41)
Never married	5.8 (0.46)	0.8 (0.20)	0.5 (0.13)	1.6 (0.44)
Living with a partner	6.8 (1.00)	0.8 (0.25)	*1.0 (0.34)	*1.6 (0.73)
<b>Place of residence<sup>11</sup></b>				
Large MSA	7.5 (0.25)	1.3 (0.10)	1.0 (0.18)	2.3 (0.22)
Small MSA	7.9 (0.31)	1.4 (0.13)	0.9 (0.15)	2.2 (0.25)
Not in MSA	8.9 (0.43)	1.4 (0.16)	1.6 (0.32)	2.4 (0.29)
<b>Region</b>				
Northeast	8.0 (0.47)	1.3 (0.19)	0.6 (0.17)	2.0 (0.29)
Midwest	8.6 (0.40)	1.5 (0.15)	1.5 (0.40)	2.2 (0.28)
South	8.1 (0.27)	1.4 (0.11)	1.0 (0.15)	2.6 (0.27)
West	6.7 (0.31)	1.3 (0.14)	1.1 (0.18)	2.1 (0.31)

**Table A-3a. Age-adjusted percentages (with standard errors) of cancer among adults aged 18 and over, by selected characteristics: United States, 2013**

Selected characteristic	Any cancer <sup>1</sup>	Breast cancer <sup>1</sup>	Cervical cancer <sup>1</sup>	Prostate cancer <sup>1</sup>
Hispanic or Latino origin <sup>4</sup> , race, and sex				
Hispanic or Latino, male	3.9 (0.55)	-	-	1.6 (0.41)
Hispanic or Latina, female	4.5 (0.46)	1.5 (0.29)	0.6 (0.15)	-
Not Hispanic or Latino:				
White, single race, male	8.3 (0.32)	*	-	2.2 (0.16)
White, single race, female	10.2 (0.35)	2.8 (0.17)	1.3 (0.18)	-
Black or African American, single race, male	6.6 (0.62)	*	-	4.0 (0.51)
Black or African American, single race, female	4.1 (0.39)	1.4 (0.24)	*0.4 (0.13)	-

\* Estimates are considered unreliable. Data preceded by an asterisk have a relative standard error (RSE) greater than 30% and less than or equal to 50% and should be used with caution. Data not shown have an RSE greater than 50%.

- Quantity zero.

<sup>1</sup> Respondents were asked if they had ever been told by a doctor or other health professional that they had a cancer or malignancy of any kind. They were then asked to name the kind of cancer they had. A person may be represented in more than one column.

<sup>2</sup> Refers to persons who indicated only a single race group, including those of Hispanic or Latino origin.

<sup>3</sup> Refers to persons who indicated more than one race group, including those of Hispanic or Latino origin. Only two combinations of multiple race groups are shown due to small sample sizes for other combinations.

<sup>4</sup> Refers to persons who are of Hispanic or Latino origin and may be of any race or combination of races. "Not Hispanic or Latino" refers to persons who are not of Hispanic or Latino origin, regardless of race.

<sup>5</sup> Shown only for adults aged 25 and over. Estimates are age adjusted to the projected 2000 U.S. population as the standard population using four age groups: 25-44, 45-64, 65-74, and 75 and over.

<sup>6</sup> GED is General Educational Development high school equivalency diploma.

<sup>7</sup> "Full-time" employment is 35 or more hours per week. "Part-time" employment is 34 or fewer hours per week.

<sup>8</sup> Includes persons who reported a dollar amount or who would not provide a dollar amount but provided an income interval.

<sup>9</sup> "Poor" persons are defined as having income below the poverty threshold. "Near poor" persons have incomes of 100% to less than 200% of the poverty threshold. "Not poor" persons have incomes that are 200% of the poverty threshold or greater.

<sup>10</sup> Based on a hierarchy of mutually exclusive categories. Adults with more than one type of health insurance were assigned to the first appropriate category in the hierarchy. "Uninsured" includes adults who had no coverage as well as those who had only Indian Health Service coverage or had only a private plan that paid for one type of service such as accidents or dental care.

<sup>11</sup> MSA is metropolitan statistical area. Large MSAs have a population size of 1 million or more; small MSAs have a population size of less than 1 million. "Not in MSA" consists of persons not living in a metropolitan statistical area.

NOTES: Estimates are based on household interviews of a sample of the civilian noninstitutionalized population. This table is based on data from the Sample Adult file and was weighted using the Sample Adult weight. Unknowns for the columns were not included in the denominators when calculating percentages. Percentages may not add to totals due to rounding. "Total" includes other races not shown separately and persons with unknown education, family income, poverty status, and health insurance characteristics. Unless otherwise specified, estimates are age-adjusted using the projected 2000 U.S. population as the standard population and using four age groups: 18-44, 45-64, 65-74, and 75 and over. Estimates for age groups are not age-adjusted. For more information on the data source, methods, and definitions used for this table, refer to Technical Notes for Summary Health Statistics Tables: National Health Interview Survey (available from <http://www.cdc.gov/nchs/nhis/SHS/tables.htm>). Suggested citation: Blackwell DL, Villarreal MA, Clarke TC. Tables of Summary Health Statistics for U.S. Adults: 2013 National Health Interview Survey, 2015. Available from: <http://www.cdc.gov/nchs/nhis/SHS/tables.htm>.

SOURCE: CDC/NCHS, National Health Interview Survey, 2013.

**Table A-3b. Frequencies (in thousands) of cancer among adults aged 18 and over, by selected characteristics: United States, 2013**

Selected characteristic	All adults aged 18 and over	Males aged 18 and over	Females aged 18 and over	Any cancer <sup>1</sup>	Breast cancer <sup>1</sup>	Cervical cancer <sup>1</sup>	Prostate cancer <sup>1</sup>
Total	237,394	114,334	123,061	20,084	3,477	1,316	2,578
Sex							
Male	114,334	114,334		8,724	*64	-	2,578
Female	123,061		123,061	11,359	3,414	1,316	-
Age (years)							
18-44	111,717	55,268	56,449	1,974	143	547	-
45-64	82,286	39,887	42,400	7,845	1,327	530	556
65-74	25,086	11,715	13,371	5,320	903	201	1,053
75 and over	18,305	7,464	10,840	4,945	1,106	*39	969
Race							
One race <sup>2</sup>	233,678	112,506	121,172	19,774	3,421	1,286	2,540
White	189,484	92,275	97,209	18,085	3,150	1,184	2,047
Black or African American	28,503	12,826	15,677	1,309	221	77	389
American Indian or Alaska Native	1,970	904	1,066	*66	*	*	*
Asian	13,236	6,218	7,019	313	*43	*25	*100
Native Hawaiian or Other Pacific Islander	485	283	202	*	-	-	-
Two or more races <sup>3</sup>	3,716	1,828	1,888	310	*56	*30	*
Black or African American, white	801	383	418	*24	*	-	-
American Indian or Alaska Native, white	1,570	825	745	220	*43	*21	*
Hispanic or Latino origin <sup>4</sup> and race							
Hispanic or Latino	35,704	17,870	17,834	1,068	212	112	124
Mexican or Mexican American	22,277	11,233	11,044	515	96	64	*54
Not Hispanic or Latino	201,690	96,464	105,226	19,016	3,265	1,204	2,454
White, single race	156,858	75,979	80,880	17,083	2,944	1,090	1,923
Black or African American, single race	27,415	12,321	15,094	1,283	221	*65	389
Education <sup>5</sup>							
Less than a high school diploma	27,749	13,630	14,120	2,405	386	137	355
High school diploma or GED <sup>6</sup>	52,621	25,628	26,992	5,690	1,080	362	785
Some college	60,000	27,277	32,724	5,695	960	561	565
Bachelor's degree or higher	65,758	32,112	33,646	6,003	1,019	194	851
Current employment status <sup>7</sup>							
Employed	144,126	76,414	67,713	7,104	951	654	685
Full-time	117,101	66,651	50,449	5,411	681	472	445
Part-time	24,980	8,680	16,301	1,575	265	174	219
Not employed but has worked previously	78,659	33,532	45,127	12,115	2,232	611	1,874
Not employed and has never worked	14,364	4,334	10,030	821	286	*	*

**Table A-3b. Frequencies (in thousands) of cancer among adults aged 18 and over, by selected characteristics: United States, 2013**

Selected characteristic	All adults aged 18 and over	Males aged 18 and over	Females aged 18 and over	Any cancer <sup>1</sup>	Breast cancer <sup>1</sup>	Cervical cancer <sup>1</sup>	Prostate cancer <sup>1</sup>
Family income <sup>8</sup>							
Less than \$35,000	72,188	32,149	40,039	6,194	1,093	515	789
\$35,000 or more	149,560	74,727	74,833	12,362	2,099	772	1,593
\$35,000–\$49,999	30,855	14,814	16,041	2,807	552	*286	390
\$50,000–\$74,999	40,797	20,009	20,787	3,307	561	255	513
\$75,000–\$99,999	27,096	13,703	13,393	2,394	395	141	205
\$100,000 or more	50,812	26,200	24,612	3,854	591	*90	484
Poverty status <sup>9</sup>							
Poor	29,822	12,827	16,995	1,669	250	242	114
Near poor	38,468	17,374	21,094	3,089	472	*287	371
Not poor	148,428	74,870	73,558	13,367	2,319	680	1,851
Health insurance coverage <sup>10</sup>							
Under 65:							
Private	125,224	61,754	63,469	6,657	1,058	504	409
Medicaid	19,711	7,372	12,339	1,042	170	134	*
Other	9,247	4,979	4,268	909	118	*99	119
Uninsured	38,942	20,671	18,271	1,177	123	324	*
65 and over:							
Private	21,580	9,520	12,060	5,556	1,109	92	1,090
Medicare and Medicaid	3,185	1,178	2,007	670	124	*	119
Medicare only	14,960	6,263	8,697	3,081	665	*111	545
Other	3,159	1,957	1,202	927	*96	*27	268
Uninsured	411	201	210	*	*	-	-
Marital status							
Married	125,149	63,304	61,845	11,982	1,931	731	1,865
Widowed	14,432	3,259	11,173	3,151	853	122	295
Divorced or separated	27,632	11,584	16,048	2,931	481	258	262
Never married	52,816	27,648	25,169	1,346	128	113	82
Living with a partner	16,910	8,387	8,523	639	*79	*92	*74
Place of residence <sup>11</sup>							
Large MSA	127,881	61,791	66,090	9,878	1,699	691	1,269
Small MSA	73,440	35,460	37,979	6,237	1,130	325	754
Not in MSA	36,074	17,083	18,992	3,969	649	300	554
Region							
Northeast	41,590	20,040	21,550	3,819	648	145	439
Midwest	53,833	26,769	27,065	4,863	827	403	564
South	87,664	41,067	46,596	7,679	1,315	448	1,094
West	54,307	26,458	27,850	3,723	687	319	481

**Table A-3b. Frequencies (in thousands) of cancer among adults aged 18 and over, by selected characteristics: United States, 2013**

Selected characteristic	All adults aged 18 and over	Males aged 18 and over	Females aged 18 and over	Any cancer <sup>1</sup>	Breast cancer <sup>1</sup>	Cervical cancer <sup>1</sup>	Prostate cancer <sup>1</sup>
Hispanic or Latino origin <sup>4</sup> , race, and sex							
Hispanic or Latino, male	17,870	17,870		389	-	-	124
Hispanic or Latina, female	17,834		17,834	678	212	112	-
Not Hispanic or Latino:							
White, single race, male	75,979	75,979		7,336	*	-	1,923
White, single race, female	80,880		80,880	9,747	2,904	1,090	-
Black or African American, single race, male	12,321	12,321		679	*	-	389
Black or African American, single race, female	15,094		15,094	604	213	*65	-

\* Estimates are considered unreliable. Data preceded by an asterisk have a relative standard error (RSE) greater than 30% and less than or equal to 50% and should be used with caution. Data not shown have an RSE greater than 50%.

- Quantity zero.

<sup>1</sup> Respondents were asked if they had ever been told by a doctor or other health professional that they had a cancer or malignancy of any kind. They were then asked to name the kind of cancer they had. A person may be represented in more than one column.

<sup>2</sup> Refers to persons who indicated only a single race group, including those of Hispanic or Latino origin.

<sup>3</sup> Refers to persons who indicated more than one race group, including those of Hispanic or Latino origin. Only two combinations of multiple race groups are shown due to small sample sizes for other combinations.

<sup>4</sup> Refers to persons who are of Hispanic or Latino origin and may be of any race or combination of races. "Not Hispanic or Latino" refers to persons who are not of Hispanic or Latino origin, regardless of race.

<sup>5</sup> Shown only for adults aged 25 and over.

<sup>6</sup> GED is General Educational Development high school equivalency diploma.

<sup>7</sup> "Full-time" employment is 35 or more hours per week. "Part-time" employment is 34 or fewer hours per week.

<sup>8</sup> Includes persons in families that reported either a dollar amount or would not provide a dollar amount but provided an income interval.

<sup>9</sup> "Poor" persons live in families defined as below the poverty threshold. "Near poor" persons live in families with incomes of 100% to less than 200% of the poverty threshold. "Not poor" persons live in families with incomes that are 200% of the poverty threshold or greater.

<sup>10</sup> Based on a hierarchy of mutually exclusive categories. Adults with more than one type of health insurance were assigned to the first appropriate category in the hierarchy. "Uninsured" includes adults who had no coverage as well as those who had only Indian Health Service coverage or had only a private plan that paid for one type of service such as accidents or dental care.

<sup>11</sup> MSA is metropolitan statistical area. Large MSAs have a population size of 1 million or more; small MSAs have a population size of less than 1 million. "Not in MSA" consists of persons not living in a metropolitan statistical area.

NOTES: Estimates are based on household interviews of a sample of the civilian noninstitutionalized population. This table is based on data from the Sample Adult file and was weighted using the Sample Adult weight. Unknowns for the columns were not included in the frequencies, but they are included in the "All adults aged 18 and over," "Males aged 18 and over," and "Females aged 18 and over" columns. "Total" includes other races not shown separately and persons with unknown education, family income, poverty status, and health insurance characteristics. For more information on the data source, methods, and definitions used for this table, refer to Technical Notes for Summary Health Statistics Tables: National Health Interview Survey (available from <http://www.cdc.gov/nchs/nhis/SHS/tables.htm>). Suggested citation: Blackwell DL, Villarroel MA, Clarke TC. Tables of Summary Health Statistics for U.S. Adults: 2013 National Health Interview Survey. 2015. Available from: <http://www.cdc.gov/nchs/nhis/SHS/tables.htm>.

SOURCE: CDC/NCHS, National Health Interview Survey, 2013.

**Table A-3c. Crude percentages (with standard errors) of cancer among adults aged 18 and over, by selected characteristics: United States, 2013**

Selected characteristic	Any cancer <sup>1</sup>	Breast cancer <sup>1</sup>	Cervical cancer <sup>1</sup>	Prostate cancer <sup>1</sup>
Total	8.5 (0.20)	1.5 (0.08)	1.1 (0.11)	2.3 (0.15)
Sex				
Male	7.6 (0.29)	*0.1 (0.02)	-	2.3 (0.15)
Female	9.2 (0.27)	2.8 (0.15)	1.1 (0.11)	-
Age (years)				
18–44	1.8 (0.15)	0.1 (0.03)	1.0 (0.19)	-
45–64	9.5 (0.35)	1.6 (0.15)	1.3 (0.19)	1.4 (0.20)
65–74	21.2 (0.81)	3.6 (0.35)	1.5 (0.31)	9.0 (0.91)
75 and over	27.1 (1.01)	6.1 (0.56)	*0.4 (0.11)	13.0 (1.32)
Race				
One race <sup>2</sup>	8.5 (0.20)	1.5 (0.08)	1.1 (0.12)	2.3 (0.15)
White	9.6 (0.24)	1.7 (0.09)	1.2 (0.14)	2.2 (0.17)
Black or African American	4.6 (0.34)	0.8 (0.13)	0.5 (0.14)	3.0 (0.45)
American Indian or Alaska Native	*3.4 (1.07)	*	*	*
Asian	2.4 (0.41)	*0.3 (0.12)	*0.4 (0.16)	*1.6 (0.64)
Native Hawaiian or Other Pacific Islander	*	-	-	-
Two or more races <sup>3</sup>	8.4 (1.39)	*1.5 (0.57)	*1.6 (0.60)	*
Black or African American, white	*3.0 (1.35)	*	-	-
American Indian or Alaska Native, white	14.1 (2.90)	*2.7 (1.28)	*2.9 (1.29)	*
Hispanic or Latino origin <sup>4</sup> and race				
Hispanic or Latino	3.0 (0.25)	0.6 (0.11)	0.6 (0.16)	0.7 (0.17)
Mexican or Mexican American	2.3 (0.28)	0.4 (0.12)	0.6 (0.17)	*0.5 (0.16)
Not Hispanic or Latino	9.4 (0.23)	1.6 (0.09)	1.1 (0.13)	2.5 (0.17)
White, single race	10.9 (0.28)	1.9 (0.11)	1.3 (0.16)	2.5 (0.20)
Black or African American, single race	4.7 (0.35)	0.8 (0.14)	*0.4 (0.13)	3.2 (0.47)
Education <sup>5</sup>				
Less than a high school diploma	8.7 (0.51)	1.4 (0.19)	1.0 (0.23)	2.6 (0.42)
High school diploma or GED <sup>6</sup>	10.8 (0.47)	2.1 (0.21)	1.3 (0.24)	3.1 (0.39)
Some college	9.5 (0.41)	1.6 (0.16)	1.7 (0.33)	2.1 (0.31)
Bachelor's degree or higher	9.1 (0.39)	1.6 (0.16)	0.6 (0.12)	2.7 (0.29)
Current employment status <sup>7</sup>				
Employed	4.9 (0.20)	0.7 (0.07)	1.0 (0.16)	0.9 (0.13)
Full-time	4.6 (0.22)	0.6 (0.07)	0.9 (0.20)	0.7 (0.11)
Part-time	6.3 (0.53)	1.1 (0.24)	1.1 (0.28)	2.5 (0.72)
Not employed but has worked previously	15.4 (0.42)	2.8 (0.18)	1.4 (0.18)	5.6 (0.41)
Not employed and has never worked	5.7 (0.67)	2.0 (0.39)	*	*

**Table A-3c. Crude percentages (with standard errors) of cancer among adults aged 18 and over, by selected characteristics: United States, 2013**

Selected characteristic	Any cancer <sup>1</sup>	Breast cancer <sup>1</sup>	Cervical cancer <sup>1</sup>	Prostate cancer <sup>1</sup>
Family income <sup>8</sup>				
Less than \$35,000	8.6 (0.31)	1.5 (0.13)	1.3 (0.17)	2.5 (0.29)
\$35,000 or more	8.3 (0.26)	1.4 (0.10)	1.0 (0.16)	2.1 (0.19)
\$35,000–\$49,999	9.1 (0.57)	1.8 (0.24)	*1.8 (0.58)	2.6 (0.43)
\$50,000–\$74,999	8.1 (0.46)	1.4 (0.18)	1.2 (0.25)	2.6 (0.40)
\$75,000–\$99,999	8.8 (0.61)	1.5 (0.26)	1.1 (0.31)	1.5 (0.37)
\$100,000 or more	7.6 (0.43)	1.2 (0.16)	*0.4 (0.12)	1.8 (0.31)
Poverty status <sup>9</sup>				
Poor	5.6 (0.37)	0.8 (0.12)	1.4 (0.25)	0.9 (0.22)
Near poor	8.0 (0.46)	1.2 (0.16)	*1.4 (0.42)	2.1 (0.39)
Not poor	9.0 (0.27)	1.6 (0.11)	0.9 (0.11)	2.5 (0.20)
Health insurance coverage <sup>10</sup>				
Under 65:				
Private	5.3 (0.23)	0.8 (0.09)	0.8 (0.12)	0.7 (0.12)
Medicaid	5.3 (0.49)	0.9 (0.17)	1.1 (0.23)	*
Other	9.8 (0.94)	1.3 (0.33)	*2.3 (0.79)	2.4 (0.65)
Uninsured	3.0 (0.36)	0.3 (0.09)	1.8 (0.52)	*
65 and over:				
Private	25.8 (0.95)	5.2 (0.47)	0.8 (0.21)	11.5 (1.07)
Medicare and Medicaid	21.1 (2.03)	3.9 (0.87)	*	10.1 (2.43)
Medicare only	20.6 (1.03)	4.5 (0.52)	*1.3 (0.40)	8.7 (1.25)
Other	29.4 (2.54)	*3.0 (1.09)	*2.2 (1.06)	13.7 (2.84)
Uninsured	*	*	-	-
Marital status				
Married	9.6 (0.31)	1.5 (0.12)	1.2 (0.19)	2.9 (0.24)
Widowed	21.9 (0.97)	5.9 (0.54)	1.1 (0.25)	9.1 (1.71)
Divorced or separated	10.6 (0.52)	1.7 (0.21)	1.6 (0.32)	2.3 (0.35)
Never married	2.5 (0.20)	0.2 (0.05)	0.5 (0.11)	0.3 (0.07)
Living with a partner	3.8 (0.46)	*0.5 (0.15)	*1.1 (0.36)	*0.9 (0.31)
Place of residence <sup>11</sup>				
Large MSA	7.7 (0.27)	1.3 (0.11)	1.0 (0.17)	2.1 (0.20)
Small MSA	8.5 (0.35)	1.5 (0.14)	0.9 (0.14)	2.1 (0.25)
Not in MSA	11.0 (0.54)	1.8 (0.20)	1.6 (0.32)	3.2 (0.44)
Region				
Northeast	9.2 (0.55)	1.6 (0.23)	0.7 (0.19)	2.2 (0.34)
Midwest	9.0 (0.43)	1.5 (0.16)	1.5 (0.37)	2.1 (0.28)
South	8.8 (0.31)	1.5 (0.12)	1.0 (0.15)	2.7 (0.29)
West	6.9 (0.36)	1.3 (0.14)	1.1 (0.19)	1.8 (0.27)



**Table A-3c. Crude percentages (with standard errors) of cancer among adults aged 18 and over, by selected characteristics: United States, 2013**

Selected characteristic	Any cancer <sup>1</sup>	Breast cancer <sup>1</sup>	Cervical cancer <sup>1</sup>	Prostate cancer <sup>1</sup>
Hispanic or Latino origin <sup>4</sup> , race, and sex				
Hispanic or Latino, male	2.2 (0.31)	-	-	0.7 (0.17)
Hispanic or Latina, female	3.8 (0.40)	1.2 (0.22)	0.6 (0.16)	-
Not Hispanic or Latino:				
White, single race, male	9.7 (0.40)	*	-	2.5 (0.20)
White, single race, female	12.1 (0.40)	3.6 (0.21)	1.3 (0.16)	-
Black or African American, single race, male	5.5 (0.60)	*	-	3.2 (0.47)
Black or African American, single race, female	4.0 (0.40)	1.4 (0.25)	*0.4 (0.13)	-

\* Estimates are considered unreliable. Data preceded by an asterisk have a relative standard error (RSE) greater than 30% and less than or equal to 50% and should be used with caution. Data not shown have an RSE greater than 50%.

- Quantity zero.

<sup>1</sup> Respondents were asked if they had ever been told by a doctor or other health professional that they had a cancer or malignancy of any kind. They were then asked to name the kind of cancer they had. A person may be represented in more than one column.

<sup>2</sup> Refers to persons who indicated only a single race group, including those of Hispanic or Latino origin.

<sup>3</sup> Refers to persons who indicated more than one race group, including those of Hispanic or Latino origin. Only two combinations of multiple race groups are shown due to small sample sizes for other combinations.

<sup>4</sup> Refers to persons who are of Hispanic or Latino origin and may be of any race or combination of races. "Not Hispanic or Latino" refers to persons who are not of Hispanic or Latino origin, regardless of race.

<sup>5</sup> Shown only for adults aged 25 and over.

<sup>6</sup> GED is General Educational Development high school equivalency diploma.

<sup>7</sup> "Full-time" employment is 35 or more hours per week. "Part-time" employment is 34 or fewer hours per week.

<sup>8</sup> Includes persons in families that reported either a dollar amount or would not provide a dollar amount but provided an income interval.

<sup>9</sup> "Poor" persons live in families defined as below the poverty threshold. "Near poor" persons live in families with incomes of 100% to less than 200% of the poverty threshold. "Not poor" persons live in families with incomes that are 200% of the poverty threshold or greater.

<sup>10</sup> Based on a hierarchy of mutually exclusive categories. Adults with more than one type of health insurance were assigned to the first appropriate category in the hierarchy.

"Uninsured" includes adults who had no coverage as well as those who had only Indian Health Service coverage or had only a private plan that paid for one type of service such as accidents or dental care.

<sup>11</sup> MSA is metropolitan statistical area. Large MSAs have a population size of 1 million or more; small MSAs have a population size of less than 1 million. "Not in MSA" consists of persons not living in a metropolitan statistical area.

NOTES: Estimates are based on household interviews of a sample of the civilian noninstitutionalized population. This table is based on data from the Sample Adult file and was weighted using the Sample Adult weight. Unknowns for the columns were not included in the denominators when calculating percentages. Percentages may not add to totals due to rounding. "Total" includes other races not shown separately and persons with unknown education, family income, poverty status, and health insurance characteristics. For more information on the data source, methods, and definitions used for this table, refer to Technical Notes for Summary Health Statistics Tables: National Health Interview Survey (available from <http://www.cdc.gov/nchs/nhis/SHS/tables.htm>). Suggested citation: Blackwell DL, Villarreal MA, Clarke TC. Tables of Summary Health Statistics for U.S. Adults: 2013 National Health Interview Survey, 2015. Available from: <http://www.cdc.gov/nchs/nhis/SHS/tables.htm>.

SOURCE: CDC/NCHS, National Health Interview Survey, 2013.