

Table P-13a. Age-adjusted percent distribution (with standard errors) of length of time since last had health insurance coverage among currently uninsured persons under age 65, by selected characteristics: United States, 2014

Selected characteristic	All persons currently uninsured under age 65	6 months or less ¹	7-12 months ¹	13-36 months ¹	More than 36 months ¹	Never ¹
Total	100.0	16.7 (0.68)	9.8 (0.62)	18.5 (0.75)	29.9 (0.75)	25.0 (0.89)
Sex						
Male	100.0	14.7 (0.74)	9.0 (0.73)	17.6 (0.95)	30.6 (0.93)	28.0 (1.10)
Female	100.0	19.2 (0.98)	10.8 (0.74)	19.7 (0.87)	28.9 (0.86)	21.5 (0.91)
Age						
Under 12 years	100.0	30.9 (2.38)	15.7 (2.28)	21.2 (2.33)	13.0 (1.77)	19.2 (2.05)
12-17 years	100.0	22.1 (2.11)	10.0 (1.60)	18.3 (2.14)	21.9 (2.19)	27.8 (2.62)
18-44 years	100.0	13.4 (0.53)	9.1 (0.47)	18.7 (0.64)	31.9 (0.79)	26.9 (0.94)
45-64 years	100.0	9.6 (0.69)	6.3 (0.60)	16.4 (0.85)	42.7 (1.27)	25.0 (1.04)
Race						
One race ²	100.0	16.6 (0.69)	9.8 (0.63)	18.4 (0.76)	29.9 (0.76)	25.2 (0.91)
White	100.0	16.4 (0.78)	9.7 (0.71)	17.2 (0.86)	30.8 (0.86)	25.9 (1.04)
Black or African American	100.0	21.0 (1.92)	10.8 (1.53)	22.3 (1.65)	29.7 (1.50)	16.2 (1.71)
American Indian or Alaska Native	100.0	*12.3 (3.73)	17.4 (3.98)	16.8 (3.86)	19.5 (3.83)	34.0 (4.95)
Asian	100.0	11.4 (2.28)	7.3 (1.94)	24.7 (3.68)	19.3 (2.22)	37.3 (3.48)
Native Hawaiian or Other Pacific Islander	100.0	20.5 (0.98)	*	*40.5 (12.93)	*	*33.8 (11.55)
Two or more races ³	100.0	20.7 (4.21)	*9.0 (4.37)	23.2 (3.58)	30.2 (3.86)	16.9 (3.26)
Black or African American, white	100.0	34.5 (4.89)	*	25.9 (5.95)	28.6 (6.34)	*
American Indian or Alaska Native, white	100.0	*4.2 (2.08)	*6.5 (2.46)	22.7 (4.08)	24.2 (4.43)	42.5 (4.34)
Hispanic or Latino origin⁴ and race						
Hispanic or Latino	100.0	12.9 (0.90)	7.8 (0.82)	15.2 (1.00)	21.3 (0.93)	42.8 (1.38)
Mexican or Mexican American	100.0	12.4 (1.05)	7.1 (0.80)	15.0 (1.18)	21.2 (1.12)	44.4 (1.61)
Not Hispanic or Latino	100.0	19.4 (0.99)	11.1 (0.88)	20.4 (1.04)	34.8 (1.11)	14.4 (0.98)
White, single race	100.0	19.6 (1.26)	11.3 (1.08)	19.1 (1.33)	37.3 (1.38)	12.7 (1.19)
Black or African American, single race	100.0	21.7 (2.10)	11.7 (1.74)	22.4 (1.75)	30.8 (1.64)	13.4 (1.60)
Education⁵						
Less than a high school diploma	100.0	7.2 (0.65)	5.1 (0.54)	11.0 (0.75)	29.1 (1.22)	47.6 (1.43)
High school diploma or GED ⁶	100.0	10.4 (0.74)	7.6 (0.74)	17.3 (0.89)	41.4 (1.28)	23.3 (1.08)
Some college	100.0	14.2 (0.94)	9.3 (0.81)	20.9 (1.21)	41.9 (1.40)	13.7 (1.00)
Bachelor's degree or higher	100.0	19.6 (1.58)	9.1 (1.20)	18.5 (1.53)	34.7 (1.90)	18.1 (1.55)
Family income⁷						
Less than \$35,000	100.0	15.5 (0.98)	8.0 (0.68)	19.7 (1.08)	29.3 (0.90)	27.5 (1.19)
\$35,000 or more	100.0	19.7 (1.12)	11.7 (1.09)	16.2 (0.98)	30.6 (1.24)	21.8 (1.23)
\$35,000-\$49,999	100.0	18.5 (1.69)	11.2 (1.65)	17.2 (1.66)	28.2 (1.77)	24.9 (1.80)
\$50,000-\$74,999	100.0	19.4 (1.87)	11.8 (2.00)	18.6 (1.74)	30.3 (1.91)	19.9 (1.78)
\$75,000-\$99,999	100.0	17.7 (3.00)	13.1 (3.28)	14.4 (2.25)	36.6 (3.97)	18.2 (2.57)
\$100,000 or more	100.0	26.2 (3.68)	11.5 (2.59)	10.3 (1.67)	32.1 (3.74)	19.9 (3.82)
Poverty status⁸						
Poor	100.0	13.1 (1.21)	7.9 (0.87)	20.9 (1.51)	27.1 (1.18)	30.9 (1.62)
Near poor	100.0	16.0 (1.11)	9.6 (1.15)	16.1 (1.06)	30.5 (1.21)	27.8 (1.41)
Not poor	100.0	20.8 (1.32)	11.6 (1.19)	17.9 (1.17)	32.4 (1.42)	17.4 (1.25)

Table P-13a. Age-adjusted percent distribution (with standard errors) of length of time since last had health insurance coverage among currently uninsured persons under age 65, by selected characteristics: United States, 2014

Selected characteristic	All persons currently uninsured under age 65	6 months or less ¹	7-12 months ¹	13-36 months ¹	More than 36 months ¹	Never ¹
Place of residence ⁹						
Large MSA	100.0	16.5 (0.91)	9.7 (0.91)	19.7 (1.09)	28.2 (0.99)	25.9 (1.13)
Small MSA	100.0	17.2 (1.27)	9.3 (0.86)	18.2 (1.28)	30.3 (1.35)	24.9 (1.69)
Not in MSA	100.0	16.6 (1.72)	10.9 (1.56)	15.2 (1.60)	35.2 (1.99)	22.1 (2.48)
Region						
Northeast	100.0	17.1 (2.26)	12.7 (2.59)	18.0 (2.18)	25.7 (2.19)	26.5 (2.71)
Midwest	100.0	17.4 (1.82)	13.9 (1.66)	20.8 (1.90)	28.2 (1.55)	19.6 (2.09)
South	100.0	16.7 (0.94)	7.2 (0.61)	16.8 (1.08)	31.3 (1.19)	28.0 (1.42)
West	100.0	16.2 (1.33)	11.0 (1.40)	20.5 (1.47)	30.1 (1.31)	22.2 (1.21)
Hispanic or Latino origin ⁴ , race, and sex						
Hispanic or Latino, male	100.0	11.4 (1.02)	7.3 (0.89)	13.8 (1.16)	20.2 (1.08)	47.3 (1.66)
Hispanic or Latina, female	100.0	14.7 (1.27)	8.5 (0.96)	17.0 (1.18)	22.6 (1.13)	37.2 (1.49)
Not Hispanic or Latino:						
White, single race, male	100.0	17.5 (1.35)	10.1 (1.28)	19.0 (1.73)	38.4 (1.76)	14.9 (1.45)
White, single race, female	100.0	22.2 (1.78)	12.7 (1.35)	19.2 (1.43)	35.7 (1.58)	10.2 (1.24)
Black or African American, single race, male	100.0	17.8 (2.77)	11.4 (2.42)	20.7 (2.12)	34.8 (2.59)	15.3 (2.15)
Black or African American, single race, female	100.0	26.0 (2.66)	12.6 (1.73)	23.8 (2.36)	26.2 (1.72)	11.4 (1.71)
Hispanic or Latino origin ⁴ , race, and poverty status						
Hispanic or Latino:						
Poor	100.0	11.4 (1.66)	7.5 (1.22)	16.5 (2.04)	16.8 (1.29)	47.8 (2.45)
Near poor	100.0	11.4 (1.37)	6.8 (1.61)	14.9 (1.31)	21.7 (1.52)	45.2 (1.96)
Not poor	100.0	17.1 (1.91)	9.4 (1.45)	14.7 (1.71)	26.6 (2.17)	32.2 (2.31)
Not Hispanic or Latino:						
White, single race:						
Poor	100.0	15.3 (3.12)	8.4 (1.91)	21.9 (3.31)	37.3 (2.25)	17.2 (3.17)
Near poor	100.0	19.0 (2.10)	11.8 (1.93)	16.3 (2.09)	38.0 (2.45)	15.0 (2.14)
Not poor	100.0	22.2 (2.04)	13.6 (1.81)	17.0 (1.47)	37.0 (2.14)	10.3 (1.62)
Black or African American, single race:						
Poor	100.0	14.9 (3.12)	9.2 (1.86)	22.2 (2.75)	36.4 (3.67)	17.3 (2.59)
Near poor	100.0	23.8 (3.48)	10.7 (2.26)	20.8 (2.76)	32.7 (2.37)	12.1 (2.91)
Not poor	100.0	35.4 (4.66)	7.6 (1.45)	23.6 (3.64)	26.2 (3.16)	7.3 (1.38)

Table P-13a. Age-adjusted percent distribution (with standard errors) of length of time since last had health insurance coverage among currently uninsured persons under age 65, by selected characteristics: United States, 2014

Selected characteristic	All persons currently uninsured under age 65	6 months or less ¹	7-12 months ¹	13-36 months ¹	More than 36 months ¹	Never ¹
-------------------------	--	-------------------------------	--------------------------	---------------------------	----------------------------------	--------------------

* Estimates are considered unreliable. Data preceded by an asterisk have a relative standard error (RSE) greater than 30% and less than or equal to 50% and should be used with caution. Data not shown have an RSE greater than 50%.

¹Based on the question (asked of persons currently without health insurance coverage), "Not including Single Service Plans, about how long has it been since [person] last had health care coverage?" The weighted percentage of unknown length of time since last had health insurance coverage among currently uninsured persons under age 65 was 6.0%.

²Refers to persons who indicated only a single race group, including those of Hispanic or Latino origin.

³Refers to persons who indicated more than one race group, including those of Hispanic or Latino origin. Only two combinations of multiple race groups are shown due to small sample sizes for other combinations.

⁴Refers to persons who are of Hispanic or Latino origin and may be of any race or combination of races. "Not Hispanic or Latino" refers to persons who are not of Hispanic or Latino origin, regardless of race.

⁵Shown only for persons aged 25 and over. Estimates are age adjusted using the projected 2000 U.S. population as the standard population and using two age groups: 25-44 and 45-64.

⁶GED is General Educational Development high school equivalency diploma.

⁷Includes persons who reported a dollar amount or who would not provide a dollar amount but provided an income interval.

⁸"Poor" persons are defined as having income below the poverty threshold. "Near poor" persons have incomes of 100% to less than 200% of the poverty threshold. "Not poor" persons have incomes that are 200% of the poverty threshold or greater.

⁹MSA is metropolitan statistical area. Large MSAs have a population of 1 million or more; small MSAs have a population of less than 1 million. "Not in MSA" consists of persons not living in a metropolitan statistical area.

NOTES: Estimates are based on household interviews of a sample of the civilian noninstitutionalized population. This table is based on responses about currently uninsured persons under age 65 in the family. Data came from the Person file and were weighted using the Person weight. Unknowns for the columns were not included in the denominators when calculating percentages. Percentages may not add to totals due to rounding. "Total" includes other races not shown separately and persons with unknown education, family income, and poverty status. Unless otherwise specified, estimates are age adjusted using the projected 2000 U.S. population as the standard population and using four age groups: 0-11, 12-17, 18-44, and 45-64. Estimates for age groups are not age-adjusted. For more information on the data source, methods, and definitions used for this table, refer to Technical Notes for Summary Health Statistics Tables: National Health Interview Survey (available from <http://www.cdc.gov/nchs/nhis/SHS/tables.htm>). Suggested citation: Adams PF, Benson V. Tables of Summary Health Statistics for the U.S. Population: 2014 National Health Interview Survey, 2015. Available from: <http://www.cdc.gov/nchs/nhis/SHS/tables.htm>.

SOURCE: CDC/NCHS, National Health Interview Survey, 2014.

Table P-13b. Frequency distribution (number in thousands) of length of time since last had health insurance coverage among currently uninsured persons under age 65, by selected characteristics: United States, 2014

Selected characteristic	All persons currently uninsured under age 65	6 months or less ¹	7-12 months ¹	13-36 months ¹	More than 36 months ¹	Never ¹
Total	35,280	4,595	2,920	6,018	10,950	8,592
Sex						
Male	19,317	2,168	1,384	3,076	6,144	5,329
Female	15,963	2,427	1,535	2,943	4,806	3,263
Age						
Under 12 years	2,237	642	326	439	270	398
12-17 years	1,709	353	159	292	350	445
18-44 years	21,740	2,744	1,871	3,831	6,534	5,524
45-64 years	9,593	856	563	1,456	3,796	2,225
Race						
One race ²	34,618	4,498	2,867	5,866	10,747	8,490
White	27,232	3,559	2,257	4,366	8,723	6,940
Black or African American	4,896	739	458	1,095	1,590	732
American Indian or Alaska Native	770	45	*45	*50	86	154
Asian	1,665	153	105	330	346	647
Native Hawaiian or Other Pacific Islander	56	*	*	*	*	*17
Two or more races ³	661	97	*53	152	202	102
Black or African American, white	172	*52	*	61	43	*
American Indian or Alaska Native, white	278	*13	*20	*59	79	75
Hispanic or Latino origin ⁴ and race						
Hispanic or Latino	12,836	1,259	874	1,755	2,764	5,573
Mexican or Mexican American	8,855	817	545	1,187	1,888	3,954
Not Hispanic or Latino	22,444	3,336	2,046	4,264	8,185	3,018
White, single race	15,489	2,393	1,467	2,826	6,130	1,817
Black or African American, single race	4,494	694	434	1,019	1,520	566
Education ⁵						
Less than a high school diploma	6,858	471	342	711	1,872	3,163
High school diploma or GED ⁶	8,652	858	622	1,418	3,329	1,916
Some college	6,830	942	616	1,369	2,634	874
Bachelor's degree or higher	2,958	544	253	504	945	491
Family income ⁷						
Less than \$35,000	16,648	1,767	1,160	3,011	5,433	4,516
\$35,000 or more	13,844	2,309	1,408	2,147	4,215	2,929
\$35,000-\$49,999	5,658	869	565	924	1,644	1,410
\$50,000-\$74,999	4,472	750	460	781	1,358	876
\$75,000-\$99,999	1,748	259	181	251	627	329
\$100,000 or more	1,967	431	203	191	587	314
Poverty status ⁸						
Poor	9,236	863	666	1,673	2,711	2,826
Near poor	11,322	1,389	883	1,816	3,617	3,079
Not poor	11,693	2,011	1,167	1,958	3,792	1,974

Table P-13b. Frequency distribution (number in thousands) of length of time since last had health insurance coverage among currently uninsured persons under age 65, by selected characteristics: United States, 2014

Selected characteristic	All persons currently uninsured under age 65	6 months or less ¹	7-12 months ¹	13-36 months ¹	More than 36 months ¹	Never ¹
Place of residence ⁹						
Large MSA	19,278	2,463	1,496	3,464	5,714	5,088
Small MSA	10,470	1,368	933	1,740	3,266	2,467
Not in MSA	5,532	764	490	814	1,971	1,036
Region						
Northeast	4,101	577	371	693	1,131	1,051
Midwest	6,158	802	672	1,271	2,007	1,125
South	16,833	2,192	1,155	2,635	5,364	4,565
West	8,187	1,024	721	1,418	2,448	1,852
Hispanic or Latino origin ⁴ , race, and sex						
Hispanic or Latino, male	7,096	602	412	838	1,459	3,450
Hispanic or Latina, female	5,740	657	461	917	1,305	2,124
Not Hispanic or Latino:						
White, single race, male	8,493	1,176	705	1,493	3,443	1,182
White, single race, female	6,996	1,217	762	1,333	2,687	635
Black or African American, single race, male	2,437	286	197	552	919	349
Black or African American, single race, female	2,056	407	237	467	601	217
Hispanic or Latino origin ⁴ , race, and poverty status						
Hispanic or Latino:						
Poor	4,002	325	281	523	694	1,939
Near poor	4,716	404	240	685	1,029	2,155
Not poor	3,137	438	279	442	830	1,036
Not Hispanic or Latino:						
White, single race:						
Poor	3,072	320	217	632	1,347	455
Near poor	4,492	652	466	755	1,877	610
Not poor	6,533	1,220	733	1,091	2,434	605
Black or African American, single race:						
Poor	1,546	146	127	390	563	266
Near poor	1,407	248	119	306	535	145
Not poor	1,131	277	112	262	324	95

Table P-13b. Frequency distribution (number in thousands) of length of time since last had health insurance coverage among currently uninsured persons under age 65, by selected characteristics: United States, 2014

Selected characteristic	All persons currently uninsured under age 65	6 months or less ¹	7-12 months ¹	13-36 months ¹	More than 36 months ¹	Never ¹
-------------------------	--	-------------------------------	--------------------------	---------------------------	----------------------------------	--------------------

* Estimates are considered unreliable. Data preceded by an asterisk have a relative standard error (RSE) greater than 30% and less than or equal to 50% and should be used with caution. Data not shown have an RSE greater than 50%.

¹Based on the question (asked of persons currently without health insurance coverage), "Not including Single Service Plans, about how long has it been since [person] last had health care coverage?" The weighted percentage of unknown length of time since last had health insurance coverage among currently uninsured persons under age 65 was 6.0%.

²Refers to persons who indicated only a single race group, including those of Hispanic or Latino origin.

³Refers to persons who indicated more than one race group, including those of Hispanic or Latino origin. Only two combinations of multiple race groups are shown due to small sample sizes for other combinations.

⁴Refers to persons who are of Hispanic or Latino origin and may be of any race or combination of races. "Not Hispanic or Latino" refers to persons who are not of Hispanic or Latino origin, regardless of race.

⁵Shown only for persons aged 25 and over.

⁶GED is General Educational Development high school equivalency diploma.

⁷Includes persons who reported a dollar amount or who would not provide a dollar amount but provided an income interval.

⁸"Poor" persons are defined as having income below the poverty threshold. "Near poor" persons have incomes of 100% to less than 200% of the poverty threshold. "Not poor" persons have incomes that are 200% of the poverty threshold or greater.

⁹MSA is metropolitan statistical area. Large MSAs have a population of 1 million or more; small MSAs have a population of less than 1 million. "Not in MSA" consists of persons not living in a metropolitan statistical area.

NOTES: Estimates are based on household interviews of a sample of the civilian noninstitutionalized population. This table is based on responses about currently uninsured persons under age 65 in the family. Data came from the Person file and were weighted using the Person weight. Unknowns for the columns were not included in the frequencies, but they were included in the "All persons currently uninsured under age 65" column. "Total" includes other races not shown separately and persons with unknown education, family income, and poverty status. For more information on the data source, methods, and definitions used for this table, refer to Technical Notes for Summary Health Statistics Tables: National Health Interview Survey (available from <http://www.cdc.gov/nchs/nhis/SHS/tables.htm>). Suggested citation: Adams PF, Benson V. Tables of Summary Health Statistics for the U.S. Population: 2014 National Health Interview Survey. 2015. Available from: <http://www.cdc.gov/nchs/nhis/SHS/tables.htm>.

SOURCE: CDC/NCHS, National Health Interview Survey, 2014.

Table P-13c. Crude percent distribution (with standard errors) of length of time since last had health insurance coverage among currently uninsured persons under age 65, by selected characteristics: United States, 2014

Selected characteristic	All persons currently uninsured under age 65	6 months or less ¹	7-12 months ¹	13-36 months ¹	More than 36 months ¹	Never ¹
Total	100.0	13.9 (0.50)	8.8 (0.42)	18.2 (0.57)	33.1 (0.68)	26.0 (0.81)
Sex						
Male	100.0	12.0 (0.53)	7.6 (0.50)	17.0 (0.66)	33.9 (0.81)	29.4 (0.97)
Female	100.0	16.2 (0.70)	10.3 (0.54)	19.7 (0.71)	32.1 (0.85)	21.8 (0.82)
Age						
Under 12 years	100.0	30.9 (2.38)	15.7 (2.28)	21.2 (2.33)	13.0 (1.77)	19.2 (2.05)
12-17 years	100.0	22.1 (2.11)	10.0 (1.60)	18.3 (2.14)	21.9 (2.19)	27.8 (2.62)
18-44 years	100.0	13.4 (0.53)	9.1 (0.47)	18.7 (0.64)	31.9 (0.79)	26.9 (0.94)
45-64 years	100.0	9.6 (0.69)	6.3 (0.60)	16.4 (0.85)	42.7 (1.27)	25.0 (1.04)
Race						
One race ²	100.0	13.9 (0.50)	8.8 (0.42)	18.1 (0.57)	33.1 (0.69)	26.1 (0.82)
White	100.0	13.8 (0.57)	8.7 (0.49)	16.9 (0.65)	33.8 (0.79)	26.9 (0.95)
Black or African American	100.0	16.0 (1.22)	9.9 (0.97)	23.7 (1.29)	34.5 (1.47)	15.9 (1.26)
American Indian or Alaska Native	100.0	11.9 (2.93)	*11.9 (4.28)	*13.2 (4.68)	22.6 (4.83)	40.3 (6.64)
Asian	100.0	9.7 (1.51)	6.6 (1.47)	20.8 (2.50)	21.9 (2.16)	40.9 (3.05)
Native Hawaiian or Other Pacific Islander	100.0	*	*	*53.7 (22.59)	*	*
Two or more races ³	100.0	15.9 (3.73)	*8.7 (3.51)	25.1 (3.65)	33.4 (4.16)	16.8 (3.13)
Black or African American, white	100.0	*31.0 (9.31)	*	36.5 (8.38)	25.5 (6.42)	*
American Indian or Alaska Native, white	100.0	*5.2 (2.53)	*8.2 (3.03)	24.1 (5.75)	32.2 (6.25)	30.3 (5.78)
Hispanic or Latino origin⁴ and race						
Hispanic or Latino	100.0	10.3 (0.65)	7.1 (0.59)	14.4 (0.76)	22.6 (0.87)	45.6 (1.30)
Mexican or Mexican American	100.0	9.7 (0.79)	6.5 (0.63)	14.1 (0.89)	22.5 (1.03)	47.1 (1.52)
Not Hispanic or Latino	100.0	16.0 (0.69)	9.8 (0.56)	20.5 (0.75)	39.3 (0.94)	14.5 (0.83)
White, single race	100.0	16.4 (0.87)	10.0 (0.71)	19.3 (0.96)	41.9 (1.17)	12.4 (1.00)
Black or African American, single race	100.0	16.4 (1.27)	10.3 (1.04)	24.1 (1.34)	35.9 (1.56)	13.4 (1.16)
Education⁵						
Less than a high school diploma	100.0	7.2 (0.65)	5.2 (0.55)	10.8 (0.74)	28.5 (1.23)	48.2 (1.48)
High school diploma or GED ⁶	100.0	10.5 (0.75)	7.6 (0.73)	17.4 (0.89)	40.9 (1.27)	23.5 (1.08)
Some college	100.0	14.6 (0.95)	9.6 (0.81)	21.3 (1.22)	40.9 (1.36)	13.6 (0.98)
Bachelor's degree or higher	100.0	19.9 (1.60)	9.2 (1.22)	18.4 (1.53)	34.5 (1.89)	17.9 (1.54)
Family income⁷						
Less than \$35,000	100.0	11.1 (0.59)	7.3 (0.44)	18.9 (0.75)	34.2 (0.91)	28.4 (1.02)
\$35,000 or more	100.0	17.7 (0.91)	10.8 (0.83)	16.5 (0.90)	32.4 (1.15)	22.5 (1.12)
\$35,000-\$49,999	100.0	16.1 (1.32)	10.4 (1.22)	17.1 (1.48)	30.4 (1.69)	26.1 (1.63)
\$50,000-\$74,999	100.0	17.7 (1.53)	10.9 (1.71)	18.5 (1.50)	32.1 (1.82)	20.7 (1.72)
\$75,000-\$99,999	100.0	15.7 (2.38)	11.0 (2.60)	15.2 (2.37)	38.1 (3.52)	20.0 (2.81)
\$100,000 or more	100.0	25.0 (3.20)	11.8 (2.23)	11.1 (1.71)	34.0 (3.49)	18.2 (3.14)
Poverty status⁸						
Poor	100.0	9.9 (0.77)	7.6 (0.61)	19.1 (1.07)	31.0 (1.27)	32.3 (1.45)
Near poor	100.0	12.9 (0.81)	8.2 (0.75)	16.8 (0.94)	33.5 (1.22)	28.5 (1.26)
Not poor	100.0	18.4 (0.97)	10.7 (0.84)	18.0 (0.92)	34.8 (1.16)	18.1 (1.03)

Table P-13c. Crude percent distribution (with standard errors) of length of time since last had health insurance coverage among currently uninsured persons under age 65, by selected characteristics: United States, 2014

Selected characteristic	All persons currently uninsured under age 65	6 months or less ¹	7-12 months ¹	13-36 months ¹	More than 36 months ¹	Never ¹
Place of residence ⁹						
Large MSA	100.0	13.5 (0.64)	8.2 (0.58)	19.0 (0.83)	31.4 (0.90)	27.9 (1.04)
Small MSA	100.0	14.0 (0.90)	9.5 (0.78)	17.8 (0.91)	33.4 (1.28)	25.2 (1.64)
Not in MSA	100.0	15.0 (1.47)	9.7 (0.92)	16.0 (1.27)	38.8 (1.65)	20.4 (1.98)
Region						
Northeast	100.0	15.1 (1.57)	9.7 (1.44)	18.1 (1.54)	29.6 (1.94)	27.5 (2.30)
Midwest	100.0	13.6 (1.19)	11.4 (1.19)	21.6 (1.58)	34.1 (1.64)	19.1 (1.76)
South	100.0	13.8 (0.72)	7.3 (0.47)	16.6 (0.78)	33.7 (1.06)	28.7 (1.30)
West	100.0	13.7 (0.99)	9.7 (0.97)	19.0 (1.14)	32.8 (1.21)	24.8 (1.23)
Hispanic or Latino origin ⁴ , race, and sex						
Hispanic or Latino, male	100.0	8.9 (0.71)	6.1 (0.60)	12.4 (0.84)	21.6 (1.01)	51.0 (1.47)
Hispanic or Latina, female	100.0	12.0 (0.90)	8.4 (0.77)	16.8 (0.96)	23.9 (1.07)	38.9 (1.43)
Not Hispanic or Latino:						
White, single race, male	100.0	14.7 (0.97)	8.8 (0.90)	18.7 (1.16)	43.0 (1.39)	14.8 (1.21)
White, single race, female	100.0	18.3 (1.19)	11.5 (0.91)	20.1 (1.20)	40.5 (1.48)	9.6 (1.00)
Black or African American, single race, male	100.0	12.4 (1.37)	8.6 (1.27)	24.0 (1.84)	39.9 (2.06)	15.1 (1.51)
Black or African American, single race, female	100.0	21.1 (1.92)	12.3 (1.36)	24.2 (1.85)	31.2 (2.03)	11.3 (1.52)
Hispanic or Latino origin ⁴ , race, and poverty status						
Hispanic or Latino:						
Poor	100.0	8.6 (1.08)	7.5 (0.93)	13.9 (1.50)	18.4 (1.30)	51.5 (2.31)
Near poor	100.0	9.0 (1.06)	5.3 (1.03)	15.2 (1.14)	22.8 (1.41)	47.7 (1.81)
Not poor	100.0	14.5 (1.35)	9.2 (1.24)	14.6 (1.40)	27.4 (1.83)	34.2 (1.97)
Not Hispanic or Latino:						
White, single race:						
Poor	100.0	10.8 (1.47)	7.3 (1.03)	21.3 (2.04)	45.4 (2.40)	15.3 (2.12)
Near poor	100.0	15.0 (1.43)	10.7 (1.36)	17.3 (1.84)	43.0 (2.31)	14.0 (1.80)
Not poor	100.0	20.1 (1.51)	12.0 (1.26)	17.9 (1.28)	40.0 (1.74)	9.9 (1.23)
Black or African American, single race:						
Poor	100.0	9.8 (1.65)	8.5 (1.38)	26.2 (2.46)	37.7 (2.84)	17.8 (2.24)
Near poor	100.0	18.3 (2.25)	8.8 (1.44)	22.6 (2.16)	39.5 (2.85)	10.7 (1.63)
Not poor	100.0	25.8 (2.95)	10.5 (1.96)	24.5 (2.67)	30.3 (2.79)	8.9 (1.69)

Table P-13c. Crude percent distribution (with standard errors) of length of time since last had health insurance coverage among currently uninsured persons under age 65, by selected characteristics: United States, 2014

Selected characteristic	All persons currently uninsured under age 65	6 months or less ¹	7-12 months ¹	13-36 months ¹	More than 36 months ¹	Never ¹
-------------------------	--	-------------------------------	--------------------------	---------------------------	----------------------------------	--------------------

* Estimates are considered unreliable. Data preceded by an asterisk have a relative standard error (RSE) greater than 30% and less than or equal to 50% and should be used with caution. Data not shown have an RSE greater than 50%.

¹Based on the question (asked of persons currently without health insurance coverage), "Not including Single Service Plans, about how long has it been since [person] last had health care coverage?" The weighted percentage of unknown length of time since last had health insurance coverage among currently uninsured persons under age 65 was 6.0%.

²Refers to persons who indicated only a single race group, including those of Hispanic or Latino origin.

³Refers to persons who indicated more than one race group, including those of Hispanic or Latino origin. Only two combinations of multiple race groups are shown due to small sample sizes for other combinations.

⁴Refers to persons who are of Hispanic or Latino origin and may be of any race or combination of races. "Not Hispanic or Latino" refers to persons who are not of Hispanic or Latino origin, regardless of race.

⁵Shown only for persons aged 25 and over.

⁶GED is General Educational Development high school equivalency diploma.

⁷Includes persons who reported a dollar amount or who would not provide a dollar amount but provided an income interval.

⁸"Poor" persons are defined as having income below the poverty threshold. "Near poor" persons have incomes of 100% to less than 200% of the poverty threshold. "Not poor" persons have incomes that are 200% of the poverty threshold or greater.

⁹MSA is metropolitan statistical area. Large MSAs have a population of 1 million or more; small MSAs have a population of less than 1 million. "Not in MSA" consists of persons not living in a metropolitan statistical area.

NOTES: Estimates are based on household interviews of a sample of the civilian noninstitutionalized population. This table is based on responses about currently uninsured persons under age 65 in the family. Data came from the Person file and were weighted using the Person weight. Unknowns for the columns were not included in the denominators when calculating percentages. Percentages may not add to totals due to rounding. "Total" includes other races not shown separately and persons with unknown education, family income, and poverty status. For more information on the data source, methods, and definitions used for this table, refer to Technical Notes for Summary Health Statistics Tables: National Health Interview Survey (available from <http://www.cdc.gov/nchs/nhis/SHS/tables.htm>). Suggested citation: Adams PF, Benson V. Tables of Summary Health Statistics for the U.S. Population: 2014 National Health Interview Survey. 2015. Available from: <http://www.cdc.gov/nchs/nhis/SHS/tables.htm>.

SOURCE: CDC/NCHS, National Health Interview Survey, 2014.