

**Table P-10a. Age-adjusted percent distribution (with standard errors) of number of overnight hospital stays during the past 12 months, by selected characteristics: United States, 2018**

Selected characteristic	All persons	None <sup>1</sup>	One <sup>1</sup>	Two <sup>1</sup>	Three or more <sup>1</sup>
Total	100.0	92.6 (0.12)	5.4 (0.10)	1.1 (0.04)	0.9 (0.04)
Sex					
Male	100.0	93.7 (0.13)	4.5 (0.11)	1.0 (0.05)	0.8 (0.05)
Female	100.0	91.5 (0.18)	6.4 (0.16)	1.2 (0.06)	1.0 (0.06)
Age					
Under 12 years	100.0	93.5 (0.28)	5.7 (0.27)	0.5 (0.07)	0.4 (0.07)
12-17 years	100.0	98.2 (0.18)	1.3 (0.14)	0.3 (0.08)	0.2 (0.07)
18-44 years	100.0	94.2 (0.17)	4.6 (0.15)	0.6 (0.06)	0.6 (0.06)
45-64 years	100.0	92.3 (0.21)	5.0 (0.16)	1.6 (0.10)	1.1 (0.08)
65 years and over	100.0	83.3 (0.33)	11.3 (0.27)	3.0 (0.16)	2.5 (0.14)
Race					
One race <sup>2</sup>	100.0	92.6 (0.12)	5.4 (0.10)	1.1 (0.04)	0.9 (0.04)
White	100.0	92.7 (0.13)	5.4 (0.12)	1.0 (0.05)	0.8 (0.04)
Black or African American	100.0	91.1 (0.35)	5.9 (0.30)	1.6 (0.14)	1.4 (0.14)
American Indian or Alaska Native	100.0	92.4 (1.07)	4.3 (0.89)	1.6 (0.47)	1.7 (0.59)
Asian	100.0	94.5 (0.44)	4.3 (0.40)	0.6 (0.12)	0.6 (0.13)
Native Hawaiian or Other Pacific Islander	100.0	**94.2 (1.78)	*	0.1 (0.14)	0.5 (0.46)
Two or more races <sup>3</sup>	100.0	91.1 (0.71)	5.9 (0.54)	1.6 (0.31)	1.3 (0.32)
Black or African American, white	100.0	93.4 (1.31)	4.2 (0.88)	1.7 (0.86)	0.8 (0.49)
American Indian or Alaska Native, white	100.0	89.3 (1.42)	6.8 (1.18)	1.9 (0.58)	2.0 (0.57)
Hispanic or Latino origin <sup>4</sup> and race					
Hispanic or Latino	100.0	93.5 (0.26)	4.5 (0.22)	1.0 (0.11)	1.0 (0.10)
Mexican or Mexican American	100.0	93.6 (0.34)	4.3 (0.27)	1.0 (0.14)	1.1 (0.14)
Not Hispanic or Latino	100.0	92.3 (0.13)	5.7 (0.12)	1.1 (0.05)	0.9 (0.04)
White, single race	100.0	92.5 (0.15)	5.8 (0.14)	1.0 (0.05)	0.8 (0.04)
Black or African American, single race	100.0	91.0 (0.36)	6.0 (0.32)	1.7 (0.14)	1.4 (0.15)
Education <sup>5</sup>					
Less than a high school diploma	100.0	89.6 (0.47)	6.2 (0.34)	2.1 (0.22)	2.0 (0.20)
High school diploma or GED <sup>6</sup>	100.0	90.8 (0.26)	6.4 (0.22)	1.5 (0.11)	1.3 (0.11)
Some college	100.0	90.4 (0.26)	6.5 (0.22)	1.7 (0.11)	1.4 (0.12)
Bachelor's degree or higher	100.0	92.5 (0.21)	5.9 (0.19)	1.0 (0.08)	0.6 (0.06)

**Table P-10a. Age-adjusted percent distribution (with standard errors) of number of overnight hospital stays during the past 12 months, by selected characteristics: United States, 2018**

Selected characteristic	All persons	None <sup>1</sup>	One <sup>1</sup>	Two <sup>1</sup>	Three or more <sup>1</sup>
Family income <sup>7</sup>					
Less than \$35,000	100.0	89.9 (0.30)	6.3 (0.25)	1.9 (0.11)	1.9 (0.13)
\$35,000 or more	100.0	93.3 (0.14)	5.3 (0.12)	0.9 (0.05)	0.6 (0.04)
\$35,000–\$49,999	100.0	92.2 (0.34)	5.7 (0.32)	1.1 (0.13)	0.9 (0.11)
\$50,000–\$74,999	100.0	93.1 (0.29)	5.2 (0.25)	1.0 (0.11)	0.7 (0.08)
\$75,000–\$99,999	100.0	92.8 (0.31)	5.5 (0.28)	1.0 (0.11)	0.7 (0.12)
\$100,000 or more	100.0	93.9 (0.21)	5.0 (0.20)	0.7 (0.07)	0.4 (0.05)
Poverty status <sup>8</sup>					
Poor	100.0	88.9 (0.43)	6.6 (0.36)	2.3 (0.19)	2.1 (0.18)
Near poor	100.0	91.1 (0.30)	5.8 (0.25)	1.5 (0.12)	1.5 (0.13)
Not poor	100.0	93.3 (0.14)	5.3 (0.13)	0.8 (0.05)	0.6 (0.04)
Health insurance coverage <sup>9</sup>					
Under 65:					
Private	100.0	94.7 (0.14)	4.4 (0.14)	0.5 (0.04)	0.4 (0.04)
Medicaid or other public	100.0	89.3 (0.40)	6.6 (0.32)	2.0 (0.16)	2.1 (0.18)
Other	100.0	91.1 (0.67)	5.9 (0.54)	1.6 (0.28)	1.5 (0.26)
Uninsured	100.0	96.0 (0.30)	2.9 (0.23)	0.7 (0.11)	0.5 (0.12)
65 and over:					
Private	100.0	83.3 (0.56)	11.4 (0.47)	2.9 (0.25)	2.4 (0.23)
Dual eligible	100.0	77.4 (1.43)	13.0 (1.15)	4.3 (0.75)	5.3 (0.76)
Medicare Advantage	100.0	83.8 (0.70)	11.1 (0.60)	2.9 (0.32)	2.2 (0.28)
Medicare only	100.0	83.7 (0.88)	10.4 (0.73)	3.1 (0.43)	2.8 (0.42)
Other coverage	100.0	78.8 (1.24)	14.7 (1.08)	3.6 (0.54)	2.9 (0.53)
Uninsured	100.0	**92.1 (2.94)	*	*	*
Place of residence <sup>10</sup>					
Large MSA	100.0	93.0 (0.15)	5.2 (0.13)	1.0 (0.05)	0.8 (0.05)
Small MSA	100.0	92.1 (0.22)	5.8 (0.19)	1.2 (0.08)	0.9 (0.08)
Not in MSA	100.0	92.0 (0.38)	5.7 (0.31)	1.3 (0.13)	1.0 (0.11)
Region					
Northeast	100.0	92.9 (0.26)	5.4 (0.23)	0.9 (0.08)	0.8 (0.09)
Midwest	100.0	91.9 (0.26)	6.0 (0.24)	1.2 (0.09)	0.9 (0.07)
South	100.0	92.1 (0.21)	5.6 (0.18)	1.2 (0.07)	1.0 (0.07)
West	100.0	93.7 (0.22)	4.7 (0.18)	0.8 (0.08)	0.8 (0.07)

**Table P-10a. Age-adjusted percent distribution (with standard errors) of number of overnight hospital stays during the past 12 months, by selected characteristics: United States, 2018**

Selected characteristic	All persons	None <sup>1</sup>	One <sup>1</sup>	Two <sup>1</sup>	Three or more <sup>1</sup>
Hispanic or Latino origin <sup>4</sup> , race, and sex					
Hispanic or Latino, male	100.0	94.8 (0.35)	3.6 (0.29)	0.7 (0.13)	0.9 (0.14)
Hispanic or Latina, female	100.0	92.2 (0.39)	5.4 (0.34)	1.3 (0.17)	1.1 (0.14)
Not Hispanic or Latino:					
White, single race, male	100.0	93.6 (0.17)	4.8 (0.14)	1.0 (0.07)	0.6 (0.05)
White, single race, female	100.0	91.3 (0.24)	6.7 (0.22)	1.1 (0.07)	0.9 (0.07)
Black or African American, single race, male	100.0	92.4 (0.45)	4.8 (0.38)	1.4 (0.21)	1.4 (0.20)
Black or African American, single race, female	100.0	89.7 (0.54)	7.0 (0.46)	1.9 (0.21)	1.4 (0.22)
Hispanic or Latino origin <sup>4</sup> , race, and poverty status					
Hispanic or Latino:					
Poor	100.0	91.8 (0.74)	4.9 (0.61)	1.7 (0.34)	1.6 (0.28)
Near poor	100.0	93.3 (0.49)	4.7 (0.43)	1.0 (0.21)	1.0 (0.18)
Not Poor	100.0	94.2 (0.36)	4.2 (0.32)	0.9 (0.16)	0.7 (0.13)
Not Hispanic or Latino:					
White, single race:					
Poor	100.0	88.0 (0.65)	7.7 (0.54)	2.0 (0.26)	2.3 (0.30)
Near poor	100.0	89.9 (0.47)	6.7 (0.41)	1.8 (0.19)	1.6 (0.21)
Not poor	100.0	93.2 (0.17)	5.5 (0.15)	0.8 (0.05)	0.5 (0.04)
Black or African American, single race:					
Poor	100.0	86.8 (1.02)	7.2 (0.80)	3.7 (0.56)	2.3 (0.41)
Near poor	100.0	90.1 (0.88)	6.8 (0.71)	1.5 (0.30)	1.6 (0.40)
Not poor	100.0	92.2 (0.49)	5.5 (0.46)	1.1 (0.16)	1.2 (0.18)

\*Estimate does not meet NCHS standards of reliability.

\*\*While the estimate meets NCHS standards of reliability, its complement does not.

<sup>1</sup>Based on the questions: "During the past 12 months was [person] a patient in a hospital overnight?" and "How many different times did [person] stay in any hospital overnight or longer during the past 12 months?" Hospital stays due to childbirth for both the mother and the child are included, but overnight stays in an emergency room are excluded.

<sup>2</sup>Refers to persons who indicated only a single race group, including those of Hispanic or Latino origin.

<sup>3</sup>Refers to persons who indicated more than one race group, including those of Hispanic or Latino origin. Only two combinations of multiple race groups are shown due to small sample sizes for other combinations.

<sup>4</sup>Refers to persons who are of Hispanic or Latino origin and may be of any race or combination of races. "Not Hispanic or Latino" refers to persons who are not of Hispanic or Latino origin, regardless of race.

<sup>5</sup>Shown only for persons aged 25 and over. Estimates are age adjusted using the projected 2000 U.S. population as the standard population and using three age groups: 25-44, 45-64, and 65 and over.

<sup>6</sup>GED is General Educational Development high school equivalency diploma.

<sup>7</sup>Includes persons who reported a dollar amount or who would not provide a dollar amount but provided an income interval.

<sup>8</sup>"Poor" persons are defined as having income below the poverty threshold. "Near poor" persons have incomes of 100% to less than 200% of the poverty threshold. "Not poor" persons have incomes that are 200% of the poverty threshold or greater.

<sup>9</sup>Based on a hierarchy of mutually exclusive categories. Persons with more than one type of health insurance were assigned to the first appropriate category in the hierarchy. "Uninsured" includes persons who had no coverage as well as those who had only Indian Health Service coverage or had only a private plan that paid for one type of service such as accidents or dental care.

<sup>10</sup>MSA is metropolitan statistical area. Large MSAs have a population of 1 million or more; small MSAs have a population of less than 1 million. "Not in MSA" consists of persons not living in a metropolitan statistical area.

NOTES: Estimates are based on household interviews of a sample of the civilian noninstitutionalized population. This table is based on responses about all persons in the family. Data came from the Person file and were weighted using the Person weight. Unknowns for the columns were not included in the denominators when calculating percentages. Percentages may not add to totals due to rounding. "Total" includes other races not shown separately and persons with unknown education, family income, poverty status, and health insurance characteristics. Unless otherwise specified, estimates are age-adjusted using the projected 2000 U.S. population as the standard population and using five age groups: 0-11, 12-17, 18-44, 45-64, and 65 and over. Estimates for age groups are not age-adjusted. For more information on the data source, methods, and definitions used for this table, refer to Technical Notes for Summary Health Statistics Tables: National Health Interview Survey (available from <https://www.cdc.gov/nchs/nhis/SHS/tables.htm>).

Suggested citation: Lucas JW, Benson V. Tables of Summary Health Statistics for the U.S. Population: 2018 National Health Interview Survey. National Center for Health Statistics. 2019. Available from: <https://www.cdc.gov/nchs/nhis/SHS/tables.htm>.

SOURCE: NCHS, National Health Interview Survey, 2018.

**Table P-10b. Frequency distribution (number in thousands) of number of overnight hospital stays during the past 12 months, by selected characteristics: United States, 2018**

Selected characteristic	All persons	None <sup>1</sup>	One <sup>1</sup>	Two <sup>1</sup>	Three or more <sup>1</sup>
Total	322,904	297,133	18,319	3,839	3,156
Sex					
Male	157,929	147,233	7,474	1,687	1,303
Female	164,975	149,900	10,846	2,152	1,854
Age					
Under 12 years	48,512	45,288	2,747	239	177
12-17 years	24,940	24,466	318	73	61
18-44 years	114,817	107,986	5,306	713	686
45-64 years	83,391	76,848	4,194	1,296	955
65 years and over	51,244	42,545	5,754	1,518	1,277
Race					
One race <sup>2</sup>	313,706	288,679	17,787	3,731	3,060
White	246,914	227,072	14,334	2,861	2,299
Black or African American	41,706	37,977	2,415	691	558
American Indian or Alaska Native	3,971	3,692	155	59	65
Asian	20,145	19,027	837	119	133
Native Hawaiian or Other Pacific Islander	971	**910	*	2	5
Two or more races <sup>3</sup>	9,197	8,453	533	108	97
Black or African American, white	3,043	2,832	156	26	28
American Indian or Alaska Native, white	2,471	2,194	171	51	55
Hispanic or Latino origin <sup>4</sup> and race					
Hispanic or Latino	59,466	55,969	2,413	518	509
Mexican or Mexican American	36,545	34,528	1,360	292	338
Not Hispanic or Latino	263,438	241,163	15,906	3,321	2,648
White, single race	194,637	177,903	12,183	2,405	1,848
Black or African American, single race	39,012	35,419	2,315	663	548
Education <sup>5</sup>					
Less than a high school diploma	24,898	21,918	1,745	608	593
High school diploma or GED <sup>6</sup>	54,209	48,762	3,698	905	792
Some college	61,332	55,146	4,105	1,098	916
Bachelor's degree or higher	76,407	70,572	4,521	741	456

**Table P-10b. Frequency distribution (number in thousands) of number of overnight hospital stays during the past 12 months, by selected characteristics: United States, 2018**

Selected characteristic	All persons	None <sup>1</sup>	One <sup>1</sup>	Two <sup>1</sup>	Three or more <sup>1</sup>
Family income <sup>7</sup>					
Less than \$35,000	70,523	62,589	4,864	1,491	1,498
\$35,000 or more	211,062	196,512	11,170	1,946	1,306
\$35,000–\$49,999	30,041	27,477	1,863	384	316
\$50,000–\$74,999	47,092	43,552	2,576	507	386
\$75,000–\$99,999	37,040	34,256	2,100	378	283
\$100,000 or more	96,889	91,227	4,631	677	322
Poverty status <sup>8</sup>					
Poor	34,239	30,651	2,166	725	659
Near poor	54,449	49,429	3,298	848	824
Not poor	212,118	196,841	11,662	2,022	1,439
Health insurance coverage <sup>9</sup>					
Under 65:					
Private	175,253	165,634	7,780	1,024	697
Medicaid or other public	52,116	47,361	3,075	804	819
Other	11,329	10,141	706	249	216
Uninsured	29,581	28,270	936	230	131
65 and over:					
Private	21,012	17,635	2,309	579	461
Dual eligible	3,521	2,727	454	146	184
Medicare Advantage	12,739	10,694	1,403	364	265
Medicare only	8,287	6,933	836	241	216
Other coverage	5,058	3,987	733	178	146
Uninsured	388	**361	*	*	*
Place of residence <sup>10</sup>					
Large MSA	182,765	169,244	9,707	1,981	1,638
Small MSA	98,377	89,929	5,995	1,232	1,012
Not in MSA	41,762	37,960	2,617	627	506
Region					
Northeast	55,883	51,492	3,208	577	535
Midwest	69,693	63,623	4,358	925	677
South	119,888	109,803	7,027	1,637	1,320
West	77,439	72,214	3,726	700	624

**Table P-10b. Frequency distribution (number in thousands) of number of overnight hospital stays during the past 12 months, by selected characteristics: United States, 2018**

Selected characteristic	All persons	None <sup>1</sup>	One <sup>1</sup>	Two <sup>1</sup>	Three or more <sup>1</sup>
Hispanic or Latino origin <sup>4</sup> , race, and sex					
Hispanic or Latino, male	29,815	28,467	921	170	229
Hispanic or Latina, female	29,651	27,502	1,492	348	279
Not Hispanic or Latino:					
White, single race, male	95,723	88,549	5,151	1,142	729
White, single race, female	98,914	89,355	7,032	1,263	1,119
Black or African American, single race, male	18,222	16,844	857	247	243
Black or African American, single race, female	20,789	18,575	1,458	416	305
Hispanic or Latino origin <sup>4</sup> , race, and poverty status					
Hispanic or Latino:					
Poor	10,276	9,535	419	145	143
Near poor	16,950	15,975	692	139	133
Not poor	27,397	25,925	1,083	217	173
Not Hispanic or Latino:					
White, single race:					
Poor	12,463	10,920	970	261	308
Near poor	24,009	21,208	1,780	542	452
Not poor	146,448	135,215	8,676	1,444	974
Black or African American, single race:					
Poor	8,035	7,089	534	253	159
Near poor	8,567	7,734	577	120	137
Not poor	19,076	17,579	1,043	237	217

\*Corresponding crude percentage for the frequency does not meet NCHS standards of reliability, so the frequency is not shown.

<sup>1</sup>While the corresponding crude percentage for the frequency meets NCHS standards of reliability, its complement does not.

<sup>1</sup>Based on the questions: "During the past 12 months was [person] a patient in a hospital overnight?" and "How many different times did [person] stay in any hospital overnight or longer during the past 12 months?" Hospital stays due to childbirth for both the mother and the child are included, but overnight stays in an emergency room are excluded.

<sup>2</sup>Refers to persons who indicated only a single race group, including those of Hispanic or Latino origin.

<sup>3</sup>Refers to persons who indicated more than one race group, including those of Hispanic or Latino origin. Only two combinations of multiple race groups are shown due to small sample sizes for other combinations.

<sup>4</sup>Refers to persons who are of Hispanic or Latino origin and may be of any race or combination of races. "Not Hispanic or Latino" refers to persons who are not of Hispanic or Latino origin, regardless of race.

<sup>5</sup>Shown only for persons aged 25 and over.

<sup>6</sup>GED is General Educational Development high school equivalency diploma.

<sup>7</sup>Includes persons who reported a dollar amount or who would not provide a dollar amount but provided an income interval.

<sup>8</sup>"Poor" persons are defined as having income below the poverty threshold. "Near poor" persons have incomes of 100% to less than 200% of the poverty threshold. "Not poor" persons have incomes that are 200% of the poverty threshold or greater.

<sup>9</sup>Based on a hierarchy of mutually exclusive categories. Persons with more than one type of health insurance were assigned to the first appropriate category in the hierarchy. "Uninsured" includes persons who had no coverage as well as those who had only Indian Health Service coverage or had only a private plan that paid for one type of service such as accidents or dental care.

<sup>10</sup>MSA is metropolitan statistical area. Large MSAs have a population of 1 million or more; small MSAs have a population of less than 1 million. "Not in MSA" consists of persons not living in a metropolitan statistical area.

NOTES: Estimates are based on household interviews of a sample of the civilian noninstitutionalized population. This table is based on responses about all persons in the family. Data came from the Person file and were weighted using the Person weight. Unknowns for the columns were not included in the frequencies, but they were included in the "All persons" column. Includes other races not shown separately and persons with unknown education, family income, poverty status, and health insurance characteristics. For more information on the data source, methods, and definitions used for this table, refer to Technical Notes for Summary Health Statistics Tables: National Health Interview Survey (available from <https://www.cdc.gov/nchs/nhis/SHS/tables.htm>).

Suggested citation: Lucas JW, Benson V. Tables of Summary Health Statistics for the U.S. Population: 2018 National Health Interview Survey. National Center for Health Statistics. 2019. Available from: <https://www.cdc.gov/nchs/nhis/SHS/tables.htm>.

SOURCE: NCHS, National Health Interview Survey, 2018

**Table P-10c. Crude percent distribution (with standard errors) of number of overnight hospital stays during the past 12 months, by selected characteristics: United States, 2018**

Selected characteristic	All persons	None <sup>1</sup>	One <sup>1</sup>	Two <sup>1</sup>	Three or more <sup>1</sup>
Total	100.0	92.1 (0.12)	5.7 (0.10)	1.2 (0.05)	1.0 (0.04)
Sex					
Male	100.0	93.4 (0.14)	4.7 (0.12)	1.1 (0.06)	0.8 (0.05)
Female	100.0	91.0 (0.18)	6.6 (0.15)	1.3 (0.06)	1.1 (0.06)
Age					
Under 12 years	100.0	93.5 (0.28)	5.7 (0.27)	0.5 (0.07)	0.4 (0.07)
12-17 years	100.0	98.2 (0.18)	1.3 (0.14)	0.3 (0.08)	0.2 (0.07)
18-44 years	100.0	94.2 (0.17)	4.6 (0.15)	0.6 (0.06)	0.6 (0.06)
45-64 years	100.0	92.3 (0.21)	5.0 (0.16)	1.6 (0.10)	1.1 (0.08)
65 years and over	100.0	83.3 (0.33)	11.3 (0.27)	3.0 (0.16)	2.5 (0.14)
Race					
One race <sup>2</sup>	100.0	92.2 (0.12)	5.7 (0.10)	1.2 (0.05)	1.0 (0.04)
White	100.0	92.1 (0.14)	5.8 (0.12)	1.2 (0.05)	0.9 (0.04)
Black or African American	100.0	91.2 (0.36)	5.8 (0.30)	1.7 (0.14)	1.3 (0.14)
American Indian or Alaska Native	100.0	93.0 (1.02)	3.9 (0.85)	1.5 (0.45)	1.6 (0.59)
Asian	100.0	94.6 (0.42)	4.2 (0.38)	0.6 (0.12)	0.7 (0.14)
Native Hawaiian or Other Pacific Islander	100.0	**94.5 (1.80)	*	0.2 (0.17)	0.5 (0.54)
Two or more races <sup>3</sup>	100.0	92.0 (0.62)	5.8 (0.52)	1.2 (0.24)	1.1 (0.25)
Black or African American, white	100.0	93.1 (1.05)	5.1 (0.86)	0.9 (0.36)	0.9 (0.49)
American Indian or Alaska Native, white	100.0	88.8 (1.47)	6.9 (1.15)	2.1 (0.60)	2.2 (0.64)
Hispanic or Latino origin <sup>4</sup> and race					
Hispanic or Latino	100.0	94.2 (0.25)	4.1 (0.21)	0.9 (0.09)	0.9 (0.09)
Mexican or Mexican American	100.0	94.6 (0.30)	3.7 (0.25)	0.8 (0.11)	0.9 (0.12)
Not Hispanic or Latino	100.0	91.7 (0.14)	6.0 (0.11)	1.3 (0.05)	1.0 (0.05)
White, single race	100.0	91.5 (0.16)	6.3 (0.13)	1.2 (0.06)	1.0 (0.05)
Black or African American, single race	100.0	90.9 (0.37)	5.9 (0.32)	1.7 (0.15)	1.4 (0.15)
Education <sup>5</sup>					
Less than a high school diploma	100.0	88.1 (0.50)	7.0 (0.36)	2.4 (0.23)	2.4 (0.22)
High school diploma or GED <sup>6</sup>	100.0	90.0 (0.28)	6.8 (0.23)	1.7 (0.12)	1.5 (0.12)
Some college	100.0	90.0 (0.27)	6.7 (0.22)	1.8 (0.12)	1.5 (0.12)
Bachelor's degree or higher	100.0	92.5 (0.21)	5.9 (0.19)	1.0 (0.09)	0.6 (0.06)

**Table P-10c. Crude percent distribution (with standard errors) of number of overnight hospital stays during the past 12 months, by selected characteristics: United States, 2018**

Selected characteristic	All persons	None <sup>1</sup>	One <sup>1</sup>	Two <sup>1</sup>	Three or more <sup>1</sup>
Family income <sup>7</sup>					
Less than \$35,000	100.0	88.9 (0.31)	6.9 (0.25)	2.1 (0.12)	2.1 (0.13)
\$35,000 or more	100.0	93.2 (0.14)	5.3 (0.12)	0.9 (0.05)	0.6 (0.04)
\$35,000–\$49,999	100.0	91.5 (0.37)	6.2 (0.34)	1.3 (0.14)	1.1 (0.13)
\$50,000–\$74,999	100.0	92.6 (0.30)	5.5 (0.26)	1.1 (0.12)	0.8 (0.09)
\$75,000–\$99,999	100.0	92.5 (0.31)	5.7 (0.28)	1.0 (0.12)	0.8 (0.12)
\$100,000 or more	100.0	94.2 (0.20)	4.8 (0.19)	0.7 (0.06)	0.3 (0.04)
Poverty status <sup>8</sup>					
Poor	100.0	89.6 (0.42)	6.3 (0.35)	2.1 (0.17)	1.9 (0.16)
Near poor	100.0	90.9 (0.31)	6.1 (0.26)	1.6 (0.12)	1.5 (0.13)
Not poor	100.0	92.9 (0.14)	5.5 (0.12)	1.0 (0.05)	0.7 (0.04)
Health insurance coverage <sup>9</sup>					
Under 65:					
Private	100.0	94.6 (0.14)	4.4 (0.13)	0.6 (0.04)	0.4 (0.04)
Medicaid or other public	100.0	91.0 (0.34)	5.9 (0.29)	1.5 (0.12)	1.6 (0.13)
Other	100.0	89.6 (0.69)	6.2 (0.53)	2.2 (0.32)	1.9 (0.30)
Uninsured	100.0	95.6 (0.30)	3.2 (0.24)	0.8 (0.13)	0.4 (0.09)
65 and over:					
Private	100.0	84.0 (0.53)	11.0 (0.45)	2.8 (0.24)	2.2 (0.21)
Dual eligible	100.0	77.7 (1.40)	12.9 (1.13)	4.2 (0.72)	5.2 (0.75)
Medicare Advantage	100.0	84.0 (0.69)	11.0 (0.60)	2.9 (0.31)	2.1 (0.27)
Medicare only	100.0	84.3 (0.85)	10.2 (0.70)	2.9 (0.40)	2.6 (0.39)
Other coverage	100.0	79.0 (1.21)	14.5 (1.05)	3.5 (0.53)	2.9 (0.54)
Uninsured	100.0	**93.2 (2.70)	*	*	*
Place of residence <sup>10</sup>					
Large MSA	100.0	92.7 (0.16)	5.3 (0.13)	1.1 (0.06)	0.9 (0.05)
Small MSA	100.0	91.6 (0.22)	6.1 (0.19)	1.3 (0.08)	1.0 (0.08)
Not in MSA	100.0	91.0 (0.39)	6.3 (0.30)	1.5 (0.14)	1.2 (0.13)
Region					
Northeast	100.0	92.3 (0.28)	5.7 (0.23)	1.0 (0.09)	1.0 (0.10)
Midwest	100.0	91.4 (0.26)	6.3 (0.25)	1.3 (0.10)	1.0 (0.08)
South	100.0	91.7 (0.21)	5.9 (0.17)	1.4 (0.08)	1.1 (0.07)
West	100.0	93.5 (0.22)	4.8 (0.18)	0.9 (0.09)	0.8 (0.08)



**Table P-10c. Crude percent distribution (with standard errors) of number of overnight hospital stays during the past 12 months, by selected characteristics: United States, 2018**

Selected characteristic	All persons	None <sup>1</sup>	One <sup>1</sup>	Two <sup>1</sup>	Three or more <sup>1</sup>
Hispanic or Latino origin <sup>4</sup> , race, and sex					
Hispanic or Latino, male	100.0	95.6 (0.28)	3.1 (0.24)	0.6 (0.10)	0.8 (0.11)
Hispanic or Latina, female	100.0	92.8 (0.38)	5.0 (0.33)	1.2 (0.15)	0.9 (0.13)
Not Hispanic or Latino:					
White, single race, male	100.0	92.7 (0.19)	5.4 (0.15)	1.2 (0.08)	0.8 (0.06)
White, single race, female	100.0	90.5 (0.23)	7.1 (0.21)	1.3 (0.08)	1.1 (0.08)
Black or African American, single race, male	100.0	92.6 (0.46)	4.7 (0.38)	1.4 (0.21)	1.3 (0.19)
Black or African American, single race, female	100.0	89.5 (0.54)	7.0 (0.45)	2.0 (0.23)	1.5 (0.22)
Hispanic or Latino origin <sup>4</sup> , race, and poverty status					
Hispanic or Latino:					
Poor	100.0	93.1 (0.64)	4.1 (0.52)	1.4 (0.27)	1.4 (0.25)
Near poor	100.0	94.3 (0.44)	4.1 (0.38)	0.8 (0.16)	0.8 (0.15)
Not poor	100.0	94.6 (0.34)	4.0 (0.30)	0.8 (0.13)	0.6 (0.12)
Not Hispanic or Latino:					
White, single race:					
Poor	100.0	87.7 (0.67)	7.8 (0.55)	2.1 (0.27)	2.5 (0.31)
Near poor	100.0	88.4 (0.49)	7.4 (0.41)	2.3 (0.22)	1.9 (0.22)
Not poor	100.0	92.4 (0.17)	5.9 (0.15)	1.0 (0.06)	0.7 (0.05)
Black or African American, single race:					
Poor	100.0	88.2 (0.95)	6.6 (0.77)	3.2 (0.49)	2.0 (0.36)
Near poor	100.0	90.3 (0.88)	6.7 (0.72)	1.4 (0.29)	1.6 (0.40)
Not poor	100.0	92.2 (0.48)	5.5 (0.43)	1.2 (0.18)	1.1 (0.17)

\* Estimate does not meet NCHS standards of reliability.

\*\*While the estimate meets NCHS standards of reliability, its complement does not.

<sup>1</sup>Based on the questions: "During the past 12 months was [person] a patient in a hospital overnight?" and "How many different times did [person] stay in any hospital overnight or longer during the past 12 months?" Hospital stays due to childbirth for both the mother and the child are included, but overnight stays in an emergency room are excluded.

<sup>2</sup>Refers to persons who indicated only a single race group, including those of Hispanic or Latino origin.

<sup>3</sup>Refers to persons who indicated more than one race group, including those of Hispanic or Latino origin. Only two combinations of multiple race groups are shown due to small sample sizes for other combinations.

<sup>4</sup>Refers to persons who are of Hispanic or Latino origin and may be of any race or combination of races. "Not Hispanic or Latino" refers to persons who are not of Hispanic or Latino origin, regardless of race.

<sup>5</sup>Shown only for persons aged 25 and over.

<sup>6</sup>GED is General Educational Development high school equivalency diploma.

<sup>7</sup>Includes persons who reported a dollar amount or who would not provide a dollar amount but provided an income interval.

<sup>8</sup>"Poor" persons are defined as having income below the poverty threshold. "Near poor" persons have incomes of 100% to less than 200% of the poverty threshold. "Not poor" persons have incomes that are 200% of the poverty threshold or greater.

<sup>9</sup>Based on a hierarchy of mutually exclusive categories. Persons with more than one type of health insurance were assigned to the first appropriate category in the hierarchy. "Uninsured" includes persons who had no coverage as well as those who had only Indian Health Service coverage or had only a private plan that paid for one type of service such as accidents or dental care.

<sup>10</sup>MSA is metropolitan statistical area. Large MSAs have a population of 1 million or more; small MSAs have a population of less than 1 million. "Not in MSA" consists of persons not living in a metropolitan statistical area.

NOTES: Estimates are based on household interviews of a sample of the civilian noninstitutionalized population. This table is based on responses about all persons in the family. Data came from the Person file and were weighted using the Person weight. Unknowns for the columns were not included in the denominators when calculating percentages. Percentages may not add to totals due to rounding. "Total" includes other races not shown separately and persons with unknown education, family income, poverty status, and health insurance characteristics. For more information on the data source, methods, and definitions used for this table, refer to Technical Notes for Summary Health Statistics Tables: National Health Interview Survey (available from <https://www.cdc.gov/nchs/nhis/SHS/tables.htm>).

Suggested citation: Lucas JW, Benson V. Tables of Summary Health Statistics for the U.S. Population: 2018 National Health Interview Survey. National Center for Health Statistics. 2019. Available from: <https://www.cdc.gov/nchs/nhis/SHS/tables.htm>.

SOURCE: NCHS, National Health Interview Survey, 2018.