VITAL STATISTICS OF THE UNITED STATES

1960

VOLUME II—MORTALITY

PART A

U.S. DEPARTMENT OF
HEALTH, EDUCATION, AND WELFARE
ANTHONY J. CELEBREZZE, SECRETARY
PUBLIC HEALTH SERVICE
LUTHER L. TERRY, SURGEON GENERAL

WASHINGTON: 1963

NATIONAL CENTER FOR HEALTH STATISTICS

FORREST E. LINDER, PH. D., *Director*
THEODORE D. WOOLSEY, *Assistant Director*
O. K. SAGEN, PH. D., *Assistant Director*

NATIONAL VITAL STATISTICS DIVISION

O. K. SAGEN, PH. D., *Chief*
ROBERT D. GROVE, PH. D., *Assistant Chief*
MONROE G. SIRKEN, PH. D., *Surveys and Actuarial Branch*
ELEANOR L. MADIGAN, *Computer Applications Branch*
J. K. KNEE, *Conference and Training Branch*
HUGH CARTER, PH. D., *Marriage and Divorce Statistics Branch*
LILLIAN GURALNICK, *Mortality Statistics Branch*
ANDERS S. LUNDE, PH. D., *Natality Statistics Branch*
HAZEL V. AUNE, *Registration Methods Branch*
MARVIN C. TEMPLETON, *Statistical Operations Branch*
MARSHALL C. EVANS, *Administrative Services*
JOHN STORCK, PH. D., *Staff Assistant*

VITAL STATISTICS OF THE UNITED STATES, 1960

VOLUME II—MORTALITY

A brief summary of the contents for each section is listed below for the convenience of the reader. A complete table of contents is shown at the beginning of each section and is identified by a narrow black edge which can be located easily by fanning the pages. Each section is paged independently, using the section number as the identifying prefix.

PART A

Section 1. Mortality Analysis and Summary — Separate release.

Text discussion of national trends and differences between population groups; charts. Summary tables containing crude, age-specific, and age-adjusted death rates; death rates by cause; maternal mortality; and selected morbidity data.

Section 2. Life Tables — Separate release.

Text discussion of national trends in expectation of life. Abridged life tables and interpolated values of the l_x and $\overset{o}{e}_x$ by single years of age for the national population by color and sex.

Section 3. Infant Mortality — Separate release.

Text discussion of national trends for infant and neonatal mortality. Tabulations of infant deaths and death rates by color, by sex, by cause of death, and by State. Additional frequency tables by month of death, urban and rural and metropolitan and nonmetropolitan areas.

Section 4. Fetal Mortality — Separate release.

Text discussion of registration practices; trend analysis; tabulations of numbers of deaths and ratios by age of mother, period of gestation, legitimacy, geographic areas; fetal death rates by plurality. Numbers of deaths by additional characteristics—month, birth order, attendant, birth weight.

Section 5. General Mortality: Tables

Detailed tabulations of deaths by cause for the United States and each State. Data shown by age, sex, color and race, cause of death, month, and marital status.

Section 6. Accident Mortality Detail: Tables

Deaths from motor vehicle accidents by type of vehicle and from nontransport accidents by place of accident. Figures tabulated by age, color, and sex for the United States and by color and sex for each State.

Section 7. Technical Appendix

Text discussion of factors affecting the collection, classification, and interpretation of the mortality statistics in Volume II.

Section 8. Index

Consolidated indexes of the text and statistical tables in Volume II.

PART B

Section 9. Geographic Detail for Mortality: Tables

Total number of deaths, deaths from selected causes, infant deaths, neonatal deaths, fetal deaths, and selected rates. Tabulations shown by each State, county, specified urban places, population-size groups, metropolitan and nonmetropolitan counties, urban and rural areas, and standard metropolitan statistical areas.

Section 10. Puerto Rico and Virgin Islands: Tables

Frequency tabulations for most variables shown in other sections in Volume II. General mortality rates by age, sex, and cause of death.

Symbols used in tables

Class or item not applicable	...
Data not available	---
Quantity zero in frequency tables	-
Quantity zero in rate or percent tables	0
Rate or percent more than 0 but less than 0.05	0.0
Both frequency and population base zero in rate or percent tables	-
Figures within parentheses not included in totals	( )

Section 1. Mortality Analysis and Summary

Page

Highlights of 1960 ---- 1-3
Specific death rates by age, color, and sex ---- 1-3
Leading causes of death, 1960 ---- 1-5
General mortality trends ---- 1-5
Rates for the total population ---- 1-5
Death rates by age, color, and sex ---- 1-6
Causes of death, 1951 to 1960 ---- 1-7
Mortality by geographic areas ---- 1-10
Mortality for urban and rural areas ---- 1-10
Mortality by geographic division and State ---- 1-11
Death rates by specified race ---- 1-15
Residence statistics ---- 1-16
Maternal mortality ---- 1-16

Figures

1-1. Death rates by age, color, and sex: United States, 1960 ---- 1-4
1-2. The 10 leading causes of death, by color and sex: United States, 1960 ---- 1-5
1-3. Death rates: Death-registration States, 1900-1960 ---- 1-6
1-4. Age-adjusted death rates by color and sex: Death-registration States, 1900-1960 ---- 1-6
1-5. Crude death rates by State: United States, 1960 ---- 1-12
1-6. Age-adjusted death rates by State: United States, 1960 ---- 1-13
1-7. Maternal mortality rates by color: Birth-registration States, 1915-60 ---- 1-16

Text Tables

1-A. Deaths by color, and death rates by color and sex: Death-registration States, 1900-1932, and United States, 1933-60 ---- 1-18
1-B. Age-adjusted death rates by color and sex: Death-registration States, 1900-1932, and United States, 1933-60 ---- 1-19
1-C. Death rates by age, color, and sex: United States, 1950-60 ---- 1-20
1-D. Death rates by age, color, and sex: United States, 1960 ---- 1-21
1-E. Deaths and death rates by specified race, age, and sex: United States, 1960 ---- 1-22
1-F. Deaths and death rates for males, including deaths among Armed Forces abroad, by age and color: United States, 1960 ---- 1-22
1-G. Deaths at ages 85 years and over, by single years of age, color, and sex: United States, 1960 ---- 1-23
1-H. Mortality from 15 leading causes of death: United States, 1960 ---- 1-23
1-J. Age-adjusted death rates for selected causes, by color and sex: United States, 1960 ---- 1-23
1-K. Mortality from selected causes of death: Death-registration States, 1900-1930, and United States, 1940-60 ---- 1-24

Text Tables—Continued

		Page
1-L.	Death rates for 59 selected causes: United States, 1950-60	1-25
1-M.	Death rates for 59 selected causes, by age, color, and sex: United States, 1960	1-26
1-N.	Death rates by color and sex, for metropolitan and nonmetropolitan counties: United States, 1950 and 1960	1-34
1-O.	Death rates by color, for urban and rural areas, and population-size groups in metropolitan and nonmetropolitan counties: United States, 1960	1-34
1-P.	Death rates for geographic divisions: United States, 1900-1960	1-34
1-Q.	Crude and age-adjusted death rates: United States, each division and State, 1940, 1950, and 1960, with percent decreases	1-35
1-R.	Death rates: United States, each division and State, 1950-60	1-36
1-S.	Deaths by age: United States, each division and State, 1960	1-37
1-T.	Death rates by age: United States, each division and State, 1960	1-38
1-U.	Deaths of nonresidents in each State and deaths of residents in other States: United States, 1960	1-39
1-V.	Deaths from 59 selected causes: United States, each division and State, 1960	1-40
1-W.	Death rates for 59 selected causes: United States, each division and State, 1960	1-44
1-X.	Maternal deaths and maternal mortality rates for selected causes, by age and color: United States, 1960	1-48
1-Y.	Maternal mortality rates by color: Birth-registration States or United States, 1915-60	1-49
1-Z.	Average maternal mortality rates for urban and rural areas in metropolitan and nonmetropolitan counties: United States and each geographic division, 1958-60	1-49
1-AA.	Average maternal mortality rates by color: United States, each division and State, 1958-60	1-50
1-AB.	Reported cases of specified notifiable diseases: United States, 1950-60	1-51
1-AC.	Reported cases of specified notifiable diseases: United States, each division and State, 1960	1-52

SECTION 1. MORTALITY ANALYSIS AND SUMMARY

Highlights of 1960

The level of mortality in 1960 was heightened somewhat by an influenza epidemic during the first part of the year. As a result, the crude death rate rose to 9.5 per 1,000 population, slightly higher than the rate of 9.4 recorded for 1959. The total number of registered deaths for 1960 was 1,711,982. Rates for both males and females were higher than those for 1959 but identical to those for 1958 when a similar epidemic occurred (table 1-A).

The impact of the epidemic in January, February, and March may be seen by comparing the monthly rates per 100,000 population for all causes and for influenza and pneumonia, except pneumonia of the newborn, in 1959 and 1960.

MONTH	ALL CAUSES		INFLUENZA AND PNEUMONIA	
	1960	1959	1960	1959
January	1,082.2	1,021.7	63.9	43.3
February	1,119.9	974.1	88.2	38.0
March	1,015.1	985.5	53.4	39.1
April	928.1	973.5	31.4	39.0
May	912.7	931.7	26.0	29.4
June	898.9	917.1	22.9	23.4
July	874.9	884.6	21.4	21.7
August	851.5	888.0	20.4	23.9
September	865.0	866.4	22.5	22.6
October	921.1	891.4	27.8	25.3
November	939.9	952.6	30.8	31.2
December	1,014.2	984.6	39.4	38.0

Severe outbreaks of respiratory illness were reported throughout most of the country during the first quarter of the year, and the death rates for influenza and pneumonia were substantially above the level for the corresponding months of the previous year.

The death rate for only one age group, infants under 1 year of age, was lower in 1960 than in the previous year. The largest rate increase occurred among persons aged 85 years and over.

The largest increases in crude rates between 1959 and 1960, 3 to 4 percent, occurred in the three geographic divisions of the South. In no geographic division was the crude rate for 1960 lower than the level for 1959.

The increased death rate was reflected in the mortality rates recorded for a number of diseases. The death rate for 1960 for influenza and pneumonia, except pneumonia of newborn—37.3 per 100,000 population—was the highest in more than a decade. Similarly, death rates for diabetes mellitus and bronchitis, diseases generally associated with epidemic influenza in terms of increased risk of death, also were higher than in the 1950's. The death rate for the major cardiovascular-renal diseases was the third highest on record, lower only than the rates for 1957 and 1958.

In the past decade, which was marked by small changes in the total death rate, two groups of causes of death have become conspicuous by their sharp increases. The death rate for malignant neoplasms of the respiratory system has continued its upward trend since 1930, when this category was first classified separately, rising from 14.1 per 100,000 population in 1950 to 22.2 in 1960. The group Other Diseases of Respiratory System has almost doubled in rate since 1950 with its largest component, emphysema without mention of bronchitis, increasing from a rate of 0.8 per 100,000 population recorded for 1950 to 5.2 for 1960.

Specific death rates by age, color, and sex

Figure 1-1 and table 1-D show the age-specific death rates for 1960 for white and nonwhite males and females. The age pattern of mortality is, as usual, similar for each of the four color-sex groups; high rates in infancy are followed by successively lower rates until the minimum is reached during grade school age; then the rates rise for each older age group. The one exception is that the rate for white males is higher at ages 20-24 than at 25-29 years. This is also true for the population including Armed Forces abroad (table 1-F) and reflects the predominance of accidents, particularly motor vehicle accidents, as a cause of death among white male adults.

The mortality rates are, in general, higher for nonwhites than for whites and for males than for females. The excess mortality for nonwhites is evident in every age group under 75 years, but beyond this age group the rates for whites are higher. The lower rates for nonwhite groups in the oldest age categories may result from more inaccurate statements of age among the nonwhite population. Excess mortality for males is slightly greater among whites than among nonwhites, and the relative differences in rates by color for age-sex groups are greater for females than for males.

When death rates for the period 1950-60 are examined by age (table 1-C) it may be seen that the larger part of the declines registered between 1950 and 1960 occurred in the years from 1950 to 1954. Since 1954, in fact, the age-specific death rates at ages 1-34 have been virtually unchanged, while for the age groups 35-74 years the very moderate rate changes that have taken place have reflected largely the presence or absence of epidemic conditions during the particular year. The age group 85 years and over, by virtue of being an open-end category, is not strictly comparable to the other age groups. Deaths in this age group in 1960 are shown by single years of age in table 1-G.

FIGURE 1-1


DEATH RATES BY AGE, COLOR, AND SEX: UNITED STATES, 1960
(Rates per 1,000 population in specified groups)
RATES FOR AGES 1-29 YEARS
AGE
White male
White female
Nonwhite male
Nonwhite female
AGE IN YEARS

FIGURE 1-2

THE 10 LEADING CAUSES OF DEATH, BY COLOR AND SEX: UNITED STATES, 1960

(Rates per 100,000 population in specified group enumerated as of April 1)



Leading causes of death, 1960

In 1960 nearly 90 percent of all deaths were from the 15 leading causes[1] of death (figure 1-2 and table 1-H). The first three causes of death alone—diseases of heart, malignant neoplasms, and vascular lesions of central nervous system—accounted for 66 percent of all deaths. About 40 percent of all deaths to whites were from diseases of heart compared with about 28 percent to nonwhites. Malignant neoplasms, too, was a cause of death proportionally greater among whites than among nonwhites.

The chief change in rank order among the 15 leading causes of death in recent years has resulted from the decline in tuberculosis mortality. This cause, which ranked as the 7th leading cause of death in 1950, was 15th in 1959, and dropped below 15th place in 1960. The death rate for this cause has fallen continuously from 22.5 per 100,000 population in 1950 to 6.1 in 1960. Ulcer of stomach and duodenum replaced tuberculosis in 1960 as 15th cause; its appearance was the first change in causes included among the leading 15 in 8 years. The only other difference in rank order between 1960 and 1959 was that suicide, which had been the 11th leading cause in 1959, became the 12th, reversing positions with other diseases of the circulatory system.

[1]For explanation of method of ranking, see Technical Appendix.

General Mortality Trends

Rates for the total population

Crude death rates.—Table 1-A and figure 1-3 show the crude death rate for each year from 1900 through 1960. Within this period the crude death rate decreased by 47 percent, from 17.2 per 1,000 population in 1900 to a low of 9.2 in 1954. The decline from 1900 to 1953 had been fairly continuous, the only major interruption being the influenza pandemic of 1918, when the rate rose to 18.1. The decrease in the death rate between 1953 and 1954, which was unusually large, reflected primarily the fact that 1954 was a year singularly free of epidemics of respiratory disease. Since that year the crude rate appears to have fluctuated within a narrow range. The rate of 9.5 in 1960 corresponded to the average rate for the decade 1950-59.

It will be seen from figure 1-3 that the rate of decline varied throughout the period 1900-1954. Between 1900 and 1917 the rate declined almost three times faster than it did for the period 1921-37. Probably reflecting the successive introduction of serum therapy, the chemotherapeutic drugs, and antibiotic agents, the trend again accelerated beginning in 1938. The fall in the crude death rate for 1938-54 was almost twice as rapid as that for the preceding period. Changes in the crude death rate over the years are brought about not only by changes in health conditions but also by changes in the characteristics of the populaton—particularly the age distribution. The decline in the crude death rate during the first half of this century resulted chiefly from improved mortality among infants, children, and young adults. The survival of children to adult ages, the halt in the flow of immigrants after World War I, and the decline in fertility of successive cohorts of American women—all contributed to the aging of the population. The median age of the population of the death-registration States advanced from 26.2 years in 1910 to 30.2 years in 1950. Since 1950, however, the relatively high level of the birth rate has checked the rise in the median age, bringing the figure down to 29.5 years at the 1960 census.

Age-adjusted death rates.—A rate free of the influence of the changes in age composition of the population is needed to evaluate the trend of mortality. The age-adjusted death rate is such a refinement of the crude death rate, valuable because it removes the effect of differences in age composition between two populations. The age-adjusted rates in this volume are computed by using the distribution of the

686530 O - 63 - 2

FIGURE 1-3



enumerated population of the United States in 1940 as a standard population. Each figure represents the rate that would have existed if the age-specific rates of the data year prevailed in a population whose age distribution was like that of the United States in 1940. The age-adjusted death rates for the total population and for the four color-sex groups are shown in table 1-B for the expanding group of death-registration States from 1900 to 1960. For the total population the rate of 7.6 per 1,000 population was the same in 1960 as the rate for 1954-56 and 1958; only the rate for 1959 was lower. For each color-sex group, the age-adjusted death rate was also slightly higher in 1960 than in the previous year.

FIGURE 1-4



Age-adjusted rates are abstract figures and should not be compared with the crude rates for the same year. However, they may be compared with other age-adjusted rates based on the same standard population. The trend of the crude death rates discussed earlier showed that the rate of decline had decreased following the 1918 epidemic, and had resumed at an accelerated pace after 1938. From the age-adjusted rates (figure 1-4), it may be seen that the rate of decline in the period 1921-37 was only slightly slower than that for the period 1900-1917. However, the decline during the period 1938-54 was even more rapid than that shown by the crude death rate.

The relative change between 1950 and 1960 for the age-adjusted death rate differs notably from that for the crude death rate. While almost no change was shown in the crude rate, the decrease in the age-adjusted rate for the decade was about 10 percent. The record low crude death rate was registered in 1954; the lowest age-adjusted death rate was reached in 1959.

Death rates by age, color, and sex

Specific rates.—Death rates by age, color, and sex for 1950-60 are shown in table 1-C. This table continues the series shown in Volume I of *Vital Statistics of the United*

States, 1950, table 8.40, for 1900-1950. The figures show that the rates tended to become relatively stable since 1954.

Without exception, the 1960 rate was lower than that for 1950 for each color-sex group at every age interval. The greatest relative reductions between 1950 and 1960—all at least about 15 percent—were for rates in the age groups under 45 years. Declines between 1950 and 1960 were proportionally greater for females than for males at all ages under 85 years. Reductions in the death rates for females within the age groups 55-84 years, in particular, were substantially larger than those for males in the comparable age groups. Except for infant deaths and for ages 75-84 years, death rates for the nonwhite population at all ages declined more rapidly than did rates for the white population. Among the nonwhite population, rates for age groups from 1 to 54 years decreased by more than 20 percent between 1950 and 1960. For the age groups 55 years and over, declines were under 12 percent.

Age-adjusted death rates.—Figure 1-4 shows that the gap between the age-adjusted death rate for males and that for females for both color groups has increased in recent decades. Among the white population the age-adjusted death rate for males in 1960 was 64 percent greater than that for females; this compares with 48 percent in 1950. For the nonwhite population the age-adjusted death rate for males was 36 percent above the rate for females in 1960 and 25 percent in 1950. The divergence between the age-adjusted death rates of the two color groups has lessened over the years; nevertheless, considerable difference remains. In 1960 the age-adjusted rate for nonwhites was 42 percent higher than that for whites. In 1950 and in 1940 the rates for the nonwhite population were 54 and 60 percent, respectively, above the rates for the white population.

Causes of Death, 1951 to 1960

During the past decade most of the year to year changes in death rates for the causes shown in table 1-L have been slight. Most causes of death, except for those infective diseases which follow cyclical patterns, have tended consistently either to rise or to fall. Death rates for diseases that respond to new or increased use of drugs, and those that reflect improved nutritional levels or better conditions of environmental sanitation have continued in most cases to decline, while rates for some of the chronic diseases associated with aging have remained almost level or even increased during this period. The changes which occurred between 1957 and 1958 were to varying extents also influenced by the fact that the cause of death in these 2 years was assigned under two successive revisions of the International Lists, the Sixth and the Seventh.[2] Data for certain earlier years are shown for selected causes of death in table 1-K. Age-adjusted death rates for specified causes of death are shown by color and sex in table 1-J.

The list of causes of death shown in tables 1-L and 1-M is based on List B, the Abbreviated List of 50 Causes for Tabulation of Mortality, recommended by the World Health Organization. This list serves to illustrate major trends in mortality; additional detailed data are shown in Section 5, Volume II, *Vital Statistics of the United States, 1960*, for the 255 selected cause list, an extension of List A, the International List of 150 Causes for Tabulation of Morbidity and Mortality.[3] Deaths assigned to these causes by age, race, and sex appear in table 5-9 for 1960 and in a similar table for earlier years. Deaths and death rates for each cause appear in table 5-6 for 1960 and in an equivalent table for earlier years.

Infectious diseases.—The remarkable decline in tuberculosis mortality since the start of the 20th century continued without interruption during the past decade. The death rate for tuberculosis, all forms, dropped from 20.1 per 100,000 population in 1951 to 6.1 in 1960 (table 1-L). Mortality from this disease has been curtailed in every age group. The death rate for each age group from under 1 year to 44 years fell by more than 80 percent during the past 10 years; rates for the remaining age groups also declined, the percentage tending to decrease with increasing age. For both sexes, the tuberculosis death rate for 1960 falls to a low at 5-14 years of age of only 0.1 per 100,000 population (table 1-M) and then rises in each succeeding age group to a peak at 85 years and over of 64.9 per 100,000 population for males and 23.5 for females. From 15 to 24 years of age the rate was higher for females than for males but it was about the same for both sexes at 25-34 years. From 35 to 64 years of age the rate rises more rapidly for males so that the sex differential is greatest at ages 55-74 years, after which it decreases somewhat.

Downward trends in the tuberculosis death rate for sex and color groups noted during the 1940's were accentuated over the past decade. The rate of decline has continued to be greater for females than for males, and for nonwhites than for whites. Mortality still varies widely by color, however, and the death rate for nonwhites—13.2 per 100,000 population in 1960—was about 2½ times that of 5.1 for whites. A decade earlier the rate for nonwhites had been 3½ times that for whites. The color differential was most marked in the younger age groups, with the rates for nonwhites more than seven times those for whites aged 15-34 years.

Most deaths from tuberculosis in 1960 were from tuberculosis of the respiratory system, for which the death rate was 5.6 per 100,000 population compared with that of 0.4 for tuberculosis, other forms. The relative difference in mortality by sex is considerably greater for respiratory than for the nonrespiratory forms of the disease. In 1960 the respiratory tuberculosis death rate for males was 8.4 per 100,000 population, almost three times that for females (2.9). For nonrespiratory tuberculosis, the death rate for males was 0.5, for females, 0.4.

[2]For a discussion of the comparability between the Sixth and Seventh Revisions, see Section 1, Volume I, *Vital Statistics of the United States, 1958*, National Office of Vital Statistics. Washington, U. S. Government Printing Office, 1960.

[3]See discussion on cause of death in the Technical Appendix.

The trend of the death rate for syphilis and its sequelae has been steadily downward from 4.1 per 100,000 population in 1951 to 1.6 in 1960. In 1939, the year that marks the approximate beginning of the rapid decline for this cause, the rate was 15.0 per 100,000 population. In 1960, the rates were 2.4 for males and 0.9 for females.

The death rates for pneumonia, except pneumonia of newborn, declined swiftly after the introduction of chemotherapy in 1938, reaching their lowest levels during the years 1949-56. The influenza epidemic of 1957-58 resulted in sharp increases in the rates for all ages. In 1959 the age-specific rates declined from the 1957 and 1958 levels, but these rose again in 1960 because of an epidemic in the early part of the year.

Another group of respiratory diseases, which is included in the residual of table 1-L, has shown a remarkable increase in rates in recent years. The rates for 1950 and 1960 per 100,000 population for these causes are:

		1960	*1950*
Other bronchopulmonic diseases	525-527	9.6	3.3
Other chronic interstitial pneumonia	525	2.2	0.7
Bronchiectasis	526	1.3	1.4
Other diseases of lung and pleural cavity	527	6.0	1.2
Pulmonary collapse (1 year and over)	527.0	0.1	0.1
Emphysema without mention of bronchitis	527.1	5.2	0.8
Other	527.2	0.8	0.3

For the group as a whole relatively little if any of the rise can be ascribed to increased assignments under the Seventh Revision of the International Lists as compared with the Sixth Revision.[4] For emphysema without mention of bronchitis, the subcategory which has shown the most rapid growth, an increase of only about 2 percent resulted from transfers in classification. For another subcategory—other diseases of lung and pleural cavity—the transfer of "hyaline membrane" to ill-defined diseases peculiar to early infancy resulted in a net decrease of 56 percent; despite this change, however, the rate for the subcategory was higher in 1960 than in 1950. On the other hand, the small decline in the rate for the category bronchiectasis between 1950 and 1960 occurred in the face of an increase of about 15 percent in assignments resulting from the new provisions. Classification changes did not significantly affect other chronic interstitial pneumonia; the death rate for this category tripled between 1950 and 1960.

Chronic diseases.—In 1960, 55 percent of all deaths were caused by the major cardiovascular-renal diseases compared with 53 percent in 1950 (table 1-K). The importance of this group of diseases, which had risen steadily over the first half of the present century (the group accounted for 20 percent of all deaths in 1900), thus appears to have changed relatively little in the last decade. The death rate for the major cardiovascular diseases, which had been generally increasing from 1949 to 1956, rose sharply in 1957 and 1958, chiefly as a result of the influenza epidemic, attaining record levels of 523.7 deaths per 100,000 population each year. The death rates in 1959-60, although below those of 1957-58, were higher than in 1956. A small part of the increase in level of the rates since 1958 has been brought about by changes in classification introduced in the Seventh Revision.[5]

Within this complex of diseases the trends for the various components have varied, reflecting a number of factors. Some of these are the improved diagnostic ability of physicians, the increasing proportion of deaths occurring in hospitals or related institutions, and new concepts in the developing science of medicine. Another important factor has been the revision of the International Lists. Changes within the major cardiovascular-renal group in the Seventh Revision resulted largely from changes in designating assignment when two or more conditions classifiable to the group are jointly reported. Deletion of a note of preference for arteriosclerotic heart disease was responsible for a decrease of about 8 percent in this category and much of the increase in other causes. Causes receiving increased assignments (and the percentage change) included: other diseases of heart (10), hypertensive heart disease (11); and other hypertensive disease (33). The relatively large increase for the latter group occurred in part because of a note giving greater preference to conditions in this category.

Cardiovascular-renal disease mortality varies considerably by age, color, and sex. The risk of dying from this group of diseases, which is progressively higher with increasing age, is greater for males than for females at every age. The ratio of death rates is at a maximum at ages 35-64 years when the rates for males are more than twice those for females. The rates for nonwhites are at least twice those for whites at all ages under 55 years. They are also higher at 55-74 years but are below rates for whites at older ages. Between 1950 and 1960 age-specific death rates for males and females for both color groups declined at all but the age extremes (under 1 year, 85 years and over). The downward trend was most evident for children and young adults. Declines for adults generally were greater for females than for males and for nonwhites than for whites.

The death rate for vascular lesions affecting central nervous system, one of the components of the diseases of cardiovascular system, also showed the impact of the influenza epidemic. The rates had varied within a fairly narrow range from 1950 to 1956, then rose in 1957-58 and declined in 1959-60 but remained above the level of the earlier years. The principal changes since 1950 have been reduced rates at ages 45-64 years and increments for the groups 85 years and over. This has been true for both sexes.

In 1960 the death rates for vascular lesions affecting central nervous system were higher for both the nonwhite males and females than for the white at all ages under 75 years. The rates were higher for the white of both sexes only at ages 75 years and over. Among persons in the age groups from 25 to 64 years the level of mortality attributed

[4] Source: Unpublished National Vital Statistics Division data.

[5] See reference cited in footnote 2.

to this cause of death generally was three to five times higher among nonwhites than among whites. The death rates for other diseases of circulatory system have increased every year since 1950; the rate of 11.0 per 100,000 population in 1960 was more than twice that of a decade earlier. The rates for rheumatic fever and chronic rheumatic heart disease, nonrheumatic chronic endocarditis and other myocardial degeneration, hypertensive heart disease and chronic and unspecified nephritis and other renal sclerosis have decreased annually, with but few exceptions, since 1950. The downward trend for other hypertensive disease was only apparently interrupted in 1958, the first year the Seventh Revision of the International Lists was used. When rates are adjusted for the change produced by the revision, it is evident that the declining trend was continued.[6] Since 1955 the death rate for general arteriosclerosis has fluctuated at a level higher than the low point of 1954 but below the levels obtaining from 1950 to 1953.

The death rate for arteriosclerotic heart disease, including coronary disease, has increased formidably during the past decade. The death rate for this cause was 275.6 per 100,000 population in 1960 compared with 213.0 in 1950. The percent of all deaths from major cardiovascular-renal diseases attributed to this component rose from 42 to 53 percent during this period. During the same years the rate for males for arteriosclerotic heart disease has risen from 277.8 per 100,000 population to 348.0 and from 149.1 to 205.4 for females. The rise in rates for males resulted from increases at all ages above 24 years. In general, the older the age group the greater has been the percentage increase in the death rate. Among females rates are now higher than in 1950 among the population 55 years and over, but except at the oldest ages, the changes have not been as marked as among males. For both sexes in 1960 the rates were low at ages under 25 years and then rose rapidly in successive age groups to reach their highest point at 85 years and over. From 15 to 44 years of age the increase in the death rate was more rapid for males than for females, the ratio of death rates by sex being over 5 for ages 35-44 years. At ages 45 years and over the rate rose faster for females so that at 85 years and over the sex differential was slight.

Mortality from malignant neoplasms increased fairly steadily over the last decade, although at a rate much reduced from that of preceding periods. Small increments were shown for the death rate each year from 1950—when the rate was 139.8 per 100,000 population—through 1957. The rate in 1958 was slightly lower than that in 1957, partly as a result of fewer assignments of deaths under the Seventh Revision. The rate has since continued upward, reaching 149.2 in 1960.

Long-established trends in mortality from malignant neoplasms continued during the 1950's. While the death rate for white females appeared to have stabilized—it was 139.9 in 1950 and 139.8 in 1960—the death rate for white males rose during these years from 147.2 to 166.1. When the rates for the 2 years are examined by age, it is seen that the rates for white females in 1960 were lower at every age than in 1950. For white males, however, death rates in 1960 at all age groups 5 years and over were higher than in 1950. These trends are reflected in the age-adjusted death rates, which for white males have risen from 130.9 per 100,000 population in 1950 to 141.6 in 1960, while at the same time they have declined for white females from 119.4 to 109.5. Among nonwhite males the death rates for malignant neoplasms in 1960 exceeded those in 1950 for every age group after childhood; the rise in the rate occurring at ages 65-74 years was particularly steep. Among nonwhite females the rates for the age groups 5-14 years and 75 years and over were higher in 1960 than in 1950. Thus while the age-adjusted death rate for nonwhite females dropped from 131.0 in 1950 to 125.0 in 1960, the rate for males increased from 125.8 to 154.8, from a figure below the female rate to one well above it. While the total death rate for malignant neoplasms for the nonwhite population remains below that for the white, the age-adjusted rates are higher. Although rate increases for nonwhites have tended to outdistance those for whites in recent years, this change may represent in part a differential effect by color of improvements in diagnostic methods and facilities on the reporting of malignant neoplasms.

When mortality for malignant neoplasms is examined by site it is seen that the outstanding change for males has been the continued increase in death rates for malignant neoplasm of respiratory system. This rate has increased every year since 1930, the first year in which this group of sites was separately classified; the rate was 38.5 per 100,000 population in 1960 compared with 23.1 in 1950. Increases among males also have occurred in the death rates for malignant neoplasms of urinary organs and of genital organs and for leukemia and aleukemia. For females, the major changes have been decreases for malignant neoplasm of genital organs and for malignant neoplasm of digestive organs. Increases have occurred in the rates for most of the other groups of sites shown in table 1-M.

The death rates for diabetes mellitus have fluctuated within a fairly narrow range in recent years; the rate for 1960 of 16.7 per 100,000 population was the highest since 1949, and the lowest was 15.5 in 1955.

The death rate for diabetes mellitus of 19.6 per 100,000 population for females in 1960 was 42 percent higher than that for males (13.8). In 1950 the excess in rate was 59 percent. The sex differential characteristic of diabetes mortality is largely a consequence of higher rates for females than for males at ages 55 years and over. In the age group 45-54 years, for example, mortality rates for males and females were identical in 1960, while at ages 65-74 years the rate for females was 42 percent higher than that for males.

In the past decade the color difference in diabetes mellitus mortality has reversed itself. In 1950 the diabetes death rate was about 14 percent higher for whites than for nonwhites; in 1960 the rate for nonwhites was about 15 percent more than that for whites. While decreases among whites took place in nearly all rates at ages 55-84 years between 1950 and 1960, extensive increases in rates occurred among nonwhites—both males and females—in these age classes. For nonwhites the death rate for females exceeded the rate for males by a considerably wider margin than for whites.

The death rate for cirrhosis of liver has been rising slowly since the midthirties. At ages under 25 years this is a minor cause of death, but the rate rises steeply with

[6] See reference cited in footnote 2.

increasing age. Since 1940 the rates have generally been increasing at ages 25-74 years and declining at ages 75 years and over. Increases for all age groups 25-54 years between 1950 and 1960 were in excess of 25 percent; increases at ages 55-74 years were somewhat smaller. At ages 45-54 years the death rate for cirrhosis of liver rose from 19.1 per 100,000 population in 1950 to 27.6 in 1960, a record high. On the other hand, the death rate for this cause among persons aged 75-84 years was lower in 1960 than for any previous year on record. In 1950 the risk of death from cirrhosis of liver among the population 75 years of age and over was about twice as great as that among persons 45-54 years of age. In 1960 the risks experienced by the two groups were almost equal. The death rate for males in 1960 was twice as high as that for females.

Deaths from external causes.—The death rate for accidents, which was relatively stable from 1950 to 1953, fell by about 7 percent in 1954 and then remained at approximately the same level through 1957. The rate decreased in 1958, chiefly as a result of fewer assignments to nonmotor vehicle accidents under the Seventh Revision, and remained about the same in 1959 and 1960. In the list of 59 selected causes, accidents are classified as motor vehicle and nonmotor vehicle, primarily in order to treat separately the former group which is relatively homogeneous compared with the latter category.

The death rate for motor vehicle accidents has been generally lower in 1958-60 than in the previous 8 years, but there is no clear downward trend. The death rate for nonmotor vehicle accidents declined rapidly from a rate of 55.7 per 100,000 population in 1943 to 33.8 in 1954. Between 1954 and 1957 the rate remained fairly level. As noted before, there was a decrease in assignments to nonmotor vehicle accidents with the advent of the Seventh Revision in 1958. The death rates since 1958, like those for motor vehicles have held stable. The long-term decrease has probably resulted in part from improved housing conditions, greater control of industrial hazards, and better medical treatment of accidents.

The category nonmotor vehicle accidents includes a number of types of accidents for which the distribution of deaths varies considerably by age and sex. For example, the death rate for accidental falls is highest among elderly females, while the loss from accidental drowning is greatest among young males. As a result, trends in age-specific death rates reflect trends in fatality for particular kinds of accidents. For infants under 1 year of age the fluctuating rates each year from 1953 forward have all been at least 10 percent below the level for 1948-52. Among children at ages 1-4 a drop of 29 percent occurred in the rate between 1945 and 1950; between 1950 and 1960, however, the decline was smaller—15 percent. Decreases in the death rates for ages up to 64 years have generally followed a similar pattern, rapid during the late 1940's and moderate in the 1950's. At ages 65 years and over, however, the general downward trends have not slackened. Among females in the three oldest age categories death rates between 1950 and 1960 dropped by more than 30 percent; among males the percentage declines tended to be only slightly lower. A limited part of the decrease was the result of the classification changes of the Seventh Revision.

While the death rate for nonmotor vehicle accidents in 1960 was 17 percent lower than in 1950, the comparable decline in the rate for motor vehicle accidents was only 8 percent. Since 1950 the number of automobiles registered and the number of vehicle miles driven have risen annually. The risk of death from a motor vehicle accident depends on these factors rather than on the size of the population, so the death rate based on the population does not reflect the hazards involved. The figures shown in table 1-L indicate the loss of population through motor vehicle accidents and are thus comparable with figures for other causes of death.

Among males aged 55 years and over there has been since 1950 a downward trend in mortality from motor vehicle accidents. Rates for males in these age groups were at least 17 percent lower in 1960 than in 1950. Among males in the younger ages the changes have been irregular. Indications of changes in the rates for females appear even more random. Among persons of both sexes the age group 15-24 years old is the only one that clearly has not experienced a decline. Despite the more notable downward trends for males the risk of dying from motor vehicle accidents in 1960 was still markedly higher among males, with the rates at all ages 2.9 times that for females. The comparable ratio in 1950 was 3.2.

The death rate for suicide has been below 11 per 100,000 population since 1951 and far below the record high of 17.4 per 100,000 population in 1932. The lowest rate—9.8—was recorded in 1957. Since then the level of the rate has risen, partly as a result of increased assignments under the Seventh Revision. Rates for suicide are much higher for males than for females, and in each sex group are higher for whites than for nonwhites.

The death rate for homicide reached a high of 9.8 per 100,000 in 1933 and then fell steadily for more than a decade. From the postwar high of 6.4 in 1946 the rate dropped to 4.5 in 1955 and has since hovered about this level. In each sex group, rates have been much higher for nonwhites than for whites. As with suicide, rates are higher for males than for females.

Mortality by Geographic Areas

Mortality for urban and rural areas

Standard metropolitan statistical areas.—In 1960 over three-fifths of all deaths were to residents of the 201 standard metropolitan statistical areas. The crude death rate for these areas, 9.3 per 1,000 enumerated population, was lower than the rates of 10.0 for all nonmetropolitan areas and 9.5 for the country as a whole. (See table 1-N and table 9-5 in Section 9, Part B of Volume II, *Vital Statistics of the United States, 1960.*) Counties which are included in the standard metropolitan statistical areas (SMSA's) or, in New England, in the metropolitan State economic areas (MSEA's), are called metropolitan counties; all other counties are classified as nonmetropolitan. (For further explanation, see Technical Appendix.)

Metropolitan and nonmetropolitan counties.—Death rates in 1960 for the sum of nonmetropolitan counties for the total population and for each color-sex group are higher than rates for the combined metropolitan counties (table 1-N). The age composition of the total population partially explains this difference; the high-risk group—65 years and over—ac-

counts for 10.1 of the total population in nonmetropolitan counties and 8.7 percent in the other counties. Age-specific rates by type of county for both 1950 and 1960 are shown below:

AGE	METROPOLITAN COUNTIES		NONMETROPOLITAN COUNTIES	
	1960	1950	1960	1950
ALL AGES	9.3	9.7	10.0	9.6
Under 1 year	26.0	30.3	28.7	36.2
1-4 years	1.0	1.2	1.3	1.6
5-14 years	0.4	0.5	0.5	0.7
15-24 years	0.9	1.1	1.3	1.5
25-34 years	1.4	1.6	1.6	2.0
35-44 years	3.0	3.6	3.1	3.6
45-54 years	7.8	9.0	7.1	7.9
55-64 years	18.0	20.4	16.3	17.2
65-74 years	39.6	43.1	36.0	37.7
75-84 years	89.0	95.2	85.3	91.2
85 years and over	196.9	197.4	200.7	206.9

While the proportion of persons in the older age groups is higher in the nonmetropolitan counties, the death rates for every age group 45 years and over (with the exception of the open-end category 85 years and over) are lower than for the metropolitan counties. This contrasts with the consistently higher rates at all ages below 45 years. The same relationship of rates by age was shown by the rates for 1950. The rates for every age group in both types of areas declined from the figures recorded for 1950, but the amount of decline was such that the basic pattern remained unchanged.

Urban and rural areas.—In 1960, as in earlier years for which comparison could be made, mortality was higher in urban places than in rural areas (table 1-0). The recorded death rate for all urban places was 10.3 per 1,000 population in 1960 and for rural areas, 8.4. When the death rates for cities are grouped by population size it is seen that among each of the five groups of places of 50,000 inhabitants or more the rate exceeds the national average (9.5). The crude death rate—9.8 for places having populations of 50,000 to 100,000—becomes progressively higher as population size of city increases, reaching 11.5 for cities of 1 million persons or more. For this latter group, the fact that the proportion of the residents aged 65 years and over is 10.2 percent compared with only 9.2 percent for the Nation as a whole partially accounts for this high rate. Population figures by age were not compiled for other population-size categories.

In metropolitan counties, this difference in death rates between urban and rural areas is more pronounced than in nonmetropolitan counties. As noted in the Technical Appendix, the National Vital Statistics Division (NVSD) definition of rural includes in large part the urbanized fringe of metropolitan areas. This factor may partially explain the reported difference in urban (10.1) and rural (6.8) mortality since the suburban areas are generally inhabited by a young population subject to low mortality rates.

For the nonmetropolitan counties, the rural area (as used in this volume) includes about two-thirds of the population. In these counties the rural area defined for vital statistics tabulations more nearly corresponds to that currently delineated by the Bureau of the Census than is true for the metropolitan counties. In nonmetropolitan counties only a minor share of the population can be considered as living in suburbs of large urban centers. The high rate of 11.6 for places of 2,500 to 10,000 may be due in part to errors in urban and rural classification. An overstatement in urban deaths may occur because the distinction between residence within the incorporated city, which is classified as urban, and residence outside the city limits (rural) has always been a difficult one to make from the information on the death certificate.

A change in the residence item on the 1956 certificate was made in order to improve the allocation of residence to urban areas. The revised certificate, which will be in use for the decade 1956-65, contains checkboxes for answers ("yes" or "no") to the question, "Is residence inside city limits?" No direct measures of the changes produced in the numbers of deaths assigned to urban areas as a result of the revisions are available. Examination of annual data for individual cities suggests that the use of the question and checkboxes has served to improve the accuracy of the allocation for some cities. In others, there is evidence that the question may not be answered correctly.

Errors in coding place of residence occur between the urban and rural parts of both metropolitan and nonmetropolitan counties but not between the two types of counties. Therefore, figures for metropolitan and nonmetropolitan areas as a whole may be used with confidence. They can also serve as approximations of urban and rural differences. The proportion of the population for 1960 as defined by NVSD which falls into each area is:

	Metropolitan counties	*Nonmetropolitan counties*
United States	100.0	100.0
Urban	75.5	36.3
Rural	24.5	63.7

Mortality by geographic division and State

Crude death rates.—Differences in the crude death rates for States and larger geographic divisions may reflect differences in health conditions to some extent, but, in part, may also be attributed to the major variations in the age, race, and sex composition of the population for each area. For example, the relatively high death rates for most of the States of the Northeast are associated with the older average age of persons living in this area and do not necessarily indicate less favorable mortality conditions.

The crude death rates in 1960 by State of residence, shown in table 1-R, range from 5.6 per 1,000 population for Hawaii, which following its admission to statehood is

included in the rates for the United States for the first time this year, to 11.5 for the District of Columbia. In Hawaii the percentage of the population over 65 years of age (4.6) is smaller than in any other State except Alaska, where the crude death rate is almost as low. In the District of Columbia the proportion of the population over 65 years of age is about the same as the average for the entire country (9.2). In addition, the District of Columbia is entirely urban, and comparison of its rates with rates for cities of over one-half million persons, therefore, are more meaningful than comparisons with rates for the 50 States.

In general, in 1960 as in the 2 preceding decennial years, the higher crude rates were for residents of the Northeast and North Central Regions and the lower rates for those in the Southern and Western States (figure 1-5).

Among the geographic divisions the largest absolute increase in crude death rates between 1950 and 1960 was recorded for the East South Central States, paralleling the greatest increase in median age of the population. The greatest reduction in crude death rates and the largest drop in median age took place in the Pacific Division. The median ages (in years) of the populations in the geographic divisions of the United States in 1960 and 1950 were as follows:

	1960	*1950*
New England	31.6	32.3
Middle Atlantic	32.6	32.7
East North Central	29.6	31.2
West North Central	30.0	31.1
South Atlantic	27.5	27.3
East South Central	26.7	26.2
West South Central	27.2	27.7
Mountain	25.9	27.5
Pacific	29.7	31.8

In about half the States crude death rates were higher in 1960 than in 1950. The higher rates, though not confined to a single region, were most characteristic of Southern States.

FIGURE 1-5



The greatest absolute increases in crude death rates between 1950 and 1960—upwards of 1.0 death per 1,000 population—occurred in Arkansas, Oklahoma, and West Virginia. The median age of the population in these three States also showed the greatest increment between the 2 census years. In a period when the median age of the Nation as a whole dropped, the median age of the population within each of these States rose by more than 1 year, evidently a result of large-scale age-selective out-migration.

Conversely, the sharpest declines in median age (2.5 years) between 1950 and 1960 took place in the two States—Alaska and Delaware—where crude death rates decreased most.

Death rates for geographic divisions of the United States from the period when the division as a whole became part of the death-registration area through 1960 are shown in table 1-P.

Age-adjusted death rates.—Owing to the wide variation in the age structure of the population across the Nation, rates for individual States free of the effects of age are better measures of mortality conditions than are crude rates. Rates for 1940, 1950, and 1960 adjusted for differences in the age composition of the population are shown in table 1-Q. These are the rates that would have obtained in each State if the age distribution of its population were the same as that for the United States in 1940. The range of rates for 1960 is considerably reduced from that seen for the crude death rates. The highest rate was 9.2 per 1,000 population for residents of South Carolina, and the lowest (6.6) for residents of Iowa, Kansas, and Nebraska. By geographic division, the lowest rates are found for the West North Central and Pacific, the highest for the South Atlantic and East South Central States. (See figure 1-6.)

The range of the age-adjusted death rates by geographic divisions shown in table 1-Q was somewhat smaller in 1960 than in 1940. In 1960 the rate for the South Atlantic Division (8.1), where the level of mortality adjusted for age was highest, was less than 18 percent above the rate for the West North Central Division (6.9), where the level was lowest. In 1940, when rates for the same two divisions also marked the respective extremes, the corresponding difference was 33 percent.

FIGURE 1-6



Between 1940 and 1960 the decline in the age-adjusted rate for the United States as a whole was almost 30 percent. The reductions for most of the States were of a similar order of magnitude—for more than three-fourths of the States the decrease ranged between 25 and 35 percent.

Although without exception, the age-adjusted rates in 1960 for the total population of each State were lower than the rates for 1950 (table 1-Q), the percent reductions in this period were uniformly less than those between 1940 and 1950. Between 1940 and 1950 the decline was less than 15 percent in only two States and was more than 20 percent for over half the States. By comparison, between 1950 and 1960 the decline was below 15 percent in all States except Alaska (a Territory in 1950) and was between 5 and 10 percent for a majority of the States. The distribution of the percent declines in age-adjusted death rates, by intervals of 5 percentage points, among the States (including the District of Columbia but excluding Alaska and Hawaii) are shown below:

PERCENT DECREASE	NUMBER OF STATES		
	1940 to 1960	1950 to 1960	1940 to 1950
35.0-39.9	2	-	-
30.0-34.9	16	-	-
25.0-29.9	23	-	9
20.0-24.9	7	-	25
15.0-19.9	1	-	13
10.0-14.9	-	17	2
5.0-9.9	-	29	-
0-4.9	-	3	-

Age-specific rates.—Table 1-T gives death rates by age for residents of each State for 1960. For each age group the death rates show substantial variation among the States. The lowest death rates up to 35 years were found in the New England States while rates in the East South Central Division were among the highest. The rates were lowest at ages 35-74 years in the West North Central Division and at ages 75 years and over in the West South Central Division. The highest rates for ages 35-64 years occurred in the South Atlantic Division, for 65-84 years in the Middle Atlantic Division, and for 85 years and over in the East North Central Division.

For each age group up to age 45 the highest death rate for a State was at least twice the lowest rate. The greatest contrast was for persons aged 15-24, where the rate per 100,000 population for Wyoming was 3.7 times that for Rhode Island. The smallest difference was for persons aged 65-74, where the rate for Nevada was 1.4 times that for Florida. Death rates for the population 85 years of age and over may be considerably understated for a number of States, largely because of a tendency to overstate age in the census of population among certain groups of the population. In Alaska, to cite the extreme instance, the recorded death rate is lower than that for any other State at ages 85 years and over. At the same time, the death rate in this State is the highest in the Nation among children through 14 years of age and is close to the national average at ages 55-74 years. The low rate for the 85 years and over group could very possibly result from inaccurate statements of age, particularly among Indians and Eskimos, who comprise a greater proportion of the population of this State than of any other.

The actual number of deaths by age in each division and State is shown in table 1-S. These figures indicate, for example, that 23 percent of all deaths in Alaska were of infants under 1 year of age, while the corresponding proportion in Massachusetts was 4 percent. Differences in the population composition of geographic areas as well as in age-specific rates discussed above are reflected in the diverse rates by cause. Death rates for 59 causes of death for each division and State are found in table 1-W and the number of deaths in table 1-V.

Random variation.—In the statistical analysis of geographic variation of rates, a problem arises because the rates based on different population sizes have varying degrees of reliability. The rate for a large population is subject to less random variation than the rate for a small population. Thus, a rate that is the same for two areas of different population size may be significantly greater than the rate for the United States for the area of larger population but not for the smaller. One method for the assessment of differences between rates can be made by examining the deviation of each rate from the value for the United States weighted by the standard error of the rate. The distribution of the weighted deviations divided by the standard error of this distribution is approximately normal with a mean of zero, and a variance of unity. If the computed value for any State is greater than 2, it may be assumed that random variation could not account for the difference between the death rate for that State and the United States.

By this criterion of significance, the crude death rates for New York and Pennsylvania were significantly greater than the United States average of 9.5 deaths for 1,000 population. For neither of these States is this the case for any of the age groups under 65 years. The crude death rate for Texas was significantly lower than the national average. For the specified age groups, there were only three States in which an age-specific rate was significantly lower than the national figure: California for the 65-74 year group, Texas for the group 85 years of age and over, and Florida for the three age groups 65 years and over. In contrast, there were nine States and the District of Columbia in which one or more age-specific rates were significantly above the national average, as follows:

1-4 years	Mississippi, South Carolina
5-14 years	None
15-24 years	Alabama, New Mexico
25-34 years	Georgia, North Carolina, South Carolina
35-44 years	District of Columbia, Georgia, South Carolina
45-54 years	District of Columbia, Georgia, South Carolina
55-64 years	Georgia, South Carolina
65-74 years	New York, Pennsylvania
75-84 years	New York, Pennsylvania
85 years and over	Ohio

Death Rates by Specified Race

Deaths and death rates for the white, Negro, and other nonwhite races for 1940, 1950, and 1960 are shown in the adjacent column. The recorded rates for 1960 range from 5.1 per 1,000 population for the Japanese to 10.4 for the Negro.

To some extent the divergence in rates can be explained by variations in demographic characteristics among the races. However, sizable differences in mortality by race remain when such population variables as age and sex are held constant. Socioeconomic concomitants of race have been recognized as accounting for some of the divergence. Probably these factors explain the higher crude death rate for Negroes than for whites despite the lower median age of the Negro population.

Comparison of the rates for American Indians and for the other nonwhite population over the 3 census years shown must allow for the effect of differences in classification of race in the registration of deaths and in the census of population, most particularly in the enumeration of 1950. Factors relating to classification by race in the 1960 Census of Population and for vital statistics are discussed in the Technical Appendix.

In the 1950 census, people of mixed stock of Indian and other races resident in several Southern States, particularly North Carolina, who considered themselves Indians were classified as "other nonwhite." These groups contained about 32,000 people.[7] It is believed that for these mixed stock, as well as for Indians living off the reservations but not in an identifiable group, who may not have been classified as Indian in the 1950 census, deaths have been registered as Indian. The death rate for Indians based on the enumerated population in 1950 was 13.0 per 1,000; based on the enumerated population plus the count of the mixed stock group, the rate was 11.9. In 1960, when the death rate for Indians was 8.6, the mixed stock as well as off-reservation Indians tended to be classified in the census of population as Indian.

The death rates for the other nonwhite population also have been affected by this difference in registration and census practice. If the mixed stock groups are subtracted from the enumerated "other nonwhite" population in 1950 the death rate for the latter group becomes 5.1 rather than 3.6, as shown in the above table. This remarkably low rate (5.1) suggests the possibility of further inconsistencies in the reporting of race on the death certificate and in the census enumeration.

The figure for the "other nonwhite" group for 1960 (5.4) is not comparable with the rate for 1950 because of the change in the population included in figures for the United States. In 1960 a majority of the enumerated persons in the "other nonwhite" group were residents of the States of Hawaii and Alaska (Hawaiians and Part-Hawaiians, Filipinos, Eskimos and Aleuts) which were not included in the death rate for the United States in 1950. Death rates for 1960 illustrating the effect on rates for Chinese, Japanese, and

SEX AND RACE	1960	1950	1940
NUMBER OF DEATHS			
Total	1,711,982	1,452,454	1,417,269
White	1,505,335	1,276,085	1,231,223
Nonwhite	206,647	176,369	186,046
Negro	196,010	169,606	178,743
Indian	4,528	4,440	4,791
Chinese	1,620	1,057	1,184
Japanese	2,354	865	856
Other	[1]2,135	401	472
Male	975,648	827,749	791,003
White	860,857	731,366	690,901
Nonwhite	114,791	96,383	100,102
Negro	107,701	92,004	95,517
Indian	2,658	2,497	2,527
Chinese	1,328	888	1,049
Japanese	1,572	658	633
Other	[2]1,532	336	376
Female	736,334	624,705	626,266
White	644,478	544,719	540,322
Nonwhite	91,856	79,986	85,944
Negro	88,309	77,602	83,226
Indian	1,870	1,943	2,264
Chinese	292	169	135
Japanese	782	207	223
Other	[3]603	65	96
RATE PER 1,000 POPULATION			
Total	9.5	9.6	10.8
White	9.5	9.5	10.4
Nonwhite	10.1	11.2	13.8
Negro	10.4	11.3	13.9
Indian	8.6	13.0	14.3
Chinese	6.8	9.0	15.3
Japanese	5.1	6.1	6.7
Other	5.4	3.6	9.4
Male	11.0	11.1	12.0
White	11.0	10.9	11.6
Nonwhite	11.5	12.5	15.1
Negro	11.8	12.6	15.2
Indian	10.1	14.0	14.7
Chinese	9.8	11.6	18.3
Japanese	7.0	8.6	8.8
Other	6.7	4.6	8.7
Female	8.1	8.2	9.5
White	8.0	8.0	9.2
Nonwhite	8.7	9.9	12.6
Negro	9.0	10.0	12.6
Indian	7.2	11.8	13.9
Chinese	2.9	4.2	6.7
Japanese	3.3	3.2	4.1
Other	3.6	1.7	13.3

[1]Includes 450 deaths of Hawaiians and Part-Hawaiians and 255 deaths of Aleuts and Eskimos.

[2]Includes 258 deaths of Hawaiians and Part-Hawaiians and 139 deaths of Aleuts and Eskimos.

[3]Includes 192 deaths of Hawaiians and Part-Hawaiians and 116 deaths of Aleuts and Eskimos.

[7]National Office of Vital Statistics, *Vital Statistics of the United States 1950* Volume I. Washington, U.S. Government Printing Office, 1954, ch. 8.

"Other nonwhite races" by the addition of data from the two newest States are as follows:

	Total United States	*Conterminous United States*	*Hawaii and Alaska*
Chinese	6.8	6.8	7.0
Japanese	5.1	4.9	5.3
Other nonwhite races	5.4	4.9	5.9

The rates shown for "Conterminous United States" for 1960 are comparable with the 1950 rates for the United States.

Deaths and death rates by age for the white, Negro, and other nonwhite races are shown in table 1-E. At the present time, population data are not available in sufficient detail to compute the rates for the individual nonwhite races other than the Negro.

Residence Statistics

A death in 1960 is classified as "nonresident" if the information on the death certificate indicates that it did not occur in the county or county equivalent in which the decedent had usually resided. Previously, unit of residence was defined as the individual urban place of 10,000 or more, or cities of 2,500 to 10,000 as a group within the same county, or the rural area of a county. Of the 1,711,982 deaths registered in the United States in 1960, 17 percent were nonresident according to the 1960 definition (table 1-U). About four in five of the nonresident deaths occurred in the State of residence.

A summary of deaths in 1960 by place of occurrence and by place of residence is given for each State in table 1-U, showing the total amount of interstate and intrastate movement for individual States. For most States the total deaths of residents do not vary markedly from total deaths occurring within their boundaries, and for those States the reallocation of interstate nonresident deaths is relatively unimportant. The reallocation does, however, have a major effect on the data for certain communities lying close to State borders.

When the numbers of deaths on an occurrence and on a residence basis are compared, the largest proportionate difference is seen in the figures for the District of Columbia. The excess of 15 percent in the number of deaths occurring in the District of Columbia over the total deaths of residents is probably due largely to the use of hospitals in the National Capital by residents of Maryland and Virginia. Other areas for which the number of deaths reported on an occurrence basis was comparatively high relative to the number by residence (an excess of over 500 deaths) were Florida, Minnesota, Missouri, and Tennessee. States for which the total deaths of residents exceeded by more than 500 the number of deaths occurring within its boundaries were Illinois, New Jersey, and Virginia. In general, those States in which the highest percentages of decedents were residents of other States and States the highest percentage of whose residents died outside its boundaries were sparsely populated areas such as Nevada and Wyoming.

Maternal Mortality

There were 1,579 maternal deaths registered in the United States in 1960. These are deaths in which the underlying cause reported by the certifying physician indicated that the death was the result of a complication of pregnancy or delivery. Maternal deaths are those assigned to International List numbers 640-689, Deliveries and complications of pregnancy, childbirth, and the puerperium.[8] The maternal death rate, computed for the first time in 1960 on the larger base of 100,000 live births, was 37.1. For nonwhite women, the rate was 97.9, or almost four times the rate of 26.0 for white women (table 1-X). The maternal mortality rate has declined consistently since the first year this figure was recorded. Rates for 1915-60 are shown in table 1-Y by color. Little change was evident until the midthirties, when the rates began a rapid drop which continued until 1956 (figure 1-7). In the last 5 years, rates

FIGURE 1-7



[8] World Health Organization, *Manual of the International Statistical Classification of Diseases, Injuries, and Causes of Death*, Based on the Recommendations of the Seventh Revision Conference, 1955, Volume 1. Geneva, Switzerland, 1957.

for white mothers have been reduced slowly, reaching a minimum of 25.8 maternal deaths per 100,000 live births in 1959. The figure for 1960 is actually slightly higher. The fall in the rate has been slower for nonwhites than for whites, so that the rate in 1960 is nearly four times that for whites, while the same ratio in 1945 was under 3.

The large differences in rates by color obtain at every age shown in table 1-X. The risk of maternal death for both white and nonwhite mothers is lowest at ages under 25 years. The ratio of the rates is also at a minimum, with the nonwhite figure about three times the white. At ages 25 and over the maternal death rate increases with age until by age 40-44 years the figure is almost seven times that at 20-24 years.

The chief causes of maternal deaths are also shown in table 1-X. The percentage of all maternal deaths in 1960 assigned to the categories in the table are:

	White	*Nonwhite*
Toxemias of pregnancy and puerperium, except abortion with toxemia----------642,685,686	17.7	21.3
Hemorrhage of pregnancy and childbirth-----643,644,670-672	17.9	15.6
Abortion with sepsis--------651	10.4	14.6
Sepsis of pregnancy, childbirth, and puerperium---640,641,681, 682,684	12.0	8.2
Ectopic pregnancy----------645	4.5	12.0

When the number of maternal deaths is further classified by other variables, for example, by geographic area, the number in any recent year may be too small to provide statistically reliable rates. Combined data for several years may prove more useful to measure differences in rates between groups or areas (tables 1-Z and 1-AA).

Average rates for 1958-60 are shown in table 1-Z for the geographic divisions and for the urban and rural areas of metropolitan and nonmetropolitan counties within these divisions.[9] As in earlier years, the lowest maternal mortality rates were found in the rural parts of metropolitan counties. These comprise chiefly the unincorporated suburbs around large cities. The rate of 49.5 for the rural parts of nonmetropolitan counties was almost twice that of 26.0 for the rural area of the metropolitan counties. In every division of the country, the rate was higher for the urban part of the metropolitan counties than for the rural. This difference varied greatly, from 0.5 percent for the West North Central States to 78 percent for the Middle Atlantic States. This relationship was reversed for the nonmetropolitan counties. In these areas, rates were consistently higher for the rural portions of each division than for the cities.

The rates for 1958-60 are shown by State and color in table 1-AA. For areas in which the number of maternal deaths in these 3 years was less than 20, the rate is underlined. Valid comparisons cannot be made for these rates. Figures by division seen in table 1-V are shown by color also in table 1-AA.

Much the same relationships as were observed for infant mortality rates between different parts of the country hold for maternal mortality rates as well. Again, the New England area registered the lowest rate of any division. Other divisions where the rate was below the national average were (in ascending order of rate) West North Central, Pacific, East North Central, Mountain, and Middle Atlantic. The divisions showing above average rates were West South Central, South Atlantic, and East South Central.

The rate for a division did not always characterize each State within it. For example, in the West South Central Division (rate 48.0) the rate for Oklahoma was 36.7, slightly below the national average. Rates of 32.1 for Maryland and 34.9 for West Virginia compare favorably with the rate of 51.4 shown for the South Atlantic Division. Rates are above average for each of the four States in the East South Central group. However, rates for Alabama and Mississippi are about double those of Kentucky and Tennessee. The rate for Mississippi is higher than that for any other State.

[9] For detailed definitions, see Technical Appendix.

Table 1-A. Deaths by Color, and Death Rates by Color and Sex: Death-Registration States, 1900-1932, and United States, 1933-60

(Data refer only to deaths occurring within the specified area. Excludes fetal deaths. Rates per 1,000 population residing in area for specified group, enumerated as of April 1, for 1940, 1950, and 1960, and estimated as of July 1 for all other years)

AREA AND YEAR	Number			Rate								
				Total			White			Nonwhite		
	Total	White	Nonwhite	Both sexes	Male	Female	Both sexes	Male	Female	Both sexes	Male	Female
UNITED STATES[1]												
1960	1,711,982	1,505,335	206,647	9.5	11.0	8.1	9.5	11.0	8.0	10.1	11.5	8.7
1959	1,656,814	1,460,840	195,974	9.4	10.8	8.0	9.3	10.8	7.9	9.9	11.3	8.6
1958	1,647,886	1,451,077	196,809	9.5	11.0	8.1	9.4	10.9	8.0	10.3	11.6	9.0
1957	1,633,128	1,437,652	195,476	9.6	11.1	8.1	9.5	11.0	8.0	10.5	11.9	9.1
1956	1,564,476	1,380,915	183,561	9.4	10.8	7.9	9.3	10.8	7.8	10.1	11.4	8.8
1955	1,528,717	1,350,869	177,848	9.3	10.8	7.9	9.2	10.7	7.8	10.0	11.4	8.8
1954	1,481,091	1,306,989	174,102	9.2	10.7	7.8	9.1	10.6	7.6	10.1	11.5	8.8
1953	1,517,541	1,335,835	181,706	9.6	11.1	8.1	9.4	11.0	8.0	10.8	12.3	9.4
1952	1,496,838	1,315,022	181,816	9.6	11.1	8.2	9.4	11.0	8.0	11.0	12.5	9.6
1951	1,482,099	1,302,969	179,130	9.7	11.1	8.2	9.5	11.0	8.0	11.1	12.5	9.8
1950	1,452,454	1,276,085	176,369	9.6	11.1	8.2	9.5	10.9	8.0	11.2	12.5	9.9
1949	1,443,607	1,268,848	174,759	9.7	11.1	8.3	9.5	11.0	8.1	11.2	12.5	10.0
1948	1,444,337	1,270,589	173,748	9.9	11.3	8.5	9.7	11.2	8.3	11.4	12.7	10.1
1947	1,445,370	1,274,893	170,477	10.1	11.5	8.7	9.9	11.4	8.5	11.4	12.5	10.3
1946	1,385,617	1,232,337	163,280	10.0	11.3	8.6	9.8	11.2	8.5	11.1	12.2	10.0
1945	1,401,719	1,233,889	167,830	10.6	12.6	8.8	10.4	12.5	8.6	11.9	13.5	10.5
1944	1,411,338	1,238,829	172,509	10.6	12.4	9.0	10.4	12.2	8.8	12.4	13.8	11.1
1943	1,459,544	1,280,887	178,657	10.9	12.4	9.4	10.7	12.2	9.2	12.8	14.0	11.6
1942	1,385,187	1,209,944	175,243	10.3	11.7	9.0	10.1	11.4	8.7	12.7	14.0	11.4
1941	1,397,642	1,213,511	184,131	10.5	11.8	9.2	10.2	11.4	8.9	13.5	14.8	12.2
1940	1,417,269	1,231,223	186,046	10.8	12.0	9.5	10.4	11.6	9.2	13.8	15.1	12.6
1939	1,387,897	1,207,078	180,819	10.6	11.7	9.5	10.3	11.3	9.2	13.5	14.7	12.4
1938	1,381,391	1,195,431	185,960	10.6	11.7	9.6	10.3	11.3	9.2	14.0	15.2	12.9
1937	1,450,427	1,254,787	195,640	11.3	12.5	10.0	10.8	12.0	9.6	14.9	16.4	13.4
1936	1,479,228	1,278,379	200,849	11.6	12.7	10.4	11.1	12.3	9.9	15.4	16.9	13.9
1935	1,392,752	1,207,359	185,393	10.9	12.0	9.9	10.6	11.6	9.5	14.3	15.6	13.0
1934	1,398,903	1,207,197	189,706	11.1	12.1	10.0	10.6	11.7	9.6	14.8	16.0	13.5
1933	1,342,106	1,162,398	179,708	10.7	11.6	9.7	10.3	11.2	9.3	14.1	15.1	13.1
DEATH-REGISTRATION STATES[2]												
1932	1,293,269	1,122,470	170,799	10.9	11.7	10.0	10.5	11.3	9.6	14.5	15.4	13.5
1931	1,307,273	1,125,377	181,896	11.1	12.0	10.1	10.6	11.5	9.6	15.5	16.5	14.5
1930	1,327,240	1,136,884	190,356	11.3	12.3	10.4	10.8	11.7	9.8	16.3	17.4	15.3
1929	1,369,757	1,175,490	194,267	11.9	12.8	11.0	11.3	12.2	10.4	16.9	18.0	15.8
1928	1,361,987	1,168,269	193,718	12.0	12.8	11.1	11.4	12.3	10.5	17.1	18.0	16.2
1927	1,211,627	1,050,358	161,269	11.3	12.1	10.5	10.8	11.6	10.0	16.4	17.2	15.6
1926	1,257,256	1,093,850	163,406	12.1	12.9	11.3	11.6	12.3	10.8	17.8	18.7	16.9
1925	1,191,809	1,035,500	156,309	11.7	12.4	10.9	11.1	11.8	10.4	17.4	18.2	16.6
1924	1,151,076	997,617	153,459	11.6	12.3	10.9	11.0	11.8	10.3	17.1	17.9	16.3
1923	1,174,065	1,028,101	145,964	12.1	12.7	11.5	11.7	12.3	11.0	16.5	17.0	16.0
1922	1,083,952	951,452	132,500	11.7	12.3	11.1	11.3	11.9	10.7	15.2	15.7	14.8
1921	1,009,573	895,593	114,080	11.5	11.9	11.0	11.1	11.6	10.6	15.5	15.7	15.4
1920	1,118,070	990,859	127,211	13.0	13.4	12.6	12.6	13.0	12.1	17.7	17.8	17.5
1919	1,072,263	945,436	126,827	12.9	13.5	12.3	12.4	13.0	11.8	17.9	18.1	17.8
1918	1,430,079	1,282,533	147,546	18.1	19.8	16.4	17.5	19.3	15.8	25.6	26.7	24.4
1917	961,239	882,735	98,504	14.0	15.0	12.9	13.5	14.6	12.4	20.4	21.4	19.4
1916	924,971	842,597	82,374	13.8	14.8	12.8	13.4	14.4	12.4	19.1	19.9	18.4
1915	815,500	762,289	53,211	13.2	14.0	12.3	12.9	13.7	12.0	20.2	20.8	19.5
1914	810,914	758,600	52,314	13.3	14.2	12.4	13.0	13.9	12.1	20.2	20.9	19.4
1913	802,909	752,265	50,644	13.8	14.8	12.8	13.5	14.5	12.5	20.3	21.0	19.6
1912	745,771	709,531	36,240	13.6	14.5	12.7	13.4	14.3	12.4	20.6	21.3	19.7
1911	749,918	713,244	36,674	13.9	14.7	13.0	13.7	14.5	12.8	21.3	21.9	20.6
1910	696,856	669,475	27,381	14.7	15.6	13.7	14.5	15.4	13.6	21.7	22.3	21.0
1909	630,057	603,551	26,506	14.2	15.1	13.4	14.0	14.9	13.2	21.8	22.3	21.2
1908	567,245	542,800	24,445	14.7	15.5	13.8	14.5	15.3	13.6	22.4	22.8	22.0
1907	550,245	525,259	24,986	15.9	17.0	14.8	15.7	16.8	14.5	24.3	25.0	23.5
1906	531,005	506,553	24,452	15.7	16.7	14.7	15.5	16.5	14.4	24.2	24.7	23.6
1905	345,863	334,344	11,519	15.9	16.7	15.0	15.7	16.5	14.8	25.5	26.8	24.3
1904	349,855	338,301	11,554	16.4	17.3	15.5	16.2	17.1	15.3	26.1	27.6	24.7
1903	327,295	316,650	10,645	15.6	16.4	14.8	15.4	16.2	14.6	24.5	25.5	23.4
1902	318,636	308,550	10,086	15.5	16.4	14.6	15.3	16.2	14.4	23.6	24.8	22.3
1901	332,203	321,948	10,255	16.4	17.3	15.6	16.2	17.1	15.4	24.3	25.6	23.1
1900	343,217	332,810	10,407	17.2	17.9	16.5	17.0	17.7	16.3	25.0	25.7	24.4

[1]Alaska included beginning 1959, and Hawaii, 1960.
[2]Increased in number from 10 States and the District of Columbia in 1900 to the entire conterminous United States in 1933.

Table 1-B. Age-Adjusted Death Rates by Color and Sex: Death-Registration States, 1900-1932, and United States, 1933-60

(Data refer only to deaths occurring within the specified area. Excludes fetal deaths. Rates per 1,000 population. Computed by the direct method, using as the standard population the age distribution of the total population of the United States as enumerated in 1940. Based on age-specific rates shown in Vital Statistics of the United States as follows: Rates for 1900-1939 are shown in table 8.40 of the 1950 report; for 1940-49, in table AO of the 1954 report; and for 1950-60, in table 1-C of this report)

AREA AND YEAR	TOTAL			WHITE			NONWHITE		
	Both sexes	Male	Female	Both sexes	Male	Female	Both sexes	Male	Female
UNITED STATES[1]									
1960	7.6	9.5	5.9	7.3	9.2	5.6	10.4	12.1	8.9
1959	7.5	9.3	5.9	7.2	9.0	5.5	10.3	11.8	8.8
1958	7.6	9.4	6.0	7.3	9.1	5.6	10.6	12.1	9.2
1957	7.8	9.5	6.1	7.4	9.2	5.7	10.8	12.3	9.4
1956	7.6	9.4	6.0	7.3	9.0	5.7	10.5	11.9	9.1
1955	7.6	9.3	6.1	7.3	9.0	5.7	10.4	11.8	9.1
1954	7.6	9.3	6.1	7.3	9.0	5.7	10.6	12.0	9.3
1953	8.0	9.7	6.5	7.7	9.4	6.1	11.5	13.0	10.0
1952	8.1	9.8	6.6	7.8	9.4	6.2	11.8	13.2	10.3
1951	8.3	9.9	6.7	7.9	9.6	6.3	11.9	13.3	10.6
1950	8.4	10.0	6.9	8.0	9.6	6.5	12.3	13.6	10.9
1949	8.5	10.1	7.0	8.1	9.7	6.6	12.3	13.5	11.1
1948	8.8	10.3	7.3	8.3	10.0	6.8	12.5	13.8	11.2
1947	9.0	10.5	7.5	8.6	10.1	7.1	12.5	13.6	11.4
1946	9.1	10.6	7.7	8.8	10.2	7.3	12.4	13.5	11.3
1945	9.5	11.1	8.0	9.1	10.7	7.5	13.1	14.5	11.9
1944	9.7	11.2	8.3	9.3	10.8	7.8	13.8	14.9	12.6
1943	10.2	11.6	8.7	9.7	11.2	8.2	14.5	15.7	13.4
1942	9.9	11.4	8.5	9.4	10.9	8.0	14.5	15.8	13.3
1941	10.3	11.7	8.9	9.7	11.2	8.3	15.6	16.9	14.3
1940	10.8	12.1	9.4	10.2	11.6	8.8	16.3	17.6	15.0
1939	10.7	12.0	9.5	10.2	11.4	8.9	16.0	17.1	14.9
1938	10.9	12.1	9.7	10.3	11.5	9.1	16.6	17.7	15.5
1937	11.7	13.1	10.3	11.1	12.4	9.7	17.8	19.2	16.3
1936	12.2	13.5	10.8	11.5	12.8	10.1	18.5	20.1	17.0
1935	11.6	12.9	10.4	11.1	12.3	9.8	17.3	18.5	16.1
1934	11.9	13.1	10.7	11.3	12.5	10.0	17.9	19.0	16.7
1933	11.6	12.7	10.5	11.0	12.2	9.9	17.2	18.1	16.4
DEATH-REGISTRATION STATES[2]									
1932	11.9	12.9	10.8	11.3	12.3	10.2	17.8	18.6	17.0
1931	12.1	13.2	11.0	11.4	12.5	10.3	19.0	19.9	18.1
1930	12.5	13.5	11.3	11.7	12.8	10.6	20.1	21.0	19.2
1929	13.2	14.2	12.1	12.4	13.5	11.4	21.0	21.9	20.0
1928	13.4	14.4	12.3	12.6	13.6	11.5	20.9	21.7	20.2
1927	12.6	13.5	11.6	11.9	12.8	10.9	19.8	20.4	19.3
1926	13.5	14.3	12.5	12.7	13.6	11.8	21.4	22.1	20.8
1925	13.0	13.8	12.2	12.3	13.2	11.4	20.9	21.4	20.4
1924	12.9	13.7	12.1	12.2	13.1	11.3	20.5	21.1	20.0
1923	13.5	14.2	12.8	12.9	13.7	12.1	19.8	20.0	19.7
1922	13.0	13.7	12.4	12.6	13.3	11.8	18.3	18.4	18.4
1921	12.7	13.2	12.1	12.2	12.7	11.6	18.2	18.0	18.6
1920	14.2	14.7	13.8	13.7	14.2	13.1	20.6	20.4	21.0
1919	14.0	14.6	13.4	13.4	14.1	12.8	20.5	20.3	20.8
1918	19.0	20.9	17.3	18.4	20.2	16.6	28.0	28.9	27.1
1917	15.3	16.5	14.0	14.7	16.0	13.4	23.4	24.1	22.7
1916	15.1	16.2	13.9	14.7	15.8	13.4	22.2	22.6	21.6
1915	14.4	15.4	13.4	14.1	15.1	13.0	23.1	23.5	22.6
1914	14.5	15.6	13.4	14.1	15.2	13.0	22.6	23.3	21.9
1913	15.0	16.1	13.7	14.6	15.8	13.4	22.7	23.3	22.0
1912	14.8	16.0	13.7	14.6	15.7	13.4	23.1	24.0	22.2
1911	15.2	16.2	14.1	14.9	15.9	13.8	23.7	24.4	22.9
1910	15.8	16.9	14.6	15.6	16.7	14.4	24.1	24.8	23.2
1909	15.3	16.3	14.2	15.0	16.1	14.0	24.1	24.8	23.3
1908	15.8	16.8	14.6	15.5	16.6	14.4	24.7	25.3	24.1
1907	17.1	18.4	15.7	16.8	18.2	15.4	26.6	27.5	25.7
1906	16.7	17.9	15.4	16.4	17.6	15.1	26.2	27.0	25.5
1905	16.7	17.8	15.7	16.5	17.6	15.4	28.3	29.7	26.9
1904	17.3	18.4	16.2	17.1	18.1	16.0	29.1	30.7	27.4
1903	16.5	17.4	15.5	16.2	17.2	15.3	27.2	28.5	25.9
1902	16.2	17.2	15.1	16.0	17.0	14.9	25.9	27.5	24.5
1901	17.2	18.2	16.2	17.0	18.0	16.0	26.9	28.4	25.5
1900	17.8	18.6	17.0	17.6	18.4	16.8	27.8	28.7	27.1

[1] Alaska included beginning 1959, and Hawaii, 1960.
[2] Increased in number from 10 States and the District of Columbia in 1900 to the entire conterminous United States in 1933.

Table 1-C. Death Rates by Age, Color, and Sex: United States, 1950-60

(Data refer only to deaths occurring within the United States. Alaska included beginning 1959, and Hawaii, 1960. Excludes fetal deaths. Rates per 1,000 population residing in area for specified group, enumerated as of April 1 for 1950 and 1960, and estimated as of July 1 for all other years)

YEAR, COLOR, AND SEX	Total[1]	Under 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over
TOTAL												
1960	9.5	27.0	1.1	0.5	1.1	1.5	3.0	7.6	17.4	38.2	87.5	198.6
1959	9.4	27.6	1.1	0.5	1.1	1.5	2.9	7.4	17.1	37.6	85.8	191.2
1958	9.5	28.3	1.1	0.5	1.1	1.5	3.0	7.5	17.4	38.3	87.8	191.1
1957	9.6	28.0	1.1	0.5	1.2	1.5	3.1	7.7	17.8	38.9	88.4	188.4
1956	9.4	28.3	1.1	0.5	1.1	1.5	3.0	7.5	17.5	37.8	88.5	181.8
1955	9.3	28.5	1.1	0.5	1.1	1.5	3.1	7.6	17.3	37.9	89.0	179.3
1954	9.2	29.2	1.2	0.5	1.1	1.5	3.1	7.8	17.4	37.6	87.5	172.6
1953	9.6	30.7	1.3	0.6	1.2	1.6	3.3	8.2	18.4	39.1	92.4	183.4
1952	9.6	32.1	1.4	0.6	1.3	1.7	3.4	8.3	18.7	39.2	91.9	183.0
1951	9.7	32.3	1.4	0.6	1.3	1.8	3.5	8.5	18.8	40.0	93.2	192.3
1950	9.6	33.0	1.4	0.6	1.3	1.8	3.6	8.5	[2]19.0	[2]41.0	93.3	202.0
MALE												
1960	11.0	30.6	1.2	0.6	1.5	1.9	3.7	9.9	23.1	49.1	101.8	211.9
1959	10.8	31.2	1.2	0.6	1.5	1.9	3.7	9.7	22.7	47.8	99.0	204.3
1958	11.0	31.8	1.2	0.6	1.5	1.9	3.7	9.8	23.0	48.4	100.8	204.2
1957	11.1	31.6	1.2	0.6	1.6	1.9	3.8	9.9	23.5	48.8	100.7	201.9
1956	10.8	32.1	1.2	0.6	1.7	1.9	3.7	9.6	23.0	47.2	100.6	195.1
1955	10.8	32.1	1.2	0.6	1.6	1.9	3.8	9.8	22.6	46.9	100.5	191.7
1954	10.7	33.0	1.3	0.6	1.6	2.0	3.8	9.9	22.6	46.3	98.5	185.0
1953	11.1	34.7	1.4	0.7	1.7	2.1	4.1	10.4	23.8	47.6	103.4	197.8
1952	11.1	36.2	1.5	0.7	1.8	2.2	4.2	10.5	23.9	47.5	102.6	194.6
1951	11.1	36.6	1.5	0.7	1.7	2.2	4.3	10.6	23.9	48.6	103.9	207.4
1950	11.1	37.3	1.5	0.7	1.7	2.2	4.3	10.7	[2]24.0	[2]49.3	104.3	216.4
FEMALE												
1960	8.1	23.2	1.0	0.4	0.6	1.1	2.3	5.3	12.0	28.7	76.3	190.1
1959	8.0	23.9	1.0	0.4	0.6	1.1	2.2	5.2	11.8	28.6	75.5	182.8
1958	8.1	24.6	1.0	0.4	0.6	1.1	2.3	5.4	12.1	29.4	77.5	182.5
1957	8.1	24.3	1.0	0.4	0.7	1.1	2.4	5.5	12.4	30.0	78.5	179.5
1956	7.9	24.3	1.0	0.4	0.7	1.1	2.3	5.4	12.3	29.4	78.7	173.0
1955	7.9	24.7	1.0	0.4	0.7	1.1	2.4	5.5	12.3	29.7	79.5	171.1
1954	7.8	25.3	1.1	0.4	0.7	1.1	2.4	5.7	12.4	29.6	78.4	164.3
1953	8.1	26.5	1.2	0.4	0.8	1.2	2.6	6.0	13.2	31.2	83.1	173.7
1952	8.2	27.9	1.3	0.5	0.8	1.3	2.7	6.2	13.5	31.5	82.8	175.1
1951	8.2	27.8	1.3	0.5	0.9	1.4	2.8	6.3	13.8	32.2	84.2	182.0
1950	8.2	28.5	1.3	0.5	0.9	1.4	2.9	6.4	[2]14.0	[2]33.3	84.0	191.9
WHITE												
1960	9.5	23.6	1.0	0.4	1.0	1.2	2.6	6.9	16.3	37.4	88.3	203.5
1959	9.3	24.2	0.9	0.5	1.0	1.3	2.6	6.8	16.2	36.8	86.8	196.2
1958	9.4	24.6	1.0	0.4	1.0	1.2	2.6	6.9	16.4	37.5	88.9	195.9
1957	9.5	24.7	1.0	0.5	1.1	1.3	2.7	6.9	16.8	38.1	89.5	193.0
1956	9.3	25.1	1.0	0.4	1.1	1.3	2.6	6.8	16.5	37.2	89.8	186.6
1955	9.2	25.3	1.0	0.5	1.1	1.3	2.7	6.9	16.4	37.2	90.2	184.4
1954	9.1	26.1	1.1	0.5	1.0	1.3	2.7	7.0	16.5	37.0	88.6	177.2
1953	9.4	27.5	1.2	0.5	1.1	1.4	2.9	7.3	17.5	38.3	93.2	187.8
1952	9.4	28.6	1.3	0.6	1.2	1.4	2.9	7.5	17.7	38.5	92.6	187.6
1951	9.5	29.3	1.2	0.6	1.1	1.5	3.0	7.6	17.8	39.3	94.1	197.3
1950	9 5	29.9	1.2	0.6	1.1	1.5	3.1	7.7	18.0	40.2	94.2	206.8
WHITE MALE												
1960	11.0	26.9	1.0	0.5	1.4	1.6	3.3	9.3	22.3	48.5	103.0	217.5
1959	10.8	27.6	1.0	0.6	1.5	1.6	3.3	9.1	22.0	47.2	100.3	210.2
1958	10.9	27.9	1.1	0.5	1.5	1.6	3.4	9.2	22.1	47.7	102.2	209.5
1957	11.0	28.1	1.1	0.6	1.6	1.7	3.4	9.2	22.6	48.2	102.2	207.0
1956	10.8	28.6	1.1	0.5	1.6	1.7	3.3	9.0	22.1	46.7	102.2	200.4
1955	10.7	28.8	1.1	0.6	1.5	1.7	3.4	9.1	21.9	46.5	102.1	197.3
1954	10.6	29.7	1.1	0.6	1.5	1.7	3.4	9.2	21.8	45.9	99.8	190.1
1953	11.0	31.4	1.3	0.6	1.6	1.8	3.6	9.6	23.0	47.1	104.6	202.3
1952	11.0	32.4	1.4	0.7	1.6	1.9	3.7	9.7	23.0	47.0	103.6	199.1
1951	11.0	33.3	1.3	0.7	1.6	1.9	3.8	9.8	23.0	47.9	105.0	212.8
1950	10.9	34.0	1.4	0.7	1.5	1.9	3.8	9.8	23.0	48.6	105.3	221.2
WHITE FEMALE												
1960	8.0	20.1	0.9	0.3	0.5	0.9	1.9	4.6	10.8	27.8	77.0	194.8
1959	7.9	20.7	0.9	0.3	0.5	0.9	1.9	4.5	10.7	27.8	76.3	187.3
1958	8.0	21.3	0.9	0.4	0.5	0.9	1.9	4.6	11.0	28.5	78.4	187.1
1957	8.0	21.1	0.9	0.4	0.6	0.9	1.9	4.7	11.3	29.0	79.5	184.0
1956	7.8	21.4	0.9	0.4	0.6	0.9	1.9	4.6	11.2	28.6	79.8	177.6
1955	7.8	21.7	0.9	0.4	0.6	0.9	2.0	4.7	11.2	28.9	80.5	175.9
1954	7.6	22.4	1.0	0.4	0.6	0.9	2.0	4.9	11.4	28.9	79.3	168.7
1953	8.0	23.4	1.1	0.4	0.6	1.0	2.1	5.1	12.1	30.4	83.7	178.0
1952	8.0	24.7	1.1	0.5	0.7	1.1	2.2	5.2	12.4	30.7	83.5	179.9
1951	8.0	25.1	1.1	0.4	0.7	1.1	2.3	5.4	12.7	31.3	84.9	186.8
1950	8.0	25.7	1.1	0.5	0.7	1.1	2.4	5.5	12.9	32.4	84.8	196.8
NONWHITE												
1960	10.1	46.3	1.9	0.6	1.6	3.2	6.3	13.4	27.7	47.8	76.3	139.1
1959	9.9	46.9	1.9	0.7	1.7	3.2	6.3	13.2	27.1	46.3	72.5	129.8
1958	10.3	49.7	2.0	0.6	1.6	3.3	6.3	13.8	28.1	48.3	73.5	132.0
1957	10.5	47.7	2.0	0.7	1.8	3.5	6.7	14.3	29.3	48.6	72.4	130.5
1956	10.1	47.2	1.9	0.7	1.8	3.3	6.5	13.9	28.5	46.3	71.4	122.0
1955	10.0	47.6	2.0	0.7	1.8	3.3	6.5	14.3	27.5	46.4	71.5	116.7
1954	10.1	48.9	2.1	0.7	1.9	3.5	6.7	15.0	27.5	45.2	72.6	115.5
1953	10.8	51.6	2.2	0.8	2.1	3.8	7.3	16.2	29.6	48.3	79.8	130.3
1952	11.0	55.5	2.5	0.8	2.3	4.1	7.6	16.5	30.2	48.7	80.1	128.1
1951	11.1	51.7	2.5	0.9	2.4	4.2	7.8	16.8	30.5	50.3	80.8	133.3
1950	11.2	53.7	2.5	0.9	2.5	4.4	8.1	17.1	[2]31.3	[2]52.0	80.4	144.7

[1]Figures for age not stated included in "Total" but not distributed among age groups.
[2]Based on enumerated population adjusted for age bias in the nonwhite population at ages 55-69 years.

Table 1-C. Death Rates by Age, Color, and Sex: United States, 1950-60—Con.

(Data refer only to deaths occurring within the United States. Alaska included beginning 1959, and Hawaii, 1960. Excludes fetal deaths. Rates per 1,000 population residing in area for specified group, enumerated as of April 1 for 1950 and 1960, and estimated as of July 1 for all other years)

YEAR, COLOR, AND SEX	Total[1]	Under 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over
NONWHITE MALE												
1960	11.5	51.9	2.1	0.8	2.1	3.9	7.3	15.5	31.5	56.6	86.6	152.4
1959	11.3	52.0	2.1	0.8	2.2	4.0	7.3	15.1	30.9	54.5	81.8	139.6
1958	11.6	55.4	2.0	0.7	2.2	4.0	7.2	15.4	31.8	56.4	83.2	145.3
1957	11.9	53.0	2.1	0.8	2.3	4.2	7.5	15.9	33.4	56.0	81.4	144.0
1956	11.4	53.3	2.1	0.8	2.4	4.1	7.3	15.3	32.1	52.8	80.5	133.8
1955	11.4	52.9	2.1	0.8	2.3	4.0	7.4	15.7	31.3	52.9	79.5	127.1
1954	11.5	54.6	2.2	0.8	2.4	4.3	7.4	16.4	31.4	51.2	80.6	126.6
1953	12.3	56.8	2.5	0.9	2.7	4.6	8.2	17.9	34.0	54.8	87.3	144.8
1952	12.5	62.3	2.7	0.9	2.9	4.8	8.5	18.1	34.4	54.5	89.4	142.4
1951	12.5	58.6	2.7	1.0	2.8	4.8	8.5	18.3	34.3	56.3	88.9	146.0
1950	12.5	59.9	2.7	1.0	2.9	5.0	8.6	18.6	[2]34.8	[2]57.9	90.3	160.2
NONWHITE FEMALE												
1960	8.7	40.7	1.7	0.5	1.1	2.6	5.5	11.4	24.1	39.8	67.1	128.7
1959	8.6	41.8	1.7	0.5	1.2	2.6	5.5	11.4	23.4	38.8	64.1	122.3
1958	9.0	44.0	1.9	0.5	1.1	2.7	5.6	12.3	24.5	40.9	64.8	121.7
1957	9.1	42.5	1.8	0.6	1.3	2.8	5.9	12.8	25.2	41.7	64.2	120.3
1956	8.8	41.2	1.8	0.5	1.2	2.7	5.9	12.5	24.9	40.2	62.9	113.3
1955	8.8	42.3	1.9	0.6	1.3	2.7	5.8	12.9	23.8	40.2	63.9	108.9
1954	8.8	43.3	1.9	0.6	1.4	2.9	6.0	13.7	23.6	39.4	64.8	107.2
1953	9.4	46.4	2.0	0.6	1.6	3.1	6.5	14.5	25.3	42.0	72.4	119.8
1952	9.6	48.8	2.3	0.7	1.8	3.5	6.8	15.0	25.9	43.0	70.7	117.9
1951	9.8	44.9	2.3	0.7	2.0	3.6	7.2	15.3	26.8	44.3	72.8	124.1
1950	9.9	47.5	2.3	0.7	2.2	3.9	7.5	15.5	[2]27.6	[2]46.1	70.6	133.7

[1]Figures for age not stated included in "Total" but not distributed among age groups.
[2]Based on enumerated population adjusted for age bias in the nonwhite population at ages 55-69 years.

Table 1-D. Death Rates by Age, Color, and Sex: United States, 1960

(Data refer only to deaths occurring within the United States, including Alaska and Hawaii. Excludes fetal deaths. Rates per 1,000 population in specified group, enumerated as of April 1)

AGE	TOTAL			WHITE			NONWHITE		
	Both sexes	Male	Female	Both sexes	Male	Female	Both sexes	Male	Female
ALL AGES[1]	9.5	11.0	8.1	9.5	11.0	8.0	10.1	11.5	8.7
Under 1 year	27.0	30.6	23.2	23.6	26.9	20.1	46.3	51.9	40.7
1-4 years	1.1	1.2	1.0	1.0	1.0	0.9	1.9	2.1	1.7
5-9 years	0.5	0.6	0.4	0.5	0.5	0.4	0.7	0.7	0.6
10-14 years	0.4	0.5	0.3	0.4	0.5	0.3	0.6	0.8	0.4
15-19 years	0.9	1.3	0.5	0.9	1.3	0.5	1.2	1.7	0.8
20-24 years	1.2	1.8	0.7	1.1	1.7	0.6	2.0	2.7	1.4
25-29 years	1.3	1.7	0.9	1.1	1.5	0.7	2.7	3.4	2.1
30-34 years	1.6	2.0	1.2	1.3	1.7	1.0	3.6	4.3	3.1
35-39 years	2.3	2.9	1.8	2.0	2.5	1.5	5.2	6.0	4.5
40-44 years	3.7	4.6	2.8	3.3	4.2	2.4	7.6	8.8	6.6
45-49 years	5.9	7.6	4.2	5.4	7.1	3.7	10.8	12.4	9.2
50-54 years	9.4	12.5	6.4	8.7	11.8	5.6	16.6	19.2	14.2
55-59 years	13.8	18.5	9.4	13.0	17.8	8.3	22.2	25.0	19.5
60-64 years	21.5	28.6	15.0	20.2	27.5	13.6	35.2	40.5	30.2
65-69 years	31.4	41.4	22.6	30.4	40.5	21.5	42.5	51.0	34.7
70-74 years	47.2	59.5	36.7	46.5	59.1	35.8	55.8	64.9	47.4
75-79 years	72.0	86.2	60.7	72.4	87.0	60.8	67.1	76.3	58.8
80-84 years	117.2	133.7	105.3	118.6	135.4	106.5	96.5	110.2	84.8
85 years and over	198.6	211.9	190.1	203.5	217.5	194.8	139.1	152.4	128.7

[1]Figures for age not stated included in "All Ages" but not distributed among age groups.

Table 1-E. Deaths and Death Rates by Specified Race, Age, and Sex: United States, 1960

(Data refer only to deaths occurring within the United States, including Alaska and Hawaii. Excludes fetal deaths. Rates per 1,000 population in specified group enumerated as of April 1. Age-specific rates for "Negro" and "Other" based on a 25-percent sample of population; all other rates based on total count)

SPECIFIED RACE AND SEX	Total	Under 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over	Not stated
NUMBER OF DEATHS													
Total	1,711,982	110,873	17,682	16,537	25,533	33,414	72,103	154,676	270,197	420,312	405,209	184,526	720
White	1,505,335	82,479	13,200	13,488	20,880	24,695	56,157	127,927	231,480	378,847	380,982	174,563	437
Nonwhite	206,647	28,394	4,482	3,049	4,653	8,519	15,946	26,949	38,717	41,465	24,227	9,963	283
Negro	196,010	26,691	4,136	2,821	4,277	8,059	15,262	25,941	37,109	39,627	22,557	9,265	265
Indian	4,528	983	231	116	249	284	356	415	518	548	510	305	13
Chinese	1,620	86	14	16	20	38	85	194	391	407	257	112	-
Japanese	2,354	199	33	47	43	66	129	128	265	521	693	230	-
Other	2,135	435	68	49	64	72	114	271	434	362	210	51	5
Male	975,648	63,936	9,844	10,038	18,106	21,010	43,828	100,140	174,059	251,434	206,063	76,753	437
White	860,857	48,063	7,409	8,255	15,063	16,221	35,139	84,963	152,430	227,995	193,078	71,974	267
Nonwhite	114,791	15,873	2,435	1,783	3,043	4,789	8,689	15,177	21,629	23,439	12,985	4,779	170
Negro	107,701	14,912	2,256	1,642	2,767	4,508	8,275	14,477	20,462	22,151	11,789	4,305	157
Indian	2,658	544	119	73	182	185	213	245	313	324	288	164	8
Chinese	1,328	57	9	10	14	21	54	167	337	344	216	99	-
Japanese	1,572	115	17	27	30	34	82	72	153	333	534	175	-
Other	1,532	245	34	31	50	41	65	216	364	287	158	36	5
Female	736,334	46,937	7,838	6,499	7,427	12,404	28,275	54,736	96,138	168,878	199,146	107,773	283
White	644,478	34,416	5,791	5,233	5,817	8,674	21,018	42,964	79,050	150,852	187,904	102,589	170
Nonwhite	91,856	12,521	2,047	1,266	1,610	3,730	7,257	11,772	17,088	18,026	11,242	5,184	113
Negro	88,309	11,779	1,880	1,179	1,510	3,551	6,987	11,464	16,647	17,476	10,768	4,960	108
Indian	1,870	439	112	43	67	99	143	170	205	224	222	141	5
Chinese	292	29	5	6	6	17	31	27	54	63	41	13	-
Japanese	782	84	16	20	13	32	47	56	112	188	159	55	-
Other	603	190	34	18	14	31	49	55	70	75	52	15	-
RATE PER 1,000 POPULATION[1]													
Total	9.5	27.0	1.1	0.5	1.1	1.5	3.0	7.6	17.4	38.2	87.5	198.6	...
White	9.5	23.6	1.0	0.4	1.0	1.2	2.6	6.9	16.3	37.4	88.3	203.5	...
Nonwhite	10.1	46.3	1.9	0.6	1.6	3.2	6.3	13.4	27.7	47.8	76.3	139.1	...
Negro	10.4	11.3		0.6	1.6	3.4	6.6	13.9	28.4	48.8	76.9	147.9	...
Other	6.6	8.8		0.6	1.6	1.8	3.4	7.0	13.5	33.4	79.2	161.3	...
Male	11.0	30.6	1.2	0.6	1.5	1.9	3.7	9.9	23.1	49.1	101.8	211.9	...
White	11.0	26.9	1.0	0.5	1.4	1.6	3.3	9.3	22.3	48.5	103.0	217.5	...
Nonwhite	11.5	51.9	2.1	0.8	2.1	3.9	7.3	15.5	31.5	56.6	86.6	152.4	...
Negro	11.8	12.6		0.8	2.1	4.1	7.7	16.3	32.8	58.3	87.9	163.8	...
Other	8.3	9.6		0.8	2.3	2.3	3.9	8.0	16.6	40.0	89.9	190.1	...
Female	8.1	23.2	1.0	0.4	0.6	1.1	2.3	5.3	12.0	28.7	76.3	190.1	...
White	8.0	20.1	0.9	0.3	0.5	0.9	1.9	4.6	10.8	27.8	77.0	194.8	...
Nonwhite	8.7	40.7	1.7	0.5	1.1	2.6	5.5	11.4	24.1	39.8	67.1	128.7	...
Negro	9.0	10.0		0.5	1.1	2.7	5.7	11.7	24.3	40.5	67.5	136.5	...
Other	4.6	7.9		0.5	0.9	1.3	2.7	5.4	9.1	24.2	60.9	122.1	...

[1]Figures for age not stated included in totals but not distributed among the specified age groups.

Table 1-F. Deaths and Death Rates for Males, Including Deaths Among Armed Forces Abroad, by Age and Color: United States, 1960

(Includes Alaska and Hawaii. Rates per 1,000 population in specified group, including Armed Forces abroad, enumerated as of April 1)

AGE	NUMBER			RATE		
	Total	White	Nonwhite	Total	White	Nonwhite
15-19 years	8,788	7,455	1,333	1.3	1.3	1.7
20-24 years	9,956	8,191	1,765	1.8	1.7	2.7
25-29 years	9,500	7,381	2,119	1.7	1.5	3.4
30-34 years	11,914	9,195	2,719	2.0	1.7	4.3
35-39 years	17,747	13,942	3,805	2.9	2.5	6.0
40-44 years	26,358	21,452	4,906	4.6	4.2	8.7
45-49 years	40,879	34,299	6,580	7.6	7.1	12.4
50-54 years	59,342	50,741	8,601	12.5	11.8	19.2
55-59 years[1]	76,518	66,550	9,968	18.5	17.8	25.0

[1]Includes deaths among Armed Forces abroad at ages 60 years and over. Rates based on male population aged 55-59 years.

Table 1-G. Deaths at Ages 85 Years and Over, by Single Years of Age, Color, and Sex: United States, 1960

(Data refer only to deaths occurring within the United States, including Alaska and Hawaii)

AGE	Total	WHITE		NONWHITE	
		Male	Female	Male	Female
85 YEARS AND OVER	184,526	71,974	102,589	4,779	5,184
85 years	30,785	13,043	16,148	835	759
86 years	26,724	11,240	14,230	636	618
87 years	24,234	9,915	13,149	839	531
88 years	20,911	8,439	11,528	466	478
89 years	17,712	6,865	9,954	438	455
90 years	15,719	5,839	8,931	443	506
91 years	11,479	4,225	6,772	236	246
92 years	9,641	3,487	5,688	190	276
93 years	7,778	2,749	4,646	162	221
94 years	5,661	1,953	3,370	146	192
95 years	4,087	1,368	2,407	132	180
96 years	2,987	977	1,786	88	126
97 years	2,186	685	1,310	81	110
98 years	1,486	434	919	51	82
99 years	1,093	308	665	43	79
100 years	753	184	436	53	80
101 years	412	112	232	25	43
102 years	288	60	166	20	42
103 years	176	29	95	19	33
104 years	109	17	54	15	23
105 years	98	19	39	17	23
106 years	50	8	22	11	9
107 years	37	3	10	6	18
108 years	27	4	5	4	14
109 years	17	3	3	4	7
110 years	25	2	6	5	12
111 years	11	2	-	1	8
112 years	10	2	2	2	4
113 years	7	2	2	1	2
114 years	2	1	-	1	-
115 years	7	-	1	4	2
116 years	1	-	1	-	-
117 years	1	-	-	1	-
118 years	5	1	-	1	3
119 years	1	-	-	1	-
120 years	1	-	-	1	-
122 years	2	-	1	1	-
124 years	1	-	-	-	1
128 years	1	-	-	-	1
130 years	1	-	1	-	-

Table 1-H. Mortality From 15 Leading Causes of Death: United States, 1960

(Data refer only to deaths occurring within the United States, including Alaska and Hawaii. Excludes fetal deaths. Rates per 100,000 population enumerated as of April 1. Ranked on the basis of the List of 59 Selected Causes of Death; see table 1-L. Numbers after causes of death are category numbers of the Seventh Revision of the International Lists, 1955)

Rank order	CAUSE OF DEATH	Rate	Percent of total deaths
	ALL CAUSES	954.7	100.0
1	Diseases of heart--400-402,410-443	369.0	38.7
2	Malignant neoplasms, including neoplasms of lymphatic and hematopoietic tissues--140-205	149.2	15.6
3	Vascular lesions affecting central nervous system--330-334	108.0	11.3
4	Accidents--E800-E962	52.3	5.5
...	Motor vehicle accidents--E810-E835	21.3	2.2
...	Other accidents--E800-E802,E840-E962	31.0	3.3
5	Certain diseases of early infancy--760-776	37.4	3.9
6	Influenza and pneumonia, except pneumonia of newborn--480-493	37.3	3.9
7	General arteriosclerosis--450	20.0	2.1
8	Diabetes mellitus--260	16.7	1.8
9	Congenital malformations--750-759	12.2	1.3
10	Cirrhosis of liver--581	11.3	1.2
11	Other diseases of circulatory system--451-468	11.0	1.2
12	Suicide--E963,E970-E979	10.6	1.1
13	Other hypertensive disease--444-447	7.1	0.7
14	Chronic and unspecified nephritis and other renal sclerosis--592-594	6.7	0.7
15	Ulcer of stomach and duodenum--540,541	6.3	0.7
...	All other causes	99.5	10.4

Table 1-J. Age-Adjusted Death Rates for Selected Causes, by Color and Sex: United States, 1960

(Data refer only to deaths occurring within the United States, including Alaska and Hawaii. Excludes fetal deaths. Based on age-specific death rates per 100,000 population in specified group, enumerated as of April 1. Computed by the direct method using as the standard population the age distribution of the total population of the United States as enumerated in 1940. Numbers after causes of deaths are category numbers of the Seventh Revision of the International Lists, 1955)

CAUSE OF DEATH	TOTAL			WHITE			NONWHITE		
	Both sexes	Male	Female	Both sexes	Male	Female	Both sexes	Male	Female
ALL CAUSES	760.9	949.3	590.6	727.0	917.7	555.0	1,046.1	1,211.0	893.3
Major cardiovascular-renal diseases--330-334,400-468,592-594	399.3	500.5	308.5	386.8	493.2	291.5	513.6	564.0	467.1
Diseases of cardiovascular system--330-334,400-468	393.5	493.6	303.7	381.9	487.3	287.6	499.0	547.8	453.8
Vascular lesions affecting central nervous system--330-334	79.7	85.4	74.7	74.2	80.3	68.7	134.8	135.2	134.4
Diseases of heart--400-402,410-443	286.2	375.5	205.7	281.5	375.4	197.1	324.2	368.3	283.3
General arteriosclerosis--450	13.2	14.8	11.8	13.1	14.7	11.7	13.8	15.5	12.3
Chronic and unspecified nephritis and other renal sclerosis--592-594	5.7	6.8	4.8	4.9	5.9	3.9	14.6	16.1	13.2
Malignant neoplasms, including neoplasms of lymphatic and hematopoietic tissues--140-205	125.8	143.0	111.2	124.2	141.6	109.5	139.3	154.8	125.0
Accidents--E800-E962	49.9	73.9	26.8	47.6	70.6	25.4	67.3	101.1	36.1
Motor vehicle accidents--E810-E835	22.5	34.5	11.0	22.3	34.0	11.1	24.4	39.5	10.6
Other accidents--E800-E802,E840-E962	27.4	39.3	15.8	25.3	36.5	14.4	42.9	61.6	25.5
Influenza and pneumonia, except pneumonia of newborn--480-493	28.0	35.0	21.8	24.6	31.0	19.0	55.2	68.0	43.3
Diabetes mellitus--260	13.6	12.0	15.0	12.8	11.6	13.7	21.6	16.1	26.8
Cirrhosis of liver--581	10.5	14.5	6.9	10.3	14.4	6.6	11.9	14.9	9.1
Tuberculosis, all forms--001-019	5.4	8.2	2.9	4.4	6.8	2.2	15.1	21.4	9.3

Table 1-K. Mortality From Selected Causes of Death: Death-Registration States, 1900-1930, and United States, 1940-60

(Data refer only to deaths occurring within the specified area. Excludes fetal deaths. Rates per 100,000 population residing in area, enumerated as of April 1 for 1940, 1950, and 1960, and estimated as of July 1 for all other years. Category titles and numbers are those of the Seventh Revision of the International Lists, 1955. For category numbers under previous revisions and effects of revisions on comparability, see "Death Rates for Selected Causes by Age, Race, and Sex: United States, 1900-1953," Vital Statistics—Special Reports, Vol. 43, 1956; see also Technical Appendix)

CAUSE OF DEATH	UNITED STATES[1]			DEATH-REGISTRATION STATES[2]			
	1960	1950	1940	1930	1920	1910	1900
RATES PER 100,000 POPULATION							
ALL CAUSES	954.7	963.8	1,076.4	1,132.1	1,298.9	1,468.0	1,719.1
Tuberculosis, all forms---001-019	6.1	22.5	45.9	71.1	113.1	153.8	194.4
Influenza and pneumonia, except pneumonia of newborn---480-493	37.3	31.3	70.3	102.5	207.3	155.9	202.2
Gastritis, duodenitis, enteritis, and colitis, except diarrhea of newborn---543,571,572	4.4	5.1	10.3	26.0	53.7	115.4	142.7
Diphtheria---055	0.0	0.3	1.1	4.9	15.3	21.1	40.3
Typhoid fever---040	0.0	0.1	1.0	4.7	7.6	22.5	31.3
Major cardiovascular-renal diseases---330-334,400-468,592-594	521.8	510.8	485.7	414.4	364.9	371.9	345.2
Vascular lesions affecting central nervous system---330-334	108.0	104.0	90.9	89.0	93.0	95.8	106.9
Diseases of heart---400-402,410-443	369.0	356.8	293.9	216.7	163.4	165.1	142.7
Other hypertensive disease and general arteriosclerosis---444-447,450	27.1	26.7	18.3	19.0	26.2	26.4	14.7
Other diseases of circulatory system---451-468	11.0	4.9	3.5	3.1			
Chronic and unspecified nephritis and other renal sclerosis---592-594	6.7	16.4	79.0	86.7	82.4	84.6	81.0
Malignant neoplasms, including neoplasms of lymphatic and hematopoietic tissues---140-205	149.2	139.8	120.3	97.4	83.4	76.2	64.0
Diabetes mellitus---260	16.7	16.2	26.6	19.1	16.1	15.3	11.0
Motor vehicle accidents---E810-E835	21.3	23.1	26.2	26.7	10.3	1.8	---
All other accidents---E800-E802,E840-E962	31.0	37.5	47.0	53.1	59.7	82.4	72.3
All other causes---Residual	166.9	177.2	242.1	312.2	367.3	451.6	615.7
PERCENT OF TOTAL DEATHS							
ALL CAUSES	100.0	100.0	100.0	100.0	100.0	100.0	100.0
Tuberculosis, all forms---001-019	0.6	2.3	4.3	6.3	8.7	10.5	11.3
Influenza and pneumonia, except pneumonia of newborn---480-493	3.9	3.2	6.5	9.1	16.0	10.6	11.8
Gastritis, duodenitis enteritis, and colitis, except diarrhea of newborn---543,571,572	0.5	0.5	1.0	2.3	4.1	7.9	8.3
Diphtheria---055	0.0	0.0	0.1	0.4	1.2	1.4	2.3
Typhoid fever---040	0.0	0.0	0.1	0.4	0.6	1.5	1.8
Major cardiovascular-renal diseases---330-334,400-468,592-594	54.7	53.0	45.1	36.6	28.1	25.3	20.1
Vascular lesions affecting central nervous system---330-334	11.3	10.8	8.4	7.9	7.2	6.5	6.2
Diseases of heart---400-402,410-443	38.7	37.0	27.3	19.1	12.6	11.2	8.3
Other hypertensive disease and general arteriosclerosis---444-447,450	2.8	3.0	1.7	1.7	2.0	1.8	0.9
Other diseases of circulatory system---451-468	1.2	0.5	0.3	0.3			
Chronic and unspecified nephritis and other renal sclerosis---592-594	0.7	1.7	7.3	7.7	6.3	5.8	4.7
Malignant neoplasms, including neoplasms of lymphatic and hematopoietic tissues---140-205	15.6	14.5	11.2	8.6	6.4	5.2	3.7
Diabetes mellitus---260	1.8	1.7	2.5	1.7	1.2	1.0	0.6
Motor vehicle accidents---E810-E835	2.2	2.4	2.4	2.4	0.8	0.1	...
All other accidents---E800-E802,E840-E962	3.3	3.9	4.4	4.7	4.6	5.6	4.2
All other causes---Residual	17.5	18.4	22.5	27.6	28.3	30.8	35.8

[1] Alaska and Hawaii included beginning 1960.
[2] Increased in number from 10 States and the District of Columbia in 1900 to 47 States and the District of Columbia in 1930.

Table 1-L. Death Rates for 59 Selected Causes: United States, 1950-60

(Data refer only to deaths occurring within the United States. Alaska included beginning 1959, and Hawaii, 1960. Excludes fetal deaths. Rates per 100,000 population residing in area, enumerated as of April 1 for 1950 and 1960, and estimated as of July 1 for all other years. Numbers after causes of death are category numbers of the Seventh Revision of the International Lists, 1955. Deaths are classified according to the Sixth Revision for 1950-57 and according to the Seventh Revision for 1958-60)

CAUSE OF DEATH	1960	1959	1958	1957	1956	1955	1954	1953	1952	1951	1950
ALL CAUSES	954.7	938.6	951.2	959.0	935.4	930.4	918.8	958.6	961.0	966.3	963.8
Tuberculosis, all forms---001-019	6.1	6.5	7.1	7.8	8.4	9.1	10.2	12.3	15.8	20.1	22.5
Tuberculosis of respiratory system---001-008	5.6	6.0	6.6	7.3	7.8	8.3	9.3	11.5	14.4	18.4	20.6
Tuberculosis, other forms---010-019	0.4	0.5	0.5	0.6	0.6	0.8	0.8	1.1	1.4	1.7	1.9
Syphilis and its sequelae---020-029	1.6	1.7	2.0	2.2	2.3	2.3	3.0	3.3	3.7	4.1	5.0
Dysentery, all forms---045-048	0.2	0.2	0.2	0.3	0.3	0.3	0.4	0.6	0.6	0.7	0.6
Scarlet fever and streptococcal sore throat---050,051	0.1	0.1	0.1	0.1	0.1	0.1	0.2	0.2	0.2	0.2	0.2
Diphtheria---055	0.0	0.0	0.0	0.0	0.1	0.1	0.1	0.1	0.1	0.2	0.3
Whooping cough---056	0.1	0.2	0.1	0.1	0.2	0.3	0.2	0.2	0.3	0.6	0.7
Meningococcal infections---057	0.4	0.4	0.4	0.5	0.5	0.6	0.6	0.8	0.9	0.7	0.6
Acute poliomyelitis---080	0.1	0.3	0.1	0.1	0.3	0.6	0.8	0.9	2.0	1.0	1.3
Measles---085	0.2	0.2	0.3	0.2	0.3	0.2	0.3	0.3	0.4	0.4	0.3
Other infective and parasitic diseases---030-044,049,052-054,058-074,081-084,086-138	3.2	3.1	3.0	2.8	2.7	2.6	2.7	2.7	2.9	2.8	2.6
Malignant neoplasms, including neoplasms of lymphatic and hematopoietic tissues---140-205	149.2	147.3	146.9	148.7	147.9	146.5	145.6	144.7	143.3	140.5	139.8
Malignant neoplasm of buccal cavity and pharynx---140-148	3.4	3.4	3.3	3.4	3.3	3.4	3.3	3.2	3.2	3.2	3.4
Malignant neoplasm of digestive organs and peritoneum, not specified as secondary---150-156A,157-159	50.8	50.7	50.9	51.7	52.5	52.3	53.0	53.3	53.4	53.3	54.2
Malignant neoplasm of respiratory system, not specified as secondary---160-164	22.2	21.2	20.4	19.9	19.2	18.2	17.1	16.7	15.6	14.7	14.1
Malignant neoplasm of breast---170	13.4	13.1	13.1	13.3	13.3	13.4	13.0	13.0	12.8	12.5	12.6
Malignant neoplasm of genital organs---171-179	21.6	21.6	22.2	22.6	22.6	22.8	22.9	22.9	22.7	22.5	23.1
Malignant neoplasm of urinary organs---180,181	7.1	7.1	7.0	7.1	7.0	7.0	6.9	6.9	6.9	6.6	6.7
Malignant neoplasm of other and unspecified sites---156B,165,190-199	16.5	16.2	16.1	16.7	16.3	16.4	16.5	16.3	16.6	16.1	14.7
Leukemia and aleukemia---204	7.1	7.0	6.9	6.9	6.8	6.6	6.5	6.3	6.3	6.1	5.9
Lymphosarcoma and other neoplasm of lymphatic and hematopoietic tissues---200-203,205	7.2	7.1	6.9	7.0	6.8	6.5	6.3	6.1	5.8	5.5	5.2
Benign neoplasms and neoplasms of unspecified nature---210-239	2.7	2.8	2.9	3.0	2.9	3.1	3.2	3.3	3.3	3.4	3.6
Asthma---241	3.0	2.8	2.9	3.9	3.6	3.6	3.8	4.3	4.5	4.5	2.9
Diabetes mellitus---260	16.7	15.9	15.9	16.0	15.7	15.5	15.6	16.3	16.4	16.3	16.2
Anemias---290-293	1.9	1.8	1.8	1.8	1.9	1.9	2.0	2.3	2.6	2.6	2.7
Meningitis, except meningococcal and tuberculous---340	1.3	1.3	1.3	1.2	1.2	1.1	1.1	1.3	1.2	1.2	1.2
Major cardiovascular-renal diseases---330-334,400-468,592-594	521.8	515.9	523.7	523.7	510.7	506.0	495.1	514.6	511.6	513.0	510.8
Diseases of cardiovascular system---330-334,400-468	515.1	508.9	515.8	514.9	501.5	496.4	484.5	502.7	498.3	498.3	494.4
Vascular lesions affecting central nervous system---330-334	108.0	108.4	110.1	110.2	108.3	106.0	104.1	107.3	106.8	106.6	104.0
Diseases of heart---400-402,410-443	369.0	363.2	367.8	369.6	361.1	356.5	348.3	361.2	357.4	356.8	356.8
Rheumatic fever and chronic rheumatic heart disease---400-402,410-416	10.3	10.4	10.8	11.8	12.0	12.0	12.1	13.3	13.7	14.1	14.8
Arteriosclerotic heart disease, including coronary disease---420	275.6	268.6	266.3	265.7	255.6	247.0	235.6	236.0	226.1	219.5	213.0
Nonrheumatic chronic endocarditis and other myocardial degeneration---421,422	31.8	31.8	33.8	36.8	37.7	39.9	41.0	46.3	49.2	52.6	56.5
Other diseases of heart---430-434	14.3	13.8	14.2	12.8	12.6	12.6	13.0	14.3	14.5	15.1	15.9
Hypertensive heart disease---440-443	37.0	38.6	42.7	42.5	43.3	45.0	46.6	51.3	53.9	55.6	56.5
Other hypertensive disease---444-447	7.1	7.4	8.0	6.5	6.5	6.8	7.1	7.8	8.0	8.6	8.3
General arteriosclerosis---450	20.0	19.6	19.9	19.5	19.1	19.8	18.8	20.4	20.3	20.8	20.4
Other diseases of circulatory system---451-468	11.0	10.3	9.9	9.0	8.4	7.3	6.4	6.0	5.7	5.4	4.9
Chronic and unspecified nephritis and other renal sclerosis---592-594	6.7	7.0	8.0	8.8	9.1	9.6	10.6	11.9	13.3	14.7	16.4
Influenza and pneumonia, except pneumonia of newborn---480-493	37.3	31.2	33.2	35.8	28.2	27.1	25.4	33.0	29.7	31.4	31.3
Influenza---480-483	4.4	1.6	2.6	4.4	1.4	1.7	1.7	6.0	3.6	4.5	4.4
Pneumonia, except pneumonia of newborn---490-493	32.9	29.6	30.6	31.4	26.8	25.4	23.8	27.0	26.1	26.9	26.9
Bronchitis---500-502	2.4	2.2	2.3	2.1	1.9	1.9	1.8	1.9	1.9	1.9	2.0
Ulcer of stomach and duodenum---540,541	6.3	6.0	6.2	6.1	6.0	5.9	5.8	5.8	5.6	5.5	5.5
Appendicitis---550-553	1.0	1.0	1.1	1.2	1.3	1.4	1.4	1.5	1.7	1.9	2.0
Hernia and intestinal obstruction---560,561,570	5.1	5.2	5.1	5.0	5.1	5.3	5.3	5.5	5.4	5.6	5.9
Gastritis, duodenitis, enteritis, and colitis, except diarrhea of newborn---543,571,572	4.4	4.4	4.5	4.7	4.5	4.7	4.9	5.4	5.6	5.2	5.1
Cirrhosis of liver---581	11.3	10.9	10.8	11.3	10.7	10.2	10.1	10.4	10.2	9.8	9.2
Cholelithiasis, cholecystitis, and cholangitis---584,585	2.6	2.5	2.7	2.9	3.1	3.6	3.5	3.5	3.8	3.7	3.9
Acute nephritis, and nephritis with edema including nephrosis---590,591	0.9	1.0	1.3	1.3	1.4	1.5	1.6	1.8	2.0	2.1	2.3
Infections of kidney---600	4.3	3.9	4.0	3.7	3.4	3.0	2.7	2.6	2.4	2.1	2.1
Hyperplasia of prostate---610	2.5	2.6	2.7	3.0	3.2	3.7	3.8	3.9	4.0	4.2	4.2
Deliveries and complications of pregnancy, childbirth, and the puerperium---640-689	0.9	0.9	0.9	1.0	1.0	1.2	1.3	1.5	1.7	1.8	2.0
Abortion---650-652	0.2	0.2	0.1	0.2	0.1	0.2	0.2	0.2	0.2	0.2	0.2
Other complications of pregnancy, childbirth, and the puerperium---640-649,660-689	0.7	0.7	0.8	0.9	0.9	1.0	1.1	1.3	1.5	1.6	1.8
Congenital malformations---750-759	12.2	12.3	12.4	12.8	12.6	12.5	12.5	12.6	12.7	12.3	12.2
Certain diseases of early infancy---760-776	37.4	38.5	39.8	39.1	38.6	39.0	39.4	40.1	40.9	41.1	40.5
Birth injuries, postnatal asphyxia, and atelectasis---760-762	16.6	17.1	18.2	17.8	17.7	17.8	17.8	17.9	17.6	17.6	16.6
Infections of newborn---763-768	2.7	2.9	3.2	3.0	2.8	2.6	2.7	2.6	2.6	2.6	2.6
Other diseases peculiar to early infancy, and immaturity unqualified---769-776	18.2	18.5	18.4	18.3	18.1	18.6	18.9	19.6	20.7	21.0	21.3
Symptoms, senility, and ill-defined conditions---780-795	11.4	10.8	11.4	11.3	11.3	12.1	12.5	13.7	14.1	14.8	14.9
All other diseases---Residual	38.5	37.3	36.6	35.0	32.9	31.9	31.2	32.2	32.6	32.5	32.1
Accidents---E800-E962	52.3	52.2	52.3	56.0	56.7	56.9	55.9	60.0	61.7	62.5	60.6
Motor vehicle accidents---E810-E835	21.3	21.5	21.3	22.7	23.7	23.4	22.1	24.0	24.3	24.1	23.1
Other accidents---E800-E802,E840-E962	31.0	30.7	31.0	33.2	33.0	33.5	33.8	36.1	37.5	38.4	37.5
Suicide---E963,E970-E979	10.6	10.6	10.7	9.8	10.0	10.2	10.1	10.1	10.0	10.4	11.4
Homicide---E964,E980-E985	4.7	4.6	4.5	4.5	4.6	4.5	4.8	4.8	5.2	4.9	5.3

Table 1-M. Death Rates for 59 Selected Causes, by Age, Color, and Sex: United States, 1960

(Data refer only to deaths occurring within the United States, including Alaska and Hawaii. Excludes fetal deaths. Rates per 100,000 population in specified group, enumerated as of April 1. Numbers after causes of death are category numbers of the Seventh Revision of the International Lists, 1955)

CAUSE OF DEATH, COLOR, AND SEX	Total[1]	Under 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over
ALL CAUSES	954.7	2,696.4	109.1	46.6	106.3	146.4	299.4	756.0	1,735.1	3,822.1	8,745.2	19,857.5
Male	1,104.5	3,059.3	119.5	55.7	152.1	187.9	372.8	992.2	2,309.5	4,914.4	10,178.4	21,186.3
Female	809.2	2,321.3	98.4	37.3	61.3	106.6	229.4	526.7	1,196.4	2,871.8	7,633.1	19,008.4
White	947.8	2,357.7	95.2	43.9	99.1	123.6	260.4	692.3	1,632.8	3,739.8	8,527.2	20,354.5
Male	1,098.5	2,694.1	104.9	52.7	143.7	163.2	332.6	932.2	2,225.2	4,848.4	10,299.6	21,750.0
Female	800.9	2,007.7	85.2	34.7	54.9	85.0	191.1	458.8	1,078.9	2,779.3	7,696.6	19,477.7
Nonwhite	1,008.5	4,626.4	190.8	64.3	158.2	318.6	633.4	1,342.9	2,774.6	4,784.9	7,631.1	13,907.6
Male	1,152.0	5,189.4	207.3	75.2	213.8	386.4	729.2	1,551.0	3,151.5	5,664.0	8,662.6	15,238.7
Female	872.6	4,067.1	174.4	53.4	106.1	260.0	547.3	1,144.9	2,409.7	3,981.4	6,708.4	12,871.2
Tuberculosis, all forms (001-019)	6.1	0.9	0.6	0.1	0.6	2.4	5.1	9.3	15.5	23.2	32.8	39.6
Male	8.9	0.9	0.6	0.1	0.5	2.3	6.2	14.4	26.6	39.3	52.2	64.9
Female	3.3	0.9	0.6	0.1	0.7	2.4	4.2	4.5	5.1	9.1	17.8	23.5
White	5.1	0.5	0.3	0.1	0.2	1.3	3.3	7.5	13.3	21.2	30.7	35.9
Male	7.7	0.4	0.3	0.1	0.2	1.4	3.8	11.6	23.1	36.2	48.8	56.8
Female	2.6	0.5	0.4	0.1	0.2	1.3	2.8	3.5	4.1	8.2	16.9	22.8
Nonwhite	13.2	3.4	1.9	0.4	3.0	10.3	21.2	26.5	38.2	46.3	61.4	83.8
Male	18.4	3.3	2.1	0.3	2.0	10.2	27.2	40.3	61.8	74.7	94.7	149.9
Female	8.2	3.6	1.6	0.5	3.9	10.5	15.8	13.4	15.4	20.3	31.6	32.3
Tuberculosis of respiratory system (001-008)	5.6	0.4	0.2	0.1	0.4	2.1	4.7	8.8	14.7	21.9	31.3	37.4
Male	8.4	0.5	0.2	0.1	0.3	2.1	5.7	13.6	25.4	37.4	50.5	62.1
Female	2.9	0.3	0.2	0.1	0.5	2.2	3.8	4.1	4.6	8.3	16.4	21.7
White	4.8	0.2	0.1	0.0	0.2	1.2	3.0	7.1	12.7	20.2	29.5	34.0
Male	7.4	0.3	0.1	0.1	0.2	1.2	3.5	11.0	22.3	34.8	47.5	55.0
Female	2.4	0.2	0.0	0.0	0.1	1.2	2.6	3.3	3.7	7.5	15.6	20.9
Nonwhite	11.7	1.6	0.9	0.1	2.3	9.2	19.3	24.3	34.7	41.5	55.8	78.2
Male	16.7	2.0	0.9	0.1	1.3	9.4	24.9	37.8	56.7	67.7	87.4	137.1
Female	7.0	1.3	0.9	0.2	3.3	9.1	14.3	11.4	13.4	17.7	27.4	32.3
Tuberculosis, other forms (010-019)	0.4	0.5	0.4	0.1	0.1	0.3	0.4	0.6	0.9	1.3	1.5	2.2
Male	0.5	0.3	0.4	0.0	0.1	0.2	0.4	0.7	1.2	1.9	1.7	2.8
Female	0.4	0.6	0.4	0.1	0.1	0.3	0.4	0.4	0.5	0.8	1.4	1.8
White	0.3	0.2	0.3	0.0	0.1	0.1	0.2	0.4	0.6	1.0	1.2	1.9
Male	0.3	0.2	0.2	0.0	0.0	0.2	0.2	0.5	0.8	1.4	1.2	1.8
Female	0.3	0.3	0.3	0.1	0.1	0.1	0.2	0.2	0.4	0.6	1.2	1.9
Nonwhite	1.5	1.8	1.0	0.3	0.6	1.1	1.8	2.2	3.5	4.7	5.7	5.6
Male	1.7	1.3	1.3	0.2	0.7	0.8	2.3	2.5	5.1	7.0	7.3	12.8
Female	1.2	2.3	0.8	0.3	0.6	1.4	1.4	2.0	2.0	2.7	4.2	0
Syphilis and its sequelae (020-029)	1.6	0.7	0	0.0	0.0	0.2	0.5	1.9	5.6	9.1	8.7	9.5
Male	2.4	1.0	0	0.0	0.1	0.2	0.6	2.7	8.6	15.2	13.1	12.7
Female	0.9	0.4	0	0	0.0	0.1	0.3	1.1	2.8	3.8	5.2	7.4
White	1.3	0.4	0	0.0	0.0	0.1	0.2	1.0	4.0	7.5	7.7	8.2
Male	1.9	0.6	0	0.0	0.0	0.1	0.4	1.6	6.4	12.6	11.7	10.0
Female	0.7	0.2	0	0	0.0	0.0	0.1	0.5	1.8	3.1	4.7	7.0
Nonwhite	4.5	2.4	0	0.0	0.1	0.7	2.3	9.8	21.8	27.8	21.7	25.1
Male	6.8	3.3	0	0.0	0.1	0.7	3.2	13.6	31.2	44.7	31.4	41.5
Female	2.6	1.6	0	0	0.1	0.7	1.6	6.2	12.4	12.4	13.1	12.4
Dysentery, all forms (045-048)	0.2	3.4	0.3	0.1	0.0	0.0	0.0	0.1	0.1	0.3	0.7	1.0
Male	0.2	4.0	0.4	0.0	0.0	0.0	0.1	0.1	0.2	0.3	0.6	1.1
Female	0.2	2.8	0.3	0.1	0.0	0.0	0.0	0.1	0.1	0.3	0.7	0.9
White	0.1	1.7	0.2	0.1	0.0	0.0	0.0	0.1	0.1	0.2	0.5	0.8
Male	0.1	2.1	0.3	0.1	0.0	0.0	0.1	0.1	0.1	0.2	0.6	0.6
Female	0.1	1.3	0.2	0.1	0.0	0.0	0.0	0.1	0.1	0.3	0.5	0.9
Nonwhite	0.7	13.0	1.1	0.1	0.1	0.0	0.1	0.2	0.7	0.9	2.8	2.8
Male	0.8	14.7	1.3	0.0	0.1	0.1	0	0.3	0.9	1.0	1.3	6.4
Female	0.7	11.4	0.9	0.3	0.1	0	0.2	0.2	0.6	0.9	4.2	0
Scarlet fever and streptococcal sore throat (050, 051)	0.1	0.2	0.1	0.1	0.0	0.0	0.0	0.0	0.1	0.1	0.2	0.2
Male	0.1	0.1	0.1	0.1	0.0	0.0	0.0	0.1	0.0	0.1	0.2	0
Female	0.1	0.3	0.1	0.0	0.0	0.1	0.0	0.0	0.1	0.1	0.2	0.4
White	0.1	0.2	0.1	0.1	0.0	0.1	0.0	0.0	0.1	0.1	0.2	0.2
Male	0.1	0.2	0.1	0.1	0.0	0.0	0.0	0.1	0.0	0.1	0.3	0
Female	0.1	0.3	0.1	0.0	0.0	0.1	0.0	0.0	0.1	0.1	0.2	0.4
Nonwhite	0.1	0.2	0.1	0.1	0.1	0	0.1	0.1	0	0	0	0
Male	0.1	0	0.2	0.0	0.1	0	0	0.1	0	0	0	0
Female	0.1	0.3	0.1	0.1	0.1	0	0.2	0.1	0	0	0	0
Diphtheria (055)	0.0	0.0	0.2	0.1	0.0	0.0	0.0	0.0	0	0.0	0	0
Male	0.0	0.0	0.2	0.1	0.0	0.0	0	0	0	0	0	0
Female	0.0	0.0	0.3	0.1	0	0	0.0	0.0	0	0.0	0	0
White	0.0	0.1	0.2	0.1	0.0	0.0	0.0	0.0	0	0.0	0	0
Male	0.0	0.1	0.1	0.1	0.0	0.0	0	0	0	0	0	0
Female	0.0	0.1	0.2	0.0	0	0	0.0	0.0	0	0.0	0	0
Nonwhite	0.1	0	0.7	0.2	0	0	0	0	0	0	0	0
Male	0.1	0	0.6	0.1	0	0	0	0	0	0	0	0
Female	0.2	0	0.9	0.3	0	0	0	0	0	0	0	0
Whooping cough (056)	0.1	1.8	0.2	0.0	0.0	0	0.0	0	0	0	0	0
Male	0.1	2.1	0.1	0.0	0	0	0	0	0	0	0	0
Female	0.1	1.4	0.4	0.0	0.0	0	0.0	0	0	0	0	0
White	0.0	0.7	0.1	0.0	0.0	0	0.0	0	0	0	0	0
Male	0.0	0.8	0.0	0.0	0	0	0	0	0	0	0	0
Female	0.0	0.5	0.2	0	0.0	0	0.0	0	0	0	0	0
Nonwhite	0.4	8.0	1.0	0.0	0	0	0	0	0	0	0	0
Male	0.4	9.5	0.7	0	0	0	0	0	0	0	0	0
Female	0.3	6.5	1.3	0.0	0	0	0	0	0	0	0	0

[1]Figures for age not stated included in "Total" but not distributed among age groups.

Table 1-M. Death Rates for 59 Selected Causes, by Age, Color, and Sex: United States, 1960—Con.

(Data refer only to deaths occurring within the United States, including Alaska and Hawaii. Excludes fetal deaths. Rates per 100,000 population in specified group, enumerated as of April 1. Numbers after causes of death are category numbers of the Seventh Revision of the International Lists, 1955)

CAUSE OF DEATH, COLOR, AND SEX	Total[1]	Under 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over
Meningococcal infections (057)	0.4	4.8	1.4	0.2	0.1	0.0	0.1	0.2	0.1	0.1	0.1	0.2
Male	0.4	5.4	1.7	0.2	0.2	0.0	0.1	0.2	0.2	0.1	0.1	0
Female	0.3	4.1	1.1	0.2	0.1	0.1	0.0	0.2	0.1	0.2	0.1	0.4
White	0.3	4.6	1.4	0.2	0.1	0.0	0.1	0.1	0.1	0.1	0.1	0.2
Male	0.4	5.3	1.6	0.2	0.1	0.0	0.1	0.1	0.1	0.1	0.1	0
Female	0.3	3.9	1.1	0.2	0.1	0.0	0.1	0.1	0.1	0.1	0.1	0.4
Nonwhite	0.7	5.7	2.0	0.4	0.3	0.1	0.1	0.4	0.4	0.3	0.3	0
Male	0.8	5.9	2.5	0.5	0.5	0.1	0.3	0.5	0.7	0.2	0.7	0
Female	0.5	5.5	1.5	0.3	0.2	0.2	0	0.3	0.1	0.4	0	0
Acute poliomyelitis (080)	0.1	0.2	0.2	0.2	0.2	0.2	0.1	0.1	0	0.0	0	0
Male	0.2	0.2	0.3	0.2	0.2	0.3	0.1	0.1	0	0	0	0
Female	0.1	0.2	0.1	0.1	0.2	0.2	0.1	0.0	0	0.0	0	0
White	0.1	0.2	0.2	0.1	0.2	0.2	0.1	0.0	0	0.0	0	0
Male	0.1	0.2	0.3	0.2	0.2	0.3	0.1	0.1	0	0	0	0
Female	0.1	0.2	0.1	0.1	0.2	0.2	0.1	0.0	0	0.0	0	0
Nonwhite	0.2	0.3	0.4	0.2	0.1	0.1	0.1	0.1	0	0	0	0
Male	0.3	0.3	0.5	0.4	0.1	0.1	0.3	0.2	0	0	0	0
Female	0.1	0.3	0.3	0.0	0.1	0.2	0	0.1	0	0	0	0
Measles (085)	0.2	2.1	1.2	0.2	0.0	0.0	0.0	0	0	0	0.0	0
Male	0.2	2.2	1.3	0.2	0.0	0.0	0.0	0	0	0	0.0	0
Female	0.2	1.9	1.2	0.2	0.0	0.0	0.0	0	0	0	0.0	0
White	0.2	1.7	1.0	0.2	0.0	0.0	0.0	0	0	0	0.0	0
Male	0.2	1.6	1.1	0.2	0.0	0.0	0.0	0	0	0	0.1	0
Female	0.2	1.8	0.9	0.2	0.0	0.0	0.0	0	0	0	0.0	0
Nonwhite	0.5	4.2	2.6	0.2	0	0.0	0	0	0	0	0	0
Male	0.5	5.9	2.4	0.1	0	0	0	0	0	0	0	0
Female	0.5	2.6	2.9	0.4	0	0.1	0	0	0	0	0	0
Other infective and parasitic diseases (030-044,049,052-054, 058-074,081-084,086-138)	3.2	20.9	3.0	0.9	1.1	1.4	1.8	2.9	4.9	7.6	12.3	22.9
Male	3.5	25.2	3.2	0.9	1.0	1.1	1.9	3.4	5.6	9.7	14.9	24.0
Female	2.9	16.6	2.8	1.0	1.1	1.6	1.7	2.5	4.2	5.9	10.3	22.2
White	2.8	16.4	2.6	0.9	1.0	1.1	1.5	2.5	4.4	7.2	12.2	23.7
Male	3.1	19.5	2.8	0.9	0.9	0.8	1.5	2.8	4.9	9.2	15.0	24.8
Female	2.6	13.2	2.4	0.9	1.0	1.4	1.4	2.1	3.9	5.6	10.1	23.0
Nonwhite	5.7	46.6	5.3	1.2	1.9	3.2	5.1	7.1	9.6	12.1	13.5	14.0
Male	6.5	58.2	5.4	1.2	1.6	2.8	5.5	8.4	12.1	15.0	12.7	15.9
Female	5.0	35.1	5.3	1.2	2.2	3.6	4.8	5.8	7.2	9.5	14.3	12.4
Malignant neoplasms, including neoplasms of lymphatic and hematopoietic tissues (140-205)	149.2	7.2	10.9	6.8	8.3	19.5	59.7	177.0	396.8	713.9	1,127.4	1,450.0
Male	162.5	7.7	12.4	7.6	10.2	18.8	48.9	170.8	459.9	890.5	1,389.4	1,741.2
Female	136.4	6.8	9.3	6.0	6.5	20.1	70.0	183.0	337.7	560.2	924.1	1,263.9
White	152.8	7.4	11.4	7.1	8.4	18.8	56.7	170.0	387.9	713.0	1,145.4	1,492.6
Male	166.1	7.9	13.1	8.0	10.3	18.8	46.3	164.1	450.9	887.3	1,413.7	1,791.4
Female	139.8	6.8	9.7	6.2	6.5	18.8	66.6	175.7	329.0	562.1	939.3	1,304.9
Nonwhite	121.6	6.5	7.6	4.8	7.9	24.3	85.7	241.6	487.8	723.8	883.5	939.5
Male	134.1	6.5	8.2	4.9	9.2	18.2	71.7	233.6	549.8	927.5	1,086.1	1,211.7
Female	109.8	6.5	7.0	4.8	6.7	29.6	98.3	249.3	427.8	537.6	702.3	727.5
Malignant neoplasm of buccal cavity and pharynx (140-148)	3.4	0	0.0	0.1	0.1	0.2	1.1	5.3	9.9	15.6	24.4	34.8
Male	5.3	0	0.0	0.1	0.2	0.3	1.5	7.9	16.3	26.5	40.5	60.7
Female	1.7	0	0.0	0.0	0.1	0.2	0.7	2.8	3.8	6.2	11.8	18.2
White	3.5	0	0.0	0.1	0.1	0.2	1.0	5.1	9.9	15.9	25.0	36.0
Male	5.5	0	0.0	0.1	0.1	0.2	1.2	7.5	16.5	27.2	42.2	63.5
Female	1.7	0	0.0	0.0	0.1	0.2	0.7	2.7	3.7	6.1	11.8	18.8
Nonwhite	2.7	0	0	0.0	0.1	0.6	2.4	7.8	9.8	12.6	15.4	19.5
Male	4.0	0	0	0	0.2	0.8	3.7	12.1	14.7	19.1	19.3	31.9
Female	1.4	0	0	0.0	0.1	0.4	1.2	3.7	5.1	6.6	11.9	9.9
Malignant neoplasm of digestive organs and peritoneum, not specified as secondary (150-156A,157-159)	50.8	0.7	0.3	0.1	0.5	2.6	11.6	45.9	127.1	272.4	482.6	630.7
Male	56.4	0.4	0.3	0.2	0.5	2.9	12.5	53.2	153.7	334.9	559.5	676.6
Female	45.3	1.0	0.2	0.1	0.4	2.4	10.8	38.9	102.2	218.0	422.9	601.4
White	51.9	0.7	0.3	0.1	0.4	2.5	10.6	43.0	122.1	270.9	491.0	652.7
Male	57.0	0.4	0.3	0.1	0.4	2.7	11.1	49.3	147.2	330.6	570.1	699.9
Female	47.0	1.1	0.2	0.1	0.3	2.3	10.3	36.8	98.6	219.1	430.3	623.1
Nonwhite	41.8	0.5	0.3	0.2	1.0	3.9	19.9	73.5	178.7	290.1	368.2	367.1
Male	51.4	0	0.3	0.3	1.3	4.4	24.8	89.6	218.7	383.7	427.0	430.5
Female	32.8	1.0	0.4	0.1	0.7	3.5	15.4	58.1	139.9	204.5	315.7	317.8
Malignant neoplasm of respiratory system, not specified as secondary (160-164)	22.2	0.2	0.1	0.0	0.1	1.1	7.3	32.0	81.5	117.2	102.9	79.1
Male	38.5	0.1	0.0	0.0	0.2	1.7	11.4	54.7	150.2	221.7	188.5	132.2
Female	6.2	0.2	0.1	0.1	0.0	0.6	3.4	10.1	17.0	26.2	36.5	45.2
White	22.8	0.2	0.1	0.0	0.1	1.1	6.8	31.1	81.0	118.7	104.0	79.4
Male	39.6	0.1	0.0	0.0	0.2	1.6	10.4	53.0	149.8	225.1	191.9	133.9
Female	6.4	0.2	0.1	0.0	0.1	0.6	3.4	9.8	16.7	26.5	36.5	45.2
Nonwhite	17.3	0.2	0.1	0.1	0.1	1.5	11.2	40.8	86.1	99.4	87.6	75.4
Male	30.5	0.3	0.1	0.0	0.1	2.5	19.8	70.4	154.2	183.4	145.4	114.8
Female	4.9	0	0.1	0.1	0	0.7	3.5	12.5	20.2	22.5	35.8	44.7
Malignant neoplasm of breast (170)	13.4	0.1	0	0.0	0.1	2.0	10.4	26.2	37.0	48.7	73.9	118.1
Male	0.2	0.1	0	0	0.0	0	0.1	0.2	1.0	1.2	1.7	2.5
Female	26.1	0.1	0	0.0	0.1	3.8	20.2	51.4	70.8	90.0	129.9	191.9
White	13.9	0.1	0	0.0	0.1	1.8	10.1	26.0	37.5	49.6	75.9	123.6
Male	0.2	0.1	0	0	0.0	0	0.1	0.2	0.9	1.1	1.7	2.4
Female	27.2	0.1	0	0.0	0.1	3.6	19.7	51.2	71.8	91.6	132.8	199.7
Nonwhite	9.4	0.5	0	0	0.2	3.1	12.8	27.3	51.8	37.3	47.2	51.6
Male	0.3	0.3	0	0	0	0	0.3	0.2	1.6	1.4	2.7	3.2
Female	17.9	0.6	0	0	0.3	5.9	24.1	53.0	61.1	70.0	87.1	89.4

[1] Figures for age not stated included in "Total" but not distributed among age groups.

Table 1-M. Death Rates for 59 Selected Causes, by Age, Color, and Sex: United States, 1960—Con.

(Data refer only to deaths occurring within the United States, including Alaska and Hawaii. Excludes fetal deaths. Rates per 100,000 population in specified group, enumerated as of April 1. Numbers after causes of death are category numbers of the Seventh Revision of the International Lists, 1955)

CAUSE OF DEATH, COLOR, AND SEX	Total[1]	Under 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over
Malignant neoplasms, including neoplasms of lymphatic and hematopoietic tissues—Con.												
Malignant neoplasm of genital organs (171-179)	21.6	0.0	0.1	0.1	0.9	3.5	10.7	24.7	49.0	99.8	192.0	262.7
Male	17.4	0.0	0.2	0.0	0.9	1.7	1.6	4.0	23.5	102.1	285.9	468.2
Female	25.6	0.0	0.1	0.2	0.9	5.2	19.4	44.8	73.0	97.9	119.1	131.4
White	21.2	0.0	0.1	0.1	0.8	3.1	9.6	22.7	45.4	95.3	190.3	262.0
Male	17.2	0.1	0.2	0.0	0.9	1.9	1.6	3.4	20.3	95.0	282.7	471.4
Female	25.1	0	0.1	0.2	0.7	4.2	17.3	41.4	68.8	95.6	119.3	130.4
Nonwhite	24.5	0.2	0.2	0.1	1.1	6.7	20.3	43.8	86.4	152.9	215.1	270.8
Male	19.1	0	0.3	0	0.4	0.3	2.3	10.1	55.1	182.4	326.2	433.7
Female	29.6	0.3	0	0.2	1.6	12.2	36.5	75.8	116.6	125.9	115.8	144.0
Malignant neoplasm of urinary organs (180,181)	7.1	0.7	1.0	0.3	0.1	0.2	1.4	5.9	17.4	38.2	68.7	87.4
Male	9.7	0.7	1.0	0.3	0.1	0.3	2.0	8.3	25.9	57.2	98.6	120.4
Female	4.6	0.6	0.9	0.3	0.1	0.2	0.8	3.5	9.3	21.6	45.5	66.3
White	7.5	0.7	1.0	0.3	0.1	0.2	1.3	5.5	17.2	38.9	71.3	91.1
Male	10.2	0.7	1.0	0.3	0.1	0.3	1.9	8.0	26.2	58.8	103.2	126.9
Female	4.8	0.6	0.9	0.3	0.1	0.2	0.7	3.0	8.8	21.6	46.7	68.5
Nonwhite	4.7	0.5	0.9	0.3	0.1	0.3	2.3	9.2	18.8	29.8	33.7	43.3
Male	5.6	0.3	0.9	0.2	0.1	0.3	2.5	11.0	23.2	38.9	41.4	51.0
Female	3.7	0.6	1.0	0.4	0.1	0.3	2.1	7.4	14.7	21.4	26.9	37.2
Malignant neoplasm of other and unspecified sites (156B,165,190-199)	16.5	2.2	3.2	2.3	2.7	4.3	9.2	21.5	42.4	64.6	101.5	158.9
Male	18.0	2.7	3.6	2.3	3.3	5.1	10.2	23.8	50.1	75.0	114.2	175.0
Female	15.0	1.6	2.9	2.3	2.1	3.6	8.2	19.2	35.1	55.6	91.6	148.7
White	17.0	2.2	3.3	2.4	2.7	4.4	9.2	21.2	41.7	64.4	103.3	165.7
Male	18.6	2.6	3.6	2.4	3.3	5.2	10.3	23.9	50.1	75.0	117.3	181.9
Female	15.4	1.8	2.9	2.3	2.1	3.7	8.1	18.6	33.9	55.3	92.5	155.5
Nonwhite	12.8	2.1	3.1	1.9	2.7	3.7	9.0	24.0	49.2	67.2	76.9	78.2
Male	13.3	3.3	3.3	1.6	3.2	4.4	9.0	23.3	50.3	75.2	76.1	102.0
Female	12.4	1.0	2.8	2.2	2.2	3.1	9.0	24.6	48.2	59.9	77.6	59.6
Leukemia and aleukemia (204)	7.1	2.7	5.5	3.2	2.1	2.3	3.2	6.2	13.2	26.7	44.7	47.0
Male	8.3	2.8	6.3	3.7	2.6	2.9	3.7	7.2	16.1	34.0	56.5	64.9
Female	5.9	2.6	4.7	2.7	1.6	1.7	2.7	5.3	10.6	20.2	35.5	35.6
White	7.5	2.8	6.0	3.5	2.1	2.3	3.3	6.2	13.5	27.7	46.8	49.6
Male	8.8	2.9	6.9	4.0	2.6	2.9	3.8	7.3	16.6	35.5	59.5	68.9
Female	6.2	2.6	5.1	2.9	1.7	1.8	2.8	5.2	10.6	20.9	37.0	37.4
Nonwhite	3.9	2.3	2.5	1.8	1.7	2.2	2.9	5.8	11.1	15.0	16.4	16.8
Male	4.4	2.3	2.8	2.2	2.4	2.9	3.4	5.5	11.2	17.9	19.3	22.3
Female	3.4	2.3	2.2	1.4	1.1	1.5	2.4	6.0	11.0	12.4	13.7	12.4
Lymphosarcoma and other neoplasms of lymphatic and hematopoietic tissues (200-203,205)	7.2	0.7	0.7	0.7	1.8	3.1	4.8	9.3	19.2	30.7	36.8	31.3
Male	8.6	0.8	0.9	0.9	2.4	4.0	5.9	11.6	23.1	37.9	43.9	40.9
Female	5.9	0.5	0.4	0.4	1.2	2.3	3.7	7.1	15.7	24.5	31.4	25.2
White	7.6	0.7	0.7	0.7	1.9	3.3	4.7	9.3	19.6	31.7	37.8	32.5
Male	9.0	1.0	1.0	1.0	2.6	4.2	5.9	11.6	23.3	39.0	45.1	42.6
Female	6.2	0.5	0.4	0.4	1.3	2.4	3.6	7.0	16.1	25.4	32.3	26.2
Nonwhite	4.5	0.3	0.5	0.5	1.1	2.2	5.0	9.7	15.9	19.6	23.0	16.8
Male	5.5	0	0.5	0.6	1.5	2.6	5.9	11.3	20.8	25.4	28.7	22.3
Female	3.5	0.6	0.4	0.3	0.7	2.0	4.1	8.2	11.1	14.4	17.9	12.4
Benign neoplasms and neoplasms of unspecified nature (210-239)	2.7	3.4	0.6	0.7	0.7	1.2	2.5	4.1	6.0	7.9	11.1	21.2
Male	2.5	3.3	0.6	0.7	0.7	0.8	2.0	3.8	6.2	8.5	11.1	17.7
Female	2.9	3.5	0.7	0.6	0.8	1.5	3.1	4.5	5.9	7.4	11.1	23.5
White	2.6	3.4	0.6	0.6	0.7	1.0	2.2	3.8	5.7	7.8	11.2	21.7
Male	2.5	3.3	0.6	0.7	0.6	0.8	1.9	3.6	6.0	8.5	11.4	18.1
Female	2.7	3.5	0.6	0.5	0.7	1.2	2.5	4.0	5.4	7.1	11.0	23.9
Nonwhite	3.5	3.1	0.9	0.9	1.1	2.5	5.4	7.5	9.7	9.2	10.1	15.4
Male	2.6	2.9	0.6	1.0	0.9	1.2	3.0	5.5	8.3	8.0	8.0	12.8
Female	4.4	3.2	1.1	0.8	1.3	3.6	7.5	9.3	11.1	10.4	11.9	17.4
Asthma (241)	3.0	0.6	0.4	0.2	0.4	0.7	1.8	3.7	7.8	13.8	18.9	18.2
Male	3.9	0.5	0.4	0.2	0.3	0.5	1.5	4.4	11.5	22.3	28.6	24.0
Female	2.1	0.7	0.3	0.2	0.5	0.9	2.1	3.1	4.4	6.4	11.5	14.5
White	2.9	0.4	0.2	0.1	0.3	0.5	1.4	3.4	7.6	13.9	19.3	18.5
Male	3.9	0.4	0.3	0.1	0.2	0.3	1.1	4.1	11.3	22.7	29.5	25.1
Female	2.0	0.4	0.2	0.1	0.4	0.6	1.6	2.8	4.1	6.3	11.6	14.4
Nonwhite	3.6	1.6	1.0	0.6	1.2	2.8	5.2	6.6	10.2	12.7	13.5	14.0
Male	3.9	1.0	0.9	0.5	1.1	2.3	4.4	7.3	13.7	18.4	17.3	12.8
Female	3.3	2.3	1.0	0.6	1.3	3.2	6.0	6.0	6.8	7.5	10.1	14.9
Diabetes mellitus (260)	16.7	0.4	0.3	0.4	0.9	2.3	4.5	12.1	37.9	93.4	163.7	181.7
Male	13.8	0.5	0.3	0.3	0.8	2.7	5.1	12.1	31.9	76.1	144.6	170.6
Female	19.6	0.3	0.3	0.5	1.0	2.0	4.0	12.1	43.7	108.4	178.5	188.7
White	16.4	0.4	0.3	0.4	0.8	2.2	3.8	9.8	33.5	91.3	165.4	184.8
Male	13.7	0.4	0.3	0.2	0.7	2.6	4.7	10.9	29.5	75.1	146.9	174.7
Female	19.1	0.3	0.3	0.5	0.9	1.8	2.9	8.7	37.2	105.4	179.6	191.2
Nonwhite	18.8	0.7	0.3	0.4	1.7	3.4	11.1	33.0	83.4	117.0	140.2	143.8
Male	13.9	1.0	0.3	0.5	2.0	3.5	9.1	23.2	55.8	86.8	116.1	127.5
Female	23.4	0.3	0.3	0.4	1.5	3.3	12.9	42.4	110.1	144.7	161.7	156.4
Anemias (290-293)	1.9	2.7	1.2	0.5	0.6	0.6	0.5	1.0	2.5	6.5	17.6	35.1
Male	1.8	3.2	1.1	0.4	0.6	0.5	0.4	0.8	2.7	7.6	18.2	34.0
Female	1.9	2.2	1.4	0.6	0.5	0.8	0.6	1.1	2.2	5.6	17.1	35.8
White	1.7	1.5	0.8	0.4	0.4	0.3	0.3	0.8	2.3	6.4	18.3	36.4
Male	1.6	1.7	0.6	0.2	0.4	0.2	0.2	0.7	2.7	7.7	19.0	35.7
Female	1.8	1.3	0.9	0.5	0.4	0.4	0.5	0.9	2.0	5.3	17.7	36.8
Nonwhite	2.9	9.5	3.9	1.2	2.0	3.2	1.9	2.5	3.7	7.4	7.6	19.5
Male	2.9	12.1	4.0	1.3	2.2	2.7	1.8	1.9	3.4	6.5	8.0	15.9
Female	3.0	6.8	3.8	1.1	1.8	3.6	1.9	3.1	3.9	8.2	7.2	22.3

[1]Figures for age not stated included in "Total" but not distributed among age groups.

Table 1-M. Death Rates for 59 Selected Causes, by Age, Color, and Sex: United States, 1960—Con.

(Data refer only to deaths occurring within the United States, including Alaska and Hawaii. Excludes fetal deaths. Rates per 100,000 population in specified group, enumerated as of April 1. Numbers after causes of death are category numbers of the Seventh Revision of the International Lists, 1955)

CAUSE OF DEATH, COLOR, AND SEX	Total[1]	Under 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over
Meningitis, except meningococcal and tuberculous (340)	1.3	21.2	2.8	0.4	0.2	0.3	0.4	0.8	1.1	1.5	2.0	2.3
Male	1.5	25.1	3.3	0.5	0.3	0.4	0.5	1.0	1.3	1.5	2.4	2.8
Female	1.1	17.2	2.2	0.3	0.2	0.2	0.3	0.7	0.8	1.5	1.6	1.9
White	1.0	16.3	2.3	0.4	0.2	0.2	0.3	0.6	0.8	1.3	1.8	2.0
Male	1.2	19.7	2.8	0.4	0.2	0.3	0.4	0.8	1.0	1.3	2.1	2.7
Female	0.8	12.7	1.7	0.3	0.1	0.2	0.2	0.5	0.6	1.3	1.6	1.5
Nonwhite	3.5	49.2	5.6	0.7	0.7	0.9	1.5	2.6	3.7	4.2	4.4	5.6
Male	4.0	56.2	5.8	0.9	0.6	1.2	1.9	3.3	4.5	3.9	6.7	3.2
Female	2.9	42.2	5.5	0.4	0.7	0.7	1.2	2.0	2.8	4.4	2.4	7.4
Major cardiovascular-renal diseases (330-334,400-468,592-594)	521.8	12.2	2.5	2.7	8.4	25.8	100.8	344.9	943.8	2,373.7	6,123.8	14,945.1
Male	591.7	14.5	2.8	2.8	9.0	30.3	140.6	501.8	1,306.8	3,030.6	6,921.2	15,491.2
Female	453.8	9.7	2.1	2.5	7.9	21.4	62.9	192.6	603.4	1,802.3	5,505.0	14,598.2
White	530.5	10.3	1.9	2.3	7.2	20.5	86.0	312.5	879.5	2,318.0	6,196.1	15,376.6
Male	604.4	12.8	2.2	2.5	8.0	25.9	128.4	478.5	1,263.5	2,998.0	7,029.2	15,977.8
Female	458.1	7.7	1.6	2.1	6.5	15.3	45.3	150.9	520.4	1,728.9	5,556.3	14,998.9
Nonwhite	455.8	23.0	5.8	5.1	17.0	65.4	227.7	643.9	1,597.2	3,024.8	5,141.1	9,779.9
Male	491.7	24.8	6.8	4.9	16.6	65.8	248.2	719.1	1,738.5	3,400.7	5,571.1	10,356.8
Female	421.7	21.1	4.9	5.2	17.4	65.2	209.3	572.4	1,460.5	2,681.1	4,756.5	9,330.6
Diseases of cardiovascular system (330-334,400-468)	515.1	11.6	2.2	2.2	6.7	22.9	96.6	337.6	931.7	2,349.8	6,070.4	14,813.1
Male	584.2	13.9	2.5	2.3	6.9	26.8	135.5	493.3	1,292.5	3,002.8	6,856.9	15,329.5
Female	448.0	9.3	1.9	2.1	6.6	19.2	59.5	186.4	593.3	1,781.7	5,460.2	14,483.2
White	524.4	9.8	1.7	1.8	5.6	18.0	82.7	306.9	869.8	2,297.6	6,146.9	15,252.4
Male	597.7	12.2	2.0	2.0	5.9	22.7	124.4	471.4	1,251.8	2,974.5	6,970.5	15,824.9
Female	453.0	7.4	1.5	1.7	5.3	13.5	42.7	146.7	512.7	1,711.2	5,514.5	14,892.7
Nonwhite	442.9	22.2	5.1	4.3	14.8	60.0	215.4	620.4	1,560.2	2,959.9	5,030.6	9,553.7
Male	477.7	23.9	5.9	4.1	13.9	60.3	234.1	686.6	1,698.8	3,324.4	5,455.7	10,101.7
Female	409.9	20.5	4.3	4.6	15.5	59.7	198.6	547.9	1,426.1	2,626.8	4,668.2	9,127.0
Vascular lesions affecting central nervous system (330-334)	108.0	4.1	0.8	0.7	1.8	4.7	14.7	49.2	147.3	469.2	1,491.3	3,680.5
Male	104.5	5.0	0.9	0.7	1.9	4.5	14.6	52.2	163.8	530.7	1,555.9	3,643.1
Female	111.4	3.2	0.7	0.6	1.6	4.9	14.8	46.3	131.8	415.7	1,441.1	3,704.4
White	106.4	3.4	0.7	0.7	1.5	3.5	10.7	37.3	120.4	437.9	1,496.9	3,772.2
Male	102.7	4.3	0.8	0.7	1.7	3.5	11.3	40.9	139.0	501.0	1,564.8	3,734.8
Female	110.1	2.6	0.5	0.6	1.4	3.4	10.1	33.8	103.0	383.3	1,444.7	3,795.7
Nonwhite	119.7	8.0	1.6	0.9	3.6	14.3	49.6	158.5	420.4	834.9	1,415.5	2,582.5
Male	118.2	9.5	1.8	0.8	3.9	12.1	44.4	156.7	411.3	868.2	1,445.0	2,675.3
Female	121.2	6.5	1.4	1.1	3.2	16.2	54.2	160.3	429.3	804.4	1,389.2	2,510.2
Diseases of heart (400-402,410-443)	369.0	6.6	1.3	1.3	4.0	15.6	74.6	271.8	737.9	1,740.5	4,089.4	9,317.8
Male	439.5	7.8	1.4	1.4	4.2	20.1	112.7	420.4	1,066.9	2,291.3	4,742.4	9,788.9
Female	300.6	5.4	1.1	1.2	3.7	11.3	38.2	127.5	429.4	1,261.3	3,582.7	9,016.8
White	379.6	5.6	0.9	1.0	3.2	12.8	67.2	256.2	708.2	1,725.6	4,155.4	9,610.7
Male	454.6	6.9	1.0	1.1	3.6	17.6	107.5	413.2	1,056.0	2,297.9	4,839.9	10,135.8
Female	306.5	4.3	0.9	0.9	2.8	8.2	28.6	103.4	383.0	1,229.8	3,629.7	9,280.8
Nonwhite	287.1	12.4	3.3	3.0	9.1	36.7	137.4	415.3	1,040.1	1,914.7	3,193.0	5,811.2
Male	320.5	13.1	3.8	3.1	8.7	40.1	158.9	487.4	1,175.6	2,216.9	3,523.1	6,128.6
Female	255.5	11.7	2.8	2.9	9.6	33.7	118.2	346.8	909.0	1,638.4	2,897.7	5,564.1
Rheumatic fever and chronic rheumatic heart disease (400-402,410-416)	10.3	0.1	0.2	0.7	2.0	4.8	10.2	19.7	28.7	31.1	36.7	53.4
Male	9.9	0.0	0.2	0.7	1.9	4.7	10.5	19.9	29.0	31.0	35.2	46.1
Female	10.6	0.1	0.2	0.7	2.1	4.8	9.9	19.5	28.4	31.2	37.9	58.0
White	10.6	0.1	0.1	0.4	1.7	4.4	10.2	20.4	29.8	32.0	37.6	53.5
Male	10.3	0.1	0.1	0.4	1.6	4.4	10.5	20.5	30.2	31.7	35.5	45.3
Female	11.0	0.1	0.1	0.4	1.7	4.3	9.8	20.2	29.5	32.3	39.1	58.7
Nonwhite	7.4	0	0.6	2.0	4.2	7.8	10.7	13.6	17.3	20.5	25.5	51.6
Male	7.5	0	0.5	2.0	3.6	7.5	10.5	14.0	17.9	23.4	31.4	54.2
Female	7.4	0	0.6	2.0	4.8	8.0	10.9	13.1	16.8	17.9	20.3	49.7
Arteriosclerotic heart disease, including coronary disease (420)	275.6	0.3	0.1	0.1	0.6	6.8	50.4	207.7	580.9	1,356.1	2,998.0	6,368.6
Male	348.0	0.3	0.1	0.1	0.8	10.9	86.2	347.1	885.2	1,863.2	3,636.6	6,930.6
Female	205.4	0.2	0.0	0.0	0.4	2.8	16.4	72.4	295.6	914.8	2,502.5	6,009.4
White	290.5	0.3	0.0	0.1	0.5	6.1	48.6	205.2	579.0	1,377.2	3,084.4	6,625.4
Male	368.0	0.3	0.1	0.1	0.7	10.3	86.0	352.5	901.3	1,909.2	3,758.4	7,248.7
Female	215.1	0.2	0.0	0.0	0.3	1.9	12.7	61.9	277.6	916.3	2,566.9	6,233.7
Nonwhite	160.4	0.5	0.2	0.0	1.4	12.3	66.1	230.9	601.0	1,108.6	1,823.4	3,294.4
Male	190.7	0.3	0.2	0.0	1.5	15.7	87.8	297.0	723.7	1,340.2	2,114.1	3,574.5
Female	131.7	0.6	0.2	0	1.3	9.3	46.7	168.0	482.3	897.0	1,563.4	3,076.3
Nonrheumatic chronic endocarditis and other myocardial degeneration (421,422)	31.8	0.8	0.2	0.1	0.4	0.9	2.6	9.7	34.2	119.6	455.9	1,547.8
Male	32.0	0.9	0.3	0.2	0.5	1.1	3.3	13.0	44.5	143.9	491.4	1,564.0
Female	31.6	0.6	0.2	0.1	0.3	0.6	1.8	6.6	24.6	98.5	428.3	1,537.5
White	32.2	0.6	0.1	0.1	0.3	0.6	2.0	8.0	28.9	112.3	457.6	1,592.0
Male	32.1	0.8	0.1	0.1	0.4	0.8	2.8	11.5	39.2	136.1	493.1	1,613.7
Female	32.2	0.4	0.2	0.1	0.2	0.3	1.3	4.7	19.2	91.8	430.3	1,578.3
Nonwhite	29.1	1.5	0.9	0.2	0.9	3.0	7.1	25.6	88.4	204.4	432.5	1,019.0
Male	31.2	1.3	1.2	0.3	0.9	3.3	7.7	27.5	97.0	232.5	470.3	1,039.5
Female	27.1	1.6	0.6	0.2	0.9	2.7	6.6	23.7	80.1	178.7	398.6	1,003.1
Other diseases of heart (430-434)	14.3	5.5	0.8	0.4	0.8	2.0	5.0	11.9	26.6	58.9	148.6	365.8
Male	16.9	6.5	0.9	0.5	0.9	2.0	6.3	16.5	37.0	78.9	177.9	390.0
Female	11.9	4.5	0.7	0.4	0.7	1.9	3.6	7.5	16.9	41.4	125.8	347.1
White	13.5	4.6	0.6	0.4	0.7	1.4	3.9	9.6	22.9	53.8	145.4	366.2
Male	15.9	5.7	0.7	0.4	0.8	1.5	5.2	13.8	33.0	72.7	174.2	391.9
Female	11.2	3.6	0.5	0.3	0.5	1.3	2.6	5.5	13.4	37.4	123.3	350.1
Nonwhite	20.4	10.3	1.7	0.7	1.8	6.1	14.4	33.7	64.9	118.3	191.2	335.0
Male	24.0	11.1	2.0	0.7	1.8	6.1	16.9	42.0	77.2	149.8	224.2	369.9
Female	16.9	9.4	1.4	0.7	1.8	6.1	12.1	25.9	52.9	89.5	161.7	307.9

[1]Figures for age not stated included in "Total" but not distributed among age groups.

Table 1-M. Death Rates for 59 Selected Causes, by Age, Color, and Sex: United States, 1960—Con.

(Data refer only to deaths occurring within the United States, including Alaska and Hawaii. Excludes fetal deaths. Rates per 100,000 population in specified group, enumerated as of April 1. Numbers after causes of death are category numbers of the Seventh Revision of the International Lists, 1955)

CAUSE OF DEATH, COLOR, AND SEX	Total[1]	Under 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over
Major cardiovascular-renal diseases—Con.												
Diseases of cardiovascular system—Con.												
Diseases of heart—Continued												
Hypertensive heart disease (440-443)	37.0	0.0	0.0	0.0	0.2	1.3	6.4	22.7	67.4	174.9	450.2	984.2
Male	32.7	0.0	0	0.0	0.2	1.3	6.4	23.9	71.2	174.3	401.2	858.2
Female	41.2	0	0.0	0.0	0.2	1.2	6.5	21.5	63.9	175.4	488.3	1,064.8
White	32.7	0	0	0.0	0.1	0.4	2.6	13.0	47.6	150.3	430.4	973.6
Male	28.3	0	0	0.0	0.1	0.5	3.0	14.9	52.3	148.2	378.7	836.2
Female	37.1	0	0	0.0	0.1	0.3	2.2	11.1	43.3	152.1	470.1	1,060.0
Nonwhite	69.9	0.2	0.0	0.0	0.9	7.5	39.1	111.6	268.4	462.9	720.4	1,111.2
Male	67.1	0.3	0	0.0	0.9	7.5	36.0	106.9	259.7	471.0	683.1	1,090.5
Female	72.4	0	0.1	0.0	0.8	7.5	41.9	116.1	277.0	455.4	753.7	1,127.2
Other hypertensive disease (444-447)	7.1	0	0.0	0.0	0.1	0.9	3.2	5.7	10.0	27.1	81.8	230.5
Male	7.2	0	0.0	0.0	0.2	1.0	3.9	6.6	10.9	30.6	90.1	253.4
Female	6.9	0	0	0.0	0.1	0.9	2.6	4.8	9.1	24.1	75.4	215.9
White	6.4	0	0.0	0.0	0.1	0.4	1.5	3.6	7.7	24.1	80.5	232.6
Male	6.4	0	0.0	0.0	0.1	0.5	1.9	4.3	8.7	27.6	88.7	254.7
Female	6.3	0	0	0.0	0.0	0.3	1.0	2.9	6.8	21.2	74.3	218.7
Nonwhite	12.6	0	0	0	0.4	4.8	18.1	25.1	33.6	62.1	99.2	205.2
Male	13.4	0	0	0	0.5	4.7	20.9	28.6	33.4	65.2	107.4	239.2
Female	11.8	0	0	0	0.3	4.9	15.6	21.8	33.8	59.2	91.9	178.8
General arteriosclerosis (450)	20.0	0	0	0	0	0.1	0.3	1.8	10.9	56.9	307.4	1,423.3
Male	19.3	0	0	0	0	0.1	0.4	2.5	14.3	68.8	340.9	1,453.3
Female	20.7	0	0	0	0	0.1	0.2	1.0	7.7	46.5	281.4	1,404.1
White	20.9	0	0	0	0	0.1	0.2	1.5	9.4	53.8	311.8	1,471.9
Male	20.0	0	0	0	0	0.1	0.3	2.3	12.5	65.9	346.6	1,502.2
Female	21.8	0	0	0	0	0.0	0.1	0.8	6.4	43.4	285.1	1,452.8
Nonwhite	13.0	0	0	0	0	0.1	1.0	3.8	26.4	92.3	248.9	841.7
Male	14.0	0	0	0	0	0.2	1.3	4.6	31.6	101.7	268.8	937.5
Female	12.0	0	0	0	0	0.1	0.7	3.1	21.4	83.7	227.4	767.2
Other diseases of circulatory system (451-468)	11.0	0.9	0.1	0.2	0.9	1.6	3.8	9.1	25.6	56.1	100.5	161.0
Male	13.7	1.1	0.2	0.2	0.5	1.2	3.9	11.5	36.6	81.4	127.6	190.7
Female	8.5	0.8	0.1	0.2	1.2	2.0	3.6	6.8	15.3	34.1	79.5	142.0
White	11.1	0.8	0.1	0.2	0.8	1.3	3.1	8.2	24.2	56.1	102.3	165.0
Male	14.0	1.0	0.2	0.2	0.5	1.0	3.4	10.7	35.6	82.2	130.5	197.3
Female	8.4	0.5	0.1	0.2	1.0	1.6	2.9	5.8	13.6	33.5	80.7	144.7
Nonwhite	10.4	1.8	0.2	0.4	1.7	4.1	9.3	17.6	39.6	56.0	75.9	113.1
Male	11.6	1.3	0.3	0.2	0.8	3.2	8.6	19.4	46.9	72.3	91.4	121.2
Female	9.4	2.3	0.1	0.6	2.5	4.8	10.0	15.9	32.6	41.1	62.1	106.8
Chronic and unspecified nephritis and other renal sclerosis (592-594)	6.7	0.5	0.2	0.5	1.7	2.8	4.2	7.4	12.1	23.9	53.3	132.0
Male	7.5	0.7	0.3	0.5	2.1	3.5	5.1	8.5	14.3	27.8	64.3	161.8
Female	5.9	0.4	0.2	0.5	1.3	2.2	3.4	6.2	10.1	20.5	44.8	113.1
White	5.9	0.5	0.1	0.4	1.6	2.5	3.3	5.6	9.7	20.4	49.1	124.2
Male	6.7	0.6	0.2	0.5	2.1	3.3	4.1	7.0	11.7	23.5	58.6	152.9
Female	5.2	0.4	0.1	0.4	1.2	1.7	2.6	4.2	7.7	17.7	41.8	106.1
Nonwhite	12.9	0.8	0.7	0.7	2.2	5.5	12.3	23.5	37.0	64.9	110.6	226.1
Male	14.1	1.0	0.9	0.8	2.7	5.5	14.1	22.5	39.6	76.4	135.4	255.1
Female	11.8	0.6	0.5	0.6	1.8	5.4	10.6	24.5	34.4	54.3	88.3	203.6
Influenza and pneumonia, except pneumonia of newborn (480-493)	37.3	239.0	16.2	2.6	3.0	4.8	9.3	19.6	43.2	112.1	340.6	1,126.6
Male	43.2	267.7	16.8	2.7	3.4	5.1	11.5	26.8	60.2	154.7	422.0	1,270.0
Female	31.5	209.4	15.6	2.5	2.7	4.5	7.1	12.7	27.2	75.1	277.4	1,035.0
White	34.1	166.8	12.4	2.3	2.6	3.5	6.7	15.7	36.8	103.9	337.7	1,150.5
Male	39.2	191.5	12.4	2.4	3.0	3.9	8.5	21.6	52.2	144.0	416.7	1,303.1
Female	29.0	141.1	12.3	2.2	2.3	3.2	5.0	10.0	22.5	69.3	277.1	1,054.7
Nonwhite	62.0	650.6	38.8	4.6	5.7	14.4	31.2	56.1	107.8	207.4	380.2	840.3
Male	74.3	711.7	43.3	4.6	6.0	14.7	38.6	76.0	140.3	276.2	489.0	921.5
Female	50.4	589.9	34.3	4.6	5.4	14.1	24.6	37.1	76.3	144.4	282.8	777.1
Influenza (480-483)	4.4	13.1	1.2	0.3	0.6	0.7	1.1	2.5	5.4	14.6	43.6	160.1
Male	4.6	14.0	1.0	0.2	0.6	0.7	1.1	3.1	6.6	18.4	49.7	173.9
Female	4.1	12.1	1.4	0.3	0.6	0.6	1.0	2.0	4.3	11.3	38.8	151.3
White	3.9	7.2	0.9	0.3	0.5	0.5	0.8	1.9	4.2	12.3	41.8	160.2
Male	4.1	7.8	0.8	0.2	0.6	0.6	0.9	2.3	5.2	15.7	47.6	177.1
Female	3.7	6.6	1.1	0.3	0.5	0.5	0.8	1.4	3.2	9.4	37.4	149.6
Nonwhite	8.0	46.6	2.5	0.5	1.1	1.6	3.3	8.7	18.3	40.7	67.1	159.1
Male	8.6	50.3	2.0	0.5	0.8	1.3	3.4	10.2	20.7	49.1	76.1	140.3
Female	7.4	42.9	3.0	0.5	1.3	2.0	3.2	7.3	16.1	33.1	59.1	173.8
Pneumonia, except pneumonia of newborn (490-493)	32.9	225.9	15.0	2.3	2.4	4.1	8.2	17.1	37.8	97.5	297.0	966.5
Male	38.5	253.6	15.9	2.5	2.8	4.4	10.4	23.7	53.6	136.3	372.3	1,096.1
Female	27.4	197.3	14.2	2.2	2.1	3.9	6.1	10.7	22.9	63.8	238.6	883.6
White	30.1	159.6	11.4	2.0	2.1	3.0	5.9	13.8	32.7	91.6	295.9	990.3
Male	35.1	183.7	11.6	2.2	2.5	3.2	7.6	19.2	46.9	128.3	369.1	1,126.0
Female	25.3	134.5	11.2	1.9	1.8	2.7	4.3	8.6	19.3	59.8	239.6	905.1
Nonwhite	54.0	604.0	36.4	4.1	4.6	12.7	28.0	47.3	89.4	166.6	313.1	681.2
Male	65.7	661.4	41.4	4.2	5.2	13.4	35.2	65.8	119.6	227.2	412.9	781.2
Female	43.0	547.0	31.3	4.1	4.1	12.1	21.4	29.8	60.2	111.3	223.8	603.3
Bronchitis (500-502)	2.4	16.0	2.1	0.2	0.1	0.1	0.4	1.5	4.2	9.9	16.1	32.7
Male	3.4	19.3	2.4	0.2	0.1	0.2	0.5	2.3	6.9	17.3	25.5	41.7
Female	1.4	12.5	1.9	0.2	0.2	0.1	0.3	0.8	1.7	3.4	8.7	27.0
White	2.4	14.7	2.1	0.2	0.1	0.1	0.4	1.5	4.2	10.0	16.5	33.7
Male	3.5	18.7	2.3	0.2	0.1	0.2	0.5	2.2	6.9	17.7	26.6	43.5
Female	1.4	10.5	1.8	0.2	0.2	0.1	0.3	0.8	1.7	3.4	8.8	27.5
Nonwhite	2.2	23.3	2.5	0.1	0.3	0.2	0.8	2.0	4.2	8.1	9.4	20.9
Male	2.8	23.2	2.5	0.1	0.1	0.2	1.1	3.2	6.8	13.0	12.0	22.3
Female	1.7	23.4	2.6	0.1	0.4	0.2	0.5	0.9	1.6	3.5	7.2	19.9

[1]Figures for age not stated included in "Total" but not distributed among age groups.

Table 1-M. Death Rates for 59 Selected Causes, by Age, Color, and Sex: United States, 1960—Con.

(Data refer only to deaths occurring within the United States, including Alaska and Hawaii. Excludes fetal deaths. Rates per 100,000 population in specified group, enumerated as of April 1. Numbers after causes of death are category numbers of the Seventh Revision of the International Lists, 1955)

CAUSE OF DEATH, COLOR, AND SEX	Total[1]	Under 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over
Ulcer of stomach and duodenum (540,541)	6.3	1.9	0.1	0.0	0.1	0.7	2.5	7.3	15.7	29.9	53.6	77.9
Male	9.6	2.7	0.1	0.0	0.2	1.1	3.9	11.6	26.5	49.4	85.0	114.3
Female	3.1	1.0	0.1	0.1	0.1	0.4	1.2	3.2	5.6	12.9	29.3	54.7
White	6.6	1.2	0.1	0.0	0.1	0.6	2.3	7.1	15.8	30.4	55.6	81.9
Male	10.0	1.8	0.1	0.0	0.2	1.0	3.6	11.3	26.8	50.4	88.5	120.9
Female	3.3	0.6	0.1	0.1	0.1	0.3	1.0	3.0	5.5	13.1	30.4	57.3
Nonwhite	4.5	5.7	0.2	0.1	0.1	1.5	4.4	9.5	15.0	24.2	26.8	30.7
Male	6.9	7.8	0.2	0.1	0.1	2.2	6.6	15.0	23.8	38.7	40.7	44.6
Female	2.2	3.6	0.2	0.0	0.1	0.8	2.3	4.2	6.6	11.0	14.3	19.9
Appendicitis (550-553)	1.0	0.3	0.3	0.4	0.3	0.3	0.5	1.0	2.2	4.0	7.1	9.9
Male	1.3	0.3	0.4	0.4	0.4	0.3	0.6	1.5	3.2	5.5	9.8	11.6
Female	0.8	0.3	0.3	0.4	0.2	0.2	0.4	0.5	1.3	2.7	5.1	8.8
White	1.0	0.3	0.3	0.4	0.3	0.2	0.4	0.8	1.9	3.8	7.2	9.9
Male	1.3	0.4	0.4	0.3	0.4	0.3	0.5	1.3	2.8	5.1	10.0	11.5
Female	0.7	0.3	0.2	0.4	0.2	0.1	0.3	0.4	1.1	2.6	5.0	8.9
Nonwhite	1.5	0.2	0.4	0.7	0.5	0.7	1.3	2.1	5.0	6.7	6.6	9.8
Male	1.8	0	0.4	0.8	0.5	0.9	1.0	2.8	6.8	9.7	7.3	12.8
Female	1.2	0.3	0.4	0.6	0.5	0.5	1.6	1.5	3.2	4.0	6.0	7.4
Hernia and intestinal obstruction (560,561,570)	5.1	22.4	0.4	0.1	0.2	0.5	1.3	3.5	8.4	20.1	49.8	109.3
Male	5.1	25.9	0.6	0.1	0.2	0.5	1.3	3.5	9.3	22.4	51.3	104.9
Female	5.1	18.8	0.3	0.1	0.2	0.5	1.4	3.5	7.5	18.1	48.7	112.2
White	5.0	22.0	0.4	0.1	0.2	0.4	1.1	3.0	7.7	19.5	50.3	112.6
Male	4.9	25.2	0.5	0.1	0.2	0.4	1.0	3.1	8.8	21.5	51.1	108.8
Female	5.1	18.7	0.3	0.1	0.2	0.4	1.1	3.0	6.7	17.8	49.7	115.1
Nonwhite	5.4	24.6	0.7	0.3	0.4	1.3	3.6	7.7	14.6	27.0	43.5	69.8
Male	5.9	30.1	1.0	0.4	0.5	1.5	3.2	8.1	14.4	32.9	54.0	63.8
Female	4.9	19.2	0.3	0.3	0.3	1.3	4.0	7.3	14.8	21.6	34.0	74.5
Gastritis, duodenitis, enteritis, and colitis, except diarrhea of newborn (543,571,572)	4.4	63.8	3.3	0.2	0.4	0.7	1.1	2.4	4.8	11.4	25.4	55.1
Male	4.6	69.7	3.8	0.3	0.4	0.7	1.1	2.7	5.5	12.3	24.7	54.1
Female	4.2	57.6	2.7	0.2	0.5	0.6	1.1	2.1	4.1	10.7	25.9	55.7
White	3.8	36.3	2.5	0.2	0.4	0.7	1.0	2.3	4.7	11.4	26.1	56.0
Male	3.9	40.8	3.0	0.2	0.4	0.7	1.1	2.7	5.5	12.3	25.5	55.3
Female	3.7	31.6	2.1	0.2	0.5	0.6	1.0	1.9	4.0	10.7	26.6	56.4
Nonwhite	9.5	220.3	7.5	0.4	0.4	0.8	1.7	3.0	5.4	11.3	15.4	44.7
Male	10.4	238.3	9.0	0.5	0.4	0.7	1.7	2.9	5.5	12.1	15.3	41.5
Female	8.6	202.4	5.9	0.3	0.4	0.8	1.8	3.2	5.2	10.6	15.5	47.2
Cirrhosis of liver (581)	11.3	0.8	0.2	0.1	0.3	2.9	11.8	27.6	32.7	37.4	32.1	28.8
Male	15.3	0.8	0.2	0.1	0.2	3.1	14.4	36.8	48.5	57.4	45.1	40.0
Female	7.5	0.9	0.1	0.2	0.3	2.7	9.3	18.6	17.9	20.1	22.0	21.7
White	11.5	0.7	0.2	0.1	0.2	2.1	10.8	27.2	33.1	38.9	33.2	29.7
Male	15.6	0.7	0.2	0.1	0.2	2.3	13.4	36.5	49.2	59.7	46.8	41.7
Female	7.4	0.8	0.1	0.2	0.2	1.8	8.2	18.1	18.0	20.8	22.7	22.2
Nonwhite	10.2	1.3	0.2	0.1	0.6	9.1	21.0	30.9	29.1	20.8	18.0	18.1
Male	12.6	1.3	0.1	0.1	0.5	9.3	23.8	39.1	41.5	30.9	23.3	22.3
Female	7.9	1.3	0.3	0.1	0.7	9.0	18.5	23.1	17.1	11.5	13.1	14.9
Cholelithiasis, cholecystitis, and cholangitis (584,585)	2.6	0.0	0.0	0	0.1	0.2	0.6	1.6	4.2	13.0	31.3	59.0
Male	2.1	0.0	0	0	0.0	0.1	0.4	1.4	3.5	11.9	29.9	48.9
Female	3.0	0	0.0	0	0.1	0.3	0.8	1.8	4.8	13.9	32.3	65.4
White	2.8	0.0	0	0	0.1	0.2	0.6	1.6	4.3	13.4	32.6	62.0
Male	2.3	0.1	0	0	0.0	0.1	0.4	1.4	3.6	12.5	31.3	51.4
Female	3.2	0	0	0	0.1	0.3	0.8	1.7	4.9	14.1	33.5	68.7
Nonwhite	1.2	0	0.0	0	0.1	0.3	0.8	1.8	3.4	8.0	13.9	22.3
Male	0.8	0	0	0	0.1	0.1	0.6	1.2	2.5	4.8	12.7	22.3
Female	1.5	0	0.1	0	0.1	0.5	1.0	2.3	4.2	10.8	14.9	22.3
Acute nephritis, and nephritis with edema including nephrosis (590,591)	0.9	1.1	0.5	0.3	0.4	0.4	0.5	1.0	1.7	2.8	4.6	9.8
Male	1.0	1.4	0.4	0.4	0.5	0.6	0.6	1.2	2.0	3.3	5.9	12.1
Female	0.8	0.7	0.6	0.3	0.3	0.3	0.5	0.9	1.5	2.3	3.7	8.3
White	0.8	0.9	0.4	0.3	0.3	0.4	0.4	0.8	1.4	2.5	4.3	9.7
Male	0.9	1.1	0.4	0.3	0.4	0.5	0.4	0.9	1.7	2.9	5.5	12.4
Female	0.7	0.8	0.5	0.3	0.2	0.2	0.4	0.7	1.2	2.1	3.3	8.0
Nonwhite	1.8	1.8	0.9	0.6	0.7	1.2	1.7	3.1	4.4	5.8	9.8	11.2
Male	2.1	3.3	0.9	0.8	0.7	1.4	2.3	3.8	4.5	7.5	10.7	9.6
Female	1.5	0.3	0.9	0.3	0.8	1.0	1.3	2.5	4.2	4.2	9.0	12.4
Infections of kidney (600)	4.3	1.7	0.1	0.1	0.3	0.9	2.0	4.1	8.4	17.4	40.1	90.7
Male	4.4	2.2	0.1	0.1	0.3	0.7	1.6	3.8	8.5	21.1	49.4	107.9
Female	4.2	1.2	0.1	0.2	0.3	1.1	2.4	4.4	8.3	14.2	32.9	79.7
White	3.9	1.4	0.1	0.1	0.2	0.6	1.4	2.9	6.5	15.6	39.3	92.7
Male	4.0	1.7	0	0.1	0.3	0.5	1.2	2.9	6.7	18.9	48.1	108.8
Female	3.7	1.1	0.1	0.2	0.2	0.8	1.6	3.0	6.3	12.8	32.5	82.6
Nonwhite	7.5	3.3	0.2	0.2	0.7	2.7	7.0	14.7	27.5	38.3	52.0	67.0
Male	7.5	4.6	0.4	0.1	0.7	2.0	5.2	12.5	26.2	46.2	66.7	98.8
Female	7.4	1.9	0	0.3	0.8	3.2	8.6	16.8	28.8	31.1	38.8	42.2
Hyperplasia of prostate (610)	2.5	0	0	0	0	0.0	0.0	0.2	2.0	11.3	40.3	103.0
Male	5.0	0	0	0	0	0.0	0.1	0.5	4.2	24.3	92.3	264.2
White	2.4	0	0	0	0	0.0	0.0	0.1	1.6	10.1	39.4	102.1
Male	4.9	0	0	0	0	0.0	0.0	0.3	3.3	21.8	90.7	264.7
Nonwhite	2.9	0	0	0	0	0	0.1	1.1	6.5	25.0	52.6	113.1
Male	5.9	0	0	0	0	0	0.3	2.4	13.3	52.4	111.4	258.3
Deliveries and complications of pregnancy, childbirth, and the puerperium (640-689)	0.9	...	...	0.0	1.8	2.9	1.9	0.1	0	0	0	0
Female	1.7	...	...	0.0	3.5	5.8	3.7	0.1	0	0	0	0
White	0.6	...	...	0.0	1.2	2.0	1.3	0.0	0	0	0	0
Female	1.2	...	...	0.0	2.4	3.9	2.6	0.1	0	0	0	0
Nonwhite	3.1	...	...	0.1	5.8	10.4	7.1	0.4	0	0	0	0
Female	6.1	...	...	0.2	11.3	19.4	13.6	0.8	0	0	0	0

[1] Figures for age not stated included in "Total" but not distributed among age groups.

Table 1-M. Death Rates for 59 Selected Causes, by Age, Color, and Sex: United States, 1960—Con.

(Data refer only to deaths occurring within the United States, including Alaska and Hawaii. Excludes fetal deaths. Rates per 100,000 population in specified group, enumerated as of April 1. Numbers after causes of death are category numbers of the Seventh Revision of the International Lists, 1955)

CAUSE OF DEATH, COLOR, AND SEX	Total[1]	Under 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over
Deliveries and complications of pregnancy, childbirth, and the puerperium—Con.												
Abortion (650-652)	0.2	...	...	0.0	0.3	0.7	0.2	0.0	0	0	0	0
Female	0.3	...	...	0.0	0.7	1.4	0.4	0.0	0	0	0	0
White	0.1	...	...	0.0	0.2	0.4	0.1	0.0	0	0	0	0
Female	0.2	...	...	0.0	0.3	0.8	0.2	0.0	0	0	0	0
Nonwhite	0.7	...	...	0.0	1.5	2.9	0.7	0.0	0	0	0	0
Female	1.3	...	...	0.0	3.0	5.4	1.4	0.1	0	0	0	0
Other complications of pregnancy, childbirth, and the puerperium (640-649,660-689)	0.7	...	...	0.0	1.4	2.2	1.7	0.1	0	0	0	0
Female	1.4	...	...	0.0	2.8	4.4	3.4	0.1	0	0	0	0
White	0.5	...	...	0.0	1.0	1.5	1.2	0.0	0	0	0	0
Female	1.0	...	...	0.0	2.1	3.0	2.3	0.1	0	0	0	0
Nonwhite	2.4	...	...	0.1	4.3	7.6	6.4	0.3	0	0	0	0
Female	4.8	...	...	0.2	8.3	14.1	12.2	0.7	0	0	0	0
Congenital malformations (750-759)	12.2	374.3	12.9	3.6	2.7	2.0	2.2	2.7	2.9	2.8	2.8	3.2
Male	13.5	407.0	12.9	3.8	3.2	2.2	2.5	3.0	3.0	3.7	3.0	5.5
Female	10.9	340.4	12.9	3.5	2.2	1.9	1.9	2.4	2.8	1.9	2.6	1.8
White	12.0	383.8	12.4	3.7	2.8	2.0	2.1	2.6	2.9	2.8	2.7	3.1
Male	13.3	413.8	12.3	3.9	3.3	2.2	2.5	2.9	2.9	3.8	2.9	5.1
Female	10.8	352.5	12.6	3.5	2.3	1.8	1.8	2.3	2.9	2.0	2.5	1.9
Nonwhite	13.7	319.8	15.6	3.2	2.0	2.5	2.6	3.3	2.6	1.8	3.8	4.2
Male	15.8	366.8	16.4	3.2	2.5	2.3	2.8	3.8	3.6	2.9	4.0	9.6
Female	11.7	273.2	14.8	3.1	1.4	2.6	2.4	2.9	1.6	0.9	3.6	0
Certain diseases of early infancy (760-776)	37.4	1,631.2	0.1	0.0	0.0	0	0	0	0	0	0	0
Male	44.3	1,870.5	0.1	0.0	0	0	0	0	0	0	0	0
Female	30.8	1,383.9	0.1	0.0	0.0	0	0	0	0	0	0	0
White	32.3	1,465.3	0.1	0.0	0.0	0	0	0	0	0	0	0
Male	38.6	1,692.8	0.1	0.0	0	0	0	0	0	0	0	0
Female	26.2	1,228.5	0.0	0.0	0.0	0	0	0	0	0	0	0
Nonwhite	77.2	2,576.7	0.1	0.0	0	0	0	0	0	0	0	0
Male	89.2	2,906.4	0.2	0	0	0	0	0	0	0	0	0
Female	65.8	2,249.1	0.1	0.0	0	0	0	0	0	0	0	0
Birth injuries, postnatal asphyxia, and atelectasis (760-762)	16.6	722.2	0	0	0	0	0	0	0	0	0	0
Male	20.0	845.0	0	0	0	0	0	0	0	0	0	0
Female	13.2	595.3	0	0	0	0	0	0	0	0	0	0
White	14.9	674.3	0	0	0	0	0	0	0	0	0	0
Male	18.1	796.8	0	0	0	0	0	0	0	0	0	0
Female	11.6	546.7	0	0	0	0	0	0	0	0	0	0
Nonwhite	29.8	995.4	0	0	0	0	0	0	0	0	0	0
Male	34.6	1,125.9	0	0	0	0	0	0	0	0	0	0
Female	25.3	865.6	0	0	0	0	0	0	0	0	0	0
Infections of newborn (763-768)	2.7	116.4	0	0	0	0	0	0	0	0	0	0
Male	3.2	133.9	0	0	0	0	0	0	0	0	0	0
Female	2.2	98.3	0	0	0	0	0	0	0	0	0	0
White	2.0	89.3	0	0	0	0	0	0	0	0	0	0
Male	2.4	103.9	0	0	0	0	0	0	0	0	0	0
Female	1.6	74.1	0	0	0	0	0	0	0	0	0	0
Nonwhite	8.1	270.8	0	0	0	0	0	0	0	0	0	0
Male	9.5	308.9	0	0	0	0	0	0	0	0	0	0
Female	6.8	232.9	0	0	0	0	0	0	0	0	0	0
Other diseases peculiar to early infancy, and immaturity unqualified (769-776)	18.2	792.6	0.1	0.0	0.0	0	0	0	0	0	0	0
Male	21.1	891.5	0.1	0.0	0	0	0	0	0	0	0	0
Female	15.3	690.3	0.1	0.0	0.0	0	0	0	0	0	0	0
White	15.5	701.7	0.1	0.0	0.0	0	0	0	0	0	0	0
Male	18.0	792.1	0.1	0.0	0	0	0	0	0	0	0	0
Female	13.0	607.7	0.0	0.0	0.0	0	0	0	0	0	0	0
Nonwhite	39.3	1,310.5	0.1	0.0	0	0	0	0	0	0	0	0
Male	45.2	1,471.5	0.2	0	0	0	0	0	0	0	0	0
Female	33.7	1,150.5	0.1	0.0	0	0	0	0	0	0	0	0
Symptoms, senility, and ill-defined conditions (780-795)	11.4	61.2	2.8	0.5	1.3	2.6	4.7	10.0	18.0	33.3	81.6	309.3
Male	13.6	67.7	3.2	0.6	1.5	2.9	5.7	13.9	25.3	46.2	106.6	325.4
Female	9.2	54.5	2.4	0.4	1.0	2.2	3.6	6.3	11.1	22.0	62.2	299.0
White	8.3	27.8	1.6	0.4	0.9	1.6	3.2	7.0	12.7	24.1	65.1	261.4
Male	10.1	31.4	1.8	0.4	1.2	1.8	4.1	10.2	19.3	35.2	85.7	270.8
Female	6.4	24.0	1.3	0.3	0.7	1.4	2.2	3.8	6.6	14.4	49.3	255.6
Nonwhite	35.5	251.9	10.2	1.7	3.8	9.6	17.4	38.0	71.2	140.8	306.2	882.2
Male	41.0	279.5	11.3	2.1	4.2	11.5	19.9	47.5	85.2	171.1	368.3	902.4
Female	30.3	224.5	9.0	1.2	3.4	8.1	15.2	29.0	57.7	113.1	250.6	866.5
All other diseases (Residual)	38.5	101.9	11.9	4.7	6.6	10.0	19.2	38.5	77.6	151.7	255.7	462.1
Male	48.0	120.4	13.2	5.0	7.7	10.9	21.3	48.9	108.5	219.1	338.5	558.7
Female	29.4	82.8	10.5	4.5	5.5	9.2	17.2	28.3	48.7	93.0	191.4	400.4
White	38.1	90.1	11.2	4.6	5.9	8.0	16.3	35.3	76.0	152.1	259.7	471.2
Male	47.6	107.4	12.5	4.9	7.0	8.9	18.1	45.2	107.2	220.4	345.0	569.9
Female	28.8	72.1	9.9	4.4	4.7	7.0	14.5	25.7	46.8	92.9	194.2	409.2
Nonwhite	42.2	169.1	15.8	5.2	11.5	25.8	44.4	67.5	94.5	147.0	201.0	353.2
Male	50.9	196.2	17.7	5.4	12.4	27.2	49.6	83.4	121.2	204.4	258.2	440.0
Female	34.1	142.3	13.9	5.0	10.6	24.7	39.8	52.4	68.5	94.5	149.8	285.5
Accidents (E800-E962)	52.3	93.2	31.6	19.3	56.0	43.0	40.9	49.8	59.0	88.1	214.5	624.7
Male	72.8	103.0	35.9	26.6	93.0	72.0	65.8	77.6	88.2	119.8	236.4	581.9
Female	32.4	83.0	27.2	11.7	19.7	15.1	17.2	22.7	31.5	60.6	197.5	652.1
White	50.5	76.4	27.5	17.7	55.8	40.5	37.8	46.5	56.0	86.4	217.4	646.8
Male	70.0	85.6	31.8	24.8	92.2	67.7	60.8	72.3	84.2	117.7	238.7	600.5
Female	31.5	66.7	23.0	10.4	19.7	14.0	15.7	21.4	29.6	59.3	201.0	675.9
Nonwhite	66.1	188.8	55.8	29.2	57.9	61.6	67.7	80.2	89.4	107.8	174.8	360.1
Male	95.0	204.3	60.0	38.6	98.8	106.1	110.4	127.8	129.1	142.8	206.8	385.8
Female	38.7	173.5	51.5	19.9	19.6	23.1	29.3	34.8	51.0	75.8	146.2	340.2

[1]Figures for age not stated included in "Total" but not distributed among age groups.

Table 1-M. Death Rates for 59 Selected Causes, by Age, Color, and Sex: United States, 1960—Con.

(Data refer only to deaths occurring within the United States, including Alaska and Hawaii. Excludes fetal deaths. Rates per 100,000 population in specified group, enumerated as of April 1. Numbers after causes of death are category numbers of the Seventh Revision of the International Lists, 1955)

CAUSE OF DEATH, COLOR, AND SEX	Total[1]	Under 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over
Accidents—Con.												
Motor vehicle accidents (E810-E835)	21.3	8.1	10.0	7.9	38.0	24.3	19.3	21.4	25.1	31.4	41.8	37.9
Male	31.8	8.6	11.5	10.4	61.2	40.1	29.9	31.6	35.6	45.8	66.6	62.7
Female	11.0	7.5	8.4	5.4	15.1	9.2	9.1	11.6	15.2	19.0	23.0	22.0
White	21.2	8.1	9.8	7.9	39.0	23.6	18.5	20.4	24.5	31.5	42.5	37.5
Male	31.5	8.8	11.3	10.3	62.7	38.6	28.4	29.7	34.4	45.5	66.8	61.9
Female	11.2	7.5	8.3	5.3	15.6	9.0	8.9	11.4	15.3	19.3	23.8	22.2
Nonwhite	21.9	7.7	11.2	8.3	30.3	29.5	26.2	30.5	30.7	30.9	32.4	41.9
Male	34.4	7.5	13.1	10.7	50.7	51.7	43.1	49.1	47.6	49.1	56.0	70.2
Female	10.1	7.8	9.4	5.9	11.2	10.3	11.0	12.8	14.4	14.4	11.3	19.9
Other accidents (E800-E802, E840-E962)	31.0	85.1	21.6	11.3	18.1	18.6	21.7	28.4	33.9	56.7	172.7	586.8
Male	41.1	94.4	24.3	16.3	31.7	31.9	35.9	46.1	52.6	74.0	170.3	519.2
Female	21.3	75.5	18.7	6.3	4.6	5.9	8.0	11.2	16.3	41.6	174.5	630.0
White	29.4	68.2	17.7	9.9	16.7	16.9	19.3	26.1	31.5	54.9	174.9	609.2
Male	38.6	76.8	20.6	14.5	29.5	29.1	32.4	42.6	49.7	72.3	171.9	538.5
Female	20.4	59.3	14.7	5.0	4.1	5.0	6.8	10.0	14.4	39.9	177.2	653.7
Nonwhite	44.1	181.2	44.5	20.9	27.6	32.1	41.5	49.7	58.7	76.9	142.4	318.3
Male	60.6	196.8	46.9	27.8	48.1	54.4	67.3	78.8	81.5	93.8	150.8	315.7
Female	28.6	165.7	42.2	14.0	8.4	12.8	18.3	22.0	36.7	61.4	134.9	320.3
Suicide (E963, E970-E979)	10.6	0	0	0.3	5.2	10.0	14.2	20.7	23.7	23.0	27.9	26.0
Male	16.5	0	0	0.4	8.2	14.7	21.0	31.6	38.1	39.6	52.5	57.4
Female	4.9	0	0	0.1	2.2	5.5	7.7	10.2	10.2	8.4	8.9	6.0
White	11.4	0	0	0.3	5.4	10.3	14.9	22.1	25.0	24.2	29.4	27.4
Male	17.6	0	0	0.5	8.6	14.9	21.9	33.7	40.2	42.0	55.7	61.3
Female	5.3	0	0	0.1	2.3	5.8	8.1	10.9	10.9	8.8	9.2	6.1
Nonwhite	4.5	0	0	0.1	3.4	7.9	8.3	7.9	10.0	8.0	7.6	9.8
Male	7.2	0	0	0.1	5.3	12.9	13.5	12.8	16.9	12.6	11.3	15.9
Female	2.0	0	0	0.0	1.5	3.5	3.7	3.2	3.4	3.8	4.2	5.0
Homicide (E964, E980-E985)	4.7	4.8	0.7	0.5	5.9	9.7	8.1	6.2	4.2	2.8	2.4	2.4
Male	7.1	4.7	0.7	0.5	9.1	14.9	12.3	9.6	6.6	4.6	3.7	3.6
Female	2.4	4.9	0.7	0.4	2.8	4.6	4.1	2.9	2.0	1.3	1.3	1.6
White	2.5	3.7	0.6	0.4	3.0	4.1	3.8	3.5	2.9	2.2	1.8	2.0
Male	3.6	3.8	0.6	0.4	4.4	6.2	5.5	5.0	4.3	3.4	2.7	2.7
Female	1.4	3.5	0.5	0.3	1.5	2.0	2.2	1.9	1.5	1.1	1.2	1.5
Nonwhite	21.9	11.6	1.7	1.2	27.0	51.6	44.6	31.4	17.7	10.5	9.4	7.0
Male	34.5	10.1	1.6	1.4	43.7	84.7	72.3	51.5	29.1	18.6	16.7	12.8
Female	9.9	13.0	1.7	1.0	11.3	22.9	19.6	12.3	8.6	3.1	3.0	2.5

[1]Figures for age not stated included in "Total" but not distributed among age groups.

Table 1-N. Death Rates by Color and Sex, for Metropolitan and Nonmetropolitan Counties: United States, 1950 and 1960

(By place of residence. Data refer only to deaths occurring within the United States. Alaska and Hawaii included for 1960. Excludes fetal deaths. Rates per 1,000 population in specified group, enumerated as of April 1 of each year. Counties are classified as metropolitan or nonmetropolitan according to 1950 and 1960 definitions, respectively; see Technical Appendix)

AREA, YEAR, AND SEX	Total	White	Nonwhite
BOTH SEXES			
United States:			
1960	9.5	9.5	10.1
1950	9.6	9.5	11.2
Metropolitan counties:			
1960	9.3	9.3	9.6
1950	9.7	9.5	11.2
Nonmetropolitan counties:			
1960	10.0	9.8	11.0
1950	9.6	9.3	11.2
MALE			
United States:			
1960	11.0	11.0	11.5
1950	11.1	10.9	12.5
Metropolitan counties:			
1960	10.7	10.7	11.0
1950	11.1	11.0	12.6
Nonmetropolitan counties:			
1960	11.6	11.5	12.4
1950	11.0	10.8	12.4
FEMALE			
United States:			
1960	8.1	8.0	8.7
1950	8.2	8.0	9.9
Metropolitan counties:			
1960	8.0	7.9	8.3
1950	8.3	8.2	9.8
Nonmetropolitan counties:			
1960	8.3	8.2	9.6
1950	8.1	7.8	10.1

Table 1-O. Death Rates by Color, for Urban and Rural Areas, and Population-Size Groups in Metropolitan and Nonmetropolitan Counties: United States, 1960

(By place of residence. Data refer only to deaths occurring within the United States, including Alaska and Hawaii. Excludes fetal deaths. Rates per 1,000 population in specified group, enumerated as of April 1. For definitions of areas, see Technical Appendix)

AREA	Total	White	Nonwhite
UNITED STATES	9.5	9.5	10.1
Urban	10.3	10.3	10.3
Places of 1,000,000 or more	11.5	12.0	9.4
Places of 500,000 to 1,000,000	11.2	11.7	9.7
Places of 250,000 to 500,000	10.8	10.8	9.9
Places of 100,000 to 250,000	10.4	10.3	10.5
Places of 50,000 to 100,000	9.8	9.7	10.5
Places of 25,000 to 50,000	9.2	9.1	11.0
Places of 10,000 to 25,000	9.3	9.1	11.8
Places of 2,500 to 10,000	10.5	10.3	12.8
Rural	8.4	8.2	9.6
Metropolitan counties	9.3	9.3	9.6
Urban	10.1	10.2	9.8
Places of 1,000,000 or more	11.5	12.0	9.4
Places of 500,000 to 1,000,000	11.2	11.7	9.7
Places of 250,000 to 500,000	10.6	10.8	9.9
Places of 100,000 to 250,000	10.4	10.3	10.5
Places of 50,000 to 100,000	9.8	9.8	10.5
Places of 25,000 to 50,000	8.2	8.2	8.8
Places of 10,000 to 25,000	8.1	8.0	9.8
Places of 2,500 to 10,000	8.6	8.6	10.0
Rural	6.8	6.7	8.2
Nonmetropolitan counties	10.0	9.8	11.0
Urban	11.0	10.7	12.8
Places of 50,000 to 100,000[1]	6.3	6.3	3.9
Places of 25,000 to 50,000	10.5	10.3	12.2
Places of 10,000 to 25,000	10.5	10.3	12.6
Places of 2,500 to 10,000	11.6	11.5	13.4
Rural	9.4	9.3	10.1

[1]Rates are for Woodbridge township, Middlesex county, New Jersey. This township is classified as urban under special rule relating to population size and density, although Middlesex County is not included in a standard metropolitan statistical area and therefore is a nonmetropolitan county.

Table 1-P. Death Rates for Geographic Divisions: United States, 1900-1960

(By place of occurrence. Prior to 1933, data for death-registration States only. Excludes fetal deaths. Rates per 1,000 population in each area, enumerated as of April 1 for 1940, 1950, and 1960 and estimated as of July 1 for all other years. Average rates computed from 5-year totals of deaths occurring in the area and corresponding population. Rates are shown for each division from the period when the division as a whole became part of the area)

YEAR	United States[1]	GEOGRAPHIC DIVISION								
		New England	Middle Atlantic	East North Central	West North Central	South Atlantic	East South Central	West South Central	Mountain	Pacific[1]
1960	9.5	10.6	10.4	9.5	10.2	9.2	9.6	8.7	8.2	8.7
1959	9.4	10.5	10.4	9.4	10.0	8.8	9.2	8.4	8.1	8.6
1958	9.5	10.8	10.5	9.5	10.0	9.0	9.6	8.5	8.1	8.7
1957	9.6	10.8	10.6	9.8	10.1	9.0	9.4	8.5	8.2	8.8
1956	9.4	10.6	10.3	9.5	9.7	8.7	9.0	8.3	8.1	8.8
1955	9.3	10.8	10.3	9.5	9.6	8.6	8.9	7.9	8.2	8.8
1950-54	9.5	10.6	10.4	9.8	10.0	8.8	9.1	8.3	8.7	9.1
1945-49	10.0	11.0	10.9	10.3	10.5	9.1	9.4	8.6	9.7	9.9
1940-44	10.6	11.8	11.5	10.9	10.6	9.9	9.9	9.0	10.4	10.9
1935-39	11.0	11.8	11.2	11.1	10.6	11.1	10.8	9.9	11.3	11.7
1930-34	11.0	11.8	11.3	10.9	10.4	11.4	10.8	---	11.1	11.2
1925-29	11.7	12.4	12.4	11.6	---	---	11.7	---	---	11.6
1920-24	12.0	13.0	12.8	11.5	---	---	---	---	---	12.0
1915-19	14.5	16.0	15.8	---	---	---	---	---	---	---
1910-14	13.8	15.4	15.0	---	---	---	---	---	---	---
1905-09	15.2	16.2	---	---	---	---	---	---	---	---
1900-1904	16.2	16.8	---	---	---	---	---	---	---	---

[1]Alaska included beginning 1959, and Hawaii, 1960.

Table 1-Q. Crude and Age-Adjusted Death Rates: United States, Each Division and State, 1940, 1950, and 1960, With Percent Decreases

(By place of residence. Data refer only to deaths occurring within the United States. Excludes fetal deaths. Rates per 1,000 population in each area. Crude rates based on population enumerated as of April 1 of each year; age-adjusted rates computed by the direct method using as the standard population the age distribution of the population of the United States as enumerated in 1940. Plus sign (+) denotes increase)

DIVISION AND STATE	CRUDE DEATH RATES						AGE-ADJUSTED DEATH RATES					
				Percent decrease						Percent decrease		
	1960	1950	1940	1940 to 1960	1950 to 1960	1940 to 1950	1960	1950	1940	1940 to 1960	1950 to 1960	1940 to 1950
UNITED STATES[1]	9.5	9.6	10.8	12.0	1.0	11.1	7.6	8.4	10.8	29.6	9.5	22.2
GEOGRAPHIC DIVISION:												
New England	10.6	10.4	11.7	9.4	+1.9	11.1	7.4	7.9	10.2	27.5	6.3	22.5
Middle Atlantic	10.5	10.5	11.2	6.2	0	6.2	7.9	8.8	11.1	28.8	10.2	20.7
East North Central	9.6	10.0	11.0	12.7	4.0	9.1	7.6	8.4	10.4	26.9	9.5	19.2
West North Central	10.1	10.1	10.3	1.9	0	1.9	6.9	7.6	9.0	23.3	9.2	15.6
South Atlantic	9.1	8.9	10.5	13.3	+2.2	15.2	8.1	9.1	12.0	32.5	11.0	24.2
East South Central	9.5	9.1	10.4	8.7	+4.4	12.5	8.0	8.9	11.6	31.0	10.1	23.3
West South Central	8.7	8.4	9.7	10.3	+3.6	13.4	7.4	8.1	10.8	31.5	8.6	25.0
Mountain	8.1	8.6	10.2	20.6	5.8	15.7	7.3	8.2	10.6	31.1	11.0	22.6
Pacific[1]	8.7	9.3	11.5	24.3	6.5	19.1	7.1	7.9	10.1	29.7	10.1	21.8
NEW ENGLAND:												
Maine	11.1	10.8	12.5	11.2	+2.8	13.6	7.6	8.0	10.2	25.5	5.0	21.6
New Hampshire	11.0	11.4	12.7	13.4	3.5	10.2	7.4	8.0	10.0	26.0	7.5	20.0
Vermont	11.4	11.0	13.0	12.3	+3.6	15.4	7.5	7.9	10.4	27.9	5.1	24.0
Massachusetts	11.0	10.5	11.8	6.8	+4.8	11.0	7.5	7.8	10.3	27.2	3.9	24.3
Rhode Island	10.5	10.5	11.2	6.2	0	6.2	7.5	8.5	10.6	29.2	11.8	19.8
Connecticut	9.4	9.5	10.6	11.3	1.1	10.4	7.2	7.7	10.0	28.0	6.5	23.0
MIDDLE ATLANTIC:												
New York	10.6	10.5	11.1	4.5	+1.0	5.4	7.9	8.7	11.0	28.2	9.2	20.9
New Jersey	9.8	10.2	11.0	10.9	3.9	7.3	7.8	8.6	11.0	29.1	9.3	21.8
Pennsylvania	10.7	10.5	11.3	5.3	+1.9	7.1	8.0	8.9	11.4	29.8	10.1	21.9
EAST NORTH CENTRAL:												
Ohio	9.6	10.1	11.4	15.8	5.0	11.4	7.6	8.2	10.5	27.6	7.3	21.9
Indiana	9.7	10.3	11.8	17.8	5.8	12.7	7.5	8.3	10.4	27.9	9.6	20.2
Illinois	10.2	10.6	11.3	9.7	3.8	6.2	7.8	8.7	10.8	27.8	10.3	19.4
Michigan	8.7	9.1	9.9	12.1	4.4	8.1	7.6	8.4	10.2	25.5	9.5	17.6
Wisconsin	9.7	9.8	10.1	4.0	1.0	3.0	7.1	7.8	9.2	22.8	9.0	15.2
WEST NORTH CENTRAL:												
Minnesota	9.3	9.4	9.4	1.1	1.1	0	6.7	7.3	8.6	22.1	8.2	15.1
Iowa	10.4	10.3	10.4	0	+1.0	1.0	6.6	7.3	8.6	23.3	9.6	15.1
Missouri	11.2	11.1	11.6	3.4	+0.9	4.3	7.4	8.2	10.1	26.7	9.8	18.8
North Dakota	8.6	8.4	8.2	+4.9	+2.4	+2.4	6.7	7.5	8.6	22.1	10.7	12.8
South Dakota	9.7	9.0	8.9	+9.0	+7.8	+1.1	7.1	7.5	8.6	17.4	5.3	12.8
Nebraska	10.0	9.5	9.6	+4.2	+5.3	1.0	6.6	7.1	8.5	22.4	7.0	16.5
Kansas	9.7	10.0	10.3	5.8	3.0	2.9	6.6	7.3	8.7	24.1	9.6	16.1
SOUTH ATLANTIC:												
Delaware	9.4	11.0	12.3	23.6	14.5	10.6	8.2	9.5	11.4	28.1	13.7	16.7
Maryland	9.0	9.6	12.1	25.6	6.2	20.7	8.4	9.2	12.2	31.1	8.7	24.6
District of Columbia	11.5	10.7	12.2	5.7	+7.5	12.3	9.1	9.9	12.5	27.2	8.1	20.8
Virginia	8.7	9.0	11.1	21.6	3.3	18.9	8.1	9.2	12.3	34.1	12.0	25.2
West Virginia	9.7	8.7	9.3	+4.3	+11.5	6.5	7.7	8.6	10.7	28.0	10.5	19.6
North Carolina	8.4	7.7	8.9	5.6	+9.1	13.5	8.3	8.7	11.3	26.5	4.6	23.0
South Carolina	8.7	8.5	10.7	18.7	+2.3	20.6	9.2	10.0	13.5	31.9	8.0	25.9
Georgia	9.0	8.8	10.4	13.5	+2.3	15.4	8.5	9.3	12.3	30.9	8.6	24.4
Florida	9.7	9.6	11.4	14.9	+1.0	15.8	7.3	8.4	11.6	37.1	13.1	27.6
EAST SOUTH CENTRAL:												
Kentucky	9.9	9.5	10.5	5.7	+4.2	9.5	7.7	8.5	10.8	28.7	9.4	21.3
Tennessee	9.2	8.9	10.1	8.9	+3.4	11.9	7.7	8.7	11.2	31.2	11.5	22.3
Alabama	9.3	8.8	10.4	10.6	+5.7	15.4	8.3	9.1	12.5	33.6	8.8	27.2
Mississippi	10.0	9.5	10.7	6.5	+5.3	11.2	8.3	9.5	12.3	32.5	12.6	22.8
WEST SOUTH CENTRAL:												
Arkansas	10.0	8.1	8.8	+13.6	+23.5	8.0	7.3	7.5	9.9	26.3	2.7	24.2
Louisiana	9.1	8.8	10.8	15.7	+3.4	18.5	8.4	9.0	12.6	33.3	6.7	28.6
Oklahoma	9.8	8.7	8.9	+10.1	+12.6	2.2	7.0	7.4	9.6	27.1	5.4	22.9
Texas	8.1	8.2	9.8	17.3	1.2	16.3	7.2	8.1	10.9	33.9	11.1	25.7
MOUNTAIN:												
Montana	9.7	9.9	10.3	5.8	2.0	3.9	7.7	8.4	10.3	25.2	8.3	18.4
Idaho	8.1	8.2	9.4	13.8	1.2	12.8	6.8	7.7	9.9	31.3	11.7	22.2
Wyoming	8.5	8.0	8.6	1.2	+6.3	7.0	7.7	8.2	9.8	21.4	6.1	16.3
Colorado	8.7	9.3	10.9	20.2	6.5	14.7	7.0	7.6	10.2	31.4	7.9	25.5
New Mexico	6.9	8.0	10.3	33.0	13.7	22.3	7.5	8.7	11.4	34.2	13.8	23.7
Arizona	7.8	8.6	11.1	29.7	9.3	22.5	7.6	8.8	12.3	38.2	13.6	28.5
Utah	6.8	7.2	8.8	22.7	5.6	18.2	6.7	7.5	9.9	32.3	10.7	24.2
Nevada	8.9	9.9	12.7	29.9	10.1	22.0	8.8	9.5	12.8	31.2	7.4	25.8
PACIFIC:												
Washington	9.3	9.5	11.6	19.8	2.1	18.1	7.0	7.8	10.0	30.0	10.3	22.0
Oregon	9.5	9.2	11.2	15.2	+3.3	17.9	7.0	7.6	9.5	26.3	7.9	20.0
California	8.6	9.3	11.5	25.2	7.5	19.1	7.1	7.9	10.3	31.1	10.1	23.3
Alaska[2]	5.8	(9.7)	---	...	(40.2)	...	8.6	(11.9)	---	...	(27.7)	...
Hawaii[3]	5.6	(5.8)	(7.3)	(23.3)	(3.4)	(20.5)	6.9	(7.9)	(11.2)	(38.4)	(12.7)	(29.8)

[1]For 1940 and 1950, rates based on totals excluding Alaska and Hawaii; percent decreases for all periods exclude figures for these two States.
[2]Figures for 1950 are by place of occurrence.
[3]Figures for 1940 and 1950 are by place of occurrence.

Table 1-R. Death Rates: United States, Each Division and State, 1950-60

(By place of residence. Data refer only to deaths occurring within the United States. Excludes fetal deaths. Rates per 1,000 population in each area, enumerated as of April 1 for 1950 and 1960, and estimated as of July 1 for all other years)

DIVISION AND STATE	1960	1959	1958	1957	1956	1955	1954	1953	1952	1951	1950
UNITED STATES[1]	9.5	9.4	9.5	9.6	9.4	9.3	9.2	9.6	9.6	9.7	9.6
White[1]	9.5	9.3	9.4	9.5	9.3	9.2	9.1	9.4	9.4	9.5	9.5
Nonwhite[1]	10.1	9.9	10.3	10.5	10.1	10.0	10.1	10.8	11.0	11.1	11.2
GEOGRAPHIC DIVISIONS:											
New England	10.6	10.5	10.9	10.8	10.7	10.8	10.3	10.6	10.8	11.1	10.4
Middle Atlantic	10.5	10.5	10.5	10.7	10.3	10.3	10.0	10.5	10.5	10.5	10.5
East North Central	9.6	9.5	9.6	9.8	9.6	9.6	9.4	10.0	10.0	10.1	10.0
West North Central	10.1	9.9	10.0	10.1	9.6	9.6	9.7	10.1	10.1	9.9	10.1
South Atlantic	9.1	8.8	8.9	8.9	8.6	8.5	8.4	8.6	8.8	8.6	8.9
East South Central	9.5	9.2	9.5	9.3	9.0	8.9	8.8	9.1	9.2	9.1	9.1
West South Central	8.7	8.4	8.5	8.5	8.3	8.0	8.2	8.3	8.2	8.5	8.4
Mountain	8.1	8.0	7.9	8.1	7.9	8.0	8.0	8.4	8.6	8.8	8.6
Pacific[1]	8.7	8.6	8.7	8.8	8.8	8.8	8.7	9.0	9.2	9.4	9.3
NEW ENGLAND:											
Maine	11.1	11.3	11.1	10.8	10.9	11.1	10.9	10.9	10.9	11.0	10.8
New Hampshire	11.0	11.2	11.2	11.6	11.4	11.6	11.1	11.1	11.5	11.7	11.4
Vermont	11.4	11.3	11.3	11.7	11.7	11.4	10.8	10.7	11.0	11.3	11.0
Massachusetts	11.0	10.7	[2]11.4	11.2	11.0	11.1	10.7	10.9	11.2	11.7	10.5
Rhode Island	10.5	10.3	10.3	10.1	10.0	10.5	10.0	10.2	10.3	10.5	10.5
Connecticut	9.4	9.4	9.7	9.9	9.7	9.8	9.3	9.7	9.8	9.9	9.5
MIDDLE ATLANTIC:											
New York	10.6	10.6	10.6	10.7	10.3	10.3	10.1	10.6	10.5	10.5	10.5
New Jersey	9.8	9.8	10.0	10.3	9.9	10.1	9.8	10.3	10.2	10.1	10.2
Pennsylvania	10.7	10.6	10.7	10.9	10.6	10.5	10.1	10.6	10.5	10.7	10.5
EAST NORTH CENTRAL:											
Ohio	9.6	9.5	9.7	9.8	9.6	9.5	9.2	10.0	10.3	10.3	10.1
Indiana	9.7	9.6	9.6	9.7	9.6	9.6	9.4	9.9	10.0	10.0	10.3
Illinois	10.2	10.2	10.3	10.7	10.4	10.4	10.2	10.8	10.6	10.7	10.6
Michigan	8.7	8.6	8.6	8.8	8.7	8.7	8.6	9.1	9.0	9.2	9.1
Wisconsin	9.7	9.5	9.7	9.7	9.5	9.6	9.4	10.0	9.8	9.8	9.8
WEST NORTH CENTRAL:											
Minnesota	9.3	9.1	9.2	9.4	9.1	9.0	8.9	9.6	9.2	9.2	9.4
Iowa	10.4	10.3	10.2	10.2	9.7	10.0	9.8	10.2	10.1	10.1	10.3
Missouri	11.2	10.9	11.0	11.1	10.5	10.2	10.7	11.1	11.2	10.9	11.1
North Dakota	8.6	8.5	8.4	8.7	8.3	8.4	8.1	8.4	8.1	8.4	8.4
South Dakota	9.7	9.3	9.3	9.2	8.8	8.8	8.7	8.9	8.9	8.9	9.0
Nebraska	10.0	9.9	9.9	9.9	9.5	9.6	9.7	10.2	10.0	9.8	9.5
Kansas	9.7	9.5	9.5	9.6	9.3	9.2	9.5	9.7	9.9	9.8	10.0
SOUTH ATLANTIC:											
Delaware	9.4	9.0	9.6	9.4	9.1	9.7	9.5	10.2	10.4	10.4	11.0
Maryland	9.0	8.9	9.1	9.2	8.8	8.7	8.7	9.2	9.6	8.7	9.8
District of Columbia	11.5	11.5	11.7	11.6	11.1	10.4	9.7	10.3	10.5	10.4	10.7
Virginia	8.7	8.5	8.5	8.6	8.5	8.5	8.4	8.5	8.7	8.7	9.0
West Virginia	9.7	9.5	9.4	9.5	9.0	8.8	8.4	8.5	8.7	8.5	8.7
North Carolina	8.4	8.0	8.0	7.9	7.6	7.5	7.6	7.6	7.8	7.6	7.7
South Carolina	8.7	8.4	8.4	8.2	8.0	8.0	7.9	8.3	8.4	8.2	8.5
Georgia	9.0	8.6	8.6	8.7	8.4	8.4	8.4	8.6	8.5	8.7	8.8
Florida	9.7	9.3	9.5	9.4	9.4	9.1	9.1	9.3	9.4	9.4	9.6
EAST SOUTH CENTRAL:											
Kentucky	9.9	9.5	9.8	9.9	9.6	9.5	9.2	9.5	9.7	9.3	9.5
Tennessee	9.2	9.0	9.3	9.0	8.6	8.5	8.5	8.8	8.8	8.8	8.9
Alabama	9.3	8.9	9.2	8.9	8.7	8.5	8.6	8.8	8.8	8.9	8.8
Mississippi	10.0	9.7	10.2	9.6	9.3	9.4	9.3	9.6	9.5	9.6	9.5
WEST SOUTH CENTRAL:											
Arkansas	10.0	9.4	9.6	9.3	9.0	8.6	8.5	8.5	8.4	8.2	8.1
Louisiana	9.1	8.8	9.1	9.0	8.7	8.3	8.4	8.8	8.7	8.9	8.8
Oklahoma	9.8	9.6	9.6	9.5	9.4	9.0	9.4	9.3	9.0	9.2	8.7
Texas	8.1	7.8	7.9	8.0	7.8	7.5	7.7	7.9	7.8	8.3	8.2
MOUNTAIN:											
Montana	9.7	9.9	9.4	9.8	10.0	9.9	9.9	10.1	10.1	10.0	9.9
Idaho	8.1	8.3	8.1	8.3	8.1	8.2	8.4	8.5	8.4	8.5	8.2
Wyoming	8.5	8.1	7.9	8.1	7.9	7.8	8.1	8.0	8.4	8.0	8.0
Colorado	8.7	8.6	8.5	8.5	8.3	8.4	8.5	8.9	9.4	9.5	9.3
New Mexico	6.9	6.7	6.8	7.0	6.7	6.9	6.9	7.2	7.3	7.7	8.0
Arizona	7.8	7.7	7.7	7.8	7.8	7.9	7.7	8.7	8.7	9.0	8.6
Utah	6.8	6.7	6.8	6.9	6.7	6.7	6.8	7.0	7.2	7.2	7.2
Nevada	8.9	8.6	8.7	8.3	8.1	8.3	8.4	9.6	9.4	9.9	9.9
PACIFIC:											
Washington	9.3	9.3	9.2	9.2	9.0	9.3	9.2	9.4	9.4	9.6	9.5
Oregon	9.5	9.5	8.9	9.0	8.9	9.1	8.9	9.0	9.2	9.3	9.2
California	8.6	8.4	8.5	8.7	8.7	8.7	8.6	8.9	9.2	9.3	9.3
Alaska[3]	5.8	5.2	(5.4)	(5.5)	(5.6)	(5.4)	(5.5)	(6.1)	(6.4)	(8.3)	(9.7)
Hawaii[4]	5.6	(5.4)	(5.3)	(5.9)	(5.6)	(5.9)	(5.9)	(5.7)	(5.6)	(5.6)	(5.8)

[1] Excludes Alaska prior to 1959, and Hawaii prior to 1960.
[2] There were 1,822 deaths reported for Massachusetts which were counted twice. Figures have not been corrected for this error. The correct resident death rate is probably between 11.0 and 11.4.
[3] Figures for 1950-58 are by place of occurrence.
[4] Figures for 1950-59 are by place of occurrence.

Table 1-S. Deaths by Age: United States, Each Division and State, 1960

(By place of residence. Includes only deaths occurring within the United States, including Alaska and Hawaii. Excludes fetal deaths)

DIVISION AND STATE	Total	Under 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over	Not stated
UNITED STATES	1,711,982	110,873	17,682	16,537	25,533	33,414	72,103	154,876	270,197	420,312	405,209	184,526	720
GEOGRAPHIC DIVISIONS:													
New England	111,593	5,261	738	788	1,100	1,413	3,712	8,723	17,063	29,045	29,208	14,487	55
Middle Atlantic	358,596	17,846	2,740	2,573	3,640	5,742	13,985	33,033	61,801	96,125	85,341	35,656	116
East North Central	347,920	21,078	3,300	3,110	4,660	6,150	13,547	30,148	54,264	87,347	85,086	39,182	48
West North Central	156,100	8,491	1,322	1,426	2,150	2,362	4,659	10,979	21,216	37,879	43,299	22,265	52
South Atlantic	235,819	19,221	3,039	2,846	4,398	6,296	13,241	25,416	39,878	54,265	47,146	19,931	142
East South Central	114,904	9,501	1,528	1,437	2,302	2,710	5,303	10,725	17,060	26,081	26,172	11,964	121
West South Central	147,982	12,496	2,213	1,879	2,905	3,447	6,520	13,805	23,121	33,733	32,629	15,163	71
Mountain	55,349	5,177	940	771	1,377	1,473	2,689	4,951	7.769	12,310	12,168	5,671	53
Pacific	183,719	11,802	1,862	1,707	3,001	3,821	8,447	17,096	28,025	43,529	44,160	20,207	62
NEW ENGLAND:													
Maine	10,761	592	93	87	149	131	341	750	1,507	2,559	2,951	1,592	9
New Hampshire	6,662	327	47	56	88	98	168	453	965	1,678	1,827	955	-
Vermont	4,428	227	39	33	51	54	131	321	559	1,009	1,234	769	1
Massachusetts	56,838	2,490	317	384	499	667	1,873	4,437	8,871	14,839	15,003	7,436	22
Rhode Island	9,005	428	77	50	63	106	264	720	1,454	2,446	2,367	1,024	6
Connecticut	23,899	1,197	165	178	250	357	935	2,042	3,707	6,514	5,826	2,711	17
MIDDLE ATLANTIC:													
New York	177,896	8,673	1,419	1,299	1,828	3,100	6,808	16,491	31,075	47,786	41,890	17,457	70
New Jersey	59,462	3,251	496	414	589	935	2,508	5,717	10,357	15,981	13,531	5,664	19
Pennsylvania	121,238	5,922	825	860	1,223	1,707	4,669	10,825	20,369	32,356	29,920	12,535	27
EAST NORTH CENTRAL:													
Ohio	93,466	5,547	814	803	1,133	1,668	3,603	8,037	14,112	22,935	23,574	11,231	9
Indiana	45,369	2,689	428	464	676	762	1,671	3,673	6,560	10,933	11,782	5,703	28
Illinois	103,028	5,968	948	824	1,251	1,851	4,266	9,453	17,050	26,516	24,116	10,781	4
Michigan	67,911	4,704	716	694	1,000	1,289	2,851	6,257	11,023	17,171	15,540	6,662	4
Wisconsin	38,146	2,170	394	325	600	580	1,156	2,728	5,519	9,792	10,074	4,805	3
WEST NORTH CENTRAL:													
Minnesota	31,674	1,890	312	321	424	447	958	2,257	4,357	7,955	8,539	4,206	8
Iowa	28,770	1,404	225	240	373	359	739	1,730	3,865	6,906	8,445	4,678	6
Missouri	48,350	2,420	361	345	631	773	1,569	3,681	7,084	11,889	13,086	6,485	26
North Dakota	5,430	413	56	79	100	115	151	391	714	1,256	1,500	655	-
South Dakota	6,618	496	76	90	128	135	206	422	879	1,582	1,759	842	3
Nebraska	14,097	749	112	123	181	212	376	969	1,824	3,491	3,931	2,125	4
Kansas	21,161	1,119	180	228	313	321	660	1,529	2,693	4,800	6,039	3,274	5
SOUTH ATLANTIC:													
Delaware	4,186	276	32	46	66	81	209	427	667	996	958	422	6
Maryland	27,968	2,108	306	294	378	654	1,526	2,918	4,888	6,561	5,843	2,488	4
District of Columbia	8,782	723	70	78	108	232	590	1,123	1,620	1,840	1,596	799	3
Virginia	34,459	2,851	415	388	637	863	1,901	3,582	5,592	7,850	7,112	3,232	36
West Virginia	18,067	1,005	180	218	277	353	811	1,651	2,730	4,304	4,500	2,031	7
North Carolina	38,160	3,484	499	521	894	1,198	2,287	4,159	6,323	8,363	7,420	2,995	17
South Carolina	20,688	2,051	397	357	527	741	1,458	2,575	3,807	4,261	3,261	1,211	42
Georgia	35,357	3,290	518	461	743	1,031	2,122	4,245	6,123	7,690	6,438	2,684	12
Florida	48,152	3,433	622	483	768	1,143	2,337	4,736	8,128	12,400	10,018	4,069	15
EAST SOUTH CENTRAL:													
Kentucky	29,959	2,015	329	317	504	601	1,226	2,527	4,292	6,918	7,636	3,583	11
Tennessee	32,901	2,409	382	385	611	762	1,513	3,114	4,978	7,554	7,641	3,545	7
Alabama	30,300	2,616	439	407	725	829	1,596	3,129	4,831	6,839	6,271	2,535	83
Mississippi	21,744	2,461	378	328	462	518	968	1,955	2,959	4,770	4,624	2,301	20
WEST SOUTH CENTRAL:													
Arkansas	17,911	1,110	223	226	344	329	648	1,493	2,705	4,508	4,411	1,908	6
Louisiana	29,704	2,888	496	375	630	766	1,469	3,043	5,057	6,721	5,719	2,523	17
Oklahoma	22,914	1,298	254	235	392	425	806	1,919	3,352	5,190	5,834	3,176	33
Texas	77,453	7,200	1,240	1,043	1,539	1,927	3,597	7,350	12,007	17,314	16,665	7,556	15
MOUNTAIN:													
Montana	6,552	436	77	72	136	136	294	567	846	1,644	1,667	671	6
Idaho	5,426	394	75	68	119	112	223	424	762	1,208	1,367	667	7
Wyoming	2,796	240	38	44	88	83	155	228	428	625	608	258	1
Colorado	15,342	1,180	180	173	285	342	608	1,204	1,981	3,457	3,837	2,093	2
New Mexico	6,525	1,019	193	127	256	247	389	608	840	1,241	1,075	524	6
Arizona	10,146	1,174	236	136	286	325	568	1,049	1,621	2,287	1,762	675	25
Utah	6,022	515	102	113	151	137	288	541	799	1,300	1,450	622	4
Nevada	2,540	219	39	36	56	91	164	330	492	548	402	161	2
PACIFIC:													
Washington	26,532	1,529	239	252	366	424	1,047	2,153	3,761	6,307	7,201	3,238	15
Oregon	16,819	891	159	155	246	273	654	1,425	2,556	4,195	4,367	1,889	9
California	135,508	8,677	1,355	1,194	2,228	2,949	6,399	12,981	20,979	32,157	31,790	14,764	35
Alaska	1,319	306	57	40	59	72	126	173	150	149	143	41	3
Hawaii	3,541	399	52	66	102	103	221	364	579	721	659	275	-

Table 1-T. Death Rates by Age: United States, Each Division and State, 1960

(By place of residence. Includes only deaths occurring within the United States, including Alaska and Hawaii. Excludes fetal deaths. Rates per 100,000 population in each area for specified group, enumerated as of April 1)

DIVISION AND STATE	Total[1]	Under 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over
UNITED STATES	954.7	2,696.4	109.1	46.6	106.3	146.4	299.4	756.0	1,735.1	3,822.1	8,745.2	19,857.5
GEOGRAPHIC DIVISIONS:												
New England	1,061.8	2,292.3	81.5	40.6	81.8	109.1	257.5	704.4	1,725.4	3,969.3	9,141.1	20,553.0
Middle Atlantic	1,049.5	2,518.4	97.4	41.8	87.5	130.5	285.7	768.5	1,833.9	4,172.3	9,481.7	20,653.1
East North Central	960.4	2,470.2	97.1	43.4	99.9	132.9	277.5	734.0	1,714.9	3,920.9	9,021.8	20,382.6
West North Central	1,014.0	2,363.3	94.5	46.9	106.5	129.6	246.5	640.3	1,484.5	3,447.4	8,467.7	20,263.9
South Atlantic	908.0	3,169.1	127.6	53.0	115.5	186.7	381.5	898.0	1,963.1	3,814.2	8,304.9	18,275.4
East South Central	953.6	3,324.6	136.5	55.4	128.5	187.2	359.4	815.4	1,756.9	3,787.1	8,658.2	19,484.7
West South Central	873.0	3,028.8	137.5	52.7	120.1	160.1	307.6	742.5	1,673.0	3,590.6	8,039.3	17,873.1
Mountain	807.4	2,875.6	134.6	51.5	140.9	165.8	303.8	697.7	1,575.4	3,520.8	8,185.1	19,504.1
Pacific	866.7	2,477.6	98.7	41.3	105.9	135.8	279.5	708.7	1,608.4	3,526.7	8,255.1	19,384.1
NEW ENGLAND:												
Maine	1,110.2	2,679.2	107.4	45.3	111.7	113.1	286.7	708.8	1,717.7	3,867.1	9,045.2	20,555.2
New Hampshire	1,097.7	2,425.3	89.3	48.1	111.3	135.6	213.5	652.7	1,683.5	3,904.0	9,164.3	19,949.9
Vermont	1,135.7	2,539.1	111.6	41.9	94.2	122.9	278.6	743.7	1,584.2	3,742.7	9,080.9	24,083.9
Massachusetts	1,104.0	2,237.9	72.5	41.2	76.1	105.5	268.4	728.4	1,771.0	3,975.5	9,215.7	20,916.4
Rhode Island	1,047.7	2,334.1	107.8	32.5	53.7	101.2	220.0	706.2	1,772.0	4,114.7	9,478.6	19,988.3
Connecticut	942.7	2,161.1	74.0	38.0	81.8	109.4	246.7	661.0	1,643.1	3,998.2	8,880.4	19,244.7
MIDDLE ATLANTIC:												
New York	1,060.0	2,508.6	105.5	44.2	90.1	141.7	288.4	766.8	1,784.7	4,111.8	9,487.8	20,801.7
New Jersey	980.1	2,544.5	96.4	37.4	82.1	117.2	273.0	755.0	1,827.0	4,144.4	9,215.3	20,245.9
Pennsylvania	1,071.1	2,518.8	86.6	40.8	86.4	120.8	289.0	778.6	1,918.2	4,279.5	9,598.5	20,635.4
EAST NORTH CENTRAL:												
Ohio	962.9	2,460.4	89.1	41.4	90.8	132.3	271.4	745.1	1,727.6	3,914.7	9,114.0	21,351.7
Indiana	973.1	2,471.3	98.6	49.4	107.5	128.3	273.9	722.0	1,664.7	3,827.0	8,900.9	20,762.3
Illinois	1,022.0	2,577.8	105.5	44.0	98.6	143.7	307.9	777.6	1,800.4	4,045.6	9,017.6	20,706.0
Michigan	868.1	2,454.9	92.1	42.8	98.9	127.3	267.9	728.0	1,707.8	3,947.3	9,122.7	20,286.9
Wisconsin	965.3	2,262.8	105.5	40.6	118.4	122.6	233.8	613.2	1,529.4	3,684.4	8,812.7	21,208.5
WEST NORTH CENTRAL:												
Minnesota	927.8	2,203.6	94.5	45.5	95.0	111.8	230.3	609.4	1,424.3	3,408.3	8,532.6	20,148.5
Iowa	1,043.3	2,245.0	92.0	43.6	104.1	113.3	220.5	571.9	1,413.6	3,357.6	8,480.3	20,353.2
Missouri	1,119.3	2,553.3	97.3	43.2	112.5	150.4	290.0	720.9	1,666.5	3,716.8	8,648.4	20,122.3
North Dakota	858.6	2,516.0	88.7	57.2	111.1	156.9	207.1	573.1	1,380.8	3,318.9	8,613.8	19,652.0
South Dakota	972.5	2,899.6	115.1	61.9	140.3	172.2	256.7	597.9	1,463.8	3,358.0	8,641.6	20,805.5
Nebraska	998.8	2,267.8	88.1	44.6	98.8	125.1	220.3	623.4	1,375.8	3,320.1	8,098.0	20,307.7
Kansas	971.3	2,253.7	91.6	53.5	108.0	118.8	240.6	645.2	1,383.7	3,206.1	8,154.2	19,848.4
SOUTH ATLANTIC:												
Delaware	938.0	2,454.2	72.5	52.2	115.4	130.0	324.3	879.0	1,937.8	4,237.4	9,445.9	20,114.4
Maryland	902.0	2,860.0	104.5	47.0	91.2	155.3	332.8	840.5	2,035.5	4,309.8	9,456.2	19,878.6
District of Columbia	1,149.5	4,244.2	114.6	67.5	98.9	212.0	553.6	1,123.5	2,131.5	3,966.9	8,563.2	19,388.5
Virginia	868.7	3,077.1	113.5	47.9	104.6	162.3	344.5	841.2	1,922.1	4,106.1	8,770.0	19,356.8
West Virginia	971.1	2,616.4	114.0	54.2	105.9	162.9	339.7	780.1	1,699.1	3,861.6	8,791.6	20,567.1
North Carolina	837.5	3,267.6	118.9	52.4	123.2	199.9	385.7	867.4	1,942.4	3,973.8	8,701.0	18,223.3
South Carolina	868.3	3,437.9	168.8	64.3	133.2	249.6	486.0	1,093.9	2,472.6	4,119.7	8,208.5	16,270.3
Georgia	896.7	3,407.5	138.0	54.1	123.3	202.9	420.2	997.4	2,132.1	3,947.8	8,039.1	17,002.4
Florida	972.5	3,103.0	144.5	52.2	121.2	182.6	358.1	850.6	1,757.2	3,185.3	7,168.4	16,892.2
EAST SOUTH CENTRAL:												
Kentucky	986.1	2,886.9	120.6	49.7	112.8	165.5	328.0	776.4	1,670.8	3,673.9	8,839.6	20,316.4
Tennessee	922.3	3,031.5	121.6	52.4	116.2	169.8	329.2	773.5	1,698.1	3,738.5	8,602.1	19,724.0
Alabama	927.5	3,303.0	141.1	56.7	148.8	207.4	395.5	874.6	1,940.3	3,935.2	8,572.4	17,847.1
Mississippi	998.3	4,293.5	171.0	65.4	139.4	219.3	405.5	852.2	1,720.0	3,930.6	8,576.3	19,855.0
WEST SOUTH CENTRAL:												
Arkansas	1,002.7	2,816.7	143.8	60.2	137.0	173.5	310.4	720.3	1,633.2	3,535.1	7,907.4	17,238.9
Louisiana	912.0	3,285.1	148.1	51.7	134.9	187.6	367.5	885.5	2,034.1	4,168.7	8,610.4	18,091.2
Oklahoma	984.2	2,643.4	131.2	51.7	119.1	152.2	278.9	713.0	1,551.6	3,297.6	7,794.5	19,134.8
Texas	808.5	3,048.9	133.9	51.9	112.2	151.0	294.1	707.2	1,587.3	3,509.5	7,980.7	17,480.6
MOUNTAIN:												
Montana	971.0	2,574.5	116.4	50.0	150.5	168.7	342.0	773.8	1,628.5	3,823.6	8,732.8	20,119.9
Idaho	813.3	2,369.1	114.4	45.6	126.1	145.3	266.9	585.9	1,519.6	3,202.8	7,899.9	20,605.5
Wyoming	847.1	2,906.3	117.5	62.2	199.2	190.1	356.3	633.4	1,861.4	3,555.2	8,674.6	19,560.3
Colorado	874.7	2,772.6	108.1	48.1	117.3	147.5	262.1	651.0	1,467.4	3,431.9	8,125.6	20,503.5
New Mexico	686.1	3,547.2	179.6	56.6	177.6	186.5	327.0	694.7	1,498.8	3,551.0	7,968.9	16,502.8
Arizona	779.2	3,393.2	178.3	48.3	153.1	191.3	328.3	768.1	1,745.4	3,594.0	7,831.5	16,495.6
Utah	676.2	2,026.3	101.2	54.3	110.4	121.5	275.0	650.4	1,354.7	3,300.3	8,373.8	19,132.6
Nevada	890.4	3,172.1	149.1	66.4	148.1	226.2	378.3	923.0	2,186.0	4,336.1	8,493.6	20,074.8
PACIFIC:												
Washington	929.9	2,416.7	94.7	43.7	95.7	122.4	270.1	659.3	1,573.2	3,511.8	8,620.3	20,348.1
Oregon	950.9	2,465.9	106.5	43.1	108.6	134.1	277.8	666.4	1,594.3	3,479.7	8,234.2	18,773.6
California	862.2	2,458.2	97.3	39.6	107.1	138.4	280.9	723.9	1,618.6	3,531.0	8,170.4	19,323.8
Alaska	583.2	4,309.3	210.4	86.7	144.9	181.5	394.0	912.6	1,640.1	3,978.6	10,561.3	14,285.7
Hawaii	559.6	2,367.4	81.1	48.2	96.7	110.2	246.6	611.3	1,532.4	3,669.8	8,305.0	17,405.1

[1]Figures for age not stated included in "Total" but not distributed among age groups.

Table 1-U. Deaths of Nonresidents in Each State and Deaths of Residents in Other States: United States, 1960

(Data refer only to deaths occurring within the United States, including Alaska and Hawaii. Excludes fetal deaths. Unit of residence is defined as the county or county equivalent of which the decedent was a resident)

AREA	Total deaths in area	DEATHS OF NONRESIDENTS IN AREA			DEATHS OF RESIDENTS IN OTHER AREAS			Total deaths of residents
		Total	From same State	From other States	Total	In same State	In other States	
UNITED STATES	1,711,982	283,588	228,373	55,215	283,588	228,373	55,215	1,711,982
Alabama	30,055	4,165	3,489	676	4,410	3,489	921	30,300
Alaska	1,215	188	188	-	292	188	104	1,319
Arizona	10,557	1,625	730	895	1,214	730	484	10,146
Arkansas	17,800	3,992	3,148	844	4,103	3,148	955	17,911
California	135,344	13,928	12,166	1,762	14,092	12,166	1,926	135,508
Colorado	15,773	4,260	3,430	830	3,829	3,430	399	15,342
Connecticut	23,550	2,746	2,199	547	3,095	2,199	896	23,899
Delaware	4,349	742	376	366	579	376	203	4,186
District of Columbia	10,084	2,252	...	2,252	950	...	950	8,782
Florida	49,532	7,396	4,168	3,228	6,016	4,168	1,848	48,152
Georgia	35,564	7,819	6,635	1,184	7,612	6,635	977	35,357
Hawaii	3,596	181	92	89	126	92	34	3,541
Idaho	5,243	1,054	779	275	1,237	779	458	5,426
Illinois	101,547	13,299	11,012	2,287	14,780	11,012	3,768	103,028
Indiana	44,988	7,939	6,477	1,462	8,320	6,477	1,843	45,369
Iowa	28,724	6,286	5,165	1,121	6,332	5,165	1,167	28,770
Kansas	20,909	4,168	3,123	1,045	4,420	3,123	1,297	21,161
Kentucky	29,550	5,569	4,519	1,050	5,978	4,519	1,459	29,959
Louisiana	29,926	7,017	6,236	781	6,795	6,236	559	29,704
Maine	10,709	1,697	1,403	294	1,749	1,403	346	10,761
Maryland	27,761	6,984	5,237	1,747	7,191	5,237	1,954	27,968
Massachusetts	57,114	9,599	8,158	1,441	9,323	8,158	1,165	56,838
Michigan	67,480	10,283	9,167	1,116	10,714	9,167	1,547	67,911
Minnesota	32,212	7,653	6,113	1,540	7,115	6,113	1,002	31,674
Mississippi	21,580	3,952	3,303	649	4,116	3,303	813	21,744
Missouri	48,951	11,832	9,514	2,318	11,231	9,514	1,717	48,350
Montana	6,442	1,238	1,044	194	1,348	1,044	304	6,552
Nebraska	14,112	3,156	2,536	620	3,141	2,536	605	14,097
Nevada	2,748	631	217	414	423	217	206	2,540
New Hampshire	6,682	1,184	677	507	1,164	677	487	6,662
New Jersey	57,849	8,721	7,055	1,666	10,334	7,055	3,279	59,462
New Mexico	6,552	1,414	904	510	1,387	904	483	6,525
New York	178,085	20,480	17,102	3,378	20,291	17,102	3,189	177,896
North Carolina	38,378	7,628	6,505	1,123	7,410	6,505	905	38,160
North Dakota	5,428	1,785	1,387	398	1,787	1,387	400	5,430
Ohio	93,105	12,833	10,689	2,144	13,194	10,689	2,505	93,466
Oklahoma	22,444	4,406	3,860	546	4,876	3,860	1,016	22,914
Oregon	16,761	3,016	2,417	599	3,074	2,417	657	16,819
Pennsylvania	121,011	16,632	13,926	2,706	16,859	13,926	2,933	121,238
Rhode Island	8,954	1,261	885	376	1,312	885	427	9,005
South Carolina	20,388	3,214	2,750	464	3,514	2,750	764	20,688
South Dakota	6,590	1,928	1,484	444	1,956	1,484	472	6,618
Tennessee	34,356	6,544	4,245	2,299	5,089	4,245	844	32,901
Texas	77,610	12,915	11,381	1,534	12,758	11,381	1,377	77,453
Utah	6,233	1,235	850	385	1,024	850	174	6,022
Vermont	4,458	886	567	319	856	567	289	4,428
Virginia	33,783	11,443	10,121	1,322	12,119	10,121	1,998	34,459
Washington	26,713	3,561	2,760	801	3,380	2,760	620	26,532
West Virginia	18,237	4,214	2,902	1,312	4,044	2,902	1,142	18,067
Wisconsin	38,139	6,012	4,916	1,096	6,019	4,916	1,103	38,146
Wyoming	2,811	625	366	259	610	366	244	2,796

Table 1-V. Deaths From 59 Selected Causes:

(By place of residence. Data refer only to deaths occurring within the United States, including Alaska and Hawaii. Excludes

	DIVISION AND STATE	Total	Tuberculosis, all forms 001-019	Tuberculosis of respiratory system 001-008	Tuberculosis, other forms 010-019	Syphilis and its sequelae 020-029	Dysentery, all forms 045-048	Scarlet fever and streptococcal sore throat 050,051	Diphtheria 055	Whooping cough 056	Meningococcal infections 057	Acute poliomyelitis 080	Measles 085	Other infective and parasitic diseases 030-044, 049, 052-054, 058-074, 081-084, 086-138	Malignant neoplasms, including neoplasms of lymphatic and hematopoietic tissues 140-205	Malignant neoplasm of buccal cavity and pharynx 140-148	Malignant neoplasm of digestive organs and peritoneum, not specified as secondary 150-156A, 157-159
1	UNITED STATES----	1,711,982	10,866	10,089	777	2,945	355	108	69	118	644	230	380	5,672	267,627	6,175	91,035
	GEOGRAPHIC DIVISIONS:																
2	New England----------	111,593	565	531	34	172	7	5	1	1	29	25	16	300	19,035	514	6,916
3	Middle Atlantic------	358,596	2,552	2,394	158	551	13	12	2	8	116	44	43	923	61,593	1,403	22,537
4	East North Central---	347,920	1,895	1,759	136	473	25	20	7	9	138	35	74	931	56,419	1,239	19,800
5	West North Central---	156,100	606	558	48	250	8	11	6	6	28	12	17	468	24,228	504	8,408
6	South Atlantic-------	235,819	1,517	1,403	114	470	60	15	13	33	134	36	50	991	32,797	797	10,113
7	East South Central---	114,904	1,127	1,045	82	167	67	17	8	18	61	21	45	503	14,946	385	4,666
8	West South Central---	147,982	1,226	1,138	88	408	117	18	31	34	57	19	89	733	21,386	475	6,538
9	Mountain-------------	55,349	402	366	36	98	35	3	1	6	23	11	30	232	7,568	134	2,435
10	Pacific--------------	183,719	976	895	81	356	23	7	-	3	58	27	16	591	29,655	724	9,622
	NEW ENGLAND:																
11	Maine----------------	10,761	42	38	4	8	-	2	-	-	4	7	2	31	1,728	31	602
12	New Hampshire--------	6,662	17	15	2	19	-	-	-	-	1	-	1	14	1,072	29	397
13	Vermont--------------	4,428	19	19	-	9	-	-	-	-	1	-	-	11	696	21	225
14	Massachusetts--------	56,838	328	308	20	86	1	2	-	1	18	5	7	167	9,505	263	3,432
15	Rhode Island---------	9,005	59	59	-	13	5	1	1	-	1	8	-	21	1,621	48	608
16	Connecticut----------	23,899	100	92	8	37	1	-	-	-	4	5	6	56	4,413	122	1,652
	MIDDLE ATLANTIC:																
17	New York-------------	177,896	1,272	1,193	79	227	11	6	1	4	61	26	31	430	31,471	750	11,640
18	New Jersey-----------	370	347	23	84	1	1	-	2	22	5	6	163	10,635	219	3,941	
19	Pennsylvania---------	121,238	910	854	56	240	1	5	1	2	33	13	6	330	19,487	434	6,956
	EAST NORTH CENTRAL:																
20	Ohio-----------------	93,466	491	461	30	190	4	8	4	1	27	7	17	276	15,217	350	5,171
21	Indiana--------------	45,369	249	233	16	67	4	-	1	3	15	9	11	141	6,810	130	2,278
22	Illinois-------------	103,028	641	586	55	92	9	4	1	3	47	11	18	215	16,966	371	6,158
23	Michigan-------------	67,911	392	367	25	89	5	5	1	1	30	5	17	179	11,298	258	3,870
24	Wisconsin------------	38,146	122	112	10	35	3	3	-	1	19	3	11	120	6,128	130	2,323
	WEST NORTH CENTRAL:																
25	Minnesota------------	31,674	96	91	7	48	-	1	3	-	10	4	5	102	5,097	103	1,941
26	Iowa-----------------	28,770	59	51	8	32	-	3	1	-	4	2	2	83	4,534	87	1,554
27	Missouri-------------	48,350	319	304	15	98	4	6	-	3	5	5	3	126	7,455	184	2,513
28	North Dakota---------	5,430	16	13	3	3	-	1	-	-	1	1	1	21	813	14	294
29	South Dakota---------	6,618	28	22	6	8	-	-	1	3	1	-	-	29	995	12	352
30	Nebraska-------------	14,097	29	22	7	20	1	-	-	-	4	-	2	41	2,246	40	828
31	Kansas---------------	21,161	57	55	2	41	3	-	1	-	3	-	4	66	3,088	64	926
	SOUTH ATLANTIC:																
32	Delaware-------------	4,186	25	23	2	6	-	-	-	-	2	-	-	13	652	18	197
33	Maryland-------------	27,968	269	252	17	83	3	-	-	-	15	9	6	92	4,408	87	1,395
34	District of Columbia-	8,782	90	86	4	19	-	-	-	-	4	1	3	39	1,433	50	489
35	Virginia-------------	34,459	250	232	18	59	20	3	4	9	20	3	4	157	4,735	98	1,433
36	West Virginia--------	18,067	122	110	12	36	2	3	-	1	16	4	2	61	2,566	40	877
37	North Carolina-------	38,160	199	190	9	53	6	3	2	4	25	5	12	146	4,594	129	1,385
38	South Carolina-------	20,688	137	126	11	45	6	-	1	8	9	7	7	106	2,265	57	673
39	Georgia--------------	35,357	211	189	22	69	19	4	3	7	26	2	13	169	4,355	115	1,256
40	Florida--------------	48,152	214	195	19	100	4	2	3	4	17	5	3	208	7,789	203	2,408
	EAST SOUTH CENTRAL:																
41	Kentucky-------------	29,959	325	299	26	42	7	12	1	-	11	10	8	123	4,172	119	1,446
42	Tennessee------------	32,901	357	335	22	40	15	1	-	3	20	4	13	130	4,374	107	1,334
43	Alabama--------------	30,300	300	279	21	52	17	2	3	8	18	2	15	145	3,791	94	1,096
44	Mississippi----------	21,744	145	132	13	33	28	2	4	7	12	5	9	105	2,609	65	790
	WEST SOUTH CENTRAL:																
45	Arkansas-------------	17,911	188	178	10	32	12	2	3	5	8	1	9	71	2,438	56	722
46	Louisiana------------	29,704	277	261	16	113	14	1	7	3	12	1	21	185	4,282	108	1,297
47	Oklahoma-------------	22,914	171	160	11	43	8	2	1	4	8	3	7	96	3,443	65	1,092
48	Texas----------------	77,453	590	539	51	220	83	13	20	22	29	14	52	381	11,223	246	3,427
	MOUNTAIN:																
49	Montana--------------	6,552	32	28	4	7	1	-	-	1	4	7	1	19	950	18	310
50	Idaho----------------	5,426	17	17	-	7	-	-	-	-	-	-	1	14	724	12	228
51	Wyoming--------------	2,796	12	9	3	3	1	-	-	-	1	2	-	7	351	5	98
52	Colorado-------------	15,342	76	70	6	33	4	2	-	-	4	-	5	69	2,189	42	728
53	New Mexico-----------	6,525	77	71	6	11	13	-	-	2	3	-	8	31	793	8	289
54	Arizona--------------	10,146	157	143	14	24	15	-	-	2	6	1	9	55	1,423	25	447
55	Utah-----------------	6,022	18	15	3	6	1	-	1	1	4	1	5	31	801	12	230
56	Nevada---------------	2,540	13	13	-	7	-	1	-	-	1	-	1	6	337	12	105
	PACIFIC:																
57	Washington-----------	26,532	90	87	3	55	2	1	-	-	5	3	1	58	4,205	104	1,376
58	Oregon---------------	16,819	64	58	6	31	-	2	-	-	8	-	2	47	2,667	51	853
59	California-----------	135,508	788	720	68	265	19	4	-	3	42	24	12	460	22,065	548	7,097
60	Alaska---------------	1,319	20	18	2	-	2	-	-	-	2	-	-	10	118	4	32
61	Hawaii---------------	3,541	14	12	2	5	-	-	-	-	1	-	1	16	600	17	264

United States, Each Division and State, 1960

fetal deaths. Numbers under causes of death are category numbers of the Seventh Revision of the International Lists, 1955)

Malignant neoplasm of respiratory system, not specified as secondary	Malignant neoplasm of breast	Malignant neoplasm of genital organs	Malignant neoplasm of urinary organs	Malignant neoplasm of other and unspecified sites	Leukemia and aleukemia	Lympho-sarcoma and other neoplasms of lymphatic and hemato-poietic tissues	Benign neoplasms and neoplasms of unspecified nature	Asthma	Diabetes mellitus	Anemias	Meningitis, except meningococcal and tuberculous	Major cardio-vascular-renal diseases	Diseases of cardio-vascular system	Vascular lesions affecting central nervous system	Diseases of heart	Rheumatic fever and chronic rheumatic heart disease	Arterio-sclerotic heart disease, including coronary disease	
160-164	170	171-179	180,181	156B,165, 190-199	204	200-203, 205	210-239	241	260	290-293	340	330-334, 400-468, 592-594	330-334, 400-468	330-334	400-402, 410-443	400-402, 410-416	420	
39,730	23,970	38,669	12,804	29,561	12,725	12,958	4,893	5,394	29,971	3,330	2,316	935,668	923,635	193,588	661,712	18,411	494,282	1
2,690	1,815	2,537	993	1,895	767	908	361	336	2,073	190	131	63,667	62,985	12,026	46,023	1,347	37,078	2
9,432	5,854	7,747	3,074	6,236	2,564	2,746	1,134	897	7,201	563	377	205,810	203,655	33,595	156,409	4,719	121,084	3
8,155	5,147	8,286	2,847	5,549	2,647	2,749	812	1,061	7,219	719	416	196,206	193,936	40,182	138,864	3,875	105,872	4
3,048	2,213	3,622	1,217	2,643	1,289	1,284	378	580	2,666	319	157	87,916	86,818	20,168	59,778	1,582	45,059	5
5,201	2,705	5,251	1,420	4,197	1,560	1,553	745	784	3,670	486	379	124,244	122,137	28,664	84,453	2,055	57,600	6
2,067	1,164	2,675	546	2,029	766	648	333	368	1,582	261	213	59,778	58,671	15,668	38,783	774	25,839	7
3,476	1,617	3,365	912	2,685	1,279	1,039	420	439	2,555	350	258	74,879	73,575	17,414	50,983	879	36,752	8
1,002	675	1,171	393	959	395	404	195	302	729	122	112	25,878	25,503	5,295	17,983	842	13,362	9
4,659	2,780	4,015	1,402	3,368	1,458	1,627	515	627	2,276	320	273	97,290	96,355	20,576	68,436	2,338	51,636	10
251	154	289	77	173	71	80	36	44	146	20	10	6,333	6,241	1,299	4,463	120	3,358	11
141	98	164	56	92	53	42	14	34	129	11	6	3,880	3,842	749	2,727	73	2,192	12
99	78	113	41	59	31	29	9	15	79	12	6	2,493	2,469	529	1,716	44	1,342	13
1,323	924	1,205	505	996	379	478	188	158	992	90	75	32,398	32,091	6,081	23,552	697	19,003	14
246	158	204	75	151	64	67	25	31	226	14	5	5,310	5,237	822	4,036	112	3,370	15
630	403	562	239	424	169	212	89	54	501	43	29	13,253	13,105	2,546	9,529	301	7,813	16
4,885	3,081	3,794	1,551	2,987	1,263	1,520	545	441	3,147	287	195	101,228	100,313	15,701	78,442	2,358	63,341	17
1,707	1,009	1,283	572	1,026	452	426	180	142	1,297	88	58	34,179	33,789	5,207	26,293	806	19,564	18
2,840	1,764	2,670	951	2,223	849	800	409	314	2,757	188	124	70,403	69,553	12,687	51,674	1,555	38,179	19
2,218	1,372	2,326	718	1,583	704	775	220	253	2,236	184	103	52,194	51,671	11,188	35,997	1,087	26,898	20
1,006	606	1,053	341	765	314	317	100	142	930	93	57	25,753	25,405	5,818	17,488	461	12,964	21
2,552	1,649	2,400	845	1,445	767	779	226	298	1,500	165	131	59,991	59,291	10,715	44,710	1,047	34,533	22
1,712	977	1,641	634	1,098	519	589	169	258	1,791	178	79	36,553	36,077	7,714	25,647	867	19,910	23
667	543	866	309	658	343	289	97	110	762	99	46	21,715	21,492	4,747	15,022	413	11,567	24
506	475	709	248	535	284	296	91	110	494	70	36	17,560	17,414	4,233	11,840	385	9,226	25
554	431	703	248	455	240	262	67	118	481	66	23	16,670	16,476	3,950	11,116	238	8,462	26
1,101	659	1,122	346	861	329	340	122	168	814	72	62	27,378	26,955	6,015	18,831	486	13,684	27
86	70	122	33	97	39	58	12	18	110	14	3	2,890	2,866	672	1,995	59	1,577	28
126	89	153	61	99	62	41	16	25	109	18	7	3,537	3,503	837	2,423	72	1,852	29
271	195	350	119	201	122	120	34	71	280	26	9	7,940	7,874	1,882	5,433	160	4,080	30
404	294	463	162	395	213	167	36	70	378	53	17	11,941	11,730	2,579	8,140	182	6,178	31
107	56	91	31	102	23	27	15	8	110	7	7	2,285	2,248	364	1,708	53	1,106	32
719	430	628	206	564	183	196	126	92	566	44	44	15,053	14,839	2,305	11,474	257	8,797	33
233	132	224	60	141	40	64	35	21	106	16	22	4,360	4,294	820	3,060	77	2,090	34
735	429	730	192	643	229	246	89	117	478	75	47	18,318	18,001	4,153	12,506	300	8,513	35
379	171	400	102	362	120	115	41	77	271	29	21	9,916	9,743	2,163	6,873	179	5,047	36
591	371	776	167	633	292	250	144	116	620	78	45	20,162	19,821	5,168	13,246	292	8,822	37
320	164	436	77	309	117	112	72	52	306	44	40	10,689	10,478	2,740	6,978	143	4,474	38
665	381	793	171	596	204	174	89	107	488	89	53	18,676	18,247	5,474	11,438	237	7,756	39
1,452	571	1,173	414	847	352	369	134	194	725	104	100	24,785	24,466	5,477	17,170	517	12,995	40
589	326	643	157	520	198	174	91	119	420	66	33	16,458	16,232	3,858	11,223	234	7,948	41
622	364	738	179	585	242	203	84	119	419	76	57	17,411	17,130	4,658	11,214	216	7,799	42
522	311	774	119	506	194	175	90	67	438	60	72	15,585	15,224	4,179	10,005	206	6,114	43
334	163	520	91	418	132	96	68	63	305	59	51	10,324	10,085	2,973	6,341	118	3,978	44
356	166	431	85	357	159	106	56	40	251	27	22	9,694	9,469	2,300	6,554	108	4,664	45
730	336	636	175	611	214	175	90	86	628	78	71	15,104	14,891	3,090	10,861	155	7,601	46
518	244	545	153	452	207	167	65	105	385	52	23	11,760	11,558	3,013	7,685	151	5,779	47
1,872	871	1,753	499	1,265	699	591	209	208	1,291	193	142	38,321	37,657	9,011	25,883	465	18,708	48
144	85	144	47	113	36	53	23	25	92	16	9	3,413	3,364	714	2,329	89	1,685	49
75	57	126	47	91	42	46	15	22	82	13	4	2,853	2,813	673	1,956	74	1,449	50
55	32	55	19	44	15	28	11	10	44	2	2	1,335	1,320	265	946	47	668	51
272	224	340	109	245	113	116	54	69	178	42	19	7,708	7,610	1,595	5,259	244	4,146	52
88	58	111	38	120	37	44	33	27	84	16	26	2,288	2,234	490	1,525	79	1,067	53
236	112	206	72	186	85	54	31	124	128	15	42	4,237	4,173	787	3,047	136	2,286	54
84	87	149	41	112	45	41	20	17	90	14	6	2,858	2,816	558	2,050	148	1,392	55
48	20	40	20	48	22	22	8	8	51	4	4	1,186	1,173	213	871	25	669	56
643	353	603	209	454	214	249	64	85	426	66	32	14,684	14,552	3,253	10,240	325	7,875	57
392	263	396	132	277	136	167	41	60	226	32	29	9,376	9,295	2,331	6,313	201	4,977	58
3,483	2,118	2,952	1,043	2,565	1,076	1,183	397	454	1,531	215	197	71,229	70,562	14,591	50,479	1,764	37,859	59
32	8	15	3	14	8	2	1	1	9	1	5	373	369	70	267	14	206	60
109	38	49	15	58	24	26	12	27	84	6	10	1,628	1,577	331	1,137	34	719	61

Table 1-V. Deaths From 59 Selected Causes:

(By place of residence. Data refer only to deaths occurring within the United States, including Alaska and Hawaii. Excludes

	DIVISION AND STATE	Nonrheumatic chronic endocarditis and other myocardial degeneration 421,422	Other diseases of heart 430-434	Hypertensive heart disease 440-443	Other hypertensive disease 444-447	General arteriosclerosis 450	Other diseases of circulatory system 451-468	Chronic and unspecified nephritis and other renal sclerosis 592-594	Influenza and pneumonia, except pneumonia of newborn 480-493	Influenza 480-483	Pneumonia, except pneumonia of newborn 490-493	Bronchitis 500-502	Ulcer of stomach and duodenum 540,541	Appendicitis 550-553	Hernia and intestinal obstruction 560, 561, 570	Gastritis, duodenitis, enteritis, and colitis, except diarrhea of newborn 543,571, 572	Cirrhosis of liver 581
1	UNITED STATES----	57,029	25,682	66,308	12,662	35,876	19,797	12,033	66,803	7,872	58,931	4,343	11,360	1,871	9,081	7,932	20,296
	GEOGRAPHIC DIVISIONS:																
2	New England----------	2,793	1,256	3,549	831	2,605	1,500	682	4,521	217	4,304	314	851	94	580	370	1,478
3	Middle Atlantic------	13,063	3,186	14,357	2,469	7,280	3,902	2,155	12,207	575	11,632	847	2,496	414	1,850	1,356	5,325
4	East North Central---	11,476	4,792	12,849	2,896	8,269	3,725	2,270	12,095	1,186	10,909	830	2,511	408	1,849	1,303	4,040
5	West North Central---	5,613	2,417	5,107	1,130	3,968	1,774	1,098	6,412	1,102	5,310	338	1,023	173	889	617	1,268
6	South Atlantic-------	8,471	4,397	11,930	1,977	4,129	2,914	2,107	10,389	1,675	8,714	544	1,354	254	1,243	1,369	2,206
7	East South Central---	3,705	2,709	5,756	1,059	2,110	1,051	1,107	5,078	1,164	3,914	252	551	121	524	726	709
8	West South Central---	3,881	3,951	5,520	1,040	2,498	1,639	1,304	6,540	1,092	5,448	385	765	164	812	1,093	1,242
9	Mountain------------	1,498	918	1,363	333	1,158	734	375	2,491	254	2,237	260	420	57	376	376	625
10	Pacific--------------	6,529	2,056	5,877	927	3,858	2,558	935	7,070	607	6,463	573	1,389	186	958	722	3,403
	NEW ENGLAND:																
11	Maine----------------	478	129	378	100	253	126	92	367	47	320	31	77	8	70	30	64
12	New Hampshire--------	139	69	254	40	252	74	38	219	31	188	22	58	5	37	21	58
13	Vermont--------------	143	43	144	50	121	53	24	187	26	161	8	31	4	30	18	39
14	Massachusetts--------	1,344	724	1,784	386	1,255	817	307	2,683	77	2,606	163	424	46	286	203	846
15	Rhode Island---------	162	84	308	99	161	119	73	242	11	231	34	70	7	34	25	105
16	Connecticut----------	527	207	681	156	563	311	148	823	25	798	56	191	24	123	73	366
	MIDDLE ATLANTIC:																
17	New York-------------	4,802	1,012	6,929	1,166	3,259	1,745	915	6,680	177	6,503	479	1,421	219	886	683	3,180
18	New Jersey-----------	2,994	545	2,384	455	1,116	718	390	1,731	47	1,684	130	384	56	289	264	875
19	Pennsylvania---------	5,267	1,629	5,044	848	2,905	1,439	850	3,796	351	3,445	238	691	139	675	409	1,290
	EAST NORTH CENTRAL:																
20	Ohio-----------------	2,864	1,418	3,730	785	2,633	1,068	523	2,715	379	2,336	258	641	112	519	338	1,132
21	Indiana--------------	1,404	677	1,982	396	1,246	457	348	1,541	215	1,326	88	328	42	279	157	427
22	Illinois-------------	4,051	1,343	3,736	901	2,093	872	700	4,284	177	4,107	242	777	109	490	388	1,292
23	Michigan-------------	1,793	897	2,180	525	1,340	851	476	2,228	220	2,008	164	499	98	333	281	830
24	Wisconsin------------	1,364	457	1,221	289	957	477	223	1,327	195	1,132	78	266	47	228	139	359
	WEST NORTH CENTRAL:																
25	Minnesota------------	856	363	1,010	173	764	404	146	1,336	185	1,151	64	210	27	204	133	259
26	Iowa-----------------	1,059	508	849	225	880	305	194	1,251	262	989	54	179	31	152	107	190
27	Missouri-------------	2,077	732	1,852	401	1,171	537	423	1,906	283	1,622	93	304	64	259	186	448
28	North Dakota---------	136	91	132	33	114	52	24	253	29	224	14	32	6	27	23	46
29	South Dakota---------	221	145	133	30	132	81	34	283	39	244	20	33	5	42	31	36
30	Nebraska-------------	519	250	424	88	343	128	66	570	153	417	46	104	18	66	61	134
31	Kansas---------------	745	328	707	180	564	267	211	814	151	663	47	161	22	139	76	155
	SOUTH ATLANTIC:																
32	Delaware-------------	261	54	234	35	86	55	37	142	8	134	6	28	4	34	16	64
33	Maryland-------------	2,207	375	1,838	167	516	377	214	991	54	937	75	170	32	155	103	329
34	District of Columbia-	209	121	563	95	167	152	66	422	6	416	17	64	8	54	37	197
35	Virginia-------------	1,394	556	1,743	256	651	435	317	1,555	260	1,295	86	177	39	183	172	300
36	West Virginia--------	582	326	739	162	360	185	173	834	157	677	49	120	22	98	68	145
37	North Carolina-------	997	968	2,167	352	618	437	341	1,852	385	1,467	98	168	44	205	238	265
38	South Carolina-------	576	428	1,357	206	334	220	211	1,121	266	855	37	85	11	81	162	98
39	Georgia--------------	996	731	1,718	351	622	362	429	1,800	353	1,447	72	217	29	182	248	258
40	Florida--------------	1,249	838	1,571	353	775	691	319	1,672	186	1,486	104	325	65	251	325	550
	EAST SOUTH CENTRAL:																
41	Kentucky-------------	848	733	1,460	232	634	285	226	1,399	275	1,124	58	151	29	139	134	226
42	Tennessee------------	1,075	782	1,342	299	669	290	281	1,362	275	1,087	72	158	32	130	149	193
43	Alabama--------------	1,196	684	1,805	273	504	263	361	1,361	376	985	82	156	36	144	211	199
44	Mississippi----------	586	510	1,149	255	303	213	239	956	238	718	40	86	24	111	232	91
	WEST SOUTH CENTRAL:																
45	Arkansas-------------	382	582	818	143	299	173	225	888	187	701	42	85	18	68	105	113
46	Louisiana------------	866	676	1,563	193	434	313	213	1,279	159	1,120	73	129	41	180	185	252
47	Oklahoma-------------	505	545	705	157	459	244	202	818	127	691	58	125	36	127	100	172
48	Texas----------------	2,128	2,148	2,434	547	1,307	909	664	3,555	619	2,936	212	426	69	437	703	705
	MOUNTAIN:																
49	Montana--------------	207	189	159	40	197	84	49	249	35	214	24	35	8	27	25	59
50	Idaho----------------	184	93	156	29	109	46	40	188	29	159	22	43	3	34	24	32
51	Wyoming--------------	103	59	69	16	52	41	15	124	14	110	21	20	8	25	9	29
52	Colorado-------------	297	194	378	102	396	258	98	863	61	802	62	119	14	116	68	171
53	New Mexico-----------	151	116	112	37	103	79	54	350	61	289	23	45	8	34	81	72
54	Arizona--------------	284	114	227	67	170	102	64	446	30	416	75	78	10	72	142	153
55	Utah-----------------	201	100	209	18	88	102	42	187	20	167	28	58	3	49	21	59
56	Nevada---------------	71	53	53	24	43	22	13	84	4	80	5	22	3	19	6	50
	PACIFIC:																
57	Washington-----------	792	473	775	107	646	306	132	1,059	118	941	63	206	22	141	98	265
58	Oregon---------------	343	249	543	73	348	230	81	522	27	495	41	117	18	83	57	154
59	California-----------	5,306	1,270	4,280	727	2,793	1,972	667	5,266	437	4,829	456	1,041	144	711	543	2,929
60	Alaska---------------	7	30	10	1	21	10	4	100	18	82	7	4	-	9	23	14
61	Hawaii---------------	81	34	269	19	50	40	51	123	7	116	6	21	2	14	11	41

United States, Each Division and State, 1960—Con.

fetal deaths. Numbers under causes of death are category numbers of the Seventh Revision of the International Lists, 1955)

Cholelithiasis, cholecystitis, and cholangitis 584,585	Acute nephritis, and nephritis with edema, including nephrosis 590,591	Infections of kidney 600	Hyperplasia of prostate 610	Deliveries and complications of pregnancy, childbirth, and the puerperium 640-689	Abortion 650-652	Other complications of pregnancy, childbirth, and the puerperium 640-649, 660-689	Congenital malformations 750-759	Certain diseases of early infancy 760-776	Birth injuries, postnatal asphyxia, and atelectasis 760-762	Infections of newborn 763-768	Other diseases peculiar to early infancy, and immaturity unqualified 769-776	Symptoms, senility, and ill-defined conditions 780-795	All other diseases Residual	Accidents E800-E962	Motor vehicle accidents E810-E835	Other accidents E800-E802, E840-E962	Suicide E963, E970-E979	Homicide E964, E980-E985	
4,619	1,651	7,645	4,449	1,579	289	1,290	21,860	67,094	29,697	4,786	32,611	20,385	69,117	93,806	38,137	55,669	19,041	8,464	1
296	98	514	246	50	8	42	1,253	3,271	1,410	187	1,674	609	4,319	4,706	1,366	3,340	956	153	2
1,059	261	1,451	880	289	72	217	3,980	11,443	5,153	661	5,629	1,778	12,887	14,013	4,622	9,391	3,205	1,016	3
1,060	316	1,422	940	258	32	226	4,417	13,356	6,738	817	5,801	1,682	12,730	17,193	7,451	9,742	3,755	1,296	4
513	130	545	502	95	11	84	2,036	5,223	2,267	320	2,636	1,445	6,405	8,786	3,689	5,097	1,653	391	5
459	311	1,403	580	330	66	264	3,194	11,112	4,651	910	5,551	4,244	10,494	14,874	6,049	8,825	2,849	2,186	6
246	165	561	344	180	18	162	1,456	5,066	1,820	462	2,784	5,380	4,484	7,537	3,197	4,340	1,035	974	7
378	182	749	412	187	27	160	2,031	7,345	2,898	729	3,718	3,230	6,485	10,205	4,350	5,855	1,495	1,263	8
172	59	200	126	53	12	41	910	3,037	1,245	198	1,594	1,286	3,111	4,859	2,222	2,637	874	310	9
436	129	800	419	137	43	94	2,583	7,241	3,515	502	3,224	731	8,202	11,633	5,191	6,442	3,219	875	10
31	15	50	33	5	-	5	116	357	180	22	155	64	380	519	177	342	114	17	11
14	9	17	21	2	-	2	75	209	75	17	117	80	259	274	107	167	78	6	12
18	2	12	16	1	-	1	52	144	61	6	77	78	168	219	91	128	51	-	13
151	48	307	109	28	6	22	585	1,546	616	98	832	246	2,210	2,454	625	1,829	414	68	14
30	5	38	21	5	-	5	115	237	121	7	109	10	324	296	73	223	54	12	15
52	19	90	46	9	2	7	310	778	357	37	384	131	978	944	293	651	245	50	16
550	106	788	460	166	52	114	2,006	5,567	2,519	318	2,730	713	5,682	6,773	2,158	4,615	1,625	549	17
173	57	236	140	46	7	39	681	2,055	941	137	977	129	2,060	2,295	763	1,532	479	159	18
336	98	427	280	77	13	64	1,293	3,821	1,693	206	1,922	936	5,155	4,945	1,701	3,244	1,101	308	19
267	93	429	259	74	6	68	1,225	3,562	1,714	210	1,638	454	3,870	4,717	1,979	2,738	1,033	336	20
133	49	181	130	27	3	24	579	1,650	745	94	811	218	1,838	2,643	1,183	1,460	533	141	21
271	89	487	246	61	5	56	1,060	3,764	2,382	285	1,097	604	2,946	4,158	1,670	2,488	964	478	22
232	58	195	206	68	15	53	1,013	3,042	1,339	166	1,537	242	2,645	3,652	1,702	1,950	795	280	23
157	27	130	99	28	3	25	540	1,338	558	62	718	164	1,431	2,023	917	1,106	430	61	24
131	27	94	74	11	4	7	483	1,140	497	50	593	182	1,386	1,809	773	1,036	330	45	25
78	21	81	95	12	-	12	348	879	350	55	474	114	1,156	1,539	639	900	311	27	26
134	46	211	167	48	5	43	540	1,479	684	103	692	691	1,854	2,585	1,057	1,528	496	200	27
17	3	16	15	4	1	3	91	267	124	17	126	32	214	399	170	229	58	9	28
24	4	16	26	5	-	5	109	276	93	29	154	89	287	465	236	229	70	20	29
65	6	47	55	6	-	6	180	481	213	19	249	76	551	749	295	454	152	27	30
64	23	80	70	9	1	8	285	701	306	47	348	261	957	1,240	519	721	236	63	31
8	3	17	14	4	1	3	62	152	65	9	78	28	185	216	84	132	49	24	32
58	18	135	64	26	4	22	382	1,332	457	110	765	107	1,268	1,414	522	892	323	176	33
13	12	113	28	16	5	11	122	502	344	17	141	26	428	419	95	324	67	88	34
64	43	204	76	53	12	41	548	1,696	718	138	840	495	1,580	2,034	753	1,281	481	285	35
37	24	76	50	11	1	10	216	577	239	44	294	387	766	1,100	380	720	252	67	36
75	49	182	71	59	14	45	536	1,887	785	150	952	1,025	1,632	2,684	1,260	1,424	456	420	37
27	32	154	42	43	10	33	285	1,044	389	119	536	791	795	1,675	684	991	173	238	38
56	59	246	95	61	9	52	465	1,846	728	157	961	464	1,672	2,405	1,030	1,375	372	430	39
121	71	276	140	57	10	47	578	2,076	926	166	984	921	2,168	2,927	1,241	1,686	676	458	40
69	47	137	80	28	5	23	396	1,175	475	110	590	331	1,232	1,940	776	1,164	305	185	41
101	36	147	108	35	3	32	429	1,369	525	97	747	1,573	1,302	1,980	859	1,121	332	270	42
49	39	161	78	63	6	57	384	1,356	475	129	752	1,483	1,174	2,069	941	1,128	246	344	43
27	43	116	78	54	4	50	247	1,166	345	126	695	1,993	776	1,548	621	927	152	175	44
41	24	74	50	23	3	20	198	589	224	68	297	486	736	1,232	466	766	147	133	45
55	24	203	68	41	5	36	452	1,679	680	199	800	261	1,261	2,012	828	1,184	267	269	46
84	28	115	90	16	3	13	241	774	289	56	429	988	1,001	1,593	684	909	237	135	47
198	106	357	204	107	16	91	1,140	4,303	1,705	406	2,192	1,495	3,487	5,368	2,372	2,996	844	726	48
18	4	18	6	4	-	4	92	241	102	19	120	171	303	534	220	314	108	26	49
19	11	12	19	2	-	2	90	244	84	21	139	74	266	507	209	298	74	10	50
14	2	11	2	2	2	-	47	150	58	9	83	24	144	305	139	166	61	17	51
37	15	60	39	10	2	8	218	800	370	46	384	56	859	1,095	459	636	220	68	52
36	11	22	21	13	5	8	132	552	206	45	301	471	367	708	376	332	109	58	53
31	9	47	20	12	1	11	185	607	230	43	334	160	719	871	418	453	151	89	54
12	5	24	9	6	1	5	121	306	151	9	146	294	308	553	253	300	86	19	55
5	2	6	10	4	1	3	25	137	44	6	87	36	145	286	148	138	65	23	56
51	18	94	58	15	1	14	363	931	423	42	466	150	1,150	1,609	622	987	398	74	57
43	13	65	36	13	2	11	190	511	253	24	234	150	774	1,172	477	695	231	44	58
333	92	624	320	105	38	67	1,916	3,381	2,695	402	2,284	354	6,034	8,330	3,936	4,394	2,510	714	59
2	-	-	2	1	-	1	37	144	51	14	79	48	80	250	46	204	35	21	60
7	6	17	3	3	2	1	77	274	93	20	161	29	164	272	110	162	45	22	61

Table 1-W Death Rates for 59 Selected Causes:

(By place of residence. Data refer only to deaths occurring within the United States, including Alaska and Hawaii. Excludes fetal deaths. Rates per 100,000

	DIVISION AND STATE	Total	Tuberculosis, all forms 001-019	Tuberculosis of respiratory system 001-008	Tuberculosis, other forms 010-019	Syphilis and its sequelae 020-029	Dysentery, all forms 045-048	Scarlet fever and streptococcal sore throat 050,051	Diphtheria 055	Whooping cough 056	Meningococcal infections 057	Acute poliomyelitis 080	Measles 085	Other infective and parasitic diseases 050-044, 049, 052-054, 058-074, 081-084, 086-138	Malignant neoplasms, including neoplasms of lymphatic and hematopoietic tissues 140-205	Malignant neoplasm of buccal cavity and pharynx 140-148	Malignant neoplasm of digestive organs and peritoneum, not specified as secondary 150-156A, 157-159
1	UNITED STATES-----	954.7	6.1	5.6	0.4	1.6	0.2	0.1	0.0	0.1	0.4	0.1	0.2	3.2	149.2	3.4	50.8
	GEOGRAPHIC DIVISIONS:																
2	New England----------	1,061.8	5.4	5.1	0.3	1.6	0.1	0.0	0.0	0.0	0.3	0.2	0.2	2.9	181.1	4.9	65.8
3	Middle Atlantic------	1,049.5	7.5	7.0	0.5	1.6	0.0	0.0	0.0	0.0	0.3	0.1	0.1	2.7	180.3	4.1	66.0
4	East North Central---	960.4	5.2	4.9	0.4	1.3	0.1	0.1	0.0	0.0	0.4	0.1	0.2	2.6	155.7	3.4	54.7
5	West North Central---	1,014.0	3.9	3.6	0.3	1.6	0.1	0.1	0.0	0.0	0.2	0.1	0.1	3.0	157.4	3.3	54.6
6	South Atlantic-------	908.0	5.8	5.4	0.4	1.8	0.2	0.1	0.1	0.1	0.5	0.1	0.2	3.8	126.3	3.1	38.9
7	East South Central---	953.6	9.4	8.7	0.7	1.4	0.6	0.1	0.1	0.1	0.5	0.2	0.4	4.2	124.0	3.2	38.7
8	West South Central---	873.0	7.2	6.7	0.5	2.4	0.7	0.1	0.2	0.2	0.3	0.1	0.5	4.3	126.2	2.8	38.6
9	Mountain------------	807.4	5.9	5.3	0.5	1.4	0.5	0.0	0.0	0.1	0.3	0.2	0.4	3.4	110.4	2.0	35.5
10	Pacific-------------	866.7	4.6	4.2	0.4	1.7	0.1	0.0	0	0.0	0.3	0.1	0.1	2.8	139.9	3.4	45.4
	NEW ENGLAND:																
11	Maine----------------	1,110.2	4.3	3.9	0.4	0.8	0	0.2	0	0	0.4	0.7	0.2	3.2	178.3	3.2	62.1
12	New Hampshire--------	1,097.7	2.8	2.5	0.3	3.1	0	0	0	0	0.2	0	0.2	2.3	176.6	4.8	65.4
13	Vermont--------------	1,135.7	4.9	4.9	0	2.3	0	0	0	0	0.3	0	0	2.8	178.5	5.4	57.7
14	Massachusetts--------	1,104.0	6.4	6.0	0.4	1.7	0.0	0.0	0	0.0	0.3	0.1	0.1	3.2	184.6	5.1	66.7
15	Rhode Island---------	1,047.7	6.9	6.9	0	1.5	0.6	0.1	0.1	0	0.1	0.9	0	2.4	188.6	5.6	70.7
16	Connecticut----------	942.7	3.9	3.6	0.3	1.5	0.0	0	0	0	0.2	0.2	0.2	2.2	174.1	4.8	65.2
	MIDDLE ATLANTIC:																
17	New York------------	1,060.0	7.6	7.1	0.5	1.4	0.1	0.0	0.0	0.0	0.4	0.2	0.2	2.6	187.5	4.5	69.4
18	New Jersey-----------	980.1	6.1	5.7	0.4	1.4	0.0	0.0	0	0.0	0.4	0.1	0.1	2.7	175.3	3.6	65.0
19	Pennsylvania---------	1,071.1	8.0	7.5	0.5	2.1	0.0	0.0	0.0	0.0	0.3	0.1	0.1	2.9	172.2	3.8	61.5
	EAST NORTH CENTRAL:																
20	Ohio-----------------	962.9	5.1	4.7	0.3	2.0	0.0	0.1	0.0	0.0	0.3	0.1	0.2	2.8	156.8	3.6	53.3
21	Indiana--------------	973.1	5.3	5.0	0.3	1.4	0.1	0	0.0	0.1	0.3	0.2	0.2	3.0	146.1	2.8	48.9
22	Illinois------------	1,022.0	6.4	5.8	0.5	0.9	0.1	0.0	0.0	0.0	0.5	0.1	0.2	2.1	168.3	3.7	61.1
23	Michigan------------	868.1	5.0	4.7	0.3	1.1	0.1	0.1	0.0	0.0	0.4	0.1	0.2	2.3	144.4	3.3	49.5
24	Wisconsin------------	965.3	3.1	2.8	0.3	0.9	0.1	0.1	0	0.0	0.5	0.1	0.3	3.0	155.1	3.3	58.8
	WEST NORTH CENTRAL:																
25	Minnesota-----------	927.8	2.9	2.7	0.2	1.4	0	0.0	0.1	0	0.3	0.1	0.1	3.0	149.3	3.0	56.9
26	Iowa-----------------	1,043.3	2.1	1.8	0.3	1.2	0	0.1	0.0	0	0.1	0.1	0.1	3.0	164.4	3.2	56.4
27	Missouri------------	1,119.3	7.4	7.0	0.3	2.3	0.1	0.1	0	0.1	0.1	0.1	0.1	2.9	172.6	4.3	58.2
28	North Dakota---------	858.6	2.5	2.1	0.5	0.5	0	0.2	0	0	0.2	0.2	0.2	3.3	128.5	2.2	46.5
29	South Dakota---------	972.5	4.1	3.2	0.9	1.2	0	0	0.1	0.4	0.1	0	0	4.3	146.2	1.8	51.7
30	Nebraska------------	998.8	2.1	1.6	0.5	1.4	0.1	0	0	0	0.3	0	0.1	2.9	159.1	2.8	58.7
31	Kansas---------------	971.3	2.6	2.5	0.1	1.9	0.1	0	0.0	0	0.1	0	0.2	3.0	141.7	2.9	42.5
	SOUTH ATLANTIC:																
32	Delaware------------	938.0	5.6	5.2	0.4	1.3	0	0	0	0	0.4	0	0	2.9	146.1	4.0	44.1
33	Maryland------------	902.0	8.7	8.1	0.5	2.7	0.1	0	0	0	0.5	0.3	0.2	3.0	142.2	2.8	45.0
34	District of Columbia-	1,149.5	11.8	11.3	0.5	2.5	0	0	0	0	0.5	0.1	0.4	5.1	187.6	6.5	64.0
35	Virginia------------	868.7	6.3	5.8	0.5	1.5	0.5	0.1	0.1	0.2	0.5	0.1	0.1	4.0	119.4	2.5	36.1
36	West Virginia--------	971.1	6.6	5.9	0.6	1.9	0.1	0.2	0	0.1	0.9	0.2	0.1	3.3	137.9	2.2	47.1
37	North Carolina-------	837.5	4.4	4.2	0.2	1.2	0.1	0.1	0.0	0.1	0.5	0.1	0.3	3.2	100.8	2.6	30.4
38	South Carolina-------	868.3	5.8	5.3	0.5	1.9	0.3	0	0.0	0.3	0.4	0.3	0.3	4.4	95.1	2.4	28.2
39	Georgia--------------	896.7	5.4	4.8	0.6	1.7	0.5	0.1	0.1	0.2	0.7	0.1	0.3	4.3	110.4	2.9	31.9
40	Florida--------------	972.5	4.3	3.9	0.4	2.0	0.1	0.0	0.1	0.1	0.3	0.1	0.1	4.2	157.3	4.1	48.6
	EAST SOUTH CENTRAL:																
41	Kentucky------------	986.1	10.7	9.8	0.9	1.4	0.2	0.4	0.0	0	0.4	0.3	0.3	4.0	137.3	3.9	47.6
42	Tennessee------------	922.3	10.0	9.4	0.6	1.1	0.4	0.0	0	0.1	0.6	0.1	0.4	3.6	122.6	3.0	37.4
43	Alabama-------------	927.5	9.2	8.5	0.6	1.6	0.5	0.1	0.1	0.2	0.6	0.1	0.5	4.4	116.0	2.9	33.6
44	Mississippi----------	998.3	6.7	6.1	0.6	1.5	1.3	0.1	0.2	0.3	0.6	0.2	0.4	4.8	119.8	3.0	36.3
	WEST SOUTH CENTRAL:																
45	Arkansas------------	1,002.7	10.5	10.0	0.6	1.8	0.7	0.1	0.2	0.3	0.4	0.1	0.5	4.0	136.5	3.1	40.4
46	Louisiana------------	912.0	8.5	8.0	0.5	3.5	0.4	0.0	0.2	0.1	0.4	0.0	0.6	5.7	131.5	3.3	39.8
47	Oklahoma------------	984.2	7.3	6.9	0.5	1.8	0.3	0.1	0.0	0.2	0.3	0.1	0.3	4.1	147.9	2.8	46.9
48	Texas----------------	808.5	6.2	5.6	0.5	2.3	0.9	0.1	0.2	0.2	0.3	0.1	0.5	4.0	117.2	2.6	35.8
	MOUNTAIN:																
49	Montana--------------	971.0	4.7	4.1	0.6	1.0	0.1	0	0	0.1	0.6	1.0	0.1	2.8	140.8	2.7	45.9
50	Idaho----------------	813.3	2.5	2.5	0	1.0	0	0	0	0	0	0	0.1	2.1	108.5	1.8	34.2
51	Wyoming--------------	847.1	3.6	2.7	0.9	0.9	0.3	0	0	0	0.3	0.6	0	2.1	106.3	1.5	29.7
52	Colorado------------	874.7	4.3	4.0	0.3	1.9	0.2	0.1	0	0	0.2	0	0.3	3.9	124.8	2.4	41.5
53	New Mexico-----------	686.1	8.1	7.5	0.6	1.2	1.4	0	0	0.2	0.3	0	0.8	3.3	83.4	0.8	30.4
54	Arizona--------------	779.2	12.1	11.0	1.1	1.8	1.2	0	0	0.2	0.5	0.1	0.7	4.2	109.3	1.9	34.3
55	Utah-----------------	676.2	2.0	1.7	0.3	0.7	0.1	0	0.1	0.1	0.4	0.1	0.6	3.5	89.9	1.3	25.8
56	Nevada---------------	890.4	4.6	4.6	0	2.5	0	0.4	0	0	0.4	0	0.4	2.1	118.1	4.2	36.8
	PACIFIC:																
57	Washington-----------	929.9	3.2	3.0	0.1	1.9	0.1	0.0	0	0	0.2	0.1	0.0	2.0	147.4	3.6	48.2
58	Oregon---------------	950.9	3.6	3.3	0.3	1.8	0	0.1	0	0	0.5	0	0.1	2.7	150.8	2.9	48.2
59	California-----------	862.2	5.0	4.6	0.4	1.7	0.1	0.0	0	0.2	0.3	0.2	0.1	2.9	140.4	3.5	45.2
60	Alaska---------------	583.2	8.8	8.0	0.9	0	0.9	0	0	0	0.9	0	0	4.4	52.2	1.8	14.1
61	Hawaii---------------	559.6	2.2	1.9	0.3	0.8	0	0	0	0	0.2	0	0.2	2.5	94.8	2.7	41.7

United States, Each Division and State, 1960

population in each area, enumerated as of April 1. Numbers under causes of death are category numbers of the Seventh Revision of the International Lists, 1955)

Malignant neoplasm of respiratory system, not specified as secondary	Malignant neoplasm of breast	Malignant neoplasm of genital organs	Malignant neoplasm of urinary organs	Malignant neoplasm of other and unspecified sites	Leukemia and aleukemia	Lymphosarcoma and other neoplasms of lymphatic and hematopoietic tissues	Benign neoplasms and neoplasms of unspecified nature	Asthma	Diabetes mellitus	Anemias	Meningitis, except meningococcal and tuberculous	Major cardiovascular-renal diseases	Diseases of cardiovascular system	Vascular lesions affecting central nervous system	Diseases of heart	Rheumatic fever and chronic rheumatic heart disease	Arteriosclerotic heart disease, including coronary disease	
160-164	170	171-179	180,181	156B,165, 190-199	204	200-203, 205	210-239	241	260	290-293	340	330-334, 400-468, 592-594	330-334, 400-468	330-334	400-402, 410-443	400-402, 410-416	420	
22.2	13.4	21.6	7.1	16.5	7.1	7.2	2.7	3.0	16.7	1.9	1.3	521.8	515.1	108.0	369.0	10.3	275.6	1
25.6	17.3	24.1	9.4	18.0	7.3	8.6	3.4	3.2	19.7	1.8	1.2	605.8	599.3	114.4	437.9	12.8	352.8	2
27.6	17.1	22.7	9.0	18.3	7.5	8.0	3.3	2.6	21.1	1.6	1.1	602.3	596.0	98.3	457.8	13.8	354.4	3
22.5	14.2	22.9	7.9	15.3	7.3	7.6	2.2	2.9	19.9	2.0	1.1	541.6	535.4	110.9	383.3	10.7	292.3	4
19.8	14.4	23.5	7.9	17.2	8.4	8.3	2.5	3.8	17.3	2.1	1.0	571.1	564.0	131.0	388.3	10.3	292.7	5
20.0	10.4	20.2	5.5	16.2	6.0	6.0	2.9	3.0	14.1	1.9	1.5	478.4	470.3	110.4	325.2	7.9	221.8	6
17.2	9.7	22.2	4.5	16.8	6.4	5.4	2.8	3.1	13.1	2.2	1.8	496.1	486.9	130.0	321.8	6.4	214.4	7
20.5	9.5	19.9	5.4	15.8	7.5	6.1	2.5	2.6	15.1	2.1	1.5	441.7	434.0	102.7	300.8	5.2	216.8	8
14.6	9.8	17.1	5.7	14.0	5.8	5.9	2.8	4.4	10.6	1.8	1.6	377.5	372.0	77.2	282.3	12.3	194.9	9
22.0	13.1	18.9	6.6	15.9	6.9	7.7	2.4	3.0	10.7	1.5	1.3	459.0	454.5	97.1	322.8	11.0	243.6	10
25.9	15.9	29.8	7.9	17.8	7.3	8.3	3.7	4.5	15.1	2.1	1.0	653.4	643.9	134.0	460.5	12.4	346.4	11
23.2	16.1	27.0	9.2	15.2	8.7	6.9	2.3	5.6	21.3	1.8	1.0	639.3	633.0	123.4	449.3	12.0	361.2	12
25.4	20.0	29.0	10.5	15.1	8.0	7.4	2.3	3.8	20.3	3.1	1.5	639.4	633.3	135.7	440.1	11.3	344.2	13
25.7	17.9	23.4	9.8	19.3	7.4	9.3	3.7	3.1	19.3	1.7	1.5	629.3	623.3	118.1	457.4	13.5	369.1	14
28.6	18.4	23.7	8.7	17.6	7.4	7.8	2.9	3.6	26.3	1.6	0.6	617.8	609.3	95.6	469.6	13.0	392.1	15
24.8	15.9	22.2	9.4	16.7	6.7	8.4	3.5	2.1	19.8	1.7	1.1	522.8	516.9	100.4	375.9	11.9	308.2	16
29.1	18.4	22.6	9.2	17.8	7.5	9.1	3.2	2.6	18.8	1.7	1.2	603.2	597.7	93.6	467.4	14.1	377.4	17
28.1	16.6	21.1	9.4	16.9	7.5	7.0	3.0	2.3	21.4	1.5	1.0	563.4	557.0	85.8	433.4	13.3	322.5	18
25.1	15.6	23.6	8.4	19.6	7.5	7.1	3.6	2.8	24.4	1.7	1.1	622.0	614.5	112.1	456.5	13.7	337.3	19
22.9	14.1	24.0	7.4	16.3	7.3	8.0	2.3	2.6	23.0	1.9	1.1	537.7	532.3	115.3	370.9	11.2	277.1	20
21.6	13.0	22.6	7.3	16.4	6.7	6.8	2.1	3.0	19.9	2.0	1.2	552.3	544.9	124.8	375.1	9.9	278.0	21
25.3	16.4	23.8	8.4	14.3	7.6	7.7	2.2	3.0	14.9	1.6	1.3	595.1	588.1	106.3	443.5	10.4	342.5	22
21.9	12.5	21.0	8.1	14.0	6.6	7.5	2.2	3.3	22.9	2.3	1.0	467.2	461.2	98.6	327.6	11.1	254.5	23
16.9	13.7	21.9	7.8	16.7	8.7	7.3	2.5	2.8	19.3	2.5	1.2	549.5	543.9	120.1	380.1	10.5	292.7	24
14.8	13.9	20.8	7.3	15.7	8.3	8.7	2.7	3.2	14.5	2.1	1.1	514.4	510.1	124.0	346.8	11.3	270.3	25
20.1	15.6	25.5	9.0	16.5	8.7	9.5	2.4	4.3	17.4	2.4	0.8	604.5	597.5	143.2	403.1	8.6	306.9	26
25.5	15.3	26.0	8.0	19.9	7.6	7.9	2.8	3.9	18.8	1.7	1.4	633.8	624.0	139.2	435.9	11.3	316.8	27
13.6	11.1	19.3	5.2	15.3	6.2	9.2	1.9	2.8	17.4	2.2	0.5	457.0	453.2	106.3	315.4	9.3	249.3	28
18.5	13.1	22.5	9.0	14.5	9.1	6.0	2.4	3.7	16.0	2.6	1.0	519.8	514.8	123.0	356.1	10.6	272.1	29
19.2	13.8	24.8	8.4	14.2	8.6	8.5	2.4	5.0	19.8	1.8	0.6	562.6	557.9	133.3	385.0	11.3	289.1	30
18.5	13.5	21.3	7.4	18.1	9.8	7.7	1.7	3.2	17.4	2.4	0.8	548.1	538.4	118.4	373.6	8.4	285.6	31
24.0	12.5	20.4	6.9	22.9	5.2	6.0	3.4	1.8	24.6	1.6	1.6	512.0	503.7	81.6	382.7	11.9	247.8	32
23.2	13.9	20.3	6.6	18.2	5.9	6.3	4.1	3.0	18.3	1.4	1.4	485.5	478.6	74.3	370.0	8.3	219.2	33
30.5	17.3	29.3	7.9	18.5	5.2	8.4	4.6	2.7	13.9	2.1	2.9	570.7	562.1	107.3	400.5	10.1	273.6	34
18.5	10.8	18.4	4.8	16.2	5.8	6.2	2.2	2.9	12.0	1.9	1.2	461.8	453.8	104.7	315.3	7.6	214.6	35
20.4	9.2	21.5	5.5	19.5	6.5	6.2	2.2	4.1	14.6	1.6	1.1	533.0	523.7	116.3	369.4	9.6	271.3	36
13.0	8.1	17.0	3.7	13.9	6.4	5.5	3.2	2.5	13.6	1.7	1.0	442.5	435.0	113.4	290.7	6.4	193.8	37
13.4	6.9	18.3	3.2	13.0	4.9	4.7	3.0	2.2	12.8	1.8	1.7	448.6	439.8	115.0	292.9	6.0	187.8	38
16.9	9.7	20.1	4.3	15.1	5.2	4.4	2.3	2.7	12.4	2.3	1.3	473.6	462.8	138.8	290.1	6.0	196.7	39
29.3	11.5	23.7	8.4	17.1	7.1	7.5	2.7	3.9	14.6	2.1	2.0	500.5	494.1	110.6	346.8	10.4	262.4	40
19.4	10.7	21.2	5.2	17.1	6.5	5.7	3.0	3.9	13.8	2.2	1.1	541.7	534.3	127.0	369.4	7.7	261.6	41
17.4	10.2	20.7	5.0	16.4	6.8	5.7	2.4	3.3	11.7	2.1	1.6	488.1	480.2	130.6	314.4	6.1	218.6	42
16.0	9.5	23.7	3.6	15.5	5.9	5.4	2.8	2.1	13.4	1.8	2.2	477.1	466.0	127.9	306.3	6.3	187.2	43
15.3	7.5	23.9	4.2	19.2	6.1	4.4	3.1	2.9	14.0	2.7	2.3	474.0	463.0	136.5	291.1	5.4	182.6	44
19.9	9.3	24.1	4.8	20.0	8.9	5.9	3.1	2.2	14.1	1.5	1.2	542.7	530.1	128.8	366.9	6.0	261.1	45
22.4	10.3	19.5	5.4	18.8	6.6	5.4	2.8	2.6	19.3	2.4	2.2	463.7	457.2	94.9	333.5	4.8	233.4	46
22.2	10.5	23.4	6.6	19.4	8.9	7.2	2.8	4.5	16.5	2.2	1.0	505.1	496.4	129.4	330.1	6.5	248.2	47
19.5	9.1	18.3	5.2	13.2	7.3	6.2	2.2	2.2	13.5	2.0	1.5	400.0	393.1	94.1	270.2	4.9	195.3	48
21.3	12.6	21.3	7.0	16.7	5.3	7.9	3.4	3.7	13.6	2.4	1.3	505.8	498.5	105.8	345.2	13.2	249.7	49
11.2	8.5	18.9	7.0	13.6	6.3	6.9	2.2	3.3	12.3	1.9	0.6	427.6	421.6	100.9	293.2	11.1	217.2	50
16.7	9.7	16.7	5.8	13.3	4.5	8.5	3.3	3.0	13.3	0.6	0.6	404.5	399.9	80.3	286.6	14.2	202.4	51
15.5	12.8	19.4	6.2	14.0	6.4	6.6	3.1	3.9	10.1	2.4	1.1	439.5	433.9	90.9	299.8	13.9	236.4	52
9.3	6.1	11.7	4.0	12.6	3.9	4.6	3.5	2.8	8.8	1.7	2.7	240.6	234.9	51.5	160.4	8.3	112.2	53
18.1	8.6	15.8	5.5	14.3	6.5	4.1	2.4	9.5	9.8	1.2	3.2	325.4	320.5	60.4	234.0	10.4	175.6	54
9.4	9.8	16.7	4.6	12.6	5.1	4.6	2.2	1.9	10.1	1.6	0.7	320.9	316.2	62.7	230.2	16.6	156.3	55
16.8	7.0	14.0	7.0	16.8	7.7	7.7	2.8	2.8	10.9	1.4	1.4	415.7	411.2	74.7	305.3	8.8	234.5	56
22.5	12.4	21.1	7.3	15.9	7.5	8.7	2.2	3.0	14.9	2.3	1.1	514.6	510.0	114.0	358.9	11.4	276.0	57
22.2	14.9	22.4	7.5	15.7	7.7	9.4	2.3	3.4	12.8	1.8	1.6	530.1	525.5	131.8	356.9	11.4	281.4	58
22.2	13.5	18.8	6.8	16.3	6.8	7.5	2.5	2.9	9.7	1.4	1.3	453.2	448.9	92.8	321.2	11.2	240.9	59
14.1	3.5	6.6	1.3	6.2	3.5	0.9	0.4	0.4	4.0	0.4	2.2	164.9	163.2	31.0	118.1	6.2	91.1	60
17.2	6.0	7.7	2.4	9.2	3.8	4.1	1.9	4.3	13.3	0.9	1.6	257.3	249.2	52.3	179.7	5.4	113.6	61

Table 1-W. Death Rates for 59 Selected Causes:

(By place of residence. Data refer on to deaths occurring within the United States, including Alaska and Hawaii. Excludes fetal deaths. Rates per 100,000

	DIVISION AND STATE	Nonrheumatic chronic endocarditis and other myocardial degeneration 421,422	Other diseases of heart 430-434	Hypertensive heart disease 440-443	Other hypertensive disease 444-447	General arteriosclerosis 450	Other diseases of circulatory system 451-466	Chronic and unspecified nephritis and other renal sclerosis 592-594	Influenza and pneumonia, except pneumonia of newborn 480-493	Influenza 480-483	Pneumonia, except pneumonia of newborn 490-493	Bronchitis 500-502	Ulcer of stomach and duodenum 540,541	Appendicitis 550-553	Hernia and intestinal obstruction 560, 561, 570	Gastritis, duodenitis, enteritis, and colitis, except diarrhea of newborn 543,571, 572	Cirrhosis of liver 581
1	UNITED STATES-----	31.8	14.3	37.0	7.1	20.0	11.0	6.7	37.3	4.4	32.9	2.4	6.3	1.0	5.1	4.4	11.3
	GEOGRAPHIC DIVISIONS:																
2	New England----------	26.6	12.0	33.8	7.9	24.8	14.3	6.5	43.0	2.1	41.0	3.0	8.1	0.9	5.5	3.5	14.1
3	Middle Atlantic------	38.2	9.3	42.0	7.2	21.3	11.4	6.3	35.7	1.7	34.0	2.5	7.3	1.2	5.4	4.0	15.6
4	East North Central----	31.7	13.2	35.5	8.0	22.8	10.3	6.3	33.4	3.3	30.1	2.3	6.9	1.1	5.1	3.6	11.2
5	West North Central----	36.5	15.7	33.2	7.3	25.8	11.5	7.1	41.7	7.2	34.5	2.2	6.6	1.1	5.8	4.0	8.2
6	South Atlantic--------	32.6	16.9	45.9	7.6	15.9	11.2	8.1	40.0	6.4	33.6	2.1	5.2	1.0	4.8	5.3	8.5
7	East South Central----	30.7	22.5	47.8	8.8	17.5	8.7	9.2	42.1	9.7	32.5	2.1	4.6	1.0	4.3	6.0	5.9
8	West South Central----	22.9	23.3	32.6	6.1	14.7	9.7	7.7	38.6	6.4	32.1	2.3	4.5	1.0	4.8	6.4	7.3
9	Mountain-------------	21.9	13.4	19.9	4.9	16.9	10.7	5.5	36.3	3.7	32.6	3.8	6.1	0.8	5.5	5.5	9.1
10	Pacific--------------	30.8	9.7	27.7	4.4	18.2	12.1	4.4	33.4	2.9	30.5	2.7	6.6	0.9	4.5	3.4	16.1
	NEW ENGLAND:																
11	Maine----------------	49.3	13.3	39.0	10.3	26.1	13.0	9.5	37.9	4.8	33.0	3.2	7.9	0.8	7.2	3.1	6.6
12	New Hampshire--------	22.9	11.4	41.9	6.6	41.5	12.2	6.3	36.1	5.1	31.0	3.6	9.6	0.8	6.1	3.5	9.6
13	Vermont--------------	36.7	11.0	36.9	12.6	31.0	13.6	6.2	48.0	6.7	41.3	2.1	8.0	1.0	7.7	4.6	10.0
14	Massachusetts--------	26.1	14.1	34.7	7.5	24.4	15.9	6.0	52.1	1.5	50.6	3.2	8.2	0.9	5.6	3.9	16.4
15	Rhode Island---------	18.8	9.8	35.8	11.5	18.7	13.8	8.5	28.2	1.3	26.9	4.0	8.1	0.8	4.0	2.9	12.2
16	Connecticut----------	20.8	8.2	26.9	6.2	22.2	12.3	5.8	32.5	1.0	31.5	2.2	7.5	0.9	4.9	2.9	14.4
	MIDDLE ATLANTIC:																
17	New York-------------	28.6	6.0	41.3	6.9	19.4	10.4	5.5	39.8	1.1	38.7	2.9	8.5	1.3	5.3	4.1	18.8
18	New Jersey-----------	49.4	9.0	39.3	7.5	18.4	11.8	6.4	28.5	0.8	27.8	2.1	6.3	0.9	4.8	4.4	14.4
19	Pennsylvania---------	46.5	14.4	44.6	7.5	25.7	12.7	7.5	33.5	3.1	30.4	2.1	6.1	1.2	6.0	3.6	11.4
	EAST NORTH CENTRAL:																
20	Ohio-----------------	29.5	14.6	38.4	8.1	27.1	11.0	5.4	28.0	3.9	24.1	2.7	6.6	1.2	5.3	3.5	11.7
21	Indiana--------------	30.1	14.5	42.5	8.5	26.7	9.8	7.5	33.1	4.6	28.4	1.9	7.0	0.9	6.0	3.4	9.2
22	Illinois-------------	40.2	13.3	37.1	8.9	20.8	8.6	6.9	42.5	1.8	40.7	2.4	7.7	1.1	4.9	3.8	12.8
23	Michigan-------------	22.9	11.5	27.9	6.7	17.1	10.9	6.1	28.5	2.8	25.7	2.1	6.4	1.3	4.3	3.6	10.6
24	Wisconsin------------	34.5	11.6	30.9	7.3	24.2	12.1	5.6	33.6	4.9	28.6	2.0	6.7	1.2	5.8	3.5	9.1
	WEST NORTH CENTRAL:																
25	Minnesota------------	25.1	10.6	29.6	5.1	22.4	11.8	4.3	39.1	5.4	33.7	1.9	6.2	0.8	6.0	3.9	7.6
26	Iowa-----------------	38.4	18.4	30.8	8.2	31.9	11.1	7.0	45.4	9.5	35.9	2.0	6.5	1.1	5.5	3.9	6.9
27	Missouri-------------	48.1	16.9	42.9	9.3	27.1	12.4	9.8	44.1	6.6	37.5	2.2	7.0	1.5	6.0	4.3	10.4
28	North Dakota---------	21.5	14.4	20.9	5.2	18.0	8.2	3.8	40.0	4.6	35.4	2.2	5.1	0.9	4.3	3.6	7.3
29	South Dakota---------	32.5	21.3	19.5	4.4	19.4	11.9	5.0	41.6	5.7	35.9	2.9	4.8	0.7	6.2	4.6	5.3
30	Nebraska-------------	36.8	17.7	30.0	6.2	24.3	9.1	4.7	40.4	10.8	29.5	3.3	7.4	1.3	4.7	4.3	9.5
31	Kansas---------------	34.2	15.1	32.5	8.3	25.9	12.3	9.7	37.4	6.9	30.4	2.2	7.4	1.0	6.4	3.5	7.1
	SOUTH ATLANTIC:																
32	Delaware-------------	58.5	12.1	52.4	7.8	19.3	12.3	8.3	31.8	1.8	30.0	1.3	6.3	0.9	7.6	3.6	14.3
33	Maryland-------------	71.2	12.1	59.3	5.4	16.6	12.2	6.9	32.0	1.7	30.2	2.4	5.5	1.0	5.0	3.3	10.6
34	District of Columbia--	27.4	15.8	73.7	12.4	21.9	19.9	8.6	55.2	0.8	54.5	2.2	8.4	1.0	7.1	4.8	25.8
35	Virginia-------------	35.1	14.0	43.9	6.5	16.4	11.0	8.0	39.2	6.6	32.6	2.2	4.5	1.0	4.6	4.3	7.6
36	West Virginia---------	31.3	17.5	39.7	8.7	19.4	9.9	9.3	44.8	8.4	36.4	2.6	6.5	1.2	5.3	3.7	7.8
37	North Carolina--------	21.9	21.2	47.6	7.7	13.6	9.6	7.5	40.6	8.5	32.2	2.2	3.7	1.0	4.5	5.2	5.8
38	South Carolina--------	24.2	18.0	57.0	8.6	14.0	9.2	8.9	47.0	11.2	35.9	1.6	3.6	0.5	3.4	6.8	4.1
39	Georgia--------------	25.3	18.5	43.6	8.9	15.8	9.2	10.9	45.6	9.0	36.7	1.8	5.5	0.7	4.6	6.3	6.5
40	Florida--------------	25.2	16.9	31.7	7.1	15.7	14.0	6.4	33.8	3.8	30.0	2.1	6.6	1.3	5.1	6.6	11.1
	EAST SOUTH CENTRAL:																
41	Kentucky-------------	27.9	24.1	48.1	7.6	20.9	9.4	7.4	46.0	9.1	37.0	1.9	5.0	1.0	4.6	4.4	7.4
42	Tennessee------------	30.1	21.9	37.6	8.4	18.8	8.1	7.9	38.2	7.7	30.5	2.0	4.4	0.9	3.6	4.2	5.4
43	Alabama--------------	36.6	20.9	55.3	8.4	15.4	8.1	11.1	41.7	11.5	30.2	2.5	4.8	1.1	4.4	6.5	6.1
44	Mississippi----------	26.9	23.4	52.8	11.7	13.9	9.8	11.0	43.9	10.9	33.0	1.8	3.9	1.1	5.1	10.7	4.2
	WEST SOUTH CENTRAL:																
45	Arkansas-------------	21.4	32.6	45.8	8.0	16.7	9.7	12.6	49.7	10.5	39.2	2.4	4.8	1.0	3.8	5.9	6.3
46	Louisiana------------	26.6	20.8	48.0	5.9	13.3	9.6	6.5	39.3	4.9	34.4	2.2	4.0	1.3	5.5	5.7	7.7
47	Oklahoma-------------	21.7	23.4	30.3	6.7	19.7	10.5	8.7	35.1	5.5	29.7	2.5	5.4	1.5	5.5	4.3	7.4
48	Texas----------------	22.2	22.4	25.4	5.7	13.6	9.5	6.9	37.1	6.5	30.6	2.2	4.4	0.7	4.6	7.3	7.4
	MOUNTAIN:																
49	Montana--------------	30.7	28.0	23.6	5.9	29.2	12.4	7.3	36.9	5.2	31.7	3.6	5.2	1.2	4.0	3.7	8.7
50	Idaho----------------	27.6	13.9	23.4	4.3	16.3	6.9	6.0	28.2	4.3	23.8	3.3	6.4	0.4	5.1	3.6	4.8
51	Wyoming--------------	31.2	17.9	20.9	4.8	15.8	12.4	4.5	37.6	4.2	33.3	6.4	6.1	2.4	7.6	2.7	8.8
52	Colorado-------------	16.9	11.1	21.6	5.8	22.6	14.7	5.6	49.2	3.5	45.7	3.5	6.8	0.8	6.6	3.9	9.7
53	New Mexico-----------	15.9	12.2	11.8	3.9	10.8	8.3	5.7	36.8	6.4	30.4	2.4	4.7	0.8	3.6	8.5	7.6
54	Arizona--------------	21.8	8.8	17.4	5.1	13.1	7.8	4.9	34.3	2.3	31.9	5.8	6.0	0.8	5.5	10.9	11.7
55	Utah-----------------	22.6	11.2	23.5	2.0	9.9	11.5	4.7	21.0	2.2	18.8	3.1	6.5	0.3	5.5	2.4	6.6
56	Nevada---------------	24.9	18.6	18.6	8.4	15.1	7.7	4.6	29.4	1.4	28.0	1.8	7.7	1.1	6.7	2.1	17.5
	PACIFIC:																
57	Washington-----------	27.8	16.6	27.2	3.8	22.6	10.7	4.6	37.1	4.1	33.0	2.2	7.2	0.8	4.9	3.1	9.3
58	Oregon---------------	19.4	14.1	30.7	4.1	19.7	13.0	4.6	29.5	1.5	28.0	2.3	6.6	1.0	4.7	3.2	8.7
59	California-----------	33.8	8.1	27.2	4.8	17.8	12.5	4.2	33.5	2.8	30.7	2.9	6.6	0.9	4.5	3.5	18.6
60	Alaska---------------	3.1	13.3	4.4	0.4	9.3	4.4	1.8	44.2	8.0	36.3	3.1	1.8	0	4.0	10.2	6.2
61	Hawaii---------------	12.6	5.4	42.5	3.0	7.9	6.3	8.1	19.4	1.1	18.3	0.9	3.3	0.3	2.2	1.7	6.5

United States, Each Division and State, 1960—Con.

population in each area, enumerated as of April 1. Numbers under causes of deaths are category numbers of the Seventh Revision of the International Lists, 1955)

Cholelithiasis, cholecystitis, and cholangitis 584,585	Acute nephritis, and nephritis with edema, including nephrosis 590,591	Infections of kidney 600	Hyperplasia of prostate 610	Deliveries and complications of pregnancy, childbirth, and the puerperium 640-689	Abortion 650-652	Other complications of pregnancy, childbirth, and the puerperium 640-649, 660-689	Congenital malformations 750-759	Certain diseases of early infancy 760-776	Birth injuries, postnatal asphyxia, and atelectasis 760-762	Infections of newborn 763-768	Other diseases peculiar to early infancy, and immaturity unqualified 769-776	Symptoms, senility, and ill-defined conditions 780-795	All other diseases Residual	Accidents E800-E962	Motor vehicle accidents E810-E835	Other accidents E800-E802, E840-E962	Suicide E963, E970-E979	Homicide E964, E980-E985	
2.6	0.9	4.3	2.5	0.9	0.2	0.7	12.2	37.4	16.6	2.7	18.2	11.4	38.5	52.3	21.3	31.0	10.6	4.7	1
2.8	0.9	4.9	2.3	0.5	0.1	0.4	11.9	31.1	13.4	1.8	15.9	5.8	41.1	44.8	13.0	31.8	9.1	1.5	2
3.1	0.8	4.2	2.6	0.8	0.2	0.6	11.6	33.5	15.1	1.9	16.5	5.2	37.7	41.0	13.5	27.5	9.4	3.0	3
2.9	0.9	3.9	2.6	0.7	0.1	0.6	12.2	36.9	18.6	2.3	16.0	4.6	35.1	47.5	20.6	26.9	10.4	3.6	4
3.3	0.8	3.5	3.3	0.6	0.1	0.5	13.2	33.9	14.7	2.1	17.1	9.4	41.6	57.1	24.0	33.1	10.7	2.5	5
1.8	1.2	5.4	2.2	1.3	0.3	1.0	12.3	42.8	17.9	3.5	21.4	16.3	40.4	57.3	23.3	34.0	11.0	8.4	6
2.0	1.4	4.7	2.9	1.5	0.1	1.3	12.1	42.0	15.1	3.8	23.1	44.6	37.2	62.5	26.5	36.0	8.6	8.1	7
2.2	1.1	4.4	2.4	1.1	0.2	0.9	12.0	43.3	17.1	4.3	21.9	19.1	38.3	60.2	25.7	34.5	8.8	7.5	8
2.5	0.9	2.9	1.8	0.8	0.2	0.6	13.3	44.3	18.2	2.9	23.3	18.8	45.4	70.9	32.4	38.5	12.7	4.5	9
2.1	0.6	3.8	2.0	0.6	0.2	0.4	12.2	34.2	16.6	2.4	15.2	3.4	38.7	54.9	24.5	30.4	15.2	4.1	10
3.2	1.5	5.2	3.4	0.5	0	0.5	12.0	36.8	18.6	2.3	16.0	6.6	39.2	53.5	18.3	35.3	11.8	1.8	11
2.3	1.5	2.8	3.5	0.3	0	0.3	12.4	34.4	12.4	2.8	19.3	13.2	42.7	45.1	17.6	27.5	12.9	1.0	12
4.6	0.5	3.1	4.1	0.3	0	0.3	13.3	36.9	15.6	1.5	19.7	20.0	43.1	56.2	23.3	32.8	13.1	0	13
2.9	0.9	6.0	2.1	0.5	0.1	0.4	11.4	30.0	12.0	1.9	16.2	4.8	42.9	47.7	12.1	35.5	8.0	1.3	14
3.5	0.6	4.4	2.4	0.6	0	0.6	13.4	27.6	14.1	0.8	12.7	1.2	37.7	34.4	8.5	25.9	6.3	1.4	15
2.1	0.7	3.5	1.8	0.4	0.1	0.3	12.2	30.7	14.1	1.5	15.1	5.2	38.6	37.2	11.6	25.7	9.7	2.0	16
3.3	0.6	4.7	2.7	1.0	0.3	0.7	12.0	33.2	15.0	1.9	16.3	4.2	33.9	40.4	12.9	27.5	9.7	3.3	17
2.9	0.9	3.9	2.3	0.8	0.1	0.6	11.2	33.9	15.5	2.3	16.1	2.1	33.8	37.8	12.6	25.3	7.9	2.6	18
3.0	0.9	3.8	2.5	0.7	0.1	0.6	11.4	33.8	15.0	1.8	17.0	8.3	45.5	43.7	15.0	28.7	9.7	2.7	19
2.8	1.0	4.4	2.7	0.8	0.1	0.7	12.6	36.7	17.7	2.2	16.9	4.7	39.9	48.6	20.4	28.2	10.6	3.5	20
2.9	1.1	3.9	2.8	0.6	0.1	0.5	12.4	35.4	16.0	2.0	17.4	4.7	39.4	56.7	25.4	31.3	11.4	3.0	21
2.7	0.9	4.8	2.4	0.6	0.0	0.6	10.5	37.3	23.6	2.8	10.9	6.0	29.2	41.2	16.6	24.7	9.6	4.7	22
3.0	0.7	2.5	2.6	0.9	0.2	0.7	12.9	38.9	17.1	2.1	19.6	3.1	33.8	46.7	21.8	24.9	10.2	3.6	23
4.0	0.7	3.3	2.5	0.7	0.1	0.6	13.7	33.9	14.1	1.6	18.2	4.2	36.2	51.2	23.2	28.0	10.9	1.5	24
3.8	0.8	2.8	2.2	0.3	0.1	0.2	14.1	33.4	14.6	1.5	17.4	5.3	40.6	53.0	22.6	30.3	9.7	1.3	25
2.8	0.8	2.9	3.4	0.4	0	0.4	12.6	31.9	12.7	2.0	17.2	4.1	41.9	55.8	23.2	32.6	11.3	1.0	26
3.1	1.1	4.9	3.9	1.1	0.1	1.0	12.5	34.2	15.8	2.4	16.0	16.0	42.9	59.8	24.5	35.4	11.5	4.6	27
2.7	0.5	2.5	2.4	0.6	0.2	0.5	14.4	42.2	19.6	2.7	19.9	5.1	33.8	63.1	26.9	36.2	9.2	1.4	28
3.5	0.6	2.4	3.8	0.7	0	0.7	16.0	40.6	13.7	4.3	22.6	13.1	42.2	68.3	34.7	33.7	10.3	2.9	29
4.6	0.4	3.3	3.9	0.4	0	0.4	12.8	34.1	15.1	1.3	17.6	5.4	39.0	53.1	20.9	32.2	10.8	1.9	30
2.9	1.1	3.7	3.2	0.4	0.0	0.4	13.1	32.2	14.0	2.2	16.0	12.0	43.9	56.9	23.8	33.1	10.8	2.9	31
1.8	0.7	3.8	3.1	0.9	0.2	0.7	13.9	34.1	14.6	2.0	17.5	6.3	41.5	48.4	18.8	29.6	11.0	5.4	32
1.9	0.6	4.4	2.1	0.8	0.1	0.7	12.3	43.0	14.7	3.5	24.7	3.5	40.9	45.6	16.8	28.8	10.4	5.7	33
1.7	1.6	14.8	3.7	2.1	0.7	1.4	16.0	65.7	45.0	2.2	18.5	3.4	56.0	54.8	12.4	42.4	8.8	11.5	34
1.6	1.1	5.1	1.9	1.3	0.3	1.0	13.8	42.8	18.1	3.5	21.2	12.5	39.8	51.3	19.0	32.3	12.1	7.2	35
2.0	1.3	4.1	2.7	0.6	0.1	0.5	11.6	31.0	12.8	2.4	15.8	20.8	41.2	59.1	20.4	38.7	13.5	3.6	36
1.6	1.1	4.0	1.6	1.3	0.3	1.0	11.8	41.4	17.2	3.3	20.9	22.5	35.8	58.9	27.7	31.3	10.0	9.2	37
1.1	1.3	6.5	1.8	1.8	0.4	1.4	12.0	43.8	16.3	5.0	22.5	33.2	33.4	70.3	28.7	41.6	7.3	10.0	38
1.4	1.5	6.2	2.4	1.5	0.2	1.3	11.8	46.8	18.5	4.0	24.4	11.8	42.4	61.0	26.1	34.9	9.4	10.9	39
2.4	1.4	5.6	2.8	1.2	0.2	0.9	11.7	41.9	18.7	3.4	19.9	18.6	43.8	59.1	25.1	34.0	13.7	9.2	40
2.3	1.5	4.5	2.6	0.9	0.2	0.8	13.0	38.7	15.6	3.6	19.4	10.9	40.6	63.9	25.5	38.3	10.0	6.1	41
2.8	1.0	4.1	3.0	1.0	0.1	0.9	12.0	38.4	14.7	2.7	20.9	44.1	36.5	55.5	24.1	31.4	9.3	7.6	42
1.5	1.2	4.9	2.4	1.9	0.2	1.7	11.8	41.5	14.5	3.9	23.0	45.4	35.9	63.3	28.8	34.5	7.5	10.5	43
1.2	2.0	5.3	3.6	2.5	0.2	2.3	11.3	53.5	15.8	5.8	31.9	91.5	35.6	71.1	28.5	42.6	7.0	8.0	44
2.3	1.3	4.1	2.8	1.3	0.2	1.1	11.1	33.0	12.5	3.8	16.6	27.2	41.2	69.0	26.1	42.9	8.2	7.4	45
1.7	0.7	6.2	2.1	1.3	0.2	1.1	13.9	51.6	20.9	6.1	24.6	8.0	38.7	61.8	25.4	36.4	8.2	8.3	46
3.6	1.2	4.9	3.9	0.7	0.1	0.6	10.4	33.2	12.4	2.4	18.4	42.4	43.0	68.4	29.4	39.0	10.2	5.8	47
2.1	1.1	3.7	2.1	1.1	0.2	0.9	11.9	44.9	17.8	4.2	22.9	15.6	36.4	56.0	24.8	31.3	8.8	7.6	48
2.7	0.6	2.7	0.9	0.6	0	0.6	13.6	35.7	15.1	2.8	17.8	25.3	44.9	79.1	32.6	46.5	16.0	3.9	49
2.8	1.6	1.8	2.8	0.3	0	0.3	13.5	36.6	12.6	3.1	20.8	11.1	39.9	76.0	31.3	44.7	11.1	1.5	50
4.2	0.6	3.3	0.6	0.6	0.6	0	14.2	45.4	17.6	2.7	25.1	7.3	43.6	92.4	42.1	50.3	18.5	5.2	51
2.1	0.9	3.4	2.2	0.6	0.1	0.5	12.4	45.6	21.1	2.6	21.9	3.2	49.0	62.4	26.2	36.3	12.5	3.9	52
3.8	1.2	2.3	2.2	1.4	0.5	0.8	13.9	58.0	21.7	4.7	31.7	49.5	38.6	74.4	39.5	34.9	11.5	6.1	53
2.4	0.7	3.6	1.5	0.9	0.1	0.8	14.2	46.6	17.7	3.3	25.6	12.3	55.2	66.9	32.1	34.8	11.6	6.8	54
1.3	0.6	2.7	1.0	0.7	0.1	0.6	13.6	34.4	17.0	1.0	16.4	33.0	34.6	62.1	28.4	33.7	9.7	2.1	55
1.8	0.7	2.1	3.5	1.4	0.4	1.1	8.8	48.0	15.4	2.1	30.5	12.6	50.8	100.3	51.9	48.4	22.8	8.1	56
1.8	0.6	3.3	2.0	0.5	0.0	0.5	12.7	32.6	14.8	1.5	16.3	5.3	40.3	56.4	21.8	34.6	13.9	2.6	57
2.4	0.7	3.7	2.0	0.7	0.1	0.6	10.7	28.9	14.3	1.4	13.2	8.5	43.8	66.3	27.0	39.3	13.1	2.5	58
2.1	0.6	4.0	2.0	0.7	0.2	0.4	12.2	34.2	17.1	2.6	14.5	2.3	38.4	53.0	25.0	28.0	16.0	4.5	59
0.9	0	0	0.9	0.4	0	0.4	16.4	63.7	22.5	6.2	34.9	21.2	35.4	110.5	20.3	90.2	15.5	9.3	60
1.1	0.9	2.7	0.5	0.5	0.3	0.2	12.2	43.3	14.7	3.2	25.4	4.6	25.9	43.0	17.4	25.6	7.1	3.5	61

Table 1-X. Maternal Deaths and Maternal Mortality Rates for Selected Causes, by Age and Color: United States, 1960

(Data refer only to deaths occurring within the United States, including Alaska and Hawaii. Rates per 100,000 live births in specified group. Numbers after causes of death are category numbers of the Seventh Revision of the International Lists, 1955)

CAUSE OF DEATH AND COLOR	Total	Under 20 years	20-24 years	25-29 years	30-34 years	35-39 years	40-44 years	45 years and over
NUMBER OF DEATHS								
Deliveries and complications of pregnancy, childbirth, and the puerperium (640-689)	1,579	135	296	326	346	334	127	15
White	936	68	187	191	202	197	84	7
Nonwhite	643	67	109	135	144	137	43	8
Sepsis of pregnancy, childbirth, and puerperium (640,641,681,682,684)	165	19	35	31	33	35	11	1
White	112	16	24	23	21	19	8	1
Nonwhite	53	3	11	8	12	16	3	-
Toxemias of pregnancy and puerperium, except abortion with toxemia (642,685,686)	303	47	69	47	44	67	28	1
White	166	18	47	23	26	36	16	-
Nonwhite	137	29	22	24	18	31	12	1
Hemorrhage of pregnancy and childbirth (643,644,670-672)	268	9	34	50	73	62	36	4
White	168	5	20	35	50	30	26	2
Nonwhite	100	4	14	15	23	32	10	2
Ectopic pregnancy (645)	119	4	22	27	29	29	8	-
White	42	-	12	5	7	14	4	-
Nonwhite	77	4	10	22	22	15	4	-
Abortion without mention of sepsis or toxemia (650)	88	7	15	23	26	10	6	1
White	46	6	8	13	9	6	4	-
Nonwhite	42	1	7	10	17	4	2	1
Abortion with sepsis (651)	191	23	33	64	43	23	3	2
White	97	6	13	37	22	15	2	2
Nonwhite	94	17	20	27	21	8	1	-
Abortion with toxemia, without mention of sepsis (652)	10	-	3	2	2	2	1	-
White	4	-	2	1	1	-	-	-
Nonwhite	6	-	1	1	1	2	1	-
Other complications of pregnancy, childbirth, and puerperium and delivery without mention of complication (646-649,660,673-680,683,687-689)	435	26	85	82	96	106	34	6
White	301	17	61	54	66	77	24	2
Nonwhite	134	9	24	28	30	29	10	4
RATE PER 100,000 LIVE BIRTHS								
Deliveries and complications of pregnancy, childbirth, and the puerperium (640-689)	37.1	22.7	20.7	29.8	50.3	92.8	138.7	289.5
White	26.0	14.8	15.3	20.3	34.3	64.1	107.7	166.2
Nonwhite	97.9	50.3	52.7	89.6	145.0	261.0	316.5	824.7
Sepsis of pregnancy, childbirth, and puerperium (640,641,681,682,684)	3.9	3.2	2.5	2.8	4.8	9.7	12.0	19.3
White	3.1	3.5	2.0	2.4	3.6	6.2	10.3	23.7
Nonwhite	8.1	2.3	5.3	5.3	12.1	30.5	22.1	0
Toxemias of pregnancy and puerperium, except abortion with toxemia (642,685,686)	7.1	7.9	4.8	4.3	6.4	18.6	30.6	19.3
White	4.6	3.9	3.9	2.4	4.4	11.7	20.5	0
Nonwhite	20.8	21.8	10.6	15.9	18.1	59.1	88.3	103.1
Hemorrhage of pregnancy and childbirth (643,644,670-672)	6.3	1.5	2.4	4.6	10.6	17.2	39.3	77.2
White	4.7	1.1	1.6	3.7	8.5	9.8	33.3	47.5
Nonwhite	15.2	3.0	6.8	10.0	23.2	61.0	73.6	206.2
Ectopic pregnancy (645)	2.8	0.7	1.5	2.5	4.2	8.1	8.7	0
White	1.2	0	1.0	0.5	1.2	4.6	5.1	0
Nonwhite	11.7	3.0	4.8	14.6	22.2	28.6	29.4	0
Abortion without mention of sepsis or toxemia (650)	2.1	1.2	1.1	2.1	3.8	2.8	6.6	19.3
White	1.3	1.3	0.7	1.4	1.5	2.0	5.1	0
Nonwhite	6.4	0.8	3.4	6.6	17.1	7.6	14.7	103.1
Abortion with sepsis (651)	4.5	3.9	2.3	5.9	6.3	6.4	3.2	38.6
White	2.7	1.3	1.1	3.9	3.7	4.9	2.6	47.5
Nonwhite	14.3	12.8	9.7	17.9	21.1	15.2	7.4	0
Abortion with toxemia, without mention of sepsis (652)	0.2	0	0.2	0.2	0.3	0.6	1.1	0
White	0.1	0	0.2	0.1	0.2	0	-	0
Nonwhite	0.9	0	0.5	0.7	1.0	3.8	7.4	0
Other complications of pregnancy, childbirth, and puerperium and delivery without mention of complication (646-649,660,673-680,683,687-689)	10.2	4.4	6.0	7.5	14.0	29.5	57.1	115.8
White	8.4	3.7	5.0	5.7	11.2	25.0	38.6	47.5
Nonwhite	20.4	6.8	11.6	18.6	30.2	55.3	73.6	412.4

Table 1-Y. Maternal Mortality Rates by Color: Birth-Registration States or United States, 1915-60

(Data refer only to deaths occurring within the specified area. Alaska included beginning 1959, and Hawaii, 1960. Prior to 1933, data are for birth-registration States only. Rates per 100,000 live births in specified group. Deaths are classified according to the International Lists used at the time; for discussion of comparability, see Technical Appendix)

YEAR	Total	White	Nonwhite	YEAR	Total	White	Nonwhite
1960	37.1	26.0	97.9	1947	134.5	108.6	334.6
1959	37.4	25.8	102.1	1946	156.7	130.7	358.9
1958	37.6	26.3	101.8	1945	207.2	172.1	454.8
1957	41.0	27.5	118.3	1944	227.9	189.4	506.0
1956	40.9	28.7	110.7	1943	245.2	210.5	509.9
1955	47.0	32.8	130.3	1942	258.7	221.8	544.0
1954	52.4	37.2	143.8	1941	316.5	266.0	678.1
1953	61.1	44.1	166.1	1940	376.0	319.8	773.5
1952	67.8	48.9	188.1	1935-39	493.9	439.9	875.5
1951	75.0	54.9	201.3	1930-34[1]	636.0	575.4	1,080.7
1950	83.3	61.1	221.6	1925-29	668.6	615.0	1,163.7
1949	90.3	68.1	234.8	1920-24	689.5	649.2	1,134.3
1948	116.6	89.4	301.0	1915-19	727.9	700.3	1,253.5

[1]For 1932-34, Mexicans are included with "Nonwhite."

Table 1-Z. Average Maternal Mortality Rates for Urban and Rural Areas in Metropolitan and Nonmetropolitan Counties: United States and Each Geographic Division, 1958-60

(By place of residence. Data refer only to deaths occurring within the United States. Rates per 100,000 live births in specified group. For 1958 and 1959, counties are classified as metropolitan or nonmetropolitan according to 1950 definitions. For 1960, these counties are classified according to 1960 definitions; see Technical Appendix)

AREA	ALL COUNTIES			METROPOLITAN COUNTIES			NONMETROPOLITAN COUNTIES		
	Total	Urban	Rural	Total	Urban	Rural	Total	Urban	Rural
UNITED STATES[1]	37.4	35.6	40.1	33.0	35.5	26.0	44.3	36.1	49.5
New England	21.5	21.8	20.9	20.5	21.6	17.1	24.7	23.1	25.7
Middle Atlantic	37.1	41.8	26.2	39.3	43.9	24.7	26.9	23.9	29.0
East North Central	30.3	31.1	28.7	30.8	32.9	23.2	29.1	23.8	32.8
West North Central	25.0	22.7	28.0	21.7	21.7	21.6	27.8	24.4	29.8
South Atlantic	51.4	48.8	53.6	38.8	45.3	28.9	62.6	54.8	66.2
East South Central	62.0	50.1	71.0	42.9	46.5	35.4	72.7	54.7	80.1
West South Central	48.0	42.2	59.9	36.1	36.7	33.0	60.4	52.0	68.5
Mountain	31.6	25.8	39.3	26.7	26.8	26.4	34.7	25.0	44.2
Pacific[1]	27.0	28.2	24.9	29.2	29.9	27.6	19.8	19.3	20.2

[1]Includes Alaska for 1959, and Alaska and Hawaii for 1960.

Table 1-AA. Average Maternal Mortality Rates by Color: United States, Each Division and State, 1958-60

(By place of residence. Data refer only to deaths occurring within the United States. Rates per 100,000 live births in specified group, 1958-60. Rates for frequencies less than 20 are underlined)

DIVISION AND STATE	Total	White	Nonwhite
UNITED STATES[1]	37.4	26.0	100.6
GEOGRAPHIC DIVISIONS:			
New England	21.5	19.2	82.9
Middle Atlantic	37.1	27.6	107.3
East North Central	30.3	25.1	71.5
West North Central	25.0	22.4	64.6
South Atlantic	51.4	24.2	115.9
East South Central	62.0	35.2	126.4
West South Central	48.0	33.9	100.6
Mountain	31.6	27.8	79.1
Pacific[1]	27.0	22.2	67.7
NEW ENGLAND:			
Maine	28.8	29.1	0
New Hampshire	22.2	22.4	0
Vermont	21.2	21.3	0
Massachusetts	19.5	17.5	72.8
Rhode Island	23.4	24.4	0
Connecticut	21.8	15.6	124.9
MIDDLE ATLANTIC:			
New York	41.4	30.5	116.2
New Jersey	36.6	25.1	113.1
Pennsylvania	31.1	24.6	87.6
EAST NORTH CENTRAL:			
Ohio	32.1	25.8	85.6
Indiana	25.7	23.9	46.7
Illinois	28.0	24.1	48.6
Michigan	32.8	23.9	104.2
Wisconsin	31.2	29.3	79.7
WEST NORTH CENTRAL:			
Minnesota	14.6	14.4	21.4
Iowa	24.6	23.4	105.3
Missouri	38.5	32.4	77.0
North Dakota	21.9	20.7	56.5
South Dakota	24.6	26.4	0
Nebraska	20.7	18.5	69.9
Kansas	21.3	19.4	47.6
SOUTH ATLANTIC:			
Delaware	40.1	24.6	108.8
Maryland	32.1	19.6	74.7
District of Columbia	60.4	46.2	67.2
Virginia	48.5	26.0	114.9
West Virginia	34.9	30.9	109.4
North Carolina	51.9	20.4	118.6
South Carolina	67.5	28.9	119.6
Georgia	64.2	22.3	139.8
Florida	52.3	23.7	128.1
EAST SOUTH CENTRAL:			
Kentucky	40.4	38.3	62.5
Tennessee	46.8	29.4	108.6
Alabama	79.4	41.7	142.4
Mississippi	86.0	29.3	133.8
WEST SOUTH CENTRAL:			
Arkansas	59.7	32.8	122.6
Louisiana	54.9	28.3	96.5
Oklahoma	36.7	31.2	71.4
Texas	45.9	36.1	102.7
MOUNTAIN:			
Montana	21.0	22.5	0
Idaho	15.6	13.9	107.3
Wyoming	28.2	25.0	122.2
Colorado	29.2	27.9	62.4
New Mexico	42.4	38.6	75.1
Arizona	39.3	30.8	83.9
Utah	28.4	25.1	176.1
Nevada	42.6	32.6	111.9
PACIFIC:			
Washington	16.3	14.0	56.3
Oregon	23.4	22.3	57.1
California	29.2	23.6	75.1
Alaska[2]	47.8	28.3	88.7
Hawaii[3]	17.6	13.4	19.4

[1]Includes Alaska for 1959 and Alaska and Hawaii for 1960.
[2]Rates based on figures by place of occurrence for 1958, and by place of residence for 1959 and 1960.
[3]Rates based on figures by place of occurrence for 1958 and 1959, and by place of residence for 1960.

Table 1-AB. Reported Cases of Specified Notifiable Diseases: United States, 1950-60

(Data refer only to cases of notifiable diseases occurring within the United States. Alaska included beginning 1959, and Hawaii, 1960. Numbers after diseases are category numbers of the Seventh Revision of the International Lists, 1955)

DISEASE	1960	1959	1958	1957	1956	1955	1954	1953	1952	1951	1950
Tuberculosis, all forms[1]---001-019	70,843	75,484	82,286	86,861	90,465	98,860	100,540	106,925	109,837	118,491	121,742
Syphilis and its sequelae---020-029	122,003	120,766	113,694	123,758	130,168	122,392	130,697	148,573	167,762	174,924	217,558
Gonococcal infection---030-034	258,933	240,158	232,513	214,496	224,342	236,197	242,050	238,340	244,957	254,470	286,746
Typhoid fever---040	816	859	1,043	1,231	1,700	1,704	2,169	2,252	2,341	2,128	2,484
Paratyphoid fever and other Salmonella infections---041,042	6,929	6,606	6,363	6,693	6,704	5,447	5,375	3,946	2,596	1,773	1,233
Brucellosis (undulant fever)---044	751	892	924	983	1,300	1,444	1,823	2,032	2,537	3,139	3,510
Bacillary dysentery---045	12,487	12,888	11,861	9,822	10,306	13,912	13,846	16,533	23,197	32,215	23,367
Amebiasis---046	3,424	3,508	4,380	5,031	3,689	3,348	3,523	4,444	4,280	3,550	4,568
Botulism---049.1	12	20	6	28	17	16	18	18	18	33	20
Scarlet fever and streptococcal sore throat---050,051	315,173	334,715	264,097	226,973	176,392	147,502	147,785	132,935	113,677	84,151	64,494
Diphtheria---055	918	934	918	1,211	1,568	1,984	2,041	2,355	2,960	3,983	5,796
Whooping cough---056	14,809	40,005	32,148	28,295	31,732	62,786	60,886	37,129	45,030	68,687	120,718
Meningococcal infections---057	2,259	2,180	2,581	2,691	2,735	3,455	4,436	5,077	4,884	4,164	3,788
Plague---058	2	4	-	[2]1	1	-	-	-	-	1	3
Tularemia---059	390	459	587	601	522	584	681	601	668	702	927
Leprosy---060	54	44	39	36	52	75	56	60	57	57	44
Tetanus---061	368	445	445	447	468	462	524	506	484	506	486
Anthrax---062	23	12	16	26	38	39	22	45	47	60	49
Leptospirosis---072	53	83	55	47	44	24	48	42	62	9	30
Acute poliomyelitis---080	3,190	8,425	5,787	5,485	15,140	28,985	38,476	35,592	57,879	28,386	33,300
Paralytic poliomyelitis---080.0,080.1	2,525	6,289	3,697	2,499	7,911	13,850	18,308	15,648	21,269	10,037	---
Nonparalytic poliomyelitis---080.2	626	2,045	1,941	2,826	6,555	12,453	13,221	12,144	12,802	5,470	---
Unspecified poliomyelitis---080.3	39	91	149	160	674	2,682	6,947	7,800	23,808	12,879	---
Acute infectious encephalitis---082	2,341	2,437	2,587	2,135	2,624	2,166	2,606	1,935	1,912	1,123	1,135
Smallpox---084	-	-	-	[3]1	-	[3]2	[3]9	4	21	11	39
Measles---085	441,703	406,162	763,094	486,799	611,936	555,156	682,720	449,146	683,077	530,118	319,124
Dengue---090	-	-	-	-	2	1	6	8	5	16	26
Infectious hepatitis[4]---092	41,666	23,574	16,294	14,922	19,234	31,961	50,093	33,700	17,428	7,349	2,820
Rabies[5]---094	2	6	5	5	10	4	13	12	24	18	18
Psittacosis and ornithosis---096.2	113	147	158	278	568	334	563	169	135	25	26
Flea-borne endemic typhus (murine)---101	68	51	71	113	98	135	163	221	205	378	685
Rocky Mountain spotted fever---104 pt.	204	199	243	240	293	295	294	313	327	347	464
Malaria---110-117	72	71	85	132	234	522	715	1,310	7,023	5,600	2,184
Trichinosis---128	160	227	176	178	262	264	277	395	367	393	327

[1]Active and inactive cases.
[2]Delayed report of a case in Texas.
[3]These cases do not fulfill the generally accepted criteria for a diagnosis of smallpox.
[4]Includes serum hepatitis (E951 pt. or E998.5).
[5]Figures represent registered deaths.

Source: Figures are from Morbidity and Mortality Weekly Report (annual supplements) issued by the Communicable Disease Center for 1960, and for 1959, by this Office, except figures for syphilis and its sequelae and gonococcal infection (civilian cases only) which are from Venereal Disease Program; and tuberculosis, all forms, for 1960, which are from Tuberculosis Program.

Table 1-AC. Reported Cases of Specified Notifiable Diseases: United States, Each Division and State, 1960

(Data refer only to cases of notifiable diseases occurring within the United States, including Alaska and Hawaii. Numbers under diseases are category numbers of the Seventh Revision of the International Lists, 1955)

DIVISION AND STATE	Typhoid fever 040	Brucellosis (undulant fever) 044	Scarlet fever and streptococcal sore throat 050,051	Diphtheria 055	Whooping cough 056	Meningococcal infections 057	Tularemia 059	ACUTE POLIOMYELITIS: Total 080	ACUTE POLIOMYELITIS: Paralytic 080.0, 080.1	Acute infectious encephalitis 082	Measles 085	Infectious hepatitis[1] 092	Psittacosis and ornithosis 096.2	Rocky Mountain spotted fever 104 pt.	Malaria 110-117
UNITED STATES	816	751	315,173	918	14,809	2,259	390	3,190	2,525	2,341	441,703	41,666	113	204	72
GEOGRAPHIC DIVISIONS:															
New England	13	5	15,086	13	821	143	1	242	195	75	44,355	1,215	6	1	5
Middle Atlantic	61	18	19,151	15	1,297	394	2	498	409	406	64,347	5,316	36	22	8
East North Central	102	97	35,063	38	2,215	474	58	517	395	371	131,527	7,368	35	23	6
West North Central	56	434	9,301	66	457	127	52	176	109	105	9,862	2,902	5	11	5
South Atlantic	136	48	22,392	242	1,387	343	63	604	488	227	24,007	4,835	-	89	17
East South Central	122	41	55,059	142	1,595	247	56	282	249	179	34,719	5,971	10	22	8
West South Central	201	50	43,538	360	2,705	191	108	287	191	154	53,582	3,100	1	13	6
Mountain	45	25	66,052	40	1,586	64	38	98	77	123	25,604	3,215	3	18	5
Pacific	80	33	49,531	2	2,746	276	12	486	412	701	53,700	7,744	17	5	12
NEW ENGLAND:															
Maine	3	1	846	3	173	16	-	50	49	8	3,538	89	-	-	1
New Hampshire	-	-	570	-	103	-	-	3	1	-	1,929	70	-	-	-
Vermont	-	-	487	-	45	5	-	12	10	-	3,266	29	-	-	-
Massachusetts	5	1	5,950	9	226	69	1	38	29	29	22,403	548	2	1	3
Rhode Island	-	1	1,120	1	43	15	-	103	79	24	1,892	221	-	-	-
Connecticut	5	2	6,113	-	231	38	-	36	27	14	11,327	258	4	-	1
MIDDLE ATLANTIC:															
New York	33	9	11,316	6	734	195	1	271	213	160	46,443	2,719	9	6	6
New Jersey	6	3	3,305	1	228	80	-	76	64	99	10,559	441	-	7	-
Pennsylvania	22	6	4,530	8	337	119	1	151	132	147	7,345	2,156	27	9	2
EAST NORTH CENTRAL:															
Ohio	36	4	7,569	11	127	103	1	112	89	56	18,170	2,377	1	8	3
Indiana	26	9	7,483	8	290	47	19	145	117	90	10,225	937	-	5	2
Illinois	19	74	4,402	9	442	115	37	145	112	167	22,448	1,707	7	10	-
Michigan	14	5	9,287	9	1,129	169	-	88	56	55	36,161	2,113	3	-	-
Wisconsin	7	5	8,322	1	227	40	1	27	21	3	44,523	234	24	-	1
WEST NORTH CENTRAL:															
Minnesota	1	15	833	39	22	41	1	46	37	8	4,203	576	4	-	-
Iowa	13	308	2,519	9	115	9	-	25	6	15	1,790	460	-	3	1
Missouri	26	8	880	2	71	25	30	43	38	13	799	954	-	2	-
North Dakota	4	9	3,521	3	56	5	-	19	6	27	2,774	180	-	1	-
South Dakota	5	26	154	10	66	9	-	7	2	5	79	164	-	2	-
Nebraska	5	20	15	2	66	24	-	17	11	7	217	280	-	-	2
Kansas	2	48	1,379	1	61	14	21	19	9	30	(2)	308	1	3	2
SOUTH ATLANTIC:															
Delaware	1	-	340	-	24	-	1	-	-	-	656	277	-	2	-
Maryland	6	1	1,017	1	120	42	3	165	147	67	3,202	532	-	8	2
District of Columbia	10	-	107	-	52	15	-	5	5	12	1,197	68	-	1	2
Virginia	24	34	6,066	39	344	65	39	58	55	28	7,595	845	-	40	3
West Virginia	14	-	6,530	4	164	26	-	64	51	9	3,612	906	-	3	-
North Carolina	19	4	1,098	22	111	83	4	85	64	36	1,417	582	-	18	7
South Carolina	19	1	1,708	50	128	17	-	131	92	5	1,799	193	-	1	-
Georgia	27	5	174	53	21	38	15	30	27	15	236	324	-	15	-
Florida	16	3	5,352	73	423	57	1	66	47	55	4,093	1,108	-	1	3
EAST SOUTH CENTRAL:															
Kentucky	33	6	7,618	56	336	64	14	146	127	48	11,367	2,037	2	10	3
Tennessee	56	10	45,124	9	1,111	66	24	55	41	36	19,202	2,100	8	9	-
Alabama	25	16	940	40	104	80	7	24	24	19	2,069	1,283	-	3	2
Mississippi	8	9	1,377	37	44	37	11	57	57	76	2,081	551	-	-	3
WEST SOUTH CENTRAL:															
Arkansas	52	9	332	16	54	19	73	36	27	17	1,410	263	1	5	-
Louisiana	58	14	217	80	14	66	13	49	32	(2)	266	200	-	-	-
Oklahoma	12	5	541	25	103	26	13	18	14	21	1,232	350	-	7	1
Texas	79	22	42,448	239	2,534	80	9	184	118	116	50,674	2,287	-	1	5
MOUNTAIN:															
Montana	10	3	2,881	3	301	11	2	21	15	4	2,438	202	-	3	-
Idaho	3	3	3,555	16	107	4	-	12	10	8	3,227	336	-	2	-
Wyoming	4	-	1,971	3	27	2	14	22	18	10	716	40	-	2	4
Colorado	1	2	24,319	3	448	18	1	21	21	50	6,794	1,177	1	6	-
New Mexico	15	1	12,497	4	50	6	2	7	4	7	1,901	364	-	-	-
Arizona	10	3	9,606	3	398	13	-	10	4	20	4,863	659	1	1	1
Utah	2	12	10,926	7	249	9	16	5	5	23	4,908	330	1	3	-
Nevada	-	1	297	1	6	1	3	-	-	1	757	107	-	1	-
PACIFIC:															
Washington	7	-	13,385	-	251	28	2	49	46	9	13,678	1,097	2	1	1
Oregon	8	3	2,652	-	534	35	7	33	17	43	11,104	1,129	3	2	1
California	62	29	32,188	1	1,957	209	3	394	340	643	22,884	5,039	12	2	10
Alaska	3	1	1,111	1	4	-	-	2	1	6	1,260	388	-	-	-
Hawaii	-	-	195	-	-	4	-	8	8	-	4,974	91	-	-	-

[1]Includes serum hepatitis (E951 pt. or N998.5). [2]Disease stated not notifiable.

Source: Communicable Disease Center, Morbidity and Mortality Weekly Report (annual supplement), Vol. 9, No. 53, 1961.

Section 2. Life Tables

Page

The life table program---------- 2-3

Life table values for 1960---------- 2-3

Trends and comparisons---------- 2-4

Explanations of the columns of the life table---------- 2-6

General Tables

2-1. Abridged life tables for total, male, and female population: United States, 1960---------- 2-7

2-2. Abridged life tables by color and sex: United States, 1960---------- 2-8

2-3. Number of survivors out of 100,000 born alive at single years of age, by color and sex: United States, 1960---------- 2-9

2-4. Expectation of life at single years of age, by color and sex: United States, 1960---------- 2-10

2-5. Life table values by color and sex: Death-registration States, 1900-1902 to 1919-21, and United States, 1929-31 to 1960---------- 2-11

2-6. Estimated average length of life in years, by color and sex: Death-registration States, 1900-1928, and United States, 1929-60---------- 2-12

SECTION 2. LIFE TABLES

The mortality rates for a specific period may be summarized by the life table method to obtain measures of comparative longevity. There are two types of life tables—the generation or cohort life table and the current life table. The generation life table provides a "longitudinal" perspective in that it follows the mortality experience of a particular cohort, all persons born in the year 1900 for example, from the moment of birth through consecutive ages in successive calendar years. Based on age-specific mortality rates observed during consecutive calendar years, the generation life table reflects the mortality experience of a cohort from birth until no lives remain in the group.

The better-known current life table may, by contrast, be characterized as "cross-sectional." Unlike the generation life table, the current life table does not represent the mortality experience of an actual cohort. Rather, the current life table considers a hypothetical cohort and assumes that it is subject to the age-specific mortality rates observed for an actual population during a particular period. Thus, for example, a current life table for 1960 assumes a hypothetical cohort subject throughout its lifetime to the age-specific mortality rates prevailing for the actual population in 1960. The current life table may thus be characterized as rendering a "snapshot" of current mortality experience. In this section, the term "life table" refers to the current life table only and not to the generation life table.

The life table program

There are three series of life tables prepared in the National Vital Statistics Division (NVSD)—complete, provisional abridged, and final abridged life tables. The complete life tables for the U.S. population contain life table values for single years of age and are based on decennial census data and deaths for a 3-year period about the census year and have been prepared by NVSD since 1900. The provisional abridged life tables contain values by age groups and are based on a 10-percent sample of deaths. The final abridged life tables (referred to in this section as "abridged life table") also contain values by age groups but are based on a total count of deaths.

In response to a growing number of requests for postcensal life table values, a series of abridged life tables was initiated in 1945. Available annually since that year, the abridged life tables are based on deaths occurring during the calendar year and on midyear postcensal population estimates provided by the U.S. Bureau of the Census. The population figures used in the 1960 abridged life tables, however, were taken from the April 1 census enumeration. Refinements in both the techniques for estimating population and the methods for constructing abridged life tables permit the preparation of abridged life tables which provide reasonably accurate data on current trends in expectation of life and survivorship. Abridged life tables for 1945 to 1952 were constructed by the Greville method;[1] since 1953, a modified method has been employed. The 1945 abridged life tables were prepared for white and nonwhite males and females. Since 1946, abridged life tables for the total population have also been available and since 1957 abridged life tables have been calculated for total males and total females regardless of color. Starting with 1959, additional abridged life tables have been published for total whites and total nonwhites regardless of sex.

Tables showing l_x and $\overset{o}{e}_x$ values by single years of age, interpolated from the 1960 abridged life tables, are included for the first time in the annual publication of abridged life tables (see tables 2-3 and 2-4). Numerous requests have been received annually for current life table statistics that are more detailed than those available in the abridged life tables. Interpolated life table values based on the NVSD abridged life tables have been computed in the past by the Metropolitan Life Insurance Company for selected calendar years and published in its *Statistical Bulletin.*

The demand for information regarding up-to-date life table values has been responsible for the introduction of a third series, provisional abridged life tables. Starting with 1958, provisional abridged life tables have been published, for the total population only, in Part 2 of the Annual Summary, *Monthly Vital Statistics Report.* Values in these life tables are based on population estimates provided by the U.S. Bureau of the Census and on the estimated number of deaths derived from the Current Mortality Sample (CMS). The CMS is a 10-percent sample of death certificates received each month in vital statistics offices; the sample is taken by selecting 1 certificate out of every 10 death certificates received between two dates a month apart.

Life table values for 1960

The two basic sources of data used in the preparation of the U.S. life tables for 1960 are the final mortality statistics and the population distribution figures by age, color, and sex as enumerated in the census of 1960.[2]

---

[1] Thomas N. E. Greville, "Method of Constructing the Abridged Life Tables for the United States, 1949," *Vital Statistics—Special Reports,* Vol. 33, No. 15, 1953.

[2] U.S. Bureau of the Census, *United States Census of Population: 1960, General Population Characteristics, United States Summary,* Final Report PC(1)-1B. Washington, U.S. Government Printing Office, 1961.

Expectation of life.—Perhaps the best known of the life table statistics are the estimates of expectation of life (e^o_x), that is, the average remaining lifetime, in years, for persons who have attained a given age (x). Values of expectation of life at specified ages in 1960 are shown for the total U.S. population, total males, and total females in table 2-1; and for total whites, white males, white females, total nonwhites, nonwhite males, and nonwhite females in table 2-2. In addition, values of expectation of life at single years of age, by color and sex, are shown in table 2-4.

The expectation of life at birth (e^o_0) is the most widely used of the expectation of life values. This measure represents the average number of years that the members of the life table cohort may expect to live at the time of birth. In other words, it is the average age at death of the life table cohort. Based on the mortality experience of the population during 1960, the expectation of life at birth is 67.4 years for white males, 74.1 for white females, 61.1 for nonwhite males, and 66.3 for nonwhite females. These values reflect the higher mortality of males over females and of nonwhites over whites. Expectation of life at birth for white females is 6.7 years longer than that for white males, and the corresponding excess for nonwhite females is 5.2 years. However, because of the substantially higher mortality of nonwhites over whites, the life expectancy at birth for white males exceeds that for nonwhite females by 1.1 years.

Expectation of life at birth is strongly affected by the relatively large number of deaths occurring during the first year of life. In comparing the mortality experience of two (or more) populations, it is sometimes preferable to consider expectation of life at age 1 (e^o_1), since this measure is not affected by the infant mortality rate. Indeed, as shown in tables 2-1 and 2-2, e^o_1 is higher than e^o_0 in all population groups; those persons who survive the hazards of infancy exhibit an increase in the average number of years of life remaining over the number expected when they were 1 year younger. The 1960 values of expectation of life at age 1 are 68.2 years for white males, 74.6 for white females, 63.2 for nonwhite males, and 67.9 for nonwhite females. The increase in expectation of life at age 1 over that at age 0 is substantial for nonwhite males and females (2.1 and 1.6 years, respectively) but considerably smaller for white males and females (0.8 and 0.5 year, respectively), and this reflects the higher infant mortality experience of the nonwhite population.

Values of expectation of life for single years of age are presented in table 2-4. It may be of interest for certain purposes, for example, to examine average remaining lifetime at ages 21, 62, and 65. These ages may be regarded as representing, respectively, the attainment of adulthood, the minimum retirement age prescribed by the Social Security Act, and the normal retirement age. The 1960 values of expectation of life for age 21 are 49.2 years for white males, 55.3 years for white females, 44.6 years for nonwhite males, and 49.0 years for nonwhite females. Corresponding values for age 62 are 14.6, 18.1, 13.9, and 16.7 years; and for age 65 are 12.9, 15.9, 12.7, and 15.2 years.

The concept "expectation of life" is misleading if it implies the notion of forecasting. It is important to understand that expectation of life values forecast average remaining lifetime only for the hypothetical cohort of the life table. Forecasts of expectation of life in 1960 for any actual population must take into consideration not only mortality experience in 1960 but also mortality experience in subsequent calendar years.

Median length of life.—Another possible standard for comparing longevity among different populations is provided by the median length of life at birth, or "probable lifetime," which is the age at which exactly half of the members of the original life table cohort have died. In other words, it is the median age at death of the life table cohort. For the 1960 abridged life tables, which start with cohorts of 100,000 live births, the median length of life at birth is the age at which there remain exactly 50,000 survivors. Readily computed from the l_x values in table 2-3, median length of life at birth, on the basis of the 1960 mortality rates, is 71.3 years for white males, 78.3 for white females, 65.1 for nonwhite males, and 70.1 for nonwhite females. In computing median length of life at birth, it is assumed that deaths are evenly distributed within the age interval containing the median age.

A comparison of these "probable lifetime" measures with those for expectation of life at birth shows that the former exceed the latter for each population group. Thus, median length of life at birth for white males in 1960 is 3.9 years longer than expectation of life at birth; for white females, 4.2 years; for nonwhite males, 4.0; and for nonwhite females, 3.8. These differences are, in large part, brought about by the relatively high toll of mortality to the cohort during the first year of life.

Survivors to specified ages.—Another value which can be readily determined from the life table is the number (or percentage) of persons in the original cohort surviving to a specified age. The l_x columns in tables 2-1 to 2-3 contain such data. Thus on the basis of the 1960 life tables, the percentage of white males in a cohort of 100,000 live births surviving to age 1 is 97.4; of white females, 98.0; of nonwhite males, 95.2; and of nonwhite females, 96.1. At age 21, respective percentages are 95.7, 97.1, 92.7, and 94.5; and at age 65, respective percentages are 65.5, 80.5, 50.2, and 60.0.

Trends and comparisons

Table 2-5 shows expectation of life values (e^o_x) at specified ages as well as numbers of survivors (l_x) to specified ages for selected years during the period 1900 to 1960. Although life table values for periods prior to the 1929-31 life table are not strictly comparable with those for later periods, certain trends may be noted.

The geographic areas covered in life tables prior to 1939-41 were limited to the death-registration areas (data from Texas were estimated for the 1929-31 life tables). Life tables for 1939-41 through 1958 cover the conterminous United States. For 1959 the data include Alaska; and beginning 1960, Alaska and Hawaii. However, it is not believed that the in-

clusion of these two States materially affects life table values. Life tables for 1919-21 were constructed using mortality data from the 1920 death-registration States—34 States and the District of Columbia—and for 1900-1902 and 1909-11, from the 1900 death-registration States—10 States and the District of Columbia.

Life table values shown in this section differ from those shown for 1959,[3] because the previous estimates of the 1959 population have now been revised on the basis of the latest estimates for 1959, which take into account the 1960 census enumeration. In general, the life expectancy values were slightly higher than those shown previously for 1959 due to the upward revision of the population estimates.

Life expectancy values for 1960 decreased slightly from the comparable revised figures for 1959. The decrease in expectation of life at birth was 0.2 year for the total population, 0.2 year for males, and 0.1 year for females. In the 1900-1902 life table, the expectation of life at birth for the white female was 16.1 years greater than the nonwhite female; in the 1960 life table, the differential is 7.8 years. Comparable figures for males are, respectively, 15.7 and 6.3 years.

In making comparisons between 1900-1902 life table values and current figures, it should be kept in mind that the former data were based on the death-registration States only. The values shown in the 1900-1902 life tables are probably not totally reflective of the entire population. This is particularly true in the case of the nonwhite group because the mortality data covered mainly the urban Northeast and excluded the majority of the nonwhites living in the Southern States. Therefore, complete comparability between 1900-1902 values and current values does not exist.

Females in both color groups during the period 1900 to 1960 have had greater increases in expectation of life at birth than have males. In the 1900-1902 life tables, expectation of life at birth for the white female was 2.9 years longer than for the white male; for the nonwhite female it was 2.5 years in excess of that for the nonwhite male. Comparable figures for the 1960 life tables are, respectively, 6.7 and 5.2 years.

For all color-sex groups, expectation of life values between 1900 and 1960 have increased not only at age 0 but also at every successive age. An inspection of table 2-5 shows that increases are generally greatest for the younger elements of the population, but the recent values even at relatively older ages are substantially higher than in 1900-1902. The increase in expectation of life at age 20 from 1900 to the present is 7.9 years for white males, 12.4 for white females, 10.4 for nonwhite males, and 13.0 for nonwhite females. For the same population groups, respective increases at age 65 are 1.4, 3.7, 2.3, and 3.8 years.

Trends in survivorship may also be determined by an examination of the proportion of persons in the original cohort who survive to specified ages. Between 1900 and 1960, the proportion of the life table cohort reaching age 65 has increased by 67 percent for white males, 84 percent for white females, 164 percent for nonwhite males, and 173 percent for nonwhite females. It is apparent that the greater relative mortality improvement has occurred in the nonwhite population. Although mortality rates for nonwhites are still substantially higher than those for whites, comparatively greater strides have been made in the reduction of the nonwhite mortality rates.

In recent years there has been an increasing interest in data on average length of life ($\mathring{e}_0$) for single calendar years prior to the initiation of the annual abridged life table series in 1945. In order to meet these needs, the estimated figures given in table 2-6 have been computed.[4] From these estimates, average annual increases in expectation of life at birth may be computed. Since the turn of the century, the total population has, on the average, each year added 0.37 year to its expectation of life at birth. During the same period, white males have added 0.35 year per annum; white females, 0.42; nonwhite males, 0.48; and nonwhite females, 0.55. Such annual increases have not, however, been evenly distributed over the period since 1900. Average annual increases during 1950 to 1960 are, for example, less marked than those for 1940 to 1950. Average annual increases in expectation of life at birth for 1940 to 1950 were 0.44 year per annum for white males, 0.56 for white females, 0.76 for nonwhite males, and 0.80 for nonwhite females. Corresponding figures for 1950 to 1960 are, respectively, 0.09, 0.19, 0.20, and 0.34 year. These statistics suggest that although increases in expectation of life at birth are still taking place, the rate of increase is slowing down. No clear-cut reason for the leveling off process is apparent.

---

[3] National Office of Vital Statistics, *Vital Statistics of the United States, 1959*, Volume I, Section 5. Washington, U. S. Government Printing Office, 1961.

[4] For estimating procedure, see "Estimated Average Length of Life in the Death-Registration States," by Thomas N. E. Greville and Gustav A. Carlson, *Vital Statistics—Special Reports*, Vol. 33, No. 9, 1951.

Explanation of the Columns of the Life Table

Column 1—Age interval (x to x + n).—The age interval shown in column 1 is the interval between the two exact ages indicated. For instance, "20-25" means the 5-year interval between the 20th birthday and the 25th.

Column 2—Proportion dying ($_nq_x$).—This column shows the proportion of the cohort who are alive at the beginning of an indicated age interval and who will die before reaching the end of that age interval. For example, for white males in the age interval 20-25, the proportion dying is 0.0082—out of every 1,000 white males alive and exactly 20 years old at the beginning of the period, 8.2 will die before reaching their 25th birthday. In other words, the $_nq_x$ values represent *probabilities* that persons who are alive at the beginning of a specific age interval will die before reaching the beginning of the next age interval. The "proportion dying" column forms the basis of the life table; the life table is so constructed that all other columns are derived from it.

Column 3—Number surviving (l_x).—This column shows the number of persons, starting with a cohort of 100,000 live births, who survive to the exact age marking the beginning of each age interval. The l_x values are computed from the $_nq_x$ values, which are successively applied to the remainder of the original 100,000 persons still alive at the beginning of each age interval. Thus, out of 100,000 white male babies born alive, 97,398 will complete the first year of life and enter the second; 96,997 will begin the sixth year; 95,887 will reach age 20; and 12,629 will live to age 85.

Column 4—Number dying ($_nd_x$).—This column shows the number dying in each successive age interval out of 100,000 live births. Out of 100,000 white males born alive, 2,602 die in the first year of life, 401 in the succeeding 4 years, 790 in the 5-year period between exact ages 20 and 25, and 12,629 die after reaching age 85. Each figure in column 4 is the difference between two successive figures in column 3.

Columns 5 and 6—Stationary population ($_nL_x$ *and* T_x).—Suppose that a group of 100,000 individuals like that assumed in columns 3 and 4 is born every year and that the proportions dying in each such group in each age interval throughout the lives of the members are exactly those shown in column 2. If there were no migration and if the births were evenly distributed over the calendar year, the survivors of these births would make up what is called a stationary population—stationary because in such a population the number of persons living in any given age group would never change. When an individual left the group, either by death or by growing older and entering the next higher age group, his place would immediately be taken by someone entering from the next lower age group. Thus, a census taken at any time in such a stationary community would always show the same total population and the same numerical distribution of that population among the various age groups. In such a stationary population supported by 100,000 annual births, column 3 shows the number of persons who, each year, reach the birthday which marks the beginning of the age interval indicated in column 1, and column 4 shows the number of persons who die each year in the indicated age interval.

Column 5 shows the number of persons in the stationary population in the indicated age interval. For example, the figure given for white males in the age interval 20-25 is 477,485. This means that in a stationary population of white males supported by 100,000 annual births and with proportions dying in each age group always in accordance with column 2, a census taken on any date would show 477,485 persons between exact ages 20 and 25.

Column 6 shows the total number of persons in the stationary population (column 5) in the indicated age interval and all subsequent age intervals. For example, in the stationary population of white males referred to in the last illustration, column 6 shows that there would be at any given moment a total of 4,802,112 persons who have passed their 20th birthday. The population at all ages 0 and above (in other words, the total population of the stationary community) would be 6,736,870.

Column 7—Average remaining lifetime ($\mathring{e}_x$).—The average remaining lifetime (also called expectation of life) at any given age is the average number of years remaining to be lived by those surviving to that age on the basis of a given set of age-specific rates of dying. In order to arrive at this value, it is first necessary to observe that the figures in column 5 of the life table can also be interpreted in terms of a single life table cohort without introducing the concept of the stationary population. From this point of view, each figure in column 5 represents the total time (in years) lived between two indicated birthdays by all those reaching the earlier birthday among the survivors of a cohort of 100,000 live births. Thus, the figure 477,485 for white males in the age interval 20-25 is the total number of years lived between the 20th and 25th birthdays by the 95,887 (column 3) who reached the 20th birthday out of 100,000 white males born alive. The corresponding figure (4,802,112) in column 6 is the total number of years lived after attaining age 20 by the 95,887 reaching that age. This number of years divided by the number of persons (4,802,112 divided by 95,887) gives 50.1 years as the average remaining lifetime of white males at age 20.

Care must be exercised in drawing conclusions from the figures in column 7. Thus, in observing that the average remaining lifetime of white persons is greater than that of nonwhite, one should not conclude that the oldest ages reached by white persons necessarily exceed those attained by the most long-lived nonwhite. The difference in the average length of life results from the fact that a greater proportion of nonwhite persons die before reaching old age. For example, the number surviving to age 65 out of 100,000 born alive is far greater among whites than among nonwhites; yet the average length of life remaining at age 65 is nearly the same for both groups.

Table 2-1. Abridged Life Tables for Total, Male, and Female Population: United States, 1960

(Includes Alaska and Hawaii)

AGE INTERVAL	PROPORTION DYING	OF 100,000 BORN ALIVE		STATIONARY POPULATION		AVERAGE REMAINING LIFETIME
Period of life between two exact ages stated in years	Proportion of persons alive at beginning of age interval dying during interval	Number living at beginning of age interval	Number dying during age interval	In the age interval	In this and all subsequent age intervals	Average number of years of life remaining at beginning of age interval
(1)	(2)	(3)	(4)	(5)	(6)	(7)
x to $x+n$	${}_nq_x$	l_x	${}_nd_x$	${}_nL_x$	T_x	e_x
TOTAL						
0-1	0.0261	100,000	2,606	97,703	6,973,762	69.7
1-5	.0043	97,394	417	388,569	6,876,059	70.6
5-10	.0024	96,977	236	484,252	6,487,490	66.9
10-15	.0022	96,741	215	483,207	6,003,238	62.1
15-20	.0046	96,526	441	481,607	5,520,031	57.2
20-25	.0061	96,085	589	478,987	5,038,424	52.4
25-30	.0065	95,496	625	475,951	4,559,437	47.7
30-35	.0081	94,871	764	472,534	4,083,486	43.0
35-40	.0117	94,107	1,097	467,966	3,610,952	38.4
40-45	.0184	93,010	1,708	461,071	3,142,986	33.8
45-50	.0293	91,302	2,672	450,248	2,681,915	29.4
50-55	.0462	88,630	4,095	433,512	2,231,667	25.2
55-60	.0672	84,535	5,679	409,216	1,798,155	21.3
60-65	.1022	78,856	8,058	374,957	1,388,939	17.6
65-70	.1469	70,798	10,397	328,980	1,013,982	14.3
70-75	.2127	60,401	12,846	270,815	685,002	11.3
75-80	.3066	47,555	14,578	201,506	414,187	8.7
80-85	.4524	32,977	14,920	126,471	212,681	6.4
85 and over	1.0000	18,057	18,057	86,210	86,210	4.8
MALE						
0-1	0.0294	100,000	2,936	97,402	6,657,748	66.6
1-5	.0047	97,064	454	387,167	6,560,346	67.6
5-10	.0028	96,610	270	482,332	6,173,179	63.9
10-15	.0028	96,340	269	481,085	5,690,847	59.1
15-20	.0064	96,071	619	478,927	5,209,762	54.2
20-25	.0089	95,452	847	475,181	4,730,835	49.6
25-30	.0087	94,605	824	470,985	4,255,654	45.0
30-35	.0100	93,781	939	466,659	3,784,669	40.4
35-40	.0144	92,842	1,340	461,078	3,318,010	35.7
40-45	.0229	91,502	2,095	452,643	2,856,932	31.2
45-50	.0376	89,407	3,362	439,178	2,404,289	26.9
50-55	.0625	86,045	5,378	417,575	1,965,111	22.8
55-60	.0888	80,667	7,165	386,268	1,547,536	19.2
60-65	.1340	73,502	9,849	343,730	1,161,268	15.8
65-70	.1886	63,653	12,008	289,019	817,538	12.8
70-75	.2608	51,645	13,467	225,064	528,519	10.2
75-80	.3546	38,178	13,539	156,715	303,455	7.9
80-85	.4982	24,639	12,276	91,215	146,740	6.0
85 and over	1.0000	12,363	12,363	55,525	55,525	4.5
FEMALE						
0-1	0.0226	100,000	2,260	98,019	7,314,855	73.1
1-5	.0039	97,740	378	390,039	7,216,836	73.8
5-10	.0021	97,362	200	486,266	6,826,797	70.1
10-15	.0016	97,162	159	485,434	6,340,531	65.3
15-20	.0027	97,003	259	484,410	5,855,097	60.4
20-25	.0035	96,744	337	482,905	5,370,687	55.5
25-30	.0045	96,407	430	481,001	4,887,782	50.7
30-35	.0062	95,977	590	478,485	4,406,781	45.9
35-40	.0090	95,387	861	474,911	3,928,296	41.2
40-45	.0140	94,526	1,325	469,528	3,453,385	36.5
45-50	.0211	93,201	1,968	461,368	2,983,857	32.0
50-55	.0316	91,233	2,887	449,349	2,522,489	27.6
55-60	.0459	88,346	4,056	432,170	2,073,140	23.5
60-65	.0723	84,290	6,091	406,996	1,640,970	19.5
65-70	.1083	78,199	8,465	370,984	1,233,974	15.8
70-75	.1692	69,734	11,802	320,492	862,990	12.4
75-80	.2655	57,932	15,383	251,973	542,498	9.4
80-85	.4171	42,549	17,748	167,578	290,525	6.8
85 and over	1.0000	24,801	24,801	122,947	122,947	5.0

Table 2-2. Abridged Life Tables by Color and Sex: United States, 1960

(Includes Alaska and Hawaii)

AGE INTERVAL	PROPORTION DYING	OF 100,000 BORN ALIVE		STATIONARY POPULATION		AVERAGE REMAINING LIFETIME
Period of life between two exact ages stated in years	Proportion of persons alive at beginning of age interval dying during interval	Number living at beginning of age interval	Number dying during age interval	In the age interval	In this and all subsequent age intervals	Average number of years of life remaining at beginning of age interval
(1)	(2)	(3)	(4)	(5)	(6)	(7)
x to $x+n$	$_nq_x$	l_x	$_nd_x$	$_nL_x$	T_x	$\mathring{e}_x$
TOTAL WHITE						
0-1	0.0229	100,000	2,292	97,947	7,059,933	70.6
1-5	.0037	97,708	366	389,957	6,961,986	71.3
5-10	.0023	97,342	223	486,114	6,572,029	67.5
10-15	.0021	97,119	203	485,121	6,085,915	62.7
15-20	.0044	96,916	422	483,594	5,600,794	57.8
20-25	.0056	96,494	539	481,146	5,117,200	53.0
25-30	.0056	95,955	535	478,462	4,636,054	48.3
30-35	.0067	95,420	640	475,576	4,157,592	43.6
35-40	.0099	94,780	942	471,705	3,682,014	38.8
40-45	.0162	93,838	1,521	465,662	3,210,309	34.2
45-50	.0265	92,317	2,450	455,868	2,744,647	29.7
50-55	.0426	89,867	3,831	440,364	2,288,779	25.5
55-60	.0630	86,036	5,424	417,392	1,848,415	21.5
60-65	.0966	80,612	7,787	384,475	1,431,023	17.8
65-70	.1425	72,825	10,375	339,277	1,046,548	14.4
70-75	.2100	62,450	13,115	280,502	707,271	11.3
75-80	.3079	49,335	15,190	209,935	426,769	8.7
80-85	.4565	34,145	15,586	130,597	217,834	6.4
85 and over	1.0000	18,559	18,559	87,237	87,237	4.7
WHITE MALE						
0-1	0.0260	100,000	2,602	97,665	6,736,870	67.4
1-5	.0041	97,398	401	388,643	6,639,205	68.2
5-10	.0027	96,997	258	484,300	6,250,562	64.4
10-15	.0026	96,739	254	483,112	5,766,262	59.6
15-20	.0062	96,485	598	481,038	5,283,150	54.8
20-25	.0082	95,887	790	477,485	4,802,112	50.1
25-30	.0076	95,097	725	473,682	4,324,627	45.5
30-35	.0086	94,372	814	469,917	3,850,945	40.8
35-40	.0126	93,558	1,181	465,045	3,381,028	36.1
40-45	.0207	92,377	1,910	456,581	2,915,983	31.6
45-50	.0349	90,465	3,161	444,964	2,459,402	27.2
50-55	.0577	87,304	5,040	424,713	2,014,438	23.1
55-60	.0857	82,264	7,049	394,596	1,589,725	19.3
60-65	.1292	75,215	9,719	352,697	1,195,129	15.9
65-70	.1850	65,496	12,119	298,064	842,432	12.9
70-75	.2591	53,377	13,832	236,901	544,368	10.2
75-80	.3573	39,545	14,131	162,083	311,467	7.9
80-85	.5031	25,414	12,785	93,751	149,384	5.9
85 and over	1.0000	12,629	12,629	55,633	55,633	4.4
WHITE FEMALE						
0-1	0.0196	100,000	1,964	98,246	7,411,812	74.1
1-5	.0034	98,036	329	391,347	7,313,566	74.6
5-10	.0019	97,707	186	488,033	6,922,219	70.8
10-15	.0016	97,521	151	487,242	6,434,186	66.0
15-20	.0025	97,370	242	486,277	5,946,944	61.1
20-25	.0030	97,128	292	484,932	5,460,667	56.2
25-30	.0036	96,836	347	483,347	4,975,736	51.4
30-35	.0048	96,489	467	481,339	4,492,388	46.6
35-40	.0074	96,022	707	478,454	4,011,049	41.8
40-45	.0119	95,315	1,131	473,938	3,532,595	37.1
45-50	.0183	94,184	1,722	466,884	3,058,657	32.5
50-55	.0277	92,462	2,561	456,303	2,591,773	28.0
55-60	.0408	89,901	3,672	440,915	2,135,470	23.8
60-65	.0660	86,229	5,690	417,734	1,694,555	19.7
65-70	.1033	80,539	8,318	383,157	1,276,821	15.9
70-75	.1659	72,221	11,985	332,604	893,664	12.4
75-80	.2661	60,236	16,028	261,987	561,060	9.3
80-85	.4209	44,208	18,609	173,695	299,073	6.8
85 and over	1.0000	25,599	25,599	125,378	125,378	4.9

AGE INTERVAL	PROPORTION DYING	OF 100,000 BORN ALIVE		STATIONARY POPULATION		AVERAGE REMAINING LIFETIME
Period of life between two exact ages stated in years	Proportion of persons alive at beginning of age interval dying during interval	Number living at beginning of age interval	Number dying during age interval	In the age interval	In this and all subsequent age intervals	Average number of years of life remaining at beginning of age interval
(1)	(2)	(3)	(4)	(5)	(6)	(7)
x to $x+n$	$_nq_x$	l_x	$_nd_x$	$_nL_x$	T_x	$\mathring{e}_x$
TOTAL NONWHITE						
0-1	0.0434	100,000	4,337	96,359	6,362,302	63.6
1-5	.0074	95,663	709	380,888	6,265,943	65.5
5-10	.0033	94,954	314	473,905	5,885,055	62.0
10-15	.0031	94,640	296	472,541	5,411,150	57.2
15-20	.0061	94,344	576	470,424	4,938,609	52.3
20-25	.0100	93,788	937	466,603	4,468,185	47.7
25-30	.0136	92,831	1,258	461,107	4,001,582	43.1
30-35	.0179	91,573	1,640	453,942	3,540,475	38.7
35-40	.0264	89,933	2,371	444,020	3,086,533	34.3
40-45	.0368	87,562	3,224	430,178	2,642,513	30.2
45-50	.0537	84,338	4,532	410,922	2,212,335	26.2
50-55	.0794	79,806	6,340	383,835	1,801,413	22.6
55-60	.1056	73,466	7,759	348,402	1,417,578	19.3
60-65	.1618	65,707	10,631	302,145	1,069,176	16.3
65-70	.1945	55,076	10,715	248,508	767,031	13.9
70-75	.2448	44,361	10,866	194,436	518,525	11.7
75-80	.2878	33,495	9,639	142,941	324,089	9.7
80-85	.3881	23,856	9,259	95,333	181,148	7.6
85 and over	1.0000	14,597	14,597	85,815	85,815	5.9
NONWHITE MALE						
0-1	0.0480	100,000	4,804	95,937	6,109,681	61.1
1-5	.0080	95,196	764	378,871	6,013,744	63.2
5-10	.0036	94,432	340	471,239	5,634,873	59.7
10-15	.0040	94,092	376	469,615	5,163,634	54.9
15-20	.0083	93,716	779	466,826	4,694,019	50.1
20-25	.0136	92,937	1,263	461,667	4,227,183	45.5
25-30	.0171	91,674	1,566	454,553	3,765,516	41.1
30-35	.0209	90,108	1,886	446,006	3,310,963	36.7
35-40	.0304	88,222	2,679	434,705	2,864,957	32.5
40-45	.0424	85,543	3,630	419,113	2,430,252	28.4
45-50	.0619	81,913	5,074	397,536	2,011,139	24.6
50-55	.0910	76,839	6,991	367,454	1,613,601	21.0
55-60	.1179	69,848	8,232	329,120	1,246,147	17.8
60-65	.1847	61,616	11,380	279,730	917,027	14.9
65-70	.2282	50,236	11,463	222,322	637,297	12.7
70-75	.2812	38,773	10,904	166,264	414,975	10.7
75-80	.3205	27,869	8,931	116,475	248,711	8.9
80-85	.4463	18,938	8,262	73,221	132,236	7.0
85 and over	1.0000	10,676	10,676	59,015	59,015	5.5
NONWHITE FEMALE						
0-1	0.0386	100,000	3,862	96,789	6,628,221	66.3
1-5	.0068	96,138	654	382,939	6,531,432	67.9
5-10	.0030	95,484	288	476,610	6,148,493	64.4
10-15	.0023	95,196	215	475,509	5,671,883	59.6
15-20	.0040	94,981	380	474,048	5,196,374	54.7
20-25	.0088	94,601	840	471,479	4,722,326	49.9
25-30	.0105	93,961	984	467,437	4,250,847	45.2
30-35	.0153	92,977	1,421	461,504	3,783,410	40.7
35-40	.0226	91,556	2,087	452,832	3,321,906	36.3
40-45	.0318	89,469	2,849	440,605	2,869,074	32.1
45-50	.0461	86,620	3,991	423,588	2,428,469	28.0
50-55	.0683	82,629	5,641	399,593	2,004,881	24.3
55-60	.0934	76,988	7,191	367,422	1,605,288	20.9
60-65	.1398	69,797	9,758	324,854	1,237,866	17.7
65-70	.1631	60,039	9,793	275,758	913,012	15.2
70-75	.2102	50,246	10,561	224,759	637,274	12.7
75-80	.2568	39,685	10,191	172,621	412,515	10.4
80-85	.3513	29,494	10,360	120,852	239,894	8.1
85 and over	1.0000	19,134	19,134	119,042	119,042	6.2

Table 2-3. Number of Survivors out of 100,000 Born Alive at Single Years of Age, by Color and Sex: United States, 1960

(Includes Alaska and Hawaii)

AGE	TOTAL			WHITE			NONWHITE		
	Both sexes	Male	Female	Both sexes	Male	Female	Both sexes	Male	Female
0	100,000	100,000	100,000	100,000	100,000	100,000	100,000	100,000	100,000
1	97,394	97,064	97,740	97,708	97,398	98,036	95,663	95,196	96,138
2	97,224	96,883	97,582	97,565	97,246	97,902	95,343	94,848	95,845
3	97,123	96,771	97,491	97,475	97,147	97,822	95,175	94,664	95,693
4	97,042	96,682	97,420	97,402	97,064	97,759	95,052	94,533	95,578
5	96,977	96,610	97,362	97,342	96,997	97,707	94,954	94,432	95,484
6	96,913	96,533	97,312	97,282	96,923	97,662	94,871	94,340	95,408
7	96,860	96,471	97,268	97,231	96,863	97,621	94,801	94,265	95,343
8	96,815	96,421	97,229	97,189	96,815	97,584	94,742	94,202	95,287
9	96,776	96,378	97,194	97,152	96,775	97,551	94,689	94,146	95,239
10	96,741	96,340	97,162	97,119	96,739	97,521	94,640	94,092	95,196
11	96,707	96,302	97,132	97,087	96,704	97,493	94,591	94,036	95,156
12	96,671	96,260	97,103	97,054	96,665	97,465	94,540	93,973	95,117
13	96,631	96,210	97,073	97,016	96,618	97,437	94,483	93,901	95,076
14	96,583	96,148	97,040	96,971	96,559	97,408	94,419	93,816	95,031
15	96,526	96,071	97,003	96,916	96,485	97,370	94,344	93,716	94,981
16	96,457	95,977	96,960	96,850	96,394	97,330	94,257	93,599	94,923
17	96,377	95,866	96,912	96,773	96,286	97,284	94,156	93,463	94,856
18	96,287	95,740	96,859	96,686	96,163	97,234	94,041	93,308	94,780
19	96,189	95,601	96,803	96,592	96,029	97,182	93,912	93,133	94,695
20	96,085	95,452	96,744	96,494	95,887	97,128	93,768	92,937	94,601
21	95,975	95,293	96,683	96,391	95,736	97,073	93,610	92,720	94,497
22	95,859	95,125	96,619	96,284	95,577	97,016	93,436	92,482	94,381
23	95,739	94,951	96,552	96,174	95,414	96,958	93,247	92,225	94,254
24	95,618	94,776	96,481	96,064	95,253	96,898	93,045	91,955	94,114
25	95,496	94,605	96,407	95,955	95,097	96,836	92,831	91,674	93,961
26	95,374	94,438	96,330	95,848	94,947	96,772	92,605	91,382	93,794
27	95,252	94,274	96,249	95,742	94,801	96,706	92,366	91,078	93,613
28	95,128	94,111	96,163	95,637	94,659	96,637	92,114	90,764	93,416
29	95,002	93,948	96,073	95,530	94,517	96,565	91,850	90,440	93,204
30	94,871	93,781	95,977	95,420	94,372	96,489	91,573	90,108	92,977
31	94,734	93,610	95,875	95,305	94,223	96,408	91,284	89,767	92,734
32	94,591	93,433	95,765	95,185	94,070	96,322	90,980	89,415	92,473
33	94,440	93,248	95,648	95,059	93,910	96,230	90,658	89,045	92,192
34	94,279	93,052	95,522	94,925	93,740	96,130	90,310	88,650	91,887
35	94,107	92,842	95,387	94,780	93,558	96,022	89,933	88,222	91,556
36	93,922	92,616	95,242	94,623	93,362	95,905	89,523	87,757	91,196
37	93,722	92,371	95,085	94,453	93,148	95,778	89,079	87,256	90,806
38	93,505	92,106	94,915	94,267	92,914	95,638	88,603	86,718	90,387
39	93,268	91,817	94,729	94,063	92,658	95,484	88,097	86,147	89,941
40	93,010	91,502	94,526	93,838	92,377	95,315	87,562	85,543	89,469
41	92,727	91,157	94,304	93,590	92,068	95,128	86,996	84,905	88,969
42	92,418	90,779	94,061	93,317	91,726	94,922	86,395	84,228	88,437
43	92,079	90,364	93,797	93,015	91,348	94,697	85,755	83,508	87,871
44	91,708	89,908	93,511	92,683	90,929	94,451	85,071	82,738	87,267
45	91,302	89,407	93,201	92,317	90,465	94,184	84,338	81,913	86,620
46	90,859	88,860	92,866	91,915	89,953	93,894	83,554	81,032	85,930
47	90,376	88,262	92,505	91,474	89,389	93,579	82,717	80,093	85,193
48	89,847	87,602	92,114	90,990	88,765	93,237	81,819	79,088	84,402
49	89,267	86,866	91,691	90,456	88,072	92,865	80,851	78,005	83,550
50	88,630	86,045	91,233	89,867	87,304	92,462	79,806	76,839	82,629
51	87,932	85,132	90,736	89,219	86,455	92,024	78,676	75,579	81,634
52	87,170	84,127	90,198	88,510	85,523	91,548	77,462	74,228	80,564
53	86,348	83,039	89,619	87,742	84,511	91,035	76,177	72,806	79,426
54	85,469	81,883	89,002	86,917	83,424	90,486	74,841	71,340	78,232
55	84,535	80,667	88,346	86,036	82,264	89,901	73,466	69,848	76,988
56	83,546	79,396	87,650	85,098	81,032	89,278	72,064	68,345	75,703
57	82,497	78,062	86,908	84,098	79,723	88,610	70,626	66,819	74,370
58	81,375	76,649	86,110	83,025	78,326	87,888	69,116	65,226	72,963
59	80,165	75,134	85,241	81,866	76,827	87,098	67,487	63,505	71,446
60	78,856	73,502	84,290	80,612	75,215	86,229	65,707	61,616	69,797
61	77,443	71,747	83,250	79,257	73,488	85,274	63,763	59,545	68,002
62	75,926	69,876	82,119	77,801	71,649	84,230	61,676	57,317	66,080
63	74,309	67,896	80,898	76,243	69,701	83,093	59,492	54,980	64,074
64	72,598	65,818	79,591	74,584	67,648	81,864	57,276	52,602	62,046
65	70,798	63,653	78,199	72,825	65,496	80,539	55,076	50,236	60,039
66	68,910	61,406	76,722	70,965	63,249	79,116	52,912	47,903	58,074
67	66,931	59,078	75,150	69,002	60,910	77,585	50,777	45,598	56,139
68	64,857	56,673	73,471	66,932	58,482	75,935	48,656	43,316	54,212
69	62,682	54,194	71,670	64,749	55,969	74,151	46,523	41,044	52,256
70	60,401	51,645	69,734	62,450	53,377	72,221	44,361	38,773	50,246
71	58,016	49,032	67,661	60,037	50,711	70,142	42,167	36,504	48,176
72	55,533	46,365	65,450	57,515	47,982	67,913	39,956	34,252	46,061
73	52,958	43,657	63,095	54,888	45,202	65,525	37,753	32,042	43,922
74	50,296	40,923	60,590	52,159	42,385	62,968	35,592	29,907	41,789
75	47,555	38,178	57,932	49,335	39,545	60,236	33,495	27,869	39,685
76	44,743	35,434	55,123	46,424	36,694	57,332	31,470	25,933	37,618
77	41,869	32,699	52,169	43,436	33,844	54,263	29,509	24,091	35,576
78	38,943	29,983	49,081	40,384	31,006	51,042	27,598	22,325	33,552
79	35,975	27,293	45,870	37,282	28,192	47,685	25,719	20,614	31,529
80	32,977	24,639	42,549	34,145	25,414	44,208	23,856	18,938	29,494
81	29,962	22,032	39,132	30,990	22,687	40,627	21,998	17,282	27,441
82	26,946	19,486	35,634	27,835	20,027	36,959	20,140	15,633	25,370
83	23,944	17,014	32,069	24,698	17,451	33,221	18,282	13,983	23,286
84	20,975	14,634	28,453	21,599	14,978	29,429	16,430	12,330	21,201
85	18,057	12,363	24,801	18,559	12,629	25,599	14,597	10,676	19,134

Table 2-4. Expectation of Life at Single Years of Age, by Color and Sex: United States, 1960

(Includes Alaska and Hawaii)

AGE	TOTAL			WHITE			NONWHITE		
	Both sexes	Male	Female	Both sexes	Male	Female	Both sexes	Male	Female
0	69.7	66.6	73.1	70.6	67.4	74.1	63.6	61.1	66.3
1	70.6	67.6	73.8	71.3	68.2	74.6	65.5	63.2	67.9
2	69.7	66.7	73.0	70.4	67.3	73.7	64.7	62.4	67.1
3	68.8	65.8	72.0	69.4	66.3	72.8	63.8	61.5	66.3
4	67.9	64.8	71.1	68.5	65.4	71.8	62.9	60.6	65.3
5	66.9	63.9	70.1	67.5	64.4	70.8	62.0	59.7	64.4
6	65.9	62.9	69.2	66.6	63.5	69.9	61.0	58.7	63.4
7	65.0	62.0	68.2	65.6	62.5	68.9	60.1	57.8	62.5
8	64.0	61.0	67.2	64.6	61.6	67.9	59.1	56.8	61.5
9	63.0	60.0	66.2	63.6	60.6	67.0	58.1	55.8	60.6
10	62.1	59.1	65.3	62.7	59.6	66.0	57.2	54.9	59.6
11	61.1	58.1	64.3	61.7	58.6	65.0	56.2	53.9	58.6
12	60.1	57.1	63.3	60.7	57.7	64.0	55.2	52.9	57.6
13	59.1	56.1	62.3	59.7	56.7	63.0	54.3	52.0	56.7
14	58.2	55.2	61.3	58.8	55.7	62.1	53.3	51.0	55.7
15	57.2	54.2	60.4	57.8	54.8	61.1	52.3	50.1	54.7
16	56.2	53.3	59.4	56.8	53.8	60.1	51.4	49.1	53.7
17	55.3	52.3	58.4	55.9	52.9	59.1	50.4	48.2	52.8
18	54.3	51.4	57.4	54.9	51.9	58.2	49.5	47.3	51.8
19	53.4	50.5	56.5	54.0	51.0	57.2	48.6	46.4	50.9
20	52.4	49.6	55.5	53.0	50.1	56.2	47.7	45.5	49.9
21	51.5	48.6	54.5	52.1	49.2	55.3	46.7	44.6	49.0
22	50.6	47.7	53.6	51.1	48.2	54.3	45.8	43.7	48.0
23	49.6	46.8	52.6	50.2	47.3	53.3	44.9	42.8	47.1
24	48.7	45.9	51.7	49.3	46.4	52.3	44.0	41.9	46.2
25	47.7	45.0	50.7	48.3	45.5	51.4	43.1	41.1	45.2
26	46.8	44.1	49.7	47.4	44.5	50.4	42.2	40.2	44.3
27	45.9	43.1	48.8	46.4	43.6	49.5	41.3	39.3	43.4
28	44.9	42.2	47.8	45.5	42.7	48.5	40.4	38.5	42.5
29	44.0	41.3	46.9	44.5	41.7	47.5	39.5	37.6	41.6
30	43.0	40.4	45.9	43.6	40.8	46.6	38.7	36.7	40.7
31	42.1	39.4	45.0	42.6	39.9	45.6	37.8	35.9	39.8
32	41.2	38.5	44.0	41.7	38.9	44.6	36.9	35.0	38.9
33	40.2	37.6	43.1	40.7	38.0	43.7	36.0	34.2	38.0
34	39.3	36.7	42.1	39.8	37.1	42.7	35.2	33.3	37.2
35	38.4	35.7	41.2	38.8	36.1	41.8	34.3	32.5	36.3
36	37.4	34.8	40.2	37.9	35.2	40.8	33.5	31.6	35.4
37	36.5	33.9	39.3	37.0	34.3	39.9	32.6	30.8	34.6
38	35.6	33.0	38.4	36.1	33.4	38.9	31.8	30.0	33.7
39	34.7	32.1	37.5	35.1	32.5	38.0	31.0	29.2	32.9
40	33.8	31.2	36.5	34.2	31.6	37.1	30.2	28.4	32.1
41	32.9	30.3	35.6	33.3	30.7	36.1	29.4	27.6	31.2
42	32.0	29.5	34.7	32.4	29.8	35.2	28.6	26.8	30.4
43	31.1	28.6	33.8	31.5	28.9	34.3	27.8	26.1	29.6
44	30.2	27.7	32.9	30.6	28.0	33.4	27.0	25.3	28.8
45	29.4	26.9	32.0	29.7	27.2	32.5	26.2	24.6	28.0
46	28.5	26.1	31.1	28.9	26.3	31.6	25.5	23.8	27.3
47	27.7	25.2	30.2	28.0	25.5	30.7	24.7	23.1	26.5
48	26.8	24.4	29.4	27.1	24.7	29.8	24.0	22.4	25.7
49	26.0	23.6	28.5	26.3	23.9	28.9	23.3	21.7	25.0
50	25.2	22.8	27.6	25.5	23.1	28.0	22.6	21.0	24.3
51	24.4	22.1	26.8	24.6	22.3	27.2	21.9	20.3	23.6
52	23.6	21.3	26.0	23.8	21.5	26.3	21.2	19.7	22.9
53	22.8	20.6	25.1	23.0	20.8	25.4	20.6	19.1	22.2
54	22.0	19.9	24.3	22.3	20.0	24.6	19.9	18.5	21.5
55	21.3	19.2	23.5	21.5	19.3	23.8	19.3	17.8	20.9
56	20.5	18.5	22.6	20.7	18.6	22.9	18.7	17.2	20.2
57	19.8	17.8	21.8	20.0	17.9	22.1	18.0	16.6	19.6
58	19.0	17.1	21.0	19.2	17.2	21.3	17.4	16.0	18.9
59	18.3	16.4	20.2	18.5	16.5	20.5	16.8	15.4	18.3
60	17.6	15.8	19.5	17.8	15.9	19.7	16.3	14.9	17.7
61	16.9	15.2	18.7	17.0	15.3	18.9	15.8	14.4	17.2
62	16.3	14.6	18.0	16.4	14.6	18.1	15.3	13.9	16.7
63	15.6	14.0	17.2	15.7	14.0	17.3	14.8	13.5	16.2
64	15.0	13.4	16.5	15.0	13.4	16.6	14.4	13.1	15.7
65	14.3	12.8	15.8	14.4	12.9	15.9	13.9	12.7	15.2
66	13.7	12.3	15.1	13.7	12.3	15.1	13.5	12.3	14.7
67	13.1	11.8	14.4	13.1	11.8	14.4	13.0	11.9	14.2
68	12.5	11.2	13.7	12.5	11.2	13.7	12.6	11.5	13.7
69	11.9	10.7	13.0	11.9	10.7	13.0	12.1	11.1	13.2
70	11.3	10.2	12.4	11.3	10.2	12.4	11.7	10.7	12.7
71	10.8	9.8	11.7	10.8	9.7	11.7	11.3	10.3	12.2
72	10.2	9.3	11.1	10.2	9.2	11.1	10.9	10.0	11.7
73	9.7	8.8	10.5	9.7	8.8	10.5	10.5	9.6	11.3
74	9.2	8.4	9.9	9.2	8.3	9.9	10.1	9.3	10.8
75	8.7	7.9	9.4	8.7	7.9	9.3	9.7	8.9	10.4
76	8.2	7.5	8.8	8.2	7.5	8.8	9.3	8.6	9.9
77	7.8	7.1	8.3	7.7	7.0	8.2	8.8	8.2	9.5
78	7.3	6.7	7.8	7.2	6.6	7.7	8.4	7.8	9.0
79	6.9	6.3	7.3	6.8	6.2	7.2	8.0	7.4	8.6
80	6.4	6.0	6.8	6.4	5.9	6.8	7.6	7.0	8.1
81	6.1	5.6	6.4	6.0	5.5	6.3	7.2	6.6	7.7
82	5.7	5.3	6.0	5.6	5.2	5.9	6.8	6.3	7.3
83	5.3	5.0	5.6	5.3	4.9	5.5	6.5	6.0	6.9
84	5.0	4.7	5.2	5.0	4.6	5.2	6.2	5.7	6.6
85	4.8	4.5	5.0	4.7	4.4	4.9	5.9	5.5	6.2

Table 2-5. Life Table Values by Color and Sex: Death-Registration States, 1900-1902 to 1919-21, and United States, 1929-31 to 1960

(Alaska included beginning 1959, and Hawaii, 1960. For decennial periods prior to 1929-31, data are for groups of registration States as follows: 1900-1902 and 1909-11, 10 States and the District of Columbia; 1919-21, 34 States and the District of Columbia. For 1900-1902 to 1929-31, figures for nonwhites cover only Negroes. However, in no case did the Negro population comprise less than 95 percent of the corresponding nonwhite population)

AGE (in years), COLOR, AND SEX	NUMBER OF SURVIVORS OUT OF 100,000 BORN ALIVE (l_x)								AVERAGE NUMBER OF YEARS OF LIFE REMAINING ($\mathring{e}_x$)							
	1960	1959	1949-51	1939-41	1929-31	1919-21	1909-11	1900-1902	1960	1959	1949-51	1939-41	1929-31	1919-21	1909-11	1900-1902
WHITE MALE																
0	100,000	100,000	100,000	100,000	100,000	100,000	100,000	100,000	67.4	67.6	66.31	62.81	59.12	56.34	50.23	48.23
1	97,398	97,369	96,931	95,188	93,768	91,975	87,674	86,655	68.2	68.4	67.41	64.98	62.04	60.24	56.26	54.61
5	96,997	96,982	96,403	94,150	91,738	88,842	82,972	80,864	64.4	64.6	63.77	61.68	59.38	58.31	55.37	54.43
10	96,739	96,720	96,069	93,601	90,810	87,530	81,519	79,109	59.6	59.8	58.98	57.03	54.96	54.15	51.32	50.59
15	96,485	96,446	95,728	93,089	90,074	86,546	80,549	78,037	54.8	55.0	54.18	52.33	50.39	49.74	46.91	46.25
20	95,887	95,846	95,104	92,293	88,904	84,997	79,116	76,376	50.1	50.3	49.52	47.76	46.02	45.60	42.71	42.19
25	95,097	95,040	94,294	91,241	87,371	83,061	77,047	73,907	45.5	45.7	44.93	43.28	41.78	41.60	38.79	38.52
30	94,372	94,330	93,489	90,092	85,707	80,888	74,910	71,219	40.8	41.0	40.29	38.80	37.54	37.65	34.87	34.88
35	93,558	93,500	92,543	88,713	83,812	78,441	72,108	68,245	36.1	36.4	35.68	34.36	33.33	33.74	31.08	31.29
40	92,377	92,336	91,173	86,880	81,457	75,733	68,848	64,954	31.6	31.8	31.17	30.03	29.22	29.86	27.43	27.74
45	90,465	90,448	89,002	84,285	78,345	72,696	65,115	61,369	27.2	27.4	26.87	25.87	25.28	26.00	23.86	24.21
50	87,304	87,344	85,601	80,521	74,288	69,107	60,741	57,274	23.1	23.3	22.83	21.96	21.51	22.22	20.39	20.76
55	82,264	82,397	80,496	75,156	68,981	64,574	55,622	52,491	19.3	19.5	19.11	18.34	17.97	18.59	17.03	17.42
60	75,215	75,424	73,172	67,787	61,933	58,498	48,987	46,452	15.9	16.1	15.76	15.05	14.72	15.25	13.98	14.35
65	65,496	65,817	63,541	58,305	52,964	50,663	40,862	39,245	12.9	13.1	12.75	12.07	11.77	12.21	11.25	11.51
70	53,377	53,817	51,735	46,739	41,880	40,873	31,527	30,640	10.2	10.4	10.07	9.42	9.20	9.51	8.83	9.03
75	39,545	40,298	38,104	33,404	29,471	29,205	21,585	21,387	7.9	8.0	7.77	7.17	7.02	7.30	6.75	6.84
80	25,414	26,303	24,005	19,860	17,221	17,655	12,160	12,266	5.9	6.0	5.88	5.38	5.26	5.47	5.09	5.10
85	12,629	13,199	12,015	9,013	7,572	8,154	5,145	5,252	4.4	4.6	4.35	4.02	3.99	4.06	3.88	3.81
NONWHITE MALE																
0	100,000	100,000	100,000	100,000	100,000	100,000	100,000	100,000	61.1	61.4	58.91	52.33	47.55	47.14	34.05	32.54
1	95,196	95,159	94,911	91,696	91,268	89,499	78,065	74,674	63.2	63.5	61.06	56.05	51.08	51.63	42.53	42.46
5	94,432	94,389	93,921	89,920	88,412	85,195	68,589	64,385	59.7	60.0	57.69	53.13	48.69	50.18	44.25	45.06
10	94,092	94,039	93,453	89,211	87,311	83,768	66,377	61,730	54.9	55.2	52.96	48.54	44.27	45.99	40.65	41.90
15	93,716	93,659	92,965	88,417	86,152	82,332	64,478	59,667	50.1	50.4	48.23	43.95	39.83	41.75	36.77	38.26
20	92,937	92,872	91,941	86,770	83,621	79,057	61,426	56,733	45.5	45.8	43.73	39.74	35.95	38.36	33.46	35.11
25	91,674	91,591	90,285	84,055	79,516	74,540	57,736	53,285	41.1	41.4	39.49	35.94	32.67	35.54	30.44	32.21
30	90,108	89,979	88,327	80,865	75,083	70,344	54,073	49,867	36.7	37.1	35.31	32.25	29.45	32.51	27.33	29.25
35	88,222	87,989	85,940	77,185	70,049	65,873	49,865	46,541	32.5	32.9	31.21	28.67	26.39	29.54	24.42	26.16
40	85,543	85,321	82,832	72,830	64,710	61,353	45,414	42,989	28.4	28.8	27.29	25.23	23.36	26.53	21.57	23.12
45	81,913	81,711	78,686	67,514	58,432	56,589	40,563	39,230	24.6	25.0	23.59	22.02	20.59	23.55	18.85	20.09
50	76,839	76,691	72,891	60,766	51,748	51,880	35,427	34,766	21.0	21.4	20.25	19.18	17.92	20.47	16.21	17.34
55	69,848	69,954	65,122	52,867	44,436	46,581	29,754	29,987	17.8	18.3	17.36	16.67	15.46	17.50	13.82	14.69
60	61,616	61,370	55,535	44,370	36,790	40,506	23,750	24,194	14.9	15.5	14.91	14.38	13.15	14.74	11.67	12.62
65	50,236	50,811	45,198	35,912	29,314	34,042	17,806	19,015	12.7	13.2	12.75	12.18	10.87	12.07	9.74	10.38
70	38,773	39,568	35,018	27,688	21,741	26,923	12,295	13,829	10.7	11.2	10.74	10.06	8.78	9.58	8.00	8.33
75	27,869	28,941	25,472	19,765	14,419	18,854	7,494	8,892	8.9	9.4	8.83	8.09	6.99	7.61	6.58	6.80
80	18,938	20,299	16,904	12,352	8,239	11,615	3,894	4,851	7.0	7.3	7.07	6.46	5.42	5.83	5.53	5.12
85	10,676	11,518	9,898	6,492	3,660	5,605	1,747	2,030	5.5	6.1	5.38	5.08	4.30	4.53	4.48	4.04
WHITE FEMALE																
0	100,000	100,000	100,000	100,000	100,000	100,000	100,000	100,000	74.1	74.2	72.03	67.29	62.67	58.53	53.62	51.08
1	98,036	98,001	97,645	96,211	95,037	93,608	89,774	88,939	74.6	74.7	72.77	68.93	64.93	61.51	58.69	56.39
5	97,707	97,673	97,199	95,309	93,216	90,721	85,349	83,426	70.8	70.9	69.09	65.57	62.17	59.43	57.67	56.03
10	97,521	97,489	96,960	94,890	92,466	89,564	83,979	81,723	66.0	66.1	64.26	60.85	57.65	55.17	53.57	52.15
15	97,370	97,338	96,756	94,534	91,894	88,712	83,095	80,680	61.1	61.2	59.39	56.07	53.00	50.67	49.12	47.79
20	97,128	97,097	96,454	93,984	90,939	87,281	81,750	78,978	56.2	56.3	54.56	51.38	48.52	46.46	44.88	43.77
25	96,836	96,806	96,072	93,228	89,524	85,163	79,865	76,588	51.4	51.5	49.77	46.78	44.25	42.55	40.88	40.05
30	96,489	96,455	95,605	92,320	87,972	82,740	77,676	73,887	46.6	46.7	45.00	42.21	39.99	38.72	36.96	36.42
35	96,022	95,970	94,977	91,211	86,248	80,206	75,200	70,971	41.8	41.9	40.28	37.70	35.73	34.86	33.09	32.82
40	95,315	95,273	94,080	89,805	84,256	77,624	72,425	67,935	37.1	37.2	35.64	33.25	31.52	30.94	29.26	29.17
45	94,184	94,189	92,725	87,920	81,780	74,871	69,341	64,677	32.5	32.6	31.12	28.90	27.39	26.98	25.45	25.51
50	92,462	92,498	90,685	85,267	78,572	71,547	65,629	61,005	28.0	28.1	26.76	24.72	23.41	23.12	21.74	21.89
55	89,901	89,943	87,699	81,520	74,321	67,323	61,053	56,509	23.8	23.8	22.58	20.73	19.60	19.40	18.18	18.43
60	86,229	86,253	83,279	76,200	68,462	61,704	54,900	50,752	19.7	19.7	18.64	17.00	16.05	15.93	14.92	15.23
65	80,539	80,634	76,773	68,701	60,499	54,299	47,086	43,806	15.9	15.9	15.00	13.56	12.81	12.75	11.97	12.23
70	72,221	72,216	67,545	58,363	49,932	44,638	37,482	35,206	12.4	12.5	11.68	10.50	9.98	9.94	9.38	9.59
75	60,236	60,348	54,397	44,685	37,024	32,777	26,569	25,362	9.3	9.4	8.87	7.92	7.56	7.62	7.20	7.33
80	44,208	44,479	38,026	28,882	23,053	20,492	15,929	15,349	6.8	6.9	6.59	5.88	5.63	5.70	5.35	5.50
85	25,599	25,728	21,348	14,487	10,937	9,909	7,152	7,149	4.9	5.1	4.83	4.34	4.24	4.24	4.06	4.10
NONWHITE FEMALE																
0	100,000	100,000	100,000	100,000	100,000	100,000	100,000	100,000	66.3	66.5	62.70	55.51	49.51	46.92	37.67	35.04
1	96,138	95,994	95,913	93,318	92,796	91,251	81,493	78,525	67.9	68.2	64.37	58.47	52.33	50.39	45.15	43.54
5	95,484	95,357	95,055	91,710	90,165	87,149	72,768	68,056	64.4	64.7	60.93	55.47	49.81	48.70	46.42	46.04
10	95,196	95,069	94,679	91,092	89,201	85,607	70,508	65,111	59.6	59.9	56.17	50.83	45.33	44.54	42.84	43.02
15	94,981	94,841	94,343	90,363	88,088	83,954	68,218	62,384	54.7	55.0	51.36	46.22	40.87	40.36	39.18	39.79
20	94,601	94,418	93,544	88,505	85,078	80,154	64,764	59,053	49.9	50.2	46.77	42.14	37.22	37.15	36.14	36.89
25	93,961	93,730	92,336	85,961	81,067	75,359	61,430	55,795	45.2	45.6	42.35	38.31	33.93	34.35	32.97	33.90
30	92,977	92,798	90,799	83,147	76,816	70,633	58,281	52,773	40.7	41.0	38.02	34.52	30.67	31.48	29.61	30.70
35	91,556	91,371	88,805	79,879	72,192	65,857	54,595	49,567	36.3	36.6	33.82	30.83	27.47	28.58	26.44	27.52
40	89,469	89,294	86,052	75,908	67,271	61,130	50,568	46,146	32.1	32.4	29.82	27.31	24.30	25.60	23.34	24.37
45	86,620	86,467	82,257	71,061	61,365	56,230	45,947	42,279	28.0	28.4	26.07	24.00	21.39	22.61	20.43	21.36
50	82,629	82,495	77,007	64,886	54,920	50,780	40,886	37,681	24.3	24.6	22.67	21.04	18.60	19.76	17.65	18.67
55	76,988	76,905	70,196	57,419	47,074	44,742	35,415	33,124	20.9	21.2	19.62	18.44	16.27	17.09	14.98	15.88
60	69,797	69,467	61,758	49,102	38,761	37,954	28,908	27,524	17.7	18.2	16.95	16.14	14.22	14.69	12.78	13.60
65	60,039	60,515	52,358	40,718	30,852	31,044	22,302	21,995	15.2	15.5	14.54	13.95	12.24	12.41	10.82	11.38
70	50,246	50,839	42,612	32,579	23,341	24,107	15,871	16,140	12.7	13.0	12.29	11.81	10.38	10.25	9.22	9.62
75	39,685	40,512	32,981	24,668	16,576	17,216	10,657	11,066	10.4	10.7	10.15	9.80	8.62	8.37	7.55	7.90
80	29,494	30,907	23,712	17,157	10,822	11,151	6,324	6,708	8.1	8.3	8.15	8.00	6.90	6.58	6.05	6.48
85	19,134	19,654	15,550	10,658	6,033	5,972	3,029	3,567	6.2	6.6	6.15	6.38	5.48	5.22	5.09	5.10

Table 2-6. Estimated Average Length of Life in Years, by Color and Sex: Death-Registration States, 1900-1928, and United States, 1929-60

(Estimates based on life table values shown in table 2-5)

AREA AND YEAR	TOTAL			WHITE			NONWHITE		
	Both sexes	Male	Female	Both sexes	Male	Female	Both sexes	Male	Female
UNITED STATES[1]									
1960	69.7	66.8	73.1	70.6	67.4	74.1	63.6	61.1	66.3
1959	69.9	66.8	73.2	70.7	67.6	74.2	63.8	61.4	66.5
1958	69.4	66.4	72.7	70.3	67.2	73.7	63.0	60.6	65.5
1957	69.3	66.3	72.5	70.0	67.1	73.5	62.7	60.3	65.2
1956	69.6	66.6	72.8	70.2	67.3	73.7	63.2	61.1	65.9
1955	69.5	66.8	72.7	70.2	67.3	73.6	63.2	61.2	65.9
1954	69.6	66.7	72.7	70.3	67.4	73.6	63.1	61.0	65.8
1953	68.8	65.9	71.9	69.6	66.8	72.9	61.7	59.7	64.4
1952	68.6	65.7	71.6	69.4	66.6	72.7	61.1	59.1	63.7
1951	68.4	65.6	71.3	69.2	66.5	72.4	61.0	59.1	63.3
1950	68.2	65.6	71.1	69.1	66.5	72.2	60.8	59.1	62.9
1949	68.0	65.2	70.7	68.8	66.2	71.9	60.6	58.9	62.7
1948	67.2	64.6	69.9	68.0	65.5	71.0	60.0	58.1	62.5
1947	66.8	64.4	69.7	67.6	65.2	70.5	59.7	57.9	61.9
1946	66.7	64.4	69.4	67.5	65.1	70.3	59.1	57.5	61.0
1945	65.9	63.6	67.9	66.8	64.4	69.5	57.7	56.1	59.6
1944	65.2	63.6	66.8	66.2	64.5	68.4	56.6	55.8	57.7
1943	63.3	62.4	64.4	64.2	63.2	65.7	55.6	55.4	56.1
1942	66.2	64.7	67.9	67.3	65.9	69.4	56.6	55.4	58.2
1941	64.8	63.1	66.8	66.2	64.4	68.5	53.8	52.5	55.3
1940	62.9	60.8	65.2	64.2	62.1	66.6	53.1	51.5	54.9
1939	63.7	62.1	65.4	64.9	63.3	66.6	54.5	53.2	56.0
1938	63.5	61.9	65.3	65.0	63.2	66.8	52.9	51.7	54.3
1937	60.0	58.0	62.4	61.4	59.3	63.8	50.3	48.3	52.5
1936	58.5	56.6	60.6	59.8	58.0	61 9	49.0	47.0	51.4
1935	61.7	59.9	63.9	62.9	61.0	65.0	53.1	51.3	55.2
1934	61.1	59.3	63.3	62.4	60.5	64.6	51.8	50.2	53.7
1933	63.3	61.7	65.1	64.3	62.7	66.3	54.7	53.5	56.0
1932	62.1	61.0	63.5	63.2	62.0	64.5	53.7	52.8	54.6
1931	61.1	59.4	63.1	62.6	60.8	64.7	50.4	49.5	51.5
1930	59.7	58.1	61.6	61.4	59.7	63.5	48.1	47.3	49.2
1929	57.1	55.8	58.7	58.6	57.2	60.3	46.7	45.7	47.8
DEATH-REGISTRATION STATES									
1928	56.8	55.6	58.3	58.4	57.0	60.0	46.3	45.6	47.0
1927	60.4	59.0	62.1	62.0	60.5	63.9	48.2	47.6	48.9
1926	56.7	55.5	58.0	58.2	57.0	59.6	44.6	43.7	45.6
1925	59.0	57.6	60.6	60.7	59.3	62.4	45.7	44.9	46.7
1924	59.7	58.1	61.5	61.4	59.8	63.4	46.6	45.5	47.8
1923	57.2	56.1	58.5	58.3	57.1	59.6	48.3	47.7	48.9
1922	59.6	58.4	61.0	60.4	59.1	61.9	52.4	51.8	53.0
1921	60.6	60.0	61.8	61.8	60.8	62.9	51.5	51.6	51.3
1920	54.1	53.6	54.6	54.9	54.4	55.6	45.3	45.5	45.2
1919	54.7	53.5	56.0	55.8	54.5	57.4	44.5	44.5	44.4
1918	39.1	36.6	42.2	39.8	37.1	43.2	31.1	29.9	32.5
1917	50.9	48.4	54.0	52.0	49.3	55.3	38.8	37.0	40.8
1916	51.7	49 6	54.3	52.5	50.2	55.2	41.3	39.6	43.1
1915	54.5	52.5	56.8	55.1	53.1	57.5	38.9	37.5	40.5
1914	54.2	52.0	56.8	54.9	52.7	57.5	38.9	37.1	40.8
1913	52.5	50.3	55.0	53.0	50.8	55.7	38.4	36.7	40.3
1912	53.5	51.5	55.9	53.9	51.9	56.2	37.9	35.9	40.0
1911	52.6	50.9	54.4	53.0	51.3	54.9	36.4	34.6	38.2
1910	50.0	48.4	51.8	50.3	48.6	52.0	35.6	33.8	37.5
1909	52.1	50.5	53.8	52.5	50.9	54.2	35.7	34.2	37.3
1908	51.1	49.5	52.8	51.5	49.9	53.3	34.9	33.8	36.0
1907	47.6	45.6	49.9	48.1	46.0	50.4	32.5	31.1	34.0
1906	48.7	46.9	50.8	49.3	47.3	51.4	32.9	31.8	33.9
1905	48.7	47.3	50.2	49.1	47.6	50.6	31.3	29.6	33.1
1904	47.6	46.2	49.1	48.0	46.6	49.5	30.8	29.1	32.7
1903	50.5	49.1	52.0	50.9	49.5	52.5	33.1	31.7	34.6
1902	51.5	49.8	53.4	51.9	50.2	53.8	34.6	32.9	36.4
1901	49.1	47.6	50.6	49.4	48.0	51.0	33.7	32.2	35.3
1900	47.3	46.3	48.3	47.6	46.6	48.7	33.0	32.5	33.5

[1] Alaska included beginning 1959, and Hawaii, 1960.

U S. GOVERNMENT PRINTING OFFICE : 1963 O - 685821

Section 3. Infant Mortality

Page

Trend of infant mortality ---- 3-3

Infant mortality by age, color, and sex ---- 3-3

Infant mortality by cause ---- 3-4

Infant mortality by geographic area and color ---- 3-7

Infant mortality rates adjusted for changing numbers of births ---- 3-7

Figure

3-1. Infant mortality rates by age: Birth-registration States, 1915-60 ---- 3-3

Text Tables

3-A. Infant and neonatal mortality rates, by color: Birth-registration States or United States, 1915-60 ---- 3-4

3-B. Infant mortality rates by age, color, and sex: United States, 1960 ---- 3-4

3-C. Infant mortality rates by age and color: United States, 1950-60 ---- 3-5

3-D. Infant mortality rates for 55 selected causes: United States, 1950-60 ---- 3-6

3-E. Infant mortality rates by color: United States, each division and State, 1950 and 1957-60 ---- 3-8

3-F. Neonatal mortality rates by color: United States, each division and State, 1950 and 1957-60 ---- 3-9

General Tables

3-1. Deaths under 1 year, by age, race, and sex: United States and each State, 1960 ---- 3-10

3-2. Deaths under 1 year and under 28 days, by month and color, for the United States and each State; and by age and sex for the United States: 1960 ---- 3-24

3-3. Deaths under 1 year, under 28 days, and 28 days to 11 months, from 55 selected causes, by month: United States, 1960 ---- 3-31

3-4. Deaths under 1 year and under 28 days, from 55 selected causes, by color, for urban and rural areas in metropolitan and nonmetropolitan counties: United States, 1960 ---- 3-34

3-5. Deaths under 1 year from 55 selected causes, by age, color, and sex: United States, 1960 ---- 3-40

3-6. Deaths under 1 year, under 28 days, and 28 days to 11 months, from 55 selected causes, by color: United States and each State, 1960 ---- 3-58

SECTION 3. INFANT MORTALITY

Trend of infant mortality

In contrast to the experience of the general population, infant mortality for 1960 showed no evidence of the epidemic of respiratory diseases that took place early in the year. The death rate for 1960 of 26.0 deaths under 1 year per 1,000 live births is below the figure of 26.4 for 1959 and is as low as it has ever been. Most of the drop took place among deaths at ages under 28 days. The neonatal mortality rate—deaths under 28 days per 1,000 live births—was 18.7 for 1960 and 19.0 for 1959. These figures are shown separately for white and nonwhite infants for the years 1915 through 1960 (table 3-A).

Despite the drop in rate between 1959 and 1960, there is no evidence that the long-term decline has been resumed. In a recent study, it was pointed out that a change in the trend of infant mortality appears to have taken place around 1949 or 1950. The author states, "During the period 1933-49, the infant mortality rate for all races decreased about 4.3 percent each year. ... However, beginning about 1950 the rate of decrease in infant mortality dropped to 2.0 percent per annum.

"The mortality experience of white infants follows the same pattern as the total infant mortality trend. For nonwhites the deceleration in the downward trend is even more marked. In the period 1933-49, the nonwhite infant mortality rate decreased 4.6 percent per annum. Between 1950 and 1956, the rate of decline slowed down to 1.2 percent per year."[1] This series of declines was broken by successive increases in the rate for 1957 and 1958. The rate for 1959 decreased from that for the previous year, and a further decline in 1960 brought the infant mortality rate back to the low point reached in 1956.

In an attempt to discover possible differences in or exceptions to the change in the basic trend, the study examined such factors as age of mother, birth order, age at death, and urban and rural residence. Adjustments of rates for the changing distribution of live births by birth order and age of mother indicated that these factors did not account for the changes in the trend of infant mortality. It was observed that both urban and rural trends have slowed down. By age, the annual rate of decline of neonatal mortality fell from about 3.0 percent for both groups in the period 1933-49 to 1.7 percent for whites and 0.4 percent for nonwhites during the period 1950 and after, but for postneonatal deaths, the annual rate of decline changed around 1946. Thus before 1946 rates were dropping 5.2 percent and 5.0 percent each year for whites and nonwhites, respectively. After 1946 the comparable percentages were 4.6 for whites and 1.5 for nonwhites.

FIGURE 3-I



Infant mortality by age, color, and sex

The sex and color differences characteristic of infant mortality in the past are repeated for 1960. These figures are shown by age in table 3-B. For both color groups, rates for all ages under 6 months are considerably higher for males than for females. Rates for nonwhites, both male and female, are higher than those for white infants at every age. The most pronounced difference between the two color groups occurred during the postneonatal period. The death rates at ages 28 days-11 months were 1,635.4 per 100,000 live births for nonwhites and 566.4 for whites. For whites, 25 percent of all infant deaths occurred during the postneonatal period compared with 38 percent for nonwhites.

Infant mortality rates for each year 1950-60 are given by age and color in table 3-C and by cause in table 3-D. Beginning with this report, these rates are presented per 100,000 live births in order to facilitate comparison of

[1] Iwao M. Moriyama, "Recent Change in Infant Mortality Trend," *Public Health Reports, May 1960*.

Table 3-A Infant and Neonatal Mortality Rates, by Color: Birth-Registration States or United States, 1915-60

(Data refer only to deaths occurring within the specified area. Alaska included beginning 1959, and Hawaii, 1960. Prior to 1933, data are for birth-registration States only. Rates are deaths under 1 year and under 28 days per 1,000 live births in specified group)

YEAR	INFANT MORTALITY RATE			NEONATAL MORTALITY RATE			YEAR	INFANT MORTALITY RATE			NEONATAL MORTALITY RATE		
	Total	White	Non-White	Total	White	Non-White		Total	White	Non-White	Total	White	Non-White
1960	26.0	22.9	43.2	18.7	17.2	26.9	1949	31.3	28.9	47.3	21.4	20.3	28.6
1959	26.4	23.2	44.0	19.0	17.5	27.7	1948	32.0	29.9	46.5	22.2	21.2	29.1
1958	27.1	23.8	45.7	19.5	17.8	29.0	1947	32.2	30.1	48.5	22.8	21.7	31.0
1957	26.3	23.3	43.7	19.1	17.5	27.8	1946	33.8	31.8	49.5	24.0	23.1	31.5
1956	26.0	23.2	42.1	18.9	17.5	27.0	1945	38.3	35.6	57.0	24.3	23.3	32.0
1955	26.4	23.6	42.8	19.1	17.7	27.2	1940-44	42.4	39.0	66.9	26.2	24.9	35.6
1954	26.6	23.9	42.9	19.1	17.8	27.0	1935-39	53.2	49.2	81.3	31.0	29.5	41.4
1953	27.8	25.0	44.7	19.6	18.3	27.4	1930-34[1]	60.4	55.2	98.6	34.4	32.5	48.2
1952	28.4	25.5	47.0	19.8	18.5	28.0	1925-29	69.0	65.0	105.4	37.2	36.0	47.9
1951	28.4	25.8	44.8	20.0	18.9	27.3	1920-24	76.7	73.3	115.3	39.7	38.7	51.1
1950	29.2	26.8	44.5	20.5	19.4	27.5	1915-19	95.7	92.8	149.7	43.4	42.3	58.1

[1]For 1932-34, Mexicans are included with "Nonwhite."

Table 3-B. Infant Mortality Rates by Age, Color, and Sex: United States, 1960

(Data refer only to deaths occurring within the United States, including Alaska and Hawaii. Excludes fetal deaths. Rates per 100,000 live births in specified color-sex group)

AGE	TOTAL			WHITE			NONWHITE		
	Both sexes	Male	Female	Both sexes	Male	Female	Both sexes	Male	Female
UNDER 1 YEAR	2,604.0	2,933.2	2,258.6	2,290.6	2,600.5	1,963.8	4,321.1	4,788.0	3,845.6
Under 28 days	1,872.6	2,123.7	1,609.3	1,724.2	1,965.8	1,469.5	2,685.7	3,004.1	2,361.6
Under 1 day	1,034.2	1,163.1	898.9	960.7	1,085.6	829.0	1,436.6	1,595.4	1,274.9
Under 1 hour	193.1	204.0	181.7	183.0	192.2	173.3	248.5	269.7	227.0
1-23 hours	841.0	959.2	717.1	777.7	893.4	655.7	1,188.1	1,325.7	1,047.9
1 day	271.2	314.7	225.6	253.3	294.7	209.6	369.5	426.2	311.7
2 days	176.9	208.5	143.8	172.0	203.2	139.1	203.9	237.7	169.5
3 days	82.6	97.3	67.2	77.7	91.0	63.7	109.4	132.4	86.0
4 days	46.3	51.6	40.8	41.3	45.2	37.3	73.8	87.5	59.9
5 days	34.2	38.5	29.7	30.4	35.1	25.3	55.4	57.3	53.4
6 days	25.0	27.3	22.5	22.5	24.8	20.1	38.3	41.6	35.0
7-13 days	99.0	107.0	90.6	85.3	93.6	76.6	173.9	181.6	166.2
14-20 days	58.2	64.7	51.4	46.2	52.9	39.0	124.3	130.6	117.9
21-27 days	45.0	50.9	38.7	34.8	39.6	29.8	100.4	113.7	86.9
28-59 days	170.8	192.2	148.3	133.8	153.1	113.5	373.5	410.5	335.7
2 months	132.9	152.8	112.0	103.4	120.9	84.9	294.8	330.9	258.0
3 months	100.7	111.9	89.0	78.6	89.0	67.7	221.7	239.5	203.6
4 months	77.2	83.9	70.3	57.3	62.0	52.5	186.3	206.3	165.9
5 months	57.4	63.7	50.8	43.2	47.8	38.3	135.6	152.6	118.2
6 months	47.2	51.3	43.0	35.2	38.8	31.3	113.2	120.7	105.7
7 months	39.2	42.1	36.3	30.4	32.7	28.0	87.5	94.1	80.8
8 months	33.2	34.7	31.7	26.4	27.7	25.1	70.5	73.9	67.0
9 months	26.7	28.9	24.4	21.3	23.2	19.3	56.3	60.6	51.9
10 months	23.0	23.7	22.2	18.4	19.3	17.3	48.2	48.0	48.5
11 months	22 9	24.3	21.4	18.3	20.3	16.3	47.8	46.8	48.8

differences in rate from one year to another in categories where frequencies are small.

Between 1950 and 1960, death rates among whites declined for all ages shown in table 3-C. The largest changes occurred at ages 5 months and over. For example, for deaths to white infants at 3 months of age, the rate for 1960 was 21 percent below that for 1950; at 5 and 9 months of age, rates for 1960 were 30 and 39 pecent, respectively, below those for 1950. In contrast, rates among nonwhites were higher in 1960 than those in 1950 for the age groups under 1 day, 21-27 days, 28-59 days, and 2, 3, and 4 months. In the important age interval under 1 day, during which about one-third of all infant deaths take place, the mortality rate among nonwhites in 1960 was 11 percent higher than that for 1950. A suggestion has been made that this rise may reflect more accurate reporting for births now taking place in hospitals. Formerly, a death soon after delivery might have been reported as a fetal death.

Infant mortality by cause

Rates by cause for 1950 to 1960 are given in table 3-D. For most of the more frequent causes, the rates change very little from year to year. In 1960 the rate for deaths from congenital malformations was 361.4—8.7 percent under the comparable rate for 1950. This rate has been declining moderately but fairly consistently throughout the past 10 years. The rate for deaths from postnatal asphyxia and atelectasis with immaturity increased steadily from 1950 to 1958. At the same time, deaths recorded as due to immaturity, unqualified, de-

Table 3-C. Infant Mortality Rates by Age and Color: United States, 1950-60

(Data refer only to deaths occurring within the United States. Alaska included beginning 1959, and Hawaii, 1960. Excludes fetal deaths. Rates per 100,000 live births)

AGE AND COLOR	1960	1959	1958	1957	1956	1955	1954	1953	1952	1951	1950
TOTAL											
Under 1 year	2,604.0	2,638.7	2,706.8	2,634.5	2,598.6	2,641.3	2,658.2	2,778.1	2,844.1	2,844.7	2,921.2
Under 28 days	1,872.6	1,903.0	1,945.8	1,905.8	1,889.4	1,911.2	1,909.8	1,956.2	1,982.1	2,004.7	2,049.9
Under 1 day	1,034.2	1,029.8	1,021.5	994.8	992.7	1,000.2	962.6	965.5	972.5	977.7	1,015.0
1 day	271.2	277.7	277.0	275.2	282.1	288.9	289.2	296.0	301.4	307.8	311.8
2 days	176.9	182.3	186.0	183.3	174.5	184.0	193.8	202.0	205.9	206.1	204.1
3 days	82.6	85.2	93.9	89.6	89.1	93.5	97.0	107.5	105.6	108.9	106.4
4 days	46.3	50.1	57.7	53.8	53.2	55.1	58.1	61.9	59.5	62.4	62.8
5 days	34.2	36.8	44.5	42.0	41.5	43.0	43.1	47.4	46.9	48.1	48.6
6 days	25.0	28.3	32.7	31.9	32.2	31.6	32.7	31.1	33.7	34.7	35.6
7-13 days	99.0	105.2	118.9	118.9	116.4	108.1	119.8	121.9	129.1	131.9	134.6
14-20 days	58.2	59.8	64.2	65.9	61.1	61.2	64.2	70.5	72.7	73.1	74.8
21-27 days	45.0	47.8	49.5	50.3	46.8	45.7	49.3	52.3	54.8	53.1	56.2
28-59 days	170.8	172.5	177.1	166.2	161.8	162.4	163.1	173.3	180.7	174.1	182.9
2 months	132.9	132.8	137.1	126.6	122.5	123.7	122.9	136.4	139.4	136.0	136.7
3 months	100.7	102.3	104.7	97.8	94.3	95.3	99.6	108.3	111.6	109.5	115.5
4 months	77.2	74.8	78.8	78.3	74.7	77.2	79.2	88.0	92.0	90.8	91.3
5 months	57.4	62.5	61.6	59.4	57.6	62.2	64.5	72.3	76.1	74.8	73.6
6 months	47.2	47.1	50.8	49.4	47.7	51.7	54.8	60.2	64.8	61.8	64.2
7 months	39.2	38.3	39.0	39.2	40.1	41.5	43.6	48.0	52.5	51.0	55.4
8 months	33.2	32.5	33.4	34.5	34.4	36.0	37.4	42.3	45.6	43.6	46.9
9 months	26.7	26.9	29.5	29.6	27.6	29.1	31.4	35.9	38.6	37.4	40.8
10 months	23.0	23.8	25.3	23.8	25.0	25.9	26.1	28.4	30.8	31.6	33.9
11 months	22.9	22.3	23.8	23.9	23.5	25.1	25.8	28.8	30.0	29.5	30.2
WHITE											
Under 1 year	2,290.6	2,320.9	2,377.6	2,330.9	2,318.6	2,361.8	2,387.0	2,503.6	2,550.7	2,585.0	2,677.2
Under 28 days	1,724.2	1,747.5	1,777.0	1,753.2	1,747.6	1,773.6	1,778.8	1,829.3	1,852.9	1,889.0	1,937.2
Under 1 day	960.7	954.2	948.9	925.3	926.6	934.4	902.2	912.6	924.6	931.0	969.5
1 day	253.3	262.9	260.3	261.1	270.9	278.8	278.7	285.9	289.1	296.3	302.1
2 days	172.0	175.2	176.4	176.0	165.7	178.3	186.3	196.9	198.8	202.1	200.1
3 days	77.7	79.6	84.4	82.4	82.9	88.0	91.1	101.9	99.0	105.5	101.7
4 days	41.3	45.3	50.4	47.7	49.2	49.8	53.5	55.4	53.2	55.4	58.6
5 days	30.4	31.7	38.5	37.1	37.6	37.2	38.3	41.6	41.5	42.4	42.8
6 days	22.5	24.9	27.3	28.0	28.3	27.9	29.0	26.9	29.1	31.0	30.8
7-13 days	85.3	87.8	100.7	101.7	99.6	92.4	103.9	106.7	112.9	116.5	117.5
14-20 days	46.2	48.3	51.9	52.7	50.0	51.1	53.7	58.6	60.5	63.1	64.8
21-27 days	34.8	37.6	38.3	41.1	36.9	35.8	42.0	42.8	44.3	45.7	49.2
28-59 days	133.8	137.0	139.6	134.2	130.4	129.4	132.8	141.2	147.3	143.9	155.0
2 months	103.4	103.3	106.8	99.5	99.0	99.0	99.8	113.6	113.0	112.9	115.7
3 months	78.6	78.5	82.8	76.8	75.9	76.9	79.9	87.6	89.7	91.5	98.9
4 months	57.3	55.7	60.6	61.4	58.3	61.2	63.8	71.5	74.3	74.4	77.4
5 months	43.2	47.6	48.7	45.5	46.0	50.4	52.2	57.9	60.2	61.8	61.7
6 months	35.2	36.0	39.5	38.4	37.9	41.7	43.1	48.4	51.2	50.1	53.2
7 months	30.4	30.4	31.5	31.1	31.7	33.9	36.1	39.5	42.1	42.2	47.2
8 months	26.4	25.4	27.2	27.9	28.3	30.0	31.2	34.8	37.6	36.6	40.5
9 months	21.3	21.4	23.7	23.4	23.0	23.3	25.7	30.3	31.5	31.6	34.8
10 months	18.4	20.1	21.3	20.0	21.0	21.0	22.2	25.0	25.8	26.2	29.4
11 months	18.3	18.1	18.9	19.5	19.5	21.4	21.4	24.5	25.1	24.8	26.1
NONWHITE											
Under 1 year	4,321.1	4,404.8	4,569.1	4,370.9	4,205.7	4,283.1	4,286.1	4,467.6	4,703.4	4,481.3	4,445.7
Under 28 days	2,685.7	2,766.9	2,900.5	2,778.5	2,703.2	2,719.0	2,696.4	2,736.8	2,801.3	2,733.5	2,753.6
Under 1 day	1,436.6	1,449.6	1,432.4	1,391.9	1,371.6	1,386.4	1,325.2	1,291.5	1,276.1	1,272.0	1,299.0
1 day	369.5	360.1	371.8	356.1	346.4	348.0	352.1	358.3	379.0	380.1	372.1
2 days	203.9	221.7	239.9	225.0	225.2	218.1	238.8	233.6	251.4	231.2	229.1
3 days	109.4	116.5	147.4	130.7	124.6	125.7	132.3	141.7	147.4	138.0	135.8
4 days	73.8	76.3	98.7	89.2	76.1	86.6	85.6	102.0	99.6	106.5	88.9
5 days	55.4	65.7	78.7	70.1	63.6	77.1	72.0	83.1	80.9	84.1	84.8
6 days	38.3	47.3	63.3	54.2	54.6	53.2	54.9	56.8	63.1	57.6	65.8
7-13 days	173.9	202.2	221.5	217.3	212.5	200.1	215.1	215.6	231.9	228.7	241.4
14-20 days	124.3	123.6	133.5	140.8	124.5	120.4	127.2	143.8	150.3	135.5	137.0
21-27 days	100.4	104.1	113.2	103.3	104.1	103.6	93.2	110.4	121.7	99.8	99.7
28-59 days	373.5	369.7	389.1	349.1	342.1	355.9	345.1	371.0	392.3	364.4	357.2
2 months	294.8	297.2	308.5	281.5	257.2	289.2	261.4	276.5	307.1	281.4	267.3
3 months	221.7	234.8	228.7	217.7	200.1	203.6	218.0	235.6	250.0	222.9	219.0
4 months	186.3	180.9	181.9	174.8	168.7	171.4	171.7	189.8	203.7	193.7	178.2
5 months	135.6	144.9	134.9	139.3	124.0	131.4	138.2	160.6	176.6	157.1	148.0
6 months	113.2	108.9	114.3	112.6	104.3	110.6	124.6	133.3	150.9	135.9	132.9
7 months	87.5	82.0	81.1	85.7	88.1	86.1	88.9	100.1	118.2	106.5	106.8
8 months	70.5	71.8	68.1	72.5	69.8	71.5	74.3	88.8	96.1	87.6	86.8
9 months	56.3	57.3	62.2	65.2	54.1	63.2	65.5	70.6	83.5	74.2	77.9
10 months	48.2	44.6	48.0	45.3	47.8	54.5	49.5	49.3	62.7	65.6	62.0
11 months	47.8	45.7	51.8	48.6	46.5	46.7	52.5	55.2	60.8	58.8	56.1

Table 3-D. Infant Mortality Rates for 55 Selected Causes: United States, 1950-60

(Data refer only to deaths occurring within the United States. Alaska included beginning 1959, and Hawaii, 1960. Excludes fetal deaths. Deaths under 1 year per 100,000 live births. Numbers after causes of death are category numbers of the Seventh Revision of the International Lists, 1955. Deaths are classified according to the Sixth Revision for 1950-57 and according to the Seventh Revision for 1958-60. Rates for frequencies less than 20 are underlined)

CAUSE OF DEATH	1960	1959	1958	1957	1956	1955	1954	1953	1952	1951	1950
ALL CAUSES	2,604.0	2,638.7	2,706.8	2,634.5	2,598.6	2,641.3	2,658.2	2,778.1	2,844.1	2,844.7	2,921.2
Dysentery, all forms---045-048	3.3	4.0	4.4	5.1	5.2	6.7	7.5	12.5	13.4	15.0	14.7
Septicemia and pyemia---053	9.6	10.0	10.3	10.2	7.9	7.7	7.3	5.9	6.4	5.1	5.0
Whooping cough---056	1.7	4.3	3.1	2.9	4.1	8.3	6.5	4.7	6.8	17.4	21.0
Meningococcal infections---057	4.6	4.8	5.8	5.8	6.1	6.3	7.5	10.1	10.3	8.1	7.1
Tetanus---061	1.6	1.9	2.0	1.8	1.9	1.9	2.3	2.5	2.4	2.9	3.4
Other infective and parasitic diseases---001-044,049-052,054,055,058-060,062-138	13.1	13.1	13.8	12.5	15.2	13.6	17.4	18.8	25.2	25.4	27.2
Malignant neoplasms, including neoplasms of lymphatic and hematopoietic tissues---140-205	7.0	6.6	6.2	6.6	7.2	7.1	7.6	7.7	7.6	7.2	7.7
Benign neoplasms and neoplasms of unspecified nature---210-239	3 2	3.0	3.2	3.1	3.8	4.0	4.2	4.0	3.9	3.9	3.9
Diseases of thymus gland---273	2.7	3.5	3.3	4.0	4.4	6.1	7.2	9.5	11.9	13.4	15.1
Meningitis, except meningococcal and tuberculous---340	20.5	19.7	20.9	18.1	17.9	16.7	16.1	17.6	16.8	15.1	16.1
Other diseases of nervous system and sense organs---330-334,341-398	22.3	22.0	22.9	20.0	19.2	20.4	20.8	21.0	22.1	21.2	26.8
Acute upper respiratory infections---470-475	9.8	11.7	10.8	10.8	9.9	10.4	10.0	10.8	11.2	9.1	8.6
Influenza and pneumonia, except pneumonia of newborn---480-493	230.8	229.6	235.9	225.9	207.4	205.5	206.3	232.5	236.7	221.6	237.4
Influenza---480-483	12.6	8.0	10.6	15.2	6.9	9.1	10.6	26.2	21.3	20.7	20.7
Pneumonia, except pneumonia of newborn---490-493	218.2	221.6	225.3	210.7	200.5	196.4	195.7	206.3	215.3	200.9	216.7
Bronchitis---500-502	15.4	17.3	18.6	18.0	18.8	16.6	17.1	17.1	17.2	15.5	16.4
Other diseases of respiratory system---510-522,525-527	36.1	35.5	36.3	61.6	54.4	46.4	38.3	31.9	25.2	16.6	11.6
Pulmonary congestion and hypostatis---522	4.3	3.7	---	---	---	---	---	---	---	---	---
Other chronic interstitial pneumonia---525	21.9	20.9	---	---	---	---	---	---	---	---	---
Bronchiectasis---526	0.0	0.0	---	---	---	---	---	---	---	---	---
Other diseases of lung and pleural cavity---527.2	5.5	5.9	---	---	---	---	---	---	---	---	---
All other diseases of respiratory system---510-521,527.1	4.3	4.9	---	---	---	---	---	---	---	---	---
Hernia and intestinal obstruction---560,561,570	21.7	22.5	22.6	24.5	25.9	23.6	25.5	25.5	24.8	25.8	27.0
Gastritis, duodenitis, enteritis, and colitis, except diarrhea of newborn---543,571,572	61.6	60.1	63.5	72.8	67.4	80.5	89.4	108.0	113.5	105.2	105.5
Other diseases of digestive system---530-542,544-553,573-587	15.9	16.1	17.6	13.0	13.9	12.8	16.4	15.4	15.4	14.7	15.2
Congenital malformations---750-759	361.4	367.0	370.0	371.4	376.5	379.4	376.3	388.7	394.7	392.5	396.0
Spina bifida and meningocele---751	25.7	28.2	27.6	27.6	31.3	29.8	34.1	38.3	41.8	41.5	42.9
Congenital hydrocephalus and other congenital malformations of nervous system and sense organs---752,753	38.6	38.8	39.7	41.6	40.9	44.6	43.3	46.6	46.6	48.7	39.5
Congenital malformations of circulatory system---754	178.2	177.2	181.0	178.0	177.5	172.4	171.9	170.6	178.2	173.2	183.3
Other congenital malformations---750,755-759	118.8	122.8	121.8	124.2	126.9	132.6	127.0	133.1	128.2	129.1	130.2
Certain diseases of early infancy---760-776	1,575.3	1,600.0	1,639.9	1,564.2	1,548.7	1,581.7	1,579.4	1,625.3	1,654.1	1,680.8	1,715.4
Birth injuries---760,761	238.6	248.5	264.7	267.9	276.6	285.7	280.0	300.1	307.0	314.8	334.1
Without mention of immaturity(.0)---	94.0	98.0	108.7	111.6	119.4	123.7	126.9	142.3	148.5	160.8	173.4
With immaturity (.5)---	144.6	148.5	156.1	156.3	157.2	162.0	153.1	157.7	158.5	154.0	160.7
Intracranial and spinal injury at birth---760	74.6	80.7	92.9	97.3	104.1	109.6	109.5	122.8	127.9	133.5	139.4
Without mention of immaturity (.0)---	43.6	48.1	56.5	60.0	66.3	70.6	73.6	85.2	90.7	97.7	102.2
With immaturity (.5)---	31.0	32.6	36.3	37.3	37.7	38.9	36.0	37.6	37.2	35.8	37.2
Other birth injury---761	164.0	165.8	171.9	170.6	172.5	176.1	170.4	177.3	179.1	181.3	194.7
Without mention of immaturity (.0)---	50.4	49.8	52.1	51.5	53.0	53.0	53.3	57.1	57.9	63.0	71.2
With immaturity (.5)---	113.6	116.0	119.7	119.0	119.5	123.1	117.1	120.2	121.2	118.3	123.5
Postnatal asphyxia and atelectasis---762	458.9	466.1	485.2	443.6	434.2	436.9	432.7	424.2	404.0	403.9	371.4
Without mention of immaturity (.0)---	123.4	129.4	138.9	126.1	124.0	138.2	145.5	152.0	149.6	152.1	138.3
With immaturity (.5)---	335.5	336.6	346.2	317.5	310.2	298.6	287.3	272.1	254.4	251.8	233.1
Pneumonia of newborn---763	83.2	88.6	93.2	87.3	81.7	76.8	78.2	78.8	76.5	75.3	78.0
Without mention of immaturity (.0)---	60.2	62.9	65.1	59.9	57.1	52.4	51.9	53.7	52.6	53.4	53.7
With immaturity (.5)---	23.0	25.7	28.1	27.5	24.6	24.4	26.3	25.1	23.9	21.9	24.3
Diarrhea of newborn---764	10.9	11.6	12.6	12.1	12.7	13.5	17.4	17.9	20.1	18.3	20.5
Without mention of immaturity (.0)---	8.5	9.1	10.2	9.4	10.2	10.6	13.2	12.8	15.3	13.9	14.8
With immaturity (.5)---	2.4	2.5	2.5	2.7	2.5	2.9	4.2	5.1	4.8	4.4	5.7
Other infections of newborn---765-768	18.3	19.1	25.7	20.1	16.5	13.5	12.9	10.7	9.8	11.1	9.7
Without mention of immaturity (.0)---	11.9	13.1	16.2	13.5	11.1	8.8	8.7	7.2	6.9	8.4	6.9
With immaturity (.5)---	6.4	6.0	9.6	6.7	5.3	4.6	4.3	3.4	3.0	2.6	2.8
Neonatal disorders arising from certain diseases of mother during pregnancy---769	23.5	20.6	19.1	15.3	15.9	17.5	10.1	10.9	12.8	16.3	29.7
Without mention of immaturity (.0-.4)---	8.3	8.9	6.5	4.7	4.7	5.5	5.3	6.3	7.2	7.3	7.5
With immaturity (.5-.9)---	15.2	13.7	12.6	10.6	11.3	12.0	4.8	4.6	5.6	9.0	22.1
Hemolytic disease of newborn (erythroblastosis)---770	50.4	51.5	56.4	59.3	56.7	59.9	61 8	65.4	68.1	70.0	71.2
Without mention of immaturity (.0-.2)---	40.0	40.9	45.8	48.0	45.1	47.2	49.8	52.7	55.0	57.2	56.6
With immaturity (.5-.7)---	10.4	10.6	10.6	11.3	11.7	12.7	11.9	12.7	13.1	12.9	14.6
Hemorrhagic disease of newborn---771	14.6	15.9	16.2	17.4	17.3	18.9	21.1	20.4	22.7	25.8	24.2
Without mention of immaturity (.0)---	9.2	9.6	9.8	10.8	11.0	11.5	13.3	12.9	15.2	16.7	16.0
With immaturity (.5)---	5.3	6.3	6.4	6.5	6.3	7.4	7.8	7.6	7.6	9.2	8.2
Ill-defined diseases peculiar to early infancy, including nutritional maladjustment---772,773	189.2	179.7	159.5	95.3	93.0	82.2	82.8	87.3	96.4	99.3	105.6
Without mention of immaturity (.0)---	55.3	52.7	49.1	23.1	23.2	23.4	24.8	29.2	34.8	36.8	38.8
With immaturity (.5)---	134.0	127.0	110.4	72.2	69.7	58.8	57.9	58.1	61.6	62.4	66.8
Immaturity with mention of any other subsidiary condition---774	30.8	31.5	30.8	58.5	51.9	46.7	41.1	33.6	33.8	29.8	40.4
Immaturity, unqualified---776	457.0	468.9	476.4	487.3	493.2	530.1	541.4	576.1	602.8	616.2	630.6
Symptoms and ill-defined conditions---780-793,795	59.1	58.1	65.5	60.1	61.4	68.9	69.2	75.9	87.2	90.1	102.3
All other diseases---Residual	32.6	33.6	33.8	33.1	33.4	31.7	33.6	36.7	37.2	35.5	33.1
Accidents---E800-E962	90.0	90.9	93.2	86.3	84.0	81.7	89.1	93.0	97.0	98.9	101.1
Inhalation and ingestion of food or other object causing obstruction or suffocation---E921,E922	28.3	27.2	30.2	26.4	23.7	21.7	24.8	26.1	23.8	26.0	24.8
Accidental mechanical suffocation in bed and cradle---E924	23.9	27.0	28.8	25.1	24.3	24.8	28.0	28.3	31.2	34.0	36.4
Other accidental causes---E800-E920,E923,E925-E962	37.8	36.7	36.1	34.9	36.0	35.2	36.4	38.5	42.0	39.0	40.0
Homicide---E964,E980-E984	4.7	3.5	3.2	2.9	3.0	3.2	3.3	2.8	3.3	3.8	3.9

clined in rate for each of these years. The increases in the former rate from 1950 to 1958 may thus be the result of the use of more specific terms in reporting infant deaths.

The death rate for birth injuries declined 29 percent between 1950 and 1960. The most frequently reported birth injuries are those classified as intracranial and spinal injury at birth. The rate for this cause for 1960 was 46 percent below that for 1950. The rate for deaths due to influenza and pneumonia, except pneumonia of newborn, has fluctuated within a narrow range. This rate was 230.8 in 1960 compared with a low for the decade of 205.5 in 1955 and high of 237.4 in 1950.

Immaturity is a major cause of infant deaths. The International Classification of Diseases[2] defines an infant whose birth weight is less than 2,500 grams as immature. Immaturity as a factor associated with the cause of death is contained in the classification for those causes which fall under the general heading Certain Diseases of Early Infancy. Since the death certificate does not contain an item on weight at birth, the assignments to immaturity in the cause of death classification depend entirely on the physician's entry of this fact in the medical certification. Sixty percent of all infant deaths in 1960 were assigned to Certain Diseases of Early Infancy. Within this group, immaturity was mentioned in almost three-fourths of the cases.

Infant mortality by geographic area and color

Infant mortality rates by color for 1950 and 1957 through 1960 are shown for each State and geographic division in table 3-E, and neonatal mortality rates by the same variables are given in table 3-F. The infant mortality rate was lower for 1960 than that for 1959 for 29 States and the District of Columbia, equal for 2 States, and higher for 19.

The infant mortality rate for the United States for 1960 was 11 percent below that for 1950. A comparison of the rates for individual States for these 2 years shows that 43 of the 48 States comprising the Union in 1950 and the District of Columbia experienced lower infant mortality rates in 1960 than those recorded in 1950. The drop was more than 20 percent in eight States and 15 to 20 percent in seven States. The rate for New Mexico declined from 54.8 in 1950 to 33.2 in 1960, a reduction of 39 percent. The rate for Arizona declined from 45.8 to 31.9 (30 percent) in the same period. One of the lowest rates for an individual State in 1950 was 23.7 for Utah. The rate of 19.6 recorded for 1960 represents a reduction of 17 percent and is the lowest rate for any State in 1960. The States which made substantial progress in lowering the infant mortality rate in the last 10 years are distributed among all sections of the country, and no tendency for them to be concentrated in any particular area can be discerned.

The infant mortality rate for the New England Division in 1960 was 22.2, the lowest for any of the divisions. The rates for all the States in this division were below that for the United States. Next lowest was the West North Central Division, where the rate was 23.0. Lower than average rates prevailed in all the States in this division except South Dakota. Also below the average for the United States were the rates for the Middle Atlantic (24.3), East North Central (24.0), and Pacific Divisions (23.6). Rates were above average in the three southern divisions and in the Mountain Division.

Infant mortality rates adjusted for changing numbers of births

The infant mortality rate is based on live births and infant deaths occurring in the same calendar year. This has the effect of lowering the infant death rate for a year when there has been an increase in the number of births. For a year when the number of births had declined, the opposite effect would occur. A truer measure would result if deaths were allocated to the year in which each infant was born. The following rates for 1935, 1940, and 1945-60 approximate such an allocation by taking into account differences in the number of births between consecutive years. For recent years, the adjusted rate has not varied greatly from the conventional rate.

1960	26.0	1951	28.6
1959	26.4	1950	29.2
1958	27.0	1949	31.4
1957	26.4	1948	31.8
1956	26.1	1947	32.8
1955	26.4	1946	34.6
1954	26.7	1945	38.1
1953	27.8	1940	47.4
1952	28.5	1935	55.7

[2] World Health Organization, *Manual of the International Statistical Classification of Diseases, Injuries, and Causes of Death*, Based on the Recommendations of the Seventh Revision Conference, 1955, Volume I. Geneva, Switzerland, 1957.

684827 O - 63 - 2

Table 3-E. Infant Mortality Rates by Color: United States, Each Division and State, 1950 and 1957-60

(By place of residence. Data refer only to deaths occurring within the United States. Excludes fetal deaths. Deaths under 1 year per 1,000 live births in specified group. Rates for frequencies less than 20 are underlined)

DIVISION AND STATE	1960			1959			1958			1957			1950		
	Total	White	Non-White	Total	White	Non-White	Total	White	Non-White	Total	White	Non-White	Total	White	Non-White
UNITED STATES[1]	26.0	22.9	43.2	26.4	23.2	44.0	27.1	23.8	45.7	26.3	23.3	43.7	29.2	26.8	44.5
GEOGRAPHIC DIVISIONS:															
New England	22.2	21.7	35.2	22.9	22.1	43.4	23.4	22.6	44.5	23.1	22.5	41.0	24.3	24.0	39.2
Middle Atlantic	24.3	22.0	41.4	24.8	22.2	43.3	24.8	22.1	45.2	24.1	21.8	42.9	25.8	24.2	43.2
East North Central	24.0	22.1	39.4	24.5	22.7	39.0	24.8	23.1	38.6	24.5	22.5	40.8	26.3	25.3	37.7
West North Central	23.0	21.7	42.5	22.7	21.4	42.4	24.2	22.8	46.7	23.4	22.2	42.7	26.3	25.3	49.8
South Atlantic	30.6	23.6	47.2	31.6	24.6	47.9	31.3	24.5	47.4	30.3	23.8	46.0	33.7	28.1	46.5
East South Central	32.3	25.6	48.4	31.7	25.4	46.6	33.7	26.7	50.7	31.4	25.8	44.7	36.2	32.5	44.8
West South Central	29.0	24.9	44.3	28.7	24.4	45.0	30.7	26.2	47.6	29.3	25.6	43 3	34.6	32.4	43.1
Mountain	27.7	25.7	51.7	28.1	26.4	49.2	29.7	27.6	57.2	30.2	27.9	62.5	36.2	33.0	90.6
Pacific[1]	23.6	22.6	30.5	24.1	23.0	33.3	24.7	23.4	37.2	24.5	23.4	35.6	25.1	24.4	34.6
NEW ENGLAND:															
Maine	25.5	25.7	12.9	26.1	26.2	19.8	26.5	26.5	31.0	25.1	25.2	13.0	30.9	30.8	50.8
New Hampshire	23.6	23.7	10.6	22.1	22.0	38.5	24.9	24.9	29.4	26.4	26.2	69.0	24.5	24.3	142.9
Vermont	24.1	24.2	0	23.7	23.7	0	22.4	22.4	41.7	25.4	25.3	55.6	24.5	24.6	0
Massachusetts	21.6	21.1	34.4	22 3	21.8	35.5	22.8	22.2	38.8	22 7	22.1	39.9	23.3	23.0	35.2
Rhode Island	23.3	22.4	44.4	24.0	23.7	31.7	21.3	20.0	53.1	24.1	23.9	27.7	27.8	27.2	51.0
Connecticut	21.1	20.0	36.9	22.4	20.3	60.0	23.8	22.2	51.2	21.7	20.3	47.1	21.8	21.1	40.6
MIDDLE ATLANTIC:															
New York	24.1	21.5	41.6	24.7	22.1	42.6	24.5	21.8	43.4	23.9	21.5	42.3	24.7	23.2	39.4
New Jersey	24.6	21.9	41.7	24.6	21.7	43.9	24.5	21.3	46.2	24.2	21.6	43.2	25.2	22.8	47.5
Pennsylvania	24.5	22.6	40.6	24.9	22.7	44.0	25.5	22.9	47.7	24.5	22.4	43 7	27.6	26.0	47.0
EAST NORTH CENTRAL:															
Ohio	24.0	22.2	39.4	25.0	23.0	41.3	25.3	23.3	42.9	24.7	22.8	41.6	26.8	25 7	40.4
Indiana	23.9	22.6	37.7	23.4	22.0	38.6	24.6	23.3	39.2	23.8	22.4	40.3	27.0	26.2	40.7
Illinois	25.0	22.2	39.6	25.0	22.4	38.6	24.9	22.4	38.5	25.5	22.2	44.0	25.6	24.4	35.8
Michigan	24.1	22.1	40.4	24.4	23.0	35.9	24.6	23.3	34.4	24.4	23.0	35.6	26.3	25.4	35.1
Wisconsin	21.8	21.2	35.3	23.4	22.6	45 7	23.6	23.1	35.9	22.2	21.5	40.9	25.7	25.2	48.3
WEST NORTH CENTRAL:															
Minnesota	21.6	21.6	22.6	21.1	20.8	34.7	22.8	22.7	29.0	23.0	22.8	36.3	25.1	24.9	39.2
Iowa	21.9	21.7	35.2	21.5	21.2	38.6	22.7	22.3	51.7	20.9	20.5	51.7	24.8	24.8	27.2
Missouri	24.7	21.4	45.4	24.5	21.6	42.6	26.4	23.2	46.5	25.0	22.6	40.9	29.2	27.0	49.5
North Dakota	24.8	24.1	43.3	23.7	23.0	42.3	24.9	23.6	65.8	25.7	24.2	67.7	26.6	25.6	65.1
South Dakota	28.1	24.2	76.0	22.9	20.1	61.4	26.3	23.0	70.9	26.0	23.0	71.8	26.6	23.4	87.5
Nebraska	21.9	21.3	34.3	23.5	22.6	42.8	24.7	23.5	52.6	23.9	23.1	40.9	25.0	24.6	42.1
Kansas	22.1	21.3	33.4	22.6	21.4	39.1	23.0	21.8	40.3	22.4	21.4	37.4	25.7	24.7	47.1
SOUTH ATLANTIC:															
Delaware	23.8	17.8	50.6	24.8	20.8	42.5	28.1	24.2	45.4	23.4	19.4	42.9	30.7	28.3	41.9
Maryland	27.3	22.3	44.6	28.6	23.1	46.9	28.8	23.9	45.6	28.1	22.8	46.4	27.0	22.7	42.3
District of Columbia	36.4	28.4	39.6	36.8	31.4	39.4	38.7	31.7	42.3	35 5	29.3	39.2	30.4	30.5	30.3
Virginia	29.8	24.6	45.5	31.0	24.8	49.0	31.1	25 0	49.2	30.2	24.3	47 4	34.6	28.6	51.5
West Virginia	25.5	24.8	37.7	27.2	26.9	32.8	26.4	25.8	37.5	27.4	26.4	44.0	36.1	35.4	45.8
North Carolina	31.7	22.3	52.4	32.7	24.4	50.2	32.6	24.5	49.2	30.5	22.4	46.6	34.5	26.7	49.7
South Carolina	34.3	23.9	48.5	35.0	23.6	50.1	33.9	23.1	48.3	31.6	22.2	44.0	38.6	29.4	49.3
Georgia	33.0	24.6	48.1	32.5	24.3	47.5	31.1	23.7	44.6	30.4	22.7	44.1	33.5	26.8	44.4
Florida	29.7	23.6	46.1	31.7	25.3	48.7	31.7	24.7	50.2	31.9	24.4	51.6	32.1	26.8	45.2
EAST SOUTH CENTRAL.															
Kentucky	27.9	25.0	48.3	27.3	26.3	37.9	29.1	27.5	46.6	28.7	27.1	45.6	34.9	34.0	46.1
Tennessee	29.4	25.3	43.5	30.3	26.4	43.6	30.9	26.4	47.6	29.2	25.3	42.8	36.4	34.0	46.2
Alabama	32.4	24.9	45.0	31.8	23.5	49.3	35.4	26.1	51.0	32.1	24.6	44.2	36.8	30.6	46.3
Mississippi	41.6	26.6	54.3	39.0	24.6	51.3	41.0	26.8	52.8	37.0	25.8	45.9	36.7	28.6	42.7
WEST SOUTH CENTRAL:															
Arkansas	27.4	22.5	38.7	26.5	22.4	36.2	26.3	21.5	37.5	26.2	21.1	37.6	26.5	25.0	30.5
Louisiana	32.0	22.6	46.9	32.9	21.9	50.1	34.7	25.2	49.6	32.3	24.2	45.1	34.6	26.4	46.4
Oklahoma	25.5	22.7	42.8	24.1	21.5	40.4	27.4	24.5	45.9	25.6	23.2	41.0	30.2	27.4	51.7
Texas	28.9	26 3	43.9	28.5	25.9	43.9	30.6	27.4	49.4	29.5	27.0	43.9	37.4	36.5	43.2
MOUNTAIN:															
Montana	25.0	24.2	34.5	24.5	22.6	50.8	25.7	24.3	47.2	25.1	23.0	56.5	28.2	25.9	70.3
Idaho	22.9	22.7	33.3	22.2	21.8	44.5	23.7	23.3	45.2	24.8	24.3	50.0	27.1	27.0	33.7
Wyoming	28.2	27.5	48.6	25.9	26.1	52.0	27.8	27.0	50.0	26.5	25.9	40.6	32.5	30.9	84.4
Colorado	27.5	26.9	44.0	28.8	28.3	41.8	30.6	30.4	35.0	30.2	30.1	34.7	34.4	34.7	22.5
New Mexico	33.2	30.9	52.8	32.9	31.2	47.3	37.3	33.3	72.8	39.4	36 9	62.0	54.8	49.8	117.3
Arizona	31.9	26.6	60.8	33.1	29.3	52.6	33.0	27.6	61.6	35.7	28.7	76.3	45.8	34.7	107.0
Utah	19.6	18.8	54.0	20.0	19.7	34.8	22.1	21.6	48.4	21.6	20.8	60.8	23.7	22.8	78.0
Nevada	30.1	29.6	33.9	32.4	28.9	56.8	31.9	30.5	42.1	30.8	27.4	59.2	37.9	33.5	89.3
PACIFIC:															
Washington	23.4	22.7	36.7	24.0	23.1	39.2	26.1	24.6	52.3	24.2	23.0	47.0	27.3	26.1	58.6
Oregon	23.2	23.0	29.2	25.1	24.8	35.4	23.4	22.6	52.3	21.9	21.3	40.9	22.5	22.0	46.7
California	23.3	22.5	29.7	23.6	22.8	30.5	24.6	23.3	35.5	24.9	23.8	34.4	25.0	24.3	31.9
Alaska[2]	40.5	27.9	68.2	42.9	26.9	72.9	(38.7)	(27.7)	(63.0)	(38.0)	(26.7)	(70.3)	(51.8)	(24.1)	(99.9)
Hawaii[3]	23.2	21.5	24.0	(24.0)	(23.3)	(24.3)	(23.1)	(20.0)	(24.3)	(24.0)	(22.0)	(24.8)	(24.0)	(33.3)	(21.8)

[1]Excludes Alaska prior to 1959, and Hawaii prior to 1960.
[2]Figures for 1950 and 1957-58 are by place of occurrence.
[3]Figures for 1950 and 1957-59 are by place of occurrence.

Table 3-F. Neonatal Mortality Rates by Color: United States, Each Division and State, 1950 and 1957-60

(By place of residence. Data refer only to deaths occurring within the United States. Excludes fetal deaths. Deaths under 28 days per 1,000 live births in specified group. Rates for frequencies less than 20 are underlined)

DIVISION AND STATE	1960			1959			1958			1957			1950		
	Total	White	Non-white	Total	White	Non-white	Total	White	Non-white	Total	White	Non-white	Total	White	Non-white
UNITED STATES[1]	18.7	17.2	26.9	19.0	17.5	27.7	19.5	17.8	29.0	19.1	17.5	27.8	20.5	19.4	27.5
GEOGRAPHIC DIVISIONS:															
New England	16.9	16.5	25.3	17.3	16.8	31.2	17.6	17.0	33.5	17.8	17.4	29.2	18.6	18.4	28.6
Middle Atlantic	18.5	16.9	30.0	18.9	17.1	31.8	18.9	17.0	33.2	18.6	17.0	31.7	19.6	18.5	31.7
East North Central	18.0	16.8	27.3	18.3	17.2	27.0	18.5	17.4	26.8	18.2	17.0	28.6	19.1	18.6	25.7
West North Central	17.2	16.6	26.9	17.1	16.4	27.0	18.2	17.4	30.6	17.5	16.8	27.3	19.5	19.1	28.9
South Atlantic	20.6	17.7	27.5	21.3	18.6	27.8	21.2	18.4	27.9	20.7	17.9	27.2	22.5	20.1	27.8
East South Central	21.2	18.8	27.0	21.2	18.6	27.5	22.3	19.3	29.6	21.4	19.0	27.2	23.3	21.9	28.4
West South Central	19.9	18.2	26.5	19.7	17.6	27.2	20.9	18.6	29.8	20.0	18.3	26.4	22.3	21.1	26.9
Mountain	19.0	18.7	22.4	19.8	19.5	24.1	20.0	19.6	24.1	20.5	20.0	27.3	22.5	21.9	32.7
Pacific[1]	17.3	16.8	21.2	17.7	17.2	22.6	18.4	17.5	27.3	18.1	17.4	25.5	18.6	18.2	23.8
NEW ENGLAND:															
Maine	18.9	19.0	6.5	19.0	19.0	19.8	17.5	17.5	22.1	18.5	18.6	13.0	21.7	21.8	0
New Hampshire	18.9	19.0	10.6	16.4	16.4	25.6	19.2	19.2	29.4	18.8	18.7	51.7	18.8	18.6	142.9
Vermont	18.7	18.7	0	16.5	16.5	0	17.4	17.4	41.7	19.8	19.7	55.6	16.0	16.0	0
Massachusetts	16.4	16.1	24.3	16.8	16.6	24.0	17.1	16.7	27.3	17.6	17.3	27.9	18.1	17.9	25.0
Rhode Island	16.3	15.6	32.3	18.2	18.1	20.3	15.7	14.6	42.2	18.6	18.5	20.4	21.8	21.7	26.7
Connecticut	16.4	15.7	27.1	17.6	16.1	45.6	18.9	17.7	40.4	16.9	16.0	33.6	17.6	16.9	35.0
MIDDLE ATLANTIC:															
New York	18.3	16.4	30.8	18.7	16.9	31.5	18.3	16.6	31.2	18.5	16.7	31.9	19.0	17.9	29.7
New Jersey	18.5	17.0	28.6	18.8	16.9	31.7	18.9	16.7	33.7	18.6	17.0	29.9	19.2	17.7	33.8
Pennsylvania	18.9	17.7	29.5	19.1	17.6	32.5	19.7	17.8	36.4	18.8	17.3	32.3	20.7	19.5	33.9
EAST NORTH CENTRAL:															
Ohio	18.4	17.1	29.8	18.3	17.9	31.2	19.3	17.9	31.2	18.7	17.4	30.2	19.7	19.0	27.2
Indiana	17.5	16.8	25.7	17.1	16.4	25.5	18.0	17.3	26.0	17.3	16.4	28.3	18.7	18.3	24.4
Illinois	18.1	16.8	25.3	18.0	16.8	24.6	18.0	16.6	25.6	18.5	16.6	29.1	18.9	18.2	25.2
Michigan	18.3	16.9	29.9	18.5	17.6	26.0	18.7	17.9	24.8	18.6	17.6	26.7	19.0	18.4	25.1
Wisconsin	16.5	16.3	22.2	17.6	17.1	32.2	17.6	17.3	24.9	16.6	16.2	25.6	19.2	19.0	25.8
WEST NORTH CENTRAL:															
Minnesota	16.0	16.1	11.0	15.9	15.8	22.1	17.4	17.4	18.6	17.5	17.4	22.6	19.0	18.9	20.6
Iowa	16.7	16.6	24.1	16.6	16.5	25.4	17.4	17.0	40.2	16.0	15.7	33.3	19.1	19.0	24.0
Missouri	18.0	16.1	30.4	18.2	16.5	28.2	19.6	17.5	32.7	18.3	16.8	28.0	20.8	19.6	31.6
North Dakota	19.1	18.9	22.4	18.1	18.1	19.5	18.6	18.0	35.7	18.4	18.1	28.2	19.4	19.3	23.3
South Dakota	19.6	18.6	32.0	15.4	14.8	23.4	17.6	16.7	29.6	17.3	16.7	27.6	17.5	17.4	18.4
Nebraska	17.3	17.0	24.4	17.5	17.1	26.2	18.6	18.2	27.8	17.9	17.7	23.0	20.0	19.9	24.2
Kansas	16.9	16.5	21.7	17.4	16.6	27.4	17.7	17.1	26.2	17.2	16.5	26.8	19.4	18.9	30.8
SOUTH ATLANTIC:															
Delaware	16.1	12.7	31.4	19.0	16.8	28.4	20.0	18.3	27.4	17.0	13.9	31.9	21.6	21.4	22.4
Maryland	20.0	17.2	28.7	20.8	17.9	30.5	20.9	17.6	32.2	20.8	17.5	32.4	19.0	16.9	26.2
District of Columbia	27.4	22.3	29.8	27.6	25.2	28.7	30.2	27.4	31.6	26.8	22.6	29.3	24.5	26.0	22.6
Virginia	21.0	18.6	28.3	21.6	18.3	31.2	21.8	19.0	30.3	21.8	18.8	30.5	23.5	20.5	32.0
West Virginia	18.1	18.0	18.8	18.6	18.6	18.4	18.3	18.2	20.8	19.7	19.0	31.2	23.0	22.7	28.7
North Carolina	20.2	16.5	28.2	21.2	18.6	26.9	21.1	18.4	26.6	19.9	17.1	25.5	21.4	18.6	26.7
South Carolina	20.3	17.4	24.3	20.2	16.8	24.8	20.3	16.9	24.8	18.6	15.9	22.1	24.5	21.3	28.3
Georgia	21.3	18.4	26.5	21.4	18.6	26.4	20.5	18.0	25.0	20.2	17.5	25.0	22.1	19.2	26.7
Florida	20.8	18.2	27.9	22.3	19.6	29.2	21.9	18.6	29.8	21.8	19.0	29.2	23.9	21.1	30.5
EAST SOUTH CENTRAL:															
Kentucky	19.6	18.7	29.9	19.0	18.5	24.3	20.0	19.2	28.0	20.1	19.4	27.3	21.8	21.6	24.5
Tennessee	20.2	18.6	25.9	21.2	19.6	26.7	21.6	19.0	31.3	20.5	18.4	28.0	23.6	22.4	28.3
Alabama	20.6	18.5	24.2	21.1	17.3	27.5	23.2	19.1	30.1	22.2	18.7	27.9	25.0	22.5	28.7
Mississippi	25.3	20.4	29.6	24.0	18.6	28.5	24.9	20.5	28.5	23.4	20.1	26.0	22.5	20.7	23.9
WEST SOUTH CENTRAL:															
Arkansas	17.6	16.5	20.2	17.2	16.2	19.5	17.2	16.1	19.8	17.2	15.4	21.2	16.5	16.7	15.8
Louisiana	21.7	17.5	28.5	22.7	17.3	31.1	24.5	20.0	31.6	22.7	19.1	28.2	23.5	19.4	29.4
Oklahoma	18.4	17.4	24.3	17.3	16.1	24.5	20.0	18.6	29.0	18.3	17.4	24.3	21.2	20.0	31.0
Texas	20.0	18.7	27.1	19.4	18.2	26.5	20.5	18.5	31.6	19.9	18.7	26.9	23.4	22.6	28.1
MOUNTAIN:															
Montana	17.1	17.3	14.9	16.8	16.7	16.9	17.8	17.6	21.7	17.0	16.4	26.5	19.0	18.5	27.4
Idaho	17.3	17.3	18.2	16.8	16.6	24.0	17.4	17.3	22.6	18.8	19.0	10.0	19.8	20.0	7.5
Wyoming	21.5	21.0	34.7	19.8	20.0	16.0	20.0	19.9	25.0	19.8	19.6	25.0	24.1	23.8	31.1
Colorado	21.2	20.7	33.9	22.0	21.8	26.3	22.3	22.1	25.9	22.8	22.6	28.8	23.3	23.4	17.7
New Mexico	20.2	20.1	21.1	21.6	21.3	24.0	22.3	21.8	26.1	23.4	23.4	23.3	26.6	26.1	33.3
Arizona	19.3	18.8	22.0	21.4	20.6	25.6	19.2	18.3	24.1	20.6	19.3	28.0	25.6	23.0	40.5
Utah	14.5	14.3	25.2	15.3	15.3	15.8	16.7	16.7	17.4	16.7	16.5	26.6	17.0	16.9	26.0
Nevada	21.0	21.8	15.9	22.3	21.4	28.4	23.4	23.8	21.0	23.4	20.7	45.5	27.8	27.3	34.4
PACIFIC:															
Washington	17.2	17.0	21.3	17.6	17.3	22.9	18.9	18.2	30.3	17.4	16.9	26.8	19.9	19.4	31.3
Oregon	16.6	16.5	18.0	18.0	18.0	19.4	16.5	16.1	30.7	15.6	15.3	25.3	17.3	17.0	33.9
California	17.2	16.7	21.8	17.5	17.0	21.6	18.6	17.6	26.9	18.5	17.7	25.4	18.5	18.1	22.8
Alaska[2]	22.7	21.0	26.7	25.7	19.5	37.3	(24.5)	(22.7)	(28.5)	(22.4)	(19.7)	(29.6)	(20.7)	(17.4)	(26.4)
Hawaii[3]	18.4	18.3	18.5	(18.9)	(17.6)	(19.5)	(18.1)	(17.7)	(18.3)	(18.3)	(16.8)	(18.9)	(16.3)	(25.5)	(14.1)

[1] Excludes Alaska prior to 1959, and Hawaii prior to 1960.
[2] Figures for 1950 and 1957-58 are by place of occurrence.
[3] Figures for 1950 and 1957-59 are by place of occurrence.

Table 3-1. Deaths Under 1 Year, by Age, Race, and

(By place of residence. Data refer only to deaths occurring within the

	AREA, RACE, AND SEX	Total, under 1 year	Under 1 hour	1-23 hours	1 day	2 days	3 days	4 days	5 days	6 days
1	UNITED STATES	110,873	8,223	35,810	11,549	7,533	3,517	1,973	1,457	1,063
2	Male	63,936	4,446	20,907	6,860	4,544	2,121	1,125	839	596
3	Female	46,937	3,777	14,903	4,689	2,989	1,396	848	618	467
4	White	82,479	6,590	28,003	9,121	6,193	2,798	1,488	1,093	811
5	Male	48,063	3,552	16,512	5,447	3,756	1,682	835	649	458
6	Female	34,416	3,038	11,491	3,674	2,437	1,116	653	444	353
7	Negro	26,691	1,548	7,396	2,319	1,268	670	468	346	242
8	Male	14,912	851	4,161	1,352	744	404	279	181	134
9	Female	11,779	697	3,235	967	524	266	189	165	108
10	Other	1,703	85	411	109	72	49	17	18	10
11	Male	961	43	234	61	44	35	11	9	4
12	Female	742	42	177	48	28	14	6	9	6
13	ALABAMA	2,616	161	643	241	158	94	50	38	25
14	Male	1,502	97	384	140	95	56	37	23	14
15	Female	1,114	64	259	101	63	38	13	15	11
16	White	1,266	85	399	147	103	62	20	19	14
17	Male	723	47	243	83	60	36	13	12	9
18	Female	543	38	156	64	43	26	7	7	5
19	Negro	1,350	76	244	94	55	32	30	19	11
20	Male	779	50	141	57	35	20	24	11	5
21	Female	571	26	103	37	20	12	6	8	6
22	Other	-	-	-	-	-	-	-	-	-
23	Male	-	-	-	-	-	-	-	-	-
24	Female	-	-	-	-	-	-	-	-	-
25	ALASKA	306	17	71	21	17	6	7	3	-
26	Male	167	10	36	15	9	4	4	1	-
27	Female	139	7	35	6	8	2	3	2	-
28	White	145	8	51	14	13	4	6	1	-
29	Male	77	3	25	10	6	2	3	1	-
30	Female	68	5	26	4	7	2	3	-	-
31	Negro	8	-	5	-	-	-	-	-	-
32	Male	6	-	4	-	-	-	-	-	-
33	Female	2	-	1	-	-	-	-	-	-
34	Other	153	9	15	7	4	2	1	2	-
35	Male	84	7	7	5	3	2	1	-	-
36	Female	69	2	8	2	1	-	-	2	-
37	ARIZONA	1,174	81	310	93	67	29	18	19	15
38	Male	674	40	176	50	46	20	12	6	8
39	Female	500	41	134	43	21	9	6	13	7
40	White	823	66	268	80	57	19	13	15	13
41	Male	470	35	151	45	39	14	9	5	8
42	Female	353	31	117	35	18	5	4	10	5
43	Negro	83	7	21	7	1	1	3	1	-
44	Male	45	2	13	3	1	-	1	1	-
45	Female	38	5	8	4	-	1	2	-	-
46	Other	268	8	21	6	9	9	2	3	2
47	Male	159	3	12	2	6	6	2	-	-
48	Female	109	5	9	4	3	3	-	3	2
49	ARKANSAS	1,110	68	283	119	80	30	20	12	14
50	Male	635	37	162	71	53	17	10	7	7
51	Female	475	31	121	48	27	13	10	5	7
52	White	637	48	196	85	57	21	9	8	4
53	Male	380	28	119	48	36	11	5	6	3
54	Female	257	20	77	37	21	10	4	2	1
55	Negro	473	20	87	34	23	9	11	4	10
56	Male	255	9	43	23	17	6	5	1	4
57	Female	218	11	44	11	6	3	6	3	6
58	Other	-	-	-	-	-	-	-	-	-
59	Male	-	-	-	-	-	-	-	-	-
60	Female	-	-	-	-	-	-	-	-	-
61	CALIFORNIA	8,677	681	2,965	769	731	307	152	113	91
62	Male	5,096	368	1,755	451	448	199	83	65	56
63	Female	3,581	313	1,210	318	283	108	69	48	35
64	White	7,429	586	2,516	670	635	269	134	98	78
65	Male	4,396	317	1,497	394	392	172	75	56	48
66	Female	3,033	269	1,019	276	243	97	59	42	30
67	Negro	1,062	79	377	86	85	31	15	13	11
68	Male	592	41	219	47	49	21	6	7	7
69	Female	470	38	158	39	36	10	9	6	4
70	Other	186	16	72	13	11	7	3	2	2
71	Male	108	10	39	10	7	6	2	2	1
72	Female	78	6	33	3	4	1	1	-	1
73	COLORADO	1,180	99	444	141	77	26	19	17	10
74	Male	689	59	256	89	49	12	9	9	6
75	Female	491	40	188	52	28	14	10	8	4
76	White	1,110	94	416	134	74	24	18	17	8
77	Male	654	57	239	86	48	12	8	9	6
78	Female	456	37	177	48	26	12	10	8	2
79	Negro	51	4	22	4	3	-	1	-	2
80	Male	26	2	14	1	1	-	1	-	-
81	Female	25	2	8	3	2	-	-	-	2
82	Other	19	1	6	3	-	2	-	-	-
83	Male	9	-	3	2	-	-	-	-	-
84	Female	10	1	3	1	-	2	-	-	-
85	CONNECTICUT	1,197	120	440	100	88	39	30	10	15
86	Male	689	61	261	61	52	23	17	7	9
87	Female	508	59	179	39	36	16	13	3	6
88	White	1,062	110	386	89	82	34	26	8	15
89	Male	609	54	230	53	48	21	14	6	9
90	Female	453	56	156	36	34	13	12	2	6
91	Negro	135	10	54	11	6	5	4	2	-
92	Male	80	7	31	8	4	2	3	1	-
93	Female	55	3	23	3	2	3	1	1	-
94	Other	-	-	-	-	-	-	-	-	-
95	Male	-	-	-	-	-	-	-	-	-
96	Female	-	-	-	-	-	-	-	-	-

Sex: United States and Each State, 1960

United States, including Alaska and Hawaii. Excludes fetal deaths)

Under 7 days	7-13 days	14-20 days	21-27 days	Under 28 days	28-59 days	2 months	3 months	4 months	5 months	6 months	7 months	8 months	9 months	10 months	11 months	
71,125	4,215	2,479	1,914	79,733	7,272	5,659	4,288	3,289	2,445	2,011	1,671	1,415	1,138	978	974	1
41,438	2,332	1,411	1,109	46,290	4,190	3,331	2,439	1,829	1,389	1,118	917	757	630	516	530	2
29,687	1,883	1,068	805	33,443	3,082	2,328	1,849	1,460	1,056	893	754	658	508	462	444	3
56,097	3,072	1,662	1,254	62,085	4,818	3,722	2,851	2,065	1,554	1,267	1,096	952	768	661	660	4
32,891	1,730	978	732	36,331	2,829	2,234	1,645	1,145	883	718	605	512	429	357	375	5
23,206	1,342	684	522	25,754	1,989	1,488	1,186	920	671	549	491	440	339	304	285	6
14,257	1,091	777	659	16,764	2,300	1,808	1,366	1,112	816	666	551	415	339	286	288	7
8,106	572	408	364	9,450	1,270	1,019	741	622	463	364	287	217	187	148	144	8
6,151	519	369	275	7,314	1,030	789	625	490	353	302	244	198	152	138	144	9
771	52	40	21	884	154	129	91	112	75	78	44	48	31	31	26	10
441	30	25	13	509	91	78	53	62	43	36	25	28	14	11	11	11
330	22	15	8	375	63	51	38	50	32	42	19	20	17	20	15	12
1,410	119	84	55	1,668	198	174	146	102	79	71	39	42	39	27	31	13
846	64	42	30	982	107	102	79	59	39	34	20	23	22	15	20	14
564	55	42	25	686	91	72	67	43	40	37	19	19	17	12	11	15
849	52	26	15	942	70	61	44	38	23	23	16	18	17	4	10	16
503	28	13	8	552	38	35	25	24	11	8	4	10	9	2	5	17
346	24	13	7	390	32	26	19	14	12	15	12	8	8	2	5	18
561	67	58	40	726	128	113	102	64	56	48	23	24	22	23	21	19
343	36	29	22	430	69	67	54	35	28	26	16	13	13	13	15	20
218	31	29	18	296	59	46	48	29	28	22	7	11	9	10	6	21
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	22
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	23
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	24
142	16	9	5	172	31	22	12	15	10	16	3	8	6	7	4	25
79	8	5	1	93	19	14	7	7	7	6	2	4	4	3	1	26
63	8	4	4	79	12	8	5	8	3	10	1	4	2	4	3	27
97	8	3	1	109	6	8	6	3	2	3	-	4	1	1	2	28
50	4	2	-	56	5	5	3	2	2	1	-	1	-	1	1	29
47	4	1	1	53	1	3	3	1	-	2	-	3	1	-	1	30
5	-	-	-	5	1	1	-	-	-	1	-	-	-	-	-	31
4	-	-	-	4	1	1	-	-	-	-	-	-	-	-	-	32
1	-	-	-	1	-	-	-	-	-	1	-	-	-	-	-	33
40	8	6	4	58	24	13	6	12	8	12	3	4	5	6	2	34
25	4	3	1	33	13	8	4	5	5	5	2	3	4	2	-	35
15	4	3	3	25	11	5	2	7	3	7	1	1	1	4	2	36
632	33	28	18	711	80	68	67	58	39	42	35	21	13	19	21	37
358	14	14	9	395	51	43	42	35	22	26	22	14	7	9	8	38
274	19	14	9	316	29	25	25	23	17	16	13	7	6	10	13	39
531	24	19	10	584	45	34	40	30	19	21	20	8	4	7	11	40
306	11	9	6	332	29	22	24	15	10	11	12	5	3	3	4	41
225	13	10	4	252	16	12	16	15	9	10	8	3	1	4	7	42
41	2	3	3	49	10	5	3	2	1	6	1	1	1	2	2	43
21	1	2	1	25	6	4	-	2	1	5	1	-	-	1	-	44
20	1	1	2	24	4	1	3	-	-	1	-	1	1	1	2	45
60	7	6	5	78	25	29	24	26	19	15	14	12	8	10	8	46
31	2	3	2	38	16	17	18	18	11	10	9	9	4	5	4	47
29	5	3	3	40	9	12	6	8	8	5	5	3	4	5	4	48
626	47	21	22	716	77	67	52	47	37	23	22	13	24	15	17	49
364	26	15	12	417	42	35	30	24	23	14	12	6	11	9	12	50
262	21	6	10	299	35	32	22	23	14	9	10	7	13	6	5	51
428	21	11	9	469	39	26	17	22	15	13	9	4	10	6	7	52
256	13	8	6	283	21	14	11	13	9	8	5	2	7	2	5	53
172	8	3	3	186	18	12	6	9	6	5	4	2	3	4	2	54
198	26	10	13	247	38	41	35	25	22	10	13	9	14	9	10	55
108	13	7	6	134	21	21	19	11	14	6	7	4	4	7	7	56
90	13	3	7	113	17	20	16	14	8	4	6	5	10	2	3	57
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	58
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	59
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	60
5,809	300	166	138	6,413	561	434	341	237	170	125	106	91	77	66	56	61
3,425	163	95	80	3,763	332	265	212	153	92	64	57	51	44	29	34	62
2,384	137	71	58	2,650	229	169	129	84	78	61	49	40	33	37	22	63
4,986	253	138	121	5,498	458	369	292	207	152	107	94	81	68	54	49	64
2,951	141	81	71	3,244	269	230	185	137	81	59	51	46	39	26	29	65
2,035	112	57	50	2,254	189	139	107	70	71	48	43	35	29	28	20	66
697	43	26	15	781	84	58	41	25	16	15	11	9	6	10	6	67
397	20	12	8	437	54	31	22	13	10	5	5	5	3	3	4	68
300	23	14	7	344	30	27	19	12	6	10	6	4	3	7	2	69
126	4	2	2	134	19	7	8	5	2	3	1	1	3	2	1	70
77	2	2	1	82	9	4	5	3	1	-	1	-	2	-	1	71
49	2	-	1	52	10	3	3	2	1	3	-	1	1	2	-	72
833	38	25	14	910	69	53	32	38	15	18	13	10	10	4	8	73
489	23	13	10	535	36	30	20	20	10	11	6	8	7	2	4	74
344	15	12	4	375	33	23	12	18	5	7	7	2	3	2	4	75
785	33	24	14	856	67	49	30	37	13	15	13	9	10	4	7	76
465	21	12	10	508	35	30	18	19	8	10	6	7	7	2	4	77
320	12	12	4	348	32	19	12	18	5	5	7	2	3	2	3	78
36	4	-	-	40	1	3	2	-	2	2	-	-	-	-	1	79
19	1	-	-	20	1	-	2	-	2	1	-	-	-	-	-	80
17	3	-	-	20	-	3	-	-	-	1	-	-	-	-	1	81
12	1	1	-	14	1	1	-	1	-	1	-	1	-	-	-	82
5	1	1	-	7	-	-	-	1	-	-	-	1	-	-	-	83
7	-	-	-	7	1	1	-	-	-	1	-	-	-	-	-	84
842	37	36	17	932	82	43	37	20	19	15	8	7	13	9	12	85
491	20	23	10	544	47	32	22	10	11	5	-	4	5	3	6	86
351	17	13	7	388	35	11	15	10	8	10	8	3	8	6	6	87
750	36	30	17	833	69	38	34	16	17	14	7	5	11	8	10	88
435	20	18	10	483	37	28	22	8	9	5	-	3	5	3	6	89
315	16	12	7	350	32	10	12	8	8	9	7	2	6	5	4	90
92	1	6	-	99	13	5	3	4	2	1	1	2	2	1	2	91
56	-	5	-	61	10	4	-	2	2	-	-	1	-	-	-	92
36	1	1	-	38	3	1	3	2	-	1	1	1	2	1	2	93
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	94
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	95
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	96

Table 3-1. Deaths Under 1 Year, by Age, Race, and

(By place of residence. Data refer only to deaths occurring within the

	AREA, RACE, AND SEX	Total, under 1 year	Under 1 hour	1-23 hours	1 day	2 days	3 days	4 days	5 days	6 days
1	DELAWARE	276	19	86	22	23	6	3	4	2
2	Male	170	8	65	14	14	4	-	1	2
3	Female	106	11	21	8	9	2	3	3	-
4	White	168	15	52	13	18	4	3	3	1
5	Male	104	6	36	7	12	3	-	-	1
6	Female	64	9	16	6	6	1	3	3	-
7	Negro	108	4	34	9	5	2	-	1	1
8	Male	66	2	29	7	2	1	-	1	1
9	Female	42	2	5	2	3	1	-	-	-
10	Other	-	-	-	-	-	-	-	-	-
11	Male	-	-	-	-	-	-	-	-	-
12	Female	-	-	-	-	-	-	-	-	-
13	DISTRICT OF COLUMBIA	723	48	297	80	43	19	7	6	4
14	Male	397	20	159	51	26	12	3	6	1
15	Female	326	28	138	29	17	7	4	-	3
16	White	182	11	67	26	15	2	1	1	4
17	Male	96	3	36	14	10	1	-	1	1
18	Female	86	8	31	12	5	1	1	-	3
19	Negro	536	35	229	54	27	17	6	5	-
20	Male	297	16	122	37	15	11	3	5	-
21	Female	239	19	107	17	12	6	3	-	-
22	Other	5	2	1	-	1	-	-	-	-
23	Male	4	1	1	-	1	-	-	-	-
24	Female	1	1	-	-	-	-	-	-	-
25	FLORIDA	3,433	238	1,087	331	234	123	49	50	31
26	Male	1,969	115	646	195	144	74	22	29	17
27	Female	1,464	123	441	136	90	49	27	21	14
28	White	1,994	151	736	201	150	83	33	33	17
29	Male	1,178	74	444	121	94	50	15	20	8
30	Female	816	77	292	80	56	33	18	13	9
31	Negro	1,430	87	350	129	83	39	16	17	14
32	Male	790	41	202	74	50	24	7	9	9
33	Female	640	46	148	55	33	15	9	8	5
34	Other	9	-	1	1	1	1	-	-	-
35	Male	1	-	-	-	-	-	-	-	-
36	Female	8	-	1	1	1	1	-	-	-
37	GEORGIA	3,290	224	870	323	173	80	71	40	29
38	Male	1,934	135	517	201	101	48	40	20	15
39	Female	1,356	89	353	122	72	32	31	20	14
40	White	1,584	125	513	186	120	41	43	19	15
41	Male	946	73	317	115	72	22	27	11	8
42	Female	638	52	196	71	48	19	16	8	7
43	Negro	1,705	99	357	137	53	39	28	21	14
44	Male	987	62	200	86	29	26	13	9	7
45	Female	718	37	157	51	24	13	15	12	7
46	Other	1	-	-	-	-	-	-	-	-
47	Male	1	-	-	-	-	-	-	-	-
48	Female	-	-	-	-	-	-	-	-	-
49	HAWAII	399	25	168	43	31	17	5	3	6
50	Male	223	10	89	26	18	12	3	3	2
51	Female	176	15	79	17	13	5	2	-	4
52	White	114	8	45	16	13	6	3	-	2
53	Male	63	4	23	11	7	2	2	-	1
54	Female	51	4	22	5	6	4	1	-	1
55	Negro	7	-	3	1	-	-	-	1	-
56	Male	3	-	1	-	-	-	-	1	-
57	Female	4	-	2	1	-	-	-	-	-
58	Other	278	17	120	26	18	11	2	2	4
59	Male	157	6	65	15	11	10	1	2	1
60	Female	121	11	55	11	7	1	1	-	3
61	IDAHO	394	23	122	61	30	11	5	7	4
62	Male	228	8	70	34	16	8	5	5	3
63	Female	166	15	52	27	14	3	-	2	1
64	White	383	22	119	61	30	11	5	7	4
65	Male	221	8	68	34	16	8	5	5	3
66	Female	162	14	51	27	14	3	-	2	1
67	Negro	1	-	-	-	-	-	-	-	-
68	Male	1	-	-	-	-	-	-	-	-
69	Female	-	-	-	-	-	-	-	-	-
70	Other	10	1	3	-	-	-	-	-	-
71	Male	6	-	2	-	-	-	-	-	-
72	Female	4	1	1	-	-	-	-	-	-
73	ILLINOIS	5,968	443	2,113	567	420	166	100	78	53
74	Male	3,470	253	1,257	343	256	93	56	50	31
75	Female	2,498	190	856	224	164	73	44	28	22
76	White	4,453	363	1,639	441	334	125	71	54	41
77	Male	2,632	208	991	266	206	74	36	35	27
78	Female	1,821	155	648	175	128	51	35	19	14
79	Negro	1,492	78	466	125	86	40	29	24	12
80	Male	825	45	262	76	50	18	20	15	4
81	Female	667	33	204	49	36	22	9	9	8
82	Other	23	2	8	1	-	1	-	-	-
83	Male	13	-	4	1	-	1	-	-	-
84	Female	10	2	4	-	-	-	-	-	-
85	INDIANA	2,689	225	933	262	170	91	39	33	25
86	Male	1,572	116	562	155	97	58	25	28	18
87	Female	1,117	109	371	107	73	33	14	5	7
88	White	2,335	199	823	235	145	84	31	30	21
89	Male	1,362	102	499	135	78	55	20	25	14
90	Female	973	97	324	100	67	29	11	5	7
91	Negro	354	26	110	27	25	7	8	3	4
92	Male	210	14	63	20	19	3	5	3	4
93	Female	144	12	47	7	6	4	3	-	-
94	Other	-	-	-	-	-	-	-	-	-
95	Male	-	-	-	-	-	-	-	-	-
96	Female	-	-	-	-	-	-	-	-	-

Sex: United States and Each State, 1960—Con.

United States, including Alaska and Hawaii. Excludes fetal deaths)

Under 7 days	7-13 days	14-20 days	21-27 days	Under 28 days	28-59 days	2 months	3 months	4 months	5 months	6 months	7 months	8 months	9 months	10 months	11 months	
165	13	8	1	187	17	15	17	7	8	6	4	6	5	2	2	1
108	8	3	-	119	7	9	13	3	3	4	3	5	1	1	2	2
57	5	5	1	68	10	6	4	4	5	2	1	1	4	1	-	3
109	8	3	-	120	11	6	10	4	3	1	2	5	3	2	1	4
65	6	1	-	72	5	4	9	2	2	1	2	4	1	1	1	5
44	2	2	-	48	6	2	1	2	1	-	-	1	2	1	-	6
56	5	5	1	67	6	9	7	3	5	5	2	1	2	-	1	7
43	2	2	-	47	2	5	4	1	1	3	1	1	-	-	1	8
15	3	3	1	20	4	4	3	2	4	2	1	-	2	-	-	9
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	10
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	11
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	12
504	18	12	11	545	44	37	23	20	11	10	8	9	8	5	3	13
278	11	7	8	304	23	22	12	10	6	5	4	3	6	2	-	14
226	7	5	3	241	21	15	11	10	5	5	4	6	2	3	3	15
127	4	4	3	138	15	9	6	3	2	3	2	3	-	1	-	16
66	4	3	2	75	8	4	4	-	1	2	2	-	-	-	-	17
61	-	1	1	63	7	5	2	3	1	1	-	3	-	1	-	18
373	14	8	8	403	29	28	16	17	9	7	6	6	8	4	3	19
209	7	4	6	226	15	18	7	10	5	3	2	3	6	2	-	20
164	7	4	2	177	14	10	9	7	4	4	4	3	2	2	3	21
4	-	-	-	4	-	-	1	-	-	-	-	-	-	-	-	22
3	-	-	-	3	-	-	1	-	-	-	-	-	-	-	-	23
1	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	24
2,143	122	77	61	2,403	216	173	135	119	85	65	65	62	43	34	33	25
1,242	64	40	35	1,381	128	103	78	67	48	38	38	31	22	18	17	26
901	58	37	26	1,022	88	70	57	52	37	27	27	31	21	16	16	27
1,404	64	33	30	1,531	112	81	67	46	35	26	22	26	18	14	16	28
826	40	19	17	902	70	49	38	26	22	15	13	12	10	11	10	29
578	24	14	13	629	42	32	29	20	15	11	9	14	8	3	6	30
735	58	44	31	868	103	91	67	72	50	39	43	36	24	20	17	31
416	24	21	18	479	58	53	40	41	26	23	25	19	12	7	7	32
319	34	23	13	389	45	38	27	31	24	16	18	17	12	13	10	33
4	-	-	-	4	1	1	1	1	-	-	-	-	1	-	-	34
-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	35
4	-	-	-	4	1	-	1	1	-	-	-	-	1	-	-	36
1,810	127	106	84	2,127	265	195	171	152	92	68	47	56	46	37	34	37
1,077	65	61	56	1,259	162	113	98	91	51	38	24	30	25	22	21	38
733	62	45	28	868	103	82	73	61	41	30	23	26	21	15	13	39
1,062	55	43	26	1,186	85	71	55	48	26	17	18	26	19	17	16	40
645	25	22	21	713	59	42	31	28	13	7	8	12	11	10	12	41
417	30	21	5	473	26	29	24	20	13	10	10	14	8	7	4	42
748	71	63	58	940	180	124	116	104	66	51	29	30	27	20	18	41
432	39	39	35	545	103	71	67	63	38	31	16	18	14	12	9	44
316	32	24	23	395	77	53	49	41	28	20	13	12	13	8	9	45
-	1	-	-	1	-	-	-	-	-	-	-	-	-	-	-	46
-	1	-	-	1	-	-	-	-	-	-	-	-	-	-	-	47
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	48
298	13	3	3	317	22	12	9	9	10	4	4	6	4	2	-	49
163	11	1	3	178	12	9	5	1	3	4	4	4	2	1	-	50
135	2	2	-	139	10	3	4	8	7	-	-	2	2	1	-	51
93	2	-	2	97	5	3	2	-	1	1	2	1	1	1	-	52
50	2	-	2	54	1	2	1	-	-	1	2	-	1	1	-	53
43	-	-	-	43	4	1	1	-	1	-	-	1	-	-	-	54
5	-	-	-	5	1	-	-	1	-	-	-	-	-	-	-	55
2	-	-	-	2	1	-	-	-	-	-	-	-	-	-	-	56
3	-	-	-	3	-	-	-	-	1	-	-	-	-	-	-	57
200	11	3	1	215	16	9	7	8	9	3	2	5	3	1	-	58
111	9	1	1	122	10	7	4	1	3	3	2	4	1	-	-	59
89	2	2	-	93	6	2	3	7	6	-	-	1	2	1	-	60
263	21	9	4	297	26	15	11	7	6	12	5	1	9	3	2	61
149	10	4	3	166	19	9	8	3	5	7	3	1	5	1	1	62
114	11	5	1	131	7	6	3	4	1	5	2	-	4	2	1	63
259	20	8	4	291	26	14	10	7	5	11	5	1	8	3	2	64
147	9	3	3	162	19	9	7	3	4	6	3	1	5	1	1	65
112	11	5	1	129	7	5	3	4	1	5	2	-	3	2	1	66
-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	67
-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	68
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	69
4	1	1	-	6	-	1	1	-	-	1	-	-	1	-	-	70
2	1	1	-	4	-	1	-	-	-	1	-	-	-	-	-	71
2	-	-	-	2	-	1	-	-	-	-	-	-	1	-	-	72
3,940	192	106	94	4,332	401	305	216	161	117	113	86	76	68	51	42	73
2,339	102	60	57	2,558	230	171	112	83	71	67	51	44	34	26	23	74
1,601	90	46	37	1,774	171	134	104	78	46	46	35	32	34	25	19	75
3,068	158	77	63	3,366	273	203	145	102	77	75	55	49	44	35	29	76
1,843	85	43	40	2,011	162	117	78	59	46	46	30	27	23	16	17	77
1,225	73	34	23	1,355	111	86	67	43	31	29	25	22	21	19	12	78
860	33	29	31	953	127	102	71	59	38	37	29	25	23	15	13	79
490	16	17	17	540	67	54	34	24	25	20	20	15	11	9	6	80
370	17	12	14	413	60	48	37	35	13	17	9	10	12	6	7	81
12	1	-	-	13	1	-	-	-	2	1	2	2	1	1	-	82
6	1	-	-	7	1	-	-	-	-	1	1	2	-	1	-	83
6	-	-	-	6	-	-	-	-	2	-	1	-	1	-	-	84
1,778	95	61	39	1,973	156	124	98	76	55	48	45	40	24	33	17	85
1,059	58	35	20	1,172	85	67	59	46	32	25	24	22	14	17	9	86
719	37	26	19	801	71	57	39	30	23	23	21	18	10	16	8	87
1,568	83	51	30	1,732	135	108	80	63	42	38	41	34	23	28	11	88
928	49	33	16	1,026	70	58	49	36	26	21	22	19	13	16	6	89
640	34	18	14	706	65	50	31	27	16	17	19	15	10	12	5	90
210	12	10	9	241	21	16	18	13	13	10	4	6	1	5	6	91
131	9	2	4	146	15	9	10	10	6	4	2	3	1	1	3	92
79	3	8	5	95	6	7	8	3	7	6	2	3	-	4	3	93
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	94
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	95
																96

Table 3-1. Deaths Under 1 Year, by Age, Race, and

(By place of residence. Data refer only to deaths occurring within the

	AREA, RACE, AND SEX	Total, under 1 year	Under 1 hour	1-23 hours	1 day	2 days	3 days	4 days	5 days	6 days
1	IOWA	1,404	124	495	150	85	49	29	21	17
2	Male	818	66	276	94	53	29	13	15	12
3	Female	586	58	219	56	32	20	16	6	5
4	White	1,369	121	484	146	85	49	28	19	17
5	Male	799	64	272	91	53	29	12	14	12
6	Female	570	57	212	55	32	20	16	5	5
7	Negro	32	3	11	4	-	-	1	2	-
8	Male	17	2	4	3	-	-	1	1	-
9	Female	15	1	7	1	-	-	-	1	-
10	Other	3	-	-	-	-	-	-	-	-
11	Male	2	-	-	-	-	-	-	-	-
12	Female	1	-	-	-	-	-	-	-	-
13	KANSAS	1,119	93	398	144	73	23	17	13	7
14	Male	663	50	253	83	36	11	12	10	6
15	Female	456	43	145	61	37	12	5	3	1
16	White	1,005	90	364	132	66	22	15	10	6
17	Male	590	47	228	76	33	11	10	7	5
18	Female	415	43	136	56	33	11	5	3	1
19	Negro	108	3	30	12	7	1	2	3	1
20	Male	68	3	21	7	3	-	2	3	1
21	Female	40	-	9	5	4	1	-	-	-
22	Other	6	-	4	-	-	-	-	-	-
23	Male	5	-	4	-	-	-	-	-	-
24	Female	1	-	-	-	-	-	-	-	-
25	KENTUCKY	2,015	142	595	200	113	71	38	33	32
26	Male	1,121	70	340	112	57	36	25	19	18
27	Female	894	72	255	88	56	35	13	14	14
28	White	1,713	124	525	177	97	63	35	32	26
29	Male	951	61	298	98	49	29	24	19	14
30	Female	762	63	227	79	48	34	11	13	12
31	Negro	301	18	69	23	16	8	3	1	6
32	Male	170	9	42	14	8	7	1	-	4
33	Female	131	9	27	9	8	1	2	1	2
34	Other	1	-	1	-	-	-	-	-	-
35	Male	-	-	-	-	-	-	-	-	-
36	Female	1	-	1	-	-	-	-	-	-
37	LOUISIANA	2,888	174	819	293	196	77	44	42	32
38	Male	1,629	99	461	177	123	44	28	22	19
39	Female	1,259	75	358	116	73	33	16	20	13
40	White	1,251	86	405	166	120	43	23	15	14
41	Male	734	52	226	100	77	28	13	9	7
42	Female	517	34	179	66	43	15	10	6	7
43	Negro	1,629	88	412	126	76	34	21	27	18
44	Male	892	47	234	76	46	16	15	13	12
45	Female	737	41	178	50	30	18	6	14	6
46	Other	8	-	2	1	-	-	-	-	-
47	Male	3	-	1	1	-	-	-	-	-
48	Female	5	-	1	-	-	-	-	-	-
49	MAINE	592	66	193	57	32	19	7	3	8
50	Male	364	39	121	35	18	14	3	3	6
51	Female	228	27	72	22	14	5	4	-	2
52	White	588	65	192	57	32	19	7	3	8
53	Male	363	38	121	35	18	14	3	3	6
54	Female	225	27	71	22	14	5	4	-	2
55	Negro	1	-	-	-	-	-	-	-	-
56	Male	-	-	-	-	-	-	-	-	-
57	Female	1	-	-	-	-	-	-	-	-
58	Other	3	1	1	-	-	-	-	-	-
59	Male	1	1	-	-	-	-	-	-	-
60	Female	2	-	1	-	-	-	-	-	-
61	MARYLAND	2,108	165	687	215	140	65	44	33	25
62	Male	1,184	85	396	124	77	41	22	21	7
63	Female	924	80	291	91	63	24	22	12	18
64	White	1,336	123	455	153	104	45	25	21	17
65	Male	767	65	273	88	61	26	14	12	4
66	Female	569	58	182	65	43	19	11	9	13
67	Negro	767	41	230	62	35	20	19	12	8
68	Male	414	19	121	36	16	15	8	9	3
69	Female	353	22	109	26	19	5	11	3	5
70	Other	5	1	2	-	1	-	-	-	-
71	Male	3	1	2	-	-	-	-	-	-
72	Female	2	-	-	-	1	-	-	-	-
73	MASSACHUSETTS	2,490	210	868	259	195	104	42	29	20
74	Male	1,494	117	536	154	124	67	24	20	10
75	Female	996	93	332	105	71	37	18	9	10
76	White	2,343	204	808	246	186	100	39	28	20
77	Male	1,406	112	502	145	120	63	22	20	10
78	Female	937	92	306	101	66	37	17	8	10
79	Negro	143	6	57	13	8	4	3	1	-
80	Male	85	5	31	9	4	4	2	-	-
81	Female	58	1	26	4	4	-	1	1	-
82	Other	4	-	3	-	1	-	-	-	-
83	Male	3	-	3	-	-	-	-	-	-
84	Female	1	-	-	-	1	-	-	-	-
85	MICHIGAN	4,704	378	1,693	527	334	141	78	54	36
86	Male	2,743	217	993	319	211	95	44	26	16
87	Female	1,961	161	700	208	123	46	34	28	20
88	White	3,833	299	1,364	442	293	122	64	45	30
89	Male	2,251	167	814	264	187	82	35	21	15
90	Female	1,582	132	550	178	106	40	29	24	15
91	Negro	866	77	325	85	41	19	14	9	6
92	Male	483	49	177	55	24	13	9	5	1
93	Female	373	28	146	30	17	6	5	4	5
94	Other	15	2	4	-	-	-	-	-	-
95	Male	9	1	2	-	-	-	-	-	-
96	Female	6	1	2	-	-	-	-	-	-

Sex: United States and Each State, 1960—Con.

United States, including Alaska and Hawaii. Excludes fetal deaths)

Under 7 days	7-13 days	14-20 days	21-27 days	Under 28 days	28-59 days	2 months	3 months	4 months	5 months	6 months	7 months	8 months	9 months	10 months	11 months	
970	52	29	19	1,070	74	68	44	19	22	26	17	18	20	16	10	1
558	31	17	9	615	46	45	26	12	14	16	8	6	15	10	5	2
412	21	12	10	455	28	23	18	7	8	10	9	12	5	6	5	3
949	52	28	17	1,046	72	66	43	19	22	25	15	17	18	16	10	4
547	31	16	7	601	45	44	25	12	14	16	8	6	13	10	5	5
402	21	12	10	445	27	22	18	7	8	9	7	11	5	6	5	6
21	-	1	2	24	1	1	1	-	-	-	2	1	2	-	-	7
11	-	1	2	14	-	-	1	-	-	-	-	-	2	-	-	8
10	-	-	-	10	1	1	-	-	-	-	2	1	-	-	-	9
-	-	-	-	-	1	1	-	-	-	1	-	-	-	-	-	10
-	-	-	-	-	1	1	-	-	-	-	-	-	-	-	-	11
-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	12
768	35	28	24	855	71	43	32	25	18	16	16	21	8	7	7	13
461	24	17	13	515	48	21	13	19	11	4	6	13	5	5	3	14
307	11	11	11	340	23	22	19	6	7	12	10	8	3	2	4	15
705	32	25	19	781	60	36	28	22	15	15	13	17	7	5	6	16
417	23	16	10	466	39	18	11	16	9	4	5	11	5	4	2	17
288	9	9	9	315	21	18	17	6	6	11	8	6	2	1	4	18
59	3	3	5	70	9	7	4	3	3	1	3	4	1	2	1	19
40	1	1	3	45	8	3	2	3	2	-	1	2	-	1	1	20
19	2	2	2	25	1	4	2	-	1	1	2	2	1	1	-	21
4	-	-	-	4	2	-	-	-	-	-	-	-	-	-	-	22
4	-	-	-	4	1	-	-	-	-	-	-	-	-	-	-	23
-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	24
1,224	83	68	43	1,418	127	108	94	74	49	29	27	32	23	19	15	25
677	42	37	26	782	71	64	54	43	24	17	16	17	13	10	10	26
547	41	31	17	636	56	44	40	31	25	12	11	15	10	9	5	27
1,079	66	54	32	1,231	103	94	72	61	33	22	22	29	20	16	10	28
592	34	30	17	673	58	54	43	35	15	12	15	17	12	9	8	29
487	32	24	15	558	45	40	29	26	18	10	7	12	8	7	2	30
144	17	14	11	186	24	14	22	13	16	7	5	3	3	3	5	31
85	8	7	9	109	13	10	11	8	9	5	1	-	1	1	2	32
59	9	7	2	77	11	4	11	5	7	2	4	3	2	2	3	33
1	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	34
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	35
1	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	36
1,677	137	76	69	1,959	221	155	136	98	71	67	43	46	33	23	36	37
973	79	43	34	1,129	125	88	76	49	39	33	20	20	16	13	21	38
704	58	33	35	830	96	67	60	49	32	34	23	26	17	10	15	39
872	47	24	22	965	65	44	38	24	27	23	9	20	12	9	15	40
512	28	16	14	570	41	25	23	15	12	12	4	10	5	7	10	41
360	19	8	8	395	24	19	15	9	15	11	5	10	7	2	5	42
802	90	52	46	990	156	110	98	74	43	42	34	26	21	14	21	43
459	51	27	20	557	84	63	53	34	26	21	16	10	11	6	11	44
343	39	25	26	433	72	47	45	40	17	21	18	16	10	8	10	45
3	-	-	1	4	-	1	-	-	1	2	-	-	-	-	-	46
2	-	-	-	2	-	-	-	-	1	-	-	-	-	-	-	47
1	-	-	1	2	-	1	-	-	-	2	-	-	-	-	-	48
365	24	15	14	438	33	29	20	16	12	7	12	10	6	5	4	49
239	15	8	10	272	15	17	12	11	9	3	7	7	4	4	3	50
146	9	7	4	166	18	12	8	5	3	4	5	3	2	1	1	51
383	24	15	14	436	33	29	20	15	12	7	12	9	6	5	4	52
238	15	8	10	271	15	17	12	11	9	3	7	7	4	4	3	53
145	9	7	4	165	18	12	8	4	3	4	5	2	2	1	1	54
-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	55
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	56
-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	57
2	-	-	-	2	-	-	-	-	-	-	-	1	-	-	-	58
1	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	59
1	-	-	-	1	-	-	-	-	-	-	-	1	-	-	-	60
1,374	97	53	26	1,550	131	114	83	65	41	30	28	19	16	17	14	61
773	52	32	15	872	74	66	47	35	25	14	16	9	10	7	9	62
601	45	21	11	678	57	48	36	30	16	16	12	10	6	10	5	63
943	55	23	14	1,035	73	64	40	28	22	16	16	9	11	13	9	64
543	34	15	7	599	41	39	22	15	13	8	10	3	7	5	5	65
400	21	8	7	436	32	25	18	13	9	8	6	6	4	8	4	66
427	42	30	12	511	57	50	43	37	19	14	12	10	5	4	5	67
227	18	17	8	270	33	27	25	20	12	6	6	6	3	2	4	68
200	24	13	4	241	24	23	18	17	7	8	6	4	2	2	1	69
4	-	-	-	4	1	-	-	-	-	-	-	-	-	-	-	70
3	-	-	-	3	-	-	-	-	-	-	-	-	-	-	-	71
1	-	-	-	1	1	-	-	-	-	-	-	-	-	-	-	72
1,727	79	44	40	1,890	159	115	98	57	47	29	28	27	15	7	18	73
1,052	44	28	23	1,147	102	71	61	24	30	17	16	11	5	2	8	74
675	35	16	17	743	57	44	37	33	17	12	12	16	10	5	10	75
1,631	76	42	37	1,786	146	108	92	54	42	27	26	25	13	7	17	76
994	43	28	20	1,085	97	67	56	22	26	15	14	11	3	2	8	77
637	33	14	17	701	49	41	36	32	16	12	12	14	10	5	9	78
92	3	2	3	100	13	7	6	3	5	2	2	2	2	-	1	79
55	1	-	3	59	5	4	5	2	4	2	2	-	2	-	-	80
37	2	2	-	41	8	3	1	1	1	-	-	2	-	-	1	81
4	-	-	-	4	-	-	-	-	-	-	-	-	-	-	-	82
3	-	-	-	3	-	-	-	-	-	-	-	-	-	-	-	83
1	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	84
3,241	168	85	87	3,581	276	204	171	107	81	61	51	49	41	40	42	85
1,921	97	46	49	2,113	154	130	91	52	46	33	30	25	19	22	28	86
1,320	71	39	38	1,468	122	74	80	55	35	28	21	24	22	18	14	87
2,659	145	69	63	2,936	215	163	140	89	66	45	42	39	34	31	33	88
1,585	80	40	36	1,741	125	108	75	39	36	26	26	18	16	17	24	89
1,074	65	29	27	1,195	90	55	65	50	30	19	16	21	18	14	9	90
576	23	16	24	639	60	39	29	16	15	15	9	10	7	9	8	91
333	17	6	13	369	28	21	14	12	10	7	4	7	3	5	3	92
243	6	10	11	270	32	18	15	4	5	8	5	3	4	4	5	93
6	-	-	-	6	1	2	2	2	-	1	-	-	-	-	1	94
3	-	-	-	3	1	1	2	1	-	-	-	-	-	-	1	95
3	-	-	-	3	-	1	-	1	-	1	-	-	-	-	-	96

Table 3-1. Deaths Under 1 Year, by Age, Race, and

(By place of residence. Data refer only to deaths occurring within the

	AREA, RACE, AND SEX	Total, under 1 year	Under 1 hour	1-23 hours	1 day	2 days	3 days	4 days	5 days	6 days
1	MINNESOTA	1,890	165	661	188	121	58	34	23	16
2	Male	1,108	86	388	123	74	41	18	16	7
3	Female	782	79	273	65	47	17	16	7	9
4	White	1,853	162	653	186	119	57	33	23	16
5	Male	1,086	85	380	122	73	40	18	16	7
6	Female	767	77	273	64	46	17	15	7	9
7	Negro	22	2	6	-	2	1	1	-	-
8	Male	14	1	6	-	1	1	-	-	-
9	Female	8	1	-	-	1	-	1	-	-
10	Other	15	1	2	2	-	-	-	-	-
11	Male	8	-	2	1	-	-	-	-	-
12	Female	7	1	-	1	-	-	-	-	-
13	MISSISSIPPI	2,461	157	548	207	121	80	56	43	25
14	Male	1,398	90	314	114	81	46	36	23	19
15	Female	1,063	67	234	93	40	34	20	20	6
16	White	721	64	214	91	55	30	17	13	6
17	Male	423	38	121	52	39	15	9	8	4
18	Female	298	26	93	39	16	15	8	5	2
19	Negro	1,731	93	333	115	66	49	39	29	19
20	Male	971	52	192	62	42	30	27	15	15
21	Female	760	41	141	53	24	19	12	14	4
22	Other	9	-	1	1	-	1	-	1	-
23	Male	4	-	1	-	-	1	-	-	-
24	Female	5	-	-	1	-	-	-	1	-
25	MISSOURI	2,420	173	778	256	155	81	39	39	28
26	Male	1,411	94	461	134	91	47	26	21	19
27	Female	1,009	79	317	122	64	34	13	18	9
28	White	1,810	141	580	193	127	61	32	35	24
29	Male	1,053	77	345	101	75	35	21	19	16
30	Female	757	64	235	92	52	26	11	16	8
31	Negro	605	30	196	63	27	20	7	4	4
32	Male	355	16	115	33	15	12	5	2	3
33	Female	250	14	81	30	12	8	2	2	1
34	Other	5	2	2	-	1	-	-	-	-
35	Male	3	1	1	-	1	-	-	-	-
36	Female	2	1	1	-	-	-	-	-	-
37	MONTANA	436	29	131	38	31	15	7	9	3
38	Male	256	18	77	26	16	8	2	1	1
39	Female	180	11	54	12	15	7	5	8	2
40	White	392	27	123	35	30	14	7	8	3
41	Male	232	16	73	26	15	7	2	-	1
42	Female	160	11	50	9	15	7	5	8	2
43	Negro	3	-	-	-	-	-	-	-	-
44	Male	2	-	-	-	-	-	-	-	-
45	Female	1	-	-	-	-	-	-	-	-
46	Other	41	2	8	3	1	1	-	1	-
47	Male	22	2	4	-	1	1	-	1	-
48	Female	19	-	4	3	-	-	-	-	-
49	NEBRASKA	749	61	277	98	53	19	15	10	7
50	Male	435	29	164	63	30	13	7	8	4
51	Female	314	32	113	35	23	6	8	2	3
52	White	697	57	261	92	48	18	15	10	6
53	Male	400	28	153	57	26	12	7	8	3
54	Female	297	29	108	35	22	6	8	2	3
55	Negro	40	3	15	6	5	1	-	-	1
56	Male	28	1	10	6	4	1	-	-	1
57	Female	12	2	5	-	1	-	-	-	-
58	Other	12	1	1	-	-	-	-	-	-
59	Male	7	-	1	-	-	-	-	-	-
60	Female	5	1	-	-	-	-	-	-	-
61	NEVADA	219	15	64	23	16	10	6	3	3
62	Male	119	6	42	10	11	5	3	1	2
63	Female	100	9	22	13	5	5	3	2	1
64	White	187	14	58	21	15	10	5	3	2
65	Male	100	5	38	9	11	5	3	1	1
66	Female	87	9	20	12	4	5	2	2	1
67	Negro	22	-	4	2	1	-	1	-	1
68	Male	12	-	2	1	-	-	-	-	1
69	Female	10	-	2	1	1	-	1	-	-
70	Other	10	1	2	-	-	-	-	-	-
71	Male	7	1	2	-	-	-	-	-	-
72	Female	3	-	-	-	-	-	-	-	-
73	NEW HAMPSHIRE	327	28	116	47	25	5	9	5	4
74	Male	192	11	62	33	18	1	2	4	3
75	Female	135	17	54	14	7	4	7	1	1
76	White	326	28	116	46	25	5	9	5	4
77	Male	191	11	62	32	18	1	2	4	3
78	Female	135	17	54	14	7	4	7	1	1
79	Negro	1	-	-	1	-	-	-	-	-
80	Male	1	-	-	1	-	-	-	-	-
81	Female	-	-	-	-	-	-	-	-	-
82	Other	-	-	-	-	-	-	-	-	-
83	Male	-	-	-	-	-	-	-	-	-
84	Female	-	-	-	-	-	-	-	-	-
85	NEW JERSEY	3,251	277	1,079	379	232	96	57	50	39
86	Male	1,871	147	634	217	132	62	33	25	20
87	Female	1,380	130	445	162	100	34	24	25	19
88	White	2,516	222	862	291	198	82	47	36	31
89	Male	1,447	121	504	162	114	52	28	21	15
90	Female	1,069	101	358	129	84	30	19	15	16
91	Negro	728	55	212	88	34	14	10	14	8
92	Male	420	26	128	55	18	10	5	4	5
93	Female	308	29	84	33	16	4	5	10	3
94	Other	7	-	5	-	-	-	-	-	-
95	Male	4	-	2	-	-	-	-	-	-
96	Female	3	-	3	-	-	-	-	-	-

Sex: United States and Each State, 1960—Con.

United States, including Alaska and Hawaii. Excludes fetal deaths)

Under 7 days	7-13 days	14-20 days	21-27 days	Under 28 days	28-59 days	2 months	3 months	4 months	5 months	6 months	7 months	8 months	9 months	10 months	11 months	
1,266	68	41	27	1,402	122	97	54	34	42	33	34	18	19	20	15	1
753	40	22	16	831	65	66	28	21	23	20	18	10	9	11	6	2
513	28	19	11	571	57	31	26	13	19	15	16	8	10	9	9	3
1,249	67	41	27	1,384	116	94	53	32	39	33	33	18	19	20	12	4
741	40	22	16	819	63	64	27	19	21	20	18	10	9	11	5	5
508	27	19	11	565	53	30	26	13	18	13	15	8	10	9	7	6
12	1	-	-	13	4	1	-	-	1	-	1	-	-	-	2	7
9	-	-	-	9	2	1	-	-	1	-	-	-	-	-	1	8
3	1	-	-	4	2	-	-	-	-	-	1	-	-	-	1	9
5	-	-	-	5	2	2	1	2	2	-	-	-	-	-	1	10
3	-	-	-	3	-	1	1	2	1	-	-	-	-	-	-	11
2	-	-	-	2	2	1	-	-	1	-	-	-	-	-	1	12
1,237	107	88	67	1,499	229	155	130	111	85	55	67	37	40	32	21	13
723	58	51	38	870	132	89	65	64	41	32	39	18	23	16	9	14
514	49	37	29	629	97	66	65	47	44	23	28	19	17	16	12	15
490	36	16	10	552	33	30	22	18	14	7	20	4	10	3	8	16
286	18	11	6	321	22	19	15	9	6	3	13	2	7	2	4	17
204	18	5	4	231	11	11	7	9	8	4	7	2	3	1	4	18
743	70	72	57	942	195	125	107	93	71	48	46	33	30	28	13	19
435	40	40	32	547	109	70	50	55	35	29	25	16	16	14	5	20
308	30	32	25	395	86	55	57	38	36	19	21	17	14	14	8	21
4	1	-	-	5	1	-	1	-	-	-	1	-	-	1	-	22
2	-	-	-	2	1	-	-	-	-	-	1	-	-	-	-	23
2	1	-	-	3	-	-	1	-	-	-	-	-	-	1	-	24
1,549	111	62	43	1,765	157	106	88	71	52	49	23	36	28	19	26	25
893	69	46	24	1,032	95	54	48	43	34	38	10	19	12	11	15	26
656	42	16	19	733	62	52	40	28	18	11	13	17	16	8	11	27
1,193	85	44	35	1,357	103	70	64	50	31	35	15	30	20	16	19	28
689	55	35	19	798	59	34	33	30	20	26	7	17	7	10	12	29
504	30	9	16	559	44	36	31	20	11	9	8	15	15	6	7	30
351	26	18	8	403	54	36	24	21	21	14	8	6	8	5	7	31
201	14	11	5	231	36	20	15	13	14	12	3	2	5	1	3	32
150	12	7	3	172	18	16	9	8	7	2	5	4	3	2	4	33
5	-	-	-	5	-	-	-	-	-	-	-	-	-	-	-	34
3	-	-	-	3	-	-	-	-	-	-	-	-	-	-	-	35
2	-	-	-	2	-	-	-	-	-	-	-	-	-	-	-	36
263	14	10	12	299	27	25	27	13	9	14	3	7	3	5	4	37
149	7	7	9	172	19	16	16	9	6	9	1	2	-	3	3	38
114	7	3	3	127	8	9	11	4	3	5	2	5	3	2	1	39
247	14	9	10	280	22	22	24	8	9	9	3	6	3	4	2	40
140	7	6	7	160	17	14	15	6	6	6	1	2	-	3	2	41
107	7	3	3	120	5	8	9	2	3	3	2	4	3	1	-	42
-	-	-	1	1	-	-	-	-	-	2	-	-	-	-	-	43
-	-	-	1	1	-	-	-	-	-	1	-	-	-	-	-	44
-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	45
16	-	1	1	18	5	3	3	5	-	3	-	1	-	1	2	46
9	-	1	1	11	2	2	1	3	-	2	-	-	-	-	1	47
7	-	-	-	7	3	1	2	2	-	1	-	1	-	1	1	48
540	31	8	14	593	41	23	12	17	11	10	18	5	7	4	8	49
318	20	7	8	353	24	11	6	10	9	4	9	2	3	2	2	50
222	11	1	6	240	17	12	6	7	2	6	9	3	4	2	6	51
507	29	7	13	556	41	20	11	16	10	7	15	5	7	4	5	52
294	19	6	7	326	24	10	5	9	8	3	7	2	3	2	1	53
213	10	1	6	230	17	10	6	7	2	4	8	3	4	2	4	54
31	1	-	1	33	-	2	-	1	1	1	2	-	-	-	-	55
23	-	-	1	24	-	1	-	1	1	-	1	-	-	-	-	56
8	1	-	-	9	-	1	-	-	-	1	1	-	-	-	-	57
2	1	1	-	4	-	1	1	-	-	2	1	-	-	-	3	58
1	1	1	-	3	-	-	1	-	-	1	1	-	-	-	1	59
1	-	-	-	1	-	1	-	-	-	1	-	-	-	-	2	60
140	6	3	4	153	13	14	12	12	5	5	-	-	3	1	1	61
80	1	-	3	84	11	6	5	8	1	2	-	-	1	1	-	62
60	5	3	1	69	2	8	7	4	4	3	-	-	2	-	1	63
128	5	2	3	138	12	9	10	8	2	5	-	-	2	-	1	64
73	1	-	2	76	10	4	4	4	-	2	-	-	-	-	-	65
55	4	2	1	62	2	5	6	4	2	3	-	-	2	-	1	66
9	1	1	1	12	-	3	2	2	1	-	-	-	1	1	-	67
4	-	-	1	5	-	1	1	2	1	-	-	-	1	1	-	68
5	1	1	-	7	-	2	1	-	-	-	-	-	-	-	-	69
3	-	-	-	3	1	2	-	2	2	-	-	-	-	-	-	70
3	-	-	-	3	1	1	-	2	-	-	-	-	-	-	-	71
-	-	-	-	-	-	1	-	-	2	-	-	-	-	-	-	72
239	12	7	4	262	23	9	8	7	5	2	4	2	1	2	2	73
134	6	5	4	149	16	7	4	5	2	2	3	1	-	1	2	74
105	6	2	-	113	7	2	4	2	3	-	1	1	1	1	-	75
238	12	7	4	261	23	9	8	7	5	2	4	2	1	2	2	76
133	6	5	4	148	16	7	4	5	2	2	3	1	-	1	2	77
105	6	2	-	113	7	2	4	2	3	-	1	1	1	1	-	78
1	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	79
1	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	80
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	81
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	82
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	83
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	84
2,209	139	60	47	2,455	183	154	97	86	63	47	42	34	26	29	35	85
1,270	78	33	33	1,414	107	95	57	40	34	27	23	18	16	16	24	86
939	61	27	14	1,041	76	59	40	46	29	20	19	16	10	13	11	87
1,769	107	46	30	1,952	131	108	68	60	48	29	28	24	19	24	25	88
1,017	60	28	23	1,128	72	67	41	27	26	16	16	13	10	15	16	89
752	47	18	7	824	59	41	27	33	22	13	12	11	9	9	9	90
435	32	14	17	498	51	45	29	26	15	18	14	10	7	5	10	91
251	18	5	10	284	34	27	16	13	8	11	7	5	6	1	8	92
184	14	9	7	214	17	18	13	13	7	7	7	5	1	4	2	93
5	-	-	-	5	1	1	-	-	-	-	-	-	-	-	-	94
2	-	-	-	2	1	1	-	-	-	-	-	-	-	-	-	95
3	-	-	-	3	-	-	-	-	-	-	-	-	-	-	-	96

Table 3-1. Deaths Under 1 Year, by Age, Race, and

(By place of residence. Data refer only to deaths occurring within the

	AREA, RACE, AND SEX	Total, under 1 year	Under 1 hour	1-23 hours	1 day	2 days	3 days	4 days	5 days	6 days
1	NEW MEXICO	1,019	52	234	114	64	36	17	15	7
2	Male	579	31	143	57	40	18	12	10	6
3	Female	440	21	91	57	24	18	5	5	1
4	White	846	51	206	100	60	33	15	11	7
5	Male	491	30	122	53	37	18	11	8	6
6	Female	355	21	84	47	23	15	4	3	1
7	Negro	29	-	11	2	3	1	-	-	-
8	Male	17	-	9	-	2	-	-	-	-
9	Female	12	-	2	2	1	1	-	-	-
10	Other	144	1	17	12	1	2	2	4	-
11	Male	71	1	12	4	1	-	1	2	-
12	Female	73	-	5	8	-	2	1	2	-
13	NEW YORK	8,673	740	3,149	1,008	553	237	151	99	67
14	Male	5,003	406	1,786	578	359	150	88	58	36
15	Female	3,670	334	1,363	430	194	87	63	41	31
16	White	6,735	604	2,392	784	451	200	121	83	55
17	Male	3,937	324	1,380	456	299	127	69	48	30
18	Female	2,798	280	1,012	328	152	73	52	35	25
19	Negro	1,906	133	750	218	99	36	28	16	12
20	Male	1,047	81	402	118	58	22	18	10	6
21	Female	859	52	348	100	41	14	10	6	6
22	Other	32	3	7	6	3	1	2	-	-
23	Male	19	1	4	4	2	1	1	-	-
24	Female	13	2	3	2	1	-	1	-	-
25	NORTH CAROLINA	3,484	187	932	319	202	103	64	46	31
26	Male	2,017	106	552	207	126	56	42	23	16
27	Female	1,467	81	380	112	76	47	22	23	15
28	White	1,677	120	548	185	134	55	29	20	17
29	Male	979	66	323	129	82	24	20	10	10
30	Female	698	54	225	56	52	31	9	10	7
31	Negro	1,755	64	373	132	65	45	35	26	14
32	Male	1,012	40	225	76	43	29	22	13	6
33	Female	743	24	148	56	22	16	13	13	8
34	Other	52	3	11	2	3	3	-	-	-
35	Male	26	-	4	2	1	3	-	-	-
36	Female	26	3	7	-	2	-	-	-	-
37	NORTH DAKOTA	413	34	136	46	34	15	16	4	8
38	Male	239	19	78	24	19	10	9	3	3
39	Female	174	15	58	22	15	5	7	1	6
40	White	386	33	131	44	32	15	14	4	9
41	Male	223	18	75	23	18	10	8	3	3
42	Female	163	15	56	21	14	5	6	1	6
43	Negro	2	-	-	1	-	-	-	-	-
44	Male	2	-	-	1	-	-	-	-	-
45	Female	-	-	-	-	-	-	-	-	-
46	Other	25	1	5	1	2	-	2	-	-
47	Male	14	1	3	-	1	-	1	-	-
48	Female	11	-	2	1	1	-	1	-	-
49	OHIO	5,547	471	1,961	628	382	195	100	77	53
50	Male	3,173	261	1,131	387	207	113	54	47	30
51	Female	2,374	210	830	241	175	82	46	30	23
52	White	4,593	384	1,610	527	326	167	74	69	49
53	Male	2,641	213	936	330	171	98	37	41	27
54	Female	1,952	171	674	197	155	69	37	28	22
55	Negro	949	87	350	100	55	28	26	8	4
56	Male	528	48	195	56	35	15	17	6	3
57	Female	421	39	155	44	20	13	9	2	1
58	Other	5	-	1	1	1	-	-	-	-
59	Male	4	-	-	1	1	-	-	-	-
60	Female	1	-	1	-	-	-	-	-	-
61	OKLAHOMA	1,298	90	382	164	91	46	20	23	9
62	Male	740	45	215	97	55	27	11	12	6
63	Female	558	45	167	67	36	19	9	11	3
64	White	995	74	316	138	77	38	16	14	9
65	Male	562	34	176	83	46	22	7	8	6
66	Female	433	40	140	55	31	16	9	6	3
67	Negro	228	12	44	22	10	8	3	8	-
68	Male	134	8	25	12	8	5	3	4	-
69	Female	94	4	19	10	4	3	-	4	-
70	Other	75	4	22	4	4	-	1	1	-
71	Male	44	3	14	2	3	-	1	-	-
72	Female	31	1	8	2	1	-	-	1	-
73	OREGON	891	67	287	83	79	30	16	9	5
74	Male	514	37	157	50	47	21	12	6	3
75	Female	377	30	130	33	32	9	4	3	2
76	White	852	63	274	81	76	29	16	9	5
77	Male	498	35	153	49	46	20	12	6	3
78	Female	354	28	121	32	30	9	4	3	2
79	Negro	23	4	9	2	2	1	-	-	-
80	Male	9	2	2	1	-	1	-	-	-
81	Female	14	2	7	1	2	-	-	-	-
82	Other	16	-	4	-	1	-	-	-	-
83	Male	7	-	2	-	1	-	-	-	-
84	Female	9	-	2	-	-	-	-	-	-
85	PENNSYLVANIA	5,922	511	2,174	844	405	202	106	67	56
86	Male	3,362	259	1,245	359	258	116	64	30	28
87	Female	2,560	252	928	285	147	86	42	37	28
88	White	4,888	437	1,756	547	360	173	95	60	46
89	Male	2,828	224	1,042	316	232	92	60	28	24
90	Female	2,059	213	724	231	128	81	35	32	22
91	Negro	1,028	74	414	97	45	29	11	7	9
92	Male	531	35	212	43	26	24	4	2	3
93	Female	497	39	202	54	19	5	7	5	6
94	Other	6	-	4	-	-	-	-	-	1
95	Male	2	-	1	-	-	-	-	-	1
96	Female	4	-	3	-	-	-	-	-	-

Sex: United States and Each State, 1960—Con.

United States, including Alaska and Hawaii. Excludes fetal deaths)

Under 7 days	7-13 days	14-20 days	21-27 days	Under 28 days	28-59 days	2 months	3 months	4 months	5 months	6 months	7 months	8 months	9 months	10 months	11 months	
539	37	23	21	620	87	58	47	56	32	26	22	28	11	21	11	1
317	26	14	12	369	52	35	25	30	18	11	8	14	5	7	5	2
222	11	9	9	251	35	23	22	26	14	15	14	14	6	14	6	3
483	34	18	16	551	67	49	39	43	22	13	13	18	8	16	7	4
285	24	10	7	326	41	30	23	23	12	8	5	12	3	4	4	5
198	10	8	9	225	26	19	16	20	10	5	8	6	5	12	3	6
17	-	-	1	18	1	2	-	-	1	2	-	2	1	1	1	7
11	-	-	1	12	1	1	-	-	1	-	-	-	1	1	-	8
6	-	-	-	6	-	1	-	-	-	2	-	2	-	-	1	9
39	3	5	4	51	19	7	8	13	9	11	9	8	2	4	3	10
21	2	4	4	31	10	4	2	7	5	3	3	2	1	2	1	11
18	1	1	-	20	9	3	6	6	4	6	6	6	1	2	2	12
6,004	272	168	125	6,569	503	411	288	215	172	118	123	80	66	57	71	13
3,461	157	98	73	3,789	281	264	167	115	105	66	63	47	41	30	35	14
2,543	115	70	52	2,780	222	147	121	100	67	52	60	33	25	27	36	15
4,690	221	133	94	5,138	380	309	222	168	127	93	83	64	53	47	51	16
2,733	128	81	54	2,996	216	204	130	88	84	55	41	38	34	28	23	17
1,957	93	52	40	2,142	164	105	92	80	43	38	42	26	19	19	28	18
1,292	51	35	30	1,408	121	101	65	46	44	24	40	16	13	10	18	19
715	29	17	18	779	64	59	37	27	20	11	22	9	7	2	10	20
577	22	18	12	629	57	42	28	19	24	13	18	7	6	8	8	21
22	-	-	1	23	2	1	1	1	1	1	-	-	-	-	2	22
13	-	-	1	14	1	1	-	-	1	-	-	-	-	-	2	23
9	-	-	-	9	1	-	1	1	-	1	-	-	-	-	-	24
1,884	149	101	85	2,219	272	261	180	124	109	85	70	53	40	29	42	25
1,128	75	57	44	1,304	159	143	97	69	68	49	41	31	24	15	17	26
756	74	44	41	915	113	118	83	55	41	36	29	22	16	14	25	27
1,108	67	37	32	1,244	89	72	65	40	44	24	26	25	17	11	20	28
664	34	23	18	739	54	35	37	22	27	13	16	14	7	5	10	29
444	33	14	14	505	35	37	28	18	17	11	10	11	10	6	10	30
754	80	62	53	949	180	181	114	81	62	57	43	28	23	16	21	31
454	40	32	26	552	104	102	59	45	38	36	25	17	17	10	7	32
300	40	30	27	397	76	79	55	36	24	21	18	11	6	6	14	33
22	2	2	-	26	3	8	1	3	3	4	1	-	-	2	1	34
10	1	2	-	13	1	6	1	2	3	-	-	-	-	-	-	35
12	1	-	-	13	2	2	-	1	-	4	1	-	-	2	1	36
294	9	8	6	317	17	24	13	10	8	6	10	3	2	1	2	37
165	6	7	3	181	10	14	8	6	3	4	6	3	2	1	1	38
129	3	1	3	136	7	10	5	4	5	2	4	-	-	-	1	39
282	8	7	6	303	17	20	11	8	7	6	7	3	1	1	2	40
158	5	6	3	172	10	11	7	4	3	4	6	3	1	1	1	41
124	3	1	3	131	7	9	4	4	4	2	1	-	-	-	1	42
1	-	-	-	1	-	1	-	-	-	-	-	-	-	-	-	43
1	-	-	-	1	-	1	-	-	-	-	-	-	-	-	-	44
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	45
11	1	1	-	13	-	3	2	2	1	-	3	-	1	-	-	46
6	1	1	-	8	-	2	1	2	-	-	-	-	1	-	-	47
5	-	-	-	5	-	1	1	-	1	-	3	-	-	-	-	48
3,867	200	99	83	4,249	306	224	178	109	112	98	70	56	38	57	50	49
2,230	111	59	48	2,448	176	127	100	59	60	56	32	30	23	36	26	50
1,637	89	40	35	1,801	130	97	78	50	52	42	38	26	15	21	24	51
3,206	175	83	64	3,528	244	180	153	82	96	81	57	47	33	47	45	52
1,853	95	50	37	2,035	142	106	89	46	52	47	28	24	20	29	23	53
1,353	80	33	27	1,493	102	74	64	36	44	34	29	23	13	18	22	54
658	25	16	19	718	61	44	25	27	16	17	13	8	5	10	5	55
375	16	9	11	411	33	21	11	13	8	9	4	5	3	7	3	56
283	9	7	8	307	28	23	14	14	8	8	9	3	2	3	2	57
3	-	-	-	3	1	-	-	-	-	-	-	1	-	-	-	58
2	-	-	-	2	1	-	-	-	-	-	-	1	-	-	-	59
1	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	60
825	67	23	23	938	70	57	47	40	32	20	32	18	22	9	13	61
468	41	9	15	533	42	33	29	17	18	13	21	9	12	6	7	62
357	26	14	8	405	28	24	18	23	14	7	11	9	10	3	6	63
682	52	15	17	766	47	40	34	26	16	10	21	8	15	6	6	64
382	31	7	10	430	28	23	21	11	8	7	15	3	9	3	4	65
300	21	8	7	336	19	17	13	15	8	3	6	5	6	3	2	66
107	13	7	6	133	19	9	9	8	11	7	10	7	5	3	7	67
63	9	1	5	78	11	6	5	4	6	5	5	5	3	3	3	68
44	4	6	1	55	8	3	4	4	5	2	5	2	2	-	4	69
36	2	1	-	39	4	8	4	6	5	3	1	3	2	-	-	70
23	1	1	-	25	3	4	3	2	4	1	1	1	-	-	-	71
13	1	-	-	14	1	4	1	4	1	2	-	2	2	-	-	72
576	28	12	20	636	72	52	41	16	22	15	10	13	1	8	5	73
333	16	7	16	372	43	28	18	11	11	8	7	8	-	5	3	74
243	12	5	4	264	29	24	23	5	11	7	3	5	1	3	2	75
553	27	12	20	612	68	51	37	15	21	13	9	12	1	8	5	76
324	15	7	16	362	42	27	17	11	10	7	6	8	-	5	3	77
229	12	5	4	250	26	24	20	4	11	6	3	4	1	3	2	78
18	-	-	-	18	1	1	2	-	-	1	-	-	-	-	-	79
6	-	-	-	6	-	1	1	-	-	1	-	-	-	-	-	80
12	-	-	-	12	1	-	1	-	-	-	-	-	-	-	-	81
5	1	-	-	6	3	-	2	1	1	1	1	1	-	-	-	82
3	1	-	-	4	1	-	-	-	1	-	1	-	-	-	-	83
2	-	-	-	2	2	-	2	1	-	1	-	1	-	-	-	84
4,165	200	111	90	4,566	345	264	195	122	80	92	70	59	49	37	43	85
2,359	101	67	49	2,576	208	152	111	66	46	56	41	30	35	17	24	86
1,806	99	44	41	1,990	137	112	84	56	34	36	29	29	14	20	19	87
3,474	172	101	68	3,815	273	203	157	98	63	67	56	50	38	35	33	88
2,008	90	61	37	2,196	168	126	91	51	34	41	33	26	29	16	18	89
1,466	82	40	31	1,619	105	77	66	47	29	26	23	24	9	19	15	90
686	27	10	22	745	72	61	38	24	17	25	14	9	11	2	10	91
349	11	6	12	378	40	26	20	15	12	15	8	4	6	1	6	92
337	16	4	10	367	32	35	18	9	5	10	6	5	5	1	4	93
5	1	-	-	6	-	-	-	-	-	-	-	-	-	-	-	94
2	-	-	-	2	-	-	-	-	-	-	-	-	-	-	-	95
3	1	-	-	4	-	-	-	-	-	-	-	-	-	-	-	96

Table 3-1. Deaths Under 1 Year, by Age, Race, and

(By place of residence. Data refer only to deaths occurring within the

	AREA, RACE, AND SEX	Total, under 1 year	Under 1 hour	1-23 hours	1 day	2 days	3 days	4 days	5 days	6 days
1	RHODE ISLAND	428	35	140	44	28	20	10	2	1
2	Male	243	14	88	27	18	11	7	-	-
3	Female	185	21	52	17	10	9	3	2	1
4	White	395	32	129	38	28	18	10	2	1
5	Male	227	13	81	26	18	9	7	-	-
6	Female	168	19	48	13	10	9	3	2	1
7	Negro	29	3	9	5	-	2	-	-	-
8	Male	13	1	6	1	-	2	-	-	-
9	Female	16	2	3	4	-	-	-	-	-
10	Other	4	-	2	-	-	-	-	-	-
11	Male	3	-	1	-	-	-	-	-	-
12	Female	1	-	1	-	-	-	-	-	-
13	SOUTH CAROLINA	2,051	114	443	191	111	57	38	33	17
14	Male	1,159	53	251	111	69	31	25	13	10
15	Female	892	61	192	80	42	26	13	20	7
16	White	828	55	255	103	67	25	13	9	9
17	Male	481	23	146	61	47	16	10	2	6
18	Female	347	32	109	42	20	9	3	7	3
19	Negro	1,221	59	187	88	44	32	25	24	8
20	Male	678	30	105	50	22	15	15	11	4
21	Female	543	29	82	38	22	17	10	13	4
22	Other	2	-	1	-	-	-	-	-	-
23	Male	-	-	-	-	-	-	-	-	-
24	Female	2	-	1	-	-	-	-	-	-
25	SOUTH DAKOTA	496	39	150	44	22	19	15	5	3
26	Male	294	28	98	28	12	11	7	3	3
27	Female	202	11	52	16	10	8	8	2	-
28	White	394	37	131	39	20	13	14	4	2
29	Male	234	27	85	26	10	8	6	2	2
30	Female	160	10	46	13	10	5	8	2	-
31	Negro	4	-	1	1	-	-	-	-	-
32	Male	1	-	1	-	-	-	-	-	-
33	Female	3	-	-	1	-	-	-	-	-
34	Other	98	2	18	4	2	6	1	1	1
35	Male	59	1	12	2	2	3	1	1	1
36	Female	39	1	6	2	-	3	-	-	-
37	TENNESSEE	2,409	166	680	278	167	77	40	31	20
38	Male	1,372	97	423	176	101	47	21	16	8
39	Female	1,037	69	257	102	66	30	19	15	12
40	White	1,618	132	462	207	134	57	29	24	15
41	Male	946	75	297	135	82	36	16	14	7
42	Female	672	57	165	72	52	21	13	10	8
43	Negro	790	34	218	71	33	20	11	7	5
44	Male	426	22	126	41	19	11	5	2	1
45	Female	364	12	92	30	14	9	6	5	4
46	Other	1	-	-	-	-	-	-	-	-
47	Male	-	-	-	-	-	-	-	-	-
48	Female	1	-	-	-	-	-	-	-	-
49	TEXAS	7,200	330	2,163	793	536	229	123	103	71
50	Male	4,105	168	1,226	491	311	136	68	52	44
51	Female	3,095	162	937	302	225	93	55	51	27
52	White	5,581	270	1,733	644	453	185	91	80	55
53	Male	3,197	138	994	402	282	110	44	42	34
54	Female	2,384	132	739	242	171	75	47	38	21
55	Negro	1,607	60	425	148	82	44	32	23	16
56	Male	901	30	227	89	49	26	24	10	10
57	Female	706	30	198	59	33	18	8	13	6
58	Other	12	-	5	1	1	-	-	-	-
59	Male	7	-	5	-	-	-	-	-	-
60	Female	5	-	-	1	1	-	-	-	-
61	UTAH	515	33	143	86	46	32	9	6	1
62	Male	302	20	88	45	31	18	4	5	-
63	Female	213	13	55	41	15	14	5	1	1
64	White	485	33	136	82	45	32	9	6	1
65	Male	285	20	82	43	31	18	4	5	-
66	Female	200	13	54	39	14	14	5	1	1
67	Negro	8	-	3	1	-	-	-	-	-
68	Male	5	-	3	-	-	-	-	-	-
69	Female	3	-	-	1	-	-	-	-	-
70	Other	22	-	4	3	1	-	-	-	-
71	Male	12	-	3	2	-	-	-	-	-
72	Female	10	-	1	1	1	-	-	-	-
73	VERMONT	227	22	76	25	20	10	4	3	1
74	Male	135	11	47	12	10	7	2	3	1
75	Female	92	11	29	13	10	3	2	-	-
76	White	227	22	76	25	20	10	4	3	1
77	Male	135	11	47	12	10	7	2	3	1
78	Female	92	11	29	13	10	3	2	-	-
79	Negro	-	-	-	-	-	-	-	-	-
80	Male	-	-	-	-	-	-	-	-	-
81	Female	-	-	-	-	-	-	-	-	-
82	Other	-	-	-	-	-	-	-	-	-
83	Male	-	-	-	-	-	-	-	-	-
84	Female	-	-	-	-	-	-	-	-	-
85	VIRGINIA	2,851	202	866	291	175	94	56	35	35
86	Male	1,652	111	517	178	96	61	23	23	17
87	Female	1,199	91	349	113	79	33	33	12	18
88	White	1,767	142	583	200	127	63	36	23	16
89	Male	1,069	84	362	125	73	48	16	18	6
90	Female	698	58	231	75	54	15	20	5	10
91	Negro	1,080	60	270	90	48	31	20	12	19
92	Male	580	27	153	52	23	13	7	5	11
93	Female	500	33	117	38	25	18	13	7	8
94	Other	4	-	3	1	-	-	-	-	-
95	Male	3	-	2	1	-	-	-	-	-
96	Female	1	-	1	-	-	-	-	-	-

Sex: United States and Each State, 1960—Con.

United States, including Alaska and Hawaii. Excludes fetal deaths)

Under 7 days	7-13 days	14-20 days	21-27 days	Under 28 days	28-59 days	2 months	3 months	4 months	5 months	6 months	7 months	8 months	9 months	10 months	11 months	
280	8	6	5	299	30	28	17	15	6	6	8	6	1	7	5	1
165	4	2	5	176	14	14	12	6	4	3	3	4	-	5	2	2
115	4	4	-	123	16	14	5	9	2	3	5	2	1	2	3	3
259	8	5	3	275	28	26	17	12	5	6	7	6	1	7	5	4
154	4	2	3	163	14	13	12	4	4	3	3	4	-	5	2	5
105	4	3	-	112	14	13	5	8	1	3	4	2	1	2	3	6
19	-	1	2	22	2	1	-	2	1	-	1	-	-	-	-	7
10	-	-	2	12	-	-	-	1	-	-	-	-	-	-	-	8
9	-	1	-	10	2	1	-	1	1	-	1	-	-	-	-	9
2	-	-	-	2	-	1	-	1	-	-	-	-	-	-	-	10
1	-	-	-	1	-	1	-	1	-	-	-	-	-	-	-	11
1	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	12
1,004	100	67	44	1,215	187	154	114	108	81	54	27	32	32	27	20	13
563	49	33	30	675	99	98	70	64	52	24	14	21	14	15	13	14
441	51	34	14	540	88	56	44	44	29	30	13	11	18	12	7	15
536	34	21	12	603	54	35	29	25	16	14	11	9	11	9	12	16
311	16	12	8	347	30	23	18	15	11	7	7	6	4	4	9	17
225	18	9	4	356	24	12	11	10	5	7	4	3	7	5	3	18
467	65	46	32	610	133	119	85	83	65	40	16	23	21	18	8	19
252	33	21	22	328	69	75	52	49	41	17	7	15	10	11	4	20
215	32	25	10	282	64	44	33	34	24	23	9	8	11	7	4	21
1	1	-	-	2	-	-	-	-	-	-	-	-	-	-	-	22
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	23
1	1	-	-	2	-	-	-	-	-	-	-	-	-	-	-	24
297	25	10	13	345	31	25	18	18	13	14	10	12	5	4	1	25
190	11	4	7	212	15	15	9	8	9	9	5	8	3	1	-	26
107	14	6	6	133	16	10	9	10	4	5	5	4	2	3	1	27
260	22	9	11	302	22	14	8	11	9	8	9	5	3	2	1	28
166	11	3	5	185	10	9	5	4	6	4	5	3	2	1	-	29
94	11	6	6	117	12	5	3	7	3	4	4	2	1	1	1	30
2	1	-	-	3	1	-	-	-	-	-	-	-	-	-	-	31
1	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	32
1	1	-	-	2	1	-	-	-	-	-	-	-	-	-	-	33
35	2	1	2	40	8	11	10	7	4	6	1	7	2	2	-	34
23	-	1	2	26	5	6	4	4	3	5	-	5	1	-	-	35
12	2	-	-	14	3	5	6	3	1	1	1	2	1	2	-	36
1,459	105	52	40	1,656	160	127	97	96	61	43	47	53	23	19	27	37
889	55	27	18	989	81	67	44	51	28	30	27	19	12	9	15	38
570	50	25	22	667	79	60	53	45	33	13	20	34	11	10	12	39
1,060	69	31	25	1,185	90	77	56	55	37	24	28	25	15	10	16	40
662	37	13	10	722	50	38	23	29	17	19	16	11	8	4	9	41
398	32	18	15	463	40	39	33	26	20	5	12	14	7	6	7	42
399	36	21	15	471	70	50	41	41	24	18	19	28	8	9	11	43
227	18	14	8	267	31	29	21	22	11	11	11	8	4	5	6	44
172	18	7	7	204	39	21	20	19	13	7	8	20	4	4	5	45
-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	46
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	47
-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	48
4,348	338	175	116	4,977	530	377	268	244	155	159	148	97	90	81	74	49
2,496	179	97	71	2,843	309	203	154	132	94	90	83	58	54	45	40	50
1,852	159	78	45	2,134	221	174	114	112	61	69	65	39	36	36	34	51
3,511	251	127	88	3,977	371	273	202	171	114	106	103	79	69	57	59	52
2,026	134	70	53	2,283	227	145	115	86	69	63	57	46	40	32	34	53
1,485	117	57	35	1,694	144	128	87	85	45	43	46	33	29	25	25	54
830	86	48	28	992	159	104	66	72	40	52	45	18	20	24	15	55
465	44	27	18	554	82	58	39	46	25	26	26	12	14	13	6	56
365	42	21	10	438	77	46	27	26	15	26	19	6	6	11	9	57
7	1	-	-	8	-	-	-	1	1	1	-	-	1	-	-	58
5	1	-	-	6	-	-	-	-	-	1	-	-	-	-	-	59
2	-	-	-	2	-	-	-	1	1	-	-	-	1	-	-	60
356	12	8	6	382	29	19	22	14	11	9	11	4	6	2	6	61
211	6	3	5	225	19	14	13	10	7	4	5	1	-	2	2	62
145	6	5	1	157	10	5	9	4	4	5	6	3	6	-	4	63
344	11	7	6	368	25	17	19	12	11	8	9	4	5	2	5	64
203	6	3	5	217	16	13	11	9	7	4	3	1	-	2	2	65
141	5	4	1	151	9	4	8	3	4	4	6	3	5	-	3	66
4	1	-	-	5	2	-	-	-	-	-	1	-	-	-	-	67
3	-	-	-	3	1	-	-	-	-	-	1	-	-	-	-	68
1	1	-	-	2	1	-	-	-	-	-	-	-	-	-	-	69
8	-	1	-	9	2	2	3	2	-	1	1	-	1	-	1	70
5	-	-	-	5	2	1	2	1	-	-	1	-	-	-	-	71
3	-	1	-	4	-	1	1	1	-	1	-	-	1	-	1	72
161	6	5	4	176	12	6	4	6	7	6	3	2	1	2	2	73
93	2	4	2	101	9	4	3	5	5	3	1	-	1	2	1	74
68	4	1	2	75	3	2	1	1	2	3	2	2	-	-	1	75
161	6	5	4	176	12	6	4	6	7	6	3	2	1	2	2	76
93	2	4	2	101	9	4	3	5	5	3	1	-	1	2	1	77
68	4	1	2	75	3	2	1	1	2	3	2	2	-	-	1	78
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	79
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	80
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	81
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	82
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	83
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	84
1,754	114	82	58	2,008	202	163	109	85	70	52	44	40	30	23	25	85
1,026	71	51	27	1,175	119	93	64	48	36	28	26	21	15	13	14	86
728	43	31	31	833	83	70	45	37	34	24	18	19	15	10	11	87
1,200	63	44	28	1,335	107	85	48	47	36	29	20	22	18	10	10	88
732	41	28	12	813	67	49	32	28	19	19	12	10	9	6	5	89
468	22	16	16	522	40	36	16	19	17	10	8	12	9	4	5	90
550	51	38	30	669	95	78	61	38	34	23	24	18	12	13	15	91
291	30	23	15	359	52	44	32	20	17	9	14	11	6	7	9	92
259	21	15	15	310	43	34	29	18	17	14	10	7	6	6	6	93
4	-	-	-	4	-	-	-	-	-	-	-	-	-	-	-	94
3	-	-	-	3	-	-	-	-	-	-	-	-	-	-	-	95
1	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	96

Table 3-1. Deaths Under 1 Year, by Age, Race, and

(By place of residence. Data refer only to deaths occurring within the

	AREA, RACE, AND SEX	Total, under 1 year	Under 1 hour	1-23 hours	1 day	2 days	3 days	4 days	5 days	6 days
1	WASHINGTON	1,529	128	515	166	111	46	23	14	18
2	Male	864	71	299	97	73	26	16	13	9
3	Female	645	57	216	69	38	20	7	1	9
4	White	1,398	124	482	150	103	45	21	12	17
5	Male	806	69	278	86	70	26	16	11	8
6	Female	592	55	204	64	33	19	5	1	9
7	Negro	54	1	17	7	4	-	1	1	1
8	Male	33	1	11	6	2	-	-	1	1
9	Female	21	-	6	1	2	-	1	-	-
10	Other	77	3	16	9	4	1	1	1	-
11	Male	45	1	10	5	1	-	-	1	-
12	Female	32	2	6	4	3	1	1	-	-
13	WEST VIRGINIA	1,005	66	277	114	74	40	17	16	13
14	Male	540	31	151	69	39	26	9	11	6
15	Female	465	35	126	45	35	14	8	5	7
16	White	933	64	267	106	69	40	16	16	12
17	Male	505	30	145	66	36	26	9	11	5
18	Female	428	34	122	40	33	14	7	5	7
19	Negro	72	2	10	8	5	-	1	-	1
20	Male	35	1	6	3	3	-	-	-	1
21	Female	37	1	4	5	2	-	1	-	-
22	Other	-	-	-	-	-	-	-	-	-
23	Male	-	-	-	-	-	-	-	-	-
24	Female	-	-	-	-	-	-	-	-	-
25	WISCONSIN	2,170	196	783	232	145	65	44	21	17
26	Male	1,260	111	443	139	87	34	23	13	10
27	Female	910	85	340	93	58	31	21	8	7
28	White	2,030	185	734	225	141	65	41	20	15
29	Male	1,182	107	416	134	83	34	22	12	9
30	Female	848	78	318	91	58	31	19	8	6
31	Negro	118	11	44	7	3	-	3	1	2
32	Male	63	4	25	5	3	-	1	1	1
33	Female	55	7	19	2	-	-	2	-	1
34	Other	22	-	5	-	1	-	-	-	-
35	Male	15	-	2	-	1	-	-	-	-
36	Female	7	-	3	-	-	-	-	-	-
37	WYOMING	240	11	85	25	24	7	7	5	3
38	Male	142	6	56	14	10	2	4	3	2
39	Female	98	5	29	11	14	5	3	2	1
40	White	226	10	82	23	24	6	7	5	3
41	Male	132	5	54	12	10	1	4	3	2
42	Female	94	5	28	11	14	5	3	2	1
43	Negro	4	-	2	1	-	-	-	-	-
44	Male	3	-	1	1	-	-	-	-	-
45	Female	1	-	1	-	-	-	-	-	-
46	Other	10	1	1	1	-	1	-	-	-
47	Male	7	1	1	1	-	1	-	-	-
48	Female	3	-	-	-	-	-	-	-	-

Sex: United States and Each State, 1960—Con.

United States, including Alaska and Hawaii. Excludes fetal deaths)

Under 7 days	7-13 days	14-20 days	21-27 days	Under 28 days	28-59 days	2 months	3 months	4 months	5 months	6 months	7 months	8 months	9 months	10 months	11 months	
1,021	62	25	18	1,126	99	95	64	40	27	25	12	12	13	9	7	1
604	37	10	10	661	47	55	35	23	19	14	8	6	8	5	3	2
417	25	15	8	465	52	40	29	17	8	11	4	6	5	4	4	3
954	59	19	18	1,050	90	86	56	29	21	20	11	9	12	8	6	4
564	35	7	10	616	40	50	30	17	15	11	7	6	7	4	3	5
390	24	12	8	434	50	36	26	12	6	9	4	3	5	4	3	6
32	3	1	-	36	4	1	5	3	1	1	-	2	1	-	-	7
22	2	-	-	24	2	-	4	2	-	-	-	-	1	-	-	8
10	1	1	-	12	2	1	1	1	1	1	-	2	-	-	-	9
35	-	5	-	40	5	8	3	8	5	4	1	1	-	1	1	10
18	-	3	-	21	5	5	1	4	4	3	1	-	-	1	-	11
17	-	2	-	19	-	3	2	4	1	1	-	1	-	-	1	12
617	49	29	18	713	69	48	39	30	27	21	19	11	7	9	12	13
342	25	14	6	387	36	33	26	14	9	6	12	5	5	3	4	14
275	24	15	12	326	33	15	13	16	18	15	7	6	2	6	8	15
590	46	25	16	677	64	39	33	25	23	21	18	11	6	8	8	16
328	24	13	6	371	33	27	20	13	8	6	11	5	5	2	4	17
262	22	12	10	306	31	12	13	12	15	15	7	6	1	6	4	18
27	3	4	2	36	5	9	6	5	4	-	1	-	1	1	4	19
14	1	1	-	16	3	6	6	1	1	-	1	-	-	1	-	20
13	2	3	2	20	2	3	-	4	3	-	-	-	1	-	4	21
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	22
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	23
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	24
1,503	73	41	30	1,647	112	91	66	56	51	45	28	25	19	13	17	25
860	47	29	18	954	62	55	44	35	23	24	20	14	12	6	11	26
643	26	12	12	693	50	36	22	21	28	21	8	11	7	7	6	27
1,426	67	38	28	1,559	100	77	62	51	47	42	22	23	18	12	17	28
817	43	28	17	905	56	48	41	31	22	21	17	13	11	6	11	29
609	24	10	11	654	44	29	21	20	25	21	5	10	7	6	6	30
71	4	2	2	79	8	10	3	3	4	3	4	2	1	1	-	31
40	3	1	1	45	2	4	2	2	1	3	2	1	1	-	-	32
31	1	1	1	34	6	6	1	1	3	-	2	1	-	1	-	33
6	2	1	-	9	4	4	1	2	-	-	2	-	-	-	-	34
3	1	-	-	4	4	3	1	2	-	-	1	-	-	-	-	35
3	1	1	-	5	-	1	-	-	-	-	1	-	-	-	-	36
167	7	6	3	183	7	19	8	5	3	1	4	2	4	3	1	37
97	3	2	2	104	5	14	4	3	3	1	2	-	4	1	1	38
70	4	4	1	79	2	5	4	2	-	-	2	2	-	2	-	39
160	7	3	3	173	6	17	8	4	3	1	4	2	4	3	1	40
91	3	1	2	97	4	13	4	2	3	1	2	-	4	1	1	41
69	4	2	1	76	2	4	4	2	-	-	2	2	-	2	-	42
3	-	1	-	4	-	-	-	-	-	-	-	-	-	-	-	43
2	-	1	-	3	-	-	-	-	-	-	-	-	-	-	-	44
1	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	45
4	-	2	-	6	1	2	-	1	-	-	-	-	-	-	-	46
4	-	-	-	4	1	1	-	1	-	-	-	-	-	-	-	47
-	-	2	-	2	-	1	-	-	-	-	-	-	-	-	-	48

684827 O - 63 - 4

Table 3-2. Deaths Under 1 Year and Under 28 Days, by Month and Color, for the United States and Each State; and by Age and Sex for the United States: 1960

(By place of residence. Data refer only to deaths occurring within the United States, including Alaska and Hawaii. Excludes fetal deaths)

AREA, AGE, AND COLOR	Total	Jan.	Feb.	Mar.	Apr.	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.
UNITED STATES													
Both Sexes													
Total, under 1 year	110,873	9,865	8,959	9,256	8,649	9,037	8,770	9,022	8,846	8,819	9,678	9,428	10,543
White	82,479	7,195	6,527	6,865	6,541	6,915	6,612	6,780	6,699	6,592	7,158	6,902	7,693
Nonwhite	28,394	2,670	2,432	2,391	2,108	2,122	2,158	2,242	2,147	2,227	2,520	2,527	2,850
Under 28 days	79,733	6,422	5,908	6,280	6,252	6,803	6,808	7,111	7,032	6,771	7,105	6,489	6,752
White	62,085	5,035	4,565	4,942	4,901	5,346	5,241	5,499	5,476	5,228	5,537	5,014	5,301
Nonwhite	17,648	1,387	1,343	1,338	1,351	1,457	1,567	1,612	1,556	1,543	1,568	1,475	1,451
Under 7 days	71,125	5,612	5,225	5,578	5,652	6,191	6,153	6,426	6,249	6,026	6,239	5,777	5,997
White	56,097	4,481	4,118	4,436	4,470	4,915	4,790	5,019	4,907	4,710	4,922	4,539	4,790
Nonwhite	15,028	1,131	1,107	1,142	1,182	1,276	1,363	1,407	1,342	1,316	1,317	1,238	1,207
Under 1 hour	8,223	678	604	678	655	728	668	718	674	684	719	682	735
White	6,590	552	483	537	529	599	539	562	532	544	574	543	596
Nonwhite	1,633	126	121	141	126	129	129	156	142	140	145	139	139
1-23 hours	35,810	2,793	2,561	2,779	2,859	3,230	3,161	3,248	3,204	3,010	3,110	2,885	2,970
White	28,003	2,223	1,994	2,219	2,234	2,542	2,418	2,519	2,486	2,337	2,407	2,253	2,371
Nonwhite	7,807	570	567	560	625	688	743	729	718	673	703	632	599
1 day	11,549	912	921	882	908	1,020	1,022	1,086	991	968	1,005	922	912
White	9,121	733	728	699	724	789	801	858	799	754	787	713	736
Nonwhite	2,428	179	193	183	184	231	221	228	192	214	218	209	176
2 days	7,533	568	528	647	600	603	641	678	635	648	700	639	648
White	6,193	465	437	531	498	505	525	558	522	514	591	518	529
Nonwhite	1,340	103	91	116	102	98	116	120	113	134	109	121	117
3 days	3,517	283	258	287	268	276	296	301	344	289	307	265	345
White	2,798	213	203	226	212	225	236	244	269	240	255	212	263
Nonwhite	719	70	55	61	54	51	60	57	75	49	52	53	82
4 days	1,973	175	158	154	170	140	166	172	179	168	180	154	177
White	1,488	137	127	99	118	111	118	123	128	127	147	119	134
Nonwhite	485	38	31	55	52	29	48	49	51	41	33	35	43
5 days	1,457	119	105	107	108	115	126	135	136	150	117	116	123
White	1,093	96	76	77	87	88	94	95	101	110	89	87	93
Nonwhite	364	23	29	30	21	27	32	40	35	40	28	29	30
6 days	1,063	84	90	64	86	79	73	88	86	109	101	114	89
White	811	62	70	48	68	56	59	60	70	84	72	94	68
Nonwhite	252	22	20	16	18	23	14	28	16	25	29	20	21
7-13 days	4,215	371	322	342	289	317	344	344	400	369	417	338	362
White	3,072	257	230	269	222	227	248	248	294	268	313	244	252
Nonwhite	1,143	114	92	73	67	90	96	96	106	101	104	94	110
14-20 days	2,479	252	181	188	178	163	178	183	220	222	266	221	227
White	1,662	172	112	129	124	114	117	122	155	148	188	132	149
Nonwhite	817	80	69	59	54	49	61	61	65	74	78	89	78
21-27 days	1,914	187	180	172	133	132	133	158	163	154	183	153	166
White	1,254	125	105	108	85	90	86	110	120	102	114	99	110
Nonwhite	660	62	75	64	48	42	47	48	43	52	69	54	56
28-59 days	7,272	699	679	634	555	481	487	502	495	582	658	686	814
White	4,818	434	428	418	365	335	364	339	345	404	414	445	527
Nonwhite	2,454	265	251	216	190	146	123	163	150	178	244	241	287
2 months	5,659	604	540	539	444	413	312	310	313	370	521	570	723
White	3,722	379	352	342	308	305	214	213	219	242	324	366	458
Nonwhite	1,937	225	188	197	136	108	98	97	94	128	197	204	265
3 months	4,268	478	422	410	325	280	262	236	203	255	358	445	614
White	2,831	293	270	250	223	216	182	169	135	179	235	290	389
Nonwhite	1,457	185	152	160	102	64	80	67	68	76	123	155	225
4 months	3,239	420	380	323	241	248	183	162	159	181	266	317	439
White	2,065	254	217	208	157	158	126	117	97	121	171	185	254
Nonwhite	1,224	166	133	115	84	90	57	45	62	60	95	132	185
5 months	2,445	290	263	230	179	187	165	140	132	147	194	206	312
White	1,554	160	168	144	128	133	111	85	90	99	114	127	195
Nonwhite	891	130	95	86	51	54	54	55	42	48	80	79	117
6 months	2,011	234	213	228	140	137	141	130	107	123	140	172	246
White	1,267	153	120	151	102	90	95	83	62	76	76	118	141
Nonwhite	744	81	93	77	38	47	46	47	45	47	64	54	105
7 months	1,671	186	173	168	139	142	92	102	106	89	107	155	212
White	1,096	116	112	115	97	107	64	65	77	55	69	95	124
Nonwhite	575	70	61	53	42	35	28	37	29	34	38	60	88
8 months	1,415	165	139	150	132	105	98	94	84	94	110	109	135
White	952	115	96	95	87	70	68	64	63	60	69	70	95
Nonwhite	463	50	43	55	45	35	30	30	21	34	41	39	40
9 months	1,138	143	90	111	104	96	80	80	59	84	75	97	119
White	768	108	67	75	76	54	58	46	34	53	48	65	84
Nonwhite	370	35	23	36	28	42	22	34	25	31	27	32	35
10 months	978	112	92	94	71	66	77	77	78	65	73	88	85
White	661	75	63	67	55	42	51	52	51	40	51	58	56
Nonwhite	317	37	29	27	16	24	26	25	27	25	22	30	29
11 months	974	112	90	89	67	79	65	78	78	58	71	95	92
White	660	73	69	58	42	59	38	48	50	35	50	69	69
Nonwhite	314	38	21	31	25	20	27	30	28	23	21	26	23
Male													
Total, under 1 year	63,936	5,724	5,113	5,356	5,001	5,171	5,094	5,240	5,000	5,066	5,542	5,446	6,183
White	48,063	4,278	3,761	3,998	3,834	4,009	3,874	4,002	3,802	3,807	4,103	4,044	4,551
Nonwhite	15,873	1,446	1,352	1,358	1,167	1,162	1,220	1,238	1,198	1,259	1,439	1,402	1,632
Under 28 days	46,290	3,726	3,396	3,678	3,621	3,924	3,992	4,172	4,022	3,903	4,083	3,784	3,989
White	36,331	2,971	2,643	2,889	2,875	3,119	3,086	3,271	3,158	3,023	3,181	2,952	3,163
Nonwhite	9,959	755	753	789	746	805	906	901	864	880	902	832	826
Under 7 days	41,436	3,278	2,997	3,265	3,303	3,581	3,606	3,797	3,590	3,500	3,582	3,370	3,559
White	32,891	2,657	2,388	2,591	2,644	2,879	2,812	3,002	2,834	2,738	2,815	2,659	2,872
Nonwhite	8,547	621	609	674	659	712	794	795	756	762	767	711	687
Under 1 hour	4,446	382	322	389	350	373	357	401	368	372	383	375	374
White	3,552	306	252	308	290	309	288	309	288	290	311	293	308
Nonwhite	894	76	70	81	60	64	69	92	80	82	72	82	66
1-23 hours	20,907	1,592	1,503	1,639	1,668	1,901	1,873	1,884	1,815	1,735	1,823	1,692	1,782
White	16,512	1,300	1,186	1,310	1,323	1,517	1,444	1,483	1,427	1,357	1,393	1,340	1,432
Nonwhite	4,395	292	317	329	345	384	429	401	388	378	430	352	350

Table 3-2. Deaths Under 1 Year and Under 28 Days, by Month and Color, for the United States and Each State; and by Age and Sex for the United States: 1960—Con.

(By place of residence. Data refer only to deaths occurring within the United States, including Alaska and Hawaii. Excludes fetal deaths)

AREA, AGE, AND COLOR	Total	Jan.	Feb.	Mar.	Apr.	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.
UNITED STATES—Continued													
Male—Continued													
Under 28 days--Continued													
Under 7 days--Continued													
1 day	6,860	533	553	502	549	603	621	660	583	573	585	533	565
White	5,447	431	451	388	435	465	493	537	475	444	458	403	467
Nonwhite	1,413	102	102	114	114	138	128	123	108	129	127	130	98
2 days	4,544	358	275	380	360	366	384	434	398	398	397	393	401
White	3,756	298	228	319	307	310	302	362	323	318	342	318	329
Nonwhite	788	60	47	61	53	56	82	72	75	80	55	75	72
3 days	2,121	189	249	180	164	165	163	184	206	179	185	146	211
White	1,682	143	117	141	131	135	128	149	161	149	148	121	159
Nonwhite	439	46	32	39	33	30	35	35	45	30	37	25	52
4 days	1,125	101	84	80	104	73	97	97	98	102	96	90	103
White	835	79	69	57	68	56	72	67	65	76	80	67	79
Nonwhite	290	22	15	23	36	17	25	30	33	26	16	23	24
5 days	839	72	56	59	64	66	74	87	70	86	63	71	71
White	649	62	43	40	54	55	56	62	53	63	48	57	56
Nonwhite	190	10	13	19	10	11	18	25	17	23	15	14	15
6 days	596	51	55	36	44	44	37	50	52	55	50	70	52
White	458	38	42	28	36	32	29	33	42	41	35	60	42
Nonwhite	138	13	13	8	8	12	8	17	10	14	15	10	10
7-13 days	2,332	202	184	204	149	164	202	183	214	197	238	190	205
White	1,730	138	130	156	117	121	152	135	161	148	185	144	143
Nonwhite	602	64	54	48	32	43	50	48	53	49	53	46	62
14-20 days	1,411	133	113	108	91	91	107	107	131	114	155	126	135
White	978	98	67	81	63	68	71	75	96	73	111	83	92
Nonwhite	433	35	46	27	28	23	36	32	35	41	44	43	43
21-27 days	1,109	113	102	101	78	78	77	85	87	92	108	98	90
White	732	78	58	61	51	51	51	59	67	64	70	66	56
Nonwhite	377	35	44	40	27	27	26	26	20	28	38	32	34
28-59 days	4,190	402	397	375	329	271	287	292	271	323	379	380	484
White	2,829	262	254	255	216	188	222	195	184	230	237	264	322
Nonwhite	1,361	140	143	120	113	83	65	97	87	93	142	116	162
2 months	3,331	371	310	328	262	241	172	184	174	214	305	333	437
White	2,234	245	202	214	190	182	116	135	118	138	200	217	277
Nonwhite	1,097	126	108	114	72	59	56	49	56	76	105	116	160
3 months	2,439	278	250	226	205	156	139	135	102	140	215	243	350
White	1,645	179	163	142	142	123	101	102	66	104	138	158	227
Nonwhite	794	99	87	84	63	33	38	33	36	36	77	85	123
4 months	1,829	240	187	180	134	132	104	88	78	106	157	175	248
White	1,145	147	117	110	91	80	75	60	46	71	102	105	141
Nonwhite	684	93	70	70	43	52	29	28	32	35	55	70	107
5 months	1,389	181	142	124	99	99	101	66	80	88	113	116	180
White	883	108	86	81	69	71	69	43	56	58	65	71	106
Nonwhite	506	73	56	43	30	28	32	23	24	30	48	45	74
6 months	1,118	134	109	123	63	83	82	68	61	70	76	111	138
White	718	90	67	84	51	49	59	44	33	47	41	73	80
Nonwhite	400	44	42	39	12	34	23	24	28	23	35	38	58
7 months	917	103	94	89	82	78	45	55	59	53	46	86	127
White	605	66	61	61	55	62	30	36	39	35	30	59	71
Nonwhite	312	37	33	28	27	16	15	19	20	18	16	27	56
8 months	757	89	77	72	72	52	55	60	41	59	58	57	65
White	512	66	54	47	46	39	37	44	31	34	36	32	46
Nonwhite	245	23	23	25	26	13	18	16	10	25	22	25	19
9 months	630	82	51	60	62	54	39	36	29	49	44	55	69
White	429	60	39	42	43	32	27	23	17	31	28	36	51
Nonwhite	201	22	12	18	19	22	12	13	12	18	16	19	18
10 months	516	55	47	49	37	40	45	39	38	37	33	50	46
White	357	41	35	39	32	29	28	23	26	21	22	32	29
Nonwhite	159	14	12	10	5	11	17	16	12	16	11	18	17
11 months	530	63	53	52	35	41	33	45	45	24	33	56	50
White	375	43	40	34	24	35	24	26	28	15	23	45	38
Nonwhite	155	20	13	18	11	6	9	19	17	9	10	11	12
Female													
Total, under 1 year	46,937	4,141	3,846	3,900	3,648	3,866	3,676	3,782	3,846	3,753	4,136	3,983	4,360
White	34,416	2,917	2,766	2,867	2,707	2,906	2,738	2,778	2,897	2,785	3,055	2,858	3,142
Nonwhite	12,521	1,224	1,080	1,033	941	960	938	1,004	949	968	1,081	1,125	1,218
Under 28 days	33,443	2,696	2,512	2,602	2,631	2,879	2,816	2,939	3,010	2,868	3,022	2,705	2,763
White	25,754	2,064	1,922	2,053	2,026	2,227	2,155	2,228	2,318	2,205	2,356	2,062	2,138
Nonwhite	7,689	632	590	549	605	652	661	711	692	663	666	643	625
Under 7 days	29,687	2,334	2,228	2,313	2,349	2,600	2,547	2,629	2,659	2,526	2,657	2,407	2,438
White	23,206	1,824	1,730	1,845	1,826	2,036	1,978	2,017	2,073	1,972	2,107	1,880	1,918
Nonwhite	6,481	510	498	468	523	564	569	612	586	554	550	527	520
Under 1 hour	3,777	296	282	289	305	355	311	317	306	312	336	307	361
White	3,038	246	231	229	239	290	251	253	244	254	263	250	288
Nonwhite	739	50	51	60	66	65	60	64	62	58	73	57	73
1-23 hours	14,903	1,201	1,058	1,140	1,191	1,329	1,288	1,364	1,389	1,275	1,287	1,193	1,188
White	11,491	923	808	909	911	1,025	974	1,036	1,059	980	1,014	913	939
Nonwhite	3,412	278	250	231	280	304	314	328	330	295	273	280	249
1 day	4,689	379	368	380	359	417	401	426	408	395	420	389	347
White	3,674	302	277	311	289	324	308	321	324	310	329	310	269
Nonwhite	1,015	77	91	69	70	93	93	105	84	85	91	79	78
2 days	2,989	210	253	267	240	237	257	244	237	250	303	246	245
White	2,437	167	209	212	191	195	223	195	199	196	249	200	200
Nonwhite	552	43	44	55	49	42	34	48	38	54	54	46	45
3 days	1,396	94	109	107	102	111	133	117	138	110	122	119	134
White	1,116	70	86	85	81	90	108	95	108	91	107	91	104
Nonwhite	280	24	23	22	21	21	25	22	30	19	15	28	30
4 days	848	74	74	54	66	67	69	75	81	66	84	64	74
White	653	58	58	42	50	55	46	56	63	51	67	52	55
Nonwhite	195	16	16	12	16	12	23	19	18	15	17	12	19
5 days	618	47	49	48	44	49	52	48	66	64	54	45	52
White	444	34	33	37	33	33	38	33	48	47	41	30	37
Nonwhite	174	13	16	11	11	16	14	15	18	17	13	15	15

Table 3-2. Deaths Under 1 Year and Under 28 Days, by Month and Color, for the United States and Each State; and by Age and Sex for the United States: 1960—Con.

(By place of residence. Data refer only to deaths occurring within the United States, including Alaska and Hawaii. Excludes fetal deaths)

AREA, AGE, AND COLOR	Total	Jan.	Feb.	Mar.	Apr.	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.
UNITED STATES—Continued													
Female—Continued													
Under 28 days--Continued													
Under 7 days--Continued													
6 days	467	33	35	28	42	35	36	38	34	54	51	44	37
White	353	24	28	20	32	24	30	27	28	43	37	34	26
Nonwhite	114	9	7	8	10	11	6	11	6	11	14	10	11
7-13 days	1,883	169	138	138	140	153	142	161	186	172	179	148	157
White	1,342	119	100	113	105	106	96	113	133	120	128	100	109
Nonwhite	541	50	38	25	35	47	46	48	53	52	51	48	48
14-20 days	1,068	119	68	80	87	72	71	76	89	108	111	95	92
White	684	74	45	48	61	46	46	47	59	75	77	49	57
Nonwhite	384	45	23	32	26	26	25	29	30	33	34	46	35
21-27 days	805	74	78	71	55	54	56	73	76	62	75	55	76
White	522	47	47	47	34	39	35	51	53	38	44	33	54
Nonwhite	283	27	31	24	21	15	21	22	23	24	31	22	22
28-59 days	3,082	297	282	259	226	210	200	210	224	259	279	306	330
White	1,989	172	174	163	149	147	142	144	161	174	177	181	205
Nonwhite	1,093	125	108	96	77	63	58	66	63	85	102	125	125
2 months	2,328	233	230	211	182	172	140	126	139	156	216	237	286
White	1,488	134	150	128	118	123	98	78	101	104	124	149	181
Nonwhite	840	99	80	83	64	49	42	48	38	52	92	88	105
3 months	1,849	200	172	184	120	124	123	101	101	115	143	202	264
White	1,186	114	107	108	81	93	81	67	69	75	97	132	162
Nonwhite	663	86	65	76	39	31	42	34	32	40	46	70	102
4 months	1,460	180	163	143	107	116	79	74	81	75	109	142	191
White	920	107	100	98	66	78	51	57	51	50	69	80	113
Nonwhite	540	73	63	45	41	38	28	17	30	25	40	62	78
5 months	1,066	109	121	106	80	88	64	74	52	59	81	90	132
White	671	52	82	63	59	62	42	42	34	41	49	56	89
Nonwhite	385	57	39	43	21	26	22	32	18	18	32	34	43
6 months	893	100	104	105	77	54	59	62	46	53	64	61	108
White	549	63	53	67	51	41	36	39	29	29	35	45	61
Nonwhite	344	37	51	38	26	13	23	23	17	24	29	16	47
7 months	754	83	79	79	57	64	47	47	47	36	61	69	85
White	491	50	51	54	42	45	34	29	38	20	39	36	53
Nonwhite	263	33	28	25	15	19	13	18	9	16	22	33	32
8 months	658	76	62	78	60	53	43	34	43	35	52	52	70
White	440	49	42	48	41	31	31	20	32	26	33	38	49
Nonwhite	218	27	20	30	19	22	12	14	11	9	19	14	21
9 months	508	61	39	51	42	42	41	44	30	35	31	42	50
White	339	48	28	33	33	22	31	23	17	22	20	29	33
Nonwhite	169	13	11	18	9	20	10	21	13	13	11	13	17
10 months	462	57	45	45	34	26	32	38	40	28	40	38	39
White	304	34	28	28	23	13	23	29	25	19	29	26	27
Nonwhite	158	23	17	17	11	13	9	9	15	9	11	12	12
11 months	444	49	37	37	32	38	32	33	33	34	38	39	42
White	285	30	29	24	18	24	14	22	22	20	27	24	31
Nonwhite	159	19	8	13	14	14	18	11	11	14	11	15	11
ALABAMA													
Under 1 year	2,616	279	200	216	168	201	200	209	216	208	234	223	262
White	1,266	117	85	104	93	105	93	100	116	106	123	105	119
Nonwhite	1,350	162	115	112	75	96	107	109	100	102	111	118	143
Under 28 days	1,668	147	107	128	115	151	157	148	156	155	149	127	128
White	942	79	52	73	72	88	78	82	94	88	90	73	73
Nonwhite	726	68	55	55	43	63	79	66	62	67	59	54	55
ALASKA													
Under 1 year	306	29	19	16	29	34	41	25	27	22	18	23	23
White	145	12	8	10	14	11	20	8	12	11	13	12	14
Nonwhite	161	17	11	6	15	23	21	17	15	11	5	11	9
Under 28 days	172	19	10	11	17	15	25	10	17	16	9	12	11
White	109	10	5	9	12	5	17	8	10	10	7	8	8
Nonwhite	63	9	5	2	5	10	8	2	7	6	2	4	3
ARIZONA													
Under 1 year	1,174	107	75	98	82	77	87	105	87	108	114	97	137
White	823	76	58	64	59	59	57	73	57	86	72	66	96
Nonwhite	351	31	17	34	23	18	30	32	30	22	42	31	41
Under 28 days	711	60	44	59	53	42	57	70	60	77	71	48	70
White	584	50	36	46	47	37	45	60	43	67	59	42	52
Nonwhite	127	10	8	13	6	5	12	10	17	10	12	6	18
ARKANSAS													
Under 1 year	1,110	118	86	90	74	89	96	78	96	93	97	103	90
White	637	48	44	60	50	65	48	51	57	56	54	54	50
Nonwhite	473	70	42	30	24	24	48	27	39	37	43	49	40
Under 28 days	716	65	46	57	50	61	68	59	74	74	55	60	47
White	469	36	25	43	38	49	40	39	45	47	37	36	34
Nonwhite	247	29	21	14	12	12	28	20	29	27	18	24	13
CALIFORNIA													
Under 1 year	8,677	760	708	725	706	676	726	716	687	703	749	730	791
White	7,429	651	618	623	608	584	612	622	607	585	626	621	672
Nonwhite	1,248	109	90	102	98	92	114	94	80	118	123	109	119
Under 28 days	6,413	493	500	531	555	519	573	555	556	535	561	494	541
White	5,498	428	443	452	480	453	482	480	488	447	465	424	456
Nonwhite	915	65	57	79	75	66	91	75	68	88	96	70	85
COLORADO													
Under 1 year	1,180	108	91	97	90	101	82	97	121	106	113	80	94
White	1,110	103	79	89	84	97	76	96	119	96	111	75	85
Nonwhite	70	5	12	8	6	4	6	1	2	10	2	5	9
Under 28 days	910	82	70	77	67	79	66	83	99	82	81	61	63
White	856	79	62	70	62	75	60	83	97	74	79	56	59
Nonwhite	54	3	8	7	5	4	6	-	2	8	2	5	4

Table 3-2. Deaths Under 1 Year and Under 28 Days, by Month and Color, for the United States and Each State; and by Age and Sex for the United States: 1960—Con.

(By place of residence. Data refer only to deaths occurring within the United States, including Alaska and Hawaii. Excludes fetal deaths)

AREA, AGE, AND COLOR	Total	Jan.	Feb.	Mar.	Apr.	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.
CONNECTICUT													
Under 1 year	1,197	106	86	104	84	107	102	95	83	99	119	102	110
White	1,062	95	76	89	77	94	93	87	77	86	103	92	93
Nonwhite	135	11	10	15	7	13	9	8	6	13	16	10	17
Under 28 days	932	80	66	83	58	81	76	76	68	83	102	83	76
White	833	74	60	73	55	70	68	70	65	72	87	74	65
Nonwhite	99	6	6	10	3	11	8	6	3	11	15	9	11
DELAWARE													
Under 1 year	276	21	26	20	22	24	18	21	21	22	23	29	29
White	168	12	13	12	16	14	13	16	11	13	13	18	17
Nonwhite	108	9	13	8	6	10	5	5	10	9	10	11	12
Under 28 days	187	14	16	13	16	15	14	16	13	18	10	24	18
White	120	8	9	9	12	8	11	11	8	11	7	16	10
Nonwhite	67	6	7	4	4	7	3	5	5	7	3	8	8
DISTRICT OF COLUMBIA													
Under 1 year	723	54	53	66	59	75	55	53	58	59	62	60	69
White	182	10	17	22	19	17	14	7	21	17	14	13	11
Nonwhite	541	44	36	44	40	58	41	46	37	42	48	47	58
Under 28 days	545	28	36	45	43	60	47	41	52	48	50	46	49
White	138	7	9	16	14	13	12	5	18	13	12	9	10
Nonwhite	407	21	27	29	29	47	35	36	34	35	38	37	39
FLORIDA													
Under 1 year	3,433	330	325	249	239	288	265	255	289	285	291	280	337
White	1,994	183	183	150	153	164	154	151	155	173	179	153	196
Nonwhite	1,439	147	142	99	86	124	111	104	134	112	112	127	141
Under 28 days	2,403	198	195	154	168	217	203	192	234	221	229	187	205
White	1,531	127	122	113	114	132	127	127	136	141	152	106	134
Nonwhite	872	71	73	41	54	85	76	65	98	80	77	81	71
GEORGIA													
Under 1 year	3,290	294	285	296	230	231	259	254	254	247	318	298	324
White	1,584	133	129	139	119	121	140	129	123	118	146	133	154
Nonwhite	1,706	161	156	157	111	110	119	125	131	129	172	165	170
Under 28 days	2,127	166	169	156	149	169	200	193	180	173	218	174	180
White	1,186	90	83	96	85	95	117	105	104	96	115	94	106
Nonwhite	941	76	86	60	64	74	83	88	76	77	103	80	74
HAWAII													
Under 1 year	399	34	44	32	32	34	28	21	32	32	35	40	35
White	114	12	16	10	7	10	7	4	9	6	12	11	10
Nonwhite	285	22	28	22	25	24	21	17	23	26	23	29	25
Under 28 days	317	30	34	23	25	28	24	19	22	26	25	34	27
White	97	10	14	8	5	9	7	4	7	5	10	10	8
Nonwhite	220	20	20	15	20	19	17	15	15	21	15	24	19
IDAHO													
Under 1 year	394	36	24	31	29	43	34	32	31	32	36	43	23
White	383	35	24	30	29	42	34	31	29	31	34	42	22
Nonwhite	11	1	-	1	-	1	-	1	2	1	2	1	1
Under 28 days	297	23	17	25	23	34	24	25	19	20	31	35	21
White	291	22	17	24	23	33	24	25	19	20	29	35	20
Nonwhite	6	1	-	1	-	1	-	-	-	-	2	-	1
ILLINOIS													
Under 1 year	5,968	470	487	523	521	481	474	470	503	486	487	522	544
White	4,453	352	354	374	377	367	374	344	389	363	354	400	405
Nonwhite	1,515	118	133	149	144	114	100	126	114	123	133	122	139
Under 28 days	4,332	309	320	352	364	353	361	352	403	374	366	382	396
White	3,366	236	253	265	277	276	291	270	325	291	279	303	300
Nonwhite	966	73	67	87	87	77	70	82	78	83	87	79	96
INDIANA													
Under 1 year	2,689	236	203	206	221	249	198	177	235	240	239	234	251
White	2,335	194	176	181	185	220	170	156	205	205	212	213	218
Nonwhite	354	42	27	25	36	29	28	21	30	35	27	21	33
Under 28 days	1,973	170	143	148	159	186	151	134	183	178	177	177	167
White	1,732	139	125	130	137	169	128	118	160	153	162	163	148
Nonwhite	241	31	18	18	22	17	23	16	23	25	15	14	19
IOWA													
Under 1 year	1,404	130	102	111	121	120	133	117	114	120	123	96	117
White	1,369	120	97	111	121	118	131	115	113	117	116	96	114
Nonwhite	35	10	5	-	-	2	2	2	1	3	7	-	3
Under 28 days	1,070	98	69	83	81	93	104	98	97	101	94	70	82
White	1,046	91	68	83	81	91	102	96	96	98	90	70	80
Nonwhite	24	7	1	-	-	2	2	2	1	3	4	-	2
KANSAS													
Under 1 year	1,119	118	95	83	89	101	83	102	81	76	95	102	94
White	1,005	102	84	74	75	97	77	95	72	66	86	97	80
Nonwhite	114	16	11	9	14	4	6	7	9	10	9	5	14
Under 28 days	855	72	71	53	64	81	71	91	62	68	76	84	62
White	781	64	63	48	56	79	66	84	56	59	68	81	57
Nonwhite	74	8	8	5	8	2	5	7	6	9	8	3	5
KENTUCKY													
Under 1 year	2,015	185	170	162	147	175	147	146	155	168	168	165	227
White	1,713	150	149	149	121	150	122	122	129	142	141	139	199
Nonwhite	302	35	21	13	26	25	25	24	26	26	27	26	28
Under 28 days	1,418	123	114	97	93	131	115	120	125	127	118	119	136
White	1,231	101	100	88	78	117	97	101	111	108	101	105	124
Nonwhite	187	22	14	9	15	14	18	19	14	19	17	14	12

Table 3-2. Deaths Under 1 Year and Under 28 Days, by Month and Color, for the United States and Each State; and by Age and Sex for the United States: 1960—Con.

(By place of residence. Data refer only to deaths occurring within the United States, including Alaska and Hawaii. Excludes fetal deaths)

AREA, AGE, AND COLOR	Total	Jan.	Feb.	Mar.	Apr.	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.
LOUISIANA													
Under 1 year	2,888	252	241	252	219	209	241	242	216	231	228	269	288
White	1,251	109	106	123	109	98	95	89	91	107	104	107	113
Nonwhite	1,637	143	135	129	110	111	146	153	125	124	124	162	175
Under 28 days	1,959	133	139	152	156	153	173	181	180	182	170	182	158
White	965	73	70	86	84	79	77	77	80	88	85	82	84
Nonwhite	994	60	69	66	72	74	96	104	100	94	85	100	74
MAINE													
Under 1 year	592	55	45	41	60	37	58	43	46	43	57	47	60
White	588	55	45	41	59	36	57	43	45	43	57	47	60
Nonwhite	4	-	-	-	1	1	1	-	1	-	-	-	-
Under 28 days	438	36	35	28	42	30	37	32	42	35	44	35	42
White	436	36	35	28	41	30	37	32	41	35	44	35	42
Nonwhite	2	-	-	-	1	-	-	-	1	-	-	-	-
MARYLAND													
Under 1 year	2,108	199	184	187	157	175	171	173	150	177	199	150	186
White	1,336	122	128	112	103	107	117	102	102	118	129	78	118
Nonwhite	772	77	56	75	54	68	54	71	48	59	70	72	68
Under 28 days	1,550	132	119	121	117	138	144	143	116	135	148	103	134
White	1,035	87	90	77	81	86	98	87	81	97	100	60	91
Nonwhite	515	45	29	44	36	52	46	56	35	38	48	43	43
MASSACHUSETTS													
Under 1 year	2,490	211	196	212	192	204	235	209	156	195	216	232	232
White	2,343	197	183	209	182	194	219	199	144	185	198	217	216
Nonwhite	147	14	13	3	10	10	16	10	12	10	18	15	16
Under 28 days	1,890	160	140	169	145	155	186	173	134	149	163	157	159
White	1,786	147	131	166	139	149	173	164	124	142	153	151	148
Nonwhite	104	13	9	3	7	6	13	9	10	7	10	6	11
MICHIGAN													
Under 1 year	4,704	422	380	410	372	413	361	355	355	406	391	411	428
White	3,833	333	310	351	292	343	293	287	291	339	312	343	339
Nonwhite	871	89	70	59	80	70	68	68	64	67	79	68	89
Under 28 days	3,581	297	277	294	279	310	283	276	304	322	309	312	318
White	2,936	240	228	256	220	254	226	228	249	270	252	265	248
Nonwhite	645	57	49	38	59	56	57	48	55	52	57	47	70
MINNESOTA													
Under 1 year	1,890	159	159	141	154	171	165	165	163	149	160	141	163
White	1,853	156	156	134	153	166	161	162	161	148	158	137	161
Nonwhite	37	3	3	7	1	5	4	3	2	1	2	4	2
Under 28 days	1,402	106	113	103	104	130	141	125	131	113	126	99	111
White	1,384	105	112	97	104	126	140	123	130	113	125	99	110
Nonwhite	18	1	1	6	-	4	1	2	1	-	1	-	1
MISSISSIPPI													
Under 1 year	2,461	244	205	209	167	148	179	216	184	205	222	228	254
White	721	70	49	61	59	56	57	75	49	68	57	56	64
Nonwhite	1,740	174	156	148	108	92	122	141	135	137	165	172	190
Under 28 days	1,499	120	95	133	113	106	126	155	138	147	124	126	116
White	552	47	33	50	40	49	47	58	42	61	45	40	40
Nonwhite	947	73	62	83	73	57	79	97	96	86	79	86	76
MISSOURI													
Under 1 year	2,420	199	182	209	191	214	175	189	195	175	237	209	245
White	1,810	148	136	162	143	164	123	142	143	127	180	156	186
Nonwhite	610	51	46	47	48	50	52	47	52	48	57	53	59
Under 28 days	1,765	133	111	138	144	168	143	154	158	141	167	143	167
White	1,357	103	88	109	107	129	102	115	118	104	131	114	137
Nonwhite	408	30	23	29	37	37	41	39	40	37	36	29	30
MONTANA													
Under 1 year	436	40	36	26	38	26	38	46	36	35	44	29	42
White	392	39	31	23	36	26	36	36	33	29	39	27	35
Nonwhite	44	1	5	3	2	-	2	8	3	6	5	2	7
Under 28 days	299	25	20	14	28	17	28	35	31	25	30	18	28
White	280	25	19	13	27	17	27	30	28	23	30	18	23
Nonwhite	19	-	1	1	1	-	1	5	3	2	-	-	5
NEBRASKA													
Under 1 year	749	51	47	54	56	63	56	76	85	74	62	57	68
White	697	49	44	48	50	57	52	72	75	69	62	55	64
Nonwhite	52	2	3	6	6	6	4	4	10	5	-	2	4
Under 28 days	593	36	38	48	42	47	45	64	70	59	57	40	47
White	556	35	36	43	40	43	42	61	63	55	57	38	43
Nonwhite	37	1	2	5	2	4	3	3	7	4	-	2	4
NEVADA													
Under 1 year	219	13	12	20	12	14	20	14	18	14	29	21	32
White	187	12	11	18	9	10	19	11	17	9	28	17	26
Nonwhite	32	1	1	2	3	4	1	3	1	5	1	4	6
Under 28 days	153	9	7	10	11	7	18	11	15	12	19	13	21
White	138	8	7	9	9	6	18	9	14	9	19	11	19
Nonwhite	15	1	-	1	2	1	-	2	1	3	-	2	2
NEW HAMPSHIRE													
Under 1 year	327	27	26	28	32	26	20	31	28	25	29	20	35
White	326	27	26	28	32	26	20	30	28	25	29	20	35
Nonwhite	1	-	-	-	-	-	-	1	-	-	-	-	-
Under 28 days	262	21	19	21	25	20	19	30	22	21	24	17	23
White	261	21	19	21	25	20	19	29	22	21	24	17	23
Nonwhite	1	-	-	-	-	-	1	-	-	-	-	-	-

Table 3-2. Deaths Under 1 Year and Under 28 Days, by Month and Color, for the United States and Each State; and by Age and Sex for the United States: 1960—Con.

(By place of residence. Data refer only to deaths occurring within the United States, including Alaska and Hawaii. Excludes fetal deaths)

AREA, AGE, AND COLOR	Total	Jan.	Feb.	Mar.	Apr.	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.
NEW JERSEY													
Under 1 year	3,251	284	271	246	269	247	276	262	280	273	269	259	315
White	2,516	218	209	196	202	196	205	201	218	204	217	201	249
Nonwhite	735	66	62	50	67	51	71	61	62	69	52	58	66
Under 28 days	2,455	194	189	180	182	191	222	219	222	229	208	195	224
White	1,952	160	150	150	142	158	168	171	175	171	171	153	183
Nonwhite	503	34	39	30	40	33	54	48	47	58	37	42	41
NEW MEXICO													
Under 1 year	1,019	91	101	106	69	81	89	80	63	66	108	87	78
White	846	77	82	84	53	69	71	71	54	51	91	77	66
Nonwhite	173	14	19	22	16	12	18	9	9	15	17	10	12
Under 28 days	620	46	67	67	40	54	59	57	38	36	59	50	47
White	551	44	58	59	35	51	49	53	35	32	52	44	39
Nonwhite	69	2	9	8	5	3	10	4	3	4	7	6	8
NEW YORK													
Under 1 year	8,673	757	687	748	708	758	657	719	702	672	782	719	764
White	6,735	596	508	566	558	601	497	547	563	515	621	560	605
Nonwhite	1,938	161	181	182	150	157	160	172	139	157	161	159	159
Under 28 days	6,569	526	489	522	525	591	525	605	587	540	614	533	512
White	5,138	426	361	408	419	476	389	449	472	418	496	411	413
Nonwhite	1,431	100	128	114	106	115	136	156	115	122	118	122	99
NORTH CAROLINA													
Under 1 year	3,484	309	305	297	250	242	237	282	290	241	294	347	390
White	1,677	141	140	144	131	120	131	140	151	113	134	171	161
Nonwhite	1,807	168	165	153	119	122	106	142	139	128	160	176	229
Under 28 days	2,219	172	165	166	176	171	181	225	220	174	195	200	174
White	1,244	98	92	99	101	86	101	125	128	90	112	118	94
Nonwhite	975	74	73	67	75	85	80	100	92	84	83	82	80
NORTH DAKOTA													
Under 1 year	413	33	27	34	28	45	33	34	33	36	36	34	40
White	386	31	24	29	28	43	33	33	32	33	33	33	34
Nonwhite	27	2	3	5	-	2	-	1	1	3	3	1	6
Under 28 days	317	22	17	23	25	37	30	29	27	27	24	25	31
White	303	21	14	22	25	35	30	29	26	26	22	25	28
Nonwhite	14	1	3	1	-	2	-	-	1	1	2	-	3
OHIO													
Under 1 year	5,547	444	451	502	449	479	403	473	459	422	479	451	535
White	4,593	359	365	409	373	392	330	398	387	350	392	375	463
Nonwhite	954	85	86	93	76	87	73	75	72	72	87	76	72
Under 28 days	4,249	320	323	381	336	377	319	397	377	344	377	326	372
White	3,528	263	264	309	282	308	266	333	315	286	309	270	323
Nonwhite	721	57	59	72	54	69	53	64	62	58	68	56	49
OKLAHOMA													
Under 1 year	1,298	122	98	97	100	131	101	114	97	96	114	103	125
White	995	90	71	70	81	97	83	90	78	78	89	77	91
Nonwhite	303	32	27	27	19	34	18	24	19	18	25	26	34
Under 28 days	938	87	55	65	68	101	81	94	74	67	85	71	90
White	766	69	43	49	58	84	69	79	60	57	71	56	71
Nonwhite	172	18	12	16	10	17	12	15	14	10	14	15	19
OREGON													
Under 1 year	891	78	75	68	63	74	78	71	62	84	71	72	95
White	852	75	69	62	61	71	76	71	59	82	67	67	92
Nonwhite	39	3	6	6	2	3	2	-	3	2	4	5	3
Under 28 days	636	48	49	44	48	50	57	54	53	68	52	51	62
White	612	48	46	41	47	48	55	54	50	66	50	47	60
Nonwhite	24	-	3	3	1	2	2	-	3	2	2	4	2
PENNSYLVANIA													
Under 1 year	5,922	494	460	453	527	493	504	512	476	478	507	479	539
White	4,888	419	382	384	429	412	399	423	395	399	402	388	456
Nonwhite	1,034	75	78	69	98	81	105	89	81	79	105	91	83
Under 28 days	4,566	347	335	328	397	389	409	425	399	387	398	381	371
White	3,815	303	280	285	325	324	326	353	333	322	326	311	327
Nonwhite	751	44	55	43	72	65	83	72	66	65	72	70	44
RHODE ISLAND													
Under 1 year	428	42	35	34	36	35	33	31	42	35	35	25	45
White	395	39	33	32	29	33	33	29	40	33	31	22	41
Nonwhite	33	3	2	2	7	2	-	2	2	2	4	3	4
Under 28 days	299	34	23	23	27	24	22	18	29	30	26	16	27
White	275	31	21	22	21	22	22	17	27	29	24	14	25
Nonwhite	24	3	2	1	6	2	-	1	2	1	2	2	2
SOUTH CAROLINA													
Under 1 year	2,051	211	175	200	141	144	130	167	144	150	173	189	227
White	828	75	57	70	52	69	58	87	68	70	64	73	85
Nonwhite	1,223	136	118	130	89	75	72	80	76	80	109	116	142
Under 28 days	1,215	107	87	111	94	103	97	120	102	98	108	100	90
White	603	45	36	45	42	53	46	71	56	57	53	51	48
Nonwhite	612	62	51	66	52	50	51	49	46	39	55	49	42
SOUTH DAKOTA													
Under 1 year	496	29	46	36	34	50	31	52	32	37	51	32	66
White	394	22	39	25	28	41	26	38	27	29	36	23	60
Nonwhite	102	7	7	11	6	9	5	14	5	8	15	9	6
Under 28 days	345	20	36	21	27	35	24	38	26	29	30	17	42
White	302	17	31	18	23	33	20	29	24	24	28	15	40
Nonwhite	43	3	5	3	4	2	4	9	2	5	2	2	2

Table 3-2. Deaths Under 1 Year and Under 28 Days, by Month and Color, for the United States and Each State; and by Age and Sex for the United States: 1960—Con.

(By place of residence. Data refer only to deaths occurring within the United States, including Alaska and Hawaii. Excludes fetal deaths)

AREA, AGE, AND COLOR	Total	Jan.	Feb.	Mar.	Apr.	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.
TENNESSEE													
Under 1 year	2,409	251	195	199	197	186	167	177	170	192	215	214	246
White	1,618	178	141	137	125	134	121	115	115	125	133	131	163
Nonwhite	791	73	54	62	72	52	46	62	55	67	82	83	83
Under 28 days	1,656	154	125	123	142	141	129	139	127	143	155	125	153
White	1,185	114	100	87	98	104	98	94	90	98	102	86	114
Nonwhite	471	40	25	36	44	37	31	45	37	45	53	39	39
TEXAS													
Under 1 year	7,200	633	559	577	500	572	568	637	608	564	642	649	691
White	5,581	481	420	447	381	452	458	507	480	451	480	494	520
Nonwhite	1,619	152	139	130	119	120	110	130	128	113	152	155	171
Under 28 days	4,977	410	356	383	364	411	416	474	468	410	454	410	421
White	3,977	333	280	304	287	329	346	381	368	336	350	321	342
Nonwhite	1,000	77	76	79	77	82	70	93	100	74	104	89	79
UTAH													
Under 1 year	515	59	36	36	43	46	59	44	37	35	37	53	30
White	485	58	31	32	37	44	57	42	37	34	35	50	28
Nonwhite	30	1	5	4	6	2	2	2	-	1	2	3	2
Under 28 days	382	42	26	30	28	32	46	37	31	28	27	34	21
White	368	42	23	26	25	31	45	37	31	28	27	33	20
Nonwhite	14	-	3	4	3	1	1	-	-	-	-	1	1
VERMONT													
Under 1 year	227	20	20	26	20	12	20	23	16	15	29	9	17
White	227	20	20	26	20	12	20	23	16	15	29	9	17
Nonwhite	-	-	-	-	-	-	-	-	-	-	-	-	-
Under 28 days	176	13	16	18	13	10	16	19	14	13	24	8	12
White	176	13	16	18	13	10	16	19	14	13	24	8	12
Nonwhite	-	-	-	-	-	-	-	-	-	-	-	-	-
VIRGINIA													
Under 1 year	2,851	265	248	260	206	215	214	216	232	226	233	250	286
White	1,767	165	155	160	137	136	139	141	146	126	141	155	166
Nonwhite	1,084	100	93	100	69	79	75	75	86	100	92	95	120
Under 28 days	2,008	165	161	168	145	172	171	166	180	170	158	172	180
White	1,335	114	104	116	106	112	111	111	118	106	106	117	114
Nonwhite	673	51	57	52	39	60	60	55	62	64	52	55	66
WASHINGTON													
Under 1 year	1,529	154	116	136	140	145	140	115	112	103	115	118	135
White	1,398	142	109	128	125	127	130	105	101	94	110	112	115
Nonwhite	131	12	7	8	15	18	10	10	11	9	5	6	20
Under 28 days	1,126	112	82	100	106	104	105	97	81	65	85	85	104
White	1,050	108	79	95	93	97	98	90	76	61	84	79	90
Nonwhite	76	4	3	5	13	7	7	7	5	4	1	6	14
WEST VIRGINIA													
Under 1 year	1,005	95	85	86	86	72	66	91	83	80	81	84	96
White	933	93	72	79	82	63	60	87	78	75	75	80	89
Nonwhite	72	2	13	7	4	9	6	4	5	5	6	4	7
Under 28 days	713	58	50	61	64	52	53	75	68	61	56	57	58
White	677	57	42	57	63	47	50	73	65	58	54	56	55
Nonwhite	36	1	8	4	1	5	3	2	3	3	2	1	3
WISCONSIN													
Under 1 year	2,170	194	150	183	167	178	192	175	166	162	191	193	219
White	2,030	183	142	168	153	163	176	161	155	154	185	184	206
Nonwhite	140	11	8	15	14	15	16	14	11	8	6	9	13
Under 28 days	1,647	151	100	130	120	141	148	148	133	123	152	154	147
White	1,559	143	95	122	114	131	139	137	125	118	147	148	140
Nonwhite	88	8	5	8	6	10	9	11	8	5	5	6	7
WYOMING													
Under 1 year	240	13	27	18	23	26	25	15	20	17	21	21	14
White	226	11	25	16	22	22	25	14	19	17	21	20	14
Nonwhite	14	2	2	2	1	4	-	1	1	-	-	1	-
Under 28 days	183	9	17	10	19	23	19	14	15	14	15	17	11
White	173	8	16	9	18	20	19	13	14	14	15	16	11
Nonwhite	10	1	1	1	1	3	-	1	1	-	-	1	-

Table 3-3. Deaths Under 1 Year, Under 28 Days, and 28 Days to 11 Months, from 55 Selected Causes, by Month: United States, 1960

(Data refer only to deaths occurring within the United States, including Alaska and Hawaii. Excludes fetal deaths. Numbers after causes of death are category numbers of the Seventh Revision of the International Lists, 1955)

AGE AND CAUSE OF DEATH	Total	Jan.	Feb.	Mar.	Apr.	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.
UNDER 1 YEAR—ALL CAUSES	110,873	9,865	8,959	9,256	8,649	9,037	8,770	9,022	8,846	8,819	9,678	9,429	10,543
Dysentery, all forms—045-048	140	12	11	7	4	4	12	11	18	16	18	18	9
Septicemia and pyemia—053	408	40	44	33	23	24	42	26	21	34	33	29	59
Whooping cough—056	73	6	6	7	6	11	3	6	6	3	11	4	4
Meningococcal infections—057	196	29	19	19	16	14	10	6	12	10	25	15	21
Tetanus—061	69	9	8	3	2	6	9	6	3	7	7	4	5
Other infective and parasitic diseases—001-044,049-052,054,055,058-060,062-138	557	52	51	59	56	57	41	41	30	34	43	42	51
Malignant neoplasms, including neoplasms of lymphatic and hematopoietic tissues—140-205	298	23	41	15	24	27	25	24	16	17	30	28	28
Benign neoplasms and neoplasms of unspecified nature—210-239	138	11	10	13	11	12	11	16	10	9	7	18	10
Diseases of thymus gland—273	115	10	19	9	10	13	14	10	3	5	5	7	10
Meningitis, except meningococcal and tuberculous—340	872	96	72	78	83	58	62	49	44	56	81	82	111
Other diseases of nervous system and sense organs—330-334,341-398	950	95	91	61	78	74	81	72	79	58	78	99	84
Acute upper respiratory infections—470-475	417	50	54	46	36	30	16	19	12	21	31	50	52
Influenza and pneumonia, except pneumonia of newborn—480-493	9,828	1,247	1,219	1,164	780	674	488	442	386	454	742	857	1,375
Influenza—480-483	538	100	160	109	28	19	5	5	8	9	25	19	51
Pneumonia, except pneumonia of newborn—490-493	9,290	1,147	1,059	1,055	752	655	483	437	378	445	717	838	1,324
Bronchitis—500-502	656	73	73	66	54	42	40	32	33	31	40	87	85
Other diseases of respiratory system—510-522,525-527	1,539	187	144	150	113	112	94	106	68	140	108	135	182
Pulmonary congestion and hypostasis—522	184	12	12	15	15	15	16	18	12	18	13	21	17
Other chronic interstitial pneumonia—525	933	112	97	94	69	65	57	63	38	86	59	81	112
Bronchiectasis—526	1	-	-	1	-	-	-	-	-	-	-	-	-
Other diseases of lung and pleural cavity—527.2	236	31	20	27	19	21	11	8	10	17	20	17	35
All other diseases of respiratory system—510-521,527.1	185	32	15	13	10	11	10	17	8	19	16	16	18
Hernia and intestinal obstruction—560,561,570	922	66	86	68	72	77	65	75	87	79	94	71	82
Gastritis, duodenitis, enteritis, and colitis, except diarrhea of newborn—543,571,572	2,622	281	181	175	141	143	158	199	216	246	288	313	281
Other diseases of digestive system—530-542,544-553,573-587	676	55	65	40	41	47	50	65	63	63	54	67	66
Congenital malformations—750-759	15,389	1,379	1,182	1,292	1,217	1,179	1,198	1,224	1,316	1,373	1,321	1,298	1,410
Spina bifida and meningocele—751	1,096	93	84	85	90	92	79	90	83	104	89	110	97
Congenital hydrocephalus and other congenital malformations of nervous system and sense organs—752,753	1,645	147	130	135	119	131	126	138	143	140	141	154	141
Congenital malformations of circulatory system—754	7,589	700	592	668	605	543	588	609	634	683	659	612	696
Other congenital malformations—750,755-759	5,059	439	376	404	403	413	405	387	456	446	432	422	476
Certain diseases of early infancy—760-776	67,074	5,338	4,923	5,229	5,283	5,848	5,808	6,001	5,856	5,609	5,987	5,466	5,726
Birth injuries—760,761	10,158	789	751	825	789	870	874	876	881	871	893	871	868
Without mention of immaturity (.0)	4,001	273	297	336	308	336	313	343	375	340	362	371	347
With immaturity (.5)	6,157	516	454	489	481	534	561	533	506	531	531	500	521
Intracranial and spinal injury at birth—760	3,175	248	238	271	245	256	261	271	280	288	293	278	246
Without mention of immaturity (.0)	1,857	136	129	169	148	156	132	153	173	163	179	167	152
With immaturity (.5)	1,318	112	109	102	97	100	129	118	107	125	114	111	94
Other birth injury—761	6,983	541	513	554	544	614	613	605	601	583	600	593	622
Without mention of immaturity (.0)	2,144	137	168	167	160	180	181	190	202	177	183	204	195
With immaturity (.5)	4,839	404	345	387	384	434	432	415	399	406	417	389	427
Postnatal asphyxia and atelectasis—762	19,539	1,488	1,477	1,460	1,586	1,746	1,646	1,717	1,760	1,614	1,783	1,557	1,705
Without mention of immaturity (.0)	5,255	414	439	427	393	415	403	449	475	456	471	437	476
With immaturity (.5)	14,284	1,074	1,038	1,033	1,193	1,331	1,243	1,268	1,285	1,158	1,312	1,120	1,229
Pneumonia of newborn—763	3,544	323	317	317	248	246	270	262	311	292	295	322	341
Without mention of immaturity (.0)	2,563	241	234	231	174	176	181	182	203	216	223	235	267
With immaturity (.5)	981	82	83	86	74	70	89	80	108	76	72	87	74
Diarrhea of newborn—764	463	39	21	24	19	20	32	32	47	73	71	50	35
Without mention of immaturity (.0)	362	28	19	21	17	17	24	22	32	53	56	43	30
With immaturity (.5)	101	11	2	3	2	3	8	10	15	20	15	7	5
Other infections of newborn—765-768	779	66	48	63	49	61	68	80	75	85	75	57	52
Without mention of immaturity (.0)	508	41	29	42	39	39	42	46	50	64	45	34	35
With immaturity (.5)	273	25	19	21	10	22	26	34	25	21	30	23	17
Neonatal disorders arising from certain diseases of mother during pregnancy—769	1,001	108	93	68	88	90	71	79	68	88	93	81	74
Without mention of immaturity (.0-.4)	354	40	26	19	19	28	27	33	25	36	35	34	32
With immaturity (.5-.9)	647	68	67	49	69	62	44	46	43	52	58	47	42
Hemolytic disease of newborn (erythroblastosis)—770	2,145	185	154	183	160	160	180	194	173	190	195	199	172
Without mention of immaturity (.0-.2)	1,702	150	125	149	120	114	143	158	135	152	163	158	135
With immaturity (.5-.7)	443	35	29	34	40	46	37	36	38	38	32	41	37
Hemorrhagic disease of newborn—771	620	40	50	58	40	42	50	62	63	50	61	45	59
Without mention of immaturity (.0)	393	25	34	41	23	24	33	44	41	30	38	28	32
With immaturity (.5)	227	15	16	17	17	18	17	18	22	20	23	17	27
Ill-defined diseases peculiar to early infancy, including nutritional maladjustment—772,773	8,057	655	584	621	611	685	671	770	699	660	683	685	753
Without mention of immaturity (.0)	2,353	226	184	187	148	170	171	192	188	193	218	207	269
With immaturity (.5)	5,704	429	400	434	463	515	500	578	511	467	465	458	484
Immaturity with mention of any other subsidiary condition—774	1,310	136	96	87	96	103	125	103	113	96	106	113	136
Immaturity, unqualified—776	19,458	1,509	1,332	1,523	1,597	1,825	1,821	1,826	1,666	1,590	1,732	1,506	1,531
Symptoms and ill-defined conditions—780-793,795	2,518	275	230	237	171	163	163	181	159	156	215	243	325
All other diseases—Residual	1,386	135	107	122	124	111	100	104	103	106	123	122	129
Accidents—E800-E962	3,831	372	308	353	287	295	269	290	287	273	319	359	419
Inhalation and ingestion of food or other object causing obstruction or suffocation—E921,E922	1,204	126	96	116	94	89	92	90	83	87	97	100	134
Accidental mechanical suffocation in bed and cradle—E924	1,018	113	83	104	94	78	73	58	72	58	73	92	120
Other accidental causes—E800-E920,E923,E925-E962	1,609	133	129	133	99	128	104	142	132	128	149	167	165
Homicide—E964,E980-E984	199	24	15	10	17	16	11	17	18	19	18	15	19

Table 3-3. Deaths Under 1 Year, Under 28 Days, and 28 Days to 11 Months, from 55 Selected Causes, by Month: United States, 1960—Con.

(Data refer only to deaths occurring within the United States, including Alaska and Hawaii. Excludes fetal deaths. Numbers after causes of death are category numbers of the Seventh Revision of the International Lists, 1955)

AGE AND CAUSE OF DEATH	Total	Jan.	Feb.	Mar.	Apr.	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.
UNDER 28 DAYS—ALL CAUSES	79,733	6,422	5,908	6,280	6,252	6,803	6,808	7,111	7,032	6,771	7,105	6,489	6,752
Dysentery, all forms—045-048	8	-	1	-	-	-	1	2	1	-	-	3	-
Septicemia and pyemia—053	-	-	-	-	-	-	-	-	-	-	-	-	-
Whooping cough—056	4	-	1	-	2	1	-	-	-	-	-	-	-
Meningococcal infections—057	13	2	-	2	1	1	-	-	2	-	3	1	1
Tetanus—061	67	9	8	3	2	6	9	6	3	7	7	3	4
Other infective and parasitic diseases—001-044,049-052,054,055,058-060,062-138	102	8	10	7	7	7	8	12	5	10	8	14	6
Malignant neoplasms, including neoplasms of lymphatic and hematopoietic tissues—140-205	41	3	5	-	3	4	6	4	5	1	3	4	3
Benign neoplasms and neoplasms of unspecified nature—210-239	56	3	4	5	4	5	5	7	6	3	3	6	5
Diseases of thymus gland—273	26	2	5	3	1	1	4	2	1	2	2	1	2
Meningitis, except meningococcal and tuberculous—340	214	20	14	17	18	14	18	15	19	21	25	19	14
Other diseases of nervous system and sense organs—330-334,341-398	172	9	23	7	18	16	19	16	11	12	13	16	12
Acute upper respiratory infections—470-475	60	8	7	8	5	5	1	4	1	5	6	4	6
Influenza and pneumonia, except pneumonia of newborn—480-493	53	10	15	7	3	2	-	1	1	2	5	3	4
Influenza—480-483	53	10	15	7	3	2	-	1	1	2	5	3	4
Pneumonia, except pneumonia of newborn—490-493	...	...	...	...	...	...	...	...	...	...	...	...	...
Bronchitis—500-502	51	3	3	3	4	1	7	5	3	4	4	12	2
Other diseases of respiratory system—510-522,525-527	201	17	15	18	16	21	18	19	12	21	14	13	17
Pulmonary congestion and hypostasis—522	56	2	-	9	3	7	6	9	3	4	5	4	4
Other chronic interstitial pneumonia—525	12	2	3	-	-	1	1	-	1	1	1	1	1
Bronchiectasis—526	-	-	-	-	-	-	-	-	-	-	-	-	-
Other diseases of lung and pleural cavity—527.2	43	2	3	5	5	7	3	-	4	7	1	2	4
All other diseases of respiratory system—510-521,527.1	90	11	9	4	9	6	8	10	4	9	7	6	8
Hernia and intestinal obstruction—560,561,570	669	44	62	49	49	61	50	60	66	63	67	50	48
Gastritis, duodenitis, enteritis, and colitis, except diarrhea of newborn—543,571,572	6	-	-	1	-	1	1	-	1	1	1	-	-
Other diseases of digestive system—530-542,544-553,573-587	328	31	34	18	18	18	22	35	30	27	29	34	32
Congenital malformations—750-759	9,981	862	710	831	765	763	780	836	939	943	884	813	855
Spina bifida and meningocele—751	581	42	36	45	46	43	43	52	50	51	57	56	60
Congenital hydrocephalus and other congenital malformations of nervous system and sense organs—752,753	867	76	62	62	65	79	73	75	74	81	69	84	67
Congenital malformations of circulatory system—754	4,460	395	328	403	329	316	335	391	424	428	406	341	364
Other congenital malformations—750,755-759	4,073	349	284	321	325	325	329	318	391	363	352	332	364
Certain diseases of early infancy—760-776	65,486	5,167	4,789	5,104	5,188	5,740	5,704	5,894	5,738	5,482	5,830	5,317	5,533
Birth injuries—760,761	10,146	789	749	823	788	869	873	875	880	871	891	871	867
Without mention of immaturity (.0)	3,993	273	295	334	308	335	312	342	374	340	362	371	347
With immaturity (.5)	6,153	516	454	489	480	534	561	533	506	531	529	500	520
Intracranial and spinal injury at birth—760	3,175	248	238	271	245	256	261	271	280	288	283	278	246
Without mention of immaturity (.0)	1,857	136	129	169	148	156	132	153	173	163	179	167	152
With immaturity (.5)	1,318	112	109	102	97	100	129	118	107	125	114	111	94
Other birth injury—761	6,971	541	511	552	543	613	612	604	600	583	598	593	621
Without mention of immaturity (.0)	2,136	137	166	165	160	179	180	189	201	177	183	204	195
With immaturity (.5)	4,835	404	345	387	383	434	432	415	399	406	415	389	426
Postnatal asphyxia and atelectasis—762	19,248	1,463	1,448	1,432	1,562	1,714	1,626	1,701	1,738	1,604	1,761	1,534	1,665
Without mention of immaturity (.0)	5,025	394	417	404	374	387	390	438	459	448	454	416	443
With immaturity (.5)	14,223	1,069	1,031	1,028	1,188	1,327	1,236	1,262	1,279	1,156	1,307	1,118	1,222
Pneumonia of newborn—763	3,544	323	317	317	248	246	270	262	311	292	295	322	341
Without mention of immaturity (.0)	2,563	241	234	231	174	176	181	182	203	216	223	235	267
With immaturity (.5)	981	82	83	86	74	70	89	80	108	76	72	87	74
Diarrhea of newborn—764	460	38	21	24	18	20	32	32	47	73	71	50	34
Without mention of immaturity (.0)	360	28	19	21	16	17	24	22	32	53	56	43	29
With immaturity (.5)	100	10	2	3	2	3	8	10	15	20	15	7	5
Other infections of newborn—765-768	768	64	47	63	47	61	67	79	74	85	74	56	51
Without mention of immaturity (.0)	496	39	28	42	37	39	41	45	50	64	44	33	34
With immaturity (.5)	272	25	19	21	10	22	26	34	24	21	30	23	17
Neonatal disorders arising from certain diseases of mother during pregnancy—769	988	107	91	67	86	88	71	79	66	86	92	80	73
Without mention of immaturity (.0-.4)	345	40	24	18	19	27	27	33	25	34	34	33	31
With immaturity (.5-.9)	643	67	67	49	69	61	44	46	41	52	58	47	42
Hemolytic disease of newborn (erythroblastosis)—770	2,124	182	152	183	159	160	179	191	172	187	193	199	167
Without mention of immaturity (.0-.2)	1,686	147	124	149	119	114	142	157	134	150	161	158	131
With immaturity (.5-.7)	438	35	28	34	40	46	37	34	38	37	32	41	36
Hemorrhagic disease of newborn—771	614	40	49	58	39	42	49	60	63	50	61	44	59
Without mention of immaturity (.0)	389	25	33	41	23	24	33	42	41	30	38	27	32
With immaturity (.5)	225	15	16	17	16	18	16	18	22	20	23	17	27
Ill-defined diseases peculiar to early infancy, including nutritional maladjustment—772,773	7,233	557	516	561	573	641	627	711	638	584	593	578	654
Without mention of immaturity (.0)	1,650	137	128	133	118	135	134	141	135	131	142	137	179
With immaturity (.5)	5,583	420	388	428	455	506	493	570	503	453	451	441	475
Immaturity with mention of any other subsidiary condition—774	1,036	103	77	68	73	85	101	85	95	76	78	93	102
Immaturity, unqualified—776	19,325	1,501	1,322	1,508	1,593	1,814	1,909	1,819	1,654	1,574	1,721	1,490	1,520
Symptoms and ill-defined conditions—780-793,795	1,036	107	98	87	63	61	79	93	86	84	91	81	106
All other diseases—Residual	432	42	34	42	32	25	33	38	38	36	37	38	37
Accidents—E800-E962	598	61	59	59	43	40	37	48	54	37	62	47	51
Inhalation and ingestion of food or other object causing obstruction or suffocation—E921,E922	294	30	22	26	23	19	21	27	27	18	31	24	26
Accidental mechanical suffocation in bed and cradle—E924	130	19	18	17	9	9	4	4	10	7	10	15	8
Other accidental causes—E800-E920,E923,E925-E962	174	12	19	16	11	12	12	17	17	12	21	8	17
Homicide—E964,E980-E984	129	14	11	9	10	10	6	14	10	10	11	10	14

Table 3-3. Deaths Under 1 Year, Under 28 Days, and 28 Days to 11 Months, from 55 Selected Causes, by Month: United States, 1960—Con.

(Data refer only to deaths occurring within the United States, including Alaska and Hawaii. Excludes fetal deaths. Numbers after causes of death are category numbers of the Seventh Revision of the International Lists, 1955)

AGE AND CAUSE OF DEATH	Total	Jan.	Feb.	Mar.	Apr.	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.
28 DAYS TO 11 MONTHS--ALL CAUSES	31,140	3,443	3,051	2,976	2,397	2,234	1,962	1,911	1,814	2,048	2,573	2,940	3,791
Dysentery, all forms--045-048	132	12	10	7	4	4	11	9	17	16	18	15	9
Septicemia and pyemia--053	408	40	44	33	23	24	42	26	21	34	33	29	59
Whooping cough--056	69	6	5	7	4	10	3	6	6	3	11	4	4
Meningococcal infections--057	183	27	19	17	15	13	10	6	10	10	22	14	20
Tetanus--061	2	-	-	-	-	-	-	-	-	-	-	1	1
Other infective and parasitic diseases--001-044,049-052,054,055,058-060,062-138	455	44	41	52	49	50	33	29	25	24	35	28	45
Malignant neoplasms, including neoplasms of lymphatic and hematopoietic tissues--140-205	257	20	36	15	21	23	19	20	11	16	27	24	25
Benign neoplasms and neoplasms of unspecified nature--210-239	82	8	6	8	7	7	6	9	4	6	4	12	5
Diseases of thymus gland--273	89	8	14	6	9	12	10	8	2	3	3	6	8
Meningitis, except meningococcal and tuberculous--340	658	76	58	61	65	44	44	34	25	35	56	63	97
Other diseases of nervous system and sense organs--330-334,341,398	778	86	68	54	60	58	62	56	68	46	65	83	72
Acute upper respiratory infections--470-475	357	42	47	38	31	25	15	15	11	16	25	46	46
Influenza and pneumonia, except pneumonia of newborn--480-493	9,775	1,237	1,204	1,157	777	672	488	441	385	452	737	854	1,371
Influenza--480-483	485	90	145	102	25	17	5	4	7	7	20	16	47
Pneumonia, except pneumonia of newborn--490-493	9,290	1,147	1,059	1,055	752	655	483	437	378	445	717	838	1,324
Bronchitis--500-502	605	70	70	63	50	41	33	27	30	27	36	75	83
Other diseases of respiratory system--510-522,525-527	1,338	170	129	132	97	91	76	87	56	119	94	122	165
Pulmonary congestion and hypostasis--522	128	10	12	6	12	8	10	9	9	14	8	17	13
Other chronic interstitial pneumonia--525	921	110	94	94	69	64	56	63	37	85	58	80	111
Bronchiectasis--526	1	-	-	1	-	-	-	-	-	-	-	-	-
Other diseases of lung and pleural cavity--527.2	193	29	17	22	14	14	8	8	6	10	19	15	31
All other diseases of respiratory system--510-521,527.1	95	21	6	9	2	5	2	7	4	10	9	10	10
Hernia and intestinal obstruction--560,561,570	253	22	24	19	23	16	15	15	21	16	27	21	34
Gastritis, duodenitis, enteritis, and colitis, except diarrhea of newborn--543,571,572	2,616	281	181	174	141	142	157	199	215	245	287	313	281
Other diseases of digestive system--530-542,544-553,573-587	348	24	31	22	23	29	28	30	33	36	25	33	34
Congenital malformations--750-759	5,408	517	472	461	452	416	418	388	377	430	437	485	555
Spina bifida and meningocele--751	515	51	48	40	44	49	36	38	33	53	32	54	37
Congenital hydrocephalus and other congenital malformations of nervous system and sense organs--752,753	778	71	68	73	54	52	53	63	69	59	72	70	74
Congenital malformations of circulatory system--754	3,129	305	264	265	276	227	253	218	210	255	253	271	332
Other congenital malformations--750,755-759	986	90	92	83	78	88	76	69	65	63	80	90	112
Certain diseases of early infancy--760-776	1,588	171	134	125	95	108	104	107	118	127	157	149	193
Birth injuries--760,761	12	-	2	2	1	1	1	1	1	-	2	-	1
Without mention of immaturity (.0)	8	-	2	2	-	1	1	1	1	-	-	-	-
With immaturity (.5)	4	-	-	-	1	-	-	-	-	-	2	-	1
Intracranial and spinal injury at birth--760	...	...	...	...	...	...	...	...	...	...	...	...	...
Without mention of immaturity (.0)	...	...	...	...	...	...	...	...	...	...	...	...	...
With immaturity (.5)	...	...	...	...	...	...	...	...	...	...	...	...	...
Other birth injury--761	12	-	2	2	1	1	1	1	1	-	2	-	1
Without mention of immaturity (.0)	8	-	2	2	-	1	1	1	1	-	-	-	-
With immaturity (.5)	4	-	-	-	1	-	-	-	-	-	2	-	1
Postnatal asphyxia and atelectasis--762	291	25	29	28	24	32	20	16	22	10	22	23	40
Without mention of immaturity (.0)	230	20	22	23	19	28	13	10	16	8	17	21	33
With immaturity (.5)	61	5	7	5	5	4	7	6	6	2	5	2	7
Pneumonia of newborn--763	...	...	...	...	...	...	...	...	...	...	...	...	...
Without mention of immaturity (.0)	...	...	...	...	...	...	...	...	...	...	...	...	...
With immaturity (.5)	...	...	...	...	...	...	...	...	...	...	...	...	...
Diarrhea of newborn--764	3	1	-	-	1	-	-	-	-	-	-	-	1
Without mention of immaturity (.0)	2	-	-	-	1	-	-	-	-	-	-	-	1
With immaturity (.5)	1	1	-	-	-	-	-	-	-	-	-	-	-
Other infections of newborn--765-768	11	2	1	-	2	-	1	1	1	-	1	1	1
Without mention of immaturity (.0)	10	2	1	-	2	-	1	1	-	-	1	1	1
With immaturity (.5)	1	-	-	-	-	-	-	-	1	-	-	-	-
Neonatal disorders arising from certain diseases of mother during pregnancy--769	13	1	2	1	-	2	-	-	2	2	1	1	1
Without mention of immaturity (.0-.4)	9	-	2	1	-	1	-	-	-	2	1	1	1
With immaturity (.5-.9)	4	1	-	-	-	1	-	-	2	-	-	-	-
Hemolytic disease of newborn (erythroblastosis)--770	21	3	2	-	1	-	1	3	1	3	2	-	5
Without mention of immaturity (.0-.2)	16	3	1	-	1	-	1	1	1	2	2	-	4
With immaturity (.5-.7)	5	-	1	-	-	-	-	2	-	1	-	-	1
Hemorrhagic disease of newborn--771	6	-	1	-	1	-	1	2	-	-	-	1	-
Without mention of immaturity (.0)	4	-	1	-	-	-	-	2	-	-	-	1	-
With immaturity (.5)	2	-	-	-	1	-	1	-	-	-	-	-	-
Ill-defined diseases peculiar to early infancy, including nutritional maladjustment--772,773	824	98	68	60	38	44	44	59	61	76	90	87	99
Without mention of immaturity (.0)	703	89	56	54	30	35	37	51	53	62	76	70	90
With immaturity (.5)	121	9	12	6	8	9	7	8	8	14	14	17	9
Immaturity with mention of any other subsidiary condition--774	274	33	19	19	23	18	24	18	18	20	28	20	34
Immaturity, unqualified--776	133	8	10	15	4	11	12	7	12	16	11	16	11
Symptoms and ill-defined conditions--780-793,795	1,482	168	132	150	108	102	84	88	73	72	124	162	219
All other diseases--Residual	954	93	73	80	92	86	67	66	65	70	86	84	92
Accidents--E800-E962	3,233	311	249	294	244	255	232	242	233	236	257	312	368
Inhalation and ingestion of food or other object causing obstruction or suffocation--E921,E922	910	96	74	90	71	70	71	63	56	69	66	76	108
Accidental mechanical suffocation in bed and cradle--E924	888	94	65	87	85	69	69	54	62	51	63	77	112
Other accidental causes--E800-E920,E923,E925-E962	1,435	121	110	117	88	116	92	125	115	116	128	159	148
Homicide--E964,E980-E984	70	10	4	1	7	6	5	3	8	9	7	5	5

Table 3-4. Deaths Under 1 Year and Under 28 Days, From 55 Selected Causes, by Color, for Urban and Rural Areas in Metropolitan and Nonmetropolitan Counties: United States, 1960

(By place of residence. Data refer only to deaths occurring within the United States, including Alaska and Hawaii. Excludes fetal deaths. Numbers after causes of death are category numbers of the Seventh Revision of the International Lists, 1955. For definitions of areas, see Technical Appendix)

AGE, COLOR, AND CAUSE OF DEATH	ALL COUNTIES			METROPOLITAN COUNTIES			NONMETROPOLITAN COUNTIES		
	Total	Urban	Rural	Total	Urban	Rural	Total	Urban	Rural
TOTAL, UNDER 1 YEAR--ALL CAUSES	110,873	69,632	41,241	67,942	52,930	15,012	42,931	16,702	26,229
Dysentery, all forms--045-048	140	51	89	32	21	11	108	30	78
Septicemia and pyemia--053	408	222	186	209	160	49	199	62	137
Whooping cough--056	73	32	41	14	12	2	59	20	39
Meningococcal infections--057	196	103	93	110	76	34	86	27	59
Tetanus--061	69	33	36	16	10	6	53	23	30
Other infective and parasitic dis.--001-044,049-052,054,055,058-060,062-138	557	289	268	255	194	61	302	95	207
Malignant neoplasms, including neoplasms of lymphatic and hematopoietic tissues--140-205	298	184	114	180	136	44	118	48	70
Benign neoplasms and neoplasms of unspecified nature--210-239	138	94	44	84	73	11	54	21	33
Diseases of thymus gland--273	115	58	57	52	34	18	63	24	39
Meningitis, except meningococcal and tuberculous--340	872	529	343	543	407	136	329	122	207
Other diseases of nervous system and sense organs--330-334,341-398	950	589	361	568	448	120	382	141	241
Acute upper respiratory infections--470-475	417	242	175	233	180	53	184	62	122
Influenza and pneumonia, except pneumonia of newborn--480-493	9,828	5,636	4,192	5,513	4,299	1,214	4,315	1,337	2,978
Influenza--480-483	538	176	362	139	81	58	399	95	304
Pneumonia, except pneumonia of newborn--490-493	9,290	5,460	3,830	5,374	4,218	1,156	3,916	1,242	2,674
Bronchitis--500-502	656	383	273	385	293	92	271	90	181
Other diseases of respiratory system--510-522,525-527	1,539	971	568	1,139	831	308	400	140	260
Pulmonary congestion and hypostatis--522	184	131	53	143	118	25	41	13	28
Other chronic interstitial pneumonia--525	933	595	338	741	528	213	192	67	125
Bronchiectasis--526	1	-	1	-	-	-	1	-	1
Other diseases of lung and pleural cavity--527.2	236	125	111	119	85	34	117	40	77
All other diseases of respiratory system--510-521,527.1	185	120	65	136	100	36	49	20	29
Hernia and intestinal obstruction--560,561,570	922	599	323	610	458	152	312	141	171
Gastritis, duodenitis, enteritis, and colitis, except diarrhea of newborn--543,571,572	2,620	1,340	1,282	1,110	833	277	1,512	507	1,005
Other diseases of digestive system--530-542,544-553,573-587	676	407	269	376	269	87	300	118	182
Congenital malformations--750-759	15,389	9,663	5,726	9,718	7,400	2,318	5,671	2,263	3,408
Spina bifida and meningocele--751	1,096	665	431	667	500	167	429	165	264
Congenital hydrocephalus and other congenital malformations of nervous system and sense organs--752,753	1,645	1,020	625	971	748	223	674	272	402
Congenital malformations of circulatory system--754	7,589	4,764	2,825	4,852	3,684	1,168	2,737	1,080	1,657
Other congenital malformations--750,755-759	5,359	3,214	1,845	3,228	2,468	760	1,831	746	1,085
Certain diseases of early infancy--760-776	67,074	44,104	22,970	42,989	33,953	9,036	24,085	10,151	13,934
Birth injuries--760,761	10,158	6,482	3,676	6,358	4,884	1,474	3,800	1,598	2,202
Without mention of immaturity (.0)	4,001	2,473	1,528	2,373	1,815	558	1,628	658	970
With immaturity (.5)	6,157	4,009	2,148	3,985	3,069	916	2,172	940	1,232
Intracranial and spinal injury at birth--760	3,175	2,048	1,127	2,076	1,627	449	1,099	421	678
Without mention of immaturity (.0)	1,857	1,167	690	1,134	884	250	723	283	440
With immaturity (.5)	1,318	881	437	942	743	199	376	138	238
Other birth injury--761	6,983	4,434	2,549	4,282	3,257	1,025	2,701	1,177	1,524
Without mention of immaturity (.0)	2,144	1,306	838	1,239	931	308	905	375	530
With immaturity (.5)	4,839	3,128	1,711	3,043	2,326	717	1,796	802	994
Postnatal asphyxia and atelectasis--762	19,539	13,515	6,024	13,541	10,874	2,667	5,998	2,641	3,357
Without mention of immaturity (.0)	5,255	3,409	1,846	3,278	2,583	695	1,977	826	1,151
With immaturity (.5)	14,284	10,106	4,178	10,263	8,291	1,972	4,021	1,815	2,206
Pneumonia of newborn--763	3,544	2,160	1,384	2,153	1,667	486	1,391	493	898
Without mention of immaturity (.0)	2,563	1,526	1,037	1,548	1,201	347	1,015	325	690
With immaturity (.5)	981	634	347	605	466	139	376	168	208
Diarrhea of newborn--764	463	225	238	198	141	57	265	84	181
Without mention of immaturity (.0)	362	176	186	156	112	44	206	64	142
With immaturity (.5)	101	49	52	42	29	13	59	20	39
Other infections of newborn--765-768	779	487	292	489	373	116	290	114	176
Without mention of immaturity (.0)	506	311	195	301	233	68	205	78	127
With immaturity (.5)	273	176	97	188	140	48	85	36	49
Neonatal disorders arising from certain diseases of mother during pregnancy--769	1,001	608	393	550	431	119	451	177	274
Without mention of immaturity (.0-.4)	354	212	142	199	152	47	155	60	95
With immaturity (.5-.9)	647	396	251	351	279	72	296	117	179
Hemolytic disease of newborn (erythroblastosis)--770	2,145	1,352	793	1,394	1,042	352	751	310	441
Without mention of immaturity (.0-.2)	1,702	1,064	638	1,091	812	279	611	252	359
With immaturity (.5-.7)	443	288	155	303	230	73	140	58	82
Hemorrhagic disease of newborn--771	620	408	212	383	304	79	237	104	133
Without mention of immaturity (.0)	393	256	137	236	187	49	157	69	88
With immaturity (.5)	227	152	75	147	117	30	80	35	45
Ill-defined diseases peculiar to early infancy, including nutritional maladjustment--772,773	8,057	5,097	2,960	4,860	3,835	1,025	3,197	1,262	1,935
Without mention of immaturity (.0)	2,353	1,314	1,039	1,167	881	286	1,186	433	753
With immaturity (.5)	5,704	3,783	1,921	3,693	2,954	739	2,011	829	1,182
Immaturity with mention of any other subsidiary condition--774	1,310	860	450	825	665	160	485	195	290
Immaturity, unqualified--776	19,458	12,910	6,548	12,238	9,737	2,501	7,220	3,173	4,047
Symptoms and ill-defined conditions--780-793,795	2,518	1,044	1,474	898	644	254	1,620	400	1,220
All other diseases--Residual	1,386	830	556	833	636	197	553	194	359
Accidents--E800-E962	3,831	2,080	1,751	1,917	1,411	506	1,914	669	1,245
Inhalation and ingestion of food or other object causing obstruction or suffocation--E921,E922	1,204	668	536	609	445	164	595	223	372
Accidental mechanical suffocation in bed and cradle--E924	1,018	532	486	468	346	122	550	186	364
Other accidental causes--E800-E920,E923,E925-E962	1,609	880	729	840	620	220	769	260	509
Homicide--E964,E980-E984	199	149	50	158	132	26	41	17	24

Table 3-4. Deaths Under 1 Year and Under 28 Days, From 55 Selected Causes, by Color, for Urban and Rural Areas in Metropolitan and Nonmetropolitan Counties: United States, 1960 —Continued

(By place of residence. Data refer only to deaths occurring within the United States, including Alaska and Hawaii. Excludes fetal deaths. Numbers after causes of death are category numbers of the Seventh Revision of the International Lists, 1955. For definitions of areas, see Technical Appendix)

AGE, COLOR, AND CAUSE OF DEATH	ALL COUNTIES			METROPOLITAN COUNTIES			NONMETROPOLITAN COUNTIES		
	Total	Urban	Rural	Total	Urban	Rural	Total	Urban	Rural
WHITE, UNDER 1 YEAR—ALL CAUSES	82,479	51,004	31,475	50,959	38,083	12,876	31,520	12,921	18,599
Dysentery, all forms-045-048	60	28	32	16	11	5	44	17	27
Septicemia and pyemia-053	289	154	135	151	111	40	138	43	95
Whooping cough-056	24	8	16	6	4	2	18	4	14
Meningococcal infections-057	161	85	76	90	61	29	71	24	47
Tetanus-061	20	12	8	6	4	2	14	8	6
Other infective and parasitic dis.-001-044,049-052,054,055,058-060,062-138	374	194	180	183	132	51	191	62	129
Malignant neoplasms, including neoplasms of lymphatic and hematopoietic tissues-140-205	258	154	104	154	113	41	104	41	63
Benign neoplasms and neoplasms of unspecified nature-210-239	119	82	37	74	63	11	45	19	26
Diseases of thymus gland-273	97	48	49	46	28	18	51	20	31
Meningitis, except meningococcal and tuberculous-340	570	355	215	378	272	106	192	83	109
Other diseases of nervous system and sense organs-330-334,341-398	725	447	278	437	334	103	288	113	175
Acute upper respiratory infections-470-475	273	164	109	172	126	46	101	38	63
Influenza and pneumonia, except pneumonia of newborn-480-493	5,835	3,355	2,480	3,442	2,550	892	2,393	805	1,588
Influenza-480-483	252	91	161	75	44	31	177	47	130
Pneumonia, except pneumonia of newborn-490-493	5,583	3,264	2,319	3,367	2,506	861	2,216	758	1,458
Bronchitis-500-502	513	294	219	303	218	85	210	76	134
Other diseases of respiratory system-510-522,525-527	1,101	664	437	802	554	248	299	110	189
Pulmonary congestion and hypostatis-522	148	100	48	109	87	22	39	13	26
Other chronic interstitial pneumonia-525	645	377	268	496	325	171	149	52	97
Bronchiectasis-526	1	-	1	-	-	-	1	-	1
Other diseases of lung and pleural cavity-527.2	162	93	69	90	66	24	72	27	45
All other diseases of respiratory system-510-521,527.1	145	94	51	107	76	31	38	18	20
Hernia and intestinal obstruction-560,561,570	771	489	282	516	378	138	255	111	144
Gastritis, duodenitis, enteritis, and colitis, except diarrhea of newborn-543,571,572	1,270	705	565	595	436	159	675	269	406
Other diseases of digestive system-530-542,544-553,573-587	512	301	211	278	203	75	234	98	136
Congenital malformations-750-759	13,426	8,270	5,156	8,390	6,225	2,165	5,036	2,045	2,991
Spina bifida and meningocele-751	1,031	621	410	632	468	164	399	153	246
Congenital hydrocephalus and other congenital malformations of nervous system and sense organs-752,753	1,423	867	556	840	629	211	583	238	345
Congenital malformations of circulatory system-754	6,589	4,036	2,553	4,126	3,049	1,077	2,463	987	1,476
Other congenital malformations-750,755-759	4,383	2,746	1,637	2,792	2,079	713	1,591	667	924
Certain diseases of early infancy-760-776	51,260	32,589	18,671	32,312	24,413	7,899	18,948	8,176	10,772
Birth injuries-760,761	8,379	5,216	3,163	5,178	3,842	1,336	3,201	1,374	1,827
Without mention of immaturity (.0)	3,146	1,887	1,259	1,851	1,355	496	1,295	532	763
With immaturity (.5)	5,233	3,329	1,904	3,327	2,487	840	1,906	842	1,064
Intracranial and spinal injury at birth-760	2,457	1,523	934	1,575	1,176	399	882	347	535
Without mention of immaturity (.0)	1,466	900	566	894	670	224	572	230	342
With immaturity (.5)	991	623	368	681	506	175	310	117	193
Other birth injury-761	5,922	3,693	2,229	3,603	2,668	937	2,319	1,027	1,292
Without mention of immaturity (.0)	1,680	987	693	957	685	272	723	302	421
With immaturity (.5)	4,242	2,706	1,536	2,646	1,981	665	1,596	725	871
Postnatal asphyxia and atelectasis-762	15,209	10,018	5,191	10,234	7,841	2,393	4,975	2,177	2,798
Without mention of immaturity (.0)	4,153	2,616	1,537	2,573	1,962	611	1,580	654	926
With immaturity (.5)	11,056	7,402	3,654	7,661	5,879	1,782	3,395	1,523	1,872
Pneumonia of newborn-763	2,372	1,412	960	1,458	1,068	390	914	344	570
Without mention of immaturity (.0)	1,687	986	701	1,036	758	278	651	228	423
With immaturity (.5)	685	426	259	422	310	112	263	116	147
Diarrhea of newborn-764	217	119	98	118	81	37	99	38	61
Without mention of immaturity (.0)	165	97	68	97	67	30	68	30	38
With immaturity (.5)	52	22	30	21	14	7	31	8	23
Other infections of newborn-765-768	535	326	209	332	236	96	203	90	113
Without mention of immaturity (.0)	353	222	131	216	161	55	137	61	76
With immaturity (.5)	182	104	78	116	75	41	66	29	37
Neonatal disorders arising from certain diseases of mother during pregnancy-769	779	477	302	437	332	105	342	145	197
Without mention of immaturity (.0-.4)	260	157	103	151	107	44	109	50	59
With immaturity (.5-.9)	519	320	199	286	225	61	233	95	138
Hemolytic disease of newborn (erythroblastosis)-770	1,994	1,246	748	1,289	951	338	705	295	410
Without mention of immaturity (.0-.2)	1,579	979	600	1,008	741	267	571	238	333
With immaturity (.5-.7)	415	267	148	281	210	71	134	57	77
Hemorrhagic disease of newborn-771	438	283	155	275	209	66	163	74	89
Without mention of immaturity (.0)	270	175	95	165	127	38	105	48	57
With immaturity (.5)	168	108	60	110	82	28	58	26	32
Ill-defined diseases peculiar to early infancy, including nutritional maladjustment-772,773	6,008	3,683	2,325	3,535	2,673	862	2,473	1,010	1,463
Without mention of immaturity (.0)	1,621	918	703	829	608	221	792	310	482
With immaturity (.5)	4,387	2,765	1,622	2,706	2,065	641	1,681	700	981
Immaturity with mention of any other subsidiary condition-774	930	590	340	575	442	133	355	148	207
Immaturity, unqualified-776	14,399	9,219	5,180	8,881	6,738	2,143	5,518	2,481	3,037
Symptoms and ill-defined conditions-780-793,795	972	491	481	476	333	143	496	158	338
All other diseases-Residual	1,049	614	435	648	475	173	401	139	262
Accidents-E800-E962	2,672	1,411	1,261	1,386	962	424	1,286	449	837
Inhalation and ingestion of food or other object causing obstruction or suffocation-E921,E922	902	493	409	462	325	137	440	168	272
Accidental mechanical suffocation in bed and cradle-E924	683	343	340	333	224	109	350	119	231
Other accidental causes-E800-E920,E923,E925-E962	1,087	575	512	591	413	178	496	162	334
Homicide-E964,E980-E984	128	90	38	98	77	21	30	13	17

Table 3-4. Deaths Under 1 Year and Under 28 Days, From 55 Selected Causes, by Color, for Urban and Rural Areas in Metropolitan and Nonmetropolitan Counties: United States, 1960—Continued

(By place of residence. Data refer only to deaths occurring within the United States, including Alaska and Hawaii. Excludes fetal deaths. Numbers after causes of death are category numbers of the Seventh Revision of the International Lists, 1955. For definitions of areas, see Technical Appendix)

AGE, COLOR, AND CAUSE OF DEATH	ALL COUNTIES			METROPOLITAN COUNTIES			NONMETROPOLITAN COUNTIES		
	Total	Urban	Rural	Total	Urban	Rural	Total	Urban	Rural
NONWHITE, UNDER 1 YEAR—ALL CAUSES	28,394	18,628	9,766	16,983	14,847	2,136	11,411	3,781	7,630
Dysentery, all forms—045-048	80	23	57	16	10	6	64	13	51
Septicemia and pyemia—053	118	68	51	58	49	9	61	19	42
Whooping cough—056	49	24	25	8	8	-	41	16	25
Meningococcal infections—057	35	18	17	20	15	5	15	3	12
Tetanus—061	49	21	28	10	6	4	39	15	24
Other infective and parasitic dis.—001-044,049-052,054,055,058-060,062-138	183	95	88	72	62	10	111	33	78
Malignant neoplasms, including neoplasms of lymphatic and hematopoietic tissues—140-205	40	30	10	26	23	3	14	7	7
Benign neoplasms and neoplasms of unspecified nature—210-239	19	12	7	10	10	-	9	2	7
Diseases of thymus gland—273	18	10	8	6	6	-	12	4	8
Meningitis, except meningococcal and tuberculous—340	302	174	128	165	135	30	137	39	98
Other diseases of nervous system and sense organs—330-334,341-398	225	142	83	131	114	17	94	28	66
Acute upper respiratory infections—470-475	144	78	66	61	54	7	83	24	59
Influenza and pneumonia, except pneumonia of newborn—480-493	3,993	2,281	1,712	2,071	1,749	322	1,922	532	1,390
Influenza—480-483	286	85	201	64	37	27	222	48	174
Pneumonia, except pneumonia of newborn—490-493	3,707	2,196	1,511	2,007	1,712	295	1,700	484	1,216
Bronchitis—500-502	143	89	54	82	75	7	61	14	47
Other diseases of respiratory system—510-522,525-527	438	307	131	337	277	60	101	30	71
Pulmonary congestion and hypostatis—522	36	31	5	34	31	3	2	-	2
Other chronic interstitial pneumonia—525	288	218	70	245	203	42	43	15	28
Bronchiectasis—526	-	-	-	-	-	-	-	-	-
Other diseases of lung and pleural cavity—527.2	74	32	42	28	19	10	45	13	32
All other diseases of respiratory system—510-521,527.1	40	26	14	29	24	5	11	2	9
Hernia and intestinal obstruction—560,561,570	151	110	41	94	80	14	57	30	27
Gastritis, duodenitis, enteritis, and colitis, except diarrhea of newborn—543,571,572	1,352	635	717	515	397	118	837	238	599
Other diseases of digestive system—530-542,544-553,573-587	164	106	58	98	86	12	66	20	46
Congenital malformations—750-759	1,963	1,393	570	1,328	1,175	153	635	218	417
Spina bifida and meningocele—751	65	44	21	35	32	3	30	12	18
Congenital hydrocephalus and other congenital malformations of nervous system and sense organs—752,753	222	153	69	131	119	12	91	34	57
Congenital malformations of circulatory system—754	1,000	728	272	726	635	91	274	93	181
Other congenital malformations—750,755-759	676	468	208	436	389	47	240	79	161
Certain diseases of early infancy—760-776	15,814	11,515	4,299	10,677	9,540	1,137	5,137	1,975	3,162
Birth injuries—760,761	1,779	1,266	513	1,180	1,042	138	599	224	375
Without mention of immaturity (.0)	855	586	269	522	460	62	333	126	207
With immaturity (.5)	924	680	244	658	582	76	266	98	168
Intracranial and spinal injury at birth—760	718	525	193	501	451	50	217	74	143
Without mention of immaturity (.0)	391	267	124	240	214	26	151	53	98
With immaturity (.5)	327	258	69	261	237	24	66	21	45
Other birth injury—761	1,061	741	320	679	591	88	382	150	232
Without mention of immaturity (.0)	464	319	145	282	246	36	182	73	109
With immaturity (.5)	597	422	175	397	345	52	200	77	123
Postnatal asphyxia and atelectasis—762	4,330	3,497	833	3,307	3,033	274	1,023	464	559
Without mention of immaturity (.0)	1,102	793	309	705	621	84	397	172	225
With immaturity (.5)	3,228	2,704	524	2,602	2,412	190	626	292	334
Pneumonia of newborn—763	1,172	748	424	695	599	96	477	149	328
Without mention of immaturity (.0)	876	540	336	512	443	69	364	97	267
With immaturity (.5)	296	208	88	183	156	27	113	52	61
Diarrhea of newborn—764	246	106	140	80	60	20	166	46	120
Without mention of immaturity (.0)	197	79	118	59	45	14	138	34	104
With immaturity (.5)	49	27	22	21	15	6	28	12	16
Other infections of newborn—765-768	244	161	83	157	137	20	87	24	63
Without mention of immaturity (.0)	153	89	64	85	72	13	68	17	51
With immaturity (.5)	91	72	19	72	65	7	19	7	12
Neonatal disorders arising from certain diseases of mother during pregnancy—769	222	131	91	113	99	14	109	32	77
Without mention of immaturity (.0-.4)	94	55	39	48	45	3	46	10	36
With immaturity (.5-.9)	128	76	52	65	54	11	63	22	41
Hemolytic disease of newborn (erythroblastosis)—770	151	106	45	105	91	14	46	15	31
Without mention of immaturity (.0-.2)	123	85	38	83	71	12	40	14	26
With immaturity (.5-.7)	28	21	7	22	20	2	6	1	5
Hemorrhagic disease of newborn—771	182	125	57	108	95	13	74	30	44
Without mention of immaturity (.0)	125	81	42	71	60	11	52	21	31
With immaturity (.5)	59	44	15	37	35	2	22	9	13
Ill-defined diseases peculiar to early infancy, including nutritional maladjustment—772,773	2,049	1,414	635	1,525	1,362	163	724	252	472
Without mention of immaturity (.0)	732	396	336	338	273	65	394	123	271
With immaturity (.5)	1,317	1,018	299	987	889	98	330	129	201
Immaturity with mention of any other subsidiary condition—774	380	270	110	250	223	27	130	47	83
Immaturity, unqualified—776	3,959	3,591	1,368	3,357	2,999	358	1,702	692	1,010
Symptoms and ill-defined conditions—780-793,795	1,546	553	993	422	311	111	1,124	242	882
All other diseases—Residual	337	216	121	185	161	24	152	55	97
Accidents—E800-E962	1,159	669	490	551	449	82	628	220	408
Inhalation and ingestion of food or other object causing obstruction or suffocation—E921,E922	301	175	127	147	120	27	155	55	100
Accidental mechanical suffocation in bed and cradle—E924	356	189	167	156	141	15	200	67	133
Other accidental causes—E800-E920,E923,E925-E962	522	305	217	249	207	42	273	98	175
Homicide—E964,E980-E984	71	58	13	60	55	5	11	4	7

Table 3-4. Deaths Under 1 Year and Under 28 Days, From 55 Selected Causes, by Color, for Urban and Rural Areas in Metropolitan and Nonmetropolitan Counties: United States, 1960—Continued

(By place of residence. Data refer only to deaths occurring within the United States, including Alaska and Hawaii. Excludes fetal deaths. Numbers after causes of death are category numbers of the Seventh Revision of the International Lists, 1955. For definitions of areas, see Technical Appendix)

AGE, COLOR, AND CAUSE OF DEATH	ALL COUNTIES			METROPOLITAN COUNTIES			NONMETROPOLITAN COUNTIES		
	Total	Urban	Rural	Total	Urban	Rural	Total	Urban	Rural
TOTAL, UNDER 28 DAYS—ALL CAUSES	79,733	51,822	27,911	50,674	39,730	10,944	29,059	12,092	16,967
Dysentery, all forms—045-048	8	2	6	2	1	1	6	1	5
Septicemia and pyemia—053	-	-	-	-	-	-	-	-	-
Whooping cough—056	4	1	3	1	1	-	3	-	3
Meningococcal infections—057	13	5	8	5	3	2	8	2	6
Tetanus—061	67	32	35	16	10	6	51	22	29
Other infective and parasitic dis.—001-044,049-052,054,055,058-060,062-138	102	54	48	51	35	16	51	19	32
Malignant neoplasms, including neoplasms of lymphatic and hematopoietic tissues—140-205	41	24	17	20	14	6	21	10	11
Benign neoplasms and neoplasms of unspecified nature—210-239	56	39	17	36	31	5	20	8	12
Diseases of thymus gland—273	26	9	17	9	7	2	17	2	15
Meningitis, except meningococcal and tuberculous—340	214	122	92	136	98	38	78	24	54
Other diseases of nervous system and sense organs—330-334,341-398	172	109	63	103	82	21	69	27	42
Acute upper respiratory infections—470-475	60	34	26	34	23	11	26	11	15
Influenza and pneumonia, except pneumonia of newborn—480-493	53	15	38	13	7	6	40	8	32
Influenza—480-483	53	15	38	13	7	6	40	8	32
Pneumonia, except pneumonia of newborn—490-493	...	...	...	...	...	...	...	...	...
Bronchitis—500-502	51	28	23	26	20	6	25	8	17
Other diseases of respiratory system—510-522,525-527	201	124	77	129	96	33	72	28	44
Pulmonary congestion and hypostatis—522	56	38	18	41	33	8	15	5	10
Other chronic interstitial pneumonia—525	12	7	5	6	4	2	6	3	3
Bronchiectasis—526	-	-	-	-	-	-	-	-	-
Other diseases of lung and pleural cavity—527.2	43	20	23	20	13	7	23	7	16
All other diseases of respiratory system—510-521,527.1	90	59	31	62	46	16	28	13	15
Hernia and intestinal obstruction—560,561,570	669	439	230	457	346	111	212	93	119
Gastritis, duodenitis, enteritis, and colitis, except diarrhea of newborn—543,571,572	6	3	3	3	3	-	3	-	3
Other diseases of digestive system—530-542,544-553,573-587	328	206	122	190	145	45	138	61	77
Congenital malformations—750-759	9,981	6,294	3,687	6,311	4,787	1,524	3,670	1,507	2,163
Spina bifida and meningocele—751	581	348	233	370	272	98	211	76	135
Congenital hydrocephalus and other congenital malformations of nervous system and sense organs—752,753	867	535	332	484	378	106	383	157	226
Congenital malformations of circulatory system—754	4,460	2,799	1,661	2,818	2,126	692	1,642	673	969
Other congenital malformations—750,755-759	4,073	2,612	1,461	2,639	2,011	628	1,434	601	833
Certain diseases of early infancy—760-776	65,486	43,217	22,269	42,183	33,317	8,866	23,303	9,900	13,403
Birth injuries—760,761	10,146	6,475	3,671	6,351	4,878	1,473	3,795	1,597	2,198
Without mention of immaturity (.0)	3,993	2,469	1,524	2,369	1,812	557	1,624	657	967
With immaturity (.5)	6,153	4,006	2,147	3,982	3,066	916	2,171	940	1,231
Intracranial and spinal injury at birth—760	3,175	2,048	1,127	2,076	1,627	449	1,099	421	678
Without mention of immaturity (.0)	1,857	1,167	690	1,134	884	250	723	283	440
With immaturity (.5)	1,318	881	437	942	743	199	376	138	238
Other birth injury—761	6,971	4,427	2,544	4,275	3,251	1,024	2,696	1,176	1,520
Without mention of immaturity (.0)	2,136	1,302	834	1,235	928	307	901	374	527
With immaturity (.5)	4,835	3,125	1,710	3,040	2,323	717	1,795	802	993
Postnatal asphyxia and atelectasis—762	19,248	13,318	5,930	13,342	10,712	2,630	5,906	2,606	3,300
Without mention of immaturity (.0)	5,025	3,257	1,768	3,123	2,458	665	1,902	799	1,103
With immaturity (.5)	14,223	10,061	4,162	10,219	8,254	1,965	4,004	1,807	2,197
Pneumonia of newborn—763	3,544	2,160	1,384	2,153	1,667	486	1,391	493	898
Without mention of immaturity (.0)	2,563	1,526	1,037	1,548	1,201	347	1,015	325	690
With immaturity (.5)	981	634	347	605	466	139	376	168	208
Diarrhea of newborn—764	460	224	236	195	140	55	265	84	181
Without mention of immaturity (.0)	360	176	184	154	112	42	206	64	142
With immaturity (.5)	100	48	52	41	28	13	59	20	39
Other infections of newborn—765-768	768	480	288	484	368	116	284	112	172
Without mention of immaturity (.0)	496	305	191	296	228	68	200	77	123
With immaturity (.5)	272	175	97	188	140	48	84	35	49
Neonatal disorders arising from certain diseases of mother during pregnancy—769	988	600	388	541	424	117	447	176	271
Without mention of immaturity (.0-.4)	345	207	138	193	147	46	52	60	92
With immaturity (.5-.9)	643	393	250	348	277	71	295	116	179
Hemolytic disease of newborn (erythroblastosis)—770	2,124	1,342	782	1,379	1,032	347	745	310	435
Without mention of immaturity (.0-.2)	1,686	1,055	631	1,078	803	275	608	252	356
With immaturity (.5-.7)	438	287	151	301	229	72	137	58	79
Hemorrhagic disease of newborn—771	614	406	208	380	303	77	234	103	131
Without mention of immaturity (.0)	389	255	134	234	187	47	155	68	87
With immaturity (.5)	225	151	74	146	116	30	79	35	44
Ill-defined diseases peculiar to early infancy, including nutritional maladjustment—772,773	7,233	4,694	2,539	4,538	3,583	955	2,695	1,111	1,584
Without mention of immaturity (.0)	1,650	975	675	897	674	223	753	301	452
With immaturity (.5)	5,583	3,719	1,864	3,641	2,909	732	1,942	810	1,132
Immaturity with mention of any other subsidiary condition—774	1,036	680	356	653	527	126	383	153	230
Immaturity, unqualified—776	19,325	12,838	6,487	12,167	9,683	2,484	7,158	3,155	4,003
Symptoms and ill-defined conditions—780-793,795	1,036	411	625	317	235	82	719	176	543
All other diseases—Residual	432	272	160	264	204	60	168	68	100
Accidents—E800-E962	598	283	315	264	177	87	334	106	228
Inhalation and ingestion of food or other object causing obstruction or suffocation—E921,E922	294	146	148	118	84	34	176	62	114
Accidental mechanical suffocation in bed and cradle—E924	130	56	74	57	37	20	73	19	54
Other accidental causes—E800-E920,E923,E925-E962	174	81	93	89	56	33	85	25	60
Homicide—E964,E980-E984	129	99	30	104	88	16	25	11	14

Table 3-4. Deaths Under 1 Year and Under 28 Days, From 55 Selected Causes, by Color, for Urban and Rural Areas in Metropolitan and Nonmetropolitan Counties: United States, 1960—Continued

(By place of residence. Data refer only to deaths occurring within the United States, including Alaska and Hawaii. Excludes fetal deaths. Numbers after causes of death are category numbers of the Seventh Revision of the International Lists, 1955. For definitions of areas, see Technical Appendix)

AGE, COLOR, AND CAUSE OF DEATH	ALL COUNTIES			METROPOLITAN COUNTIES			NONMETROPOLITAN COUNTIES		
	Total	Urban	Rural	Total	Urban	Rural	Total	Urban	Rural
WHITE, UNDER 28 DAYS—ALL CAUSES	62,085	39,240	22,845	39,037	29,352	9,685	23,048	9,888	13,160
Dysentery, all forms-045-048	2	2	-	1	1	-	1	1	-
Septicemia and pyemia-053	-	-	-	-	-	-	-	-	-
Whooping cough-056	-	-	-	-	-	-	-	-	-
Meningococcal infections-057	11	3	8	4	2	2	7	1	6
Tetanus-061	19	11	8	6	4	2	13	7	6
Other infective and parasitic dis.-001-044,049-052,054,055,058-060,062-138	64	32	32	34	19	15	30	13	17
Malignant neoplasms, including neoplasms of lymphatic and hematopoietic tissues-140-205	31	19	12	16	12	4	15	7	8
Benign neoplasms and neoplasms of unspecified nature-210-239	49	33	16	31	26	5	18	7	11
Diseases of thymus gland-273	23	7	16	8	6	2	15	1	14
Meningitis, except meningococcal and tuberculous-340	164	100	64	111	79	32	53	21	32
Other diseases of nervous system and sense organs-330-334,341-398	134	84	50	78	60	18	56	24	32
Acute upper respiratory infections-470-475	40	25	15	28	18	10	12	7	5
Influenza and pneumonia, except pneumonia of newborn-480-493	24	8	16	7	4	3	17	4	13
Influenza-480-483	24	8	16	7	4	3	17	4	13
Pneumonia, except pneumonia of newborn-490-493	...	...	...	...	...	...	...	...	...
Bronchitis-500-502	37	21	16	20	14	6	17	7	10
Other diseases of respiratory system-510-522,525-527	157	94	63	99	70	29	58	24	34
Pulmonary congestion and hypostatis-522	45	29	16	31	24	7	14	5	9
Other chronic interstitial pneumonia-525	7	3	4	3	1	2	4	2	2
Bronchiectasis-526	-	-	-	-	-	-	-	-	-
Other diseases of lung and pleural cavity-527.2	30	15	15	15	10	5	15	5	10
All other diseases of respiratory system-510-521,527.1	75	47	28	50	35	15	25	12	13
Hernia and intestinal obstruction-560,561,570	596	383	213	406	300	106	190	83	107
Gastritis, duodenitis, enteritis, and colitis, except diarrhea of newborn-543,571,572	4	2	2	2	2	-	2	-	2
Other diseases of digestive system-530-542,544-553,573-587	252	151	101	138	98	40	114	53	61
Congenital malformations-750-759	8,619	5,451	3,368	5,510	4,077	1,433	3,309	1,374	1,935
Spina bifida and meningocele-751	545	325	220	352	256	96	193	69	124
Congenital hydrocephalus and other congenital malformations of nervous system and sense organs-752,753	768	463	305	425	323	102	343	140	203
Congenital malformations of circulatory system-754	3,931	2,410	1,521	2,430	1,788	642	1,501	622	879
Other congenital malformations-750,755-759	3,575	2,254	1,321	2,303	1,710	593	1,272	544	728
Certain diseases of early infancy-760-776	50,424	32,132	18,292	31,873	24,082	7,791	18,551	8,050	10,501
Birth injuries-760,761	8,371	5,212	3,159	5,173	3,838	1,335	3,198	1,374	1,824
Without mention of immaturity (.0)	3,142	1,886	1,256	1,849	1,354	495	1,293	532	761
With immaturity (.5)	5,229	3,326	1,903	3,324	2,484	840	1,905	842	1,063
Intracranial and spinal injury at birth-760	2,457	1,523	934	1,575	1,176	399	882	347	535
Without mention of immaturity (.0)	1,466	900	566	894	670	224	572	230	342
With immaturity (.5)	991	623	368	681	506	175	310	117	193
Other birth injury-761	5,914	3,689	2,225	3,598	2,662	936	2,316	1,027	1,289
Without mention of immaturity (.0)	1,676	986	690	955	684	271	721	302	419
With immaturity (.5)	4,238	2,703	1,535	2,643	1,978	665	1,595	725	870
Postnatal asphyxia and atelectasis-762	15,009	9,895	5,114	10,102	7,741	2,361	4,907	2,154	2,753
Without mention of immaturity (.0)	3,991	2,518	1,473	2,467	1,882	585	1,524	636	888
With immaturity (.5)	11,018	7,377	3,641	7,635	5,859	1,776	3,383	1,518	1,865
Pneumonia of newborn-763	2,372	1,412	960	1,458	1,068	390	914	344	570
Without mention of immaturity (.0)	1,687	986	701	1,036	758	278	651	228	423
With immaturity (.5)	685	426	259	422	310	112	263	116	147
Diarrhea of newborn-764	217	119	98	118	81	37	99	38	61
Without mention of immaturity (.0)	165	97	68	97	67	30	68	30	38
With immaturity (.5)	52	22	30	21	14	7	31	8	23
Other infections of newborn-765-768	528	321	207	329	233	96	199	88	111
Without mention of immaturity (.0)	347	218	129	213	158	55	134	60	74
With immaturity (.5)	181	103	78	116	75	41	65	28	37
Neonatal disorders arising from certain diseases of mother during pregnancy-769	767	470	297	428	325	103	339	145	194
Without mention of immaturity (.0-.4)	251	152	99	145	102	43	106	50	56
With immaturity (.5-.9)	516	318	198	283	223	60	233	95	138
Hemolytic disease of newborn (erythroblastosis)-770	1,979	1,239	740	1,277	944	333	702	295	407
Without mention of immaturity (.0-.2)	1,567	973	594	998	735	263	569	238	331
With immaturity (.5-.7)	412	266	146	279	209	70	133	57	76
Hemorrhagic disease of newborn-771	435	282	153	273	209	64	162	73	89
Without mention of immaturity (.0)	267	174	93	163	127	36	104	47	57
With immaturity (.5)	168	108	60	110	82	28	58	26	32
Ill-defined diseases peculiar to early infancy, including nutritional maladjustment-772,773	5,631	3,503	2,128	3,399	2,567	832	2,232	936	1,296
Without mention of immaturity (.0)	1,295	766	529	717	522	195	578	244	334
With immaturity (.5)	4,336	2,737	1,599	2,682	2,045	637	1,654	692	962
Immaturity with mention of any other subsidiary condition-774	786	498	288	477	368	109	309	130	179
Immaturity, unqualified-776	14,329	9,181	5,148	8,839	6,708	2,131	5,490	2,473	3,017
Symptoms and ill-defined conditions-780-793,795	406	224	182	198	145	53	208	79	129
All other diseases-Residual	346	211	135	214	160	54	132	51	81
Accidents-E800-E962	392	181	211	183	116	67	209	65	144
Inhalation and ingestion of food or other object causing obstruction or suffocation-E921,E922	213	105	108	84	59	25	129	46	83
Accidental mechanical suffocation in bed and cradle-E924	76	29	47	39	21	18	37	8	29
Other accidental causes-E800-E920,E923,E925-E962	103	47	56	60	36	24	43	11	32
Homicide-E964,E980-E984	91	65	26	70	57	13	21	8	13

Table 3-4. Deaths Under 1 Year and Under 28 Days, From 55 Selected Causes, by Color, for Urban and Rural Areas in Metropolitan and Nonmetropolitan Counties: United States, 1960—Continued

(By place of residence. Data refer only to deaths occurring within the United States, including Alaska and Hawaii. Excludes fetal deaths. Numbers after causes of death are category numbers of the Seventh Revision of the International Lists, 1955. For definitions of areas, see Technical Appendix)

AGE, COLOR, AND CAUSE OF DEATH	ALL COUNTIES			METROPOLITAN COUNTIES			NONMETROPOLITAN COUNTIES		
	Total	Urban	Rural	Total	Urban	Rural	Total	Urban	Rural
NONWHITE, UNDER 28 DAYS—ALL CAUSES	17,648	12,582	5,066	11,637	10,378	1,259	6,011	2,204	3,807
Dysentery, all forms—045-048	6	-	6	1	-	1	5	-	5
Septicemia and pyemia—053	-	-	-	-	-	-	-	-	-
Whooping cough—056	4	1	3	1	1	-	3	-	3
Meningococcal infections—057	2	2	-	1	1	-	1	1	-
Tetanus—061	48	21	27	10	6	4	38	15	23
Other infective and parasitic dis.—001-044,049-052,054,055,058-060,062-138	38	22	16	17	16	1	21	6	15
Malignant neoplasms, including neoplasms of lymphatic and hematopoietic tissues—140-205	10	5	5	4	2	2	6	3	3
Benign neoplasms and neoplasms of unspecified nature—210-239	7	6	1	5	5	-	2	1	1
Diseases of thymus gland—273	3	2	1	1	1	-	2	1	1
Meningitis, except meningococcal and tuberculous—340	50	22	28	25	19	6	25	3	22
Other diseases of nervous system and sense organs—330-334,341-398	38	25	13	25	22	3	13	3	10
Acute upper respiratory infections—470-475	20	9	11	6	5	1	14	4	10
Influenza and pneumonia, except pneumonia of newborn—480-493	29	7	22	6	3	3	23	4	19
Influenza—480-483	29	7	22	6	3	3	23	4	19
Pneumonia, except pneumonia of newborn—490-493	...	...	...	...	...	...	...	...	...
Bronchitis—500-502	14	7	7	6	6	-	8	1	7
Other diseases of respiratory system—510-522,525-527	44	30	14	30	26	4	14	4	10
Pulmonary congestion and hypostatis—522	11	9	2	10	9	1	1	-	1
Other chronic interstitial pneumonia—525	5	4	1	3	3	-	2	1	1
Bronchiectasis—526	-	-	-	-	-	-	-	-	-
Other diseases of lung and pleural cavity—527.2	13	5	8	5	3	2	8	2	6
All other diseases of respiratory system—510-521,527.1	15	12	3	12	11	1	3	1	2
Hernia and intestinal obstruction—560,561,570	73	56	17	51	46	5	22	10	12
Gastritis, duodenitis, enteritis, and colitis, except diarrhea of newborn—543,571,572	2	1	1	1	1	-	1	-	1
Other diseases of digestive system—530-542,544-553,573-587	76	55	21	52	47	5	24	8	16
Congenital malformations—750-759	1,162	843	319	801	710	91	361	133	228
Spina bifida and meningocele—751	36	23	13	18	16	2	18	7	11
Congenital hydrocephalus and other congenital malformations of nervous system and sense organs—752,753	99	72	27	59	55	4	40	17	23
Congenital malformations of circulatory system—754	529	389	140	388	338	50	141	51	90
Other congenital malformations—750,755-759	498	358	140	336	301	35	162	57	105
Certain diseases of early infancy—760-776	15,062	11,085	3,977	10,310	9,235	1,075	4,752	1,850	2,902
Birth injuries—760,761	1,775	1,263	512	1,178	1,040	138	597	223	374
Without mention of immaturity (.0)	851	583	268	520	458	62	331	125	206
With immaturity (.5)	924	680	244	658	582	76	266	98	168
Intracranial and spinal injury at birth—760	718	525	193	501	451	50	217	74	143
Without mention of immaturity (.0)	391	267	124	240	214	26	151	53	98
With immaturity (.5)	327	258	69	261	237	24	66	21	45
Other birth injury—761	1,057	738	319	677	589	88	380	149	231
Without mention of immaturity (.0)	460	316	144	280	244	36	180	72	108
With immaturity (.5)	597	422	175	397	345	52	200	77	123
Postnatal asphyxia and atelectasis—762	4,239	3,423	816	3,240	2,971	269	999	452	547
Without mention of immaturity (.0)	1,034	739	295	656	576	80	378	163	215
With immaturity (.5)	3,205	2,684	521	2,584	2,395	189	621	289	332
Pneumonia of newborn—763	1,172	748	424	695	599	96	477	149	328
Without mention of immaturity (.0)	876	540	336	512	443	69	364	97	267
With immaturity (.5)	296	208	88	183	156	27	113	52	61
Diarrhea of newborn—764	243	105	138	77	59	18	166	46	120
Without mention of immaturity (.0)	195	79	116	57	45	12	138	34	104
With immaturity (.5)	48	26	22	20	14	6	28	12	16
Other infections of newborn—765-768	240	159	81	155	135	20	85	24	61
Without mention of immaturity (.0)	149	87	62	83	70	13	66	17	49
With immaturity (.5)	91	72	19	72	65	7	19	7	12
Neonatal disorders arising from certain diseases of mother during pregnancy—769	221	130	91	113	99	14	108	31	77
Without mention of immaturity (.0-.4)	94	55	39	48	45	3	46	10	36
With immaturity (.5-.9)	127	75	52	65	54	11	62	21	41
Hemolytic disease of newborn (erythroblastosis)—770	145	103	42	102	88	14	43	15	28
Without mention of immaturity (.0-.2)	119	82	37	80	68	12	39	14	25
With immaturity (.5-.7)	26	21	5	22	20	2	4	1	3
Hemorrhagic disease of newborn—771	179	124	55	107	94	13	72	30	42
Without mention of immaturity (.0)	122	81	41	71	60	11	51	21	30
With immaturity (.5)	57	43	14	36	34	2	21	9	12
Ill-defined diseases peculiar to early infancy, including nutritional maladjustment—772,773	1,602	1,191	411	1,139	1,016	123	463	175	288
Without mention of immaturity (.0)	355	209	146	180	152	28	175	57	118
With immaturity (.5)	1,247	982	265	959	864	95	288	118	170
Immaturity with mention of any other subsidiary condition—774	250	182	68	176	159	17	74	23	51
Immaturity, unqualified—776	4,996	3,657	1,339	3,328	2,975	353	1,668	682	986
Symptoms and ill-defined conditions—780-793,795	630	187	443	119	90	29	511	97	414
All other diseases—Residual	86	61	25	50	44	6	36	17	19
Accidents—E800-E962	206	102	104	81	61	20	125	41	84
Inhalation and ingestion of food or other object causing obstruction or suffocation—E921,E922	81	41	40	34	25	9	47	16	31
Accidental mechanical suffocation in bed and cradle—E924	54	27	27	18	16	2	36	11	25
Other accidental causes—E800-E920,E923,E925-E962	71	34	37	29	20	9	42	14	28
Homicide—E964,E980-E984	38	34	4	34	31	3	4	3	1

Table 3-5. Deaths Under 1 Year from 55 Selected Causes,

(Data refer only to deaths occurring within the United States, including Alaska and Hawaii. Excludes fetal deaths.

	COLOR, SEX, AND CAUSE OF DEATH	Total, under 1 year	Under 1 hour	1-23 hours	1 day	2 days	3 days	4 days	5 days	6 days
1	TOTAL, BOTH SEXES--ALL CAUSES	110,873	8,223	35,810	11,549	7,533	3,517	1,973	1,457	1,063
2	Dysentery, all forms--045-048	140	-	-	-	-	-	-	-	-
3	Septicemia and pyemia--053	408	-	-	-	-	-	-	-	-
4	Whooping cough--056	73	-	-	-	-	-	-	-	-
5	Meningococcal infections--057	196	-	-	1	1	1	-	-	-
6	Tetanus--061	69	-	1	-	-	3	-	3	7
7	Other infective and parasitic dis.--001-044,049-052,054,055,058-060,062-138	557	4	13	8	9	6	3	3	2
8	Malignant neoplasms, including neoplasms of lymphatic and hematopoietic tissues--140-205	298	9	12	4	2	1	2	-	-
9	Benign neoplasms and neoplasms of unspecified nature--210-239	138	8	17	10	2	2	1	2	-
10	Diseases of thymus gland--273	115	1	8	5	2	-	-	2	1
11	Meningitis, except meningococcal and tuberculous--340	872	-	2	4	16	13	13	10	7
12	Other diseases of nervous system and sense organs--330-334,341-398	950	1	46	26	22	14	9	5	9
13	Acute upper respiratory infections--470-475	417	-	-	8	4	-	3	2	1
14	Influenza and pneumonia, except pneumonia of newborn--480-493	9,828	-	2	1	2	3	3	2	2
15	Influenza--480-483	538	-	2	1	2	3	3	2	2
16	Pneumonia, except pneumonia of newborn--490-493	9,290	...	...	..	..	...	...	...	...
17	Bronchitis--500-502	656	1	5	2	3	1	1	4	-
18	Other diseases of respiratory system--510-522,525-527	1,539	8	49	44	17	8	10	6	4
19	Pulmonary congestion and hypostatis--522	184	-	13	7	6	3	5	2	1
20	Other chronic interstitial pneumonia--525	933	1	2	1	2	2	1	-	1
21	Bronchiectasis--526	1	-	-	-	-	-	-	-	-
22	Other diseases of lung and pleural cavity--527.2	236	1	5	12	4	1	-	1	1
23	All other diseases of respiratory system--510-521,527.1	185	6	29	24	5	2	4	3	1
24	Hernia and intestinal obstruction--560,561,570	922	66	256	85	58	31	17	19	11
25	Gastritis, duodenitis, enteritis, and colitis, except diarrhea of newborn--543,571,572	2,622	-	-	1	-	1	-	-	-
26	Other diseases of digestive system--530-542,544-553,573-587	676	-	14	24	33	37	28	22	32
27	Congenital malformations--750-759	15,389	1,243	2,739	1,043	997	675	427	308	228
28	Spina bifida and meningocele--751	1,096	68	123	39	37	20	23	22	19
29	Congenital hydrocephalus and other congenital malformations of nervous system and sense organs--752,753	1,645	171	321	71	55	45	27	10	13
30	Congenital malformations of circulatory system--754	7,589	135	889	605	660	446	244	155	111
31	Other congenital malformations--750,755-759	5,059	869	1,406	328	245	164	133	121	83
32	Certain diseases of early infancy--760-776	67,074	6,650	32,172	10,069	6,187	2,594	1,377	999	708
33	Birth injuries--760,761	10,158	1,788	5,004	1,424	903	404	182	120	69
34	Without mention of immaturity (.0)	4,001	800	1,557	618	449	233	98	59	40
35	With immaturity (.5)	6,157	988	3,447	806	454	171	84	61	29
36	Intracranial and spinal injury at birth--760	3,175	181	1,121	614	541	270	129	81	52
37	Without mention of immaturity (.0)	1,857	126	608	360	318	172	78	49	32
38	With immaturity (.5)	1,318	55	513	254	223	98	51	32	20
39	Other birth injury--761	6,983	1,607	3,883	810	362	134	53	39	17
40	Without mention of immaturity (.0)	2,144	674	949	258	131	61	20	10	8
41	With immaturity (.5)	4,839	933	2,934	552	231	73	33	29	9
42	Postnatal asphyxia and atelectasis--762	19,539	1,500	10,195	3,622	2,080	687	303	194	136
43	Without mention of immaturity (.0)	5,255	492	2,277	1,034	656	213	87	64	39
44	With immaturity (.5)	14,284	1,008	7,918	2,588	1,424	474	216	130	97
45	Pneumonia of newborn--763	3,544	40	394	368	375	238	154	154	113
46	Without mention of immaturity (.0)	2,563	30	251	244	240	168	93	99	80
47	With immaturity (.5)	981	10	143	124	135	70	61	55	33
48	Diarrhea of newborn--764	463	-	3	2	3	6	9	6	11
49	Without mention of immaturity (.0)	362	-	3	2	2	6	7	5	8
50	With immaturity (.5)	101	-	-	-	1	-	2	1	3
51	Other infections of newborn--765-768	779	18	66	40	45	62	50	46	45
52	Without mention of immaturity (.0)	506	6	35	25	30	40	34	21	25
53	With immaturity (.5)	273	10	31	15	15	22	16	25	20
54	Neonatal disorders arising from certain diseases of mother during pregnancy--769	1,001	129	471	163	97	56	19	19	6
55	Without mention of immaturity (.0-.4)	354	48	148	53	47	22	3	7	3
56	With immaturity (.5-.9)	647	81	323	110	50	34	16	12	3
57	Hemolytic disease of newborn (erythroblastosis)--770	2,145	459	954	192	158	127	75	40	24
58	Without mention of immaturity (.0-.2)	1,702	373	756	159	121	101	48	29	19
59	With immaturity (.5-.7)	443	86	198	33	37	26	27	11	5
60	Hemorrhagic disease of newborn--771	620	25	183	108	95	61	27	31	18
61	Without mention of immaturity (.0)	393	16	114	67	65	34	19	14	13
62	With immaturity (.5)	227	9	69	41	30	27	8	17	5
63	Ill-defined diseases peculiar to early infancy, including nutritional maladjustment--772,773	8,057	438	3,248	1,485	942	364	167	98	88
64	Without mention of immaturity (.0)	2,353	69	539	387	284	116	41	13	19
65	With immaturity (.5)	5,704	349	2,709	1,098	658	248	126	85	69
66	Immaturity with mention of any other subsidiary condition--774	1,310	77	425	141	106	47	43	31	24
67	Immaturity, unqualified--776	19,458	2,178	11,229	2,514	1,383	542	348	280	174
68	Symptoms and ill-defined conditions--780-793,795	2,518	115	317	128	92	64	37	29	20
69	All other diseases--Residual	1,386	18	85	42	37	27	18	20	12
70	Accidents--E800-E962	3,831	19	47	35	46	35	23	21	21
71	Inhalation and ingestion of food or other object causing obstruction or suffocation--E921,E922	1,204	-	20	12	31	26	14	14	13
72	Accidental mechanical suffocation in bed and cradle--E924	1,018	2	3	9	3	3	3	1	4
73	Other accidental causes--E800-E920,E923,E925-E962	1,609	17	24	14	12	4	6	6	4
74	Homicide--E964,E980-E984	199	80	25	11	3	1	1	-	-

by Age, Color, and Sex: United States, 1960

Numbers after causes of death are category numbers of the Seventh Revision of the International Lists, 1955)

Under 7 days	7-13 days	14-20 days	21-27 days	Under 28 days	28-59 days	2 months	3 months	4 months	5 months	6 months	7 months	8 months	9 months	10 months	11 months	
71,125	4,215	2,479	1,914	79,733	7,272	5,659	4,288	3,289	2,445	2,011	1,671	1,415	1,138	978	974	1
-	2	4	2	8	18	18	16	12	14	10	14	11	7	6	6	2
-	-	-	-	-	111	89	53	44	31	18	18	15	11	11	7	3
-	1	-	3	4	7	15	7	7	12	8	1	8	2	1	1	4
3	3	2	5	13	17	21	16	14	22	13	25	13	15	13	14	5
14	45	6	2	67	-	-	-	-	-	-	1	-	-	-	1	6
48	20	22	12	102	54	49	42	45	45	35	46	39	46	24	30	7
30	2	9	-	41	39	18	25	19	18	19	20	26	19	28	26	8
42	5	6	3	56	16	11	18	7	4	4	3	4	7	4	4	9
19	3	2	2	26	28	15	15	9	6	3	3	2	5	3	-	10
65	72	47	30	214	110	96	50	75	59	60	60	59	40	22	27	11
132	16	14	10	172	135	108	105	70	72	64	69	40	35	38	42	12
18	11	12	19	60	84	77	41	42	30	17	18	13	10	11	14	13
15	7	13	18	53	2,143	1,915	1,524	1,125	780	632	484	379	290	277	226	14
15	7	13	18	53	73	66	68	66	59	48	23	31	18	16	17	15
...	...	...	...	...	2,070	1,849	1,456	1,059	721	584	461	348	272	261	209	16
17	9	9	16	51	108	124	97	61	50	46	36	22	18	23	20	17
146	15	23	17	201	360	305	249	131	96	64	34	36	24	21	18	18
37	4	6	9	56	35	38	18	7	9	6	3	5	2	3	2	19
10	-	1	1	12	263	198	173	97	70	39	26	17	17	10	11	20
-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	21
25	4	10	4	43	38	51	36	21	12	11	3	10	3	5	3	22
74	7	6	3	90	24	18	22	6	5	7	2	4	2	3	2	23
541	54	40	34	669	76	40	28	30	22	11	16	9	7	10	4	24
2	-	3	1	6	519	389	296	266	237	219	183	153	146	97	111	25
190	75	47	16	328	89	65	46	42	26	21	22	11	8	10	8	26
7,658	1,108	687	528	9,981	1,490	909	705	558	419	327	275	230	194	152	149	27
351	75	90	65	581	147	91	71	40	52	29	19	21	15	12	18	28
713	50	59	45	867	142	104	96	82	69	64	61	48	43	40	29	29
3,245	615	337	263	4,460	828	552	426	351	238	192	157	130	105	74	76	30
3,349	368	201	155	4,073	373	162	112	85	60	42	38	31	31	26	26	31
60,756	2,481	1,292	957	65,486	659	346	183	132	80	51	48	25	28	15	21	32
9,894	165	52	35	10,146	7	3	-	-	1	-	1	-	-	-	-	33
3,854	79	32	28	3,993	6	1	-	-	1	-	-	-	-	-	-	34
6,040	86	20	7	6,153	1	2	-	-	-	-	1	-	-	-	-	35
2,989	124	35	27	3,175	...	...	...	...	...	...	...	...	...	...	...	36
1,743	67	22	25	1,857	...	...	...	...	...	...	...	...	...	...	...	37
1,246	57	13	2	1,318	...	...	...	...	...	...	...	...	...	...	...	38
6,905	41	17	8	6,971	7	3	-	-	1	-	1	-	-	-	-	39
2,111	12	10	3	2,136	6	1	-	-	1	-	-	-	-	-	-	40
4,794	29	7	5	4,835	1	2	-	-	-	-	1	-	-	-	-	41
18,717	350	120	61	19,248	118	64	38	21	11	14	9	3	4	3	6	42
4,862	85	47	31	5,025	79	52	30	20	11	13	9	3	4	3	6	43
13,855	265	73	30	14,223	39	12	8	1	-	1	-	-	-	-	-	44
1,836	672	528	508	3,544	...	...	...	...	...	...	...	...	...	...	...	45
1,205	487	437	434	2,563	...	...	...	...	...	...	...	...	...	...	...	46
631	185	91	74	981	...	...	...	...	...	...	...	...	...	...	...	47
40	134	158	128	460	3	-	-	-	-	-	-	-	-	-	-	48
33	98	122	109	360	2	-	-	-	-	-	-	-	-	-	-	49
7	38	36	19	100	1	-	-	-	-	-	-	-	-	-	-	50
370	230	120	48	768	8	1	-	1	-	1	-	-	-	-	-	51
216	162	86	32	496	7	1	-	1	-	1	-	-	-	-	-	52
154	68	34	16	272	1	-	-	-	-	-	-	-	-	-	-	53
980	21	6	1	988	6	5	1	-	1	-	-	-	-	-	-	54
331	12	2	-	345	4	3	1	-	1	-	-	-	-	-	-	55
629	9	4	1	643	2	2	-	-	-	-	-	-	-	-	-	56
2,029	75	12	8	2,124	15	4	1	-	-	-	-	1	-	-	-	57
1,606	63	10	7	1,686	10	4	1	-	-	-	-	1	-	-	-	58
423	12	2	1	438	5	-	-	-	-	-	-	-	-	-	-	59
548	44	8	14	614	6	-	-	-	-	-	-	-	-	-	-	60
342	28	7	12	389	4	-	-	-	-	-	-	-	-	-	-	61
206	16	1	2	225	2	-	-	-	-	-	-	-	-	-	-	62
6,840	215	111	67	7,233	256	173	119	89	57	33	32	21	23	9	12	63
1,498	54	57	41	1,650	193	146	105	83	52	32	31	19	22	8	12	64
5,342	161	54	26	5,583	63	27	14	6	5	1	1	2	1	1	-	65
894	75	44	23	1,036	157	67	18	16	7	2	3	-	1	2	1	66
18,628	500	133	64	19,325	83	29	6	5	3	1	3	-	-	1	2	67
802	92	73	69	1,036	375	298	233	191	112	82	49	49	32	33	28	68
259	64	57	52	432	173	130	112	86	83	101	57	70	39	46	57	69
247	128	109	114	598	643	607	423	320	225	204	184	196	150	128	153	70
132	78	44	40	294	220	203	150	104	58	46	34	34	29	11	21	71
28	25	38	39	130	241	231	135	83	72	55	26	20	14	6	5	72
87	25	27	35	174	182	173	138	133	95	103	124	142	107	111	127	73
121	2	2	4	129	18	14	4	3	2	2	5	5	5	5	7	74

Table 3-5. Deaths Under 1 Year from 55 Selected Causes,

(Data refer only to deaths occurring within the United States, including Alaska and Hawaii. Excludes fetal deaths.

	COLOR, SEX, AND CAUSE OF DEATH	Total, under 1 year	Under 1 hour	1-23 hours	1 day	2 days	3 days	4 days	5 days	6 days
1	TOTAL, MALE--ALL CAUSES	63,936	4,446	20,907	6,860	4,544	2,121	1,125	839	596
2	Dysentery, all forms--045-048	83	-	-	-	-	-	-	-	-
3	Septicemia and pyemia--053	259	-	-	-	-	-	-	-	-
4	Whooping cough--056	44	-	-	-	-	-	-	-	-
5	Meningococcal infections--057	113	-	-	1	-	-	-	-	-
6	Tetanus--061	42	-	-	-	-	2	-	2	2
7	Other infective and parasitic dis.--001-044,049-052,054,055,058-060,062-138	319	2	7	6	8	5	2	2	1
8	Malignant neoplasms, including neoplasms of lymphatic and hematopoietic tissues--140-205	161	5	5	3	2	1	-	-	-
9	Benign neoplasms and neoplasms of unspecified nature--210-239	68	3	12	3	2	1	1	-	-
10	Diseases of thymus gland--273	69	1	7	1	1	-	-	-	-
11	Meningitis, except meningococcal and tuberculous--340	524	-	1	-	10	9	6	7	5
12	Other diseases of nervous system and sense organs--330-334,341-398	557	1	29	20	13	8	5	3	7
13	Acute upper respiratory infections--470-475	248	-	-	4	3	-	1	2	1
14	Influenza and pneumonia, except pneumonia of newborn--480-493	5,594	-	2	1	-	1	2	-	1
15	Influenza--480-483	293	-	2	1	-	1	2	-	1
16	Pneumonia, except pneumonia of newborn--490-493	5,301	...	..	...	...	...	...	...	...
17	Bronchitis--500-502	404	-	2	2	2	1	1	2	-
18	Other diseases of respiratory system--510-522,525-527	931	5	23	29	11	3	4	5	3
19	Pulmonary congestion and hypostatis--522	115	-	5	6	4	1	4	2	1
20	Other chronic interstitial pneumonia--525	563	1	2	1	1	-	-	-	-
21	Bronchiectasis--526	1	-	-	-	-	-	-	-	-
22	Other diseases of lung and pleural cavity--527.2	147	1	3	7	2	1	-	1	1
23	All other diseases of respiratory system--510-521,527.1	105	3	13	15	4	1	-	2	1
24	Hernia and intestinal obstruction--560,561,570	542	31	132	50	38	17	10	13	5
25	Gastritis, duodenitis, enteritis, and colitis, except diarrhea of newborn--543,571,572	1,457	-	-	1	-	-	-	-	-
26	Other diseases of digestive system--530-542,544-553,573-587	408	-	8	17	21	25	19	15	18
27	Congenital malformations--750-759	8,505	579	1,568	643	614	406	235	169	126
28	Spina bifida and meningocele--751	480	26	57	16	13	13	12	11	13
29	Congenital hydrocephalus and other congenital malformations of nervous system and sense organs--752,753	849	78	174	40	29	20	17	6	4
30	Congenital malformations of circulatory system--754	4,369	72	536	388	438	282	137	88	60
31	Other congenital malformations--750,755-759	2,807	403	801	199	134	91	69	64	49
32	Certain diseases of early infancy--760-776	39,091	3,707	18,841	5,944	3,708	1,565	793	577	396
33	Birth injuries--760,761	6,100	1,006	3,028	868	571	248	118	78	31
34	Without mention of immaturity (.0)	2,453	453	940	405	298	148	68	38	15
35	With immaturity (.5)	3,647	553	2,088	463	273	100	50	40	16
36	Intracranial and spinal injury at birth--760	2,020	101	716	411	352	170	85	53	26
37	Without mention of immaturity (.0)	1,212	72	395	250	210	113	55	33	14
38	With immaturity (.5)	808	29	321	161	142	57	30	20	12
39	Other birth injury--761	4,080	905	2,312	457	219	78	33	25	5
40	Without mention of immaturity (.0)	1,241	381	545	155	88	35	13	5	1
41	With immaturity (.5)	2,839	524	1,767	302	131	43	20	20	4
42	Postnatal asphyxia and atelectasis--762	11,560	863	6,008	2,193	1,248	422	182	122	73
43	Without mention of immaturity (.0)	3,113	273	1,303	621	424	148	55	46	18
44	With immaturity (.5)	8,447	590	4,705	1,572	824	274	127	76	55
45	Pneumonia of newborn--763	2,078	22	241	226	227	143	92	79	70
46	Without mention of immaturity (.0)	1,483	14	156	149	140	101	52	49	50
47	With immaturity (.5)	595	8	85	77	87	42	40	30	20
48	Diarrhea of newborn--764	264	-	2	1	2	5	3	3	8
49	Without mention of immaturity (.0)	218	-	2	1	2	5	2	3	6
50	With immaturity (.5)	46	-	-	-	-	-	1	-	2
51	Other infections of newborn--765-768	457	6	32	26	29	47	29	29	28
52	Without mention of immaturity (.0)	303	-	15	15	19	32	23	11	17
53	With immaturity (.5)	154	6	17	11	10	15	6	18	11
54	Neonatal disorders arising from certain diseases of mother during pregnancy--769	584	67	273	102	61	34	8	13	3
55	Without mention of immaturity (.0-.4)	216	26	85	33	36	13	2	6	2
56	With immaturity (.5-.9)	368	41	188	69	25	21	6	7	1
57	Hemolytic disease of newborn (erythroblastosis)--770	1,148	202	509	101	97	72	50	31	17
58	Without mention of immaturity (.0-.2)	913	163	410	87	70	57	30	22	14
59	With immaturity (.5-.7)	235	39	99	14	27	15	20	9	3
60	Hemorrhagic disease of newborn--771	381	12	108	72	64	43	12	19	11
61	Without mention of immaturity (.0)	232	5	65	41	43	22	9	7	8
62	With immaturity (.5)	149	7	43	31	21	21	3	12	3
63	Ill-defined diseases peculiar to early infancy, including nutritional maladjustment--772,773	4,821	244	1,937	889	588	224	87	59	53
64	Without mention of immaturity (.0)	1,479	52	321	260	185	78	27	8	14
65	With immaturity (.5)	3,342	192	1,616	629	403	146	60	51	39
66	Immaturity with mention of any other subsidiary condition--774	756	49	257	80	61	26	21	20	15
67	Immaturity, unqualified--776	10,942	1,236	6,446	1,386	760	301	191	124	87
68	Symptoms and ill-defined conditions--780-793,795	1,415	59	174	82	54	39	27	17	13
69	All other diseases--Residual	850	7	56	26	28	18	5	14	5
70	Accidents--E800-E962	2,153	6	27	22	28	20	13	11	13
71	Inhalation and ingestion of food or other object causing obstruction or suffocation--E921,E922	698	-	12	7	17	16	6	7	9
72	Accidental mechanical suffocation in bed and cradle--E924	569	1	1	7	2	2	2	-	2
73	Other accidental causes--E800-E920,E923,E925-E962	886	5	14	8	9	2	5	4	2
74	Homicide--E964,E980-E984	99	40	13	5	1	-	1	-	-

by Age, Color, and Sex: United States, 1960—Con.

Numbers after causes of death are category numbers of the Seventh Revision of the International Lists, 1955)

Under 7 days	7-13 days	14-20 days	21-27 days	Under 28 days	28-59 days	2 months	3 months	4 months	5 months	6 months	7 months	8 months	9 months	10 months	11 months	
41,438	2,332	1,411	1,109	46,290	4,190	3,331	2,439	1,829	1,389	1,118	917	757	630	516	530	1
-	2	4	1	7	13	13	10	5	7	5	7	8	3	4	1	2
-	-	-	-	-	66	59	35	31	20	9	11	9	9	6	4	3
-	1	-	2	3	7	7	5	4	5	4	1	5	1	1	1	4
1	1	1	5	8	10	14	11	7	11	5	15	7	8	9	8	5
6	28	5	2	41	-	-	-	-	-	-	-	-	-	-	1	6
33	13	18	6	70	30	26	19	27	23	23	24	17	29	15	16	7
16	1	2	-	19	20	12	16	13	8	9	12	10	12	16	14	8
22	3	3	1	29	8	7	4	3	3	3	2	4	2	1	2	9
10	2	1	1	14	17	11	10	6	3	1	1	-	4	2	-	10
38	47	33	17	135	56	61	30	49	38	34	35	36	23	13	14	11
86	13	9	8	116	75	63	55	39	42	40	42	21	21	18	25	12
11	6	9	9	35	46	47	26	28	18	8	10	9	5	7	9	13
7	4	6	11	28	1,267	1,154	896	601	453	335	251	193	152	141	123	14
7	4	6	11	28	49	43	38	41	28	22	9	11	10	8	6	15
...	...	...	...	...	1,218	1,111	858	560	425	313	242	182	142	133	117	16
10	3	7	11	31	71	71	60	37	33	30	17	13	12	14	15	17
83	6	11	12	112	210	203	152	83	51	41	21	19	12	15	12	18
23	1	2	5	31	16	30	12	5	6	5	2	5	1	1	1	19
5	-	-	1	6	159	128	100	60	37	25	15	9	8	8	8	20
-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	21
16	4	5	3	28	17	31	30	13	4	8	3	3	3	5	2	22
39	1	4	3	47	18	14	10	5	4	2	1	2	-	1	1	23
296	36	21	25	378	47	30	24	21	10	7	11	4	3	5	2	24
1	-	3	-	4	276	201	163	156	122	133	106	86	93	54	63	25
123	46	27	7	203	59	44	28	19	15	10	8	8	4	6	4	26
4,340	623	377	295	5,635	836	513	361	280	233	162	134	109	92	73	77	27
161	28	37	27	253	62	42	35	17	21	12	10	6	6	5	11	28
368	24	37	21	450	71	61	46	46	31	31	33	19	24	20	17	29
2,001	361	193	152	2,707	478	310	219	176	139	96	71	66	44	32	31	30
1,810	210	110	95	2,225	225	100	61	41	42	23	20	18	18	16	18	31
35,531	1,335	736	565	38,167	382	202	100	78	48	32	26	18	18	9	11	32
5,948	97	25	24	6,094	2	3	-	-	-	-	1	-	-	-	-	33
2,365	48	20	18	2,451	1	1	-	-	-	-	-	-	-	-	-	34
3,583	49	5	6	3,643	1	2	-	-	-	-	1	-	-	-	-	35
1,914	71	16	19	2,020	...	...	...	...	...	...	...	...	...	...	...	36
1,142	39	14	17	1,212	...	...	...	...	...	...	...	...	...	...	...	37
772	32	2	2	808	...	...	...	...	...	...	...	...	...	...	...	38
4,034	26	9	5	4,074	2	3	-	-	-	-	1	-	-	-	-	39
1,223	9	6	1	1,239	1	1	-	-	-	-	-	-	-	-	-	40
2,811	17	3	4	2,835	1	2	-	-	-	-	1	-	-	-	-	41
11,111	179	73	30	11,393	65	39	25	10	8	7	2	3	3	3	2	42
2,888	44	30	16	2,978	46	32	20	10	8	6	2	3	3	3	2	43
8,223	135	43	14	8,415	19	7	5	-	-	1	-	-	-	-	-	44
1,100	370	303	305	2,078	...	...	...	...	...	...	...	...	...	...	...	45
711	266	247	259	1,483	...	...	...	...	...	...	...	...	...	...	...	46
389	104	56	46	595	...	...	...	...	...	...	...	...	...	...	...	47
24	75	87	75	261	3	-	-	-	-	-	-	-	-	-	-	48
21	55	72	68	216	2	-	-	-	-	-	-	-	-	-	-	49
3	20	15	7	45	1	-	-	-	-	-	-	-	-	-	-	50
226	119	76	29	450	6	-	-	-	-	1	-	-	-	-	-	51
132	90	53	22	297	5	-	-	-	-	1	-	-	-	-	-	52
94	29	23	7	153	1	-	-	-	-	-	-	-	-	-	-	53
561	14	4	-	579	3	2	-	-	-	-	-	-	-	-	-	54
203	8	1	-	212	2	2	-	-	-	-	-	-	-	-	-	55
358	6	3	-	367	1	-	-	-	-	-	-	-	-	-	-	56
1,079	44	6	6	1,135	9	3	-	-	-	-	-	1	-	-	-	57
853	38	6	6	903	6	3	-	-	-	-	-	1	-	-	-	58
226	6	-	-	232	3	-	-	-	-	-	-	-	-	-	-	59
341	23	3	10	377	4	-	-	-	-	-	-	-	-	-	-	60
200	16	3	10	229	3	-	-	-	-	-	-	-	-	-	-	61
141	7	-	-	148	1	-	-	-	-	-	-	-	-	-	-	62
4,081	124	69	40	4,314	164	104	66	60	34	21	19	14	15	4	6	63
945	34	37	27	1,043	124	88	60	55	33	20	18	14	14	4	6	64
3,136	90	32	13	3,271	40	16	6	5	1	1	1	-	1	-	-	65
529	47	25	13	614	84	34	6	6	6	2	2	-	-	1	1	66
10,531	243	65	33	10,872	42	17	3	2	-	1	2	-	-	1	2	67
465	44	39	31	579	214	160	132	102	66	50	30	27	20	16	19	68
159	44	42	34	279	108	82	69	58	43	82	36	44	21	22	26	69
140	73	57	62	332	365	347	231	180	136	113	113	109	82	66	79	70
74	47	23	20	164	128	126	80	60	37	30	26	20	15	3	9	71
17	10	19	25	71	140	128	76	45	46	30	15	10	6	1	1	72
49	16	15	17	97	97	93	75	75	53	53	72	79	61	62	69	73
60	1	-	4	65	7	4	2	2	1	2	4	1	4	3	4	74

Table 3-5. Deaths Under 1 Year from 55 Selected Causes,

(Data refer only to deaths occurring within the United States, including Alaska and Hawaii. Excludes fetal deaths.

	COLOR, SEX, AND CAUSE OF DEATH	Total, under 1 year	Under 1 hour	1-23 hours	1 day	2 days	3 days	4 days	5 days	6 days
1	TOTAL, FEMALE--ALL CAUSES	46,937	3,777	14,903	4,689	2,989	1,396	848	618	467
2	Dysentery, all forms--045-048	57	-	-	-	-	-	-	-	-
3	Septicemia and pyemia--053	149	-	-	-	-	-	-	-	-
4	Whooping cough--056	29	-	-	-	-	-	-	-	-
5	Meningococcal infections--057	83	-	-	-	1	1	-	-	-
6	Tetanus--061	27	-	1	-	-	1	-	1	5
7	Other infective and parasitic dis.--001-044,049-052,054,055,058-060,062-138	238	2	6	2	1	1	1	1	1
8	Malignant neoplasms, including neoplasms of lymphatic and hematopoietic tissues--140-205	137	4	7	1	-	-	2	-	-
9	Benign neoplasms and neoplasms of unspecified nature--210-239	70	5	5	7	-	1	-	2	-
10	Diseases of thymus gland--273	46	-	1	4	1	-	-	2	1
11	Meningitis, except meningococcal and tuberculous--340	548	-	1	4	6	4	7	3	2
12	Other diseases of nervous system and sense organs--330-334,341-398	393	-	17	6	9	6	4	2	2
13	Acute upper respiratory infections--470-475	169	-	-	4	1	-	2	-	-
14	Influenza and pneumonia, except pneumonia of newborn--480-493	4,234	-	-	-	2	2	1	2	1
15	Influenza--480-483	245	-	-	-	2	2	1	2	1
16	Pneumonia, except pneumonia of newborn--490-493	3,989	...	...	...	...	...	...	...	...
17	Bronchitis--500-502	252	1	3	-	1	-	-	2	-
18	Other diseases of respiratory system--510-522,525-527	608	3	26	15	6	5	6	1	1
19	Pulmonary congestion and hypostatis--522	69	-	8	1	2	2	1	-	-
20	Other chronic interstitial pneumonia--525	370	-	-	-	1	2	1	-	1
21	Bronchiectasis--526	-	-	-	-	-	-	-	-	-
22	Other diseases of lung and pleural cavity--527.2	89	-	2	5	2	-	-	-	-
23	All other diseases of respiratory system--510-521,527.1	80	3	16	9	1	1	4	1	-
24	Hernia and intestinal obstruction--560,561,570	380	35	124	33	20	14	7	6	6
25	Gastritis, duodenitis, enteritis, and colitis, except diarrhea of newborn--543,571,572	1,165	-	-	-	-	1	-	-	-
26	Other diseases of digestive system--530-542,544-553,573-587	268	-	6	7	12	12	9	7	14
27	Congenital malformations--750-759	6,884	664	1,171	400	383	269	192	139	100
28	Spina bifida and meningocele--751	616	42	66	23	24	7	11	11	6
29	Congenital hydrocephalus and other congenital malformations of nervous system and sense organs--752,753	796	93	147	31	26	25	10	4	9
30	Congenital malformations of circulatory system--754	3,220	63	353	217	222	164	107	67	51
31	Other congenital malformations--750,755-759	2,252	466	605	129	111	73	64	57	34
32	Certain diseases of early infancy--760-776	27,983	2,943	13,331	4,125	2,479	1,029	584	422	312
33	Birth injuries--760,761	4,058	782	1,976	556	332	156	64	42	38
34	Without mention of immaturity (.0)	1,548	347	617	213	151	85	30	21	25
35	With immaturity (.5)	2,510	435	1,359	343	181	71	34	21	13
36	Intracranial and spinal injury at birth--760	1,155	80	405	203	189	100	44	28	26
37	Without mention of immaturity (.0)	645	54	213	110	108	59	23	16	18
38	With immaturity (.5)	510	26	192	93	81	41	21	12	8
39	Other birth injury--761	2,903	702	1,571	353	143	56	20	14	12
40	Without mention of immaturity (.0)	903	293	404	103	43	26	7	5	7
41	With immaturity (.5)	2,000	409	1,167	250	100	30	13	9	5
42	Postnatal asphyxia and atelectasis--762	7,979	637	4,187	1,429	832	265	121	72	63
43	Without mention of immaturity (.0)	2,142	219	974	413	232	65	32	18	21
44	With immaturity (.5)	5,837	418	3,213	1,016	600	200	89	54	42
45	Pneumonia of newborn--763	1,466	18	153	142	148	95	82	75	43
46	Without mention of immaturity (.0)	1,080	16	95	95	100	67	41	50	30
47	With immaturity (.5)	386	2	58	47	48	28	21	25	13
48	Diarrhea of newborn--764	199	-	1	1	1	1	6	3	3
49	Without mention of immaturity (.0)	144	-	1	1	-	1	5	2	2
50	With immaturity (.5)	55	-	-	-	1	-	1	1	1
51	Other infections of newborn--765-768	322	10	34	14	16	15	21	17	17
52	Without mention of immaturity (.0)	203	6	20	10	11	8	11	10	8
53	With immaturity (.5)	119	4	14	4	5	7	10	7	9
54	Neonatal disorders arising from certain diseases of mother during pregnancy--769	417	62	198	61	36	22	11	6	3
55	Without mention of immaturity (.0-.4)	138	22	63	20	11	9	1	1	1
56	With immaturity (.5-.9)	279	40	135	41	25	13	10	5	2
57	Hemolytic disease of newborn (erythroblastosis)--770	997	257	445	91	61	55	25	9	7
58	Without mention of immaturity (.0-.2)	789	210	346	72	51	44	18	7	5
59	With immaturity (.5-.7)	208	47	99	19	10	11	7	2	2
60	Hemorrhagic disease of newborn--771	239	13	75	36	31	18	15	12	7
61	Without mention of immaturity (.0)	161	11	49	26	22	12	10	7	5
62	With immaturity (.5)	78	2	26	10	9	6	5	5	2
63	Ill-defined diseases peculiar to early infancy, including nutritional maladjustment--772,773	3,236	194	1,311	606	354	140	80	39	35
64	Without mention of immaturity (.0)	874	37	218	137	98	38	14	5	5
65	With immaturity (.5)	2,362	157	1,093	469	255	102	66	34	30
66	Immaturity with mention of any other subsidiary condition--774	554	28	168	61	45	21	22	11	9
67	Immaturity, unqualified--776	8,516	942	4,783	1,128	623	241	157	136	87
68	Symptoms and ill-defined conditions--780-793,795	1,103	56	143	46	38	25	10	12	7
69	All other diseases--Residual	536	11	29	16	9	9	13	6	7
70	Accidents--E800-E962	1,678	13	20	13	18	15	10	10	8
71	Inhalation and ingestion of food or other object causing obstruction or suffocation--E921,E922	506	-	8	5	14	12	8	7	4
72	Accidental mechanical suffocation in bed and cradle--E924	449	1	2	2	1	1	1	1	3
73	Other accidental causes--E800-E920,E923,E925-E962	723	12	10	6	3	2	1	2	2
74	Homicide--E964,E980-E984	100	40	12	6	2	1	-	-	-

by Age, Color, and Sex: United States, 1960—Con.

Numbers after causes of death are category numbers of the Seventh Revision of the International Lists, 1955)

Under 7 days	7-13 days	14-20 days	21-27 days	Under 28 days	28-59 days	2 months	3 months	4 months	5 months	6 months	7 months	8 months	9 months	10 months	11 months	
29,687	1,883	1,068	805	33,443	3,082	2,328	1,849	1,460	1,056	893	754	658	508	462	444	1
-	-	-	1	1	5	5	6	7	7	5	7	3	4	2	5	2
-	-	-	-	-	45	30	18	13	11	9	7	6	2	5	3	3
-	-	-	1	1	-	8	2	3	7	4	-	3	1	-	-	4
2	2	1	-	5	7	7	5	7	11	8	10	6	7	4	6	5
8	17	1	-	26	-	-	-	-	-	-	1	-	-	-	-	6
15	7	4	6	32	24	23	23	18	22	12	22	22	17	9	14	7
14	1	7	-	22	19	6	9	6	10	10	8	16	7	12	12	8
20	2	3	2	27	8	4	14	4	1	1	1	-	5	3	2	9
9	1	1	1	12	11	4	5	3	3	2	2	2	1	1	-	10
27	25	14	13	79	54	35	20	26	21	26	25	23	17	9	13	11
46	3	5	2	56	60	45	50	31	30	24	27	19	14	20	17	12
7	5	3	10	25	38	30	15	14	12	9	8	4	5	4	5	13
8	3	7	7	25	876	761	628	524	327	297	233	186	138	136	103	14
8	3	7	7	25	24	23	30	25	31	26	14	20	8	8	11	15
...	...	...	...	...	852	738	598	499	296	271	219	166	130	128	92	16
7	6	2	5	20	37	53	37	24	17	16	19	9	6	9	5	17
63	9	12	5	89	150	102	97	48	45	23	13	17	12	6	6	18
14	3	4	4	25	19	8	6	2	3	1	1	-	1	2	1	19
5	-	1	-	6	104	70	73	37	33	14	11	8	9	2	3	20
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	21
9	-	5	1	15	21	20	6	8	8	3	-	7	-	-	1	22
35	6	2	-	43	6	4	12	1	1	5	1	2	2	2	1	23
245	18	19	9	291	29	10	4	9	12	4	5	5	4	5	2	24
1	-	-	1	2	243	188	133	110	115	86	77	67	53	43	48	25
67	29	20	9	125	30	21	18	23	11	11	14	3	4	4	4	26
3,318	485	310	233	4,346	654	396	344	278	186	165	141	121	102	79	72	27
190	47	53	38	328	85	49	36	23	31	17	9	15	9	7	7	28
345	26	22	24	417	71	43	50	36	38	33	28	29	19	20	12	29
1,244	254	144	111	1,753	350	242	207	175	99	96	86	64	61	42	45	30
1,539	158	91	60	1,848	148	62	51	44	18	19	18	13	13	10	8	31
25,225	1,146	556	392	27,319	277	144	83	54	32	19	22	7	10	6	10	32
3,946	68	27	11	4,052	5	-	-	-	1	-	-	-	-	-	-	33
1,489	31	12	10	1,542	5	-	-	-	1	-	-	-	-	-	-	34
2,457	37	15	1	2,510	-	-	-	-	-	-	-	-	-	-	-	35
1,075	53	19	8	1,155	...	...	...	...	...	...	...	...	...	...	...	36
601	28	8	8	645	...	...	...	...	...	...	...	...	...	...	...	37
474	25	11	-	510	...	...	...	...	...	...	...	...	...	...	...	38
2,871	15	8	3	2,897	5	-	-	-	1	-	-	-	-	-	-	39
888	3	4	2	897	5	-	-	-	1	-	-	-	-	-	-	40
1,983	12	4	1	2,000	-	-	-	-	-	-	-	-	-	-	-	41
7,606	171	47	31	7,855	53	25	13	11	3	7	7	-	1	-	4	42
1,974	41	17	15	2,047	33	20	10	10	3	7	7	-	1	-	4	43
5,632	130	30	16	5,808	20	5	3	1	-	-	-	-	-	-	-	44
736	302	225	203	1,466	...	...	...	...	...	...	...	...	...	...	...	45
494	221	190	175	1,080	...	...	...	...	...	...	...	...	...	...	...	46
242	81	35	28	386	...	...	...	...	...	...	...	...	...	...	...	47
16	59	71	53	199	-	-	-	-	-	-	-	-	-	-	-	48
12	41	50	41	144	-	-	-	-	-	-	-	-	-	-	-	49
4	18	21	12	55	-	-	-	-	-	-	-	-	-	-	-	50
144	111	44	19	318	2	1	-	1	-	-	-	-	-	-	-	51
84	72	33	10	199	2	1	-	1	-	-	-	-	-	-	-	52
60	39	11	9	119	-	-	-	-	-	-	-	-	-	-	-	53
399	7	2	1	409	3	3	1	-	1	-	-	-	-	-	-	54
128	4	1	-	133	2	1	1	-	1	-	-	-	-	-	-	55
271	3	1	1	276	1	2	-	-	-	-	-	-	-	-	-	56
950	31	6	2	989	6	1	1	-	-	-	-	-	-	-	-	57
753	25	4	1	783	4	1	1	-	-	-	-	-	-	-	-	58
197	6	2	1	206	2	-	-	-	-	-	-	-	-	-	-	59
207	21	5	4	237	2	-	-	-	-	-	-	-	-	-	-	60
142	12	4	2	160	1	-	-	-	-	-	-	-	-	-	-	61
65	9	1	2	77	1	-	-	-	-	-	-	-	-	-	-	62
2,759	91	42	27	2,919	92	69	53	29	23	12	13	7	8	5	6	63
553	20	20	14	607	69	58	45	28	19	12	13	5	8	4	6	64
2,206	71	22	13	2,312	23	11	8	1	4	-	-	2	-	1	-	65
365	28	19	10	422	73	33	12	10	1	-	1	-	1	1	-	66
8,097	257	68	31	8,453	41	12	3	3	3	-	1	-	-	-	-	67
337	48	34	38	457	161	138	101	89	46	32	19	22	12	17	9	68
100	20	15	18	153	65	48	43	28	40	39	21	26	18	24	31	69
107	55	52	52	266	278	260	192	140	89	91	71	87	68	62	74	70
58	31	21	20	130	92	77	70	44	21	16	8	14	14	8	12	71
11	15	19	14	59	101	103	59	38	26	25	11	10	8	5	4	72
38	9	12	18	77	85	80	63	58	42	50	52	63	46	49	58	73
61	1	2	-	64	11	10	2	1	1	-	1	4	1	2	3	74

Table 3-5. Deaths Under 1 Year from 55 Selected Causes,

(Data refer only to deaths occurring within the United States, including Alaska and Hawaii. Excludes fetal deaths.

	COLOR, SEX, AND CAUSE OF DEATH	Total, under 1 year	Under 1 hour	1-23 hours	1 day	2 days	3 days	4 days	5 days	6 days
1	WHITE, BOTH SEXES--ALL CAUSES	82,479	6,590	28,003	9,121	6,193	2,798	1,488	1,093	811
2	Dysentery, all forms--045-048	60	-	-	-	-	-	-	-	-
3	Septicemia and pyemia--053	289	-	-	-	-	-	-	-	-
4	Whooping cough--056	24	-	-	-	-	-	-	-	-
5	Meningococcal infections--057	161	-	-	1	1	1	-	-	-
6	Tetanus--061	20	-	1	-	-	2	-	-	3
7	Other infective and parasitic dis.--001-044,049-052,054,055,058-060,062-138	374	3	6	7	8	3	2	3	1
8	Malignant neoplasms, including neoplasms of lymphatic and hematopoietic tissues--140-205	258	8	11	3	2	1	2	-	-
9	Benign neoplasms and neoplasms of unspecified nature--210-239	119	7	14	10	2	2	1	1	-
10	Diseases of thymus gland--273	97	1	6	4	2	-	-	2	1
11	Meningitis, except meningococcal and tuberculous--340	570	-	2	3	13	6	12	9	5
12	Other diseases of nervous system and sense organs--330-334,341-398	725	1	33	18	16	12	6	3	7
13	Acute upper respiratory infections--470-475	273	-	-	5	1	-	3	1	1
14	Influenza and pneumonia, except pneumonia of newborn--480-493	5,835	-	-	-	1	2	2	-	1
15	Influenza--480-483	252	-	-	-	1	2	2	-	1
16	Pneumonia, except pneumonia of newborn--490-493	5,583	...	...	...	...	...	...	...	...
17	Bronchitis--500-502	513	1	4	2	3	1	-	2	-
18	Other diseases of respiratory system--510-522,525-527	1,101	6	38	39	12	7	6	5	3
19	Pulmonary congestion and hypostatis--522	148	-	12	6	3	3	3	2	1
20	Other chronic interstitial pneumonia--525	645	1	2	1	1	1	-	-	-
21	Bronchiectasis--526	1	-	-	-	-	-	-	-	-
22	Other diseases of lung and pleural cavity--527.2	162	-	4	9	3	1	-	1	1
23	All other diseases of respiratory system--510-521,527.1	145	5	20	23	5	2	3	2	1
24	Hernia and intestinal obstruction--560,561,570	771	63	235	76	53	24	13	16	10
25	Gastritis, duodenitis, enteritis, and colitis, except diarrhea of newborn--543,571,572	1,270	-	-	1	-	1	-	-	-
26	Other diseases of digestive system--530-542,544-553,573-587	512	-	13	21	26	29	16	15	20
27	Congenital malformations--750-759	13,426	1,108	2,445	910	895	597	377	266	198
28	Spina bifida and meningocele--751	1,031	61	118	36	34	20	21	20	18
29	Congenital hydrocephalus and other congenital malformations of nervous system and sense organs--752,753	1,423	151	287	61	51	40	22	10	11
30	Congenital malformations of circulatory system--754	6,589	114	789	529	593	397	220	137	99
31	Other congenital malformations--750,755-759	4,383	782	1,271	284	217	140	114	99	70
32	Certain diseases of early infancy--760-776	51,260	5,267	24,954	7,906	5,052	2,038	1,004	731	525
33	Birth injuries--760,761	8,379	1,485	4,177	1,126	779	331	141	103	52
34	Without mention of immaturity (.0)	3,146	640	1,216	463	381	186	75	50	29
35	With immaturity (.5)	5,233	845	2,961	663	398	145	66	53	23
36	Intracranial and spinal injury at birth--760	2,457	137	858	452	457	216	96	70	39
37	Without mention of immaturity (.0)	1,466	101	475	271	272	135	60	43	24
38	With immaturity (.5)	991	36	383	181	185	81	36	27	15
39	Other birth injury--761	5,922	1,348	3,319	674	322	115	45	33	13
40	Without mention of immaturity (.0)	1,680	539	741	192	109	51	15	7	5
41	With immaturity (.5)	4,242	809	2,578	482	213	64	30	26	8
42	Postnatal asphyxia and atelectasis--762	15,209	1,126	7,863	2,902	1,721	546	226	142	109
43	Without mention of immaturity (.0)	4,153	373	1,797	828	548	171	68	45	35
44	With immaturity (.5)	11,056	753	6,066	2,074	1,173	375	158	97	74
45	Pneumonia of newborn--763	2,372	29	263	272	286	167	108	95	73
46	Without mention of immaturity (.0)	1,687	21	166	173	176	112	59	57	52
47	With immaturity (.5)	685	8	97	99	110	55	49	38	21
48	Diarrhea of newborn--764	217	-	2	-	1	3	4	4	7
49	Without mention of immaturity (.0)	165	-	2	-	-	3	3	3	5
50	With immaturity (.5)	52	-	-	-	1	-	1	1	2
51	Other infections of newborn--765-768	535	11	48	25	34	46	36	29	31
52	Without mention of immaturity (.0)	353	2	29	15	23	30	24	14	17
53	With immaturity (.5)	182	9	19	10	11	16	12	15	14
54	Neonatal disorders arising from certain diseases of mother during pregnancy--769	779	91	371	135	78	44	16	15	1
55	Without mention of immaturity (.0-.4)	260	32	110	38	37	16	3	7	1
56	With immaturity (.5-.9)	519	59	261	97	41	28	13	8	-
57	Hemolytic disease of newborn (erythroblastosis)--770	1,994	446	910	182	139	115	62	32	22
58	Without mention of immaturity (.0-.2)	1,579	360	719	149	106	92	40	25	17
59	With immaturity (.5-.7)	415	86	191	33	33	23	22	7	5
60	Hemorrhagic disease of newborn--771	438	20	127	72	77	42	19	21	14
61	Without mention of immaturity (.0)	270	12	79	39	49	24	14	9	9
62	With immaturity (.5)	168	8	48	33	28	18	5	12	5
63	Ill-defined diseases peculiar to early infancy, including nutritional maladjustment--772,773	6,008	319	2,477	1,242	810	298	127	73	66
64	Without mention of immaturity (.0)	1,621	59	425	346	249	94	31	8	15
65	With immaturity (.5)	4,387	260	2,052	896	561	204	96	65	51
66	Immaturity with mention of any other subsidiary condition--774	930	63	328	110	85	32	32	23	22
67	Immaturity, unqualified--776	14,399	1,677	8,388	1,840	1,042	414	233	194	128
68	Symptoms and ill-defined conditions--780-793,795	972	43	130	50	50	23	12	7	10
69	All other diseases--Residual	1,049	14	65	36	29	23	16	19	11
70	Accidents--E800-E962	2,672	12	29	20	25	25	16	13	15
71	Inhalation and ingestion of food or other object causing obstruction or suffocation--E921,E922	902	-	17	10	19	22	12	10	9
72	Accidental mechanical suffocation in bed and cradle--E924	683	2	1	3	1	-	2	1	3
73	Other accidental causes--E800-E920,E923,E925-E962	1,087	10	11	7	5	3	2	2	3
74	Homicide--E964,E980-E984	128	56	17	9	1	1	-	-	-

by Age, Color, and Sex: United States, 1960—Con.

Numbers after causes of death are category numbers of the Seventh Revision of the International Lists, 1955)

Under 7 days	7-13 days	14-20 days	21-27 days	Under 28 days	28-59 days	2 months	3 months	4 months	5 months	6 months	7 months	8 months	9 months	10 months	11 months	
56,097	3,072	1,662	1,254	62,085	4,818	3,722	2,831	2,065	1,554	1,267	1,096	952	768	661	660	1
-	1	-	1	2	9	5	5	6	10	1	6	8	1	3	4	2
-	-	-	-	-	72	69	38	35	23	11	12	8	8	7	6	3
-	-	-	-	-	1	6	1	3	4	4	-	3	-	1	1	4
3	2	2	4	11	15	15	12	12	17	12	22	12	10	11	12	5
6	11	2	-	19	-	-	-	-	-	-	-	-	-	-	1	6
33	15	11	5	64	34	30	32	34	27	22	31	32	35	14	19	7
27	-	4	-	31	38	14	22	17	15	15	19	21	16	25	25	8
37	5	5	2	49	11	9	17	7	4	4	2	4	5	4	3	9
16	3	2	2	23	24	14	14	6	5	2	-	1	5	3	-	10
50	57	35	22	164	79	62	35	42	36	26	37	35	24	15	15	11
97	15	13	9	134	101	86	77	50	59	47	51	29	30	27	34	12
11	6	8	15	40	56	51	25	25	18	12	14	10	7	7	8	13
6	3	8	7	24	1,312	1,184	917	658	432	365	284	212	163	156	128	14
6	3	8	7	24	34	31	29	34	19	20	16	19	12	5	9	15
...	...	...	...	...	1,278	1,153	888	624	413	345	268	193	151	151	119	16
13	6	7	11	37	83	93	81	51	41	29	30	20	14	18	16	17
116	11	17	13	157	248	238	182	82	69	42	26	25	10	13	9	18
30	3	5	7	45	25	32	15	6	9	6	3	3	1	3	-	19
6	-	-	1	7	183	153	121	61	48	24	19	10	7	6	6	20
-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	21
19	3	6	2	30	23	37	28	10	9	7	3	9	1	2	3	22
61	5	6	3	75	17	16	18	5	3	4	1	3	1	2	-	23
490	43	35	28	596	56	28	19	20	12	8	11	6	6	7	2	24
2	-	2	-	4	220	157	138	117	111	104	102	89	92	65	71	25
140	66	37	9	252	70	45	33	29	24	15	14	11	6	8	5	26
6,798	977	601	445	8,819	1,297	777	602	457	363	278	222	202	158	130	121	27
328	71	86	60	545	136	89	62	39	50	29	17	21	15	11	17	28
633	41	52	42	768	118	85	85	69	60	53	50	43	38	32	22	29
2,858	553	297	223	3,931	727	473	365	284	203	164	127	112	82	63	58	30
2,977	312	166	120	3,575	316	130	90	65	50	32	28	26	23	24	24	31
47,477	1,662	739	546	50,424	344	193	98	59	34	24	29	15	18	11	11	32
8,194	119	33	25	8,371	3	3	-	-	1	-	1	-	-	-	-	33
3,040	60	23	19	3,142	2	1	-	-	1	-	-	-	-	-	-	34
5,154	59	10	6	5,229	1	2	-	-	-	-	1	-	-	-	-	35
2,325	91	23	18	2,457	...	...	...	...	...	...	...	...	...	...	...	36
1,381	52	16	17	1,466	...	...	...	...	...	...	...	...	...	...	...	37
944	39	7	1	991	...	...	...	...	...	...	...	...	...	...	...	38
5,869	28	10	7	5,914	3	3	-	-	1	-	1	-	-	-	-	39
1,659	8	7	2	1,676	2	1	-	-	1	-	-	-	-	-	-	40
4,210	20	3	5	4,238	1	2	-	-	-	-	1	-	-	-	-	41
14,635	251	78	45	15,009	78	51	23	16	5	9	5	3	4	2	4	42
3,865	68	31	27	3,991	53	41	22	15	5	8	5	3	4	2	4	43
10,770	183	47	18	11,018	25	10	1	1	-	1	-	-	-	-	-	44
1,293	443	331	305	2,372	...	...	...	...	...	...	...	...	...	...	...	45
816	326	278	267	1,687	...	...	...	...	...	...	...	...	...	...	...	46
477	117	53	38	685	...	...	...	...	...	...	...	...	...	...	...	47
21	74	67	55	217	-	-	-	-	-	-	-	-	-	-	-	48
18	53	47	49	165	-	-	-	-	-	-	-	-	-	-	-	49
5	21	20	6	52	-	-	-	-	-	-	-	-	-	-	-	50
260	160	78	30	528	7	-	-	-	-	-	-	-	-	-	-	51
154	113	57	23	347	6	-	-	-	-	-	-	-	-	-	-	52
108	47	21	7	181	1	-	-	-	-	-	-	-	-	-	-	53
751	14	2	-	767	6	4	1	-	1	-	-	-	-	-	-	54
244	7	-	-	251	4	3	1	-	1	-	-	-	-	-	-	55
507	7	2	-	516	2	1	-	-	-	-	-	-	-	-	-	56
1,908	58	8	5	1,979	11	2	1	-	-	-	-	1	-	-	-	57
1,508	48	7	4	1,567	8	2	1	-	-	-	-	1	-	-	-	58
400	10	1	1	412	3	-	-	-	-	-	-	-	-	-	-	59
392	31	3	9	435	3	-	-	-	-	-	-	-	-	-	-	60
235	21	3	8	267	3	-	-	-	-	-	-	-	-	-	-	61
157	10	-	1	168	-	-	-	-	-	-	-	-	-	-	-	62
5,412	144	45	30	5,631	117	82	55	34	19	14	21	11	13	7	4	63
1,227	32	19	17	1,295	88	71	51	33	18	13	20	9	13	6	4	64
4,185	112	26	13	4,336	29	11	4	1	1	1	1	2	-	1	-	65
693	54	26	11	786	80	35	13	6	5	1	1	-	1	1	1	66
13,916	314	68	31	14,329	39	16	5	3	3	-	1	-	-	1	2	67
325	37	23	21	406	156	123	89	70	32	28	17	18	11	10	12	68
213	59	37	37	346	124	94	89	67	67	76	33	55	32	29	37	69
155	91	72	74	392	459	422	302	216	150	140	132	134	117	94	114	70
99	62	29	23	213	170	157	117	78	42	33	25	24	21	9	13	71
13	13	25	25	76	166	151	96	58	47	39	23	11	9	4	3	72
43	16	18	26	103	123	114	89	80	61	68	84	99	87	81	98	73
84	2	2	3	91	9	7	3	2	1	2	2	2	-	3	6	74

Table 3-5. Deaths Under 1 Year from 55 Selected Causes,

(Data refer only to deaths occurring within the United States, including Alaska and Hawaii. Excludes fetal deaths.

	COLOR, SEX, AND CAUSE OF DEATH	Total, under 1 year	Under 1 hour	1-23 hours	1 day	2 days	3 days	4 days	5 days	6 days
1	WHITE, MALE—ALL CAUSES	48,063	3,552	16,512	5,447	3,756	1,682	835	649	458
2	Dysentery, all forms-045-048	38	-	-	-	-	-	-	-	-
3	Septicemia and pyemia-053	184	-	-	-	-	-	-	-	-
4	Whooping cough-056	15	-	-	-	-	-	-	-	-
5	Meningococcal infections-057	95	-	-	1	-	-	-	-	-
6	Tetanus-061	12	-	-	-	-	2	-	-	1
7	Other infective and parasitic dis.--001-044,049-052,054,055,058-060,062-138	207	2	3	5	7	3	2	2	-
8	Malignant neoplasms, including neoplasms of lymphatic and hematopoietic tissues-140-205	141	4	5	2	2	1	-	-	-
9	Benign neoplasms and neoplasms of unspecified nature-210-239	59	2	10	3	2	1	1	-	-
10	Diseases of thymus gland-273	59	1	6	1	1	-	-	-	-
11	Meningitis, except meningococcal and tuberculous-340	352	-	1	-	9	4	6	6	3
12	Other diseases of nervous system and sense organs-330-334,341-398	423	1	21	13	12	8	3	2	5
13	Acute upper respiratory infections-470-475	162	-	-	3	1	-	1	1	1
14	Influenza and pneumonia, except pneumonia of newborn-480-493	3,417	-	-	-	-	-	1	-	-
15	Influenza-480-483	139	-	-	-	-	-	1	-	-
16	Pneumonia, except pneumonia of newborn-490-493	3,278	...	...	...	...	...	...	...	...
17	Bronchitis-500-502	333	-	2	2	2	1	-	1	-
18	Other diseases of respiratory system-510-522,525-527	694	4	18	27	9	3	3	5	3
19	Pulmonary congestion and hypostatis-522	93	-	4	5	2	1	3	2	1
20	Other chronic interstitial pneumonia-525	409	1	2	1	1	-	-	-	-
21	Bronchiectasis-526	1	-	-	-	-	-	-	-	-
22	Other diseases of lung and pleural cavity-527.2	107	-	3	6	2	1	-	1	1
23	All other diseases of respiratory system-510-521,527.1	84	3	9	15	4	1	-	2	1
24	Hernia and intestinal obstruction-560,561,570	450	29	125	44	35	14	9	10	4
25	Gastritis, duodenitis, enteritis, and colitis, except diarrhea of newborn-543,571,572	728	-	-	1	-	-	-	-	-
26	Other diseases of digestive system-530-542,544-553,573-587	308	-	8	15	15	19	10	10	11
27	Congenital malformations-750-759	7,383	500	1,386	561	551	363	203	150	110
28	Spina bifida and meningocele-751	446	20	53	15	11	13	10	11	13
29	Congenital hydrocephalus and other congenital malformations of nervous system and sense organs-752,753	734	68	154	35	28	16	14	6	4
30	Congenital malformations of circulatory system-754	3,816	61	466	336	394	258	122	80	53
31	Other congenital malformations-750,755-759	2,387	351	713	175	118	76	57	53	40
32	Certain diseases of early infancy-760-776	30,201	2,852	14,786	4,699	3,044	1,221	578	438	300
33	Birth injuries-760,761	5,094	858	2,558	690	492	202	91	70	25
34	Without mention of immaturity (.0)	1,961	381	741	309	254	117	49	34	11
35	With immaturity (.5)	3,133	477	1,817	381	238	85	42	36	14
36	Intracranial and spinal injury at birth-760	1,583	82	557	308	295	134	63	48	20
37	Without mention of immaturity (.0)	962	62	308	192	180	87	40	30	10
38	With immaturity (.5)	621	20	249	116	115	47	23	18	10
39	Other birth injury-761	3,511	776	2,001	382	197	68	28	22	5
40	Without mention of immaturity (.0)	999	319	433	117	74	30	9	4	1
41	With immaturity (.5)	2,512	457	1,568	265	123	38	19	18	4
42	Postnatal asphyxia and atelectasis-762	9,122	664	4,694	1,782	1,033	339	139	94	59
43	Without mention of immaturity (.0)	2,510	218	1,050	511	350	118	45	35	16
44	With immaturity (.5)	6,612	446	3,644	1,271	683	221	94	59	43
45	Pneumonia of newborn-763	1,405	15	160	167	180	96	61	45	42
46	Without mention of immaturity (.0)	986	8	104	106	104	63	29	24	31
47	With immaturity (.5)	419	7	56	61	76	33	32	21	11
48	Diarrhea of newborn-764	126	-	1	-	-	3	-	2	5
49	Without mention of immaturity (.0)	103	-	1	-	-	3	-	2	4
50	With immaturity (.5)	23	-	-	-	-	-	-	-	1
51	Other infections of newborn-765-768	323	6	22	15	22	34	19	20	22
52	Without mention of immaturity (.0)	217	-	11	6	15	23	15	9	13
53	With immaturity (.5)	106	6	11	7	7	11	4	11	9
54	Neonatal disorders arising from certain diseases of mother during pregnancy-769	462	46	220	84	49	27	8	11	1
55	Without mention of immaturity (.0-.4)	160	17	64	23	29	10	2	6	1
56	With immaturity (.5-.9)	302	29	156	61	20	17	6	5	-
57	Hemolytic disease of newborn (erythroblastosis)-770	1,047	197	481	94	86	64	40	24	16
58	Without mention of immaturity (.0-.2)	832	158	388	80	61	50	24	19	13
59	With immaturity (.5-.7)	215	39	93	14	25	14	16	5	3
60	Hemorrhagic disease of newborn-771	276	8	80	49	51	28	8	13	9
61	Without mention of immaturity (.0)	156	2	46	22	31	14	7	4	6
62	With immaturity (.5)	120	6	34	27	20	14	1	9	3
63	Ill-defined diseases peculiar to early infancy, including nutritional maladjustment-772,773	3,603	169	1,498	731	507	181	66	43	41
64	Without mention of immaturity (.0)	1,019	36	252	225	160	62	20	4	12
65	With immaturity (.5)	2,584	133	1,246	506	347	119	46	39	29
66	Immaturity with mention of any other subsidiary condition-774	540	41	198	66	49	18	15	14	15
67	Immaturity, unqualified-776	8,203	948	4,874	1,021	575	229	131	102	65
68	Symptoms and ill-defined conditions-780-793,795	560	19	73	31	29	13	8	4	6
69	All other diseases-Residual	646	5	40	22	21	15	4	13	5
70	Accidents-E800-E962	1,528	3	19	12	15	14	6	7	9
71	Inhalation and ingestion of food or other object causing obstruction or suffocation-E921,E922	536	-	10	6	11	12	4	5	7
72	Accidental mechanical suffocation in bed and cradle-E924	389	1	1	2	-	-	1	-	1
73	Other accidental causes-E800-E920,E923,E925-E962	603	2	8	4	4	2	1	2	1
74	Homicide-E964,E980-E984	68	30	9	5	1	-	-	-	-

by Age, Color, and Sex: United States, 1960—Con.

Numbers after causes of death are category numbers of the Seventh Revision of the International Lists, 1955)

Under 7 days	7-13 days	14-20 days	21-27 days	Under 28 days	28-59 days	2 months	3 months	4 months	5 months	6 months	7 months	8 months	9 months	10 months	11 months	
32,891	1,730	978	732	36,331	2,829	2,234	1,645	1,145	883	718	605	512	429	357	375	1
-	1	-	1	2	6	4	5	3	5	1	3	6	1	1	1	2
-	-	-	-	-	43	42	26	28	15	5	8	4	8	3	4	3
-	-	-	-	-	1	4	1	2	3	1	-	1	-	1	1	4
1	-	1	4	6	8	11	9	7	8	4	12	7	7	9	7	5
3	6	2	-	11	-	-	-	-	-	-	-	-	-	-	1	6
24	8	8	2	42	23	18	13	18	12	14	16	11	21	9	10	7
14	-	1	-	15	19	10	13	13	6	7	11	9	11	14	13	8
19	3	2	1	25	6	6	4	3	3	3	2	4	1	1	1	9
9	2	1	1	13	13	10	9	4	3	1	-	-	4	2	-	10
29	39	27	11	106	41	40	22	28	22	18	25	21	13	8	8	11
65	12	8	7	92	57	52	43	26	33	26	26	17	18	13	20	12
7	3	5	8	23	33	29	16	15	11	5	9	7	3	6	5	13
1	2	4	5	12	811	716	565	358	251	206	145	111	87	78	77	14
1	2	4	5	12	22	21	16	17	9	12	7	6	8	4	5	15
...	...	...	...	...	789	695	549	341	242	194	138	105	79	74	72	16
8	3	6	9	26	54	59	52	32	30	20	15	12	10	12	11	17
72	5	10	10	97	148	169	115	55	37	26	18	11	3	9	6	18
18	1	2	5	26	10	25	11	4	6	5	2	3	-	1	-	19
5	-	-	1	6	115	107	74	39	26	15	12	4	2	5	4	20
-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	21
14	3	4	1	22	11	25	24	8	2	5	3	2	1	2	2	22
35	1	4	3	43	12	12	6	4	3	-	1	2	-	1	-	23
270	28	20	20	338	31	22	16	14	6	4	8	2	3	5	1	24
1	-	2	-	3	119	82	77	66	63	67	59	49	63	35	45	25
88	42	21	3	154	46	31	21	13	13	7	4	8	3	5	3	26
3,824	537	337	238	4,936	728	435	304	229	201	142	112	97	75	63	61	27
146	25	35	25	231	59	41	31	16	19	12	9	6	6	5	11	28
325	19	33	18	395	60	51	41	38	26	26	28	17	23	17	12	29
1,770	321	177	125	2,393	422	265	184	143	122	86	61	58	34	26	22	30
1,583	172	92	70	1,917	187	78	48	32	34	18	14	16	12	15	16	31
28,018	923	436	336	29,713	199	118	54	32	18	14	19	10	11	6	7	32
4,986	68	16	19	5,089	1	3	-	-	-	-	1	-	-	-	-	33
1,896	36	14	14	1,960	-	1	-	-	-	-	-	-	-	-	-	34
3,090	32	2	5	3,129	1	2	-	-	-	-	1	-	-	-	-	35
1,507	50	12	14	1,583	...	...	...	...	...	...	...	...	...	...	...	36
909	30	10	13	962	...	...	...	...	...	...	...	...	...	...	...	37
598	20	2	1	621	...	...	...	...	...	...	...	...	...	...	...	38
3,479	18	4	5	3,506	1	3	-	-	-	-	1	-	-	-	-	39
987	6	4	1	998	-	1	-	-	-	-	-	-	-	-	-	40
2,492	12	-	4	2,508	1	2	-	-	-	-	1	-	-	-	-	41
8,804	133	43	24	9,004	43	33	15	7	3	5	2	3	3	2	2	42
2,343	37	17	14	2,411	30	28	15	7	3	4	2	3	3	2	2	43
6,461	96	26	10	6,593	13	5	-	-	-	1	-	-	-	-	-	44
766	250	205	184	1,405	...	...	...	...	...	...	...	...	...	...	...	45
469	183	170	164	986	...	...	...	...	...	...	...	...	...	...	...	46
297	67	35	20	419	...	...	...	...	...	...	...	...	...	...	...	47
11	46	36	33	126	-	-	-	-	-	-	-	-	-	-	-	48
10	35	28	30	103	-	-	-	-	-	-	-	-	-	-	-	49
1	11	8	3	23	-	-	-	-	-	-	-	-	-	-	-	50
160	89	49	20	318	5	-	-	-	-	-	-	-	-	-	-	51
94	68	34	17	213	4	-	-	-	-	-	-	-	-	-	-	52
66	21	15	3	105	1	-	-	-	-	-	-	-	-	-	-	53
446	9	2	-	457	3	2	-	-	-	-	-	-	-	-	-	54
152	4	-	-	156	2	2	-	-	-	-	-	-	-	-	-	55
294	5	2	-	301	1	-	-	-	-	-	-	-	-	-	-	56
1,002	29	4	3	1,038	6	2	-	-	-	-	-	1	-	-	-	57
793	25	4	3	825	4	2	-	-	-	-	-	1	-	-	-	58
209	4	-	-	213	2	-	-	-	-	-	-	-	-	-	-	59
246	17	3	8	274	2	-	-	-	-	-	-	-	-	-	-	60
132	11	3	8	154	2	-	-	-	-	-	-	-	-	-	-	61
114	6	-	-	120	-	-	-	-	-	-	-	-	-	-	-	62
3,236	81	29	16	3,362	80	54	33	22	10	8	15	6	8	3	2	63
771	19	11	13	814	58	46	30	21	10	7	14	6	8	3	2	64
2,465	62	18	3	2,548	22	8	3	1	-	1	1	-	-	-	-	65
416	36	15	7	474	38	14	4	2	5	1	-	-	-	-	1	66
7,945	165	34	22	8,166	20	10	2	1	-	-	1	-	-	1	2	67
183	20	17	11	231	97	69	53	32	18	18	13	10	7	3	9	68
125	40	29	22	216	81	56	57	49	34	48	18	34	17	18	18	69
85	55	41	40	221	262	247	169	119	91	79	81	80	63	54	62	70
55	40	17	11	123	100	98	66	46	27	22	21	15	11	2	5	71
6	4	12	18	40	97	89	58	32	27	20	14	4	6	1	1	72
24	11	12	11	58	65	60	45	41	37	37	46	61	46	51	56	73
45	1	-	3	49	3	4	1	1	-	2	1	1	-	2	4	74

Table 3-5. Deaths Under 1 Year from 55 Selected Causes,

(Data refer only to deaths occurring within the United States, including Alaska and Hawaii. Excludes fetal deaths.

	COLOR, SEX, AND CAUSE OF DEATH	Total, under 1 year	Under 1 hour	1-23 hours	1 day	2 days	3 days	4 days	5 days	6 days
1	WHITE, FEMALE--ALL CAUSES	34,416	3,038	11,491	3,674	2,437	1,116	653	444	353
2	Dysentery, all forms--045-048	22	-	-	-	-	-	-	-	-
3	Septicemia and pyemia--053	105	-	-	-	-	-	-	-	-
4	Whooping cough--056	9	-	-	-	-	-	-	-	-
5	Meningococcal infections--057	66	-	-	-	1	1	-	-	-
6	Tetanus--061	8	-	1	-	-	-	-	-	2
7	Other infective and parasitic dis.--001-044,049-052,054,055,058-060,062-138	167	1	3	2	1	-	-	1	1
8	Malignant neoplasms, including neoplasms of lymphatic and hematopoietic tissues--140-205	117	4	6	1	-	-	2	-	-
9	Benign neoplasms and neoplasms of unspecified nature--210-239	60	5	4	7	-	1	-	1	-
10	Diseases of thymus gland--273	38	-	-	3	1	-	-	2	1
11	Meningitis, except meningococcal and tuberculous--340	218	-	1	3	4	2	6	3	2
12	Other diseases of nervous system and sense organs--330-334,341-398	302	-	12	5	5	4	3	1	2
13	Acute upper respiratory infections--470-475	111	-	-	2	-	-	2	-	-
14	Influenza and pneumonia, except pneumonia of newborn--480-493	2,418	-	-	-	1	2	1	-	1
15	Influenza--480-483	113	-	-	-	1	2	1	-	1
16	Pneumonia, except pneumonia of newborn--490-493	2,305	...	...	...	...	...	...	...	...
17	Bronchitis--500-502	180	1	2	-	1	-	-	1	-
18	Other diseases of respiratory system--510-522,525-527	407	2	20	12	3	4	3	-	-
19	Pulmonary congestion and hypostatis--522	55	-	8	1	1	2	-	-	-
20	Other chronic interstitial pneumonia--525	236	-	-	-	-	1	-	-	-
21	Bronchiectasis--526	-	-	-	-	-	-	-	-	-
22	Other diseases of lung and pleural cavity--527.2	55	-	1	3	1	-	-	-	-
23	All other diseases of respiratory system--510-521,527.1	61	2	11	8	1	1	3	-	-
24	Hernia and intestinal obstruction--560,561,570	321	34	110	32	18	10	4	6	6
25	Gastritis, duodenitis, enteritis, and colitis, except diarrhea of newborn--543,571,572	542	-	-	-	-	1	-	-	-
26	Other diseases of digestive system--530-542,544-553,573-587	204	-	5	6	11	10	6	5	9
27	Congenital malformations--750-759	6,043	608	1,059	349	344	234	174	116	88
28	Spina bifida and meningocele--751	585	41	65	21	23	7	11	9	5
29	Congenital hydrocephalus and other congenital malformations of nervous system and sense organs--752,753	689	83	133	26	23	24	8	4	7
30	Congenital malformations of circulatory system--754	2,773	53	303	193	199	139	98	57	46
31	Other congenital malformations--750,755-759	1,996	431	558	109	99	64	57	46	30
32	Certain diseases of early infancy--760-776	21,059	2,315	10,168	3,207	2,008	817	426	293	225
33	Birth injuries--760,761	3,285	627	1,619	436	287	129	50	33	27
34	Without mention of immaturity (.0)	1,185	259	475	154	127	69	26	16	18
35	With immaturity (.5)	2,100	368	1,144	282	160	60	24	17	9
36	Intracranial and spinal injury at birth--760	874	55	301	144	162	82	33	22	19
37	Without mention of immaturity (.0)	504	39	167	79	92	48	20	13	14
38	With immaturity (.5)	370	16	134	65	70	34	13	9	5
39	Other birth injury--761	2,411	572	1,318	292	125	47	17	11	8
40	Without mention of immaturity (.0)	681	220	308	75	35	21	6	3	4
41	With immaturity (.5)	1,730	352	1,010	217	90	26	11	8	4
42	Postnatal asphyxia and atelectasis--762	6,087	462	3,169	1,120	668	207	87	48	50
43	Without mention of immaturity (.0)	1,643	155	747	317	198	53	23	10	19
44	With immaturity (.5)	4,444	307	2,422	803	490	154	64	38	31
45	Pneumonia of newborn--763	967	14	103	105	106	71	47	50	31
46	Without mention of immaturity (.0)	721	13	62	67	72	49	30	33	21
47	With immaturity (.5)	266	1	41	38	34	22	17	17	10
48	Diarrhea of newborn--764	91	-	1	-	1	-	4	2	2
49	Without mention of immaturity (.0)	62	-	1	-	-	-	3	1	1
50	With immaturity (.5)	29	-	-	-	1	-	1	1	1
51	Other infections of newborn--765-768	212	5	26	10	12	12	17	9	9
52	Without mention of immaturity (.0)	136	2	18	7	8	7	9	5	4
53	With immaturity (.5)	76	3	8	3	4	5	8	4	5
54	Neonatal disorders arising from certain diseases of mother during pregnancy--769	317	45	151	51	29	17	8	4	-
55	Without mention of immaturity (.0-.4)	100	15	46	15	8	6	1	1	-
56	With immaturity (.5-.9)	217	30	105	36	21	11	7	3	-
57	Hemolytic disease of newborn (erythroblastosis)--770	947	249	429	88	53	51	22	8	6
58	Without mention of immaturity (.0-.2)	747	202	331	69	45	42	16	6	4
59	With immaturity (.5-.7)	200	47	98	19	8	9	6	2	2
60	Hemorrhagic disease of newborn--771	162	12	47	23	26	14	11	8	5
61	Without mention of immaturity (.0)	114	10	33	17	18	10	7	5	3
62	With immaturity (.5)	48	2	14	6	8	4	4	3	2
63	Ill-defined diseases peculiar to early infancy, including nutritional maladjustment--772,773	2,405	150	979	511	303	117	61	30	25
64	Without mention of immaturity (.0)	602	23	173	121	89	32	11	4	3
65	With immaturity (.5)	1,803	127	806	390	214	85	50	26	22
66	Immaturity with mention of any other subsidiary condition--774	390	22	130	44	36	14	17	9	7
67	Immaturity, unqualified--776	6,196	729	3,514	819	467	185	102	92	63
68	Symptoms and ill-defined conditions--780-793,795	412	24	57	19	21	10	4	3	4
69	All other diseases--Residual	403	9	25	14	8	8	12	6	6
70	Accidents--E800-E962	1,144	9	10	8	10	11	10	6	6
71	Inhalation and ingestion of food or other object causing obstruction or suffocation--E921,E922	366	-	7	4	8	10	8	5	2
72	Accidental mechanical suffocation in bed and cradle--E924	294	1	-	1	1	-	1	1	2
73	Other accidental causes--E800-E920,E923,E925-E962	484	8	3	3	1	1	1	-	2
74	Homicide--E964,E980-E984	60	26	8	4	-	1	-	-	-

by Age, Color, and Sex: United States, 1960—Con.

Numbers after causes of death are category numbers of the Seventh Revision of the International Lists, 1955)

Under 7 days	7-13 days	14-20 days	21-27 days	Under 28 days	28-59 days	2 months	3 months	4 months	5 months	6 months	7 months	8 months	9 months	10 months	11 months	
23,206	1,342	684	522	25,754	1,989	1,488	1,186	920	671	549	491	440	339	304	285	1
-	-	-	-	-	3	1	-	3	5	-	3	2	-	2	3	2
-	-	-	-	-	29	27	12	9	8	6	4	4	-	4	2	3
-	-	-	-	-	-	2	-	1	1	3	-	2	-	-	-	4
2	2	1	-	5	7	4	3	5	9	8	10	5	3	2	5	5
3	5	-	-	8	-	-	-	-	-	-	-	-	-	-	-	6
9	7	3	3	22	11	12	19	16	15	8	15	21	14	5	9	7
13	-	3	-	16	19	4	9	4	9	8	8	12	5	11	12	8
18	2	3	1	24	5	3	13	4	1	1	-	-	4	3	2	9
7	1	1	1	10	11	4	5	2	2	1	-	1	1	1	-	10
21	18	8	11	58	38	22	13	14	14	8	12	14	11	7	7	11
32	3	5	2	42	44	34	34	24	26	21	25	12	12	14	14	12
4	3	3	7	17	23	22	9	10	7	7	5	3	4	1	3	13
5	1	4	2	12	501	468	352	300	181	159	139	101	76	78	51	14
5	1	4	2	12	12	10	13	17	10	8	9	13	4	1	4	15
...	...	...	...	...	489	458	339	283	171	151	130	88	72	77	47	16
5	3	1	2	11	29	34	29	19	11	9	15	8	4	6	5	17
44	6	7	3	60	100	69	67	27	32	16	8	14	7	4	3	18
12	2	3	2	19	15	7	4	2	3	1	1	-	1	2	-	19
1	-	-	-	1	68	46	47	22	22	9	7	6	5	1	2	20
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	21
5	-	2	1	8	12	12	4	2	7	2	-	7	-	-	1	22
26	4	2	-	32	5	4	12	1	-	4	-	1	1	1	-	23
220	15	15	8	258	25	6	3	6	6	4	3	4	3	2	1	24
1	-	-	-	1	101	75	61	51	48	37	43	40	29	30	26	25
52	24	16	6	98	24	14	12	16	11	8	10	3	3	3	2	26
2,972	440	264	207	3,883	569	342	298	228	162	136	110	105	83	67	60	27
182	46	51	35	314	77	48	31	23	31	17	8	15	9	6	6	28
308	22	19	24	373	58	34	44	31	34	27	22	26	15	15	10	29
1,088	232	120	98	1,538	305	208	181	141	81	78	66	54	48	37	36	30
1,394	140	74	50	1,658	129	52	42	33	16	14	14	10	11	9	8	31
19,459	739	303	210	20,711	145	75	44	27	16	10	10	5	7	5	4	32
3,208	51	17	6	3,282	2	-	-	-	1	-	-	-	-	-	-	33
1,144	24	9	5	1,182	2	-	-	-	1	-	-	-	-	-	-	34
2,084	27	8	1	2,100	-	1	-	-	-	-	-	-	-	-	-	35
818	41	11	4	874	...	...	...	...	...	...	...	...	...	...	...	36
472	22	6	4	504	...	...	...	...	...	...	...	...	...	...	...	37
346	19	5	-	370	...	...	...	...	...	...	...	...	...	...	...	38
2,390	10	6	2	2,408	2	-	-	-	1	-	-	-	-	-	-	39
672	2	3	1	678	2	-	-	-	1	-	-	-	-	-	-	40
1,718	8	3	1	1,730	-	-	-	-	-	-	-	-	-	-	-	41
5,831	118	35	21	6,005	35	18	8	9	2	4	3	-	1	-	2	42
1,522	31	14	13	1,580	23	13	7	8	2	4	3	-	1	-	2	43
4,309	87	21	8	4,425	12	5	1	1	-	-	-	-	-	-	-	44
527	193	126	121	967	...	...	...	...	...	...	...	...	...	...	...	45
347	143	108	103	701	...	...	...	...	...	...	...	...	...	...	...	46
180	50	18	18	266	...	...	...	...	...	...	...	...	...	...	...	47
10	28	31	22	91	-	-	-	-	-	-	-	-	-	-	-	48
6	18	19	19	62	-	-	-	-	-	-	-	-	-	-	-	49
4	10	12	3	29	-	-	-	-	-	-	-	-	-	-	-	50
100	71	29	10	210	2	-	-	-	-	-	-	-	-	-	-	51
60	45	23	6	134	2	-	-	-	-	-	-	-	-	-	-	52
40	26	6	4	76	-	-	-	-	-	-	-	-	-	-	-	53
305	5	-	-	310	3	2	1	-	1	-	-	-	-	-	-	54
92	3	-	-	95	2	1	1	-	1	-	-	-	-	-	-	55
213	2	-	-	215	1	1	-	-	-	-	-	-	-	-	-	56
906	29	4	2	941	5	-	1	-	-	-	-	-	-	-	-	57
715	23	3	1	742	4	-	1	-	-	-	-	-	-	-	-	58
191	6	1	1	199	1	-	-	-	-	-	-	-	-	-	-	59
146	14	-	1	161	1	-	-	-	-	-	-	-	-	-	-	60
103	10	-	-	113	1	-	-	-	-	-	-	-	-	-	-	61
43	4	-	1	48	-	-	-	-	-	-	-	-	-	-	-	62
2,176	63	16	14	2,269	37	28	22	12	9	6	6	5	5	4	2	63
456	13	8	4	481	30	25	21	12	8	6	6	3	5	3	2	64
1,720	50	8	10	1,788	7	3	1	-	1	-	-	2	-	1	-	65
279	18	11	4	312	41	21	9	4	-	-	1	-	1	1	-	66
5,971	149	34	9	6,163	19	6	3	2	3	-	-	-	-	-	-	67
142	17	6	10	175	59	54	36	38	14	10	4	8	4	7	3	68
88	19	8	15	130	43	38	32	18	33	28	15	21	15	11	19	69
70	36	31	34	171	197	175	133	97	59	61	51	54	54	40	52	70
44	22	12	12	90	70	59	51	32	15	11	4	9	10	7	8	71
7	9	13	7	36	69	62	38	26	20	19	9	7	3	3	2	72
19	5	6	15	45	58	54	44	39	24	31	38	38	41	30	42	73
39	1	2	-	42	6	3	2	1	1	-	1	1	-	1	2	74

Table 3-5. Deaths Under 1 Year from 55 Selected Causes,

(Data refer only to deaths occurring within the United States, including Alaska and Hawaii. Excludes fetal deaths.

	COLOR, SEX, AND CAUSE OF DEATH	Total, under 1 year	Under 1 hour	1-23 hours	1 day	2 days	3 days	4 days	5 days	6 days
1	NONWHITE, BOTH SEXES--ALL CAUSES	28,394	1,633	7,807	2,428	1,340	719	485	364	252
2	Dysentery, all forms--045-048	80	-	-	-	-	-	-	-	-
3	Septicemia and pyemia--053	119	-	-	-	-	-	-	-	-
4	Whooping cough--056	49	-	-	-	-	-	-	-	-
5	Meningococcal infections--057	35	-	-	-	-	-	-	-	-
6	Tetanus--061	49	-	-	-	-	1	-	3	4
7	Other infective and parasitic dis.--001-044,049-052,054,055,058-060,062-138	183	1	7	1	1	3	1	-	1
8	Malignant neoplasms, including neoplasms of lymphatic and hematopoietic tissues--140-205	40	1	1	1	-	-	-	-	-
9	Benign neoplasms and neoplasms of unspecified nature--210-239	19	1	3	-	-	-	-	1	-
10	Diseases of thymus gland--273	18	-	2	1	-	-	-	-	-
11	Meningitis, except meningococcal and tuberculous--340	302	-	-	1	3	7	1	1	2
12	Other diseases of nervous system and sense organs--330-334,341-398	225	-	13	8	5	2	3	2	2
13	Acute upper respiratory infections--470-475	144	-	-	3	3	-	-	1	-
14	Influenza and pneumonia, except pneumonia of newborn--480-493	3,993	-	2	1	1	1	1	2	1
15	Influenza--480-483	286	-	2	1	1	1	1	2	1
16	Pneumonia, except pneumonia of newborn--490-493	3,707	...	...	...	...	..	...	...	...
17	Bronchitis--500-502	143	-	1	-	-	-	1	2	-
18	Other diseases of respiratory system--510-522,525-527	438	2	11	5	5	1	4	1	1
19	Pulmonary congestion and hypostatis--522	36	-	1	1	3	-	2	-	-
20	Other chronic interstitial pneumonia--525	288	-	-	-	1	1	1	-	1
21	Bronchiectasis--526	-	-	-	-	-	-	-	-	-
22	Other diseases of lung and pleural cavity--527.2	74	1	1	3	1	-	-	-	-
23	All other diseases of respiratory system--510-521,527.1	40	1	9	1	-	-	1	1	-
24	Hernia and intestinal obstruction--560,561,570	151	3	21	7	5	7	4	3	1
25	Gastritis, duodenitis, enteritis, and colitis, except diarrhea of newborn--543,571,572	1,352	-	-	-	-	-	-	-	-
26	Other diseases of digestive system--530-542,544-553,573-587	164	-	1	3	7	8	12	7	12
27	Congenital malformations--750-759	1,963	135	294	133	102	78	50	42	28
28	Spina bifida and meningocele--751	65	7	5	3	3	-	2	2	1
29	Congenital hydrocephalus and other congenital malformations of nervous system and sense organs--752,753	222	20	34	10	4	5	5	-	2
30	Congenital malformations of circulatory system--754	1,000	21	120	76	67	49	24	18	12
31	Other congenital malformations--750,755-759	676	87	135	44	28	24	19	22	13
32	Certain diseases of early infancy--760-776	15,814	1,383	7,218	2,163	1,135	556	373	268	183
33	Birth injuries--760,761	1,779	303	827	298	124	73	41	17	17
34	Without mention of immaturity (.0)	855	160	341	155	68	47	23	9	11
35	With immaturity (.5)	924	143	486	143	56	26	18	8	6
36	Intracranial and spinal injury at birth--760	718	44	263	162	84	54	33	11	13
37	Without mention of immaturity (.0)	391	25	133	89	46	37	18	6	8
38	With immaturity (.5)	327	19	130	73	38	17	15	5	5
39	Other birth injury--761	1,061	259	564	136	40	19	8	6	4
40	Without mention of immaturity (.0)	464	135	208	66	22	10	5	3	3
41	With immaturity (.5)	597	124	356	70	18	9	3	3	1
42	Postnatal asphyxia and atelectasis--762	4,330	374	3,332	720	359	141	77	52	27
43	Without mention of immaturity (.0)	1,102	119	480	206	108	42	19	19	4
44	With immaturity (.5)	3,228	255	1,852	514	251	99	58	33	23
45	Pneumonia of newborn--763	1,172	11	131	96	89	71	46	59	40
46	Without mention of immaturity (.0)	876	9	85	71	64	56	34	42	28
47	With immaturity (.5)	296	2	46	25	25	15	12	17	12
48	Diarrhea of newborn--764	246	-	1	2	2	3	5	2	4
49	Without mention of immaturity (.0)	197	-	1	2	2	3	4	2	3
50	With immaturity (.5)	49	-	-	-	-	-	1	-	1
51	Other infections of newborn--765-768	244	5	18	15	11	16	14	17	14
52	Without mention of immaturity (.0)	153	4	6	10	7	10	10	7	8
53	With immaturity (.5)	91	1	12	5	4	6	4	10	6
54	Neonatal disorders arising from certain diseases of mother during pregnancy--769	222	38	100	28	19	12	3	4	5
55	Without mention of immaturity (.0-.4)	94	16	38	15	10	6	-	-	2
56	With immaturity (.5-.9)	128	22	62	13	9	6	3	4	3
57	Hemolytic disease of newborn (erythroblastosis)--770	151	13	44	10	19	12	13	8	2
58	Without mention of immaturity (.0-.2)	123	13	37	10	15	9	8	4	3
59	With immaturity (.5-.7)	28	-	7	-	4	3	5	4	-
60	Hemorrhagic disease of newborn--771	182	5	56	36	18	19	8	10	4
61	Without mention of immaturity (.0)	123	4	35	28	16	10	5	5	4
62	With immaturity (.5)	59	1	21	8	2	9	3	5	-
63	Ill-defined diseases peculiar to early infancy, including nutritional maladjustment--772,773	2,049	119	771	253	132	66	40	25	22
64	Without mention of immaturity (.0)	732	30	114	51	35	22	10	5	4
65	With immaturity (.5)	1,317	89	657	202	97	44	30	20	18
66	Immaturity with mention of any other subsidiary condition--774	380	14	97	31	21	15	11	8	2
67	Immaturity, unqualified--776	5,059	501	2,841	674	341	128	115	66	46
68	Symptoms and ill-defined conditions--780-793,795	1,546	72	187	78	42	41	25	22	10
69	All other diseases--Residual	337	4	20	6	8	4	2	1	1
70	Accidents--E800-E962	1,159	7	18	15	21	10	7	8	6
71	Inhalation and ingestion of food or other object causing obstruction or suffocation--E921,E922	302	-	3	2	12	6	2	4	4
72	Accidental mechanical suffocation in bed and cradle--E924	335	-	2	6	2	3	1	-	1
73	Other accidental causes--E800-E920,E923,E925-E962	522	7	13	7	7	1	4	4	1
74	Homicide--E964,E980-E984	71	24	8	2	2	-	1	-	-

by Age, Color, and Sex: United States, 1960—Con.

Numbers after causes of death are category numbers of the Seventh Revision of the International Lists, 1955)

Under 7 days	7-13 days	14-20 days	21-27 days	Under 28 days	28-59 days	2 months	3 months	4 months	5 months	6 months	7 months	8 months	9 months	10 months	11 months	
15,028	1,143	817	660	17,648	2,454	1,937	1,457	1,224	891	744	575	463	370	317	314	1
-	1	4	1	6	9	13	11	6	4	9	8	3	6	3	2	2
-	-	-	-	-	39	20	15	9	8	7	6	7	3	4	1	3
-	1	-	3	4	6	9	6	4	8	4	1	5	2	-	-	4
-	1	-	1	2	2	6	4	2	5	1	3	1	5	2	2	5
8	34	4	2	48	-	-	-	-	-	-	1	-	-	-	-	6
15	5	11	7	38	20	19	10	11	18	13	15	7	11	10	11	7
3	2	5	-	10	1	4	3	2	3	4	1	5	3	3	1	8
5	-	1	1	7	5	2	1	-	-	-	1	-	2	-	1	9
3	-	-	-	3	4	1	1	3	1	1	3	1	-	-	-	10
15	15	12	8	50	31	34	15	33	23	34	23	24	16	7	12	11
35	1	1	1	38	34	22	28	20	13	17	18	11	5	11	8	12
7	5	4	4	20	28	26	16	17	12	5	4	3	3	4	6	13
9	4	5	11	29	831	731	607	467	348	267	200	167	127	121	98	14
9	4	5	11	29	39	35	39	32	40	28	7	12	6	11	8	15
...	...	...	...	...	792	696	568	435	308	239	193	155	121	110	90	16
4	3	2	5	14	25	31	16	10	9	17	6	2	4	5	4	17
30	4	6	4	44	112	67	67	49	27	22	8	11	14	8	9	18
7	1	1	2	11	10	6	3	1	-	-	-	2	1	-	2	19
4	-	1	-	5	80	45	52	36	22	15	7	7	10	4	5	20
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	21
6	1	4	2	13	15	14	8	11	3	4	-	1	2	3	-	22
13	2	-	-	15	7	2	4	1	2	3	1	1	1	1	2	23
51	11	5	6	73	20	12	9	10	10	3	5	3	1	3	2	24
-	-	1	1	2	299	232	158	149	126	115	81	64	54	32	40	25
50	9	10	7	76	19	20	13	13	2	6	8	-	2	2	3	26
862	131	86	83	1,162	193	132	103	101	56	49	53	28	36	22	28	27
23	4	4	5	36	11	2	9	1	2	-	2	-	-	1	1	28
80	9	7	3	99	24	19	11	13	9	11	11	5	5	8	7	29
387	62	40	40	529	101	79	61	67	35	28	30	18	23	11	18	30
372	56	35	35	498	57	32	22	20	10	10	10	5	8	2	2	31
13,279	819	553	411	15,062	315	153	85	73	46	27	19	10	10	4	10	32
1,700	46	19	10	1,775	4	-	-	-	-	-	-	-	-	-	-	33
814	19	9	9	851	4	-	-	-	-	-	-	-	-	-	-	34
886	27	10	1	924	-	-	-	-	-	-	-	-	-	-	-	35
664	33	12	9	718	...	...	...	...	...	...	...	...	...	...	...	36
362	15	6	8	391	...	...	...	...	...	...	...	...	...	...	...	37
302	18	6	1	327	...	...	...	...	...	...	...	...	...	...	...	38
1,036	13	7	1	1,057	4	-	-	-	-	-	-	-	-	-	-	39
452	4	3	1	460	4	-	-	-	-	-	-	-	-	-	-	40
584	9	4	-	597	-	-	-	-	-	-	-	-	-	-	-	41
4,082	99	42	16	4,239	40	13	15	5	6	5	4	-	-	1	2	42
997	17	16	4	1,034	26	11	8	5	6	5	4	-	-	1	2	43
3,085	82	26	12	3,205	14	2	7	-	-	-	-	-	-	-	-	44
543	229	197	203	1,172	...	...	...	...	...	...	...	...	...	...	...	45
389	161	159	167	876	...	...	...	...	...	...	...	...	...	...	...	46
154	68	38	36	296	...	...	...	...	...	...	...	...	...	...	...	47
19	60	91	73	243	3	-	-	-	-	-	-	-	-	-	-	48
17	43	75	60	195	2	-	-	-	-	-	-	-	-	-	-	49
2	17	16	13	48	1	-	-	-	-	-	-	-	-	-	-	50
110	70	42	18	240	1	1	-	1	-	1	-	-	-	-	-	51
62	49	29	9	149	1	1	-	1	-	1	-	-	-	-	-	52
48	21	13	9	91	-	-	-	-	-	-	-	-	-	-	-	53
209	7	4	1	221	-	1	-	-	-	-	-	-	-	-	-	54
87	5	2	-	94	-	-	-	-	-	-	-	-	-	-	-	55
122	2	2	1	127	-	1	-	-	-	-	-	-	-	-	-	56
121	17	4	3	145	4	2	-	-	-	-	-	-	-	-	-	57
98	15	3	3	119	2	2	-	-	-	-	-	-	-	-	-	58
23	2	1	-	26	2	-	-	-	-	-	-	-	-	-	-	59
156	13	5	5	179	3	-	-	-	-	-	-	-	-	-	-	60
107	7	4	4	122	1	-	-	-	-	-	-	-	-	-	-	61
49	6	1	1	57	2	-	-	-	-	-	-	-	-	-	-	62
1,428	71	66	37	1,602	139	91	64	55	38	19	11	10	10	2	8	63
271	22	38	24	355	105	75	54	50	34	19	11	10	9	2	8	64
1,157	49	28	13	1,247	34	16	10	5	4	-	-	-	1	-	-	65
199	21	18	12	250	77	32	5	10	2	1	2	-	-	1	-	66
4,712	186	65	33	4,996	44	13	1	2	-	1	2	-	-	-	-	67
477	55	50	48	630	219	175	144	121	80	54	32	31	21	23	16	68
46	5	20	15	86	49	36	23	19	16	25	24	15	7	17	20	69
92	37	37	40	206	184	185	121	104	75	64	52	62	33	34	39	70
33	16	15	17	81	50	46	33	26	16	13	9	10	8	2	8	71
15	12	13	14	54	75	80	39	25	25	16	3	9	5	2	2	72
44	9	9	9	71	59	59	49	53	34	35	40	43	20	30	29	73
37	-	-	1	38	9	7	1	1	1	-	3	3	5	2	1	74

Table 3-5. Deaths Under 1 Year from 55 Selected Causes,

(Data refer only to deaths occurring within the United States, including Alaska and Hawaii. Excludes fetal deaths.

	COLOR, SEX, AND CAUSE OF DEATH	Total, under 1 year	Under 1 hour	1-23 hours	1 day	2 days	3 days	4 days	5 days	6 days
1	NONWHITE, MALE--ALL CAUSES	15,873	894	4,395	1,413	788	439	290	190	138
2	Dysentery, all forms--045-048	45	-	-	-	-	-	-	-	-
3	Septicemia and pyemia--053	75	-	-	-	-	-	-	-	-
4	Whooping cough--056	29	-	-	-	-	-	-	-	-
5	Meningococcal infections--057	18	-	-	-	-	-	-	-	-
6	Tetanus--061	30	-	-	-	-	-	-	2	1
7	Other infective and parasitic dis.--001-044,049-052,054,055,058-060,062-138	112	-	4	1	1	2	-	-	1
8	Malignant neoplasms, including neoplasms of lymphatic and hematopoietic tissues--140-205	20	1	-	1	-	-	-	-	-
9	Benign neoplasms and neoplasms of unspecified nature--210-239	9	1	2	-	-	-	-	-	-
10	Diseases of thymus gland--273	10	-	1	-	-	-	-	-	-
11	Meningitis, except meningococcal and tuberculous--340	172	-	-	-	1	5	-	1	2
12	Other diseases of nervous system and sense organs--330-334,341-398	134	-	8	7	1	-	2	1	2
13	Acute upper respiratory infections--470-475	86	-	-	1	2	-	-	1	-
14	Influenza and pneumonia, except pneumonia of newborn--480-493	2,177	-	2	1	-	1	1	-	1
15	Influenza--480-483	154	-	2	1	-	1	1	-	1
16	Pneumonia, except pneumonia of newborn--490-493	2,023	...	...	...	...	...	...	...	...
17	Bronchitis--500-502	71	-	-	-	-	-	1	1	-
18	Other diseases of respiratory system--510-522,525-527	237	1	5	2	2	-	1	-	-
19	Pulmonary congestion and hypostatis--522	22	-	1	1	2	-	1	-	-
20	Other chronic interstitial pneumonia--525	154	-	-	-	-	-	-	-	-
21	Bronchiectasis--526	-	-	-	-	-	-	-	-	-
22	Other diseases of lung and pleural cavity--527.2	40	1	-	1	-	-	-	-	-
23	All other diseases of respiratory system--510-521,527.1	21	-	4	-	-	-	-	-	-
24	Hernia and intestinal obstruction--560,561,570	92	2	7	6	3	3	1	3	1
25	Gastritis, duodenitis, enteritis, and colitis, except diarrhea of newborn--543,571,572	729	-	-	-	-	-	-	-	-
26	Other diseases of digestive system--530-542,544-553,573-587	100	-	-	2	6	6	9	5	7
27	Congenital malformations--750-759	1,122	79	182	82	63	43	32	19	16
28	Spina bifida and meningocele--751	34	6	4	1	2	-	2	-	-
29	Congenital hydrocephalus and other congenital malformations of nervous system and sense organs--752,753	115	10	20	5	1	4	3	-	-
30	Congenital malformations of circulatory system--754	553	11	70	52	44	24	15	8	7
31	Other congenital malformations--750,755-759	420	52	88	24	16	15	12	11	9
32	Certain diseases of early infancy--760-776	8,890	755	4,055	1,245	664	344	215	139	96
33	Birth injuries--760,761	1,006	148	470	178	79	46	27	8	6
34	Without mention of immaturity (.0)	492	72	199	96	44	31	19	4	4
35	With immaturity (.5)	514	76	271	82	35	15	8	4	2
36	Intracranial and spinal injury at birth--760	437	19	159	103	57	36	22	5	6
37	Without mention of immaturity (.0)	250	10	87	58	30	26	15	3	4
38	With immaturity (.5)	187	9	72	45	27	10	7	2	2
39	Other birth injury--761	569	129	311	75	22	10	5	3	-
40	Without mention of immaturity (.0)	242	62	112	38	14	5	4	1	-
41	With immaturity (.5)	327	67	199	37	8	5	1	2	-
42	Postnatal asphyxia and atelectasis--762	2,438	199	1,314	411	215	83	43	28	14
43	Without mention of immaturity (.0)	603	55	253	110	74	30	10	11	2
44	With immaturity (.5)	1,835	144	1,061	301	141	53	33	17	12
45	Pneumonia of newborn--763	673	7	81	59	47	47	31	34	28
46	Without mention of immaturity (.0)	497	6	52	43	36	38	23	25	19
47	With immaturity (.5)	176	1	29	16	11	9	8	9	9
48	Diarrhea of newborn--764	138	-	1	1	2	2	3	1	3
49	Without mention of immaturity (.0)	115	-	1	1	2	2	2	1	2
50	With immaturity (.5)	23	-	-	-	-	-	1	-	1
51	Other infections of newborn--765-769	134	-	10	11	7	13	10	9	6
52	Without mention of immaturity (.0)	86	-	4	7	4	9	8	2	4
53	With immaturity (.5)	48	-	6	4	3	4	2	7	2
54	Neonatal disorders arising from certain diseases of mother during pregnancy--769	122	21	53	18	12	7	-	2	2
55	Without mention of immaturity (.0-.4)	56	9	21	10	7	3	-	-	1
56	With immaturity (.5-.9)	66	12	32	8	5	4	-	2	1
57	Hemolytic disease of newborn (erythroblastosis)--770	101	5	28	7	11	8	10	7	1
58	Without mention of immaturity (.0-.2)	81	5	22	7	9	7	6	3	1
59	With immaturity (.5-.7)	20	-	6	-	2	1	4	4	-
60	Hemorrhagic disease of newborn--771	105	4	28	23	13	15	4	6	2
61	Without mention of immaturity (.0)	76	3	19	19	12	8	2	3	2
62	With immaturity (.5)	29	1	9	4	1	7	2	3	-
63	Ill-defined diseases peculiar to early infancy, including nutritional maladjustment--772,773	1,218	75	439	158	81	43	21	16	12
64	Without mention of immaturity (.0)	460	16	69	35	25	16	7	4	2
65	With immaturity (.5)	758	59	370	123	56	27	14	12	10
66	Immaturity with mention of any other subsidiary condition--774	216	8	59	14	12	8	6	6	-
67	Immaturity, unqualified--776	2,739	288	1,572	365	185	72	60	22	22
68	Symptoms and ill-defined conditions--780-793,795	855	40	101	51	25	26	19	13	7
69	All other diseases--Residual	204	2	16	4	7	3	1	1	-
70	Accidents--E800-E962	625	3	8	10	13	6	7	4	4
71	Inhalation and ingestion of food or other object causing obstruction or suffocation--E921,E922	162	-	2	1	6	4	2	2	2
72	Accidental mechanical suffocation in bed and cradle--E924	180	-	-	5	2	2	1	-	1
73	Other accidental causes--E800-E920,E923,E925-E962	283	3	6	4	5	-	4	2	1
74	Homicide--E964,E980-E984	31	10	4	-	-	-	1	-	-

by Age, Color, and Sex: United States, 1960—Con.

Numbers after causes of death are category numbers of the Seventh Revision of the International Lists, 1955)

Under 7 days	7-13 days	14-20 days	21-27 days	Under 28 days	28-59 days	2 months	3 months	4 months	5 months	6 months	7 months	8 months	9 months	10 months	11 months	
8,547	602	433	377	9,959	1,361	1,097	794	684	506	400	312	245	201	159	155	1
-	1	4	-	5	7	9	5	2	2	4	4	2	2	3	-	2
-	-	-	-	-	23	17	9	5	5	4	3	5	1	3	-	3
-	1	-	2	3	6	3	4	2	2	3	1	4	1	-	-	4
-	1	-	1	2	2	3	2	-	3	1	3	-	1	-	1	5
3	22	3	2	30	-	-	-	-	-	-	-	-	-	-	-	6
9	5	10	4	28	7	8	6	9	11	9	8	6	8	6	6	7
2	1	1	-	4	1	2	3	-	2	2	1	1	1	2	1	8
3	-	1	-	4	2	1	-	-	-	-	-	-	1	-	1	9
1	-	-	-	1	4	1	1	2	-	-	1	-	-	-	-	10
9	8	6	6	29	15	21	8	21	16	16	10	15	10	5	6	11
21	1	1	1	24	18	11	12	13	9	14	16	4	3	5	5	12
4	3	4	1	12	13	18	10	13	7	3	1	2	2	1	4	13
6	2	2	6	16	456	438	331	243	202	129	106	82	65	63	46	14
6	2	2	6	16	27	22	22	24	19	10	2	5	2	4	1	15
...	...	...	...	...	429	416	309	219	183	119	104	77	63	59	45	16
2	-	1	2	5	17	12	8	5	3	10	2	1	2	2	4	17
11	1	1	2	15	62	34	37	28	14	15	3	8	9	6	6	18
5	-	-	-	5	6	5	1	1	-	-	-	2	1	-	1	19
-	-	-	-	-	44	21	26	21	11	10	3	5	6	3	4	20
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	21
2	1	1	2	6	6	6	6	5	2	3	-	1	2	3	-	22
4	-	-	-	4	6	2	4	1	1	2	-	-	-	-	1	23
26	8	1	5	40	16	8	8	7	4	3	3	2	-	-	1	24
-	-	1	-	1	157	119	86	90	59	66	47	37	30	19	18	25
35	4	6	4	49	13	13	7	6	2	3	4	-	1	1	1	26
516	86	40	57	699	108	78	57	51	32	20	22	12	17	10	16	27
15	3	2	2	22	3	1	4	1	2	-	1	-	-	-	-	28
43	5	4	3	55	11	10	5	8	5	5	5	2	1	3	5	29
231	40	16	27	314	56	45	35	33	17	10	10	8	10	6	9	30
227	38	18	25	308	38	22	13	9	8	5	6	2	6	1	2	31
7,513	412	300	229	8,454	183	84	46	46	30	18	7	8	7	3	4	32
962	29	9	5	1,005	1	-	-	-	-	-	-	-	-	-	-	33
469	12	6	4	491	1	-	-	-	-	-	-	-	-	-	-	34
493	17	3	1	514	-	-	-	-	-	-	-	-	-	-	-	35
407	21	4	5	437	...	...	...	...	...	...	...	...	...	...	...	36
233	9	4	4	250	...	...	...	...	...	...	...	...	...	...	...	37
174	12	-	1	187	...	...	...	...	...	...	...	...	...	...	...	38
555	8	5	-	568	1	-	-	-	-	-	-	-	-	-	-	39
236	3	2	-	241	1	-	-	-	-	-	-	-	-	-	-	40
319	5	3	-	327	-	-	-	-	-	-	-	-	-	-	-	41
2,307	46	30	6	2,389	22	6	10	3	5	2	-	-	-	1	-	42
545	7	13	2	567	16	4	5	3	5	2	-	-	-	1	-	43
1,762	39	17	4	1,822	6	2	5	-	-	-	-	-	-	-	-	44
334	120	98	121	673	...	...	...	...	...	...	...	...	...	...	...	45
242	83	77	95	497	...	...	...	...	...	...	...	...	...	...	...	46
92	37	21	26	176	...	...	...	...	...	...	...	...	...	...	...	47
13	29	51	42	135	3	-	-	-	-	-	-	-	-	-	-	48
11	20	44	38	113	2	-	-	-	-	-	-	-	-	-	-	49
2	9	7	4	22	1	-	-	-	-	-	-	-	-	-	-	50
66	30	27	9	132	1	-	-	-	-	1	-	-	-	-	-	51
38	22	19	5	84	1	-	-	-	-	1	-	-	-	-	-	52
28	8	8	4	48	-	-	-	-	-	-	-	-	-	-	-	53
115	5	2	-	122	-	-	-	-	-	-	-	-	-	-	-	54
51	4	1	-	56	-	-	-	-	-	-	-	-	-	-	-	55
64	1	1	-	66	-	-	-	-	-	-	-	-	-	-	-	56
77	15	2	3	97	3	1	-	-	-	-	-	-	-	-	-	57
60	13	2	3	78	2	1	-	-	-	-	-	-	-	-	-	58
17	2	-	-	19	1	-	-	-	-	-	-	-	-	-	-	59
95	6	-	2	103	2	-	-	-	-	-	-	-	-	-	-	60
68	5	-	2	75	1	-	-	-	-	-	-	-	-	-	-	61
27	1	-	-	28	1	-	-	-	-	-	-	-	-	-	-	62
845	43	40	24	952	84	50	33	38	24	13	4	8	7	1	4	63
174	15	26	14	229	66	42	30	34	23	13	4	8	6	1	4	64
671	28	14	10	723	18	8	3	4	1	-	-	-	1	-	-	65
113	11	10	6	140	45	20	2	4	1	1	2	-	-	1	-	66
2,586	78	31	11	2,706	22	7	1	1	-	1	1	-	-	-	-	67
282	24	22	20	348	117	91	79	70	48	32	17	17	13	13	10	68
34	4	13	12	63	27	26	12	9	9	14	18	10	4	4	8	69
55	18	16	22	111	103	100	62	61	45	34	32	29	19	12	17	70
19	7	6	9	41	28	28	14	14	10	8	5	5	4	1	4	71
11	6	7	7	31	43	39	18	13	19	10	1	6	-	-	-	72
25	5	3	6	39	32	33	30	34	16	16	26	18	15	11	13	73
15	-	-	1	16	4	-	1	1	1	-	3	-	4	1	-	74

Table 3-5. Deaths Under 1 Year from 55 Selected Causes,

(Data refer only to deaths occurring within the United States, including Alaska and Hawaii. Excludes fetal deaths.

	COLOR, SEX, AND CAUSE OF DEATH	Total, under 1 year	Under 1 hour	1-23 hours	1 day	2 days	3 days	4 days	5 days	6 days
1	NONWHITE, FEMALE--ALL CAUSES	12,521	739	3,412	1,015	552	280	195	174	114
2	Dysentery, all forms--045-048	35	-	-	-	-	-	-	-	-
3	Septicemia and pyemia--053	44	-	-	-	-	-	-	-	-
4	Whooping cough--056	20	-	-	-	-	-	-	-	-
5	Meningococcal infections--057	17	-	-	-	-	-	-	-	-
6	Tetanus--061	19	-	-	-	-	1	-	1	3
7	Other infective and parasitic dis.--001-044,049-052,054,055,058-060,062-138	71	1	3	-	-	1	1	-	-
8	Malignant neoplasms, including neoplasms of lymphatic and hematopoietic tissues--140-205	20	-	1	-	-	-	-	-	-
9	Benign neoplasms and neoplasms of unspecified nature--210-239	10	-	1	-	-	-	-	1	-
10	Diseases of thymus gland--273	8	-	1	1	-	-	-	-	-
11	Meningitis, except meningococcal and tuberculous--340	130	-	-	1	2	2	1	-	-
12	Other diseases of nervous system and sense organs--330-334,341-398	91	-	5	1	4	2	1	1	-
13	Acute upper respiratory infections--470-475	58	-	-	2	1	-	-	-	-
14	Influenza and pneumonia, except pneumonia of newborn--480-493	1,816	-	-	-	1	-	-	2	-
15	Influenza--480-483	132	-	-	-	1	-	-	2	-
16	Pneumonia, except pneumonia of newborn--490-493	1,684	...	...	...	...	...	...	...	...
17	Bronchitis--500-502	72	-	1	-	-	-	-	1	-
18	Other diseases of respiratory system--510-522,525-527	201	1	6	3	3	1	3	1	1
19	Pulmonary congestion and hypostatis--522	14	-	-	-	1	-	1	-	-
20	Other chronic interstitial pneumonia--525	134	-	-	-	1	1	1	-	1
21	Bronchiectasis--526	-	-	-	-	-	-	-	-	-
22	Other diseases of lung and pleural cavity--527.2	34	-	1	2	1	-	-	-	-
23	All other diseases of respiratory system--510-521,527.1	19	1	5	1	-	-	1	1	-
24	Hernia and intestinal obstruction--560,561,570	59	1	14	1	2	4	3	-	-
25	Gastritis, duodenitis, enteritis, and colitis, except diarrhea of newborn--543,571,572	623	-	-	-	-	-	-	-	-
26	Other diseases of digestive system--530-542,544-553,573-587	64	-	1	1	1	2	3	2	5
27	Congenital malformations--750-759	841	56	112	51	38	35	18	23	12
28	Spina bifida and meningocele--751	31	1	1	2	1	-	-	2	1
29	Congenital hydrocephalus and other congenital malformations of nervous system and sense organs--752,753	107	10	14	5	3	1	2	-	2
30	Congenital malformations of circulatory system--754	447	10	50	24	23	25	9	10	5
31	Other congenital malformations--750,755-759	256	35	47	20	12	9	7	11	4
32	Certain diseases of early infancy--760-776	6,924	628	3,163	918	471	212	158	129	87
33	Birth injuries--760,761	773	155	357	120	45	27	14	9	11
34	Without mention of immaturity (.0)	363	88	142	59	24	16	4	5	7
35	With immaturity (.5)	410	67	215	61	21	11	10	4	4
36	Intracranial and spinal injury at birth--760	281	25	104	59	27	18	11	6	7
37	Without mention of immaturity (.0)	141	15	46	31	16	11	3	3	4
38	With immaturity (.5)	140	10	58	28	11	7	8	3	3
39	Other birth injury--761	492	130	253	61	18	9	3	3	4
40	Without mention of immaturity (.0)	222	73	96	28	8	5	1	2	3
41	With immaturity (.5)	270	57	157	33	10	4	2	1	1
42	Postnatal asphyxia and atelectasis--762	1,892	175	1,018	309	144	58	34	24	13
43	Without mention of immaturity (.0)	499	64	227	96	34	12	9	8	2
44	With immaturity (.5)	1,383	111	791	213	110	46	25	16	11
45	Pneumonia of newborn--763	498	4	50	37	42	24	15	25	12
46	Without mention of immaturity (.0)	379	3	33	28	28	18	11	17	9
47	With immaturity (.5)	120	1	17	9	14	6	4	8	3
48	Diarrhea of newborn--764	108	-	-	1	-	1	2	1	1
49	Without mention of immaturity (.0)	82	-	-	1	-	1	2	1	1
50	With immaturity (.5)	26	-	-	-	-	-	-	-	-
51	Other infections of newborn--765-768	110	5	8	4	4	3	4	8	8
52	Without mention of immaturity (.0)	67	4	2	3	3	1	2	5	4
53	With immaturity (.5)	43	1	6	1	1	2	2	3	4
54	Neonatal disorders arising from certain diseases of mother during pregnancy--769	100	17	47	10	7	5	3	2	3
55	Without mention of immaturity (.0-.4)	38	7	17	5	3	3	-	-	1
56	With immaturity (.5-.9)	62	10	30	5	4	2	3	2	2
57	Hemolytic disease of newborn (erythroblastosis)--770	50	8	16	3	8	4	3	1	1
58	Without mention of immaturity (.0-.2)	42	8	15	3	6	2	2	1	1
59	With immaturity (.5-.7)	8	-	1	-	2	2	1	-	-
60	Hemorrhagic disease of newborn--771	77	1	28	13	5	4	4	4	2
61	Without mention of immaturity (.0)	47	1	16	9	4	2	3	2	2
62	With immaturity (.5)	30	-	12	4	1	2	1	2	-
63	Ill-defined diseases peculiar to early infancy, including nutritional maladjustment--772,773	831	44	332	95	51	23	19	9	10
64	Without mention of immaturity (.0)	272	14	45	16	10	6	3	1	2
65	With immaturity (.5)	559	30	287	79	41	17	16	8	8
66	Immaturity with mention of any other subsidiary condition--774	164	6	38	17	9	7	5	2	2
67	Immaturity, unqualified--776	2,320	213	1,269	309	156	56	55	44	24
68	Symptoms and ill-defined conditions--780-793,795	691	32	86	27	17	15	6	9	3
69	All other diseases--Residual	133	2	4	2	1	1	1	-	1
70	Accidents--E800-E962	534	4	10	5	8	4	-	4	2
71	Inhalation and ingestion of food or other object causing obstruction or suffocation--E921,E922	140	-	1	1	6	2	-	2	2
72	Accidental mechanical suffocation in bed and cradle--E924	155	-	2	1	-	1	-	-	-
73	Other accidental causes--E800-E920,E923,E925-E962	239	4	7	3	2	1	-	2	-
74	Homicide--E964,E980-E984	40	14	4	2	2	-	-	-	-

by Age, Color, and Sex: United States, 1960—Con.

Numbers after causes of death are category numbers of the Seventh Revision of the International Lists, 1955)

Under 7 days	7-13 days	14-20 days	21-27 days	Under 28 days	28-59 days	2 months	3 months	4 months	5 months	6 months	7 months	8 months	9 months	10 months	11 months	
6,481	541	384	283	7,689	1,093	840	663	540	385	344	263	218	169	158	159	1
-	-	-	1	1	2	4	6	4	2	5	4	1	4	-	2	2
-	-	-	-	-	16	3	6	4	3	3	3	2	2	1	1	3
-	-	-	1	1	-	6	2	2	6	1	-	1	1	-	-	4
-	-	-	-	-	-	3	2	2	2	-	-	1	4	2	1	5
5	12	1	-	18	-	-	-	-	-	-	1	-	-	-	-	6
6	-	1	3	10	13	11	4	2	7	4	7	1	3	4	5	7
1	1	4	-	6	-	2	-	2	1	2	-	4	2	1	-	8
2	-	-	1	3	3	1	1	-	-	-	1	-	1	-	-	9
2	-	-	-	2	-	-	-	1	1	1	2	1	-	-	-	10
6	7	6	2	21	16	13	7	12	7	18	13	9	6	2	6	11
14	-	-	-	14	16	11	16	7	4	3	2	7	2	6	3	12
3	2	-	3	8	15	8	6	4	5	2	3	1	1	3	2	13
3	2	3	5	13	375	293	276	224	146	138	94	85	62	58	52	14
3	2	3	5	13	12	13	17	8	21	18	5	7	4	7	7	15
...	...	...	...	...	363	280	259	216	125	120	89	78	58	51	45	16
2	3	1	3	9	8	19	8	5	6	7	4	1	2	3	-	17
19	3	5	2	29	50	33	30	21	13	7	5	3	5	2	3	18
2	1	1	2	6	4	1	2	-	-	-	-	-	-	-	1	19
4	-	1	-	5	36	24	26	15	11	5	4	2	4	1	1	20
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	21
4	-	3	-	7	9	8	2	6	1	1	-	-	-	-	-	22
9	2	-	-	11	1	-	-	-	1	1	1	1	1	1	1	23
25	3	4	1	33	4	4	1	3	6	-	2	1	1	3	1	24
-	-	-	1	1	142	113	72	59	67	49	34	27	24	13	22	25
15	5	4	3	27	6	7	6	7	-	3	4	-	1	1	2	26
346	45	46	26	463	85	54	46	50	24	29	31	16	19	12	12	27
8	1	2	3	14	8	1	5	-	-	-	1	-	-	1	1	28
37	4	3	-	44	13	9	6	5	4	6	6	3	4	5	2	29
156	22	24	13	215	45	34	26	34	18	18	20	10	13	5	9	30
145	18	17	10	190	19	10	9	11	2	5	4	3	2	1	-	31
5,766	407	253	182	6,608	132	69	39	27	16	9	12	2	3	1	6	32
738	17	10	5	770	3	-	-	-	-	-	-	-	-	-	-	33
345	7	3	5	360	3	-	-	-	-	-	-	-	-	-	-	34
393	10	7	-	410	-	-	-	-	-	-	-	-	-	-	-	35
257	12	8	4	281	...	...	...	...	...	...	...	...	...	...	...	36
129	6	2	4	141	...	...	...	...	...	...	...	...	...	...	...	37
128	6	6	-	140	...	...	...	...	...	...	...	...	...	...	...	38
481	5	2	1	489	3	-	-	-	-	-	-	-	-	-	-	39
216	1	1	1	219	3	-	-	-	-	-	-	-	-	-	-	40
265	4	1	-	270	-	-	-	-	-	-	-	-	-	-	-	41
1,775	53	12	10	1,850	18	7	5	2	1	3	4	-	-	-	2	42
452	10	3	2	467	10	7	3	2	1	3	4	-	-	-	2	43
1,323	43	9	8	1,383	8	-	2	-	-	-	-	-	-	-	-	44
209	109	99	82	499	...	...	...	...	...	...	...	...	...	...	...	45
147	78	82	72	379	...	...	...	...	...	...	...	...	...	...	...	46
62	31	17	10	120	...	...	...	...	...	...	...	...	...	...	...	47
6	31	40	31	108	-	-	-	-	-	-	-	-	-	-	-	48
6	23	31	22	82	-	-	-	-	-	-	-	-	-	-	-	49
-	8	9	9	26	-	-	-	-	-	-	-	-	-	-	-	50
44	40	15	9	108	-	1	-	1	-	-	-	-	-	-	-	51
24	27	10	4	65	-	1	-	1	-	-	-	-	-	-	-	52
20	13	5	5	43	-	-	-	-	-	-	-	-	-	-	-	53
94	2	2	1	99	-	1	-	-	-	-	-	-	-	-	-	54
36	1	1	-	38	-	-	-	-	-	-	-	-	-	-	-	55
58	1	1	1	61	-	1	-	-	-	-	-	-	-	-	-	56
44	2	2	-	48	1	1	-	-	-	-	-	-	-	-	-	57
38	2	1	-	41	-	1	-	-	-	-	-	-	-	-	-	58
6	-	1	-	7	1	-	-	-	-	-	-	-	-	-	-	59
61	7	5	3	76	1	-	-	-	-	-	-	-	-	-	-	60
39	2	4	2	47	-	-	-	-	-	-	-	-	-	-	-	61
22	5	1	1	29	1	-	-	-	-	-	-	-	-	-	-	62
583	28	26	13	650	55	41	31	17	14	6	7	2	3	1	4	63
97	7	12	10	126	39	33	24	16	11	6	7	2	3	1	4	64
486	21	14	3	524	16	8	7	1	3	-	-	-	-	-	-	65
86	10	8	6	110	32	12	3	6	1	-	-	-	-	-	-	66
2,126	108	34	22	2,290	22	6	-	1	-	-	1	-	-	-	-	67
195	31	28	28	282	102	84	65	51	32	22	15	14	8	10	6	68
12	1	7	3	23	22	10	11	10	7	11	6	5	3	13	12	69
37	19	21	18	95	81	85	59	43	30	30	20	33	14	22	22	70
14	9	9	8	40	22	18	19	12	6	5	4	5	4	1	4	71
4	6	6	7	23	32	41	21	12	6	6	2	3	5	2	2	72
19	4	6	3	32	27	26	19	19	18	19	14	25	5	19	16	73
22	-	-	-	22	5	7	-	-	-	-	-	3	1	1	1	74

Table 3-6. Deaths Under 1 Year, Under 28 Days, and 28 Days to 11 Months,

(By place of residence. Data refer only to deaths occurring within the United States, including Alaska and Hawaii. Excludes

	CAUSE OF DEATH	UNITED STATES					ALABAMA				
		Total, under 1 year	Under 28 days		28 days-11 months		Total, under 1 year	Under 28 days		28 days-11 months	
			White	Non-white	White	Non-white		White	Non-white	White	Non-white
1	ALL CAUSES	110,873	62,085	17,648	20,394	10,746	2,616	942	726	324	624
2	Dysentery, all forms-045-048	140	2	6	58	74	4	-	1	-	3
3	Septicemia and pyemia-053	408	-	-	289	119	13	-	-	5	8
4	Whooping cough-056	73	-	4	24	45	6	-	-	1	5
5	Meningococcal infections-057	196	11	2	150	33	6	-	-	3	3
6	Tetanus-061	69	19	48	1	1	6	1	5	-	-
7	Other infective and parasitic dis.-001-044,049-052,054,055,058-060,062-138	557	64	38	310	145	15	1	2	6	6
8	Malignant neoplasms, including neoplasms of lymphatic and hematopoietic tissues-140-205	298	31	10	227	30	5	-	-	2	3
9	Benign neoplasms and neoplasms of unspecified nature-210-239	138	49	7	70	12	3	1	-	2	-
10	Diseases of thymus gland-273	115	23	3	74	15	1	1	-	-	-
11	Meningitis, except meningococcal and tuberculous-340	872	164	50	406	252	28	1	3	10	14
12	Other diseases of nervous system and sense organs-330-334,341-398	950	134	38	591	187	19	2	2	9	6
13	Acute upper respiratory infections-470-475	417	40	20	233	124	7	-	-	1	6
14	Influenza and pneumonia, except pneumonia of newborn-480-493	9,828	24	29	5,811	3,964	273	2	1	78	192
15	Influenza-480-483	538	24	29	228	257	31	2	1	4	24
16	Pneumonia, except pneumonia of newborn-490-493	9,290	...	...	5,583	3,707	242	...	...	74	168
17	Bronchitis-500-502	656	37	14	476	129	12	1	1	6	4
18	Other diseases of respiratory system-510-522,525-527	1,539	157	44	944	394	30	2	2	11	15
19	Pulmonary congestion and hypostatis-522	184	45	11	103	25	2	-	1	1	-
20	Other chronic interstitial pneumonia-525	933	7	5	638	283	20	-	-	8	12
21	Bronchiectasis-526	1	-	-	1	-	-	-	-	-	-
22	Other diseases of lung and pleural cavity-527.2	236	30	13	132	61	5	-	1	2	2
23	All other diseases of respiratory system-510-521,527.1	185	75	15	70	25	3	2	-	-	1
24	Hernia and intestinal obstruction-560,561,570	922	596	73	175	78	12	4	2	1	5
25	Gastritis, duodenitis, enteritis, and colitis, except diarrhea of newborn-543,571,572	2,622	4	2	1,266	1,350	119	-	-	26	93
26	Other diseases of digestive system-530-542,544-553,573-587	676	252	76	260	88	14	4	-	5	5
27	Congenital malformations-750-759	15,389	8,819	1,162	4,607	801	282	147	51	63	21
28	Spina bifida and meningocele-751	1,096	545	36	486	29	28	15	2	10	1
29	Congenital hydrocephalus and other congenital malformations of nervous system and sense organs-752,753	1,645	768	99	655	123	42	23	3	14	2
30	Congenital malformations of circulatory system-754	7,589	3,931	529	2,658	471	106	48	21	26	11
31	Other congenital malformations-750,755-759	5,059	3,575	498	808	178	106	61	25	13	7
32	Certain diseases of early infancy-760-776	67,074	50,424	15,062	836	752	1,355	746	556	8	45
33	Birth injuries-760,761	10,158	8,371	1,775	8	4	169	117	51	-	1
34	Without mention of immaturity (.0)	4,001	3,142	851	4	4	78	39	38	-	1
35	With immaturity (.5)	6,157	5,229	924	4	-	91	78	13	-	-
36	Intracranial and spinal injury at birth-760	3,175	2,457	718	...	...	61	34	27	...	...
37	Without mention of immaturity (.0)	1,857	1,466	391	...	...	41	19	22	...	...
38	With immaturity (.5)	1,318	991	327	...	...	20	15	5	...	...
39	Other birth injury-761	6,983	5,914	1,057	8	4	108	83	24	-	1
40	Without mention of immaturity (.0)	2,144	1,676	460	4	4	37	20	16	-	1
41	With immaturity (.5)	4,839	4,238	597	4	-	71	63	8	-	-
42	Postnatal asphyxia and atelectasis-762	19,539	15,009	4,239	200	91	308	194	105	2	5
43	Without mention of immaturity (.0)	5,255	3,991	1,034	162	68	105	56	43	2	4
44	With immaturity (.5)	14,284	11,018	3,205	38	23	201	138	62	-	1
45	Pneumonia of newborn-763	3,544	2,372	1,172	...	...	83	28	55	...	...
46	Without mention of immaturity (.0)	2,563	1,687	876	...	...	63	19	44	...	...
47	With immaturity (.5)	981	685	296	...	...	20	9	11	...	...
48	Diarrhea of newborn-764	463	217	243	-	3	26	6	20	-	-
49	Without mention of immaturity (.0)	362	165	195	-	2	20	3	17	-	-
50	With immaturity (.5)	101	52	48	-	1	6	3	3	-	-
51	Other infections of newborn-765-768	779	528	240	7	4	20	8	12	-	-
52	Without mention of immaturity (.0)	506	347	149	6	4	13	6	7	-	-
53	With immaturity (.5)	273	181	91	1	-	7	2	5	-	-
54	Neonatal disorders arising from certain diseases of mother during pregnancy-769	1,001	767	221	12	1	23	14	9	-	-
55	Without mention of immaturity (.0-.4)	354	251	94	9	-	6	3	3	-	-
56	With immaturity (.5-.9)	647	516	127	3	1	17	11	6	-	-
57	Hemolytic disease of newborn (erythroblastosis)-770	2,145	1,979	145	15	6	25	23	2	-	-
58	Without mention of immaturity (.0-.2)	1,702	1,567	119	12	4	19	17	2	-	-
59	With immaturity (.5-.7)	443	412	26	3	2	6	6	-	-	-
60	Hemorrhagic disease of newborn-771	620	435	179	3	3	14	8	6	-	-
61	Without mention of immaturity (.0)	393	267	122	3	1	9	5	4	-	-
62	With immaturity (.5)	227	168	57	-	2	5	3	2	-	-
63	Ill-defined diseases peculiar to early infancy, including nutritional maladjustment-772,773	8,057	5,631	1,602	377	447	177	92	52	4	29
64	Without mention of immaturity (.0)	2,353	1,295	355	328	377	79	30	21	3	25
65	With immaturity (.5)	5,704	4,336	1,247	51	70	98	62	31	1	4
66	Immaturity with mention of any other subsidiary condition-774	1,310	786	250	144	130	26	12	7	2	5
67	Immaturity, unqualified-776	19,458	14,329	4,996	70	63	486	244	237	-	5
68	Symptoms and ill-defined conditions-780-793,795	2,518	406	630	566	916	259	18	91	38	112
69	All other diseases-Residual	1,386	346	86	703	251	28	4	4	12	8
70	Accidents-E800-E962	3,851	392	206	2,280	953	117	5	5	37	70
71	Inhalation and ingestion of food or other object causing obstruction or suffocation-E921,E922	1,204	213	81	689	221	23	2	-	10	11
72	Accidental mechanical suffocation in bed and cradle-E924	1,018	76	54	607	281	38	1	3	10	24
73	Other accidental causes-E800-E920,E923,E925-E962	1,609	103	71	984	451	58	2	2	17	35
74	Homicide-E964,E980-E984	199	91	38	37	33	2	2	-	-	-

From 55 Selected Causes, by Color: United States and Each State, 1960

fetal deaths. Numbers after causes of death are category numbers of the Seventh Revision of the International Lists, 1955)

ALASKA					ARIZONA					ARKANSAS					CALIFORNIA					
Total, under 1 year	Under 28 days		28 days-11 months		Total, under 1 year	Under 28 days		28 days-11 months		Total, under 1 year	Under 28 days		28 days-11 months		Total, under 1 year	Under 28 days		28 days-11 months		
	White	Non-white	White	Non-white		White	Non-white	White	Non-white		White	Non-white	White	Non-white		White	Non-white	White	Non-white	
306	109	63	36	98	1,174	584	127	239	224	1,110	469	247	168	226	8,677	5,498	915	1,951	333	1
2	-	-	-	2	9	-	-	1	8	6	-	2	-	4	5	1	-	4	-	2
2	-	-	2	-	6	-	-	5	1	7	-	-	2	5	18	-	-	16	2	3
-	-	-	-	-	2	-	1	1	-	5	-	-	1	4	2	-	-	1	1	4
1	-	-	-	1	1	-	-	-	1	4	-	-	2	2	13	1	-	12	-	5
-	-	-	-	-	-	-	-	-	-	2	-	2	-	-	-	-	-	-	-	6
2	-	-	-	2	11	-	1	3	7	13	1	-	8	4	34	6	1	24	3	7
1	1	-	-	-	1	-	-	1	-	2	1	-	1	-	19	1	-	18	-	8
-	-	-	-	-	1	1	-	-	-	3	-	1	-	2	19	8	1	9	1	9
-	-	-	-	-	2	-	-	2	-	1	-	-	1	-	6	1	-	4	1	10
4	-	1	-	3	25	1	1	6	17	8	-	1	2	5	75	16	1	46	12	11
6	1	-	2	3	17	1	-	10	6	5	-	1	3	1	79	13	3	55	8	12
7	-	2	2	3	2	-	-	1	1	4	-	1	1	2	42	8	1	25	8	13
54	-	2	13	39	131	1	-	70	60	132	-	-	51	81	651	3	-	550	98	14
8	-	2	1	5	5	1	-	3	1	9	-	-	-	9	12	3	-	8	1	15
46	...	...	12	34	126	...	...	67	59	123	...	...	51	72	639	...	...	542	97	16
4	-	-	-	4	7	-	-	6	1	3	-	-	-	3	108	5	-	92	11	17
1	-	-	-	1	10	1	-	7	2	4	1	1	1	1	314	11	6	241	56	18
-	-	-	-	-	2	1	-	-	1	1	-	1	-	-	26	3	1	16	6	19
-	-	-	-	-	7	-	-	6	1	2	1	-	-	1	261	1	-	212	48	20
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	21
1	-	-	-	1	1	-	-	1	-	1	-	-	1	-	9	2	1	5	1	22
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	18	5	4	8	1	23
4	4	-	-	-	9	5	-	3	1	3	2	-	-	1	72	51	6	12	3	24
18	-	-	-	18	92	-	-	31	61	40	-	-	9	31	104	-	-	79	25	25
3	-	-	-	3	7	-	1	4	2	6	1	2	1	2	46	15	7	22	2	26
28	14	2	10	2	145	72	16	44	13	138	73	15	32	18	1,282	768	80	385	49	27
-	-	-	-	-	9	3	1	3	2	11	4	-	6	1	66	32	1	31	2	28
7	4	1	-	2	18	2	2	12	2	12	9	1	1	1	123	65	6	47	5	29
10	4	-	6	-	75	35	11	22	7	62	29	5	18	10	659	350	37	239	33	30
11	6	1	4	-	43	32	2	7	2	53	31	9	7	6	434	321	36	68	9	31
144	86	53	-	5	607	488	97	10	12	589	372	197	12	8	5,379	4,528	798	39	14	32
21	14	7	-	-	84	70	14	-	-	64	43	21	-	-	1,006	854	151	1	-	33
7	6	1	-	-	38	30	8	-	-	33	17	16	-	-	302	247	54	1	-	34
14	8	6	-	-	46	40	6	-	-	31	26	5	-	-	704	607	97	-	-	35
9	5	4	...	...	28	26	2	...	...	20	11	9	...	...	297	242	55	...	...	36
5	4	1	...	...	18	16	2	...	...	15	7	8	...	...	127	107	20	...	...	37
4	1	3	...	...	10	10	-	...	...	5	4	1	...	...	170	135	35	...	...	38
12	9	3	-	-	56	44	12	-	-	44	32	12	-	-	709	612	96	1	-	39
2	2	-	-	-	20	14	6	-	-	18	10	8	-	-	175	140	34	1	-	40
10	7	3	-	-	36	30	6	-	-	26	22	4	-	-	534	472	62	-	-	41
30	20	10	-	-	146	125	19	2	-	160	116	44	-	-	1,689	1,441	232	13	3	42
8	6	2	-	-	51	38	12	1	-	51	35	16	-	-	381	312	60	7	2	43
22	14	8	-	-	95	87	7	1	-	109	81	28	-	-	1,308	1,129	172	6	1	44
9	4	5	...	...	28	23	5	...	...	50	18	32	...	...	319	269	50	...	...	45
7	3	4	...	...	22	18	4	...	...	37	14	23	...	...	239	200	39	...	...	46
2	1	1	...	...	6	5	1	...	...	13	4	9	...	...	80	69	11	...	...	47
1	1	-	-	-	8	3	5	-	-	9	5	4	-	-	12	9	2	-	1	48
1	1	-	-	-	7	2	5	-	-	5	2	3	-	-	6	6	-	-	-	49
-	-	-	-	-	1	1	-	-	-	4	3	1	-	-	6	3	2	-	1	50
4	1	3	-	-	7	2	5	-	-	9	2	7	-	-	71	60	11	-	-	51
4	1	3	-	-	5	1	4	-	-	8	2	6	-	-	34	30	4	-	-	52
-	-	-	-	-	2	1	1	-	-	1	-	1	-	-	37	30	7	-	-	53
4	2	2	-	-	11	8	3	-	-	4	3	1	-	-	94	79	14	1	-	54
-	-	-	-	-	6	4	2	-	-	-	-	-	-	-	31	23	7	1	-	55
4	2	2	-	-	5	4	1	-	-	4	3	1	-	-	63	56	7	-	-	56
1	1	-	-	-	16	16	-	-	-	8	5	2	1	-	174	157	16	1	-	57
1	1	-	-	-	14	14	-	-	-	8	5	2	1	-	131	120	10	1	-	58
-	-	-	-	-	2	2	-	-	-	-	-	-	-	-	43	37	6	-	-	59
1	-	1	-	-	2	-	2	-	-	5	3	2	-	-	41	35	6	-	-	60
-	-	-	-	-	2	-	2	-	-	5	3	2	-	-	20	16	4	-	-	61
1	-	1	-	-	-	-	-	-	-	-	-	-	-	-	21	19	2	-	-	62
24	10	11	-	3	62	41	4	6	11	88	45	33	7	3	692	579	97	12	4	63
13	5	5	-	3	35	16	2	6	11	31	12	10	6	3	150	124	11	11	4	64
11	5	6	-	-	27	25	2	-	-	57	33	23	1	-	542	455	86	1	-	65
5	3	-	-	2	14	10	1	2	1	12	5	1	3	3	119	90	16	7	6	66
44	30	14	-	-	229	190	39	-	-	180	127	50	1	2	1,162	955	203	4	-	67
7	2	2	1	2	28	2	5	7	14	50	5	17	7	21	25	10	3	8	4	68
3	1	-	1	1	15	3	1	4	7	12	6	1	3	2	90	23	2	57	8	69
15	-	1	5	9	45	9	3	23	10	73	7	6	31	29	273	20	4	224	25	70
3	-	1	2	-	12	7	1	3	1	17	4	2	7	4	88	11	1	72	4	71
5	-	-	3	2	6	2	1	1	2	21	1	1	5	14	54	1	1	47	5	72
7	-	-	-	7	27	-	1	19	7	35	2	3	19	11	131	8	2	105	16	73
-	-	-	-	-	1	-	1	-	-	-	-	-	-	-	21	9	2	8	2	74

Table 3-6. Deaths Under 1 Year, Under 28 Days, and 28 Days to 11 Months,

(By place of residence. Data refer only to deaths occurring within the United States, including Alaska and Hawaii. Excludes

	CAUSE OF DEATH	COLORADO					CONNECTICUT				
		Total, under 1 year	Under 28 days		28 days-11 months		Total, under 1 year	Under 28 days		28 days-11 months	
			White	Non-white	White	Non-white		White	Non-white	White	Non-white
1	ALL CAUSES	1,180	856	54	254	16	1,197	833	99	229	36
2	Dysentery, all forms---045-048	2	-	-	2	-	-	-	-	-	-
3	Septicemia and pyemia---053	6	-	-	6	-	5	-	-	3	2
4	Whooping cough---056	-	-	-	-	-	-	-	-	-	-
5	Meningococcal infections---057	1	-	-	1	-	2	-	-	2	-
6	Tetanus---061	-	-	-	-	-	-	-	-	-	-
7	Other infective and parasitic dis.---001-044,049-052,054,055,058-060,062-136	4	-	-	3	1	-	-	-	-	-
8	Malignant neoplasms, including neoplasms of lymphatic and hematopoietic tissues---140-205	1	-	-	1	-	3	-	-	2	1
9	Benign neoplasms and neoplasms of unspecified nature---210-239	-	-	-	-	-	2	1	-	1	-
10	Diseases of thymus gland---273	-	-	-	-	-	-	-	-	-	-
11	Meningitis, except meningococcal and tuberculous---340	8	-	-	7	1	8	3	-	5	-
12	Other diseases of nervous system and sense organs---330-334,341-398	14	4	-	10	-	6	-	1	4	1
13	Acute upper respiratory infections---470-475	8	1	-	6	1	9	1	-	6	2
14	Influenza and pneumonia, except pneumonia of newborn---480-493	69	-	-	62	7	75	-	-	63	12
15	Influenza---480-483	4	-	-	4	-	1	-	-	1	-
16	Pneumonia, except pneumonia of newborn---490-493	65	...	...	58	7	74	...	...	62	12
17	Bronchitis---500-502	19	-	-	17	2	5	-	-	5	-
18	Other diseases of respiratory system---510-522,525-527	9	2	-	7	-	13	1	1	10	1
19	Pulmonary congestion and hypostatis---522	1	1	-	-	-	-	-	-	-	-
20	Other chronic interstitial pneumonia---525	7	-	-	7	-	4	-	-	4	-
21	Bronchiectasis---526	-	-	-	-	-	-	-	-	-	-
22	Other diseases of lung and pleural cavity---527.2	-	-	-	-	-	6	-	1	5	-
23	All other diseases of respiratory system---510-521,527.1	1	1	-	-	-	3	1	-	1	1
24	Hernia and intestinal obstruction---560,561,570	5	4	-	1	-	13	9	-	4	-
25	Gastritis, duodenitis, enteritis, and colitis, except diarrhea of newborn---543,571,572	21	-	-	19	2	5	-	-	4	1
26	Other diseases of digestive system---530-542,544-553,573-587	9	4	1	4	-	9	4	1	4	-
27	Congenital malformations---750-759	149	90	4	54	1	203	124	4	67	8
28	Spina bifida and meningocele---751	11	4	1	6	-	18	11	-	7	-
29	Congenital hydrocephalus and other congenital malformations of nervous system and sense organs---752,753	9	4	-	5	-	27	11	2	11	3
30	Congenital malformations of circulatory system---754	77	46	2	28	1	89	44	2	38	5
31	Other congenital malformations---750,755-759	52	36	1	15	-	69	58	-	11	-
32	Certain diseases of early infancy---760-776	800	735	47	18	-	778	678	90	10	-
33	Birth injuries---760,761	143	137	6	-	-	103	92	11	-	-
34	Without mention of immaturity (.0)	44	41	3	-	-	45	40	5	-	-
35	With immaturity (.5)	99	96	3	-	-	58	52	6	-	-
36	Intracranial and spinal injury at birth---760	43	41	2	...	...	44	38	6	...	...
37	Without mention of immaturity (.0)	24	23	1	...	...	21	20	1	...	...
38	With immaturity (.5)	19	18	1	...	...	23	18	5	...	...
39	Other birth injury---761	100	96	4	-	-	59	54	5	-	-
40	Without mention of immaturity (.0)	20	18	2	-	-	24	20	4	-	-
41	With immaturity (.5)	80	78	2	-	-	35	34	1	-	-
42	Postnatal asphyxia and atelectasis---762	227	211	11	5	-	254	222	28	4	-
43	Without mention of immaturity (.0)	48	45	-	3	-	60	53	3	4	-
44	With immaturity (.5)	179	166	11	2	-	194	169	25	-	-
45	Pneumonia of newborn---763	33	28	5	...	...	28	25	3	...	...
46	Without mention of immaturity (.0)	19	17	2	...	...	24	22	2	...	...
47	With immaturity (.5)	14	11	3	...	...	4	3	1	...	...
48	Diarrhea of newborn---764	4	4	-	-	-	1	-	1	-	-
49	Without mention of immaturity (.0)	3	3	-	-	-	1	-	1	-	-
50	With immaturity (.5)	1	1	-	-	-	-	-	-	-	-
51	Other infections of newborn---765-768	9	9	-	-	-	8	7	1	-	-
52	Without mention of immaturity (.0)	4	4	-	-	-	5	5	-	-	-
53	With immaturity (.5)	5	5	-	-	-	3	2	1	-	-
54	Neonatal disorders arising from certain diseases of mother during pregnancy---769	16	12	3	1	-	9	9	-	-	-
55	Without mention of immaturity (.0-.4)	5	4	1	-	-	2	2	-	-	-
56	With immaturity (.5-.9)	11	8	2	1	-	7	7	-	-	-
57	Hemolytic disease of newborn (erythroblastosis)---770	15	15	-	-	-	30	29	-	1	-
58	Without mention of immaturity (.0-.2)	10	10	-	-	-	24	24	-	-	-
59	With immaturity (.5-.7)	5	5	-	-	-	6	5	-	1	-
60	Hemorrhagic disease of newborn---771	9	8	1	-	-	4	4	-	-	-
61	Without mention of immaturity (.0)	3	3	-	-	-	3	3	-	-	-
62	With immaturity (.5)	6	5	1	-	-	1	1	-	-	-
63	Ill-defined diseases peculiar to early infancy, including nutritional maladjustment---772,773	125	107	7	11	-	113	94	16	3	-
64	Without mention of immaturity (.0)	22	10	2	10	-	22	15	4	3	-
65	With immaturity (.5)	103	97	5	1	-	91	79	12	-	-
66	Immaturity with mention of any other subsidiary condition---774	7	6	-	1	-	19	14	3	2	-
67	Immaturity, unqualified---776	212	198	14	-	-	209	182	27	-	-
68	Symptoms and ill-defined conditions---780-793,795	5	2	-	3	-	7	-	-	5	2
69	All other diseases---Residual	9	4	1	4	-	18	5	1	12	-
70	Accidents---E800-E962	40	9	1	29	1	34	7	1	21	5
71	Inhalation and ingestion of food or other object causing obstruction or suffocation---E921,E922	15	4	1	9	1	14	4	-	9	1
72	Accidental mechanical suffocation in bed and cradle---E924	9	2	-	7	-	5	-	-	4	1
73	Other accidental causes---E800-E920,E923,E925-E962	16	3	-	13	-	15	3	1	8	3
74	Homicide---E964,E980-E984	1	1	-	-	-	2	-	-	1	1

From 55 Selected Causes, by Color: United States and Each State, 1960—Continued

fetal deaths. Numbers after causes of death are category numbers of the Seventh Revision of the International Lists, 1955)

DELAWARE					DISTRICT OF COLUMBIA					FLORIDA					GEORGIA					
Total, under 1 year	Under 28 days		28 days-11 months		Total, under 1 year	Under 28 days		28 days-11 months		Total, under 1 year	Under 28 days		28 days-11 months		Total, under 1 year	Under 28 days		28 days-11 months		
	White	Non-white	White	Non-white		White	Non-white	White	Non-white		White	Non-white	White	Non-white		White	Non-white	White	Non-white	
276	120	67	48	41	723	138	407	44	134	3,433	1,531	872	463	567	3,280	1,186	941	398	765	1
-	-	-	-	-	-	-	-	-	-	1	-	-	-	1	7	-	1	1	5	2
1	-	-	-	1	-	-	-	-	-	13	-	-	8	5	14	-	-	10	4	3
-	-	-	-	-	-	-	-	-	-	3	-	-	-	3	3	-	1	-	2	4
-	-	-	-	-	-	-	-	-	-	3	-	-	2	1	10	1	-	5	4	5
-	-	-	-	-	-	-	-	-	-	2	-	2	-	-	2	1	1	-	-	6
1	-	1	-	-	3	-	-	-	3	8	-	3	4	1	23	1	7	7	8	7
1	-	-	1	-	1	1	-	-	-	9	1	1	4	3	7	1	1	5	-	8
1	-	1	-	-	-	-	-	-	-	5	-	-	4	1	3	-	1	-	2	9
-	-	-	-	-	-	-	-	-	-	3	-	1	1	1	1	1	-	-	-	10
2	-	-	-	2	7	-	2	2	3	40	6	2	12	20	27	3	-	9	15	11
3	-	-	1	2	6	1	1	1	3	40	-	3	24	13	25	6	2	13	4	12
1	-	-	1	-	-	-	-	-	-	12	1	1	8	2	15	1	3	3	8	13
29	-	-	13	16	36	-	-	4	32	296	2	-	104	190	429	-	2	106	321	14
2	-	-	1	1	1	-	-	-	1	27	2	-	2	23	34	-	2	6	26	15
27	...	...	12	15	35	...	...	4	31	269	...	...	102	167	395	...	...	100	295	16
1	-	-	-	1	1	-	-	-	1	16	1	-	7	8	10	-	1	3	6	17
5	-	-	2	3	15	2	1	5	7	68	7	2	29	30	47	4	1	19	23	18
-	-	-	-	-	1	1	-	-	-	16	3	1	7	5	-	-	-	-	-	19
5	-	-	2	3	10	-	-	3	7	39	-	-	19	20	36	1	1	17	17	20
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	21
-	-	-	-	-	2	1	-	1	-	7	2	1	1	3	9	2	-	2	5	22
-	-	-	-	-	2	-	1	1	-	6	2	-	2	2	2	1	-	-	1	23
6	2	-	2	2	3	2	-	-	1	24	9	5	5	5	22	9	6	1	6	24
6	-	-	2	4	6	-	-	3	3	153	-	-	22	131	136	-	-	27	109	25
5	-	2	3	-	4	1	-	1	2	21	6	7	2	6	23	3	5	10	5	26
42	24	7	8	3	87	21	22	14	30	404	204	56	110	34	328	162	47	83	36	27
7	5	-	2	-	-	-	-	-	-	37	19	1	15	2	24	13	3	8	-	28
3	3	-	-	-	15	2	-	5	8	42	17	5	16	4	44	15	3	19	7	29
16	9	1	4	2	50	8	14	7	21	182	76	24	61	21	142	65	14	43	20	30
16	7	6	2	1	22	11	8	2	1	143	92	26	18	7	118	69	27	13	9	31
152	91	56	4	1	502	109	375	3	15	2,074	1,271	744	24	35	1,845	985	790	20	70	32
13	8	5	-	-	42	18	24	-	-	286	190	95	-	1	225	132	93	-	-	33
7	4	3	-	-	15	8	7	-	-	128	73	54	-	1	101	46	55	-	-	34
6	4	2	-	-	27	10	17	-	-	158	117	41	-	-	124	86	38	-	-	35
9	5	4	...	...	16	6	10	...	...	110	77	33	...	...	59	32	27	...	...	36
5	3	2	...	...	8	5	3	...	...	63	38	25	...	...	39	18	21	...	...	37
4	2	2	...	...	8	1	7	...	...	47	39	8	...	...	20	14	6	...	...	38
4	3	1	-	-	26	12	14	-	-	176	113	62	-	1	166	100	66	-	-	39
2	1	1	-	-	7	3	4	-	-	65	35	29	-	1	62	28	34	-	-	40
2	2	-	-	-	19	9	10	-	-	111	78	33	-	-	104	72	32	-	-	41
52	32	17	2	1	302	40	261	-	1	640	394	234	8	4	503	322	172	5	4	42
11	7	2	2	-	25	6	19	-	-	194	101	83	6	4	152	91	57	2	2	43
41	25	15	-	1	277	34	242	-	1	446	293	151	2	-	351	231	115	3	2	44
6	2	4	...	...	13	3	10	...	...	111	57	54	...	...	100	36	64	...	...	45
5	1	4	...	...	6	1	5	...	...	77	38	39	...	...	78	29	49	...	...	46
1	1	-	...	...	7	2	5	...	...	34	19	15	...	...	22	7	15	...	...	47
3	1	2	-	-	1	-	1	-	-	26	3	23	-	-	29	8	21	-	-	48
3	1	2	-	-	1	-	1	-	-	20	2	18	-	-	23	5	18	-	-	49
-	-	-	-	-	-	-	-	-	-	6	1	5	-	-	6	3	3	-	-	50
-	-	-	-	-	3	1	2	-	-	29	17	12	-	-	28	12	16	-	-	51
-	-	-	-	-	3	1	2	-	-	17	10	7	-	-	19	7	12	-	-	52
-	-	-	-	-	-	-	-	-	-	12	7	5	-	-	9	5	4	-	-	53
1	1	-	-	-	5	2	2	1	-	24	13	11	-	-	32	16	15	-	1	54
-	-	-	-	-	1	-	-	1	-	14	7	7	-	-	9	5	4	-	-	55
1	1	-	-	-	4	2	2	-	-	10	6	4	-	-	23	11	11	-	1	56
4	3	-	1	-	8	2	6	-	-	50	45	5	-	-	29	20	9	-	-	57
2	1	-	1	-	6	1	5	-	-	41	36	5	-	-	25	17	8	-	-	58
2	2	-	-	-	2	1	1	-	-	9	9	-	-	-	4	3	1	-	-	59
-	-	-	-	-	6	2	4	-	-	13	5	8	-	-	18	9	9	-	-	60
-	-	-	-	-	4	1	3	-	-	7	2	5	-	-	13	6	7	-	-	61
-	-	-	-	-	2	1	1	-	-	6	3	3	-	-	5	3	2	-	-	62
20	16	4	-	-	33	16	6	2	9	291	178	81	10	22	275	113	102	7	53	63
7	5	2	-	-	17	5	3	1	8	92	42	22	8	20	104	26	25	6	47	64
13	11	2	-	-	16	11	3	1	1	199	136	59	2	2	171	87	77	1	6	65
3	2	-	1	-	8	-	4	-	4	47	19	16	5	7	49	14	19	6	10	66
50	26	24	-	-	81	25	55	-	1	557	350	205	1	1	557	283	270	2	2	67
6	-	-	4	2	2	1	-	-	1	73	7	24	9	33	96	13	41	3	39	68
4	1	-	3	-	8	-	1	4	3	32	5	7	11	9	35	5	2	10	18	69
9	1	-	4	4	38	-	3	7	28	122	8	12	69	33	175	8	26	63	78	70
3	-	-	2	1	12	-	-	2	10	36	4	8	14	10	61	4	13	22	22	71
3	1	-	1	1	20	-	3	5	12	28	4	2	15	7	54	4	9	12	29	72
3	-	-	1	2	6	-	-	-	6	58	-	2	40	16	60	-	4	29	27	73
1	1	-	-	-	4	-	2	-	2	11	3	2	4	2	7	2	3	-	2	74

Table 3-6. Deaths Under 1 Year, Under 28 Days, and 28 Days to 11 Months,

(By place of residence. Data refer only to deaths occurring within the United States, including Alaska and Hawaii. Excludes

	CAUSE OF DEATH	HAWAII					IDAHO				
		Total, under 1 year	Under 28 days		28 days-11 months		Total, under 1 year	Under 28 days		28 days-11 months	
			White	Non-white	White	Non-white		White	Non-white	White	Non-white
1	ALL CAUSES	399	97	220	17	65	394	291	6	92	5
2	Dysentery, all forms---045-048	-	-	-	-	-	-	-	-	-	-
3	Septicemia and pyemia---053	2	-	-	1	1	-	-	-	-	-
4	Whooping cough---056	-	-	-	-	-	-	-	-	-	-
5	Meningococcal infections---057	-	-	-	-	-	-	-	-	-	-
6	Tetanus---061	-	-	-	-	-	-	-	-	-	-
7	Other infective and parasitic dis.---001-044,049-052,054,055,058-060,062-136	-	-	-	-	-	1	-	-	1	-
8	Malignant neoplasms, including neoplasms of lymphatic and hematopoietic tissues---140-205	-	-	-	-	-	2	1	-	1	-
9	Benign neoplasms and neoplasms of unspecified nature---210-239	1	-	-	-	1	-	-	-	-	-
10	Diseases of thymus gland---273	2	-	-	-	2	1	1	-	-	-
11	Meningitis, except meningococcal and tuberculous---340	3	-	-	1	2	2	-	-	2	-
12	Other diseases of nervous system and sense organs---330-334,341-398	4	-	2	-	2	3	2	-	1	-
13	Acute upper respiratory infections---470-475	-	-	-	-	-	1	-	-	1	-
14	Influenza and pneumonia, except pneumonia of newborn---480-493	28	-	-	6	22	24	-	-	22	2
15	Influenza---480-483	2	-	-	-	2	-	-	-	-	-
16	Pneumonia, except pneumonia of newborn---490-493	26	...	...	6	20	24	...	...	22	2
17	Bronchitis---500-502	3	-	-	1	2	5	-	-	5	-
18	Other diseases of respiratory system---510-522,525-527	3	-	-	1	2	4	1	-	3	-
19	Pulmonary congestion and hypostatis---522	-	-	-	-	-	-	-	-	-	-
20	Other chronic interstitial pneumonia---525	2	-	-	1	1	2	-	-	2	-
21	Bronchiectasis---526	-	-	-	-	-	-	-	-	-	-
22	Other diseases of lung and pleural cavity---527.2	-	-	-	-	-	1	-	-	1	-
23	All other diseases of respiratory system---510-521,527.1	1	-	-	-	1	1	1	-	-	-
24	Hernia and intestinal obstruction---560,561,570	3	1	1	1	-	6	4	-	2	-
25	Gastritis, duodenitis, enteritis, and colitis, except diarrhea of newborn---543,571,572	6	-	-	-	6	6	1	-	4	1
26	Other diseases of digestive system---530-542,544-553,573-587	-	-	-	-	-	2	1	-	1	-
27	Congenital malformations---750-759	54	11	25	2	16	60	38	1	21	-
28	Spina bifida and meningocele---751	1	-	1	-	-	2	1	-	1	-
29	Congenital hydrocephalus and other congenital malformations of nervous system and sense organs---752,753	4	2	-	-	2	2	2	-	-	-
30	Congenital malformations of circulatory system---754	29	5	10	2	12	35	22	1	12	-
31	Other congenital malformations---750,755-759	20	4	14	-	2	21	13	-	8	-
32	Certain diseases of early infancy---760-776	274	84	189	-	1	244	237	5	1	1
33	Birth injuries---760,761	37	6	31	-	-	30	28	2	-	-
34	Without mention of immaturity (.0)---	15	4	11	-	-	14	14	-	-	-
35	With immaturity (.5)---	22	2	20	-	-	16	14	2	-	-
36	Intracranial and spinal injury at birth---760	14	-	14	...	...	8	7	1	...	...
37	Without mention of immaturity (.0)---	7	-	7	...	...	6	6	-	...	...
38	With immaturity (.5)---	7	-	7	...	...	2	1	1	...	...
39	Other birth injury---761	23	6	17	-	-	22	21	1	-	-
40	Without mention of immaturity (.0)---	8	4	4	-	-	8	8	-	-	-
41	With immaturity (.5)---	15	2	13	-	-	14	13	1	-	-
42	Postnatal asphyxia and atelectasis---762	56	18	38	-	-	54	53	1	-	-
43	Without mention of immaturity (.0)---	14	5	9	-	-	14	13	1	-	-
44	With immaturity (.5)---	42	13	29	-	-	40	40	-	-	-
45	Pneumonia of newborn---763	18	6	12	...	...	15	15	-	...	...
46	Without mention of immaturity (.0)---	15	4	11	...	...	8	8	-	...	...
47	With immaturity (.5)---	3	2	1	...	...	7	7	-	...	...
48	Diarrhea of newborn---764	1	-	1	-	-	1	1	-	-	-
49	Without mention of immaturity (.0)---	-	-	-	-	-	1	1	-	-	-
50	With immaturity (.5)---	1	-	1	-	-	-	-	-	-	-
51	Other infections of newborn---765-768	1	-	1	-	-	5	5	-	-	-
52	Without mention of immaturity (.0)---	1	-	1	-	-	4	4	-	-	-
53	With immaturity (.5)---	-	-	-	-	-	1	1	-	-	-
54	Neonatal disorders arising from certain diseases of mother during pregnancy---769	5	-	5	-	-	6	6	-	-	-
55	Without mention of immaturity (.0-.4)---	2	-	2	-	-	3	3	-	-	-
56	With immaturity (.5-.9)---	3	-	3	-	-	3	3	-	-	-
57	Hemolytic disease of newborn (erythroblastosis)---770	2	2	-	-	-	8	8	-	-	-
58	Without mention of immaturity (.0-.2)---	1	1	-	-	-	7	7	-	-	-
59	With immaturity (.5-.7)---	1	1	-	-	-	1	1	-	-	-
60	Hemorrhagic disease of newborn---771	1	-	1	-	-	2	2	-	-	-
61	Without mention of immaturity (.0)---	1	-	1	-	-	-	-	-	-	-
62	With immaturity (.5)---	-	-	-	-	-	2	2	-	-	-
63	Ill-defined diseases peculiar to early infancy, including nutritional maladjustment---772,773	54	26	28	-	-	32	30	-	1	1
64	Without mention of immaturity (.0)---	2	1	1	-	-	9	7	-	1	1
65	With immaturity (.5)---	52	25	27	-	-	23	23	-	-	-
66	Immaturity with mention of any other subsidiary condition---774	6	1	4	-	1	3	3	-	-	-
67	Immaturity, unqualified---776	93	25	68	-	-	88	86	2	-	-
68	Symptoms and ill-defined conditions---780-793,795	2	1	1	-	-	3	1	-	2	-
69	All other diseases---Residual	4	-	-	3	1	4	1	-	3	-
70	Accidents---E800-E962	9	-	2	1	6	25	3	-	21	1
71	Inhalation and ingestion of food or other object causing obstruction or suffocation---E921,E922	3	-	1	1	1	9	3	-	6	-
72	Accidental mechanical suffocation in bed and cradle---E924	1	-	-	-	1	3	-	-	2	1
73	Other accidental causes---E800-E920,E923,E925-E962	5	-	1	-	4	13	-	-	13	-
74	Homicide---E964,E980-E984	1	-	-	-	1	1	-	-	1	-

From 55 Selected Causes, by Color: United States and Each State, 1960—Continued

fetal deaths. Numbers after causes of death are category numbers of the Seventh Revision of the International Lists, 1955)

ILLINOIS					INDIANA					IOWA					KANSAS					
Total, under 1 year	Under 28 days		28 days-11 months		Total, under 1 year	Under 28 days		28 days-11 months		Total, under 1 year	Under 28 days		28 days-11 months		Total, under 1 year	Under 28 days		28 days-11 months		
	White	Non-white	White	Non-white		White	Non-white	White	Non-white		White	Non-white	White	Non-white		White	Non-white	White	Non-white	
5,968	3,366	966	1,087	549	2,689	1,732	241	603	113	1,404	1,046	24	323	11	1,119	781	74	224	40	1
1	-	-	1	-	1	-	-	-	1	-	-	-	-	-	1	-	-	-	1	2
10	-	-	9	1	12	-	-	11	1	5	-	-	5	-	2	-	-	2	-	3
2	-	-	-	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	4
12	-	1	10	1	8	1	-	7	-	1	-	-	1	-	1	-	-	1	-	5
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	6
19	4	-	12	3	14	1	-	10	3	6	-	-	6	-	10	2	-	8	-	7
15	-	-	11	4	11	-	-	9	2	5	-	-	5	-	3	-	-	3	-	8
8	3	-	5	-	2	-	-	2	-	-	-	-	-	-	1	1	-	-	-	9
11	3	-	7	1	1	-	-	1	-	2	1	-	1	-	1	1	-	-	-	10
47	8	2	29	8	29	7	1	18	3	5	2	-	3	-	9	2	-	5	2	11
36	3	-	30	3	22	3	1	17	1	8	1	-	7	-	9	1	-	6	2	12
7	2	-	4	1	8	1	1	6	-	4	-	-	4	-	3	-	-	2	1	13
818	1	-	446	371	225	-	-	179	46	99	-	-	91	8	84	-	-	68	16	14
5	1	-	4	-	5	-	-	5	-	4	-	-	4	-	2	-	-	2	-	15
813	...	...	442	371	220	...	...	174	46	95	...	...	87	8	82	...	...	66	16	16
29	2	-	24	3	23	-	-	13	10	4	1	-	3	-	3	-	-	3	-	17
23	2	-	18	3	28	4	3	20	1	20	6	-	14	-	5	2	-	3	-	18
3	1	-	1	1	2	1	1	-	-	3	2	-	1	-	2	1	-	1	-	19
12	-	-	11	1	14	-	1	12	1	10	-	-	10	-	2	-	-	2	-	20
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	21
-	-	-	-	-	9	2	-	7	-	3	2	-	1	-	-	-	-	-	-	22
8	1	-	6	1	3	1	1	1	-	4	2	-	2	-	1	1	-	-	-	23
55	35	2	16	2	21	12	1	6	2	10	7	-	3	-	4	3	-	1	-	24
87	1	-	50	36	51	-	-	41	10	16	-	-	16	-	9	-	1	7	1	25
30	12	3	11	4	28	10	3	15	-	10	4	-	6	-	11	5	1	4	1	26
762	425	52	249	36	411	244	27	129	11	246	157	3	86	-	204	136	5	60	3	27
59	30	2	26	1	26	13	-	13	-	21	11	-	10	-	9	3	-	6	-	28
76	36	1	35	4	57	30	5	18	4	31	16	-	15	-	20	10	1	9	-	29
401	196	32	152	21	207	108	12	81	6	126	77	1	48	-	103	63	3	35	2	30
226	165	17	36	10	121	93	10	17	1	68	53	2	13	-	72	60	1	10	1	31
3,764	2,823	895	28	18	1,650	1,417	201	27	5	879	850	21	7	1	700	614	66	14	6	32
501	447	54	-	-	273	244	28	1	-	155	154	1	-	-	114	108	6	-	-	33
197	169	28	-	-	113	102	11	-	-	57	57	-	-	-	42	39	3	-	-	34
304	278	26	-	-	160	142	17	1	-	98	97	1	-	-	72	69	3	-	-	35
194	164	30	...	...	81	65	16	...	...	36	35	1	...	...	26	23	3	...	...	36
110	96	14	...	...	52	47	5	...	...	22	22	-	...	...	20	18	2	...	...	37
84	68	16	...	...	29	18	11	...	...	14	13	1	...	...	6	5	1	...	...	38
307	283	24	-	-	192	179	12	1	-	119	119	-	-	-	88	85	3	-	-	39
87	73	14	-	-	61	55	6	-	-	35	35	-	-	-	22	21	1	-	-	40
220	210	10	-	-	131	124	6	1	-	84	84	-	-	-	66	64	2	-	-	41
1,881	1,256	614	7	4	472	412	57	3	-	195	188	6	1	-	192	167	20	3	2	42
322	260	58	3	1	141	127	13	1	-	67	64	2	1	-	58	49	4	3	2	43
1,559	996	556	4	3	351	285	44	2	-	128	124	4	-	-	134	118	16	-	-	44
253	145	108	...	...	80	65	15	...	...	43	42	1	...	...	38	32	6	...	...	45
202	106	96	...	...	64	52	12	...	...	29	29	-	...	...	25	22	3	...	...	46
51	39	12	...	...	16	13	3	...	...	14	13	1	...	...	13	10	3	...	...	47
14	12	2	-	-	5	5	-	-	-	2	-	2	-	-	5	2	3	-	-	48
11	9	2	-	-	5	5	-	-	-	1	-	1	-	-	4	2	2	-	-	49
3	3	-	-	-	-	-	-	-	-	1	-	1	-	-	1	-	1	-	-	50
18	15	3	-	-	9	7	2	-	-	10	9	1	-	-	4	3	1	-	-	51
13	11	2	-	-	7	6	1	-	-	6	6	-	-	-	3	3	-	-	-	52
5	4	1	-	-	2	1	1	-	-	4	3	1	-	-	1	-	1	-	-	53
23	18	5	-	-	23	22	1	-	-	21	21	-	-	-	19	16	2	1	-	54
9	7	2	-	-	8	8	-	-	-	3	3	-	-	-	6	4	1	1	-	55
14	11	3	-	-	15	14	1	-	-	18	18	-	-	-	13	12	1	-	-	56
129	124	4	-	1	68	66	2	-	-	41	40	1	-	-	25	23	2	-	-	57
104	100	3	-	1	60	58	2	-	-	35	34	1	-	-	21	19	2	-	-	58
25	24	1	-	-	8	8	-	-	-	6	6	-	-	-	4	4	-	-	-	59
41	35	6	-	-	15	15	-	-	-	5	5	-	-	-	3	3	-	-	-	60
26	22	4	-	-	10	10	-	-	-	3	3	-	-	-	3	3	-	-	-	61
15	13	2	-	-	5	5	-	-	-	2	2	-	-	-	-	-	-	-	-	62
199	165	15	11	8	144	102	22	16	4	134	129	1	3	1	105	90	4	7	4	63
65	42	4	11	8	49	33	-	12	4	27	24	-	2	1	30	19	1	6	4	64
134	123	11	-	-	95	69	22	4	-	107	105	1	1	-	75	71	3	1	-	65
44	26	5	8	5	19	15	2	2	-	20	18	-	2	-	17	13	1	3	-	66
661	580	79	2	-	542	464	72	5	1	253	244	8	1	-	178	157	21	-	-	67
33	12	4	7	10	15	8	1	5	1	9	5	-	4	-	9	6	-	2	1	68
62	14	2	31	15	24	10	1	11	2	17	6	-	10	1	10	5	-	4	1	69
125	9	2	89	25	102	12	1	75	14	58	6	-	51	1	39	3	1	30	5	70
24	5	-	15	4	27	7	1	18	1	15	4	-	11	-	10	2	-	5	3	71
33	-	-	29	4	43	2	-	35	6	18	1	-	16	1	13	-	-	11	2	72
68	4	2	45	17	32	3	-	22	7	25	1	-	24	-	16	1	1	14	-	73
12	7	3	-	2	3	2	-	1	-	-	-	-	-	-	1	-	-	1	-	74

Table 3-6. Deaths Under 1 Year, Under 28 Days, and 28 Days to 11 Months,

(By place of residence. Data refer only to deaths occurring within the United States, including Alaska and Hawaii. Excludes

	CAUSE OF DEATH	KENTUCKY					LOUISIANA				
		Total, under 1 year	Under 28 days		28 days-11 months		Total, under 1 year	Under 28 days		28 days-11 months	
			White	Non-white	White	Non-white		White	Non-white	White	Non-white
1	ALL CAUSES	2,015	1,231	187	482	115	2,888	965	994	286	643
2	Dysentery, all forms-045-048	5	-	-	5	-	3	-	-	-	3
3	Septicemia and pyemia-053	13	-	-	11	2	37	-	-	13	24
4	Whooping cough-056	-	-	-	-	-	2	-	1	1	-
5	Meningococcal infections-057	5	1	-	4	-	5	-	-	3	2
6	Tetanus-061	-	-	-	-	-	5	-	5	-	-
7	Other infective and parasitic dis.-001-044,049-052,054,055,058-060,062-136	18	-	-	17	1	21	1	3	11	6
8	Malignant neoplasms, including neoplasms of lymphatic and hematopoietic tissues-140-205	4	1	-	3	-	6	-	-	5	1
9	Benign neoplasms and neoplasms of unspecified nature-210-239	3	2	-	1	-	-	-	-	-	-
10	Diseases of thymus gland-273	1	-	-	1	-	3	-	-	1	2
11	Meningitis, except meningococcal and tuberculous-340	12	1	1	7	3	31	4	3	11	13
12	Other diseases of nervous system and sense organs-330-334,341-398	18	3	-	14	1	23	1	1	11	10
13	Acute upper respiratory infections-470-475	18	1	-	11	6	2	-	-	1	1
14	Influenza and pneumonia, except pneumonia of newborn-480-493	202	3	1	154	44	330	-	-	75	255
15	Influenza-480-483	23	3	1	18	1	10	-	-	-	10
16	Pneumonia, except pneumonia of newborn-490-493	179	...	...	136	43	320	...	...	75	245
17	Bronchitis-500-502	9	3	-	6	-	8	-	-	2	6
18	Other diseases of respiratory system-510-522,525-527	9	3	-	4	2	55	4	5	19	27
19	Pulmonary congestion and hypostatis-522	2	-	-	1	1	2	1	-	-	1
20	Other chronic interstitial pneumonia-525	1	-	-	1	-	38	-	2	15	21
21	Bronchiectasis-526	-	-	-	-	-	-	-	-	-	-
22	Other diseases of lung and pleural cavity-527.2	3	-	-	2	1	7	-	2	2	3
23	All other diseases of respiratory system-510-521,527.1	3	3	-	-	-	8	3	1	2	2
24	Hernia and intestinal obstruction-560,561,570	14	10	-	4	-	29	12	7	3	7
25	Gastritis, duodenitis, enteritis, and colitis, except diarrhea of newborn-543,571,572	47	-	-	34	13	100	-	-	16	84
26	Other diseases of digestive system-530-542,544-553,573-587	8	4	-	4	-	32	6	12	2	12
27	Congenital malformations-750-759	304	188	15	96	5	326	138	79	57	52
28	Spina bifida and meningocele-751	30	17	1	11	1	31	10	3	13	5
29	Congenital hydrocephalus and other congenital malformations of nervous system and sense organs-752,753	35	20	-	15	-	27	10	5	8	4
30	Congenital malformations of circulatory system-754	158	90	9	55	4	157	55	42	29	31
31	Other congenital malformations-750,755-759	81	61	5	15	-	111	63	29	7	12
32	Certain diseases of early infancy-760-776	1,174	973	161	28	12	1,679	781	845	7	46
33	Birth injuries-760,761	146	133	12	1	-	240	125	115	-	-
34	Without mention of immaturity (.0)	77	67	9	1	-	99	53	46	-	-
35	With immaturity (.5)	69	66	3	-	-	141	72	69	-	-
36	Intracranial and spinal injury at birth-760	38	33	5	...	...	114	47	67	...	...
37	Without mention of immaturity (.0)	28	25	3	...	...	42	22	20	...	...
38	With immaturity (.5)	10	8	2	...	...	72	25	47	...	...
39	Other birth injury-761	108	100	7	1	-	126	78	48	-	-
40	Without mention of immaturity (.0)	49	42	6	1	-	57	31	26	-	-
41	With immaturity (.5)	59	58	1	-	-	69	47	22	-	-
42	Postnatal asphyxia and atelectasis-762	329	287	39	3	-	440	230	202	2	6
43	Without mention of immaturity (.0)	114	91	20	3	-	128	72	49	2	5
44	With immaturity (.5)	215	196	19	-	-	312	158	153	-	1
45	Pneumonia of newborn-763	82	68	14	...	...	141	40	101	...	...
46	Without mention of immaturity (.0)	65	55	10	...	...	103	29	74	...	...
47	With immaturity (.5)	17	13	4	...	...	38	11	27	...	...
48	Diarrhea of newborn-764	10	6	4	-	-	24	3	21	-	-
49	Without mention of immaturity (.0)	7	4	3	-	-	16	2	14	-	-
50	With immaturity (.5)	3	2	1	-	-	8	1	7	-	-
51	Other infections of newborn-765-768	18	17	1	-	-	34	13	21	-	-
52	Without mention of immaturity (.0)	13	12	1	-	-	23	7	16	-	-
53	With immaturity (.5)	5	5	-	-	-	11	6	5	-	-
54	Neonatal disorders arising from certain diseases of mother during pregnancy-769	18	13	5	-	-	14	5	8	1	-
55	Without mention of immaturity (.0-.4)	9	5	4	-	-	8	1	6	1	-
56	With immaturity (.5-.9)	9	8	1	-	-	6	4	2	-	-
57	Hemolytic disease of newborn (erythroblastosis)-770	41	39	2	-	-	32	20	12	-	-
58	Without mention of immaturity (.0-.2)	34	32	2	-	-	25	14	11	-	-
59	With immaturity (.5-.7)	7	7	-	-	-	7	6	1	-	-
60	Hemorrhagic disease of newborn-771	13	12	1	-	-	24	5	19	-	-
61	Without mention of immaturity (.0)	8	7	1	-	-	11	2	9	-	-
62	With immaturity (.5)	5	5	-	-	-	13	3	10	-	-
63	Ill-defined diseases peculiar to early infancy, including nutritional maladjustment-772,773	136	98	11	19	8	224	102	96	3	23
64	Without mention of immaturity (.0)	60	32	5	16	7	65	17	26	3	19
65	With immaturity (.5)	76	66	6	3	1	159	85	70	-	4
66	Immaturity with mention of any other subsidiary condition-774	25	16	4	3	2	57	18	26	1	12
67	Immaturity, unqualified-776	356	284	68	2	2	449	220	224	-	5
68	Symptoms and ill-defined conditions-780-793,795	26	11	2	12	1	34	6	13	3	12
69	All other diseases-Residual	32	10	2	17	3	57	4	10	12	31
70	Accidents-E800-E962	91	15	5	49	22	99	8	10	33	48
71	Inhalation and ingestion of food or other object causing obstruction or suffocation-E921,E922	32	8	1	15	8	27	6	3	9	9
72	Accidental mechanical suffocation in bed and cradle-E924	33	6	3	19	5	21	2	1	8	10
73	Other accidental causes-E800-E920,E923,E925-E962	26	1	1	15	9	51	-	6	16	29
74	Homicide-E964,E980-E984	2	2	-	-	-	1	-	-	-	1

From 55 Selected Causes, by Color: United States and Each State, 1960—Continued

fetal deaths. Numbers after causes of death are category numbers of the Seventh Revision of the International Lists, 1955)

MAINE					MARYLAND					MASSACHUSETTS					MICHIGAN					
Total, under 1 year	Under 28 days		28 days-11 months		Total, under 1 year	Under 28 days		28 days-11 months		Total, under 1 year	Under 28 days		28 days-11 months		Total, under 1 year	Under 28 days		28 days-11 months		
	White	Non-white	White	Non-white		White	Non-white	White	Non-white		White	Non-white	White	Non-white		White	Non-white	White	Non-white	
592	436	2	152	2	2,108	1,035	515	301	257	2,490	1,786	104	557	43	4,704	2,936	645	897	226	1
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	2
2	-	-	2	-	3	-	-	3	-	6	-	-	5	1	14	-	-	11	3	3
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	1	4
3	1	-	2	-	8	-	-	7	1	9	-	-	8	1	12	1	-	8	3	5
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	6
3	1	-	2	-	16	2	2	5	7	6	-	-	6	-	20	1	1	16	2	7
-	-	-	-	-	6	-	-	4	2	7	2	1	4	-	14	2	-	12	-	8
2	-	-	2	-	1	1	-	-	-	5	2	-	2	1	7	3	-	4	-	9
-	-	-	-	-	2	-	-	2	-	-	-	-	-	-	11	1	-	9	1	10
3	-	-	3	-	9	1	-	3	5	30	9	2	18	1	23	5	-	14	4	11
2	-	-	2	-	36	2	1	14	19	27	4	-	22	1	40	2	2	29	7	12
1	1	-	-	-	15	2	1	7	5	4	-	-	4	-	14	2	-	11	1	13
63	-	-	62	1	137	-	-	58	79	222	-	-	204	18	382	-	-	275	107	14
4	-	-	4	-	1	-	-	1	-	2	-	-	2	-	17	-	-	16	1	15
59	...	...	58	1	136	...	...	57	79	220	...	...	202	18	365	...	...	259	106	16
3	-	-	3	-	9	-	1	4	4	9	-	-	8	1	38	4	-	29	5	17
6	-	-	5	1	92	1	1	42	48	54	4	-	48	2	31	8	1	19	3	18
-	-	-	-	-	2	1	-	1	-	-	-	-	-	-	1	1	-	-	-	19
6	-	-	5	1	73	-	-	33	40	38	-	-	36	2	14	-	-	12	2	20
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	21
-	-	-	-	-	15	-	-	7	8	13	1	-	12	-	7	2	-	4	1	22
-	-	-	-	-	2	-	1	1	-	3	3	-	-	-	9	5	1	3	-	23
5	2	-	3	-	26	13	5	5	3	25	23	-	2	-	35	18	6	8	3	24
9	-	-	9	-	36	-	-	13	23	11	-	-	10	1	58	1	-	39	18	25
6	1	-	5	-	11	8	2	1	-	15	6	-	8	1	22	9	2	9	2	26
90	63	1	26	-	280	152	31	76	21	394	270	5	115	4	738	420	51	241	26	27
8	5	-	3	-	14	8	1	5	-	35	17	-	18	-	48	26	1	21	-	28
13	9	-	4	-	28	12	2	10	4	34	20	-	14	-	65	31	2	29	3	29
39	22	1	16	-	154	82	12	47	13	192	117	5	68	2	375	185	27	148	13	30
30	26	-	4	-	84	50	16	14	4	133	116	-	15	2	252	178	21	43	10	31
357	353	1	3	-	1,331	837	461	15	18	1,546	1,434	95	15	2	3,040	2,427	577	25	11	32
67	66	1	-	-	170	129	40	1	-	234	222	12	-	-	532	450	82	-	-	33
31	30	1	-	-	71	57	14	-	-	77	73	4	-	-	206	163	43	-	-	34
36	36	-	-	-	99	72	26	1	-	157	149	8	-	-	326	287	39	-	-	35
17	17	-	...	...	63	48	15	...	...	72	68	4	...	...	133	114	19	...	...	36
11	11	-	...	...	30	27	3	...	...	47	44	3	...	...	82	67	15	...	...	37
6	6	-	...	...	33	21	12	...	...	25	24	1	...	...	51	47	4	...	...	38
50	49	1	-	-	107	81	25	1	-	162	154	8	-	-	399	336	63	-	-	39
20	19	1	-	-	41	30	11	-	-	30	29	1	-	-	124	96	28	-	-	40
30	30	-	-	-	66	51	14	1	-	132	125	7	-	-	275	240	35	-	-	41
113	113	-	-	-	287	209	74	3	1	382	361	19	1	1	807	680	120	7	-	42
24	24	-	-	-	77	52	23	1	1	109	103	4	1	1	231	182	42	7	-	43
89	89	-	-	-	210	157	51	2	-	273	258	15	-	-	576	498	78	-	-	44
15	15	-	...	...	66	31	35	...	...	81	75	6	...	...	134	104	30	...	...	45
10	10	-	...	...	49	22	27	...	...	49	46	3	...	...	99	77	22	...	...	46
5	5	-	...	...	17	9	8	...	...	32	29	3	...	...	35	27	8	...	...	47
-	-	-	-	-	7	3	4	-	-	1	1	-	-	-	5	3	2	-	-	48
-	-	-	-	-	4	2	2	-	-	1	1	-	-	-	3	2	1	-	-	49
-	-	-	-	-	3	1	2	-	-	-	-	-	-	-	2	1	1	-	-	50
7	7	-	-	-	37	10	27	-	-	16	16	-	-	-	27	20	6	-	1	51
3	3	-	-	-	10	4	6	-	-	10	10	-	-	-	14	12	1	-	1	52
4	4	-	-	-	27	6	21	-	-	6	6	-	-	-	13	8	5	-	-	53
10	10	-	-	-	11	8	3	-	-	10	10	-	-	-	48	38	10	-	-	54
3	3	-	-	-	3	2	1	-	-	4	4	-	-	-	14	9	5	-	-	55
7	7	-	-	-	8	6	2	-	-	6	6	-	-	-	34	29	5	-	-	56
21	21	-	-	-	42	39	3	-	-	80	79	1	-	-	125	116	5	3	1	57
16	16	-	-	-	32	30	2	-	-	65	63	-	-	-	102	94	5	2	1	58
5	5	-	-	-	10	9	1	-	-	17	16	1	-	-	23	22	-	1	-	59
-	-	-	-	-	15	11	4	-	-	16	15	1	-	-	18	11	7	-	-	60
-	-	-	-	-	6	6	-	-	-	10	9	1	-	-	12	7	5	-	-	61
-	-	-	-	-	9	5	4	-	-	6	6	-	-	-	6	4	2	-	-	62
34	33	-	1	-	179	100	60	5	14	139	126	8	5	-	204	166	23	10	5	63
11	10	-	1	-	56	26	14	5	11	37	31	2	4	-	61	40	9	8	4	64
23	23	-	-	-	123	74	46	-	3	102	95	6	1	-	143	126	14	2	1	65
8	7	-	1	-	32	13	12	5	2	43	33	2	7	1	44	29	9	4	2	66
82	81	-	1	-	485	284	199	1	1	544	496	46	2	-	1,096	810	283	1	2	67
2	2	-	-	-	12	2	3	5	2	17	8	-	9	-	25	8	3	12	2	68
12	6	-	6	-	21	6	1	11	3	29	10	1	17	1	48	6	1	34	7	69
22	7	-	15	-	50	4	5	25	16	71	12	-	52	7	127	16	1	92	18	70
13	6	-	7	-	16	4	2	6	4	25	2	-	20	3	53	11	-	38	4	71
6	1	-	5	-	10	-	-	8	2	16	3	-	13	-	38	3	-	31	4	72
3	-	-	3	-	24	-	3	11	10	30	7	-	19	4	36	2	1	23	10	73
1	-	-	1	-	7	4	1	1	1	3	2	-	-	1	4	2	-	-	2	74

Table 3-6. Deaths Under 1 Year, Under 28 Days, and 28 Days to 11 Months,

(By place of residence. Data refer only to deaths occurring within the United States, including Alaska and Hawaii. Excludes

	CAUSE OF DEATH	MINNESOTA					MISSISSIPPI				
		Total, under 1 year	Under 28 days		28 days-11 months		Total, under 1 year	Under 28 days		28 days-11 months	
			White	Non-white	White	Non-white		White	Non-white	White	Non-white
1	ALL CAUSES	1,890	1,384	18	469	19	2,461	552	947	169	793
2	Dysentery, all forms---045-048	-	-	-	-	-	14	-	-	1	13
3	Septicemia and pyemia---053	8	-	-	8	-	12	-	-	6	6
4	Whooping cough---056	-	-	-	-	-	5	-	-	-	5
5	Meningococcal infections---057	1	-	-	1	-	5	-	-	5	-
6	Tetanus---061	-	-	-	-	-	4	-	4	-	-
7	Other infective and parasitic dis.---001-044,049-052,054,055,058-060,062-138	4	1	-	3	-	20	-	3	4	13
8	Malignant neoplasms, including neoplasms of lymphatic and hematopoietic tissues---140-205	11	3	-	8	-	3	-	-	1	2
9	Benign neoplasms and neoplasms of unspecified nature---210-239	1	1	-	-	-	-	-	-	-	-
10	Diseases of thymus gland---273	-	-	-	-	-	-	-	-	-	-
11	Meningitis, except meningococcal and tuberculous---340	17	8	-	9	-	31	2	7	1	21
12	Other diseases of nervous system and sense organs---330-334,341-398	17	2	-	14	1	22	3	2	7	10
13	Acute upper respiratory infections---470-475	4	-	-	4	-	7	-	-	1	6
14	Influenza and pneumonia, except pneumonia of newborn---480-493	138	-	-	132	6	232	-	8	28	196
15	Influenza---480-483	5	-	-	5	-	40	-	8	1	31
16	Pneumonia, except pneumonia of newborn---490-493	133	...	...	127	6	192	...	...	27	165
17	Bronchitis---500-502	12	1	-	9	2	10	-	3	5	2
18	Other diseases of respiratory system---510-522,525-527	59	6	-	53	-	9	2	2	2	3
19	Pulmonary congestion and hypostatis---522	37	4	-	33	-	1	1	-	-	-
20	Other chronic interstitial pneumonia---525	14	-	-	14	-	2	-	1	1	-
21	Bronchiectasis---526	-	-	-	-	-	-	-	-	-	-
22	Other diseases of lung and pleural cavity---527.2	3	1	-	2	-	4	-	1	1	2
23	All other diseases of respiratory system---510-521,527.1	5	1	-	4	-	2	1	-	-	1
24	Hernia and intestinal obstruction---560,561,570	23	16	-	6	1	12	3	3	2	4
25	Gastritis, duodenitis, enteritis, and colitis, except diarrhea of newborn---543,571,572	19	-	-	19	-	151	-	-	11	140
26	Other diseases of digestive system---530-542,544-553,573-587	13	7	-	5	1	17	3	1	6	7
27	Congenital malformations---750-759	323	204	1	117	1	171	64	38	36	33
28	Spina bifida and meningocele---751	18	6	-	12	-	10	4	1	4	1
29	Congenital hydrocephalus and other congenital malformations of nervous system and sense organs---752,753	34	20	-	14	-	24	5	6	2	11
30	Congenital malformations of circulatory system---754	175	110	-	64	1	78	27	18	22	11
31	Other congenital malformations---750,755-759	96	68	1	27	-	59	28	13	8	10
32	Certain diseases of early infancy---760-776	1,140	1,103	17	16	4	1,166	452	647	8	59
33	Birth injuries---760,761	232	230	2	-	-	120	59	60	-	1
34	Without mention of immaturity (.0)	62	61	1	-	-	64	28	35	-	1
35	With immaturity (.5)	170	169	1	-	-	56	31	25	-	-
36	Intracranial and spinal injury at birth---760	55	55	-	...	...	43	20	23	...	...
37	Without mention of immaturity (.0)	24	24	-	...	...	31	15	16	...	...
38	With immaturity (.5)	31	31	-	...	...	12	5	7	...	...
39	Other birth injury---761	177	175	2	-	-	77	39	37	-	1
40	Without mention of immaturity (.0)	38	37	1	-	-	33	13	19	-	1
41	With immaturity (.5)	139	138	1	-	-	44	26	18	-	-
42	Postnatal asphyxia and atelectasis---762	265	256	4	5	-	225	131	89	1	4
43	Without mention of immaturity (.0)	76	71	1	4	-	103	56	44	1	2
44	With immaturity (.5)	189	185	3	1	-	122	75	45	-	2
45	Pneumonia of newborn---763	37	37	-	...	...	80	24	56	...	...
46	Without mention of immaturity (.0)	26	26	-	...	...	60	17	43	...	...
47	With immaturity (.5)	11	11	-	...	...	20	7	13	...	...
48	Diarrhea of newborn---764	2	2	-	-	-	24	2	22	-	-
49	Without mention of immaturity (.0)	2	2	-	-	-	22	2	20	-	-
50	With immaturity (.5)	-	-	-	-	-	2	-	2	-	-
51	Other infections of newborn---765-768	11	10	1	-	-	22	11	11	-	-
52	Without mention of immaturity (.0)	6	5	1	-	-	14	5	9	-	-
53	With immaturity (.5)	5	5	-	-	-	8	6	2	-	-
54	Neonatal disorders arising from certain diseases of mother during pregnancy---769	20	19	-	1	-	27	12	15	-	-
55	Without mention of immaturity (.0-.4)	5	4	-	1	-	13	5	8	-	-
56	With immaturity (.5-.9)	15	15	-	-	-	14	7	7	-	-
57	Hemolytic disease of newborn (erythroblastosis)---770	58	58	-	-	-	26	17	9	-	-
58	Without mention of immaturity (.0-.2)	47	47	-	-	-	26	17	9	-	-
59	With immaturity (.5-.7)	11	11	-	-	-	-	-	-	-	-
60	Hemorrhagic disease of newborn---771	4	4	-	-	-	15	6	9	-	-
61	Without mention of immaturity (.0)	3	3	-	-	-	12	4	8	-	-
62	With immaturity (.5)	1	1	-	-	-	3	2	1	-	-
63	Ill-defined diseases peculiar to early infancy, including nutritional maladjustment---772,773	146	133	5	7	1	184	57	90	6	31
64	Without mention of immaturity (.0)	31	28	-	3	-	88	20	38	5	25
65	With immaturity (.5)	115	105	5	4	1	96	37	52	1	6
66	Immaturity with mention of any other subsidiary condition---774	25	22	1	1	1	23	8	4	1	10
67	Immaturity, unqualified---776	340	332	4	2	2	420	125	282	-	13
68	Symptoms and ill-defined conditions---780-793,795	26	15	-	11	-	430	15	207	14	194
69	All other diseases---Residual	26	11	-	14	1	41	4	7	10	20
70	Accidents---E800-E962	47	6	-	39	2	98	4	15	21	58
71	Inhalation and ingestion of food or other object causing obstruction or suffocation---E921,E922	10	3	-	7	-	20	3	6	7	4
72	Accidental mechanical suffocation in bed and cradle---E924	14	2	-	11	1	31	1	4	7	19
73	Other accidental causes---E800-E920,E923,E925-E962	23	1	-	21	1	47	-	5	7	35
74	Homicide---E964,E980-E984	1	-	-	1	-	1	-	-	-	1

From 55 Selected Causes, by Color: United States and Each State, 1960—Continued

fetal deaths. Numbers after causes of death are category numbers of the Seventh Revision of the International Lists, 1955)

MISSOURI					MONTANA					NEBRASKA					NEVADA					
Total, under 1 year	Under 28 days		28 days-11 months		Total, under 1 year	Under 28 days		28 days-11 months		Total, under 1 year	Under 28 days		28 days-11 months		Total, under 1 year	Under 28 days		28 days-11 months		
	White	Non-white	White	Non-white		White	Non-white	White	Non-white		White	Non-white	White	Non-white		White	Non-white	White	Non-white	
2,420	1,357	408	453	202	436	280	19	112	25	749	556	37	141	15	219	138	15	49	17	1
2	-	-	2	-	1	-	-	-	1	1	-	-	1	-	-	-	-	-	-	2
4	-	-	4	-	-	-	-	-	-	4	-	-	4	-	1	-	-	1	-	3
3	-	-	1	2	1	-	-	1	-	-	-	-	-	-	-	-	-	-	-	4
2	-	-	2	-	1	-	-	-	1	2	-	-	2	-	-	-	-	-	-	5
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	6
8	3	1	3	1	2	-	-	2	-	3	-	1	1	1	1	-	1	-	-	7
12	-	2	9	1	2	-	-	1	1	1	-	-	1	-	-	-	-	-	-	8
3	1	1	1	-	-	-	-	-	-	1	1	-	-	-	2	-	-	2	-	9
15	4	2	9	-	1	-	-	1	-	-	-	-	-	-	-	-	-	-	-	10
27	7	2	12	6	2	-	1	1	-	4	1	1	2	-	-	-	-	-	-	11
23	4	-	16	3	1	-	-	1	-	4	-	-	3	1	-	-	-	-	-	12
4	-	-	2	2	3	-	-	3	-	2	-	-	2	-	-	-	-	-	-	13
189	1	-	135	53	40	-	-	29	11	61	-	-	56	5	36	-	-	22	14	14
14	1	-	11	2	3	-	-	1	2	6	-	-	4	2	1	-	-	-	1	15
175	...	...	124	51	37	...	...	28	9	55	...	...	52	3	35	...	...	22	13	16
10	2	-	8	-	10	-	-	10	-	-	-	-	-	-	1	-	-	1	-	17
37	7	1	14	15	8	3	-	4	1	5	1	1	2	1	2	-	-	2	-	18
6	4	-	-	2	2	1	-	1	-	1	-	1	-	-	-	-	-	-	-	19
18	-	-	7	11	1	-	-	1	-	1	-	-	-	1	1	-	-	1	-	20
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	21
7	1	-	5	1	2	1	-	1	-	-	-	-	-	-	-	-	-	-	-	22
6	2	1	2	1	3	1	-	1	1	3	1	-	2	-	1	-	-	1	-	23
13	9	1	3	-	2	2	-	-	-	14	14	-	-	-	4	4	-	-	-	24
41	-	-	19	22	4	-	-	4	-	6	-	-	4	2	2	-	-	1	1	25
14	7	3	4	-	5	2	-	2	1	1	-	-	1	-	1	1	-	-	-	26
358	218	20	101	19	68	40	3	23	2	129	78	4	46	1	14	7	-	6	1	27
23	17	-	5	1	2	1	-	1	-	8	6	-	2	-	-	-	-	-	-	28
44	20	4	18	2	9	2	-	6	1	23	15	1	7	-	-	-	-	-	-	29
175	101	12	51	11	37	23	3	11	-	60	28	2	29	1	8	3	-	5	-	30
116	80	4	27	5	20	14	-	5	1	38	30	1	7	-	6	4	-	1	1	31
1,479	1,064	362	29	24	241	222	14	2	3	481	447	30	4	-	137	121	13	2	1	32
183	154	29	-	-	44	39	5	-	-	83	80	3	-	-	17	14	3	-	-	33
71	59	12	-	-	13	11	2	-	-	31	31	-	-	-	6	6	-	-	-	34
112	95	17	-	-	31	28	3	-	-	52	49	3	-	-	11	8	3	-	-	35
58	38	20	...	...	6	6	-	...	...	22	21	1	...	...	4	3	1	...	...	36
35	26	9	...	...	5	5	-	...	...	13	13	-	...	...	1	1	-	...	...	37
23	12	11	...	...	1	1	-	...	...	9	8	1	...	...	3	2	1	...	...	38
125	116	9	-	-	38	33	5	-	-	61	59	2	-	-	13	11	2	-	-	39
36	33	3	-	-	8	6	2	-	-	18	18	-	-	-	5	5	-	-	-	40
89	83	6	-	-	30	27	3	-	-	43	41	2	-	-	8	6	2	-	-	41
501	365	116	12	8	58	57	-	1	-	130	120	9	1	-	27	24	2	-	1	42
145	104	22	12	7	22	21	-	1	-	26	25	-	1	-	9	8	1	-	-	43
356	261	94	-	1	36	36	-	-	-	104	95	9	-	-	18	16	1	-	1	44
73	57	16	...	...	15	13	2	...	...	17	16	1	...	...	5	5	-	...	...	45
50	37	13	...	...	12	11	1	...	...	14	13	1	...	...	2	2	-	...	...	46
23	20	3	...	...	3	2	1	...	...	3	3	-	...	...	3	3	-	...	...	47
14	10	4	-	-	1	1	-	-	-	1	1	-	-	-	1	-	1	-	-	48
10	8	2	-	-	1	1	-	-	-	1	1	-	-	-	1	-	1	-	-	49
4	2	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	50
16	14	2	-	-	3	1	2	-	-	1	1	-	-	-	-	-	-	-	-	51
11	9	2	-	-	3	1	2	-	-	1	1	-	-	-	-	-	-	-	-	52
5	5	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	53
30	25	5	-	-	4	3	1	-	-	15	14	1	-	-	3	3	-	-	-	54
13	11	2	-	-	1	1	-	-	-	3	2	1	-	-	2	2	-	-	-	55
17	14	3	-	-	3	2	1	-	-	12	12	-	-	-	1	1	-	-	-	56
41	37	4	-	-	8	8	-	-	-	23	23	-	-	-	5	5	-	-	-	57
29	27	2	-	-	8	8	-	-	-	13	13	-	-	-	5	5	-	-	-	58
12	10	2	-	-	-	-	-	-	-	10	10	-	-	-	-	-	-	-	-	59
20	14	5	1	-	3	3	-	-	-	7	5	2	-	-	1	1	-	-	-	60
12	7	4	1	-	1	1	-	-	-	7	5	2	-	-	1	1	-	-	-	61
8	7	1	-	-	2	2	-	-	-	-	-	-	-	-	-	-	-	-	-	62
257	149	84	14	10	28	25	2	-	1	51	49	1	1	-	30	27	2	1	-	63
54	26	7	13	8	8	7	-	-	1	7	6	-	1	-	8	6	1	1	-	64
203	123	77	1	2	20	18	2	-	-	44	43	1	-	-	22	21	1	-	-	65
25	15	6	1	3	5	2	-	1	2	9	6	1	2	-	2	1	-	1	-	66
319	224	91	1	3	72	70	2	-	-	144	132	12	-	-	46	41	5	-	-	67
43	5	7	13	18	12	4	-	7	1	3	3	-	-	-	1	1	-	-	-	68
35	14	1	14	6	9	4	1	4	-	5	4	-	-	1	2	1	-	1	-	69
94	9	5	51	29	23	3	-	17	3	20	4	-	13	3	15	3	1	11	-	70
15	4	1	10	-	14	2	-	10	2	5	3	-	2	-	5	-	1	4	-	71
38	2	3	18	15	3	1	-	2	-	7	-	-	5	2	2	1	-	1	-	72
41	3	1	23	14	6	-	-	5	1	8	1	-	6	1	8	2	-	6	-	73
4	2	-	1	1	-	-	-	-	-	2	2	-	-	-	-	-	-	-	-	74

Table 3-6. Deaths Under 1 Year, Under 28 Days, and 28 Days to 11 Months,

(By place of residence. Data refer only to deaths occurring within the United States, including Alaska and Hawaii. Excludes

	CAUSE OF DEATH	NEW HAMPSHIRE					NEW JERSEY				
		Total, under 1 year	Under 28 days		28 days-11 months		Total, under 1 year	Under 28 days		28 days-11 months	
			White	Non-white	White	Non-white		White	Non-white	White	Non-white
1	ALL CAUSES	327	261	1	65	-	3,251	1,952	503	564	232
2	Dysentery, all forms---045-048	-	-	-	-	-	-	-	-	-	-
3	Septicemia and pyemia---053	1	-	-	1	-	8	-	-	4	4
4	Whooping cough---056	-	-	-	-	-	-	-	-	-	-
5	Meningococcal infections---057	-	-	-	-	-	6	-	-	5	1
6	Tetanus---061	-	-	-	-	-	1	-	1	-	-
7	Other infective and parasitic dis.---001-044,049-052,054,055,058-060,062-138	1	-	-	1	-	11	1	-	7	3
8	Malignant neoplasms, including neoplasms of lymphatic and hematopoietic tissues---140-205	1	-	1	-	-	15	3	-	12	-
9	Benign neoplasms and neoplasms of unspecified nature---210-239	-	-	-	-	-	8	2	-	5	1
10	Diseases of thymus gland---273	1	-	-	1	-	9	2	-	5	2
11	Meningitis, except meningococcal and tuberculous---340	4	2	-	2	-	18	5	2	3	8
12	Other diseases of nervous system and sense organs---330-334,341-398	1	-	-	1	-	32	4	-	24	4
13	Acute upper respiratory infections---470-475	2	1	-	1	-	7	2	-	3	2
14	Influenza and pneumonia, except pneumonia of newborn---480-493	19	-	-	19	-	253	-	-	162	91
15	Influenza---480-483	1	-	-	1	-	-	-	-	-	-
16	Pneumonia, except pneumonia of newborn---490-493	18	...	...	18	-	253	...	...	162	91
17	Bronchitis---500-502	2	-	-	2	-	9	1	-	7	1
18	Other diseases of respiratory system---510-522,525-527	4	1	-	3	-	14	2	-	9	3
19	Pulmonary congestion and hypostatis---522	-	-	-	-	-	-	-	-	-	-
20	Other chronic interstitial pneumonia---525	2	-	-	2	-	9	-	-	6	3
21	Bronchiectasis---526	-	-	-	-	-	-	-	-	-	-
22	Other diseases of lung and pleural cavity---527.2	1	-	-	1	-	2	-	-	2	-
23	All other diseases of respiratory system---510-521,527.1	1	1	-	-	-	3	2	-	1	-
24	Hernia and intestinal obstruction---560,561,570	4	2	-	2	-	26	20	2	3	1
25	Gastritis, duodenitis, enteritis, and colitis, except diarrhea of newborn---543,571,572	1	-	-	1	-	68	-	-	30	38
26	Other diseases of digestive system---530-542,544-553,573-587	3	2	-	1	-	23	8	-	11	4
27	Congenital malformations---750-759	54	46	-	8	-	494	287	37	151	19
28	Spina bifida and meningocele---751	7	6	-	1	-	29	12	-	17	-
29	Congenital hydrocephalus and other congenital malformations of nervous system and sense organs---752,753	7	5	-	2	-	51	29	3	15	4
30	Congenital malformations of circulatory system---754	23	18	-	5	-	235	128	13	86	8
31	Other congenital malformations---750,755-759	17	17	-	-	-	179	118	21	33	7
32	Certain diseases of early infancy---760-776	209	203	-	6	-	2,055	1,573	443	27	12
33	Birth injuries---760,761	26	26	-	-	-	280	245	35	-	-
34	Without mention of immaturity (.0)	7	7	-	-	-	120	104	16	-	-
35	With immaturity (.5)	19	19	-	-	-	160	141	19	-	-
36	Intracranial and spinal injury at birth---760	4	4	-	...	...	91	78	13	...	...
37	Without mention of immaturity (.0)	3	3	-	...	...	50	43	7	...	...
38	With immaturity (.5)	1	1	-	...	...	41	35	6	...	...
39	Other birth injury---761	22	22	-	-	-	189	167	22	-	-
40	Without mention of immaturity (.0)	4	4	-	-	-	70	61	9	-	-
41	With immaturity (.5)	18	18	-	-	-	119	106	13	-	-
42	Postnatal asphyxia and atelectasis---762	49	48	-	1	-	661	503	150	7	1
43	Without mention of immaturity (.0)	12	11	-	1	-	171	120	47	4	-
44	With immaturity (.5)	37	37	-	-	-	490	383	103	3	1
45	Pneumonia of newborn---763	15	15	-	...	...	104	70	34	...	...
46	Without mention of immaturity (.0)	11	11	-	...	...	61	42	19	...	...
47	With immaturity (.5)	4	4	-	...	...	43	28	15	...	...
48	Diarrhea of newborn---764	-	-	-	-	-	8	6	1	-	1
49	Without mention of immaturity (.0)	-	-	-	-	-	7	5	1	-	1
50	With immaturity (.5)	-	-	-	-	-	1	1	-	-	-
51	Other infections of newborn---765-768	2	2	-	-	-	25	17	6	2	-
52	Without mention of immaturity (.0)	2	2	-	-	-	19	11	6	2	-
53	With immaturity (.5)	-	-	-	-	-	6	6	-	-	-
54	Neonatal disorders arising from certain diseases of mother during pregnancy---769	8	7	-	1	-	26	22	4	-	-
55	Without mention of immaturity (.0-.4)	1	1	-	-	-	7	6	1	-	-
56	With immaturity (.5-.9)	7	6	-	1	-	19	16	3	-	-
57	Hemolytic disease of newborn (erythroblastosis)---770	9	9	-	-	-	73	66	5	2	-
58	Without mention of immaturity (.0-.2)	5	5	-	-	-	62	56	4	2	-
59	With immaturity (.5-.7)	4	4	-	-	-	11	10	1	-	-
60	Hemorrhagic disease of newborn---771	-	-	-	-	-	25	20	5	-	-
61	Without mention of immaturity (.0)	-	-	-	-	-	16	13	3	-	-
62	With immaturity (.5)	-	-	-	-	-	9	7	2	-	-
63	Ill-defined diseases peculiar to early infancy, including nutritional maladjustment---772,773	28	26	-	2	-	207	153	39	10	5
64	Without mention of immaturity (.0)	5	5	-	-	-	55	33	9	8	5
65	With immaturity (.5)	23	21	-	2	-	152	120	30	2	-
66	Immaturity with mention of any other subsidiary condition---774	5	3	-	2	-	28	17	1	6	4
67	Immaturity, unqualified---775	67	67	-	-	-	618	454	163	-	1
68	Symptoms and ill-defined conditions---780-793,795	7	3	-	4	-	19	10	6	2	1
69	All other diseases---Residual	4	1	-	3	-	47	18	4	21	4
70	Accidents---E800-E962	9	-	-	9	-	124	12	6	73	33
71	Inhalation and ingestion of food or other object causing obstruction or suffocation---E921,E922	4	-	-	4	-	44	5	1	33	5
72	Accidental mechanical suffocation in bed and cradle---E924	2	-	-	2	-	35	4	3	17	11
73	Other accidental causes---E800-E920,E923,E925-E962	3	-	-	3	-	45	3	2	23	17
74	Homicide---E964,E980-E984	-	-	-	-	-	4	2	2	-	-

From 55 Selected Causes, by Color: United States and Each State, 1960—Continued

fetal deaths. Numbers after causes of death are category numbers of the Seventh Revision of the International Lists, 1955)

NEW MEXICO					NEW YORK					NORTH CAROLINA					NORTH DAKOTA					
Total, under 1 year	Under 28 days		28 days-11 months		Total, under 1 year	Under 28 days		28 days-11 months		Total, under 1 year	Under 28 days		28 days-11 months		Total, under 1 year	Under 28 days		28 days-11 months		
	White	Non-white	White	Non-white		White	Non-white	White	Non-white		White	Non-white	White	Non-white		White	Non-white	White	Non-white	
1,019	551	69	295	104	8,673	5,138	1,431	1,597	507	3,484	1,244	975	433	832	413	303	14	83	13	1
10	-	-	6	4	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	2
1	-	-	-	1	27	-	-	22	5	16	-	-	10	6	3	-	-	2	1	3
1	-	-	1	-	2	-	-	1	1	3	-	-	2	1	-	-	-	-	-	4
-	-	-	-	-	13	2	-	10	1	7	1	1	5	-	-	-	-	-	-	5
1	1	-	-	-	-	-	-	-	-	1	-	1	-	-	-	-	-	-	-	6
9	-	-	6	3	33	8	1	16	8	24	1	1	7	15	1	-	-	1	-	7
3	2	-	1	-	25	4	-	21	-	4	-	2	1	1	2	-	-	2	-	8
5	2	-	2	1	10	6	-	4	-	9	1	1	6	1	-	-	-	-	-	9
2	-	-	2	-	4	1	-	3	-	2	-	-	-	2	-	-	-	-	-	10
15	2	1	6	6	47	14	1	18	14	17	-	1	10	6	-	-	-	-	-	11
11	2	1	5	3	52	8	1	35	8	37	5	2	20	10	4	1	-	3	-	12
5	1	-	2	2	30	1	-	24	5	28	-	4	10	14	-	-	-	-	-	13
98	-	-	71	27	725	1	-	494	230	424	-	4	104	316	39	1	-	31	7	14
11	-	-	5	6	9	1	-	7	1	39	-	4	10	25	4	1	-	2	1	15
87	...	...	66	21	716	...	...	487	229	385	...	...	94	291	35	...	...	29	6	16
6	1	-	5	-	56	8	1	36	11	18	-	1	6	11	2	-	-	2	-	17
13	1	-	10	2	76	9	4	47	16	24	3	1	5	15	3	-	-	3	-	18
-	-	-	-	-	27	4	2	13	8	3	1	-	2	-	-	-	-	-	-	19
11	1	-	9	1	24	-	-	21	3	9	1	-	3	5	3	-	-	3	-	20
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	21
2	-	-	1	1	13	2	1	6	4	9	1	1	-	7	-	-	-	-	-	22
-	-	-	-	-	12	3	1	7	1	3	-	-	-	3	-	-	-	-	-	23
6	5	1	-	-	79	49	6	17	7	21	12	2	1	6	1	1	-	-	-	24
59	-	-	46	13	98	1	-	67	30	123	-	-	25	98	6	-	-	5	1	25
7	2	-	4	1	49	25	5	16	3	32	10	1	12	9	4	1	-	2	1	26
99	58	2	32	7	1,348	756	89	438	65	367	185	48	98	36	66	40	3	21	2	27
7	2	-	3	2	90	47	2	38	3	22	8	2	11	1	3	1	-	2	-	28
4	2	-	2	-	153	60	11	76	6	51	24	7	14	6	10	5	1	3	1	29
52	30	1	18	3	667	341	40	242	44	182	90	15	58	19	33	20	2	10	1	30
36	24	1	9	2	438	308	36	82	12	112	63	24	15	10	20	14	-	6	-	31
551	454	61	30	6	5,566	4,164	1,291	74	37	1,886	988	821	14	63	267	255	11	1	-	32
67	58	9	-	-	730	617	111	2	-	288	186	101	-	1	46	43	3	-	-	33
28	24	4	-	-	292	243	48	1	-	111	61	49	-	1	18	15	3	-	-	34
39	34	5	-	-	438	374	63	1	-	177	125	52	-	-	28	28	-	-	-	35
22	19	3	...	...	277	214	63	...	...	77	48	29	...	...	11	11	-	...	...	36
14	12	2	...	...	155	127	28	...	...	49	26	23	...	...	5	5	-	...	...	37
8	7	1	...	...	122	87	35	...	...	28	22	6	...	...	6	6	-	...	...	38
45	39	6	-	-	453	403	48	2	-	211	138	72	-	1	35	32	3	-	-	39
14	12	2	-	-	137	116	20	1	-	62	35	26	-	1	13	10	3	-	-	40
31	27	4	-	-	316	287	28	1	-	149	103	46	-	-	22	22	-	-	-	41
139	130	7	2	-	1,789	1,358	369	42	20	497	259	231	4	3	78	74	3	1	-	42
34	29	4	1	-	477	353	67	38	19	130	52	73	3	2	22	20	1	1	-	43
105	101	3	1	-	1,312	1,005	302	4	1	367	207	158	1	1	56	54	2	-	-	44
26	19	7	...	...	249	182	67	...	...	97	31	66	...	...	15	15	-	...	...	45
19	13	6	...	...	189	132	57	...	...	69	21	48	...	...	12	12	-	...	...	46
7	6	1	...	...	60	50	10	...	...	28	10	18	...	...	3	3	-	...	...	47
7	6	1	-	-	20	12	8	-	-	34	7	27	-	-	-	-	-	-	-	48
5	4	1	-	-	15	11	4	-	-	27	4	23	-	-	-	-	-	-	-	49
2	2	-	-	-	5	1	4	-	-	7	3	4	-	-	-	-	-	-	-	50
12	7	3	-	2	49	32	13	4	-	19	8	11	-	-	2	2	-	-	-	51
9	4	3	-	2	33	24	6	3	-	14	7	7	-	-	2	2	-	-	-	52
3	3	-	-	-	16	8	7	1	-	5	1	4	-	-	-	-	-	-	-	53
8	5	3	-	-	57	50	6	1	-	42	21	21	-	-	9	9	-	-	-	54
2	2	-	-	-	26	21	4	1	-	13	6	7	-	-	5	5	-	-	-	55
6	3	3	-	-	31	29	2	-	-	29	15	14	-	-	4	4	-	-	-	56
22	21	-	1	-	176	168	8	-	-	47	39	8	-	-	11	10	1	-	-	57
17	16	-	1	-	139	131	8	-	-	36	30	6	-	-	9	8	1	-	-	58
5	5	-	-	-	37	37	-	-	-	11	9	2	-	-	2	2	-	-	-	59
4	3	-	-	1	50	34	16	-	-	24	10	14	-	-	2	2	-	-	-	60
3	2	-	-	1	34	22	12	-	-	15	6	9	-	-	-	-	-	-	-	61
1	1	-	-	-	16	12	4	-	-	9	4	5	-	-	2	2	-	-	-	62
78	56	5	14	3	484	325	139	11	9	242	110	76	7	49	27	27	-	-	-	63
28	14	1	11	2	86	69	4	10	3	93	19	28	7	39	5	5	-	-	-	64
50	42	4	3	1	398	256	135	1	6	149	91	48	-	10	22	22	-	-	-	65
13	8	2	3	-	96	66	16	10	4	39	15	16	1	7	1	1	-	-	-	66
175	141	24	10	-	1,866	1,320	538	4	4	557	302	250	2	3	76	72	4	-	-	67
63	8	3	32	20	101	15	4	57	25	202	13	55	20	114	3	1	-	2	-	68
20	6	-	11	3	98	28	7	53	10	55	10	4	17	24	1	-	-	1	-	69
33	6	-	22	5	200	22	9	140	29	178	12	24	59	83	11	3	-	7	1	70
10	4	-	5	1	66	11	4	40	11	51	4	12	15	20	6	3	-	3	-	71
9	1	-	8	-	45	5	2	36	2	58	2	5	10	41	2	-	-	2	-	72
14	1	-	9	4	89	6	3	64	16	69	6	7	34	22	3	-	-	2	1	73
1	-	-	1	-	34	16	12	4	2	6	3	1	1	1	-	-	-	-	-	74

Table 3-6. Deaths Under 1 Year, Under 28 Days, and 28 Days to 11 Months,

(By place of residence. Data refer only to deaths occurring within the United States, including Alaska and Hawaii. Excludes

	CAUSE OF DEATH	OHIO					OKLAHOMA				
		Total, under 1 year	Under 28 days		28 days-11 months		Total, under 1 year	Under 28 days		28 days-11 months	
			White	Non-white	White	Non-white		White	Non-white	White	Non-white
1	ALL CAUSES	5,547	3,528	721	1,065	233	1,298	766	172	229	131
2	Dysentery, all forms-045-048	1	-	-	-	1	1	-	-	-	1
3	Septicemia and pyemia-053	14	-	-	12	2	6	-	-	3	3
4	Whooping cough-056	-	-	-	-	-	1	-	-	-	1
5	Meningococcal infections-057	8	-	-	7	1	-	-	-	-	-
6	Tetanus-061	-	-	-	-	-	5	1	4	-	-
7	Other infective and parasitic dis.-001-044,049-052,054,055,058-060,062-138	22	4	-	16	2	7	1	-	2	4
8	Malignant neoplasms, including neoplasms of lymphatic and hematopoietic tissues-140-205	15	-	-	15	-	8	-	-	8	-
9	Benign neoplasms and neoplasms of unspecified nature-210-239	5	1	-	3	1	-	-	-	-	-
10	Diseases of thymus gland-273	6	1	-	5	-	-	-	-	-	-
11	Meningitis, except meningococcal and tuberculous-340	34	11	-	20	3	8	1	1	2	4
12	Other diseases of nervous system and sense organs-330-334,341-398	50	4	1	39	6	17	5	2	8	2
13	Acute upper respiratory infections-470-475	52	6	3	29	14	1	1	-	-	-
14	Influenza and pneumonia, except pneumonia of newborn-480-493	311	-	-	247	64	91	-	-	45	46
15	Influenza-480-483	12	-	-	12	-	7	-	-	4	3
16	Pneumonia, except pneumonia of newborn-490-493	299	...	...	235	64	84	...	...	41	43
17	Bronchitis-500-502	35	1	-	28	6	3	-	1	2	-
18	Other diseases of respiratory system-510-522,525-527	107	7	2	76	22	11	4	1	4	2
19	Pulmonary congestion and hypostatis-522	6	-	1	5	-	2	2	-	-	-
20	Other chronic interstitial pneumonia-525	71	-	-	53	18	3	-	-	2	1
21	Bronchiectasis-526	-	-	-	-	-	-	-	-	-	-
22	Other diseases of lung and pleural cavity-527.2	21	2	-	16	3	2	-	-	1	1
23	All other diseases of respiratory system-510-521,527.1	9	5	1	2	1	4	2	1	1	-
24	Hernia and intestinal obstruction-560,561,570	54	38	3	10	3	8	7	-	1	-
25	Gastritis, duodenitis, enteritis, and colitis, except diarrhea of newborn-543,571,572	73	-	-	62	11	32	-	-	22	10
26	Other diseases of digestive system-530-542,544-553,573-587	19	7	4	6	2	9	5	-	3	1
27	Congenital malformations-750-759	891	528	50	282	31	171	101	9	52	9
28	Spina bifida and meningocele-751	76	34	3	36	3	14	6	1	7	-
29	Congenital hydrocephalus and other congenital malformations of nervous system and sense organs-752,753	98	49	3	43	3	23	9	-	11	3
30	Congenital malformations of circulatory system-754	430	231	24	154	21	74	37	4	28	5
31	Other congenital malformations-750,755-759	287	214	20	49	4	60	49	4	6	1
32	Certain diseases of early infancy-760-776	3,561	2,859	646	36	20	774	615	136	15	8
33	Birth injuries-760,761	670	557	112	1	-	108	94	14	-	-
34	Without mention of immaturity (.0)	239	203	35	1	-	45	35	10	-	-
35	With immaturity (.5)	431	354	77	-	-	63	59	4	-	-
36	Intracranial and spinal injury at birth-760	171	132	39	...	...	30	25	5	...	...
37	Without mention of immaturity (.0)	108	92	16	...	...	18	15	3	...	...
38	With immaturity (.5)	63	40	23	...	...	12	10	2	...	...
39	Other birth injury-761	499	425	73	1	-	78	69	9	-	-
40	Without mention of immaturity (.0)	131	111	19	1	-	27	20	7	-	-
41	With immaturity (.5)	368	314	54	-	-	51	49	2	-	-
42	Postnatal asphyxia and atelectasis-762	1,044	872	158	10	4	181	147	31	1	2
43	Without mention of immaturity (.0)	244	204	33	6	1	57	43	11	1	2
44	With immaturity (.5)	800	668	125	4	3	124	104	20	-	-
45	Pneumonia of newborn-763	172	140	32	...	...	36	27	9	...	...
46	Without mention of immaturity (.0)	113	100	13	...	...	27	20	7	...	...
47	With immaturity (.5)	59	40	19	...	...	9	7	2	...	...
48	Diarrhea of newborn-764	8	4	4	-	-	7	7	-	-	-
49	Without mention of immaturity (.0)	6	2	4	-	-	6	6	-	-	-
50	With immaturity (.5)	2	2	-	-	-	1	1	-	-	-
51	Other infections of newborn-765-768	30	21	8	-	1	13	11	2	-	-
52	Without mention of immaturity (.0)	19	15	3	-	1	12	10	2	-	-
53	With immaturity (.5)	11	6	5	-	-	1	1	-	-	-
54	Neonatal disorders arising from certain diseases of mother during pregnancy-769	51	41	10	-	-	14	12	2	-	-
55	Without mention of immaturity (.0-.4)	15	14	1	-	-	7	5	2	-	-
56	With immaturity (.5-.9)	36	27	9	-	-	7	7	-	-	-
57	Hemolytic disease of newborn (erythroblastosis)-770	135	123	11	1	-	22	22	-	-	-
58	Without mention of immaturity (.0-.2)	106	98	7	1	-	17	17	-	-	-
59	With immaturity (.5-.7)	29	25	4	-	-	5	5	-	-	-
60	Hemorrhagic disease of newborn-771	29	21	7	1	-	11	8	3	-	-
61	Without mention of immaturity (.0)	15	11	3	1	-	9	6	3	-	-
62	With immaturity (.5)	14	10	4	-	-	2	2	-	-	-
63	Ill-defined diseases peculiar to early infancy, including nutritional maladjustment-772,773	431	339	74	10	8	144	99	34	7	4
64	Without mention of immaturity (.0)	111	84	13	9	5	34	20	3	7	4
65	With immaturity (.5)	320	255	61	1	3	110	79	31	-	-
66	Immaturity with mention of any other subsidiary condition-774	74	50	11	7	6	12	7	1	2	2
67	Immaturity, unqualified-776	917	691	219	6	1	226	181	40	5	-
68	Symptoms and ill-defined conditions-780-793,795	59	24	2	23	10	50	11	6	18	15
69	All other diseases-Residual	78	13	5	53	7	26	6	5	7	8
70	Accidents-E800-E962	140	18	2	94	26	65	6	7	36	16
71	Inhalation and ingestion of food or other object causing obstruction or suffocation-E921,E922	43	12	1	22	8	19	4	4	4	7
72	Accidental mechanical suffocation in bed and cradle-E924	31	2	-	25	4	18	1	1	13	3
73	Other accidental causes-E800-E920,E923,E925-E962	66	4	1	47	14	28	1	2	19	6
74	Homicide-E964,E980-E984	12	6	3	2	1	4	2	-	1	1

From 55 Selected Causes, by Color: United States and Each State, 1960—Continued

fetal deaths. Numbers after causes of death are category numbers of the Seventh Revision of the International Lists, 1955)

OREGON					PENNSYLVANIA					RHODE ISLAND					SOUTH CAROLINA					
Total, under 1 year	Under 28 days		28 days-11 months		Total, under 1 year	Under 28 days		28 days-11 months		Total, under 1 year	Under 28 days		28 days-11 months		Total, under 1 year	Under 28 days		28 days-11 months		
	White	Non-white	White	Non-white		White	Non-white	White	Non-white		White	Non-white	White	Non-white		White	Non-white	White	Non-white	
891	612	24	240	15	5,922	3,815	751	1,073	283	428	275	24	120	9	2,051	603	612	225	611	1
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	4	-	-	2	2	2
1	-	-	1	-	19	-	-	18	1	-	-	-	-	-	8	-	-	5	3	3
-	-	-	-	-	2	-	-	1	1	-	-	-	-	-	6	-	1	-	5	4
2	-	-	2	-	10	1	-	9	1	-	-	-	-	-	3	-	-	1	2	5
-	-	-	-	-	1	1	-	-	-	-	-	-	-	-	4	1	3	-	-	6
5	3	-	2	-	26	2	1	20	3	6	-	-	4	2	12	1	2	5	4	7
4	1	-	3	-	11	2	-	9	-	1	-	-	1	-	3	-	-	2	1	8
-	-	-	-	-	6	2	1	3	-	2	2	-	-	-	1	1	-	-	-	9
-	-	-	-	-	7	1	-	6	-	-	-	-	-	-	4	-	-	3	1	10
12	3	-	9	-	38	8	1	23	6	1	-	-	1	-	20	1	4	4	11	11
6	-	-	6	-	49	12	-	30	7	4	-	-	4	-	21	1	3	8	9	12
3	1	-	1	1	11	1	-	7	3	-	-	-	-	-	9	-	-	-	9	13
65	-	-	62	3	390	1	-	291	98	36	-	-	33	3	319	-	4	62	253	14
2	-	-	2	-	12	1	-	11	-	-	-	-	-	-	49	-	4	4	41	15
63	...	...	60	3	378	...	...	280	98	36	...	...	33	3	270	...	...	58	212	16
10	1	-	8	1	34	1	-	29	4	6	-	-	4	2	11	-	1	5	5	17
25	5	-	20	-	47	15	-	29	3	2	1	-	1	-	19	2	2	7	8	18
6	2	-	4	-	8	2	-	6	-	1	1	-	-	-	-	-	-	-	-	19
14	1	-	13	-	10	-	-	9	1	-	-	-	-	-	12	-	-	5	7	20
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	21
4	1	-	3	-	9	1	-	8	-	-	-	-	-	-	5	1	2	1	1	22
1	1	-	-	-	20	12	-	6	2	1	-	-	1	-	2	1	-	1	-	23
9	6	-	3	-	68	52	4	11	1	5	5	-	-	-	7	4	-	-	3	24
12	-	-	10	2	68	-	-	52	16	6	-	-	6	-	85	-	-	16	69	25
7	5	-	2	-	31	14	3	12	2	1	1	-	-	-	11	1	2	6	2	26
138	90	4	42	2	920	541	54	287	38	86	48	3	35	-	180	77	33	38	32	27
5	2	-	3	-	74	50	1	22	1	11	1	-	10	-	12	5	1	5	1	28
13	10	-	3	-	80	35	3	38	4	7	1	1	5	-	17	8	3	3	3	29
80	47	1	30	2	470	234	26	187	23	40	23	2	15	-	84	32	11	25	16	30
40	31	3	6	-	296	222	24	40	10	28	23	-	5	-	67	32	18	5	12	31
511	486	20	5	-	3,820	3,085	669	45	21	237	213	21	3	-	1,042	495	488	12	47	32
118	113	5	-	-	670	573	97	-	-	45	40	5	-	-	132	68	64	-	-	33
51	48	3	-	-	264	219	45	-	-	13	11	2	-	-	60	28	32	-	-	34
67	65	2	-	-	406	354	52	-	-	32	29	3	-	-	72	40	32	-	-	35
35	33	2	...	...	218	185	33	...	...	9	8	1	...	...	45	26	19	...	...	36
22	21	1	...	...	133	115	18	...	...	4	3	1	...	...	34	17	17	...	...	37
13	12	1	...	...	85	70	15	...	...	5	5	-	...	...	11	9	2	...	...	38
83	80	3	-	-	452	388	64	-	-	36	32	4	-	-	87	42	45	-	-	39
29	27	2	-	-	131	104	27	-	-	9	8	1	-	-	26	11	15	-	-	40
54	53	1	-	-	321	284	37	-	-	27	24	3	-	-	61	31	30	-	-	41
135	133	1	1	-	1,023	825	183	10	5	76	74	2	-	-	257	160	97	-	-	42
45	44	-	1	-	270	218	37	10	5	21	21	-	-	-	80	42	38	-	-	43
90	89	1	-	-	753	607	146	-	-	55	53	2	-	-	177	118	59	-	-	44
20	18	2	...	...	155	123	32	...	...	5	2	3	...	...	77	22	55	...	...	45
15	13	2	...	...	102	80	22	...	...	5	2	3	...	...	58	18	40	...	...	46
5	5	-	...	...	53	43	10	...	...	-	-	-	...	...	19	4	15	...	...	47
1	1	-	-	-	18	15	3	-	-	-	-	-	-	-	29	4	25	-	-	48
1	1	-	-	-	15	12	3	-	-	-	-	-	-	-	22	2	20	-	-	49
-	-	-	-	-	3	3	-	-	-	-	-	-	-	-	7	2	5	-	-	50
3	3	-	-	-	33	26	6	1	-	2	2	-	-	-	13	5	8	-	-	51
2	2	-	-	-	24	19	4	1	-	1	1	-	-	-	9	4	5	-	-	52
1	1	-	-	-	9	7	2	-	-	1	1	-	-	-	4	1	3	-	-	53
16	15	1	-	-	59	45	11	3	-	4	3	-	1	-	18	5	13	-	-	54
5	4	1	-	-	18	14	1	3	-	-	-	-	-	-	8	2	6	-	-	55
11	11	-	-	-	41	31	10	-	-	4	3	-	1	-	10	3	7	-	-	56
18	18	-	-	-	119	107	9	2	1	10	8	1	1	-	24	19	4	-	1	57
15	15	-	-	-	84	75	6	2	1	7	6	1	-	-	16	13	2	-	1	58
3	3	-	-	-	35	32	3	-	-	3	2	-	1	-	8	6	2	-	-	59
4	4	-	-	-	40	32	8	-	-	3	2	1	-	-	12	5	7	-	-	60
1	1	-	-	-	23	17	6	-	-	2	1	1	-	-	8	3	5	-	-	61
3	3	-	-	-	17	15	2	-	-	1	1	-	-	-	4	2	2	-	-	62
49	46	-	3	-	480	382	73	15	10	18	16	1	1	-	134	53	39	6	36	63
12	9	-	3	-	112	75	13	15	9	6	5	-	1	-	64	12	16	5	31	64
37	37	-	-	-	368	307	60	-	1	12	11	1	-	-	70	41	23	1	5	65
12	10	1	1	-	92	56	26	7	3	2	2	-	-	-	19	5	5	4	5	66
135	125	10	-	-	1,131	901	221	7	2	72	64	8	-	-	327	149	171	2	5	67
11	6	-	4	1	103	20	9	27	47	2	1	-	1	-	164	8	53	17	86	68
17	1	-	15	1	84	19	2	55	8	5	2	-	3	-	20	3	3	6	8	69
51	4	-	43	4	162	30	4	109	19	27	1	-	24	2	96	7	12	26	51	70
25	1	-	22	2	57	13	2	40	2	18	1	-	16	1	28	4	2	7	15	71
15	2	-	12	1	45	6	1	34	4	6	-	-	5	1	23	-	2	6	15	72
11	1	-	9	1	60	11	1	35	13	3	-	-	3	-	45	3	8	13	21	73
2	-	-	2	-	15	8	3	-	4	1	1	-	-	-	2	1	1	-	-	74

Table 3-6. Deaths Under 1 Year, Under 28 Days, and 28 Days to 11 Months,

(By place of residence. Data refer only to deaths occurring within the United States, including Alaska and Hawaii. Excludes

	CAUSE OF DEATH	SOUTH DAKOTA					TENNESSEE				
		Total, under 1 year	Under 28 days		28 days-11 months		Total, under 1 year	Under 28 days		28 days-11 months	
			White	Non-white	White	Non-white		White	Non-white	White	Non-white
1	ALL CAUSES	496	302	43	92	59	2,409	1,185	471	433	320
2	Dysentery, all forms-045-048	-	-	-	-	-	3	-	1	1	1
3	Septicemia and pyemia-053	4	-	-	2	2	10	-	-	4	6
4	Whooping cough-056	3	-	-	1	2	2	-	-	2	-
5	Meningococcal infections-057	-	-	-	-	-	4	-	-	2	2
6	Tetanus-061	-	-	-	-	-	4	-	3	-	1
7	Other infective and parasitic dis.-001-044,049-052,054,055,058-060,062-138	4	-	-	3	1	23	1	1	13	8
8	Malignant neoplasms, including neoplasms of lymphatic and hematopoietic tissues-140-205	2	-	-	1	1	8	1	-	6	1
9	Benign neoplasms and neoplasms of unspecified nature-210-239	-	-	-	-	-	2	-	-	2	-
10	Diseases of thymus gland-273	1	-	-	1	-	2	1	-	1	-
11	Meningitis, except meningococcal and tuberculous-340	1	-	-	-	1	19	5	1	5	8
12	Other diseases of nervous system and sense organs-330-334,341-398	3	-	-	1	2	17	1	-	9	7
13	Acute upper respiratory infections-470-475	1	-	-	-	1	11	-	1	4	6
14	Influenza and pneumonia, except pneumonia of newborn-480-493	52	-	-	28	24	180	1	3	95	81
15	Influenza-480-483	5	-	-	4	1	20	1	3	6	10
16	Pneumonia, except pneumonia of newborn-490-493	47	...	...	24	23	160	...	...	89	71
17	Bronchitis-500-502	6	-	-	5	1	13	-	1	9	3
18	Other diseases of respiratory system-510-522,525-527	5	1	-	2	2	14	2	3	4	5
19	Pulmonary congestion and hypostatis-522	1	1	-	-	-	2	1	1	-	-
20	Other chronic interstitial pneumonia-525	2	-	-	2	-	2	-	-	1	1
21	Bronchiectasis-526	-	-	-	-	-	1	-	-	1	-
22	Other diseases of lung and pleural cavity-527.2	1	-	-	-	1	6	-	-	2	4
23	All other diseases of respiratory system-510-521,527.1	1	-	-	-	1	3	1	2	-	-
24	Hernia and intestinal obstruction-560,561,570	6	4	-	2	-	20	13	2	1	4
25	Gastritis, duodenitis, enteritis, and colitis, except diarrhea of newborn-543,571,572	13	-	-	4	9	63	-	-	25	38
26	Other diseases of digestive system-530-542,544-553,573-587	3	2	-	1	-	11	4	2	4	1
27	Congenital malformations-750-759	81	48	5	25	3	317	173	27	98	19
28	Spina bifida and meningocele-751	3	2	-	1	-	34	10	2	22	-
29	Congenital hydrocephalus and other congenital malformations of nervous system and sense organs-752,753	8	4	1	3	-	27	11	-	13	3
30	Congenital malformations of circulatory system-754	44	25	-	18	1	157	84	12	47	14
31	Other congenital malformations-750,755-759	26	17	4	3	2	99	68	13	16	2
32	Certain diseases of early infancy-760-776	276	238	34	3	1	1,369	932	394	16	27
33	Birth injuries-760,761	36	35	1	-	-	193	140	53	-	-
34	Without mention of immaturity (.0)-	12	11	1	-	-	101	72	29	-	-
35	With immaturity (.5)-	24	24	-	-	-	92	68	24	-	-
36	Intracranial and spinal injury at birth-760	8	8	-	...	...	73	47	26	...	...
37	Without mention of immaturity (.0)-	6	6	-	...	...	50	34	16	...	...
38	With immaturity (.5)-	2	2	-	...	...	23	13	10	...	...
39	Other birth injury-761	28	27	1	-	-	120	93	27	-	-
40	Without mention of immaturity (.0)-	6	5	1	-	-	51	38	13	-	-
41	With immaturity (.5)-	22	22	-	-	-	69	55	14	-	-
42	Postnatal asphyxia and atelectasis-762	57	47	8	2	-	332	263	63	2	4
43	Without mention of immaturity (.0)-	19	13	4	2	-	109	83	21	2	3
44	With immaturity (.5)-	38	34	4	-	-	223	180	42	-	1
45	Pneumonia of newborn-763	26	20	6	...	...	72	43	29	...	...
46	Without mention of immaturity (.0)-	19	13	6	...	...	57	32	25	...	...
47	With immaturity (.5)-	7	7	-	...	...	15	11	4	...	...
48	Diarrhea of newborn-764	2	1	1	-	-	8	2	6	-	-
49	Without mention of immaturity (.0)-	1	-	1	-	-	6	1	5	-	-
50	With immaturity (.5)-	1	1	-	-	-	2	1	1	-	-
51	Other infections of newborn-765-768	1	-	1	-	-	17	16	1	-	-
52	Without mention of immaturity (.0)-	1	-	1	-	-	11	11	-	-	-
53	With immaturity (.5)-	-	-	-	-	-	6	5	1	-	-
54	Neonatal disorders arising from certain diseases of mother during pregnancy-769	6	5	1	-	-	20	15	5	-	-
55	Without mention of immaturity (.0-.4)-	1	1	-	-	-	8	4	4	-	-
56	With immaturity (.5-.9)-	5	4	1	-	-	12	11	1	-	-
57	Hemolytic disease of newborn (erythroblastosis)-770	14	14	-	-	-	33	30	3	-	-
58	Without mention of immaturity (.0-.2)-	8	8	-	-	-	29	26	3	-	-
59	With immaturity (.5-.7)-	6	6	-	-	-	4	4	-	-	-
60	Hemorrhagic disease of newborn-771	-	-	-	-	-	20	12	7	1	-
61	Without mention of immaturity (.0)-	-	-	-	-	-	17	9	7	1	-
62	With immaturity (.5)-	-	-	-	-	-	3	3	-	-	-
63	Ill-defined diseases peculiar to early infancy, including nutritional maladjustment-772,773	46	42	2	1	1	159	104	29	11	15
64	Without mention of immaturity (.0)-	11	8	1	1	1	60	31	8	9	12
65	With immaturity (.5)-	35	34	1	-	-	99	73	21	2	3
66	Immaturity with mention of any other subsidiary condition-774	4	3	1	-	-	19	13	2	2	2
67	Immaturity, unqualified-776	84	71	13	-	-	496	294	196	-	6
68	Symptoms and ill-defined conditions-780-793,795	12	3	4	2	3	195	33	28	67	67
69	All other diseases-Residual	10	4	-	2	4	21	6	2	10	3
70	Accidents-E800-E962	13	2	-	9	2	99	10	2	55	32
71	Inhalation and ingestion of food or other object causing obstruction or suffocation-E921,E922	1	-	-	1	-	33	4	1	21	7
72	Accidental mechanical suffocation in bed and cradle-E924	1	-	-	1	-	25	4	-	16	5
73	Other accidental causes-E800-E920,E923,E925-E962	11	2	-	7	2	41	2	1	18	20
74	Homicide-E964,E980-E984	-	-	-	-	-	2	2	-	-	-

From 55 Selected Causes, by Color: United States and Each State, 1960—Continued

fetal deaths. Numbers after causes of death are category numbers of the Seventh Revision of the International Lists, 1955)

TEXAS					UTAH					VERMONT					VIRGINIA					
Total, under 1 year	Under 28 days		28 days-11 months		Total, under 1 year	Under 28 days		28 days-11 months		Total, under 1 year	Under 28 days		28 days-11 months		Total, under 1 year	Under 28 days		28 days-11 months		
	White	Non-white	White	Non-white		White	Non-white	White	Non-white		White	Non-white	White	Non-white		White	Non-white	White	Non-white	
7,200	3,977	1,000	1,604	619	515	368	14	117	16	227	176	-	51	-	2,851	1,335	673	432	411	1
42	1	1	28	12	1	-	-	-	1	-	-	-	-	-	9	-	-	-	9	2
37	-	-	23	14	3	-	-	2	1	1	-	-	1	-	13	-	-	10	3	3
14	-	-	7	7	-	-	-	-	-	-	-	-	-	-	3	-	-	1	2	4
12	1	-	8	3	1	-	-	1	-	-	-	-	-	-	3	-	-	3	-	5
30	12	17	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	6
56	12	3	30	11	2	-	-	2	-	1	-	-	1	-	12	2	2	3	5	7
14	-	-	12	2	2	-	-	2	-	2	-	-	2	-	7	-	1	3	3	8
5	2	-	3	-	-	-	-	-	-	1	1	-	-	-	4	1	-	3	-	9
5	2	-	2	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	10
69	14	1	34	20	2	1	-	1	-	-	-	-	-	-	15	2	4	5	4	11
66	16	1	38	11	2	2	-	-	-	1	-	-	1	-	24	6	3	8	7	12
17	3	1	11	2	2	-	-	2	-	1	-	-	1	-	13	1	1	4	7	13
580	3	4	385	188	28	-	-	22	6	20	-	-	20	-	276	2	-	111	163	14
48	3	4	26	16	1	-	-	1	-	2	-	-	2	-	15	2	-	5	8	15
531	...	...	359	172	27	...	...	21	6	18	...	...	18	-	261	...	...	106	155	16
22	-	1	17	4	5	-	-	5	-	1	-	-	1	-	10	-	2	6	2	17
97	11	-	51	35	8	-	-	8	-	-	-	-	-	-	60	1	3	30	26	18
7	3	-	4	-	-	-	-	-	-	-	-	-	-	-	2	-	1	1	-	19
64	-	-	32	32	2	-	-	2	-	-	-	-	-	-	37	-	-	18	19	20
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	21
9	2	-	7	-	6	-	-	6	-	-	-	-	-	-	19	1	2	9	7	22
17	6	-	8	3	-	-	-	-	-	-	-	-	-	-	2	-	-	2	-	23
53	32	4	11	6	7	5	-	2	-	3	3	-	-	-	23	15	4	3	1	24
431	-	-	323	108	4	-	-	3	1	-	-	-	-	-	75	-	1	16	58	25
46	14	6	22	4	3	3	-	-	-	1	-	-	1	-	15	9	-	4	2	26
832	491	56	241	44	86	57	2	26	1	38	26	-	12	-	384	188	54	110	32	27
64	36	2	25	1	4	2	-	2	-	-	-	-	-	-	39	15	2	22	-	28
75	32	8	25	10	9	4	-	5	-	7	3	-	4	-	43	13	6	16	8	29
407	215	19	147	26	43	26	1	15	1	18	11	-	7	-	169	75	23	52	19	30
286	208	27	44	7	30	25	1	4	-	13	12	-	1	-	133	85	23	20	5	31
4,303	3,269	861	121	52	306	294	11	1	-	144	143	-	1	-	1,694	1,072	576	12	34	32
580	485	97	-	-	39	37	2	-	-	33	33	-	-	-	245	171	74	-	-	33
259	206	53	-	-	16	15	1	-	-	14	14	-	-	-	113	71	42	-	-	34
321	277	44	-	-	23	22	1	-	-	19	19	-	-	-	132	100	32	-	-	35
215	168	47	...	...	10	9	1	...	...	8	8	-	...	...	83	57	26	...	...	36
128	100	28	...	...	7	6	1	...	...	7	7	-	...	...	55	38	17	...	...	37
87	68	19	...	...	3	3	-	...	...	1	1	-	...	...	28	19	9	...	...	38
365	315	50	-	-	29	28	1	-	-	25	25	-	-	-	162	114	48	-	-	39
131	106	25	-	-	9	9	-	-	-	7	7	-	-	-	58	33	25	-	-	40
234	209	25	-	-	20	19	1	-	-	18	18	-	-	-	104	81	23	-	-	41
1,125	908	197	17	3	112	108	4	-	-	28	28	-	-	-	473	318	152	1	2	42
388	309	61	16	2	35	34	1	-	-	9	9	-	-	-	125	84	38	1	2	43
737	599	136	1	1	77	74	3	-	-	19	19	-	-	-	348	234	114	-	-	44
262	186	76	...	...	7	7	-	...	...	5	5	-	...	...	103	51	52	...	...	45
187	135	52	...	...	3	3	-	...	...	4	4	-	...	...	71	31	40	...	...	46
75	51	24	...	...	4	4	-	...	...	1	1	-	...	...	32	20	12	...	...	47
54	43	11	-	-	-	-	-	-	-	-	-	-	-	-	14	4	9	-	1	48
47	37	10	-	-	-	-	-	-	-	-	-	-	-	-	12	3	8	-	1	49
7	6	1	-	-	-	-	-	-	-	-	-	-	-	-	2	1	1	-	-	50
90	67	23	-	-	2	2	-	-	-	1	1	-	-	-	21	11	10	-	-	51
64	47	17	-	-	1	1	-	-	-	1	1	-	-	-	13	5	8	-	-	52
26	20	6	-	-	1	1	-	-	-	-	-	-	-	-	8	6	2	-	-	53
55	41	14	-	-	6	6	-	-	-	4	4	-	-	-	16	11	5	-	-	54
26	21	5	-	-	3	3	-	-	-	3	3	-	-	-	9	4	5	-	-	55
29	20	9	-	-	3	3	-	-	-	1	1	-	-	-	7	7	-	-	-	56
109	100	6	1	2	20	20	-	-	-	4	4	-	-	-	40	36	4	-	-	57
90	83	6	1	-	20	20	-	-	-	1	1	-	-	-	33	29	4	-	-	58
19	17	-	-	2	-	-	-	-	-	3	3	-	-	-	7	7	-	-	-	59
43	32	9	-	2	-	-	-	-	-	-	-	-	-	-	13	6	7	-	-	60
31	24	7	-	-	-	-	-	-	-	-	-	-	-	-	9	5	4	-	-	61
12	8	2	-	2	-	-	-	-	-	-	-	-	-	-	4	1	3	-	-	62
607	389	103	84	31	43	42	-	1	-	20	19	-	1	-	253	132	87	7	27	63
236	107	27	75	27	13	12	-	1	-	5	4	-	1	-	74	29	17	6	22	64
371	282	76	9	4	30	30	-	-	-	15	15	-	-	-	179	103	70	1	5	65
99	58	13	15	13	1	1	-	-	-	1	1	-	-	-	29	13	9	3	4	66
1,279	962	312	4	1	76	71	5	-	-	48	48	-	-	-	487	319	167	1	-	67
132	43	22	37	30	15	1	1	9	4	1	-	-	1	-	70	17	10	28	15	68
79	22	4	42	11	10	1	-	8	1	6	3	-	3	-	32	6	1	19	6	69
252	28	18	155	51	28	4	-	23	1	6	-	-	6	-	99	9	9	51	30	70
76	17	5	37	17	8	2	-	6	-	2	-	-	2	-	28	5	3	12	8	71
57	2	7	33	15	10	-	-	9	1	3	-	-	3	-	28	-	2	20	6	72
119	9	6	85	19	10	2	-	8	-	1	-	-	1	-	43	4	4	19	16	73
6	1	-	2	3	-	-	-	-	-	-	-	-	-	-	10	4	2	2	2	74

Table 3-6. Deaths Under 1 Year, Under 28 Days, and 28 Days to 11 Months,

(By place of residence. Data refer only to deaths occurring within the United States, including Alaska and Hawaii. Excludes

	CAUSE OF DEATH	WASHINGTON					WEST VIRGINIA				
		Total, under 1 year	Under 28 days		28 days-11 months		Total, under 1 year	Under 28 days		28 days-11 months	
			White	Non-white	White	Non-white		White	Non-white	White	Non-white
1	ALL CAUSES	1,529	1,050	76	348	55	1,005	677	36	256	36
2	Dysentery, all forms---045-048	-	-	-	-	-	2	-	-	1	1
3	Septicemia and pyemia---053	6	-	-	6	-	2	-	-	2	-
4	Whooping cough---056	-	-	-	-	-	-	-	-	-	-
5	Meningococcal infections---057	1	-	-	1	-	2	-	-	2	-
6	Tetanus---061	-	-	-	-	-	-	-	-	-	-
7	Other infective and parasitic dis.---001-044,049-052,054,055,058-060,062-138	3	-	-	1	2	6	1	-	4	1
8	Malignant neoplasms, including neoplasms of lymphatic and hematopoietic tissues---140-205	3	-	-	3	-	3	-	1	2	-
9	Benign neoplasms and neoplasms of unspecified nature---210-239	1	-	-	1	-	2	1	-	1	-
10	Diseases of thymus gland---273	4	1	-	2	1	-	-	-	-	-
11	Meningitis, except meningococcal and tuberculous---340	11	3	1	7	-	8	3	1	3	1
12	Other diseases of nervous system and sense organs---330-334,341-398	14	2	1	10	1	7	2	-	4	1
13	Acute upper respiratory infections---470-475	7	-	-	6	1	3	-	-	3	-
14	Influenza and pneumonia, except pneumonia of newborn---480-493	145	-	-	120	25	105	-	-	92	13
15	Influenza---480-483	2	-	-	2	-	3	-	-	3	-
16	Pneumonia, except pneumonia of newborn---490-493	143	...	...	118	25	102	...	...	89	13
17	Bronchitis---500-502	13	1	-	10	2	6	-	-	6	-
18	Other diseases of respiratory system---510-522,525-527	18	5	-	9	4	11	1	-	8	2
19	Pulmonary congestion and hypostatis---522	1	-	-	1	-	3	1	-	2	-
20	Other chronic interstitial pneumonia---525	6	1	-	3	2	1	-	-	1	-
21	Bronchiectasis---526	-	-	-	-	-	-	-	-	-	-
22	Other diseases of lung and pleural cavity---527.2	6	1	-	3	2	5	-	-	3	2
23	All other diseases of respiratory system---510-521,527.1	5	3	-	2	-	2	-	-	2	-
24	Hernia and intestinal obstruction---560,561,570	14	10	-	4	-	9	7	-	2	-
25	Gastritis, duodenitis, enteritis, and colitis, except diarrhea of newborn---543,571,572	4	-	-	2	2	14	-	-	12	2
26	Other diseases of digestive system---530-542,544-553,573-587	5	1	-	4	-	6	4	-	2	-
27	Congenital malformations---750-759	248	151	8	81	8	158	105	1	48	4
28	Spina bifida and meningocele---751	11	7	-	4	-	15	7	-	8	-
29	Congenital hydrocephalus and other congenital malformations of nervous system and sense organs---752,753	30	16	1	11	2	23	17	-	6	-
30	Congenital malformations of circulatory system---754	130	73	4	48	5	71	40	1	28	2
31	Other congenital malformations---750,755-759	77	55	3	18	1	49	41	-	6	2
32	Certain diseases of early infancy---760-776	931	866	61	3	1	577	525	31	18	3
33	Birth injuries---760,761	140	132	8	-	-	75	73	2	-	-
34	Without mention of immaturity (.0)	61	56	5	-	-	41	40	1	-	-
35	With immaturity (.5)	79	76	3	-	-	34	33	1	-	-
36	Intracranial and spinal injury at birth---760	28	24	4	...	...	21	19	2	...	...
37	Without mention of immaturity (.0)	18	15	3	...	...	14	13	1	...	...
38	With immaturity (.5)	10	9	1	...	...	7	6	1	...	...
39	Other birth injury---761	112	108	4	-	-	54	54	-	-	-
40	Without mention of immaturity (.0)	43	41	2	-	-	27	27	-	-	-
41	With immaturity (.5)	69	67	2	-	-	27	27	-	-	-
42	Postnatal asphyxia and atelectasis---762	283	262	21	-	-	164	153	6	4	1
43	Without mention of immaturity (.0)	79	75	4	-	-	57	53	1	3	-
44	With immaturity (.5)	204	187	17	-	-	107	100	5	1	1
45	Pneumonia of newborn---763	36	32	4	...	...	34	30	4	...	...
46	Without mention of immaturity (.0)	26	24	2	...	...	22	20	2	...	...
47	With immaturity (.5)	10	8	2	...	...	12	10	2	...	...
48	Diarrhea of newborn---764	1	1	-	-	-	8	8	-	-	-
49	Without mention of immaturity (.0)	1	1	-	-	-	5	5	-	-	-
50	With immaturity (.5)	-	-	-	-	-	3	3	-	-	-
51	Other infections of newborn---765-768	5	5	-	-	-	2	2	-	-	-
52	Without mention of immaturity (.0)	5	5	-	-	-	2	2	-	-	-
53	With immaturity (.5)	-	-	-	-	-	-	-	-	-	-
54	Neonatal disorders arising from certain diseases of mother during pregnancy---769	9	9	-	-	-	8	7	1	-	-
55	Without mention of immaturity (.0-.4)	3	3	-	-	-	2	2	-	-	-
56	With immaturity (.5-.9)	6	6	-	-	-	6	5	1	-	-
57	Hemolytic disease of newborn (erythroblastosis)---770	32	32	-	-	-	15	15	-	-	-
58	Without mention of immaturity (.0-.2)	26	26	-	-	-	11	11	-	-	-
59	With immaturity (.5-.7)	6	6	-	-	-	4	4	-	-	-
60	Hemorrhagic disease of newborn---771	7	7	-	-	-	5	4	1	-	-
61	Without mention of immaturity (.0)	4	4	-	-	-	3	3	-	-	-
62	With immaturity (.5)	3	3	-	-	-	2	1	1	-	-
63	Ill-defined diseases peculiar to early infancy, including nutritional maladjustment---772,773	134	129	4	-	1	87	73	2	11	1
64	Without mention of immaturity (.0)	30	29	-	-	1	32	21	-	10	1
65	With immaturity (.5)	104	100	4	-	-	55	52	2	1	-
66	Immaturity with mention of any other subsidiary condition---774	13	9	1	3	-	17	13	-	3	1
67	Immaturity, unqualified---776	271	248	23	-	-	162	147	15	-	-
68	Symptoms and ill-defined conditions---780-793,795	16	4	1	9	2	25	10	1	10	4
69	All other diseases---Residual	13	2	2	9	-	16	5	-	11	-
70	Accidents---E800-E962	69	2	2	59	6	42	12	1	25	4
71	Inhalation and ingestion of food or other object causing obstruction or suffocation---E921,E922	33	1	2	28	2	16	5	1	8	2
72	Accidental mechanical suffocation in bed and cradle---E924	10	1	-	8	1	7	4	-	3	-
73	Other accidental causes---E800-E920,E923,E925-E962	26	-	-	23	3	19	3	-	14	2
74	Homicide---E964,E980-E984	3	2	-	1	-	1	1	-	-	-

From 55 Selected Causes, by Color: United States and Each State, 1960—Continued

fetal deaths. Numbers after causes of death are category numbers of the Seventh Revision of the International Lists, 1955)

WISCONSIN					WYOMING					
Total, under 1 year	Under 28 days		28 days-11 months		Total, under 1 year	Under 28 days		28 days-11 months		
	White	Non-white	White	Non-white		White	Non-white	White	Non-white	
2,170	1,559	88	471	52	240	173	10	53	4	1
2	-	-	2	-	-	-	-	-	-	2
5	-	-	5	-	3	-	-	3	-	3
1	-	-	1	-	-	-	-	-	-	4
7	1	-	5	1	1	-	-	1	-	5
1	1	-	-	-	-	-	-	-	-	6
7	2	-	4	1	-	-	-	-	-	7
13	3	-	9	1	-	-	-	-	-	8
3	1	-	2	-	-	-	-	-	-	9
2	-	-	2	-	1	-	-	1	-	10
16	2	-	14	-	1	-	-	1	-	11
15	2	1	11	1	2	2	-	-	-	12
9	1	-	7	1	1	-	-	1	-	13
168	2	-	144	22	19	-	-	17	2	14
16	2	-	12	2	1	-	-	1	-	15
152	...	...	132	20	18	...	...	16	2	16
14	3	-	11	-	2	-	-	2	-	17
14	1	-	12	1	1	-	-	1	-	18
2	-	-	2	-	-	-	-	-	-	19
10	-	-	10	-	1	-	-	1	-	20
-	-	-	-	-	-	-	-	-	-	21
1	1	-	-	-	-	-	-	-	-	22
1	-	-	-	1	-	-	-	-	-	23
24	16	-	8	-	1	1	-	-	-	24
26	-	-	18	8	2	-	-	2	-	25
16	10	-	6	-	1	-	-	1	-	26
376	243	11	119	3	35	28	1	6	-	27
19	10	1	8	-	1	1	-	-	-	28
37	14	1	21	1	4	2	-	2	-	29
188	109	8	69	2	17	14	1	2	-	30
132	110	1	21	-	13	11	-	2	-	31
1,338	1,247	75	14	2	150	140	9	-	1	32
281	264	16	1	-	22	20	2	-	-	33
85	77	8	-	-	7	7	-	-	-	34
196	187	8	1	-	15	13	2	-	-	35
54	48	6	...	...	5	5	-	...	...	36
42	36	6	...	...	3	3	-	...	...	37
12	12	-	...	...	2	2	-	...	...	38
227	216	10	1	-	17	15	2	-	-	39
43	41	2	-	-	4	4	-	-	-	40
184	175	8	1	-	13	11	2	-	-	41
277	259	13	4	1	36	36	-	-	-	42
92	84	3	4	1	13	13	-	-	-	43
185	175	10	-	-	23	23	-	-	-	44
48	47	1	...	...	7	4	3	...	...	45
31	30	1	...	...	3	3	-	...	...	46
17	17	-	...	...	4	1	3	...	...	47
4	3	1	-	-	2	1	1	-	-	48
4	3	1	-	-	2	1	1	-	-	49
-	-	-	-	-	-	-	-	-	-	50
10	10	-	-	-	-	-	-	-	-	51
8	8	-	-	-	-	-	-	-	-	52
2	2	-	-	-	-	-	-	-	-	53
28	26	2	-	-	7	6	1	-	-	54
5	5	-	-	-	4	3	1	-	-	55
23	21	2	-	-	3	3	-	-	-	56
73	73	-	-	-	4	4	-	-	-	57
58	58	-	-	-	4	4	-	-	-	58
15	15	-	-	-	-	-	-	-	-	59
9	9	-	-	-	3	3	-	-	-	60
8	8	-	-	-	3	3	-	-	-	61
1	1	-	-	-	-	-	-	-	-	62
181	148	29	3	1	25	23	1	-	1	63
34	33	-	1	-	7	6	-	-	1	64
147	115	29	2	1	18	17	1	-	-	65
16	12	1	3	-	2	2	-	-	-	66
411	396	12	3	-	42	41	1	-	-	67
8	2	1	5	-	-	-	-	-	-	68
48	16	-	28	4	4	1	-	3	-	69
55	5	-	43	7	16	1	-	14	1	70
21	3	-	13	5	8	1	-	7	-	71
13	1	-	11	1	2	-	-	2	-	72
21	1	-	19	1	6	-	-	5	1	73
2	1	-	1	-	-	-	-	-	-	74

Section 4. Fetal Mortality

Page

Trend of the fetal death ratio ---- 4-3

Fetal deaths by age of mother, gestation, and legitimacy ---- 4-7

Fetal deaths by sex and plurality ---- 4-7

Fetal deaths by period of gestation and geographic area ---- 4-8

Fetal death ratios by State ---- 4-10

Figure

4-1. Fetal death ratios by color: Birth-registration States, 1922-60 ---- 4-7

Text Tables

4-A. Minimum period of gestation for which fetal death registration is required and fetal deaths by period of gestation: United States and each State, 1960 ---- 4-4

4-B. Fetal deaths and fetal death ratios by color: Birth-registration States, 1922-32, and United States, 1933-60 ---- 4-5

4-C. Number and percentage distribution of fetal deaths, by age of mother, for specified periods of gestation: Selected areas combined, 1960 ---- 4-6

4-D. Fetal deaths and fetal death ratios, by legitimacy status, age of mother, and color: Total of 35 reporting States, 1960 ---- 4-6

4-E. Fetal deaths and fetal death rates, by plurality of birth, color, and sex: United States, 1960 ---- 4-8

4-F. Fetal deaths and fetal death ratios, by period of gestation and color, for metropolitan and nonmetropolitan counties in the United States and each geographic division; and for urban and rural areas in the United States: 1960 ---- 4-9

4-G. Fetal death ratios by color: United States, each division and State, 1956-60 ---- 4-11

General Tables

4-1. Fetal deaths by State of occurrence distributed according to State of residence: United States and each State, 1960 ---- 4-12

4-2. Fetal deaths by month and color: United States and each State, 1960 ---- 4-15

4-3. Fetal deaths by age of mother, total-birth order, color, and sex of child: United States, 1960 ---- 4-17

4-4. Fetal deaths by age of mother and race: United States and each State, 1960 ---- 4-19

4-5. Fetal deaths by total-birth order and color: United States and each State, 1960 ---- 4-23

4-6. Fetal deaths by attendant, gestation group, and color: United States and each State, 1960 ---- 4-25

4-7. Fetal deaths by birth weight, plurality of birth, color, and sex: United States, 1960 ---- 4-28

4-8. Fetal deaths by period of gestation, plurality of birth, color, and sex: United States, 1960 ---- 4-29

4-9. Fetal deaths by birth weight and color for the United States and each State; and by sex for the United States: 1960 ---- 4-30

4-10. Fetal deaths by period of gestation and color for the United States and each State; and by sex for the United States: 1960 ---- 4-33

SECTION 4: FETAL MORTALITY

The total number of fetal deaths registered in the United States in 1960 was 94,452. Of these, 68,480 are recorded as having occurred at gestation periods of 20 weeks or over, or gestation not stated, and 25,972 at earlier periods. Eight States and New York City required registration of fetal deaths of all gestations in 1960 and these areas account for nearly all of the early fetal deaths recorded during the year.[1] In Hawaii, which requires reporting of fetal deaths of all gestations and which is included in the tabulations for the United States for the first time, 1,031 fetal deaths were registered. Of these, 768 occurred at gestations of 19 weeks or less. The minimum period of gestation for which fetal death registration is required is shown for each State in table 4-A.

The fetal death rates and ratios presented in this report are based on occurrences at gestations of 20 weeks or over, or gestation not stated, except in table 4-B which also gives ratios based on all reported fetal deaths. The fetal death ratio for occurrences at gestations of 20 weeks or over is representative of all of the States and is the maximum span for which registration is required by laws or regulations in every State at the present time.

As has been noted in previous years, fetal deaths appear not to be fully reported, especially those which occur at 20-23 weeks gestation. Further information on underreporting in New York City based on a sample of patients of private physicians is given in a special study.[2] The sample contained 530 fetal deaths of which 171 were not reported to the Department of Health, a deficiency in reporting of 32.3 percent. For two gestation groups the figures are:

	Gestation at termination	
	Under 20 weeks	*20 weeks or more*
Total----------	345	185
Not reported----------	139	32
Percent not reported --	40.8	17.3

[1]Virginia, where the requirement for registration of fetal deaths of all gestations was put into effect on July 1, 1960, is not included.

[2]Unpublished fetal mortality data—derived from work sheets used in preparing a thesis for Harvard School of Public Health, April 1962—supplied in a letter of August 9, 1962, from Carl L. Erhardt, Sc. D., Director, Bureau of Records and Statistics, Department of Health, New York, N.Y.

New York City was the first registration area to require reporting of fetal deaths of all gestations. Since this requirement was put into effect in 1948 the Department of Health in that city has devoted considerable effort toward securing complete registration. It is therefore probable that New York City has achieved a level of completeness equal or superior to that found in most of the other parts of the country. Even so, about one-third of these events and about one-sixth of those occurring after 20 weeks gestation may be unreported.

Also, the comparatively large number of fetal-death certificates which do not contain information as to length of pregnancy complicates the problem of computing ratios based on events at gestations of 20 weeks or over. About one-third of the fetal deaths at gestations of 20 weeks or over in the United States were recorded in areas which require the registration of fetal deaths of all gestations. These areas also registered 2,554 fetal deaths out of a total of 8,018 for the entire United States in which gestation was not stated. In view of the registration requirements in these areas it cannot be assumed that the fetal deaths for which gestation information is not given belong chiefly to the 20 weeks and over group.

Prior to September 1960, Massachusetts certificates did not ask for gestation information. This question now appears on the fetal-death certificates in that State and should remove a sizable number of records from the category of gestation unknown by 1961. Further reduction in the number of these *unknowns* is needed, however, to provide the basis for more accurate rates.

Trend of the fetal death ratio

Fetal death ratios based on events reported as having occurred at gestations of 20 weeks or over or gestation not stated are given in table 4-B for each year from 1942 to the present. The slight rise from 16.3 in 1957 to 16.5 in 1958 is the only exception to a steady downward trend resulting in a ratio of 16.1 per 1,000 live births in 1960, which is less than two-thirds the ratio of 25.6 shown for 1942 when this series was begun. Ratios by color are shown in figure 4-1. Proportionally, the decrease among nonwhites has been somewhat greater than among whites, although the former ratio continues to be substantially higher. The ratio of 14.1 for whites in 1960 is the lowest ever recorded. The 26.8 recorded for nonwhites in 1960 returns this ratio to its previous low, first reached in 1957.

Table 4-A. Minimum Period of Gestation for Which Fetal Death Registration is Required and Fetal Deaths by Period of Gestation: United States and Each State, 1960

(By place of occurrence)

AREA	Minimum period of gestation for which fetal death registration is required	Total fetal deaths	PERIOD OF GESTATION[1]										
			Under 16 weeks	16-19 weeks	20-23 weeks	24-27 weeks	28-31 weeks	32-35 weeks	36 weeks	37-39 weeks	40 weeks	41-42 weeks	43 weeks and over	Not stated
UNITED STATES	...	94,452	21,333	4,039	7,535	7,030	7,611	8,181	4,938	7,575	14,693	2,028	871	8,018
Alabama	Advanced through 5th month (20 weeks)	1,784	5	16	148	215	213	186	131	127	571	14	7	151
Alaska	After 20 weeks	92	-	1	11	6	10	24	7	16	13	-	3	1
Arizona	Advanced to 20th week	476	-	3	52	45	51	54	43	56	132	20	6	14
Arkansas	All periods of gestation	721	[2]40	27	58	58	67	55	38	43	182	4	1	148
California	Advanced to 20th week	4,779	12	46	262	400	471	674	235	815	277	369	216	1,000
Colorado	All periods of gestation	2,268	[2]1,277	249	112	73	58	75	49	86	77	19	2	191
Connecticut	20 weeks	718	1	3	83	80	93	118	56	112	123	20	8	21
Delaware	After 20 weeks	179	1	2	19	11	21	17	13	23	39	2	-	31
District of Columbia	After 5th month	543	5	9	45	64	77	81	32	89	30	37	15	59
Florida	Advanced to 20th week	1,822	-	4	143	181	257	229	201	214	542	29	11	11
Georgia	All periods of gestation	3,591	[2]1,236	286	312	241	285	208	156	174	545	18	7	143
Hawaii	All periods of gestation	1,031	[2]691	77	56	34	33	32	14	26	42	6	4	16
Idaho	After 20 weeks	215	-	3	13	16	18	23	14	20	42	5	2	59
Illinois	Advanced to 5th month (20 weeks)	3,561	12	29	416	391	430	439	261	373	1,103	65	23	19
Indiana	20 weeks	1,618	4	22	137	140	163	194	103	169	395	49	13	229
Iowa	Advanced to 5th month (20 weeks)	767	1	2	45	84	78	96	52	109	170	27	6	97
Kansas	After 20 weeks[3]	697	2	4	69	52	77	105	64	111	162	30	12	9
Kentucky	20 weeks	1,111	3	3	101	109	145	117	106	119	340	20	9	39
Louisiana	After 20 weeks	1,478	3	24	131	171	218	217	138	132	403	18	8	15
Maine	All periods of gestation	423	[2]48	31	32	29	36	30	29	26	59	13	3	85
Maryland	20 weeks[4]	1,183	27	28	80	131	116	148	44	167	55	86	38	263
Massachusetts	20 weeks	1,582	---	---	---	---	---	---	---	---	---	---	---	1,582
Michigan	After 20 weeks	3,028	8	15	263	331	359	378	278	356	754	69	28	189
Minnesota	After 20 weeks	1,075	1	12	87	83	99	144	70	116	203	57	15	188
Mississippi	All periods of gestation	2,400	[2]659	184	236	145	183	136	89	78	516	10	5	157
Missouri	After 20 weeks	1,580	11	30	168	173	165	191	112	190	367	51	15	117
Montana	After 20 weeks	196	1	4	13	19	20	22	16	32	31	7	5	26
Nebraska	5 months	422	2	6	33	60	29	51	31	37	91	17	4	61
Nevada	After 20 weeks	103	-	-	6	13	13	10	13	11	29	-	1	5
New Hampshire	Advanced to 20th week	167	-	-	15	15	20	20	13	22	35	8	3	16
New Jersey	After 20 weeks	1,994	13	19	214	206	223	246	146	221	439	75	31	161
New Mexico	Advanced to 20th week	424	1	3	39	35	56	48	32	42	101	12	-	55
New York (excl. N.Y.C.)	20 weeks	2,918	6	20	321	321	336	422	240	374	669	112	36	61
New York City	All periods of gestation	22,985	[2]15,104	2,368	1,210	649	514	540	177	574	250	221	141	1,237
North Carolina	Advanced to 20th week	2,093	2	3	171	217	274	265	174	205	711	29	21	21
North Dakota	Advanced to 20th week	226	-	7	38	26	25	32	14	33	49	4	3	5
Ohio	20 weeks	3,367	2	21	352	371	374	482	289	378	622	86	22	388
Oklahoma	After 20 weeks	692	-	10	45	45	66	67	37	36	213	7	4	162
Oregon	All periods of gestation	1,301	[2]536	131	97	68	49	58	48	82	82	17	7	126
Pennsylvania	After 16 weeks	4,658	9	540	707	455	476	486	326	489	982	123	38	27
Rhode Island	After 20 weeks[3]	454	133	40	29	40	24	38	14	30	81	14	3	8
South Carolina	Advanced to 20th week	1,258	2	15	72	127	172	151	81	85	426	12	3	112
South Dakota	After 20 weeks	264	16	23	19	20	20	30	27	26	58	14	3	8
Tennessee	After 20 weeks	1,444	-	-	181	127	193	182	108	122	513	11	6	1
Texas	After 20 weeks	3,791	10	34	323	393	469	448	380	437	1,098	82	30	87
Utah	After 20 weeks	278	-	1	18	24	33	37	17	33	54	5	4	52
Vermont	All periods of gestation	304	[2]145	23	16	18	10	12	13	13	25	5	5	19
Virginia	All periods of gestation[5]	3,594	[2]1,299	234	257	211	196	205	165	179	371	37	8	432
Washington	After 20 weeks	753	1	7	81	83	104	111	56	106	167	21	11	5
West Virginia	5 months[6]	620	1	10	44	73	50	73	60	49	166	12	6	76
Wisconsin	After 20 weeks	1,325	3	6	152	142	150	165	121	210	265	57	17	37
Wyoming	After 20 weeks	99	-	2	9	9	10	9	5	12	23	2	2	16

[1]Period of gestation reported in months allocated to gestation interval in weeks as follows. 1-3 months to "Under 16 weeks", 4 months to "16-19 weeks"; 5 months to "20-23 weeks"; 6 months to "24-27 weeks"; 7 months to "28-31 weeks"; 8 months to "32-35 weeks"; 9 months to "40 weeks"; 10 months to "43 weeks and over."

[2]For areas which require reporting of fetal deaths at all periods of gestation, those at gestations of under 16 weeks are distributed as follows:

	Under 4 weeks	4-7 weeks	8-11 weeks	12-15 weeks
Arkansas	-	6	17	17
Colorado	15	205	610	447
Georgia	7	211	621	387
Hawaii	6	111	318	256
Maine	-	7	14	27
Mississippi	9	146	263	241
New York City	450	2,682	7,067	4,905
Oregon	3	111	255	167
Vermont	3	24	68	50
Virginia	9	293	643	354

[3]Asks but does not require that all fetal deaths be reported irrespective of the month of uterogestation.

[4]Further specifies that at 20 weeks "fetus averages 10 inches in length, 9 ounces in weight."

[5]Prior to July 1, 1960, reporting of fetal deaths at "advanced to 20th week" was required

[6]Further specifies "or total length of 10 inches "

Table 4-B. Fetal Deaths and Fetal Death Ratios by Color: Birth-Registration States, 1922-32, and United States, 1933-60

(Data refer only to fetal deaths occurring within the specified area. Ratios per 1,000 live births in specified group)

AREA AND YEAR	ALL FETAL DEATHS REPORTED REGARDLESS OF PERIOD OF GESTATION						FETAL DEATHS AT GESTATIONS OF 20 WEEKS OR MORE AND NOT STATED					
	Number			Ratio			Number			Ratio		
	Total	White	Nonwhite	Total	White	Nonwhite	Total	White	Nonwhite	Total	White	Nonwhite
UNITED STATES[1]												
1960	94,452	69,116	25,336	22.2	19.2	36.6	68,480	50,894	17,586	16.1	14.1	26.8
1959	92,566	67,993	24,573	21.8	18.9	36.0	68,613	50,911	17,702	16.2	14.2	27.3
1958	92,873	68,970	23,903	22.1	19.3	37.9	69,355	51,969	17,386	16.5	14.5	27.5
1957	92,681	69,518	23,163	21.8	19.2	36.6	69,561	52,591	16,970	16.3	14.5	26.8
1956	92,282	69,227	23,055	22.2	19.5	37.3	68,659	51,865	16,794	16.5	14.6	27.2
1955	91,907	69,174	22,733	22.7	20.0	38.6	69,153	52,411	16,742	17.1	15.2	28.4
1954	92,144	70,043	22,101	22.9	20.3	38.5	70,109	53,532	16,577	17.5	15.5	28.9
1953	86,313	65,636	20,677	22.1	19.6	37.9	69,393	53,252	16,141	17.8	15.9	29.6
1952	85,549	64,702	20,847	22.2	19.5	39.8	70,447	53,541	16,906	18.3	16.1	32.2
1951	84,696	64,629	20,067	22.6	20.0	39.1	70,569	54,071	16,498	18.8	16.7	32.1
1950	81,300	62,092	19,208	22.9	20.3	39.2	68,282	52,319	15,943	19.2	17.1	32.5
1949	81,489	62,599	18,890	22.9	20.3	39.7	70,584	54,114	16,470	19.8	17.5	34.6
1948	83,021	64,262	18,759	23.5	20.9	41.3	72,838	56,232	16,606	20.6	18.3	36.5
1947	87,831	69,013	18,818	23.7	21.1	44.2	77,917	61,072	16,845	21.1	18.7	39.6
1946	84,270	67,677	16,593	25.6	23.2	44.2	74,849	59,494	15,355	22.8	20.4	40.9
1945	72,854	57,690	15,164	26.6	24.1	44.6	65,513	51,242	14,271	23.9	21.4	42.0
1944	75,495	60,053	15,442	27.0	24.5	45.4	68,374	---	---	24.5	---	---
1943	78,485	62,776	15,709	26.7	24.2	46.2	71,873	---	---	24.5	---	---
1942	79,174	63,301	15,873	28.2	25.5	49.3	72,017	---	---	25.6	---	---
1941	75,133	58,467	16,666	29.9	26.5	54.0	---	---	---	---	---	---
1940	73,802	57,220	16,582	31.3	27.7	56.7	---	---	---	---	---	---
1939	72,598	55,892	16,706	32.0	28.2	59.0	---	---	---	---	---	---
1938	73,467	56,306	17,161	32.1	28.1	61.1	---	---	---	---	---	---
1937	73,609	56,242	17,367	33.4	29.2	63.2	---	---	---	---	---	---
1936	73,735	56,156	17,579	34.4	29.8	66.9	---	---	---	---	---	---
1935	77,119	58,767	18,352	35.8	31.1	68.7	---	---	---	---	---	---
1934	78,503	59,643	18,860	36.2	31.4	70.1	---	---	---	---	---	---
1933	77,059	58,749	18,310	37.0	32.2	71.1	---	---	---	---	---	---
BIRTH-REGISTRATION STATES[2]												
1932	78,351	59,641	18,710	37.8	32.7	74.4	---	---	---	---	---	---
1931	80,616	62,417	18,199	38.2	33.4	74.1	---	---	---	---	---	---
1930	86,466	66,440	20,026	39.2	34.0	79.9	---	---	---	---	---	---
1929	85,678	66,124	19,554	39.5	34.4	79.7	---	---	---	---	---	---
1928	89,765	69,317	20,448	40.2	35.0	81.5	---	---	---	---	---	---
1927	82,931	67,056	15,875	38.8	34.8	74.8	---	---	---	---	---	---
1926	70,716	59,842	10,874	38.1	35.1	73.0	---	---	---	---	---	---
1925	71,519	60,762	10,757	38.1	35.1	73.1	---	---	---	---	---	---
1924	75,817	63,029	12,788	39.3	35.8	76.2	---	---	---	---	---	---
1923	69,757	59,089	10,668	38.9	35.9	71.8	---	---	---	---	---	---
1922	70,010	59,329	10,681	39.4	36.4	73.4	---	---	---	---	---	---

[1] Alaska included beginning 1959, and Hawaii, 1960.
[2] Increased in number from 30 States and the District of Columbia in 1922 to the entire conterminous United States in 1933.

683351 O - 63 - 2

Table 4-C. Number and Percentage Distribution of Fetal Deaths, by Age of Mother, for Specified Periods of Gestation: Selected Areas Combined, 1960

(By place of residence. Includes fetal deaths for areas in the United States which required reporting of all periods of gestation, except Virginia, which initiated reporting of all periods of gestation beginning July 1. The areas are: Arkansas, Colorado, Georgia, Hawaii, Maine, Mississippi, New York City, Oregon, and Vermont)

AGE OF MOTHER	NUMBER				PERCENT[1]			
	Total	Period of gestation			Total	Period of gestation		
		Under 20 weeks	20 weeks and over	Not stated		Under 20 weeks	20 weeks and over	Not stated
TOTAL	33,714	22,058	9,598	2,058	100.0	100.0	100.0	100.0
Under 15 years	67	24	39	4	0.2	0.1	0.4	0.2
15-19 years	3,151	1,795	1,159	197	9.4	8.2	12.3	9.9
20-24 years	9,247	6,236	2,445	566	27.7	28.5	25.9	28.3
25-29 years	8,593	5,935	2,170	488	25.8	27.1	23.0	24.4
30-34 years	6,441	4,245	1,822	374	19.3	19.4	19.3	18.7
35-39 years	4,214	2,635	1,317	262	12.6	12.0	13.9	13.1
40-44 years	1,481	951	436	94	4.4	4.3	4.6	4.7
45 years and over	158	90	54	14	0.5	0.4	0.6	0.7
Not stated	362	147	156	59	...	...	...	...

[1]Excludes fetal deaths for which age of mother was not stated.

Table 4-D. Fetal Deaths and Fetal Death Ratios, by Legitimacy Status, Age of Mother, and Color: Total of 35 Reporting States, 1960

(By place of residence. Data refer only to fetal deaths occurring within the reporting area for which the period of gestation was given as 20 weeks or more or was not stated. Ratios per 1,000 live births in specified group. For States reporting legitimacy status, see Technical Appendix)

AGE OF MOTHER AND COLOR	NUMBER			RATIO[2]		
	Total	Legitimate[1]	Illegitimate	Total	Legitimate[1]	Illegitimate
TOTAL	45,680	41,200	4,480	15.8	15.1	27.4
Under 15 years	155	42	113	30.8	28.6	31.7
15-19 years	5,606	4,211	1,395	13.8	12.3	21.8
20-24 years	11,246	10,130	1,116	11.7	11.1	23.1
25-29 years	10,174	9,511	663	14.0	13.6	29.1
30-34 years	8,812	8,244	568	19.3	18.6	42.1
35-39 years	6,525	6,099	426	27.2	26.2	56.5
40 years and over	2,657	2,505	152	40.7	39.7	71.2
Not stated	505	458	47	...	...	...
White	33,262	31,995	1,267	13.8	13.6	22.9
Under 15 years	51	31	20	28.4	31.6	24.5
15-19 years	3,603	3,209	394	11.6	11.1	17.9
20-24 years	8,445	8,101	344	10.4	10.2	19.5
25-29 years	7,687	7,496	191	12.4	12.3	27.5
30-34 years	6,430	6,298	132	16.7	16.5	34.0
35-39 years	4,732	4,603	129	23.3	23.0	51.2
40 years and over	1,956	1,911	45	35.6	35.4	52.7
Not stated	358	346	12	...	...	...
Nonwhite	12,418	9,205	3,213	26.2	25.2	29.6
Under 15 years	104	11	93	32.2	22.7	33.8
15-19 years	2,003	1,002	1,001	21.3	19.2	23.9
20-24 years	2,801	2,029	772	19.1	17.5	25.1
25-29 years	2,487	2,015	472	23.4	22.3	29.8
30-34 years	2,382	1,946	436	33.8	31.9	45.3
35-39 years	1,793	1,496	297	48.2	46.5	59.1
40 years and over	701	594	107	67.5	65.3	83.5
Not stated	147	112	35	...	...	...

[1]Includes legitimacy not stated.
[2]Figures for age of mother not stated are distributed.

FIGURE 4-I



Fetal deaths by age of mother, gestation, and legitimacy

Comparison of fetal losses prior to 20 weeks with those which occur after 20 weeks can be made for areas which require reporting of fetal losses at all gestations. With the admission of Hawaii to statehood there were nine such areas in 1960, as listed in the headnote to table 4-C. This table presents frequencies and percentage distribution of fetal deaths, by age of mother, by these two gestation groups as well as the fetal deaths for which gestation was not given on the certificates. The percentage of fetal deaths at less than 20 weeks gestation is considerably lower for mothers under age 20 than is the case for fetal deaths of longer gestations. This result is similar to that which has been found in previous years. A possible explanation for this is that the early fetal deaths may be less well reported among the younger mothers because of the high proportion of illegitimate births in these ages.

Information concerning illegitimate fetal deaths by age of mother and color is given in table 4-D. The data for this table are provided by 35 States in which legitimacy is reported on fetal-death certificates. Except for white mothers under 15 years of age where the frequencies are extremely small, the fetal death ratios for illegitimate births are higher in every age category than those for legitimate births. It may also be noted that the differences in these ratios are generally smaller among nonwhites than among whites.

Ratios for all fetal deaths in each age group show that some important differences exist when age of mother alone is considered. Ratios are lowest for mothers in the group 20-24 years. In the age groups immediately below and above this, that is, 15-19 and 25-29 years, the ratio increases slightly but is still below the average for mothers of all ages. With increasing age, the fetal death ratio increases sharply. The fetal death ratio for mothers under 15 years of age is 30.8, nearly double that for all ages. With minor variations, this pattern holds for both whites and nonwhites.

Fetal deaths by sex and plurality

Fetal deaths and fetal death rates per 1,000 live births by plurality, sex, and color are given in table 4-E. Fetal death rates are lower than ratios computed for the same data because of the addition of the fetal death component to the denominator of the rate. They are also more meaningful since the sum of births and fetal deaths represents the entire population known to be exposed to the risk of fetal death. The use of ratios in other fetal death tables has been deemed satisfactory because in groups where the ratios do not vary too greatly among themselves the effect of omitting fetal deaths

Table 4-E. Fetal Deaths and Fetal Death Rates, by Plurality of Birth, Color, and Sex: United States, 1960

(Data refer only to fetal deaths occurring within the United States, including Alaska and Hawaii, for which the period of gestation was given as 20 weeks or more or was not stated. Rates per 1,000 live births and fetal deaths in specified group)

PLURALITY OF BIRTH AND COLOR	NUMBER				RATE[1]		
	Total	Male	Female	Sex not stated	Total	Male	Female
TOTAL	68,480	34,623	29,732	4,122	15.8 ~~16.1~~	16.6 ~~16.8~~	15.0 ~~15.3~~
Fetal deaths in single deliveries	64,467	32,602	27,861	4,004	15.2 ~~15.5~~	16.0 ~~16.3~~	14.4 ~~14.6~~
Fetal deaths in twin deliveries	3,893	1,970	1,815	108	43.6 ~~45.3~~	45.0 ~~47.1~~	45.1 ~~44.0~~
Fetal deaths in other plural deliveries	120	54	56	10	88.0 ~~96.8~~	86.6 ~~94.9~~	89.3 ~~98.1~~
White	50,894	25,671	22,356	2,867	13.9 ~~14.1~~	14.5 ~~14.7~~	13.3 ~~13.5~~
Fetal deaths in single deliveries	47,903	24,147	20,975	2,781	13.4 ~~13.6~~	13.9 ~~14.1~~	12.8 ~~13.0~~
Fetal deaths in twin deliveries	2,894	1,478	1,337	79	40.6 ~~42.8~~	42.3 ~~44.6~~	39.0 ~~40.5~~
Fetal deaths in other plural deliveries	97	46	44	7	91.1 ~~100.6~~	92.3 ~~101.6~~	89.9 ~~98.7~~
Nonwhite	17,586	8,955	7,376	1,255	26.1 ~~26.8~~	28.3 ~~29.1~~	23.8 ~~24.4~~
Fetal deaths in single deliveries	16,564	8,455	6,886	1,223	25.2 ~~25.9~~	27.5 ~~28.3~~	22.9 ~~23.5~~
Fetal deaths in twin deliveries	999	492	478	29	55.4 ~~56.7~~	56.5 ~~58.0~~	54.4 ~~55.8~~
Fetal deaths in other plural deliveries	23	8	12	3	76.9 ~~83.3~~	64.7 69.2	85.7 ~~86.9~~

[1]Figures for "Sex not stated" are distributed.

from the denominator is approximately the same for all ratios in the table and they are therefore comparable. The variation in relative incidence of fetal deaths between the groups represented in table 4-E is too great to permit the use of ratios. About 6 percent of all fetal deaths in 1960 occurred in plural births. In comparison, 2.0 percent of all live-born infants are plural born. The fetal death rate among twins is 45.6, about three times the fetal death rate for single births. For other plural deliveries (triplets or higher) the rate is 96.5, over six times that for single deliveries. High fetal death rates among plural deliveries affect both sexes in about the same proportion.

The fetal death rate for males was over 11 percent higher than that for females. The same percentage difference was found for fetal death rates for single born males and single born females. Among twins, the fetal death rate for males was about 7 percent above that for females. Differences between the sexes with respect to rates for multiple deliveries of three or more babies deviate from the above pattern, but the number of cases involved in a single year is too small to allow for valid comparison.

The fetal death rate of 58.7 for nonwhite twins was 39 percent above the rate of 42.3 for the white. Among fetal deaths in single deliveries, however, the rate for nonwhites was almost double that for whites. The marked effect of plurality in reducing racial differences by greatly increasing rates for whites and nonwhites alike is evidence of the great influence of this factor on pregnancy outcome.

Fetal deaths by period of gestation and geographic area

Fetal deaths and ratios for whites and nonwhites by selected gestation intervals are given for different types of population aggregates in table 4-F. Counties have been classified as metropolitan when containing at least one city of 50,000 inhabitants or more in 1960 or when contiguous to such a county and socially and economically integrated with the city. Counties not meeting these criteria have been classified as nonmetropolitan. This dichotomy has been superimposed on the standard urban and rural classification used in the past, wherein each incorporated place of 2,500 population or more is classified as urban, and all remaining areas as rural. Table 4-F presents these data for the United States. Data for Massachusetts, which did not begin recording gestation on its certificates until the latter part of 1960, have been excluded from this table.

A comparison by area type shows that the ratios were lowest for residents of the rural areas in metropolitan counties. Actually such areas are more often suburban than rural in character. For whites, ratios for residents of the urban and rural parts of the nonmetropolitan counties were lower than the ratio for residents of the urban areas in metropolitan counties. For nonwhites, however, the ratio for residents of the rural areas in metropolitan counties was lower than that for the residents of the urban parts of metropolitan counties. Ratios for nonwhites were highest in nonmetropolitan

Table 4-F. Fetal Deaths and Fetal Death Ratios, by Period of Gestation and Color, for Metropolitan and Nonmetropolitan Counties in the United States and Each Geographic Division; and for Urban and Rural Areas in the United States: 1960

(By place of residence. Data refer only to fetal deaths occurring within the United States, including Alaska and Hawaii, for which the period of gestation was given as 20 weeks or more or was not stated. Ratios per 1,000 live births of all gestations in specified area and color group. For definitions of areas, see Technical Appendix)

AREA AND COLOR	NUMBER				RATIO			
	Total	Period of gestation			Total	Period of gestation		
		20-27 weeks	28 weeks and over	Not stated		20-27 weeks	28 weeks and over	Not stated
UNITED STATES[1]	66,905	14,559	45,883	6,463	16.1	3.5	11.1	1.6
White	49,399	10,249	34,230	4,920	14.2	2.9	9.8	1.4
Nonwhite	17,506	4,310	11,653	1,543	28.8	6.6	17.9	2.4
Urban	42,626	9,985	28,400	4,241	16.6	3.9	11.0	1.6
White	30,716	6,754	20,836	3,126	14.5	3.2	9.8	1.5
Nonwhite	11,910	3,231	7,564	1,115	26.4	7.2	16.7	2.5
Rural	24,279	4,574	17,483	2,222	15.4	2.9	11.1	1.4
White	18,683	3,495	13,394	1,794	13.6	2.6	9.8	1.3
Nonwhite	5,596	1,079	4,089	428	27.8	5.4	20.3	2.1
Metropolitan counties	42,180	9,824	28,323	4,033	16.2	3.8	10.8	1.5
White	31,216	6,825	21,395	2,996	14.3	3.1	9.8	1.4
Nonwhite	10,964	2,999	6,928	1,037	25.8	7.0	16.3	2.4
Urban	33,470	8,133	22,009	3,328	17.0	4.1	11.2	1.7
White	23,640	5,363	15,894	2,383	14.8	3.4	10.0	1.5
Nonwhite	9,830	2,770	6,115	945	26.1	7.4	16.3	2.5
Rural	8,710	1,691	6,314	705	13.7	2.7	9.9	1.1
White	7,576	1,462	5,501	613	12.9	2.5	9.4	1.0
Nonwhite	1,134	229	813	92	22.8	4.6	16.4	1.9
Nonmetropolitan counties	24,725	4,735	17,560	2,430	16.1	3.1	11.5	1.6
White	18,183	3,424	12,835	1,924	13.9	2.6	9.8	1.5
Nonwhite	6,542	1,311	4,725	506	28.8	5.8	20.8	2.2
Urban	9,156	1,852	6,391	913	15.3	3.1	10.7	1.5
White	7,076	1,391	4,942	743	13.6	2.7	9.5	1.4
Nonwhite	2,080	461	1,449	170	27.5	6.1	19.2	2.2
Rural	15,569	2,883	11,169	1,517	16.7	3.1	12.0	1.6
White	11,107	2,033	7,893	1,181	14.2	2.6	10.1	1.5
Nonwhite	4,462	850	3,276	336	29.5	5.6	21.6	2.2
NEW ENGLAND[1]	1,656	356	1,130	170	13.6	2.9	9.3	1.4
White	1,561	331	1,063	167	13.4	2.8	9.1	1.4
Nonwhite	95	25	67	3	19.7	5.2	13.9	0.6
Metropolitan counties	911	214	641	56	13.4	3.2	9.5	0.8
White	830	192	584	54	13.0	3.0	9.2	0.8
Nonwhite	81	22	57	2	20.1	5.5	14.2	0.5
Nonmetropolitan counties	745	142	489	114	13.8	2.6	9.1	2.1
White	731	139	479	113	13.8	2.6	9.0	2.1
Nonwhite	14	3	10	1	17.8	3.8	12.7	1.3
MIDDLE ATLANTIC	14,463	4,073	8,899	1,491	19.7	5.6	12.1	2.0
White	11,277	2,913	7,383	981	17.5	4.5	11.5	1.5
Nonwhite	3,186	1,160	1,516	510	35.6	12.9	16.9	5.7
Metropolitan counties	12,315	3,601	7,320	1,394	20.7	6.0	12.3	2.3
White	9,254	2,476	5,884	894	18.1	4.8	11.5	1.7
Nonwhite	3,061	1,125	1,436	500	36.2	13.3	17.0	5.9
Nonmetropolitan counties	2,148	472	1,579	97	15.6	3.4	11.5	0.7
White	2,023	437	1,499	87	15.3	3.3	11.3	0.7
Nonwhite	125	35	80	10	24.9	7.0	15.9	2.0
EAST NORTH CENTRAL	12,851	2,713	9,278	860	14.6	3.1	10.6	1.0
White	10,543	2,116	7,667	760	13.5	2.7	9.8	1.0
Nonwhite	2,308	597	1,611	100	23.7	6.1	16.5	1.0
Metropolitan counties	9,082	1,988	6,619	455	15.0	3.3	11.0	0.8
White	6,885	1,421	5,093	371	13.4	2.8	9.9	0.7
Nonwhite	2,177	567	1,526	84	23.8	6.2	16.7	0.9
Nonmetropolitan counties	3,789	725	2,659	405	13.8	2.6	9.7	1.5
White	3,658	695	2,574	389	13.7	2.6	9.6	1.5
Nonwhite	131	30	85	16	22.4	5.1	14.5	2.7
WEST NORTH CENTRAL	4,851	930	3,445	476	13.2	2.5	9.3	1.3
White	4,317	809	3,061	447	12.5	2.3	8.8	1.3
Nonwhite	534	121	384	29	23.3	5.3	16.7	1.3
Metropolitan counties	2,314	496	1,688	130	13.3	2.8	9.7	0.7
White	1,926	394	1,410	122	12.2	2.5	9.0	0.8
Nonwhite	388	102	278	8	22.7	6.0	16.2	0.5
Nonmetropolitan counties	2,537	434	1,757	346	13.1	2.2	9.0	1.8
White	2,391	415	1,651	325	12.7	2.2	8.8	1.7
Nonwhite	146	19	106	21	25.0	3.3	16.2	3.6
SOUTH ATLANTIC	11,715	2,407	8,172	1,136	18.6	3.8	13.0	1.8
White	6,502	1,324	4,454	724	14.7	3.0	10.0	1.6
Nonwhite	5,213	1,083	3,718	412	28.1	5.8	20.1	2.2
Metropolitan counties	5,593	1,191	3,763	639	17.3	3.7	11.7	2.0
White	3,301	689	2,164	448	14.2	3.0	9.3	1.9
Nonwhite	2,292	502	1,599	191	25.6	5.6	17.9	2.1
Nonmetropolitan counties	6,122	1,216	4,409	497	20.0	4.0	14.4	1.6
White	3,201	635	2,290	276	15.2	3.0	10.9	1.3
Nonwhite	2,921	581	2,119	221	30.5	6.1	22.1	2.3

[1]Excludes data for Massachusetts. This State did not require the reporting of period of gestation before September 1960.

Table 4-F. Fetal Deaths and Fetal Death Ratios, by Period of Gestation and Color, for Metropolitan and Nonmetropolitan Counties in the United States and Each Geographic Division; and for Urban and Rural Areas in the United States: 1960—Con.

(By place of residence. Data refer only to fetal deaths occurring within the United States, including Alaska and Hawaii, for which the period of gestation was given as 20 weeks or more or was not stated. Ratios per 1,000 live births of all gestations in specified area and color group. For definitions of areas, see Technical Appendix)

AREA AND COLOR	NUMBER				RATIO			
	Total	Period of gestation			Total	Period of gestation		
		20-27 weeks	28 weeks and over	Not stated		20-27 weeks	28 weeks and over	Not stated
EAST SOUTH CENTRAL	5,817	1,256	4,214	347	19.8	4.3	14.3	1.2
White	3,078	624	2,281	173	14.8	3.0	11.0	0.8
Nonwhite	2,739	632	1,933	174	31.6	7.3	22.4	2.0
Metropolitan counties	1,950	482	1,386	82	17.6	4.4	12.5	0.7
White	1,040	246	744	50	13.3	3.2	9.5	0.6
Nonwhite	910	236	642	32	27.8	7.2	19.6	1.0
Nonmetropolitan counties	3,867	774	2,828	265	21.1	4.2	15.4	1.4
White	2,038	378	1,537	123	15.7	2.9	11.8	0.9
Nonwhite	1,829	396	1,291	142	34.0	7.4	24.0	2.6
WEST SOUTH CENTRAL	6,575	1,227	4,929	419	15.3	2.8	11.4	1.0
White	4,376	785	3,287	304	12.9	2.3	9.7	0.9
Nonwhite	2,199	442	1,642	115	24.1	4.9	18.0	1.3
Metropolitan counties	3,583	704	2,737	142	14.5	2.8	11.1	0.6
White	2,465	457	1,933	95	12.5	2.3	9.8	0.5
Nonwhite	1,098	247	804	47	22.5	5.1	16.5	1.0
Nonmetropolitan counties	2,992	523	2,192	277	16.3	2.8	11.9	1.5
White	1,891	328	1,354	209	13.4	2.3	9.6	1.5
Nonwhite	1,101	195	838	68	26.1	4.6	19.8	1.6
MOUNTAIN	2,505	500	1,595	410	13.4	2.7	8.5	2.2
White	2,287	459	1,437	391	13.2	2.7	8.3	2.3
Nonwhite	219	41	158	19	15.5	2.9	11.3	1.4
Metropolitan counties	1,293	289	803	201	14.3	3.2	8.9	2.2
White	1,198	266	737	195	14.0	3.1	8.6	2.3
Nonwhite	95	23	66	6	18.4	4.4	12.8	1.2
Nonmetropolitan counties	1,212	211	792	209	12.6	2.2	8.2	2.2
White	1,089	193	700	196	12.4	2.2	8.0	2.2
Nonwhite	123	18	92	13	13.9	2.0	10.4	1.5
PACIFIC	6,472	1,097	4,221	1,154	12.9	2.2	8.4	2.3
White	5,458	888	3,597	973	12.4	2.0	8.2	2.2
Nonwhite	1,014	209	624	181	16.6	3.4	10.2	3.0
Metropolitan counties	5,159	859	3,366	934	13.0	2.2	8.5	2.3
White	4,297	684	2,846	767	12.4	2.0	8.2	2.2
Nonwhite	862	175	520	167	16.5	3.3	9.9	3.2
Nonmetropolitan counties	1,313	238	855	220	12.8	2.3	8.3	2.1
White	1,161	204	751	206	12.4	2.2	8.0	2.2
Nonwhite	152	34	104	14	17.0	3.8	11.7	1.6

counties. The differences in the ratios by geographic classification which have been described in this paragraph were similar to those found in 1959.

Table 4-F also presents fetal deaths and ratios by gestation, color, and geographic area.

Fetal death ratios by State

Fetal death ratios by color, for each division and State are shown for the years 1956 to 1960 in table 4-G. As mentioned previously, fetal deaths are known to be seriously underreported. The extent to which this underreporting varies from one State or division to another is unknown. Hence, comparison of fetal mortality levels between different geographic locations is difficult. Comparisons between one time period and another for the same State or division can be made, however, subject to the assumption that the extent to which fetal deaths were underreported did not vary greatly over a short period of years. Such an assumption would not be warranted in a State where it was known that concerted efforts toward improvement in reporting had been made.

While fetal death ratios for the United States were lower for both whites and nonwhites in 1960 than in 1959, a reduction was not experienced in all divisions. In the East North Central Division fetal death ratios went up in 1960 for both whites and nonwhites. In the New England, Middle Atlantic, and South Atlantic Divisions, ratios were lower for nonwhites but higher for whites, and in the West North Central Division the ratio for whites declined and for nonwhites increased. Ratios were lower in 1960 for both whites and nonwhites in the West South Central, Mountain, and Pacific Divisions. For both whites and nonwhites combined, the fetal death ratio declined in four divisions, increased in four, and remained the same as in 1959 in one. The largest decreases were recorded in the Mountain Division, where the fetal death ratio was 13.4 in 1960 compared with 13.9 for the previous year, and in the West South Central Division, with a ratio of 15.3 in 1960 as compared with 16.0 in 1959.

For the 51 areas listed in table 4-G the fetal death ratio was lower in 1960 than in 1959 in 26, higher in 23, and equal to 1959 in 2. In most places differences in ratio from 1959 to 1960 were slight.

Table 4-G. Fetal Death Ratios by Color: United States, Each Division and State, 1956-60

(By place of residence. Data refer only to fetal deaths occurring within the United States for which the period of gestation was given as 20 weeks or more or was not stated. Ratios per 1,000 live births in specified group. Ratios for frequencies less than 20 are underlined)

DIVISION AND STATE	1960			1959			1958			1957			1956		
	Total	White	Non-white	Total	White	Non-white	Total	White	Non-white	Total	White	Non-white	Total	White	Non-white
UNITED STATES[1]	16.1	14.1	26.8	16.2	14.2	27.3	16.5	14.5	27.5	16.3	14.5	26.8	16.5	14.6	27.2
GEOGRAPHIC DIVISIONS:															
New England	13.6	13.4	19.2	13.5	13.3	19.9	15.1	14.8	22.2	13.7	13.5	19.8	14.4	14.2	19.1
Middle Atlantic	19.7	17.5	35.6	19.6	17.3	36.8	19.8	17.7	35.5	19.7	18.0	33.9	18.9	17.3	32.5
East North Central	14.6	13.5	23.7	14.5	13.4	22.8	14.9	13.8	23.7	14.9	13.8	23.7	15.1	14.1	23.6
West North Central	13.2	12.5	23.3	13.5	12.9	21.9	13.9	13.3	23.1	14.0	13.5	22.2	14.1	13.6	23.0
South Atlantic	18.6	14.7	28.1	18.5	14.3	28.2	18.4	14.3	28.1	18.2	14.3	27.3	18.8	14.6	28.4
East South Central	19.8	14.8	31.7	20.0	14.8	32.2	20.1	15.1	32.1	20.1	15.4	31.1	20.9	16.2	31.9
West South Central	15.3	12.9	24.1	16.0	13.4	25.4	16.2	13.8	25.1	15.9	13.5	24.6	16.0	13.7	24.5
Mountain	13.4	13.2	15.5	13.9	13.7	16.6	14.6	14.2	19.7	14.3	14.1	18.1	14.9	14.5	20.3
Pacific[1]	12.9	12.4	16.6	12.9	12.5	17.3	13.1	12.5	18.6	13.1	12.5	18.8	13.2	12.6	19.4
NEW ENGLAND:															
Maine[2]	14.3	14.4	6.5	15.0	15.0	15.9	15.2	15.2	17.7	16.4	16.4	21.7	17.0	16.9	33.3
New Hampshire	12.7	12.7	10.6	13.1	13.1	25.6	14.0	14.0	14.7	16.2	16.0	51.7	14.6	14.5	23.8
Vermont[2]	15.0	15.0	0	17.1	17.2	0	20.4	20.3	41.7	22.0	22.0	0	17.6	17.7	0
Massachusetts	13.7	13.5	18.7	13.2	13.0	18.7	16.4	16.2	21.9	12.6	12.4	16.3	14.0	13.8	18.6
Rhode Island	14.8	14.5	22.8	14.1	13.7	21.6	13.1	13.0	15.0	14.5	14.5	13.1	16.4	16.3	17.9
Connecticut	12.9	12.4	20.5	12.7	12.2	21.4	12.2	11.5	24.6	12.7	12.0	25.1	12.8	12.5	19.1
MIDDLE ATLANTIC:															
New York[2]	23.2	19.9	45.7	23.3	19.8	46.7	23.0	20.1	44.0	22.9	20.4	42.1	21.0	18.7	39.5
New Jersey	15.3	14.1	23.1	15.1	13.8	23.7	15.9	14.6	25.2	15.7	14.6	23.6	16.0	14.5	27.0
Pennsylvania	17.0	15.9	25.7	16.7	15.4	27.8	17.0	15.8	27.7	17.3	16.3	26.8	17.4	16.6	24.6
EAST NORTH CENTRAL:															
Ohio	14.5	13.8	20.7	14.9	13.9	23.4	14.9	14.1	21.2	14.8	13.8	23.9	15.5	14.6	23.1
Indiana	14.0	13.1	23.4	13.8	13.0	23.3	14.4	13.4	26.4	14.5	13.6	25.7	14.3	13.3	26.7
Illinois	15.0	13.2	24.2	14.7	13.3	22.2	15.5	13.8	24.7	15.5	14.1	23.2	15.0	13.6	23.1
Michigan	15.5	14.1	26.4	14.9	13.9	22.9	15.4	14.2	24.5	15.2	14.0	24.4	15.9	14.9	23.8
Wisconsin	13.3	12.8	23.2	12.7	12.3	22.4	12.8	12.5	18.5	13.3	13.0	19.3	13.5	13.1	22.7
WEST NORTH CENTRAL:															
Minnesota	12.0	11.9	17.7	13.2	13.1	20.8	13.0	12.8	23.4	13.4	13.2	23.3	12.7	12.6	19.5
Iowa	11.6	11.5	21.1	11.7	11.6	14.2	12.4	12.3	20.7	12.4	12.4	18.5	13.1	13.0	19.1
Missouri	15.2	13.7	24.2	15.0	13.7	23.6	15.8	14.3	25.0	16.2	15.3	22.4	16.4	15.1	24.9
North Dakota	13.0	12.7	20.8	11.9	11.7	16.3	13.6	13.6	13.2	11.9	11.7	18.8	12.6	12.0	34.6
South Dakota[3]	12.7	11.9	22.4	15.3	14.4	27.5	16.9	17.0	15.2	16.4	15.3	33.1	16.1	15.8	22.3
Nebraska	12.3	12.1	17.8	13.5	13.3	16.6	12.6	12.3	19.5	12.9	12.7	17.2	13.8	13.5	21.3
Kansas	13.9	13.1	26.1	13.0	12.6	18.8	13.9	13.3	21.9	13.4	12.9	21.2	13.4	13.1	17.5
SOUTH ATLANTIC:															
Delaware	15.0	12.5	26.2	13.9	11.9	22.4	17.4	14.6	29.8	19.5	16.4	34.4	18.0	15.1	32.0
Maryland	15.8	13.6	23.4	16.4	14.4	23.0	15.9	13.2	24.8	15.8	13.5	23.6	17.0	15.5	22.3
District of Columbia	20.0	16.3	21.7	18.2	14.6	20.0	16.1	13.9	17.2	18.7	14.1	21.4	18.0	13.2	21.2
Virginia[2]	22.1	19.3	30.3	18.3	14.8	28.5	18.2	14.6	28.7	18.1	14.4	28.8	18.6	14.9	29.3
West Virginia	15.0	14.4	27.2	16.7	16.1	26.5	17.3	17.1	21.2	16.6	16.2	22.6	17.0	16.6	24.3
North Carolina	19.0	14.1	29.5	19.3	13.9	30.7	19.7	14.5	30.5	18.5	13.9	27.7	19.1	13.9	29.8
South Carolina	21.1	13.3	31.7	20.2	12.6	30.4	20.7	13.0	31.0	18.9	12.7	27.1	19.8	12.5	29.1
Georgia[2]	20.5	15.3	30.1	21.2	16.1	30.6	20.5	15.2	30.1	21.3	16.0	30.8	21.7	15.7	32.3
Florida	15.9	12.3	25.6	17.0	13.1	27.4	17.0	13.2	27.1	16.8	13.3	25.9	17.0	13.3	26.6
EAST SOUTH CENTRAL:															
Kentucky	15.2	14.3	25.0	16.1	15.2	25.4	15.9	15.1	24.1	16.9	15.8	27.8	17.4	16.6	25.8
Tennessee	17.1	14.6	25.8	16.5	13.8	25.9	17.7	15.0	27.6	17.5	14.9	26.8	18.0	16.0	25.2
Alabama	21.9	15.1	33.4	21.6	15.0	32.6	21.0	14.6	31.7	20.6	15.2	29.4	21.6	15.1	31.8
Mississippi[2]	26.1	16.0	34.7	27.2	16.1	36.8	27.5	16.6	36.8	27.0	15.8	35.8	28.3	17.5	36.7
WEST SOUTH CENTRAL:															
Arkansas[2]	16.4	12.6	25.2	16.4	11.9	26.9	14.9	10.8	24.7	16.0	12.7	23.3	14.8	11.8	21.5
Louisiana	16.1	11.0	24.2	16.8	12.1	24.1	18.0	12.6	26.4	17.4	12.3	25.3	18.4	13.5	25.8
Oklahoma	13.6	12.1	23.0	13.5	12.4	20.4	13.3	11.8	23.4	13.2	12.3	19.3	14.2	13.5	19.2
Texas	15.1	13.6	23.9	16.1	14.2	27.0	16.3	15.0	24.3	15.8	14.2	25.2	15.7	14.0	25.3
MOUNTAIN:															
Montana	10.8	10.5	14.9	12.7	12.1	21.2	13.5	12.7	25.5	12.2	11.9	16.8	13.7	13.4	19.4
Idaho	12.1	11.8	24.2	11.5	11.4	20.5	12.1	12.0	16.1	11.2	11.2	10.0	12.1	12.0	18.5
Wyoming	11.2	11.1	13.9	14.4	14.3	16.0	15.4	15.2	21.4	15.5	15.4	15.6	12.9	12.8	15.6
Colorado[2]	17.2	17.0	22.6	16.6	16.5	19.7	17.5	17.3	22.7	17.9	17.5	28.1	17.5	17.2	25.3
New Mexico	14.1	14.0	15.0	13.7	13.8	13.6	14.5	14.0	18.5	14.4	14.3	15.0	15.4	15.3	16.5
Arizona	12.7	12.4	14.5	14.2	13.6	17.0	14.4	13.9	17.4	14.0	13.3	17.6	15.4	14.4	21.5
Utah	10.5	10.5	7.2	11.6	11.4	15.8	12.4	12.0	31.0	11.9	11.8	15.2	12.2	12.0	24.3
Nevada	13.9	13.8	14.8	14.3	14.6	12.5	14.3	13.5	19.9	15.9	15.4	20.7	16.7	16.7	16.9
PACIFIC:															
Washington	11.5	11.1	18.2	11.6	11.2	18.2	11.8	11.5	17.3	12.2	11.8	19.6	12.2	11.8	20.1
Oregon[2]	16.1	16.1	17.2	14.7	14.6	18.5	14.4	13.9	32.8	15.3	15.0	27.3	15.5	15.2	27.9
California	12.8	12.2	17.1	13.0	12.5	17.5	13.1	12.5	18.3	13.0	12.4	18.5	13.2	12.5	19.1
Alaska[4]	12.0	10.2	16.1	13.5	14.4	11.8	(11.6)	(10.9)	(13.1)	(10.5)	(9.5)	(12.9)	(13.8)	(13.6)	(14.3)
Hawaii[2 5]	15.3	17.9	14.1	(15.3)	(16.4)	(14.9)	(13.0)	(13.0)	(13.0)	(13.0)	(12.0)	(13.3)	(14.1)	(16.4)	(13.3)

[1]Excludes Alaska prior to 1959 and Hawaii prior to 1960.
[2]Maine, Vermont, New York City, Virginia (effective July 1, 1960), Georgia, Mississippi, Arkansas, Colorado, Oregon, and Hawaii required reporting of all fetal deaths regardless of gestation period. Since fetal deaths for which gestation was not stated are included in computing the ratios in this table, ratios for these areas may be overstated as a result of inclusion of some early fetal deaths from the not stated group.
[3]Required reporting of all fetal deaths through June 1959, after which the registration requirement was limited to fetal deaths at gestations of 20 weeks or more.
[4]Figures for 1956-58 are by place of occurrence.
[5]Figures for 1956-59 are by place of occurrence.

Table 4-1. Fetal Deaths by State of Occurrence Distributed According to State of Residence: United States and Each State, 1960

(Data refer only to fetal deaths for which the period of gestation was given as 20 weeks or more or was not stated. Unit of residence is defined as the county or county equivalent of which the mother was a resident)

STATE OF OCCURRENCE	Total fetal deaths occurring in State	Fetal deaths to residents occurring in county of residence	FETAL DEATHS TO NONRESIDENTS														
			Total	Intrastate nonresidents	Interstate nonresidents												
					Total	State of residence											
						Ala.	Alaska	Ariz.	Ark.	Calif.	Colo.	Conn.	Del.	D.C.	Fla.	Ga.	Hawaii	Idaho
UNITED STATES	68,480	57,864	10,616	9,063	1,553	33	-	4	33	40	10	32	10	18	29	35	-	6
Alabama	1,763	1,558	205	181	24	...	-	-	-	-	-	-	-	-	8	4	-	-
Alaska	91	85	6	6	-	-	...	-	-	-	-	-	-	-	-	-	-	-
Arizona	473	442	31	21	10	-	-	...	-	5	-	-	-	-	-	-	-	-
Arkansas	654	530	124	102	22	-	-	-	...	1	-	-	-	-	-	-	-	-
California	4,719	4,413	306	293	13	-	-	-	-	...	-	-	-	-	-	-	-	1
Colorado	742	528	214	200	14	-	-	-	-	2	...	-	-	-	-	-	-	-
Connecticut	714	660	54	43	11	-	-	-	-	-	-	...	-	-	1	-	-	-
Delaware	176	158	18	6	12	-	-	-	-	-	-	-	...	-	-	-	-	-
District of Columbia	529	380	149	-	149	-	-	-	-	-	1	-	-	...	-	-	-	-
Florida	1,818	1,707	111	99	12	-	-	-	-	-	-	-	-	-	...	4	-	-
Georgia	2,069	1,595	474	417	57	16	-	-	-	-	-	-	-	-	11	...	-	-
Hawaii	263	260	3	3	-	-	-	-	-	-	-	-	-	-	-	-	...	-
Idaho	212	169	43	32	11	-	-	-	1	-	1	-	-	-	-	-	-	...
Illinois	3,520	3,169	351	289	62	1	-	-	1	3	1	-	-	1	-	1	-	-
Indiana	1,592	1,340	252	206	46	-	-	-	-	-	-	-	-	-	-	-	-	-
Iowa	764	571	193	154	39	-	-	-	-	1	-	-	-	-	-	-	-	-
Kansas	691	574	117	92	25	-	-	-	-	1	1	-	-	-	-	-	-	-
Kentucky	1,105	813	292	240	52	1	-	-	-	-	-	-	1	-	-	-	-	-
Louisiana	1,451	951	500	479	21	1	-	-	4	-	-	-	-	-	-	-	-	-
Maine	344	299	45	30	15	-	-	-	-	-	-	2	-	-	-	-	-	-
Maryland	1,128	814	314	282	32	-	-	-	-	-	-	-	3	10	-	-	-	-
Massachusetts	1,582	1,304	278	248	30	-	-	-	-	1	-	5	-	-	-	1	-	-
Michigan	3,005	2,525	480	462	18	1	-	-	-	-	-	-	-	-	-	-	-	-
Minnesota	1,062	809	253	219	34	-	-	-	-	-	-	-	-	-	1	1	-	-
Mississippi	1,557	1,288	269	233	36	8	-	-	1	-	-	-	-	-	-	1	-	-
Missouri	1,539	1,068	471	369	102	-	-	-	-	4	-	-	-	-	1	2	-	-
Montana	191	164	27	21	6	-	-	-	-	-	-	-	-	-	-	-	-	-
Nebraska	414	326	88	76	12	-	-	-	-	-	1	-	-	-	-	-	-	-
Nevada	103	94	9	4	5	-	-	-	-	5	-	-	-	-	-	-	-	-
New Hampshire	167	140	27	13	14	-	-	-	-	-	-	-	-	-	-	-	-	-
New Jersey	1,962	1,639	323	300	23	-	-	-	-	-	-	-	1	-	-	-	-	-
New Mexico	420	368	52	42	10	-	-	4	-	-	1	-	-	-	-	-	-	-
New York	8,405	7,829	576	476	100	-	-	-	-	2	-	20	1	-	2	-	-	-
North Carolina	2,088	1,763	325	287	38	-	-	-	-	-	-	-	-	-	-	1	-	-
North Dakota	219	152	67	51	16	-	-	-	-	-	-	-	-	-	-	-	-	-
Ohio	3,344	2,890	454	397	57	-	-	-	-	1	-	-	-	-	-	-	-	-
Oklahoma	682	567	115	107	8	-	-	-	-	1	1	-	-	-	-	-	-	-
Oregon	634	532	102	79	23	-	-	-	-	4	-	-	-	-	-	-	-	3
Pennsylvania	4,109	3,503	606	538	68	-	-	-	-	-	-	-	3	2	-	-	-	-
Rhode Island	281	253	28	15	13	-	-	-	-	-	-	5	-	-	-	-	-	-
South Carolina	1,241	1,120	121	102	19	-	-	-	-	-	-	-	-	-	4	2	-	-
South Dakota	225	142	83	71	12	-	-	-	-	-	-	-	-	-	-	-	-	-
Tennessee	1,444	1,181	263	174	89	4	-	-	20	-	-	-	-	-	-	18	-	-
Texas	3,747	3,381	366	338	28	-	-	-	6	2	1	-	-	-	-	-	-	-
Utah	277	234	43	33	10	1	-	-	-	4	2	-	-	-	-	-	-	-
Vermont	136	110	26	15	11	-	-	-	-	-	-	-	-	-	-	-	-	-
Virginia	2,061	1,131	930	877	53	-	-	-	-	-	-	-	1	5	1	-	-	-
Washington	745	674	71	62	9	-	-	-	-	1	-	-	-	-	-	-	-	2
West Virginia	609	460	149	98	51	-	-	-	-	1	-	-	-	-	-	-	-	-
Wisconsin	1,316	1,111	205	178	27	-	-	-	-	1	-	-	-	-	-	-	-	-
Wyoming	97	90	7	3	4	-	-	-	-	-	-	-	-	-	-	-	-	-

Table 4-1. Fetal Deaths by State of Occurrence Distributed According to State of Residence: United States and Each State, 1960—Continued

(Data refer only to fetal deaths for which the period of gestation was given as 20 weeks or more or was not stated. Unit of residence is defined as the county or county equivalent of which the mother was a resident)

STATE OF OCCURRENCE	FETAL DEATHS TO NONRESIDENTS—Continued																	
	Interstate nonresidents—Continued																	
	State of residence—Continued																	
	Ill.	Ind.	Iowa	Kans.	Ky.	La.	Maine	Md.	Mass.	Mich.	Minn.	Miss.	Mo.	Mont.	Nebr.	Nev.	N.H.	N.J.	N. Mex.
UNITED STATES	119	29	20	41	43	24	2	123	23	38	25	25	47	3	20	3	23	82	24
Alabama	1	-	-	-	-	-	-	-	-	1	-	5	-	-	-	-	-	-	-
Alaska	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Arizona	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	2
Arkansas	1	-	-	-	-	1	-	-	-	-	-	-	5	-	-	-	-	-	-
California	1	-	-	-	-	-	-	-	-	1	-	-	-	1	-	2	-	-	-
Colorado	-	-	-	1	-	-	-	-	-	-	-	-	1	-	-	-	-	-	6
Connecticut	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Delaware	-	-	-	1	-	-	-	7	-	-	-	-	-	-	-	-	-	1	-
District of Columbia	-	-	-	-	-	-	-	93	-	2	-	-	-	-	-	-	-	-	-
Florida	1	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-
Georgia	-	2	-	-	-	1	-	-	-	1	-	1	-	-	-	-	-	-	-
Hawaii	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Idaho	-	-	-	-	-	-	-	-	-	-	-	-	-	2	-	-	-	-	1
Illinois	...	8	5	-	1	-	-	-	-	3	1	3	11	-	-	-	-	-	-
Indiana	26	...	-	-	1	-	-	-	-	5	-	-	-	-	-	-	-	-	-
Iowa	12	-	...	-	-	-	-	-	-	-	3	-	6	-	11	-	-	-	1
Kansas	-	-	-	...	-	-	-	-	-	-	-	-	19	-	-	-	-	-	-
Kentucky	5	6	-	-	...	-	-	-	-	1	-	-	-	-	-	-	-	-	-
Louisiana	-	-	-	1	-	...	-	-	1	-	-	3	-	-	-	-	-	-	-
Maine	-	-	-	-	-	-	...	-	3	-	-	-	-	-	-	-	10	-	-
Maryland	-	-	-	-	1	-	-	...	-	-	-	-	-	-	-	-	-	1	-
Massachusetts	-	1	-	-	-	-	-	-	...	-	-	1	-	-	-	-	7	-	1
Michigan	1	1	-	-	-	-	-	1	-	...	-	1	-	-	-	-	-	-	-
Minnesota	-	-	5	-	-	-	-	-	-	1	...	-	1	-	-	-	-	-	-
Mississippi	1	-	-	-	-	16	-	-	-	-	-	...	-	-	-	-	-	-	-
Missouri	46	1	2	34	-	1	-	-	1	-	1	-	...	-	2	-	-	-	-
Montana	-	-	-	-	-	-	-	-	-	-	1	-	-	...	-	-	-	-	-
Nebraska	-	-	5	1	-	-	-	-	-	-	-	-	1	-	...	-	-	-	-
Nevada	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	...	-	-	-
New Hampshire	-	-	-	-	-	-	1	-	2	-	-	-	-	-	-	-	...	-	-
New Jersey	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	...	-
New Mexico	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	...
New York	-	-	-	-	-	2	1	-	7	-	-	-	-	-	-	-	-	41	-
North Carolina	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-
North Dakota	-	-	-	-	-	-	-	-	-	-	9	-	-	-	-	-	-	-	-
Ohio	3	8	-	-	15	-	-	1	-	16	-	-	-	-	-	-	-	-	-
Oklahoma	2	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1
Oregon	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1
Pennsylvania	1	-	-	-	-	-	-	11	-	1	2	-	-	-	-	-	-	37	-
Rhode Island	-	-	-	-	-	-	-	-	7	-	-	-	-	-	-	-	-	1	-
South Carolina	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
South Dakota	1	-	-	-	-	-	-	-	-	-	1	-	-	-	7	-	-	-	-
Tennessee	2	1	-	-	15	-	-	-	-	-	-	11	1	-	-	-	-	-	-
Texas	-	1	-	2	-	2	-	-	-	1	-	-	-	-	-	-	-	-	10
Utah	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	1
Vermont	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	6	-	-
Virginia	-	-	-	-	2	-	-	3	1	1	-	-	1	-	-	-	-	1	-
Washington	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
West Virginia	-	-	-	-	8	-	-	7	-	-	-	-	-	-	-	-	-	-	-
Wisconsin	14	-	3	-	-	-	-	-	-	1	7	-	-	-	-	-	-	-	-
Wyoming	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-

683351 O - 63 - 3

Table 4-1. Fetal Deaths by State of Occurrence Distributed According to State of Residence: United States and Each State, 1960—Continued

(Data refer only to fetal deaths for which the period of gestation was given as 20 weeks or more or was not stated. Unit of residence is defined as the county or county equivalent of which the mother was a resident)

STATE OF OCCURRENCE	FETAL DEATHS TO NONRESIDENTS—Continued																		Total fetal deaths to residents
	Interstate nonresidents—Continued																		
	State of residence—Continued																		
	N.Y.	N.C.	N. Dak.	Ohio	Okla.	Oreg.	Pa.	R.I.	S.C.	S. Dak.	Tenn.	Tex.	Utah	Vt.	Va.	Wash.	W. Va.	Wis.	Wyo.	
UNITED STATES	42	31	13	67	19	8	54	5	38	11	48	44	8	16	99	17	36	31	2	68,480
Alabama	-	-	-	-	-	-	-	-	-	-	4	1	-	-	-	-	-	-	-	1,772
Alaska	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	91
Arizona	-	-	-	-	-	-	1	-	-	-	-	1	-	-	-	-	-	-	-	467
Arkansas	-	-	-	-	8	-	-	-	-	-	1	5	-	-	-	-	-	-	-	665
California	-	1	-	1	-	2	-	-	-	-	-	1	1	-	-	1	-	-	-	4,746
Colorado	-	1	-	-	-	-	-	-	-	-	-	1	2	-	-	-	-	-	-	738
Connecticut	7	-	-	-	-	-	-	1	-	-	-	-	-	2	-	-	-	-	-	735
Delaware	-	-	-	-	-	-	3	-	-	-	-	-	-	-	-	-	-	-	-	174
District of Columbia	2	-	-	-	-	-	-	-	-	-	2	-	-	-	48	-	1	-	-	398
Florida	2	-	-	1	-	-	1	-	-	-	-	1	-	-	1	-	-	-	-	1,835
Georgia	-	1	-	2	-	-	-	-	15	-	7	-	-	-	-	-	-	-	-	2,047
Hawaii	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	263
Idaho	-	-	-	-	-	2	1	-	-	-	-	2	-	-	-	-	-	-	-	207
Illinois	1	-	-	2	-	-	2	-	-	-	5	3	-	-	2	-	-	7	-	3,577
Indiana	-	-	-	13	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	1,575
Iowa	-	-	-	-	-	-	-	-	-	2	-	2	-	-	-	-	-	1	-	745
Kansas	-	-	-	-	4	-	-	-	-	-	-	-	-	-	-	-	-	-	-	707
Kentucky	-	1	-	10	1	-	1	-	-	-	12	-	-	-	4	-	9	-	-	1,096
Louisiana	-	-	-	-	-	-	1	-	-	-	-	9	-	-	1	-	-	-	-	1,454
Maine	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	331
Maryland	1	1	-	-	-	-	2	-	-	-	-	1	-	-	8	-	4	-	-	1,219
Massachusetts	7	-	-	-	-	-	-	3	-	-	-	-	-	-	3	-	-	-	-	1,575
Michigan	-	-	-	2	-	-	-	-	-	-	1	-	-	-	-	-	-	10	-	3,025
Minnesota	-	-	7	-	1	-	-	-	-	2	-	3	-	-	-	-	-	12	-	1,053
Mississippi	-	-	-	-	-	-	-	-	-	-	8	-	-	-	-	-	-	1	-	1,546
Missouri	-	-	-	1	1	-	-	-	-	-	-	3	-	-	1	-	1	-	-	1,484
Montana	-	-	3	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	1	188
Nebraska	-	-	-	-	1	-	-	-	-	2	-	-	-	-	1	-	-	-	-	422
Nevada	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	101
New Hampshire	1	-	-	-	-	-	-	-	-	-	-	-	-	10	-	-	-	-	-	176
New Jersey	8	-	-	-	-	-	14	-	-	-	-	-	-	-	-	-	-	-	-	2,021
New Mexico	-	-	-	-	-	-	-	-	-	-	-	4	-	-	-	-	-	-	-	434
New York	...	-	-	4	-	-	18	-	-	-	-	-	-	1	-	-	1	-	-	8,347
North Carolina	1	...	-	-	-	-	-	-	20	-	2	-	-	-	13	-	-	-	-	2,081
North Dakota	-	-	...	-	1	1	-	-	-	5	-	-	-	-	-	-	-	-	-	216
Ohio	3	-	-	...	-	-	1	-	-	-	-	2	-	-	-	-	7	-	-	3,354
Oklahoma	-	-	-	-	...	-	-	-	-	-	-	2	-	-	-	-	-	-	-	893
Oregon	-	-	-	-	-	...	-	-	-	-	-	-	-	-	-	15	-	-	-	619
Pennsylvania	3	-	-	6	-	-	...	-	-	-	-	-	-	-	1	-	1	-	-	4,095
Rhode Island	-	-	-	-	-	-	-	...	-	-	-	-	-	-	-	-	-	-	-	273
South Carolina	-	12	-	-	-	-	1	-	...	-	-	-	-	-	-	-	-	-	-	1,260
South Dakota	-	-	3	-	-	-	-	-	-	...	-	-	-	-	-	-	-	-	-	224
Tennessee	-	3	-	-	-	-	-	-	-	-	...	-	-	-	14	-	-	-	-	1,403
Texas	-	-	-	-	2	-	-	1	-	-	-	...	-	-	-	-	-	-	-	3,763
Utah	-	-	-	-	-	-	-	-	-	-	-	-	...	-	-	-	-	-	1	275
Vermont	4	-	-	-	-	-	-	-	-	-	-	-	-	...	-	-	-	-	-	141
Virginia	2	11	-	-	-	-	2	-	3	-	6	1	-	-	...	-	12	-	-	2,107
Washington	-	-	-	-	-	3	-	-	-	-	-	1	1	-	-	...	-	-	-	753
West Virginia	-	-	-	25	-	-	6	-	-	-	-	-	-	-	4	-	...	-	-	594
Wisconsin	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	...	-	1,320
Wyoming	-	-	-	-	-	-	-	-	-	-	-	-	4	-	-	-	-	-	...	95

Table 4-2. Fetal Deaths by Month and Color: United States and Each State, 1960

(By place of residence. Data refer only to fetal deaths occurring within the United States, including Alaska and Hawaii, for which the period of gestation was given as 20 weeks or more or was not stated)

AREA AND COLOR	Total	Jan.	Feb.	Mar.	Apr.	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.
UNITED STATES	68,480	5,749	5,305	5,336	5,255	5,719	5,704	6,000	6,179	5,968	5,857	5,707	5,701
White	50,894	4,323	3,987	3,933	3,922	4,233	4,239	4,444	4,547	4,415	4,373	4,241	4,257
Nonwhite	17,586	1,426	1,338	1,403	1,333	1,486	1,465	1,556	1,632	1,553	1,484	1,466	1,444
Alabama	1,772	155	135	138	121	144	142	160	170	153	146	150	158
White	769	67	56	59	48	70	53	64	70	69	75	69	69
Nonwhite	1,003	88	79	79	73	74	89	96	100	84	71	81	89
Alaska	91	8	8	8	10	3	9	7	2	11	8	9	8
White	53	5	6	5	5	2	7	5	-	5	6	6	1
Nonwhite	38	3	2	3	5	1	2	2	2	6	2	3	7
Arizona	467	39	32	27	34	35	38	46	45	43	41	36	51
White	383	35	25	26	28	30	29	36	38	38	34	27	37
Nonwhite	84	4	7	1	6	5	9	10	7	5	7	9	14
Arkansas	665	54	46	56	49	53	69	55	59	65	52	50	57
White	357	27	20	30	25	27	38	26	32	32	37	33	30
Nonwhite	308	27	26	26	24	26	31	29	27	33	15	17	27
California	4,746	411	373	395	350	371	423	426	403	423	405	373	393
White	4,026	353	311	341	293	323	354	345	344	365	341	314	342
Nonwhite	720	58	62	54	57	48	69	81	59	58	64	59	51
Colorado	738	54	60	70	45	58	59	71	71	67	61	66	56
White	702	51	55	69	44	54	56	69	66	64	59	62	53
Nonwhite	36	3	5	1	1	4	3	2	5	3	2	4	3
Connecticut	735	50	58	61	63	57	53	73	62	52	71	63	72
White	660	46	54	53	58	53	49	66	55	48	63	53	62
Nonwhite	75	4	4	8	5	4	4	7	7	4	8	10	10
Delaware	174	19	5	10	10	15	17	14	22	14	23	12	13
White	118	15	2	4	2	9	12	11	16	8	18	10	11
Nonwhite	56	4	3	6	8	6	5	3	6	6	5	2	2
District of Columbia	398	24	50	25	30	22	35	44	34	35	30	38	31
White	101	4	16	4	11	7	10	9	8	8	6	12	6
Nonwhite	297	20	34	21	19	15	25	35	26	27	24	26	25
Florida	1,835	153	161	137	147	142	135	161	176	154	152	158	159
White	1,035	91	91	75	89	93	75	80	101	80	80	85	95
Nonwhite	800	62	70	62	58	49	60	81	75	74	72	73	64
Georgia	2,047	175	153	153	150	192	164	170	201	187	168	184	170
White	981	74	79	68	78	103	82	81	81	94	72	79	90
Nonwhite	1,066	101	74	85	72	89	82	89	120	93	96	85	80
Hawaii	263	21	22	24	14	25	17	32	23	24	23	21	17
White	95	5	11	10	8	7	7	9	8	10	9	5	6
Nonwhite	168	16	11	14	6	18	10	23	15	14	14	16	11
Idaho	207	12	18	16	27	17	21	17	16	15	15	10	23
White	199	12	18	15	24	16	21	17	14	14	15	10	23
Nonwhite	8	-	-	1	3	1	-	-	2	1	-	-	-
Illinois	3,577	301	284	295	252	298	293	300	335	322	315	272	310
White	2,652	227	218	207	188	222	213	224	254	234	239	207	219
Nonwhite	925	74	66	88	64	76	80	76	81	88	76	65	91
Indiana	1,575	158	118	135	126	139	130	124	129	134	130	125	127
White	1,355	136	108	116	112	119	109	107	107	119	108	106	108
Nonwhite	220	22	10	19	14	20	21	17	22	15	22	19	19
Iowa	745	62	72	56	52	58	61	71	67	63	63	57	63
White	724	59	69	56	49	58	60	69	66	62	62	52	62
Nonwhite	21	3	3	-	3	-	1	2	1	1	1	5	1
Kansas	707	54	59	59	61	61	68	76	52	64	48	60	45
White	618	46	50	51	55	54	60	63	45	60	41	54	39
Nonwhite	89	8	9	8	6	7	8	13	7	4	7	6	6
Kentucky	1,096	103	92	79	89	83	85	96	96	107	97	87	82
White	940	90	81	71	78	67	72	85	80	89	87	70	70
Nonwhite	156	13	11	8	11	16	13	11	16	18	10	17	12
Louisiana	1,454	129	108	99	106	118	101	137	127	148	133	122	126
White	608	51	46	45	55	44	52	41	49	67	55	52	51
Nonwhite	846	78	62	54	51	74	49	96	78	81	78	70	75
Maine	331	28	35	17	30	21	24	29	27	36	22	27	35
White	329	27	35	17	29	21	24	29	27	36	22	27	35
Nonwhite	2	1	-	-	1	-	-	-	-	-	-	-	-
Maryland	1,219	104	81	102	71	113	124	97	107	113	96	97	114
White	814	79	61	68	42	72	84	65	68	70	73	56	76
Nonwhite	405	25	20	34	29	41	40	32	39	43	23	41	38
Massachusetts	1,575	142	125	138	151	161	134	139	140	146	91	111	97
White	1,495	138	118	127	140	155	125	130	131	141	87	109	94
Nonwhite	80	4	7	11	11	6	9	9	9	5	4	2	3
Michigan	3,025	226	224	244	219	231	256	266	308	288	249	273	241
White	2,456	181	183	198	172	185	212	225	249	231	197	232	191
Nonwhite	569	45	41	46	47	46	44	41	59	57	52	41	50
Minnesota	1,053	98	102	71	79	87	83	89	83	97	80	93	91
White	1,024	95	98	68	79	84	82	87	80	96	80	89	86
Nonwhite	29	3	4	3	-	3	1	2	3	1	-	4	5
Mississippi	1,546	143	131	131	106	141	144	129	134	114	131	141	101
White	435	41	37	33	36	39	32	39	26	36	41	45	30
Nonwhite	1,111	102	94	98	70	102	112	90	108	78	90	96	71

Table 4-2. Fetal Deaths by Month and Color: United States and Each State, 1960—Continued

(By place of residence. Data refer only to fetal deaths occurring within the United States, including Alaska and Hawaii, for which the period of gestation was given as 20 weeks or more or was not stated)

AREA AND COLOR	Total	Jan.	Feb.	Mar.	Apr.	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.
Missouri	1,484	117	126	115	132	128	133	121	127	128	131	114	112
White	1,159	96	98	89	95	97	106	100	95	100	105	91	87
Nonwhite	325	21	28	26	37	31	27	21	32	28	26	23	25
Montana	188	18	13	14	11	17	22	18	18	16	11	20	10
White	169	17	12	11	10	14	22	17	16	13	9	18	10
Nonwhite	19	1	1	3	1	3	-	1	2	3	2	2	-
Nebraska	422	41	31	32	33	39	31	29	50	33	31	34	38
White	395	39	31	30	30	34	27	28	47	29	31	34	35
Nonwhite	27	2	-	2	3	5	4	1	3	4	-	-	3
Nevada	101	6	6	7	7	6	6	14	8	7	12	14	8
White	87	5	6	6	5	6	6	11	6	6	11	12	7
Nonwhite	14	1	-	1	2	-	-	3	2	1	1	2	1
New Hampshire	176	14	14	18	18	11	13	13	25	6	15	18	11
White	175	14	14	18	17	11	13	13	25	6	15	18	11
Nonwhite	1	-	-	-	1	-	-	-	-	-	-	-	-
New Jersey	2,021	165	158	173	139	178	162	195	172	162	182	162	173
White	1,615	132	136	141	105	132	125	158	136	124	145	132	149
Nonwhite	406	33	22	32	34	46	37	37	36	38	37	30	24
New Mexico	434	43	41	26	33	31	47	43	35	24	36	36	39
White	385	42	37	23	24	25	46	38	28	21	33	34	34
Nonwhite	49	1	4	3	9	6	1	5	7	3	3	2	5
New York	8,347	656	616	676	719	756	639	688	768	680	723	739	687
White	6,220	516	459	506	533	552	483	510	570	506	527	551	508
Nonwhite	2,127	140	157	170	186	204	156	178	198	175	196	188	179
North Carolina	2,081	176	163	168	158	167	176	163	173	193	186	172	186
White	1,064	88	79	76	91	82	95	76	94	97	100	91	95
Nonwhite	1,017	88	84	92	67	85	81	87	79	96	86	81	91
North Dakota	216	15	19	16	19	9	24	23	17	16	25	12	21
White	203	12	16	16	18	8	21	22	17	16	24	12	21
Nonwhite	13	3	3	-	1	1	3	1	-	-	1	-	-
Ohio	3,354	282	239	264	276	287	275	283	303	299	289	274	283
White	2,852	240	204	217	233	242	233	244	270	254	245	233	237
Nonwhite	502	42	35	47	43	45	42	39	33	45	44	41	46
Oklahoma	693	62	67	53	43	48	70	46	71	59	71	56	47
White	530	53	46	39	34	30	57	34	53	46	58	44	36
Nonwhite	163	9	21	14	9	18	13	12	18	13	13	12	11
Oregon	619	41	61	41	42	60	51	53	57	45	50	60	58
White	596	40	58	39	41	58	47	53	55	43	49	56	57
Nonwhite	23	1	3	2	1	2	4	-	2	2	1	4	1
Pennsylvania	4,095	366	312	276	287	354	353	364	360	370	367	351	335
White	3,442	305	265	245	247	297	290	315	302	296	299	289	292
Nonwhite	653	61	47	31	40	57	63	49	58	74	68	62	43
Rhode Island	273	25	20	21	19	14	32	25	21	25	27	22	22
White	256	24	20	18	19	14	29	23	20	23	25	21	20
Nonwhite	17	1	-	3	-	-	3	2	1	2	2	1	2
South Carolina	1,260	120	97	91	101	105	109	98	116	129	105	103	86
White	461	53	31	27	31	36	35	38	43	55	44	38	30
Nonwhite	799	67	66	64	70	69	74	60	73	74	61	65	56
South Dakota	224	22	15	20	23	19	20	21	14	17	15	16	22
White	194	20	12	18	19	16	15	20	13	16	13	11	21
Nonwhite	30	2	3	2	4	3	5	1	1	1	2	5	1
Tennessee	1,403	127	91	99	114	122	114	129	121	132	115	116	123
White	934	86	54	64	77	84	77	75	80	101	71	80	85
Nonwhite	469	41	37	35	37	38	37	54	41	31	44	36	38
Texas	3,763	303	272	285	295	348	308	356	323	307	310	312	344
White	2,881	228	216	210	223	267	231	281	248	226	242	235	274
Nonwhite	882	75	56	75	72	81	77	75	75	81	68	77	70
Utah	275	25	22	21	22	16	24	27	25	23	26	18	26
White	271	25	22	21	22	15	24	27	23	23	26	18	25
Nonwhite	4	-	-	-	-	1	-	-	2	-	-	-	1
Vermont	141	12	10	9	13	18	12	12	12	13	17	7	6
White	141	12	10	9	13	18	12	12	12	13	17	7	6
Nonwhite	-	-	-	-	-	-	-	-	-	-	-	-	-
Virginia	2,107	148	129	131	132	127	151	210	236	200	229	206	208
White	1,386	103	78	79	80	78	95	140	164	133	157	139	140
Nonwhite	721	45	51	52	52	49	56	70	72	67	72	67	68
Washington	753	70	65	71	67	56	69	61	64	48	65	66	51
White	688	65	61	64	60	52	65	56	59	45	61	60	40
Nonwhite	65	5	4	7	7	4	4	5	5	3	4	6	11
West Virginia	594	50	53	45	37	41	53	53	62	64	48	44	44
White	542	42	47	44	35	38	50	49	54	57	44	42	40
Nonwhite	52	8	6	1	2	3	3	4	8	7	4	2	4
Wisconsin	1,320	118	104	111	118	112	113	118	101	89	110	113	113
White	1,228	107	99	100	109	108	105	114	91	83	104	105	103
Nonwhite	92	11	5	11	9	4	8	4	10	6	6	8	10
Wyoming	95	4	9	7	5	5	12	8	11	8	11	7	8
White	91	4	8	7	3	5	12	8	11	8	11	6	8
Nonwhite	4	-	1	-	2	-	-	-	-	-	-	1	-

Table 4-3. Fetal Deaths by Age of Mother, Total-Birth Order, Color, and Sex of Child: United States, 1960

(Data refer only to fetal deaths occurring within the United States, including Alaska and Hawaii, for which the period of gestation was given as 20 weeks or more or was not stated. Total-birth order refers to number of children ever born to mother, including fetal deaths. Fetal deaths which occurred in Massachusetts are included in the "Not stated" classification for birth order because this State did not require reporting of the item)

AGE OF MOTHER, COLOR, AND SEX OF CHILD	Total	TOTAL-BIRTH ORDER								
		1	2	3	4	5	6	7	8 and over	Not stated
TOTAL	68,480	16,322	10,723	10,152	8,224	6,058	4,039	2,874	6,738	3,350
Under 15 years	215	190	15	1	-	-	-	-	-	9
15-19 years	8,031	5,325	1,575	537	141	52	9	4	4	384
20-24 years	16,951	5,715	4,220	3,045	1,771	842	353	161	107	737
25-29 years	15,552	2,307	2,574	2,937	2,494	1,807	1,115	699	917	702
30-34 years	13,201	1,348	1,345	1,979	2,047	1,727	1,222	929	1,999	605
35-39 years	9,727	849	717	1,228	1,300	1,178	958	712	2,345	440
40-44 years	3,586	220	205	342	411	395	331	321	1,180	181
45-49 years	313	18	17	25	16	22	33	29	138	15
50 years and over	5	-	1	-	-	1	-	-	3	-
Not stated	899	350	54	58	44	34	18	19	45	277
Male	34,626	8,287	5,299	5,093	4,082	3,066	2,016	1,465	3,572	1,746
Under 15 years	113	100	9	-	-	-	-	-	-	4
15-19 years	4,171	2,777	814	260	74	26	5	1	1	213
20-24 years	8,547	2,907	2,094	1,550	909	435	184	69	53	346
25-29 years	7,832	1,152	1,248	1,475	1,225	904	557	383	500	388
30-34 years	6,592	641	644	990	997	907	603	464	1,029	317
35-39 years	4,898	403	350	612	651	571	466	346	1,271	228
40-44 years	1,629	105	105	168	189	195	176	174	620	97
45-49 years	156	8	8	9	12	10	16	17	69	7
50 years and over	3	-	-	-	-	1	-	-	2	-
Not stated	485	194	27	29	25	17	9	11	27	146
Female	29,732	6,920	4,696	4,386	3,609	2,628	1,807	1,273	2,925	1,488
Under 15 years	92	80	6	1	-	-	-	-	-	5
15-19 years	3,808	2,332	675	251	60	24	3	1	3	159
20-24 years	7,357	2,439	1,855	1,320	749	355	152	81	42	364
25-29 years	6,654	932	1,126	1,262	1,096	780	491	285	382	300
30-34 years	5,789	572	595	840	918	728	554	419	891	272
35-39 years	4,290	349	322	533	575	542	441	332	1,000	196
40-44 years	1,567	90	89	143	192	174	142	137	524	76
45-49 years	131	4	6	12	2	10	15	10	65	7
50 years and over	-	-	-	-	-	-	-	-	-	-
Not stated	344	122	22	24	17	15	9	8	18	109
Sex not stated	4,122	1,115	728	673	533	364	216	136	241	116
Under 15 years	10	10	-	-	-	-	-	-	-	-
15-19 years	352	216	86	26	7	2	1	2	-	12
20-24 years	1,047	369	271	175	113	52	17	11	12	27
25-29 years	1,066	223	200	200	173	123	67	31	35	14
30-34 years	820	135	106	149	132	92	65	46	79	16
35-39 years	539	97	45	83	74	65	51	34	74	16
40-44 years	190	25	11	31	30	26	13	10	36	8
45-49 years	26	6	3	4	2	2	2	2	4	1
50 years and over	2	-	1	-	-	-	-	-	1	-
Not stated	70	34	5	5	2	2	-	-	-	22
WHITE	50,894	12,589	8,507	8,141	6,428	4,499	2,803	1,775	3,337	2,615
Under 15 years	76	66	6	1	-	-	-	-	-	3
15-19 years	5,325	3,748	948	273	54	21	3	2	3	273
20-24 years	12,831	4,651	3,375	2,305	1,128	478	168	64	40	622
25-29 years	11,905	1,893	2,217	2,489	1,996	1,293	696	339	363	619
30-34 years	9,874	1,079	1,122	1,670	1,728	1,349	875	588	932	531
35-39 years	7,269	689	607	1,040	1,117	963	748	495	1,220	390
40-44 years	2,718	185	169	293	364	345	274	251	680	157
45-49 years	228	17	14	22	12	18	30	20	81	14
50 years and over	4	-	1	-	-	1	-	-	2	-
Not stated	664	261	48	48	29	31	9	16	16	206
Male	25,671	6,347	4,212	4,119	3,211	2,281	1,376	893	1,757	1,475
Under 15 years	45	40	4	-	-	-	-	-	-	1
15-19 years	2,700	1,906	475	127	26	10	-	-	1	155
20-24 years	6,492	2,354	1,702	1,193	586	237	84	26	18	292
25-29 years	5,997	955	1,082	1,261	989	645	352	181	186	346
30-34 years	4,969	526	536	849	850	728	420	293	486	281
35-39 years	3,605	328	299	509	563	464	357	240	642	203
40-44 years	1,396	88	83	147	172	174	145	132	370	85
45-49 years	114	7	7	9	8	8	15	11	43	6
50 years and over	2	-	-	-	-	1	-	-	1	-
Not stated	351	143	24	24	17	14	3	10	10	106
Female	22,356	5,404	3,787	3,521	2,855	1,980	1,283	810	1,458	1,258
Under 15 years	27	22	2	1	-	-	-	-	-	2
15-19 years	2,399	1,695	422	132	26	9	2	-	2	111
20-24 years	5,662	2,018	1,502	994	484	219	78	36	17	314
25-29 years	5,163	765	984	1,073	890	577	303	145	161	265
30-34 years	4,317	450	503	705	779	554	406	271	411	238
35-39 years	3,263	282	274	462	498	445	357	233	537	175
40-44 years	1,178	76	76	125	166	152	117	111	289	66
45-49 years	94	4	5	10	2	9	14	8	35	7
50 years and over	-	-	-	-	-	-	-	-	-	-
Not stated	253	92	19	19	10	15	6	6	6	80

Table 4-3. Fetal Deaths by Age of Mother, Total-Birth Order, Color, and Sex of Child: United States, 1960—Continued

(Data refer only to fetal deaths occurring within the United States, including Alaska and Hawaii, for which the period of gestation was given as 20 weeks or more or was not stated. Total-birth order refers to number of children ever born to mother, including fetal deaths. Fetal deaths which occurred in Massachusetts are included in the "Not stated" classification for birth order because this State did not require reporting of the item)

AGE OF MOTHER, COLOR, AND SEX OF CHILD	Total	TOTAL-BIRTH ORDER								
		1	2	3	4	5	6	7	8 and over	Not stated
WHITE—Continued										
Sex not stated	2,867	838	508	501	362	238	144	72	122	82
Under 15 years	4	4	-	-	-	-	-	-	-	-
15-19 years	226	147	51	14	2	2	1	2	-	7
20-24 years	677	279	171	118	58	22	6	2	5	16
25-29 years	745	173	151	155	117	71	41	13	16	8
30-34 years	588	103	63	116	98	67	49	24	35	12
35-39 years	401	79	34	69	56	54	34	22	41	12
40-44 years	144	21	10	21	26	19	12	8	21	6
45-49 years	20	6	2	3	2	1	1	1	3	1
50 years and over	2	-	1	-	-	-	-	-	1	-
Not stated	60	26	5	5	2	2	-	-	-	20
NONWHITE	17,586	3,733	2,216	2,011	1,796	1,559	1,236	1,099	3,401	535
Under 15 years	139	124	9	-	-	-	-	-	-	6
15-19 years	2,706	1,577	627	264	87	31	6	2	1	111
20-24 years	4,120	1,064	845	740	643	364	185	97	67	115
25-29 years	3,647	414	357	448	498	514	419	360	554	83
30-34 years	3,327	269	223	309	319	378	347	341	1,067	74
35-39 years	2,458	160	110	186	183	215	210	217	1,125	50
40-44 years	868	35	36	49	47	50	57	70	500	24
45-49 years	85	1	3	3	4	4	3	9	57	1
50 years and over	1	-	-	-	-	-	-	-	1	-
Not stated	235	89	6	10	15	3	9	3	29	71
Male	8,955	1,940	1,087	974	871	785	640	572	1,815	271
Under 15 years	68	60	5	-	-	-	-	-	-	3
15-19 years	1,471	871	339	133	48	16	5	1	-	58
20-24 years	2,055	553	392	357	323	198	100	43	35	54
25-29 years	1,835	197	166	214	236	259	205	202	314	42
30-34 years	1,623	115	108	141	147	179	183	171	543	36
35-39 years	1,293	75	51	103	88	107	109	108	629	25
40-44 years	433	17	22	21	17	21	31	42	250	12
45-49 years	42	1	1	-	4	2	1	6	26	1
50 years and over	1	-	-	-	-	-	-	-	1	-
Not stated	134	51	3	5	8	3	6	1	17	40
Female	7,376	1,516	909	865	754	648	524	463	1,467	230
Under 15 years	65	58	4	-	-	-	-	-	-	3
15-19 years	1,109	637	253	119	34	15	1	1	1	48
20-24 years	1,695	421	353	326	265	136	74	45	25	50
25-29 years	1,491	167	142	189	206	203	188	140	221	35
30-34 years	1,472	122	92	135	139	174	148	148	480	34
35-39 years	1,027	67	48	71	77	97	84	99	463	21
40-44 years	389	14	13	18	26	22	25	26	235	10
45-49 years	37	-	1	2	-	1	1	2	30	-
50 years and over	-	-	-	-	-	-	-	-	-	-
Not stated	91	30	3	5	7	-	3	2	12	29
Sex not stated	1,255	277	220	172	171	126	72	64	119	34
Under 15 years	6	6	-	-	-	-	-	-	-	-
15-19 years	126	69	35	12	5	-	-	-	-	5
20-24 years	370	90	100	57	55	30	11	9	7	11
25-29 years	321	50	49	45	56	52	26	18	19	6
30-34 years	232	32	23	33	33	25	16	22	44	4
35-39 years	138	18	11	14	18	11	17	12	33	4
40-44 years	46	4	1	10	4	7	1	2	15	2
45-49 years	6	-	1	1	-	1	1	1	1	-
50 years and over	-	-	-	-	-	-	-	-	-	-
Not stated	10	8	-	-	-	-	-	-	-	2

Table 4-4. Fetal Deaths by Age of Mother and Race: United States and Each State, 1960

(By place of residence. Data refer only to fetal deaths occurring within the United States, including Alaska and Hawaii, for which the period of gestation was given as 20 weeks or more or was not stated)

AREA AND RACE	Total	AGE OF MOTHER									
		Under 15 years	15-19 years	20-24 years	25-29 years	30-34 years	35-39 years	40-44 years	45-49 years	50 years and over	Not stated
UNITED STATES	68,480	215	8,031	16,951	15,552	13,201	9,727	3,586	313	5	899
White	50,894	76	5,325	12,831	11,905	9,874	7,269	2,718	228	4	664
Nonwhite	17,586	139	2,706	4,120	3,647	3,327	2,458	868	85	1	235
Negro	16,843	137	2,644	3,964	3,458	3,165	2,344	821	82	1	227
Other	743	2	62	156	189	162	114	47	3	-	8
ALABAMA	1,772	7	244	407	339	358	277	95	10	-	35
White	769	3	93	217	151	143	110	33	3	-	16
Nonwhite	1,003	4	151	190	188	215	167	62	7	-	19
Negro	1,003	4	151	190	188	215	167	62	7	-	19
Other	-	-	-	-	-	-	-	-	-	-	-
ALASKA	91	-	11	19	33	8	13	4	1	-	2
White	53	-	6	15	19	3	7	3	-	-	-
Nonwhite	38	-	5	4	14	5	6	1	1	-	2
Negro	3	-	-	-	2	1	-	-	-	-	-
Other	35	-	5	4	12	4	6	1	1	-	2
ARIZONA	467	1	45	113	96	94	74	26	6	1	11
White	383	-	35	98	77	78	58	23	3	1	10
Nonwhite	84	1	10	15	19	16	16	3	3	-	1
Negro	43	1	7	9	10	9	4	1	2	-	-
Other	41	-	3	6	9	7	12	2	1	-	1
ARKANSAS	665	5	119	158	131	112	79	45	4	1	11
White	357	-	73	94	75	52	33	20	1	-	9
Nonwhite	308	5	46	64	56	60	46	25	3	1	2
Negro	308	5	46	64	56	60	46	25	3	1	2
Other	-	-	-	-	-	-	-	-	-	-	-
CALIFORNIA	4,746	7	589	1,291	1,135	847	614	198	16	-	49
White	4,026	3	487	1,103	957	741	522	168	14	-	31
Nonwhite	720	4	102	188	178	106	92	30	2	-	18
Negro	631	4	98	168	145	92	82	22	2	-	18
Other	89	-	4	20	33	14	10	8	-	-	-
COLORADO	738	1	91	196	164	131	97	29	6	-	23
White	702	-	87	187	155	121	94	28	6	-	23
Nonwhite	36	1	4	9	9	10	3	-	-	-	-
Negro	29	-	4	7	8	8	2	-	-	-	-
Other	7	1	-	2	1	2	1	-	-	-	-
CONNECTICUT	735	14	39	167	193	151	117	47	4	-	3
White	660	14	28	147	173	140	107	44	4	-	3
Nonwhite	75	-	11	20	20	11	10	3	-	-	-
Negro	74	-	11	19	20	11	10	3	-	-	-
Other	1	-	-	1	-	-	-	-	-	-	-
DELAWARE	174	3	19	35	35	40	21	8	-	-	13
White	118	1	9	24	31	26	14	5	-	-	8
Nonwhite	56	2	10	11	4	14	7	3	-	-	5
Negro	56	2	10	11	4	14	7	3	-	-	5
Other	-	-	-	-	-	-	-	-	-	-	-
DISTRICT OF COLUMBIA	398	3	59	90	74	73	53	24	4	-	18
White	101	1	8	29	25	17	11	4	1	-	5
Nonwhite	297	2	51	61	49	56	42	20	3	-	13
Negro	293	2	51	61	47	56	41	19	3	-	13
Other	4	-	-	-	2	-	1	1	-	-	-
FLORIDA	1,835	11	269	452	429	343	234	81	10	-	6
White	1,035	1	150	269	255	187	122	43	4	-	4
Nonwhite	800	10	119	183	174	156	112	38	6	-	2
Negro	795	10	119	181	173	154	112	38	6	-	2
Other	5	-	-	2	1	2	-	-	-	-	-
GEORGIA	2,047	10	325	515	403	367	286	104	9	-	28
White	981	2	152	265	209	176	116	40	5	-	16
Nonwhite	1,066	8	173	250	194	191	170	64	4	-	12
Negro	1,066	8	173	250	194	191	170	64	4	-	12
Other	-	-	-	-	-	-	-	-	-	-	-
HAWAII	263	-	34	65	64	57	35	7	1	-	-
White	95	-	16	29	21	16	10	2	1	-	-
Nonwhite	168	-	18	36	43	41	25	5	-	-	-
Negro	4	-	-	1	2	1	-	-	-	-	-
Other	164	-	18	35	41	40	25	5	-	-	-
IDAHO	207	-	21	77	47	28	14	8	3	-	9
White	199	-	20	74	47	25	13	8	3	-	9
Nonwhite	8	-	1	3	-	3	1	-	-	-	-
Negro	1	-	-	1	-	-	-	-	-	-	-
Other	7	-	1	2	-	3	1	-	-	-	-

Table 4-4. Fetal Deaths by Age of Mother and Race: United States and Each State, 1960—Continued

(By place of residence. Data refer only to fetal deaths occurring within the United States, including Alaska and Hawaii, for which the period of gestation was given as 20 weeks or more or was not stated)

AREA AND RACE	Total	AGE OF MOTHER									
		Under 15 years	15-19 years	20-24 years	25-29 years	30-34 years	35-39 years	40-44 years	45-49 years	50 years and over	Not stated
ILLINOIS	3,577	8	379	892	812	733	532	186	14	-	21
White	2,652	3	236	668	619	553	407	151	7	-	8
Nonwhite	925	5	143	224	193	180	125	35	7	-	13
Negro	917	5	143	220	192	177	125	35	7	-	13
Other	8	-	-	4	1	3	-	-	-	-	-
INDIANA	1,575	2	191	408	354	274	222	66	2	-	56
White	1,355	2	163	364	300	234	189	50	2	-	51
Nonwhite	220	-	28	44	54	40	33	16	-	-	5
Negro	218	-	28	44	53	40	32	16	-	-	5
Other	2	-	-	-	1	-	1	-	-	-	-
IOWA	745	-	62	210	179	131	104	46	1	-	12
White	724	-	59	205	175	127	100	45	1	-	12
Nonwhite	21	-	3	5	4	4	4	1	-	-	-
Negro	18	-	3	5	3	3	3	1	-	-	-
Other	3	-	-	-	1	1	1	-	-	-	-
KANSAS	707	-	100	176	155	121	110	37	6	-	2
White	618	-	84	162	132	101	102	31	4	-	2
Nonwhite	89	-	16	14	23	20	8	6	2	-	-
Negro	84	-	15	13	22	18	8	6	2	-	-
Other	5	-	1	1	1	2	-	-	-	-	-
KENTUCKY	1,096	7	173	282	213	180	164	57	8	-	12
White	940	5	142	243	184	163	133	52	7	-	11
Nonwhite	156	2	31	39	29	17	31	5	1	-	1
Negro	156	2	31	39	29	17	31	5	1	-	1
Other	-	-	-	-	-	-	-	-	-	-	-
LOUISIANA	1,454	10	234	358	290	271	196	88	4	-	3
White	608	1	87	154	137	107	87	32	1	-	2
Nonwhite	846	9	147	204	153	164	109	56	3	-	1
Negro	843	9	147	204	152	163	108	56	3	-	1
Other	3	-	-	-	1	1	1	-	-	-	-
MAINE	331	1	37	86	66	67	48	19	1	-	6
White	329	1	36	85	66	67	48	19	1	-	6
Nonwhite	2	-	1	1	-	-	-	-	-	-	-
Negro	1	-	-	1	-	-	-	-	-	-	-
Other	1	-	1	-	-	-	-	-	-	-	-
MARYLAND	1,219	4	161	233	285	229	180	57	1	-	19
White	814	-	93	187	191	161	135	36	1	-	10
Nonwhite	405	4	68	96	94	68	45	21	-	-	9
Negro	403	4	68	95	94	68	44	21	-	-	9
Other	2	-	-	1	-	-	1	-	-	-	-
MASSACHUSETTS	1,575	-	110	320	381	336	260	97	11	-	60
White	1,495	-	100	306	358	320	250	93	11	-	57
Nonwhite	80	-	10	14	23	16	10	4	-	-	3
Negro	78	-	10	14	23	14	10	4	-	-	3
Other	2	-	-	-	-	2	-	-	-	-	-
MICHIGAN	3,025	6	302	709	715	607	465	185	13	-	23
White	2,456	1	223	571	595	490	386	159	13	-	18
Nonwhite	569	5	79	138	120	117	79	26	-	-	5
Negro	552	5	77	132	117	114	78	24	-	-	5
Other	17	-	2	6	3	3	1	2	-	-	-
MINNESOTA	1,053	-	82	259	241	218	158	78	5	-	12
White	1,024	-	80	252	236	213	151	75	5	-	12
Nonwhite	29	-	2	7	5	5	7	3	-	-	-
Negro	10	-	-	4	2	-	4	-	-	-	-
Other	19	-	2	3	3	5	3	3	-	-	-
MISSISSIPPI	1,548	17	235	361	300	282	228	85	10	-	28
White	435	2	56	108	99	80	59	19	4	-	8
Nonwhite	1,111	15	179	253	201	202	169	66	6	-	20
Negro	1,105	15	177	251	199	202	169	66	6	-	20
Other	6	-	2	2	2	-	-	-	-	-	-
MISSOURI	1,484	9	164	353	325	292	210	91	5	-	15
White	1,159	2	136	287	264	227	158	69	3	-	13
Nonwhite	325	7	48	66	61	65	52	22	2	-	2
Negro	321	7	48	66	60	64	52	20	2	-	2
Other	4	-	-	-	1	1	-	2	-	-	-
MONTANA	188	-	21	46	44	32	24	18	-	-	3
White	169	-	21	39	36	31	21	18	-	-	3
Nonwhite	19	-	-	7	8	1	3	-	-	-	-
Negro	1	-	-	-	-	-	1	-	-	-	-
Other	18	-	-	7	8	1	2	-	-	-	-

Table 4-4. Fetal Deaths by Age of Mother and Race: United States and Each State, 1960—Continued

(By place of residence. Data refer only to fetal deaths occurring within the United States, including Alaska and Hawaii, for which the period of gestation was given as 20 weeks or more or was not stated)

AREA AND RACE	Total	AGE OF MOTHER									
		Under 15 years	15-19 years	20-24 years	25-29 years	30-34 years	35-39 years	40-44 years	45-49 years	50 years and over	Not stated
NEBRASKA	422	-	43	108	104	67	58	29	4	-	9
White	395	-	40	99	99	62	55	28	4	-	8
Nonwhite	27	-	3	9	5	5	3	1	-	-	1
Negro	22	-	3	8	4	4	1	1	-	-	1
Other	5	-	-	1	1	1	2	-	-	-	-
NEVADA	101	-	6	28	25	23	14	4	-	-	1
White	87	-	4	27	21	21	9	4	-	-	1
Nonwhite	14	-	2	1	4	2	5	-	-	-	-
Negro	7	-	2	1	3	-	1	-	-	-	-
Other	7	-	-	-	1	2	4	-	-	-	-
NEW HAMPSHIRE	176	1	13	51	33	35	28	13	1	-	1
White	175	1	13	50	33	35	28	13	1	-	1
Nonwhite	1	-	-	1	-	-	-	-	-	-	-
Negro	-	-	-	-	-	-	-	-	-	-	-
Other	1	-	-	1	-	-	-	-	-	-	-
NEW JERSEY	2,021	3	169	484	461	431	318	130	4	-	21
White	1,615	1	106	372	372	354	280	109	4	-	17
Nonwhite	406	2	63	112	89	77	38	21	-	-	4
Negro	400	2	62	111	87	75	38	21	-	-	4
Other	6	-	1	1	2	2	-	-	-	-	-
NEW MEXICO	434	1	60	96	93	91	65	21	3	-	4
White	385	1	54	87	83	75	61	19	3	-	2
Nonwhite	49	-	6	9	10	16	4	2	-	-	2
Negro	15	-	1	3	2	7	2	-	-	-	-
Other	34	-	5	6	8	9	2	2	-	-	2
NEW YORK	8,347	13	644	2,067	2,114	1,750	1,198	396	32	2	131
White	6,220	3	403	1,461	1,596	1,343	963	332	23	2	94
Nonwhite	2,127	10	241	606	518	407	235	64	9	-	37
Negro	2,091	10	238	598	510	398	231	61	9	-	36
Other	36	-	3	8	8	9	4	3	-	-	1
NORTH CAROLINA	2,081	15	339	493	443	372	291	111	12	-	5
White	1,064	2	140	321	247	183	113	49	5	-	4
Nonwhite	1,017	13	199	172	196	189	178	62	7	-	1
Negro	988	13	194	167	192	184	171	60	6	-	1
Other	29	-	5	5	4	5	7	2	1	-	-
NORTH DAKOTA	216	1	17	63	51	42	26	15	1	-	-
White	203	1	16	61	48	39	23	14	1	-	-
Nonwhite	13	-	1	2	3	3	3	1	-	-	-
Negro	1	-	-	-	1	-	-	-	-	-	-
Other	12	-	1	2	2	3	3	1	-	-	-
OHIO	3,354	5	366	857	772	695	439	175	11	-	34
White	2,852	3	291	736	652	596	374	160	10	-	30
Nonwhite	502	2	75	121	120	99	65	15	1	-	4
Negro	494	2	75	118	119	98	63	14	1	-	4
Other	8	-	-	3	1	1	2	1	-	-	-
OKLAHOMA	693	3	124	180	129	97	82	44	3	-	31
White	530	1	96	152	103	62	55	30	3	-	28
Nonwhite	163	2	28	28	26	35	27	14	-	-	3
Negro	111	1	21	18	18	25	18	7	-	-	3
Other	52	1	7	10	8	10	9	7	-	-	-
OREGON	619	-	79	192	134	103	72	28	8	-	3
White	596	-	76	183	128	101	71	27	7	-	3
Nonwhite	23	-	3	9	6	2	1	1	1	-	-
Negro	14	-	3	5	2	1	1	1	1	-	-
Other	9	-	-	4	4	1	-	-	-	-	-
PENNSYLVANIA	4,095	4	377	947	1,022	807	648	222	18	1	49
White	3,442	1	273	773	870	686	572	204	16	1	46
Nonwhite	653	3	104	174	152	121	76	18	2	-	3
Negro	647	3	104	174	151	117	75	18	2	-	3
Other	6	-	-	-	1	4	1	-	-	-	-
RHODE ISLAND	273	1	22	72	68	56	36	15	1	-	2
White	256	1	19	69	63	54	36	11	1	-	2
Nonwhite	17	-	3	3	5	2	-	4	-	-	-
Negro	17	-	3	3	5	2	-	4	-	-	-
Other	-	-	-	-	-	-	-	-	-	-	-
SOUTH CAROLINA	1,260	8	225	289	229	211	179	54	8	-	57
White	461	1	86	119	96	68	43	20	-	-	28
Nonwhite	799	7	139	170	133	143	136	34	8	-	29
Negro	798	7	139	170	132	143	136	34	8	-	29
Other	1	-	-	-	1	-	-	-	-	-	-

Table 4-4. Fetal Deaths by Age of Mother and Race: United States and Each State, 1960—Continued

(By place of residence. Data refer only to fetal deaths occurring within the United States, including Alaska and Hawaii, for which the period of gestation was given as 20 weeks or more or was not stated)

AREA AND RACE	Total	AGE OF MOTHER									
		Under 15 years	15-19 years	20-24 years	25-29 years	30-34 years	35-39 years	40-44 years	45-49 years	50 years and over	Not stated
SOUTH DAKOTA	224	-	17	57	53	43	37	15	1	-	1
White	194	-	17	49	47	36	31	13	1	-	-
Nonwhite	30	-	-	8	6	7	6	2	-	-	1
Negro	-	-	-	-	-	-	-	-	-	-	-
Other	30	-	-	8	6	7	6	2	-	-	1
TENNESSEE	1,403	7	238	347	315	237	180	60	8	-	11
White	934	5	138	247	229	149	110	39	7	-	10
Nonwhite	469	2	100	100	86	88	70	21	1	-	1
Negro	468	2	100	100	85	88	70	21	1	-	1
Other	1	-	-	-	1	-	-	-	-	-	-
TEXAS	3,763	14	527	958	819	699	545	179	15	-	7
White	2,881	6	393	739	632	533	434	127	13	-	4
Nonwhite	882	8	134	219	187	166	111	52	2	-	3
Negro	873	8	133	218	184	164	110	51	2	-	3
Other	9	-	1	1	3	2	1	1	-	-	-
UTAH	275	-	31	91	50	48	27	22	3	-	3
White	271	-	31	90	49	47	27	22	3	-	2
Nonwhite	4	-	-	1	1	1	-	-	-	-	1
Negro	1	-	-	1	-	-	-	-	-	-	-
Other	3	-	-	-	1	1	-	-	-	-	1
VERMONT	141	-	20	37	26	22	26	7	1	-	2
White	141	-	20	37	26	22	26	7	1	-	2
Nonwhite	-	-	-	-	-	-	-	-	-	-	-
Negro	-	-	-	-	-	-	-	-	-	-	-
Other	-	-	-	-	-	-	-	-	-	-	-
VIRGINIA	2,107	8	303	530	457	441	247	86	9	-	26
White	1,386	2	175	342	321	309	159	57	5	-	16
Nonwhite	721	6	128	188	136	132	88	29	4	-	10
Negro	715	6	128	186	134	131	88	28	4	-	10
Other	6	-	-	2	2	1	-	1	-	-	-
WASHINGTON	753	-	72	206	179	147	96	47	5	-	1
White	688	-	65	194	164	135	83	41	5	-	1
Nonwhite	65	-	7	12	15	12	13	6	-	-	-
Negro	34	-	7	4	7	4	9	3	-	-	-
Other	31	-	-	8	8	8	4	3	-	-	-
WEST VIRGINIA	594	3	84	136	119	101	96	42	-	-	13
White	542	3	77	129	110	89	85	37	-	-	12
Nonwhite	52	-	7	7	9	12	11	5	-	-	1
Negro	52	-	7	7	9	12	11	5	-	-	1
Other	-	-	-	-	-	-	-	-	-	-	-
WISCONSIN	1,320	1	112	306	329	283	195	80	8	-	6
White	1,228	1	105	284	306	259	181	79	8	-	5
Nonwhite	92	-	7	22	23	24	14	1	-	-	1
Negro	82	-	7	22	18	20	13	1	-	-	1
Other	10	-	-	-	5	4	1	-	-	-	-
WYOMING	95	1	7	28	24	18	9	5	2	-	1
White	91	1	7	28	23	17	7	5	2	-	1
Nonwhite	4	-	-	-	1	1	2	-	-	-	-
Negro	-	-	-	-	-	-	-	-	-	-	-
Other	4	-	-	-	1	1	2	-	-	-	-

Table 4-5. Fetal Deaths by Total-Birth Order and Color: United States and Each State, 1960

(By place of residence. Data refer only to fetal deaths occurring within the United States, including Alaska and Hawaii, for which the period of gestation was given as 20 weeks or more or was not stated. Total-birth order refers to number of children ever born to mother, including fetal deaths. Fetal deaths which occurred in Massachusetts are included in the "Not stated" classification for birth order because this State did not require reporting of the item)

AREA AND COLOR	Total	TOTAL-BIRTH ORDER								
		1	2	3	4	5	6	7	8 and over	Not stated
UNITED STATES	68,480	16,322	10,723	10,152	8,224	6,058	4,039	2,874	6,738	3,350
White	50,894	12,589	8,507	8,141	6,428	4,499	2,803	1,775	3,337	2,815
Nonwhite	17,586	3,733	2,216	2,011	1,796	1,559	1,236	1,099	3,401	535
Alabama	1,772	382	276	200	187	130	128	110	327	32
White	769	201	166	113	97	45	36	30	61	20
Nonwhite	1,003	181	110	87	90	85	92	80	266	12
Alaska	91	17	21	19	5	6	8	2	12	1
White	53	12	17	11	4	3	4	-	2	-
Nonwhite	38	5	4	8	1	3	4	2	10	1
Arizona	467	99	64	66	64	55	20	30	65	4
White	383	82	53	60	57	48	16	21	42	4
Nonwhite	84	17	11	6	7	7	4	9	23	-
Arkansas	665	151	88	73	67	50	46	27	143	20
White	357	97	56	53	36	32	25	11	34	13
Nonwhite	308	54	32	20	31	18	21	16	109	7
California	4,746	1,264	843	859	584	425	233	158	263	117
White	4,026	1,069	736	750	516	369	181	133	191	81
Nonwhite	720	195	107	109	68	56	52	25	72	36
Colorado	738	198	120	116	95	68	41	23	49	28
White	702	190	117	112	91	64	35	20	45	28
Nonwhite	36	8	3	4	4	4	6	3	4	-
Connecticut	735	168	117	130	107	78	50	28	46	11
White	660	153	110	115	97	68	45	24	38	10
Nonwhite	75	15	7	15	10	10	5	4	8	1
Delaware	174	59	24	24	11	15	9	6	21	5
White	118	41	17	20	8	8	6	5	10	3
Nonwhite	56	18	7	4	3	7	3	1	11	2
District of Columbia	398	128	65	43	35	34	18	17	42	16
White	101	41	24	13	7	7	3	2	2	2
Nonwhite	297	87	41	30	28	27	15	15	40	14
Florida	1,835	438	295	237	244	160	99	95	238	29
White	1,035	293	198	159	154	85	43	31	55	17
Nonwhite	800	145	97	78	90	75	56	64	183	12
Georgia	2,047	472	277	249	230	182	114	103	367	53
White	981	289	160	157	120	73	50	34	76	22
Nonwhite	1,066	183	117	92	110	109	64	69	291	31
Hawaii	263	67	35	60	42	23	11	10	14	1
White	95	27	13	26	11	9	4	3	2	-
Nonwhite	168	40	22	34	31	14	7	7	12	1
Idaho	207	51	36	39	25	15	9	16	8	8
White	199	50	34	39	23	14	9	15	7	8
Nonwhite	8	1	2	-	2	1	-	1	1	-
Illinois	3,577	841	611	581	487	335	235	156	282	49
White	2,652	639	487	446	393	245	162	102	142	36
Nonwhite	925	202	124	135	94	90	73	54	140	13
Indiana	1,575	408	236	251	182	159	94	75	126	44
White	1,355	370	213	220	157	137	77	60	84	37
Nonwhite	220	38	23	31	25	22	17	15	42	7
Iowa	745	145	134	138	102	70	47	30	60	19
White	724	142	132	134	99	68	46	26	58	19
Nonwhite	21	3	2	4	3	2	1	4	2	-
Kansas	707	168	100	105	110	77	43	31	70	3
White	618	152	89	94	100	70	36	23	51	3
Nonwhite	89	16	11	11	10	7	7	8	19	-
Kentucky	1,096	307	153	136	104	97	63	40	135	61
White	940	264	138	116	84	79	53	35	112	59
Nonwhite	156	43	15	20	20	18	10	5	23	2
Louisiana	1,454	318	197	152	132	139	100	88	247	81
White	608	138	101	78	70	65	42	31	46	37
Nonwhite	846	180	96	74	62	74	58	57	201	44
Maine	331	93	37	57	44	28	20	14	30	8
White	329	92	37	56	44	28	20	14	30	8
Nonwhite	2	1	-	1	-	-	-	-	-	-
Maryland	1,219	271	193	189	139	123	78	56	101	69
White	814	189	138	139	108	89	46	29	36	40
Nonwhite	405	82	55	50	31	34	32	27	65	29
Massachusetts[1]	1,575	8	6	5	-	1	-	-	2	1,553
White	1,495	8	6	5	-	1	-	-	2	1,473
Nonwhite	80	-	-	-	-	-	-	-	-	80
Michigan	3,025	682	459	503	412	298	221	132	247	71
White	2,456	548	380	419	362	242	171	100	178	56
Nonwhite	569	134	79	84	50	56	50	32	69	15
Minnesota	1,053	195	157	164	155	118	88	48	103	25
White	1,024	190	153	163	147	115	88	48	95	25
Nonwhite	29	5	4	1	8	3	-	-	8	-

[1]Birth order data shown are for fetal deaths in other States to residents of Massachusetts.

Table 4-5. Fetal Deaths by Total-Birth Order and Color: United States and Each State, 1960—Continued

(See headnote at beginning of table)

AREA AND COLOR	Total	TOTAL-BIRTH ORDER								
		1	2	3	4	5	6	7	8 and over	Not stated
Mississippi	1,546	299	171	163	151	133	113	89	391	36
White	435	111	80	68	48	44	27	19	28	10
Nonwhite	1,111	188	91	95	103	89	86	70	363	26
Missouri	1,484	354	243	212	160	151	104	71	161	28
White	1,159	288	198	180	129	114	80	46	97	27
Nonwhite	325	66	45	32	31	37	24	25	64	1
Montana	188	45	23	30	26	21	9	12	20	2
White	169	41	21	28	25	16	8	10	18	2
Nonwhite	19	4	2	2	1	5	1	2	2	-
Nebraska	422	100	71	74	55	39	23	16	32	12
White	395	98	66	68	53	38	21	12	27	12
Nonwhite	27	2	5	6	2	1	2	4	5	-
Nevada	101	18	16	20	10	14	13	1	7	2
White	87	18	15	19	9	13	9	-	3	1
Nonwhite	14	-	1	1	1	1	4	1	4	1
New Hampshire	176	37	29	34	19	19	14	7	10	7
White	175	37	28	34	19	19	14	7	10	7
Nonwhite	1	-	1	-	-	-	-	-	-	-
New Jersey	2,021	543	371	337	246	159	113	46	95	111
White	1,615	424	321	276	204	131	89	23	52	95
Nonwhite	406	119	50	61	42	28	24	23	43	16
New Mexico	434	106	64	64	45	37	33	22	56	7
White	385	91	58	61	39	31	29	18	52	6
Nonwhite	49	15	6	3	6	6	4	4	4	1
New York	8,347	2,189	1,555	1,411	1,112	742	437	272	464	165
White	6,220	1,675	1,179	1,105	859	526	309	169	284	114
Nonwhite	2,127	514	376	306	253	216	128	103	180	51
North Carolina	2,081	495	355	276	237	179	118	102	313	6
White	1,064	293	230	184	139	90	44	30	53	1
Nonwhite	1,017	202	125	92	98	89	74	72	260	5
North Dakota	216	44	31	34	26	30	14	11	23	3
White	203	43	30	32	25	29	13	8	20	3
Nonwhite	13	1	1	2	1	1	1	3	3	-
Ohio	3,354	773	536	495	456	302	208	148	259	177
White	2,852	669	466	432	388	264	174	113	185	161
Nonwhite	502	104	70	63	68	38	34	35	74	16
Oklahoma	693	212	110	102	68	48	40	20	75	18
White	530	171	89	86	56	38	30	11	34	15
Nonwhite	163	41	21	16	12	10	10	9	41	3
Oregon	619	134	106	108	87	64	43	17	46	14
White	596	128	101	106	85	62	42	16	42	14
Nonwhite	23	6	5	2	2	2	1	1	4	-
Pennsylvania	4,095	992	655	662	527	396	258	182	323	100
White	3,442	835	574	576	455	337	214	138	231	82
Nonwhite	653	157	81	86	72	59	44	44	92	18
Rhode Island	273	77	37	42	36	30	14	13	20	4
White	256	74	35	40	34	28	13	13	16	3
Nonwhite	17	3	2	2	2	2	1	-	4	1
South Carolina	1,260	324	169	121	125	95	74	61	248	43
White	461	150	90	73	54	32	16	12	21	13
Nonwhite	799	174	79	48	71	63	58	49	227	30
South Dakota	224	43	38	36	21	25	12	15	31	3
White	194	41	28	34	19	24	11	13	22	2
Nonwhite	30	2	10	2	2	1	1	2	9	1
Tennessee	1,403	376	230	214	142	129	72	63	148	29
White	934	282	160	157	99	89	43	24	55	25
Nonwhite	469	94	70	57	43	40	29	39	93	4
Texas	3,763	938	542	529	437	303	230	173	521	90
White	2,881	752	452	414	326	235	162	114	359	67
Nonwhite	882	186	90	115	111	68	68	59	162	23
Utah	275	66	44	36	25	26	22	11	33	12
White	271	64	44	36	25	26	22	10	32	12
Nonwhite	4	2	-	-	-	-	-	1	1	-
Vermont	141	27	16	25	24	11	6	11	15	6
White	141	27	16	25	24	11	6	11	15	6
Nonwhite	-	-	-	-	-	-	-	-	-	-
Virginia	2,107	603	386	312	246	156	108	67	168	61
White	1,386	437	287	217	172	97	58	28	53	37
Nonwhite	721	166	99	95	74	59	50	39	115	24
Washington	753	162	113	141	113	73	47	33	70	1
White	688	153	108	130	104	64	44	29	55	1
Nonwhite	65	9	5	11	9	9	3	4	15	-
West Virginia	594	160	74	69	63	47	40	41	85	15
White	542	152	69	62	59	43	35	39	69	14
Nonwhite	52	8	5	7	4	4	5	2	16	1
Wisconsin	1,320	256	183	185	193	134	92	70	120	87
White	1,228	239	176	177	183	125	85	61	101	81
Nonwhite	92	17	7	8	10	9	7	9	19	6
Wyoming	95	19	11	24	11	9	7	5	6	3
White	91	19	11	23	11	9	7	4	4	3
Nonwhite	4	-	-	1	-	-	-	1	2	-

Table 4-6. Fetal Deaths by Attendant, Gestation Group, and Color: United States and Each State, 1960

(By place of residence. Data refer only to fetal deaths occurring within the United States, including Alaska and Hawaii, for which the period of gestation was given as 20 weeks or more (Groups II and III) or was not stated (Group IV). Fetal deaths which occurred in Massachusetts are included in Group IV because this State did not require reporting of period of gestation)

AREA AND COLOR	ALL FETAL DEATHS IN GROUPS II, III, AND IV				GROUP II—FETAL DEATHS OF 20-27 WEEKS GESTATION[3]				GROUP III—FETAL DEATHS OF 28 WEEKS GESTATION OR MORE[3]			
	Total	Attendant[1]			Total	Attendant[1]			Total	Attendant[1]		
		Physician in hospital[2]	Physician not in hospital	Midwife		Physician in hospital[2]	Physician not in hospital	Midwife		Physician in hospital[2]	Physician not in hospital	Midwife
UNITED STATES	68,480	63,807	2,453	1,102	14,585	13,235	844	190	45,897	43,117	1,300	855
White	50,894	49,125	1,233	95	10,255	9,651	477	13	34,244	33,370	569	78
Nonwhite	17,586	14,682	1,220	1,007	4,310	3,584	367	177	11,653	9,747	731	777
Alabama	1,772	1,364	125	224	367	283	35	36	1,255	974	76	170
White	769	738	20	3	146	136	9	-	555	540	8	3
Nonwhite	1,003	626	105	221	221	147	26	36	700	434	68	167
Alaska	91	70	6	5	17	13	2	1	73	57	4	4
White	53	49	3	-	11	9	2	-	42	40	1	-
Nonwhite	38	21	3	5	6	4	-	1	31	17	3	4
Arizona	467	451	10	2	97	94	3	-	354	344	6	1
White	383	369	8	2	83	82	1	-	288	278	6	1
Nonwhite	84	82	2	-	14	12	2	-	66	66	-	-
Arkansas	665	545	54	47	119	99	11	8	404	320	35	37
White	357	341	14	-	67	66	1	-	198	186	12	-
Nonwhite	308	204	40	47	52	33	10	8	206	134	23	37
California	4,746	4,617	69	-	667	638	27	-	3,073	3,045	22	-
White	4,026	3,930	59	-	552	528	23	-	2,638	2,612	20	-
Nonwhite	720	687	10	-	115	110	4	-	435	433	2	-
Colorado	738	704	27	-	181	167	11	-	389	363	6	-
White	702	669	26	-	172	158	11	-	347	341	6	-
Nonwhite	36	35	1	-	9	9	-	-	22	22	-	-
Connecticut	735	729	6	-	167	165	2	-	535	531	4	-
White	660	655	5	-	149	147	2	-	480	477	3	-
Nonwhite	75	74	1	-	18	18	-	-	55	54	1	-
Delaware	174	160	12	-	32	28	4	-	113	108	3	-
White	118	115	3	-	20	18	2	-	80	80	-	-
Nonwhite	56	45	9	-	12	10	2	-	33	28	3	-
District of Columbia	398	387	4	-	85	83	1	-	263	261	2	-
White	101	98	-	-	19	19	-	-	65	65	-	-
Nonwhite	297	289	4	-	66	64	1	-	198	196	2	-
Florida	1,835	1,683	70	52	327	304	14	4	1,494	1,369	53	47
White	1,035	1,003	13	6	196	190	2	-	833	809	9	6
Nonwhite	800	680	57	46	131	114	12	4	661	560	44	41
Georgia	2,047	1,698	126	28	541	449	34	5	1,364	1,128	83	23
White	981	960	8	-	265	260	2	-	655	645	5	-
Nonwhite	1,066	738	118	28	276	189	32	5	709	483	78	23
Hawaii	263	257	6	-	90	86	4	-	157	156	1	-
White	95	93	2	-	28	26	2	-	58	58	-	-
Nonwhite	168	164	4	-	62	60	2	-	99	98	1	-
Idaho	207	202	3	-	29	28	1	-	124	121	2	-
White	199	194	3	-	28	27	1	-	117	114	2	-
Nonwhite	8	8	-	-	1	1	-	-	7	7	-	-
Illinois	3,577	3,366	129	-	808	717	46	-	2,735	2,617	82	-
White	2,652	2,565	63	-	565	524	28	-	2,056	2,011	34	-
Nonwhite	925	801	66	-	243	193	18	-	679	606	48	-
Indiana	1,575	1,517	44	-	279	255	20	-	1,072	1,047	20	-
White	1,355	1,315	30	-	241	226	13	-	930	911	14	-
Nonwhite	220	202	14	-	38	29	7	-	142	136	6	-
Iowa	745	721	20	-	126	117	6	-	528	515	12	-
White	724	701	19	-	122	114	5	-	512	499	12	-
Nonwhite	21	20	1	-	4	3	1	-	16	16	-	-
Kansas	707	691	15	-	127	122	5	-	567	557	9	-
White	618	604	13	-	106	101	5	-	502	493	8	-
Nonwhite	89	87	2	-	21	21	-	-	65	64	1	-
Kentucky	1,096	1,005	58	23	208	187	12	6	848	785	44	14
White	940	867	45	21	174	158	9	5	732	681	34	14
Nonwhite	156	138	13	2	34	29	3	1	116	104	10	-
Louisiana	1,454	1,308	82	39	300	252	30	8	1,135	1,040	51	30
White	608	588	18	-	136	126	8	-	460	451	9	-
Nonwhite	846	720	64	39	164	126	22	8	675	589	42	30
Maine	331	324	7	-	60	58	2	-	189	186	3	-
White	329	322	7	-	60	58	2	-	188	185	3	-
Nonwhite	2	2	-	-	-	-	-	-	1	1	-	-
Maryland	1,219	1,157	36	10	230	215	13	-	718	701	9	4
White	814	791	13	-	148	140	7	-	484	478	2	-
Nonwhite	405	366	23	10	82	75	6	-	234	225	7	4

Table 4-6. Fetal Deaths by Attendant, Gestation Group, and Color: United States and Each State, 1960—Continued

(See headnote at beginning of table)

AREA AND COLOR	ALL FETAL DEATHS IN GROUPS II, III, AND IV				GROUP II—FETAL DEATHS OF 20-27 WEEKS GESTATION[3]				GROUP III—FETAL DEATHS OF 28 WEEKS GESTATION OR MORE[3]			
	Total	Attendant[1]			Total	Attendant[1]			Total	Attendant[1]		
		Physician in hospital[2]	Physician not in hospital	Midwife		Physician in hospital[2]	Physician not in hospital	Midwife		Physician in hospital[2]	Physician not in hospital	Midwife
Massachusetts[4]	1,575	1,526	32	-	6	6	-	-	14	14	-	-
White	1,495	1,450	29	-	6	6	-	-	14	14	-	-
Nonwhite	80	76	3	-	-	-	-	-	-	-	-	-
Michigan	3,025	2,944	61	-	601	559	31	-	2,235	2,200	29	-
White	2,456	2,403	39	-	459	431	20	-	1,822	1,800	18	-
Nonwhite	569	541	22	-	142	128	11	-	413	400	11	-
Minnesota	1,053	1,034	13	-	173	172	1	-	702	687	10	-
White	1,024	1,005	13	-	167	166	1	-	682	667	10	-
Nonwhite	29	29	-	-	6	6	-	-	20	20	-	-
Mississippi	1,546	1,085	115	322	383	259	31	87	1,010	698	75	222
White	435	419	12	2	108	103	3	1	258	251	5	1
Nonwhite	1,111	666	103	320	275	156	28	86	752	447	70	221
Missouri	1,484	1,401	42	8	324	291	17	1	1,044	1,003	18	7
White	1,159	1,111	30	3	248	227	16	1	812	790	11	2
Nonwhite	325	290	12	5	76	64	1	-	232	213	7	5
Montana	188	187	1	-	32	32	-	-	130	130	-	-
White	169	168	1	-	28	28	-	-	118	118	-	-
Nonwhite	19	19	-	-	4	4	-	-	12	12	-	-
Nebraska	422	407	14	-	93	85	8	-	270	265	4	-
White	395	381	13	-	84	77	7	-	254	249	4	-
Nonwhite	27	26	1	-	9	8	1	-	16	16	-	-
Nevada	101	98	2	-	21	20	1	-	76	74	1	-
White	87	85	1	-	17	17	-	-	67	65	1	-
Nonwhite	14	13	1	-	4	3	1	-	9	9	-	-
New Hampshire	176	173	3	-	28	27	1	-	126	124	2	-
White	175	172	3	-	27	26	1	-	126	124	2	-
Nonwhite	1	1	-	-	1	1	-	-	-	-	-	-
New Jersey	2,021	1,954	39	1	438	407	20	-	1,416	1,391	11	-
White	1,615	1,572	24	1	334	317	11	-	1,140	1,122	6	-
Nonwhite	406	382	15	-	104	90	9	-	276	269	5	-
New Mexico	434	415	10	5	80	77	2	1	300	285	7	4
White	385	366	10	5	72	69	2	1	264	249	7	4
Nonwhite	49	49	-	-	8	8	-	-	36	36	-	-
New York	8,347	7,952	329	1	2,482	2,324	134	-	4,574	4,454	91	-
White	6,220	5,977	197	-	1,702	1,601	81	-	3,709	3,625	65	-
Nonwhite	2,127	1,975	132	1	780	723	53	-	865	829	26	-
North Carolina	2,081	1,858	113	94	385	343	33	6	1,670	1,493	79	87
White	1,064	1,047	12	1	188	183	4	-	864	854	7	1
Nonwhite	1,017	811	101	93	197	160	29	6	806	639	72	86
North Dakota	216	208	4	-	50	47	1	-	157	152	3	-
White	203	197	3	-	48	45	1	-	147	144	2	-
Nonwhite	13	11	1	-	2	2	-	-	10	8	1	-
Ohio	3,354	3,253	83	-	731	679	45	-	2,250	2,210	29	1
White	2,852	2,764	75	-	589	545	40	-	1,929	1,894	26	1
Nonwhite	502	489	8	-	142	134	5	-	321	316	3	-
Oklahoma	693	666	16	10	90	88	2	-	441	428	6	6
White	530	517	11	2	66	64	2	-	331	327	3	1
Nonwhite	163	149	5	8	24	24	-	-	110	101	3	5
Oregon	619	605	14	-	159	150	9	-	336	331	5	-
White	596	584	12	-	153	146	7	-	322	317	5	-
Nonwhite	23	21	2	-	6	4	2	-	14	14	-	-
Pennsylvania	4,095	3,938	124	-	1,153	1,076	62	-	2,909	2,836	60	-
White	3,442	3,316	100	-	877	818	49	-	2,534	2,474	49	-
Nonwhite	653	622	24	-	276	258	13	-	375	362	11	-
Rhode Island	273	267	5	-	68	66	2	-	195	191	3	-
White	256	250	5	-	62	60	2	-	184	180	3	-
Nonwhite	17	17	-	-	6	6	-	-	11	11	-	-
South Carolina	1,260	989	96	123	207	161	25	12	942	736	70	106
White	461	448	7	2	79	75	2	-	342	335	4	2
Nonwhite	799	541	89	121	128	86	23	12	600	401	66	104
South Dakota	224	216	4	1	37	36	1	-	177	173	2	1
White	194	188	4	1	34	33	1	-	152	148	2	1
Nonwhite	30	28	-	-	3	3	-	-	25	25	-	-
Tennessee	1,403	1,307	52	28	298	274	17	4	1,101	1,029	35	24
White	934	893	25	6	196	182	10	1	736	709	15	5
Nonwhite	469	414	27	22	102	92	7	3	365	320	20	19
Texas	3,763	3,394	156	71	718	653	36	10	2,949	2,661	116	60
White	2,881	2,649	114	37	516	482	22	4	2,298	2,107	88	33
Nonwhite	882	745	42	34	202	171	14	6	651	554	28	27

Table 4-6. Fetal Deaths by Attendant, Gestation Group, and Color: United States and Each State, 1960—Continued

(See headnote at beginning of table)

AREA AND COLOR	ALL FETAL DEATHS IN GROUPS II, III, AND IV				GROUP II—FETAL DEATHS OF 20-27 WEEKS GESTATION[3]				GROUP III—FETAL DEATHS OF 28 WEEKS GESTATION OR MORE[3]			
	Total	Attendant[1]			Total	Attendant[1]			Total	Attendant[1]		
		Physician in hospital[2]	Physician not in hospital	Midwife		Physician in hospital[2]	Physician not in hospital	Midwife		Physician in hospital[2]	Physician not in hospital	Midwife
Utah	275	269	6	-	44	42	2	-	179	175	4	-
White	271	265	6	-	43	41	2	-	177	173	4	-
Nonwhite	4	4	-	-	1	1	-	-	2	2	-	-
Vermont	141	133	8	-	33	30	3	-	85	82	3	-
White	141	133	8	-	33	30	3	-	85	82	3	-
Nonwhite	-	-	-	-	-	-	-	-	-	-	-	-
Virginia	2,107	1,893	136	4	487	430	35	1	1,200	1,066	87	3
White	1,386	1,323	48	-	308	285	17	-	759	730	21	-
Nonwhite	721	570	88	4	179	145	18	1	441	336	66	3
Washington	753	735	16	-	164	153	11	-	582	575	5	-
White	688	671	15	-	144	134	10	-	537	530	5	-
Nonwhite	65	64	1	-	20	19	1	-	45	45	-	-
West Virginia	594	566	18	4	113	103	9	-	408	392	8	4
White	542	518	16	3	101	91	9	-	372	360	6	3
Nonwhite	52	48	2	1	12	12	-	-	36	32	2	1
Wisconsin	1,320	1,284	32	-	294	270	22	-	986	974	10	-
White	1,228	1,196	28	-	262	241	19	-	930	919	9	-
Nonwhite	92	88	4	-	32	29	3	-	56	55	1	-
Wyoming	95	94	-	-	16	15	-	-	63	63	-	-
White	91	90	-	-	16	15	-	-	59	59	-	-
Nonwhite	4	4	-	-	-	-	-	-	4	4	-	-

[1]Fetal deaths attended by other and not specified persons are not shown separately but are included in "Total."
[2]It is assumed that all fetal deaths in hospitals or institutions are attended by physicians.
[3]Period of gestation reported in months allocated to gestation interval in weeks as follows: 5 and 6 months to "20-27 weeks"; 7 months or more to "28 weeks or more."
[4]Gestation age data shown are for fetal deaths in other States to residents of Massachusetts.

Table 4-7. Fetal Deaths by Birth Weight, Plurality of Birth, Color, and Sex: United States, 1960

(Data refer only to fetal deaths occurring within the United States, including Alaska and Hawaii, for which the period of gestation was given as 20 weeks or more or was not stated)

PLURALITY OF BIRTH, COLOR, AND SEX	Total	BIRTH WEIGHT[1]										
		1,000 grams or less	1,001-1,500 grams	1,501-2,000 grams	2,001-2,500 grams	2,501-3,000 grams	3,001-3,500 grams	3,501-4,000 grams	4,001-4,500 grams	4,501-5,000 grams	5,001 grams or more	Not stated
TOTAL	68,480	13,327	6,820	6,640	7,314	7,201	7,034	4,198	1,706	864	568	12,808
Fetal deaths in single deliveries	64,467	11,919	6,302	6,175	6,832	6,911	6,923	4,168	1,696	861	568	12,112
Fetal deaths in twin deliveries	3,893	1,353	504	448	476	287	111	30	10	3	-	670
Fetal deaths in other plural deliveries	120	55	14	16	6	3	-	-	-	-	-	26
Male	34,626	7,034	3,424	3,468	3,769	3,730	3,698	2,412	1,022	535	365	5,169
Fetal deaths in single deliveries	32,602	6,295	3,179	3,226	3,532	3,590	3,642	2,400	1,013	533	365	4,827
Fetal deaths in twin deliveries	1,970	709	242	232	236	139	56	12	9	2	-	333
Fetal deaths in other plural deliveries	54	30	3	10	1	1	-	-	-	-	-	9
Female	29,732	5,800	3,325	3,117	3,507	3,440	3,315	1,774	682	326	199	4,247
Fetal deaths in single deliveries	27,861	5,174	3,052	2,899	3,266	3,292	3,261	1,756	681	326	199	3,955
Fetal deaths in twin deliveries	1,815	603	262	213	236	146	54	18	1	-	-	282
Fetal deaths in other plural deliveries	56	23	11	5	5	2	-	-	-	-	-	10
Sex not stated	4,122	493	71	55	38	31	21	12	2	3	4	3,392
Fetal deaths in single deliveries	4,004	450	71	50	34	29	20	12	2	2	4	3,330
Fetal deaths in twin deliveries	108	41	-	4	4	2	1	-	-	1	-	55
Fetal deaths in other plural deliveries	10	2	-	1	-	-	-	-	-	-	-	7
WHITE	50,894	9,814	4,875	4,844	5,344	5,399	5,463	3,260	1,318	622	389	9,566
Fetal deaths in single deliveries	47,903	8,733	4,514	4,502	4,978	5,196	5,383	3,242	1,310	619	389	9,037
Fetal deaths in twin deliveries	2,894	1,036	348	329	361	201	80	18	8	3	-	510
Fetal deaths in other plural deliveries	97	45	13	13	5	2	-	-	-	-	-	19
Male	25,671	5,182	2,425	2,505	2,749	2,765	2,836	1,841	796	385	250	3,937
Fetal deaths in single deliveries	24,147	4,597	2,249	2,331	2,569	2,665	2,800	1,834	788	383	250	3,681
Fetal deaths in twin deliveries	1,478	558	173	166	178	99	36	7	8	2	-	250
Fetal deaths in other plural deliveries	46	27	3	8	1	1	-	-	-	-	-	6
Female	22,356	4,279	2,403	2,303	2,563	2,611	2,614	1,410	521	234	136	3,282
Fetal deaths in single deliveries	20,975	3,818	2,218	2,137	2,379	2,510	2,570	1,399	521	234	136	3,053
Fetal deaths in twin deliveries	1,337	444	175	161	180	100	44	11	-	-	-	222
Fetal deaths in other plural deliveries	44	17	10	5	4	1	-	-	-	-	-	7
Sex not stated	2,867	353	47	36	32	23	13	9	1	3	3	2,347
Fetal deaths in single deliveries	2,781	318	47	34	30	21	13	9	1	2	3	2,303
Fetal deaths in twin deliveries	79	34	-	2	2	2	-	-	-	1	-	38
Fetal deaths in other plural deliveries	7	1	-	-	-	-	-	-	-	-	-	6
NONWHITE	17,586	3,513	1,945	1,796	1,970	1,802	1,571	938	388	242	179	3,242
Fetal deaths in single deliveries	16,564	3,186	1,788	1,673	1,854	1,715	1,540	926	386	242	179	3,075
Fetal deaths in twin deliveries	999	317	156	120	115	86	31	12	2	-	-	160
Fetal deaths in other plural deliveries	23	10	1	3	1	1	-	-	-	-	-	7
Male	8,955	1,852	999	963	1,020	965	862	571	226	150	115	1,232
Fetal deaths in single deliveries	8,455	1,698	930	895	963	925	842	566	225	150	115	1,146
Fetal deaths in twin deliveries	492	151	69	66	57	40	20	5	1	-	-	83
Fetal deaths in other plural deliveries	8	3	-	2	-	-	-	-	-	-	-	3
Female	7,376	1,521	922	814	944	829	701	364	161	92	63	965
Fetal deaths in single deliveries	6,886	1,356	834	762	887	782	691	357	160	92	63	902
Fetal deaths in twin deliveries	478	159	87	52	56	46	10	7	1	-	-	60
Fetal deaths in other plural deliveries	12	6	1	-	1	1	-	-	-	-	-	3
Sex not stated	1,255	140	24	19	6	8	8	3	1	-	1	1,045
Fetal deaths in single deliveries	1,223	132	24	16	4	8	7	3	1	-	1	1,027
Fetal deaths in twin deliveries	29	7	-	2	2	-	1	-	-	-	-	17
Fetal deaths in other plural deliveries	3	1	-	1	-	-	-	-	-	-	-	1

[1] Equivalents of the gram weights in terms of pounds and ounces are as follows:

1,000 grams or less = 2 lb. 3 oz. or less
1,001-1,500 grams = 2 lb. 4 oz. - 3 lb. 4 oz.
1,501-2,000 grams = 3 lb. 5 oz. - 4 lb. 6 oz.
2,001-2,500 grams = 4 lb. 7 oz. - 5 lb. 8 oz.
2,501-3,000 grams = 5 lb. 9 oz. - 6 lb. 9 oz.
3,001-3,500 grams = 6 lb. 10 oz. - 7 lb. 11 oz.
3,501-4,000 grams = 7 lb. 12 oz. - 8 lb. 13 oz.
4,001-4,500 grams = 8 lb. 14 oz. - 9 lb. 14 oz.
4,501-5,000 grams = 9 lb. 15 oz. - 11 lb. 0 oz.
5,001 grams or more = 11 lb. 1 oz. or more

Table 4-8. Fetal Deaths by Period of Gestation, Plurality of Birth, Color, and Sex: United States, 1960

(Data refer only to fetal deaths occurring within the United States, including Alaska and Hawaii, for which the period of gestation was given as 20 weeks or more or was not stated. Fetal deaths which occurred in Massachusetts are included in the "Not stated" classification for period of gestation because this State did not require reporting of the item)

PLURALITY OF BIRTH, COLOR, AND SEX	Total	PERIOD OF GESTATION[1]							
		20-27 weeks	28-31 weeks	32-35 weeks	36 weeks	37-39 weeks	40 weeks	41 weeks or more	Not stated
TOTAL	68,480	14,565	7,611	8,181	4,938	7,575	14,693	2,899	8,018
Fetal deaths in single deliveries	64,467	13,322	7,093	7,690	4,645	7,163	14,089	2,826	7,639
Fetal deaths in twin deliveries	3,893	1,204	498	468	286	403	596	72	366
Fetal deaths in other plural deliveries	120	39	20	23	7	9	8	1	13
Male	34,626	7,258	3,946	4,280	2,642	3,944	7,737	1,474	3,345
Fetal deaths in single deliveries	32,602	6,598	3,686	4,029	2,498	3,758	7,431	1,439	3,163
Fetal deaths in twin deliveries	1,970	638	253	242	142	181	302	35	177
Fetal deaths in other plural deliveries	54	22	7	9	2	5	4	-	5
Female	29,732	5,675	3,369	3,741	2,252	3,553	6,898	1,390	2,854
Fetal deaths in single deliveries	27,861	5,143	3,129	3,510	2,106	3,332	6,609	1,355	2,677
Fetal deaths in twin deliveries	1,815	518	229	218	141	217	285	34	173
Fetal deaths in other plural deliveries	56	14	11	13	5	4	4	1	4
Sex not stated	4,122	1,632	296	160	44	78	58	35	1,819
Fetal deaths in single deliveries	4,004	1,581	278	151	41	73	49	32	1,799
Fetal deaths in twin deliveries	108	48	16	8	3	5	9	3	16
Fetal deaths in other plural deliveries	10	3	2	1	-	-	-	-	4
WHITE	50,894	10,255	5,311	6,179	3,665	6,191	10,456	2,442	6,395
Fetal deaths in single deliveries	47,903	9,307	4,971	5,795	3,449	5,853	10,064	2,383	6,081
Fetal deaths in twin deliveries	2,894	914	328	364	210	332	387	58	301
Fetal deaths in other plural deliveries	97	34	12	20	6	6	5	1	13
Male	25,671	5,185	2,755	3,227	1,978	3,214	5,385	1,243	2,704
Fetal deaths in single deliveries	24,147	4,646	2,575	3,028	1,865	3,063	5,198	1,217	2,555
Fetal deaths in twin deliveries	1,478	497	176	191	111	148	185	26	144
Fetal deaths in other plural deliveries	46	22	4	8	2	3	2	-	5
Female	22,356	4,006	2,342	2,838	1,653	2,918	5,030	1,177	2,392
Fetal deaths in single deliveries	20,975	3,613	2,193	2,659	1,552	2,735	4,830	1,147	2,246
Fetal deaths in twin deliveries	1,337	383	142	167	97	180	197	29	142
Fetal deaths in other plural deliveries	44	10	7	12	4	3	3	1	4
Sex not stated	2,867	1,084	214	114	34	59	41	22	1,299
Fetal deaths in single deliveries	2,781	1,048	203	108	32	55	36	19	1,280
Fetal deaths in twin deliveries	79	34	10	6	2	4	5	3	15
Fetal deaths in other plural deliveries	7	2	1	-	-	-	-	-	4
NONWHITE	17,586	4,310	2,300	2,002	1,273	1,384	4,237	457	1,623
Fetal deaths in single deliveries	16,564	4,015	2,122	1,895	1,196	1,310	4,025	443	1,558
Fetal deaths in twin deliveries	999	290	170	104	76	71	209	14	65
Fetal deaths in other plural deliveries	23	5	8	3	1	3	3	-	-
Male	8,955	2,093	1,191	1,053	664	730	2,352	231	641
Fetal deaths in single deliveries	8,455	1,952	1,111	1,001	633	695	2,233	222	608
Fetal deaths in twin deliveries	492	141	77	51	31	33	117	9	33
Fetal deaths in other plural deliveries	8	-	3	1	-	2	2	-	-
Female	7,376	1,669	1,027	903	599	635	1,868	213	462
Fetal deaths in single deliveries	6,886	1,530	936	851	554	597	1,779	208	431
Fetal deaths in twin deliveries	478	135	87	51	44	37	88	5	31
Fetal deaths in other plural deliveries	12	4	4	1	1	1	1	-	-
Sex not stated	1,255	548	82	46	10	19	17	13	520
Fetal deaths in single deliveries	1,223	533	75	43	9	18	13	13	519
Fetal deaths in twin deliveries	29	14	6	2	1	1	4	-	1
Fetal deaths in other plural deliveries	3	1	1	1	-	-	-	-	-

[1]Period of gestation reported in months allocated to gestation interval in weeks as follows: 5 and 6 months to "20-27 weeks"; 7 months to "28-31 weeks"; 8 months to "32-35 weeks"; 9 months to "40 weeks"; 10 months or more to "41 weeks or more."

Table 4-9. Fetal Deaths by Birth Weight and Color for the United States and Each State; and by Sex for the United States: 1960

(By place of residence. Data refer only to fetal deaths occurring within the United States, including Alaska and Hawaii, for which the period of gestation was given as 20 weeks or more or was not stated)

AREA, COLOR, AND SEX	Total	BIRTH WEIGHT[1]										
		1,000 grams or less	1,001-1,500 grams	1,501-2,000 grams	2,001-2,500 grams	2,501-3,000 grams	3,001-3,500 grams	3,501-4,000 grams	4,001-4,500 grams	4,501-5,000 grams	5,001 grams or more	Not stated
UNITED STATES	68,480	13,327	6,820	6,640	7,314	7,201	7,034	4,198	1,706	864	568	12,808
White	50,894	9,814	4,875	4,844	5,344	5,399	5,463	3,260	1,318	622	389	9,566
Nonwhite	17,586	3,513	1,945	1,796	1,970	1,802	1,571	938	388	242	179	3,242
Male	34,626	7,034	3,424	3,468	3,769	3,730	3,698	2,412	1,022	535	365	5,169
White	25,671	5,182	2,425	2,505	2,749	2,765	2,836	1,841	795	365	250	3,937
Nonwhite	8,955	1,852	999	963	1,020	965	862	571	226	150	115	1,232
Female	29,732	5,800	3,325	3,117	3,507	3,440	3,315	1,774	682	326	199	4,247
White	22,356	4,279	2,403	2,303	2,563	2,611	2,614	1,410	521	234	136	3,282
Nonwhite	7,376	1,521	922	814	944	829	701	364	161	92	63	965
Sex not stated	4,122	493	71	55	38	31	21	12	2	3	4	3,392
White	2,867	353	47	38	32	23	13	9	1	3	3	2,347
Nonwhite	1,255	140	24	19	6	8	8	3	1	-	1	1,045
Alabama	1,772	275	188	195	212	202	205	117	49	29	19	281
White	769	122	80	86	89	81	99	49	12	13	3	135
Nonwhite	1,003	153	108	109	123	121	106	68	37	16	16	146
Alaska	91	17	8	7	11	11	8	10	1	-	-	18
White	53	14	5	7	8	5	5	5	-	-	-	4
Nonwhite	38	3	3	-	3	6	3	5	1	-	-	14
Arizona	467	75	48	49	43	56	42	30	14	7	5	98
White	383	64	38	40	33	44	35	20	11	7	3	88
Nonwhite	84	11	10	9	10	12	7	10	3	-	2	10
Arkansas	665	106	57	43	63	51	89	40	20	11	8	177
White	357	58	29	19	32	18	44	27	7	7	4	112
Nonwhite	308	48	28	24	31	33	45	13	13	4	4	65
California	4,746	1,082	568	551	544	573	529	301	144	73	35	346
White	4,026	899	456	482	461	499	471	261	125	66	25	281
Nonwhite	720	183	112	69	83	74	58	40	19	7	10	65
Colorado	738	118	55	46	67	61	39	30	6	3	2	311
White	702	108	51	45	63	56	38	28	5	3	1	304
Nonwhite	36	10	4	1	4	5	1	2	1	-	1	7
Connecticut	735	194	93	97	83	78	64	37	9	6	9	65
White	660	171	77	87	74	71	63	34	9	4	8	62
Nonwhite	75	23	16	10	9	7	1	3	-	2	1	3
Delaware	174	33	15	20	8	19	23	13	1	1	1	40
White	118	21	9	13	6	14	18	9	1	-	1	26
Nonwhite	56	12	6	7	2	5	5	4	-	1	-	14
District of Columbia	398	97	47	35	45	34	24	13	6	6	3	88
White	101	28	17	9	7	10	5	3	3	1	-	18
Nonwhite	297	69	30	26	38	24	19	10	3	5	3	70
Florida	1,835	348	220	237	257	255	242	120	66	33	17	40
White	1,035	218	123	136	148	136	143	60	30	13	5	22
Nonwhite	800	130	97	101	108	119	99	60	36	20	12	18
Georgia	2,047	342	183	151	201	198	211	103	42	21	18	577
White	981	189	86	61	96	99	113	47	18	5	3	264
Nonwhite	1,066	153	97	90	105	99	98	56	24	16	15	313
Hawaii	263	54	20	22	16	16	18	8	2	2	-	105
White	95	11	5	8	5	5	5	1	-	-	-	55
Nonwhite	168	43	15	14	11	11	13	7	2	2	-	50
Idaho	207	16	11	16	21	16	21	13	3	-	1	89
White	199	16	11	13	21	16	21	12	3	-	1	85
Nonwhite	8	-	-	3	-	-	-	1	-	-	-	4
Illinois	3,577	853	418	424	452	434	408	243	121	51	33	140
White	2,652	611	283	307	316	324	316	198	105	40	24	128
Nonwhite	925	242	135	117	136	110	92	45	16	11	9	12
Indiana	1,575	265	150	187	144	176	184	116	51	21	21	260
White	1,355	216	133	157	124	151	161	106	48	18	17	224
Nonwhite	220	49	17	30	20	25	23	10	3	3	4	36
Iowa	745	127	84	76	69	69	90	65	23	15	13	114
White	724	123	82	73	66	69	87	62	23	13	13	113
Nonwhite	21	4	2	3	3	-	3	3	-	2	-	1
Kansas	707	142	88	73	87	84	94	60	20	10	9	40
White	618	120	79	61	77	73	86	55	19	8	7	33
Nonwhite	89	22	9	12	10	11	8	5	1	2	2	7
Kentucky	1,096	176	126	102	127	132	142	82	30	17	11	151
White	940	148	107	93	107	110	122	71	25	14	9	134
Nonwhite	156	28	19	9	20	22	20	11	5	3	2	17
Louisiana	1,454	290	187	177	200	191	157	92	34	20	12	94
White	608	131	65	65	77	78	78	44	15	7	5	43
Nonwhite	846	159	122	112	123	113	79	48	19	13	7	51
Maine	331	42	24	23	33	19	20	14	11	3	4	138
White	329	42	23	23	32	19	20	14	11	3	4	138
Nonwhite	2	-	1	-	1	-	-	-	-	-	-	-

See footnote at end of table.

Table 4-9. Fetal Deaths by Birth Weight and Color for the United States and Each State; and by Sex for the United States: 1960—Continued

(By place of residence. Data refer only to fetal deaths occurring within the United States, including Alaska and Hawaii, for which the period of gestation was given as 20 weeks or more or was not stated)

AREA, COLOR, AND SEX	Total	BIRTH WEIGHT[1]										
		1,000 grams or less	1,001-1,500 grams	1,501-2,000 grams	2,001-2,500 grams	2,501-3,000 grams	3,001-3,500 grams	3,501-4,000 grams	4,001-4,500 grams	4,501-5,000 grams	5,001 grams or more	Not stated
Maryland	1,219	277	123	100	112	129	103	70	33	13	5	254
White	814	178	79	60	67	83	72	56	20	11	2	186
Nonwhite	405	99	44	40	45	46	31	14	13	2	3	68
Massachusetts	1,575	325	153	163	177	178	151	89	37	16	10	276
White	1,495	301	143	159	164	171	147	87	35	16	9	263
Nonwhite	80	24	10	4	13	7	4	2	2	-	1	13
Michigan	3,025	585	325	293	339	317	324	207	92	62	24	457
White	2,456	447	248	225	262	259	274	180	80	48	18	415
Nonwhite	569	138	77	68	77	58	50	27	12	14	6	42
Minnesota	1,053	181	85	100	105	115	92	70	25	17	11	252
White	1,024	177	80	98	103	111	89	66	25	17	10	248
Nonwhite	29	4	5	2	2	4	3	4	-	-	1	4
Mississippi	1,546	231	167	110	156	151	156	82	36	21	11	425
White	435	63	28	26	40	31	41	19	6	5	3	173
Nonwhite	1,111	168	139	84	116	120	115	63	30	16	8	252
Missouri	1,484	264	140	152	152	152	134	98	39	29	18	306
White	1,159	200	106	114	108	118	106	82	34	21	13	257
Nonwhite	325	64	34	38	44	34	28	16	5	8	5	49
Montana	188	25	22	15	21	22	12	6	5	1	3	56
White	169	23	19	13	18	20	10	6	5	-	3	52
Nonwhite	19	2	3	2	3	2	2	-	-	1	-	4
Nebraska	422	82	33	39	41	39	59	23	11	5	4	86
White	395	73	30	37	40	37	55	22	11	5	3	82
Nonwhite	27	9	3	2	1	2	4	1	-	-	1	4
Nevada	101	18	12	10	16	7	12	12	3	-	1	10
White	87	15	11	8	14	6	9	10	3	-	1	10
Nonwhite	14	3	1	2	2	1	3	2	-	-	-	-
New Hampshire	176	29	17	22	21	10	17	11	9	-	1	39
White	175	28	17	22	21	10	17	11	9	-	1	39
Nonwhite	1	1	-	-	-	-	-	-	-	-	-	-
New Jersey	2,021	467	215	200	203	222	188	113	43	23	10	337
White	1,615	357	166	145	159	187	161	92	37	17	5	289
Nonwhite	406	110	49	55	44	35	27	21	6	6	5	48
New Mexico	434	71	51	39	49	47	44	21	4	4	3	101
White	385	64	46	34	42	41	38	20	4	3	2	91
Nonwhite	49	7	5	5	7	6	6	1	-	1	1	10
New York	8,347	1,548	587	577	613	595	564	326	131	62	39	3,305
White	6,220	1,158	443	463	512	491	487	281	115	54	31	2,185
Nonwhite	2,127	390	144	114	101	104	77	45	16	8	8	1,120
North Carolina	2,081	390	232	263	298	282	283	153	42	25	16	97
White	1,064	213	116	125	151	140	163	77	19	10	5	45
Nonwhite	1,017	177	116	138	147	142	120	76	23	15	11	52
North Dakota	216	52	23	22	23	24	26	9	6	3	3	25
White	203	48	22	20	23	23	25	9	5	3	2	23
Nonwhite	13	4	1	2	-	1	1	-	1	-	1	2
Ohio	3,354	659	332	305	331	365	303	180	79	47	25	728
White	2,852	534	279	241	270	315	271	158	73	39	24	648
Nonwhite	502	125	53	64	61	50	32	22	6	8	1	80
Oklahoma	693	76	43	57	58	75	70	38	29	15	10	222
White	530	61	27	44	43	58	54	26	19	13	8	177
Nonwhite	163	15	16	13	15	17	16	12	10	2	2	45
Oregon	619	122	42	40	57	51	47	32	12	6	1	209
White	596	119	40	38	54	48	45	31	12	5	1	203
Nonwhite	23	3	2	2	3	3	2	1	-	1	-	6
Pennsylvania	4,095	1,114	384	387	418	401	439	272	104	37	39	500
White	3,442	867	325	319	356	351	401	251	90	30	33	419
Nonwhite	653	247	59	68	62	50	38	21	14	7	6	81
Rhode Island	273	59	27	25	33	35	32	22	8	3	5	24
White	256	55	25	24	30	35	30	19	7	3	4	24
Nonwhite	17	4	2	1	3	-	2	3	1	-	1	-
South Carolina	1,260	172	126	140	148	119	164	86	28	17	13	247
White	461	77	50	53	48	46	63	35	7	4	6	72
Nonwhite	799	95	76	87	100	73	101	51	21	13	7	175
South Dakota	224	36	19	22	16	29	28	20	12	7	3	32
White	194	32	17	20	13	26	26	17	10	4	2	27
Nonwhite	30	4	2	2	3	3	2	3	2	3	1	5
Tennessee	1,403	277	154	149	198	183	188	109	32	17	9	87
White	934	162	104	94	130	122	136	79	26	9	4	68
Nonwhite	469	115	50	55	68	61	52	30	6	8	5	19
Texas	3,763	584	402	393	471	466	491	299	118	54	38	447
White	2,881	433	290	290	356	369	391	237	97	42	29	347
Nonwhite	882	151	112	103	115	97	100	62	21	12	9	100

See footnote at end of table.

Table 4-9 Fetal Deaths by Birth Weight and Color for the United States and Each State; and by Sex for the United States: 1960—Continued

(By place of residence. Data refer only to fetal deaths occurring within the United States, including Alaska and Hawaii, for which the period of gestation was given as 20 weeks or more or was not stated)

AREA, COLOR, AND SEX	Total	BIRTH WEIGHT[1]										
		1,000 grams or less	1,001-1,500 grams	1,501-2,000 grams	2,001-2,500 grams	2,501-3,000 grams	3,001-3,500 grams	3,501-4,000 grams	4,001-4,500 grams	4,501-5,000 grams	5,001 grams or more	Not stated
Utah	275	33	15	18	32	22	13	12	7	2	3	118
White	271	31	15	17	32	22	13	12	7	2	3	117
Nonwhite	4	2	-	1	-	-	-	-	-	-	-	1
Vermont	141	27	11	7	15	14	13	9	4	-	1	40
White	141	27	11	7	15	14	13	9	4	-	1	40
Nonwhite	-	-	-	-	-	-	-	-	-	-	-	-
Virginia	2,107	460	211	199	208	185	174	122	37	12	12	487
White	1,386	302	123	119	135	115	123	76	27	5	6	355
Nonwhite	721	158	88	80	73	70	51	46	10	7	6	132
Washington	753	176	85	74	105	87	81	59	21	6	4	55
White	688	156	78	69	97	84	74	55	17	5	4	49
Nonwhite	65	20	7	5	8	3	7	4	4	1	-	6
West Virginia	594	80	67	63	62	52	65	46	14	11	8	126
White	542	73	64	59	52	49	58	41	14	10	6	116
Nonwhite	52	7	3	4	10	3	7	5	-	1	2	10
Wisconsin	1,320	241	122	116	138	142	139	93	32	19	16	262
White	1,228	217	109	107	132	130	129	88	30	18	16	252
Nonwhite	92	24	13	9	6	12	10	5	2	1	-	10
Wyoming	95	14	5	9	15	10	12	2	-	1	1	26
White	91	13	5	9	14	9	12	2	-	1	1	25
Nonwhite	4	1	-	-	1	1	-	-	-	-	-	1

[1] Equivalents of the gram weights in terms of pounds and ounces are as follows:

1,000 grams or less	= 2 lb. 3 oz. or less	3,001-3,500 grams	= 6 lb. 10 oz. - 7 lb. 11 oz.
1,001-1,500 grams	= 2 lb. 4 oz. - 3 lb. 4 oz.	3,501-4,000 grams	= 7 lb. 12 oz. - 8 lb. 13 oz.
1,501-2,000 grams	= 3 lb. 5 oz. - 4 lb. 6 oz.	4,001-4,500 grams	= 8 lb. 14 oz. - 9 lb. 14 oz.
2,001-2,500 grams	= 4 lb. 7 oz. - 5 lb. 8 oz.	4,501-5,000 grams	= 9 lb. 15 oz. - 11 lb. 0 oz.
2,501-3,000 grams	= 5 lb. 9 oz. - 6 lb. 9 oz.	5,001 grams or more	= 11 lb. 1 oz. or more

Table 4-10. Fetal Deaths by Period of Gestation and Color for the United States and Each State; and by Sex for the United States: 1960

(By place of residence. Data refer only to fetal deaths occurring within the United States, including Alaska and Hawaii, for which the period of gestation was given as 20 weeks or more or was not stated. Fetal deaths which occurred in Massachusetts are included in the "Not stated" classification for period of gestation because this State did not require reporting of the item)

AREA, COLOR, AND SEX	Total	PERIOD OF GESTATION[1]							
		20-27 weeks	28-31 weeks	32-35 weeks	36 weeks	37-39 weeks	40 weeks	41 weeks or more	Not stated
UNITED STATES	68,480	14,565	7,611	8,181	4,938	7,575	14,693	2,899	8,018
White	50,894	10,255	5,311	6,179	3,665	6,191	10,456	2,442	6,395
Nonwhite	17,586	4,310	2,300	2,002	1,273	1,384	4,237	457	1,623
Male	34,626	7,258	3,946	4,280	2,642	3,944	7,737	1,474	3,345
White	25,671	5,165	2,755	3,227	1,978	3,214	5,385	1,243	2,704
Nonwhite	8,955	2,093	1,191	1,053	664	730	2,352	231	641
Female	29,732	5,675	3,369	3,741	2,252	3,553	6,898	1,390	2,854
White	22,356	4,006	2,342	2,838	1,653	2,918	5,030	1,177	2,392
Nonwhite	7,376	1,669	1,027	903	599	635	1,868	213	462
Sex not stated	4,122	1,632	296	160	44	78	58	35	1,819
White	2,867	1,084	214	114	34	59	41	22	1,299
Nonwhite	1,255	548	82	46	10	19	17	13	520
Alabama	1,772	367	217	188	132	125	571	22	150
White	769	146	93	96	66	55	227	18	68
Nonwhite	1,003	221	124	92	66	70	344	4	82
Alaska	91	17	10	24	7	16	13	3	1
White	53	11	5	17	3	10	4	3	-
Nonwhite	38	6	5	7	4	6	9	-	1
Arizona	467	97	50	53	41	54	131	25	16
White	383	83	43	45	34	50	96	20	12
Nonwhite	84	14	7	8	7	4	35	5	4
Arkansas	665	119	76	59	40	40	183	6	142
White	357	67	39	30	15	23	88	3	92
Nonwhite	308	52	37	29	25	17	95	3	50
California	4,746	667	477	678	238	821	277	582	1,006
White	4,026	552	403	579	198	716	242	500	836
Nonwhite	720	115	74	99	40	105	35	82	170
Colorado	738	181	59	77	50	85	77	21	188
White	702	172	54	72	48	83	72	18	183
Nonwhite	36	9	5	5	2	2	5	3	5
Connecticut	735	167	97	117	57	114	123	27	33
White	660	149	86	102	53	98	115	26	31
Nonwhite	75	18	11	15	4	16	8	1	2
Delaware	174	32	20	18	12	22	38	3	29
White	118	20	8	14	8	18	29	3	18
Nonwhite	56	12	12	4	4	4	9	-	11
District of Columbia	398	85	61	55	24	62	22	39	50
White	101	19	20	15	4	13	3	10	17
Nonwhite	297	66	41	40	20	49	19	29	33
Florida	1,835	327	263	230	205	214	542	40	14
White	1,035	196	136	140	106	158	259	34	6
Nonwhite	800	131	127	90	99	56	283	6	8
Georgia	2,047	541	259	209	155	173	543	25	142
White	981	265	122	106	70	90	250	17	61
Nonwhite	1,066	276	137	103	85	83	293	8	81
Hawaii	263	90	33	32	14	26	42	10	16
White	95	28	9	10	7	13	15	4	9
Nonwhite	168	62	24	22	7	13	27	6	7
Idaho	207	29	19	21	14	20	42	8	54
White	199	28	18	20	14	18	39	8	54
Nonwhite	8	1	1	1	-	2	3	-	-
Illinois	3,577	808	433	454	266	370	1,123	89	34
White	2,652	565	307	332	203	320	815	79	31
Nonwhite	925	243	126	122	63	50	308	10	3
Indiana	1,575	279	165	189	102	168	386	62	224
White	1,355	241	136	168	87	153	330	56	184
Nonwhite	220	38	29	21	15	15	56	6	40
Iowa	745	126	76	92	53	105	169	33	91
White	724	122	75	88	52	102	162	33	90
Nonwhite	21	4	1	4	1	3	7	-	1
Kansas	707	127	78	105	62	115	169	38	13
White	618	106	65	95	57	104	145	36	10
Nonwhite	89	21	13	10	5	11	24	2	3
Kentucky	1,096	208	144	113	103	117	343	28	40
White	940	174	130	94	84	103	293	28	34
Nonwhite	156	34	14	19	19	14	50	-	6
Louisiana	1,454	300	215	214	142	132	405	27	19
White	608	136	65	89	65	69	153	19	12
Nonwhite	846	164	150	125	77	63	252	8	7
Maine	331	60	36	29	29	24	58	13	82
White	329	60	35	29	29	24	58	13	81
Nonwhite	2	-	1	-	-	-	-	-	1

See footnotes at end of table.

Table 4-10. Fetal Deaths by Period of Gestation and Color for the United States and Each State; and by Sex for the United States: 1960—Continued

(See headnote at beginning of table)

AREA, COLOR, AND SEX	Total	PERIOD OF GESTATION[1]							
		20-27 weeks	28-31 weeks	32-35 weeks	36 weeks	37-39 weeks	40 weeks	41 weeks or more	Not stated
Maryland	1,219	230	123	164	53	184	65	129	271
White	814	148	72	96	35	145	44	92	182
Nonwhite	405	82	51	68	18	39	21	37	89
Massachusetts[2]	1,575	6	4	-	-	4	6	-	1,555
White	1,495	6	4	-	-	4	6	-	1,475
Nonwhite	80	-	-	-	-	-	-	-	80
Michigan	3,025	601	361	381	277	360	758	98	189
White	2,456	459	278	300	228	319	605	92	175
Nonwhite	569	142	83	81	49	41	153	6	14
Minnesota	1,053	173	101	144	71	114	199	73	178
White	1,024	167	97	142	70	110	193	70	175
Nonwhite	29	6	4	2	1	4	6	3	3
Mississippi	1,546	383	181	139	85	78	514	13	153
White	435	108	42	44	27	27	111	7	69
Nonwhite	1,111	275	139	95	58	51	403	6	84
Missouri	1,484	324	164	185	109	177	343	66	116
White	1,159	248	132	136	74	151	265	54	99
Nonwhite	325	76	32	49	35	26	78	12	17
Montana	188	32	19	21	15	32	31	12	26
White	169	28	19	17	14	29	29	10	23
Nonwhite	19	4	-	4	1	3	2	2	3
Nebraska	422	93	28	52	33	40	95	22	59
White	395	84	23	51	32	39	89	20	57
Nonwhite	27	9	5	1	1	1	6	2	2
Nevada	101	21	13	10	12	10	29	2	4
White	87	17	12	9	12	7	25	2	3
Nonwhite	14	4	1	1	-	3	4	-	1
New Hampshire	176	28	20	20	15	25	32	14	22
White	175	27	20	20	15	25	32	14	22
Nonwhite	1	1	-	-	-	-	-	-	-
New Jersey	2,021	438	224	257	152	232	443	108	167
White	1,615	334	172	203	117	194	359	95	141
Nonwhite	406	104	52	54	35	38	84	13	26
New Mexico	434	80	58	51	32	42	105	12	54
White	385	72	50	46	27	36	94	11	49
Nonwhite	49	8	8	5	5	6	11	1	5
New York	8,347	2,482	844	955	412	938	917	508	1,291
White	6,220	1,702	617	765	344	775	806	402	809
Nonwhite	2,127	780	227	190	68	163	111	106	482
North Carolina	2,081	385	272	263	171	206	708	50	26
White	1,064	188	133	140	92	127	337	35	12
Nonwhite	1,017	197	139	123	79	79	371	15	14
North Dakota	216	50	23	31	13	34	50	6	9
White	203	48	21	30	11	33	47	5	8
Nonwhite	13	2	2	1	2	1	3	1	1
Ohio	3,354	731	373	480	293	378	617	109	373
White	2,852	589	309	403	248	322	547	100	334
Nonwhite	502	142	64	77	45	56	70	9	39
Oklahoma	693	90	66	68	39	37	219	12	162
White	530	66	48	57	34	30	152	10	133
Nonwhite	163	24	18	11	5	7	67	2	29
Oregon	619	159	47	57	48	79	82	23	124
White	596	153	45	54	46	75	81	21	121
Nonwhite	23	6	2	3	2	4	1	2	3
Pennsylvania	4,095	1,153	478	484	319	486	977	165	33
White	3,442	877	388	420	279	431	878	138	31
Nonwhite	653	276	90	64	40	55	99	27	2
Rhode Island	273	68	24	36	14	28	76	17	10
White	256	62	24	36	11	26	71	16	10
Nonwhite	17	6	-	-	3	2	5	1	-
South Carolina	1,260	207	173	150	86	87	432	14	111
White	461	79	54	60	29	39	148	12	40
Nonwhite	799	128	119	90	57	48	284	2	71
South Dakota	224	37	20	30	24	28	57	18	10
White	194	34	18	28	22	26	42	16	8
Nonwhite	30	3	2	2	2	2	15	2	2
Tennessee	1,403	298	183	174	103	122	500	19	4
White	934	196	100	110	71	104	333	18	2
Nonwhite	469	102	83	64	32	18	167	1	2
Texas	3,763	718	469	449	381	439	1,098	113	96
White	2,881	516	333	346	288	363	873	95	67
Nonwhite	882	202	136	103	93	76	225	18	29
Utah	275	44	31	34	17	35	53	9	52
White	271	43	30	33	17	35	53	9	51
Nonwhite	4	1	1	1	-	-	-	-	1

See footnotes at end of table.

Table 4-10. Fetal Deaths by Period of Gestation and Color for the United States and Each State; and by Sex for the United States: 1960—Continued

(See headnote at beginning of table)

AREA, COLOR, AND SEX	Total	PERIOD OF GESTATION[1]							
		20-27 weeks	28-31 weeks	32-35 weeks	36 weeks	37-39 weeks	40 weeks	41 weeks or more	Not stated
Vermont	141	33	9	15	12	11	29	9	23
White	141	33	9	15	12	11	29	9	23
Nonwhite	-	-	-	-	-	-	-	-	-
Virginia	2,107	487	204	217	166	185	378	50	420
White	1,386	308	124	141	88	122	243	41	319
Nonwhite	721	179	80	76	78	63	135	9	101
Washington	753	164	104	114	55	108	168	33	7
White	688	144	95	107	47	104	156	28	7
Nonwhite	65	20	9	7	8	4	12	5	-
West Virginia	594	113	49	70	59	49	164	17	73
White	542	101	46	66	50	45	150	15	69
Nonwhite	52	12	3	4	9	4	14	2	4
Wisconsin	1,320	294	149	164	120	213	267	73	40
White	1,228	262	139	155	116	206	241	73	36
Nonwhite	92	32	10	9	4	7	26	-	4
Wyoming	95	16	9	9	6	11	24	4	16
White	91	16	8	8	6	11	22	4	16
Nonwhite	4	-	1	1	-	-	2	-	-

[1]Period of gestation reported in months allocated to gestation interval in weeks as follows: 5 and 6 months to "20-27 weeks"; 7 months to "28-31 weeks"; 8 months to "32-35 weeks"; 9 months to "40 weeks"; 10 months or more to "41 weeks or more."

[2]Gestation age data shown are for fetal deaths in other States to residents of Massachusetts.

Section 5. General Mortality: Tables

General Tables — Page

5-1. Deaths by State of occurrence distributed according to State of residence: United States and each State, 1960 ---------- 5-2

5-2. Deaths by month and State of occurrence: United States and each State, 1960 ---- 5-5

5-3. Deaths by month, color, and sex: United States and each State, 1960 ---------- 5-6

5-4. Deaths by specified race and sex: United States and each State, 1960 ---------- 5-12

5-5. Deaths by marital status, age, color, and sex: United States, 1960 ---------- 5-13

5-6. Deaths and death rates for each cause, by color and sex: United States, 1960 --- 5-14

5-7. Deaths from 255 selected causes, by month: United States, 1960 ---------- 5-35

5-8. Deaths from 255 selected causes, by specified race and sex: United States, 1960- 5-40

5-9. Deaths from 255 selected causes, by age, race, and sex: United States, 1960 ---- 5-48

5-10. Deaths from 255 selected causes, by color and sex: United States and each State, 1960 ---------- 5-98

5-11. Deaths from 59 selected causes, by age, color, and sex: United States, 1960 ---- 5-182

5-12. Death rates for 59 selected causes, by age, color, and sex: United States, 1960 -- 5-190

692-280 O - 63 - 2

Table 5-1. Deaths by State of Occurrence Distributed According to State of Residence: United States and Each State, 1960

(Excludes fetal deaths. Unit of residence is defined as the county or county equivalent of which the decedent was a resident)

STATE OF OCCURRENCE	Total deaths occurring in State	Deaths of residents occurring in county of residence	DEATHS OF NONRESIDENTS														
			Total	Intra-state non-residents	Interstate nonresidents												
					Total	State of residence											
						Ala.	Alaska	Ariz.	Ark.	Calif.	Colo.	Conn.	Del.	D.C.	Fla.	Ga.	Hawaii	Idaho
UNITED STATES	1,711,982	1,428,394	283,588	228,373	55,215	921	104	484	955	1,926	399	896	203	950	1,848	977	34	458
Alabama	30,055	25,890	4,165	3,489	676	...	-	2	5	9	-	-	1	3	183	194	-	-
Alaska	1,215	1,027	188	188	-	-	...	-	-	-	-	-	-	-	-	-	-	-
Arizona	10,557	8,932	1,625	730	895	3	2	...	13	187	27	7	-	1	12	-	-	4
Arkansas	17,800	13,808	3,992	3,148	844	5	-	6	...	24	2	-	-	-	2	2	-	1
California	155,344	121,416	13,928	12,166	1,762	5	11	176	15	...	27	13	2	5	26	12	14	29
Colorado	15,773	11,513	4,260	3,430	830	3	-	15	9	51	...	-	2	2	14	1	-	4
Connecticut	23,550	20,804	2,746	2,199	547	2	-	3	-	5	2	...	1	3	21	3	-	-
Delaware	4,349	3,607	742	376	366	-	-	-	-	-	-	-	...	5	3	1	-	-
District of Columbia	10,084	7,832	2,252	...	2,252	15	-	2	6	22	-	4	7	...	43	24	1	-
Florida	49,532	42,136	7,396	4,168	3,228	111	1	5	8	29	6	81	5	18	...	226	-	2
Georgia	35,564	27,745	7,819	6,635	1,184	238	-	-	3	10	2	3	1	4	251	...	-	1
Hawaii	3,596	3,415	181	92	89	-	-	-	1	42	-	-	-	-	2	1	...	-
Idaho	5,243	4,189	1,054	779	275	1	-	3	-	33	4	1	-	-	-	-	1	...
Illinois	101,547	88,248	13,299	11,012	2,287	8	1	14	29	117	13	9	-	5	98	10	2	1
Indiana	44,988	37,049	7,939	6,477	1,462	7	1	3	6	32	6	1	-	3	35	4	1	-
Iowa	28,724	22,438	6,286	5,165	1,121	1	-	3	3	53	8	1	-	1	7	-	-	2
Kansas	20,909	16,741	4,168	3,123	1,045	1	-	4	17	31	49	-	-	1	6	1	1	1
Kentucky	29,550	23,981	5,569	4,519	1,050	17	-	3	4	8	2	2	1	2	18	13	-	-
Louisiana	29,926	22,909	7,017	6,236	781	44	-	-	101	20	1	-	-	1	33	10	1	-
Maine	10,709	9,012	1,697	1,403	294	2	-	1	1	4	-	27	-	1	10	2	-	-
Maryland	27,761	20,777	6,984	5,237	1,747	6	-	2	1	12	4	11	57	665	53	10	1	-
Massachusetts	57,114	47,515	9,599	8,158	1,441	1	-	2	-	14	2	246	1	5	60	7	1	1
Michigan	67,480	57,197	10,283	9,167	1,116	9	3	7	3	35	1	-	1	4	82	8	-	1
Minnesota	32,212	24,559	7,653	6,113	1,540	5	2	4	7	52	7	2	2	5	23	5	1	3
Mississippi	21,580	17,628	3,952	3,303	649	161	-	1	28	9	1	-	1	1	27	11	-	-
Missouri	48,951	37,119	11,832	9,514	2,318	13	1	8	123	41	14	1	-	3	16	2	-	1
Montana	6,442	5,204	1,238	1,044	194	-	-	1	-	6	3	-	-	-	-	-	-	16
Nebraska	14,112	10,956	3,156	2,536	620	-	-	4	2	49	17	-	-	-	3	1	1	2
Nevada	2,748	2,117	631	217	414	-	-	16	1	262	7	1	-	-	-	1	-	14
New Hampshire	8,682	5,498	1,184	677	507	-	-	-	-	3	-	15	-	3	9	-	-	-
New Jersey	57,849	49,128	8,721	7,055	1,666	7	-	1	-	10	1	22	18	8	66	4	-	-
New Mexico	6,552	5,138	1,414	904	510	1	-	97	7	68	39	1	-	-	6	3	-	1
New York	178,085	157,605	20,480	17,102	3,378	8	2	8	1	72	7	288	9	21	221	16	2	-
North Carolina	38,378	30,750	7,628	6,505	1,123	13	-	-	1	4	1	14	3	21	107	70	-	-
North Dakota	5,428	3,643	1,785	1,387	398	-	-	-	-	7	1	-	-	-	1	-	-	1
Ohio	93,105	80,272	12,833	10,689	2,144	5	-	14	2	49	7	2	-	2	94	6	-	-
Oklahoma	22,444	18,038	4,406	3,860	546	4	1	11	57	38	12	2	-	1	7	2	-	1
Oregon	16,761	13,745	3,016	2,417	599	-	24	3	2	142	6	-	-	1	1	-	1	85
Pennsylvania	121,011	104,379	16,632	13,926	2,706	9	-	7	1	25	2	22	80	24	74	5	-	1
Rhode Island	8,954	7,693	1,261	885	376	-	-	-	-	1	-	88	-	-	2	-	-	-
South Carolina	20,388	17,174	3,214	2,750	464	8	-	-	2	-	-	1	1	3	45	79	-	-
South Dakota	6,590	4,662	1,928	1,484	444	1	-	2	1	13	6	-	-	-	3	-	-	2
Tennessee	34,356	27,812	6,544	4,245	2,299	173	-	2	374	16	3	-	-	4	39	204	1	1
Texas	77,610	64,695	12,915	11,381	1,534	19	3	27	111	108	25	1	1	2	40	17	2	2
Utah	6,233	4,998	1,235	850	385	1	1	26	2	56	30	1	-	-	2	-	-	109
Vermont	4,458	3,572	886	567	319	-	-	-	-	1	1	20	1	-	8	-	-	-
Virginia	33,783	22,340	11,443	10,121	1,322	9	-	1	2	15	3	6	7	104	51	15	1	-
Washington	26,713	23,152	3,561	2,760	801	1	51	3	1	86	5	1	-	-	1	2	2	160
West Virginia	18,237	14,023	4,214	2,902	1,312	2	-	-	-	2	2	-	1	18	12	1	-	1
Wisconsin	38,139	32,127	6,012	4,916	1,096	2	-	3	2	24	2	2	-	-	30	4	-	4
Wyoming	2,811	2,186	625	366	259	-	-	4	3	29	41	-	-	-	1	-	-	7

Table 5-1. Deaths by State of Occurrence Distributed According to State of Residence: United States and Each State, 1960—Con.

(Excludes fetal deaths, Unit of residence is defined as the county or county equivalent of which the decedent was a resident)

STATE OF OCCURRENCE	DEATHS OF NONRESIDENTS—Continued																		
	Interstate nonresidents—Continued																		
	State of residence—Continued																		
	Ill.	Ind.	Iowa	Kans.	Ky.	La.	Maine	Md.	Mass.	Mich.	Minn.	Miss.	Mo.	Mont.	Nebr.	Nev.	N.H.	N.J.	N. Mex.
UNITED STATES	3,768	1,843	1,167	1,297	1,459	559	346	1,954	1,165	1,547	1,002	813	1,717	304	605	206	487	3,279	483
Alabama	30	11	2	3	5	19	1	1	-	10	-	71	6	-	-	-	-	4	-
Alaska	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Arizona	57	25	23	18	4	8	6	3	12	34	20	2	29	15	13	14	1	5	85
Arkansas	29	15	5	17	4	45	-	-	-	11	4	14	173	-	2	1	-	1	3
California	121	37	54	41	5	9	4	8	25	57	45	11	42	30	39	97	4	35	28
Colorado	31	16	30	85	3	1	-	5	2	16	11	3	31	14	79	5	1	12	81
Connecticut	3	2	3	-	1	-	13	2	86	3	-	-	1	1	-	-	8	34	-
Delaware	1	1	-	-	2	-	3	104	-	1	-	-	2	-	-	-	-	94	-
District of Columbia	7	7	5	1	11	2	2	1,165	18	9	1	4	4	1	1	1	2	21	2
Florida	236	115	21	9	48	15	32	47	127	243	28	20	33	2	11	2	27	178	1
Georgia	14	11	1	3	19	9	-	10	5	13	1	8	4	-	1	-	3	4	-
Hawaii	4	1	-	-	-	-	-	-	2	4	-	-	-	1	-	-	-	1	-
Idaho	3	2	2	3	-	1	-	-	-	-	-	-	2	25	3	9	-	-	1
Illinois	...	592	136	15	67	11	2	10	8	170	41	23	307	6	17	1	-	16	4
Indiana	558	...	8	5	167	3	-	4	2	203	18	2	21	1	3	1	-	3	-
Iowa	412	9	...	13	1	1	-	1	2	7	96	4	156	1	151	-	-	1	1
Kansas	31	4	21	...	3	4	1	3	-	4	4	2	552	-	51	-	-	-	6
Kentucky	68	295	3	1	...	2	1	5	6	31	2	4	11	-	-	1	1	3	-
Louisiana	19	9	4	2	3	...	1	1	1	7	1	172	16	1	1	-	-	6	3
Maine	4	1	-	2	1	-	...	3	86	2	1	-	1	-	-	-	65	14	1
Maryland	13	10	5	-	8	3	4	...	13	14	1	1	3	1	2	-	1	62	1
Massachusetts	6	1	2	4	5	2	113	11	...	13	3	-	7	1	-	1	231	53	2
Michigan	146	128	11	3	13	4	1	4	7	...	28	4	26	2	3	1	1	3	1
Minnesota	127	35	230	16	7	2	1	4	6	45	...	1	23	27	26	1	-	6	3
Mississippi	39	6	3	1	5	174	-	1	1	7	-	...	8	-	1	2	-	3	1
Missouri	937	51	68	746	28	8	1	2	1	24	5	12	...	4	16	2	-	5	5
Montana	4	1	2	4	-	1	-	-	-	1	9	-	-	...	3	2	-	1	1
Nebraska	24	5	268	76	1	-	-	1	-	2	12	1	15	1	...	-	-	1	1
Nevada	9	2	3	2	-	-	2	1	1	4	3	2	5	3	2	...	-	3	1
New Hampshire	-	-	-	-	-	1	95	2	174	3	-	1	1	-	2	-	...	5	1
New Jersey	14	2	1	1	2	1	10	33	28	10	1	-	2	2	1	-	4	...	-
New Mexico	11	4	9	21	6	3	-	-	1	6	6	5	12	4	4	-	-	3	...
New York	55	18	7	4	23	7	22	37	178	43	7	3	13	2	4	4	19	1,393	1
North Carolina	8	4	1	3	10	2	3	23	15	14	1	1	5	-	-	-	2	26	1
North Dakota	1	2	4	2	-	-	-	1	-	-	268	-	1	32	-	-	-	-	-
Ohio	74	276	6	3	416	2	-	11	13	292	10	1	10	1	3	1	-	15	1
Oklahoma	9	5	5	123	-	3	-	-	2	8	1	-	36	1	5	1	-	2	11
Oregon	6	-	5	6	-	1	-	1	1	2	7	-	2	9	10	1	-	1	3
Pennsylvania	33	16	5	5	10	3	5	194	28	31	9	3	8	-	-	3	4	1,174	1
Rhode Island	2	-	1	1	-	-	6	2	234	1	-	-	-	-	-	-	-	6	-
South Carolina	4	1	-	-	2	2	4	6	6	5	-	4	-	-	-	-	1	13	-
South Dakota	7	5	73	3	1	-	-	-	-	3	96	-	7	17	87	2	-	2	2
Tennessee	46	34	5	4	384	14	-	5	1	29	1	414	64	1	-	-	-	7	2
Texas	55	26	19	38	9	184	6	4	6	18	13	18	44	6	18	2	-	4	217
Utah	4	1	4	1	2	-	-	-	-	2	5	-	2	7	6	50	-	-	3
Vermont	-	-	-	-	-	-	4	-	45	-	-	-	1	-	-	-	107	8	-
Virginia	21	19	3	3	32	3	3	96	18	9	2	1	8	2	2	-	3	41	-
Washington	9	3	-	1	1	1	-	1	-	1	14	1	5	57	2	1	1	1	2
West Virginia	3	9	-	-	148	5	-	139	-	10	-	-	3	-	1	-	-	6	-
Wisconsin	466	26	99	4	1	2	-	3	3	120	222	-	9	1	6	-	1	2	2
Wyoming	7	-	10	4	1	1	-	-	1	5	5	-	6	25	29	-	-	1	4

Table 5-1. Deaths by State of Occurrence Distributed According to State of Residence: United States and Each State, 1960—Con.

(Excludes fetal deaths. Unit of residence is defined as the county or county equivalent of which the decedent was a resident)

STATE OF OCCURRENCE	DEATHS OF NONRESIDENTS—Continued																		Total deaths of residents
	Interstate nonresidents—Continued																		
	State of residence—Continued																		
	N.Y.	N.C.	N. Dak.	Ohio	Okla.	Oreg.	Pa.	R.I.	S.C.	S. Dak.	Tenn.	Tex.	Utah	Vt.	Va.	Wash.	W. Va.	Wis.	Wyo.	
UNITED STATES	3,189	905	400	2,505	1,016	657	2,933	427	764	472	844	1,377	174	289	1,998	620	1,142	1,103	244	1,711,982
Alabama	11	4	-	11	2	2	4	-	6	1	48	16	-	-	5	1	2	2	1	30,300
Alaska	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1,319
Arizona	40	2	2	40	18	10	23	1	-	3	5	53	10	5	4	14	7	24	4	10,146
Arkansas	5	-	1	9	209	-	3	1	-	2	35	202	1	-	4	1	-	5	-	17,911
California	95	5	7	60	51	158	50	6	6	8	14	89	28	1	19	94	1	36	7	135,508
Colorado	14	9	4	16	24	11	12	1	3	25	5	53	23	-	7	14	4	7	71	15,342
Connecticut	268	4	-	5	1	-	23	31	1	-	-	-	1	9	2	2	2	-	1	23,899
Delaware	13	-	-	2	-	-	122	1	-	-	-	-	-	-	11	-	-	-	-	4,186
District of Columbia	48	27	-	27	3	-	57	2	10	-	12	10	1	-	633	4	27	3	-	8,782
Florida	666	60	2	270	10	7	262	22	30	2	55	9	-	16	39	3	35	51	2	48,152
Georgia	44	54	1	36	2	-	19	-	289	-	83	15	-	-	15	2	3	2	-	35,357
Hawaii	6	1	2	2	1	3	4	-	-	-	1	2	1	-	2	4	-	1	-	3,541
Idaho	1	-	1	-	2	63	-	-	-	1	1	9	14	-	-	80	-	2	7	5,426
Illinois	51	5	5	86	15	5	32	2	4	15	31	34	1	3	4	10	12	237	2	103,028
Indiana	17	3	2	261	1	1	15	-	2	3	14	18	-	-	3	1	3	19	1	45,369
Iowa	3	-	10	7	4	8	5	-	-	89	-	12	1	-	1	3	1	42	-	28,770
Kansas	5	-	1	9	164	5	5	-	-	5	3	30	1	-	3	6	1	5	4	21,161
Kentucky	13	4	-	179	7	-	12	-	4	-	167	7	-	-	59	2	89	3	-	29,959
Louisiana	9	1	1	7	7	1	4	1	3	-	12	268	3	-	4	-	1	1	-	29,704
Maine	28	2	-	4	-	-	16	4	1	-	1	-	-	6	2	1	-	-	-	10,761
Maryland	73	20	2	21	1	1	261	1	17	-	9	10	1	1	226	2	136	1	-	27,968
Massachusetts	199	3	-	16	5	2	60	295	3	-	1	7	1	37	8	3	1	5	-	56,838
Michigan	42	4	-	250	3	3	31	1	1	-	19	15	1	-	7	4	9	186	-	67,911
Minnesota	14	2	223	20	8	3	7	-	-	166	4	21	-	-	2	21	2	367	2	31,674
Mississippi	16	2	-	2	3	-	8	-	5	-	80	33	-	-	2	-	1	5	-	21,744
Missouri	15	2	2	22	63	3	10	-	2	2	18	22	-	1	3	5	2	7	1	48,350
Montana	1	-	39	2	3	5	3	-	-	6	-	6	5	-	1	38	-	2	28	6,552
Nebraska	2	-	4	4	10	7	4	-	1	66	-	4	-	-	1	3	1	5	21	14,097
Nevada	6	1	1	-	2	9	3	1	-	-	-	6	24	-	3	10	-	2	1	2,540
New Hampshire	24	-	-	1	-	-	5	9	-	-	-	-	-	146	5	1	-	1	-	6,662
New Jersey	672	10	-	16	3	1	658	12	4	1	-	10	1	1	17	4	6	-	1	59,462
New Mexico	8	-	1	9	22	3	5	1	2	-	3	129	6	-	4	-	2	5	2	6,525
New York	...	31	1	92	4	2	562	19	13	1	12	19	1	54	45	6	12	9	-	177,896
North Carolina	73	...	-	18	4	1	31	1	287	-	75	4	1	1	258	1	14	1	-	38,160
North Dakota	1	-	...	2	3	2	1	-	-	54	1	4	-	-	-	8	-	1	-	5,430
Ohio	62	9	3	...	1	-	305	-	6	-	28	15	-	-	23	5	361	9	1	93,466
Oklahoma	2	9	1	5	...	2	8	-	1	-	1	162	-	-	1	2	2	2	-	22,914
Oregon	1	1	6	4	4	...	2	-	-	3	2	8	9	-	-	231	-	5	3	16,819
Pennsylvania	351	15	-	341	9	-	...	8	7	-	8	11	-	2	39	4	126	3	-	121,238
Rhode Island	17	1	-	1	-	1	4	...	2	-	-	1	1	1	1	-	1	1	-	9,005
South Carolina	21	199	-	3	1	-	19	1	...	-	10	4	-	-	12	-	7	-	-	20,688
South Dakota	-	1	48	5	2	-	-	-	1	...	-	2	-	-	1	5	1	9	36	6,618
Tennessee	13	81	1	26	5	-	5	-	22	-	...	18	-	-	285	-	11	4	-	32,901
Texas	43	11	5	22	322	7	13	-	7	7	14	...	2	3	3	6	6	14	4	77,453
Utah	3	-	1	5	3	5	4	-	1	1	-	3	...	-	1	1	1	-	41	6,022
Vermont	109	-	-	-	-	-	12	2	-	-	-	-	-	...	-	-	-	-	-	4,428
Virginia	56	314	1	33	2	3	76	4	17	2	65	11	1	2	...	6	243	6	-	34,459
Washington	2	-	18	5	5	317	3	-	2	6	1	5	6	-	2	...	8	4	3	26,532
West Virginia	12	8	-	537	-	-	154	-	4	-	3	1	-	-	229	1	...	-	-	18,067
Wisconsin	9	-	3	11	4	3	8	-	-	1	3	10	-	-	1	2	1	...	-	38,146
Wyoming	5	-	1	1	3	3	3	-	-	2	-	9	29	-	1	9	-	9	...	2,796

Table 5-2. Deaths by Month and State of Occurrence: United States and Each State, 1960

(Excludes fetal deaths)

AREA	Total	Jan.	Feb.	Mar.	Apr.	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.
UNITED STATES	1,711,982	163,833	158,754	153,997	136,415	138,786	132,461	133,372	130,004	128,012	141,073	139,513	155,762
Alabama	30,055	2,769	3,002	3,010	2,286	2,493	2,212	2,336	2,171	2,192	2,305	2,440	2,839
Alaska	1,215	115	88	86	102	114	134	87	94	103	104	89	99
Arizona	10,557	1,087	918	944	843	816	829	809	765	783	826	901	1,036
Arkansas	17,800	1,723	1,632	1,737	1,370	1,422	1,385	1,265	1,375	1,246	1,415	1,481	1,549
California	135,344	14,879	11,438	11,493	10,660	10,872	10,565	10,730	10,328	10,380	10,886	10,997	12,116
Colorado	15,773	1,444	1,459	1,310	1,264	1,308	1,281	1,246	1,294	1,201	1,368	1,225	1,373
Connecticut	23,550	2,173	2,162	2,171	1,837	1,874	1,915	1,818	1,743	1,743	2,033	1,942	2,139
Delaware	4,349	419	401	393	338	340	364	350	313	322	350	373	386
District of Columbia	10,084	938	923	916	820	824	790	793	734	750	834	864	898
Florida	49,532	4,771	4,900	5,189	3,976	3,959	3,577	3,714	3,623	3,398	3,659	3,976	4,790
Georgia	35,564	3,263	3,638	3,486	2,679	2,914	2,430	2,661	2,767	2,571	2,838	2,923	3,394
Hawaii	3,596	327	289	317	319	340	290	288	282	278	277	288	301
Idaho	5,243	475	396	481	415	408	493	483	387	376	436	454	439
Illinois	101,547	9,802	9,075	8,905	8,186	8,238	7,965	8,089	7,708	7,840	8,459	8,334	8,946
Indiana	44,988	3,997	4,238	4,112	3,599	3,773	3,555	3,550	3,348	3,523	3,683	3,703	3,906
Iowa	28,724	2,688	2,939	2,540	2,270	2,248	2,273	2,217	2,136	2,215	2,466	2,264	2,468
Kansas	20,909	2,113	2,058	1,799	1,621	1,744	1,627	1,492	1,599	1,526	1,712	1,725	1,893
Kentucky	29,550	2,894	2,896	2,528	2,241	2,409	2,296	2,255	2,195	2,223	2,395	2,420	2,798
Louisiana	29,926	2,708	3,005	2,849	2,343	2,375	2,352	2,527	2,172	2,047	2,315	2,457	2,776
Maine	10,709	953	1,006	900	879	872	833	812	892	810	929	885	938
Maryland	27,761	2,649	2,687	2,525	2,208	2,238	2,098	2,069	2,151	2,074	2,284	2,234	2,544
Massachusetts	57,114	5,363	5,703	5,043	4,525	4,481	4,420	4,303	4,272	4,251	4,859	4,597	5,297
Michigan	67,480	6,879	5,899	5,613	5,533	5,596	5,358	5,314	5,171	5,090	5,676	5,477	5,874
Minnesota	32,212	2,963	3,052	2,730	2,565	2,656	2,528	2,659	2,428	2,502	2,782	2,615	2,732
Mississippi	21,580	2,026	2,117	2,165	1,673	1,701	1,638	1,727	1,561	1,605	1,601	1,731	2,035
Missouri	48,951	4,577	4,908	4,632	3,896	4,027	3,699	3,756	3,712	3,694	3,871	3,879	4,300
Montana	6,442	570	565	575	513	519	510	599	517	472	543	514	545
Nebraska	14,112	1,291	1,402	1,244	1,159	1,139	1,028	1,106	1,109	1,097	1,181	1,118	1,238
Nevada	2,748	256	208	225	214	209	265	201	233	214	237	228	258
New Hampshire	6,682	598	633	587	506	505	516	514	526	550	580	505	662
New Jersey	57,849	5,270	5,171	5,144	4,692	4,642	4,531	4,599	4,454	4,327	4,892	4,707	5,420
New Mexico	6,552	697	665	589	490	508	499	516	483	448	567	507	583
New York	178,085	15,936	15,443	16,097	14,422	14,538	13,807	14,022	13,635	13,334	15,348	14,787	16,716
North Carolina	38,378	3,681	3,859	3,542	3,009	2,945	2,871	2,752	2,864	2,684	3,162	3,298	3,711
North Dakota	5,428	447	478	496	436	465	441	485	424	441	421	430	464
Ohio	93,105	9,167	8,495	8,206	7,392	7,541	7,003	7,172	7,113	7,014	7,873	7,703	8,426
Oklahoma	22,444	2,223	2,027	2,005	1,763	1,905	1,737	1,746	1,739	1,656	1,823	1,880	1,940
Oregon	16,761	1,432	1,392	1,487	1,372	1,422	1,397	1,397	1,360	1,347	1,361	1,386	1,408
Pennsylvania	121,011	11,660	10,998	10,688	9,939	9,753	9,434	9,247	9,310	8,852	10,167	9,872	11,091
Rhode Island	8,954	818	846	755	692	715	685	675	702	673	738	751	904
South Carolina	20,388	1,965	2,117	1,909	1,534	1,633	1,512	1,551	1,485	1,490	1,617	1,616	1,959
South Dakota	6,590	588	642	552	495	548	514	565	506	530	558	528	564
Tennessee	34,356	3,299	3,253	3,233	2,756	2,795	2,588	2,617	2,479	2,578	2,775	2,747	3,236
Texas	77,610	7,715	7,348	6,978	5,996	6,350	6,177	6,079	5,905	5,683	6,114	6,094	7,171
Utah	6,233	584	536	533	546	504	523	510	495	448	540	516	498
Vermont	4,458	396	402	419	335	347	347	355	375	342	368	380	392
Virginia	33,783	3,240	3,333	3,128	2,780	2,630	2,558	2,504	2,460	2,417	2,751	2,754	3,228
Washington	26,713	2,343	2,272	2,659	2,199	2,254	2,071	2,189	2,010	2,123	2,156	2,129	2,308
West Virginia	18,237	1,835	1,702	1,693	1,481	1,408	1,317	1,345	1,403	1,398	1,512	1,534	1,609
Wisconsin	38,139	3,644	3,688	3,158	3,008	3,232	2,989	3,014	2,946	2,926	3,182	3,023	3,329
Wyoming	2,811	183	250	221	238	237	234	262	249	225	244	232	236

Table 5-3. Deaths by Month, Color, and Sex: United States and Each State, 1960

(By place of residence. Data refer only to deaths occurring within the United States, including Alaska and Hawaii. Excludes fetal deaths)

AREA, COLOR, AND SEX	Total	Jan.	Feb.	Mar.	Apr.	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.
UNITED STATES	1,711,982	163,833	158,754	153,997	136,415	138,786	132,461	133,372	130,004	128,012	141,073	139,513	155,762
Male	975,648	93,010	90,372	87,757	77,561	79,319	75,394	76,142	74,228	72,950	80,808	79,298	88,809
Female	736,334	70,823	68,382	66,240	58,854	59,467	57,067	57,230	55,776	55,062	60,265	60,215	66,953
White	1,505,335	143,924	138,431	134,735	120,364	122,474	116,771	117,248	114,847	113,039	124,333	122,790	136,359
Male	860,857	82,023	79,095	77,115	68,746	70,213	66,656	67,138	65,769	64,628	71,498	69,990	77,986
Female	644,478	61,901	59,336	57,620	51,638	52,261	50,115	50,110	49,078	48,411	52,835	52,800	58,373
Nonwhite	206,647	19,909	20,323	19,262	16,051	16,312	15,690	16,124	15,157	14,973	16,740	16,723	19,403
Male	114,791	10,987	11,277	10,642	8,815	9,106	8,738	9,004	8,459	8,322	9,310	9,308	10,823
Female	91,856	8,922	9,046	8,620	7,216	7,206	6,952	7,120	6,698	6,651	7,430	7,415	8,580
ALABAMA	30,300	2,779	3,015	3,029	2,322	2,500	2,240	2,363	2,203	2,207	2,324	2,453	2,865
Male	17,185	1,555	1,682	1,700	1,318	1,442	1,289	1,370	1,275	1,223	1,354	1,368	1,609
Female	13,115	1,224	1,333	1,329	1,004	1,058	951	993	928	984	970	1,085	1,256
White	19,027	1,691	1,819	1,838	1,485	1,576	1,481	1,483	1,433	1,441	1,485	1,540	1,755
Male	11,247	1,014	1,052	1,059	885	941	870	909	862	837	908	891	1,019
Female	7,780	677	767	779	600	635	611	574	571	604	577	649	736
Nonwhite	11,273	1,088	1,196	1,191	837	924	759	880	770	766	839	913	1,110
Male	5,938	541	630	641	433	501	419	461	413	386	446	477	590
Female	5,335	547	566	550	404	423	340	419	357	380	393	436	520
ALASKA	1,319	122	97	97	117	119	140	96	105	110	111	94	111
Male	888	76	64	63	79	82	88	70	78	78	71	64	75
Female	431	46	33	34	38	37	52	26	27	32	40	30	36
White	886	84	68	75	79	69	92	62	64	74	77	58	84
Male	634	56	46	49	60	54	65	49	49	53	50	44	59
Female	252	28	22	26	19	15	27	13	15	21	27	14	25
Nonwhite	433	38	29	22	38	50	48	34	41	36	34	36	27
Male	254	20	18	14	19	28	23	21	29	25	21	20	16
Female	179	18	11	8	19	22	25	13	12	11	13	16	11
ARIZONA	10,146	1,013	853	893	810	768	803	787	769	787	809	872	982
Male	6,424	647	549	588	515	470	513	504	472	463	540	552	611
Female	3,722	366	304	305	295	298	290	283	297	324	269	320	371
White	8,917	893	756	788	724	678	698	699	668	695	700	761	857
Male	5,686	577	496	524	464	411	447	448	418	413	467	485	536
Female	3,231	316	260	264	260	267	251	251	250	282	233	276	321
Nonwhite	1,229	120	97	105	86	90	105	88	101	92	109	111	125
Male	738	70	53	64	51	59	66	56	54	50	73	67	75
Female	491	50	44	41	35	31	39	32	47	42	36	44	50
ARKANSAS	17,911	1,744	1,847	1,736	1,397	1,406	1,393	1,293	1,383	1,247	1,418	1,482	1,565
Male	10,665	1,019	1,114	1,031	817	814	835	768	831	727	872	894	943
Female	7,246	725	733	705	580	592	558	525	552	520	546	588	622
White	13,456	1,273	1,375	1,268	1,083	1,085	1,026	974	1,056	946	1,066	1,118	1,186
Male	8,269	781	858	774	657	652	638	579	659	567	671	688	745
Female	5,187	492	517	494	426	433	388	395	397	379	395	430	441
Nonwhite	4,455	471	472	468	314	321	367	319	327	301	352	364	379
Male	2,396	238	256	257	160	162	197	189	172	160	201	206	198
Female	2,059	233	216	211	154	159	170	130	155	141	151	158	181
CALIFORNIA	135,508	14,811	11,366	11,420	10,641	10,889	10,630	10,806	10,410	10,452	10,973	11,011	12,099
Male	77,804	8,529	6,477	6,562	6,105	6,237	6,040	6,167	5,994	6,017	6,345	6,369	6,962
Female	57,704	6,282	4,889	4,858	4,536	4,652	4,590	4,639	4,416	4,435	4,628	4,642	5,137
White	126,901	13,841	10,635	10,734	9,974	10,195	9,964	10,158	9,767	9,770	10,253	10,337	11,273
Male	72,588	7,929	6,020	6,135	5,713	5,825	5,633	5,782	5,616	5,592	5,930	5,947	6,466
Female	54,313	5,912	4,615	4,599	4,261	4,370	4,331	4,376	4,151	4,178	4,323	4,390	4,807
Nonwhite	8,607	970	731	686	667	694	666	648	643	682	720	674	826
Male	5,216	600	457	427	392	412	407	385	378	425	415	422	496
Female	3,391	370	274	259	275	282	259	263	265	257	305	252	330
COLORADO	15,342	1,420	1,443	1,285	1,228	1,282	1,233	1,185	1,237	1,163	1,322	1,198	1,346
Male	8,731	845	775	728	690	755	697	663	693	657	751	681	796
Female	6,611	575	668	557	538	527	536	522	544	506	571	517	550
White	14,919	1,386	1,407	1,256	1,181	1,250	1,199	1,159	1,207	1,122	1,284	1,165	1,303
Male	8,483	823	754	711	657	735	674	650	676	635	732	664	772
Female	6,436	563	653	545	524	515	525	509	531	487	552	501	531
Nonwhite	423	34	36	29	47	32	34	26	30	41	38	33	43
Male	248	22	21	17	33	20	23	13	17	22	19	17	24
Female	175	12	15	12	14	12	11	13	13	19	19	16	19
CONNECTICUT	23,899	2,207	2,208	2,202	1,871	1,895	1,944	1,822	1,766	1,775	2,062	1,972	2,175
Male	13,299	1,215	1,218	1,220	1,032	1,028	1,087	1,027	1,006	1,007	1,155	1,071	1,233
Female	10,600	992	990	982	839	867	857	795	760	768	907	901	942
White	22,988	2,128	2,131	2,121	1,807	1,824	1,862	1,752	1,705	1,707	1,963	1,893	2,075
Male	12,789	1,175	1,169	1,170	997	986	1,030	990	965	965	1,101	1,037	1,184
Female	10,199	953	962	951	810	838	832	762	740	742	862	856	891
Nonwhite	931	79	77	81	64	71	82	70	61	68	99	79	100
Male	530	40	49	50	35	42	57	37	41	42	54	34	49
Female	401	39	28	31	29	29	25	33	20	26	45	45	51
DELAWARE	4,186	396	382	379	327	340	363	328	302	307	325	360	377
Male	2,400	219	213	221	186	198	206	189	181	177	186	213	211
Female	1,786	177	169	158	141	142	157	139	121	130	139	147	166
White	3,457	327	316	321	278	281	302	270	249	251	262	289	311
Male	1,965	180	173	184	160	162	169	158	150	147	148	166	168
Female	1,492	147	143	137	118	119	133	112	99	104	114	123	143
Nonwhite	729	69	66	58	49	59	81	58	53	56	63	71	66
Male	435	39	40	37	26	36	37	31	31	30	38	47	43
Female	294	30	26	21	23	23	24	27	22	26	25	24	23

Table 5-3. Deaths by Month, Color, and Sex: United States and Each State, 1960—Continued

(By place of residence. Data refer only to deaths occurring within the United States, including Alaska and Hawaii. Excludes fetal deaths)

AREA, COLOR, AND SEX	Total	Jan.	Feb.	Mar.	Apr.	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.
DISTRICT OF COLUMBIA	8,782	807	800	795	692	731	692	695	646	649	728	761	786
Male	4,734	412	420	430	390	427	367	371	366	352	369	401	429
Female	4,048	395	380	365	302	304	325	324	280	297	359	360	357
White	4,711	442	448	441	379	388	361	338	380	357	392	381	404
Male	2,472	223	228	235	210	214	198	169	207	197	190	194	207
Female	2,239	219	220	206	169	174	163	169	173	160	202	187	197
Nonwhite	4,071	365	352	354	313	343	331	357	266	292	336	380	382
Male	2,262	189	192	195	180	213	169	202	159	155	179	207	222
Female	1,809	176	160	159	133	130	162	155	107	137	157	173	160
FLORIDA	48,152	4,422	4,441	4,731	3,738	3,926	3,609	3,805	3,743	3,510	3,721	3,908	4,598
Male	29,190	2,688	2,739	2,864	2,262	2,375	2,162	2,256	2,297	2,106	2,265	2,351	2,825
Female	18,962	1,734	1,702	1,867	1,476	1,551	1,447	1,549	1,446	1,404	1,456	1,557	1,773
White	39,044	3,593	3,509	3,788	3,095	3,178	2,932	3,125	3,044	2,870	3,055	3,151	3,704
Male	24,005	2,214	2,211	2,336	1,900	1,948	1,787	1,878	1,881	1,742	1,897	1,912	2,299
Female	15,039	1,379	1,298	1,452	1,195	1,230	1,145	1,247	1,163	1,128	1,158	1,239	1,405
Nonwhite	9,108	829	932	943	643	748	677	680	699	640	666	757	894
Male	5,185	474	528	528	362	427	375	378	416	364	368	439	526
Female	3,923	355	404	415	281	321	302	302	283	276	298	318	368
GEORGIA	35,357	3,228	3,620	3,474	2,656	2,909	2,422	2,658	2,748	2,546	2,819	2,916	3,361
Male	19,954	1,776	2,019	1,986	1,478	1,645	1,385	1,527	1,575	1,418	1,595	1,610	1,940
Female	15,403	1,452	1,601	1,488	1,178	1,264	1,037	1,131	1,173	1,128	1,224	1,306	1,421
White	22,546	2,014	2,188	2,154	1,729	1,878	1,583	1,748	1,818	1,607	1,809	1,892	2,126
Male	13,142	1,142	1,251	1,281	991	1,095	924	1,033	1,081	930	1,069	1,077	1,268
Female	9,404	872	937	873	738	783	659	715	737	677	740	815	858
Nonwhite	12,811	1,214	1,432	1,320	927	1,031	839	910	930	939	1,010	1,024	1,235
Male	6,812	634	768	705	487	550	461	494	494	488	526	533	672
Female	5,999	580	664	615	440	481	378	416	436	451	484	491	563
HAWAII	3,541	318	280	311	313	338	283	286	277	277	274	287	297
Male	2,229	194	177	195	195	219	184	181	166	169	177	188	184
Female	1,312	124	103	116	118	119	99	105	111	108	97	99	113
White	1,182	106	104	103	108	114	95	92	92	83	96	89	100
Male	679	56	56	64	68	70	56	52	48	45	48	56	60
Female	503	50	48	39	40	44	39	40	44	38	48	33	40
Nonwhite	2,359	212	176	208	205	224	188	194	185	194	178	198	197
Male	1,550	138	121	131	127	149	128	129	118	124	129	132	124
Female	809	74	55	77	78	75	60	65	67	70	49	66	73
IDAHO	5,426	510	408	501	426	427	492	482	394	392	448	480	466
Male	3,403	322	276	313	263	252	298	304	252	238	302	305	278
Female	2,023	188	132	188	163	175	194	178	142	154	146	175	188
White	5,329	499	405	490	421	420	480	476	383	387	435	476	457
Male	3,338	315	273	306	260	250	290	301	242	235	291	302	273
Female	1,991	184	132	184	161	170	190	175	141	152	144	174	184
Nonwhite	97	11	3	11	5	7	12	6	11	5	13	4	9
Male	65	7	3	7	3	2	8	3	10	3	11	3	5
Female	32	4	-	4	2	5	4	3	1	2	2	1	4
ILLINOIS	103,028	9,962	9,222	9,090	8,291	8,384	8,074	8,204	7,868	7,911	8,520	8,430	9,072
Male	58,596	5,603	5,230	5,299	4,689	4,759	4,551	4,717	4,448	4,468	4,901	4,801	5,130
Female	44,432	4,359	3,992	3,791	3,602	3,625	3,523	3,487	3,420	3,443	3,619	3,629	3,942
White	92,367	8,937	8,256	8,192	7,396	7,591	7,265	7,305	7,038	7,105	7,567	7,554	8,181
Male	52,662	5,048	4,697	4,806	4,180	4,317	4,104	4,204	3,987	4,024	4,365	4,295	4,635
Female	39,705	3,889	3,559	3,386	3,216	3,274	3,161	3,101	3,051	3,081	3,202	3,259	3,546
Nonwhite	10,661	1,025	966	898	895	793	809	899	830	806	953	896	891
Male	5,934	555	533	493	509	442	447	513	461	444	536	506	495
Female	4,727	470	433	405	386	351	362	386	369	362	417	390	396
INDIANA	45,369	4,088	4,282	4,100	3,630	3,796	3,583	3,576	3,385	3,532	3,740	3,710	3,967
Male	25,750	2,319	2,435	2,300	2,082	2,172	1,999	1,994	1,940	2,043	2,146	2,082	2,238
Female	19,619	1,749	1,847	1,800	1,548	1,624	1,584	1,582	1,445	1,489	1,594	1,628	1,729
White	42,632	3,803	4,025	3,836	3,397	3,579	3,369	3,350	3,185	3,299	3,529	3,512	3,748
Male	24,216	2,178	2,277	2,146	1,954	2,062	1,879	1,865	1,827	1,912	2,033	1,967	2,116
Female	18,416	1,625	1,748	1,690	1,443	1,517	1,490	1,485	1,358	1,387	1,496	1,545	1,632
Nonwhite	2,737	285	257	264	233	217	214	226	200	233	211	198	219
Male	1,534	141	158	154	128	110	120	129	113	131	113	115	122
Female	1,203	124	99	110	105	107	94	97	87	102	98	83	97
IOWA	28,770	2,682	2,940	2,553	2,268	2,266	2,278	2,245	2,126	2,197	2,467	2,256	2,492
Male	16,311	1,529	1,655	1,436	1,288	1,294	1,324	1,237	1,241	1,218	1,370	1,302	1,417
Female	12,459	1,153	1,285	1,117	980	972	954	1,008	885	979	1,097	954	1,075
White	28,433	2,636	2,895	2,522	2,246	2,242	2,260	2,219	2,105	2,173	2,440	2,240	2,455
Male	16,124	1,501	1,632	1,421	1,275	1,284	1,316	1,219	1,225	1,208	1,355	1,292	1,396
Female	12,309	1,135	1,263	1,101	971	958	944	1,000	880	965	1,085	948	1,059
Nonwhite	337	46	45	31	22	24	18	26	21	24	27	16	37
Male	187	28	23	15	13	10	8	18	16	10	15	10	21
Female	150	18	22	16	9	14	10	8	5	14	12	6	16
KANSAS	21,161	2,142	2,076	1,812	1,651	1,772	1,643	1,513	1,613	1,543	1,749	1,759	1,888
Male	12,079	1,240	1,174	1,032	958	1,026	933	861	915	883	1,009	1,016	1,032
Female	9,082	902	902	780	693	746	710	652	698	660	740	743	856
White	20,142	2,037	1,965	1,728	1,562	1,686	1,554	1,452	1,533	1,479	1,671	1,689	1,786
Male	11,525	1,184	1,108	989	904	984	892	827	873	844	955	983	982
Female	8,617	853	857	739	658	702	662	625	660	635	716	706	804
Nonwhite	1,019	105	111	84	89	86	89	61	80	64	78	70	102
Male	554	56	66	43	54	42	41	34	42	39	54	33	50
Female	465	49	45	41	35	44	48	27	38	25	24	37	52

Table 5-3. Deaths by Month, Color, and Sex: United States and Each State, 1960—Continued

(By place of residence. Data refer only to deaths occurring within the United States, including Alaska and Hawaii. Excludes fetal deaths)

AREA, COLOR, AND SEX	Total	Jan.	Feb.	Mar.	Apr.	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.
KENTUCKY	29,959	2,943	2,929	2,588	2,266	2,448	2,322	2,303	2,219	2,256	2,431	2,426	2,828
Male	17,224	1,694	1,682	1,456	1,265	1,445	1,352	1,344	1,246	1,315	1,415	1,376	1,634
Female	12,735	1,249	1,247	1,132	1,001	1,003	970	959	973	941	1,016	1,050	1,194
White	26,739	2,631	2,601	2,306	2,030	2,166	2,102	2,049	1,976	2,023	2,189	2,127	2,539
Male	15,423	1,512	1,492	1,317	1,131	1,273	1,228	1,210	1,118	1,174	1,284	1,211	1,473
Female	11,316	1,119	1,109	989	899	893	874	839	858	849	905	916	1,066
Nonwhite	3,220	312	328	282	236	282	220	254	243	233	242	299	289
Male	1,801	182	190	139	134	172	124	134	128	141	131	165	161
Female	1,419	130	138	143	102	110	96	120	115	92	111	134	128
LOUISIANA	29,704	2,683	2,969	2,823	2,327	2,353	2,354	2,526	2,172	2,040	2,275	2,455	2,727
Male	16,817	1,500	1,663	1,576	1,328	1,315	1,312	1,419	1,248	1,194	1,322	1,388	1,552
Female	12,887	1,183	1,306	1,247	999	1,038	1,042	1,107	924	846	953	1,067	1,175
White	18,276	1,674	1,791	1,754	1,475	1,462	1,423	1,560	1,367	1,254	1,398	1,505	1,613
Male	10,670	961	1,035	992	870	846	819	899	827	764	841	870	946
Female	7,606	713	756	762	605	616	604	661	540	490	557	635	667
Nonwhite	11,428	1,009	1,178	1,069	852	891	931	966	805	786	877	950	1,114
Male	6,147	539	628	584	458	469	493	520	421	430	481	518	606
Female	5,281	470	550	485	394	422	438	446	384	356	396	432	508
MAINE	10,761	974	1,026	926	898	878	839	777	852	797	947	885	962
Male	6,100	555	560	520	519	497	470	438	465	451	561	499	565
Female	4,661	419	466	406	379	381	369	339	387	346	386	386	397
White	10,721	972	1,024	926	893	875	833	774	848	791	942	883	960
Male	6,076	553	558	520	516	496	468	437	462	448	556	498	564
Female	4,645	419	466	406	377	379	365	337	386	343	386	385	396
Nonwhite	40	2	2	-	5	3	6	3	4	6	5	2	2
Male	24	2	2	-	3	1	2	1	3	3	5	1	1
Female	16	-	-	-	2	2	4	2	1	3	-	1	1
MARYLAND	27,968	2,707	2,699	2,528	2,249	2,237	2,086	2,104	2,171	2,093	2,319	2,240	2,535
Male	15,616	1,511	1,516	1,419	1,271	1,263	1,153	1,181	1,184	1,178	1,291	1,262	1,387
Female	12,352	1,196	1,183	1,109	978	974	933	923	987	915	1,028	978	1,148
White	22,425	2,157	2,142	2,033	1,810	1,783	1,686	1,699	1,741	1,679	1,861	1,817	2,017
Male	12,457	1,187	1,188	1,145	1,016	998	928	940	956	938	1,026	1,029	1,106
Female	9,968	970	954	888	794	785	758	759	785	741	835	788	911
Nonwhite	5,543	550	557	495	439	454	400	405	430	414	458	423	518
Male	3,159	324	328	274	255	265	225	241	228	240	265	233	281
Female	2,384	226	229	221	184	189	175	164	202	174	193	190	237
MASSACHUSETTS	56,838	5,348	5,676	5,051	4,508	4,458	4,386	4,290	4,259	4,230	4,798	4,546	5,288
Male	30,540	2,862	3,093	2,682	2,396	2,397	2,344	2,308	2,297	2,286	2,622	2,434	2,819
Female	26,298	2,486	2,583	2,369	2,112	2,061	2,042	1,982	1,962	1,944	2,176	2,112	2,469
White	55,653	5,234	5,565	4,957	4,409	4,372	4,280	4,193	4,173	4,122	4,705	4,462	5,181
Male	29,879	2,795	3,030	2,634	2,338	2,351	2,280	2,265	2,242	2,227	2,568	2,385	2,764
Female	25,774	2,439	2,535	2,323	2,071	2,021	2,000	1,928	1,931	1,895	2,137	2,077	2,417
Nonwhite	1,185	114	111	94	99	86	106	97	86	108	93	84	107
Male	661	67	63	48	58	46	64	43	55	59	54	49	55
Female	524	47	48	46	41	40	42	54	31	49	39	35	52
MICHIGAN	67,911	6,951	5,991	5,687	5,632	5,639	5,368	5,272	5,137	5,103	5,692	5,535	5,904
Male	39,499	3,998	3,553	3,268	3,294	3,300	3,088	3,103	2,942	2,970	3,296	3,243	3,444
Female	28,412	2,953	2,438	2,419	2,338	2,339	2,280	2,169	2,195	2,133	2,396	2,292	2,460
White	62,109	6,359	5,532	5,199	5,147	5,140	4,898	4,777	4,670	4,670	5,248	5,093	5,376
Male	36,288	3,685	3,292	3,006	3,030	3,020	2,834	2,827	2,694	2,722	3,057	2,988	3,133
Female	25,821	2,674	2,240	2,193	2,117	2,120	2,064	1,950	1,976	1,948	2,191	2,105	2,243
Nonwhite	5,802	592	459	488	485	499	470	495	467	433	444	442	528
Male	3,211	313	261	262	264	280	254	276	248	248	239	255	311
Female	2,591	279	198	226	221	219	216	219	219	185	205	187	217
MINNESOTA	31,674	2,934	3,050	2,731	2,548	2,602	2,480	2,576	2,329	2,449	2,727	2,558	2,690
Male	18,251	1,686	1,723	1,571	1,497	1,481	1,480	1,476	1,326	1,367	1,610	1,494	1,540
Female	13,423	1,248	1,327	1,160	1,051	1,121	1,000	1,100	1,003	1,082	1,117	1,064	1,150
White	31,353	2,904	3,009	2,702	2,518	2,564	2,452	2,561	2,309	2,433	2,701	2,542	2,658
Male	18,059	1,670	1,697	1,556	1,481	1,458	1,460	1,468	1,314	1,355	1,595	1,486	1,519
Female	13,294	1,234	1,312	1,146	1,037	1,106	992	1,093	995	1,078	1,106	1,056	1,139
Nonwhite	321	30	41	29	30	38	28	15	20	16	26	16	32
Male	192	16	26	15	16	23	20	8	12	12	15	8	21
Female	129	14	15	14	14	15	8	7	8	4	11	8	11
MISSISSIPPI	21,744	2,044	2,129	2,191	1,672	1,727	1,638	1,734	1,553	1,625	1,629	1,751	2,051
Male	12,332	1,119	1,219	1,240	956	964	933	1,004	895	916	906	1,013	1,167
Female	9,412	925	910	951	716	763	705	730	658	709	723	738	884
White	11,224	1,012	1,037	1,107	910	940	828	894	818	877	831	922	1,048
Male	6,620	579	618	668	536	527	493	543	495	510	497	540	614
Female	4,604	433	419	439	374	413	335	351	323	367	334	382	434
Nonwhite	10,520	1,032	1,092	1,084	762	787	810	840	735	748	798	829	1,003
Male	5,712	540	601	572	420	437	440	461	400	406	409	473	553
Female	4,808	492	491	512	342	350	370	379	335	342	389	356	450
MISSOURI	48,350	4,502	4,870	4,598	3,846	3,958	3,674	3,701	3,661	3,644	3,814	3,801	4,281
Male	27,061	2,538	2,779	2,588	2,084	2,242	2,052	2,079	2,070	1,995	2,135	2,108	2,391
Female	21,289	1,964	2,091	2,010	1,762	1,716	1,622	1,622	1,591	1,649	1,679	1,693	1,890
White	43,527	4,038	4,377	4,128	3,489	3,602	3,300	3,314	3,293	3,291	3,433	3,424	3,838
Male	24,388	2,291	2,507	2,328	1,890	2,050	1,845	1,877	1,866	1,814	1,910	1,886	2,124
Female	19,139	1,747	1,870	1,800	1,599	1,552	1,455	1,437	1,427	1,477	1,523	1,538	1,714
Nonwhite	4,823	464	493	470	357	356	374	387	368	353	381	377	443
Male	2,673	247	272	260	194	192	207	202	204	181	225	222	267
Female	2,150	217	221	210	163	164	167	185	164	172	156	155	176

Table 5-3. Deaths by Month, Color, and Sex: United States and Each State, 1960—Continued

(By place of residence. Data refer only to deaths occurring within the United States, including Alaska and Hawaii. Excludes fetal deaths)

AREA, COLOR, AND SEX	Total	Jan.	Feb.	Mar.	Apr.	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.
MONTANA	6,552	586	585	596	514	524	509	601	524	483	543	530	557
Male	4,083	374	392	373	316	325	325	370	312	276	352	326	342
Female	2,469	212	193	223	198	199	184	251	212	207	191	204	215
White	6,314	567	563	575	491	505	483	578	507	468	529	508	540
Male	3,947	363	379	363	306	317	305	358	302	268	342	314	330
Female	2,367	204	184	212	185	188	178	220	205	200	187	194	210
Nonwhite	238	19	22	21	23	19	26	23	17	15	14	22	17
Male	136	11	13	10	10	8	20	12	10	8	10	12	12
Female	102	8	9	11	13	11	6	11	7	7	4	10	5
NEBRASKA	14,097	1,304	1,407	1,260	1,165	1,113	1,042	1,103	1,132	1,081	1,166	1,105	1,219
Male	8,068	746	788	715	666	642	597	646	664	640	684	628	652
Female	6,029	558	619	545	499	471	445	457	468	441	482	477	567
White	13,694	1,276	1,366	1,230	1,128	1,086	1,011	1,076	1,087	1,053	1,122	1,070	1,189
Male	7,840	729	767	704	651	621	583	630	635	620	662	605	633
Female	5,854	547	599	526	477	465	428	446	452	433	460	465	556
Nonwhite	403	28	41	30	37	27	31	27	45	28	44	35	30
Male	228	17	21	11	15	21	14	16	29	20	22	23	19
Female	175	11	20	19	22	6	17	11	16	8	22	12	11
NEVADA	2,540	236	195	206	194	193	242	191	216	185	208	214	260
Male	1,665	150	119	135	133	129	161	130	147	117	134	146	164
Female	875	86	76	71	61	64	81	61	69	68	74	68	96
White	2,360	225	182	192	181	177	230	172	200	170	196	197	238
Male	1,559	143	112	128	123	120	153	119	141	106	130	137	147
Female	801	82	70	64	58	57	77	53	59	64	66	60	91
Nonwhite	180	11	13	14	13	16	12	19	16	15	12	17	22
Male	106	7	7	7	10	9	8	11	6	11	4	9	17
Female	74	4	6	7	3	7	4	8	10	4	8	8	5
NEW HAMPSHIRE	6,662	623	632	593	514	515	499	492	497	527	575	535	660
Male	3,754	340	359	324	290	274	282	283	286	295	330	299	392
Female	2,908	283	273	269	224	241	217	209	211	232	245	236	268
White	6,648	622	631	592	511	514	497	491	496	526	574	534	660
Male	3,744	339	358	324	288	273	282	282	285	294	329	298	392
Female	2,904	283	273	268	223	241	215	209	211	232	245	236	268
Nonwhite	14	1	1	1	3	1	2	1	1	1	1	1	-
Male	10	1	1	-	2	1	-	1	1	1	1	1	-
Female	4	-	-	1	1	-	2	-	-	-	-	-	-
NEW JERSEY	59,462	5,487	5,373	5,323	4,838	4,792	4,616	4,657	4,504	4,423	5,027	4,866	5,556
Male	32,939	3,035	2,944	2,942	2,597	2,656	2,569	2,674	2,504	2,476	2,762	2,671	3,109
Female	26,523	2,452	2,429	2,381	2,241	2,136	2,047	1,983	2,000	1,947	2,265	2,195	2,447
White	54,425	5,022	4,930	4,918	4,430	4,381	4,216	4,241	4,127	4,038	4,608	4,434	5,080
Male	30,136	2,767	2,709	2,730	2,378	2,433	2,350	2,424	2,282	2,250	2,529	2,440	2,844
Female	24,289	2,255	2,221	2,188	2,052	1,948	1,866	1,817	1,845	1,788	2,079	1,994	2,236
Nonwhite	5,037	465	443	405	408	411	400	416	377	385	419	432	476
Male	2,803	268	235	212	219	223	219	250	222	226	233	231	265
Female	2,234	197	208	193	189	188	181	166	155	159	186	201	211
NEW MEXICO	6,525	694	668	585	478	515	511	497	484	453	556	506	578
Male	3,924	414	422	332	297	322	305	308	292	260	335	298	339
Female	2,601	280	246	253	181	193	206	189	192	193	221	208	239
White	5,934	635	589	529	429	463	462	455	449	413	506	468	536
Male	3,566	382	376	303	262	286	275	281	272	237	303	275	314
Female	2,368	253	213	226	167	177	187	174	177	176	203	193	222
Nonwhite	591	59	79	56	49	52	49	42	35	40	50	38	42
Male	358	32	46	29	35	36	30	27	20	23	32	23	25
Female	233	27	33	27	14	16	19	15	15	17	18	15	17
NEW YORK	177,896	15,993	15,513	16,158	14,448	14,493	13,784	13,986	13,580	13,265	15,255	14,749	16,672
Male	98,748	8,765	8,608	8,929	7,966	8,065	7,661	7,748	7,704	7,394	8,522	8,036	9,350
Female	79,148	7,228	6,905	7,229	6,482	6,428	6,123	6,238	5,876	5,871	6,733	6,713	7,322
White	163,851	14,788	14,320	14,922	13,274	13,370	12,721	12,808	12,504	12,230	14,017	13,625	15,374
Male	91,006	8,113	7,950	8,246	7,352	7,422	7,059	7,083	7,081	6,813	7,836	7,441	8,610
Female	72,845	6,675	6,370	6,676	5,922	5,948	5,662	5,725	5,423	5,417	6,181	6,182	6,764
Nonwhite	13,945	1,205	1,193	1,236	1,174	1,123	1,063	1,178	1,076	1,035	1,238	1,126	1,298
Male	7,742	652	658	683	614	643	602	665	623	581	686	595	740
Female	6,203	553	535	553	560	480	461	513	453	454	552	531	558
NORTH CAROLINA	38,160	3,627	3,828	3,527	2,999	2,941	2,867	2,729	2,831	2,679	3,138	3,284	3,710
Male	22,166	2,089	2,201	2,045	1,733	1,701	1,674	1,598	1,649	1,561	1,866	1,864	2,185
Female	15,994	1,538	1,627	1,482	1,266	1,240	1,193	1,131	1,182	1,118	1,272	1,420	1,525
White	26,383	2,461	2,595	2,400	2,106	2,064	1,996	1,877	2,000	1,917	2,164	2,310	2,493
Male	15,624	1,446	1,530	1,391	1,250	1,233	1,177	1,141	1,173	1,142	1,309	1,330	1,502
Female	10,759	1,015	1,065	1,009	856	831	819	736	827	775	855	980	991
Nonwhite	11,777	1,166	1,233	1,127	893	877	871	852	831	762	974	974	1,217
Male	6,542	643	671	654	483	468	497	457	476	419	557	534	683
Female	5,235	523	562	473	410	409	374	395	355	343	417	440	534
NORTH DAKOTA	5,430	465	471	498	443	466	422	489	419	437	421	430	469
Male	3,353	276	273	313	274	288	268	305	264	273	267	274	278
Female	2,077	189	198	185	169	178	154	184	155	164	154	156	191
White	5,317	458	460	474	439	459	413	483	412	431	408	426	454
Male	3,293	274	268	301	271	285	265	299	258	271	261	270	270
Female	2,024	184	192	173	168	174	148	184	154	160	147	156	184
Nonwhite	113	7	11	24	4	7	9	6	7	6	13	4	15
Male	60	2	5	12	3	3	3	6	6	2	6	4	8
Female	53	5	6	12	1	4	6	-	1	4	7	-	7

Table 5-3. Deaths by Month, Color, and Sex: United States and Each State, 1960—Continued

(By place of residence. Data refer only to deaths occurring within the United States, including Alaska and Hawaii. Excludes fetal deaths)

AREA, COLOR, AND SEX	Total	Jan.	Feb.	Mar.	Apr.	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.
OHIO	93,486	9,243	8,537	8,248	7,413	7,563	6,997	7,228	7,144	7,017	7,874	7,727	8,475
Male	52,254	5,292	4,796	4,610	4,102	4,228	3,909	3,969	3,977	3,908	4,440	4,286	4,737
Female	41,212	3,951	3,741	3,638	3,311	3,335	3,088	3,259	3,167	3,109	3,434	3,441	3,738
White	85,849	8,503	7,816	7,595	6,841	6,938	6,403	6,652	6,584	6,400	7,250	7,091	7,776
Male	47,987	4,871	4,392	4,245	3,781	3,879	3,569	3,647	3,660	3,580	4,102	3,925	4,356
Female	37,862	3,632	3,424	3,350	3,060	3,059	2,834	3,005	2,924	2,840	3,148	3,166	3,420
Nonwhite	7,617	740	721	653	572	625	594	576	560	617	624	636	699
Male	4,287	421	404	365	321	349	340	322	317	348	338	361	381
Female	3,350	319	317	288	251	276	254	254	243	269	286	275	318
OKLAHOMA	22,914	2,290	2,073	2,059	1,792	1,943	1,764	1,782	1,769	1,693	1,846	1,914	1,989
Male	13,545	1,343	1,221	1,219	1,052	1,117	1,066	1,070	1,000	1,049	1,074	1,152	1,182
Female	9,369	947	852	840	740	826	698	712	769	644	772	762	807
White	20,438	2,040	1,823	1,830	1,589	1,738	1,589	1,565	1,594	1,518	1,641	1,725	1,786
Male	12,149	1,204	1,094	1,081	950	1,001	966	943	906	947	950	1,044	1,063
Female	8,289	836	729	749	639	737	623	622	688	571	691	681	723
Nonwhite	2,476	250	250	229	203	205	175	217	175	175	205	189	203
Male	1,396	139	127	138	102	116	100	127	94	102	124	108	119
Female	1,080	111	123	91	101	89	75	90	81	73	81	81	84
OREGON	16,819	1,444	1,395	1,506	1,372	1,426	1,408	1,392	1,333	1,368	1,365	1,385	1,425
Male	10,071	835	831	900	830	859	821	794	807	808	852	837	897
Female	6,748	609	564	606	542	567	587	598	526	560	513	548	528
White	16,490	1,415	1,366	1,477	1,344	1,393	1,381	1,373	1,315	1,339	1,332	1,358	1,397
Male	9,861	819	813	881	816	835	801	780	796	780	831	819	880
Female	6,629	596	553	596	528	558	580	593	519	549	501	539	517
Nonwhite	329	29	29	29	28	33	27	19	18	29	33	27	28
Male	210	16	18	19	14	24	20	14	11	18	21	18	17
Female	119	13	11	10	14	9	7	5	7	11	12	9	11
PENNSYLVANIA	121,238	11,662	11,027	10,755	8,960	9,717	9,461	9,281	9,370	8,850	10,186	9,876	11,093
Male	67,724	6,527	6,111	6,104	5,572	5,442	5,263	5,143	5,276	4,960	5,682	5,516	6,128
Female	53,514	5,135	4,916	4,651	4,388	4,275	4,198	4,138	4,094	3,890	4,504	4,360	4,965
White	112,309	10,846	10,250	10,015	9,231	8,991	8,724	8,558	8,677	8,231	9,393	9,100	10,293
Male	62,800	6,064	5,694	5,674	5,154	5,053	4,876	4,747	4,877	4,627	5,234	5,095	5,705
Female	49,509	4,782	4,556	4,341	4,077	3,938	3,848	3,811	3,800	3,604	4,159	4,005	4,588
Nonwhite	8,929	816	777	740	729	726	737	723	693	619	793	776	800
Male	4,924	463	417	430	418	389	387	396	399	333	448	421	423
Female	4,005	353	360	310	311	337	350	327	294	286	345	355	377
RHODE ISLAND	9,005	822	871	771	689	730	693	679	700	668	722	762	898
Male	4,889	444	455	413	389	430	377	387	372	363	373	404	482
Female	4,116	378	416	358	300	300	316	292	328	305	349	358	416
White	8,818	800	859	760	671	721	682	664	685	650	703	747	876
Male	4,783	432	448	407	380	424	370	376	365	352	363	395	471
Female	4,035	368	411	353	291	297	312	288	320	298	340	352	405
Nonwhite	187	22	12	11	18	9	11	15	15	18	19	15	22
Male	106	12	7	6	9	6	7	11	7	11	10	9	11
Female	81	10	5	5	9	3	4	4	8	7	9	6	11
SOUTH CAROLINA	20,688	1,998	2,167	1,933	1,546	1,638	1,527	1,567	1,515	1,513	1,650	1,647	1,987
Male	11,718	1,146	1,217	1,076	891	914	856	902	848	860	962	960	1,086
Female	8,970	852	950	857	655	724	671	665	667	653	688	687	901
White	11,927	1,128	1,186	1,054	886	986	893	948	919	924	951	935	1,117
Male	7,017	684	689	627	535	579	524	562	517	535	571	563	631
Female	4,910	444	497	427	351	407	369	386	402	389	380	372	486
Nonwhite	8,761	870	981	879	660	652	634	619	596	589	699	712	870
Male	4,701	462	528	449	356	335	332	340	331	325	391	397	455
Female	4,060	408	453	430	304	317	302	279	265	264	308	315	415
SOUTH DAKOTA	6,618	586	659	564	500	551	505	568	490	533	552	536	574
Male	4,005	342	383	356	306	341	299	362	290	342	322	329	333
Female	2,613	244	276	208	194	210	206	206	200	191	230	207	241
White	6,236	560	617	530	474	524	481	533	458	491	516	502	550
Male	3,783	328	360	338	288	323	284	340	275	319	301	307	320
Female	2,453	232	257	192	186	201	197	193	183	172	215	195	230
Nonwhite	382	26	42	34	26	27	24	35	32	42	36	34	24
Male	222	14	23	18	18	18	15	22	15	23	21	22	13
Female	160	12	19	16	8	9	9	13	17	19	15	12	11
TENNESSEE	32,901	3,164	3,124	3,100	2,642	2,685	2,479	2,505	2,352	2,446	2,664	2,620	3,120
Male	18,654	1,736	1,775	1,716	1,488	1,582	1,454	1,426	1,321	1,379	1,502	1,456	1,819
Female	14,247	1,428	1,349	1,384	1,154	1,103	1,025	1,079	1,031	1,067	1,162	1,164	1,301
White	25,852	2,459	2,422	2,409	2,073	2,130	1,982	1,979	1,849	1,961	2,092	2,057	2,439
Male	14,911	1,352	1,408	1,367	1,188	1,269	1,184	1,154	1,060	1,123	1,196	1,175	1,435
Female	10,941	1,107	1,014	1,042	885	861	798	825	789	838	896	882	1,004
Nonwhite	7,049	705	702	691	569	555	497	526	503	485	572	563	681
Male	3,743	384	367	349	300	313	270	272	261	256	306	281	384
Female	3,306	321	335	342	269	242	227	254	242	229	266	282	297
TEXAS	77,453	7,678	7,324	6,911	5,995	6,354	6,166	6,089	5,933	5,684	6,116	6,064	7,139
Male	45,230	4,425	4,320	4,045	3,526	3,726	3,552	3,594	3,410	3,320	3,550	3,566	4,196
Female	32,223	3,253	3,004	2,866	2,469	2,628	2,614	2,495	2,523	2,364	2,566	2,498	2,943
White	65,050	6,388	6,056	5,772	5,057	5,410	5,174	5,103	5,059	4,766	5,138	5,125	6,002
Male	38,351	3,701	3,625	3,388	3,004	3,193	3,008	3,038	2,939	2,823	3,023	3,041	3,568
Female	26,699	2,687	2,431	2,384	2,053	2,217	2,166	2,065	2,120	1,943	2,115	2,084	2,434
Nonwhite	12,403	1,290	1,268	1,139	938	944	992	986	874	918	978	939	1,137
Male	6,879	724	695	657	522	533	544	556	471	497	527	525	628
Female	5,524	566	573	482	416	411	448	430	403	421	451	414	509

Table 5-3. Deaths by Month, Color, and Sex: United States and Each State, 1960—Continued

(By place of residence. Data refer only to deaths occurring within the United States, including Alaska and Hawaii. Excludes fetal deaths)

AREA, COLOR, AND SEX	Total	Jan.	Feb.	Mar.	Apr.	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.
UTAH	6,022	559	519	523	533	487	501	478	479	433	529	503	478
Male	3,580	338	316	301	350	283	288	275	287	269	332	275	266
Female	2,442	221	203	222	183	204	213	203	192	164	197	228	212
White	5,858	544	503	506	510	473	492	467	466	426	517	488	466
Male	3,475	326	308	290	334	274	284	266	282	267	323	266	255
Female	2,383	218	195	216	176	199	208	201	184	159	194	222	211
Nonwhite	164	15	16	17	23	14	9	11	13	7	12	15	12
Male	105	12	8	11	16	9	4	9	5	2	9	9	11
Female	59	3	8	6	7	5	5	2	8	5	3	6	1
VERMONT	4,428	404	409	422	348	349	347	338	341	332	376	367	395
Male	2,414	214	205	221	192	188	199	190	206	175	218	208	198
Female	2,014	190	204	201	156	161	148	148	135	157	158	159	197
White	4,424	403	409	421	348	349	347	338	341	332	375	366	395
Male	2,412	214	205	221	192	188	199	190	206	175	217	207	198
Female	2,012	189	204	200	156	161	148	148	135	157	158	159	197
Nonwhite	4	1	-	1	-	-	-	-	-	-	1	1	-
Male	2	-	-	-	-	-	-	-	-	-	1	1	-
Female	2	1	-	1	-	-	-	-	-	-	-	-	-
VIRGINIA	34,459	3,277	3,406	3,187	2,830	2,682	2,596	2,557	2,535	2,486	2,795	2,824	3,304
Male	19,687	1,903	1,942	1,809	1,622	1,567	1,472	1,442	1,442	1,427	1,585	1,601	1,875
Female	14,772	1,374	1,464	1,378	1,208	1,115	1,124	1,095	1,093	1,059	1,210	1,223	1,429
White	25,289	2,397	2,428	2,283	2,093	2,032	1,916	1,875	1,888	1,843	2,028	2,103	2,403
Male	14,508	1,382	1,371	1,310	1,225	1,198	1,092	1,088	1,077	1,061	1,154	1,196	1,374
Female	10,781	1,015	1,057	973	868	834	824	807	811	782	874	907	1,029
Nonwhite	9,170	880	978	904	737	650	680	682	647	643	767	721	901
Male	5,179	521	571	499	397	369	380	374	365	366	431	405	501
Female	3,991	359	407	405	340	281	300	288	282	277	336	316	400
WASHINGTON	26,532	2,329	2,274	2,643	2,179	2,240	2,059	2,167	2,011	2,085	2,145	2,123	2,277
Male	15,824	1,375	1,381	1,594	1,279	1,326	1,237	1,277	1,187	1,237	1,277	1,271	1,383
Female	10,708	954	893	1,049	900	914	822	890	824	848	868	852	894
White	25,716	2,263	2,215	2,564	2,103	2,173	1,994	2,096	1,944	2,016	2,082	2,068	2,198
Male	15,285	1,323	1,345	1,544	1,224	1,286	1,195	1,232	1,142	1,188	1,237	1,232	1,337
Female	10,431	940	870	1,020	879	887	799	864	802	828	845	836	861
Nonwhite	816	66	59	79	76	67	65	71	67	69	63	55	79
Male	539	52	36	50	55	40	42	45	45	49	40	39	46
Female	277	14	23	29	21	27	23	26	22	20	23	16	33
WEST VIRGINIA	18,067	1,795	1,712	1,683	1,443	1,385	1,310	1,346	1,386	1,380	1,488	1,520	1,619
Male	10,763	1,066	1,034	1,027	852	802	796	819	831	799	864	922	951
Female	7,304	729	678	656	591	583	514	527	555	581	624	598	668
White	16,841	1,668	1,581	1,563	1,352	1,285	1,224	1,255	1,286	1,297	1,401	1,418	1,511
Male	10,029	983	951	957	800	733	743	764	775	753	813	864	893
Female	6,812	685	630	606	552	552	481	491	511	544	588	554	618
Nonwhite	1,226	127	131	120	91	100	86	91	100	83	87	102	108
Male	734	83	83	70	52	69	53	55	56	46	51	58	58
Female	492	44	48	50	39	31	33	36	44	37	36	44	50
WISCONSIN	38,146	3,654	3,705	3,191	3,019	3,197	2,957	2,994	2,902	2,925	3,196	3,055	3,351
Male	21,767	2,061	2,098	1,832	1,723	1,859	1,686	1,719	1,609	1,705	1,806	1,762	1,907
Female	16,379	1,593	1,607	1,359	1,296	1,338	1,271	1,275	1,293	1,220	1,390	1,293	1,444
White	37,543	3,593	3,640	3,139	2,965	3,145	2,908	2,933	2,853	2,873	3,165	3,017	3,312
Male	21,424	2,035	2,061	1,803	1,696	1,830	1,652	1,683	1,586	1,669	1,787	1,735	1,887
Female	16,119	1,558	1,579	1,336	1,269	1,315	1,256	1,250	1,267	1,204	1,378	1,282	1,425
Nonwhite	603	61	65	52	54	52	49	61	49	52	31	38	39
Male	343	26	37	29	27	29	34	36	23	36	19	27	20
Female	260	35	28	23	27	23	15	25	26	16	12	11	19
WYOMING	2,796	196	261	224	237	239	230	249	229	224	238	225	244
Male	1,741	123	176	138	158	154	135	153	140	141	151	126	146
Female	1,055	73	85	86	79	85	95	96	89	83	87	99	98
White	2,725	192	244	218	233	229	227	245	225	220	233	220	239
Male	1,703	120	164	136	155	149	135	152	137	140	151	123	143
Female	1,022	72	80	82	78	80	94	93	88	80	82	97	96
Nonwhite	71	4	17	6	4	10	3	4	4	4	5	5	5
Male	38	3	12	2	3	5	2	1	3	1	-	3	3
Female	33	1	5	4	1	5	1	3	1	3	5	2	2

Table 5-4. Deaths by Specified Race and Sex: United States and Each State, 1960

(By place of residence. Data refer only to deaths occurring within the United States, including Alaska and Hawaii. Excludes fetal deaths)

AREA	ALL RACES			WHITE		NEGRO		INDIAN		CHINESE		JAPANESE		OTHER RACES	
	Total	Male	Female	Male	Female	Male	Female	Male	Female	Male	Female	Male	Female	Male	Female
UNITED STATES	1,711,982	975,648	736,334	860,857	644,478	107,701	88,309	2,658	1,870	1,328	292	1,572	782	1,532	603
Alabama	30,300	17,185	13,115	11,247	7,780	5,937	5,335	-	-	-	-	-	-	1	-
Alaska	1,319	888	431	634	252	21	8	82	57	1	-	-	-	[1]150	[2]114
Arizona	10,146	6,424	3,722	5,686	3,231	268	184	457	300	10	6	2	-	1	1
Arkansas	17,911	10,665	7,246	8,269	5,187	2,391	2,057	4	1	1	1	-	-	-	-
California	135,508	77,804	57,704	72,588	54,313	3,634	2,811	176	126	461	122	554	270	391	62
Colorado	15,342	8,731	6,611	8,483	6,436	181	149	21	9	5	2	33	8	8	7
Connecticut	23,899	13,299	10,600	12,769	10,199	517	399	2	-	6	1	-	-	5	1
Delaware	4,186	2,400	1,786	1,965	1,492	434	294	1	-	-	-	-	-	-	-
District of Columbia	6,782	4,734	4,048	2,472	2,239	2,224	1,806	1	-	26	1	1	-	10	2
Florida	48,152	29,190	18,962	24,005	15,039	5,165	3,912	12	7	1	-	4	1	3	3
Georgia	35,357	19,954	15,403	13,142	9,404	6,806	5,997	1	-	3	-	1	1	1	1
Hawaii	3,541	2,229	1,312	679	503	9	7	-	3	184	84	677	411	[3]680	[4]304
Idaho	5,426	3,403	2,023	3,338	1,991	15	7	31	23	3	-	16	2	-	-
Illinois	103,028	58,596	44,432	52,662	39,705	5,792	4,686	17	11	53	7	46	16	26	7
Indiana	45,369	25,750	19,619	24,216	18,416	1,527	1,202	1	1	4	-	1	-	1	-
Iowa	28,770	16,311	12,459	16,124	12,309	175	144	11	5	-	-	1	1	-	-
Kansas	21,161	12,079	9,082	11,525	8,617	533	456	13	8	1	-	3	-	4	1
Kentucky	29,959	17,224	12,735	15,423	11,316	1,796	1,417	1	-	2	1	-	-	2	1
Louisiana	29,704	16,817	12,887	10,670	7,606	6,130	5,268	11	11	3	1	-	1	3	-
Maine	10,761	6,100	4,661	6,076	4,645	11	5	8	9	1	-	-	-	4	2
Maryland	27,968	15,616	12,352	12,457	9,868	3,137	2,376	2	3	10	2	6	-	4	3
Massachusetts	56,838	30,540	26,298	29,879	25,774	588	515	14	4	55	4	3	-	1	1
Michigan	67,911	39,499	28,412	36,288	25,821	3,137	2,543	41	36	15	1	6	-	12	11
Minnesota	31,674	18,251	13,423	18,059	13,294	121	75	57	50	8	-	3	3	3	1
Mississippi	21,744	12,332	9,412	6,820	4,604	5,694	4,793	13	12	4	3	-	-	1	-
Missouri	48,350	27,061	21,289	24,388	19,139	2,654	2,143	2	4	8	1	2	1	7	1
Montana	6,552	4,083	2,469	3,947	2,367	16	7	114	92	2	1	2	1	2	1
Nebraska	14,097	8,068	6,029	7,840	5,854	187	145	33	28	-	-	7	-	1	2
Nevada	2,540	1,665	875	1,559	801	53	48	44	24	3	-	-	2	6	-
New Hampshire	6,662	3,754	2,908	3,744	2,904	9	3	-	-	-	1	1	-	-	-
New Jersey	59,462	32,939	26,523	30,136	24,289	2,744	2,196	1	3	18	2	5	3	35	30
New Mexico	6,525	3,924	2,601	3,566	2,368	79	59	271	173	1	-	5	1	2	-
New York	177,896	98,748	79,148	91,006	72,945	7,297	6,115	75	44	268	26	30	7	72	11
North Carolina	38,160	22,166	15,994	15,624	10,759	6,380	5,130	160	103	-	-	1	2	1	-
North Dakota	5,430	3,353	2,077	3,293	2,024	4	-	54	50	-	-	-	-	2	3
Ohio	93,466	52,254	41,212	47,987	37,862	4,225	3,344	4	1	25	-	4	2	9	3
Oklahoma	22,914	13,545	9,369	12,149	8,289	1,049	826	343	253	1	-	1	1	2	-
Oregon	16,819	10,071	6,748	9,861	6,829	95	58	54	42	34	7	20	8	7	4
Pennsylvania	121,238	67,724	53,514	62,800	49,509	4,857	3,989	6	1	40	4	3	-	18	11
Rhode Island	9,005	4,889	4,116	4,783	4,035	95	77	5	2	4	1	1	-	1	1
South Carolina	20,688	11,718	8,970	7,017	4,910	4,696	4,054	3	4	1	1	-	1	1	-
South Dakota	6,618	4,005	2,613	3,783	2,453	10	6	211	153	-	-	-	-	1	1
Tennessee	32,901	18,654	14,247	14,911	10,941	3,737	3,305	2	-	1	1	1	-	2	-
Texas	77,453	45,230	32,223	38,351	26,699	6,838	5,505	6	9	25	5	6	3	4	2
Utah	6,022	3,580	2,442	3,475	2,383	28	22	34	30	4	-	36	7	3	-
Vermont	4,428	2,414	2,014	2,412	2,012	2	2	-	-	-	-	-	-	-	-
Virginia	34,459	19,687	14,772	14,508	10,781	5,164	3,986	6	4	7	-	1	1	1	-
Washington	26,532	15,824	10,708	15,285	10,431	225	128	164	107	24	6	86	27	40	11
West Virginia	18,067	10,763	7,304	10,029	6,812	733	492	-	-	1	-	-	-	-	-
Wisconsin	38,146	21,767	16,379	21,424	16,119	269	214	68	45	3	-	-	1	3	-
Wyoming	2,796	1,741	1,055	1,703	1,022	12	11	21	22	1	-	3	-	1	-

[1]Includes 26 deaths among Aleuts and 111 deaths among Eskimos. (In addition there were 2 deaths among Aleuts and Eskimos residing in other States.)
[2]Includes 16 deaths among Aleuts and 97 deaths among Eskimos. (In addition there were 3 deaths among Aleuts and Eskimos residing in other States.)
[3]Includes 254 deaths among Hawaiians and Part-Hawaiians. (In addition there were 4 deaths among Hawaiians and Part-Hawaiians residing in other States.)
[4]Includes 191 deaths among Hawaiians and Part-Hawaiians. (In addition there was 1 death among Hawaiians and Part-Hawaiians residing in other States.)

Table 5-5. Deaths by Marital Status, Age, Color, and Sex: United States, 1960

(Data refer only to deaths occurring within the United States, including Alaska and Hawaii. Excludes fetal deaths)

AGE AND COLOR	BOTH SEXES						MALE						FEMALE					
	Total	Single	Married	Widowed	Di-vorced	Not stated	Total	Single	Married	Widowed	Di-vorced	Not stated	Total	Single	Married	Widowed	Di-vorced	Not stated
TOTAL	1,711,982	314,154	790,431	533,084	59,943	14,370	975,648	189,811	552,629	180,923	41,508	10,777	736,334	124,343	237,802	352,161	18,435	3,593
Under 15 years	145,092	144,524	-	-	-	568	83,818	83,473	-	-	-	345	61,274	61,051	-	-	-	223
15-19 years	12,185	11,090	963	14	28	90	8,629	8,220	317	7	9	76	3,556	2,870	646	7	19	14
20-24 years	13,348	7,620	5,187	65	358	118	9,477	6,196	2,956	26	203	96	3,871	1,424	2,231	39	155	22
25-34 years	33,414	8,164	22,396	513	1,915	426	21,010	6,122	13,230	181	1,169	308	12,404	2,042	9,166	332	746	118
35-44 years	72,103	9,861	53,214	2,548	5,544	936	43,828	6,964	31,721	810	3,630	703	28,275	2,897	21,493	1,738	1,914	233
45-54 years	154,876	16,499	113,631	11,678	11,300	1,768	100,140	11,744	75,083	3,829	8,064	1,420	54,736	4,755	38,548	7,849	3,236	348
55-59 years	116,753	11,521	81,782	14,908	7,298	1,244	76,508	8,210	56,810	~~5,316~~ 5343	~~5,345~~ 5314	1,031	40,245	3,311	24,972	9,765	1,984	213
60-64 years	153,444	14,021	101,115	28,876	7,873	1,559	97,551	9,843	71,051	9,678	5,723	1,256	55,893	4,178	30,064	19,198	2,150	303
65-69 years	196,605	17,451	119,466	49,906	8,062	1,720	121,330	11,956	85,175	17,082	5,741	1,376	75,275	5,495	34,291	32,824	2,321	344
70-74 years	223,707	20,195	115,968	78,696	7,071	1,777	130,104	12,740	83,525	27,600	4,890	1,349	93,603	7,455	32,443	51,096	2,181	428
75-79 years	219,978	19,960	90,861	102,297	5,244	1,616	117,137	11,043	66,321	35,067	3,544	1,162	102,841	8,917	24,540	67,230	1,700	454
80-84 years	185,231	16,765	55,177	108,883	3,204	1,202	88,926	7,650	41,637	36,849	2,022	768	96,305	9,115	13,540	72,034	1,182	434
85 years and over	184,526	16,385	30,528	134,480	2,030	1,103	76,753	5,586	24,708	44,586	1,188	685	107,773	10,799	5,820	89,894	842	418
Not stated	720	98	143	220	16	243	437	64	95	65	11	202	283	34	48	155	5	41
White	1,505,335	259,720	707,855	474,761	52,637	10,362	860,857	156,620	499,007	160,407	36,918	7,905	644,478	103,100	208,848	314,354	15,719	2,457
Under 15 years	109,157	108,799	-	-	-	368	63,727	63,500	-	-	-	227	45,440	45,299	-	-	-	141
15-19 years	10,209	9,333	770	10	27	69	7,308	6,979	256	5	9	59	2,901	2,354	514	5	18	10
20-24 years	10,671	6,098	4,142	42	311	78	7,755	5,063	2,427	15	184	66	2,916	1,035	1,715	27	127	12
25-34 years	24,895	5,724	17,209	228	1,534	200	16,221	4,396	10,583	97	984	161	8,674	1,328	6,626	131	550	39
35-44 years	56,157	7,212	42,835	1,319	4,337	454	35,139	5,107	26,264	439	2,971	358	21,018	2,105	16,571	880	1,366	96
45-54 years	127,927	13,581	96,736	7,178	9,352	1,080	84,963	9,679	65,092	2,429	6,866	897	42,964	3,902	31,644	4,749	2,486	183
55-59 years	98,880	9,963	71,684	10,080	6,336	817	66,540	7,066	50,467	3,591	4,710	706	32,340	2,897	21,217	6,489	1,626	111
60-64 years	132,600	12,516	90,444	21,562	6,983	1,095	85,890	8,749	63,807	7,316	5,114	904	46,710	3,767	26,637	14,246	1,869	191
65-69 years	174,560	16,112	109,011	40,884	7,236	1,317	108,726	10,992	77,588	13,906	5,164	1,076	65,834	5,120	31,423	26,978	2,072	241
70-74 years	204,287	18,990	108,082	69,214	6,563	1,438	119,269	11,908	77,582	24,123	4,537	1,119	85,018	7,082	30,500	45,091	2,026	319
75-79 years	205,326	19,144	85,732	94,164	4,957	1,329	109,193	10,501	62,330	32,050	3,332	980	96,133	8,643	23,402	62,114	1,625	349
80-84 years	175,656	16,266	52,491	102,831	3,058	1,010	83,685	7,341	39,459	34,527	1,921	637	91,771	8,925	13,032	68,304	1,137	373
85 years and over	174,563	15,912	28,647	127,133	1,935	936	71,974	5,297	23,106	41,880	1,120	571	102,589	10,615	5,541	85,253	815	365
Not stated	437	70	72	116	8	171	267	42	46	29	6	144	170	28	26	87	2	27
Nonwhite	206,647	54,434	82,576	58,323	7,306	4,008	114,791	33,191	53,622	20,516	4,590	2,872	91,856	21,243	28,954	37,807	2,716	1,136
Under 15 years	35,925	35,725	-	-	-	200	20,091	19,973	-	-	-	118	15,834	15,752	-	-	-	82
15-19 years	1,976	1,757	193	4	1	21	1,321	1,241	61	2	-	17	655	516	132	2	1	4
20-24 years	2,677	1,522	1,045	23	47	40	1,722	1,133	529	11	19	30	955	389	516	12	28	10
25-34 years	8,519	2,440	5,187	285	381	226	4,789	1,726	2,647	84	185	147	3,730	714	2,540	201	196	79
35-44 years	15,946	2,649	10,379	1,229	1,207	482	8,689	1,857	5,457	371	659	345	7,257	792	4,922	858	548	137
45-54 years	26,949	2,918	16,895	4,500	1,948	688	15,177	2,065	9,991	1,400	1,198	523	11,772	853	6,904	3,100	750	165
55-59 years	17,873	1,558	10,098	4,828	962	427	9,968	1,144	6,643	1,552	604	325	7,905	414	3,755	3,276	358	102
60-64 years	20,844	1,505	10,671	7,314	890	464	11,661	1,094	7,244	2,362	609	352	9,183	411	3,427	4,952	281	112
65-69 years	22,045	1,339	10,455	9,022	826	403	12,604	964	7,587	3,176	577	300	9,441	375	2,868	5,846	249	103
70-74 years	19,420	1,205	7,886	9,482	508	339	10,835	832	5,943	3,477	353	230	8,585	373	1,943	6,005	155	109
75-79 years	14,652	816	5,129	8,133	287	287	7,944	542	3,991	3,017	212	182	6,708	274	1,138	5,116	75	105
80-84 years	9,575	499	2,686	6,052	146	192	5,041	309	2,178	2,322	101	131	4,534	190	508	3,730	45	61
85 years and over	9,963	473	1,881	7,347	95	167	4,779	289	1,602	2,706	68	114	5,184	184	279	4,641	27	53
Not stated	283	28	71	104	8	72	170	22	49	36	5	58	113	6	22	68	3	14

Table 5-6. Deaths and Death Rates for Each Cause, by Color and Sex: United States, 1960

(Data refer only to deaths occurring within the United States, including Alaska and Hawaii. Excludes fetal deaths. Rates per 100,000 population in specified group, enumerated as of April 1. Includes each three-digit category of the Detailed List to which deaths may be assigned and selected four-digit subcategories)

SEVENTH REVISION OF INTERNATIONAL LISTS, 1955		NUMBER					RATE				
Number	Cause of death	Total	White		Nonwhite		Total	White		Nonwhite	
			Male	Female	Male	Female		Male	Female	Male	Female
	ALL CAUSES	1,711,982	860,857	644,478	114,791	91,856	954.7	1,098.5	800.9	1,152.0	872.6
	I. Infective and parasitic diseases										
001-008	Tuberculosis of respiratory system	10,089	5,777	1,908	1,663	741	5.6	7.4	2.4	16.7	7.0
001	Respiratory tuberculosis with mention of occupational disease of lung	442	399	5	37	1	0.2	0.5	0.0	0.4	0.0
002	Pulmonary tuberculosis	9,301	5,223	1,806	1,571	701	5.2	6.7	2.2	15.8	6.7
003	Pleural tuberculosis	127	57	49	11	10	0.1	0.1	0.1	0.1	0.1
.0	Pleurisy specified as tuberculous	36	20	10	4	2	0.0	0.0	0.0	0.0	0.0
.1	Pleurisy with effusion without mention of cause	91	37	39	7	8	0.1	0.0	0.0	0.1	0.1
004	Primary tuberculosis complex with symptoms	-	-	-	-	-	0	0	0	0	0
005	Tracheobronchial glandular tuberculosis with symptoms	4	2	-	2	-	0.0	0.0	0	0.0	0
006	Radiological evidence suggestive of active respiratory tuberculosis not classifiable elsewhere	-	-	-	-	-	0	0	0	0	0
007	Other respiratory tuberculosis	2	2	-	-	-	0.0	0.0	0	0	0
008	Tuberculosis, unspecified site	213	94	48	42	29	0.1	0.1	0.1	0.4	0.3
010-019	Tuberculosis, other forms	777	273	205	174	125	0.4	0.3	0.3	1.7	1.2
010	Tuberculosis of meninges and central nervous system	228	67	53	57	51	0.1	0.1	0.1	0.6	0.5
011	Tuberculosis of intestines, peritoneum, and mesenteric glands	48	13	12	14	9	0.0	0.0	0.0	0.1	0.1
012	Tuberculosis of bones and joints, active or unspecified	77	32	27	10	8	0.0	0.0	0.0	0.1	0.1
.0	Active or unspecified tuberculosis of vertebral column	63	26	25	6	6	0.0	0.0	0.0	0.1	0.1
.1	Active or unspecified tuberculosis of hip	5	3	1	-	1	0.0	0.0	0.0	0	0.0
.2	Active or unspecified tuberculosis of knee	2	-	-	1	1	0.0	0	0	0.0	0.0
.3	Active or unspecified tuberculosis of other and unspecified bones and joints	7	3	1	3	-	0.0	0.0	0.0	0.0	0
013	Late effects of tuberculosis of bones and joints	3	1	1	-	1	0.0	0.0	0.0	0	0.0
.0	Late effects of tuberculosis of vertebral column	2	1	-	-	1	0.0	0.0	0	0	0.0
.1	Late effects of tuberculosis of hip	-	-	-	-	-	0	0	0	0	0
.2	Late effects of tuberculosis of knee	1	-	1	-	-	0.0	0	0.0	0	0
.3	Late effects of tuberculosis of other and unspecified bones and joints	-	-	-	-	-	0	0	0	0	0
014	Tuberculosis of skin and subcutaneous cellular tissue	13	3	7	-	3	0.0	0.0	0.0	0	0.0
.0	Primary tuberculosis of skin	-	-	-	-	-	0	0	0	0	0
.1	Erythema nodosum specified as tuberculous	-	-	-	-	-	0	0	0	0	0
.2	Lupus	11	3	5	-	3	0.0	0.0	0.0	0	0.0
.3	Other tuberculosis of skin and subcutaneous cellular tissue	2	-	2	-	-	0.0	0	0.0	0	0
015	Tuberculosis of lymphatic system	10	2	4	2	2	0.0	0.0	0.0	0.0	0.0
016	Tuberculosis of genitourinary system	100	54	31	11	4	0.1	0.1	0.0	0.1	0.0
017	Tuberculosis of adrenal glands	26	9	8	8	1	0.0	0.0	0.0	0.1	0.0
018	Tuberculosis of other organs	27	13	9	5	-	0.0	0.0	0.0	0.1	0
.0	Tuberculosis of eye	-	-	-	-	-	0	0	0	0	0
.1	Tuberculosis of ear	-	-	-	-	-	0	0	0	0	0
.2	Other	27	13	9	5	-	0.0	0.0	0.0	0.1	0
019	Disseminated tuberculosis	245	79	53	67	46	0.1	0.1	0.1	0.7	0.4
.0	Acute miliary tuberculosis specified as nonpulmonary	1	-	1	-	-	0.0	0	0.0	0	0
.1	Acute miliary tuberculosis, unspecified	12	7	2	2	1	0.0	0.0	0.0	0.0	0.0
.2	Other forms of disseminated tuberculosis	232	72	50	65	45	0.1	0.1	0.1	0.7	0.4
020-029	Syphilis and its sequelae	2,945	1,492	527	653	273	1.6	1.9	0.7	6.6	2.6
020	Congenital syphilis	44	21	4	13	6	0.0	0.0	0.0	0.1	0.1
.0	Interstitial keratitis	-	-	-	-	-	0	0	0	0	0
.1	Juvenile neurosyphilis	3	3	-	-	-	0.0	0.0	0	0	0
.2	Other congenital syphilis	41	18	4	13	6	0.0	0.0	0.0	0.1	0.1
021	Early syphilis	-	-	-	-	-	0	0	0	0	0
.0	Primary syphilis, except extragenital chancre	-	-	-	-	-	0	0	0	0	0
.1	Extragenital chancre	-	-	-	-	-	0	0	0	0	0
.2	Secondary syphilis	-	-	-	-	-	0	0	0	0	0
.3	Early syphilis, relapse following treatment	-	-	-	-	-	0	0	0	0	0
.4	Early syphilis, unspecified stage	-	-	-	-	-	0	0	0	0	0
022	Aneurysm of aorta	1,337	801	275	176	85	0.7	1.0	0.3	1.8	0.8
023	Other cardiovascular syphilis	1,002	385	162	328	127	0.6	0.5	0.2	3.3	1.2
024	Tabes dorsalis	62	41	9	8	4	0.0	0.1	0.0	0.1	0.0
025	General paralysis of insane	204	102	35	48	19	0.1	0.1	0.0	0.5	0.2
026	Other syphilis of central nervous system	246	116	34	70	26	0.1	0.1	0.0	0.7	0.2
027	Other forms of late syphilis	25	15	5	4	1	0.0	0.0	0.0	0.0	0.0
028	Latent syphilis	-	-	-	-	-	0	0	0	0	0
.0	Early latent	-	-	-	-	-	0	0	0	0	0
.1	Late latent	-	-	-	-	-	0	0	0	0	0
.2	Unspecified	-	-	-	-	-	0	0	0	0	0
029	Syphilis, unqualified	25	11	3	6	5	0.0	0.0	0.0	0.1	0.0
030-039	Gonococcal infection and other venereal diseases	53	10	3	27	13	0.0	0.0	0.0	0.3	0.1
030	Acute or unspecified gonorrhea	5	-	-	3	2	0.0	0	0	0.0	0.0
031	Chronic gonococcal infection of genitourinary system	7	-	1	1	5	0.0	0	0.0	0.0	0.0
032	Gonococcal infection of joint	-	-	-	-	-	0	0	0	0	0
033	Gonococcal infection of eye	-	-	-	-	-	0	0	0	0	0
034	Gonococcal infection of other sites	2	1	1	-	-	0.0	0.0	0.0	0	0
035	Late effects of gonococcal infection	24	9	-	14	1	0.0	0.0	0	0.1	0.0
036	Chancroid	-	-	-	-	-	0	0	0	0	0
037	Lymphogranuloma venereum	9	-	-	5	4	0.0	0	0	0.1	0.0
038	Granuloma inguinale, venereal	6	-	1	4	1	0.0	0	0.0	0.0	0.0
039	Other and unspecified venereal diseases	-	-	-	-	-	0	0	0	0	0
040-049	Infectious diseases commonly arising in intestinal tract	520	173	144	106	97	0.3	0.2	0.2	1.1	0.9
040	Typhoid fever	21	6	5	5	5	0.0	0.0	0.0	0.1	0.0
041	Paratyphoid fever	8	3	4	1	-	0.0	0.0	0.0	0.0	0

Table 5-6. Deaths and Death Rates for Each Cause, by Color and Sex: United States, 1960—Con.

(Data refer only to deaths occurring within the United States, including Alaska and Hawaii. Excludes fetal deaths. Rates per 100,000 population in specified group, enumerated as of April 1. Includes each three-digit category of the Detailed List to which deaths may be assigned and selected four-digit subcategories)

SEVENTH REVISION OF INTERNATIONAL LISTS, 1955		NUMBER					RATE				
Number	Cause of death	Total	White		Nonwhite		Total	White		Nonwhite	
			Male	Female	Male	Female		Male	Female	Male	Female
	I. Infective and parasitic diseases—Con. Infectious diseases commonly arising in intestinal tract—Con.										
042	Other Salmonella infections	74	29	22	13	10	0.0	0.0	0.0	0.1	0.1
.0	Without mention of food as vehicle of infection	71	29	21	13	8	0.0	0.0	0.0	0.1	0.1
.1	With food as vehicle of infection	3	-	1	-	2	0.0	0	0.0	0	0.0
043	Cholera	-	-	-	-	-	0	0	0	0	0
044	Brucellosis (undulant fever)	6	3	2	1	-	0.0	0.0	0.0	0.0	0
045	Bacillary dysentery	153	41	38	41	33	0.1	0.1	0.0	0.4	0.3
.0	Flexner-Boyd group	6	1	3	1	1	0.0	0.0	0.0	0.0	0.0
.1	Schmitz	-	-	-	-	-	0	0	0	0	0
.2	Shiga	1	-	1	-	-	0.0	0	0.0	0	0
.3	Sonne	4	2	2	-	-	0.0	0.0	0.0	0	0
.4	Bacillary, other and unspecified	142	38	32	40	32	0.1	0.0	0.0	0.4	0.3
046	Amebiasis	88	30	34	11	13	0.0	0.0	0.0	0.1	0.1
.0	Without mention of liver abscess	66	20	25	8	13	0.0	0.0	0.0	0.1	0.1
.1	With liver abscess	22	10	9	3	-	0.0	0.0	0.0	0.0	0
047	Other protozoal dysentery	1	1	-	-	-	0.0	0.0	0	0	0
048	Unspecified forms of dysentery	113	37	22	28	26	0.1	0.0	0.0	0.3	0.2
049	Food poisoning (infection and intoxication)	56	23	17	6	10	0.0	0.0	0.0	0.1	0.1
.0	Staphylococcal	1	1	-	-	-	0.0	0.0	0	0	0
.1	Botulism	12	3	3	2	4	0.0	0.0	0.0	0.0	0.0
.2	Unspecified	43	19	14	4	6	0.0	0.0	0.0	0.0	0.1
050-064	Other bacterial diseases	3,160	1,347	1,048	424	341	1.8	1.7	1.3	4.3	3.2
050	Scarlet fever	14	7	6	-	1	0.0	0.0	0.0	0	0.0
051	Streptococcal sore throat	94	42	40	5	7	0.1	0.1	0.0	0.1	0.1
052	Erysipelas	22	13	8	-	1	0.0	0.0	0.0	0	0.0
053	Septicemia and pyemia	1,920	864	655	218	183	1.1	1.1	0.8	2.2	1.7
.0	Streptococcus	63	25	30	6	2	0.0	0.0	0.0	0.1	0.0
.1	Staphylococcus	327	178	119	20	10	0.2	0.2	0.1	0.2	0.1
.2	Pneumococcus	27	6	10	7	4	0.0	0.0	0.0	0.1	0.0
.3	Other specified organism	137	64	45	14	14	0.1	0.1	0.1	0.1	0.1
.4	Organism unspecified	1,366	591	451	171	153	0.8	0.8	0.6	1.7	1.5
054	Bacterial toxemia	-	-	-	-	-	0	0	0	0	0
055	Diphtheria	69	23	21	9	16	0.0	0.0	0.0	0.1	0.2
056	Whooping cough	118	19	26	37	36	0.1	0.0	0.0	0.4	0.3
.0	Without mention of pneumonia	50	8	11	18	13	0.0	0.0	0.0	0.2	0.1
.1	With pneumonia	68	11	15	19	23	0.0	0.0	0.0	0.2	0.2
057	Meningococcal infections	644	290	217	82	55	0.4	0.4	0.3	0.8	0.5
.0	Meningococcal meningitis	336	152	104	50	30	0.2	0.2	0.1	0.5	0.3
.1	Acute and unspecified meningococcemia	302	137	110	31	24	0.2	0.2	0.1	0.3	0.2
.2	Chronic meningococcemia	-	-	-	-	-	0	0	0	0	0
.3	Other forms of meningococcal infection	6	1	3	1	1	0.0	0.0	0.0	0.0	0.0
058	Plague	-	-	-	-	-	0	0	0	0	0
.0	Bubonic	-	-	-	-	-	0	0	0	0	0
.1	Pneumonic	-	-	-	-	-	0	0	0	0	0
.2	Other	-	-	-	-	-	0	0	0	0	0
059	Tularemia	3	1	1	1	-	0.0	0.0	0.0	0.0	0
060	Leprosy	6	2	3	1	-	0.0	0.0	0.0	0.0	0
.0	Lepromatous leprosy	2	1	1	-	-	0.0	0.0	0.0	0	0
.1	Neuroleprosy	-	-	-	-	-	0	0	0	0	0
.2	Mixed	-	-	-	-	-	0	0	0	0	0
.3	Unspecified	4	1	2	1	-	0.0	0.0	0.0	0.0	0
061	Tetanus	231	66	57	68	40	0.1	0.1	0.1	0.7	0.4
062	Anthrax	-	-	-	-	-	0	0	0	0	0
063	Gas gangrene	31	19	8	2	2	0.0	0.0	0.0	0.0	0.0
064	Other bacterial diseases	8	1	6	1	-	0.0	0.0	0.0	0.0	0
.0	Epidemic arthritic erythema	-	-	-	-	-	0	0	0	0	0
.1	Rat-bite fever due to Streptobacillus moniliformis	-	-	-	-	-	0	0	0	0	0
.2	Glanders	-	-	-	-	-	0	0	0	0	0
.3	Melioidosis	-	-	-	-	-	0	0	0	0	0
.4	Other	8	1	6	1	-	0.0	0.0	0.0	0.0	0
070-074	Spirochetal diseases, except syphilis	23	5	8	9	1	0.0	0.0	0.0	0.1	0.0
070	Vincent's infection	8	2	4	2	-	0.0	0.0	0.0	0.0	0
071	Relapsing fever	-	-	-	-	-	0	0	0	0	0
.0	Louse-borne	-	-	-	-	-	0	0	0	0	0
.1	Tick-borne	-	-	-	-	-	0	0	0	0	0
.2	Unspecified	-	-	-	-	-	0	0	0	0	0
072	Leptospirosis	14	3	3	7	1	0.0	0.0	0.0	0.1	0.0
.0	Leptospirosis icterohaemorrhagica (Weil's disease)	8	1	3	4	-	0.0	0.0	0.0	0.0	0
.1	Other and unspecified	6	2	-	3	1	0.0	0.0	0	0.0	0.0
073	Yews	-	-	-	-	-	0	0	0	0	0
074	Other spirochetal infections	1	-	1	-	-	0.0	0	0.0	0	0
.0	Rat-bite fever due to Spriochaeta morsus muris (sodoku)	1	-	1	-	-	0.0	0	0.0	0	0
.1	Other	-	-	-	-	-	0	0	0	0	0
080-096	Diseases attributable to viruses	3,035	1,299	1,272	246	218	1.7	1.7	1.6	2.5	2.1
080	Acute poliomyelitis	230	115	79	25	11	0.1	0.1	0.1	0.3	0.1
.0	Specified as bulbar or polioencephalitis	146	75	54	10	7	0.1	0.1	0.1	0.1	0.1
.1	With other paralysis	14	5	5	4	-	0.0	0.0	0.0	0.0	0
.2	Specified as nonparalytic	-	-	-	-	-	0	0	0	0	0
.3	Unspecified	70	35	20	11	4	0.0	0.0	0.0	0.1	0.0
081	Late effects of acute poliomyelitis	148	78	63	4	3	0.1	0.1	0.1	0.0	0.0
082	Acute infectious encephalitis	528	232	225	43	28	0.3	0.3	0.3	0.4	0.3
.0	Arthropod-borne encephalitis	5	-	4	1	-	0.0	0	0.0	0.0	0
.1	Lymphocytic choriomeningitis	35	14	11	5	5	0.0	0.0	0.0	0.1	0.0
.2	Lethargic encephalitis	4	1	2	1	-	0.0	0.0	0.0	0.0	0
.3	Other and unspecified infectious encephalitis	484	217	208	36	23	0.3	0.3	0.3	0.4	0.2

Table 5-6. Deaths and Death Rates for Each Cause, by Color and Sex: United States, 1960—Con.

(Data refer only to deaths occurring within the United States, including Alaska and Hawaii. Excludes fetal deaths. Rates per 100,000 population in specified group, enumerated as of April 1. Includes each three-digit category of the Detailed List to which deaths may be assigned and selected four-digit subcategories)

SEVENTH REVISION OF INTERNATIONAL LISTS, 1955		NUMBER					RATE				
Number	Cause of death	Total	White		Nonwhite		Total	White		Nonwhite	
			Male	Female	Male	Female		Male	Female	Male	Female
	I. Infective and parasitic diseases—Con.										
	Diseases attributable to viruses—Con.										
083	Late effects of acute infectious encephalitis	88	45	41	1	1	0.0	0.1	0.1	0.0	0.0
.0	Postencephalitic Parkinsonism	69	35	33	1	-	0.0	0.0	0.0	0.0	0
.1	Postencephalitic personality and character disorders	-	-	-	-	-	0	0	0	0	0
.2	Postencephalitic psychosis	1	1	-	-	-	0.0	0.0	0	0	0
.3	Other postencephalitic conditions	18	9	8	-	1	0.0	0.0	0.0	0	0.0
084	Smallpox	-	-	-	-	-	0	0	0	0	0
085	Measles	380	150	130	48	52	0.2	0.2	0.2	0.5	0.5
.0	Without mention of pneumonia	136	54	53	11	18	0.1	0.1	0.1	0.1	0.2
.1	With pneumonia	244	96	77	37	34	0.1	0.1	0.1	0.4	0.3
086	Rubella (German measles)	12	-	8	3	1	0.0	0	0.0	0.0	0.0
087	Chickenpox	126	44	57	16	9	0.1	0.1	0.1	0.2	0.1
088	Herpes zoster	78	32	44	-	2	0.0	0.0	0.1	0	0.0
089	Mumps	42	26	13	1	2	0.0	0.0	0.0	0.0	0.0
090	Dengue	-	-	-	-	-	0	0	0	0	0
091	Yellow fever	-	-	-	-	-	0	0	0	0	0
092	Infectious hepatitis	938	360	435	63	80	0.5	0.5	0.5	0.6	0.8
093	Glandular fever (infectious mononucleosis)	16	10	5	-	1	0.0	0.0	0.0	0	0.0
094	Rabies	2	-	1	1	-	0.0	0	0.0	0.0	0
095	Trachoma	-	-	-	-	-	0	0	0	0	0
096	Other diseases attributable to viruses	447	207	171	41	28	0.2	0.3	0.2	0.4	0.3
.0	Herpes febrilis	12	8	2	1	1	0.0	0.0	0.0	0.0	0.0
.1	Infectious keratoconjunctivitis	-	-	-	-	-	0	0	0	0	0
.2	Psittacosis and ornithosis	-	-	-	-	-	0	0	0	0	0
.3	Cowpox	-	-	-	-	-	0	0	0	0	0
.4	Epidemic hiccough	-	-	-	-	-	0	0	0	0	0
.5	Epidemic myalgia (Bornholm disease)	1	-	1	-	-	0.0	0	0.0	0	0
.6	Foot and mouth disease	-	-	-	-	-	0	0	0	0	0
.7	Sandfly fever	-	-	-	-	-	0	0	0	0	0
.8	Rift Valley fever	-	-	-	-	-	0	0	0	0	0
.9	Other	434	199	168	40	27	0.2	0.3	0.2	0.4	0.3
100-108	Typhus and other rickettsial diseases	11	7	4	-	-	0.0	0.0	0.0	0	0
100	Louse-borne epidemic typhus	-	-	-	-	-	0	0	0	0	0
101	Flea-borne endemic typhus (murine)	-	-	-	-	-	0	0	0	0	0
102	Brill's disease, not specified as louse- or flea-borne	-	-	-	-	-	0	0	0	0	0
103	Tabardillo (Mexican typhus), not specified as louse- or flea-borne	-	-	-	-	-	0	0	0	0	0
104	Tick-borne typhus	11	7	4	-	-	0.0	0.0	0.0	0	0
105	Mite-borne typhus	-	-	-	-	-	0	0	0	0	0
106	Volhynian fever (trench fever)	-	-	-	-	-	0	0	0	0	0
107	Typhus, unspecified	-	-	-	-	-	0	0	0	0	0
108	Other rickettsial diseases	-	-	-	-	-	0	0	0	0	0
110-117	Malaria	4	2	1	1	-	0.0	0.0	0.0	0.0	0
110	Vivax malaria (benign tertian)	-	-	-	-	-	0	0	0	0	0
111	Malariae malaria (quartan)	-	-	-	-	-	0	0	0	0	0
112	Falciparum malaria (malignant tertian)	-	-	-	-	-	0	0	0	0	0
113	Ovale malaria	-	-	-	-	-	0	0	0	0	0
114	Mixed malarial infections	-	-	-	-	-	0	0	0	0	0
115	Blackwater fever	-	-	-	-	-	0	0	0	0	0
116	Other and unspecified forms of malaria	4	2	1	1	-	0.0	0.0	0.0	0.0	0
117	Recurrent induced malaria	-	-	-	-	-	0	0	0	0	0
120-138	Other infective and parasitic diseases	770	333	211	117	109	0.4	0.4	0.3	1.2	1.0
120	Leishmaniasis	-	-	-	-	-	0	0	0	0	0
.0	Visceral (kala-azar)	-	-	-	-	-	0	0	0	0	0
.1	Cutaneous (Oriental sore)	-	-	-	-	-	0	0	0	0	0
.2	Mucocutaneous (American)	-	-	-	-	-	0	0	0	0	0
.3	Unspecified	-	-	-	-	-	0	0	0	0	0
121	Trypanosomiasis	-	-	-	-	-	0	0	0	0	0
.0	African (sleeping sickness)	-	-	-	-	-	0	0	0	0	0
.1	South American (Chagas' disease)	-	-	-	-	-	0	0	0	0	0
.2	Other	-	-	-	-	-	0	0	0	0	0
122	Other protozoal diseases	8	7	-	-	1	0.0	0.0	0	0	0.0
.0	Coccidiosis	1	1	-	-	-	0.0	0.0	0	0	0
.1	Toxoplasmosis	6	5	-	-	1	0.0	0.0	0	0	0.0
.2	Other	1	1	-	-	-	0.0	0.0	0	0	0
123	Schistosomiasis	5	2	3	-	-	0.0	0.0	0.0	0	0
.0	Vesical (S. haematobium)	-	-	-	-	-	0	0	0	0	0
.1	Intestinal (S. mansoni)	-	-	-	-	-	0	0	0	0	0
.2	Oriental (S. japonicum)	-	-	-	-	-	0	0	0	0	0
.3	Other and unspecified schistosomiasis	5	2	3	-	-	0.0	0.0	0.0	0	0
124	Other trematode infestation	-	-	-	-	-	0	0	0	0	0
.0	Clonorchiasis	-	-	-	-	-	0	0	0	0	0
.1	Paragonimiasis	-	-	-	-	-	0	0	0	0	0
.2	Other	-	-	-	-	-	0	0	0	0	0
125	Hydatid disease	10	4	6	-	-	0.0	0.0	0.0	0	0
126	Other cestode infestation	3	2	1	-	-	0.0	0.0	0.0	0	0
127	Filariasis	-	-	-	-	-	0	0	0	0	0
128	Trichinosis	3	-	3	-	-	0.0	0	0.0	0	0
129	Ancylostomiasis	-	-	-	-	-	0	0	0	0	0
130	Infestation with worms of other, mixed, and unspecified type	50	6	8	15	21	0.0	0.0	0.0	0.2	0.2
.0	Ascariasis	36	4	6	11	15	0.0	0.0	0.0	0.1	0.1
.1	Oxyuriasis	-	-	-	-	-	0	0	0	0	0
.2	Mixed intestinal helminth infestation	-	-	-	-	-	0	0	0	0	0
.3	Other	14	2	2	4	6	0.0	0.0	0.0	0.0	0.1
131	Dermatophytosis	2	2	-	-	-	0.0	0.0	0	0	0
132	Actinomycosis	28	15	11	2	-	0.0	0.0	0.0	0.0	0
133	Coccidioidomycosis	55	26	11	14	4	0.0	0.0	0.0	0.1	0.0

Table 5-6. Deaths and Death Rates for Each Cause, by Color and Sex: United States, 1960—Con.

(Data refer only to deaths occurring within the United States, including Alaska and Hawaii. Excludes fetal deaths. Rates per 100,000 population in specified group, enumerated as of April 1. Includes each three-digit category of the Detailed List to which deaths may be assigned and selected four-digit subcategories)

SEVENTH REVISION OF INTERNATIONAL LISTS, 1955		NUMBER					RATE				
Number	Cause of death	Total	White		Nonwhite		Total	White		Nonwhite	
			Male	Female	Male	Female		Male	Female	Male	Female
	I. Infective and parasitic diseases—Con.										
	Other infective and parasitic diseases—Con.										
134	Other fungus infections	342	202	85	34	21	0.2	0.3	0.1	0.3	0.2
.0	Blastomycosis	15	12	1	2	-	0.0	0.0	0.0	0.0	0
.1	Cryptococcosis (torulosis)	71	43	16	10	2	0.0	0.1	0.0	0.1	0.0
.2	Histoplasmosis	80	53	12	7	8	0.0	0.1	0.0	0.1	0.1
.3	Moniliasis	108	54	34	11	9	0.1	0.1	0.0	0.1	0.1
.4	Sporotrichosis	1	1	-	-	-	0.0	0.0	0	0	0
.5	Other	67	39	22	4	2	0.0	0.0	0.0	0.0	0.0
135	Scabies	-	-	-	-	-	0	0	0	0	0
136	Pediculosis	-	-	-	-	-	0	0	0	0	0
137	Other arthropod infestation	-	-	-	-	-	0	0	0	0	0
138	Other infective and parasitic diseases	264	67	83	52	62	0.1	0.1	0.1	0.5	0.6
.0	Sarcoid of Boeck	213	44	69	43	57	0.1	0.1	0.1	0.4	0.5
.1	Other	51	23	14	9	5	0.0	0.0	0.0	0.1	0.0
	II. Neoplasms										
140-148	Malignant neoplasm of buccal cavity and pharynx	6,175	4,274	1,355	394	152	3.4	5.5	1.7	4.0	1.4
140	Malignant neoplasm of lip	216	189	18	7	2	0.1	0.2	0.0	0.1	0.0
.0	Upper lip	5	4	1	1	-	0.0	0.0	0.0	0.0	0
.1	Lower lip	85	72	9	3	1	0.0	0.1	0.0	0.0	0.0
.8	Both lips	-	-	-	-	-	0	0	0	0	0
.9	Lip, unspecified (including commissure)	125	113	8	3	1	0.1	0.1	0.0	0.0	0.0
141	Malignant neoplasm of tongue	1,545	1,074	328	105	38	0.9	1.4	0.4	1.1	0.4
.0	Base of tongue	151	120	16	9	6	0.1	0.2	0.0	0.1	0.1
.7	Other specified parts of tongue	31	22	9	-	-	0.0	0.0	0.0	0	0
.8	Multiple parts of tongue	1	1	-	-	-	0.0	0.0	0	0	0
.9	Part unspecified	1,362	931	303	96	32	0.8	1.2	0.4	1.0	0.3
142	Malignant neoplasm of salivary gland	604	349	207	30	18	0.3	0.4	0.3	0.3	0.2
.0	Parotid gland	451	254	158	25	14	0.3	0.3	0.2	0.3	0.1
.7	Other salivary gland	105	67	35	2	1	0.1	0.1	0.0	0.0	0.0
.8	Multiple salivary glands	1	-	1	-	-	0.0	0	0.0	0	0
.9	Gland unspecified	47	28	13	3	3	0.0	0.0	0.0	0.0	0.0
143	Malignant neoplasm of floor of mouth	392	288	67	26	11	0.2	0.4	0.1	0.3	0.1
144	Malignant neoplasm of other parts of mouth, and of mouth, unspecified	948	613	253	49	33	0.5	0.8	0.3	0.5	0.3
145	Malignant neoplasm of oral mesopharynx	487	366	84	29	8	0.3	0.5	0.1	0.3	0.1
.0	Tonsil (excluding pillars)	446	334	78	26	8	0.2	0.4	0.1	0.3	0.1
.7	Other specified parts of mesopharynx	41	32	6	3	-	0.0	0.0	0.0	0.0	0
.8	Multiple parts of mesopharynx	-	-	-	-	-	0	0	0	0	0
.9	Part unspecified	-	-	-	-	-	0	0	0	0	0
146	Malignant neoplasm of nasopharynx	473	288	125	47	13	0.3	0.4	0.2	0.5	0.1
147	Malignant neoplasm of hypopharynx	295	220	48	26	1	0.2	0.3	0.1	0.3	0.0
148	Malignant neoplasm of pharynx, unspecified	1,215	887	225	75	28	0.7	1.1	0.3	0.8	0.3
150-159	Malignant neoplasm of digestive organs and peritoneum	91,977	45,112	38,191	5,188	3,486	51.3	57.6	47.5	52.1	33.1
150	Malignant neoplasm of esophagus	4,915	3,122	884	710	199	2.7	4.0	1.1	7.1	1.9
151	Malignant neoplasm of stomach	20,859	11,315	6,908	1,770	886	11.6	14.4	8.6	17.8	8.2
152	Malignant neoplasm of small intestine, including duodenum	769	377	331	28	33	0.4	0.5	0.4	0.3	0.3
.0	Duodenum	252	133	98	11	10	0.1	0.2	0.1	0.1	0.1
.7	Other specified parts of small intestine	274	131	125	6	12	0.2	0.2	0.2	0.1	0.1
.8	Multiple parts of small intestine	5	3	1	-	1	0.0	0.0	0.0	0	0.0
.9	Part unspecified	238	110	107	11	10	0.1	0.1	0.1	0.1	0.1
153	Malignant neoplasm of large intestine, except rectum	28,537	12,147	14,536	863	991	15.9	15.5	18.1	8.7	9.4
.0	Cecum, appendix, and ascending colon	4,189	1,679	2,292	100	118	2.3	2.1	2.8	1.0	1.1
.1	Transverse colon, including hepatic and splenic flexures	1,686	730	854	35	47	0.9	0.9	1.1	0.4	0.4
.2	Descending colon	1,272	510	679	37	46	0.7	0.7	0.8	0.4	0.4
.3	Sigmoid colon	6,403	2,965	3,100	166	172	3.6	3.8	3.9	1.7	1.6
.7	Multiple parts of large intestine	71	36	32	2	1	0.0	0.0	0.0	0.0	0.0
.8	Large intestine (including colon), part unspecified	13,379	5,604	6,756	474	545	7.5	7.2	8.4	4.8	5.2
.9	Intestinal tract, part unspecified	1,557	623	823	49	62	0.9	0.8	1.0	0.5	0.6
154	Malignant neoplasm of rectum	10,855	5,702	4,336	415	402	6.1	7.3	5.4	4.2	3.8
155	Malignant neoplasm of biliary passages and of liver (stated to be primary site)	6,246	2,422	3,334	297	193	3.5	3.1	4.1	3.0	1.8
.0	Liver	1,890	1,011	611	206	62	1.1	1.3	0.8	2.1	0.8
.1	Gallbladder and extrahepatic gall ducts, including ampulla of Vater	4,349	1,407	2,720	91	131	2.4	1.8	3.4	0.9	1.2
.8	Multiple sites	7	4	3	-	-	0.0	0.0	0.0	0	0
156	Malignant neoplasm of liver (secondary and unspecified)	4,424	2,083	1,852	272	217	2.5	2.7	2.3	2.7	2.1
A	Not stated whether primary or secondary	3,482	1,640	1,455	207	180	1.9	2.1	1.8	2.1	1.7
B	Secondary	942	443	397	65	37	0.5	0.6	0.5	0.7	0.4
157	Malignant neoplasm of pancreas	13,675	7,241	5,215	741	478	7.6	9.2	6.5	7.4	4.5
158	Malignant neoplasm of peritoneum	752	331	363	30	28	0.4	0.4	0.5	0.3	0.3
159	Malignant neoplasm of unspecified digestive organs	945	372	432	62	79	0.5	0.5	0.5	0.6	0.8
160-165	Malignant neoplasm of respiratory system	40,661	31,531	5,496	3,091	543	22.7	40.2	6.8	31.0	5.2
160	Malignant neoplasm of nose, nasal cavities, middle ear, and accessory sinuses	574	310	184	52	28	0.3	0.4	0.2	0.5	0.3
.0	Nose (internal) and nasal cavities	115	69	36	3	7	0.1	0.1	0.0	0.0	0.1
.1	Eustachian tube and middle ear	22	8	12	1	1	0.0	0.0	0.0	0.0	0.0
.2	Maxillary sinus	323	173	99	37	14	0.2	0.2	0.1	0.4	0.1
.7	Other specified sinus (accessory)	45	22	15	6	2	0.0	0.0	0.0	0.1	0.0
.8	Multiple sites	18	10	6	2	-	0.0	0.0	0.0	0.0	0
.9	Site unspecified	51	28	16	3	4	0.0	0.0	0.0	0.0	0.0
161	Malignant neoplasm of larynx	2,426	1,979	194	222	31	1.4	2.5	0.2	2.2	0.3
162	Malignant neoplasm of bronchus and trachea, and of lung specified as primary	18,342	14,711	2,011	1,453	167	10.2	18.8	2.5	14.6	1.6
.0	Trachea	101	71	23	7	-	0.1	0.1	0.0	0.1	0
.1	Bronchus and lung	18,211	14,621	1,979	1,445	166	10.2	18.7	2.5	14.5	1.6
.2	Pleura	21	14	6	1	-	0.0	0.0	0.0	0.0	0
.8	Multiple sites	9	5	3	-	1	0.0	0.0	0.0	0	0.0

Table 5-6. Deaths and Death Rates for Each Cause, by Color and Sex: United States, 1960—Con.

(Data refer only to deaths occurring within the United States, including Alaska and Hawaii. Excludes fetal deaths. Rates per 100,000 population in specified group, enumerated as of April 1. Includes each three-digit category of the Detailed List to which deaths may be assigned and selected four-digit subcategories)

SEVENTH REVISION OF INTERNATIONAL LISTS, 1955		NUMBER					RATE			
Number	Cause of death	Total	White		Nonwhite		Total	White		Nonwhite	
			Male	Female	Male	Female		Male	Female	Male	Female
	II. Neoplasms—Con.										
	Malignant neoplasm of respiratory system—Con.										
163	Malignant neoplasm of lung, unspecified as to whether primary or secondary	18,078	13,803	2,702	1,290	283	10.1	17.6	3.4	12.9	2.7
164	Malignant neoplasm of mediastinum	310	209	79	18	4	0.2	0.3	0.1	0.2	0.0
165	Malignant neoplasm of thoracic organs (secondary)	931	519	326	56	30	0.5	0.7	0.4	0.6	0.3
170-181	Malignant neoplasm of breast and genitourinary organs	75,443	21,703	45,850	2,488	5,402	42.1	27.7	57.0	25.0	51.3
170	Malignant neoplasm of breast	23,970	186	21,867	29	1,888	13.4	0.2	27.2	0.3	17.9
171	Malignant neoplasm of cervix uteri	8,487	...	6,820	...	1,667	4.7	...	8.5	...	15.8
172	Malignant neoplasm of corpus uteri	1,373	...	1,252	...	121	0.8	...	1.6	...	1.1
173	Malignant neoplasm of other parts of uterus, including chorionepithelioma	75	...	58	...	17	0.0	...	0.1	...	0.2
174	Malignant neoplasm of uterus, unspecified	4,481	...	3,797	...	684	2.5	...	4.7	...	6.5
175	Malignant neoplasm of ovary, fallopian tube, and broad ligament	8,046	...	7,498	...	548	4.5	...	9.3	...	5.2
.0	Ovary	7,940	...	7,409	...	531	4.4	...	9.2	...	5.0
.1	Fallopian tube and broad ligament	91	...	75	...	16	0.1	...	0.1	...	0.2
.8	Multiple sites	9	...	8	...	1	0.0	...	0.0	...	0.0
.9	Site unspecified	6	...	6	...	-	0.0	...	0.0	...	0
176	Malignant neoplasm of other and unspecified female genital organs	816	...	733	...	83	0.5	...	0.9	...	0.8
.0	Vulva	487	...	445	...	42	0.3	...	0.6	...	0.4
.1	Vagina	273	...	239	...	34	0.2	...	0.3	...	0.3
.7	Other specified sites	7	...	6	...	1	0.0	...	0.0	...	0.0
.8	Multiple sites	9	...	9	...	-	0.0	...	0.0	...	0
.9	Site unspecified	40	...	34	...	6	0.0	...	0.0	...	0.1
177	Malignant neoplasm of prostate	14,452	12,635	...	1,817	...	8.1	16.1	...	18.2	...
178	Malignant neoplasm of testis	639	614	...	25	...	0.4	0.8	...	0.3	...
179	Malignant neoplasm of other and unspecified male genital organs	300	242	...	58	...	0.2	0.3	...	0.6	...
.0	Penis	256	205	...	51	...	0.1	0.3	...	0.5	...
.1	Scrotum	24	17	...	7	...	0.0	0.0	...	0.1	...
.7	Other specified sites	15	15	...	-	...	0.0	0.0	...	0	...
.8	Multiple sites	-	-	...	-	...	0	0	...	0	...
.9	Site unspecified	5	5	...	-	...	0.0	0.0	...	0	...
180	Malignant neoplasm of kidney	4,939	2,946	1,669	199	125	2.8	3.8	2.1	2.0	1.2
181	Malignant neoplasm of bladder and other urinary organs	7,865	5,080	2,156	360	269	4.4	6.5	2.7	3.6	2.6
.0	Bladder	7,714	5,023	2,091	343	257	4.3	6.4	2.6	3.4	2.4
.7	Other urinary organs	144	57	60	17	10	0.1	0.1	0.1	0.2	0.1
.8	Multiple sites	7	-	5	-	2	0.0	0	0.0	0	0.0
190-199	Malignant neoplasm of other and unspecified sites	27,686	13,808	11,636	1,204	1,240	15.4	17.4	14.5	12.1	11.8
190	Malignant melanoma of skin	2,183	1,164	961	30	28	1.2	1.5	1.2	0.3	0.3
.0	Lips	2	-	2	-	-	0.0	0	0.0	0	0
.1	Eyelids, including canthi	4	4	-	-	-	0.0	0.0	0	0	0
.2	Ear and external auricular canal	16	9	7	-	-	0.0	0.0	0.0	0	0
.3	Other and unspecified parts of face	62	31	31	-	-	0.0	0.0	0.0	0	0
.4	Scalp and neck	84	46	37	1	-	0.0	0.1	0.0	0.0	0
.5	Trunk	254	165	88	-	1	0.1	0.2	0.1	0	0.0
.6	Upper limb	130	69	58	2	1	0.1	0.1	0.1	0.0	0.0
.7	Lower limb	257	99	139	9	10	0.1	0.1	0.2	0.1	0.1
.8	Multiple sites	12	8	4	-	-	0.0	0.0	0.0	0	0
.9	Site unspecified	1,362	733	595	18	16	0.8	0.9	0.7	0.2	0.2
191	Other malignant neoplasm of skin	1,826	1,090	616	66	54	1.0	1.4	0.8	0.7	0.5
.0	Lips	81	71	8	1	1	0.0	0.1	0.0	0.0	0.0
.1	Eyelids, including canthi	25	13	12	-	-	0.0	0.0	0.0	0	0
.2	Ear and external auricular canal	78	62	16	-	-	0.0	0.1	0.0	0	0
.3	Other and unspecified parts of face	696	389	279	18	10	0.4	0.5	0.3	0.2	0.1
.4	Scalp and neck	210	135	62	6	7	0.1	0.2	0.1	0.1	0.1
.5	Trunk	204	80	99	11	14	0.1	0.1	0.1	0.1	0.1
.6	Upper limb	57	42	12	3	-	0.0	0.1	0.0	0.0	0
.7	Lower limb	73	40	19	4	10	0.0	0.1	0.0	0.0	0.1
.8	Multiple sites	52	35	15	-	2	0.0	0.0	0.0	0	0.0
.9	Site unspecified	350	223	94	23	10	0.2	0.3	0.1	0.2	0.1
192	Malignant neoplasm of eye	417	209	179	11	18	0.2	0.3	0.2	0.1	0.2
193	Malignant neoplasm of brain and other parts of nervous system	6,184	3,485	2,316	215	166	3.4	4.4	2.9	2.2	1.6
.0	Brain	4,810	2,720	1,823	156	111	2.7	3.5	2.3	1.6	1.1
.1	Spinal cord	129	59	56	5	9	0.1	0.1	0.1	0.1	0.1
.2	Meninges	51	24	22	2	3	0.0	0.0	0.0	0.0	0.0
.3	Peripheral nerves	53	25	21	2	5	0.0	0.0	0.0	0.0	0.0
.4	Sympathetic nervous system	289	151	104	18	16	0.2	0.2	0.1	0.2	0.2
.8	Multiple sites	14	6	8	-	-	0.0	0.0	0.0	0	0
.9	Site unspecified	838	500	284	32	22	0.5	0.6	0.4	0.3	0.2
194	Malignant neoplasm of thyroid gland	1,040	348	612	26	54	0.6	0.4	0.8	0.3	0.5
195	Malignant neoplasm of other endocrine glands	481	277	173	23	8	0.3	0.4	0.2	0.2	0.1
.0	Suprarenal gland	327	191	118	12	6	0.2	0.2	0.1	0.1	0.1
.1	Parathyroid gland	3	1	1	1	-	0.0	0.0	0.0	0.0	0
.2	Thymus	89	56	27	5	1	0.0	0.1	0.0	0.1	0.0
.3	Pituitary gland and craniopharyngeal duct	38	15	19	3	1	0.0	0.0	0.0	0.0	0.0
.4	Pineal gland	15	9	5	1	-	0.0	0.0	0.0	0.0	0
.7	Other specified glands	8	4	3	1	-	0.0	0.0	0.0	0.0	0
.8	Multiple glands	1	1	-	-	-	0.0	0.0	0	0	0
196	Malignant neoplasm of bone	1,811	960	681	104	66	1.0	1.2	0.8	1.0	0.6
.0	Bones of the skull and face	259	148	81	22	8	0.1	0.2	0.1	0.2	0.1
.1	Lower jaw bone	170	94	57	13	6	0.1	0.1	0 1	0.1	0.1
.2	Vertebral column (excluding sacrum and coccyx)	298	172	96	16	12	0.2	0.2	0.1	0.2	0.1
.3	Ribs, sternum, and clavicle	67	38	25	3	1	0.0	0.0	0.0	0.0	0.0
.4	Long bones of upper limb, and scapula	114	66	42	4	2	0.1	0.1	0.1	0.0	0.0
.5	Upper limb, short bones	5	3	2	-	-	0.0	0.0	0.0	0	0
.6	Pelvic bones, sacrum, coccyx	170	86	74	8	2	0.1	0.1	0.1	0.1	0.0
.7	Lower limb, long bones	323	150	138	18	17	0.2	0.2	0.2	0.2	0.2
.8	Lower limb, short bones	13	4	7	1	1	0.0	0.0	0.0	0.0	0.0
.9	Multiple sites and site unspecified	394	199	159	19	17	0.2	0.3	0.2	0.2	0.2

Table 5-6. Deaths and Death Rates for Each Cause, by Color and Sex: United States, 1960—Con.

(Data refer only to deaths occurring within the United States, including Alaska and Hawaii. Excludes fetal deaths. Rates per 100,000 population in specified group, enumerated as of April 1. Includes each three-digit category of the Detailed List to which deaths may be assigned and selected four-digit subcategories)

SEVENTH REVISION OF INTERNATIONAL LISTS, 1955		NUMBER					RATE				
Number	Cause of death	Total	White		Nonwhite		Total	White		Nonwhite	
			Male	Female	Male	Female		Male	Female	Male	Female
	II. Neoplasms—Con. Malignant neoplasm of other and unspecified sites—Con.										
197	Malignant neoplasm of connective tissue	1,076	574	401	56	45	0.6	0.7	0.5	0.6	0.4
.0	Head, face, and neck	53	29	19	3	2	0.0	0.0	0.0	0.0	0.0
.1	Trunk	181	109	59	6	7	0.1	0.1	0.1	0.1	0.1
.2	Upper limb (including shoulder)	63	34	22	5	2	0.0	0.0	0.0	0.1	0.0
.3	Lower limb (including hip)	280	142	108	20	10	0.2	0.2	0.1	0.2	0.1
.8	Multiple sites	9	5	3	-	1	0.0	0.0	0.0	0	0.0
.9	Site unspecified	490	255	190	22	23	0.3	0.3	0.2	0.2	0.2
198	Secondary and unspecified malignant neoplasm of lymph nodes	214	123	73	11	7	0.1	0.2	0.1	0.1	0.1
.0	Head, face, and neck	119	76	37	5	1	0.1	0.1	0.0	0.1	0.0
.1	Intrathoracic	5	3	1	1	-	0.0	0.0	0.0	0.0	0
.2	Intra-abdominal	12	5	5	-	2	0.0	0.0	0.0	0	0.0
.3	Axillary and upper limb	11	6	5	-	-	0.0	0.0	0.0	0	0
.4	Inguinal and lower limb	21	11	7	2	1	0.0	0.0	0.0	0.0	0.0
.7	Other specified sites	5	2	3	-	-	0.0	0.0	0.0	0	0
.8	Multiple sites	6	4	-	2	-	0.0	0.0	0	0.0	0
.9	Site unspecified	35	16	15	1	3	0.0	0.0	0.0	0.0	0.0
199	Malignant neoplasm of other and unspecified sites	12,456	5,378	5,622	662	794	6.9	6.9	7.0	6.6	7.5
A	Of other specified sites, not specified as secondary	1,011	578	330	53	50	0.6	0.7	0.4	0.5	0.5
B	Primary site not indicated	11,445	4,800	5,292	609	744	6.4	6.1	6.6	6.1	7.1
200-205	Neoplasms of lymphatic and hematopoietic tissues	25,683	13,955	10,001	995	732	14.3	17.8	12.4	10.0	7.0
200	Lymphosarcoma and reticulosarcoma	5,902	3,264	2,314	199	125	3.3	4.2	2.9	2.0	1.2
.0	Reticulum cell sarcoma	1,328	685	541	67	35	0.7	0.9	0.7	0.7	0.3
.1	Lymphosarcoma	3,519	1,989	1,370	101	59	2.0	2.5	1.7	1.0	0.6
.2	Other primary malignant neoplasms of lymphoid tissue	1,055	590	403	31	31	0.6	0.8	0.5	0.3	0.3
201	Hodgkin's disease	3,075	1,748	1,132	129	66	1.7	2.2	1.4	1.3	0.6
202	Other forms of lymphoma (reticulosis)	889	468	351	43	27	0.5	0.6	0.4	0.4	0.3
.0	Giant follicular lymphoma (Brill-Symmers' disease)	102	45	54	3	-	0.1	0.1	0.1	0.0	0
.1	Other	787	423	297	40	27	0.4	0.5	0.4	0.4	0.3
203	Multiple myeloma (plasmocytoma)	3,029	1,509	1,191	178	151	1.7	1.9	1.5	1.8	1.4
204	Leukemia and aleukemia	12,725	6,929	4,993	442	361	7.1	8.8	6.2	4.4	3.4
.0	Lymphatic leukemia	3,048	1,811	1,060	107	70	1.7	2.3	1.3	1.1	0.7
.1	Myeloid leukemia	2,196	1,144	922	62	68	1.2	1.5	1.1	0.6	0.6
.2	Monocytic leukemia	984	517	405	33	29	0.5	0.7	0.5	0.3	0.3
.3	Acute leukemia	5,148	2,736	2,097	173	142	2.9	3.5	2.6	1.7	1.3
.4	Other and unspecified leukemia	1,349	721	509	67	52	0.8	0.9	0.6	0.7	0.5
205	Mycosis fungoides	63	37	20	4	2	0.0	0.0	0.0	0.0	0.0
210-229	Benign neoplasm	2,409	833	1,143	103	310	1.3	1.1	1.4	1.0	2.9
210	Benign neoplasm of buccal cavity and pharynx	7	2	3	1	1	0.0	0.0	0.0	0.0	0.0
211	Benign neoplasm of other parts of digestive system	214	122	79	8	5	0.1	0.2	0.1	0.1	0.0
212	Benign neoplasm of respiratory system	105	57	30	12	6	0.1	0.1	0.0	0.1	0.1
213	Benign neoplasm of breast	3	-	-	-	3	0.0	0	0	0	0.0
214	Uterine fibromyoma	310	...	142	...	168	0.2	...	0.2	...	1.6
215	Other benign neoplasm of uterus	36	...	31	...	5	0.0	...	0.0	...	0.0
216	Benign neoplasm of ovary	153	...	127	...	26	0.1	...	0.2	...	0.2
217	Benign neoplasm of other female genital organs	6	...	4	...	2	0.0	...	0.0	...	0.0
218	Benign neoplasm of male genial organs	-	-	...	-	...	0	0	...	0	...
219	Benign neoplasm of kidney and other urinary organs	36	21	13	2	-	0.0	0.0	0.0	0.0	0
220	Benign melanoma of skin	1	-	1	-	-	0.0	0	0.0	0	0
221	Pilonidal cyst	8	2	4	-	2	0.0	0.0	0.0	0	0.0
222	Other benign neoplasm of skin	2	2	-	-	-	0.0	0.0	0	0	0
223	Benign neoplasm of brain and other parts of nervous system	967	389	484	44	50	0.5	0.5	0.6	0.4	0.5
224	Benign neoplasm of endocrine glands	319	134	135	24	26	0.2	0.2	0.2	0.2	0.2
225	Benign neoplasm of bone and cartilage	13	8	4	1	-	0.0	0.0	0.0	0.0	0
226	Lipoma	11	4	4	1	2	0.0	0.0	0.0	0.0	0.0
227	Other benign neoplasm of muscular and connective tissue	46	23	17	2	4	0.0	0.0	0.0	0.0	0.0
228	Hemangioma and lymphangioma	108	43	52	7	6	0.1	0.1	0.1	0.1	0.1
229	Benign neoplasm of other and unspecified organs and tissues	64	26	33	1	4	0.0	0.0	0.0	0.0	0.0
230-239	Neoplasm of unspecified nature	2,484	1,130	1,041	161	152	1.4	1.4	1.3	1.6	1.4
230	Neoplasm of unspecified nature of digestive organs	281	97	155	13	16	0.2	0.1	0.2	0.1	0.2
231	Neoplasm of unspecified nature of respiratory organs	204	129	50	18	7	0.1	0.2	0.1	0.2	0.1
232	Neoplasm of unspecified nature of breast	5	-	3	-	2	0.0	0	0.0	0	0.0
233	Neoplasm of unspecified nature of uterus	11	...	6	...	5	0.0	...	0.0	...	0.0
234	Neoplasm of unspecified nature of ovary	15	...	13	...	2	0.0	...	0.0	...	0.0
235	Neoplasm of unspecified natura of other female genital organs	1	...	-	...	1	0.0	...	0	...	0.0
236	Neoplasm of unspecified nature of other genitourinary organs	86	50	26	7	3	0.0	0.1	0.0	0.1	0.0
237	Neoplasm of unspecified nature of brain and other parts of nervous system	1,601	763	638	111	89	0.9	1.0	0.8	1.1	0.8
238	Neoplasm of unspecified nature of skin and musculoskeletal system	27	8	15	2	2	0.0	0.0	0.0	0.0	0.0
239	Neoplasm of unspecified nature of other and unspecified organs	253	83	135	10	25	0.1	0.1	0.2	0.1	0.2
	III. Allergic, endocrine system, metabolic, and nutritional diseases										
240-245	Allergic disorders	5,491	3,120	1,618	397	356	3.1	4.0	2.0	4.0	3.4
240	Hay fever	6	3	2	-	1	0.0	0.0	0.0	0	0.0
241	Asthma	5,394	3,067	1,588	392	347	3.0	3.9	2.0	3.9	3.3
242	Angioneurotic edema	20	12	5	1	2	0.0	0.0	0.0	0.0	0.0
243	Urticaria	1	1	-	-	-	0.0	0.0	0	0	0
244	Allergic eczema	-	-	-	-	-	0	0	0	0	0
245	Other allergic disorders	70	37	23	4	6	0.0	0.0	0.0	0.0	0.1
250-254	Diseases of thyroid gland	958	156	663	21	118	0.5	0.2	0.8	0.2	1.1
250	Simple goiter	44	5	29	3	7	0.0	0.0	0.0	0.0	0.1
251	Nontoxic nodular goiter	44	9	28	1	6	0.0	0.0	0.0	0.0	0.1

Table 5-6. Deaths and Death Rates for Each Cause, by Color and Sex: United States, 1960—Con.

(Data refer only to deaths occurring within the United States, including Alaska and Hawaii. Excludes fetal deaths. Rates per 100,000 population in specified group, enumerated as of April 1. Includes each three-digit category of the Detailed List to which deaths may be assigned and selected four-digit subcategories)

SEVENTH REVISION OF INTERNATIONAL LISTS, 1955		NUMBER					RATE				
Number	Cause of death	Total	White		Nonwhite		Total	White		Nonwhite	
			Male	Female	Male	Female		Male	Female	Male	Female
	III. Allergic, endocrine system, metabolic, and nutritional diseases—Con.										
	Diseases of thyroid gland—Con.										
252	Thyrotoxicosis with or without goiter	532	81	359	15	77	0.3	0.1	0.4	0.2	0.7
.0	Toxic diffuse goiter	481	73	322	13	73	0.3	0.1	0.4	0.1	0.7
.1	Toxic nodular goiter	51	8	37	2	4	0.0	0.0	0.0	0.0	0.0
253	Myxedema and cretinism	284	53	212	1	18	0.2	0.1	0.3	0.0	0.2
254	Other diseases of thyroid gland	54	8	35	1	10	0.0	0.0	0.0	0.0	0.1
260	Diabetes mellitus	29,971	10,761	15,360	1,386	2,464	16.7	13.7	19.1	13.9	23.4
270-277	Diseases of other endocrine glands	944	387	416	64	77	0.5	0.5	0.5	0.6	0.7
270	Disorders of pancreatic internal secretion other than diabetes mellitus	40	16	11	5	8	0.0	0.0	0.0	0.1	0.1
271	Diseases of parathyroid gland	46	12	22	3	9	0.0	0.0	0.0	0.0	0.1
.0	Hyperparathyroidism	39	11	17	3	8	0.0	0.0	0.0	0.0	0.1
.1	Hypoparathyroidism	7	1	5	-	1	0.0	0.0	0.0	0	0.0
.2	Other and unspecified	-	-	-	-	-	0	0	0	0	0
272	Diseases of pituitary gland	202	80	95	11	16	0.1	0.1	0.1	0.1	0.2
273	Diseases of thymus gland	136	70	45	12	9	0.1	0.1	0.1	0.1	0.1
274	Diseases of adrenal glands	420	174	191	28	27	0.2	0.2	0.2	0.3	0.3
275	Ovarian dysfunction	-	...	-	...	-	0	...	0	...	0
276	Testicular dysfunction	-	-	...	-	...	0	0	...	0	...
277	Polyglandular dysfunction and other diseases of endocrine glands	100	35	52	5	8	0.1	0.0	0.1	0.1	0.1
280-289	Avitaminoses and other metabolic diseases	3,857	1,570	1,625	302	360	2.2	2.0	2.0	3.0	3.4
280	Beriberi	32	18	8	3	3	0.0	0.0	0.0	0.0	0.0
281	Pellagra	42	14	15	3	10	0.0	0.0	0.0	0.0	0.1
282	Scurvy	5	1	1	2	1	0.0	0.0	0.0	0.0	0.0
283	Active rickets	3	1	-	2	-	0.0	0.0	0	0.0	0
284	Late effects of rickets	1	1	-	-	-	0.0	0.0	0	0	0
285	Osteomalacia	6	1	4	-	1	0.0	0.0	0.0	0	0.0
286	Other avitaminosis and nutritional deficiency states	1,728	657	728	192	151	1.0	0.8	0.9	1.9	1.4
.0	Steatorrhea and sprue	44	15	21	5	3	0.2	0.0	0.0	0.1	0.0
.1	Vitamin A deficiency	-	-	-	-	-	0	0	0	0	0
.2	Vitamin B deficiency, except beriberi and pellagra	6	5	-	1	-	0.0	0.0	0	0.0	0
.3	Vitamin C deficiency, except scurvy	-	-	-	-	-	0	0	0	0	0
.4	Vitamin D deficiency, except rickets and osteomalacia	-	-	-	-	-	0	0	0	0	0
.5	Malnutrition, unqualified	1,529	574	632	184	139	0.9	0.7	0.8	1.8	1.3
.6	Kwashiorkor (protein malnutrition)	5	4	1	-	-	0.0	0.0	0.0	0	0
.7	Other and multiple deficiency states	144	59	74	2	9	0.1	0.1	0.1	0.0	0.1
287	Obesity, not specified as of endocrine origin	1,193	441	576	37	139	0.7	0.6	0.7	0.4	1.3
288	Gout	61	45	6	8	2	0.0	0.1	0.0	0.1	0.0
289	Other metabolic diseases	786	391	287	55	53	0.4	0.5	0.4	0.6	0.5
.0	Lipidosis (disturbance of lipid metabolism)	107	56	44	5	2	0.1	0.1	0.1	0.1	0.0
.1	Amyloidosis	136	68	46	12	10	0.1	0.1	0.1	0.1	0.1
.2	Other	543	267	197	38	41	0.3	0.3	0.2	0.4	0.4
	IV. Diseases of the blood and blood-forming organs										
290-299	Diseases of blood and blood-forming organs	5,104	2,150	2,182	385	387	2.8	2.7	2.7	3.9	3.7
290	Pernicious and other hyperchromic anemias	641	235	365	19	22	0.4	0.3	0.5	0.2	0.2
.0	Pernicious anemia	574	211	329	16	18	0.3	0.3	0.4	0.2	0.2
.1	Subacute combined degeneration of spinal cord	26	11	13	2	-	0.0	0.0	0.0	0.0	0
.2	Other hypochromic anemias	41	13	23	1	4	0.0	0.0	0.0	0.0	0.0
291	Iron deficiency anemias (hypochromic anemias)	106	35	43	11	17	0.1	0.0	0.1	0.1	0.2
292	Other anemias of specified type	1,721	673	688	178	182	1.0	0.9	0.9	1.8	1.7
.0	Familial acholuric jaundice	110	37	56	8	9	0.1	0.0	0.1	0.1	0.1
.1	Acute hemolytic anemia	30	11	17	-	2	0.0	0.0	0.0	0	0.0
.2	Other hemolytic anemias	86	45	35	4	2	0.0	0.1	0.0	0.0	0.0
.3	Leuko-erythroblastic anemia	229	121	96	5	7	0.1	0.2	0.1	0.1	0.1
.4	Aplastic anemia	971	440	470	30	31	0.5	0.6	0.6	0.3	0.3
.5	Nonregenerative anemia	19	13	6	-	-	0.0	0.0	0.0	0	0
.6	Sickle cell anemia	267	1	5	130	131	0.1	0.0	0.0	1.3	1.2
.7	Other specified anemias	8	5	3	1	-	0.0	0.0	0.0	0.0	0
293	Anemia of unspecified type	862	336	352	80	94	0.5	0.4	0.4	0.8	0.9
294	Polycythemia	421	242	162	15	2	0.2	0.3	0.2	0.2	0.0
295	Hemophilia	77	70	-	7	-	0.0	0.1	0	0.1	0
296	Purpura and other hemorrhagic conditions	681	288	305	44	44	0.4	0.4	0.4	0.4	0.4
297	Agranulocytosis	174	72	93	4	5	0.1	0.1	0.1	0.0	0.0
298	Diseases of spleen	229	101	105	14	9	0.1	0.1	0.1	0.1	0.1
.0	Hepatolienal fibrosis	107	44	53	6	4	0.1	0.1	0.1	0.1	0.0
.1	Other	122	57	52	8	5	0.1	0.1	0.1	0.1	0.0
299	Other diseases of blood and blood-forming organs	192	98	69	13	12	0.1	0.1	0.1	0.1	0.1
	V. Mental, psychoneurotic, and personality disorders										
300-309	Psychoses	1,496	740	563	110	83	0.8	0.9	0.7	1.1	0.8
300	Schizophrenic disorders (dementia precox)	161	56	68	16	21	0.1	0.1	0.1	0.2	0.2
.0	Simple type	1	-	1	-	-	0.0	0	0.0	0	0
.1	Hebephrenic type	11	7	4	-	-	0.0	0.0	0.0	0	0
.2	Catatonic type	53	15	23	7	8	0.0	0.0	0.0	0.1	0.1
.3	Paranoid type	23	6	12	1	4	0.0	0.0	0.0	0.0	0.0
.4	Acute schizophrenic reaction	3	-	3	-	-	0.0	0	0.0	0	0
.5	Latent schizophrenia	-	-	-	-	-	0	0	0	0	0
.6	Schizo-affective psychosis	1	1	-	-	-	0.0	0.0	0	0	0
.7	Other and unspecified	69	27	25	8	9	0.0	0.0	0.0	0.1	0.1
301	Manic-depressive reaction	42	12	21	3	6	0.0	0.0	0.0	0.0	0.1
.0	Manic and circular	14	3	4	1	6	0.0	0.0	0.0	0.0	0.1
.1	Depressive	10	5	5	-	-	0.0	0.0	0.0	0	0
.2	Other	18	4	12	2	-	0.0	0.0	0.0	0.0	0

Table 5-6. Deaths and Death Rates for Each Cause, by Color and Sex: United States, 1960—Con.

(Data refer only to deaths occurring within the United States, including Alaska and Hawaii. Excludes fetal deaths. Rates per 100,000 population in specified group, enumerated as of April 1. Includes each three-digit category of the Detailed List to which deaths may be assigned and selected four-digit subcategories)

SEVENTH REVISION OF INTERNATIONAL LISTS, 1955		NUMBER					RATE				
Number	Cause of death	Total	White		Nonwhite		Total	White		Nonwhite	
			Male	Female	Male	Female		Male	Female	Male	Female
	V. Mental, psychoneurotic, and personality disorders—Con. Psychoses—Con.										
302	Involutional melancholia	16	5	11	-	-	0.0	0.0	0.0	0	0
303	Paranoia and paranoid states	4	3	1	-	-	0.0	0.0	0.0	0	0
304	Senile psychosis	396	119	241	20	16	0.2	0.2	0.3	0.2	0.2
305	Presenile psychosis	139	61	76	-	2	0.1	0.1	0.1	0	0.0
307	Alcholic psychosis	438	341	34	54	9	0.2	0.4	0.0	0.5	0.1
309	Other and unspecified psychoses	300	143	111	17	29	0.2	0.2	0.1	0.2	0.3
310-318	Psychoneurotic disorders	81	22	52	2	5	0.0	0.0	0.1	0.0	0.0
310	Anxiety reaction without mention of somatic symptoms	3	1	2	-	-	0.0	0.0	0.0	0	0
311	Hysterical reaction without mention of anxiety reaction	48	9	36	1	2	0.0	0.0	0.0	0.0	0.0
312	Phobic reaction	-	-	-	-	-	0	0	0	0	0
313	Obsessive-compulsive reaction	1	-	1	-	-	0.0	0	0.0	0	0
314	Neurotic-depressive reaction	2	2	-	-	-	0.0	0.0	0	0	0
315	Psychoneurosis with somatic symptoms (somatization reaction) affecting circulatory system	3	1	1	1	-	0.0	0.0	0.0	0.0	0
.0	Neurocirculatory asthenia	3	1	1	1	-	0.0	0.0	0.0	0.0	0
.1	Other heart manifestations specified as of psychogenic origin	-	-	-	-	-	0	0	0	0	0
.2	Other circulatory manifestations of psychogenic origin	-	-	-	-	-	0	0	0	0	0
316	Psychoneurosis with somatic symptoms (somatization reaction) affecting digestive system	2	1	1	-	-	0.0	0.0	0.0	0	0
.0	Mucous colitis specified as of psychogenic origin	-	-	-	-	-	0	0	0	0	0
.1	Irritability of colon specified as of psychogenic origin	-	-	-	-	-	0	0	0	0	0
.2	Gastric neuroses	2	1	1	-	-	0.0	0.0	0.0	0	0
.3	Other digestive manifestations specified as of psychogenic origin	-	-	-	-	-	0	0	0	0	0
317	Psychoneurosis with somatic symptoms (somatization reaction) affecting other systems	-	-	-	-	-	0	0	0	0	0
.0	Psychogenic reactions affecting respiratory system	-	-	-	-	-	0	0	0	0	0
.1	Psychogenic reactions affecting genitourinary system	-	-	-	-	-	0	0	0	0	0
.2	Pruritus of psychogenic origin	-	-	-	-	-	0	0	0	0	0
.3	Other cutaneous neuroses	-	-	-	-	-	0	0	0	0	0
.4	Psychogenic reactions affecting musculoskeletal system	-	-	-	-	-	0	0	0	0	0
.5	Psychogenic reactions affecting other systems	-	-	-	-	-	0	0	0	0	0
318	Psychoneurotic disorders, other, mixed, and unspecified types	22	8	11	-	3	0.0	0.0	0.0	0	0.0
.0	Hypochondriacal reaction	-	-	-	-	-	0	0	0	0	0
.1	Depersonalization	-	-	-	-	-	0	0	0	0	0
.2	Occupational neurosis	-	-	-	-	-	0	0	0	0	0
.3	Asthenic reaction	5	3	2	-	-	0.0	0.0	0.0	0	0
.4	Mixed	1	-	1	-	-	0.0	0	0.0	0	0
.5	Of other and unspecified types	16	5	8	-	3	0.0	0.0	0.0	0	0.0
320-326	Disorders of character, behavior, and intelligence	2,910	1,649	543	520	198	1.6	2.1	0.7	5.2	1.9
320	Pathological personality	-	-	-	-	-	0	0	0	0	0
.0	Schizoid personality	-	-	-	-	-	0	0	0	0	0
.1	Paranoid personality	-	-	-	-	-	0	0	0	0	0
.2	Cyclothymic personality	-	-	-	-	-	0	0	0	0	0
.3	Inadequate personality	-	-	-	-	-	0	0	0	0	0
.4	Antisocial personality	-	-	-	-	-	0	0	0	0	0
.5	Asocial personality	-	-	-	-	-	0	0	0	0	0
.6	Sexual deviation	-	-	-	-	-	0	0	0	0	0
.7	Other and unspecified	-	-	-	-	-	0	0	0	0	0
321	Immature personality	-	-	-	-	-	0	0	0	0	0
.0	Emotional instability	-	-	-	-	-	0	0	0	0	0
.1	Passive dependency	-	-	-	-	-	0	0	0	0	0
.2	Aggressiveness	-	-	-	-	-	0	0	0	0	0
.3	Enuresis characterizing immature personality	-	-	-	-	-	0	0	0	0	0
.4	Other symptomatic habits except speech impediments	-	-	-	-	-	0	0	0	0	0
.5	Other and unspecified	-	-	-	-	-	0	0	0	0	0
322	Alcoholism	2,235	1,327	316	438	154	1.2	1.7	0.4	4.4	1.5
.0	Acute	754	399	111	170	74	0.4	0.5	0.1	1.7	0.7
.1	Chronic	965	628	140	150	47	0.5	0.8	0.2	1.5	0.4
.2	Unspecified	516	300	65	118	33	0.3	0.4	0.1	1.2	0.3
323	Other drug addiction	190	76	25	62	27	0.1	0.1	0.0	0.6	0.3
324	Primary childhood behavior disorders	-	-	-	-	-	0	0	0	0	0
325	Mental deficiency	483	245	201	20	17	0.3	0.3	0.2	0.2	0.2
.0	Idiocy	17	11	5	-	1	0.0	0.0	0.0	0	0.0
.1	Imbecility	4	3	1	-	-	0.0	0.0	0.0	0	0
.2	Moron	4	4	-	-	-	0.0	0.0	0	0	0
.3	Borderline intelligence	-	-	-	-	-	0	0	0	0	0
.4	Mongolism	294	150	126	13	5	0.2	0.2	0.2	0.1	0.0
.5	Other and unspecified types	164	77	69	7	11	0.1	0.1	0.1	0.1	0.1
326	Other and unspecified character, behavior, and intelligence disorders	2	1	1	-	-	0.0	0.0	0.0	0	0
.0	Specific learning defects	-	-	-	-	-	0	0	0	0	0
.1	Stammering and stuttering of nonorganic origin	-	-	-	-	-	0	0	0	0	0
.2	Other speech impediments of nonorganic origin	-	-	-	-	-	0	0	0	0	0
.3	Acute situational maladjustment	1	1	-	-	-	0.0	0.0	0	0	0
.4	Other and unspecified	1	-	1	-	-	0.0	0	0.0	0	0
	VI. Diseases of the nervous system and sense organs										
330-334	Vascular lesions affecting central nervous system	193,588	80,486	88,567	11,777	12,758	108.0	102.7	110.1	118.2	121.2
330	Subarachnoid hemorrhage	6,699	2,559	2,997	520	623	3.7	3.3	3.7	5.2	5.9
331	Cerebral hemorrhage	110,855	45,474	50,035	7,267	8,079	61.8	58.0	62.2	72.9	76.7
332	Cerebral embolism and thrombosis	58,689	25,456	27,546	2,853	2,834	32.7	32.5	34.2	28.6	26.9
333	Spasm of cerebral arteries	5	3	2	-	-	0.0	0.0	0.0	0	0
334	Other and ill-defined vascular lesions affecting central nervous system	17,340	6,994	7,987	1,137	1,222	9.7	8.9	9.9	11.4	11.6

Table 5-6. Deaths and Death Rates for Each Cause, by Color and Sex: United States, 1960—Con.

(Data refer only to deaths occurring within the United States, including Alaska and Hawaii. Excludes fetal deaths. Rates per 100,000 population in specified group, enumerated as of April 1. Includes each three-digit category of the Detailed List to which deaths may be assigned and selected four-digit subcategories)

SEVENTH REVISION OF INTERNATIONAL LISTS, 1955		NUMBER					RATE				
Number	Cause of death	Total	White		Nonwhite		Total	White		Nonwhite	
			Male	Female	Male	Female		Male	Female	Male	Female
	VI. Diseases of the nervous system and sense organs—Con.										
340-345	Inflammatory diseases of central nervous system	5,222	2,195	1,967	585	475	2.9	2.8	2.4	5.9	4.5
340	Meningitis, except meningococcal and tuberculous	2,316	959	649	399	309	1.3	1.2	0.8	4.0	2.9
.0	H. influenzae	399	188	106	68	37	0.2	0.2	0.1	0.7	0.4
.1	Pneumococcus	504	185	152	87	80	0.3	0.2	0.2	0.9	0.8
.2	Due to other specified organism	286	138	80	33	25	0.2	0.2	0.1	0.3	0.2
.3	With no organism specified as cause	1,127	448	301	211	167	0.6	0.6	0.4	2.1	1.6
341	Phlebitis and thrombophlebitis of intracranial venous sinuses	42	13	20	2	7	0.0	0.0	0.0	0.0	0.1
342	Intracranial and intraspinal abscess	295	141	101	34	19	0.2	0.2	0.1	0.3	0.2
343	Encephalitis, myelitis, and encephalomyelitis (except acute infectious)	403	172	155	46	30	0.2	0.2	0.2	0.5	0.3
344	Late effects of intracranial abscess or pyogenic infection	682	307	254	65	56	0.4	0.4	0.3	0.7	0.5
A	Hydrocephalus not otherwise specified	433	191	158	45	39	0.2	0.2	0.2	0.5	0.4
B	Other late effects of intracranial abscess or pyogenic infection	249	116	96	20	17	0.1	0.1	0.1	0.2	0.2
345	Multiple sclerosis	1,484	603	788	39	54	0.8	0.8	1.0	0.4	0.5
350-357	Other diseases of central nervous system	8,805	4,324	3,398	673	410	4.9	0.5	4.2	6.8	3.9
350	Paralysis agitans	2,898	1,475	1,341	45	37	1.6	1.9	1.7	0.5	0.4
351	Cerebral spastic infantile paralysis	746	372	279	59	36	0.4	0.5	0.3	0.6	0.3
352	Other cerebral paralysis	556	215	214	63	64	0.3	0.3	0.3	0.6	0.6
353	Epilepsy	1,989	876	594	344	175	1.1	1.1	0.7	3.5	1.7
.0	Petit mal	6	2	4	-	-	0.0	0.0	0.0	0	0
.1	Grand mal	350	161	108	51	30	0.2	0.2	0.1	0.5	0.3
.2	Status epilepticus	532	228	156	99	49	0.3	0.3	0.2	0.1	0.5
.3	Other and unspecified	1,101	485	326	194	96	0.6	0.6	0.4	1.9	0.9
354	Migraine	1	-	1	-	-	0.0	0	0.0	0	0
355	Other diseases of brain	1,138	529	456	93	60	0.6	0.7	0.6	0.9	0.6
356	Motor neuron disease and muscular atrophy	1,273	748	444	51	30	0.7	1.0	0.6	0.5	0.3
.0	Progressive muscular atrophy	158	74	72	6	6	0.1	0.1	0.1	0.1	0.1
.1	Amyotrophic lateral sclerosis	1,066	651	354	40	21	0.6	0.8	0.4	0.4	0.2
.2	Spinal type of muscular atrophy	42	20	15	5	2	0.0	0.0	0.0	0.1	0.0
.3	Other and unspecified manifestations	7	3	3	-	1	0.0	0.0	0.0	0	0.0
357	Other diseases of spinal cord	204	109	69	18	8	0.1	0.1	0.1	0.2	0.1
360-369	Diseases of nerves and peripheral ganglia	252	126	105	12	9	0.1	0.2	0.1	0.1	0.1
360	Facial paralysis	1	-	1	-	-	0.0	0	0.0	0	0
361	Trigeminal neuralgia	19	6	13	-	-	0.0	0.0	0.0	0	0
362	Brachial neuritis	-	-	-	-	-	0	0	0	0	0
363	Sciatica	5	2	3	-	-	0.0	0.0	0.0	0	0
364	Polyneuritis and polyradiculitis	164	85	63	9	7	0.1	0.1	0.1	0.1	0.1
365	Erythredema polyneuritica	-	-	-	-	-	0	0	0	0	0
366	Other and unspecified forms of neuralgia and neuritis	33	16	14	1	2	0.0	0.0	0.0	0.0	0.0
367	Other diseases of cranial nerves	8	1	7	-	-	0.0	0.0	0.0	0	0
368	Other diseases of peripheral nerves except autonomic	14	8	4	2	-	0.0	0.0	0.0	0.0	0
369	Diseases of peripheral autonomic nervous system	8	8	-	-	-	0.0	0.0	0	0	0
370-379	Inflammatory diseases of eye	13	4	5	3	1	0.0	0.0	0.0	0.0	0.0
370	Conjunctivitis and ophthalmia	-	-	-	-	-	0	0	0	0	0
371	Blepharitis	-	-	-	-	-	0	0	0	0	0
372	Hordeolum (sty)	-	-	-	-	-	0	0	0	0	0
373	Iritis	-	-	-	-	-	0	0	0	0	0
374	Keratitis	-	-	-	-	-	0	0	0	0	0
375	Choroiditis	-	-	-	-	-	0	0	0	0	0
376	Other inflammation of uveal tract	4	1	2	1	-	0.0	0.0	0.0	0.0	0
377	Inflammation of optic nerve and retina	2	1	-	1	-	0.0	0.0	0	0.0	0
378	Inflammation of lachrymal glands and ducts	-	-	-	-		0	0	0	0	0
379	Other inflammatory diseases of eye	7	2	3	1	1	0.0	0.0	0.0	0.0	0.0
380-389	Other diseases and conditions of eye	44	19	19	3	3	0.0	0.0	0.0	0.0	0.0
380	Refractive errors	-	-	-	-	-	0	0	0	0	0
381	Corneal ulcer	-	-	-	-	-	0	0	0	0	0
382	Corneal opacity	-	-	-	-	-	0	0	0	0	0
383	Pterygium	-	-	-	-	-	0	0	0	0	0
384	Strabismus	6	2	4	-	-	0.0	0.0	0.0	0	0
385	Cataract	21	9	9	1	2	0.0	0.0	0.0	0.0	0.0
386	Detachment of retina	4	2	2	-	-	0.0	0.0	0.0	0	0
387	Glaucoma	6	2	3	1	-	0.0	0.0	0.0	0.0	0
388	Other diseases of eye	7	4	1	1	1	0.0	0.0	0.0	0.0	0.0
389	Blindness	-	-	-	-	-	0	0	0	0	0
.0	Blindness, both eyes, specifically defined	-	-	-	-	-	0	0	0	0	0
.1	Blindness, both eyes, not specifically defined	-	-	-	-	-	0	0	0	0	0
.2	Blindness, one eye, specifically defined	-	-	-	-	-	0	0	0	0	0
.3	Blindness, one eye, not specifically defined	-	-	-	-	-	0	0	0	0	0
390-398	Diseases of ear and mastoid process	397	197	124	40	36	0.2	0.3	0.2	0.4	0.3
390	Otitis externa	2	2	-	-	-	0.0	0.0	0	0	0
391	Otitis media without mention of mastoiditis	276	123	92	31	30	0.2	0.2	0.1	0.3	0.3
.0	Acute	38	19	14	3	2	0.0	0.0	0.0	0.0	0.0
.1	Chronic	40	18	17	4	1	0.0	0.0	0.0	0.0	0.0
.2	Unspecified	198	86	61	24	27	0.1	0.1	0.1	0.2	0.3
392	Otitis media with mastoiditis	39	24	11	2	2	0.0	0.0	0.0	0.0	0.0
.0	Acute	7	6	1	-	-	0.0	0.0	0.0	0	0
.1	Chronic	16	9	4	2	1	0.0	0.0	0.0	0.0	0.0
.2	Unspecified	16	9	6	-	1	0.0	0.0	0.0	0	0.0
393	Mastoiditis without mention of otitis media	69	44	17	5	3	0.0	0.1	0.0	0.1	0.0
.0	Acute	8	3	4	1	-	0.0	0.0	0.0	0.0	0
.1	Chronic	23	18	1	3	1	0.0	0.0	0.0	0.0	0.0
.2	Unspecified	38	23	12	1	2	0.0	0.0	0.0	0.0	0.0

Table 5-6. Deaths and Death Rates for Each Cause, by Color and Sex: United States, 1960—Con.

(Data refer only to deaths occurring within the United States, including Alaska and Hawaii. Excludes fetal deaths. Rates per 100,000 population in specified group, enumerated as of April 1. Includes each three-digit category of the Detailed List to which deaths may be assigned and selected four-digit subcategories)

SEVENTH REVISION OF INTERNATIONAL LISTS, 1955		NUMBER					RATE				
Number	Cause of death	Total	White		Nonwhite		Total	White		Nonwhite	
			Male	Female	Male	Female		Male	Female	Male	Female
	VI. Diseases of the nervous system and sense organs—Con.										
	Diseases of ear and mastoid process—Con.										
394	Other inflammatory diseases of ear	3	1	1	1	-	0.0	0.0	0.0	0.0	0
395	Ménière's disease	2	1	1	-	-	0.0	0.0	0.0	0	0
396	Other diseases of ear and mastoid process	6	2	2	1	1	0.0	0.0	0.0	0.0	0.0
397	Deaf mutism	-	-	-	-	-	0	0	0	0	0
398	Other deafness	-	-	-	-	-	0	0	0	0	0
.0	Deafness, both ears	-	-	-	-	-	0	0	0	0	0
.1	Deafness, one ear, and partial deafness in other	-	-	-	-	-	0	0	0	0	0
.2	Deafness, one ear	-	-	-	-	-	0	0	0	0	0
.3	Impairment of hearing, one or both ears	-	-	-	-	-	0	0	0	0	0
	VII. Diseases of the circulatory system										
400-402	Rheumatic fever	734	287	284	78	85	0.4	0.4	0.4	0.8	0.8
400	Rheumatic fever without mention of heart involvement	71	30	30	6	5	0.0	0.0	0.0	0.1	0.0
401	Rheumatic fever with heart involvement	660	256	252	72	80	0.4	0.3	0.3	0.7	0.8
.0	Active rheumatic pericarditis	140	73	52	8	7	0.1	0.1	0.1	0.1	0.1
.1	Active rheumatic endocarditis	53	25	18	2	8	0.0	0.0	0.0	0.0	0.1
.2	Active rheumatic myocarditis	40	13	16	5	6	0.0	0.0	0.0	0.1	0.1
.3	Active rheumatic fever with other and multiple types of heart involvement	427	145	166	57	59	0.2	0.2	0.2	0.6	0.6
402	Chorea	3	1	2	-	-	0.0	0.0	0.0	0	0
.0	Without mention of heart involvement	3	1	2	-	-	0.0	0.0	0.0	0	0
.1	With heart involvement	-	-	-	-	-	0	0	0	0	0
410-416	Chronic rheumatic heart disease	17,677	7,751	8,568	667	691	9.9	9.9	10.6	6.7	6.6
410	Diseases of mitral valve	6,448	2,578	3,379	240	251	3.6	3.3	4.2	2.4	2.4
411	Diseases of aortic valve specified as rheumatic	1,882	1,270	518	61	33	1.0	1.6	0.6	0.6	0.3
412	Diseases of tricuspid valve	19	8	8	2	1	0.0	0.0	0.0	0.0	0.0
413	Diseases of pulmonary valve specified as rheumatic	3	2	1	-	-	0.0	0.0	0.0	0	0
414	Other endocarditis specified as rheumatic	954	426	478	27	23	0.5	0.5	0.6	0.3	0.2
415	Other myocarditis specified as rheumatic	424	184	206	20	14	0.2	0.2	0.3	0.2	0.1
416	Other heart disease specified as rheumatic	7,947	3,283	3,978	317	369	4.4	4.2	4.9	3.2	3.5
420-422	Arteriosclerotic and degenerative heart disease	551,311	313,565	198,923	22,107	16,716	307.4	400.1	247.2	221.9	158.8
420	Arteriosclerotic heart disease, including coronary disease	494,282	288,376	173,043	19,001	13,862	275.6	368.0	215.1	190.7	131.7
.0	Arteriosclerotic heart disease, so described	206,499	106,606	86,268	7,453	6,172	115.2	136.0	107.2	74.8	58.6
.1	Heart disease specified as involving coronary arteries	287,239	181,478	86,585	11,516	7,660	160.2	231.6	107.6	115.6	72.8
.2	Angina pectoris without mention of coronary disease	544	292	190	32	30	0.3	0.4	0.2	0.3	0.3
421	Chronic endocarditis not specified as rheumatic	4,945	2,528	1,772	335	310	2.8	3.2	2.2	3.4	2.9
.0	Of mitral valve, specified and nonrheumatic	294	114	134	22	24	0.2	0.1	0.2	0.2	0.2
.1	Of aortic valve, not specified as rheumatic	2,141	1,319	597	129	96	1.2	1.7	0.7	1.3	0.9
.2	Of tricuspid valve, specified as nonrheumatic	2	1	1	-	-	0.0	0.0	0.0	0	0
.3	Of pulmonary valve, not specified as rheumatic	58	33	21	4	-	0.0	0.0	0.0	0.0	0
.4	Other and ill-defined, not specified as rheumatic	2,450	1,061	1,019	180	190	1.4	1.4	1.3	1.8	1.8
422	Other myocardial degeneration	52,084	22,661	24,108	2,771	2,544	29.0	28.9	30.0	27.8	24.2
.0	Fatty degeneration	44	17	22	4	1	0.0	0.0	0.0	0.0	0.0
.1	With arteriosclerosis	38,054	16,392	18,001	1,800	1,761	21.2	20.9	22.4	19.1	16.7
.2	Other	13,986	6,252	6,085	867	782	7.8	8.0	7.6	8.7	7.4
430-434	Other diseases of heart	25,682	12,498	9,008	2,395	1,781	14.3	15.9	11.2	24.0	16.9
430	Acute and subacute endocarditis	734	405	204	75	50	0.4	0.5	0.3	0.8	0.5
.0	Acute and subacute bacterial endocarditis	675	387	192	62	34	0.4	0.5	0.2	0.6	0.3
.1	Other acute endocarditis	59	18	12	13	16	0.0	0.0	0.0	0.1	0.2
431	Acute myocarditis not specified as rheumatic	879	378	324	99	78	0.5	0.5	0.4	1.0	0.7
432	Acute pericarditis specified as nonrheumatic	60	30	22	6	2	0.0	0.0	0.0	0.1	0.0
433	Functional disease of heart	5,600	2,549	2,611	230	210	3.1	3.3	3.2	2.3	2.0
.0	Heart block	2,054	976	873	101	104	1.1	1.2	1.1	1.0	1.0
.1	Other disorders of heart rhythm	3,522	1,561	1,728	128	105	2.0	2.0	2.1	1.3	1.0
.2	Other functional diseases of heart	24	12	10	1	1	0.0	0.0	0.0	0.0	0.0
434	Other and unspecified diseases of heart	18,409	9,136	5,847	1,985	1,441	10.3	11.7	7.3	19.9	13.7
.0	Kyphoscoliotic heart disease	185	63	108	6	8	0.1	0.1	0.1	0.1	0.1
.1	Congestive heart failure	8,308	3,726	3,234	738	610	4.6	4.8	4.0	7.4	5.8
.2	Left ventricular failure	671	349	228	54	40	0.4	0.4	0.3	0.5	0.4
.3	Other disease of heart	338	178	111	23	26	0.2	0.2	0.1	0.2	0.2
.4	Unspecified disease of heart	8,907	4,820	2,166	1,164	757	5.0	6.2	2.7	11.7	7.2
440-443	Hypertensive heart disease	66,308	22,166	29,826	6,691	7,625	37.0	28.3	37.1	67.1	72.4
440	Essential benign hypertensive heart disease	627	202	294	56	75	0.3	0.3	0.4	0.6	0.7
441	Essential malignant hypertensive heart disease	742	216	244	144	138	0.4	0.3	0.3	1.4	1.3
442	Hypertensive heart disease with arteriolar nephrosclerosis	15,740	6,225	6,733	1,424	1,358	8.8	7.9	8.4	14.3	12.9
443	Other and unspecified hypertensive heart disease	49,199	15,523	22,555	5,067	6,054	27.4	19.8	28.0	50.9	57.5
444-447	Other hypertensive disease	12,662	5,054	5,035	1,331	1,242	7.1	6.4	6.3	13.4	11.8
444	Essential benign hypertension	3,575	1,128	1,754	291	402	2.0	1.4	2.2	2.9	3.8
445	Essential malignant hypertension	2,399	748	694	522	435	1.3	1.0	0.9	5.2	4.1
446	Hypertension with arteriolar nephrosclerosis	6,498	3,115	2,507	493	383	3.6	4.0	3.1	4.9	3.6
447	Other hypertensive disease without mention of heart	190	63	80	25	22	0.1	0.1	0.1	0.3	0.2
450-456	Diseases of arteries	47,079	22,779	20,693	1,892	1,715	26.3	29.1	25.7	19.0	16.3
450	General arteriosclerosis	35,876	15,675	17,538	1,398	1,265	20.0	20.0	21.8	14.0	12.0
.0	Without mention of gangrene	33,369	14,435	16,508	1,283	1,143	18.6	18.4	20.5	12.9	10.9
.1	With mention of gangrene as a consequence	2,507	1,240	1,030	115	122	1.4	1.6	1.3	1.2	1.2
451	Aortic aneurysm, nonsyphilitic, and dissecting aneurysm	8,271	5,720	1,994	333	224	4.6	7.3	2.5	3.3	2.1
452	Other aneurysm, except of heart and aorta	563	286	200	36	41	0.3	0.4	0.2	0.4	0.4

Table 5-6. Deaths and Death Rates for Each Cause, by Color and Sex: United States, 1960—Con.

(Data refer only to deaths occurring within the United States, including Alaska and Hawaii. Excludes fetal deaths. Rates per 100,000 population in specified group, enumerated as of April 1. Includes each three-digit category of the Detailed List to which deaths may be assigned and selected four-digit subcategories)

SEVENTH REVISION OF INTERNATIONAL LISTS, 1955		NUMBER					RATE				
Number	Cause of death	Total	White		Nonwhite		Total	White		Nonwhite	
			Male	Female	Male	Female		Male	Female	Male	Female
	VII. Diseases of the circulatory system—Con.										
	Diseases of arteries—Con.										
453	Peripheral vascular disease	255	177	57	13	8	0.1	0.2	0.1	0.1	0.1
.0	Raynaud's disease	14	6	7	1	-	0.0	0.0	0.0	0.0	0
.1	Thromboangiitis obliterans	152	116	29	4	3	0.1	0.1	0.0	0.0	0.0
.2	Chilblains	1	1	-	-	-	0.0	0.0	0	0	0
.3	Other	88	54	21	8	5	0.0	0.1	0.0	0.1	0.0
454	Arterial embolism and thrombosis	798	426	306	48	18	0.4	0.5	0.4	0.5	0.2
455	Gangrene of unspecified cause	258	116	86	25	31	0.1	0.1	0.1	0.3	0.3
456	Other diseases of arteries	1,059	379	512	39	128	0.6	0.5	0.6	0.4	1.2
460-468	Diseases of veins and other diseases of circulatory system	8,594	3,834	3,564	658	538	4.8	4.9	4.4	6.6	5.1
460	Varicose veins of lower extremities	259	102	135	12	10	0.1	0.1	0.2	0.1	0.1
461	Hemorrhoids	55	34	15	5	1	0.0	0.0	0.0	0.1	0.0
462	Varicose veins of other specified sites	309	183	101	21	4	0.2	0.2	0.1	0.2	0.0
.0	Varicocele	-	-	-	-	-	0	0	0	0	0
.1	Varicose veins of esophagus	287	173	90	20	4	0.2	0.2	0.1	0.2	0.0
.2	Other	22	10	11	1	-	0.0	0.0	0.0	0.0	0
463	Phlebitis and thrombophlebitis of lower extremities	1,055	413	521	63	58	0.6	0.5	0.6	0.6	0.6
464	Phlebitis and thrombophlebitis of other sites	749	307	360	44	38	0.4	0.4	0.4	0.4	0.4
465	Pulmonary embolism and infarction	3,811	1,747	1,448	339	277	2.1	2.2	1.8	3.4	2.6
466	Other venous embolism and thrombosis	1,686	741	734	114	97	0.9	0.9	0.9	1.1	0.9
467	Other diseases of circulatory system	612	278	229	55	50	0.3	0.4	0.3	0.6	0.5
.0	Hypotension	74	32	24	10	8	0.0	0.0	0.0	0.1	0.1
.1	Diseases of capillaries	41	20	17	2	2	0.0	0.0	0.0	0.0	0.0
.2	Other and unspecified circulatory diseases	497	226	188	43	40	0.3	0.3	0.2	0.4	0.4
468	Certain diseases of lymph nodes and lymph channels	58	29	21	5	3	0.0	0.0	0.0	0.1	0.0
.0	Chronic lymphadenitis	-	-	-	-	-	0	0	0	0	0
.1	Nonspecific mesenteric lymphadenitis	21	13	5	1	2	0.0	0.0	0.0	0.0	0.0
.2	Lymphadenitis, unqualified	25	11	11	2	1	0.0	0.0	0.0	0.0	0.0
.3	Noninfective diseases of lymphatic channels	12	5	5	2	-	0.0	0.0	0.0	0.0	0
	VIII. Diseases of the respiratory system										
470-475	Acute upper respiratory infections	911	371	308	132	100	0.5	0.5	0.4	1.3	0.9
470	Acute nasopharyngitis (common cold)	102	21	25	33	23	0.1	0.0	0.0	0.3	0.2
471	Acute sinusitis	22	12	7	2	1	0.0	0.0	0.0	0.0	0.0
472	Acute pharyngitis	100	43	42	6	9	0.1	0.1	0.1	0.1	0.1
.0	Sore throat, unqualified	13	7	5	-	1	0.0	0.0	0.0	0	0.0
.1	Other	87	36	37	6	8	0.0	0.0	0.0	0.1	0.1
473	Acute tonsillitis	79	32	25	13	9	0.0	0.0	0.0	0.1	0.1
474	Acute laryngitis and tracheitis	252	119	85	32	16	0.1	0.2	0.1	0.3	0.2
475	Acute upper respiratory infection of multiple or unspecified sites	356	144	124	46	42	0.2	0.2	0.2	0.5	0.4
480-483	Influenza	7,872	3,235	2,996	861	780	4.4	4.1	3.7	8.6	7.4
480	Influenza with pneumonia	4,797	1,936	1,764	573	524	2.7	2.5	2.2	5.8	5.0
481	Influenza with other respiratory manifestations, and influenza unqualified	2,800	1,196	1,121	257	226	1.6	1.5	1.4	2.6	2.1
482	Influenza with digestive manifestations, but without respiratory symptoms	163	57	69	22	15	0.1	0.1	0.1	0.2	0.1
483	Influenza with nervous manifestations, but without digestive or respiratory symptoms	112	46	42	9	15	0.1	0.1	0.1	0.1	0.1
490-493	Pneumonia	58,931	27,486	20,374	6,544	4,527	32.9	35.1	25.3	65.7	43.0
490	Lobar pneumonia	10,032	4,929	3,045	1,323	735	5.6	6.3	3.8	13.3	7.0
491	Bronchopneumonia	34,405	16,296	12,429	3,345	2,335	19.2	20.8	15.4	33.6	22.2
492	Primary atypical pneumonia	5,331	2,500	1,811	536	484	3.0	3.2	2.3	5.4	4.6
493	Pneumonia, other and unspecified	9,163	3,761	3,089	1,340	973	5.1	4.8	3.8	13.4	9.2
500-502	Bronchitis	4,343	2,758	1,131	278	176	2.4	3.5	1.4	2.8	1.7
500	Acute bronchitis	1,170	614	379	94	83	0.7	0.8	0.5	0.9	0.8
501	Bronchitis, unqualified	886	433	298	87	68	0.5	0.6	0.4	0.9	0.6
502	Chronic bronchitis	2,287	1,711	454	97	25	1.3	2.2	0.6	1.0	0.2
.0	Bronchitis with emphysema	1,461	1,200	203	55	3	0.8	1.5	0.3	0.6	0.0
.1	Other	826	511	251	42	22	0.5	0.7	0.3	0.4	0.2
510-527	Other diseases of respiratory system	22,109	15,647	4,476	1,384	602	12.3	20.0	5.6	13.9	5.7
510	Hypertrophy of tonsils and adenoids	132	59	52	12	9	0.1	0.1	0.1	0.1	0.1
.0	Without mention of tonsillectomy or adenoidectomy	7	2	3	1	1	0.0	0.0	0.0	0.0	0.0
.1	With tonsillectomy or adenoidectomy	125	57	49	11	8	0.1	0.1	0.1	0.1	0.1
511	Peritonsillar abscess (quinsy)	21	10	3	5	3	0.0	0.0	0.0	0.1	0.0
512	Chronic pharyngitis and nasopharyngitis	3	1	1	-	1	0.0	0.0	0.0	0	0.0
.0	Chronic pharyngitis	-	-	-	-	-	0	0	0	0	0
.1	Chronic nasopharyngitis	3	1	1	-	1	0.0	0.0	0.0	0	0.0
513	Chronic sinusitis	79	34	25	16	4	0.0	0.0	0.0	0.2	0.0
514	Deflected nasal septum	1	-	1	-	-	0.0	0	0.0	0	0
515	Nasal polyp	2	1	1	-	-	0.0	0.0	0.0	0	0
516	Chronic laryngitis	4	2	1	1	-	0.0	0.0	0.0	0.0	0
517	Other diseases of upper respiratory tract	263	140	82	26	15	0.1	0.2	0.1	0.3	0.1
518	Empyema	275	161	57	42	15	0.2	0.2	0.1	0.4	0.1
519	Pleurisy	181	92	53	23	13	0.1	0.1	0.1	0.2	0.1
.0	Without mention of effusion or tuberculosis	97	50	25	14	8	0.1	0.1	0.0	0.1	0.1
.1	With effusion, with mention of a bacterial cause other than tuberculosis	-	-	-	-	-	0	0	0	0	0
.2	Other specified forms of effusion, except tuberculous	84	42	28	9	5	0.0	0.1	0.0	0.1	0.0
520	Spontaneous pneumothorax	104	59	32	9	4	0.1	0.1	0.0	0.1	0.0
521	Abscess of lung	604	336	131	94	43	0.3	0.4	0.2	0.9	0.4
522	Pulmonary congestion and hypostasis	1,591	673	729	103	86	0.9	0.9	0.9	1.0	0.8

Table 5-6. Deaths and Death Rates for Each Cause, by Color and Sex: United States, 1960—Con.

(Data refer only to deaths occurring within the United States, including Alaska and Hawaii. Excludes fetal deaths. Rates per 100,000 population in specified group, enumerated as of April 1. Includes each three-digit category of the Detailed List to which deaths may be assigned and selected four-digit subcategories)

SEVENTH REVISION OF INTERNATIONAL LISTS, 1955		NUMBER					RATE				
Number	Cause of death	Total	White		Nonwhite		Total	White		Nonwhite	
			Male	Female	Male	Female		Male	Female	Male	Female
	VIII. Diseases of the respiratory system—Con.										
	Other diseases of respiratory system—Con.										
523	Pneumoconiosis due to silica and silicates (occupational)	1,591	1,502	14	75	-	0.9	1.9	0.0	0.8	0
.0	Silicosis	550	498	8	44	-	0.3	0.6	0.0	0.4	0
.1	Anthracosilicosis	810	795	4	11	-	0.5	1.0	0.0	0.1	0
.2	Asbestosis	21	19	-	2	-	0.0	0.0	0	0.0	0
.3	Other, including pneumoconiosis unspecified	210	190	2	18	-	0.1	0.2	0.0	0.2	0
524	Other specified pneumoconiosis and pulmonary fibrosis of occupational origin	62	54	4	4	-	0.0	0.1	0.0	0.0	0
525	Other chronic interstitial pneumonia	3,973	2,504	977	293	199	2.2	3.2	1.2	2.9	1.9
526	Bronchiectasis	2,408	1,464	794	104	46	1.3	1.9	1.0	1.0	0.4
527	Other diseases of lung and pleural cavity	10,815	8,555	1,519	577	164	6.0	10.9	1.9	5.8	1.6
.0	Pulmonary collapse (1 year and over)	210	101	82	17	10	0.1	0.1	0.1	0.2	0.1
.1	Emphysema without mention of bronchitis	9,253	7,714	1,047	421	71	5.2	9.8	1.3	4.2	0.7
.2	Other	1,352	740	390	139	83	0.8	0.9	0.5	1.4	0.8
	IX. Diseases of the digestive system										
530-539	Diseases of buccal cavity and esophagus	881	470	331	50	30	0.5	0.6	0.4	0.5	0.3
530	Dental caries	8	3	4	-	1	0.0	0.0	0.0	0	0.0
.0	Dental caries, unqualified	7	3	3	-	1	0.0	0.0	0.0	0	0.0
.1	With pulp exposure	-	-	-	-	-	0	0	0	0	0
.2	With periapical abscess	-	-	-	-	-	0	0	0	0	0
.3	Other	1	-	1	-	-	0.0	0	0.0	0	0
531	Abscesses of supporting structures of teeth	11	7	2	1	1	0.0	0.0	0.0	0.0	0.0
.0	Pericoronal	-	-	-	-	-	0	0	0	0	0
.1	Periodontal (parietal)	3	1	1	-	1	0.0	0.0	0.0	0	0.0
.2	Other and unspecified	8	6	1	1	-	0.0	0.0	0.0	0.0	0
532	Other inflammatory diseases of supporting structures of teeth	32	12	8	7	5	0.0	0.0	0.0	0.1	0.0
.0	Gingivitis, except ulcerative	1	-	-	-	1	0.0	0	0	0	0.0
.1	Periodontitis (pyorrhea, inflammatory)	10	4	1	2	3	0.0	0.0	0.0	0.0	0.0
.2	Periodontosis (pyorrhea, degenerative)	1	-	1	-	-	0.0	0	0.0	0	0
.3	Other	20	8	6	5	1	0.0	0.0	0.0	0.1	0.0
533	Disorders of occlusion, eruption, and tooth development	-	-	-	-	-	0	0	0	0	0
.0	Malocclusion	-	-	-	-	-	0	0	0	0	0
.1	Disorders of first dentition	-	-	-	-	-	0	0	0	0	0
.2	Impacted teeth	-	-	-	-	-	0	0	0	0	0
.3	Unerupted teeth	-	-	-	-	-	0	0	0	0	0
.4	Partially erupted teeth	-	-	-	-	-	0	0	0	0	0
.5	Congenital anomalies of teeth	-	-	-	-	-	0	0	0	0	0
.6	Chronic dental fluorosis	-	-	-	-	-	0	0	0	0	0
.7	Other	-	-	-	-	-	0	0	0	0	0
534	Toothache from unspecified cause	-	-	-	-	-	0	0	0	0	0
535	Other diseases of teeth and supporting structures	34	13	16	2	3	0.0	0.0	0.0	0.0	0.0
536	Stomatitis	8	2	1	2	3	0.0	0.0	0.0	0.0	0.0
537	Diseases of salivary glands	149	58	83	6	2	0.1	0.1	0.1	0.1	0.0
538	Other diseases of buccal cavity	27	11	11	4	1	0.0	0.0	0.0	0.0	0.0
539	Diseases of esophagus	612	364	206	28	14	0.3	0.5	0.3	0.3	0.1
.0	Functional disorders of esophagus	34	16	15	3	-	0.0	0.0	0.0	0.0	0
.1	Other	578	348	191	25	14	0.3	0.4	0.2	0.3	0.1
540-545	Diseases of stomach and duodenum	12,730	8,630	3,001	791	308	7.1	11.0	3.7	7.9	2.9
540	Ulcer of stomach	5,707	3,681	1,511	388	127	3.2	4.7	1.9	3.9	1.2
.0	Without mention of perforation	3,816	2,464	1,034	250	68	2.1	3.1	1.3	2.5	0.6
.1	With perforation	1,891	1,217	477	138	59	1.1	1.6	0.6	1.4	0.6
541	Ulcer of duodenum	5,653	4,143	1,112	295	103	3.2	5.3	1.4	3.0	1.0
.0	Without mention of perforation	3,619	2,732	665	163	59	2.0	3.5	0.8	1.6	0.6
.1	With perforation	2,034	1,411	447	132	44	1.1	1.8	0.6	1.3	0.4
542	Gastrojejunal ulcer	322	229	65	23	5	0.2	0.3	0.1	0.2	0.0
.0	Without mention of perforation	194	136	42	11	5	0.1	0.2	0.1	0.1	0.0
.1	With perforation	128	93	23	12	-	0.1	0.1	0.0	0.1	0
543	Gastritis and duodenitis	393	212	127	28	26	0.2	0.3	0.2	0.3	0.2
544	Disorders of function of stomach	139	37	56	21	25	0.1	0.0	0.1	0.2	0.2
.0	Disorders of gastric secretion	2	2	-	-	-	0.0	0.0	0	0	0
.1	Disorders of gastric motility	65	18	35	6	6	0.0	0.0	0.0	0.1	0.1
.2	Other	72	17	21	15	19	0.0	0.0	0.0	0.2	0.2
545	Other diseases of stomach and duodenum	516	328	130	36	22	0.3	0.4	0.2	0.4	0.2
550-553	Appendicitis	1,871	988	574	184	125	1.0	1.3	0.7	1.8	1.2
550	Acute appendicitis	1,705	906	513	168	118	1.0	1.2	0.6	1.7	1.1
.0	Without mention of peritonitis	182	104	58	13	7	0.1	0.1	0.1	0.1	0.1
.1	With peritonitis	1,523	802	455	155	111	0.8	1.0	0.6	1.6	1.1
551	Appendicitis, unqualified	152	75	55	15	7	0.1	0.1	0.1	0.2	0.1
552	Other appendicitis	5	3	2	-	-	0.0	0.0	0.0	0	0
553	Other diseases of appendix	9	4	4	1	-	0.0	0.0	0.0	0.0	0
560,561	Hernia of abdominal cavity	3,413	1,605	1,458	228	122	1.9	2.0	1.8	2.3	1.2
560	Hernia of abdominal cavity without mention of obstruction	1,366	681	564	72	49	0.8	0.9	0.7	0.7	0.5
.0	Inguinal	153	119	8	24	2	0.1	0.2	0.0	0.2	0.0
.1	Femoral	17	7	10	-	-	0.0	0.0	0.0	0	0
.2	Umbilical	217	103	87	13	14	0.1	0.1	0.1	0.1	0.1
.3	Ventral (incisional)	114	42	59	4	9	0.1	0.1	0.1	0.0	0.1
.4	Of other specified site	746	333	368	22	23	0.4	0.4	0.5	0.2	0.2
.5	Of unspecified site	119	77	32	9	1	0.1	0.1	0.0	0.1	0.0
561	Hernia of abdominal cavity with obstruction	2,047	924	894	156	73	1.1	1.2	1.1	1.6	0.7
.0	Inguinal	634	446	94	85	9	0.4	0.6	0.1	0.9	0.1
.1	Femoral	266	69	182	5	10	0.1	0.1	0.2	0.1	0.1
.2	Umbilical	213	49	141	5	18	0.1	0.1	0.2	0.1	0.2
.3	Ventral (incisional)	348	88	238	6	16	0.2	0.1	0.3	0.1	0.2
.4	Of other specified site	215	87	107	12	9	0.1	0.1	0.1	0.1	0.1
.5	Of unspecified site	371	185	132	43	11	0.2	0.2	0.2	0.4	0.1

Table 5-6. Deaths and Death Rates for Each Cause, by Color and Sex: United States, 1960—Con.

(Data refer only to deaths occurring within the United States, including Alaska and Hawaii. Excludes fetal deaths. Rates per 100,000 population in specified group, enumerated as of April 1. Includes each three-digit category of the Detailed List to which deaths may be assigned and selected four-digit subcategories)

SEVENTH REVISION OF INTERNATIONAL LISTS, 1955		NUMBER					RATE				
Number	Cause of death	Total	White		Nonwhite		Total	White		Nonwhite	
			Male	Female	Male	Female		Male	Female	Male	Female
	IX. Diseases of the digestive system—Con.										
570-578	Other diseases of intestines and peritoneum	16,910	6,941	6,837	1,642	1,490	9.4	8.9	8.5	16.5	14.2
570	Intestinal obstruction without mention of hernia	5,668	2,269	2,643	364	392	3.2	2.9	3.3	3.7	3.7
.0	Intussusception	145	73	43	19	10	0.1	0.1	0.1	0.2	0.1
.1	Paralytic ileus	306	141	129	17	19	0.2	0.2	0.2	0.2	0.2
.2	Mesenteric infarction	1,909	859	887	73	90	1.1	1.1	1.1	0.7	0.9
.3	Volvulus	882	372	364	76	70	0.5	0.5	0.5	0.8	0.7
.4	Impaction of intestine	184	67	103	5	9	0.1	0.1	0.1	0.1	0.1
.5	Other	2,242	757	1,117	174	194	1.3	1.0	1.4	1.7	1.8
571	Gastroenteritis and colitis, except ulcerative, age 4 weeks and over	4,406	1,450	1,264	916	776	2.5	1.9	1.6	9.2	7.4
.0	Ages between 4 weeks and 2 years	2,957	864	636	790	667	1.6	1.1	0.8	7.9	6.3
.1	Ages 2 years and over	1,449	586	628	126	109	0.8	0.7	0.8	1.3	1.0
572	Chronic enteritis and ulcerative colitis	3,133	1,392	1,550	89	102	1.7	1.8	1.9	0.9	1.0
.0	Regional enteritis	183	97	73	5	8	0.1	0.1	0.1	0.1	0.1
.1	Diverticulitis	2,059	895	1,061	39	64	1.1	1.1	1.3	0.4	0.6
.2	Ulcerative colitis	799	362	382	34	21	0.4	0.5	0.5	0.3	0.2
.3	Other	92	38	34	11	9	0.1	0.0	0.0	0.1	0.1
573	Functional disorders of intestines	41	10	23	2	6	0.0	0.0	0.0	0.0	0.1
.0	Constipation	11	5	3	-	3	0.0	0.0	0.0	0	0.0
.1	Mucous colitis	8	2	4	1	1	0.0	0.0	0.0	0.0	0.0
.2	Irritability of colon	1	1	-	-	-	0.0	0.0	0	0	0
.3	Other	21	2	16	1	2	0.0	0.0	0.0	0.0	0.0
574	Anal fissure and fistula	7	4	2	1	-	0.0	0.0	0.0	0.0	0
575	Abscess of anal and rectal regions	92	44	16	23	9	0.1	0.1	0.0	0.2	0.1
576	Peritonitis	629	285	231	54	59	0.4	0.4	0.3	0.5	0.6
577	Peritoneal adhesion	55	20	28	2	5	0.0	0.0	0.0	0.0	0.0
578	Other diseases of intestines and peritoneum	2,879	1,467	1,080	191	141	1.6	1.9	1.3	1.9	1.3
580-587	Diseases of liver, gallbladder, and pancreas	30,679	16,761	10,981	1,686	1,251	17.1	21.4	13.6	16.9	11.9
580	Acute and subacute yellow atrophy of liver	492	192	218	51	31	0.3	0.2	0.3	0.5	0.3
581	Cirrhosis of liver	20,296	12,231	5,981	1,252	832	11.3	15.6	7.4	12.6	7.9
.0	Without mention of alcoholism	13,660	8,063	4,308	759	530	7.6	10.3	5.4	7.6	5.0
.1	With alcoholism	6,636	4,168	1,673	493	302	3.7	5.3	2.1	4.9	2.9
582	Suppurative hepatitis and liver abscess	130	67	38	15	10	0.1	0.1	0.0	0.2	0.1
583	Other diseases of liver	963	455	382	67	59	0.5	0.6	0.5	0.7	0.6
584	Cholelithiasis	2,962	1,130	1,702	42	88	1.7	1.4	2.1	0.4	0.8
585	Cholecystitis and cholangitis, without mention of calculi	1,657	644	899	42	72	0.9	0.8	1.1	0.4	0.7
586	Other diseases of gallbladder and biliary ducts	1,138	465	606	22	45	0.6	0.6	0.8	0.2	0.4
587	Diseases of pancreas	3,041	1,577	1,155	195	114	1.7	2.0	1.4	2.0	1.1
.0	Acute pancreatitis	2,025	1,068	730	140	87	1.1	1.4	0.9	1.4	0.8
.1	Chronic pancreatitis	220	124	58	24	14	0.1	0.2	0.1	0.2	0.1
A	Other diseases of pancreas, except fibrocystic disease	190	96	71	18	5	0.1	0.1	0.1	0.2	0.0
B	Fibrocystic disease of pancreas	606	289	296	13	8	0.3	0.4	0.4	0.1	0.1
	X. Diseases of the genitourinary system										
590-594	Nephritis and nephrosis	13,684	5,927	4,738	1,616	1,403	7.6	7.6	5.9	16.2	13.3
590	Acute nephritis	790	317	268	125	80	0.4	0.4	0.3	1.3	0.8
591	Nephritis with edema, including nephrosis	861	390	305	89	77	0.5	0.5	0.4	0.9	0.7
592	Chronic nephritis	9,295	4,120	3,254	1,027	894	5.2	5.3	4.0	10.3	8.5
593	Nephritis not specified as acute or chronic	2,563	1,010	867	351	335	1.4	1.3	1.1	3.5	3.2
594	Other renal sclerosis	175	90	44	24	17	0.1	0.1	0.1	0.2	0.2
600-609	Other diseases of urinary system	10,964	4,810	4,058	1,130	966	6.1	6.1	5.0	11.3	9.2
600	Infections of kidney	7,645	3,117	3,000	744	784	4.3	4.0	3.7	7.5	7.4
.0	Pyelitis, pyelocystitis, and pyelonephritis	7,429	3,024	2,910	731	764	4.1	3.9	3.6	7.3	7.3
.1	Abscess of kidney and perirenal tissue	145	66	56	9	14	0.1	0.1	0.1	0.1	0.1
.2	Other	71	27	34	4	6	0.0	0.0	0.0	0.0	0.1
601	Hydronephrosis	289	142	98	34	15	0.2	0.2	0.1	0.3	0.1
602	Calculi of kidney and ureter	1,109	556	453	44	56	0.6	0.7	0.6	0.4	0.5
603	Other diseases of kidney and ureter	652	301	206	74	71	0.4	0.4	0.3	0.7	0.7
604	Calculi of other parts of urinary system	107	72	18	15	2	0.1	0.1	0.0	0.2	0.0
605	Cystitis	385	190	140	35	20	0.2	0.2	0.2	0.4	0.2
606	Other diseases of bladder	261	167	49	37	8	0.1	0.2	0.1	0.4	0.1
607	Urethritis (nonvenereal)	2	2	-	-	-	0.0	0.0	0	0	0
608	Stricture of urethra	193	88	2	102	1	0.1	0.1	0.0	1.0	0.0
609	Other diseases of urethra	321	175	92	45	9	0.2	0.2	0.1	0.5	0.1
610-617	Diseases of male genital organs	4,959	4,273	...	686	...	2.8	5.5	...	6.9	...
610	Hyperplasia of prostate	4,449	3,864	...	585	...	2.5	4.9	...	5.9	...
611	Prostatitis	265	213	...	52	...	0.1	0.3	...	0.5	...
612	Other diseases of prostate	163	135	...	28	...	0.1	0.2	...	0.3	...
613	Hydrocele	6	4	...	2	...	0.0	0.0	...	0.0	...
614	Orchitis and epididymitis	12	9	...	3	...	0.0	0.0	...	0.0	...
615	Redundant prepuce and phimosis	6	5	...	1	...	0.0	0.0	...	0.0	...
616	Sterility, male	-	-	...	-	...	0	0	...	0	...
617	Other diseases of male genital organs	58	43	...	15	...	0.0	0.1	...	0.2	...
620-626	Diseases of breast, ovary, fallopian tube, and parametrium	256	-	146	-	110	0.1	0	0.2	0	1.0
620	Chronic cystic disease of breast	2	-	2	-	-	0.0	0	0.0	0	0
621	Other diseases of breast	10	-	8	-	2	0.0	0	0.0	0	0.0
.0	Acute mastitis not associated with lactation	6	-	4	-	2	0.0	0	0.0	0	0.0
.1	Hypertrophy of breast	1	-	1	-	-	0.0	0	0.0	0	0
.2	Other	3	-	3	-	-	0.0	0	0.0	0	0
622	Acute salpingitis and oophoritis	10	...	4	...	6	0.0	...	0.0	...	0.1
623	Chronic salpingitis and oophoritis	6	...	4	...	2	0.0	...	0.0	...	0.0
624	Salpingitis and oophoritis, unqualified	88	...	39	...	49	0.0	...	0.0	...	0.5
625	Other diseases of ovary and fallopian tube	25	...	15	...	10	0.0	...	0.0	...	0.1
626	Diseases of parametrium and pelvic peritoneum (female)	115	...	74	...	41	0.1	...	0.1	...	0.4

Table 5-6. Deaths and Death Rates for Each Cause, by Color and Sex: United States, 1960—Con.

(Data refer only to deaths occurring within the United States, including Alaska and Hawaii. Excludes fetal deaths. Rates per 100,000 population in specified group, enumerated as of April 1. Includes each three-digit category of the Detailed List to which deaths may be assigned and selected four-digit subcategories)

SEVENTH REVISION OF INTERNATIONAL LISTS, 1955		NUMBER					RATE				
Number	Cause of death	Total	White		Nonwhite		Total	White		Nonwhite	
			Male	Female	Male	Female		Male	Female	Male	Female
	X. Diseases of the genitourinary system—Con.										
630-637	Diseases of uterus and other female genital organs	450	...	366	...	84	0.3	...	0.5	...	0.8
630	Infective disease of uterus, vagina, and vulva	44	...	31	...	13	0.0	...	0.0	...	0.1
.0	Cervicitis	6	...	5	...	1	0.0	...	0.0	...	0.0
.1	Other infective diseases of uterus	28	...	17	...	11	0.0	...	0.0	...	0.1
.2	Vaginitis and vulvitis	10	...	9	...	1	0.0	...	0.0	...	0.0
631	Uterovaginal prolapse	121	...	113	...	8	0.1	...	0.1	...	0.1
632	Malposition of uterus	5	...	5	...	-	0.0	...	0.0	...	0
633	Other diseases of uterus	218	...	167	...	51	0.1	...	0.2	...	0.5
634	Disorders of menstruation	31	...	22	...	9	0.0	...	0.0	...	0.1
635	Menopausal symptoms	1	...	1	...	-	0.0	...	0.0	...	0
636	Sterility, female	1	...	1	...	-	0.0	...	0.0	...	0
637	Other diseases of female genital organs	29	...	26	...	3	0.0	...	0.0	...	0.0
.0	Leukorrhea	-	...	-	...	-	0	...	0	...	0
.1	Other	29	...	26	...	3	0.0	...	0.0	...	0.0
	XI. Deliveries and complications of pregnancy, childbirth, and the puerperium										
640-649	Complications of pregnancy	519	...	282	...	237	0.3	...	0.4	...	2.3
640	Pyelitis and pyelonephritis of pregnancy	3	...	3	...	-	0.0	...	0.0	...	0
641	Other infections of genitourinary tract during pregnancy	10	...	6	...	4	0.0	...	0.0	...	0.0
642	Toxemias of pregnancy	274	...	150	...	124	0.2	...	0.2	...	1.2
.0	Hypertensive disease arising during pregnancy	31	...	10	...	21	0.0	...	0.0	...	0.2
.1	Renal disease arising during pregnancy	20	...	14	...	6	0.0	...	0.0	...	0.1
.2	Preeclampsia of pregnancy	24	...	18	...	6	0.0	...	0.0	...	0.1
.3	Eclampsia of pregnancy	119	...	60	...	59	0.1	...	0.1	...	0.6
.4	Hyperemesis gravidarum	4	...	3	...	1	0.0	...	0.0	...	0.0
.5	Other	76	...	45	...	31	0.0	...	0.1	...	0.3
643	Placenta previa	-	...	-	...	-	0	...	0	...	0
644	Other hemorrhage of pregnancy	5	...	4	...	1	0.0	...	0.0	...	0.0
645	Ectopic pregnancy	119	...	42	...	77	0.1	...	0.1	...	0.7
.0	Without mention of sepsis	109	...	39	...	70	0.1	...	0.0	...	0.7
.1	With sepsis	10	...	3	...	7	0.0	...	0.0	...	0.1
646	Anemia of pregnancy	4	...	3	...	1	0.0	...	0.0	...	0.0
647	Pregnancy with malposition of fetus in uterus	-	...	-	...	-	0	...	0	...	0
648	Other complications arising from pregnancy	104	...	74	...	30	0.1	...	0.1	...	0.3
.0	Threatened abortion	1	...	-	...	1	0.0	...	0	...	0.0
.1	Hydatidiform mole	4	...	3	...	1	0.0	...	0.0	...	0.0
.2	Placental abnormalities not classified elsewhere	2	...	2	...	-	0.0	...	0.0	...	0
.3	Other	97	...	69	...	28	0.1	...	0.1	...	0.3
650-652	Abortion	289	...	147	...	142	0.2	...	0.2	...	1.3
650	Abortion without mention of sepsis or toxemia	88	...	46	...	42	0.0	...	0.1	...	0.4
.0	Spontaneous or unspecified	38	...	17	...	21	0.0	...	0.0	...	0.2
.1	Induced for medical or legal indications	5	...	2	...	3	0.0	...	0.0	...	0.0
.2	Induced for other reasons	44	...	26	...	18	0.0	...	0.0	...	0.2
.3	Other	1	...	1	...	-	0.0	...	0.0	...	0
651	Abortion with sepsis	191	...	97	...	94	0.1	...	0.1	...	0.9
.0	Spontaneous or unspecified	103	...	57	...	46	0.1	...	0.1	...	0.4
.1	Induced for medical or legal indications	5	...	4	...	1	0.0	...	0.0	...	0.0
.2	Induced for other reasons	81	...	35	...	46	0.0	...	0.0	...	0.4
.3	Other	2	...	1	...	1	0.0	...	0.0	...	0.0
652	Abortion with toxemia, without mention of sepsis	10	...	4	...	6	0.0	...	0.0	...	0.1
.0	Spontaneous or unspecified	6	...	1	...	5	0.0	...	0.0	...	0.0
.1	Induced for medical or legal indications	-	...	-	...	-	0	...	0	...	0
.2	Induced for other reasons	4	...	3	...	1	0.0	...	0.0	...	0.0
.3	Other	-	...	-	...	-	0	...	0	...	0
660	Delivery without mention of complication	47	...	31	...	16	0.0	...	0.0	...	0.2
670-678	Delivery with specified complication	484	...	314	...	170	0.3	...	0.4	...	1.6
670	Delivery complicated by placenta previa of antepartum hemorrhage	129	...	90	...	39	0.1	...	0.1	...	0.4
671	Delivery complicated by retained placenta	18	...	8	...	10	0.0	...	0.0	...	0.1
672	Delivery complicated by other postpartum hemorrhage	116	...	66	...	50	0.1	...	0.1	...	0.5
673	Delivery complicated by abnormality of bony pelvis	1	...	1	...	-	0.0	...	0.0	...	0
674	Delivery complicated by disproportion or malposition of fetus	46	...	28	...	18	0.0	...	0.0	...	0.2
675	Delivery complicated by prolonged labor of other origin	20	...	14	...	6	0.0	...	0.0	...	0.1
676	Delivery with laceration of perineum, without mention of other laceration	1	...	1	...	-	0.0	...	0.0	...	0
677	Delivery with other trauma	81	...	56	...	25	0.0	...	0.1	...	0.2
678	Delivery with other complications of childbirth	72	...	50	...	22	0.0	...	0.1	...	0.2
680-689	Complications of the puerperium	240	...	162	...	78	0.1	...	0.2	...	0.7
680	Puerperal urinary infection without other sepsis	3	...	1	...	2	0.0	...	0.0	...	0.0
681	Sepsis of childbirth and the puerperium	73	...	43	...	30	0.0	...	0.1	...	0.3
682	Puerperal phlebitis and thrombosis	26	...	17	...	9	0.0	...	0.0	...	0.1
683	Pyrexia of unknown origin during the puerperium	-	...	-	...	-	0	...	0	...	0
684	Puerperal pulmonary embolism	53	...	43	...	10	0.0	...	0.1	...	0.1
685	Puerperal eclampsia	24	...	13	...	11	0.0	...	0.0	...	0.1
686	Other forms of puerperal toxemia	5	...	3	...	2	0.0	...	0.0	...	0.0
687	Cerebral hemorrhage in the puerperium	18	...	13	...	5	0.0	...	0.0	...	0.0
688	Other and unspecified complications of the puerperium	38	...	29	...	9	0.0	...	0.0	...	0.1
.0	Anemia of puerperium	2	...	1	...	1	0.0	...	0.0	...	0.0
.1	Puerperal psychosis	1	...	1	...	-	0.0	...	0.0	...	0
.2	Sudden death from unknown cause in the puerperium	1	...	-	...	1	0.0	...	0	...	0.0
.3	Other	34	...	27	...	7	0.0	...	0.0	...	0.1
689	Mastitis and other disorders of lactation	-	...	-	...	-	0	...	0	...	0

Table 5-6. Deaths and Death Rates for Each Cause, by Color and Sex: United States, 1960—Con.

(Data refer only to deaths occurring within the United States, including Alaska and Hawaii. Excludes fetal deaths. Rates per 100,000 population in specified group, enumerated as of April 1. Includes each three-digit category of the Detailed List to which deaths may be assigned and selected four-digit subcategories)

SEVENTH REVISION OF INTERNATIONAL LISTS, 1955		NUMBER					RATE				
Number	Cause of death	Total	White		Nonwhite		Total	White		Nonwhite	
			Male	Female	Male	Female		Male	Female	Male	Female
	XII. Diseases of the skin and cellular tissue										
690-698	Infections of skin and subcutaneous tissue	632	271	268	44	49	0.4	0.3	0.3	0.4	0.5
690	Boil and carbuncle	120	64	49	4	3	0.1	0.1	0.1	0.0	.0
.0	Of face	12	7	4	1	-	0.0	0.0	0.0	0.0	0
.1	Of neck	12	10	2	-	-	0.0	0.0	0.0	0	0
.2	Of trunk	18	10	8	-	-	0.0	0.0	0.0	0	0
.3	Of upper arm and forearm	5	4	1	-	-	0.0	0.0	0.0	0	0
.4	Of hand	1	1	-	-	-	0.0	0.0	0	0	0
.5	Of buttock	10	6	4	-	-	0.0	0.0	0.0	0	0
.6	Of other parts of lower extremity	2	1	1	-	-	0.0	0.0	0.0	0	0
.7	Of other parts and multiple sites	45	20	22	1	2	0.0	0.0	0.0	0.0	0.0
.8	Of unspecified site	15	5	7	2	1	0.0	0.0	0.0	0.0	0.0
691	Cellulitis of finger and toe	5	2	3	-	-	0.0	0.0	0.0	0	0
692	Other cellulitis and abscess without mention of lymphangitis	391	150	172	31	38	0.2	0.2	0.2	0.3	0.4
.0	Of head and neck	81	24	43	8	6	0.0	0.0	0.1	0.1	0.1
.1	Of trunk	90	37	35	8	10	0.1	0.0	0.0	0.1	0.1
.2	Of upper arm and forearm	23	11	11	-	1	0.0	0.0	0.0	0	0.0
.3	Of hand, except fingers	4	3	-	-	1	0.0	0.0	0	0	0.0
.4	Of leg	97	35	45	7	10	0.1	0.0	0.1	0.1	0.1
.5	Of foot, except toes	15	6	4	3	2	0.0	0.0	0.0	0.0	0.0
.6	Of other, multiple, and unspecified sites	81	34	34	5	8	0.0	0.0	0.0	0.1	0.1
693	Other cellulitis and abscess with lymphangitis	8	4	4	-	-	0.0	0.0	0.0	0	0
.0	Of head and neck	-	-	-	-	-	0	0	0	0	0
.1	Of trunk	-	-	-	-	-	0	0	0	0	0
.2	Of upper arm and forearm	-	-	-	-	-	0	0	0	0	0
.3	Of hand, except fingers	-	-	-	-	-	0	0	0	0	0
.4	Of leg	7	3	4	-	-	0.0	0.0	0.0	0	0
.5	Of foot, except toes	-	-	-	-	-	0	0	0	0	0
.6	Of other, multiple, and unspecified sites	1	1	-	-	-	0.0	0.0	0	0	0
694	Acute lymphadenitis	3	1	2	-	-	0.0	0.0	0.0	0	0
695	Impetigo	8	4	1	2	1	0.0	0.0	0.0	0.0	0.0
696	Infectious warts	-	-	-	-	-	0	0	0	0	0
697	Molluscum contagiosum	1	1	-	-	-	0.0	0.0	0	0	0
698	Other local infections of skin and subcutaneous tissue	96	45	37	7	7	0.1	0.1	0.0	0.1	0.1
700-716	Other diseases of skin and subcutaneous tissue	1,437	409	741	87	200	0.8	0.5	0.9	0.9	1.9
700	Seborrheic dermatitis	1	1	-	-	-	0.0	0.0	0	0	0
701	Eczema	3	2	-	1	-	0.0	0.0	0	0.0	0
702	Occupational dermatitis	-	-	-	-	-	0	0	0	0	0
.0	Due to plants	-	-	-	-	-	0	0	0	0	0
.1	Due to oils and greases	-	-	-	-	-	0	0	0	0	0
.2	Due to solvents	-	-	-	-	-	0	0	0	0	0
.3	Due to drugs	-	-	-	-	-	0	0	0	0	0
.4	Due to other chemicals	-	-	-	-	-	0	0	0	0	0
.5	Due to radiation	-	-	-	-	-	0	0	0	0	0
.6	Other	-	-	-	-	-	0	0	0	0	0
703	Other dermatitis	25	5	5	7	8	0.0	0.0	0.0	0.1	0.1
.0	Due to plants	1	-	-	-	1	0.0	0	0	0	0.0
.1	Due to oils and greases	-	-	-	-	-	0	0	0	0	0
.2	Due to solvents	-	-	-	-	-	0	0	0	0	0
.3	Due to drugs	7	1	1	1	4	0.0	0.0	0.0	0.0	0.0
.4	Due to other chemicals	-	-	-	-	-	0	0	0	0	0
.5	Due to radiation	-	-	-	-	-	0	0	0	0	0
.6	Due to other specified agents	8	-	2	4	2	0.0	0	0.0	0.0	0.0
.7	Unqualified	9	4	2	2	1	0.0	0.0	0.0	0.0	0.0
704	Pemphigus	149	52	72	6	19	0.1	0.1	0.1	0.1	0.2
.0	Dermatitis herpetiformis	4	1	1	1	1	0.0	0.0	0.0	0.0	0.0
.1	Other	145	51	71	5	18	0.1	0.1	0.1	0.1	0.2
705	Erythematous conditions	402	98	208	22	74	0.2	0.1	0.3	0.2	0.7
.0	Toxic erythema	-	-	-	-	-	0	0	0	0	0
.1	Erythema multiforme (erythema iris)	34	9	15	5	5	0.0	0.0	0.0	0.1	0.0
.2	Erythema nodosum	1	-	1	-	-	0.0	0	0.0	0	0
.3	Rosacea	-	-	-	-	-	0	0	0	0	0
.4	Lupus erythematosus	321	65	180	11	65	0.2	0.1	0.2	0.1	0.6
.5	Other and unqualified	46	24	12	6	4	0.0	0.0	0.0	0.1	0.0
706	Psoriasis and similar disorders	22	15	5	-	2	0.0	0.0	0.0	0	0.0
.0	Psoriasis	21	15	4	-	2	0.0	0.0	0.0	0	0.0
.1	Parapsoriasis	-	-	-	-	-	0	0	0	0	0
.2	Pityriasis rosea	-	-	-	-	-	0	0	0	0	0
.3	Other and unspecified pityriasis	1	-	1	-	-	0.0	0	0.0	0	0
.4	Other	-	-	-	-	-	0	0	0	0	0
707	Lichen planus	-	-	-	-	-	0	0	0	0	0
708	Pruritus and related conditions	6	1	5	-	-	0.0	0.0	0.0	0	0
.0	Pruritus ani	-	-	-	-	-	0	0	0	0	0
.1	Pruritus of genital organs	-	-	-	-	-	0	0	0	0	0
.2	Prurigo	-	-	-	-	-	0	0	0	0	0
.3	Lichenification and lichen simplex chronicus	4	1	3	-	-	0.0	0.0	0.0	0	0
.4	Dermatitis factitia (artefacta)	-	-	-	-	-	0	0	0	0	0
.5	Other pruritic conditions	2	-	2	-	-	0.0	0	0.0	0	0
709	Corns and callosities	1	1	-	-	-	0.0	0.0	0	0	0
710	Other hypertrophic and atrophic conditions of skin	388	99	220	17	52	0.2	0.1	0.3	0.2	0.5
.0	Scleroderma and dermatomyositis	382	94	219	17	52	0.2	0.1	0.3	0.2	0.5
.1	Keratoderma	1	1	-	-	-	0.0	0.0	0	0	0
.2	Hereditary edema of legs (Milroy's disease)	1	-	1	-	-	0.0	0	0.0	0	0
.3	Striae atrophicae	1	1	-	-	-	0.0	0.0	0	0	0
.4	Keloid scar	1	1	-	-	-	0.0	0.0	0	0	0
.5	Other hypertrophic and atrophic conditions of skin	2	2	-	-	-	0.0	0.0	0	0	0
711	Other dermatosis	4	3	1	-	-	0.0	0.0	0.0	0	0
712	Diseases of nail	1	-	1	-	-	0.0	0	0.0	0	0

Table 5-6. Deaths and Death Rates for Each Cause, by Color and Sex: United States, 1960—Con.

(Data refer only to deaths occurring within the United States, including Alaska and Hawaii. Excludes fetal deaths. Rates per 100,000 population in specified group, enumerated as of April 1. Includes each three-digit category of the Detailed List to which deaths may be assigned and selected four-digit subcategories)

SEVENTH REVISION OF INTERNATIONAL LISTS, 1955		NUMBER					RATE				
Number	Cause of death	Total	White		Nonwhite		Total	White		Nonwhite	
			Male	Female	Male	Female		Male	Female	Male	Female
	XII. Diseases of the skin and cellular tissue—Con.										
	Other diseases of skin and subcutaneous tissue—Con.										
713	Diseases of hair and hair follicles	-	-	-	-	-	0	0	0	0	0
714	Diseases of sweat and sebaceous glands	2	-	-	2	-	0.0	0	0	0.0	0
.0	Diseases of sweat glands	2	-	-	2	-	0.0	0	0	0.0	0
.1	Acne	-	-	-	-	-	0	0	0	0	0
.2	Other diseases of sebaceous glands	-	-	-	-	-	0	0	0	0	0
715	Chronic ulcer of skin	430	130	223	32	45	0.2	0.2	0.3	0.3	0.4
716	Other diseases of skin	3	2	1	-	-	0.0	0.0	0.0	0	0
	XIII. Diseases of the bones and organs of movement										
720-727	Arthritis and rheumatism, except rheumatic fever	2,017	647	1,222	58	90	1.1	0.8	1.5	0.6	0.9
720	Acute arthritis due to pyogenic organisms	39	19	12	3	5	0.0	0.0	0.0	0.0	0.0
721	Acute nonpyogenic arthritis	-	-	-	-	-	0	0	0	0	0
722	Rheumatoid arthritis and allied conditions	1,257	382	808	18	49	0.7	0.5	1.0	0.2	0.5
.0	Rheumatoid arthritis	1,228	358	803	18	49	0.7	0.5	1.0	0.2	0.5
.1	Spondylitis ankylopoietica	29	24	5	-	-	0.0	0.0	0.0	0	0
.2	Chronic rheumatoid nodular fibrositis	-	-	-	-	-	0	0	0	0	0
723	Osteoarthritis (arthrosis) and allied conditions	320	113	184	13	10	0.2	0.1	0.2	0.1	0.1
.0	Osteoarthritis (arthrosis)	292	103	172	9	8	0.2	0.1	0.2	0.1	0.1
.1	Spondylitis osteoarthritica (spondylarthrosis)	28	10	12	4	2	0.0	0.0	0.0	0.0	0.0
.2	Adult osteochondrosis of spine	-	-	-	-	-	0	0	0	0	0
724	Other specified forms of arthritis	13	5	7	1	-	0.0	0.0	0.0	0.0	0
725	Arthritis, unspecified	366	119	205	19	23	0.2	0.2	0.3	0.2	0.2
726	Muscular rheumatism	15	7	3	2	3	0.0	0.0	0.0	0.0	0.0
.0	Lumbago	-	-	-	-	-	0	0	0	0	0
.1	Myofibrosis of humeroscapular region	-	-	-	-	-	0	0	0	0	0
.2	Torticollis not specified as congenital, psychogenic, or traumatic	1	1	-	-	-	0.0	0.0	0	0	0
.3	Other muscular rheumatism, fibrositis, and myalgia	14	6	3	2	3	0.0	0.0	0.0	0.0	0.0
727	Rheumatism, unspecified	7	2	3	2	-	0.0	0.0	0.0	0.0	0
730-738	Osteomyelitis and other diseases of bone and joint	641	279	301	39	22	0.4	0.4	0.4	0.4	0.2
730	Osteomyelitis periostitis	175	88	61	16	10	0.1	0.1	0.1	0.2	0.1
.0	Acute osteomyelitis	6	1	3	2	-	0.0	0.0	0.0	0.0	0.
.1	Chronic osteomyelitis	55	31	14	9	1	0.0	0.0	0.0	0.1	0.0
.2	Unspecified osteomyelitis	113	56	43	5	9	0.1	0.1	0.1	0.1	0.1
.3	Periostitis without mention of osteomyelitis	1	-	1	-	-	0.0	0	0.0	0	0
731	Osteitis deformans	116	56	49	7	4	0.1	0.1	0.1	0.1	0.0
732	Osteochondrosis	1	1	-	-	-	0.0	0.0	0	0	0
733	Other diseases of bone	266	93	163	6	4	0.1	0.1	0.2	0.1	0.0
734	Internal derangement of knee joint	3	-	-	1	2	0.0	0	0	0.0	0.0
735	Displacement of intervertebral disk	50	24	17	7	2	0.0	0.0	0.0	0.1	0.0
736	Affection of sacroiliac joint	2	1	1	-	-	0.0	0.0	0.0	0	0
737	Ankylosis of joint	11	6	3	2	-	0.0	0.0	0.0	0.0	0
.0	Of spine	9	5	2	2	-	0.0	0.0	0.0	0.0	0
.1	Of shoulder	-	-	-	-	-	0	0	0	0	0
.2	Of elbow	-	-	-	-	-	0	0	0	0	0
.3	Of wrist	-	-	-	-	-	0	0	0	0	0
.4	Of finger	-	-	-	-	-	0	0	0	0	0
.5	Of hip	2	1	1	-	-	0.0	0.0	0.0	0	0
.6	Of knee	-	-	-	-	-	0	0	0	0	0
.7	Of ankle	-	-	-	-	-	0	0	0	0	0
.8	Of other and multiple sites	-	-	-	-	-	0	0	0	0	0
.9	Of unspecified site	-	-	-	-	-	0	0	0	0	0
738	Other diseases of joint	17	10	7	-	-	0.0	0.0	0.0	0	0
740-749	Other diseases of musculoskeletal system	938	537	318	44	39	0.5	0.7	0.4	0.4	0.4
740	Bunion	2	-	2	-	-	0.0	0	0.0	0	0
741	Synovitis, bursitis, and tenosynovitis without mention of occupational origin	12	5	3	1	3	0.0	0.0	0.0	0.0	0.0
742	Synovitis, bursitis, and tenosynovitis of occupational origin	-	-	-	-	-	0	0	0	0	0
743	Infective myositis and other inflammatory diseases of tendon and fascia	5	1	3	1	-	0.0	0.0	0.0	0.0	0
744	Other diseases of muscle, tendon, and fascia	830	493	269	37	31	0.5	0.6	0.3	0.4	0.3
.0	Myasthenia gravis	221	77	110	14	20	0.1	0.1	0.1	0.1	0.2
.1	Inborn defect of muscle	573	396	144	22	11	0.3	0.5	0.2	0.2	0.1
.2	Other	36	20	15	1	-	0.0	0.0	0.0	0.0	0
745	Curvature of spine	70	28	36	3	3	0.0	0.0	0.0	0.0	0.0
746	Flatfoot	-	-	-	-	-	0	0	0	0	0
747	Hallux valgus and varus	-	-	-	-	-	0	0	0	0	0
748	Clubfoot	2	1	1	-	-	0.0	0.0	0.0	0	0
749	Other deformities	17	9	4	2	2	0.0	0.0	0.0	0.0	0.0
	XIV. Congenital malformations										
750-759	Congenital malformations	21,860	10,392	8,664	1,573	1,231	12.2	13.3	10.8	15.8	11.7
750	Monstrosity	1,042	393	577	35	37	0.6	0.5	0.7	0.4	0.4
751	Spina bifida and meningocele	1,215	487	658	37	33	0.7	0.6	0.8	0.4	0.3
752	Congenital hydrocephalus	1,622	706	682	120	114	0.9	0.9	0.8	1.2	1.1
753	Other congenital malformations of nervous system and sense organs	881	406	361	59	55	0.5	0.5	0.4	0.6	0.5
.0	Congenital cataract	5	2	1	2	-	0.0	0.0	0.0	0.0	0
.1	Other	876	404	360	57	55	0.5	0.5	0.4	0.6	0.5
754	Congenital malformations of circulatory system	11,272	5,479	4,293	813	687	6.3	7.0	5.3	8.2	6.5
.0	Tetralogy of Fallot	654	361	233	31	29	0.4	0.5	0.3	0.3	0.3
.1	Patent ductus arteriosus (Botalli)	428	187	164	40	37	0.2	0.2	0.2	0.4	0.4
.2	Interventricular septal defect	951	388	441	51	71	0.5	0.5	0.5	0.5	0.7
.3	Interauricular septal defect	616	256	287	32	41	0.3	0.3	0.4	0.3	0.4
.4	Fibroelastosis cordis	480	215	161	55	49	0.3	0.3	0.2	0.6	0.5
.5	Other and unspecified malformations of heart	6,341	3,082	2,367	502	390	3.5	3.9	2.9	5.0	3.7
.6	Coarctation of aorta	330	183	113	21	13	0.2	0.2	0.1	0.2	0.1
.7	Other circulatory malformations	1,472	807	527	81	57	0.8	1.0	0.7	0.8	0.5

Table 5-6. Deaths and Death Rates for Each Cause, by Color and Sex: United States, 1960—Con.

(Data refer only to deaths occurring within the United States, including Alaska and Hawaii. Excludes fetal deaths. Rates per 100,000 population in specified group, enumerated as of April 1. Includes each three-digit category of the Detailed List to which deaths may be assigned and selected four-digit subcategories)

SEVENTH REVISION OF INTERNATIONAL LISTS, 1955		NUMBER					RATE				
Number	Cause of death	Total	White		Nonwhite		Total	White		Nonwhite	
			Male	Female	Male	Female		Male	Female	Male	Female
	XIV. Congenital malformations—Con.										
	Congenital malformations—Con.										
755	Cleft palate and harelip	66	30	25	7	4	0.0	0.0	0.0	0.1	0.0
756	Congenital malformations of digestive system	1,828	852	671	177	128	1.0	1.1	0.8	1.8	1.2
.0	Congenital hypertrophic pyloric stenosis	91	57	13	15	6	0.1	0.1	0.0	0.2	0.1
.1	Imperforate anus	139	82	35	14	8	0.1	0.1	0.0	0.1	0.1
.2	Other	1,598	713	623	148	114	0.9	0.9	0.8	1.5	1.1
757	Congenital malformations of genitourinary system	1,697	939	578	123	57	0.9	1.2	0.7	1.2	0.5
.0	Undescended testicle	3	3	...	-	...	0.0	0.0	...	0	...
.1	Polycystic disease of kidney	1,024	517	402	65	40	0.6	0.7	0.5	0.7	0.4
.2	Congenital malformations of external genital organs	11	5	6	-	-	0.0	0.0	0.0	0	0
.3	Other	659	414	170	58	17	0.4	0.5	0.2	0.6	0.2
758	Congenital malformations of bone and joint	300	147	109	28	16	0.2	0.2	0.1	0.3	0.2
.0	Congenital dislocation of hip	1	-	1	-	-	0.0	0	0.0	0	0
.1	Chondrodystrophy	70	34	29	4	3	0.0	0.0	0.0	0.0	0.0
.2	Congenital malformations of skull	78	38	30	7	1	0.0	0.0	0.0	0.1	0.0
.3	Brittle bones	45	23	14	5	3	0.0	0.0	0.0	0.1	0.0
.4	Cervical rib	-	-	-	-	-	0	0	0	0	0
.5	Congenital abnormalities of lumbosacral region	3	2	-	1	-	0.0	0.0	0	0.0	0
.6	Other congenital malformations of bone and joint	105	50	35	11	9	0.1	0.1	0.0	0.1	0.1
759	Other and unspecified congenital malformations not elsewhere classified	1,937	953	710	174	100	1.1	1.2	0.9	1.7	0.9
.0	Of respiratory system	530	263	185	47	35	0.3	0.3	0.2	0.5	0.3
.1	Of skin	45	10	23	7	5	0.0	0.0	0.0	0.1	0.0
.2	Of muscle	165	95	59	7	4	0.1	0.1	0.1	0.1	0.0
.3	Other and unspecified	1,197	585	443	113	56	0.7	0.7	0.6	1.1	0.5
	XV. Certain diseases of early infancy										
760-769	Birth injuries, asphyxia, and infections of newborn	35,488	16,535	10,959	4,511	3,483	19.8	21.1	13.6	45.3	33.1
760	Intracranial and spinal injury at birth	3,175	1,583	874	437	281	1.8	2.0	1.1	4.4	2.7
.0	Without mention of immaturity	1,857	962	504	250	141	1.0	1.2	0.6	2.5	1.3
.5	With immaturity	1,318	621	370	187	140	0.7	0.8	0.5	1.9	1.3
761	Other birth injury	6,983	3,511	2,411	569	492	3.9	4.5	3.0	5.7	4.7
.0	Without mention of immaturity	2,144	999	681	242	222	1.2	1.3	0.8	2.4	2.1
.5	With immaturity	4,839	2,512	1,730	327	270	2.7	3.2	2.2	3.3	2.6
762	Postnatal asphyxia and atelectasis	19,539	9,122	6,087	2,438	1,892	10.9	11.6	7.6	24.5	18.0
.0	Without mention of immaturity	5,255	2,510	1,643	603	499	2.9	3.2	2.0	6.1	4.7
.5	With immaturity	14,284	6,612	4,444	1,835	1,393	8.0	8.4	5.5	18.4	13.2
763	Pneumonia of newborn	3,544	1,405	967	673	499	2.0	1.8	1.2	6.8	4.7
.0	Without mention of immaturity	2,563	986	701	497	379	1.4	1.3	0.9	5.0	3.6
.5	With immaturity	981	419	266	176	120	0.5	0.5	0.3	1.8	1.1
764	Diarrhea of newborn	463	126	91	138	108	0.3	0.2	0.1	1.4	1.0
.0	Without mention of immaturity	362	103	62	115	82	0.2	0.1	0.1	1.2	0.8
.5	With immaturity	101	23	29	23	26	0.1	0.0	0.0	0.2	0.2
765	Ophthalmia neonatorum	-	-	-	-	-	0	0	0	0	0
.0	Without mention of immaturity	-	-	-	-	-	0	0	0	0	0
.5	With immaturity	-	-	-	-	-	0	0	0	0	0
766	Pemphigus neonatorum	30	21	4	4	1	0.0	0.0	0.0	0.0	0.0
.0	Without mention of immaturity	22	16	1	4	1	0.0	0.0	0.0	0.0	0.0
.5	With immaturity	8	5	3	-	-	0.0	0.0	0.0	0	0
767	Umbilical sepsis	84	28	22	17	17	0.0	0.0	0.0	0.2	0.2
.0	Without mention of immaturity	64	21	18	13	12	0.0	0.0	0.0	0.1	0.1
.5	With immaturity	20	7	4	4	5	0.0	0.0	0.0	0.0	0.0
768	Other sepsis of newborn	665	274	186	113	92	0.4	0.3	0.2	1.1	0.9
.0	Without mention of immaturity	420	180	117	69	54	0.2	0.2	0.1	0.7	0.5
.5	With immaturity	245	94	69	44	38	0.1	0.1	0.1	0.4	0.4
769	Neonatal disorders arising from certain diseases of the mother during pregnancy	1,005	465	317	122	101	0.6	0.6	0.4	1.2	1.0
.0-.4	Without mention of immaturity	358	163	100	56	39	0.2	0.2	0.1	0.6	0.4
.0	Attributed to "toxemia of pregnancy"	131	48	35	28	20	0.1	0.1	0.0	0.3	0.2
.1	Attributed to maternal diabetes	112	64	35	11	2	0.1	0.1	0.0	0.1	0.0
.2	Attributed to maternal rubella	14	10	4	-	-	0.0	0.0	0.0	0	0
.3	Attributed to toxoplasmosis	15	6	6	1	2	0.0	0.0	0.0	0.0	0.0
.4	Attributed to other or unspecified diseases of the mother during pregnancy	86	35	20	16	15	0.0	0.0	0.0	0.2	0.1
.5-.9	With immaturity	647	302	217	66	62	0.4	0.4	0.3	0.7	0.6
.5	Attributed to "toxemia of pregnancy"	238	110	77	29	22	0.1	0.1	0.1	0.3	0.2
.6	Attributed to maternal diabetes	136	79	47	5	5	0.1	0.1	0.1	0.1	0.0
.7	Attributed to maternal rubella	2	1	1	-	-	0.0	0.0	0.0	0	0
.8	Attributed to toxoplasmosis	2	1	1	-	-	0.0	0.0	0.0	0	0
.9	Attributed to other or unspecified diseases of the mother during pregnancy	269	111	91	32	35	0.2	0.1	0.1	0.3	0.3
770-776	Other diseases peculiar to early infancy	31,606	13,676	10,106	4,381	3,443	17.6	17.5	12.6	44.0	32.7
770	Hemolytic disease of newborn (erythroblastosis)	2,158	1,053	952	102	51	1.2	1.3	1.2	1.0	0.5
.0	Erythroblastosis, without mention of nervous affection or immaturity	1,608	786	713	68	41	0.9	1.0	0.9	0.7	0.4
.1	Kernicterus, without mention of immaturity	95	40	39	14	2	0.1	0.1	0.0	0.1	0.0
.2	Erythroblastosis with disorder of liver other than icterus gravis, without mention of immaturity	11	11	-	-	-	0.0	0.0	0	0	0
.5	Erythroblastosis, without mention of nervous affection but with immaturity	410	198	191	14	7	0.2	0.3	0.2	0.1	0.1
.6	Kernicterus with immaturity	34	18	9	6	1	0.0	0.0	0.0	0.1	0.0
.7	Erythroblastosis with disorder of liver other than icterus gravis, with immaturity	-	-	-	-	-	0.0	0	0	0	0
771	Hemorrhagic disease of newborn	620	276	162	105	77	0.3	0.4	0.2	1.1	0.7
.0	Without mention of immaturity	393	156	114	76	47	0.2	0.2	0.1	0.8	0.4
.5	With immaturity	227	120	48	29	30	0.1	0.2	0.1	0.3	0.3
772	Nutritional maladjustment	802	221	127	273	181	0.4	0.3	0.2	2.7	1.7
.0	Without mention of immaturity	670	188	108	230	144	0.4	0.2	0.1	2.3	1.4
.5	With immaturity	132	33	19	43	37	0.1	0.0	0.0	0.4	0.4

Table 5-6. Deaths and Death Rates for Each Cause, by Color and Sex: United States, 1960—Con.

(Data refer only to deaths occurring within the United States, including Alaska and Hawaii. Excludes fetal deaths. Rates per 100,000 population in specified group, enumerated as of April 1. Includes each three-digit category of the Detailed List to which deaths may be assigned and selected four-digit subcategories)

SEVENTH REVISION OF INTERNATIONAL LISTS, 1955		NUMBER					RATE				
Number	Cause of death	Total	White		Nonwhite		Total	White		Nonwhite	
			Male	Female	Male	Female		Male	Female	Male	Female
	XV. Certain diseases of early infancy—Con.										
	Other diseases peculiar to early infancy—Con.										
773	Ill-defined diseases peculiar to early infancy	7,256	3,383	2,278	945	650	4.0	4.3	2.8	9.5	6.2
.0	Without mention of immaturity	1,684	832	494	230	128	0.9	1.1	0.6	2.3	1.2
.5	With immaturity	5,572	2,551	1,784	715	522	3.1	3.3	2.2	7.2	5.0
774	Immaturity-with mention of any other subsidiary condition	1,310	540	390	216	164	0.7	0.7	0.5	2.2	1.6
776	Immaturity, unqualified	19,460	8,203	6,197	2,740	2,320	10.9	10.5	7.7	27.5	22.0
	XVI. Symptoms, senility, and ill-defined conditions										
780-789	Symptoms referable to systems or organs	2,912	1,393	924	362	233	1.6	1.8	1.1	3.6	2.2
780	Certain symptoms referable to nervous system and special senses	147	69	33	24	21	0.1	0.1	0.0	0.2	0.2
.0	Coma and stupor	25	10	5	5	5	0.0	0.0	0.0	0.1	0.0
.1	Delirium	-	-	-	-	-	0	0	0	0	0
.2	Convulsions	113	52	27	19	15	0.1	0.1	0.0	0.2	0.1
.3	Jacksonian epilepsy	3	3	-	-	-	0.0	0.0	0	0	0
.4	Abnormal involuntary movement	3	2	-	-	1	0.0	0.0	0	0	0.0
.5	Disturbance of coordination	2	1	1	-	-	0.0	0.0	0.0	0	0
.6	Vertigo	-	-	-	-	-	0	0	0	0	0
.7	Disturbance of sleep	-	-	-	-	-	0	0	0	0	0
.8	Disturbance of memory	-	-	-	-	-	0	0	0	0	0
.9	Meningismus	1	1	-	-	-	0.0	0.0	0	0	0
781	Other symptoms referable to nervous system and special senses	50	26	17	3	4	0.0	0.0	0.0	0.0	0.0
.0	Disturbance of vision except defective sight	-	-	-	-	-	0	0	0	0	0
.1	Oculomotor disturbance	-	-	-	-	-	0	0	0	0	0
.2	Photophobia	-	-	-	-	-	0	0	0	0	0
.3	Disturbance of hearing except deafness	-	-	-	-	-	0	0	0	0	0
.4	Disturbance of cranial nerves except optic, oculomotor, and auditory	1	1	-	-	-	0.0	0.0	0	0	0
.5	Stammering and stuttering	-	-	-	-	-	0	0	0	0	0
.6	Other disturbance of speech, including alexia and agraphia	-	-	-	-	-	0	0	0	0	0
.7	Other disturbance of sensation	-	-	-	-	-	0	0	0	0	0
.8	Encephalopathy	49	25	17	3	4	0.0	0.0	0.0	0.0	0.0
.9	Hallucinations	-	-	-	-	-	0	0	0	0	0
782	Symptoms referable to cardiovascular and lymphatic system	1,958	986	617	220	135	1.1	1.3	0.8	2.2	1.3
.0	Precordial pain	2	1	-	1	-	0.0	0.0	0	0.0	0
.1	Palpitation	-	-	-	-	-	0	0	0	0	0
.2	Tachycardia	1	1	-	-	-	0.0	0.0	0	0	0
.3	Pallor and cyanosis (not of newborn)	1	1	-	-	-	0.0	0.0	0	0	0
.4	Acute heart failure, undefined	1,836	941	567	204	124	1.0	1.2	0.7	2.0	1.2
.5	Syncope or collapse	4	1	1	1	1	0.0	0.0	0.0	0.0	0.0
.6	Edema and dropsy (not of newborn)	22	8	6	3	5	0.0	0.0	0.0	0.0	0.0
.7	Enlargement of lymph node	1	1	-	-	-	0.0	0.0	0	0	0
.8	Splenomegaly	4	-	4	-	-	0.0	0	0.0	0	0
.9	Shock without mention of trauma	87	32	39	11	5	0.0	0.0	0.0	0.1	0.0
783	Symptoms referable to respiratory system	207	93	63	33	18	0.1	0.1	0.1	0.3	0.2
.0	Epistaxis	10	2	3	2	3	0.0	0.0	0.0	0.0	0.0
.1	Hemoptysis	181	85	56	25	15	0.1	0.1	0.1	0.3	0.1
.2	Dyspnea	3	-	2	1	-	0.0	0	0.0	0.0	0
.3	Cough	3	1	-	2	-	0.0	0.0	0	0.0	0
.4	Excess of sputum	-	-	-	-	-	0	0	0	0	0
.5	Change in voice	-	-	-	-	-	0	0	0	0	0
.6	Stridor	-	-	-	-	-	0	0	0	0	0
.7	Pain in chest	10	5	2	3	-	0.0	0.0	0.0	0.0	0
784	Symptoms referable to upper gastrointestinal tract	261	119	103	23	16	0.1	0.2	0.1	0.2	0.2
.0	Anorexia	-	-	-	-	-	0	0	0	0	0
.1	Nausea and vomiting	24	8	6	2	8	0.0	0.0	0.0	0.0	0.1
.2	Pylorospasm	1	1	-	-	-	0.0	0.0	0	0	0
.3	Heartburn	-	-	-	-	-	0	0	0	0	0
.4	Dysphagia	1	-	1	-	-	0.0	0	0.0	0	0
.5	Hematemesis	234	109	96	21	8	0.1	0.1	0.1	0.2	0.1
.6	Excessive salivation	-	-	-	-	-	0	0	0	0	0
.7	Hiccough	1	1	-	-	-	0.0	0.0	0	0	0
.8	Eructation	-	-	-	-	-	0	0	0	0	0
785	Symptoms referable to abdomen and lower gastrointestinal tract	120	40	38	24	18	0.1	0.1	0.0	0.2	0.2
.0	Abdominal swelling (not referable to any particular organ)	-	-	-	-	-	0	0	0	0	0
.1	Hepatomegaly	5	1	3	-	1	0.0	0.0	0.0	0	0.0
.2	Jaundice (not of newborn)	18	8	6	3	1	0.0	0.0	0.0	0.0	0.0
.3	Ascites	5	2	3	-	-	0.0	0.0	0.0	0	0
.4	Flatulence	2	1	1	-	-	0.0	0.0	0.0	0	0
.5	Abdominal pain	18	8	4	4	2	0.0	0.0	0.0	0.0	0.0
.6	Diarrhea, age 2 years and over	69	18	20	17	14	0.0	0.0	0.0	0.2	0.1
.7	Incontinence of feces	-	-	-	-	-	0	0	0	0	0
.8	Melena (age 1 year and over)	3	2	1	-	-	0.0	0.0	0.0	0	0
.9	Visible peristalsis	-	-	-	-	-	0	0	0	0	0
786	Symptoms referable to genitourinary system	28	10	5	8	5	0.0	0.0	0.0	0.1	0.0
.0	Pain referable to urinary system	-	-	-	-	-	0	0	0	0	0
.1	Retention of urine	11	4	1	6	-	0.0	0.0	0.0	0.1	0
.2	Incontinence of urine	1	-	-	1	-	0.0	0	0	0.0	0
.3	Frequency of micturition	-	-	-	-	-	0	0	0	0	0
.4	Polyuria	-	-	-	-	-	0	0	0	0	0
.5	Oliguria, anuria (not of newborn)	16	6	4	1	5	0.0	0.0	0.0	0.0	0.0
.6	Priapism	-	-	-	-	-	0	0	0	0	0
.7	Pain referable to gential organs, including dyspareunia	-	-	-	-	-	0	0	0	0	0
787	Symptoms referable to limbs and back	1	-	-	1	-	0.0	0	0	0.0	0
.0	Transient paralysis of limb, cause unknown	-	-	-	-	-	0	0	0	0	0
.1	Pain in limb	-	-	-	-	-	0	0	0	0	0
.2	Swelling of limb	1	-	-	1	-	0.0	0.0	0	0.0	0
.3	Pain in joint	-	-	-	-	-	0	0	0	0	0
.4	Swelling of joint	-	-	-	-	-	0	0	0	0	0
.5	Pain in back	-	-	-	-	-	0	0	0	0	0
.6	Difficulty in walking	-	-	-	-	-	0	0	0	0	0
.7	Abnormality of gait	-	-	-	-	-	0	0	0	0	0

Table 5-6. Deaths and Death Rates for Each Cause, by Color and Sex: United States, 1960—Con.

(Data refer only to deaths occurring within the United States, including Alaska and Hawaii. Excludes fetal deaths. Rates per 100,000 population in specified group, enumerated as of April 1. Includes each three-digit category of the Detailed List to which deaths may be assigned and selected four-digit subcategories)

SEVENTH REVISION OF INTERNATIONAL LISTS, 1955		NUMBER					RATE				
Number	Cause of death	Total	White		Nonwhite		Total	White		Nonwhite	
			Male	Female	Male	Female		Male	Female	Male	Female
	XVI. Symptoms, senility, and ill-defined conditions—Con.										
	Symptoms referable to systems or organs—Con.										
788	Other general symptoms	129	46	43	25	15	0.1	0.1	0.1	0.3	0.1
.0	Dehydration	25	7	8	9	1	0.0	0.0	0.0	0.1	0.0
.1	Excessive sweating	-	-	-	-	-	0	0	0	0	0
.2	Rash	-	-	-	-	-	0	0	0	0	0
.3	Subcutaneous nodules	-	-	-	-	-	0	0	0	0	0
.4	Loss of weight	-	-	-	-	-	0	0	0	0	0
.5	Tetany	3	1	1	1	-	0.0	0.0	0.0	0.0	0
.6	Acidosis	13	4	7	1	1	0.0	0.0	0.0	0.0	0.0
.7	Alkalosis	1	1	-	-	-	0.0	0.0	0	0	0
.8	Pyrexia of unknown origin	80	28	26	13	13	0.0	0.0	0.0	0.1	0.1
.9	Other specified symptoms not classifiable elsewhere	7	5	1	1	-	0.0	0.0	0.0	0.0	0
789	Abnormal urinary constituents of unspecified cause	11	4	5	1	1	0.0	0.0	0.0	0.0	0.0
.0	Albuminuria, unqualified	2	1	1	-	-	0.0	0.0	0.0	0	0
.1	Albuminuria, orthostatic	-	-	-	-	-	0	0	0	0	0
.2	Pyuria and bacteriuria	-	-	-	-	-	0	0	0	0	0
.3	Chyluria	-	-	-	-	-	0	0	0	0	0
.4	Hematuria	9	3	4	1	1	0.0	0.0	0.0	0.0	0.0
.5	Hemoglobinuria	-	-	-	-	-	0	0	0	0	0
.6	Glycosuria	-	-	-	-	-	0	0	0	0	0
.7	Acetonuria	-	-	-	-	-	0	0	0	0	0
.8	Other	-	-	-	-	-	0	0	0	0	0
790-795	Senility and ill-defined diseases	17,473	6,535	4,257	3,722	2,959	9.7	6.3	5.3	37.4	28.1
790	Nervousness and debility	68	31	26	5	6	0.0	0.0	0.0	0.1	0.1
.0	Nervousness	2	1	1	-	-	0.0	0.0	0.0	0	0
.1	Debility and undue fatigue	65	30	24	5	6	0.0	0.0	0.0	0.1	0.1
.2	Depression	1	-	1	-	-	0.0	0	0.0	0	0
791	Headache	6	2	2	1	1	0.0	0.0	0.0	0.0	0.0
792	Uremia	554	259	165	71	59	0.3	0.3	0.2	0.7	0.6
794	Senility without mention of psychosis	2,639	877	1,274	215	273	1.5	1.1	1.6	2.2	2.6
795	Ill-defined and unknown causes of mortality	14,206	5,366	2,790	3,430	2,620	7.9	6.8	3.5	34.4	24.9
.0	Other ill-defined conditions	741	300	205	143	93	0.4	0.4	0.3	1.4	0.9
.2	Sudden death (cause unknown)	635	292	135	123	85	0.4	0.4	0.2	1.2	0.8
.3	Found dead (cause unknown)	301	126	62	64	49	0.2	0.2	0.1	0.6	0.5
.4	Died without sign of disease	6,798	2,795	1,212	1,626	1,165	3.8	3.6	1.5	16.3	11.1
.5	Other unknown and unspecified causes	5,731	1,853	1,176	1,474	1,228	3.2	2.4	1.5	14.8	11.7
	XVII. Accidents, poisonings, and violence										
E800-E802	Railway accidents	1,023	734	84	189	16	0.6	0.9	0.1	1.9	0.2
E800	Railway accident involving railroad employee	186	178	-	8	-	0.1	0.2	0	0.1	0
E801	Railway accident involving passenger	14	6	5	3	-	0.0	0.0	0.0	0.0	0
E802	Railway accident involving other and unspecified person	823	550	79	178	16	0.5	0.7	0.1	1.8	0.2
E810-E825	Motor vehicle traffic accidents	37,142	24,001	8,762	3,341	1,038	20.7	30.6	10.9	33.5	9.9
E810	Motor vehicle traffic accident involving collision with railway train	1,368	904	338	90	36	0.8	1.2	0.4	0.9	0.3
E811	Motor vehicle traffic accident involving collision with streetcar	5	-	1	4	-	0.0	0	0.0	0.0	0
E812	Motor vehicle traffic accident to pedestrian	7,284	4,267	1,681	951	385	4.1	5.4	2.1	9.5	3.7
E813	Motor vehicle traffic accident to pedal cyclist	450	366	48	33	3	0.3	0.5	0.1	0.3	0.0
E814	Motor vehicle traffic accident to rider or passenger of motorcycle in collision with nonmotor vehicle or object	40	38	-	2	-	0.0	0.0	0	0.0	0
E815	Motor vehicle traffic accident to rider or passenger of motorcycle in collision with other motor vehicle	428	378	26	23	1	0.2	0.5	0.0	0.2	0.0
E816	Other motor vehicle traffic accident involving two or more motor vehicles	12,788	7,710	3,950	826	302	7.1	9.8	4.9	8.3	2.9
E817	Motor vehicle traffic accident to occupant of motor vehicle in collision with pedestrian or pedal cycle	-	-	-	-	-	0	0	0	0	0
E818	Motor vehicle traffic accident involving collision with animal or animal-drawn vehicle	42	24	10	7	1	0.0	0.0	0.0	0.1	0.0
E819	Motor vehicle traffic accident involving collision with fixed or unspecified object	1,529	1,098	243	151	37	0.9	1.4	0.3	1.5	0.4
E820	Motor vehicle traffic accident while boarding and alighting	39	14	21	3	1	0.0	0.0	0.0	0.0	0.0
E821	Motor vehicle traffic accident to rider of motorcycle without antecedent collision	245	220	20	4	1	0.1	0.3	0.0	0.0	0.0
E822	Motor vehicle traffic accident involving overturning in roadway	1,255	900	190	142	23	0.7	1.1	0.2	1.4	0.2
E823	Motor vehicle traffic accident involving running off roadway	7,937	5,651	1,375	752	159	4.4	7.2	1.7	7.5	1.5
E824	Other noncollision motor vehicle traffic accident	803	516	149	113	25	0.4	0.7	0.2	1.1	0.2
E825	Motor vehicle traffic accident of unspecified nature	2,929	1,915	710	240	64	1.6	2.4	0.9	2.4	0.6
E830-E835	Motor vehicle nontraffic accidents	995	655	227	87	26	0.6	0.8	0.3	0.9	0.2
E830	Motor vehicle nontraffic accident to pedestrian	569	346	155	52	16	0.3	0.4	0.2	0.5	0.2
E831	Motor vehicle nontraffic accident to pedal cyclist	1	1	-	-	-	0.0	0.0	0	0	0
E832	Motor vehicle nontraffic accident to rider or passenger of motorcycle	17	17	-	-	-	0.0	0.0	0	0	0
E833	Other motor vehicle nontraffic accident involving two or more motor vehicles	36	31	5	-	-	0.0	0.0	0.0	0	0
E834	Motor vehicle nontraffic accident while boarding and alighting	13	4	8	1	-	0.0	0.0	0.0	0.0	0
E835	Motor vehicle nontraffic accident of other and unspecified nature	359	256	59	34	10	0.2	0.3	0.1	0.3	0.1
E840-E845	Other road vehicle accidents	243	165	47	25	6	0.1	0.2	0.1	0.3	0.1
E840	Streetcar accident to pedestrian	12	8	2	2	-	0.0	0.0	0.0	0.0	0
E841	Other streetcar accident, except collision with motor vehicle	-	-	-	-	-	0	0	0	0	0
E842	Accident to pedestrian caused by pedal cycle	16	10	5	1	-	0.0	0.0	0.0	0.0	0
E843	Accident to rider of pedal cycle not involving collision with motor vehicle	51	40	7	3	1	0.0	0.1	0.0	0.0	0.0
E844	Accident to pedestrian caused by other nonmotor road vehicle	9	7	-	1	1	0.0	0.0	0	0.0	0.0
E845	Other nonmotor road vehicle accidents	155	100	33	18	4	0.1	0.1	0.0	0.2	0.0

Table 5-6. Deaths and Death Rates for Each Cause, by Color and Sex: United States, 1960—Con.

(Data refer only to deaths occurring within the United States, including Alaska and Hawaii. Excludes fetal deaths. Rates per 100,000 population in specified group, enumerated as of April 1. Includes each three-digit category of the Detailed List to which deaths may be assigned and selected four-digit subcategories)

SEVENTH REVISION OF INTERNATIONAL LISTS, 1955		NUMBER					RATE				
Number	Cause of death	Total	White		Nonwhite		Total	White		Nonwhite	
			Male	Female	Male	Female		Male	Female	Male	Female
	XVII. Accidents, poisonings and violence—Con.										
E850-E858	Water transport accidents	1,478	1,189	98	179	12	0.8	1.5	0.1	1.8	0.1
E850	Submersion of occupant of small boat	1,210	964	79	155	12	0.7	1.2	0.1	1.6	0.1
E851	Other water transport injury by submersion	87	69	4	14	-	0.0	0.1	0.0	0.1	0
E852	Fall on stairs and ladders in water transport	4	4	-	-	-	0.0	0.0	0	0	0
E853	Other falls from one level to another in water transport	27	25	1	1	-	0.0	0.0	0.0	0.0	0
E854	Falls on same level in water transport	3	2	1	-	-	0.0	0.0	0.0	0	0
E855	Unspecified falls in water transport	3	2	-	1	-	0.0	0.0	0	0.0	0
E856	Machinery accident in water transport	8	8	-	-	-	0.0	0.0	0	0	0
E857	Other specified accidents in water transport	134	113	13	8	-	0.1	0.1	0.0	0.1	0
E858	Water transport accident of unspecified cause	2	2	-	-	-	0.0	0.0	0	0	0
E860-E866	Aircraft accidents	1,475	1,244	210	16	5	0.8	1.6	0.3	0.2	0.0
E860	Accident to personnel in military aircraft	264	259	-	5	-	0.1	0.3	0	0.1	0
E861	Injury to occupant by accident to commercial "transport" aircraft	411	298	105	6	2	0.2	0.4	0.1	0.1	0.0
E862	Other injury in commercial "transport" aircraft	-	-	-	-	-	0	0	0	0	0
E863	Injury to occupant by accident to other specified aircraft	263	227	34	2	-	0.1	0.3	0.0	0.0	0
E864	Aircraft accident at airfield to person not in aircraft	20	19	1	-	-	0.0	0.0	0.0	0	0
E865	Aircraft accident elsewhere to person not in aircraft	25	16	5	1	3	0.0	0.0	0.0	0.0	0.0
E866	Other and unspecified aircraft accidents	492	425	65	2	-	0.3	0.5	0.1	0.0	0
E870-E888	Accidental poisoning by solid and liquid substances	1,679	753	512	269	145	0.9	1.0	0.6	2.7	1.4
E870	Accidental poisoning by morphine and other opium derivatives	60	43	4	9	4	0.0	0.1	0.0	0.1	0.0
E871	Accidental poisoning by barbituric acid and derivatives	289	116	163	6	4	0.2	0.1	0.2	0.1	0.0
E872	Accidental poisoning by aspirin and salicylates	188	82	65	26	15	0.1	0.1	0.1	0.3	0.1
E873	Accidental poisoning by bromides	7	2	3	-	2	0.0	0.0	0.0	0	0.0
E874	Accidental poisoning by other analgesic and soporific drugs	160	69	75	10	6	0.1	0.1	0.1	0.1	0.1
E875	Accidental poisoning by sulfonamides	-	-	-	-	-	0	0	0	0	0
E876	Accidental poisoning by strychnine	6	2	3	1	-	0.0	0.0	0.0	0.0	0
E877	Accidental poisoning by belladonna, hyoscine, and atropine	1	1	-	-	-	0.0	0.0	0	0	0
E878	Accidental poisoning by other and unspecified drugs	125	52	50	15	8	0.1	0.1	0.1	0.2	0.1
E879	Accidental poisoning by noxious foodstuffs	7	3	4	-	-	0.0	0.0	0.0	0	0
E880	Accidental poisoning by alcohol	357	174	38	96	49	0.2	0.2	0.0	1.0	0.5
E881	Accidental poisoning by petroleum products	43	15	7	14	7	0.0	0.0	0.0	0.1	0.1
E882	Accidental poisoning by industrial solvents	35	20	6	6	3	0.0	0.0	0.0	0.1	0.0
E883	Accidental poisoning by corrosive aromatics, acids, and caustic alkalies	56	23	17	8	8	0.0	0.0	0.0	0.1	0.1
E884	Accidental poisoning by mercury and its compounds	9	3	4	1	1	0.0	0.0	0.0	0.0	0.0
E885	Accidental poisoning by lead and its compounds	98	29	17	30	22	0.1	0.0	0.0	0.3	0.2
E886	Accidental poisoning by arsenic and antimony, and their compounds	31	14	11	5	1	0.0	0.0	0.0	0.1	0.0
E887	Accidental poisoning by fluorides	7	3	1	1	2	0.0	0.0	0.0	0.0	0.0
E888	Accidental poisoning by other and unspecified solid and liquid substances	200	102	44	41	13	0.1	0.1	0.1	0.4	0.1
E890-E895	Accidental poisoning by gases and vapors	1,253	794	294	106	59	0.7	1.0	0.4	1.1	0.6
E890	Accidental poisoning by utility (illuminating) gas	370	188	117	38	27	0.2	0.2	0.1	0.4	0.3
E891	Accidental poisoning by motor vehicle exhaust gas	455	333	72	35	15	0.3	0.4	0.1	0.4	0.1
E892	Accidental poisoning by other carbon monoxide gas	295	168	88	25	14	0.2	0.2	0.1	0.3	0.1
E893	Accidental poisoning by cyanide gas	8	8	-	-	-	0.0	0.0	0	0	0
E894	Accidental poisoning by other specified gases and vapors	112	85	16	8	3	0.1	0.1	0.0	0.1	0.0
E895	Accidental poisoning by unspecified gases and vapors	13	12	1	-	-	0.0	0.0	0.0	0	0
E900-E904	Accidental falls	19,023	8,407	9,198	890	528	10.6	10.7	11.4	8.9	5.0
E900	Fall on stairs	2,348	1,228	889	158	73	1.3	1.6	1.1	1.6	0.7
E901	Fall from ladders	316	275	13	27	1	0.2	0.4	0.0	0.3	0.0
E902	Other falls from one level to another	3,355	1,922	994	316	123	1.9	2.5	1.2	3.2	1.2
E903	Fall on same level	3,689	1,450	2,064	93	82	2.1	1.9	2.6	0.9	0.8
E904	Unspecified falls	9,315	3,532	5,238	296	249	5.2	4.5	6.5	3.0	2.4
E910-E936	Other accidents	27,673	16,062	5,270	4,215	2,126	15.4	20.5	6.5	42.3	20.2
E910	Blow from falling or projected object or missile	1,404	1,167	45	182	10	0.8	1.5	0.1	1.8	0.1
E911	Accident caused by vehicle	70	63	-	7	-	0.0	0.1	0	0.1	0
E912	Accident caused by machinery	1,951	1,689	63	194	5	1.1	2.2	0.1	1.9	0.0
E913	Accident caused by cutting and piercing instruments	126	64	20	30	12	0.1	0.1	0.0	0.3	0.1
E914	Accident caused by electric current	989	838	66	80	5	0.6	1.1	0.1	0.8	0.0
E915	Accident caused by explosion of pressure vessel	38	35	-	3	-	0.0	0.0	0	0.0	0
E916	Accident caused by fire and explosion of combustible material	7,645	3,100	2,148	1,179	1,218	4.3	4.0	2.7	11.8	11.6
E917	Accident caused by hot substance, corrosive liquid, and steam	400	159	132	71	38	0.2	0.2	0.2	0.7	0.4
E918	Accident caused by radiation	2	1	-	-	1	0.0	0.0	0	0	0.0
E919	Accident caused by firearm	2,334	1,671	229	339	95	1.3	2.1	0.3	3.4	0.9
E920	Foreign body entering eye and adnexa	-	-	-	-	-	0	0	0	0	0
E921	Inhalation and ingestion of food causing obstruction or suffocation	1,949	969	604	210	166	1.1	1.2	0.8	2.1	1.6
E922	Inhalation and ingestion of other object causing obstruction or suffocation	448	218	142	54	34	0.2	0.3	0.2	0.5	0.3
E923	Foreign body entering other orifice	120	61	39	15	5	0.1	0.1	0.0	0.2	0.0
E924	Accidental mechanical suffocation in bed and cradle	1,047	399	304	186	158	0.6	0.5	0.4	1.9	1.5
E925	Accidental mechanical suffocation in other and unspecified circumstances	486	287	91	79	29	0.3	0.4	0.1	0.8	0.3
E926	Lack of care of infants under 1 year of age	24	3	5	8	8	0.0	0.0	0.0	0.1	0.1
E927	Accidents caused by bites and stings of venomous animals and insects	66	40	15	10	1	0.0	0.1	0.0	0.1	0.0
E928	Other accidents caused by animals	141	102	23	13	3	0.1	0.1	0.0	0.1	0.0
E929	Accidental drowning	5,232	3,355	708	1,032	137	2.9	4.3	0.9	10.4	1.3
E930	High and low air pressure	1	1	-	-	-	0.0	0.0	0	0	0
E931	Excessive heat and insolation	168	101	33	25	9	0.1	0.1	0.0	0.3	0.1
E932	Excessive cold	357	203	45	88	21	0.2	0.3	0.1	0.9	0.2
E933	Hunger, thirst, and exposure	222	104	38	48	32	0.1	0.1	0.0	0.5	0.3
E934	Cataclysm	170	62	38	48	22	0.1	0.1	0.0	0.5	0.2
E935	Lightning	129	83	17	26	3	0.1	0.1	0.0	0.3	0.0
E936	Other and unspecified accidents	2,154	1,287	465	288	114	1.2	1.6	0.6	2.9	1.1

Table 5-6. Deaths and Death Rates for Each Cause, by Color and Sex: United States, 1960—Con.

(Data refer only to deaths occurring within the United States, including Alaska and Hawaii. Excludes fetal deaths. Rates per 100,000 population in specified group, enumerated as of April 1. Includes each three-digit category of the Detailed List to which deaths may be assigned and selected four-digit subcategories)

SEVENTH REVISION OF INTERNATIONAL LISTS, 1955		NUMBER					RATE				
Number	Cause of death	Total	White		Nonwhite		Total	White		Nonwhite	
			Male	Female	Male	Female		Male	Female	Male	Female
	XVII. Accidents, poisonings, and violence—Con.										
E940-E946	Complications due to nontherapeutic medical and surgical procedures	90	35	32	13	10	0.1	0.0	0.0	0.1	0.1
E940	Generalized vaccinia following vaccination	2	1	-	-	1	0.0	0.0	0	0	0.0
E941	Postvaccinal encephalitis	7	6	1	-	-	0.0	0.0	0.0	0	0
E942	Other complications of smallpox vaccination	4	2	1	1	-	0.0	0.0	0.0	0.0	0
E943	Postimmunization jaundice and hepatitis	-	-	-	-	-	0	0	0	0	0
E944	Other complications of prophylactic inoculation	9	4	1	2	2	0.0	0.0	0.0	0.0	0.0
E945	Complications of anesthesia for nontherapeutic purpose	5	2	1	1	1	0.0	0.0	0.0	0.0	0.0
E946	Other complications due to nontherapeutic medical and surgical procedures	63	20	28	9	6	0.0	0.0	0.0	0.1	0.1
E950-E959	Therapeutic misadventure and late complications of therapeutic procedures	1,025	438	441	65	81	0.6	0.6	0.5	0.7	0.8
E950	Therapeutic misadventure in surgical treatment	548	236	227	41	44	0.3	0.3	0.3	0.4	0.4
E951	Therapeutic misadventure in infusion or transfusion	101	49	42	3	7	0.1	0.1	0.1	0.0	0.1
E952	Therapeutic misadventure in local applications	11	4	5	-	2	0.0	0.0	0.0	0	0.0
E953	Therapeutic misadventure in administration of drugs or biologicals	129	59	53	9	8	0.1	0.1	0.1	0.1	0.1
E954	Therapeutic misadventure in anesthesia	70	26	25	7	12	0.0	0.0	0.0	0.1	0.1
E955	Other and unspecified therapeutic misadventure	40	21	15	3	1	0.0	0.0	0.0	0.0	0.0
E956	Late complication of surgical operation	112	36	68	1	7	0.1	0.0	0.1	0.0	0.1
E957	Late complication of amputation stump	2	1	-	1	-	0.0	0.0	0	0.0	0
E958	Late complication of irradiation	7	2	5	-	-	0.0	0.0	0.0	0	0
E959	Late complications of other forms of treatment	5	4	1	-	-	0.0	0.0	0.0	0	0
E960-E965	Late effects of injury and poisoning	773	454	212	82	25	0.4	0.6	0.3	0.8	0.2
E960	Late effect of motor vehicle accident	127	84	27	11	5	0.1	0.1	0.0	0.1	0.0
E961	Late effect of accidental poisoning	11	4	3	3	1	0.0	0.0	0.0	0.0	0.0
E962	Late effect of other accidental injury	569	318	180	54	17	0.3	0.4	0.2	0.5	0.2
E963	Late effect of self-inflicted injury	10	6	2	1	1	0.0	0.0	0.0	0.0	0.0
E964	Late effect of injury purposely inflicted by another person (not in war)	18	5	-	12	1	0.0	0.0	0	0.1	0.0
E965	Late effects of injuries due to war operations	38	37	-	1	-	0.0	0.0	0	0.0	0
E970-E979	Suicide	19,031	13,819	4,294	713	205	10.6	17.6	5.3	7.2	1.9
E970	Suicide from poisoning by analgesic and soporific substances	1,616	560	1,016	19	21	0.9	0.7	1.3	0.2	0.2
A	By morphine and other opium derivatives	12	7	5	-	-	0.0	0.0	0.0	0	0
B	By barbituric acid and derivatives	1,290	446	813	16	15	0.7	0.6	1.0	0.2	0.1
C	By acetylsalicylic acid	31	14	16	-	1	0.0	0.0	0.0	0	0.0
D	By methyl salicylate	13	6	5	-	2	0.0	0.0	0.0	0	0.0
E	By other salicylates	13	4	8	1	-	0.0	0.0	0.0	0.0	0
F	By bromides	-	-	-	-	-	0	0	0	0	0
G	By antipyretic substances, not elsewhere classified	-	-	-	-	-	0	0	0	0	0
H	By other analgesic and soporific substances	226	75	146	2	3	0.1	0.1	0.2	0.0	0.0
M	By unspecified drugs	31	8	23	-	-	0.0	0.0	0.0	0	0
E971	Suicide from poisoning by other solid and liquid substances	741	393	293	28	27	0.4	0.5	0.4	0.3	0.3
A	By strychnine	54	29	25	-	-	0.0	0.0	0.0	0	0
B	By phenol compounds	33	24	9	-	-	0.0	0.0	0.0	0	0
C	By lye and potash	39	14	21	4	-	0.0	0.0	0.0	0.0	0
D	By cresol compounds	6	2	4	-	-	0.0	0.0	0.0	0	0
E	By mercury and its compounds	13	5	8	-	-	0.0	0.0	0.0	0	0
F	By arsenic and its compounds	98	56	38	1	3	0.1	0.1	0.0	0.0	0.0
G	By fluorides	42	13	18	4	7	0.0	0.0	0.0	0.0	0.1
H	By other and unspecified solid and liquid substances	456	250	170	19	17	0.3	0.3	0.2	0.2	0.2
E972	Suicide from poisoning by gases in domestic use	186	116	65	4	1	0.1	0.1	0.1	0.0	0.0
E973	Suicide from poisoning by other gases	1,787	1,485	275	16	1	1.0	1.9	0.3	0.2	0.0
A	By motor vehicle exhaust gas	1,644	1,367	261	15	1	0.9	1.7	0.3	0.2	0.0
B	By other motor exhaust gas	6	6	-	-	-	0.0	0.0	0	0	0
C	By other carbon monoxide	121	108	13	-	-	0.1	0.1	0.0	0	0
D	By other poisonous gases	16	14	1	1	-	0.0	0.0	0.0	0.0	0
E974	Suicide by hanging and strangulation	3,366	2,461	747	115	43	1.9	3.1	0.9	1.2	0.4
E975	Suicide by submersion (drowning)	616	281	269	48	18	0.3	0.4	0.3	0.5	0.2
E976	Suicide by firearm and explosive	9,017	7,503	1,087	376	51	5.0	9.6	1.4	3.8	0.5
E977	Suicide by cutting and piercing instruments	488	375	91	20	2	0.3	0.5	0.1	0.2	0.0
E978	Suicide by jumping from high place	697	399	203	70	25	0.4	0.5	0.3	0.7	0.2
E979	Suicide by other and unspecified means	517	236	248	17	16	0.3	0.3	0.3	0.2	0.2
E980-E985	Homicide (not in war)	8,446	2,827	1,154	3,425	1,040	4.7	3.6	1.4	34.4	9.9
E980	Nonaccidental poisoning by another person	18	10	5	2	1	0.0	0.0	0.0	0.0	0.0
E981	Assault by firearm and explosive	4,627	1,637	671	1,823	496	2.6	2.0	0.8	18.3	4.7
E982	Assault by cutting and piercing instruments	1,836	385	123	1,057	271	1.0	0.5	0.2	10.6	2.6
E983	Assault by other means	1,664	650	354	390	270	0.9	0.8	0.4	3.9	2.6
E984	Injury by intervention of police	245	124	1	118	2	0.1	0.2	0.0	1.2	0.0
E985	Execution	56	21	-	35	-	0.0	0.0	0	0.4	0
E990-E999	Injury resulting from operations of war	-	-	-	-	-	...	...	...	...	...
E990	Injury due to war operations by gas and chemicals	-	-	-	-	-	...	...	...	...	...
E991	Injury due to war operations by gunshot	-	-	-	-	-	...	...	...	...	...
E992	Injury due to war operations by grenade and landmine	-	-	-	-	-	...	...	...	...	...
E993	Injury due to war operations by bomb	-	-	-	-	-	...	...	...	...	...
E994	Injury due to war operations by marine mine, depth charge, and torpedo	-	-	-	-	-	...	...	...	...	...
E995	Injury due to war operations by explosion of artillery shell	-	-	-	-	-	...	...	...	...	...
E996	Injury due to war operations by explosion of undetermined origin	-	-	-	-	-	...	...	...	...	...
E997	Injury due to war operations by aircraft destruction	-	-	-	-	-	...	...	...	...	...
E998	Injury due to war operations by other and unspecified means	-	-	-	-	-	...	...	...	...	...
E999	Injury due to war operations but occurring after cessation of hostilities	-	-	-	-	-	...	...	...	...	...

Table 5-7. Deaths From 255 Selected Causes, by Month: United States, 1960

(Data refer only to deaths occurring within the United States, including Alaska and Hawaii. Excludes fetal deaths. Numbers after causes of death are category numbers of the Seventh Revision of the International Lists, 1955)

CAUSE OF DEATH	Total	Jan.	Feb.	Mar.	Apr.	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.
ALL CAUSES	1,711,982	163,833	158,754	153,997	136,415	138,786	132,461	133,372	130,004	128,012	141,073	139,513	155,762
I. Infective and parasitic diseases	21,387	2,084	2,124	1,987	1,726	1,810	1,668	1,678	1,580	1,581	1,710	1,666	1,773
Tuberculosis, all forms 001-019	10,866	1,072	1,125	989	898	945	849	871	799	783	826	827	882
Tuberculosis of respiratory system 001-008	10,089	1,012	1,070	915	834	870	783	796	734	715	766	774	820
Tuberculosis of meninges and central nervous system 010	228	22	16	25	25	28	17	18	16	17	17	10	17
Tuberculosis of intestines, peritoneum, and mesenteric glands 011	48	1	2	2	6	4	4	5	6	4	5	4	5
Tuberculosis of bones and joints 012,013	80	7	8	5	6	8	7	6	7	8	9	5	4
Tuberculosis of other organs and systems 014-018	176	15	16	17	11	15	17	17	12	18	8	16	14
Disseminated tuberculosis 019	245	15	13	25	16	20	21	29	24	21	21	18	22
Syphilis and its sequelae 020-029	2,945	285	242	275	230	272	202	240	201	222	264	271	241
Congenital syphilis 020	44	2	1	4	1	7	2	4	2	2	4	8	7
Early syphilis 021	-	-	-	-	-	-	-	-	-	-	-	-	-
Aneurysm of aorta 022	1,337	129	104	119	114	135	89	98	89	101	130	123	106
Other cardiovascular syphilis 023	1,002	101	87	92	71	93	68	87	77	71	86	85	84
Tabes dorsalis 024	62	6	6	7	5	6	4	6	3	5	6	5	3
General paralysis of insane 025	204	25	18	18	18	11	15	24	10	16	14	20	15
Other syphilis of central nervous system 026	246	19	23	29	17	16	19	21	15	20	18	27	22
All other syphilis 027-029	50	3	3	6	4	4	5	-	5	7	6	3	4
Gonococcal infection 030-035	38	-	5	3	5	2	2	4	6	5	1	3	2
Typhoid fever 040	21	-	2	-	4	1	3	3	2	2	1	2	1
Paratyphoid fever and other Salmonella infections 041,042	82	9	3	5	1	7	3	3	18	6	8	9	10
Cholera 043	-	-	-	-	-	-	-	-	-	-	-	-	-
Brucellosis (undulant fever) 044	6	1	2	1	-	-	-	1	-	-	1	-	-
Dysentery, all forms 045-048	355	30	24	19	12	22	25	39	39	38	45	38	24
Food poisoning (infection and intoxication) 049	56	6	-	3	6	4	5	5	7	7	5	3	5
Scarlet fever 050	14	3	2	1	1	1	1	-	1	-	1	1	2
Streptococcal sore throat 051	94	12	18	10	5	7	6	2	7	5	7	4	11
Erysipelas 052	22	-	-	3	2	3	1	-	4	4	3	2	-
Septicemia and pyemia 053	1,920	182	197	189	131	131	173	159	140	158	141	149	170
Diphtheria 055	69	11	5	4	3	-	-	5	4	7	7	8	15
Whooping cough 056	118	10	15	11	13	14	6	11	11	5	13	5	4
Meningococcal infections 057	644	77	80	71	50	47	46	22	30	29	68	61	63
Plague 058	-	-	-	-	-	-	-	-	-	-	-	-	-
Leprosy 060	6	-	2	-	2	-	-	-	-	-	-	1	1
Tetanus 061	231	17	11	12	14	23	40	17	16	24	23	17	17
Anthrax 062	-	-	-	-	-	-	-	-	-	-	-	-	-
Acute poliomyelitis 080	230	8	6	9	4	12	11	31	40	44	32	23	10
Late effects of acute poliomyelitis 081	148	16	9	19	16	13	8	10	12	8	10	11	16
Acute infectious encephalitis 082	528	50	45	50	35	37	44	44	51	47	53	38	34
Late effects of acute infectious encephalitis 083	88	6	8	11	6	6	7	14	4	4	10	4	8
Smallpox 084	-	-	-	-	-	-	-	-	-	-	-	-	-
Measles 085	380	33	44	76	69	52	36	17	7	2	10	11	23
Yellow fever 091	-	-	-	-	-	-	-	-	-	-	-	-	-
Infectious hepatitis 092	938	86	75	77	93	79	77	71	88	70	73	67	82
Rabies 094	2	-	-	-	-	1	-	-	-	1	-	-	-
Tick-borne typhus 104	11	-	-	-	-	3	3	2	3	-	-	-	-
All other rickettsial diseases 100-103,105-108	-	-	-	-	-	-	-	-	-	-	-	-	-
Malaria 110-117	4	1	-	1	-	-	-	1	-	-	-	1	-
Schistosomiasis 123	5	-	1	-	-	-	-	1	1	-	-	1	1
Hydatid disease 125	10	-	2	-	1	-	1	1	1	-	1	-	3
Filariasis 127	-	-	-	-	-	-	-	-	-	-	-	-	-
Ancylostomiasis 129	-	-	-	-	-	-	-	-	-	-	-	-	-
Other diseases due to helminths 124,126,128,130	56	3	6	6	5	5	1	4	9	2	5	4	6
All other infective and parasitic diseases 036-039, 054,059,063-074,086-090,093,095,096,120-122,131-138	1,500	166	195	142	120	123	118	100	79	108	102	105	142
II. Neoplasms	272,520	23,591	21,999	22,604	21,814	22,470	22,343	22,693	23,046	22,432	23,348	22,752	23,428
Malignant neoplasms, including neoplasms of lymphatic and hematopoietic tissues 140-205	267,627	23,166	21,567	22,184	21,427	22,106	21,911	22,247	22,638	22,066	22,949	22,330	23,036
Malignant neoplasm of buccal cavity and pharynx 140-148	6,175	516	493	520	531	483	495	499	512	516	522	532	556
Of lip 140	216	25	14	16	19	13	21	10	16	11	22	25	24
Of tongue 141	1,545	139	128	138	136	126	119	124	104	148	124	133	130
Of other and unspecified parts of buccal cavity 142-144	1,944	156	177	155	179	148	152	150	185	168	161	142	171
Of pharynx 145-148	2,470	196	176	213	197	196	203	215	207	189	215	232	231
Malignant neoplasm of digestive organs and peritoneum, not specified as secondary 150-156A,157-159	91,035	7,820	7,242	7,562	7,395	7,567	7,408	7,551	7,701	7,531	7,867	7,579	7,812
Of esophagus 150	4,915	433	393	409	391	408	397	410	376	430	438	426	404
Of stomach 151	20,859	1,785	1,613	1,675	1,720	1,784	1,703	1,701	1,711	1,763	1,817	1,812	1,775
Of small intestine, including duodenum 152	769	71	60	78	67	63	64	60	55	58	63	61	69
Of large intestine, except rectum 153	28,537	2,451	2,264	2,429	2,339	2,321	2,325	2,355	2,454	2,291	2,461	2,372	2,475
Cecum, appendix, and ascending colon 153.0	4,189	346	309	356	374	377	374	345	360	360	333	331	324
Tranverse colon, including hepatic and splenic flexures 153.1	1,666	153	138	125	144	131	149	135	142	128	122	142	157
Descending colon 153.2	1,272	135	104	117	92	105	100	88	102	112	95	107	115
Sigmoid colon 153.3	6,403	564	537	551	521	498	534	530	535	525	553	502	553
Multiple parts of large intestine 153.7	71	4	4	3	9	5	2	3	5	8	7	9	12
Large intestine (including colon), part unspecified 153.8	13,379	1,116	1,043	1,124	1,079	1,097	1,038	1,117	1,169	1,042	1,218	1,145	1,191
Intestinal tract, part unspecified 153.9	1,557	133	129	153	120	108	128	137	141	116	133	136	123
Of rectum 154	10,855	952	886	922	885	909	869	883	935	896	940	876	902
Of biliary passages and of liver (stated to be primary site) 155	6,246	555	496	518	495	516	506	494	538	526	559	499	544
Liver 155.0	1,890	173	148	170	143	150	174	142	141	167	154	139	189
Other and multiple sites of biliary passages 155.1,155.8	4,356	382	348	348	352	366	332	352	397	359	405	360	355
Of liver not stated whether primary or secondary 156A	3,482	259	323	289	283	296	282	288	296	293	295	295	283
Of pancreas 157	13,675	1,165	1,074	1,087	1,096	1,110	1,131	1,196	1,200	1,144	1,151	1,097	1,224
Of peritoneum and of unspecified digestive organs 158,159	1,697	149	133	155	119	160	131	164	136	130	143	141	136

Table 5-7. Deaths From 255 Selected Causes, by Month: United States, 1960—Con.

(Data refer only to deaths occurring within the United States, including Alaska and Hawaii. Excludes fetal deaths. Numbers after causes of death are category numbers of the Seventh Revision of the International Lists, 1955)

CAUSE OF DEATH	Total	Jan.	Feb.	Mar.	Apr.	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.
II. Neoplasms—Con.													
Malignant neoplasms, including neoplasms of lymphatic and hematopoietic tissues—Con.													
Malignant neoplasm of respiratory system, not specified as secondary—160-164	39,730	3,470	3,243	3,267	3,117	3,268	3,274	3,253	3,303	3,262	3,439	3,304	3,530
Of larynx—161	2,426	206	211	214	194	207	200	177	195	214	205	191	212
Of bronchus and trachea, and of lung specified as primary—162	18,342	1,615	1,488	1,531	1,416	1,529	1,512	1,550	1,570	1,499	1,532	1,488	1,612
Of lung, unspecified as to whether primary or secondary—163	18,078	1,561	1,470	1,453	1,438	1,443	1,486	1,461	1,471	1,493	1,634	1,546	1,622
Of other parts of respiratory system—160,164	884	88	74	69	69	89	76	65	67	56	68	79	84
Malignant neoplasm of breast—170	23,970	2,136	1,894	2,014	1,899	1,933	1,957	2,039	2,050	1,966	1,990	2,111	1,981
Malignant neoplasm of genital organs—171-179	38,669	3,417	3,126	3,234	3,140	3,192	3,171	3,261	3,278	3,128	3,320	3,130	3,272
Of cervix uteri—171	8,487	752	719	715	694	713	696	682	742	677	699	670	728
Of other and unspecified parts of uterus—172-174	5,929	520	494	486	464	507	485	529	478	495	538	458	475
Of ovary, fallopian tube, and broad ligament—175	8,046	707	645	669	649	667	648	691	726	665	699	628	652
Of other and unspecified female genital organs—176	816	70	66	72	58	67	81	69	57	69	68	71	68
Of prostate—177	14,452	1,284	1,127	1,211	1,190	1,172	1,183	1,211	1,207	1,143	1,227	1,233	1,264
All other and unspecified male genital organs—178,179	939	84	75	81	85	66	78	79	68	79	89	70	85
Malignant neoplasm of urinary organs—180,181	12,804	1,075	1,067	1,045	1,086	1,045	1,045	1,097	1,105	1,036	1,050	1,054	1,099
Of kidney—180	4,939	374	414	408	404	409	421	423	445	421	416	392	412
Of bladder and other urinary organs—181	7,865	701	653	637	682	636	624	674	660	615	634	662	687
Malignant neoplasm of other and unspecified sites—156B,165,190-199	29,561	2,504	2,341	2,484	2,276	2,466	2,455	2,426	2,548	2,481	2,579	2,482	2,519
Of skin—190,191	4,009	344	304	320	304	366	346	344	315	322	332	344	368
Of eye—192	417	36	33	39	23	33	35	27	31	41	37	39	43
Of brain and other parts of nervous system—193	6,184	524	504	521	472	488	510	500	520	568	544	509	524
Of thyroid gland—194	1,040	81	87	78	84	93	83	102	81	86	76	86	103
Of bone—196	1,811	155	136	174	135	153	156	159	160	131	163	154	135
Of connective tissue—197	1,076	83	96	91	79	86	103	85	98	79	92	88	96
Of other specified sites, not stated to be secondary—195,199A	1,492	131	120	117	124	124	124	112	128	131	133	111	137
Of unspecified sites—156B,165,198,199B	13,532	1,150	1,061	1,144	1,055	1,123	1,098	1,097	1,215	1,123	1,202	1,151	1,113
Leukemia and aleukemia—204	12,725	1,083	1,111	1,039	950	1,029	1,058	1,082	1,077	1,057	1,096	1,042	1,101
Lymphosarcoma and other neoplasms of lymphatic and hematopoietic tissues—200-203,205	12,958	1,145	1,050	1,019	1,033	1,123	1,048	1,039	1,064	1,089	1,086	1,096	1,166
Lymphosarcoma and reticulosarcoma—200	5,902	522	468	437	477	511	491	470	504	529	469	502	502
Hodgkin's disease—201	3,075	272	252	249	240	261	247	248	246	244	260	244	312
Other neoplasms of lymphatic and hematopoietic tissues—202,203,205	3,981	351	330	333	316	351	310	321	314	316	337	350	352
Benign neoplasms and neoplasms of unspecified nature—210-239	4,893	425	432	420	387	364	432	446	408	366	399	422	392
Benign neoplasms of female genital organs—214-217	505	41	46	40	42	34	64	47	53	36	34	33	35
Benign neoplasm of brain and other parts of nervous system—223	967	87	69	78	81	72	80	91	82	86	83	91	67
Other benign neoplasms—210-213,218-222,224-229	937	87	81	86	68	79	84	69	69	68	74	82	90
Neoplasm of unspecified nature of female genital organs—233-235	27	1	3	4	2	2	1	5	4	-	1	3	1
Neoplasm of unspecified nature of brain and other parts of nervous system—237	1,601	126	142	124	127	117	135	157	124	121	153	138	137
Other neoplasms of unspecified nature—230-232,236,238,239	856	83	91	88	67	60	68	77	76	55	54	75	62
III. Allergic, endocrine system, metabolic, and nutritional diseases	41,221	4,160	4,008	3,740	3,200	3,372	3,157	3,078	3,012	3,036	3,396	3,249	3,813
Asthma—241	5,394	612	585	481	431	417	343	374	356	405	499	409	482
Nontoxic goiter—250,251	88	13	12	7	10	7	9	4	6	2	6	3	9
Thyrotoxicosis with or without goiter—252	532	51	59	42	42	43	45	40	37	44	33	46	50
All other diseases of thyroid gland—253,254	336	20	25	31	34	35	34	23	21	19	17	41	38
Diabetes mellitus—260	29,971	2,933	2,857	2,717	2,318	2,486	2,351	2,277	2,228	2,195	2,432	2,386	2,791
Diseases of thymus gland—273	136	11	21	11	10	13	16	12	4	6	9	10	13
Diseases of adrenal glands—274	420	49	40	23	31	37	34	33	41	33	32	19	48
Pellagra—281	42	5	2	-	2	5	2	2	1	6	3	9	5
Other avitaminoses and nutritional deficiency states—280,282-286	1,775	217	189	178	136	143	124	112	116	143	136	123	158
All other allergic, endocrine, and metabolic diseases—240,242-245,270-272,275-277,287-289	2,525	249	218	250	186	186	199	201	202	183	229	203	219
IV. Diseases of the blood and blood-forming organs	5,104	440	439	462	432	410	443	407	409	390	429	380	443
Anemias—290-293	3,330	284	303	319	273	287	296	261	287	247	287	237	289
Pernicious and other hyperchromic anemias—290	641	55	63	64	43	58	55	53	54	43	44	39	70
Anemias of other and unspecified type—291-293	2,689	229	240	255	230	209	241	208	213	204	243	198	219
Purpura and other hemorrhagic conditions—296	681	62	57	59	69	55	67	48	51	55	56	50	52
Other diseases of blood and blood-forming organs—294,295,297-299	1,093	94	79	104	90	88	80	96	91	88	86	93	102
V. Mental, psychoneurotic, and personality disorders	4,487	445	467	420	362	362	314	353	300	327	332	359	446
Senile psychosis—304	396	50	47	38	37	20	37	29	24	28	29	25	32
Alcoholic psychosis—307	438	37	33	39	42	38	41	38	30	45	33	30	32
Other psychoses—300-303,305,306,308,309	862	68	73	55	34	46	42	60	48	55	58	56	67
Alcoholism—322	2,235	219	233	217	184	194	145	163	143	147	169	182	239
Mental deficiency—325	483	53	50	51	41	41	35	33	27	33	27	37	55
Other disorders of personality—310-321,323,324,326	273	18	31	20	24	23	14	30	28	19	16	29	21
VI. Diseases of the nervous system and sense organs	208,321	20,388	19,011	19,168	16,776	16,867	16,108	16,449	15,432	15,208	16,803	16,930	19,181
Vascular lesions affecting central nervous system—330-334	193,588	18,867	17,688	17,871	15,595	15,644	14,969	15,329	14,370	14,147	15,598	15,738	17,772
Subarachnoid hemorrhage—330	6,699	610	523	627	553	556	536	541	501	496	564	575	617
Cerebral hemorrhage—331	110,855	10,765	10,236	10,478	8,956	8,995	8,563	8,635	8,218	8,041	8,963	8,861	10,144
Cerebral embolism and thrombosis—332	58,689	5,738	5,306	5,249	4,706	4,736	4,549	4,664	4,414	4,347	4,649	4,900	5,431
Other vascular lesions affecting central nervous system—333,334	17,345	1,754	1,623	1,517	1,380	1,357	1,321	1,489	1,237	1,263	1,422	1,402	1,580

Table 5-7. Deaths From 255 Selected Causes, by Month: United States, 1960—Con.

(Data refer only to deaths occurring within the United States, including Alaska and Hawaii. Excludes fetal deaths. Numbers after causes of death are category numbers of the Seventh Revision of the International Lists, 1955)

CAUSE OF DEATH	Total	Jan.	Feb.	Mar.	Apr.	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.
VI. Diseases of the nervous system and sense organs—Con.													
Meningitis, except meningococcal and tuberculous—340	2,316	267	203	234	205	192	165	132	116	149	188	207	258
Multiple sclerosis—345	1,484	141	121	143	120	115	110	129	112	103	134	121	135
Paralysis agitans—350	2,898	300	250	254	209	236	216	240	237	230	238	251	257
Cerebral spastic infantile paralysis—351	746	78	71	70	66	68	62	59	37	50	64	54	67
Epilepsy—353	1,989	198	182	168	165	188	180	147	150	142	151	130	188
Inflammatory diseases of eye—370-379	13	3	-	1	1	1	1	-	2	-	1	2	1
Cataract—365	21	4	-	-	3	3	2	1	1	2	2	1	2
Glaucoma—367	6	1	-	1	-	-	-	2	-	-	-	2	-
Otitis media and mastoiditis—391-393	384	65	34	39	53	25	23	24	28	16	26	24	27
Other diseases of nervous system and sense organs—341-344,352,354-369,380-384,386,388-390,394-398	4,876	464	462	407	359	395	380	386	379	369	401	400	474
VII. Diseases of the circulatory system	730,047	70,958	68,388	67,296	58,857	59,543	55,700	55,386	53,498	53,106	59,875	59,614	67,826
Diseases of heart—400-402,410-443	661,712	64,122	61,695	60,934	53,299	54,148	50,541	50,176	48,453	48,175	54,315	54,157	61,697
Rheumatic fever—400-402	734	86	68	52	76	57	67	67	58	32	59	57	55
Chronic rheumatic heart disease—410-416	17,677	1,821	1,730	1,590	1,432	1,440	1,330	1,351	1,305	1,314	1,393	1,449	1,522
Diseases of mitral valve—410	6,448	685	647	589	512	535	473	496	468	469	484	543	547
Diseases of aortic valve specified as rheumatic—411	1,882	184	154	167	148	160	133	173	128	140	155	153	187
Diseases of pulmonary valve and other endocarditis, specified as rheumatic—413-414	957	83	86	96	86	74	80	78	60	77	76	80	81
Other rheumatic heart diseases—412,415,416	8,390	869	843	738	686	671	644	604	649	628	678	673	707
Arteriosclerotic heart disease, including coronary disease—420	494,282	47,042	45,275	45,159	39,881	40,633	37,913	37,520	36,362	36,299	40,936	40,638	46,624
Arteriosclerotic heart disease so described—420.0	206,499	20,108	19,352	18,874	16,607	16,612	15,680	15,551	14,928	15,116	17,291	17,059	19,321
Heart disease specified as involving coronary arteries—420.1	287,239	26,874	25,883	26,239	23,226	23,980	22,185	21,933	21,385	21,152	23,593	23,533	27,256
Angina pectoris without mention of coronary disease—420.2	544	60	40	46	48	41	48	36	49	31	52	46	47
Chronic endocarditis not specified as rheumatic—421	4,945	520	476	476	412	373	419	391	357	324	378	379	440
Of mitral valve, specified as nonrheumatic—421.0	294	32	27	25	27	18	20	15	23	26	24	24	33
Of aortic valve, not specified as rheumatic—421.1	2,141	214	205	203	180	160	186	159	167	150	170	176	171
Of other valves, not specified as rheumatic—421.2-421.4	2,510	274	244	248	205	195	213	217	167	148	184	179	236
Other myocardial degeneration—422	52,084	5,386	5,199	4,883	4,171	4,099	3,908	3,938	3,741	3,722	4,111	4,263	4,663
With arteriosclerosis—422.1	38,054	3,839	3,629	3,572	2,986	2,942	2,894	2,918	2,749	2,737	3,035	3,221	3,532
Without mention of arteriosclerosis—422.0,422.2	14,030	1,547	1,570	1,311	1,185	1,157	1,014	1,020	992	985	1,076	1,042	1,131
Other diseases of heart—430-434	25,682	2,536	2,530	2,403	1,999	2,068	1,849	2,002	1,893	1,853	2,110	2,122	2,317
Acute and subacute endocarditis—430	734	59	63	52	77	54	51	64	62	65	67	61	59
Acute myocarditis and acute pericarditis, not specified as rheumatic—431,432	939	92	92	85	91	74	46	69	69	80	74	89	78
Functional disease of heart—433	5,600	536	537	541	435	443	400	452	441	407	444	472	492
Other and unspecified diseases of heart—434	18,409	1,849	1,838	1,725	1,396	1,497	1,352	1,417	1,321	1,301	1,525	1,500	1,688
Hypertensive heart disease—440-443	66,308	6,731	6,417	6,371	5,328	5,478	5,055	4,907	4,737	4,631	5,328	5,249	6,076
Hypertensive heart disease with arteriolar nephrosclerosis—442	15,740	1,615	1,515	1,541	1,294	1,272	1,183	1,196	1,128	1,091	1,257	1,237	1,411
Other hypertensive heart disease—440,441,443	50,568	5,116	4,902	4,830	4,034	4,206	3,872	3,711	3,609	3,540	4,071	4,012	4,665
Other hypertensive disease—444-447	12,662	1,291	1,241	1,198	1,061	1,037	926	1,002	938	861	980	1,018	1,109
Hypertension with arteriolar nephrosclerosis—446	6,498	664	645	599	536	534	452	533	491	434	497	534	579
Essential hypertension and other hypertensive disease without mention of heart—444,445,447	6,164	627	596	599	525	503	474	469	447	427	483	484	530
Diseases of arteries—450-456	47,079	4,687	4,630	4,306	3,831	3,690	3,583	3,570	3,454	3,422	3,881	3,784	4,241
General arteriosclerosis—450	35,876	3,652	3,630	3,299	2,839	2,784	2,718	2,752	2,632	2,558	2,935	2,842	3,235
Aortic aneurysm, nonsyphilitic, and dissecting aneurysm—451	8,271	789	745	720	725	670	621	601	604	644	703	695	754
Gangrene of unspecified cause—455	258	21	19	21	22	21	25	24	27	16	20	23	19
Other arterial diseases—452-454,456	2,674	225	236	266	245	215	219	193	191	204	223	224	233
Diseases of veins and other diseases of circulatory system—460-468	8,594	858	822	858	666	668	650	638	653	648	699	655	779
VIII. Diseases of the respiratory system	94,166	12,895	15,620	10,779	6,804	6,031	5,221	5,053	4,758	5,139	6,472	6,716	8,678
Acute upper respiratory infections—470-475	911	127	117	92	83	66	38	40	30	47	63	93	115
Influenza—480-483	7,872	1,593	3,472	1,495	302	145	70	57	53	78	166	176	265
Pneumonia, except pneumonia of newborn—490-493	58,931	8,081	9,028	6,612	4,311	3,803	3,304	3,198	3,087	3,247	4,098	4,392	5,790
Lobar pneumonia—490	10,032	1,499	1,688	1,200	697	639	553	473	466	466	652	723	976
Bronchopneumonia—491	34,405	4,650	5,054	3,760	2,606	2,261	2,025	1,971	1,900	1,993	2,409	2,556	3,220
Primary atypical pneumonia—492	5,331	700	770	582	391	340	263	261	269	310	456	408	581
Pneumonia, other and unspecified—493	9,163	1,232	1,516	1,070	617	563	463	493	432	478	581	705	1,013
Acute bronchitis—500	1,170	190	147	119	93	73	58	50	48	53	90	95	154
Bronchitis, chronic and unqualified—501,502	3,173	363	403	310	271	247	201	178	188	196	244	259	315
Hypertrophy of tonsils and adenoids—510	132	8	14	13	16	6	21	12	7	9	10	8	8
Empyema and abscess of lung—518,521	879	89	97	76	68	72	71	68	61	56	78	61	82
Pleurisy—519	181	22	16	20	19	8	15	15	10	17	14	11	14
Emphysema without mention of bronchitis—527.1	9,253	1,116	1,031	894	705	685	656	641	564	631	758	729	843
Other respiratory diseases—511-517,520,522-527.0,527.2	11,664	1,306	1,295	1,148	936	926	787	794	730	805	951	892	1,094
IX. Diseases of the digestive system	66,484	6,088	5,692	5,582	5,231	5,343	5,137	5,152	5,393	5,318	5,775	5,699	6,076
Diseases of teeth and supporting structures—530-535	85	4	8	11	7	7	7	6	10	9	7	4	5
Ulcer of stomach—540	5,707	533	512	465	438	493	447	428	433	445	469	538	506
Ulcer of duodenum—541	5,653	536	489	492	474	430	424	410	407	476	513	472	530
Gastritis and duodenitis—543	393	40	35	28	28	26	31	33	33	27	30	46	36
Appendicitis—550-553	1,871	141	164	148	171	161	145	158	182	162	161	138	140
Hernia and intestinal obstruction—560,561,570	9,081	760	784	774	735	706	749	737	774	711	748	749	854
Gastroenteritis and colitis, except ulcerative, age 4 weeks and over—571	4,406	502	349	324	262	253	265	350	352	389	437	489	434
Chronic enteritis and ulcerative colitis—572	3,133	249	273	271	281	239	252	264	257	258	269	246	274
Cirrhosis of liver—581	20,296	1,906	1,719	1,673	1,566	1,718	1,570	1,553	1,635	1,568	1,761	1,728	1,899
Without mention of alcoholism—581.0	13,660	1,282	1,161	1,157	1,074	1,147	1,028	1,031	1,065	1,039	1,173	1,175	1,328
With alcoholism—581.1	6,636	624	558	516	492	571	542	522	570	529	588	553	571

Table 5-7. Deaths From 255 Selected Causes, by Month: United States, 1960—Con.

(Data refer only to deaths occurring within the United States, including Alaska and Hawaii. Excludes fetal deaths. Numbers after causes of death are category numbers of the Seventh Revision of the International Lists, 1955)

CAUSE OF DEATH	Total	Jan.	Feb.	Mar.	Apr.	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.
IX. Diseases of the digestive system—Con.													
Cholelithiasis, cholecystitis, and cholangitis-------584,585	4,619	384	373	419	398	390	394	344	369	387	406	339	406
Fibrocystic disease of pancreas----------587B	606	63	58	45	45	45	49	51	42	61	54	49	44
Other diseases of digestive system----------536-539, 542,544,545,573-580,582,583,586,587.0,587.1,587A	10,634	970	928	932	826	875	804	818	899	815	918	901	948
X. Diseases of the genitourinary system----------	30,313	2,789	2,736	2,683	2,492	2,492	2,475	2,393	2,386	2,283	2,480	2,450	2,654
Nephritis and nephrosis----------590-594	13,684	1,336	1,264	1,252	1,128	1,190	1,114	1,062	1,017	974	1,076	1,069	1,202
Acute nephritis----------590	790	79	71	65	63	86	68	60	62	54	65	48	69
Nephritis with edema, including nephrosis----------591	861	68	67	80	81	84	72	59	74	71	66	58	81
Chronic and unspecified nephritis and other renal sclerosis----------592-594	12,033	1,189	1,126	1,107	984	1,020	974	943	881	849	945	963	1,052
Infections of kidney----------600	7,645	675	630	617	616	583	629	602	638	614	657	681	703
Calculi of urinary system----------602,604	1,216	110	114	107	105	100	99	86	116	84	119	88	88
Other diseases of urinary system----------601,603,605-609	2,103	177	196	181	155	157	182	175	177	169	172	168	194
Hyperplasia of prostate----------610	4,449	378	425	441	392	364	338	353	350	336	358	343	370
Diseases of breast----------620,621	12	-	1	2	-	-	2	1	1	2	-	2	1
Other diseases of genital organs----------611-617,622-637	1,204	113	106	83	96	98	110	114	87	104	98	99	96
XI. Deliveries and complications of pregnancy, childbirth, and the puerperium----------	1,579	141	117	123	139	139	135	130	144	136	119	113	143
Sepsis of pregnancy, childbirth, and puerperium----------640,641,681,682,684	165	11	13	12	11	21	20	13	11	12	8	13	20
Toxemias of pregnancy and puerperium, except abortion with toxemia----------642,685,686	303	29	19	22	41	21	25	26	33	24	22	18	23
Hemorrhage of pregnancy and childbirth------643,644,670-672	268	24	18	13	21	30	25	14	20	26	23	28	26
Ectopic pregnancy----------645	119	9	5	16	10	9	14	6	13	9	12	7	9
Abortion without mention of sepsis or toxemia----------650	88	8	1	6	10	8	8	12	13	9	3	3	7
Abortion with sepsis----------651	191	14	14	15	15	16	12	19	16	20	14	16	20
Abortion with toxemia, without mention of sepsis--------652	10	2	-	1	1	-	-	1	-	1	2	-	2
Other complications of pregnancy, childbirth, and puerperium, and delivery without mention of complication----------646-649,660,673-680,683,687-689	435	44	47	38	30	34	31	39	38	35	35	28	36
XII. Diseases of the skin and cellular tissue-------	2,069	187	161	182	181	149	178	136	214	150	171	181	159
Infections of skin and subcutaneous tissue----------690-698	632	46	67	60	60	54	55	40	71	41	55	44	39
Other diseases of skin and subcutaneous tissue------700-716	1,437	141	114	122	121	95	123	96	143	109	116	137	120
XIII. Diseases of the bones and organs of movement--	3,596	331	319	331	328	292	287	273	258	264	310	315	308
Arthritis and spondylitis----------720-725	1,995	170	174	186	165	165	158	160	142	150	169	173	183
Muscular rheumatism and rheumatism unspecified------726,727	22	1	3	5	-	2	1	4	1	2	1	1	1
Osteomyelitis and periostitis----------730	175	19	12	12	13	8	20	19	14	17	21	11	9
Ankylosis and acquired musculoskeletal deformities----------737,745-749	100	8	9	9	8	13	6	7	7	7	9	10	7
Inborn defect of muscle----------744.1	573	61	57	55	67	38	36	20	45	34	49	56	55
Other diseases of musculoskeletal system----------731-736,738-744.0,744.2	731	72	64	64	75	66	46	63	49	54	61	64	53
XIV. Congenital malformations----------	21,860	1,996	1,722	1,888	1,756	1,769	1,717	1,712	1,784	1,848	1,868	1,815	1,985
Spina bifida and meningocele----------751	1,215	105	88	96	102	98	91	107	91	110	96	120	111
Congenital hydrocephalus and other congenital malformations of nervous system and sense organs---752,753	2,503	237	205	224	188	209	183	185	190	203	225	223	231
Congenital malformations of circulatory system----------754	11,272	1,032	906	1,001	908	888	904	893	913	954	960	907	1,006
Other congenital malformations----------750,755-759	6,870	622	523	567	558	574	539	527	590	581	587	565	637
XV. Certain diseases of early infancy----------	67,094	5,342	4,925	5,232	5,285	5,849	5,808	6,002	5,857	5,611	5,989	5,466	5,726
XVI. Symptoms, senility, and ill-defined conditions-	20,365	1,935	2,116	2,043	1,480	1,524	1,505	1,534	1,438	1,365	1,613	1,736	2,096
Senility without mention of psychosis----------794	2,639	308	260	278	203	190	222	182	166	163	222	196	249
Symptoms, ill-defined, and unknown causes--------780-793,795	17,746	1,627	1,856	1,765	1,277	1,334	1,283	1,352	1,272	1,202	1,391	1,540	1,847
XVII. Accidents, poisonings, and violence----------	121,349	10,063	8,890	9,457	9,552	10,364	10,285	10,943	10,495	9,818	10,385	10,072	11,025
Accidents----------E800-E962	93,806	7,773	6,753	7,142	7,176	7,932	8,054	8,548	8,135	7,607	8,039	7,818	8,829
Railway accidents----------E800-E802	1,023	82	53	82	78	82	92	115	98	106	95	79	61
Motor vehicle accidents----------E810-E835	38,137	2,854	2,399	2,399	2,905	3,242	3,246	3,463	3,470	3,421	3,735	3,482	3,521
Motor vehicle traffic accidents----------E810-E825	37,142	2,812	2,367	2,344	2,821	3,155	3,127	3,345	3,359	3,308	3,648	3,394	3,462
Motor vehicle traffic accident involving collision with railway train----------E810	1,368	191	116	150	85	70	99	83	90	65	108	140	171
Motor vehicle traffic accident to pedestrian-----E812	7,284	644	596	461	573	549	524	527	546	655	778	708	723
Other motor vehicle traffic accidents involving collision----------E811,E813-E819	15,282	1,110	919	997	1,120	1,318	1,321	1,427	1,521	1,351	1,467	1,337	1,394
Motor vehicle noncollision traffic accidents----------E820-E824	10,279	659	570	574	832	961	910	987	938	962	998	948	942
Motor vehicle traffic accident of unspecified nature----------E825	2,929	208	166	162	211	257	273	321	264	275	297	263	232
Motor vehicle nontraffic accidents----------E830-E835	995	42	32	55	84	87	119	118	111	113	87	88	59
Other road vehicle accidents----------E840-E845	243	11	6	7	21	23	32	36	33	24	24	13	13
Water transport accidents----------E850-E858	1,478	54	51	52	122	212	214	221	205	113	109	80	45
Aircraft accidents----------E860-E866	1,475	187	73	134	94	105	133	119	90	103	194	54	189
Accidental poisoning by solid and liquid substances----------E870-E888	1,679	149	125	129	142	156	155	152	136	117	113	156	149
Accidental poisoning by gases and vapors--------E890-E895	1,253	224	152	187	73	45	33	26	35	33	80	123	242
Accidental falls----------E900-E904	19,023	1,757	1,634	1,613	1,464	1,559	1,522	1,487	1,524	1,570	1,574	1,530	1,779
Fall from one level to another----------E900-E902	6,019	494	425	419	469	511	533	523	529	562	518	515	521
Fall on same level----------E903	3,689	391	340	368	273	296	247	261	282	283	300	279	369
Unspecified falls----------E904	9,315	872	869	826	722	752	742	713	713	725	756	736	889
Blow from falling or projected object or missile----------E910	1,404	108	119	117	147	127	120	112	119	100	118	133	84
Accident caused by machinery----------E912	1,951	95	113	125	171	210	193	208	206	196	184	154	96

Table 5-7. Deaths From 255 Selected Causes, by Month: United States, 1960—Con.

(Data refer only to deaths occurring within the United States, including Alaska and Hawaii. Excludes fetal deaths. Numbers after causes of death are category numbers of the Seventh Revision of the International Lists, 1955)

	Total	Jan.	Feb.	Mar.	Apr.	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.
XVII. Accidents, poisonings, and violence—Con.													
Accidents—Con.													
Accident caused by electric current—E914	989	29	36	55	78	70	125	150	164	120	70	60	32
Accident caused by fire and explosion of combustible material—E916	7,645	942	870	1,018	610	504	336	347	281	358	452	721	1,206
Accident caused by hot substance, corrosive liquid, steam, and radiation—E917,E918	402	36	38	38	44	41	19	25	34	22	29	36	40
Accident caused by firearm—E919	2,334	224	157	130	168	151	141	162	172	149	285	328	267
Inhalation and ingestion of food or other object causing obstruction or suffocation—E921,E922	2,397	242	182	212	172	177	181	167	201	190	201	211	261
Accidental drowning—E929	5,232	162	145	210	374	602	895	1,119	770	436	219	146	154
Excessive heat and insolation—E951	168	-	1	1	1	-	35	55	34	36	4	1	-
Complications due to nontherapeutic medical and surgical procedures, therapeutic misadventure, and late complications of therapeutic procedures—E940-E959	1,115	76	97	96	86	97	99	84	85	97	104	90	104
All other accidents—E911,E913, E915,E920,E923-E928,E930,E932-E936,E960-E962	5,858	541	502	537	426	529	483	490	478	416	449	421	586
Suicide—E963,E970-E979	19,041	1,601	1,481	1,669	1,705	1,751	1,568	1,601	1,579	1,489	1,626	1,532	1,439
Suicide by poisoning—E970-E973	4,330	376	350	339	345	397	366	358	340	349	424	371	315
Suicide by hanging and strangulation—E974	3,366	284	261	303	303	329	281	301	278	260	262	266	238
Suicide by firearm and explosive—E976	9,017	751	704	827	841	818	715	719	737	696	752	730	727
Suicide by all other means—E963,E975,E977-E979	2,328	190	166	200	216	207	206	223	224	184	188	165	159
Homicide—E964,E980-E985	8,464	686	649	641	671	680	660	790	777	720	717	719	754
Assault by firearm and explosive—E981	4,627	385	358	346	363	368	340	424	416	373	383	418	453
Assault by cutting and piercing instruments—E982	1,836	130	137	146	150	161	150	173	165	170	176	130	148
Assault by other means—E964,E980,E983	1,700	144	137	128	138	121	133	168	165	151	138	142	135
Injury by intervention of police—E984	245	21	14	17	17	18	30	21	27	22	18	25	15
Execution—E985	56	6	3	4	3	12	7	4	4	4	2	4	3
Injury resulting from operations of war—E965,E990-E999	38	3	7	5	-	1	3	4	4	2	3	3	3

Table 5-8. Deaths From 255 Selected Causes, by

(Data refer only to deaths occurring within the United States, including Alaska and Hawaii. Excludes fetal deaths.

	Intermediate List number[1]	CAUSE OF DEATH	ALL RACES		
			Total	Male	Female
1		ALL CAUSES	1,711,982	975,648	736,334
2		I. Infective parasitic diseases	21,387	14,138	7,249
3		Tuberculosis, all forms 001-019	10,866	7,887	2,979
4	A 1	Tuberculosis of respiratory system 001-008	10,089	7,440	2,649
5	A 2	Tuberculosis of meninges and central nervous system 010	228	124	104
6	A 3	Tuberculosis of intestines, peritoneum, and mesenteric glands 011	48	27	21
7	A 4	Tuberculosis of bones and joints 012,013	80	43	37
8	A 5 pt.	Tuberculosis of other organs and systems 014-018	176	107	69
9	A 5 pt.	Disseminated tuberculosis 019	245	146	99
10		Syphilis and its sequelae 020-029	2,945	2,145	800
11	A 6	Congenital syphilis 020	44	34	10
12	A 7	Early syphilis 021	-	-	-
13	A 10 pt.	Aneurysm of aorta 022	1,337	977	360
14	A 10 pt.	Other cardiovascular syphilis 023	1,002	713	289
15	A 8	Tabes dorsalis 024	62	49	13
16	A 9	General paralysis of insane 025	204	150	54
17	A 10 pt.	Other syphilis of central nervous system 026	246	186	60
18	A 10 pt.	All other syphilis 027-029	50	36	14
19	A 11	Gonococcal infection 030-035	38	28	10
20	A 12	Typhoid fever 040	21	11	10
21	A 13	Paratyphoid fever and other Salmonella infections 041,042	82	46	36
22	A 14	Cholera 043	-	-	-
23	A 15	Brucellosis (undulant fever) 044	6	4	2
24	A 16	Dysentery, all forms 045-048	355	189	166
25	A 43 pt.	Food poisoning (infection and intoxication) 049	56	29	27
26	A 17	Scarlet fever 050	14	7	7
27	A 18	Streptococcal sore throat 051	94	47	47
28	A 19	Erysipelas 052	22	13	9
29	A 20	Septicemia and pyemia 053	1,920	1,082	838
30	A 21	Diphtheria 055	69	32	37
31	A 22	Whooping cough 056	118	56	62
32	A 23	Meningococcal infections 057	644	372	272
33	A 24	Plague 058	-	-	-
34	A 25	Leprosy 060	6	3	3
35	A 26	Tetanus 061	231	134	97
36	A 27	Anthrax 062	-	-	-
37	A 28	Acute poliomyelitis 080	230	140	90
38	A 30 pt.	Late effects of acute poliomyelitis 081	148	82	66
39	A 29	Acute infectious encephalitis 082	528	275	253
40	A 30 pt.	Late effects of acute infectious encephalitis 083	88	46	42
41	A 31	Smallpox 084	-	-	-
42	A 32	Measles 085	380	198	182
43	A 33	Yellow fever 091	-	-	-
44	A 34	Infectious hepatitis 092	938	423	515
45	A 35	Rabies 094	2	1	1
46	A 36 pt.	Tick-borne typhus 104	11	7	4
47	A 36 pt.	All other rickettsial diseases 100-103,105-108	-	-	-
48	A 37	Malaria 110-117	4	3	1
49	A 38	Schistosomiasis 123	5	2	3
50	A 39	Hydatid disease 125	10	4	6
51	A 40	Filariasis 127	-	-	-
52	A 41	Ancylostomiasis 129	-	-	-
53	A 42	Other diseases due to helminths 124,126,128,130	56	23	33
54	A 43 pt.	All other infective and parasitic diseases 036-039,054,059,063-074,086-090,093,095,096,120-122,131-138	1,500	849	651
55		II. Neoplasms	272,520	145,770	126,750
56		Malignant neoplasms, including neoplasms of lymphatic and hematopoietic tissues 140-205	287,627	143,543	124,084
57	A 44	Malignant neoplasm of buccal cavity and pharynx 140-148	6,175	4,668	1,507
58		Of lip 140	216	196	20
59		Of tongue 141	1,545	1,179	366
60		Of other and unspecified parts of buccal cavity 142-144	1,944	1,355	589
61		Of pharynx 145-148	2,470	1,938	532
62		Malignant neoplasm of digestive organs and peritoneum, not specified as secondary 150-156A,157-159	91,033	49,792	41,243
63	A 45	Of esophagus 150	4,915	3,832	1,083
64	A 46	Of stomach 151	20,859	13,085	7,774
65	A 47 pt.	Of small intestine, including duodenum 152	769	405	364
66	A 47 pt.	Of large intestine, except rectum 153	28,537	13,010	15,527
67		Cecum, appendix, and ascending colon 153.0	4,189	1,779	2,410
68		Tranverse colon, including hepatic and splenic flexures 153.1	1,666	765	901
69		Descending colon 153.2	1,272	547	725
70		Sigmoid colon 153.3	6,403	3,131	3,272
71		Multiple parts of large intestine 153.7	71	38	33
72		Large intestine (including colon), part unspecified 153.8	13,379	6,078	7,301
73		Intestinal tract, part unspecified 153.9	1,557	672	885
74	A 48	Of rectum 154	10,855	6,117	4,738
75	A 57 pt.	Of biliary passages and of liver (stated to be primary site) 155	6,246	2,719	3,527
76		Liver 155.0	1,890	1,217	673
77		Other and multiple sites of biliary passages 155.1,155.8	4,356	1,502	2,854
78	A 57 pt.	Of liver not stated whether primary or secondary 156A	3,482	1,847	1,635
79	A 57 pt.	Of pancreas 157	13,675	7,982	5,693
80	A 57 pt.	Of peritoneum and of unspecified digestive organs 158,159	1,697	795	902
81		Malignant neoplasm of respiratory system, not specified as secondary 160-164	39,730	34,047	5,683
82	A 49	Of larynx 161	2,426	2,201	225
83	A 50 pt.	Of bronchus and trachea, and of lung specified as primary 162	18,342	16,164	2,178
84	A 50 pt.	Of lung, unspecified as to whether primary or secondary 163	18,078	15,093	2,985
85	A 57 pt.	Of other parts of respiratory system 160,164	884	589	295
86	A 51	Malignant neoplasm of breast 170	23,970	215	23,755

[1]See Intermediate (A) List of 150 Causes for Tabulation of Mortality, Manual of the International Statistical Classification of Diseases, Injuries, and Causes of Death, Volume 1, World Health Organization, Geneva, Switzerland, 1957.

Specified Race and Sex: United States, 1960

Numbers after causes of death are category numbers of the Seventh Revision of the International Lists, 1955)

WHITE			NEGRO			INDIAN			CHINESE			JAPANESE			OTHER RACES			
Total	Male	Female	Total	Male	Female	Total	Male	Female	Total	Male	Female	Total	Male	Female	Total	Male	Female	
1,505,335	860,857	644,478	196,010	107,701	88,309	4,528	2,658	1,870	1,620	1,328	292	2,354	1,572	782	2,135	1,532	603	1
16,049	10,718	5,331	4,953	3,173	1,780	224	118	106	53	47	6	42	32	10	66	50	16	2
8,163	6,050	2,113	2,501	1,700	801	107	59	48	36	33	3	21	18	3	38	27	11	3
7,685	5,777	1,908	2,235	1,544	691	84	47	37	32	30	2	19	17	2	34	25	9	4
120	67	53	94	51	43	11	5	6	1	-	1	-	-	-	2	1	1	5
25	13	12	21	13	8	1	-	1	-	-	-	-	-	-	1	1	-	6
61	33	28	16	9	7	1	-	1	-	-	-	1	1	-	1	-	1	7
140	81	59	29	21	8	5	4	1	1	1	-	1	-	1	-	-	-	8
132	79	53	106	62	44	5	3	2	2	2	-	-	-	-	-	-	-	9
2,019	1,492	527	895	626	269	8	5	3	7	7	-	5	4	1	11	11	-	10
25	21	4	18	12	6	1	1	-	-	-	-	-	-	-	-	-	-	11
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	12
1,076	801	275	254	170	84	-	-	-	-	-	-	4	3	1	3	3	-	13
547	385	162	435	311	124	7	4	3	6	6	-	-	-	-	7	7	-	14
50	41	9	12	8	4	-	-	-	-	-	-	-	-	-	-	-	-	15
137	102	35	65	46	19	-	-	-	1	1	-	1	1	-	-	-	-	16
150	116	34	96	70	26	-	-	-	-	-	-	-	-	-	-	-	-	17
34	26	8	15	9	6	-	-	-	-	-	-	-	-	-	1	1	-	18
12	10	2	26	18	8	-	-	-	-	-	-	-	-	-	-	-	-	19
11	6	5	9	4	5	1	1	-	-	-	-	-	-	-	-	-	-	20
58	32	26	24	14	10	-	-	-	-	-	-	-	-	-	-	-	-	21
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	22
5	3	2	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	23
203	109	94	127	66	61	24	13	11	-	-	-	-	-	-	1	1	-	24
40	23	17	14	6	8	2	-	2	-	-	-	-	-	-	-	-	-	25
13	7	6	1	-	1	-	-	-	-	-	-	-	-	-	-	-	-	26
82	42	40	11	4	7	-	-	-	1	1	-	-	-	-	-	-	-	27
21	13	8	1	-	1	-	-	-	-	-	-	-	-	-	-	-	-	28
1,519	864	655	375	204	171	18	7	11	6	5	1	1	1	-	1	1	-	29
44	23	21	25	9	16	-	-	-	-	-	-	-	-	-	-	-	-	30
45	19	26	67	32	35	5	4	1	-	-	-	-	-	-	1	1	-	31
507	290	217	118	72	46	15	9	6	1	-	1	2	1	1	1	-	1	32
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	33
5	2	3	-	-	-	-	-	-	-	-	-	1	1	-	-	-	-	34
123	66	57	105	65	40	-	-	-	-	-	-	2	2	-	1	1	-	35
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	36
194	115	79	31	23	8	3	1	2	-	-	-	-	-	-	2	1	1	37
141	78	63	6	4	2	1	-	1	-	-	-	-	-	-	-	-	-	38
457	232	225	63	39	24	6	2	4	-	-	-	1	1	-	1	1	-	39
86	45	41	2	1	1	-	-	-	-	-	-	-	-	-	-	-	-	40
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	41
280	150	130	83	40	43	14	8	6	1	-	1	2	-	2	-	-	-	42
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	43
795	360	435	131	59	72	7	-	7	1	1	-	3	3	-	1	-	1	44
1	-	1	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	45
11	7	4	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	46
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	47
3	2	1	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	48
5	2	3	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	49
10	4	6	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	50
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	51
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	52
20	8	12	35	15	20	-	-	-	-	-	-	1	-	1	-	-	-	53
1,176	664	512	300	169	131	13	9	4	-	-	-	3	1	2	8	6	2	54
246,879	132,146	114,733	24,251	12,704	11,547	352	157	195	320	249	71	477	333	144	241	181	60	55
242,712	130,183	112,529	23,559	12,456	11,103	339	152	187	311	243	68	471	331	140	235	178	57	56
5,629	4,274	1,355	505	361	144	4	2	2	26	23	3	5	4	1	6	4	2	57
207	189	18	9	7	2	-	-	-	-	-	-	-	-	-	-	-	-	58
1,402	1,074	328	137	101	36	2	1	1	2	2	-	1	-	1	1	1	-	59
1,777	1,250	527	160	100	60	1	-	1	1	1	-	3	3	-	2	1	1	60
2,243	1,761	482	199	153	46	1	1	-	23	20	3	1	1	-	3	2	1	61
82,463	44,669	37,794	7,982	4,711	3,271	128	51	77	122	102	20	258	192	66	82	67	15	62
4,006	3,122	884	862	667	195	5	3	2	12	12	-	27	25	2	3	3	-	63
18,223	11,315	6,908	2,433	1,629	804	31	12	19	27	20	7	118	88	30	27	21	6	64
708	377	331	60	28	32	-	-	-	-	-	-	1	-	1	-	-	-	65
26,683	12,147	14,536	1,751	790	961	27	10	17	26	23	3	32	25	7	18	15	3	66
3,971	1,679	2,292	205	91	114	3	1	2	4	3	1	4	3	1	2	2	-	67
1,584	730	854	78	33	45	2	1	1	-	-	-	1	1	-	1	-	1	68
1,189	510	679	79	34	45	-	-	-	1	1	-	2	1	1	1	1	-	69
6,065	2,965	3,100	308	144	164	6	2	4	9	8	1	9	6	3	6	6	-	70
68	36	32	2	1	1	-	-	-	-	-	-	1	1	-	-	-	-	71
12,360	5,604	6,756	974	443	531	14	4	10	12	11	1	12	11	1	7	5	2	72
1,446	623	823	105	44	61	2	2	-	-	-	-	3	2	1	1	1	-	73
10,038	5,702	4,336	769	381	388	11	6	5	12	8	4	16	12	4	9	8	1	74
5,756	2,422	3,334	409	248	161	28	9	19	20	17	3	25	16	9	8	7	1	75
1,622	1,011	611	237	182	55	1	-	1	16	14	2	10	7	3	4	3	1	76
4,134	1,411	2,723	172	66	106	27	9	18	4	3	1	15	9	6	4	4	-	77
3,095	1,640	1,455	358	187	171	5	1	4	10	10	-	7	4	3	7	5	2	78
12,456	7,241	5,215	1,145	692	453	20	9	11	13	10	3	31	22	9	10	8	2	79
1,498	703	795	195	89	106	1	1	-	2	2	-	1	-	1	-	-	-	80
36,182	31,012	5,170	3,315	2,838	477	35	24	11	76	65	11	62	53	9	60	55	5	81
2,173	1,979	194	242	212	30	1	-	1	3	3	-	3	3	-	4	4	-	82
16,722	14,711	2,011	1,507	1,356	151	17	12	5	31	28	3	33	27	6	32	30	2	83
16,505	13,803	2,702	1,469	1,205	264	16	11	5	41	33	8	24	21	3	23	20	3	84
782	519	263	97	65	32	1	1	-	1	1	-	2	2	-	1	1	-	85
22,053	186	21,867	1,856	28	1,828	23	-	23	10	1	9	19	-	19	9	-	9	86

Table 5-8. Deaths From 255 Selected Causes, by

(Data refer only to deaths occurring within the United States, including Alaska and Hawaii. Excludes fetal deaths.

	Intermediate List number[1]	CAUSE OF DEATH	ALL RACES		
			Total	Male	Female
		II. Neoplasms—Continued			
		Malignant neoplasms, including neoplasms of lymphatic and hematopoietic tissues—Continued			
1		Malignant neoplasm of genital organs---171-179	38,669	15,391	23,278
2	A 52	Of cervix uteri---171	8,487	...	8,487
3	A 53	Of other and unspecified parts of uterus---172-174	5,929	...	5,929
4	A 57 pt.	Of ovary, fallopian tube, and broad ligament---175	8,046	...	8,046
5	A 57 pt.	Of other and unspecified female genital organs---176	816	...	816
6	A 54	Of prostate---177	14,452	14,452	...
7	A 57 pt.	All other and unspecified male genital organs---178,179	939	939	...
8	A 57 pt.	Malignant neoplasm of urinary organs---180,181	12,804	8,585	4,219
9		Of kidney---180	4,939	3,145	1,794
10		Of bladder and other urinary organs---181	7,865	5,440	2,425
11		Malignant neoplasm of other and unspecified sites---156B,165,190-199	29,561	15,895	13,666
12	A 55	Of skin---190,191	4,009	2,350	1,659
13	A 57 pt.	Of eye---192	417	220	197
14	A 57 pt.	Of brain and other parts of nervous system---193	6,184	3,700	2,484
15	A 57 pt.	Of thyroid gland---194	1,040	374	666
16	A 56 pt.	Of bone---196	1,811	1,064	747
17	A 56 pt.	Of connective tissue---197	1,076	630	446
18	A 57 pt.	Of other specified sites, not stated to be secondary---195,199A	1,492	931	561
19	A 57 pt.	Of unspecified sites---156B,165,198,199B	13,532	6,626	6,906
20	A 58	Leukemia and aleukemia---204	12,725	7,371	5,354
21	A 59	Lymphosarcoma and other neoplasms of lymphatic and hematopoietic tissues---200-203,205	12,958	7,579	5,379
22		Lymphosarcoma and reticulosarcoma---200	5,902	3,463	2,439
23		Hodgkin's disease---201	3,075	1,877	1,198
24		Other neoplasms of lymphatic and hematopoietic tissues---202,203,205	3,981	2,239	1,742
25	A 60	Benign neoplasms and neoplasms of unspecified nature---210-239	4,893	2,227	2,666
26		Benign neoplasms of female genital organs---214-217	505	...	505
27		Benign neoplasm of brain and other parts of nervous system---223	967	433	534
28		Other benign neoplasms---210-213,218-222,224-229	937	503	434
29		Neoplasm of unspecified nature of female genital organs---233-235	27	...	27
30		Neoplasm of unspecified nature of brain and other parts of nervous system---237	1,601	874	727
31		Other neoplasms of unspecified nature---230-232,236,238,239	856	417	439
32		III. Allergic, endocrine system, metabolic, and nutritional diseases---	41,221	18,164	23,057
33	A 66 pt.	Asthma---241	5,394	3,459	1,935
34	A 61	Nontoxic goiter---250,251	88	18	70
35	A 62	Thyrotoxicosis with or without goiter---252	532	96	436
36	A 66 pt.	All other diseases of thyroid gland---253,254	338	63	275
37	A 63	Diabetes mellitus---260	29,971	12,147	17,824
38	A 66 pt.	Diseases of thymus gland---273	136	82	54
39	A 66 pt.	Diseases of adrenal glands---274	420	202	218
40	A 64 pt.	Pellagra---281	42	17	25
41	A 64 pt.	Other avitaminoses and nutritional deficiency states---280,282-286	1,775	878	897
42	A 66 pt.	All other allergic, endocrine, and metabolic diseases---240,242-245,270-272,275-277,287-289	2,525	1,202	1,323
43		IV. Diseases of the blood and blood-forming organs---	5,104	2,535	2,569
44	A 65	Anemias---290-293	3,330	1,567	1,763
45		Pernicious and other hyperchromic anemias---290	641	254	387
46		Anemias of other and unspecified type---291-293	2,689	1,313	1,376
47	A 66 pt.	Purpura and other hemorrhagic conditions---296	681	332	349
48	A 66 pt.	Other diseases of blood and blood-forming organs---294,295,297-299	1,093	636	457
49		V. Mental, psychoneurotic, and personality disorders---	4,487	3,043	1,444
50	A 67 pt.	Senile psychosis---304	396	139	257
51	A 67 pt.	Alcoholic psychosis---307	438	395	43
52	A 67 pt.	Other psychoses---300-303,305,308,308,309	662	316	346
53	A 68 pt.	Alcoholism---322	2,235	1,765	470
54	A 69	Mental deficiency---325	483	265	218
55	A 68 pt.	Other disorders of personality---310-321,323,324,326	273	163	110
56		VI. Diseases of the nervous system and sense organs---	208,321	100,444	107,877
57	A 70	Vascular lesions affecting central nervous system---330-334	193,588	92,263	101,325
58		Subarachnoid hemorrhage---330	6,699	3,079	3,620
59		Cerebral hemorrhage---331	110,855	52,741	58,114
60		Cerebral embolism and thrombosis---332	58,689	28,309	30,380
61		Other vascular lesions affecting central nervous system---333,334	17,345	8,134	9,211
62	A 71	Meningitis, except meningococcal and tuberculous---340	2,316	1,358	958
63	A 72	Multiple sclerosis---345	1,484	642	842
64	A 78 pt.	Paralysis agitans---350	2,898	1,520	1,378
65	A 78 pt.	Cerebral spastic infantile paralysis---351	746	431	315
66	A 73	Epilepsy---353	1,989	1,220	769
67	A 74	Inflammatory diseases of eye---370-379	13	7	6
68	A 75	Cataract---385	21	10	11
69	A 76	Glaucoma---387	6	3	3
70	A 77	Otitis media and mastoiditis---391-393	384	229	155
71	A 78 pt.	Other diseases of nervous system and sense organs---341-344,352,354-369,380-384,386,388-390,394-398	4,876	2,761	2,115
72		VII. Diseases of the circulatory system---	730,047	423,753	306,294
73		Diseases of heart---400-402,410-443	661,712	388,205	273,507
74	A 79	Rheumatic fever---400-402	734	365	369
75	A 80	Chronic rheumatic heart disease---410-416	17,677	8,418	9,259
76		Diseases of mitral valve---410	6,448	2,818	3,630
77		Diseases of aortic valve specified as rheumatic---411	1,882	1,331	551
78		Diseases of pulmonary valve and other endocarditis, specified as rheumatic---413,414	957	455	502
79		Other rheumatic heart diseases---412,415,416	8,390	3,814	4,576

[1]See Intermediate (A) List of 150 Causes for Tabulation of Mortality, Manual of the International Statistical Classification of Diseases, Injuries, and Causes of Death, Volume 1, World Health Organization, Geneva, Switzerland, 1957.

Specified Race and Sex: United States, 1960—Con.

Numbers after causes of death are category numbers of the Seventh Revision of the International Lists, 1955)

WHITE			NEGRO			INDIAN			CHINESE			JAPANESE			OTHER RACES			
Total	Male	Female	Total	Male	Female	Total	Male	Female	Total	Male	Female	Total	Male	Female	Total	Male	Female	
33,649	13,491	20,158	4,887	1,855	3,032	59	16	43	19	9	10	41	16	25	14	4	10	1
6,820	...	6,820	1,615	...	1,615	28	...	28	5	...	5	13	...	13	6	...	6	2
5,107	...	5,107	806	...	806	9	...	9	2	...	2	3	...	3	2	...	2	3
7,498	...	7,498	530	...	530	5	...	5	3	...	3	8	...	8	2	...	2	4
733	...	733	81	...	81	1	...	1	-	...	-	1	...	1	-	...	-	5
12,635	12,635	...	1,777	1,777	...	14	14	...	9	9	...	14	14	...	3	3	...	6
856	856	...	78	78	...	2	2	...	-	-	...	2	2	...	1	1	...	7
11,851	8,026	3,825	904	519	385	18	14	4	7	7	-	17	14	3	7	5	2	8
4,615	2,946	1,669	295	177	118	14	11	3	2	2	-	7	5	2	6	4	2	9
7,236	5,080	2,156	609	342	267	4	3	1	5	5	-	10	9	1	1	1	-	10
26,929	14,570	12,359	2,486	1,226	1,260	44	26	18	34	26	8	39	27	12	29	20	9	11
3,831	2,254	1,577	170	89	81	2	2	-	1	-	1	2	2	-	3	3	-	12
388	209	179	28	10	18	1	1	-	-	-	-	-	-	-	-	-	-	13
5,803	3,485	2,318	355	197	158	7	5	2	4	4	-	9	5	4	6	4	2	14
960	348	612	72	23	49	1	1	-	3	1	2	2	-	2	2	1	1	15
1,641	960	681	158	96	62	2	2	-	5	2	3	4	3	1	1	1	-	16
975	574	401	96	52	44	1	1	-	1	1	-	2	1	1	1	1	-	17
1,358	855	503	126	72	54	1	-	1	2	2	-	3	1	2	2	1	1	18
11,973	5,885	6,088	1,481	687	794	29	14	15	18	16	2	17	15	2	14	9	5	19
11,922	6,929	4,993	750	403	347	15	10	5	8	4	4	17	14	3	13	11	2	20
12,034	7,026	5,008	874	515	359	13	9	4	9	6	3	13	11	2	15	12	3	21
5,578	3,264	2,314	299	180	119	2	1	1	8	6	2	7	6	1	8	6	2	22
2,880	1,748	1,132	188	123	65	3	3	-	1	-	1	2	2	-	1	1	-	23
3,576	2,014	1,562	387	212	175	8	5	3	-	-	-	4	3	1	6	5	1	24
4,167	1,963	2,204	692	248	444	13	5	8	9	6	3	6	2	4	6	3	3	25
304	...	304	201	...	201	-	...	-	-	...	-	-	...	-	-	...	-	26
873	389	484	89	41	48	2	1	1	-	-	-	1	1	-	2	1	1	27
819	444	375	107	54	53	3	2	1	1	1	-	5	1	4	2	1	1	28
19	...	19	7	...	7	1	...	1	-	...	-	-	...	-	-	...	-	29
1,401	763	638	185	103	82	5	2	3	8	5	3	-	-	-	2	1	1	30
751	367	384	103	50	53	2	-	2	-	-	-	-	-	-	-	-	-	31
35,676	15,994	19,682	5,228	1,992	3,236	126	61	65	63	43	20	71	44	27	57	30	27	32
4,655	3,067	1,588	699	367	332	8	5	3	5	3	2	12	10	2	15	7	8	33
71	14	57	15	4	11	1	-	1	-	-	-	-	-	-	1	-	1	34
440	81	359	91	15	76	-	-	-	1	-	1	-	-	-	-	-	-	35
308	61	247	28	2	26	1	-	1	-	-	-	1	-	1	-	-	-	36
26,121	10,761	15,360	3,637	1,268	2,369	80	35	45	53	37	16	49	29	20	31	17	14	37
115	70	45	17	10	7	2	1	1	-	-	-	-	-	-	2	1	1	38
365	174	191	48	23	25	5	4	1	-	-	-	1	-	1	1	1	-	39
29	14	15	13	3	10	-	-	-	-	-	-	-	-	-	-	-	-	40
1,420	679	741	329	182	147	13	8	5	3	2	1	5	4	1	5	3	2	41
2,152	1,073	1,079	351	118	233	16	8	8	1	1	-	3	1	2	2	1	1	42
4,332	2,150	2,182	740	363	377	11	8	3	6	4	2	7	4	3	8	6	2	43
2,727	1,279	1,448	587	278	309	6	4	2	3	2	1	4	2	2	3	2	1	44
600	235	365	40	19	21	-	-	-	1	-	1	-	-	-	-	-	-	45
2,127	1,044	1,083	547	259	288	6	4	2	2	2	-	4	2	2	3	2	1	46
593	288	305	79	37	42	3	3	-	-	-	-	2	1	1	4	3	1	47
1,012	583	429	74	48	26	2	1	1	3	2	1	1	1	-	1	1	-	48
3,569	2,411	1,158	856	580	276	47	40	7	5	5	-	7	5	2	3	2	1	49
360	119	241	32	18	14	1	-	1	1	1	-	2	1	1	-	-	-	50
375	341	34	58	51	7	5	3	2	-	-	-	-	-	-	-	-	-	51
568	280	288	90	33	57	2	1	1	1	1	-	1	1	-	-	-	-	52
1,643	1,327	316	546	396	150	38	35	3	2	2	-	3	3	-	3	2	1	53
446	245	201	35	19	16	1	1	-	-	-	-	1	-	1	-	-	-	54
177	99	78	95	63	32	-	-	-	1	1	-	-	-	-	-	-	-	55
181,536	87,351	94,185	25,797	12,432	13,365	345	202	143	133	104	29	325	211	114	185	144	41	56
169,053	80,488	88,567	23,707	11,222	12,485	247	141	106	129	102	27	294	186	108	158	126	32	57
5,556	2,559	2,997	1,081	483	598	13	8	5	11	8	3	24	13	11	14	8	6	58
95,509	45,474	50,035	14,876	6,957	7,919	139	76	63	71	59	12	174	106	68	86	69	17	59
53,002	25,456	27,546	5,466	2,697	2,769	61	35	26	40	30	10	75	52	23	45	39	6	60
14,986	6,997	7,989	2,284	1,085	1,199	34	22	12	7	5	2	21	15	6	13	10	3	61
1,608	959	649	643	359	284	49	30	19	2	2	-	6	3	3	8	5	3	62
1,391	603	788	93	39	54	-	-	-	-	-	-	-	-	-	-	-	-	63
2,816	1,475	1,341	75	39	36	1	-	1	-	-	-	4	4	-	2	2	-	64
651	372	279	89	55	34	3	2	1	-	-	-	3	2	1	-	-	-	65
1,470	876	594	492	324	168	19	14	5	-	-	-	2	1	1	6	5	1	66
9	4	5	4	3	1	-	-	-	-	-	-	-	-	-	-	-	-	67
18	9	9	3	1	2	-	-	-	-	-	-	-	-	-	-	-	-	68
5	2	3	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	69
311	191	120	63	30	33	5	4	1	-	-	-	2	2	-	3	2	1	70
4,204	2,374	1,830	627	359	268	21	11	10	2	-	2	14	13	1	8	4	4	71
663,835	387,934	275,901	63,450	33,853	29,597	819	501	318	569	488	81	751	508	243	623	469	154	72
602,876	358,267	246,609	56,333	30,135	26,198	732	453	279	525	456	69	661	448	213	585	446	139	73
571	287	284	155	74	81	5	2	3	-	-	-	-	-	-	3	2	1	74
16,319	7,751	8,568	1,267	613	654	30	19	11	24	17	7	12	4	8	25	14	11	75
5,957	2,578	3,379	454	222	232	10	6	4	12	7	5	4	-	4	11	5	6	76
1,788	1,270	518	85	53	32	3	3	-	1	1	-	2	2	-	3	2	1	77
907	428	479	48	25	23	1	1	-	1	1	-	-	-	-	-	-	-	78
7,667	3,475	4,192	680	313	367	16	9	7	10	8	2	6	2	4	11	7	4	79

Table 5-8. Deaths From 255 Selected Causes, by

(Data refer only to deaths occurring within the United States, including Alaska and Hawaii. Excludes fetal deaths.

	Intermediate List number[1]	CAUSE OF DEATH	ALL RACES		
			Total	Male	Female
		VII. Diseases of the circulatory system—Continued			
		Diseases of heart—Continued			
1	A 81 pt.	Arteriosclerotic heart disease, including coronary disease---420	494,282	307,377	186,905
2		Arteriosclerotic heart disease so described---420.0	206,499	114,059	92,440
3		Heart disease specified as involving coronary arteries---420.1	287,239	192,994	94,245
4		Angina pectoris without mention of coronary disease---420.2	544	324	220
5	A 81 pt.	Chronic endocarditis not specified as rheumatic---421	4,945	2,863	2,082
6		Of mitral valve, specified as nonrheumatic---421.0	294	136	158
7		Of aortic valve, not specified as rheumatic---421.1	2,141	1,448	693
8		Of other valves, not specified as rheumatic---421.2-421.4	2,510	1,279	1,231
9	A 81 pt.	Other myocardial degeneration---422	52,084	25,432	26,652
10		With arteriosclerosis---422.1	38,054	18,292	19,762
11		Without mention of arteriosclerosis---422.0,422.2	14,030	7,140	6,890
12	A 82	Other diseases of heart---430-434	25,682	14,893	10,789
13		Acute and subacute endocarditis---430	734	480	254
14		Acute myocarditis and acute pericarditis, not specified as rheumatic---431,432	939	513	426
15		Functional disease of heart---433	5,600	2,779	2,821
16		Other and unspecified diseases of heart---434	18,409	11,121	7,288
17	A 83	Hypertensive heart disease---440-443	66,308	28,857	37,451
18		Hypertensive heart disease with arteriolar nephrosclerosis---442	15,740	7,649	8,091
19		Other hypertensive heart disease---440,441,443	50,568	21,208	29,360
20	A 84	Other hypertensive disease---444-447	12,662	6,385	6,277
21		Hypertension with arteriolar nephrosclerosis---446	6,498	3,608	2,890
22		Essential hypertension and other hypertensive disease without mention of heart---444,445,447	6,164	2,777	3,387
23	A 85	Diseases of arteries---450-456	47,079	24,671	22,408
24		General arteriosclerosis---450	35,876	17,073	18,803
25		Aortic aneurysm, nonsyphilitic, and dissecting aneurysm---451	8,271	6,053	2,218
26		Gangrene of unspecified cause---455	258	141	117
27		Other arterial diseases---452-454,456	2,674	1,404	1,270
28	A 86	Diseases of veins and other diseases of circulatory system---460-468	8,594	4,492	4,102
29		VIII. Diseases of the respiratory system----	94,166	58,696	35,470
30	A 87	Acute upper respiratory infections---470-475	911	503	408
31	A 88	Influenza---480-483	7,872	4,096	3,776
32		Pneumonia, except pneumonia of newborn---490-493	58,931	34,030	24,901
33	A 89	Lobar pneumonia---490	10,032	6,252	3,780
34	A 90	Bronchopneumonia---491	34,405	19,641	14,764
35	A 91 pt.	Primary atypical pneumonia---492	5,331	3,036	2,295
36	A 91 pt.	Pneumonia, other and unspecified---493	9,163	5,101	4,062
37	A 92	Acute bronchitis---500	1,170	708	462
38	A 93	Bronchitis, chronic and unqualified---501,502	3,173	2,328	845
39	A 94	Hypertrophy of tonsils and adenoids---510	132	71	61
40	A 95	Empyema and abscess of lung---518,521	879	633	246
41	A 96	Pleurisy---519	181	115	66
42	A 97 pt.	Emphysema without mention of bronchitis---527.1	9,253	8,135	1,118
43	A 97 pt.	Other respiratory diseases---511-517,520,522-527.0,527.2	11,664	8,077	3,587
44		IX. Diseases of the digestive system----	66,484	39,976	26,508
45	A 98	Diseases of teeth and supporting structures---530-535	85	45	40
46	A 99	Ulcer of stomach---540	5,707	4,069	1,638
47	A 100	Ulcer of duodenum---541	5,653	4,438	1,215
48	A 101	Gastritis and duodenitis---543	393	240	153
49	A 102	Appendicitis---550-553	1,871	1,172	699
50	A 103	Hernia and intestinal obstruction---560,561,570	9,081	4,466	4,615
51	A 104 pt.	Gastroenteritis and colitis, except ulcerative, age 4 weeks and over---571	4,406	2,366	2,040
52	A 104 pt.	Chronic enteritis and ulcerative colitis---572	3,133	1,481	1,652
53	A 105	Cirrhosis of liver---581	20,296	13,483	6,813
54		Without mention of alcoholism---581.0	13,660	8,822	4,838
55		With alcoholism---581.1	6,636	4,661	1,975
56	A 106	Cholelithiasis, cholecystitis, and cholangitis---584,585	4,619	1,858	2,761
57	A 107 pt.	Fibrocystic disease of pancreas---587B	806	302	304
58	A 107 pt.	Other diseases of digestive system---536-539,542,544,545,573-580,582,583,586,587.0,587.1,587A	10,634	6,056	4,578
59		X. Diseases of the genitourinary system----	30,313	18,442	11,871
60		Nephritis and nephrosis---590-594	13,684	7,543	6,141
61	A 108	Acute nephritis---590	790	442	348
62	A 109 pt.	Nephritis with edema, including nephrosis---591	861	479	382
63	A 109 pt.	Chronic and unspecified nephritis and other renal sclerosis---592-594	12,033	6,622	5,411
64	A 110	Infections of kidney---600	7,645	3,861	3,784
65	A 111	Calculi of urinary system---602,604	1,216	687	529
66	A 114 pt.	Other diseases of urinary system---601,603,605-609	2,103	1,392	711
67	A 112	Hyperplasia of prostate---610	4,449	4,449	...
68	A 113	Diseases of breast---620,621	12	-	12
69	A 114 pt.	Other diseases of genital organs---611-617,622-637	1,204	510	694
70		XI. Deliveries and complications of pregnancy, childbirth, and the puerperium----	1,579	...	1,579
71	A 115	Sepsis of pregnancy, childbirth, and puerperium---640,641,681,682,684	165	...	165
72	A 116 pt.	Toxemias of pregnancy and puerperium, except abortion with toxemia---642,685,686	303	...	303
73	A 117	Hemorrhage of pregnancy and childbirth---643,644,670-672	268	...	268
74	A 120 pt.	Ectopic pregnancy---645	119	...	119
75	A 118	Abortion without mention of sepsis or toxemia---650	88	...	88
76	A 119	Abortion with sepsis---651	191	...	191
77	A 116 pt.	Abortion with toxemia, without mention of sepsis---652	10	...	10
78	A 120 pt.	Other complications of pregnancy, childbirth, and puerperium, and delivery without mention of complication---646-649,660,673-680,683,687-689	435	...	435

[1]See Intermediate (A) List of 150 Causes for Tabulation of Mortality, Manual of the International Statistical Classification of Diseases, Injuries, and Causes of Death, Volume 1, World Health Organization, Geneva, Switzerland, 1957.

Specified Race and Sex: United States, 1960 —Con.

Numbers after causes of death are category numbers of the Seventh Revision of the International Lists, 1955)

WHITE			NEGRO			INDIAN			CHINESE			JAPANESE			OTHER RACES			
Total	Male	Female	Total	Male	Female	Total	Male	Female	Total	Male	Female	Total	Male	Female	Total	Male	Female	
461,419	288,376	173,043	31,196	17,751	13,445	480	308	172	353	313	40	440	325	115	394	304	90	1
192,874	106,606	86,268	12,632	6,866	5,966	182	107	75	186	166	20	223	163	60	202	151	51	2
268,063	181,478	86,585	18,302	10,853	7,449	298	201	97	167	147	20	217	162	55	192	153	39	3
482	292	190	62	32	30	-	-	-	-	-	-	-	-	-	-	-	-	4
4,300	2,528	1,772	627	319	308	3	3	-	5	5	-	4	2	2	6	6	-	5
248	114	134	44	20	24	2	2	-	-	-	-	-	-	-	-	-	-	6
1,916	1,319	597	217	123	94	-	-	-	1	1	-	4	2	2	3	3	-	7
2,136	1,095	1,041	366	176	190	1	1	-	4	4	-	-	-	-	3	3	-	8
46,769	22,661	24,108	5,150	2,659	2,491	60	34	26	28	24	4	53	36	17	24	18	6	9
34,393	16,392	18,001	3,535	1,813	1,722	42	24	18	22	20	2	43	29	14	19	14	5	10
12,376	6,269	6,107	1,615	846	769	18	10	8	6	4	2	10	7	3	5	4	1	11
21,506	12,498	9,008	4,030	2,293	1,737	81	52	29	16	16	-	22	14	8	27	20	7	12
609	405	204	119	70	49	1	1	-	1	1	-	3	2	1	1	1	-	13
754	408	346	181	103	78	1	1	-	-	-	-	1	-	1	2	1	1	14
5,160	2,549	2,611	416	215	201	11	5	6	-	-	-	7	4	3	6	6	-	15
14,983	9,136	5,847	3,314	1,905	1,409	68	45	23	15	15	-	11	8	3	18	12	6	16
51,992	22,166	29,826	13,908	6,426	7,482	73	35	38	98	81	18	130	67	63	106	82	24	17
12,958	6,225	6,733	2,713	1,382	1,331	20	8	12	10	8	2	23	15	8	16	11	5	18
39,034	15,941	23,093	11,195	5,044	6,151	53	27	26	89	73	16	107	52	55	90	71	19	19
10,089	5,054	5,035	2,524	1,304	1,220	15	8	7	16	12	4	9	2	7	9	5	4	20
5,622	3,115	2,507	845	475	370	11	5	6	10	8	2	4	1	3	6	4	2	21
4,467	1,939	2,528	1,679	829	850	4	3	1	6	4	2	5	1	4	3	1	2	22
43,472	22,779	20,693	3,423	1,768	1,655	59	33	26	24	17	7	76	56	20	25	18	7	23
33,213	15,675	17,538	2,543	1,316	1,227	47	26	21	14	11	3	42	33	9	17	12	5	24
7,714	5,720	1,994	514	295	219	6	5	1	6	6	-	26	22	4	5	5	-	25
202	116	86	55	25	30	-	-	-	-	-	-	1	-	1	-	-	-	26
2,343	1,268	1,075	311	132	179	6	2	4	4	-	4	7	1	6	3	1	2	27
7,398	3,834	3,564	1,170	646	524	13	7	6	4	3	1	5	2	3	4	-	4	28
78,782	49,497	29,285	14,452	8,639	5,813	525	270	255	107	99	8	126	86	40	174	105	69	29
679	371	308	206	113	93	18	12	6	-	-	-	4	4	-	4	3	1	30
6,231	3,235	2,996	1,571	826	745	48	18	30	3	3	-	7	5	2	12	9	3	31
47,860	27,486	20,374	10,399	6,148	4,251	390	197	193	73	68	5	80	57	23	129	74	55	32
7,974	4,929	3,045	1,947	1,241	706	65	42	23	21	20	1	9	8	1	16	12	4	33
28,725	16,296	12,429	5,383	3,167	2,216	151	69	82	41	38	3	49	35	14	56	36	20	34
4,311	2,500	1,811	943	497	446	36	19	17	8	7	1	12	5	7	21	8	13	35
6,850	3,761	3,089	2,126	1,243	883	138	67	71	3	3	-	10	9	1	36	18	18	36
993	614	379	167	91	76	6	2	4	-	-	-	3	1	2	1	-	1	37
2,896	2,144	752	250	166	84	10	6	4	6	5	1	4	3	1	7	4	3	38
111	59	52	19	11	8	1	1	-	1	-	1	-	-	-	-	-	-	39
685	497	188	182	126	56	8	7	1	1	1	-	1	1	-	2	1	1	40
145	92	53	33	22	11	1	-	1	-	-	-	1	1	-	1	-	1	41
8,761	7,714	1,047	458	394	64	8	5	3	12	12	-	10	7	3	4	3	1	42
10,421	7,285	3,136	1,167	742	425	35	22	13	11	10	1	16	7	9	14	11	3	43
58,577	35,396	23,182	7,245	4,178	3,067	386	185	201	93	85	8	81	56	25	102	77	25	44
65	35	30	20	10	10	-	-	-	-	-	-	-	-	-	-	-	-	45
5,192	3,681	1,511	462	345	117	12	8	4	17	16	1	16	11	5	8	8	-	46
5,255	4,143	1,112	364	267	97	9	6	3	14	13	1	3	2	1	8	7	1	47
339	212	127	51	27	24	2	-	2	-	-	-	-	-	-	1	1	-	48
1,562	988	574	298	176	122	8	6	2	-	-	-	2	1	1	1	1	-	49
7,975	3,874	4,101	1,056	567	489	27	8	19	6	5	1	9	6	3	8	6	2	50
2,714	1,450	1,264	1,534	823	711	124	73	51	1	1	-	2	2	-	31	17	14	51
2,942	1,392	1,550	180	85	95	7	3	4	2	1	1	2	-	2	-	-	-	52
18,212	12,231	5,981	1,885	1,130	755	110	46	64	38	37	1	26	20	6	25	19	6	53
12,371	8,063	4,308	1,189	696	493	44	16	28	20	19	1	18	14	4	18	14	4	54
5,841	4,168	1,673	696	434	262	66	30	36	18	18	-	8	6	2	7	5	2	55
4,375	1,774	2,601	197	59	138	33	14	19	3	2	1	8	6	2	3	3	-	56
585	289	296	18	12	6	2	-	2	-	-	-	-	-	-	1	1	-	57
9,361	5,326	4,035	1,180	677	503	52	21	31	12	10	2	13	8	5	16	14	2	58
24,318	15,010	9,308	5,747	3,262	2,485	97	57	40	46	40	6	56	35	21	49	38	11	59
10,665	5,927	4,738	2,896	1,539	1,357	37	18	19	25	22	3	33	17	16	28	20	8	60
585	317	268	199	123	76	4	1	3	-	-	-	1	-	1	1	1	-	61
695	390	305	156	83	73	3	3	-	-	-	-	5	2	3	2	1	1	62
9,385	5,220	4,165	2,541	1,333	1,208	30	14	16	25	22	3	27	15	12	25	18	7	63
6,117	3,117	3,000	1,463	701	762	29	16	13	12	10	2	14	9	5	10	8	2	64
1,099	628	471	106	51	55	3	2	1	3	2	1	2	2	-	3	2	1	65
1,652	1,065	587	435	315	120	11	7	4	1	1	-	3	3	-	1	1	-	66
3,864	3,864	...	562	562	...	10	10	...	5	5	...	2	2	...	6	6	...	67
10	-	10	2	-	2	-	-	-	-	-	-	-	-	-	-	-	-	68
911	409	502	283	94	189	7	4	3	-	-	-	2	2	-	1	1	-	69
936	...	936	624	...	624	8	...	8	2	...	2	7	...	7	2	...	2	70
112	...	112	51	...	51	1	...	1	-	...	-	1	...	1	-	...	-	71
166	...	166	135	...	135	1	...	1	1	...	1	-	...	-	-	...	-	72
168	...	168	94	...	94	2	...	2	-	...	-	4	...	4	-	...	-	73
42	...	42	76	...	76	-	...	-	-	...	-	1	...	1	-	...	-	74
46	...	46	38	...	38	3	...	3	-	...	-	-	...	-	1	...	1	75
97	...	97	93	...	93	-	...	-	1	...	1	-	...	-	-	...	-	76
4	...	4	6	...	6	-	...	-	-	...	-	-	...	-	-	...	-	77
301	...	301	131	...	131	1	...	1	-	...	-	1	...	1	1	...	1	78

Table 5-8. Deaths From 255 Selected Causes, by

(Data refer only to deaths occurring within the United States, including Alaska and Hawaii. Excludes fetal deaths.

	Intermediate List number[1]	CAUSE OF DEATH	ALL RACES		
			Total	Male	Female
1		XII. Diseases of the skin and cellular tissue	2,069	811	1,258
2	A 121	Infections of skin and subcutaneous tissue---690-698	632	315	317
3	A 126 pt.	Other diseases of skin and subcutaneous tissue---700-716	1,437	496	941
4		XIII. Diseases of the bones and organs of movement	3,596	1,604	1,992
5	A 122	Arthritis and spondylitis---720-725	1,985	692	1,303
6	A 123	Muscular rheumatism and rheumatism unspecified---726,727	22	13	9
7	A 124	Osteomyelitis and periostitis---730	175	104	71
8	A 125	Ankylosis and acquired musculoskeletal deformities---737,745-749	100	51	49
9	A 126 pt.	Inborn defect of muscle---744.1	573	418	155
10	A 126 pt.	Other diseases of musculoskeletal system---731-736,738-744.0,744.2	731	326	405
11		XIV. Congenital malformations	21,860	11,965	9,895
12	A 127	Spina bifida and meningocele---751	1,215	524	691
13	A 129 pt.	Congenital hydrocephalus and other congenital malformations of nervous system and sense organs---752,753	2,503	1,291	1,212
14	A 128	Congenital malformations of circulatory system---754	11,272	6,292	4,980
15	A 129 pt.	Other congenital malformations---750,755-759	6,870	3,658	3,012
16	A 130-A 135	XV. Certain diseases of early infancy	67,094	39,103	27,991
17		XVI. Symptoms, senility, and ill-defined conditions	20,385	12,012	8,373
18	A 136	Senility without mention of psychosis---794	2,639	1,092	1,547
19	A 137	Symptoms, ill-defined, and unknown causes---780-793,795	17,746	10,920	6,826
20		XVII. Accidents, poisonings, and violence	121,349	85,192	36,157
21		Accidents---E800-E962	93,806	64,346	29,460
22	AE 139 pt	Railway accidents---E800-E802	1,023	923	100
23	AE 138	Motor vehicle accidents---E810-E835	38,137	28,084	10,053
24		Motor vehicle traffic accidents---E810-E825	37,142	27,342	9,800
25		Motor vehicle traffic accident involving collision with railway train---E810	1,368	994	374
26		Motor vehicle traffic accident to pedestrian---E812	7,284	5,218	2,066
27		Other motor vehicle traffic accidents involving collision---E811,E813-E819	15,282	10,660	4,622
28		Motor vehicle noncollision traffic accidents---E820-E824	10,279	8,315	1,964
29		Motor vehicle traffic accident of unspecified nature---E825	2,929	2,155	774
30		Motor vehicle nontraffic accidents---E830-E835	995	742	253
31	AE 139 pt.	Other road vehicle accidents---E840-E845	243	190	53
32	AE 139 pt.	Water transport accidents---E850-E858	1,478	1,368	110
33	AE 139 pt.	Aircraft accidents---E860-E866	1,475	1,260	215
34	AE 140 pt.	Accidental poisoning by solid and liquid substances---E870-E888	1,679	1,022	657
35	AE 140 pt.	Accidental poisoning by gases and vapors---E890-E895	1,253	900	353
36	AE 141	Accidental falls---E900-E904	19,023	9,297	9,726
37		Fall from one level to another---E900-E902	6,019	3,926	2,093
38		Fall on same level---E903	3,689	1,543	2,146
39		Unspecified falls---E904	9,315	3,828	5,487
40	AE 147 pt.	Blow from falling or projected object or missile---E910	1,404	1,349	55
41	AE 142	Accident caused by machinery---E912	1,951	1,883	68
42	AE 147 pt.	Accident caused by electric current---E914	989	918	71
43	AE 143	Accident caused by fire and explosion of combustible material---E916	7,645	4,279	3,366
44	AE 144	Accident caused by hot substance, corrosive liquid, steam, and radiation---E917,E918	402	231	171
45	AE 145	Accident caused by firearm---E919	2,334	2,010	324
46	AE 147 pt.	Inhalation and ingestion of food or other object causing obstruction or suffocation---E921,E922	2,397	1,451	946
47	AE 146	Accidental drowning---E929	5,232	4,387	845
48	AE 147 pt.	Excessive heat and insolation---E931	168	126	42
49	AE 147 pt.	Complications due to nontherapeutic medical and surgical procedures, therapeutic misadventure, and late complications of therapeutic procedures---E940-E959	1,115	551	564
50	AE 147 pt.	All other accidents---E911,E913,E915,E920,E923-E928,E930,E932-E936,E960-E962	5,858	4,117	1,741
51	AE 148	Suicide---E963,E970-E979	19,041	14,539	4,502
52		Suicide by poisoning---E970-E973	4,330	2,631	1,699
53		Suicide by hanging and strangulation---E974	3,366	2,576	790
54		Suicide by firearm and explosive---E976	9,017	7,879	1,138
55		Suicide by all other means---E963,E975,E977-E979	2,328	1,453	875
56	AE 149	Homicide---E964,E980-E985	8,464	6,269	2,195
57		Assault by firearm and explosive---E981	4,627	3,460	1,167
58		Assault by cutting and piercing instruments---E982	1,836	1,442	394
59		Assault by other means---E964,E980,E983	1,700	1,069	631
60		Injury by intervention of police---E984	245	242	3
61		Execution---E985	56	56	-
62	AE 150	Injury resulting from operations of war---E965,E990-E999	38	38	-

[1]See Intermediate (A) List of 150 Causes for Tabulation of Mortality, Manual of the International Statistical Classification of Diseases, Injuries, and Causes of Death, Volume 1, World Health Organization, Geneva, Switzerland, 1957.

Specified Race and Sex: United States, 1960—Con

Numbers after causes of death are category numbers of the Seventh Revision of the International Lists, 1955)

WHITE			NEGRO			INDIAN			CHINESE			JAPANESE			OTHER RACES			
Total	Male	Female	Total	Male	Female	Total	Male	Female	Total	Male	Female	Total	Male	Female	Total	Male	Female	
1,689	680	1,009	354	115	239	11	6	5	6	3	3	5	4	1	4	3	1	1
539	271	268	82	37	45	7	4	3	-	-	-	3	2	1	1	1	-	2
1,150	409	741	272	78	194	4	2	2	6	3	3	2	2	-	3	2	1	3
3,304	1,463	1,841	273	132	141	10	3	7	3	2	1	3	1	2	3	3	-	4
1,854	638	1,216	132	52	80	6	1	5	1	-	1	2	1	1	-	-	-	5
15	9	6	7	4	3	-	-	-	-	-	-	-	-	-	-	-	-	6
149	88	61	23	14	9	2	1	1	1	1	-	-	-	-	-	-	-	7
88	44	44	10	6	4	1	-	1	-	-	-	-	-	-	1	1	-	8
540	396	144	32	21	11	-	-	-	-	-	-	-	-	-	1	1	-	9
658	288	370	69	35	34	1	1	-	1	1	-	1	-	1	1	1	-	10
19,056	10,392	8,664	2,580	1,451	1,129	102	48	54	26	16	10	45	24	21	51	34	17	11
1,145	487	658	60	32	28	8	4	4	-	-	-	2	1	1	-	-	-	12
2,155	1,112	1,043	321	170	151	15	5	10	2	-	2	5	3	2	5	1	4	13
9,772	5,479	4,293	1,376	748	628	58	27	31	14	9	5	23	10	13	29	19	10	14
5,984	3,314	2,670	823	501	322	21	12	9	10	7	3	15	10	5	17	14	3	15
51,276	30,211	21,065	15,073	8,453	6,620	307	180	127	53	37	16	130	78	52	255	144	111	16
13,109	7,928	5,181	6,939	3,879	3,060	267	154	113	12	11	1	21	14	7	37	26	11	17
2,151	877	1,274	453	201	252	19	8	11	1	1	-	7	3	4	8	2	6	18
10,958	7,051	3,907	6,486	3,678	2,808	248	146	102	11	10	1	14	11	3	29	24	5	19
102,412	71,577	30,835	17,448	12,495	4,953	891	668	223	123	95	28	200	137	63	275	220	55	20
80,268	54,883	25,385	12,348	8,565	3,783	752	557	195	64	54	10	146	107	39	228	180	48	21
818	734	84	183	168	15	20	19	1	1	1	-	1	1	-	-	-	-	22
33,645	24,656	8,989	3,966	3,023	943	356	267	89	28	23	5	48	36	12	94	79	15	23
32,763	24,001	8,762	3,869	2,947	922	348	261	87	26	21	5	45	34	11	91	78	13	24
1,242	904	338	118	85	33	8	5	3	-	-	-	-	-	-	-	-	-	25
5,948	4,267	1,681	1,187	832	355	101	81	20	7	5	2	12	10	2	29	23	6	26
13,892	9,614	4,278	1,221	919	302	104	72	32	8	7	1	23	18	5	34	30	4	27
9,056	7,301	1,755	1,081	889	172	119	91	28	10	8	2	8	4	4	25	22	3	28
2,625	1,915	710	282	222	60	16	12	4	1	1	-	2	2	-	3	3	-	29
882	655	227	97	76	21	8	6	2	2	2	-	3	2	1	3	1	2	30
212	165	47	23	17	6	7	7	-	-	-	-	-	-	-	1	1	-	31
1,287	1,189	98	167	155	12	11	11	-	1	1	-	3	3	-	9	9	-	32
1,454	1,244	210	19	15	4	-	-	-	-	-	-	1	1	-	1	-	1	33
1,265	753	512	384	248	136	21	14	7	1	1	-	2	2	-	6	4	2	34
1,088	794	294	161	104	57	4	2	2	-	-	-	-	-	-	-	-	-	35
17,605	8,407	9,198	1,318	814	504	42	29	13	13	12	1	22	17	5	23	18	5	36
5,321	3,425	1,896	646	455	191	19	18	1	8	7	1	12	10	2	13	11	2	37
3,514	1,450	2,064	164	86	78	7	3	4	1	1	-	2	2	-	1	1	-	38
8,770	3,532	5,238	508	273	235	16	8	8	4	4	-	8	5	3	9	6	3	39
1,212	1,167	45	183	174	9	6	6	-	-	-	-	-	-	-	3	2	1	40
1,752	1,689	63	180	175	5	7	7	-	-	-	-	5	5	-	7	7	-	41
904	838	66	76	71	5	4	4	-	1	1	-	1	1	-	3	3	-	42
5,248	3,100	2,148	2,326	1,143	1,183	58	26	32	2	1	1	4	4	-	7	5	2	43
292	160	132	102	64	38	2	2	-	-	-	-	2	2	-	4	3	1	44
1,900	1,671	229	409	321	88	19	13	6	-	-	-	2	2	-	4	3	1	45
1,933	1,187	746	425	241	184	24	14	10	4	3	1	4	1	3	7	5	2	46
4,063	3,355	708	1,048	929	120	79	73	6	8	6	2	16	12	4	17	12	5	47
134	101	33	31	24	7	2	-	2	-	-	-	1	1	-	-	-	-	48
946	473	473	160	75	85	6	2	4	1	1	-	-	-	-	2	-	2	49
4,510	3,200	1,310	1,186	804	382	84	61	23	4	4	-	34	19	15	40	29	11	50
18,121	13,825	4,296	741	584	157	59	49	10	53	35	18	45	27	18	22	19	3	51
4,213	2,564	1,649	91	52	39	3	1	2	12	7	5	6	4	2	5	3	2	52
3,208	2,461	747	95	71	24	12	10	2	20	11	9	23	15	8	8	8	-	53
8,590	7,503	1,087	366	322	44	38	36	2	9	9	-	10	5	5	4	4	-	54
2,110	1,297	813	189	139	50	6	2	4	12	8	4	6	3	3	5	4	1	55
3,986	2,832	1,154	4,358	3,345	1,013	80	62	18	6	6	-	9	3	6	25	21	4	56
2,308	1,637	671	2,271	1,783	488	33	29	4	2	2	-	4	-	4	9	9	-	57
508	385	123	1,308	1,039	269	13	12	1	1	1	-	-	-	-	6	5	1	58
1,024	665	359	625	371	254	34	21	13	3	3	-	5	3	2	9	6	3	59
125	124	1	119	117	2	-	-	-	-	-	-	-	-	-	1	1	-	60
21	21	-	35	35	-	-	-	-	-	-	-	-	-	-	-	-	-	61
37	37	-	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	62

Table 5-9. Deaths From 255 Selected Causes, by Age,

(Data refer only to deaths occurring within the United States, including Alaska and Hawaii. Excludes fetal deaths. Numbers after causes

CAUSE OF DEATH, RACE, AND SEX	Total	Under 1 year	1 year	2 years	3 years	4 years	Under 5 years	5-9 years	10-14 years	15-19 years
ALL CAUSES	1,711,982	110,873	7,250	4,332	3,376	2,724	128,555	9,163	7,374	12,185
MALE	975,648	63,936	3,949	2,439	1,921	1,535	73,780	5,350	4,688	8,629
FEMALE	736,334	46,937	3,301	1,893	1,455	1,189	54,775	3,813	2,686	3,556
WHITE MALE	860,857	48,063	2,828	1,848	1,513	1,220	55,472	4,408	3,847	7,308
WHITE FEMALE	644,478	34,416	2,371	1,416	1,102	902	40,207	3,019	2,214	2,901
NEGRO MALE	107,701	14,912	1,032	546	382	296	17,168	863	779	1,215
NEGRO FEMALE	88,309	11,779	858	435	322	265	13,659	744	435	614
OTHER MALE	7,090	961	89	45	26	19	1,140	79	62	106
OTHER FEMALE	3,547	742	72	42	31	22	909	50	37	41
I. INFECTIVE AND PARASITIC DISEASES	21,387	1,443	495	290	225	188	2,641	441	217	225
WHITE MALE	10,718	551	190	122	75	85	1,023	194	80	87
WHITE FEMALE	5,331	377	152	88	79	51	747	164	82	82
NEGRO MALE	3,173	277	72	31	36	21	437	35	25	27
NEGRO FEMALE	1,780	183	68	38	26	26	341	40	24	26
OTHER MALE	247	32	8	7	5	3	55	1	4	2
OTHER FEMALE	138	23	5	4	4	2	38	7	2	1
TUBERCULOSIS, ALL FORMS 001-019	10,866	37	47	27	12	5	128	24	21	41
WHITE MALE	6,050	8	12	6	-	4	30	7	5	9
WHITE FEMALE	2,113	8	10	9	6	-	33	10	4	9
NEGRO MALE	1,700	8	11	5	5	-	29	2	3	9
NEGRO FEMALE	801	9	11	7	-	1	28	3	7	12
OTHER MALE	137	2	3	-	1	-	6	1	1	1
OTHER FEMALE	65	2	-	-	-	-	2	1	1	1
TUBERCULOSIS OF RESPIRATORY SYSTEM 001-008	10,089	18	12	9	4	2	45	8	11	28
WHITE MALE	5,777	5	3	1	-	1	10	4	4	6
WHITE FEMALE	1,908	3	1	-	1	-	5	2	2	4
NEGRO MALE	1,544	5	3	2	3	-	13	-	-	6
NEGRO FEMALE	691	3	3	6	-	1	13	1	3	11
OTHER MALE	119	1	2	-	-	-	3	1	1	1
OTHER FEMALE	50	1	-	-	-	-	1	-	1	-
TUBERCULOSIS OF MENINGES AND CENTRAL NERVOUS SYSTEM 010	228	14	24	15	6	3	62	14	7	7
WHITE MALE	67	2	8	5	-	3	18	3	1	2
WHITE FEMALE	53	3	7	7	4	-	21	6	-	3
NEGRO MALE	51	2	4	2	1	-	9	2	3	1
NEGRO FEMALE	43	5	4	1	-	-	10	2	3	-
OTHER MALE	6	1	1	-	1	-	3	-	-	-
OTHER FEMALE	8	1	-	-	-	-	1	1	-	1
TUBERCULOSIS OF INTESTINES, PERITONEUM, AND MESENTERIC GLANDS 011	48	-	1	-	1	-	2	-	1	1
WHITE MALE	13	-	1	-	-	-	1	-	-	-
WHITE FEMALE	12	-	-	-	1	-	1	-	-	-
NEGRO MALE	13	-	-	-	-	-	-	-	-	1
NEGRO FEMALE	8	-	-	-	-	-	-	-	1	-
OTHER MALE	1	-	-	-	-	-	-	-	-	-
OTHER FEMALE	1	-	-	-	-	-	-	-	-	-
TUBERCULOSIS OF BONES AND JOINTS 012,013	80	-	-	-	-	-	-	-	1	1
WHITE MALE	33	-	-	-	-	-	-	-	-	1
WHITE FEMALE	28	-	-	-	-	-	-	-	1	-
NEGRO MALE	9	-	-	-	-	-	-	-	-	-
NEGRO FEMALE	7	-	-	-	-	-	-	-	-	-
OTHER MALE	1	-	-	-	-	-	-	-	-	-
OTHER FEMALE	2	-	-	-	-	-	-	-	-	-
TUBERCULOSIS OF OTHER ORGANS AND SYSTEMS 014-018	176	-	3	-	-	-	3	-	-	2
WHITE MALE	81	-	-	-	-	-	-	-	-	-
WHITE FEMALE	59	-	-	-	-	-	-	-	-	2
NEGRO MALE	21	-	2	-	-	-	2	-	-	-
NEGRO FEMALE	8	-	1	-	-	-	1	-	-	-
OTHER MALE	5	-	-	-	-	-	-	-	-	-
OTHER FEMALE	2	-	-	-	-	-	-	-	-	-
DISSEMINATED TUBERCULOSIS 019	245	5	7	3	1	-	16	2	1	2
WHITE MALE	79	1	-	-	-	-	1	-	-	-
WHITE FEMALE	53	2	2	2	-	-	6	2	1	-
NEGRO MALE	62	1	2	1	1	-	5	-	-	1
NEGRO FEMALE	44	1	3	-	-	-	4	-	-	1
OTHER MALE	5	-	-	-	-	-	-	-	-	-
OTHER FEMALE	2	-	-	-	-	-	-	-	-	-
SYPHILIS AND ITS SEQUELAE 020-029	2,945	30	-	-	-	-	30	-	2	3
WHITE MALE	1,492	11	-	-	-	-	11	-	1	1
WHITE FEMALE	527	4	-	-	-	-	4	-	-	-
NEGRO MALE	626	9	-	-	-	-	9	-	1	1
NEGRO FEMALE	269	5	-	-	-	-	5	-	-	1
OTHER MALE	27	1	-	-	-	-	1	-	-	-
OTHER FEMALE	4	-	-	-	-	-	-	-	-	-
CONGENITAL SYPHILIS 020	44	30	-	-	-	-	30	-	-	-
WHITE MALE	21	11	-	-	-	-	11	-	-	-
WHITE FEMALE	4	4	-	-	-	-	4	-	-	-
NEGRO MALE	12	9	-	-	-	-	9	-	-	-
NEGRO FEMALE	6	5	-	-	-	-	5	-	-	-
OTHER MALE	1	1	-	-	-	-	1	-	-	-
OTHER FEMALE	-	-	-	-	-	-	-	-	-	-
EARLY SYPHILIS 021	-	-	-	-	-	-	-	-	-	-
WHITE MALE	-	-	-	-	-	-	-	-	-	-
WHITE FEMALE	-	-	-	-	-	-	-	-	-	-
NEGRO MALE	-	-	-	-	-	-	-	-	-	-
NEGRO FEMALE	-	-	-	-	-	-	-	-	-	-
OTHER MALE	-	-	-	-	-	-	-	-	-	-
OTHER FEMALE	-	-	-	-	-	-	-	-	-	-

Race, and Sex: United States, 1960

of death are category numbers of the Seventh Revision of the International Lists, 1955. For complete category titles, see table 5-8)

20-24 years	25-29 years	30-34 years	35-39 years	40-44 years	45-49 years	50-54 years	55-59 years	60-64 years	65-69 years	70-74 years	75-79 years	80-84 years	85-89 years	90-94 years	95-99 years	100 and over	Not stated	
13,348	14,214	19,200	29,161	42,942	64,283	90,593	116,753	153,444	196,605	223,707	219,978	185,231	120,366	50,278	11,839	2,043	720	1
																		2
																		3
9,477	9,279	11,731	17,594	26,234	40,824	59,316	76,508	97,551	121,330	130,104	117,137	88,926	52,516	19,430	4,165	642	437	4
3,871	4,935	7,469	11,567	16,708	23,459	31,277	40,245	55,893	75,275	93,603	102,841	96,305	67,850	30,848	7,674	1,401	283	5
																		6
7,755	7,182	9,039	13,803	21,336	34,247	50,716	66,540	85,890	108,726	119,269	109,193	83,885	49,502	18,253	3,770	449	267	7
2,916	3,459	5,215	8,396	12,622	18,268	24,696	32,340	46,710	65,834	85,018	96,133	91,771	65,009	29,407	7,097	1,076	170	8
1,552	1,967	2,541	3,604	4,671	6,289	8,188	9,459	11,003	12,021	10,130	7,271	4,518	2,687	1,074	367	177	157	9
896	1,403	2,148	3,042	3,945	5,038	6,426	7,712	8,935	9,164	8,312	6,465	4,303	2,713	1,378	557	312	108	10
170	130	151	187	227	288	412	509	658	583	705	673	523	327	103	28	16	13	11
59	73	106	129	141	153	155	193	248	277	273	243	231	128	63	20	13	5	12
																		13
275	394	586	828	1,026	1,340	1,630	1,980	2,118	2,315	2,133	1,576	967	478	178	23	3	13	14
																		15
																		16
81	109	165	247	382	642	841	1,122	1,250	1,386	1,361	909	525	228	71	6	-	9	17
85	128	187	229	266	290	308	372	369	469	474	456	336	186	86	12	3	-	18
35	57	107	186	233	269	328	335	353	321	199	120	55	38	10	2	-	1	19
63	90	114	145	135	120	138	121	119	115	68	61	36	13	5	3	-	3	20
1	2	7	10	4	12	11	21	23	17	24	26	10	12	5	-	-	-	21
10	8	6	11	6	7	4	9	4	7	7	4	5	1	1	-	-	-	22
																		23
96	197	348	543	696	858	1,055	1,165	1,251	1,302	1,245	937	584	269	91	7	1	7	24
16	53	83	149	250	437	618	752	830	849	854	581	333	141	44	3	-	6	25
15	39	94	143	164	164	162	152	149	222	221	233	179	85	32	2	1	-	26
18	40	81	138	176	177	201	192	207	164	118	74	39	24	8	-	-	-	27
40	59	81	100	96	66	65	50	51	52	31	25	22	7	3	2	-	1	28
1	1	4	6	4	9	7	14	11	10	17	21	8	11	4	-	-	-	29
6	5	5	7	6	5	2	5	3	5	4	3	3	1	-	-	-	-	30
																		31
77	174	313	498	645	806	994	1,099	1,183	1,224	1,179	899	551	257	84	6	1	7	32
15	48	72	143	231	417	588	729	796	817	818	568	323	137	43	2	-	6	33
11	34	87	133	149	158	150	139	134	202	206	221	161	80	27	2	1	-	34
12	37	75	122	166	165	192	175	194	150	107	65	37	21	7	-	-	-	35
35	50	72	88	91	55	56	42	47	43	30	21	20	7	3	2	-	1	36
-	1	3	5	4	7	6	11	9	8	15	21	8	11	4	-	-	-	37
4	4	4	7	4	4	2	3	3	4	3	3	2	1	-	-	-	-	38
																		39
12	14	9	18	14	13	14	14	14	6	3	6	1	-	-	-	-	-	40
1	4	1	3	6	6	4	5	5	6	-	2	-	-	-	-	-	-	41
2	2	1	4	3	1	1	1	5	-	1	1	1	-	-	-	-	-	42
3	2	4	7	4	1	5	5	1	-	1	3	-	-	-	-	-	-	43
4	5	2	4	1	4	3	2	3	-	-	-	-	-	-	-	-	-	44
-	-	-	-	-	-	1	1	-	-	1	-	-	-	-	-	-	-	45
2	1	1	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	46
																		47
-	-	1	5	3	3	2	7	1	3	7	5	3	1	3	-	-	-	48
-	-	-	-	1	1	1	-	1	1	4	2	1	-	-	-	-	-	49
-	-	-	2	1	-	1	-	-	-	2	-	1	1	3	-	-	-	50
-	-	1	2	1	-	-	4	-	1	1	2	-	-	-	-	-	-	51
-	-	-	1	-	2	-	2	-	1	-	1	-	-	-	-	-	-	52
-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	53
-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	54
																		55
2	1	5	3	6	4	9	8	6	10	12	6	4	1	-	1	-	-	56
-	-	2	1	2	4	5	2	4	-	9	1	1	-	-	1	-	-	57
1	1	2	1	2	-	2	5	1	4	1	4	3	-	-	-	-	-	58
1	-	-	-	1	-	1	-	1	3	1	-	-	1	-	-	-	-	59
-	-	1	1	-	-	1	1	-	2	-	1	-	-	-	-	-	-	60
-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	61
-	-	-	-	1	-	-	-	-	1	-	-	-	-	-	-	-	-	62
																		63
1	2	10	4	11	16	23	19	16	23	22	8	10	4	2	-	-	-	64
-	1	6	-	5	6	12	10	11	12	12	2	2	2	-	-	-	-	65
-	1	1	1	4	3	8	5	5	6	6	5	8	2	2	-	-	-	66
-	-	-	2	-	4	1	3	-	4	4	1	-	-	-	-	-	-	67
-	-	2	-	1	2	2	-	-	-	-	-	-	-	-	-	-	-	68
1	-	1	1	-	1	-	-	-	1	-	-	-	-	-	-	-	-	69
-	-	-	-	1	-	-	1	-	-	-	-	-	-	-	-	-	-	70
																		71
4	6	10	15	17	16	13	18	31	36	22	13	15	6	2	-	-	-	72
-	-	2	2	5	3	8	6	13	13	11	6	6	2	1	-	-	-	73
1	1	3	2	5	2	-	2	4	10	5	2	5	2	-	-	-	-	74
2	1	1	5	4	7	2	5	11	6	4	3	2	2	1	-	-	-	75
1	4	4	6	3	3	3	3	1	6	1	2	2	-	-	-	-	-	76
-	-	-	-	-	1	-	1	2	1	-	-	-	-	-	-	-	-	77
-	-	-	-	-	-	-	1	-	-	1	-	-	-	-	-	-	-	78
																		79
6	11	24	40	71	138	251	408	464	549	454	276	126	61	25	2	-	4	80
4	2	10	11	26	50	92	195	242	305	288	152	67	26	6	1	-	2	81
1	-	4	4	11	18	32	62	71	85	84	73	41	22	15	-	-	-	82
1	3	5	16	22	49	80	98	107	118	59	31	13	10	1	1	-	1	83
-	6	4	9	12	20	44	46	40	35	19	18	4	3	2	-	-	1	84
-	-	1	-	-	1	3	5	4	5	3	2	1	-	1	-	-	-	85
-	-	-	-	-	-	-	2	-	1	1	-	-	-	-	-	-	-	86
																		87
1	1	3	1	1	2	2	-	-	1	1	1	-	-	-	-	-	-	88
-	1	2	-	-	2	2	-	-	1	1	1	-	-	-	-	-	-	89
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	90
1	-	1	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	91
-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	92
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	93
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	94
																		95
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	96
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	97
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	98
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	99
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	100
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	101
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	102

Table 5-9. Deaths From 255 Selected Causes, by Age,

(Data refer only to deaths occurring within the United States, including Alaska and Hawaii. Excludes fetal deaths. Numbers after causes

	CAUSE OF DEATH, RACE, AND SEX	Total	Under 1 year	1 year	2 years	3 years	4 years	Under 5 years	5-9 years	10-14 years	15-19 years
1	I. INFECTIVE AND PARASITIC DISEASES—CON.										
2											
3	SYPHILIS AND ITS SEQUELAE—CON.										
4	ANEURYSM OF AORTA.....022	1,337	-	-	-	-	-	-	-	1	2
5	WHITE.....MALE....	801	-	-	-	-	-	-	-	1	1
6	FEMALE..	275	-	-	-	-	-	-	-	-	-
7	NEGRO.....MALE....	170	-	-	-	-	-	-	-	-	1
8	FEMALE..	84	-	-	-	-	-	-	-	-	-
9	OTHER.....MALE.....	6	-	-	-	-	-	-	-	-	-
10	FEMALE..	1	-	-	-	-	-	-	-	-	-
11											
12	OTHER CARDIOVASCULAR SYPHILIS.....023	1,002	-	-	-	-	-	-	-	-	-
13	WHITE.....MALE....	385	-	-	-	-	-	-	-	-	-
14	FEMALE..	162	-	-	-	-	-	-	-	-	-
15	NEGRO.....MALE....	311	-	-	-	-	-	-	-	-	-
16	FEMALE..	124	-	-	-	-	-	-	-	-	-
17	OTHER.....MALE....	17	-	-	-	-	-	-	-	-	-
18	FEMALE..	3	-	-	-	-	-	-	-	-	-
19											
20	TABES DORSALIS.....024	62	-	-	-	-	-	-	-	-	-
21	WHITE.....MALE....	41	-	-	-	-	-	-	-	-	-
22	FEMALE..	9	-	-	-	-	-	-	-	-	-
23	NEGRO.....MALE....	8	-	-	-	-	-	-	-	-	-
24	FEMALE..	4	-	-	-	-	-	-	-	-	-
25	OTHER.....MALE....	-	-	-	-	-	-	-	-	-	-
26	FEMALE..	-	-	-	-	-	-	-	-	-	-
27											
28											
29	GENERAL PARALYSIS OF INSANE.....025	204	-	-	-	-	-	-	-	-	1
30	WHITE.....MALE....	102	-	-	-	-	-	-	-	-	-
31	FEMALE..	35	-	-	-	-	-	-	-	-	-
32	NEGRO.....MALE....	46	-	-	-	-	-	-	-	-	-
33	FEMALE..	19	-	-	-	-	-	-	-	-	1
34	OTHER.....MALE....	2	-	-	-	-	-	-	-	-	-
35	FEMALE..	-	-	-	-	-	-	-	-	-	-
36											
37	OTHER SYPHILIS OF CENTRAL NERVOUS SYSTEM.....026	246	-	-	-	-	-	-	-	1	-
38	WHITE.....MALE....	116	-	-	-	-	-	-	-	-	-
39	FEMALE..	34	-	-	-	-	-	-	-	-	-
40	NEGRO.....MALE....	70	-	-	-	-	-	-	-	1	-
41	FEMALE..	26	-	-	-	-	-	-	-	-	-
42	OTHER.....MALE....	-	-	-	-	-	-	-	-	-	-
43	FEMALE..	-	-	-	-	-	-	-	-	-	-
44											
45	ALL OTHER SYPHILIS.....027-029	50	-	-	-	-	-	-	-	-	-
46	WHITE.....MALE....	26	-	-	-	-	-	-	-	-	-
47	FEMALE..	8	-	-	-	-	-	-	-	-	-
48	NEGRO.....MALE....	9	-	-	-	-	-	-	-	-	-
49	FEMALE..	6	-	-	-	-	-	-	-	-	-
50	OTHER.....MALE....	1	-	-	-	-	-	-	-	-	-
51	FEMALE..	-	-	-	-	-	-	-	-	-	-
52											
53											
54	GONOCOCCAL INFECTION.....030-035	38	1	-	-	-	-	1	-	-	-
55	WHITE.....MALE....	10	-	-	-	-	-	-	-	-	-
56	FEMALE..	2	-	-	-	-	-	-	-	-	-
57	NEGRO.....MALE....	18	-	-	-	-	-	-	-	-	-
58	FEMALE..	8	1	-	-	-	-	1	-	-	-
59	OTHER.....MALE....	-	-	-	-	-	-	-	-	-	-
60	FEMALE..	-	-	-	-	-	-	-	-	-	-
61											
62	TYPHOID FEVER.....040	21	2	-	-	1	2	5	1	2	2
63	WHITE.....MALE....	6	-	-	-	-	1	1	-	-	-
64	FEMALE..	5	-	-	-	-	1	1	-	-	1
65	NEGRO.....MALE....	4	2	-	-	-	-	2	-	1	-
66	FEMALE..	5	-	-	-	1	-	1	1	1	1
67	OTHER.....MALE....	1	-	-	-	-	-	-	-	-	-
68	FEMALE..	-	-	-	-	-	-	-	-	-	-
69											
70	PARATYPHOID FEVER AND OTHER SALMONELLA INFECTIONS.....041,042	82	29	5	1	2	1	38	2	-	1
71	WHITE.....MALE....	32	7	1	-	-	1	9	1	-	-
72	FEMALE..	26	9	1	-	2	-	12	-	-	-
73	NEGRO.....MALE....	14	7	2	-	-	-	9	1	-	-
74	FEMALE..	10	6	1	1	-	-	8	-	-	1
75	OTHER.....MALE....	-	-	-	-	-	-	-	-	-	-
76	FEMALE..	-	-	-	-	-	-	-	-	-	-
77											
78											
79	CHOLERA.....043	-	-	-	-	-	-	-	-	-	-
80	WHITE.....MALE....	-	-	-	-	-	-	-	-	-	-
81	FEMALE..	-	-	-	-	-	-	-	-	-	-
82	NEGRO.....MALE....	-	-	-	-	-	-	-	-	-	-
83	FEMALE..	-	-	-	-	-	-	-	-	-	-
84	OTHER.....MALE....	-	-	-	-	-	-	-	-	-	-
85	FEMALE..	-	-	-	-	-	-	-	-	-	-
86											
87	BRUCELLOSIS.....044	6	-	-	-	-	-	-	-	-	-
88	WHITE.....MALE....	3	-	-	-	-	-	-	-	-	-
89	FEMALE..	2	-	-	-	-	-	-	-	-	-
90	NEGRO.....MALE....	1	-	-	-	-	-	-	-	-	-
91	FEMALE..	-	-	-	-	-	-	-	-	-	-
92	OTHER.....MALE....	-	-	-	-	-	-	-	-	-	-
93	FEMALE..	-	-	-	-	-	-	-	-	-	-
94											
95	DYSENTERY, ALL FORMS.....045-048	355	140	20	14	12	10	196	16	7	5
96	WHITE.....MALE....	109	38	8	5	1	4	56	5	3	3
97	FEMALE..	94	22	4	3	4	1	34	6	2	-
98	NEGRO.....MALE....	66	34	4	1	6	2	47	1	-	1
99	FEMALE..	61	29	3	4	1	2	39	4	2	1
100	OTHER.....MALE....	14	11	1	-	-	1	13	-	-	-
101	FEMALE..	11	6	-	1	-	-	7	-	-	-
102											

Race, and Sex: United States, 1960—Continued

category numbers of the Seventh Revision of the International Lists, 1955. For complete category titles, see table 5-8)

20-24 years	25-29 years	30-34 years	35-39 years	40-44 years	45-49 years	50-54 years	55-59 years	60-64 years	65-69 years	70-74 years	75-79 years	80-84 years	85-89 years	90-94 years	95-99 years	100 and over	Not stated	
																		1
																		2
																		3
4	5	11	19	36	52	87	146	218	252	226	149	77	34	15	1	-	2	4
3	1	5	8	23	26	35	84	134	173	154	89	42	15	5	1	-	1	5
1	-	3	3	4	6	10	19	33	42	47	49	32	16	10	-	-	-	6
-	1	1	6	4	14	25	29	33	28	17	7	2	1	-	-	-	1	7
-	3	2	2	5	6	15	13	16	8	8	4	-	2	-	-	-	-	8
-	-	-	-	-	-	2	1	2	-	-	-	1	-	-	-	-	-	9
-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	10
																		11
-	3	6	12	17	54	100	175	164	191	134	90	32	18	5	1	-	-	12
-	-	2	1	3	14	27	65	63	80	68	42	15	5	-	-	-	-	13
-	-	1	1	4	7	14	31	25	25	22	18	6	5	3	-	-	-	14
-	2	2	7	6	24	37	49	55	62	30	19	9	7	1	1	-	-	15
-	1	1	3	4	9	21	24	20	19	10	9	2	1	-	-	-	-	16
-	-	-	-	-	-	1	4	1	5	3	2	-	-	1	-	-	-	17
-	-	-	-	-	-	-	2	-	-	1	-	-	-	-	-	-	-	18
																		19
-	-	-	-	1	1	5	8	9	13	13	5	5	2	-	-	-	-	20
-	-	-	-	-	-	2	5	7	10	8	4	3	2	-	-	-	-	21
-	-	-	-	-	1	-	2	1	2	2	-	1	-	-	-	-	-	22
-	-	-	-	1	-	2	-	1	1	3	-	-	-	-	-	-	-	23
-	-	-	-	-	-	1	1	-	-	-	1	1	-	-	-	-	-	24
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	25
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	26
																		27
																		28
1	-	3	4	8	10	30	33	33	31	28	8	6	5	1	-	-	2	29
1	-	1	2	-	2	12	19	18	13	20	5	5	3	-	-	-	1	30
-	-	-	-	3	2	7	6	4	3	7	2	-	1	-	-	-	-	31
-	-	-	1	3	6	7	7	7	12	1	1	-	1	-	-	-	-	32
-	-	1	1	2	-	4	1	3	3	-	-	1	-	1	-	-	1	33
-	-	1	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	34
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	35
																		36
-	2	1	3	5	15	23	40	34	53	42	19	5	1	2	-	-	-	37
-	-	-	-	-	5	11	19	17	23	29	8	2	1	1	-	-	-	38
-	-	-	-	-	2	1	4	6	12	5	3	1	-	-	-	-	-	39
-	-	1	2	5	4	8	11	11	14	7	4	2	-	-	-	-	-	40
-	2	-	1	-	4	3	6	-	4	1	4	-	-	1	-	-	-	41
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	42
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	43
																		44
-	-	-	1	3	4	4	6	6	8	10	4	1	1	2	-	-	-	45
-	-	-	-	-	1	3	3	3	5	8	3	-	-	-	-	-	-	46
-	-	-	-	-	-	-	-	2	1	1	1	1	-	2	-	-	-	47
-	-	-	-	2	1	1	2	-	1	1	-	-	1	-	-	-	-	48
-	-	-	1	1	1	-	1	1	1	-	-	-	-	-	-	-	-	49
-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	50
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	51
																		52
																		53
2	-	3	5	3	4	2	3	4	6	-	4	-	-	1	-	-	-	54
-	-	-	1	-	1	1	-	-	2	-	4	-	-	1	-	-	-	55
-	-	-	-	1	1	-	-	-	-	-	-	-	-	-	-	-	-	56
1	-	1	2	2	2	-	2	4	4	-	-	-	-	-	-	-	-	57
1	-	2	2	-	-	1	1	-	-	-	-	-	-	-	-	-	-	58
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	59
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	60
																		61
2	-	1	-	1	-	1	1	-	1	3	1	-	-	-	-	-	-	62
1	-	-	-	-	-	-	1	-	1	2	-	-	-	-	-	-	-	63
-	-	-	-	-	-	1	-	-	-	1	1	-	-	-	-	-	-	64
-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	65
1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	66
-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	67
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	68
																		69
-	-	-	1	1	3	1	4	8	9	4	3	5	1	1	-	-	-	70
-	-	-	-	-	1	-	3	2	6	4	2	3	1	-	-	-	-	71
-	-	-	-	-	1	1	1	4	3	-	1	2	-	1	-	-	-	72
-	-	-	1	1	1	-	-	1	-	-	-	-	-	-	-	-	-	73
-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	74
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	75
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	76
																		77
																		78
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	79
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	80
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	81
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	82
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	83
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	84
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	85
																		86
-	-	-	-	-	-	-	-	1	3	1	-	-	-	1	-	-	-	87
-	-	-	-	-	-	-	-	1	1	1	-	-	-	-	-	-	-	88
-	-	-	-	-	-	-	-	-	1	-	-	-	-	1	-	-	-	89
-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	90
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	91
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	92
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	93
																		94
2	4	2	8	3	5	12	13	10	18	13	20	12	7	2	-	-	-	95
1	-	1	5	2	1	4	2	4	5	4	8	3	1	1	-	-	-	96
1	3	1	2	-	1	6	5	2	7	7	7	5	4	1	-	-	-	97
-	1	-	-	-	2	1	4	1	3	1	2	-	2	-	-	-	-	98
-	-	-	1	1	-	1	1	3	3	1	2	2	-	-	-	-	-	99
-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	100
-	-	-	-	-	1	-	-	-	-	-	1	2	-	-	-	-	-	101
																		102

Table 5-9. Deaths From 255 Selected Causes, by Age,

(Data refer only to deaths occurring within the United States, including Alaska and Hawaii. Excludes fetal deaths. Numbers after causes

CAUSE OF DEATH, RACE, AND SEX	Total	Under 1 year	1 year	2 years	3 years	4 years	Under 5 years	5-9 years	10-14 years	15-19 years
I. INFECTIVE AND PARASITIC DISEASES—CON.										
FOOD POISONING, INFECTION AND INTOXICATION.....049	56	2	2	2	2	2	10	3	1	-
WHITE.....MALE....	23	1	1	1	-	1	4	1	-	-
FEMALE..	17	-	-	-	2	1	3	-	-	-
NEGRO.....MALE....	6	1	-	1	-	-	2	1	1	-
FEMALE..	8	-	1	-	-	-	1	1	-	-
OTHER.....MALE....	-	-	-	-	-	-	-	-	-	-
FEMALE..	2	-	-	-	-	-	-	-	-	-
SCARLET FEVER.....050	14	1	1	3	2	-	7	3	1	1
WHITE.....MALE....	7	-	1	2	-	-	3	2	1	1
FEMALE..	6	1	-	1	1	-	3	1	-	-
NEGRO.....MALE....	-	-	-	-	-	-	-	-	-	-
FEMALE..	1	-	-	-	1	-	1	-	-	-
OTHER.....MALE....	-	-	-	-	-	-	-	-	-	-
FEMALE..	-	-	-	-	-	-	-	-	-	-
STREPTOCOCCAL SORE THROAT.....051	94	8	3	2	3	3	19	6	9	2
WHITE.....MALE....	42	3	1	1	2	3	10	4	3	-
FEMALE..	40	4	1	-	1	-	6	2	3	1
NEGRO.....MALE....	4	-	1	1	-	-	2	-	1	1
FEMALE..	7	1	-	-	-	-	1	-	2	-
OTHER.....MALE....	1	-	-	-	-	-	-	-	-	-
FEMALE..	-	-	-	-	-	-	-	-	-	-
ERYSIPELAS.....052	22	1	-	-	-	-	1	-	-	-
WHITE.....MALE....	13	1	-	-	-	-	1	-	-	-
FEMALE..	8	-	-	-	-	-	-	-	-	-
NEGRO.....MALE....	-	-	-	-	-	-	-	-	-	-
FEMALE..	1	-	-	-	-	-	-	-	-	-
OTHER.....MALE....	-	-	-	-	-	-	-	-	-	-
FEMALE..	-	-	-	-	-	-	-	-	-	-
SEPTICEMIA AND PYEMIA.....053	1,920	4[illegible]	67	26	19	17	537	44	27	22
WHITE.....MALE....	864	184	28	15	9	8	244	19	7	9
FEMALE..	655	145	20	9	6	5	141	19	14	8
NEGRO.....MALE....	204	70	10	3	2	1	87	2	3	2
FEMALE..	171	37	8	3	1	2	51	4	2	2
OTHER.....MALE....	14	4	1	-	-	1	6	-	1	1
FEMALE..	12	7	-	-	1	-	8	-	-	-
DIPHTHERIA.....055	69	2	6	6	11	15	40	21	3	1
WHITE.....MALE....	23	1	1	2	1	5	10	9	2	1
FEMALE..	21	1	1	1	6	4	13	5	-	-
NEGRO.....MALE....	9	-	2	-	3	2	7	1	1	-
FEMALE..	16	-	2	3	1	4	10	6	-	-
OTHER.....MALE....	-	-	-	-	-	-	-	-	-	-
FEMALE..	-	-	-	-	-	-	-	-	-	-
WHOOPING COUGH.....056	118	73	29	5	4	2	113	1	1	-
WHITE.....MALE....	19	15	2	1	-	-	18	-	1	-
FEMALE..	26	9	11	2	1	-	23	-	-	-
NEGRO.....MALE....	32	24	5	-	2	1	32	-	-	-
FEMALE..	35	20	12	2	1	1	34	1	-	-
OTHER.....MALE....	5	5	-	-	-	-	5	-	-	-
FEMALE..	1	-	1	-	-	-	1	-	-	-
MENINGOCOCCAL INFECTIONS.....057	644	196	93	72	47	25	431	52	22	19
WHITE.....MALE....	290	95	47	37	22	9	210	23	5	10
FEMALE..	217	66	33	23	11	6	139	20	6	5
NEGRO.....MALE....	72	17	6	7	7	3	40	4	7	4
FEMALE..	46	13	5	3	4	4	29	4	3	-
OTHER.....MALE....	10	1	2	2	2	-	7	-	1	-
FEMALE..	9	4	-	-	1	1	6	1	-	-
PLAGUE.....058	-	-	-	-	-	-	-	-	-	-
WHITE.....MALE....	-	-	-	-	-	-	-	-	-	-
FEMALE..	-	-	-	-	-	-	-	-	-	-
NEGRO.....MALE....	-	-	-	-	-	-	-	-	-	-
FEMALE..	-	-	-	-	-	-	-	-	-	-
OTHER.....MALE....	-	-	-	-	-	-	-	-	-	-
FEMALE..	-	-	-	-	-	-	-	-	-	-
LEPROSY.....060	6	-	-	-	-	-	-	-	-	-
WHITE.....MALE....	2	-	-	-	-	-	-	-	-	-
FEMALE..	3	-	-	-	-	-	-	-	-	-
NEGRO.....MALE....	-	-	-	-	-	-	-	-	-	-
FEMALE..	-	-	-	-	-	-	-	-	-	-
OTHER.....MALE....	1	-	-	-	-	-	-	-	-	-
FEMALE..	-	-	-	-	-	-	-	-	-	-
TETANUS.....061	231	69	1	1	3	3	77	13	11	4
WHITE.....MALE....	66	12	-	1	1	1	15	4	5	2
FEMALE..	57	8	-	-	-	2	10	2	1	-
NEGRO.....MALE....	65	30	1	-	-	-	31	4	3	1
FEMALE..	40	19	-	-	2	-	21	3	2	1
OTHER.....MALE....	3	-	-	-	-	-	-	-	-	-
FEMALE..	-	-	-	-	-	-	-	-	-	-
ANTHRAX.....062	-	-	-	-	-	-	-	-	-	-
WHITE.....MALE....	-	-	-	-	-	-	-	-	-	-
FEMALE..	-	-	-	-	-	-	-	-	-	-
NEGRO.....MALE....	-	-	-	-	-	-	-	-	-	-
FEMALE..	-	-	-	-	-	-	-	-	-	-
OTHER.....MALE....	-	-	-	-	-	-	-	-	-	-
FEMALE..	-	-	-	-	-	-	-	-	-	-

Race, and Sex: United States, 1960—Continued

category numbers of the Seventh Revision of the International Lists, 1955. For complete category titles, see table 5-8)

20-24 years	25-29 years	30-34 years	35-39 years	40-44 years	45-49 years	50-54 years	55-59 years	60-64 years	65-69 years	70-74 years	75-79 years	80-84 years	85-89 years	90-94 years	95-99 years	100 and over	Not stated	
																		1
																		2
2	2	3	3	2	4	1	3	6	4	5	3	4	-	-	-	-	-	3
-	-	1	1	1	3	-	1	3	3	2	1	2	-	-	-	-	-	4
2	-	-	1	1	1	-	1	3	1	2	-	2	-	-	-	-	-	5
-	-	-	-	-	-	1	-	-	-	-	1	-	-	-	-	-	-	6
-	2	2	-	-	-	-	1	-	-	-	1	-	-	-	-	-	-	7
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	8
-	-	-	1	-	-	-	-	-	-	1	-	-	-	-	-	-	-	9
																		10
-	-	-	-	-	-	-	-	-	1	1	-	-	-	-	-	-	-	11
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	12
-	-	-	-	-	-	-	-	-	1	1	-	-	-	-	-	-	-	13
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	14
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	15
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	16
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	17
																		18
																		19
3	6	5	3	4	4	4	4	5	2	6	6	4	2	-	-	-	-	20
-	1	2	2	2	3	2	1	2	1	4	3	2	-	-	-	-	-	21
2	5	3	-	1	-	1	3	3	1	2	3	2	2	-	-	-	-	22
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	23
1	-	-	1	1	1	-	-	-	-	-	-	-	-	-	-	-	-	24
-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	25
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	26
																		27
-	2	-	1	-	1	-	1	2	2	3	3	1	4	1	-	-	-	28
-	1	-	1	-	-	-	1	2	2	1	1	1	1	1	-	-	-	29
-	1	-	-	-	1	-	-	-	-	1	2	-	3	-	-	-	-	30
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	31
-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	32
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	33
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	34
																		35
26	27	32	44	57	85	80	113	134	191	181	139	105	51	20	5	-	-	36
10	7	11	11	19	35	38	58	61	92	88	76	55	19	5	-	-	-	37
9	13	14	16	23	30	18	37	46	61	66	49	46	28	14	3	-	-	38
2	2	2	6	10	11	12	9	12	17	17	5	2	1	1	1	-	-	39
4	4	5	11	5	9	10	9	13	20	8	8	2	3	-	1	-	-	40
-	1	-	-	-	-	-	-	2	1	1	1	-	-	-	-	-	-	41
1	-	-	-	-	-	2	-	-	-	1	-	-	-	-	-	-	-	42
																		43
																		44
-	1	-	-	1	1	-	-	-	-	1	-	-	-	-	-	-	-	45
-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	46
-	-	-	-	1	1	-	-	-	-	1	-	-	-	-	-	-	-	47
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	48
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	49
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	50
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	51
																		52
1	-	-	-	2	-	-	-	-	-	-	-	-	-	-	-	-	-	53
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	54
1	-	-	-	2	-	-	-	-	-	-	-	-	-	-	-	-	-	55
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	56
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	57
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	58
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	59
																		60
15	4	7	8	9	15	18	8	13	5	11	4	1	2	-	-	-	-	61
5	-	3	4	4	7	5	3	4	3	2	1	1	-	-	-	-	-	62
4	3	1	4	2	3	10	4	4	1	7	2	-	2	-	-	-	-	63
3	1	-	-	3	3	2	-	3	1	-	1	-	-	-	-	-	-	64
2	-	3	-	-	2	1	-	-	-	2	-	-	-	-	-	-	-	65
-	-	-	-	-	-	-	-	2	-	-	-	-	-	-	-	-	-	66
1	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	67
																		68
																		69
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	70
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	71
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	72
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	73
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	74
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	75
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	76
																		77
1	-	-	-	-	-	2	-	-	-	-	2	1	-	-	-	-	-	78
-	-	-	-	-	-	1	-	-	-	-	1	-	-	-	-	-	-	79
1	-	-	-	-	-	1	-	-	-	-	1	-	-	-	-	-	-	80
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	81
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	82
-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	83
																		84
																		85
																		86
3	3	5	5	10	9	9	17	14	17	10	12	5	4	2	-	-	1	87
-	-	-	-	1	4	4	5	6	7	3	4	2	2	2	-	-	-	88
-	3	1	3	4	4	-	4	3	8	4	6	3	1	-	-	-	-	89
2	-	2	1	4	1	4	6	2	2	2	-	-	-	-	-	-	-	90
1	-	2	1	1	-	1	2	1	-	1	2	-	-	-	-	-	1	91
-	-	-	-	-	-	-	-	2	-	-	-	-	1	-	-	-	-	92
																		93
																		94
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	95
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	96
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	97
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	98
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	99
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	100
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	101
																		102

Table 5-9. Deaths From 255 Selected Causes, by Age,

(Data refer only to deaths occurring within the United States, including Alaska and Hawaii. Excludes fetal deaths. Numbers after causes

CAUSE OF DEATH, RACE, AND SEX	Total	Under 1 year	1 year	2 years	3 years	4 years	Under 5 years	5-9 years	10-14 years	15-19 years
I. INFECTIVE AND PARASITIC DISEASES—CON.										
ACUTE POLIOMYELITIS.....080	230	10	3	10	9	12	44	39	16	16
WHITE.....MALE....	115	4	2	5	4	8	23	18	7	5
FEMALE..	79	4	1	1	1	3	10	12	7	11
NEGRO.....MALE....	23	1	-	1	3	-	5	8	2	-
FEMALE..	8	1	-	1	1	-	3	-	-	-
OTHER.....MALE....	2	-	-	2	-	-	2	-	-	-
FEMALE..	3	-	-	-	-	1	1	1	-	-
LATE EFFECTS OF ACUTE POLIOMYELITIS.....081	148	-	-	-	1	1	2	4	11	11
WHITE.....MALE....	78	-	-	-	-	-	-	2	5	8
FEMALE..	63	-	-	-	1	1	2	2	6	2
NEGRO.....MALE....	4	-	-	-	-	-	-	-	-	-
FEMALE..	2	-	-	-	-	-	-	-	-	1
OTHER.....MALE....	-	-	-	-	-	-	-	-	-	-
FEMALE..	1	-	-	-	-	-	-	-	-	-
ACUTE INFECTIOUS ENCEPHALITIS.....082	528	76	50	30	25	21	202	45	37	27
WHITE.....MALE....	232	31	21	14	11	12	89	19	15	17
FEMALE..	225	32	22	10	10	5	79	21	19	7
NEGRO.....MALE....	39	7	5	3	3	1	19	2	1	3
FEMALE..	24	6	1	1	-	2	10	3	1	-
OTHER.....MALE....	4	-	-	1	-	1	2	-	-	-
FEMALE..	4	-	1	1	1	-	3	-	1	-
LATE EFFECTS OF ACUTE INFECTIOUS ENCEPHALITIS.....083	88	-	1	-	-	-	1	1	1	-
WHITE.....MALE....	45	-	-	-	-	-	-	-	1	-
FEMALE..	41	-	1	-	-	-	1	-	-	-
NEGRO.....MALE....	1	-	-	-	-	-	-	-	-	-
FEMALE..	1	-	-	-	-	-	-	1	-	-
OTHER.....MALE....	-	-	-	-	-	-	-	-	-	-
FEMALE..	-	-	-	-	-	-	-	-	-	-
SMALLPOX.....084	-	-	-	-	-	-	-	-	-	-
WHITE.....MALE....	-	-	-	-	-	-	-	-	-	-
FEMALE..	-	-	-	-	-	-	-	-	-	-
NEGRO.....MALE....	-	-	-	-	-	-	-	-	-	-
FEMALE..	-	-	-	-	-	-	-	-	-	-
OTHER.....MALE....	-	-	-	-	-	-	-	-	-	-
FEMALE..	-	-	-	-	-	-	-	-	-	-
MEASLES.....085	380	85	97	42	21	39	284	74	6	3
WHITE.....MALE....	150	28	39	12	9	16	104	35	4	2
FEMALE..	130	31	24	18	8	11	92	28	2	1
NEGRO.....MALE....	40	15	13	4	1	5	38	2	-	-
FEMALE..	43	7	17	5	1	7	37	5	-	-
OTHER.....MALE....	8	3	1	2	2	-	8	-	-	-
FEMALE..	9	1	3	1	-	-	5	4	-	-
YELLOW FEVER.....091	-	-	-	-	-	-	-	-	-	-
WHITE.....MALE....	-	-	-	-	-	-	-	-	-	-
FEMALE..	-	-	-	-	-	-	-	-	-	-
NEGRO.....MALE....	-	-	-	-	-	-	-	-	-	-
FEMALE..	-	-	-	-	-	-	-	-	-	-
OTHER.....MALE....	-	-	-	-	-	-	-	-	-	-
FEMALE..	-	-	-	-	-	-	-	-	-	-
INFECTIOUS HEPATITIS.....092	938	27	9	9	9	9	63	26	19	35
WHITE.....MALE....	360	7	6	6	3	4	24	12	6	8
FEMALE..	435	5	1	2	2	4	14	10	10	23
NEGRO.....MALE....	59	10	1	1	2	3	17	1	1	1
FEMALE..	72	4	1	-	2	-	7	3	2	3
OTHER.....MALE....	4	-	-	-	-	-	-	-	-	-
FEMALE..	8	1	-	-	-	-	1	-	-	-
RABIES.....094	2	-	-	-	-	-	-	1	-	1
WHITE.....MALE....	-	-	-	-	-	-	-	-	-	-
FEMALE..	1	-	-	-	-	-	-	-	-	1
NEGRO.....MALE....	1	-	-	-	-	-	-	1	-	-
FEMALE..	-	-	-	-	-	-	-	-	-	-
OTHER.....MALE....	-	-	-	-	-	-	-	-	-	-
FEMALE..	-	-	-	-	-	-	-	-	-	-
TICK-BORNE TYPHUS.....104	11	-	-	-	2	-	2	1	-	-
WHITE.....MALE....	7	-	-	-	1	-	1	-	-	-
FEMALE..	4	-	-	-	1	-	1	1	-	-
NEGRO.....MALE....	-	-	-	-	-	-	-	-	-	-
FEMALE..	-	-	-	-	-	-	-	-	-	-
OTHER.....MALE....	-	-	-	-	-	-	-	-	-	-
FEMALE..	-	-	-	-	-	-	-	-	-	-
ALL OTHER RICKETTSIAL DISEASES 100-103,105-108	-	-	-	-	-	-	-	-	-	-
WHITE.....MALE....	-	-	-	-	-	-	-	-	-	-
FEMALE..	-	-	-	-	-	-	-	-	-	-
NEGRO.....MALE....	-	-	-	-	-	-	-	-	-	-
FEMALE..	-	-	-	-	-	-	-	-	-	-
OTHER.....MALE....	-	-	-	-	-	-	-	-	-	-
FEMALE..	-	-	-	-	-	-	-	-	-	-
MALARIA.....110-117	4	-	-	-	-	-	-	-	-	-
WHITE.....MALE....	2	-	-	-	-	-	-	-	-	-
FEMALE..	1	-	-	-	-	-	-	-	-	-
NEGRO.....MALE....	1	-	-	-	-	-	-	-	-	-
FEMALE..	-	-	-	-	-	-	-	-	-	-
OTHER.....MALE....	-	-	-	-	-	-	-	-	-	-
FEMALE..	-	-	-	-	-	-	-	-	-	-

Race, and Sex: United States, 1960—Continued

category numbers of the Seventh Revision of the International Lists, 1955. For complete category titles, see table 5-8)

20-24 years	25-29 years	30-34 years	35-39 years	40-44 years	45-49 years	50-54 years	55-59 years	60-64 years	65-69 years	70-74 years	75-79 years	80-84 years	85-89 years	90-94 years	95-99 years	100 and over	Not stated	
																		1
																		2
27	29	23	12	11	10	2	-	-	1	-	-	-	-	-	-	-	-	3
12	14	17	6	6	5	2	-	-	-	-	-	-	-	-	-	-	-	4
11	11	6	6	2	2	-	-	-	1	-	-	-	-	-	-	-	-	5
2	1	-	-	3	2	-	-	-	-	-	-	-	-	-	-	-	-	6
2	2	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	7
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	8
-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	9
																		10
9	12	22	12	18	15	8	8	5	2	5	2	1	1	-	-	-	-	11
3	5	8	9	10	10	5	6	3	1	2	-	-	1	-	-	-	-	12
5	7	13	3	7	4	2	1	2	1	3	2	1	-	-	-	-	-	13
-	-	1	-	1	1	-	1	-	-	-	-	-	-	-	-	-	-	14
-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	15
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	16
1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	17
																		18
																		19
14	16	20	19	21	19	24	16	24	19	11	10	3	-	-	-	-	1	20
8	6	7	6	12	8	6	6	12	7	7	4	2	-	-	-	-	1	21
6	8	12	8	6	8	15	9	7	10	3	6	1	-	-	-	-	-	22
-	2	-	-	1	2	2	1	5	1	-	-	-	-	-	-	-	-	23
-	-	1	3	2	1	1	-	-	1	1	-	-	-	-	-	-	-	24
-	-	-	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	25
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	26
																		27
-	-	2	-	1	16	10	17	15	11	5	2	5	1	-	-	-	-	28
-	-	1	-	-	9	4	7	12	4	3	-	4	-	-	-	-	-	29
-	-	1	-	1	7	6	10	3	6	2	2	1	1	-	-	-	-	30
-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	31
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	32
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	33
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	34
																		35
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	36
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	37
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	38
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	39
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	40
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	41
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	42
																		43
																		44
1	5	3	-	2	-	-	-	-	-	-	2	-	-	-	-	-	-	45
-	3	-	-	1	-	-	-	-	-	-	1	-	-	-	-	-	-	46
1	1	3	-	1	-	-	-	-	-	-	1	-	-	-	-	-	-	47
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	48
-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	49
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	50
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	51
																		52
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	53
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	54
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	55
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	56
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	57
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	58
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	59
																		60
35	37	39	59	62	73	74	91	69	77	71	50	38	16	2	1	1	-	61
9	3	7	14	25	28	30	36	26	39	39	25	20	9	-	-	-	-	62
18	22	21	26	30	34	31	47	34	35	30	23	16	7	2	1	1	-	63
3	3	4	5	3	4	4	6	5	1	-	-	1	-	-	-	-	-	64
4	9	6	10	4	6	9	1	3	2	2	-	1	-	-	-	-	-	65
-	-	-	2	-	-	-	-	-	-	-	2	-	-	-	-	-	-	66
1	-	1	2	-	1	-	1	1	-	-	-	-	-	-	-	-	-	67
																		68
																		69
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	70
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	71
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	72
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	73
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	74
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	75
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	76
																		77
-	-	-	-	2	-	-	1	1	4	-	-	-	-	-	-	-	-	78
-	-	-	-	1	-	-	1	1	3	-	-	-	-	-	-	-	-	79
-	-	-	-	1	-	-	-	-	1	-	-	-	-	-	-	-	-	80
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	81
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	82
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	83
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	84
																		85
																		86
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	87
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	88
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	89
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	90
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	91
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	92
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	93
																		94
-	-	-	-	-	1	1	-	-	-	-	1	1	-	-	-	-	-	95
-	-	-	-	-	-	1	-	-	-	-	1	-	-	-	-	-	-	96
-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	97
-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	98
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	99
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	100
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	101
																		102

Table 5-9. Deaths From 255 Selected Causes, by Age,

(Data refer only to deaths occurring within the United States, including Alaska and Hawaii. Excludes fetal deaths. Numbers after causes

CAUSE OF DEATH, RACE, AND SEX	Total	Under 1 year	1 year	2 years	3 years	4 years	Under 5 years	5-9 years	10-14 years	15-19 years
I. INFECTIVE AND PARASITIC DISEASES—CON.										
SCHISTOSOMIASIS.....123	5	-	-	-	-	-	-	-	-	-
WHITE.....MALE....	2	-	-	-	-	-	-	-	-	-
FEMALE..	3	-	-	-	-	-	-	-	-	-
NEGRO.....MALE....	-	-	-	-	-	-	-	-	-	-
FEMALE..	-	-	-	-	-	-	-	-	-	-
OTHER.....MALE....	-	-	-	-	-	-	-	-	-	-
FEMALE..	-	-	-	-	-	-	-	-	-	-
HYDATID DISEASE.....125	10	-	-	-	-	-	-	-	-	-
WHITE.....MALE....	4	-	-	-	-	-	-	-	-	-
FEMALE..	6	-	-	-	-	-	-	-	-	-
NEGRO.....MALE....	-	-	-	-	-	-	-	-	-	-
FEMALE..	-	-	-	-	-	-	-	-	-	-
OTHER.....MALE....	-	-	-	-	-	-	-	-	-	-
FEMALE..	-	-	-	-	-	-	-	-	-	-
FILARIASIS.....127	-	-	-	-	-	-	-	-	-	-
WHITE.....MALE....	-	-	-	-	-	-	-	-	-	-
FEMALE..	-	-	-	-	-	-	-	-	-	-
NEGRO.....MALE....	-	-	-	-	-	-	-	-	-	-
FEMALE..	-	-	-	-	-	-	-	-	-	-
OTHER.....MALE....	-	-	-	-	-	-	-	-	-	-
FEMALE..	-	-	-	-	-	-	-	-	-	-
ANCYLOSTOMIASIS.....129	-	-	-	-	-	-	-	-	-	-
WHITE.....MALE....	-	-	-	-	-	-	-	-	-	-
FEMALE..	-	-	-	-	-	-	-	-	-	-
NEGRO.....MALE....	-	-	-	-	-	-	-	-	-	-
FEMALE..	-	-	-	-	-	-	-	-	-	-
OTHER.....MALE....	-	-	-	-	-	-	-	-	-	-
FEMALE..	-	-	-	-	-	-	-	-	-	-
OTHER DISEASES DUE TO HELMINTHS.....124,126,128,130	56	1	17	11	9	2	40	6	1	1
WHITE.....MALE....	8	-	1	-	-	-	1	4	-	1
FEMALE..	12	-	4	2	1	-	7	1	-	-
NEGRO.....MALE....	15	1	6	4	2	-	13	1	-	-
FEMALE..	20	-	6	5	6	2	19	-	1	-
OTHER.....MALE....	-	-	-	-	-	-	-	-	-	-
FEMALE..	1	-	-	-	-	-	-	-	-	-
ALL OTHER INFECTIVE AND PARASITIC DISEASES.....RESIDUAL	1,500	245	44	29	31	21	370	58	19	30
WHITE.....MALE....	664	105	19	14	11	10	159	29	9	10
FEMALE..	512	68	18	11	15	7	119	24	8	13
NEGRO.....MALE....	169	40	5	-	-	3	48	4	-	4
FEMALE..	131	25	2	3	4	1	35	1	1	3
OTHER.....MALE....	16	5	-	-	-	-	5	-	1	-
FEMALE..	8	2	-	1	1	-	4	-	-	-
II. NEOPLASMS.....	272,520	436	346	460	561	498	2,301	1,531	1,116	1,110
WHITE.....MALE....	132,146	200	161	226	303	276	1,166	813	548	602
FEMALE..	114,733	177	135	188	208	170	878	561	453	376
NEGRO.....MALE....	12,704	27	22	24	18	28	119	65	51	83
FEMALE..	11,547	28	23	15	27	21	114	67	56	44
OTHER.....MALE....	920	2	2	4	3	2	13	18	6	3
FEMALE..	470	2	3	3	2	1	11	7	2	2
MALIGNANT NEOPLASMS, INCLUDING NEOPLASMS OF LYMPHATIC AND HEMATOPOIETIC TISSUES.....140-205	267,627	298	317	434	538	473	2,060	1,391	1,024	1,023
WHITE.....MALE....	130,183	141	147	220	294	263	1,065	750	504	565
FEMALE..	112,529	117	125	172	198	165	777	512	420	348
NEGRO.....MALE....	12,456	19	19	22	18	26	104	54	42	72
FEMALE..	11,103	19	21	14	24	16	94	56	50	34
OTHER.....MALE....	904	1	2	4	3	2	12	14	6	3
FEMALE..	452	1	3	2	1	1	8	5	2	1
MALIGNANT NEOPLASM OF BUCCAL CAVITY AND PHARYNX.....140-148	6,175	-	-	2	1	-	3	8	10	15
WHITE.....MALE....	4,274	-	-	1	-	-	1	7	6	6
FEMALE..	1,355	-	-	1	1	-	2	1	3	6
NEGRO.....MALE....	361	-	-	-	-	-	-	-	-	3
FEMALE..	144	-	-	-	-	-	-	-	1	-
OTHER.....MALE....	33	-	-	-	-	-	-	-	-	-
FEMALE..	8	-	-	-	-	-	-	-	-	-
OF LIP.....140	216	-	-	-	-	-	-	-	-	-
WHITE.....MALE....	189	-	-	-	-	-	-	-	-	-
FEMALE..	18	-	-	-	-	-	-	-	-	-
NEGRO.....MALE....	7	-	-	-	-	-	-	-	-	-
FEMALE..	2	-	-	-	-	-	-	-	-	-
OTHER.....MALE....	-	-	-	-	-	-	-	-	-	-
FEMALE..	-	-	-	-	-	-	-	-	-	-
OF TONGUE.....141	1,545	-	-	-	-	-	-	-	-	-
WHITE.....MALE....	1,074	-	-	-	-	-	-	-	-	-
FEMALE..	328	-	-	-	-	-	-	-	-	-
NEGRO.....MALE....	101	-	-	-	-	-	-	-	-	-
FEMALE..	36	-	-	-	-	-	-	-	-	-
OTHER.....MALE....	4	-	-	-	-	-	-	-	-	-
FEMALE..	2	-	-	-	-	-	-	-	-	-
OF OTHER AND UNSPECIFIED PARTS OF BUCCAL CAVITY.....142-144	1,944	-	-	1	1	-	2	3	3	3
WHITE.....MALE....	1,250	-	-	-	-	-	-	3	2	2
FEMALE..	527	-	-	1	1	-	2	-	1	1
NEGRO.....MALE....	100	-	-	-	-	-	-	-	-	-
FEMALE..	60	-	-	-	-	-	-	-	-	-
OTHER.....MALE....	5	-	-	-	-	-	-	-	-	-
FEMALE..	2	-	-	-	-	-	-	-	-	-

Race, and Sex: United States, 1960—Continued

category numbers of the Seventh Revision of the International Lists, 1955. For complete category titles, see table 5-8)

20-24 years	25-29 years	30-34 years	35-39 years	40-44 years	45-49 years	50-54 years	55-59 years	60-64 years	65-69 years	70-74 years	75-79 years	80-84 years	85-89 years	90-94 years	95-99 years	100 and over	Not stated	
																		1
																		2
-	4	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	3
-	1	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	4
-	3	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	5
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	6
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	7
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	8
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	9
																		10
-	-	-	-	1	-	2	1	-	2	2	2	-	-	-	-	-	-	11
-	-	-	-	1	-	1	-	-	-	2	-	-	-	-	-	-	-	12
-	-	-	-	-	-	1	1	-	2	-	2	-	-	-	-	-	-	13
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	14
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	15
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	16
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	17
																		18
																		19
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	20
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	21
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	22
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	23
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	24
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	25
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	26
																		27
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	28
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	29
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	30
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	31
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	32
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	33
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	34
																		35
-	-	2	-	2	-	-	-	-	2	-	2	-	-	-	-	-	-	36
-	-	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	37
-	-	-	-	2	-	-	-	-	1	-	1	-	-	-	-	-	-	38
-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	39
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	40
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	41
-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	42
																		43
30	34	45	65	45	79	73	106	92	87	101	95	71	59	32	8	1	-	44
12	12	12	27	20	40	27	44	39	55	55	44	30	27	11	2	-	-	45
8	9	13	13	6	10	21	35	38	21	39	41	36	31	20	6	1	-	46
3	4	11	17	6	13	21	16	6	8	2	5	-	1	-	-	-	-	47
7	7	8	7	13	14	4	10	7	2	2	5	5	-	-	-	-	-	48
-	-	1	-	-	2	-	1	2	1	3	-	-	-	-	-	-	-	49
-	2	-	1	-	-	-	-	-	-	-	-	-	-	1	-	-	-	50
																		51
																		52
1,064	1,697	3,008	5,644	9,344	15,118	21,996	28,077	34,658	40,178	39,193	31,841	20,912	10,227	2,905	473	66	61	53
																		54
546	798	1,154	1,925	3,168	5,675	9,609	13,598	17,698	21,153	20,971	16,415	10,299	4,628	1,188	156	16	20	55
384	666	1,371	2,847	4,754	7,289	9,542	11,178	13,318	15,483	15,412	13,549	9,653	5,114	1,580	274	31	20	56
56	91	130	290	536	884	1,347	1,671	1,959	2,060	1,556	972	483	246	69	17	7	12	57
72	132	320	540	818	1,186	1,389	1,489	1,523	1,332	1,041	747	386	189	61	25	9	7	58
2	7	13	25	39	38	71	91	109	97	158	119	66	38	4	1	2	-	59
4	3	20	17	29	46	38	50	51	53	55	39	25	12	3	-	1	2	60
																		61
																		62
977	1,600	2,841	5,373	9,001	14,729	21,535	27,632	34,163	39,711	38,793	31,541	20,698	10,108	2,838	464	64	61	63
518	774	1,099	1,839	3,054	5,530	9,427	13,425	17,461	20,937	20,786	16,292	10,209	4,590	1,166	156	16	20	64
336	616	1,302	2,725	4,598	7,130	9,328	10,981	13,121	15,286	15,223	13,396	9,537	5,038	1,540	265	30	20	65
54	83	123	274	518	863	1,317	1,638	1,939	2,039	1,546	962	481	244	67	17	7	12	66
63	117	286	494	765	1,125	1,357	1,447	1,488	1,303	1,026	734	380	186	58	25	8	7	67
2	7	13	25	37	37	69	91	105	95	158	119	66	38	4	1	2	-	68
4	3	18	16	29	44	37	50	49	51	54	38	25	12	3	-	1	2	69
																		70
13	19	36	76	190	412	681	739	802	878	841	674	455	231	76	12	4	-	71
9	5	17	39	92	240	443	535	596	654	623	486	305	156	45	6	3	-	72
3	8	9	17	58	111	143	131	142	161	172	159	130	66	29	4	-	-	73
-	2	6	9	23	41	72	52	41	46	31	17	9	5	1	2	1	-	74
1	4	2	5	11	17	19	16	19	15	12	10	8	3	1	-	-	-	75
-	-	2	6	6	2	3	4	4	1	1	2	1	1	-	-	-	-	76
-	-	-	-	-	1	1	1	-	1	2	-	2	-	-	-	-	-	77
																		78
-	1	1	1	5	4	7	18	21	19	36	35	35	22	7	4	-	-	79
-	1	1	1	4	3	6	15	19	17	31	33	30	18	6	4	-	-	80
-	-	-	-	1	1	1	-	1	1	3	1	4	4	1	-	-	-	81
-	-	-	-	-	-	-	2	1	1	2	1	-	-	-	-	-	-	82
-	-	-	-	-	-	-	1	-	-	-	-	1	-	-	-	-	-	83
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	84
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	85
																		86
-	2	4	12	32	95	176	190	210	233	218	175	119	62	15	1	1	-	87
-	-	2	7	14	62	118	141	152	178	152	123	75	40	9	-	1	-	88
-	1	-	3	10	22	28	33	40	37	47	42	40	19	5	1	-	-	89
-	1	1	1	5	6	22	11	12	15	16	6	3	2	-	-	-	-	90
-	-	1	1	3	4	7	3	5	3	2	4	1	1	1	-	-	-	91
-	-	-	-	-	1	-	2	1	-	-	-	-	-	-	-	-	-	92
-	-	-	-	-	-	1	-	-	-	1	-	-	-	-	-	-	-	93
																		94
6	6	11	26	68	115	202	198	227	268	269	242	170	81	38	4	2	-	95
4	2	4	14	38	66	126	131	153	186	187	156	102	51	21	-	2	-	96
2	2	5	7	15	33	51	48	50	66	66	71	59	29	16	3	-	-	97
-	1	-	4	8	12	19	14	13	11	7	7	2	-	1	1	-	-	98
-	1	1	1	5	4	6	5	11	5	8	6	6	1	-	-	-	-	99
-	-	1	-	2	-	-	-	-	-	-	2	-	-	-	-	-	-	100
-	-	-	-	-	-	-	-	-	-	1	-	1	-	-	-	-	-	101
																		102

Table 5-9. Deaths From 255 Selected Causes, by Age,

(Data refer only to deaths occurring within the United States, including Alaska and Hawaii. Excludes fetal deaths. Numbers after causes

CAUSE OF DEATH, RACE, AND SEX	Total	Under 1 year	1 year	2 years	3 years	4 years	Under 5 years	5-9 years	10-14 years	15-19 years
II. NEOPLASMS—CON.										
MALIGNANT NEOPLASMS, INCLUDING NEOPLASMS, ETC.—CON.										
MALIGNANT NEOPLASM OF BUCCAL CAVITY AND PHARYNX—CON.										
OF PHARYNX.....145-148	2,470	-	-	1	-	-	1	5	7	12
WHITE.....MALE....	1,761	-	-	1	-	-	1	4	4	4
FEMALE..	482	-	-	-	-	-	-	1	2	5
NEGRO.....MALE....	153	-	-	-	-	-	-	-	-	3
FEMALE..	46	-	-	-	-	-	-	-	1	-
OTHER.....MALE....	24	-	-	-	-	-	-	-	-	-
FEMALE..	4	-	-	-	-	-	-	-	-	-
MALIGNANT NEOPLASM OF DIGESTIVE ORGANS AND PERITONEUM, NOT SPECIFIED AS SECONDARY.....150-156A,157-159	91,035	29	17	17	10	1	74	21	19	46
WHITE.....MALE....	44,669	8	8	11	3	1	31	13	9	22
FEMALE..	37,794	18	6	4	4	-	32	5	5	13
NEGRO.....MALE....	4,711	-	1	-	2	-	3	3	3	10
FEMALE..	3,271	3	1	2	1	-	7	-	2	1
OTHER.....MALE....	412	-	-	-	-	-	-	-	-	-
FEMALE..	178	-	1	-	-	-	1	-	-	-
OF ESOPHAGUS.....150	4,915	1	-	-	2	-	3	-	-	-
WHITE.....MALE....	3,122	-	-	-	1	-	1	-	-	-
FEMALE..	884	1	-	-	-	-	1	-	-	-
NEGRO.....MALE....	667	-	-	-	1	-	1	-	-	-
FEMALE..	195	-	-	-	-	-	-	-	-	-
OTHER.....MALE....	43	-	-	-	-	-	-	-	-	-
FEMALE..	4	-	-	-	-	-	-	-	-	-
OF STOMACH.....151	20,859	2	-	-	1	-	3	-	-	2
WHITE.....MALE....	11,315	-	-	-	-	-	-	-	-	1
FEMALE..	6,908	1	-	-	-	-	1	-	-	1
NEGRO.....MALE....	1,629	-	-	-	1	-	1	-	-	-
FEMALE..	804	1	-	-	-	-	1	-	-	-
OTHER.....MALE....	141	-	-	-	-	-	-	-	-	-
FEMALE..	62	-	-	-	-	-	-	-	-	-
OF SMALL INTESTINE, INCLUDING DUODENUM.....152	769	-	-	1	-	-	1	-	-	3
WHITE.....MALE....	377	-	-	1	-	-	1	-	-	2
FEMALE..	331	-	-	-	-	-	-	-	-	-
NEGRO.....MALE....	28	-	-	-	-	-	-	-	-	1
FEMALE..	32	-	-	-	-	-	-	-	-	-
OTHER.....MALE....	-	-	-	-	-	-	-	-	-	-
FEMALE..	1	-	-	-	-	-	-	-	-	-
OF LARGE INTESTINE, EXCEPT RECTUM.....153	28,537	4	1	-	-	-	5	-	8	12
WHITE.....MALE....	12,147	1	1	-	-	-	2	-	4	3
FEMALE..	14,536	3	-	-	-	-	3	-	2	3
NEGRO.....MALE....	790	-	-	-	-	-	-	-	2	6
FEMALE..	961	-	-	-	-	-	-	-	-	-
OTHER.....MALE....	73	-	-	-	-	-	-	-	-	-
FEMALE..	30	-	-	-	-	-	-	-	-	-
CECUM, APPENDIX, AND ASCENDING COLON.....153.0	4,189	-	-	-	-	-	-	-	2	1
WHITE.....MALE....	1,679	-	-	-	-	-	-	-	1	-
FEMALE..	2,292	-	-	-	-	-	-	-	1	-
NEGRO.....MALE....	91	-	-	-	-	-	-	-	-	1
FEMALE..	114	-	-	-	-	-	-	-	-	-
OTHER.....MALE....	9	-	-	-	-	-	-	-	-	-
FEMALE..	4	-	-	-	-	-	-	-	-	-
TRANSVERSE COLON, INCLUDING HEPATIC AND SPLENIC FLEXURES..153.1	1,666	-	-	-	-	-	-	-	1	4
WHITE.....MALE....	730	-	-	-	-	-	-	-	1	2
FEMALE..	854	-	-	-	-	-	-	-	-	1
NEGRO.....MALE....	33	-	-	-	-	-	-	-	-	1
FEMALE..	45	-	-	-	-	-	-	-	-	-
OTHER.....MALE....	2	-	-	-	-	-	-	-	-	-
FEMALE..	2	-	-	-	-	-	-	-	-	-
DESCENDING COLON.....153.2	1,272	-	-	-	-	-	-	-	-	1
WHITE.....MALE....	510	-	-	-	-	-	-	-	-	-
FEMALE..	679	-	-	-	-	-	-	-	-	1
NEGRO.....MALE....	34	-	-	-	-	-	-	-	-	-
FEMALE..	45	-	-	-	-	-	-	-	-	-
OTHER.....MALE....	3	-	-	-	-	-	-	-	-	-
FEMALE..	1	-	-	-	-	-	-	-	-	-
SIGMOID COLON.....153.3	6,403	2	-	-	-	-	2	-	-	2
WHITE.....MALE....	2,965	1	-	-	-	-	1	-	-	-
FEMALE..	3,100	1	-	-	-	-	1	-	-	1
NEGRO.....MALE....	144	-	-	-	-	-	-	-	-	1
FEMALE..	164	-	-	-	-	-	-	-	-	-
OTHER.....MALE....	22	-	-	-	-	-	-	-	-	-
FEMALE..	8	-	-	-	-	-	-	-	-	-
MULTIPLE PARTS OF LARGE INTESTINE.....153.7	71	-	-	-	-	-	-	-	-	-
WHITE.....MALE....	36	-	-	-	-	-	-	-	-	-
FEMALE..	32	-	-	-	-	-	-	-	-	-
NEGRO.....MALE....	1	-	-	-	-	-	-	-	-	-
FEMALE..	1	-	-	-	-	-	-	-	-	-
OTHER.....MALE....	1	-	-	-	-	-	-	-	-	-
FEMALE..	-	-	-	-	-	-	-	-	-	-
LARGE INTESTINE INCLUDING COLON, PART UNSPECIFIED.....153.8	13,379	2	-	-	-	-	2	-	3	3
WHITE.....MALE....	5,604	-	-	-	-	-	-	-	1	-
FEMALE..	6,756	2	-	-	-	-	2	-	1	-
NEGRO.....MALE....	443	-	-	-	-	-	-	-	1	3
FEMALE..	531	-	-	-	-	-	-	-	-	-
OTHER.....MALE....	31	-	-	-	-	-	-	-	-	-
FEMALE..	14	-	-	-	-	-	-	-	-	-

Race, and Sex: United States, 1960—Continued

category numbers of the Seventh Revision of the International Lists, 1955. For complete category titles, see table 5-8)

20-24 years	25-29 years	30-34 years	35-39 years	40-44 years	45-49 years	50-54 years	55-59 years	60-64 years	65-69 years	70-74 years	75-79 years	80-84 years	85-89 years	90-94 years	95-99 years	100 and over	Not stated	
																		1
																		2
																		3
																		4
7	10	20	37	85	198	296	333	344	358	318	222	131	66	16	3	1	-	5
5	2	10	17	36	109	193	248	272	273	253	174	98	47	9	2	-	-	6
1	5	4	7	32	55	63	50	51	57	56	45	27	14	7	-	-	-	7
-	-	5	4	10	23	31	25	15	19	6	3	4	3	-	1	1	-	8
1	3	-	3	3	9	6	7	3	7	2	-	-	1	-	-	-	-	9
-	-	1	6	4	1	3	2	3	1	1	-	1	1	-	-	-	-	10
-	-	-	-	-	1	-	1	-	1	-	-	1	-	-	-	-	-	11
																		12
																		13
63	190	414	954	1,842	3,539	5,872	8,329	11,471	14,565	15,388	13,306	9,056	4,409	1,245	182	25	25	14
25	91	177	390	778	1,614	2,875	4,205	5,879	7,534	8,013	6,529	4,159	1,814	439	59	4	9	15
21	63	168	394	734	1,329	2,119	2,971	4,252	5,624	6,268	6,007	4,498	2,415	743	109	15	9	16
8	21	30	91	179	344	490	629	778	854	607	372	182	70	27	4	2	4	17
9	15	28	65	129	221	344	467	489	492	391	325	167	77	30	9	2	1	18
-	-	4	12	14	13	30	45	49	43	84	51	35	27	3	1	1	-	19
-	-	7	2	8	18	14	12	24	18	25	22	15	6	3	-	1	2	20
																		21
-	3	5	31	104	268	484	612	690	833	753	550	368	158	41	8	1	3	22
-	3	3	11	47	131	280	383	455	582	517	367	227	90	19	3	1	2	23
-	-	-	2	15	34	58	77	100	126	142	136	111	59	19	4	-	-	24
-	-	1	9	31	79	111	108	107	98	64	32	16	5	3	1	-	1	25
-	-	1	8	10	23	34	41	25	21	16	8	6	2	-	-	-	-	26
-	-	-	1	-	1	1	3	3	6	14	7	5	2	-	-	-	-	27
-	-	-	-	1	-	-	-	-	-	-	-	3	-	-	-	-	-	28
																		29
8	30	106	216	408	705	1,210	1,735	2,492	3,366	3,649	3,293	2,227	1,053	308	37	4	7	30
3	9	42	95	177	350	655	959	1,394	1,935	2,123	1,790	1,150	489	127	14	-	2	31
2	12	45	78	143	217	305	443	660	969	1,184	1,226	944	496	158	21	2	1	32
2	6	3	23	51	94	156	201	280	336	215	148	67	30	11	-	2	3	33
1	3	10	14	29	33	81	111	134	109	93	99	45	28	10	2	-	1	34
-	-	1	5	5	5	7	15	16	13	24	23	16	10	1	-	-	-	35
-	-	5	1	3	6	6	6	8	4	10	7	5	-	1	-	-	-	36
																		37
2	6	5	16	18	55	60	81	95	128	103	98	58	29	8	3	-	-	38
1	4	3	8	10	29	30	43	43	68	49	48	20	12	6	-	-	-	39
-	1	2	6	7	18	23	29	46	49	47	47	35	16	2	3	-	-	40
-	-	-	2	1	3	3	5	1	5	3	3	1	-	-	-	-	-	41
1	1	-	-	-	5	4	4	5	5	4	-	2	1	-	-	-	-	42
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	43
-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	44
																		45
																		46
29	78	132	331	575	1,062	1,684	2,491	3,455	4,338	4,778	4,372	3,114	1,557	429	69	9	9	47
11	40	53	120	206	432	657	1,033	1,528	1,954	2,200	1,901	1,290	568	125	17	1	2	48
12	29	66	173	294	524	869	1,210	1,660	2,076	2,318	2,278	1,730	948	282	46	7	6	49
4	6	5	18	27	43	63	90	122	143	110	82	41	20	7	1	-	-	50
2	3	8	17	43	61	82	145	135	154	127	101	49	16	13	4	1	-	51
-	-	-	3	3	-	7	10	9	9	19	5	2	4	1	1	-	-	52
-	-	-	-	2	2	6	3	1	2	4	5	2	1	1	-	-	1	53
																		54
1	8	13	47	79	137	206	308	494	648	718	691	519	230	74	10	1	2	55
-	5	9	23	38	68	87	129	194	286	307	254	181	71	24	1	-	1	56
-	3	4	15	36	49	104	152	265	331	376	419	327	155	45	8	1	1	57
-	-	-	5	2	12	8	8	12	13	17	7	4	1	1	-	-	-	58
1	-	-	4	3	8	6	17	20	17	15	10	7	3	3	-	-	-	59
-	-	-	-	-	-	-	-	2	3	1	2	-	-	-	1	-	-	60
-	-	-	-	-	-	-	1	-	-	1	1	-	-	1	-	-	-	61
																		62
4	2	10	22	45	89	107	154	193	238	265	246	190	71	22	2	1	-	63
-	1	2	8	19	36	41	69	93	110	127	116	77	23	5	-	-	-	64
3	1	7	14	22	48	59	73	91	119	127	114	110	45	17	2	1	-	65
1	-	1	-	2	-	5	4	3	5	3	6	-	2	-	-	-	-	66
-	-	-	-	2	5	2	8	5	4	7	8	3	1	-	-	-	-	67
-	-	-	-	-	-	-	-	-	-	1	1	-	-	-	-	-	-	68
-	-	-	-	-	-	-	-	1	-	-	1	-	-	-	-	-	-	69
																		70
3	4	10	11	33	59	82	121	161	186	221	175	126	63	13	3	-	-	71
2	-	5	5	7	18	25	43	69	89	103	74	42	21	6	1	-	-	72
1	3	4	5	18	37	47	71	81	86	101	95	78	42	7	2	-	-	73
-	1	-	1	2	3	3	2	6	6	7	2	1	-	-	-	-	-	74
-	-	1	-	6	1	6	5	4	5	9	3	5	-	-	-	-	-	75
-	-	-	-	-	-	1	-	1	-	1	-	-	-	-	-	-	-	76
-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	77
																		78
4	7	29	83	148	240	393	574	844	1,008	1,109	918	640	312	73	12	2	3	79
1	3	10	20	47	91	158	244	397	473	583	463	310	137	22	3	1	1	80
3	2	16	59	85	132	212	280	387	477	477	429	312	169	47	9	-	2	81
-	2	-	2	6	10	6	16	24	33	23	10	8	2	1	-	-	-	82
-	-	3	2	8	6	12	26	34	22	19	15	10	3	3	-	1	-	83
-	-	-	-	1	-	2	6	2	3	6	1	-	1	-	-	-	-	84
-	-	-	-	1	1	3	2	-	-	1	-	-	-	-	-	-	-	85
																		86
-	1	-	2	1	3	4	6	8	9	12	14	7	3	1	-	-	-	87
-	-	-	1	1	2	2	3	3	6	6	6	5	1	-	-	-	-	88
-	1	-	1	-	1	-	2	5	3	6	8	2	2	1	-	-	-	89
-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	90
-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	91
-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	92
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	93
																		94
14	54	65	150	247	495	806	1,212	1,587	2,018	2,186	2,095	1,443	744	212	35	4	4	95
8	30	26	59	86	201	311	500	703	907	955	889	605	262	54	7	-	-	96
3	18	31	69	121	240	407	577	748	934	1,098	1,088	788	456	145	23	4	3	97
3	3	4	10	14	17	38	52	72	78	51	53	24	14	5	1	-	-	98
-	3	4	9	23	36	46	80	61	93	73	61	22	9	7	4	-	-	99
-	-	-	3	2	-	2	2	3	4	7	3	2	2	1	-	-	-	100
-	-	-	-	1	1	2	1	-	2	2	1	2	1	-	-	-	1	101
																		102

Table 5-9. Deaths From 255 Selected Causes, by Age,

(Data refer only to deaths occurring within the United States, including Alaska and Hawaii. Excludes fetal deaths. Numbers after causes

CAUSE OF DEATH, RACE, AND SEX	Total	Under 1 year	1 year	2 years	3 years	4 years	Under 5 years	5-9 years	10-14 years	15-19 years
II. NEOPLASMS—CON.										
MALIGNANT NEOPLASMS, INCLUDING NEOPLASMS, ETC.—CON.										
MALIGNANT NEOPLASM OF DIGESTIVE ORGANS, ETC.—CON.										
OF LARGE INTESTINE, EXCEPT RECTUM—CON.										
INTESTINAL TRACT, PART UNSPECIFIED.....153.9	1,557	-	1	-	-	-	1	-	2	1
WHITE.....MALE....	623	-	1	-	-	-	1	-	1	1
FEMALE..	823	-	-	-	-	-	-	-	-	-
NEGRO.....MALE....	44	-	-	-	-	-	-	-	1	-
FEMALE..	61	-	-	-	-	-	-	-	-	-
OTHER.....MALE....	5	-	-	-	-	-	-	-	-	-
FEMALE..	1	-	-	-	-	-	-	-	-	-
OF RECTUM.....154	10,855	2	2	-	-	-	4	-	-	7
WHITE.....MALE....	5,702	2	1	-	-	-	3	-	-	5
FEMALE..	4,336	-	1	-	-	-	1	-	-	-
NEGRO.....MALE....	381	-	-	-	-	-	-	-	-	1
FEMALE..	388	-	-	-	-	-	-	-	-	1
OTHER.....MALE....	34	-	-	-	-	-	-	-	-	-
FEMALE..	14	-	-	-	-	-	-	-	-	-
OF BILIARY PASSAGES & OF LIVER STATED TO BE PRIMARY SITE.....155	6,246	9	10	9	3	1	32	10	6	14
WHITE.....MALE....	2,422	2	4	6	1	1	14	7	4	7
FEMALE..	3,334	7	4	2	1	-	14	2	1	6
NEGRO.....MALE....	248	-	1	-	-	-	1	1	1	1
FEMALE..	161	-	1	1	1	-	3	-	-	-
OTHER.....MALE....	49	-	-	-	-	-	-	-	-	-
FEMALE..	32	-	-	-	-	-	-	-	-	-
LIVER.....155.0	1,896	9	10	9	3	1	32	9	6	13
WHITE.....MALE....	1,011	2	4	6	1	1	14	7	4	6
FEMALE..	611	7	4	2	1	-	14	1	1	6
NEGRO.....MALE....	182	-	1	-	-	-	1	1	1	1
FEMALE..	55	-	1	1	1	-	3	-	-	-
OTHER.....MALE....	24	-	-	-	-	-	-	-	-	-
FEMALE..	7	-	-	-	-	-	-	-	-	-
OTHER AND MULTIPLE SITES OF BILIARY PASSAGES.....155.1,155.8	4,356	-	-	-	-	-	-	1	-	1
WHITE.....MALE....	1,411	-	-	-	-	-	-	-	-	1
FEMALE..	2,723	-	-	-	-	-	-	1	-	-
NEGRO.....MALE....	66	-	-	-	-	-	-	-	-	-
FEMALE..	106	-	-	-	-	-	-	-	-	-
OTHER.....MALE....	25	-	-	-	-	-	-	-	-	-
FEMALE..	25	-	-	-	-	-	-	-	-	-
OF LIVER NOT STATED WHETHER PRIMARY OR SECONDARY.....156A	3,482	8	1	3	1	-	13	1	1	5
WHITE.....MALE....	1,640	2	-	1	-	-	3	1	-	1
FEMALE..	1,455	5	-	1	1	-	7	-	-	3
NEGRO.....MALE....	187	-	-	-	-	-	-	-	-	1
FEMALE..	171	1	-	1	-	-	2	-	1	-
OTHER.....MALE....	20	-	-	-	-	-	-	-	-	-
FEMALE..	9	-	1	-	-	-	1	-	-	-
OF PANCREAS.....157	13,675	1	-	-	-	-	1	3	1	1
WHITE.....MALE....	7,241	1	-	-	-	-	1	2	-	1
FEMALE..	5,215	-	-	-	-	-	-	1	1	-
NEGRO.....MALE....	692	-	-	-	-	-	-	-	-	-
FEMALE..	453	-	-	-	-	-	-	-	-	-
OTHER.....MALE....	49	-	-	-	-	-	-	-	-	-
FEMALE..	25	-	-	-	-	-	-	-	-	-
OF PERITONEUM AND OF UNSPECIFIED DIGESTIVE ORGANS.....158,159	1,697	2	3	4	3	-	12	7	3	2
WHITE.....MALE....	703	-	2	3	1	-	6	3	1	2
FEMALE..	795	1	1	1	2	-	5	2	1	-
NEGRO.....MALE....	89	-	-	-	-	-	-	2	-	-
FEMALE..	106	1	-	-	-	-	1	-	1	-
OTHER.....MALE....	3	-	-	-	-	-	-	-	-	-
FEMALE..	1	-	-	-	-	-	-	-	-	-
MALIGNANT NEOPLASM OF RESPIRATORY SYSTEM, NOT SPECIFIED AS SECONDARY.....160-164	39,730	7	4	3	1	1	16	4	12	12
WHITE.....MALE....	31,012	2	2	-	-	-	4	3	3	8
FEMALE..	5,170	4	2	2	-	1	9	1	5	3
NEGRO.....MALE....	2,838	1	-	1	-	-	2	-	1	1
FEMALE..	477	-	-	-	1	-	1	-	3	-
OTHER.....MALE....	197	-	-	-	-	-	-	-	-	-
FEMALE..	36	-	-	-	-	-	-	-	-	-
OF LARYNX.....161	2,426	1	1	-	-	-	2	-	-	3
WHITE.....MALE....	1,979	1	-	-	-	-	1	-	-	1
FEMALE..	194	-	1	-	-	-	1	-	-	1
NEGRO.....MALE....	212	-	-	-	-	-	-	-	-	1
FEMALE..	30	-	-	-	-	-	-	-	-	-
OTHER.....MALE....	10	-	-	-	-	-	-	-	-	-
FEMALE..	1	-	-	-	-	-	-	-	-	-
OF BRONCHUS AND TRACHEA, AND OF LUNG SPECIFIED AS PRIMARY.....162	18,342	3	-	-	-	-	3	1	2	2
WHITE.....MALE....	14,711	1	-	-	-	-	1	-	-	2
FEMALE..	2,011	2	-	-	-	-	2	1	2	-
NEGRO.....MALE....	1,356	-	-	-	-	-	-	-	-	-
FEMALE..	151	-	-	-	-	-	-	-	-	-
OTHER.....MALE....	97	-	-	-	-	-	-	-	-	-
FEMALE..	16	-	-	-	-	-	-	-	-	-
OF LUNG, UNSPECIFIED AS TO WHETHER PRIMARY OR SECONDARY.....163	18,078	2	1	2	-	-	5	-	5	4
WHITE.....MALE....	13,803	-	1	-	-	-	1	-	1	4
FEMALE..	2,702	1	-	2	-	-	3	-	1	-
NEGRO.....MALE....	1,205	1	-	-	-	-	1	-	1	-
FEMALE..	264	-	-	-	-	-	-	-	2	-
OTHER.....MALE....	85	-	-	-	-	-	-	-	-	-
FEMALE..	19	-	-	-	-	-	-	-	-	-

Race, and Sex: United States, 1960—Continued

category numbers of the Seventh Revision of the International Lists, 1955. For complete category titles, see table 5-8)

20-24 years	25-29 years	30-34 years	35-39 years	40-44 years	45-49 years	50-54 years	55-59 years	60-64 years	65-69 years	70-74 years	75-79 years	80-84 years	85-89 years	90-94 years	95-99 years	100 and over	Not stated	
																		1
																		2
																		3
																		4
																		5
																		6
3	2	5	16	22	39	86	116	168	231	267	233	189	134	34	7	1	-	7
-	1	1	4	8	16	33	45	69	83	119	99	70	53	14	5	-	-	8
2	1	4	10	12	17	40	55	83	126	133	125	113	79	20	2	1	-	9
-	-	-	-	1	1	3	7	5	8	9	4	4	1	-	-	-	-	10
1	-	-	2	1	5	9	9	11	13	4	4	2	-	-	-	-	-	11
-	-	-	-	-	-	1	-	-	1	2	-	-	1	-	-	-	-	12
-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	13
																		14
11	24	47	101	238	440	710	989	1,385	1,770	1,789	1,522	1,054	561	176	23	2	2	15
4	14	14	42	110	185	371	515	762	981	1,007	832	532	254	62	8	-	1	16
4	7	19	40	98	195	267	370	503	646	680	620	475	286	110	13	1	1	17
-	2	10	6	11	24	33	54	58	76	51	28	20	5	1	1	-	-	18
3	1	1	12	16	32	36	46	57	62	45	36	23	12	3	1	1	-	19
-	-	2	1	2	-	3	3	4	4	4	4	4	3	-	-	-	-	20
-	-	1	-	1	4	-	1	1	1	2	2	-	1	-	-	-	-	21
																		22
1	14	32	56	113	200	371	569	869	1,085	1,166	869	538	244	48	6	3	-	23
-	4	12	19	40	82	156	247	359	430	469	309	170	71	18	3	1	-	24
1	4	11	17	56	78	169	256	433	596	632	519	349	158	29	3	-	-	25
-	3	7	14	12	20	27	42	36	25	33	15	8	2	-	-	-	-	26
-	3	2	4	3	13	14	18	26	28	20	15	6	6	-	-	-	-	27
-	-	-	1	1	4	3	5	10	2	8	6	4	4	-	-	1	-	28
-	-	-	1	1	3	2	1	5	4	4	5	1	3	1	-	1	-	29
																		30
1	14	22	31	52	86	151	205	286	268	304	217	129	57	6	1	-	-	31
-	4	7	7	20	39	84	114	166	156	181	116	61	22	2	1	-	-	32
1	4	7	6	17	20	36	51	80	85	96	89	61	32	4	-	-	-	33
-	3	7	12	12	17	22	33	25	18	19	5	4	1	-	-	-	-	34
-	3	1	4	2	6	7	3	8	7	4	4	2	1	-	-	-	-	35
-	-	-	1	1	4	1	4	5	-	4	2	1	1	-	-	-	-	36
-	-	-	1	-	-	1	-	2	2	-	1	-	-	-	-	-	-	37
																		38
-	-	10	25	61	114	220	364	583	817	862	652	409	187	42	5	3	-	39
-	-	5	12	20	43	72	133	193	274	288	193	109	49	16	2	1	-	40
-	-	4	11	39	58	133	205	353	511	536	430	288	126	25	3	-	-	41
-	-	-	2	-	3	5	9	11	7	14	10	4	1	-	-	-	-	42
-	-	1	-	1	7	7	15	18	21	16	11	4	5	-	-	-	-	43
-	-	-	-	-	-	2	1	5	2	4	4	3	3	-	-	1	-	44
-	-	-	-	1	3	1	1	3	2	4	4	1	3	1	-	1	-	45
																		46
4	5	19	24	75	143	226	329	450	515	586	503	346	163	61	11	1	1	47
2	2	8	5	26	67	121	182	215	259	291	235	145	53	19	5	-	-	48
1	1	7	16	29	43	65	101	173	196	242	240	185	101	38	5	1	1	49
-	1	2	1	10	18	21	22	38	25	25	10	7	3	2	1	-	-	50
1	1	1	2	8	13	16	20	20	34	24	16	5	5	2	-	-	-	51
-	-	-	-	2	2	3	4	2	-	4	1	1	1	-	-	-	-	52
-	-	1	-	-	-	-	-	2	1	-	1	3	-	-	-	-	-	53
																		54
5	20	51	148	265	586	1,007	1,388	1,846	2,285	2,312	1,868	1,182	536	140	22	5	3	55
3	10	30	78	138	306	564	780	1,027	1,224	1,257	964	549	241	55	8	1	2	56
-	5	14	50	76	185	308	437	609	859	894	809	584	285	82	12	4	-	57
1	3	2	14	33	57	70	95	125	131	92	48	17	3	1	-	-	-	58
1	2	4	5	17	35	59	70	73	59	54	40	28	3	1	2	-	-	59
-	-	1	1	1	1	6	5	5	7	10	5	3	3	1	-	-	-	60
-	-	-	-	-	2	-	1	7	5	5	2	1	1	-	-	-	1	61
																		62
3	10	17	31	46	80	120	135	189	245	252	231	169	108	34	3	-	-	63
1	5	12	12	24	32	41	63	96	101	100	83	76	36	8	1	-	-	64
1	4	4	12	16	35	55	48	68	107	129	132	85	66	23	2	-	-	65
1	-	-	4	3	6	6	12	11	15	14	6	5	2	2	-	-	-	66
-	1	1	3	3	6	18	12	14	20	8	10	3	4	1	-	-	-	67
-	-	-	-	-	-	-	-	-	2	1	-	-	-	-	-	-	-	68
-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	69
																		70
																		71
19	68	193	533	1,223	2,420	4,142	5,776	6,915	7,138	5,749	3,200	1,567	566	146	18	5	8	72
15	38	119	334	765	1,670	3,158	4,623	5,641	5,896	4,689	2,506	1,092	349	84	9	1	5	73
3	20	43	115	259	415	501	581	645	732	709	507	384	180	50	6	2	-	74
1	7	22	63	162	264	404	486	512	431	274	119	54	21	8	2	1	3	75
-	3	7	13	29	63	62	61	76	52	37	34	19	11	4	1	1	-	76
-	-	2	6	5	7	14	24	36	21	33	30	15	4	-	-	-	-	77
-	-	-	2	3	1	3	1	5	6	7	4	3	1	-	-	-	-	78
																		79
1	1	4	20	51	145	235	351	394	417	350	238	138	55	15	5	-	1	80
-	1	3	12	33	99	179	277	319	365	310	206	116	43	10	3	-	1	81
1	-	-	-	6	20	21	30	35	19	17	15	18	5	3	2	-	-	82
-	-	-	6	10	20	29	38	33	31	20	14	4	5	1	-	-	-	83
-	-	1	2	1	6	5	5	4	2	-	1	-	2	1	-	-	-	84
-	-	-	-	-	-	1	1	3	-	3	2	-	-	-	-	-	-	85
-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	86
																		87
3	24	86	270	593	1,158	2,007	2,734	3,338	3,375	2,612	1,324	565	185	48	6	2	4	88
3	11	60	179	382	828	1,587	2,246	2,806	2,830	2,175	1,049	401	116	30	4	-	1	89
-	7	13	51	116	177	197	235	232	321	275	181	129	56	14	1	1	-	90
-	6	11	32	80	129	196	220	256	196	133	60	23	6	3	1	1	3	91
-	-	1	4	10	19	20	18	28	13	15	12	5	5	1	-	-	-	92
-	-	1	3	4	5	6	15	13	12	13	18	5	2	-	-	-	-	93
-	-	-	1	1	-	1	-	3	3	1	4	2	-	-	-	-	-	94
																		95
6	25	87	224	544	1,058	1,838	2,595	3,065	3,222	2,679	1,546	803	285	76	6	2	3	96
4	18	43	133	335	707	1,358	2,041	2,443	2,620	2,135	1,202	543	170	40	2	-	3	97
2	5	29	59	125	199	266	288	354	362	387	276	212	101	30	2	1	-	98
-	-	10	23	65	113	171	222	208	199	115	40	24	8	4	1	-	-	99
-	2	4	5	17	36	35	35	38	30	20	20	13	3	2	1	1	-	100
-	-	1	3	1	2	6	8	20	8	16	8	10	2	-	-	-	-	101
-	-	-	1	1	1	2	1	2	3	6	-	1	1	-	-	-	-	102

Table 5-9. Deaths From 255 Selected Causes, by Age,

(Data refer only to deaths occurring within the United States, including Alaska and Hawaii. Excludes fetal deaths. Numbers after causes

CAUSE OF DEATH, RACE, AND SEX	Total	Under 1 year	1 year	2 years	3 years	4 years	Under 5 years	5-9 years	10-14 years	15-19 years
II. NEOPLASMS—COM.										
MALIGNANT NEOPLASMS, INCLUDING NEOPLASMS, ETC.—CON.										
MALIGNANT NEOPLASM OF RESPIRATORY SYSTEM, NOT SPECIFIED AS SECONDARY—CON.										
OF OTHER PARTS OF RESPIRATORY SYSTEM.....160,164	884	1	2	1	1	1	6	3	5	3
WHITE.....MALE....	519	-	1	-	-	-	1	3	2	1
FEMALE..	263	1	1	-	-	1	3	-	2	2
NEGRO.....MALE....	65	-	-	1	-	-	1	-	-	-
FEMALE..	32	-	-	-	1	-	1	-	1	-
OTHER.....MALE....	5	-	-	-	-	-	-	-	-	-
FEMALE..	-	-	-	-	-	-	-	-	-	-
MALIGNANT NEOPLASM OF BREAST.....170	23,970	5	-	-	-	-	5	1	-	2
WHITE.....MALE....	186	1	-	-	-	-	1	-	-	1
FEMALE..	21,867	1	-	-	-	-	1	1	-	1
NEGRO.....MALE....	28	-	-	-	-	-	-	-	-	-
FEMALE..	1,828	2	-	-	-	-	2	-	-	-
OTHER.....MALE....	1	1	-	-	-	-	1	-	-	-
FEMALE..	60	-	-	-	-	-	-	-	-	-
MALIGNANT NEOPLASM OF GENITAL ORGANS.....171-179	38,669	2	5	7	4	4	22	11	24	76
WHITE.....MALE....	13,491	1	2	5	2	2	12	4	3	30
FEMALE..	20,158	-	3	1	1	-	5	5	19	36
NEGRO.....MALE....	1,855	-	-	-	1	2	3	-	-	3
FEMALE..	3,032	1	-	-	-	-	1	2	2	6
OTHER.....MALE....	45	-	-	1	-	-	1	-	-	-
FEMALE..	88	-	-	-	-	-	-	-	-	1
OF CERVIX UTERI.....171	8,487	-	1	-	-	-	1	-	1	2
WHITE.....FEMALE..	6,820	-	1	-	-	-	1	-	-	1
NEGRO.....FEMALE..	1,615	-	-	-	-	-	-	-	1	1
OTHER.....FEMALE..	52	-	-	-	-	-	-	-	-	-
OF OTHER AND UNSPECIFIED PARTS OF UTERUS.....172-174	5,929	-	1	-	-	-	1	-	-	7
WHITE.....FEMALE..	5,107	-	1	-	-	-	1	-	-	6
NEGRO.....FEMALE..	806	-	-	-	-	-	-	-	-	1
OTHER.....FEMALE..	16	-	-	-	-	-	-	-	-	-
OF OVARY, FALLOPIAN TUBE, AND BROAD LIGAMENT.....175	8,046	1	1	1	-	-	3	7	19	33
WHITE.....FEMALE..	7,498	-	1	1	-	-	2	5	18	28
NEGRO.....FEMALE..	530	1	-	-	-	-	1	2	1	4
OTHER.....FEMALE..	18	-	-	-	-	-	-	-	-	1
OF OTHER AND UNSPECIFIED FEMALE GENITAL ORGANS.....176	816	-	-	-	1	-	1	-	1	1
WHITE.....FEMALE..	733	-	-	-	1	-	1	-	1	1
NEGRO.....FEMALE..	81	-	-	-	-	-	-	-	-	-
OTHER.....FEMALE..	2	-	-	-	-	-	-	-	-	-
OF PROSTATE.....177	14,452	1	1	3	2	-	7	3	-	-
WHITE.....MALE....	12,635	1	1	2	1	-	5	3	-	-
NEGRO.....MALE....	1,777	-	-	-	1	-	1	-	-	-
OTHER.....MALE....	40	-	-	1	-	-	1	-	-	-
ALL OTHER AND UNSPECIFIED MALE GENITAL ORGANS 178,179	939	-	1	3	1	4	9	1	3	33
WHITE.....MALE....	856	-	1	3	1	2	7	1	3	30
NEGRO.....MALE....	78	-	-	-	-	2	2	-	-	3
OTHER.....MALE....	5	-	-	-	-	-	-	-	-	-
MALIGNANT NEOPLASM OF URINARY ORGANS.....180,181	12,804	27	28	41	42	48	186	86	14	10
WHITE.....MALE....	8,026	13	10	23	22	19	87	37	8	5
FEMALE..	3,825	11	11	13	15	24	74	36	5	4
NEGRO.....MALE....	519	1	3	3	1	3	11	4	1	1
FEMALE..	385	2	3	2	4	2	13	9	-	-
OTHER.....MALE....	40	-	-	-	-	-	-	-	-	-
FEMALE..	9	-	1	-	-	-	1	-	-	-
OF KIDNEY.....180	4,939	24	26	35	40	48	173	83	13	10
WHITE.....MALE....	2,946	10	9	19	20	19	77	35	7	5
FEMALE..	1,669	11	10	12	15	24	72	35	5	4
NEGRO.....MALE....	177	1	3	3	1	3	11	4	1	1
FEMALE..	118	2	3	1	4	2	12	9	-	-
OTHER.....MALE....	22	-	-	-	-	-	-	-	-	-
FEMALE..	7	-	1	-	-	-	1	-	-	-
OF BLADDER AND OTHER URINARY ORGANS.....181	7,865	3	2	6	2	-	13	3	1	-
WHITE.....MALE....	5,080	3	1	4	2	-	10	2	1	-
FEMALE..	2,156	-	1	1	-	-	2	1	-	-
NEGRO.....MALE....	342	-	-	-	-	-	-	-	-	-
FEMALE..	267	-	-	1	-	-	1	-	-	-
OTHER.....MALE....	18	-	-	-	-	-	-	-	-	-
FEMALE..	2	-	-	-	-	-	-	-	-	-
MALIGNANT NEOPLASM OF OTHER AND UNSPECIFIED SITES..156B,165,190-199	29,561	90	107	140	152	126	615	442	373	350
WHITE.....MALE....	14,570	47	53	69	73	62	304	215	168	193
FEMALE..	12,359	30	38	52	56	50	226	176	166	116
NEGRO.....MALE....	1,226	10	7	11	10	8	46	16	12	26
FEMALE..	1,260	3	9	6	12	5	35	24	24	14
OTHER.....MALE....	99	-	-	1	1	1	3	7	3	1
FEMALE..	47	-	-	1	-	-	1	4	-	-
OF SKIN.....190,191	4,009	-	-	-	1	2	3	2	4	22
WHITE.....MALE....	2,254	-	-	-	-	-	-	1	4	9
FEMALE..	1,577	-	-	-	1	1	2	-	-	12
NEGRO.....MALE....	89	-	-	-	-	1	1	-	-	1
FEMALE..	81	-	-	-	-	-	-	1	-	-
OTHER.....MALE....	7	-	-	-	-	-	-	-	-	-
FEMALE..	1	-	-	-	-	-	-	-	-	-

Race, and Sex: United States, 1960—Continued

category numbers of the Seventh Revision of the International Lists, 1955. For complete category titles, see table 5-8)

20-24 years	25-29 years	30-34 years	35-39 years	40-44 years	45-49 years	50-54 years	55-59 years	60-64 years	65-69 years	70-74 years	75-79 years	80-84 years	85-89 years	90-94 years	95-99 years	100 and over	Not stated	
																		1
																		2
																		3
																		4
9	18	16	19	35	59	62	96	118	124	108	92	61	41	7	1	1	-	5
8	8	13	10	15	36	34	59	73	81	69	49	32	20	4	-	1	-	6
-	8	1	5	12	19	17	28	24	30	30	35	25	18	3	1	-	-	7
1	1	1	2	7	2	8	6	15	5	6	5	3	2	-	-	-	-	8
-	1	1	2	1	2	2	3	6	7	2	1	1	1	-	-	-	-	9
-	-	-	-	-	-	1	-	-	1	1	2	-	-	-	-	-	-	10
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	11
																		12
14	95	352	911	1,590	2,386	2,973	2,849	2,918	2,823	2,528	2,029	1,395	784	244	60	9	2	13
-	-	-	5	3	7	12	30	34	23	31	18	13	5	3	-	-	-	14
9	77	286	777	1,393	2,115	2,678	2,595	2,664	2,613	2,361	1,914	1,329	758	235	53	6	1	15
-	-	-	1	3	2	-	4	7	1	5	3	1	-	-	-	1	-	16
4	18	63	124	181	253	277	211	208	182	129	91	49	20	6	7	2	1	17
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	18
1	-	3	4	10	9	6	9	5	4	2	3	3	1	-	-	-	-	19
																		20
																		21
																		22
131	272	523	994	1,589	2,244	2,820	3,406	4,232	5,244	5,736	5,195	3,700	1,873	495	65	8	9	23
67	90	94	85	81	99	207	443	948	1,774	2,694	2,957	2,342	1,209	319	30	2	1	24
43	131	301	704	1,202	1,754	2,126	2,415	2,627	2,768	2,419	1,797	1,116	517	144	24	2	3	25
1	2	2	4	22	18	81	129	244	363	375	306	166	102	23	7	2	2	26
17	48	121	195	279	364	399	404	397	322	227	122	68	41	9	4	1	3	27
2	-	-	-	1	-	-	1	4	5	12	9	8	1	-	-	1	-	28
1	1	5	6	4	9	7	14	12	12	9	4	-	3	-	-	-	-	29
																		30
18	95	307	586	795	1,006	1,051	972	942	905	738	519	340	151	46	9	1	2	31
14	67	210	438	612	776	823	773	767	740	642	467	305	133	41	8	-	2	32
4	27	92	143	180	224	223	187	168	162	94	50	35	17	5	1	1	-	33
-	1	5	5	3	6	5	12	7	3	2	2	-	1	-	-	-	-	34
																		35
20	32	39	91	190	315	469	667	921	959	836	638	433	233	62	11	2	3	36
12	27	29	66	150	238	375	542	769	857	749	586	415	214	59	9	2	1	37
7	5	10	25	40	76	93	125	151	97	82	51	18	18	3	2	-	2	38
1	-	-	-	-	1	1	-	1	5	5	1	-	1	-	-	-	-	39
																		40
22	48	76	220	478	775	955	1,133	1,100	1,124	956	628	320	120	25	4	-	-	41
17	33	62	196	424	713	883	1,050	1,029	1,069	909	609	307	117	24	3	-	-	42
5	15	14	23	53	60	71	81	68	51	45	18	13	3	1	1	-	-	43
-	-	-	1	1	2	1	2	3	4	2	1	-	-	-	-	-	-	44
																		45
1	5	5	8	22	31	57	61	73	114	125	138	91	57	20	4	-	1	46
-	4	-	4	16	27	45	50	62	102	119	135	89	53	20	4	-	-	47
1	1	5	4	6	4	12	11	10	12	6	3	2	3	-	-	-	1	48
-	-	-	-	-	-	-	-	1	-	-	-	-	1	-	-	-	-	49
																		50
2	1	2	6	25	53	225	516	1,143	2,082	3,028	3,216	2,483	1,283	333	37	4	3	51
2	1	2	3	10	38	154	393	909	1,718	2,653	2,904	2,313	1,184	310	30	2	1	52
-	-	-	3	15	15	71	122	230	360	363	303	162	98	23	7	2	2	53
-	-	-	-	-	-	-	1	4	4	12	9	8	1	-	-	-	-	54
																		55
68	91	94	83	79	64	63	57	53	60	53	56	33	29	9	-	1	-	56
65	89	92	82	71	61	53	50	39	56	41	53	29	25	9	-	-	-	57
1	2	2	1	7	3	10	7	14	3	12	3	4	4	-	-	-	-	58
2	-	-	-	1	-	-	-	-	1	-	-	-	-	-	-	1	-	59
																		60
																		61
13	15	41	116	222	446	753	1,172	1,530	2,036	2,161	1,909	1,274	616	165	27	4	8	62
5	9	22	62	142	257	473	765	1,029	1,333	1,434	1,191	744	324	84	11	1	3	63
6	4	13	28	48	114	171	276	369	556	616	646	495	273	75	11	2	3	64
1	1	3	13	16	37	62	70	84	92	55	34	19	10	3	1	-	1	65
1	1	3	12	15	34	42	57	44	46	49	28	15	8	2	4	1	1	66
-	-	-	-	1	4	5	1	4	7	7	9	-	1	1	-	-	-	67
-	-	-	1	-	-	-	3	-	2	-	1	1	-	-	-	-	-	68
																		69
12	15	30	74	157	254	424	580	680	826	675	532	258	105	29	3	-	6	70
4	9	19	48	102	160	266	386	441	498	402	297	133	43	12	1	-	1	71
6	4	7	17	39	70	113	151	205	280	248	219	116	57	17	1	-	3	72
1	1	2	6	9	12	29	23	21	32	12	5	4	2	-	-	-	1	73
1	1	2	2	7	10	11	17	11	12	10	5	4	2	-	1	-	1	74
-	-	-	-	-	2	5	1	2	3	3	5	-	1	-	-	-	-	75
-	-	-	1	-	-	-	2	-	1	-	1	1	-	-	-	-	-	76
																		77
1	-	11	42	65	192	329	592	850	1,210	1,486	1,377	1,016	511	136	24	4	2	78
1	-	3	14	40	97	207	379	588	835	1,032	894	611	281	72	10	1	2	79
-	-	6	11	9	44	58	125	164	276	368	427	379	216	58	10	2	-	80
-	-	1	7	7	25	33	47	63	60	43	29	15	8	3	1	-	-	81
-	-	1	10	8	24	31	40	33	34	39	23	11	6	2	3	1	-	82
-	-	-	-	1	2	-	-	2	4	4	4	-	-	1	-	-	-	83
-	-	-	-	-	-	-	1	-	1	-	-	-	-	-	-	-	-	84
																		85
																		86
295	384	601	913	1,296	1,921	2,480	3,129	3,469	3,703	3,404	2,788	1,914	1,051	337	82	7	7	87
154	205	307	453	640	918	1,257	1,631	1,798	1,894	1,631	1,327	872	433	135	30	4	1	88
103	144	230	371	519	797	948	1,163	1,319	1,506	1,494	1,291	968	573	192	51	3	3	89
18	21	29	42	57	93	125	165	167	157	124	64	31	25	5	1	-	2	90
18	10	33	45	70	105	141	153	178	126	132	91	37	18	5	-	-	1	91
-	3	1	1	7	4	6	8	5	13	17	14	5	1	-	-	-	-	92
2	1	1	1	3	4	3	9	2	7	6	1	1	1	-	-	-	-	93
																		94
41	80	155	168	221	267	296	369	380	410	442	413	328	254	111	40	2	1	95
23	47	84	94	126	142	168	225	228	228	247	250	191	124	46	15	2	-	96
16	31	64	72	85	107	113	124	132	157	170	149	131	122	64	25	-	1	97
2	1	3	1	7	11	5	9	8	7	15	9	2	6	1	-	-	-	98
-	-	4	1	2	7	10	9	10	18	8	5	4	2	-	-	-	-	99
-	1	-	-	1	-	-	1	2	-	2	-	-	-	-	-	-	-	100
-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	101
																		102

Table 5-9. Deaths From 255 Selected Causes, by Age,

(Data refer only to deaths occurring within the United States, including Alaska and Hawaii. Excludes fetal deaths. Numbers after causes

CAUSE OF DEATH, RACE, AND SEX	Total	Under 1 year	1 year	2 years	3 years	4 years	Under 5 years	5-9 years	10-14 years	15-19 years
II. NEOPLASMS—CON.										
MALIGNANT NEOPLASMS, INCLUDING NEOPLASMS, ETC.—CON.										
MALIGNANT NEOPLASM OF OTHER AND UNSPECIFIED SITES—CON.										
OF EYE....192	417	2	6	20	17	4	49	10	2	5
WHITE....MALE....	209	2	1	7	2	2	14	6	2	2
FEMALE..	179	-	3	8	6	-	17	3	-	3
NEGRO....MALE....	10	-	1	3	3	-	7	-	-	-
FEMALE..	18	-	1	2	5	2	10	1	-	-
OTHER....MALE....	1	-	-	-	1	-	1	-	-	-
FEMALE..	-	-	-	-	-	-	-	-	-	-
OF BRAIN AND OTHER PARTS OF NERVOUS SYSTEM....193	6,184	59	79	85	102	90	415	352	188	119
WHITE....MALE....	3,485	31	43	42	52	42	210	169	81	58
FEMALE..	2,318	19	26	31	40	41	157	143	85	48
NEGRO....MALE....	197	8	4	7	6	4	29	12	6	8
FEMALE..	158	1	6	4	4	2	17	19	14	5
OTHER....MALE....	18	-	-	-	-	1	1	6	2	-
FEMALE..	8	-	-	1	-	-	1	3	-	-
OF THYROID GLAND....194	1,040	-	-	-	-	-	-	1	-	1
WHITE....MALE....	348	-	-	-	-	-	-	-	-	-
FEMALE..	612	-	-	-	-	-	-	1	-	1
NEGRO....MALE....	23	-	-	-	-	-	-	-	-	-
FEMALE..	49	-	-	-	-	-	-	-	-	-
OTHER....MALE....	3	-	-	-	-	-	-	-	-	-
FEMALE..	5	-	-	-	-	-	-	-	-	-
OF BONE....196	1,811	2	3	5	6	4	20	28	127	130
WHITE....MALE....	960	-	2	2	3	3	10	12	60	82
FEMALE..	681	1	1	3	3	1	9	12	56	34
NEGRO....MALE....	96	-	-	-	-	-	-	3	4	9
FEMALE..	62	1	-	-	-	-	1	-	6	4
OTHER....MALE....	8	-	-	-	-	-	-	-	1	1
FEMALE..	4	-	-	-	-	-	-	1	-	-
OF CONNECTIVE TISSUE....197	1,076	7	3	7	9	6	32	12	22	29
WHITE....MALE....	574	5	2	5	6	3	21	5	11	19
FEMALE..	401	1	1	2	1	1	6	6	8	7
NEGRO....MALE....	52	1	-	-	1	2	4	1	2	2
FEMALE..	44	-	-	-	1	-	1	-	1	1
OTHER....MALE....	4	-	-	-	-	-	-	-	-	-
FEMALE..	1	-	-	-	-	-	-	-	-	-
OF OTHER SPECIFIED SITES, NOT STATED TO BE SECONDARY....195,199A	1,492	13	11	15	8	11	58	19	20	24
WHITE....MALE....	855	5	4	10	4	7	30	14	7	14
FEMALE..	503	6	6	4	4	3	23	3	12	6
NEGRO....MALE....	72	1	1	1	-	1	4	-	-	2
FEMALE..	54	1	-	-	-	-	1	1	1	2
OTHER....MALE....	4	-	-	-	-	-	-	1	-	-
FEMALE..	4	-	-	-	-	-	-	-	-	-
OF UNSPECIFIED SITES....156B,165,198,199B	13,532	7	5	8	9	9	38	18	10	20
WHITE....MALE....	5,885	4	1	3	6	5	19	8	3	9
FEMALE..	6,088	3	1	4	1	3	12	8	5	5
NEGRO....MALE....	687	-	1	-	-	-	1	-	-	4
FEMALE..	794	-	2	-	2	1	5	2	2	2
OTHER....MALE....	54	-	-	1	-	-	1	-	-	-
FEMALE..	24	-	-	-	-	-	-	-	-	-
LEUKEMIA AND ALEUKEMIA....204	12,725	111	132	201	300	261	1,005	704	445	309
WHITE....MALE....	6,929	52	63	98	170	156	539	393	229	169
FEMALE..	4,993	45	54	90	119	85	393	262	180	116
NEGRO....MALE....	403	7	7	6	3	10	33	24	19	15
FEMALE..	347	7	6	4	5	8	30	19	13	8
OTHER....MALE....	39	-	2	2	2	1	7	5	3	1
FEMALE..	14	-	-	1	1	1	3	1	1	-
LYMPHOSARCOMA, ETC....200-203,205	12,958	27	24	23	28	32	134	114	127	203
WHITE....MALE....	7,026	17	9	13	24	23	86	78	78	131
FEMALE..	5,008	8	11	9	2	5	35	25	37	53
NEGRO....MALE....	515	-	1	1	1	3	6	7	6	13
FEMALE..	359	1	2	-	1	1	5	2	5	5
OTHER....MALE....	38	-	-	-	-	-	-	2	-	1
FEMALE..	12	1	1	-	-	-	2	-	1	-
LYMPHOSARCOMA AND RETICULOSARCOMA....200	5,902	6	8	10	23	24	71	82	79	86
WHITE....MALE....	3,264	5	1	6	21	18	51	60	47	67
FEMALE..	2,314	1	4	3	1	3	12	16	27	12
NEGRO....MALE....	180	-	1	1	1	2	5	4	3	6
FEMALE..	119	-	2	-	-	1	3	2	2	1
OTHER....MALE....	19	-	-	-	-	-	-	-	-	-
FEMALE..	6	-	-	-	-	-	-	-	-	-
HODGKINS DISEASE....201	3,075	-	1	-	-	5	6	22	33	105
WHITE....MALE....	1,748	-	1	-	-	4	5	13	21	55
FEMALE..	1,132	-	-	-	-	1	1	6	7	39
NEGRO....MALE....	123	-	-	-	-	-	-	2	2	6
FEMALE..	65	-	-	-	-	-	-	-	3	4
OTHER....MALE....	6	-	-	-	-	-	-	1	-	1
FEMALE..	1	-	-	-	-	-	-	-	-	-
OT. NEOPLASMS OF LYMPHATIC & HEMATOPOIETIC TISSUES....202,203,205	3,981	21	15	13	5	3	57	10	15	12
WHITE....MALE....	2,014	12	7	7	3	1	30	5	10	9
FEMALE..	1,562	7	7	6	1	1	22	3	3	2
NEGRO....MALE....	212	-	-	-	-	1	1	1	1	1
FEMALE..	175	1	-	-	1	-	2	-	-	-
OTHER....MALE....	13	-	-	-	-	-	-	1	-	-
FEMALE..	5	1	1	-	-	-	2	-	1	-

Race, and Sex: United States, 1960—Continued

category numbers of the Seventh Revision of the International Lists, 1955. For complete category titles, see table 5-8)

20-24 years	25-29 years	30-34 years	35-39 years	40-44 years	45-49 years	50-54 years	55-59 years	60-64 years	65-69 years	70-74 years	75-79 years	80-84 years	85-89 years	90-94 years	95-99 years	100 and over	Not stated	
																		1
																		2
																		3
																		4
-	-	4	11	19	19	23	35	51	48	50	41	25	16	8	1	-	-	5
-	-	4	5	14	10	11	19	25	29	30	21	7	6	4	-	-	-	6
-	-	-	5	4	9	10	14	25	19	20	19	17	9	4	1	-	-	7
-	-	-	-	-	-	1	-	-	-	-	1	1	-	-	-	-	-	8
-	-	-	1	1	-	1	2	1	-	-	-	-	1	-	-	-	-	9
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	10
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	11
																		12
118	147	208	344	445	656	687	816	755	532	241	117	30	10	1	1	-	2	13
58	73	115	180	260	372	423	484	459	322	135	68	12	6	-	-	-	-	14
47	60	77	139	159	244	232	297	266	196	95	48	17	4	1	1	-	2	15
5	10	5	17	13	23	16	17	19	11	6	-	-	-	-	-	-	-	16
7	3	10	8	11	16	15	15	10	2	5	1	-	-	-	-	-	-	17
-	1	1	-	1	1	1	1	1	1	-	-	1	-	-	-	-	-	18
1	-	-	-	1	-	-	2	-	-	-	-	-	-	-	-	-	-	19
																		20
3	8	8	16	36	50	47	117	141	169	179	135	91	31	5	1	1	-	21
1	6	3	6	15	21	15	44	50	64	54	33	23	10	2	1	-	-	22
2	2	3	8	15	19	26	62	79	95	111	98	65	21	3	-	1	-	23
-	-	1	-	1	5	3	2	6	2	3	-	-	-	-	-	-	-	24
-	-	1	2	5	3	2	9	6	7	9	2	3	-	-	-	-	-	25
-	-	-	-	-	1	-	-	-	-	-	2	-	-	-	-	-	-	26
-	-	-	-	-	1	1	-	-	1	2	-	-	-	-	-	-	-	27
																		28
68	36	33	52	64	68	122	140	182	189	205	150	122	51	18	6	-	-	29
38	24	13	29	35	35	57	70	99	111	106	81	62	23	10	3	-	-	30
20	10	16	17	25	26	43	51	65	62	86	58	54	26	8	3	-	-	31
8	1	3	4	2	3	12	10	10	10	7	5	4	1	-	-	-	-	32
2	-	1	2	1	3	9	8	8	5	5	5	1	1	-	-	-	-	33
-	1	-	-	1	-	1	-	-	1	-	1	1	-	-	-	-	-	34
-	-	-	-	-	1	-	1	-	-	1	-	-	-	-	-	-	-	35
																		36
																		37
18	35	41	54	69	73	81	102	103	126	106	91	57	21	3	1	-	-	38
11	16	26	32	33	31	36	57	54	65	61	50	33	10	2	1	-	-	39
3	10	9	17	30	33	37	33	44	51	38	36	22	10	1	-	-	-	40
-	6	2	5	3	4	5	6	2	4	2	2	1	1	-	-	-	-	41
4	3	4	-	2	4	3	6	3	5	4	3	-	-	-	-	-	-	42
-	-	-	-	-	1	-	-	-	1	1	-	1	-	-	-	-	-	43
-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	44
																		45
15	20	36	48	53	91	123	135	135	160	181	155	112	79	22	4	2	-	46
7	8	14	18	25	48	69	88	78	94	114	101	64	46	14	1	1	-	47
6	11	15	22	20	35	37	33	38	49	57	48	45	31	8	3	1	-	48
2	-	3	3	4	4	10	8	11	11	6	2	1	1	-	-	-	-	49
-	1	3	5	4	3	7	4	7	5	3	4	2	1	-	-	-	-	50
-	-	-	-	-	-	-	2	-	-	1	-	-	-	-	-	-	-	51
-	-	1	-	-	1	-	-	1	1	-	-	-	-	-	-	-	-	52
																		53
32	58	116	220	389	697	1,101	1,415	1,722	2,069	2,000	1,686	1,149	589	169	28	2	4	54
16	31	48	89	132	259	478	644	805	981	884	723	480	208	57	9	1	1	55
9	20	46	91	181	324	450	549	670	877	917	835	617	350	103	18	1	-	56
1	3	12	12	27	43	73	113	111	112	85	45	22	16	4	1	-	2	57
5	3	10	26	44	69	94	100	133	84	98	71	27	13	5	-	-	1	58
-	-	-	1	4	1	4	4	2	10	13	11	2	1	-	-	-	-	59
1	1	-	1	1	1	2	5	1	5	3	1	1	1	-	-	-	-	60
																		61
																		62
192	231	292	347	429	563	706	881	1,181	1,439	1,493	1,281	790	348	75	13	1	-	63
104	143	141	175	223	283	385	485	649	819	849	690	425	187	33	8	-	-	64
62	60	121	141	165	223	262	322	451	548	586	554	350	151	41	5	-	-	65
18	15	14	20	19	25	22	37	37	36	36	21	6	6	-	-	-	-	66
8	8	13	11	20	28	31	34	42	34	22	14	7	3	1	-	1	-	67
-	4	3	-	1	3	4	2	1	2	-	-	2	1	-	-	-	-	68
-	1	-	-	1	1	2	1	1	-	-	2	-	-	-	-	-	-	69
																		70
237	326	389	529	620	798	1,108	1,351	1,645	1,885	1,493	1,159	547	230	55	5	1	2	71
139	193	222	296	330	442	617	708	887	1,010	822	588	257	113	24	3	1	1	72
86	109	131	178	220	272	380	527	652	778	598	521	267	105	31	2	-	1	73
7	14	17	31	37	39	61	66	69	59	39	26	13	5	-	-	-	-	74
5	10	16	24	31	40	42	44	35	34	27	19	10	5	-	-	-	-	75
-	-	1	-	2	4	7	6	2	3	4	4	-	2	-	-	-	-	76
-	-	2	-	-	1	1	-	-	1	3	1	-	-	-	-	-	-	77
																		78
74	77	122	205	283	363	503	614	761	869	678	601	290	108	31	3	-	2	79
48	47	70	106	161	202	289	345	416	471	370	304	144	52	11	2	-	1	80
24	22	39	80	97	132	180	230	306	369	279	275	140	52	20	1	-	1	81
1	3	6	11	11	17	16	24	27	17	17	10	1	1	-	-	-	-	82
1	5	5	8	12	11	14	10	11	11	7	9	5	2	-	-	-	-	83
-	-	1	-	2	1	3	5	1	1	2	2	-	1	-	-	-	-	84
-	-	1	-	-	-	1	-	-	-	3	1	-	-	-	-	-	-	85
																		86
148	236	244	247	222	227	248	270	276	288	242	146	80	30	4	1	-	-	87
82	141	140	146	124	135	153	142	162	158	136	79	39	13	3	1	-	-	88
60	84	85	79	76	76	78	109	104	119	96	61	36	15	1	-	-	-	89
2	8	7	15	15	10	11	16	10	7	4	3	4	1	-	-	-	-	90
4	3	11	7	7	5	6	3	-	4	5	2	1	-	-	-	-	-	91
-	-	-	-	-	1	-	-	-	-	1	1	-	1	-	-	-	-	92
-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	93
																		94
15	13	23	77	115	208	357	467	608	728	573	412	177	92	20	1	1	-	95
9	5	12	44	45	105	175	221	309	381	316	205	74	48	10	-	1	-	96
2	3	7	19	47	64	122	188	242	290	223	185	91	38	10	1	-	-	97
4	3	4	5	11	12	34	26	32	35	18	13	8	3	-	-	-	-	98
-	2	-	9	12	24	22	31	24	19	15	8	4	3	-	-	-	-	99
-	-	-	-	-	2	4	1	1	2	1	1	-	-	-	-	-	-	100
-	-	-	-	-	1	-	-	-	1	-	-	-	-	-	-	-	-	101
																		102

Table 5-9. Deaths From 255 Selected Causes, by Age,

(Data refer only to deaths occurring within the United States, including Alaska and Hawaii. Excludes fetal deaths. Numbers after causes

CAUSE OF DEATH, RACE, AND SEX	Total	Under 1 year	1 year	2 years	3 years	4 years	Under 5 years	5-9 years	10-14 years	15-19 years
II. NEOPLASMS---CON.										
BENIGN NEOPLASMS AND NEOPLASMS OF UNSPECIFIED NATURE.....210-239	4,893	138	29	26	23	25	241	140	92	87
WHITE.....MALE....	1,963	59	14	6	9	13	101	63	44	37
FEMALE..	2,204	60	10	16	10	5	101	49	33	28
NEGRO.....MALE....	248	8	3	2	-	2	15	11	9	11
FEMALE..	444	9	2	1	3	5	20	11	6	10
OTHER.....MALE.....	16	1	-	-	-	-	1	4	-	-
FEMALE..	18	1	-	1	1	-	3	2	-	1
BENIGN NEOPLASMS OF FEMALE GENITAL ORGANS.....214-217	505	-	-	-	-	-	-	-	-	2
WHITE.....FEMALE..	304	-	-	-	-	-	-	-	-	2
NEGRO.....FEMALE..	201	-	-	-	-	-	-	-	-	-
OTHER.....FEMALE..	-	-	-	-	-	-	-	-	-	-
BENIGN NEOPLASM OF BRAIN AND OTHER PARTS OF NERVOUS SYSTEM.....223	967	25	6	3	6	4	44	18	13	26
WHITE.....MALE....	389	13	4	-	2	3	22	7	7	8
FEMALE..	484	8	2	3	3	1	17	9	6	13
NEGRO.....MALE....	41	1	-	-	-	-	1	1	-	4
FEMALE..	48	1	-	-	1	-	2	-	-	1
OTHER.....MALE....	3	1	-	-	-	-	1	1	-	-
FEMALE..	2	1	-	-	-	-	1	-	-	-
OTHER BENIGN NEOPLASMS.....210-213,218-222,224-229	937	68	5	7	5	7	92	27	26	29
WHITE.....MALE....	444	24	3	2	3	3	35	13	11	16
FEMALE..	375	34	1	4	1	2	42	8	9	8
NEGRO.....MALE....	54	4	-	1	-	1	6	1	5	1
FEMALE..	53	6	1	-	1	1	9	3	1	3
OTHER.....MALE....	5	-	-	-	-	-	-	1	-	-
FEMALE..	6	-	-	-	-	-	-	1	-	1
NEOPLASM OF UNSPECIFIED NATURE OF FEMALE GENITAL ORGANS.....233-235	27	-	-	-	-	-	-	-	-	-
WHITE.....FEMALE..	19	-	-	-	-	-	-	-	-	-
NEGRO.....FEMALE..	7	-	-	-	-	-	-	-	-	-
OTHER.....FEMALE..	1	-	-	-	-	-	-	-	-	-
NEOPLASM OF UNSPECIFIED NATURE OF BRAIN, ETC.....237	1,801	19	15	13	12	14	73	88	46	29
WHITE.....MALE....	763	11	7	4	4	7	33	41	21	13
FEMALE..	638	6	4	7	6	2	25	28	16	5
NEGRO.....MALE....	103	-	3	1	-	1	5	8	4	5
FEMALE..	82	2	1	-	1	4	8	8	5	6
OTHER.....MALE....	8	-	-	-	-	-	-	2	-	-
FEMALE..	7	-	-	1	1	-	2	1	-	-
OTHER NEOPLASMS OF UNSPECIFIED NATURE.....230-232,236,238,239	856	26	3	3	-	-	32	7	7	1
WHITE.....MALE....	367	11	-	-	-	-	11	2	5	-
FEMALE..	384	12	3	2	-	-	17	4	2	-
NEGRO.....MALE....	50	3	-	-	-	-	3	1	-	1
FEMALE..	53	-	-	1	-	-	1	-	-	-
OTHER.....MALE....	-	-	-	-	-	-	-	-	-	-
FEMALE..	2	-	-	-	-	-	-	-	-	-
III. ALLERGIC, ENDOCRINE SYSTEM, METABOLIC, AND NUTRITIONAL DISEASES.....	41,221	400	146	62	47	48	703	148	165	174
WHITE.....MALE....	15,994	188	49	26	24	16	303	56	52	47
FEMALE..	19,682	118	40	18	9	15	200	62	78	72
NEGRO.....MALE....	1,992	43	29	8	8	8	96	15	17	24
FEMALE..	3,236	38	21	9	5	8	81	14	16	30
OTHER.....MALE....	178	8	4	-	-	-	12	-	-	-
FEMALE..	139	5	3	1	1	1	11	1	2	1
ASTHMA.....241	5,394	24	24	11	9	13	81	40	30	46
WHITE.....MALE....	3,067	7	8	2	4	5	26	16	6	9
FEMALE..	1,588	7	6	6	2	1	22	9	12	17
NEGRO.....MALE....	367	2	5	-	2	4	13	7	5	8
FEMALE..	332	7	5	3	1	3	19	7	5	11
OTHER.....MALE....	25	1	-	-	-	-	1	-	-	-
FEMALE..	15	-	-	-	-	-	-	1	2	1
NONTOXIC GOITER.....250,251	88	3	-	-	-	-	3	-	1	-
WHITE.....MALE....	14	2	-	-	-	-	2	-	-	-
FEMALE..	57	-	-	-	-	-	-	-	1	-
NEGRO.....MALE....	4	1	-	-	-	-	1	-	-	-
FEMALE..	11	-	-	-	-	-	-	-	-	-
OTHER.....MALE....	-	-	-	-	-	-	-	-	-	-
FEMALE..	2	-	-	-	-	-	-	-	-	-
THYROTOXICOSIS WITH OR WITHOUT GOITER.....252	532	1	-	-	-	-	1	-	3	[illegible]
WHITE.....MALE....	81	-	-	-	-	-	-	-	-	1
FEMALE..	359	1	-	-	-	-	1	-	2	-
NEGRO.....MALE....	15	-	-	-	-	-	-	-	-	1
FEMALE..	76	-	-	-	-	-	-	-	1	1
OTHER.....MALE....	-	-	-	-	-	-	-	-	-	
FEMALE..	1	-	-	-	-	-	-	-	-	
ALL OTHER DISEASES OF THYROID GLAND 253,254	338	14	1	1	1	-	17	-	1	
WHITE.....MALE....	61	6	1	1	1	-	9	-	-	
FEMALE..	247	5	-	-	-	-	5	-	1	-
NEGRO.....MALE....	2	1	-	-	-	-	1	-	-	
FEMALE..	26	2	-	-	-	-	2	-	-	-
OTHER.....MALE....	-	-	-	-	-	-	-	-	-	
FEMALE..	2	-	-	-	-	-	-	-	-	
DIABETES MELLITUS.....260	29,971	17	12	3	16	13	61	50	82	88
WHITE..... .MALE....	10,761	8	5	1	7	6	27	14	22	2[illegible]
[illegible]MALE..	15,360	5	6	2	4	6	23	30	45	4[illegible]
NEGRO.....[illegible]MALE....	1,268	3	-	-	2	-	5	5	7	1
FEMALE..	2,369	1	-	-	2	1	4	1	8	1[illegible]
OTHER.....MALE....	118	-	1	-	-	-	1	-	-	
FEMALE..	95	-	-	-	1	-	1	-	-	

Race, and Sex: United States, 1960—Continued

category numbers of the Seventh Revision of the International Lists, 1955. For complete category titles, see table 5-8)

20-24 years	25-29 years	30-34 years	35-39 years	40-44 years	45-49 years	50-54 years	55-59 years	60-64 years	65-69 years	70-74 years	75-79 years	80-84 years	85-89 years	90-94 years	95-99 years	100 and over	Not stated	
																		1
																		2
87	97	167	271	343	389	461	445	495	467	400	300	214	119	67	9	2	-	3
28	24	55	86	114	145	182	173	237	216	185	123	90	38	22	-	-	-	4
48	50	69	122	156	159	214	197	197	197	189	153	116	76	40	9	1	-	5
2	8	7	16	18	21	30	33	20	21	10	10	2	2	2	-	-	-	6
9	15	34	46	53	61	32	42	35	29	15	13	6	3	3	-	1	-	7
-	-	-	-	2	1	2	-	4	2	-	-	-	-	-	-	-	-	8
-	-	2	1	-	2	1	-	2	2	1	1	-	-	-	-	-	-	9
																		10
8	15	35	59	84	67	50	32	20	38	32	27	17	12	6	1	-	-	11
8	11	14	27	48	30	31	15	14	22	28	22	15	11	5	1	-	-	12
-	4	21	32	36	37	19	17	6	16	4	5	2	1	1	-	-	-	13
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	14
																		15
26	25	40	74	86	85	114	116	119	81	62	25	10	2	1	-	-	-	16
12	7	10	26	32	39	39	43	54	39	28	10	3	2	1	-	-	-	17
12	14	23	42	39	38	63	64	54	37	33	13	7	-	-	-	-	-	18
1	1	3	2	6	3	8	2	4	4	-	1	-	-	-	-	-	-	19
1	3	4	4	8	5	3	7	7	1	1	1	-	-	-	-	-	-	20
-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	21
-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	22
																		23
17	19	28	42	45	45	70	78	99	94	86	70	45	17	6	1	1	-	24
5	9	12	20	14	17	32	39	52	54	44	37	25	6	3	-	-	-	25
10	7	11	18	25	23	27	24	35	30	37	28	20	9	3	1	-	-	26
-	1	1	2	3	2	5	10	4	4	2	5	-	2	-	-	-	-	27
2	2	3	1	3	1	5	5	5	6	3	-	-	-	-	-	1	-	28
-	-	-	-	-	1	1	-	2	-	-	-	-	-	-	-	-	-	29
-	-	1	1	-	1	-	-	1	-	-	-	-	-	-	-	-	-	30
																		31
																		32
-	-	2	1	2	4	-	2	3	1	3	1	4	1	2	1	-	-	33
-	-	-	-	-	2	-	2	2	1	3	1	4	1	2	1	-	-	34
-	-	2	1	2	1	-	-	1	-	-	-	-	-	-	-	-	-	35
-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	36
																		37
33	36	53	77	111	155	203	170	176	164	112	44	13	15	3	-	-	-	38
10	8	28	34	60	77	102	67	92	77	61	21	8	9	1	-	-	-	39
17	18	19	30	38	59	82	78	68	75	47	22	4	5	2	-	-	-	40
-	5	3	7	9	10	14	18	6	5	3	-	1	-	-	-	-	-	41
6	5	2	6	3	9	4	7	7	4	1	-	-	1	-	-	-	-	42
-	-	-	-	1	-	1	-	2	2	-	-	-	-	-	-	-	-	43
-	-	1	-	-	-	-	-	1	1	-	1	-	-	-	-	-	-	44
																		45
3	2	9	18	15	33	24	47	78	89	105	133	125	72	49	6	1	-	46
1	-	5	6	8	12	9	24	39	46	52	55	54	21	17	-	-	-	47
1	-	2	5	6	7	11	14	24	32	41	67	66	50	28	6	1	-	48
1	1	-	5	-	6	3	3	6	8	5	4	1	-	2	-	-	-	49
-	1	2	2	1	8	1	6	9	2	6	7	4	1	2	-	-	-	50
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	51
-	-	-	-	-	-	-	-	-	1	1	-	-	-	-	-	-	-	52
																		53
221	373	491	810	1,113	1,567	2,450	3,307	4,844	6,321	6,710	5,798	3,678	1,691	534	88	14	21	54
67	138	202	327	429	648	1,005	1,351	1,839	2,471	2,586	2,252	1,413	595	173	31	3	6	55
102	139	161	273	388	541	864	1,285	2,235	3,116	3,583	3,142	2,072	987	325	45	7	5	56
26	41	40	75	103	136	195	227	262	268	189	152	64	35	15	7	-	5	57
22	52	82	123	182	233	365	417	472	427	307	216	106	63	18	5	3	2	58
2	-	1	5	6	3	12	14	19	20	30	23	16	9	2	-	1	3	59
2	3	5	7	5	6	9	13	17	19	15	13	7	2	1	-	-	-	60
																		61
48	76	94	170	256	332	432	546	676	788	731	583	295	134	23	10	2	1	62
8	12	21	44	75	135	237	323	453	558	508	370	183	68	8	6	1	-	63
25	31	32	70	105	121	138	150	154	159	184	182	100	59	13	4	-	1	64
7	12	16	22	28	41	28	49	40	44	25	13	5	2	2	-	-	-	65
7	20	23	32	45	34	28	22	26	23	9	12	4	4	-	-	1	-	66
-	-	-	-	2	1	1	2	3	3	4	6	2	-	-	-	-	-	67
1	1	2	2	1	-	-	-	-	1	1	-	1	1	-	-	-	-	68
																		69
-	2	1	4	1	6	3	2	9	18	8	13	10	5	2	-	-	-	70
-	-	-	2	-	-	-	-	2	3	2	2	1	-	-	-	-	-	71
-	2	-	1	-	4	1	2	4	11	6	10	8	5	2	-	-	-	72
-	-	-	-	-	-	-	-	1	1	-	-	1	-	-	-	-	-	73
-	-	-	-	1	2	2	-	2	3	-	1	-	-	-	-	-	-	74
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	75
-	-	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	76
																		77
8	7	18	24	27	33	42	53	75	74	59	57	32	11	1	1	-	-	78
1	-	4	4	4	3	8	15	15	12	6	2	4	2	-	-	-	-	79
5	4	1	9	13	19	21	32	51	56	50	54	27	9	1	1	-	-	80
1	1	2	2	1	1	-	-	4	2	-	-	-	-	-	-	-	-	81
1	1	11	9	9	10	13	6	5	4	3	1	1	-	-	-	-	-	82
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	83
-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	84
																		85
5	5	7	9	14	10	21	29	60	45	44	42	20	9	-	-	-	-	86
-	1	1	1	6	1	5	4	8	3	10	5	6	1	-	-	-	-	87
3	3	4	6	8	7	14	22	47	39	33	35	13	7	-	-	-	-	88
-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	89
2	1	2	2	-	2	1	3	5	3	1	-	1	1	-	-	-	-	90
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	91
-	-	-	-	-	-	1	-	-	-	-	1	-	-	-	-	-	-	92
																		93
128	232	298	481	611	929	1,548	2,292	3,617	4,879	5,388	4,646	2,938	1,263	377	44	4	15	94
47	106	149	232	261	412	584	831	1,187	1,674	1,858	1,684	1,070	439	124	15	-	3	95
56	83	101	131	189	280	538	932	1,795	2,624	3,097	2,656	1,729	755	229	20	3	4	96
15	24	18	45	56	78	139	156	201	190	132	107	41	21	9	4	-	3	97
8	19	27	67	100	152	272	351	401	360	267	171	84	42	13	5	1	2	98
1	-	1	4	3	2	8	10	16	15	22	16	10	5	1	-	-	3	99
1	-	2	2	2	5	7	12	17	16	12	12	4	1	1	-	-	-	100
																		101
																		102

Table 5-9. Deaths From 255 Selected Causes, by Age,

(Data refer only to deaths occurring within the United States, including Alaska and Hawaii. Excludes fetal deaths. Numbers after causes

CAUSE OF DEATH, RACE, AND SEX	Total	Under 1 year	1 year	2 years	3 years	4 years	Under 5 years	5-9 years	10-14 years	15-19 years
III. ALLERGIC, ENDOCRINE SYSTEM, METABOLIC, AND NUTRITIONAL DISEASES—CON.										
DISEASES OF THYMUS GLAND.....273	136	115	6	1	2	-	124	1	1	-
WHITE.....MALE....	70	59	2	1	2	-	64	1	1	-
FEMALE..	45	38	2	-	-	-	40	-	-	-
NEGRO.....MALE....	10	8	1	-	-	-	9	-	-	-
FEMALE..	7	6	1	-	-	-	7	-	-	-
OTHER.....MALE....	2	2	-	-	-	-	2	-	-	-
FEMALE..	2	2	-	-	-	-	2	-	-	-
DISEASES OF ADRENAL GLANDS.....274	420	59	8	6	2	2	77	4	5	7
WHITE.....MALE....	174	35	6	4	1	1	47	2	3	4
FEMALE..	191	12	1	2	1	-	16	2	2	3
NEGRO.....MALE....	23	7	-	-	-	1	8	-	-	-
FEMALE..	25	2	-	-	-	-	2	-	-	-
OTHER.....MALE....	5	2	-	-	-	-	2	-	-	-
FEMALE..	2	1	1	-	-	-	2	-	-	-
PELLAGRA.....281	42	1	-	-	-	-	1	-	-	-
WHITE.....MALE....	14	1	-	-	-	-	1	-	-	-
FEMALE..	15	-	-	-	-	-	-	-	-	-
NEGRO.....MALE....	3	-	-	-	-	-	-	-	-	-
FEMALE..	10	-	-	-	-	-	-	-	-	-
OTHER.....MALE....	-	-	-	-	-	-	-	-	-	-
FEMALE..	-	-	-	-	-	-	-	-	-	-
OTHER AVITAMINOSES AND NUTRITIONAL DEFICIENCY STATES.....280,282-286	1,775	24	62	19	11	9	125	11	12	3
WHITE.....MALE....	679	9	11	5	4	1	30	3	3	2
FEMALE..	741	5	14	2	1	3	25	2	4	-
NEGRO.....MALE....	182	4	19	5	4	2	34	1	4	1
FEMALE..	147	5	14	6	2	2	29	5	1	-
OTHER.....MALE....	17	-	2	-	-	-	2	-	-	-
FEMALE..	9	1	2	1	-	1	5	-	-	-
ALL OTHER ALLERGIC, ENDOCRINE, AND METABOLIC DISEASES.....RESIDUAL	2,525	142	33	21	6	11	213	42	30	24
WHITE.....MALE....	1,073	61	16	12	5	3	97	20	17	9
FEMALE..	1,079	45	11	6	1	5	68	19	11	9
NEGRO.....MALE....	118	17	4	3	-	1	25	2	1	2
FEMALE..	233	15	1	-	-	2	18	1	1	4
OTHER.....MALE....	11	3	1	-	-	-	4	-	-	-
FEMALE..	11	1	-	-	-	-	1	-	-	-
IV. DISEASES OF THE BLOOD AND BLOOD-FORMING ORGANS.....	5,104	231	97	65	47	54	494	140	92	119
WHITE.....MALE....	2,150	93	26	16	16	14	165	40	33	50
FEMALE..	2,182	57	26	22	19	22	146	58	34	36
NEGRO.....MALE....	363	52	20	13	6	12	103	22	12	16
FEMALE..	377	25	23	13	6	5	72	19	9	17
OTHER.....MALE....	22	3	1	1	-	1	6	1	3	-
FEMALE..	10	1	1	-	-	-	2	-	1	-
ANEMIAS.....290-293	3,330	111	78	48	38	35	310	112	62	82
WHITE.....MALE....	1,279	30	19	7	12	5	73	22	16	30
FEMALE..	1,448	23	17	14	15	18	87	52	27	25
NEGRO.....MALE....	278	36	18	13	6	8	81	18	10	13
FEMALE..	309	20	23	13	5	4	65	19	7	14
OTHER.....MALE....	10	1	1	1	-	-	3	1	2	-
FEMALE..	6	1	-	-	-	-	1	-	-	-
PERNICIOUS AND OTHER HYPERCHROMIC ANEMIAS.....290	641	1	1	1	-	-	3	1	1	-
WHITE.....MALE....	235	-	1	-	-	-	1	-	-	-
FEMALE..	365	-	-	-	-	-	-	1	1	-
NEGRO.....MALE....	19	-	-	-	-	-	-	-	-	-
FEMALE..	21	1	-	1	-	-	2	-	-	-
OTHER.....MALE....	-	-	-	-	-	-	-	-	-	-
FEMALE..	1	-	-	-	-	-	-	-	-	-
ANEMIAS OF OTHER AND UNSPECIFIED TYPE.....291-293	2,689	110	77	47	38	35	307	111	61	82
WHITE.....MALE....	1,044	30	18	7	12	5	72	22	16	30
FEMALE..	1,083	23	17	14	15	18	87	51	26	25
NEGRO.....MALE....	259	36	18	13	6	8	81	18	10	13
FEMALE..	288	19	23	12	5	4	63	19	7	14
OTHER.....MALE....	10	1	1	1	-	-	3	1	2	-
FEMALE..	5	1	-	-	-	-	1	-	-	-
PURPURA AND OTHER HEMORRHAGIC CONDITIONS.....296	681	72	8	7	4	12	103	9	17	19
WHITE.....MALE....	288	38	3	4	2	7	54	6	8	10
FEMALE..	305	24	4	3	1	3	35	1	5	6
NEGRO.....MALE....	37	7	1	-	-	1	9	2	-	1
FEMALE..	42	2	-	-	1	-	3	-	2	2
OTHER.....MALE....	7	1	-	-	-	1	2	-	1	-
FEMALE..	2	-	-	-	-	-	-	-	1	-
OTHER DISEASES OF BLOOD AND BLOOD-FORMING ORGANS.....294,295,297-299	1,093	48	11	10	5	7	81	19	13	18
WHITE.....MALE....	583	25	4	5	2	2	38	12	9	10
FEMALE..	429	10	5	5	3	1	24	5	2	5
NEGRO.....MALE....	48	9	1	-	-	3	13	2	2	2
FEMALE..	26	3	-	-	-	1	4	-	-	1
OTHER.....MALE....	5	1	-	-	-	-	1	-	-	-
FEMALE..	2	-	1	-	-	-	1	-	-	-
V. MENTAL, PSYCHONEUROTIC, AND PERSONALITY DISORDERS.....	4,487	180	49	31	18	20	298	41	34	46
WHITE.....MALE....	2,411	88	22	17	9	8	144	25	17	25
FEMALE..	1,158	81	24	13	7	8	133	14	11	10
NEGRO.....MALE....	580	7	2	-	2	3	14	-	3	8
FEMALE..	276	4	1	1	-	-	6	2	3	3
OTHER.....MALE....	52	-	-	-	-	1	1	-	-	-
FEMALE..	10	-	-	-	-	-	-	-	-	-

Race, and Sex: United States, 1960—Continued

category numbers of the Seventh Revision of the International Lists, 1955. For complete category titles, see table 5-8)

20-24 years	25-29 years	30-34 years	35-39 years	40-44 years	45-49 years	50-54 years	55-59 years	60-64 years	65-69 years	70-74 years	75-79 years	80-84 years	85-89 years	90-94 years	95-99 years	100 and over	Not stated	
																		1
																		2
																		3
4	1	1	-	1	1	-	-	1	-	-	-	-	-	-	-	-	1	4
2	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	1	5
1	1	1	-	1	-	-	-	1	-	-	-	-	-	-	-	-	-	6
1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	7
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	8
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	9
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	10
																		11
3	9	12	24	16	26	38	30	38	39	43	27	14	8	-	-	-	-	12
1	4	5	5	3	10	10	9	19	14	17	12	6	3	-	-	-	-	13
1	4	3	16	10	14	20	15	14	20	25	13	8	5	-	-	-	-	14
-	-	1	2	1	1	2	2	3	2	1	-	-	-	-	-	-	-	15
1	1	3	1	2	1	5	4	2	1	-	2	-	-	-	-	-	-	16
-	-	-	-	-	-	1	-	-	2	-	-	-	-	-	-	-	-	17
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	18
																		19
-	-	-	1	1	3	1	3	2	5	8	7	6	2	1	1	-	-	20
-	-	-	-	-	1	-	1	1	1	3	2	2	1	-	1	-	-	21
-	-	-	1	-	-	1	1	1	1	3	1	4	1	1	-	-	-	22
-	-	-	-	-	-	-	-	-	-	1	2	-	-	-	-	-	-	23
-	-	-	-	1	2	-	1	-	3	1	2	-	-	-	-	-	-	24
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	25
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	26
																		27
4	8	9	25	34	66	80	69	85	145	209	244	266	219	120	31	7	3	28
1	4	3	9	18	21	32	35	35	65	92	110	99	68	37	9	2	1	29
1	2	5	11	8	30	30	24	32	42	73	97	137	123	73	19	3	-	30
-	-	-	2	5	10	11	6	7	20	25	21	15	11	4	3	-	2	31
2	2	1	3	3	5	6	3	11	16	14	16	11	13	5	-	1	-	32
-	-	-	-	-	-	1	1	-	-	4	-	3	4	1	-	1	-	33
-	-	-	-	-	-	-	-	-	2	1	-	1	-	-	-	-	-	34
																		35
21	33	51	72	152	161	285	283	281	328	220	179	97	40	10	1	1	1	36
7	11	19	30	62	64	129	133	119	141	90	65	42	13	4	-	-	1	37
10	9	14	28	54	66	101	107	136	164	112	94	46	23	6	1	1	-	38
2	4	3	2	12	5	15	14	6	9	5	8	2	1	-	-	-	-	39
1	8	15	9	21	25	38	27	20	14	12	11	5	3	-	-	-	-	40
1	-	-	1	1	-	1	1	-	-	-	1	1	-	-	-	-	-	41
-	1	-	2	2	1	1	1	-	-	1	-	1	-	-	-	-	-	42
																		43
																		44
103	107	118	129	122	177	224	299	374	544	606	605	474	264	93	15	1	4	45
																		46
28	25	27	34	35	67	102	141	193	281	311	279	201	101	34	-	1	2	47
30	33	44	65	51	66	85	122	145	218	262	301	262	153	55	15	-	1	48
22	15	19	11	14	18	20	14	19	19	17	12	5	4	1	-	-	-	49
21	33	28	17	22	26	16	19	13	24	16	10	6	5	3	-	-	1	50
1	1	-	-	-	-	1	1	4	1	-	3	-	-	-	-	-	-	51
1	-	-	2	-	-	-	2	-	1	-	-	-	1	-	-	-	-	52
																		53
58	73	74	58	64	87	111	170	212	330	384	446	368	223	87	15	1	3	54
12	12	9	8	15	20	41	75	109	166	194	204	153	84	33	-	1	2	55
13	17	24	29	23	38	48	69	78	126	164	225	208	129	50	15	-	1	56
19	15	17	10	12	9	10	7	14	15	12	8	3	4	1	-	-	-	57
14	28	24	10	14	20	12	16	10	22	14	8	4	5	3	-	-	-	58
-	1	-	-	-	-	-	1	1	-	-	1	-	-	-	-	-	-	59
-	-	-	1	-	-	-	2	-	1	-	-	-	1	-	-	-	-	60
																		61
1	1	2	5	1	8	11	24	27	64	92	142	124	100	29	5	-	-	62
-	-	-	-	-	-	4	8	11	25	36	59	43	37	11	-	-	-	63
-	-	1	1	-	7	6	15	12	32	47	80	79	60	18	5	-	-	64
1	-	-	2	1	-	1	-	2	3	6	1	1	1	-	-	-	-	65
-	1	1	2	-	1	-	1	2	4	3	2	1	1	-	-	-	-	66
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	67
-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	68
																		69
57	72	72	53	63	79	100	146	185	266	292	304	244	123	58	10	1	3	70
12	12	9	8	15	20	37	67	98	141	158	145	110	47	22	-	1	2	71
13	17	23	28	23	31	42	54	66	94	117	145	129	69	32	10	-	1	72
18	15	17	8	11	9	9	7	12	12	6	7	2	3	1	-	-	-	73
14	27	23	8	14	19	12	15	8	18	11	6	3	4	3	-	-	-	74
-	1	-	-	-	-	-	1	1	-	-	1	-	-	-	-	-	-	75
-	-	-	1	-	-	-	2	-	1	-	-	-	-	-	-	-	-	76
																		77
30	20	26	40	29	30	42	30	53	65	64	44	39	15	6	-	-	-	78
10	6	5	10	6	11	20	8	25	29	31	22	19	7	1	-	-	-	79
11	9	15	22	17	13	14	19	22	33	31	19	20	8	5	-	-	-	80
3	-	2	1	-	4	4	2	3	2	2	2	-	-	-	-	-	-	81
4	5	4	7	6	2	3	1	2	1	-	-	-	-	-	-	-	-	82
1	-	-	-	-	-	1	-	1	-	-	1	-	-	-	-	-	-	83
1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	84
																		85
15	14	18	31	29	60	71	99	109	149	158	115	67	26	-	-	-	1	86
6	7	13	16	14	36	41	58	59	86	86	53	29	10	-	-	-	-	87
6	7	5	14	11	15	23	34	45	59	67	57	34	16	-	-	-	-	88
-	-	-	-	2	5	6	5	2	2	3	2	2	-	-	-	-	-	89
3	-	-	-	2	4	1	2	1	1	2	2	2	-	-	-	-	1	90
-	-	-	-	-	-	-	-	2	1	-	1	-	-	-	-	-	-	91
-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	92
																		93
95	132	217	306	416	514	459	441	373	324	232	189	169	128	52	16	1	4	94
																		95
45	41	80	140	211	305	296	279	233	208	130	92	70	43	21	4	1	1	96
11	18	33	54	75	83	89	110	93	72	71	82	87	74	29	9	-	-	97
23	51	63	68	86	85	51	32	26	31	18	7	5	8	-	-	-	1	98
14	20	38	37	38	33	18	13	16	11	7	5	6	1	1	2	-	2	99
2	1	3	6	5	7	4	5	5	2	5	3	1	2	-	-	-	-	100
-	1	-	1	1	1	1	2	-	-	1	-	-	-	1	1	-	-	101
																		102

Table 5-9. Deaths From 255 Selected Causes, by Age,

(Data refer only to deaths occurring within the United States, including Alaska and Hawaii. Excludes fetal deaths. Numbers after causes

CAUSE OF DEATH, RACE, AND SEX	Total	Under 1 year	1 year	2 years	3 years	4 years	Under 5 years	5-9 years	10-14 years	15-19 years
V. MENTAL, PSYCHONEUROTIC, AND PERSONALITY DISORDERS—CON.										
SENILE PSYCHOSIS.....304	396	-	-	-	-	-	-	-	-	-
WHITE.....MALE.....	119	-	-	-	-	-	-	-	-	-
FEMALE..	241	-	-	-	-	-	-	-	-	-
NEGRO.....MALE.....	18	-	-	-	-	-	-	-	-	-
FEMALE..	14	-	-	-	-	-	-	-	-	-
OTHER.....MALE.....	2	-	-	-	-	-	-	-	-	-
FEMALE..	2	-	-	-	-	-	-	-	-	-
ALCOHOLIC PSYCHOSIS.....307	438	-	-	-	-	-	-	-	-	-
WHITE.....MALE.....	341	-	-	-	-	-	-	-	-	-
FEMALE..	34	-	-	-	-	-	-	-	-	-
NEGRO.....MALE.....	51	-	-	-	-	-	-	-	-	-
FEMALE..	7	-	-	-	-	-	-	-	-	-
OTHER.....MALE.....	3	-	-	-	-	-	-	-	-	-
FEMALE..	2	-	-	-	-	-	-	-	-	-
OTHER PSYCHOSES.....300-303,305,306,308,309	662	-	-	-	-	-	-	1	3	5
WHITE.....MALE.....	280	-	-	-	-	-	-	-	2	1
FEMALE..	288	-	-	-	-	-	-	1	-	2
NEGRO.....MALE.....	33	-	-	-	-	-	-	-	-	1
FEMALE..	57	-	-	-	-	-	-	-	1	1
OTHER.....MALE.....	3	-	-	-	-	-	-	-	-	-
FEMALE..	1	-	-	-	-	-	-	-	-	-
ALCOHOLISM.....322	2,235	-	-	-	-	2	2	-	-	9
WHITE.....MALE.....	1,327	-	-	-	-	-	-	-	-	5
FEMALE..	316	-	-	-	-	-	-	-	-	1
NEGRO.....MALE.....	396	-	-	-	-	2	2	-	-	2
FEMALE..	150	-	-	-	-	-	-	-	-	1
OTHER.....MALE.....	42	-	-	-	-	-	-	-	-	-
FEMALE..	4	-	-	-	-	-	-	-	-	-
MENTAL DEFICIENCY.....325	483	179	49	31	18	18	295	40	29	17
WHITE.....MALE.....	245	87	22	17	9	8	143	25	15	10
FEMALE..	201	81	24	13	7	8	133	13	9	5
NEGRO.....MALE.....	19	7	2	-	2	1	12	-	3	2
FEMALE..	16	4	1	1	-	-	6	2	2	-
OTHER.....MALE.....	1	-	-	-	-	1	1	-	-	-
FEMALE..	1	-	-	-	-	-	-	-	-	-
OTHER DISORDERS OF PERSONALITY 310-321,323,324,326	273	1	-	-	-	-	1	-	2	15
WHITE.....MALE.....	99	1	-	-	-	-	1	-	-	9
FEMALE..	78	-	-	-	-	-	-	-	2	2
NEGRO.....MALE.....	63	-	-	-	-	-	-	-	-	3
FEMALE..	32	-	-	-	-	-	-	-	-	1
OTHER.....MALE.....	1	-	-	-	-	-	-	-	-	-
FEMALE..	-	-	-	-	-	-	-	-	-	-
VI. DISEASES OF THE NERVOUS SYSTEM AND SENSE ORGANS.....	208,321	1,822	580	316	220	168	3,106	623	501	537
WHITE.....MALE.....	87,351	775	263	147	100	76	1,361	277	224	243
FEMALE..	94,185	520	177	91	78	55	921	236	183	177
NEGRO.....MALE.....	12,432	263	70	41	20	19	413	54	45	58
FEMALE..	13,365	198	64	29	17	17	325	42	42	50
OTHER.....MALE.....	661	43	2	4	2	1	52	7	3	8
FEMALE..	327	23	4	4	3	-	34	7	4	1
VASCULAR LESIONS AFFECTING CENTRAL NERVOUS SYSTEM.....330-334	193,588	169	50	27	31	23	300	117	129	182
WHITE.....MALE.....	80,486	76	23	12	13	9	133	55	61	80
FEMALE..	88,567	44	14	4	11	7	80	40	45	64
NEGRO.....MALE.....	11,222	24	10	6	2	3	45	13	6	17
FEMALE..	12,485	19	3	3	4	4	33	7	15	16
OTHER.....MALE.....	555	5	-	-	-	-	5	-	-	5
FEMALE..	273	1	-	2	1	-	4	2	2	-
SUBARACHNOID HEMORRHAGE.....330	6,699	41	4	3	3	5	56	31	51	95
WHITE.....MALE.....	2,559	19	4	2	1	2	28	15	23	40
FEMALE..	2,997	13	-	-	-	2	15	13	17	34
NEGRO.....MALE.....	483	6	-	1	-	1	8	-	3	14
FEMALE..	598	3	-	-	1	-	4	2	6	5
OTHER.....MALE.....	37	-	-	-	-	-	-	-	-	2
FEMALE..	25	-	-	-	1	-	1	1	2	-
CEREBRAL HEMORRHAGE.....331	110,855	87	15	4	6	4	116	29	35	56
WHITE.....MALE.....	45,474	40	5	-	2	3	50	14	13	22
FEMALE..	50,035	22	6	1	3	-	32	12	15	19
NEGRO.....MALE.....	6,957	12	3	2	1	-	18	1	2	3
FEMALE..	7,919	10	1	1	-	1	13	2	5	9
OTHER.....MALE.....	310	3	-	-	-	-	3	-	-	3
FEMALE..	160	-	-	-	-	-	-	-	-	-
CEREBRAL EMBOLISM AND THROMBOSIS.....332	58,689	14	4	4	4	1	27	7	9	9
WHITE.....MALE.....	25,456	5	1	2	1	-	9	3	4	5
FEMALE..	27,546	5	1	1	3	-	10	2	4	3
NEGRO.....MALE.....	2,697	1	1	1	-	1	4	1	-	-
FEMALE..	2,769	2	1	-	-	-	3	1	1	1
OTHER.....MALE.....	156	-	-	-	-	-	-	-	-	-
FEMALE..	65	1	-	-	-	-	1	-	-	-
OTHER VASCULAR LESIONS AFFECTING CENTRAL NERVOUS SYSTEM.....333,334	17,345	27	27	16	18	13	101	50	34	22
WHITE.....MALE.....	6,997	12	13	8	9	4	46	23	21	13
FEMALE..	7,989	4	7	2	5	5	23	13	9	8
NEGRO.....MALE.....	1,085	5	6	2	1	1	15	11	1	-
FEMALE..	1,199	4	1	2	3	3	13	2	3	1
OTHER.....MALE.....	52	2	-	-	-	-	2	-	-	-
FEMALE..	23	-	-	2	-	-	2	1	-	-

Race, and Sex: United States, 1960—Continued

category numbers of the Seventh Revision of the International Lists, 1955. For complete category titles, see table 5-8)

20-24 years	25-29 years	30-34 years	35-39 years	40-44 years	45-49 years	50-54 years	55-59 years	60-64 years	65-69 years	70-74 years	75-79 years	80-84 years	85-89 years	90-94 years	95-99 years	100 and over	Not stated	
																		1
																		2
-	-	-	-	-	-	1	-	3	29	51	73	96	88	41	13	1	-	3
-	-	-	-	-	-	-	-	-	10	10	23	31	25	15	4	1	-	4
-	-	-	-	-	-	1	-	1	12	35	43	59	58	25	7	-	-	5
-	-	-	-	-	-	-	-	1	4	3	4	3	3	-	-	-	-	6
-	-	-	-	-	-	-	-	1	3	2	2	3	1	1	1	-	-	7
-	-	-	-	-	-	-	-	-	-	-	1	-	1	-	-	-	-	8
-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	1	-	-	9
																		10
-	7	19	34	71	101	66	49	51	24	10	5	1	-	-	-	-	-	11
-	5	11	20	52	74	56	43	45	20	10	4	1	-	-	-	-	-	12
-	-	3	4	8	6	3	4	3	3	-	-	-	-	-	-	-	-	13
-	1	2	9	9	19	7	-	3	1	-	-	-	-	-	-	-	-	14
-	1	3	1	1	-	-	-	-	-	-	1	-	-	-	-	-	-	15
-	-	-	-	1	2	-	-	-	-	-	-	-	-	-	-	-	-	16
-	-	-	-	-	-	-	2	-	-	-	-	-	-	-	-	-	-	17
																		18
8	13	12	18	20	39	56	95	98	81	52	69	52	28	9	3	-	-	19
2	4	5	5	8	14	25	40	41	41	19	33	22	13	5	-	-	-	20
1	3	4	5	7	12	25	46	48	32	26	32	27	12	3	2	-	-	21
3	3	1	2	1	5	1	3	1	4	3	2	-	3	-	-	-	-	22
1	3	2	6	4	8	5	6	7	4	3	2	3	-	-	1	-	-	23
1	-	-	-	-	-	-	-	1	-	1	-	-	-	-	-	-	-	24
-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	25
																		26
																		27
30	56	137	224	302	352	314	273	197	170	104	36	16	8	1	-	-	4	28
9	15	50	105	142	207	208	190	136	129	82	30	13	4	1	-	-	1	29
2	8	16	36	52	55	50	42	30	13	6	3	-	2	-	-	-	-	30
12	26	42	50	73	60	41	29	19	22	12	1	2	2	-	-	-	1	31
6	5	26	27	30	24	10	7	8	4	-	-	-	-	-	-	-	2	32
1	1	3	6	4	5	4	5	4	2	4	2	1	-	-	-	-	-	33
-	1	-	-	1	1	1	-	-	-	-	-	-	-	-	-	-	-	34
																		35
16	10	13	8	12	13	4	10	6	4	5	1	-	-	-	-	-	-	36
10	6	6	4	7	5	2	3	3	1	4	1	-	-	-	-	-	-	37
2	3	7	3	4	7	2	7	3	3	-	-	-	-	-	-	-	-	38
1	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	39
3	1	-	-	-	1	-	-	-	-	1	-	-	-	-	-	-	-	40
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	41
-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	42
																		43
41	46	36	22	11	9	18	14	18	16	10	5	4	4	1	-	-	-	44
24	11	8	6	2	5	5	3	8	7	5	1	3	1	-	-	-	-	45
6	4	3	6	4	3	8	11	8	9	4	4	1	2	1	-	-	-	46
7	21	18	7	2	1	2	-	2	-	-	-	-	-	-	-	-	-	47
4	10	7	3	3	-	3	-	-	-	1	-	-	-	-	-	-	-	48
-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	49
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	50
																		51
																		52
537	720	1,138	1,814	2,972	4,737	6,960	9,824	15,135	22,860	31,373	36,781	34,074	22,951	9,180	2,097	319	82	53
																		54
226	288	420	652	1,055	1,735	2,724	4,089	6,469	10,345	14,565	16,259	13,899	8,686	3,115	648	56	15	55
188	227	352	587	999	1,558	2,244	3,033	5,261	8,619	13,285	17,794	18,325	13,132	5,600	1,268	172	24	56
65	86	166	249	409	693	942	1,271	1,572	1,886	1,649	1,239	824	487	191	72	41	20	57
51	110	187	307	490	717	993	1,371	1,722	1,912	1,737	1,371	923	584	256	103	49	23	58
4	6	9	11	12	19	40	45	75	65	98	84	67	43	9	4	-	-	59
3	3	4	8	7	15	17	15	36	33	39	34	36	19	9	2	1	-	60
																		61
																		62
245	380	697	1,263	2,286	3,961	6,117	8,897	14,039	21,568	30,031	35,667	33,432	22,679	9,116	2,089	317	76	63
94	125	226	441	751	1,386	2,345	3,622	5,903	9,689	13,869	15,739	13,595	8,561	3,097	645	56	13	64
84	126	218	384	725	1,256	1,910	2,688	4,856	8,098	12,708	17,254	18,017	12,997	5,559	1,265	171	22	65
31	44	99	170	345	617	863	1,209	1,505	1,819	1,616	1,210	811	482	190	71	40	19	66
32	79	147	257	449	671	948	1,323	1,674	1,864	1,707	1,350	911	577	252	102	49	22	67
3	4	3	5	9	18	35	40	69	65	93	82	63	43	9	4	-	-	68
1	2	4	6	7	13	16	15	32	33	38	32	35	19	9	2	1	-	69
																		70
136	201	354	524	688	901	854	683	604	556	388	296	165	83	28	1	1	3	71
50	73	123	203	249	334	313	289	247	211	151	111	54	36	9	-	-	-	72
48	74	131	202	290	413	393	306	272	273	192	167	97	40	18	-	1	1	73
19	19	32	47	66	57	66	34	42	38	20	10	5	2	-	-	-	1	74
16	33	65	67	79	91	72	49	39	28	23	7	5	4	1	1	-	1	75
2	1	1	3	3	4	7	4	1	4	2	1	2	-	-	-	-	-	76
1	1	2	2	1	2	3	1	3	2	-	-	2	1	-	-	-	-	77
																		78
75	137	281	595	1,266	2,400	3,915	5,728	8,704	13,026	17,695	20,475	18,448	12,089	4,570	1,016	154	45	79
30	36	82	190	380	789	1,479	2,247	3,519	5,716	8,034	8,949	7,409	4,627	1,547	309	23	9	80
25	38	68	140	343	681	1,169	1,757	3,109	4,927	7,598	9,918	9,951	6,814	2,757	575	78	9	81
6	21	58	105	214	444	594	798	913	1,118	960	727	488	287	111	54	24	11	82
13	39	69	156	321	467	645	891	1,108	1,205	1,028	812	549	326	143	73	29	16	83
1	2	2	1	5	11	20	23	36	37	56	45	31	26	5	3	-	-	84
-	1	2	3	3	8	8	12	19	23	19	24	20	9	7	2	-	-	85
																		86
18	26	36	96	252	504	1,061	1,971	3,822	6,387	9,518	11,638	11,335	7,824	3,241	775	112	21	87
5	9	10	33	98	210	464	918	1,800	3,101	4,553	5,255	4,686	2,910	1,115	243	23	2	88
7	9	14	31	67	130	281	510	1,216	2,327	4,005	5,618	6,139	4,588	2,005	503	66	11	89
4	2	5	12	51	79	152	270	414	487	453	336	223	135	46	10	10	3	90
2	5	7	19	34	82	153	263	359	446	463	399	256	171	69	18	12	5	91
-	1	-	-	1	1	8	9	26	19	26	24	22	14	4	1	-	-	92
-	-	-	1	1	2	3	1	7	7	18	6	9	6	2	-	1	-	93
																		94
16	16	26	48	80	156	287	515	909	1,599	2,430	3,258	3,484	2,683	1,277	297	50	7	95
9	7	11	15	24	53	89	168	337	661	1,131	1,424	1,446	988	426	93	10	2	96
4	5	5	11	25	32	67	115	259	571	913	1,551	1,830	1,555	779	187	26	1	97
2	2	4	6	14	37	51	107	136	176	183	137	95	58	33	7	6	4	98
1	2	6	15	15	31	78	120	168	185	193	132	101	76	39	10	8	-	99
-	-	-	1	-	2	-	4	6	5	9	12	8	3	-	-	-	-	100
-	-	-	-	2	1	2	1	3	1	1	2	4	3	-	-	-	-	101
																		102

Table 5-9. Deaths From 255 Selected Causes, by Age,

(Data refer only to deaths occurring within the United States, including Alaska and Hawaii. Excludes fetal deaths. Numbers after causes

CAUSE OF DEATH, RACE, AND SEX	Total	Under 1 year	1 year	2 years	3 years	4 years	Under 5 years	5-9 years	10-14 years	15-19 years
VI. DISEASES OF THE NERVOUS SYSTEM AND SENSE ORGANS—CON.										
MENINGITIS, EXCEPT MENINGOCOCCAL AND TUBERCULOUS.....340	2,316	872	223	124	64	36	1,319	107	40	39
WHITE.....MALE....	959	352	102	56	27	16	553	48	19	16
FEMALE..	649	218	54	35	16	9	332	38	11	8
NEGRO.....MALE....	359	148	30	19	8	8	213	10	8	5
FEMALE..	284	114	34	12	11	2	173	6	2	10
OTHER.....MALE....	40	24	1	1	-	1	27	4	-	-
FEMALE..	25	16	2	1	2	-	21	1	-	-
MULTIPLE SCLEROSIS.....345	1,484	-	-	-	-	-	-	1	3	5
WHITE.....MALE....	603	-	-	-	-	-	-	-	2	1
FEMALE..	788	-	-	-	-	-	-	-	1	4
NEGRO.....MALE....	39	-	-	-	-	-	-	-	-	-
FEMALE..	54	-	-	-	-	-	-	1	-	-
OTHER.....MALE....	-	-	-	-	-	-	-	-	-	-
FEMALE..	-	-	-	-	-	-	-	-	-	-
PARALYSIS AGITANS.....350	2,898	-	-	-	-	-	-	-	1	1
WHITE.....MALE....	1,475	-	-	-	-	-	-	-	1	-
FEMALE..	1,341	-	-	-	-	-	-	-	-	1
NEGRO.....MALE....	39	-	-	-	-	-	-	-	-	-
FEMALE..	36	-	-	-	-	-	-	-	-	-
OTHER.....MALE....	6	-	-	-	-	-	-	-	-	-
FEMALE..	1	-	-	-	-	-	-	-	-	-
CEREBRAL SPASTIC INFANTILE PARALYSIS.....351	746	138	60	33	26	27	284	120	105	58
WHITE.....MALE....	372	63	35	18	16	15	147	61	48	29
FEMALE..	279	52	19	9	9	8	97	45	44	19
NEGRO.....MALE....	55	16	5	2	1	1	25	7	7	4
FEMALE..	34	6	1	4	-	3	14	7	4	4
OTHER.....MALE....	4	1	-	-	-	-	1	-	1	1
FEMALE..	2	-	-	-	-	-	-	-	1	1
EPILEPSY.....353	1,989	25	23	26	24	15	113	83	91	124
WHITE.....MALE....	876	17	10	12	11	7	57	33	35	55
FEMALE..	594	5	5	6	11	5	32	32	32	35
NEGRO.....MALE....	324	2	3	1	1	-	7	10	13	19
FEMALE..	168	-	3	4	-	3	10	7	11	13
OTHER.....MALE....	20	1	1	2	1	-	5	-	-	2
FEMALE..	7	-	1	1	-	-	2	1	-	-
INFLAMMATORY DISEASES OF EYE.....370-379	13	1	-	-	-	-	1	1	1	-
WHITE.....MALE....	4	1	-	-	-	-	1	-	-	-
FEMALE..	5	-	-	-	-	-	-	1	-	-
NEGRO.....MALE....	3	-	-	-	-	-	-	-	1	-
FEMALE..	1	-	-	-	-	-	-	-	-	-
OTHER.....MALE....	-	-	-	-	-	-	-	-	-	-
FEMALE..	-	-	-	-	-	-	-	-	-	-
CATARACT.....385	21	-	-	-	-	-	-	-	-	-
WHITE.....MALE....	9	-	-	-	-	-	-	-	-	-
FEMALE..	9	-	-	-	-	-	-	-	-	-
NEGRO.....MALE....	1	-	-	-	-	-	-	-	-	-
FEMALE..	2	-	-	-	-	-	-	-	-	-
OTHER.....MALE....	-	-	-	-	-	-	-	-	-	-
FEMALE..	-	-	-	-	-	-	-	-	-	-
GLAUCOMA.....387	6	-	-	-	-	1	1	-	1	-
WHITE.....MALE....	2	-	-	-	-	-	-	-	1	-
FEMALE..	3	-	-	-	-	-	-	-	-	-
NEGRO.....MALE....	1	-	-	-	-	1	1	-	-	-
FEMALE..	-	-	-	-	-	-	-	-	-	-
OTHER.....MALE....	-	-	-	-	-	-	-	-	-	-
FEMALE..	-	-	-	-	-	-	-	-	-	-
OTITIS MEDIA AND MASTOIDITIS.....391-393	384	90	32	7	8	8	145	24	17	17
WHITE.....MALE....	191	38	16	4	5	3	66	10	8	6
FEMALE..	120	21	12	1	1	5	40	6	6	6
NEGRO.....MALE....	30	14	2	1	1	-	18	2	1	4
FEMALE..	33	13	2	1	-	-	16	5	1	1
OTHER.....MALE....	8	3	-	-	1	-	4	-	1	-
FEMALE..	2	1	-	-	-	-	1	1	-	-
OTHER DISEASES OF NERVOUS SYSTEM AND SENSE ORGANS.....RESIDUAL	4,876	527	192	99	67	58	943	170	113	111
WHITE.....MALE....	2,374	228	77	45	28	26	404	70	49	56
FEMALE..	1,830	180	73	36	30	21	340	74	44	40
NEGRO.....MALE....	359	59	20	12	7	6	104	12	9	9
FEMALE..	268	46	21	5	2	5	79	9	9	6
OTHER.....MALE....	28	9	-	1	-	-	10	3	1	-
FEMALE..	17	5	1	-	-	-	6	2	1	-
VII. DISEASES OF THE CIRCULATORY SYSTEM.....	730,047	310	91	56	43	40	540	216	308	466
WHITE.....MALE....	387,934	141	22	21	23	18	225	91	106	187
FEMALE..	275,901	82	31	13	11	9	146	58	109	147
NEGRO.....MALE....	33,853	42	20	15	4	5	86	27	43	60
FEMALE..	29,597	40	16	6	3	6	71	34	43	64
OTHER.....MALE....	1,966	2	-	1	2	1	6	3	4	6
FEMALE..	796	3	2	-	-	1	6	3	3	2
DISEASES OF HEART.....400-402,410-443	661,712	272	83	48	39	37	479	193	260	382
WHITE.....MALE....	356,267	123	19	17	19	16	194	82	90	164
FEMALE..	246,609	73	27	11	11	9	131	47	92	104
NEGRO.....MALE....	30,135	39	20	13	4	4	80	26	40	56
FEMALE..	26,198	34	15	6	3	6	64	32	33	51
OTHER.....MALE....	1,803	1	-	1	2	1	5	3	4	6
FEMALE..	700	2	2	-	-	1	5	3	1	1

Race, and Sex: United States, 1960—Continued

category numbers of the Seventh Revision of the International Lists, 1955. For complete category titles, see table 5-8)

20-24 years	25-29 years	30-34 years	35-39 years	40-44 years	45-49 years	50-54 years	55-59 years	60-64 years	65-69 years	70-74 years	75-79 years	80-84 years	85-89 years	90-94 years	95-99 years	100 and over	Not stated	
																		1
																		2
																		3
18	27	42	46	59	84	89	81	84	94	74	57	34	17	4	-	-	1	4
8	10	15	16	23	31	42	33	35	30	32	24	15	7	2	-	-	-	5
5	12	7	11	16	25	22	19	27	38	32	25	13	6	2	-	-	-	6
4	3	12	10	11	15	16	17	11	11	4	4	4	1	-	-	-	-	7
1	2	8	8	8	12	8	10	8	15	5	3	1	3	-	-	-	1	8
-	-	-	1	1	-	1	2	1	-	1	1	1	-	-	-	-	-	9
-	-	-	-	-	1	-	-	2	-	-	-	-	-	-	-	-	-	10
																		11
15	23	70	126	197	217	207	189	133	123	92	60	20	2	-	1	-	-	12
7	7	21	38	66	94	78	84	59	67	41	27	10	1	-	-	-	-	13
6	11	37	75	117	113	119	97	67	53	47	30	9	1	-	1	-	-	14
-	3	6	3	7	4	4	3	3	2	2	2	-	-	-	-	-	-	15
2	2	6	10	7	6	6	5	4	1	2	1	1	-	-	-	-	-	16
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	17
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	18
																		19
-	-	4	3	11	22	64	116	253	489	688	686	393	138	28	1	-	-	20
-	-	3	2	6	11	33	65	135	268	371	328	185	59	7	1	-	-	21
-	-	1	-	4	10	23	43	107	207	304	346	199	78	18	-	-	-	22
-	-	-	1	-	1	4	4	3	8	9	5	3	-	1	-	-	-	23
-	-	-	-	1	-	3	4	5	6	3	6	5	1	2	-	-	-	24
-	-	-	-	-	-	1	-	2	-	1	1	1	-	-	-	-	-	25
-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	26
																		27
																		28
34	32	23	15	24	12	7	6	8	7	2	6	1	2	-	-	-	-	29
16	17	11	8	11	7	3	3	1	3	1	4	1	1	-	-	-	-	30
15	14	9	6	12	4	1	2	5	2	1	2	-	1	-	-	-	-	31
2	-	2	1	1	-	2	1	1	2	-	-	-	-	-	-	-	-	32
1	1	1	-	-	1	-	-	1	-	-	-	-	-	-	-	-	-	33
-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	34
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	35
																		36
143	157	168	200	186	168	135	108	94	88	50	39	22	14	2	1	-	3	37
68	75	71	74	83	74	63	50	43	35	23	15	11	9	1	-	-	1	38
44	39	39	57	60	44	29	30	28	33	20	22	11	3	1	1	-	2	39
19	24	38	44	30	37	30	17	17	13	4	1	-	1	-	-	-	-	40
10	17	16	21	12	11	13	9	6	7	3	1	-	1	-	-	-	-	41
1	1	4	3	1	1	-	2	-	-	-	-	-	-	-	-	-	-	42
1	1	-	1	-	1	-	-	-	-	-	-	-	-	-	-	-	-	43
																		44
-	-	-	1	1	-	-	1	2	2	-	1	1	-	1	-	-	-	45
-	-	-	-	-	-	-	1	2	-	-	-	-	-	-	-	-	-	46
-	-	-	-	1	-	-	-	-	1	-	-	1	-	1	-	-	-	47
-	-	-	1	-	-	-	-	-	-	-	1	-	-	-	-	-	-	48
-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	49
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	50
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	51
																		52
																		53
-	-	-	-	-	-	1	1	3	4	3	2	4	1	2	-	-	-	54
-	-	-	-	-	-	-	1	2	-	1	2	1	1	1	-	-	-	55
-	-	-	-	-	-	-	-	1	2	2	-	3	-	1	-	-	-	56
-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	57
-	-	-	-	-	-	1	-	-	1	-	-	-	-	-	-	-	-	58
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	59
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	60
																		61
-	-	-	1	-	-	-	-	-	2	-	1	-	-	-	-	-	-	62
-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	63
-	-	-	-	-	-	-	-	-	2	-	1	-	-	-	-	-	-	64
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	65
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	66
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	67
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	68
																		69
10	5	15	13	14	11	16	16	18	20	18	9	7	4	3	1	1	-	70
5	3	9	8	7	9	6	9	13	12	10	3	3	2	1	1	-	-	71
4	2	4	4	4	2	7	7	2	6	6	6	4	2	1	-	1	-	72
-	-	1	-	1	-	2	-	-	1	-	-	-	-	-	-	-	-	73
1	-	1	1	2	-	1	-	1	1	1	-	-	-	1	-	-	-	74
-	-	-	-	-	-	-	-	2	-	1	-	-	-	-	-	-	-	75
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	76
																		77
72	96	119	146	194	262	324	409	501	463	415	253	160	94	24	4	1	2	78
28	51	64	64	108	123	154	221	276	241	217	117	78	45	6	1	-	1	79
30	23	37	50	60	104	133	147	168	177	165	108	68	44	17	1	-	-	80
9	12	8	19	14	19	21	20	32	29	14	16	6	3	-	1	1	1	81
4	9	8	10	11	16	13	20	23	16	16	10	5	2	1	1	-	-	82
-	1	2	2	1	-	2	1	1	-	2	-	2	-	-	-	-	-	83
1	-	-	1	-	-	1	-	1	-	1	2	1	-	-	-	-	-	84
																		85
																		86
723	1,297	2,861	6,629	13,083	22,940	36,137	51,011	71,140	94,953	111,854	113,365	98,809	66,611	28,810	6,858	1,171	265	87
																		88
258	494	1,407	3,813	8,136	15,136	24,099	32,929	43,299	55,417	60,900	56,744	44,593	27,229	10,371	2,157	251	92	89
268	389	646	1,217	2,371	3,982	6,591	10,975	19,043	29,988	42,087	49,808	49,552	36,462	17,108	4,229	649	76	90
70	192	390	833	1,354	2,095	2,991	3,769	4,610	5,125	4,547	3,351	2,142	1,313	528	180	95	52	91
116	208	397	722	1,153	1,638	2,286	3,093	3,834	4,075	3,965	3,108	2,194	1,390	728	273	164	41	92
6	5	10	23	50	65	133	191	266	241	251	258	231	153	49	8	3	4	93
5	9	11	21	19	24	37	54	88	107	104	96	97	64	26	11	9	-	94
																		95
569	1,073	2,493	5,949	12,012	21,499	34,179	48,184	66,728	88,398	103,003	102,563	86,920	56,825	23,515	5,354	892	242	96
217	449	1,300	3,593	7,761	14,502	23,161	31,395	40,943	51,769	56,287	51,461	39,269	23,182	8,478	1,684	197	89	97
197	302	535	1,055	2,092	3,604	6,076	10,267	17,793	27,945	38,808	45,014	43,602	31,153	13,957	3,294	478	63	98
57	155	328	689	1,137	1,872	2,708	3,455	4,176	4,670	4,045	2,989	1,852	1,115	419	142	75	49	99
90	155	312	576	964	1,437	2,076	2,838	3,476	3,691	3,535	2,774	1,909	1,192	598	221	136	38	100
5	5	9	23	44	65	124	181	256	228	231	238	202	125	38	6	2	3	101
3	7	9	13	14	19	34	48	84	95	97	87	86	58	25	7	4	-	102

Table 5-9. Deaths From 255 Selected Causes, by Age

(Data refer only to deaths occurring within the United States, including Alaska and Hawaii. Excludes fetal deaths. Numbers after causes

CAUSE OF DEATH, RACE, AND SEX	Total	Under 1 year	1 year	2 years	3 years	4 years	Under 5 years	5-9 years	10-14 years	15-19 years
VII. DISEASES OF THE CIRCULATORY SYSTEM—CON.										
DISEASES OF HEART—CON.										
RHEUMATIC FEVER.....400-402	734	3	2	4	8	14	31	63	74	40
WHITE.....MALE....	287	1	-	-	3	5	9	17	20	11
FEMALE..	284	2	2	-	2	3	9	14	25	14
NEGRO.....MALE....	74	-	-	3	1	1	5	10	11	8
FEMALE..	81	-	-	1	1	4	6	18	17	6
OTHER.....MALE....	4	-	-	-	1	-	1	3	-	-
FEMALE..	4	-	-	-	-	1	1	1	1	1
CHRONIC RHEUMATIC HEART DISEASE.....410-416	17,677	-	-	1	2	1	4	25	70	163
WHITE.....MALE....	7,751	-	-	1	-	1	2	10	23	59
FEMALE..	8,568	-	-	-	2	-	2	7	20	56
NEGRO.....MALE....	613	-	-	-	-	-	-	5	18	21
FEMALE..	654	-	-	-	-	-	-	3	8	24
OTHER.....MALE....	54	-	-	-	-	-	-	-	1	3
FEMALE..	37	-	-	-	-	-	-	-	-	-
DISEASES OF MITRAL VALVE.....410	6,448	-	-	1	-	-	1	14	19	47
WHITE.....MALE....	2,578	-	-	1	-	-	1	6	5	17
FEMALE..	3,379	-	-	-	-	-	-	3	7	20
NEGRO.....MALE....	222	-	-	-	-	-	-	4	6	4
FEMALE..	232	-	-	-	-	-	-	1	1	5
OTHER.....MALE....	18	-	-	-	-	-	-	-	-	1
FEMALE..	19	-	-	-	-	-	-	-	-	-
DISEASES OF AORTIC VALVE SPECIFIED AS RHEUMATIC.....411	1,882	...	-	-	-	-	-	-	5	16
WHITE.....MALE....	1,270	...	-	-	-	-	-	-	2	12
FEMALE..	518	...	-	-	-	-	-	-	-	1
NEGRO.....MALE....	53	...	-	-	-	-	-	-	2	1
FEMALE..	32	...	-	-	-	-	-	-	-	1
OTHER.....MALE....	8	...	-	-	-	-	-	-	1	1
FEMALE..	1	...	-	-	-	-	-	-	-	-
DISEASES OF PULMONARY VALVE, ETC., SPEC. AS RHEUMATIC.....413,414	957	...	-	-	-	-	-	-	7	16
WHITE.....MALE....	428	...	-	-	-	-	-	-	1	12
FEMALE..	479	...	-	-	-	-	-	-	3	3
NEGRO.....MALE....	25	...	-	-	-	-	-	-	2	1
FEMALE..	23	...	-	-	-	-	-	-	1	-
OTHER.....MALE....	2	...	-	-	-	-	-	-	-	-
FEMALE..	-	...	-	-	-	-	-	-	-	-
OTHER RHEUMATIC HEART DISEASES 412,415,416	8,390	-	-	-	2	1	3	11	39	84
WHITE.....MALE....	3,475	-	-	-	-	1	1	4	15	18
FEMALE..	4,192	-	-	-	2	-	2	4	10	32
NEGRO.....MALE....	313	-	-	-	-	-	-	1	8	15
FEMALE..	367	-	-	-	-	-	-	2	6	18
OTHER.....MALE....	26	-	-	-	-	-	-	-	-	1
FEMALE..	17	-	-	-	-	-	-	-	-	-
ARTERIOSCLEROTIC HEART DISEASE, INCLUDING CORONARY DISEASE.....420	494,282	12	6	2	1	-	21	6	14	36
WHITE.....MALE....	288,376	6	3	-	1	-	10	5	8	20
FEMALE..	173,043	3	-	1	-	-	4	1	5	6
NEGRO.....MALE....	17,751	1	2	-	-	-	3	-	1	5
FEMALE..	13,445	2	1	1	-	-	4	-	-	5
OTHER.....MALE....	1,250	-	-	-	-	-	-	-	-	-
FEMALE..	417	-	-	-	-	-	-	-	-	-
ARTERIOSCLEROTIC HEART DISEASE SO DESCRIBED.....420.0	206,499	-	-	-	-	-	-	-	-	2
WHITE.....MALE....	106,606	-	-	-	-	-	-	-	-	1
FEMALE..	86,268	-	-	-	-	-	-	-	-	1
NEGRO.....MALE....	6,866	-	-	-	-	-	-	-	-	-
FEMALE..	5,966	-	-	-	-	-	-	-	-	-
OTHER.....MALE....	587	-	-	-	-	-	-	-	-	-
FEMALE..	206	-	-	-	-	-	-	-	-	-
HEART DISEASE SPECIFIED AS INVOLVING CORONARY ARTERIES.....420.1	287,239	12	6	2	1	-	21	6	14	33
WHITE.....MALE....	181,478	6	3	-	1	-	10	5	8	19
FEMALE..	86,585	3	-	1	-	-	4	1	5	5
NEGRO.....MALE....	10,853	1	2	-	-	-	3	-	1	5
FEMALE..	7,449	2	1	1	-	-	4	-	-	4
OTHER.....MALE....	663	-	-	-	-	-	-	-	-	-
FEMALE..	211	-	-	-	-	-	-	-	-	-
ANGINA PECTORIS WITHOUT MENTION OF CORONARY DISEASE.....420.2	544	-	-	-	-	-	-	-	-	1
WHITE.....MALE....	292	-	-	-	-	-	-	-	-	-
FEMALE..	190	-	-	-	-	-	-	-	-	-
NEGRO.....MALE....	32	-	-	-	-	-	-	-	-	-
FEMALE..	30	-	-	-	-	-	-	-	-	1
OTHER.....MALE....	-	-	-	-	-	-	-	-	-	-
FEMALE..	-	-	-	-	-	-	-	-	-	-
CHRONIC ENDOCARDITIS NOT SPECIFIED AS RHEUMATIC.....421	4,945	1	2	2	1	-	6	7	12	8
WHITE.....MALE....	2,528	-	-	-	1	-	1	5	8	2
FEMALE..	1,772	1	2	1	-	-	4	1	2	4
NEGRO.....MALE....	319	-	-	-	-	-	-	-	-	1
FEMALE..	308	-	-	1	-	-	1	1	1	1
OTHER.....MALE....	16	-	-	-	-	-	-	-	1	-
FEMALE..	2	-	-	-	-	-	-	-	-	-
OF MITRAL VALVE, SPECIFIED AS NONRHEUMATIC.....421.0	294	-	-	-	-	-	-	-	-	-
WHITE.....MALE....	114	-	-	-	-	-	-	-	-	-
FEMALE..	134	-	-	-	-	-	-	-	-	-
NEGRO.....MALE....	20	-	-	-	-	-	-	-	-	-
FEMALE..	24	-	-	-	-	-	-	-	-	-
OTHER.....MALE....	2	-	-	-	-	-	-	-	-	-
FEMALE..	-	-	-	-	-	-	-	-	-	-

Race, and Sex: United States, 1960—Continued

category numbers of the Seventh Revision of the International Lists, 1955. For complete category titles, see table 5-8)

20-24 years	25-29 years	30-34 years	35-39 years	40-44 years	45-49 years	50-54 years	55-59 years	60-64 years	65-69 years	70-74 years	75-79 years	80-84 years	85-89 years	90-94 years	95-99 years	100 and over	Not stated	
																		1
																		2
																		3
36	26	40	42	51	41	57	72	60	34	19	24	16	6	2	-	-	-	4
15	10	16	11	21	17	21	36	30	19	11	12	8	3	-	-	-	-	5
13	9	18	19	22	17	28	29	24	14	6	11	8	3	1	-	-	-	6
2	4	5	8	2	3	5	3	5	1	2	-	-	-	-	-	-	-	7
6	3	1	4	6	4	3	4	1	-	-	1	-	-	1	-	-	-	8
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	9
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	10
																		11
235	391	628	972	1,393	1,811	2,127	2,197	2,141	1,910	1,457	1,032	630	358	105	25	-	3	12
85	147	263	443	634	865	965	1,014	986	827	634	417	229	115	27	5	-	1	13
97	171	243	423	616	823	1,028	1,066	1,043	978	753	564	372	219	71	15	-	1	14
15	33	45	42	66	50	67	53	53	47	38	27	16	13	2	2	-	-	15
33	37	67	56	72	70	51	58	48	48	29	19	12	11	5	3	-	-	16
2	1	5	4	3	1	11	1	8	6	3	3	1	-	-	-	-	1	17
3	2	5	4	2	2	5	5	3	4	-	2	-	-	-	-	-	-	18
																		19
																		20
81	149	238	387	527	654	733	702	696	670	514	410	322	204	62	16	-	2	21
29	50	90	157	206	257	291	304	303	278	208	161	116	77	19	2	-	1	22
39	78	111	195	282	362	392	360	352	350	269	218	183	111	37	9	-	1	23
2	10	15	13	18	13	21	18	19	17	19	19	13	7	2	2	-	-	24
9	11	17	18	19	20	24	18	17	20	15	11	10	9	4	3	-	-	25
1	-	1	1	-	1	2	-	4	3	3	1	-	-	-	-	-	-	26
1	-	4	3	2	1	3	2	1	2	-	-	-	-	-	-	-	-	27
																		28
20	29	63	109	132	200	237	238	261	235	171	104	39	17	5	1	-	-	29
9	20	44	79	101	160	171	153	177	146	107	63	19	5	2	-	-	-	30
5	3	9	22	24	33	55	77	74	82	58	40	20	11	3	1	-	-	31
3	4	6	6	4	5	7	2	4	3	5	-	-	1	-	-	-	-	32
2	2	3	2	3	2	2	5	5	3	1	1	-	-	-	-	-	-	33
-	-	1	-	-	-	2	1	1	1	-	-	-	-	-	-	-	-	34
1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	35
																		36
20	13	40	56	77	84	118	118	109	102	98	52	28	13	4	2	-	-	37
9	5	15	27	36	43	60	55	54	41	41	11	13	2	1	2	-	-	38
10	6	20	21	31	36	56	61	50	59	54	40	15	11	3	-	-	-	39
-	1	3	5	3	2	1	1	2	1	2	1	-	-	-	-	-	-	40
1	1	2	3	6	3	1	1	2	1	1	-	-	-	-	-	-	-	41
-	-	-	-	1	-	-	-	1	-	-	-	-	-	-	-	-	-	42
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	43
																		44
114	200	287	420	657	873	1,039	1,139	1,075	903	674	466	241	124	34	6	-	1	45
38	72	114	180	291	405	443	502	452	362	278	182	81	31	5	1	-	-	46
43	84	103	185	279	392	525	568	567	487	372	266	154	86	28	5	-	-	47
10	18	21	18	41	30	38	32	28	26	12	7	3	5	-	-	-	-	48
21	23	45	33	44	45	24	34	24	24	12	7	2	2	1	-	-	-	49
1	1	3	3	2	-	7	-	2	2	-	2	1	-	-	-	-	1	50
1	2	1	1	-	1	2	3	2	2	-	2	-	-	-	-	-	-	51
																		52
																		53
107	332	1,216	3,716	8,432	16,222	26,335	37,664	52,803	69,523	79,601	76,650	62,263	39,273	15,816	3,532	559	161	54
49	203	825	2,729	6,357	12,305	19,825	26,809	34,935	43,537	46,243	40,711	29,744	16,787	5,911	1,161	128	74	55
27	46	146	368	1,029	2,022	3,772	7,155	13,181	21,003	28,734	32,452	30,217	21,062	9,301	2,157	313	42	56
14	44	147	384	617	1,131	1,639	2,085	2,579	2,780	2,448	1,759	1,090	642	237	78	43	25	57
14	38	94	217	393	692	1,004	1,459	1,879	1,996	1,946	1,500	1,001	659	326	128	71	19	58
3	1	2	13	32	60	76	132	171	153	165	167	153	90	27	3	1	1	59
-	-	2	5	4	12	19	24	58	54	65	61	58	33	14	5	3	-	60
																		61
13	25	135	462	1,294	2,877	5,647	9,907	16,614	25,537	34,222	37,421	34,659	24,206	10,603	2,419	396	60	62
6	17	97	339	929	2,141	4,003	6,547	10,229	14,960	18,683	18,708	15,583	9,778	3,733	743	85	24	63
2	1	14	36	171	346	928	2,139	4,581	8,401	13,242	16,824	17,700	13,599	6,490	1,542	229	22	64
3	6	17	52	105	214	406	653	928	1,177	1,198	913	621	343	146	50	29	5	65
1	1	7	32	79	152	289	510	775	911	991	844	620	410	208	78	49	9	66
1	-	-	2	10	18	17	48	74	68	77	96	99	56	18	2	1	-	67
-	-	-	1	-	6	4	10	27	20	31	36	36	20	8	4	3	-	68
																		69
94	307	1,080	3,249	7,124	13,330	20,661	27,713	36,125	43,893	45,285	39,156	27,546	15,025	5,203	1,110	163	101	70
43	186	728	2,388	5,420	10,155	15,804	20,233	24,675	28,523	27,501	21,969	14,129	6,995	2,176	418	43	50	71
25	45	131	331	856	1,675	2,837	5,005	8,581	12,575	15,465	15,593	12,492	7,438	2,804	613	84	20	72
11	38	130	331	511	914	1,232	1,430	1,641	1,596	1,246	844	469	299	90	28	14	20	73
13	37	87	184	311	538	714	947	1,100	1,080	951	654	380	246	118	49	22	10	74
2	1	2	11	22	42	59	84	97	85	88	71	54	34	9	1	-	1	75
-	-	2	4	4	6	15	14	31	34	34	25	22	13	6	1	-	-	76
																		77
-	-	1	5	14	15	27	44	64	93	94	73	58	42	10	3	-	-	78
-	-	-	2	8	9	18	29	31	54	59	34	32	14	2	-	-	-	79
-	-	1	1	2	1	7	11	19	27	27	35	25	25	7	2	-	-	80
-	-	-	1	1	3	1	2	10	7	4	2	-	-	1	-	-	-	81
-	-	-	1	3	2	1	2	4	5	4	2	1	3	-	1	-	-	82
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	83
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	84
																		85
																		86
12	24	34	78	93	154	287	384	515	609	748	727	631	411	156	38	8	3	87
5	16	19	50	51	87	179	226	317	339	385	364	244	161	55	12	1	1	88
4	2	7	15	22	36	57	88	119	177	270	301	335	221	83	20	2	2	89
2	3	5	5	9	17	28	37	40	50	46	27	29	11	5	3	1	-	90
1	3	3	7	11	14	22	33	35	40	44	32	23	17	12	3	4	-	91
-	-	-	1	-	-	1	-	4	3	2	2	-	1	1	-	-	-	92
-	-	-	-	-	-	-	-	-	-	1	1	-	-	-	-	-	-	93
																		94
1	-	-	2	2	2	8	12	15	29	35	49	60	47	25	5	2	-	95
1	-	-	2	1	1	3	7	6	9	18	24	18	13	9	1	1	-	96
-	-	-	-	-	-	2	3	3	9	11	19	40	31	13	3	-	-	97
-	-	-	-	-	-	1	1	4	4	5	1	2	1	-	1	-	-	98
-	-	-	-	1	1	2	1	2	7	1	3	-	2	3	-	1	-	99
-	-	-	-	-	-	-	-	-	-	-	2	-	-	-	-	-	-	100
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	101
																		102

Table 5-9. Deaths From 255 Selected Causes, by Age,

(Data refer only to deaths occurring within the United States, including Alaska and Hawaii. Excludes fetal deaths. Numbers after causes

CAUSE OF DEATH, RACE, AND SEX	Total	Under 1 year	1 year	2 years	3 years	4 years	Under 5 years	5-9 years	10-14 years	15-19 years
VII. DISEASES OF THE CIRCULATORY SYSTEM—CON.										
DISEASES OF HEART—CON.										
CHRONIC ENDOCARDITIS NOT SPECIFIED AS RHEUMATIC—CON.										
OF AORTIC VALVE, NOT SPECIFIED AS RHEUMATIC....421.1	2,141	-	-	-	-	-	-	4	8	3
WHITE.....MALE....	1,319	-	-	-	-	-	-	3	5	-
FEMALE..	597	-	-	-	-	-	-	1	1	2
NEGRO.....MALE....	123	-	-	-	-	-	-	-	-	1
FEMALE..	94	-	-	-	-	-	-	-	1	-
OTHER.....MALE....	6	-	-	-	-	-	-	-	1	-
FEMALE..	2	-	-	-	-	-	-	-	-	-
OF OTHER VALVES, NOT SPECIFIED AS RHEUMATIC....421.2-421.4	2,510	1	2	2	1	-	6	3	4	5
WHITE.....MALE....	1,095	-	-	-	1	-	1	2	3	2
FEMALE..	1,041	1	2	1	-	-	4	-	1	2
NEGRO.....MALE....	176	-	-	-	-	-	-	-	-	-
FEMALE..	190	-	-	1	-	-	1	1	-	1
OTHER.....MALE....	8	-	-	-	-	-	-	-	-	-
FEMALE..	-	-	-	-	-	-	-	-	-	-
OTHER MYOCARDIAL DEGENERATION....422	52,084	30	18	6	5	5	64	16	14	35
WHITE.....MALE....	22,661	15	1	2	2	1	21	6	3	18
FEMALE..	24,108	6	4	1	2	1	14	6	8	3
NEGRO.....MALE....	2,659	4	8	1	1	2	16	3	2	7
FEMALE..	2,491	4	5	1	-	-	10	1	1	6
OTHER.....MALE....	112	-	-	1	-	1	2	-	-	1
FEMALE..	53	1	-	-	-	-	1	-	-	-
WITH ARTERIOSCLEROSIS....422.1	38,054	1	-	1	-	-	2	-	2	3
WHITE.....MALE....	16,392	-	-	-	-	-	-	-	-	1
FEMALE..	18,001	1	-	-	-	-	1	-	2	1
NEGRO.....MALE....	1,813	-	-	-	-	-	-	-	-	-
FEMALE..	1,722	-	-	-	-	-	-	-	-	1
OTHER.....MALE....	87	-	-	1	-	-	1	-	-	-
FEMALE..	39	-	-	-	-	-	-	-	-	-
WITHOUT MENTION OF ARTERIOSCLEROSIS....422.0,422.2	14,030	29	18	5	5	5	62	16	12	32
WHITE.....MALE....	6,269	15	1	2	2	1	21	6	3	17
FEMALE..	6,107	5	4	1	2	1	13	6	6	2
NEGRO.....MALE....	846	4	8	1	1	2	16	3	2	7
FEMALE..	769	4	5	1	-	-	10	1	1	5
OTHER.....MALE....	25	-	-	-	-	1	1	-	-	1
FEMALE..	14	1	-	-	-	-	1	-	-	-
OTHER DISEASES OF HEART....430-434	25,682	225	54	33	22	17	351	71	75	92
WHITE.....MALE....	12,498	101	15	14	12	9	151	37	28	50
FEMALE..	9,008	61	19	8	5	5	98	16	32	19
NEGRO.....MALE....	2,293	33	10	9	2	1	55	7	8	13
FEMALE..	1,737	28	8	2	2	2	42	9	5	8
OTHER.....MALE....	102	1	-	-	1	-	2	-	2	2
FEMALE..	44	1	2	-	-	-	3	2	-	-
ACUTE AND SUBACUTE ENDOCARDITIS....430	734	5	3	-	2	2	12	7	10	5
WHITE.....MALE....	405	2	1	-	2	-	5	3	5	2
FEMALE..	204	1	1	-	-	1	3	1	4	1
NEGRO.....MALE....	70	2	-	-	-	-	2	2	1	-
FEMALE..	49	-	1	-	-	1	2	1	-	2
OTHER.....MALE....	5	-	-	-	-	-	-	-	-	-
FEMALE..	1	-	-	-	-	-	-	-	-	-
ACUTE MYOCARDITIS AND ACUTE PERICARDITIS, NOT SPECIFIED AS RHEUMATIC....431,432	939	50	15	8	5	1	79	12	12	15
WHITE.....MALE....	408	20	5	2	2	-	29	5	7	3
FEMALE..	346	16	4	2	1	-	23	3	4	6
NEGRO.....MALE....	103	5	3	3	1	-	12	2	1	2
FEMALE..	78	9	2	1	1	1	14	1	-	3
OTHER.....MALE....	2	-	-	-	-	-	-	-	-	1
FEMALE..	2	-	1	-	-	-	1	1	-	-
FUNCTIONAL DISEASE OF HEART....433	5,600	61	8	13	11	10	103	25	14	22
WHITE.....MALE....	2,549	30	-	8	5	8	51	16	5	13
FEMALE..	2,611	15	6	4	4	2	31	5	7	5
NEGRO.....MALE....	215	10	1	-	-	-	11	2	-	3
FEMALE..	201	6	-	1	1	-	8	2	2	1
OTHER.....MALE....	15	-	-	-	1	-	1	-	-	-
FEMALE..	9	-	1	-	-	-	1	-	-	-
OTHER AND UNSPECIFIED DISEASES OF HEART....434	18,409	109	28	12	4	4	157	27	39	50
WHITE.....MALE....	9,136	49	9	4	3	1	66	13	11	32
FEMALE..	5,847	29	8	2	-	2	41	7	17	7
NEGRO.....MALE....	1,905	16	6	6	1	1	30	1	6	8
FEMALE..	1,409	13	5	-	-	-	18	5	3	2
OTHER.....MALE....	80	1	-	-	-	-	1	-	2	1
FEMALE..	32	1	-	-	-	-	1	1	-	-
HYPERTENSIVE HEART DISEASE....440-443	66,308	1	1	-	-	-	2	5	1	8
WHITE.....MALE....	22,166	-	-	-	-	-	-	2	-	4
FEMALE..	29,826	-	-	-	-	-	-	2	-	2
NEGRO.....MALE....	6,426	1	-	-	-	-	1	1	-	1
FEMALE..	7,482	-	1	-	-	-	1	-	1	1
OTHER.....MALE....	265	-	-	-	-	-	-	-	-	-
FEMALE..	143	-	-	-	-	-	-	-	-	-
HYPERTENSIVE HEART DISEASE WITH ARTERIOLAR NEPHROSCLEROSIS....442	15,740	1	1	-	-	-	2	1	-	5
WHITE.....MALE....	6,225	-	-	-	-	-	-	-	-	4
FEMALE..	6,733	-	-	-	-	-	-	1	-	-
NEGRO.....MALE....	1,382	1	-	-	-	-	1	-	-	-
FEMALE..	1,331	-	1	-	-	-	1	-	-	1
OTHER.....MALE....	42	-	-	-	-	-	-	-	-	-
FEMALE..	27	-	-	-	-	-	-	-	-	-

Race, and Sex: United States, 1960—Continued

category numbers of the Seventh Revision of the International Lists, 1955. For complete category titles, see table 5-8)

20-24 years	25-29 years	30-34 years	35-39 years	40-44 years	45-49 years	50-54 years	55-59 years	60-64 years	65-69 years	70-74 years	75-79 years	80-84 years	85-89 years	90-94 years	95-99 years	100 and over	Not stated	
																		1
																		2
																		3
																		4
2	16	18	53	55	84	161	213	287	295	341	262	200	99	34	4	2	-	5
1	13	13	42	40	57	116	145	196	188	195	153	90	45	14	3	-	-	6
-	1	3	6	5	11	21	42	60	76	112	99	93	48	16	-	-	-	7
1	-	2	3	6	12	17	16	17	16	17	4	9	1	1	-	-	-	8
-	2	-	2	4	4	6	10	12	14	16	5	8	4	3	1	2	-	9
-	-	-	-	-	-	1	-	2	1	-	-	-	1	-	-	-	-	10
-	-	-	-	-	-	-	-	-	-	1	1	-	-	-	-	-	-	11
																		12
																		13
9	8	16	23	36	68	118	159	213	285	372	416	371	265	97	29	4	3	14
3	3	6	6	10	29	60	74	115	142	172	187	136	103	32	8	-	1	15
4	1	4	9	17	25	34	43	56	92	147	183	202	142	54	17	2	2	16
1	3	3	2	3	5	10	20	19	30	24	22	18	9	4	2	1	-	17
1	1	3	5	6	9	14	22	21	19	27	24	15	11	6	2	1	-	18
-	-	-	1	-	-	-	-	2	2	2	-	-	-	1	-	-	-	19
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	20
																		21
31	49	88	145	300	527	1,029	1,614	2,817	4,707	7,088	9,263	10,501	8,343	4,181	1,049	197	26	22
17	10	36	60	135	261	520	790	1,334	2,328	3,347	4,216	4,420	3,262	1,493	317	39	8	23
7	9	16	38	65	117	227	378	824	1,613	2,922	4,336	5,533	4,695	2,507	674	111	5	24
2	16	16	26	49	85	135	233	335	415	419	356	256	171	67	24	18	8	25
5	11	19	19	48	64	143	203	292	332	379	329	271	190	102	32	29	5	26
-	1	-	1	1	-	3	9	8	12	15	21	14	16	7	1	-	-	27
-	2	1	1	2	-	1	1	4	7	6	5	7	9	5	1	-	-	28
																		29
1	6	14	39	111	233	576	1,043	1,977	3,446	5,280	7,006	7,961	6,345	3,109	753	130	17	30
1	-	6	22	44	112	292	489	939	1,696	2,479	3,158	3,333	2,467	1,086	234	28	5	31
-	1	2	5	18	44	117	230	571	1,194	2,194	3,338	4,237	3,593	1,897	481	71	4	32
-	2	2	7	27	49	81	165	248	289	308	254	179	128	46	14	10	4	33
-	3	4	4	20	28	82	151	208	250	283	236	198	137	69	23	21	4	34
-	-	-	-	1	-	3	7	8	11	11	17	9	12	7	-	-	-	35
-	-	-	1	1	-	1	1	3	6	5	3	5	8	4	1	-	-	36
																		37
30	43	74	106	189	294	453	571	840	1,261	1,808	2,257	2,540	1,998	1,072	296	67	9	38
16	10	30	38	91	149	228	301	415	632	868	1,058	1,087	795	407	83	11	3	39
7	8	14	33	47	73	110	148	253	419	728	998	1,296	1,102	610	193	40	1	40
2	14	14	19	22	36	54	68	87	126	111	102	77	43	21	10	8	4	41
5	8	15	15	28	36	61	52	84	82	96	93	73	53	33	9	8	1	42
-	1	-	1	-	-	-	2	-	1	4	4	5	4	-	1	-	-	43
-	2	1	-	1	-	-	-	1	1	1	2	2	1	1	-	-	-	44
																		45
																		46
106	174	277	464	730	992	1,452	1,871	2,276	2,998	3,474	3,680	3,204	2,185	911	240	45	14	47
37	53	99	200	345	495	761	1,031	1,227	1,608	1,810	1,841	1,425	887	332	65	13	3	48
39	55	80	122	165	223	288	395	589	850	1,179	1,469	1,542	1,162	510	151	21	3	49
10	29	43	77	117	161	236	250	255	324	275	211	108	71	28	8	2	5	50
20	33	52	61	96	111	152	179	189	203	192	145	121	55	39	16	7	2	51
-	2	2	2	5	2	12	13	12	9	12	11	6	6	-	-	1	1	52
-	2	1	2	2	-	3	3	4	4	6	3	2	4	2	-	1	-	53
																		54
21	21	31	50	56	55	83	71	88	75	62	51	25	6	4	1	-	-	55
9	9	13	28	32	31	51	42	46	44	39	32	10	2	1	1	-	-	56
7	7	11	13	12	12	19	16	27	22	17	15	13	2	2	-	-	-	57
2	4	1	4	6	6	9	8	12	5	3	3	1	1	-	-	-	-	58
3	1	6	4	4	6	2	4	3	4	3	1	1	1	1	-	-	-	59
-	-	-	1	1	-	2	1	-	-	-	-	-	-	-	-	-	-	60
-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	61
																		62
																		63
13	22	28	38	47	40	72	65	75	78	86	79	78	58	30	10	1	1	64
3	7	15	15	25	13	37	34	40	37	39	29	31	22	12	4	1	-	65
8	10	8	10	12	12	16	18	26	28	35	33	42	34	14	4	-	-	66
1	2	2	6	7	6	13	6	7	9	8	11	2	2	3	-	-	1	67
1	2	3	7	3	9	6	7	2	4	4	6	3	-	1	2	-	-	68
-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	69
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	70
																		71
15	35	48	72	90	108	184	255	380	590	788	958	905	647	274	71	15	1	72
3	11	20	20	43	48	91	137	175	295	370	458	399	262	108	20	4	-	73
8	10	14	30	31	40	65	83	159	240	366	468	469	366	156	49	9	-	74
1	3	7	7	7	13	12	26	27	36	20	14	14	5	5	2	-	-	75
3	10	7	15	8	7	14	9	16	16	30	14	21	11	5	-	1	1	76
-	-	-	-	-	-	1	-	3	2	2	3	2	1	-	-	-	-	77
-	1	-	-	1	-	1	-	-	1	-	1	-	2	-	-	1	-	78
																		79
57	96	170	304	537	789	1,113	1,480	1,733	2,255	2,538	2,592	2,196	1,474	603	158	29	12	80
22	26	51	137	245	403	582	818	966	1,232	1,362	1,322	985	601	211	40	8	3	81
16	28	47	69	110	159	188	278	377	560	761	953	1,018	760	338	98	12	3	82
6	20	33	60	97	136	202	210	209	274	244	183	91	63	20	6	2	4	83
13	20	36	35	81	89	130	159	168	179	155	124	96	43	32	14	6	1	84
-	1	2	1	4	2	9	12	9	7	10	8	4	5	-	-	1	1	85
-	1	1	2	-	-	2	3	4	3	6	2	2	2	2	-	-	-	86
																		87
42	77	210	532	1,013	1,752	2,892	4,382	6,116	8,617	10,616	11,187	9,675	6,249	2,344	470	83	35	88
9	10	42	100	218	472	890	1,489	2,094	3,111	3,857	3,900	3,199	1,967	660	124	16	2	89
10	10	25	70	173	366	676	1,156	2,013	3,310	4,944	5,881	5,595	3,791	1,484	277	31	10	90
12	26	67	147	277	425	598	794	909	1,053	817	609	353	207	80	27	11	11	91
11	30	76	212	338	482	701	902	1,032	1,072	945	748	481	260	113	39	25	12	92
-	-	-	2	3	2	21	26	53	45	34	34	28	12	3	2	-	-	93
-	1	-	1	4	5	6	15	15	26	19	15	19	12	4	1	-	-	94
																		95
14	8	46	114	191	310	443	740	1,059	1,571	2,243	2,800	2,864	2,107	958	216	35	13	96
3	1	9	25	43	88	142	260	388	630	969	1,195	1,195	865	335	64	8	1	97
5	3	10	11	30	43	88	180	314	558	896	1,319	1,452	1,118	565	124	11	5	98
3	2	11	32	50	87	111	148	171	213	190	145	106	61	27	16	4	4	99
3	2	16	46	66	89	100	145	174	158	179	132	105	57	30	12	12	3	100
-	-	-	-	1	-	1	5	10	5	6	6	3	4	1	-	-	-	101
-	-	-	-	1	3	1	2	2	7	3	3	3	2	-	-	-	-	102

Table 5-9. Deaths From 255 Selected Causes, by Age,

(Data refer only to deaths occurring within the United States, including Alaska and Hawaii. Excludes fetal deaths. Numbers after causes

CAUSE OF DEATH, RACE, AND SEX	Total	Under 1 year	1 year	2 years	3 years	4 years	Under 5 years	5-9 years	10-14 years	15-19 years
VII. DISEASES OF THE CIRCULATORY SYSTEM—CON.										
DISEASES OF HEART—CON.										
HYPERTENSIVE HEART DISEASE—CON.										
OTHER HYPERTENSIVE HEART DISEASE....440,441,443	50,568	-	-	-	-	-	-	4	1	3
WHITE.....MALE....	15,941	-	-	-	-	-	-	2	-	-
FEMALE..	23,093	-	-	-	-	-	-	1	-	2
NEGRO.....MALE....	5,044	-	-	-	-	-	-	1	-	1
FEMALE..	6,151	-	-	-	-	-	-	-	1	-
OTHER.....MALE....	223	-	-	-	-	-	-	-	-	-
FEMALE..	116	-	-	-	-	-	-	-	-	-
OTHER HYPERTENSIVE DISEASE....444-447	12,662	-	1	-	1	-	2	2	2	10
WHITE.....MALE....	5,054	-	1	-	1	-	2	1	-	3
FEMALE..	5,035	-	-	-	-	-	-	1	2	3
NEGRO.....MALE....	1,304	-	-	-	-	-	-	-	-	1
FEMALE..	1,220	-	-	-	-	-	-	-	-	3
OTHER.....MALE....	27	-	-	-	-	-	-	-	-	-
FEMALE..	22	-	-	-	-	-	-	-	-	-
HYPERTENSION WITH ARTERIOLAR NEPHROSCLEROSIS....446	6,498	-	-	-	-	-	-	1	-	3
WHITE.....MALE....	3,115	-	-	-	-	-	-	1	-	1
FEMALE..	2,507	-	-	-	-	-	-	-	-	-
NEGRO.....MALE....	475	-	-	-	-	-	-	-	-	1
FEMALE..	370	-	-	-	-	-	-	-	-	1
OTHER.....MALE....	18	-	-	-	-	-	-	-	-	-
FEMALE..	13	-	-	-	-	-	-	-	-	-
ESSENTIAL HYPERTENSION AND OTHER HYPERTENSIVE DISEASE WITHOUT MENTION OF HEART....444,445,447	6,164	-	1	-	1	-	2	1	2	7
WHITE.....MALE....	1,939	-	1	-	1	-	2	-	-	2
FEMALE..	2,528	-	-	-	-	-	-	1	2	3
NEGRO.....MALE....	829	-	-	-	-	-	-	-	-	-
FEMALE..	850	-	-	-	-	-	-	-	-	2
OTHER.....MALE....	9	-	-	-	-	-	-	-	-	-
FEMALE..	9	-	-	-	-	-	-	-	-	-
DISEASES OF ARTERIES....450-456	47,079	4	-	3	-	1	8	10	34	48
WHITE.....MALE....	22,779	1	-	2	-	1	4	4	12	11
FEMALE..	20,693	-	-	-	-	-	-	5	7	28
NEGRO.....MALE....	1,768	1	-	1	-	-	2	-	3	2
FEMALE..	1,655	2	-	-	-	-	2	1	10	6
OTHER.....MALE....	124	-	-	-	-	-	-	-	-	-
FEMALE..	60	-	-	-	-	-	-	-	2	1
GENERAL ARTERIOSCLEROSIS....450	35,876	-	-	-	-	-	-	-	-	-
WHITE.....MALE....	15,675	-	-	-	-	-	-	-	-	-
FEMALE..	17,538	-	-	-	-	-	-	-	-	-
NEGRO.....MALE....	1,316	-	-	-	-	-	-	-	-	-
FEMALE..	1,227	-	-	-	-	-	-	-	-	-
OTHER.....MALE....	82	-	-	-	-	-	-	-	-	-
FEMALE..	38	-	-	-	-	-	-	-	-	-
AORTIC ANEURYSM, NONSYPHILITIC, AND DISSECTING ANEURYSM....451	8,271	-	-	-	-	1	1	1	4	4
WHITE.....MALE....	5,720	-	-	-	-	1	1	-	3	2
FEMALE..	1,994	-	-	-	-	-	-	1	1	1
NEGRO.....MALE....	295	-	-	-	-	-	-	-	-	1
FEMALE..	219	-	-	-	-	-	-	-	-	-
OTHER.....MALE....	38	-	-	-	-	-	-	-	-	-
FEMALE..	5	-	-	-	-	-	-	-	-	-
GANGRENE OF UNSPECIFIED CAUSE....455	258	2	-	1	-	-	3	1	-	1
WHITE.....MALE....	116	-	-	1	-	-	1	-	-	-
FEMALE..	86	-	-	-	-	-	-	1	-	1
NEGRO.....MALE....	25	1	-	-	-	-	1	-	-	-
FEMALE..	30	1	-	-	-	-	1	-	-	-
OTHER.....MALE....	-	-	-	-	-	-	-	-	-	-
FEMALE..	1	-	-	-	-	-	-	-	-	-
OTHER ARTERIAL DISEASES....452-454,456	2,674	2	-	2	-	-	4	8	30	43
WHITE.....MALE....	1,268	1	-	1	-	-	2	4	9	9
FEMALE..	1,075	-	-	-	-	-	-	3	6	26
NEGRO.....MALE....	132	-	-	1	-	-	1	-	3	1
FEMALE..	179	1	-	-	-	-	1	1	10	6
OTHER.....MALE....	4	-	-	-	-	-	-	-	-	-
FEMALE..	16	-	-	-	-	-	-	-	2	1
DISEASES OF VEINS AND OTHER DISEASES OF CIRCULATORY SYSTEM....460-468	8,594	34	7	5	3	2	51	11	12	26
WHITE.....MALE....	3,834	17	2	2	3	1	25	4	4	9
FEMALE..	3,564	9	4	2	-	-	15	5	8	12
NEGRO.....MALE....	646	2	-	1	-	1	4	1	-	1
FEMALE..	524	4	1	-	-	-	5	1	-	4
OTHER.....MALE....	12	1	-	-	-	-	1	-	-	-
FEMALE..	14	1	-	-	-	-	1	-	-	-
VIII. DISEASES OF THE RESPIRATORY SYSTEM....	94,166	12,440	1,848	828	467	314	15,897	809	433	465
WHITE.....MALE....	49,497	4,606	640	310	184	141	5,881	349	176	201
FEMALE..	29,285	3,116	567	276	150	112	4,221	282	172	156
NEGRO.....MALE....	8,639	2,403	328	124	74	31	2,960	82	41	54
FEMALE..	5,813	1,985	264	102	48	26	2,425	86	40	50
OTHER.....MALE....	560	168	22	9	3	1	203	7	1	2
FEMALE..	372	162	27	7	8	3	207	3	3	2
ACUTE UPPER RESPIRATORY INFECTIONS....470-475	911	417	79	33	30	19	578	36	23	11
WHITE.....MALE....	371	162	31	15	14	8	230	17	7	5
FEMALE..	308	111	28	10	10	9	168	12	10	6
NEGRO.....MALE....	113	75	10	4	3	-	92	4	3	-
FEMALE..	93	54	6	4	3	2	69	2	3	-
OTHER.....MALE....	19	11	2	-	-	-	13	1	-	-
FEMALE..	7	4	2	-	-	-	6	-	-	-

Race, and Sex: United States, 1960—Continued

category numbers of the Seventh Revision of the International Lists, 1955. For complete category titles, see table 5-8)

20-24 years	25-29 years	30-34 years	35-39 years	40-44 years	45-49 years	50-54 years	55-59 years	60-64 years	65-69 years	70-74 years	75-79 years	80-84 years	85-89 years	90-94 years	95-99 years	100 and over	Not stated	
																		1
																		2
																		3
																		4
																		5
28	69	164	418	822	1,442	2,449	3,642	5,057	7,046	8,373	8,387	6,811	4,142	1,386	254	48	22	6
6	9	33	75	175	384	748	1,229	1,706	2,481	2,888	2,705	2,004	1,102	325	60	8	1	7
5	7	15	59	143	323	588	976	1,699	2,752	4,048	4,562	4,143	2,673	919	153	20	5	8
9	24	56	115	227	338	487	646	738	840	627	464	247	146	53	11	7	7	9
8	28	60	166	272	393	601	757	858	914	766	616	376	203	83	27	13	9	10
-	-	-	2	2	2	20	21	43	40	28	28	25	8	2	2	-	-	11
-	1	-	1	3	2	5	13	13	19	16	12	16	10	4	1	-	-	12
																		13
18	64	143	300	473	548	620	629	929	1,305	1,679	1,928	1,863	1,403	578	141	20	5	14
9	15	34	75	130	176	212	241	353	563	734	851	812	582	211	46	4	-	15
2	9	20	39	73	124	152	184	311	475	674	887	926	725	332	85	10	1	16
6	20	38	98	149	135	142	106	119	123	139	98	60	48	14	3	3	2	17
1	20	50	86	118	111	109	92	144	134	127	89	62	44	18	7	3	2	18
-	-	-	-	2	-	3	3	1	4	4	1	2	4	3	-	-	-	19
-	-	1	2	1	2	2	3	1	6	1	2	1	-	-	-	-	-	20
																		21
3	2	27	40	84	110	202	240	443	716	950	1,165	1,161	902	344	90	13	2	22
1	-	6	12	37	41	69	93	178	337	495	606	602	450	149	33	4	-	23
1	2	8	9	9	22	53	78	146	249	335	464	494	399	177	54	6	1	24
1	-	6	12	28	27	44	29	56	71	68	55	37	28	8	1	2	1	25
-	-	6	7	10	18	33	34	62	52	48	40	26	22	8	2	1	-	26
-	-	-	-	-	-	2	3	1	2	3	-	2	3	2	-	-	-	27
-	-	1	-	-	2	1	3	-	5	1	-	-	-	-	-	-	-	28
																		29
																		30
15	62	116	260	389	438	418	389	486	589	729	763	702	501	234	51	7	3	31
8	15	28	63	93	135	143	148	175	226	239	245	210	132	62	13	-	-	32
1	7	12	30	64	102	99	106	165	226	339	423	432	326	155	31	4	-	33
5	20	32	86	121	108	98	77	63	52	71	43	23	20	6	2	1	1	34
1	20	44	79	108	93	76	58	82	82	79	49	36	22	10	5	2	2	35
-	-	-	-	2	-	1	-	-	2	1	1	-	1	1	-	-	-	36
-	-	-	2	1	-	1	-	1	1	-	2	1	-	-	-	-	-	37
																		38
84	93	123	203	340	480	819	1,504	2,540	4,009	5,925	7,706	9,129	7,882	4,548	1,324	253	17	39
17	18	40	75	151	268	490	960	1,572	2,477	3,320	3,907	4,119	3,254	1,613	415	50	2	40
48	46	54	68	111	125	187	295	590	1,084	2,063	3,358	4,573	4,322	2,731	828	158	12	41
3	7	13	22	41	40	87	132	217	247	270	204	203	134	89	34	17	1	42
13	21	16	32	31	46	49	110	150	191	253	211	200	142	106	42	22	1	43
1	-	-	-	3	-	5	6	9	6	14	19	26	24	8	1	1	1	44
2	1	-	6	3	1	1	1	2	4	5	7	8	6	1	4	5	-	45
																		46
-	5	10	22	46	112	248	560	1,135	2,191	4,063	6,178	8,064	7,298	4,375	1,307	246	16	47
-	1	5	11	20	60	149	310	548	1,093	2,007	2,961	3,537	2,977	1,538	408	48	2	48
-	2	3	5	8	24	50	122	346	758	1,596	2,827	4,133	4,039	2,638	819	156	12	49
-	1	1	4	10	15	29	62	148	178	232	186	186	125	88	33	17	1	50
-	1	1	2	7	13	18	62	89	156	216	185	183	130	102	42	19	1	51
-	-	-	-	1	-	1	4	3	3	8	13	18	21	8	1	1	-	52
-	-	-	-	-	-	1	-	1	3	4	6	7	6	1	4	5	-	53
																		54
8	7	28	51	99	172	329	654	1,137	1,530	1,582	1,259	856	420	116	11	1	1	55
5	2	17	31	56	119	217	495	875	1,204	1,158	797	480	202	52	4	-	-	56
2	2	7	10	12	22	48	71	161	241	367	423	350	207	62	6	-	-	57
-	2	3	7	22	16	41	51	48	53	26	12	10	2	-	1	-	-	58
-	1	1	3	8	14	20	35	47	28	25	20	8	6	2	-	1	-	59
1	-	-	-	1	-	3	2	5	3	5	6	8	3	-	-	-	1	60
-	-	-	-	-	1	-	-	1	1	1	1	-	-	-	-	-	-	61
																		62
-	1	1	2	6	6	9	12	15	20	34	37	41	44	18	3	4	-	63
-	-	-	-	1	3	3	5	7	10	19	22	20	18	5	1	1	-	64
-	1	1	1	2	1	3	2	3	5	9	12	10	18	12	2	2	-	65
-	-	-	1	1	-	2	2	1	3	2	2	5	4	1	-	-	-	66
-	-	-	-	2	2	1	3	4	2	4	1	5	4	-	-	1	-	67
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	68
-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	69
																		70
76	80	84	128	189	190	233	278	253	268	246	232	168	120	39	3	2	-	71
12	15	18	33	74	86	121	150	142	170	136	127	82	57	18	2	1	-	72
46	41	43	52	89	78	86	100	80	80	91	96	80	58	19	1	-	-	73
3	4	9	10	8	9	15	17	20	13	10	4	2	3	-	-	-	-	74
13	19	14	27	14	17	10	10	10	5	8	5	4	2	2	-	1	-	75
-	-	-	-	1	-	1	-	1	-	1	-	-	-	-	-	-	-	76
2	1	-	6	3	-	-	1	-	-	-	-	-	-	-	-	-	-	77
																		78
52	67	102	177	258	413	519	694	943	1,241	1,247	1,168	897	501	169	39	6	1	79
15	12	33	70	94	190	236	333	431	608	559	525	393	211	69	12	-	1	80
21	32	37	55	95	129	176	229	349	484	542	549	451	262	88	22	3	-	81
4	10	11	24	27	48	54	76	98	85	93	60	27	16	6	1	-	-	82
12	12	19	28	40	44	52	53	64	59	50	34	23	12	6	3	3	-	83
-	-	1	-	1	-	1	1	-	3	2	-	1	-	-	1	-	-	84
-	1	1	-	1	2	-	2	1	2	1	-	2	-	-	-	-	-	85
																		86
462	547	825	1,252	1,808	2,552	3,758	4,973	7,074	9,322	11,053	10,856	9,868	7,256	3,628	1,049	228	51	87
																		88
201	200	307	493	785	1,301	2,200	3,085	4,632	6,137	7,066	6,245	5,074	3,300	1,409	368	68	19	89
152	173	233	322	484	621	754	991	1,414	1,999	2,954	3,764	4,254	3,596	2,020	600	112	11	90
57	81	134	245	329	410	542	576	657	760	653	490	265	173	78	29	9	14	91
47	87	142	177	188	197	243	278	322	380	332	281	198	158	98	45	33	6	92
1	2	4	3	9	16	14	34	37	33	40	54	56	19	15	5	5	-	93
4	4	5	12	13	7	5	9	12	13	8	22	21	10	8	2	1	1	94
																		95
12	10	12	12	10	9	11	12	16	24	26	28	23	31	21	6	-	-	96
4	5	6	4	4	6	6	6	4	11	14	14	9	12	6	1	-	-	97
5	3	3	4	3	2	4	4	9	8	12	13	10	16	12	4	-	-	98
2	-	1	2	2	-	-	-	1	2	-	-	1	1	2	-	-	-	99
1	2	2	2	-	1	1	1	2	2	-	-	3	1	-	1	-	-	100
-	-	-	-	1	-	-	1	-	1	-	-	-	1	1	-	-	-	101
-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	102

Table 5-9. Deaths From 255 Selected Causes, by Age,

(Data refer only to deaths occurring within the United States, including Alaska and Hawaii. Excludes fetal deaths. Numbers after causes

CAUSE OF DEATH, RACE, AND SEX	Total	Under 1 year	1 year	2 years	3 years	4 years	Under 5 years	5-9 years	10-14 years	15-19 years
VIII. DISEASES OF THE RESPIRATORY SYSTEM—CON.										
INFLUENZA.....480-483	7,872	538	114	39	21	15	727	65	41	64
WHITE.....MALE....	3,235	139	33	12	7	5	196	19	15	25
FEMALE..	2,996	113	44	13	11	6	187	30	20	20
NEGRO.....MALE....	826	141	12	7	-	3	163	7	4	7
FEMALE..	745	116	23	6	3	1	149	9	2	11
OTHER.....MALE....	35	13	-	1	-	-	14	-	-	-
FEMALE...	35	16	2	-	-	-	18	-	-	1
PNEUMONIA, EXCEPT PNEUMONIA OF NEWBORN.....490-493	58,931	9,290	1,333	591	314	201	11,729	525	298	309
WHITE.....MALE....	27,486	3,278	429	206	106	81	4,100	224	122	135
FEMALE..	20,374	2,305	391	195	103	74	3,068	169	112	106
NEGRO.....MALE....	6,148	1,898	274	99	61	25	2,357	64	29	34
FEMALE..	4,251	1,559	200	77	35	19	1,890	61	31	32
OTHER.....MALE....	396	125	17	7	3	-	152	5	1	1
FEMALE..	276	125	22	7	6	2	162	2	3	1
LOBAR PNEUMONIA.....490	10,032	857	172	74	49	23	1,175	83	35	61
WHITE.....MALE....	4,929	287	39	27	15	9	377	40	8	28
FEMALE..	3,045	210	63	22	15	9	319	22	17	16
NEGRO.....MALE....	1,241	196	40	15	8	3	262	10	5	7
FEMALE..	706	139	24	7	9	2	181	10	5	10
OTHER.....MALE....	82	14	5	1	1	-	21	1	-	-
FEMALE..	29	11	1	2	1	-	15	-	-	-
BRONCHOPNEUMONIA.....491	34,405	4,601	709	327	175	123	5,935	303	180	179
WHITE.....MALE....	16,296	1,580	242	113	61	49	2,045	130	76	84
FEMALE..	12,429	1,111	208	120	60	51	1,550	108	65	65
NEGRO.....MALE....	3,167	996	135	49	35	11	1,226	32	15	15
FEMALE..	2,216	809	113	40	15	10	987	30	21	13
OTHER.....MALE....	178	49	4	4	1	-	58	3	1	1
FEMALE..	119	56	7	1	3	2	69	-	2	1
PRIMARY ATYPICAL PNEUMONIA.....492	5,331	1,979	197	74	33	30	2,313	61	25	25
WHITE.....MALE....	2,500	875	78	32	10	16	1,011	31	14	9
FEMALE..	1,811	564	69	25	10	8	676	14	8	13
NEGRO.....MALE....	497	259	23	8	7	5	302	8	3	1
FEMALE..	446	240	21	6	4	1	272	6	-	2
OTHER.....MALE....	39	22	2	2	1	-	27	1	-	-
FEMALE..	38	19	4	1	1	-	25	1	-	-
PNEUMONIA, OTHER AND UNSPECIFIED.....493	9,163	1,853	255	116	57	25	2,306	78	58	44
WHITE.....MALE....	3,761	536	70	34	20	7	667	23	24	14
FEMALE..	3,089	420	51	28	18	6	523	25	22	12
NEGRO.....MALE....	1,243	447	76	27	11	6	567	14	6	11
FEMALE..	883	371	42	24	7	6	450	15	5	7
OTHER.....MALE....	97	40	6	-	-	-	46	-	-	-
FEMALE..	90	39	10	3	1	-	53	1	1	-
ACUTE BRONCHITIS.....500	1,170	372	88	67	30	24	581	34	8	7
WHITE.....MALE....	614	191	46	36	14	14	301	19	5	1
FEMALE..	379	104	27	21	13	7	172	11	3	5
NEGRO.....MALE....	91	35	6	6	2	2	51	2	-	1
FEMALE..	76	34	9	4	1	1	49	2	-	-
OTHER.....MALE....	3	2	-	-	-	-	2	-	-	-
FEMALE..	7	6	-	-	-	-	6	-	-	-
BRONCHITIS, CHRONIC AND UNQUALIFIED.....501,502	3,173	284	84	30	15	8	421	19	8	6
WHITE.....MALE....	2,144	142	32	9	8	6	197	9	5	2
FEMALE..	752	76	34	16	3	1	130	9	3	1
NEGRO.....MALE....	166	31	10	-	1	-	42	-	-	-
FEMALE..	84	28	6	5	2	1	42	1	-	3
OTHER.....MALE....	18	3	2	-	-	-	5	-	-	-
FEMALE..	9	4	-	-	1	-	5	-	-	-
HYPERTROPHY OF TONSILS AND ADENOIDS.....510	132	-	3	8	16	23	50	51	9	3
WHITE.....MALE....	59	-	3	5	7	14	29	21	3	1
FEMALE..	52	-	-	3	7	7	17	26	4	-
NEGRO.....MALE....	11	-	-	-	1	-	1	3	1	-
FEMALE..	8	-	-	-	1	-	1	1	1	2
OTHER.....MALE....	1	-	-	-	-	1	1	-	-	-
FEMALE..	1	-	-	-	-	1	1	-	-	-
EMPYEMA AND ABSCESS OF LUNG.....518,521	879	48	6	2	1	1	58	5	6	9
WHITE.....MALE....	497	20	4	1	-	1	26	1	5	3
FEMALE..	188	16	1	-	-	-	17	-	1	1
NEGRO.....MALE....	126	4	1	1	-	-	6	-	-	4
FEMALE..	56	4	-	-	-	-	4	4	-	1
OTHER.....MALE....	10	3	-	-	-	-	3	-	-	-
FEMALE..	2	1	-	-	1	-	2	-	-	-
PLEURISY.....519	181	12	1	-	-	1	14	1	-	-
WHITE.....MALE....	92	7	-	-	-	-	7	1	-	-
FEMALE..	53	5	1	-	-	1	7	-	-	-
NEGRO.....MALE....	22	-	-	-	-	-	-	-	-	-
FEMALE..	11	-	-	-	-	-	-	-	-	-
OTHER.....MALE....	1	-	-	-	-	-	-	-	-	-
FEMALE..	2	-	-	-	-	-	-	-	-	-
EMPHYSEMA WITHOUT MENTION OF BRONCHITIS.....527.1	9,253	49	1	3	1	-	54	4	2	3
WHITE.....MALE....	7,714	26	-	-	-	-	26	3	-	3
FEMALE..	1,047	12	1	1	-	-	14	1	2	-
NEGRO.....MALE....	394	3	-	1	1	-	5	-	-	-
FEMALE..	64	8	-	1	-	-	9	-	-	-
OTHER.....MALE....	27	-	-	-	-	-	-	-	-	-
FEMALE..	7	-	-	-	-	-	-	-	-	-

Race, and Sex: United States, 1960—Continued

category numbers of the Seventh Revision of the International Lists, 1955. For complete category titles, see table 5-8)

20-24 years	25-29 years	30-34 years	35-39 years	40-44 years	45-49 years	50-54 years	55-59 years	60-64 years	65-69 years	70-74 years	75-79 years	80-84 years	85-89 years	90-94 years	95-99 years	100 and over	Not stated
78	60	94	108	149	208	311	388	458	678	926	1,047	972	858	473	132	25	10
33	24	39	34	58	72	142	169	190	303	436	452	440	359	170	51	6	2
33	20	27	40	43	57	73	100	131	204	308	457	457	445	264	65	14	1
4	7	9	16	24	40	56	68	74	105	92	75	32	22	12	5	1	3
7	9	18	17	23	35	37	50	62	64	85	57	37	32	23	10	4	4
-	-	-	-	-	2	2	-	-	2	4	3	4	-	3	1	-	-
1	-	1	1	1	2	1	1	1	-	1	3	2	-	1	-	-	-
273	371	566	850	1,127	1,512	1,993	2,438	3,441	4,653	6,070	6,816	6,947	5,332	2,678	797	174	32
122	126	195	331	474	703	1,048	1,287	1,929	2,634	3,397	3,580	3,339	2,366	1,031	277	52	14
83	120	156	188	280	385	419	571	844	1,252	1,996	2,638	3,212	2,707	1,515	460	85	8
38	55	105	183	228	284	345	365	413	462	430	340	195	128	57	22	7	7
27	64	102	134	130	130	171	189	222	271	219	203	146	108	62	32	25	2
1	2	4	3	6	8	7	19	24	24	24	40	44	15	8	4	4	-
2	4	4	11	9	2	3	7	9	10	4	15	11	8	5	2	1	1
56	97	173	252	343	451	586	580	757	923	1,080	1,114	1,029	775	341	95	21	5
20	29	61	96	140	221	316	329	452	525	631	621	509	352	129	40	4	1
22	29	37	43	66	93	111	115	161	228	315	383	445	381	181	47	13	1
6	19	43	74	87	96	114	83	91	106	91	65	43	17	16	2	1	3
8	19	29	36	46	34	42	47	44	57	37	35	26	22	13	4	1	-
-	1	2	2	2	5	3	4	8	7	4	9	5	3	2	1	2	-
-	-	1	1	2	2	-	2	1	-	2	1	1	-	-	1	-	-
155	187	275	433	564	764	997	1,372	1,962	2,843	3,783	4,236	4,512	3,378	1,712	513	106	16
77	64	105	184	262	360	545	710	1,110	1,652	2,120	2,219	2,187	1,492	658	172	33	11
42	61	76	101	150	211	214	348	506	770	1,274	1,677	2,120	1,732	994	309	52	4
24	28	41	78	96	126	156	196	220	256	246	194	102	76	23	13	4	-
9	33	50	63	52	66	77	107	109	150	127	118	73	64	34	18	14	1
1	1	1	-	1	1	3	10	11	10	15	20	27	9	2	1	2	-
2	-	2	7	3	-	2	1	6	5	1	8	3	5	1	-	1	-
30	31	43	67	75	111	142	154	264	310	381	426	393	288	142	36	10	4
12	11	8	29	25	51	62	89	149	169	226	221	179	136	55	10	3	-
12	15	26	20	25	37	46	42	69	97	117	165	183	140	80	22	2	2
2	2	4	6	14	11	15	14	26	22	22	23	11	5	3	1	1	1
4	2	5	10	9	12	18	7	18	19	16	12	16	6	4	3	4	1
-	-	-	1	1	-	-	-	2	2	-	2	3	-	-	-	-	-
-	1	-	1	1	-	1	2	-	1	-	3	1	1	-	-	-	-
32	56	75	98	145	186	268	332	458	577	826	1,040	1,013	891	483	153	37	7
13	22	21	22	47	71	125	159	218	288	420	519	464	386	189	55	12	2
7	15	17	24	39	44	48	66	108	157	290	413	464	454	260	82	18	1
6	6	17	25	31	51	60	72	76	78	71	58	39	30	15	6	1	3
6	10	18	25	23	18	34	28	51	45	39	38	31	16	11	7	6	-
-	-	1	-	2	2	1	5	3	5	5	9	9	3	4	2	-	-
-	3	1	2	3	-	-	2	2	4	1	3	6	2	4	1	-	1
10	4	9	12	23	34	42	48	55	65	53	57	60	43	17	6	2	-
3	2	3	3	10	19	24	30	37	41	33	32	27	15	6	2	1	-
7	1	5	4	5	8	12	12	12	15	14	21	30	26	11	4	1	-
-	1	-	2	7	3	5	2	5	5	4	1	1	1	-	-	-	-
-	-	1	3	1	3	1	4	1	4	2	2	2	1	-	-	-	-
-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-
-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-
13	9	8	18	50	83	151	210	343	466	504	375	252	157	64	12	3	1
3	6	4	9	27	53	101	147	262	356	403	263	177	83	32	4	1	-
6	-	3	7	19	21	32	44	54	73	83	95	69	65	28	8	2	-
1	1	1	1	3	6	13	15	23	28	14	8	3	5	1	-	-	1
2	2	-	1	1	1	3	4	2	8	2	6	2	2	2	-	-	-
-	-	-	-	-	2	2	-	2	1	2	3	1	-	-	-	-	-
1	-	-	-	-	-	-	-	-	-	-	-	-	2	1	-	-	-
2	6	5	1	1	-	1	-	1	-	2	-	-	-	-	-	-	-
1	1	1	1	-	-	-	-	-	-	1	-	-	-	-	-	-	-
1	2	1	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-
-	3	1	-	-	-	1	-	1	-	-	-	-	-	-	-	-	-
-	-	2	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
8	9	20	30	40	71	68	90	87	132	99	61	52	22	8	2	-	2
4	2	8	13	16	35	33	57	52	89	65	39	31	14	4	-	-	-
2	3	3	4	5	17	14	10	16	29	21	15	18	7	3	2	-	-
2	3	3	9	10	12	16	18	13	10	10	6	2	-	-	-	-	2
-	1	6	4	8	6	5	4	5	3	3	1	-	1	-	-	-	-
-	-	-	-	1	1	-	1	1	1	-	-	1	-	1	-	-	-
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
1	3	1	3	6	13	13	16	19	18	23	23	13	10	4	-	-	-
-	2	-	-	2	6	10	5	9	11	14	12	9	3	1	-	-	-
1	-	-	1	-	2	2	7	5	3	5	8	2	7	3	-	-	-
-	-	-	1	3	5	-	4	4	2	1	2	-	-	-	-	-	-
-	1	1	1	1	-	1	-	1	2	2	1	-	-	-	-	-	-
-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-
-	-	-	-	-	-	-	-	-	-	1	-	1	-	-	-	-	-
4	7	17	60	138	243	579	928	1,487	1,864	1,718	1,177	610	266	77	13	1	1
1	2	9	27	86	184	449	775	1,290	1,639	1,503	990	478	188	52	7	1	1
1	2	5	18	29	29	75	87	124	143	153	156	119	63	21	5	-	-
1	1	3	12	17	21	47	52	61	77	51	27	7	7	4	1	-	-
1	2	-	3	6	7	6	7	7	4	6	1	-	5	-	-	-	-
-	-	-	-	-	1	2	7	5	-	3	2	4	3	-	-	-	-
-	-	-	-	-	1	-	-	-	1	2	1	2	-	-	-	-	-

Table 5-9. Deaths From 255 Selected Causes, by Age,

(Data refer only to deaths occurring within the United States, including Alaska and Hawaii. Excludes fetal deaths. Numbers after causes

CAUSE OF DEATH, RACE, AND SEX	Total	Under 1 year	1 year	2 years	3 years	4 years	Under 5 years	5-9 years	10-14 years	15-19 years
VIII. DISEASES OF THE RESPIRATORY SYSTEM—CON.										
OTHER RESPIRATORY DISEASES.....511-517,520,522-527.0,527.2	11,664	1,430	139	55	39	22	1,685	69	38	53
WHITE.....MALE....	7,285	641	62	26	28	12	769	35	14	26
FEMALE..	3,136	374	40	17	3	7	441	24	17	17
NEGRO.....MALE....	742	216	15	6	5	1	243	2	4	8
FEMALE..	425	182	20	5	3	2	212	6	3	1
OTHER.....MALE....	50	11	1	1	-	-	13	1	-	1
FEMALE..	26	6	1	-	-	-	7	1	-	-
IX. DISEASES OF THE DIGESTIVE SYSTEM.....	66,484	4,220	510	180	157	106	5,173	340	288	235
WHITE.....MALE....	35,395	1,486	218	82	66	46	1,898	144	116	99
FEMALE..	23,182	1,067	149	54	60	39	1,369	152	119	101
NEGRO.....MALE....	4,178	839	75	22	18	18	972	25	29	18
FEMALE..	3,067	679	51	18	12	3	763	16	20	16
OTHER.....MALE....	403	82	10	2	1	-	95	1	3	1
FEMALE..	259	67	7	2	-	-	76	2	1	-
DISEASES OF TEETH AND SUPPORTING STRUCTURES.....530-535	85	-	-	-	1	-	1	-	-	2
WHITE.....MALE....	35	-	-	-	1	-	1	-	-	2
FEMALE..	30	-	-	-	-	-	-	-	-	-
NEGRO.....MALE....	10	-	-	-	-	-	-	-	-	-
FEMALE..	10	-	-	-	-	-	-	-	-	-
OTHER.....MALE....	-	-	-	-	-	-	-	-	-	-
FEMALE..	-	-	-	-	-	-	-	-	-	-
ULCER OF STOMACH.....540	5,707	44	2	3	3	1	53	5	7	6
WHITE.....MALE....	3,681	23	-	2	-	-	25	1	1	2
FEMALE..	1,511	4	1	1	3	1	10	3	5	3
NEGRO.....MALE....	345	12	1	-	-	-	13	1	-	1
FEMALE..	117	5	-	-	-	-	5	-	-	-
OTHER.....MALE....	43	-	-	-	-	-	-	-	1	-
FEMALE..	10	-	-	-	-	-	-	-	-	-
ULCER OF DUODENUM.....541	5,653	34	5	1	2	1	43	2	1	5
WHITE.....MALE....	4,143	10	3	-	1	1	15	-	-	3
FEMALE..	1,112	6	1	-	-	-	7	1	-	1
NEGRO.....MALE....	267	11	-	1	-	-	12	-	1	1
FEMALE..	97	6	1	-	1	-	8	1	-	-
OTHER.....MALE....	28	1	-	-	-	-	1	-	-	-
FEMALE..	6	-	-	-	-	-	-	-	-	-
GASTRITIS AND DUODENITIS.....543	393	9	3	-	3	1	16	1	-	1
WHITE.....MALE....	212	3	1	-	2	-	6	-	-	-
FEMALE..	127	1	1	-	1	-	3	1	-	-
NEGRO.....MALE....	27	2	1	-	-	1	4	-	-	1
FEMALE..	24	3	-	-	-	-	3	-	-	-
OTHER.....MALE....	1	-	-	-	-	-	-	-	-	-
FEMALE..	2	-	-	-	-	-	-	-	-	-
APPENDICITIS.....550-553	1,871	13	7	16	16	11	63	68	75	50
WHITE.....MALE....	988	7	3	11	8	3	32	27	27	26
FEMALE..	574	5	3	3	5	4	20	30	25	15
NEGRO.....MALE....	176	-	-	-	1	3	4	7	12	5
FEMALE..	122	1	-	2	1	1	5	4	9	4
OTHER.....MALE....	8	-	-	-	1	-	1	-	1	-
FEMALE..	3	-	1	-	-	-	1	-	1	-
HERNIA AND INTESTINAL OBSTRUCTION.....560,561,570	9,081	922	30	20	12	7	991	30	19	19
WHITE.....MALE....	3,874	450	17	9	7	2	485	12	6	3
FEMALE..	4,101	321	8	6	2	2	339	9	6	9
NEGRO.....MALE....	567	91	3	4	2	3	103	6	3	5
FEMALE..	489	53	2	1	1	-	57	3	4	2
OTHER.....MALE....	25	1	-	-	-	-	1	-	-	-
FEMALE..	25	6	-	-	-	-	6	-	-	-
GASTROENTERITIS AND COLITIS, EXCEPT ULCERATIVE, AGE 4 WEEKS AND OVER.....571	4,406	2,579	378	74	40	25	3,096	46	16	14
WHITE.....MALE....	1,450	709	155	27	14	9	914	19	9	8
FEMALE..	1,264	532	104	18	11	8	673	18	4	4
NEGRO.....MALE....	823	647	60	14	9	8	738	4	1	1
FEMALE..	711	563	44	11	6	-	624	4	2	1
OTHER.....MALE....	93	73	10	2	-	-	85	1	-	-
FEMALE..	65	55	5	2	-	-	62	-	-	-
CHRONIC ENTERITIS AND ULCERATIVE COLITIS.....572	3,133	34	1	1	1	1	38	9	15	36
WHITE.....MALE....	1,392	16	-	-	1	1	18	3	6	15
FEMALE..	1,550	9	-	-	-	-	9	4	6	21
NEGRO.....MALE....	85	4	-	1	-	-	5	2	3	-
FEMALE..	95	1	-	-	-	-	1	-	-	-
OTHER.....MALE....	4	3	-	-	-	-	3	-	-	-
FEMALE..	7	1	1	-	-	-	2	-	-	-
CIRRHOSIS OF LIVER.....581	20,296	34	10	3	7	5	59	10	40	24
WHITE.....MALE....	12,231	12	7	1	3	4	27	4	13	7
FEMALE..	5,981	14	1	1	3	1	20	6	22	14
NEGRO.....MALE....	1,130	4	-	-	1	-	5	-	3	1
FEMALE..	755	4	2	1	-	-	7	-	2	2
OTHER.....MALE....	122	-	-	-	-	-	-	-	-	-
FEMALE..	77	-	-	-	-	-	-	-	-	-
WITHOUT MENTION OF ALCOHOLISM.....581.0	13,660	34	10	3	7	4	58	10	39	23
WHITE.....MALE....	8,063	12	7	1	3	3	26	4	13	7
FEMALE..	4,308	14	1	1	3	1	20	6	21	13
NEGRO.....MALE....	696	4	-	-	1	-	5	-	3	1
FEMALE..	493	4	2	1	-	-	7	-	2	2
OTHER.....MALE....	63	-	-	-	-	-	-	-	-	-
FEMALE..	37	-	-	-	-	-	-	-	-	-

Race, and Sex: United States, 1960—Continued

category numbers of the Seventh Revision of the International Lists, 1955. For complete category titles, see table 5-8)

20-24 years	25-29 years	30-34 years	35-39 years	40-44 years	45-49 years	50-54 years	55-59 years	60-64 years	65-69 years	70-74 years	75-79 years	80-84 years	85-89 years	90-94 years	95-99 years	100 and over	Not stated	
																		1
																		2
																		3
61	68	93	158	264	379	589	843	1,167	1,422	1,632	1,272	939	537	286	81	23	5	4
30	30	42	71	108	223	387	609	859	1,053	1,200	863	564	260	107	26	7	2	5
13	22	30	56	100	100	123	156	219	272	361	361	337	260	163	52	10	2	6
9	10	11	19	35	39	59	52	62	69	51	31	24	9	2	1	1	1	7
9	6	10	12	17	14	18	19	20	22	13	10	8	8	11	2	4	-	8
-	-	-	-	1	2	1	6	5	4	7	5	1	-	2	-	1	-	9
-	-	-	-	3	1	1	1	2	2	-	2	5	-	1	-	-	-	10
																		11
																		12
266	463	1,102	1,968	3,146	4,600	5,676	5,887	6,586	7,697	7,615	6,448	4,953	2,803	1,012	188	17	21	13
																		14
97	173	442	876	1,594	2,562	3,310	3,634	4,018	4,600	4,409	3,451	2,317	1,181	405	59	3	7	15
112	143	332	617	1,014	1,410	1,648	1,635	1,950	2,486	2,759	2,701	2,431	1,514	560	112	11	6	16
23	67	158	231	289	364	407	360	341	348	246	125	104	43	20	5	-	3	17
28	71	153	216	215	227	253	211	217	206	158	133	70	53	22	11	3	5	18
1	3	6	12	15	21	40	32	44	38	26	29	22	10	3	1	-	-	19
5	6	11	16	19	16	18	15	16	19	17	9	9	2	2	-	-	-	20
																		21
3	7	4	3	8	9	5	6	7	7	4	6	6	5	2	-	-	-	22
2	2	-	2	3	3	1	3	5	4	1	4	1	1	-	-	-	-	23
1	3	2	1	2	3	4	1	-	2	3	1	2	4	1	-	-	-	24
-	-	2	-	-	2	-	1	1	1	-	1	2	-	-	-	-	-	25
-	2	-	-	3	1	-	1	1	-	-	-	1	-	1	-	-	-	26
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	27
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	28
																		29
11	28	52	89	175	278	409	534	694	828	845	723	564	291	102	9	2	2	30
8	11	29	47	104	175	278	372	489	568	576	454	324	154	57	5	-	1	31
2	8	11	25	37	62	71	107	138	184	218	236	219	127	42	3	-	-	32
-	6	9	10	24	27	43	33	52	52	34	16	14	6	2	1	-	1	33
1	3	3	6	7	13	12	15	10	15	9	10	3	2	1	-	2	-	34
-	-	-	1	2	1	5	5	5	8	5	5	3	2	-	-	-	-	35
-	-	-	-	1	-	-	2	-	1	3	2	1	-	-	-	-	-	36
																		37
7	36	51	130	207	346	468	521	699	762	855	690	508	241	64	15	-	2	38
6	22	33	83	142	235	338	410	563	578	648	543	338	139	40	5	-	2	39
1	5	9	19	34	72	80	64	95	139	169	128	158	98	23	9	-	-	40
-	7	4	21	19	29	35	27	32	27	28	13	9	1	1	-	-	-	41
-	2	4	6	9	9	8	14	6	13	7	5	3	1	-	1	-	-	42
-	-	1	-	2	1	6	6	3	3	3	1	-	1	-	-	-	-	43
-	-	-	1	1	-	1	-	-	2	-	-	-	1	-	-	-	-	44
																		45
2	7	11	11	19	24	26	28	40	43	41	30	52	30	8	2	-	1	46
1	4	7	8	12	13	15	17	26	22	23	21	23	12	2	-	-	-	47
1	2	2	3	1	9	6	7	8	14	12	8	28	15	4	2	-	1	48
-	1	2	-	3	1	1	4	2	3	3	-	1	-	1	-	-	-	49
-	-	-	-	1	1	4	-	4	3	3	1	-	3	1	-	-	-	50
-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	51
-	-	-	-	2	-	-	-	-	-	-	-	-	-	-	-	-	-	52
																		53
26	18	42	42	81	91	107	151	189	222	221	195	136	74	15	3	-	2	54
14	9	19	22	34	51	69	88	103	126	116	110	77	30	7	1	-	-	55
7	3	11	10	24	15	21	25	54	63	80	74	49	39	7	1	-	1	56
2	3	7	5	7	16	10	27	19	24	16	4	4	4	-	-	-	-	57
3	2	5	5	15	9	6	10	13	9	9	5	5	1	1	1	-	1	58
-	1	-	-	-	-	1	1	-	-	-	2	1	-	-	-	-	-	59
-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	60
																		61
																		62
30	30	78	118	207	308	408	523	778	1,011	1,201	1,233	1,075	690	257	62	7	6	63
13	4	31	35	75	121	157	234	369	462	549	536	421	250	87	22	1	1	64
12	11	26	44	80	124	160	197	297	424	543	613	600	407	158	35	6	1	65
2	10	8	14	23	29	49	48	47	67	60	42	30	13	6	1	-	1	66
3	5	13	24	28	32	39	41	58	50	42	37	19	20	5	4	-	3	67
-	-	-	1	-	1	-	1	3	5	4	4	5	-	-	-	-	-	68
-	-	-	-	1	1	3	2	4	3	3	1	-	-	1	-	-	-	69
																		70
																		71
11	14	21	26	34	37	67	57	98	137	182	196	161	120	61	11	-	1	72
4	3	8	11	8	14	25	25	44	53	91	85	57	46	20	6	-	-	73
3	4	8	8	15	13	30	24	35	64	71	99	89	64	34	4	-	-	74
3	3	1	2	5	7	5	5	8	9	14	2	7	5	2	1	-	-	75
1	4	3	5	6	2	6	3	9	11	5	10	7	3	4	-	-	1	76
-	-	-	-	-	-	1	-	2	-	-	-	1	2	1	-	-	-	77
-	-	1	-	-	1	-	-	-	-	1	-	-	-	-	-	-	-	78
																		79
36	44	58	68	109	144	186	208	311	402	452	396	341	188	75	16	1	-	80
9	25	26	27	47	78	97	99	165	205	183	169	123	60	33	4	-	-	81
22	18	27	31	52	58	65	92	125	180	241	218	207	123	40	10	1	-	82
1	1	1	5	5	3	10	9	8	10	10	2	9	-	1	-	-	-	83
4	-	4	5	5	5	12	8	13	7	15	6	2	5	1	2	-	-	84
-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	85
-	-	-	-	-	-	2	-	-	-	3	-	-	-	-	-	-	-	86
																		87
38	142	519	1,087	1,762	2,614	3,030	2,758	2,336	2,400	1,717	1,001	487	200	57	11	-	4	88
11	41	191	488	927	1,477	1,851	1,840	1,529	1,631	1,176	596	282	110	25	3	-	2	89
12	41	144	334	572	820	876	695	624	648	482	367	186	80	30	7	-	1	90
5	24	86	120	145	183	168	138	111	76	32	18	9	4	1	-	-	1	91
6	30	85	125	101	112	108	65	44	30	14	15	3	4	1	1	-	-	92
1	1	4	8	10	13	19	15	21	10	10	3	5	2	-	-	-	-	93
3	5	9	12	7	9	8	5	7	5	3	2	2	-	-	-	-	-	94
																		95
28	76	294	611	1,040	1,588	1,890	1,844	1,585	1,720	1,352	832	426	180	51	10	-	3	96
8	22	109	254	534	885	1,153	1,183	1,010	1,128	881	483	239	98	21	3	-	2	97
11	24	89	193	354	523	556	508	455	510	429	317	170	74	28	6	1	1	98
4	11	43	76	81	104	98	97	74	51	21	14	9	3	1	-	-	-	99
3	17	49	81	66	67	69	43	30	23	12	14	2	4	1	1	-	-	100
-	-	1	2	4	5	12	9	12	4	7	2	4	1	-	-	-	-	101
2	2	3	5	1	4	2	4	4	4	2	2	2	-	-	-	-	-	102

Table 5-9. Deaths From 255 Selected Causes, by Age,

(Data refer only to deaths occurring within the United States, including Alaska and Hawaii. Excludes fetal deaths. Numbers after causes

CAUSE OF DEATH, RACE, AND SEX	Total	Under 1 year	1 year	2 years	3 years	4 years	Under 5 years	5-9 years	10-14 years	15-19 years
IX. DISEASES OF THE DIGESTIVE SYSTEM—CON.										
CIRRHOSIS OF LIVER—CON.										
WITH ALCOHOLISM.....581.1	6,636	-	-	-	-	1	1	-	1	1
WHITE.....MALE.....	4,168	-	-	-	-	1	1	-	-	-
FEMALE..	1,673	-	-	-	-	-	-	-	1	1
NEGRO.....MALE.....	434	-	-	-	-	-	-	-	-	-
FEMALE...	262	-	-	-	-	-	-	-	-	-
OTHER.....MALE.....	59	-	-	-	-	-	-	-	-	-
FEMALE..	40	-	-	-	-	-	-	-	-	-
CHOLELITHIASIS, CHOLECYSTITIS, AND CHOLANGITIS.....584,585	4,619	1	-	-	1	-	2	-	-	1
WHITE.....MALE.....	1,774	1	-	-	-	-	1	-	-	-
FEMALE..	2,601	-	-	-	-	-	-	-	-	1
NEGRO.....MALE.....	59	-	-	-	-	-	-	-	-	-
FEMALE..	138	-	-	-	1	-	1	-	-	-
OTHER.....MALE.....	25	-	-	-	-	-	-	-	-	-
FEMALE..	22	-	-	-	-	-	-	-	-	-
FIBROCYSTIC DISEASE OF PANCREAS.....578	606	172	34	34	53	41	334	133	85	29
WHITE.....MALE.....	289	86	12	15	20	19	152	64	45	15
FEMALE..	296	76	20	18	31	22	167	67	39	14
NEGRO.....MALE.....	12	5	1	1	1	-	8	1	1	-
FEMALE..	6	3	1	-	1	-	5	-	-	-
OTHER.....MALE.....	1	1	-	-	-	-	1	-	-	-
FEMALE..	2	1	-	-	-	-	1	1	-	-
OTHER DISEASES OF DIGESTIVE SYSTEM.....RESIDUAL	10,634	378	40	28	18	13	477	36	30	48
WHITE.....MALE.....	5,326	169	20	17	9	7	222	14	9	18
FEMALE..	4,035	99	10	7	4	1	121	13	12	19
NEGRO.....MALE.....	677	63	9	1	4	3	80	4	5	3
FEMALE..	503	40	1	3	1	2	47	4	3	7
OTHER.....MALE.....	53	3	-	-	-	-	3	-	1	1
FEMALE..	40	4	-	-	-	-	4	1	-	-
X. DISEASES OF THE GENITOURINARY SYSTEM.....	30,313	197	56	27	39	32	351	174	197	288
WHITE.....MALE.....	15,010	98	17	9	11	11	146	70	74	130
FEMALE..	9,308	48	22	8	18	10	106	69	81	101
NEGRO.....MALE.....	3,262	35	12	7	5	4	63	25	20	21
FEMALE..	2,485	14	3	3	5	5	30	9	19	31
OTHER.....MALE.....	170	2	2	-	-	1	5	-	1	2
FEMALE..	78	-	-	-	-	1	1	1	2	3
NEPHRITIS AND NEPHROSIS.....590-594	13,684	66	41	19	30	27	183	141	147	223
WHITE.....MALE.....	5,927	30	13	7	8	9	67	59	60	109
FEMALE..	4,738	20	16	5	12	8	61	49	58	76
NEGRO.....MALE.....	1,539	13	9	4	5	4	35	24	15	17
FEMALE..	1,357	3	3	3	5	5	19	8	12	16
OTHER.....MALE.....	77	-	-	-	-	-	-	-	1	2
FEMALE..	46	-	-	-	-	1	1	1	1	3
ACUTE NEPHRITIS.....590	790	20	10	7	10	7	54	32	22	25
WHITE.....MALE.....	317	9	4	2	-	4	19	11	10	10
FEMALE..	268	6	3	3	7	2	21	9	6	9
NEGRO.....MALE.....	123	4	1	1	2	-	8	11	2	3
FEMALE..	76	1	2	1	1	1	6	1	3	3
OTHER.....MALE.....	2	-	-	-	-	-	-	-	-	-
FEMALE..	4	-	-	-	-	-	-	-	1	-
NEPHRITIS WITH EDEMA, INCLUDING NEPHROSIS.....591	861	24	19	7	10	10	70	41	21	21
WHITE.....MALE.....	390	10	3	4	5	3	25	17	9	11
FEMALE..	305	8	11	1	3	3	26	17	10	5
NEGRO.....MALE.....	83	6	4	2	-	1	13	5	2	2
FEMALE..	73	-	1	-	2	2	5	2	-	3
OTHER.....MALE.....	6	-	-	-	-	-	-	-	-	-
FEMALE..	4	-	-	-	-	1	1	-	-	-
CHRONIC & UNSPECIFIED NEPHRITIS & OTHER RENAL SCLEROSIS.....592-594	12,033	22	12	5	10	10	59	68	104	177
WHITE.....MALE.....	5,220	11	6	1	3	2	23	31	41	88
FEMALE..	4,165	6	2	1	2	3	14	23	42	62
NEGRO.....MALE.....	1,333	3	4	1	3	3	14	8	11	12
FEMALE..	1,208	2	-	2	2	2	8	5	9	10
OTHER.....MALE.....	69	-	-	-	-	-	-	-	1	2
FEMALE..	38	-	-	-	-	-	-	1	-	3
INFECTIONS OF KIDNEY.....600	7,645	70	7	2	4	1	84	18	27	24
WHITE.....MALE.....	3,117	31	-	-	-	-	31	5	4	8
FEMALE..	3,000	19	4	-	4	1	28	12	15	6
NEGRO.....MALE.....	701	13	2	2	-	-	17	-	3	4
FEMALE..	762	6	-	-	-	-	6	1	4	6
OTHER.....MALE.....	43	1	1	-	-	-	2	-	-	-
FEMALE..	22	-	-	-	-	-	-	-	1	-
CALCULI OF URINARY SYSTEM.....602,604	1,216	1	-	-	-	-	1	1	1	4
WHITE.....MALE.....	628	1	-	-	-	-	1	1	-	2
FEMALE..	471	-	-	-	-	-	-	-	1	1
NEGRO.....MALE.....	51	-	-	-	-	-	-	-	-	-
FEMALE..	55	-	-	-	-	-	-	-	-	1
OTHER.....MALE.....	8	-	-	-	-	-	-	-	-	-
FEMALE..	3	-	-	-	-	-	-	-	-	-
OTHER DISEASES OF URINARY SYSTEM.....601,603,605-609	2,103	56	8	5	5	4	78	14	18	21
WHITE.....MALE.....	1,065	35	4	2	3	2	46	5	10	10
FEMALE..	587	8	2	2	2	1	15	8	5	10
NEGRO.....MALE.....	315	9	1	1	-	-	11	1	2	-
FEMALE..	120	3	-	-	-	-	3	-	1	1
OTHER.....MALE.....	12	1	1	-	-	1	3	-	-	-
FEMALE..	4	-	-	-	-	-	-	-	-	-

Race, and Sex: United States, 1960—Continued

category numbers of the Seventh Revision of the International Lists, 1955. For complete category titles, see table 5-8)

20-24 years	25-29 years	30-34 years	35-39 years	40-44 years	45-49 years	50-54 years	55-59 years	60-64 years	65-69 years	70-74 years	75-79 years	80-84 years	85-89 years	90-94 years	95-99 years	100 and over	Not stated	
																		1
																		2
																		3
																		4
10	66	225	476	722	1,026	1,140	914	751	680	365	169	61	20	6	1	-	1	5
3	19	82	234	393	592	698	657	519	503	295	113	43	12	4	-	-	-	6
1	17	55	141	218	297	320	187	169	138	53	50	16	6	2	1	-	-	7
1	13	43	44	64	79	70	41	37	25	11	4	-	1	-	-	-	1	8
3	13	36	44	35	45	39	22	14	7	2	1	1	-	-	-	-	-	9
1	1	3	6	6	8	7	6	9	6	3	1	1	1	-	-	-	-	10
1	3	6	7	6	5	6	1	3	1	1	-	-	-	-	-	-	-	11
																		12
16	17	33	57	91	122	202	260	395	652	773	799	650	378	141	27	2	1	13
2	5	4	9	33	44	82	92	158	275	313	336	250	134	34	2	-	-	14
11	11	22	41	45	66	96	148	210	345	423	433	386	239	100	22	1	1	15
1	-	1	4	3	2	6	6	7	7	7	6	5	2	1	1	-	-	16
2	1	5	2	7	7	15	10	16	19	26	15	3	3	4	1	1	-	17
-	-	-	-	-	2	2	2	2	4	2	6	2	-	2	1	-	-	18
-	-	1	1	3	1	1	2	2	2	2	3	4	-	-	-	-	-	19
																		20
9	1	1	1	1	2	1	1	3	2	2	1	-	-	-	-	-	-	21
5	1	1	-	-	1	1	1	-	1	1	1	-	-	-	-	-	-	22
3	-	-	1	-	-	-	-	3	1	1	-	-	-	-	-	-	-	23
1	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	24
-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	25
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	26
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	27
																		28
77	119	232	336	452	625	767	840	1,036	1,231	1,322	1,178	973	586	230	32	5	2	29
22	46	93	144	209	350	396	453	567	675	732	596	421	245	100	11	2	1	30
37	37	70	100	152	168	239	275	361	422	516	524	507	318	121	19	3	1	31
8	12	37	50	55	64	80	62	54	72	42	21	14	8	5	1	-	-	32
8	22	31	38	32	36	43	44	43	49	28	29	24	11	3	1	-	-	33
-	1	1	2	1	3	6	2	8	7	2	7	5	3	-	-	-	-	34
2	1	-	2	3	4	3	4	3	6	2	1	2	1	1	-	-	-	35
																		36
																		37
366	493	624	867	1,132	1,347	1,747	1,946	2,506	3,318	3,898	3,940	3,506	2,378	972	215	30	18	38
																		39
184	197	247	293	385	505	664	762	1,117	1,632	2,088	2,291	2,132	1,423	549	104	14	3	40
105	173	200	293	372	402	536	605	747	1,001	1,132	1,171	1,048	754	323	77	9	3	41
33	44	66	114	152	190	262	304	360	431	434	308	218	134	51	20	4	8	42
40	71	108	160	206	237	267	258	258	229	208	148	89	56	41	13	3	4	43
3	4	-	5	9	8	10	12	16	16	28	16	17	11	6	1	-	-	44
1	4	3	2	8	5	8	5	8	9	8	6	2	-	2	-	-	-	45
																		46
277	345	405	518	632	757	959	988	1,163	1,382	1,550	1,403	1,283	849	376	86	7	10	47
154	169	201	209	265	315	407	417	502	572	671	627	575	373	145	26	3	1	48
73	100	103	148	175	200	259	292	363	501	576	559	543	387	170	44	-	1	49
26	35	46	80	106	110	135	133	156	166	165	114	94	47	22	7	2	4	50
20	34	55	75	77	124	146	138	131	130	124	92	66	41	34	9	2	4	51
3	4	-	4	5	5	7	6	8	8	8	7	4	1	4	-	-	-	52
1	3	-	2	4	3	5	2	3	5	6	4	1	-	1	-	-	-	53
																		54
25	30	22	38	28	55	57	58	68	70	55	50	51	33	13	3	-	1	55
12	15	11	9	10	19	20	25	25	30	26	23	21	13	6	2	-	-	56
6	7	5	16	6	17	15	22	21	19	25	20	23	15	5	1	-	-	57
3	6	4	9	9	11	13	6	11	13	3	4	4	1	1	-	-	1	58
3	2	2	4	3	6	8	4	11	8	1	3	3	4	1	-	-	-	59
-	-	-	-	-	-	1	1	-	-	-	-	-	-	-	-	-	-	60
1	-	-	-	-	2	-	-	-	-	-	-	-	-	-	-	-	-	61
																		62
22	20	30	25	40	47	51	71	68	82	96	64	50	31	9	2	-	-	63
13	5	15	10	17	22	19	36	30	39	43	30	29	17	3	-	-	-	64
5	6	7	6	13	16	19	20	25	29	42	22	16	14	6	1	-	-	65
2	3	3	2	6	6	6	5	7	7	6	5	2	-	-	1	-	-	66
2	4	5	5	4	2	7	9	6	7	3	7	2	-	-	-	-	-	67
-	1	-	1	-	-	-	1	-	-	2	-	1	-	-	-	-	-	68
-	1	-	1	-	1	-	-	-	-	-	-	-	-	-	-	-	-	69
																		70
230	295	353	455	564	655	851	859	1,027	1,230	1,399	1,289	1,182	785	354	81	7	9	71
129	149	175	190	238	274	368	356	447	503	602	574	525	343	136	24	3	1	72
62	87	91	126	156	167	225	250	317	453	509	517	504	358	159	42	-	1	73
21	26	39	69	91	93	116	122	138	146	156	105	88	46	21	6	2	3	74
15	28	48	66	70	116	131	125	114	115	120	82	61	37	33	9	2	4	75
3	3	-	3	5	5	6	4	8	8	6	7	3	1	4	-	-	-	76
-	2	-	1	4	-	5	2	3	5	6	4	1	-	1	-	-	-	77
																		78
																		79
45	80	117	201	284	355	483	577	729	974	942	1,014	846	571	206	55	11	2	80
19	18	30	56	72	118	143	184	277	448	443	475	426	259	80	19	2	-	81
14	37	41	77	104	110	172	203	258	346	347	431	363	282	116	29	8	1	82
6	7	18	23	36	48	71	86	87	101	76	55	35	18	5	4	-	1	83
6	17	27	45	68	76	93	97	100	71	66	46	16	9	4	3	1	-	84
-	-	-	-	3	1	2	4	3	6	8	5	5	3	1	-	-	-	85
-	1	1	-	1	2	2	3	4	2	2	2	1	-	-	-	-	-	86
																		87
7	8	15	23	42	68	87	105	142	169	216	162	91	53	17	2	-	2	88
6	1	6	11	21	30	45	44	68	101	107	88	54	32	8	1	-	1	89
1	6	9	7	12	25	31	47	54	57	89	68	36	16	9	1	-	1	90
-	1	-	1	-	4	6	7	8	7	10	5	-	2	-	-	-	-	91
-	-	-	4	7	8	4	7	11	2	6	1	1	3	-	-	-	-	92
-	-	-	-	1	1	1	-	1	-	4	-	-	-	-	-	-	-	93
-	-	-	-	1	-	-	-	-	2	-	-	-	-	-	-	-	-	94
																		95
11	19	26	38	59	73	130	127	175	232	269	265	283	175	71	15	4	-	96
5	8	9	14	22	25	46	49	77	109	145	148	176	105	43	10	3	-	97
5	8	11	13	19	20	35	32	37	51	77	80	81	56	20	3	1	-	98
1	1	2	7	7	20	32	33	47	51	38	30	18	9	4	1	-	-	99
-	2	3	3	11	8	16	11	13	19	9	7	6	3	3	1	-	-	100
-	-	-	1	-	-	-	2	-	2	-	-	2	2	-	-	-	-	101
-	-	1	-	-	-	1	-	1	-	-	-	-	-	1	-	-	-	102

Table 5-9. Deaths From 255 Selected Causes, by Age,

(Data refer only to deaths occurring within the United States, including Alaska and Hawaii. Excludes fetal deaths. Numbers after causes

CAUSE OF DEATH, RACE, AND SEX	Total	Under 1 year	1 year	2 years	3 years	4 years	Under 5 years	5-9 years	10-14 years	15-19 years
X. DISEASES OF THE GENITOURINARY SYSTEM—CON.										
HYPERPLASIA OF PROSTATE.....610	4,449	-	-	-	-	-	-	-	-	-
WHITE.....MALE....	3,864	-	-	-	-	-	-	-	-	-
NEGRO.....MALE....	562	-	-	-	-	-	-	-	-	-
OTHER.....MALE....	23	-	-	-	-	-	-	-	-	-
DISEASES OF BREAST.....620,621.	12	3	-	-	-	-	3	-	-	-
WHITE.....MALE....	-	-	-	-	-	-	-	-	-	-
FEMALE..	10	1	-	-	-	-	1	-	-	-
NEGRO.....MALE....	-	-	-	-	-	-	-	-	-	-
FEMALE..	2	2	-	-	-	-	2	-	-	-
OTHER.....MALE....	-	-	-	-	-	-	-	-	-	-
FEMALE..	-	-	-	-	-	-	-	-	-	-
OTHER DISEASES OF GENITAL ORGANS.....611-617,622-637	1,204	1	-	1	-	-	2	-	4	16
WHITE.....MALE....	409	1	-	-	-	-	1	-	-	1
FEMALE..	502	-	-	1	-	-	1	-	2	8
NEGRO.....MALE....	94	-	-	-	-	-	-	-	-	-
FEMALE..	189	-	-	-	-	-	-	-	2	7
OTHER.....MALE....	7	-	-	-	-	-	-	-	-	-
FEMALE..	3	-	-	-	-	-	-	-	-	-
XI. DELIVERIES AND COMPLICATIONS OF PREGNANCY, CHILDBIRTH, AND THE PUERPERIUM.....	1,579	...	...	...	...	...	...	...	7	128
WHITE.....FEMALE..	936	...	...	...	...	...	...	...	2	66
NEGRO.....FEMALE..	624	...	...	...	...	...	...	...	5	62
OTHER.....FEMALE..	19	...	...	...	...	...	...	...	-	-
SEPSIS OF PREGNANCY, CHILDBIRTH, AND PUERPERIUM...640,641,681,682,684	165	...	...	...	...	...	...	...	-	19
WHITE.....FEMALE..	112	...	...	...	...	...	...	...	-	16
NEGRO.....FEMALE..	51	...	...	...	...	...	...	...	-	3
OTHER.....FEMALE..	2	...	...	...	...	...	...	...	-	-
TOXEMIAS OF PREGNANCY AND PUERPERIUM, EXCEPT ABORTION WITH TOXEMIA.....642,685,686	303	...	...	...	...	...	...	...	4	43
WHITE.....FEMALE..	166	...	...	...	...	...	...	...	1	17
NEGRO.....FEMALE..	135	...	...	...	...	...	...	...	3	26
OTHER.....FEMALE..	2	...	...	...	...	...	...	...	-	-
HEMORRHAGE OF PREGNANCY AND CHILDBIRTH.....643,644,670-672	268	...	...	...	...	...	...	...	-	9
WHITE.....FEMALE..	168	...	...	...	...	...	...	...	-	5
NEGRO.....FEMALE..	94	...	...	...	...	...	...	...	-	4
OTHER.....FEMALE..	6	...	...	...	...	...	...	...	-	-
ECTOPIC PREGNANCY.....645	119	...	...	...	...	...	...	...	-	4
WHITE.....FEMALE..	42	...	...	...	...	...	...	...	-	-
NEGRO.....FEMALE..	76	...	...	...	...	...	...	...	-	4
OTHER.....FEMALE..	1	...	...	...	...	...	...	...	-	-
ABORTION WITHOUT MENTION OF SEPSIS OR TOXEMIA.....650	88	...	...	...	...	...	...	...	-	7
WHITE.....FEMALE..	46	...	...	...	...	...	...	...	-	6
NEGRO.....FEMALE..	38	...	...	...	...	...	...	...	-	1
OTHER.....FEMALE..	4	...	...	...	...	...	...	...	-	-
ABORTION WITH SEPSIS.....651	191	...	...	...	...	...	...	...	2	21
WHITE.....FEMALE..	97	...	...	...	...	...	...	...	1	5
NEGRO.....FEMALE..	93	...	...	...	...	...	...	...	1	16
OTHER.....FEMALE..	1	...	...	...	...	...	...	...	-	-
ABORTION WITH TOXEMIA, WITHOUT MENTION OF SEPSIS.....652	10	...	...	...	...	...	...	...	-	-
WHITE.....FEMALE..	4	...	...	...	...	...	...	...	-	-
NEGRO.....FEMALE..	6	...	...	...	...	...	...	...	-	-
OTHER.....FEMALE..	-	...	...	...	...	...	...	...	-	-
OTHER COMPLICATIONS OF PREGNANCY, CHILDBIRTH, AND PUERPERIUM, AND DELIVERY WITHOUT MENTION OF COMPLICATION.....RESIDUAL	435	...	...	...	...	...	...	...	1	25
WHITE.....FEMALE..	301	...	...	...	...	...	...	...	-	17
NEGRO.....FEMALE..	131	...	...	...	...	...	...	...	1	8
OTHER.....FEMALE..	3	...	...	...	...	...	...	...	-	-
XII. DISEASES OF THE SKIN AND CELLULAR TISSUE.....	2,069	55	7	5	2	4	73	12	26	46
WHITE.....MALE....	680	23	5	1	-	1	30	3	6	8
FEMALE..	1,009	10	2	3	-	2	17	7	14	26
NEGRO.....MALE....	115	11	-	-	1	1	13	-	2	-
FEMALE..	239	8	-	1	1	-	10	2	4	11
OTHER.....MALE....	16	2	-	-	-	-	2	-	-	-
FEMALE..	10	1	-	-	-	-	1	-	-	1
INFECTIONS OF SKIN AND SUBCUTANEOUS TISSUE.....690-698	632	44	2	2	1	1	50	3	9	14
WHITE.....MALE....	271	20	1	1	-	1	23	2	4	5
FEMALE..	268	9	1	1	-	-	11	1	3	6
NEGRO.....MALE....	37	8	-	-	-	-	8	-	2	-
FEMALE..	45	4	-	-	1	-	5	-	-	2
OTHER.....MALE....	7	2	-	-	-	-	2	-	-	-
FEMALE..	4	1	-	-	-	-	1	-	-	1
OTHER DISEASES OF SKIN AND SUBCUTANEOUS TISSUE.....700-716	1,437	11	5	3	1	3	23	9	17	32
WHITE.....MALE....	409	3	4	-	-	-	7	1	2	3
FEMALE..	741	1	1	2	-	2	6	6	11	20
NEGRO.....MALE....	78	3	-	-	1	1	5	-	-	-
FEMALE..	194	4	-	1	-	-	5	2	4	9
OTHER.....MALE....	9	-	-	-	-	-	-	-	-	-
FEMALE..	6	-	-	-	-	-	-	-	-	-

Race, and Sex: United States, 1960—Continued

category numbers of the Seventh Revision of the International Lists, 1955. For complete category titles, see table 5-8)

20-24 years	25-29 years	30-34 years	35-39 years	40-44 years	45-49 years	50-54 years	55-59 years	60-64 years	65-69 years	70-74 years	75-79 years	80-84 years	85-89 years	90-94 years	95-99 years	100 and over	Not stated	
																		1
																		2
																		3
-	1	-	2	6	17	33	94	223	451	793	978	890	642	259	49	7	4	4
-	1	-	2	3	11	16	56	170	365	662	880	821	590	240	41	5	1	5
-	-	-	-	3	5	17	38	50	86	125	95	63	50	18	7	2	3	6
-	-	-	-	-	1	-	-	3	-	6	3	6	2	1	1	-	-	7
																		8
1	-	-	1	-	1	1	-	-	1	2	-	1	1	-	-	-	-	9
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	10
1	-	-	1	-	1	1	-	-	1	2	-	1	1	-	-	-	-	11
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	12
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	13
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	14
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	15
																		16
25	40	61	84	109	76	54	55	74	109	126	118	112	87	43	8	1	-	17
-	-	1	1	2	6	7	12	23	37	60	73	80	64	33	7	1	-	18
11	22	36	47	62	46	38	31	35	45	41	33	24	12	8	-	-	-	19
-	-	-	3	-	3	1	7	12	20	20	9	8	8	2	1	-	-	20
14	18	23	33	43	21	8	5	3	7	3	2	-	-	-	-	-	-	21
-	-	-	-	-	-	-	-	1	-	2	1	-	3	-	-	-	-	22
-	-	1	-	2	-	-	-	-	-	-	-	-	-	-	-	-	-	23
																		24
																		25
296	326	346	334	127	14	1	-	-	-	-	-	-	-	-	-	-	-	26
																		27
187	191	202	197	84	7	-	-	-	-	-	-	-	-	-	-	-	-	28
108	128	137	135	41	7	1	-	-	-	-	-	-	-	-	-	-	-	29
1	7	7	2	2	-	-	-	-	-	-	-	-	-	-	-	-	-	30
																		31
																		32
35	31	33	35	11	1	-	-	-	-	-	-	-	-	-	-	-	-	33
24	23	21	19	8	1	-	-	-	-	-	-	-	-	-	-	-	-	34
10	8	11	16	3	-	-	-	-	-	-	-	-	-	-	-	-	-	35
1	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	36
																		37
																		38
69	47	44	67	28	1	-	-	-	-	-	-	-	-	-	-	-	-	39
47	23	26	36	16	-	-	-	-	-	-	-	-	-	-	-	-	-	40
22	23	17	31	12	1	-	-	-	-	-	-	-	-	-	-	-	-	41
-	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	42
																		43
																		44
34	50	73	62	36	4	-	-	-	-	-	-	-	-	-	-	-	-	45
20	35	50	30	26	2	-	-	-	-	-	-	-	-	-	-	-	-	46
14	12	21	32	9	2	-	-	-	-	-	-	-	-	-	-	-	-	47
-	3	2	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	48
																		49
22	27	29	29	8	-	-	-	-	-	-	-	-	-	-	-	-	-	50
12	5	7	14	4	-	-	-	-	-	-	-	-	-	-	-	-	-	51
10	21	22	15	4	-	-	-	-	-	-	-	-	-	-	-	-	-	52
-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	53
																		54
																		55
15	23	26	10	6	-	1	-	-	-	-	-	-	-	-	-	-	-	56
8	13	9	6	4	-	-	-	-	-	-	-	-	-	-	-	-	-	57
7	9	15	3	2	-	1	-	-	-	-	-	-	-	-	-	-	-	58
-	1	2	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	59
																		60
33	64	43	23	3	2	-	-	-	-	-	-	-	-	-	-	-	-	61
13	37	22	15	2	2	-	-	-	-	-	-	-	-	-	-	-	-	62
20	27	20	8	1	-	-	-	-	-	-	-	-	-	-	-	-	-	63
-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	64
																		65
																		66
3	2	2	2	1	-	-	-	-	-	-	-	-	-	-	-	-	-	67
2	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	68
1	1	1	2	1	-	-	-	-	-	-	-	-	-	-	-	-	-	69
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	70
																		71
																		72
85	82	96	106	34	6	-	-	-	-	-	-	-	-	-	-	-	-	73
61	54	66	77	24	2	-	-	-	-	-	-	-	-	-	-	-	-	74
24	27	30	28	9	4	-	-	-	-	-	-	-	-	-	-	-	-	75
-	1	-	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	76
																		77
																		78
28	45	60	84	106	132	144	149	161	205	200	194	194	136	51	17	6	-	79
																		80
4	8	13	21	33	37	47	46	61	64	68	82	77	55	10	6	1	-	81
12	21	32	36	47	63	64	69	69	109	105	96	97	76	37	10	2	-	82
3	3	1	4	6	7	10	13	13	11	10	5	9	2	2	-	1	-	83
7	13	13	21	18	23	21	21	15	20	15	10	8	2	2	1	2	-	84
1	-	-	1	1	1	1	-	1	1	2	1	3	1	-	-	-	-	85
1	-	1	1	1	1	1	-	2	-	-	-	-	-	-	-	-	-	86
																		87
5	6	7	13	19	18	37	37	48	67	78	68	79	47	20	4	3	-	88
3	2	2	7	8	7	18	12	22	23	34	39	34	18	5	2	1	-	89
1	1	4	3	8	7	11	20	13	32	39	25	39	28	13	2	1	-	90
-	1	1	-	2	2	4	1	5	2	2	2	3	-	1	-	1	-	91
1	2	-	2	-	2	3	4	7	10	2	1	3	-	1	-	-	-	92
-	-	-	1	1	-	-	-	-	-	1	1	-	1	-	-	-	-	93
-	-	-	-	-	-	1	-	1	-	-	-	-	-	-	-	-	-	94
																		95
23	39	53	71	87	114	107	112	113	138	122	126	115	89	31	13	3	-	96
1	6	11	14	25	30	29	34	39	41	34	43	43	37	5	4	-	-	97
11	20	28	33	39	56	53	49	56	77	66	71	58	48	24	8	1	-	98
3	2	-	4	4	5	6	12	8	9	8	3	6	2	1	-	-	-	99
6	11	13	19	18	21	18	17	8	10	13	9	5	2	1	1	2	-	100
1	-	-	-	-	1	1	-	1	1	1	-	3	-	-	-	-	-	101
1	-	1	1	1	1	-	-	1	-	-	-	-	-	-	-	-	-	102

Table 5-9. Deaths From 255 Selected Causes, by Age,

(Data refer only to deaths occurring within the United States, including Alaska and Hawaii. Excludes fetal deaths. Numbers after causes

CAUSE OF DEATH, RACE, AND SEX	Total	Under 1 year	1 year	2 years	3 years	4 years	Under 5 years	5-9 years	10-14 years	15-19 years
XIII. DISEASES OF THE BONES AND ORGANS OF MOVEMENT	3,596	128	32	10	6	3	179	28	67	127
WHITE.....MALE	1,463	74	15	2	4	2	97	13	45	115
FEMALE	1,841	45	13	7	2	1	68	10	18	8
NEGRO.....MALE	132	7	-	-	-	-	7	2	4	4
FEMALE	141	2	4	1	-	-	7	3	-	-
OTHER.....MALE	9	-	-	-	-	-	-	-	-	-
FEMALE	10	-	-	-	-	-	-	-	-	-
ARTHRITIS AND SPONDYLITIS.....720-725	1,995	1	-	-	2	1	4	3	3	3
WHITE.....MALE	638	1	-	-	2	-	3	1	1	1
FEMALE	1,216	-	-	-	-	1	1	1	1	2
NEGRO.....MALE	52	-	-	-	-	-	-	1	1	-
FEMALE	80	-	-	-	-	-	-	-	-	-
OTHER.....MALE	2	-	-	-	-	-	-	-	-	-
FEMALE	7	-	-	-	-	-	-	-	-	-
MUSCULAR RHEUMATISM AND RHEUMATISM UNSPECIFIED.....726,727	22	-	-	-	-	-	-	-	-	1
WHITE.....MALE	9	-	-	-	-	-	-	-	-	1
FEMALE	6	-	-	-	-	-	-	-	-	-
NEGRO.....MALE	4	-	-	-	-	-	-	-	-	-
FEMALE	3	-	-	-	-	-	-	-	-	-
OTHER.....MALE	-	-	-	-	-	-	-	-	-	-
FEMALE	-	-	-	-	-	-	-	-	-	-
OSTEOMYELITIS AND PERIOSTITIS.....730	175	2	1	-	-	-	3	4	1	-
WHITE.....MALE	88	1	-	-	-	-	1	-	-	-
FEMALE	61	-	-	-	-	-	-	1	1	-
NEGRO.....MALE	14	-	-	-	-	-	-	1	-	-
FEMALE	9	1	1	-	-	-	2	2	-	-
OTHER.....MALE	2	-	-	-	-	-	-	-	-	-
FEMALE	1	-	-	-	-	-	-	-	-	-
ANKYLOSIS AND ACQUIRED MUSCULOSKELETAL DEFORMITIES.....737,745-749	100	7	1	2	-	1	11	3	3	1
WHITE.....MALE	44	6	-	1	-	1	8	1	-	1
FEMALE	44	-	1	-	-	-	1	2	3	-
NEGRO.....MALE	6	-	-	-	-	-	-	-	-	-
FEMALE	4	1	-	1	-	-	2	-	-	-
OTHER.....MALE	1	-	-	-	-	-	-	-	-	-
FEMALE	1	-	-	-	-	-	-	-	-	-
INBORN DEFECT OF MUSCLE.....744.1	573	90	25	8	4	1	128	16	52	115
WHITE.....MALE	396	48	11	1	2	1	63	10	40	109
FEMALE	144	37	11	7	2	-	57	5	10	3
NEGRO.....MALE	21	5	-	-	-	-	5	-	2	3
FEMALE	11	-	3	-	-	-	3	1	-	-
OTHER.....MALE	1	-	-	-	-	-	-	-	-	-
FEMALE	-	-	-	-	-	-	-	-	-	-
OTHER DISEASES OF MUSCULOSKELETAL SYSTEM.....731-736,738-744.0,744.2	731	28	5	-	-	-	33	2	8	7
WHITE.....MALE	288	18	4	-	-	-	22	1	4	3
FEMALE	370	8	1	-	-	-	9	1	3	3
NEGRO.....MALE	35	2	-	-	-	-	2	-	1	1
FEMALE	34	-	-	-	-	-	-	-	-	-
OTHER.....MALE	3	-	-	-	-	-	-	-	-	-
FEMALE	1	-	-	-	-	-	-	-	-	-
XIV. CONGENITAL MALFORMATIONS	21,860	15,389	1,027	512	319	228	17,475	777	510	373
WHITE.....MALE	10,392	7,383	424	224	137	81	8,249	369	239	196
FEMALE	8,664	6,043	420	201	130	102	6,896	315	213	146
NEGRO.....MALE	1,451	1,020	96	41	28	23	1,208	40	32	18
FEMALE	1,129	767	79	42	21	22	931	48	19	10
OTHER.....MALE	122	102	4	1	-	-	107	3	2	2
FEMALE	102	74	4	3	3	-	84	2	5	1
SPINA BIFIDA AND MENINGOCELE.....751	1,215	1,096	46	15	7	7	1,171	17	10	8
WHITE.....MALE	487	446	17	7	-	-	470	4	3	3
FEMALE	658	585	25	7	7	7	631	13	7	5
NEGRO.....MALE	32	29	2	1	-	-	32	-	-	-
FEMALE	28	26	2	-	-	-	28	-	-	-
OTHER.....MALE	5	5	-	-	-	-	5	-	-	-
FEMALE	5	5	-	-	-	-	5	-	-	-
CONGENITAL HYDROCEPHALUS, ETC.....752,753	2,503	1,645	243	122	75	50	2,135	159	73	36
WHITE.....MALE	1,112	734	107	52	31	14	938	70	34	20
FEMALE	1,043	689	104	50	33	20	896	68	27	12
NEGRO.....MALE	170	109	18	7	6	8	148	8	8	2
FEMALE	151	96	12	13	3	8	132	10	3	1
OTHER.....MALE	9	6	-	-	-	-	6	2	-	1
FEMALE	18	11	2	-	2	-	15	1	1	-
CONGENITAL MALFORMATIONS OF CIRCULATORY SYSTEM.....754	11,272	7,589	573	291	193	147	8,793	523	362	266
WHITE.....MALE	5,479	3,816	221	121	83	56	4,297	255	163	138
FEMALE	4,293	2,773	233	115	82	68	3,271	204	157	108
NEGRO.....MALE	748	500	58	28	16	12	614	28	21	11
FEMALE	628	408	57	23	11	11	510	35	15	7
OTHER.....MALE	65	53	2	1	-	-	56	-	2	1
FEMALE	59	39	2	3	1	-	45	1	4	1
OTHER CONGENITAL MALFORMATIONS.....750,755-759	6,870	5,059	165	84	44	24	5,376	78	65	63
WHITE.....MALE	3,314	2,387	79	44	23	11	2,544	40	39	35
FEMALE	2,670	1,996	58	29	8	7	2,098	30	22	21
NEGRO.....MALE	501	382	18	5	6	3	414	4	3	5
FEMALE	322	237	8	6	7	3	261	3	1	2
OTHER.....MALE	43	38	2	-	-	-	40	1	-	-
FEMALE	20	19	-	-	-	-	19	-	-	-

Race, and Sex: United States, 1960—Continued

category numbers of the Seventh Revision of the International Lists, 1955. For complete category titles, see table 5-8)

20-24 years	25-29 years	30-34 years	35-39 years	40-44 years	45-49 years	50-54 years	55-59 years	60-64 years	65-69 years	70-74 years	75-79 years	80-84 years	85-89 years	90-94 years	95-99 years	100 and over	Not stated	
58	47	51	65	91	139	194	231	322	411	502	439	324	229	84	6	1	1	1
																		2
41	26	25	29	39	55	82	99	141	158	175	140	89	74	18	2	-	-	3
7	15	13	28	39	60	87	106	154	225	291	282	215	145	65	4	1	-	4
9	4	3	2	9	11	4	12	14	13	15	6	9	4	-	-	-	-	5
1	2	10	4	3	8	18	13	11	15	19	9	11	5	1	-	-	1	6
-	-	-	-	-	4	3	1	1	-	-	-	-	-	-	-	-	-	7
-	-	-	2	1	1	-	-	1	-	2	2	-	1	-	-	-	-	8
																		9
																		10
3	9	10	19	33	58	114	146	207	291	349	308	233	144	53	3	1	1	11
-	6	4	8	14	22	40	55	81	103	106	83	50	47	12	1	-	-	12
1	2	3	10	16	30	60	76	114	171	217	213	166	89	40	2	1	-	13
2	1	-	-	2	2	1	6	6	6	11	5	6	2	-	-	-	-	14
-	-	3	1	-	2	12	9	5	11	13	6	11	5	1	-	-	1	15
-	-	-	-	-	1	1	-	-	-	-	-	-	-	-	-	-	-	16
-	-	-	-	1	1	-	-	1	-	2	1	-	1	-	-	-	-	17
																		18
-	-	2	2	3	1	-	2	3	2	3	2	1	-	-	-	-	-	19
-	-	1	1	1	-	-	1	1	1	1	1	-	-	-	-	-	-	20
-	-	-	1	-	1	-	-	-	-	2	1	1	-	-	-	-	-	21
-	-	-	-	1	-	-	1	1	1	-	-	-	-	-	-	-	-	22
-	-	1	-	1	-	-	-	1	-	-	-	-	-	-	-	-	-	23
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	24
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	25
																		26
-	2	3	8	4	15	15	16	11	24	25	17	17	8	2	-	-	-	27
-	1	2	3	2	8	10	8	7	16	14	6	6	3	1	-	-	-	28
-	1	1	3	2	3	2	4	2	7	10	10	8	5	1	-	-	-	29
-	-	-	2	-	4	-	2	2	-	-	-	3	-	-	-	-	-	30
-	-	-	-	-	-	2	1	-	1	1	-	-	-	-	-	-	-	31
-	-	-	-	-	-	1	1	-	-	-	-	-	-	-	-	-	-	32
-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	33
																		34
																		35
3	2	3	6	9	9	9	6	9	4	5	9	4	3	1	-	-	-	36
2	-	-	3	3	7	3	2	5	-	3	2	1	2	1	-	-	-	37
1	2	3	2	4	1	5	2	4	2	1	7	3	1	-	-	-	-	38
-	-	-	-	2	-	1	2	-	1	-	-	-	-	-	-	-	-	39
-	-	-	-	-	-	-	-	-	1	1	-	-	-	-	-	-	-	40
-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	41
-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	42
																		43
44	21	20	10	18	22	19	22	28	18	20	15	3	2	-	-	-	-	44
37	15	15	7	9	10	11	14	21	11	12	9	2	1	-	-	-	-	45
3	5	3	2	7	10	5	8	5	7	6	6	1	1	-	-	-	-	46
4	1	-	-	1	1	1	-	2	-	1	-	-	-	-	-	-	-	47
-	-	2	1	1	1	1	-	-	-	1	-	-	-	-	-	-	-	48
-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	49
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	50
																		51
8	13	13	20	24	34	37	39	64	72	100	88	66	72	28	3	-	-	52
2	4	3	7	10	8	18	19	26	27	39	39	30	21	4	1	-	-	53
2	5	3	10	10	15	15	16	29	38	55	45	36	49	24	2	-	-	54
3	2	3	-	3	4	1	1	3	5	3	1	-	2	-	-	-	-	55
1	2	4	2	1	5	3	3	5	2	3	3	-	-	-	-	-	-	56
-	-	-	-	-	2	-	-	1	-	-	-	-	-	-	-	-	-	57
-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	58
																		59
																		60
274	229	236	247	280	272	275	238	209	175	128	81	47	21	7	2	-	4	61
																		62
145	112	104	115	147	129	136	103	97	97	80	36	18	12	5	-	-	3	63
102	85	98	100	100	108	107	113	98	69	41	38	24	7	2	1	-	1	64
15	15	12	16	16	16	19	12	12	6	6	2	3	2	-	1	-	-	65
10	14	18	14	16	19	10	9	2	3	1	3	2	-	-	-	-	-	66
1	-	2	1	-	-	2	1	-	-	-	1	-	-	-	-	-	-	67
1	3	2	1	1	-	1	-	-	-	-	1	-	-	-	-	-	-	68
																		69
2	-	3	1	-	2	-	-	1	-	-	-	-	-	-	-	-	-	70
2	-	1	1	-	2	-	-	1	-	-	-	-	-	-	-	-	-	71
-	-	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	72
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	73
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	74
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	75
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	76
																		77
22	13	12	11	13	8	6	4	5	4	1	1	-	-	-	-	-	-	78
14	5	7	6	4	4	3	1	4	1	1	-	-	-	-	-	-	-	79
6	5	3	5	8	4	1	3	1	3	-	1	-	-	-	-	-	-	80
1	1	1	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	81
1	1	1	-	1	-	1	-	-	-	-	-	-	-	-	-	-	-	82
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	83
-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	84
																		85
																		86
201	169	158	166	137	112	110	83	70	53	36	17	12	2	-	1	-	1	87
103	84	66	69	68	49	51	42	32	31	24	4	3	-	-	-	-	-	88
78	63	69	76	48	48	48	35	34	20	12	12	7	2	-	-	-	1	89
11	12	6	12	11	8	5	3	3	1	-	-	1	-	-	1	-	-	90
7	8	13	7	9	7	5	2	1	1	-	-	1	-	-	-	-	-	91
1	-	2	1	-	-	1	1	-	-	-	-	-	-	-	-	-	-	92
1	2	2	1	1	-	-	-	-	-	-	1	-	-	-	-	-	-	93
																		94
49	47	63	69	130	150	159	151	133	118	91	63	35	19	7	1	-	3	95
26	23	30	39	75	74	82	60	60	65	55	32	15	12	5	-	-	3	96
18	17	24	19	44	56	58	75	63	46	29	25	17	5	2	1	-	-	97
3	2	5	4	5	8	13	9	9	5	6	2	2	2	-	-	-	-	98
2	5	4	7	6	12	4	7	1	2	1	3	1	-	-	-	-	-	99
-	-	-	-	-	-	1	-	-	-	-	1	-	-	-	-	-	-	100
-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	101
																		102

Table 5-9. Deaths From 255 Selected Causes, by Age,

(Data refer only to deaths occurring within the United States, including Alaska and Hawaii. Excludes fetal deaths. Numbers after causes

	CAUSE OF DEATH, RACE, AND SEX	Total	Under 1 year	1 year	2 years	3 years	4 years	Under 5 years	5-9 years	10-14 years	15-19 years
1											
2	XV. CERTAIN DISEASES OF EARLY INFANCY	67,094	67,074	8	1	-	3	67,086	6	1	1
3											
4	WHITE.....MALE....	30,211	30,201	3	1	-	2	30,207	4	-	-
5	FEMALE..	21,065	21,059	2	-	-	1	21,062	2	-	1
6	NEGRO.....MALE....	8,453	8,451	2	-	-	-	8,453	-	-	-
7	FEMALE..	6,620	6,618	1	-	-	-	6,619	-	1	-
8	OTHER.....MALE....	439	439	-	-	-	-	439	-	-	-
9	FEMALE...	306	306	-	-	-	-	306	-	-	-
10											
11											
12	XVI. SYMPTOMS, SENILITY, AND ILL-DEFINED CONDITIONS	20,385	2,518	230	120	59	46	2,973	104	83	131
13											
14	WHITE.....MALE....	7,928	560	59	41	15	15	690	32	29	60
15	FEMALE..	5,181	412	43	17	13	13	498	28	19	36
16	NEGRO.....MALE....	3,879	817	58	35	18	10	938	28	21	15
17	FEMALE..	3,060	647	58	21	9	7	742	15	14	20
18	OTHER.....MALE....	205	38	6	4	1	1	50	1	-	-
19	FEMALE..	132	44	6	2	3	-	55	-	-	-
20											
21	SENILITY WITHOUT MENTION OF PSYCHOSIS.....794	2,639	-	-	-	-	-	-	-	-	-
22	WHITE.....MALE....	877	-	-	-	-	-	-	-	-	-
23	FEMALE..	1,274	-	-	-	-	-	-	-	-	-
24	NEGRO.....MALE....	201	-	-	-	-	-	-	-	-	-
25	FEMALE..	252	-	-	-	-	-	-	-	-	-
26	OTHER.....MALE....	14	-	-	-	-	-	-	-	-	-
27	FEMALE..	21	-	-	-	-	-	-	-	-	-
28											
29	SYMPTOMS, ILL-DEFINED, AND UNKNOWN CAUSES.....780-793,795	17,746	2,518	230	120	59	46	2,973	104	83	131
30	WHITE.....MALE....	7,051	560	59	41	15	15	690	32	29	60
31	FEMALE..	3,907	412	43	17	13	13	498	28	19	36
32	NEGRO.....MALE....	3,678	817	58	35	18	10	938	28	21	15
33	FEMALE..	2,808	647	58	21	9	7	742	15	14	20
34	OTHER.....MALE....	191	38	6	4	1	1	50	1	-	-
35	FEMALE..	111	44	6	2	3	-	55	-	-	-
36											
37											
38	XVII. ACCIDENTS, POISONINGS, AND VIOLENCE	121,349	4,030	1,728	1,369	1,166	972	9,265	3,773	3,329	7,714
39											
40	WHITE.....MALE....	71,577	1,596	714	603	546	428	3,887	1,928	2,102	5,258
41	FEMALE..	30,835	1,204	568	417	318	292	2,799	1,001	626	1,360
42	NEGRO.....MALE....	12,495	618	226	185	144	113	1,286	443	434	809
43	FEMALE..	4,953	543	182	136	142	119	1,122	347	120	180
44	OTHER.....MALE....	1,120	38	28	12	9	7	94	37	35	80
45	FEMALE..	369	31	10	16	7	13	77	17	12	27
46											
47	ACCIDENTS.....E800-E962	93,806	3,831	1,680	1,337	1,144	958	8,950	3,687	3,149	6,704
48	WHITE.....MALE....	54,883	1,528	700	592	537	420	3,777	1,896	1,994	4,726
49	FEMALE..	25,385	1,144	553	407	310	290	2,704	972	589	1,198
50	NEGRO.....MALE....	8,565	589	217	181	141	111	1,239	433	412	572
51	FEMALE..	3,783	504	175	129	140	117	1,065	336	108	117
52	OTHER.....MALE....	898	36	27	12	9	7	91	35	34	70
53	FEMALE..	292	30	8	16	7	13	74	15	12	21
54											
55	RAILWAY ACCIDENTS.....E800-E802	1,023	1	7	2	2	1	13	24	39	31
56	WHITE.....MALE....	734	1	5	2	1	-	9	15	30	27
57	FEMALE..	84	-	2	-	-	1	3	1	2	1
58	NEGRO.....MALE....	168	-	-	-	1	-	1	5	6	3
59	FEMALE..	15	-	-	-	-	-	-	3	-	-
60	OTHER.....MALE....	21	-	-	-	-	-	-	-	1	-
61	FEMALE..	1	-	-	-	-	-	-	-	-	-
62											
63											
64	MOTOR VEHICLE ACCIDENTS.....E810-E835	38,137	332	399	399	434	389	1,953	1,628	1,186	4,484
65	WHITE.....MALE....	24,656	157	185	200	219	191	952	883	737	3,152
66	FEMALE..	8,989	128	154	134	144	130	690	491	310	968
67	NEGRO.....MALE....	3,023	19	33	28	40	36	156	139	89	235
68	FEMALE..	943	23	19	29	24	24	119	98	32	68
69	OTHER.....MALE....	405	4	7	3	5	2	21	12	14	42
70	FEMALE..	121	1	1	5	2	6	15	5	4	19
71											
72	MOTOR VEHICLE TRAFFIC ACCIDENTS.....E810-E825	37,142	322	245	323	387	359	1,636	1,577	1,152	4,439
73	WHITE.....MALE....	24,001	153	115	164	190	176	798	854	713	3,115
74	FEMALE..	8,762	123	94	103	128	119	567	476	305	965
75	NEGRO.....MALE....	2,947	18	19	24	39	33	133	134	88	232
76	FEMALE..	922	23	14	26	23	23	109	96	29	68
77	OTHER.....MALE....	394	4	3	3	5	2	17	12	13	40
78	FEMALE..	116	1	-	3	2	6	12	5	4	19
79											
80	MOTOR VEHICLE TRAFFIC ACCIDENT WITH RAILWAY TRAIN.....E810	1,368	12	5	17	9	13	56	39	47	152
81	WHITE.....MALE....	904	2	4	8	3	5	22	17	21	108
82	FEMALE...	338	8	1	8	5	8	30	16	18	29
83	NEGRO.....MALE....	85	-	-	1	1	-	2	3	3	12
84	FEMALE..	33	2	-	-	-	-	2	3	5	3
85	OTHER.....MALE....	5	-	-	-	-	-	-	-	-	-
86	FEMALE..	3	-	-	-	-	-	-	-	-	-
87											
88	MOTOR VEHICLE TRAFFIC ACCIDENT TO PEDESTRIAN.....E812	7,284	12	106	181	240	232	771	996	309	224
89	WHITE.....MALE....	4,267	7	48	97	124	110	386	536	184	127
90	FEMALE..	1,681	2	34	48	61	69	214	270	74	46
91	NEGRO.....MALE....	832	2	16	16	32	27	93	105	36	31
92	FEMALE..	355	-	7	16	18	19	60	76	9	7
93	OTHER.....MALE....	119	1	1	1	4	2	9	6	4	10
94	FEMALE..	30	-	-	3	1	5	9	3	2	3
95											
96	OTHER MOTOR VEHICLE TRAFFIC ACCIDENTS, ETC.....E811,E813-E819	15,282	192	75	68	88	78	501	390	502	1,751
97	WHITE.....MALE....	9,614	97	36	27	39	45	244	222	321	1,222
98	FEMALE..	4,278	75	33	33	44	28	213	140	143	419
99	NEGRO.....MALE....	919	8	1	3	1	5	18	13	26	74
100	FEMALE..	302	10	4	5	3	-	22	8	7	23
101	OTHER.....MALE....	127	1	1	-	1	-	3	6	4	6
102	FEMALE..	42	1	-	-	-	-	1	1	1	7

Race, and Sex: United States, 1960—Continued

category numbers of the Seventh Revision of the International Lists, 1955. For complete category titles, see table 5-8)

20-24 years	25-29 years	30-34 years	35-39 years	40-44 years	45-49 years	50-54 years	55-59 years	60-64 years	65-69 years	70-74 years	75-79 years	80-84 years	85-89 years	90-94 years	95-99 years	100 and over	Not stated	
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1
																		2
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	3
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	4
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	5
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	6
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	7
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	8
																		9
																		10
176	242	342	522	598	881	1,171	1,319	1,480	1,727	1,932	1,938	1,843	1,377	1,000	377	120	49	11
																		12
63	83	99	185	253	395	539	622	701	805	851	846	760	462	324	90	20	19	13
36	57	87	121	123	177	178	219	263	322	461	553	650	632	487	187	40	7	14
42	44	88	111	107	174	273	276	285	348	339	291	228	136	77	31	16	11	15
32	50	61	99	99	122	169	185	217	230	271	219	180	126	99	61	41	8	16
3	7	3	5	14	10	8	12	12	16	5	21	12	9	8	4	2	3	17
-	1	4	1	2	3	4	5	2	6	5	8	13	12	5	4	1	1	18
																		19
-	-	-	-	-	-	1	2	14	67	157	318	547	616	598	253	65	1	20
-	-	-	-	-	-	-	1	2	21	51	121	204	203	195	69	10	-	21
-	-	-	-	-	-	-	-	4	14	38	112	259	334	331	149	32	1	22
-	-	-	-	-	-	1	-	4	16	26	37	44	32	25	10	6	-	23
-	-	-	-	-	-	-	1	4	14	39	41	32	38	44	23	16	-	24
-	-	-	-	-	-	-	-	-	2	-	5	3	3	1	-	-	-	25
-	-	-	-	-	-	-	-	-	-	3	2	5	6	2	2	1	-	26
																		27
176	242	342	522	598	881	1,170	1,317	1,466	1,660	1,775	1,620	1,296	761	402	124	55	48	28
63	83	99	185	253	395	539	621	699	784	800	725	556	259	129	21	10	19	29
36	57	87	121	123	177	178	219	259	308	423	441	391	298	156	38	8	6	30
42	44	88	111	107	174	272	276	281	332	313	254	184	104	52	21	10	11	31
32	50	61	99	99	122	169	184	213	216	232	178	148	88	55	38	25	8	32
3	7	3	5	14	10	8	12	12	14	5	16	9	6	7	4	2	3	33
-	1	4	1	2	3	4	5	2	6	2	6	8	6	3	2	-	1	34
																		35
																		36
8,404	7,102	7,195	7,662	7,578	7,953	7,771	7,071	6,464	6,255	6,278	5,927	5,413	3,816	1,772	415	66	126	37
																		38
5,769	4,490	4,347	4,653	4,684	5,055	5,062	4,680	4,142	3,972	3,708	3,152	2,418	1,485	560	139	15	71	39
1,135	1,001	1,224	1,410	1,455	1,611	1,599	1,527	1,551	1,658	2,101	2,396	2,765	2,177	1,130	254	39	16	40
1,073	1,176	1,164	1,169	1,028	937	797	587	520	394	252	191	104	62	32	3	4	30	41
264	322	340	325	321	245	239	214	194	185	167	144	88	68	43	15	5	5	42
142	92	93	80	63	84	62	49	46	36	38	35	22	20	2	4	3	3	43
21	21	27	25	27	21	12	14	11	10	12	9	16	4	5	-	-	1	44
																		45
6,753	5,025	4,777	4,955	4,903	5,143	5,058	4,686	4,498	4,738	4,951	5,021	4,917	3,604	1,731	407	63	86	46
4,937	3,521	3,209	3,261	3,163	3,335	3,251	3,013	2,752	2,848	2,689	2,454	2,021	1,312	527	135	13	49	47
893	673	753	821	908	974	1,032	1,038	1,133	1,373	1,845	2,220	2,688	2,148	1,122	252	38	11	48
651	598	573	634	581	596	554	419	392	315	215	169	95	59	32	1	4	21	49
142	147	152	166	191	163	167	167	176	168	160	139	87	67	43	15	5	2	50
113	74	70	56	45	57	44	39	36	28	33	30	16	16	2	4	3	2	51
17	12	20	17	15	18	10	10	9	6	9	9	10	2	5	-	-	1	52
																		53
44	59	67	81	107	103	97	86	80	62	40	42	23	15	1	1	-	8	54
31	41	42	53	74	80	66	70	61	43	24	32	16	12	-	1	-	7	55
2	1	4	-	7	2	10	9	6	11	10	6	6	2	1	-	-	-	56
6	16	18	21	23	18	21	5	9	7	6	1	-	1	-	-	-	1	57
1	-	1	1	1	1	-	2	2	-	-	2	1	-	-	-	-	-	58
4	1	2	5	2	2	-	-	2	1	-	1	-	-	-	-	-	-	59
-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	60
																		61
																		62
4,633	2,998	2,550	2,380	2,261	2,254	2,134	2,035	1,871	1,820	1,637	1,234	704	275	66	10	1	23	63
3,416	2,116	1,724	1,564	1,436	1,404	1,303	1,223	1,136	1,101	1,038	793	460	170	33	2	-	13	64
689	445	474	493	488	529	540	586	532	551	499	379	203	81	28	8	-	5	65
371	311	260	238	235	233	196	149	143	118	58	41	30	13	4	-	-	4	66
71	78	50	59	76	51	64	47	46	35	26	12	2	8	-	-	-	1	67
74	39	31	22	19	26	25	24	11	12	15	7	6	3	1	-	1	-	68
12	9	11	4	7	11	6	6	3	3	1	2	3	-	-	-	-	-	69
																		70
4,579	2,947	2,490	2,329	2,226	2,210	2,090	1,994	1,820	1,788	1,602	1,209	690	269	64	7	1	23	71
3,373	2,077	1,672	1,523	1,407	1,370	1,270	1,194	1,100	1,076	1,018	776	451	168	32	1	-	13	72
683	444	468	488	485	524	534	583	522	545	488	371	198	78	27	6	-	5	73
367	301	258	233	234	229	192	142	140	117	56	41	30	12	4	-	-	4	74
70	77	50	59	75	51	64	46	44	35	26	12	2	8	-	-	-	1	75
74	39	31	22	19	25	25	23	11	12	13	7	6	3	1	-	1	-	76
12	9	11	4	6	11	5	6	3	3	1	2	3	-	-	-	-	-	77
																		78
128	109	100	108	103	108	88	98	77	68	47	30	8	2	-	-	-	-	79
88	79	72	72	66	69	56	68	55	47	36	24	4	-	-	-	-	-	80
24	20	19	29	26	27	23	23	18	17	11	5	2	1	-	-	-	-	81
11	5	6	5	10	11	5	4	2	4	-	-	1	1	-	-	-	-	82
3	4	3	2	1	1	4	1	-	-	-	1	-	-	-	-	-	-	83
1	1	-	-	-	-	-	-	2	-	-	-	1	-	-	-	-	-	84
1	-	-	-	-	-	-	2	-	-	-	-	-	-	-	-	-	-	85
																		86
211	182	176	228	251	333	405	445	494	562	621	548	329	157	30	2	-	10	87
121	106	84	141	136	182	232	264	298	355	393	360	226	109	20	1	-	6	88
29	15	32	28	43	65	84	105	104	126	175	149	77	37	6	1	-	1	89
41	41	40	39	47	61	60	43	58	54	26	28	20	3	3	-	-	3	90
8	12	14	16	19	13	17	24	30	20	16	7	2	5	-	-	-	-	91
12	7	6	4	5	10	8	7	4	5	11	4	3	3	1	-	-	-	92
-	1	-	-	1	2	4	2	-	2	-	-	1	-	-	-	-	-	93
																		94
1,843	1,295	1,132	1,064	1,003	988	963	916	806	778	610	410	228	73	21	2	1	5	95
1,286	876	742	670	595	607	547	527	463	454	385	263	137	43	7	-	-	3	96
375	259	265	281	273	271	306	313	288	273	199	135	83	25	13	2	-	2	97
121	107	90	78	88	70	67	51	45	34	20	7	5	4	1	-	-	-	98
28	38	18	26	34	25	32	15	6	12	6	1	-	1	-	-	-	-	99
27	9	12	7	10	10	10	9	3	5	-	3	2	-	-	-	1	-	100
6	6	5	2	3	5	1	1	1	-	-	1	1	-	-	-	-	-	101
																		102

Table 5-9. Deaths From 255 Selected Causes, by Age,

(Data refer only to deaths occurring within the United States, including Alaska and Hawaii. Excludes fetal deaths. Numbers after causes

CAUSE OF DEATH, RACE, AND SEX	Total	Under 1 year	1 year	2 years	3 years	4 years	Under 5 years	5-9 years	10-14 years	15-19 years
XVII. ACCIDENTS, POISONINGS, AND VIOLENCE—CON.										
ACCIDENTS—CON.										
MOTOR VEHICLE ACCIDENTS—CON.										
MOTOR VEHICLE TRAFFIC ACCIDENTS—CON.										
MOTOR VEHICLE NONCOLLISION TRAFFIC ACCIDENTS.....E820-E824	10,279	74	40	41	37	27	219	110	238	1,891
WHITE.....MALE....	7,301	35	19	22	18	13	107	59	155	1,356
FEMALE...	1,755	25	15	10	13	10	73	37	54	382
NEGRO.....MALE....	889	5	2	3	4	-	14	7	18	97
FEMALE..	172	7	3	4	1	3	18	6	5	28
OTHER.....MALE....	125	2	1	2	-	-	5	-	5	19
FEMALE..	37	-	-	-	1	1	2	1	1	9
MOTOR VEHICLE TRAFFIC ACCIDENT OF UNSPECIFIED NATURE.....E825	2,929	32	19	16	13	9	89	42	56	421
WHITE.....MALE....	1,915	12	8	10	6	3	39	20	32	302
FEMALE..	710	13	11	4	5	4	37	13	16	89
NEGRO.....MALE....	222	3	-	1	1	1	6	6	5	18
FEMALE..	60	4	-	1	1	1	7	3	3	7
OTHER.....MALE....	18	-	-	-	-	-	-	-	-	5
FEMALE..	4	-	-	-	-	-	-	-	-	-
MOTOR VEHICLE NONTRAFFIC ACCIDENTS.....E830-E835	995	10	154	76	47	30	317	51	34	45
WHITE.....MALE....	655	4	70	36	29	15	154	29	24	37
FEMALE..	227	5	60	31	16	11	123	15	5	3
NEGRO.....MALE....	76	1	14	4	1	3	23	5	1	3
FEMALE..	21	-	5	3	1	1	10	2	3	-
OTHER.....MALE....	11	-	4	-	-	-	4	-	1	2
FEMALE..	5	-	1	2	-	-	3	-	-	-
OTHER ROAD VEHICLE ACCIDENTS.....E840-E845	243	-	1	2	-	3	6	36	51	19
WHITE.....MALE....	165	-	1	-	-	2	3	27	33	7
FEMALE..	47	-	-	-	-	1	1	6	13	10
NEGRO.....MALE....	17	-	-	-	-	-	-	2	4	2
FEMALE..	6	-	-	1	-	-	1	-	1	-
OTHER.....MALE....	8	-	-	1	-	-	1	1	-	-
FEMALE..	-	-	-	-	-	-	-	-	-	-
WATER TRANSPORT ACCIDENTS.....E850-E858	1,478	4	3	5	4	7	23	60	78	138
WHITE.....MALE....	1,189	1	1	2	4	3	11	40	53	108
FEMALE..	98	3	2	3	-	4	12	11	12	9
NEGRO.....MALE....	155	-	-	-	-	-	-	8	12	16
FEMALE..	12	-	-	-	-	-	-	1	1	1
OTHER.....MALE....	24	-	-	-	-	-	-	-	-	4
FEMALE..	-	-	-	-	-	-	-	-	-	-
AIRCRAFT ACCIDENTS.....E860-E866	1,475	6	3	3	4	2	18	13	19	67
WHITE.....MALE....	1,244	2	1	2	2	1	8	8	11	47
FEMALE..	210	4	1	1	1	1	8	5	8	19
NEGRO.....MALE....	15	-	-	-	-	-	-	-	-	1
FEMALE..	4	-	1	-	1	-	2	-	-	-
OTHER.....MALE....	1	-	-	-	-	-	-	-	-	-
FEMALE..	1	-	-	-	-	-	-	-	-	-
ACCIDENTAL POISONING BY SOLID AND LIQUID SUBSTANCES.....E870-E888	1,679	56	194	133	44	18	445	16	5	34
WHITE.....MALE....	753	23	55	50	20	4	152	5	2	26
FEMALE..	512	19	51	39	9	7	125	1	3	1
NEGRO.....MALE....	248	9	51	29	11	4	104	4	-	6
FEMALE..	136	3	34	13	3	2	55	5	-	-
OTHER.....MALE....	21	1	3	2	-	-	6	1	-	1
FEMALE..	9	1	-	-	1	1	3	-	-	-
ACCIDENTAL POISONING BY GASES AND VAPORS.....E890-E895	1,253	17	18	12	7	4	58	29	33	102
WHITE.....MALE....	794	6	5	3	2	2	18	12	19	56
FEMALE..	294	5	10	7	4	2	28	13	8	35
NEGRO.....MALE....	104	3	2	2	-	-	7	3	4	4
FEMALE..	57	3	1	-	1	-	5	1	1	7
OTHER.....MALE....	2	-	-	-	-	-	-	-	-	-
FEMALE..	2	-	-	-	-	-	-	-	1	-
ACCIDENTAL FALLS.....E900-E904	19,023	207	122	71	64	20	484	111	90	127
WHITE.....MALE....	8,407	88	45	22	28	8	191	58	61	90
FEMALE..	9,198	55	40	23	11	7	136	31	16	20
NEGRO.....MALE....	814	39	12	15	10	-	76	13	7	9
FEMALE..	504	24	22	9	13	2	70	7	3	2
OTHER.....MALE....	76	1	2	2	2	-	7	2	3	6
FEMALE..	24	-	1	-	-	3	4	-	-	-
FALL FROM ONE LEVEL TO ANOTHER.....E900-E902	6,019	152	87	55	49	14	357	86	65	91
WHITE.....MALE....	3,425	70	30	17	20	6	143	47	45	66
FEMALE..	1,896	39	29	16	8	5	97	21	11	12
NEGRO.....MALE....	455	23	10	13	9	-	55	10	6	7
FEMALE..	191	19	17	7	11	1	55	6	-	1
OTHER.....MALE....	46	1	1	2	1	-	5	2	3	5
FEMALE..	6	-	-	-	-	2	2	-	-	-
FALL ON SAME LEVEL.....E903	3,689	10	8	3	1	1	23	7	5	10
WHITE.....MALE....	1,450	2	3	1	-	-	6	2	2	8
FEMALE..	2,064	4	3	1	-	-	8	3	3	1
NEGRO.....MALE....	86	2	1	1	-	-	4	1	-	1
FEMALE..	78	2	1	-	1	-	4	1	-	-
OTHER.....MALE....	7	-	-	-	-	-	-	-	-	-
FEMALE..	4	-	-	-	-	1	1	-	-	-
UNSPECIFIED FALLS.....E904	9,315	45	27	13	14	5	104	18	20	26
WHITE.....MALE....	3,532	16	12	4	8	2	42	9	14	16
FEMALE..	5,238	12	8	6	3	2	31	7	2	7
NEGRO.....MALE....	273	14	1	1	1	-	17	2	1	1
FEMALE..	235	3	4	2	1	1	11	-	3	1
OTHER.....MALE....	23	-	1	-	1	-	2	-	-	1
FEMALE..	14	-	1	-	-	-	1	-	-	-

Race, and Sex: United States, 1960—Continued

category numbers of the Seventh Revision of the International Lists, 1955. For complete category titles, see table 5-8)

20-24 years	25-29 years	30-34 years	35-39 years	40-44 years	45-49 years	50-54 years	55-59 years	60-64 years	65-69 years	70-74 years	75-79 years	80-84 years	85-89 years	90-94 years	95-99 years	100 and over	Not stated	
																		1
																		2
																		3
																		4
																		5
																		6
1,942	1,116	874	717	694	594	479	373	320	253	208	133	81	21	9	2	-	5	7
1,545	835	631	503	498	398	337	243	210	144	130	80	55	8	4	-	-	3	8
180	117	107	102	101	111	86	90	75	83	68	48	23	10	5	2	-	1	9
165	121	105	86	73	68	40	32	28	21	6	3	2	2	-	-	-	1	10
19	21	12	14	17	10	9	2	4	3	1	2	-	1	-	-	-	-	11
28	21	13	10	3	4	7	5	2	1	2	-	-	-	-	-	-	-	12
5	1	6	2	2	3	-	1	1	1	1	-	1	-	-	-	-	-	13
																		14
455	245	208	212	175	187	155	162	123	127	116	88	44	16	4	1	-	3	15
333	181	143	137	112	114	98	92	74	76	74	49	29	8	1	-	-	1	16
75	33	45	48	42	50	35	52	37	46	35	34	13	5	3	1	-	1	17
29	27	17	25	16	19	20	12	7	4	4	3	2	2	-	-	-	-	18
12	2	3	1	4	2	2	4	4	-	3	1	-	1	-	-	-	1	19
6	1	-	1	1	1	-	2	-	1	-	-	-	-	-	-	-	-	20
-	1	-	-	-	1	-	-	1	-	-	1	-	-	-	-	-	-	21
																		22
54	51	60	51	35	44	44	41	51	32	35	25	14	6	2	3	-	-	23
43	39	52	41	29	34	33	29	36	25	20	17	9	2	1	1	-	-	24
6	1	6	5	3	5	6	3	10	6	11	8	5	3	1	2	-	-	25
4	10	2	5	1	4	4	7	3	1	2	-	-	1	-	-	-	-	26
1	1	-	-	1	-	-	1	2	-	-	-	-	-	-	-	-	-	27
-	-	-	-	-	1	-	1	-	-	2	-	-	-	-	-	-	-	28
-	-	-	-	1	-	1	-	-	-	-	-	-	-	-	-	-	-	29
																		30
																		31
10	10	6	9	6	9	11	11	15	15	10	12	5	1	1	-	-	-	32
5	8	4	7	4	6	8	11	11	10	8	7	4	1	1	-	-	-	33
2	-	2	2	2	1	-	-	2	1	1	3	1	-	-	-	-	-	34
1	1	-	-	-	-	2	-	1	2	-	2	-	-	-	-	-	-	35
-	-	-	-	-	-	1	-	1	1	1	-	-	-	-	-	-	-	36
2	1	-	-	-	2	-	-	-	1	-	-	-	-	-	-	-	-	37
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	38
																		39
163	143	133	154	133	128	116	77	60	35	19	11	5	-	-	-	-	2	40
145	114	113	123	114	96	90	69	50	34	13	11	4	-	-	-	-	1	41
4	5	4	8	6	8	9	3	3	-	3	-	1	-	-	-	-	-	42
12	20	8	18	12	20	13	5	6	1	3	-	-	-	-	-	-	1	43
1	1	2	2	-	1	2	-	-	-	-	-	-	-	-	-	-	-	44
1	3	6	3	1	3	2	-	1	-	-	-	-	-	-	-	-	-	45
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	46
																		47
220	271	231	200	156	106	81	42	25	12	8	5	-	-	1	-	-	-	48
178	232	205	181	142	91	66	33	22	9	5	5	-	-	1	-	-	-	49
35	36	22	19	13	14	14	9	3	2	3	-	-	-	-	-	-	-	50
7	3	2	-	-	1	-	-	-	1	-	-	-	-	-	-	-	-	51
-	-	1	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	52
-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	53
-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	54
																		55
54	72	101	149	142	163	141	99	81	76	46	24	15	12	2	-	-	2	56
25	31	47	57	58	86	76	57	40	44	21	15	6	3	1	-	-	1	57
14	17	27	42	55	47	51	30	33	23	20	6	8	8	1	-	-	-	58
8	11	15	30	18	18	9	5	6	7	3	1	1	1	-	-	-	1	59
6	11	9	15	11	9	3	6	2	2	1	1	-	-	-	-	-	-	60
1	2	1	2	-	2	2	1	-	-	1	1	-	-	-	-	-	-	61
-	-	2	3	-	1	-	-	-	-	-	-	-	-	-	-	-	-	62
																		63
114	100	84	98	77	99	91	100	62	72	48	39	35	10	2	-	-	-	64
82	64	56	63	51	76	61	71	45	50	25	22	15	7	1	-	-	-	65
22	19	12	18	13	10	18	18	11	17	20	13	16	2	1	-	-	-	66
6	11	10	9	8	11	8	9	3	4	2	2	3	-	-	-	-	-	67
3	6	6	8	4	1	4	2	3	1	1	2	1	1	-	-	-	-	68
1	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	69
-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	70
																		71
128	162	212	325	422	576	684	736	992	1,345	1,931	2,646	3,320	2,829	1,487	355	54	7	72
96	103	119	207	258	364	456	497	580	778	891	1,038	1,144	917	425	117	13	4	73
7	17	31	37	72	112	106	146	297	472	959	1,493	2,117	1,850	1,017	227	34	1	74
20	29	46	70	65	67	98	60	74	55	31	43	15	17	15	-	2	2	75
4	11	11	10	23	30	20	30	34	36	43	54	38	37	26	11	4	-	76
1	2	5	1	2	2	2	3	6	4	3	13	5	7	1	-	1	-	77
-	-	-	-	2	1	2	-	1	-	4	5	1	1	3	-	-	-	78
																		79
90	116	131	184	251	303	346	353	433	554	587	647	642	491	229	51	12	-	80
71	79	87	117	165	199	242	259	283	387	347	311	286	191	76	18	6	-	81
3	8	16	20	31	46	43	42	94	134	209	299	344	282	147	31	6	-	82
13	20	20	44	39	42	53	33	40	24	16	17	6	6	4	-	-	-	83
2	7	4	2	13	13	7	18	12	6	14	14	5	9	1	2	-	-	84
1	2	4	1	2	2	1	1	3	3	1	6	1	2	1	-	-	-	85
-	-	-	-	1	1	-	-	1	-	-	-	-	1	-	-	-	-	86
																		87
5	11	16	46	50	77	88	111	168	244	412	600	740	643	340	82	10	1	88
4	7	1	28	27	46	60	74	96	109	176	229	236	213	97	26	2	1	89
-	1	8	5	8	19	17	30	62	112	224	354	494	421	233	54	7	-	90
1	2	6	11	11	6	5	4	5	14	4	4	1	2	3	-	1	-	91
-	1	1	2	3	6	5	3	4	9	7	11	8	5	6	2	-	-	92
-	-	-	-	-	-	1	-	1	-	1	1	1	2	-	-	-	-	93
-	-	-	-	1	-	-	-	-	-	-	1	-	-	1	-	-	-	94
																		95
33	35	65	95	121	196	250	272	391	547	932	1,399	1,938	1,695	918	222	32	6	96
21	17	31	62	66	119	154	164	201	282	368	498	622	513	252	73	5	3	97
4	8	7	12	33	47	46	74	141	226	526	840	1,279	1,147	637	142	21	1	98
6	7	20	15	15	19	40	23	29	17	11	22	8	9	8	-	1	2	99
2	3	6	6	7	11	8	9	18	21	22	29	25	23	19	7	4	-	100
-	-	1	-	-	-	-	2	2	1	1	6	3	3	-	-	1	-	101
-	-	-	-	-	-	2	-	-	-	4	4	1	-	2	-	-	-	102

Table 5-9. Deaths From 255 Selected Causes, by Age,

(Data refer only to deaths occurring within the United States, including Alaska and Hawaii. Excludes fetal deaths. Numbers after causes

CAUSE OF DEATH, RACE, AND SEX	Total	Under 1 year	1 year	2 years	3 years	4 years	Under 5 years	5-9 years	10-14 years	15-19 years
XVII. ACCIDENTS, POISONINGS, AND VIOLENCE—CON.										
ACCIDENTS—CON.										
BLOW FROM FALLING OR PROJECTED OBJECT OR MISSILE.....E910	1,404	5	8	19	18	11	61	40	26	61
WHITE.....MALE....	1,167	3	5	12	11	9	40	29	23	55
FEMALE..	45	1	3	4	7	2	17	5	1	1
NEGRO.....MALE....	174	-	-	1	-	-	1	3	2	4
FEMALE..	9	-	-	1	-	-	1	3	-	1
OTHER.....MALE....	8	-	-	1	-	-	1	-	-	-
FEMALE..	1	1	-	-	-	-	1	-	-	-
ACCIDENT CAUSED BY MACHINERY.....E912	1,951	1	12	24	14	15	66	70	76	108
WHITE.....MALE....	1,689	-	11	16	11	11	49	49	67	92
FEMALE..	63	1	1	8	1	4	15	13	2	1
NEGRO.....MALE....	175	-	-	-	1	-	1	8	5	13
FEMALE..	5	-	-	-	-	-	-	-	-	-
OTHER.....MALE....	19	-	-	-	1	-	1	-	2	2
FEMALE..	-	-	-	-	-	-	-	-	-	-
ACCIDENT CAUSED BY ELECTRIC CURRENT.....E914	989	6	17	7	5	7	42	24	46	85
WHITE.....MALE....	838	4	11	6	4	4	29	15	36	73
FEMALE..	66	2	6	1	1	2	12	7	5	4
NEGRO.....MALE....	71	-	-	-	-	1	1	2	3	6
FEMALE..	5	-	-	-	-	-	-	-	1	1
OTHER.....MALE....	9	-	-	-	-	-	-	-	1	1
FEMALE..	-	-	-	-	-	-	-	-	-	-
ACCIDENT CAUSED BY FIRE AND EXPLOSION OF COMBUSTIBLE MATERIAL..E916	7,645	328	280	310	277	280	1,475	639	192	109
WHITE.....MALE....	3,100	68	84	85	75	60	372	164	80	59
FEMALE..	2,148	70	77	82	67	85	381	205	54	31
NEGRO.....MALE....	1,143	100	64	77	53	54	348	85	20	11
FEMALE..	1,183	87	53	61	81	79	361	179	35	6
OTHER.....MALE....	36	2	2	-	-	-	4	2	-	1
FEMALE..	35	1	-	5	1	2	9	4	3	1
ACCIDENT CAUSED BY HOT SUBSTANCE, ETC.....E917,E918	402	36	88	42	18	6	190	4	1	3
WHITE.....MALE....	160	19	32	14	10	1	76	1	-	2
FEMALE..	132	12	31	12	4	2	61	1	-	-
NEGRO.....MALE....	64	1	16	9	3	2	31	2	1	-
FEMALE..	38	2	8	6	1	1	18	-	-	1
OTHER.....MALE....	7	2	1	-	-	-	3	-	-	-
FEMALE..	1	-	-	1	-	-	1	-	-	-
ACCIDENT CAUSED BY FIREARM.....E919	2,334	12	12	14	22	24	84	156	304	375
WHITE.....MALE....	1,671	4	6	8	9	7	34	73	232	273
FEMALE..	229	2	2	3	5	9	21	30	27	27
NEGRO.....MALE....	321	1	1	2	4	4	12	39	32	61
FEMALE..	88	4	2	-	3	4	13	13	10	11
OTHER.....MALE....	18	1	-	-	-	-	1	1	3	2
FEMALE..	7	-	1	1	1	-	3	-	-	1
INHALATION AND INGESTION OF FOOD OR OTHER OBJECT, ETC.....E921,E922	2,397	1,204	126	55	29	18	1,432	44	27	21
WHITE.....MALE....	1,187	536	55	26	16	12	645	26	16	12
FEMALE..	746	366	35	18	6	3	428	11	8	2
NEGRO.....MALE....	241	153	20	5	4	1	183	4	-	5
FEMALE..	184	129	13	2	3	2	149	2	2	2
OTHER.....MALE....	23	9	3	2	-	-	14	-	1	-
FEMALE..	16	11	-	2	-	-	13	1	-	-
ACCIDENTAL DROWNING.....E929	5,232	57	243	173	142	108	723	603	722	746
WHITE.....MALE....	3,355	24	130	106	96	79	435	375	401	505
FEMALE..	708	22	91	57	34	19	223	107	87	44
NEGRO.....MALE....	929	4	3	4	9	3	23	93	208	180
FEMALE..	120	5	9	3	3	3	23	15	19	9
OTHER.....MALE....	103	1	7	1	-	3	12	9	5	8
FEMALE..	17	1	3	2	-	1	7	4	2	-
EXCESSIVE HEAT AND INSOLATION.....E931	168	13	2	-	1	-	16	-	4	2
WHITE.....MALE....	101	4	2	-	-	-	6	-	4	2
FEMALE..	33	3	-	-	1	-	4	-	-	-
NEGRO.....MALE....	24	3	-	-	-	-	3	-	-	-
FEMALE..	7	3	-	-	-	-	3	-	-	-
OTHER.....MALE....	1	-	-	-	-	-	-	-	-	-
FEMALE..	2	-	-	-	-	-	-	-	-	-
COMPLICATIONS DUE TO NONTHERAPEUTIC MEDICAL AND SURGICAL PROCEDURES, THERAPEUTIC MISADVENTURE, ETC.....E940-E959	1,115	37	11	6	6	5	65	18	12	14
WHITE.....MALE....	473	18	4	4	3	3	32	7	5	5
FEMALE..	473	6	5	-	2	2	15	6	6	7
NEGRO.....MALE....	75	7	2	-	1	-	10	3	1	-
FEMALE..	85	6	-	2	-	-	8	2	-	2
OTHER.....MALE....	3	-	-	-	-	-	-	-	-	-
FEMALE..	6	-	-	-	-	-	-	-	-	-
ALL OTHER ACCIDENTS.....RESIDUAL	5,858	1,509	134	60	53	40	1,796	172	238	178
WHITE.....MALE....	3,200	570	62	34	26	23	715	109	184	135
FEMALE..	1,310	445	42	15	13	9	524	28	27	18
NEGRO.....MALE....	804	250	13	9	4	6	282	20	18	16
FEMALE..	382	215	13	2	7	-	237	7	3	6
OTHER.....MALE....	113	15	2	-	1	2	20	7	4	3
FEMALE..	49	14	2	-	2	-	18	1	2	-
SUICIDE.....E963,E970-E979	19,041	-	-	-	-	-	-	3	90	475
WHITE.....MALE....	13,825	-	-	-	-	-	-	2	73	345
FEMALE..	4,296	-	-	-	-	-	-	-	15	91
NEGRO.....MALE....	584	-	-	-	-	-	-	-	2	21
FEMALE..	157	-	-	-	-	-	-	1	-	8
OTHER.....MALE....	130	-	-	-	-	-	-	-	-	6
FEMALE..	49	-	-	-	-	-	-	-	-	4

Race, and Sex: United States, 1960—Continued

category numbers of the Seventh Revision of the International Lists, 1955. For complete category titles, see table 5-8)

20-24 years	25-29 years	30-34 years	35-39 years	40-44 years	45-49 years	50-54 years	55-59 years	60-64 years	65-69 years	70-74 years	75-79 years	80-84 years	85-89 years	90-94 years	95-99 years	100 and over	Not stated	
																		1
																		2
																		3
																		4
108	87	116	152	159	161	133	122	71	44	26	25	9	3	-	-	-	-	5
94	67	101	124	129	142	107	105	58	39	23	23	7	1	-	-	-	-	6
-	-	-	2	2	-	5	3	4	1	1	-	1	2	-	-	-	-	7
14	19	14	24	26	19	20	13	8	2	2	2	1	-	-	-	-	-	8
-	-	-	-	1	-	-	-	1	2	-	-	-	-	-	-	-	-	9
-	1	1	2	1	-	1	1	-	-	-	-	-	-	-	-	-	-	10
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	11
																		12
116	128	154	165	175	178	191	165	129	94	74	41	14	1	4	-	-	2	13
102	111	132	136	150	155	168	147	114	91	68	40	14	1	2	-	-	1	14
-	2	5	3	4	3	6	1	3	-	3	-	-	-	2	-	-	-	15
12	13	14	24	19	18	15	17	11	3	1	-	-	-	-	-	-	1	16
-	-	1	2	-	1	-	-	1	-	-	-	-	-	-	-	-	-	17
2	2	2	-	2	1	2	-	-	-	2	1	-	-	-	-	-	-	18
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	19
																		20
132	126	119	97	80	76	56	50	24	17	12	2	-	1	-	-	-	-	21
119	113	103	81	67	65	47	40	22	16	10	2	-	-	-	-	-	-	22
4	4	7	2	3	6	3	4	1	1	2	-	-	1	-	-	-	-	23
7	8	7	13	10	4	5	4	1	-	-	-	-	-	-	-	-	-	24
-	-	1	1	-	1	-	-	-	-	-	-	-	-	-	-	-	-	25
2	1	1	-	-	-	1	2	-	-	-	-	-	-	-	-	-	-	26
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	27
																		28
183	204	315	337	414	428	469	405	376	484	481	455	374	205	70	12	5	13	29
84	105	152	165	217	220	233	192	167	200	207	201	158	87	26	5	-	6	30
43	47	75	80	106	109	132	95	97	151	141	146	146	79	20	5	2	3	31
26	31	50	60	52	64	64	62	49	62	56	41	29	17	10	1	2	3	32
26	18	35	29	35	32	38	54	57	69	75	64	37	18	12	1	1	1	33
2	3	1	2	3	2	1	1	4	-	1	2	3	4	-	-	-	-	34
2	-	2	1	1	1	1	1	2	2	1	1	1	-	2	-	-	-	35
																		36
2	6	4	7	6	12	15	20	17	18	28	22	25	15	5	2	-	-	37
2	5	1	4	2	6	7	10	4	7	10	9	8	4	1	1	-	-	38
-	-	2	2	3	3	3	2	7	4	12	8	13	9	2	-	-	-	39
-	1	1	1	-	2	2	4	4	4	3	5	1	-	2	-	-	-	40
-	-	-	-	1	1	3	4	2	2	2	-	3	1	-	-	-	-	41
-	-	-	-	-	-	-	-	-	1	1	-	-	1	-	1	-	-	42
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	43
																		44
																		45
212	165	153	147	142	161	142	104	72	54	27	19	12	2	1	-	-	2	46
145	112	99	106	107	134	121	86	61	44	20	13	10	1	-	-	-	-	47
13	19	20	17	16	11	5	6	5	4	3	1	2	1	1	-	-	-	48
38	25	24	18	14	14	11	11	6	5	4	5	-	-	-	-	-	2	49
12	5	10	3	3	1	5	1	-	1	-	-	-	-	-	-	-	-	50
3	3	-	3	2	-	-	-	-	-	-	-	-	-	-	-	-	-	51
1	1	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	52
																		53
23	30	44	60	50	81	84	67	64	76	85	67	76	38	23	4	-	1	54
15	20	17	37	26	41	52	36	39	50	46	37	38	21	12	-	-	1	55
6	6	15	17	20	29	26	25	15	18	29	30	35	15	9	2	-	-	56
1	3	6	6	2	6	3	4	3	4	7	-	2	1	1	-	-	-	57
1	1	4	-	2	5	3	2	5	2	1	-	-	1	1	1	-	-	58
-	-	1	-	-	-	-	-	2	1	2	-	1	-	-	1	-	-	59
-	-	1	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	60
																		61
386	250	230	252	216	206	187	189	151	126	96	59	41	20	6	5	-	18	62
256	150	155	165	140	142	130	131	103	95	69	40	27	14	5	4	-	13	63
20	22	18	25	19	22	20	21	22	16	18	8	10	4	1	-	-	1	64
89	61	48	43	39	32	32	28	19	12	7	8	2	2	-	-	-	3	65
7	6	3	8	10	4	4	5	3	1	1	1	1	-	-	-	-	-	66
13	11	6	10	6	6	1	4	4	2	1	2	1	-	-	1	-	1	67
1	-	-	1	2	-	-	-	-	-	-	-	-	-	-	-	-	-	68
																		69
9	5	4	7	12	17	16	16	11	8	10	9	9	9	3	1	-	-	70
6	4	1	6	6	11	12	12	7	4	6	4	4	4	2	-	-	-	71
-	-	1	-	-	1	-	2	2	4	4	4	4	5	1	1	-	-	72
2	-	1	1	6	4	2	2	2	-	-	1	-	-	-	-	-	-	73
-	1	-	-	-	1	2	-	-	-	-	-	-	-	-	-	-	-	74
1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	75
-	-	1	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	76
																		77
																		78
27	24	33	54	61	72	89	86	107	109	124	96	74	39	10	1	-	-	79
4	7	8	19	18	25	46	40	59	52	59	38	29	16	3	1	-	-	80
15	13	17	20	26	30	30	37	35	44	54	50	40	21	7	-	-	-	81
3	2	2	3	5	5	8	5	9	4	6	7	1	1	-	-	-	-	82
5	2	5	10	12	12	5	4	4	8	3	-	2	1	-	-	-	-	83
-	-	1	-	-	-	-	-	-	1	-	1	-	-	-	-	-	-	84
-	-	-	2	-	-	-	-	-	-	2	-	2	-	-	-	-	-	85
																		86
189	185	221	281	284	313	321	276	290	271	249	213	176	129	49	16	3	8	87
132	118	130	163	164	191	202	183	173	181	146	124	77	53	14	4	-	2	88
17	20	17	34	53	37	54	41	55	53	63	73	85	68	31	9	2	1	89
28	33	47	55	47	60	45	36	38	24	26	10	10	6	-	-	-	3	90
5	7	13	18	12	12	12	10	15	8	6	3	2	-	4	2	-	-	91
6	5	12	6	6	10	7	3	6	5	7	2	-	1	-	1	1	1	92
1	2	2	5	2	3	1	3	3	-	1	1	2	1	-	-	-	1	93
																		94
																		95
764	983	1,301	1,649	1,767	2,077	2,173	1,993	1,697	1,337	1,187	834	459	196	37	7	2	10	96
555	653	830	1,067	1,244	1,457	1,610	1,489	1,266	1,034	942	666	379	166	32	4	1	10	97
149	231	360	465	430	535	490	422	373	259	220	156	68	24	5	2	1	-	98
33	70	69	78	61	50	46	57	43	29	14	6	3	1	-	1	-	-	99
10	18	21	19	18	14	16	12	8	6	4	2	-	-	-	-	-	-	100
16	7	14	15	7	20	9	10	6	5	4	4	4	3	-	-	-	-	101
1	4	7	5	7	1	2	3	1	4	3	-	5	2	-	-	-	-	102

Table 5-9. Deaths From 255 Selected Causes, by Age,

(Data refer only to deaths occurring within the United States, including Alaska and Hawaii. Excludes fetal deaths. Numbers after causes

CAUSE OF DEATH, RACE, AND SEX	Total	Under 1 year	1 year	2 years	3 years	4 years	Under 5 years	5-9 years	10-14 years	15-19 years
XVII. ACCIDENTS, POISONINGS, AND VIOLENCE—CON.										
SUICIDE—CON.										
SUICIDE BY POISONING....E970-E973	4,330	-	-	-	-	-	-	-	3	88
WHITE....MALE....	2,564	-	-	-	-	-	-	-	1	62
FEMALE..	1,649	-	-	-	-	-	-	-	2	21
NEGRO....MALE....	52	-	-	-	-	-	-	-	-	2
FEMALE..	39	-	-	-	-	-	-	-	-	3
OTHER....MALE....	15	-	-	-	-	-	-	-	-	-
FEMALE..	11	-	-	-	-	-	-	-	-	-
SUICIDE BY HANGING AND STRANGULATION....E974	3,366	-	-	-	-	-	-	-	50	78
WHITE....MALE....	2,461	-	-	-	-	-	-	-	44	66
FEMALE..	747	-	-	-	-	-	-	-	4	8
NEGRO....MALE....	71	-	-	-	-	-	-	-	2	1
FEMALE..	24	-	-	-	-	-	-	-	-	1
OTHER....MALE....	44	-	-	-	-	-	-	-	-	2
FEMALE..	19	-	-	-	-	-	-	-	-	-
SUICIDE BY FIREARM AND EXPLOSIVE....E976	9,017	-	-	-	-	-	-	2	35	267
WHITE....MALE....	7,503	-	-	-	-	-	-	2	27	195
FEMALE..	1,087	-	-	-	-	-	-	-	8	48
NEGRO....MALE....	322	-	-	-	-	-	-	-	-	15
FEMALE..	44	-	-	-	-	-	-	-	-	3
OTHER....MALE....	54	-	-	-	-	-	-	-	-	4
FEMALE..	7	-	-	-	-	-	-	-	-	2
SUICIDE BY ALL OTHER MEANS....E963,E975,E977-E979	2,328	-	-	-	-	-	-	1	2	42
WHITE....MALE....	1,297	-	-	-	-	-	-	-	1	22
FEMALE..	813	-	-	-	-	-	-	-	1	14
NEGRO....MALE....	139	-	-	-	-	-	-	-	-	3
FEMALE..	50	-	-	-	-	-	-	1	-	1
OTHER....MALE....	17	-	-	-	-	-	-	-	-	-
FEMALE..	12	-	-	-	-	-	-	-	-	2
HOMICIDE....E964,E980-E985	8,464	199	48	32	22	14	315	83	90	535
WHITE....MALE....	2,832	68	14	11	9	8	110	30	35	187
FEMALE..	1,154	60	15	10	8	2	95	29	22	71
NEGRO....MALE....	3,345	29	9	4	3	2	47	10	20	216
FEMALE..	1,013	39	7	7	2	2	57	10	12	55
OTHER....MALE....	92	2	1	-	-	-	3	2	1	4
FEMALE..	28	1	2	-	-	-	3	2	-	2
ASSAULT BY FIREARM AND EXPLOSIVE....E981	4,627	8	5	8	8	3	32	40	53	315
WHITE....MALE....	1,637	3	1	3	3	1	11	17	26	110
FEMALE..	671	1	2	3	3	-	9	15	10	52
NEGRO....MALE....	1,783	1	1	-	2	1	5	5	14	122
FEMALE..	488	2	-	2	-	1	5	3	3	26
OTHER....MALE....	40	-	-	-	-	-	-	-	-	4
FEMALE..	8	1	1	-	-	-	2	-	-	1
ASSAULT BY CUTTING AND PIERCING INSTRUMENTS....E982	1,836	6	2	3	2	-	13	6	13	135
WHITE....MALE....	385	1	1	1	1	-	4	2	1	38
FEMALE..	123	3	-	1	1	-	5	3	7	6
NEGRO....MALE....	1,039	1	-	-	-	-	1	1	3	72
FEMALE..	269	1	1	1	-	-	3	-	2	19
OTHER....MALE....	18	-	-	-	-	-	-	-	-	-
FEMALE..	2	-	-	-	-	-	-	-	-	-
ASSAULT BY OTHER MEANS....E964,E980,E98	1,700	185	41	21	12	11	270	37	24	59
WHITE....MALE....	665	64	12	7	5	7	95	11	8	24
FEMALE..	359	56	13	6	4	2	81	11	5	13
NEGRO....MALE....	371	27	8	4	1	1	41	4	3	11
FEMALE..	254	36	6	4	2	1	49	7	7	10
OTHER....MALE....	33	2	1	-	-	-	3	2	1	-
FEMALE..	18	-	1	-	-	-	1	2	-	1
INJURY BY INTERVENTION OF POLICE....E984	245	-	-	-	-	-	-	-	-	25
WHITE....MALE....	124	-	-	-	-	-	-	-	-	14
FEMALE..	1	-	-	-	-	-	-	-	-	-
NEGRO....MALE....	117	-	-	-	-	-	-	-	-	11
FEMALE..	2	-	-	-	-	-	-	-	-	-
OTHER....MALE....	1	-	-	-	-	-	-	-	-	-
FEMALE..	-	-	-	-	-	-	-	-	-	-
EXECUTION....E985	56	-	-	-	-	-	-	-	-	1
WHITE....MALE....	21	-	-	-	-	-	-	-	-	1
FEMALE..	-	-	-	-	-	-	-	-	-	-
NEGRO....MALE....	35	-	-	-	-	-	-	-	-	-
FEMALE..	-	-	-	-	-	-	-	-	-	-
OTHER....MALE....	-	-	-	-	-	-	-	-	-	-
FEMALE..	-	-	-	-	-	-	-	-	-	-
INJURY RESULTING FROM OPERATIONS OF WAR....E965,E990-E999	38	-	-	-	-	-	-	-	-	-
WHITE....MALE....	37	-	-	-	-	-	-	-	-	-
FEMALE..	-	-	-	-	-	-	-	-	-	-
NEGRO....MALE....	1	-	-	-	-	-	-	-	-	-
FEMALE..	-	-	-	-	-	-	-	-	-	-
OTHER....MALE....	-	-	-	-	-	-	-	-	-	-
FEMALE..	-	-	-	-	-	-	-	-	-	-

Race, and Sex: United States, 1960—Continued

of death are category numbers of the Seventh Revision of the International Lists, 1955. For complete category titles, see table 5-8)

20-24 years	25-29 years	30-34 years	35-39 years	40-44 years	45-49 years	50-54 years	55-59 years	60-64 years	65-69 years	70-74 years	75-79 years	80-84 years	85-89 years	90-94 years	95-99 years	100 and over	Not stated	
																		1
																		2
																		3
190	233	363	523	504	556	531	438	350	210	167	110	48	13	1	-	-	2	4
124	146	194	277	306	317	319	281	217	131	89	61	30	7	-	-	-	2	5
57	76	148	229	180	230	205	150	130	75	76	47	17	5	1	-	-	-	6
3	5	10	9	5	4	4	5	1	1	1	1	1	-	-	-	-	-	7
3	5	7	4	9	2	1	-	2	2	1	-	-	-	-	-	-	-	8
3	1	2	1	1	3	1	1	-	1	-	1	-	-	-	-	-	-	9
-	-	2	3	3	-	1	1	-	-	-	-	-	1	-	-	-	-	10
																		11
																		12
111	127	173	196	246	314	371	367	364	315	276	196	120	42	18	1	-	1	13
91	83	107	123	167	217	266	267	264	231	219	161	101	36	17	-	-	1	14
10	30	55	57	64	83	90	83	89	73	53	32	11	3	1	1	-	-	15
6	12	7	9	7	6	5	6	4	5	1	-	-	-	-	-	-	-	16
2	1	-	4	3	2	5	3	2	1	-	-	-	-	-	-	-	-	17
2	1	2	3	3	6	4	6	5	1	1	3	3	2	-	-	-	-	18
-	-	2	-	2	-	1	2	-	4	2	-	5	1	-	-	-	-	19
																		20
395	506	638	750	842	1,007	1,011	951	754	611	553	385	195	97	10	2	1	5	21
298	367	469	578	681	819	874	814	657	542	520	364	187	92	10	1	1	5	22
67	97	120	126	119	151	101	88	65	48	22	17	7	3	-	-	-	-	23
17	32	33	35	36	24	28	41	30	16	9	4	-	1	-	1	-	-	24
1	4	8	4	4	3	5	7	1	3	1	-	-	-	-	-	-	-	25
11	3	8	7	2	9	3	1	1	2	1	-	1	1	-	-	-	-	26
1	3	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	27
																		28
68	117	127	180	175	200	260	237	229	201	191	143	96	44	8	4	1	2	29
42	57	60	89	90	104	151	127	128	130	114	80	61	31	5	3	-	2	30
15	28	37	53	67	71	94	101	89	63	69	60	33	13	3	1	1	-	31
7	21	19	25	13	16	9	5	8	7	3	1	2	-	-	-	-	-	32
4	8	6	7	2	7	5	2	3	-	2	2	-	-	-	-	-	-	33
-	2	2	4	1	2	1	2	-	1	2	-	-	-	-	-	-	-	34
-	1	3	2	2	-	-	-	1	-	1	-	-	-	-	-	-	-	35
																		36
887	1,094	1,114	1,047	901	730	539	392	264	175	137	72	37	16	4	1	1	30	37
277	316	305	315	270	260	200	178	119	85	74	32	18	7	1	-	1	12	38
93	97	111	124	117	102	77	67	45	26	36	20	9	5	3	-	-	5	39
389	508	522	456	386	291	197	111	85	50	23	16	6	2	-	1	-	9	40
112	157	167	140	112	68	56	35	10	11	3	3	1	1	-	-	-	3	41
13	11	9	9	11	7	9	-	4	3	1	1	2	1	-	-	-	1	42
3	5	-	3	5	2	-	1	1	-	-	-	1	-	-	-	-	-	43
																		44
521	662	640	592	522	428	308	205	132	77	54	22	10	4	2	-	1	7	45
169	203	195	193	169	168	121	98	68	36	30	13	7	-	-	-	1	2	46
60	69	80	83	81	68	48	36	22	14	14	4	2	2	2	-	-	-	47
224	300	280	229	213	161	103	51	35	22	9	5	-	1	-	-	-	4	48
61	83	80	80	55	28	32	20	6	4	1	-	-	1	-	-	-	-	49
7	5	5	5	3	3	4	-	1	1	-	-	1	-	-	-	-	1	50
-	2	-	2	1	-	-	-	-	-	-	-	-	-	-	-	-	-	51
																		52
209	266	282	263	203	159	105	63	52	32	17	6	4	1	-	-	-	7	53
51	56	38	46	38	37	20	16	13	15	6	1	1	1	-	-	-	1	54
14	14	11	10	14	9	10	5	6	-	4	3	2	-	-	-	-	-	55
109	145	185	168	119	91	61	31	28	13	6	1	1	-	-	-	-	4	56
33	49	46	36	28	20	12	11	3	4	1	-	-	-	-	-	-	2	57
1	2	2	3	4	2	2	-	1	-	-	1	-	-	-	-	-	-	58
1	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	59
																		60
99	108	137	152	145	131	121	116	76	63	66	44	22	11	2	1	-	16	61
29	31	47	56	48	51	55	58	37	33	38	18	10	6	1	-	-	9	62
19	14	20	31	21	25	19	26	17	12	18	13	5	3	1	-	-	5	63
26	31	27	40	39	32	32	28	19	13	8	10	4	1	-	1	-	1	64
18	25	41	23	29	20	12	3	1	3	1	3	1	-	-	-	-	1	65
5	4	2	1	4	1	3	-	2	2	1	-	1	1	-	-	-	-	66
2	3	-	1	4	2	-	1	-	-	-	-	1	-	-	-	-	-	67
																		68
50	42	39	33	25	11	4	8	4	3	-	-	1	-	-	-	-	-	69
27	21	19	14	14	3	4	6	1	1	-	-	-	-	-	-	-	-	70
-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	71
23	21	20	18	10	7	-	1	3	2	-	-	1	-	-	-	-	-	72
-	-	-	1	-	-	-	1	-	-	-	-	-	-	-	-	-	-	73
-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	74
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	75
																		76
8	16	16	7	6	1	1	-	-	-	-	-	-	-	-	-	-	-	77
1	5	6	6	1	1	-	-	-	-	-	-	-	-	-	-	-	-	78
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	79
7	11	10	1	5	-	1	-	-	-	-	-	-	-	-	-	-	-	80
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	81
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	82
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	83
																		84
-	-	3	11	7	3	1	-	5	5	3	-	-	-	-	-	-	-	85
-	-	3	10	7	3	1	-	5	5	3	-	-	-	-	-	-	-	86
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	87
-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	88
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	89
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	90
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	91

692-280 O - 63 - 8

Table 5-10. Deaths From 255 Selected Causes, by Color

(By place of residence. Data refer only to deaths occurring within the United States, including Alaska and Hawaii. Excludes fetal deaths. Num-

CAUSE OF DEATH	UNITED STATES					ALABAMA				
	Total	White		Nonwhite		Total	White		Nonwhite	
		Male	Female	Male	Female		Male	Female	Male	Female
ALL CAUSES	1,711,982	860,857	644,478	114,791	91,856	30,300	11,247	7,780	5,938	5,335
I. INFECTIVE AND PARASITIC DISEASES	21,387	10,718	5,331	3,420	1,918	562	185	91	176	110
TUBERCULOSIS, ALL FORMS 001-019	10,866	6,050	2,113	1,837	866	300	107	42	102	49
TUBERCULOSIS OF RESPIRATORY SYSTEM 001-008	10,089	5,777	1,908	1,663	741	279	103	40	88	48
TUBERCULOSIS OF MENINGES AND CENTRAL NERVOUS SYSTEM 010	228	67	53	57	51	6	-	-	6	-
TUBERCULOSIS OF INTESTINES, PERITONEUM, AND MESENTERIC GLANDS 011	48	13	12	14	9	2	1	-	1	-
TUBERCULOSIS OF BONES AND JOINTS 012,013	80	33	28	10	9	1	-	-	1	-
TUBERCULOSIS OF OTHER ORGANS AND SYSTEMS 014-018	176	81	59	26	10	3	1	-	2	-
DISSEMINATED TUBERCULOSIS 019	245	79	53	67	46	9	2	2	4	1
SYPHILIS AND ITS SEQUELAE 020-029	2,945	1,492	527	653	273	52	11	4	24	13
CONGENITAL SYPHILIS 020	44	21	4	13	6	1	-	-	1	-
EARLY SYPHILIS 021	-	-	-	-	-	-	-	-	-	-
ANEURYSM OF AORTA 022	1,337	801	275	176	85	24	6	4	9	5
OTHER CARDIOVASCULAR SYPHILIS 023	1,002	385	162	328	127	17	2	-	11	4
TABES DORSALIS 024	62	41	9	8	4	3	-	-	2	1
GENERAL PARALYSIS OF INSANE 025	204	102	35	48	19	6	3	-	-	3
OTHER SYPHILIS OF CENTRAL NERVOUS SYSTEM 026	246	116	34	70	26	1	-	-	1	-
ALL OTHER SYPHILIS 027-029	50	26	8	10	6	-	-	-	-	-
GONOCOCCAL INFECTION 030-035	38	10	2	18	8	1	-	-	-	1
TYPHOID FEVER 040	21	6	5	5	5	1	-	-	-	1
PARATYPHOID FEVER AND OTHER SALMONELLA INFECTIONS 041,042	82	32	26	14	10	-	-	-	-	-
CHOLERA 043	-	-	-	-	-	-	-	-	-	-
BRUCELLOSIS 044	6	3	2	1	-	1	-	-	1	-
DYSENTERY, ALL FORMS 045-048	355	109	94	80	72	17	4	3	5	5
FOOD POISONING, INFECTION AND INTOXICATION 049	56	23	17	6	10	4	1	2	-	1
SCARLET FEVER 050	14	7	6	-	1	1	1	-	-	-
STREPTOCOCCAL SORE THROAT 051	94	42	40	5	7	1	-	1	-	-
ERYSIPELAS 052	22	13	8	-	1	2	2	-	-	-
SEPTICEMIA AND PYEMIA 053	1,920	864	655	218	183	47	16	11	11	9
DIPHTHERIA 055	69	23	21	9	16	3	-	1	-	2
WHOOPING COUGH 056	118	19	26	37	36	8	-	2	4	2
MENINGOCOCCAL INFECTIONS 057	644	290	217	82	55	18	6	7	2	3
PLAGUE 058	-	-	-	-	-	-	-	-	-	-
LEPROSY 060	6	2	3	1	-	-	-	-	-	-
TETANUS 061	231	66	57	68	40	10	1	1	6	2
ANTHRAX 062	-	-	-	-	-	-	-	-	-	-
ACUTE POLIOMYELITIS 080	230	115	79	25	11	2	-	-	1	1
LATE EFFECTS OF ACUTE POLIOMYELITIS 081	148	78	63	4	3	-	-	-	-	-
ACUTE INFECTIOUS ENCEPHALITIS 082	528	232	225	43	28	16	5	3	6	2
LATE EFFECTS OF ACUTE INFECTIOUS ENCEPHALITIS 083	88	45	41	1	1	2	2	-	-	-
SMALLPOX 084	-	-	-	-	-	-	-	-	-	-
MEASLES 085	380	150	130	48	52	15	4	4	2	5
YELLOW FEVER 091	-	-	-	-	-	-	-	-	-	-
INFECTIOUS HEPATITIS 092	938	360	435	63	80	27	10	5	7	5
RABIES 094	2	-	1	1	-	-	-	-	-	-
TICK-BORNE TYPHUS 104	11	7	4	-	-	1	1	-	-	-
ALL OTHER RICKETTSIAL DISEASES 100-103,105-108	-	-	-	-	-	-	-	-	-	-
MALARIA 110-117	4	2	1	1	-	-	-	-	-	-
SCHISTOSOMIASIS 123	5	2	3	-	-	-	-	-	-	-
HYDATID DISEASE 125	10	4	6	-	-	-	-	-	-	-
FILARIASIS 127	-	-	-	-	-	-	-	-	-	-
ANCYLOSTOMIASIS 129	-	-	-	-	-	-	-	-	-	-
OTHER DISEASES DUE TO HELMINTHS 124,126,128,130	56	8	12	15	21	2	-	1	-	1
ALL OTHER INFECTIVE AND PARASITIC DISEASES RESIDUAL	1,500	664	512	185	139	31	14	4	5	8
II. NEOPLASMS	272,520	132,146	114,733	13,624	12,017	3,881	1,480	1,293	501	607
MALIGNANT NEOPLASMS, INCLUDING NEOPLASMS OF LYMPHATIC AND HEMATOPOIETIC TISSUES 140-205	267,627	130,183	112,529	13,360	11,555	3,791	1,458	1,262	494	577
MALIGNANT NEOPLASM OF BUCCAL CAVITY AND PHARYNX 140-148	6,175	4,274	1,355	394	152	94	52	20	12	10
OF LIP 140	216	189	18	7	2	9	7	-	1	1
OF TONGUE 141	1,545	1,074	328	105	38	20	13	4	1	2
OF OTHER AND UNSPEC. PARTS OF BUCCAL CAVITY 142-144	1,944	1,250	527	105	62	28	13	10	2	3
OF PHARYNX 145-148	2,470	1,761	482	177	50	37	19	6	8	4
MALIGNANT NEOPLASM OF DIGESTIVE ORGANS AND PERITONEUM, NOT SPECIFIED AS SECONDARY 150-156A,157-159	91,035	44,669	37,794	5,123	3,449	1,096	421	337	186	152
OF ESOPHAGUS 150	4,915	3,122	884	710	199	51	20	10	17	4
OF STOMACH 151	20,859	11,315	6,908	1,770	866	298	133	53	70	42
OF SMALL INTESTINE, INCLUDING DUODENUM 152	769	377	331	28	33	10	3	3	3	1
OF LARGE INTESTINE, EXCEPT RECTUM 153	28,537	12,147	14,536	863	991	301	94	133	33	41
CECUM, APPENDIX, AND ASCENDING COLON 153.0	4,189	1,679	2,292	100	118	50	18	18	5	9
TRANSVERSE COLON 153.1	1,666	730	854	35	47	11	3	7	1	-
DESCENDING COLON 153.2	1,272	510	679	37	46	15	5	7	1	2
SIGMOID COLON 153.3	6,403	2,965	3,100	166	172	51	17	25	3	6
MULTIPLE PARTS OF LARGE INTESTINE 153.7	71	36	32	2	1	-	-	-	-	-
LARGE INTESTINE, PART UNSPECIFIED 153.8	13,379	5,604	6,756	474	545	156	45	72	17	22
INTESTINAL TRACT, PART UNSPECIFIED 153.9	1,557	623	823	49	62	18	6	4	6	2
OF RECTUM 154	10,855	5,702	4,336	415	402	103	41	33	12	17
OF BILIARY PASSAGES AND OF LIVER, PRIMARY SITE 155	6,246	2,422	3,334	297	193	102	39	32	23	8
LIVER 155.0	1,890	1,011	611	206	62	70	26	17	21	6
OT. & MULT. SITES OF BILIARY PASSAGES 155.1,155.8	4,356	1,411	2,723	91	131	32	13	15	2	2
OF LIVER NOT STATED WHETHER PRIMARY OR SECONDARY 156A	3,482	1,640	1,455	207	180	14	1	5	2	6
OF PANCREAS 157	13,675	7,241	5,215	741	478	199	83	65	23	28
OF PERITONEUM AND OF UNSPEC. DIGESTIVE ORGANS 158,159	1,697	703	795	92	107	18	7	3	3	5

and Sex: United States and Each State, 1960

bers after causes of death are category numbers of the Seventh Revision of the International Lists, 1955. For complete category titles, see table 5-8)

ALASKA					~~ARKANSAS~~ ARIZONA					~~ARIZONA~~ ARKansas					
Total	White		Nonwhite		Total	White		Nonwhite		Total	White		Nonwhite		
	Male	Female	Male	Female		Male	Female	Male	Female		Male	Female	Male	Female	
1,319	634	252	254	179	10,146	5,686	3,231	738	491	17,911	8,269	5,187	2,396	2,059	1
															2
															3
34	9	2	13	10	269	159	40	47	23	331	151	59	66	55	4
															5
20	3	-	11	6	157	112	17	21	7	188	96	33	36	23	6
18	3	-	11	4	143	106	16	16	5	178	93	30	33	22	7
-	-	-	-	-	6	2	-	3	1	4	1	1	2	-	8
															9
-	-	-	-	-	1	-	-	-	1	3	2	-	1	-	10
2	-	-	-	2	-	-	-	-	-	-	-	-	-	-	11
-	-	-	-	-	4	2	-	2	-	2	-	2	-	-	12
-	-	-	-	-	3	2	1	-	-	1	-	-	-	1	13
															14
-	-	-	-	-	24	17	4	2	1	32	18	3	9	2	15
-	-	-	-	-	1	-	-	1	-	1	1	-	-	-	16
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	17
-	-	-	-	-	10	6	4	-	-	17	11	2	3	1	18
-	-	-	-	-	9	7	-	1	1	10	5	1	3	1	19
-	-	-	-	-	-	-	-	-	-	1	1	-	-	-	20
-	-	-	-	-	-	-	-	-	-	1	-	-	1	-	21
-	-	-	-	-	3	3	-	-	-	2	-	-	2	-	22
-	-	-	-	-	1	1	-	-	-	-	-	-	-	-	23
															24
-	-	-	-	-	-	-	-	-	-	1	-	-	1	-	25
-	-	-	-	-	1	-	-	1	-	-	-	-	-	-	26
-	-	-	-	-	1	1	-	-	-	1	-	-	1	-	27
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	28
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	29
2	-	-	2	-	15	1	1	9	4	12	2	-	4	6	30
2	-	-	-	2	-	-	-	-	-	2	1	-	1	-	31
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	32
-	-	-	-	-	-	-	-	-	-	2	2	-	-	-	33
-	-	-	-	-	-	-	-	-	-	1	-	1	-	-	34
3	2	1	-	-	15	8	5	-	2	25	8	4	5	8	35
															36
-	-	-	-	-	-	-	-	-	-	3	1	1	-	1	37
-	-	-	-	-	2	1	-	1	-	5	1	-	2	2	38
2	1	-	-	1	6	1	1	2	2	8	2	4	-	2	39
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	40
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	41
-	-	-	-	-	1	1	-	-	-	8	3	1	1	3	42
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	43
-	-	-	-	-	1	1	-	-	-	1	1	-	-	-	44
-	-	-	-	-	2	1	1	-	-	2	1	1	-	-	45
1	1	-	-	-	5	2	2	1	-	2	1	-	1	-	46
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	47
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	48
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	49
-	-	-	-	-	9	1	2	5	1	9	3	6	-	-	50
															51
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	52
1	-	1	-	-	6	-	4	-	2	11	3	3	-	5	53
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	54
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	55
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	56
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	57
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	58
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	59
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	60
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	61
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	62
3	2	-	-	1	24	12	3	5	4	18	8	2	5	3	63
															64
119	57	42	9	11	1,454	775	573	53	53	2,494	1,095	883	256	260	65
															66
															67
118	57	41	9	11	1,423	761	562	51	49	2,438	1,072	867	247	252	68
4	3	-	-	1	25	16	7	-	2	56	32	11	6	7	69
1	1	-	-	-	-	-	-	-	-	2	2	-	-	-	70
-	-	-	-	-	12	7	4	-	1	13	6	2	3	2	71
2	1	-	-	1	7	5	1	-	1	23	12	6	1	4	72
1	1	-	-	-	6	4	2	-	-	18	12	3	2	1	73
															74
															75
32	13	14	3	2	447	236	173	21	17	722	312	246	89	75	76
-	-	-	-	-	30	25	5	-	-	35	25	6	2	2	77
8	5	2	1	-	106	67	28	6	5	174	82	39	37	16	78
-	-	-	-	-	3	2	1	-	-	3	1	2	-	-	79
10	3	5	-	2	118	54	60	3	1	199	73	91	12	23	80
2	-	2	-	-	18	7	11	-	-	21	10	7	1	3	81
-	-	-	-	-	10	6	4	-	-	9	2	6	-	1	82
-	-	-	-	-	2	2	-	-	-	10	5	2	1	2	83
1	1	-	-	-	23	13	10	-	-	30	13	12	1	4	84
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	85
6	2	2	-	2	57	23	31	3	-	119	40	61	6	12	86
1	-	1	-	-	8	3	4	-	1	10	3	3	3	1	87
															88
4	2	2	-	-	44	19	23	2	-	62	22	19	9	12	89
2	-	1	1	-	44	18	18	3	5	38	17	16	2	3	90
1	-	-	1	-	9	5	4	-	-	19	11	7	1	-	91
1	-	1	-	-	35	13	14	3	5	19	6	9	1	3	92
1	-	-	1	-	15	12	2	1	-	60	18	28	9	5	93
4	1	3	-	-	76	32	33	5	6	134	69	42	12	11	94
3	2	1	-	-	11	7	3	1	-	17	5	3	6	3	95

Table 5-10. Deaths From 255 Selected Causes, by Color

(By place of residence. Data refer only to deaths occurring within the United States, including Alaska and Hawaii. Excludes fetal deaths. Num-

CAUSE OF DEATH	UNITED STATES					ALABAMA				
	Total	White		Nonwhite		Total	White		Nonwhite	
		Male	Female	Male	Female		Male	Female	Male	Female
II. NEOPLASMS—CON.										
MALIGNANT NEOPLASMS, ETC.—CON.										
MALIGNANT NEOPLASM OF RESPIRATORY SYSTEM, NOT SPECIFIED AS SECONDARY.....160-164	39,730	31,012	5,170	3,035	513	522	379	49	76	18
OF LARYNX.....161	2,426	1,979	194	222	31	34	21	3	6	4
OF BRONCHUS & TRACHEA, & OF LUNG SPEC. AS PRIMARY..162	18,342	14,711	2,011	1,453	167	422	314	38	61	9
OF LUNG, NOT SPEC. PRIMARY OR SECONDARY.....163	18,078	13,803	2,702	1,290	283	54	38	6	8	2
OF OTHER PARTS OF RESPIRATORY SYSTEM.....160,164	884	519	263	70	32	12	6	2	1	3
MALIGNANT NEOPLASM OF BREAST.....170	23,970	186	21,867	29	1,888	311	3	213	-	95
MALIGNANT NEOPLASM OF GENITAL ORGANS.....171-179	38,669	13,491	20,158	1,900	3,120	774	177	295	105	197
OF CERVIX UTERI.....171	8,487	...	6,820	...	1,667	261	...	143	...	118
OF OTHER AND UNSPECIFIED PARTS OF UTERUS.....172-174	5,929	...	5,107	...	822	116	...	64	...	52
OF OVARY, FALLOPIAN TUBE, AND BROAD LIGAMENT.....175	8,046	...	7,498	...	548	106	...	82	...	24
OF OTHER AND UNSPECIFIED FEMALE GENITAL ORGANS.....176	816	...	733	...	83	9	...	6	...	3
OF PROSTATE.....177	14,452	12,635	...	1,817	...	270	171	...	99	...
OF ALL OTHER & UNSPEC. MALE GENITAL ORGANS.....178,179	939	856	...	83	...	12	6	...	6	...
MALIGNANT NEOPLASM OF URINARY ORGANS.....180,181	12,804	8,026	3,825	559	394	119	57	29	16	17
OF KIDNEY.....180	4,939	2,946	1,669	199	125	47	22	15	5	5
OF BLADDER AND OTHER URINARY ORGANS.....181	7,865	5,080	2,156	360	269	72	35	14	11	12
MALIGNANT NEOPLASM OF OTHER AND UNSPECIFIED SITES.....156B,165,190-199	29,561	14,570	12,359	1,325	1,307	506	203	185	57	61
OF SKIN.....190,191	4,009	2,254	1,577	96	82	81	34	43	1	3
OF EYE.....192	417	209	179	11	18	6	2	2	-	2
OF BRAIN AND OTHER PARTS OF NERVOUS SYSTEM.....193	6,184	3,485	2,318	215	166	90	47	32	6	5
OF THYROID GLAND.....194	1,040	348	612	26	54	16	4	9	1	2
OF BONE.....196	1,811	960	681	104	66	31	13	13	4	1
OF CONNECTIVE TISSUE.....197	1,076	574	401	56	45	10	2	2	5	1
OF OTHER SPECIFIED SITES, NOT SECONDARY.....195,199A	1,492	855	503	76	58	30	18	7	2	3
OF UNSPECIFIED SITES.....156B,165,198,199B	13,532	5,885	6,088	741	818	242	83	77	38	44
LEUKEMIA AND ALEUKEMIA.....204	12,725	6,929	4,993	442	361	194	85	76	14	19
LYMPHOSARCOMA, ETC.....200-203,205	12,958	7,026	5,008	553	371	175	81	58	28	8
LYMPHOSARCOMA AND RETICULOSARCOMA.....200	5,902	3,264	2,314	199	125	80	40	28	10	2
HODGKINS DISEASE.....201	3,075	1,748	1,132	129	66	41	14	14	11	2
OTHER NEOPLASMS OF LYMPHATIC AND HEMATOPOIETIC TISSUES.....202,203,205	3,981	2,014	1,562	225	180	54	27	16	7	4
BENIGN NEOPLASMS AND NEOPLASMS OF UNSPEC. NATURE...210-239	4,893	1,963	2,204	264	462	90	22	31	7	30
BENIGN NEOPLASMS OF FEMALE GENITAL ORGANS.....214-217	505	...	304	...	201	24	...	5	...	19
BENIGN NEOPLASM OF BRAIN & OT. PTS. OF NERVOUS SYS...223	967	389	484	44	50	11	2	7	1	1
OTHER BENIGN NEOPLASMS.....210-213,218-222,224-229	937	444	375	59	59	19	6	5	4	4
UNSPECIFIED NEOPLASM OF FEMALE GENITAL ORGANS....233-235	27	...	19	...	8	-	...	-	...	-
NEOPLASM OF UNSPECIFIED NATURE OF BRAIN, ETC.....237	1,601	763	638	111	89	28	8	13	2	5
OTHER NEOPLASMS OF UNSPEC. NATURE....230-232,236,238,239	856	367	384	50	55	8	6	1	-	1
III. ALLERGIC, ENDOCRINE SYSTEM, METABOLIC, AND NUTRITIONAL DISEASES.....	41,221	15,994	19,682	2,170	3,375	615	177	196	81	161
ASTHMA.....241	5,394	3,067	1,588	392	347	67	31	15	13	8
NONTOXIC GOITER.....250,251	88	14	57	4	13	-	-	-	-	-
THYROTOXICOSIS WITH OR WITHOUT GOITER.....252	532	81	359	15	77	9	1	2	-	6
ALL OTHER DISEASES OF THYROID GLAND.....253,254	338	61	247	2	28	2	-	2	-	-
DIABETES MELLITUS.....260	29,971	10,761	15,360	1,386	2,464	438	121	138	56	123
DISEASES OF THYMUS GLAND.....273	136	70	45	12	9	1	1	-	-	-
DISEASES OF ADRENAL GLANDS.....274	420	174	191	28	27	4	-	2	-	2
PELLAGRA.....281	42	14	15	3	10	3	-	3	-	-
OTHER NUTRITIONAL DEFICIENCY STATES.....280,282-286	1,775	679	741	199	156	44	9	15	9	11
ALL OTHER ALLERGIC, ENDOCRINE, & METABOLIC DIS....RESIDUAL	2,525	1,073	1,079	129	244	47	14	19	3	11
IV. DISEASES OF THE BLOOD AND BLOOD-FORMING ORGANS...	5,104	2,150	2,182	385	387	104	39	30	20	15
ANEMIAS.....290-293	3,330	1,279	1,448	288	315	60	20	14	14	12
PERNICIOUS AND OTHER HYPERCHROMIC ANEMIAS.....290	641	235	365	19	22	5	1	3	-	1
ANEMIAS OF OTHER AND UNSPECIFIED TYPE.....291-293	2,689	1,044	1,083	269	293	55	19	11	14	11
PURPURA AND OTHER HEMORRHAGIC CONDITIONS.....296	681	288	305	44	44	19	5	9	3	2
OTHER DIS. OF BLOOD AND BLOOD-FORMING ORGANS.....RESIDUAL	1,093	583	429	53	28	25	14	7	3	1
V. MENTAL, PSYCHONEUROTIC, AND PERSONALITY DISORDERS	4,487	2,411	1,158	632	286	97	45	26	12	14
SENILE PSYCHOSIS.....304	396	119	241	20	16	11	3	4	2	2
ALCOHOLIC PSYCHOSIS.....307	438	341	34	54	9	5	4	-	1	-
OTHER PSYCHOSES.....300-303,305,306,308,309	662	280	288	36	58	37	15	15	1	6
ALCOHOLISM.....322	2,235	1,327	316	438	154	37	21	3	8	5
MENTAL DEFICIENCY.....325	483	245	201	20	17	4	1	2	-	1
OTHER DISORDERS OF PERSONALITY.....RESIDUAL	273	99	78	64	32	3	1	2	-	-
VI. DISEASES OF THE NERVOUS SYSTEM AND SENSE ORGANS..	208,321	87,351	94,185	13,093	13,692	4,454	1,352	1,309	847	946
VASCULAR LESIONS AFFECTING CENTRAL NERVOUS SYSTEM..330-334	193,588	80,486	88,567	11,777	12,758	4,179	1,262	1,235	794	888
SUBARACHNOID HEMORRHAGE.....330	6,699	2,559	2,997	520	623	145	56	39	25	25
CEREBRAL HEMORRHAGE.....331	110,855	45,474	50,035	7,267	8,079	2,509	712	715	506	576
CEREBRAL EMBOLISM AND THROMBOSIS.....332	58,689	25,456	27,546	2,853	2,834	1,048	347	367	162	172
OTHER VASCULAR LESIONS AFFECTING C.N.S.....333,334	17,345	6,997	7,989	1,137	1,222	477	147	114	101	115
MENINGITIS, EXCEPT MENINGOCOCCAL AND TUBERCULOUS.....340	2,316	959	649	399	309	72	17	13	17	25
MULTIPLE SCLEROSIS.....345	1,484	603	788	39	54	13	6	5	-	2
PARALYSIS AGITANS.....350	2,898	1,475	1,341	45	37	25	15	7	1	2
CEREBRAL SPASTIC INFANTILE PARALYSIS.....351	746	372	279	59	36	15	6	4	3	2
EPILEPSY.....353	1,989	876	594	344	175	45	9	9	12	15
INFLAMMATORY DISEASES OF EYE.....370-379	13	4	5	3	1	-	-	-	-	-
CATARACT.....385	21	9	9	1	2	-	-	-	-	-
GLAUCOMA.....387	6	2	3	1	-	-	-	-	-	-
OTITIS MEDIA AND MASTOIDITIS.....391-393	384	191	120	38	35	6	2	4	-	-
OTHER DIS. OF NERVOUS SYSTEM AND SENSE ORGANS.....RESIDUAL	4,876	2,374	1,830	387	285	99	35	32	20	12

and Sex: United States and Each State, 1960—Con.

bers after causes of death are category numbers of the Seventh Revision of the International Lists, 1955. For complete category titles, see table 5-8)

ALASKA					ARIZONA					ARKANSAS					
Total	White		Nonwhite		Total	White		Nonwhite		Total	White		Nonwhite		
	Male	Female	Male	Female		Male	Female	Male	Female		Male	Female	Male	Female	
															1
															2
															3
															4
32	24	6	2	-	236	204	24	8	-	356	266	41	38	11	5
2	2	-	-	-	11	9	1	1	-	12	11	-	1	-	6
8	5	3	-	-	113	101	6	6	-	146	120	12	11	3	7
20	16	2	2	-	107	91	15	1	-	186	129	29	22	6	8
2	1	1	-	-	5	3	2	-	-	12	6	-	4	2	9
8	-	7	-	1	112	1	102	-	9	166	2	131	-	33	10
															11
15	4	8	-	3	206	83	103	8	12	431	115	185	63	68	12
5	•••	2	•••	3	50	•••	44	•••	6	108	•••	72	•••	36	13
2	•••	2	•••	-	23	•••	21	•••	2	67	•••	45	•••	22	14
3	•••	3	•••	-	37	•••	33	•••	4	73	•••	63	•••	10	15
1	•••	1	•••	-	5	•••	5	•••	-	5	•••	5	•••	-	16
3	3	•••	-	•••	85	78	•••	7	•••	166	106	•••	60	•••	17
1	1	•••	-	•••	6	5	•••	1	•••	12	9	•••	3	•••	18
3	2	-	-	1	72	45	22	4	1	85	39	31	11	4	19
2	1	-	-	1	32	17	13	2	-	37	17	14	6	-	20
1	1	-	-	-	40	28	9	2	1	48	22	17	5	4	21
															22
															23
14	6	3	2	3	186	96	79	6	5	357	158	137	28	34	24
-	-	-	-	-	24	17	7	-	-	60	38	18	3	1	25
-	-	-	-	-	-	-	-	-	-	3	2	-	-	1	26
3	2	-	1	-	44	26	15	2	1	43	30	11	1	1	27
-	-	-	-	-	9	3	4	1	1	3	1	1	1	-	28
-	-	-	-	-	14	10	4	-	-	18	6	7	3	2	29
-	-	-	-	-	10	6	4	-	-	13	8	4	1	-	30
-	-	-	-	-	9	6	3	-	-	25	12	8	2	3	31
11	4	3	1	3	76	28	42	3	3	192	61	88	17	26	32
8	4	3	1	-	85	47	35	3	-	159	92	46	6	15	33
2	1	-	1	-	54	33	17	1	3	106	56	39	6	5	34
-	-	-	-	-	24	18	6	-	-	39	18	17	2	2	35
1	1	-	-	-	16	11	5	-	-	30	19	9	1	1	36
															37
1	-	-	1	-	14	4	6	1	3	37	19	13	3	2	38
															39
1	-	1	-	-	31	14	11	2	4	56	23	16	9	8	40
-	•••	-	•••	-	1	•••	1	•••	-	2	•••	1	•••	1	41
-	-	-	-	-	4	1	3	-	-	4	2	1	1	-	42
-	-	-	-	-	4	3	1	-	-	9	3	3	1	2	43
-	•••	-	•••	-	-	•••	-	•••	-	-	•••	-	•••	-	44
1	-	1	-	-	16	8	4	2	2	29	15	8	3	3	45
-	-	-	-	-	6	2	2	-	2	12	3	3	4	2	46
															47
															48
13	6	3	2	2	297	151	115	14	17	367	142	135	31	59	49
															50
1	-	1	-	-	124	84	32	5	3	40	25	5	2	8	51
-	-	-	-	-	2	-	1	-	1	1	-	-	1	-	52
-	-	-	-	-	3	1	2	-	-	5	2	2	-	1	53
-	-	-	-	-	1	-	1	-	-	4	-	3	-	1	54
9	6	2	1	-	128	49	64	3	12	251	94	94	23	40	55
-	-	-	-	-	3	3	-	-	-	2	-	1	1	-	56
-	-	-	-	-	5	2	2	-	1	5	2	3	-	-	57
-	-	-	-	-	-	-	-	-	-	1	-	-	-	1	58
2	-	-	-	2	7	3	2	2	-	29	6	18	4	1	59
1	-	-	1	-	24	9	11	4	-	29	13	9	-	7	60
															61
2	-	1	1	-	29	14	9	6	-	49	23	14	6	6	62
															63
1	-	1	-	-	15	6	5	4	-	27	11	7	5	4	64
-	-	-	-	-	1	1	-	-	-	3	-	2	1	-	65
1	-	1	-	-	14	5	5	4	-	24	11	5	4	4	66
1	-	-	1	-	3	-	2	1	-	11	4	4	1	2	67
-	-	-	-	-	11	8	2	1	-	11	8	3	-	-	68
															69
20	16	1	3	-	51	28	11	10	2	32	15	13	2	2	70
															71
-	-	-	-	-	-	-	-	-	-	12	3	8	1	-	72
4	3	-	1	-	3	3	-	-	-	2	2	-	-	-	73
-	-	-	-	-	5	2	3	-	-	6	4	1	-	1	74
15	12	1	2	-	31	19	3	9	-	8	6	2	-	-	75
1	1	-	-	-	9	3	4	1	1	3	-	2	1	-	76
-	-	-	-	-	3	1	1	-	1	1	-	-	-	1	77
															78
89	38	23	18	10	903	445	364	61	33	2,432	929	801	326	376	79
															80
70	31	22	12	5	787	402	333	32	20	2,300	873	771	306	350	81
4	3	-	-	1	34	17	15	2	-	50	17	22	8	3	82
32	13	13	4	2	410	202	180	19	9	1,554	557	533	211	253	83
18	10	4	3	1	289	158	112	10	9	488	220	149	56	63	84
16	5	5	5	1	54	25	26	1	2	208	79	67	31	31	85
5	-	-	2	3	42	12	5	16	9	22	8	1	6	7	86
-	-	-	-	-	6	2	4	-	-	10	4	5	-	1	87
2	2	-	-	-	4	2	2	-	-	22	11	10	-	1	88
-	-	-	-	-	8	2	4	1	1	11	6	2	1	2	89
2	1	-	1	-	14	4	4	4	2	17	5	4	2	6	90
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	91
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	92
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	93
-	-	-	-	-	6	1	1	4	-	4	2	1	-	1	94
3	-	-	2	1	36	20	11	4	1	46	20	7	11	8	95
7	4	1	1	1											

Table 5-10. Deaths From 255 Selected Causes, by Color

(By place of residence. Data refer only to deaths occurring within the United States, including Alaska and Hawaii. Excludes fetal deaths. Num-

	CAUSE OF DEATH	UNITED STATES					ALABAMA				
		Total	White		Nonwhite		Total	White		Nonwhite	
			Male	Female	Male	Female		Male	Female	Male	Female
1											
2	VII. DISEASES OF THE CIRCULATORY SYSTEM	730,047	387,934	275,901	35,819	30,393	11,045	4,528	2,883	1,846	1,788
3											
4	DISEASES OF HEART 400-402,410-443	661,712	356,267	246,609	31,938	26,898	10,005	4,185	2,604	1,648	1,568
5	RHEUMATIC FEVER 400-402	734	287	284	78	85	30	4	9	11	6
6	CHRONIC RHEUMATIC HEART DISEASE 410-416	17,677	7,751	8,568	667	691	176	66	54	24	32
7	DISEASES OF MITRAL VALVE 410	6,448	2,578	3,379	240	251	68	22	21	11	14
8	DISEASES OF AORTIC VALVE SPECIFIED AS RHEUMATIC 411	1,882	1,270	518	61	33	27	16	8	2	1
9	DISEASES OF PULMONARY VALVE, ETC 413,414	957	428	479	27	23	9	4	3	-	2
10	OTHER RHEUMATIC HEART DISEASES 412,415,416	8,390	3,475	4,192	339	384	72	24	22	11	15
11	ARTERIOSCLEROTIC HEART DIS., INCL. CORONARY DIS 420	494,282	288,376	173,043	19,001	13,862	6,114	3,113	1,669	720	612
12	ARTERIOSCLEROTIC HEART DISEASE SO DESCRIBED 420.0	206,499	106,606	86,268	7,453	6,172	1,963	804	637	268	254
13	HEART DIS. SPEC. AS INVOLVING CORONARY ARTERIES 420.1	287,239	181,478	86,585	11,516	7,660	4,140	2,304	1,029	450	357
14	ANGINA PECTORIS WITHOUT MENTION CORONARY DIS 420.2	544	292	190	32	30	11	5	3	2	1
15											
16	CHRONIC ENDOCARDITIS NOT SPECIFIED AS RHEUMATIC 421	4,945	2,528	1,772	335	310	101	35	19	22	25
17	OF MITRAL VALVE, SPECIFIED AS NONRHEUMATIC 421.0	294	114	134	22	24	6	3	1	1	1
18	OF AORTIC VALVE, NOT SPECIFIED AS RHEUMATIC 421.1	2,141	1,319	597	129	96	21	10	3	6	2
19	OF OTHER VALVES, NOT SPEC. AS RHEUMATIC 421.2-421.4	2,510	1,095	1,041	184	190	74	22	15	15	22
20	OTHER MYOCARDIAL DEGENERATION 422	52,084	22,661	24,108	2,771	2,544	1,095	310	283	267	235
21	WITH ARTERIOSCLEROSIS 422.1	38,054	16,392	18,001	1,900	1,761	788	197	189	214	188
22	WITHOUT MENTION OF ARTERIOSCLEROSIS 422.0,422.2	14,030	6,269	6,107	871	783	307	113	94	53	47
23											
24	OTHER DISEASES OF HEART 430-434	25,682	12,498	9,008	2,395	1,781	684	288	129	152	115
25	ACUTE AND SUBACUTE ENDOCARDITIS 430	734	405	204	75	50	4	1	-	3	-
26	ACUTE NONRHEUMATIC MYOCARDITIS & PERICARDITIS 431,432	939	408	346	105	80	22	5	6	5	6
27	FUNCTIONAL DISEASE OF HEART 433	5,600	2,549	2,611	230	210	74	32	24	8	10
28	OTHER AND UNSPECIFIED DISEASES OF HEART 434	18,409	9,136	5,847	1,985	1,441	584	250	99	136	99
29	HYPERTENSIVE HEART DISEASE 440-443	66,308	22,166	29,826	6,691	7,625	1,805	369	441	452	543
30	HYPERTENSIVE HEART DISEASE WITH ARTERIOLAR										
31	NEPHROSCLEROSIS 442	15,740	6,225	6,733	1,424	1,358	404	102	114	100	88
32	OTHER HYPERTENSIVE HEART DISEASE 440,441,443	50,568	15,941	23,093	5,267	6,267	1,401	267	327	352	455
33											
34	OTHER HYPERTENSIVE DISEASE 444-447	12,662	5,054	5,035	1,331	1,242	273	69	58	66	80
35	HYPERTENSION WITH ARTERIOLAR NEPHROSCLEROSIS 446	6,498	3,115	2,507	493	383	85	34	21	18	12
36	ESSENTIAL HYPERTENSION 444,445,447	6,164	1,939	2,528	838	859	188	35	37	48	68
37	DISEASES OF ARTERIES 450-456	47,079	22,779	20,693	1,892	1,715	657	230	191	111	125
38	GENERAL ARTERIOSCLEROSIS 450	35,876	15,675	17,538	1,398	1,265	504	153	156	90	105
39	AORTIC ANEURYSM, NONSYPHILITIC, ETC 451	8,271	5,720	1,994	333	224	104	64	19	13	8
40	GANGRENE OF UNSPECIFIED CAUSE 455	258	116	86	25	31	6	-	2	-	4
41	OTHER ARTERIAL DISEASES 452-454,456	2,674	1,268	1,075	136	195	43	13	14	8	8
42	DIS. OF VEINS AND OTHER DIS. OF CIRCULATORY SYS. 460-468	8,594	3,834	3,564	658	538	110	44	30	21	15
43											
44											
45	VIII. DISEASES OF THE RESPIRATORY SYSTEM	94,166	49,497	29,285	9,199	6,185	1,792	645	394	438	315
46											
47	ACUTE UPPER RESPIRATORY INFECTIONS 470-475	911	371	308	132	100	15	3	2	6	4
48	INFLUENZA 480-483	7,872	3,235	2,996	861	780	376	99	100	91	86
49	PNEUMONIA, EXCEPT PNEUMONIA OF NEWBORN 490-493	58,931	27,486	20,374	6,544	4,527	985	298	223	264	200
50	LOBAR PNEUMONIA 490	10,032	4,929	3,045	1,323	735	269	88	52	82	47
51	BRONCHOPNEUMONIA 491	34,405	16,296	12,429	3,345	2,335	396	129	109	85	73
52	PRIMARY ATYPICAL PNEUMONIA 492	5,331	2,500	1,811	536	484	107	31	28	22	26
53	PNEUMONIA, OTHER AND UNSPECIFIED 493	9,163	3,761	3,089	1,340	973	213	50	34	75	54
54											
55	ACUTE BRONCHITIS 500	1,170	614	379	94	83	10	4	2	2	2
56	BRONCHITIS, CHRONIC AND UNQUALIFIED 501,502	3,173	2,144	752	184	93	72	37	14	17	4
57	HYPERTROPHY OF TONSILS AND ADENOIDS 510	132	59	52	12	9	3	3	-	-	-
58	EMPYEMA AND ABSCESS OF LUNG 518,521	879	497	188	136	58	19	10	1	8	-
59	PLEURISY 519	181	92	53	23	13	4	2	-	1	1
60	EMPHYSEMA WITHOUT MENTION OF BRONCHITIS 527.1	9,253	7,714	1,047	421	71	121	97	12	10	2
61	OTHER RESPIRATORY DISEASES RESIDUAL	11,664	7,285	3,136	792	451	187	92	40	39	16
62											
63											
64	IX. DISEASES OF THE DIGESTIVE SYSTEM	66,484	35,395	23,182	4,581	3,326	982	367	259	226	130
65											
66	DISEASES OF TEETH AND SUPPORTING STRUCTURES 530-535	85	35	30	10	10	2	1	-	1	-
67	ULCER OF STOMACH 540	5,707	3,681	1,511	388	127	80	37	21	17	5
68	ULCER OF DUODENUM 541	5,653	4,143	1,112	295	103	76	44	11	16	5
69	GASTRITIS AND DUODENITIS 543	393	212	127	28	26	4	2	1	-	1
70	APPENDICITIS 550-553	1,871	988	574	184	125	36	12	12	6	6
71	HERNIA AND INTESTINAL OBSTRUCTION 560,561,570	9,081	3,874	4,101	592	514	144	33	39	42	30
72	GASTROENTERITIS AND COLITIS, EXC. ULCERATIVE, AGE 4 WEEKS										
73	AND OVER 571	4,406	1,450	1,264	916	776	176	31	28	75	42
74											
75	CHRONIC ENTERITIS AND ULCERATIVE COLITIS 572	3,133	1,392	1,550	89	102	31	11	18	1	1
76	CIRRHOSIS OF LIVER 581	20,296	12,231	5,981	1,252	832	199	101	44	37	17
77	WITHOUT MENTION OF ALCOHOLISM 581.0	13,660	8,063	4,308	759	530	154	74	37	31	12
78	WITH ALCOHOLISM 581.1	6,636	4,168	1,673	493	302	45	27	7	6	5
79	CHOLELITHIASIS, CHOLECYSTITIS, AND CHOLANGITIS 584,585	4,619	1,774	2,501	84	160	49	14	30	2	3
80	FIBROCYSTIC DISEASE OF PANCREAS 5978	606	289	296	13	8	9	5	4	-	-
81	OTHER DISEASES OF DIGESTIVE SYSTEM RESIDUAL	10,634	5,326	4,035	730	543	176	76	51	29	20
82											
83											
84	X. DISEASES OF THE GENITOURINARY SYSTEM	30,313	15,010	9,308	3,432	2,563	721	242	139	201	139
85											
86	NEPHRITIS AND NEPHROSIS 590-594	13,684	5,927	4,738	1,616	1,403	400	113	80	110	97
87	ACUTE NEPHRITIS 590	790	317	268	125	80	19	3	2	12	2
88	NEPHRITIS WITH EDEMA, INCLUDING NEPHROSIS 591	861	390	305	89	77	20	1	4	8	7
89	CHRONIC AND UNSPECIFIED NEPHRITIS, ETC 592-594	12,033	5,220	4,165	1,402	1,246	361	109	74	90	88
90	INFECTIONS OF KIDNEY 600	7,645	3,117	3,000	744	784	161	60	38	39	24
91	CALCULI OF URINARY SYSTEM 602,604	1,216	628	471	59	58	18	8	8	-	2
92	OTHER DISEASES OF URINARY SYSTEM 601,603,605-609	2,103	1,065	587	327	124	28	9	5	11	3
93	HYPERPLASIA OF PROSTATE 610	4,449	3,864	...	585	...	78	45	...	33	...
94	DISEASES OF BREAST 620,621	12	-	10	-	2	-	-	-	-	-
95	OTHER DISEASES OF GENITAL ORGANS RESIDUAL	1,204	409	502	101	192	36	7	8	8	13

and Sex: United States and Each State, 1960—Con.

bers after causes of death are category numbers of the Seventh Revision of the International Lists, 1955. For complete category titles, see table 5-8)

ALASKA					ARIZONA					ARKANSAS					
Total	White		Nonwhite		Total	White		Nonwhite		Total	White		Nonwhite		
	Male	Female	Male	Female		Male	Female	Male	Female		Male	Female	Male	Female	
299	196	58	29	16	3,386	2,058	1,139	111	78	7,169	3,647	2,083	753	686	1
267	176	53	26	12	3,047	1,882	1,000	98	67	6,554	3,369	1,879	687	619	4
1	1	-	-	-	9	4	3	1	1	7	3	3	1	-	5
13	4	5	2	2	127	65	54	5	3	101	53	29	8	11	6
1	-	-	1	-	49	26	22	1	-	39	22	10	4	3	7
2	1	1	-	-	18	13	2	2	1	8	6	1	-	1	8
2	1	1	-	-	6	5	1	-	-	4	3	1	-	-	9
8	2	3	1	2	54	21	29	2	2	50	22	17	4	7	10
206	152	34	14	6	2,286	1,472	727	53	34	4,664	2,671	1,323	380	290	11
58	31	17	6	4	988	571	366	32	19	1,688	872	593	123	100	12
147	120	17	8	2	1,296	900	360	21	15	2,969	1,794	728	257	190	13
1	1	-	-	-	2	1	1	-	-	7	5	2	-	-	14
															15
3	1	1	1	-	20	14	6	-	-	51	19	9	16	7	16
-	-	-	-	-	2	2	-	-	-	2	1	1	-	-	17
1	-	-	1	-	15	11	4	-	-	13	5	-	7	1	18
2	1	1	-	-	3	1	2	-	-	36	13	8	9	6	19
4	2	-	1	1	264	160	85	15	4	331	114	123	44	50	20
3	1	-	1	1	220	135	69	13	3	222	77	88	27	30	21
1	1	-	-	-	44	25	16	2	1	109	37	35	17	20	22
															23
30	13	8	7	2	114	74	24	9	7	582	269	152	91	70	24
-	-	-	-	-	3	2	-	1	-	7	3	1	2	1	25
1	1	-	-	-	6	1	2	1	2	10	6	1	1	2	26
9	4	3	2	-	22	12	8	1	1	58	25	20	6	7	27
20	8	5	5	2	83	59	14	6	4	507	235	130	82	60	28
10	3	5	1	1	227	93	101	15	18	818	240	240	147	191	29
															30
1	1	-	-	-	51	24	25	2	-	183	67	50	35	31	31
9	2	5	1	1	176	69	76	13	18	635	173	190	112	160	32
															33
1	1	-	-	-	67	34	24	5	4	143	50	36	22	35	34
-	-	-	-	-	43	23	15	3	2	74	35	20	11	8	35
1	1	-	-	-	24	11	9	2	2	69	15	16	11	27	36
28	18	4	3	3	244	129	101	7	7	368	179	136	30	23	37
21	15	2	1	3	170	78	81	6	5	299	138	117	25	19	38
4	2	1	1	-	52	39	12	1	-	42	27	10	1	4	39
-	-	-	-	-	-	-	-	-	-	3	1	1	1	-	40
3	1	1	1	-	22	12	8	-	2	24	13	8	3	-	41
3	1	1	-	1	28	13	14	1	-	104	49	32	14	9	42
															43
															44
133	36	13	43	41	903	582	184	70	67	1,163	510	304	219	130	45
															46
10	1	1	7	1	5	2	-	2	1	13	3	4	4	2	47
18	4	1	6	7	30	18	9	2	1	187	57	42	53	35	48
82	21	8	25	28	416	203	105	53	55	701	285	193	138	85	49
8	2	2	3	1	75	43	18	7	7	114	43	26	30	15	50
31	11	3	9	8	233	125	67	23	18	349	156	89	66	38	51
8	5	2	1	-	38	17	10	5	6	45	22	15	2	6	52
35	3	1	12	19	70	18	10	18	24	193	64	63	40	26	53
															54
1	1	-	-	-	9	6	2	1	-	10	1	5	2	2	55
6	-	1	2	3	66	52	9	2	3	32	16	11	3	2	56
-	-	-	-	-	1	1	-	-	-	-	-	-	-	-	57
-	-	-	-	-	6	5	-	1	-	11	5	2	4	-	58
1	1	-	-	-	3	3	-	-	-	-	-	-	-	-	59
7	4	2	1	-	211	178	25	6	2	90	73	10	6	1	60
8	4	-	2	2	156	114	34	3	5	119	70	37	9	3	61
															62
															63
58	18	13	16	11	570	273	170	71	56	546	265	160	68	53	64
															65
-	-	-	-	-	-	-	-	-	-	1	-	-	1	-	66
3	2	-	1	-	32	20	10	2	-	43	32	7	3	1	67
1	1	-	-	-	46	36	8	2	-	42	32	6	4	-	68
1	1	-	-	-	4	1	3	-	-	4	1	-	1	2	69
-	-	-	-	-	10	6	2	2	-	18	13	1	3	1	70
9	3	4	1	1	72	37	32	1	2	68	31	23	7	7	71
															72
20	-	-	11	9	114	23	19	44	28	69	11	15	26	17	73
															74
2	1	1	-	-	24	14	9	-	1	32	14	15	2	1	75
14	8	6	-	-	153	89	36	11	17	113	65	30	10	8	76
7	3	4	-	-	108	65	28	5	10	90	48	28	6	8	77
7	5	2	-	-	45	24	8	6	7	23	17	2	4	-	78
2	-	1	1	-	31	11	14	4	2	41	12	23	2	4	79
-	-	-	-	-	11	6	5	-	-	5	1	3	1	-	80
6	2	1	2	1	73	30	32	5	6	110	53	37	8	12	81
															82
															83
10	3	2	3	2	164	88	45	21	10	436	184	109	92	51	84
															85
4	2	1	-	1	73	40	24	6	3	249	93	66	48	42	86
-	-	-	-	-	5	3	2	-	-	12	5	4	2	1	87
-	-	-	-	-	4	1	3	-	-	12	6	3	3	-	88
4	2	1	-	1	64	36	19	6	3	225	82	59	43	41	89
-	-	-	-	-	47	23	12	7	5	74	38	26	5	5	90
1	1	-	-	-	7	5	1	1	-	11	4	6	1	-	91
1	-	-	-	1	9	3	3	3	-	28	11	4	9	4	92
2	-	...	2	...	20	16	...	4	...	50	31	...	19	...	93
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	94
2	-	1	1	-	8	1	5	-	2	24	7	7	10	-	95

Table 5-10. Deaths From 255 Selected Causes, by Color

(By place of residence. Data refer only to deaths occurring within the United States, including Alaska and Hawaii. Excludes fetal deaths. Num-

CAUSE OF DEATH	UNITED STATES					ALABAMA				
	Total	White		Nonwhite		Total	White		Nonwhite	
		Male	Female	Male	Female		Male	Female	Male	Female
XI. DELIVERIES AND COMPLICATIONS OF PREGNANCY, CHILDBIRTH, AND THE PUERPERIUM	1,579	...	936	...	643	63	...	21	...	42
SEPSIS OF PREGNANCY, CHILDBIRTH, ETC...640,641,681,682,684	165	...	112	...	53	8	...	4	...	4
TOXEMIAS OF PREGNANCY AND PUERPERIUM, ETC.....642,685,686	303	...	166	...	137	12	...	7	...	5
HEMORRHAGE OF PREGNANCY AND CHILDBIRTH.....643,644,670-672	268	...	168	...	100	14	...	6	...	8
ECTOPIC PREGNANCY.....645	119	...	42	...	77	7	...	-	...	7
ABORTION WITHOUT MENTION OF SEPSIS OR TOXEMIA.....650	88	...	46	...	42	2	...	-	...	2
ABORTION WITH SEPSIS.....651	191	...	97	...	94	4	...	-	...	4
ABORTION WITH TOXEMIA, WITHOUT MENTION OF SEPSIS.....652	10	...	4	...	6	-	...	-	...	-
OT. COMPLICATIONS OF PREGNANCY, CHILDBIRTH, ETC...RESIDUAL	435	...	301	...	134	16	...	4	...	12
XII. DISEASES OF THE SKIN AND CELLULAR TISSUE	2,069	680	1,009	131	249	36	12	9	4	11
INFECTIONS OF SKIN AND SUBCUTANEOUS TISSUE.....690-698	632	271	268	44	49	11	3	3	2	3
OTHER DISEASES OF SKIN AND SUBCUTANEOUS TISSUE.....700-716	1,437	409	741	87	200	25	9	6	2	8
XIII. DISEASES OF THE BONES AND ORGANS OF MOVEMENT	3,596	1,463	1,841	141	151	66	20	25	13	8
ARTHRITIS AND SPONDYLITIS.....720-725	1,995	638	1,216	54	87	41	13	18	4	6
MUSCULAR RHEUMATISM AND RHEUMATISM UNSPECIFIED.....726,727	22	9	6	4	3	1	-	-	1	-
OSTEOMYELITIS AND PERIOSTITIS.....730	175	88	61	16	10	6	-	4	2	-
ANKYLOSIS & ACQ. MUSCULOSKELETAL DEFORMITIES...737,745-749	100	44	44	7	5	1	1	-	-	-
INBORN DEFECT OF MUSCLE.....744.1	573	396	144	22	11	7	3	1	2	1
OT. DIS. OF MUSCULOSKELETAL SYS....731-736,738-744.0,744.2	731	288	370	38	35	10	3	2	4	1
XIV. CONGENITAL MALFORMATIONS	21,860	10,392	8,664	1,573	1,231	384	138	144	59	43
SPINA BIFIDA AND MENINGOCELE.....751	1,215	487	658	37	33	31	10	18	2	1
CONGENITAL HYDROCEPHALUS, ETC.....752,753	2,503	1,112	1,043	179	169	66	23	32	5	6
CONGENITAL MALFORMATIONS OF CIRCULATORY SYSTEM.....754	11,272	5,479	4,293	813	687	160	59	51	29	21
OTHER CONGENITAL MALFORMATIONS.....750,755-759	6,870	3,314	2,670	544	342	127	46	43	23	15
XV. CERTAIN DISEASES OF EARLY INFANCY	67,094	30,211	21,065	8,892	6,926	1,356	452	303	353	248
XVI. SYMPTOMS, SENILITY, AND ILL-DEFINED CONDITIONS	20,385	7,928	5,181	4,084	3,192	1,483	345	209	463	466
SENILITY WITHOUT MENTION OF PSYCHOSIS.....794	2,639	877	1,274	215	273	133	30	33	30	40
SYMPTOMS, ILL-DEFINED, AND UNKNOWN CAUSES.....780-793,795	17,746	7,051	3,907	3,869	2,919	1,350	315	176	433	426
XVII. ACCIDENTS, POISONINGS, AND VIOLENCE	121,349	71,577	30,835	13,615	5,322	2,659	1,220	449	698	292
ACCIDENTS.....E800-E962	93,806	54,883	25,385	9,463	4,075	2,069	954	394	486	235
RAILWAY ACCIDENTS.....E800-E802	1,023	734	84	189	16	24	14	-	8	2
MOTOR VEHICLE ACCIDENTS.....E810-E835	38,137	24,656	8,989	3,428	1,064	941	504	179	205	53
MOTOR VEHICLE TRAFFIC ACCIDENTS.....E810-E825	37,142	24,001	8,762	3,341	1,038	910	491	170	198	51
TRAFFIC ACCIDENT WITH RAILWAY TRAIN.....E810	1,368	904	338	90	36	42	19	8	12	3
TRAFFIC ACCIDENT TO PEDESTRIAN.....E812	7,284	4,267	1,681	951	385	155	68	23	46	18
OTHER TRAFFIC ACCIDENTS, ETC.....E811,E813-E819	15,282	9,614	4,278	1,046	344	393	209	93	69	22
NONCOLLISION TRAFFIC ACCIDENTS.....E820-E824	10,279	7,301	1,755	1,014	209	281	171	36	67	7
TRAFFIC ACCIDENT OF UNSPECIFIED NATURE.....E825	2,929	1,915	710	240	64	39	24	10	4	1
MOTOR VEHICLE NONTRAFFIC ACCIDENTS.....E830-E835	995	655	227	87	26	31	13	9	7	2
OTHER ROAD VEHICLE ACCIDENTS.....E840-E845	243	165	47	25	6	4	2	-	1	1
WATER TRANSPORT ACCIDENTS.....E850-E858	1,478	1,189	98	179	12	50	39	2	9	-
AIRCRAFT ACCIDENTS.....E860-E866	1,475	1,244	210	16	5	10	9	1	-	-
ACCIDENTAL POISONING BY SOLIDS AND LIQUIDS.....E870-E888	1,679	753	512	269	145	57	23	14	12	8
ACCIDENTAL POISONING BY GASES AND VAPORS.....E890-E895	1,253	794	294	106	59	14	7	2	4	1
ACCIDENTAL FALLS.....E900-E904	19,023	8,407	9,198	890	528	205	70	95	20	20
FALL FROM ONE LEVEL TO ANOTHER.....E900-E902	6,019	3,425	1,896	501	197	62	26	16	14	6
FALL ON SAME LEVEL.....E903	3,689	1,450	2,064	93	82	64	17	37	2	8
UNSPECIFIED FALLS.....E904	9,315	3,532	5,238	296	249	79	27	42	4	6
BLOW FROM FALLING OR PROJECTED OBJECT OR MISSILE....E910	1,404	1,167	45	182	10	35	21	3	10	1
ACCIDENT CAUSED BY MACHINERY.....E912	1,951	1,689	63	194	5	45	33	-	12	-
ACCIDENT CAUSED BY ELECTRIC CURRENT.....E914	989	838	66	80	5	34	26	1	7	-
ACCIDENT CAUSED BY FIRE AND EXPLOSION, ETC.....E916	7,645	3,100	2,148	1,179	1,218	257	49	40	70	98
ACCIDENT CAUSED BY HOT SUBSTANCE, ETC.....E917,E918	402	160	132	71	39	6	2	-	1	3
ACCIDENT CAUSED BY FIREARM.....E919	2,334	1,671	229	339	95	83	44	8	22	9
INHALATION AND INGESTION OF OBJECTS, ETC.....E921,E922	2,397	1,187	746	264	200	43	11	12	13	7
ACCIDENTAL DROWNING.....E929	5,232	3,355	708	1,032	137	108	46	6	47	9
EXCESSIVE HEAT AND INSOLATION.....E931	168	101	33	25	9	2	1	-	1	-
COMPLICATIONS DUE TO MEDICAL PROCEDURES.....E940-E959	1,115	473	473	78	91	8	3	2	2	1
ALL OTHER ACCIDENTS.....RESIDUAL	5,858	3,200	1,310	917	431	143	50	29	42	22
SUICIDE.....E963,E970-E979	19,041	13,825	4,296	714	206	246	185	41	16	4
SUICIDE BY POISONING.....E970-E973	4,330	2,564	1,649	67	50	25	12	12	-	1
SUICIDE BY HANGING AND STRANGULATION.....E974	3,366	2,461	747	115	43	16	12	2	-	2
SUICIDE BY FIREARM AND EXPLOSIVE.....E976	9,017	7,503	1,087	376	51	194	152	25	16	1
SUICIDE BY ALL OTHER MEANS.....E963,E975,E977-E979	2,328	1,297	813	156	62	11	9	2	-	-
HOMICIDE.....E964,E980-E985	8,464	2,832	1,154	3,437	1,041	344	81	14	196	53
ASSAULT BY FIREARM AND EXPLOSIVE.....E981	4,627	1,637	671	1,823	496	206	51	9	113	33
ASSAULT BY CUTTING AND PIERCING INSTRUMENTS.....E982	1,836	385	123	1,057	271	87	13	3	58	13
ASSAULT BY OTHER MEANS.....E964,E980,E983	1,700	665	359	404	272	39	12	2	19	6
INJURY BY INTERVENTION OF POLICE.....E984	245	124	1	118	2	11	5	-	5	1
EXECUTION.....E985	56	21	-	35	-	1	-	-	1	-
INJURY RESULTING FROM OPERATIONS OF WAR.....E965,E990-E999	38	37	-	1	-	-	-	-	-	-

and Sex: United States and Each State, 1960—Con.

bers after causes of death are category numbers of the Seventh Revision of the International Lists, 1955. For complete category titles, see table 5-8)

ALASKA					ARIZONA					ARKANSAS				
Total	White		Nonwhite		Total	White		Nonwhite		Total	White		Nonwhite	
	Male	Female	Male	Female		Male	Female	Male	Female		Male	Female	Male	Female
1	...	1	...	-	12	...	9	...	3	23	...	7	...	16
-	...	-	...	-	1	...	-	...	1	-	...	-	...	-
-	...	-	...	-	1	...	1	...	-	4	...	1	...	3
-	...	-	...	-	3	...	2	...	1	7	...	1	...	6
-	...	-	...	-	2	...	1	...	1	2	...	-	...	2
-	...	-	...	-	1	...	1	...	-	-	...	-	...	-
-	...	-	...	-	-	...	-	...	-	3	...	1	...	2
-	...	-	...	-	-	...	-	...	-	-	...	-	...	-
1	...	1	...	-	4	...	4	...	-	7	...	4	...	3
2	1	-	-	1	13	4	5	1	3	28	12	7	-	9
-	-	-	-	-	6	1	2	1	2	8	4	1	-	3
2	1	-	-	1	7	3	3	-	1	20	8	6	-	6
4	2	1	1	-	32	15	17	-	-	54	26	24	2	2
3	1	1	1	-	27	12	15	-	-	39	18	19	1	1
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
-	-	-	-	-	2	1	1	-	-	-	-	-	-	-
1	1	-	-	-	-	-	-	-	-	1	-	1	-	-
-	-	-	-	-	1	1	-	-	-	10	6	3	1	-
-	-	-	-	-	2	1	1	-	-	4	2	1	-	1
37	19	14	2	2	185	93	61	13	18	198	86	67	25	20
-	-	-	-	-	9	5	1	1	2	11	4	6	-	1
9	2	4	1	2	22	10	8	2	2	20	13	5	1	1
14	8	6	-	-	98	52	26	9	11	99	41	35	12	11
14	9	4	1	-	56	26	26	1	3	68	28	21	12	7
144	48	38	33	25	607	282	216	59	50	589	230	154	108	97
48	20	3	12	13	160	46	33	51	30	486	163	88	132	103
12	3	1	1	7	20	6	10	4	-	80	27	18	19	16
36	17	2	11	6	140	40	23	47	30	406	136	70	113	87
306	165	37	69	35	1,111	673	240	150	48	1,514	791	279	310	134
250	136	23	61	30	871	523	197	112	39	1,232	638	248	224	122
-	-	-	-	-	14	7	-	6	1	27	16	1	8	2
46	30	8	6	2	418	266	100	43	9	466	285	90	67	24
43	28	7	6	2	409	260	97	43	9	449	279	87	62	21
1	1	-	-	-	21	16	4	1	-	18	11	4	2	1
11	5	1	3	2	83	44	21	14	4	70	32	11	16	11
8	5	3	-	-	155	93	51	10	1	119	86	27	5	1
21	15	3	3	-	126	90	17	16	3	99	62	15	20	2
2	2	-	-	-	24	17	4	2	1	143	88	30	19	6
3	2	1	-	-	9	6	3	-	-	17	6	3	5	3
2	2	-	-	-	8	2	1	5	-	7	4	1	2	-
31	20	-	11	-	3	2	-	1	-	22	18	-	4	-
34	28	6	-	-	16	13	3	-	-	19	17	2	-	-
10	1	-	5	4	21	7	9	3	2	17	4	8	2	3
1	1	-	-	-	12	7	5	-	-	15	10	1	3	1
10	7	2	-	1	83	44	27	9	3	153	67	65	6	15
5	4	1	-	-	37	20	10	6	1	32	22	6	-	4
2	2	-	-	-	10	5	5	-	-	10	4	4	2	-
3	1	1	-	1	36	19	12	3	2	111	41	55	4	11
7	5	-	2	-	14	12	-	2	-	29	18	-	10	1
2	2	-	-	-	16	14	-	2	-	29	21	1	6	1
-	-	-	-	-	17	16	1	-	-	9	6	1	2	-
19	5	2	4	8	53	26	18	3	6	186	54	36	53	43
2	-	-	1	1	1	-	1	-	-	4	3	-	1	-
14	7	1	4	2	34	24	3	4	3	63	37	6	17	3
7	3	2	-	2	20	10	7	2	1	30	15	6	3	6
34	12	1	17	4	57	33	11	12	1	58	30	5	20	3
-	-	-	-	-	7	3	1	1	2	3	2	-	-	1
1	1	-	-	-	10	4	1	1	4	11	5	6	-	-
30	12	1	11	6	67	33	9	18	7	84	26	19	20	19
35	22	10	2	1	151	113	27	8	3	147	111	23	9	4
10	5	4	-	1	40	29	11	-	-	15	8	6	-	1
3	2	-	1	-	16	13	3	-	-	11	9	2	-	-
18	14	4	-	-	86	67	12	7	-	106	90	9	5	2
4	1	2	1	-	9	4	1	1	3	15	4	6	4	1
21	7	4	6	4	89	37	16	30	6	133	40	8	77	8
18	6	4	5	3	57	20	12	21	4	82	32	8	39	3
-	-	-	-	-	11	2	3	5	1	31	2	-	27	2
3	1	-	1	1	18	12	1	4	1	9	3	-	3	3
-	-	-	-	-	3	3	-	-	-	4	2	-	2	-
-	-	-	-	-	-	-	-	-	-	7	1	-	6	-
-	-	-	-	-	-	-	-	-	-	2	2	-	-	-

Table 5-10. Deaths From 255 Selected Causes, by Color

(By place of residence. Data refer only to deaths occurring within the United States, including Alaska and Hawaii. Excludes fetal deaths. Num-

CAUSE OF DEATH	CALIFORNIA					COLORADO				
	Total	White		Nonwhite		Total	White		Nonwhite	
		Male	Female	Male	Female		Male	Female	Male	Female
ALL CAUSES	135,508	72,588	54,313	5,216	3,391	15,342	8,483	6,436	248	175
I. INFECTIVE AND PARASITIC DISEASES	1,617	947	453	158	59	193	98	83	6	6
TUBERCULOSIS, ALL FORMS 001-019	788	505	173	85	25	76	48	22	3	3
TUBERCULOSIS OF RESPIRATORY SYSTEM 001-008	720	472	152	78	18	70	47	18	3	2
TUBERCULOSIS OF MENINGES AND CENTRAL NERVOUS SYSTEM 010	18	7	7	2	2	1	1	-	-	-
TUBERCULOSIS OF INTESTINES, PERITONEUM, AND MESENTERIC GLANDS 011	4	2	-	-	2	1	-	1	-	-
TUBERCULOSIS OF BONES AND JOINTS 012,013	8	3	5	-	-	1	-	1	-	-
TUBERCULOSIS OF OTHER ORGANS AND SYSTEMS 014-018	17	10	6	1	-	-	-	-	-	-
DISSEMINATED TUBERCULOSIS 019	21	11	3	4	3	3	-	2	-	1
SYPHILIS AND ITS SEQUELAE 020-029	265	165	57	31	12	33	16	15	1	1
CONGENITAL SYPHILIS 020	2	2	-	-	-	1	1	-	-	-
EARLY SYPHILIS 021	-	-	-	-	-	-	-	-	-	-
ANEURYSM OF AORTA 022	125	82	26	11	6	16	8	8	-	-
OTHER CARDIOVASCULAR SYPHILIS 023	110	63	23	18	6	8	4	3	1	-
TABES DORSALIS 024	7	5	2	-	-	1	-	-	-	1
GENERAL PARALYSIS OF INSANE 025	6	2	2	2	-	5	2	3	-	-
OTHER SYPHILIS OF CENTRAL NERVOUS SYSTEM 026	14	11	3	-	-	1	-	1	-	-
ALL OTHER SYPHILIS 027-029	1	-	1	-	-	1	1	-	-	-
GONOCOCCAL INFECTION 030-035	4	1	1	1	1	-	-	-	-	-
TYPHOID FEVER 040	2	1	1	-	-	-	-	-	-	-
PARATYPHOID FEVER AND OTHER SALMONELLA INFECTIONS 041,042	13	8	4	-	1	-	-	-	-	-
CHOLERA 043	-	-	-	-	-	-	-	-	-	-
BRUCELLOSIS 044	1	1	-	-	-	-	-	-	-	-
DYSENTERY, ALL FORMS 045-048	19	10	9	-	-	4	1	3	-	-
FOOD POISONING, INFECTION AND INTOXICATION 049	1	-	1	-	-	3	1	2	-	-
SCARLET FEVER 050	-	-	-	-	-	-	-	-	-	-
STREPTOCOCCAL SORE THROAT 051	4	3	-	-	1	2	1	1	-	-
ERYSIPELAS 052	1	-	1	-	-	-	-	-	-	-
SEPTICEMIA AND PYEMIA 053	137	69	58	7	3	22	12	9	-	1
DIPHTHERIA 055	-	-	-	-	-	-	-	-	-	-
WHOOPING COUGH 056	3	1	1	1	-	-	-	-	-	-
MENINGOCOCCAL INFECTIONS 057	42	23	15	2	2	4	-	4	-	-
PLAGUE 058	-	-	-	-	-	-	-	-	-	-
LEPROSY 060	-	-	-	-	-	-	-	-	-	-
TETANUS 061	11	2	7	2	-	1	-	1	-	-
ANTHRAX 062	-	-	-	-	-	-	-	-	-	-
ACUTE POLIOMYELITIS 080	24	14	7	2	1	-	-	-	-	-
LATE EFFECTS OF ACUTE POLIOMYELITIS 081	20	10	9	1	-	1	-	1	-	-
ACUTE INFECTIOUS ENCEPHALITIS 082	42	17	17	6	2	8	4	4	-	-
LATE EFFECTS OF ACUTE INFECTIOUS ENCEPHALITIS 083	13	9	4	-	-	1	-	1	-	-
SMALLPOX 084	-	-	-	-	-	-	-	-	-	-
MEASLES 085	12	4	3	1	4	5	4	1	-	-
YELLOW FEVER 091	-	-	-	-	-	-	-	-	-	-
INFECTIOUS HEPATITIS 092	92	42	47	2	1	13	4	9	-	-
RABIES 094	-	-	-	-	-	-	-	-	-	-
TICK-BORNE TYPHUS 104	-	-	-	-	-	-	-	-	-	-
ALL OTHER RICKETTSIAL DISEASES 100-103,105-108	-	-	-	-	-	-	-	-	-	-
MALARIA 110-117	-	-	-	-	-	-	-	-	-	-
SCHISTOSOMIASIS 123	-	-	-	-	-	-	-	-	-	-
HYDATID DISEASE 125	1	-	1	-	-	-	-	-	-	-
FILARIASIS 127	-	-	-	-	-	-	-	-	-	-
ANCYLOSTOMIASIS 129	-	-	-	-	-	-	-	-	-	-
OTHER DISEASES DUE TO HELMINTHS 124,126,128,130	2	2	-	-	-	-	-	-	-	-
ALL OTHER INFECTIVE AND PARASITIC DISEASES RESIDUAL	120	60	37	17	6	20	7	10	2	1
II. NEOPLASMS	22,462	11,263	9,947	735	517	2,243	1,114	1,076	31	22
MALIGNANT NEOPLASMS, INCLUDING NEOPLASMS OF LYMPHATIC AND HEMATOPOIETIC TISSUES 140-205	22,065	11,081	9,769	716	499	2,189	1,094	1,045	29	21
MALIGNANT NEOPLASM OF BUCCAL CAVITY AND PHARYNX 140-148	548	369	148	27	4	42	28	13	-	1
OF LIP 140	12	11	1	-	-	3	3	-	-	-
OF TONGUE 141	145	102	37	5	1	11	7	4	-	-
OF OTHER AND UNSPEC. PARTS OF BUCCAL CAVITY 142-144	175	109	55	11	-	10	7	2	-	1
OF PHARYNX 145-148	216	147	55	11	3	18	11	7	-	-
MALIGNANT NEOPLASM OF DIGESTIVE ORGANS AND PERITONEUM, NOT SPECIFIED AS SECONDARY 150-156A,157-159	7,097	3,621	3,034	286	156	728	378	326	15	9
OF ESOPHAGUS 150	397	272	91	25	9	30	16	11	2	1
OF STOMACH 151	1,641	901	612	88	40	160	93	62	1	4
OF SMALL INTESTINE, INCLUDING DUODENUM 152	55	25	28	-	2	9	6	3	-	-
OF LARGE INTESTINE, EXCEPT RECTUM 153	2,090	934	1,067	46	43	238	97	134	6	1
CECUM, APPENDIX, AND ASCENDING COLON 153.0	371	143	213	8	7	36	17	19	-	-
TRANSVERSE COLON 153.1	156	61	88	4	3	20	8	11	1	-
DESCENDING COLON 153.2	102	41	57	2	2	5	3	2	-	-
SIGMOID COLON 153.3	570	288	256	12	14	49	20	28	-	1
MULTIPLE PARTS OF LARGE INTESTINE 153.7	8	3	5	-	-	-	-	-	-	-
LARGE INTESTINE, PART UNSPECIFIED 153.8	804	362	409	17	16	121	47	70	4	-
INTESTINAL TRACT, PART UNSPECIFIED 153.9	79	36	39	3	1	7	2	4	1	-
OF RECTUM 154	931	522	368	26	15	71	44	24	1	2
OF BILIARY PASSAGES AND OF LIVER, PRIMARY SITE 155	533	196	287	35	15	61	28	32	1	-
LIVER 155.0	174	93	56	22	3	14	11	3	-	-
OT. & MULT. SITES OF BILIARY PASSAGES 155.1,155.8	359	103	231	13	12	47	17	29	1	-
OF LIVER NOT STATED WHETHER PRIMARY OR SECONDARY 156A	161	73	76	9	3	22	10	10	2	-
OF PANCREAS 157	1,159	638	444	50	27	125	77	45	2	1
OF PERITONEUM AND OF UNSPEC. DIGESTIVE ORGANS 158,159	130	60	61	7	2	12	7	5	-	-

and Sex: United States and Each State, 1960—Con.

bers after causes of death are category numbers of the Seventh Revision of the International Lists, 1955. For complete category titles, see table 5-8)

CONNECTICUT					DELAWARE					DISTRICT OF COLUMBIA					
Total	White		Nonwhite		Total	White		Nonwhite		Total	White		Nonwhite		
	Male	Female	Male	Female		Male	Female	Male	Female		Male	Female	Male	Female	
23,899	12,769	10,199	530	401	4,186	1,965	1,492	435	294	8,782	2,472	2,239	2,262	1,809	1
															2
															3
209	134	52	15	8	46	24	12	6	4	156	31	23	56	46	4
															5
100	72	18	7	3	25	13	7	5	-	90	23	7	36	24	6
92	68	15	6	3	23	13	6	4	-	86	22	7	35	22	7
2	-	1	1	-	2	-	1	1	-	1	1	-	-	-	8
															9
-	-	-	-	-	-	-	-	-	-	1	-	-	1	-	10
1	-	1	-	-	-	-	-	-	-	1	-	-	-	1	11
4	3	1	-	-	-	-	-	-	-	-	-	-	-	-	12
1	1	-	-	-	-	-	-	-	-	1	-	-	-	1	13
															14
37	24	8	5	-	6	4	1	-	1	19	3	3	8	5	15
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	16
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	17
															18
27	19	7	1	-	2	2	-	-	-	9	3	2	2	2	19
7	3	1	3	-	3	1	1	-	1	7	-	1	5	1	20
1	-	-	1	-	-	-	-	-	-	1	-	-	-	1	21
1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	22
-	-	-	-	-	-	-	-	-	-	2	-	-	1	1	23
1	1	-	-	-	1	1	-	-	-	-	-	-	-	-	24
															25
1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	26
-	-	-	-	-	-	-	-	-	-	1	-	-	-	1	27
-	-	-	-	-	-	-	-	-	-	2	1	-	1	-	28
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	29
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	30
1	-	1	-	-	-	-	-	-	-	-	-	-	-	-	31
1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	32
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	33
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	34
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	35
24	12	9	2	1	5	2	2	-	1	18	2	8	2	6	36
															37
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	38
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	39
4	2	1	-	1	2	2	-	-	-	4	-	-	2	2	40
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	41
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	42
1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	43
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	44
5	3	2	-	-	-	-	-	-	-	1	-	-	1	-	45
2	1	1	-	-	2	-	-	-	2	-	-	-	-	-	46
3	2	-	-	1	1	-	1	-	-	-	-	-	-	-	47
2	-	2	-	-	-	-	-	-	-	1	1	-	-	-	48
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	49
6	5	1	-	-	-	-	-	-	-	3	-	-	2	1	50
															51
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	52
7	2	4	-	1	1	1	-	-	-	7	-	3	2	2	53
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	54
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	55
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	56
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	57
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	58
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	59
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	60
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	61
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	62
15	8	5	1	1	4	2	1	1	-	10	1	2	2	5	63
															64
4,502	2,404	1,956	91	51	667	300	276	51	40	1,468	419	399	377	273	65
															66
4,413	2,366	1,908	90	49	652	297	268	48	39	1,433	414	390	363	266	67
122	99	19	4	-	18	13	3	1	1	50	18	8	22	2	68
3	2	1	-	-	-	-	-	-	-	2	1	-	1	-	69
27	23	4	-	-	7	5	1	1	-	12	5	1	6	-	70
35	30	5	-	-	2	-	1	-	1	19	5	5	8	1	71
57	44	9	4	-	9	8	1	-	-	17	7	2	7	1	72
															73
															74
1,652	914	691	32	15	197	96	80	15	6	489	140	124	136	89	75
99	79	12	8	-	13	10	1	2	-	47	14	-	27	6	76
403	253	134	12	4	42	30	9	2	1	97	33	13	32	19	77
16	7	9	-	-	2	1	1	-	-	2	-	-	2	-	78
519	239	272	3	5	71	29	35	5	2	144	42	52	27	23	79
70	32	37	1	-	10	6	2	-	2	24	9	8	3	4	80
31	20	10	-	1	4	2	2	-	-	8	5	2	1	-	81
19	10	9	-	-	6	1	4	1	-	8	1	2	2	3	82
111	50	58	1	2	25	10	13	2	-	26	9	10	4	3	83
2	2	-	-	-	-	-	-	-	-	-	-	-	-	-	84
250	113	135	1	1	21	8	11	2	-	74	18	26	17	13	85
36	12	23	-	1	5	2	3	-	-	4	-	4	-	-	86
															87
210	113	93	2	2	15	5	10	-	-	72	15	25	16	16	88
107	60	45	2	-	15	5	10	-	-	28	7	8	5	8	89
22	16	4	2	-	4	2	2	-	-	15	4	2	5	4	90
85	44	41	-	-	11	3	8	-	-	13	3	6	-	4	91
40	25	14	-	1	8	3	5	-	-	16	7	2	5	2	92
233	128	97	5	3	26	13	8	3	2	76	20	21	22	13	93
25	10	15	-	-	5	-	1	3	1	7	2	3	-	2	94
															95

Table 5-10. Deaths From 255 Selected Causes, by Color

(By place of residence. Data refer only to deaths occurring within the United States, including Alaska and Hawaii. Excludes fetal deaths. Num-

CAUSE OF DEATH	CALIFORNIA					COLORADO				
	Total	White		Nonwhite		Total	White		Nonwhite	
		Male	Female	Male	Female		Male	Female	Male	Female
II. NEOPLASMS—CON.										
MALIGNANT NEOPLASMS, ETC.—CON.										
MALIGNANT NEOPLASM OF RESPIRATORY SYSTEM, NOT SPECIFIED AS SECONDARY.....160-164	3,483	2,757	531	169	26	272	222	44	5	1
OF LARYNX.....161	193	165	19	7	2	9	7	2	-	-
OF BRONCHUS & TRACHEA, & OF LUNG SPEC. AS PRIMARY..162	2,164	1,751	292	109	12	127	104	19	3	1
OF LUNG, NOT SPEC. PRIMARY OR SECONDARY.....163	1,063	802	199	50	12	131	106	23	2	-
OF OTHER PARTS OF RESPIRATORY SYSTEM.....160,164	63	39	21	3	-	5	5	-	-	-
MALIGNANT NEOPLASM OF BREAST.....170	2,118	11	2,022	-	85	224	1	221	-	2
MALIGNANT NEOPLASM OF GENITAL ORGANS.....171-179	2,952	1,064	1,708	64	116	340	141	190	3	6
OF CERVIX UTERI.....171	709	...	639	...	70	70	...	69	...	1
OF OTHER AND UNSPECIFIED PARTS OF UTERUS.....172-174	378	...	357	...	21	45	...	40	...	5
OF OVARY, FALLOPIAN TUBE, AND BROAD LIGAMENT.....175	679	...	657	...	22	70	...	70	...	-
OF OTHER AND UNSPECIFIED FEMALE GENITAL ORGANS.....176	58	...	55	...	3	11	...	11	...	-
OF PROSTATE.....177	1,055	994	...	61	...	132	129	...	3	...
OF ALL OTHER & UNSPEC. MALE GENITAL ORGANS.....178,179	73	70	...	3	...	12	12	...	-	...
MALIGNANT NEOPLASM OF URINARY ORGANS.....180,181	1,043	696	299	26	22	109	74	34	1	-
OF KIDNEY.....180	394	249	127	11	7	58	39	18	1	-
OF BLADDER AND OTHER URINARY ORGANS.....181	649	447	172	15	15	51	35	16	-	-
MALIGNANT NEOPLASM OF OTHER AND UNSPECIFIED SITES.....156B,165,190-199	2,565	1,327	1,103	79	56	245	117	124	3	1
OF SKIN.....190,191	346	206	132	3	5	34	23	11	-	-
OF EYE.....192	30	18	12	-	-	3	1	2	-	-
OF BRAIN AND OTHER PARTS OF NERVOUS SYSTEM.....193	565	338	197	18	12	48	22	25	1	-
OF THYROID GLAND.....194	93	30	58	4	1	19	3	16	-	-
OF BONE.....196	125	57	60	5	3	13	7	6	-	-
OF CONNECTIVE TISSUE.....197	103	56	42	2	3	13	8	5	-	-
OF OTHER SPECIFIED SITES, NOT SECONDARY.....195,199A	115	59	42	8	6	7	2	5	-	-
OF UNSPECIFIED SITES.....156B,165,198,199B	1,188	563	560	39	26	108	51	54	2	1
LEUKEMIA AND ALEUKEMIA.....204	1,076	578	454	30	14	113	66	46	1	-
LYMPHOSARCOMA, ETC.....200-203,205	1,183	658	470	35	20	116	67	47	1	1
LYMPHOSARCOMA AND RETICULOSARCOMA.....200	546	313	216	13	4	59	39	20	-	-
HODGKINS DISEASE.....201	271	146	113	7	5	28	14	13	1	-
OTHER NEOPLASMS OF LYMPHATIC AND HEMATOPOIETIC TISSUES.....202,203,205	366	199	141	15	11	29	14	14	-	1
BENIGN NEOPLASMS AND NEOPLASMS OF UNSPEC. NATURE...210-239	397	182	178	19	18	54	20	31	2	1
BENIGN NEOPLASMS OF FEMALE GENITAL ORGANS.....214-217	26	...	21	...	5	5	...	5	...	-
BENIGN NEOPLASM OF BRAIN & OT. PTS. OF NERVOUS SYS...223	95	53	36	2	4	16	7	8	-	1
OTHER BENIGN NEOPLASMS.....210-213,218-222,224-229	94	45	36	7	6	8	5	3	-	-
UNSPECIFIED NEOPLASM OF FEMALE GENITAL ORGANS....233-235	2	...	2	...	-	1	...	1	...	-
NEOPLASM OF UNSPECIFIED NATURE OF BRAIN, ETC.....237	115	58	49	5	3	18	8	8	2	-
OTHER NEOPLASMS OF UNSPEC. NATURE....230-232,236,238,239	65	26	34	5	-	6	-	6	-	-
III. ALLERGIC, ENDOCRINE SYSTEM, METABOLIC, AND NUTRITIONAL DISEASES.....	2,413	1,036	1,160	104	113	299	141	149	4	5
ASTHMA.....241	454	261	156	20	17	69	41	25	2	1
NONTOXIC GOITER.....250,251	3	-	3	-	-	2	-	2	-	-
THYROTOXICOSIS WITH OR WITHOUT GOITER.....252	29	7	19	-	3	5	2	3	-	-
ALL OTHER DISEASES OF THYROID GLAND.....253,254	35	5	29	-	1	1	-	1	-	-
DIABETES MELLITUS.....260	1,531	598	787	65	81	178	79	94	1	4
DISEASES OF THYMUS GLAND.....273	7	1	5	1	-	-	-	-	-	-
DISEASES OF ADRENAL GLANDS.....274	24	12	9	1	2	7	2	4	1	-
PELLAGRA.....281	2	2	-	-	-	1	1	-	-	-
OTHER NUTRITIONAL DEFICIFNCY STATES.....280,282-286	162	73	78	9	2	9	5	4	-	-
ALL OTHER ALLERGIC, ENDOCRINE, & METABOLIC DIS....RESIDUAL	166	77	74	8	7	27	11	16	-	-
IV. DISEASES OF THE BLOOD AND BLOOD-FORMING ORGANS...	349	152	175	12	10	56	25	31	-	-
ANEMIAS.....290-293	215	85	117	8	5	42	19	23	-	-
PERNICIOUS AND OTHER HYPERCHROMIC ANEMIAS.....290	36	14	22	-	-	6	1	5	-	-
ANEMIAS OF OTHER AND UNSPECIFIED TYPE.....291-293	179	71	95	8	5	36	18	18	-	-
PURPURA AND OTHER HEMORRHAGIC CONDITIONS.....296	54	24	24	3	3	4	1	3	-	-
OTHER DIS. OF BLOOD AND BLOOD-FORMING ORGANS.....RESIDUAL	80	43	34	1	2	10	5	5	-	-
V. MENTAL, PSYCHONEUROTIC, AND PERSONALITY DISORDERS	352	227	88	25	12	49	30	16	2	1
SENILE PSYCHOSIS.....304	22	6	13	2	1	8	1	7	-	-
ALCOHOLIC PSYCHOSIS.....307	50	42	3	5	-	6	5	-	1	-
OTHER PSYCHOSES.....300-303,305,306,308,309	47	23	18	2	4	7	1	6	-	-
ALCOHOLISM.....322	195	135	40	14	6	23	20	1	1	1
MENTAL DEFICIENCY.....325	24	11	12	1	-	4	2	2	-	-
OTHER DISORDERS OF PERSONALITY.....RESIDUAL	14	10	2	1	1	1	1	-	-	-
VI. DISEASES OF THE NERVOUS SYSTEM AND SENSE ORGANS..	15,735	6,829	8,002	470	434	1,737	766	935	17	19
VASCULAR LESIONS AFFECTING CENTRAL NERVOUS SYSTEM..330-334	14,591	6,265	7,510	415	401	1,595	677	885	17	16
SUBARACHNOID HEMORRHAGE.....330	673	254	353	31	35	48	20	25	-	3
CEREBRAL HEMORRHAGE.....331	6,934	2,990	3,546	202	196	939	408	513	9	9
CEREBRAL EMBOLISM AND THROMBOSIS.....332	5,766	2,498	2,958	160	150	451	189	254	4	4
OTHER VASCULAR LESIONS AFFECTING C.N.S.....333,334	1,218	523	653	22	20	157	60	93	4	-
MENINGITIS, EXCEPT MENINGOCOCCAL AND TUBERCULOUS.....340	197	108	66	13	10	19	10	8	-	1
MULTIPLE SCLEROSIS.....345	120	51	67	2	-	16	9	7	-	-
PARALYSIS AGITANS.....350	263	127	130	5	1	23	15	8	-	-
CEREBRAL SPASTIC INFANTILE PARALYSIS.....351	39	17	18	4	-	7	5	2	-	-
EPILEPSY.....353	124	58	43	15	8	21	13	8	-	-
INFLAMMATORY DISEASES OF EYE.....370-379	1	-	1	-	-	-	-	-	-	-
CATARACT.....385	4	2	2	-	-	-	-	-	-	-
GLAUCOMA.....387	-	-	-	-	-	-	-	-	-	-
OTITIS MEDIA AND MASTOIDITIS.....391-393	28	11	14	3	-	7	5	2	-	-
OTHER DIS. OF NERVOUS SYSTEM AND SENSE ORGANS.....RESIDUAL	368	190	151	13	14	49	32	15	-	2

and Sex: United States and Each State, 1960—Con.

bers after causes of death are category numbers of the Seventh Revision of the International Lists, 1955. For complete category titles, see table 5-8)

CONNECTICUT					DELAWARE					DISTRICT OF COLUMBIA					
Total	White		Nonwhite		Total	White		Nonwhite		Total	White		Nonwhite		
	Male	Female	Male	Female		Male	Female	Male	Female		Male	Female	Male	Female	
630	512	95	23	-	107	78	12	16	1	233	108	24	88	13	1
37	34	2	1	-	12	8	1	2	1	25	8	3	12	2	2
150	122	22	6	-	51	39	6	6	-	120	48	17	47	8	3
430	348	67	15	-	43	31	5	7	-	87	51	4	29	3	4
13	8	4	1	-	1	-	-	1	-	1	1	-	-	-	5
403	5	393	-	5	56	1	49	-	6	132	-	82	-	50	6
562	218	315	16	13	91	24	48	5	14	224	41	75	42	66	7
87	•••	79	•••	8	33	•••	26	•••	7	57	•••	24	•••	33	8
86	•••	83	•••	3	12	•••	9	•••	3	34	•••	18	•••	16	9
142	•••	140	•••	2	15	•••	11	•••	4	46	•••	31	•••	15	10
13	•••	13	•••	-	2	•••	2	•••	-	4	•••	2	•••	2	11
222	207	•••	15	•••	26	21	•••	5	•••	79	39	•••	40	•••	12
12	11	•••	1	•••	3	3	•••	-	•••	4	2	•••	2	•••	13
239	153	75	6	5	31	15	12	2	2	60	24	7	23	6	14
84	49	31	2	2	14	7	5	1	1	21	9	3	7	2	15
155	104	44	4	3	17	8	7	1	1	39	15	4	16	4	16
424	245	167	4	8	102	45	44	6	7	141	47	45	27	22	17
56	30	23	2	1	13	7	6	-	-	8	4	2	1	1	18
4	3	1	-	-	1	-	1	-	-	2	-	1	-	1	19
86	54	28	1	3	17	9	6	2	-	30	9	12	5	4	20
15	6	9	-	-	3	2	1	-	-	3	1	2	-	-	21
22	14	8	-	-	5	4	-	1	-	9	3	2	2	2	22
8	5	3	-	-	3	-	3	-	-	10	4	3	1	2	23
18	12	6	-	-	2	2	-	-	-	3	-	2	-	1	24
215	121	89	1	4	58	21	27	3	7	76	26	21	18	11	25
169	98	68	3	-	23	13	8	-	2	40	14	12	8	6	26
212	122	85	2	3	27	12	12	3	-	64	22	13	17	12	27
89	50	39	-	-	15	5	7	3	-	34	15	7	8	4	28
55	30	24	-	1	3	1	2	-	-	12	3	3	2	4	29
68	42	22	2	2	9	6	3	-	-	18	4	3	7	4	30
89	38	48	1	2	15	3	8	3	1	35	5	9	14	7	31
3	•••	2	•••	1	1	•••	-	•••	1	7	•••	3	•••	4	32
8	1	7	-	-	-	-	-	-	-	7	1	2	4	-	33
17	8	8	-	1	1	-	-	1	-	3	1	-	2	-	34
1	•••	1	•••	-	-	•••	-	•••	-	-	•••	-	•••	-	35
41	20	20	1	-	8	3	4	1	-	15	1	4	8	2	36
19	9	10	-	-	5	-	4	1	-	3	2	-	-	1	37
644	266	355	9	14	132	47	67	10	8	152	29	49	32	42	38
54	30	21	2	1	8	5	3	-	-	21	4	5	5	7	39
2	-	2	-	-	-	-	-	-	-	1	-	-	-	1	40
14	3	11	-	-	2	-	2	-	-	3	-	2	-	1	41
3	-	3	-	-	-	-	-	-	-	1	-	1	-	-	42
501	198	285	6	12	110	38	56	10	6	106	22	35	22	27	43
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	44
7	3	3	1	-	1	-	1	-	-	3	-	1	2	-	45
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	46
24	11	13	-	-	4	2	2	-	-	3	-	-	2	1	47
39	21	17	-	1	7	2	3	-	2	14	3	5	1	5	48
69	33	33	1	2	14	7	5	1	1	28	4	8	7	9	49
43	15	25	1	2	7	2	4	1	-	16	1	3	5	7	50
6	3	3	-	-	-	-	-	-	-	2	-	1	1	-	51
37	12	22	1	2	7	2	4	1	-	14	1	2	4	7	52
14	7	7	-	-	3	2	1	-	-	1	-	-	-	1	53
12	11	1	-	-	4	3	-	-	1	11	3	5	2	1	54
82	48	26	2	6	26	11	3	8	4	30	8	8	8	6	55
1	-	1	-	-	-	-	-	-	-	1	-	-	1	-	56
18	14	-	1	-	6	4	1	1	-	6	5	1	-	-	57
6	2	4	-	-	1	-	1	-	-	6	-	2	1	3	58
50	29	14	1	6	18	7	-	7	4	13	1	4	5	3	59
6	3	3	-	-	1	-	1	-	-	2	2	-	-	-	60
1	-	1	-	-	-	-	-	-	-	2	-	1	1	-	61
2,742	1,236	1,403	48	55	398	152	172	38	36	907	201	314	200	192	62
2,546	1,138	1,320	38	50	364	139	163	31	31	820	176	304	166	174	63
111	43	61	2	5	20	10	7	2	1	54	9	13	12	20	64
1,301	569	679	23	30	177	61	86	10	20	323	78	112	68	65	65
948	442	479	12	15	141	61	56	18	6	369	80	144	69	76	66
186	84	101	1	-	26	7	14	1	4	74	9	35	17	13	67
29	16	10	1	2	7	-	2	4	1	22	8	-	10	4	68
22	9	11	1	1	5	2	2	1	-	10	2	2	1	5	69
42	21	21	-	-	2	-	1	-	1	7	5	2	-	-	70
11	3	7	1	-	1	1	-	-	-	6	1	1	3	1	71
26	15	7	4	-	5	2	-	2	1	16	1	1	11	3	72
1	-	1	-	-	-	-	-	-	-	-	-	-	-	-	73
1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	74
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	75
1	-	1	-	-	-	-	-	-	-	2	-	-	1	1	76
63	33	25	3	2	14	8	4	-	2	24	8	4	8	4	77

Table 5-10. Deaths From 255 Selected Causes, by Color

(By place of residence. Data refer only to deaths occurring within the United States, including Alaska and Hawaii. Excludes fetal deaths. Num-

CAUSE OF DEATH	CALIFORNIA					COLORADO				
	Total	White		Nonwhite		Total	White		Nonwhite	
		Male	Female	Male	Female		Male	Female	Male	Female
VII. DISEASES OF THE CIRCULATORY SYSTEM	55,971	31,409	22,028	1,525	1,009	6,015	3,436	2,449	75	55
DISEASES OF HEART 400-402,410-443	50,479	28,644	19,611	1,346	878	5,259	3,055	2,099	58	47
RHEUMATIC FEVER 400-402	50	25	19	4	2	4	2	1	1	-
CHRONIC RHEUMATIC HEART DISEASE 410-416	1,714	783	861	36	34	240	108	126	3	3
DISEASES OF MITRAL VALVE 410	718	288	401	14	15	95	44	49	1	1
DISEASES OF AORTIC VALVE SPECIFIED AS RHEUMATIC 411	281	195	75	5	6	19	12	7	-	-
DISEASES OF PULMONARY VALVE, ETC 413,414	90	40	48	2	-	13	8	5	-	-
OTHER RHEUMATIC HEART DISEASES 412,415,416	625	260	337	15	13	113	44	65	2	2
ARTERIOSCLEROTIC HEART DIS., INCL. CORONARY DIS 420	37,859	22,837	13,621	920	481	4,146	2,552	1,528	38	28
ARTERIOSCLEROTIC HEART DISEASE SO DESCRIBED 420.0	16,966	9,330	6,992	418	226	1,696	936	725	22	13
HEART DIS. SPEC. AS INVOLVING CORONARY ARTERIES 420.1	20,874	13,497	6,621	501	255	2,446	1,615	800	16	15
ANGINA PECTORIS WITHOUT MENTION CORONARY DIS 420.2	19	10	8	1	-	4	1	3	-	-
CHRONIC ENDOCARDITIS NOT SPECIFIED AS RHEUMATIC 421	344	204	112	17	11	35	23	10	1	1
OF MITRAL VALVE, SPECIFIED AS NONRHEUMATIC 421.0	11	6	5	-	-	1	1	-	-	-
OF AORTIC VALVE, NOT SPECIFIED AS RHEUMATIC 421.1	250	154	80	11	5	20	16	2	1	1
OF OTHER VALVES, NOT SPEC. AS RHEUMATIC 421.2-421.4	83	44	27	6	6	14	6	8	-	-
OTHER MYOCARDIAL DEGENERATION 422	4,962	2,517	2,241	101	103	262	129	127	4	2
WITH ARTERIOSCLEROSIS 422.1	4,299	2,194	1,923	93	89	193	92	96	3	2
WITHOUT MENTION OF ARTERIOSCLEROSIS 422.0,422.2	663	323	318	8	14	69	37	31	1	-
OTHER DISEASES OF HEART 430-434	1,270	654	541	46	29	194	94	92	5	3
ACUTE AND SUBACUTE ENDOCARDITIS 430	93	52	33	6	2	2	1	1	-	-
ACUTE NONRHEUMATIC MYOCARDITIS & PERICARDITIS 431,432	54	28	22	3	1	3	3	-	-	-
FUNCTIONAL DISEASE OF HEART 433	404	182	201	14	7	59	33	24	1	1
OTHER AND UNSPECIFIED DISEASES OF HEART 434	719	392	285	23	19	130	57	67	4	2
HYPERTENSIVE HEART DISEASE 440-443	4,280	1,624	2,216	222	218	378	147	215	6	10
HYPERTENSIVE HEART DISEASE WITH ARTERIOLAR NEPHROSCLEROSIS 442	626	265	312	22	27	169	76	89	3	1
OTHER HYPERTENSIVE HEART DISEASE 440,441,443	3,654	1,359	1,904	200	191	209	71	126	3	9
OTHER HYPERTENSIVE DISEASE 444-447	727	313	337	41	36	102	53	42	6	1
HYPERTENSION WITH ARTERIOLAR NEPHROSCLEROSIS 446	345	188	133	11	13	66	38	26	2	-
ESSENTIAL HYPERTENSION 444,445,447	382	125	204	30	23	36	15	16	4	1
DISEASES OF ARTERIES 450-456	4,061	2,116	1,765	105	75	516	261	243	6	6
GENERAL ARTERIOSCLEROSIS 450	2,793	1,262	1,422	66	43	396	182	205	6	3
AORTIC ANEURYSM, NONSYPHILITIC, ETC 451	1,025	718	265	28	14	80	58	20	-	2
GANGRENE OF UNSPECIFIED CAUSE 455	9	6	2	-	1	-	-	-	-	-
OTHER ARTERIAL DISEASES 452-454,456	234	130	76	11	17	40	21	18	-	1
DIS. OF VEINS AND OTHER DIS. OF CIRCULATORY SYS. 460-468	704	336	315	33	20	138	67	65	5	1
VIII. DISEASES OF THE RESPIRATORY SYSTEM	8,136	4,691	2,773	448	224	1,272	781	458	24	9
ACUTE UPPER RESPIRATORY INFECTIONS 470-475	80	33	34	7	6	14	5	7	2	-
INFLUENZA 480-483	437	198	215	11	13	61	23	38	-	-
PNEUMONIA, EXCEPT PNEUMONIA OF NEWBORN 490-493	4,829	2,556	1,829	306	138	802	443	335	18	6
LOBAR PNEUMONIA 490	777	463	235	65	14	122	75	45	2	-
BRONCHOPNEUMONIA 491	3,044	1,582	1,212	168	82	540	287	237	13	3
PRIMARY ATYPICAL PNEUMONIA 492	611	325	215	43	28	37	17	18	1	1
PNEUMONIA, OTHER AND UNSPECIFIED 493	397	186	167	30	14	103	64	35	2	2
ACUTE BRONCHITIS 500	173	97	60	6	10	25	15	8	1	1
BRONCHITIS, CHRONIC AND UNQUALIFIED 501,502	283	189	80	8	6	37	28	8	-	1
HYPERTROPHY OF TONSILS AND ADENOIDS 510	17	11	4	2	-	2	2	-	-	-
EMPYEMA AND ABSCESS OF LUNG 518,521	81	48	24	8	1	6	5	1	-	-
PLEURISY 519	8	5	2	1	-	2	-	2	-	-
EMPHYSEMA WITHOUT MENTION OF BRONCHITIS 527.1	1,099	927	134	30	8	185	165	18	2	-
OTHER RESPIRATORY DISEASES RESIDUAL	1,129	627	391	69	42	138	95	41	1	1
IX. DISEASES OF THE DIGESTIVE SYSTEM	6,671	3,709	2,478	316	168	672	385	262	13	12
DISEASES OF TEETH AND SUPPORTING STRUCTURES 530-535	5	2	2	1	-	1	1	-	-	-
ULCER OF STOMACH 540	525	329	165	24	7	58	41	15	1	1
ULCER OF DUODENUM 541	516	386	103	22	5	61	45	15	1	-
GASTRITIS AND DUODENITIS 543	39	25	12	1	1	2	-	1	-	1
APPENDICITIS 550-553	144	77	47	13	7	14	7	7	-	-
HERNIA AND INTESTINAL OBSTRUCTION 560,561,570	711	327	338	24	22	116	57	57	1	1
GASTROENTERITIS AND COLITIS, EXC. ULCERATIVE, AGE 4 WEEKS AND OVER 571	216	103	80	20	13	37	17	17	1	2
CHRONIC ENTERITIS AND ULCERATIVE COLITIS 572	288	125	148	8	7	29	16	12	-	1
CIRRHOSIS OF LIVER 581	2,929	1,703	996	152	78	171	104	60	3	4
WITHOUT MENTION OF ALCOHOLISM 581.0	1,442	801	528	81	32	110	64	42	2	2
WITH ALCOHOLISM 581.1	1,487	902	468	71	46	61	40	18	1	2
CHOLELITHIASIS, CHOLECYSTITIS, AND CHOLANGITIS 584,585	333	135	189	5	4	37	23	14	-	-
FIBROCYSTIC DISEASE OF PANCREAS 5878	57	26	30	1	-	8	4	4	-	-
OTHER DISEASES OF DIGESTIVE SYSTEM RESIDUAL	908	471	368	45	24	138	70	60	6	2
X. DISEASES OF THE GENITOURINARY SYSTEM	2,061	1,131	694	128	108	242	138	88	9	7
NEPHRITIS AND NEPHROSIS 590-594	759	365	288	54	52	113	55	51	3	4
ACUTE NEPHRITIS 590	36	22	13	-	1	5	3	2	-	-
NEPHRITIS WITH EDEMA, INCLUDING NEPHROSIS 591	56	24	27	4	1	10	4	5	1	-
CHRONIC AND UNSPECIFIED NEPHRITIS, ETC 592-594	667	319	248	50	50	98	48	44	2	4
INFECTIONS OF KIDNEY 600	624	277	267	36	44	60	27	26	4	3
CALCULI OF URINARY SYSTEM 602,604	106	61	40	4	1	5	4	-	1	-
OTHER DISEASES OF URINARY SYSTEM 601,603,605-609	184	100	68	11	5	17	12	5	-	-
HYPERPLASIA OF PROSTATE 610	320	299	•••	21	•••	39	38	•••	1	•••
DISEASES OF BREAST 620,621	-	-	-	-	-	-	-	-	-	-
OTHER DISEASES OF GENITAL ORGANS RESIDUAL	68	29	31	2	6	8	2	6	-	-

and Sex: United States and Each State, 1960—Con.

bers after causes of death are category numbers of the Seventh Revision of the International Lists, 1955. For complete category titles, see table 5-8)

CONNECTICUT					DELAWARE					DISTRICT OF COLUMBIA					
Total	White		Nonwhite		Total	White		Nonwhite		Total	White		Nonwhite		
	Male	Female	Male	Female		Male	Female	Male	Female		Male	Female	Male	Female	
10,559	5,780	4,509	142	128	1,884	940	679	155	110	3,474	1,151	973	704	646	1
9,529	5,300	3,989	120	120	1,708	870	603	138	97	3,060	1,056	840	611	553	2
9	4	3	-	2	1	-	1	-	-	4	1	1	1	1	3
292	121	164	5	2	52	21	25	-	6	73	14	28	23	8	4
93	36	54	2	1	26	10	14	-	2	38	5	13	16	4	5
39	26	13	-	-	4	2	1	-	1	8	5	3	-	-	6
8	3	5	-	-	2	1	1	-	-	1	-	1	-	-	7
152	56	92	3	1	20	8	9	-	3	26	4	11	7	4	8
7,813	4,584	3,056	94	79	1,106	628	356	82	40	2,090	863	568	369	290	9
4,170	2,240	1,828	57	45	360	178	144	26	12	963	319	290	187	167	10
3,642	2,343	1,228	37	34	744	448	212	56	28	1,126	544	277	182	123	11
1	1	-	-	-	2	2	-	-	-	1	-	1	-	-	12
58	37	17	2	2	28	15	8	4	1	17	5	2	6	4	13
2	2	-	-	-	-	-	-	-	-	2	1	-	1	-	14
28	16	9	1	2	8	5	2	1	-	8	4	1	1	2	15
28	19	8	1	-	20	10	6	3	1	7	-	1	4	2	16
469	206	253	4	6	233	95	96	24	18	192	43	77	31	41	17
393	171	214	3	5	185	75	73	22	15	149	32	68	19	30	18
76	35	39	1	1	48	20	23	2	3	43	11	9	12	11	19
207	98	98	5	6	54	28	21	3	2	121	34	31	29	27	20
11	6	4	-	1	2	2	-	-	-	10	3	1	6	-	21
10	3	7	-	-	1	1	-	-	-	3	-	2	1	-	22
57	27	27	1	2	15	4	10	1	-	19	5	6	3	5	23
129	62	60	4	3	36	21	11	2	2	89	26	22	19	22	24
681	250	398	10	23	234	83	96	25	30	563	96	133	152	182	25
142	70	69	1	2	67	31	24	5	7	217	48	54	63	52	26
539	180	329	9	21	167	52	72	20	23	346	48	79	89	130	27
156	69	76	8	3	35	14	14	5	2	95	13	16	30	36	28
78	38	36	2	2	25	13	10	1	1	38	10	10	6	12	29
78	31	40	6	1	10	1	4	4	1	57	3	6	24	24	30
734	340	381	11	2	111	44	50	7	10	222	64	94	33	31	31
563	225	332	6	-	86	31	41	7	7	167	45	79	23	20	32
142	97	41	2	2	20	12	5	-	3	40	16	11	7	6	33
3	3	-	-	-	2	-	2	-	-	2	-	1	-	1	34
26	15	8	3	-	3	1	2	-	-	13	3	3	3	4	35
140	71	63	3	3	30	12	12	5	1	97	18	23	30	26	36
1,217	706	447	40	24	205	80	64	34	27	575	178	104	180	113	37
18	8	7	2	1	2	1	1	-	-	2	-	1	1	-	38
25	11	11	1	2	8	2	5	-	1	6	1	2	2	1	39
798	409	345	26	18	134	47	43	25	19	416	106	86	135	89	40
129	70	48	7	4	11	4	5	1	1	126	35	18	46	27	41
440	231	190	12	7	67	27	24	9	7	227	52	58	68	49	42
73	39	29	3	2	23	6	9	4	4	12	3	-	2	7	43
156	69	78	4	5	33	10	5	11	7	51	16	10	19	6	44
9	6	3	-	-	2	-	-	1	1	6	2	1	1	2	45
47	32	14	1	-	4	2	2	-	-	11	4	1	5	1	46
-	-	-	-	-	-	-	-	-	-	1	1	-	-	-	47
14	12	2	-	-	3	2	-	1	-	11	1	-	5	5	48
4	2	2	-	-	-	-	-	-	-	4	-	1	1	2	49
132	114	15	2	1	17	12	2	3	-	67	43	1	14	9	50
170	112	48	8	2	35	14	11	4	6	51	20	11	16	4	51
972	570	360	23	19	176	102	44	21	9	457	138	111	114	94	52
2	1	-	-	1	-	-	-	-	-	-	-	-	-	-	53
86	58	27	-	1	17	10	6	-	1	36	15	6	13	2	54
105	78	26	1	-	11	9	1	1	-	28	11	3	9	5	55
5	3	2	-	-	1	-	1	-	-	6	2	2	1	1	56
24	12	4	5	3	4	3	1	-	-	8	1	2	3	2	57
123	55	63	4	1	34	19	7	6	2	54	18	20	8	8	58
20	7	11	1	1	7	1	1	4	1	12	1	3	3	5	59
48	21	25	2	-	8	3	5	-	-	19	7	7	4	1	60
366	228	124	4	10	64	43	12	7	2	197	58	39	47	53	61
252	159	88	1	4	42	28	8	5	1	107	31	29	19	28	62
114	69	36	3	6	22	15	4	2	1	90	27	10	28	25	63
52	22	29	1	-	8	4	3	-	1	13	2	8	1	2	64
2	2	-	-	-	2	1	1	-	-	1	-	1	-	-	65
139	83	49	5	2	20	9	6	3	2	83	23	20	25	15	66
355	177	158	12	8	90	41	32	6	11	261	63	44	77	77	67
167	67	87	7	6	40	17	14	1	8	78	15	18	23	22	68
7	3	1	2	1	1	1	-	-	-	3	1	1	1	-	69
12	5	5	1	1	2	-	1	-	1	9	1	2	2	4	70
148	59	81	4	4	37	16	13	1	7	66	13	15	20	18	71
90	35	50	3	2	17	6	8	1	2	113	26	20	24	43	72
17	11	5	1	-	5	3	2	-	-	10	4	1	3	2	73
22	15	7	-	-	11	5	6	-	-	26	2	4	14	6	74
46	46	...	-	...	14	10	...	4	...	28	16	...	12	...	75
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	76
13	3	9	1	-	3	-	2	-	1	6	-	1	1	4	77

Table 5-10. Deaths From 255 Selected Causes, by Color

(By place of residence. Data refer only to deaths occurring within the United States, including Alaska and Hawaii. Excludes fetal deaths. Num-

CAUSE OF DEATH	CALIFORNIA					COLORADO				
	Total	White		Nonwhite		Total	White		Nonwhite	
		Male	Female	Male	Female		Male	Female	Male	Female
XI. DELIVERIES AND COMPLICATIONS OF PREGNANCY, CHILDBIRTH, AND THE PUERPERIUM	105	...	76	...	29	10	...	9	...	1
SEPSIS OF PREGNANCY, CHILDBIRTH, ETC...640,641,681,682,684	15	...	11	...	4	-	...	-	...	-
TOXEMIAS OF PREGNANCY AND PUERPERIUM, ETC.....642,685,686	16	...	15	...	1	1	...	1	...	-
HEMORRHAGE OF PREGNANCY AND CHILDBIRTH.....643,644,670-672	9	...	6	...	3	1	...	1	...	-
ECTOPIC PREGNANCY.....645	7	...	2	...	5	1	...	1	...	-
ABORTION WITHOUT MENTION OF SEPSIS OR TOXEMIA.....650	14	...	11	...	3	-	...	-	...	-
ABORTION WITH SEPSIS.....651	23	...	16	...	7	1	...	1	...	-
ABORTION WITH TOXEMIA, WITHOUT MENTION OF SEPSIS.....652	1	...	1	...	-	1	...	-	...	1
OT. COMPLICATIONS OF PREGNANCY, CHILDBIRTH, ETC...RESIDUAL	20	...	14	...	6	5	...	5	...	-
XII. DISEASES OF THE SKIN AND CELLULAR TISSUE	151	65	66	9	11	57	21	34	-	2
INFECTIONS OF SKIN AND SUBCUTANEOUS TISSUE.....690-698	39	24	12	2	1	9	3	6	-	-
OTHER DISEASES OF SKIN AND SUBCUTANEOUS TISSUE.....700-716	112	41	54	7	10	48	18	28	-	2
XIII. DISEASES OF THE BONES AND ORGANS OF MOVEMENT	277	114	146	8	9	40	15	24	1	-
ARTHRITIS AND SPONDYLITIS.....720-725	134	42	87	1	4	29	12	17	-	-
MUSCULAR RHEUMATISM AND RHEUMATISM UNSPECIFIED.....726,727	4	1	2	-	1	-	-	-	-	-
OSTEOMYELITIS AND PERIOSTITIS.....730	10	5	2	3	-	3	1	2	-	-
ANKYLOSIS & ACQ. MUSCULOSKELETAL DEFORMITIES...737,745-749	7	4	3	-	-	1	-	1	-	-
INBORN DEFECT OF MUSCLE.....744.1	62	41	18	1	2	2	1	1	-	-
OT. DIS. OF MUSCULOSKELETAL SYS....731-736,738-744.0,744.2	60	21	34	3	2	5	1	3	1	-
XIV. CONGENITAL MALFORMATIONS	1,916	998	743	91	84	218	111	99	4	4
SPINA BIFIDA AND MENINGOCELE.....751	74	27	44	1	2	14	7	6	1	-
CONGENITAL HYDROCEPHALUS, ETC.....752,753	194	96	84	6	8	14	7	7	-	-
CONGENITAL MALFORMATIONS OF CIRCULATORY SYSTEM.....754	1,025	550	377	50	48	121	54	63	2	2
OTHER CONGENITAL MALFORMATIONS.....750,755-759	623	325	238	34	26	69	43	23	1	2
XV. CERTAIN DISEASES OF EARLY INFANCY	5,381	2,679	1,890	461	351	800	450	303	23	24
XVI. SYMPTOMS, SENILITY, AND ILL-DEFINED CONDITIONS	354	163	161	17	13	56	27	29	-	-
SENILITY WITHOUT MENTION OF PSYCHOSIS.....794	116	35	77	-	4	11	1	10	-	-
SYMPTOMS, ILL-DEFINED, AND UNKNOWN CAUSES.....780-793,795	238	128	84	17	9	45	26	19	-	-
XVII. ACCIDENTS, POISONINGS, AND VIOLENCE	11,557	7,175	3,433	709	240	1,383	945	391	39	8
ACCIDENTS.....E800-E962	8,330	5,188	2,524	469	149	1,095	739	329	23	4
RAILWAY ACCIDENTS.....E800-E802	89	73	4	12	-	5	4	1	-	-
MOTOR VEHICLE ACCIDENTS.....E810-E835	3,936	2,594	1,044	231	67	459	326	127	5	1
MOTOR VEHICLE TRAFFIC ACCIDENTS.....E810-E825	3,830	2,518	1,020	227	65	441	312	123	5	1
TRAFFIC ACCIDENT WITH RAILWAY TRAIN.....E810	122	90	26	2	4	15	10	5	-	-
TRAFFIC ACCIDENT TO PEDESTRIAN.....E812	742	460	202	58	22	42	32	9	1	-
OTHER TRAFFIC ACCIDENTS, ETC.....E811,E813-E819	1,762	1,114	517	106	25	199	136	61	1	1
NONCOLLISION TRAFFIC ACCIDENTS.....E820-E824	1,085	784	233	56	12	126	94	29	3	-
TRAFFIC ACCIDENT OF UNSPECIFIED NATURE.....E825	119	70	42	5	2	59	40	19	-	-
MOTOR VEHICLE NONTRAFFIC ACCIDENTS.....E830-E835	106	76	24	4	2	18	14	4	-	-
OTHER ROAD VEHICLE ACCIDENTS.....E840-E845	23	16	7	-	-	5	5	-	-	-
WATER TRANSPORT ACCIDENTS.....E850-E858	133	112	14	7	-	7	5	1	1	-
AIRCRAFT ACCIDENTS.....E860-E866	226	185	35	6	-	16	13	3	-	-
ACCIDENTAL POISONING BY SOLIDS AND LIQUIDS.....E870-E888	225	125	84	9	7	27	19	7	1	-
ACCIDENTAL POISONING BY GASES AND VAPORS.....E890-E895	86	54	24	5	3	16	11	5	-	-
ACCIDENTAL FALLS.....E900-E904	1,559	706	783	47	23	223	107	114	2	-
FALL FROM ONE LEVEL TO ANOTHER.....E900-E902	433	271	139	19	4	70	48	22	-	-
FALL ON SAME LEVEL.....E903	293	111	166	13	3	26	12	14	-	-
UNSPECIFIED FALLS.....E904	833	324	478	15	16	127	47	78	2	-
BLOW FROM FALLING OR PROJECTED OBJECT OR MISSILE....E910	87	81	3	3	-	24	22	-	1	1
ACCIDENT CAUSED BY MACHINERY.....E912	99	88	1	10	-	27	23	2	2	-
ACCIDENT CAUSED BY ELECTRIC CURRENT.....E914	52	44	6	1	1	9	9	-	-	-
ACCIDENT CAUSED BY FIRE AND EXPLOSION, ETC.....E916	468	231	173	43	21	41	30	9	1	1
ACCIDENT CAUSED BY HOT SUBSTANCE, ETC.....E917,E918	38	18	14	4	2	4	3	1	-	-
ACCIDENT CAUSED BY FIREARM.....E919	126	105	11	9	1	39	32	5	2	-
INHALATION AND INGESTION OF OBJECTS, ETC.....E921,E922	227	132	82	8	5	36	20	13	2	1
ACCIDENTAL DROWNING.....E929	425	297	78	45	5	51	42	7	2	-
EXCESSIVE HEAT AND INSOLATION.....E931	34	19	14	1	-	-	-	-	-	-
COMPLICATIONS DUE TO MEDICAL PROCEDURES.....E940-E959	120	52	57	7	4	24	12	11	1	-
ALL OTHER ACCIDENTS.....RESIDUAL	377	256	90	21	10	82	56	23	3	-
SUICIDE.....E963,E970-E979	2,510	1,651	759	72	28	220	168	49	2	1
SUICIDE BY POISONING.....E970-E973	998	507	471	12	8	70	44	24	1	1
SUICIDE BY HANGING AND STRANGULATION.....E974	296	217	46	23	10	26	22	4	-	-
SUICIDE BY FIREARM AND EXPLOSIVE.....E976	929	765	136	26	2	111	95	15	1	-
SUICIDE BY ALL OTHER MEANS.....E963,E975,E977-E979	287	162	106	11	8	13	7	6	-	-
HOMICIDE.....E964,E980-E985	714	333	150	168	63	68	38	13	14	3
ASSAULT BY FIREARM AND EXPLOSIVE.....E981	350	162	79	82	27	40	18	11	10	1
ASSAULT BY CUTTING AND PIERCING INSTRUMENTS.....E982	127	52	11	45	19	10	6	-	2	2
ASSAULT BY OTHER MEANS.....E964,E980,E983	193	90	60	26	17	17	13	2	2	-
INJURY BY INTERVENTION OF POLICE.....E984	35	24	-	11	-	-	-	-	-	-
EXECUTION.....E985	9	5	-	4	-	1	1	-	-	-
INJURY RESULTING FROM OPERATIONS OF WAR.....E965,E990-E999	3	3	-	-	-	-	-	-	-	-

and Sex: United States and Each State, 1960—Con.

bers after causes of death are category numbers of the Seventh Revision of the International Lists, 1955. For complete category titles, see table 5-8)

CONNECTICUT					DELAWARE					DISTRICT OF COLUMBIA					
Total	White		Nonwhite		Total	White		Nonwhite		Total	White		Nonwhite		
	Male	Female	Male	Female		Male	Female	Male	Female		Male	Female	Male	Female	
9	•••	6	•••	3	4	•••	4	•••	-	16	•••	3	•••	13	
1	•••	-	•••	1	-	•••	-	•••	-	1	•••	-	•••	1	
-	•••	-	•••	-	-	•••	-	•••	-	7	•••	2	•••	5	
2	•••	2	•••	-	1	•••	1	•••	-	1	•••	-	•••	1	
1	•••	-	•••	1	-	•••	-	•••	-	-	•••	-	•••	-	
1	•••	1	•••	-	-	•••	-	•••	-	1	•••	-	•••	1	
1	•••	1	•••	-	1	•••	1	•••	-	4	•••	-	•••	4	
-	•••	-	•••	-	-	•••	-	•••	-	-	•••	-	•••	-	
3	•••	2	•••	1	2	•••	2	•••	-	2	•••	1	•••	1	
46	22	22	2	-	5	1	2	-	2	21	-	9	3	9	
19	10	8	1	-	-	-	-	-	-	8	-	3	2	3	
27	12	14	1	-	5	1	2	-	2	13	-	6	1	6	
34	15	18	1	-	8	4	2	1	1	13	1	6	2	4	
14	3	11	-	-	5	1	2	1	1	7	-	4	-	3	
1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	
3	2	1	-	-	-	-	-	-	-	1	-	-	-	1	
-	-	-	-	-	-	-	-	-	-	1	-	-	1	-	
7	3	3	1	-	3	3	-	-	-	1	-	-	1	-	
9	6	3	-	-	-	-	-	-	-	3	1	2	-	-	
310	155	135	10	10	62	25	24	10	3	122	23	22	45	32	
19	5	14	-	-	8	3	5	-	-	1	-	-	-	1	
39	15	18	3	3	7	3	2	1	1	18	3	4	7	4	
141	81	51	5	4	26	11	12	2	1	72	14	8	28	22	
111	54	52	2	3	21	8	5	7	1	31	6	10	10	5	
778	409	279	53	37	152	58	37	40	17	502	59	53	220	170	
131	70	42	13	6	28	12	9	4	3	26	5	9	9	3	
9	3	6	-	-	6	3	2	1	-	2	-	1	-	1	
122	67	36	13	6	22	9	7	3	3	24	5	8	9	2	
1,240	744	398	68	30	289	161	60	50	18	574	162	104	228	80	
944	556	314	55	19	216	121	45	35	15	419	117	82	168	52	
7	6	-	1	-	2	2	-	-	-	-	-	-	-	-	
293	194	72	20	7	84	54	11	14	5	95	34	16	39	6	
284	188	71	18	7	82	53	10	14	5	95	34	16	39	6	
11	1	2	4	4	3	2	-	1	-	1	1	-	-	-	
83	55	25	2	1	11	6	2	2	1	40	12	7	19	2	
84	55	23	5	1	29	21	3	3	2	28	11	4	10	3	
82	62	16	4	-	18	12	1	3	2	17	8	2	7	-	
24	15	5	3	1	21	12	4	5	-	9	2	3	3	1	
9	6	1	2	-	2	1	1	-	-	-	-	-	-	-	
-	-	-	-	-	2	2	-	-	-	2	-	-	2	-	
24	15	5	4	-	5	2	1	2	-	15	6	1	5	3	
29	21	8	-	-	1	1	-	-	-	-	-	-	-	-	
18	13	5	-	-	6	2	1	2	1	6	2	-	4	-	
12	9	2	-	1	2	1	1	-	-	7	4	2	1	-	
282	132	143	6	1	37	15	18	3	1	128	32	35	43	18	
89	55	30	4	-	7	4	1	1	1	59	13	12	25	9	
47	18	28	1	-	3	2	1	-	-	21	5	9	6	1	
146	59	85	1	1	27	9	16	2	-	48	14	14	12	8	
4	4	-	-	-	2	2	-	-	-	4	3	-	1	-	
14	12	1	1	-	1	1	-	-	-	2	-	-	2	-	
9	9	-	-	-	2	2	-	-	-	4	-	-	4	-	
80	39	27	9	5	27	10	6	7	4	47	9	12	16	10	
6	5	1	-	-	-	-	-	-	-	2	1	-	1	-	
7	5	2	-	-	4	3	-	-	1	3	1	1	1	-	
36	18	17	1	-	10	6	1	1	2	33	6	8	13	6	
57	33	11	10	3	14	9	2	3	-	23	8	1	14	-	
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
20	11	8	1	-	2	1	1	-	-	5	1	2	1	1	
46	30	12	2	2	15	8	3	3	1	43	10	4	21	8	
245	169	72	3	1	49	32	14	2	1	67	31	22	9	5	
73	44	28	-	1	7	4	3	-	-	13	2	6	4	1	
65	47	17	1	-	9	4	4	-	1	11	7	2	1	1	
71	58	11	2	-	24	18	5	1	-	19	15	4	-	-	
36	20	16	-	-	9	6	2	1	-	24	7	10	4	3	
50	18	12	10	10	24	8	1	13	2	88	14	-	51	23	
24	10	8	2	4	10	4	1	5	-	22	4	-	12	6	
10	1	-	6	3	7	2	-	4	1	29	3	-	21	5	
14	5	4	2	3	7	2	-	4	1	33	7	-	14	12	
1	1	-	-	-	-	-	-	-	-	4	-	-	4	-	
1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	
1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	

Table 5-10 Deaths From 255 Selected Causes, by Color

(By place of residence. Data refer only to deaths occurring within the United States, including Alaska and Hawaii. Excludes fetal deaths. Num-

CAUSE OF DEATH	FLORIDA					GEORGIA				
	Total	White		Nonwhite		Total	White		Nonwhite	
		Male	Female	Male	Female		Male	Female	Male	Female
ALL CAUSES	48,152	24,005	15,039	5,185	3,923	35,357	13,142	9,404	6,812	5,999
I. INFECTIVE AND PARASITIC DISEASES	560	250	101	138	71	523	156	93	165	109
TUBERCULOSIS, ALL FORMS 001-019	214	102	31	57	24	211	73	33	67	38
TUBERCULOSIS OF RESPIRATORY SYSTEM 001-008	195	97	27	53	18	189	66	32	57	34
TUBERCULOSIS OF MENINGES AND CENTRAL NERVOUS SYSTEM 010	5	1	-	1	3	7	5	-	-	2
TUBERCULOSIS OF INTESTINES, PERITONEUM, AND MESENTERIC GLANDS 011	-	-	-	-	-	1	-	-	1	-
TUBERCULOSIS OF BONES AND JOINTS 012,013	2	-	2	-	-	5	2	-	2	1
TUBERCULOSIS OF OTHER ORGANS AND SYSTEMS 014-018	6	2	1	2	1	1	-	-	1	-
DISSEMINATED TUBERCULOSIS 019	6	2	1	1	2	8	-	1	6	1
SYPHILIS AND ITS SEQUELAE 020-029	100	45	11	30	14	69	15	4	36	14
CONGENITAL SYPHILIS 020	3	1	-	1	1	2	-	-	2	-
EARLY SYPHILIS 021	-	-	-	-	-	-	-	-	-	-
ANEURYSM OF AORTA 022	51	31	7	7	6	21	6	3	9	3
OTHER CARDIOVASCULAR SYPHILIS 023	31	6	3	15	7	29	6	1	14	8
TABES DORSALIS 024	1	-	-	1	-	1	1	-	-	-
GENERAL PARALYSIS OF INSANE 025	4	1	-	3	-	10	2	-	6	2
OTHER SYPHILIS OF CENTRAL NERVOUS SYSTEM 026	8	6	-	2	-	6	-	-	5	1
ALL OTHER SYPHILIS 027-029	2	-	1	1	-	-	-	-	-	-
GONOCOCCAL INFECTION 030-035	1	-	-	1	-	2	-	-	1	1
TYPHOID FEVER 040	1	-	-	1	-	1	-	-	-	1
PARATYPHOID FEVER AND OTHER SALMONELLA INFECTIONS 041,042	4	3	1	-	-	5	-	1	2	2
CHOLERA 043	-	-	-	-	-	-	-	-	-	-
BRUCELLOSIS 044	-	-	-	-	-	-	-	-	-	-
DYSENTERY, ALL FORMS 045-048	4	2	-	1	1	19	2	3	10	4
FOOD POISONING, INFECTION AND INTOXICATION 049	2	2	-	-	-	5	1	2	2	-
SCARLET FEVER 050	1	1	-	-	-	-	-	-	-	-
STREPTOCOCCAL SORE THROAT 051	1	1	-	-	-	4	1	1	2	-
ERYSIPELAS 052	-	-	-	-	-	1	-	-	-	1
SEPTICEMIA AND PYEMIA 053	70	36	14	15	5	55	20	9	11	15
DIPHTHERIA 055	3	-	1	1	1	3	1	-	-	2
WHOOPING COUGH 056	4	-	-	2	2	7	-	-	2	5
MENINGOCOCCAL INFECTIONS 057	17	6	5	3	3	26	9	7	7	3
PLAGUE 058	-	-	-	-	-	-	-	-	-	-
LEPROSY 060	-	-	-	-	-	-	-	-	-	-
TETANUS 061	17	2	2	6	7	11	5	-	6	-
ANTHRAX 062	-	-	-	-	-	-	-	-	-	-
ACUTE POLIOMYELITIS 080	5	2	1	-	2	2	2	-	-	-
LATE EFFECTS OF ACUTE POLIOMYELITIS 081	3	2	1	-	-	2	-	2	-	-
ACUTE INFECTIOUS ENCEPHALITIS 082	18	7	6	2	3	16	2	8	5	1
LATE EFFECTS OF ACUTE INFECTIOUS ENCEPHALITIS 083	-	-	-	-	-	-	-	-	-	-
SMALLPOX 084	-	-	-	-	-	-	-	-	-	-
MEASLES 085	3	2	1	-	-	13	2	6	1	4
YELLOW FEVER 091	-	-	-	-	-	-	-	-	-	-
INFECTIOUS HEPATITIS 092	38	18	14	3	3	17	4	7	2	4
RABIES 094	-	-	-	-	-	1	-	-	1	-
TICK-BORNE TYPHUS 104	-	-	-	-	-	1	-	1	-	-
ALL OTHER RICKETTSIAL DISEASES 100-103,105-108	-	-	-	-	-	-	-	-	-	-
MALARIA 110-117	-	-	-	-	-	-	-	-	-	-
SCHISTOSOMIASIS 123	-	-	-	-	-	-	-	-	-	-
HYDATID DISEASE 125	-	-	-	-	-	-	-	-	-	-
FILARIASIS 127	-	-	-	-	-	-	-	-	-	-
ANCYLOSTOMIASIS 129	-	-	-	-	-	-	-	-	-	-
OTHER DISEASES DUE TO HELMINTHS 124,126,128,130	7	-	1	4	2	7	-	1	4	2
ALL OTHER INFECTIVE AND PARASITIC DISEASES RESIDUAL	47	19	12	12	4	45	19	8	6	12
II. NEOPLASMS	7,923	3,975	2,903	549	496	4,444	1,628	1,567	594	655
MALIGNANT NEOPLASMS, INCLUDING NEOPLASMS OF LYMPHATIC AND HEMATOPOIETIC TISSUES 140-205	7,789	3,930	2,846	541	472	4,355	1,610	1,535	580	630
MALIGNANT NEOPLASM OF BUCCAL CAVITY AND PHARYNX 140-148	203	129	52	18	4	115	64	34	11	6
OF LIP 140	5	4	1	-	-	5	4	1	-	-
OF TONGUE 141	49	30	10	8	1	15	7	3	4	1
OF OTHER AND UNSPEC. PARTS OF BUCCAL CAVITY 142-144	60	36	19	4	1	41	18	18	3	2
OF PHARYNX 145-148	89	59	22	6	2	54	35	12	4	3
MALIGNANT NEOPLASM OF DIGESTIVE ORGANS AND PERITONEUM, NOT SPECIFIED AS SECONDARY 150-156A,157-159	2,408	1,181	904	197	126	1,256	457	434	207	158
OF ESOPHAGUS 150	159	87	24	34	14	92	34	19	27	12
OF STOMACH 151	532	293	156	61	22	283	89	70	83	41
OF SMALL INTESTINE, INCLUDING DUODENUM 152	18	6	10	1	1	6	2	1	2	1
OF LARGE INTESTINE, EXCEPT RECTUM 153	739	313	358	31	37	370	121	171	33	45
CECUM, APPENDIX, AND ASCENDING COLON 153.0	111	43	61	4	3	39	16	17	1	5
TRANSVERSE COLON 153.1	43	15	27	-	1	15	4	7	2	2
DESCENDING COLON 153.2	27	8	13	4	2	12	4	5	1	2
SIGMOID COLON 153.3	149	68	69	4	8	67	21	33	8	5
MULTIPLE PARTS OF LARGE INTESTINE 153.7	1	-	1	-	-	-	-	-	-	-
LARGE INTESTINE, PART UNSPECIFIED 153.8	375	167	172	17	19	223	73	107	18	25
INTESTINAL TRACT, PART UNSPECIFIED 153.9	33	12	15	2	4	14	3	2	3	6
OF RECTUM 154	281	133	109	21	18	107	47	33	12	15
OF BILIARY PASSAGES AND OF LIVER, PRIMARY SITE 155	138	68	51	12	7	70	23	36	9	2
LIVER 155.0	46	26	8	9	3	23	7	6	8	2
OT. & MULT. SITES OF BILIARY PASSAGES 155.1,155.8	92	42	43	3	4	47	16	30	1	-
OF LIVER NOT STATED WHETHER PRIMARY OR SECONDARY 156A	101	55	33	8	5	73	26	26	10	11
OF PANCREAS 157	381	198	146	23	14	214	97	71	26	20
OF PERITONEUM AND OF UNSPEC. DIGESTIVE ORGANS 158,159	59	28	17	6	8	41	18	7	5	11

and Sex: United States and Each State, 1960—Con.

bers after causes of death are category numbers of the Seventh Revision of the International Lists, 1955. For complete category titles, see table 5-8)

HAWAII					IDAHO					ILLINOIS					
Total	White		Nonwhite		Total	White		Nonwhite		Total	White		Nonwhite		
	Male	Female	Male	Female		Male	Female	Male	Female		Male	Female	Male	Female	
3,541	679	503	1,550	809	5,426	3,338	1,991	65	32	103,028	52,662	39,705	5,934	4,727	1
															2
															3
37	6	2	22	7	39	22	17	-	-	1,041	568	235	161	77	4
															5
14	2	-	8	4	17	12	5	-	-	641	366	100	119	56	6
12	2	-	7	3	17	12	5	-	-	586	350	85	106	45	7
-	-	-	-	-	-	-	-	-	-	12	2	2	3	5	8
															9
-	-	-	-	-	-	-	-	-	-	9	1	5	3	-	10
1	-	-	1	-	-	-	-	-	-	4	3	1	-	-	11
1	-	-	-	1	-	-	-	-	-	9	2	5	-	2	12
-	-	-	-	-	-	-	-	-	-	21	8	2	7	4	13
															14
5	1	-	4	-	7	6	1	-	-	92	49	14	26	3	15
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	16
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	17
															18
1	-	-	1	-	4	3	1	-	-	36	18	7	11	-	19
2	-	-	2	-	2	2	-	-	-	39	18	6	12	3	20
-	-	-	-	-	-	-	-	-	-	8	7	1	-	-	21
1	-	-	1	-	-	-	-	-	-	6	4	-	2	-	22
1	1	-	-	-	1	1	-	-	-	3	2	-	1	-	23
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	24
															25
-	-	-	-	-	-	-	-	-	-	1	-	-	-	1	26
-	-	-	-	-	-	-	-	-	-	1	1	-	-	-	27
-	-	-	-	-	-	-	-	-	-	1	1	-	-	-	28
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	29
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	30
-	-	-	-	-	-	-	-	-	-	9	4	5	-	-	31
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	32
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	33
-	-	-	-	-	-	-	-	-	-	4	3	1	-	-	34
-	-	-	-	-	-	-	-	-	-	2	1	1	-	-	35
6	2	1	3	-	7	3	4	-	-	45	25	19	-	1	36
															37
-	-	-	-	-	-	-	-	-	-	1	-	1	-	-	38
-	-	-	-	-	-	-	-	-	-	3	-	1	1	1	39
1	-	-	1	-	-	-	-	-	-	47	26	12	5	4	40
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	41
2	-	1	1	-	-	-	-	-	-	-	-	-	-	-	42
2	-	-	2	-	-	-	-	-	-	10	2	6	2	-	43
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	44
-	-	-	-	-	-	-	-	-	-	11	5	3	3	-	45
-	-	-	-	-	-	-	-	-	-	6	4	2	-	-	46
-	-	-	-	-	-	-	-	-	-	23	15	7	-	1	47
-	-	-	-	-	-	-	-	-	-	6	1	5	-	-	48
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	49
1	-	-	-	1	1	-	1	-	-	18	8	8	-	2	50
															51
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	52
2	1	-	1	-	1	1	-	-	-	58	26	25	2	5	53
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	54
-	-	-	-	-	-	-	-	-	-	1	1	-	-	-	55
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	56
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	57
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	58
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	59
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	60
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	61
1	-	-	-	1	-	-	-	-	-	-	-	-	-	-	62
3	-	-	2	1	6	-	6	-	-	61	30	25	3	3	63
															64
612	107	84	279	142	739	390	343	4	2	17,192	8,448	7,290	779	675	65
															66
															67
600	104	83	276	137	724	379	339	4	2	16,966	8,352	7,191	774	649	68
17	5	2	6	4	12	7	5	-	-	371	277	64	24	6	69
-	-	-	-	-	2	2	-	-	-	20	18	1	1	-	70
4	2	1	-	1	4	1	3	-	-	82	61	13	8	-	71
2	-	1	1	-	2	1	1	-	-	122	86	29	3	4	72
11	3	-	5	3	4	3	1	-	-	147	112	21	12	2	73
															74
															75
264	43	30	136	55	228	115	108	4	1	6,158	3,093	2,518	341	206	76
21	1	-	19	1	8	4	1	3	-	344	236	41	51	16	77
104	13	12	55	24	46	27	18	-	1	1,376	734	496	109	37	78
-	-	-	-	-	2	-	2	-	-	38	20	17	1	-	79
40	7	5	22	6	74	39	35	-	-	1,908	819	942	73	74	80
5	-	1	3	1	11	7	4	-	-	249	96	137	8	8	81
3	1	1	-	1	2	1	1	-	-	93	41	49	1	2	82
4	2	1	1	-	4	2	2	-	-	78	36	37	2	3	83
11	1	-	7	3	20	9	11	-	-	441	208	214	12	7	84
1	-	-	1	-	-	-	-	-	-	4	2	2	-	-	85
16	3	2	10	1	33	18	15	-	-	953	397	459	49	48	86
-	-	-	-	-	4	2	2	-	-	90	39	44	1	6	87
															88
22	5	4	7	6	21	10	11	-	-	814	445	314	24	31	89
27	7	2	13	5	19	7	11	1	-	430	169	230	19	12	90
14	5	-	6	3	3	1	1	1	-	110	63	30	12	5	91
13	2	2	7	2	16	6	10	-	-	320	106	200	7	7	92
13	1	2	6	4	12	5	7	-	-	284	131	129	16	8	93
34	9	3	14	8	40	21	19	-	-	878	493	312	47	26	94
3	-	2	-	1	6	2	4	-	-	86	46	37	1	2	95

Table 5-10. Deaths From 255 Selected Causes, by Color

(By place of residence. Data refer only to deaths occurring within the United States, including Alaska and Hawaii. Excludes fetal deaths. Num-

CAUSE OF DEATH	FLORIDA					GEORGIA				
	Total	White		Nonwhite		Total	White		Nonwhite	
		Male	Female	Male	Female		Male	Female	Male	Female
II. NEOPLASMS—CON.										
MALIGNANT NEOPLASMS, ETC.—CON.										
MALIGNANT NEOPLASM OF RESPIRATORY SYSTEM, NOT SPECIFIED AS SECONDARY.....160-164	1,452	1,148	161	124	19	665	424	73	141	27
OF LARYNX.....161	83	73	3	7	-	50	28	4	17	1
OF BRONCHUS & TRACHEA, & OF LUNG SPEC. AS PRIMARY..162	607	487	57	54	9	280	192	28	55	5
OF LUNG, NOT SPEC. PRIMARY OR SECONDARY.....163	744	579	97	59	9	321	197	40	65	19
OF OTHER PARTS OF RESPIRATORY SYSTEM.....160,164	18	9	4	4	1	14	7	1	4	2
MALIGNANT NEOPLASM OF BREAST.....170	571	4	495	-	72	381	4	272	-	105
MALIGNANT NEOPLASM OF GENITAL ORGANS.....171-179	1,173	380	559	84	150	793	177	308	99	209
OF CERVIX UTERI.....171	292	...	206	...	86	276	...	153	...	123
OF OTHER AND UNSPECIFIED PARTS OF UTERUS.....172-174	174	...	135	...	39	116	...	64	...	52
OF OVARY, FALLOPIAN TUBE, AND BROAD LIGAMENT.....175	215	...	194	...	21	108	...	84	...	24
OF OTHER AND UNSPECIFIED FEMALE GENITAL ORGANS.....176	28	...	24	...	4	17	...	7	...	10
OF PROSTATE.....177	439	361	...	78	...	255	162	...	93	...
OF ALL OTHER & UNSPEC. MALE GENITAL ORGANS.....178,179	25	19	...	6	...	21	15	...	6	...
MALIGNANT NEOPLASM OF URINARY ORGANS.....180,181	414	258	118	26	12	171	82	45	29	15
OF KIDNEY.....180	151	98	41	9	3	52	31	10	7	4
OF BLADDER AND OTHER URINARY ORGANS.....181	263	160	77	17	9	119	51	35	22	11
MALIGNANT NEOPLASM OF OTHER AND UNSPECIFIED SITES.....156B,165,190-199	847	423	324	52	48	596	240	225	52	79
OF SKIN.....190,191	112	67	40	2	3	99	46	45	2	6
OF EYE.....192	14	8	5	-	1	12	4	7	-	1
OF BRAIN AND OTHER PARTS OF NERVOUS SYSTEM.....193	193	105	67	13	8	124	65	46	8	5
OF THYROID GLAND.....194	22	8	11	1	2	12	1	6	1	4
OF BONE.....196	40	19	16	3	2	26	10	11	4	1
OF CONNECTIVE TISSUE.....197	28	12	13	2	1	21	8	7	3	3
OF OTHER SPECIFIED SITES, NOT SECONDARY.....195,199A	51	25	20	5	1	31	17	9	3	2
OF UNSPECIFIED SITES.....156B,165,198,199B	387	179	152	26	30	271	89	94	31	57
LEUKEMIA AND ALEUKEMIA.....204	352	211	100	18	23	204	82	83	21	18
LYMPHOSARCOMA, ETC.....200-203,205	369	196	133	22	18	174	80	61	20	13
LYMPHOSARCOMA AND RETICULOSARCOMA.....200	176	85	76	7	8	68	32	25	7	4
HODGKINS DISEASE.....201	74	48	21	5	-	45	26	12	3	4
OTHER NEOPLASMS OF LYMPHATIC AND HEMATOPOIETIC TISSUES.....202,203,205	119	63	36	10	10	61	22	24	10	5
BENIGN NEOPLASMS AND NEOPLASMS OF UNSPEC. NATURE...210-239	134	45	57	8	24	89	18	32	14	25
BENIGN NEOPLASMS OF FEMALE GENITAL ORGANS.....214-217	16	...	5	...	11	23	...	6	...	17
BENIGN NEOPLASM OF BRAIN & OT. PTS. OF NERVOUS SYS...223	36	11	20	1	4	12	1	8	2	1
OTHER BENIGN NEOPLASMS.....210-213,218-222,224-229	29	11	12	2	4	17	5	8	3	1
UNSPECIFIED NEOPLASM OF FEMALE GENITAL ORGANS....233-235	-	...	-	...	-	-	...	-	...	-
NEOPLASM OF UNSPECIFIED NATURE OF BRAIN, ETC.....237	27	12	8	4	3	26	10	5	8	3
OTHER NEOPLASMS OF UNSPEC. NATURE....230-232,236,238,239	26	11	12	1	2	11	2	5	1	3
III. ALLERGIC, ENDOCRINE SYSTEM, METABOLIC, AND NUTRITIONAL DISEASES.....	1,111	417	420	98	176	774	239	224	115	196
ASTHMA.....241	194	85	59	22	28	107	39	26	18	24
NONTOXIC GOITER.....250,251	3	1	1	-	1	2	1	1	-	-
THYROTOXICOSIS WITH OR WITHOUT GOITER.....252	13	2	5	1	5	14	2	6	-	6
ALL OTHER DISEASES OF THYROID GLAND.....253,254	10	3	6	-	1	4	1	2	-	1
DIABETES MELLITUS.....260	725	265	286	58	116	488	150	140	67	131
DISEASES OF THYMUS GLAND.....273	3	-	1	1	1	1	1	-	-	-
DISEASES OF ADRENAL GLANDS.....274	15	3	7	-	5	9	4	3	1	1
PELLAGRA.....281	1	-	1	-	-	6	1	2	-	3
OTHER NUTRITIONAL DEFICIENCY STATES.....280,282-286	59	21	23	10	5	74	18	21	21	14
ALL OTHER ALLERGIC, ENDOCRINE, & METABOLIC DIS....RESIDUAL	88	37	31	6	14	69	22	23	8	16
IV. DISEASES OF THE BLOOD AND BLOOD-FORMING ORGANS...	153	50	44	22	37	117	40	29	27	21
ANEMIAS.....290-293	104	24	28	20	32	89	24	22	23	20
PERNICIOUS AND OTHER HYPERCHROMIC ANEMIAS.....290	13	3	5	3	2	11	3	6	1	1
ANEMIAS OF OTHER AND UNSPECIFIED TYPE.....291-293	91	21	23	17	30	78	21	16	22	19
PURPURA AND OTHER HEMORRHAGIC CONDITIONS.....296	23	12	7	-	4	11	5	4	2	-
OTHER DIS. OF BLOOD AND BLOOD-FORMING ORGANS.....RESIDUAL	26	14	9	2	1	17	11	3	2	1
V. MENTAL, PSYCHONEUROTIC, AND PERSONALITY DISORDERS	129	66	31	18	14	145	65	17	43	20
SENILE PSYCHOSIS.....304	9	6	2	1	-	4	1	3	-	-
ALCOHOLIC PSYCHOSIS.....307	15	12	2	1	-	5	3	2	-	-
OTHER PSYCHOSES.....300-303,305,306,308,309	14	6	6	1	1	9	5	4	-	-
ALCOHOLISM.....322	81	39	18	14	10	117	50	7	43	17
MENTAL DEFICIENCY.....325	8	3	3	1	1	7	5	-	-	2
OTHER DISORDERS OF PERSONALITY.....RESIDUAL	2	-	-	-	2	3	1	1	-	1
VI. DISEASES OF THE NERVOUS SYSTEM AND SENSE ORGANS..	5,923	2,437	2,296	607	583	5,800	1,640	1,684	1,138	1,338
VASCULAR LESIONS AFFECTING CENTRAL NERVOUS SYSTEM..330-334	5,477	2,247	2,156	536	538	5,474	1,528	1,600	1,061	1,285
SUBARACHNOID HEMORRHAGE.....330	225	74	99	32	20	169	44	55	40	30
CEREBRAL HEMORRHAGE.....331	3,041	1,166	1,161	339	375	3,466	899	914	737	916
CEREBRAL EMBOLISM AND THROMBOSIS.....332	1,733	806	711	124	92	1,443	481	530	208	224
OTHER VASCULAR LESIONS AFFECTING C.N.S.....333,334	478	201	185	41	51	396	104	101	76	115
MENINGITIS, EXCEPT MENINGOCOCCAL AND TUBERCULOUS.....340	100	33	20	33	14	53	13	9	16	15
MULTIPLE SCLEROSIS.....345	37	16	18	1	2	23	9	11	3	-
PARALYSIS AGITANS.....350	61	27	32	2	-	41	20	20	1	-
CEREBRAL SPASTIC INFANTILE PARALYSIS.....351	29	10	14	3	2	26	10	6	8	2
EPILEPSY.....353	60	24	16	9	11	67	10	10	28	19
INFLAMMATORY DISEASES OF EYE.....370-379	-	-	-	-	-	1	-	-	1	-
CATARACT.....385	-	-	-	-	-	-	-	-	-	-
GLAUCOMA.....387	-	-	-	-	-	-	-	-	-	-
OTITIS MEDIA AND MASTOIDITIS.....391-393	20	13	2	2	3	6	2	3	-	1
OTHER DIS. OF NERVOUS SYSTEM AND SENSE ORGANS.....RESIDUAL	139	67	38	21	13	109	48	25	20	16

and Sex: United States and Each State, 1960—Con.

bers after causes of death are category numbers of the Seventh Revision of the International Lists, 1955. For complete category titles, see table 5-8)

HAWAII					IDAHO					ILLINOIS					
Total	White		Nonwhite		Total	White		Nonwhite		Total	White		Nonwhite		
	Male	Female	Male	Female		Male	Female	Male	Female		Male	Female	Male	Female	
109	24	6	63	16	75	61	14	-	-	2,552	2,012	332	178	30	
9	2	1	6	-	2	2	-	-	-	156	131	11	12	2	
52	13	1	30	8	30	28	2	-	-	1,103	873	119	98	13	
46	9	4	25	8	40	29	11	-	-	1,244	976	188	65	15	
2	-	-	2	-	3	2	1	-	-	49	32	14	3	-	
38	-	21	-	17	57	-	57	-	-	1,649	8	1,515	3	123	
49	8	8	10	23	126	62	64	-	-	2,400	801	1,332	97	170	
18	...	3	...	15	15	...	15	...	-	493	...	398	...	95	
3	...	-	...	3	22	...	22	...	-	399	...	356	...	43	
10	...	5	...	5	26	...	26	...	-	554	...	527	...	27	
-	...	-	...	-	1	...	1	...	-	56	...	51	...	5	
17	8	...	9	...	59	59	...	-	...	838	745	...	93	...	
1	-	...	1	...	3	3	...	-	...	60	56	...	4	...	
15	7	-	6	2	47	33	14	-	-	845	550	241	26	28	
7	3	-	2	2	27	17	10	-	-	316	198	103	9	6	
8	4	-	4	-	20	16	4	-	-	529	352	138	17	22	
58	8	9	28	13	91	49	41	-	1	1,445	759	593	57	36	
8	1	3	4	-	7	3	4	-	-	206	116	86	2	2	
1	1	-	-	-	1	1	-	-	-	27	10	13	3	1	
9	2	-	4	3	24	13	11	-	-	387	234	129	15	9	
7	2	1	1	3	6	1	5	-	-	75	21	50	2	2	
3	-	-	3	-	7	3	4	-	-	128	61	50	9	8	
2	-	-	1	1	3	2	1	-	-	47	31	13	3	-	
5	1	1	1	2	6	4	2	-	-	95	62	32	1	-	
23	1	4	14	4	37	22	14	-	1	480	224	220	22	14	
24	4	5	12	3	42	26	16	-	-	767	438	290	19	20	
26	5	2	15	4	46	26	20	-	-	779	414	306	29	30	
13	1	1	8	3	22	16	6	-	-	439	237	175	13	14	
7	4	-	3	-	13	6	7	-	-	151	83	60	5	3	
6	-	1	4	1	11	4	7	-	-	189	94	71	11	13	
12	3	1	3	5	15	11	4	-	-	226	96	99	5	26	
-	...	-	...	-	-	...	-	...	-	46	...	27	...	19	
3	1	-	2	-	4	3	1	-	-	69	34	27	2	6	
5	-	1	1	3	6	4	2	-	-	47	23	22	1	1	
-	...	-	...	-	-	...	-	...	-	-	...	-	...	-	
2	1	-	-	1	4	3	1	-	-	40	23	15	2	-	
2	1	-	-	1	1	1	-	-	-	24	16	8	-	-	
133	17	29	45	42	116	57	55	1	3	2,036	801	1,014	82	139	
27	5	4	12	6	22	16	6	-	-	298	181	89	12	16	
1	-	-	-	1	1	-	1	-	-	8	2	6	-	-	
1	-	1	-	-	1	-	1	-	-	36	2	29	-	5	
-	-	-	-	-	1	-	1	-	-	20	5	13	-	2	
84	8	19	26	31	82	37	42	1	2	1,500	525	803	65	107	
2	-	-	1	1	1	-	1	-	-	11	6	4	1	-	
2	-	-	1	1	1	-	1	-	-	31	14	15	1	1	
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
9	1	3	4	1	2	2	-	-	-	43	22	17	2	2	
7	3	2	1	1	5	2	2	-	1	89	44	38	1	6	
12	1	1	6	4	22	14	8	-	-	260	97	127	19	17	
6	-	-	4	2	13	7	6	-	-	165	58	80	14	13	
1	-	-	-	1	3	1	2	-	-	35	14	18	3	-	
5	-	-	4	1	10	6	4	-	-	130	44	62	11	13	
2	-	-	-	2	2	1	1	-	-	37	12	19	4	2	
4	1	1	2	-	7	6	1	-	-	58	27	28	1	2	
10	1	1	6	2	11	5	4	2	-	141	91	25	21	4	
1	-	-	1	-	1	1	-	-	-	6	-	6	-	-	
-	-	-	-	-	-	-	-	-	-	16	13	-	3	-	
-	-	-	-	-	-	-	-	-	-	14	7	4	1	2	
5	-	-	4	1	7	4	1	2	-	83	58	8	15	2	
3	1	1	-	1	3	-	3	-	-	16	10	5	1	-	
1	-	-	1	-	-	-	-	-	-	6	3	2	1	-	
374	56	52	176	90	735	385	342	6	2	11,478	4,937	5,486	480	575	
331	50	47	153	81	673	350	316	5	2	10,715	4,572	5,163	436	544	
27	6	4	6	11	10	3	6	1	-	322	141	128	18	35	
174	20	19	85	50	415	221	190	3	1	6,330	2,623	3,080	271	356	
102	18	20	49	15	194	98	94	1	1	3,250	1,453	1,543	129	125	
28	6	4	13	5	54	28	26	-	-	813	355	412	18	28	
10	1	1	6	2	4	2	2	-	-	131	63	39	20	9	
1	-	1	-	-	10	6	4	-	-	103	39	59	2	3	
3	2	-	1	-	19	7	12	-	-	132	65	64	2	1	
3	-	-	2	1	3	2	1	-	-	41	22	17	2	-	
7	1	2	2	2	5	3	1	1	-	98	51	35	8	4	
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
-	-	-	-	-	-	-	-	-	-	1	1	-	-	-	
-	-	-	-	-	-	-	-	-	-	1	-	1	-	-	
2	-	-	2	-	1	1	-	-	-	28	15	10	1	2	
17	2	1	10	4	20	14	6	-	-	228	109	98	9	12	

Table 5-10. Deaths From 255 Selected Causes, by Color

(By place of residence. Data refer only to deaths occurring within the United States, including Alaska and Hawaii. Excludes fetal deaths. Num-

CAUSE OF DEATH	FLORIDA					GEORGIA				
	Total	White		Nonwhite		Total	White		Nonwhite	
		Male	Female	Male	Female		Male	Female	Male	Female
VII. DISEASES OF THE CIRCULATORY SYSTEM	18,989	10,626	5,870	1,386	1,107	12,773	5,329	3,543	2,044	1,857
DISEASES OF HEART 400-402,410-443	17,170	9,744	5,238	1,208	980	11,438	4,865	3,178	1,770	1,625
RHEUMATIC FEVER 400-402	12	5	5	1	1	17	3	6	5	3
CHRONIC RHEUMATIC HEART DISEASE 410-416	505	229	221	31	24	220	80	62	38	40
DISEASES OF MITRAL VALVE 410	180	65	93	12	10	94	27	30	20	17
DISEASES OF AORTIC VALVE SPECIFIED AS RHEUMATIC 411	75	53	14	4	4	32	18	6	2	6
DISEASES OF PULMONARY VALVE, ETC 413,414	29	14	13	2	-	9	2	3	2	2
OTHER RHEUMATIC HEART DISEASES 412,415,416	221	97	101	13	10	85	33	23	14	15
ARTERIOSCLEROTIC HEART DIS., INCL. CORONARY DIS 420	12,995	8,110	3,724	678	483	7,756	3,871	2,111	1,001	773
ARTERIOSCLEROTIC HEART DISEASE SO DESCRIBED 420.0	5,277	3,032	1,732	277	236	1,892	833	629	231	199
HEART DIS. SPEC. AS INVOLVING CORONARY ARTERIES 420.1	7,699	5,067	1,986	400	246	5,842	3,026	1,475	769	572
ANGINA PECTORIS WITHOUT MENTION CORONARY DIS 420.2	19	11	6	1	1	22	12	7	1	2
CHRONIC ENDOCARDITIS NOT SPECIFIED AS RHEUMATIC 421	125	59	42	16	8	106	33	26	23	24
OF MITRAL VALVE, SPECIFIED AS NONRHEUMATIC 421.0	1	-	1	-	-	10	2	4	-	4
OF AORTIC VALVE, NOT SPECIFIED AS RHEUMATIC 421.1	66	36	18	7	5	44	15	8	9	12
OF OTHER VALVES, NOT SPEC. AS RHEUMATIC 421.2-421.4	58	23	23	9	3	52	16	14	14	8
OTHER MYOCARDIAL DEGENERATION 422	1,124	455	501	86	82	890	242	324	162	162
WITH ARTERIOSCLEROSIS 422.1	890	356	419	54	61	669	180	260	110	119
WITHOUT MENTION OF ARTERIOSCLEROSIS 422.0,422.2	234	99	82	32	21	221	62	64	52	43
OTHER DISEASES OF HEART 430-434	838	408	247	110	73	731	252	190	152	137
ACUTE AND SUBACUTE ENDOCARDITIS 430	24	14	4	6	-	21	4	2	8	7
ACUTE NONRHEUMATIC MYOCARDITIS & PERICARDITIS 431,432	61	21	24	9	7	27	5	4	8	10
FUNCTIONAL DISEASE OF HEART 433	132	70	49	7	6	149	44	69	17	19
OTHER AND UNSPECIFIED DISEASES OF HEART 434	621	303	170	88	60	534	199	115	119	101
HYPERTENSIVE HEART DISEASE 440-443	1,571	478	498	286	309	1,718	384	459	389	486
HYPERTENSIVE HEART DISEASE WITH ARTERIOLAR NEPHROSCLEROSIS 442	387	134	124	67	62	392	99	105	90	98
OTHER HYPERTENSIVE HEART DISEASE 440,441,443	1,184	344	374	219	247	1,326	285	354	299	388
OTHER HYPERTENSIVE DISEASE 444-447	353	136	115	63	39	351	91	68	97	95
HYPERTENSION WITH ARTERIOLAR NEPHROSCLEROSIS 446	197	93	60	28	16	105	43	26	15	21
ESSENTIAL HYPERTENSION 444,445,447	156	43	55	35	23	246	48	42	82	74
DISEASES OF ARTERIES 450-456	1,217	640	425	91	61	818	318	237	149	114
GENERAL ARTERIOSCLEROSIS 450	775	347	330	61	37	622	216	196	118	92
AORTIC ANEURYSM, NONSYPHILITIC, ETC 451	353	255	63	23	12	138	81	23	23	11
GANGRENE OF UNSPECIFIED CAUSE 455	7	-	3	1	3	6	1	3	-	2
OTHER ARTERIAL DISEASES 452-454,456	82	38	29	6	9	52	20	15	8	9
DIS. OF VEINS AND OTHER DIS. OF CIRCULATORY SYS 460-468	249	106	92	24	27	166	55	60	28	23
VIII. DISEASES OF THE RESPIRATORY SYSTEM	2,554	1,261	603	427	263	2,402	854	481	640	427
ACUTE UPPER RESPIRATORY INFECTIONS 470-475	22	9	6	3	4	25	4	4	10	7
INFLUENZA 480-483	186	59	50	46	31	353	116	76	93	68
PNEUMONIA, EXCEPT PNEUMONIA OF NEWBORN 490-493	1,486	599	393	311	183	1,447	395	290	445	317
LOBAR PNEUMONIA 490	313	112	74	88	39	318	75	64	113	66
BRONCHOPNEUMONIA 491	960	397	275	177	111	534	168	123	140	103
PRIMARY ATYPICAL PNEUMONIA 492	115	57	25	16	17	147	38	25	43	41
PNEUMONIA, OTHER AND UNSPECIFIED 493	98	33	19	30	16	448	114	78	149	107
ACUTE BRONCHITIS 500	24	13	4	6	1	15	6	2	4	3
BRONCHITIS, CHRONIC AND UNQUALIFIED 501,502	80	53	17	7	3	57	33	12	9	3
HYPERTROPHY OF TONSILS AND ADENOIDS 510	2	-	-	1	1	4	2	1	-	1
EMPYEMA AND ABSCESS OF LUNG 518,521	31	15	4	7	5	23	8	3	9	3
PLEURISY 519	5	2	2	-	1	3	-	-	2	1
EMPHYSEMA WITHOUT MENTION OF BRONCHITIS 527.1	394	328	44	20	2	187	147	18	22	-
OTHER RESPIRATORY DISEASES RESIDUAL	324	183	83	26	32	288	143	75	46	24
IX. DISEASES OF THE DIGESTIVE SYSTEM	1,995	972	630	227	166	1,235	486	300	258	191
DISEASES OF TEETH AND SUPPORTING STRUCTURES 530-535	3	1	-	1	1	3	3	-	-	-
ULCER OF STOMACH 540	163	105	45	10	3	135	70	24	33	8
ULCER OF DUODENUM 541	162	124	20	12	6	82	48	14	13	7
GASTRITIS AND DUODENITIS 543	10	5	2	2	1	7	4	1	1	1
APPENDICITIS 550-553	65	30	19	11	5	29	7	6	9	7
HERNIA AND INTESTINAL OBSTRUCTION 560,561,570	251	96	116	27	12	182	54	61	36	31
GASTROENTERITIS AND COLITIS, EXC. ULCERATIVE, AGE 4 WEEKS AND OVER 571	200	29	23	85	63	200	34	17	80	69
CHRONIC ENTERITIS AND ULCERATIVE COLITIS 572	115	61	46	5	3	41	21	13	5	2
CIRRHOSIS OF LIVER 581	550	306	180	34	30	258	127	69	36	26
WITHOUT MENTION OF ALCOHOLISM 581.0	397	219	130	24	24	182	82	55	30	15
WITH ALCOHOLISM 581.1	153	87	50	10	6	76	45	14	6	11
CHOLELITHIASIS, CHOLECYSTITIS, AND CHOLANGITIS 584,585	121	60	57	1	3	56	14	32	4	6
FIBROCYSTIC DISEASE OF PANCREAS 587B	14	7	7	-	-	14	9	4	-	1
OTHER DISEASES OF DIGESTIVE SYSTEM RESIDUAL	341	148	115	39	39	228	95	59	41	33
X. DISEASES OF THE GENITOURINARY SYSTEM	967	444	223	176	124	966	299	220	253	194
NEPHRITIS AND NEPHROSIS 590-594	390	155	93	76	66	488	125	97	141	125
ACUTE NEPHRITIS 590	39	13	9	7	10	36	7	4	17	8
NEPHRITIS WITH EDEMA, INCLUDING NEPHROSIS 591	32	13	11	4	4	23	6	5	5	7
CHRONIC AND UNSPECIFIED NEPHRITIS, ETC 592-594	319	129	73	65	52	429	112	88	119	110
INFECTIONS OF KIDNEY 600	276	101	95	38	42	246	71	83	47	45
CALCULI OF URINARY SYSTEM 602,604	44	25	9	5	5	30	13	10	2	5
OTHER DISEASES OF URINARY SYSTEM 601,603,605-609	74	33	14	23	4	75	21	18	30	6
HYPERPLASIA OF PROSTATE 610	140	112	...	28	...	95	65	...	30	...
DISEASES OF BREAST 620,621	-	-	-	-	-	-	-	-	-	-
OTHER DISEASES OF GENITAL ORGANS RESIDUAL	43	18	12	6	7	32	4	12	3	13

and Sex: United States and Each State, 1960—Con.

bers after causes of death are category numbers of the Seventh Revision of the International Lists, 1955. For complete category titles, see table 5-8)

HAWAII					IDAHO					ILLINOIS				
Total	White		Nonwhite		Total	White		Nonwhite		Total	White		Nonwhite	
	Male	Female	Male	Female		Male	Female	Male	Female		Male	Female	Male	Female
1,246	276	201	508	261	2,140	1,411	705	18	6	48,576	25,910	18,669	2,202	1,795
1,137	257	181	468	231	1,956	1,296	637	17	6	44,710	24,056	16,944	2,056	1,654
3	-	1	1	1	2	-	2	-	-	33	13	17	1	2
31	5	8	10	8	72	35	37	-	-	1,014	429	495	44	46
12	1	4	1	6	28	15	13	-	-	335	118	190	14	13
1	-	-	1	-	5	4	1	-	-	80	54	23	3	-
-	-	-	-	-	7	3	4	-	-	57	18	38	1	-
18	4	4	8	2	32	13	19	-	-	542	239	244	26	33
719	200	104	295	120	1,449	1,021	411	11	6	34,533	19,810	12,373	1,319	1,031
414	119	60	164	71	405	247	151	4	3	16,643	8,496	6,875	658	614
305	81	44	131	49	1,042	774	258	7	3	17,877	11,305	5,494	661	417
-	-	-	-	-	2	-	2	-	-	13	9	4	-	-
4	-	2	2	-	15	11	3	1	-	248	128	105	8	7
-	-	-	-	-	1	1	-	-	-	14	6	7	-	1
2	-	1	1	-	7	5	2	-	-	96	59	30	6	1
2	-	1	1	-	7	5	1	1	-	138	63	68	2	5
77	14	16	29	18	169	97	71	1	-	3,803	1,607	1,724	257	215
56	9	11	21	15	106	63	42	1	-	2,543	1,070	1,187	173	113
21	5	5	8	3	63	34	29	-	-	1,260	537	537	84	102
34	8	5	13	8	93	64	26	3	-	1,343	705	442	129	67
-	-	-	-	-	2	2	-	-	-	45	27	11	5	2
3	-	-	1	2	3	-	2	1	-	75	31	29	7	8
10	3	3	2	2	22	12	10	-	-	270	127	134	6	3
21	5	2	10	4	66	50	14	2	-	953	520	268	111	54
269	30	45	118	76	156	68	87	1	-	3,736	1,364	1,788	298	286
44	5	8	19	12	47	22	25	-	-	761	355	342	30	34
225	25	37	99	64	109	46	62	1	-	2,975	1,009	1,446	268	252
19	5	4	3	7	29	17	12	-	-	901	396	391	63	51
13	3	2	3	5	13	9	4	-	-	498	251	197	31	19
6	2	2	-	2	16	8	8	-	-	403	145	194	32	32
78	13	13	35	17	141	90	50	1	-	2,610	1,294	1,176	67	73
50	8	9	24	9	109	69	40	-	-	2,093	948	1,030	56	59
18	2	2	11	3	22	17	4	1	-	407	296	95	9	7
-	-	-	-	-	1	-	1	-	-	9	5	3	-	1
10	3	2	-	5	9	4	5	-	-	101	45	48	2	6
12	1	3	2	6	14	8	6	-	-	355	164	158	16	17
168	24	26	74	44	303	199	93	6	5	5,379	2,725	1,609	616	429
1	-	1	-	-	3	2	1	-	-	39	20	16	2	1
7	-	2	3	2	29	20	9	-	-	177	92	72	6	7
116	15	16	55	30	159	88	63	5	3	4,107	1,843	1,311	544	409
13	1	2	9	1	29	18	11	-	-	456	241	157	37	21
63	8	9	30	16	64	33	27	3	1	3,186	1,374	978	468	366
32	5	5	10	12	12	6	6	-	-	233	109	90	21	13
8	1	-	6	1	54	31	19	2	2	232	119	86	18	9
5	-	2	1	2	6	3	3	-	-	79	46	24	6	3
1	-	-	1	-	16	13	2	1	-	163	103	47	9	4
-	-	-	-	-	-	-	-	-	-	6	2	3	1	-
4	-	1	2	1	5	3	2	-	-	41	28	8	5	-
2	-	-	1	1	1	-	-	-	1	14	7	6	1	-
12	6	-	3	3	44	41	3	-	-	402	344	36	22	-
20	3	4	8	5	40	29	10	-	1	351	240	86	20	5
121	21	22	52	26	203	120	74	4	5	3,848	2,161	1,338	199	150
-	-	-	-	-	-	-	-	-	-	6	3	2	-	1
12	1	1	7	3	21	15	5	1	-	405	258	105	31	11
9	3	1	4	1	22	19	3	-	-	372	270	68	24	10
1	-	-	1	-	2	2	-	-	-	19	13	5	1	-
2	2	-	-	-	3	3	-	-	-	109	60	32	7	10
14	3	3	6	2	34	16	17	-	1	490	204	241	23	22
8	1	-	4	3	11	8	2	-	1	178	67	63	26	22
2	-	-	-	2	11	6	5	-	-	191	88	94	2	7
41	8	10	16	7	32	17	14	1	-	1,292	825	360	57	50
26	4	6	10	6	28	14	13	1	-	906	565	279	32	30
15	4	4	6	1	4	3	1	-	-	386	260	81	25	20
7	-	1	3	3	19	10	9	-	-	271	108	157	1	5
-	-	-	-	-	5	1	4	-	-	29	10	19	-	-
25	3	6	11	5	43	23	15	2	3	486	255	192	27	12
91	16	13	38	24	96	66	27	2	1	1,725	885	572	151	117
57	6	9	23	19	51	34	16	1	-	789	362	319	55	53
1	-	-	1	-	2	1	1	-	-	42	23	13	4	2
5	-	-	2	3	9	5	4	-	-	47	19	22	4	2
51	6	9	20	16	40	28	11	1	-	700	320	284	47	49
17	5	3	5	4	12	4	7	-	1	487	193	182	62	50
3	-	-	2	1	7	5	2	-	-	59	30	23	3	3
7	2	1	4	-	5	4	1	-	-	94	52	28	13	1
3	2	...	1	...	19	18	...	1	...	246	229	...	17	...
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
4	1	-	3	-	2	1	1	-	-	50	19	20	1	10

Table 5-10. Deaths From 255 Selected Causes, by Color

(By place of residence. Data refer only to deaths occurring within the United States, including Alaska and Hawaii. Excludes fetal deaths. Num-

CAUSE OF DEATH	FLORIDA					GEORGIA				
	Total	White		Nonwhite		Total	White		Nonwhite	
		Male	Female	Male	Female		Male	Female	Male	Female
XI. DELIVERIES AND COMPLICATIONS OF PREGNANCY, CHILDBIRTH, AND THE PUERPERIUM	57	...	17	...	40	61	...	12	...	49
SEPSIS OF PREGNANCY, CHILDBIRTH, ETC...640,641,681,682,684	5	...	3	...	2	5	...	1	...	4
TOXEMIAS OF PREGNANCY AND PUERPERIUM, ETC.....642,685,686	12	...	2	...	10	18	...	5	...	13
HEMORRHAGE OF PREGNANCY AND CHILDBIRTH.....643,644,670-672	6	...	3	...	3	14	...	2	...	12
ECTOPIC PREGNANCY.....645	8	...	1	...	7	4	...	-	...	4
ABORTION WITHOUT MENTION OF SEPSIS OR TOXEMIA.....650	5	...	1	...	4	1	...	-	...	1
ABORTION WITH SEPSIS.....651	5	...	1	...	4	8	...	2	...	6
ABORTION WITH TOXEMIA, WITHOUT MENTION OF SEPSIS.....652	-	...	-	...	-	-	...	-	...	-
OT. COMPLICATIONS OF PREGNANCY, CHILDBIRTH, ETC...RESIDUAL	16	...	6	...	10	11	...	2	...	9
XII. DISEASES OF THE SKIN AND CELLULAR TISSUE.....	64	14	35	8	7	46	7	14	6	19
INFECTIONS OF SKIN AND SUBCUTANEOUS TISSUE.....690-698	17	5	10	2	-	13	4	4	3	2
OTHER DISEASES OF SKIN AND SUBCUTANEOUS TISSUE.....700-716	47	9	25	6	7	33	3	10	3	17
XIII. DISEASES OF THE BONES AND ORGANS OF MOVEMENT...	90	35	46	4	5	89	28	41	9	11
ARTHRITIS AND SPONDYLITIS.....720-725	52	13	31	4	4	43	11	27	3	2
MUSCULAR RHEUMATISM AND RHEUMATISM UNSPECIFIED.....726,727	1	1	-	-	-	2	-	1	-	1
OSTEOMYELITIS AND PERIOSTITIS.....730	4	2	2	-	-	6	3	1	2	-
ANKYLOSIS & ACQ. MUSCULOSKELETAL DEFORMITIES...737,745-749	1	1	-	-	-	1	-	-	-	1
INBORN DEFECT OF MUSCLE.....744.1	11	9	2	-	-	21	12	5	2	2
OT. DIS. OF MUSCULOSKELETAL SYS....731-736,738-744.0,744.2	21	9	11	-	1	16	2	7	2	5
XIV. CONGENITAL MALFORMATIONS.....	578	251	191	69	67	465	196	137	83	49
SPINA BIFIDA AND MENINGOCELE.....751	37	14	20	3	-	29	6	20	2	1
CONGENITAL HYDROCEPHALUS, ETC.....752,753	76	31	25	9	11	59	24	20	12	3
CONGENITAL MALFORMATIONS OF CIRCULATORY SYSTEM.....754	277	123	83	32	39	216	95	54	41	26
OTHER CONGENITAL MALFORMATIONS.....750,755-759	188	83	63	25	17	161	71	43	28	19
XV. CERTAIN DISEASES OF EARLY INFANCY.....	2,076	771	525	434	346	1,846	595	391	492	368
XVI. SYMPTOMS, SENILITY, AND ILL-DEFINED CONDITIONS..	921	337	198	234	152	464	122	69	141	132
SENILITY WITHOUT MENTION OF PSYCHOSIS.....794	102	26	41	13	22	88	23	24	13	28
SYMPTOMS, ILL-DEFINED, AND UNKNOWN CAUSES.....780-793,795	819	311	157	221	130	376	99	45	128	104
XVII. ACCIDENTS, POISONINGS, AND VIOLENCE.....	4,062	2,099	906	788	269	3,207	1,458	582	804	363
ACCIDENTS.....E800-E962	2,927	1,521	689	526	191	2,405	1,101	474	544	286
RAILWAY ACCIDENTS.....E800-E802	14	8	-	6	-	26	16	3	7	-
MOTOR VEHICLE ACCIDENTS.....E810-E835	1,241	684	286	214	57	1,030	564	199	202	65
MOTOR VEHICLE TRAFFIC ACCIDENTS.....E810-E825	1,210	666	281	208	55	1,002	549	194	196	63
TRAFFIC ACCIDENT WITH RAILWAY TRAIN.....E810	63	42	14	6	1	37	20	7	9	1
TRAFFIC ACCIDENT TO PEDESTRIAN.....E812	255	131	50	56	18	180	77	32	43	28
OTHER TRAFFIC ACCIDENTS, ETC.....E811,E813-E819	479	282	124	63	10	398	203	111	65	19
NONCOLLISION TRAFFIC ACCIDENTS.....E820-E824	275	148	53	58	16	332	211	36	72	13
TRAFFIC ACCIDENT OF UNSPECIFIED NATURE.....E825	138	63	40	25	10	55	38	8	7	2
MOTOR VEHICLE NONTRAFFIC ACCIDENTS.....E830-E835	31	18	5	6	2	28	15	5	6	2
OTHER ROAD VEHICLE ACCIDENTS.....E840-E845	3	1	2	-	-	4	3	-	-	1
WATER TRANSPORT ACCIDENTS.....E850-E858	104	79	5	19	1	41	33	1	5	2
AIRCRAFT ACCIDENTS.....E860-E866	68	59	8	1	-	21	20	1	-	-
ACCIDENTAL POISONING BY SOLIDS AND LIQUIDS.....E870-E888	100	39	18	28	15	60	18	16	16	10
ACCIDENTAL POISONING BY GASES AND VAPORS.....E890-E895	33	20	9	3	1	29	11	6	7	5
ACCIDENTAL FALLS.....E900-E904	373	154	175	29	15	286	99	126	34	27
FALL FROM ONE LEVEL TO ANOTHER.....E900-E902	114	63	29	16	6	108	46	24	27	11
FALL ON SAME LEVEL.....E903	52	19	32	-	1	43	11	24	2	6
UNSPECIFIED FALLS.....E904	207	72	114	13	8	135	42	78	5	10
BLOW FROM FALLING OR PROJECTED OBJECT OR MISSILE....E910	26	20	-	6	-	43	26	-	17	-
ACCIDENT CAUSED BY MACHINERY.....E912	40	28	2	10	-	49	26	-	22	1
ACCIDENT CAUSED BY ELECTRIC CURRENT.....E914	52	42	3	4	3	16	8	3	5	-
ACCIDENT CAUSED BY FIRE AND EXPLOSION, ETC.....E916	229	71	51	58	49	263	59	50	60	94
ACCIDENT CAUSED BY HOT SUBSTANCE, ETC.....E917,E918	10	3	3	3	1	16	1	2	7	6
ACCIDENT CAUSED BY FIREARM.....E919	80	52	6	18	4	100	58	10	23	9
INHALATION AND INGESTION OF OBJECTS, ETC.....E921,E922	76	33	20	9	14	86	24	14	27	21
ACCIDENTAL DROWNING.....E929	286	143	46	84	13	152	75	23	51	3
EXCESSIVE HEAT AND INSOLATION.....E931	-	-	-	-	-	3	1	-	1	1
COMPLICATIONS DUE TO MEDICAL PROCEDURES.....E940-E959	27	12	11	2	2	9	3	2	1	3
ALL OTHER ACCIDENTS.....RESIDUAL	165	73	44	32	16	171	56	18	59	38
SUICIDE.....E963,E970-E979	676	477	164	30	5	372	267	75	22	8
SUICIDE BY POISONING.....E970-E973	163	85	73	5	-	56	29	26	-	1
SUICIDE BY HANGING AND STRANGULATION.....E974	74	54	18	2	-	16	11	1	3	1
SUICIDE BY FIREARM AND EXPLOSIVE.....E976	373	306	45	20	2	275	216	40	15	4
SUICIDE BY ALL OTHER MEANS.....E963,E975,E977-E979	66	32	28	3	3	25	11	8	4	2
HOMICIDE.....E964,E980-E985	458	100	53	232	73	430	90	33	238	69
ASSAULT BY FIREARM AND EXPLOSIVE.....E981	265	53	35	135	42	265	64	22	137	42
ASSAULT BY CUTTING AND PIERCING INSTRUMENTS.....E982	112	18	4	70	20	96	10	3	68	15
ASSAULT BY OTHER MEANS.....E964,E980,E983	74	27	14	22	11	50	12	8	18	12
INJURY BY INTERVENTION OF POLICE.....E984	5	2	-	3	-	12	3	-	9	-
EXECUTION.....E985	2	-	-	2	-	7	1	-	6	-
INJURY RESULTING FROM OPERATIONS OF WAR.....E965,E990-E999	1	1	-	-	-	-	-	-	-	-

and Sex: United States and Each State, 1960—Con.

bers after causes of death are category numbers of the Seventh Revision of the International Lists, 1955. For complete category titles, see table 5-8)

HAWAII					IDAHO					ILLINOIS					
Total	White		Nonwhite		Total	White		Nonwhite		Total	White		Nonwhite		
	Male	Female	Male	Female		Male	Female	Male	Female		Male	Female	Male	Female	
3	•••	2	•••	1	2	•••	2	•••	-	61	•••	45	•••	16	3
-	•••	-	•••	-	-	•••	-	•••	-	8	•••	6	•••	2	5
-	•••	-	•••	-	-	•••	-	•••	-	9	•••	6	•••	3	6
-	•••	-	•••	-	1	•••	1	•••	-	11	•••	11	•••	-	7
-	•••	-	•••	-	-	•••	-	•••	-	6	•••	2	•••	4	8
1	•••	1	•••	-	-	•••	-	•••	-	1	•••	-	•••	1	9
1	•••	1	•••	-	-	•••	-	•••	-	3	•••	2	•••	1	10
-	•••	-	•••	-	-	•••	-	•••	-	1	•••	-	•••	1	11
1	•••	-	•••	1	1	•••	1	•••	-	22	•••	18	•••	4	12
															13
															14
8	1	1	5	1	5	3	2	-	-	108	32	56	3	17	15
															16
3	1	-	2	-	3	1	2	-	-	33	15	15	-	3	17
5	-	1	3	1	2	2	-	-	-	75	17	41	3	14	18
															19
															20
7	3	-	4	-	16	10	6	-	-	154	81	66	4	3	21
															22
2	1	-	1	-	9	5	4	-	-	71	30	40	-	1	23
-	-	-	-	-	-	-	-	-	-	3	2	-	1	-	24
-	-	-	-	-	-	-	-	-	-	7	2	4	-	1	25
1	-	-	1	-	-	-	-	-	-	4	2	2	-	-	26
2	1	-	1	-	4	4	-	-	-	30	25	4	1	-	27
2	1	-	1	-	3	1	2	-	-	39	20	16	2	1	28
															29
															30
77	9	10	36	22	90	47	42	1	-	1,060	492	442	68	58	31
															32
2	-	1	-	1	3	1	2	-	-	63	14	46	1	2	33
12	3	2	3	4	6	3	3	-	-	116	55	48	5	8	34
38	3	5	18	12	55	27	27	1	-	563	264	219	40	40	35
25	3	2	15	5	26	16	10	-	-	318	159	129	22	8	36
															37
274	49	35	105	85	244	138	100	3	3	3,764	1,722	1,129	510	403	38
															39
29	6	2	14	7	74	47	24	2	1	604	303	197	65	39	40
															41
10	1	-	5	4	32	14	17	1	-	16	5	10	1	-	42
19	5	2	9	3	42	33	7	1	1	588	298	187	64	39	43
															44
															45
339	86	22	180	51	591	424	147	16	4	5,601	3,409	1,405	574	213	46
															47
272	69	18	144	41	507	358	133	12	4	4,158	2,561	1,120	335	142	48
-	-	-	-	-	4	3	1	-	-	70	54	9	7	-	49
110	38	6	51	15	209	139	64	3	3	1,670	1,109	423	102	36	50
106	38	6	48	14	201	131	64	3	3	1,635	1,086	415	100	34	51
-	-	-	-	-	5	3	2	-	-	97	64	29	-	4	52
32	6	1	19	6	20	15	4	1	-	289	192	64	26	7	53
31	18	2	9	2	65	39	25	-	1	768	479	226	48	15	54
40	13	3	18	6	60	46	11	1	2	432	315	84	26	7	55
3	1	-	2	-	51	28	22	1	-	49	36	12	-	1	56
4	-	-	3	1	8	8	-	-	-	35	23	8	2	2	57
															58
1	-	-	1	-	1	1	-	-	-	13	9	4	-	-	59
3	3	-	-	-	15	12	-	3	-	48	40	4	4	-	60
1	1	-	-	-	11	11	-	-	-	83	60	22	1	-	61
2	1	-	1	-	5	3	2	-	-	73	25	23	13	12	62
-	-	-	-	-	5	4	1	-	-	110	75	27	7	1	63
24	4	1	17	2	76	42	32	1	1	825	384	362	62	17	64
17	2	1	13	1	24	16	8	-	-	352	195	96	47	14	65
-	-	-	-	-	8	5	2	-	1	132	49	74	8	1	66
7	2	-	4	1	44	21	22	1	-	341	140	192	7	2	67
															68
-	-	-	-	-	23	23	-	-	-	37	32	1	4	-	69
12	2	-	10	-	21	21	-	-	-	106	99	3	3	1	70
5	2	-	3	-	5	4	-	1	-	43	38	3	2	-	71
7	3	1	3	-	19	14	5	-	-	348	162	100	46	40	72
2	-	-	2	-	2	1	1	-	-	23	10	6	4	3	73
3	1	1	1	-	26	21	5	-	-	100	75	10	10	5	74
8	2	-	4	2	12	8	4	-	-	54	32	17	3	2	75
20	5	2	10	3	39	27	9	3	-	240	175	25	31	9	76
1	-	-	1	-	1	1	-	-	-	8	6	-	2	-	77
1	1	-	-	-	5	1	4	-	-	28	10	14	1	3	78
72	6	7	40	19	28	22	5	1	-	279	166	67	33	13	79
															80
															81
45	13	3	24	5	74	61	12	1	-	964	694	229	24	17	82
9	2	2	3	2	10	7	3	-	-	169	101	63	2	3	83
14	1	-	11	2	8	7	1	-	-	237	169	60	3	5	84
18	10	-	7	1	48	42	5	1	-	406	343	47	12	4	85
4	-	1	3	-	8	5	3	-	-	152	81	59	7	5	86
															87
22	4	1	12	5	10	5	2	3	-	478	153	56	215	54	88
11	2	1	5	3	6	2	1	3	-	243	82	30	105	26	89
3	1	-	2	-	2	1	1	-	-	112	17	10	74	11	90
8	1	-	5	2	2	2	-	-	-	102	45	16	24	17	91
-	-	-	-	-	-	-	-	-	-	21	9	-	12	-	92
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	93
															94
-	-	-	-	-	-	-	-	-	-	1	1	-	-	-	95

Table 5-10. Deaths From 255 Selected Causes, by Color

(By place of residence. Data refer only to deaths occurring within the United States, including Alaska and Hawaii. Excludes fetal deaths. Num-

CAUSE OF DEATH	INDIANA					IOWA				
	Total	White		Nonwhite		Total	White		Nonwhite	
		Male	Female	Male	Female		Male	Female	Male	Female
ALL CAUSES	45,369	24,216	18,416	1,534	1,203	28,770	16,124	12,309	187	150
I. INFECTIVE AND PARASITIC DISEASES	500	282	158	39	21	186	108	71	6	1
TUBERCULOSIS, ALL FORMS 001-019	249	156	62	20	11	59	38	17	3	1
TUBERCULOSIS OF RESPIRATORY SYSTEM 001-008	233	149	57	16	11	51	34	14	2	1
TUBERCULOSIS OF MENINGES AND CENTRAL NERVOUS SYSTEM 010	4	2	-	2	-	2	-	1	1	-
TUBERCULOSIS OF INTESTINES, PERITONEUM, AND MESENTERIC GLANDS 011	-	-	-	-	-	-	-	-	-	-
TUBERCULOSIS OF BONES AND JOINTS 012,013	-	-	-	-	-	2	-	2	-	-
TUBERCULOSIS OF OTHER ORGANS AND SYSTEMS 014-018	7	4	2	1	-	2	2	-	-	-
DISSEMINATED TUBERCULOSIS 019	5	1	3	1	-	2	2	-	-	-
SYPHILIS AND ITS SEQUELAE 020-029	67	42	17	6	2	32	18	13	1	-
CONGENITAL SYPHILIS 020	-	-	-	-	-	1	1	-	-	-
EARLY SYPHILIS 021	-	-	-	-	-	-	-	-	-	-
ANEURYSM OF AORTA 022	26	16	7	1	2	14	8	6	-	-
OTHER CARDIOVASCULAR SYPHILIS 023	19	14	4	1	-	9	4	4	1	-
TABES DORSALIS 024	1	1	-	-	-	2	2	-	-	-
GENERAL PARALYSIS OF INSANE 025	3	2	1	-	-	6	3	3	-	-
OTHER SYPHILIS OF CENTRAL NERVOUS SYSTEM 026	16	8	4	4	-	-	-	-	-	-
ALL OTHER SYPHILIS 027-029	2	1	1	-	-	-	-	-	-	-
GONOCOCCAL INFECTION 030-035	-	-	-	-	-	-	-	-	-	-
TYPHOID FEVER 040	-	-	-	-	-	-	-	-	-	-
PARATYPHOID FEVER AND OTHER SALMONELLA INFECTIONS 041,042	-	-	-	-	-	-	-	-	-	-
CHOLERA 043	-	-	-	-	-	-	-	-	-	-
BRUCELLOSIS 044	-	-	-	-	-	-	-	-	-	-
DYSENTERY, ALL FORMS 045-048	4	-	1	1	2	-	-	-	-	-
FOOD POISONING, INFECTION AND INTOXICATION 049	-	-	-	-	-	2	-	2	-	-
SCARLET FEVER 050	-	-	-	-	-	-	-	-	-	-
STREPTOCOCCAL SORE THROAT 051	-	-	-	-	-	3	-	3	-	-
ERYSIPELAS 052	2	1	1	-	-	2	2	-	-	-
SEPTICEMIA AND PYEMIA 053	45	23	19	3	-	25	15	10	-	-
DIPHTHERIA 055	1	1	-	-	-	1	1	-	-	-
WHOOPING COUGH 056	3	1	1	-	1	-	-	-	-	-
MENINGOCOCCAL INFECTIONS 057	15	8	6	1	-	4	4	-	-	-
PLAGUE 058	-	-	-	-	-	-	-	-	-	-
LEPROSY 060	-	-	-	-	-	-	-	-	-	-
TETANUS 061	4	2	1	1	-	5	2	3	-	-
ANTHRAX 062	-	-	-	-	-	-	-	-	-	-
ACUTE POLIOMYELITIS 080	9	3	4	2	-	2	-	2	-	-
LATE EFFECTS OF ACUTE POLIOMYELITIS 081	4	1	3	-	-	7	2	5	-	-
ACUTE INFECTIOUS ENCEPHALITIS 082	22	9	10	1	2	8	4	4	-	-
LATE EFFECTS OF ACUTE INFECTIOUS ENCEPHALITIS 083	1	-	1	-	-	1	-	1	-	-
SMALLPOX 084	-	-	-	-	-	-	-	-	-	-
MEASLES 085	11	7	4	-	-	2	2	-	-	-
YELLOW FEVER 091	-	-	-	-	-	-	-	-	-	-
INFECTIOUS HEPATITIS 092	24	9	12	1	2	14	10	3	1	-
RABIES 094	-	-	-	-	-	-	-	-	-	-
TICK-BORNE TYPHUS 104	2	2	-	-	-	-	-	-	-	-
ALL OTHER RICKETTSIAL DISEASES 100-103,105-108	-	-	-	-	-	-	-	-	-	-
MALARIA 110-117	1	1	-	-	-	1	-	1	-	-
SCHISTOSOMIASIS 123	-	-	-	-	-	-	-	-	-	-
HYDATID DISEASE 125	-	-	-	-	-	-	-	-	-	-
FILARIASIS 127	-	-	-	-	-	-	-	-	-	-
ANCYLOSTOMIASIS 129	-	-	-	-	-	-	-	-	-	-
OTHER DISEASES DUE TO HELMINTHS 124,126,128,130	1	1	-	-	-	-	-	-	-	-
ALL OTHER INFECTIVE AND PARASITIC DISEASES RESIDUAL	35	15	16	3	1	18	10	7	1	-
II. NEOPLASMS	6,910	3,438	3,066	217	189	4,601	2,424	2,129	28	20
MALIGNANT NEOPLASMS, INCLUDING NEOPLASMS OF LYMPHATIC AND HEMATOPOIETIC TISSUES 140-205	6,810	3,388	3,023	216	183	4,534	2,392	2,094	28	20
MALIGNANT NEOPLASM OF BUCCAL CAVITY AND PHARYNX 140-148	130	90	34	5	1	87	70	16	1	-
OF LIP 140	5	4	1	-	-	6	6	-	-	-
OF TONGUE 141	47	29	17	1	-	17	12	5	-	-
OF OTHER AND UNSPEC. PARTS OF BUCCAL CAVITY 142-144	37	26	8	2	1	24	20	3	1	-
OF PHARYNX 145-148	41	31	8	2	-	40	32	8	-	-
MALIGNANT NEOPLASM OF DIGESTIVE ORGANS AND PERITONEUM, NOT SPECIFIED AS SECONDARY 150-156A,157-159	2,278	1,126	1,019	75	58	1,554	811	730	8	5
OF ESOPHAGUS 150	103	68	26	6	3	64	49	14	1	-
OF STOMACH 151	416	231	153	21	11	352	223	125	3	1
OF SMALL INTESTINE, INCLUDING DUODENUM 152	22	14	7	-	1	16	8	8	-	-
OF LARGE INTESTINE, EXCEPT RECTUM 153	766	321	408	15	22	534	238	293	2	1
CECUM, APPENDIX, AND ASCENDING COLON 153.0	106	39	61	2	4	83	29	53	1	-
TRANSVERSE COLON 153.1	23	12	11	-	-	35	11	24	-	-
DESCENDING COLON 153.2	30	12	15	2	1	23	7	16	-	-
SIGMOID COLON 153.3	187	86	92	4	5	125	65	59	-	1
MULTIPLE PARTS OF LARGE INTESTINE 153.7	2	1	1	-	-	1	1	-	-	-
LARGE INTESTINE, PART UNSPECIFIED 153.8	370	153	199	6	12	231	104	126	1	-
INTESTINAL TRACT, PART UNSPECIFIED 153.9	48	18	29	1	-	36	21	15	-	-
OF RECTUM 154	287	152	120	9	6	168	98	69	1	-
OF BILIARY PASSAGES AND OF LIVER, PRIMARY SITE 155	182	58	116	4	4	119	39	77	-	3
LIVER 155.0	43	19	21	2	1	17	7	9	-	1
OT. & MULT. SITES OF BILIARY PASSAGES 155.1,155.8	139	39	95	2	3	102	32	68	-	2
OF LIVER NOT STATED WHETHER PRIMARY OR SECONDARY 156A	104	54	46	1	3	62	30	32	-	-
OF PANCREAS 157	361	206	131	17	7	217	120	96	1	-
OF PERITONEUM AND OF UNSPEC. DIGESTIVE ORGANS 158,159	37	22	12	2	1	22	6	16	-	-

and Sex: United States and Each State, 1960—Con.

bers after causes of death are category numbers of the Seventh Revision of the International Lists, 1955. For complete category titles, see table 5-8)

KANSAS					KENTUCKY				LOUISIANA					
Total	White		Nonwhite		Total	White		Nonwhite		Total	White		Nonwhite		
	Male	Female	Male	Female		Male	Female	Male	Female		Male	Female	Male	Female	
21,161	11,525	8,617	554	465	29,959	15,423	11,316	1,801	1,419	29,704	10,670	7,606	6,147	5,281	1
175	95	61	13	6	539	302	168	41	28	634	201	90	216	127	5
57	33	17	6	1	325	188	93	30	14	277	123	31	90	33	7
55	32	16	6	1	299	179	80	29	11	261	121	30	79	31	8
-	-	-	-	-	9	1	5	1	2	6	1	1	3	1	9
1	1	-	-	-	3	2	1	-	-	3	-	-	3	-	11
1	-	1	-	-	3	1	2	-	-	-	-	-	-	-	12
-	-	-	-	-	8	4	4	-	-	1	-	-	1	-	13
-	-	-	-	-	3	1	1	-	1	6	1	-	4	1	14
41	25	8	5	3	42	26	8	6	2	113	19	5	63	26	16
-	-	-	-	-	-	-	-	-	-	3	-	-	2	1	17
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	18
23	15	6	1	1	24	19	3	1	1	37	11	4	11	11	19
11	5	1	3	2	8	3	2	3	-	49	3	1	36	9	20
-	-	-	-	-	1	-	1	-	-	1	-	-	1	-	21
1	1	-	-	-	6	2	1	2	1	5	1	-	3	1	22
6	4	1	1	-	2	1	1	-	-	12	2	-	8	2	23
-	-	-	-	-	1	1	-	-	-	6	2	-	2	2	24
1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	26
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	27
2	1	1	-	-	2	-	2	-	-	6	1	2	1	2	28
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	29
-	-	-	-	-	1	-	1	-	-	-	-	-	-	-	30
3	-	2	1	-	7	4	2	1	-	14	1	5	3	5	31
1	-	1	-	-	2	1	1	-	-	1	-	-	1	-	32
-	-	-	-	-	2	1	1	-	-	-	-	-	-	-	33
-	-	-	-	-	10	4	5	-	1	1	1	-	-	-	34
1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	35
14	10	4	-	-	54	27	19	2	6	95	18	23	28	26	36
1	1	-	-	-	1	1	-	-	-	7	2	-	1	4	38
-	-	-	-	-	-	-	-	-	-	3	-	1	1	1	39
3	1	1	-	1	11	8	3	-	-	12	2	3	2	5	40
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	41
-	-	-	-	-	-	-	-	-	-	2	2	-	-	-	42
2	-	2	-	-	7	2	4	-	1	10	1	1	4	4	43
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	44
-	-	-	-	-	10	4	5	1	-	1	1	-	-	-	45
2	2	-	-	-	-	-	-	-	-	2	2	-	-	-	46
13	6	7	-	-	8	5	2	1	-	16	8	6	2	-	47
1	-	1	-	-	1	-	1	-	-	2	2	-	-	-	48
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	49
4	1	2	1	-	8	3	5	-	-	21	5	5	5	6	50
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	52
6	3	3	-	-	14	9	3	-	2	16	5	6	3	2	53
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	54
-	-	-	-	-	1	1	-	-	-	-	-	-	-	-	55
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	56
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	57
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	58
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	59
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	60
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	61
-	-	-	-	-	4	3	1	-	-	10	1	-	3	6	62
23	10	12	-	1	29	15	12	-	2	25	7	2	9	7	63
3,124	1,570	1,411	75	68	4,263	1,998	1,842	223	200	4,372	1,654	1,282	755	681	65
3,088	1,558	1,390	74	66	4,172	1,958	1,801	219	194	4,282	1,627	1,254	732	669	68
64	46	15	2	1	119	78	28	10	3	108	65	17	16	10	69
3	3	-	-	-	3	3	-	-	-	4	2	1	-	1	70
10	7	3	-	-	23	16	3	3	1	36	21	5	6	4	71
25	19	5	1	-	34	18	13	1	2	22	16	1	2	3	72
26	17	7	1	1	59	41	12	6	-	46	26	10	8	2	73
926	451	430	28	17	1,446	636	633	102	75	1,297	457	369	270	201	76
25	17	5	3	-	73	43	17	10	3	65	32	3	20	10	77
210	124	73	9	4	319	132	124	39	24	360	106	65	120	69	78
10	3	7	-	-	12	8	2	1	1	7	3	3	-	1	79
303	124	168	7	4	458	178	237	20	23	340	103	152	35	50	80
52	26	25	1	-	56	28	24	3	1	50	14	25	3	8	81
23	5	17	1	-	18	4	13	-	1	16	2	12	-	2	82
11	8	2	-	1	21	6	12	1	2	16	6	6	1	3	83
63	29	32	1	1	69	23	37	4	5	40	10	22	3	5	84
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	85
144	53	85	4	2	261	98	139	10	14	205	66	84	27	28	86
10	3	7	-	-	33	19	12	2	-	13	5	3	1	4	87
105	59	40	2	4	131	67	48	11	5	113	43	28	23	19	89
72	27	45	-	-	93	33	55	3	2	53	18	18	13	4	90
16	7	9	-	-	23	10	10	2	1	13	5	3	3	2	91
56	20	36	-	-	70	23	45	1	1	40	13	15	10	2	92
32	10	21	-	1	118	53	54	5	6	74	29	18	14	13	93
154	82	62	7	3	207	105	81	12	9	247	112	70	42	23	94
15	5	9	-	1	35	17	15	1	2	38	11	12	3	12	95

Table 5-10. Deaths From 255 Selected Causes, by Color

(By place of residence. Data refer only to deaths occurring within the United States, including Alaska and Hawaii. Excludes fetal deaths. Num-

CAUSE OF DEATH	INDIANA					IOWA				
	Total	White		Nonwhite		Total	White		Nonwhite	
		Male	Female	Male	Female		Male	Female	Male	Female
II. NEOPLASMS—CON.										
MALIGNANT NEOPLASMS, ETC.—CON.										
MALIGNANT NEOPLASM OF RESPIRATORY SYSTEM, NOT SPECIFIED AS SECONDARY....160-164	1,006	794	146	58	8	554	471	74	8	1
OF LARYNX....161	63	56	4	3	-	32	29	3	-	-
OF BRONCHUS & TRACHEA, & OF LUNG SPEC. AS PRIMARY..162	400	320	46	30	4	173	151	16	6	-
OF LUNG, NOT SPEC. PRIMARY OR SECONDARY....163	512	399	86	25	2	336	282	51	2	1
OF OTHER PARTS OF RESPIRATORY SYSTEM....160,164	31	19	10	-	2	13	9	4	-	-
MALIGNANT NEOPLASM OF BREAST....170	606	9	568	-	29	431	2	426	-	3
MALIGNANT NEOPLASM OF GENITAL ORGANS....171-179	1,053	383	585	31	54	703	332	357	6	8
OF CERVIX UTERI....171	252	...	224	...	28	119	...	116	...	3
OF OTHER AND UNSPECIFIED PARTS OF UTERUS....172-174	154	...	146	...	8	78	...	76	...	2
OF OVARY, FALLOPIAN TUBE, AND BROAD LIGAMENT....175	214	...	199	...	15	149	...	146	...	3
OF OTHER AND UNSPECIFIED FEMALE GENITAL ORGANS....176	19	...	16	...	3	19	...	19	...	-
OF PROSTATE....177	380	349	...	31	...	323	317	...	6	...
OF ALL OTHER & UNSPEC. MALE GENITAL ORGANS....178,179	34	34	...	-	...	15	15	...	-	...
MALIGNANT NEOPLASM OF URINARY ORGANS....180,181	341	219	90	14	18	248	171	77	-	-
OF KIDNEY....180	143	91	42	4	6	99	58	41	-	-
OF BLADDER AND OTHER URINARY ORGANS....181	198	128	48	10	12	149	113	36	-	-
MALIGNANT NEOPLASM OF OTHER AND UNSPECIFIED SITES....156B,165,190-199	765	411	329	17	8	455	248	205	1	1
OF SKIN....190,191	120	79	38	2	1	62	36	26	-	-
OF EYE....192	13	8	4	1	-	12	3	9	-	-
OF BRAIN AND OTHER PARTS OF NERVOUS SYSTEM....193	181	112	65	4	-	94	62	32	-	-
OF THYROID GLAND....194	27	8	18	1	-	16	6	9	-	1
OF BONE....196	54	31	23	-	-	33	18	15	-	-
OF CONNECTIVE TISSUE....197	24	9	13	-	2	12	9	3	-	-
OF OTHER SPECIFIED SITES, NOT SECONDARY....195,199A	50	31	16	2	1	31	18	13	-	-
OF UNSPECIFIED SITES....156B,165,198,199B	296	133	152	7	4	195	96	98	1	-
LEUKEMIA AND ALEUKEMIA....204	314	175	128	8	3	240	136	101	2	1
LYMPHOSARCOMA, ETC....200-203,205	317	181	124	8	4	262	151	108	2	1
LYMPHOSARCOMA AND RETICULOSARCOMA....200	136	86	48	2	-	120	76	42	2	-
HODGKINS DISEASE....201	76	42	32	1	1	55	33	21	-	1
OTHER NEOPLASMS OF LYMPHATIC AND HEMATOPOIETIC TISSUES....202,203,205	105	53	44	5	3	87	42	45	-	-
BENIGN NEOPLASMS AND NEOPLASMS OF UNSPEC. NATURE...210-239	100	50	43	1	6	67	32	35	-	-
BENIGN NEOPLASMS OF FEMALE GENITAL ORGANS....214-217	9	...	5	...	4	2	...	2	...	-
BENIGN NEOPLASM OF BRAIN & OT. PTS. OF NERVOUS SYS...223	22	12	9	-	1	17	6	11	-	-
OTHER BENIGN NEOPLASMS....210-213,218-222,224-229	22	11	10	1	-	14	9	5	-	-
UNSPECIFIED NEOPLASM OF FEMALE GENITAL ORGANS....233-235	1	...	1	...	-	-	...	-	...	-
NEOPLASM OF UNSPECIFIED NATURE OF BRAIN, ETC....237	28	16	11	-	1	18	8	10	-	-
OTHER NEOPLASMS OF UNSPEC. NATURE....230-232,236,238,239	18	11	7	-	-	16	9	7	-	-
III. ALLERGIC, ENDOCRINE SYSTEM, METABOLIC, AND NUTRITIONAL DISEASES....	1,236	492	660	33	51	698	319	372	2	5
ASTHMA....241	142	82	45	8	7	118	82	34	2	-
NONTOXIC GOITER....250,251	1	-	1	-	-	2	1	1	-	-
THYROTOXICOSIS WITH OR WITHOUT GOITER....252	26	3	20	1	2	10	1	9	-	-
ALL OTHER DISEASES OF THYROID GLAND....253,254	11	3	8	-	-	10	1	9	-	-
DIABETES MELLITUS....260	930	346	525	20	39	481	193	285	-	3
DISEASES OF THYMUS GLAND....273	1	-	1	-	-	2	1	1	-	-
DISEASES OF ADRENAL GLANDS....274	13	4	8	-	1	4	3	1	-	-
PELLAGRA....281	-	-	-	-	-	-	-	-	-	-
OTHER NUTRITIONAL DEFICIENCY STATES....280,282-286	47	21	21	4	1	26	15	11	-	-
ALL OTHER ALLERGIC, ENDOCRINE, & METABOLIC DIS....RESIDUAL	65	33	31	-	1	45	22	21	-	2
IV. DISEASES OF THE BLOOD AND BLOOD-FORMING ORGANS...	157	63	85	6	3	98	52	45	-	1
ANEMIAS....290-293	93	35	53	2	3	66	36	29	-	1
PERNICIOUS AND OTHER HYPERCHROMIC ANEMIAS....290	24	5	19	-	-	22	9	13	-	-
ANEMIAS OF OTHER AND UNSPECIFIED TYPE....291-293	69	30	34	2	3	44	27	16	-	1
PURPURA AND OTHER HEMORRHAGIC CONDITIONS....296	23	11	11	1	-	12	5	7	-	-
OTHER DIS. OF BLOOD AND BLOOD-FORMING ORGANS....RESIDUAL	41	17	21	3	-	20	11	9	-	-
V. MENTAL, PSYCHONEUROTIC, AND PERSONALITY DISORDERS	82	46	25	7	4	57	40	17	-	-
SENILE PSYCHOSIS....304	15	4	11	-	-	10	3	7	-	-
ALCOHOLIC PSYCHOSIS....307	5	4	-	1	-	6	6	-	-	-
OTHER PSYCHOSES....300-303,305,306,308,309	9	3	5	-	1	15	7	8	-	-
ALCOHOLISM....322	44	31	6	6	1	17	16	1	-	-
MENTAL DEFICIENCY....325	8	4	2	-	2	6	6	-	-	-
OTHER DISORDERS OF PERSONALITY....RESIDUAL	1	-	1	-	-	3	2	1	-	-
VI. DISEASES OF THE NERVOUS SYSTEM AND SENSE ORGANS..	6,201	2,841	3,043	166	151	4,227	2,021	2,168	19	19
VASCULAR LESIONS AFFECTING CENTRAL NERVOUS SYSTEM..330-334	5,818	2,658	2,869	149	142	3,950	1,872	2,041	19	18
SUBARACHNOID HEMORRHAGE....330	150	70	71	5	4	76	29	47	-	-
CEREBRAL HEMORRHAGE....331	3,544	1,622	1,754	83	85	2,341	1,110	1,207	13	11
CEREBRAL EMBOLISM AND THROMBOSIS....332	1,618	748	792	37	41	1,123	545	569	4	5
OTHER VASCULAR LESIONS AFFECTING C.N.S....333,334	506	218	252	24	12	410	188	218	2	2
MENINGITIS, EXCEPT MENINGOCOCCAL AND TUBERCULOUS....340	57	21	27	6	3	23	12	10	-	1
MULTIPLE SCLEROSIS....345	29	14	14	-	1	34	12	22	-	-
PARALYSIS AGITANS....350	92	44	47	-	1	78	45	33	-	-
CEREBRAL SPASTIC INFANTILE PARALYSIS....351	22	13	8	1	-	9	6	3	-	-
EPILEPSY....353	43	19	20	4	-	26	13	13	-	-
INFLAMMATORY DISEASES OF EYE....370-379	-	-	-	-	-	-	-	-	-	-
CATARACT....385	-	-	-	-	-	1	1	-	-	-
GLAUCOMA....387	-	-	-	-	-	1	1	-	-	-
OTITIS MEDIA AND MASTOIDITIS....391-393	7	4	3	-	-	10	8	2	-	-
OTHER DIS. OF NERVOUS SYSTEM AND SENSE ORGANS....RESIDUAL	133	68	55	6	4	95	51	44	-	-

and Sex: United States and Each State, 1960—Con.

bers after causes of death are category numbers of the Seventh Revision of the International Lists, 1955. For complete category titles, see table 5-8)

KANSAS					KENTUCKY					LOUISIANA				
Total	White		Nonwhite		Total	White		Nonwhite		Total	White		Nonwhite	
	Male	Female	Male	Female		Male	Female	Male	Female		Male	Female	Male	Female
404	325	61	14	4	589	438	95	46	10	730	473	62	166	29
20	16	3	-	1	41	35	4	2	-	40	29	1	9	1
138	116	15	5	2	226	173	29	21	3	273	172	17	75	9
238	192	37	8	1	305	218	59	22	6	405	265	41	82	17
8	1	6	1	-	17	12	3	1	1	12	7	3	-	2
294	5	273	-	16	326	5	288	1	32	336	2	223	2	109
463	177	258	13	15	643	230	339	32	42	636	137	232	108	159
87	•••	83	•••	4	161	•••	138	•••	23	173	•••	88	•••	85
66	•••	60	•••	6	95	•••	83	•••	12	105	•••	58	•••	47
113	•••	108	•••	5	112	•••	107	•••	5	98	•••	77	•••	21
7	•••	7	•••	-	13	•••	11	•••	2	15	•••	9	•••	6
179	166	•••	13	•••	252	221	•••	31	•••	232	128	•••	104	•••
11	11	•••	-	•••	10	9	•••	1	•••	13	9	•••	4	•••
162	115	45	1	1	157	89	57	4	7	175	72	41	35	27
64	44	20	-	-	63	42	19	-	2	59	25	19	8	7
98	71	25	1	1	94	47	38	4	5	116	47	22	27	20
395	214	166	9	6	520	271	224	13	12	611	228	199	88	96
56	31	24	1	-	78	47	29	2	-	90	47	29	8	6
4	3	1	-	-	7	4	3	-	-	8	5	1	-	2
81	49	29	2	1	79	48	28	2	1	85	42	26	9	8
15	11	4	-	-	15	6	9	-	-	14	4	6	1	3
31	21	9	1	-	45	29	14	1	1	21	4	7	6	4
14	9	5	-	-	14	9	5	-	-	18	5	8	5	-
22	9	11	1	1	27	16	11	-	-	22	7	10	4	1
172	81	83	4	4	255	112	125	8	10	353	114	112	55	72
213	123	81	5	4	198	114	68	8	8	214	105	68	23	18
167	102	61	2	2	174	97	69	3	5	175	88	43	24	20
78	47	29	-	2	71	36	33	1	1	73	40	15	11	7
35	24	10	1	-	51	26	24	-	1	36	15	11	6	4
54	31	22	1	-	52	35	12	2	3	66	33	17	7	9
36	12	21	1	2	91	40	41	4	6	90	27	28	23	12
3	•••	2	•••	1	6	•••	2	•••	4	6	•••	2	•••	4
11	2	8	1	-	12	1	7	3	1	13	3	6	3	1
8	4	4	-	-	4	1	3	-	-	9	5	2	1	1
1	•••	-	•••	1	-	•••	-	•••	-	-	•••	-	•••	-
8	3	5	-	-	38	21	17	-	-	47	14	15	13	5
5	3	2	-	-	31	17	12	1	1	15	5	3	6	1
540	236	267	17	20	637	248	317	24	48	837	200	275	126	236
70	47	20	3	-	119	73	36	6	4	86	31	12	28	15
1	-	1	-	-	-	-	-	-	-	2	-	-	-	2
5	1	4	-	-	10	1	9	-	-	8	1	1	2	4
3	1	2	-	-	4	1	3	-	-	6	-	3	-	3
378	152	198	11	17	420	145	227	10	38	628	144	230	71	183
1	1	-	-	-	1	1	-	-	-	3	-	1	1	1
8	4	3	1	-	13	2	10	1	-	2	1	-	1	-
-	-	-	-	-	1	-	1	-	-	-	-	-	-	-
27	10	14	2	1	38	16	16	5	1	48	12	14	13	9
47	20	25	-	2	31	9	15	2	5	54	11	14	10	19
83	38	43	1	1	92	46	35	5	6	110	31	24	27	28
53	19	33	1	-	66	33	24	3	6	78	19	14	20	25
12	1	11	-	-	16	8	5	1	2	2	1	-	-	1
41	18	22	1	-	50	25	19	2	4	76	18	14	20	24
13	9	4	-	-	5	3	1	1	-	14	5	3	4	2
17	10	6	-	1	21	10	10	1	-	18	7	7	3	1
60	38	18	4	-	70	41	17	10	2	51	26	8	10	7
11	6	5	-	-	6	1	5	-	-	3	2	1	-	-
4	4	-	-	-	4	3	-	1	-	5	5	-	-	-
11	4	6	1	-	14	4	8	1	1	14	6	4	3	1
28	20	5	3	-	30	21	1	7	1	16	7	-	5	4
4	2	2	-	-	15	12	2	1	-	12	6	3	1	2
2	2	-	-	-	1	-	1	-	-	1	-	-	1	-
2,785	1,268	1,368	63	86	4,130	1,871	1,750	271	238	3,346	946	985	697	718
2,579	1,163	1,279	57	80	3,858	1,735	1,647	250	226	3,090	862	929	636	663
52	25	24	-	3	85	31	46	3	5	119	38	36	17	28
1,551	696	770	39	46	2,257	1,043	939	139	136	2,145	561	589	483	512
703	321	343	14	25	1,092	488	484	61	59	626	208	220	106	92
273	121	142	4	6	424	173	178	47	26	200	55	84	30	31
17	9	6	1	1	33	16	12	5	-	71	21	9	22	19
24	5	17	-	2	10	5	4	-	1	6	2	1	-	3
67	39	28	-	-	49	26	20	1	2	17	6	8	2	1
10	6	4	-	-	24	14	10	-	-	17	9	7	-	1
27	16	8	2	1	46	19	13	11	3	43	10	5	16	12
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
2	-	2	-	-	9	4	4	1	-	11	-	3	3	5
59	30	24	3	2	101	52	40	3	6	91	36	23	18	14

Table 5-10. Deaths From 255 Selected Causes, by Color

(By place of residence. Data refer only to deaths occurring within the United States, including Alaska and Hawaii. Excludes fetal deaths. Num-

	CAUSE OF DEATH	INDIANA					IOWA				
		Total	White		Nonwhite		Total	White		Nonwhite	
			Male	Female	Male	Female		Male	Female	Male	Female
1	VII. DISEASES OF THE CIRCULATORY SYSTEM	19,587	10,969	7,656	516	446	12,526	7,285	5,113	67	61
2	DISEASES OF HEART 400-402,410-443	17,488	9,948	6,697	448	395	11,116	6,535	4,469	59	53
3	RHEUMATIC FEVER 400-402	22	14	6	1	1	11	5	5	1	-
4	CHRONIC RHEUMATIC HEART DISEASE 410-416	439	196	223	7	13	227	109	115	-	3
5	DISEASES OF MITRAL VALVE 410	170	69	92	3	6	83	35	48	-	-
6	DISEASES OF AORTIC VALVE SPECIFIED AS RHEUMATIC 411	39	29	7	2	1	20	14	6	-	-
7	DISEASES OF PULMONARY VALVE, ETC 413,414	33	14	18	-	1	26	13	12	-	1
8	OTHER RHEUMATIC HEART DISEASES 412,415,416	197	84	106	2	5	98	47	49	-	2
9	ARTERIOSCLEROTIC HEART DIS., INCL. CORONARY DIS 420	12,964	7,912	4,522	311	219	8,462	5,257	3,123	48	34
10	ARTERIOSCLEROTIC HEART DISEASE SO DESCRIBED 420.0	4,858	2,647	2,006	108	97	3,083	1,687	1,357	23	16
11	HEART DIS. SPEC. AS INVOLVING CORONARY ARTERIES 420.1	8,091	5,257	2,509	203	122	5,369	3,562	1,764	25	18
12	ANGINA PECTORIS WITHOUT MENTION CORONARY DIS 420.2	15	8	7	-	-	10	8	2	-	-
13	CHRONIC ENDOCARDITIS NOT SPECIFIED AS RHEUMATIC 421	166	85	73	4	4	103	61	41	-	1
14	OF MITRAL VALVE, SPECIFIED AS NONRHEUMATIC 421.0	12	3	5	2	2	9	6	3	-	-
15	OF AORTIC VALVE, NOT SPECIFIED AS RHEUMATIC 421.1	66	44	20	1	1	33	20	13	-	-
16	OF OTHER VALVES, NOT SPEC. AS RHEUMATIC 421.2-421.4	88	38	48	1	1	61	35	25	-	1
17	OTHER MYOCARDIAL DEGENERATION 422	1,238	577	609	25	27	956	474	473	3	6
18	WITH ARTERIOSCLEROSIS 422.1	716	320	369	13	14	619	302	311	2	4
19	WITHOUT MENTION OF ARTERIOSCLEROSIS 422.0,422.2	522	257	240	12	13	337	172	162	1	2
20	OTHER DISEASES OF HEART 430-434	677	344	304	17	12	508	270	231	4	3
21	ACUTE AND SUBACUTE ENDOCARDITIS 430	10	7	2	1	-	8	6	2	-	-
22	ACUTE NONRHEUMATIC MYOCARDITIS & PERICARDITIS 431,432	37	19	13	2	3	15	8	6	-	1
23	FUNCTIONAL DISEASE OF HEART 433	176	80	88	4	4	127	60	66	-	1
24	OTHER AND UNSPECIFIED DISEASES OF HEART 434	454	238	201	10	5	358	196	157	4	1
25	HYPERTENSIVE HEART DISEASE 440-443	1,982	820	960	83	119	849	359	481	3	6
26	HYPERTENSIVE HEART DISEASE WITH ARTERIOLAR NEPHROSCLEROSIS 442	1,061	476	531	22	32	339	153	185	-	1
27	OTHER HYPERTENSIVE HEART DISEASE 440,441,443	921	344	429	61	87	510	206	296	3	5
28	OTHER HYPERTENSIVE DISEASE 444-447	396	171	179	25	21	225	93	126	3	3
29	HYPERTENSION WITH ARTERIOLAR NEPHROSCLEROSIS 446	222	111	91	10	10	125	53	69	1	2
30	ESSENTIAL HYPERTENSION 444,445,447	174	60	88	15	11	100	40	57	2	1
31	DISEASES OF ARTERIES 450-456	1,504	743	701	31	29	1,058	575	473	5	5
32	GENERAL ARTERIOSCLEROSIS 450	1,246	574	621	29	22	880	448	423	5	4
33	AORTIC ANEURYSM, NONSYPHILITIC, ETC 451	196	140	51	1	4	141	108	32	-	1
34	GANGRENE OF UNSPECIFIED CAUSE 455	9	7	2	-	-	3	3	-	-	-
35	OTHER ARTERIAL DISEASES 452-454,456	53	22	27	1	3	34	16	18	-	-
36	DIS. OF VEINS AND OTHER DIS. OF CIRCULATORY SYS 460-468	199	107	79	12	1	127	82	45	-	-
37	VIII. DISEASES OF THE RESPIRATORY SYSTEM	2,249	1,291	753	127	78	1,614	953	628	23	10
38	ACUTE UPPER RESPIRATORY INFECTIONS 470-475	25	18	4	1	2	13	8	5	-	-
39	INFLUENZA 480-483	215	110	96	4	5	262	134	128	-	-
40	PNEUMONIA, EXCEPT PNEUMONIA OF NEWBORN 490-493	1,326	698	478	91	59	989	560	400	20	9
41	LOBAR PNEUMONIA 490	229	139	64	14	12	190	117	69	2	2
42	BRONCHOPNEUMONIA 491	828	425	302	59	42	458	253	193	8	4
43	PRIMARY ATYPICAL PNEUMONIA 492	118	54	56	6	2	102	62	35	3	2
44	PNEUMONIA, OTHER AND UNSPECIFIED 493	151	80	56	12	3	239	128	103	7	1
45	ACUTE BRONCHITIS 500	30	12	10	3	5	10	4	6	-	-
46	BRONCHITIS, CHRONIC AND UNQUALIFIED 501,502	58	40	16	2	-	44	28	15	1	-
47	HYPERTROPHY OF TONSILS AND ADENOIDS 510	3	-	2	1	-	-	-	-	-	-
48	EMPYEMA AND ABSCESS OF LUNG 518,521	25	12	12	1	-	10	9	1	-	-
49	PLEURISY 519	6	3	2	1	-	3	2	1	-	-
50	EMPHYSEMA WITHOUT MENTION OF BRONCHITIS 527.1	274	228	34	10	2	131	114	15	2	-
51	OTHER RESPIRATORY DISEASES RESIDUAL	287	170	99	13	5	152	94	57	-	1
52	IX. DISEASES OF THE DIGESTIVE SYSTEM	1,678	926	654	51	47	955	554	388	9	4
53	DISEASES OF TEETH AND SUPPORTING STRUCTURES 530-535	4	2	2	-	-	1	-	1	-	-
54	ULCER OF STOMACH 540	164	107	44	8	5	71	53	18	-	-
55	ULCER OF DUODENUM 541	164	127	29	5	3	108	72	33	3	-
56	GASTRITIS AND DUODENITIS 543	5	1	4	-	-	3	2	1	-	-
57	APPENDICITIS 550-553	42	18	17	3	4	31	19	11	-	1
58	HERNIA AND INTESTINAL OBSTRUCTION 560,561,570	279	117	149	7	6	152	68	82	1	1
59	GASTROENTERITIS AND COLITIS, EXC. ULCERATIVE, AGE 4 WEEKS AND OVER 571	89	45	31	7	6	44	22	22	-	-
60	CHRONIC ENTERITIS AND ULCERATIVE COLITIS 572	63	27	34	1	1	60	22	37	-	1
61	CIRRHOSIS OF LIVER 581	427	273	125	17	12	190	136	50	3	1
62	WITHOUT MENTION OF ALCOHOLISM 581.0	311	197	95	11	8	136	91	41	3	1
63	WITH ALCOHOLISM 581.1	116	76	30	6	4	54	45	9	-	-
64	CHOLELITHIASIS, CHOLECYSTITIS, AND CHOLANGITIS 584,585	133	46	84	-	3	78	38	39	1	-
65	FIBROCYSTIC DISEASE OF PANCREAS 587B	29	14	15	-	-	13	7	6	-	-
66	OTHER DISEASES OF DIGESTIVE SYSTEM RESIDUAL	279	149	120	3	7	204	115	88	1	-
67	X. DISEASES OF THE GENITOURINARY SYSTEM	812	457	279	42	34	472	288	175	6	3
68	NEPHRITIS AND NEPHROSIS 590-594	397	203	158	18	18	215	116	96	2	1
69	ACUTE NEPHRITIS 590	34	15	16	2	1	9	5	4	-	-
70	NEPHRITIS WITH EDEMA, INCLUDING NEPHROSIS 591	15	9	6	-	-	12	5	7	-	-
71	CHRONIC AND UNSPECIFIED NEPHRITIS, ETC 592-594	348	179	136	16	17	194	106	85	2	1
72	INFECTIONS OF KIDNEY 600	181	81	82	9	9	81	34	45	2	-
73	CALCULI OF URINARY SYSTEM 602,604	28	14	13	-	1	26	15	10	-	1
74	OTHER DISEASES OF URINARY SYSTEM 601,603,605-609	47	25	11	10	1	28	16	12	-	-
75	HYPERPLASIA OF PROSTATE 610	130	125	•••	5	•••	95	93	•••	2	•••
76	DISEASES OF BREAST 620,621	1	-	1	-	-	-	-	-	-	-
77	OTHER DISEASES OF GENITAL ORGANS RESIDUAL	28	9	14	-	5	27	14	12	-	1

and Sex: United States and Each State, 1960—Con.

bers after causes of death are category numbers of the Seventh Revision of the International Lists, 1955. For complete category titles, see table 5-8)

KANSAS					KENTUCKY					LOUISIANA				
Total	White		Nonwhite		Total	White		Nonwhite		Total	White		Nonwhite	
	Male	Female	Male	Female		Male	Female	Male	Female		Male	Female	Male	Female
9,151	5,200	3,588	188	175	12,374	6,595	4,546	666	567	11,801	4,591	3,180	2,100	1,930
8,140	4,698	3,121	165	156	11,223	6,048	4,082	602	491	10,861	4,268	2,900	1,922	1,771
7	4	3	-	-	10	3	6	1	-	14	5	3	4	2
175	81	88	3	3	224	105	107	9	3	141	48	44	20	29
70	23	45	2	-	77	31	40	4	2	48	16	13	7	12
15	11	4	-	-	16	13	3	-	-	8	5	3	-	-
10	6	4	-	-	11	6	4	1	-	5	-	3	1	1
80	41	35	1	3	120	55	60	4	1	80	27	25	12	16
6,178	3,821	2,171	105	81	7,948	4,622	2,687	367	272	7,601	3,466	2,072	1,151	912
2,136	1,124	935	46	31	2,628	1,316	1,112	117	83	3,463	1,314	1,078	536	535
4,033	2,690	1,234	59	50	5,308	3,298	1,571	250	189	4,131	2,148	992	614	377
9	7	2	-	-	12	8	4	-	-	7	4	2	1	-
78	37	33	4	4	94	56	34	3	1	77	19	13	18	27
6	2	4	-	-	5	2	2	1	-	6	1	1	2	2
31	21	8	2	-	25	17	5	2	1	46	15	5	9	17
41	14	21	2	4	64	37	27	-	-	25	3	7	7	8
667	334	309	13	11	754	335	335	45	39	789	224	231	174	160
460	229	218	5	8	493	220	227	26	20	515	155	159	103	98
207	105	91	8	3	261	115	108	19	19	274	69	72	71	62
328	157	151	13	7	733	382	265	48	38	676	204	158	176	138
7	5	1	1	-	6	4	1	1	-	10	3	3	3	1
15	9	5	1	-	15	9	5	1	-	28	6	7	8	7
98	42	54	2	-	72	35	33	3	1	77	26	25	14	12
208	101	91	9	7	640	334	226	43	37	561	169	123	151	118
707	264	366	27	50	1,460	545	648	129	138	1,563	302	379	379	503
202	79	99	13	11	361	149	139	37	36	169	35	43	45	46
505	185	267	14	39	1,099	396	509	92	102	1,394	267	336	334	457
180	88	79	7	6	232	85	103	20	24	193	51	37	56	49
109	59	42	4	4	126	49	54	15	8	71	30	18	16	7
71	29	37	3	2	106	36	49	5	16	122	21	19	40	42
707	344	342	11	10	752	380	304	29	39	592	221	206	80	85
564	242	307	8	7	634	302	275	23	34	434	138	171	66	59
106	82	20	3	1	67	47	14	5	1	105	60	21	9	15
2	1	1	-	-	11	5	4	1	1	6	4	-	1	1
35	19	14	-	2	40	26	11	-	3	47	19	14	4	10
124	70	46	5	3	167	82	57	15	13	155	51	37	42	25
1,149	672	403	51	23	1,863	953	704	127	79	1,741	562	355	478	346
5	4	-	-	1	27	10	9	5	3	7	4	1	-	2
151	81	64	3	3	275	132	129	8	6	159	42	46	33	38
663	339	271	37	16	1,124	527	445	92	60	1,120	283	227	341	269
104	59	39	5	1	157	78	65	8	6	195	54	32	76	33
357	178	150	21	8	569	261	228	48	32	519	140	119	139	121
59	32	21	3	3	50	18	23	3	6	143	33	24	48	38
143	70	61	8	4	348	170	129	33	16	263	56	52	78	77
6	1	4	-	1	7	2	5	-	-	22	8	2	9	3
41	32	9	-	-	51	31	16	4	-	51	27	10	12	2
-	-	-	-	-	1	-	1	-	-	3	1	1	1	-
8	6	1	-	1	15	7	5	2	1	13	5	3	3	2
4	4	-	-	-	1	-	-	-	1	3	1	-	1	1
138	122	12	3	1	117	98	13	4	2	148	108	13	22	5
133	83	42	8	-	245	146	81	12	6	215	83	52	56	24
764	404	322	25	13	955	504	369	47	35	1,102	430	264	218	190
3	1	2	-	-	-	-	-	-	-	-	-	-	-	-
79	51	27	1	-	74	51	18	4	1	78	44	13	16	5
82	56	22	3	1	77	56	17	2	2	51	28	9	10	4
4	3	-	-	1	6	3	3	-	-	12	6	3	2	1
22	9	10	2	1	29	16	11	2	-	41	9	11	10	11
139	72	59	5	3	139	62	63	5	9	180	51	49	37	43
34	15	16	2	1	85	36	31	8	10	137	19	18	45	55
38	17	20	1	-	43	17	23	1	2	36	14	15	2	5
155	85	63	5	2	226	146	63	10	7	252	145	46	40	21
121	65	52	3	1	162	102	50	4	6	189	109	35	27	18
34	20	11	2	1	64	44	13	6	1	63	36	11	13	3
64	23	40	-	1	69	20	46	-	3	55	21	20	3	11
10	6	4	-	-	9	3	6	-	-	11	4	5	2	-
134	66	59	6	3	198	94	88	15	1	249	89	75	51	34
453	274	151	13	15	570	304	190	45	31	634	195	143	166	130
234	127	91	8	8	273	130	106	17	20	237	57	61	63	56
15	5	6	2	2	18	8	7	3	-	11	1	6	4	-
8	8	-	-	-	29	12	10	4	3	13	2	4	5	2
211	114	85	6	6	226	110	89	10	17	213	54	51	54	54
80	39	35	1	5	137	64	52	13	8	203	67	50	42	44
16	9	7	-	-	21	11	9	-	1	26	9	8	2	7
34	21	12	-	1	34	17	11	4	2	57	15	14	20	8
70	66	...	4	...	80	70	...	10	...	68	34	...	34	...
-	-	-	-	-	1	-	1	-	-	-	-	-	-	-
19	12	6	-	1	24	12	11	1	-	43	13	10	5	15

Table 5-10. Deaths From 255 Selected Causes, by Color

(By place of residence. Data refer only to deaths occurring within the United States, including Alaska and Hawaii. Excludes fetal deaths. Num-

CAUSE OF DEATH	INDIANA					IOWA				
	Total	White		Nonwhite		Total	White		Nonwhite	
		Male	Female	Male	Female		Male	Female	Male	Female
XI. DELIVERIES AND COMPLICATIONS OF PREGNANCY, CHILDBIRTH, AND THE PUERPERIUM	27	...	24	...	3	12	...	11	...	1
SEPSIS OF PREGNANCY, CHILDBIRTH, ETC...640,641,681,682,684	4	...	4	...	-	1	...	1	...	-
TOXEMIAS OF PREGNANCY AND PUERPERIUM, ETC.....642,685,686	5	...	4	...	1	-	...	-	...	-
HEMORRHAGE OF PREGNANCY AND CHILDBIRTH.....643,644,670-672	5	...	5	...	-	3	...	3	...	-
ECTOPIC PREGNANCY.....645	2	...	2	...	-	-	...	-	...	-
ABORTION WITHOUT MENTION OF SEPSIS OR TOXEMIA.....650	-	...	-	...	-	-	...	-	...	-
ABORTION WITH SEPSIS.....651	3	...	2	...	1	-	...	-	...	-
ABORTION WITH TOXEMIA, WITHOUT MENTION OF SEPSIS.....652	-	...	-	...	-	-	...	-	...	-
OT. COMPLICATIONS OF PREGNANCY, CHILDBIRTH, ETC...RESIDUAL	8	...	7	...	1	8	...	7	...	1
XII. DISEASES OF THE SKIN AND CELLULAR TISSUE	52	10	36	1	5	36	15	20	-	1
INFECTIONS OF SKIN AND SUBCUTANEOUS TISSUE.....690-698	13	3	9	-	1	7	3	4	-	-
OTHER DISEASES OF SKIN AND SUBCUTANEOUS TISSUE.....700-716	39	7	27	1	4	29	12	16	-	1
XIII. DISEASES OF THE BONES AND ORGANS OF MOVEMENT	114	46	63	2	3	69	26	41	1	1
ARTHRITIS AND SPONDYLITIS.....720-725	63	20	40	1	2	36	9	25	1	1
MUSCULAR RHEUMATISM AND RHEUMATISM UNSPECIFIED.....726,727	-	-	-	-	-	-	-	-	-	-
OSTEOMYELITIS AND PERIOSTITIS.....730	4	2	2	-	-	2	2	-	-	-
ANKYLOSIS & ACQ. MUSCULOSKELETAL DEFORMITIES...737,745-749	4	1	2	1	-	2	-	2	-	-
INBORN DEFECT OF MUSCLE.....744.1	11	9	2	-	-	10	6	4	-	-
OT. DIS. OF MUSCULOSKELETAL SYS....731-736,738-744.0,744.2	32	14	17	-	1	19	9	10	-	-
XIV. CONGENITAL MALFORMATIONS	579	284	244	26	25	348	192	151	1	4
SPINA BIFIDA AND MENINGOCELE.....751	30	10	19	-	1	23	14	9	-	-
CONGENITAL HYDROCEPHALUS, ETC.....752,753	81	39	32	6	4	43	23	20	-	-
CONGENITAL MALFORMATIONS OF CIRCULATORY SYSTEM.....754	295	153	118	11	13	189	98	88	1	2
OTHER CONGENITAL MALFORMATIONS.....750,755-759	173	82	75	9	7	93	57	34	-	2
XV. CERTAIN DISEASES OF EARLY INFANCY	1,650	865	579	125	81	879	498	359	14	8
XVI. SYMPTOMS, SENILITY, AND ILL-DEFINED CONDITIONS	218	86	115	10	7	114	60	54	-	-
SENILITY WITHOUT MENTION OF PSYCHOSIS.....794	74	19	54	1	-	47	21	26	-	-
SYMPTOMS, ILL-DEFINED, AND UNKNOWN CAUSES.....780-793,795	144	67	61	9	7	67	39	28	-	-
XVII. ACCIDENTS, POISONINGS, AND VIOLENCE	3,317	2,120	976	166	55	1,878	1,289	567	11	11
ACCIDENTS.....E800-E962	2,643	1,677	824	97	45	1,539	1,018	503	9	9
RAILWAY ACCIDENTS.....E800-E802	35	33	1	1	-	18	15	2	1	-
MOTOR VEHICLE ACCIDENTS.....E810-E835	1,183	820	298	47	18	639	452	184	2	1
MOTOR VEHICLE TRAFFIC ACCIDENTS.....E810-E825	1,150	793	294	47	16	621	438	181	1	1
TRAFFIC ACCIDENT WITH RAILWAY TRAIN.....E810	74	49	23	2	-	31	22	9	-	-
TRAFFIC ACCIDENT TO PEDESTRIAN.....E812	165	107	40	14	4	69	44	25	-	-
OTHER TRAFFIC ACCIDENTS, ETC.....E811,E813-E819	544	360	160	16	8	310	215	94	1	-
NONCOLLISION TRAFFIC ACCIDENTS.....E820-E824	317	241	57	15	4	184	141	42	-	1
TRAFFIC ACCIDENT OF UNSPECIFIED NATURE.....E825	50	36	14	-	-	27	16	11	-	-
MOTOR VEHICLE NONTRAFFIC ACCIDENTS.....E830-E835	33	27	4	-	2	18	14	3	1	-
OTHER ROAD VEHICLE ACCIDENTS.....E840-E845	5	5	-	-	-	4	4	-	-	-
WATER TRANSPORT ACCIDENTS.....E850-E858	22	17	3	2	-	16	13	2	1	-
AIRCRAFT ACCIDENTS.....E860-E866	29	25	3	1	-	18	15	3	-	-
ACCIDENTAL POISONING BY SOLIDS AND LIQUIDS.....E870-E888	27	13	11	2	1	18	12	6	-	-
ACCIDENTAL POISONING BY GASES AND VAPORS.....E890-E895	44	30	11	2	1	14	10	3	-	1
ACCIDENTAL FALLS.....E900-E904	639	285	339	9	6	384	173	210	1	-
FALL FROM ONE LEVEL TO ANOTHER.....E900-E902	188	118	60	5	5	114	74	40	-	-
FALL ON SAME LEVEL.....E903	189	76	110	2	1	121	49	71	1	-
UNSPECIFIED FALLS.....E904	262	91	169	2	-	149	50	99	-	-
BLOW FROM FALLING OR PROJECTED OBJECT OR MISSILE....E910	37	33	1	3	-	20	19	1	-	-
ACCIDENT CAUSED BY MACHINERY.....E912	73	71	2	-	-	58	54	4	-	-
ACCIDENT CAUSED BY ELECTRIC CURRENT.....E914	29	27	1	1	-	17	14	2	1	-
ACCIDENT CAUSED BY FIRE AND EXPLOSION, ETC.....E916	166	101	51	9	5	67	39	24	-	4
ACCIDENT CAUSED BY HOT SUBSTANCE, ETC.....E917,E918	8	4	2	1	1	11	8	3	-	-
ACCIDENT CAUSED BY FIREARM.....E919	40	30	8	1	1	24	21	3	-	-
INHALATION AND INGESTION OF OBJECTS, ETC.....E921,E922	42	23	17	1	1	28	20	8	-	-
ACCIDENTAL DROWNING.....E929	92	65	16	9	2	58	47	8	3	-
EXCESSIVE HEAT AND INSOLATION.....E931	5	3	2	-	-	5	3	2	-	-
COMPLICATIONS DUE TO MEDICAL PROCEDURES.....E940-E959	23	10	10	2	1	25	15	10	-	-
ALL OTHER ACCIDENTS.....RESIDUAL	144	82	48	6	8	115	84	28	-	3
SUICIDE.....E963,E970-E979	533	388	128	16	1	311	254	56	-	1
SUICIDE BY POISONING.....E970-E973	122	65	52	5	-	47	33	14	-	-
SUICIDE BY HANGING AND STRANGULATION.....E974	95	76	19	-	-	71	57	14	-	-
SUICIDE BY FIREARM AND EXPLOSIVE.....E976	263	220	34	9	-	161	148	12	-	1
SUICIDE BY ALL OTHER MEANS.....E963,E975,E977-E979	53	27	23	2	1	32	16	16	-	-
HOMICIDE.....E964,E980-E985	141	55	24	53	9	27	16	8	2	1
ASSAULT BY FIREARM AND EXPLOSIVE.....E981	85	31	12	37	5	17	10	5	1	1
ASSAULT BY CUTTING AND PIERCING INSTRUMENTS.....E982	23	6	4	11	2	5	3	2	-	-
ASSAULT BY OTHER MEANS.....E964,E980,E983	32	17	8	5	2	4	2	1	1	-
INJURY BY INTERVENTION OF POLICE.....E984	1	1	-	-	-	1	1	-	-	-
EXECUTION.....E985	-	-	-	-	-	-	-	-	-	-
INJURY RESULTING FROM OPERATIONS OF WAR.....E965,E990-E999	-	-	-	-	-	1	1	-	-	-

and Sex: United States and Each State, 1960—Con.

bers after causes of death are category numbers of the Seventh Revision of the International Lists, 1955. For complete category titles, see table 5-8)

KANSAS					KENTUCKY					LOUISIANA					
Total	White		Nonwhite		Total	White		Nonwhite		Total	White		Nonwhite		
	Male	Female	Male	Female		Male	Female	Male	Female		Male	Female	Male	Female	
9	•••	6	•••	3	28	•••	27	•••	1	41	•••	13	•••	28	1
															2
1	•••	-	•••	1	5	•••	5	•••	-	5	•••	1	•••	4	3
1	•••	1	•••	-	1	•••	1	•••	-	9	•••	2	•••	7	4
2	•••	1	•••	1	6	•••	5	•••	1	5	•••	3	•••	2	5
2	•••	2	•••	-	3	•••	3	•••	-	6	•••	1	•••	5	6
-	•••	-	•••	-	2	•••	2	•••	-	1	•••	-	•••	1	7
1	•••	1	•••	-	3	•••	3	•••	-	4	•••	1	•••	3	8
-	•••	-	•••	-	-	•••	-	•••	-	-	•••	-	•••	-	9
2	•••	1	•••	1	8	•••	8	•••	-	11	•••	5	•••	6	10
															11
19	4	15	-	-	32	13	12	3	4	40	8	9	5	18	12
															13
6	3	3	-	-	13	5	6	1	1	8	1	1	3	3	14
13	1	12	-	-	19	8	6	2	3	32	7	8	2	15	15
															16
62	24	37	-	1	74	29	41	1	3	55	18	29	5	3	17
															18
38	13	25	-	-	49	14	33	-	2	31	8	19	1	3	19
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	20
3	1	2	-	-	1	-	1	-	-	3	1	1	1	-	21
5	1	4	-	-	2	2	-	-	-	-	-	-	-	-	22
7	6	1	-	-	13	10	2	1	-	7	4	3	-	-	23
9	3	5	-	1	9	3	5	-	1	14	5	6	3	-	24
															25
285	167	106	8	4	396	200	170	16	10	452	147	129	104	72	26
															27
10	3	7	-	-	31	13	16	1	1	32	13	11	4	4	28
30	13	16	-	1	45	21	24	-	-	41	19	7	8	7	29
150	89	53	6	2	210	111	81	12	6	236	69	62	63	42	30
95	62	30	2	1	110	55	49	3	3	143	46	49	29	19	31
															32
701	371	258	46	26	1,175	554	448	100	73	1,679	463	325	491	400	33
															34
261	141	109	7	4	331	157	138	20	16	261	56	57	70	78	35
															36
102	48	49	3	2	109	46	54	7	2	68	15	17	10	26	37
159	93	60	4	2	222	111	84	13	14	193	41	40	60	52	38
															39
1,540	1,023	454	43	20	2,430	1,608	542	202	78	2,548	1,142	438	679	289	40
															41
1,240	812	388	24	16	1,940	1,252	481	140	67	2,012	903	372	488	249	42
9	8	-	1	-	29	25	1	3	-	15	8	1	6	-	43
519	361	144	12	2	776	572	144	50	10	828	416	161	180	71	44
501	349	138	12	2	761	563	138	50	10	813	408	159	176	70	45
40	29	11	-	-	29	19	8	2	-	29	13	3	10	3	46
37	21	12	4	-	150	108	29	11	2	166	67	20	50	29	47
285	190	89	5	1	203	138	41	19	5	416	228	102	59	27	48
115	94	19	2	-	202	160	27	12	3	173	88	24	50	11	49
24	15	7	1	1	177	138	33	6	-	29	12	10	7	-	50
18	12	6	-	-	15	9	6	-	-	15	8	2	4	1	51
															52
5	4	1	-	-	6	6	-	-	-	6	4	-	1	1	53
10	10	-	-	-	20	20	-	-	-	74	57	3	13	1	54
24	23	1	-	-	6	6	-	-	-	10	9	1	-	-	55
15	6	9	-	-	24	19	3	2	-	30	2	10	10	8	56
16	11	4	-	1	28	17	7	3	1	19	4	4	8	3	57
282	128	148	3	3	372	150	198	10	14	261	94	106	38	23	58
74	49	24	1	-	87	55	26	4	2	62	29	15	11	7	59
97	37	59	-	1	41	17	21	1	2	32	14	17	1	-	60
111	42	65	2	2	244	78	151	5	10	167	51	74	26	16	61
															62
14	14	-	-	-	70	64	2	4	-	23	15	1	7	-	63
66	62	3	1	-	47	43	1	3	-	31	22	-	8	1	64
14	13	1	-	-	34	30	1	3	-	46	39	-	7	-	65
77	47	23	1	6	179	78	45	23	33	241	48	38	61	94	66
6	5	1	-	-	9	2	6	1	-	8	1	-	6	1	67
23	22	1	-	-	61	48	9	3	1	71	35	5	27	4	68
29	12	14	1	2	46	24	10	6	6	53	20	8	15	10	69
61	51	8	2	-	96	65	18	13	-	135	63	9	60	3	70
1	-	1	-	-	4	3	-	1	-	3	-	-	2	1	71
11	4	4	2	1	18	9	6	2	1	36	15	6	5	10	72
58	31	25	1	1	115	71	30	13	1	122	51	19	34	18	73
															74
236	185	45	5	1	305	248	43	12	2	267	186	50	28	3	75
38	20	18	-	-	35	25	9	1	-	37	21	14	1	1	76
41	31	10	-	-	46	40	4	2	-	20	16	2	2	-	77
142	129	9	4	-	194	164	22	7	1	190	139	30	19	2	78
15	5	8	1	1	30	19	8	2	1	20	10	4	6	-	79
															80
63	25	21	14	3	185	108	18	50	9	269	53	16	163	37	81
37	12	15	9	1	138	83	16	32	7	159	38	12	93	16	82
10	4	3	2	1	17	8	-	7	2	70	7	2	50	11	83
15	8	3	3	1	27	16	2	9	-	30	6	2	12	10	84
1	1	-	-	-	3	1	-	2	-	10	2	-	8	-	85
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	86
															87
1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	88
															89

692-280 O - 63 - 10

Table 5-10. Deaths From 255 Selected Causes, by Color

(By place of residence. Data refer only to deaths occurring within the United States, including Alaska and Hawaii. Excludes fetal deaths. Num-

CAUSE OF DEATH	MAINE					MARYLAND				
	Total	White		Nonwhite		Total	White		Nonwhite	
		Male	Female	Male	Female		Male	Female	Male	Female
ALL CAUSES	10,761	6,076	4,645	24	16	27,968	12,457	9,968	3,159	2,384
I. INFECTIVE AND PARASITIC DISEASES	96	62	33	-	1	477	186	92	143	56
TUBERCULOSIS, ALL FORMS 001-019	42	27	14	-	1	269	122	49	74	24
TUBERCULOSIS OF RESPIRATORY SYSTEM 001-008	38	26	11	-	1	252	118	44	69	21
TUBERCULOSIS OF MENINGES AND CENTRAL NERVOUS SYSTEM 010	2	-	2	-	-	4	2	1	-	1
TUBERCULOSIS OF INTESTINES, PERITONEUM, AND MESENTERIC GLANDS 011	-	-	-	-	-	1	-	1	-	-
TUBERCULOSIS OF BONES AND JOINTS 012,013	-	-	-	-	-	1	-	1	-	-
TUBERCULOSIS OF OTHER ORGANS AND SYSTEMS 014-018	1	1	-	-	-	6	2	1	2	1
DISSEMINATED TUBERCULOSIS 019	1	-	1	-	-	5	-	1	3	1
SYPHILIS AND ITS SEQUELAE 020-029	8	6	2	-	-	83	24	8	37	14
CONGENITAL SYPHILIS 020	-	-	-	-	-	1	-	-	1	-
EARLY SYPHILIS 021	-	-	-	-	-	-	-	-	-	-
ANEURYSM OF AORTA 022	2	1	1	-	-	35	16	8	6	5
OTHER CARDIOVASCULAR SYPHILIS 023	4	3	1	-	-	32	4	-	22	6
TABES DORSALIS 024	-	-	-	-	-	1	-	-	1	-
GENERAL PARALYSIS OF INSANE 025	-	-	-	-	-	5	3	-	2	-
OTHER SYPHILIS OF CENTRAL NERVOUS SYSTEM 026	2	2	-	-	-	8	-	-	5	3
ALL OTHER SYPHILIS 027-029	-	-	-	-	-	1	1	-	-	-
GONOCOCCAL INFECTION 030-035	-	-	-	-	-	1	-	-	1	-
TYPHOID FEVER 040	-	-	-	-	-	1	-	-	1	-
PARATYPHOID FEVER AND OTHER SALMONELLA INFECTIONS 041,042	-	-	-	-	-	2	-	-	1	1
CHOLERA 043	-	-	-	-	-	-	-	-	-	-
BRUCELLOSIS 044	-	-	-	-	-	-	-	-	-	-
DYSENTERY, ALL FORMS 045-048	-	-	-	-	-	3	1	-	1	1
FOOD POISONING, INFECTION AND INTOXICATION 049	-	-	-	-	-	-	-	-	-	-
SCARLET FEVER 050	-	-	-	-	-	-	-	-	-	-
STREPTOCOCCAL SORE THROAT 051	2	1	1	-	-	-	-	-	-	-
ERYSIPELAS 052	-	-	-	-	-	-	-	-	-	-
SEPTICEMIA AND PYEMIA 053	19	11	8	-	-	29	6	8	10	5
DIPHTHERIA 055	-	-	-	-	-	-	-	-	-	-
WHOOPING COUGH 056	-	-	-	-	-	-	-	-	-	-
MENINGOCOCCAL INFECTIONS 057	4	4	-	-	-	15	8	4	3	-
PLAGUE 058	-	-	-	-	-	-	-	-	-	-
LEPROSY 060	-	-	-	-	-	-	-	-	-	-
TETANUS 061	-	-	-	-	-	-	-	-	-	-
ANTHRAX 062	-	-	-	-	-	-	-	-	-	-
ACUTE POLIOMYELITIS 080	7	5	2	-	-	9	2	3	3	1
LATE EFFECTS OF ACUTE POLIOMYELITIS 081	-	-	-	-	-	3	3	-	-	-
ACUTE INFECTIOUS ENCEPHALITIS 082	3	2	1	-	-	9	5	4	-	-
LATE EFFECTS OF ACUTE INFECTIOUS ENCEPHALITIS 083	-	-	-	-	-	-	-	-	-	-
SMALLPOX 084	-	-	-	-	-	-	-	-	-	-
MEASLES 085	2	1	1	-	-	6	-	4	1	1
YELLOW FEVER 091	-	-	-	-	-	-	-	-	-	-
INFECTIOUS HEPATITIS 092	4	2	2	-	-	18	6	3	5	4
RABIES 094	-	-	-	-	-	-	-	-	-	-
TICK-BORNE TYPHUS 104	-	-	-	-	-	-	-	-	-	-
ALL OTHER RICKETTSIAL DISEASES 100-103,105-108	-	-	-	-	-	-	-	-	-	-
MALARIA 110-117	-	-	-	-	-	-	-	-	-	-
SCHISTOSOMIASIS 123	-	-	-	-	-	-	-	-	-	-
HYDATID DISEASE 125	-	-	-	-	-	-	-	-	-	-
FILARIASIS 127	-	-	-	-	-	-	-	-	-	-
ANCYLOSTOMIASIS 129	-	-	-	-	-	-	-	-	-	-
OTHER DISEASES DUE TO HELMINTHS 124,126,128,130	-	-	-	-	-	1	-	-	-	1
ALL OTHER INFECTIVE AND PARASITIC DISEASES RESIDUAL	5	3	2	-	-	28	9	9	6	4
II. NEOPLASMS	1,764	906	853	4	1	4,534	1,939	1,818	430	347
MALIGNANT NEOPLASMS, INCLUDING NEOPLASMS OF LYMPHATIC AND HEMATOPOIETIC TISSUES 140-205	1,728	888	835	4	1	4,408	1,890	1,769	421	328
MALIGNANT NEOPLASM OF BUCCAL CAVITY AND PHARYNX 140-148	31	19	12	-	-	87	57	18	10	2
OF LIP 140	2	2	-	-	-	2	1	-	1	-
OF TONGUE 141	3	3	-	-	-	22	18	3	1	-
OF OTHER AND UNSPEC. PARTS OF BUCCAL CAVITY 142-144	9	7	2	-	-	24	13	7	4	-
OF PHARYNX 145-148	17	7	10	-	-	39	25	8	4	2
MALIGNANT NEOPLASM OF DIGESTIVE ORGANS AND PERITONEUM, NOT SPECIFIED AS SECONDARY 150-156A,157-159	602	321	281	-	-	1,395	613	555	131	96
OF ESOPHAGUS 150	22	18	4	-	-	78	49	8	19	2
OF STOMACH 151	127	78	49	-	-	296	144	82	46	24
OF SMALL INTESTINE, INCLUDING DUODENUM 152	5	3	2	-	-	8	4	3	1	-
OF LARGE INTESTINE, EXCEPT RECTUM 153	206	86	120	-	-	457	178	232	21	26
CECUM, APPENDIX, AND ASCENDING COLON 153.0	36	15	21	-	-	59	18	37	1	3
TRANSVERSE COLON 153.1	9	4	5	-	-	21	6	13	-	2
DESCENDING COLON 153.2	7	1	6	-	-	19	6	13	-	-
SIGMOID COLON 153.3	55	23	32	-	-	88	37	39	9	3
MULTIPLE PARTS OF LARGE INTESTINE 153.7	-	-	-	-	-	2	-	2	-	-
LARGE INTESTINE, PART UNSPECIFIED 153.8	81	39	42	-	-	238	101	110	11	16
INTESTINAL TRACT, PART UNSPECIFIED 153.9	18	4	14	-	-	30	10	18	-	2
OF RECTUM 154	85	47	38	-	-	161	67	70	11	13
OF BILIARY PASSAGES AND OF LIVER, PRIMARY SITE 155	27	13	14	-	-	83	30	40	7	6
LIVER 155.0	8	6	2	-	-	28	16	7	4	1
OT. & MULT. SITES OF BILIARY PASSAGES 155.1,155.8	19	7	12	-	-	55	14	33	3	5
OF LIVER NOT STATED WHETHER PRIMARY OR SECONDARY 156A	31	13	18	-	-	73	35	25	4	9
OF PANCREAS 157	93	58	35	-	-	205	96	76	20	13
OF PERITONEUM AND OF UNSPEC. DIGESTIVE ORGANS 158,159	6	5	1	-	-	34	10	19	2	3

and Sex: United States and Each State, 1960—Con.

bers after causes of death are category numbers of the Seventh Revision of the International Lists, 1955. For complete category titles, see table 5-8)

MASSACHUSETTS					MICHIGAN					MINNESOTA					
Total	White		Nonwhite		Total	White		Nonwhite		Total	White		Nonwhite		
	Male	Female	Male	Female		Male	Female	Male	Female		Male	Female	Male	Female	
56,838	29,879	25,774	661	524	67,911	36,288	25,821	3,211	2,591	31,674	18,059	13,294	192	129	1
															2
615	396	187	22	10	724	389	192	99	44	271	174	92	2	3	3
															4
328	236	77	10	5	392	240	73	57	22	98	67	30	-	1	5
308	226	70	8	4	367	235	66	51	15	91	64	26	-	1	6
2	1	1	-	-	4	-	1	2	1	2	1	1	-	-	7
															8
-	-	-	-	-	1	-	-	-	1	-	-	-	-	-	9
4	2	2	-	-	4	1	2	1	-	1	-	1	-	-	10
5	2	2	1	-	6	1	3	2	-	2	1	1	-	-	11
9	5	2	1	1	10	3	1	1	5	2	1	1	-	-	12
															13
86	56	27	2	1	89	40	18	24	7	48	38	10	-	-	14
-	-	-	-	-	1	-	-	-	1	-	-	-	-	-	15
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	16
60	41	19	-	-	20	12	2	6	-	30	23	7	-	-	17
18	9	7	2	-	48	17	13	13	5	11	8	3	-	-	18
1	-	1	-	-	-	-	-	-	-	1	1	-	-	-	19
2	2	-	-	-	10	6	2	2	-	5	5	-	-	-	20
5	4	-	-	1	6	4	1	1	-	1	1	-	-	-	21
-	-	-	-	-	4	1	-	2	1	-	-	-	-	-	22
															23
1	1	-	-	-	5	3	-	2	-	-	-	-	-	-	24
1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	25
3	-	3	-	-	3	2	1	-	-	-	-	-	-	-	26
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	27
-	-	-	-	-	-	-	-	-	-	1	1	-	-	-	28
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	29
1	1	-	-	-	5	3	2	-	-	3	3	-	-	-	30
-	-	-	-	-	1	1	-	-	-	-	-	-	-	-	31
-	-	-	-	-	1	1	-	-	-	1	1	-	-	-	32
2	2	-	-	-	4	1	2	-	1	-	-	-	-	-	33
-	-	-	-	-	2	1	1	-	-	-	-	-	-	-	34
84	40	39	4	1	48	18	24	3	3	44	28	13	2	1	35
															36
-	-	-	-	-	1	1	-	-	-	3	2	1	-	-	37
1	-	-	-	1	1	-	-	1	-	-	-	-	-	-	38
18	10	6	2	-	30	14	9	5	2	10	4	5	-	1	39
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	40
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	41
2	2	-	-	-	2	1	1	-	-	-	-	-	-	-	42
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	43
5	3	2	-	-	5	3	1	-	1	4	2	2	-	-	44
6	4	2	-	-	6	4	2	-	-	6	4	2	-	-	45
10	7	2	1	-	24	6	17	1	-	7	4	3	-	-	46
4	3	1	-	-	2	1	1	-	-	4	3	1	-	-	47
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	48
7	4	2	-	1	17	7	5	3	2	5	2	3	-	-	49
															50
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	51
19	7	11	1	-	41	15	20	2	4	18	5	13	-	-	52
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	53
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	54
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	55
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	56
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	57
-	-	-	-	-	1	1	-	-	-	1	-	1	-	-	58
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	59
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	60
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	61
37	19	15	2	1	44	26	15	1	2	18	10	8	-	-	62
															63
9,693	5,000	4,531	89	73	11,467	5,856	4,741	477	393	5,188	2,803	2,332	34	19	64
															65
9,505	4,910	4,441	87	67	11,298	5,795	4,650	473	380	5,097	2,766	2,279	33	19	66
263	203	51	8	1	258	203	40	11	4	103	76	26	1	-	67
6	6	-	-	-	10	9	1	-	-	1	1	-	-	-	68
56	43	13	-	-	69	56	8	3	2	25	18	7	-	-	69
85	58	23	3	1	73	53	14	5	1	36	26	10	-	-	70
116	96	15	5	-	106	85	17	3	1	41	31	9	1	-	71
															72
3,432	1,790	1,596	25	21	3,870	2,009	1,563	184	114	1,941	1,102	813	19	7	73
192	150	41	-	1	193	137	28	22	6	90	70	15	4	1	74
795	471	304	16	4	964	590	282	62	30	505	323	178	3	1	75
34	21	13	-	-	36	24	10	1	1	25	12	13	-	-	76
1,136	478	647	4	7	1,191	512	617	32	30	563	271	283	6	3	77
177	77	97	1	2	197	82	104	3	8	89	35	53	1	-	78
50	19	31	-	-	80	31	47	2	-	40	26	14	-	-	79
50	20	30	-	-	47	21	24	-	2	29	12	17	-	-	80
277	132	142	1	2	300	139	147	6	8	160	85	74	1	-	81
3	2	1	-	-	4	4	-	-	-	-	-	-	-	-	82
487	187	296	1	3	491	202	256	21	12	219	96	117	4	2	83
92	41	50	1	-	72	33	39	-	-	26	17	8	-	1	84
															85
450	248	197	3	2	433	216	189	17	11	243	151	89	2	1	86
182	73	103	1	5	270	91	158	11	10	149	57	90	1	1	87
50	24	24	-	2	67	31	25	9	2	32	15	16	1	-	88
132	49	79	1	3	203	60	133	2	8	117	42	74	-	1	89
119	64	54	1	-	166	80	80	4	2	34	18	16	-	-	90
468	260	206	-	2	564	335	174	32	23	299	189	108	2	-	91
56	25	31	-	-	53	24	25	3	1	33	11	21	1	-	92
															93
															94
															95

Table 5-10. Deaths From 255 Selected Causes, by Color

(By place of residence. Data refer only to deaths occurring within the United States, including Alaska and Hawaii. Excludes fetal deaths. Num-

CAUSE OF DEATH	MAINE					MARYLAND				
	Total	White		Nonwhite		Total	White		Nonwhite	
		Male	Female	Male	Female		Male	Female	Male	Female
II. NEOPLASMS—CON.										
MALIGNANT NEOPLASMS, ETC.—CON.										
MALIGNANT NEOPLASM OF RESPIRATORY SYSTEM, NOT SPECIFIED AS SECONDARY.....160-164	251	212	39	-	-	719	524	74	106	15
OF LARYNX.....161	20	18	2	-	-	38	32	3	3	-
OF BRONCHUS & TRACHEA, & OF LUNG SPEC. AS PRIMARY..162	94	79	15	-	-	268	204	21	37	6
OF LUNG, NOT SPEC. PRIMARY OR SECONDARY.....163	130	111	19	-	-	396	280	48	60	8
OF OTHER PARTS OF RESPIRATORY SYSTEM.....160,164	7	4	3	-	-	17	8	2	6	1
MALIGNANT NEOPLASM OF BREAST.....170	154	4	150	-	-	430	1	366	2	61
MALIGNANT NEOPLASM OF GENITAL ORGANS.....171-179	289	106	179	3	1	628	162	311	72	83
OF CERVIX UTERI.....171	72	...	71	...	1	146	...	104	...	42
OF OTHER AND UNSPECIFIED PARTS OF UTERUS.....172-174	49	...	49	...	-	99	...	78	...	21
OF OVARY, FALLOPIAN TUBE, AND BROAD LIGAMENT.....175	52	...	52	...	-	138	...	121	...	17
OF OTHER AND UNSPECIFIED FEMALE GENITAL ORGANS.....176	7	...	7	...	-	11	...	8	...	3
OF PROSTATE.....177	105	103	...	2	...	216	150	...	66	...
OF ALL OTHER & UNSPEC. MALE GENITAL ORGANS.....178,179	4	3	...	1	...	18	12	...	6	...
MALIGNANT NEOPLASM OF URINARY ORGANS.....180,181	77	50	27	-	-	206	102	65	25	14
OF KIDNEY.....180	41	24	17	-	-	66	31	24	9	2
OF BLADDER AND OTHER URINARY ORGANS.....181	36	26	10	-	-	140	71	41	16	12
MALIGNANT NEOPLASM OF OTHER AND UNSPECIFIED SITES.....156B,165,190-199	173	83	90	-	-	564	249	223	55	37
OF SKIN.....190,191	14	7	7	-	-	73	46	20	4	3
OF EYE.....192	-	-	-	-	-	4	1	3	-	-
OF BRAIN AND OTHER PARTS OF NERVOUS SYSTEM.....193	27	11	16	-	-	86	42	34	4	6
OF THYROID GLAND.....194	7	4	3	-	-	13	4	7	-	2
OF BONE.....196	17	7	10	-	-	35	18	9	8	-
OF CONNECTIVE TISSUE.....197	9	6	3	-	-	16	8	6	1	1
OF OTHER SPECIFIED SITES, NOT SECONDARY.....195,199A	9	7	2	-	-	27	12	12	2	1
OF UNSPECIFIED SITES.....156B,165,198,199B	90	41	49	-	-	310	118	132	36	24
LEUKEMIA AND ALEUKEMIA.....204	71	43	27	1	-	183	83	84	8	8
LYMPHOSARCOMA, ETC.....200-203,205	80	50	30	-	-	196	99	73	12	12
LYMPHOSARCOMA AND RETICULOSARCOMA.....200	33	22	11	-	-	81	40	31	7	3
HODGKINS DISEASE.....201	22	15	7	-	-	50	28	18	2	2
OTHER NEOPLASMS OF LYMPHATIC AND HEMATOPOIETIC TISSUES.....202,203,205	25	13	12	-	-	65	31	24	3	7
BENIGN NEOPLASMS AND NEOPLASMS OF UNSPEC. NATURE...210-239	36	18	18	-	-	126	49	49	9	19
BENIGN NEOPLASMS OF FEMALE GENITAL ORGANS.....214-217	3	...	3	...	-	15	...	7	...	8
BENIGN NEOPLASM OF BRAIN & OT. PTS. OF NERVOUS SYS...223	9	4	5	-	-	12	4	7	1	-
OTHER BENIGN NEOPLASMS.....210-213,218-222,224-229	4	-	4	-	-	21	12	6	1	2
UNSPECIFIED NEOPLASM OF FEMALE GENITAL ORGANS....233-235	-	...	-	...	-	-	...	-	...	-
NEOPLASM OF UNSPECIFIED NATURE OF BRAIN, ETC.....237	14	10	4	-	-	58	25	20	7	6
OTHER NEOPLASMS OF UNSPEC. NATURE....230-232,236,238,239	6	4	2	-	-	20	8	9	-	3
III. ALLERGIC, ENDOCRINE SYSTEM, METABOLIC, AND NUTRITIONAL DISEASES.....	212	100	111	-	1	760	254	338	63	105
ASTHMA.....241	44	28	16	-	-	92	45	19	14	14
NONTOXIC GOITER.....250,251	1	1	-	-	-	-	-	-	-	-
THYROTOXICOSIS WITH OR WITHOUT GOITER.....252	2	-	2	-	-	7	-	4	-	3
ALL OTHER DISEASES OF THYROID GLAND.....253,254	2	1	1	-	-	8	1	5	-	2
DIABETES MELLITUS.....260	146	60	85	-	1	566	183	271	35	77
DISEASES OF THYMUS GLAND.....273	-	-	-	-	-	2	1	1	-	-
DISEASES OF ADRENAL GLANDS.....274	1	1	-	-	-	5	1	3	1	-
PELLAGRA.....281	-	-	-	-	-	-	-	-	-	-
OTHER NUTRITIONAL DEFICIENCY STATES.....280,282-286	5	2	3	-	-	25	5	9	6	5
ALL OTHER ALLERGIC, ENDOCRINE, & METABOLIC DIS....RESIDUAL	11	7	4	-	-	55	18	26	7	4
IV. DISEASES OF THE BLOOD AND BLOOD-FORMING ORGANS...	29	18	11	-	-	79	34	32	4	9
ANEMIAS.....290-293	20	13	7	-	-	44	20	17	1	6
PERNICIOUS AND OTHER HYPERCHROMIC ANEMIAS.....290	4	1	3	-	-	2	1	-	-	1
ANEMIAS OF OTHER AND UNSPECIFIED TYPE.....291-293	16	12	4	-	-	42	19	17	1	5
PURPURA AND OTHER HEMORRHAGIC CONDITIONS.....296	4	2	2	-	-	17	4	9	1	3
OTHER DIS. OF BLOOD AND BLOOD-FORMING ORGANS.....RESIDUAL	5	3	2	-	-	18	10	6	2	-
V. MENTAL, PSYCHONEUROTIC, AND PERSONALITY DISORDERS	30	18	12	-	-	93	37	22	26	8
SENILE PSYCHOSIS.....304	5	1	4	-	-	3	1	1	1	-
ALCOHOLIC PSYCHOSIS.....307	3	3	-	-	-	7	2	1	4	-
OTHER PSYCHOSES.....300-303,305,306,308,309	2	1	1	-	-	12	1	7	4	-
ALCOHOLISM.....322	16	10	6	-	-	61	30	7	17	7
MENTAL DEFICIENCY.....325	3	3	-	-	-	7	2	4	-	1
OTHER DISORDERS OF PERSONALITY.....RESIDUAL	1	-	1	-	-	3	1	2	-	-
VI. DISEASES OF THE NERVOUS SYSTEM AND SENSE ORGANS..	1,383	691	690	1	1	2,579	920	1,112	274	273
VASCULAR LESIONS AFFECTING CENTRAL NERVOUS SYSTEM..330-334	1,299	639	658	1	1	2,305	824	1,015	229	237
SUBARACHNOID HEMORRHAGE.....330	36	19	16	-	1	150	49	56	21	24
CEREBRAL HEMORRHAGE.....331	778	388	389	1	-	1,295	463	574	125	133
CEREBRAL EMBOLISM AND THROMBOSIS.....332	364	167	197	-	-	663	250	295	58	60
OTHER VASCULAR LESIONS AFFECTING C.N.S.....333,334	121	65	56	-	-	197	62	90	25	20
MENINGITIS, EXCEPT MENINGOCOCCAL AND TUBERCULOUS.....340	10	7	3	-	-	44	11	5	14	14
MULTIPLE SCLEROSIS.....345	9	5	4	-	-	27	10	13	3	1
PARALYSIS AGITANS.....350	25	12	13	-	-	51	22	26	2	1
CEREBRAL SPASTIC INFANTILE PARALYSIS.....351	4	4	-	-	-	7	3	3	1	-
EPILEPSY.....353	8	4	4	-	-	35	14	10	7	4
INFLAMMATORY DISEASES OF EYE.....370-379	-	-	-	-	-	1	1	-	-	-
CATARACT.....385	-	-	-	-	-	-	-	-	-	-
GLAUCOMA.....387	-	-	-	-	-	-	-	-	-	-
OTITIS MEDIA AND MASTOIDITIS.....391-393	1	1	-	-	-	18	5	4	4	5
OTHER DIS. OF NERVOUS SYSTEM AND SENSE ORGANS.....RESIDUAL	27	19	8	-	-	91	30	36	14	11

and Sex: United States and Each State, 1960—Con.

bers after causes of death are category numbers of the Seventh Revision of the International Lists, 1955. For complete category titles, see table 5-8)

MASSACHUSETTS					MICHIGAN					MINNESOTA				
Total	White		Nonwhite		Total	White		Nonwhite		Total	White		Nonwhite	
	Male	Female	Male	Female		Male	Female	Male	Female		Male	Female	Male	Female
1,323	1,101	199	19	4	1,712	1,394	187	114	17	506	426	73	5	2
106	96	9	1	-	104	81	10	12	1	28	25	1	1	1
354	298	51	4	1	663	565	45	50	3	312	273	36	3	-
844	698	129	14	3	906	723	121	51	11	153	118	33	1	1
19	9	10	-	-	39	25	11	1	2	13	10	3	-	-
924	7	903	-	14	977	7	908	-	62	475	6	464	-	5
1,205	491	688	15	11	1,641	588	886	55	112	709	350	353	2	4
194	...	188	...	6	377	...	318	...	59	96	...	94	...	2
191	...	188	...	3	242	...	213	...	29	102	...	100	...	2
290	...	289	...	1	349	...	325	...	24	154	...	154	...	-
24	...	23	...	1	30	...	30	...	-	5	...	5	...	-
473	459	...	14	...	602	548	...	54	...	337	335	...	2	...
33	32	...	1	...	41	40	...	1	...	15	15	...	-	...
505	341	156	5	3	634	404	183	32	15	248	166	80	2	-
190	123	65	-	2	232	130	87	11	4	115	69	44	2	-
315	218	91	5	1	402	274	96	21	11	133	97	36	-	-
996	515	464	8	9	1,098	577	454	38	29	535	291	240	3	1
107	63	43	-	1	135	73	56	4	2	70	37	33	-	-
13	7	6	-	-	16	13	3	-	-	12	8	4	-	-
189	97	91	1	-	287	161	108	9	9	141	84	56	1	-
38	15	23	-	-	42	10	31	-	1	21	8	13	-	-
69	42	24	2	1	82	54	24	2	2	31	13	17	1	-
30	22	8	-	-	38	25	11	-	2	17	12	5	-	-
47	26	17	1	3	74	44	24	6	-	23	16	7	-	-
503	243	252	4	4	424	197	197	17	13	220	113	105	1	1
379	202	171	4	2	519	283	213	14	9	284	175	108	1	-
478	260	213	3	2	589	330	216	25	18	296	174	122	-	-
190	101	87	1	1	226	135	84	4	3	119	69	50	-	-
121	76	44	1	-	144	85	47	6	6	66	36	30	-	-
167	83	82	1	1	219	110	85	15	9	111	69	42	-	-
188	90	90	2	6	169	61	91	4	13	91	37	53	1	-
6	...	6	...	-	19	...	14	...	5	6	...	6	...	-
30	12	17	-	1	59	24	32	-	3	31	9	22	-	-
27	15	10	-	2	46	20	19	3	4	23	11	12	-	-
2	...	2	...	-	-	...	-	...	-	1	...	1	...	-
80	40	37	-	3	26	11	14	1	-	19	11	7	1	-
43	23	18	2	-	19	6	12	-	1	11	6	5	-	-
1,327	564	728	12	23	2,321	907	1,223	78	113	707	345	356	3	3
158	104	50	1	3	258	158	78	14	8	110	68	42	-	-
3	-	3	-	-	6	-	6	-	-	3	1	2	-	-
9	2	7	-	-	28	7	17	2	2	7	2	5	-	-
18	1	15	1	1	10	2	6	-	2	7	2	5	-	-
992	393	575	8	16	1,791	656	999	51	85	494	225	264	2	3
-	-	-	-	-	12	8	3	1	-	1	-	1	-	-
18	6	11	1	-	21	7	13	1	-	7	6	1	-	-
1	1	-	-	-	1	1	-	-	-	-	-	-	-	-
49	26	22	1	-	50	18	25	3	4	32	16	15	1	-
79	31	45	-	3	144	50	76	6	12	46	25	21	-	-
149	71	74	3	1	253	110	115	16	12	104	47	55	-	2
90	42	46	1	1	178	69	87	11	11	70	30	39	-	1
21	5	16	-	-	44	17	25	1	1	19	6	12	-	1
69	37	30	1	1	134	52	62	10	10	51	24	27	-	-
22	10	11	1	-	30	19	9	2	-	11	6	5	-	-
37	19	17	1	-	45	22	19	3	1	23	11	11	-	1
95	62	31	2	-	174	89	54	23	8	123	74	47	1	1
7	-	7	-	-	23	7	15	1	-	22	6	16	-	-
19	15	3	1	-	15	12	-	2	1	14	12	1	-	1
12	3	9	-	-	29	15	11	1	2	29	16	13	-	-
44	36	7	1	-	78	42	12	19	5	30	28	1	1	-
9	5	4	-	-	22	10	12	-	-	27	12	15	-	-
4	3	1	-	-	7	3	4	-	-	1	-	1	-	-
6,582	2,776	3,674	73	59	8,333	3,767	3,842	343	381	4,593	2,164	2,388	22	19
6,081	2,532	3,437	57	55	7,714	3,448	3,602	305	359	4,233	1,967	2,228	20	18
207	91	103	4	9	283	106	115	25	37	145	61	82	-	2
3,283	1,377	1,854	28	24	4,421	1,958	2,101	169	193	2,428	1,107	1,298	12	11
2,184	902	1,244	20	18	2,445	1,120	1,114	96	115	1,227	598	619	6	4
407	162	236	5	4	565	264	272	15	14	433	201	229	2	1
75	43	25	6	1	79	39	23	10	7	36	22	13	1	-
58	21	36	-	1	62	31	28	2	1	40	19	21	-	-
110	45	65	-	-	134	65	69	-	-	92	47	45	-	-
12	6	6	-	-	31	17	9	4	1	15	10	5	-	-
90	57	27	6	-	78	40	25	10	3	22	13	9	-	-
1	-	1	-	-	1	-	-	1	-	1	-	1	-	-
-	-	-	-	-	1	-	1	-	-	1	1	-	-	-
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
8	6	1	1	-	14	10	4	-	-	6	4	2	-	-
147	66	76	3	2	219	117	81	11	10	147	81	64	1	1

Table 5-10. Deaths From 255 Selected Causes, by Color

(By place of residence. Data refer only to deaths occurring within the United States, including Alaska and Hawaii. Excludes fetal deaths. Num-

CAUSE OF DEATH	MAINE					MARYLAND				
	Total	White		Nonwhite		Total	White		Nonwhite	
		Male	Female	Male	Female		Male	Female	Male	Female
VII. DISEASES OF THE CIRCULATORY SYSTEM	4,942	2,848	2,080	8	6	12,534	5,936	4,677	1,063	858
DISEASES OF HEART 400-402,410-443	4,463	2,619	1,830	8	6	11,474	5,500	4,260	943	771
RHEUMATIC FEVER 400-402	7	3	4	-	-	10	-	6	3	1
CHRONIC RHEUMATIC HEART DISEASE 410-416	113	50	63	-	-	247	106	112	16	13
DISEASES OF MITRAL VALVE 410	49	21	28	-	-	78	30	39	6	3
DISEASES OF AORTIC VALVE SPECIFIED AS RHEUMATIC 411	20	15	5	-	-	23	12	8	2	1
DISEASES OF PULMONARY VALVE, ETC 413,414	4	1	3	-	-	11	3	6	1	1
OTHER RHEUMATIC HEART DISEASES 412,415,416	40	13	27	-	-	135	61	59	7	8
ARTERIOSCLEROTIC HEART DIS., INCL. CORONARY DIS 420	3,358	2,094	1,253	6	5	6,797	3,853	2,271	390	283
ARTERIOSCLEROTIC HEART DISEASE SO DESCRIBED 420.0	1,159	653	504	2	-	2,157	1,117	790	141	109
HEART DIS. SPEC. AS INVOLVING CORONARY ARTERIES 420.1	2,183	1,434	740	4	5	4,633	2,733	1,479	248	173
ANGINA PECTORIS WITHOUT MENTION CORONARY DIS 420.2	16	7	9	-	-	7	3	2	1	1
CHRONIC ENDOCARDITIS NOT SPECIFIED AS RHEUMATIC 421	36	24	12	-	-	73	37	18	8	10
OF MITRAL VALVE, SPECIFIED AS NONRHEUMATIC 421.0	2	1	1	-	-	4	1	-	1	2
OF AORTIC VALVE, NOT SPECIFIED AS RHEUMATIC 421.1	9	8	1	-	-	30	20	6	2	2
OF OTHER VALVES, NOT SPEC. AS RHEUMATIC 421.2-421.4	25	15	10	-	-	39	16	12	5	6
OTHER MYOCARDIAL DEGENERATION 422	442	206	233	2	1	2,134	847	957	193	137
WITH ARTERIOSCLEROSIS 422.1	232	110	122	-	-	1,921	771	855	173	122
WITHOUT MENTION OF ARTERIOSCLEROSIS 422.0,422.2	210	96	111	2	1	213	76	102	20	15
OTHER DISEASES OF HEART 430-434	129	81	48	-	-	375	149	152	39	35
ACUTE AND SUBACUTE ENDOCARDITIS 430	7	5	2	-	-	15	6	4	1	4
ACUTE NONRHEUMATIC MYOCARDITIS & PERICARDITIS 431,432	2	-	2	-	-	13	2	6	4	1
FUNCTIONAL DISEASE OF HEART 433	29	20	9	-	-	106	39	58	4	5
OTHER AND UNSPECIFIED DISEASES OF HEART 434	91	56	35	-	-	241	102	84	30	25
HYPERTENSIVE HEART DISEASE 440-443	378	161	217	-	-	1,838	508	744	294	292
HYPERTENSIVE HEART DISEASE WITH ARTERIOLAR NEPHROSCLEROSIS 442	94	37	57	-	-	447	158	183	51	55
OTHER HYPERTENSIVE HEART DISEASE 440,441,443	284	124	160	-	-	1,391	350	561	243	237
OTHER HYPERTENSIVE DISEASE 444-447	100	49	51	-	-	167	54	56	31	26
HYPERTENSION WITH ARTERIOLAR NEPHROSCLEROSIS 446	67	36	31	-	-	87	35	36	11	5
ESSENTIAL HYPERTENSION 444,445,447	33	13	20	-	-	80	19	20	20	21
DISEASES OF ARTERIES 450-456	322	158	164	-	-	744	340	304	55	45
GENERAL ARTERIOSCLEROSIS 450	253	104	149	-	-	516	200	250	35	31
AORTIC ANEURYSM, NONSYPHILITIC, ETC 451	52	43	9	-	-	168	111	35	14	8
GANGRENE OF UNSPECIFIED CAUSE 455	4	3	1	-	-	9	4	1	2	2
OTHER ARTERIAL DISEASES 452-454,456	13	8	5	-	-	51	25	18	4	4
DIS. OF VEINS AND OTHER DIS. OF CIRCULATORY SYS 460-468	57	22	35	-	-	149	42	57	34	16
VIII. DISEASES OF THE RESPIRATORY SYSTEM	507	317	185	-	5	1,483	667	370	291	155
ACUTE UPPER RESPIRATORY INFECTIONS 470-475	1	1	-	-	-	21	7	7	3	4
INFLUENZA 480-483	47	18	29	-	-	54	23	24	2	5
PNEUMONIA, EXCEPT PNEUMONIA OF NEWBORN 490-493	320	195	121	-	4	937	384	245	202	106
LOBAR PNEUMONIA 490	56	43	13	-	-	189	105	29	40	15
BRONCHOPNEUMONIA 491	166	100	66	-	-	483	186	132	102	63
PRIMARY ATYPICAL PNEUMONIA 492	40	21	19	-	-	72	31	21	11	9
PNEUMONIA, OTHER AND UNSPECIFIED 493	58	31	23	-	4	193	62	63	49	19
ACUTE BRONCHITIS 500	6	3	3	-	-	24	11	5	6	2
BRONCHITIS, CHRONIC AND UNQUALIFIED 501,502	25	15	10	-	-	51	31	10	3	7
HYPERTROPHY OF TONSILS AND ADENOIDS 510	-	-	-	-	-	3	-	2	1	-
EMPYEMA AND ABSCESS OF LUNG 518,521	6	5	1	-	-	15	6	1	7	1
PLEURISY 519	-	-	-	-	-	2	1	-	1	-
EMPHYSEMA WITHOUT MENTION OF BRONCHITIS 527.1	45	39	6	-	-	138	110	12	15	1
OTHER RESPIRATORY DISEASES RESIDUAL	57	41	15	-	1	238	94	64	51	29
IX. DISEASES OF THE DIGESTIVE SYSTEM	357	202	155	-	-	1,066	517	355	119	75
DISEASES OF TEETH AND SUPPORTING STRUCTURES 530-535	1	-	1	-	-	-	-	-	-	-
ULCER OF STOMACH 540	38	29	9	-	-	91	55	24	11	1
ULCER OF DUODENUM 541	39	34	5	-	-	79	54	18	6	1
GASTRITIS AND DUODENITIS 543	1	1	-	-	-	6	2	2	2	-
APPENDICITIS 550-553	8	5	3	-	-	32	10	9	8	5
HERNIA AND INTESTINAL OBSTRUCTION 560,561,570	70	31	39	-	-	155	53	71	18	13
GASTROENTERITIS AND COLITIS, EXC. ULCERATIVE, AGE 4 WEEKS AND OVER 571	14	8	6	-	-	55	10	19	16	10
CHRONIC ENTERITIS AND ULCERATIVE COLITIS 572	15	9	6	-	-	42	20	17	3	2
CIRRHOSIS OF LIVER 581	64	36	28	-	-	329	187	87	31	24
WITHOUT MENTION OF ALCOHOLISM 581.0	49	26	23	-	-	224	131	61	16	16
WITH ALCOHOLISM 581.1	15	10	5	-	-	105	56	26	15	8
CHOLELITHIASIS, CHOLECYSTITIS, AND CHOLANGITIS 584,585	31	12	19	-	-	58	18	31	2	7
FIBROCYSTIC DISEASE OF PANCREAS 587B	7	3	4	-	-	13	8	5	-	-
OTHER DISEASES OF DIGESTIVE SYSTEM RESIDUAL	69	34	35	-	-	206	100	72	22	12
X. DISEASES OF THE GENITOURINARY SYSTEM	223	127	96	-	-	495	214	135	86	60
NEPHRITIS AND NEPHROSIS 590-594	107	43	64	-	-	232	89	76	44	23
ACUTE NEPHRITIS 590	7	3	4	-	-	8	5	2	-	1
NEPHRITIS WITH EDEMA, INCLUDING NEPHROSIS 591	8	3	5	-	-	10	5	4	-	1
CHRONIC AND UNSPECIFIED NEPHRITIS, ETC 592-594	92	37	55	-	-	214	79	70	44	21
INFECTIONS OF KIDNEY 600	50	29	21	-	-	135	51	39	17	28
CALCULI OF URINARY SYSTEM 602,604	7	3	4	-	-	16	5	9	2	-
OTHER DISEASES OF URINARY SYSTEM 601,603,605-609	15	13	2	-	-	32	12	5	11	4
HYPERPLASIA OF PROSTATE 610	33	33	...	-	...	64	57	...	7	...
DISEASES OF BREAST 620,621	1	-	1	-	-	-	-	-	-	-
OTHER DISEASES OF GENITAL ORGANS RESIDUAL	10	6	4	-	-	16	-	6	5	5

and Sex: United States and Each State, 1960—Con.

bers after causes of death are category numbers of the Seventh Revision of the International Lists, 1955. For complete category titles, see table 5-8)

MASSACHUSETTS					MICHIGAN					MINNESOTA					
Total	White		Nonwhite		Total	White		Nonwhite		Total	White		Nonwhite		
	Male	Female	Male	Female		Male	Female	Male	Female		Male	Female	Male	Female	
26,010	13,914	11,687	216	193	28,363	16,061	10,540	957	805	13,181	7,881	5,205	56	39	1
															2
23,552	12,836	10,358	190	168	25,647	14,687	9,385	859	716	11,840	7,210	4,552	48	30	3
14	6	8	-	-	22	9	8	1	4	18	11	7	-	-	4
683	303	374	2	4	845	368	418	30	29	367	197	168	2	-	5
256	114	140	1	1	285	110	156	10	9	190	94	95	1	-	6
81	50	31	-	-	99	77	21	-	1	48	36	12	-	-	7
22	7	15	-	-	45	24	19	1	1	29	13	16	-	-	8
324	132	188	1	3	416	157	222	19	18	100	54	45	1	-	9
19,003	10,906	7,829	158	110	19,910	12,148	6,711	614	437	9,226	5,954	3,219	35	18	10
8,075	3,876	4,094	59	46	8,578	4,626	3,508	249	195	3,086	1,849	1,209	18	10	11
10,906	7,019	3,724	99	64	11,317	7,514	3,196	365	242	6,134	4,101	2,008	17	8	12
22	11	11	-	-	15	8	7	-	-	6	4	2	-	-	13
															14
201	99	98	1	3	185	103	74	4	4	149	85	63	1	-	15
19	8	11	-	-	10	4	6	-	-	7	2	5	-	-	16
108	67	39	1	1	72	41	27	1	3	76	53	23	-	-	17
74	24	48	-	2	103	58	41	3	1	66	30	35	1	-	18
1,143	496	632	6	9	1,608	781	738	43	46	707	331	374	1	1	19
733	294	431	3	5	1,052	476	512	31	33	544	242	300	1	1	20
410	202	201	3	4	556	305	226	12	13	163	89	74	-	-	21
															22
724	383	334	2	5	897	499	337	30	31	363	202	156	3	2	23
16	10	6	-	-	25	13	8	1	3	17	9	8	-	-	24
28	12	16	-	-	16	5	8	1	2	17	12	5	-	-	25
150	72	77	-	1	223	114	96	4	9	117	56	60	-	1	26
530	289	235	2	4	633	367	225	24	17	212	125	83	3	1	27
1,784	643	1,083	21	37	2,180	779	1,099	137	165	1,010	430	565	6	9	28
															29
214	86	123	2	3	417	183	203	10	21	160	82	77	-	1	30
1,570	557	960	19	34	1,763	596	896	127	144	850	348	488	6	8	31
															32
386	165	209	8	4	525	232	221	39	33	173	83	85	2	3	33
216	102	107	6	1	226	125	81	14	6	78	43	35	-	-	34
170	63	102	2	3	299	107	140	25	27	95	40	50	2	3	35
1,631	721	886	9	15	1,914	1,008	827	37	42	995	500	486	5	4	36
1,255	489	748	8	10	1,340	627	685	8	20	764	350	407	4	3	37
259	182	75	1	1	423	306	84	22	11	166	119	46	1	-	38
13	5	8	-	-	3	-	1	1	1	7	6	1	-	-	39
104	45	55	-	4	148	75	57	6	10	58	25	32	-	1	40
441	192	234	9	6	277	134	107	22	14	173	88	82	1	2	41
															42
3,548	2,037	1,406	57	48	3,234	1,886	922	248	178	1,804	1,055	723	16	10	43
															44
15	5	8	2	-	37	22	9	3	3	13	8	5	-	-	45
77	34	40	1	2	220	114	94	6	6	185	107	77	-	1	46
2,606	1,396	1,127	47	36	2,008	1,036	625	197	150	1,151	612	517	13	9	47
315	176	128	4	7	294	148	86	38	22	201	116	81	3	1	48
1,753	923	777	33	20	943	507	294	86	56	669	357	297	8	7	49
234	134	90	4	6	469	219	141	51	58	59	27	31	-	1	50
304	163	132	6	3	302	162	104	22	14	222	112	108	2	-	51
															52
35	22	13	-	-	50	32	12	3	3	13	6	6	1	-	53
128	90	34	1	3	114	85	24	3	2	51	39	11	1	-	54
3	2	1	-	-	11	6	4	1	-	1	-	1	-	-	55
24	15	7	1	1	30	17	9	3	1	20	12	8	-	-	56
8	4	4	-	-	4	2	2	-	-	6	3	3	-	-	57
262	221	38	1	2	400	339	45	15	1	156	130	26	-	-	58
390	248	134	4	4	360	233	98	17	12	208	138	69	1	-	59
															60
2,408	1,399	956	28	25	2,631	1,516	898	111	106	1,151	647	488	9	7	61
															62
2	1	-	1	-	4	2	2	-	-	1	-	1	-	-	63
203	138	61	3	1	255	184	56	8	7	97	60	35	2	-	64
221	175	44	1	1	244	188	41	11	4	113	88	24	-	1	65
17	8	8	-	1	11	8	3	-	-	9	5	4	-	-	66
46	35	10	1	-	98	61	27	5	5	27	16	10	1	-	67
286	120	161	2	3	333	144	149	19	21	204	101	99	3	1	68
															69
53	26	25	1	1	115	42	52	11	10	64	33	31	-	-	70
															71
133	51	79	-	3	155	73	74	2	6	60	19	41	-	-	72
846	543	285	12	6	830	532	234	34	30	259	167	86	2	4	73
634	402	217	10	5	589	373	172	22	22	175	109	63	-	3	74
212	141	68	2	1	241	159	62	12	8	84	58	23	2	1	75
151	53	96	-	2	232	88	134	4	6	131	56	74	-	1	76
13	6	6	-	1	38	18	19	-	1	7	3	4	-	-	77
437	243	181	7	6	316	176	107	17	16	179	99	79	1	-	78
															79
902	515	356	16	15	1,106	632	327	76	71	448	278	168	-	2	80
															81
355	192	151	8	4	534	277	186	34	37	173	101	71	-	1	82
24	14	10	-	-	18	6	10	2	-	11	8	3	-	-	83
24	14	9	1	-	40	26	8	2	4	16	7	9	-	-	84
307	164	132	7	4	476	245	168	30	33	146	86	59	-	1	85
307	139	155	5	8	195	81	79	17	18	94	47	47	-	-	86
39	28	11	-	-	51	26	21	1	3	27	13	14	-	-	87
69	36	29	1	3	60	39	11	6	4	57	35	21	-	1	88
109	107	...	2	...	206	188	...	18	...	74	74	...	-	...	89
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	90
23	13	10	-	-	60	21	30	-	9	23	8	15	-	-	91
															92
															93
															94
															95

Table 5-10. Deaths From 255 Selected Causes, by Color

(By place of residence. Data refer only to deaths occurring within the United States, including Alaska and Hawaii. Excludes fetal deaths. Num-

CAUSE OF DEATH	MAINE					MARYLAND				
	Total	White		Nonwhite		Total	White		Nonwhite	
		Male	Female	Male	Female		Male	Female	Male	Female
XI. DELIVERIES AND COMPLICATIONS OF PREGNANCY, CHILDBIRTH, AND THE PUERPERIUM	5	...	5	...	-	26	...	12	...	14
SEPSIS OF PREGNANCY, CHILDBIRTH, ETC...640,641,681,682,684	1	...	1	...	-	6	...	3	...	3
TOXEMIAS OF PREGNANCY AND PUERPERIUM, ETC.....642,685,686	-	...	-	...	-	1	...	1	...	-
HEMORRHAGE OF PREGNANCY AND CHILDBIRTH.....643,644,670-672	-	...	-	...	-	3	...	2	...	1
ECTOPIC PREGNANCY.....645	1	...	1	...	-	3	...	-	...	3
ABORTION WITHOUT MENTION OF SEPSIS OR TOXEMIA.....650	-	...	-	...	-	1	...	1	...	-
ABORTION WITH SEPSIS.....651	-	...	-	...	-	3	...	-	...	3
ABORTION WITH TOXEMIA, WITHOUT MENTION OF SEPSIS.....652	-	...	-	...	-	-	...	-	...	-
OT. COMPLICATIONS OF PREGNANCY, CHILDBIRTH, ETC...RESIDUAL	3	...	3	...	-	9	...	5	...	4
XII. DISEASES OF THE SKIN AND CELLULAR TISSUE.....	13	5	8	-	-	49	16	19	5	9
INFECTIONS OF SKIN AND SUBCUTANEOUS TISSUE.....690-698	7	4	3	-	-	15	5	6	1	3
OTHER DISEASES OF SKIN AND SUBCUTANEOUS TISSUE.....700-716	6	1	5	-	-	34	11	13	4	6
XIII. DISEASES OF THE BONES AND ORGANS OF MOVEMENT...	13	7	6	-	-	58	20	31	4	3
ARTHRITIS AND SPONDYLITIS.....720-725	2	1	1	-	-	31	7	19	2	3
MUSCULAR RHEUMATISM AND RHEUMATISM UNSPECIFIED.....726,727	-	-	-	-	-	-	-	-	-	-
OSTEOMYELITIS AND PERIOSTITIS.....730	2	-	2	-	-	-	-	-	-	-
ANKYLOSIS & ACQ. MUSCULOSKELETAL DEFORMITIES...737,745-749	1	-	1	-	-	3	-	3	-	-
INBORN DEFECT OF MUSCLE.....744.1	4	4	-	-	-	12	7	4	1	-
OT. DIS. OF MUSCULOSKELETAL SYS....731-736,738-744.0,744.2	4	2	2	-	-	12	6	5	1	-
XIV. CONGENITAL MALFORMATIONS.....	116	81	34	-	1	382	170	140	37	35
SPINA BIFIDA AND MENINGOCELE.....751	8	4	4	-	-	14	4	9	-	1
CONGENITAL HYDROCEPHALUS, ETC.....752,753	20	15	5	-	-	43	14	19	2	8
CONGENITAL MALFORMATIONS OF CIRCULATORY SYSTEM.....754	52	36	15	-	1	219	104	78	22	15
OTHER CONGENITAL MALFORMATIONS.....750,755-759	36	26	10	-	-	106	48	34	13	11
XV. CERTAIN DISEASES OF EARLY INFANCY.....	357	211	145	1	-	1,332	503	350	255	224
XVI. SYMPTOMS, SENILITY, AND ILL-DEFINED CONDITIONS..	64	26	37	1	-	107	39	41	14	13
SENILITY WITHOUT MENTION OF PSYCHOSIS.....794	45	14	31	-	-	25	11	11	3	-
SYMPTOMS, ILL-DEFINED, AND UNKNOWN CAUSES.....780-793,795	19	12	6	1	-	82	28	30	11	13
XVII. ACCIDENTS, POISONINGS, AND VIOLENCE.....	650	457	184	9	-	1,914	1,005	424	345	140
ACCIDENTS.....E800-E962	519	362	150	7	-	1,414	736	333	247	98
RAILWAY ACCIDENTS.....E800-E802	6	5	1	-	-	23	19	1	3	-
MOTOR VEHICLE ACCIDENTS.....E810-E835	177	122	51	4	-	522	313	100	87	22
MOTOR VEHICLE TRAFFIC ACCIDENTS.....E810-E825	172	119	49	4	-	510	306	97	85	22
TRAFFIC ACCIDENT WITH RAILWAY TRAIN.....E810	1	1	-	-	-	6	2	4	-	-
TRAFFIC ACCIDENT TO PEDESTRIAN.....E812	44	28	14	2	-	159	81	32	36	10
OTHER TRAFFIC ACCIDENTS, ETC.....E811,E813-E819	52	34	18	-	-	189	122	36	22	9
NONCOLLISION TRAFFIC ACCIDENTS.....E820-E824	72	55	15	2	-	122	80	18	23	1
TRAFFIC ACCIDENT OF UNSPECIFIED NATURE.....E825	3	1	2	-	-	34	21	7	4	2
MOTOR VEHICLE NONTRAFFIC ACCIDENTS.....E830-E835	5	3	2	-	-	12	7	3	2	-
OTHER ROAD VEHICLE ACCIDENTS.....E840-E845	-	-	-	-	-	2	-	2	-	-
WATER TRANSPORT ACCIDENTS.....E850-E858	16	16	-	-	-	45	36	1	8	-
AIRCRAFT ACCIDENTS.....E860-E866	3	3	-	-	-	33	23	7	-	3
ACCIDENTAL POISONING BY SOLIDS AND LIQUIDS.....E870-E888	10	7	2	1	-	32	9	14	7	2
ACCIDENTAL POISONING BY GASES AND VAPORS.....E890-E895	11	6	5	-	-	16	7	4	3	2
ACCIDENTAL FALLS.....E900-E904	101	51	50	-	-	292	119	122	30	21
FALL FROM ONE LEVEL TO ANOTHER.....E900-E902	33	25	8	-	-	127	64	36	16	11
FALL ON SAME LEVEL.....E903	24	10	14	-	-	45	21	20	4	-
UNSPECIFIED FALLS.....E904	44	16	28	-	-	120	34	66	10	10
BLOW FROM FALLING OR PROJECTED OBJECT OR MISSILE....E910	19	17	1	1	-	16	12	-	4	-
ACCIDENT CAUSED BY MACHINERY.....E912	7	7	-	-	-	23	19	1	3	-
ACCIDENT CAUSED BY ELECTRIC CURRENT.....E914	7	7	-	-	-	18	14	-	4	-
ACCIDENT CAUSED BY FIRE AND EXPLOSION, ETC.....E916	61	42	19	-	-	111	26	23	33	29
ACCIDENT CAUSED BY HOT SUBSTANCE, ETC.....E917,E918	2	1	1	-	-	9	2	4	1	2
ACCIDENT CAUSED BY FIREARM.....E919	16	16	-	-	-	30	21	3	5	1
INHALATION AND INGESTION OF OBJECTS, ETC.....E921,E922	19	12	7	-	-	50	26	12	5	7
ACCIDENTAL DROWNING.....E929	33	26	6	1	-	86	50	12	22	2
EXCESSIVE HEAT AND INSOLATION.....E931	1	1	-	-	-	-	-	-	-	-
COMPLICATIONS DUE TO MEDICAL PROCEDURES.....E940-E959	3	-	3	-	-	16	5	6	5	-
ALL OTHER ACCIDENTS.....RESIDUAL	27	23	4	-	-	90	35	21	27	7
SUICIDE.....E963,E970-E979	114	88	24	2	-	323	228	67	17	11
SUICIDE BY POISONING.....E970-E973	17	11	6	-	-	73	41	25	1	6
SUICIDE BY HANGING AND STRANGULATION.....E974	12	9	2	1	-	59	36	16	7	-
SUICIDE BY FIREARM AND EXPLOSIVE.....E976	68	63	5	-	-	140	119	14	5	2
SUICIDE BY ALL OTHER MEANS.....E963,E975,E977-E979	17	5	11	1	-	51	32	12	4	3
HOMICIDE.....E964,E980-E985	17	7	10	-	-	176	40	24	81	31
ASSAULT BY FIREARM AND EXPLOSIVE.....E981	10	4	6	-	-	83	19	12	42	10
ASSAULT BY CUTTING AND PIERCING INSTRUMENTS.....E982	1	-	1	-	-	45	8	2	26	9
ASSAULT BY OTHER MEANS.....E964,E980,E983	6	3	3	-	-	44	12	10	10	12
INJURY BY INTERVENTION OF POLICE.....E984	-	-	-	-	-	3	-	-	3	-
EXECUTION.....E985	-	-	-	-	-	1	1	-	-	-
INJURY RESULTING FROM OPERATIONS OF WAR.....E965,E990-E999	-	-	-	-	-	1	1	-	-	-

and Sex: United States and Each State, 1960—Con.

bers after causes of death are category numbers of the Seventh Revision of the International Lists, 1955. For complete category titles, see table 5-8)

MASSACHUSETTS					MICHIGAN					MINNESOTA				
Total	White		Nonwhite		Total	White		Nonwhite		Total	White		Nonwhite	
	Male	Female	Male	Female		Male	Female	Male	Female		Male	Female	Male	Female
28	•••	25	•••	3	68	•••	43	•••	25	11	•••	10	•••	1
4	•••	3	•••	1	7	•••	5	•••	2	2	•••	2	•••	-
3	•••	3	•••	-	8	•••	6	•••	2	2	•••	2	•••	-
5	•••	5	•••	-	10	•••	6	•••	4	1	•••	1	•••	-
1	•••	1	•••	-	6	•••	3	•••	3	-	•••	-	•••	-
1	•••	-	•••	1	2	•••	1	•••	1	2	•••	1	•••	1
3	•••	3	•••	-	13	•••	7	•••	6	2	•••	2	•••	-
2	•••	1	•••	1	-	•••	-	•••	-	-	•••	-	•••	-
9	•••	9	•••	-	22	•••	15	•••	7	2	•••	2	•••	-
71	30	40	-	1	54	20	29	3	2	47	15	32	-	-
20	11	8	-	1	16	8	7	1	-	18	8	10	-	-
51	19	32	-	-	38	12	22	2	2	29	7	22	-	-
97	39	57	-	1	156	65	80	6	5	56	20	36	-	-
41	15	26	-	-	93	27	60	3	3	35	12	23	-	-
1	-	1	-	-	1	1	-	-	-	-	-	-	-	-
8	5	2	-	1	12	6	3	2	1	2	2	-	-	-
9	4	5	-	-	2	1	1	-	-	-	-	-	-	-
13	8	5	-	-	29	21	7	1	-	5	1	4	-	-
25	7	18	-	-	19	9	9	-	1	14	5	9	-	-
585	306	267	4	8	1,013	497	401	67	48	483	251	227	4	1
40	15	25	-	-	53	27	25	-	1	20	8	12	-	-
55	34	21	-	-	110	50	50	4	6	52	23	28	1	-
302	163	130	3	6	521	261	198	32	30	263	144	117	2	-
188	94	91	1	2	329	159	128	31	11	148	76	70	1	1
1,546	899	550	59	38	3,042	1,460	993	333	256	1,140	671	448	12	9
246	138	104	1	3	242	122	91	13	16	182	114	66	1	1
11	1	10	-	-	20	4	15	-	1	14	3	11	-	-
235	137	94	1	3	222	118	76	13	15	168	111	55	1	1
2,936	1,733	1,101	79	23	4,730	2,911	1,330	361	128	2,185	1,520	621	32	12
2,454	1,384	989	61	20	3,652	2,241	1,104	218	89	1,809	1,232	544	24	9
19	14	5	-	-	22	15	3	3	1	21	21	-	-	-
625	448	160	13	4	1,702	1,131	445	89	37	773	539	215	14	5
614	441	156	13	4	1,660	1,100	435	88	37	752	526	207	14	5
2	2	-	-	-	71	50	17	3	1	39	28	11	-	-
198	136	53	8	1	306	203	70	24	9	120	73	40	5	2
145	95	48	-	2	743	463	237	30	13	332	227	101	4	-
190	153	35	2	-	395	290	69	25	11	196	154	35	4	3
79	55	20	3	1	145	94	42	6	3	65	44	20	1	-
11	7	4	-	-	42	31	10	1	-	21	13	8	-	-
6	4	2	-	-	8	7	1	-	-	6	5	1	-	-
19	14	1	2	2	53	44	3	6	-	46	39	5	2	-
44	39	3	1	1	34	29	5	-	-	25	21	4	-	-
35	14	19	1	1	35	17	11	4	3	14	10	4	-	-
43	33	9	-	1	56	36	15	4	1	23	17	6	-	-
1,036	437	577	17	5	806	359	402	28	17	432	236	194	2	-
277	149	119	9	-	221	140	64	14	3	163	106	57	-	-
131	51	78	-	2	86	37	44	2	3	93	45	46	2	-
628	237	380	8	3	499	182	294	12	11	176	85	91	-	-
12	11	-	1	-	40	38	1	-	1	23	20	3	-	-
23	21	-	2	-	63	56	2	5	-	62	59	3	-	-
15	14	1	-	-	27	20	6	1	-	10	10	-	-	-
178	93	76	7	2	234	101	83	31	19	82	49	27	2	4
9	5	4	-	-	17	7	5	5	-	6	5	1	-	-
20	16	2	2	-	48	37	9	1	1	40	39	1	-	-
76	38	33	5	-	104	63	35	5	1	36	18	17	1	-
112	88	20	4	-	195	150	25	17	3	82	60	20	2	-
-	-	-	-	-	-	-	-	-	-	7	4	3	-	-
47	18	28	-	1	24	11	7	4	2	18	8	10	-	-
135	77	49	6	3	184	120	46	15	3	103	72	30	1	-
414	320	86	8	-	795	578	185	26	6	330	261	65	3	1
98	64	33	1	-	234	149	78	5	2	71	53	18	-	-
117	95	21	1	-	165	112	50	2	1	81	64	16	1	-
115	101	11	3	-	326	278	33	15	-	140	125	14	1	-
84	60	21	3	-	70	39	24	4	3	38	19	17	1	1
68	29	26	10	3	280	89	41	117	33	45	26	12	5	2
28	12	11	4	1	117	42	18	46	11	21	11	6	3	1
16	5	4	5	2	79	12	5	49	13	6	4	1	1	-
23	11	11	1	-	77	32	18	18	9	17	10	5	1	1
1	1	-	-	-	7	3	-	4	-	1	1	-	-	-
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
-	-	-	-	-	3	3	-	-	-	1	1	-	-	-

Table 5-10. Deaths From 255 Selected Causes, by Color

(By place of residence. Data refer only to deaths occurring within the United States, including Alaska and Hawaii. Excludes fetal deaths. Num-

CAUSE OF DEATH	MISSISSIPPI					MISSOURI				
	Total	White		Nonwhite		Total	White		Nonwhite	
		Male	Female	Male	Female		Male	Female	Male	Female
ALL CAUSES	21,744	6,620	4,604	5,712	4,808	48,350	24,388	19,139	2,673	2,150
I. INFECTIVE AND PARASITIC DISEASES	350	89	53	107	101	569	324	148	65	32
TUBERCULOSIS, ALL FORMS 001-019	145	40	17	52	36	319	207	56	39	17
TUBERCULOSIS OF RESPIRATORY SYSTEM 001-008	132	39	15	48	30	304	202	53	35	14
TUBERCULOSIS OF MENINGES AND CENTRAL NERVOUS SYSTEM 010	4	-	1	2	1	3	1	1	-	1
TUBERCULOSIS OF INTESTINES, PERITONEUM, AND MESENTERIC GLANDS 011	4	-	1	1	2	-	-	-	-	-
TUBERCULOSIS OF BONES AND JOINTS 012,013	1	-	-	-	1	4	2	1	-	1
TUBERCULOSIS OF OTHER ORGANS AND SYSTEMS 014-018	1	1	-	-	-	2	1	-	1	-
DISSEMINATED TUBERCULOSIS 019	3	-	-	1	2	6	1	1	3	1
SYPHILIS AND ITS SEQUELAE 020-029	33	6	1	16	10	98	52	20	20	6
CONGENITAL SYPHILIS 020	3	-	-	1	2	1	1	-	-	-
EARLY SYPHILIS 021	-	-	-	-	-	-	-	-	-	-
ANEURYSM OF AORTA 022	15	4	1	6	4	40	21	11	5	3
OTHER CARDIOVASCULAR SYPHILIS 023	14	1	-	9	4	37	17	7	12	1
TABES DORSALIS 024	-	-	-	-	-	1	1	-	-	-
GENERAL PARALYSIS OF INSANE 025	-	-	-	-	-	6	5	-	1	-
OTHER SYPHILIS OF CENTRAL NERVOUS SYSTEM 026	1	1	-	-	-	12	6	2	2	2
ALL OTHER SYPHILIS 027-029	-	-	-	-	-	1	1	-	-	-
GONOCOCCAL INFECTION 030-035	3	-	-	2	1	1	-	-	1	-
TYPHOID FEVER 040	-	-	-	-	-	-	-	-	-	-
PARATYPHOID FEVER AND OTHER SALMONELLA INFECTIONS 041,042	2	-	-	2	-	-	-	-	-	-
CHOLERA 043	-	-	-	-	-	-	-	-	-	-
BRUCELLOSIS 044	-	-	-	-	-	-	-	-	-	-
DYSENTERY, ALL FORMS 045-048	28	3	5	9	11	4	2	1	-	1
FOOD POISONING, INFECTION AND INTOXICATION 049	2	1	-	-	1	3	1	1	-	1
SCARLET FEVER 050	-	-	-	-	-	-	-	-	-	-
STREPTOCOCCAL SORE THROAT 051	2	-	-	1	1	6	3	3	-	-
ERYSIPELAS 052	-	-	-	-	-	-	-	-	-	-
SEPTICEMIA AND PYEMIA 053	40	16	6	7	11	41	18	18	1	4
DIPHTHERIA 055	4	1	2	1	-	-	-	-	-	-
WHOOPING COUGH 056	7	-	-	4	3	3	1	-	-	2
MENINGOCOCCAL INFECTIONS 057	12	4	4	1	3	5	3	2	-	-
PLAGUE 058	-	-	-	-	-	-	-	-	-	-
LEPROSY 060	-	-	-	-	-	-	-	-	-	-
TETANUS 061	11	2	1	4	4	3	1	2	-	-
ANTHRAX 062	-	-	-	-	-	-	-	-	-	-
ACUTE POLIOMYELITIS 080	5	1	2	2	-	5	2	3	-	-
LATE EFFECTS OF ACUTE POLIOMYELITIS 081	-	-	-	-	-	2	1	1	-	-
ACUTE INFECTIOUS ENCEPHALITIS 082	11	3	6	-	2	11	4	7	-	-
LATE EFFECTS OF ACUTE INFECTIOUS ENCEPHALITIS 083	1	1	-	-	-	4	1	3	-	-
SMALLPOX 084	-	-	-	-	-	-	-	-	-	-
MEASLES 085	9	3	1	1	4	3	1	2	-	-
YELLOW FEVER 091	-	-	-	-	-	-	-	-	-	-
INFECTIOUS HEPATITIS 092	9	3	2	2	2	25	8	16	1	-
RABIES 094	-	-	-	-	-	-	-	-	-	-
TICK-BORNE TYPHUS 104	-	-	-	-	-	-	-	-	-	-
ALL OTHER RICKETTSIAL DISEASES 100-103,105-108	-	-	-	-	-	-	-	-	-	-
MALARIA 110-117	-	-	-	-	-	-	-	-	-	-
SCHISTOSOMIASIS 123	-	-	-	-	-	-	-	-	-	-
HYDATID DISEASE 125	-	-	-	-	-	-	-	-	-	-
FILARIASIS 127	-	-	-	-	-	-	-	-	-	-
ANCYLOSTOMIASIS 129	-	-	-	-	-	-	-	-	-	-
OTHER DISEASES DUE TO HELMINTHS 124,126,128,130	2	-	-	-	2	-	-	-	-	-
ALL OTHER INFECTIVE AND PARASITIC DISEASES RESIDUAL	24	5	6	3	10	36	19	13	3	1
II. NEOPLASMS	2,677	902	759	511	505	7,577	3,641	3,209	383	344
MALIGNANT NEOPLASMS, INCLUDING NEOPLASMS OF LYMPHATIC AND HEMATOPOIETIC TISSUES 140-205	2,609	877	751	498	483	7,455	3,608	3,141	377	329
MALIGNANT NEOPLASM OF BUCCAL CAVITY AND PHARYNX 140-148	65	31	16	9	9	184	138	31	8	7
OF LIP 140	3	3	-	-	-	9	8	1	-	-
OF TONGUE 141	9	4	3	1	1	38	25	8	3	2
OF OTHER AND UNSPEC. PARTS OF BUCCAL CAVITY 142-144	25	9	10	4	2	70	52	11	3	4
OF PHARYNX 145-148	28	15	3	4	6	67	53	11	2	1
MALIGNANT NEOPLASM OF DIGESTIVE ORGANS AND PERITONEUM, NOT SPECIFIED AS SECONDARY 150-156A,157-159	790	256	239	178	117	2,513	1,193	1,035	172	113
OF ESOPHAGUS 150	42	14	9	16	3	135	79	25	21	10
OF STOMACH 151	221	57	41	86	37	491	280	150	44	17
OF SMALL INTESTINE, INCLUDING DUODENUM 152	5	3	1	-	1	16	9	5	1	1
OF LARGE INTESTINE, EXCEPT RECTUM 153	219	59	103	27	30	805	336	406	31	32
CECUM, APPENDIX, AND ASCENDING COLON 153.0	26	7	17	1	1	111	45	58	4	4
TRANSVERSE COLON 153.1	8	2	4	-	2	47	19	22	3	3
DESCENDING COLON 153.2	9	3	3	2	1	47	22	25	-	-
SIGMOID COLON 153.3	36	7	19	5	5	167	78	78	7	4
MULTIPLE PARTS OF LARGE INTESTINE 153.7	1	-	1	-	-	3	2	1	-	-
LARGE INTESTINE, PART UNSPECIFIED 153.8	126	38	52	18	18	388	155	195	17	21
INTESTINAL TRACT, PART UNSPECIFIED 153.9	13	2	7	1	3	42	15	27	-	-
OF RECTUM 154	57	17	15	12	13	285	137	124	11	13
OF BILIARY PASSAGES AND OF LIVER, PRIMARY SITE 155	34	15	10	6	3	192	74	101	11	6
LIVER 155.0	16	8	2	5	1	55	31	14	8	2
OT. & MULT. SITES OF BILIARY PASSAGES 155.1,155.8	18	7	8	1	2	137	43	87	3	4
OF LIVER NOT STATED WHETHER PRIMARY OR SECONDARY 156A	55	20	11	12	12	160	70	70	14	6
OF PANCREAS 157	140	64	47	15	14	373	190	128	35	20
OF PERITONEUM AND OF UNSPEC. DIGESTIVE ORGANS 158,159	17	7	2	4	4	56	18	26	4	8

and Sex: United States and Each State, 1960—Con.

bers after causes of death are category numbers of the Seventh Revision of the International Lists, 1955. For complete category titles, see table 5-8)

MONTANA					NEBRASKA					NEVADA					
Total	White		Nonwhite		Total	White		Nonwhite		Total	White		Nonwhite		
	Male	Female	Male	Female		Male	Female	Male	Female		Male	Female	Male	Female	
6,552	3,947	2,367	136	102	14,097	7,840	5,854	228	175	2,540	1,559	801	106	74	1
															2
															3
72	39	19	5	9	97	50	32	9	6	29	23	3	3	-	4
															5
32	22	3	2	5	29	18	6	3	2	13	10	2	1	-	6
28	20	3	2	3	22	13	5	3	1	13	10	2	1	-	7
1	-	-	-	1	2	1	-	-	1	-	-	-	-	-	8
															9
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	10
-	-	-	-	-	1	1	-	-	-	-	-	-	-	-	11
-	-	-	-	-	2	1	1	-	-	-	-	-	-	-	12
3	2	-	-	1	2	2	-	-	-	-	-	-	-	-	13
															14
7	6	1	-	-	20	9	5	5	1	7	6	1	-	-	15
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	16
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	17
2	2	-	-	-	9	4	2	3	-	3	2	1	-	-	18
5	4	1	-	-	7	3	2	2	-	3	3	-	-	-	19
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	20
-	-	-	-	-	1	-	1	-	-	-	-	-	-	-	21
-	-	-	-	-	3	2	-	-	1	-	-	-	-	-	22
-	-	-	-	-	-	-	-	-	-	1	1	-	-	-	23
															24
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	25
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	26
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	27
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	28
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	29
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	30
1	-	-	1	-	1	1	-	-	-	-	-	-	-	-	31
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	32
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	33
-	-	-	-	-	-	-	-	-	-	1	1	-	-	-	34
1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	35
5	1	3	1	-	14	6	6	-	2	2	2	-	-	-	36
															37
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	38
1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	39
4	-	2	1	1	4	1	3	-	-	1	1	-	-	-	40
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	41
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	42
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	43
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	44
7	4	2	-	1	-	-	-	-	-	-	-	-	-	-	45
-	-	-	-	-	2	1	1	-	-	-	-	-	-	-	46
1	-	-	-	1	6	3	2	1	-	1	-	-	1	-	47
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	48
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	49
1	-	1	-	-	2	1	-	-	1	1	1	-	-	-	50
															51
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	52
5	2	2	-	1	10	5	5	-	-	-	-	-	-	-	53
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	54
1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	55
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	56
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	57
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	58
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	59
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	60
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	61
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	62
6	1	5	-	-	9	5	4	-	-	3	2	-	1	-	63
															64
973	549	407	10	7	2,280	1,185	1,038	28	29	345	202	127	7	9	65
															66
950	541	392	10	7	2,246	1,172	1,018	28	28	337	198	123	7	9	67
18	15	3	-	-	40	23	16	1	-	12	8	4	-	-	68
3	3	-	-	-	2	1	1	-	-	-	-	-	-	-	69
3	2	1	-	-	11	5	5	1	-	5	4	1	-	-	70
7	5	2	-	-	12	5	7	-	-	3	1	2	-	-	71
5	5	-	-	-	15	12	3	-	-	4	3	1	-	-	72
															73
															74
310	190	116	3	1	828	448	365	9	6	105	68	33	1	3	75
7	7	-	-	-	33	25	7	1	-	6	5	1	-	-	76
78	49	26	2	1	198	120	74	3	1	40	31	8	-	1	77
3	2	1	-	-	16	7	7	-	2	-	-	-	-	-	78
98	54	44	-	-	241	121	118	-	2	32	16	15	1	-	79
17	8	9	-	-	36	13	23	-	-	4	1	3	-	-	80
2	2	-	-	-	24	16	8	-	-	1	1	-	-	-	81
4	-	4	-	-	20	9	10	-	1	4	2	2	-	-	82
18	12	6	-	-	68	29	39	-	-	5	3	2	-	-	83
-	-	-	-	-	2	2	-	-	-	-	-	-	-	-	84
49	27	22	-	-	81	48	33	-	-	14	6	7	1	-	85
8	5	3	-	-	10	4	5	-	1	4	3	1	-	-	86
															87
36	25	11	-	-	91	48	40	3	-	6	4	2	-	-	88
18	13	5	-	-	81	33	48	-	-	5	2	1	-	2	89
6	6	-	-	-	31	17	14	-	-	1	1	-	-	-	90
12	7	5	-	-	50	16	34	-	-	4	1	1	-	2	91
12	9	2	1	-	6	4	2	-	-	3	1	2	-	-	92
52	31	21	-	-	144	81	60	2	1	13	9	4	-	-	93
6	-	6	-	-	18	9	9	-	-	-	-	-	-	-	94
															95

Table 5-10. Deaths From 255 Selected Causes, by Color

(By place of residence. Data refer only to deaths occurring within the United States, including Alaska and Hawaii. Excludes fetal deaths. Num-

CAUSE OF DEATH	MISSISSIPPI					MISSOURI				
	Total	White		Nonwhite		Total	White		Nonwhite	
		Male	Female	Male	Female		Male	Female	Male	Female
II. NEOPLASMS—CON.										
MALIGNANT NEOPLASMS, ETC.—CON.										
MALIGNANT NEOPLASM OF RESPIRATORY SYSTEM, NOT SPECIFIED AS SECONDARY.....160-164	334	213	34	65	22	1,101	870	134	78	19
OF LARYNX.....161	18	11	1	5	1	61	54	2	4	1
OF BRONCHUS & TRACHEA, & OF LUNG SPEC. AS PRIMARY..162	134	103	9	17	5	414	329	45	33	7
OF LUNG, NOT SPEC. PRIMARY OR SECONDARY.....163	172	97	19	42	14	602	472	80	40	10
OF OTHER PARTS OF RESPIRATORY SYSTEM.....160,164	10	2	5	1	2	24	15	7	1	1
MALIGNANT NEOPLASM OF BREAST.....170	163	2	106	-	55	659	1	605	1	52
MALIGNANT NEOPLASM OF GENITAL ORGANS.....171-179	520	100	136	115	169	1,122	420	582	45	75
OF CERVIX UTERI.....171	156	...	52	...	104	215	...	175	...	40
OF OTHER AND UNSPECIFIED PARTS OF UTERUS.....172-174	75	...	31	...	44	179	...	159	...	20
OF OVARY, FALLOPIAN TUBE, AND BROAD LIGAMENT.....175	66	...	48	...	18	243	...	231	...	12
OF OTHER AND UNSPECIFIED FEMALE GENITAL ORGANS.....176	8	...	5	...	3	20	...	17	...	3
OF PROSTATE.....177	207	94	...	113	...	439	396	...	43	...
OF ALL OTHER & UNSPEC. MALE GENITAL ORGANS.....178,179	8	6	...	2	...	26	24	...	2	...
MALIGNANT NEOPLASM OF URINARY ORGANS.....180,181	91	38	18	22	13	346	216	106	15	9
OF KIDNEY.....180	35	13	7	11	4	122	80	35	4	3
OF BLADDER AND OTHER URINARY ORGANS.....181	56	25	11	11	9	224	136	71	11	6
MALIGNANT NEOPLASM OF OTHER AND UNSPECIFIED SITES.....156B,165,190-199	418	145	127	69	77	861	404	385	39	33
OF SKIN.....190,191	51	28	17	4	2	124	55	61	5	3
OF EYE.....192	7	2	3	1	1	8	3	3	2	-
OF BRAIN AND OTHER PARTS OF NERVOUS SYSTEM.....193	63	31	19	7	6	149	77	65	5	2
OF THYROID GLAND.....194	9	3	4	1	1	28	6	20	-	2
OF BONE.....196	25	11	5	6	3	35	19	13	2	1
OF CONNECTIVE TISSUE.....197	9	3	3	3	-	27	16	7	3	1
OF OTHER SPECIFIED SITES, NOT SECONDARY.....195,199A	21	7	4	4	6	52	32	18	1	1
OF UNSPECIFIED SITES.....156B,165,198,199B	233	60	72	43	58	438	196	198	21	23
LEUKEMIA AND ALEUKEMIA.....204	132	46	47	23	16	329	189	123	6	11
LYMPHOSARCOMA, ETC.....200-203,205	96	46	28	17	5	340	177	140	13	10
LYMPHOSARCOMA AND RETICULOSARCOMA.....200	45	20	17	5	3	155	82	65	5	3
HODGKINS DISEASE.....201	21	11	3	5	2	73	39	30	2	2
OTHER NEOPLASMS OF LYMPHATIC AND HEMATOPOIETIC TISSUES.....202,203,205	30	15	8	7	-	112	56	45	6	5
BENIGN NEOPLASMS AND NEOPLASMS OF UNSPEC. NATURE...210-239	68	25	8	13	22	122	33	68	6	15
BENIGN NEOPLASMS OF FEMALE GENITAL ORGANS.....214-217	7	...	1	...	6	20	...	14	...	6
BENIGN NEOPLASM OF BRAIN & OT. PTS. OF NERVOUS SYS...223	6	4	-	2	-	24	5	17	1	1
OTHER BENIGN NEOPLASMS.....210-213,218-222,224-229	5	2	-	1	2	28	10	11	3	4
UNSPECIFIED NEOPLASM OF FEMALE GENITAL ORGANS....233-235	-	...	-	...	-	1	...	1	...	-
NEOPLASM OF UNSPECIFIED NATURE OF BRAIN, ETC.....237	36	14	4	10	8	27	12	12	2	1
OTHER NEOPLASMS OF UNSPEC. NATURE....230-232,236,238,239	14	5	3	-	6	22	6	13	-	3
III. ALLERGIC, ENDOCRINE SYSTEM, METABOLIC, AND NUTRITIONAL DISEASES.....	455	105	104	100	146	1,150	469	553	49	79
ASTHMA.....241	63	27	10	18	8	168	108	44	8	8
NONTOXIC GOITER.....250,251	2	-	-	1	1	1	-	-	1	-
THYROTOXICOSIS WITH OR WITHOUT GOITER.....252	8	-	3	-	5	18	1	16	-	1
ALL OTHER DISEASES OF THYROID GLAND.....253,254	3	-	2	-	1	6	-	6	-	-
DIABETES MELLITUS.....260	305	67	69	58	111	814	299	426	32	57
DISEASES OF THYMUS GLAND.....273	-	-	-	-	-	16	11	3	-	2
DISEASES OF ADRENAL GLANDS.....274	4	1	3	-	-	13	6	4	3	-
PELLAGRA.....281	5	-	1	2	2	1	-	1	-	-
OTHER NUTRITIONAL DEFICIENCY STATES.....280,282-286	31	3	7	13	8	50	15	29	2	4
ALL OTHER ALLERGIC, ENDOCRINE, & METABOLIC DIS....RESIDUAL	34	7	9	8	10	63	29	24	3	7
IV. DISEASES OF THE BLOOD AND BLOOD-FORMING ORGANS...	79	19	11	23	26	137	54	70	6	7
ANEMIAS.....290-293	59	12	7	19	21	72	33	33	3	3
PERNICIOUS AND OTHER HYPERCHROMIC ANEMIAS.....290	3	1	1	1	-	21	9	12	-	-
ANEMIAS OF OTHER AND UNSPECIFIED TYPE.....291-293	56	11	6	18	21	51	24	21	3	3
PURPURA AND OTHER HEMORRHAGIC CONDITIONS.....296	7	3	1	1	2	22	4	13	2	3
OTHER DIS. OF BLOOD AND BLOOD-FORMING ORGANS.....RESIDUAL	13	4	3	3	3	43	17	24	1	1
V. MENTAL, PSYCHONEUROTIC, AND PERSONALITY DISORDERS	36	9	5	13	9	96	53	29	7	7
SENILE PSYCHOSIS.....304	7	-	1	2	4	13	4	8	-	1
ALCOHOLIC PSYCHOSIS.....307	2	1	1	-	-	10	7	-	1	2
OTHER PSYCHOSES.....300-303,305,306,308,309	10	2	1	4	3	30	17	8	2	3
ALCOHOLISM.....322	12	5	-	6	1	25	16	4	4	1
MENTAL DEFICIENCY.....325	3	1	-	1	1	11	6	5	-	-
OTHER DISORDERS OF PERSONALITY.....RESIDUAL	2	-	2	-	-	7	3	4	-	-
VI. DISEASES OF THE NERVOUS SYSTEM AND SENSE ORGANS..	3,160	784	813	756	807	6,410	2,783	3,024	296	307
VASCULAR LESIONS AFFECTING CENTRAL NERVOUS SYSTEM..330-334	2,973	746	769	697	761	6,015	2,572	2,883	274	286
SUBARACHNOID HEMORRHAGE.....330	78	20	23	17	18	153	63	68	13	9
CEREBRAL HEMORRHAGE.....331	1,841	420	467	454	500	3,401	1,473	1,623	144	161
CEREBRAL EMBOLISM AND THROMBOSIS.....332	652	213	185	123	131	1,826	751	912	75	88
OTHER VASCULAR LESIONS AFFECTING C.N.S.....333,334	402	93	94	103	112	635	285	280	42	28
MENINGITIS, EXCEPT MENINGOCOCCAL AND TUBERCULOUS.....340	51	2	5	22	22	62	27	19	8	8
MULTIPLE SCLEROSIS.....345	7	3	2	1	1	30	11	17	1	1
PARALYSIS AGITANS.....350	17	4	9	3	1	104	61	41	1	1
CEREBRAL SPASTIC INFANTILE PARALYSIS.....351	15	1	10	2	2	18	8	8	-	2
EPILEPSY.....353	16	1	2	8	5	56	29	15	8	4
INFLAMMATORY DISEASES OF EYE.....370-379	-	-	-	-	-	-	-	-	-	-
CATARACT.....385	-	-	-	-	-	-	-	-	-	-
GLAUCOMA.....387	-	-	-	-	-	1	-	1	-	-
OTITIS MEDIA AND MASTOIDITIS.....391-393	3	1	-	1	1	6	3	3	-	-
OTHER DIS. OF NERVOUS SYSTEM AND SENSE ORGANS.....RESIDUAL	78	26	16	22	14	118	72	37	4	5

and Sex: United States and Each State, 1960—Con.

bers after causes of death are category numbers of the Seventh Revision of the International Lists, 1955. For complete category titles, see table 5-8)

MONTANA					NEBRASKA					NEVADA				
Total	White		Nonwhite		Total	White		Nonwhite		Total	White		Nonwhite	
	Male	Female	Male	Female		Male	Female	Male	Female		Male	Female	Male	Female
144	124	19	1	-	271	234	33	4	-	48	41	5	2	-
8	7	1	-	-	18	17	1	-	-	3	3	-	-	-
58	52	6	-	-	225	192	29	4	-	16	14	-	2	-
75	64	10	1	-	21	19	2	-	-	29	24	5	-	-
3	1	2	-	-	7	6	1	-	-	-	-	-	-	-
85	1	84	-	-	195	-	190	-	5	20	-	19	-	1
144	73	65	2	4	350	159	178	3	10	40	20	18	1	1
25	•••	23	•••	2	55	•••	48	•••	7	7	•••	7	•••	-
18	•••	16	•••	2	51	•••	49	•••	2	6	•••	6	•••	-
24	•••	24	•••	-	75	•••	74	•••	1	6	•••	5	•••	1
2	•••	2	•••	-	7	•••	7	•••	-	-	•••	-	•••	-
75	73	•••	2	•••	153	150	•••	3	•••	20	19	•••	1	•••
-	-	•••	-	•••	9	9	•••	-	•••	1	1	•••	-	•••
47	28	18	1	-	119	83	35	1	-	20	17	2	1	-
25	14	11	-	-	45	31	13	1	-	8	6	1	1	-
22	14	7	1	-	74	52	22	-	-	12	11	1	-	-
113	50	59	2	2	201	99	93	6	3	48	17	28	1	2
9	2	7	-	-	34	20	13	1	-	4	3	1	-	-
2	1	1	-	-	3	1	2	-	-	2	-	2	-	-
30	14	15	1	-	51	29	19	1	2	12	6	6	-	-
5	1	4	-	-	6	-	6	-	-	2	-	2	-	-
2	1	1	-	-	16	9	6	1	-	2	-	1	-	1
6	2	4	-	-	10	5	3	2	-	1	1	-	-	-
5	4	1	-	-	7	4	3	-	-	3	1	2	-	-
54	25	26	1	2	74	31	41	1	1	22	6	14	1	1
36	22	13	1	-	122	63	57	-	2	22	15	6	1	-
53	38	15	-	-	120	63	51	4	2	22	12	8	-	2
16	11	5	-	-	49	29	20	-	-	11	6	4	-	1
16	13	3	-	-	34	18	14	2	-	5	3	1	-	1
21	14	7	-	-	37	16	17	2	2	6	3	3	-	-
23	8	15	-	-	34	13	20	-	1	8	4	4	-	-
-	•••	-	•••	-	7	•••	6	•••	1	-	•••	-	•••	-
1	1	-	-	-	6	3	3	-	-	1	1	-	-	-
1	1	-	-	-	7	4	3	-	-	-	-	-	-	-
-	•••	-	•••	-	-	•••	-	•••	-	-	•••	-	•••	-
13	4	9	-	-	10	6	4	-	-	3	2	1	-	-
8	2	6	-	-	4	-	4	-	-	4	1	3	-	-
144	73	66	3	2	390	179	199	5	7	49	29	14	2	4
25	17	8	-	-	71	46	25	-	-	8	6	2	-	-
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
4	3	1	-	-	3	-	3	-	-	-	-	-	-	-
1	-	1	-	-	3	-	3	-	-	2	-	2	-	-
92	43	45	2	2	280	120	150	4	6	31	19	7	2	3
2	2	-	-	-	-	-	-	-	-	-	-	-	-	-
1	1	-	-	-	4	2	2	-	-	-	-	-	-	-
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
9	4	5	-	-	10	4	6	-	-	5	2	2	-	1
10	3	6	1	-	19	7	10	1	1	3	2	1	-	-
24	16	8	-	-	45	18	27	-	-	8	4	3	1	-
16	9	7	-	-	26	11	15	-	-	4	1	2	1	-
-	-	-	-	-	10	6	4	-	-	1	1	-	-	-
16	9	7	-	-	16	5	11	-	-	3	-	2	1	-
3	2	1	-	-	6	3	3	-	-	-	-	-	-	-
5	5	-	-	-	13	4	9	-	-	4	3	1	-	-
19	13	3	3	-	30	19	9	2	-	18	11	7	-	-
3	2	1	-	-	8	4	4	-	-	1	-	1	-	-
2	1	-	1	-	3	3	-	-	-	3	3	-	-	-
-	-	-	-	-	4	2	2	-	-	1	-	1	-	-
11	9	-	2	-	10	8	1	1	-	13	8	5	-	-
3	1	2	-	-	2	1	-	1	-	-	-	-	-	-
-	-	-	-	-	3	1	2	-	-	-	-	-	-	-
771	396	355	11	9	2,004	959	1,018	13	14	230	114	99	5	12
714	371	327	7	9	1,882	893	964	11	14	213	107	91	5	10
18	8	10	-	-	41	21	20	-	-	8	5	2	-	1
456	236	209	4	7	1,119	536	568	8	7	132	70	54	5	3
159	78	77	2	2	535	251	276	3	5	48	22	22	-	4
81	49	31	1	-	187	85	100	-	2	25	10	13	-	2
9	3	4	2	-	9	7	1	1	-	4	2	1	-	1
8	6	2	-	-	18	9	9	-	-	1	-	1	-	-
17	6	11	-	-	37	16	21	-	-	1	1	-	-	-
2	1	-	1	-	7	4	2	1	-	1	-	1	-	-
7	4	2	1	-	17	9	8	-	-	1	-	1	-	-
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
1	1	-	-	-	1	1	-	-	-	-	-	-	-	-
13	4	9	-	-	33	20	13	-	-	9	4	4	-	1

Table 5-10. Deaths From 255 Selected Causes, by Color

(By place of residence. Data refer only to deaths occurring within the United States, including Alaska and Hawaii. Excludes fetal deaths. Num-

CAUSE OF DEATH	MISSISSIPPI					MISSOURI				
	Total	White		Nonwhite		Total	White		Nonwhite	
		Male	Female	Male	Female		Male	Female	Male	Female
VII. DISEASES OF THE CIRCULATORY SYSTEM	7,112	2,602	1,726	1,521	1,263	20,940	10,981	8,422	827	710
DISEASES OF HEART 400-402,410-443	6,341	2,369	1,534	1,330	1,108	18,831	10,024	7,487	712	608
RHEUMATIC FEVER 400-402	9	1	1	3	4	22	10	8	4	-
CHRONIC RHEUMATIC HEART DISEASE 410-416	109	28	30	28	23	464	211	216	15	22
DISEASES OF MITRAL VALVE 410	51	15	11	13	12	220	97	103	8	12
DISEASES OF AORTIC VALVE SPECIFIED AS RHEUMATIC 411	5	2	2	1	-	43	32	10	1	-
DISEASES OF PULMONARY VALVE, ETC 413,414	3	1	-	2	-	21	7	12	-	2
OTHER RHEUMATIC HEART DISEASES 412,415,416	50	10	17	12	11	180	75	91	6	8
ARTERIOSCLEROTIC HEART DIS., INCL. CORONARY DIS 420	3,978	1,845	1,034	632	467	13,684	7,824	5,112	420	328
ARTERIOSCLEROTIC HEART DISEASE SO DESCRIBED 420.0	1,295	511	384	221	179	5,836	2,917	2,607	166	146
HEART DIS. SPEC. AS INVOLVING CORONARY ARTERIES 420.1	2,669	1,331	643	411	284	7,828	4,894	2,498	254	182
ANGINA PECTORIS WITHOUT MENTION CORONARY DIS 420.2	14	3	7	-	4	20	13	7	-	-
CHRONIC ENDOCARDITIS NOT SPECIFIED AS RHEUMATIC 421	90	30	20	26	14	216	106	79	15	16
OF MITRAL VALVE, SPECIFIED AS NONRHEUMATIC 421.0	10	4	4	1	1	19	5	8	3	3
OF AORTIC VALVE, NOT SPECIFIED AS RHEUMATIC 421.1	24	12	3	9	-	78	43	26	6	3
OF OTHER VALVES, NOT SPEC. AS RHEUMATIC 421.2-421.4	56	14	13	16	13	119	58	45	6	10
OTHER MYOCARDIAL DEGENERATION 422	496	145	135	102	114	1,861	823	896	92	50
WITH ARTERIOSCLEROSIS 422.1	259	79	86	38	56	1,189	526	591	42	30
WITHOUT MENTION OF ARTERIOSCLEROSIS 422.0,422.2	237	66	49	64	58	672	297	305	50	20
OTHER DISEASES OF HEART 430-434	510	151	94	145	120	732	376	275	46	35
ACUTE AND SUBACUTE ENDOCARDITIS 430	6	1	3	-	2	26	17	7	2	-
ACUTE NONRHEUMATIC MYOCARDITIS & PERICARDITIS 431,432	7	1	2	2	2	38	22	13	2	1
FUNCTIONAL DISEASE OF HEART 433	71	27	18	14	12	195	89	96	5	5
OTHER AND UNSPECIFIED DISEASES OF HEART 434	426	122	71	129	104	473	248	159	37	29
HYPERTENSIVE HEART DISEASE 440-443	1,149	169	220	394	366	1,852	674	901	120	157
HYPERTENSIVE HEART DISEASE WITH ARTERIOLAR NEPHROSCLEROSIS 442	261	51	47	90	73	633	272	311	21	29
OTHER HYPERTENSIVE HEART DISEASE 440,441,443	888	118	173	304	293	1,219	402	590	99	128
OTHER HYPERTENSIVE DISEASE 444-447	255	55	45	85	70	401	165	179	30	27
HYPERTENSION WITH ARTERIOLAR NEPHROSCLEROSIS 446	99	29	25	29	16	195	99	75	11	10
ESSENTIAL HYPERTENSION 444,445,447	156	26	20	56	54	206	66	104	19	17
DISEASES OF ARTERIES 450-456	419	156	119	87	57	1,452	671	648	70	63
GENERAL ARTERIOSCLEROSIS 450	303	108	88	63	44	1,171	508	564	54	45
AORTIC ANEURYSM, NONSYPHILITIC, ETC 451	77	40	20	11	6	208	132	55	10	11
GANGRENE OF UNSPECIFIED CAUSE 455	10	-	-	6	4	9	2	5	1	1
OTHER ARTERIAL DISEASES 452-454,456	29	8	11	7	3	64	29	24	5	6
DIS. OF VEINS AND OTHER DIS. OF CIRCULATORY SYS 460-468	97	22	28	19	28	256	121	108	15	12
VIII. DISEASES OF THE RESPIRATORY SYSTEM	1,216	352	224	358	282	2,567	1,342	862	231	132
ACUTE UPPER RESPIRATORY INFECTIONS 470-475	12	2	1	6	3	16	8	5	1	2
INFLUENZA 480-483	238	32	40	74	92	283	138	126	14	5
PNEUMONIA, EXCEPT PNEUMONIA OF NEWBORN 490-493	718	179	138	237	164	1,622	781	575	163	103
LOBAR PNEUMONIA 490	163	46	29	50	38	325	146	101	46	32
BRONCHOPNEUMONIA 491	281	75	59	89	58	912	449	320	88	55
PRIMARY ATYPICAL PNEUMONIA 492	44	15	12	11	6	114	56	46	10	2
PNEUMONIA, OTHER AND UNSPECIFIED 493	230	43	38	87	62	271	130	108	19	14
ACUTE BRONCHITIS 500	12	3	2	4	3	21	10	7	1	3
BRONCHITIS, CHRONIC AND UNQUALIFIED 501,502	28	15	5	4	4	72	49	20	2	1
HYPERTROPHY OF TONSILS AND ADENOIDS 510	-	-	-	-	-	3	1	2	-	-
EMPYEMA AND ABSCESS OF LUNG 518,521	5	1	2	2	-	29	9	7	9	4
PLEURISY 519	2	-	-	2	-	6	1	1	4	-
EMPHYSEMA WITHOUT MENTION OF BRONCHITIS 527.1	93	80	7	6	-	230	194	23	12	1
OTHER RESPIRATORY DISEASES RESIDUAL	108	40	29	23	16	285	151	96	25	13
IX. DISEASES OF THE DIGESTIVE SYSTEM	702	197	148	182	175	1,726	932	604	100	90
DISEASES OF TEETH AND SUPPORTING STRUCTURES 530-535	-	-	-	-	-	7	5	1	-	1
ULCER OF STOMACH 540	48	24	7	11	6	135	90	37	3	5
ULCER OF DUODENUM 541	38	27	5	5	1	169	124	34	10	1
GASTRITIS AND DUODENITIS 543	8	-	4	-	4	15	3	10	1	1
APPENDICITIS 550-553	24	7	5	7	5	64	39	13	9	3
HERNIA AND INTESTINAL OBSTRUCTION 560,561,570	111	23	31	36	21	259	108	122	14	15
GASTROENTERITIS AND COLITIS, EXC. ULCERATIVE, AGE 4 WEEKS AND OVER 571	200	18	14	75	93	95	36	32	16	11
CHRONIC ENTERITIS AND ULCERATIVE COLITIS 572	24	7	11	4	2	76	35	34	1	6
CIRRHOSIS OF LIVER 581	91	43	22	12	14	448	288	111	28	21
WITHOUT MENTION OF ALCOHOLISM 581.0	71	32	19	7	13	323	195	89	22	17
WITH ALCOHOLISM 581.1	20	11	3	5	1	125	93	22	6	4
CHOLELITHIASIS, CHOLECYSTITIS, AND CHOLANGITIS 584,585	27	6	16	-	5	134	47	81	1	5
FIBROCYSTIC DISEASE OF PANCREAS 5878	5	1	2	1	1	10	5	5	-	-
OTHER DISEASES OF DIGESTIVE SYSTEM RESIDUAL	126	41	31	31	23	314	152	124	17	21
X. DISEASES OF THE GENITOURINARY SYSTEM	561	135	87	217	122	973	533	283	92	65
NEPHRITIS AND NEPHROSIS 590-594	282	47	45	100	90	469	215	169	41	44
ACUTE NEPHRITIS 590	21	5	1	5	10	20	7	8	3	2
NEPHRITIS WITH EDEMA, INCLUDING NEPHROSIS 591	22	2	3	8	9	26	12	13	-	1
CHRONIC AND UNSPECIFIED NEPHRITIS, ETC 592-594	239	40	41	87	71	423	196	148	38	41
INFECTIONS OF KIDNEY 600	116	37	29	28	22	211	101	80	17	13
CALCULI OF URINARY SYSTEM 602,604	11	4	4	1	2	33	20	8	4	1
OTHER DISEASES OF URINARY SYSTEM 601,603,605-609	52	15	7	27	3	58	30	11	11	6
HYPERPLASIA OF PROSTATE 610	78	27	...	51	...	167	151	...	16	...
DISEASES OF BREAST 620,621	2	-	1	-	1	-	-	-	-	-
OTHER DISEASES OF GENITAL ORGANS RESIDUAL	20	5	1	10	4	35	16	15	3	1

and Sex: United States and Each State, 1960—Con.

bers after causes of death are category numbers of the Seventh Revision of the International Lists, 1955. For complete category titles, see table 5-8)

MONTANA					NEBRASKA					NEVADA					
Total	White		Nonwhite		Total	White		Nonwhite		Total	White		Nonwhite		
	Male	Female	Male	Female		Male	Female	Male	Female		Male	Female	Male	Female	
2,650	1,634	951	43	22	5,992	3,480	2,364	83	65	960	627	286	32	15	1
2,329	1,473	800	40	16	5,433	3,197	2,099	80	57	871	572	258	30	11	4
4	1	3	-	-	10	4	3	1	2	-	-	-	-	-	5
85	38	46	1	-	150	93	56	1	-	25	10	15	-	-	6
38	14	23	1	-	63	39	24	-	-	13	3	10	-	-	7
6	5	1	-	-	16	13	3	-	-	4	3	1	-	-	8
8	4	4	-	-	13	6	7	-	-	2	1	1	-	-	9
33	15	18	-	-	58	35	22	1	-	6	3	3	-	-	10
1,685	1,127	520	25	13	4,080	2,515	1,463	59	43	669	463	175	21	10	11
546	333	194	12	7	1,461	816	585	37	23	253	161	79	10	3	12
1,135	791	325	13	6	2,614	1,695	877	22	20	415	302	95	11	7	13
4	3	1	-	-	5	4	1	-	-	1	-	1	-	-	14
15	5	9	1	-	47	21	26	-	-	6	4	2	-	-	16
1	-	-	1	-	8	2	6	-	-	-	-	-	-	-	17
6	3	3	-	-	17	12	5	-	-	2	2	-	-	-	18
8	2	6	-	-	22	7	15	-	-	4	2	2	-	-	19
192	109	77	5	1	472	227	233	7	5	65	35	26	3	1	20
105	63	37	4	1	332	163	159	5	5	37	16	18	3	-	21
87	46	40	1	-	140	64	74	2	-	28	19	8	-	1	22
189	123	58	7	1	250	150	94	3	3	53	35	14	4	-	24
1	1	-	-	-	6	3	3	-	-	2	2	-	-	-	25
4	3	1	-	-	6	4	1	1	-	1	-	1	-	-	26
35	20	13	1	1	77	40	34	1	2	5	1	3	1	-	27
149	99	44	6	-	161	103	56	1	1	45	32	10	3	-	28
159	70	87	1	1	424	187	224	9	4	53	25	26	2	-	29
44	24	19	1	-	161	83	77	-	1	13	6	7	-	-	31
115	46	68	-	1	263	104	147	9	3	40	19	19	2	-	32
40	18	22	-	-	88	44	39	3	2	24	15	6	1	2	34
11	8	3	-	-	47	28	17	1	1	17	11	4	-	2	35
29	10	19	-	-	41	16	22	2	1	7	4	2	1	-	36
247	129	112	3	3	427	216	206	-	5	58	36	19	1	2	37
197	89	104	2	2	343	160	179	-	4	43	27	13	1	2	38
34	30	3	1	-	68	48	20	-	-	11	7	4	-	-	39
5	4	1	-	-	1	-	1	-	-	-	-	-	-	-	40
11	6	4	-	1	15	8	6	-	1	4	2	2	-	-	41
34	14	17	-	3	44	23	20	-	1	7	4	3	-	-	42
380	249	106	10	15	788	457	309	10	12	140	91	28	12	9	45
4	3	1	-	-	8	4	4	-	-	2	1	1	-	-	47
35	16	16	1	2	153	74	72	-	7	4	3	-	-	1	48
214	126	67	8	13	417	226	181	5	5	80	42	18	12	8	49
35	21	7	3	4	61	35	23	2	1	11	5	3	2	1	50
103	60	36	1	6	214	114	98	2	-	26	17	5	2	2	51
16	11	4	-	1	68	39	24	1	4	15	6	3	5	1	52
60	34	20	4	2	74	38	36	-	-	28	14	7	3	4	53
10	8	2	-	-	5	3	2	-	-	2	2	-	-	-	55
14	10	4	-	-	41	32	8	1	-	3	2	1	-	-	56
-	-	-	-	-	1	-	1	-	-	1	-	1	-	-	57
4	2	1	1	-	9	8	1	-	-	2	1	1	-	-	58
3	3	-	-	-	1	1	-	-	-	-	-	-	-	-	59
57	51	6	-	-	81	65	15	1	-	26	24	2	-	-	60
39	30	9	-	-	72	44	25	3	-	20	16	4	-	-	61
229	152	70	1	6	521	309	193	13	6	131	86	38	4	3	64
1	1	-	-	-	1	1	-	-	-	-	-	-	-	-	66
19	12	7	-	-	43	30	12	1	-	10	8	2	-	-	67
16	15	1	-	-	61	50	9	1	1	12	11	1	-	-	68
-	-	-	-	-	7	5	1	1	-	1	1	-	-	-	69
8	6	2	-	-	18	8	10	-	-	3	1	1	1	-	70
27	15	12	-	-	66	36	30	-	-	19	13	5	-	1	71
9	5	4	-	-	21	8	10	2	1	5	1	2	2	-	73
16	11	5	-	-	33	11	22	-	-	-	-	-	-	-	75
59	42	14	1	2	134	89	37	6	2	50	31	16	1	2	76
41	29	11	1	-	36	20	15	1	-	32	19	12	1	-	77
18	13	3	-	2	98	69	22	5	2	18	12	4	-	2	78
18	10	8	-	-	65	31	31	1	2	5	3	2	-	-	79
4	3	1	-	-	3	2	1	-	-	2	-	2	-	-	80
52	32	16	-	4	69	38	30	1	-	24	17	7	-	-	81
93	55	33	2	3	214	130	77	3	4	42	28	10	2	2	84
53	34	15	1	3	72	41	30	1	-	15	11	2	1	1	86
2	2	-	-	-	3	3	-	-	-	-	-	-	-	-	87
2	2	-	-	-	3	-	3	-	-	2	1	-	1	-	88
49	30	15	1	3	66	38	27	1	-	13	10	2	-	1	89
18	9	9	-	-	47	21	23	-	3	6	1	4	1	-	90
2	-	2	-	-	14	2	12	-	-	2	-	2	-	-	91
10	5	4	1	-	8	8	-	-	-	5	4	1	-	-	92
6	6	...	-	...	55	53	...	2	...	10	10	...	-	...	93
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	94
4	1	3	-	-	18	5	12	-	1	4	2	1	-	1	95

Table 5-10. Deaths From 255 Selected Causes, by Color

(By place of residence. Data refer only to deaths occurring within the United States, including Alaska and Hawaii. Excludes fetal deaths. Num-

CAUSE OF DEATH	MISSISSIPPI					MISSOURI				
	Total	White		Nonwhite		Total	White		Nonwhite	
		Male	Female	Male	Female		Male	Female	Male	Female
XI. DELIVERIES AND COMPLICATIONS OF PREGNANCY, CHILDBIRTH, AND THE PUERPERIUM	54	...	8	...	46	48	...	33	...	15
SEPSIS OF PREGNANCY, CHILDBIRTH, ETC...640,641,681,682,684	2	...	1	...	1	3	...	2	...	1
TOXEMIAS OF PREGNANCY AND PUERPERIUM, ETC.....642,685,686	32	...	2	...	30	12	...	6	...	6
HEMORRHAGE OF PREGNANCY AND CHILDBIRTH.....643,644,670-672	6	...	-	...	6	13	...	10	...	3
ECTOPIC PREGNANCY.....645	-	...	-	...	-	4	...	2	...	2
ABORTION WITHOUT MENTION OF SEPSIS OR TOXEMIA.....650	1	...	-	...	1	1	...	-	...	1
ABORTION WITH SEPSIS.....651	3	...	1	...	2	4	...	3	...	1
ABORTION WITH TOXEMIA, WITHOUT MENTION OF SEPSIS.....652	-	...	-	...	-	-	...	-	...	-
OT. COMPLICATIONS OF PREGNANCY, CHILDBIRTH, ETC...RESIDUAL	10	...	4	...	6	11	...	10	...	1
XII. DISEASES OF THE SKIN AND CELLULAR TISSUE	24	9	3	5	7	50	16	26	1	7
INFECTIONS OF SKIN AND SUBCUTANEOUS TISSUE.....690-698	5	2	-	1	2	18	7	9	-	2
OTHER DISEASES OF SKIN AND SUBCUTANEOUS TISSUE.....700-716	19	7	3	4	5	32	9	17	1	5
XIII. DISEASES OF THE BONES AND ORGANS OF MOVEMENT	37	15	13	4	5	115	41	68	4	2
ARTHRITIS AND SPONDYLITIS.....720-725	25	8	11	3	3	67	20	45	-	2
MUSCULAR RHEUMATISM AND RHEUMATISM UNSPECIFIED.....726,727	-	-	-	-	-	-	-	-	-	-
OSTEOMYELITIS AND PERIOSTITIS.....730	1	-	-	1	-	7	3	3	1	-
ANKYLOSIS & ACQ. MUSCULOSKELETAL DEFORMITIES...737,745-749	-	-	-	-	-	1	1	-	-	-
INBORN DEFECT OF MUSCLE.....744.1	10	7	2	-	1	14	11	3	-	-
OT. DIS. OF MUSCULOSKELETAL SYS....731-736,738-744.0,744.2	1	-	-	-	1	26	6	17	3	-
XIV. CONGENITAL MALFORMATIONS	247	84	64	53	46	540	274	208	36	22
SPINA BIFIDA AND MENINGOCELE.....751	12	4	6	-	2	25	11	13	-	1
CONGENITAL HYDROCEPHALUS, ETC.....752,753	30	7	4	9	10	64	27	27	8	2
CONGENITAL MALFORMATIONS OF CIRCULATORY SYSTEM.....754	123	47	28	26	22	284	139	112	19	14
OTHER CONGENITAL MALFORMATIONS.....750,755-759	82	26	26	18	12	167	97	56	9	5
XV. CERTAIN DISEASES OF EARLY INFANCY	1,166	280	180	419	287	1,479	637	456	219	167
XVI. SYMPTOMS, SENILITY, AND ILL-DEFINED CONDITIONS	1,993	304	133	864	692	691	342	236	74	39
SENILITY WITHOUT MENTION OF PSYCHOSIS.....794	66	10	12	19	25	100	37	56	2	5
SYMPTOMS, ILL-DEFINED, AND UNKNOWN CAUSES.....780-793,795	1,927	294	121	845	667	591	305	180	72	34
XVII. ACCIDENTS, POISONINGS, AND VIOLENCE	1,875	734	273	579	289	3,282	1,966	908	283	125
ACCIDENTS.....E800-E962	1,548	601	244	455	248	2,585	1,529	757	201	98
RAILWAY ACCIDENTS.....E800-E802	17	7	1	9	-	27	23	2	2	-
MOTOR VEHICLE ACCIDENTS.....E810-E835	621	309	119	144	49	1,057	700	268	72	17
MOTOR VEHICLE TRAFFIC ACCIDENTS.....E810-E825	604	301	117	139	47	1,033	684	262	70	17
TRAFFIC ACCIDENT WITH RAILWAY TRAIN.....E810	20	16	-	3	1	25	19	6	-	-
TRAFFIC ACCIDENT TO PEDESTRIAN.....E812	104	41	12	36	15	192	113	49	24	6
OTHER TRAFFIC ACCIDENTS, ETC.....E811,E813-E819	268	144	69	37	18	470	297	136	28	9
NONCOLLISION TRAFFIC ACCIDENTS.....E820-E824	173	85	28	50	10	317	241	60	15	1
TRAFFIC ACCIDENT OF UNSPECIFIED NATURE.....E825	39	15	8	13	3	29	14	11	3	1
MOTOR VEHICLE NONTRAFFIC ACCIDENTS.....E830-E835	17	8	2	5	2	24	16	6	2	-
OTHER ROAD VEHICLE ACCIDENTS.....E840-E845	2	1	-	1	-	2	2	-	-	-
WATER TRANSPORT ACCIDENTS.....E850-E858	23	12	-	10	1	35	28	7	-	-
AIRCRAFT ACCIDENTS.....E860-E866	5	4	-	1	-	9	9	-	-	-
ACCIDENTAL POISONING BY SOLIDS AND LIQUIDS.....E870-E888	11	5	1	4	1	31	16	8	5	2
ACCIDENTAL POISONING BY GASES AND VAPORS.....E890-E895	16	6	1	5	4	33	22	6	3	2
ACCIDENTAL FALLS.....E900-E904	145	48	56	23	18	634	261	312	32	29
FALL FROM ONE LEVEL TO ANOTHER.....E900-E902	34	14	7	7	6	184	86	64	22	12
FALL ON SAME LEVEL.....E903	16	5	6	3	2	96	36	56	1	3
UNSPECIFIED FALLS.....E904	95	29	43	13	10	354	139	192	9	14
BLOW FROM FALLING OR PROJECTED OBJECT OR MISSILE....E910	21	8	-	13	-	36	33	1	1	1
ACCIDENT CAUSED BY MACHINERY.....E912	28	21	1	6	-	79	69	4	5	1
ACCIDENT CAUSED BY ELECTRIC CURRENT.....E914	15	12	-	3	-	25	21	4	-	-
ACCIDENT CAUSED BY FIRE AND EXPLOSION, ETC.....E916	235	31	27	63	114	212	95	58	33	26
ACCIDENT CAUSED BY HOT SUBSTANCE, ETC.....E917,E918	6	1	1	3	1	18	9	5	2	2
ACCIDENT CAUSED BY FIREARM.....E919	99	43	6	42	8	47	37	2	8	-
INHALATION AND INGESTION OF OBJECTS, ETC.....E921,E922	29	9	6	7	7	43	27	14	1	1
ACCIDENTAL DROWNING.....E929	127	44	10	60	13	98	75	12	9	2
EXCESSIVE HEAT AND INSOLATION.....E931	5	2	-	2	1	17	11	3	2	1
COMPLICATIONS DUE TO MEDICAL PROCEDURES.....E940-E959	29	9	5	6	9	37	15	15	3	4
ALL OTHER ACCIDENTS.....RESIDUAL	114	29	10	53	22	145	76	36	23	10
SUICIDE.....E963,E970-E979	152	110	20	19	3	496	359	119	9	9
SUICIDE BY POISONING.....E970-E973	9	4	4	-	1	97	55	36	-	6
SUICIDE BY HANGING AND STRANGULATION.....E974	16	12	2	1	1	72	46	23	3	-
SUICIDE BY FIREARM AND EXPLOSIVE.....E976	116	89	11	15	1	275	232	38	4	1
SUICIDE BY ALL OTHER MEANS.....E963,E975,E977-E979	11	5	3	3	-	52	26	22	2	2
HOMICIDE.....E964,E980-E985	175	23	9	105	38	200	77	32	73	18
ASSAULT BY FIREARM AND EXPLOSIVE.....E981	112	19	6	65	22	102	42	17	34	9
ASSAULT BY CUTTING AND PIERCING INSTRUMENTS.....E982	39	1	1	31	6	47	10	3	29	5
ASSAULT BY OTHER MEANS.....E964,E980,E983	19	2	2	6	9	43	19	12	8	4
INJURY BY INTERVENTION OF POLICE.....E984	4	1	-	2	1	8	6	-	2	-
EXECUTION.....E985	1	-	-	1	-	-	-	-	-	-
INJURY RESULTING FROM OPERATIONS OF WAR.....E965,E990-E999	-	-	-	-	-	1	1	-	-	-

and Sex: United States and Each State, 1960—Con.

bers after causes of death are category numbers of the Seventh Revision of the International Lists, 1955. For complete category titles, see table 5-8)

MONTANA					NEBRASKA					NEVADA				
Total	White		Nonwhite		Total	White		Nonwhite		Total	White		Nonwhite	
	Male	Female	Male	Female		Male	Female	Male	Female		Male	Female	Male	Female
4	•••	4	•••	–	6	•••	6	•••	–	4	•••	3	•••	1
1	•••	1	•••	–	1	•••	1	•••	–	1	•••	1	•••	–
–	•••	–	•••	–	–	•••	–	•••	–	–	•••	–	•••	–
1	•••	1	•••	–	1	•••	1	•••	–	4	•••	1	•••	1
–	•••	–	•••	–	–	•••	–	•••	–	–	•••	–	•••	–
–	•••	–	•••	–	–	•••	–	•••	–	–	•••	–	•••	–
–	•••	–	•••	–	–	•••	–	•••	–	1	•••	1	•••	–
–	•••	–	•••	–	–	•••	–	•••	–	–	•••	–	•••	–
2	•••	2	•••	–	4	•••	4	•••	–	–	•••	–	•••	–
4	2	1	–	1	25	10	12	2	1	5	3	2	–	–
–	–	–	–	–	11	6	4	1	–	–	–	–	–	–
4	2	1	–	1	14	4	8	1	1	5	3	2	–	–
17	4	13	–	–	40	17	22	–	1	7	3	4	–	–
14	4	10	–	–	23	10	12	–	1	5	2	3	–	–
–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
1	–	1	–	–	1	1	–	–	–	–	–	–	–	–
1	–	1	–	–	1	–	1	–	–	–	–	–	–	–
–	–	–	–	–	2	2	–	–	–	1	–	1	–	–
1	–	1	–	–	13	4	9	–	–	1	1	–	–	–
92	54	33	4	1	180	93	81	5	1	25	11	13	1	–
3	–	3	–	–	8	3	5	–	–	–	–	–	–	–
12	7	4	–	1	30	15	14	–	1	1	–	1	–	–
51	33	15	3	–	87	44	39	4	–	16	8	8	–	–
26	14	11	1	–	55	31	23	1	–	8	3	4	1	–
241	127	97	10	7	481	262	189	21	9	137	67	56	8	6
171	123	43	3	2	76	42	29	3	2	36	21	10	3	2
24	12	9	2	1	14	5	9	–	–	9	4	4	–	1
147	111	34	1	1	62	37	20	3	2	27	17	6	3	1
668	461	158	31	18	928	630	249	31	18	374	239	90	26	11
534	367	127	24	16	749	497	221	19	12	286	184	75	20	7
4	2	–	2	–	4	4	–	–	–	6	3	1	2	–
220	155	45	10	10	295	211	76	5	3	148	93	42	9	4
209	147	44	9	9	283	203	72	5	3	143	93	42	9	4
9	7	–	1	1	22	18	4	–	–	3	3	–	–	–
20	12	5	1	2	34	17	14	2	1	18	7	9	1	1
52	34	12	2	4	150	105	41	2	2	44	26	12	3	3
79	58	16	3	2	74	60	13	1	–	52	31	16	5	–
49	36	11	2	–	3	3	–	–	–	28	23	5	–	–
11	8	1	1	1	12	8	4	–	–	3	3	–	–	–
2	2	–	–	–	6	5	1	–	–	2	1	1	–	–
3	3	–	–	–	7	7	–	–	–	8	7	–	1	–
20	15	5	–	–	7	7	–	–	–	14	13	1	–	–
4	3	–	1	–	7	2	3	2	–	3	3	–	–	–
5	4	–	–	1	15	12	1	1	1	2	2	–	–	–
80	36	43	1	–	172	81	88	3	–	26	16	9	1	–
20	11	9	–	–	61	35	23	3	–	6	4	1	1	–
4	4	–	–	–	63	26	37	–	–	4	2	2	–	–
56	21	34	1	–	48	20	28	–	–	16	10	6	–	–
14	13	1	–	–	9	8	1	–	–	2	1	–	1	–
23	22	1	–	–	28	27	–	1	–	–	–	–	–	–
8	8	–	–	–	11	8	3	–	–	2	1	1	–	–
27	15	8	2	2	62	36	18	3	5	12	6	6	–	–
4	1	2	1	–	1	1	–	–	–	2	2	–	–	–
29	23	6	–	–	14	12	1	1	–	15	12	2	–	1
16	9	4	2	1	10	5	5	–	–	7	3	3	–	1
31	24	3	3	1	48	35	11	1	1	14	7	4	3	–
–	–	–	–	–	1	1	–	–	–	–	–	–	–	–
9	7	2	–	–	2	2	–	–	–	2	2	–	–	–
35	25	7	2	1	50	33	13	2	2	21	12	5	3	1
108	81	24	2	1	152	126	23	1	2	65	45	14	4	2
26	13	12	–	1	17	14	3	–	–	19	11	7	1	–
10	7	3	–	–	48	35	13	–	–	4	1	1	–	2
63	54	7	2	–	75	72	3	–	–	36	28	5	3	–
9	7	2	–	–	12	5	4	1	2	6	5	1	–	–
26	13	7	5	1	27	7	5	11	4	20	10	3	2	3
12	5	4	3	–	16	1	4	8	3	11	6	4	–	1
3	2	–	1	–	6	3	–	3	–	3	2	–	1	–
10	5	3	1	1	5	3	1	–	1	9	2	5	1	1
1	1	–	–	–	–	–	–	–	–	–	–	–	–	–
–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
–	–	–	–	–	–	–	–	–	–	–	–	–	–	–

Table 5-10. Deaths From 255 Selected Causes, by Color

(By place of residence. Data refer only to deaths occurring within the United States, including Alaska and Hawaii. Excludes fetal deaths. Num-

CAUSE OF DEATH	NEW HAMPSHIRE					NEW JERSEY				
	Total	White		Nonwhite		Total	White		Nonwhite	
		Male	Female	Male	Female		Male	Female	Male	Female
ALL CAUSES	6,662	3,744	2,904	10	4	59,462	30,136	24,289	2,803	2,234
I. INFECTIVE AND PARASITIC DISEASES	52	37	15	-	-	654	342	162	92	58
TUBERCULOSIS, ALL FORMS 001-019	17	13	4	-	-	370	202	75	61	32
TUBERCULOSIS OF RESPIRATORY SYSTEM 001-008	15	12	3	-	-	347	197	69	53	28
TUBERCULOSIS OF MENINGES AND CENTRAL NERVOUS SYSTEM 010	-	-	-	-	-	10	2	3	2	3
TUBERCULOSIS OF INTESTINES, PERITONEUM, AND MESENTERIC GLANDS 011	-	-	-	-	-	1	-	-	1	-
TUBERCULOSIS OF BONES AND JOINTS 012,013	-	-	-	-	-	1	1	-	-	-
TUBERCULOSIS OF OTHER ORGANS AND SYSTEMS 014-018	2	1	1	-	-	3	1	1	1	-
DISSEMINATED TUBERCULOSIS 019	-	-	-	-	-	8	1	2	4	1
SYPHILIS AND ITS SEQUELAE 020-029	19	15	4	-	-	84	54	8	14	8
CONGENITAL SYPHILIS 020	-	-	-	-	-	-	-	-	-	-
EARLY SYPHILIS 021	-	-	-	-	-	-	-	-	-	-
ANEURYSM OF AORTA 022	10	8	2	-	-	49	38	5	2	4
OTHER CARDIOVASCULAR SYPHILIS 023	6	4	2	-	-	21	9	1	9	2
TABES DORSALIS 024	-	-	-	-	-	2	2	-	-	-
GENERAL PARALYSIS OF INSANE 025	1	1	-	-	-	5	4	1	-	-
OTHER SYPHILIS OF CENTRAL NERVOUS SYSTEM 026	2	2	-	-	-	5	1	-	2	2
ALL OTHER SYPHILIS 027-029	-	-	-	-	-	2	-	1	1	-
GONOCOCCAL INFECTION 030-035	-	-	-	-	-	-	-	-	-	-
TYPHOID FEVER 040	-	-	-	-	-	-	-	-	-	-
PARATYPHOID FEVER AND OTHER SALMONELLA INFECTIONS 041,042	-	-	-	-	-	2	1	1	-	-
CHOLERA 043	-	-	-	-	-	-	-	-	-	-
BRUCELLOSIS 044	-	-	-	-	-	-	-	-	-	-
DYSENTERY, ALL FORMS 045-048	-	-	-	-	-	1	-	1	-	-
FOOD POISONING, INFECTION AND INTOXICATION 049	1	1	-	-	-	-	-	-	-	-
SCARLET FEVER 050	-	-	-	-	-	1	-	-	-	1
STREPTOCOCCAL SORE THROAT 051	-	-	-	-	-	-	-	-	-	-
ERYSIPELAS 052	-	-	-	-	-	-	-	-	-	-
SEPTICEMIA AND PYEMIA 053	6	5	1	-	-	61	32	21	4	4
DIPHTHERIA 055	-	-	-	-	-	-	-	-	-	-
WHOOPING COUGH 056	-	-	-	-	-	2	-	2	-	-
MENINGOCOCCAL INFECTIONS 057	1	-	1	-	-	22	12	3	3	4
PLAGUE 058	-	-	-	-	-	-	-	-	-	-
LEPROSY 060	-	-	-	-	-	-	-	-	-	-
TETANUS 061	-	-	-	-	-	1	-	-	1	-
ANTHRAX 062	-	-	-	-	-	-	-	-	-	-
ACUTE POLIOMYELITIS 080	-	-	-	-	-	5	3	2	-	-
LATE EFFECTS OF ACUTE POLIOMYELITIS 081	-	-	-	-	-	4	2	2	-	-
ACUTE INFECTIOUS ENCEPHALITIS 082	-	-	-	-	-	13	6	6	-	1
LATE EFFECTS OF ACUTE INFECTIOUS ENCEPHALITIS 083	1	1	-	-	-	3	2	1	-	-
SMALLPOX 084	-	-	-	-	-	-	-	-	-	-
MEASLES 085	1	-	1	-	-	6	1	1	2	2
YELLOW FEVER 091	-	-	-	-	-	-	-	-	-	-
INFECTIOUS HEPATITIS 092	2	1	1	-	-	30	7	17	3	3
RABIES 094	-	-	-	-	-	-	-	-	-	-
TICK-BORNE TYPHUS 104	-	-	-	-	-	-	-	-	-	-
ALL OTHER RICKETTSIAL DISEASES 100-103,105-108	-	-	-	-	-	-	-	-	-	-
MALARIA 110-117	-	-	-	-	-	-	-	-	-	-
SCHISTOSOMIASIS 123	-	-	-	-	-	1	1	-	-	-
HYDATID DISEASE 125	-	-	-	-	-	1	-	1	-	-
FILARIASIS 127	-	-	-	-	-	-	-	-	-	-
ANCYLOSTOMIASIS 129	-	-	-	-	-	-	-	-	-	-
OTHER DISEASES DUE TO HELMINTHS 124,126,128,130	-	-	-	-	-	-	-	-	-	-
ALL OTHER INFECTIVE AND PARASITIC DISEASES RESIDUAL	4	1	3	-	-	47	19	21	4	3
II. NEOPLASMS	1,086	564	518	2	2	10,815	5,369	4,696	407	343
MALIGNANT NEOPLASMS, INCLUDING NEOPLASMS OF LYMPHATIC AND HEMATOPOIETIC TISSUES 140-205	1,072	557	511	2	2	10,635	5,298	4,613	398	326
MALIGNANT NEOPLASM OF BUCCAL CAVITY AND PHARYNX 140-148	29	18	11	-	-	219	168	41	5	5
OF LIP 140	3	2	1	-	-	10	10	-	-	-
OF TONGUE 141	3	2	1	-	-	67	54	11	1	1
OF OTHER AND UNSPEC. PARTS OF BUCCAL CAVITY 142-144	10	3	7	-	-	69	44	19	4	2
OF PHARYNX 145-148	13	11	2	-	-	73	60	11	-	2
MALIGNANT NEOPLASM OF DIGESTIVE ORGANS AND PERITONEUM, NOT SPECIFIED AS SECONDARY 150-156A,157-159	397	208	188	1	-	3,941	1,976	1,700	157	108
OF ESOPHAGUS 150	15	12	2	1	-	224	153	34	31	6
OF STOMACH 151	89	58	31	-	-	833	472	284	54	23
OF SMALL INTESTINE, INCLUDING DUODENUM 152	6	4	2	-	-	30	14	9	2	5
OF LARGE INTESTINE, EXCEPT RECTUM 153	134	58	76	-	-	1,306	561	688	23	34
CECUM, APPENDIX, AND ASCENDING COLON 153.0	24	13	11	-	-	196	84	108	2	2
TRANSVERSE COLON 153.1	10	4	6	-	-	73	32	38	2	1
DESCENDING COLON 153.2	3	2	1	-	-	69	27	40	1	1
SIGMOID COLON 153.3	36	18	18	-	-	291	130	153	1	7
MULTIPLE PARTS OF LARGE INTESTINE 153.7	-	-	-	-	-	4	1	3	-	-
LARGE INTESTINE, PART UNSPECIFIED 153.8	51	18	33	-	-	602	266	301	14	21
INTESTINAL TRACT, PART UNSPECIFIED 153.9	10	3	7	-	-	71	21	45	3	2
OF RECTUM 154	65	30	35	-	-	557	304	228	10	15
OF BILIARY PASSAGES AND OF LIVER, PRIMARY SITE 155	20	8	12	-	-	228	97	122	4	5
LIVER 155.0	4	-	4	-	-	62	38	18	4	2
OT. & MULT. SITES OF BILIARY PASSAGES 155.1,155.8	16	8	8	-	-	166	59	104	-	3
OF LIVER NOT STATED WHETHER PRIMARY OR SECONDARY 156A	11	6	5	-	-	165	78	80	3	4
OF PANCREAS 157	52	29	23	-	-	512	256	219	24	13
OF PERITONEUM AND OF UNSPEC. DIGESTIVE ORGANS 158,159	5	3	2	-	-	86	41	36	6	3

and Sex: United States and Each State, 1960—Con.

bers after causes of death are category numbers of the Seventh Revision of the International Lists, 1955. For complete category titles, see table 5-8)

NEW MEXICO					NEW YORK					NORTH CAROLINA					
Total	White		Nonwhite		Total	White		Nonwhite		Total	White		Nonwhite		
	Male	Female	Male	Female		Male	Female	Male	Female		Male	Female	Male	Female	
6,525	3,566	2,368	358	233	177,896	91,006	72,945	7,742	6,203	38,160	15,624	10,759	6,542	5,235	1
															2
															3
145	62	50	15	18	2,069	1,093	485	330	161	455	154	99	131	71	4
															5
77	34	29	8	6	1,272	704	226	240	102	199	73	29	66	31	6
71	31	29	6	5	1,193	671	210	223	89	190	72	28	63	27	7
1	-	-	1	-	24	5	3	7	9	4	-	1	-	3	8
															9
-	-	-	-	-	2	-	1	1	-	-	-	-	-	-	10
1	1	-	-	-	6	4	2	-	-	-	-	-	-	-	11
4	2	-	1	1	15	10	4	1	-	2	1	-	1	-	12
-	-	-	-	-	32	14	6	8	4	3	-	-	2	1	13
															14
11	6	1	2	2	227	133	37	35	22	53	16	9	19	9	15
-	-	-	-	-	1	-	-	-	1	1	-	-	1	-	16
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	17
2	2	-	-	-	101	74	14	8	5	26	9	7	8	2	18
6	3	-	1	2	78	33	12	21	12	20	3	2	10	5	19
1	1	-	-	-	4	4	-	-	-	-	-	-	-	-	20
-	-	-	-	-	25	15	6	3	1	3	2	-	-	1	21
2	-	1	1	-	13	6	3	2	2	3	2	-	-	1	22
-	-	-	-	-	5	1	2	1	1	-	-	-	-	-	23
															24
-	-	-	-	-	8	2	-	4	2	1	-	-	1	-	25
-	-	-	-	-	3	1	1	-	1	1	-	-	-	1	26
-	-	-	-	-	7	4	2	1	-	3	-	-	2	1	27
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	28
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	29
13	5	2	1	5	11	3	5	2	1	6	4	-	2	-	30
1	-	1	-	-	-	-	-	-	-	2	-	-	1	1	31
-	-	-	-	-	1	-	1	-	-	-	-	-	-	-	32
-	-	-	-	-	5	1	2	1	1	3	-	2	-	1	33
-	-	-	-	-	2	1	1	-	-	-	-	-	-	-	34
6	2	1	-	3	141	67	51	15	8	55	19	22	10	4	35
															36
-	-	-	-	-	1	1	-	-	-	2	-	-	1	1	37
2	-	2	-	-	4	2	1	1	-	4	2	1	1	-	38
3	1	-	1	1	61	27	20	9	5	25	10	7	5	3	39
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	40
-	-	-	-	-	1	-	1	-	-	-	-	-	-	-	41
1	1	-	-	-	6	2	3	-	1	5	1	2	2	-	42
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	43
-	-	-	-	-	26	13	12	1	-	5	1	1	3	-	44
1	-	1	-	-	16	9	6	1	-	4	1	3	-	-	45
7	5	2	-	-	47	22	19	4	2	6	2	3	-	1	46
-	-	-	-	-	11	6	5	-	-	-	-	-	-	-	47
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	48
8	-	6	1	1	31	14	11	5	1	12	2	2	4	4	49
															50
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	51
5	3	2	-	-	85	34	41	1	9	15	3	4	2	6	52
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	53
-	-	-	-	-	-	-	-	-	-	1	1	-	-	-	54
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	55
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	56
-	-	-	-	-	4	1	3	-	-	-	-	-	-	-	57
-	-	-	-	-	3	1	2	-	-	-	-	-	-	-	58
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	59
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	60
-	-	-	-	-	1	-	-	1	-	-	-	-	-	-	61
10	5	3	2	-	95	45	35	9	6	53	19	14	12	8	62
															63
826	408	385	16	17	32,016	15,960	13,960	1,116	980	4,738	1,917	1,702	550	569	64
															65
															66
793	393	370	15	15	31,471	15,722	13,709	1,100	940	4,594	1,860	1,657	533	544	67
8	6	2	-	-	750	529	157	52	12	129	72	36	14	7	68
-	-	-	-	-	10	10	-	-	-	4	3	1	-	-	69
1	1	-	-	-	229	168	43	14	4	24	9	7	5	3	70
3	2	1	-	-	225	143	58	18	6	37	23	10	2	2	71
4	3	1	-	-	286	208	56	20	2	64	37	18	7	2	72
															73
															74
289	135	143	3	8	11,640	5,903	4,965	466	306	1,385	532	497	211	145	75
12	9	2	1	-	731	439	144	121	27	80	30	19	25	6	76
92	55	34	1	2	2,561	1,436	909	134	82	356	133	100	77	46	77
2	1	1	-	-	86	50	33	1	2	7	3	1	3	-	78
71	25	45	-	1	3,814	1,715	1,940	70	89	373	123	185	29	36	79
7	4	3	-	-	581	237	325	10	9	44	14	27	2	1	80
5	1	4	-	-	270	130	129	5	6	16	7	6	1	2	81
6	1	4	-	1	165	63	95	3	4	19	8	5	4	2	82
14	7	7	-	-	922	434	443	24	21	60	19	32	2	7	83
-	-	-	-	-	5	3	2	-	-	1	-	-	1	-	84
35	9	26	-	-	1,729	779	876	28	46	216	69	106	18	23	85
4	3	1	-	-	142	69	70	-	3	17	6	9	1	1	86
															87
25	13	12	-	-	1,597	915	617	34	31	119	47	42	14	16	88
31	11	18	1	1	755	300	403	32	20	87	31	42	6	8	89
8	6	2	-	-	268	147	89	26	6	35	16	13	4	2	90
23	5	16	1	1	487	153	314	6	14	52	15	29	2	6	91
9	5	4	-	-	311	151	134	10	16	50	20	15	8	7	92
39	14	21	-	4	1,607	820	698	59	30	275	132	80	45	18	93
8	2	6	-	-	178	77	87	5	9	38	13	13	4	8	94
															95

Table 5-10. Deaths From 255 Selected Causes, by Color

(By place of residence. Data refer only to deaths occurring within the United States, including Alaska and Hawaii. Excludes fetal deaths. Num-

CAUSE OF DEATH	NEW HAMPSHIRE					NEW JERSEY				
	Total	White		Nonwhite		Total	White		Nonwhite	
		Male	Female	Male	Female		Male	Female	Male	Female
II. NEOPLASMS—CON.										
MALIGNANT NEOPLASMS, ETC.—CON.										
MALIGNANT NEOPLASM OF RESPIRATORY SYSTEM, NOT SPECIFIED AS SECONDARY....160-164	141	121	19	1	-	1,707	1,373	210	110	14
OF LARYNX....161	10	10	-	-	-	106	89	9	7	1
OF BRONCHUS & TRACHEA, & OF LUNG SPEC. AS PRIMARY..162	33	30	3	-	-	630	522	73	33	2
OF LUNG, NOT SPEC. PRIMARY OR SECONDARY....163	94	78	15	1	-	941	741	120	69	11
OF OTHER PARTS OF RESPIRATORY SYSTEM....160,164	4	3	1	-	-	30	21	8	1	-
MALIGNANT NEOPLASM OF BREAST....170	98	2	96	-	-	1,009	6	944	3	56
MALIGNANT NEOPLASM OF GENITAL ORGANS....171-179	164	75	89	-	-	1,283	412	748	47	76
OF CERVIX UTERI....171	32	...	32	...	-	235	...	201	...	34
OF OTHER AND UNSPECIFIED PARTS OF UTERUS....172-174	23	...	23	...	-	232	...	214	...	18
OF OVARY, FALLOPIAN TUBE, AND BROAD LIGAMENT....175	28	...	28	...	-	329	...	307	...	22
OF OTHER AND UNSPECIFIED FEMALE GENITAL ORGANS....176	6	...	6	...	-	28	...	26	...	2
OF PROSTATE....177	73	73	...	-	...	424	382	...	42	...
OF ALL OTHER & UNSPEC. MALE GENITAL ORGANS....178,179	2	2	...	-	...	35	30	...	5	...
MALIGNANT NEOPLASM OF URINARY ORGANS....180,181	56	37	18	-	1	572	382	168	10	12
OF KIDNEY....180	14	10	4	-	-	203	131	65	5	2
OF BLADDER AND OTHER URINARY ORGANS....181	42	27	14	-	1	369	251	103	5	10
MALIGNANT NEOPLASM OF OTHER AND UNSPECIFIED SITES....156B,165,190-199	92	44	48	-	-	1,026	506	453	31	36
OF SKIN....190,191	15	9	6	-	-	127	65	58	3	1
OF EYE....192	4	1	3	-	-	19	12	7	-	-
OF BRAIN AND OTHER PARTS OF NERVOUS SYSTEM....193	9	4	5	-	-	211	122	80	4	5
OF THYROID GLAND....194	2	1	1	-	-	35	7	24	2	2
OF BONE....196	4	2	2	-	-	73	35	27	3	8
OF CONNECTIVE TISSUE....197	1	-	1	-	-	37	15	21	-	1
OF OTHER SPECIFIED SITES, NOT SECONDARY....195,199A	3	2	1	-	-	57	35	17	3	2
OF UNSPECIFIED SITES....156B,165,198,199B	54	25	29	-	-	467	215	219	16	17
LEUKEMIA AND ALEUKEMIA....204	53	29	23	-	1	452	256	163	20	13
LYMPHOSARCOMA, ETC....200-203,205	42	23	19	-	-	426	219	186	15	6
LYMPHOSARCOMA AND RETICULOSARCOMA....200	19	10	9	-	-	189	97	85	4	3
HODGKINS DISEASE....201	10	7	3	-	-	112	64	45	3	-
OTHER NEOPLASMS OF LYMPHATIC AND HEMATOPOIETIC TISSUES....202,203,205	13	6	7	-	-	125	58	56	8	3
BENIGN NEOPLASMS AND NEOPLASMS OF UNSPEC. NATURE...210-239	14	7	7	-	-	180	71	83	9	17
BENIGN NEOPLASMS OF FEMALE GENITAL ORGANS....214-217	-	...	-	...	-	23	...	15	...	8
BENIGN NEOPLASM OF BRAIN & OT. PTS. OF NERVOUS SYS...223	2	1	1	-	-	47	17	27	1	2
OTHER BENIGN NEOPLASMS....210-213,218-222,224-229	-	-	-	-	-	44	22	18	2	2
UNSPECIFIED NEOPLASM OF FEMALE GENITAL ORGANS....233-235	-	...	-	...	-	1	...	-	...	1
NEOPLASM OF UNSPECIFIED NATURE OF BRAIN, ETC....237	9	5	4	-	-	39	22	11	3	3
OTHER NEOPLASMS OF UNSPEC. NATURE....230-232,236,238,239	3	1	2	-	-	26	10	12	3	1
III. ALLERGIC, ENDOCRINE SYSTEM, METABOLIC, AND NUTRITIONAL DISEASES....	185	82	100	3	-	1,597	572	887	62	76
ASTHMA....241	34	18	15	1	-	142	69	54	13	6
NONTOXIC GOITER....250,251	-	-	-	-	-	2	-	2	-	-
THYROTOXICOSIS WITH OR WITHOUT GOITER....252	-	-	-	-	-	18	6	10	-	2
ALL OTHER DISEASES OF THYROID GLAND....253,254	1	-	1	-	-	9	3	6	-	-
DIABETES MELLITUS....260	129	55	72	2	-	1,297	439	763	37	58
DISEASES OF THYMUS GLAND....273	1	-	1	-	-	11	7	2	2	-
DISEASES OF ADRENAL GLANDS....274	-	-	-	-	-	11	3	6	-	2
PELLAGRA....281	-	-	-	-	-	-	-	-	-	-
OTHER NUTRITIONAL DEFICIENCY STATES....280,282-286	7	3	4	-	-	41	15	14	7	5
ALL OTHER ALLERGIC, ENDOCRINE, & METABOLIC DIS....RESIDUAL	13	6	7	-	-	66	30	30	3	3
IV. DISEASES OF THE BLOOD AND BLOOD-FORMING ORGANS...	19	6	13	-	-	134	59	54	10	11
ANEMIAS....290-293	11	3	8	-	-	88	37	37	6	8
PERNICIOUS AND OTHER HYPERCHROMIC ANEMIAS....290	2	-	2	-	-	10	8	2	-	-
ANEMIAS OF OTHER AND UNSPECIFIED TYPE....291-293	9	3	6	-	-	78	29	35	6	8
PURPURA AND OTHER HEMORRHAGIC CONDITIONS....296	4	-	4	-	-	20	8	7	2	3
OTHER DIS. OF BLOOD AND BLOOD-FORMING ORGANS....RESIDUAL	4	3	1	-	-	26	14	10	2	-
V. MENTAL, PSYCHONEUROTIC, AND PERSONALITY DISORDERS	15	10	5	-	-	121	65	23	23	10
SENILE PSYCHOSIS....304	1	1	-	-	-	5	3	1	1	-
ALCOHOLIC PSYCHOSIS....307	-	-	-	-	-	21	16	1	3	1
OTHER PSYCHOSES....300-303,305,306,308,309	-	-	-	-	-	13	2	8	1	2
ALCOHOLISM....322	11	7	4	-	-	55	31	5	13	6
MENTAL DEFICIENCY....325	2	2	-	-	-	19	12	7	-	-
OTHER DISORDERS OF PERSONALITY....RESIDUAL	1	-	1	-	-	8	1	1	5	1
VI. DISEASES OF THE NERVOUS SYSTEM AND SENSE ORGANS..	802	385	414	2	1	5,676	2,359	2,787	253	277
VASCULAR LESIONS AFFECTING CENTRAL NERVOUS SYSTEM..330-334	749	357	389	2	1	5,207	2,141	2,601	221	244
SUBARACHNOID HEMORRHAGE....330	24	13	11	-	-	188	76	81	12	19
CEREBRAL HEMORRHAGE....331	406	200	204	1	1	2,857	1,179	1,412	130	136
CEREBRAL EMBOLISM AND THROMBOSIS....332	243	113	129	1	-	1,795	749	909	66	71
OTHER VASCULAR LESIONS AFFECTING C.N.S....333,334	76	31	45	-	-	367	137	199	13	18
MENINGITIS, EXCEPT MENINGOCOCCAL AND TUBERCULOUS....340	6	4	2	-	-	58	21	19	11	7
MULTIPLE SCLEROSIS....345	7	3	4	-	-	57	26	27	1	3
PARALYSIS AGITANS....350	10	4	6	-	-	95	55	36	3	1
CEREBRAL SPASTIC INFANTILE PARALYSIS....351	8	4	4	-	-	19	8	8	1	2
EPILEPSY....353	8	5	3	-	-	71	28	24	9	10
INFLAMMATORY DISEASES OF EYE....370-379	-	-	-	-	-	-	-	-	-	-
CATARACT....385	-	-	-	-	-	1	-	1	-	-
GLAUCOMA....387	-	-	-	-	-	-	-	-	-	-
OTITIS MEDIA AND MASTOIDITIS....391-393	2	1	1	-	-	12	5	5	-	2
OTHER DIS. OF NERVOUS SYSTEM AND SENSE ORGANS....RESIDUAL	12	7	5	-	-	156	75	66	7	8

and Sex: United States and Each State, 1960—Con.

bers after causes of death are category numbers of the Seventh Revision of the International Lists, 1955. For complete category titles, see table 5-8)

NEW MEXICO					NEW YORK					NORTH CAROLINA					
Total	White		Nonwhite		Total	White		Nonwhite		Total	White		Nonwhite		
	Male	Female	Male	Female		Male	Female	Male	Female		Male	Female	Male	Female	
88	72	15	1	-	4,885	3,917	648	276	44	591	427	59	84	21	1
4	4	-	-	-	330	264	38	26	2	39	26	6	6	1	2
34	28	6	-	-	2,624	2,190	279	143	12	312	247	24	37	4	3
47	37	9	1	-	1,836	1,409	296	103	28	220	147	24	36	13	4
3	3	-	-	-	95	54	35	4	2	20	7	5	5	3	5
58	1	56	-	1	3,081	26	2,876	1	178	371	2	273	3	93	6
111	47	60	-	4	3,794	1,274	2,211	99	210	776	214	320	80	162	7
29	...	27	...	2	709	...	593	...	116	230	...	140	...	90	8
9	...	8	...	1	617	...	573	...	44	103	...	61	...	42	9
22	...	21	...	1	980	...	938	...	42	133	...	109	...	24	10
4	...	4	...	-	115	...	107	...	8	16	...	10	...	6	11
42	42	...	-	...	1,294	1,196	...	98	...	272	197	...	75	...	12
5	5	...	-	...	79	78	...	1	...	22	17	...	5	...	13
38	28	7	3	-	1,551	1,010	459	46	36	167	71	62	20	14	14
18	12	3	3	-	603	363	211	16	13	64	28	27	6	3	15
20	16	4	-	-	948	647	248	30	23	103	43	35	14	11	16
120	58	55	5	2	2,987	1,551	1,259	85	92	633	277	221	67	68	17
12	8	4	-	-	344	192	137	7	8	110	62	38	8	2	18
3	2	1	-	-	47	28	19	-	-	5	-	3	2	-	19
22	12	9	1	-	697	391	273	17	16	107	61	27	11	8	20
4	1	3	-	-	153	68	78	3	4	20	2	13	1	4	21
7	3	4	-	-	182	108	66	4	4	28	9	11	4	4	22
3	2	1	-	-	119	55	56	4	4	25	9	10	2	4	23
3	3	-	-	-	120	71	42	5	2	28	13	11	3	1	24
66	27	33	4	2	1,325	638	588	45	54	310	121	108	36	45	25
37	20	16	1	-	1,263	686	520	27	30	292	143	105	25	19	26
44	26	16	2	-	1,520	826	614	48	32	250	122	84	29	15	27
21	11	9	1	-	742	420	292	20	10	87	42	33	7	5	28
9	7	2	-	-	374	211	139	15	9	68	36	22	8	2	29
14	8	5	1	-	404	195	183	13	13	95	44	29	14	8	30
33	15	15	1	2	545	238	251	16	40	144	57	45	17	25	31
1	...	1	...	-	66	...	45	...	21	11	...	4	...	7	32
5	2	2	-	1	99	41	50	4	4	13	5	7	-	1	33
3	2	1	-	-	96	56	34	3	3	16	5	3	4	4	34
1	...	-	...	1	3	...	2	...	1	1	...	1	...	-	35
19	8	10	1	-	192	96	82	5	9	79	36	25	9	9	36
4	3	1	-	-	89	45	38	4	2	24	11	5	4	4	37
139	62	68	9	-	3,978	1,588	1,986	151	253	880	295	272	133	180	38
27	22	5	-	-	441	238	133	32	38	116	49	32	15	20	39
-	-	-	-	-	7	1	6	-	-	2	-	2	-	-	40
3	-	3	-	-	51	9	34	1	7	12	2	5	-	5	41
3	2	1	-	-	28	5	22	-	1	5	3	2	-	-	42
84	31	47	6	-	3,147	1,187	1,661	106	193	620	201	194	95	130	43
2	1	1	-	-	6	5	1	-	-	2	-	-	1	1	44
2	2	-	-	-	31	16	13	1	1	10	5	1	3	1	45
1	1	-	-	-	1	1	-	-	-	2	-	2	-	-	46
7	-	4	3	-	91	39	46	3	3	40	7	11	13	9	47
10	3	7	-	-	175	87	70	8	10	71	28	23	6	14	48
27	14	9	1	3	436	193	201	21	21	112	33	44	12	23	49
16	8	5	-	3	287	113	140	19	15	78	20	29	10	19	50
3	1	2	-	-	68	20	45	1	2	6	2	4	-	-	51
13	7	3	-	3	219	93	95	18	13	72	18	25	10	19	52
7	3	3	1	-	61	29	29	-	3	12	2	6	1	3	53
4	3	1	-	-	88	51	32	2	3	22	11	9	1	1	54
20	11	6	1	2	522	239	100	131	52	170	65	25	49	31	55
2	-	1	-	1	11	4	7	-	-	14	1	9	-	4	56
-	-	-	-	-	51	31	3	15	2	9	5	1	3	-	57
2	-	1	-	1	44	20	18	1	5	13	1	4	1	7	58
13	9	3	1	-	241	116	43	62	20	119	50	7	43	19	59
1	1	-	-	-	47	23	19	4	1	13	7	4	2	-	60
2	1	1	-	-	128	45	10	49	24	2	1	-	-	1	61
573	289	240	23	21	17,056	7,301	8,658	528	569	5,492	1,940	1,876	827	849	62
490	248	214	14	14	15,701	6,644	8,126	423	508	5,168	1,809	1,784	771	804	63
14	3	10	-	1	653	232	331	35	55	180	61	77	24	18	64
290	146	130	10	4	8,566	3,622	4,412	247	285	2,940	991	945	482	522	65
122	65	52	-	5	5,168	2,253	2,678	110	127	1,631	621	626	195	189	66
64	34	22	4	4	1,314	537	705	31	41	417	136	136	70	75	67
26	9	6	6	5	195	85	57	29	24	45	12	13	8	12	68
3	2	1	-	-	177	70	95	4	8	18	7	4	5	2	69
12	7	5	-	-	284	142	133	3	6	45	31	9	4	1	70
4	4	-	-	-	51	30	19	1	1	21	11	6	1	3	71
10	6	4	-	-	210	96	60	45	9	56	14	13	20	9	72
-	-	-	-	-	1	-	1	-	-	1	1	-	-	-	73
-	-	-	-	-	2	1	-	-	1	1	-	-	-	1	74
-	-	-	-	-	1	-	1	-	-	1	1	-	-	-	75
3	1	1	-	1	29	17	8	-	4	7	2	1	3	1	76
25	12	9	3	1	405	216	158	23	8	129	52	46	15	16	77

Table 5-10. Deaths From 255 Selected Causes, by Color

(By place of residence. Data refer only to deaths occurring within the United States, including Alaska and Hawaii. Excludes fetal deaths. Num-

CAUSE OF DEATH	NEW HAMPSHIRE					NEW JERSEY				
	Total	White		Nonwhite		Total	White		Nonwhite	
		Male	Female	Male	Female		Male	Female	Male	Female
VII. DISEASES OF THE CIRCULATORY SYSTEM	3,093	1,761	1,329	2	1	28,582	15,142	11,656	959	825
DISEASES OF HEART 400-402,410-443	2,727	1,574	1,150	2	1	26,293	14,116	10,567	879	731
RHEUMATIC FEVER 400-402	3	1	2	-	-	37	13	18	4	2
CHRONIC RHEUMATIC HEART DISEASE 410-416	70	30	40	-	-	769	298	425	27	19
DISEASES OF MITRAL VALVE 410	20	7	13	-	-	244	79	157	3	5
DISEASES OF AORTIC VALVE SPECIFIED AS RHEUMATIC 411	10	6	4	-	-	79	56	20	3	-
DISEASES OF PULMONARY VALVE, ETC 413,414	4	2	2	-	-	35	14	19	1	1
OTHER RHEUMATIC HEART DISEASES 412,415,416	36	15	21	-	-	411	149	229	20	13
ARTERIOSCLEROTIC HEART DIS., INCL. CORONARY DIS 420	2,192	1,348	843	1	-	19,564	11,234	7,257	612	461
ARTERIOSCLEROTIC HEART DISEASE SO DESCRIBED 420.0	949	501	448	-	-	9,885	5,094	4,266	266	259
HEART DIS. SPEC. AS INVOLVING CORONARY ARTERIES 420.1	1,238	844	393	1	-	9,667	6,133	2,986	346	202
ANGINA PECTORIS WITHOUT MENTION CORONARY DIS 420.2	5	3	2	-	-	12	7	5	-	-
CHRONIC ENDOCARDITIS NOT SPECIFIED AS RHEUMATIC 421	16	7	9	-	-	115	60	40	7	8
OF MITRAL VALVE, SPECIFIED AS NONRHEUMATIC 421.0	1	1	-	-	-	1	-	1	-	-
OF AORTIC VALVE, NOT SPECIFIED AS RHEUMATIC 421.1	7	5	2	-	-	58	36	17	1	4
OF OTHER VALVES, NOT SPEC. AS RHEUMATIC 421.2-421.4	8	1	7	-	-	56	24	22	6	4
OTHER MYOCARDIAL DEGENERATION 422	123	60	63	-	-	2,879	1,361	1,344	93	81
WITH ARTERIOSCLEROSIS 422.1	84	33	51	-	-	2,105	946	1,040	61	58
WITHOUT MENTION OF ARTERIOSCLEROSIS 422.0,422.2	39	27	12	-	-	774	415	304	32	23
OTHER DISEASES OF HEART 430-434	69	41	28	-	-	545	285	210	34	16
ACUTE AND SUBACUTE ENDOCARDITIS 430	3	2	1	-	-	19	13	4	2	-
ACUTE NONRHEUMATIC MYOCARDITIS & PERICARDITIS 431,432	2	2	-	-	-	20	5	12	2	1
FUNCTIONAL DISEASE OF HEART 433	9	5	4	-	-	120	52	60	5	3
OTHER AND UNSPECIFIED DISEASES OF HEART 434	55	32	23	-	-	386	215	134	25	12
HYPERTENSIVE HEART DISEASE 440-443	254	87	165	1	1	2,384	865	1,273	102	144
HYPERTENSIVE HEART DISEASE WITH ARTERIOLAR NEPHROSCLEROSIS 442	43	20	23	-	-	536	229	253	21	33
OTHER HYPERTENSIVE HEART DISEASE 440,441,443	211	67	142	1	1	1,848	636	1,020	81	111
OTHER HYPERTENSIVE DISEASE 444-447	40	20	20	-	-	455	182	212	27	34
HYPERTENSION WITH ARTERIOLAR NEPHROSCLEROSIS 446	19	10	9	-	-	273	132	120	8	13
ESSENTIAL HYPERTENSION 444,445,447	21	10	11	-	-	182	50	92	19	21
DISEASES OF ARTERIES 450-456	291	148	143	-	-	1,512	699	730	39	44
GENERAL ARTERIOSCLEROSIS 450	252	125	127	-	-	1,116	446	617	22	31
AORTIC ANEURYSM, NONSYPHILITIC, ETC 451	28	19	9	-	-	297	208	71	13	5
GANGRENE OF UNSPECIFIED CAUSE 455	-	-	-	-	-	9	4	4	1	-
OTHER ARTERIAL DISEASES 452-454,456	11	4	7	-	-	90	41	38	3	8
DIS. OF VEINS AND OTHER DIS. OF CIRCULATORY SYS 460-468	35	19	16	-	-	322	145	147	14	16
VIII. DISEASES OF THE RESPIRATORY SYSTEM	328	198	130	-	-	2,537	1,414	815	186	122
ACUTE UPPER RESPIRATORY INFECTIONS 470-475	4	3	1	-	-	14	7	4	1	2
INFLUENZA 480-483	31	14	17	-	-	47	19	22	4	2
PNEUMONIA, EXCEPT PNEUMONIA OF NEWBORN 490-493	188	99	89	-	-	1,684	804	636	141	103
LOBAR PNEUMONIA 490	29	15	14	-	-	318	154	109	38	17
BRONCHOPNEUMONIA 491	89	48	41	-	-	1,199	574	460	91	74
PRIMARY ATYPICAL PNEUMONIA 492	23	12	11	-	-	144	65	58	10	11
PNEUMONIA, OTHER AND UNSPECIFIED 493	47	24	23	-	-	23	11	9	2	1
ACUTE BRONCHITIS 500	4	2	2	-	-	37	25	9	-	3
BRONCHITIS, CHRONIC AND UNQUALIFIED 501,502	18	13	5	-	-	93	65	22	5	1
HYPERTROPHY OF TONSILS AND ADENOIDS 510	-	-	-	-	-	4	1	3	-	-
EMPYEMA AND ABSCESS OF LUNG 518,521	6	5	1	-	-	36	21	9	3	3
PLEURISY 519	-	-	-	-	-	7	4	2	1	-
EMPHYSEMA WITHOUT MENTION OF BRONCHITIS 527.1	37	35	2	-	-	286	231	37	16	2
OTHER RESPIRATORY DISEASES RESIDUAL	40	27	13	-	-	329	237	71	15	6
IX. DISEASES OF THE DIGESTIVE SYSTEM	235	149	86	-	-	2,380	1,311	875	124	70
DISEASES OF TEETH AND SUPPORTING STRUCTURES 530-535	-	-	-	-	-	-	-	-	-	-
ULCER OF STOMACH 540	19	12	7	-	-	190	114	64	11	1
ULCER OF DUODENUM 541	39	34	5	-	-	194	152	34	6	2
GASTRITIS AND DUODENITIS 543	2	1	1	-	-	9	3	5	-	1
APPENDICITIS 550-553	5	3	2	-	-	56	37	14	2	3
HERNIA AND INTESTINAL OBSTRUCTION 560,561,570	37	20	17	-	-	289	128	135	12	14
GASTROENTERITIS AND COLITIS, EXC. ULCERATIVE, AGE 4 WEEKS AND OVER 571	7	3	4	-	-	110	38	27	36	9
CHRONIC ENTERITIS AND ULCERATIVE COLITIS 572	12	5	7	-	-	145	67	76	2	-
CIRRHOSIS OF LIVER 581	58	39	19	-	-	875	535	278	36	26
WITHOUT MENTION OF ALCOHOLISM 581.0	43	27	16	-	-	656	393	219	22	22
WITH ALCOHOLISM 581.1	15	12	3	-	-	219	142	59	14	4
CHOLELITHIASIS, CHOLECYSTITIS, AND CHOLANGITIS 584,585	14	7	7	-	-	173	58	107	2	6
FIBROCYSTIC DISEASE OF PANCREAS 587R	3	1	2	-	-	16	6	8	2	-
OTHER DISEASES OF DIGESTIVE SYSTEM RESIDUAL	39	24	15	-	-	323	173	127	15	8
X. DISEASES OF THE GENITOURINARY SYSTEM	101	67	33	1	-	947	485	326	76	60
NEPHRITIS AND NEPHROSIS 590-594	47	29	17	1	-	447	201	185	34	27
ACUTE NEPHRITIS 590	5	-	4	1	-	28	9	16	3	-
NEPHRITIS WITH EDEMA, INCLUDING NEPHROSIS 591	4	4	-	-	-	29	10	12	5	2
CHRONIC AND UNSPECIFIED NEPHRITIS, ETC 592-594	38	25	13	-	-	390	182	157	26	25
INFECTIONS OF KIDNEY 600	17	10	7	-	-	236	99	96	20	21
CALCULI OF URINARY SYSTEM 602,604	7	3	4	-	-	34	22	10	1	1
OTHER DISEASES OF URINARY SYSTEM 601,603,605-609	7	4	3	-	-	61	31	19	4	7
HYPERPLASIA OF PROSTATE 610	21	21	...	-	...	140	124	...	16	...
DISEASES OF BREAST 620,621	-	-	-	-	-	-	-	-	-	-
OTHER DISEASES OF GENITAL ORGANS RESIDUAL	2	-	2	-	-	29	8	16	1	4

and Sex: United States and Each State, 1960—Con.

bers after causes of death are category numbers of the Seventh Revision of the International Lists, 1955. For complete category titles, see table 5-8)

NEW MEXICO					NEW YORK					NORTH CAROLINA					
Total	White		Nonwhite		Total	White		Nonwhite		Total	White		Nonwhite		
	Male	Female	Male	Female		Male	Female	Male	Female		Male	Female	Male	Female	
1,744	1,013	663	46	22	84,612	44,807	35,350	2,300	2,155	14,653	6,612	4,199	2,076	1,766	1
															2
1,525	896	572	36	21	78,442	41,926	32,438	2,119	1,959	13,246	6,084	3,752	1,858	1,552	3
4	2	2	-	-	82	32	36	8	6	24	5	4	4	11	4
75	31	42	1	1	2,276	910	1,204	65	97	268	102	108	25	33	5
30	10	20	-	-	648	243	373	11	21	98	37	43	6	12	6
8	5	3	-	-	193	111	73	6	3	21	15	1	5	-	7
4	2	2	-	-	94	43	47	3	1	14	3	8	3	-	8
33	14	17	1	1	1,341	513	711	45	72	135	47	56	11	21	9
1,067	688	347	22	10	63,341	36,023	24,717	1,439	1,162	8,822	4,654	2,496	944	728	10
325	195	117	8	5	33,414	16,800	15,208	711	695	2,446	1,134	885	208	219	11
741	492	230	14	5	29,899	19,208	9,496	728	467	6,321	3,494	1,598	727	502	12
1	1	-	-	-	28	15	13	-	-	55	26	13	9	7	13
															14
17	10	7	-	-	449	249	175	14	11	78	35	20	12	11	15
2	2	-	-	-	22	12	9	1	-	4	-	1	2	1	16
8	5	3	-	-	175	128	41	5	1	36	20	7	5	4	17
7	3	4	-	-	252	109	125	8	10	38	15	12	5	6	18
134	55	74	4	1	4,353	1,822	2,303	109	119	919	341	348	119	111	19
85	38	46	1	-	3,534	1,441	1,892	91	110	733	278	283	87	85	20
49	17	28	3	1	819	381	411	18	9	186	63	65	32	26	21
															22
116	67	37	7	5	1,012	507	421	61	23	968	411	195	218	144	23
2	1	1	-	-	67	36	24	4	3	8	4	1	2	1	24
4	2	2	-	-	41	21	15	4	1	24	8	2	8	6	25
21	11	8	-	2	331	156	163	7	5	222	101	76	26	19	26
89	53	26	7	3	573	294	219	46	14	714	298	116	182	118	27
112	43	63	2	4	6,929	2,383	3,582	423	541	2,167	536	581	536	514	28
															29
34	12	21	-	1	882	425	385	34	38	597	153	155	161	128	30
78	31	42	2	3	6,047	1,958	3,197	389	503	1,570	383	426	375	386	31
															32
37	20	13	4	-	1,166	500	518	74	74	352	97	70	92	93	33
23	13	9	1	-	702	339	301	35	27	182	60	37	42	43	34
14	7	4	3	-	464	161	217	39	47	170	37	33	50	50	35
136	69	62	4	1	4,346	2,077	2,101	73	95	838	354	294	98	92	36
103	54	44	4	1	3,259	1,375	1,765	51	68	618	222	245	78	73	37
19	11	8	-	-	843	587	229	13	14	162	108	32	11	11	38
1	-	1	-	-	11	3	8	-	-	5	2	-	1	2	39
13	4	9	-	-	233	112	99	9	13	53	22	17	8	6	40
46	28	16	2	-	658	304	293	34	27	217	77	83	28	29	41
															42
															43
501	267	164	39	31	8,870	4,836	2,995	626	413	2,402	902	561	500	439	44
															45
7	-	3	2	2	69	38	24	4	3	43	13	5	14	11	46
61	25	25	5	6	177	89	80	4	4	385	106	110	77	92	47
289	138	103	27	21	6,503	3,173	2,460	522	348	1,467	489	338	338	302	48
66	34	21	7	4	1,201	626	391	130	54	228	83	53	56	36	49
115	61	37	9	8	4,847	2,316	1,893	363	275	672	264	172	123	113	50
23	9	9	3	2	254	134	94	15	11	140	41	20	41	38	51
85	34	36	8	7	201	97	82	14	8	427	101	93	118	115	52
															53
3	3	-	-	-	130	69	43	7	11	16	9	2	3	2	54
20	15	5	-	-	349	260	68	16	5	82	47	13	16	6	55
1	1	-	-	-	14	3	7	-	4	4	2	1	-	1	56
8	4	3	1	-	86	47	22	11	6	23	8	3	11	1	57
-	-	-	-	-	21	11	6	2	2	1	1	-	-	-	58
51	45	6	-	-	686	580	81	18	7	132	103	16	11	2	59
61	36	19	4	2	835	566	204	42	23	249	124	73	30	22	60
															61
															62
347	174	136	18	19	7,823	4,359	2,613	539	312	1,267	528	372	206	161	63
															64
1	-	1	-	-	5	2	2	-	1	6	1	-	2	3	65
18	10	8	-	-	722	475	191	43	13	100	62	18	17	3	66
27	19	7	-	1	699	522	133	36	8	68	43	14	5	6	67
1	1	-	-	-	33	17	13	3	-	7	5	1	1	-	68
8	4	4	-	-	219	115	81	11	12	44	19	9	11	5	69
34	18	14	-	2	886	408	403	39	36	205	67	71	35	32	70
															71
71	33	23	8	7	215	99	78	21	17	178	30	33	61	54	72
															73
9	3	3	2	1	435	187	230	6	12	53	15	27	4	7	74
72	35	29	5	3	3,160	1,834	831	333	162	265	153	71	22	19	75
50	25	21	3	1	2,112	1,242	589	192	89	183	94	56	17	16	76
22	10	8	2	2	1,048	592	242	141	73	82	59	15	5	3	77
36	12	21	2	1	550	230	295	10	15	75	22	45	1	7	78
7	2	5	-	-	52	27	23	2	-	20	9	10	1	-	79
63	37	21	1	4	847	443	333	35	36	246	102	73	46	25	80
															81
															82
126	67	41	12	6	2,654	1,424	882	198	150	771	268	203	184	116	83
															84
65	34	25	3	3	1,021	487	398	81	55	390	108	90	113	79	85
3	2	-	-	1	54	23	23	6	2	27	9	6	10	2	86
8	3	5	-	-	52	28	20	3	1	22	6	5	6	5	87
54	29	20	3	2	915	436	355	72	52	341	93	79	97	72	88
22	4	11	5	2	788	338	324	58	68	182	63	78	20	21	89
3	2	1	-	-	119	55	57	4	3	46	24	16	3	3	90
7	3	2	1	1	163	94	52	13	4	48	19	8	18	3	91
21	19	...	2	...	460	424	...	36	...	71	47	...	24	...	92
-	-	-	-	-	2	-	1	-	1	2	-	2	-	-	93
8	5	2	1	-	101	26	50	6	19	32	7	9	6	10	94
															95

Table 5-10. Deaths From 255 Selected Causes, by Color

(By place of residence. Data refer only to deaths occurring within the United States, including Alaska and Hawaii. Excludes fetal deaths. Num-

CAUSE OF DEATH	NEW HAMPSHIRE					NEW JERSEY				
	Total	White		Nonwhite		Total	White		Nonwhite	
		Male	Female	Male	Female		Male	Female	Male	Female
XI. DELIVERIES AND COMPLICATIONS OF PREGNANCY, CHILDBIRTH, AND THE PUERPERIUM	2	...	2	...	-	46	...	26	...	20
SEPSIS OF PREGNANCY, CHILDBIRTH, ETC...640,641,681,682,684	2	...	2	...	-	8	...	4	...	4
TOXEMIAS OF PREGNANCY AND PUERPERIUM, ETC.....642,685,686	-	...	-	...	-	5	...	5	...	-
HEMORRHAGE OF PREGNANCY AND CHILDBIRTH.....643,644,670-672	-	...	-	...	-	9	...	4	...	5
ECTOPIC PREGNANCY.....645	-	...	-	...	-	1	...	-	...	1
ABORTION WITHOUT MENTION OF SEPSIS OR TOXEMIA.....650	-	...	-	...	-	3	...	2	...	1
ABORTION WITH SEPSIS.....651	-	...	-	...	-	4	...	2	...	2
ABORTION WITH TOXEMIA, WITHOUT MENTION OF SEPSIS.....652	-	...	-	...	-	-	...	-	...	-
OT. COMPLICATIONS OF PREGNANCY, CHILDBIRTH, ETC...RESIDUAL	-	...	-	...	-	16	...	9	...	7
XII. DISEASES OF THE SKIN AND CELLULAR TISSUE	3	-	3	-	-	71	19	43	5	4
INFECTIONS OF SKIN AND SUBCUTANEOUS TISSUE.....690-698	-	-	-	-	-	17	7	8	-	2
OTHER DISEASES OF SKIN AND SUBCUTANEOUS TISSUE.....700-716	3	-	3	-	-	54	12	35	5	2
XIII. DISEASES OF THE BONES AND ORGANS OF MOVEMENT	19	10	9	-	-	104	41	58	1	4
ARTHRITIS AND SPONDYLITIS.....720-725	11	7	4	-	-	50	15	33	-	2
MUSCULAR RHEUMATISM AND RHEUMATISM UNSPECIFIED.....726,727	-	-	-	-	-	-	-	-	-	-
OSTEOMYELITIS AND PERIOSTITIS.....730	2	1	1	-	-	7	3	3	-	1
ANKYLOSIS & ACQ. MUSCULOSKELETAL DEFORMITIES...737,745-749	-	-	-	-	-	3	1	-	1	1
INBORN DEFECT OF MUSCLE.....744.1	1	-	1	-	-	17	10	7	-	-
OT. DIS. OF MUSCULOSKELETAL SYS....731-736,738-744.0,744.2	5	2	3	-	-	27	12	15	-	-
XIV. CONGENITAL MALFORMATIONS	75	33	42	-	-	681	326	280	43	32
SPINA BIFIDA AND MENINGOCELE.....751	7	2	5	-	-	35	10	25	-	-
CONGENITAL HYDROCEPHALUS, ETC.....752,753	10	4	6	-	-	73	35	30	3	5
CONGENITAL MALFORMATIONS OF CIRCULATORY SYSTEM.....754	34	15	19	-	-	335	163	139	20	13
OTHER CONGENITAL MALFORMATIONS.....750,755-759	24	12	12	-	-	238	118	86	20	14
XV. CERTAIN DISEASES OF EARLY INFANCY	209	125	84	-	-	2,055	942	658	257	198
XVI. SYMPTOMS, SENILITY, AND ILL-DEFINED CONDITIONS	80	54	26	-	-	129	57	54	14	4
SENILITY WITHOUT MENTION OF PSYCHOSIS.....794	3	1	2	-	-	34	13	21	-	-
SYMPTOMS, ILL-DEFINED, AND UNKNOWN CAUSES.....780-793,795	77	53	24	-	-	95	44	33	14	4
XVII. ACCIDENTS, POISONINGS, AND VIOLENCE	358	263	95	-	-	2,933	1,633	889	291	120
ACCIDENTS.....E800-E962	274	199	75	-	-	2,295	1,248	730	230	87
RAILWAY ACCIDENTS.....E800-E802	2	2	-	-	-	20	14	2	4	-
MOTOR VEHICLE ACCIDENTS.....E810-E835	107	89	18	-	-	763	472	197	80	14
MOTOR VEHICLE TRAFFIC ACCIDENTS.....E810-E825	100	82	18	-	-	752	465	194	79	14
TRAFFIC ACCIDENT WITH RAILWAY TRAIN.....E810	5	3	2	-	-	8	3	3	2	-
TRAFFIC ACCIDENT TO PEDESTRIAN.....E812	17	16	1	-	-	244	140	71	28	5
OTHER TRAFFIC ACCIDENTS, ETC.....E811,E813-E819	26	16	10	-	-	286	174	87	20	5
NONCOLLISION TRAFFIC ACCIDENTS.....E820-E824	47	42	5	-	-	193	135	27	27	4
TRAFFIC ACCIDENT OF UNSPECIFIED NATURE.....E825	5	5	-	-	-	21	13	6	2	-
MOTOR VEHICLE NONTRAFFIC ACCIDENTS.....E830-E835	7	7	-	-	-	11	7	3	1	-
OTHER ROAD VEHICLE ACCIDENTS.....E840-E845	2	2	-	-	-	2	1	1	-	-
WATER TRANSPORT ACCIDENTS.....E850-E858	7	7	-	-	-	30	21	1	7	1
AIRCRAFT ACCIDENTS.....E860-E866	4	4	-	-	-	39	35	3	1	-
ACCIDENTAL POISONING BY SOLIDS AND LIQUIDS.....E870-E888	1	1	-	-	-	39	16	13	8	2
ACCIDENTAL POISONING BY GASES AND VAPORS.....E890-E895	4	2	2	-	-	39	24	7	4	4
ACCIDENTAL FALLS.....E900-E904	53	24	29	-	-	681	281	342	34	24
FALL FROM ONE LEVEL TO ANOTHER.....E900-E902	21	12	9	-	-	229	122	77	18	12
FALL ON SAME LEVEL.....E903	15	5	10	-	-	107	41	58	6	2
UNSPECIFIED FALLS.....E904	17	7	10	-	-	345	118	207	10	10
BLOW FROM FALLING OR PROJECTED OBJECT OR MISSILE....E910	6	5	1	-	-	27	17	2	8	-
ACCIDENT CAUSED BY MACHINERY.....E912	3	1	2	-	-	27	24	-	3	-
ACCIDENT CAUSED BY ELECTRIC CURRENT.....E914	4	4	-	-	-	15	12	1	2	-
ACCIDENT CAUSED BY FIRE AND EXPLOSION, ETC.....E916	27	17	10	-	-	169	68	61	22	18
ACCIDENT CAUSED BY HOT SUBSTANCE, ETC.....E917,E918	-	-	-	-	-	13	3	4	4	2
ACCIDENT CAUSED BY FIREARM.....E919	12	11	1	-	-	18	15	1	2	-
INHALATION AND INGESTION OF OBJECTS, ETC.....E921,E922	4	4	-	-	-	78	43	26	5	4
ACCIDENTAL DROWNING.....E929	23	16	7	-	-	154	106	20	24	4
EXCESSIVE HEAT AND INSOLATION.....E931	-	-	-	-	-	-	-	-	-	-
COMPLICATIONS DUE TO MEDICAL PROCEDURES.....E940-E959	4	-	4	-	-	33	17	12	1	3
ALL OTHER ACCIDENTS.....RESIDUAL	11	10	1	-	-	148	79	37	21	11
SUICIDE.....E963,E970-E979	78	60	18	-	-	479	333	125	17	4
SUICIDE BY POISONING.....E970-E973	19	15	4	-	-	123	73	47	2	1
SUICIDE BY HANGING AND STRANGULATION.....E974	22	16	6	-	-	156	118	34	3	1
SUICIDE BY FIREARM AND EXPLOSIVE.....E976	26	21	5	-	-	112	92	14	6	-
SUICIDE BY ALL OTHER MEANS.....E963,E975,E977-E979	11	8	3	-	-	88	50	30	6	2
HOMICIDE.....E964,E980-E985	6	4	2	-	-	159	52	34	44	29
ASSAULT BY FIREARM AND EXPLOSIVE.....E981	5	3	2	-	-	63	25	18	13	7
ASSAULT BY CUTTING AND PIERCING INSTRUMENTS.....E982	-	-	-	-	-	42	7	5	22	8
ASSAULT BY OTHER MEANS.....E964,E980,E983	1	1	-	-	-	54	20	11	9	14
INJURY BY INTERVENTION OF POLICE.....E984	-	-	-	-	-	-	-	-	-	-
EXECUTION.....E985	-	-	-	-	-	-	-	-	-	-
INJURY RESULTING FROM OPERATIONS OF WAR.....E965,E990-E999	-	-	-	-	-	-	-	-	-	-

and Sex: United States and Each State, 1960—Con.

bers after causes of death are category numbers of the Seventh Revision of the International Lists, 1955. For complete category titles, see table 5-8)

NEW MEXICO					NEW YORK					NORTH CAROLINA				
Total	White		Nonwhite		Total	White		Nonwhite		Total	White		Nonwhite	
	Male	Female	Male	Female		Male	Female	Male	Female		Male	Female	Male	Female
13	...	11	...	2	166	...	108	...	58	59	...	16	...	43
-	...	-	...	-	10	...	8	...	2	6	...	2	...	4
4	...	4	...	-	24	...	17	...	7	10	...	3	...	7
2	...	2	...	-	21	...	20	...	1	9	...	1	...	8
-	...	-	...	-	13	...	3	...	10	5	...	-	...	5
3	...	1	...	2	15	...	9	...	6	5	...	3	...	2
2	...	2	...	-	35	...	17	...	18	9	...	2	...	7
-	...	-	...	-	2	...	-	...	2	-	...	-	...	-
2	...	2	...	-	46	...	34	...	12	15	...	5	...	10
12	4	8	-	-	182	63	101	7	11	47	14	16	3	14
3	2	1	-	-	54	29	21	2	2	13	4	6	1	2
9	2	7	-	-	128	34	80	5	9	34	10	10	2	12
22	11	9	1	1	275	106	146	12	11	105	43	47	9	6
12	5	6	1	-	123	25	91	3	4	66	22	34	7	3
-	-	-	-	-	2	1	-	1	-	-	-	-	-	-
1	1	-	-	-	23	16	5	-	2	2	2	-	-	-
3	1	1	-	1	10	4	3	1	2	1	-	1	-	-
2	2	-	-	-	48	32	14	1	1	21	13	6	1	1
4	2	2	-	-	69	28	33	6	2	15	6	6	1	2
132	65	55	4	8	2,006	972	816	121	97	536	217	186	74	59
8	-	6	1	1	95	46	44	4	1	25	9	13	2	1
10	4	5	-	1	253	115	107	17	14	80	31	32	9	8
74	41	27	1	5	1,046	520	411	62	53	272	112	95	33	32
40	20	17	2	1	612	291	254	38	29	159	65	46	30	18
552	285	200	45	22	5,567	2,455	1,783	732	597	1,887	599	404	521	363
471	252	143	43	33	713	312	220	124	57	1,025	278	165	349	233
19	6	9	1	3	52	10	41	1	-	82	17	32	17	16
452	246	134	42	30	661	302	179	123	57	943	261	133	332	217
875	582	180	85	28	8,951	5,298	2,541	806	306	3,561	1,759	572	918	312
708	473	144	70	21	6,773	3,980	2,050	526	217	2,684	1,306	480	659	239
5	5	-	-	-	106	76	11	18	1	44	22	1	21	-
376	256	70	40	10	2,158	1,451	514	140	53	1,260	716	213	273	58
363	248	67	38	10	2,123	1,423	508	139	53	1,236	704	207	267	58
6	3	1	1	1	28	19	8	1	-	46	22	16	6	2
57	36	8	11	2	712	451	185	50	26	267	117	43	78	29
154	96	39	16	3	654	412	182	43	17	443	258	109	64	12
135	105	18	8	4	608	455	104	40	9	445	281	34	116	14
11	8	1	2	-	121	86	29	5	1	35	26	5	3	1
13	8	3	2	-	35	28	6	1	-	24	12	6	6	-
2	2	-	-	-	17	13	4	-	-	6	3	1	2	-
1	1	-	-	-	71	56	5	10	-	43	33	2	8	-
14	12	2	-	-	100	78	21	1	-	23	22	-	1	-
13	8	2	2	1	79	31	26	15	7	82	37	16	21	8
12	7	4	1	-	80	53	22	3	2	12	6	2	3	1
68	33	28	5	2	2,194	1,041	967	127	59	263	86	132	22	23
18	13	2	3	-	739	418	229	62	30	80	36	21	18	5
19	5	14	-	-	697	274	396	13	14	74	14	53	1	6
31	15	12	2	2	758	349	342	52	15	109	36	58	3	12
17	17	-	-	-	59	52	4	3	-	49	22	-	25	2
17	16	-	1	-	92	79	5	8	-	44	30	-	14	-
6	5	1	-	-	46	41	3	2	-	30	23	-	7	-
36	19	13	2	2	594	271	207	66	50	251	75	50	66	60
2	2	-	-	-	28	11	12	4	1	11	1	2	6	2
25	20	2	2	1	78	66	9	2	1	96	58	8	22	8
19	7	10	1	1	156	78	52	18	8	90	25	16	27	22
38	26	5	7	-	404	285	52	57	10	166	74	15	69	8
-	-	-	-	-	7	6	1	-	-	4	-	-	4	-
1	-	1	-	-	90	46	36	3	5	20	5	5	4	6
56	37	6	9	4	414	246	99	49	20	190	68	17	64	41
109	79	24	5	1	1,625	1,120	416	66	23	456	350	62	39	5
25	15	10	-	-	418	242	165	6	5	45	37	7	1	-
7	3	1	3	-	431	327	90	10	4	42	25	12	5	-
73	58	12	2	1	321	295	15	11	-	336	272	34	26	4
4	3	1	-	-	455	256	146	39	14	33	16	9	7	1
58	30	12	10	6	549	194	75	214	66	420	102	30	220	68
35	18	10	6	1	150	69	28	41	12	276	67	20	146	43
7	4	-	1	2	209	45	16	119	29	70	8	2	50	10
15	7	2	3	3	158	63	31	39	25	64	20	8	21	15
-	-	-	-	-	27	16	-	11	-	9	6	-	3	-
1	1	-	-	-	5	1	-	4	-	1	1	-	-	-
-	-	-	-	-	4	4	-	-	-	1	1	-	-	-

Table 5-10. Deaths From 255 Selected Causes, by Color

(By place of residence. Data refer only to deaths occurring within the United States, including Alaska and Hawaii. Excludes fetal deaths. Num-

CAUSE OF DEATH	NORTH DAKOTA					OHIO				
	Total	White		Nonwhite		Total	White		Nonwhite	
		Male	Female	Male	Female		Male	Female	Male	Female
ALL CAUSES	5,430	3,293	2,024	60	53	93,466	47,987	37,862	4,267	3,350
I. INFECTIVE AND PARASITIC DISEASES	44	21	18	3	2	1,025	523	284	148	70
TUBERCULOSIS, ALL FORMS 001-019	16	11	4	1	-	491	275	108	80	28
TUBERCULOSIS OF RESPIRATORY SYSTEM 001-008	13	10	3	-	-	461	265	97	74	25
TUBERCULOSIS OF MENINGES AND CENTRAL NERVOUS SYSTEM 010	-	-	-	-	-	12	3	3	3	3
TUBERCULOSIS OF INTESTINES, PERITONEUM, AND MESENTERIC GLANDS 011	-	-	-	-	-	-	-	-	-	-
TUBERCULOSIS OF BONES AND JOINTS 012,013	1	1	-	-	-	3	3	-	-	-
TUBERCULOSIS OF OTHER ORGANS AND SYSTEMS 014-018	1	-	1	-	-	11	4	6	1	-
DISSEMINATED TUBERCULOSIS 019	1	-	-	1	-	4	-	2	2	-
SYPHILIS AND ITS SEQUELAE 020-029	3	2	1	-	-	190	82	47	37	24
CONGENITAL SYPHILIS 020	-	-	-	-	-	4	2	1	1	-
EARLY SYPHILIS 021	-	-	-	-	-	-	-	-	-	-
ANEURYSM OF AORTA 022	-	-	-	-	-	75	40	16	12	7
OTHER CARDIOVASCULAR SYPHILIS 023	-	-	-	-	-	70	22	18	18	12
TABES DORSALIS 024	-	-	-	-	-	6	4	2	-	-
GENERAL PARALYSIS OF INSANE 025	1	1	-	-	-	20	9	6	3	2
OTHER SYPHILIS OF CENTRAL NERVOUS SYSTEM 026	2	1	1	-	-	13	4	3	3	3
ALL OTHER SYPHILIS 027-029	-	-	-	-	-	2	1	1	-	-
GONOCOCCAL INFECTION 030-035	-	-	-	-	-	1	1	-	-	-
TYPHOID FEVER 040	-	-	-	-	-	1	-	1	-	-
PARATYPHOID FEVER AND OTHER SALMONELLA INFECTIONS 041,042	-	-	-	-	-	4	2	2	-	-
CHOLERA 043	-	-	-	-	-	-	-	-	-	-
BRUCELLOSIS 044	-	-	-	-	-	-	-	-	-	-
DYSENTERY, ALL FORMS 045-048	-	-	-	-	-	4	2	-	1	1
FOOD POISONING, INFECTION AND INTOXICATION 049	-	-	-	-	-	-	-	-	-	-
SCARLET FEVER 050	-	-	-	-	-	1	-	1	-	-
STREPTOCOCCAL SORE THROAT 051	1	1	-	-	-	7	4	2	1	-
ERYSIPELAS 052	-	-	-	-	-	1	1	-	-	-
SEPTICEMIA AND PYEMIA 053	10	3	5	1	1	86	42	31	10	3
DIPHTHERIA 055	-	-	-	-	-	4	1	2	-	1
WHOOPING COUGH 056	-	-	-	-	-	1	1	-	-	-
MENINGOCOCCAL INFECTIONS 057	1	1	-	-	-	27	13	11	2	1
PLAGUE 058	-	-	-	-	-	-	-	-	-	-
LEPROSY 060	-	-	-	-	-	-	-	-	-	-
TETANUS 061	-	-	-	-	-	10	4	4	2	-
ANTHRAX 062	-	-	-	-	-	-	-	-	-	-
ACUTE POLIOMYELITIS 080	1	-	-	1	-	7	4	2	1	-
LATE EFFECTS OF ACUTE POLIOMYELITIS 081	-	-	-	-	-	9	5	4	-	-
ACUTE INFECTIOUS ENCEPHALITIS 082	2	-	1	-	1	34	15	15	4	-
LATE EFFECTS OF ACUTE INFECTIOUS ENCEPHALITIS 083	-	-	-	-	-	7	5	2	-	-
SMALLPOX 084	-	-	-	-	-	-	-	-	-	-
MEASLES 085	1	1	-	-	-	17	9	5	2	1
YELLOW FEVER 091	-	-	-	-	-	-	-	-	-	-
INFECTIOUS HEPATITIS 092	1	-	1	-	-	40	18	16	2	4
RABIES 094	-	-	-	-	-	1	-	1	-	-
TICK-BORNE TYPHUS 104	1	-	1	-	-	1	-	1	-	-
ALL OTHER RICKETTSIAL DISEASES 100-103,105-108	-	-	-	-	-	-	-	-	-	-
MALARIA 110-117	-	-	-	-	-	-	-	-	-	-
SCHISTOSOMIASIS 123	-	-	-	-	-	-	-	-	-	-
HYDATID DISEASE 125	-	-	-	-	-	1	1	-	-	-
FILARIASIS 127	-	-	-	-	-	-	-	-	-	-
ANCYLOSTOMIASIS 129	-	-	-	-	-	-	-	-	-	-
OTHER DISEASES DUE TO HELMINTHS 124,126,128,130	-	-	-	-	-	2	-	2	-	-
ALL OTHER INFECTIVE AND PARASITIC DISEASES RESIDUAL	7	2	5	-	-	78	38	27	6	7
II. NEOPLASMS	825	458	351	8	8	15,437	7,605	6,687	647	498
MALIGNANT NEOPLASMS, INCLUDING NEOPLASMS OF LYMPHATIC AND HEMATOPOIETIC TISSUES 140-205	813	454	344	7	8	15,217	7,529	6,571	633	484
MALIGNANT NEOPLASM OF BUCCAL CAVITY AND PHARYNX 140-148	14	12	2	-	-	350	260	61	21	8
OF LIP 140	2	2	-	-	-	16	12	3	1	-
OF TONGUE 141	3	3	-	-	-	87	56	22	5	4
OF OTHER AND UNSPEC. PARTS OF BUCCAL CAVITY 142-144	4	3	1	-	-	102	79	17	3	3
OF PHARYNX 145-148	5	4	1	-	-	145	113	19	12	1
MALIGNANT NEOPLASM OF DIGESTIVE ORGANS AND PERITONEUM, NOT SPECIFIED AS SECONDARY 150-156A,157-159	294	160	129	2	3	5,171	2,591	2,197	231	152
OF ESOPHAGUS 150	12	10	2	-	-	273	183	42	39	9
OF STOMACH 151	89	57	31	1	-	1,068	598	356	81	33
OF SMALL INTESTINE, INCLUDING DUODENUM 152	3	2	1	-	-	52	25	23	1	3
OF LARGE INTESTINE, EXCEPT RECTUM 153	58	24	33	-	1	1,760	781	895	43	41
CECUM, APPENDIX, AND ASCENDING COLON 153.0	7	2	5	-	-	226	96	119	5	6
TRANSVERSE COLON 153.1	2	-	2	-	-	88	42	42	3	1
DESCENDING COLON 153.2	2	1	1	-	-	74	35	34	2	3
SIGMOID COLON 153.3	16	11	4	-	1	384	183	182	10	9
MULTIPLE PARTS OF LARGE INTESTINE 153.7	-	-	-	-	-	3	3	-	-	-
LARGE INTESTINE, PART UNSPECIFIED 153.8	30	10	20	-	-	872	378	456	21	17
INTESTINAL TRACT, PART UNSPECIFIED 153.9	1	-	1	-	-	113	44	62	2	5
OF RECTUM 154	35	20	13	1	1	646	347	261	16	22
OF BILIARY PASSAGES AND OF LIVER, PRIMARY SITE 155	27	10	16	-	1	371	138	216	10	7
LIVER 155.0	7	4	3	-	-	91	53	26	10	2
OT. & MULT. SITES OF BILIARY PASSAGES 155.1,155.8	20	6	13	-	1	280	85	190	-	5
OF LIVER NOT STATED WHETHER PRIMARY OR SECONDARY 156A	10	4	6	-	-	205	106	80	8	11
OF PANCREAS 157	52	30	22	-	-	691	370	268	29	24
OF PERITONEUM AND OF UNSPEC. DIGESTIVE ORGANS 158,159	8	3	5	-	-	105	43	56	4	2

and Sex: United States and Each State, 1960—Con.

bers after causes of death are category numbers of the Seventh Revision of the International Lists, 1955. For complete category titles, see table 5-8)

OKLAHOMA					OREGON					PENNSYLVANIA				
Total	White		Nonwhite		Total	White		Nonwhite		Total	White		Nonwhite	
	Male	Female	Male	Female		Male	Female	Male	Female		Male	Female	Male	Female
22,914	12,149	8,289	1,396	1,080	16,819	9,861	6,629	210	119	121,238	62,800	49,509	4,924	4,005
343	182	78	47	36	154	93	48	10	3	1,541	875	361	202	103
171	97	31	21	22	64	46	13	3	2	910	572	146	124	68
160	94	29	17	20	58	41	12	3	2	854	546	137	115	56
4	3	-	1	-	1	1	-	-	-	16	7	3	3	3
-	-	-	-	-	-	-	-	-	-	3	1	-	1	1
-	-	-	-	-	-	-	-	-	-	6	3	2	1	-
3	-	1	1	1	4	4	-	-	-	12	8	2	-	2
4	-	1	2	1	1	-	1	-	-	19	7	2	4	6
43	34	4	4	1	31	19	6	5	1	240	119	54	48	19
-	-	-	-	-	-	-	-	-	-	2	1	-	1	-
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
22	19	2	1	-	13	7	4	2	-	95	59	23	10	3
10	8	-	2	-	11	6	2	2	1	75	28	15	22	10
2	1	-	1	-	2	2	-	-	-	3	-	2	-	1
5	3	1	-	1	2	1	-	1	-	23	11	7	4	1
4	3	1	-	-	2	2	-	-	-	37	17	6	11	3
-	-	-	-	-	1	1	-	-	-	5	3	1	-	1
1	-	1	-	-	-	-	-	-	-	-	-	-	-	-
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
-	-	-	-	-	-	-	-	-	-	5	1	2	2	-
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
-	-	-	-	-	-	-	-	-	-	1	1	-	-	-
8	3	2	-	3	-	-	-	-	-	1	-	-	-	1
1	-	1	-	-	-	-	-	-	-	1	-	1	-	-
-	-	-	-	-	-	-	-	-	-	2	1	1	-	-
2	1	1	-	-	2	1	1	-	-	3	1	2	-	-
1	-	1	-	-	-	-	-	-	-	2	2	-	-	-
28	13	8	4	3	16	9	7	-	-	121	61	42	10	8
1	-	1	-	-	-	-	-	-	-	1	-	-	1	-
4	-	1	2	1	-	-	-	-	-	2	-	1	-	1
8	2	3	3	-	8	2	5	1	-	33	19	9	4	1
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
6	2	-	4	-	-	-	-	-	-	5	4	-	1	-
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
3	1	2	-	-	-	-	-	-	-	13	7	6	-	-
1	1	-	-	-	1	1	-	-	-	5	3	2	-	-
7	2	4	1	-	4	3	1	-	-	25	12	13	-	-
1	-	1	-	-	1	-	1	-	-	5	2	2	1	-
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
7	2	2	1	2	2	2	-	-	-	6	2	2	2	-
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
12	6	5	1	-	12	5	6	1	-	58	16	37	4	1
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
1	1	-	-	-	-	-	-	-	-	-	-	-	-	-
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
-	-	-	-	-	-	-	-	-	-	1	1	-	-	-
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
-	-	-	-	-	-	-	-	-	-	1	-	1	-	-
37	17	10	6	4	13	5	8	-	-	100	51	40	5	4
3,508	1,746	1,453	151	158	2,708	1,456	1,211	24	17	19,896	9,806	8,724	741	625
3,443	1,725	1,416	149	153	2,667	1,438	1,189	23	17	19,487	9,623	8,538	727	599
65	49	12	2	2	51	37	13	1	-	434	319	86	17	12
3	3	-	-	-	2	1	1	-	-	10	9	-	1	-
13	11	1	1	-	15	13	1	1	-	129	100	19	5	5
18	12	5	-	1	17	10	7	-	-	142	101	33	4	4
31	23	6	1	1	17	13	4	-	-	153	109	34	7	3
1,092	543	457	47	45	853	477	363	9	4	6,956	3,481	3,016	282	177
43	31	8	3	1	35	25	9	1	-	375	243	67	54	11
257	136	95	14	12	200	139	60	1	-	1,610	902	593	77	38
10	7	2	-	1	4	-	4	-	-	57	19	33	3	2
298	128	146	11	13	261	122	136	3	-	2,340	1,041	1,176	63	60
29	14	12	2	1	50	24	26	-	-	325	125	186	7	7
20	11	6	1	2	12	5	7	-	-	158	69	81	3	5
12	3	8	1	-	9	5	4	-	-	109	48	60	1	-
47	25	20	-	2	62	29	32	1	-	554	276	256	13	9
-	-	-	-	-	-	-	-	-	-	12	4	7	-	1
173	68	91	6	8	113	51	60	2	-	1,011	459	488	33	31
17	7	9	1	-	15	8	7	-	-	171	60	98	6	7
86	36	44	5	1	93	47	45	-	1	899	488	356	25	30
65	21	37	2	5	73	34	39	-	-	425	151	257	10	7
16	10	5	-	1	10	6	4	-	-	105	63	34	6	2
49	11	32	2	4	63	28	35	-	-	320	88	223	4	5
77	32	36	4	5	31	18	12	-	1	291	147	127	10	7
227	137	77	7	6	142	84	52	4	2	830	443	331	35	21
29	15	12	1	1	14	8	6	-	-	129	47	76	5	1

Table 5-10. Deaths From 255 Selected Causes, by Color

(By place of residence. Data refer only to deaths occurring within the United States, including Alaska and Hawaii. Excludes fetal deaths. Num-

CAUSE OF DEATH	NORTH DAKOTA					OHIO				
	Total	White		Nonwhite		Total	White		Nonwhite	
		Male	Female	Male	Female		Male	Female	Male	Female
II. NEOPLASMS—CON.										
MALIGNANT NEOPLASMS, ETC.—CON.										
MALIGNANT NEOPLASM OF RESPIRATORY SYSTEM, NOT SPECIFIED AS SECONDARY....160-164	86	65	16	3	2	2,218	1,745	271	181	21
OF LARYNX....161	4	4	-	-	-	148	124	10	12	2
OF BRONCHUS & TRACHEA, & OF LUNG SPEC. AS PRIMARY..162	35	25	9	1	-	958	765	95	93	5
OF LUNG, NOT SPEC. PRIMARY OR SECONDARY....163	46	35	7	2	2	1,049	816	153	70	10
OF OTHER PARTS OF RESPIRATORY SYSTEM....160,164	1	1	-	-	-	63	40	13	6	4
MALIGNANT NEOPLASM OF BREAST....170	70	1	69	-	-	1,372	13	1,286	1	72
MALIGNANT NEOPLASM OF GENITAL ORGANS....171-179	122	72	49	-	1	2,326	843	1,280	76	127
OF CERVIX UTERI....171	11	...	10	...	1	506	...	447	...	59
OF OTHER AND UNSPECIFIED PARTS OF UTERUS....172-174	12	...	12	...	-	361	...	329	...	32
OF OVARY, FALLOPIAN TUBE, AND BROAD LIGAMENT....175	25	...	25	...	-	488	...	455	...	33
OF OTHER AND UNSPECIFIED FEMALE GENITAL ORGANS....176	2	...	2	...	-	52	...	49	...	3
OF PROSTATE....177	69	69	...	-	...	864	791	...	73	...
OF ALL OTHER & UNSPEC. MALE GENITAL ORGANS....178,179	3	3	...	-	...	55	52	...	3	...
MALIGNANT NEOPLASM OF URINARY ORGANS....180,181	33	21	10	2	-	718	448	221	33	16
OF KIDNEY....180	16	9	6	1	-	256	148	90	13	5
OF BLADDER AND OTHER URINARY ORGANS....181	17	12	4	1	-	462	300	131	20	11
MALIGNANT NEOPLASM OF OTHER AND UNSPECIFIED SITES....156B,165,190-199	97	63	32	-	2	1,583	810	667	54	52
OF SKIN....190,191	18	15	3	-	-	205	130	66	5	4
OF EYE....192	6	2	4	-	-	19	11	7	-	1
OF BRAIN AND OTHER PARTS OF NERVOUS SYSTEM....193	23	17	5	-	1	359	196	141	11	11
OF THYROID GLAND....194	3	1	2	-	-	62	27	32	1	2
OF BONE....196	6	2	4	-	-	116	65	43	6	2
OF CONNECTIVE TISSUE....197	3	2	1	-	-	69	35	26	4	4
OF OTHER SPECIFIED SITES, NOT SECONDARY....195,199A	3	3	-	-	-	74	46	24	3	1
OF UNSPECIFIED SITES....156B,165,198,199B	35	21	13	-	1	679	300	328	24	27
LEUKEMIA AND ALEUKEMIA....204	39	24	15	-	-	704	377	297	14	16
LYMPHOSARCOMA, ETC....200-203,205	58	36	22	-	-	775	442	291	22	20
LYMPHOSARCOMA AND RETICULOSARCOMA....200	24	15	9	-	-	378	223	140	6	9
HODGKINS DISEASE....201	16	10	6	-	-	190	112	69	7	2
OTHER NEOPLASMS OF LYMPHATIC AND HEMATOPOIETIC TISSUES....202,203,205	18	11	7	-	-	207	107	82	9	9
BENIGN NEOPLASMS AND NEOPLASMS OF UNSPEC. NATURE...210-239	12	4	7	1	-	220	76	116	14	14
BENIGN NEOPLASMS OF FEMALE GENITAL ORGANS....214-217	-	...	-	...	-	26	...	18	...	8
BENIGN NEOPLASM OF BRAIN & OT. PTS. OF NERVOUS SYS...223	3	2	1	-	-	58	24	26	6	2
OTHER BENIGN NEOPLASMS....210-213,218-222,224-229	6	-	5	1	-	57	22	27	4	4
UNSPECIFIED NEOPLASM OF FEMALE GENITAL ORGANS....233-235	-	...	-	...	-	2	...	2	...	-
NEOPLASM OF UNSPECIFIED NATURE OF BRAIN, ETC....237	2	2	-	-	-	45	22	22	1	-
OTHER NEOPLASMS OF UNSPEC. NATURE....230-232,236,238,239	1	-	1	-	-	32	8	21	3	-
III. ALLERGIC, ENDOCRINE SYSTEM, METABOLIC, AND NUTRITIONAL DISEASES....	146	77	65	-	4	2,821	1,062	1,486	85	188
ASTHMA....241	18	14	4	-	-	253	140	80	15	18
NONTOXIC GOITER....250,251	-	-	-	-	-	6	2	3	-	1
THYROTOXICOSIS WITH OR WITHOUT GOITER....252	3	-	3	-	-	32	4	24	1	3
ALL OTHER DISEASES OF THYROID GLAND....253,254	1	1	-	-	-	17	4	11	1	1
DIABETES MELLITUS....260	110	53	54	-	3	2,236	780	1,261	58	137
DISEASES OF THYMUS GLAND....273	-	-	-	-	-	8	5	3	-	-
DISEASES OF ADRENAL GLANDS....274	2	2	-	-	-	21	11	8	-	2
PELLAGRA....281	-	-	-	-	-	1	-	-	-	1
OTHER NUTRITIONAL DEFICIENCY STATES....280,282-286	3	2	1	-	-	97	42	39	7	9
ALL OTHER ALLERGIC, ENDOCRINE, & METABOLIC DIS....RESIDUAL	9	5	3	-	1	150	74	57	3	16
IV. DISEASES OF THE BLOOD AND BLOOD-FORMING ORGANS...	18	11	7	-	-	295	135	134	13	13
ANEMIAS....290-293	14	8	6	-	-	184	75	89	8	12
PERNICIOUS AND OTHER HYPERCHROMIC ANEMIAS....290	5	3	2	-	-	47	15	30	-	2
ANEMIAS OF OTHER AND UNSPECIFIED TYPE....291-293	9	5	4	-	-	137	60	59	8	10
PURPURA AND OTHER HEMORRHAGIC CONDITIONS....296	-	-	-	-	-	42	15	22	4	1
OTHER DIS. OF BLOOD AND BLOOD-FORMING ORGANS....RESIDUAL	4	3	1	-	-	69	45	23	1	-
V. MENTAL, PSYCHONEUROTIC, AND PERSONALITY DISORDERS	8	6	1	1	-	214	114	68	21	11
SENILE PSYCHOSIS....304	-	-	-	-	-	14	6	7	-	1
ALCOHOLIC PSYCHOSIS....307	3	3	-	-	-	23	16	3	3	1
OTHER PSYCHOSES....300-303,305,306,308,309	1	1	-	-	-	36	11	21	1	3
ALCOHOLISM....322	3	2	-	1	-	94	62	11	15	6
MENTAL DEFICIENCY....325	1	-	1	-	-	30	17	11	2	-
OTHER DISORDERS OF PERSONALITY....RESIDUAL	-	-	-	-	-	17	2	15	-	-
VI. DISEASES OF THE NERVOUS SYSTEM AND SENSE ORGANS..	731	394	329	5	3	11,974	5,244	5,822	464	444
VASCULAR LESIONS AFFECTING CENTRAL NERVOUS SYSTEM..330-334	672	357	308	5	2	11,188	4,877	5,482	421	408
SUBARACHNOID HEMORRHAGE....330	10	7	2	1	-	393	140	182	35	36
CEREBRAL HEMORRHAGE....331	452	238	213	-	1	6,501	2,840	3,203	220	238
CEREBRAL EMBOLISM AND THROMBOSIS....332	153	78	71	4	-	3,346	1,497	1,604	135	110
OTHER VASCULAR LESIONS AFFECTING C.N.S....333,334	57	34	22	-	1	948	400	493	31	24
MENINGITIS, EXCEPT MENINGOCOCCAL AND TUBERCULOUS....340	3	3	-	-	-	103	48	36	9	10
MULTIPLE SCLEROSIS....345	10	4	6	-	-	94	33	58	-	3
PARALYSIS AGITANS....350	16	12	4	-	-	166	81	77	1	7
CEREBRAL SPASTIC INFANTILE PARALYSIS....351	4	2	2	-	-	52	26	21	2	3
EPILEPSY....353	7	5	2	-	-	92	46	30	12	4
INFLAMMATORY DISEASES OF EYE....370-379	-	-	-	-	-	-	-	-	-	-
CATARACT....385	-	-	-	-	-	2	-	1	1	-
GLAUCOMA....387	-	-	-	-	-	-	-	-	-	-
OTITIS MEDIA AND MASTOIDITIS....391-393	2	2	-	-	-	15	11	4	-	-
OTHER DIS. OF NERVOUS SYSTEM AND SENSE ORGANS....RESIDUAL	17	9	7	-	1	262	122	113	18	9

and Sex: United States and Each State, 1960—Con.

bers after causes of death are category numbers of the Seventh Revision of the International Lists, 1955. For complete category titles, see table 5-8)

OKLAHOMA					OREGON					PENNSYLVANIA					
Total	White		Nonwhite		Total	White		Nonwhite		Total	White		Nonwhite		
	Male	Female	Male	Female		Male	Female	Male	Female		Male	Female	Male	Female	
518	408	69	33	8	392	326	58	7	1	2,840	2,215	391	203	31	1
25	19	2	4	-	16	14	1	1	-	168	141	12	14	1	2
157	128	12	14	3	209	177	29	3	-	1,107	874	121	108	4	3
319	251	49	14	5	160	129	27	3	1	1,502	1,168	234	76	24	4
17	10	6	1	-	7	6	1	-	-	63	32	24	5	2	5
244	1	222	-	21	263	3	252	-	6	1,764	10	1,652	-	102	6
545	188	278	28	51	396	194	199	-	3	2,670	975	1,486	82	127	7
131	...	110	...	21	66	...	63	...	3	520	...	457	...	63	8
92	...	71	...	21	49	...	49	...	-	488	...	459	...	29	9
96	...	88	...	8	81	...	81	...	-	537	...	503	...	34	10
10	...	9	...	1	6	...	6	...	-	68	...	67	...	1	11
206	178	...	28	...	186	186	...	-	...	989	910	...	79	...	12
10	10	...	-	...	8	8	...	-	...	68	65	...	3	...	13
153	102	41	5	5	132	83	49	-	-	951	618	277	28	28	14
69	48	15	3	3	57	28	29	-	-	319	183	112	14	10	15
84	54	26	2	2	75	55	20	-	-	632	435	165	14	18	16
452	222	198	17	15	277	135	136	5	1	2,223	1,087	987	70	79	17
76	43	30	1	2	36	21	15	-	-	256	133	109	9	5	18
4	1	3	-	-	4	1	3	-	-	22	10	9	1	2	19
77	42	30	3	2	72	39	32	1	-	374	219	141	7	7	20
9	4	5	-	-	8	2	6	-	-	76	22	48	-	6	21
25	18	7	-	-	7	4	3	-	-	114	77	33	1	3	22
12	7	3	2	-	19	9	9	1	-	80	45	28	2	5	23
37	20	15	2	-	13	10	3	-	-	100	62	26	7	5	24
212	87	105	9	11	118	49	65	3	1	1,201	519	593	43	46	25
207	116	79	9	3	136	80	55	1	-	849	491	325	23	10	26
167	96	60	8	3	167	103	64	-	-	800	427	318	22	33	27
75	40	29	5	1	86	54	32	-	-	378	201	154	9	14	28
35	24	10	1	-	34	18	16	-	-	179	98	73	5	3	29
57	32	21	2	2	47	31	16	-	-	243	128	91	8	16	30
65	21	37	2	5	41	18	22	1	-	409	183	186	14	26	31
10	...	7	...	3	2	...	2	...	-	30	...	20	...	10	32
7	1	5	-	1	5	3	2	-	-	61	21	34	3	3	33
11	3	8	-	-	8	4	4	-	-	84	45	32	3	4	34
-	...	-	...	-	-	...	-	...	-	3	...	2	...	1	35
24	12	10	1	1	11	6	4	1	-	153	83	60	4	6	36
13	5	7	1	-	15	5	10	-	-	78	34	38	4	2	37
608	252	268	38	50	358	168	184	3	3	3,450	1,269	1,906	96	179	38
105	68	29	5	3	60	45	13	1	1	314	185	94	14	21	39
3	1	1	-	1	-	-	-	-	-	7	2	4	-	1	40
11	1	8	-	2	5	-	5	-	-	39	3	31	2	3	41
2	-	2	-	-	2	1	1	-	-	24	3	21	-	-	42
385	149	177	21	38	226	89	134	1	2	2,757	946	1,613	70	128	43
1	1	-	-	-	-	-	-	-	-	8	3	5	-	-	44
5	1	2	1	1	1	-	1	-	-	34	13	18	-	3	45
-	-	-	-	-	-	-	-	-	-	3	2	-	-	1	46
38	13	21	4	-	23	15	8	-	-	118	50	50	8	10	47
58	18	28	7	5	41	18	22	1	-	146	62	70	2	12	48
79	34	37	6	2	50	25	25	-	-	314	129	153	17	15	49
52	23	21	6	2	32	13	19	-	-	188	69	98	11	10	50
13	4	9	-	-	7	1	6	-	-	43	17	24	1	1	51
39	19	12	6	2	25	12	13	-	-	145	52	74	10	9	52
7	2	5	-	-	6	5	1	-	-	40	18	18	3	1	53
20	9	11	-	-	12	7	5	-	-	86	42	37	3	4	54
71	29	26	14	2	73	45	25	2	1	214	123	57	26	8	55
23	8	10	4	1	5	3	2	-	-	24	7	17	-	-	56
4	3	1	-	-	1	-	1	-	-	29	28	-	1	-	57
11	3	5	2	1	29	15	13	-	1	36	19	15	1	1	58
20	9	3	8	-	30	24	4	2	-	86	50	9	21	6	59
9	5	4	-	-	7	3	4	-	-	30	17	12	-	1	60
4	1	3	-	-	1	-	1	-	-	9	2	4	3	-	61
3,217	1,477	1,415	162	163	2,491	1,248	1,211	20	12	13,636	6,005	6,708	438	485	62
3,013	1,371	1,348	142	152	2,331	1,164	1,138	18	11	12,687	5,549	6,310	376	452	63
69	29	27	6	7	71	28	41	-	2	451	192	208	22	29	64
1,921	883	865	79	94	1,286	631	635	13	7	6,905	3,028	3,430	205	242	65
687	308	316	31	32	796	421	368	5	2	4,271	1,892	2,124	117	138	66
336	151	140	26	19	178	84	94	-	-	1,060	437	548	32	43	67
23	8	7	5	3	29	14	14	1	-	124	60	38	14	12	68
13	8	5	-	-	19	7	12	-	-	127	48	74	3	2	69
46	26	19	1	-	47	25	22	-	-	202	102	96	3	1	70
9	7	2	-	-	1	-	1	-	-	38	23	11	3	1	71
14	7	4	1	2	16	9	7	-	-	134	60	47	21	6	72
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	73
1	-	1	-	-	1	-	1	-	-	1	1	-	-	-	74
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	75
3	1	1	1	-	5	4	1	-	-	26	12	11	1	2	76
95	49	28	12	6	42	25	15	1	1	297	150	121	17	9	77

Table 5-10. Deaths From 255 Selected Causes, by Color

(By place of residence. Data refer only to deaths occurring within the United States, including Alaska and Hawaii. Excludes fetal deaths. Num-

CAUSE OF DEATH	NORTH DAKOTA					OHIO				
	Total	White		Nonwhite		Total	White		Nonwhite	
		Male	Female	Male	Female		Male	Female	Male	Female
VII. DISEASES OF THE CIRCULATORY SYSTEM	2,194	1,401	775	9	9	40,483	21,686	16,286	1,334	1,177
DISEASES OF HEART 400-402,410-443	1,995	1,298	681	9	7	35,997	19,577	14,270	1,154	996
RHEUMATIC FEVER 400-402	1	-	-	1	-	36	20	12	3	1
CHRONIC RHEUMATIC HEART DISEASE 410-416	58	31	26	1	-	1,051	492	498	30	31
DISEASES OF MITRAL VALVE 410	18	10	7	1	-	418	178	211	12	17
DISEASES OF AORTIC VALVE SPECIFIED AS RHEUMATIC 411	7	4	3	-	-	107	71	32	2	2
DISEASES OF PULMONARY VALVE, ETC 413,414	7	4	3	-	-	53	24	28	-	1
OTHER RHEUMATIC HEART DISEASES 412,415,416	26	13	13	-	-	473	219	227	16	11
ARTERIOSCLEROTIC HEART DIS., INCL. CORONARY DIS 420	1,577	1,064	499	7	7	26,898	15,692	9,899	762	545
ARTERIOSCLEROTIC HEART DISEASE SO DESCRIBED 420.0	596	359	232	3	2	10,719	5,390	4,815	281	233
HEART DIS. SPEC. AS INVOLVING CORONARY ARTERIES 420.1	981	705	267	4	5	16,152	10,287	5,075	479	311
ANGINA PECTORIS WITHOUT MENTION CORONARY DIS 420.2	-	-	-	-	-	27	15	9	2	1
CHRONIC ENDOCARDITIS NOT SPECIFIED AS RHEUMATIC 421	24	13	11	-	-	228	127	84	6	11
OF MITRAL VALVE, SPECIFIED AS NONRHEUMATIC 421.0	-	-	-	-	-	16	6	8	-	2
OF AORTIC VALVE, NOT SPECIFIED AS RHEUMATIC 421.1	18	11	7	-	-	101	66	30	4	1
OF OTHER VALVES, NOT SPEC. AS RHEUMATIC 421.2-421.4	6	2	4	-	-	111	55	46	2	8
OTHER MYOCARDIAL DEGENERATION 422	112	59	53	-	-	2,636	1,174	1,346	54	62
WITH ARTERIOSCLEROSIS 422.1	89	45	44	-	-	1,924	848	1,014	25	37
WITHOUT MENTION OF ARTERIOSCLEROSIS 422.0,422.2	23	14	9	-	-	712	326	332	29	25
OTHER DISEASES OF HEART 430-434	91	56	35	-	-	1,418	684	600	72	62
ACUTE AND SUBACUTE ENDOCARDITIS 430	1	1	-	-	-	41	23	13	3	2
ACUTE NONRHEUMATIC MYOCARDITIS & PERICARDITIS 431,432	1	1	-	-	-	59	27	27	3	2
FUNCTIONAL DISEASE OF HEART 433	21	9	12	-	-	386	180	180	17	9
OTHER AND UNSPECIFIED DISEASES OF HEART 434	68	45	23	-	-	932	454	380	49	49
HYPERTENSIVE HEART DISEASE 440-443	132	75	57	-	-	3,730	1,388	1,831	227	284
HYPERTENSIVE HEART DISEASE WITH ARTERIOLAR NEPHROSCLEROSIS 442	26	15	11	-	-	1,149	514	515	65	55
OTHER HYPERTENSIVE HEART DISEASE 440,441,443	106	60	46	-	-	2,581	874	1,316	162	229
OTHER HYPERTENSIVE DISEASE 444-447	33	21	11	-	1	785	340	341	52	52
HYPERTENSION WITH ARTERIOLAR NEPHROSCLEROSIS 446	23	14	8	-	1	458	212	193	29	24
ESSENTIAL HYPERTENSION 444,445,447	10	7	3	-	-	327	128	148	23	28
DISEASES OF ARTERIES 450-456	140	75	64	-	1	3,283	1,585	1,502	97	99
GENERAL ARTERIOSCLEROSIS 450	114	58	55	-	1	2,633	1,185	1,299	70	79
AORTIC ANEURYSM, NONSYPHILITIC, ETC 451	17	14	3	-	-	487	328	131	21	7
GANGRENE OF UNSPECIFIED CAUSE 455	1	-	1	-	-	9	8	1	-	-
OTHER ARTERIAL DISEASES 452-454,456	8	3	5	-	-	154	64	71	6	13
DIS. OF VEINS AND OTHER DIS. OF CIRCULATORY SYS. 460-468	26	7	19	-	-	418	184	173	31	30
VIII. DISEASES OF THE RESPIRATORY SYSTEM	324	183	123	9	9	4,331	2,502	1,357	304	168
ACUTE UPPER RESPIRATORY INFECTIONS 470-475	3	1	2	-	-	79	25	33	13	8
INFLUENZA 480-483	29	13	15	1	-	379	204	161	6	8
PNEUMONIA, EXCEPT PNEUMONIA OF NEWBORN 490-493	224	126	86	5	7	2,336	1,187	870	167	112
LOBAR PNEUMONIA 490	38	26	11	-	1	438	234	145	44	15
BRONCHOPNEUMONIA 491	146	82	60	2	2	1,499	752	570	99	78
PRIMARY ATYPICAL PNEUMONIA 492	21	7	10	2	2	227	103	101	13	10
PNEUMONIA, OTHER AND UNSPECIFIED 493	19	11	5	1	2	172	98	54	11	9
ACUTE BRONCHITIS 500	4	1	2	1	-	70	32	25	7	6
BRONCHITIS, CHRONIC AND UNQUALIFIED 501,502	10	7	3	-	-	188	138	37	8	5
HYPERTROPHY OF TONSILS AND ADENOIDS 510	-	-	-	-	-	4	2	2	-	-
EMPYEMA AND ABSCESS OF LUNG 518,521	2	1	1	-	-	32	25	2	3	2
PLEURISY 519	-	-	-	-	-	14	8	4	2	-
EMPHYSEMA WITHOUT MENTION OF BRONCHITIS 527.1	17	15	2	-	-	543	427	70	42	4
OTHER RESPIRATORY DISEASES RESIDUAL	35	19	12	2	2	686	454	153	56	23
IX. DISEASES OF THE DIGESTIVE SYSTEM	183	112	68	1	2	3,583	1,975	1,319	187	102
DISEASES OF TEETH AND SUPPORTING STRUCTURES 530-535	-	-	-	-	-	5	2	3	-	-
ULCER OF STOMACH 540	11	9	2	-	-	326	214	89	18	5
ULCER OF DUODENUM 541	21	19	2	-	-	315	216	77	18	4
GASTRITIS AND DUODENITIS 543	2	1	1	-	-	17	10	4	2	1
APPENDICITIS 550-553	6	2	4	-	-	112	68	29	10	5
HERNIA AND INTESTINAL OBSTRUCTION 560,561,570	27	11	16	-	-	519	229	250	28	12
GASTROENTERITIS AND COLITIS, EXC. ULCERATIVE, AGE 4 WEEKS AND OVER 571	16	9	6	-	1	163	82	66	10	5
CHRONIC ENTERITIS AND ULCERATIVE COLITIS 572	5	3	2	-	-	158	69	82	4	3
CIRRHOSIS OF LIVER 581	46	36	9	1	-	1,132	704	324	63	41
WITHOUT MENTION OF ALCOHOLISM 581.0	30	24	5	1	-	839	498	265	42	34
WITH ALCOHOLISM 581.1	16	12	4	-	-	293	206	59	21	7
CHOLELITHIASIS, CHOLECYSTITIS, AND CHOLANGITIS 584,585	17	7	10	-	-	267	93	165	5	4
FIBROCYSTIC DISEASE OF PANCREAS 5878	3	-	2	-	1	15	9	6	-	-
OTHER DISEASES OF DIGESTIVE SYSTEM RESIDUAL	29	15	14	-	-	554	279	224	29	22
X. DISEASES OF THE GENITOURINARY SYSTEM	71	52	17	-	2	1,556	849	492	115	100
NEPHRITIS AND NEPHROSIS 590-594	27	19	8	-	-	616	299	238	38	41
ACUTE NEPHRITIS 590	1	-	1	-	-	31	14	14	1	2
NEPHRITIS WITH EDEMA, INCLUDING NEPHROSIS 591	2	2	-	-	-	62	30	25	3	4
CHRONIC AND UNSPECIFIED NEPHRITIS, ETC 592-594	24	17	7	-	-	523	255	199	34	35
INFECTIONS OF KIDNEY 600	16	10	5	-	1	429	180	165	38	46
CALCULI OF URINARY SYSTEM 602,604	5	4	1	-	-	60	38	16	3	3
OTHER DISEASES OF URINARY SYSTEM 601,603,605-609	3	1	2	-	-	133	73	41	15	4
HYPERPLASIA OF PROSTATE 610	15	15	...	-	...	259	240	...	19	...
DISEASES OF BREAST 620,621	-	-	-	-	-	1	-	1	-	-
OTHER DISEASES OF GENITAL ORGANS RESIDUAL	5	3	1	-	1	58	19	31	2	6

and Sex: United States and Each State, 1960—Con.

bers after causes of death are category numbers of the Seventh Revision of the International Lists, 1955. For complete category titles, see table 5-8)

OKLAHOMA					OREGON					PENNSYLVANIA					
Total	White		Nonwhite		Total	White		Nonwhite		Total	White		Nonwhite		
	Male	Female	Male	Female		Male	Female	Male	Female		Male	Female	Male	Female	
8,545	4,887	2,998	374	286	6,964	4,280	2,585	68	31	56,866	30,270	23,339	1,788	1,469	1
															2
7,685	4,485	2,638	322	240	6,313	3,930	2,298	58	27	51,674	27,817	20,958	1,607	1,292	3
9	4	5	-	-	4	2	2	-	-	58	23	28	2	5	4
142	73	55	8	6	197	91	100	4	2	1,497	667	760	38	32	5
55	27	21	4	3	65	26	36	1	2	538	219	300	9	10	6
11	7	4	-	-	30	18	11	1	-	141	93	40	6	2	7
6	3	3	-	-	14	4	10	-	-	95	46	47	1	1	8
70	36	27	4	3	88	43	43	2	-	723	309	373	22	19	9
5,779	3,628	1,825	207	119	4,977	3,304	1,612	46	15	38,179	22,144	14,140	1,141	754	10
1,687	927	668	60	32	1,893	1,171	704	12	6	16,846	8,644	7,071	676	455	11
4,082	2,697	1,155	145	85	3,082	2,132	907	34	9	21,310	13,488	7,059	465	298	12
10	4	2	2	2	2	1	1	-	-	23	12	10	-	1	13
															14
45	25	15	2	3	60	40	20	-	-	392	205	166	13	8	15
2	-	1	1	-	2	2	-	-	-	25	10	15	-	-	16
14	10	3	-	1	39	27	12	-	-	125	81	35	7	2	17
29	15	11	1	2	19	11	8	-	-	242	114	116	6	6	18
460	206	213	19	22	283	113	163	2	5	4,875	2,130	2,546	99	100	19
264	117	128	9	10	178	70	104	1	3	3,722	1,637	1,936	75	74	20
196	89	85	10	12	105	43	59	1	2	1,153	493	610	24	26	21
															22
545	294	194	34	23	249	137	109	2	1	1,629	785	737	57	50	23
8	4	3	1	-	12	8	4	-	-	50	28	11	5	6	24
16	9	7	-	-	11	5	6	-	-	71	30	37	2	2	25
104	42	54	5	3	77	33	43	1	-	465	215	238	4	8	26
417	239	130	28	20	149	91	56	1	1	1,043	512	451	46	34	27
705	255	331	52	67	543	243	292	4	4	5,044	1,863	2,581	257	343	28
															29
234	85	107	18	24	168	80	88	-	-	1,431	637	690	47	57	30
471	170	224	34	43	375	163	204	4	4	3,613	1,226	1,891	210	286	31
															32
157	70	56	15	16	73	35	33	4	1	848	350	383	63	52	33
73	37	26	6	4	36	18	14	3	1	456	230	193	17	16	34
84	33	30	9	12	37	17	19	1	-	392	120	190	46	36	35
589	285	248	32	24	496	271	219	4	2	3,644	1,813	1,679	66	86	36
459	192	221	25	21	348	166	180	1	1	2,905	1,332	1,470	48	55	37
84	67	10	5	2	114	89	22	3	-	539	386	122	14	17	38
7	4	2	1	-	2	2	-	-	-	20	8	10	1	1	39
39	22	15	1	1	32	14	17	-	1	180	87	77	3	13	40
114	47	56	5	6	82	44	35	2	1	700	290	319	52	39	41
															42
															43
1,145	637	357	85	66	828	528	286	9	5	6,181	3,848	1,816	321	196	44
															45
9	6	3	-	-	7	3	3	-	1	42	14	19	5	4	46
127	52	45	17	13	27	13	14	-	-	351	157	186	4	4	47
691	371	220	53	47	495	275	210	7	3	3,445	1,792	1,264	228	161	48
77	40	25	8	4	60	35	21	3	1	637	368	204	40	25	49
331	194	92	22	23	307	163	139	3	2	1,784	922	675	116	71	50
54	27	17	5	5	53	35	18	-	-	445	237	159	30	19	51
229	110	86	18	15	75	42	32	1	-	579	265	226	42	46	52
															53
16	9	5	2	-	9	9	-	-	-	69	34	30	4	1	54
42	29	9	3	1	32	23	7	1	1	169	111	48	5	5	55
2	1	-	1	-	2	1	1	-	-	8	2	3	2	1	56
8	6	-	1	1	7	5	2	-	-	61	32	18	7	4	57
5	2	3	-	-	2	1	1	-	-	9	6	2	1	-	58
109	87	18	3	1	132	119	13	-	-	532	450	57	23	2	59
136	74	54	5	3	115	79	35	1	-	1,495	1,250	189	42	14	60
															61
															62
834	412	309	64	49	587	354	217	9	7	4,345	2,490	1,567	167	121	63
															64
3	1	2	-	-	-	-	-	-	-	4	-	3	1	-	65
62	39	14	6	3	59	43	15	1	-	343	235	89	13	6	66
63	49	11	3	-	58	45	11	2	-	348	258	66	18	6	67
2	-	1	1	-	5	4	1	-	-	36	26	9	-	1	68
36	17	11	6	2	18	9	9	-	-	139	79	48	9	3	69
127	63	50	5	9	83	50	33	-	-	675	310	312	26	27	70
															71
64	23	25	11	5	24	13	9	1	1	168	65	76	13	14	72
															73
34	13	18	2	1	28	9	19	-	-	205	102	96	4	3	74
172	102	48	8	14	154	89	56	4	5	1,290	861	357	42	30	75
131	85	37	3	6	97	57	38	-	2	933	602	290	25	16	76
41	17	11	5	8	57	32	18	4	3	357	259	67	17	14	77
84	20	52	7	5	43	18	25	-	-	336	137	182	8	9	78
13	6	6	1	-	4	2	1	-	1	30	15	14	1	-	79
174	79	71	14	10	111	72	38	1	-	771	402	315	32	22	80
															81
															82
496	256	144	61	35	227	141	77	6	3	1,930	1,039	655	124	112	83
															84
230	86	82	35	27	94	52	38	1	3	948	474	390	45	39	85
12	6	4	-	2	3	1	2	-	-	40	19	16	3	2	86
16	8	5	1	2	10	5	5	-	-	58	32	19	4	3	87
202	72	73	34	23	81	46	31	1	3	850	423	355	38	34	88
115	56	41	11	7	65	35	27	3	-	427	181	159	38	49	89
17	14	3	-	-	10	5	5	-	-	73	35	31	3	4	90
30	15	10	4	1	17	11	5	1	-	115	64	35	10	6	91
90	79	...	11	...	36	35	...	1	...	280	255	...	25	...	92
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	93
14	6	8	-	-	5	3	2	-	-	87	30	40	3	14	94
															95

Table 5-10. Deaths From 255 Selected Causes, by Color

(By place of residence. Data refer only to deaths occurring within the United States, including Alaska and Hawaii. Excludes fetal deaths. Num-

CAUSE OF DEATH	NORTH DAKOTA					OHIO				
	Total	White		Nonwhite		Total	White		Nonwhite	
		Male	Female	Male	Female		Male	Female	Male	Female
XI. DELIVERIES AND COMPLICATIONS OF PREGNANCY, CHILDBIRTH, AND THE PUERPERIUM	4	...	4	...	-	74	...	56	...	18
SEPSIS OF PREGNANCY, CHILDBIRTH, ETC...640,641,681,682,684	-	...	-	...	-	10	...	8	...	2
TOXEMIAS OF PREGNANCY AND PUERPERIUM, ETC.....642,685,686	-	...	-	...	-	18	...	16	...	2
HEMORRHAGE OF PREGNANCY AND CHILDBIRTH.....643,644,670-672	-	...	-	...	-	12	...	10	...	2
ECTOPIC PREGNANCY.....645	-	...	-	...	-	7	...	2	...	5
ABORTION WITHOUT MENTION OF SEPSIS OR TOXEMIA.....650	-	...	-	...	-	3	...	2	...	1
ABORTION WITH SEPSIS.....651	1	...	1	...	-	3	...	1	...	2
ABORTION WITH TOXEMIA, WITHOUT MENTION OF SEPSIS.....652	-	...	-	...	-	-	...	-	...	-
OT. COMPLICATIONS OF PREGNANCY, CHILDBIRTH, ETC...RESIDUAL	3	...	3	...	-	21	...	17	...	4
XII. DISEASES OF THE SKIN AND CELLULAR TISSUE	8	1	7	-	-	108	37	56	3	12
INFECTIONS OF SKIN AND SUBCUTANEOUS TISSUE.....690-698	3	-	3	-	-	33	17	12	2	2
OTHER DISEASES OF SKIN AND SUBCUTANEOUS TISSUE.....700-716	5	1	4	-	-	75	20	44	1	10
XIII. DISEASES OF THE BONES AND ORGANS OF MOVEMENT	17	9	8	-	-	235	89	136	6	4
ARTHRITIS AND SPONDYLITIS.....720-725	11	5	6	-	-	133	32	97	3	1
MUSCULAR RHEUMATISM AND RHEUMATISM UNSPECIFIED.....726,727	-	-	-	-	-	1	-	1	-	-
OSTEOMYELITIS AND PERIOSTITIS.....730	-	-	-	-	-	11	8	2	1	-
ANKYLOSIS & ACQ. MUSCULOSKELETAL DEFORMITIES...737,745-749	-	-	-	-	-	4	1	3	-	-
INBORN DEFECT OF MUSCLE.....744.1	3	2	1	-	-	33	28	4	-	1
OT. DIS. OF MUSCULOSKELETAL SYS....731-736,738-744.0,744.2	3	2	1	-	-	53	20	29	2	2
XIV. CONGENITAL MALFORMATIONS	91	47	39	3	2	1,225	579	529	59	58
SPINA BIFIDA AND MENINGOCELE.....751	4	3	1	-	-	86	33	46	3	4
CONGENITAL HYDROCEPHALUS, ETC.....752,753	11	8	1	1	1	144	58	73	6	7
CONGENITAL MALFORMATIONS OF CIRCULATORY SYSTEM.....754	40	19	18	2	1	609	289	257	33	30
OTHER CONGENITAL MALFORMATIONS.....750,755-759	36	17	19	-	-	386	199	153	17	17
XV. CERTAIN DISEASES OF EARLY INFANCY	267	146	110	8	3	3,562	1,691	1,205	387	279
XVI. SYMPTOMS, SENILITY, AND ILL-DEFINED CONDITIONS	32	18	13	1	-	454	210	159	48	37
SENILITY WITHOUT MENTION OF PSYCHOSIS.....794	17	7	10	-	-	60	26	32	-	2
SYMPTOMS, ILL-DEFINED, AND UNKNOWN CAUSES.....780-793,795	15	11	3	1	-	394	184	127	48	35
XVII. ACCIDENTS, POISONINGS, AND VIOLENCE	467	357	89	12	9	6,089	3,686	1,786	446	171
ACCIDENTS.....E800-E962	399	303	79	9	8	4,717	2,836	1,466	294	121
RAILWAY ACCIDENTS.....E800-E802	2	2	-	-	-	41	35	2	4	-
MOTOR VEHICLE ACCIDENTS.....E810-E835	170	134	29	3	4	1,979	1,349	508	90	32
MOTOR VEHICLE TRAFFIC ACCIDENTS.....E810-E825	164	130	27	3	4	1,931	1,311	499	90	31
TRAFFIC ACCIDENT WITH RAILWAY TRAIN.....E810	15	14	1	-	-	85	60	21	4	-
TRAFFIC ACCIDENT TO PEDESTRIAN.....E812	9	6	1	2	-	386	248	100	24	14
OTHER TRAFFIC ACCIDENTS, ETC.....E811,E813-E819	82	58	21	1	2	835	542	257	28	8
NONCOLLISION TRAFFIC ACCIDENTS.....E820-E824	44	38	4	-	2	466	344	86	29	7
TRAFFIC ACCIDENT OF UNSPECIFIED NATURE.....E825	14	14	-	-	-	159	117	35	5	2
MOTOR VEHICLE NONTRAFFIC ACCIDENTS.....E830-E835	6	4	2	-	-	48	38	9	-	1
OTHER ROAD VEHICLE ACCIDENTS.....E840-E845	2	-	1	1	-	6	3	2	1	-
WATER TRANSPORT ACCIDENTS.....E850-E858	9	9	-	-	-	51	44	5	2	-
AIRCRAFT ACCIDENTS.....E860-E866	9	7	2	-	-	53	42	10	1	-
ACCIDENTAL POISONING BY SOLIDS AND LIQUIDS.....E870-E888	4	4	-	-	-	73	31	32	6	4
ACCIDENTAL POISONING BY GASES AND VAPORS.....E890-E895	7	7	-	-	-	116	74	19	16	7
ACCIDENTAL FALLS.....E900-E904	67	37	28	1	1	1,237	546	617	48	26
FALL FROM ONE LEVEL TO ANOTHER.....E900-E902	30	18	10	1	1	418	235	143	29	11
FALL ON SAME LEVEL.....E903	12	6	6	-	-	187	67	118	1	1
UNSPECIFIED FALLS.....E904	25	13	12	-	-	632	244	356	18	14
BLOW FROM FALLING OR PROJECTED OBJECT OR MISSILE....E910	3	3	-	-	-	51	40	4	7	-
ACCIDENT CAUSED BY MACHINERY.....E912	33	32	1	-	-	100	92	5	3	-
ACCIDENT CAUSED BY ELECTRIC CURRENT.....E914	3	3	-	-	-	38	33	2	2	1
ACCIDENT CAUSED BY FIRE AND EXPLOSION, ETC.....E916	23	14	5	1	3	308	137	100	45	26
ACCIDENT CAUSED BY HOT SUBSTANCE, ETC.....E917,E918	1	-	1	-	-	16	3	10	3	-
ACCIDENT CAUSED BY FIREARM.....E919	15	14	1	-	-	73	53	11	7	2
INHALATION AND INGESTION OF OBJECTS, ETC.....E921,E922	9	6	3	-	-	95	50	29	9	7
ACCIDENTAL DROWNING.....E929	15	9	5	1	-	187	142	20	24	1
EXCESSIVE HEAT AND INSOLATION.....E931	2	2	-	-	-	1	1	-	-	-
COMPLICATIONS DUE TO MEDICAL PROCEDURES.....E940-E959	3	2	1	-	-	41	18	18	2	3
ALL OTHER ACCIDENTS.....RESIDUAL	22	18	2	2	-	251	143	72	24	12
SUICIDE.....E963,E970-E979	58	48	9	1	-	1,033	744	257	28	4
SUICIDE BY POISONING.....E970-E973	8	6	2	-	-	192	123	68	1	-
SUICIDE BY HANGING AND STRANGULATION.....E974	17	14	3	-	-	222	145	70	6	1
SUICIDE BY FIREARM AND EXPLOSIVE.....E976	27	24	2	1	-	502	417	66	17	2
SUICIDE BY ALL OTHER MEANS.....E963,E975,E977-E979	6	4	2	-	-	117	59	53	4	1
HOMICIDE.....E964,E980-E985	9	5	1	2	1	336	103	63	124	46
ASSAULT BY FIREARM AND EXPLOSIVE.....E981	5	3	1	1	-	195	57	39	71	28
ASSAULT BY CUTTING AND PIERCING INSTRUMENTS.....E982	-	-	-	-	-	55	9	6	31	9
ASSAULT BY OTHER MEANS.....E964,E980,E983	4	2	-	1	1	62	27	18	8	9
INJURY BY INTERVENTION OF POLICE.....E984	-	-	-	-	-	22	9	-	13	-
EXECUTION.....E985	-	-	-	-	-	2	1	-	1	-
INJURY RESULTING FROM OPERATIONS OF WAR.....E965,E990-E999	1	1	-	-	-	3	3	-	-	-

and Sex: United States and Each State, 1960—Con.

bers after causes of death are category numbers of the Seventh Revision of the International Lists, 1955. For complete category titles, see table 5-8)

OKLAHOMA					OREGON				PENNSYLVANIA				
Total	White		Nonwhite		Total	White		Nonwhite		Total	White		Nonwhite		
	Male	Female	Male	Female		Male	Female	Male	Female		Male	Female	Male	Female	
16	•••	11	•••	5	13	•••	13	•••	-	77	•••	58	•••	19	1
-	•••	-	•••	-	-	•••	-	•••	-	11	•••	9	•••	2	2
5	•••	4	•••	1	1	•••	1	•••	-	10	•••	9	•••	1	3
2	•••	1	•••	1	7	•••	7	•••	-	9	•••	7	•••	2	4
-	•••	-	•••	-	-	•••	-	•••	-	10	•••	8	•••	2	5
1	•••	-	•••	1	1	•••	1	•••	-	5	•••	2	•••	3	6
1	•••	1	•••	-	1	•••	1	•••	-	8	•••	5	•••	3	7
1	•••	1	•••	-	-	•••	-	•••	-	-	•••	-	•••	-	8
6	•••	4	•••	2	3	•••	3	•••	-	24	•••	18	•••	6	9
29	11	12	2	4	24	6	17	1	-	150	56	77	9	8	10
12	8	2	1	1	6	4	2	-	-	58	22	32	1	3	11
17	3	10	1	3	18	2	15	1	-	92	34	45	8	5	12
54	28	20	3	3	44	24	19	-	1	230	105	111	4	10	13
28	10	13	2	3	19	6	13	-	-	130	51	73	2	4	14
-	-	-	-	-	-	-	-	-	-	1	1	-	-	-	15
4	4	-	-	-	4	2	2	-	-	12	7	5	-	-	16
2	2	-	-	-	3	3	-	-	-	5	2	3	-	-	17
7	7	-	-	-	11	9	2	-	-	32	21	11	-	-	18
13	5	7	1	-	7	4	2	-	1	50	23	19	2	6	19
241	119	95	16	11	190	104	80	4	2	1,293	645	523	68	57	20
17	7	8	2	-	6	2	4	-	-	82	48	32	1	1	21
28	17	8	-	3	19	8	11	-	-	119	60	48	2	9	22
122	62	46	8	6	107	63	41	1	2	687	346	273	39	29	23
74	33	33	6	2	58	31	24	3	-	405	191	170	26	18	24
774	350	280	85	59	511	287	204	6	14	3,821	1,817	1,314	350	340	25
988	531	281	98	78	150	87	55	6	2	936	462	306	114	54	26
104	38	54	3	9	46	22	24	-	-	120	39	75	4	2	27
884	493	227	95	69	104	65	31	6	2	816	423	231	110	52	28
1,966	1,198	505	190	73	1,447	1,015	372	42	18	6,358	3,861	1,834	459	204	29
1,593	946	449	138	60	1,172	809	319	29	15	4,945	2,953	1,519	322	151	30
16	9	2	4	1	9	6	3	-	-	54	37	7	10	-	31
684	429	182	56	17	477	331	126	15	5	1,701	1,166	409	90	36	32
663	412	179	56	16	463	320	123	15	5	1,664	1,144	395	89	36	33
35	20	13	2	-	15	8	5	1	1	24	17	6	1	-	34
78	39	25	11	3	72	52	17	2	1	451	286	114	29	22	35
351	213	104	25	9	176	116	54	4	2	574	379	153	35	7	36
176	126	30	16	4	137	100	31	5	1	369	278	66	20	5	37
23	14	7	2	-	63	44	16	3	-	246	184	56	4	2	38
21	17	3	-	1	14	11	3	-	-	37	22	14	1	-	39
6	4	-	1	1	3	3	-	-	-	10	7	2	1	-	40
16	13	3	-	-	33	30	2	1	-	39	35	1	3	-	41
35	30	5	-	-	33	30	3	-	-	53	44	8	-	1	42
12	5	4	2	1	17	11	5	1	-	110	44	33	22	11	43
23	13	8	2	-	4	3	-	1	-	81	55	16	4	6	44
264	119	130	6	9	183	94	88	-	1	1,400	626	686	67	21	45
59	41	14	2	2	75	49	25	-	1	515	289	175	42	9	46
54	24	26	2	2	38	16	22	-	-	231	104	108	9	10	47
151	54	90	2	5	70	29	41	-	-	654	233	403	16	2	48
14	13	-	1	-	43	40	3	-	-	98	89	1	7	1	49
32	28	2	2	-	42	40	1	1	-	93	86	1	6	-	50
29	25	2	2	-	12	11	-	1	-	43	39	4	-	-	51
138	65	38	18	17	69	43	23	1	2	381	169	130	40	42	52
9	4	4	-	1	3	2	1	-	-	14	6	5	2	1	53
41	30	7	4	-	28	24	3	1	-	87	71	10	5	1	54
38	14	9	8	7	50	29	18	1	2	133	77	46	2	8	55
78	56	10	10	2	81	59	17	4	1	205	139	31	30	5	56
6	6	-	-	-	1	1	-	-	-	5	-	1	3	1	57
14	7	4	2	1	19	9	10	-	-	99	48	45	1	5	58
138	76	39	20	3	65	43	16	2	4	339	215	83	29	12	59
237	181	42	12	2	231	184	41	4	2	1,101	810	258	27	6	60
31	21	10	-	-	52	35	16	1	-	249	158	85	5	1	61
20	19	-	1	-	32	26	5	-	1	301	216	77	5	3	62
165	130	25	9	1	129	112	14	3	-	406	355	41	9	1	63
21	11	7	2	1	18	11	6	-	1	145	81	55	8	1	64
135	70	14	40	11	44	22	12	9	1	308	95	57	109	47	65
81	43	6	24	8	20	11	5	4	-	121	48	25	39	9	66
9	3	-	6	-	9	5	-	3	1	79	18	6	38	17	67
34	17	7	7	3	15	6	7	2	-	102	27	26	28	21	68
8	4	1	3	-	-	-	-	-	-	6	2	-	4	-	69
3	3	-	-	-	-	-	-	-	-	-	-	-	-	-	70
1	1	-	-	-	-	-	-	-	-	4	3	-	1	-	71

Table 5-10. Deaths From 255 Selected Causes, by Color

(By place of residence. Data refer only to deaths occurring within the United States, including Alaska and Hawaii. Excludes fetal deaths. Num-

CAUSE OF DEATH	RHODE ISLAND					SOUTH CAROLINA				
	Total	White		Nonwhite		Total	White		Nonwhite	
		Male	Female	Male	Female		Male	Female	Male	Female
ALL CAUSES	9,005	4,783	4,035	106	81	20,688	7,017	4,910	4,701	4,060
I. INFECTIVE AND PARASITIC DISEASES	109	64	37	2	6	326	91	48	121	66
TUBERCULOSIS, ALL FORMS 001-019	59	40	13	2	4	137	48	14	52	23
TUBERCULOSIS OF RESPIRATORY SYSTEM 001-008	59	40	13	2	4	126	47	13	48	18
TUBERCULOSIS OF MENINGES AND CENTRAL NERVOUS SYSTEM 010	-	-	-	-	-	4	1	-	1	2
TUBERCULOSIS OF INTESTINES, PERITONEUM, AND MESENTERIC GLANDS 011	-	-	-	-	-	-	-	-	-	-
TUBERCULOSIS OF BONES AND JOINTS 012,013	-	-	-	-	-	2	-	-	1	1
TUBERCULOSIS OF OTHER ORGANS AND SYSTEMS 014-018	-	-	-	-	-	-	-	-	-	-
DISSEMINATED TUBERCULOSIS 019	-	-	-	-	-	5	-	1	2	2
SYPHILIS AND ITS SEQUELAE 020-029	13	9	3	-	1	45	8	4	27	6
CONGENITAL SYPHILIS 020	-	-	-	-	-	-	-	-	-	-
EARLY SYPHILIS 021	-	-	-	-	-	-	-	-	-	-
ANEURYSM OF AORTA 022	10	7	2	-	1	21	6	3	9	3
OTHER CARDIOVASCULAR SYPHILIS 023	3	2	1	-	-	14	2	1	9	2
TABES DORSALIS 024	-	-	-	-	-	-	-	-	-	-
GENERAL PARALYSIS OF INSANE 025	-	-	-	-	-	4	-	-	4	-
OTHER SYPHILIS OF CENTRAL NERVOUS SYSTEM 026	-	-	-	-	-	6	-	-	5	1
ALL OTHER SYPHILIS 027-029	-	-	-	-	-	-	-	-	-	-
GONOCOCCAL INFECTION 030-035	-	-	-	-	-	1	-	-	1	-
TYPHOID FEVER 040	-	-	-	-	-	-	-	-	-	-
PARATYPHOID FEVER AND OTHER SALMONELLA INFECTIONS 041,042	1	1	-	-	-	2	2	-	-	-
CHOLERA 043	-	-	-	-	-	-	-	-	-	-
BRUCELLOSIS 044	-	-	-	-	-	-	-	-	-	-
DYSENTERY, ALL FORMS 045-048	5	-	5	-	-	6	2	1	3	-
FOOD POISONING, INFECTION AND INTOXICATION 049	-	-	-	-	-	-	-	-	-	-
SCARLET FEVER 050	-	-	-	-	-	-	-	-	-	-
STREPTOCOCCAL SORE THROAT 051	1	-	1	-	-	-	-	-	-	-
ERYSIPELAS 052	-	-	-	-	-	-	-	-	-	-
SEPTICEMIA AND PYEMIA 053	7	3	4	-	-	26	11	3	5	7
DIPHTHERIA 055	1	-	1	-	-	1	-	1	-	-
WHOOPING COUGH 056	-	-	-	-	-	8	-	-	3	5
MENINGOCOCCAL INFECTIONS 057	1	-	1	-	-	9	1	5	2	1
PLAGUE 058	-	-	-	-	-	-	-	-	-	-
LEPROSY 060	-	-	-	-	-	-	-	-	-	-
TETANUS 061	-	-	-	-	-	9	-	1	5	3
ANTHRAX 062	-	-	-	-	-	-	-	-	-	-
ACUTE POLIOMYELITIS 080	8	5	3	-	-	7	4	2	-	1
LATE EFFECTS OF ACUTE POLIOMYELITIS 081	-	-	-	-	-	1	-	1	-	-
ACUTE INFECTIOUS ENCEPHALITIS 082	1	1	-	-	-	10	3	3	1	3
LATE EFFECTS OF ACUTE INFECTIOUS ENCEPHALITIS 083	-	-	-	-	-	-	-	-	-	-
SMALLPOX 084	-	-	-	-	-	-	-	-	-	-
MEASLES 085	-	-	-	-	-	7	1	1	4	1
YELLOW FEVER 091	-	-	-	-	-	-	-	-	-	-
INFECTIOUS HEPATITIS 092	6	1	5	-	-	15	6	3	2	4
RABIES 094	-	-	-	-	-	-	-	-	-	-
TICK-BORNE TYPHUS 104	-	-	-	-	-	-	-	-	-	-
ALL OTHER RICKETTSIAL DISEASES 100-103,105-108	-	-	-	-	-	-	-	-	-	-
MALARIA 110-117	-	-	-	-	-	1	-	-	1	-
SCHISTOSOMIASIS 123	-	-	-	-	-	-	-	-	-	-
HYDATID DISEASE 125	-	-	-	-	-	-	-	-	-	-
FILARIASIS 127	-	-	-	-	-	-	-	-	-	-
ANCYLOSTOMIASIS 129	-	-	-	-	-	-	-	-	-	-
OTHER DISEASES DUE TO HELMINTHS 124,126,128,130	-	-	-	-	-	6	-	1	1	4
ALL OTHER INFECTIVE AND PARASITIC DISEASES RESIDUAL	6	4	1	-	1	35	5	8	14	8
II. NEOPLASMS	1,646	891	732	16	7	2,337	828	777	330	402
MALIGNANT NEOPLASMS, INCLUDING NEOPLASMS OF LYMPHATIC AND HEMATOPOIETIC TISSUES 140-205	1,621	880	718	16	7	2,265	807	757	322	379
MALIGNANT NEOPLASM OF BUCCAL CAVITY AND PHARYNX 140-148	48	40	8	-	-	57	27	14	11	5
OF LIP 140	1	1	-	-	-	2	1	1	-	-
OF TONGUE 141	10	6	4	-	-	10	6	1	3	-
OF OTHER AND UNSPEC. PARTS OF BUCCAL CAVITY 142-144	15	13	2	-	-	25	11	7	4	3
OF PHARYNX 145-148	22	20	2	-	-	20	9	5	4	2
MALIGNANT NEOPLASM OF DIGESTIVE ORGANS AND PERITONEUM, NOT SPECIFIED AS SECONDARY 150-156A,157-159	608	320	282	5	1	673	246	198	107	122
OF ESOPHAGUS 150	37	31	5	1	-	38	16	7	7	8
OF STOMACH 151	123	78	44	1	-	171	50	29	53	39
OF SMALL INTESTINE, INCLUDING DUODENUM 152	4	2	2	-	-	7	3	3	-	1
OF LARGE INTESTINE, EXCEPT RECTUM 153	233	104	128	1	-	188	63	77	15	33
CECUM, APPENDIX, AND ASCENDING COLON 153.0	31	15	16	-	-	30	12	15	2	1
TRANSVERSE COLON 153.1	13	9	4	-	-	7	2	2	1	2
DESCENDING COLON 153.2	13	5	8	-	-	9	2	3	1	3
SIGMOID COLON 153.3	56	28	28	-	-	23	8	12	2	1
MULTIPLE PARTS OF LARGE INTESTINE 153.7	-	-	-	-	-	-	-	-	-	-
LARGE INTESTINE, PART UNSPECIFIED 153.8	105	42	62	1	-	107	37	39	7	24
INTESTINAL TRACT, PART UNSPECIFIED 153.9	15	5	10	-	-	12	2	6	2	2
OF RECTUM 154	80	38	41	1	-	60	28	17	6	9
OF BILIARY PASSAGES AND OF LIVER, PRIMARY SITE 155	42	19	22	-	1	35	13	14	1	7
LIVER 155.0	7	5	2	-	-	8	3	4	-	1
OT. & MULT. SITES OF BILIARY PASSAGES 155.1,155.8	35	14	20	-	1	27	10	10	1	6
OF LIVER NOT STATED WHETHER PRIMARY OR SECONDARY 156A	15	7	8	-	-	37	13	10	7	7
OF PANCREAS 157	64	37	26	1	-	125	56	39	16	14
OF PERITONEUM AND OF UNSPEC. DIGESTIVE ORGANS 158,159	10	4	6	-	-	12	4	2	2	4

and Sex: United States and Each State, 1960—Con.

bers after causes of death are category numbers of the Seventh Revision of the International Lists, 1955. For complete category titles, see table 5-8)

SOUTH DAKOTA					TENNESSEE					TEXAS					
Total	White		Nonwhite		Total	White		Nonwhite		Total	White		Nonwhite		
	Male	Female	Male	Female		Male	Female	Male	Female		Male	Female	Male	Female	
6,618	3,783	2,453	222	160	32,901	14,911	10,941	3,743	3,306	77,453	38,351	26,699	6,879	5,524	1
															2
															3
															4
70	29	24	6	11	583	265	164	83	71	1,424	705	404	216	99	5
															6
28	15	4	3	6	357	174	104	46	33	590	340	147	75	28	7
22	13	2	2	5	335	169	94	42	30	539	321	127	67	24	8
3	-	1	1	1	8	2	5	1	-	22	9	5	5	3	9
															10
-	-	-	-	-	2	1	-	-	1	3	2	1	-	-	11
-	-	-	-	-	2	1	1	-	-	3	-	1	2	-	12
1	-	1	-	-	2	-	2	-	-	6	2	3	-	1	13
2	2	-	-	-	8	1	2	3	2	17	6	10	1	-	14
															15
8	5	3	-	-	40	16	4	14	6	220	107	37	60	16	16
-	-	-	-	-	-	-	-	-	-	12	9	2	1	-	17
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	18
6	4	2	-	-	15	9	1	4	1	105	62	23	15	5	19
2	1	1	-	-	13	2	1	7	3	65	20	9	28	8	20
-	-	-	-	-	-	-	-	-	-	3	2	-	1	-	21
-	-	-	-	-	6	4	-	1	1	9	2	-	5	2	22
-	-	-	-	-	5	1	2	2	-	17	6	3	7	1	23
-	-	-	-	-	1	-	-	-	1	9	6	-	3	-	24
															25
-	-	-	-	-	1	-	-	-	1	2	-	-	2	-	26
-	-	-	-	-	-	-	-	-	-	4	1	1	2	-	27
-	-	-	-	-	2	1	1	-	-	2	-	1	1	-	28
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	29
-	-	-	-	-	1	-	1	-	-	-	-	-	-	-	30
-	-	-	-	-	15	8	3	2	2	83	37	26	8	12	31
-	-	-	-	-	3	2	-	-	1	10	5	2	1	2	32
-	-	-	-	-	-	-	-	-	-	1	-	1	-	-	33
-	-	-	-	-	1	-	1	-	-	12	7	4	-	1	34
-	-	-	-	-	-	-	-	-	-	1	-	1	-	-	35
10	5	3	1	1	24	7	5	5	7	118	53	39	15	11	36
															37
1	-	1	-	-	-	-	-	-	-	20	9	7	2	2	38
3	1	-	2	-	3	-	3	-	-	22	5	6	6	5	39
1	1	-	-	-	20	8	9	2	1	29	10	12	7	-	40
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	41
-	-	-	-	-	-	-	-	-	-	1	-	1	-	-	42
-	-	-	-	-	6	1	-	2	3	50	16	9	14	11	43
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	44
-	-	-	-	-	4	1	-	-	3	14	10	2	2	-	45
1	-	-	-	1	1	-	-	1	-	11	7	4	-	-	46
5	1	2	-	2	13	7	3	2	1	31	11	18	1	1	47
-	-	-	-	-	3	1	2	-	-	1	1	-	-	-	48
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	49
-	-	-	-	-	13	6	3	1	3	52	25	22	3	2	50
															51
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	52
8	-	7	-	1	21	6	11	3	1	53	26	20	4	3	53
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	54
-	-	-	-	-	1	-	1	-	-	-	-	-	-	-	55
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	56
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	57
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	58
-	-	-	-	-	-	-	-	-	-	1	-	1	-	-	59
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	60
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	61
-	-	-	-	-	3	1	2	-	-	2	-	-	1	1	62
5	1	4	-	-	51	26	11	5	9	94	35	43	12	4	63
															64
1,011	535	443	18	15	4,458	1,898	1,781	394	385	11,432	5,364	4,558	828	682	65
															66
															67
995	529	433	18	15	4,374	1,880	1,741	384	369	11,223	5,270	4,474	818	661	68
12	9	3	-	-	107	58	34	12	3	246	151	66	24	5	69
-	-	-	-	-	6	5	1	-	-	12	11	-	1	-	70
3	2	1	-	-	17	13	2	2	-	60	37	15	6	2	71
2	1	1	-	-	44	16	22	3	3	80	46	28	5	1	72
7	6	1	-	-	40	24	9	7	-	94	57	23	12	2	73
															74
															75
352	192	147	6	7	1,334	559	528	145	102	3,427	1,576	1,376	277	198	76
13	10	3	-	-	79	33	22	17	7	163	97	31	25	10	77
88	61	23	3	1	320	142	93	59	26	841	426	269	99	47	78
1	1	-	-	-	8	5	3	-	-	50	21	19	5	5	79
102	38	61	-	3	383	140	197	20	26	1,012	402	500	43	67	80
14	4	9	-	1	48	15	27	2	4	141	44	82	6	9	81
6	-	5	-	1	12	2	5	2	3	38	22	14	-	2	82
2	1	1	-	-	16	5	11	-	-	39	13	21	3	2	83
17	8	9	-	-	70	29	35	4	2	157	60	79	7	11	84
1	-	1	-	-	3	2	1	-	-	4	3	1	-	-	85
55	22	32	-	1	223	85	110	11	17	580	241	274	25	40	86
7	3	4	-	-	11	2	8	1	-	53	19	29	2	3	87
															88
37	26	10	-	1	112	45	42	13	12	277	128	105	23	21	89
25	11	13	-	1	92	30	52	7	3	330	147	152	25	6	90
9	5	4	-	-	34	11	17	6	-	184	99	59	21	5	91
16	6	9	-	1	58	19	35	1	3	146	48	93	4	1	92
14	5	8	-	1	75	40	18	11	6	81	32	31	10	8	93
66	38	26	2	-	227	112	82	17	16	613	303	240	40	30	94
6	2	3	1	-	38	12	19	1	6	60	20	29	7	4	95

Table 5-10. Deaths From 255 Selected Causes, by Color

(By place of residence. Data refer only to deaths occurring within the United States, including Alaska and Hawaii. Excludes fetal deaths. Num-

CAUSE OF DEATH	RHODE ISLAND					SOUTH CAROLINA				
	Total	White		Nonwhite		Total	White		Nonwhite	
		Male	Female	Male	Female		Male	Female	Male	Female
II. NEOPLASMS—CON.										
MALIGNANT NEOPLASMS, ETC.—CON.										
MALIGNANT NEOPLASM OF RESPIRATORY SYSTEM, NOT SPECIFIED AS SECONDARY.....160-164	246	219	25	2	-	320	213	32	68	7
OF LARYNX.....161	17	15	2	-	-	25	15	1	8	1
OF BRONCHUS & TRACHEA, & OF LUNG SPEC. AS PRIMARY..162	196	175	19	2	-	107	82	7	17	1
OF LUNG, NOT SPEC. PRIMARY OR SECONDARY.....163	31	29	2	-	-	182	116	22	39	5
OF OTHER PARTS OF RESPIRATORY SYSTEM.....160,164	2	-	2	-	-	6	-	2	4	-
MALIGNANT NEOPLASM OF BREAST.....170	158	1	154	1	2	164	-	117	1	46
MALIGNANT NEOPLASM OF GENITAL ORGANS.....171-179	204	80	120	2	2	436	70	184	68	114
OF CERVIX UTERI.....171	40	...	39	...	1	139	...	85	...	54
OF OTHER AND UNSPECIFIED PARTS OF UTERUS.....172-174	23	...	22	...	1	79	...	39	...	40
OF OVARY, FALLOPIAN TUBE, AND BROAD LIGAMENT.....175	55	...	55	...	-	67	...	51	...	16
OF OTHER AND UNSPECIFIED FEMALE GENITAL ORGANS.....176	4	...	4	...	-	13	...	9	...	4
OF PROSTATE.....177	77	75	...	2	...	126	62	...	64	...
OF ALL OTHER & UNSPEC. MALE GENITAL ORGANS.....178,179	5	5	...	-	...	12	8	...	4	...
MALIGNANT NEOPLASM OF URINARY ORGANS.....180,181	75	56	18	1	-	77	36	22	8	11
OF KIDNEY.....180	25	18	7	-	-	23	15	6	1	1
OF BLADDER AND OTHER URINARY ORGANS.....181	50	38	11	1	-	54	21	16	7	10
MALIGNANT NEOPLASM OF OTHER AND UNSPECIFIED SITES.....156B,165,190-199	151	86	60	4	1	309	117	108	31	53
OF SKIN.....190,191	17	10	7	-	-	47	26	18	1	2
OF EYE.....192	3	1	2	-	-	3	-	1	1	1
OF BRAIN AND OTHER PARTS OF NERVOUS SYSTEM.....193	36	20	14	2	-	59	26	23	5	5
OF THYROID GLAND.....194	2	-	2	-	-	10	4	3	-	3
OF BONE.....196	12	6	6	-	-	17	4	7	5	1
OF CONNECTIVE TISSUE.....197	6	2	3	-	1	7	3	1	1	2
OF OTHER SPECIFIED SITES, NOT SECONDARY.....195,199A	10	5	5	-	-	11	6	2	1	2
OF UNSPECIFIED SITES.....156B,165,198,199B	65	42	21	2	-	155	48	53	17	37
LEUKEMIA AND ALEUKEMIA.....204	64	39	25	-	-	117	53	48	7	9
LYMPHOSARCOMA, ETC.....200-203,205	67	39	26	1	1	112	45	34	21	12
LYMPHOSARCOMA AND RETICULOSARCOMA.....200	33	20	13	-	-	45	21	15	7	2
HODGKINS DISEASE.....201	20	11	8	-	1	27	13	6	7	1
OTHER NEOPLASMS OF LYMPHATIC AND HEMATOPOIETIC TISSUES.....202,203,205	14	8	5	1	-	40	11	13	7	9
BENIGN NEOPLASMS AND NEOPLASMS OF UNSPEC. NATURE...210-239	25	11	14	-	-	72	21	20	8	23
BENIGN NEOPLASMS OF FEMALE GENITAL ORGANS.....214-217	3	...	3	...	-	7	...	-	...	7
BENIGN NEOPLASM OF BRAIN & OT. PTS. OF NERVOUS SYS...223	3	1	2	-	-	8	4	3	1	-
OTHER BENIGN NEOPLASMS.....210-213,218-222,224-229	6	4	2	-	-	5	3	-	1	1
UNSPECIFIED NEOPLASM OF FEMALE GENITAL ORGANS....233-235	1	...	1	...	-	-	...	-	...	-
NEOPLASM OF UNSPECIFIED NATURE OF BRAIN, ETC.....237	7	5	2	-	-	40	12	15	4	9
OTHER NEOPLASMS OF UNSPEC. NATURE....230-232,236,238,239	5	1	4	-	-	12	2	2	2	6
III. ALLERGIC, ENDOCRINE SYSTEM, METABOLIC, AND NUTRITIONAL DISEASES.....	284	107	167	6	4	459	116	124	80	139
ASTHMA.....241	31	25	5	1	-	52	29	9	11	7
NONTOXIC GOITER.....250,251	-	-	-	-	-	1	-	1	-	-
THYROTOXICOSIS WITH OR WITHOUT GOITER.....252	1	-	1	-	-	9	-	3	2	4
ALL OTHER DISEASES OF THYROID GLAND.....253,254	2	1	-	-	1	3	1	2	-	-
DIABETES MELLITUS.....260	226	69	149	5	3	306	65	90	44	107
DISEASES OF THYMUS GLAND.....273	-	-	-	-	-	6	1	2	1	2
DISEASES OF ADRENAL GLANDS.....274	2	1	1	-	-	3	1	1	1	-
PELLAGRA.....281	-	-	-	-	-	2	1	-	-	1
OTHER NUTRITIONAL DEFICIENCY STATES.....280,282-286	12	6	6	-	-	38	11	7	12	8
ALL OTHER ALLERGIC, ENDOCRINE, & METABOLIC DIS....RESIDUAL	10	5	5	-	-	39	7	13	9	10
IV. DISEASES OF THE BLOOD AND BLOOD-FORMING ORGANS...	21	6	15	-	-	58	11	17	17	13
ANEMIAS.....290-293	14	4	10	-	-	44	6	11	15	12
PERNICIOUS AND OTHER HYPERCHROMIC ANEMIAS.....290	1	-	1	-	-	3	-	1	1	1
ANEMIAS OF OTHER AND UNSPECIFIED TYPE.....291-293	13	4	9	-	-	41	6	10	14	11
PURPURA AND OTHER HEMORRHAGIC CONDITIONS.....296	3	1	2	-	-	6	2	3	-	1
OTHER DIS. OF BLOOD AND BLOOD-FORMING ORGANS.....RESIDUAL	4	1	3	-	-	8	3	3	2	-
V. MENTAL, PSYCHONEUROTIC, AND PERSONALITY DISORDERS	26	19	7	-	-	41	18	5	13	5
SENILE PSYCHOSIS.....304	-	-	-	-	-	2	-	1	1	-
ALCOHOLIC PSYCHOSIS.....307	9	8	1	-	-	2	-	-	2	-
OTHER PSYCHOSES.....300-303,305,306,308,309	3	3	-	-	-	2	-	-	1	1
ALCOHOLISM.....322	12	6	6	-	-	29	16	-	9	4
MENTAL DEFICIENCY.....325	1	1	-	-	-	3	1	2	-	-
OTHER DISORDERS OF PERSONALITY.....RESIDUAL	1	1	-	-	-	3	1	2	-	-
VI. DISEASES OF THE NERVOUS SYSTEM AND SENSE ORGANS..	893	378	495	13	7	2,922	783	768	682	689
VASCULAR LESIONS AFFECTING CENTRAL NERVOUS SYSTEM..330-334	822	344	460	12	6	2,740	743	735	622	640
SUBARACHNOID HEMORRHAGE.....330	24	7	15	2	-	105	26	34	17	28
CEREBRAL HEMORRHAGE.....331	471	189	271	7	4	1,675	428	399	421	427
CEREBRAL EMBOLISM AND THROMBOSIS.....332	289	136	148	3	2	754	248	248	129	129
OTHER VASCULAR LESIONS AFFECTING C.N.S.....333,334	38	12	26	-	-	206	41	54	55	56
MENINGITIS, EXCEPT MENINGOCOCCAL AND TUBERCULOUS.....340	5	3	2	-	-	40	6	2	17	15
MULTIPLE SCLEROSIS.....345	11	6	5	-	-	15	3	6	2	4
PARALYSIS AGITANS.....350	16	6	10	-	-	13	7	4	1	1
CEREBRAL SPASTIC INFANTILE PARALYSIS.....351	4	2	2	-	-	5	1	1	2	1
EPILEPSY.....353	7	4	3	-	-	27	2	6	13	6
INFLAMMATORY DISEASES OF EYE.....370-379	-	-	-	-	-	1	-	-	-	1
CATARACT.....385	-	-	-	-	-	-	-	-	-	-
GLAUCOMA.....387	-	-	-	-	-	-	-	-	-	-
OTITIS MEDIA AND MASTOIDITIS.....391-393	2	1	1	-	-	4	1	-	1	2
OTHER DIS. OF NERVOUS SYSTEM AND SENSE ORGANS.....RESIDUAL	26	12	12	1	1	77	20	14	24	19

and Sex: United States and Each State, 1960—Con.

bers after causes of death are category numbers of the Seventh Revision of the International Lists, 1955. For complete category titles, see table 5-8)

SOUTH DAKOTA					TENNESSEE					TEXAS				
Total	White		Nonwhite		Total	White		Nonwhite		Total	White		Nonwhite	
	Male	Female	Male	Female		Male	Female	Male	Female		Male	Female	Male	Female
126	93	27	5	1	622	452	82	71	17	1,872	1,396	248	200	28
7	7	-	-	-	45	34	3	6	2	111	90	4	15	2
60	45	9	5	1	252	202	18	30	2	1,456	1,101	192	145	18
54	39	15	-	-	303	205	51	34	13	258	175	39	36	8
5	2	3	-	-	22	11	10	1	-	47	30	13	4	-
89	-	89	-	-	364	2	295	1	66	871	6	751	5	109
153	77	74	-	2	738	255	340	58	85	1,753	564	857	145	187
23	...	22	...	1	188	...	144	...	44	383	...	299	...	84
26	...	25	...	1	112	...	87	...	25	268	...	212	...	56
24	...	24	...	-	113	...	98	...	15	369	...	328	...	41
3	...	3	...	-	12	...	11	...	1	24	...	18	...	6
72	72	...	-	...	296	240	...	56	...	669	529	...	140	...
5	5	...	-	...	17	15	...	2	...	40	35	...	5	...
61	41	18	1	1	179	87	69	13	10	499	285	162	34	18
24	12	10	1	1	70	28	31	4	7	235	137	82	9	7
37	29	8	-	-	109	59	38	9	3	264	148	80	25	11
99	58	34	4	3	585	250	220	52	63	1,265	624	506	66	69
17	13	4	-	-	90	44	40	1	5	264	150	100	6	8
2	2	-	-	-	9	4	4	-	1	22	12	10	-	-
24	16	6	1	1	120	67	43	6	4	296	155	122	10	9
5	1	4	-	-	23	6	13	2	2	28	13	15	-	-
4	3	1	-	-	34	14	13	6	1	89	42	36	7	4
3	2	1	-	-	21	17	3	-	1	61	35	18	5	3
3	2	1	-	-	21	13	6	-	2	79	44	23	4	8
41	19	17	3	2	267	85	98	37	47	426	173	182	34	37
62	35	26	1	-	242	122	91	17	12	699	348	290	32	29
41	24	15	1	1	203	95	82	15	11	591	320	218	35	18
15	10	5	-	-	91	43	36	7	5	283	155	108	13	7
10	7	3	-	-	45	21	20	2	2	131	85	37	7	2
16	7	7	1	1	67	31	26	6	4	177	80	73	15	9
16	6	10	-	-	84	18	40	10	16	209	94	84	10	21
-	...	-	...	-	14	...	8	...	6	21	...	13	...	8
7	2	5	-	-	14	6	5	-	3	44	19	22	1	2
3	2	1	-	-	17	6	8	3	-	49	25	16	5	3
-	...	-	...	-	2	...	1	...	1	1	...	-	...	1
2	-	2	-	-	18	4	10	3	1	54	32	18	2	2
4	2	2	-	-	19	2	8	4	5	40	18	15	2	5
154	76	67	4	7	656	251	242	73	90	1,889	733	798	140	218
25	20	4	-	1	119	56	36	14	13	208	114	54	24	16
-	-	-	-	-	1	-	-	-	1	2	-	1	-	1
-	-	-	-	-	10	1	8	-	1	16	4	7	2	3
3	-	2	-	1	8	2	4	-	2	17	2	12	-	3
109	48	56	2	3	419	148	165	51	55	1,291	458	583	90	160
1	-	1	-	-	2	2	-	-	-	7	4	2	-	1
3	-	1	2	-	8	5	3	-	-	24	12	10	1	1
-	-	-	-	-	2	-	2	-	-	6	3	1	1	1
9	5	2	-	2	50	19	13	5	13	172	64	77	15	16
4	3	1	-	-	37	18	11	3	5	146	72	51	7	16
21	12	9	-	-	105	39	38	15	13	279	122	109	23	25
18	10	8	-	-	76	24	30	11	11	193	79	74	18	22
1	-	1	-	-	12	5	5	-	2	23	5	13	3	2
17	10	7	-	-	64	19	25	11	9	170	74	61	15	20
1	-	1	-	-	10	5	2	1	2	35	17	17	-	1
2	2	-	-	-	19	10	6	3	-	51	26	18	5	2
20	10	9	1	-	129	56	44	17	12	163	97	50	11	5
3	-	3	-	-	14	4	9	1	-	28	10	16	1	1
3	3	-	-	-	3	2	-	1	-	13	11	2	-	-
4	1	3	-	-	47	19	21	3	4	24	11	10	1	2
6	4	1	1	-	48	26	4	12	6	72	53	12	5	2
4	2	2	-	-	13	4	7	-	2	18	7	9	2	-
-	-	-	-	-	4	1	3	-	-	8	5	1	2	-
906	463	411	19	13	4,947	1,919	1,866	531	631	9,736	3,931	4,071	806	928
837	427	384	14	12	4,658	1,801	1,763	495	599	9,011	3,612	3,800	728	871
22	16	5	1	-	167	65	52	16	34	305	116	133	28	28
539	290	239	6	4	2,615	984	992	291	348	5,683	2,261	2,388	470	564
183	86	89	4	4	1,319	527	541	120	131	1,967	842	861	123	141
93	35	51	3	4	557	225	178	68	86	1,056	393	418	107	138
7	3	1	3	-	57	21	13	13	10	142	48	52	22	20
7	2	5	-	-	24	7	12	3	2	39	19	17	1	2
18	11	6	-	1	42	22	18	-	2	106	52	49	4	1
1	1	-	-	-	22	9	9	2	2	49	25	18	2	4
8	3	3	2	-	52	25	17	7	3	80	35	23	14	8
-	-	-	-	-	1	-	-	1	-	1	1	-	-	-
-	-	-	-	-	-	-	-	-	-	2	1	1	-	-
-	-	-	-	-	-	-	-	-	-	1	-	-	1	-
1	1	-	-	-	14	5	3	4	2	16	10	3	2	1
27	15	12	-	-	77	29	31	6	11	289	128	108	32	21

Table 5-10. Deaths From 255 Selected Causes, by Color

(By place of residence. Data refer only to deaths occurring within the United States, including Alaska and Hawaii. Excludes fetal deaths. Num-

CAUSE OF DEATH	RHODE ISLAND					SOUTH CAROLINA				
	Total	White		Nonwhite		Total	White		Nonwhite	
		Male	Female	Male	Female		Male	Female	Male	Female
VII. DISEASES OF THE CIRCULATORY SYSTEM	4,415	2,373	1,973	39	30	7,738	3,073	1,971	1,398	1,296
DISEASES OF HEART 400-402,410-443	4,036	2,200	1,774	34	28	6,978	2,825	1,767	1,224	1,162
RHEUMATIC FEVER 400-402	5	2	3	-	-	22	3	1	6	12
CHRONIC RHEUMATIC HEART DISEASE 410-416	107	44	60	-	3	121	46	33	20	22
DISEASES OF MITRAL VALVE 410	29	14	15	-	-	33	12	9	6	6
DISEASES OF AORTIC VALVE SPECIFIED AS RHEUMATIC 411	19	13	5	-	1	15	10	2	3	-
DISEASES OF PULMONARY VALVE, ETC 413,414	3	1	2	-	-	10	6	-	1	3
OTHER RHEUMATIC HEART DISEASES 412,415,416	56	16	38	-	2	63	18	22	10	13
ARTERIOSCLEROTIC HEART DIS., INCL. CORONARY DIS 420	3,370	1,920	1,399	30	21	4,474	2,219	1,151	598	506
ARTERIOSCLEROTIC HEART DISEASE SO DESCRIBED 420.0	1,960	1,028	904	16	12	1,223	534	403	141	145
HEART DIS. SPEC. AS INVOLVING COPONARY ARTERIES 420.1	1,406	888	495	14	9	3,235	1,681	745	453	356
ANGINA PECTORIS WITHOUT MENTION CORONARY DIS 420.2	4	4	-	-	-	16	4	3	4	5
CHRONIC ENDOCARDITIS NOT SPECIFIED AS RHEUMATIC 421	12	3	9	-	-	85	28	14	19	24
OF MITRAL VALVE, SPECIFIED AS NONRHEUMATIC 421.0	2	-	2	-	-	3	1	1	-	1
OF AORTIC VALVE, NOT SPECIFIED AS RHEUMATIC 421.1	6	1	5	-	-	36	15	6	6	9
OF OTHER VALVES, NOT SPEC. AS RHEUMATIC 421.2-421.4	4	2	2	-	-	46	12	7	13	14
OTHER MYOCARDIAL DEGENERATION 422	150	58	92	-	-	491	143	168	86	94
WITH ARTERIOSCLEROSIS 422.1	99	39	60	-	-	347	103	118	61	65
WITHOUT MENTION OF ARTERIOSCLEROSIS 422.0,422.2	51	19	32	-	-	144	40	50	25	29
OTHER DISEASES OF HEART 430-434	84	45	38	1	-	428	146	94	98	90
ACUTE AND SUBACUTE ENDOCARDITIS 430	4	1	2	1	-	13	4	1	4	4
ACUTE NONRHEUMATIC MYOCARDITIS & PERICARDITIS 431,432	2	1	1	-	-	10	1	4	3	2
FUNCTIONAL DISEASE OF HEART 433	30	13	17	-	-	48	25	13	8	2
OTHER AND UNSPECIFIED DISEASES OF HEART 434	48	30	18	-	-	357	116	76	83	82
HYPERTENSIVE HEART DISEASE 440-443	308	128	173	3	4	1,357	240	306	397	414
HYPERTENSIVE HEART DISEASE WITH ARTERIOLAR NEPHROSCLEROSIS 442	51	24	25	2	-	350	43	71	128	108
OTHER HYPERTENSIVE HEART DISEASE 440,441,443	257	104	148	1	4	1,007	197	235	269	306
OTHER HYPERTENSIVE DISEASE 444-447	99	39	56	3	1	206	61	35	66	44
HYPERTENSION WITH ARTERIOLAR NEPHROSCLEROSIS 446	68	26	40	1	1	81	33	22	14	12
ESSENTIAL HYPERTENSION 444,445,447	31	13	16	2	-	125	28	13	52	32
DISEASES OF ARTERIES 450-456	227	109	117	1	-	452	167	136	77	72
GENERAL ARTERIOSCLEROSIS 450	161	64	97	-	-	334	100	110	63	61
AORTIC ANEURYSM, NONSYPHILITIC, ETC 451	38	30	8	-	-	77	48	17	6	6
GANGRENE OF UNSPECIFIED CAUSE 455	2	1	1	-	-	6	1	1	3	1
OTHER ARTERIAL DISEASES 452-454,456	26	14	11	1	-	35	18	8	5	4
DIS. OF VEINS AND OTHER DIS. OF CIRCULATORY SYS 460-468	53	25	26	1	1	102	20	33	31	18
VIII. DISEASES OF THE RESPIRATORY SYSTEM	371	229	131	6	5	1,388	367	243	441	337
ACUTE UPPER RESPIRATORY INFECTIONS 470-475	5	2	3	-	-	17	3	-	6	8
INFLUENZA 480-483	11	9	1	1	-	266	43	37	116	70
PNEUMONIA, EXCEPT PNEUMONIA OF NEWBORN 490-493	231	128	95	5	3	855	186	158	284	227
LOBAR PNEUMONIA 490	53	32	20	1	-	165	33	28	49	55
BRONCHOPNEUMONIA 491	144	78	63	1	2	365	92	71	116	86
PRIMARY ATYPICAL PNEUMONIA 492	23	11	8	3	1	69	20	10	20	19
PNEUMONIA, OTHER AND UNSPECIFIED 493	11	7	4	-	-	256	41	49	99	67
ACUTE BRONCHITIS 500	5	2	2	-	1	10	6	1	2	1
BRONCHITIS, CHRONIC AND UNQUALIFIED 501,502	29	25	3	-	1	27	14	5	4	4
HYPERTROPHY OF TONSILS AND ADENOIDS 510	2	2	-	-	-	-	-	-	-	-
EMPYEMA AND ABSCESS OF LUNG 518,521	1	1	-	-	-	15	6	1	3	5
PLEURISY 519	1	1	-	-	-	2	1	1	-	-
EMPHYSEMA WITHOUT MENTION OF BRONCHITIS 527.1	42	36	6	-	-	79	56	13	7	3
OTHER RESPIRATORY DISEASES RESIDUAL	44	23	21	-	-	117	52	27	19	19
IX. DISEASES OF THE DIGESTIVE SYSTEM	322	200	118	3	1	585	201	140	130	114
DISEASES OF TEETH AND SUPPORTING STRUCTURES 530-535	-	-	-	-	-	2	-	-	-	2
ULCER OF STOMACH 540	27	17	9	1	-	51	27	7	11	6
ULCER OF DUODENUM 541	43	32	11	-	-	34	13	9	8	4
GASTRITIS AND DUODENITIS 543	1	1	-	-	-	6	3	1	2	-
APPENDICITIS 550-553	7	5	1	-	1	11	4	1	5	1
HERNIA AND INTESTINAL OBSTRUCTION 560,561,570	34	22	12	-	-	81	26	18	20	17
GASTROENTERITIS AND COLITIS, EXC. ULCERATIVE, AGE 4 WEEKS AND OVER 571	12	8	4	-	-	137	17	18	48	54
CHRONIC ENTERITIS AND ULCERATIVE COLITIS 572	12	8	4	-	-	19	5	12	-	2
CIRRHOSIS OF LIVER 581	105	75	29	1	-	98	56	22	12	8
WITHOUT MENTION OF ALCOHOLISM 581.0	58	35	23	-	-	80	48	19	7	6
WITH ALCOHOLISM 581.1	47	40	6	1	-	18	8	3	5	2
CHOLELITHIASIS, CHOLECYSTITIS, AND CHOLANGITIS 584,585	30	6	23	1	-	27	8	15	1	3
FIBROCYSTIC DISEASE OF PANCREAS 587B	3	2	1	-	-	8	6	2	-	-
OTHER DISEASES OF DIGESTIVE SYSTEM RESIDUAL	48	24	24	-	-	111	36	35	23	17
X. DISEASES OF THE GENITOURINARY SYSTEM	162	89	69	2	2	513	139	104	153	117
NEPHRITIS AND NEPHROSIS 590-594	78	34	41	2	1	243	53	34	81	75
ACUTE NEPHRITIS 590	1	1	-	-	-	27	7	3	10	7
NEPHRITIS WITH EDEMA, INCLUDING NEPHROSIS 591	4	2	2	-	-	5	-	1	3	1
CHRONIC AND UNSPECIFIED NEPHRITIS, ETC 592-594	73	31	39	2	1	211	46	30	68	67
INFECTIONS OF KIDNEY 600	38	18	19	-	1	154	41	46	36	31
CALCULI OF URINARY SYSTEM 602,604	6	4	2	-	-	17	6	11	-	-
OTHER DISEASES OF URINARY SYSTEM 601,603,605-609	15	11	4	-	-	31	13	5	10	3
HYPERPLASIA OF PROSTATE 610	21	21	...	-	...	42	22	...	20	...
DISEASES OF BREAST 620,621	-	-	-	-	-	-	-	-	-	-
OTHER DISEASES OF GENITAL ORGANS RESIDUAL	4	1	3	-	-	26	4	8	6	8

and Sex: United States and Each State, 1960—Con.

bers after causes of death are category numbers of the Seventh Revision of the International Lists, 1955. For complete category titles, see table 5-8)

SOUTH DAKOTA					TENNESSEE					TEXAS				
Total	White		Nonwhite		Total	White		Nonwhite		Total	White		Nonwhite	
	Male	Female	Male	Female		Male	Female	Male	Female		Male	Female	Male	Female
2,666	1,642	971	34	19	12,472	6,115	4,215	1,109	1,033	28,646	15,316	9,354	2,153	1,823
2,423	1,513	859	33	18	11,214	5,585	3,779	964	886	25,883	14,090	8,264	1,905	1,624
2	-	1	-	1	8	2	3	-	3	28	10	11	2	5
70	25	40	3	2	208	83	86	22	17	437	209	177	20	31
27	11	14	-	2	79	28	28	13	10	177	76	83	7	11
6	3	3	-	-	14	11	2	1	-	42	25	12	4	1
10	2	7	1	-	17	5	8	2	2	15	7	5	1	2
27	9	16	2	-	98	39	48	6	5	203	101	77	8	17
1,852	1,215	609	20	8	7,799	4,358	2,567	486	388	18,708	11,053	5,611	1,160	884
474	266	195	10	3	2,809	1,373	1,087	174	175	5,264	2,833	1,894	305	232
1,378	949	414	10	5	4,974	2,979	1,477	308	210	13,426	8,212	3,710	853	651
-	-	-	-	-	16	6	3	4	3	18	8	7	2	1
22	11	11	-	-	134	58	34	21	21	179	89	59	14	17
-	-	-	-	-	14	4	4	4	2	11	3	7	-	1
6	5	1	-	-	32	18	11	2	1	84	55	23	3	3
16	6	10	-	-	88	36	19	15	18	84	31	29	11	13
199	123	73	1	2	941	360	397	88	96	1,949	884	771	161	133
139	86	51	-	2	541	206	246	35	54	1,311	606	515	111	79
60	37	22	1	-	400	154	151	53	42	638	278	256	50	54
145	80	54	7	4	782	332	174	154	122	2,148	1,070	657	246	175
-	-	-	-	-	19	8	4	3	4	29	15	9	2	3
4	2	2	-	-	30	10	6	12	2	50	26	11	7	6
34	17	17	-	-	76	32	30	5	9	276	107	150	9	10
107	61	35	7	4	657	282	134	134	107	1,793	922	487	228	156
133	59	71	2	1	1,342	392	518	193	239	2,434	775	978	302	379
42	27	13	1	1	264	105	99	31	29	463	169	176	61	57
91	32	58	1	-	1,078	287	419	162	210	1,971	606	802	241	322
30	15	14	1	-	299	97	80	52	70	547	187	183	97	80
18	11	6	1	-	141	55	38	23	25	221	88	75	38	20
12	4	8	-	-	158	42	42	29	45	326	99	108	59	60
168	89	78	-	1	814	373	307	77	57	1,745	823	730	112	80
132	68	63	-	1	669	290	269	64	46	1,307	565	607	77	58
24	18	6	-	-	98	65	21	6	6	269	170	74	18	7
-	-	-	-	-	4	2	2	-	-	24	9	7	3	5
12	3	9	-	-	43	16	15	7	5	145	79	42	14	10
45	25	20	-	-	145	60	49	16	20	471	216	177	39	39
380	197	125	31	27	1,822	792	594	254	182	4,894	2,432	1,616	499	347
3	1	1	1	-	26	8	5	8	5	48	17	22	4	5
39	20	15	3	1	275	95	96	46	38	619	260	238	60	61
244	114	87	20	23	1,087	410	399	164	114	2,936	1,330	1,026	348	232
43	27	11	3	2	239	87	94	32	26	430	195	143	51	41
120	53	46	9	12	594	231	213	96	54	1,364	657	485	146	76
20	9	11	-	-	58	23	25	5	5	216	106	69	19	22
61	25	19	8	9	196	69	67	31	29	926	372	329	132	93
4	2	1	-	1	20	7	8	3	2	51	21	23	4	3
16	11	4	1	-	52	32	12	4	4	161	107	38	9	7
2	1	1	-	-	4	3	1	-	-	10	6	4	-	-
4	1	1	2	-	18	13	-	3	2	54	34	11	7	2
-	-	-	-	-	3	-	1	-	2	6	3	2	1	-
27	24	1	1	1	166	128	18	16	4	411	348	46	16	1
41	23	14	3	1	171	96	54	10	11	598	306	206	50	36
230	124	77	14	15	954	449	322	94	89	3,173	1,580	1,138	253	202
-	-	-	-	-	2	-	1	1	-	3	1	1	1	-
13	9	3	1	-	67	38	13	12	4	210	136	45	24	5
20	15	5	-	-	91	60	24	4	3	216	158	45	10	3
1	-	1	-	-	5	1	1	1	2	27	16	6	1	4
5	4	1	-	-	32	17	9	5	1	69	28	26	7	8
42	20	18	3	1	130	46	59	12	13	437	160	206	34	37
19	6	4	6	3	103	31	26	19	27	563	237	193	70	63
11	6	4	-	1	41	18	11	6	6	113	54	46	10	3
36	26	7	1	2	193	115	59	11	8	705	387	243	48	27
25	17	6	1	1	153	88	51	7	7	517	275	188	32	22
11	9	1	-	1	40	27	8	4	1	188	112	55	16	5
24	9	11	-	4	101	39	52	3	7	198	81	106	1	10
5	1	4	-	-	15	5	9	1	-	33	19	12	-	2
54	28	19	3	4	174	79	58	19	18	599	303	209	47	40
99	62	34	2	1	668	291	153	130	94	1,568	703	478	220	167
38	17	18	2	1	317	123	78	65	51	770	300	247	119	104
2	1	1	-	-	20	7	4	5	4	64	21	28	8	7
2	2	-	-	-	16	8	6	1	1	42	23	9	4	6
34	14	17	2	1	281	108	68	59	46	664	256	210	107	91
16	8	8	-	-	147	48	51	21	27	357	134	157	32	34
6	4	2	-	-	24	12	8	3	1	58	29	22	5	2
10	5	5	-	-	41	14	6	11	10	113	47	32	20	14
26	26	...	-	...	108	81	...	27	...	204	168	...	36	...
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
3	2	1	-	-	31	13	10	3	5	66	25	20	8	13

Table 5-10. Deaths From 255 Selected Causes, by Color

(By place of residence. Data refer only to deaths occurring within the United States, including Alaska and Hawaii. Excludes fetal deaths. Num-

CAUSE OF DEATH	RHODE ISLAND					SOUTH CAROLINA				
	Total	White		Nonwhite		Total	White		Nonwhite	
		Male	Female	Male	Female		Male	Female	Male	Female
XI. DELIVERIES AND COMPLICATIONS OF PREGNANCY, CHILDBIRTH, AND THE PUERPERIUM	5	...	5	...	-	43	...	11	...	32
SEPSIS OF PREGNANCY, CHILDBIRTH, ETC...640,641,681,682,684	1	...	1	...	-	3	...	-	...	3
TOXEMIAS OF PREGNANCY AND PUERPERIUM, ETC.....642,685,686	1	...	1	...	-	10	...	1	...	9
HEMORRHAGE OF PREGNANCY AND CHILDBIRTH.....643,644,670-672	1	...	1	...	-	11	...	4	...	7
ECTOPIC PREGNANCY.....645	1	...	1	...	-	2	...	-	...	2
ABORTION WITHOUT MENTION OF SEPSIS OR TOXEMIA.....650	-	...	-	...	-	4	...	-	...	4
ABORTION WITH SEPSIS.....651	-	...	-	...	-	6	...	3	...	3
ABORTION WITH TOXEMIA, WITHOUT MENTION OF SEPSIS.....652	-	...	-	...	-	-	...	-	...	-
OT. COMPLICATIONS OF PREGNANCY, CHILDBIRTH, ETC...RESIDUAL	1	...	1	...	-	7	...	3	...	4
XII. DISEASES OF THE SKIN AND CELLULAR TISSUE.....	6	3	3	-	-	27	5	8	6	8
INFECTIONS OF SKIN AND SUBCUTANEOUS TISSUE.....690-698	-	-	-	-	-	6	2	1	3	-
OTHER DISEASES OF SKIN AND SUBCUTANEOUS TISSUE.....700-716	6	3	3	-	-	21	3	7	3	8
XIII. DISEASES OF THE BONES AND ORGANS OF MOVEMENT...	21	9	12	-	-	45	16	15	5	9
ARTHRITIS AND SPONDYLITIS.....720-725	9	3	6	-	-	26	7	13	1	5
MUSCULAR RHEUMATISM AND RHEUMATISM UNSPECIFIED.....726,727	-	-	-	-	-	-	-	-	-	-
OSTEOMYELITIS AND PERIOSTITIS.....730	1	-	1	-	-	3	1	1	-	1
ANKYLOSIS & ACQ. MUSCULOSKELETAL DEFORMITIES...737,745-749	-	-	-	-	-	1	1	-	-	-
INBORN DEFECT OF MUSCLE.....744.1	2	2	-	-	-	7	5	-	2	-
OT. DIS. OF MUSCULOSKELETAL SYS....731-736,738-744.0,744.2	9	4	5	-	-	8	2	1	2	3
XIV. CONGENITAL MALFORMATIONS.....	115	54	56	2	3	285	90	90	65	40
SPINA BIFIDA AND MENINGOCELE.....751	12	5	7	-	-	14	4	8	2	-
CONGENITAL HYDROCEPHALUS, ETC.....752,753	12	4	7	1	-	26	8	8	9	1
CONGENITAL MALFORMATIONS OF CIRCULATORY SYSTEM.....754	55	24	28	1	2	147	48	46	30	23
OTHER CONGENITAL MALFORMATIONS.....750,755-759	36	21	14	-	1	98	30	28	24	16
XV. CERTAIN DISEASES OF EARLY INFANCY.....	237	133	83	11	10	1,044	301	207	286	250
XVI. SYMPTOMS, SENILITY, AND ILL-DEFINED CONDITIONS..	10	5	5	-	-	791	123	61	325	282
SENILITY WITHOUT MENTION OF PSYCHOSIS.....794	-	-	-	-	-	15	5	2	2	6
SYMPTOMS, ILL-DEFINED, AND UNKNOWN CAUSES.....780-793,795	10	5	5	-	-	776	118	59	323	276
XVII. ACCIDENTS, POISONINGS, AND VIOLENCE.....	362	223	127	6	6	2,086	855	321	649	261
ACCIDENTS.....E800-E962	296	176	110	6	4	1,675	684	269	504	218
RAILWAY ACCIDENTS.....E800-E802	2	1	1	-	-	18	9	1	6	2
MOTOR VEHICLE ACCIDENTS.....E810-E835	73	51	19	1	2	684	353	107	175	49
MOTOR VEHICLE TRAFFIC ACCIDENTS.....E810-E825	70	49	18	1	2	667	346	103	169	49
TRAFFIC ACCIDENT WITH RAILWAY TRAIN.....E810	1	1	-	-	-	14	10	3	1	-
TRAFFIC ACCIDENT TO PEDESTRIAN.....E812	16	12	4	-	-	151	49	18	60	24
OTHER TRAFFIC ACCIDENTS, ETC.....E811,E813-E819	19	13	5	-	1	116	74	28	10	4
NONCOLLISION TRAFFIC ACCIDENTS.....E820-E824	29	20	8	-	1	122	68	13	35	6
TRAFFIC ACCIDENT OF UNSPECIFIED NATURE.....E825	5	3	1	1	-	264	145	41	63	15
MOTOR VEHICLE NONTRAFFIC ACCIDENTS.....E830-E835	3	2	1	-	-	17	7	4	6	-
OTHER ROAD VEHICLE ACCIDENTS.....E840-E845	1	-	1	-	-	1	-	-	-	1
WATER TRANSPORT ACCIDENTS.....E850-E858	2	2	-	-	-	23	15	2	6	-
AIRCRAFT ACCIDENTS.....E860-E866	8	6	2	-	-	19	17	2	-	-
ACCIDENTAL POISONING BY SOLIDS AND LIQUIDS.....E870-E888	7	4	2	1	-	44	18	12	9	5
ACCIDENTAL POISONING BY GASES AND VAPORS.....E890-E895	4	4	-	-	-	10	4	1	3	2
ACCIDENTAL FALLS.....E900-E904	94	46	47	1	-	149	56	64	14	15
FALL FROM ONE LEVEL TO ANOTHER.....E900-E902	30	19	11	-	-	34	15	7	9	3
FALL ON SAME LEVEL.....E903	37	15	22	-	-	12	4	5	2	1
UNSPECIFIED FALLS.....E904	27	12	14	1	-	103	37	52	3	11
BLOW FROM FALLING OR PROJECTED OBJECT OR MISSILE....E910	1	1	-	-	-	20	10	-	9	1
ACCIDENT CAUSED BY MACHINERY.....E912	2	2	-	-	-	21	11	-	10	-
ACCIDENT CAUSED BY ELECTRIC CURRENT.....E914	2	2	-	-	-	15	8	2	5	-
ACCIDENT CAUSED BY FIRE AND EXPLOSION, ETC.....E916	30	14	14	1	1	224	45	29	70	80
ACCIDENT CAUSED BY HOT SUBSTANCE, ETC.....E917,E918	3	1	2	-	-	6	-	1	2	3
ACCIDENT CAUSED BY FIREARM.....E919	2	2	-	-	-	95	38	9	36	12
INHALATION AND INGESTION OF OBJECTS, ETC.....E921,E922	23	12	10	-	1	39	11	7	12	9
ACCIDENTAL DROWNING.....E929	14	10	3	1	-	138	43	9	80	6
EXCESSIVE HEAT AND INSOLATION.....E931	1	1	-	-	-	2	-	-	2	-
COMPLICATIONS DUE TO MEDICAL PROCEDURES.....E940-E959	7	5	2	-	-	25	5	11	4	5
ALL OTHER ACCIDENTS.....RESIDUAL	20	12	7	1	-	142	41	12	61	28
SUICIDE.....E963,E970-E979	54	43	10	-	1	173	112	35	24	2
SUICIDE BY POISONING.....E970-E973	18	13	4	-	1	31	20	9	2	-
SUICIDE BY HANGING AND STRANGULATION.....E974	9	8	1	-	-	17	9	2	5	1
SUICIDE BY FIREARM AND EXPLOSIVE.....E976	17	16	1	-	-	116	78	22	15	1
SUICIDE BY ALL OTHER MEANS.....E963,E975,E977-E979	10	6	4	-	-	9	5	2	2	-
HOMICIDE.....E964,E980-E985	12	4	7	-	1	238	59	17	121	41
ASSAULT BY FIREARM AND EXPLOSIVE.....E981	3	2	1	-	-	161	41	13	84	23
ASSAULT BY CUTTING AND PIERCING INSTRUMENTS.....E982	1	-	1	-	-	43	7	-	24	12
ASSAULT BY OTHER MEANS.....E964,E980,E983	8	2	5	-	1	32	11	4	11	6
INJURY BY INTERVENTION OF POLICE.....E984	-	-	-	-	-	1	-	-	1	-
EXECUTION.....E985	-	-	-	-	-	1	-	-	1	-
INJURY RESULTING FROM OPERATIONS OF WAR.....E965,E990-E999	-	-	-	-	-	-	-	-	-	-

and Sex: United States and Each State, 1960—Con.

bers after causes of death are category numbers of the Seventh Revision of the International Lists, 1955. For complete category titles, see table 5-8)

SOUTH DAKOTA					TENNESSEE					TEXAS				
Total	White		Nonwhite		Total	White		Nonwhite		Total	White		Nonwhite	
	Male	Female	Male	Female		Male	Female	Male	Female		Male	Female	Male	Female
5	...	5	...	-	35	...	19	...	16	107	...	71	...	36
-	...	-	...	-	1	...	1	...	-	13	...	11	...	2
-	...	-	...	-	13	...	10	...	3	22	...	13	...	9
1	...	1	...	-	10	...	6	...	4	24	...	17	...	7
-	...	-	...	-	1	...	-	...	1	7	...	4	...	3
-	...	-	...	-	-	...	-	...	-	4	...	3	...	1
-	...	-	...	-	3	...	-	...	3	11	...	5	...	6
-	...	-	...	-	-	...	-	...	-	1	...	-	...	1
4	...	4	...	-	7	...	2	...	5	25	...	18	...	7
8	2	3	2	1	30	9	13	2	6	91	21	41	9	20
3	1	-	1	1	7	3	4	-	-	32	10	16	4	2
5	1	3	1	-	23	6	9	2	6	59	11	25	5	18
19	8	11	-	-	88	34	39	6	9	173	64	90	7	12
8	4	4	-	-	60	23	28	3	6	104	27	66	2	9
-	-	-	-	-	1	-	-	1	-	-	-	-	-	-
1	-	1	-	-	2	-	1	-	1	3	1	1	-	1
1	-	1	-	-	2	2	-	-	-	6	2	3	1	-
2	1	1	-	-	12	7	2	2	1	30	22	5	2	1
7	3	4	-	-	11	2	8	-	1	30	12	15	2	1
109	50	50	7	2	429	188	174	41	26	1,140	506	486	93	55
6	3	3	-	-	38	17	18	3	-	71	20	48	2	1
10	5	4	-	1	50	16	25	7	2	112	34	52	17	9
59	25	32	2	-	217	103	78	18	18	591	283	234	45	29
34	17	11	5	1	124	52	53	13	6	366	169	152	29	16
276	153	88	22	13	1,369	588	360	230	191	4,303	1,968	1,422	509	404
89	44	20	12	13	1,573	571	367	337	298	1,495	672	433	233	157
8	3	3	1	1	83	34	37	4	8	295	100	137	34	24
81	41	17	11	12	1,490	537	330	333	290	1,200	572	296	199	133
555	376	106	50	23	2,583	1,446	550	427	160	6,940	4,137	1,580	879	344
465	310	93	44	18	1,980	1,106	469	285	120	5,368	3,205	1,363	538	262
3	1	1	1	-	20	12	1	7	-	58	38	3	15	2
236	153	44	28	11	859	527	190	102	40	2,372	1,546	554	196	76
235	152	44	28	11	839	514	186	99	40	2,286	1,497	533	183	73
5	5	-	-	-	22	12	7	2	1	125	78	33	8	6
23	9	3	8	3	145	75	31	24	15	313	191	60	40	22
128	81	31	9	7	366	204	104	40	18	1,251	810	335	79	27
61	43	7	11	-	260	192	34	29	5	547	390	87	52	18
18	14	3	-	1	46	31	10	4	1	50	28	18	4	-
1	1	-	-	-	20	13	4	3	-	86	49	21	13	3
-	-	-	-	-	4	4	-	-	-	14	9	2	2	1
3	3	-	-	-	40	35	3	2	-	70	62	3	5	-
5	2	3	-	-	19	15	3	1	-	88	83	5	-	-
4	2	1	1	-	50	21	10	13	6	81	32	33	9	7
3	3	-	-	-	17	10	6	-	1	72	37	26	7	2
69	37	29	1	2	280	98	143	27	12	631	275	316	23	17
22	14	8	-	-	69	33	15	18	3	155	94	46	10	5
12	6	5	-	1	58	20	32	3	3	114	43	64	4	3
35	17	16	1	1	153	45	96	6	6	362	138	206	9	9
7	7	-	-	-	50	39	2	9	-	60	46	4	9	1
27	27	-	-	-	43	41	-	2	-	99	82	6	11	-
6	6	-	-	-	21	17	3	1	-	105	94	7	4	-
20	12	5	3	-	230	87	46	53	44	540	214	170	65	91
2	2	-	-	-	7	4	2	1	-	27	8	12	3	4
17	16	-	1	-	59	48	5	5	1	199	148	17	26	8
8	5	3	-	-	48	22	17	5	4	137	64	42	21	10
21	15	1	5	-	86	53	8	23	2	372	244	36	81	11
1	1	-	-	-	1	1	-	-	-	20	13	4	2	1
2	-	2	-	-	22	8	8	3	3	68	24	35	5	4
31	18	4	4	5	124	64	22	31	7	355	186	88	54	27
70	61	7	2	-	332	252	57	18	5	844	647	144	40	13
7	6	1	-	-	51	34	15	-	2	137	82	48	5	2
19	15	2	2	-	27	21	5	1	-	97	75	20	1	1
41	38	3	-	-	220	178	31	9	2	558	452	67	30	9
3	2	1	-	-	34	19	6	8	1	52	38	9	4	1
20	5	6	4	5	270	87	24	124	35	726	283	73	301	69
14	5	6	1	2	173	68	15	71	19	468	198	51	180	39
2	-	-	2	-	53	2	3	38	10	161	45	10	88	18
4	-	-	1	3	35	12	6	11	6	71	29	12	18	12
-	-	-	-	-	7	5	-	2	-	18	9	-	9	-
-	-	-	-	-	2	-	-	2	-	8	2	-	6	-
-	-	-	-	-	1	1	-	-	-	2	2	-	-	-

Table 5-10. Deaths From 255 Selected Causes, by Color

(By place of residence. Data refer only to deaths occurring within the United States, including Alaska and Hawaii. Excludes fetal deaths. Num-

CAUSE OF DEATH	UTAH					VERMONT				
	Total	White		Nonwhite		Total	White		Nonwhite	
		Male	Female	Male	Female		Male	Female	Male	Female
ALL CAUSES	6,022	3,475	2,383	105	59	4,428	2,412	2,012	2	2
I. INFECTIVE AND PARASITIC DISEASES	68	37	24	5	2	40	28	12	-	-
TUBERCULOSIS, ALL FORMS 001-019	18	12	3	2	1	19	13	6	-	-
TUBERCULOSIS OF RESPIRATORY SYSTEM 001-008	15	10	3	2	-	19	13	6	-	-
TUBERCULOSIS OF MENINGES AND CENTRAL NERVOUS SYSTEM 010	1	-	-	-	1	-	-	-	-	-
TUBERCULOSIS OF INTESTINES, PERITONEUM, AND MESENTERIC GLANDS 011	-	-	-	-	-	-	-	-	-	-
TUBERCULOSIS OF BONES AND JOINTS 012,013	-	-	-	-	-	-	-	-	-	-
TUBERCULOSIS OF OTHER ORGANS AND SYSTEMS 014-018	1	1	-	-	-	-	-	-	-	-
DISSEMINATED TUBERCULOSIS 019	1	1	-	-	-	-	-	-	-	-
SYPHILIS AND ITS SEQUELAE 020-029	6	4	1	1	-	9	9	-	-	-
CONGENITAL SYPHILIS 020	1	1	-	-	-	-	-	-	-	-
EARLY SYPHILIS 021	-	-	-	-	-	-	-	-	-	-
ANEURYSM OF AORTA 022	1	-	1	-	-	5	5	-	-	-
OTHER CARDIOVASCULAR SYPHILIS 023	3	2	-	1	-	-	-	-	-	-
TABES DORSALIS 024	-	-	-	-	-	1	1	-	-	-
GENERAL PARALYSIS OF INSANE 025	-	-	-	-	-	2	2	-	-	-
OTHER SYPHILIS OF CENTRAL NERVOUS SYSTEM 026	1	1	-	-	-	-	-	-	-	-
ALL OTHER SYPHILIS 027-029	-	-	-	-	-	1	1	-	-	-
GONOCOCCAL INFECTION 030-035	-	-	-	-	-	-	-	-	-	-
TYPHOID FEVER 040	-	-	-	-	-	-	-	-	-	-
PARATYPHOID FEVER AND OTHER SALMONELLA INFECTIONS 041,042	1	-	1	-	-	-	-	-	-	-
CHOLERA 043	-	-	-	-	-	-	-	-	-	-
BRUCELLOSIS 044	-	-	-	-	-	-	-	-	-	-
DYSENTERY, ALL FORMS 045-048	1	-	-	1	-	-	-	-	-	-
FOOD POISONING, INFECTION AND INTOXICATION 049	-	-	-	-	-	-	-	-	-	-
SCARLET FEVER 050	-	-	-	-	-	-	-	-	-	-
STREPTOCOCCAL SORE THROAT 051	-	-	-	-	-	-	-	-	-	-
ERYSIPELAS 052	-	-	-	-	-	-	-	-	-	-
SEPTICEMIA AND PYEMIA 053	10	6	3	-	1	3	-	3	-	-
DIPHTHERIA 055	1	-	1	-	-	-	-	-	-	-
WHOOPING COUGH 056	1	-	1	-	-	-	-	-	-	-
MENINGOCOCCAL INFECTIONS 057	4	1	3	-	-	1	-	1	-	-
PLAGUE 058	-	-	-	-	-	-	-	-	-	-
LEPROSY 060	-	-	-	-	-	-	-	-	-	-
TETANUS 061	-	-	-	-	-	-	-	-	-	-
ANTHRAX 062	-	-	-	-	-	-	-	-	-	-
ACUTE POLIOMYELITIS 080	1	-	1	-	-	-	-	-	-	-
LATE EFFECTS OF ACUTE POLIOMYELITIS 081	1	1	-	-	-	-	-	-	-	-
ACUTE INFECTIOUS ENCEPHALITIS 082	4	2	1	1	-	1	1	-	-	-
LATE EFFECTS OF ACUTE INFECTIOUS ENCEPHALITIS 083	-	-	-	-	-	-	-	-	-	-
SMALLPOX 084	-	-	-	-	-	-	-	-	-	-
MEASLES 085	5	3	2	-	-	-	-	-	-	-
YELLOW FEVER 091	-	-	-	-	-	-	-	-	-	-
INFECTIOUS HEPATITIS 092	8	3	5	-	-	2	2	-	-	-
RABIES 094	-	-	-	-	-	-	-	-	-	-
TICK-BORNE TYPHUS 104	-	-	-	-	-	-	-	-	-	-
ALL OTHER RICKETTSIAL DISEASES 100-103,105-108	-	-	-	-	-	-	-	-	-	-
MALARIA 110-117	-	-	-	-	-	-	-	-	-	-
SCHISTOSOMIASIS 123	-	-	-	-	-	-	-	-	-	-
HYDATID DISEASE 125	-	-	-	-	-	-	-	-	-	-
FILARIASIS 127	-	-	-	-	-	-	-	-	-	-
ANCYLOSTOMIASIS 129	-	-	-	-	-	-	-	-	-	-
OTHER DISEASES DUE TO HELMINTHS 124,126,128,130	-	-	-	-	-	-	-	-	-	-
ALL OTHER INFECTIVE AND PARASITIC DISEASES RESIDUAL	7	5	2	-	-	5	3	2	-	-
II. NEOPLASMS	821	431	373	8	9	705	353	352	-	-
MALIGNANT NEOPLASMS, INCLUDING NEOPLASMS OF LYMPHATIC AND HEMATOPOIETIC TISSUES 140-205	801	423	362	8	8	696	350	346	-	-
MALIGNANT NEOPLASM OF BUCCAL CAVITY AND PHARYNX 140-148	12	9	3	-	-	21	18	3	-	-
OF LIP 140	1	1	-	-	-	1	1	-	-	-
OF TONGUE 141	2	-	2	-	-	2	1	1	-	-
OF OTHER AND UNSPEC. PARTS OF BUCCAL CAVITY 142-144	6	5	1	-	-	10	10	-	-	-
OF PHARYNX 145-148	3	3	-	-	-	8	6	2	-	-
MALIGNANT NEOPLASM OF DIGESTIVE ORGANS AND PERITONEUM, NOT SPECIFIED AS SECONDARY 150-156A,157-159	230	123	101	3	3	225	102	123	-	-
OF ESOPHAGUS 150	10	10	-	-	-	4	2	2	-	-
OF STOMACH 151	65	39	24	1	1	50	25	25	-	-
OF SMALL INTESTINE, INCLUDING DUODENUM 152	2	1	1	-	-	-	-	-	-	-
OF LARGE INTESTINE, EXCEPT RECTUM 153	57	24	33	-	-	90	32	58	-	-
CECUM, APPENDIX, AND ASCENDING COLON 153.0	10	5	5	-	-	25	9	16	-	-
TRANSVERSE COLON 153.1	6	2	4	-	-	16	9	7	-	-
DESCENDING COLON 153.2	2	1	1	-	-	11	2	9	-	-
SIGMOID COLON 153.3	9	6	3	-	-	31	9	22	-	-
MULTIPLE PARTS OF LARGE INTESTINE 153.7	-	-	-	-	-	1	-	1	-	-
LARGE INTESTINE, PART UNSPECIFIED 153.8	27	9	18	-	-	5	2	3	-	-
INTESTINAL TRACT, PART UNSPECIFIED 153.9	3	1	2	-	-	1	1	-	-	-
OF RECTUM 154	20	14	6	-	-	23	13	10	-	-
OF BILIARY PASSAGES AND OF LIVER, PRIMARY SITE 155	24	10	12	1	1	10	4	6	-	-
LIVER 155.0	5	3	2	-	-	1	1	-	-	-
OT. & MULT. SITES OF BILIARY PASSAGES 155.1,155.8	19	7	10	1	1	9	3	6	-	-
OF LIVER NOT STATED WHETHER PRIMARY OR SECONDARY 156A	4	1	1	1	1	4	3	1	-	-
OF PANCREAS 157	39	21	18	-	-	40	21	19	-	-
OF PERITONEUM AND OF UNSPEC. DIGESTIVE ORGANS 158,159	9	3	6	-	-	4	2	2	-	-

and Sex: United States and Each State, 1960—Con.

bers after causes of death are category numbers of the Seventh Revision of the International Lists, 1955. For complete category titles, see table 5-8)

VIRGINIA					WASHINGTON					WEST VIRGINIA					
Total	White		Nonwhite		Total	White		Nonwhite		Total	White		Nonwhite		
	Male	Female	Male	Female		Male	Female	Male	Female		Male	Female	Male	Female	
34,459	14,508	10,781	5,179	3,991	26,532	15,285	10,431	539	277	18,067	10,029	6,812	734	492	1
															2
															3
529	176	104	157	92	215	145	51	12	7	247	137	79	27	4	4
															5
250	96	39	77	38	90	59	21	8	2	122	81	25	14	2	6
232	90	38	70	34	87	59	19	7	2	110	75	21	13	1	7
2	1	-	1	-	-	-	-	-	-	5	2	2	1	-	8
															9
-	-	-	-	-	1	-	1	-	-	1	-	-	-	1	10
3	1	-	-	2	1	-	-	1	-	1	1	-	-	-	11
7	3	-	4	-	1	-	1	-	-	4	2	2	-	-	12
6	1	1	2	2	-	-	-	-	-	1	1	-	-	-	13
															14
59	16	8	21	14	55	41	11	-	3	36	21	9	4	2	15
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	16
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	17
29	13	5	8	3	36	28	8	-	-	17	8	5	3	1	18
18	2	2	8	6	15	9	3	-	3	12	8	3	-	1	19
1	1	-	-	-	1	1	-	-	-	1	1	-	-	-	20
6	-	1	2	3	1	1	-	-	-	1	1	-	-	-	21
5	-	-	3	2	2	2	-	-	-	5	3	1	1	-	22
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	23
															24
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	25
2	1	1	-	-	-	-	-	-	-	-	-	-	-	-	26
3	1	-	-	2	1	1	-	-	-	-	-	-	-	-	27
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	28
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	29
20	-	2	11	7	2	2	-	-	-	2	-	1	1	-	30
1	-	-	-	1	-	-	-	-	-	1	1	-	-	-	31
1	1	-	-	-	-	-	-	-	-	1	-	1	-	-	32
2	-	2	-	-	1	1	-	-	-	2	-	2	-	-	33
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	34
76	23	24	18	11	22	14	8	-	-	10	6	2	2	-	35
															36
4	-	-	2	2	-	-	-	-	-	-	-	-	-	-	37
9	1	1	3	4	-	-	-	-	-	1	-	1	-	-	38
20	11	5	3	1	5	4	1	-	-	16	6	10	-	-	39
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	40
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	41
5	1	-	3	1	1	1	-	-	-	1	-	1	-	-	42
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	43
3	1	-	2	-	3	3	-	-	-	4	2	2	-	-	44
3	2	1	-	-	2	1	1	-	-	3	-	2	1	-	45
10	6	3	-	1	2	1	1	-	-	13	7	6	-	-	46
2	-	1	-	1	2	1	1	-	-	2	1	1	-	-	47
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	48
4	1	2	-	1	1	-	-	1	-	2	2	-	-	-	49
															50
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	51
14	3	7	2	2	17	9	4	3	1	11	4	7	-	-	52
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	53
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	54
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	55
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	56
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	57
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	58
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	59
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	60
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	61
3	-	1	1	1	-	-	-	-	-	1	-	1	-	-	62
38	12	7	14	5	11	7	3	-	1	19	6	8	5	-	63
															64
4,824	1,900	1,856	599	469	4,269	2,353	1,812	69	35	2,607	1,374	1,078	88	67	65
															66
															67
4,735	1,868	1,821	591	455	4,205	2,315	1,788	69	33	2,566	1,353	1,059	88	66	68
98	51	23	20	4	104	79	23	1	1	40	28	10	1	1	69
2	2	-	-	-	2	2	-	-	-	2	2	-	-	-	70
28	16	6	6	-	27	15	11	1	-	5	2	3	-	-	71
30	14	11	2	3	32	23	9	-	-	14	11	2	1	-	72
38	19	6	12	1	43	39	3	-	1	19	13	5	-	1	73
															74
															75
1,433	538	551	214	130	1,376	750	585	29	12	877	474	347	42	14	76
100	38	17	35	10	59	41	15	3	-	29	19	7	3	-	77
299	123	76	74	26	337	211	114	8	4	220	126	75	16	3	78
16	4	11	-	1	12	7	5	-	-	4	2	2	-	-	79
437	149	211	33	44	411	186	216	6	3	234	116	109	6	3	80
62	22	32	4	4	58	24	32	2	-	37	20	17	-	-	81
16	6	9	-	1	22	11	10	1	-	13	4	9	-	-	82
20	12	6	-	2	13	3	10	-	-	17	8	8	-	1	83
73	22	36	5	10	110	52	57	1	-	42	17	24	1	-	84
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	85
241	84	114	20	23	185	85	96	1	3	108	58	43	5	2	86
25	3	14	4	4	23	11	11	1	-	17	9	8	-	-	87
															88
145	50	59	20	16	153	88	61	3	1	90	45	37	7	1	89
85	26	47	6	6	107	40	59	7	1	65	32	31	1	1	90
19	10	3	4	2	34	21	11	2	-	14	11	2	1	-	91
66	16	44	2	4	73	19	48	5	1	51	21	29	-	1	92
67	19	33	8	7	35	22	13	-	-	61	33	24	2	2	93
249	119	78	34	18	243	146	92	2	3	159	95	53	7	4	94
35	10	19	4	2	19	9	10	-	-	15	6	9	-	-	95

Table 5-10. Deaths From 255 Selected Causes, by Color

(By place of residence. Data refer only to deaths occurring within the United States, including Alaska and Hawaii. Excludes fetal deaths. Num-

CAUSE OF DEATH	UTAH					VERMONT				
	Total	White		Nonwhite		Total	White		Nonwhite	
		Male	Female	Male	Female		Male	Female	Male	Female
II. NEOPLASMS—CON.										
MALIGNANT NEOPLASMS, ETC.—CON.										
MALIGNANT NEOPLASM OF RESPIRATORY SYSTEM, NOT SPECIFIED AS SECONDARY....160-164	84	75	7	1	1	99	83	16	-	-
OF LARYNX....161	-	-	-	-	-	6	5	1	-	-
OF BRONCHUS & TRACHEA, & OF LUNG SPEC. AS PRIMARY..162	57	50	6	-	1	34	30	4	-	-
OF LUNG, NOT SPEC. PRIMARY OR SECONDARY....163	24	22	1	1	-	56	47	9	-	-
OF OTHER PARTS OF RESPIRATORY SYSTEM....160,164	3	3	-	-	-	3	1	2	-	-
MALIGNANT NEOPLASM OF BREAST....170	87	2	84	-	1	78	1	77	-	-
MALIGNANT NEOPLASM OF GENITAL ORGANS....171-179	149	86	60	2	1	113	52	61	-	-
OF CERVIX UTERI....171	17	...	17	...	-	28	...	28	...	-
OF OTHER AND UNSPECIFIED PARTS OF UTERUS....172-174	16	...	16	...	-	17	...	17	...	-
OF OVARY, FALLOPIAN TUBE, AND BROAD LIGAMENT....175	27	...	26	...	1	15	...	15	...	-
OF OTHER AND UNSPECIFIED FEMALE GENITAL ORGANS....176	1	...	1	...	-	1	...	1	...	-
OF PROSTATE....177	83	81	...	2	...	50	50	...	-	...
OF ALL OTHER & UNSPEC. MALE GENITAL ORGANS....178,179	5	5	...	-	...	2	2	...	-	...
MALIGNANT NEOPLASM OF URINARY ORGANS....180,181	41	26	15	-	-	41	27	14	-	-
OF KIDNEY....180	14	11	3	-	-	12	7	5	-	-
OF BLADDER AND OTHER URINARY ORGANS....181	27	15	12	-	-	29	20	9	-	-
MALIGNANT NEOPLASM OF OTHER AND UNSPECIFIED SITES....156B,165,190-199	112	55	54	2	1	59	37	22	-	-
OF SKIN....190,191	23	11	12	-	-	12	6	6	-	-
OF EYE....192	4	3	1	-	-	-	-	-	-	-
OF BRAIN AND OTHER PARTS OF NERVOUS SYSTEM....193	30	15	15	-	-	15	12	3	-	-
OF THYROID GLAND....194	1	1	-	-	-	-	-	-	-	-
OF BONE....196	2	2	-	-	-	2	2	-	-	-
OF CONNECTIVE TISSUE....197	4	3	-	1	-	3	3	-	-	-
OF OTHER SPECIFIED SITES, NOT SECONDARY....195,199A	4	3	1	-	-	1	1	-	-	-
OF UNSPECIFIED SITES....156B,165,198,199B	44	17	25	1	1	26	13	13	-	-
LEUKEMIA AND ALEUKEMIA....204	45	21	23	-	1	31	14	17	-	-
LYMPHOSARCOMA, ETC....200-203,205	41	26	15	-	-	29	16	13	-	-
LYMPHOSARCOMA AND RETICULOSARCOMA....200	17	12	5	-	-	16	8	8	-	-
HODGKINS DISEASE....201	12	7	5	-	-	3	-	3	-	-
OTHER NEOPLASMS OF LYMPHATIC AND HEMATOPOIETIC TISSUES....202,203,205	12	7	5	-	-	10	8	2	-	-
BENIGN NEOPLASMS AND NEOPLASMS OF UNSPEC. NATURE...210-239	20	8	11	-	1	9	3	6	-	-
BENIGN NEOPLASMS OF FEMALE GENITAL ORGANS....214-217	2	...	2	...	-	1	...	1	...	-
BENIGN NEOPLASM OF BRAIN & OT. PTS. OF NERVOUS SYS...223	4	2	1	-	1	2	2	-	-	-
OTHER BENIGN NEOPLASMS....210-213,218-222,224-229	3	1	2	-	-	4	-	4	-	-
UNSPECIFIED NEOPLASM OF FEMALE GENITAL ORGANS....233-235	-	...	-	...	-	-	...	-	...	-
NEOPLASM OF UNSPECIFIED NATURE OF BRAIN, ETC....237	7	2	5	-	-	1	1	-	-	-
OTHER NEOPLASMS OF UNSPEC. NATURE....230-232,236,238,239	4	3	1	-	-	1	-	1	-	-
III. ALLERGIC, ENDOCRINE SYSTEM, METABOLIC, AND NUTRITIONAL DISEASES....	133	58	71	1	3	106	40	66	-	-
ASTHMA....241	17	14	3	-	-	15	7	8	-	-
NONTOXIC GOITER....250,251	1	1	-	-	-	-	-	-	-	-
THYROTOXICOSIS WITH OR WITHOUT GOITER....252	1	-	1	-	-	-	-	-	-	-
ALL OTHER DISEASES OF THYROID GLAND....253,254	3	-	2	-	1	5	3	2	-	-
DIABETES MELLITUS....260	90	35	54	-	1	79	28	51	-	-
DISEASES OF THYMUS GLAND....273	-	-	-	-	-	1	-	1	-	-
DISEASES OF ADRENAL GLANDS....274	2	-	2	-	-	2	1	1	-	-
PELLAGRA....281	-	-	-	-	-	-	-	-	-	-
OTHER NUTRITIONAL DEFICIENCY STATES....280,282-286	4	-	2	1	1	3	-	3	-	-
ALL OTHER ALLERGIC, ENDOCRINE, & METABOLIC DIS....RESIDUAL	15	8	7	-	-	1	1	-	-	-
IV. DISEASES OF THE BLOOD AND BLOOD-FORMING ORGANS...	20	11	6	2	1	17	8	9	-	-
ANEMIAS....290-293	14	8	3	2	1	12	5	7	-	-
PERNICIOUS AND OTHER HYPERCHROMIC ANEMIAS....290	1	1	-	-	-	4	1	3	-	-
ANEMIAS OF OTHER AND UNSPECIFIED TYPE....291-293	13	7	3	2	1	8	4	4	-	-
PURPURA AND OTHER HEMORRHAGIC CONDITIONS....296	3	1	2	-	-	4	3	1	-	-
OTHER DIS. OF BLOOD AND BLOOD-FORMING ORGANS....RESIDUAL	3	2	1	-	-	1	-	1	-	-
V. MENTAL, PSYCHONEUROTIC, AND PERSONALITY DISORDERS	13	7	5	-	1	14	8	6	-	-
SENILE PSYCHOSIS....304	-	-	-	-	-	3	-	3	-	-
ALCOHOLIC PSYCHOSIS....307	-	-	-	-	-	-	-	-	-	-
OTHER PSYCHOSES....300-303,305,306,308,309	2	-	2	-	-	1	1	-	-	-
ALCOHOLISM....322	9	5	3	-	1	7	5	2	-	-
MENTAL DEFICIENCY....325	2	2	-	-	-	3	2	1	-	-
OTHER DISORDERS OF PERSONALITY....RESIDUAL	-	-	-	-	-	-	-	-	-	-
VI. DISEASES OF THE NERVOUS SYSTEM AND SENSE ORGANS..	621	303	304	9	5	562	243	318	-	1
VASCULAR LESIONS AFFECTING CENTRAL NERVOUS SYSTEM..330-334	558	265	282	7	4	529	227	301	-	1
SUBARACHNOID HEMORRHAGE....330	16	8	7	1	-	14	5	9	-	-
CEREBRAL HEMORRHAGE....331	313	150	156	5	2	251	111	139	-	1
CEREBRAL EMBOLISM AND THROMBOSIS....332	170	85	83	-	2	188	77	111	-	-
OTHER VASCULAR LESIONS AFFECTING C.N.S....333,334	59	22	36	1	-	76	34	42	-	-
MENINGITIS, EXCEPT MENINGOCOCCAL AND TUBERCULOUS....340	6	4	2	-	-	6	3	3	-	-
MULTIPLE SCLEROSIS....345	8	4	4	-	-	2	1	1	-	-
PARALYSIS AGITANS....350	13	6	7	-	-	12	4	8	-	-
CEREBRAL SPASTIC INFANTILE PARALYSIS....351	3	2	1	-	-	1	1	-	-	-
EPILEPSY....353	13	10	2	1	-	4	2	2	-	-
INFLAMMATORY DISEASES OF EYE....370-379	-	-	-	-	-	-	-	-	-	-
CATARACT....385	-	-	-	-	-	-	-	-	-	-
GLAUCOMA....387	-	-	-	-	-	-	-	-	-	-
OTITIS MEDIA AND MASTOIDITIS....391-393	-	-	-	-	-	1	-	1	-	-
OTHER DIS. OF NERVOUS SYSTEM AND SENSE ORGANS....RESIDUAL	20	12	6	1	1	7	5	2	-	-

and Sex: United States and Each State, 1960—Con.

bers after causes of death are category numbers of the Seventh Revision of the International Lists, 1955. For complete category titles, see table 5-8)

VIRGINIA					WASHINGTON					WEST VIRGINIA				
Total	White		Nonwhite		Total	White		Nonwhite		Total	White		Nonwhite	
	Male	Female	Male	Female		Male	Female	Male	Female		Male	Female	Male	Female
735	483	100	131	21	643	541	81	21	-	379	311	50	15	3
33	20	2	10	1	28	24	3	1	-	19	16	3	-	-
217	159	22	31	5	326	278	39	9	-	133	116	10	6	1
461	294	68	86	13	272	225	37	10	-	218	172	35	9	2
24	10	8	4	2	17	14	2	1	-	9	7	2	-	-
429	6	351	4	68	353	6	342	-	5	171	2	159	-	10
730	192	314	95	129	603	271	318	4	10	400	143	228	11	18
188	...	123	...	65	128	...	121	...	7	113	...	108	...	5
115	...	77	...	38	74	...	72	...	2	75	...	65	...	10
123	...	100	...	23	117	...	116	...	1	49	...	46	...	3
17	...	14	...	3	9	...	9	...	-	9	...	9	...	-
269	178	...	91	...	256	252	...	4	...	145	134	...	11	...
18	14	...	4	...	19	19	...	-	...	9	9	...	-	...
192	96	62	17	17	209	140	67	1	1	102	70	28	2	2
87	48	24	8	7	86	53	32	-	1	52	35	14	1	2
105	48	38	9	10	123	87	35	1	-	50	35	14	1	-
643	271	241	65	66	454	246	200	7	1	362	192	150	8	12
70	39	25	2	4	46	26	19	1	-	52	31	19	1	1
7	1	5	-	1	5	2	3	-	-	6	3	1	-	2
134	66	49	9	10	96	66	29	1	-	60	36	20	3	1
11	2	3	2	4	11	3	8	-	-	6	2	2	-	2
40	18	12	3	7	26	13	12	1	-	32	16	16	-	-
25	11	10	2	2	23	14	9	-	-	11	8	2	-	1
27	14	7	3	3	20	11	9	-	-	12	8	3	1	-
329	120	130	44	35	227	111	111	4	1	183	88	87	3	5
229	115	92	16	6	214	141	69	3	1	120	70	43	3	4
246	116	87	29	14	249	141	103	3	2	115	63	44	6	2
94	54	32	6	2	112	60	49	2	1	54	27	24	2	1
71	34	25	8	4	62	38	23	1	-	23	14	8	1	-
81	28	30	15	8	75	43	31	-	1	38	22	12	3	1
89	32	35	8	14	64	38	24	-	2	41	21	19	-	1
6	...	2	...	4	1	...	1	...	-	2	...	1	...	1
22	8	9	1	4	10	6	4	-	-	3	1	2	-	-
14	8	5	1	-	9	6	2	-	1	9	5	4	-	-
1	...	-	...	1	-	...	-	...	-	-	...	-	...	-
28	8	13	5	2	36	22	13	-	1	17	7	10	-	-
18	8	6	1	3	8	4	4	-	-	10	8	2	-	-
727	228	273	102	124	590	283	285	13	9	404	167	198	21	18
117	45	33	24	15	85	61	22	1	1	77	45	26	5	1
2	-	1	1	-	1	-	1	-	-	2	-	1	-	1
15	-	11	1	3	6	2	4	-	-	4	2	2	-	-
11	-	9	-	2	-	-	-	-	-	2	2	-	-	-
478	144	185	62	87	426	188	223	9	6	271	94	151	13	13
-	-	-	-	-	4	1	2	1	-	-	-	-	-	-
11	3	4	2	2	3	2	1	-	-	6	3	3	-	-
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
38	12	13	8	5	21	9	12	-	-	18	10	6	-	2
55	24	17	4	10	44	20	20	2	2	24	11	9	3	1
110	30	30	24	26	96	60	33	2	1	44	20	22	-	2
75	17	17	18	23	66	42	22	1	1	29	12	16	-	1
5	1	2	1	1	16	11	5	-	-	11	5	6	-	-
70	16	15	17	22	50	31	17	1	1	18	7	10	-	1
20	6	9	3	2	8	3	4	1	-	4	1	2	-	1
15	7	4	3	1	22	15	7	-	-	11	7	4	-	-
145	76	23	39	7	99	63	27	6	3	83	49	27	6	1
3	1	2	-	-	7	1	6	-	-	9	6	3	-	-
8	7	-	1	-	5	5	-	-	-	5	3	2	-	-
13	5	6	1	1	5	3	1	-	1	12	6	5	1	-
107	54	11	37	5	73	54	12	5	2	42	25	11	5	1
11	7	3	-	1	6	-	5	1	-	13	7	6	-	-
3	2	1	-	-	3	-	3	-	-	2	2	-	-	-
4,479	1,524	1,601	690	664	3,502	1,692	1,726	54	30	2,301	1,106	1,017	90	88
4,153	1,401	1,500	624	628	3,253	1,566	1,614	48	25	2,163	1,025	970	84	84
191	75	66	22	28	122	51	57	9	5	56	25	27	3	1
2,498	812	864	394	428	1,904	877	986	28	13	1,316	619	586	53	58
1,126	408	446	157	115	974	521	440	8	5	610	302	265	24	19
338	106	124	51	57	253	117	131	3	2	181	79	92	4	6
47	12	11	15	9	32	22	7	1	2	21	12	6	2	1
28	8	18	1	1	30	9	21	-	-	17	6	10	-	1
43	22	17	1	3	70	39	29	2	-	23	14	8	1	-
27	14	4	7	2	12	3	9	-	-	11	8	3	-	-
57	11	10	24	12	35	20	11	2	2	16	14	2	-	-
-	-	-	-	-	-	-	-	-	-	1	1	-	-	-
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
10	6	3	1	-	6	2	4	-	-	6	3	3	-	-
114	50	38	17	9	64	31	31	1	1	43	23	15	3	2

Table 5-10. Deaths From 255 Selected Causes, by Color

(By place of residence. Data refer only to deaths occurring within the United States, including Alaska and Hawaii. Excludes fetal deaths. Num-

CAUSE OF DEATH	UTAH					VERMONT				
	Total	White		Nonwhite		Total	White		Nonwhite	
		Male	Female	Male	Female		Male	Female	Male	Female
VII. DISEASES OF THE CIRCULATORY SYSTEM	2,258	1,334	895	20	9	1,940	1,078	860	1	1
DISEASES OF HEART 400-402,410-443	2,050	1,216	806	19	9	1,716	957	757	1	1
RHEUMATIC FEVER 400-402	2	1	1	-	-	-	-	-	-	-
CHRONIC RHEUMATIC HEART DISEASE 410-416	146	73	71	1	1	44	24	20	-	-
DISEASES OF MITRAL VALVE 410	57	29	28	-	-	18	9	9	-	-
DISEASES OF AORTIC VALVE SPECIFIED AS RHEUMATIC 411	11	10	1	-	-	5	4	1	-	-
DISEASES OF PULMONARY VALVE, ETC 413,414	4	2	2	-	-	2	1	1	-	-
OTHER RHEUMATIC HEART DISEASES 412,415,416	74	32	40	1	1	19	10	9	-	-
ARTERIOSCLEROTIC HEART DIS., INCL. CORONARY DIS 420	1,392	925	450	12	5	1,342	781	559	1	1
ARTERIOSCLEROTIC HEART DISEASE SO DESCRIBED 420.0	567	318	241	5	3	680	339	340	-	1
HEART DIS. SPEC. AS INVOLVING CORONARY ARTERIES 420.1	824	606	209	7	2	659	440	218	1	-
ANGINA PECTORIS WITHOUT MENTION CORONARY DIS 420.2	1	1	-	-	-	3	2	1	-	-
CHRONIC ENDOCARDITIS NOT SPECIFIED AS RHEUMATIC 421	12	7	5	-	-	19	12	7	-	-
OF MITRAL VALVE, SPECIFIED AS NONRHEUMATIC 421.0	-	-	-	-	-	-	-	-	-	-
OF AORTIC VALVE, NOT SPECIFIED AS RHEUMATIC 421.1	5	3	2	-	-	11	7	4	-	-
OF OTHER VALVES, NOT SPEC. AS RHEUMATIC 421.2-421.4	7	4	3	-	-	8	5	3	-	-
OTHER MYOCARDIAL DEGENERATION 422	189	78	107	3	1	124	62	62	-	-
WITH ARTERIOSCLEROSIS 422.1	124	48	73	2	1	90	45	45	-	-
WITHOUT MENTION OF ARTERIOSCLEROSIS 422.0,422.2	65	30	34	1	-	34	17	17	-	-
OTHER DISEASES OF HEART 430-434	100	53	47	-	-	43	25	18	-	-
ACUTE AND SUBACUTE ENDOCARDITIS 430	4	2	2	-	-	1	1	-	-	-
ACUTE NONRHEUMATIC MYOCARDITIS & PERICARDITIS 431,432	3	1	2	-	-	1	1	-	-	-
FUNCTIONAL DISEASE OF HEART 433	26	14	12	-	-	13	5	8	-	-
OTHER AND UNSPECIFIED DISEASES OF HEART 434	67	36	31	-	-	28	18	10	-	-
HYPERTENSIVE HEART DISEASE 440-443	209	79	125	3	2	144	53	91	-	-
HYPERTENSIVE HEART DISEASE WITH ARTERIOLAR NEPHROSCLEROSIS 442	54	24	29	1	-	40	19	21	-	-
OTHER HYPERTENSIVE HEART DISEASE 440,441,443	155	55	96	2	2	104	34	70	-	-
OTHER HYPERTENSIVE DISEASE 444-447	18	10	8	-	-	50	27	23	-	-
HYPERTENSION WITH ARTERIOLAR NEPHROSCLEROSIS 446	10	4	6	-	-	37	23	14	-	-
ESSENTIAL HYPERTENSION 444,445,447	8	6	2	-	-	13	4	9	-	-
DISEASES OF ARTERIES 450-456	142	78	63	1	-	150	80	70	-	-
GENERAL ARTERIOSCLEROSIS 450	88	39	48	1	-	121	59	62	-	-
AORTIC ANEURYSM, NONSYPHILITIC, ETC 451	41	33	8	-	-	24	20	4	-	-
GANGRENE OF UNSPECIFIED CAUSE 455	2	-	2	-	-	1	-	1	-	-
OTHER ARTERIAL DISEASES 452-454,456	11	6	5	-	-	4	1	3	-	-
DIS. OF VEINS AND OTHER DIS. OF CIRCULATORY SYS 460-468	48	30	18	-	-	24	14	10	-	-
VIII. DISEASES OF THE RESPIRATORY SYSTEM	334	222	100	8	4	256	158	98	-	-
ACUTE UPPER RESPIRATORY INFECTIONS 470-475	6	3	3	-	-	1	1	-	-	-
INFLUENZA 480-483	20	13	7	-	-	26	11	15	-	-
PNEUMONIA, EXCEPT PNEUMONIA OF NEWBORN 490-493	167	95	60	8	4	161	87	74	-	-
LOBAR PNEUMONIA 490	35	21	13	1	-	24	11	13	-	-
BRONCHOPNEUMONIA 491	76	42	28	4	2	95	48	47	-	-
PRIMARY ATYPICAL PNEUMONIA 492	17	9	5	2	1	18	11	7	-	-
PNEUMONIA, OTHER AND UNSPECIFIED 493	39	23	14	1	1	24	17	7	-	-
ACUTE BRONCHITIS 500	8	7	1	-	-	1	-	1	-	-
BRONCHITIS, CHRONIC AND UNQUALIFIED 501,502	20	16	4	-	-	7	5	2	-	-
HYPERTROPHY OF TONSILS AND ADENOIDS 510	-	-	-	-	-	-	-	-	-	-
EMPYEMA AND ABSCESS OF LUNG 518,521	4	4	-	-	-	2	2	-	-	-
PLEURISY 519	-	-	-	-	-	-	-	-	-	-
EMPHYSEMA WITHOUT MENTION OF BRONCHITIS 527.1	52	48	4	-	-	31	29	2	-	-
OTHER RESPIRATORY DISEASES RESIDUAL	57	36	21	-	-	27	23	4	-	-
IX. DISEASES OF THE DIGESTIVE SYSTEM	253	154	91	3	5	171	101	70	-	-
DISEASES OF TEETH AND SUPPORTING STRUCTURES 530-535	-	-	-	-	-	2	1	1	-	-
ULCER OF STOMACH 540	26	19	7	-	-	13	9	4	-	-
ULCER OF DUODENUM 541	32	25	7	-	-	18	15	3	-	-
GASTRITIS AND DUODENITIS 543	-	-	-	-	-	-	-	-	-	-
APPENDICITIS 550-553	3	1	2	-	-	4	4	-	-	-
HERNIA AND INTESTINAL OBSTRUCTION 560,561,570	49	30	18	-	1	30	15	15	-	-
GASTROENTERITIS AND COLITIS, EXC. ULCERATIVE, AGE 4 WEEKS AND OVER 571	10	2	7	-	1	6	5	1	-	-
CHRONIC ENTERITIS AND ULCERATIVE COLITIS 572	11	6	5	-	-	12	6	6	-	-
CIRRHOSIS OF LIVER 581	59	40	17	1	1	39	27	12	-	-
WITHOUT MENTION OF ALCOHOLISM 581.0	34	22	10	1	1	27	16	11	-	-
WITH ALCOHOLISM 581.1	25	18	7	-	-	12	11	1	-	-
CHOLELITHIASIS, CHOLECYSTITIS, AND CHOLANGITIS 584,585	12	5	5	-	2	18	3	15	-	-
FIBROCYSTIC DISEASE OF PANCREAS 587B	4	2	2	-	-	2	-	2	-	-
OTHER DISEASES OF DIGESTIVE SYSTEM RESIDUAL	47	24	21	2	-	27	16	11	-	-
X. DISEASES OF THE GENITOURINARY SYSTEM	92	57	32	2	1	60	36	24	-	-
NEPHRITIS AND NEPHROSIS 590-594	47	30	16	1	-	26	13	13	-	-
ACUTE NEPHRITIS 590	1	-	1	-	-	2	2	-	-	-
NEPHRITIS WITH EDEMA, INCLUDING NEPHROSIS 591	4	2	2	-	-	-	-	-	-	-
CHRONIC AND UNSPECIFIED NEPHRITIS, ETC 592-594	42	28	13	1	-	24	11	13	-	-
INFECTIONS OF KIDNEY 600	24	11	12	-	1	12	1	11	-	-
CALCULI OF URINARY SYSTEM 602,604	1	-	1	-	-	3	3	-	-	-
OTHER DISEASES OF URINARY SYSTEM 601,603,605-609	7	7	-	-	-	3	3	-	-	-
HYPERPLASIA OF PROSTATE 610	9	8	...	1	...	16	16	...	-	...
DISEASES OF BREAST 620,621	1	-	1	-	-	-	-	-	-	-
OTHER DISEASES OF GENITAL ORGANS RESIDUAL	3	1	2	-	-	-	-	-	-	-

and Sex: United States and Each State, 1960—Con.

bers after causes of death are category numbers of the Seventh Revision of the International Lists, 1955. For complete category titles, see table 5-8)

VIRGINIA					WASHINGTON					WEST VIRGINIA				
Total	White		Nonwhite		Total	White		Nonwhite		Total	White		Nonwhite	
	Male	Female	Male	Female		Male	Female	Male	Female		Male	Female	Male	Female
13,848	6,296	4,371	1,757	1,424	11,299	6,790	4,306	137	66	7,580	4,327	2,798	276	179
12,506	5,793	3,890	1,574	1,249	10,240	6,183	3,876	126	55	6,873	3,959	2,510	246	158
14	8	1	2	3	6	4	1	-	1	11	7	4	-	-
286	115	121	27	23	319	146	167	2	4	168	86	69	8	5
92	29	46	11	6	118	48	69	1	-	67	32	31	2	2
31	22	6	2	1	37	27	10	-	-	17	12	2	3	-
22	9	11	1	1	17	10	7	-	-	12	8	4	-	-
141	55	58	13	15	147	61	81	1	4	72	34	32	3	3
8,513	4,540	2,518	874	581	7,875	5,056	2,681	98	40	5,047	3,114	1,680	167	86
3,055	1,433	1,185	250	187	2,665	1,510	1,102	37	16	1,884	1,022	781	50	31
5,446	3,100	1,329	623	394	5,199	3,539	1,575	61	24	3,140	2,078	892	116	54
12	7	4	1	-	11	7	4	-	-	23	14	7	1	1
110	42	25	23	20	98	65	32	-	1	59	33	25	-	1
3	-	1	1	1	5	2	3	-	-	4	2	2	-	-
59	27	11	11	10	60	46	13	-	1	15	12	3	-	-
48	15	13	11	9	33	17	16	-	-	40	19	20	-	1
1,284	459	499	172	154	694	318	369	6	1	523	264	239	10	10
981	355	399	121	106	488	221	262	4	1	397	199	182	9	7
303	104	100	51	48	206	97	107	2	-	126	65	57	1	3
556	217	173	92	74	473	277	186	7	3	326	176	129	12	9
15	5	6	1	3	24	21	3	-	-	9	6	3	-	-
36	20	8	5	3	13	8	5	-	-	9	4	5	-	-
136	52	46	19	19	107	53	50	2	2	85	38	45	-	2
369	140	113	67	49	329	195	128	5	1	223	128	76	12	7
1,743	412	553	384	394	775	317	440	13	5	739	279	364	49	47
499	133	165	107	94	247	107	137	2	1	216	78	117	14	7
1,244	279	388	277	300	528	210	303	11	4	523	201	247	35	40
256	74	82	47	53	107	51	53	1	2	162	83	62	9	8
108	42	40	18	8	43	26	16	1	-	107	61	36	6	4
148	32	42	29	45	64	25	37	-	2	55	22	26	3	4
886	355	336	105	90	845	498	331	9	7	457	247	189	11	10
651	234	271	79	67	646	365	271	6	4	360	187	155	9	9
170	98	39	19	14	148	101	42	3	2	64	42	20	2	-
3	2	-	1	-	5	4	1	-	-	5	5	-	-	-
62	21	26	6	9	46	28	17	-	1	28	13	14	-	1
200	74	63	31	32	107	58	46	1	2	88	38	37	10	3
2,127	883	584	415	245	1,516	910	522	52	32	1,155	635	410	79	31
26	6	11	5	4	15	7	7	1	-	8	3	5	-	-
260	94	86	36	44	118	61	52	3	2	157	69	70	13	5
1,295	451	376	308	160	941	501	379	36	25	677	350	262	42	23
218	87	52	52	27	127	75	41	8	3	129	72	40	14	3
645	224	209	144	68	516	286	201	16	13	345	188	132	17	8
115	43	25	26	21	139	69	61	4	5	61	31	23	2	5
317	97	90	86	44	159	71	76	8	4	142	59	67	9	7
18	7	6	1	4	18	11	6	-	1	11	5	6	-	-
68	40	16	10	2	45	34	10	1	-	38	21	14	2	1
2	-	1	-	1	3	-	2	1	-	2	1	1	-	-
12	4	2	3	3	8	5	2	-	1	15	10	2	2	1
2	2	-	-	-	2	2	-	-	-	2	1	1	-	-
189	148	21	19	1	175	158	14	3	-	118	87	18	13	-
255	131	65	33	26	191	131	50	7	3	127	88	31	7	1
1,201	517	365	179	140	952	539	372	24	17	620	362	220	23	15
3	1	2	-	-	-	-	-	-	-	-	-	-	-	-
91	55	21	10	5	112	77	31	4	-	61	38	18	3	2
86	58	12	12	4	94	65	25	3	1	59	38	15	4	2
7	2	2	3	-	10	8	1	-	1	5	2	3	-	-
39	13	10	9	7	22	16	5	-	1	22	14	7	1	-
183	49	70	36	28	141	62	75	2	2	98	52	41	5	-
114	20	21	36	37	30	13	13	3	1	40	24	12	3	1
51	18	21	4	8	48	24	24	-	-	23	10	12	-	1
300	170	75	37	18	265	147	105	4	9	145	102	37	1	5
195	96	60	24	15	177	99	71	2	5	103	74	24	1	4
105	74	15	13	3	88	48	34	2	4	42	28	13	-	1
64	17	38	3	6	51	24	25	2	-	37	17	18	1	1
12	6	6	-	-	7	4	3	-	-	8	2	6	-	-
251	108	87	29	27	172	99	65	6	2	122	63	51	5	3
743	262	180	160	141	348	201	124	15	8	367	204	123	26	14
360	120	79	81	80	150	83	59	5	3	197	98	74	17	8
23	4	3	7	9	9	5	3	-	1	15	5	8	2	-
20	12	4	2	2	9	8	1	-	-	9	6	2	1	-
317	104	72	72	69	132	70	55	5	2	173	87	64	14	8
204	70	64	29	41	94	36	50	5	3	76	35	36	3	2
30	8	13	4	5	11	9	2	-	-	8	2	5	-	1
46	17	15	8	6	23	14	8	1	-	26	19	4	1	2
76	42	...	34	...	58	54	...	4	...	50	46	...	4	...
1	-	1	-	-	-	-	-	-	-	-	-	-	-	-
26	5	8	4	9	12	5	5	-	2	10	4	4	1	1

Table 5-10. Deaths From 255 Selected Causes, by Color

(By place of residence. Data refer only to deaths occurring within the United States, including Alaska and Hawaii. Excludes fetal deaths. Num-

CAUSE OF DEATH	UTAH					VERMONT				
	Total	White		Nonwhite		Total	White		Nonwhite	
		Male	Female	Male	Female		Male	Female	Male	Female
XI. DELIVERIES AND COMPLICATIONS OF PREGNANCY, CHILDBIRTH, AND THE PUERPERIUM	6	...	6	...	-	1	...	1	...	-
SEPSIS OF PREGNANCY, CHILDBIRTH, ETC...640,641,681,682,684	1	...	1	...	-	-	...	-	...	-
TOXEMIAS OF PREGNANCY AND PUERPERIUM, ETC.....642,685,686	2	...	2	...	-	1	...	1	...	-
HEMORRHAGE OF PREGNANCY AND CHILDBIRTH.....643,644,670-672	-	...	-	...	-	-	...	-	...	-
ECTOPIC PREGNANCY.....645	-	...	-	...	-	-	...	-	...	-
ABORTION WITHOUT MENTION OF SEPSIS OR TOXEMIA.....650	-	...	-	...	-	-	...	-	...	-
ABORTION WITH SEPSIS.....651	1	...	1	...	-	-	...	-	...	-
ABORTION WITH TOXEMIA, WITHOUT MENTION OF SEPSIS.....652	-	...	-	...	-	-	...	-	...	-
OT. COMPLICATIONS OF PREGNANCY, CHILDBIRTH, ETC...RESIDUAL	2	...	2	...	-	-	...	-	...	-
XII. DISEASES OF THE SKIN AND CELLULAR TISSUE	5	2	3	-	-	5	1	4	-	-
INFECTIONS OF SKIN AND SUBCUTANEOUS TISSUE.....690-698	3	1	2	-	-	2	-	2	-	-
OTHER DISEASES OF SKIN AND SUBCUTANEOUS TISSUE.....700-716	2	1	1	-	-	3	1	2	-	-
XIII. DISEASES OF THE BONES AND ORGANS OF MOVEMENT	18	8	10	-	-	7	1	6	-	-
ARTHRITIS AND SPONDYLITIS.....720-725	11	4	7	-	-	5	-	5	-	-
MUSCULAR RHEUMATISM AND RHEUMATISM UNSPECIFIED.....726,727	-	-	-	-	-	-	-	-	-	-
OSTEOMYELITIS AND PERIOSTITIS.....730	-	-	-	-	-	-	-	-	-	-
ANKYLOSIS & ACQ. MUSCULOSKELETAL DEFORMITIES...737,745-749	-	-	-	-	-	-	-	-	-	-
INBORN DEFECT OF MUSCLE.....744.1	2	2	-	-	-	1	1	-	-	-
OT. DIS. OF MUSCULOSKELETAL SYS....731-736,738-744.0,744.2	5	2	3	-	-	1	-	1	-	-
XIV. CONGENITAL MALFORMATIONS	121	69	47	2	3	52	25	27	-	-
SPINA BIFIDA AND MENINGOCELE.....751	4	4	-	-	-	-	-	-	-	-
CONGENITAL HYDROCEPHALUS, ETC.....752,753	15	10	4	1	-	9	4	5	-	-
CONGENITAL MALFORMATIONS OF CIRCULATORY SYSTEM.....754	63	33	27	1	2	28	15	13	-	-
OTHER CONGENITAL MALFORMATIONS.....750,755-759	39	22	16	-	1	15	6	9	-	-
XV. CERTAIN DISEASES OF EARLY INFANCY	306	172	123	8	3	144	85	59	-	-
XVI. SYMPTOMS, SENILITY, AND ILL-DEFINED CONDITIONS	294	166	112	12	4	78	56	22	-	-
SENILITY WITHOUT MENTION OF PSYCHOSIS.....794	55	21	33	1	-	10	-	10	-	-
SYMPTOMS, ILL-DEFINED, AND UNKNOWN CAUSES.....780-793,795	239	145	79	11	4	68	56	12	-	-
XVII. ACCIDENTS, POISONINGS, AND VIOLENCE	659	444	181	25	9	270	191	78	1	-
ACCIDENTS.....E800-E962	553	363	162	19	9	219	149	70	-	-
RAILWAY ACCIDENTS.....E800-E802	3	3	-	-	-	-	-	-	-	-
MOTOR VEHICLE ACCIDENTS.....E810-E835	253	158	82	9	4	91	70	21	-	-
MOTOR VEHICLE TRAFFIC ACCIDENTS.....E810-E825	243	151	79	9	4	89	69	20	-	-
TRAFFIC ACCIDENT WITH RAILWAY TRAIN.....E810	10	8	2	-	-	6	4	2	-	-
TRAFFIC ACCIDENT TO PEDESTRIAN.....E812	42	28	9	4	1	14	11	3	-	-
OTHER TRAFFIC ACCIDENTS, ETC.....E811,E813-E819	107	63	42	1	1	21	16	5	-	-
NONCOLLISION TRAFFIC ACCIDENTS.....E820-E824	74	45	23	4	2	47	38	9	-	-
TRAFFIC ACCIDENT OF UNSPECIFIED NATURE.....E825	10	7	3	-	-	1	-	1	-	-
MOTOR VEHICLE NONTRAFFIC ACCIDENTS.....E830-E835	10	7	3	-	-	2	1	1	-	-
OTHER ROAD VEHICLE ACCIDENTS.....E840-E845	1	1	-	-	-	1	-	1	-	-
WATER TRANSPORT ACCIDENTS.....E850-E858	4	4	-	-	-	5	4	1	-	-
AIRCRAFT ACCIDENTS.....E860-E866	18	17	1	-	-	4	4	-	-	-
ACCIDENTAL POISONING BY SOLIDS AND LIQUIDS.....E870-E888	7	2	5	-	-	1	1	-	-	-
ACCIDENTAL POISONING BY GASES AND VAPORS.....E890-E895	6	4	2	-	-	7	6	1	-	-
ACCIDENTAL FALLS.....E900-E904	90	43	42	5	-	51	21	30	-	-
FALL FROM ONE LEVEL TO ANOTHER.....E900-E902	34	20	10	4	-	16	11	5	-	-
FALL ON SAME LEVEL.....E903	15	8	7	-	-	10	2	8	-	-
UNSPECIFIED FALLS.....E904	41	15	25	1	-	25	8	17	-	-
BLOW FROM FALLING OR PROJECTED OBJECT OR MISSILE....E910	13	12	1	-	-	3	3	-	-	-
ACCIDENT CAUSED BY MACHINERY.....E912	11	11	-	-	-	5	5	-	-	-
ACCIDENT CAUSED BY ELECTRIC CURRENT.....E914	10	9	1	-	-	2	2	-	-	-
ACCIDENT CAUSED BY FIRE AND EXPLOSION, ETC.....E916	24	12	9	1	2	18	8	10	-	-
ACCIDENT CAUSED BY HOT SUBSTANCE, ETC.....E917,E918	2	2	-	-	-	1	-	1	-	-
ACCIDENT CAUSED BY FIREARM.....E919	32	27	3	1	1	8	8	-	-	-
INHALATION AND INGESTION OF OBJECTS, ETC.....E921,E922	17	12	5	-	-	6	6	-	-	-
ACCIDENTAL DROWNING.....E929	27	20	4	2	1	9	7	2	-	-
EXCESSIVE HEAT AND INSOLATION.....E931	-	-	-	-	-	-	-	-	-	-
COMPLICATIONS DUE TO MEDICAL PROCEDURES.....E940-E959	1	-	1	-	-	-	-	-	-	-
ALL OTHER ACCIDENTS.....RESIDUAL	34	26	6	1	1	7	4	3	-	-
SUICIDE.....E963,E970-E979	86	69	14	3	-	51	42	8	1	-
SUICIDE BY POISONING.....E970-E973	15	11	4	-	-	7	2	4	1	-
SUICIDE BY HANGING AND STRANGULATION.....E974	12	8	4	-	-	9	8	1	-	-
SUICIDE BY FIREARM AND EXPLOSIVE.....E976	56	48	5	3	-	31	31	-	-	-
SUICIDE BY ALL OTHER MEANS.....E963,E975,E977-E979	3	2	1	-	-	4	1	3	-	-
HOMICIDE.....E964,E980-E985	19	11	5	3	-	-	-	-	-	-
ASSAULT BY FIREARM AND EXPLOSIVE.....E981	11	4	4	3	-	-	-	-	-	-
ASSAULT BY CUTTING AND PIERCING INSTRUMENTS.....E982	4	3	1	-	-	-	-	-	-	-
ASSAULT BY OTHER MEANS.....E964,E980,E983	3	3	-	-	-	-	-	-	-	-
INJURY BY INTERVENTION OF POLICE.....E984	-	-	-	-	-	-	-	-	-	-
EXECUTION.....E985	1	1	-	-	-	-	-	-	-	-
INJURY RESULTING FROM OPERATIONS OF WAR.....E965,E990-E999	1	1	-	-	-	-	-	-	-	-

and Sex: United States and Each State, 1960—Con.

bers after causes of death are category numbers of the Seventh Revision of the International Lists, 1955. For complete category titles, see table 5-8)

VIRGINIA					WASHINGTON				WEST VIRGINIA				
Total	White		Nonwhite		Total	White		Nonwhite		Total	White		Nonwhite		
	Male	Female	Male	Female		Male	Female	Male	Female		Male	Female	Male	Female	
53	•••	22	•••	31	15	•••	13	•••	2	11	•••	9	•••	2	1
4	•••	2	•••	2	1	•••	1	•••	-	1	•••	1	•••	-	2
13	•••	2	•••	11	1	•••	1	•••	-	4	•••	4	•••	-	3
7	•••	1	•••	6	3	•••	2	•••	1	3	•••	2	•••	1	4
5	•••	1	•••	4	-	•••	-	•••	-	-	•••	-	•••	-	5
3	•••	2	•••	1	1	•••	-	•••	1	1	•••	-	•••	1	6
8	•••	3	•••	5	-	•••	-	•••	-	-	•••	-	•••	-	7
1	•••	1	•••	-	-	•••	-	•••	-	-	•••	-	•••	-	8
12	•••	10	•••	2	9	•••	9	•••	-	2	•••	2	•••	-	9
60	17	18	16	9	37	13	23	-	1	16	8	5	-	3	10
19	6	6	6	1	15	8	7	-	-	10	5	2	-	3	11
41	11	12	10	8	22	5	16	-	1	6	3	3	-	-	12
72	30	28	8	6	68	30	37	-	1	32	12	19	-	1	13
48	18	23	3	4	42	17	24	-	1	19	6	12	-	1	14
1	-	-	-	1	1	1	-	-	-	1	-	1	-	-	15
2	-	-	2	-	2	1	1	-	-	1	-	1	-	-	16
1	1	-	-	-	4	2	2	-	-	-	-	-	-	-	17
11	7	3	1	-	11	7	4	-	-	3	1	2	-	-	18
9	4	2	2	1	8	2	6	-	-	8	5	3	-	-	19
548	244	184	59	61	363	187	157	10	9	216	107	98	4	7	20
39	17	20	-	2	13	10	3	-	-	18	8	10	-	-	21
73	29	24	8	12	41	24	14	2	1	30	11	17	1	1	22
264	117	86	26	35	210	105	93	5	7	101	54	40	2	5	23
172	81	54	25	12	99	48	47	3	1	67	34	31	1	1	24
1,696	672	414	329	281	931	508	361	38	24	577	305	238	15	19	25
495	178	143	96	78	150	93	48	5	4	387	222	129	22	14	26
92	29	41	7	15	32	14	16	-	2	82	36	41	5	-	27
403	149	102	89	63	118	79	32	5	2	305	186	88	17	14	28
2,802	1,475	585	549	193	2,082	1,418	534	102	28	1,420	994	342	57	27	29
2,034	1,047	454	384	149	1,609	1,078	428	81	22	1,100	746	285	48	21	30
25	16	2	5	2	14	11	1	1	1	24	17	4	3	-	31
753	463	139	121	30	622	424	160	29	9	380	271	87	19	3	32
733	447	136	120	30	602	411	154	28	9	370	265	85	18	2	33
11	7	1	3	-	13	11	2	-	-	4	4	-	-	-	34
160	76	30	42	12	120	82	32	6	-	61	43	13	4	1	35
269	166	60	31	12	189	127	51	8	3	95	71	21	3	-	36
223	151	35	34	3	187	130	44	9	4	85	58	19	7	1	37
70	47	10	10	3	93	61	25	5	2	125	89	32	4	-	38
20	16	3	1	-	20	13	6	1	-	10	6	2	1	1	39
9	2	4	3	-	8	4	3	1	-	1	1	-	-	-	40
36	26	-	10	-	45	36	4	4	1	7	5	1	1	-	41
44	35	9	-	-	62	55	7	-	-	3	3	-	-	-	42
48	18	8	14	8	35	19	11	5	-	17	8	5	2	2	43
12	7	2	2	1	19	15	3	-	1	16	9	6	1	-	44
346	121	176	24	25	314	161	148	4	1	183	101	77	1	4	45
111	45	41	16	9	82	59	19	3	1	51	35	15	-	1	46
69	26	38	1	4	46	25	21	-	-	8	5	3	-	-	47
166	50	97	7	12	186	77	108	1	-	124	61	59	1	3	48
52	43	2	7	-	32	29	1	2	-	73	69	-	4	-	49
57	40	1	16	-	26	24	1	1	-	20	18	1	1	-	50
18	13	2	3	-	18	18	-	-	-	10	8	-	2	-	51
228	64	41	72	51	87	58	23	4	2	129	70	50	4	5	52
8	2	3	1	2	6	3	2	1	-	6	3	3	-	-	53
58	33	3	18	4	34	29	1	4	-	44	36	4	2	2	54
47	20	12	10	5	58	33	19	3	3	24	11	10	2	1	55
122	68	7	41	6	107	85	11	11	-	50	40	9	1	-	56
1	1	-	-	-	3	3	-	-	-	1	1	-	-	-	57
32	9	12	4	7	33	13	16	3	1	14	6	7	-	1	58
138	66	31	33	8	86	58	17	8	3	98	69	21	5	3	59
481	347	92	36	6	398	293	91	11	3	252	206	43	2	1	60
84	62	20	1	1	103	71	32	-	-	19	14	5	-	-	61
47	26	13	7	1	57	39	14	1	3	32	27	5	-	-	62
315	239	47	25	4	186	152	27	7	-	175	147	26	1	1	63
35	20	12	3	-	52	31	18	3	-	26	18	7	1	-	64
285	79	39	129	38	74	46	15	10	3	67	41	14	7	5	65
170	54	25	74	17	36	22	7	4	3	54	35	11	6	2	66
53	11	4	28	10	16	10	1	5	-	2	-	1	-	1	67
55	13	10	21	11	20	12	7	1	-	10	5	2	1	2	68
6	1	-	5	-	1	1	-	-	-	1	1	-	-	-	69
1	-	-	1	-	1	1	-	-	-	-	-	-	-	-	70
2	2	-	-	-	1	1	-	-	-	1	1	-	-	-	71

Table 5-10. Deaths From 255 Selected Causes, by Color

(By place of residence. Data refer only to deaths occurring within the United States, including Alaska and Hawaii. Excludes fetal deaths. Num-

CAUSE OF DEATH	WISCONSIN					WYOMING				
	Total	White		Nonwhite		Total	White		Nonwhite	
		Male	Female	Male	Female		Male	Female	Male	Female
ALL CAUSES	38,146	21,424	16,119	343	260	2,796	1,703	1,022	38	33
I. INFECTIVE AND PARASITIC DISEASES	317	177	118	14	8	26	22	4	-	-
TUBERCULOSIS, ALL FORMS 001-019	122	73	36	10	3	12	11	1	-	-
TUBERCULOSIS OF RESPIRATORY SYSTEM 001-008	112	71	29	10	2	9	8	1	-	-
TUBERCULOSIS OF MENINGES AND CENTRAL NERVOUS SYSTEM 010	1	-	-	-	1	1	1	-	-	-
TUBERCULOSIS OF INTESTINES, PERITONEUM, AND MESENTERIC GLANDS 011	-	-	-	-	-	-	-	-	-	-
TUBERCULOSIS OF BONES AND JOINTS 012,013	-	-	-	-	-	2	2	-	-	-
TUBERCULOSIS OF OTHER ORGANS AND SYSTEMS 014-018	7	2	5	-	-	-	-	-	-	-
DISSEMINATED TUBERCULOSIS 019	2	-	2	-	-	-	-	-	-	-
SYPHILIS AND ITS SEQUELAE 020-029	35	26	7	1	1	3	3	-	-	-
CONGENITAL SYPHILIS 020	2	1	1	-	-	-	-	-	-	-
EARLY SYPHILIS 021	-	-	-	-	-	-	-	-	-	-
ANEURYSM OF AORTA 022	15	12	3	-	-	1	1	-	-	-
OTHER CARDIOVASCULAR SYPHILIS 023	10	5	3	1	1	1	1	-	-	-
TABES DORSALIS 024	2	2	-	-	-	-	-	-	-	-
GENERAL PARALYSIS OF INSANE 025	-	-	-	-	-	-	-	-	-	-
OTHER SYPHILIS OF CENTRAL NERVOUS SYSTEM 026	5	5	-	-	-	1	1	-	-	-
ALL OTHER SYPHILIS 027-029	1	1	-	-	-	-	-	-	-	-
GONOCOCCAL INFECTION 030-035	-	-	-	-	-	-	-	-	-	-
TYPHOID FEVER 040	-	-	-	-	-	-	-	-	-	-
PARATYPHOID FEVER AND OTHER SALMONELLA INFECTIONS 041,042	2	-	1	-	1	-	-	-	-	-
CHOLERA 043	-	-	-	-	-	-	-	-	-	-
BRUCELLOSIS 044	-	-	-	-	-	-	-	-	-	-
DYSENTERY, ALL FORMS 045-048	3	1	2	-	-	1	-	1	-	-
FOOD POISONING, INFECTION AND INTOXICATION 049	-	-	-	-	-	-	-	-	-	-
SCARLET FEVER 050	1	1	-	-	-	-	-	-	-	-
STREPTOCOCCAL SORE THROAT 051	2	-	2	-	-	-	-	-	-	-
ERYSIPELAS 052	-	-	-	-	-	-	-	-	-	-
SEPTICEMIA AND PYEMIA 053	41	24	16	1	-	5	3	2	-	-
DIPHTHERIA 055	-	-	-	-	-	-	-	-	-	-
WHOOPING COUGH 056	1	1	-	-	-	-	-	-	-	-
MENINGOCOCCAL INFECTIONS 057	19	10	7	1	1	1	1	-	-	-
PLAGUE 058	-	-	-	-	-	-	-	-	-	-
LEPROSY 060	-	-	-	-	-	-	-	-	-	-
TETANUS 061	7	3	4	-	-	-	-	-	-	-
ANTHRAX 062	-	-	-	-	-	-	-	-	-	-
ACUTE POLIOMYELITIS 080	3	-	3	-	-	2	2	-	-	-
LATE EFFECTS OF ACUTE POLIOMYELITIS 081	4	2	2	-	-	-	-	-	-	-
ACUTE INFECTIOUS ENCEPHALITIS 082	8	3	5	-	-	-	-	-	-	-
LATE EFFECTS OF ACUTE INFECTIOUS ENCEPHALITIS 083	3	1	2	-	-	-	-	-	-	-
SMALLPOX 084	-	-	-	-	-	-	-	-	-	-
MEASLES 085	11	8	2	-	1	-	-	-	-	-
YELLOW FEVER 091	-	-	-	-	-	-	-	-	-	-
INFECTIOUS HEPATITIS 092	17	4	13	-	-	2	2	-	-	-
RABIES 094	-	-	-	-	-	-	-	-	-	-
TICK-BORNE TYPHUS 104	-	-	-	-	-	-	-	-	-	-
ALL OTHER RICKETTSIAL DISEASES 100-103,105-108	-	-	-	-	-	-	-	-	-	-
MALARIA 110-117	-	-	-	-	-	-	-	-	-	-
SCHISTOSOMIASIS 123	-	-	-	-	-	-	-	-	-	-
HYDATID DISEASE 125	-	-	-	-	-	-	-	-	-	-
FILARIASIS 127	-	-	-	-	-	-	-	-	-	-
ANCYLOSTOMIASIS 129	-	-	-	-	-	-	-	-	-	-
OTHER DISEASES DUE TO HELMINTHS 124,126,128,130	-	-	-	-	-	-	-	-	-	-
ALL OTHER INFECTIVE AND PARASITIC DISEASES RESIDUAL	38	20	16	1	1	-	-	-	-	-
II. NEOPLASMS	6,225	3,206	2,948	32	39	362	202	159	-	1
MALIGNANT NEOPLASMS, INCLUDING NEOPLASMS OF LYMPHATIC AND HEMATOPOIETIC TISSUES 140-205	6,128	3,168	2,893	30	37	351	198	152	-	1
MALIGNANT NEOPLASM OF BUCCAL CAVITY AND PHARYNX 140-148	130	98	31	-	1	5	2	3	-	-
OF LIP 140	4	4	-	-	-	-	-	-	-	-
OF TONGUE 141	33	26	7	-	-	2	1	1	-	-
OF OTHER AND UNSPEC. PARTS OF BUCCAL CAVITY 142-144	42	28	13	-	1	3	1	2	-	-
OF PHARYNX 145-148	51	40	11	-	-	-	-	-	-	-
MALIGNANT NEOPLASM OF DIGESTIVE ORGANS AND PERITONEUM, NOT SPECIFIED AS SECONDARY 150-156A,157-159	2,323	1,233	1,067	13	10	98	59	38	-	1
OF ESOPHAGUS 150	125	101	21	3	-	4	3	1	-	-
OF STOMACH 151	528	324	197	5	2	20	12	8	-	-
OF SMALL INTESTINE, INCLUDING DUODENUM 152	26	10	16	-	-	3	2	1	-	-
OF LARGE INTESTINE, EXCEPT RECTUM 153	773	356	411	2	4	32	20	12	-	-
CECUM, APPENDIX, AND ASCENDING COLON 153.0	123	52	70	1	-	5	3	2	-	-
TRANSVERSE COLON 153.1	59	31	28	-	-	2	2	-	-	-
DESCENDING COLON 153.2	31	10	21	-	-	2	-	2	-	-
SIGMOID COLON 153.3	190	104	86	-	-	7	4	3	-	-
MULTIPLE PARTS OF LARGE INTESTINE 153.7	3	1	2	-	-	-	-	-	-	-
LARGE INTESTINE, PART UNSPECIFIED 153.8	305	135	168	-	2	13	8	5	-	-
INTESTINAL TRACT, PART UNSPECIFIED 153.9	62	23	36	1	2	3	3	-	-	-
OF RECTUM 154	317	171	143	-	3	11	7	4	-	-
OF BILIARY PASSAGES AND OF LIVER, PRIMARY SITE 155	169	67	101	1	-	6	2	3	-	1
LIVER 155.0	37	25	12	-	-	2	1	1	-	-
OT. & MULT. SITES OF BILIARY PASSAGES 155.1,155.8	132	42	89	1	-	4	1	2	-	1
OF LIVER NOT STATED WHETHER PRIMARY OR SECONDARY 156A	54	37	17	-	-	6	4	2	-	-
OF PANCREAS 157	294	153	138	2	1	13	8	5	-	-
OF PERITONEUM AND OF UNSPEC. DIGESTIVE ORGANS 158,159	37	14	23	-	-	3	1	2	-	-

and Sex: United States and Each State, 1960—Con.

bers after causes of death are category numbers of the Seventh Revision of the International Lists, 1955. For complete category titles, see table 5-8)

CAUSE OF DEATH	WISCONSIN					WYOMING				
	Total	White		Nonwhite		Total	White		Nonwhite	
		Male	Female	Male	Female		Male	Female	Male	Female
II. NEOPLASMS—CON.										
MALIGNANT NEOPLASMS, ETC.—CON.										
MALIGNANT NEOPLASM OF RESPIRATORY SYSTEM, NOT SPECIFIED AS SECONDARY.....160-164	667	570	92	5	-	55	48	7	-	-
OF LARYNX.....161	46	44	2	-	-	4	4	-	-	-
OF BRONCHUS & TRACHEA, & OF LUNG SPEC. AS PRIMARY..162	266	236	27	3	-	18	13	5	-	-
OF LUNG, NOT SPEC. PRIMARY OR SECONDARY.....163	334	275	57	2	-	31	29	2	-	-
OF OTHER PARTS OF RESPIRATORY SYSTEM.....160,164	21	15	6	-	-	2	2	-	-	-
MALIGNANT NEOPLASM OF BREAST.....170	543	3	537	-	3	32	-	32	-	-
MALIGNANT NEOPLASM OF GENITAL ORGANS.....171-179	866	355	491	4	16	55	29	26	-	-
OF CERVIX UTERI.....171	147	...	137	...	10	15	...	15	...	-
OF OTHER AND UNSPECIFIED PARTS OF UTERUS.....172-174	148	...	145	...	3	3	...	3	...	-
OF OVARY, FALLOPIAN TUBE, AND BROAD LIGAMENT.....175	195	...	192	...	3	6	...	6	...	-
OF OTHER AND UNSPECIFIED FEMALE GENITAL ORGANS.....176	17	...	17	...	-	2	...	2	...	-
OF PROSTATE.....177	323	319	...	4	...	28	28	...	-	...
OF ALL OTHER & UNSPEC. MALE GENITAL ORGANS.....178,179	36	36	...	-	...	1	1	...	-	...
MALIGNANT NEOPLASM OF URINARY ORGANS.....180,181	309	207	101	1	-	19	9	10	-	-
OF KIDNEY.....180	136	81	54	1	-	7	3	4	-	-
OF BLADDER AND OTHER URINARY ORGANS.....181	173	126	47	-	-	12	6	6	-	-
MALIGNANT NEOPLASM OF OTHER AND UNSPECIFIED SITES.....156B,165,190-199	658	329	326	2	1	44	27	17	-	-
OF SKIN.....190,191	82	46	36	-	-	9	8	1	-	-
OF EYE.....192	6	3	3	-	-	2	1	1	-	-
OF BRAIN AND OTHER PARTS OF NERVOUS SYSTEM.....193	140	80	60	-	-	5	2	3	-	-
OF THYROID GLAND.....194	28	10	18	-	-	2	2	-	-	-
OF BONE.....196	47	29	18	-	-	5	4	1	-	-
OF CONNECTIVE TISSUE.....197	28	14	14	-	-	-	-	-	-	-
OF OTHER SPECIFIED SITES, NOT SECONDARY.....195,199A	42	26	15	1	-	7	3	4	-	-
OF UNSPECIFIED SITES.....156B,165,198,199B	285	121	162	1	1	14	7	7	-	-
LEUKEMIA AND ALEUKEMIA.....204	343	210	126	2	5	15	7	8	-	-
LYMPHOSARCOMA, ETC.....200-203,205	289	163	122	3	1	28	17	11	-	-
LYMPHOSARCOMA AND RETICULOSARCOMA.....200	123	63	59	1	-	13	9	4	-	-
HODGKINS DISEASE.....201	84	57	27	-	-	8	4	4	-	-
OTHER NEOPLASMS OF LYMPHATIC AND HEMATOPOIETIC TISSUES.....202,203,205	82	43	36	2	1	7	4	3	-	-
BENIGN NEOPLASMS AND NEOPLASMS OF UNSPEC. NATURE...210-239	97	38	55	2	2	11	4	7	-	-
BENIGN NEOPLASMS OF FEMALE GENITAL ORGANS.....214-217	14	...	13	...	1	2	...	2	...	-
BENIGN NEOPLASM OF BRAIN & OT. PTS. OF NERVOUS SYS...223	26	12	12	1	1	1	1	-	-	-
OTHER BENIGN NEOPLASMS.....210-213,218-222,224-229	14	6	8	-	-	1	-	1	-	-
UNSPECIFIED NEOPLASM OF FEMALE GENITAL ORGANS....233-235	1	...	1	...	-	-	...	-	...	-
NEOPLASM OF UNSPECIFIED NATURE OF BRAIN, ETC.....237	18	9	9	-	-	5	2	3	-	-
OTHER NEOPLASMS OF UNSPEC. NATURE....230-232,236,238,239	24	11	12	1	-	2	1	1	-	-
III. ALLERGIC, ENDOCRINE SYSTEM, METABOLIC, AND NUTRITIONAL DISEASES.....	1,024	423	588	5	8	68	39	27	-	2
ASTHMA.....241	110	66	43	1	-	10	8	2	-	-
NONTOXIC GOITER.....250,251	3	-	3	-	-	-	-	-	-	-
THYROTOXICOSIS WITH OR WITHOUT GOITER.....252	16	3	13	-	-	-	-	-	-	-
ALL OTHER DISEASES OF THYROID GLAND.....253,254	15	1	13	-	1	1	-	1	-	-
DIABETES MELLITUS.....260	762	294	459	4	5	44	25	17	-	2
DISEASES OF THYMUS GLAND.....273	3	3	-	-	-	1	-	1	-	-
DISEASES OF ADRENAL GLANDS.....274	9	5	4	-	-	2	1	1	-	-
PELLAGRA.....281	1	-	1	-	-	-	-	-	-	-
OTHER NUTRITIONAL DEFICIENCY STATES.....280,282-286	20	13	7	-	-	2	2	-	-	-
ALL OTHER ALLERGIC, ENDOCRINE, & METABOLIC DIS....RESIDUAL	85	38	45	-	2	8	3	5	-	-
IV. DISEASES OF THE BLOOD AND BLOOD-FORMING ORGANS...	132	70	60	2	-	6	2	4	-	-
ANEMIAS.....290-293	99	49	48	2	-	2	-	2	-	-
PERNICIOUS AND OTHER HYPERCHROMIC ANEMIAS.....290	37	23	14	-	-	-	-	-	-	-
ANEMIAS OF OTHER AND UNSPECIFIED TYPE.....291-293	62	26	34	2	-	2	-	2	-	-
PURPURA AND OTHER HEMORRHAGIC CONDITIONS.....296	11	7	4	-	-	3	1	2	-	-
OTHER DIS. OF BLOOD AND BLOOD-FORMING ORGANS.....RESIDUAL	22	14	8	-	-	1	1	-	-	-
V. MENTAL, PSYCHONEUROTIC, AND PERSONALITY DISORDERS	106	62	42	-	2	11	7	3	1	-
SENILE PSYCHOSIS.....304	14	2	12	-	-	1	-	1	-	-
ALCOHOLIC PSYCHOSIS.....307	11	9	1	-	1	-	-	-	-	-
OTHER PSYCHOSES.....300-303,305,306,308,309	19	13	6	-	-	1	-	1	-	-
ALCOHOLISM.....322	33	26	6	-	1	7	5	1	1	-
MENTAL DEFICIENCY.....325	26	11	15	-	-	1	1	-	-	-
OTHER DISORDERS OF PERSONALITY.....RESIDUAL	3	1	2	-	-	1	1	-	-	-
VI. DISEASES OF THE NERVOUS SYSTEM AND SENSE ORGANS..	5,067	2,521	2,486	33	27	296	142	150	2	2
VASCULAR LESIONS AFFECTING CENTRAL NERVOUS SYSTEM..330-334	4,747	2,334	2,357	29	27	265	125	137	2	1
SUBARACHNOID HEMORRHAGE.....330	127	49	74	2	2	4	2	2	-	-
CEREBRAL HEMORRHAGE.....331	2,688	1,330	1,336	10	12	181	86	93	1	1
CEREBRAL EMBOLISM AND THROMBOSIS.....332	1,335	679	635	11	10	57	25	32	-	-
OTHER VASCULAR LESIONS AFFECTING C.N.S.....333,334	597	276	312	6	3	23	12	10	1	-
MENINGITIS, EXCEPT MENINGOCOCCAL AND TUBERCULOUS.....340	46	27	18	1	-	2	1	1	-	-
MULTIPLE SCLEROSIS.....345	38	21	16	1	-	1	1	-	-	-
PARALYSIS AGITANS.....350	77	46	31	-	-	5	3	2	-	-
CEREBRAL SPASTIC INFANTILE PARALYSIS.....351	8	3	5	-	-	2	1	1	-	-
EPILEPSY.....353	41	24	16	1	-	9	5	3	-	1
INFLAMMATORY DISEASES OF EYE.....370-379	-	-	-	-	-	-	-	-	-	-
CATARACT.....385	1	-	1	-	-	-	-	-	-	-
GLAUCOMA.....387	-	-	-	-	-	-	-	-	-	-
OTITIS MEDIA AND MASTOIDITIS.....391-393	9	6	3	-	-	-	-	-	-	-
OTHER DIS. OF NERVOUS SYSTEM AND SENSE ORGANS.....RESIDUAL	100	60	39	1	-	12	6	6	-	-

Table 5-10. Deaths From 255 Selected Causes, by Color

(By place of residence. Data refer only to deaths occurring within the United States, including Alaska and Hawaii. Excludes fetal deaths. Num-

CAUSE OF DEATH	WISCONSIN					WYOMING				
	Total	White		Nonwhite		Total	White		Nonwhite	
		Male	Female	Male	Female		Male	Female	Male	Female
VII. DISEASES OF THE CIRCULATORY SYSTEM	16,745	9,755	6,836	89	65	1,055	675	361	9	10
DISEASES OF HEART 400-402,410-443	15,022	8,886	6,003	74	59	946	618	312	7	9
RHEUMATIC FEVER 400-402	14	5	7	-	2	2	2	-	-	-
CHRONIC RHEUMATIC HEART DISEASE 410-416	399	198	199	2	-	45	21	23	-	1
DISEASES OF MITRAL VALVE 410	127	57	70	-	-	23	7	15	-	1
DISEASES OF AORTIC VALVE SPECIFIED AS RHEUMATIC 411	33	22	11	-	-	3	3	-	-	-
DISEASES OF PULMONARY VALVE, ETC 413,414	36	22	14	-	-	3	2	1	-	-
OTHER RHEUMATIC HEART DISEASES 412,415,416	203	97	104	2	-	16	9	7	-	-
ARTERIOSCLEROTIC HEART DIS.,INCL. CORONARY DIS. 420	11,567	7,256	4,227	53	31	668	469	189	5	5
ARTERIOSCLEROTIC HEART DISEASE SO DESCRIBED 420.0	4,858	2,659	2,163	19	17	203	121	78	3	1
HEART DIS. SPEC. AS INVOLVING CORONARY ARTERIES 420.1	6,699	4,591	2,060	34	14	465	348	111	2	4
ANGINA PECTORIS WITHOUT MENTION CORONARY DIS. 420.2	10	6	4	-	-	-	-	-	-	-
CHRONIC ENDOCARDITIS NOT SPECIFIED AS RHEUMATIC 421	90	47	43	-	-	10	6	4	-	-
OF MITRAL VALVE, SPECIFIED AS NONRHEUMATIC 421.0	7	3	4	-	-	-	-	-	-	-
OF AORTIC VALVE, NOT SPECIFIED AS RHEUMATIC 421.1	37	22	15	-	-	7	5	2	-	-
OF OTHER VALVES, NOT SPEC. AS RHEUMATIC 421.2-421.4	46	22	24	-	-	3	1	2	-	-
OTHER MYOCARDIAL DEGENERATION 422	1,274	608	657	3	6	93	48	42	2	1
WITH ARTERIOSCLEROSIS 422.1	851	389	458	3	1	45	24	20	1	-
WITHOUT MENTION OF ARTERIOSCLEROSIS 422.0,422.2	423	219	199	-	5	48	24	22	1	1
OTHER DISEASES OF HEART 430-434	457	274	178	2	3	59	41	17	-	1
ACUTE AND SUBACUTE ENDOCARDITIS 430	19	13	5	-	1	-	-	-	-	-
ACUTE NONRHEUMATIC MYOCARDITIS & PERICARDITIS 431,432	10	7	3	-	-	1	-	1	-	-
FUNCTIONAL DISEASE OF HEART 433	143	78	65	-	-	12	10	2	-	-
OTHER AND UNSPECIFIED DISEASES OF HEART 434	285	176	105	2	2	46	31	14	-	1
HYPERTENSIVE HEART DISEASE 440-443	1,221	498	692	14	17	69	31	37	-	1
HYPERTENSIVE HEART DISEASE WITH ARTERIOLAR NEPHROSCLEROSIS 442	321	139	178	2	2	26	14	12	-	-
OTHER HYPERTENSIVE HEART DISEASE 440,441,443	900	359	514	12	15	43	17	25	-	1
OTHER HYPERTENSIVE DISEASE 444-447	289	141	142	4	2	16	5	10	1	-
HYPERTENSION WITH ARTERIOLAR NEPHROSCLEROSIS 446	136	83	51	1	1	7	2	5	-	-
ESSENTIAL HYPERTENSION 444,445,447	153	58	91	3	1	9	3	5	1	-
DISEASES OF ARTERIES 450-456	1,218	608	600	7	3	73	42	31	-	-
GENERAL ARTERIOSCLEROSIS 450	957	437	515	5	-	52	29	23	-	-
AORTIC ANEURYSM, NONSYPHILITIC, ETC 451	184	129	52	1	2	16	10	6	-	-
GANGRENE OF UNSPECIFIED CAUSE 455	1	1	-	-	-	-	-	-	-	-
OTHER ARTERIAL DISEASES 452-454,456	76	41	33	1	1	5	3	2	-	-
DIS. OF VEINS AND OTHER DIS. OF CIRCULATORY SYS. 460-468	216	120	91	4	1	20	10	8	1	1
VIII. DISEASES OF THE RESPIRATORY SYSTEM	1,792	1,071	666	32	23	199	130	61	5	3
ACUTE UPPER RESPIRATORY INFECTIONS 470-475	23	13	9	1	-	1	1	-	-	-
INFLUENZA 480-483	195	103	87	4	1	14	7	4	1	2
PNEUMONIA, EXCEPT PNEUMONIA OF NEWBORN 490-493	1,132	620	470	22	20	110	68	37	4	1
LOBAR PNEUMONIA 490	171	99	66	3	3	21	17	4	-	-
BRONCHOPNEUMONIA 491	683	366	295	11	11	54	30	23	-	1
PRIMARY ATYPICAL PNEUMONIA 492	103	54	38	6	5	12	6	5	1	-
PNEUMONIA, OTHER AND UNSPECIFIED 493	175	101	71	2	1	23	15	5	3	-
ACUTE BRONCHITIS 500	32	21	9	2	-	7	5	2	-	-
BRONCHITIS, CHRONIC AND UNQUALIFIED 501,502	46	35	10	-	1	14	8	6	-	-
HYPERTROPHY OF TONSILS AND ADENOIDS 510	2	1	1	-	-	-	-	-	-	-
EMPYEMA AND ABSCESS OF LUNG 518,521	7	6	-	-	1	-	-	-	-	-
PLEURISY 519	3	2	1	-	-	1	-	1	-	-
EMPHYSEMA WITHOUT MENTION OF BRONCHITIS 527.1	149	135	13	1	-	25	23	2	-	-
OTHER RESPIRATORY DISEASES RESIDUAL	203	135	66	2	-	27	18	9	-	-
IX. DISEASES OF THE DIGESTIVE SYSTEM	1,440	877	540	15	8	117	65	44	3	5
DISEASES OF TEETH AND SUPPORTING STRUCTURES 530-535	1	1	-	-	-	-	-	-	-	-
ULCER OF STOMACH 540	155	108	45	2	-	10	6	4	-	-
ULCER OF DUODENUM 541	111	87	24	-	-	10	9	1	-	-
GASTRITIS AND DUODENITIS 543	6	3	3	-	-	1	1	-	-	-
APPENDICITIS 550-553	47	33	14	-	-	8	4	4	-	-
HERNIA AND INTESTINAL OBSTRUCTION 560,561,570	228	109	115	2	2	25	12	11	-	2
GASTROENTERITIS AND COLITIS, EXC. ULCERATIVE, AGE 4 WEEKS AND OVER 571	64	32	25	5	2	4	3	1	-	-
CHRONIC ENTERITIS AND ULCERATIVE COLITIS 572	69	41	27	1	-	4	2	2	-	-
CIRRHOSIS OF LIVER 581	359	259	97	2	1	29	14	9	3	3
WITHOUT MENTION OF ALCOHOLISM 581.0	258	181	74	2	1	15	8	5	2	-
WITH ALCOHOLISM 581.1	101	78	23	-	-	14	6	4	1	3
CHOLELITHIASIS, CHOLECYSTITIS, AND CHOLANGITIS 584,585	157	69	87	-	1	14	5	9	-	-
FIBROCYSTIC DISEASE OF PANCREAS 587A	14	9	5	-	-	1	1	-	-	-
OTHER DISEASES OF DIGESTIVE SYSTEM RESIDUAL	229	126	98	3	2	11	8	3	-	-
X. DISEASES OF THE GENITOURINARY SYSTEM	590	358	218	10	4	41	18	23	-	-
NEPHRITIS AND NEPHROSIS 590-594	250	129	113	6	2	17	6	11	-	-
ACUTE NEPHRITIS 590	12	8	2	2	-	1	1	-	-	-
NEPHRITIS WITH EDEMA, INCLUDING NEPHROSIS 591	15	6	8	1	-	1	-	1	-	-
CHRONIC AND UNSPECIFIED NEPHRITIS, ETC 592-594	223	115	103	3	2	15	5	10	-	-
INFECTIONS OF KIDNEY 600	130	66	61	2	1	11	6	5	-	-
CALCULI OF URINARY SYSTEM 602,604	31	15	16	-	-	5	1	4	-	-
OTHER DISEASES OF URINARY SYSTEM 601,603,605-609	54	37	16	1	-	3	3	-	-	-
HYPERPLASIA OF PROSTATE 610	99	98	•••	1	•••	2	2	•••	-	•••
DISEASES OF BREAST 620,621	-	-	-	-	-	-	-	-	-	-
OTHER DISEASES OF GENITAL ORGANS RESIDUAL	26	13	12	-	1	3	-	3	-	-

and Sex: United States and Each State, 1960—Con.

bers after causes of death are category numbers of the Seventh Revision of the International Lists, 1955. For complete category titles, see table 5-8)

CAUSE OF DEATH	WISCONSIN					WYOMING				
	Total	White		Nonwhite		Total	White		Nonwhite	
		Male	Female	Male	Female		Male	Female	Male	Female
XI. DELIVERIES AND COMPLICATIONS OF PREGNANCY, CHILDBIRTH, AND THE PUERPERIUM	28	...	23	...	5	2	...	2	...	-
SEPSIS OF PREGNANCY, CHILDBIRTH, ETC...640,641,681,682,684	5	...	5	...	-	-	...	-	...	-
TOXEMIAS OF PREGNANCY AND PUERPERIUM, ETC.....642,685,686	5	...	4	...	1	-	...	-	...	-
HEMORRHAGE OF PREGNANCY AND CHILDBIRTH.....643,644,670-672	4	...	2	...	2	-	...	-	...	-
ECTOPIC PREGNANCY.....645	1	...	1	...	-	-	...	-	...	-
ABORTION WITHOUT MENTION OF SEPSIS OR TOXEMIA.....650	-	...	-	...	-	1	...	1	...	-
ABORTION WITH SEPSIS.....651	3	...	2	...	1	1	...	1	...	-
ABORTION WITH TOXEMIA, WITHOUT MENTION OF SEPSIS.....652	-	...	-	...	-	-	...	-	...	-
OT. COMPLICATIONS OF PREGNANCY, CHILDBIRTH, ETC...RESIDUAL	10	...	9	...	1	-	...	-	...	-
XII. DISEASES OF THE SKIN AND CELLULAR TISSUE.....	38	17	21	-	-	1	-	1	-	-
INFECTIONS OF SKIN AND SUBCUTANEOUS TISSUE.....690-698	9	5	4	-	-	1	-	1	-	-
OTHER DISEASES OF SKIN AND SUBCUTANEOUS TISSUE.....700-716	29	12	17	-	-	-	-	-	-	-
XIII. DISEASES OF THE BONES AND ORGANS OF MOVEMENT...	86	39	43	2	2	8	3	5	-	-
ARTHRITIS AND SPONDYLITIS.....720-725	46	16	28	-	2	5	3	2	-	-
MUSCULAR RHEUMATISM AND RHEUMATISM UNSPECIFIED.....726,727	-	-	-	-	-	-	-	-	-	-
OSTEOMYELITIS AND PERIOSTITIS.....730	5	2	2	1	-	-	-	-	-	-
ANKYLOSIS & ACQ. MUSCULOSKELETAL DEFORMITIES...737,745-749	4	3	-	1	-	-	-	-	-	-
INBORN DEFECT OF MUSCLE.....744.1	17	12	5	-	-	1	-	1	-	-
OT. DIS. OF MUSCULOSKELETAL SYS....731-736,738-744.0,744.2	14	6	8	-	-	2	-	2	-	-
XIV. CONGENITAL MALFORMATIONS.....	540	287	230	15	8	47	24	21	1	1
SPINA BIFIDA AND MENINGOCELE.....751	24	13	10	1	-	1	1	-	-	-
CONGENITAL HYDROCEPHALUS, ETC.....752,753	58	29	26	2	1	5	3	2	-	-
CONGENITAL MALFORMATIONS OF CIRCULATORY SYSTEM.....754	285	150	120	10	5	23	11	11	1	-
OTHER CONGENITAL MALFORMATIONS.....750,755-759	173	95	74	2	2	18	9	8	-	1
XV. CERTAIN DISEASES OF EARLY INFANCY.....	1,338	735	526	40	37	150	84	56	6	4
XVI. SYMPTOMS, SENILITY, AND ILL-DEFINED CONDITIONS..	164	89	71	3	1	24	11	12	1	-
SENILITY WITHOUT MENTION OF PSYCHOSIS.....794	61	27	34	-	-	4	2	2	-	-
SYMPTOMS, ILL-DEFINED, AND UNKNOWN CAUSES.....780-793,795	103	62	37	3	1	20	9	10	1	-
XVII. ACCIDENTS, POISONINGS, AND VIOLENCE.....	2,514	1,737	703	51	23	383	279	89	10	5
ACCIDENTS.....E800-E962	2,023	1,365	598	43	17	305	224	71	6	4
RAILWAY ACCIDENTS.....E800-E802	17	11	3	2	1	3	2	1	-	-
MOTOR VEHICLE ACCIDENTS.....E810-E835	917	679	214	17	7	139	105	29	4	1
MOTOR VEHICLE TRAFFIC ACCIDENTS.....E810-E825	893	662	207	17	7	131	98	28	4	1
TRAFFIC ACCIDENT WITH RAILWAY TRAIN.....E810	51	37	14	-	-	2	-	1	-	1
TRAFFIC ACCIDENT TO PEDESTRIAN.....E812	142	101	34	4	3	9	6	3	-	-
OTHER TRAFFIC ACCIDENTS, ETC.....E811,E813-E819	377	264	105	6	2	42	32	9	1	-
NONCOLLISION TRAFFIC ACCIDENTS.....E820-E824	308	252	48	6	2	61	48	10	3	-
TRAFFIC ACCIDENT OF UNSPECIFIED NATURE.....E825	15	8	6	1	-	17	12	5	-	-
MOTOR VEHICLE NONTRAFFIC ACCIDENTS.....E830-E835	24	17	7	-	-	8	7	1	-	-
OTHER ROAD VEHICLE ACCIDENTS.....E840-E845	5	4	1	-	-	5	5	-	-	-
WATER TRANSPORT ACCIDENTS.....E850-E858	40	34	6	-	-	5	5	-	-	-
AIRCRAFT ACCIDENTS.....E860-E866	24	22	2	-	-	2	2	-	-	-
ACCIDENTAL POISONING BY SOLIDS AND LIQUIDS.....E870-E888	29	18	5	3	3	3	2	1	-	-
ACCIDENTAL POISONING BY GASES AND VAPORS.....E890-E895	19	14	5	-	-	7	6	1	-	-
ACCIDENTAL FALLS.....E900-E904	438	205	227	3	3	42	19	20	-	3
FALL FROM ONE LEVEL TO ANOTHER.....E900-E902	158	95	61	1	1	13	8	5	-	-
FALL ON SAME LEVEL.....E903	116	47	69	-	-	5	3	2	-	-
UNSPECIFIED FALLS.....E904	164	63	97	2	2	24	8	13	-	3
BLOW FROM FALLING OR PROJECTED OBJECT OR MISSILE....E910	26	26	-	-	-	9	9	-	-	-
ACCIDENT CAUSED BY MACHINERY.....E912	68	62	5	1	-	15	15	-	-	-
ACCIDENT CAUSED BY ELECTRIC CURRENT.....E914	18	18	-	-	-	3	3	-	-	-
ACCIDENT CAUSED BY FIRE AND EXPLOSION, ETC.....E916	118	62	52	4	-	13	7	6	-	-
ACCIDENT CAUSED BY HOT SUBSTANCE, ETC.....E917,E918	4	1	3	-	-	1	1	-	-	-
ACCIDENT CAUSED BY FIREARM.....E919	45	38	7	-	-	9	9	-	-	-
INHALATION AND INGESTION OF OBJECTS, ETC.....E921,E922	42	23	12	5	2	10	6	4	-	-
ACCIDENTAL DROWNING.....E929	89	63	23	3	-	14	10	4	-	-
EXCESSIVE HEAT AND INSOLATION.....E931	4	3	1	-	-	-	-	-	-	-
COMPLICATIONS DUE TO MEDICAL PROCEDURES.....E940-E959	15	3	12	-	-	1	1	-	-	-
ALL OTHER ACCIDENTS.....RESIDUAL	105	79	20	5	1	24	17	5	2	-
SUICIDE.....E963,E970-E979	430	345	83	1	1	61	48	11	1	1
SUICIDE BY POISONING.....E970-E973	88	61	27	-	-	10	5	5	-	-
SUICIDE BY HANGING AND STRANGULATION.....E974	126	99	26	-	1	5	5	-	-	-
SUICIDE BY FIREARM AND EXPLOSIVE.....E976	180	161	18	1	-	43	35	6	1	1
SUICIDE BY ALL OTHER MEANS.....E963,E975,E977-E979	36	24	12	-	-	3	3	-	-	-
HOMICIDE.....E964,E980-E985	61	27	22	7	5	17	7	7	3	-
ASSAULT BY FIREARM AND EXPLOSIVE.....E981	32	16	12	3	1	7	3	3	1	-
ASSAULT BY CUTTING AND PIERCING INSTRUMENTS.....E982	8	3	2	2	1	6	2	2	2	-
ASSAULT BY OTHER MEANS.....E964,E980,E983	19	6	8	2	3	4	2	2	-	-
INJURY BY INTERVENTION OF POLICE.....E984	2	2	-	-	-	-	-	-	-	-
EXECUTION.....E985	-	-	-	-	-	-	-	-	-	-
INJURY RESULTING FROM OPERATIONS OF WAR.....E965,E990-E999	-	-	-	-	-	-	-	-	-	-

Table 5-11. Deaths From 59 Selected Causes, by

(Data refer only to deaths occurring within the United States, including Alaska and Hawaii. Excludes fetal deaths.

	CAUSE OF DEATH, COLOR, AND SEX	Total	Under 1 year	1 year	2 years	3 years	4 years	Under 5 years	5-9 years	10-14 years	15-19 years
1	ALL CAUSES	1,711,982	110,873	7,250	4,332	3,376	2,724	128,555	9,163	7,374	12,185
2	Male	975,648	63,936	3,949	2,439	1,921	1,535	73,780	5,350	4,688	8,629
3	Female	736,334	46,937	3,301	1,893	1,455	1,189	54,775	3,813	2,686	3,556
4	White--Male	860,857	48,063	2,828	1,848	1,513	1,220	55,472	4,408	3,847	7,308
5	White--Female	644,478	34,416	2,371	1,416	1,102	902	40,207	3,019	2,214	2,901
6	Nonwhite--Male	114,791	15,873	1,121	591	408	315	18,308	942	841	1,321
7	Nonwhite--Female	91,856	12,521	930	477	353	287	14,568	794	472	655
8	Tuberculosis, all forms (001-019)	10,866	37	47	27	12	5	128	24	21	41
9	White--Male	6,050	8	12	6	-	4	30	7	5	9
10	White--Female	2,113	8	10	9	6	-	33	10	4	9
11	Nonwhite--Male	1,837	10	14	5	6	-	35	3	4	10
12	Nonwhite--Female	866	11	11	7	-	1	30	4	8	13
13	Tuberculosis of respiratory system (001-008)	10,089	18	12	9	4	2	45	8	11	28
14	White--Male	5,777	5	3	1	-	1	10	4	4	6
15	White--Female	1,908	3	1	-	1	-	5	2	2	4
16	Nonwhite--Male	1,663	6	5	2	3	-	16	1	1	7
17	Nonwhite--Female	741	4	3	6	-	1	14	1	4	11
18	Tuberculosis, other forms (010-019)	777	19	35	18	8	3	83	16	10	13
19	White--Male	273	3	9	5	-	3	20	3	1	3
20	White--Female	205	5	9	9	5	-	28	8	2	5
21	Nonwhite--Male	174	4	9	3	3	-	19	2	3	3
22	Nonwhite--Female	125	7	8	1	-	-	16	3	4	2
23	Syphilis and its sequelae (020-029)	2,945	30	-	-	-	-	30	-	2	3
24	White--Male	1,492	11	-	-	-	-	11	-	1	1
25	White--Female	527	4	-	-	-	-	4	-	-	-
26	Nonwhite--Male	653	10	-	-	-	-	10	-	1	1
27	Nonwhite--Female	273	5	-	-	-	-	5	-	-	1
28	Dysentery, all forms (045-048)	355	140	20	14	12	10	196	16	7	5
29	White--Male	109	38	8	5	1	4	56	5	3	3
30	White--Female	94	22	4	3	4	1	34	6	2	-
31	Nonwhite--Male	80	45	5	1	6	3	60	1	-	1
32	Nonwhite--Female	72	35	3	5	1	2	46	4	2	1
33	Scarlet fever and streptococcal sore throat (050,051)	108	9	4	5	5	3	26	9	10	3
34	White--Male	49	3	2	3	2	3	13	6	4	1
35	White--Female	48	5	1	1	2	-	9	3	3	1
36	Nonwhite--Male	5	-	1	1	-	-	2	-	1	1
37	Nonwhite--Female	8	1	-	-	1	-	2	-	2	-
38	Diphtheria (055)	69	2	6	6	11	15	40	21	3	1
39	White--Male	23	1	1	2	1	5	10	9	2	1
40	White--Female	21	1	1	1	6	4	13	5	-	-
41	Nonwhite--Male	9	-	2	-	3	2	7	1	1	-
42	Nonwhite--Female	16	-	2	3	1	4	10	6	-	-
43	Whooping cough (056)	118	73	29	5	4	2	113	1	1	-
44	White--Male	19	15	2	1	-	-	18	-	1	-
45	White--Female	28	9	11	2	1	-	23	-	-	-
46	Nonwhite--Male	37	29	5	-	2	1	37	-	-	-
47	Nonwhite--Female	36	20	11	2	1	1	35	1	-	-
48	Meningococcal infections (057)	644	196	93	72	47	23	431	52	22	19
49	White--Male	290	95	47	37	22	9	210	23	5	10
50	White--Female	217	66	33	23	11	6	139	20	6	5
51	Nonwhite--Male	82	18	8	9	9	3	47	4	8	4
52	Nonwhite--Female	55	17	5	3	5	5	35	5	3	-
53	Acute poliomyelitis (080)	230	10	3	10	9	12	44	39	16	16
54	White--Male	115	4	2	5	4	8	23	18	7	5
55	White--Female	79	4	1	1	1	3	10	12	7	11
56	Nonwhite--Male	25	1	-	3	3	-	7	8	2	-
57	Nonwhite--Female	11	1	-	1	1	1	4	1	-	-
58	Measles (085)	380	85	97	42	21	39	284	74	6	3
59	White--Male	150	28	39	12	9	16	104	35	4	2
60	White--Female	130	31	24	18	8	11	92	28	2	1
61	Nonwhite--Male	48	18	14	6	3	5	46	2	-	-
62	Nonwhite--Female	52	8	20	6	1	7	42	9	-	-
63	Other infective and parasitic diseases (030-044,049,052-054,058-074, 081-084,086-138)	5,672	861	196	109	104	79	1,349	205	129	134
64	White--Male	2,421	348	77	51	36	36	548	91	48	55
65	White--Female	2,078	227	67	30	40	26	390	80	58	55
66	Nonwhite--Male	644	178	31	13	9	10	241	17	12	12
67	Nonwhite--Female	529	108	21	15	19	7	170	17	11	12
68	Malignant neoplasms, including neoplasms of lymphatic and hematopoietic tissues (140-205)	267,627	298	317	434	538	473	2,060	1,391	1,024	1,023
69	White--Male	130,183	141	147	220	294	263	1,065	750	504	565
70	White--Female	112,529	117	125	172	198	165	777	512	420	348
71	Nonwhite--Male	13,360	20	21	26	21	28	116	68	48	75
72	Nonwhite--Female	11,555	20	24	16	25	17	102	61	52	35
73	Malignant neoplasm of buccal cavity and pharynx (140-148)	6,175	-	-	2	1	-	3	8	10	15
74	White--Male	4,274	-	-	1	-	-	1	7	6	6
75	White--Female	1,355	-	-	1	1	-	2	1	3	6
76	Nonwhite--Male	394	-	-	-	-	-	-	-	-	3
77	Nonwhite--Female	152	-	-	-	-	-	-	-	1	-
78	Malignant neoplasm of digestive organs and peritoneum, not specified as secondary (150-156A,157-159)	91,035	29	17	17	10	1	74	21	19	46
79	White--Male	44,669	8	8	11	3	1	31	13	9	22
80	White--Female	37,794	18	6	4	4	-	32	5	5	13
81	Nonwhite--Male	5,123	-	1	-	2	-	3	3	3	10
82	Nonwhite--Female	3,449	3	2	2	1	-	8	-	2	1

Age, Color, and Sex: United States, 1960

Numbers after causes of death are category numbers of the Seventh Revision of the International Lists, 1955)

20-24 years	25-29 years	30-34 years	35-39 years	40-44 years	45-49 years	50-54 years	55-59 years	60-64 years	65-69 years	70-74 years	75-79 years	80-84 years	85-89 years	90-94 years	95-99 years	100 and over	Not stated	
13,348	14,214	19,200	29,161	42,942	64,283	90,593	116,753	153,444	196,605	223,707	219,978	185,231	120,366	50,278	11,839	2,043	720	1
9,477	9,279	11,731	17,594	26,234	40,824	59,316	76,508	97,551	121,330	130,104	117,137	88,926	52,516	19,430	4,165	642	437	2
3,871	4,935	7,469	11,567	16,708	23,459	31,277	40,245	55,893	75,275	93,603	102,841	96,305	67,850	30,848	7,674	1,401	283	3
7,755	7,182	9,039	13,803	21,336	34,247	50,716	66,540	85,890	108,726	119,269	109,193	83,885	49,502	18,253	3,770	449	267	4
2,916	3,459	5,215	8,396	12,622	18,268	24,696	32,340	46,710	65,834	85,018	96,133	91,771	65,009	29,407	7,097	1,076	170	5
1,722	2,097	2,692	3,791	4,898	6,577	8,600	9,968	11,861	12,604	10,835	7,944	5,041	3,014	1,177	395	193	170	6
955	1,476	2,254	3,171	4,086	5,191	6,581	7,905	9,183	9,441	8,585	6,708	4,534	2,841	1,441	577	325	113	7
96	197	348	543	696	858	1,055	1,165	1,251	1,302	1,245	937	584	269	91	7	1	7	8
16	53	83	149	250	437	618	752	830	849	854	561	333	141	44	3	-	6	9
15	39	94	143	164	164	162	152	149	222	221	233	179	85	32	2	1	-	10
19	41	85	144	180	186	208	206	218	174	135	95	47	35	12	-	-	-	11
46	64	86	107	102	71	67	55	54	57	35	28	25	8	3	2	-	1	12
77	174	313	498	645	806	994	1,099	1,183	1,224	1,179	899	551	257	84	6	1	7	13
15	48	72	143	231	417	588	729	796	817	818	568	323	137	43	2	-	6	14
11	34	87	133	149	158	150	139	134	202	206	221	161	80	27	2	1	-	15
12	38	78	127	170	172	198	186	203	158	122	86	45	32	11	-	-	-	16
39	54	76	95	95	59	58	45	50	47	33	24	22	8	3	2	-	1	17
19	23	35	45	51	52	61	66	68	78	66	38	33	12	7	1	-	-	18
1	5	11	6	19	20	30	23	34	32	36	13	10	4	1	1	-	-	19
4	5	7	10	15	6	12	13	15	20	15	12	18	5	5	-	-	-	20
7	3	7	17	10	14	10	20	15	16	13	9	2	3	1	-	-	-	21
7	10	10	12	7	12	9	10	4	10	2	4	3	-	-	-	-	-	22
6	11	24	40	71	138	251	408	464	549	454	276	126	61	25	2	-	4	23
4	2	10	11	26	50	92	195	242	305	288	152	67	26	6	1	-	2	24
1	-	4	4	11	18	32	62	71	85	84	73	41	22	15	-	-	-	25
1	3	6	16	22	50	83	103	111	123	62	33	14	10	2	1	-	1	26
-	6	4	9	12	20	44	48	40	36	20	18	4	3	2	-	-	1	27
2	4	2	8	3	5	12	13	10	18	13	20	12	7	2	-	-	-	28
1	-	1	5	2	1	4	2	4	5	4	8	3	1	1	-	-	-	29
1	3	1	2	-	1	6	5	2	7	7	7	5	4	1	-	-	-	30
-	1	-	-	-	2	1	5	1	3	1	2	-	2	-	-	-	-	31
-	-	-	1	1	1	1	1	3	3	1	3	4	-	-	-	-	-	32
3	6	5	3	4	4	4	4	5	3	7	6	4	2	-	-	-	-	33
-	1	2	2	2	3	2	1	2	1	4	3	2	-	-	-	-	-	34
2	5	3	-	1	-	1	3	3	2	3	3	2	2	-	-	-	-	35
-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	36
1	-	-	1	1	1	-	-	-	-	-	-	-	-	-	-	-	-	37
-	1	-	-	1	1	-	-	-	-	1	-	-	-	-	-	-	-	38
-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	39
-	-	-	-	1	1	-	-	-	-	1	-	-	-	-	-	-	-	40
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	41
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	42
1	-	-	-	2	-	-	-	-	-	-	-	-	-	-	-	-	-	43
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	44
1	-	-	-	2	-	-	-	-	-	-	-	-	-	-	-	-	-	45
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	46
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	47
15	4	7	8	9	15	18	8	13	5	11	4	1	2	-	-	-	-	48
5	-	3	4	4	7	5	3	4	3	2	1	1	-	-	-	-	-	49
4	3	1	4	2	3	10	4	4	1	7	2	-	2	-	-	-	-	50
3	1	-	-	3	3	2	-	5	1	-	1	-	-	-	-	-	-	51
3	-	3	-	-	2	1	1	-	-	2	-	-	-	-	-	-	-	52
27	29	23	12	11	10	2	-	-	1	-	-	-	-	-	-	-	-	53
12	14	17	6	6	5	2	-	-	-	-	-	-	-	-	-	-	-	54
11	11	6	6	2	2	-	-	-	1	-	-	-	-	-	-	-	-	55
2	1	-	-	3	2	-	-	-	-	-	-	-	-	-	-	-	-	56
2	3	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	57
1	5	3	-	2	-	-	-	-	-	-	2	-	-	-	-	-	-	58
-	3	-	-	1	-	-	-	-	-	-	1	-	-	-	-	-	-	59
1	1	3	-	1	-	-	-	-	-	-	1	-	-	-	-	-	-	60
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	61
-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	62
124	137	174	214	227	309	288	382	375	437	402	331	240	137	60	14	2	2	63
43	35	49	70	91	139	118	169	168	223	209	163	119	80	20	2	-	1	64
49	66	75	70	82	101	97	146	140	151	151	137	109	71	38	10	2	-	65
11	12	23	36	29	38	44	42	41	37	25	15	4	3	1	1	-	-	66
21	24	27	38	25	31	29	25	26	26	17	16	8	3	1	1	-	1	67
977	1,600	2,841	5,373	9,001	14,729	21,535	27,632	34,163	39,711	38,793	31,541	20,698	10,108	2,838	464	64	61	68
518	774	1,099	1,839	3,054	5,530	9,427	13,425	17,461	20,937	20,786	16,292	10,209	4,590	1,166	156	16	20	69
336	616	1,302	2,725	4,598	7,130	9,328	10,981	13,121	15,286	15,223	13,396	9,537	5,058	1,540	285	30	20	70
56	90	136	299	555	900	1,386	1,729	2,044	2,134	1,704	1,081	547	282	71	18	9	12	71
67	120	304	510	794	1,169	1,394	1,497	1,537	1,354	1,080	772	405	198	61	25	9	9	72
13	19	36	76	190	412	681	739	802	878	841	674	455	231	76	12	4	-	73
9	5	17	39	92	240	443	535	596	654	623	486	305	156	45	6	3	-	74
3	8	9	17	58	111	143	151	142	161	172	159	130	66	29	4	-	-	75
-	2	8	15	29	45	75	56	45	47	32	19	10	6	1	2	1	-	76
1	4	2	5	11	18	20	17	19	16	14	10	10	3	1	-	-	-	77
63	190	414	954	1,842	3,539	5,872	8,329	11,471	14,565	15,388	13,306	9,056	4,409	1,245	182	25	25	78
25	91	177	390	778	1,614	2,875	4,205	5,879	7,534	8,013	6,529	4,159	1,814	439	59	4	9	79
21	63	168	394	734	1,329	2,119	2,971	4,252	5,624	6,268	6,007	4,498	2,415	745	109	15	9	80
8	21	34	103	193	357	520	674	827	897	691	423	217	97	30	5	3	4	81
9	15	35	67	137	239	358	479	513	510	416	347	182	83	33	9	3	3	82

Table 5-11. Deaths From 59 Selected Causes, by

(Data refer only to deaths occurring within the United States, including Alaska and Hawaii. Excludes fetal deaths.

	CAUSE OF DEATH, COLOR, AND SEX	Total	Under 1 year	1 year	2 years	3 years	4 years	Under 5 years	5-9 years	10-14 years	15-19 years
	Malignant neoplasms, including neoplasms of lymphatic and hematopoietic tissues—Con.										
1	Malignant neoplasm of respiratory system, not specified as secondary (160-164)	39,730	7	4	3	1	1	16	4	12	12
2	White—Male	31,012	2	2	-	-	-	4	3	3	8
3	Female	5,170	4	2	2	-	1	9	1	5	3
4	Nonwhite—Male	3,035	1	-	1	-	-	2	-	1	1
5	Female	513	-	-	-	1	-	1	-	3	-
6	Malignant neoplasm of breast (170)	23,970	5	-	-	-	-	5	1	-	2
7	White—Male	186	1	-	-	-	-	1	-	-	1
8	Female	21,867	1	-	-	-	-	1	1	-	1
9	Nonwhite—Male	29	1	-	-	-	-	1	-	-	-
10	Female	1,888	2	-	-	-	-	2	-	-	-
11	Malignant neoplasm of genital organs (171-179)	38,669	2	5	7	4	4	22	11	24	76
12	White—Male	13,491	1	2	5	2	2	12	4	3	30
13	Female	20,158	-	3	1	1	-	5	5	19	36
14	Nonwhite—Male	1,900	-	-	1	1	2	4	-	-	3
15	Female	3,120	1	-	-	-	-	1	2	2	7
16	Malignant neoplasm of urinary organs (180,181)	12,804	27	28	41	42	48	186	86	14	10
17	White—Male	8,026	13	10	23	22	19	87	37	8	5
18	Female	3,825	11	11	13	15	24	74	36	5	4
19	Nonwhite—Male	559	1	3	3	1	3	11	4	1	1
20	Female	394	2	4	2	4	2	14	9	-	-
21	Malignant neoplasm of other and unspecified sites (156B,165,190-199)	28,561	90	107	140	152	126	615	442	373	350
22	White—Male	14,570	47	53	69	73	62	304	215	168	193
23	Female	12,359	30	38	52	56	50	226	176	166	116
24	Nonwhite—Male	1,325	10	7	12	11	9	49	23	15	27
25	Female	1,307	3	9	7	12	5	36	28	24	14
26	Leukemia and aleukemia (204)	12,725	111	132	201	300	261	1,005	704	445	309
27	White—Male	6,929	52	63	98	170	156	539	383	229	169
28	Female	4,993	45	54	90	119	85	393	262	180	116
29	Nonwhite—Male	442	7	9	8	5	11	40	29	22	16
30	Female	361	7	6	5	6	9	33	20	14	8
31	Lymphosarcoma and other neoplasms of lymphatic and hematopoietic tissues (200-203,206)	12,956	27	24	23	28	32	134	114	127	203
32	White—Male	7,026	17	9	13	24	23	86	78	78	131
33	Female	5,008	8	11	9	2	5	35	25	37	53
34	Nonwhite—Male	553	-	1	1	1	3	6	9	6	14
35	Female	371	2	3	-	1	1	7	2	6	5
36	Benign neoplasms and neoplasms of unspecified nature (210-239)	4,893	138	29	26	23	25	241	140	92	87
37	White—Male	1,963	59	14	6	9	13	101	63	44	37
38	Female	2,204	60	10	16	10	5	101	49	33	28
39	Nonwhite—Male	264	9	3	2	-	2	16	15	9	11
40	Female	462	10	2	2	4	5	23	13	6	11
41	Asthma (241)	5,394	24	24	11	9	13	81	40	30	46
42	White—Male	3,067	7	8	2	4	5	26	16	6	9
43	Female	1,588	7	6	6	2	1	22	9	12	17
44	Nonwhite—Male	392	3	5	-	2	4	14	7	5	8
45	Female	347	7	5	3	1	3	19	8	7	12
46	Diabetes mellitus (260)	29,971	17	12	3	16	13	61	50	82	88
47	White—Male	10,761	8	5	1	7	6	27	14	22	22
48	Female	15,360	5	6	2	4	6	23	30	45	40
49	Nonwhite—Male	1,386	3	1	-	2	-	6	5	7	12
50	Female	2,464	1	-	-	3	1	5	1	8	14
51	Anemias (290-293)	3,330	111	78	48	38	35	310	112	62	82
52	White—Male	1,279	30	19	7	12	5	73	22	16	30
53	Female	1,448	23	17	14	15	18	87	52	27	25
54	Nonwhite—Male	288	37	19	14	6	8	84	19	12	13
55	Female	315	21	23	13	5	4	66	19	7	14
56	Meningitis, except meningococcal and tuberculous (340)	2,316	872	223	124	64	36	1,319	107	40	39
57	White—Male	959	352	102	58	27	16	553	48	19	16
58	Female	649	218	54	35	16	9	332	38	11	8
59	Nonwhite—Male	399	172	31	20	8	9	240	14	8	5
60	Female	309	130	36	13	13	2	194	7	2	10
61	Major cardiovascular-renal diseases (330-334,400-468,592-594)	935,668	501	153	88	84	73	899	401	541	825
62	White—Male	473,640	228	51	34	39	29	381	177	208	355
63	Female	368,633	132	47	18	24	19	240	121	196	273
64	Nonwhite—Male	48,998	76	34	23	11	12	156	51	65	102
65	Female	44,397	65	21	13	10	13	122	52	72	95
66	Diseases of cardiovascular system (330-334,400-468)	923,635	479	141	83	74	63	840	333	437	648
67	White—Male	468,420	217	45	33	36	27	358	146	167	267
68	Female	364,468	126	45	17	22	16	226	98	154	211
69	Nonwhite—Male	47,596	73	30	22	8	9	142	43	53	88
70	Female	43,151	63	21	11	8	11	114	46	83	82
71	Vascular lesions affecting central nervous system (330-334)	193,588	169	50	27	31	23	300	117	129	182
72	White—Male	80,486	76	23	12	13	9	133	55	61	80
73	Female	88,567	44	14	4	11	7	80	40	45	64
74	Nonwhite—Male	11,777	29	10	6	2	3	50	13	6	22
75	Female	12,758	20	3	5	5	4	37	9	17	16
76	Diseases of heart (400-402,410-443)	661,712	272	83	48	39	37	479	193	260	382
77	White—Male	356,267	123	19	17	19	16	194	82	90	164
78	Female	246,609	73	27	11	11	9	131	47	92	104
79	Nonwhite—Male	31,938	40	20	14	6	5	85	29	44	62
80	Female	26,898	36	17	6	3	7	69	35	34	52
81	Rheumatic fever and chronic rheumatic heart disease (400-402,410-416)	18,411	3	2	5	10	15	35	88	144	203
82	White—Male	8,038	1	-	1	3	6	11	27	43	70
83	Female	8,852	2	2	-	4	3	11	21	45	70
84	Nonwhite—Male	745	-	-	3	2	1	6	18	30	32
85	Female	776	-	-	1	1	5	7	22	26	31

Age, Color, and Sex: United States, 1960—Con.

Numbers after causes of death are category numbers of the Seventh Revision of the International Lists, 1955)

20-24 years	25-29 years	30-34 years	35-39 years	40-44 years	45-49 years	50-54 years	55-59 years	60-64 years	65-69 years	70-74 years	75-79 years	80-84 years	85-89 years	90-94 years	95-99 years	100 and over	Not stated	
19	68	193	533	1,223	2,420	4,142	5,776	6,915	7,138	5,749	3,200	1,567	566	146	18	5	8	1
15	38	119	334	765	1,670	3,158	4,623	5,641	5,896	4,689	2,506	1,092	349	84	9	1	5	2
3	20	43	115	259	415	501	581	645	732	709	507	384	180	50	6	2	-	3
1	7	24	69	167	271	418	510	548	452	307	149	69	25	8	2	1	3	4
-	3	7	15	32	64	65	62	81	58	44	38	22	12	4	1	1	-	5
14	95	352	911	1,590	2,386	2,973	2,849	2,918	2,823	2,528	2,029	1,395	784	244	60	9	2	6
-	-	-	5	3	7	12	30	34	23	31	18	13	5	3	-	-	-	7
9	77	286	777	1,393	2,115	2,678	2,595	2,664	2,613	2,361	1,914	1,329	758	235	53	6	1	8
-	-	-	1	3	2	-	4	7	1	5	3	1	-	-	-	1	-	9
5	18	66	128	191	262	283	220	213	186	131	94	52	21	6	7	2	1	10
131	272	523	994	1,589	2,244	2,820	3,406	4,232	5,244	5,736	5,195	3,700	1,873	495	65	8	9	11
67	90	94	85	81	99	207	443	948	1,774	2,694	2,957	2,342	1,209	319	30	2	1	12
43	131	301	704	1,202	1,754	2,126	2,415	2,627	2,768	2,419	1,797	1,116	517	144	24	2	3	13
3	2	2	4	23	18	81	130	248	368	387	315	174	103	23	7	3	2	14
18	49	126	201	283	373	406	418	409	334	236	126	68	44	9	4	1	3	15
13	15	41	116	222	446	753	1,172	1,530	2,036	2,161	1,909	1,274	616	165	27	4	8	16
5	9	22	62	142	257	473	765	1,029	1,333	1,434	1,191	744	324	84	11	1	3	17
6	4	13	28	48	114	171	276	369	556	616	646	495	273	75	11	2	3	18
1	1	3	13	17	41	67	71	88	99	62	43	19	11	4	1	-	1	19
1	1	3	13	15	34	42	60	44	48	49	29	16	8	2	4	1	1	20
295	384	601	913	1,296	1,921	2,480	3,129	3,469	3,703	3,404	2,788	1,914	1,051	337	82	7	7	21
154	205	307	453	640	918	1,257	1,631	1,798	1,894	1,631	1,327	872	433	135	30	4	1	22
103	144	230	371	519	797	948	1,163	1,319	1,506	1,494	1,291	968	573	192	51	3	3	23
18	24	30	43	64	97	131	173	172	170	141	78	36	26	5	1	-	2	24
20	11	34	46	73	109	144	162	180	133	138	92	38	19	5	-	-	1	25
192	231	292	347	429	563	706	881	1,181	1,439	1,493	1,281	790	348	75	13	1	-	26
104	143	141	175	223	283	385	485	649	819	849	690	425	187	33	8	-	-	27
62	60	121	141	165	223	262	322	451	548	586	554	350	151	41	5	-	-	28
18	19	17	20	20	28	26	39	38	38	36	21	8	7	-	-	-	-	29
8	9	13	11	21	29	33	35	43	34	22	16	7	3	1	-	1	-	30
237	326	389	529	620	798	1,108	1,351	1,645	1,885	1,493	1,159	547	230	55	5	1	2	31
139	193	222	296	330	442	617	708	887	1,010	822	588	257	113	24	3	1	1	32
86	109	131	178	220	272	380	527	652	778	598	521	267	105	31	2	-	1	33
7	14	18	31	39	43	68	72	71	62	43	30	13	7	-	-	-	-	34
5	10	18	24	31	41	43	44	35	35	30	20	10	5	-	-	-	-	35
87	97	167	271	343	389	461	445	495	467	400	300	214	119	67	9	2	-	36
28	24	55	86	114	145	182	173	237	216	185	123	90	38	22	-	-	-	37
48	50	69	122	156	159	214	197	197	197	189	153	116	76	40	9	1	-	38
2	8	7	16	20	22	32	33	24	23	10	10	2	2	2	-	-	-	39
9	15	36	47	53	63	33	42	37	31	16	14	6	3	3	-	1	-	40
48	76	94	170	256	332	432	546	676	788	731	583	295	134	25	10	2	1	41
8	12	21	44	75	135	237	323	453	558	508	370	183	68	8	6	1	-	42
25	31	32	70	105	121	138	150	154	159	184	182	100	59	13	4	-	1	43
7	12	16	22	30	42	29	51	43	47	29	19	7	2	2	-	-	-	44
8	21	25	34	46	34	28	22	26	24	10	12	5	5	-	-	1	-	45
128	232	298	481	611	929	1,548	2,292	3,617	4,879	5,388	4,646	2,938	1,263	377	44	4	15	46
47	106	149	232	261	412	584	831	1,187	1,674	1,858	1,684	1,070	439	124	15	-	3	47
56	83	101	131	189	280	538	932	1,795	2,624	3,097	2,656	1,729	755	229	20	3	4	48
16	24	19	49	59	80	147	166	217	205	154	123	51	26	10	4	-	6	49
9	19	29	69	102	157	279	363	418	376	279	183	88	43	14	5	1	2	50
58	73	74	58	64	87	111	170	212	330	384	446	368	223	87	15	1	3	51
12	12	9	8	15	20	41	75	109	166	194	204	153	84	33	-	1	2	52
13	17	24	29	23	38	48	69	78	126	164	225	208	129	50	15	-	1	53
19	16	17	10	12	9	10	8	15	15	12	9	3	4	1	-	-	-	54
14	28	24	11	14	20	12	18	10	23	14	8	4	6	3	-	-	-	55
18	27	42	46	59	84	89	81	84	94	74	57	34	17	4	-	-	1	56
8	10	15	16	23	31	42	33	35	30	32	24	15	7	2	-	-	-	57
5	12	7	11	16	25	22	19	27	38	32	25	13	6	2	-	-	-	58
4	3	12	11	12	15	17	19	12	11	5	5	5	1	-	-	-	-	59
1	2	8	8	8	13	8	10	10	15	5	3	1	3	-	-	-	1	60
1,198	1,972	3,911	8,347	15,933	27,556	43,105	60,767	86,206	117,751	143,284	150,321	133,423	90,075	38,280	9,028	1,495	350	61
481	768	1,808	4,444	9,125	16,796	26,812	36,907	49,649	65,609	75,371	73,057	58,713	36,133	13,604	2,826	310	106	62
414	602	955	1,727	3,252	5,405	8,726	13,913	24,216	38,539	55,304	67,579	68,073	49,817	22,826	5,536	820	99	63
134	274	541	1,103	1,854	2,893	4,144	5,335	6,596	7,404	6,669	5,013	3,338	2,038	801	269	140	78	64
169	328	607	1,073	1,702	2,462	3,423	4,612	5,745	6,199	5,940	4,672	3,299	2,087	1,049	397	225	67	65
968	1,677	3,558	7,892	15,369	26,901	42,254	59,908	85,179	116,521	141,885	149,032	132,241	89,290	37,926	8,947	1,488	341	66
352	619	1,633	4,254	8,887	16,522	26,444	36,551	49,202	65,106	74,769	72,483	58,188	35,790	13,468	2,802	307	105	67
352	515	864	1,601	3,096	5,238	8,501	13,663	23,899	38,086	54,795	67,062	67,569	49,459	22,667	5,494	820	98	68
110	245	502	1,031	1,758	2,795	4,022	5,209	6,450	7,250	6,507	4,901	3,247	1,991	776	263	138	75	69
154	298	559	1,006	1,628	2,346	3,287	4,485	5,628	6,079	5,814	4,586	3,237	2,050	1,015	388	223	63	70
245	380	697	1,263	2,286	3,961	6,117	8,897	14,039	21,568	30,031	35,667	33,432	22,679	9,116	2,089	317	76	71
94	125	226	441	751	1,386	2,345	3,622	5,903	9,689	13,869	15,739	15,595	8,561	3,097	645	56	13	72
84	126	218	384	725	1,256	1,910	2,688	4,856	8,098	12,708	17,254	18,017	12,997	5,559	1,265	171	22	73
34	48	102	175	354	635	898	1,249	1,574	1,884	1,709	1,292	874	525	199	75	40	19	74
33	81	151	263	456	684	964	1,338	1,706	1,897	1,745	1,382	946	596	261	104	50	22	75
569	1,073	2,493	5,949	12,012	21,499	34,179	48,184	66,728	88,398	103,003	102,563	86,920	56,825	23,515	5,354	892	242	76
217	449	1,300	3,593	7,761	14,502	23,161	31,395	40,943	51,769	56,287	51,461	39,269	23,182	8,478	1,684	197	89	77
197	302	535	1,055	2,092	3,604	6,076	10,267	17,793	27,945	38,808	45,014	43,602	31,153	13,957	3,294	478	63	78
62	160	337	712	1,181	1,937	2,832	3,636	4,432	4,898	4,276	3,227	2,054	1,240	457	148	77	52	79
93	162	321	589	978	1,456	2,110	2,886	3,560	3,786	3,632	2,861	1,995	1,250	623	228	140	38	80
271	417	668	1,014	1,444	1,852	2,184	2,269	2,201	1,944	1,476	1,056	646	364	107	25	-	3	81
100	157	279	454	655	882	986	1,050	1,016	846	645	429	237	118	27	5	-	1	82
110	180	261	442	638	840	1,056	1,095	1,067	992	759	575	380	222	72	15	-	1	83
19	38	55	54	71	54	83	57	66	54	43	30	17	13	2	2	-	1	84
42	42	73	64	80	76	59	67	52	52	29	22	12	11	6	3	-	-	85

Table 5-11. Deaths From 59 Selected Causes, by

(Data refer only to deaths occurring within the United States, including Alaska and Hawaii. Excludes fetal deaths.

	CAUSE OF DEATH, COLOR, AND SEX	Total	Under 1 year	1 year	2 years	3 years	4 years	Under 5 years	5-9 years	10-14 years	15-19 years
	Major cardiovascular-renal diseases—Con.										
	Diseases of cardiovascular system—Con.										
	Diseases of heart—Con.										
1	Arteriosclerotic heart disease, including coronary disease (420)---	494,282	12	6	2	1	-	21	6	14	36
2	White----------Male----	288,376	6	3	-	1	-	10	5	8	20
3	Female--	173,043	3	-	1	-	-	4	1	5	6
4	Nonwhite-------Male----	19,001	1	2	-	-	-	3	-	1	5
5	Female--	13,862	2	1	1	-	-	4	-	-	5
6	Nonrheumatic chronic endocarditis and other myocardial degeneration (421,422)----------	57,029	31	20	8	6	5	70	23	26	43
7	White----------Male----	25,189	15	1	2	3	1	22	11	11	20
8	Female--	25,880	7	6	2	2	1	18	7	10	7
9	Nonwhite-------Male----	3,106	4	8	2	1	3	18	3	3	9
10	Female--	2,854	5	5	2	-	-	12	2	2	7
11	Other diseases of heart (430-434)----------	25,682	225	54	33	22	17	351	71	75	92
12	White----------Male----	12,498	101	15	14	12	9	151	37	28	50
13	Female--	9,008	61	19	8	5	5	98	16	32	19
14	Nonwhite-------Male----	2,395	34	10	9	3	1	57	7	10	15
15	Female--	1,781	29	10	2	2	2	45	11	5	8
16	Hypertensive heart disease (440-443)----------	66,308	1	1	-	-	-	2	5	1	8
17	White----------Male----	22,166	-	-	-	-	-	-	2	-	4
18	Female--	29,826	-	-	-	-	-	-	2	-	2
19	Nonwhite-------Male----	6,691	1	-	-	-	-	1	1	-	1
20	Female--	7,625	-	1	-	-	-	1	-	1	1
21	Other hypertensive disease (444-447)----------	12,662	-	1	-	1	-	2	2	2	10
22	White----------Male----	5,054	-	1	-	1	-	2	1	-	3
23	Female--	5,035	-	-	-	-	-	-	1	2	3
24	Nonwhite-------Male----	1,331	-	-	-	-	-	-	-	-	1
25	Female--	1,242	-	-	-	-	-	-	-	-	3
26	General arteriosclerosis (450)----------	35,876	-	-	-	-	-	-	-	-	-
27	White----------Male----	15,675	-	-	-	-	-	-	-	-	-
28	Female--	17,538	-	-	-	-	-	-	-	-	-
29	Nonwhite-------Male----	1,398	-	-	-	-	-	-	-	-	-
30	Female--	1,265	-	-	-	-	-	-	-	-	-
31	Other diseases of circulatory system (451-468)----------	19,797	38	7	8	3	3	59	21	46	74
32	White----------Male----	10,938	18	2	4	3	2	29	8	16	20
33	Female--	6,719	9	4	2	-	-	15	10	15	40
34	Nonwhite-------Male----	1,152	4	-	2	-	1	7	1	3	3
35	Female--	988	7	1	-	-	-	8	2	12	11
36	Chronic and unspecified nephritis and other renal sclerosis (592-594)-	12,033	22	12	5	10	10	59	68	104	177
37	White----------Male----	5,220	11	6	1	3	2	23	31	41	88
38	Female--	4,165	6	2	1	2	3	14	23	42	62
39	Nonwhite-------Male----	1,402	3	4	1	3	3	14	8	12	14
40	Female--	1,246	2	-	2	2	2	8	6	9	13
41	Influenza and pneumonia, except pneumonia of newborn (480-493)----------	66,803	9,828	1,447	630	335	216	12,456	590	339	373
42	White----------Male----	30,721	3,417	462	218	113	86	4,296	243	137	160
43	Female--	23,370	2,418	435	208	114	80	3,255	199	132	126
44	Nonwhite-------Male----	7,405	2,177	303	114	64	28	2,686	76	34	42
45	Female--	5,307	1,816	247	90	44	22	2,219	72	36	45
46	Influenza (480-483)----------	7,872	538	114	39	21	15	727	65	41	64
47	White----------Male----	3,235	139	33	12	7	5	196	19	15	25
48	Female--	2,996	113	44	13	11	6	187	30	20	20
49	Nonwhite-------Male----	861	154	12	8	-	3	177	7	4	7
50	Female--	780	132	25	6	3	1	167	9	2	12
51	Pneumonia, except pneumonia of newborn (490-493)----------	58,931	9,290	1,333	591	314	201	11,729	525	298	309
52	White----------Male----	27,486	3,278	429	206	106	81	4,100	224	122	135
53	Female--	20,374	2,305	391	195	103	74	3,068	169	112	106
54	Nonwhite-------Male----	6,544	2,023	291	106	64	25	2,509	69	30	35
55	Female--	4,527	1,684	222	84	41	21	2,052	63	34	33
56	Bronchitis (500-502)----------	4,343	656	172	97	45	32	1,002	53	16	13
57	White----------Male----	2,758	333	78	45	22	20	498	28	10	3
58	Female--	1,131	180	61	37	16	8	302	20	6	6
59	Nonwhite-------Male----	278	71	18	6	3	2	100	2	-	1
60	Female--	176	72	15	9	4	2	102	3	-	3
61	Ulcer of stomach and duodenum (540,541)----------	11,360	78	7	4	5	2	96	7	8	11
62	White----------Male----	7,824	33	3	2	1	1	40	1	1	5
63	Female--	2,623	10	2	1	3	1	17	4	5	4
64	Nonwhite-------Male----	683	24	1	1	-	-	26	1	2	2
65	Female--	230	11	1	-	1	-	13	1	-	-
66	Appendicitis (550-553)----------	1,871	13	7	16	16	11	63	68	75	50
67	White----------Male----	988	7	3	11	8	3	32	27	27	26
68	Female--	574	5	3	3	5	4	20	30	25	15
69	Nonwhite-------Male----	184	-	-	-	2	3	5	7	13	5
70	Female--	125	1	1	2	1	1	6	4	10	4
71	Hernia and intestinal obstruction (560,561,570)----------	9,081	922	30	20	12	7	991	30	19	19
72	White----------Male----	3,874	450	17	9	7	2	485	12	6	3
73	Female--	4,101	321	6	6	2	2	339	9	6	9
74	Nonwhite-------Male----	592	92	3	4	2	3	104	6	3	5
75	Female--	514	59	2	1	1	-	63	3	4	2
76	Gastritis, duodenitis, enteritis, and colitis, except diarrhea of newborn (543,571,572)----------	7,932	2,622	382	75	44	27	3,150	56	31	51
77	White----------Male----	3,054	728	156	27	17	10	938	22	15	23
78	Female--	2,941	542	105	18	12	8	685	23	10	25
79	Nonwhite-------Male----	1,033	729	71	17	9	9	835	7	4	2
80	Female--	904	623	50	13	6	-	692	4	2	1
81	Cirrhosis of liver (581)----------	20,296	34	10	3	7	5	59	10	40	24
82	White----------Male----	12,231	12	7	1	3	4	27	4	13	7
83	Female--	5,981	14	1	1	3	1	20	6	22	14
84	Nonwhite-------Male----	1,252	4	-	-	1	-	5	-	3	1
85	Female--	832	4	2	1	-	-	7	-	2	2

Age, Color, and Sex: United States, 1960—Con.

Numbers after causes of death are category numbers of the Seventh Revision of the International Lists, 1955)

20-24 years	25-29 years	30-34 years	35-39 years	40-44 years	45-49 years	50-54 years	55-59 years	60-64 years	65-69 years	70-74 years	75-79 years	80-84 years	85-89 years	90-94 years	95-99 years	100 and over	Not stated	
107	332	1,216	3,716	8,432	16,222	26,335	37,664	52,803	69,523	79,601	76,650	62,263	39,273	15,816	3,532	559	161	1
49	203	825	2,729	6,357	12,305	19,825	26,809	34,935	43,537	46,243	40,711	29,744	16,787	5,911	1,161	128	74	2
27	46	146	368	1,029	2,022	3,772	7,155	13,181	21,003	28,734	32,452	30,217	21,062	9,301	2,157	313	42	3
17	45	149	397	649	1,191	1,715	2,217	2,750	2,933	2,613	1,926	1,243	732	264	81	44	26	4
14	38	96	222	397	704	1,023	1,483	1,937	2,050	2,011	1,561	1,059	692	340	133	74	19	5
43	73	122	223	393	681	1,316	1,998	3,332	5,316	7,836	9,990	11,132	8,754	4,337	1,087	205	29	6
22	26	55	110	186	348	699	1,016	1,671	2,667	3,732	4,580	4,664	3,423	1,548	329	40	9	7
11	11	23	53	87	153	284	466	943	1,790	3,192	4,637	5,868	4,916	2,590	694	113	7	8
4	20	21	33	59	102	167	279	387	480	482	406	299	199	80	28	19	8	9
6	16	23	27	61	78	166	237	331	379	430	367	301	216	119	36	33	5	10
106	174	277	464	730	992	1,452	1,871	2,276	2,998	3,474	3,680	3,204	2,185	911	240	45	14	11
37	53	99	200	345	495	761	1,031	1,227	1,608	1,810	1,841	1,425	887	332	65	13	3	12
39	55	80	122	165	223	288	395	589	850	1,179	1,469	1,542	1,162	510	151	21	3	13
10	31	45	79	122	163	248	263	267	333	287	222	114	77	28	8	3	6	14
20	35	53	63	98	111	155	182	193	207	198	148	123	59	41	16	8	2	15
42	77	210	532	1,013	1,752	2,892	4,382	6,116	8,617	10,616	11,187	9,675	6,249	2,344	470	83	35	16
9	10	42	100	218	472	890	1,489	2,094	3,111	3,857	3,900	3,199	1,987	660	124	16	2	17
10	10	25	70	173	366	676	1,156	2,013	3,310	4,944	5,881	5,595	3,791	1,484	277	31	10	18
12	26	67	149	280	427	619	820	962	1,098	851	643	581	219	83	29	11	11	19
11	31	76	213	342	487	707	917	1,047	1,098	964	763	580	272	117	40	25	12	20
18	64	143	300	473	548	620	629	929	1,305	1,679	1,928	1,863	1,403	578	141	20	5	21
9	15	34	75	130	176	212	241	353	563	734	851	812	582	211	46	4	-	22
2	9	20	39	73	124	152	184	311	475	674	887	926	725	332	85	10	1	23
6	20	38	98	151	135	145	109	120	127	143	99	62	52	17	3	3	2	24
1	20	51	88	119	113	111	95	145	140	128	91	63	44	18	7	3	2	25
-	5	10	22	46	112	248	560	1,135	2,191	4,063	6,178	8,064	7,298	4,375	1,307	246	16	26
-	1	5	11	20	60	149	310	548	1,093	2,007	2,961	3,537	2,977	1,538	408	48	2	27
-	2	3	5	8	24	50	122	346	758	1,596	2,827	4,133	4,039	2,638	819	156	12	28
-	1	1	4	11	15	30	66	151	181	240	199	204	146	96	34	18	1	29
-	1	1	2	7	13	19	62	90	159	220	191	190	136	103	46	24	1	30
136	155	215	358	552	781	1,090	1,638	2,348	3,059	3,109	2,696	1,962	1,065	342	56	13	2	31
32	29	68	134	225	398	577	983	1,455	1,992	1,872	1,471	975	488	144	19	2	1	32
69	76	88	118	198	230	313	402	593	810	1,009	1,080	891	545	181	31	5	-	33
8	16	24	42	61	73	117	149	173	160	139	84	53	28	7	3	-	1	34
27	34	35	64	68	80	83	104	127	97	89	61	43	24	10	3	6	-	35
230	295	353	455	564	655	851	859	1,027	1,230	1,399	1,289	1,182	785	354	81	7	9	36
129	149	175	190	238	274	368	356	447	503	602	574	525	343	136	24	3	1	37
62	87	91	126	156	167	225	250	317	453	509	517	504	358	159	42	-	1	38
24	29	39	72	95	98	122	126	146	154	162	112	91	47	25	6	2	3	39
15	30	48	67	74	116	136	127	117	120	126	86	62	37	34	9	2	4	40
351	431	660	958	1,276	1,720	2,304	2,826	3,899	5,331	6,996	7,863	7,919	6,190	3,151	929	199	42	41
155	150	234	365	532	775	1,190	1,456	2,119	2,937	3,833	4,032	3,779	2,725	1,201	328	58	16	42
116	140	183	228	323	442	492	671	975	1,456	2,304	3,095	3,669	3,152	1,779	525	99	9	43
43	64	118	202	258	334	410	452	511	593	550	458	275	165	80	32	12	10	44
37	77	125	163	163	169	212	247	294	345	309	278	196	148	91	44	30	7	45
78	60	94	108	149	208	311	388	458	678	926	1,047	972	858	473	132	25	10	46
33	24	39	34	58	72	142	169	190	303	436	452	440	359	170	51	6	2	47
33	20	27	40	43	57	73	100	131	204	308	457	457	445	264	65	14	1	48
4	7	9	16	24	42	58	68	74	107	96	78	36	22	15	6	1	3	49
8	9	19	18	24	37	38	51	63	64	86	60	39	32	24	10	4	4	50
273	371	566	850	1,127	1,512	1,993	2,438	3,441	4,653	6,070	6,816	6,947	5,332	2,678	797	174	32	51
122	126	195	331	474	703	1,048	1,267	1,929	2,634	3,397	3,580	3,339	2,366	1,031	277	52	14	52
83	120	156	188	280	385	419	571	844	1,252	1,996	2,638	3,212	2,707	1,515	460	85	8	53
39	57	109	186	234	292	352	384	437	486	454	380	239	143	65	26	11	7	54
29	68	106	145	139	132	174	196	231	281	223	218	157	116	67	34	26	3	55
23	13	17	30	73	117	193	258	398	531	557	432	312	200	81	18	5	1	56
6	8	7	12	37	72	125	177	299	397	436	295	204	98	38	6	2	-	57
13	1	8	11	24	29	44	56	66	88	97	116	99	91	39	12	3	-	58
1	2	1	3	10	11	20	17	30	34	20	13	5	6	1	-	-	1	59
3	2	1	4	2	5	4	8	3	12	4	8	4	5	3	-	-	-	60
18	64	103	219	382	624	877	1,055	1,393	1,590	1,700	1,413	1,072	532	166	24	2	4	61
14	33	62	130	246	410	616	782	1,052	1,146	1,224	997	662	293	97	10	-	3	62
3	13	20	44	71	134	151	171	233	323	387	364	377	225	65	12	-	-	63
-	13	14	32	47	58	89	71	92	90	70	35	26	10	3	1	-	1	64
1	5	7	13	18	22	21	31	16	31	19	17	7	4	1	1	2	-	65
26	18	42	42	81	91	107	151	189	222	221	195	136	74	15	3	-	2	66
14	9	19	22	34	51	69	88	103	126	116	110	77	30	7	1	-	-	67
7	3	11	10	24	15	21	25	54	63	80	74	49	39	7	1	-	1	68
2	4	7	5	7	16	11	28	19	24	16	6	5	4	-	-	-	-	69
3	2	5	5	16	9	6	10	13	9	9	5	5	1	1	1	-	1	70
30	30	78	118	207	308	408	523	778	1,011	1,201	1,233	1,075	690	257	62	7	6	71
13	4	31	35	75	121	157	234	369	462	549	536	421	250	87	22	1	1	72
12	11	26	44	80	124	160	197	297	424	543	613	600	407	158	35	6	1	73
2	10	8	15	23	30	49	49	50	72	64	46	35	13	6	1	-	1	74
3	5	13	24	29	33	42	43	62	53	45	38	19	20	6	4	-	3	75
49	65	90	105	162	205	279	293	449	582	675	622	554	338	144	29	1	2	76
14	32	41	46	67	105	137	141	235	280	297	275	203	118	55	10	-	-	77
26	24	37	42	68	80	101	123	168	258	324	325	324	202	78	16	1	1	78
4	5	4	7	13	11	17	18	20	23	27	5	18	7	5	1	-	-	79
5	4	8	10	14	9	24	11	26	21	27	17	9	11	6	2	-	1	80
38	142	519	1,087	1,762	2,614	3,030	2,758	2,336	2,400	1,717	1,001	487	200	57	11	-	4	81
11	41	191	488	927	1,477	1,851	1,840	1,529	1,631	1,176	596	282	110	25	3	-	2	82
12	41	144	334	572	820	876	695	624	648	482	367	186	80	30	7	-	1	83
6	25	90	128	155	196	187	153	132	86	42	21	14	6	1	-	-	1	84
9	35	94	137	108	121	116	70	51	35	17	17	5	4	1	1	-	-	85

Table 5-11. Deaths From 59 Selected Causes, by

(Data refer only to deaths occurring within the United States, including Alaska and Hawaii. Excludes fetal deaths.

	CAUSE OF DEATH, COLOR, AND SEX	Total	Under 1 year	1 year	2 years	3 years	4 years	Under 5 years	5-9 years	10-14 years	15-19 years
1	Cholelithiasis, cholecystitis, and cholangitis (584,585)----------	4,619	1	-	-	1	-	2	-	-	1
2	White----------Male----	1,774	1	-	-	-	-	1	-	-	-
3	Female--	2,601	-	-	-	-	-	-	-	-	1
4	Nonwhite-------Male----	84	-	-	-	-	-	-	-	-	-
5	Female--	160	-	-	-	1	-	1	-	-	-
6	Acute nephritis, and nephritis with edema including nephrosis (590,591)--	1,651	44	29	14	20	17	124	73	43	46
7	White----------Male----	707	19	7	6	5	7	44	28	19	21
8	Female--	573	14	14	4	10	5	47	26	16	14
9	Nonwhite-------Male----	214	10	5	3	2	1	21	16	4	5
10	Female--	157	1	3	1	3	4	12	3	4	6
11	Infections of kidney (600)----------	7,645	70	7	2	4	1	84	18	27	24
12	White----------Male----	3,117	31	-	-	-	-	31	5	4	8
13	Female--	3,000	19	4	-	4	1	28	12	15	6
14	Nonwhite-------Male----	744	14	3	2	-	-	19	-	3	4
15	Female--	784	6	-	-	-	-	6	1	5	6
16	Hyperplasia of prostate (610)----------	4,449	-	-	-	-	-	-	-	-	-
17	White----------Male----	3,864	-	-	-	-	-	-	-	-	-
18	Nonwhite-------Male----	585	-	-	-	-	-	-	-	-	-
19	Deliveries and complications of pregnancy, childbirth, and the puerperium (640-689)----------	1,579	...	...	...	...	...	...	...	7	128
20	White----------Female--	936	...	...	...	...	...	...	...	2	66
21	Nonwhite-------Female--	643	...	...	...	...	...	...	...	5	62
22	Abortion (650-652)----------	289	...	...	...	...	...	...	...	2	28
23	White----------Female--	147	...	...	...	...	...	...	...	1	11
24	Nonwhite-------Female--	142	...	...	...	...	...	...	...	1	17
25	Other complications of pregnancy, childbirth, and the puerperium (640-649,660-689)----------	1,290	...	...	...	...	...	...	...	5	100
26	White----------Female--	789	...	...	...	...	...	...	...	1	55
27	Nonwhite-------Female--	501	...	...	...	...	...	...	...	4	45
28	Congenital malformations (750-759)----------	21,860	15,389	1,027	512	319	228	17,475	777	510	373
29	White----------Male----	10,392	7,383	424	224	137	81	8,249	369	239	196
30	Female--	8,664	6,043	420	201	130	102	6,896	315	213	146
31	Nonwhite-------Male----	1,573	1,122	100	42	28	23	1,315	43	34	20
32	Female--	1,231	841	83	45	24	22	1,015	50	24	11
33	Certain diseases of early infancy (760-776)----------	67,094	67,074	8	1	-	3	67,086	6	1	1
34	White----------Male----	30,211	30,201	3	1	-	2	30,207	4	-	-
35	Female--	21,065	21,059	2	-	-	1	21,062	2	-	1
36	Nonwhite-------Male----	8,892	8,890	2	-	-	-	8,892	-	-	-
37	Female--	6,926	6,924	1	-	-	-	6,925	-	1	-
38	Birth injuries, postnatal asphyxia, and atelectasis (760-762)----------	29,697	29,697	-	-	-	-	29,697	-	-	-
39	White----------Male----	14,216	14,216	-	-	-	-	14,216	-	-	-
40	Female--	9,372	9,372	-	-	-	-	9,372	-	-	-
41	Nonwhite-------Male----	3,444	3,444	-	-	-	-	3,444	-	-	-
42	Female--	2,665	2,665	-	-	-	-	2,665	-	-	-
43	Infections of newborn (763-768)----------	4,786	4,786	-	-	-	-	4,786	-	-	-
44	White----------Male----	1,854	1,854	-	-	-	-	1,854	-	-	-
45	Female--	1,270	1,270	-	-	-	-	1,270	-	-	-
46	Nonwhite-------Male----	945	945	-	-	-	-	945	-	-	-
47	Female--	717	717	-	-	-	-	717	-	-	-
48	Other diseases peculiar to early infancy, and immaturity unqualified (769-776)----------	32,611	32,591	8	1	-	3	32,603	6	1	1
49	White----------Male----	14,141	14,131	3	1	-	2	14,137	4	-	-
50	Female--	10,423	10,417	2	-	-	1	10,420	2	-	1
51	Nonwhite-------Male----	4,503	4,501	2	-	-	-	4,503	-	-	-
52	Female--	3,544	3,542	1	-	-	-	3,543	-	1	-
53	Symptoms, senility, and ill-defined conditions (780-795)----------	20,385	2,518	230	120	58	46	2,973	104	83	131
54	White----------Male----	7,928	560	59	41	15	15	690	32	29	60
55	Female--	5,181	412	43	17	13	13	498	28	19	36
56	Nonwhite-------Male----	4,084	855	64	39	19	11	988	29	21	15
57	Female--	3,192	691	64	23	12	7	797	15	14	20
58	All other diseases (Residual)----------	69,117	4,190	835	445	348	301	6,117	916	758	811
59	White----------Male----	37,304	1,916	359	212	172	139	2,798	421	346	417
60	Female--	23,160	1,236	288	152	124	110	1,910	369	281	251
61	Nonwhite-------Male----	5,067	600	103	43	34	28	808	60	68	75
62	Female--	3,586	438	85	38	16	24	601	66	53	68
63	Accidents (E800-E962)----------	93,806	3,831	1,680	1,337	1,144	958	8,950	3,687	3,149	6,704
64	White----------Male----	54,883	1,528	700	592	537	420	3,777	1,896	1,994	4,726
65	Female--	25,385	1,144	553	407	310	290	2,704	972	589	1,198
66	Nonwhite-------Male----	9,463	625	244	193	150	118	1,330	468	446	642
67	Female--	4,075	534	183	145	147	130	1,139	351	120	138
68	Motor vehicle accidents (E810-E835)----------	38,137	332	399	399	434	389	1,953	1,628	1,186	4,484
69	White----------Male----	24,656	157	185	200	219	191	952	883	737	3,152
70	Female--	8,989	128	154	134	144	130	690	491	310	968
71	Nonwhite-------Male----	3,428	23	40	31	45	38	177	151	103	277
72	Female--	1,064	24	20	34	26	30	134	103	36	87
73	Other accidents (E800-E802,E840-E962)----------	55,669	3,499	1,281	938	710	569	6,997	2,059	1,963	2,220
74	White----------Male----	30,227	1,371	515	392	318	229	2,825	1,013	1,257	1,574
75	Female--	16,396	1,016	399	273	166	160	2,014	481	279	230
76	Nonwhite-------Male----	6,035	602	204	162	105	80	1,153	317	343	365
77	Female--	3,011	510	163	111	121	100	1,005	248	84	51
78	Suicide (E963,E970-E979)----------	19,041	-	-	-	-	-	-	3	90	475
79	White----------Male----	13,825	-	-	-	-	-	-	2	73	345
80	Female--	4,296	-	-	-	-	-	-	-	15	91
81	Nonwhite-------Male----	714	-	-	-	-	-	-	-	2	27
82	Female--	206	-	-	-	-	-	-	1	-	12
83	Homicide (E964,E980-E985)----------	8,464	199	48	32	22	14	315	83	90	535
84	White----------Male----	2,832	68	14	11	9	8	110	30	35	187
85	Female--	1,154	60	15	10	8	2	95	29	22	71
86	Nonwhite-------Male----	3,437	31	10	4	3	2	50	12	21	220
87	Female--	1,041	40	9	7	2	2	60	12	12	57

Age, Color, and Sex: United States, 1960—Con.

Numbers after causes of death are category numbers of the Seventh Revision of the International Lists, 1955)

20-24 years	25-29 years	30-34 years	35-39 years	40-44 years	45-49 years	50-54 years	55-59 years	60-64 years	65-69 years	70-74 years	75-79 years	80-84 years	85-89 years	90-94 years	95-99 years	100 and over	Not stated	
16	17	33	57	91	122	202	260	395	652	773	799	650	378	141	27	2	1	1
2	5	4	9	33	44	82	92	158	275	313	336	250	134	34	2	-	-	2
11	11	22	41	45	66	96	148	210	345	423	433	386	239	100	22	1	1	3
1	-	1	4	3	4	8	8	9	11	9	12	7	2	3	2	-	-	4
2	1	6	3	10	8	16	12	18	21	28	18	7	3	4	1	1	-	5
47	50	52	63	68	102	108	129	136	152	151	114	101	64	22	5	-	1	6
25	20	26	19	27	41	39	61	55	69	69	53	50	30	9	2	-	-	7
11	13	12	22	19	33	34	42	46	48	67	42	39	29	11	2	-	-	8
5	10	7	12	15	17	20	13	18	20	11	9	7	1	1	1	-	1	9
6	7	7	10	7	11	15	13	17	15	4	10	5	4	1	-	-	-	10
45	80	117	201	284	355	483	577	729	974	942	1,014	846	571	208	55	11	2	11
19	18	30	56	72	118	143	184	277	448	443	475	426	259	80	19	2	-	12
14	37	41	77	104	110	172	203	258	346	347	431	363	282	116	29	8	1	13
6	7	18	23	39	49	73	90	90	107	84	60	40	21	6	4	-	1	14
6	18	28	45	69	78	95	100	104	73	68	48	17	9	4	3	1	-	15
-	1	-	2	6	17	33	94	223	451	793	978	890	642	259	49	7	4	16
-	1	-	2	3	11	16	56	170	365	662	880	821	590	240	41	5	1	17
-	-	-	-	3	6	17	38	53	86	131	98	69	52	19	8	2	3	18
296	326	346	334	127	14	1	-	-	-	-	-	-	-	-	-	-	-	19
187	191	202	197	84	7	-	-	-	-	-	-	-	-	-	-	-	-	20
109	135	144	137	43	7	1	-	-	-	-	-	-	-	-	-	-	-	21
51	89	71	35	10	2	1	-	-	-	-	-	-	-	-	-	-	-	22
23	51	32	21	6	2	-	-	-	-	-	-	-	-	-	-	-	-	23
28	38	39	14	4	-	1	-	-	-	-	-	-	-	-	-	-	-	24
245	237	275	299	117	12	-	-	-	-	-	-	-	-	-	-	-	-	25
164	140	170	176	78	5	-	-	-	-	-	-	-	-	-	-	-	-	26
81	97	105	123	39	7	-	-	-	-	-	-	-	-	-	-	-	-	27
274	229	236	247	280	272	275	238	209	175	128	81	47	21	7	2	-	4	28
145	112	104	115	147	129	136	103	97	97	80	36	18	12	5	-	-	3	29
102	85	98	100	100	108	107	113	98	69	41	38	24	7	2	1	-	1	30
16	15	14	17	16	16	21	13	12	6	6	3	3	2	1	1	-	-	31
11	17	20	15	17	19	11	9	2	3	1	4	2	-	-	-	-	-	32
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	33
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	34
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	35
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	36
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	37
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	38
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	39
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	40
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	41
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	42
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	43
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	44
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	45
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	46
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	47
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	48
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	49
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	50
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	51
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	52
176	242	342	522	598	881	1,171	1,319	1,480	1,727	1,932	1,938	1,843	1,377	1,000	377	120	49	53
63	83	99	185	253	395	539	622	701	805	851	846	760	462	324	90	20	19	54
36	57	87	121	123	177	178	219	263	322	461	553	650	632	487	187	40	7	55
45	51	91	116	121	184	281	288	297	364	344	312	240	145	85	35	18	14	56
32	51	65	100	101	125	173	190	219	236	276	227	193	138	104	65	42	9	57
766	933	1,360	1,951	2,681	3,445	4,441	5,288	6,800	8,222	8,459	6,898	4,949	2,856	1,146	240	52	28	58
322	361	526	760	1,157	1,735	2,389	3,135	4,208	5,145	5,220	3,911	2,556	1,319	461	88	18	11	59
249	292	423	671	925	1,064	1,343	1,517	1,910	2,348	2,694	2,614	2,128	1,381	619	133	22	6	60
102	137	200	273	318	382	434	397	435	481	365	234	153	93	31	9	5	7	61
93	143	211	247	281	264	275	239	247	248	180	139	112	63	35	10	7	4	62
6,753	5,025	4,777	4,955	4,903	5,143	5,058	4,686	4,498	4,738	4,951	5,021	4,917	3,604	1,731	407	63	86	63
4,937	3,521	3,209	3,261	3,163	3,335	3,251	3,013	2,752	2,848	2,689	2,454	2,021	1,312	527	135	13	49	64
693	673	753	821	908	974	1,032	1,038	1,133	1,373	1,845	2,220	2,688	2,148	1,122	252	38	11	65
764	672	643	690	626	653	598	458	428	343	248	199	111	75	34	5	7	23	66
159	159	172	183	206	181	177	177	185	174	169	148	97	69	48	15	5	3	67
4,633	2,998	2,550	2,380	2,261	2,254	2,134	2,035	1,871	1,820	1,637	1,234	704	275	66	10	1	23	68
3,416	2,116	1,724	1,564	1,436	1,404	1,303	1,223	1,136	1,101	1,038	793	460	170	33	2	-	13	69
689	445	474	493	488	529	540	586	532	551	499	379	205	81	28	8	-	5	70
445	350	291	260	254	259	221	173	154	130	73	48	36	16	5	-	1	4	71
83	87	61	63	83	62	70	53	49	38	27	14	5	8	-	-	-	1	72
2,120	2,027	2,227	2,575	2,642	2,889	2,924	2,651	2,627	2,918	3,314	3,787	4,213	3,329	1,665	397	62	63	73
1,521	1,405	1,485	1,697	1,727	1,931	1,948	1,790	1,616	1,747	1,651	1,661	1,561	1,142	494	133	13	36	74
204	228	279	328	420	445	492	452	601	822	1,346	1,941	2,485	2,067	1,094	244	38	6	75
319	322	352	430	372	394	377	285	274	213	175	151	75	59	29	5	6	19	76
76	72	111	120	123	119	107	124	136	136	142	134	92	61	48	15	5	2	77
764	983	1,301	1,649	1,767	2,077	2,173	1,993	1,697	1,337	1,187	834	459	196	37	7	2	10	78
555	653	850	1,087	1,244	1,457	1,610	1,489	1,266	1,054	942	666	379	166	32	4	1	10	79
149	231	360	465	430	535	490	422	373	259	220	156	68	24	5	2	1	-	80
49	77	83	93	68	70	55	67	49	34	18	10	7	4	-	1	-	-	81
11	22	28	24	25	15	18	15	9	10	7	2	5	2	-	-	-	-	82
887	1,094	1,114	1,047	901	730	539	392	264	175	137	72	37	16	4	1	1	30	83
277	316	305	315	270	260	200	178	119	85	74	32	18	7	1	-	1	12	84
93	97	111	124	117	102	77	67	45	26	36	20	9	5	3	-	-	5	85
402	519	531	465	397	298	206	111	89	53	24	17	8	3	-	1	-	10	86
115	162	167	143	117	70	56	36	11	11	3	3	2	1	-	-	-	3	87

Table 5-12. Death Rates for 59 Selected Causes, by

(Data refer only to deaths occurring within the United States, including Alaska and Hawaii. Excludes fetal deaths. Rates per 100,000 population in spec-

	CAUSE OF DEATH, COLOR, AND SEX	Total[1]	Under 1 year	1-4 years	5-9 years	10-14 years	15-19 years	20-24 years
1	ALL CAUSES	954.7	2,696.4	109.1	49.0	44.0	92.2	123.6
2	Male	1,104.5	3,059.3	119.5	56.3	55.0	130.1	179.7
3	Female	809.2	2,321.3	98.4	41.5	32.6	54.0	70.0
4	White	947.8	2,357.7	95.2	46.2	41.4	87.9	112.7
5	Male	1,098.5	2,694.1	104.9	53.7	51.6	125.2	166.9
6	Female	800.9	2,007.7	85.2	38.3	30.8	50.3	60.4
7	Nonwhite	1,008.5	4,626.4	190.8	66.7	61.5	122.7	201.3
8	Male	1,152.0	5,189.4	207.3	72.3	78.8	165.8	274.9
9	Female	872.6	4,067.1	174.4	61.0	44.2	80.4	135.8
10	Tuberculosis, all forms (001-019)	6.1	0.9	0.6	0.1	0.1	0.3	0.9
11	Male	8.9	0.9	0.6	0.1	0.1	0.3	0.7
12	Female	3.3	0.9	0.6	0.2	0.1	0.3	1.1
13	White	5.1	0.5	0.3	0.1	0.1	0.2	0.3
14	Male	7.7	0.4	0.3	0.1	0.1	0.2	0.3
15	Female	2.6	0.5	0.4	0.1	0.1	0.2	0.3
16	Nonwhite	13.2	3.4	1.9	0.3	0.6	1.4	4.9
17	Male	18.4	3.3	2.1	0.2	0.4	1.3	3.0
18	Female	8.2	3.6	1.6	0.3	0.7	1.6	6.5
19	Tuberculosis of respiratory system (001-008)	5.6	0.4	0.2	0.0	0.1	0.2	0.7
20	Male	8.4	0.5	0.2	0.1	0.1	0.2	0.5
21	Female	2.9	0.3	0.2	0.0	0.1	0.2	0.9
22	White	4.8	0.2	0.1	0.0	0.0	0.1	0.3
23	Male	7.4	0.3	0.1	0.0	0.1	0.1	0.3
24	Female	2.4	0.2	0.0	0.0	0.0	0.1	0.2
25	Nonwhite	11.7	1.6	0.9	0.1	0.2	1.1	3.8
26	Male	16.7	2.0	0.9	0.1	0.1	0.9	1.9
27	Female	7.0	1.3	0.9	0.1	0.4	1.4	5.5
28	Tuberculosis, other forms (010-019)	0.4	0.5	0.4	0.1	0.1	0.1	0.2
29	Male	0.5	0.3	0.4	0.1	0.0	0.1	0.2
30	Female	0.4	0.6	0.4	0.1	0.1	0.1	0.2
31	White	0.3	0.2	0.3	0.1	0.0	0.1	0.1
32	Male	0.3	0.2	0.2	0.0	0.0	0.1	0.0
33	Female	0.3	0.3	0.3	0.1	0.0	0.1	0.1
34	Nonwhite	1.5	1.8	1.0	0.2	0.3	0.3	1.1
35	Male	1.7	1.3	1.3	0.2	0.3	0.4	1.1
36	Female	1.2	2.3	0.8	0.2	0.4	0.2	1.0
37	Syphilis and its sequelae (020-029)	1.6	0.7	0	0	0.0	0.0	0.1
38	Male	2.4	1.0	0	0	0.0	0.0	0.1
39	Female	0.9	0.4	0	0	0	0.0	0.0
40	White	1.3	0.4	0	0	0.0	0.0	0.1
41	Male	1.9	0.6	0	0	0.0	0.0	0.1
42	Female	0.7	0.2	0	0	0	0	0.0
43	Nonwhite	4.5	2.4	0	0	0.0	0.1	0.1
44	Male	6.6	3.3	0	0	0.1	0.1	0.2
45	Female	2.6	1.6	0	0	0	0.1	0
46	Dysentery, all forms (045-048)	0.2	3.4	0.3	0.1	0.0	0.0	0.0
47	Male	0.2	4.0	0.4	0.1	0.0	0.1	0.0
48	Female	0.2	2.8	0.3	0.1	0.0	0.0	0.0
49	White	0.1	1.7	0.2	0.1	0.0	0.0	0.0
50	Male	0.1	2.1	0.3	0.1	0.0	0.1	0.0
51	Female	0.1	1.3	0.2	0.1	0.0	0	0.0
52	Nonwhite	0.7	13.0	1.1	0.2	0.1	0.1	0
53	Male	0.8	14.7	1.3	0.1	0	0.1	0
54	Female	0.7	11.4	0.9	0.3	0.2	0.1	0
55	Scarlet fever and streptococcal sore throat (050,051)	0.1	0.2	0.1	0.0	0.1	0.0	0.0
56	Male	0.1	0.1	0.1	0.1	0.1	0.0	0
57	Female	0.1	0.3	0.1	0.0	0.1	0.0	0.1
58	White	0.1	0.2	0.1	0.1	0.0	0.0	0.0
59	Male	0.1	0.2	0.1	0.1	0.1	0.0	0
60	Female	0.1	0.3	0.1	0.0	0.0	0.0	0.0
61	Nonwhite	0.1	0.2	0.1	0	0.1	0.1	0.1
62	Male	0.1	0	0.2	0	0.1	0.1	0
63	Female	0.1	0.3	0.1	0	0.2	0	0.1
64	Diphtheria (055)	0.0	0.0	0.2	0.1	0.0	0.0	0
65	Male	0.0	0.0	0.2	0.1	0.0	0.0	0
66	Female	0.0	0.0	0.3	0.1	0	0	0
67	White	0.0	0.1	0.2	0.1	0.0	0.0	0
68	Male	0.0	0.1	0.1	0.1	0.0	0.0	0
69	Female	0.0	0.1	0.2	0.1	0	0	0
70	Nonwhite	0.1	0	0.7	0.3	0.0	0	0
71	Male	0.1	0	0.6	0.1	0.1	0	0
72	Female	0.2	0	0.9	0.5	0	0	0
73	Whooping cough (056)	0.1	1.8	0.2	0.0	0.0	0	0.0
74	Male	0.1	2.1	0.1	0	0.0	0	0
75	Female	0.1	1.4	0.4	0.0	0	0	0.0
76	White	0.0	0.7	0.1	0	0.0	0	0.0
77	Male	0.0	0.8	0.0	0	0.0	0	0
78	Female	0.0	0.5	0.2	0	0	0	0.0
79	Nonwhite	0.4	8.0	1.0	0.0	0	0	0
80	Male	0.4	9.5	0.7	0	0	0	0
81	Female	0.3	6.5	1.3	0.1	0	0	0
82	Meningococcal infections (057)	0.4	4.8	1.4	0.3	0.1	0.1	0.1
83	Male	0.4	5.4	1.7	0.3	0.2	0.2	0.2
84	Female	0.3	4.1	1.1	0.3	0.1	0.1	0.1
85	White	0.3	4.6	1.4	0.3	0.1	0.1	0.1
86	Male	0.4	5.3	1.6	0.3	0.1	0.2	0.1
87	Female	0.3	3.9	1.1	0.3	0.1	0.1	0.1
88	Nonwhite	0.7	5.7	2.0	0.3	0.5	0.2	0.5
89	Male	0.8	5.9	2.5	0.3	0.7	0.5	0.5
90	Female	0.5	5.5	1.5	0.4	0.3	0	0.4

[1]Figures for age not stated included in "Total" but not distributed among age groups.

Age, Color, and Sex: United States, 1960

ified group, enumerated as of April 1. Numbers after causes of death are category numbers of the Seventh Revision of the International Lists, 1955)

25-29 years	30-34 years	35-39 years	40-44 years	45-49 years	50-54 years	55-59 years	60-64 years	65-69 years	70-74 years	75-79 years	80-84 years	85 years and over	
130.8	160.7	233.6	370.2	590.9	943.1	1,385.0	2,148.3	3,141.7	4,720.6	7,204.0	11,724.0	19,857.5	1
174.0	200.7	289.4	462.2	761.9	1,252.8	1,853.7	2,861.3	4,139.4	5,953.8	8,616.7	13,370.5	21,186.3	2
89.1	122.4	180.7	282.0	424.9	642.1	935.4	1,497.2	2,262.7	3,665.4	6,070.4	10,527.0	19,008.4	3
111.4	134.6	199.3	325.8	536.7	867.4	1,296.6	2,024.2	3,041.5	4,652.4	7,241.7	11,863.1	20,354.5	4
152.1	173.2	253.4	417.0	709.3	1,183.3	1,784.6	2,751.4	4,050.7	5,909.2	8,698.7	13,544.3	21,750.0	5
71.6	97.1	147.5	237.9	368.5	560.3	829.7	1,362.2	2,154.9	3,583.2	6,084.2	10,654.3	19,477.7	6
272.0	363.6	519.4	763.2	1,075.4	1,663.8	2,224.0	3,522.3	4,250.2	5,582.2	6,713.7	9,648.5	13,907.6	7
343.0	428.6	599.2	876.5	1,241.5	1,916.2	2,500.5	4,053.8	5,103.7	6,493.2	7,628.0	11,017.4	15,238.7	8
210.2	307.8	448.1	660.8	919.4	1,419.5	1,951.8	3,019.5	3,474.4	4,742.5	5,879.2	8,477.5	12,871.2	9
1.8	2.9	4.4	6.0	7.9	11.0	13.8	17.5	20.8	26.3	30.7	37.0	39.6	10
1.8	2.9	4.8	7.6	11.6	17.4	23.2	30.7	34.9	45.3	49.7	57.1	64.9	11
1.9	2.9	3.9	4.5	4.3	4.7	4.8	5.4	8.4	10.0	15.4	22.3	23.5	12
1.0	1.7	2.6	4.0	6.1	9.0	11.9	14.9	18.7	24.5	28.7	34.6	35.9	13
1.1	1.6	2.7	4.9	9.1	14.4	20.2	26.6	31.6	42.3	46.3	53.8	56.8	14
0.8	1.8	2.5	3.1	3.3	3.7	3.9	4.3	7.3	9.3	14.7	20.8	22.8	15
8.0	12.6	18.7	24.0	23.5	30.1	32.5	46.0	44.5	48.9	58.4	72.6	83.8	16
6.7	13.5	22.8	32.2	35.1	46.3	51.7	75.8	70.5	80.9	91.2	102.7	149.9	17
9.1	11.7	15.1	16.5	12.6	14.5	13.6	17.8	21.0	19.3	24.5	46.7	32.3	18
1.6	2.6	4.0	5.6	7.4	10.3	13.0	16.6	19.6	24.9	29.4	34.9	37.4	19
1.6	2.6	4.4	7.1	11.0	16.6	22.2	29.3	33.3	43.0	48.1	55.3	62.1	20
1.6	2.7	3.6	4.1	3.9	4.3	4.3	4.9	7.5	9.4	14.5	20.0	21.7	21
0.9	1.5	2.5	3.6	5.9	8.5	11.4	14.2	17.8	23.3	27.8	32.7	34.0	22
1.0	1.4	2.6	4.5	8.6	13.7	19.6	25.5	30.4	40.5	45.2	52.2	55.0	23
0.7	1.6	2.3	2.8	3.2	3.4	3.6	3.9	6.6	8.7	14.0	18.7	20.9	24
7.0	11.3	16.6	22.5	21.1	28.1	28.7	42.8	39.5	44.6	50.4	67.5	78.2	25
6.2	12.4	20.1	30.4	32.5	44.1	46.7	70.6	64.0	73.1	82.6	98.3	137.1	26
7.7	10.4	13.4	15.4	10.5	12.5	11.1	16.4	17.3	18.2	21.0	41.1	32.3	27
0.2	0.3	0.4	0.4	0.5	0.6	0.8	1.0	1.2	1.4	1.2	2.1	2.2	28
0.2	0.3	0.4	0.5	0.6	0.8	1.0	1.4	1.6	2.2	1.6	1.8	2.8	29
0.3	0.3	0.3	0.4	0.3	0.4	0.5	0.5	0.9	0.7	0.9	2.3	1.8	30
0.1	0.2	0.1	0.3	0.3	0.5	0.5	0.7	0.9	1.2	0.9	1.9	1.9	31
0.1	0.2	0.1	0.4	0.4	0.7	0.6	1.1	1.2	1.8	1.0	1.6	1.8	32
0.1	0.1	0.2	0.3	0.1	0.3	0.3	0.4	0.7	0.6	0.8	2.1	1.9	33
1.0	1.2	2.2	1.4	2.4	2.1	3.7	3.2	5.0	4.3	6.0	5.0	5.6	34
0.5	1.1	2.7	1.8	2.6	2.2	5.0	5.2	6.5	7.8	8.6	4.4	12.8	35
1.4	1.4	1.7	1.1	2.1	1.9	2.5	1.3	3.7	1.1	3.5	5.6	0	36
0.1	0.2	0.3	0.6	1.3	2.6	4.8	6.5	8.8	9.6	9.0	8.0	9.5	37
0.1	0.3	0.4	0.8	1.9	3.7	7.2	10.4	14.6	16.0	13.6	12.2	12.7	38
0.1	0.1	0.2	0.4	0.7	1.6	2.6	3.0	3.6	4.1	5.4	4.9	7.4	39
0.0	0.1	0.1	0.4	0.7	1.4	3.4	4.8	6.8	8.5	7.9	7.3	8.2	40
0.0	0.2	0.2	0.5	1.0	2.1	5.2	7.8	11.4	14.3	12.1	10.8	10.0	41
0	0.1	0.1	0.2	0.4	0.7	1.6	2.1	2.8	3.5	4.6	4.8	7.0	42
0.7	0.7	1.9	2.9	6.4	13.9	18.8	25.5	30.7	23.6	23.4	18.1	25.1	43
0.5	1.0	2.5	3.9	9.4	18.5	25.8	38.6	49.8	37.2	31.7	30.6	41.5	44
0.9	0.5	1.3	1.9	3.5	9.5	11.9	13.2	13.2	11.0	15.8	7.5	12.4	45
0.0	0.0	0.1	0.0	0.0	0.1	0.2	0.1	0.3	0.3	0.7	0.8	1.0	46
0.0	0.0	0.1	0.0	0.1	0.1	0.2	0.1	0.3	0.2	0.7	0.5	1.1	47
0.1	0.0	0.0	0.0	0.0	0.1	0.1	0.1	0.3	0.3	0.6	1.0	0.9	48
0.0	0.0	0.1	0.0	0.0	0.1	0.1	0.1	0.2	0.3	0.5	0.5	0.8	49
0	0.0	0.1	0.0	0.0	0.1	0.1	0.1	0.2	0.2	0.6	0.5	0.6	50
0.1	0.0	0.0	0	0.0	0.1	0.1	0.1	0.2	0.3	0.4	0.6	0.9	51
0.1	0	0.1	0.1	0.3	0.2	0.7	0.7	1.2	0.6	2.3	4.0	2.8	52
0.2	0	0	0	0.4	0.2	1.3	0.3	1.2	0.6	1.9	0	6.4	53
0	0	0.1	0.2	0.2	0.2	0.2	1.0	1.1	0.6	2.6	7.5	0	54
0.1	0.0	0.0	0.0	0.0	0.0	0.0	0.1	0.0	0.1	0.2	0.3	0.2	55
0.0	0.0	0.0	0.0	0.1	0.1	0.0	0.1	0.0	0.2	0.2	0.3	0	56
0.1	0.0	0.0	0.0	0.0	0.0	0.1	0.1	0.1	0.1	0.2	0.2	0.4	57
0.1	0.0	0.0	0.0	0.0	0.0	0.1	0.1	0.1	0.2	0.2	0.3	0.2	58
0.0	0.0	0.0	0.0	0.1	0.0	0.0	0.1	0.0	0.2	0.2	0.3	0	59
0.1	0.1	0	0.0	0	0.0	0.1	0.1	0.1	0.1	0.2	0.2	0.4	60
0	0	0.1	0.1	0.1	0.1	0	0	0	0	0	0	0	61
0	0	0	0	0	0.2	0	0	0	0	0	0	0	62
0	0	0.1	0.2	0.2	0	0	0	0	0	0	0	0	63
0.0	0	0	0.0	0.0	0	0	0	0	0.0	0	0	0	64
0.0	0	0	0	0	0	0	0	0	0	0	0	0	65
0	0	0	0.0	0.0	0	0	0	0	0.0	0	0	0	66
0.0	0	0	0.0	0.0	0	0	0	0	0.0	0	0	0	67
0.0	0	0	0	0	0	0	0	0	0	0	0	0	68
0	0	0	0.0	0.0	0	0	0	0	0.0	0	0	0	69
0	0	0	0	0	0	0	0	0	0	0	0	0	70
0	0	0	0	0	0	0	0	0	0	0	0	0	71
0	0	0	0	0	0	0	0	0	0	0	0	0	72
0	0	0	0.0	0	0	0	0	0	0	0	0	0	73
0	0	0	0	0	0	0	0	0	0	0	0	0	74
0	0	0	0.0	0	0	0	0	0	0	0	0	0	75
0	0	0	0.0	0	0	0	0	0	0	0	0	0	76
0	0	0	0	0	0	0	0	0	0	0	0	0	77
0	0	0	0.0	0	0	0	0	0	0	0	0	0	78
0	0	0	0	0	0	0	0	0	0	0	0	0	79
0	0	0	0	0	0	0	0	0	0	0	0	0	80
0	0	0	0	0	0	0	0	0	0	0	0	0	81
0.0	0.1	0.1	0.1	0.1	0.2	0.1	0.2	0.1	0.2	0.1	0.1	0.2	82
0.0	0.1	0.1	0.1	0.2	0.1	0.1	0.3	0.1	0.1	0.1	0.2	0	83
0.1	0.1	0.1	0.0	0.1	0.2	0.1	0.1	0.0	0.4	0.1	0	0.4	84
0.0	0.0	0.1	0.1	0.1	0.2	0.1	0.1	0.1	0.2	0.1	0.1	0.2	85
0	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.2	0	86
0.1	0.0	0.1	0.0	0.1	0.2	0.1	0.1	0.0	0.3	0.1	0	0.4	87
0.1	0.2	0	0.3	0.5	0.3	0.1	0.8	0.2	0.6	0.5	0	0	88
0.2	0	0	0.5	0.6	0.4	0	1.7	0.4	0	1.0	0	0	89
0	0.4	0	0	0.4	0.2	0.2	0	0	1.1	0	0	0	90

Table 5-12. Death Rates for 59 Selected Causes, by

(Data refer only to deaths occurring within the United States, including Alaska and Hawaii. Excludes fetal deaths. Rates per 100,000 population in spec-

	CAUSE OF DEATH, COLOR, AND SEX	Total[1]	Under 1 year	1-4 years	5-9 years	10-14 years	15-19 years	20-24 years
1	Acute poliomyelitis (080)	0.1	0.2	0.2	0.2	0.1	0.1	0.2
2	Male	0.2	0.2	0.3	0.3	0.1	0.1	0.3
3	Female	0.1	0.2	0.1	0.1	0.1	0.2	0.2
4	White	0.1	0.2	0.2	0.2	0.1	0.1	0.2
5	Male	0.1	0.2	0.3	0.2	0.1	0.1	0.3
6	Female	0.1	0.2	0.1	0.2	0.1	0.2	0.2
7	Nonwhite	0.2	0.3	0.4	0.3	0.1	0	0.3
8	Male	0.3	0.3	0.5	0.6	0.2	0	0.3
9	Female	0.1	0.3	0.3	0.1	0	0	0.3
10	Measles (085)	0.2	2.1	1.2	0.4	0.0	0.0	0.0
11	Male	0.2	2.2	1.3	0.4	0.0	0.0	0
12	Female	0.2	1.9	1.2	0.4	0.0	0.0	0.0
13	White	0.2	1.7	1.0	0.4	0.0	0.0	0.0
14	Male	0.2	1.6	1.1	0.4	0.1	0.0	0
15	Female	0.2	1.8	0.9	0.4	0.0	0.0	0.0
16	Nonwhite	0.5	4.2	2.6	0.4	0	0	0
17	Male	0.5	5.9	2.4	0.2	0	0	0
18	Female	0.5	2.6	2.9	0.7	0	0	0
19	Other infective and parasitic diseases (030-044,049,052-054,058-074, 081-084,086-138)	3.2	20.9	3.0	1.1	0.8	1.0	1.1
20	Male	3.5	25.2	3.2	1.1	0.7	1.0	1.0
21	Female	2.9	16.6	2.8	1.1	0.8	1.0	1.3
22	White	2.8	16.4	2.6	1.1	0.7	0.9	1.0
23	Male	3.1	19.5	2.8	1.1	0.6	0.9	0.9
24	Female	2.6	13.2	2.4	1.0	0.8	1.0	1.0
25	Nonwhite	5.7	46.6	5.3	1.3	1.1	1.5	2.4
26	Male	6.5	58.2	5.4	1.3	1.1	1.5	1.8
27	Female	5.0	35.1	5.3	1.3	1.0	1.5	3.0
28	Malignant neoplasms, including neoplasms of lymphatic and hematopoietic tissues (140-205)	149.2	7.2	10.9	7.4	6.1	7.7	9.0
29	Male	162.5	7.7	12.4	8.6	6.5	9.6	10.9
30	Female	136.4	6.8	9.3	6.2	5.7	5.8	7.3
31	White	152.6	7.4	11.4	7.8	6.3	7.9	9.0
32	Male	166.1	7.9	13.1	9.1	6.8	9.7	11.1
33	Female	139.8	6.8	9.7	6.5	5.8	6.0	7.0
34	Nonwhite	121.6	6.5	7.6	5.0	4.7	6.8	9.2
35	Male	134.1	6.5	8.2	5.2	4.5	9.4	8.9
36	Female	109.8	6.5	7.0	4.7	4.9	4.3	9.5
37	Malignant neoplasm of buccal cavity and pharynx (140-148)	3.4	0	0.0	0.0	0.1	0.1	0.1
38	Male	5.3	0	0.0	0.1	0.1	0.1	0.2
39	Female	1.7	0	0.0	0.0	0.0	0.1	0.1
40	White	3.5	0	0.0	0.0	0.1	0.1	0.1
41	Male	5.5	0	0.0	0.1	0.1	0.1	0.2
42	Female	1.7	0	0.0	0.0	0.0	0.1	0.1
43	Nonwhite	2.7	0	0	0	0.0	0.2	0.1
44	Male	4.0	0	0	0	0	0.4	0
45	Female	1.4	0	0	0	0.1	0	0.1
46	Malignant neoplasm of digestive organs and peritoneum, not specified as secondary (150-156A,157-159)	50.8	0.7	0.3	0.1	0.1	0.3	0.6
47	Male	56.4	0.4	0.3	0.2	0.1	0.5	0.6
48	Female	45.3	1.0	0.2	0.1	0.2	0.2	0.5
49	White	51.9	0.7	0.3	0.1	0.1	0.3	0.5
50	Male	57.0	0.4	0.3	0.2	0.1	0.4	0.5
51	Female	47.0	1.1	0.2	0.1	0.1	0.2	0.4
52	Nonwhite	41.8	0.5	0.3	0.1	0.2	0.7	1.3
53	Male	51.4	0	0.3	0.2	0.3	1.3	1.3
54	Female	32.8	1.0	0.4	0	0.2	0.1	1.3
55	Malignant neoplasm of respiratory system, not specified as secondary (160-164)	22.2	0.2	0.1	0.0	0.1	0.1	0.2
56	Male	38.5	0.1	0.0	0.0	0.0	0.1	0.3
57	Female	6.2	0.2	0.1	0.0	0.1	0.0	0.1
58	White	22.8	0.2	0.1	0.0	0.1	0.1	0.2
59	Male	39.6	0.1	0.0	0.0	0.0	0.1	0.3
60	Female	6.4	0.2	0.1	0.0	0.1	0.1	0.1
61	Nonwhite	17.3	0.2	0.1	0	0.2	0.1	0.1
62	Male	30.5	0.3	0.1	0	0.1	0.1	0.2
63	Female	4.9	0	0.1	0	0.3	0	0
64	Malignant neoplasm of breast (170)	13.4	0.1	0	0.0	0	0.0	0.1
65	Male	0.2	0.1	0	0	0	0.0	0
66	Female	26.1	0.1	0	0.0	0	0.0	0.3
67	White	13.9	0.1	0	0.0	0	0.0	0.1
68	Male	0.2	0.1	0	0	0	0.0	0
69	Female	27.2	0.1	0	0.0	0	0.0	0.2
70	Nonwhite	9.4	0.5	0	0	0	0	0.4
71	Male	0.3	0.3	0	0	0	0	0
72	Female	17.9	0.6	0	0	0	0	0.7
73	Malignant neoplasm of genital organs (171-179)	21.6	0.0	0.1	0.1	0.1	0.6	1.2
74	Male	17.4	0.0	0.2	0.0	0.0	0.5	1.3
75	Female	25.6	0.0	0.1	0.1	0.3	0.7	1.1
76	White	21.2	0.0	0.1	0.1	0.2	0.6	1.2
77	Male	17.2	0.1	0.2	0.0	0.0	0.5	1.4
78	Female	25.1	0	0.1	0.1	0.3	0.6	0.9
79	Nonwhite	24.5	0.2	0.2	0.1	0.1	0.6	1.6
80	Male	19.1	0	0.3	0	0	0.4	0.5
81	Female	29.6	0.3	0	0.2	0.2	0.9	2.6
82	Malignant neoplasm of urinary organs (180,181)	7.1	0.7	1.0	0.5	0.1	0.1	0.1
83	Male	9.7	0.7	1.0	0.4	0.1	0.1	0.1
84	Female	4.6	0.6	0.9	0.5	0.1	0.1	0.1
85	White	7.5	0.7	1.0	0.5	0.1	0.1	0.1
86	Male	10.2	0.7	1.0	0.5	0.1	0.1	0.1
87	Female	4.8	0.6	0.9	0.5	0.1	0.1	0.1
88	Nonwhite	4.7	0.5	0.9	0.5	0.0	0.1	0.2
89	Male	5.6	0.3	0.9	0.3	0.1	0.1	0.2
90	Female	3.7	0.6	1.0	0.7	0	0	0.1

[1]Figures for age not stated included in "Total" but not distributed among age groups.

Age, Color, and Sex: United States, 1960—Continued

ified group, enumerated as of April 1. Numbers after causes of death are category numbers of the Seventh Revision of the International Lists, 1955)

25-29 years	30-34 years	35-39 years	40-44 years	45-49 years	50-54 years	55-59 years	60-64 years	65-69 years	70-74 years	75-79 years	80-84 years	85 years and over	
0.3	0.2	0.1	0.1	0.1	0.0	0	0	0.0	0	0	0	0	1
0.3	0.3	0.1	0.2	0.1	0.0	0	0	0	0	0	0	0	2
0.3	0.1	0.1	0.0	0.1	0	0	0	0.0	0	0	0	0	3
0.3	0.2	0.1	0.1	0.1	0.0	0	0	0.0	0	0	0	0	4
0.3	0.3	0.1	0.1	0.1	0.0	0	0	0	0	0	0	0	5
0.2	0.1	0.1	0.0	0.0	0	0	0	0.0	0	0	0	0	6
0.3	0	0	0.3	0.3	0	0	0	0	0	0	0	0	7
0.2	0	0	0.5	0.4	0	0	0	0	0	0	0	0	8
0.4	0	0	0	0.2	0	0	0	0	0	0	0	0	9
0.0	0.0	0	0.0	0	0	0	0	0	0	0.1	0	0	10
0.1	0	0	0.0	0	0	0	0	0	0	0.1	0	0	11
0.0	0.0	0	0.0	0	0	0	0	0	0	0.1	0	0	12
0.0	0.0	0	0.0	0	0	0	0	0	0	0.1	0	0	13
0.1	0	0	0.0	0	0	0	0	0	0	0.1	0	0	14
0.0	0.1	0	0.0	0	0	0	0	0	0	0.1	0	0	15
0.1	0	0	0	0	0	0	0	0	0	0	0	0	16
0	0	0	0	0	0	0	0	0	0	0	0	0	17
0.1	0	0	0	0	0	0	0	0	0	0	0	0	18
1.3	1.5	1.7	2.0	2.8	3.0	4.5	5.3	7.0	8.5	10.8	15.2	22.9	19
0.9	1.2	1.7	2.1	3.3	3.4	5.1	6.1	8.9	10.7	13.1	18.5	24.0	20
1.6	1.7	1.7	1.8	2.4	2.6	4.0	4.4	5.3	6.6	9.0	12.8	22.2	21
1.1	1.2	1.3	1.7	2.5	2.5	4.1	4.7	6.5	8.2	10.6	15.4	23.7	22
0.7	0.9	1.3	1.8	2.9	2.8	4.5	5.4	8.3	10.4	13.0	19.2	24.8	23
1.4	1.4	1.2	1.5	2.0	2.2	3.7	4.1	4.9	6.4	8.7	12.7	23.0	24
2.7	3.7	5.5	4.6	6.3	8.0	8.3	11.3	12.1	12.1	14.2	12.1	14.0	25
2.0	3.7	5.7	5.2	7.2	9.8	10.5	14.3	15.0	15.0	14.4	8.7	15.9	26
3.4	3.7	5.4	4.0	5.5	6.3	6.2	8.5	9.6	9.4	14.0	15.0	12.4	27
14.7	23.8	43.0	77.6	135.4	224.2	327.8	478.3	634.6	818.6	1,032.9	1,310.1	1,450.0	28
16.2	21.1	35.2	63.6	120.0	228.4	367.2	572.1	787.1	1,029.2	1,278.0	1,617.2	1,741.2	29
13.3	26.3	50.5	91.0	150.3	220.1	290.0	392.6	500.2	638.4	836.3	1,086.8	1,263.9	30
14.5	22.7	41.0	73.4	129.4	215.7	320.0	466.9	631.1	820.1	1,047.1	1,333.6	1,492.6	31
16.4	21.1	33.8	59.7	114.5	219.9	360.1	559.3	780.0	1,029.9	1,297.9	1,648.4	1,791.4	32
12.7	24.2	47.9	86.7	143.8	211.6	281.7	382.6	500.3	641.6	847.8	1,107.2	1,304.9	33
16.0	32.3	60.4	114.6	189.1	304.7	401.4	605.1	672.5	800.3	849.1	959.3	939.5	34
14.7	21.7	47.3	99.3	169.9	308.8	433.7	710.6	864.1	1,021.2	1,038.0	1,195.5	1,211.7	35
17.1	41.5	72.1	128.4	207.1	300.7	369.6	505.4	498.3	596.6	676.6	757.2	727.5	36
0.2	0.3	0.6	1.6	3.8	7.1	8.8	11.2	14.0	17.7	22.1	28.8	34.8	37
0.1	0.4	0.9	2.1	5.3	10.9	14.3	18.8	23.9	30.0	37.1	47.4	60.7	38
0.2	0.2	0.3	1.2	2.3	3.3	3.4	4.3	5.3	7.3	10.0	15.3	18.2	39
0.1	0.2	0.5	1.4	3.6	6.7	8.7	11.3	14.2	18.1	22.7	29.4	36.0	40
0.1	0.3	0.7	1.8	5.0	10.3	14.3	19.1	24.4	30.9	38.7	49.2	63.5	41
0.2	0.2	0.3	1.1	2.2	3.2	3.4	4.1	5.3	7.2	10.1	15.1	18.8	42
0.5	0.7	1.5	3.4	5.6	10.4	9.1	10.8	12.1	13.2	13.3	20.2	19.5	43
0.3	1.3	2.4	5.2	8.1	16.7	14.0	15.6	19.0	19.2	18.2	21.9	31.9	44
0.6	0.3	0.7	1.8	3.2	4.3	4.2	6.2	5.9	7.7	8.8	18.7	9.9	45
1.7	3.5	7.6	15.9	32.5	61.1	98.8	160.6	232.7	324.7	435.8	573.2	630.7	46
2.1	3.6	8.1	17.1	36.8	71.7	118.2	196.7	287.6	398.3	511.4	658.0	676.6	47
1.4	3.3	7.2	14.7	28.4	50.9	80.2	127.6	184.4	261.7	375.1	511.6	601.4	48
1.6	3.3	7.0	14.5	30.1	57.4	94.1	154.7	229.3	325.2	442.1	584.7	652.7	49
1.9	3.4	7.2	15.2	33.4	67.1	112.8	188.3	280.7	397.0	520.1	671.5	699.9	50
1.3	3.1	6.9	13.8	26.8	48.1	76.2	124.0	184.1	254.2	380.2	522.2	623.1	51
2.7	5.1	12.7	28.0	54.5	96.2	143.5	226.4	271.3	318.2	352.8	402.1	367.1	52
3.4	5.4	16.3	34.5	67.4	115.9	169.1	287.5	363.2	414.1	406.2	474.3	430.5	53
2.1	4.8	9.5	22.2	42.3	77.2	118.3	168.7	187.7	229.8	304.1	340.3	317.8	54
0.6	1.6	4.3	10.5	22.2	43.1	68.5	96.8	114.1	121.3	104.8	99.2	79.1	55
0.8	2.4	6.6	16.4	36.2	75.5	124.4	181.5	216.6	228.6	195.3	174.6	132.2	56
0.4	0.8	2.0	4.9	8.7	11.6	14.9	19.4	23.7	29.5	32.2	44.4	45.2	57
0.6	1.5	4.0	9.8	21.3	42.1	68.2	96.0	115.5	122.9	106.3	99.7	79.4	58
0.8	2.3	6.1	15.0	34.6	73.7	124.0	180.7	219.7	232.3	199.6	176.3	133.9	59
0.4	0.8	2.0	4.9	8.4	11.4	14.9	18.8	24.0	29.9	32.1	44.6	45.2	60
0.8	2.3	6.3	16.9	30.6	52.9	71.2	106.3	98.3	100.9	85.7	91.7	75.4	61
1.1	3.8	10.9	29.9	51.2	93.1	127.9	190.5	183.0	184.0	143.1	150.8	114.8	62
0.4	1.0	2.1	5.2	11.3	14.0	15.3	26.6	21.3	24.3	33.3	41.1	44.7	63
0.9	2.9	7.3	13.7	21.9	30.9	33.8	40.9	45.1	53.3	66.4	88.3	118.1	64
0	0	0.1	0.1	0.2	0.3	0.8	1.2	0.8	1.6	1.5	2.1	2.5	65
1.7	5.8	14.1	26.7	43.0	60.8	65.4	77.1	84.1	97.6	118.5	151.0	191.9	66
0.8	2.7	7.0	13.4	21.7	30.9	34.4	41.2	45.9	54.5	68.1	90.6	123.6	67
0	0	0.1	0.1	0.1	0.3	0.8	1.1	0.9	1.5	1.4	2.1	2.4	68
1.6	5.3	13.6	26.3	42.7	60.8	66.6	77.7	85.5	99.5	121.1	154.3	199.7	69
1.4	4.9	9.6	16.5	24.1	31.0	27.9	37.2	36.1	39.1	44.4	53.4	51.6	70
0	0	0.2	0.5	0.4	0	1.0	2.4	0.4	3.0	2.9	2.2	3.2	71
2.6	9.0	18.1	30.9	46.4	61.0	54.3	70.0	68.5	72.4	82.4	97.2	89.4	72
2.5	4.4	8.0	13.7	20.6	29.4	40.4	59.3	83.8	121.0	170.1	234.2	262.7	73
1.7	1.6	1.5	1.8	2.2	6.1	13.9	35.1	73.1	141.0	240.7	378.3	468.2	74
3.3	7.0	14.1	25.1	38.5	52.0	65.8	81.3	93.2	104.0	113.5	129.4	131.4	75
2.3	3.7	7.1	12.3	18.9	26.8	37.5	54.6	79.1	116.4	167.7	233.5	262.0	76
1.9	1.8	1.6	1.6	2.1	4.8	11.9	30.4	66.1	133.5	235.6	378.1	471.4	77
2.7	5.6	12.4	22.7	35.4	48.2	62.0	76.6	90.6	102.0	113.7	129.6	130.4	78
3.9	9.4	15.3	26.0	35.7	53.4	68.2	111.0	135.3	179.1	202.1	243.9	270.8	79
0.3	0.3	0.6	4.1	3.4	18.0	32.6	86.2	149.0	231.9	302.5	380.3	433.7	80
7.0	17.2	28.4	45.8	66.1	87.6	103.2	134.5	122.9	130.4	110.4	127.1	144.0	81
0.1	0.3	0.9	1.9	4.1	7.8	13.9	21.4	32.5	45.6	62.5	80.6	87.4	82
0.2	0.4	1.2	2.8	5.6	11.4	20.3	32.8	48.9	68.5	90.8	114.7	120.4	83
0.1	0.3	0.6	1.1	2.7	4.4	7.8	11.1	18.2	26.0	39.8	55.9	66.3	84
0.1	0.3	0.8	1.8	3.8	7.4	13.7	21.3	32.9	46.7	64.8	83.7	91.1	85
0.2	0.4	1.1	2.8	5.3	11.0	20.5	33.0	49.7	71.0	94.9	120.1	126.9	86
0.1	0.2	0.5	0.9	2.3	3.9	7.1	10.8	18.2	26.0	40.9	57.5	68.5	87
0.2	0.4	1.9	2.7	6.9	11.9	16.3	22.3	28.3	31.9	33.0	35.3	43.3	88
0.2	0.5	2.1	3.0	7.7	14.9	17.8	30.6	40.1	37.2	41.3	41.5	51.0	89
0.1	0.4	1.8	2.4	6.0	9.1	14.8	14.5	17.7	27.1	25.4	29.9	37.2	90

Table 5-12. Death Rates for 59 Selected Causes, by

(Data refer only to deaths occurring within the United States, including Alaska and Hawaii. Excludes fetal deaths. Rates per 100,000 population in spec-

	CAUSE OF DEATH, COLOR, AND SEX	Total[1]	Under 1 year	1-4 years	5-9 years	10-14 years	15-19 years	20-24 years
	Malignant neoplasms, including neoplasms of lymphatic and hematopoietic tissues—Continued							
1	Malignant neoplasm of other and unspecified sites (156B,165,190-199)	16.5	2.2	3.2	2.4	2.2	2.6	2.7
2	Male	18.0	2.7	3.6	2.5	2.1	3.3	3.3
3	Female	15.0	1.6	2.9	2.2	2.3	2.0	2.2
4	White	17.0	2.2	3.3	2.4	2.3	2.7	2.7
5	Male	18.6	2.6	3.6	2.6	2.3	3.3	3.3
6	Female	15.4	1.8	2.9	2.2	2.3	2.0	2.1
7	Nonwhite	12.8	2.1	3.1	2.0	1.8	2.5	2.9
8	Male	13.3	3.3	3.3	1.8	1.4	3.4	2.9
9	Female	12.4	1.0	2.8	2.2	2.2	1.7	2.8
10	Leukemia and aleukemia (204)	7.1	2.7	5.5	3.8	2.7	2.3	1.8
11	Male	8.3	2.8	6.3	4.4	2.9	2.8	2.3
12	Female	5.9	2.6	4.7	3.1	2.4	1.9	1.3
13	White	7.5	2.8	6.0	4.1	2.8	2.5	1.8
14	Male	8.8	2.9	6.9	4.8	3.1	2.9	2.2
15	Female	6.2	2.6	5.1	3.3	2.5	2.0	1.3
16	Nonwhite	3.9	2.3	2.5	1.9	1.7	1.5	2.0
17	Male	4.4	2.3	2.8	2.2	2.1	2.0	2.9
18	Female	3.4	2.3	2.2	1.5	1.3	1.0	1.1
19	Lymphosarcoma and other neoplasms of lymphatic and hematopoietic tissues (200-203,205)	7.2	0.7	0.7	0.6	0.8	1.5	2.2
20	Male	8.6	0.8	0.9	0.9	1.0	2.2	2.8
21	Female	5.9	0.5	0.4	0.3	0.5	0.9	1.6
22	White	7.6	0.7	0.7	0.6	0.8	1.6	2.4
23	Male	9.0	1.0	1.0	1.0	1.0	2.2	3.0
24	Female	6.2	0.5	0.4	0.3	0.5	0.9	1.8
25	Nonwhite	4.5	0.3	0.5	0.4	0.6	1.2	0.9
26	Male	5.5	0	0.5	0.7	0.6	1.8	1.1
27	Female	3.5	0.6	0.4	0.2	0.6	0.6	0.7
28	Benign neoplasms and neoplasms of unspecified nature (210-239)	2.7	3.4	0.6	0.7	0.5	0.7	0.8
29	Male	2.5	3.3	0.6	0.8	0.6	0.7	0.6
30	Female	2.9	3.5	0.7	0.7	0.5	0.6	1.0
31	White	2.6	3.4	0.6	0.7	0.5	0.6	0.8
32	Male	2.5	3.3	0.6	0.8	0.6	0.6	0.6
33	Female	2.7	3.5	0.6	0.6	0.5	0.5	1.0
34	Nonwhite	3.5	3.1	0.9	1.1	0.7	1.4	0.8
35	Male	2.6	2.9	0.6	1.2	0.8	1.4	0.3
36	Female	4.4	3.2	1.1	1.0	0.6	1.4	1.3
37	Asthma (241)	3.0	0.6	0.4	0.2	0.2	0.3	0.4
38	Male	3.9	0.5	0.4	0.2	0.1	0.3	0.3
39	Female	2.1	0.7	0.3	0.2	0.2	0.4	0.6
40	White	2.9	0.4	0.2	0.2	0.1	0.2	0.3
41	Male	3.9	0.4	0.3	0.2	0.1	0.2	0.2
42	Female	2.0	0.4	0.2	0.1	0.2	0.3	0.5
43	Nonwhite	3.6	1.6	1.0	0.6	0.6	1.2	1.1
44	Male	3.9	1.0	0.9	0.5	0.5	1.0	1.1
45	Female	3.3	2.3	1.0	0.6	0.7	1.5	1.1
46	Diabetes mellitus (260)	16.7	0.4	0.3	0.3	0.5	0.7	1.2
47	Male	13.8	0.5	0.3	0.2	0.3	0.5	1.2
48	Female	19.6	0.3	0.3	0.3	0.6	0.8	1.2
49	White	16.4	0.4	0.3	0.3	0.5	0.5	1.1
50	Male	13.7	0.4	0.3	0.2	0.3	0.4	1.0
51	Female	19.1	0.3	0.3	0.4	0.6	0.7	1.2
52	Nonwhite	18.8	0.7	0.3	0.2	0.7	1.6	1.9
53	Male	13.9	1.0	0.3	0.4	0.7	1.5	2.6
54	Female	23.4	0.3	0.3	0.1	0.7	1.7	1.3
55	Anemias (280-293)	1.9	2.7	1.2	0.6	0.4	0.6	0.5
56	Male	1.8	3.2	1.1	0.4	0.3	0.6	0.6
57	Female	1.9	2.2	1.4	0.8	0.4	0.6	0.5
58	White	1.7	1.5	0.8	0.5	0.3	0.5	0.3
59	Male	1.6	1.7	0.6	0.3	0.2	0.5	0.3
60	Female	1.8	1.3	0.9	0.7	0.4	0.4	0.3
61	Nonwhite	2.9	9.5	3.9	1.5	0.9	1.7	2.5
62	Male	2.9	12.1	4.0	1.5	1.1	1.6	3.0
63	Female	3.0	6.8	3.8	1.5	0.7	1.7	2.0
64	Meningitis, except meningococcal and tuberculous (340)	1.3	21.2	2.8	0.6	0.2	0.3	0.2
65	Male	1.5	25.1	3.3	0.7	0.3	0.3	0.2
66	Female	1.1	17.2	2.2	0.5	0.2	0.3	0.1
67	White	1.0	16.3	2.3	0.5	0.2	0.2	0.1
68	Male	1.2	19.7	2.8	0.6	0.3	0.3	0.2
69	Female	0.8	12.7	1.7	0.5	0.2	0.1	0.1
70	Nonwhite	3.5	49.2	5.6	0.8	0.5	0.9	0.4
71	Male	4.0	56.2	5.8	1.1	0.7	0.6	0.6
72	Female	2.9	42.2	5.5	0.5	0.2	1.2	0.1
73	Major cardiovascular-renal diseases (330-334,400-468,592-594)	521.8	12.2	2.5	2.1	3.2	6.2	11.1
74	Male	591.7	14.5	2.8	2.4	3.2	6.9	11.7
75	Female	453.9	9.7	2.1	1.9	3.2	5.6	10.5
76	White	530.3	10.3	1.9	1.9	2.8	5.4	9.5
77	Male	604.4	12.8	2.2	2.2	2.8	6.1	10.4
78	Female	456.1	7.7	1.6	1.5	2.7	4.7	8.6
79	Nonwhite	455.8	23.0	5.8	4.0	6.4	12.2	22.8
80	Male	491.7	24.8	6.8	3.9	6.1	12.8	21.4
81	Female	421.7	21.1	4.9	4.0	6.7	11.7	24.0
82	Diseases of cardiovascular system (330-334, 400-468)	515.1	11.6	2.2	1.8	2.6	4.9	9.0
83	Male	584.2	13.9	2.5	2.0	2.6	5.4	8.8
84	Female	448.0	9.3	1.9	1.6	2.6	4.4	9.2
85	White	524.4	9.8	1.7	1.5	2.2	4.1	7.4
86	Male	597.7	12.2	2.0	1.8	2.2	4.6	7.6
87	Female	453.0	7.4	1.5	1.2	2.1	3.7	7.3
88	Nonwhite	442.9	22.2	5.1	3.4	5.4	10.6	19.8
89	Male	477.7	23.9	5.9	3.3	5.0	11.0	17.6
90	Female	409.9	20.5	4.3	3.5	5.9	10.1	21.9

[1] Figures for age not stated included in "Total" but not distributed among age groups.

Age, Color, and Sex: United States, 1960—Continued

ified group, enumerated as of April 1. Numbers after causes of death are category numbers of the Seventh Revision of the International Lists, 1955)

25-29 years	30-34 years	35-39 years	40-44 years	45-49 years	50-54 years	55-59 years	60-64 years	65-69 years	70-74 years	75-79 years	80-84 years	85 years and over	
3.5	5.0	7.3	11.2	17.7	25.8	37.1	48.6	59.2	71.8	91.3	121.1	158.9	1
4.3	5.8	8.2	12.4	18.9	29.3	43.7	57.8	70.4	81.1	103.4	136.5	175.0	2
2.8	4.3	6.5	10.0	16.4	22.4	30.8	40.2	49.3	63.9	81.6	110.0	148.7	3
3.7	5.1	7.4	11.1	17.5	25.4	36.6	47.6	59.2	71.2	92.3	124.3	165.7	4
4.3	5.9	8.3	12.5	19.0	29.3	43.7	57.6	70.6	80.8	105.7	140.8	181.9	5
3.0	4.3	6.5	9.8	16.1	21.5	29.8	38.5	49.3	63.0	81.7	112.4	155.5	6
2.7	4.7	6.6	11.6	18.8	30.1	41.7	59.5	58.4	80.2	77.9	74.6	78.2	7
3.9	4.8	6.8	11.5	18.3	29.2	43.4	59.8	68.8	84.5	74.9	78.7	102.0	8
1.6	4.6	6.5	11.8	19.3	31.1	40.0	59.2	48.9	76.2	80.6	71.1	59.6	9
2.1	2.4	2.8	3.7	5.2	7.3	10.5	16.5	23.0	31.5	42.0	50.0	47.0	10
3.0	2.7	3.2	4.3	5.8	8.7	12.7	20.2	29.2	40.5	52.3	65.1	64.9	11
1.2	2.2	2.4	3.1	4.6	6.1	8.3	13.2	17.5	23.8	33.6	39.0	35.6	12
2.1	2.5	2.8	3.7	5.2	7.4	10.6	16.8	23.8	32.7	43.9	52.3	49.6	13
3.0	2.7	3.2	4.4	5.9	9.0	13.0	20.8	30.5	42.1	55.0	68.6	68.9	14
1.2	2.3	2.5	3.1	4.5	5.9	8.3	13.2	17.9	24.7	35.1	40.6	37.4	15
2.1	2.2	2.3	3.5	5.2	6.5	9.2	13.7	13.9	16.7	17.0	15.1	16.8	16
3.1	2.7	3.2	3.6	5.3	5.8	9.8	13.2	15.4	21.6	20.2	17.5	22.3	17
1.3	1.8	1.6	3.4	5.1	7.1	8.6	14.1	12.5	12.2	14.0	13.1	12.4	18
3.0	3.3	4.2	5.3	7.3	11.5	16.0	23.0	30.1	31.5	38.0	34.6	31.3	19
3.9	4.1	5.4	6.5	9.1	14.5	18.9	28.1	36.6	39.6	45.5	40.6	40.9	20
2.1	2.4	3.2	4.2	5.7	8.7	13.3	18.4	24.4	24.6	31.9	30.3	25.2	21
3.2	3.3	4.3	5.3	7.3	11.5	16.2	23.5	31.2	32.3	39.1	35.4	32.5	22
4.1	4.3	5.4	6.4	9.2	14.4	19.0	28.4	37.6	40.7	46.8	41.5	42.6	23
2.3	2.4	3.1	4.1	5.5	8.6	13.5	19.0	25.5	25.2	33.0	31.0	26.2	24
1.8	2.6	4.1	5.9	7.7	12.2	14.4	17.9	18.7	21.0	22.9	23.2	16.8	25
2.3	2.9	4.9	7.0	8.1	15.2	18.1	24.7	25.1	25.8	28.8	28.4	22.3	26
1.4	2.5	3.4	5.0	7.3	9.3	10.9	11.5	12.9	16.6	17.5	18.7	12.4	27
0.9	1.4	2.2	3.0	3.6	4.8	5.3	6.9	7.5	8.4	9.8	13.5	21.2	28
0.6	1.1	1.7	2.4	3.1	4.5	5.0	7.7	8.2	8.9	9.8	13.8	17.7	29
1.2	1.7	2.6	3.5	4.0	5.1	5.6	6.3	6.9	8.0	9.9	13.3	23.5	30
0.8	1.2	1.9	2.6	3.1	4.6	4.9	6.6	7.2	8.5	9.7	13.9	21.7	31
0.5	1.1	1.6	2.2	3.0	4.2	4.6	7.6	8.0	9.2	9.8	14.5	18.1	32
1.0	1.3	2.1	2.9	3.2	4.9	5.1	5.7	6.4	8.0	9.7	13.5	23.9	33
1.8	3.2	4.7	6.2	7.8	7.1	9.3	10.3	10.4	7.5	11.0	8.1	15.4	34
1.3	1.1	2.5	3.6	4.2	7.1	8.3	8.3	9.3	6.0	9.6	4.4	12.8	35
2.1	4.9	6.6	8.6	11.2	7.1	10.4	12.2	11.4	8.8	12.3	11.2	17.4	36
0.7	0.8	1.4	2.2	3.1	4.5	6.5	9.5	12.6	15.4	19.1	18.7	18.2	37
0.5	0.6	1.1	1.8	3.3	5.6	9.1	14.5	20.6	24.6	28.6	28.6	24.0	38
0.9	0.9	1.6	2.5	2.8	3.4	4.0	4.8	5.5	7.6	11.5	11.5	14.5	39
0.4	0.5	1.0	1.7	2.6	4.3	6.2	9.3	12.5	15.8	19.5	19.1	18.5	40
0.3	0.4	0.8	1.5	2.8	5.5	8.7	14.5	20.8	25.2	29.5	29.5	25.1	41
0.6	0.6	1.2	2.0	2.4	3.1	3.8	4.5	5.2	7.8	11.5	11.6	14.4	42
2.5	3.0	4.2	6.5	6.9	6.2	9.1	11.7	13.7	11.2	14.2	12.1	14.0	43
2.0	2.5	3.5	5.4	7.9	6.5	12.8	14.9	19.0	17.4	18.2	15.3	12.8	44
3.0	3.4	4.8	7.4	6.0	6.0	5.4	8.5	8.8	5.5	10.5	9.3	14.9	45
2.1	2.5	3.9	5.3	8.5	16.1	27.2	50.6	78.0	113.7	152.2	186.0	181.7	46
2.4	2.9	4.6	5.6	9.2	15.4	24.2	41.2	64.1	92.1	132.9	168.5	170.6	47
1.8	2.1	3.1	4.9	7.9	16.8	30.1	59.3	90.2	132.2	167.6	198.6	188.7	48
2.0	2.4	3.3	4.3	7.1	12.9	23.1	45.5	74.9	112.8	153.1	189.0	184.8	49
2.2	2.9	4.3	5.1	8.5	13.6	22.3	38.0	62.4	92.1	134.2	172.8	174.7	50
1.7	1.9	2.3	3.6	5.6	12.2	23.9	52.3	85.9	130.5	168.1	200.7	191.2	51
3.3	3.5	8.8	13.7	21.7	46.7	65.8	107.3	112.0	124.5	140.2	140.1	143.8	52
3.9	3.0	7.7	10.6	15.1	32.8	41.6	75.4	83.0	92.3	118.1	111.5	127.5	53
2.7	4.0	9.8	16.5	27.8	60.2	89.6	137.4	138.4	154.1	160.4	164.5	156.4	54
0.7	0.6	0.5	0.6	0.8	1.2	2.0	3.0	5.3	8.1	14.6	23.3	35.1	55
0.5	0.4	0.3	0.5	0.5	1.1	2.0	3.6	6.2	9.4	15.7	23.5	34.0	56
0.8	0.8	0.6	0.6	1.1	1.2	2.0	2.4	4.5	7.0	13.8	23.2	35.8	57
0.3	0.3	0.3	0.4	0.6	1.0	1.9	2.9	5.1	8.2	15.1	24.4	36.4	58
0.3	0.2	0.1	0.3	0.4	1.0	2.0	3.5	6.2	9.6	16.3	24.7	35.7	59
0.4	0.4	0.5	0.4	0.8	1.1	1.8	2.3	4.1	6.9	14.2	24.1	36.8	60
3.3	3.0	1.6	2.2	2.7	2.4	3.2	4.2	7.3	7.5	7.8	7.1	19.5	61
2.6	2.7	1.6	2.1	1.7	2.2	2.0	5.2	6.1	7.2	8.6	6.6	15.9	62
4.0	3.3	1.6	2.3	3.5	2.6	4.4	3.3	8.5	7.7	7.0	7.5	22.3	63
0.2	0.4	0.4	0.5	0.8	0.9	1.0	1.2	1.5	1.6	1.9	2.2	2.3	64
0.2	0.5	0.4	0.6	0.8	1.2	1.3	1.4	1.4	1.7	2.1	3.0	2.8	65
0.3	0.2	0.3	0.4	0.7	0.6	0.7	1.0	1.6	1.4	1.7	1.5	1.9	66
0.2	0.2	0.2	0.4	0.6	0.7	0.7	0.9	1.2	1.5	1.7	1.9	2.0	67
0.2	0.3	0.3	0.4	0.6	1.0	0.9	1.1	1.1	1.6	1.9	2.4	2.7	68
0.2	0.1	0.2	0.3	0.5	0.5	0.5	0.8	1.2	1.3	1.6	1.5	1.5	69
0.4	1.5	1.4	1.7	2.6	2.7	3.6	3.7	5.0	2.9	3.7	6.0	5.6	70
0.5	1.9	1.7	2.1	2.8	3.8	4.8	4.2	4.5	3.0	4.8	10.9	3.2	71
0.3	1.1	1.1	1.3	2.3	1.7	2.5	3.3	5.5	2.8	2.6	1.9	7.4	72
18.1	32.7	66.9	137.4	253.3	448.7	720.9	1,207.0	1,881.6	3,023.6	4,922.8	8,444.9	14,945.1	73
19.5	40.2	91.2	193.4	367.5	653.8	1,023.5	1,649.7	2,491.0	3,754.3	5,742.9	9,328.7	15,491.2	74
16.8	25.6	43.7	83.6	142.5	249.4	430.6	802.6	1,344.8	2,398.2	4,264.8	7,801.6	14,596.2	75
14.3	26.1	55.4	118.7	226.9	408.8	666.4	1,127.6	1,814.7	2,975.9	4,960.1	8,562.6	15,376.6	76
16.3	34.6	81.6	178.3	347.9	625.6	989.8	1,590.5	2,444.3	3,734.3	5,820.0	9,480.0	15,977.8	77
12.5	17.8	30.3	61.3	109.0	198.0	357.0	706.2	1,261.5	2,330.9	4,277.1	7,903.0	14,998.9	78
45.8	84.4	162.4	302.1	489.3	829.3	1,237.7	2,085.4	2,622.6	3,624.4	4,437.8	6,888.0	9,779.9	79
44.8	86.1	174.3	331.8	546.1	923.3	1,338.3	2,293.0	2,998.1	3,996.6	4,813.6	7,295.4	10,356.8	80
46.7	82.9	151.6	275.2	436.1	738.3	1,138.7	1,889.0	2,281.3	3,281.3	4,094.7	6,168.3	9,330.6	81
15.4	29.8	63.2	132.5	247.3	439.9	710.7	1,192.6	1,862.0	2,994.0	4,880.6	8,370.1	14,813.1	82
16.2	36.5	86.9	187.5	360.5	643.4	1,011.8	1,632.3	2,468.6	3,719.4	5,692.4	9,237.1	15,329.5	83
14.7	23.3	40.7	79.7	137.4	242.0	421.8	790.9	1,327.5	2,373.4	4,229.2	7,739.8	14,483.2	84
11.9	23.6	52.6	115.0	222.4	402.0	658.4	1,115.9	1,798.0	2,950.6	4,921.7	8,493.1	15,252.4	85
13.1	31.3	78.1	173.7	342.2	617.0	980.3	1,576.1	2,425.6	3,704.5	5,774.2	9,395.2	15,824.9	86
10.7	16.1	28.1	58.3	105.7	192.9	350.5	697.0	1,246.6	2,309.4	4,244.3	7,844.5	14,892.7	87
41.3	78.0	152.0	287.6	469.8	801.1	1,206.2	2,041.0	2,569.8	3,541.6	4,347.0	6,533.8	9,553.7	88
40.1	79.9	163.0	314.6	527.6	896.2	1,306.7	2,242.3	2,935.7	3,899.5	4,706.0	7,096.5	10,101.7	89
42.4	76.3	142.2	263.3	415.5	709.0	1,107.4	1,850.6	2,237.1	3,211.7	4,019.4	6,052.4	9,127.0	90

Table 5-12. Death Rates for 59 Selected Causes, by

(Data refer only to deaths occurring within the United States, including Alaska and Hawaii. Excludes fetal deaths. Rates per 100,000 population in spec-

	CAUSE OF DEATH, COLOR, AND SEX	Total[1]	Under 1 year	1-4 years	5-9 years	10-14 years	15-19 years	20-24 years
	Major cardiovascular-renal diseases—Continued							
	Diseases of cardiovascular system—Continued							
1	Vascular lesions affecting central nervous system (330-334)----------	108.0	4.1	0.8	0.6	0.8	1.4	2.3
2	Male----	104.5	5.0	0.9	0.7	0.8	1.5	2.4
3	Female--	111.4	3.2	0.7	0.5	0.8	1.2	2.1
4	White----------	106.4	3.4	0.7	0.6	0.7	1.2	1.9
5	Male----	102.7	4.3	0.8	0.7	0.8	1.4	2.0
6	Female--	110.1	2.6	0.5	0.5	0.6	1.1	1.7
7	Nonwhite----------	119.7	8.0	1.6	0.8	1.1	2.4	5.0
8	Male----	118.2	9.5	1.8	1.0	0.6	2.8	5.4
9	Female--	121.2	6.5	1.4	0.7	1.6	2.0	4.7
10	Diseases of heart(400-402,410-443)----------	369.0	6.6	1.3	1.0	1.6	2.9	5.3
11	Male----	439.5	7.8	1.4	1.2	1.6	3.4	5.3
12	Female--	300.6	5.4	1.1	0.9	1.5	2.4	5.2
13	White----------	379.6	5.6	0.9	0.8	1.2	2.3	4.4
14	Male----	454.6	6.9	1.0	1.0	1.2	2.8	4.7
15	Female--	306.5	4.3	0.9	0.6	1.3	1.8	4.1
16	Nonwhite----------	287.1	12.4	3.3	2.5	3.7	7.1	11.7
17	Male----	320.5	13.1	3.8	2.2	4.1	7.8	9.9
18	Female--	255.5	11.7	2.8	2.7	3.2	6.4	13.2
19	Rheumatic fever and chronic rheumatic heart disease (400-402,410-416)-	10.3	0.1	0.2	0.5	0.9	1.5	2.5
20	Male----	9.9	0.0	0.2	0.5	0.9	1.5	2.3
21	Female--	10.6	0.1	0.2	0.5	0.9	1.5	2.7
22	White----------	10.6	0.1	0.1	0.3	0.6	1.2	2.2
23	Male----	10.3	0.1	0.1	0.3	0.6	1.2	2.2
24	Female--	11.0	0.1	0.1	0.3	0.6	1.2	2.3
25	Nonwhite----------	7.4	0	0.6	1.5	2.6	3.9	4.6
26	Male----	7.5	0	0.5	1.4	2.8	4.0	3.0
27	Female--	7.4	0	0.6	1.7	2.4	3.8	6.0
28	Arteriosclerotic heart disease, including coronary disease (420)------	275.6	0.3	0.1	0.0	0.1	0.3	1.0
29	Male----	348.0	0.3	0.1	0.1	0.1	0.4	1.3
30	Female--	205.4	0.2	0.0	0.0	0.1	0.2	0.7
31	White----------	290.5	0.3	0.0	0.0	0.1	0.2	0.8
32	Male----	368.0	0.3	0.1	0.1	0.1	0.3	1.1
33	Female--	215.1	0.2	0.0	0.0	0.1	0.1	0.6
34	Nonwhite----------	160.4	0.5	0.2	0	0.0	0.6	2.3
35	Male----	190.7	0.3	0.2	0	0.1	0.6	2.7
36	Female--	131.7	0.6	0.2	0	0	0.6	2.0
37	Nonrheumatic chronic endocarditis and other myocardial degeneration (421,422)----------	31.8	0.8	0.2	0.1	0.2	0.3	0.4
38	Male----	32.0	0.9	0.3	0.1	0.2	0.4	0.5
39	Female--	31.6	0.6	0.2	0.1	0.1	0.2	0.3
40	White----------	32.2	0.6	0.1	0.1	0.1	0.2	0.3
41	Male----	32.1	0.8	0.1	0.1	0.1	0.3	0.5
42	Female--	32.2	0.4	0.2	0.1	0.1	0.1	0.2
43	Nonwhite----------	29.1	1.5	0.9	0.2	0.2	1.0	0.8
44	Male----	31.2	1.3	1.2	0.2	0.3	1.1	0.6
45	Female--	27.1	1.6	0.6	0.2	0.2	0.9	0.9
46	Other diseases of heart (430-434)----------	14.3	5.5	0.8	0.4	0.4	0.7	1.0
47	Male----	16.9	6.5	0.9	0.5	0.4	1.0	0.9
48	Female--	11.9	4.5	0.7	0.3	0.4	0.4	1.1
49	White----------	13.5	4.6	0.6	0.3	0.4	0.6	0.8
50	Male----	15.9	5.7	0.7	0.5	0.4	0.9	0.8
51	Female--	11.2	3.6	0.5	0.2	0.4	0.3	0.8
52	Nonwhite----------	20.4	10.3	1.7	0.7	0.7	1.4	2.3
53	Male----	24.0	11.1	2.0	0.5	0.9	1.9	1.6
54	Female--	16.9	9.4	1.4	0.8	0.5	1.0	2.8
55	Hypertensive heart disease (440-443)----------	37.0	0.0	0.0	0.0	0.0	0.1	0.4
56	Male----	32.7	0.0	0	0.0	0	0.1	0.4
57	Female--	41.2	0	0.0	0.0	0.0	0.0	0.4
58	White----------	32.7	0	0	0.0	0	0.1	0.2
59	Male----	28.3	0	0	0.0	0	0.1	0.2
60	Female--	37.1	0	0	0.0	0	0.0	0.2
61	Nonwhite----------	69.9	0.2	0.0	0.0	0.0	0.1	1.7
62	Male----	67.1	0.3	0	0.1	0	0.1	1.9
63	Female--	72.4	0	0.1	0	0.1	0.1	1.6
64	Other hypertensive disease (444-447)----------	7.1	0	0.0	0.0	0.0	0.1	0.2
65	Male----	7.2	0	0.0	0.0	0	0.1	0.3
66	Female--	6.9	0	0	0.0	0.0	0.1	0.1
67	White----------	6.4	0	0.0	0.0	0.0	0.1	0.1
68	Male----	6.4	0	0.0	0.0	0	0.1	0.2
69	Female--	6.3	0	0	0.0	0.0	0.1	0.0
70	Nonwhite----------	12.6	0	0	0	0	0.2	0.5
71	Male----	13.4	0	0	0	0	0.1	1.0
72	Female--	11.8	0	0	0	0	0.4	0.1
73	General arteriosclerosis (450)----------	20.0	0	0	0	0	0	0
74	Male----	19.3	0	0	0	0	0	0
75	Female--	20.7	0	0	0	0	0	0
76	White----------	20.9	0	0	0	0	0	0
77	Male----	20.0	0	0	0	0	0	0
78	Female--	21.8	0	0	0	0	0	0
79	Nonwhite----------	13.0	0	0	0	0	0	0
80	Male----	14.0	0	0	0	0	0	0
81	Female--	12.0	0	0	0	0	0	0
82	Other diseases of circulatory system (451-468)----------	11.0	0.9	0.1	0.1	0.3	0.6	1.3
83	Male----	13.7	1.1	0.2	0.1	0.2	0.3	0.8
84	Female--	8.5	0.8	0.1	0.1	0.3	0.8	1.7
85	White----------	11.1	0.8	0.1	0.1	0.2	0.5	1.1
86	Male----	14.0	1.0	0.2	0.1	0.2	0.3	0.7
87	Female--	8.4	0.5	0.1	0.1	0.2	0.7	1.4
88	Nonwhite----------	10.4	1.8	0.2	0.1	0.7	0.9	2.6
89	Male----	11.6	1.3	0.3	0.1	0.3	0.4	1.3
90	Female--	9.4	2.3	0.1	0.2	1.1	1.4	3.8

[1]Figures for age not stated included in "Total" but not distributed among age groups.

Age, Color, and Sex: United States, 1960—Continued

ified group, enumerated as of April 1. Numbers after causes of death are category numbers of the Seventh Revision of the International Lists, 1955)

25-29 years	30-34 years	35-39 years	40-44 years	45-49 years	50-54 years	55-59 years	60-64 years	65-69 years	70-74 years	75-79 years	80-84 years	85 years and over	
3.5	5.8	10.1	19.7	36.4	63.7	105.5	196.6	344.7	633.7	1,168.0	2,116.0	3,680.5	1
3.2	5.6	10.1	19.5	37.7	68.5	118.0	219.3	394.8	712.9	1,252.8	2,175.5	3,643.1	2
3.7	6.0	10.1	19.9	35.1	59.0	93.6	175.8	300.4	566.0	1,100.0	2,072.8	3,704.4	3
2.6	4.2	7.4	14.2	27.0	48.9	82.7	164.2	309.9	605.3	1,163.6	2,135.0	3,772.2	4
2.6	4.3	8.1	14.7	28.7	54.7	97.1	189.1	361.0	687.1	1,253.8	2,195.1	3,734.8	5
2.6	4.1	6.7	13.7	25.3	43.3	69.0	141.6	265.1	535.6	1,092.0	2,091.7	3,795.7	6
9.8	18.6	32.7	68.8	120.5	204.1	321.9	554.3	729.0	992.8	1,225.3	1,834.0	2,582.5	7
7.9	16.2	27.7	63.3	119.9	200.1	313.3	547.2	762.9	1,024.2	1,240.6	1,910.2	2,675.3	8
11.5	20.6	37.2	73.7	121.2	207.9	330.4	561.0	698.1	964.0	1,211.2	1,768.8	2,510.2	9
9.9	20.9	47.7	103.5	197.6	355.8	571.6	934.2	1,412.6	2,173.5	3,358.8	5,501.5	9,317.8	10
11.4	23.0	70.8	157.5	306.8	549.0	848.8	1,330.9	1,933.3	2,771.5	4,022.9	6,213.1	9,788.9	11
8.4	14.0	25.7	51.8	91.6	168.1	305.7	572.0	953.8	1,661.9	2,825.9	4,984.2	9,016.8	12
7.9	17.3	41.7	94.5	185.0	336.3	546.3	896.6	1,388.9	2,165.7	3,402.6	5,596.8	9,610.7	13
9.5	24.9	66.0	151.7	300.4	540.4	842.0	1,311.6	1,928.7	2,788.8	4,099.6	6,340.5	10,135.8	14
6.2	10.0	18.5	39.4	72.7	137.9	263.4	518.9	914.7	1,635.6	2,848.9	5,062.0	9,280.8	15
24.5	48.4	97.1	183.4	310.1	541.6	811.5	1,350.5	1,674.2	2,273.1	2,789.6	4,080.1	5,811.2	16
26.2	53.7	112.5	211.3	365.6	631.0	912.1	1,540.7	1,983.3	2,562.5	3,098.6	4,489.1	6,128.6	17
23.1	43.8	83.2	158.2	257.9	455.1	712.6	1,170.6	1,393.3	2,006.4	2,507.5	3,730.2	5,564.1	18
3.8	5.6	8.1	12.4	17.0	22.7	26.9	30.8	31.1	31.1	34.6	40.9	53.4	19
3.7	5.7	8.4	12.8	17.5	22.6	26.8	31.7	30.7	31.5	33.8	38.2	46.1	20
4.0	5.5	7.9	12.1	16.6	22.9	27.0	30.0	31.4	30.9	35.2	42.8	58.0	21
3.5	5.1	8.0	12.4	17.6	23.5	28.1	31.8	32.0	32.0	35.4	41.7	53.5	22
3.3	5.3	8.3	12.8	18.3	23.0	28.2	32.5	31.5	32.0	34.2	38.3	45.3	23
3.7	4.9	7.8	12.0	16.9	24.0	28.1	31.1	32.5	32.0	36.4	44.1	58.7	24
6.1	9.4	8.8	12.8	11.9	15.6	15.4	19.9	20.4	20.7	23.8	29.2	51.6	25
6.2	8.8	8.5	12.7	10.2	18.5	14.3	22.9	21.9	25.8	28.8	37.2	54.2	26
6.0	10.0	9.0	12.9	13.5	12.7	16.5	17.1	19.1	16.0	19.3	22.4	49.7	27
3.1	10.2	29.8	72.7	149.1	274.2	446.8	739.3	1,111.0	1,679.7	2,510.2	3,940.9	6,368.6	28
4.7	16.7	51.4	123.4	251.9	454.9	703.3	1,105.4	1,585.4	2,255.8	3,136.4	4,659.0	6,930.6	29
1.5	4.0	9.2	24.1	49.4	98.4	200.8	405.0	692.9	1,203.9	2,007.7	3,418.8	6,009.4	30
2.8	9.2	27.8	70.9	146.4	271.4	445.4	734.5	1,124.5	1,707.5	2,580.4	4,049.5	6,625.4	31
4.3	15.8	50.1	124.2	254.9	462.6	719.0	1,119.1	1,622.0	2,291.1	3,243.2	4,802.5	7,248.7	32
1.0	2.7	6.5	19.4	40.8	85.6	183.6	384.4	687.5	1,211.0	2,053.9	3,508.1	6,233.7	33
6.3	18.0	46.2	88.9	173.2	300.1	460.4	792.0	960.7	1,329.2	1,597.8	2,319.7	3,294.4	34
7.4	23.7	62.7	116.1	224.8	382.1	556.1	956.0	1,187.7	1,565.9	1,849.4	2,716.6	3,574.5	35
5.4	13.1	31.4	64.2	124.7	220.7	366.2	636.9	754.4	1,110.9	1,368.1	1,980.1	3,076.3	36
0.7	1.0	1.8	3.4	6.3	13.7	23.7	46.7	84.9	165.4	327.2	704.6	1,547.8	37
0.9	1.3	2.4	4.3	8.4	18.3	31.4	60.4	107.4	192.8	366.8	746.2	1,564.0	38
0.5	0.8	1.2	2.5	4.2	9.2	16.3	34.1	65.2	141.8	295.4	674.3	1,537.5	39
0.4	0.7	1.5	2.6	5.1	11.3	19.4	38.9	77.7	157.7	325.1	711.3	1,582.0	40
0.6	1.1	2.0	3.6	7.2	16.3	27.2	53.5	99.4	184.9	364.9	753.1	1,613.7	41
0.2	0.4	0.9	1.6	3.1	6.4	12.0	27.5	58.6	134.5	293.5	681.3	1,578.3	42
2.7	3.2	4.5	10.2	16.4	36.5	64.2	121.3	165.6	262.2	354.2	604.6	1,019.0	43
3.3	3.3	5.2	10.6	19.3	37.2	70.0	134.5	194.4	288.9	389.8	653.5	1,039.5	44
2.3	3.1	3.8	9.9	13.8	35.8	58.5	108.8	139.5	237.5	321.7	562.8	1,003.1	45
1.6	2.3	3.7	6.3	9.1	15.1	22.2	31.9	47.9	73.3	120.5	202.8	363.8	46
1.6	2.5	4.6	8.2	12.3	21.3	31.4	43.8	66.2	96.0	151.8	251.4	390.0	47
1.6	2.2	2.9	4.4	6.0	9.1	13.4	20.9	31.8	53.9	95.4	182.0	347.1	48
1.1	1.7	2.9	4.9	7.3	12.1	18.7	27.7	42.8	68.1	116.7	200.4	366.2	49
1.1	1.9	3.7	6.7	10.3	17.8	27.7	39.3	59.9	89.7	146.7	230.1	391.9	50
1.1	1.5	2.1	3.1	4.5	6.5	10.1	17.2	27.8	49.7	93.0	179.0	350.1	51
5.0	7.2	10.6	18.7	25.0	44.2	55.4	77.7	104.1	139.4	169.5	238.8	335.0	52
5.1	7.2	12.5	21.8	30.8	55.3	66.0	92.8	134.8	172.0	213.2	249.2	369.9	53
5.0	7.2	8.9	15.8	19.7	33.4	44.9	63.5	76.2	109.4	129.7	230.0	307.9	54
0.7	1.8	4.3	8.7	16.1	30.1	52.0	85.6	137.7	224.0	366.4	612.4	984.2	55
0.7	1.9	4.1	8.8	16.8	31.9	55.9	89.6	143.6	215.4	334.2	538.3	858.2	56
0.7	1.7	4.4	8.7	15.4	28.4	48.2	82.0	132.5	231.3	392.2	666.2	1,064.8	57
0.2	0.6	1.5	3.8	8.6	18.0	34.7	62.7	111.9	200.4	345.0	593.9	973.6	58
0.2	0.8	1.8	4.3	9.8	20.8	39.9	67.1	115.9	191.1	310.7	516.5	836.2	59
0.2	0.5	1.2	3.3	7.4	15.3	29.7	58.7	108.3	208.4	372.2	649.6	1,060.0	60
4.3	10.5	27.0	52.8	83.5	145.3	216.1	339.5	423.4	521.7	644.2	887.8	1,111.2	61
4.3	10.7	23.6	50.1	80.6	137.9	205.7	334.4	444.6	510.0	617.4	832.7	1,090.5	62
4.4	10.4	30.1	55.3	86.3	152.5	226.4	344.3	404.1	532.5	668.7	934.9	1,127.2	63
0.6	1.2	2.4	4.1	5.0	6.5	7.5	13.0	20.9	35.4	63.1	117.9	230.5	64
0.7	1.2	2.8	5.0	5.8	7.5	8.5	13.9	23.5	40.1	69.9	131.4	253.4	65
0.5	1.2	2.0	3.2	4.3	5.4	6.5	12.2	18.5	31.4	57.7	108.1	215.9	66
0.3	0.5	1.0	1.9	3.1	4.2	5.6	10.1	18.1	32.1	61.3	117.4	232.6	67
0.3	0.7	1.4	2.5	3.6	4.9	6.5	11.3	21.0	36.4	67.8	131.1	254.7	68
0.2	0.4	0.7	1.4	2.5	3.4	4.7	9.1	15.5	28.4	56.1	107.5	218.7	69
3.0	6.5	13.9	22.9	22.7	28.1	25.4	44.8	51.5	77.9	87.1	126.0	205.2	70
3.3	6.1	15.5	27.0	25.5	32.3	27.3	41.7	51.4	85.7	95.1	135.5	239.2	71
2.8	7.0	12.4	19.2	20.0	23.9	23.5	47.7	51.5	70.7	79.8	117.8	178.8	72
0.0	0.1	0.2	0.4	1.0	2.8	6.6	15.9	35.0	85.7	202.3	510.4	1,423.3	73
0.0	0.1	0.2	0.5	1.4	3.8	9.1	20.5	43.5	102.8	232.5	562.5	1,453.3	74
0.1	0.1	0.1	0.3	0.7	1.4	4.3	11.7	27.6	71.1	178.1	472.5	1,404.1	75
0.0	0.1	0.1	0.3	0.9	2.3	5.7	13.6	32.3	82.1	204.1	518.0	1,471.9	76
0.0	0.1	0.2	0.4	1.2	3.5	8.3	17.6	40.7	99.4	235.9	571.1	1,502.2	77
0.0	0.1	0.1	0.2	0.5	1.1	3.1	10.1	24.8	67.3	178.9	479.8	1,452.8	78
0.2	0.1	0.4	1.5	2.6	5.4	15.9	40.7	65.6	132.2	178.7	397.0	841.7	79
0.2	0.2	0.6	2.0	2.8	6.7	16.6	52.5	73.3	143.8	191.1	445.9	937.5	80
0.1	0.1	0.3	1.1	2.3	4.1	15.3	29.6	58.5	121.5	167.4	355.3	767.2	81
1.4	1.8	2.9	4.8	7.2	11.3	19.4	32.9	48.9	65.6	88.3	124.2	161.0	82
0.8	1.6	2.9	5.0	8.8	14.7	27.4	47.8	73.4	92.0	114.4	154.6	190.7	83
2.0	2.0	2.8	4.5	5.6	8.1	11.8	19.3	27.3	43.0	67.4	102.1	142.0	84
1.1	1.5	2.3	4.1	6.4	10.2	18.2	31.3	48.8	65.6	90.0	126.0	165.0	85
0.6	1.3	2.5	4.4	8.2	13.5	26.4	46.6	74.2	92.7	117.2	157.4	197.3	86
1.6	1.6	2.1	3.7	4.6	7.1	10.3	17.3	26.5	42.5	68.4	103.4	144.7	87
3.8	4.3	7.9	11.0	14.0	21.9	31.5	50.7	49.5	65.5	66.4	96.7	113.1	88
2.6	3.8	6.6	10.9	13.8	26.1	37.4	60.1	64.8	83.3	80.7	115.8	121.2	89
4.8	4.8	9.0	11.0	14.2	17.9	25.7	41.8	35.7	49.2	53.5	80.4	106.8	90

Table 5-12. Death Rates for 59 Selected Causes, by

(Data refer only to deaths occurring within the United States, including Alaska and Hawaii, Excludes fetal deaths. Rates per 100,000 population in spec-

	CAUSE OF DEATH, COLOR, AND SEX	Total[1]	Under 1 year	1-4 years	5-9 years	10-14 years	15-19 years	20-24 years
	Major cardiovascular-renal diseases--Continued							
1	Chronic and unspecified nephritis and other renal sclerosis (592-594)-----	6.7	0.5	0.2	0.4	0.6	1.3	2.1
2	Male----	7.5	0.7	0.3	0.4	0.6	1.5	2.9
3	Female--	5.9	0.4	0.2	0.3	0.6	1.1	1.4
4	White----------	5.9	0.5	0.1	0.3	0.6	1.3	2.0
5	Male----	6.7	0.6	0.2	0.4	0.5	1.5	2.8
6	Female--	5.2	0.4	0.1	0.3	0.6	1.1	1.3
7	Nonwhite----------	12.9	0.8	0.7	0.5	1.0	1.7	2.9
8	Male----	14.1	1.0	0.9	0.6	1.1	1.8	3.8
9	Female--	11.8	0.6	0.5	0.5	0.8	1.6	2.1
10	Influenza and pneumonia, except pneumonia of newborn (480-493)----------	37.3	239.0	16.2	3.2	2.0	2.8	3.2
11	Male----	43.2	267.7	16.8	3.4	2.0	3.0	3.8
12	Female--	31.5	209.4	15.6	2.9	2.0	2.6	2.8
13	White----------	34.1	166.8	12.4	2.7	1.8	2.5	2.9
14	Male----	39.2	191.5	12.4	3.0	1.8	2.7	3.3
15	Female--	29.0	141.1	12.3	2.5	1.8	2.2	2.4
16	Nonwhite----------	62.0	650.6	38.8	5.7	3.3	5.4	6.0
17	Male----	74.3	711.7	43.3	5.8	3.2	5.3	6.9
18	Female--	50.4	589.9	34.3	5.5	3.4	5.5	5.3
19	Influenza (480-483)----------	4.4	13.1	1.2	0.3	0.2	0.5	0.7
20	Male----	4.6	14.0	1.0	0.3	0.2	0.5	0.7
21	Female--	4.1	12.1	1.4	0.4	0.3	0.5	0.7
22	White----------	3.9	7.2	0.9	0.3	0.2	0.4	0.7
23	Male----	4.1	7.8	0.8	0.2	0.2	0.4	0.7
24	Female--	3.7	6.6	1.1	0.4	0.3	0.3	0.7
25	Nonwhite----------	8.0	46.6	2.5	0.6	0.3	1.2	0.9
26	Male----	8.6	50.3	2.0	0.5	0.4	0.9	0.6
27	Female--	7.4	42.9	3.0	0.7	0.2	1.5	1.1
28	Pneumonia, except pneumonia of newborn (480-493)----------	32.9	225.9	15.0	2.8	1.8	2.3	2.5
29	Male----	38.5	253.6	15.9	3.1	1.8	2.6	3.1
30	Female--	27.4	197.3	14.2	2.5	1.8	2.1	2.0
31	White----------	30.1	159.6	11.4	2.4	1.6	2.1	2.2
32	Male----	35.1	183.7	11.6	2.7	1.6	2.3	2.6
33	Female--	25.3	134.5	11.2	2.1	1.6	1.8	1.7
34	Nonwhite----------	54.0	604.0	36.4	5.1	3.0	4.2	5.1
35	Male----	65.7	661.4	41.4	5.3	2.8	4.4	6.2
36	Female--	43.0	547.0	31.3	4.8	3.2	4.1	4.1
37	Bronchitis (500-502)----------	2.4	16.0	2.1	0.3	0.1	0.1	0.2
38	Male----	3.4	19.3	2.4	0.3	0.1	0.1	0.1
39	Female--	1.4	12.5	1.9	0.3	0.1	0.1	0.3
40	White----------	2.4	14.7	2.1	0.3	0.1	0.1	0.2
41	Male----	3.5	18.7	2.3	0.3	0.1	0.1	0.1
42	Female--	1.4	10.5	1.8	0.3	0.1	0.1	0.3
43	Nonwhite----------	2.2	23.3	2.5	0.2	0	0.2	0.3
44	Male----	2.8	23.2	2.5	0.2	0	0.1	0.2
45	Female--	1.7	23.4	2.6	0.2	0	0.4	0.4
46	Ulcer of stomach and duodenum (540,541)----------	6.3	1.9	0.1	0.0	0.0	0.1	0.2
47	Male----	9.6	2.7	0.1	0.0	0.0	0.1	0.3
48	Female--	3.1	1.0	0.1	0.1	0.1	0.1	0.1
49	White----------	6.6	1.2	0.1	0.0	0.0	0.1	0.2
50	Male----	10.0	1.8	0.1	0.0	0.0	0.1	0.3
51	Female--	3.3	0.6	0.1	0.1	0.1	0.1	0.1
52	Nonwhite----------	4.5	5.7	0.2	0.1	0.1	0.1	0.1
53	Male----	6.9	7.8	0.2	0.1	0.2	0.3	0
54	Female--	2.2	3.6	0.2	0.1	0	0	0.1
55	Appendicitis (550-553)----------	1.0	0.3	0.3	0.4	0.4	0.4	0.2
56	Male----	1.3	0.3	0.4	0.4	0.5	0.5	0.3
57	Female--	0.8	0.3	0.3	0.4	0.4	0.3	0.2
58	White----------	1.0	0.3	0.3	0.4	0.4	0.4	0.2
59	Male----	1.3	0.4	0.4	0.3	0.4	0.4	0.3
60	Female--	0.7	0.3	0.2	0.4	0.3	0.3	0.1
61	Nonwhite----------	1.5	0.2	0.4	0.4	1.1	0.6	0.4
62	Male----	1.8	0	0.4	0.5	1.2	0.6	0.3
63	Female--	1.2	0.3	0.4	0.3	0.9	0.5	0.4
64	Hernia and intestinal obstruction (560,561,570)----------	5.1	22.4	0.4	0.2	0.1	0.1	0.3
65	Male----	5.1	25.9	0.6	0.2	0.1	0.1	0.3
66	Female--	5.1	18.8	0.3	0.1	0.1	0.2	0.3
67	White----------	5.0	22.0	0.4	0.1	0.1	0.1	0.3
68	Male----	4.9	25.2	0.5	0.1	0.1	0.1	0.3
69	Female--	5.1	18.7	0.3	0.1	0.1	0.2	0.2
70	Nonwhite----------	5.4	24.6	0.7	0.3	0.3	0.4	0.4
71	Male----	5.9	30.1	1.0	0.5	0.3	0.6	0.3
72	Female--	4.9	19.2	0.3	0.2	0.4	0.2	0.4
73	Gastritis, duodenitis, enteritis, and colitis, except diarrhea of newborn (543,571,572)----------	4.4	63.8	3.3	0.3	0.2	0.4	0.5
74	Male----	4.6	69.7	3.8	0.3	0.2	0.4	0.3
75	Female--	4.2	57.6	2.7	0.3	0.1	0.4	0.6
76	White----------	3.8	36.3	2.5	0.3	0.2	0.4	0.4
77	Male----	3.9	40.8	3.0	0.3	0.2	0.4	0.3
78	Female--	3.7	31.6	2.1	0.3	0.1	0.4	0.5
79	Nonwhite----------	9.5	220.3	7.5	0.4	0.3	0.2	0.7
80	Male----	10.4	238.3	9.0	0.5	0.4	0.3	0.6
81	Female--	8.6	202.4	5.9	0.3	0.2	0.1	0.7
82	Cirrhosis of liver (581)----------	11.3	0.8	0.2	0.1	0.2	0.2	0.4
83	Male----	15.3	0.8	0.2	0.0	0.2	0.1	0.3
84	Female--	7.5	0.9	0.1	0.1	0.3	0.2	0.4
85	White----------	11.5	0.7	0.2	0.1	0.2	0.2	0.2
86	Male----	15.6	0.7	0.2	0.0	0.2	0.1	0.2
87	Female--	7.4	0.8	0.1	0.1	0.3	0.2	0.2
88	Nonwhite----------	10.2	1.3	0.2	0	0.2	0.2	1.1
89	Male----	12.6	1.3	0.1	0	0.3	0.1	1.0
90	Female--	7.9	1.3	0.3	0	0.2	0.2	1.3

[1]Figures for age not stated included in "Total" but not distributed among age groups.

Age, Color, and Sex: United States, 1960—Continued

ified group, enumerated as of April 1. Numbers after causes of death are category numbers of the Seventh Revision of the International Lists, 1955)

25-29 years	30-34 years	35-39 years	40-44 years	45-49 years	50-54 years	55-59 years	60-64 years	65-69 years	70-74 years	75-79 years	80-84 years	85 years and over	
2.7	3.0	3.6	4.9	6.0	8.9	10.2	14.4	19.7	29.5	42.2	74.8	132.0	1
3.3	3.7	4.3	5.9	6.9	10.3	11.7	17.4	22.4	35.0	50.5	92.6	161.8	2
2.1	2.3	3.0	3.9	5.1	7.4	8.8	11.6	17.2	24.9	35.6	61.9	113.1	3
2.5	2.5	2.8	3.8	4.5	6.8	7.9	11.7	16.7	25.3	38.5	69.5	124.2	4
3.2	3.4	3.5	4.7	5.7	8.6	9.5	14.3	18.7	29.8	45.7	84.8	152.9	5
1.8	1.7	2.2	2.9	3.4	5.1	6.4	9.2	14.8	21.5	32.7	58.5	106.1	6
4.5	6.4	10.4	14.4	19.6	28.3	31.5	44.4	52.8	82.8	90.7	154.2	226.1	7
4.7	6.2	11.4	17.2	18.5	27.2	31.6	50.8	62.4	97.1	107.5	198.9	255.1	8
4.3	6.6	9.5	12.0	20.5	29.3	31.4	38.5	44.2	69.6	75.4	115.9	203.6	9
4.0	5.5	7.7	11.0	15.8	24.0	33.5	54.6	85.2	147.6	257.5	501.2	1,126.6	10
4.0	6.0	9.3	13.9	20.7	33.8	46.2	77.1	120.4	200.6	330.3	609.5	1,270.0	11
3.9	5.0	6.1	8.2	11.1	14.5	21.3	34.0	54.1	102.3	199.1	422.5	1,035.0	12
3.0	3.9	5.3	8.2	12.4	19.3	27.9	47.2	76.5	139.8	251.4	503.0	1,150.5	13
3.2	4.5	6.7	10.4	16.1	27.8	39.0	67.9	109.4	189.9	321.2	610.2	1,303.1	14
2.9	3.4	4.0	6.1	8.9	11.2	17.2	28.4	47.7	97.1	195.9	426.0	1,054.7	15
10.7	17.9	27.2	35.8	46.0	68.2	87.0	136.0	180.8	246.9	337.2	474.6	840.3	16
10.5	18.8	31.9	46.2	63.0	91.4	113.4	177.6	240.1	329.6	439.8	601.0	921.5	17
11.0	17.1	23.0	26.4	29.9	45.7	61.0	96.7	127.0	170.7	243.7	366.5	777.1	18
0.6	0.8	0.9	1.3	1.9	3.2	4.6	6.4	10.8	19.5	34.3	61.5	160.1	19
0.6	0.8	0.8	1.4	2.1	4.2	5.7	7.7	14.0	24.3	39.0	71.6	173.9	20
0.5	0.8	0.9	1.1	1.7	2.3	3.5	5.2	8.1	15.4	30.5	54.2	151.3	21
0.5	0.6	0.7	1.0	1.3	2.5	3.5	4.9	8.8	16.9	32.1	60.6	160.2	22
0.5	0.7	0.6	1.1	1.5	3.3	4.5	6.1	11.3	21.6	36.0	71.0	177.1	23
0.4	0.5	0.7	0.8	1.1	1.7	2.6	3.8	6.7	13.0	28.9	53.1	149.6	24
1.2	2.1	2.5	3.6	7.2	10.5	14.8	23.2	33.0	52.3	63.2	75.6	159.1	25
1.1	1.4	2.5	4.3	7.9	12.9	17.1	25.7	43.3	57.5	74.9	78.7	140.3	26
1.3	2.6	2.5	3.9	6.6	8.2	12.6	20.7	23.6	47.5	52.6	72.9	173.8	27
3.4	4.7	6.8	9.7	13.9	20.7	28.9	48.2	74.4	128.1	223.2	439.7	966.5	28
3.4	5.2	8.5	12.5	18.6	29.6	40.5	69.4	106.4	176.2	291.3	538.0	1,098.1	29
3.4	4.3	5.2	7.1	9.4	12.2	17.8	28.8	46.1	86.9	168.6	368.3	883.6	30
2.6	3.3	4.7	7.2	11.1	16.9	24.4	42.3	67.7	122.8	219.3	442.4	990.3	31
2.7	3.7	6.1	9.3	14.6	24.5	34.5	61.8	98.1	168.3	285.2	539.1	1,126.0	32
2.5	2.9	3.3	5.3	7.8	9.5	14.6	24.6	41.0	84.1	167.0	372.9	905.1	33
9.5	15.8	24.7	31.7	38.7	57.6	72.2	112.9	147.9	194.6	274.0	399.0	681.2	34
9.3	17.4	29.4	41.9	55.1	78.4	96.3	151.9	196.8	272.1	364.9	522.3	781.2	35
9.7	14.5	20.5	22.5	23.4	37.5	48.4	76.0	103.4	123.2	191.1	293.6	603.3	36
0.1	0.1	0.2	0.6	1.1	2.0	3.1	5.6	8.5	11.8	14.1	19.7	32.7	37
0.2	0.1	0.2	0.8	1.5	3.1	4.7	9.7	14.7	20.8	22.7	31.4	41.7	38
0.1	0.1	0.2	0.4	0.6	1.0	1.5	1.8	3.0	4.0	7.3	11.3	27.0	39
0.1	0.1	0.2	0.6	1.0	1.9	3.1	5.6	8.5	12.1	14.5	20.5	33.7	40
0.2	0.1	0.2	0.7	1.5	2.9	4.7	9.6	14.8	21.6	23.5	32.9	43.5	41
0.0	0.1	0.2	0.5	0.6	1.0	1.4	1.9	2.9	4.1	7.3	11.5	27.5	42
0.3	0.1	0.5	1.0	1.5	2.6	3.1	5.6	8.9	6.9	9.6	9.1	20.9	43
0.3	0.2	0.5	1.8	2.1	4.5	4.3	10.4	15.8	12.0	12.5	10.9	22.3	44
0.3	0.1	0.6	0.3	0.9	0.9	2.0	1.0	4.4	2.2	7.0	7.5	19.9	45
0.6	0.9	1.8	3.3	5.7	9.1	12.5	19.5	25.4	35.9	46.3	67.9	77.9	46
0.9	1.3	2.7	5.2	8.7	14.9	20.7	33.6	42.2	59.2	75.9	103.4	114.3	47
0.3	0.4	0.9	1.5	2.8	3.5	4.7	6.7	10.6	15.9	22.5	42.0	54.7	48
0.5	0.8	1.6	3.0	5.6	8.8	12.5	19.6	25.6	36.7	48.0	70.2	81.9	49
0.7	1.2	2.4	4.8	8.5	14.4	21.0	33.7	42.7	60.6	79.4	106.9	120.9	50
0.3	0.4	0.8	1.3	2.7	3.4	4.4	6.8	10.6	16.3	23.0	43.8	57.3	51
1.4	1.5	3.4	5.5	7.3	12.1	12.7	18.3	23.3	25.6	23.8	33.3	30.7	52
2.1	2.2	5.1	8.4	10.9	19.8	17.8	32.0	36.4	41.9	33.6	56.8	44.6	53
0.7	1.0	1.8	2.9	3.9	4.5	7.7	5.3	11.4	10.5	14.9	13.1	19.9	54
0.2	0.4	0.3	0.7	0.8	1.1	1.8	2.6	3.5	4.7	6.4	8.6	9.9	55
0.2	0.4	0.4	0.7	1.3	1.7	2.8	3.6	5.1	6.0	8.5	12.3	11.6	56
0.1	0.3	0.2	0.7	0.4	0.6	0.8	1.8	2.2	3.5	4.7	5.9	8.8	57
0.1	0.3	0.3	0.6	0.7	1.0	1.5	2.4	3.3	4.5	6.5	8.5	9.9	58
0.2	0.4	0.4	0.7	1.1	1.6	2.4	3.3	4.7	5.7	8.8	12.4	11.5	59
0.1	0.2	0.2	0.5	0.3	0.5	0.6	1.6	2.1	3.4	4.7	5.7	8.9	60
0.5	0.9	0.7	2.0	2.3	1.9	4.7	5.4	6.4	7.2	5.0	10.1	9.8	61
0.7	1.1	0.8	1.3	3.0	2.5	7.0	6.6	9.7	9.6	5.8	10.9	12.8	62
0.3	0.7	0.7	2.6	1.6	1.3	2.5	4.3	3.3	5.0	4.4	9.3	7.4	63
0.3	0.7	0.9	1.8	2.8	4.2	6.2	10.9	16.2	25.3	40.4	68.0	109.3	64
0.3	0.7	0.8	1.7	2.8	4.4	6.9	12.3	18.2	28.1	42.8	68.6	104.9	65
0.3	0.6	1.1	1.8	2.8	4.1	5.6	9.6	14.3	23.0	38.4	67.7	112.2	66
0.2	0.5	0.7	1.5	2.5	3.6	5.7	10.2	15.4	24.9	40.5	69.0	112.6	67
0.1	0.6	0.6	1.5	2.5	3.7	6.3	11.8	17.2	27.2	42.7	68.0	108.8	68
0.2	0.5	0.8	1.5	2.5	3.6	5.1	8.7	13.9	22.9	38.8	69.7	115.1	69
1.1	1.5	2.9	4.4	5.8	10.0	11.4	18.9	24.1	31.3	38.5	54.4	69.8	70
1.6	1.3	2.4	4.1	5.7	10.9	12.3	17.4	29.2	38.4	44.2	76.5	63.8	71
0.7	1.8	3.4	4.7	5.8	9.1	10.6	20.4	19.5	24.9	33.3	35.5	74.5	72
0.6	0.8	0.8	1.4	1.9	2.9	3.5	6.3	9.3	14.2	20.4	35.1	55.1	73
0.7	0.8	0.9	1.4	2.2	3.3	3.9	7.5	10.3	14.8	20.6	33.2	54.1	74
0.5	0.7	0.8	1.4	1.6	2.6	3.1	5.2	8.4	13.7	20.2	36.4	55.7	75
0.6	0.7	0.8	1.3	1.9	2.7	3.5	6.2	9.4	14.1	21.2	35.6	56.0	76
0.7	0.8	0.8	1.3	2.2	3.2	3.8	7.5	10.4	14.7	21.9	32.8	55.3	77
0.5	0.7	0.7	1.3	1.6	2.3	3.2	4.9	8.4	13.7	20.6	37.6	56.4	78
0.7	0.9	1.3	2.3	1.8	4.5	3.6	7.8	8.5	15.5	10.1	27.2	44.7	79
0.8	0.6	1.1	2.3	2.1	3.8	4.5	7.0	9.3	16.2	4.8	39.3	41.5	80
0.6	1.1	1.4	2.3	1.6	5.2	2.7	8.5	7.7	14.9	14.9	16.8	47.2	81
1.3	4.3	8.7	15.2	24.0	31.5	32.7	32.7	38.4	36.2	32.8	30.8	28.8	82
1.2	4.8	10.1	19.1	31.2	43.0	48.3	48.7	58.6	55.7	45.4	44.5	40.0	83
1.4	3.9	7.4	11.5	17.0	20.4	17.8	18.1	20.5	19.5	22.7	20.9	21.7	84
0.9	3.2	7.4	14.4	23.5	31.4	33.2	32.9	39.7	37.8	34.0	31.6	29.7	85
0.9	3.7	9.0	18.1	30.6	43.2	49.3	49.0	60.8	58.3	47.5	45.5	41.7	86
0.8	2.7	5.9	10.8	16.5	19.9	17.8	18.2	21.2	20.3	23.2	21.6	22.2	87
4.6	13.5	19.8	22.3	29.0	33.2	27.7	30.9	23.3	17.0	17.4	19.1	18.1	88
4.1	14.3	20.2	27.7	37.0	41.7	38.4	45.9	34.8	25.2	20.2	30.6	22.3	89
5.0	12.8	19.4	17.5	21.4	25.0	17.3	16.8	12.9	9.4	14.9	9.3	14.9	90

Table 5-12. Death Rates for 59 Selected Causes, by

(Data refer only to deaths occurring within the United States, including Alaska and Hawaii. Excludes fetal deaths. Rates per 100,000 population in spec-

	CAUSE OF DEATH, COLOR, AND SEX	Total[1]	Under 1 year	1-4 years	5-9 years	10-14 years	15-19 years	20-24 years
1	Cholelithiasis, cholecystitis, and cholangitis (584,585)	2.6	0.0	0.0	0	0	0.0	0.1
2	Male	2.1	0.0	0	0	0	0	0.1
3	Female	3.0	0	0.0	0	0	0.0	0.2
4	White	2.8	0.0	0	0	0	0.0	0.1
5	Male	2.3	0.1	0	0	0	0	0.0
6	Female	3.2	0	0	0	0	0.0	0.2
7	Nonwhite	1.2	0	0.0	0	0	0	0.2
8	Male	0.8	0	0	0	0	0	0.2
9	Female	1.5	0	0.1	0	0	0	0.3
10	Acute nephritis, and nephritis with edema including nephrosis (590,591)	0.9	1.1	0.5	0.4	0.3	0.3	0.4
11	Male	1.0	1.4	0.4	0.5	0.3	0.4	0.6
12	Female	0.8	0.7	0.6	0.3	0.2	0.3	0.3
13	White	0.8	0.9	0.4	0.3	0.2	0.3	0.4
14	Male	0.9	1.1	0.4	0.3	0.3	0.4	0.5
15	Female	0.7	0.8	0.5	0.3	0.2	0.2	0.2
16	Nonwhite	1.8	1.8	0.9	0.7	0.4	0.7	0.8
17	Male	2.1	3.3	0.9	1.2	0.4	0.6	0.8
18	Female	1.5	0.3	0.9	0.2	0.4	0.7	0.9
19	Infections of kidney (600)	4.3	1.7	0.1	0.1	0.2	0.2	0.4
20	Male	4.4	2.2	0.1	0.1	0.1	0.2	0.5
21	Female	4.2	1.2	0.1	0.1	0.2	0.2	0.4
22	White	3.9	1.4	0.1	0.1	0.1	0.1	0.3
23	Male	4.0	1.7	0	0.1	0.1	0.1	0.4
24	Female	3.7	1.1	0.1	0.2	0.2	0.1	0.3
25	Nonwhite	7.5	3.3	0.2	0.0	0.4	0.6	0.9
26	Male	7.5	4.6	0.4	0	0.3	0.5	1.0
27	Female	7.4	1.9	0	0.1	0.5	0.7	0.9
28	Hyperplasia of prostate (610)	2.5	0	0	0	0	0	0
29	Male	5.0	0	0	0	0	0	0
30	White	2.4	0	0	0	0	0	0
31	Male	4.9	0	0	0	0	0	0
32	Nonwhite	2.9	0	0	0	0	0	0
33	Male	5.9	0	0	0	0	0	0
34	Deliveries and complications of pregnancy, childbirth, and the puerperium (640-689)	0.9	...	...	...	0.0	1.0	2.7
35	Female	1.7	...	...	...	0.1	1.9	5.4
36	White	0.6	...	...	...	0.0	0.6	2.0
37	Female	1.2	...	...	...	0.0	1.1	3.9
38	Nonwhite	3.1	...	...	...	0.2	3.8	8.2
39	Female	6.1	...	...	...	0.5	7.6	15.5
40	Abortion (650-652)	0.2	...	...	...	0.0	0.2	0.5
41	Female	0.3	...	...	...	0.0	0.4	0.9
42	White	0.1	...	...	...	0.0	0.1	0.2
43	Female	0.2	...	...	...	0.0	0.2	0.5
44	Nonwhite	0.7	...	...	...	0.0	1.1	2.1
45	Female	1.3	...	...	...	0.1	2.1	4.0
46	Other complications of pregnancy, childbirth, and the puerperium (640-649,660-689)	0.7	...	...	...	0.0	0.8	2.3
47	Female	1.4	...	...	...	0.1	1.5	4.4
48	White	0.5	...	...	...	0.0	0.5	1.7
49	Female	1.0	...	...	...	0.0	1.0	3.4
50	Nonwhite	2.4	...	...	...	0.2	2.8	6.1
51	Female	4.8	...	...	...	0.4	5.5	11.5
52	Congenital malformations (750-759)	12.2	374.3	12.9	4.2	3.0	2.8	2.5
53	Male	13.5	407.0	12.9	4.3	3.2	3.3	3.1
54	Female	10.9	340.4	12.9	4.0	2.9	2.4	2.0
55	White	12.0	383.8	12.4	4.3	3.1	2.9	2.6
56	Male	13.3	413.8	12.3	4.5	3.2	3.4	3.1
57	Female	10.8	352.5	12.6	4.0	3.0	2.5	2.1
58	Nonwhite	13.7	319.8	15.6	3.6	2.7	1.9	2.0
59	Male	15.8	366.8	16.4	3.3	3.2	2.5	2.6
60	Female	11.7	273.2	14.8	3.8	2.2	1.4	1.6
61	Certain diseases of early infancy (760-776)	37.4	1,631.2	0.1	0.0	0.0	0.0	0
62	Male	44.3	1,870.5	0.1	0.0	0	0	0
63	Female	30.8	1,383.9	0.1	0.0	0.0	0.0	0
64	White	32.3	1,465.3	0.1	0.0	0	0.0	0
65	Male	38.6	1,692.8	0.1	0.0	0	0	0
66	Female	26.2	1,228.5	0.0	0.0	0	0.0	0
67	Nonwhite	77.2	2,576.7	0.1	0	0.0	0	.0
68	Male	89.2	2,906.4	0.2	0	0	0	0
69	Female	65.8	2,249.1	0.1	0	0.1	0	0
70	Birth injuries, postnatal asphyxia, and atelectasis (760-762)	16.6	722.2	0	0	0	0	0
71	Male	20.0	845.0	0	0	0	0	0
72	Female	13.2	595.3	0	0	0	0	0
73	White	14.9	674.3	0	0	0	0	0
74	Male	18.1	796.8	0	0	0	0	0
75	Female	11.6	546.7	0	0	0	0	0
76	Nonwhite	29.8	995.4	0	0	0	0	0
77	Male	34.6	1,125.9	0	0	0	0	0
78	Female	25.3	865.6	0	0	0	0	0
79	Infections of newborn (763-768)	2.7	116.4	0	0	0	0	0
80	Male	3.2	133.9	0	0	0	0	0
81	Female	2.2	98.3	0	0	0	0	0
82	White	2.0	89.3	0	0	0	0	0
83	Male	2.4	103.9	0	0	0	0	0
84	Female	1.6	74.1	0	0	0	0	0
85	Nonwhite	8.1	270.8	0	0	0	0	0
86	Male	9.5	308.9	0	0	0	0	0
87	Female	6.8	232.9	0	0	0	0	0

[1]Figures for age not stated included in "Total" but not distributed among age groups.

Age, Color, and Sex: United States, 1960—Continued

ified group, enumerated as of April 1. Numbers after causes of death are category numbers of the Seventh Revision of the International Lists, 1955)

25-29 years	30-34 years	35-39 years	40-44 years	45-49 years	50-54 years	55-59 years	60-64 years	65-69 years	70-74 years	75-79 years	80-84 years	85 years and over	
0.2	0.3	0.5	0.8	1.1	2.1	3.1	5.5	10.4	16.3	26.2	41.1	59.0	1
0.1	0.1	0.2	0.6	0.9	1.9	2.4	4.9	9.8	14.7	25.6	38.6	48.9	2
0.2	0.5	0.7	0.9	1.3	2.3	3.7	6.1	11.0	17.7	26.6	43.0	65.4	3
0.2	0.2	0.4	0.7	1.1	2.0	3.1	5.6	10.8	16.8	27.1	43.0	62.0	4
0.1	0.1	0.2	0.6	0.9	1.9	2.5	5.1	10.2	15.5	26.8	40.4	51.4	5
0.2	0.4	0.7	0.8	1.3	2.2	3.8	6.1	11.3	17.8	27.4	44.8	68.7	6
0.1	0.5	0.5	1.1	1.1	2.6	2.5	4.6	6.2	10.6	13.7	14.1	22.3	7
0	0.2	0.6	0.5	0.8	1.8	2.0	3.1	4.5	5.4	11.5	15.3	22.3	8
0.1	0.8	0.4	1.6	1.4	3.5	3.0	5.9	7.7	15.5	15.8	13.1	22.3	9
0.5	0.4	0.5	0.6	0.9	1.1	1.5	1.9	2.4	3.2	3.7	6.4	9.8	10
0.6	0.6	0.5	0.7	1.1	1.2	1.8	2.1	3.0	3.7	4.6	8.6	12.1	11
0.4	0.3	0.5	0.4	0.8	1.0	1.3	1.7	1.9	2.8	3.1	4.8	8.3	12
0.3	0.4	0.4	0.4	0.8	0.8	1.4	1.5	2.0	3.1	3.4	6.0	9.7	13
0.4	0.5	0.3	0.5	0.8	0.9	1.6	1.8	2.6	3.4	4.2	8.1	12.4	14
0.3	0.2	0.4	0.4	0.7	0.8	1.1	1.3	1.6	2.8	2.7	4.5	8.0	15
1.3	1.0	1.6	1.9	2.6	3.8	3.2	5.9	6.7	4.3	8.7	12.1	11.2	16
1.6	1.1	1.9	2.7	3.2	4.5	3.3	6.3	8.1	6.6	8.6	15.3	9.6	17
1.0	1.0	1.4	1.1	1.9	3.2	3.2	5.6	5.5	2.2	8.8	9.3	12.4	18
0.7	1.0	1.6	2.4	3.3	5.0	6.8	10.2	15.6	19.9	33.2	53.5	90.7	19
0.5	0.8	1.3	2.0	3.1	4.6	6.6	10.8	18.9	24.1	39.4	70.1	107.9	20
1.0	1.1	1.9	2.9	3.4	5.5	7.0	9.7	12.6	16.3	28.3	41.5	79.7	21
0.6	0.7	1.2	1.7	2.3	3.6	5.1	8.2	13.8	18.0	32.0	53.3	92.7	22
0.4	0.6	1.0	1.4	2.4	3.3	4.9	8.9	16.7	21.9	37.8	68.8	108.8	23
0.8	0.8	1.4	2.0	2.2	3.9	5.2	7.5	11.3	14.6	27.3	42.1	82.6	24
1.9	3.4	5.1	9.2	11.6	18.4	23.6	32.8	34.7	43.7	49.5	57.4	67.0	25
1.1	2.9	3.6	7.0	9.2	16.3	22.6	31.3	43.3	50.3	57.6	87.4	98.8	26
2.6	3.8	6.4	11.2	13.8	20.5	24.7	34.2	26.9	37.6	42.1	51.8	42.2	27
0.0	0	0.0	0.1	0.2	0.3	1.1	3.1	7.2	16.7	32.0	56.3	103.0	28
0.0	0	0.0	0.1	0.3	0.7	2.3	6.5	15.4	36.3	71.9	133.8	264.2	29
0.0	0	0.0	0.0	0.1	0.2	0.7	2.6	6.4	15.1	31.0	55.4	102.1	30
0.0	0	0.0	0.1	0.2	0.4	1.5	5.4	13.6	32.8	70.1	132.6	264.7	31
0	0	0	0.3	0.5	1.9	4.7	9.0	16.6	37.7	44.9	69.5	113.1	32
0	0	0	0.5	1.1	3.8	9.5	18.4	34.8	78.5	94.1	150.8	258.3	33
3.0	2.9	2.7	1.1	0.1	0.0	0	0	0	0	0	0	0	34
5.9	5.7	5.2	2.1	0.3	0.0	0	0	0	0	0	0	0	35
2.0	1.9	1.8	0.8	0.1	0	0	0	0	0	0	0	0	36
4.0	3.8	3.5	1.6	0.1	0	0	0	0	0	0	0	0	37
10.3	10.6	10.2	3.7	0.6	0.1	0	0	0	0	0	0	0	38
19.2	19.7	19.4	7.0	1.2	0.2	0	0	0	0	0	0	0	39
0.8	0.6	0.3	0.1	0.0	0.0	0	0	0	0	0	0	0	40
1.6	1.2	0.5	0.2	0.0	0.0	0	0	0	0	0	0	0	41
0.5	0.3	0.2	0.1	0.0	0	0	0	0	0	0	0	0	42
1.1	0.6	0.4	0.1	0.0	0	0	0	0	0	0	0	0	43
2.9	2.9	1.0	0.3	0	0.1	0	0	0	0	0	0	0	44
5.4	5.3	2.0	0.6	0	0.2	0	0	0	0	0	0	0	45
2.2	2.3	2.4	1.0	0.1	0	0	0	0	0	0	0	0	46
4.3	4.5	4.7	2.0	0.2	0	0	0	0	0	0	0	0	47
1.5	1.6	1.6	0.7	0.1	0	0	0	0	0	0	0	0	48
2.9	3.2	3.1	1.5	0.1	0	0	0	0	0	0	0	0	49
7.4	7.7	9.2	3.3	0.6	0	0	0	0	0	0	0	0	50
13.8	14.3	17.4	6.3	1.2	0	0	0	0	0	0	0	0	51
2.1	2.0	2.0	2.4	2.5	2.9	2.8	2.9	2.8	2.7	2.7	3.0	3.2	52
2.4	2.0	2.2	2.9	2.7	3.3	2.8	3.2	3.5	3.9	2.9	3.2	5.5	53
1.8	1.9	1.8	2.0	2.3	2.4	2.8	2.7	2.2	1.6	2.5	2.8	1.8	54
2.1	1.9	1.9	2.4	2.4	2.8	2.8	3.0	2.9	2.8	2.6	2.8	3.1	55
2.4	2.0	2.1	2.9	2.7	3.2	2.8	3.1	3.6	4.0	2.9	2.9	5.1	56
1.8	1.8	1.8	1.9	2.2	2.4	2.9	2.9	2.3	1.7	2.4	2.8	1.9	57
2.4	2.5	2.4	2.8	3.2	3.5	2.7	2.4	1.7	2.0	3.2	5.0	4.2	58
2.5	2.2	2.7	2.9	3.0	4.7	3.3	4.2	2.4	3.6	2.9	6.6	9.6	59
2.4	2.7	2.1	2.7	3.4	2.4	2.2	0.7	1.1	0.6	3.5	3.7	0	60
0	0	0	0	0	0	0	0	0	0	0	0	0	61
0	0	0	0	0	0	0	0	0	0	0	0	0	62
0	0	0	0	0	0	0	0	0	0	0	0	0	63
0	0	0	0	0	0	0	0	0	0	0	0	0	64
0	0	0	0	0	0	0	0	0	0	0	0	0	65
0	0	0	0	0	0	0	0	0	0	0	0	0	66
0	0	0	0	0	0	0	0	0	0	0	0	0	67
0	0	0	0	0	0	0	0	0	0	0	0	0	68
0	0	0	0	0	0	0	0	0	0	0	0	0	69
0	0	0	0	0	0	0	0	0	0	0	0	0	70
0	0	0	0	0	0	0	0	0	0	0	0	0	71
0	0	0	0	0	0	0	0	0	0	0	0	0	72
0	0	0	0	0	0	0	0	0	0	0	0	0	73
0	0	0	0	0	0	0	0	0	0	0	0	0	74
0	0	0	0	0	0	0	0	0	0	0	0	0	75
0	0	0	0	0	0	0	0	0	0	0	0	0	76
0	0	0	0	0	0	0	0	0	0	0	0	0	77
0	0	0	0	0	0	0	0	0	0	0	0	0	78
0	0	0	0	0	0	0	0	0	0	0	0	0	79
0	0	0	0	0	0	0	0	0	0	0	0	0	80
0	0	0	0	0	0	0	0	0	0	0	0	0	81
0	0	0	0	0	0	0	0	0	0	0	0	0	82
0	0	0	0	0	0	0	0	0	0	0	0	0	83
0	0	0	0	0	0	0	0	0	0	0	0	0	84
0	0	0	0	0	0	0	0	0	0	0	0	0	85
0	0	0	0	0	0	0	0	0	0	0	0	0	86
0	0	0	0	0	0	0	0	0	0	0	0	0	87

Table 5-12. Death Rates for 59 Selected Causes, by

(Data refer only to deaths occurring within the United States, including Alaska and Hawaii, Excludes fetal deaths. Rates per 100,000 population in spec-

	CAUSE OF DEATH, COLOR, AND SEX	Total[1]	Under 1 year	1-4 years	5-9 years	10-14 years	15-19 years	20-24 years
1	Certain diseases of early infancy—Continued Other diseases peculiar to early infancy, and immaturity unqualified (769-776)	18.2	792.6	0.1	0.0	0.0	0.0	0
2	Male	21.1	891.5	0.1	0.0	0	0	0
3	Female	15.3	690.3	0.1	0.0	0.0	0.0	0
4	White	15.5	701.7	0.1	0.0	0	0.0	0
5	Male	18.0	792.1	0.1	0.0	0	0	0
6	Female	13.0	607.7	0.0	0.0	0	0.0	0
7	Nonwhite	39.3	1,310.5	0.1	0	0.0	0	0
8	Male	45.2	1,471.5	0.2	0	0	0	0
9	Female	33.7	1,150.5	0.1	0	0.1	0	0
10	Symptoms, senility, and ill-defined conditions (780-795)	11.4	61.2	2.8	0.6	0.5	1.0	1.6
11	Male	13.6	67.7	3.2	0.6	0.6	1.1	2.0
12	Female	9.2	54.5	2.4	0.5	0.4	0.9	1.2
13	White	8.3	27.8	1.6	0.4	0.3	0.8	1.0
14	Male	10.1	31.4	1.8	0.4	0.4	1.0	1.4
15	Female	6.4	24.0	1.3	0.4	0.3	0.6	0.7
16	Nonwhite	35.5	251.9	10.2	1.7	1.6	2.2	5.8
17	Male	41.0	279.5	11.3	2.2	2.0	1.9	7.2
18	Female	30.3	224.5	9.0	1.2	1.3	2.5	4.5
19	All other diseases (Residual)	38.5	101.9	11.9	4.9	4.5	6.1	7.1
20	Male	48.0	120.4	13.2	5.1	4.9	7.4	8.0
21	Female	29.4	82.8	10.5	4.7	4.2	4.8	6.2
22	White	38.1	90.1	11.2	4.9	4.4	5.8	6.0
23	Male	47.6	107.4	12.5	5.1	4.6	7.1	6.9
24	Female	28.8	72.1	9.9	4.7	4.1	4.3	5.2
25	Nonwhite	42.2	169.1	15.8	4.8	5.7	8.9	14.7
26	Male	50.9	196.2	17.7	4.6	6.4	9.4	16.3
27	Female	34.1	142.3	13.9	5.1	5.0	8.3	13.2
28	Accidents (E800-962)	52.3	93.2	31.6	19.7	18.8	50.7	62.5
29	Male	72.8	103.0	35.9	24.9	28.6	80.9	108.1
30	Female	32.4	83.0	27.2	14.4	8.6	20.3	19.0
31	White	50.5	76.4	27.5	17.8	17.6	51.0	61.6
32	Male	70.0	85.6	31.8	23.1	26.7	81.0	106.3
33	Female	31.5	66.7	23.0	12.3	8.2	20.8	18.5
34	Nonwhite	66.1	188.8	55.8	31.4	26.5	48.4	69.4
35	Male	95.0	204.3	80.0	35.9	41.8	80.6	121.9
36	Female	38.7	173.5	31.5	27.0	11.2	16.9	22.6
37	Motor vehicle accidents (E810-E835)	21.3	8.1	10.0	8.7	7.1	33.9	42.9
38	Male	31.8	8.6	11.5	10.9	9.9	51.7	73.2
39	Female	11.0	7.5	8.4	6.5	4.2	16.0	14.0
40	White	21.2	8.1	9.8	8.5	7.2	35.5	43.3
41	Male	31.5	8.8	11.3	10.8	9.9	54.0	73.5
42	Female	11.2	7.5	8.3	6.2	4.3	16.8	14.3
43	Nonwhite	21.9	7.7	11.2	9.8	6.5	22.6	39.7
44	Male	34.4	7.5	13.1	11.6	9.6	34.8	71.0
45	Female	10.1	7.8	9.4	7.9	3.4	10.7	11.8
46	Other accidents (E800-E802, E840-E962)	31.0	85.1	21.6	11.0	11.7	16.8	19.6
47	Male	41.1	94.4	24.3	14.0	18.8	29.2	34.9
48	Female	21.3	75.5	18.7	7.9	4.4	4.3	5.1
49	White	29.4	68.2	17.7	9.3	10.5	15.5	18.2
50	Male	38.6	76.8	20.6	12.4	16.9	27.0	32.7
51	Female	20.4	59.3	14.7	6.1	3.9	4.0	4.2
52	Nonwhite	44.1	181.2	44.5	21.7	20.0	25.8	29.7
53	Male	60.6	196.8	46.9	24.3	32.1	45.8	50.9
54	Female	28.6	165.7	42.2	19.0	7.9	6.3	10.8
55	Suicide (E963, E970-E979)	10.6	0	0	0.0	0.5	3.6	7.1
56	Male	16.5	0	0	0.0	0.9	5.6	11.5
57	Female	4.9	0	0	0.0	0.2	1.6	2.9
58	White	11.4	0	0	0.0	0.6	3.8	7.4
59	Male	17.6	0	0	0.0	1.0	5.9	11.9
60	Female	5.3	0	0	0	0.2	1.6	3.1
61	Nonwhite	4.5	0	0	0.0	0.1	2.4	4.5
62	Male	7.2	0	0	0	0.2	3.4	7.8
63	Female	2.0	0	0	0.1	0	1.5	1.6
64	Homicide (E964, E980-E985)	4.7	4.8	0.7	0.4	0.5	4.0	8.2
65	Male	7.1	4.7	0.7	0.4	0.7	6.1	12.9
66	Female	2.4	4.9	0.7	0.4	0.4	1.9	3.8
67	White	2.5	3.7	0.6	0.4	0.4	2.2	3.9
68	Male	3.6	3.8	0.6	0.4	0.5	3.2	6.0
69	Female	1.4	3.5	0.5	0.4	0.3	1.2	1.9
70	Nonwhite	21.9	11.6	1.7	0.9	1.5	17.2	38.9
71	Male	34.5	10.1	1.6	0.9	2.0	27.6	64.2
72	Female	9.9	13.0	1.7	0.9	1.1	7.0	16.3

[1] Figures for age not stated included in "Total" but not distributed among age groups.

Age, Color, and Sex: United States, 1960—Continued

ified group, enumerated as of April 1. Numbers after causes of death are category numbers of the Seventh Revision of the International Lists, 1955)

25-29 years	30-34 years	35-39 years	40-44 years	45-49 years	50-54 years	55-59 years	60-64 years	65-69 years	70-74 years	75-79 years	80-84 years	85 years and over	
0	0	0	0	0	0	0	0	0	0	0	0	0	1
0	0	0	0	0	0	0	0	0	0	0	0	0	2
0	0	0	0	0	0	0	0	0	0	0	0	0	3
0	0	0	0	0	0	0	0	0	0	0	0	0	4
0	0	0	0	0	0	0	0	0	0	0	0	0	5
0	0	0	0	0	0	0	0	0	0	0	0	0	6
0	0	0	0	0	0	0	0	0	0	0	0	0	7
0	0	0	0	0	0	0	0	0	0	0	0	0	8
0	0	0	0	0	0	0	0	0	0	0	0	0	9
2.2	2.9	4.2	5.2	8.1	12.2	15.6	20.7	27.6	40.8	63.5	116.7	309.3	10
2.5	3.2	5.0	6.6	10.8	17.3	22.0	29.3	39.9	54.7	85.2	150.4	325.4	11
2.0	2.5	3.5	3.8	5.5	7.2	9.5	12.9	16.8	28.9	46.0	92.1	299.0	12
1.5	1.8	2.7	3.6	5.8	8.2	11.0	14.7	19.6	29.9	49.3	95.2	281.4	13
1.8	1.9	3.4	4.9	8.2	12.6	16.7	22.5	30.0	42.2	67.4	122.7	270.8	14
1.2	1.6	2.1	2.3	3.6	4.0	5.6	7.7	10.5	19.4	35.0	75.5	255.6	15
7.8	11.5	16.1	18.9	28.2	49.8	59.5	87.2	115.7	178.2	247.0	436.3	882.2	16
8.3	14.5	18.3	21.7	34.7	62.6	72.2	103.2	147.4	206.2	299.6	524.5	902.4	17
7.3	8.9	14.1	16.3	22.1	37.3	46.9	72.0	86.9	152.5	199.0	360.9	866.5	18
8.6	11.4	15.6	23.1	31.7	46.2	62.7	95.2	131.4	178.5	225.9	313.2	462.1	19
9.3	12.4	17.0	26.0	39.5	59.6	85.6	136.2	191.9	255.6	304.9	407.3	558.7	20
7.9	10.4	14.3	20.4	24.1	33.2	40.8	57.8	78.0	112.5	162.5	244.9	400.4	21
6.8	9.0	12.8	20.0	28.6	42.9	61.0	93.4	130.6	180.2	230.1	316.3	471.2	22
7.6	10.1	14.0	22.6	35.9	55.7	84.1	134.8	191.7	258.6	311.6	412.7	569.9	23
6.0	7.9	11.8	17.4	21.5	30.5	38.9	55.7	76.9	113.5	165.4	247.1	409.2	24
21.3	30.2	38.8	50.9	59.0	77.7	79.1	115.2	140.5	156.7	170.9	267.0	353.2	25
22.4	31.8	43.1	56.9	72.1	96.7	99.6	151.2	194.8	218.7	224.7	334.4	440.0	26
20.4	28.8	34.9	45.4	46.8	59.3	59.0	81.2	91.3	99.4	121.8	209.4	285.5	27
46.2	40.0	39.7	42.3	47.3	52.7	55.6	63.0	75.7	104.5	164.4	311.2	624.7	28
78.6	65.9	65.0	66.8	74.4	81.3	84.1	93.3	108.9	134.4	195.2	320.6	581.9	29
15.0	15.2	15.7	18.8	20.9	24.8	28.2	35.3	46.5	78.9	139.8	304.4	652.1	30
43.9	37.4	36.6	39.1	44.0	49.3	53.1	59.3	73.5	103.3	164.8	318.0	646.8	31
74.6	61.5	59.9	61.8	69.1	75.9	80.8	88.2	106.1	133.2	195.5	326.3	600.5	32
13.9	14.0	14.4	17.1	19.6	23.4	26.6	33.0	44.9	77.8	140.5	312.1	675.9	33
63.3	59.9	65.1	70.7	76.2	84.9	79.0	103.6	99.7	119.9	159.0	209.6	360.1	34
109.9	102.4	109.1	112.0	123.3	133.2	114.9	148.8	138.9	148.6	191.1	242.6	385.8	35
22.6	23.5	25.9	33.3	32.1	38.2	43.7	60.8	64.0	93.4	129.7	181.4	340.2	36
27.6	21.3	19.1	19.5	20.7	22.2	24.1	26.2	29.1	34.5	40.4	44.6	37.9	37
46.2	34.5	30.0	29.8	31.0	32.2	33.8	37.8	42.0	50.8	61.9	74.6	62.7	38
9.6	8.8	8.7	9.6	10.7	12.5	14.9	15.6	17.7	20.6	23.2	22.7	22.0	39
26.8	20.8	18.5	18.5	19.8	21.2	23.7	25.5	28.8	35.0	41.3	44.8	37.5	40
44.8	33.0	28.7	28.1	29.1	30.4	32.8	36.4	41.0	51.4	63.2	74.3	61.9	41
9.2	8.8	8.7	9.2	10.7	12.3	15.0	15.5	18.0	21.0	24.0	23.6	22.2	42
33.3	25.9	24.1	28.6	29.3	31.9	28.1	34.3	32.4	28.7	28.4	41.3	41.9	43
57.3	46.3	41.1	45.5	48.9	49.2	43.4	53.5	52.6	43.7	46.1	78.7	70.2	44
12.4	8.3	8.9	13.4	11.0	15.1	13.1	16.1	14.0	14.9	12.3	9.3	19.9	45
18.6	18.6	20.6	22.8	26.6	30.4	31.4	36.8	46.6	69.9	124.0	266.7	586.8	46
32.4	31.4	35.0	37.0	43.4	49.1	50.3	55.4	66.9	85.6	133.3	246.0	519.2	47
5.4	6.4	7.0	9.2	10.2	12.3	13.4	19.7	28.8	58.3	116.6	281.7	630.0	48
17.1	16.7	18.2	20.6	24.3	28.1	29.4	33.8	44.8	68.3	123.5	273.3	609.2	49
29.8	28.5	31.2	33.7	40.0	45.5	48.0	51.8	65.1	81.8	132.3	252.0	538.5	50
4.7	5.2	5.8	7.9	9.0	11.2	11.6	17.5	26.9	56.7	116.5	288.5	653.7	51
30.0	34.0	41.0	42.0	46.9	53.0	50.9	69.3	67.3	91.1	130.6	168.3	318.3	52
52.7	56.0	68.0	66.6	74.4	84.0	71.5	95.3	86.3	104.9	145.0	163.9	315.7	53
10.3	15.2	17.0	19.9	21.1	23.1	30.6	44.7	50.0	78.4	117.4	172.0	320.3	54
9.0	10.9	13.2	15.2	19.1	22.6	23.6	23.8	21.4	25.0	27.3	29.1	26.0	55
13.7	15.6	19.1	23.1	28.5	35.2	37.7	38.6	36.4	43.9	49.7	58.0	57.4	56
4.6	6.4	7.6	7.7	10.0	10.4	10.2	10.2	8.1	8.9	9.3	8.0	6.0	57
9.3	11.2	13.8	16.1	20.4	24.2	25.1	25.0	22.5	26.5	29.0	30.2	27.4	58
13.8	15.9	19.6	24.3	30.2	37.6	39.9	40.6	38.5	46.7	53.1	61.2	61.3	59
4.8	6.7	8.2	8.1	10.8	11.1	10.8	10.9	8.5	9.3	9.9	7.9	6.1	60
7.5	8.2	8.7	7.9	7.8	8.0	10.2	9.8	8.5	7.2	5.5	12.1	9.8	61
12.6	13.2	14.7	12.2	13.2	12.3	16.8	17.0	13.8	10.8	9.6	15.3	15.9	62
3.1	3.8	3.4	4.0	2.7	3.9	3.7	3.0	3.7	3.9	1.8	9.3	5.0	63
10.1	9.3	8.4	7.8	6.7	5.6	4.7	3.7	2.8	2.9	2.4	2.3	2.4	64
15.7	14.3	12.8	11.8	10.4	8.6	7.0	6.1	4.7	4.5	3.6	3.9	3.6	65
4.7	4.6	4.2	3.9	3.1	2.7	2.4	1.5	1.1	1.5	1.4	1.2	1.6	66
4.3	3.9	3.9	3.7	3.7	3.2	3.2	2.5	1.9	2.5	1.8	1.8	2.0	67
6.7	5.8	5.8	5.3	5.4	4.7	4.8	3.8	3.2	3.7	2.5	2.9	2.7	68
2.0	2.1	2.2	2.2	2.1	1.7	1.7	1.3	0.9	1.5	1.3	1.0	1.5	69
51.8	51.3	45.4	43.7	33.6	28.7	18.3	16.9	12.3	7.8	9.2	10.1	7.0	70
84.9	84.5	73.5	71.0	56.3	45.9	27.8	30.9	21.5	14.4	16.3	17.5	12.8	71
23.1	22.8	20.2	18.9	12.4	12.1	8.9	3.6	4.0	1.7	2.6	3.7	2.5	72

Section 6. Accident Mortality Detail: Tables

General Tables

Page

6-1. Deaths from motor vehicle accidents, by type of motor vehicle involved, cause of death, color, and sex: United States, 1960---------- 6-2

6-2. Deaths from nontransport accidents, by place of accident, cause of death, color, and sex: United States, 1960---------- 6-4

6-3. Deaths from motor vehicle accidents, by type of motor vehicle involved, age, race, and sex: United States, 1960---------- 6-8

6-4. Deaths from nontransport accidents, by place of accident, age, race, and sex: United States, 1960---------- 6-14

6-5. Deaths from motor vehicle accidents, by type of motor vehicle involved, color, and sex: United States and each State, 1960---------- 6-16

6-6. Deaths from nontransport accidents, by place of accident, color, and sex: United States and each State, 1960---------- 6-20

Table 6-1. Deaths From Motor Vehicle Accidents, by Type of Motor Vehicle Involved, Cause of Death, Color, and Sex: United States 1960

(Data refer only to deaths occurring within the United States, including Alaska and Hawaii. Includes each three-digit category from E810 to E835 to which one or more deaths were assigned in 1960. Numbers under types of vehicles are fourth-digit subcategory numbers of the International Lists, 1955)

Seventh Revision number	CAUSE OF DEATH, COLOR, AND SEX	Total deaths	TYPE OF MOTOR VEHICLE									
			Goods transport vehicle(s) only (.0)	Goods transport vehicle and passenger motor vehicle (.1)	Goods transport vehicle and motorbus (.2)	Goods transport vehicle and unspecified motor vehicle (.3)	Passenger motor vehicle(s) only (.4)	Passenger motor vehicle and motorbus (.5)	Passenger motor vehicle and unspecified motor vehicle (.6)	Motor bus(es) only (.7)	Motorbus and unspecified motor vehicle (.8)	Unspecified motor vehicles (.9)
E810-E825	MOTOR VEHICLE TRAFFIC ACCIDENTS	37,142	3,168	3,883	29	126	28,402	167	278	196	5	888
	White--Male	24,001	2,371	2,442	20	102	18,093	104	167	95	1	606
	White--Female	8,762	332	1,055	9	17	6,986	47	85	66	3	162
	Nonwhite--Male	3,341	393	294	-	5	2,497	12	17	24	1	98
	Nonwhite--Female	1,038	72	92	-	2	826	4	9	11	-	22
E810	Involving collision with railway train	1,368	268	-	-	-	1,053	-	-	14	-	33
	White--Male	904	225	-	-	-	652	-	-	3	-	24
	White--Female	338	21	-	-	-	306	-	-	4	-	7
	Nonwhite--Male	90	18	-	-	-	66	-	-	4	-	2
	Nonwhite--Female	36	4	-	-	-	29	-	-	3	-	-
E811	Involving collision with streetcar	5	-	-	-	-	5	-	-	-	-	-
	White--Male	-	-	-	-	-	-	-	-	-	-	-
	White--Female	1	-	-	-	-	1	-	-	-	-	-
	Nonwhite--Male	4	-	-	-	-	4	-	-	-	-	-
	Nonwhite--Female	-	-	-	-	-	-	-	-	-	-	-
E812	To pedestrian	7,284	905	6	-	-	5,934	-	-	148	-	291
	White--Male	4,267	541	4	-	-	3,475	-	-	78	-	169
	White--Female	1,681	193	2	-	-	1,386	-	-	48	-	52
	Nonwhite--Male	951	119	-	-	-	759	-	-	15	-	58
	Nonwhite--Female	385	52	-	-	-	314	-	-	7	-	12
E813	To pedal cyclist	450	87	-	-	-	344	-	-	4	-	15
	White--Male	366	76	-	-	-	275	-	-	3	-	12
	White--Female	48	8	-	-	-	40	-	-	-	-	-
	Nonwhite--Male	33	3	-	-	-	26	-	-	1	-	3
	Nonwhite--Female	3	-	-	-	-	3	-	-	-	-	-
E814	To rider or passenger of motorcycle in collision with nonmotor vehicle or object	40	-	-	-	-	40	-	-	-	-	-
	White--Male	38	-	-	-	-	38	-	-	-	-	-
	White--Female	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--Male	2	-	-	-	-	2	-	-	-	-	-
	Nonwhite--Female	-	-	-	-	-	-	-	-	-	-	-
E815	To rider or passenger of motorcycle in collision with other motor vehicle	428	-	73	-	-	339	6	10	-	-	-
	White--Male	378	-	69	-	-	295	6	8	-	-	-
	White--Female	26	-	-	-	-	24	-	2	-	-	-
	Nonwhite--Male	23	-	4	-	-	19	-	-	-	-	-
	Nonwhite--Female	1	-	-	-	-	1	-	-	-	-	-
E816	Other, involving two or more motor vehicles	12,788	390	3,804	29	126	7,803	161	268	-	5	202
	White--Male	7,710	327	2,369	20	102	4,495	98	159	-	1	139
	White--Female	3,950	26	1,053	9	17	2,665	47	83	-	3	47
	Nonwhite--Male	826	34	290	-	5	454	12	17	-	1	13
	Nonwhite--Female	302	3	92	-	2	189	4	9	-	-	3
E818	Involving collision with animal or animal-drawn vehicle	42	7	-	-	-	35	-	-	-	-	-
	White--Male	24	4	-	-	-	20	-	-	-	-	-
	White--Female	10	1	-	-	-	9	-	-	-	-	-
	Nonwhite--Male	7	2	-	-	-	5	-	-	-	-	-
	Nonwhite--Female	1	-	-	-	-	1	-	-	-	-	-
E819	Involving collision with fixed or unspecified object	1,529	115	-	-	-	1,358	-	-	1	-	55
	White--Male	1,098	103	-	-	-	951	-	-	-	-	44
	White--Female	243	5	-	-	-	229	-	-	-	-	9
	Nonwhite--Male	151	7	-	-	-	142	-	-	1	-	1
	Nonwhite--Female	37	-	-	-	-	36	-	-	-	-	1
E820	While boarding and alighting	39	2	-	-	-	24	-	-	13	-	-
	White--Male	14	1	-	-	-	10	-	-	3	-	-
	White--Female	21	-	-	-	-	13	-	-	8	-	-
	Nonwhite--Male	3	1	-	-	-	1	-	-	1	-	-
	Nonwhite--Female	1	-	-	-	-	-	-	-	1	-	-
E821	To rider of motorcycle not involving collision	245	-	-	-	-	245	-	-	-	-	-
	White--Male	220	-	-	-	-	220	-	-	-	-	-
	White--Female	20	-	-	-	-	20	-	-	-	-	-
	Nonwhite--Male	4	-	-	-	-	4	-	-	-	-	-
	Nonwhite--Female	1	-	-	-	-	1	-	-	-	-	-
E822	Involving overturning in roadway	1,255	277	-	-	-	955	-	-	-	-	23
	White--Male	900	218	-	-	-	662	-	-	-	-	20
	White--Female	190	17	-	-	-	172	-	-	-	-	1
	Nonwhite--Male	142	37	-	-	-	103	-	-	-	-	2
	Nonwhite--Female	23	5	-	-	-	18	-	-	-	-	-
E823	Involving running off roadway	7,937	731	-	-	-	7,023	-	-	2	-	181
	White--Male	5,651	594	-	-	-	4,912	-	-	1	-	144
	White--Female	1,375	39	-	-	-	1,313	-	-	1	-	22
	Nonwhite--Male	752	95	-	-	-	644	-	-	-	-	13
	Nonwhite--Female	159	3	-	-	-	154	-	-	-	-	2

Table 6-1. Deaths From Motor Vehicle Accidents, by Type of Motor Vehicle Involved, Cause of Death, Color, and Sex: United States 1960 —Con.

(Data refer only to deaths occurring within the United States, including Alaska and Hawaii. Includes each three-digit category from E810 to E835 to which one or more deaths were assigned in 1960. Numbers under types of vehicles are fourth-digit subcategory numbers of the International Lists, 1955)

Seventh Revision number	CAUSE OF DEATH, COLOR, AND SEX	Total deaths	TYPE OF MOTOR VEHICLE									
			Goods transport vehicle(s) only (.0)	Goods transport vehicle and passenger motor vehicle (.1)	Goods transport vehicle and motorbus (.2)	Goods transport vehicle and unspecified motor vehicle (.3)	Passenger motor vehicle(s) only (.4)	Passenger motor vehicle and motorbus (.5)	Passenger motor vehicle and unspecified motor vehicle (.6)	Motor bus(es) only (.7)	Motor-bus and unspecified motor vehicle (.8)	Unspecified motor vehicles (.9)
	MOTOR VEHICLE TRAFFIC ACCIDENTS—Con.											
E824	Other noncollision accident	803	306	-	-	-	461	-	-	12	-	24
	White--Male	516	216	-	-	-	281	-	-	6	-	13
	Female	149	19	-	-	-	117	-	-	5	-	8
	Nonwhite--Male	113	66	-	-	-	45	-	-	1	-	1
	Female	25	5	-	-	-	18	-	-	-	-	2
E825	Of unspecified nature	2,929	80	-	-	-	2,783	-	-	2	-	64
	White--Male	1,915	66	-	-	-	1,807	-	-	1	-	41
	Female	710	3	-	-	-	691	-	-	-	-	16
	Nonwhite--Male	240	11	-	-	-	223	-	-	1	-	5
	Female	64	-	-	-	-	62	-	-	-	-	2
E830-E835	MOTOR VEHICLE NONTRAFFIC ACCIDENTS	995	425	10	-	-	540	-	1	4	-	15
	White--Male	655	326	7	-	-	311	-	-	3	-	8
	Female	227	43	2	-	-	176	-	1	1	-	4
	Nonwhite--Male	87	46	1	-	-	37	-	-	-	-	3
	Female	26	10	-	-	-	16	-	-	-	-	-
E830	To pedestrian	569	255	1	-	-	300	-	-	3	-	10
	White--Male	346	196	-	-	-	143	-	-	3	-	4
	Female	155	34	-	-	-	118	-	-	-	-	3
	Nonwhite--Male	52	20	1	-	-	28	-	-	-	-	3
	Female	16	5	-	-	-	11	-	-	-	-	-
E831	To pedal cyclist	1	-	-	-	-	-	-	-	-	-	1
	White--Male	1	-	-	-	-	-	-	-	-	-	1
	Female	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--Male	-	-	-	-	-	-	-	-	-	-	-
	Female	-	-	-	-	-	-	-	-	-	-	-
E832	To rider or passenger of motorcycle	17	-	1	-	-	16	-	-	-	-	-
	White--Male	17	-	1	-	-	16	-	-	-	-	-
	Female	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--Male	-	-	-	-	-	-	-	-	-	-	-
	Female	-	-	-	-	-	-	-	-	-	-	-
E833	Other, involving two or more motor vehicles	36	4	8	-	-	23	-	1	-	-	-
	White--Male	31	4	6	-	-	21	-	-	-	-	-
	Female	5	-	2	-	-	2	-	1	-	-	-
	Nonwhite--Male	-	-	-	-	-	-	-	-	-	-	-
	Female	-	-	-	-	-	-	-	-	-	-	-
E834	While boarding and alighting	13	1	-	-	-	11	-	-	1	-	-
	White--Male	4	1	-	-	-	3	-	-	-	-	-
	Female	8	-	-	-	-	7	-	-	1	-	-
	Nonwhite--Male	1	-	-	-	-	1	-	-	-	-	-
	Female	-	-	-	-	-	-	-	-	-	-	-
E835	Of other and unspecified nature	359	165	-	-	-	190	-	-	-	-	4
	White--Male	256	125	-	-	-	128	-	-	-	-	3
	Female	59	9	-	-	-	49	-	-	-	-	1
	Nonwhite--Male	34	26	-	-	-	8	-	-	-	-	-
	Female	10	5	-	-	-	5	-	-	-	-	-

Table 6-2. Deaths From Nontransport Accidents, by Place of Accident, Cause of Death, Color, and Sex: United States, 1960

(Data refer only to deaths occurring within the United States, including Alaska and Hawaii. Includes each three-digit category from E870 to E936 to which one or more deaths were assigned in 1960. Numbers under places of accident are fourth-digit subcategory numbers of the International Lists, 1955)

Seventh Revision number	CAUSE OF DEATH, COLOR, AND SEX	Total deaths	PLACE OF ACCIDENT									
			Home[1] (.0)	Farm[2] (.1)	Mine and quarry (.2)	Industrial place and premises (.3)	Place for recreation and sport (.4)	Street and highway (.5)	Public building (.6)	Resident institution (.7)	Other specified places (.8)	Place not specified (.9)
E870-E888	ACCIDENTAL POISONING BY SOLID AND LIQUID SUBSTANCES	1,679	898	14	-	13	2	8	36	26	32	650
	White--Male	753	357	9	-	9	1	5	23	15	18	316
	White--Female	512	304	-	-	-	1	1	11	9	10	176
	Nonwhite--Male	269	148	3	-	4	-	2	2	2	3	105
	Nonwhite--Female	145	89	2	-	-	-	-	-	-	1	53
E870	Accidental poisoning by morphine and other opium derivatives	60	27	-	-	-	1	-	8	-	3	21
	White--Male	43	16	-	-	-	1	-	8	-	2	16
	White--Female	4	4	-	-	-	-	-	-	-	-	-
	Nonwhite--Male	9	3	-	-	-	-	-	-	-	1	5
	Nonwhite--Female	4	4	-	-	-	-	-	-	-	-	-
E871	Accidental poisoning by barbituric acid and derivatives	289	178	-	-	-	1	-	11	5	3	91
	White--Male	116	67	-	-	-	-	-	5	3	2	39
	White--Female	163	106	-	-	-	1	-	6	2	1	47
	Nonwhite--Male	6	2	-	-	-	-	-	-	-	-	4
	Nonwhite--Female	4	3	-	-	-	-	-	-	-	-	1
E872	Accidental poisoning by aspirin and salicylates	188	116	-	-	-	-	-	-	2	1	69
	White--Male	82	54	-	-	-	-	-	-	1	-	27
	White--Female	65	36	-	-	-	-	-	-	-	1	28
	Nonwhite--Male	26	16	-	-	-	-	-	-	1	-	9
	Nonwhite--Female	15	10	-	-	-	-	-	-	-	-	5
E873	Accidental poisoning by bromides	7	5	-	-	-	-	-	-	-	-	2
	White--Male	2	2	-	-	-	-	-	-	-	-	-
	White--Female	3	3	-	-	-	-	-	-	-	-	-
	Nonwhite--Male	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--Female	2	-	-	-	-	-	-	-	-	-	2
E874	Accidental poisoning by other analgesic and soporific drugs	160	90	-	-	-	-	1	6	1	1	61
	White--Male	69	33	-	-	-	-	1	2	1	-	32
	White--Female	75	47	-	-	-	-	-	3	-	1	24
	Nonwhite--Male	10	8	-	-	-	-	-	1	-	-	1
	Nonwhite--Female	6	2	-	-	-	-	-	-	-	-	4
E876	Accidental poisoning by strychnine	6	2	-	-	-	-	-	-	-	-	4
	White--Male	2	1	-	-	-	-	-	-	-	-	1
	White--Female	3	1	-	-	-	-	-	-	-	-	2
	Nonwhite--Male	1	-	-	-	-	-	-	-	-	-	1
	Nonwhite--Female	-	-	-	-	-	-	-	-	-	-	-
E877	Accidental poisoning by belladonna, hyoscine, and atropine	1	1	-	-	-	-	-	-	-	-	-
	White--Male	1	1	-	-	-	-	-	-	-	-	-
	White--Female	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--Male	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--Female	-	-	-	-	-	-	-	-	-	-	-
E878	Accidental poisoning by other and unspecified drugs	125	51	1	-	-	-	-	-	7	1	65
	White--Male	52	17	1	-	-	-	-	-	2	-	32
	White--Female	50	21	-	-	-	-	-	-	5	1	23
	Nonwhite--Male	15	8	-	-	-	-	-	-	-	-	7
	Nonwhite--Female	8	5	-	-	-	-	-	-	-	-	3
E879	Accidental poisoning by noxious foodstuffs	7	1	-	-	-	-	-	-	-	2	4
	White--Male	3	1	-	-	-	-	-	-	-	-	2
	White--Female	4	-	-	-	-	-	-	-	-	2	2
	Nonwhite--Male	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--Female	-	-	-	-	-	-	-	-	-	-	-
E880	Accidental poisoning by alcohol	357	149	1	-	3	-	6	5	3	10	180
	White--Male	174	57	1	-	1	-	4	4	3	7	97
	White--Female	38	26	-	-	-	-	-	-	-	1	11
	Nonwhite--Male	96	40	-	-	2	-	2	1	-	1	50
	Nonwhite--Female	49	26	-	-	-	-	-	-	-	1	22
E881	Accidental poisoning by petroleum products	43	33	1	-	-	-	-	-	-	-	9
	White--Male	15	12	-	-	-	-	-	-	-	-	3
	White--Female	7	5	-	-	-	-	-	-	-	-	2
	Nonwhite--Male	14	10	-	-	-	-	-	-	-	-	4
	Nonwhite--Female	7	6	1	-	-	-	-	-	-	-	-
E882	Accidental poisoning by industrial solvents	35	21	2	-	1	-	-	1	-	-	10
	White--Male	20	11	1	-	1	-	-	1	-	-	6
	White--Female	6	3	-	-	-	-	-	-	-	-	3
	Nonwhite--Male	6	4	1	-	-	-	-	-	-	-	1
	Nonwhite--Female	3	3	-	-	-	-	-	-	-	-	-
E883	Accidental poisoning by corrosive aromatics, acids, and caustic alkalies	56	30	-	-	1	-	-	-	3	2	20
	White--Male	23	10	-	-	1	-	-	-	1	1	10
	White--Female	17	8	-	-	-	-	-	-	2	1	6
	Nonwhite--Male	8	6	-	-	-	-	-	-	-	-	2
	Nonwhite--Female	8	6	-	-	-	-	-	-	-	-	2
E884	Accidental poisoning by mercury and its compounds	9	3	-	-	-	-	-	-	-	1	5
	White--Male	3	-	-	-	-	-	-	-	-	1	2
	White--Female	4	2	-	-	-	-	-	-	-	-	2
	Nonwhite--Male	1	1	-	-	-	-	-	-	-	-	-
	Nonwhite--Female	1	-	-	-	-	-	-	-	-	-	1

See footnotes at end of table.

Table 6-2. Deaths From Nontransport Accidents, by Place of Accident, Cause of Death, Color, and Sex: United States, 1960—Con.

(Data refer only to deaths occurring within the United States, including Alaska and Hawaii. Includes each three-digit category from E870 to E936 to which one or more deaths were assigned in 1960. Numbers under places of accident are fourth-digit subcategory numbers of the International Lists, 1955)

Seventh Revision number	CAUSE OF DEATH, COLOR, AND SEX	Total deaths	PLACE OF ACCIDENT									
			Home[1] (.0)	Farm[2] (.1)	Mine and quarry (.2)	Industrial place and premises (.3)	Place for recreation and sport (.4)	Street and highway (.5)	Public building (.6)	Resident institution (.7)	Other specified places (.8)	Place not specified (.9)
	ACCIDENTAL POISONING BY SOLID AND LIQUID SUBSTANCES—Con.											
E885	Accidental poisoning by lead and its compounds	98	65	-	-	4	-	-	-	-	-	29
	White—Male	29	12	-	-	3	-	-	-	-	-	14
	White—Female	17	13	-	-	-	-	-	-	-	-	4
	Nonwhite—Male	30	23	-	-	1	-	-	-	-	-	6
	Nonwhite—Female	22	17	-	-	-	-	-	-	-	-	5
E886	Accidental poisoning by arsenic and antimony, and their compounds	31	21	2	-	-	-	-	-	-	1	7
	White—Male	14	10	1	-	-	-	-	-	-	-	3
	White—Female	11	6	-	-	-	-	-	-	-	1	4
	Nonwhite—Male	5	5	-	-	-	-	-	-	-	-	-
	Nonwhite—Female	1	-	1	-	-	-	-	-	-	-	-
E887	Accidental poisoning by fluorides	7	5	-	-	-	-	-	1	-	-	1
	White—Male	3	2	-	-	-	-	-	-	-	-	1
	White—Female	1	-	-	-	-	-	-	-	-	-	-
	Nonwhite—Male	1	1	-	-	-	-	-	-	-	-	-
	Nonwhite—Female	2	2	-	-	-	-	-	-	-	-	-
E888	Accidental poisoning by other and unspecified solid and liquid substances	200	100	7	-	4	-	1	4	5	7	72
	White—Male	102	51	5	-	3	-	-	3	4	5	31
	White—Female	44	23	-	-	-	-	1	1	-	1	18
	Nonwhite—Male	41	21	2	-	1	-	-	-	1	1	15
	Nonwhite—Female	13	5	-	-	-	-	-	-	-	-	8
E890-E895	ACCIDENTAL POISONING BY GASES AND VAPORS	1,253	824	19	4	82	4	74	63	4	90	89
	White—Male	794	484	16	4	70	3	44	42	3	64	64
	White—Female	294	232	-	-	5	1	14	15	-	11	16
	Nonwhite—Male	106	67	1	-	7	-	11	3	1	11	5
	Nonwhite—Female	59	41	2	-	-	-	5	3	-	4	4
E890	Accidental poisoning by utility (illuminating) gas	370	331	-	-	3	-	-	18	1	6	11
	White—Male	188	154	-	-	3	-	-	13	1	6	11
	White—Female	117	112	-	-	-	-	-	5	-	-	-
	Nonwhite—Male	38	38	-	-	-	-	-	-	-	-	-
	Nonwhite—Female	27	27	-	-	-	-	-	-	-	-	-
E891	Accidental poisoning by motor vehicle exhaust gas	455	239	8	3	32	-	70	24	-	58	21
	White—Male	333	195	5	3	25	-	41	13	-	37	14
	White—Female	72	36	-	-	4	-	14	5	-	10	3
	Nonwhite—Male	35	8	1	-	3	-	10	3	-	7	3
	Nonwhite—Female	15	-	2	-	-	-	5	3	-	4	1
E892	Accidental poisoning by other carbon monoxide gas	295	211	1	1	7	4	3	15	2	10	41
	White—Male	168	106	1	1	6	3	2	11	1	7	30
	White—Female	88	73	-	-	1	1	-	4	-	1	8
	Nonwhite—Male	25	19	-	-	-	-	1	-	1	2	2
	Nonwhite—Female	14	13	-	-	-	-	-	-	-	-	1
E893	Accidental poisoning by cyanide gas	8	-	2	-	6	-	-	-	-	-	-
	White—Male	8	-	2	-	6	-	-	-	-	-	-
	White—Female	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite—Male	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite—Female	-	-	-	-	-	-	-	-	-	-	-
E894	Accidental poisoning by other specified gases and vapors	112	40	8	-	26	-	1	6	1	14	7
	White—Male	85	27	8	-	22	-	1	5	1	12	-
	White—Female	16	10	-	-	-	-	-	1	-	-	5
	Nonwhite—Male	8	2	-	-	4	-	-	-	-	2	-
	Nonwhite—Female	3	1	-	-	-	-	-	-	-	-	2
E895	Accidental poisoning by unspecified gases and vapors	13	3	-	-	8	-	-	-	-	2	-
	White—Male	12	2	-	-	8	-	-	-	-	2	-
	White—Female	1	1	-	-	-	-	-	-	-	-	-
	Nonwhite—Male	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite—Female	-	-	-	-	-	-	-	-	-	-	-
E900-E904	ACCIDENTAL FALLS	19,023	10,379	197	31	472	67	972	666	2,588	613	3,038
	White—Male	8,407	3,953	173	29	415	42	640	466	989	450	1,250
	White—Female	9,198	5,644	11	1	7	15	225	151	1,528	65	1,551
	Nonwhite—Male	890	427	13	1	50	9	84	41	34	85	146
	Nonwhite—Female	528	355	-	-	-	1	23	8	37	13	91
E900	Fall on stairs	2,348	1,901	6	-	9	3	10	196	76	68	79
	White—Male	1,228	957	6	-	8	2	8	139	28	36	44
	White—Female	889	751	-	-	1	1	1	46	44	18	27
	Nonwhite—Male	158	130	-	-	-	-	-	9	1	11	7
	Nonwhite—Female	73	63	-	-	-	-	1	2	3	3	1
E901	Fall from ladders	316	177	14	-	39	-	6	30	3	31	16
	White—Male	275	155	13	-	34	-	6	25	2	26	14
	White—Female	13	13	-	-	-	-	-	-	-	-	-
	Nonwhite—Male	27	8	1	-	5	-	-	5	1	5	2
	Nonwhite—Female	1	1	-	-	-	-	-	-	-	-	-

See footnotes at end of table.

692-280 O - 63 - 15

Table 6-2. Deaths From Nontransport Accidents, by Place of Accident, Cause of Death, Color, and Sex: United States, 1960 —Con.

(Data refer only to deaths occurring within the United States, including Alaska and Hawaii. Includes each three-digit category from E870 to E936 to which one or more deaths were assigned in 1960. Numbers under places of accident are fourth-digit subcategory numbers of the International Lists, 1955)

Seventh Revision number	CAUSE OF DEATH, COLOR, AND SEX	Total deaths	PLACE OF ACCIDENT									
			Home[1] (.0)	Farm[2] (.1)	Mine and quarry (.2)	Industrial place and premises (.3)	Place for recreation and sport (.4)	Street and highway (.5)	Public building (.6)	Resident institution (.7)	Other specified places (.8)	Place not specified (.9)
	ACCIDENTAL FALLS—Con.											
E902	Other falls from one level to another	3,355	1,511	127	24	326	46	85	165	576	343	152
	White—Male	1,922	686	117	22	294	31	52	126	236	267	91
	Female	994	560	2	1	2	9	17	20	322	16	45
	Nonwhite—Male	316	165	8	1	30	5	11	16	12	54	14
	Female	123	100	-	-	-	1	5	3	6	6	2
E903	Fall on same level	3,689	2,099	17	1	32	10	629	77	677	44	103
	White—Male	1,450	639	15	1	24	7	399	46	242	27	50
	Female	2,064	1,377	-	-	2	3	175	28	418	13	48
	Nonwhite—Male	93	32	2	-	6	-	42	1	5	2	3
	Female	82	51	-	-	-	-	13	2	12	2	2
E904	Unspecified falls	9,315	4,691	33	6	66	8	242	198	1,256	127	2,688
	White—Male	3,532	1,516	22	6	55	2	175	130	481	94	1,051
	Female	5,238	2,943	9	-	2	2	32	57	744	18	1,431
	Nonwhite—Male	296	92	2	-	9	4	31	10	15	13	120
	Female	249	140	-	-	-	-	4	1	16	2	86
E910-E936	OTHER ACCIDENTS	27,673	11,967	2,177	581	1,893	556	733	561	702	5,028	3,475
	White—Male	16,062	5,175	1,722	512	1,604	366	545	413	374	3,518	1,833
	Female	5,270	3,406	143	6	15	94	70	75	218	472	771
	Nonwhite—Male	4,215	1,769	279	58	270	86	103	66	72	935	577
	Female	2,126	1,617	33	5	4	10	15	7	38	103	294
E910	Blow from falling or projected object or missile	1,404	211	156	218	452	21	67	43	4	174	58
	White—Male	1,167	161	135	211	382	17	51	28	1	142	39
	Female	45	26	6	-	2	1	2	2	1	4	1
	Nonwhite—Male	182	18	12	7	68	2	14	13	2	28	18
	Female	10	6	3	-	-	1	-	-	-	-	-
E911	Accident caused by vehicle	70	-	-	46	22	-	1	1	-	-	-
	White—Male	63	-	-	43	18	-	1	1	-	-	-
	Female	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite—Male	7	-	-	3	4	-	-	-	-	-	-
	Female	-	-	-	-	-	-	-	-	-	-	-
E912	Accident caused by machinery	1,951	73	863	75	556	14	115	34	10	136	75
	White—Male	1,689	55	766	69	484	10	102	24	7	113	59
	Female	63	12	38	-	4	3	1	1	1	2	1
	Nonwhite—Male	194	4	58	6	67	1	12	9	2	21	14
	Female	5	2	1	-	1	-	-	-	-	-	1
E913	Accident caused by cutting and piercing instruments	126	67	6	1	13	1	6	5	3	9	15
	White—Male	64	30	4	1	8	-	4	3	2	4	8
	Female	20	18	-	-	-	1	1	-	-	-	-
	Nonwhite—Male	30	9	2	-	5	-	1	2	1	5	5
	Female	12	10	-	-	-	-	-	-	-	-	2
E914	Accident caused by electric current	989	277	97	31	186	9	93	44	4	192	56
	White—Male	838	204	86	30	163	8	83	38	3	174	49
	Female	66	47	3	-	2	-	3	2	1	6	2
	Nonwhite—Male	80	23	8	1	21	1	7	4	-	12	3
	Female	5	3	-	-	-	-	-	-	-	-	2
E915	Accident caused by explosion of pressure vessel	38	2	1	-	29	-	1	2	1	2	-
	White	35	2	1	-	26	-	1	2	1	2	-
	Female	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite—Male	3	-	-	-	3	-	-	-	-	-	-
	Female	-	-	-	-	-	-	-	-	-	-	-
E916	Accident caused by fire and explosion of combustible material	7,645	6,311	115	32	340	17	37	192	110	158	333
	White—Male	3,100	2,195	82	31	295	12	26	154	73	100	132
	Female	2,148	1,978	13	-	4	4	8	27	22	19	73
	Nonwhite—Male	1,179	1,010	14	1	40	1	2	10	10	37	54
	Female	1,218	1,128	6	-	1	-	1	1	5	2	74
E917	Accident caused by hot substance, corrosive liquid, and steam	400	309	2	-	33	-	-	6	24	4	22
	White—Male	159	110	2	-	23	-	-	3	11	2	8
	Female	132	115	-	-	-	-	-	2	6	1	8
	Nonwhite—Male	71	50	-	-	9	-	-	-	5	1	6
	Female	38	34	-	-	1	-	-	1	2	-	-
E918	Accident caused by radiation	2	-	-	-	-	-	-	1	-	-	1
	White—Male	1	-	-	-	-	-	-	1	-	-	-
	Female	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite—Male	-	-	-	-	-	-	-	-	-	-	-
	Female	1	-	-	-	-	-	-	-	-	-	1
E919	Accident caused by firearm	2,334	1,119	279	19	18	17	107	74	1	360	340
	White—Male	1,671	734	240	18	15	13	77	54	1	312	207
	Female	229	159	10	-	1	1	6	5	-	15	32
	Nonwhite—Male	339	164	25	1	2	3	21	14		27	82
	Female	95	62	4	-	-	-	3	1		6	19
E921	Inhalation and ingestion of food causing obstruction or suffocation	1,949	891	1	-	5	4	15	65	336	33	599
	White—Male	969	428	1	-	5	4	11	45	161	22	292
	Female	604	259	-	-	-	-	1	20	119	5	200
	Nonwhite—Male	210	114	-	-	-	-	3	-	35	4	54
	Female	166	90	-	-	-	-	-	-	21	2	53

See footnotes at end of table.

Table 6-2. Deaths From Nontransport Accidents, by Place of Accident, Cause of Death, Color, and Sex: United States, 1960—Con.

(Data refer only to deaths occurring within the United States, including Alaska and Hawaii. Includes each three-digit category from E870 to E936 to which one or more deaths were assigned in 1960. Numbers under places of accident are fourth-digit subcategory numbers of the International Lists, 1955)

Seventh Revision number	CAUSE OF DEATH, COLOR, AND SEX	Total deaths	PLACE OF ACCIDENT									
			Home[1] (.0)	Farm[2] (.1)	Mine and quarry (.2)	Industrial place and premises (.3)	Place for recreation and sport (.4)	Street and highway (.5)	Public building (.6)	Resident institution (.7)	Other specified places (.8)	Place not specified (.9)
	OTHER ACCIDENTS—Con.											
E922	Inhalation and ingestion of other object causing obstruction or suffocation	448	193	1	-	-	2	3	2	58	9	180
	White—Male	218	94	-	-	-	1	3	2	26	4	88
	White—Female	142	60	1	-	-	-	-	-	21	3	57
	Nonwhite—Male	54	21	-	-	-	1	-	-	4	1	27
	Nonwhite—Female	34	18	-	-	-	-	-	-	7	1	8
E923	Foreign body entering other orifice	120	30	1	-	1	-	-	-	7	2	79
	White—Male	61	12	1	-	1	-	-	-	6	1	40
	White—Female	39	10	-	-	-	-	-	-	1	1	27
	Nonwhite—Male	15	7	-	-	-	-	-	-	-	-	8
	Nonwhite—Female	5	1	-	-	-	-	-	-	-	-	4
E924	Accidental mechanical suffocation in bed and cradle	1,047	985	-	-	-	-	1	3	6	8	44
	White—Male	399	368	-	-	-	-	1	2	3	2	23
	White—Female	304	286	-	-	-	-	-	-	2	5	11
	Nonwhite—Male	186	181	-	-	-	-	-	-	-	1	4
	Nonwhite—Female	158	150	-	-	-	-	-	1	1	-	6
E925	Accidental mechanical suffocation in other and unspecified circumstances	486	206	24	17	61	1	21	4	5	77	70
	White—Male	287	87	22	16	52	-	14	3	3	61	29
	White—Female	91	63	1	-	1	-	-	1	1	6	18
	Nonwhite—Male	79	35	1	1	8	-	5	-	1	10	18
	Nonwhite—Female	29	21	-	-	-	1	2	-	-	-	5
E926	Lack of care of infants under 1 year of age	24	9	-	-	-	-	-	-	-	-	15
	White—Male	3	3	-	-	-	-	-	-	-	-	-
	White—Female	5	2	-	-	-	-	-	-	-	-	3
	Nonwhite—Male	8	2	-	-	-	-	-	-	-	-	6
	Nonwhite—Female	8	2	-	-	-	-	-	-	-	-	6
E927	Accidents caused by bites and stings of venomous animals and insects	66	26	14	-	1	-	1	-	-	3	21
	White—Male	40	18	10	-	1	-	1	-	-	-	10
	White—Female	15	4	1	-	-	-	-	-	-	1	9
	Nonwhite—Male	10	4	3	-	-	-	-	-	-	1	2
	Nonwhite—Female	1	-	-	-	-	-	-	-	-	1	-
E928	Other accidents caused by animals	141	22	87	-	1	2	2	1	1	9	16
	White—Male	102	7	71	-	1	2	-	1	1	6	13
	White—Female	23	9	9	-	-	-	2	-	-	2	1
	Nonwhite—Male	13	3	7	-	-	-	-	-	-	1	2
	Nonwhite—Female	3	3	-	-	-	-	-	-	-	-	-
E929	Accidental drowning	5,232	487	385	124	55	415	4	15	13	3,520	214
	White—Male	3,355	249	202	77	35	263	3	8	10	2,377	131
	White—Female	708	173	47	6	1	74	1	3	2	373	28
	Nonwhite—Male	1,032	38	119	36	18	70	-	3	-	698	50
	Nonwhite—Female	137	27	17	5	1	8	-	1	1	72	5
E930	High and low air pressure	1	-	-	-	-	-	-	-	-	1	-
	White—Male	1	-	-	-	-	-	-	-	-	1	-
	White—Female	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite—Male	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite—Female	-	-	-	-	-	-	-	-	-	-	-
E931	Excessive heat and insolation	168	18	6	-	14	-	4	1	11	17	97
	White—Male	101	11	6	-	8	-	1	-	8	13	54
	White—Female	33	3	-	-	-	-	1	1	2	2	24
	Nonwhite—Male	25	3	-	-	6	-	2	-	1	2	11
	Nonwhite—Female	9	1	-	-	-	-	-	-	-	-	8
E932	Excessive cold	357	79	33	-	8	1	37	1	2	67	129
	White—Male	203	39	19	-	5	1	28	-	-	42	69
	White—Female	45	13	3	-	-	-	4	-	2	2	21
	Nonwhite—Male	88	20	10	-	3	-	3	-	-	22	30
	Nonwhite—Female	21	7	1	-	-	-	2	1	-	1	9
E933	Hunger, thirst, and exposure	222	15	8	-	-	2	4	-	2	57	134
	White—Male	104	7	2	-	-	1	1	-	-	34	59
	White—Female	38	2	2	-	-	-	-	-	1	7	26
	Nonwhite—Male	48	3	4	-	-	1	1	-	1	14	24
	Nonwhite—Female	32	3	-	-	-	-	2	-	-	2	25
E934	Cataclysm	170	47	8	-	4	1	19	5	-	80	6
	White—Male	62	15	5	-	4	-	11	5	-	23	1
	White—Female	38	18	1	-	-	1	4	-	-	11	3
	Nonwhite—Male	48	9	2	-	-	-	4	-	-	32	1
	Nonwhite—Female	22	7	-	-	-	-	-	-	-	14	1
E935	Lightning	129	20	53	-	2	14	5	4	1	24	6
	White—Male	83	12	35	-	2	7	2	3	1	18	3
	White—Female	17	5	5	-	-	4	2	-	-	1	-
	Nonwhite—Male	26	2	12	-	-	3	1	1	-	4	3
	Nonwhite—Female	3	1	1	-	-	-	-	-	-	1	-
E936	Other and unspecified accidents	2,154	570	37	18	92	35	190	58	103	86	965
	White—Male	1,287	336	32	16	76	27	124	36	56	65	519
	White—Female	465	144	3	-	-	5	34	11	36	6	226
	Nonwhite—Male	298	49	2	2	16	3	27	10	10	14	155
	Nonwhite—Female	114	41	-	-	-	-	5	1	1	1	65

[1]Including home premises and any noninstitutional place of residence.

[2]Including buildings and land under cultivation, but excluding farm home and home premises.

Table 6-3. Deaths From Motor Vehicle Accidents, by Type of Motor

(Data refer only to deaths occurring within the United States, including Alaska and Hawaii. Deaths are those assigned to category

	CAUSE OF DEATH, TYPE OF MOTOR VEHICLE INVOLVED, RACE, AND SEX	Total	Under 1 year	1 year	2 years	3 years	4 years	Under 5 years	5-9 years	10-14 years	15-19 years
1	ALL MOTOR VEHICLE TRANSPORT ACCIDENTS (E810-E835)	38,137	332	399	399	434	389	1,953	1,628	1,186	4,484
2	White---Male	24,656	157	185	200	219	191	952	883	737	3,152
3	Female	8,989	128	154	134	144	130	690	491	310	968
4	Negro---Male	3,023	19	33	28	40	36	156	139	89	235
5	Female	943	23	19	29	24	24	119	98	32	68
6	Other---Male	405	4	7	3	5	2	21	12	14	42
7	Female	121	1	1	5	2	6	15	5	4	19
8	Goods transport vehicle(s), but no other motor vehicle (.0)	3,593	13	70	72	76	75	306	234	199	258
9	White---Male	2,697	6	39	34	52	36	167	154	145	204
10	Female	375	4	23	22	12	20	81	39	18	28
11	Negro---Male	389	2	5	10	7	11	35	23	27	21
12	Female	68	1	2	4	3	5	15	13	3	2
13	Other---Male	50	-	1	-	1	1	3	2	5	3
14	Female	14	-	-	2	1	2	5	3	1	-
15	Goods transport vehicle and passenger motor vehicle (.1)	3,893	38	27	18	28	28	139	74	96	453
16	White---Male	2,449	20	11	10	7	14	62	29	52	309
17	Female	1,057	16	12	5	20	10	63	38	37	111
18	Negro---Male	245	-	1	1	-	4	6	3	4	21
19	Female	74	-	2	2	1	-	5	2	1	8
20	Other---Male	50	1	1	-	-	-	2	1	1	2
21	Female	18	1	-	-	-	-	1	1	1	2
22	Goods transport vehicle and motorbus (.2)	29	-	-	-	-	-	-	2	1	3
23	White---Male	20	-	-	-	-	-	-	-	-	3
24	Female	9	-	-	-	-	-	-	2	1	-
25	Negro---Male	-	-	-	-	-	-	-	-	-	-
26	Female	-	-	-	-	-	-	-	-	-	-
27	Other---Male	-	-	-	-	-	-	-	-	-	-
28	Female	-	-	-	-	-	-	-	-	-	-
29	Goods transport vehicle and unspecified motor vehicle (.3)	126	2	-	2	-	-	4	-	2	3
30	White---Male	102	1	-	1	-	-	2	-	2	2
31	Female	17	-	-	1	-	-	1	-	-	1
32	Negro---Male	5	-	-	-	-	-	-	-	-	-
33	Female	2	1	-	-	-	-	1	-	-	-
34	Other---Male	-	-	-	-	-	-	-	-	-	-
35	Female	-	-	-	-	-	-	-	-	-	-
36	Passenger motor vehicle(s), but no other motor vehicle (.4)	28,942	267	290	291	315	278	1,441	1,232	834	3,636
37	White---Male	18,404	125	128	148	151	137	690	662	509	2,548
38	Female	7,162	101	113	100	107	98	519	382	242	800
39	Negro---Male	2,247	17	27	16	32	21	113	103	50	185
40	Female	763	21	15	21	10	19	96	76	23	55
41	Other---Male	287	3	5	3	4	1	16	8	8	33
42	Female	79	-	1	3	1	2	7	1	2	15
43	Passenger motor vehicle and motorbus (.5)	167	1	-	1	2	-	4	5	10	13
44	White---Male	104	-	-	-	1	-	1	3	5	9
45	Female	47	1	-	-	1	-	2	1	4	3
46	Negro---Male	12	-	-	-	-	-	-	-	-	1
47	Female	4	-	-	1	-	-	1	1	1	-
48	Other---Male	-	-	-	-	-	-	-	-	-	-
49	Female	-	-	-	-	-	-	-	-	-	-
50	Passenger motor vehicle and unspecified motor vehicle (.6)	279	6	2	1	2	1	12	6	7	18
51	White---Male	167	2	2	-	2	1	7	5	3	11
52	Female	86	4	-	1	-	-	5	1	2	7
53	Negro---Male	14	-	-	-	-	-	-	-	-	-
54	Female	8	-	-	-	-	-	-	-	2	-
55	Other---Male	3	-	-	-	-	-	-	-	-	-
56	Female	1	-	-	-	-	-	-	-	-	-
57	Motorbus(es), but no other motor vehicle (.7)	200	-	1	1	2	2	6	41	15	6
58	White---Male	98	-	-	-	-	2	2	19	7	3
59	Female	67	-	1	-	1	-	2	14	2	1
60	Negro---Male	23	-	-	-	1	-	1	4	4	1
61	Female	11	-	-	1	-	-	1	3	2	1
62	Other---Male	1	-	-	-	-	-	-	1	-	-
63	Female	-	-	-	-	-	-	-	-	-	-
64	Motorbus and unspecified motor vehicle (.8)	5	-	-	-	-	-	-	-	-	-
65	White---Male	1	-	-	-	-	-	-	-	-	-
66	Female	3	-	-	-	-	-	-	-	-	-
67	Negro---Male	1	-	-	-	-	-	-	-	-	-
68	Female	-	-	-	-	-	-	-	-	-	-
69	Other---Male	-	-	-	-	-	-	-	-	-	-
70	Female	-	-	-	-	-	-	-	-	-	-
71	Unspecified motor vehicles (.9)	903	5	9	13	9	5	41	34	22	94
72	White---Male	614	3	4	7	6	1	21	11	14	63
73	Female	186	2	5	5	3	2	17	14	4	17
74	Negro---Male	87	-	-	1	-	-	1	6	4	6
75	Female	13	-	-	-	-	-	-	3	-	2
76	Other---Male	14	-	-	-	-	-	-	-	-	4
77	Female	9	-	-	-	-	2	2	-	-	2

Vehicle Involved, Age, Race, and Sex: United States, 1960

numbers E810-E835 of the Seventh Revision of the International Lists, 1955. Numbers after types of vehicle are fourth-digit subcategory numbers)

20-24 years	25-29 years	30-34 years	35-39 years	40-44 years	45-49 years	50-54 years	55-59 years	60-64 years	65-69 years	70-74 years	75-79 years	80-84 years	85-89 years	90-94 years	95-99 years	100 and over	Not stated	
4,633	2,998	2,550	2,380	2,261	2,254	2,134	2,035	1,871	1,820	1,637	1,234	704	275	66	10	1	23	1
3,416	2,116	1,724	1,564	1,436	1,404	1,303	1,223	1,136	1,101	1,038	793	460	170	33	2	-	13	2
689	445	474	493	488	529	540	586	532	551	499	379	203	81	28	8	-	5	3
371	311	260	238	235	233	195	149	143	118	58	41	30	13	4	-	-	4	4
71	78	50	59	76	51	64	47	46	35	26	12	2	8	-	-	-	1	5
74	39	31	22	19	26	25	24	11	12	15	7	6	3	1	-	1	-	6
12	9	11	4	7	11	6	6	3	3	1	2	3	-	-	-	-	-	7
253	237	264	257	273	276	211	203	197	127	135	84	52	19	4	-	-	4	8
203	186	218	200	229	214	160	155	153	96	94	61	41	10	3	-	-	4	9
7	8	14	16	14	18	22	20	14	17	26	20	6	6	1	-	-	-	10
35	35	26	33	22	37	25	21	20	12	7	3	5	2	-	-	-	-	11
2	1	3	3	6	3	3	3	8	1	1	-	-	1	-	-	-	-	12
6	7	3	4	2	3	-	3	2	1	6	-	-	-	-	-	-	-	13
-	-	-	1	-	1	1	1	-	-	1	-	-	-	-	-	-	-	14
483	326	330	302	269	270	232	239	200	195	128	95	43	14	3	-	-	2	15
339	212	232	184	168	163	143	140	110	120	92	61	23	7	2	-	-	1	16
86	68	58	80	68	80	65	79	78	59	32	29	17	7	1	-	-	1	17
30	31	30	25	20	15	16	12	10	14	3	3	2	-	-	-	-	-	18
10	9	7	9	6	5	6	2	2	1	1	-	-	-	-	-	-	-	19
14	4	2	2	6	5	2	5	-	1	-	2	1	-	-	-	-	-	20
4	2	1	2	1	2	-	1	-	-	-	-	-	-	-	-	-	-	21
1	2	1	-	2	3	4	3	2	1	2	1	1	-	-	-	-	-	22
-	2	1	-	2	3	3	1	2	1	1	1	-	-	-	-	-	-	23
1	-	-	-	-	-	1	2	-	-	1	-	1	-	-	-	-	-	24
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	25
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	26
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	27
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	28
17	10	14	11	13	7	9	14	7	7	3	2	3	-	-	-	-	-	29
16	6	8	10	12	7	6	12	5	6	3	2	3	-	-	-	-	-	30
-	2	3	1	1	-	3	2	2	1	-	-	-	-	-	-	-	-	31
1	2	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	32
-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	33
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	34
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	35
3,731	2,308	1,826	1,705	1,606	1,608	1,592	1,478	1,379	1,402	1,294	997	564	227	56	10	1	15	36
2,746	1,620	1,193	1,098	968	961	937	857	809	824	802	636	366	143	26	2	-	7	37
577	350	373	378	383	413	427	461	418	448	413	310	167	64	25	8	-	4	38
291	240	191	166	179	167	147	102	106	88	47	33	22	10	4	-	-	3	39
58	65	37	46	60	42	53	42	35	31	23	11	2	7	-	-	-	1	40
51	27	24	16	10	18	23	13	8	8	9	5	5	3	1	-	1	-	41
8	6	8	1	6	7	5	3	3	3	-	2	2	-	-	-	-	-	42
15	17	14	19	8	7	10	13	7	9	8	3	4	1	-	-	-	-	43
11	14	8	12	4	3	5	6	6	5	7	2	3	-	-	-	-	-	44
-	3	5	4	2	4	4	6	1	4	1	1	1	1	-	-	-	-	45
4	-	1	3	1	-	1	1	-	-	-	-	-	-	-	-	-	-	46
-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	47
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	48
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	49
24	25	28	15	22	15	20	11	22	23	15	3	12	1	-	-	-	-	50
16	17	17	11	11	10	10	7	12	14	8	1	6	1	-	-	-	-	51
7	5	8	3	5	2	10	4	6	7	7	2	5	-	-	-	-	-	52
1	1	1	1	4	1	-	-	4	-	-	-	1	-	-	-	-	-	53
-	2	1	-	1	1	-	-	-	1	-	-	-	-	-	-	-	-	54
-	-	1	-	1	-	-	-	-	1	-	-	-	-	-	-	-	-	55
-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	56
3	2	6	2	5	9	8	12	14	15	24	17	11	3	1	-	-	-	57
2	2	3	-	2	5	5	6	9	7	10	9	5	1	1	-	-	-	58
-	-	2	-	2	3	1	4	3	5	14	7	6	1	-	-	-	-	59
-	-	1	2	-	1	2	2	2	2	-	-	-	1	-	-	-	-	60
1	-	-	-	1	-	-	-	-	1	-	1	-	-	-	-	-	-	61
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	62
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	63
2	-	-	-	-	1	1	-	-	1	-	-	-	-	-	-	-	-	64
-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	65
1	-	-	-	-	-	1	-	-	1	-	-	-	-	-	-	-	-	66
1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	67
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	68
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	69
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	70
104	71	67	69	63	58	47	62	43	40	28	32	14	10	2	-	-	2	71
83	57	44	49	40	37	34	39	30	28	21	20	13	8	1	-	-	1	72
10	9	11	11	13	9	6	8	10	9	5	10	-	2	1	-	-	-	73
8	2	8	8	9	12	5	11	1	2	1	2	-	-	-	-	-	1	74
-	1	1	1	1	-	2	-	1	-	1	-	-	-	-	-	-	-	75
3	1	1	-	-	-	-	3	1	1	-	-	-	-	-	-	-	-	76
-	1	2	-	-	-	-	1	-	-	-	-	1	-	-	-	-	-	77

Table 6-3. Deaths From Motor Vehicle Accidents, by Type of Motor

(Data refer only to deaths occurring within the United States, including Alaska and Hawaii. Deaths are those assigned to category

	CAUSE OF DEATH, TYPE OF MOTOR VEHICLE INVOLVED, RACE, AND SEX	Total	Under 1 year	1 year	2 years	3 years	4 years	Under 5 years	5-9 years	10-14 years	15-19 years
1	Motor vehicle traffic accidents (E810-E825)	37,142	322	245	323	367	359	1,636	1,577	1,152	4,439
2	White--Male	24,001	153	115	164	190	176	798	854	713	3,115
3	White--Female	8,762	123	94	103	128	119	567	476	305	965
4	Negro--Male	2,947	18	19	24	39	33	133	134	88	232
5	Negro--Female	922	23	14	26	23	23	109	96	29	68
6	Other--Male	394	4	3	3	5	2	17	12	13	40
7	Other--Female	116	1	-	3	2	6	12	5	4	19
8	Goods transport vehicle(s), but no other motor vehicle (.0)	3,168	10	31	45	57	62	205	209	174	233
9	White--Male	2,371	5	17	21	36	29	108	136	127	184
10	White--Female	332	3	10	13	9	15	50	37	16	27
11	Negro--Male	348	1	2	8	7	10	28	20	26	18
12	Negro--Female	59	1	1	2	3	5	12	11	-	2
13	Other--Male	45	-	1	-	1	1	3	2	4	2
14	Other--Female	13	-	-	1	1	2	4	3	1	-
15	Goods transport vehicle and passenger motor vehicle (.1)	3,883	38	27	18	28	28	139	74	96	452
16	White--Male	2,442	20	11	10	7	14	62	29	52	308
17	White--Female	1,055	16	12	5	20	10	63	38	37	111
18	Negro--Male	244	-	1	1	-	4	6	3	4	21
19	Negro--Female	74	-	2	2	1	-	5	2	1	8
20	Other--Male	50	1	1	-	-	-	2	1	1	2
21	Other--Female	18	1	-	-	-	-	1	1	1	2
22	Goods transport vehicle and motorbus (.2)	29	-	-	-	-	-	-	2	1	3
23	White--Male	20	-	-	-	-	-	-	-	-	3
24	White--Female	9	-	-	-	-	-	-	2	1	-
25	Negro--Male	-	-	-	-	-	-	-	-	-	-
26	Negro--Female	-	-	-	-	-	-	-	-	-	-
27	Other--Male	-	-	-	-	-	-	-	-	-	-
28	Other--Female	-	-	-	-	-	-	-	-	-	-
29	Goods transport vehicle and unspecified motor vehicle (.3)	126	2	-	2	-	-	4	-	2	3
30	White--Male	102	1	-	1	-	-	2	-	2	2
31	White--Female	17	-	-	1	-	-	1	-	-	1
32	Negro--Male	5	-	-	-	-	-	-	-	-	-
33	Negro--Female	2	1	-	-	-	-	1	-	-	-
34	Other--Male	-	-	-	-	-	-	-	-	-	-
35	Other--Female	-	-	-	-	-	-	-	-	-	-
36	Passenger motor vehicle(s), but no other motor vehicle (.4)	26,402	260	178	243	287	261	1,229	1,207	825	3,617
37	White--Male	18,093	122	83	125	138	129	597	651	503	2,532
38	White--Female	6,986	97	67	79	94	92	429	370	239	798
39	Negro--Male	2,216	17	16	14	31	19	97	101	50	185
40	Negro--Female	751	21	11	20	19	18	89	76	23	55
41	Other--Male	281	3	1	3	4	1	12	8	8	32
42	Other--Female	75	-	-	2	1	2	5	1	2	15
43	Passenger motor vehicle and motorbus (.5)	167	1	-	1	2	-	4	5	10	13
44	White--Male	104	-	-	-	1	-	1	3	5	9
45	White--Female	47	1	-	-	1	-	2	1	4	3
46	Negro--Male	12	-	-	-	-	-	-	-	-	1
47	Negro--Female	4	-	-	1	-	-	1	1	1	-
48	Other--Male	-	-	-	-	-	-	-	-	-	-
49	Other--Female	-	-	-	-	-	-	-	-	-	-
50	Passenger motor vehicle and unspecified motor vehicle (.6)	278	6	2	1	2	1	12	5	7	18
51	White--Male	167	2	2	-	2	1	7	5	3	11
52	White--Female	85	4	-	1	-	-	5	-	2	7
53	Negro--Male	14	-	-	-	-	-	-	-	-	-
54	Negro--Female	8	-	-	-	-	-	-	-	2	-
55	Other--Male	3	-	-	-	-	-	-	-	-	-
56	Other--Female	1	-	-	-	-	-	-	-	-	-
57	Motorbus(es), but no other motor vehicle (.7)	198	-	1	1	2	2	6	41	15	6
58	White--Male	95	-	-	-	-	2	2	19	7	3
59	White--Female	66	-	1	-	1	-	2	14	2	1
60	Negro--Male	23	-	-	-	1	-	1	4	4	1
61	Negro--Female	11	-	-	1	-	-	1	3	2	1
62	Other--Male	1	-	-	-	-	-	-	1	-	-
63	Other--Female	-	-	-	-	-	-	-	-	-	-
64	Motorbus and unspecified motor vehicle (.8)	5	-	-	-	-	-	-	-	-	-
65	White--Male	1	-	-	-	-	-	-	-	-	-
66	White--Female	3	-	-	-	-	-	-	-	-	-
67	Negro--Male	1	-	-	-	-	-	-	-	-	-
68	Negro--Female	-	-	-	-	-	-	-	-	-	-
69	Other--Male	-	-	-	-	-	-	-	-	-	-
70	Other--Female	-	-	-	-	-	-	-	-	-	-
71	Unspecified motor vehicles (.9)	888	5	6	12	9	5	37	34	22	94
72	White--Male	606	3	2	7	6	1	19	11	14	63
73	White--Female	162	2	4	4	3	2	15	14	4	17
74	Negro--Male	84	-	-	1	-	-	1	6	4	6
75	Negro--Female	13	-	-	-	-	-	-	3	-	2
76	Other--Male	14	-	-	-	-	-	-	-	-	4
77	Other--Female	9	-	-	-	-	2	2	-	-	2

Vehicle Involved, Age, Race, and Sex: United States, 1960—Con.

numbers E810-E835 of the Seventh Revision of the International Lists, 1955. Numbers after types of vehicle are fourth-digit subcategory numbers)

20-24 years	25-29 years	30-34 years	35-39 years	40-44 years	45-49 years	50-54 years	55-59 years	60-64 years	65-69 years	70-74 years	75-79 years	80-84 years	85-89 years	90-94 years	95-99 years	100 and over	Not stated	
4,579	2,947	2,490	2,329	2,226	2,210	2,090	1,994	1,820	1,788	1,602	1,209	690	269	64	7	1	23	1
3,373	2,077	1,672	1,523	1,407	1,370	1,270	1,194	1,100	1,076	1,018	776	451	168	32	1	-	13	2
683	444	468	488	485	524	534	583	522	545	488	371	198	78	27	6	-	5	3
367	301	258	233	234	229	192	142	140	117	56	41	30	12	4	-	-	4	4
70	77	50	59	75	51	64	46	44	35	26	12	2	8	-	-	-	1	5
74	39	31	22	19	25	25	23	11	12	13	7	6	3	1	-	1	-	6
12	9	11	4	6	11	5	6	3	3	1	2	3	-	-	-	-	-	7
228	215	242	234	252	248	191	184	171	116	119	75	46	18	4	-	-	4	8
182	170	197	181	210	191	143	138	131	87	83	52	35	9	3	-	-	4	9
7	8	13	16	13	18	22	20	13	16	23	20	6	6	1	-	-	-	10
32	29	26	29	21	33	22	20	17	11	6	3	5	2	-	-	-	-	11
1	1	3	3	6	3	3	3	8	1	1	-	-	1	-	-	-	-	12
6	7	3	4	2	2	-	2	2	1	5	-	-	-	-	-	-	-	13
-	-	-	1	-	1	1	1	-	-	1	-	-	-	-	-	-	-	14
481	325	330	301	268	268	231	239	200	195	127	95	43	14	3	-	-	2	15
337	212	232	183	167	162	142	140	110	120	92	61	23	7	2	-	-	1	16
86	68	58	80	68	79	65	79	78	59	31	29	17	7	1	-	-	1	17
30	30	30	25	20	15	16	12	10	14	3	3	2	-	-	-	-	-	18
10	9	7	9	6	5	6	2	2	1	1	-	-	-	-	-	-	-	19
14	4	2	2	6	5	2	5	-	1	-	2	1	-	-	-	-	-	20
4	2	1	2	1	2	-	1	-	-	-	-	-	-	-	-	-	-	21
1	2	1	-	2	3	4	3	2	1	2	1	1	-	-	-	-	-	22
-	2	1	-	2	3	3	1	2	1	1	1	-	-	-	-	-	-	23
1	-	-	-	-	-	1	2	-	-	1	-	1	-	-	-	-	-	24
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	25
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	26
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	27
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	28
17	10	14	11	13	7	9	14	7	7	3	2	3	-	-	-	-	-	29
16	6	8	10	12	7	6	12	5	6	3	2	3	-	-	-	-	-	30
-	2	3	1	1	-	3	2	2	1	-	-	-	-	-	-	-	-	31
1	2	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	32
-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	33
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	34
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	35
3,706	2,281	1,788	1,680	1,593	1,598	1,569	1,458	1,356	1,381	1,276	983	556	222	54	7	1	15	36
2,727	1,598	1,162	1,078	959	954	922	845	797	808	793	629	363	142	25	1	-	7	37
572	349	368	373	381	410	421	458	409	443	406	303	162	61	24	6	-	4	38
290	237	189	166	179	167	146	98	106	88	46	33	22	9	4	-	-	3	39
58	64	37	46	59	42	53	41	33	31	23	11	2	7	-	-	-	1	40
51	27	24	16	10	18	23	13	8	8	8	5	5	3	1	-	1	-	41
8	6	8	1	5	7	4	3	3	3	-	2	2	-	-	-	-	-	42
15	17	14	19	8	7	10	13	7	9	8	3	4	1	-	-	-	-	43
11	14	8	12	4	3	5	6	6	5	7	2	3	-	-	-	-	-	44
-	3	5	4	2	4	4	6	1	4	1	1	1	1	-	-	-	-	45
4	-	1	3	1	-	1	1	-	-	-	-	-	-	-	-	-	-	46
-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	47
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	48
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	49
24	25	28	15	22	15	20	11	22	23	15	3	12	1	-	-	-	-	50
16	17	17	11	11	10	10	7	12	14	8	1	6	1	-	-	-	-	51
7	5	8	3	5	2	10	4	6	7	7	2	5	-	-	-	-	-	52
1	1	1	1	4	1	-	-	4	-	-	-	1	-	-	-	-	-	53
-	2	1	-	1	1	-	-	-	1	-	-	-	-	-	-	-	-	54
-	-	1	-	1	-	-	-	-	1	-	-	-	-	-	-	-	-	55
-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	56
3	1	6	2	5	8	8	12	13	15	24	16	11	3	1	-	-	-	57
2	1	3	-	2	4	5	6	8	7	10	9	5	1	1	-	-	-	58
-	-	2	-	2	3	1	4	3	5	14	6	6	1	-	-	-	-	59
-	-	1	2	-	1	2	2	2	2	-	-	-	1	-	-	-	-	60
1	-	-	-	1	-	-	-	-	1	-	1	-	-	-	-	-	-	61
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	62
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	63
2	-	-	-	-	1	1	-	-	1	-	-	-	-	-	-	-	-	64
-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	65
1	-	-	-	-	-	1	-	-	1	-	-	-	-	-	-	-	-	66
1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	67
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	68
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	69
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	70
102	71	67	67	63	55	47	60	42	40	28	31	14	10	2	-	-	2	71
82	57	44	48	40	35	34	39	29	28	21	19	13	8	1	-	-	1	72
9	9	11	11	13	8	6	8	10	9	5	10	-	2	1	-	-	-	73
8	2	8	7	9	12	5	9	1	2	1	2	-	-	-	-	-	1	74
-	1	1	1	1	-	2	-	1	-	1	-	-	-	-	-	-	-	75
3	1	1	-	-	-	-	3	1	1	-	-	-	-	-	-	-	-	76
-	1	2	-	-	-	-	1	-	-	-	-	1	-	-	-	-	-	77

Table 6-3. Deaths From Motor Vehicle Accidents, by Type of Motor

(Data refer only to deaths occurring within the United States, including Alaska and Hawaii. Deaths are those assigned to category

	CAUSE OF DEATH, TYPE OF MOTOR VEHICLE INVOLVED, RACE, AND SEX	Total	Under 1 year	1 year	2 years	3 years	4 years	Under 5 years	5-9 years	10-14 years	15-19 years
1	Motor vehicle nontraffic accidents (E830-E835)	995	10	154	76	47	30	317	51	34	45
2	White--Male	655	4	70	36	29	15	154	29	24	37
3	White--Female	227	5	60	31	16	11	123	15	5	3
4	Negro--Male	76	1	14	4	1	3	23	5	1	3
5	Negro--Female	21	-	5	3	1	1	10	2	3	-
6	Other--Male	11	-	4	-	-	-	4	-	1	2
7	Other--Female	5	-	1	2	-	-	3	-	-	-
8	Goods transport vehicle(s), but no other motor vehicle (.0)	425	3	39	27	19	13	101	25	25	25
9	White--Male	326	1	22	13	16	7	59	18	18	20
10	White--Female	43	1	13	9	3	5	31	2	2	1
11	Negro--Male	41	1	3	2	-	1	7	3	1	3
12	Negro--Female	9	-	1	2	-	-	3	2	3	-
13	Other--Male	5	-	-	-	-	-	-	-	1	1
14	Other--Female	1	-	-	1	-	-	1	-	-	-
15	Goods transport vehicle and passenger motor vehicle (.1)	10	-	-	-	-	-	-	-	-	1
16	White--Male	7	-	-	-	-	-	-	-	-	1
17	White--Female	2	-	-	-	-	-	-	-	-	-
18	Negro--Male	1	-	-	-	-	-	-	-	-	-
19	Negro--Female	-	-	-	-	-	-	-	-	-	-
20	Other--Male	-	-	-	-	-	-	-	-	-	-
21	Other--Female	-	-	-	-	-	-	-	-	-	-
22	Goods transport vehicle and motorbus (.2)	-	-	-	-	-	-	-	-	-	-
23	Goods transport vehicle and unspecified motor vehicle (.3)	-	-	-	-	-	-	-	-	-	-
24	Passenger motor vehicle(s), but no other motor vehicle (.4)	540	7	112	48	28	17	212	25	9	19
25	White--Male	311	3	46	23	13	8	93	11	6	16
26	White--Female	176	4	46	21	13	6	90	12	3	2
27	Negro--Male	31	-	11	2	1	2	16	2	-	-
28	Negro--Female	12	-	4	1	1	1	7	-	-	-
29	Other--Male	6	-	4	-	-	-	4	-	-	1
30	Other--Female	4	-	1	1	-	-	2	-	-	-
31	Passenger motor vehicle and motorbus (.5)	-	-	-	-	-	-	-	-	-	-
32	Passenger motor vehicle and unspecified motor vehicle (.6)	1	-	-	-	-	-	-	1	-	-
33	White--Male	-	-	-	-	-	-	-	-	-	-
34	White--Female	1	-	-	-	-	-	-	1	-	-
35	Negro--Male	-	-	-	-	-	-	-	-	-	-
36	Negro--Female	-	-	-	-	-	-	-	-	-	-
37	Other--Male	-	-	-	-	-	-	-	-	-	-
38	Other--Female	-	-	-	-	-	-	-	-	-	-
39	Motorbus(es), but no other motor vehicle (.7)	4	-	-	-	-	-	-	-	-	-
40	White--Male	3	-	-	-	-	-	-	-	-	-
41	White--Female	1	-	-	-	-	-	-	-	-	-
42	Negro--Male	-	-	-	-	-	-	-	-	-	-
43	Negro--Female	-	-	-	-	-	-	-	-	-	-
44	Other--Male	-	-	-	-	-	-	-	-	-	-
45	Other--Female	-	-	-	-	-	-	-	-	-	-
46	Motorbus and unspecified motor vehicle (.8)	-	-	-	-	-	-	-	-	-	-
47	Unspecified motor vehicle (.9)	15	-	3	1	-	-	4	-	-	-
48	White--Male	8	-	2	-	-	-	2	-	-	-
49	White--Female	4	-	1	1	-	-	2	-	-	-
50	Negro--Male	3	-	-	-	-	-	-	-	-	-
51	Negro--Female	-	-	-	-	-	-	-	-	-	-
52	Other--Male	-	-	-	-	-	-	-	-	-	-
53	Other--Female	-	-	-	-	-	-	-	-	-	-

Vehicle Involved, Age, Race, and Sex: United States, 1960—Con.

numbers E810-E835 of the Seventh Revision of the International Lists, 1955. Numbers after types of vehicle are fourth-digit subcategory numbers)

20-24 years	25-29 years	30-34 years	35-39 years	40-44 years	45-49 years	50-54 years	55-59 years	60-64 years	65-69 years	70-74 years	75-79 years	80-84 years	85-89 years	90-94 years	95-99 years	100 and over	Not stated	
54	51	60	51	35	44	44	41	51	32	35	25	14	6	2	3	-	-	1
43	39	52	41	29	34	33	29	36	25	30	17	9	2	1	1	-	-	2
6	1	6	5	3	5	6	3	10	6	11	8	5	3	1	2	-	-	3
4	10	2	5	1	4	4	7	3	1	2	-	-	1	-	-	-	-	4
1	1	-	-	1	-	-	1	2	-	-	-	-	-	-	-	-	-	5
-	-	-	-	-	1	-	1	-	-	2	-	-	-	-	-	-	-	6
-	-	-	-	1	-	1	-	-	-	-	-	-	-	-	-	-	-	7
25	22	22	23	21	28	20	19	26	11	16	9	6	1	-	-	-	-	8
21	16	21	19	19	23	17	17	22	9	11	9	6	1	-	-	-	-	9
-	-	1	-	1	-	-	-	1	1	3	-	-	-	-	-	-	-	10
3	6	-	4	1	4	3	1	3	1	1	-	-	-	-	-	-	-	11
1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	12
-	-	-	-	-	1	-	1	-	-	1	-	-	-	-	-	-	-	13
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	14
2	1	-	1	1	2	1	-	-	-	1	-	-	-	-	-	-	-	15
2	-	-	1	1	1	1	-	-	-	-	-	-	-	-	-	-	-	16
-	-	-	-	-	1	-	-	-	-	1	-	-	-	-	-	-	-	17
-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	18
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	19
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	20
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	21
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	22
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	23
25	27	38	25	13	10	23	20	23	21	18	14	8	5	2	3	-	-	24
18	22	31	20	9	7	15	12	12	16	9	7	3	1	1	1	-	-	25
5	1	5	5	2	3	6	3	9	5	7	7	5	3	1	2	-	-	26
1	3	2	-	-	-	1	4	-	-	1	-	-	1	-	-	-	-	27
-	1	-	-	1	-	-	1	2	-	-	-	-	-	-	-	-	-	28
-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	29
-	-	-	-	1	-	1	-	-	-	-	-	-	-	-	-	-	-	30
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	31
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	32
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	33
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	34
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	35
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	36
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	37
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	38
-	1	-	-	-	1	-	-	1	-	-	1	-	-	-	-	-	-	39
-	1	-	-	-	1	-	-	1	-	-	-	-	-	-	-	-	-	40
-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	41
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	42
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	43
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	44
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	45
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	46
2	-	-	2	-	3	-	2	1	-	-	1	-	-	-	-	-	-	47
1	-	-	1	-	2	-	-	1	-	-	1	-	-	-	-	-	-	48
1	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	49
-	-	-	1	-	-	-	2	-	-	-	-	-	-	-	-	-	-	50
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	51
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	52
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	53

Table 6-4. Deaths From Nontransport Accidents, by Place

(Data refer only to deaths occurring within the United States, including Alaska and Hawaii. Deaths are those assigned to category numbers

	PLACE OF ACCIDENT, RACE, AND SEX	Total	Under 1 year	1 year	2 years	3 years	4 years	Under 5 years	5-9 years	10-14 years	15-19 years
1	ALL NONTRANSPORT ACCIDENTS (E870-E936)	49,628	3,450	1,254	916	689	549	6,858	1,908	1,754	1,936
2	White----Male----	26,016	1,349	502	380	307	219	2,757	916	1,119	1,369
3	Female--	15,274	1,003	389	269	160	151	1,972	452	236	183
4	Negro----Male----	5,047	563	181	152	99	74	1,069	276	299	313
5	Female--	2,696	474	155	96	114	93	932	232	73	45
6	Other----Male----	433	32	20	8	4	5	69	22	19	24
7	Female--	162	29	7	11	5	7	59	10	8	2
8	Home[1] (.0)	24,068	2,617	946	660	481	378	5,082	973	552	396
9	White----Male----	9,969	1,005	359	238	186	116	1,904	341	342	238
10	Female--	9,586	752	290	185	109	110	1,446	278	102	74
11	Negro----Male----	2,300	444	147	135	81	60	867	151	57	59
12	Female--	2,014	380	135	88	100	86	789	189	43	19
13	Other----Male----	111	18	10	6	1	-	35	9	5	4
14	Female--	88	18	5	9	4	6	41	5	3	2
15	Farm[2] (.1)	2,407	2	48	53	40	30	173	134	225	250
16	White----Male----	1,920	1	28	34	28	19	110	91	161	177
17	Female--	154	1	16	13	5	8	43	24	12	9
18	Negro----Male----	276	-	1	2	4	1	8	13	46	61
19	Female--	33	-	2	2	3	2	9	5	4	3
20	Other----Male----	20	-	1	1	-	-	2	1	1	-
21	Female--	4	-	-	1	-	-	1	-	1	-
22	Mine and quarry (.2)	616	-	-	3	5	-	8	14	37	42
23	White----Male----	545	-	-	2	4	-	6	12	17	35
24	Female--	7	-	-	1	-	-	1	1	4	1
25	Negro----Male----	52	-	-	-	1	-	1	1	14	6
26	Female--	5	-	-	-	-	-	-	-	1	-
27	Other----Male----	7	-	-	-	-	-	-	-	1	-
28	Female--	-	-	-	-	-	-	-	-	-	-
29	Industrial place and premises (.3)	2,460	-	1	1	3	6	11	22	15	88
30	White----Male----	2,098	-	1	1	3	4	9	15	10	79
31	Female--	27	-	-	-	-	1	1	3	1	3
32	Negro----Male----	311	-	-	-	-	1	1	3	2	6
33	Female--	4	-	-	-	-	-	-	1	1	-
34	Other----Male----	20	-	-	-	-	-	-	-	1	-
35	Female--	-	-	-	-	-	-	-	-	-	-
36	Place for recreation and sport (.4)	629	2	10	12	15	15	54	109	119	99
37	White----Male----	412	-	5	4	8	9	26	64	80	75
38	Female--	111	-	5	7	4	4	20	23	20	7
39	Negro----Male----	88	-	-	1	2	-	3	18	16	17
40	Female--	8	-	-	-	-	-	-	3	2	-
41	Other----Male----	7	1	-	-	1	1	3	-	1	-
42	Female--	3	1	-	-	-	1	2	1	-	-
43	Street and highway (.5)	1,787	11	6	6	9	3	35	35	40	87
44	White----Male----	1,234	5	1	3	2	2	13	21	28	67
45	Female--	310	2	3	2	7	-	14	10	6	10
46	Negro----Male----	183	1	1	1	-	1	4	3	4	5
47	Female--	38	2	1	-	-	-	3	1	1	2
48	Other----Male----	17	-	-	-	-	-	-	-	-	3
49	Female--	5	1	-	-	-	-	1	-	1	-
50	Public building (.6)	1,326	10	3	2	4	1	20	13	25	64
51	White----Male----	944	5	3	1	2	1	12	11	16	46
52	Female--	252	4	-	1	1	-	6	1	5	7
53	Negro----Male----	102	-	-	-	1	-	1	-	3	9
54	Female--	17	-	-	-	-	-	-	-	1	1
55	Other----Male----	10	-	-	-	-	-	-	1	-	1
56	Female--	1	1	-	-	-	-	1	-	-	-
57	Resident institution (.7)	3,320	108	9	4	5	3	129	18	18	17
58	White----Male----	1,381	47	3	-	3	3	56	14	11	9
59	Female--	1,755	32	3	4	1	-	40	3	2	2
60	Negro----Male----	86	12	1	-	1	-	14	1	1	5
61	Female--	70	10	1	-	-	-	11	-	3	1
62	Other----Male----	23	4	1	-	-	-	5	-	1	-
63	Female--	5	3	-	-	-	-	3	-	-	-
64	Other specified places (.8)	5,763	36	87	90	79	75	367	464	587	734
65	White----Male----	4,050	18	52	58	52	54	234	290	374	528
66	Female--	558	11	29	27	20	12	99	84	69	55
67	Negro----Male----	880	2	3	3	2	4	14	68	124	126
68	Female--	99	2	-	1	3	2	8	11	10	10
69	Other----Male----	154	2	3	1	2	3	11	10	7	15
70	Female--	22	1	-	-	-	-	1	1	3	-
71	Place not specified (.9)	7,252	664	144	85	48	38	979	126	136	159
72	White----Male----	3,463	268	50	39	19	11	387	57	80	115
73	Female--	2,514	201	43	29	13	16	302	25	15	15
74	Negro----Male----	769	104	28	10	7	7	156	18	32	19
75	Female--	408	80	16	5	8	3	112	22	7	9
76	Other----Male----	64	7	5	-	-	1	13	1	2	1
77	Female--	34	4	2	2	1	-	9	3	-	-

[1]Including home premises and any noninstitutional place of residence.
[2]Including buildings and land under cultivation, but excluding farm home and home premises.

# of Accident, Age, Race, and Sex: United States, 1960

E870-E936 of the Seventh Revision of the International Lists, 1955. Numbers after places of accident are fourth-digit subcategory numbers)

20-24 years	25-29 years	30-34 years	35-39 years	40-44 years	45-49 years	50-54 years	55-59 years	60-64 years	65-69 years	70-74 years	75-79 years	80-84 years	85-89 years	90-94 years	95-99 years	100 and over	Not stated	
1,628	1,489	1,715	2,026	2,135	2,431	2,474	2,306	2,297	2,641	3,061	3,575	4,041	3,225	1,627	387	61	53	1
1,134	980	1,084	1,285	1,341	1,608	1,632	1,534	1,386	1,566	1,517	1,545	1,489	1,101	483	129	13	28	2
144	170	228	270	360	385	420	391	540	754	1,257	1,761	2,395	2,007	1,088	258	37	6	3
250	240	274	344	302	312	309	251	222	181	135	117	61	44	28	1	4	15	4
63	66	91	91	102	96	93	111	122	124	128	124	82	58	42	15	5	1	5
32	30	30	26	22	23	16	15	21	13	18	21	10	13	1	4	2	2	6
5	3	8	10	8	7	4	4	6	3	6	7	4	2	5	-	-	1	7
369	390	539	626	717	868	954	945	1,019	1,361	1,700	2,053	2,397	1,893	966	221	37	10	8
201	191	254	285	338	436	499	499	483	687	718	796	800	607	270	71	6	3	9
78	100	146	168	213	255	262	260	341	481	793	1,084	1,489	1,212	637	139	23	3	10
47	54	81	114	96	118	123	104	93	96	77	68	39	26	22	1	4	3	11
38	39	53	49	62	55	65	79	93	92	104	96	65	41	33	9	2	1	12
2	6	1	6	5	3	2	2	5	3	5	5	4	6	-	1	2	-	13
3	-	2	4	3	1	3	1	4	2	3	4	2	1	4	-	-	-	14
117	102	100	105	145	156	162	166	138	147	122	92	50	15	6	-	-	2	15
94	76	85	78	110	130	145	154	116	136	109	88	41	12	6	-	-	1	16
1	4	6	7	9	4	4	2	7	5	6	2	7	2	-	-	-	-	17
17	17	8	17	22	18	13	9	12	5	5	2	1	1	-	-	-	1	18
-	3	1	2	1	1	-	1	2	1	-	-	-	-	-	-	-	-	19
5	1	-	1	3	2	-	-	1	-	2	-	1	-	-	-	-	-	20
-	1	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	21
48	41	49	74	77	88	58	50	26	2	1	3	-	-	-	-	-	-	22
42	32	45	71	74	83	53	46	24	2	-	3	-	-	-	-	-	-	23
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	24
5	8	2	2	1	3	4	4	1	-	-	-	-	-	-	-	-	-	25
-	1	-	1	1	-	-	-	1	-	-	-	-	-	-	-	-	-	26
1	-	2	-	1	-	1	-	-	-	1	-	-	-	-	-	-	-	27
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	28
221	204	280	273	283	280	267	227	165	68	26	17	5	8	-	-	-	-	29
194	177	240	224	236	236	226	197	147	58	24	15	4	7	-	-	-	-	30
2	1	3	1	4	2	1	-	-	1	2	1	1	-	-	-	-	-	31
23	23	32	45	42	40	39	28	17	8	-	1	-	1	-	-	-	-	32
-	-	-	-	-	2	-	-	-	-	-	-	-	-	-	-	-	-	33
2	3	5	3	1	-	1	2	1	1	-	-	-	-	-	-	-	-	34
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	35
48	36	23	31	14	21	23	20	7	8	3	2	6	4	2	-	-	-	36
33	26	18	22	8	14	12	14	5	5	2	2	3	2	1	-	-	-	37
2	1	2	5	4	6	8	3	2	2	1	-	2	2	1	-	-	-	38
10	7	3	4	2	1	3	2	-	1	-	-	1	-	-	-	-	-	39
1	1	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	40
2	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	41
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	42
86	90	84	113	115	139	138	113	127	138	142	109	110	56	27	3	-	-	43
64	65	47	83	76	110	107	83	93	97	96	70	66	29	17	2	-	-	44
7	5	7	5	12	11	8	15	22	31	40	32	41	24	10	-	-	-	45
10	16	26	21	21	15	19	10	10	8	5	4	2	-	-	-	-	-	46
4	3	3	2	2	3	3	2	1	1	1	2	-	3	-	1	-	-	47
1	1	1	1	3	-	1	2	1	1	-	1	1	-	-	-	-	-	48
-	-	-	1	1	-	-	1	-	-	-	-	-	-	-	-	-	-	49
61	60	59	88	106	114	109	104	96	118	96	85	55	38	12	1	-	2	50
43	43	40	69	78	82	88	86	74	78	70	50	33	18	5	-	-	2	51
5	7	6	7	13	21	16	10	13	33	24	31	21	19	6	1	-	-	52
12	9	9	10	10	9	5	7	8	5	1	2	1	-	1	-	-	-	53
1	1	2	1	5	2	-	-	-	1	1	1	-	-	-	-	-	-	54
-	-	2	1	-	-	-	1	1	1	-	1	-	1	-	-	-	-	55
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	56
18	30	22	51	42	62	78	93	138	188	322	493	621	588	300	79	11	2	57
10	19	7	32	23	41	44	53	85	97	152	191	222	192	88	29	5	1	58
4	9	9	11	12	14	24	27	40	79	156	287	391	382	208	48	6	1	59
1	1	4	8	3	4	7	9	4	6	7	1	3	6	1	-	-	-	60
2	-	1	-	3	2	3	4	6	5	6	9	4	6	3	1	-	-	61
1	1	1	-	1	-	-	-	3	-	1	5	1	2	-	1	-	-	62
-	-	-	-	-	1	-	-	-	1	-	-	-	-	-	-	-	-	63
477	355	342	387	347	340	310	279	210	199	133	100	58	34	9	6	-	25	64
346	249	247	280	254	254	236	212	153	154	89	63	40	21	5	5	-	16	65
19	21	15	21	22	24	17	15	15	18	21	19	13	7	3	-	-	1	66
91	65	62	62	55	42	47	35	32	19	16	11	2	3	-	-	-	6	67
7	6	6	9	7	5	4	7	3	2	1	1	2	-	-	-	-	-	68
12	12	12	11	7	14	6	8	6	6	5	5	1	2	1	1	-	2	69
2	2	-	4	2	1	-	2	1	-	1	1	-	1	-	-	-	-	70
183	181	217	278	289	365	375	309	371	412	516	621	739	589	305	77	13	12	71
107	102	101	141	144	222	222	190	206	252	257	267	280	213	91	22	2	5	72
26	22	32	45	71	48	80	59	100	104	214	305	430	359	203	50	8	1	73
34	40	47	61	50	62	49	43	45	33	24	28	12	7	4	-	-	5	74
10	12	25	27	21	26	18	17	16	22	15	15	13	8	6	4	3	-	75
6	5	6	3	1	4	5	-	3	1	4	4	2	2	-	1	-	-	76
-	-	6	1	2	3	1	-	1	-	2	2	2	-	1	-	-	1	77

Table 6-5. Deaths From Motor Vehicle Accidents, by Type of Motor Vehicle Involved, Color, and Sex: United States and Each State, 1960

(By place of residence. Data refer only to deaths occurring within the United States, including Alaska and Hawaii. Deaths are those assigned to category numbers E810-E835 of the Seventh Revision of the International Lists, 1955. Numbers under types of vehicle are fourth-digit subcategory numbers)

AREA, COLOR, AND SEX	Total deaths	TYPE OF MOTOR VEHICLE									
		Goods transport vehicle(s) only (.0)	Goods transport vehicle and passenger motor vehicle (.1)	Goods transport vehicle and motorbus (.2)	Goods transport vehicle and unspecified motor vehicle (.3)	Passenger motor vehicle(s) only (.4)	Passenger motor vehicle and motorbus (.5)	Passenger motor vehicle and unspecified motor vehicle (.6)	Motor-bus(es) only (.7)	Motorbus and unspecified motor vehicle (.8)	Unspecified motor vehicles (.9)
UNITED STATES	38,137	3,593	3,893	29	126	28,942	167	279	200	5	903
White--Male	24,656	2,697	2,449	20	102	18,404	104	167	98	1	614
White--Female	8,989	375	1,057	9	17	7,162	47	86	67	3	166
Nonwhite--Male	3,428	439	295	-	5	2,534	12	17	24	1	101
Nonwhite--Female	1,064	82	92	-	2	842	4	9	11	-	22
Alabama	941	106	108	-	-	697	4	3	12	-	11
White--Male	504	64	57	-	-	369	3	1	2	-	8
White--Female	179	11	26	-	-	139	-	-	3	-	-
Nonwhite--Male	205	30	19	-	-	148	1	1	4	-	2
Nonwhite--Female	53	1	6	-	-	41	-	1	3	-	1
Alaska	46	11	2	-	-	33	-	-	-	-	-
White--Male	30	7	1	-	-	22	-	-	-	-	-
White--Female	8	2	1	-	-	5	-	-	-	-	-
Nonwhite--Male	6	2	-	-	-	4	-	-	-	-	-
Nonwhite--Female	2	-	-	-	-	2	-	-	-	-	-
Arizona	418	58	42	-	-	309	1	-	-	1	7
White--Male	266	40	25	-	-	197	-	-	-	1	3
White--Female	100	3	11	-	-	84	1	-	-	-	1
Nonwhite--Male	43	12	5	-	-	23	-	-	-	-	3
Nonwhite--Female	9	3	1	-	-	5	-	-	-	-	-
Arkansas	466	79	30	1	2	347	-	2	3	-	2
White--Male	285	49	22	1	2	206	-	1	2	-	2
White--Female	90	6	8	-	-	75	-	1	-	-	-
Nonwhite--Male	67	16	-	-	-	50	-	-	1	-	-
Nonwhite--Female	24	8	-	-	-	16	-	-	-	-	-
California	3,936	291	409	1	19	2,948	22	34	19	-	193
White--Male	2,594	231	259	-	16	1,910	19	23	12	-	124
White--Female	1,044	44	111	1	3	817	2	10	7	-	49
Nonwhite--Male	231	12	32	-	-	170	1	1	-	-	15
Nonwhite--Female	67	4	7	-	-	51	-	-	-	-	5
Colorado	459	41	46	-	2	361	-	4	1	-	4
White--Male	326	38	33	-	2	245	-	3	1	-	4
White--Female	127	3	12	-	-	111	-	1	-	-	-
Nonwhite--Male	5	-	-	-	-	5	-	-	-	-	-
Nonwhite--Female	1	-	1	-	-	-	-	-	-	-	-
Connecticut	293	26	20	-	-	243	-	-	2	-	2
White--Male	194	22	15	-	-	154	-	-	2	-	1
White--Female	72	2	3	-	-	66	-	-	-	-	1
Nonwhite--Male	20	1	2	-	-	17	-	-	-	-	-
Nonwhite--Female	7	1	-	-	-	6	-	-	-	-	-
Delaware	84	5	11	1	-	53	1	-	-	-	13
White--Male	54	4	10	1	-	28	-	-	-	-	10
White--Female	11	1	1	-	-	7	1	-	-	-	1
Nonwhite--Male	14	-	-	-	-	12	-	-	-	-	2
Nonwhite--Female	5	-	-	-	-	5	-	-	-	-	-
District of Columbia	95	9	5	-	-	77	1	1	-	-	2
White--Male	34	1	2	-	-	28	-	1	-	-	2
White--Female	16	1	1	-	-	14	-	-	-	-	-
Nonwhite--Male	39	7	2	-	-	29	1	-	-	-	-
Nonwhite--Female	6	-	-	-	-	6	-	-	-	-	-
Florida	1,241	90	113	-	3	930	4	30	7	-	64
White--Male	684	50	59	-	3	517	2	15	3	-	35
White--Female	286	4	34	-	-	224	2	8	1	-	13
Nonwhite--Male	214	33	17	-	-	141	-	5	3	-	15
Nonwhite--Female	57	3	3	-	-	48	-	2	-	-	1
Georgia	1,030	135	117	-	-	769	1	1	2	-	5
White--Male	584	74	67	-	-	421	1	-	1	-	-
White--Female	199	12	26	-	-	159	-	1	1	-	-
Nonwhite--Male	202	44	18	-	-	135	-	-	-	-	5
Nonwhite--Female	65	5	6	-	-	54	-	-	-	-	-
Hawaii	110	12	6	-	-	80	-	1	1	-	10
White--Male	38	1	4	-	-	31	-	-	-	-	2
White--Female	6	-	1	-	-	5	-	-	-	-	-
Nonwhite--Male	51	10	1	-	-	36	-	1	1	-	2
Nonwhite--Female	15	1	-	-	-	8	-	-	-	-	6
Idaho	209	19	16	-	-	170	-	1	-	-	3
White--Male	139	18	8	-	-	109	-	1	-	-	3
White--Female	64	1	8	-	-	55	-	-	-	-	-
Nonwhite--Male	3	-	-	-	-	3	-	-	-	-	-
Nonwhite--Female	3	-	-	-	-	3	-	-	-	-	-
Illinois	1,670	140	197	1	5	1,250	12	10	18	-	37
White--Male	1,109	115	125	-	4	816	5	8	9	-	27
White--Female	423	16	47	1	1	333	7	2	7	-	9
Nonwhite--Male	102	7	15	-	-	78	-	-	2	-	-
Nonwhite--Female	36	2	10	-	-	23	-	-	-	-	1

Table 6-5. Deaths From Motor Vehicle Accidents, by Type of Motor Vehicle Involved, Color, and Sex: United States and Each State, 1960—Con.

(By place of residence. Data refer only to deaths occurring within the United States, including Alaska and Hawaii. Deaths are those assigned to category numbers E810-E835 of the Seventh Revision of the International Lists, 1955. Numbers under types of vehicle are fourth-digit subcategory numbers)

AREA, COLOR, AND SEX	Total deaths	TYPE OF MOTOR VEHICLE									
		Goods transport vehicle(s) only (.0)	Goods transport vehicle and passenger motor vehicle (.1)	Goods transport vehicle and motorbus (.2)	Goods transport vehicle and unspecified motor vehicle (.3)	Passenger motor vehicle(s) only (.4)	Passenger motor vehicle and motorbus (.5)	Passenger motor vehicle and unspecified motor vehicle (.6)	Motor-bus(es) only (.7)	Motorbus and unspecified motor vehicle (.8)	Unspecified motor vehicles (.9)
Indiana	1,183	103	135	-	10	892	11	10	3	-	19
White--Male	820	90	86	-	7	610	3	8	2	-	14
Female	298	9	40	-	3	234	4	2	1	-	5
Nonwhite--Male	47	2	7	-	-	37	1	-	-	-	-
Female	18	2	2	-	-	11	3	-	-	-	-
Iowa	639	81	75	-	1	450	2	9	-	-	21
White--Male	452	69	53	-	1	306	1	5	-	-	17
Female	184	12	22	-	-	141	1	4	-	-	4
Nonwhite--Male	2	-	-	-	-	2	-	-	-	-	-
Female	1	-	-	-	-	1	-	-	-	-	-
Kansas	519	53	82	2	-	377	3	-	-	-	2
White--Male	361	52	57	2	-	247	2	-	-	-	1
Female	144	1	23	-	-	119	1	-	-	-	-
Nonwhite--Male	12	-	2	-	-	9	-	-	-	-	1
Female	2	-	-	-	-	2	-	-	-	-	-
Kentucky	776	78	63	1	2	612	5	2	1	-	12
White--Male	572	67	40	1	2	447	3	2	1	-	9
Female	144	6	17	-	-	118	1	-	-	-	2
Nonwhite--Male	50	4	5	-	-	39	1	-	-	-	1
Female	10	1	1	-	-	8	-	-	-	-	-
Louisiana	828	66	79	1	6	595	7	35	6	-	33
White--Male	416	30	47	1	3	293	3	18	6	-	15
Female	161	6	20	-	2	115	3	10	-	-	5
Nonwhite--Male	180	22	8	-	1	129	1	6	-	-	13
Female	71	8	4	-	-	58	-	1	-	-	-
Maine	177	18	8	-	-	144	-	-	-	-	7
White--Male	122	16	6	-	-	95	-	-	-	-	5
Female	51	2	2	-	-	45	-	-	-	-	2
Nonwhite--Male	4	-	-	-	-	4	-	-	-	-	-
Female	-	-	-	-	-	-	-	-	-	-	-
Maryland	522	39	29	-	3	418	5	11	3	-	14
White--Male	313	26	21	-	2	241	3	8	1	-	11
Female	100	3	6	-	1	86	-	2	1	-	1
Nonwhite--Male	87	8	2	-	-	73	2	-	1	-	1
Female	22	2	-	-	-	18	-	1	-	-	1
Massachusetts	625	40	28	-	6	510	1	5	4	1	30
White--Male	448	37	19	-	4	359	1	2	3	-	23
Female	160	2	9	-	-	137	-	3	1	1	7
Nonwhite--Male	13	1	-	-	-	12	-	-	-	-	-
Female	4	-	-	-	2	2	-	-	-	-	-
Michigan	1,702	92	154	1	2	1,435	7	2	5	-	4
White--Male	1,131	83	98	1	1	939	3	2	2	-	2
Female	445	6	42	-	-	390	4	-	2	-	1
Nonwhite--Male	89	3	10	-	1	74	-	-	-	-	1
Female	37	-	4	-	-	32	-	-	1	-	-
Minnesota	773	66	77	1	4	591	3	8	3	-	20
White--Male	539	61	54	-	4	395	3	6	1	-	15
Female	215	4	23	1	-	180	-	1	2	-	4
Nonwhite--Male	14	1	-	-	-	11	-	1	-	-	1
Female	5	-	-	-	-	5	-	-	-	-	-
Mississippi	621	83	81	-	1	439	1	1	3	1	11
White--Male	309	48	38	-	1	215	-	-	1	-	6
Female	119	5	18	-	-	93	1	1	1	-	-
Nonwhite--Male	144	25	19	-	-	93	-	-	1	1	5
Female	49	5	6	-	-	38	-	-	-	-	-
Missouri	1,057	104	160	1	3	773	6	-	6	-	4
White--Male	700	78	111	1	3	497	5	-	2	-	3
Female	268	17	31	-	-	217	-	-	3	-	-
Nonwhite--Male	72	8	13	-	-	49	1	-	-	-	1
Female	17	1	5	-	-	10	-	-	1	-	-
Montana	220	29	19	2	-	167	-	-	-	-	3
White--Male	155	24	10	1	-	118	-	-	-	-	2
Female	45	3	4	1	-	36	-	-	-	-	1
Nonwhite--Male	10	1	2	-	-	7	-	-	-	-	-
Female	10	1	3	-	-	6	-	-	-	-	-
Nebraska	295	52	46	1	-	191	-	1	1	-	3
White--Male	211	46	35	1	-	126	-	1	-	-	2
Female	76	6	10	-	-	58	-	-	1	-	1
Nonwhite--Male	5	-	-	-	-	5	-	-	-	-	-
Female	3	-	1	-	-	2	-	-	-	-	-
Nevada	148	14	10	-	-	122	-	-	-	-	2
White--Male	93	11	5	-	-	76	-	-	-	-	1
Female	42	1	4	-	-	37	-	-	-	-	-
Nonwhite--Male	9	1	1	-	-	6	-	-	-	-	1
Female	4	1	-	-	-	3	-	-	-	-	-

Table 6-5. Deaths From Motor Vehicle Accidents, by Type of Motor Vehicle Involved, Color, and Sex: United States and Each State, 1960—Con.

(By place of residence. Data refer only to deaths occurring within the United States, including Alaska and Hawaii. Deaths are those assigned to category numbers E810-E835 of the Seventh Revision of the International Lists, 1955. Numbers under types of vehicle are fourth-digit subcategory numbers)

AREA, COLOR, AND SEX	Total deaths	TYPE OF MOTOR VEHICLE									
		Goods transport vehicle(s) only (.0)	Goods transport vehicle and passenger motor vehicle (.1)	Goods transport vehicle and motorbus (.2)	Goods transport vehicle and unspecified motor vehicle (.3)	Passenger motor vehicle(s) only (.4)	Passenger motor vehicle and motorbus (.5)	Passenger motor vehicle and unspecified motor vehicle (.6)	Motor-bus(es) only (.7)	Motorbus and unspecified motor vehicle (.8)	Unspecified motor vehicles (.9)
New Hampshire	107	13	7	-	-	78	-	1	1	-	7
White--Male	89	11	7	-	-	62	-	1	1	-	7
White--Female	18	2	-	-	-	16	-	-	-	-	-
Nonwhite--Male	-	-	-	-	-	-	-	-	-	-	-
Nonwhite--Female	-	-	-	-	-	-	-	-	-	-	-
New Jersey	763	55	52	-	3	596	1	7	8	-	41
White--Male	472	39	30	-	3	363	1	5	3	-	28
White--Female	197	10	19	-	-	153	-	2	4	-	9
Nonwhite--Male	80	6	3	-	-	66	-	-	1	-	4
Nonwhite--Female	14	-	-	-	-	14	-	-	-	-	-
New Mexico	376	47	62	-	-	264	-	-	-	-	3
White--Male	256	36	33	-	-	186	-	-	-	-	1
White--Female	70	1	18	-	-	49	-	-	-	-	2
Nonwhite--Male	40	9	10	-	-	21	-	-	-	-	-
Nonwhite--Female	10	1	1	-	-	8	-	-	-	-	-
New York	2,158	159	127	-	3	1,736	17	21	36	1	58
White--Male	1,451	118	88	-	2	1,154	11	12	19	-	47
White--Female	514	25	31	-	-	419	5	9	14	1	10
Nonwhite--Male	140	14	7	-	1	114	1	-	2	-	1
Nonwhite--Female	53	2	1	-	-	49	-	-	1	-	-
North Carolina	1,260	150	148	-	1	939	3	2	4	-	13
White--Male	716	92	79	-	1	531	3	1	1	-	8
White--Female	213	14	49	-	-	148	-	1	1	-	-
Nonwhite--Male	273	40	16	-	-	210	-	-	2	-	5
Nonwhite--Female	58	4	4	-	-	50	-	-	-	-	-
North Dakota	170	23	17	-	-	128	-	-	-	-	2
White--Male	134	20	13	-	-	99	-	-	-	-	2
White--Female	28	3	4	-	-	22	-	-	-	-	-
Nonwhite--Male	3	-	-	-	-	3	-	-	-	-	-
Nonwhite--Female	4	-	-	-	-	4	-	-	-	-	-
Ohio	1,979	131	220	4	11	1,536	5	15	8	-	49
White--Male	1,349	107	137	2	8	1,040	3	9	5	-	38
White--Female	508	13	71	2	2	403	2	6	1	-	8
Nonwhite--Male	90	9	8	-	1	68	-	-	1	-	3
Nonwhite--Female	32	2	4	-	-	25	-	-	1	-	-
Oklahoma	684	97	107	1	1	471	1	2	-	-	4
White--Male	429	81	57	1	1	282	1	2	-	-	4
White--Female	182	9	33	-	-	140	-	-	-	-	-
Nonwhite--Male	56	5	15	-	-	36	-	-	-	-	-
Nonwhite--Female	17	2	2	-	-	13	-	-	-	-	-
Oregon	477	47	43	1	2	368	-	5	1	-	10
White--Male	331	39	25	1	1	253	-	2	-	-	10
White--Female	126	6	15	-	1	100	-	3	1	-	-
Nonwhite--Male	15	2	2	-	-	11	-	-	-	-	-
Nonwhite--Female	5	-	1	-	-	4	-	-	-	-	-
Pennsylvania	1,701	146	155	1	20	1,299	8	9	18	1	44
White--Male	1,166	105	110	1	17	879	7	3	9	-	35
White--Female	409	24	41	-	2	323	1	3	6	1	8
Nonwhite--Male	90	10	4	-	1	73	-	1	1	-	-
Nonwhite--Female	36	7	-	-	-	24	-	2	2	-	1
Rhode Island	73	7	3	-	-	58	-	2	1	-	2
White--Male	51	6	2	-	-	40	-	-	1	-	2
White--Female	19	1	1	-	-	16	-	1	-	-	-
Nonwhite--Male	1	-	-	-	-	1	-	-	-	-	-
Nonwhite--Female	2	-	-	-	-	1	-	1	-	-	-
South Carolina	684	62	35	1	2	575	1	-	2	-	6
White--Male	353	28	25	1	1	294	-	-	1	-	3
White--Female	107	7	8	-	1	91	-	-	-	-	-
Nonwhite--Male	175	25	2	-	-	144	-	-	1	-	3
Nonwhite--Female	49	2	-	-	-	46	1	-	-	-	-
South Dakota	236	19	23	-	1	176	-	15	1	-	1
White--Male	153	16	12	-	1	115	-	8	1	-	-
White--Female	44	1	6	-	-	32	-	5	-	-	-
Nonwhite--Male	28	2	2	-	-	22	-	1	-	-	1
Nonwhite--Female	11	-	3	-	-	7	-	1	-	-	-
Tennessee	859	93	98	2	-	644	3	1	3	-	15
White--Male	527	66	59	2	-	388	2	-	1	-	9
White--Female	190	5	26	-	-	153	1	1	1	-	3
Nonwhite--Male	102	21	10	-	-	70	-	-	-	-	1
Nonwhite--Female	40	1	3	-	-	33	-	-	1	-	2
Texas	2,372	316	367	-	1	1,634	13	5	6	-	30
White--Male	1,546	256	233	-	1	1,025	8	2	2	-	19
White--Female	554	29	103	-	-	406	4	3	3	-	6
Nonwhite--Male	196	25	22	-	-	143	1	-	1	-	4
Nonwhite--Female	76	6	9	-	-	60	-	-	-	-	1

Table 6-5. Deaths From Motor Vehicle Accidents, by Type of Motor Vehicle Involved, Color, and Sex: United States and Each State, 1960—Con.

(By place of residence. Data refer only to deaths occurring within the United States, including Alaska and Hawaii. Deaths are those assigned to category numbers E810-E835 of the Seventh Revision of the International Lists, 1955. Numbers under types of vehicle are fourth-digit subcategory numbers)

AREA, COLOR, AND SEX	Total deaths	TYPE OF MOTOR VEHICLE									
		Goods transport vehicle(s) only (.0)	Goods transport vehicle and passenger motor vehicle (.1)	Goods transport vehicle and motorbus (.2)	Goods transport vehicle and unspecified motor vehicle (.3)	Passenger motor vehicle(s) only (.4)	Passenger motor vehicle and motorbus (.5)	Passenger motor vehicle and unspecified motor vehicle (.6)	Motor-bus(es) only (.7)	Motorbus and unspecified motor vehicle (.8)	Unspecified motor vehicles (.9)
Utah	253	26	27	1	-	196	-	1	-	-	2
White--Male	158	20	14	-	-	122	-	1	-	-	1
Female	82	3	12	1	-	66	-	-	-	-	-
Nonwhite--Male	9	1	1	-	-	6	-	-	-	-	1
Female	4	2	-	-	-	2	-	-	-	-	-
Vermont	91	11	4	-	-	65	-	2	-	-	9
White--Male	70	9	4	-	-	47	-	2	-	-	8
Female	21	2	-	-	-	18	-	-	-	-	1
Nonwhite--Male	-	-	-	-	-	-	-	-	-	-	-
Female	-	-	-	-	-	-	-	-	-	-	-
Virginia	753	72	65	3	3	559	8	6	6	-	31
White--Male	463	47	38	1	2	347	5	6	1	-	16
Female	139	10	15	2	1	102	2	-	3	-	4
Nonwhite--Male	121	13	10	-	-	86	1	-	2	-	9
Female	30	2	2	-	-	24	-	-	-	-	2
Washington	622	55	39	-	4	497	5	7	3	-	12
White--Male	424	47	28	-	4	330	3	3	1	-	8
Female	160	6	9	-	-	134	2	4	2	-	3
Nonwhite--Male	29	2	1	-	-	26	-	-	-	-	-
Female	9	-	1	-	-	7	-	-	-	-	1
West Virginia	380	33	35	-	2	293	-	4	-	-	13
White--Male	271	26	25	-	2	203	-	3	-	-	12
Female	87	5	10	-	-	70	-	1	-	-	1
Nonwhite--Male	19	2	-	-	-	17	-	-	-	-	-
Female	3	-	-	-	-	3	-	-	-	-	-
Wisconsin	917	69	74	1	3	747	5	3	2	-	13
White--Male	679	57	51	1	3	552	3	2	1	-	9
Female	214	8	21	-	-	178	2	1	-	-	4
Nonwhite--Male	17	2	1	-	-	14	-	-	-	-	-
Female	7	2	1	-	-	3	-	-	1	-	-
Wyoming	139	22	17	-	-	100	-	-	-	-	-
White--Male	105	19	12	-	-	74	-	-	-	-	-
Female	29	2	4	-	-	23	-	-	-	-	-
Nonwhite--Male	4	1	1	-	-	2	-	-	-	-	-
Female	1	-	-	-	-	1	-	-	-	-	-

Table 6-6. Deaths From Nontransport Accidents, by Place of Accident, Color, and Sex: United States and Each State, 1960

(By place of residence. Data refer only to deaths occurring within the United States, including Alaska and Hawaii. Deaths are those assigned to category numbers E870-E936 of the Seventh Revision of the International Lists, 1955. Numbers under places of accident are fourth-digit subcategory numbers)

AREA, COLOR, AND SEX	Total deaths	PLACE OF ACCIDENT									
		Home[1] (.0)	Farm[2] (.1)	Mine and quarry (.2)	Industrial place and premises (.3)	Place for recreation and sport (.4)	Street and highway (.5)	Public building (.6)	Resident institution (.7)	Other specified places (.8)	Place not specified (.9)
UNITED STATES	49,628	24,068	2,407	616	2,460	629	1,787	1,326	3,320	5,763	7,252
White--Male	26,016	9,969	1,920	545	2,098	412	1,234	944	1,381	4,050	3,463
White--Female	15,274	9,586	154	7	27	111	310	252	1,755	558	2,514
Nonwhite--Male	5,480	2,411	296	59	331	95	200	112	109	1,034	833
Nonwhite--Female	2,858	2,102	37	5	4	11	43	18	75	121	442
Alabama	1,017	561	60	21	53	11	18	24	22	136	111
White--Male	376	151	30	9	35	4	12	17	10	76	32
White--Female	203	141	4	-	-	2	2	3	8	9	34
Nonwhite--Male	261	123	24	11	18	5	4	3	2	44	27
Nonwhite--Female	177	146	2	1	-	-	-	1	2	7	16
Alaska	135	53	-	1	7	1	1	1	-	39	32
White--Male	54	16	-	1	3	-	1	1	-	22	10
White--Female	9	5	-	-	-	1	-	-	-	1	2
Nonwhite--Male	44	15	-	-	4	-	-	-	-	14	11
Nonwhite--Female	28	17	-	-	-	-	-	-	-	2	9
Arizona	394	174	23	13	18	2	15	8	7	79	55
White--Male	224	84	20	13	17	1	10	5	2	46	26
White--Female	90	60	-	-	-	-	1	1	3	14	11
Nonwhite--Male	55	17	2	-	1	1	3	2	1	18	10
Nonwhite--Female	25	13	1	-	-	-	1	-	1	1	8
Arkansas	673	281	40	2	31	3	22	10	25	61	198
White--Male	291	94	20	1	26	1	17	8	10	36	78
White--Female	145	60	3	-	-	2	2	-	11	5	62
Nonwhite--Male	141	68	15	1	5	-	3	2	3	17	27
Nonwhite--Female	96	59	2	-	-	-	-	-	1	3	31
California	3,741	1,989	80	15	190	52	148	161	353	478	375
White--Male	2,119	864	70	14	176	39	101	115	148	368	204
White--Female	1,343	878	4	1	2	8	33	34	195	40	149
Nonwhite--Male	202	91	6	1	11	4	11	10	9	44	15
Nonwhite--Female	77	56	-	-	1	1	3	2	1	6	7
Colorado	574	195	36	22	26	8	19	24	57	63	124
White--Male	370	109	31	19	24	7	16	20	22	53	69
White--Female	185	81	3	1	2	1	2	4	33	8	50
Nonwhite--Male	16	3	2	2	-	-	1	-	2	2	4
Nonwhite--Female	3	2	-	-	-	-	-	-	-	-	1
Connecticut	568	323	9	2	23	10	24	13	45	53	66
White--Male	307	162	3	2	22	5	18	10	20	35	30
White--Female	220	137	4	-	-	3	6	2	25	9	34
Nonwhite--Male	29	16	2	-	1	2	-	1	-	6	1
Nonwhite--Female	12	8	-	-	-	-	-	-	-	3	1
Delaware	117	34	2	-	10	2	3	1	6	15	44
White--Male	57	13	1	-	6	1	3	-	1	11	21
White--Female	31	10	-	-	-	1	-	1	2	1	16
Nonwhite--Male	19	5	1	-	4	-	-	-	1	3	5
Nonwhite--Female	10	6	-	-	-	-	-	-	2	-	2
District of Columbia	300	162	-	-	8	3	19	11	28	30	39
White--Male	76	31	-	-	-	-	9	5	10	11	10
White--Female	62	38	-	-	-	-	4	1	13	-	6
Nonwhite--Male	120	59	-	-	8	3	6	5	3	19	17
Nonwhite--Female	42	34	-	-	-	-	-	-	2	-	6
Florida	1,447	718	39	21	55	25	49	43	54	289	154
White--Male	667	281	22	8	40	14	26	29	26	161	60
White--Female	369	222	3	-	-	8	10	7	22	42	55
Nonwhite--Male	280	124	11	10	15	3	10	6	3	75	23
Nonwhite--Female	131	91	3	3	-	-	3	1	3	11	16
Georgia	1,249	741	85	7	67	13	26	20	45	149	96
White--Male	451	205	40	3	37	7	15	13	14	86	31
White--Female	263	198	6	-	-	1	1	4	17	18	18
Nonwhite--Male	322	157	36	4	30	5	7	3	6	40	34
Nonwhite--Female	213	181	3	-	-	-	3	-	8	5	13
Hawaii	155	30	3	1	7	6	3	4	7	88	6
White--Male	26	5	1	-	-	2	-	1	2	14	1
White--Female	11	5	-	-	-	-	-	-	-	6	-
Nonwhite--Male	92	13	2	1	7	2	3	3	4	52	5
Nonwhite--Female	26	7	-	-	-	2	-	-	1	16	-
Idaho	259	95	26	3	24	3	6	3	11	45	43
White--Male	168	56	23	2	24	3	6	3	8	37	26
White--Female	64	37	2	-	-	-	-	-	3	6	16
Nonwhite--Male	6	1	1	1	-	-	-	-	-	2	1
Nonwhite--Female	1	1	-	-	-	-	-	-	-	-	-
Illinois	2,217	1,126	88	23	127	31	105	110	131	281	195
White--Male	1,263	516	83	23	106	15	67	71	54	213	115
White--Female	634	415	3	-	3	11	20	21	73	24	64
Nonwhite--Male	218	109	2	-	17	4	17	16	2	37	14
Nonwhite--Female	102	86	-	-	1	1	1	2	2	7	2

See footnotes at end of table.

Table 6-6. Deaths From Nontransport Accidents, by Place of Accident, Color, and Sex: United States and Each State, 1960—Con.

(By place of residence. Data refer only to deaths occurring within the United States, including Alaska and Hawaii. Deaths are those assigned to category numbers E870-E936 of the Seventh Revision of the International Lists, 1955. Numbers under places of accident are fourth-digit subcategory numbers)

AREA, COLOR, AND SEX	Total deaths	PLACE OF ACCIDENT									
		Home[1] (.0)	Farm[2] (.1)	Mine and quarry (.2)	Industrial place and premises (.3)	Place for recreation and sport (.4)	Street and highway (.5)	Public building (.6)	Resident institution (.7)	Other specified places (.8)	Place not specified (.9)
Indiana	1,331	700	90	14	64	16	38	35	112	92	170
White—Male	760	329	84	11	62	12	26	29	45	72	90
Female	502	330	6	-	1	3	8	5	66	13	70
Nonwhite—Male	44	24	-	2	1	1	3	-	1	6	6
Female	25	17	-	1	-	-	1	1	-	1	4
Iowa	805	346	100	7	25	11	25	19	76	54	142
White—Male	495	167	93	7	24	9	19	18	30	46	82
Female	297	173	7	-	1	2	5	1	46	4	58
Nonwhite—Male	5	1	-	-	-	-	1	-	-	3	-
Female	8	5	-	-	-	-	-	-	-	1	2
Kansas	647	317	71	5	33	8	20	11	55	54	73
White—Male	398	159	67	5	33	5	13	8	23	48	37
Female	227	145	4	-	-	2	6	3	32	3	32
Nonwhite—Male	9	4	-	-	-	1	1	-	-	1	2
Female	13	9	-	-	-	-	-	-	-	2	2
Kentucky	1,071	492	81	61	47	21	28	17	23	92	209
White—Male	603	197	75	61	43	14	21	13	10	70	99
Female	328	210	4	-	-	2	4	2	10	9	87
Nonwhite—Male	84	42	2	-	4	5	2	2	1	13	13
Female	56	43	-	-	-	-	1	-	2	-	10
Louisiana	1,030	469	37	3	60	8	42	17	32	149	213
White—Male	386	123	17	1	49	2	23	12	10	78	71
Female	198	126	1	-	-	1	7	-	17	7	39
Nonwhite—Male	281	106	16	2	10	5	8	5	3	63	63
Female	165	114	3	-	1	-	4	-	2	1	40
Maine	311	159	8	3	15	1	13	10	6	48	48
White—Male	213	95	7	3	15	1	10	8	3	41	30
Female	95	63	1	-	-	-	2	2	3	6	18
Nonwhite—Male	3	1	-	-	-	-	1	-	-	1	-
Female	-	-	-	-	-	-	-	-	-	-	-
Maryland	762	362	33	5	42	6	40	20	74	98	82
White—Male	334	98	26	3	33	2	24	13	38	62	35
Female	214	143	2	1	1	4	3	4	29	6	21
Nonwhite—Male	141	66	5	1	8	-	10	3	5	28	15
Female	73	55	-	-	-	-	3	-	2	2	11
Massachusetts	1,680	844	9	3	51	14	57	41	251	139	271
White—Male	838	356	8	3	46	13	42	32	93	107	138
Female	785	488	1	-	1	1	13	8	153	28	112
Nonwhite—Male	45	15	-	-	4	-	1	1	3	4	17
Female	12	5	-	-	-	-	1	-	2	-	4
Michigan	1,775	777	67	18	77	24	65	50	122	205	370
White—Male	979	339	60	16	67	15	47	43	52	168	172
Female	634	344	4	1	1	6	10	6	66	18	178
Nonwhite—Male	114	56	3	1	9	2	8	-	-	19	16
Female	48	38	-	-	-	1	-	1	4	-	4
Minnesota	907	397	90	7	25	7	39	24	65	103	130
White—Male	593	214	84	6	24	7	32	21	38	82	85
Female	302	175	6	1	1	-	7	3	47	18	44
Nonwhite—Male	8	4	-	-	-	-	-	-	-	3	1
Female	4	4	-	-	-	-	-	-	-	-	-
Mississippi	844	379	57	5	31	8	14	11	19	97	223
White—Male	257	88	22	2	18	5	8	7	7	36	64
Female	117	56	1	-	-	2	1	2	10	4	41
Nonwhite—Male	282	95	31	3	13	1	5	2	-	50	82
Female	188	140	3	-	-	-	-	-	2	7	36
Missouri	1,394	741	107	6	57	20	50	35	115	109	154
White—Male	740	298	97	6	49	12	43	21	48	83	83
Female	453	301	7	-	1	4	5	9	63	12	51
Nonwhite—Male	124	77	3	-	7	3	1	5	2	12	14
Female	77	65	-	-	-	1	1	-	2	2	6
Montana	271	99	23	7	20	3	10	7	14	39	49
White—Male	179	52	20	7	19	2	6	4	5	31	33
Female	74	40	3	-	-	1	3	3	8	4	12
Nonwhite—Male	12	3	-	-	1	-	-	-	1	4	3
Female	6	4	-	-	-	-	1	-	-	-	1
Nebraska	425	211	59	5	21	13	10	20	35	34	17
White—Male	258	96	52	3	19	11	9	17	15	29	7
Female	144	100	7	2	-	2	1	2	20	3	7
Nonwhite—Male	14	7	-	-	2	-	-	1	-	2	2
Female	9	8	-	-	-	-	-	-	-	-	1
Nevada	104	49	2	2	2	2	4	6	4	20	13
White—Male	63	26	1	2	1	1	3	3	4	14	8
Female	30	21	1	-	-	1	-	2	-	2	3
Nonwhite—Male	8	2	-	-	1	-	1	-	-	4	-
Female	3	-	-	-	-	-	-	1	-	-	2

1 See footnotes at end of table.

692-280 O - 63 - 16

Table 6-6. Deaths From Nontransport Accidents, by Place of Accident, Color, and Sex: United States and Each State, 1960—Con.

(By place of residence. Data refer only to deaths occurring within the United States, including Alaska and Hawaii. Deaths are those assigned to category numbers E870-E936 of the Seventh Revision of the International Lists, 1955. Numbers under places of accident are fourth-digit subcategory numbers)

AREA, COLOR, AND SEX	Total deaths	PLACE OF ACCIDENT									
		Home[1] (.0)	Farm[2] (.1)	Mine and quarry (.2)	Industrial place and premises (.3)	Place for recreation and sport (.4)	Street and highway (.5)	Public building (.6)	Resident institution (.7)	Other specified places (.8)	Place not specified (.9)
New Hampshire	147	83	3	1	7	3	5	1	6	27	11
White--Male	94	46	2	1	6	3	5	1	4	19	7
White--Female	53	37	1	-	1	-	-	-	2	8	4
Nonwhite--Male	-	-	-	-	-	-	-	-	-	-	-
Nonwhite--Female	-	-	-	-	-	-	-	-	-	-	-
New Jersey	1,392	791	16	4	76	21	69	21	105	163	126
White--Male	680	301	10	4	68	15	40	16	38	124	64
White--Female	508	368	4	-	-	4	17	4	60	13	38
Nonwhite--Male	136	74	1	-	8	2	9	-	3	24	15
Nonwhite--Female	68	48	1	-	-	-	3	1	4	2	9
New Mexico	302	128	20	19	16	3	13	10	6	45	42
White--Male	191	68	17	18	16	2	11	8	3	34	14
White--Female	71	46	1	-	-	1	-	2	2	4	15
Nonwhite--Male	29	9	2	1	-	-	2	-	-	7	8
Nonwhite--Female	11	5	-	-	-	-	-	-	1	-	5
New York	4,186	1,937	77	9	202	60	222	136	373	470	700
White--Male	2,238	851	68	9	183	42	144	87	142	338	374
White--Female	1,445	862	7	-	1	8	56	33	212	36	228
Nonwhite--Male	347	116	2	-	18	8	20	15	9	82	77
Nonwhite--Female	156	108	-	-	-	2	2	1	10	12	21
North Carolina	1,277	661	110	4	42	10	22	26	48	164	170
White--Male	501	217	56	1	22	8	15	16	15	90	61
White--Female	256	184	3	-	-	-	2	2	22	10	33
Nonwhite--Male	349	151	45	3	20	2	4	8	8	58	50
Nonwhite--Female	171	129	6	-	-	-	1	-	3	6	26
North Dakota	199	88	29	2	10	3	9	7	17	19	15
White--Male	144	57	29	2	10	1	9	6	6	14	10
White--Female	46	26	-	-	-	2	-	1	10	3	4
Nonwhite--Male	5	2	-	-	-	-	-	-	-	2	1
Nonwhite--Female	4	3	-	-	-	-	-	-	1	-	-
Ohio	2,493	1,278	91	23	133	27	93	64	238	200	346
White--Male	1,309	526	81	22	117	17	65	47	105	154	175
White--Female	909	581	6	-	3	2	17	12	125	18	145
Nonwhite--Male	190	106	4	1	13	8	8	4	5	26	15
Nonwhite--Female	85	65	-	-	-	-	3	1	3	2	11
Oklahoma	802	413	59	1	40	11	17	17	47	80	117
White--Male	442	176	45	-	37	9	10	16	22	64	63
White--Female	247	175	10	-	-	2	3	1	19	4	33
Nonwhite--Male	73	31	4	1	3	-	4	-	4	12	14
Nonwhite--Female	40	31	-	-	-	-	-	-	2	-	7
Oregon	593	254	36	1	73	11	15	17	39	93	54
White--Male	396	143	32	1	69	9	12	12	13	74	31
White--Female	174	103	4	-	1	2	2	4	26	13	19
Nonwhite--Male	13	5	-	-	3	-	-	-	-	4	1
Nonwhite--Female	10	3	-	-	-	-	1	1	-	2	3
Pennsylvania	2,957	1,392	97	70	141	33	143	49	159	266	607
White--Male	1,595	612	89	68	122	17	102	28	63	201	293
White--Female	1,037	606	7	-	1	7	29	14	85	28	260
Nonwhite--Male	216	97	1	2	18	7	10	3	6	34	38
Nonwhite--Female	109	77	-	-	-	2	2	4	5	3	16
Rhode Island	203	116	1	-	6	6	8	10	27	10	19
White--Male	111	60	1	-	6	5	5	6	9	7	12
White--Female	85	50	-	-	-	1	3	4	18	2	7
Nonwhite--Male	5	4	-	-	-	-	-	-	-	1	-
Nonwhite--Female	2	2	-	-	-	-	-	-	-	-	-
South Carolina	897	386	55	1	22	10	25	22	10	110	256
White--Male	283	91	22	1	11	6	11	15	3	46	77
White--Female	144	79	-	-	1	1	-	4	5	6	48
Nonwhite--Male	310	115	27	-	10	3	12	3	2	53	85
Nonwhite--Female	160	101	6	-	-	-	2	-	-	5	46
South Dakota	213	76	35	5	4	2	11	4	11	24	41
White--Male	150	45	35	5	4	2	7	3	5	19	25
White--Female	42	23	-	-	-	-	3	1	5	1	9
Nonwhite--Male	15	6	-	-	-	-	-	-	1	4	4
Nonwhite--Female	6	2	-	-	-	-	1	-	-	-	3
Tennessee	993	571	70	14	60	4	31	16	34	108	85
White--Male	492	201	58	14	54	2	24	7	18	73	41
White--Female	259	203	3	-	-	2	3	6	14	7	21
Nonwhite--Male	166	102	9	-	6	-	4	3	2	26	14
Nonwhite--Female	76	65	-	-	-	-	-	-	-	2	9
Texas	2,640	1,287	155	14	170	56	61	63	96	337	401
White--Male	1,417	518	127	11	145	37	44	47	51	243	194
White--Female	740	503	6	-	3	4	8	12	38	32	134
Nonwhite--Male	307	131	19	3	21	14	6	4	6	54	49
Nonwhite--Female	176	135	3	-	1	1	3	-	1	8	24

See footnotes at end of table.

Table 6-6. Deaths From Nontransport Accidents, by Place of Accident, Color, and Sex: United States and Each State, 1960—Con.

(By place of residence. Data refer only to deaths occurring within the United States, including Alaska and Hawaii. Deaths are those assigned to category numbers E870-E936 of the Seventh Revision of the International Lists, 1955. Numbers under places of accident are fourth-digit subcategory numbers)

AREA, COLOR, AND SEX	Total deaths	PLACE OF ACCIDENT									
		Home[1] (.0)	Farm[2] (.1)	Mine and quarry (.2)	Industrial place and premises (.3)	Place for recreation and sport (.4)	Street and highway (.5)	Public building (.6)	Resident institution (.7)	Other specified places (.8)	Place not specified (.9)
Utah	272	135	11	11	16	4	7	9	22	36	21
White—Male	179	73	7	10	15	2	7	8	15	31	11
Female	78	55	1	-	1	1	-	1	6	4	9
Nonwhite—Male	10	4	1	1	-	1	-	-	1	1	1
Female	5	3	2	-	-	-	-	-	-	-	-
Vermont	117	63	5	-	6	1	5	1	16	17	3
White—Male	70	34	4	-	6	1	2	1	5	15	2
Female	47	29	1	-	-	-	3	-	11	2	1
Nonwhite—Male	-	-	-	-	-	-	-	-	-	-	-
Female	-	-	-	-	-	-	-	-	-	-	-
Virginia	1,123	589	58	31	62	7	34	16	86	136	104
White—Male	490	190	38	28	41	4	20	11	27	93	38
Female	286	192	4	1	-	1	1	3	44	5	35
Nonwhite—Male	237	124	14	2	21	2	11	1	9	36	17
Female	110	83	2	-	-	-	2	1	6	2	14
Washington	815	308	31	5	63	9	26	35	65	133	140
White—Male	528	162	28	4	60	7	23	32	37	108	67
Female	234	126	1	-	-	1	2	2	27	9	66
Nonwhite—Male	43	11	2	1	3	1	1	1	1	16	6
Female	10	9	-	-	-	-	-	-	-	-	1
West Virginia	662	226	20	105	26	3	20	9	19	65	169
White—Male	437	107	19	101	23	3	19	7	12	55	91
Female	184	101	1	-	1	-	1	2	7	7	64
Nonwhite—Male	24	9	-	4	2	-	-	-	-	3	6
Female	17	9	-	-	-	-	-	-	-	-	8
Wisconsin	993	482	89	9	51	11	31	32	79	106	103
White—Male	601	230	82	9	47	8	26	21	39	82	57
Female	359	234	7	-	-	3	3	11	40	19	42
Nonwhite—Male	24	10	-	-	4	-	2	-	-	5	3
Female	9	8	-	-	-	-	-	-	-	-	1
Wyoming	149	60	14	5	18	2	7	5	3	15	20
White—Male	103	37	13	5	18	2	6	2	1	10	9
Female	41	21	-	-	-	-	1	3	2	5	9
Nonwhite—Male	2	-	1	-	-	-	-	-	-	-	1
Female	3	2	-	-	-	-	-	-	-	-	1

[1]Including home premises and any noninstitutional place of residence.
[2]Including buildings and land under cultivation, but excluding farm home and home premises.

Section 7. Technical Appendix

Page

Sources of data---------- 7-3
- Death and fetal death statistics---------- 7-3
- Notifiable disease statistics---------- 7-3
- Standard certificates---------- 7-3

History ---------- 7-4
- Deaths and fetal deaths---------- 7-4
- Notifiable diseases---------- 7-7

Classification of data---------- 7-7
- Classification by occurrence and residence---------- 7-7
- Geographic classification---------- 7-8
- Age ---------- 7-9
- Race and color---------- 7-9
- Fetal deaths---------- 7-9
- Cause of death---------- 7-11
- Control of errors---------- 7-13

Interpretation of data---------- 7-14
- Completeness of registration---------- 7-14
- Population bases for death rates---------- 7-14
- Age-adjusted rates---------- 7-14
- Symbols used in tables---------- 7-14

Figures

7-1. Standard Certificate of Death---------- 7-5

7-2. Standard Certificate of Fetal Death---------- 7-6

Text Table

7-A. Inclusion of checkbox items for usual residence on certificates of birth, death, and fetal death: United States, 1960---------- 7-4

SECTION 7. TECHNICAL APPENDIX

SOURCES OF DATA

Death and fetal death statistics

With the exceptions noted in the next paragraph, tabulations of deaths and fetal deaths for 1960 are based on information obtained from microfilm copies of the original certificates. These copies were received from the registration offices of all States, certain cities, the District of Columbia, Puerto Rico, and the Virgin Islands. The statistical information on these records was edited, classified, placed on punchcards, transferred to a tape for computer processing, and tabulated in the National Vital Statistics Division (NVSD).

The 1960 death statistics for California and Michigan were produced by a somewhat different procedure. The vital statistics offices of these areas coded the information on their certificates according to the rules followed in NVSD. From punchcards prepared for their own use, they reproduced the information required for national tabulations on uniform punchcard forms. The reproduced cards were verified and tabulated with the cards for all of the other areas.

Although the United States vital statistics system covers the 50 States, the District of Columbia, Puerto Rico, and the Virgin Islands, in the statistical tabulations *United States* refers only to the aggregate of the 50 States and the District of Columbia. Puerto Rico and the Virgin Islands also send copies of death records to NVSD. Tabulations for these areas are published in Section 10, Part B, Volume II.

Mortality data for the United States are confined to events registered within the United States and, as such, include events occurring to nonresident aliens. The data do not cover vital events for U.S. citizens occurring outside the United States. Similarly, the data for Puerto Rico and the Virgin Islands are confined to events registered in these areas.

Notifiable disease statistics

Tabulations of notifiable diseases are limited to the numbers of cases of certain infectious diseases which are reported to the Public Health Service by the State departments of health. The National Vital Statistics Division collected this information in 1960. The responsibility for the collection and publication of notifiable disease data was transferred to the Communicable Disease Center, effective January 1, 1961.

Standard certificates

Standard certificates of death and fetal death, issued by the National Vital Statistics Division, have served for many years as the principal means of attaining uniformity in the content of the documents used to collect information on these events. They have been modified in each State to the extent necessitated by the particular needs of the State or by special provisions of the State vital statistics law. However, the certificates of most States conform closely in content and arrangement to the standard certificates.

The first issue of the standard certificate of death appeared shortly before the formation of the registration area. Since then, it has been revised periodically by the national vital statistics agency, through consultation with State health officers and registrars; Federal agencies concerned with vital statistics; national, State, and county medical societies; and others working in the fields of public health, social welfare, demography, and insurance. This revision procedure has assured careful evaluation of each item in terms of its current and future usefulness for registration, identification, legal, medical, and research purposes. New items have been added when necessary, and old items have been modified to ensure better reporting or in some cases have been dropped when their usefulness appeared to be limited.

The most recent revision of the standard certificate of death occurred in 1955. It was made in close collaboration with the Public Health Conference on Records and Statistics and was recommended to the States for adoption as of January 1, 1956.

The current standard certificates of death and fetal death are shown in figures 7-1 and 7-2. A major revision of the certificate of fetal death occurred in 1954 and was recommended as of January 1, 1955. However, additional changes were recommended in 1955 to make the certificate conform to the new certificates of live birth and death.

With a few exceptions, only minor changes in content and format were made in the 1956 revision of the standard certificates. In an effort to obtain a more accurate designation for place of residence, the question "Is residence inside city limits?" was added. Studies conducted in a few States had indicated that this question helped to correctly locate the residence of persons who had lived near but outside the corporate limits of cities.

Another item, "Is residence on a farm?" was added to serve several purposes. Federal and State agricultural agencies wanted the information in order to assess the health status of the farm population and to measure changes in its

Table 7-A. INCLUSION OF CHECKBOX ITEMS FOR USUAL RESIDENCE ON CERTIFICATES OF BIRTH, DEATH, AND FETAL DEATH: UNITED STATES, 1960

(In general, certificates containing checkbox items on usual residence are those certificates revised since the 1956 revisions of the standard certificates. Data were abstracted from copies of certificates received in the National Vital Statistics Division and include only those certificates used by the areas during all or part of 1960. Certificates revised in 1960 but not in use during the year are not included)

REGISTRATION AREA	RESIDENCE INSIDE CITY LIMITS ON CERTIFICATES OF—			RESIDENCE ON A FARM ON CERTIFICATES OF—		
	Live birth	Death	Fetal death	Live birth	Death	Fetal death
Alabama		X			X	
Alaska	X					
Arizona	X	X	X	X	X	X
Arkansas	X	X	X	X	X	X
California	X	X	X	X	X	X
Colorado	X	X	X	X	X	X
Connecticut	X	X	X			X
Delaware	X	X	X	X	X	X
District of Columbia	X	X	X	X	X	X
Florida	X	X	X	X	X	X
Georgia	X	X	X	X		X
Hawaii	X	X	X	X	X	X
Idaho						
Illinois	X	X	X	X	X	X
Indiana	X	X	X	X	X	X
Iowa	X	X	X	X	X	X
Kansas	X	X	X	X	X	X
Kentucky	X	X	X	X	X	X
Louisiana	X	X	X	X	X	X
Maine		X		X	X	X
Maryland (excl. Baltimore)	X			X	X	
Baltimore, Md.			X			X
Massachusetts						
Michigan	X	X	X			
Minnesota	X	X	X	X	X	X
Mississippi	X	X		X	X	
Missouri	X	X	X	X	X	X
Montana	X	X	X	X	X	X
Nebraska		X	X		X	X
Nevada	X	X	X	X	X	X
New Hampshire					X	
New Jersey						
New Mexico						
New York (excl. N.Y.C.)	X	X	X	X	X	X
New York City, N.Y.						
North Carolina	X	X	X	X	X	X
North Dakota	X	X	X	X	X	X
Ohio	X	X		X	X	
Oklahoma	X	X	X	X	X	X
Oregon						
Pennsylvania	X	X				
Rhode Island			X	X		X
South Carolina	X	X	X	X	X	X
South Dakota						
Tennessee	X	X	X	X	X	X
Texas	X	X	X	X	X	X
Utah	X	X	X	X	X	X
Vermont						
Virginia	X	X	X			
Washington	X	X	X	X	X	X
West Virginia	X	X	X	X	X	X
Wisconsin	X					
Wyoming	X	X	X	X	X	X
Puerto Rico						
Virgin Islands			X			X

demographic characteristics. It also seemed that this item would aid in correctly allocating the place of residence of decedents who had lived near but outside cities.

Table 7-A indicates the States that did and those that did not include the checkbox items on city and farm residence on all or part of the certificate forms which they used during 1960.

The wording of the cause-of-death item on the death certificate was changed to improve its clarity. The separate questions on operations were omitted.

The cause item on the fetal death certificate was revised to conform to the wording used on the death certificate.

HISTORY

Deaths and fetal deaths

The first death statistics published by the Federal Government concerned events in 1850 and were for the entire United States. These statistics were based on information collected during the decennial census of that year. Similar decennial collections were made by census enumerators at each census up to and including the census of 1900, but because of the time interval between the occurrence of a death and the census enumeration, these reports were inaccurate and incomplete.

In 1880 the Bureau of the Census established a national "registration area" for deaths. This original area consisted of only two States—Massachusetts and New Jersey—the District of Columbia, and several large cities which had efficient systems for the registration of deaths, but by 1900 eight other States had been admitted. For the years 1880, 1890, and 1900, mortality data were received from the States and cities included in this expanding area, but death figures for the entire country were still compiled from the reports of census enumerators.

The annual collection of mortality statistics for the registration area began with the calendar year 1900. In 1902 the Bureau of the Census, which had previously functioned only in census years, was made a permanent agency by an act of Congress. This act authorized the Director of the Bureau of the Census to obtain, annually, copies of records filed in the vital statistics offices of those States and cities having adequate death-registration systems. At that time not all States had enacted laws requiring the registration of deaths, and in many States the existing laws were

FIGURE 7-I

CERTIFICATE OF DEATH

Form approved. Budget Bureau No. 68-R375 2.

BIRTH NO. STATE OF STATE FILE NO.

1. **PLACE OF DEATH** a. COUNTY
b. CITY, TOWN, OR LOCATION c. LENGTH OF STAY IN 1b
d. NAME OF HOSPITAL OR INSTITUTION (*If not in hospital, give street address*)
e. IS PLACE OF DEATH INSIDE CITY LIMITS? YES ☐ NO ☐

2. **USUAL RESIDENCE** (*Where deceased lived. If institution: Residence before admission*) a. STATE b. COUNTY
c. CITY, TOWN, OR LOCATION
d. STREET ADDRESS
e. IS RESIDENCE INSIDE CITY LIMITS? YES ☐ NO ☐
f. IS RESIDENCE ON A FARM? YES ☐ NO ☐

3. **NAME OF DECEASED** (*Type or print*) *First Middle Last*
4. DATE OF DEATH *Month Day Year*
5. SEX
6. COLOR OR RACE
7. MARRIED ☐ NEVER MARRIED ☐ WIDOWED ☐ DIVORCED ☐
8. DATE OF BIRTH
9. AGE (*In years last birthday*) IF UNDER 1 YEAR *Months Days* IF UNDER 24 HRS. *Hours Min.*
10a. USUAL OCCUPATION (*Give kind of work done during most of working life, even if retired*)
10b. KIND OF BUSINESS OR INDUSTRY
11. BIRTHPLACE (*State or foreign country*)
12. CITIZEN OF WHAT COUNTRY?
13. FATHER'S NAME
14. MOTHER'S MAIDEN NAME
15. WAS DECEASED EVER IN U. S. ARMED FORCES? (*Yes, no, or unknown*) (*If yes, give war or dates of service*)
16. SOCIAL SECURITY NO.
17. **INFORMANT** *Address*

MEDICAL CERTIFICATION

18. **CAUSE OF DEATH** [*Enter only one cause per line for (a), (b), and (c).*] INTERVAL BETWEEN ONSET AND DEATH
PART I. DEATH WAS CAUSED BY:
IMMEDIATE CAUSE (a) _____
Conditions, if any, which gave rise to above cause (a), stating the underlying cause last. DUE TO (b) _____
DUE TO (c) _____
PART II. OTHER SIGNIFICANT CONDITIONS CONTRIBUTING TO DEATH BUT NOT RELATED TO THE TERMINAL DISEASE CONDITION GIVEN IN PART I(a)
19. WAS AUTOPSY PERFORMED? YES ☐ NO ☐

20a. ACCIDENT ☐ SUICIDE ☐ HOMICIDE ☐
20b. DESCRIBE HOW INJURY OCCURRED. (*Enter nature of injury in Part I or Part II of item 18.*)
20c. TIME OF INJURY *Hour a. m. p. m. Month, Day, Year*
20d. INJURY OCCURRED WHILE AT WORK ☐ NOT WHILE AT WORK ☐
20e. PLACE OF INJURY (*e. g., in or about home, farm, factory, street, office bldg., etc.*)
20f. CITY, TOWN, OR LOCATION COUNTY STATE

21. *I attended the deceased from _____, to _____ and last saw her/him alive on _____*
Death occurred at _____ m on the date stated above; and to the best of my knowledge, from the causes stated.

22a. **SIGNATURE** (*Degree or title*)
22b. ADDRESS
22c. DATE SIGNED

23a. BURIAL, CREMATION, REMOVAL (*Specify*)
23b DATE
23c. NAME OF CEMETERY OR CREMATORY
23d. LOCATION (*City, town, or county*) (*State*)

24. FUNERAL DIRECTOR ADDRESS
25. DATE RECD. BY LOCAL REG.
26. REGISTRAR'S SIGNATURE

1956 REVISION OF STANDARD CERTIFICATE DEPARTMENT OF HEALTH, EDUCATION, AND WELFARE—PUBLIC HEALTH SERVICE PHS-796 REV. 11/54

poorly enforced. The important dates in the historical development of death registration in various States and the year in which each State was admitted to the death-registration area are given in table 5-1, Section 5, Volume I, *Vital Statistics of the United States, 1960.*

The death-registration area for 1900 consisted of 10 States, the District of Columbia, and a number of cities located in nonregistration States. In 1900 the registration area included 40.5 percent of the population of the continental United States. The original registration area was predominantly urban and was characterized by a high proportion of white persons. If those reporting cities located in nonregistration States are excluded, the population coverage of the death-registration States was much lower, representing 26.2 percent of the total population of the United States.

Statistics of fetal deaths (the term "stillbirth" was used for many years) were first published for the birth-registration area in 1918. However, they were not included in the reports issued for the succeeding 3 years. Beginning

FIGURE 7-2

CERTIFICATE OF FETAL DEATH[1]

Form approved. Budget Bureau No.

STATE OF — STATE FILE NO.

1955 REVISION OF STANDARD CERTIFICATE (*Amended*) — DEPARTMENT OF HEALTH, EDUCATION, AND WELFARE—PUBLIC HEALTH SERVICE — 16—72175-1 U. S. GOVERNMENT PRINTING OFFICE — PHS-797 REV. 11-55

1. **PLACE OF DELIVERY** a. COUNTY; b. CITY, TOWN, OR LOCATION; c. NAME OF HOSPITAL OR INSTITUTION (*If not in hospital, give street address*); d. IS PLACE OF DELIVERY INSIDE CITY LIMITS? YES ☐ NO ☐

2. **USUAL RESIDENCE OF MOTHER** (*Where does mother live?*) a. STATE; b. COUNTY; c. CITY, TOWN, OR LOCATION; d. STREET ADDRESS; e. IS RESIDENCE INSIDE CITY LIMITS? YES ☐ NO ☐; f. IS RESIDENCE ON A FARM? YES ☐ NO ☐

3. **NAME OF FETUS** (*If given*)

4. SEX OF FETUS — MALE ☐ FEMALE ☐ ☐ UNDETERMINED

5a. THIS DELIVERY — SINGLE ☐ TWIN ☐ TRIPLET ☐

5b. IF TWIN OR TRIPLET, WAS THIS FETUS DELIVERED — 1ST ☐ 2D ☐ 3D ☐

6. DATE OF DELIVERY (*Month*) (*Day*) (*Year*)

FATHER

7. NAME *First* *Middle* *Last*

8. COLOR OR RACE

9. AGE (*At time of delivery*) YEARS

10. BIRTHPLACE (*State or foreign country*)

11a. USUAL OCCUPATION

11b. KIND OF BUSINESS OR INDUSTRY

MOTHER

12. MAIDEN NAME *First* *Middle* *Last*

13. COLOR OR RACE

14. AGE (*At time of delivery*) YEARS

15. BIRTHPLACE (*State or foreign country*)

16. PREVIOUS DELIVERIES TO MOTHER (*Do NOT include this fetus*) — a. *How many children are now living?* b. *How many children were born alive but are now dead?* c. *How many* PREVIOUS *fetal deaths (fetuses born dead at* ANY *time after conception)?*

17. **INFORMANT**

18a. LENGTH OF PREGNANCY COMPLETED WEEKS

18b WEIGHT OF FETUS LB. OZ.

19. LEGITIMATE YES ☐ NO ☐

20. WHEN DID FETUS DIE? BEFORE LABOR ☐ DURING LABOR OR DELIVERY ☐ UNKNOWN ☐

21. WAS AUTOPSY PERFORMED? YES ☐ NO ☐

22. **CAUSE OF FETAL DEATH**

PART I. FETAL DEATH WAS CAUSED BY: (*Enter only one cause per line for (a), (b), and (c)*)

Fetal or maternal condition directly causing fetal death (do not use such terms as stillbirth or prematurity). IMMEDIATE CAUSE (a) _____

Fetal and/or maternal conditions, if any, GIVING RISE TO THE ABOVE CAUSE (a) *stating* THE UNDERLYING CAUSE LAST. DUE TO (b) _____

DUE TO (c) _____

PART II OTHER SIGNIFICANT CONDITIONS *of fetus or mother which may have* CONTRIBUTED *to fetal death, but, in so far as is known, were not related to cause given in* PART I (a).

I hereby certify that this delivery occurred on the date stated above and the fetus was born dead.

23a. **ATTENDANT'S SIGNATURE** (*Specify if M. D., D. O., midwife, or other*)

23b. DATE SIGNED

23c. ATTENDANT'S ADDRESS

If not attended by physician

24. SIGNATURE OF AUTHORIZED OFFICIAL — TITLE

25a. BURIAL, CREMATION, REMOVAL (*Specify*)

25b. DATE

25c. NAME OF CEMETERY OR CREMATORY

25d. LOCATION (*City, town, or county*) (*State*)

26. FUNERAL DIRECTOR — ADDRESS

DATE REC'D BY LOCAL REG.

REGISTRAR'S SIGNATURE

[1] Optional heading—CERTIFICATE OF FETAL DEATH (STILLBIRTH).

with 1922, statistics of fetal deaths (stillbirths) have been published each year for the birth-registration area and from 1933 through 1958 for 48 States and the District of Columbia which comprised the birth- and death-registration areas. Alaska was added in 1959 and Hawaii in 1960.

Table 5-1 also presents for each year through 1932 the estimated midyear population of the United States and the estimated midyear population of those States included in the registration system.

Prior to 1940 most of the national mortality tabulations published by the Bureau of the Census were based on data collected from the registration areas, but beginning with 1940, all published material given in statistical series for the United States prior to the completion of the death-registration area in 1933 omits data for registration cities located in nonregistration States and includes only statistics for the registration States. This change decreases the mortality statistics coverage of the United States by the exclusion of cities in nonregistration States, but it has its advantages in that more reliable population estimates are available for the registration States than for the registration areas.

Rates for the expanding group of death-registration States are approximations of rates for the entire Nation, and general comparisons over a long period of time are made. More exact trends for parts of the United States can be secured through the use of some constant area, such as the original registration States or the registration States of 1920.

Notifiable diseases

The collection of data on notifiable diseases by the Public Health Service had its beginning over 80 years ago when, by an act of Congress in 1878, the collection of this data was authorized for use in connection with quarantine measures against such pestilential diseases as cholera, smallpox, plague, and yellow fever. One year later a specific appropriation was made for the collection and publication of reports of notifiable diseases, which were obtained principally from foreign ports. In 1893 an act was authorized providing for the collection of information each week from State and municipal authorities throughout the United States. In order to secure uniformity in the registration of morbidity statistics, Congress enacted a law in 1902 which directed the Surgeon General of the Public Health Service to provide forms for the collection, compilation, and publication of such data.

Reports of notifiable diseases were received from very few States and cities prior to 1900, but gradually more and more States submitted monthly and annual summaries. It was not until after 1925, however, that all States reported regularly.

Until 1942, the collection, compilation, and publication of morbidity statistics were under the direction of the Division of Sanitary Reports and Statistics of the Public Health Service. These functions were transferred to the Division of Public Health Methods in 1942, to the National Office of Vital Statistics in 1949, and to the Communicable Disease Center in 1961.

CLASSIFICATION OF DATA

The principal value of vital statistics data is obtained through the presentation of such data in the form of rates, which are computed by relating the vital events of a class to the population of a similary defined class. Vital statistics and population statistics must, therefore, be classified according to similarly defined systems and tabulated in comparable groups. Even when the variables common to both, such as geographic area, age, race, and sex, have been similarly classified and tabulated, differences between the enumeration method of obtaining population data and the registration method of obtaining vital statistics data may result in significant discrepancies.

The classification of certain important items is discussed below.[1]

Classification by occurrence and residence

For the 1960 statistics by place of occurrence, events are classified according to the county in which the vital event took place but are not classified to any smaller geographic unit. In the vital statistics for years prior to 1960, place of occurrence was classified by smaller units within the county in the same detail as are statistics by place of residence.

Tabulations by place of occurrence include all deaths occurring in a given county. In residence tabulations, deaths that do not occur in institutions are allocated to the usual place of residence of the decedent which is reported on the certificate of death unless the decedent resided more than 1 year at the place of occurrence of death. In the latter event, the death is allocated to the county of occurrence of death. Deaths that occur in institutions are allocated to the usual place of residence reported on the certificate regardless of the length of stay in the institution.[2] For deaths that occur in institutions the death record requests "residence before admission."

The data by place of residence are classified to units within a county as follows: (1) each incorporated place of 10,000 inhabitants or more, (2) each unincorporated place of 10,000 inhabitants or more classified as urban under special rule, (3) the aggregate of incorporated places of 2,500 to 10,000 inhabitants and unincorporated places of this size defined as urban under special rule, and (4) the residual part of the county. For vital statistics purposes, the residual part of the county is referred to as rural.

Deaths of residents and nonresidents occurring within a State are compared with deaths of residents of the same State which occurred within or outside of the State in tables

---

[1] The complete rules followed in the classification of geographic and personal items for births and deaths are set forth in *Vital Statistics Instruction Manual*, Part II, "Coding and Punching Geographic and Personal Particulars," Section B, "Births, Deaths, and Fetal Deaths Occurring in 1960," National Office of Vital Statistics. Washington, 1960.

[2] See National Office of Vital Statistics, *Vital Statistics of the United States, 1950*, Volume I. Washington, U.S. Government Printing Office, 1954. pp. 35-43.

1-U and 5-1 in Sections 1 and 5 of this volume. For most States the number of deaths of residents occurring outside of a State is about the same as the number of deaths of nonresidents occurring within the State.

For residence statistics, all events occurring within the United States, that is, the 50 States and the District of Columbia, are allocated to a place of residence within the United States. For nonresident aliens, the place of residence is considered to be the same as the place of occurrence.

In computing the infant mortality and fetal death rates for individual counties and cities with a population of 10,000 and over in table 9-1 in Section 9, Part B, Volume II, there is a question of the consistency of residence reporting for live births on one hand and infant or fetal deaths on the other. For those States in which item 2e (Is residence within city limits?) is carried on one type of certificate but not on the other, the possibility of error is obvious. In addition, there are States in which residence coding is done by the State or by the local registrars on certificates of live birth but not on certificates of death or vice versa. Here again, residence allocation may not be consistent. In some cases in table 9-2, the unusually high or low infant death rate shown for rural areas of metropolitan counties may be the result of coding errors rather than differences in the force of mortality.

The practice of allocating notifiable diseases by residence varies not only with respect to diseases but also among the States. Corrections are usually not made for diseases of high frequency such as measles and whooping cough. In some States an attempt is made to allocate by residence cases of typhoid fever, poliomyelitis, diphtheria, smallpox, and certain other diseases, but this practice is not uniform.

Geographic classification [3]

Standard metropolitan statistical areas.—The standard metropolitan statistical areas (SMSA's) used in this report are essentially the same as those established by the Bureau of the Budget and used by the Bureau of the Census. The only differences occur in the New England States.

Except in the latter States, an SMSA is a county or a group of contiguous counties which contains at least one city of 50,000 inhabitants or more or "twin cities" with a combined population of at least 50,000 in the 1960 census. In addition, contiguous counties are included in an SMSA if, according to specified criteria, they are (a) essentially metropolitan in character and (b) socially and economically integrated with the central city or cities.[4]

In New England, the Bureau of the Budget uses as geographic components of the SMSA, towns and cities, rather than counties. The National Vital Statistics Division cannot use the SMSA classification in these States because its data are not coded to identify all towns. Instead, the metropolitan State economic area (MSEA), established by the Bureau of the Census, which is made up of county units, is used.[5]

Standard consolidated areas.—For the metropolitan complexes around New York and Chicago, several contiguous SMSA's and additional counties that do not appear to meet the formal integration criteria for SMSA's but do have strong interrelationships of other kinds have been combined into the New York-Northeastern New Jersey and the Chicago-Northwestern Indiana Standard Consolidated Areas, respectively.[6]

Metropolitan and nonmetropolitan counties.—Counties which are included in SMSA's or, in New England, MSEA's are called metropolitan counties; all other counties are classified as nonmetropolitan. For the 1950 classification of metropolitan and nonmetropolitan counties, see Volume I, *Vital Statistics of the United States, 1950.*

Urban and rural areas.—The urban population consists of inhabitants residing in the following places:

1. Each incorporated city, borough, village, and town of 2,500 inhabitants or more (except towns in New England, New York, and Wisconsin).
2. Each town in New England and each township in New Jersey and Pennsylvania that has no incorporated municipality as a subdivision and has either 25,000 inhabitants or more or a population of 2,500 to 25,000 and a density of 1,500 persons or more per square mile.[7]
3. Each county in States other than the New England States, New Jersey, and Pennsylvania that has no incorporated municipality within its boundary and has a density of 1,500 persons or more per square mile.[8]

The rural population consists of inhabitants residing in all other areas.

This classification differs from the 1960 census definition of urban population. The latter definition includes, in addition, persons living in (a) unincorporated places of 2,500 inhabitants or more not included in the above definition of "urban" and (b) incorporated and unincorporated places of less than 2,500 inhabitants located within urban fringes of urbanized areas.

It was not feasible to use the 1960 census definitions of urban and rural for classifying vital statistics data

---

[3] The rules followed in the classification of geographic areas for deaths are set forth in Part II, Section B, of the instruction manual cited in footnote 1. The geographic code structure is given in *Vital Statistics Instruction Manual* Part II, Section C, "Geographic Code—Final—Births, Deaths, and Fetal Deaths Occurring in 1960-61," National Office of Vital Statistics. Washington, 1961.

[4] For a more complete discussion, see *United States Census of Population: 1960 Number of Inhabitants United States Summary* Final Report PC(1)-1A, U.S. Bureau of the Census. Washington, U.S. Government Printing Office, 1960; and *Standard Metropolitan Statistical Areas* Bureau of the Budget. Washington, U.S. Government Printing Office, 1961.

[5] For discussion of MSEA's, see *State Economic Areas*, U.S. Bureau of the Census. Washington, U.S. Government Printing Office, 1951; and the first reference cited in footnote 4. For the 1960 listing of MSEA's used for New England, see *Vital Statistics Instruction Manual*, Part II, Supplement No. 3 to Section C, "Geographic Code—1960-61 (Final)," National Office of Vital Statistics. Washington, 1961.

[6] See footnote 4.

[7] These areas are identified by the symbol (UT) in table 30 of the U.S. Bureau of the Census publication cited in footnote 4.

[8] Arlington County, Virginia, is the only county in this category.

since (a) boundary delineations for many urban unincorporated places were made by the Bureau of the Census for enumeration purposes only; many unincorporated places do not conform to political units and their boundaries change with population growth; in most instances the residence information on vital records is insufficient to allocate residence to arbitrary delimitations of unincorporated areas; and (b) vital statistics were not tabulated separately for places of less than 2,500 inhabitants. The difference in the percent distribution of the population, according to NVSD and the Bureau of the Census, is as follows:

	Census	*NVSD*	*Percent difference*[9]
Total	100.0	100.0	...
Urban	69.9	61.1	-12.6
Rural	30.1	38.9	+29.2

Vital statistics data for 1960 are classified as urban or rural according to the population of the area enumerated in the 1960 census.

Age

The age reported on the death record is the age of the decedent at his last birthday. It has been found that a characteristic error in reported age is an excess of ages ending in 0 or 5. To minimize the effect of this error, age is usually tabulated in 5- or 10-year groups.

With respect to computation of death rates, the age classification used by the Bureau of the Census is also based on the age of the person in completed years.

Race and color

Deaths in the United States in 1960 are classified for vital statistics into white, Negro, American Indian, Chinese, Japanese, Aleut, Eskimo, Hawaiian and Part-Hawaiian (combined), and "other nonwhite."

The category "white" includes, in addition to persons reported as "white," those reported as Mexican or Puerto Rican. If the racial entry on the death record indicates a mixture of Hawaiian and any other race, the race is classified as Part-Hawaiian. If race is given as a mixture of Negro with any other race, except Hawaiian, the race is classified as Negro. Entries of other racial mixtures are classified as "other nonwhite."

In some tables an extended classification is not needed and the divisions are "white," "Negro," and "other." In tables where the main purpose is to isolate the major group, the classifications are simply "white" and "nonwhite."

The correct designation of race is a difficult and complex problem, but classification from vital statistics records into the broad groups used in this volume is relatively simple. Difficulties may arise in computing rates based on populations classified by race or color because of differences resulting from the registration and enumeration methods used to collect this information. The procedures used in completing vital statistics records result, in general, in an entry of race on the certificate that is accepted by the family.

The 1960 census was the first in which respondents classified themselves with respect to race—in past censuses the racial classification was generally made by the enumerator on the basis of observation. Since the distribution of the population by white and nonwhite in 1960 was nearly the same as that shown by the postcensal estimates for 1960, it appears that the self-enumeration procedure may have had no effect on the comparability of vital rates for the white and nonwhite groups between 1960 and previous years. Likewise, the increase in the Negro population was consistent with statistics on its natural increase during the past 10 years. Increases in both the Chinese and Japanese populations were large, but again high rates of natural increase and substantial immigration during the decade obscure any effects of self-enumeration.

Self-enumeration procedures may have increased the accuracy of the count of the Indian population in 1960. In past censuses the enumerator often failed to identify off-reservation Indians. In several Southern States, groups of persons of mixed stock of Indian and other races, who for the purpose of reporting vital events consider themselves Indian, had been classified in the 1950 census as "other nonwhite." In censuses prior to 1950, these groups have been variously classified as Negro or Indian. In 1960, the groups in question, with minor exceptions, were classified as Indian.[10]

Observed differences in vital statistics rates for various racial groups should not be interpreted as being necessarily due to inherent racial causes. Race is not independent of other factors, and the economic, social, and medical circumstances of one racial group may be quite different from those of another. For example, an observed difference in mortality by race may in actuality be no more than a difference of mortality for different economic classes.

Fetal deaths

In May 1950 the World Health Organization recommended for adoption the definition of fetal death as "death prior to the complete expulsion or extraction from its mother of a product of conception, irrespective of the duration of pregnancy . . . ." The term "fetal death" was defined on an all-inclusive basis to end confusion arising from the use of a variety of terms such as stillbirth, abortion, and miscarriage. The definition has been adopted by 21 States;[11] in 18 the language is essentially unchanged, and in 3 a minimum

[9] Census figures used as a base.

[10] U. S. Bureau of the Census, *United States Census of Population: 1960, General Population Characteristics, United States Summary*, Final Report PC(1)-1B. Washington, U. S. Government Printing Office, 1961.

[11] Prior to the adoption of this definition the nationally recommended definition of a fetal death (stillbirth) for registration purposes was as follows: "A fetus showing no evidence of life after complete birth (no action of heart, breathing, or movement of voluntary muscle), if the 20th week of gestation has been reached, should be registered as a stillbirth."

gestation period has been specified. In most of the other States, a fetal death is defined as a birth of a minimum gestation period which is not a live birth, and live births are defined in varying detail.

As another step toward increasing the comparability of data on fetal deaths for different countries, the World Health Organization recommended that in classifying fetal deaths for statistical purposes they be grouped as early, intermediate, and late. These groups are defined as follows:

Less than 20 completed weeks of gestation (early fetal deaths)----------	Group I
20 completed weeks of gestation but less than 28 (intermediate fetal deaths)-----	Group II
28 completed weeks of gestation and over (late fetal deaths)----------	Group III
Gestation period not classifiable in Groups I, II, and III ----------	Group IV

Until 1939 the nationally recommended procedure for registration of a fetal death required the filing of both a live birth and a death certificate. In 1939 a separate Standard Certificate of Stillbirth (fetal death) was introduced. This was revised in 1949 and 1955 and amended in 1956 (see figure 7-2). Separate certificates of fetal death are now in use in all States.

Comparability and completeness of data.—State requirements for registration of fetal deaths vary. Nine States and New York City require registration of fetal deaths of all periods of gestation. (See table 4-A in Section 4 of this volume.) The other States require registration only for fetuses which have attained a certain minimum gestation period. Most of the minimum periods are 20 weeks. In Pennsylvania, registration is required after 16 weeks, and a few States specify a period of 5 months. Registration of fetal deaths of all gestations is recommended but not required by Kansas and Rhode Island. Illinois regulations require the registration of any fetus which is "a member of a multiple birth (regardless of pregnancy duration) of which any member is liveborn."

There are reasons for believing that not all fetal deaths for which registration is required are reported[12] and that in States which have a minimum gestation period requirement, underregistration is more of a problem near the lower limit. Failure to register fetal deaths near the lower limit results to a large degree from underestimation of the gestation period. This is illustrated by the fact that for areas requiring registration of all fetal deaths, the total number reported for 20-23 weeks is higher than the numbers reported for 24-27 and 28-31 weeks. For most of the other areas, however, the opposite is true. Excluding fetal deaths at gestation periods under 20 weeks, 11.0 percent of the total for the United States fell in the group 20-23 weeks. The comparable percentage for the areas requiring reporting of all products of conception was 17.1.

It is evident from the data in tables 4-A, 4-8, and 4-10 that there are certain inaccuracies in the reporting of length of gestation. The comparatively large proportion of fetal deaths at 36 weeks of gestation is believed to result from erroneous conversion of 9-month gestations to 36 weeks. In addition, the heavy concentrations at 40 weeks result partly from failure to calculate the exact period of gestation for fetuses of normal size. In an effort to eliminate these inaccuracies, four areas—California, the District of Columbia, Maryland, and New York City—specify "date of last menses" on their certificate, in place of the usual "length of pregnancy" item or its equivalent.

In order to obtain data which are more nearly comparable from year to year and from State to State, most of the tables in Section 4 of this volume are based on deaths at gestations of 20 weeks or more. These tables include fetal deaths of not stated gestation, for it is assumed that most of these occurred at gestation periods of 20 weeks or more. This would not be true of States requiring registration of all fetal deaths. Inclusion of all fetal deaths of not stated gestation for these areas results in some degree of incomparability.

It is possible that some liveborn infants who die shortly after birth, particularly those born prematurely who die before the umbilical cord is severed or while the placenta is still attached, may be erroneously reported as fetal deaths. This type of error may be more of a problem in States which lack a precise definition of fetal death.

In the 1956 revision of the Standard Certificate of Fetal Death, the item on previous fetal loss was changed to include all fetal deaths regardless of gestation period. About 30 States have adopted this change on their certificates of birth and of fetal death. For these States, the proportion of mothers of first liveborn children reported as having had previous fetal loss has increased because of this change. For this reason, the data in tables 4-3 and 4-5 are not completely comparable with similar data published for the years prior to 1956.

The following States request information on all previous fetal deaths (fetuses born dead at any time after conception) on certificates of both live birth and fetal death —Arkansas, Colorado, Connecticut, Delaware, Florida, Georgia, Indiana, Iowa, Louisiana, Maine, Massachusetts, Mississippi, Missouri, Montana, Nevada, North Carolina, Ohio, Oklahoma, Oregon, Rhode Island, South Carolina, Utah, Vermont, Washington, West Virginia, and Wyoming. California, Maryland, and South Dakota require such information only on certificates of fetal death. Pennsylvania requires reporting of all fetal deaths of more than 16 weeks gestation, and New York City has for many years required reporting of all previous fetal deaths on certificates of both live birth and fetal death. The other States require reporting for fetal deaths at gestations of 20 weeks or more.

Total-birth order.—The number of a birth or fetal death in the total-birth order is the sum of the births and fetal deaths which a mother has had. For example, if a mother has previously given birth to two live babies and to one born dead, the next event to occur, whether a live birth or fetal death, is counted as number four in the total-birth order.

---

[12] Leona Baumgartner, Helen M. Wallace, Eva Landsberg, and Vivian Pessin, "The Inadequacy of Routine Reporting of Fetal Deaths," *American Journal of Public Health*, Vol. 39, No. 12, December 1949, pp. 1549-1552.

Legitimacy status.—Tabulations which include legitimacy as a factor exclude those States which did not provide for the reporting of this item. The following States included this item on their birth and fetal death certificates in 1960:

Alabama	New Jersey
Alaska	North Carolina
Delaware	North Dakota
District of Columbia	Ohio
Florida	Oregon
Hawaii	Pennsylvania
Illinois	Rhode Island
Indiana	South Carolina
Iowa	South Dakota
Kansas	Tennessee
Kentucky	Texas
Louisiana	Utah
Maine	Virginia
Michigan	Washington
Minnesota	West Virginia
Mississippi	Wisconsin
Missouri	Wyoming
Nevada	

Cause of death

Beginning with 1958, the cause-of-death statistics published by the National Vital Statistics Division have been classified in accordance with the Seventh Revision of the International Lists of Diseases and Causes of Death (1955).[13]

The *Manual of the International Statistical Classification of Diseases, Injuries, and Causes of Death* includes special lists of causes recommended for mortality tabulations—the Detailed Lists, consisting of all three-digit categories; List A, the Intermediate List of 150 Causes for Tabulation of Morbidity and Mortality; and List B, the Abbreviated List of 50 Causes for Tabulation of Mortality. These lists have been adapted for use in NVSD.

The List of 255 Selected Causes of Death is an extension of List A designed so that the original groups can be obtained by a simple addition of titles. The List of 59 Selected Causes of Death is an extension of List B, except that certain causes of very low frequency in this country (typhoid fever, cholera, plague, smallpox, typhus and other rickettsial diseases, and malaria) are not shown in this list and three categories were added (asthma, infections of kidney, and cholelithiasis, cholecystitis, and cholangitis). In addition, rheumatic fever was included under the rubric diseases of heart for the first time in 1958.

The List of 55 Causes of Infant Death used in this report is selected by the National Vital Statistics Division from the Detailed List.

Effect of decennial list revisions.—The International Lists, in use in this country since 1900, have been revised decennially in order that the disease classification may be consistent with advances in medical science and changes in diagnostic practice. Each decennial revision of the International Lists has produced some break in comparability of cause-of-death statistics. For the most part, the continuity in the mortality trends has not been considered a problem of great concern. Van Buren[14] described some of the major shifts in the cause-of-death statistics up to the Fifth Revision (1938) due to changes in the classification of causes of death. Dunn and Shackley[15] measured the change in mortality by cause due to the Fifth Revision. This was done by coding mortality data for 1940 by the 1929 and 1938 revisions. The results of the study have been useful in evaluating the effects of the Fifth Revision and changes in the joint-cause selection procedure.

The Sixth Revision of the International Lists of Diseases and Causes of Death adopted by the World Health Organization in July 1948 was used for mortality data in the United States from 1949 to 1957. This revision represented a more sweeping change than any of the previous revisions. The classification scheme was expanded considerably to provide specific categories for nonfatal diseases and injuries in order to provide a classification which could be used for morbidity as well as for mortality.

In addition to the sweeping change in the International Classification itself, there was a major change in the method of selection of the cause of death for primary tabulations for use with the Sixth Revision. A large proportion of the death certificates filed annually in the United States report two or more diseases or conditions as causes of death. General statistical practice requires that cases involving more than one cause of death be assigned to a single cause, and it is necessary to employ a selection process to determine the one cause to be assigned. The method of selection used has an important effect upon the resulting statistics.

In 1948 the World Health Assembly adopted, along with the Sixth Revision of the International Lists, a form of medical certification and rules for classification of the underlying cause of death to be used internationally. The form of medical certification is shown in the standard certificate of death (figure 7-1). It is designed to elicit information which will facilitate the selection of the underlying cause of death when two or more causes are jointly recorded. In general, if the certification is completed properly, the underlying cause of death indicated by the physician is the cause to be tabulated. This procedure, used in the United States beginning with deaths in 1949, differs sharply from that used in previous years. Formerly defi-

[13] For a history and description of both the Sixth and Seventh Revisions, see *Manual of the International Statistical Classification of Diseases, Injuries, and Causes of Death*, Based on the Recommendations of the Seventh Revision Conference, 1955, Volume 1, World Health Organization. Geneva, Switzerland, 1957.

[14] George H. Van Buren, "Some Things You Can't Prove by Mortality Statistics," *Vital Statistics—Special Reports*, Vol. 12, No. 13, 1940.

[15] Halbert L. Dunn, and William Shackley, "Comparison of Cause-of-Death Assignments by the 1929 and 1938 Revisions of the International Lists: Deaths in the United States, 1940," *Vital Statistics—Special Reports*, Vol. 19, No. 14, 1944.

nite priority relationships were set up for combinations of causes reported on the death certificate. The single cause to be tabulated was chosen according to these fixed rules.

In order to make it possible to maintain a comparable time series of mortality rates by cause, the International Conference for the Sixth Revision of the International Lists recommended that deaths for a country as a whole in the year 1949 or 1950 should be coded according to both the Sixth and Fifth Revisions. In the United States deaths in 1950 were used for dual coding. The differences resulting from the use of the two revisions are expressed by a factor termed the comparability ratio. This is the number of deaths assigned to a particular cause under the Sixth Revision divided by the number of deaths assigned to that cause by the Fifth Revision. Until data for deaths in 1950 coded by both revisions become available, provisional comparability ratios obtained from a 10-percent sample of deaths in 1949 and 1950 are being used. These ratios and a series of comparable death rates from 1939 through 1948 are shown in a previous report.[16]

Beginning with 1955, the decennial conferences for revision of the International Lists are to be held in years ending in 5, rather than later in the decade as had been done previously, so that the revised classification can be used for mortality data at the beginning of years ending in 8. The new cycle provides time for sufficient experience with the new classification for fluctuations resulting from variations in interpretations of new provisions to level off by the year ending in 0. Thus, stable mortality data will be available for comparison with population figures from the decennial censuses.

The amendments in the Seventh Revision include the integration into the manual of the provisions contained in an addendum,[17] which, having been used with the Sixth Revision, did not represent classification changes. The only change made in the three-digit categories consisted of the rewording of a few titles. In a few cases the rewording included redefining the morbid conditions classifiable to these categories and the transfer of certain terms from one category to another. The three-digit categories affected are listed in Section 1, Volume I, *Vital Statistics of the United States, 1958*. There were also a number of alterations in four-digit categories, mostly consisting of the addition of four-digit subdivisions providing more detailed classification of malignant neoplasms of specified sites. The three-digit categories for which there were either additions, deletions, or changes in four-digit subcategories are also listed in Section 1 of the 1958 report.

The international rules for the selection of the cause of death for primary mortality classification were recast for use with the Seventh Revision in order to simplify the prior rules and to organize them from the point of view of the steps which a coder must take in making the cause-of-death assignment. The intent of the rules remains the same, that is, to code the cause which the medical certifier judged to be the underlying cause which started the train of events leading directly to death. In recasting the rules, some modifications of interpretations were made, mainly involving the selection of the underlying cause for improperly completed certifications. There are some changes in local interpretations for use in adapting coding procedures to reporting practices in the United States.

In compliance with a recommendation of the Expert Committee on Health Statistics, the Seventh Revision of the International Lists was of limited scope, consisting of essential changes and amendments of errors and inconsistencies. This restriction was set forth because of a change in the revision cycle which resulted in a relatively short period between the effective date (1949) of the Sixth Revision and the Seventh Revision Conference in 1955 and thus resulted in limited experience with the Sixth Revision.

In the majority of cases, application of the rules for the Seventh Revision results in the same code assignment as that of the Sixth Revision rules. There are some differences in individual assignments affecting a number of categories. Many of these individual assignments are compensatory and result in no break in continuity of trends for various causes of death; the comparability of a number of categories is affected to a limited extent.

In order to estimate the magnitude of the effect of the Seventh Revision upon the comparability of mortality trends for various causes, a 10-percent sample of deaths in 1958 was classified by both the Sixth and Seventh Revisions. The comparability ratios for selected causes are shown in table 1-H, Section 1, Volume I, *Vital Statistics of the United States, 1958* and the results are discussed on pages 1-19 to 1-21 of the same report.

Coding in 1960.—The National Vital Statistics Division annually prepares, for its cause-of-death coding clerks, an instruction manual which contains decisions and interpretations that will apply in that year. The 1960 revision of the instruction manual for cause-of-death coding[18] consists mainly of modifications, for purposes of clarification, of some of the explanations and examples. Between 1959 and 1960 no revisions were made in coding procedure which affected code assignments. In prior years, changes which may affect code assignments were noted in the introduction to *Vital Statistics of the United States* for the appropriate years.

Medical certification.—The use of a standard classification list, although essential for State, regional, and international comparison, does not assure strict comparability of the tabulated figures. A high degree of comparability

---

[16] See National Office of Vital Statistics publications, "The Effect of the Sixth Revision of the International Lists of Diseases and Causes of Death Upon Comparability of Mortality Trends," *Vital Statistics—Special Reports*, Vol. 36, No. 10, 1951; and *Vital Statistics of the United States, 1950*, Volume I. Washington, U.S. Government Printing Office, 1954. ch. 2.

[17] World Health Organization, *Manual of the International Statistical Classification of Diseases, Injuries, and Causes of Death*, Addendum 1, "Supplementary Interpretations and Instructions for Coding Causes of Death." Geneva, Switzerland, 1953.

[18] National Office of Vital Statistics, *Vital Statistics Instruction Manual*, Part II, Section D, "Cause-of-Death Coding for 1960." Washington, 1960.

could be attained only if all of the data on cause of death were reported with equal accuracy and completeness. Since the medical certification of death can be made only by a qualified person, usually a physician or a coroner, the reliability and accuracy of cause-of-death statistics are, to a large extent, governed by the acumen and ability of the medical attendant to make the proper diagnosis and by the care with which the death certificate is filled out.

The quality of the basic data reported on the death certificate is, of course, of fundamental importance in the interpretation of cause-of-death statistics. Although a number of notable studies have been made on the accuracy of medical diagnoses, there is an unfortunate lack of national statistics on the subject. The studies on the accuracy of cause-of-death statements have taken clinical or pathological reports as the point of departure for comparison with the medical returns on the death certificate. By necessity, these studies have been limited to deaths on which hospital records or autopsy reports were available. Since less than two-thirds of all deaths in 1958 occurred in hospitals, and autopsies were reported as having been performed on only about 19 percent of all cases (see table 6-0, Section 6, Volume I, *Vital Statistics of the United States, 1958,* and table 68 in Volume II), studies based on such data may be subject to considerable bias.

A more satisfactory evaluation of the quality of the cause-of-death statement may be made by including all deaths in the study rather than hospital deaths only. Such a pilot study was based on a sample of deaths occurring in Pennsylvania during 3 months of 1956.[19] For particular causes of death, a representative sample of certificates was selected. Questionnaires were sent to the physicians signing the certificates selected asking for the diagnostic methods, with pertinent findings, on which the medical certification of death was based. The returns were reviewed along with the original cause-of-death statement and rated for quality (type and amount) of supporting diagnostic information. For 39 percent of the cases the diagnostic data given were sketchy while for 58 percent the information was considered good or very good. The quality of the diagnostic information varied considerably with the cause of death. The authors concluded that in Pennsylvania the diagnostic data for many disease categories provided an adequate base for medical certification of the cause of death.

One index of the quality of reporting of causes of death is the proportion of death certificates coded to the Seventh Revision category numbers 780-793 and 795, which are the rubrics for ill-defined and unknown causes of death. While there are cases for which it is not possible to determine the cause of death, this proportion does indicate the care and consideration given to the certification of causes of death by the attending physician. It may also be used as a rough measure of the specificity of the medical diagnosis made by the physicians in various areas. In 1960 only 1.0 percent of all reported deaths in the United States were assigned to ill-defined or unknown causes. However, this percentage varied among the States from 0.1 to 8.9 percent, reflecting differences in the quality of reporting.

Ranking causes of death.—Ranking causes of death is a popular method of presenting mortality statistics. The list of causes and the rules of ranking used have been recommended by the Public Health Conference on Records and Statistics at its 1951 meeting. To obtain results that are comparable, the same basic list of causes and rules of ranking must be used in comparisons of deaths for different areas or different years.

The causes included in the List of 59 Selected Causes of Death have been ranked on the basis of the number of deaths assigned to each cause. (See table 1-H in Section 1 of this volume.) Two group titles, major cardiovascular-renal diseases and diseases of the cardiovascular system, and the single title symptoms, senility and ill-defined conditions, are not ranked. The remaining titles are ranked to determine the leading causes of death. When one of the titles that represents a subtotal is ranked, as in the case of tuberculosis, all forms, its component parts (tuberculosis of respiratory system and tuberculosis, other forms) are not ranked. The results of this procedure for the United States are shown in table 1-H.

Control of errors

The coding and punching of mortality data, with the exception of the cause-of-death item, were performed simultaneously and the major portion of the work was verified using a partial sequential sample. The classification of the underlying cause of death and the verification of this item were performed prior to coding the other items on the death certificate.

The sample procedure was used in verifying the work of employees whose performance (as indicated by complete verification) was such so as to consistently produce an error level of less than 4 percent distributed among all the items. The procedure involved the verification of the coding and punching of every 10th card throughout each lot of 2,000 cards. If the 4-percent level of error (8 cards containing one or more incorrectly coded or punched columns) was reached, each succeeding card in the lot was verified. In such lots no review was made of that portion preceding the 8th error card. The work of trainees whose performance was such so as to produce more than 4-percent error was verified completely. Errors determined in either procedure were reviewed to detect and control bias.

The coding and simultaneous punching of fetal deaths, because of their relatively small number, were completely verified.

Tabulating, computing, table preparation, and all other operations subsequent to the preparation of punched cards were verified according to procedures designed to eliminate processing errors.

---

[19] For a more complete report, see "Inquiry Into Diagnostic Evidence Supporting Medical Certifications of Death," by Iwao M. Moriyama, William S. Baum, William M. Haenszel, and Berwyn F. Mattison, *American Journal of Public Health,* Vol. 48, No. 10, October 1958, pp. 1376-1387.

692-280 O - 63 - 17

INTERPRETATION OF DATA

While vital statistics data are useful for a variety of administrative and scientific purposes, they cannot be correctly interpreted unless various qualifying factors, in addition to methods of classification, are taken into account. The factors to be considered depend upon the specific purposes for which the data are to be used. It is not feasible to discuss all of the pertinent factors in the use of vital statistics tabulations, but some of the more important ones should be mentioned.

Most of the factors limiting the use of the data arise from imperfections in the original records or from the impracticability of tabulating these data in very detailed categories. These defects should not be ignored, but their existence does not vitiate the value of the data for most general purposes. Analysis of small differences or exact evaluation of vital statistics requires careful study of many related elements. However, the major trends and differences will not usually be change materially by finer analysis.

Completeness of registration

Although every State has adopted a law requiring the registration of births, deaths, and fetal deaths, these laws are not uniformly observed. In most areas practically all births and deaths are registered. For some areas, however, there is enough underregistration to affect the use of the statistics for certain purposes.

Quantitative information on completeness of death registration is not available. One condition for admission to the national registration areas was a demonstrated registration completeness of at least 90 percent, although the method used in testing completeness was subject to considerable error. It is believed that in the past death registration for the United States has been more complete than birth registration, but the difference now may be rather small. There is evidence, however, that in certain isolated areas, incomplete registration is still a problem. For example, a study made in a few selected counties of Tennessee, where the death rates for 1949 to 1951 were unusually low, served to locate a number of unregistered deaths.[20] A similar situation may exist in other States.

Population bases for death rates

Unless noted otherwise, death rates shown in this report for the United States are based on resident populations of the areas which are specified. These populations exclude the Armed Forces and civilians who reside outside of the country but include the Armed Forces stationed in each area and foreign residents present in the area.

All population data shown in this report were provided by the Bureau of the Census unless otherwise noted. For more detailed information and selected population tables, see pages 5-9 and 5-11 through 5-40 in Section 5 of Volume I, *Vital Statistics of the United States, 1960*.

Age-adjusted rates

Age-adjusted death rates shown in this report are the death rates that would have been obtained if the age-specific rates for 1960, computed for 10-year-age intervals, prevailed in a standard population whose age distribution was the same as that of the enumerated population in 1940. The rates for the total population and for each color-sex group were adjusted separately, using the same standard population. It is important not to directly compare age-adjusted death rates with the crude rates shown in other tables.

Age-specific rates for 1951-59 used to calculate age-adjusted rates for this period are computed on recently revised population estimates which reflect the 1950 and 1960 census counts.

---

[20] Tennessee Department of Public Health, "Results of Survey of Death Registration Completeness," *The Spotlight*, January 1954.

Symbols used in tables

Class or item not applicable	...
Data not available	---
Quantity zero in frequency tables	-
Quantity zero in rate or percent tables	0
Rate or percent more than 0 but less than 0.05	0.0
Both frequency and population base zero in rate or percent tables	-
Figures within parentheses not included in totals	( )

Section 8. Index

SECTION 8. INDEX

The various subjects covered in the text portions of Volume II and the principal variables of the tables and charts are listed in this index. For a comprehensive listing of the contents of the individual tables, the index refers the reader to the "Guide to Tables" for Sections 1 through 6, Part A, and 9 and 10, Part B. These show the specific variables covered in each table, the geographic coverage, and the type of entry (frequencies, rates, ratios, and percentages). Specific cross-classifications are not shown in the "Guides to Tables."

The page numbers of the volumes are two-part numbers separated by hyphens; the first part refers to the section and the second refers to the page within the section; for example, 1-15 means page 15 of Section 1.

Age
- Death rate tables, *see* guides to Sections 1 and 5
- Death rate tables, infant deaths, *see* guide to Section 3
- Frequency tables, *see* guides to Sections 1, 5, 6, and 9
- Frequency tables, infant deaths, *see* guide to Section 3
- Cause of death, 1-7ff.
- Color, 1-3, 1-6f., 1-7ff.; 3-3f.; (Fig. 1-1) 1-4
- Death rates, 1-3, 1-6f., 1-7ff., 1-10f., 1-14; (Fig. 1-1) 1-4
- Errors in response and reporting, 1-14; 7-9
- Geographic divisions, 1-14
- Infant mortality rates, 3-3f.; (Fig. 3-1) 3-3
- Metropolitan and nonmetropolitan counties, 1-10f.
- Random variation in death rates, 1-14
- Sex, 1-3, 1-6f., 1-7ff.; 3-3; (Fig. 1-1) 1-4
- States, 1-14

Age-adjusted death rates
- Death rate tables, *see* guide to Section 1
- Color, 1-7; (Fig. 1-4) 1-6
- Definition, 7-14
- Geographic divisions, 1-13
- Sex, 1-7; (Fig. 1-4) 1-6
- States, 1-13f.; (Fig. 1-6) 1-13
- Trends, 1-5f., 1-7, 1-13f.; (Fig. 1-4) 1-6

Age, median age of population, 1-12f.

Age of mother (fetal deaths)
- Frequency tables, fetal deaths, *see* guide to Section 4
- Ratio table, fetal deaths, *see* guide to Section 4
- Fetal death ratios, 4-7

Attendant at birth (fetal deaths)
- Frequency table, fetal deaths, *see* guide to Section 4

Cause of death
- Age-adjusted death rate table, *see* guide to Section 1
- Death rate tables, *see* guides to Sections 1 and 5
- Death rate table, infant deaths, *see* guide to Section 3
- Frequency tables, *see* guides to Sections 1, 5, 6, and 9
- Frequency tables, infant deaths, *see* guide to Section 3
- Percentage tables, *see* guide to Section 1
- Age, 1-7ff.
- Age-adjusted death rates, 1-9

Cause of death—Con.
- Chronic diseases, 1-3, 1-8ff.
- Coding procedures, 7-12, 7-13
- Color, 1-5, 1-7ff., 1-16f.; (Fig. 1-2) 1-5, (Fig. 1-7) 1-16
- Comparability between Revisions of the International Lists, 1-7ff.; 7-11f.
- Death rates, 1-3, 1-5, 1-7ff., 1-16f.; (Fig. 1-2) 1-5, (Fig. 1-7) 1-16
- External causes, 1-10
- Geographic divisions, 1-17
- Infant mortality rates, 3-4, 3-7
- Infectious diseases, 1-3, 1-7f.
- Leading causes of death, ranked, 1-5; 7-13; (Fig. 1-2) 1-5
- Lists for tabulations, 7-11f.
- Maternal causes of death, 1-16f.
- Medical certification, 7-12f.
- Sex, 1-7ff.; (Fig. 1-2) 1-5

Cities
- Frequency tables, *see* guide to Section 9
- Frequency table, fetal deaths, *see* guide to Section 9
- Frequency table, infant deaths, *see* guide to Section 9

Color
- Age-adjusted death rate tables, *see* guide to Section 1
- Death rate tables, *see* guides to Sections 1, 5, and 9
- Death rate table, fetal deaths, *see* guide to Section 4
- Death rate tables, infant deaths, *see* guides to Sections 3 and 9
- Frequency tables, *see* guides to Sections 1, 5, 6, and 9
- Frequency tables, fetal deaths, *see* guides to Sections 4 and 9
- Frequency tables, infant deaths, *see* guides to Sections 3 and 9
- Ratio tables, fetal deaths, *see* guides to Sections 4 and 9
- Age, 1-3, 1-6f., 1-7ff.; 3-3f.; (Fig. 1-1) 1-4
- Age-adjusted death rates, 1-7; (Fig. 1-4) 1-6
- Cause of death, 1-5, 1-7ff., 1-16f.; (Fig. 1-2) 1-5, (Fig. 1-7) 1-16
- Classification scheme, 7-9
- Death rates, 1-3, 1-6f., 1-7ff., 1-15f.; (Fig. 1-1) 1-4, (Fig. 1-2) 1-5
- Fetal death rates, 4-8

Color—Con.
Fetal death ratios, 4-3, 4-7, 4-8, 4-10; (Fig. 4-1) 4-7
Infant mortality rates, 3-3f.
Leading causes of death, ranked, 1-5; (Fig. 1-2) 1-5
Maternal mortality rates, 1-16f.; (Fig. 1-7) 1-16
Race, 1-15f.; 7-9
Self-enumeration, effect on statistics, 7-9
Sex, 1-3, 1-6f., 1-7ff., 1-15; 3-3; (Fig. 1-1) 1-4, (Fig. 1-2) 1-5, (Fig. 1-4) 1-6
Urban and rural areas, 4-8

Comparability of the International Lists
Death rates, 1-7ff.
Fifth and Sixth Revisions, 7-11f.
Sixth and Seventh Revisions, 1-7ff.; 7-11f.

Completeness of registration
Death-registration area, 7-14
Fetal deaths, 4-3, 4-10; 7-10

Control of errors, 7-13

Counties
Frequency tables, *see* guide to Section 9
Frequency table, fetal deaths, *see* guide to Section 9
Frequency table, infant deaths, *see* guide to Section 9

Death rates
Death rate tables, *see* guides to Sections 1, 5, and 9
Death rate table, fetal deaths, *see* guide to Section 4
Death rate tables, infant deaths, *see* guides to Sections 3 and 9
Death rate tables, neonatal deaths, *see* guides to Sections 3 and 9
Age, 1-3, 1-6f., 1-7ff., 1-10f., 1-14; 3-3f.; (Fig. 1-1) 1-4; (Fig. 3-1) 3-3
Age-adjusted death rates, 1-5f., 1-7, 1-13f.; 7-14; (Fig. 1-4) 1-6, (Fig. 1-6) 1-13
Age, median age of population, 1-12f.
Cause of death, 1-3, 1-5, 1-7ff., 1-16f.; 3-4, 3-7; (Fig. 1-2) 1-5, (Fig. 1-7) 1-16
Color, 1-3, 1-6f., 1-7ff., 1-16f.; 3-3f.; 4-8; (Fig. 1-1) 1-4, (Fig. 1-2) 1-5, (Fig. 1-7) 1-16
Comparability between Revisions, 1-7ff.
Fetal death rates, 4-7f.
Geographic divisions, 1-11f., 1-17; 3-7
Infant mortality rates, 3-3f., 3-7; (Fig. 3-1) 3-3
Leading causes of death, ranked, 1-5; (Fig. 1-2) 1-5
Maternal mortality rates, 1-16f.; (Fig. 1-7) 1-16
Race, 1-15f.
Random variation, 1-14
Sex, 1-3, 1-6f., 1-7ff., 1-15; 3-3; 4-7f.; (Fig. 1-1) 1-4, (Fig. 1-2) 1-5, (Fig. 1-4) 1-6
Standard metropolitan statistical areas, 1-10
States, 1-11f., 1-17; 3-7; (Fig. 1-5) 1-12, (Fig. 1-6) 1-13
Trends, 1-3, 1-5ff.; 3-3f., 3-7; (Fig. 1-3) 1-6, (Fig. 1-4) 1-6, (Fig. 1-7) 1-16; (Fig. 3-1) 3-3
Urban and rural areas, 1-10f., 1-17

Death-registration area
Completeness of registration, 7-14
History, 7-4ff., 7-14

Fetal deaths
Death rate table, *see* guide to Section 4
Frequency tables, *see* guides to Sections 4 and 9
Minimum period of gestation required for reporting, *see* guide to Section 4
Ratio tables, *see* guides to Sections 4 and 9
Age of mother, 4-7
Classification scheme, 7-9f.
Color, 4-3, 4-7, 4-8, 4-10; (Fig. 4-1) 4-7
Completeness of registration, 4-3, 4-10; 7-10
Errors in reporting length of gestation period, 7-10
Errors of coverage, 4-3, 4-10
Fetal death rates, 4-7f.
Fetal death ratios, 4-3, 4-7f., 4-8, 4-10; (Fig. 4-1) 4-7
Geographic divisions, 4-10
Legitimacy status, 4-7; 7-11
Metropolitan and nonmetropolitan counties, 4-8, 4-10
Period of gestation, 4-7
Plural births, 4-7f.
Sex, 4-7f.
Specification of previous fetal loss on State and standard certificates, 7-10
Standard certificate, 7-10; (Fig. 7-2) 7-6
States, 4-3, 4-10
Total-birth order, 7-10
Trends, 4-3, 4-10; (Fig. 4-1) 4-7
Urban and rural areas, 4-8

Geographic divisions
Age-adjusted death rate table, *see* guide to Section 1
Death rate tables, *see* guide to Section 1
Death rate tables, infant deaths, *see* guide to Section 3
Frequency tables, *see* guide to Section 1
Frequency table, fetal deaths, *see* guide to Section 4
Ratio tables, fetal deaths, *see* guide to Section 4
Age, 1-14
Age-adjusted death rates, 1-13
Age, median age of population, 1-12
Death rates, 1-11ff.
Fetal death ratios, 4-10
Infant mortality rates, 3-7
Maternal mortality rates, 1-17
States, 1-11f.; 3-7

Infant deaths
Death rate tables, infant deaths, *see* guides to Sections 3 and 9
Death rate tables, neonatal deaths, *see* guides to Sections 3 and 9
Frequency tables, infant deaths, *see* guides to Sections 3 and 9
Frequency tables, neonatal deaths, *see* guides to Sections 3 and 9
Adjustment of rates for changing numbers of births, 3-7
Age, 3-3f.; (Fig. 3-1) 3-3
Cause of death, 3-4, 3-7
Color, 3-3f.
Geographic divisions, 3-7
Infant mortality rates, 3-3f., 3-7; (Fig. 3-1) 3-3
Sex, 3-3
States, 3-7
Trends, 3-3f., 3-7; (Fig. 3-1) 3-3

International Lists
Comparability between Revisions, 1-7ff.; 7-11f.
Lists for tabulations, 7-11f.

Legitimacy status (fetal deaths)
Frequency table, fetal deaths, *see* guide to Section 4
Ratio table, fetal deaths, *see* guide to Section 4
Fetal death ratios, 4-7

Life tables
Life table functions, *see* guide to Section 2
Abridged life table, final, 2-3
Abridged life table, interpolated, 2-3
Abridged life table, provisional, 2-3
Color, 2-4, 2-5
Comparison of median length of life to expectation of life, 2-4
Complete life table, 2-3
Current life table, 2-3
Expectation of life, 2-4ff.
Expectation of life at age 1, 2-4
Expectation of life at birth, 2-4, 2-5
Expectation of life at single years of age, 2-4
Explanation of life table functions, 2-6
Age interval, *(x to x+n)*
Expectation of life, average remaining lifetime, (e^{o}_{x})
Number dying, $({}_{n}d_{x})$
Number surviving, (l_{x})
Proportion dying, $({}_{n}q_{x})$
Stationary population, $({}_{n}L_{x}$ *and* $T_{x})$
Generation or cohort life table, 2-3
Geographic coverage, 2-4f.
History, 2-3
Median length of life at birth, 2-4
Number of survivors, 2-4, 2-5, 2-6
Sex, 2-4, 2-5
Source of mortality data, 2-3
Source of population data, 2-3
Trends, 2-4f.

Marital status
Frequency table, *see* guide to Section 5

Medical certification of cause of death, 7-12f.

Metropolitan and nonmetropolitan counties
Death rate tables, *see* guide to Section 1
Death rate table, infant deaths, *see* guide to Section 9
Frequency tables, *see* guide to Section 9
Frequency tables, fetal deaths, *see* guides to Sections 4 and 9
Frequency tables, infant deaths, *see* guides to Sections 3 and 9
Ratio tables, fetal deaths, *see* guides to Sections 4 and 9
Age, 1-10f.
Classification scheme, 7-8
Death rates, 1-10f.
Errors in response and reporting, 1-11
Fetal death ratios, 4-8, 4-10
Maternal mortality rates, 1-17
Residence allocation, deaths, 1-11
Urban and rural areas, 1-11

Maternal mortality
Death rate tables, *see* guide to Section 1
Frequency table, *see* guide to Section 1
Cause of death, 1-16f.
Color, 1-16f.; (Fig. 1-7) 1-16
Geographic divisions, 1-17
Maternal mortality rates, 1-16f.; (Fig. 1-7) 1-16
Metropolitan and nonmetropolitan counties, 1-17
Urban and rural areas, 1-17

Month
Frequency tables, *see* guide to Section 5
Frequency table, fetal deaths, *see* guide to Section 4
Frequency tables, infant deaths, *see* guide to Section 3

Notifiable diseases
Frequency tables, reported cases, *see* guide to Section 1
History of collection, 7-7
Residence allocation, 7-8
Sources of data, 7-3, 7-7

Occurrence, place of death
Death rate table, *see* guide to Section 1
Frequency tables, *see* guides to Sections 1, 5, and 9
Frequency tables, fetal deaths, *see* guides to Sections 4 and 9
Frequency table, infant deaths, *see* guide to Section 9
Classification scheme, 7-7
Residence allocation, 7-7f.

Period of gestation (fetal deaths)
Frequency tables, fetal deaths, *see* guide to Section 4
Minimum period of gestation required for the reporting of fetal deaths, *see* guide to Section 4
Ratio table, fetal deaths, *see* guide to Section 4
Fetal death ratios, 4-7f.

Plural births (fetal deaths)
Frequency tables, fetal deaths, *see* guide to Section 4
Rate table, fetal deaths, *see* guide to Section 4
Fetal death rates, 4-7f.

Population bases, 7-14

Population-size groups (U.S. totals only)
Death rate table, *see* guide to Section 1
Death rate table, infant deaths, *see* guide to Section 9
Frequency table, *see* guide to Section 9
Frequency table, fetal deaths, *see* guide to Section 9
Frequency table, infant deaths, *see* guide to Section 9
Ratio tables, fetal deaths, *see* guide to Section 9

Puerto Rico and Virgin Islands
Death rate tables, *see* guide to Section 10
Frequency tables, *see* guide to Section 10
Frequency tables, fetal deaths, *see* guide to Section 10
Frequency tables, infant deaths, *see* guide to Section 10
Frequency tables, neonatal deaths, *see* guide to Section 10
Cause of death, 10-2
Color, 10-2
Geographic classification, 10-2
Symbols used in tables, 10-2

Race, *see* Color
Death rate table, *see* guide to Section 1
Frequency tables, *see* guides to Sections 1, 5, and 6
Frequency table, fetal deaths, *see* guide to Section 4
Frequency table, infant deaths, *see* guide to Section 3

Random variation in death rates, 1-14

Ranking leading causes of death
Color, 1-5; (Fig. 1-2) 1-5
Death rates, 1-5; (Fig. 1-2) 1-5
Method of ranking, 7-13
Sex, (Fig. 1-2) 1-5

Residence
Allocation, deaths, 1-11, 1-16; 7-7f.
Allocation, notifiable diseases, 7-8
Classification scheme, 7-7f.
Errors in response and reporting, 1-11
Metropolitan and nonmetropolitan counties, 1-11
Resident-nonresident interchange, 1-16
Specification on standard certificates, 1-11, 1-16; 7-3f.; (7-A) 7-4
States, 1-16
Urban and rural areas, 1-11

Sex
Death rate tables, *see* guides to Sections 1 and 5
Death rate table, fetal deaths, *see* guide to Section 4
Death rate table, infant deaths, *see* guide to Section 3
Frequency tables, *see* guides to Sections 1, 5, 6, and 9
Frequency tables, fetal deaths, *see* guide to Section 4
Frequency tables, infant deaths, *see* guide to Section 3
Age, 1-3, 1-6f., 1-7ff.; 3-3; (Fig. 1-1) 1-4
Age-adjusted death rates, 1-7; (Fig. 1-4) 1-6
Cause of death, 1-7ff.; (Fig. 1-2) 1-5
Color, 1-3, 1-6f., 1-7ff.; 3-3; (Fig. 1-1) 1-4, (Fig. 1-2) 1-5, (Fig. 1-4) 1-6
Death rates, 1-3, 1-6f., 1-7ff., 1-15; (Fig. 1-1) 1-4, (Fig. 1-2) 1-5, (Fig. 1-4) 1-6
Fetal death rates, 4-7f.
Infant mortality rates, 3-3
Leading causes of death, ranked, (Fig. 1-2) 1-5
Race, 1-15

Standard certificates of death and fetal death
History, 7-3f.
Residence specification, 1-11, 1-16; 7-3f.; (7-A) 7-4
Specification of previous fetal loss, 7-10
Specimens, (Fig. 7-1) 7-5, (Fig. 7-2) 7-6

Standard consolidated areas
Classification scheme, 7-8
Standard metropolitan statistical areas, 7-8

Standard metropolitan statistical areas
Death rate table, *see* guide to Section 9
Death rate table, infant deaths, *see* guide to Section 9
Frequency tables, *see* guide to Section 9
Frequency table, fetal deaths, *see* guide to Section 9
Frequency table, infant deaths, *see* guide to Section 9
Ratio table, fetal deaths, *see* guide to Section 9
Classification scheme, 7-8
Death rates, 1-10
Standard consolidated areas, 7-8
Urban and rural areas, 7-8f.

Symbols used in tables, 7-14

Total-birth order (fetal deaths)
Frequency tables, fetal deaths, *see* guide to Section 4

Urban and rural areas
Death rate tables, *see* guide to Section 1
Death rate table, infant deaths, *see* guide to Section 9
Frequency table, *see* guide to Section 9
Frequency tables, fetal deaths, *see* guides to Sections 4 and 9
Frequency tables, infant deaths, *see* guides to Sections 3 and 9
Ratio tables, fetal deaths, *see* guides to Sections 4 and 9
Classification scheme, 7-8f.
Death rates, 1-11
Errors in response and reporting, 1-11
Fetal death ratios, 4-8
Maternal mortality rates, 1-17
Metropolitan and nonmetropolitan counties, 1-11
Residence allocation, deaths, 1-11
Standard metropolitan statistical areas, 7-8

Virgin Islands, *see* Puerto Rico and Virgin Islands

Weight at birth (fetal deaths)
Frequency tables, fetal deaths, *see* guide to Section 4

Guide to tables in Section 1

(Data are for deaths occurring in the United States. Excludes fetal deaths. Data for geographic areas within the United States are by place of residence unless otherwise noted)

TABLE: 1	-A	-B	-C	-D	-E	-F	-G	-H	-J	-K	-L	-M	-N	-O	-P	-Q	-R	-S	-T	-U	-V	-W	-X	-Y	-Z	-AA	-AB	-AC
PAGE: 1	-18	-19	-20	-21	-22	-22	-23	-23	-23	-24	-25	-26	-34	-34	-34	-35	-36	-37	-38	-39	-40	-44	-48	-49	-49	-50	-51	-52
Geographic area:																												
Divisions															X[1]	X	X	X	X		X	X			X	X		X
Metropolitan and nonmetropolitan counties													X	X											X			
Population-size groups (U.S. totals only)														X														
States																X	X	X	X	X[2]	X	X				X		X
United States	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X
Urban and rural areas														X											X			
Years:																												
1900-1960	X[3]	X[3]								X[4,5]					X[6]													
1915-1960																								X[7]				
1940-1960																X[5]												
1950-1960			X								X		X[5]				X										X	
1958-1960 (3-year average)																									X	X		
1960 only				X	X	X	X	X	X			X		X				X	X	X	X	X	X					X
Type of entry:																												
Age-adjusted rates		X							X							X												
Number of deaths	X				X	X	X											X		X	X		X					
Percent change in rates																X												
Percentage distribution of deaths by cause								X		X																		
Death rates	X		X	X	X	X		X		X	X	X	X	X	X	X	X		X			X	X	X	X	X		
Cases of notifiable diseases																											X	X
Characteristics:																												
Age			X	X	X	X[8]	X[9]					X						X	X				X					
Cause of death:																												
59 selected causes											X	X									X	X						
Selected causes									X	X																		
15 leading causes								X																				
Maternal causes only																							X	X	X	X		
Color	X	X	X	X		X[8]	X[9]		X			X	X	X			X[10]						X	X		X		
Race					X																							
Sex	X	X	X	X	X		X[9]		X			X	X															

[1]By place of occurrence.

[2]Both occurrence and residence distributions.

[3]Entire United States for 1933-1960; death-registration States for 1900-1932.

[4]Entire United States for 1940, 1950, and 1960; death-registration States for 1900, 1910, 1920, and 1930.

[5]Decennial years only.

[6]Data by 5-year averages for 1900-1954 and by single years for 1955-1960.

[7]Entire United States for 1933-1960; birth-registration States for 1915-1932. Data by 5-year averages for 1915-1939 and by single years for 1940-1960.

[8]Males only. Armed Forces abroad included.

[9]85 years and over only.

[10]For the United States only.

Guide to tables in Section 2

TABLE: 2	-1	-2	-3	-4	-5	-6
PAGE: 2	-7	-8	-9	-10	-11	-12
Years:						
1900-1960						X[1]
1960 only	X	X	X	X		
Specified years and 1960					X[2]	
Type of entry:						
Proportion dying ($_nq_x$)	X	X				
Number surviving (l_x)	X	X	X		X	
Number dying ($_nd_x$)	X	X				
Stationary population ($_nL_x$ and T_x)	X	X				
Average remaining lifetime (e^o_x)	X	X		X	X	
Estimated average length of life (e^o_0)						X
Characteristics:						
Age by:						
Single years			X	X		
5-year intervals	X	X			X	
Sex-color specific		X	X	X	X	X
Sex specific	X		X	X		X
Color specific		X	X	X		X
Total population	X		X	X		X

[1]Entire United States for 1929-1960; death-registration States for 1900-1928.
[2]Entire United States for specified years from 1929-1960; death-registration States for specified years from 1900-1921.

Guide to tables in Section 3

(All data are for infant deaths occurring in the United States. Excludes fetal deaths. Data for geographic areas within the United States are by place of residence unless otherwise noted)

TABLE: 3	-A	-B	-C	-D	-E	-F	-1	-2	-3	-4	-5	-6
PAGE: 3	-4	-4	-5	-6	-8	-9	-10	-24	-31	-34	-40	-58
Geographic area:												
Divisions					X	X						
Metropolitan and nonmetropolitan counties										X		
States					X	X	X	X				X
United States	X	X	X	X	X	X	X	X	X	X	X	X
Urban and rural areas										X		
Years:												
1915-1960	X[1]											
1950-1960			X	X								
1950 and 1957-1960					X	X						
1960 only		X					X	X	X	X	X	X
Type of entry:												
Number of infant deaths							X	X	X	X	X	X
Infant mortality rates (per 1,000 live births)	X				X	X						
Infant mortality rates (per 100,000 live births)		X	X	X								
Characteristics:												
Age:												
Under 1 year	X	X	X	X	X		X	X	X	X	X	X
Under 28 days	X	X	X			X	X	X	X	X	X	X
28 days to 11 months									X			X
Detailed age groups (under 1 day-11 months)		X	X				X	X[2]			X	
Cause of death (55 selected causes)				X					X	X	X	X
Color	X	X	X		X	X		X		X	X	X
Month								X	X			
Race							X					
Sex		X					X	X[2]			X	

[1]Entire United States for 1933-1960; birth-registration States for 1915-1932.
[2]For the United States only.

Guide to tables in Section 4

(All data are for fetal deaths occurring in the United States. Data for geographic areas within the United States are by place of residence unless otherwise noted)

TABLE: 4	-A	-B	-C	-D	-E	-F	-G	-1	-2	-3	-4	-5	-6	-7	-8	-9	-10
PAGE: 4	-4	-5	-6	-6	-8	-9	-11	-12	-15	-17	-19	-23	-25	-28	-29	-30	-33
Geographic area:																	
Divisions						X	X										
Metropolitan and nonmetropolitan counties						X											
Selected areas			X[1]	X[2]													
States	X						X	X[3]	X		X	X	X			X	X
United States	X	X			X	X	X	X	X	X	X	X	X	X	X	X	X
Urban and rural areas						X											
Years:																	
1922-1960		X[4]															
1956-1960							X										
1960 only	X		X	X	X	X		X	X	X	X	X	X	X	X	X	X
Type of entry:																	
Number of fetal deaths	X	X	X	X	X	X		X	X	X	X	X	X	X	X	X	X
Rates per 1,000 live births plus fetal deaths					X												
Ratios (per 1,000 live births)		X		X		X	X										
Minimum period required for reporting	X																
Characteristics:																	
Age of mother			X	X						X	X						
Attendant													X				
Color		X		X	X	X	X		X	X		X	X	X	X	X	X
Legitimacy status				X													
Month									X								
Period of gestation[5]	X		X			X							X		X		X
Plural births					X									X	X		
Race											X						
Sex					X					X				X	X	X[6]	X[6]
Total-birth order										X		X					
Weight at birth														X		X	

[1] Combined totals for eight States and New York City which require the reporting of early fetal deaths.
[2] Combined totals for 35 States which report legitimacy status.
[3] Both occurrence and residence distributions.
[4] Entire United States for 1933-1960; birth-registration States for 1922-1932.
[5] Massachusetts did not require the reporting of period of gestation.
[6] For the United States only.

Guide to tables in Section 5

(All data are for deaths occurring in the United States. Excludes fetal deaths. Data for geographic areas within the United States are by place of residence unless otherwise noted)

TABLE: 5	-1	-2	-3	-4	-5	-6	-7	-8	-9	-10	-11	-12
PAGE: 5	-2	-5	-6	-12	-13	-14	-35	-40	-48	-98	-182	-190
Geographic area:												
States	X[1]	X[2]	X	X						X		
United States	X	X	X	X	X	X	X	X	X	X	X	X
Type of entry:												
Number of deaths	X	X	X	X	X	X	X	X	X	X	X	
Death rates						X						X
Characteristic:												
Age					X				X		X	X
Cause of death:												
Each cause						X						
255 selected causes							X	X	X	X		
59 selected causes											X	X
Color			X		X	X				X	X	X
Marital status					X							
Month		X	X				X					
Race				X				X	X			
Sex			X	X	X	X		X	X	X	X	X

[1]Both occurrence and residence distributions.
[2]By place of occurrence.

Guide to tables in Section 6

(Frequencies only. All data are for deaths occurring in the United States. Data for geographic areas within the United States are by place of residence)

TABLE: 6	-1	-2	-3	-4	-5	-6
PAGE: 6	-2	-4	-8	-14	-16	-20
Geographic area:						
States					X	X
United States	X	X	X	X	X	X
Subject matter:						
Motor vehicle accident, by type of vehicle	X		X		X	
Nontransport accident, by place of accident		X		X		X
Characteristics:						
Age			X	X		
Color	X	X			X	X
Detailed accidental causes (E810-E835, E870-E936)	X	X				
Race			X	X		
Sex	X	X	X	X	X	X

Guide to tables in Section 9

(All data are for deaths occurring in the United States. Deaths excludes fetal deaths. Data for geographic areas within the United States are by place of residence unless otherwise noted)

TABLE: 9	-1	-2	-3	-4	-5	-6	-7	-8	-9	-10	-11
PAGE: 9	-3	-60	-78	-87	-104	-125	-380	-384	-396	-560	-565
Geographic area:											
Counties	X[1]								X	X	
Metropolitan and nonmetropolitan counties		X		X					X		
Population-size groups (U.S. totals only)		X									
Specified urban places	X								X		X
Standard metropolitan statistical areas			X		X			X			
States	X[1]	X		X		X	X[2]		X	X	
United States	X	X		X			X		X	X	
Urban and rural areas		X							X		
Type of entry:											
Number of deaths—all ages	X	X	X	X	X	X	X	X	X	X	X
Number of fetal deaths	X	X	X								
Number of infant deaths	X	X	X								
Number of neonatal deaths	X	X	X								
Death rates-all ages			X								
Fetal death ratios (per 1,000 live births)		X	X								
Infant mortality rates (per 1,000 live births)		X	X								
Neonatal mortality rates (per 1,000 live births)		X	X								
Characteristics:											
Age				X	X	X					
Cause of death:											
59 selected causes						X	X	X			
Selected causes									X		
Specified infective diseases										X	X
Color	X	X	X	X	X	X					
Sex				X	X	X					

[1] Both occurrence and residence distributions.
[2] By place of occurrence.

Guide to tables in Section 10

(All data are for deaths occurring in Puerto Rico or the Virgin Islands)

TABLE: 10	-1	-2	-3	-4	-5	-6	-7	-8	-9	-10	-11	-12	-13	-14	-15	-16	-17	-18
PAGE: 10	-3	-3	-3	-4	-8	-12	-13	-13	-14	-15	-15	-16	-17	-18	-18	-18	-19	-19
Geographic area:																		
Islands										X[1]								
Municipios									X[1]									
Puerto Rico	X	X	X	X		X	X	X	X		X	X	X	X	X	X	X	X
Specified urban places									X	X								
Virgin Islands	X	X	X		X	X	X	X		X	X	X	X	X	X	X	X	X
Years:																		
1940-1960	X																	
1960 only		X	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X
Type of entry:																		
Number of deaths—all ages	X	X		X	X		X	X	X	X								
Number of fetal deaths									X	X				X	X	X	X	X
Number of infant deaths									X	X	X	X	X[2]					
Number of neonatal deaths									X	X	X	X	X					
Death rates—all ages	X		X			X												
Characteristics:																		
Age of decedent			X	X	X							X						
Age of mother															X			
Cause of death:																		
59 selected causes				X	X	X												
55 selected causes of infant mortality													X					
Motor vehicle accidents							X											
Nontransport accidents								X										
Color (for Virgin Islands only)		X	X		X	X	X	X		X	X	X	X	X	X	X	X	X
Month		X									X			X				
Period of gestation																		X
Place of accident								X										
Sex		X	X	X	X	X	X	X				X						
Total-birth order																X		
Type of motor vehicle involved							X											
Weight at birth																	X	

[1]Both occurrence and residence distributions.
[2]Number of deaths also shown for the age-group 28 days to 11 months.

U. S. GOVERNMENT PRINTING OFFICE : 1963 O - 692-280