


Unintended pregnancies among females ages 15-44 years


Objective. 5.2



NOTE: Estimates are for pregnancies in the last five years, adjusted for underreporting of abortions.
SOURCE: National Survey of Family Growth, CDC/NCHS, 1988 and 1995

Infertility among couples with wives ages 15-44 years


Objective 5.3



SOURCE: National Survey of Family Growth, CDC/NCHS, 1988 and 1995

Adolescents who have engaged in sexual intercourse by age 15 years

Objective 5.4



SOURCE: National Survey of Family Growth, CDC/NCHS, 1988 and 1995; NIH/NICHD/National Survey of Adolescent Males, 1988 and 1995

Sexually experienced adolescents ages 15-17 years who have abstained in the last three months

Objective 5.5




NOTE: Adolescent abstinence is for the 3-month period before the interview.

SOURCE: National Survey of Family Growth, CDC/NCHS, 1988 and 1995; NIH/NICHD/National Survey of Adolescent Males, 1988 and 1995

Contraceptive use among adolescent females ages 15-19 years


Objective 5.6



SOURCE: National Survey of Family Growth, CDC/NCHS, 1988 and 1995

Contraceptive use among females ages 15-44 years

Objective 5.12



NOTE: Data refer to women at risk of unintended pregnancy.

SOURCE: National Survey of Family Growth, CDC/NCHS, 1982, 1988 and 1995