

User Guide to the 2012 Fetal Death Public Use File



2012 Fetal Death Data Set

User's Guide

ACKNOWLEDGMENTS

Preparation of this user's guide was coordinated by Elizabeth Wilson and Marian MacDorman of the Division of Vital Statistics (DVS) under the general direction of Joyce A. Martin, Lead Statistician, Reproductive Statistics Branch (RSB), DVS, and Amy Branum, Chief of the Reproductive Statistics Branch (DVS). The vital statistics computer file on which it is based was prepared by DVS staff.

The Division of Vital Statistics, Delton Atkinson, Director, manages the Vital Statistics Cooperative Program, through which the vital registration offices of all states, the District of Columbia, New York City, Puerto Rico, Virgin Islands, Guam, American Samoa, and the Commonwealth of the Northern Mariana Islands, provided the data to the National Center for Health Statistics (NCHS). This Division, and its Data Acquisition, Classification, and Evaluation Branch (DACEB), and Systems, Programming, and Statistical Resources Branch (SPSRB), processed computer edits, designed and programmed the tabulations, reviewed the data, prepared documentation for this publication, and were responsible for receipt and processing of the basic data file.

NCHS acknowledges the essential role of the vital registration offices of all states and territories in maintaining the system through which vital statistics data are obtained and their cooperation in providing the information on which this publication is based.

Questions on the documentation or substantive questions concerning the data should be directed to the Reproductive Statistics Branch, Division of Vital Statistics, NCHS, 3311 Toledo Road, Hyattsville, MD 20782-2003 (1-800) 232-4636.

Department of Health and Human Services
Centers for Disease Control and Prevention
National Center for Health Statistics
Division of Vital Statistics

2012 Fetal Death Data Set

Contents

Introduction

Control count of records

List of data elements and locations

Record layout and definition of item and codes

Documentation tables.

External links

Fetal and Perinatal Mortality, United States, 2006

http://www.cdc.gov/nchs/data/nvsr/nvsr60/nvsr60_08.pdf

Births: Final Data for 2012

http://www.cdc.gov/nchs/data/nvsr/nvsr62/nvsr62_09.pdf

Infant Mortality Statistics from the 2010 Period Linked Birth/Infant Death Data Set

http://www.cdc.gov/nchs/data/nvsr/nvsr62/nvsr62_08.pdf

(the 2012 report will be forthcoming)

Introduction

Abridged Fetal Death File

In an effort to improve the timeliness of fetal death data, NCHS will be releasing abridged fetal death data files for the next several data years. These files contain only data items that are comparable between the 1989 and the 2003 revisions of the U.S. Standard Report of Fetal Death. The inclusion of only comparable items greatly reduces the complexity of the data file, while still including the most important analytical variables. Reduced file complexity means faster processing time and more years of data produced more quickly. The User Guides for the next few years will also be abridged to include only the most important information needed for data analysis. Please see the 2006 Fetal User Guide for more detailed information, including detailed Technical Notes on the fetal death

data: ftp://ftp.cdc.gov/pub/Health_Statistics/NCHS/Dataset_Documentation/DVS/fetaldeath/2006FetalUserGuide.pdf .

U.S. fetal death data

United States fetal death data represent fetal deaths registered in the 50 states, the District of Columbia, and New York City. The majority of states require reporting fetal deaths of 20 weeks of gestation or more, or 350 grams delivery weight (roughly equivalent to 20 weeks), or some combination of the two. The Centers for Disease Control and Prevention's National Center for Health Statistics (NCHS) receives these data as electronic files, prepared from individual records processed by each registration area, through the Vital Statistics Cooperative Program.

Fetal death data for the U.S. are limited to events occurring within the United States to U.S. residents and nonresidents. Fetal deaths to nonresidents of the United States are excluded from all tabulations by place of residence. Fetal deaths occurring to U.S. citizens outside of the United States are

not included in this file. Most of the Documentation Tables included in this User's Guide are restricted to fetal deaths occurring at 20 weeks of gestation or more.

Availability of geographic detail

Beginning with the 2005 data year, the U.S. micro-data fetal death file no longer includes geographic detail (e.g., mother's state of residence). Tabulations of fetal death data by residence of mother for states and for counties with populations of 250,000 or more are available using the VitalStats online data access tool described below. Certain geographic level data may also be available upon request: See "NCHS Data Release and Access Policy for Micro-data and Compressed Vital Statistics Files", available at: http://www.cdc.gov/nchs/nvss/dvs_data_release.htm .

The 2012 territories file includes data on fetal deaths occurring in American Samoa, Guam, the Northern Marianas, and Puerto Rico. The Virgin Islands did not provide fetal death data in 2012. It includes limited geographical data such as information identifying individual territories and counties (or their equivalent) with populations of 250,000 or more by place of occurrence and residence.

VitalStats

Fetal death public use data, including geographic level detail for states are available at VitalStats. VitalStats is an online data access tool which provides the ability to build tables from many public use fetal death variables. Tabulated data can be exported to Excel for further analysis. VitalStats for fetal deaths, 2003 – 2012, is available at: <http://www.cdc.gov/nchs/VitalStats.htm>.

Downloadable files

Fetal death public use data files from 1982 to 2012, including User Guides, U.S. Fetal Death Data, and U.S. Territories Fetal Death Data are available for downloading directly from the NCHS website at: http://www.cdc.gov/nchs/data_access/Vitalstatsonline.htm .

The 1989 and 2003 Revisions of the U.S. Report of Fetal Death

This data file includes data based on both the 1989 revision of the U.S. Standard Report of Fetal Death (unrevised) and the 2003 revision of the U.S. Standard Report of Fetal Death (revised). The 2003 revision is described in detail elsewhere. (See the 2003 Revision website at: http://www.cdc.gov/nchs/vital_certs_rev.htm). Thirty-one states, the District of Columbia, New York City, Guam, and the Northern Marianas implemented the revised fetal death report as of January 1, 2012: California, Delaware, Florida, Georgia, Idaho, Indiana, Iowa, Kansas, Kentucky, Maryland, Michigan, Minnesota, Missouri, Montana, Nebraska, Nevada, New Hampshire, New Mexico, North Dakota, Ohio, Oklahoma, Oregon, Pennsylvania, South Carolina, South Dakota, Tennessee, Texas, Utah, Washington, Wisconsin, and Wyoming. These revised reporting areas represent 70.4 percent of all U.S. fetal deaths of 20 weeks and over. Revised data are combined with unrevised data from the remaining areas to create US data.

Incomplete national reporting: The use of reporting flags

Even with the data file restricted to comparable items, there are some items that are not reported by all states. Reporting flags were developed to help the user more readily identify the correct fetal deaths for items with less than national reporting. Reporting flags are available for many items in the file, and positions for reporting flags are noted along with each data item in the file layout.

Translating “blanks”

In the 2012 fetal death file, for data items which are not reported by all states, fetal deaths to residents of a revised state occurring in an unrevised state, and fetal deaths to residents in an unrevised state occurring in a revised state, are represented by “blanks.” Blanks should be treated as “unknowns” for tabulations. In sum, the correct use of reporting flags and translation of blanks will result in an accurate tally of fetal deaths for items with incomplete national reporting. For an example of SAS code that may be used to incorporate the correct use of reporting flags and the translation of blanks, see below.

Example of SAS code using reporting flags (and translating blanks)

The example below is for the item “hysterotomy/hysterectomy,” which is reported by 46 states, New York City and the District of Columbia in 2012

Sample SAS program

```
01 DATA work;
02     INFILE 'c:fet12us.dat' LRECL=801;
03     INPUT
04         tabflg 9
05         restatus 138
06         hyster 402
07         f_hyster 797;
08
09     /*Include if 20 weeks gestation or more*/
10     IF tabflg EQ 2;
11     /*Exclude foreign residents*/
12     IF restatus NE 4;
13     /*Select reporting area*/
14     IF f_hyster=1;
15     /*Convert blanks to unknown*/
16     IF hyster=. THEN hyster=9;
17
18 PROC FREQ;
19     TABLE hyster;
20 RUN;
```

In this example, “tabflg” is used to select fetal deaths of 20 weeks gestation or more. Also, “restatus” is used to exclude fetal deaths to foreign residents (this is standard practice for all NCHS tabulations). As well in this example, blanks are represented by numeric values SAS code = (.). However, for some items in the file, e.g., pregnancy risk factors, blanks are represented by character values for which the SAS code is empty quotes (‘ ’).

Data Issues

Mother’s Race – Puerto Rico does not report data on mother’s race, thus data located in position 143 (Mother’s race recode variable) should be disregarded. This applies to all data years.

Mother’s Hispanic Origin – In the 2007-2010 fetal death data files, many records for Minnesota were erroneously assigned to the ‘9’ or not stated category for mother’s Hispanic origin (position 148)

and mother's race/Hispanic origin (position 149). This was due to a programming error. Data are correct for 2011 forward.

State Specific Issues

Oregon - Beginning in 2008, due to expanded reporting, there was an increase in the number of fetal deaths in Oregon.

Tennessee – As of July 1, 2010, Tennessee amended its fetal death reporting requirements. Tennessee now reports fetal deaths of 20 weeks of gestation or more or 350 grams or more. Prior to July 1, 2010, Tennessee only reported fetal deaths with a birthweight of 500 grams or more, or if weight was unknown, 22 weeks of completed gestation or more. Thus, the increase in the number of fetal deaths in Tennessee in 2010 and 2011 is due to the change in reporting, and not to a real increase in risk of fetal death.

Virgin Islands – The Virgin Islands did not report fetal death data for 2012.

Control Count of Records

File Characteristics: Fetal Public Use File 2012

All files:

Record format: Blocked, Fixed, Format
Code scheme: Numeric/Alphabetic/Blank
Record length: 801

Record counts

U.S. file record count:

Counts of all fetal deaths:

Record count	56,201
By occurrence	56,201
By residence	56,114
To foreign residents	87

Counts of 20 weeks or more:

Record count	24,108
By occurrence	24,108
By residence	24,073
To foreign residents	35

Counts of less than 20 weeks:

Record count	32,093
By occurrence	32,093
By residence	32,041
To foreign residents	52

U.S. territories file record count:

Counts of all fetal deaths:

Record count	419
By occurrence	419
By residence	417
To foreign residents	2

Counts of 20 weeks or more:

Record count	418
By occurrence	418
By residence	416
To foreign residents	2

Counts of less than 20 weeks:

Record count	1
By occurrence	1
By residence	1
To foreign residents	-

DATA ELEMENTS AND LOCATIONS – 2012 FETAL DEATH FILE

<u>Data Items</u>	<u>Locations</u>
1. General	
a) Tabulation flag (gestational age)	9
b) Data year	15-18
c) Resident status	138
d) Place of delivery	42,59
e) Attendant at delivery	410
2. Fetus	
a) Sex	436
b) Plurality	423
c) Weight at delivery	463-473
d) Gestational age	446-455
e) Month/year of delivery	15-20
f) Day of week of delivery	29
3. Mother	
a) Age	89-93
b) Race	143
c) Marital status	153
d) Hispanic Origin	148,149
4. Father	
a) Age	186
5. Pregnancy History	
a) Live birth order	212
b) Total birth order	217
6. Medical and Health Data	
a) Method of delivery	400-403
b) Breech	384
c) Medical risk factors	331,335,336,337
d) Weight gain during pregnancy	276-278
e) Congenital anomalies	504,505,513,518,523
7. Residence reporting flags	573-801

**2012 Fetal Death
Public-Use Record Layout**

Position	Len	Field	Description	Reporting Flag Position	Vers*	Values	Definition
1-6	6	BLANK					
7	1	VERSION	Version		A,S	A S	State used the 2003 version of the US Standard Report of Fetal Death (Revised) State used the 1989 version of the US Standard Report of Fetal Death (Unrevised)
8	1	BLANK					
9	1	TABFLG	Tabulation Flag		A,S	1 2	Under 20 Weeks (exclude) 20 Weeks or more (include)
10-14	5	BLANK					
15-18	4	DOD_YY	Delivery Year		A,S	2007	Year of delivery
19-20	2	DOD_MM	Delivery Month		A,S	01 02 03 04 05 06 07 08 09 10 11 12	January February March April May June July August September October November December
21-28	8	BLANK					
29	1	DOD_WK	Weekday		A,S	1 2 3 4 5 6 7	Sunday Monday Tuesday Wednesday Thursday Friday Saturday

* For the Version column (Vers) the following codes apply:

A 2003 Version of US Standard Birth Certificate

S 1989 Version of US Standard Birth Certificate

s 1989 Version of US Standard Birth Certificate but this element conforms to the 2003 standards

Position	Len	Field	Description	Reporting Flag Position	Vers*	Values	Definition
30-31	2	OSTATE	Territory of occurrence <i>(This item is available in the territory file only, geographic codes are not available in the U.S. file)</i>		A,S		
			<u>Territories</u>			AS GU MP PR VI	American Samoa Guam Northern Marianas Puerto Rico Virgin Islands
32-36	5	BLANK					
37-39	3	OCNTYFIPS	Occurrence County <i>(This item is available in the territory file only, geographic codes are not available in the U.S. file)</i>		A,S		
			<u>Puerto Rico</u>			021 025 031 097 113 127 999	Bayamo'n Caguas Carolina Mayaguez Ponce San Juan County of less than 100,000
			<u>Other Outlying Areas of the United States</u>			000 999	No county level geography County of less than 100,000
40	1	OCNTYPOP	Occurrence Territory County Population <i>(This item is available in the territory file only, geographic codes are not available in the U.S. file)</i>		A,S	0 1 2 3 9	County of 1,000,000 or more County of 500,000 to 1,000,000 County of 250,000 to 500,000 County of 100,000 to 250,000 County less than 100,000
41	1	BLANK					
42	1	UBFACIL	Delivery Place		A,S	1 2	Hospital Freestanding Birthing Center

* For the Version column (Vers) the following codes apply:

A 2003 Version of US Standard Birth Certificate

S 1989 Version of US Standard Birth Certificate

s 1989 Version of US Standard Birth Certificate but this element conforms to the 2003 standards

Position	Len	Field	Description	Reporting Flag Position	Vers*	Values	Definition
						3	Clinic / Doctor's Office
						4	Residence
						5	Other
						9	Unknown
43-58	16	BLANK					
59	1	BFACIL3	Delivery Place Recode		A,S	1	In Hospital
						2	Not in Hospital
						3	Unknown/not stated
60-86	27	BLANK					
87	1	MAGE_IMPFLG	Mother's Age Imputed		A,S	Blank	Age not imputed
						1	Age imputed
88	1	MAGE_REPFLG	Reported Age of Mother Flag		A,S	Blank	Reported age not used
						1	Reported age used
89-90	2	MAGER	Mother's Single Year of Age	798	A,S	12	12 years and under
						13	13 years
						14	14 years
						15	15 years
						16	16 years
						17	17 years
						18	18 years
						19	19 years
						20	20 years
						21	21 years
						22	22 years
						23	23 years
						24	24 years
						25	25 years
						26	26 years
						27	27 years
						28	28 years
						29	29 years
						30	30 years
						31	31 years
						32	32 years
						33	33 years
						34	34 years

* For the Version column (Vers) the following codes apply:

A 2003 Version of US Standard Birth Certificate

S 1989 Version of US Standard Birth Certificate

s 1989 Version of US Standard Birth Certificate but this element conforms to the 2003 standards

Position	Len	Field	Description	Reporting Flag Position	Vers*	Values	Definition
						35	35 years
						36	36 years
						37	37 years
						38	38 years
						39	39 years
						40	40 years
						41	41 years
						42	42 years
						43	43 years
						44	44 years
						45	45 years
						46	46 years
						47	47 years
						48	48 years
						49	49 years
						50	50 years and over **
			** Includes births to women aged 50 to 64 years.				
91-92	2	MAGER14	Mother's Age Recode 14	798	A,S	01	Under 15 Years
						03	15 years
						04	16 years
						05	17 years
						06	18 years
						07	19 years
						08	20-24 years
						09	25-29 years
						10	30-34 years
						11	35-39 years
						12	40-44 years
						13	45-49 years
						14	50-54 years **
			** Includes births to women aged 50 to 64 years.				
93	1	MAGER9	Mother's Age Recode 9	798	A,S	1	Under 15 years
						2	15-19 years
						3	20-24 years
						4	25-29 years
						5	30-34 years
						6	35-39 years
						7	40-44 years
						8	45-49 years

* For the Version column (Vers) the following codes apply:

A 2003 Version of US Standard Birth Certificate

S 1989 Version of US Standard Birth Certificate

s 1989 Version of US Standard Birth Certificate but this element conforms to the 2003 standards

Position	Len	Field	Description	Reporting Flag Position	Vers*	Values	Definition
			** Includes births to women aged 50 to 64 years.			9	50-54 years **
94-108	15	BLANK					
109-110	2	MRSTATEPSTL	Mother's Territory of Residence <i>(This item is available in the territory file only, geographic codes are not available in the U.S. file)</i> <u>Territories</u>		A,S	AS GU MP PR VI	American Samoa Guam Northern Marianas Puerto Rico Virgin Islands
111-113	3	BLANK					
114-116	3	MRCNTYFIPS	Mother's FIPS County of Residence <i>(This item is available in the territory file only, geographic codes are not available in the U.S. file)</i>		A,s	001-999 000	See Geographic Tables Foreign
117-131	15	BLANK					
132	1	RCNTY_POP	Population of Residence County <i>(This item is available in the territory file only, geographic codes are not available in the U.S. file)</i>		A,S	0 1 2 3 9 Z	County of 1,000,000 or more County of 500,000 to 1,000,000 County of 250,000 to 500,000 County of 100,000 to 250,000 County less than 100,000 Foreign resident
133-136	4	BLANK					
137	1	RECTYPE	Record Type <i>(This item is available in the territory file only, geographic codes are not available in the U.S. file)</i>		A,S	1 2	RESIDENT: State and county of occurrence and residence are the same. NONRESIDENT: State and county of occurrence and residence are different.

* For the Version column (Vers) the following codes apply:

A 2003 Version of US Standard Birth Certificate

S 1989 Version of US Standard Birth Certificate

s 1989 Version of US Standard Birth Certificate but this element conforms to the 2003 standards

Position	Len	Field	Description	Reporting Flag Position	Vers*	Values	Definition
138	1	RESTATUS	Residence Status <u>United States</u>		A,S	1 2 3 4	RESIDENT: State and county of occurrence and residence are the same. INTRASTATE NONRESIDENT: State of occurrence and residence are the same but county is different. INTERSTATE NONRESIDENT: State of occurrence and residence are different but both are one of the 50 US states or District of Columbia. FOREIGN RESIDENT: The state of residence is not one of the 50 US states or District of Columbia.
			<u>Territories</u>			1 2 3 4	RESIDENT: State and county of occurrence and residence are the same. (Unique to Guam, all US residents are considered residents of Guam and thus are assigned 1.) INTRATERRITORY NONRESIDENT: Territory of occurrence and residence are the same but county is different. INTERTERRITORY RESIDENT: Territory of occurrence and residence are different but both are US Territories. FOREIGN RESIDENT: The residence is not a US Territory.
139-142	4	BLANK					
143	1	MRACEREC	Mother's Race Recode <u>United States and non-Puerto Rican Territories</u>		A,S	1 2 3 4	White Black American Indian or Alaskan Native Asian or Pacific Islander
144	1	MRACEIMP	Mother's Race Imputed		A,S	Blank 1 2	Mother's race not imputed Unknown race imputed All other races, formerly coded 09, imputed.
145-147	3	BLANK					
148	1	UMHISP	Mother's Hispanic Origin	781	A,S	0 1 2 3 4	Non-Hispanic Mexican Puerto Rican Cuban Central or South American

* For the Version column (Vers) the following codes apply:

A 2003 Version of US Standard Birth Certificate

S 1989 Version of US Standard Birth Certificate

s 1989 Version of US Standard Birth Certificate but this element conforms to the 2003 standards

Position	Len	Field	Description	Reporting Flag Position	Vers*	Values	Definition
						5 9	Other and Unknown Hispanic Origin unknown or not stated
149	1	MRACEHISP	Mother's Race/Hispanic Origin	781	A,S	1 2 3 4 5 6 7 8 9	Mexican Puerto Rican Cuban Central or South American Other and Unknown Hispanic Non-Hispanic White Non-Hispanic Black Non-Hispanic Other Races Origin unknown or not stated
150-152	3	BLANK					
153	1	MAR	Mother's Marital Status	780	A,S	1 2 9	Yes No Unknown or not Stated
			<u>United States & all non-Puerto Rican Territories</u>			1 2 9	Yes No Unknown or not Stated
			<u>Puerto Rico</u>			1 2 3 9	Yes Unmarried parents living together Unmarried parents not living together Unknown or not stated
154-174	21	BLANK					
175	1	FAGERPT_FLG	Father's Reported Age Used		A,S	Blank 1	Father's reported age not used Father's reported age used
176-185	10	BLANK					
186-187	2	FAGEREC11	Father's Age Recode 11	786	A,S	01 02 03 04 05 06 07 08	Under 15 years 15-19 years 20-24 years 25-29 years 30-34 years 35-39 years 40-44 years 45-49 years

* For the Version column (Vers) the following codes apply:

A 2003 Version of US Standard Birth Certificate

S 1989 Version of US Standard Birth Certificate

s 1989 Version of US Standard Birth Certificate but this element conforms to the 2003 standards

Position	Len	Field	Description	Reporting Flag Position	Vers*	Values	Definition
						09	50-54 years
						10	55-98 years
						11	Not stated
188-211	24	BLANK					
212	1	LBO_REC	Live Birth Order Recode		A,S	0-7	Number of live birth order.
						8	8 or more live births
						9	Unknown or not stated
213-214	4	BLANK					
217	1	TBO_REC	Total Birth Order Recode		A,S	1-7	Number of total birth order.
						8	8 or more total births
						9	Unknown or not stated
218-275	58	BLANK					
276-277	2	WTGAIN	Weight Gain	648	A,S	00-97	Weight gain in pounds
						98	98 pounds and over
						99	Unknown or not stated
278	1	WTGAIN_REC	Weight Gain Recode	648	A,S	1	Less than 10 pounds
						2	10 to 14 pounds
						3	15 to 19 pounds
						4	20 to 24 pounds
						5	25 to 29 pounds
						6	30 to 34 pounds
						7	35 or more pounds
						8	Unknown or not stated
279-330	52	BLANK					
331-337	7	<u>Risk Factors</u>					
		The checkbox items below follow this structure:				1	Yes
						2	No
						8	Not on certificate
						9	Unknown
331	1	URF_DIAB	Diabetes	684	A,S		
332-334	3	BLANK					
335	1	URF_CHYPER	Chronic Hypertension	688	A,S		
336	1	URF_PHYPER	Prepregnancy Associated Hypertension	689	A,S		
337	1	URF_ECLAMP	Eclampsia	690	A,S		

* For the Version column (Vers) the following codes apply:

A 2003 Version of US Standard Birth Certificate

S 1989 Version of US Standard Birth Certificate

s 1989 Version of US Standard Birth Certificate but this element conforms to the 2003 standards

Position	Len	Field	Description	Reporting Flag Position	Vers*	Values	Definition
338-383	46	BLANK					
			<u>Complications of Labor & Delivery</u>		A,S		
384	1	ULD_BREECH	Breech Delivery	721		1 2 8 9	Yes No Not on certificate Not stated
385-399	15	BLANK					
400-402	3	<u>Method of Delivery</u>			A,S		
		The checkbox items indented below follow this structure:				1 2 8 9	Yes No Not on certificate Unknown or not stated
400	1	UME_FORCP	Forceps	734			
401	1	UME_VAC	Vacuum	735			
402	1	UME_HYSTER	Hysterectomy/hysterotomy	797			
403	1	DMETH_REC	Delivery Method Recode	678	A,S	1 2 3 9	Vaginal C-section Hysterectomy/Hysterotomy Not stated
		Alaska, Connecticut, Georgia, New York State (excluding New York City), Oklahoma, Oregon, and Wyoming do not report hysterectomy/hysterotomy.					
404-409	6	BLANK					
410	1	ATTEND	Attendant	801	A,S	1 2 3 4 5 9	Doctor of Medicine (MD) Doctor of Osteopathy (DO) Certified Nurse Midwife (CNM) Other Midwife Other Unknown or not stated
411-422	12	BLANK					
423	1	DPLURAL	Plurality Recode		A,S	1 2 3 4 5	Single Twin Triplet Quadruplet Quintuplet or higher

* For the Version column (Vers) the following codes apply:

A 2003 Version of US Standard Birth Certificate

S 1989 Version of US Standard Birth Certificate

s 1989 Version of US Standard Birth Certificate but this element conforms to the 2003 standards

Position	Len	Field	Description	Reporting Flag Position	Vers*	Values	Definition
424	1	BLANK					
425	1	IMP_PLUR	Plurality Imputed		A,S	Blank 1	Plurality is imputed Plurality is not imputed
426-435	10	BLANK					
436	1	SEX	Sex of Infant		A,S	M F	Male Female
437	1	IMP_SEX	Sex Imputed Only where gestation is stated or presumed to be 20 weeks or more		A,S	Blank 1	Infant Sex not Imputed Infant Sex is Imputed
		<u>Gestation</u>					
438-439	2	DLMP_MM	Last Normal Menses Month	789	A,S	01 02 03 04 05 06 07 08 09 10 11 12 99	January February March April May June July August September October November December Unknown or not stated
440-441	2	BLANK					
442-445	4	DLMP_YY	Last Normal Menses Year	791	A,S	nnnn 9999	Year of last normal menses Unknown or not stated
446-447	2	ESTGEST	Obstetric/Clinical Gestation Est.	573	A,S	0-98 02-47 99	Range of obstetric estimate of gestation - revised Range of clinical estimate of gestation - unrevised Unknown or not stated
448-450	3	BLANK					

* For the Version column (Vers) the following codes apply:

A 2003 Version of US Standard Birth Certificate

S 1989 Version of US Standard Birth Certificate

s 1989 Version of US Standard Birth Certificate but this element conforms to the 2003 standards

Position	Len	Field	Description	Reporting Flag Position	Vers*	Values	Definition
451-452	2	COMBGEST	Gestation – Detail in Weeks	670	A,S	02-47 99	2 nd through 47 th week of Gestation Unknown
453-454	2	GESTREC12	Gestation Recode 12	670	A,S	01 02 03 04 05 06 07 08 09 10 11 12	Under 16 weeks 16-19 weeks 20-23 weeks 24-27 weeks 28-31 weeks 32-35 weeks 36 weeks 37-39 weeks 40 weeks 41 weeks 42 weeks and over Unknown
455	1	GESTREC5	Gestation Recode 5	670	A,S	1 2 3 4 5	Under 20 weeks 20-23 weeks 24-27 weeks 28 weeks and over Unknown
456	1	OBGEST_FLG	Obstetric Estimate of Gestation Used Flag		A,S	Blank 1	Obstetric Estimate is not used Obstetric Estimate is used
457	1	GEST_IMP	Gestation Imputed Flag		A,S	Blank 1	Gestation is not imputed Gestation is imputed
458-462	5	BLANK					
463-466	4	DBWT	Birth Weight – Detail in Grams		A,S	0001-8165 9999	Number of grams Not stated birth weight
467-470	4	BLANK					
471-472	2	BWTR14	Birth Weight Recode 14		A,S	01 02 03 04 05 06	0249 grams or less 0250 – 0349 grams 0350 – 0499 grams 0500 – 0999 grams 1000 – 1499 grams 1500 – 1999 grams

* For the Version column (Vers) the following codes apply:

A 2003 Version of US Standard Birth Certificate

S 1989 Version of US Standard Birth Certificate

s 1989 Version of US Standard Birth Certificate but this element conforms to the 2003 standards

Position	Len	Field	Description	Reporting Flag Position	Vers*	Values	Definition
						07	2000 – 2499 grams
						08	2500 – 2999 grams
						09	3000 – 3499 grams
						10	3500 – 3999 grams
						11	4000 – 4499 grams
						12	4500 – 4999 grams
						13	5000 – 8165 grams
						14	Unknown or Not Stated
473	1	BWTR4	Birth Weight Recode 4		A,S	1	1499 grams or less
						1	1500 – 2499 grams
						2	2500 - 8165 grams
						3	Unknown or not stated
474-503	30	BLANK					
504-523	20	<u>Congenital Anomalies of the Fetus</u>			A,S		
		The checkbox items below follow this structure:				1	Anomaly reported
						2	Anomaly not reported
						8	Anomaly not on certificate
						9	Anomaly not classifiable
504	1	UCA_ANEN	Anencephalus	752			
505	1	UCA_SPINA	Spina Bifida / Meningocele	753			
506-512	7	BLANK					
513	1	UCA_OMPHA	Omphalocele / Gastroschisis	761			
514-517	4	BLANK					
518	1	UCA_CLEFTLP	Cleft Lip / Palate	766			
519-522	4	BLANK					
523	1	UCA_DOWNS	Downs Syndrome	771			
524-568	45	BLANK					
569-801		<u>Flag File for Reporting Flags</u>					
		The reporting flags indented below follow this coding structure:				0	Not reporting
						1	Reporting
569-572	4	BLANK					
573	1	F_CLINEST	Obstetric Estimate of Gestation		A,S		
574-647	74	BLANK					
648	1	F_WTGAIN	Weight Gain		A,S		
649-669	18	BLANK					

* For the Version column (Vers) the following codes apply:

A 2003 Version of US Standard Birth Certificate

S 1989 Version of US Standard Birth Certificate

s 1989 Version of US Standard Birth Certificate but this element conforms to the 2003 standards

Position	Len	Field	Description	Reporting Flag Position	Vers*	Values	Definition
670	1	F_CMBGST	Combined Gestation		A,S		
671-677	7	BLANK					
678	1	DelMethRecF	Delivery Method Recode Flag		A,S		
679-683	5	BLANK					
684	1	F_URF_DIABETES	Diabetes Flag		A,S		
685-687	3	BLANK					
688	1	F_URF_CHYPER	Chron Hyper Flag		A,S		
689	1	F_URF_PHYPER	Prep Hyper Flag		A,S		
690	1	F_URF_ECLAMP	Eclampsia		A,S		
691-720	30	BLANK					
721	1	F_ULD_ BREECH	Breech Flag		A,S		
722-733	12	BLANK					
734	1	F_U_FORCEP	Forceps Flag		A,S		
735	1	F_U_VACUUM	Vacuum Flag		A,S		
736-751	16	BLANK					
752	1	F_UCA_ANEN	Anencephalus Flag		A,S		
753	1	F_UCA_SPINA	Spina Bifida Flag		A,S		
754-760	7	BLANK					
761	1	F_UCA_OMPHALO	Omphalo Flag		A,S		
762-765	4	BLANK					
766	1	F_UCA_CLEFTLP	Cleft Lip Flag		A,S		
767-770	4	BLANK					
771	1	F_UCA_DOWNS	Downs Syndrome Flag		A,S		
772-779	8	BLANK					
780	1	F_DMAR	Mother's Marital Status		A,S		
781	1	F_MORIGIN	Mother's Hispanic origin		A,S		
782-785	4	BLANK					
786	1	F_FAGE_U			A,S		
787-788	2	BLANK					
789	1	F_DLMP_MM_U			A,S		
790	1	BLANK					
791	1	F_DLMP_YY_U			A,S		
792-796	5	BLANK					
797	1	F_HYSTERu	Hysterectomy		A,S		
798	1	F_MAGE_R			A,S		
799-800	2	BLANK					
801	1	F_ATTENDANT	Attendant		A,S		

3350

END OF RECORD

* For the Version column (Vers) the following codes apply:

A 2003 Version of US Standard Birth Certificate

S 1989 Version of US Standard Birth Certificate

s 1989 Version of US Standard Birth Certificate but this element conforms to the 2003 standards

Table 1. Number of fetal deaths and fetal mortality rates: United States, 1985, 1990, and 1995-2012

	Fetal deaths			Fetal mortality rate ^{\1}		
	Total ^{\2}	20-27 weeks ^{\3}	28 weeks or more ^{\3}	Total ^{\2}	20-27 weeks ^{\3}	28 weeks or more ^{\3}
2012	24,073	12,334	11,739	6.05	3.11	2.96
2011	24,289	12,432	11,857	6.11	3.13	2.99
2010	24,258	12,388	11,870	6.03	3.09	2.96
2009	24,872	12,813	12,059	5.99	3.09	2.91
2008	26,335	13,347	12,988	6.16	3.13	3.05
2007	26,593	13,822	12,771	6.12	3.19	2.95
2006	25,972	13,270	12,702	6.05	3.10	2.97
2005	25,894	13,327	12,567	6.22	3.21	3.03
2004 ^{\4}	26,001	13,068	12,933	6.28	3.17	3.14
2003 ^{\4}	26,004	13,348	12,656	6.32	3.25	3.08
2002	25,943	13,072	12,871	6.41	3.24	3.19
2001	26,373	13,122	13,251	6.51	3.25	3.28
2000	27,003	13,497	13,506	6.61	3.31	3.32
1999	26,884	13,457	13,427	6.74	3.39	3.38
1998	26,702	13,229	13,473	6.73	3.35	3.41
1997	26,486	12,800	13,686	6.78	3.29	3.51
1996	27,069	12,990	14,079	6.91	3.33	3.60
1995	27,294	13,043	14,251	6.95	3.33	3.64
1990	31,386	13,427	17,959	7.49	3.22	4.30
1985	29,661	10,958	18,703	7.83	2.91	4.95

\1Rate is number of fetal deaths in specified group per 1,000 live births and fetal deaths.

\2Fetal deaths with stated or presumed period of gestation of 20 weeks or more.

\3Not stated gestational age proportionally distributed.

\4Rates have been revised from those published previously; see Technical notes.

SOURCE: NCHS/CDC/National Vital Statistics System.

Table 2. Fetal Deaths by Period of Gestation and Mother's Residence: United States, Each State and Territory, 2012

[Nonresidents of the United States are excluded]

State/territory of residence	Fetal Deaths with Stated or Presumed Gestation of 20 weeks or More			
	Total	20-27 Weeks	28 Weeks and Over	Not stated
United States 1	24,073	12,238	11,648	187
Alabama	527	253	272	2
Alaska	67	30	34	3
Arizona	481	231	246	4
Arkansas	298	139	157	2
California	2,485	1,149	1,324	12
Colorado	357	161	196	-
Connecticut	186	106	80	-
Delaware	67	34	33	-
District of Columbia	84	61	23	-
Florida	1,518	779	720	19
Georgia	1,126	652	472	2
Hawaii	100	51	48	1
Idaho	115	54	61	-
Illinois	1,011	545	465	1
Indiana	441	193	247	1
Iowa	181	82	98	1
Kansas	199	61	138	-
Kentucky	370	172	196	2
Louisiana	282	140	134	8
Maine	57	21	29	7
Maryland	558	335	221	2
Massachusetts	313	144	154	15
Michigan	567	295	264	8
Minnesota	351	147	203	1
Mississippi	367	198	168	1
Missouri	422	209	212	1
Montana	58	18	40	-
Nebraska	149	64	84	1
Nevada	241	114	124	3
New Hampshire	55	24	31	-
New Jersey	693	409	279	5
New Mexico	100	38	62	-
New York	719	377	337	5
New York City	1,155	746	408	1
North Carolina	797	377	417	3
North Dakota	71	41	30	-
Ohio	909	467	435	7
Oklahoma	277	106	155	16
Oregon	250	110	139	1
Pennsylvania	1,003	479	522	2
Rhode Island	69	38	31	-

South Carolina	517	279	236	2
South Dakota	71	28	43	-
Tennessee	633	328	302	3
Texas	1,800	882	884	34
Utah	260	141	119	-
Vermont	25	6	19	-
Virginia	668	378	285	5
Washington	506	305	198	3
West Virginia	99	42	54	3
Wisconsin	378	178	200	-
Wyoming	40	21	19	-
American Samoa	5	-	5	-
Guam	27	7	19	1
Northern Marianas	5	1	4	-
Puerto Rico	379	224	153	2

- Quantity zero.

1 Excludes data for the territories.

Table 3. Fetal Deaths by Period of Gestation and State/Territory of Occurrence: United States, 2011

State / territory	All Fetal Deaths			
	Total	Under 20 Weeks	20 Weeks and Over	Not stated
United States 1	56,201	29,605	23,921	2,675
Alabama	532	23	508	1
Alaska	66	3	59	4
Arizona	535	55	474	6
Arkansas	296	-	294	2
California	2,553	66	2,476	11
Colorado	381	12	369	-
Connecticut	193	6	187	-
Delaware	67	3	64	-
District of Columbia	119	-	117	2
Florida	1,577	44	1,513	20
Georgia	8,247	5,780	1,151	1,316
Hawaii	701	541	99	61
Idaho	113	2	111	-
Illinois	1,017	24	992	1
Indiana	435	11	423	1
Iowa	182	3	178	1
Kansas	193	3	190	-
Kentucky	383	16	365	2
Louisiana	315	45	262	8
Maine	56	1	48	7
Maryland	557	21	535	1
Massachusetts	324	11	299	14
Michigan	575	17	550	8
Minnesota	383	29	353	1
Mississippi	377	14	361	2
Missouri	450	7	442	1
Montana	53	-	53	-
Nebraska	149	1	146	2
Nevada	256	20	233	3
New Hampshire	53	1	52	-
New Jersey	703	32	666	5
New Mexico	104	12	92	-
New York	5,774	4,451	631	692
New York City	13,514	12,218	1,260	36
North Carolina	838	21	814	3
North Dakota	74	2	72	-
Ohio	925	24	895	6
Oklahoma	266	3	246	17
Oregon	302	54	247	1
Pennsylvania	1,450	445	1,003	2
Rhode Island	795	697	79	19
South Carolina	504	14	488	2
South Dakota	90	5	85	-

Tennessee	701	27	670	4
Texas	2,085	256	1,797	32
Utah	276	7	269	-
Vermont	24	-	24	-
Virginia	5,567	4,548	643	376
Washington	531	12	518	1
West Virginia	108	3	101	4
Wisconsin	396	12	384	-
Wyoming	36	3	33	-
American Samoa	5	-	5	-
Guam	27	-	26	1
Northern Marianas	6	-	6	-
Puerto Rico	381	1	378	2

- Quantity zero.

1 Excludes data for the territories.

Fetal Death Documentation Table 4A

Fetal deaths and percent distribution by month of delivery: United States and each reporting area, 2012

[Fetal deaths include only those with stated or presumed period of gestation of 20 weeks or more.]

State	Jan	Feb	Mar	Apr	May	Jun	Jul	Aug	Sep	Oct	Nov	Dec	Total
	Number												
TOTAL	1,976	1,855	1,988	1,990	2,064	2,082	2,139	2,189	1,966	1,985	1,898	1,941	24,073
Alabama	41	39	48	46	36	37	51	41	45	53	46	44	527
Alaska	6	3	6	3	5	8	6	8	6	4	7	5	67
Arizona	42	34	46	26	36	54	54	46	35	34	37	37	481
Arkansas	22	29	30	24	21	24	32	26	23	19	27	21	298
California	198	214	196	212	235	202	221	216	216	202	176	197	2,485
Colorado	31	32	36	36	27	22	27	29	27	31	32	27	357
Connecticut	9	14	14	15	15	20	19	17	14	18	15	16	186
Delaware	3	7	6	2	6	6	7	3	7	9	4	7	67
District of Columbia	6	5	6	6	10	8	8	7	9	4	5	10	84
Florida	109	103	136	118	121	133	142	132	122	152	132	118	1,518
Georgia	91	79	106	103	101	93	102	95	95	91	77	93	1,126
Hawaii	14	5	7	11	8	7	4	8	10	8	7	11	100
Idaho	8	3	13	12	10	7	9	13	10	12	6	12	115
Illinois	91	80	64	97	82	70	102	102	82	87	78	76	1,011
Indiana	39	33	35	35	35	38	38	41	37	42	26	42	441
Iowa	19	12	11	16	15	23	13	12	17	16	14	13	181
Kansas	11	14	16	14	10	25	13	23	14	15	14	30	199
Kentucky	28	20	29	33	33	33	26	33	30	39	39	27	370
Louisiana	17	24	14	26	33	24	27	27	21	21	27	21	282
Maine	4	5	2	2	6	7	2	5	1	7	5	11	57
Maryland	65	39	42	43	39	55	54	58	46	42	36	39	558
Massachusetts	28	25	28	27	27	25	28	28	22	21	30	24	313
Michigan	41	44	46	53	45	47	46	40	54	46	46	59	567
Minnesota	32	20	21	20	33	37	36	27	26	36	37	26	351
Mississippi	36	25	34	36	29	38	27	29	26	33	30	24	367
Missouri	40	26	34	39	41	30	30	33	34	40	38	37	422
Montana	7	6	5	4	3	2	1	6	3	6	8	7	58
Nebraska	13	5	11	13	16	12	13	18	10	12	10	16	149
Nevada	16	16	17	20	16	22	23	20	22	25	20	24	241
New Hampshire	4	1	5	5	5	6	6	5	4	8	2	4	55
New Jersey	62	56	65	61	49	62	63	76	51	42	58	48	693
New Mexico	13	10	8	11	9	8	6	8	6	8	8	5	100
New York	56	63	57	65	64	52	54	58	68	61	61	60	719
New York City	89	94	96	93	100	100	96	125	88	82	97	95	1,155
North Carolina	61	55	75	60	76	77	77	73	75	56	64	48	797
North Dakota	5	7	11	1	11	6	5	7	4	5	4	5	71
Ohio	67	60	69	87	78	86	91	82	72	76	73	68	909
Oklahoma	21	34	17	22	23	28	27	28	19	29	10	19	277
Oregon	18	19	25	21	29	17	15	21	14	20	23	28	250
Pennsylvania	70	82	84	81	88	103	88	93	90	72	78	74	1,003
Rhode Island	7	5	7	5	12	5	7	4	3	2	2	10	69
South Carolina	38	57	37	43	32	45	43	48	48	38	37	51	517
South Dakota	5	5	6	4	12	4	6	4	8	6	5	6	71
Tennessee	55	40	70	48	56	46	48	65	42	44	66	53	633
Texas	148	140	134	136	163	170	162	179	139	155	144	130	1,800
Utah	22	20	22	27	20	19	21	17	23	20	22	27	260
Vermont	3	2	-	2	2	-	2	1	1	3	3	6	25
Virginia	69	62	57	46	50	51	64	58	57	51	51	52	668
Washington	51	46	40	44	38	45	46	55	45	45	20	31	506
West Virginia	11	8	7	6	9	7	12	9	7	5	10	8	99
Wisconsin	32	21	32	28	41	35	37	24	34	29	31	34	378
Wyoming	2	7	5	2	3	1	2	6	4	3	-	5	40

State	Jan	Feb	Mar	Apr	May	Jun	Jul	Aug	Sep	Oct	Nov	Dec	Total
	Percent												
TOTAL	8.2	7.7	8.3	8.3	8.6	8.6	8.9	9.1	8.2	8.2	7.9	8.1	100.0
Alabama	7.8	7.4	9.1	8.7	6.8	7.0	9.7	7.8	8.5	10.1	8.7	8.3	100.0
Alaska	*	*	*	*	*	*	*	*	*	*	*	*	100.0
Arizona	8.7	7.1	9.6	5.4	7.5	11.2	11.2	9.6	7.3	7.1	7.7	7.7	100.0
Arkansas	7.4	9.7	10.1	8.1	7.0	8.1	10.7	8.7	7.7	*	9.1	7.0	100.0
California	8.0	8.6	7.9	8.5	9.5	8.1	8.9	8.7	8.7	8.1	7.1	7.9	100.0
Colorado	8.7	9.0	10.1	10.1	7.6	6.2	7.6	8.1	7.6	8.7	9.0	7.6	100.0
Connecticut	*	*	*	*	*	10.8	*	*	*	*	*	*	100.0
Delaware	*	*	*	*	*	*	*	*	*	*	*	*	100.0
District of Columbia	*	*	*	*	*	*	*	*	*	*	*	*	100.0
Florida	7.2	6.8	9.0	7.8	8.0	8.8	9.4	8.7	8.0	10.0	8.7	7.8	100.0
Georgia	8.1	7.0	9.4	9.1	9.0	8.3	9.1	8.4	8.4	8.1	6.8	8.3	100.0
Hawaii	*	*	*	*	*	*	*	*	*	*	*	*	100.0
Idaho	*	*	*	*	*	*	*	*	*	*	*	*	100.0
Illinois	9.0	7.9	6.3	9.6	8.1	6.9	10.1	10.1	8.1	8.6	7.7	7.5	100.0
Indiana	8.8	7.5	7.9	7.9	7.9	8.6	8.6	9.3	8.4	9.5	5.9	9.5	100.0
Iowa	*	*	*	*	*	12.7	*	*	*	*	*	*	100.0
Kansas	*	*	*	*	*	12.6	*	11.6	*	*	*	15.1	100.0
Kentucky	7.6	5.4	7.8	8.9	8.9	8.9	7.0	8.9	8.1	10.5	10.5	7.3	100.0
Louisiana	*	8.5	*	9.2	11.7	8.5	9.6	9.6	7.4	7.4	9.6	7.4	100.0
Maine	*	*	*	*	*	*	*	*	*	*	*	*	100.0
Maryland	11.6	7.0	7.5	7.7	7.0	9.9	9.7	10.4	8.2	7.5	6.5	7.0	100.0
Massachusetts	8.9	8.0	8.9	8.6	8.6	8.0	8.9	8.9	7.0	6.7	9.6	7.7	100.0
Michigan	7.2	7.8	8.1	9.3	7.9	8.3	8.1	7.1	9.5	8.1	8.1	10.4	100.0
Minnesota	9.1	5.7	6.0	5.7	9.4	10.5	10.3	7.7	7.4	10.3	10.5	7.4	100.0
Mississippi	9.8	6.8	9.3	9.8	7.9	10.4	7.4	7.9	7.1	9.0	8.2	6.5	100.0
Missouri	9.5	6.2	8.1	9.2	9.7	7.1	7.1	7.8	8.1	9.5	9.0	8.8	100.0
Montana	*	*	*	*	*	*	*	*	*	*	*	*	100.0
Nebraska	*	*	*	*	*	*	*	*	*	*	*	*	100.0
Nevada	*	*	*	8.3	*	9.1	9.5	8.3	9.1	10.4	8.3	10.0	100.0
New Hampshire	*	*	*	*	*	*	*	*	*	*	*	*	100.0
New Jersey	8.9	8.1	9.4	8.8	7.1	8.9	9.1	11.0	7.4	6.1	8.4	6.9	100.0
New Mexico	*	*	*	*	*	*	*	*	*	*	*	*	100.0
New York	7.8	8.8	7.9	9.0	8.9	7.2	7.5	8.1	9.5	8.5	8.5	8.3	100.0
New York City	7.7	8.1	8.3	8.1	8.7	8.7	8.3	10.8	7.6	7.1	8.4	8.2	100.0
North Carolina	7.7	6.9	9.4	7.5	9.5	9.7	9.7	9.2	9.4	7.0	8.0	6.0	100.0
North Dakota	*	*	*	*	*	*	*	*	*	*	*	*	100.0
Ohio	7.4	6.6	7.6	9.6	8.6	9.5	10.0	9.0	7.9	8.4	8.0	7.5	100.0
Oklahoma	7.6	12.3	*	7.9	8.3	10.1	9.7	10.1	*	10.5	*	*	100.0
Oregon	*	*	10.0	8.4	11.6	*	*	8.4	*	8.0	9.2	11.2	100.0
Pennsylvania	7.0	8.2	8.4	8.1	8.8	10.3	8.8	9.3	9.0	7.2	7.8	7.4	100.0
Rhode Island	*	*	*	*	*	*	*	*	*	*	*	*	100.0
South Carolina	7.4	11.0	7.2	8.3	6.2	8.7	8.3	9.3	9.3	7.4	7.2	9.9	100.0
South Dakota	*	*	*	*	*	*	*	*	*	*	*	*	100.0
Tennessee	8.7	6.3	11.1	7.6	8.8	7.3	7.6	10.3	6.6	7.0	10.4	8.4	100.0
Texas	8.2	7.8	7.4	7.6	9.1	9.4	9.0	9.9	7.7	8.6	8.0	7.2	100.0
Utah	8.5	7.7	8.5	10.4	7.7	*	8.1	*	8.8	7.7	8.5	10.4	100.0
Vermont	*	*	*	*	*	*	*	*	*	*	*	*	100.0
Virginia	10.3	9.3	8.5	6.9	7.5	7.6	9.6	8.7	8.5	7.6	7.6	7.8	100.0
Washington	10.1	9.1	7.9	8.7	7.5	8.9	9.1	10.9	8.9	8.9	4.0	6.1	100.0
West Virginia	*	*	*	*	*	*	*	*	*	*	*	*	100.0
Wisconsin	8.5	5.6	8.5	7.4	10.8	9.3	9.8	6.3	9.0	7.7	8.2	9.0	100.0
Wyoming	*	*	*	*	*	*	*	*	*	*	*	*	100.0

* Figure does not meet standards of reliability or precision; based on fewer than 20 events in the numerator.

– Quantity zero.

Fetal Death Documentation Table 4B
Fetal deaths by month of delivery: U.S. territories, 2012

[Fetal deaths include only those with stated or presumed period of gestation of 20 weeks or more.]

Territory	Jan	Feb	Mar	Apr	May	Jun	Jul	Aug	Sep	Oct	Nov	Dec	Total
TOTAL	27	28	43	25	33	33	37	45	44	46	26	29	416
American Samoa	-	1	1	1	1	1	-	-	-	-	-	-	5
Guam	-	5	-	1	5	-	-	2	6	3	2	3	27
Northern Marianas	1	-	1	1	1	-	-	-	1	-	-	-	5
Puerto Rico	26	22	41	22	26	32	37	43	37	43	24	26	379

- Quantity zero.

Fetal Death Documentation Table 5A

Fetal deaths and percent distribution by race of mother:

United States and each reporting area, 2012

[Fetal deaths include only those with stated or presumed period of gestation of 20 weeks or more.]

State	White	Black	American Indian or Alaska native Number	Asian or Pacific Islander	Total
TOTAL	15,505	6,980	308	1,280	24,073
Alabama	259	263	-	5	527
Alaska	40	1	21	5	67
Arizona	389	34	43	15	481
Arkansas	194	95	2	7	298
California	1,720	393	29	343	2,485
Colorado	302	40	5	10	357
Connecticut	130	44	1	11	186
Delaware	40	26	-	1	67
District of Columbia	16	67	-	1	84
Florida	834	639	1	44	1,518
Georgia	469	625	1	31	1,126
Hawaii	25	6	1	68	100
Idaho	110	-	4	1	115
Illinois	653	313	1	44	1,011
Indiana	341	86	2	12	441
Iowa	158	19	1	3	181
Kansas	170	21	2	6	199
Kentucky	303	60	-	7	370
Louisiana	137	142	2	1	282
Maine	49	5	1	2	57
Maryland	223	306	-	29	558
Massachusetts	221	83	-	9	313
Michigan	380	172	3	12	567
Minnesota	251	61	16	23	351
Mississippi	137	224	1	5	367
Missouri	313	100	2	7	422
Montana	49	-	8	1	58
Nebraska	112	25	9	3	149
Nevada	190	29	4	18	241
New Hampshire	50	4	-	1	55
New Jersey	390	243	-	60	693
New Mexico	75	4	19	2	100
New York	546	143	3	27	719
New York City	502	520	-	133	1,155
North Carolina	428	339	12	18	797
North Dakota	52	5	11	3	71
Ohio	631	255	2	21	909
Oklahoma	152	80	40	5	277
Oregon	221	7	7	15	250
Pennsylvania	717	232	5	49	1,003
Rhode Island	61	2	-	6	69
South Carolina	227	281	-	9	517
South Dakota	49	4	15	3	71
Tennessee	384	236	1	12	633
Texas	1,336	387	5	72	1,800
Utah	240	4	7	9	260
Vermont	22	1	-	2	25
Virginia	409	232	3	24	668
Washington	388	44	9	65	506
West Virginia	95	4	-	-	99
Wisconsin	278	74	7	19	378
Wyoming	37	-	2	1	40

State	White	Black	American Indian or Alaska native Percent	Asian or Pacific Islander	Total
TOTAL	64.4	29.0	1.3	5.3	100.0
Alabama	49.1	49.9	*	*	100.0
Alaska	59.7	*	31.3	*	100.0
Arizona	80.9	7.1	8.9	*	100.0
Arkansas	65.1	31.9	*	*	100.0
California	69.2	15.8	1.2	13.8	100.0
Colorado	84.6	11.2	*	*	100.0
Connecticut	69.9	23.7	*	*	100.0
Delaware	59.7	38.8	*	*	100.0
District of Columbia	*	79.8	*	*	100.0
Florida	54.9	42.1	*	2.9	100.0
Georgia	41.7	55.5	*	2.8	100.0
Hawaii	25.0	*	*	68.0	100.0
Idaho	95.7	*	*	*	100.0
Illinois	64.6	31.0	*	4.4	100.0
Indiana	77.3	19.5	*	*	100.0
Iowa	87.3	*	*	*	100.0
Kansas	85.4	10.6	*	*	100.0
Kentucky	81.9	16.2	*	*	100.0
Louisiana	48.6	50.4	*	*	100.0
Maine	86.0	*	*	*	100.0
Maryland	40.0	54.8	*	5.2	100.0
Massachusetts	70.6	26.5	*	*	100.0
Michigan	67.0	30.3	*	*	100.0
Minnesota	71.5	17.4	*	6.6	100.0
Mississippi	37.3	61.0	*	*	100.0
Missouri	74.2	23.7	*	*	100.0
Montana	84.5	*	*	*	100.0
Nebraska	75.2	16.8	*	*	100.0
Nevada	78.8	12.0	*	*	100.0
New Hampshire	90.9	*	*	*	100.0
New Jersey	56.3	35.1	*	8.7	100.0
New Mexico	75.0	*	*	*	100.0
New York	75.9	19.9	*	3.8	100.0
New York City	43.5	45.0	*	11.5	100.0
North Carolina	53.7	42.5	*	*	100.0
North Dakota	73.2	*	*	*	100.0
Ohio	69.4	28.1	*	2.3	100.0
Oklahoma	54.9	28.9	14.4	*	100.0
Oregon	88.4	*	*	*	100.0
Pennsylvania	71.5	23.1	*	4.9	100.0
Rhode Island	88.4	*	*	*	100.0
South Carolina	43.9	54.4	*	*	100.0
South Dakota	69.0	*	*	*	100.0
Tennessee	60.7	37.3	*	*	100.0
Texas	74.2	21.5	*	4.0	100.0
Utah	92.3	*	*	*	100.0
Vermont	88.0	*	*	*	100.0
Virginia	61.2	34.7	*	3.6	100.0
Washington	76.7	8.7	*	12.8	100.0
West Virginia	96.0	*	*	*	100.0
Wisconsin	73.5	19.6	*	*	100.0
Wyoming	92.5	*	*	*	100.0

* Figure does not meet standards of reliability or precision; based on fewer than 20 events in the numerator.

– Quantity zero.

Fetal Death Documentation Table 5B

Fetal deaths by race of mother: U.S. territories, 2012

[Fetal deaths include only those with stated or presumed period of gestation of 20 weeks or more.]

Territory	White	Black	American Indian or Alaska native	Asian or Pacific Islander	Total
TOTAL 1	1	-	-	36	37
American Samoa	-	-	-	5	5
Guam	1	-	-	26	27
Northern Marianas	-	-	-	5	5

- Quantity zero.

1 Puerto Rico does not report mother's race.

Fetal Death Documentation Table 6A

Fetal deaths and percent distribution by race and Hispanic origin of mother: United States and each reporting area, 2012

[Fetal deaths include only those with stated or presumed period of gestation of 20 weeks or more.]

State	Mexican	Puerto Rican	Cuban	Central and South American	Other and Unknown Hispanic	Non-Hispanic white	Non-Hispanic black	Non-Hispanic other races	Unknown	Total
Number										
TOTAL	2,812	448	81	683	839	10,520	6,292	1,372	1,026	24,073
Alabama	19	1	-	10	-	229	263	5	-	527
Alaska	-	1	-	-	1	35	1	25	4	67
Arizona	171	2	1	8	12	197	32	53	5	481
Arkansas	25	-	-	-	6	164	91	6	6	298
California	815	14	2	134	317	558	305	330	10	2,485
Colorado	85	4	-	8	25	184	36	14	1	357
Connecticut	7	33	-	7	4	71	32	11	21	186
Delaware	4	-	-	-	-	35	26	1	1	67
District of Columbia	-	4	-	4	-	11	61	1	3	84
Florida	72	83	59	91	30	509	594	42	38	1,518
Georgia	71	6	1	14	24	354	588	30	38	1,126
Hawaii	1	9	-	-	4	22	5	48	11	100
Idaho	16	-	-	-	2	92	-	5	-	115
Illinois	145	16	-	30	14	443	290	44	29	1,011
Indiana	37	3	-	1	4	297	82	12	5	441
Iowa	10	-	-	2	2	143	19	4	1	181
Kansas	30	1	2	6	4	125	19	8	4	199
Kentucky	6	1	-	5	2	288	60	7	1	370
Louisiana	10	2	-	7	3	115	141	3	1	282
Maine	-	-	-	1	-	31	5	1	19	57
Maryland	10	2	3	32	18	156	297	27	13	558
Massachusetts	-	29	-	17	2	131	53	9	72	313
Michigan	17	3	1	5	7	331	153	12	38	567
Minnesota	17	-	-	5	1	224	57	39	8	351
Mississippi	5	1	-	2	4	120	224	5	6	367
Missouri	9	1	-	4	2	289	96	9	12	422
Montana	2	-	-	-	-	46	-	9	1	58
Nebraska	9	-	-	2	1	101	25	10	1	149
Nevada	64	2	1	6	13	97	28	20	10	241
New Hampshire	-	2	-	-	-	47	2	-	4	55
New Jersey	32	59	3	79	7	237	202	56	18	693
New Mexico	39	1	-	-	16	20	4	20	-	100
New York	9	10	1	22	43	429	123	29	53	719
New York City	63	78	3	51	101	212	348	93	206	1,155
North Carolina	61	7	1	17	2	339	334	29	7	797
North Dakota	3	-	-	-	-	48	2	14	4	71
Ohio	11	6	-	4	7	576	246	18	41	909
Oklahoma	22	-	-	4	1	127	59	40	24	277
Oregon	49	-	-	3	2	174	6	15	1	250
Pennsylvania	12	46	-	11	27	570	183	36	118	1,003
Rhode Island	-	-	-	-	-	2	-	-	67	69
South Carolina	12	1	-	7	7	202	272	6	10	517
South Dakota	2	-	-	1	1	47	4	16	-	71
Tennessee	25	-	-	4	5	349	235	12	3	633
Texas	676	7	3	43	63	561	368	68	11	1,800
Utah	29	1	-	8	7	195	4	16	-	260
Vermont	-	-	-	-	-	22	1	2	-	25
Virginia	11	4	-	19	34	311	203	25	61	668
Washington	69	2	-	5	7	292	37	59	35	506
West Virginia	2	-	-	-	1	91	3	-	2	99
Wisconsin	26	6	-	3	1	242	73	25	2	378
Wyoming	2	-	-	1	5	29	-	3	-	40

State	Mexican	Puerto Rican	Cuban	Central and South American	Other and Unknown Hispanic	Non-Hispanic white	Non-Hispanic black	Non-Hispanic other races	Total
Percent									
TOTAL	12.2	1.9	0.4	3.0	3.6	45.6	27.3	6.0	100.0
Alabama	*	*	*	*	*	43.5	49.9	*	100.0
Alaska	*	*	*	*	*	55.6	*	39.7	100.0
Arizona	35.9	*	*	*	*	41.4	6.7	11.1	100.0
Arkansas	8.6	*	*	*	*	56.2	31.2	*	100.0
California	32.9	*	*	5.4	12.8	22.5	12.3	13.3	100.0
Colorado	23.9	*	*	*	7.0	51.7	10.1	*	100.0
Connecticut	*	20.0	*	*	*	43.0	19.4	*	100.0
Delaware	*	*	*	*	*	53.0	39.4	*	100.0
District of Columbia	*	*	*	*	*	*	75.3	*	100.0
Florida	4.9	5.6	4.0	6.1	2.0	34.4	40.1	2.8	100.0
Georgia	6.5	*	*	*	2.2	32.5	54.0	2.8	100.0
Hawaii	*	*	*	*	*	24.7	*	53.9	100.0
Idaho	*	*	*	*	*	80.0	*	*	100.0
Illinois	14.8	*	*	3.1	*	45.1	29.5	4.5	100.0
Indiana	8.5	*	*	*	*	68.1	18.8	*	100.0
Iowa	*	*	*	*	*	79.4	*	*	100.0
Kansas	15.4	*	*	*	*	64.1	*	*	100.0
Kentucky	*	*	*	*	*	78.0	16.3	*	100.0
Louisiana	*	*	*	*	*	40.9	50.2	*	100.0
Maine	*	*	*	*	*	81.6	*	*	100.0
Maryland	*	*	*	5.9	*	28.6	54.5	5.0	100.0
Massachusetts	*	12.0	*	*	*	54.4	22.0	*	100.0
Michigan	*	*	*	*	*	62.6	28.9	*	100.0
Minnesota	*	*	*	*	*	65.3	16.6	11.4	100.0
Mississippi	*	*	*	*	*	33.2	62.0	*	100.0
Missouri	*	*	*	*	*	70.5	23.4	*	100.0
Montana	*	*	*	*	*	80.7	*	*	100.0
Nebraska	*	*	*	*	*	68.2	16.9	*	100.0
Nevada	27.7	*	*	*	*	42.0	12.1	8.7	100.0
New Hampshire	*	*	*	*	*	92.2	*	*	100.0
New Jersey	4.7	8.7	*	11.7	*	35.1	29.9	8.3	100.0
New Mexico	39.0	*	*	*	*	20.0	*	20.0	100.0
New York	*	*	*	3.3	6.5	64.4	18.5	4.4	100.0
New York City	6.6	8.2	*	5.4	10.6	22.3	36.7	9.8	100.0
North Carolina	7.7	*	*	*	*	42.9	42.3	3.7	100.0
North Dakota	*	*	*	*	*	71.6	*	*	100.0
Ohio	*	*	*	*	*	66.4	28.3	*	100.0
Oklahoma	8.7	*	*	*	*	50.2	23.3	15.8	100.0
Oregon	19.7	*	*	*	*	69.9	*	*	100.0
Pennsylvania	*	5.2	*	*	3.1	64.4	20.7	4.1	100.0
Rhode Island	*	*	*	*	*	*	*	*	100.0
South Carolina	*	*	*	*	*	39.8	53.6	*	100.0
South Dakota	*	*	*	*	*	66.2	*	*	100.0
Tennessee	4.0	*	*	*	*	55.4	37.3	*	100.0
Texas	37.8	*	*	2.4	3.5	31.4	20.6	3.8	100.0
Utah	11.2	*	*	*	*	75.0	*	*	100.0
Vermont	*	*	*	*	*	88.0	*	*	100.0
Virginia	*	*	*	*	5.6	51.2	33.4	4.1	100.0
Washington	14.6	*	*	*	*	62.0	7.9	12.5	100.0
West Virginia	*	*	*	*	*	93.8	*	*	100.0
Wisconsin	6.9	*	*	*	*	64.4	19.4	6.6	100.0
Wyoming	*	*	*	*	*	72.5	*	*	100.0

* Figure does not meet standards of reliability or precision; based on fewer than 20 events in the numerator.

– Quantity zero.

Fetal Death Documentation Table 6B

Fetal deaths by race and Hispanic origin of mother: U.S. territories, 2012

[Fetal deaths include only those with stated or presumed period of gestation of 20 weeks or more.]

Territory	Mexican	Puerto Rican	Cuban	Central and South American	Other and Unknown Hispanic	Non-Hispanic white	Non-Hispanic black	Non-Hispanic other races	Unknown	Total
TOTAL 1	-	-	-	-	-	1	-	30	1	32
Guam	-	-	-	-	-	1	-	25	1	27
Northern Marianas	-	-	-	-	-	-	-	5	-	5

- Quantity zero.

1 Puerto Rico does not report mother's race and American Samoa and Puerto Rico do not report mother's Hispanic origin.

Fetal Death Documentation Table 7A

Fetal deaths by age of mother (in years): United States and each reporting area, 2012

[Fetal deaths include only those with stated or presumed period of gestation of 20 weeks or more.]

State	<15	15	16	17	18	19	20-24	25-29	30-34	35-39	40-44	45-49	50-54	Total
TOTAL	46	83	173	345	614	886	5,560	6,273	5,546	3,332	1,121	87	7	24,073
Alabama	-	2	3	6	26	30	151	151	98	43	16	1	-	527
Alaska	-	-	1	-	1	4	14	18	18	6	5	-	-	67
Arizona	1	2	2	14	16	22	123	100	108	63	28	2	-	481
Arkansas	-	2	3	5	6	15	81	74	67	33	10	2	-	298
California	3	5	16	35	65	63	489	596	620	435	143	13	2	2,485
Colorado	-	-	2	2	12	10	81	85	84	62	18	1	-	357
Connecticut	1	-	-	4	4	5	28	57	43	36	8	-	-	186
Delaware	-	-	-	4	1	2	14	17	18	8	2	1	-	67
District of Columbia	-	-	1	1	3	3	22	15	20	16	2	-	1	84
Florida	3	5	11	17	28	59	379	382	324	223	86	1	-	1,518
Georgia	2	1	8	15	30	58	278	272	250	158	48	6	-	1,126
Hawaii	-	2	1	1	3	1	20	23	23	15	8	3	-	100
Idaho	-	-	2	-	4	3	26	33	31	13	3	-	-	115
Illinois	1	6	6	20	28	33	214	245	255	149	51	3	-	1,011
Indiana	2	-	5	5	12	22	123	113	83	47	21	8	-	441
Iowa	-	-	1	3	8	8	48	47	33	26	7	-	-	181
Kansas	-	1	1	3	3	5	58	60	43	18	7	-	-	199
Kentucky	1	1	4	5	14	21	96	98	80	39	11	-	-	370
Louisiana	1	4	1	3	9	9	91	69	59	26	8	1	1	282
Maine	-	-	-	-	1	3	8	16	21	4	4	-	-	57
Maryland	1	3	4	9	11	20	107	131	136	101	34	1	-	558
Massachusetts	-	3	1	5	5	7	44	80	80	60	27	1	-	313
Michigan	1	3	3	9	16	20	131	159	131	61	33	-	-	567
Minnesota	-	2	1	5	6	8	57	120	99	38	12	2	1	351
Mississippi	1	6	3	8	11	25	101	113	59	37	3	-	-	367
Missouri	1	2	2	9	4	15	127	116	85	40	21	-	-	422
Montana	-	-	-	-	1	8	18	15	9	6	1	-	-	58
Nebraska	1	-	-	1	3	5	31	50	34	19	5	-	-	149
Nevada	-	2	1	5	10	10	44	54	61	39	15	-	-	241
New Hampshire	-	-	2	2	1	3	5	20	13	8	-	1	-	55
New Jersey	-	-	5	6	9	15	110	188	190	117	50	3	-	693
New Mexico	1	-	3	2	2	4	26	21	22	15	3	1	-	100
New York	5	3	3	10	9	28	150	182	165	124	35	5	-	719
New York City	2	2	5	13	16	23	207	302	271	228	78	8	-	1,155
North Carolina	1	3	4	12	16	43	230	189	166	98	32	3	-	797
North Dakota	-	-	-	1	-	3	16	27	19	5	-	-	-	71
Ohio	4	2	10	14	21	30	235	238	223	98	31	3	-	909
Oklahoma	-	-	1	4	11	20	76	78	56	25	5	1	-	277
Oregon	-	1	1	7	7	10	45	58	70	35	14	2	-	250
Pennsylvania	2	7	7	8	12	34	218	278	260	129	43	3	2	1,003
Rhode Island	-	-	2	1	3	1	7	19	16	15	5	-	-	69
South Carolina	-	1	5	5	21	22	150	135	113	54	11	-	-	517
South Dakota	-	1	-	1	1	2	11	23	18	9	5	-	-	71
Tennessee	2	1	7	11	18	32	183	190	116	50	23	-	-	633
Texas	6	8	26	34	73	70	441	472	365	237	65	3	-	1,800
Utah	-	1	-	1	3	4	64	71	78	31	5	2	-	260
Vermont	-	-	-	1	1	2	5	2	9	3	2	-	-	25
Virginia	1	-	3	4	13	18	153	195	159	89	30	3	-	668
Washington	-	-	2	5	15	8	94	142	137	73	28	2	-	506
West Virginia	-	1	1	-	6	8	26	32	12	11	2	-	-	99
Wisconsin	1	-	2	9	14	8	93	93	91	49	17	1	-	378
Wyoming	1	-	1	-	1	4	11	9	5	8	-	-	-	40

- Quantity zero.

Fetal Death Documentation Table 7B

Fetal deaths by age of mother (in years): U.S. territories, 2012

[Fetal deaths include only those with stated or presumed period of gestation of 20 weeks or more.]

Territory	<15	15	16	17	18	19	20-24	25-29	30-34	35-39	40-44	45-49	50-54	Total
TOTAL	-	2	7	14	21	23	118	95	75	47	14	-	-	416
American Samoa	-	-	-	-	-	-	-	2	2	1	-	-	-	5
Guam	-	-	-	-	2	1	8	6	6	2	2	-	-	27
Northern Marianas	-	-	-	-	-	-	-	-	2	2	1	-	-	5
Puerto Rico	-	2	7	14	19	22	110	87	65	42	11	-	-	379

- Quantity zero.

Fetal Death Documentation Table 8A

Fetal deaths by age of father (in years) : Total of 49 states and DC and each reporting area, 2012

[Fetal deaths include only those with stated or presumed period of gestation of 20 weeks or more.]

State	<15	15-19	20-24	25-29	30-34	35-39	40-44	45-49	50-54	55-98	Unknown	Total
TOTAL 1	13	667	2,838	3,939	4,333	2,914	1,463	567	194	108	6,369	23,405
Alabama	-	4	31	61	60	42	15	7	3	-	304	527
Alaska	-	1	10	10	9	7	6	2	-	-	22	67
Arizona	-	25	93	97	104	55	38	14	6	2	47	481
Arkansas	-	2	26	41	48	36	9	5	-	1	130	298
California	1	91	366	462	557	399	236	111	31	13	218	2,485
Colorado	-	11	53	77	97	53	22	9	3	3	29	357
Connecticut	1	5	26	33	46	25	12	3	2	2	31	186
Delaware	-	-	6	7	13	7	3	1	-	-	30	67
District of Columbia	-	-	7	12	13	3	1	3	1	1	43	84
Florida	-	55	246	310	282	204	113	47	22	14	225	1,518
Georgia	-	8	71	101	124	84	36	16	5	5	676	1,126
Hawaii	-	3	15	8	15	11	5	3	5	-	35	100
Idaho	-	1	14	23	26	17	6	2	1	2	23	115
Illinois	1	24	125	186	220	159	71	25	11	6	183	1,011
Indiana	1	23	88	92	91	43	34	9	4	2	54	441
Iowa	-	5	33	41	44	23	11	4	2	-	18	181
Kansas	-	8	37	51	38	27	10	5	2	1	20	199
Kentucky	-	8	32	52	47	43	6	7	3	-	172	370
Louisiana	-	4	29	41	43	23	7	4	1	1	129	282
Maine	-	-	6	15	12	8	5	1	-	1	9	57
Maryland	2	24	63	110	120	95	47	19	8	3	67	558
Massachusetts	-	4	25	37	64	46	30	6	3	1	97	313
Michigan	-	17	89	110	119	63	36	12	6	3	112	567
Minnesota	-	10	38	74	92	51	25	10	2	2	47	351
Mississippi	-	7	18	38	39	19	12	4	1	-	229	367
Missouri	-	12	62	88	81	52	22	2	2	1	100	422
Montana	-	1	13	12	11	3	7	2	-	-	9	58
Nebraska	-	4	25	32	42	20	11	2	-	-	13	149
Nevada	-	2	9	28	30	25	15	-	4	2	126	241
New Hampshire	-	3	4	6	10	8	5	1	-	-	18	55
New Jersey	-	18	74	130	171	116	83	27	10	5	59	693
New Mexico	-	4	16	12	17	13	6	2	2	-	28	100
New York	-	13	42	65	71	44	24	14	3	1	442	719
New York City	-	14	62	99	99	107	52	26	7	5	684	1,155
North Carolina	-	8	62	96	101	75	43	19	5	2	386	797
North Dakota	-	1	14	25	14	8	1	-	-	-	8	71
Ohio	4	45	143	196	198	137	62	14	3	5	102	909
Oklahoma	-	21	50	58	58	32	11	5	1	1	40	277
Oregon	-	6	33	53	50	48	22	9	4	1	24	250
Pennsylvania	-	29	133	196	240	147	67	20	10	5	156	1,003
Rhode Island	-	2	8	9	7	11	9	-	-	-	23	69
South Carolina	-	2	38	55	62	37	17	10	2	-	294	517
South Dakota	-	4	9	15	19	12	2	2	-	-	8	71
Tennessee	-	9	48	82	74	40	25	6	-	4	345	633
Texas	2	107	325	355	373	268	108	47	15	7	193	1,800
Utah	-	2	23	69	68	42	14	3	-	-	39	260
Vermont	-	1	2	1	5	6	1	-	-	-	9	25
Washington	1	13	63	93	114	67	36	18	4	5	92	506
West Virginia	-	2	18	27	18	12	3	3	-	-	16	99
Wisconsin	-	2	10	40	70	37	19	6	-	1	193	378
Wyoming	-	2	5	8	7	4	2	-	-	-	12	40

- Quantity zero

1 Virginia does not report father's age.

Fetal Death Documentation Table 8B

Fetal deaths by age of father (in years): U.S. territories, 2012

[Fetal deaths include only those with stated or presumed period of gestation of 20 weeks or more.]

Territory	9-14	15-19	20-24	25-29	30-34	35-39	40-44	45-49	50-54	55-98	Unknown	Total
Total	-	21	103	68	59	60	31	9	2	3	60	416
American Samoa	-	-	-	2	1	2	-	-	-	-	-	5
Guam	-	-	-	2	2	2	2	-	-	1	18	27
Northern Marianas	-	-	-	-	-	3	-	-	-	-	2	5
Puerto Rico	-	21	103	64	56	53	29	9	2	2	40	379

- Quantity zero.

Fetal Death Documentation Table 9A

Fetal deaths and percent distribution by marital status: Total of 48 states and DC

[Fetal deaths include only those with stated or presumed period of gestation of 20 weeks or more.]

State	Yes	No	Number	
			Unknown	Total
TOTAL 1	9,129	9,811	774	19,714
Alabama	231	296	-	527
Alaska	41	24	2	67
Arizona	233	237	11	481
Arkansas	150	147	1	298
Colorado	213	139	5	357
Connecticut	90	86	10	186
Delaware	28	39	-	67
District of Columbia	21	61	2	84
Florida	608	803	107	1,518
Georgia	486	620	20	1,126
Hawaii	63	28	9	100
Idaho	78	36	1	115
Illinois	470	443	98	1,011
Indiana	205	218	18	441
Iowa	102	79	-	181
Kansas	110	89	-	199
Kentucky	177	193	-	370
Louisiana	89	188	5	282
Maine	21	25	11	57
Maryland	232	287	39	558
Massachusetts	144	144	25	313
Michigan	263	296	8	567
Minnesota	200	146	5	351
Mississippi	110	256	1	367
Missouri	206	204	12	422
Montana	30	28	-	58
Nebraska	81	66	2	149
Nevada	108	126	7	241
New Hampshire	27	28	-	55
New Jersey	306	354	33	693
New Mexico	49	50	1	100
North Carolina	346	447	4	797
North Dakota	40	30	1	71
Ohio	392	479	38	909
Oklahoma	121	129	27	277
Oregon	154	93	3	250
Pennsylvania	443	464	96	1,003
Rhode Island	4	3	62	69
South Carolina	202	308	7	517
South Dakota	41	30	-	71
Tennessee	243	390	-	633
Texas	888	872	40	1,800
Utah	204	56	-	260
Vermont	16	9	-	25
Virginia	329	317	22	668
Washington	273	199	34	506
West Virginia	42	52	5	99
Wisconsin	197	179	2	378
Wyoming	22	18	-	40

State	Yes	No	Total
	Percent		
TOTAL 1	48.2	51.8	100.0
Alabama	43.8	56.2	100.0
Alaska	63.1	36.9	100.0
Arizona	49.6	50.4	100.0
Arkansas	50.5	49.5	100.0
Colorado	60.5	39.5	100.0
Connecticut	51.1	48.9	100.0
Delaware	41.8	58.2	100.0
District of Columbia	25.6	74.4	100.0
Florida	43.1	56.9	100.0
Georgia	43.9	56.1	100.0
Hawaii	69.2	30.8	100.0
Idaho	68.4	31.6	100.0
Illinois	51.5	48.5	100.0
Indiana	48.5	51.5	100.0
Iowa	56.4	43.6	100.0
Kansas	55.3	44.7	100.0
Kentucky	47.8	52.2	100.0
Louisiana	32.1	67.9	100.0
Maine	45.7	54.3	100.0
Maryland	44.7	55.3	100.0
Massachusetts	50.0	50.0	100.0
Michigan	47.0	53.0	100.0
Minnesota	57.8	42.2	100.0
Mississippi	30.1	69.9	100.0
Missouri	50.2	49.8	100.0
Montana	51.7	48.3	100.0
Nebraska	55.1	44.9	100.0
Nevada	46.2	53.8	100.0
New Hampshire	49.1	50.9	100.0
New Jersey	46.4	53.6	100.0
New Mexico	49.5	50.5	100.0
North Carolina	43.6	56.4	100.0
North Dakota	57.1	42.9	100.0
Ohio	45.0	55.0	100.0
Oklahoma	48.4	51.6	100.0
Oregon	62.3	37.7	100.0
Pennsylvania	48.8	51.2	100.0
Rhode Island	*	*	100.0
South Carolina	39.6	60.4	100.0
South Dakota	57.7	42.3	100.0
Tennessee	38.4	61.6	100.0
Texas	50.5	49.5	100.0
Utah	78.5	21.5	100.0
Vermont	*	*	100.0
Virginia	50.9	49.1	100.0
Washington	57.8	42.2	100.0
West Virginia	44.7	55.3	100.0
Wisconsin	52.4	47.6	100.0
Wyoming	55.0	*	100.0

* Figure does not meet standards of reliability or precision; based on fewer than 20 events in the numerator.

- Quantity zero

1 California, New York and New York City do not report marital status.

Fetal Death Documentation Table 9B

Fetal deaths by marital status: U.S. territories, 2012

[Fetal deaths include only those with stated or presumed period of gestation of 20 weeks or more.]

Territory	Yes	No	Unknown	Total
TOTAL	119	166	131	416
American Samoa	-	-	5	5
Guam	7	18	2	27
Northern Marianas	3	2	-	5
Puerto Rico	109	146	124	379

- Quantity zero.

Fetal Death Documentation Table 10A

Fetal deaths and percent distribution by live birth order: United States and each reporting area, 2012

[Fetal deaths include only those with stated or presumed period of gestation of 20 weeks or more.]

State	0	1	2	3	4	5	6	7	8+	Unknown	Total
	Number										
TOTAL	8,943	5,410	3,786	2,013	1,021	480	250	117	166	1,887	24,073
Alabama	246	131	85	30	14	9	4	1	2	5	527
Alaska	19	23	10	2	4	1	1	-	-	7	67
Arizona	204	106	75	45	20	16	4	2	5	4	481
Arkansas	107	83	47	32	15	6	2	-	1	5	298
California	933	538	407	240	121	68	29	16	18	115	2,485
Colorado	127	84	68	32	24	11	5	-	4	2	357
Connecticut	74	48	30	8	2	3	1	1	1	18	186
Delaware	33	17	10	4	2	1	-	-	-	-	67
District of Columbia	39	14	12	9	1	-	3	2	-	4	84
Florida	553	337	248	124	66	22	17	4	11	136	1,518
Georgia	416	243	160	87	44	23	9	6	3	135	1,126
Hawaii	23	11	10	6	1	1	2	-	-	46	100
Idaho	46	22	19	10	8	5	3	1	-	1	115
Illinois	369	253	153	86	49	20	12	4	8	57	1,011
Indiana	179	105	75	43	16	6	3	2	5	7	441
Iowa	74	33	35	19	9	4	3	1	3	-	181
Kansas	81	57	28	19	7	5	1	-	1	-	199
Kentucky	168	85	69	23	13	7	3	1	-	1	370
Louisiana	101	47	64	34	12	6	5	2	2	9	282
Maine	20	11	11	5	1	-	-	-	1	8	57
Maryland	248	162	75	33	19	10	3	4	2	2	558
Massachusetts	135	75	32	19	10	7	1	-	2	32	313
Michigan	183	132	94	59	33	15	7	5	2	37	567
Minnesota	149	96	57	25	7	5	4	1	3	4	351
Mississippi	133	104	57	41	12	2	2	-	2	14	367
Missouri	168	100	65	34	9	2	6	2	4	32	422
Montana	29	10	10	5	1	3	-	-	-	-	58
Nebraska	57	37	29	15	4	4	-	2	-	1	149
Nevada	89	56	39	25	14	6	3	-	2	7	241
New Hampshire	26	15	7	4	1	-	-	-	1	1	55
New Jersey	271	179	120	49	24	17	4	4	7	18	693
New Mexico	38	23	11	10	8	3	1	2	-	4	100
New York	298	137	85	49	32	10	10	-	7	91	719
New York City	433	151	126	54	39	20	18	7	12	295	1,155
North Carolina	314	198	128	64	34	19	9	2	4	25	797
North Dakota	26	27	10	4	1	1	-	-	-	2	71
Ohio	251	215	170	84	40	16	7	10	17	99	909
Oklahoma	78	28	23	16	10	5	7	-	1	109	277
Oregon	101	61	45	19	11	-	4	-	2	7	250
Pennsylvania	360	215	162	86	39	13	9	4	6	109	1,003
Rhode Island	2	1	1	1	-	-	-	-	-	64	69
South Carolina	220	128	90	46	9	8	4	3	2	7	517
South Dakota	21	19	13	8	4	3	1	1	1	-	71
Tennessee	250	150	124	51	24	14	7	6	5	2	633
Texas	485	344	291	190	101	47	18	8	7	309	1,800
Utah	75	66	48	32	20	8	2	2	3	4	260
Vermont	10	6	6	1	1	-	-	-	-	1	25
Virginia	257	154	108	52	39	11	10	4	4	29	668
Washington	219	122	68	39	22	11	1	4	2	18	506
West Virginia	31	33	15	9	6	3	-	1	-	1	99
Wisconsin	161	105	54	29	16	3	5	1	3	1	378
Wyoming	13	13	7	2	2	-	-	1	-	2	40

State	0	1	2	3	4	5	6	7	8+	Total
	Percent									
TOTAL	40.3	24.4	17.1	9.1	4.6	2.2	1.1	0.5	0.7	100.0
Alabama	47.1	25.1	16.3	5.7	*	*	*	*	*	100.0
Alaska	*	38.3	*	*	*	*	*	*	*	100.0
Arizona	42.8	22.2	15.7	9.4	4.2	*	*	*	*	100.0
Arkansas	36.5	28.3	16.0	10.9	*	*	*	*	*	100.0
California	39.4	22.7	17.2	10.1	5.1	2.9	1.2	*	*	100.0
Colorado	35.8	23.7	19.2	9.0	6.8	*	*	*	*	100.0
Connecticut	44.0	28.6	17.9	*	*	*	*	*	*	100.0
Delaware	49.3	*	*	*	*	*	*	*	*	100.0
District of Columbia	48.8	*	*	*	*	*	*	*	*	100.0
Florida	40.0	24.4	17.9	9.0	4.8	1.6	*	*	*	100.0
Georgia	42.0	24.5	16.1	8.8	4.4	2.3	*	*	*	100.0
Hawaii	42.6	*	*	*	*	*	*	*	*	100.0
Idaho	40.4	19.3	*	*	*	*	*	*	*	100.0
Illinois	38.7	26.5	16.0	9.0	5.1	2.1	*	*	*	100.0
Indiana	41.2	24.2	17.3	9.9	*	*	*	*	*	100.0
Iowa	40.9	18.2	19.3	*	*	*	*	*	*	100.0
Kansas	40.7	28.6	14.1	*	*	*	*	*	*	100.0
Kentucky	45.5	23.0	18.7	6.2	*	*	*	*	*	100.0
Louisiana	37.0	17.2	23.4	12.5	*	*	*	*	*	100.0
Maine	40.8	*	*	*	*	*	*	*	*	100.0
Maryland	44.6	29.1	13.5	5.9	*	*	*	*	*	100.0
Massachusetts	48.0	26.7	11.4	*	*	*	*	*	*	100.0
Michigan	34.5	24.9	17.7	11.1	6.2	*	*	*	*	100.0
Minnesota	42.9	27.7	16.4	7.2	*	*	*	*	*	100.0
Mississippi	37.7	29.5	16.1	11.6	*	*	*	*	*	100.0
Missouri	43.1	25.6	16.7	8.7	*	*	*	*	*	100.0
Montana	50.0	*	*	*	*	*	*	*	*	100.0
Nebraska	38.5	25.0	19.6	*	*	*	*	*	*	100.0
Nevada	38.0	23.9	16.7	10.7	*	*	*	*	*	100.0
New Hampshire	48.1	*	*	*	*	*	*	*	*	100.0
New Jersey	40.1	26.5	17.8	7.3	3.6	*	*	*	*	100.0
New Mexico	39.6	24.0	*	*	*	*	*	*	*	100.0
New York	47.5	21.8	13.5	7.8	5.1	*	*	*	*	100.0
New York City	50.3	17.6	14.7	6.3	4.5	2.3	*	*	*	100.0
North Carolina	40.7	25.6	16.6	8.3	4.4	*	*	*	*	100.0
North Dakota	37.7	39.1	*	*	*	*	*	*	*	100.0
Ohio	31.0	26.5	21.0	10.4	4.9	*	*	*	*	100.0
Oklahoma	46.4	16.7	13.7	*	*	*	*	*	*	100.0
Oregon	41.6	25.1	18.5	*	*	*	*	*	*	100.0
Pennsylvania	40.3	24.0	18.1	9.6	4.4	*	*	*	*	100.0
Rhode Island	*	*	*	*	*	*	*	*	*	100.0
South Carolina	43.1	25.1	17.6	9.0	*	*	*	*	*	100.0
South Dakota	29.6	*	*	*	*	*	*	*	*	100.0
Tennessee	39.6	23.8	19.7	8.1	3.8	*	*	*	*	100.0
Texas	32.5	23.1	19.5	12.7	6.8	3.2	*	*	*	100.0
Utah	29.3	25.8	18.8	12.5	7.8	*	*	*	*	100.0
Vermont	*	*	*	*	*	*	*	*	*	100.0
Virginia	40.2	24.1	16.9	8.1	6.1	*	*	*	*	100.0
Washington	44.9	25.0	13.9	8.0	4.5	*	*	*	*	100.0
West Virginia	31.6	33.7	*	*	*	*	*	*	*	100.0
Wisconsin	42.7	27.9	14.3	7.7	*	*	*	*	*	100.0
Wyoming	*	*	*	*	*	*	*	*	*	100.0

* Figure does not meet standards of reliability or precision; based on fewer than 20 events in the numerator.

- Quantity zero

Fetal Death Documentation Table 10B

Fetal deaths by live birth order: U.S. territories, 2012

[Fetal deaths include only those with stated or presumed period of gestation of 20 weeks or more.]

Territory	0	1	2	3	4	5	6	7	8+	Unknown	Total
TOTAL	287	71	32	10	7	2	2	3	-	2	416
American Samoa	-	-	2	1	2	-	-	-	-	-	5
Guam	6	8	5	1	1	1	1	2	-	2	27
Northern Marianas	1	-	-	3	-	-	1	-	-	-	5
Puerto Rico	280	63	25	5	4	1	-	1	-	-	379

- Quantity zero.

Fetal Death Documentation Table 11A
Fetal deaths and percent distribution by total birth order: United States and each reporting area, 2012
[Fetal deaths include only those with stated or presumed period of gestation of 20 weeks or more.]

State	1	2	3	4	5	6	7	8+	Unknown	Total
	Number									
Total	6,683	4,838	3,647	2,447	1,583	891	516	847	2,621	24,073
Alabama	186	129	90	46	30	15	6	13	12	527
Alaska	13	20	13	4	2	6	1	1	7	67
Arizona	157	97	89	49	30	33	6	15	5	481
Arkansas	91	65	53	35	16	13	7	7	11	298
California	743	503	382	262	164	111	50	89	181	2,485
Colorado	90	77	67	41	38	14	8	17	5	357
Connecticut	52	44	27	18	6	5	4	7	23	186
Delaware	24	16	14	4	4	1	-	4	-	67
District of Columbia	26	17	10	8	2	6	4	4	7	84
Florida	415	302	219	149	106	55	39	66	167	1,518
Georgia	315	182	138	72	49	27	14	14	315	1,126
Hawaii	14	12	8	3	2	2	1	2	56	100
Idaho	35	16	20	16	9	4	9	5	1	115
Illinois	267	251	163	111	72	35	21	33	58	1,011
Indiana	140	91	63	51	33	19	11	24	9	441
Iowa	59	33	31	23	12	10	3	10	-	181
Kansas	61	60	35	12	14	8	4	5	-	199
Kentucky	132	83	66	39	21	11	10	6	2	370
Louisiana	79	48	60	39	19	13	4	9	11	282
Maine	14	11	9	9	4	-	-	1	9	57
Maryland	161	132	86	75	48	18	12	20	6	558
Massachusetts	104	78	42	24	10	8	4	10	33	313
Michigan	119	124	88	71	43	23	18	26	55	567
Minnesota	114	88	70	30	20	9	7	7	6	351
Mississippi	113	82	59	49	25	10	7	5	17	367
Missouri	127	88	73	35	27	15	2	18	37	422
Montana	22	10	12	7	1	2	2	2	-	58
Nebraska	40	36	28	23	5	7	2	7	1	149
Nevada	72	43	35	29	27	12	8	7	8	241
New Hampshire	20	13	11	3	3	1	1	2	1	55
New Jersey	179	152	108	96	47	32	18	36	25	693
New Mexico	26	21	17	15	7	5	1	4	4	100
New York	216	135	85	68	47	28	18	27	95	719
New York City	267	124	141	76	75	32	28	55	357	1,155
North Carolina	234	181	131	91	57	27	25	23	28	797
North Dakota	23	18	14	7	3	3	-	-	3	71
Ohio	189	164	136	112	66	28	16	48	150	909
Oklahoma	62	29	14	9	6	4	2	2	149	277
Oregon	73	59	46	28	14	9	9	3	9	250
Pennsylvania	255	176	161	98	71	34	23	41	144	1,003
Rhode Island	2	-	1	1	-	-	-	-	65	69
South Carolina	165	117	96	56	36	14	14	10	9	517
South Dakota	17	14	10	10	7	1	2	10	-	71
Tennessee	185	155	107	75	46	26	11	26	2	633
Texas	394	303	202	165	107	61	42	54	472	1,800
Utah	58	54	44	35	31	12	8	10	8	260
Vermont	7	4	6	4	-	2	1	-	1	25
Virginia	210	148	101	61	58	27	12	22	29	668
Washington	165	103	78	44	29	28	13	22	24	506
West Virginia	24	30	19	10	4	7	2	2	1	99
Wisconsin	116	89	62	46	27	16	6	15	1	378
Wyoming	11	11	7	3	3	2	-	1	2	40

State	1	2	3	4	5	6	7	8+	Total
	Percent								
Total	31.2	22.6	17.0	11.4	7.4	4.2	2.4	3.9	100.0
Alabama	36.1	25.0	17.5	8.9	5.8	*	*	*	100.0
Alaska	*	33.3	*	*	*	*	*	*	100.0
Arizona	33.0	20.4	18.7	10.3	6.3	6.9	*	*	100.0
Arkansas	31.7	22.6	18.5	12.2	*	*	*	*	100.0
California	32.2	21.8	16.6	11.4	7.1	4.8	2.2	3.9	100.0
Colorado	25.6	21.9	19.0	11.6	10.8	*	*	*	100.0
Connecticut	31.9	27.0	16.6	*	*	*	*	*	100.0
Delaware	35.8	*	*	*	*	*	*	*	100.0
District of Columbia	33.8	*	*	*	*	*	*	*	100.0
Florida	30.7	22.4	16.2	11.0	7.8	4.1	2.9	4.9	100.0
Georgia	38.8	22.4	17.0	8.9	6.0	3.3	*	*	100.0
Hawaii	*	*	*	*	*	*	*	*	100.0
Idaho	30.7	*	17.5	*	*	*	*	*	100.0
Illinois	28.0	26.3	17.1	11.6	7.6	3.7	2.2	3.5	100.0
Indiana	32.4	21.1	14.6	11.8	7.6	*	*	5.6	100.0
Iowa	32.6	18.2	17.1	12.7	*	*	*	*	100.0
Kansas	30.7	30.2	17.6	*	*	*	*	*	100.0
Kentucky	35.9	22.6	17.9	10.6	5.7	*	*	*	100.0
Louisiana	29.2	17.7	22.1	14.4	*	*	*	*	100.0
Maine	*	*	*	*	*	*	*	*	100.0
Maryland	29.2	23.9	15.6	13.6	8.7	*	*	3.6	100.0
Massachusetts	37.1	27.9	15.0	8.6	*	*	*	*	100.0
Michigan	23.2	24.2	17.2	13.9	8.4	4.5	*	5.1	100.0
Minnesota	33.0	25.5	20.3	8.7	5.8	*	*	*	100.0
Mississippi	32.3	23.4	16.9	14.0	7.1	*	*	*	100.0
Missouri	33.0	22.9	19.0	9.1	7.0	*	*	*	100.0
Montana	37.9	*	*	*	*	*	*	*	100.0
Nebraska	27.0	24.3	18.9	15.5	*	*	*	*	100.0
Nevada	30.9	18.5	15.0	12.4	11.6	*	*	*	100.0
New Hampshire	37.0	*	*	*	*	*	*	*	100.0
New Jersey	26.8	22.8	16.2	14.4	7.0	4.8	*	5.4	100.0
New Mexico	27.1	21.9	*	*	*	*	*	*	100.0
New York	34.6	21.6	13.6	10.9	7.5	4.5	*	4.3	100.0
New York City	33.5	15.5	17.7	9.5	9.4	4.0	3.5	6.9	100.0
North Carolina	30.4	23.5	17.0	11.8	7.4	3.5	3.3	3.0	100.0
North Dakota	33.8	*	*	*	*	*	*	*	100.0
Ohio	24.9	21.6	17.9	14.8	8.7	3.7	*	6.3	100.0
Oklahoma	48.4	22.7	*	*	*	*	*	*	100.0
Oregon	30.3	24.5	19.1	11.6	*	*	*	*	100.0
Pennsylvania	29.7	20.5	18.7	11.4	8.3	4.0	2.7	4.8	100.0
Rhode Island	*	*	*	*	*	*	*	*	100.0
South Carolina	32.5	23.0	18.9	11.0	7.1	*	*	*	100.0
South Dakota	*	*	*	*	*	*	*	*	100.0
Tennessee	29.3	24.6	17.0	11.9	7.3	4.1	*	4.1	100.0
Texas	29.7	22.8	15.2	12.4	8.1	4.6	3.2	4.1	100.0
Utah	23.0	21.4	17.5	13.9	12.3	*	*	*	100.0
Vermont	*	*	*	*	*	*	*	*	100.0
Virginia	32.9	23.2	15.8	9.5	9.1	4.2	*	3.4	100.0
Washington	34.2	21.4	16.2	9.1	6.0	5.8	*	4.6	100.0
West Virginia	24.5	30.6	*	*	*	*	*	*	100.0
Wisconsin	30.8	23.6	16.4	12.2	7.2	*	*	*	100.0
Wyoming	*	*	*	*	*	*	*	*	100.0

* Figure does not meet standards of reliability or precision; based on fewer than 20 events in the numerator.

– Quantity zero.

Fetal Death Documentation Table 11B

Fetal deaths by total birth order: U.S. territories, 2012

[Fetal deaths include only those with stated or presumed period of gestation of 20 weeks or more.]

Territory	1	2	3	4	5	6	7	8 +	Unknown	Total
Total	274	77	32	8	3	6	4	4	8	416
American Samoa	-	-	-	-	-	-	-	-	5	5
Guam	6	6	6	2	1	1	1	2	2	27
Northern Marianas	1	-	-	1	-	1	1	1	-	5
Puerto Rico	267	71	26	5	2	4	2	1	1	379

- Quantity zero.

Fetal Death Documentation Table 12A

Fetal deaths by sex of child and sex ratio: United States and each reporting area, 2012

[Fetal deaths include only those with stated or presumed period of gestation of 20 weeks or more.]

State	Male	Female	Ratio M/F	Total
Total	12,669	11,404	1,110.9	24,073
Alabama	275	252	1,091.3	527
Alaska	33	34	970.6	67
Arizona	258	223	1,157.0	481
Arkansas	157	141	1,113.5	298
California	1,300	1,185	1,097.0	2,485
Colorado	183	174	1,051.7	357
Connecticut	98	88	1,113.6	186
Delaware	30	37	810.8	67
District of Columbia	50	34	1,470.6	84
Florida	783	735	1,065.3	1,518
Georgia	576	550	1,047.3	1,126
Hawaii	63	37	1,702.7	100
Idaho	61	54	1,129.6	115
Illinois	512	499	1,026.1	1,011
Indiana	242	199	1,216.1	441
Iowa	89	92	967.4	181
Kansas	93	106	877.4	199
Kentucky	198	172	1,151.2	370
Louisiana	155	127	1,220.5	282
Maine	33	24	1,375.0	57
Maryland	300	258	1,162.8	558
Massachusetts	157	156	1,006.4	313
Michigan	288	279	1,032.3	567
Minnesota	175	176	994.3	351
Mississippi	199	168	1,184.5	367
Missouri	212	210	1,009.5	422
Montana	26	32	812.5	58
Nebraska	61	88	693.2	149
Nevada	127	114	1,114.0	241
New Hampshire	29	26	1,115.4	55
New Jersey	373	320	1,165.6	693
New Mexico	56	44	1,272.7	100
New York	384	335	1,146.3	719
New York City	623	532	1,171.1	1,155
North Carolina	418	379	1,102.9	797
North Dakota	35	36	972.2	71
Ohio	473	436	1,084.9	909
Oklahoma	148	129	1,147.3	277
Oregon	121	129	938.0	250
Pennsylvania	544	459	1,185.2	1,003
Rhode Island	35	34	1,029.4	69
South Carolina	284	233	1,218.9	517
South Dakota	39	32	1,218.8	71
Tennessee	340	293	1,160.4	633
Texas	1,010	790	1,278.5	1,800
Utah	132	128	1,031.3	260
Vermont	8	17	470.6	25
Virginia	377	291	1,295.5	668
Washington	253	253	1,000.0	506
West Virginia	50	49	1,020.4	99
Wisconsin	180	198	909.1	378
Wyoming	23	17	1,352.9	40

– Quantity zero.

Fetal Death Documentation Table 12B

Fetal deaths by sex of child and sex ratio: U.S. territories, 2012

[Fetal deaths include only those with stated or presumed period of gestation of 20 weeks or more.]

Territory	Male	Female	Ratio M/F	Total
Total	227	189	1,201.1	416
American Samoa	2	3	666.7	5
Guam	15	12	1,250.0	27
Northern Marianas	3	2	1,500.0	5
Puerto Rico	207	172	1,203.5	379

– Quantity zero.

Fetal Death Documentation Table 13A
Fetal deaths by plurality: United States and each reporting area, 2012

[Fetal deaths include only those with stated or presumed period of gestation of 20 weeks or more.]

State	Single	Twin	Triplet	Quadruplet	Quintuplet+	Total
TOTAL	22,052	1,865	145	9	2	24,073
Alabama	480	44	3	-	-	527
Alaska	62	5	-	-	-	67
Arizona	448	31	2	-	-	481
Arkansas	272	23	-	2	1	298
California	2,263	203	17	2	-	2,485
Colorado	318	37	2	-	-	357
Connecticut	172	14	-	-	-	186
Delaware	65	2	-	-	-	67
District of Columbia	80	4	-	-	-	84
Florida	1,371	132	15	-	-	1,518
Georgia	1,040	81	5	-	-	1,126
Hawaii	95	3	2	-	-	100
Idaho	105	8	2	-	-	115
Illinois	929	71	11	-	-	1,011
Indiana	412	27	2	-	-	441
Iowa	174	6	1	-	-	181
Kansas	185	14	-	-	-	199
Kentucky	342	28	-	-	-	370
Louisiana	266	16	-	-	-	282
Maine	54	3	-	-	-	57
Maryland	514	44	-	-	-	558
Massachusetts	272	39	2	-	-	313
Michigan	515	50	2	-	-	567
Minnesota	323	22	6	-	-	351
Mississippi	342	24	1	-	-	367
Missouri	381	36	5	-	-	422
Montana	53	5	-	-	-	58
Nebraska	136	12	1	-	-	149
Nevada	227	11	3	-	-	241
New Hampshire	46	9	-	-	-	55
New Jersey	621	68	4	-	-	693
New Mexico	94	6	-	-	-	100
New York	619	87	11	1	1	719
New York City	1,039	103	12	1	-	1,155
North Carolina	757	40	-	-	-	797
North Dakota	69	2	-	-	-	71
Ohio	869	37	3	-	-	909
Oklahoma	258	18	1	-	-	277
Oregon	226	24	-	-	-	250
Pennsylvania	929	69	3	2	-	1,003
Rhode Island	63	6	-	-	-	69
South Carolina	474	43	-	-	-	517
South Dakota	64	6	1	-	-	71
Tennessee	564	61	8	-	-	633
Texas	1,658	136	5	1	-	1,800
Utah	236	21	3	-	-	260
Vermont	24	1	-	-	-	25
Virginia	615	47	6	-	-	668
Washington	458	45	3	-	-	506
West Virginia	93	5	1	-	-	99
Wisconsin	343	33	2	-	-	378
Wyoming	37	3	-	-	-	40

- Quantity zero.

Fetal Death Documentation Table 13B
Fetal deaths by plurality: U.S. territories, 2012

[Fetal deaths include only those with stated or presumed period of gestation of 20 weeks or more.]

Territory	Single	Twin	Triplet	Quadruplet	Quintuplet+	Total
Total	379	37	-	-	-	416
American Samoa	4	1	-	-	-	5
Guam	25	2	-	-	-	27
Northern Marianas	5	-	-	-	-	5
Puerto Rico	345	34	-	-	-	379

- Quantity zero.

Fetal Death Documentation Table 14A

Fetal deaths and percent distribution by period of gestation (in weeks): United States and each reporting area, 2012

[Fetal deaths include only those with stated or presumed period of gestation of 20 weeks or more.]

State	20-27	28-31	32-33	34-36	37-39	40	41	42 or more	Unknown	Total
TOTAL	12,238	2,956	1,477	2,772	3,087	675	305	376	187	24,073
Alabama	253	62	29	71	77	17	8	8	2	527
Alaska	30	10	1	7	9	4	1	2	3	67
Arizona	231	59	27	59	66	15	12	8	4	481
Arkansas	139	41	20	42	44	5	-	5	2	298
California	1,149	334	165	330	341	71	29	54	12	2,485
Colorado	161	43	23	40	50	22	6	12	-	357
Connecticut	106	23	13	12	17	9	5	1	-	186
Delaware	34	9	6	8	6	2	1	1	-	67
District of Columbia	61	3	3	6	10	-	1	-	-	84
Florida	779	199	85	170	192	33	17	24	19	1,518
Georgia	652	123	69	115	127	22	11	5	2	1,126
Hawaii	51	10	4	15	11	2	3	3	1	100
Idaho	54	18	7	12	16	2	2	4	-	115
Illinois	545	134	57	117	115	22	14	6	1	1,011
Indiana	193	55	37	60	66	15	4	10	1	441
Iowa	82	24	14	21	26	7	3	3	1	181
Kansas	61	32	13	36	42	12	1	2	-	199
Kentucky	172	42	25	53	49	15	3	9	2	370
Louisiana	140	35	13	42	35	6	2	1	8	282
Maine	21	6	6	10	2	1	3	1	7	57
Maryland	335	64	34	47	60	12	2	2	2	558
Massachusetts	144	36	16	29	51	16	2	4	15	313
Michigan	295	60	36	65	77	11	5	10	8	567
Minnesota	147	59	13	35	60	18	7	11	1	351
Mississippi	198	54	20	51	33	5	2	3	1	367
Missouri	209	65	28	45	56	9	5	4	1	422
Montana	18	10	9	8	10	-	1	2	-	58
Nebraska	64	17	12	22	25	4	3	1	1	149
Nevada	114	29	16	25	35	11	4	4	3	241
New Hampshire	24	5	2	9	11	4	-	-	-	55
New Jersey	409	73	38	57	79	15	9	8	5	693
New Mexico	38	13	6	14	14	7	2	6	-	100
New York	377	96	53	66	80	24	5	13	5	719
New York City	746	91	56	106	105	23	15	12	1	1,155
North Carolina	377	103	55	93	115	23	12	16	3	797
North Dakota	41	12	1	5	8	2	1	1	-	71
Ohio	467	93	55	116	118	35	11	7	7	909
Oklahoma	106	47	17	40	37	8	2	4	16	277
Oregon	110	29	15	25	48	9	9	4	1	250
Pennsylvania	479	119	61	124	138	41	21	18	2	1,003
Rhode Island	38	6	7	5	12	1	-	-	-	69
South Carolina	279	73	33	45	63	10	3	9	2	517
South Dakota	28	9	8	14	6	3	1	2	-	71
Tennessee	328	85	37	78	70	17	6	9	3	633
Texas	882	223	115	223	222	35	29	37	34	1,800
Utah	141	35	13	26	42	3	-	-	-	260
Vermont	6	4	3	3	5	1	1	2	-	25
Virginia	378	82	41	63	69	13	7	10	5	668
Washington	305	41	30	43	53	18	7	6	3	506
West Virginia	42	14	6	13	15	3	-	3	3	99
Wisconsin	178	40	24	45	64	12	7	8	-	378
Wyoming	21	7	-	6	5	-	-	1	-	40

State	20-27	28-31	32-33	34-36	37-39	40	41	42 or more	Total
Percent									
TOTAL	51.2	12.4	6.2	11.6	12.9	2.8	1.3	1.6	100.0
Alabama	48.2	11.8	5.5	13.5	14.7	*	*	*	100.0
Alaska	46.9	*	*	*	*	*	*	*	100.0
Arizona	48.4	12.4	5.7	12.4	13.8	*	*	*	100.0
Arkansas	47.0	13.9	6.8	14.2	14.9	*	*	*	100.0
California	46.5	13.5	6.7	13.3	13.8	2.9	1.2	2.2	100.0
Colorado	45.1	12.0	6.4	11.2	14.0	6.2	*	*	100.0
Connecticut	57.0	12.4	*	*	*	*	*	*	100.0
Delaware	50.7	*	*	*	*	*	*	*	100.0
District of Columbia	72.6	*	*	*	*	*	*	*	100.0
Florida	52.0	13.3	5.7	11.3	12.8	2.2	*	1.6	100.0
Georgia	58.0	10.9	6.1	10.2	11.3	2.0	*	*	100.0
Hawaii	51.5	*	*	*	*	*	*	*	100.0
Idaho	47.0	*	*	*	*	*	*	*	100.0
Illinois	54.0	13.3	5.6	11.6	11.4	2.2	*	*	100.0
Indiana	43.9	12.5	8.4	13.6	15.0	*	*	*	100.0
Iowa	45.6	13.3	*	11.7	14.4	*	*	*	100.0
Kansas	30.7	16.1	*	18.1	21.1	*	*	*	100.0
Kentucky	46.7	11.4	6.8	14.4	13.3	*	*	*	100.0
Louisiana	51.1	12.8	*	15.3	12.8	*	*	*	100.0
Maine	42.0	*	*	*	*	*	*	*	100.0
Maryland	60.3	11.5	6.1	8.5	10.8	*	*	*	100.0
Massachusetts	48.3	12.1	*	9.7	17.1	*	*	*	100.0
Michigan	52.8	10.7	6.4	11.6	13.8	*	*	*	100.0
Minnesota	42.0	16.9	*	10.0	17.1	*	*	*	100.0
Mississippi	54.1	14.8	5.5	13.9	9.0	*	*	*	100.0
Missouri	49.6	15.4	6.7	10.7	13.3	*	*	*	100.0
Montana	*	*	*	*	*	*	*	*	100.0
Nebraska	43.2	*	*	14.9	16.9	*	*	*	100.0
Nevada	47.9	12.2	*	10.5	14.7	*	*	*	100.0
New Hampshire	43.6	*	*	*	*	*	*	*	100.0
New Jersey	59.4	10.6	5.5	8.3	11.5	*	*	*	100.0
New Mexico	38.0	*	*	*	*	*	*	*	100.0
New York	52.8	13.4	7.4	9.2	11.2	3.4	*	*	100.0
New York City	64.6	7.9	4.9	9.2	9.1	2.0	*	*	100.0
North Carolina	47.5	13.0	6.9	11.7	14.5	2.9	*	*	100.0
North Dakota	57.7	*	*	*	*	*	*	*	100.0
Ohio	51.8	10.3	6.1	12.9	13.1	3.9	*	*	100.0
Oklahoma	40.6	18.0	*	15.3	14.2	*	*	*	100.0
Oregon	44.2	11.6	*	10.0	19.3	*	*	*	100.0
Pennsylvania	47.9	11.9	6.1	12.4	13.8	4.1	2.1	*	100.0
Rhode Island	55.1	*	*	*	*	*	*	*	100.0
South Carolina	54.2	14.2	6.4	8.7	12.2	*	*	*	100.0
South Dakota	39.4	*	*	*	*	*	*	*	100.0
Tennessee	52.1	13.5	5.9	12.4	11.1	*	*	*	100.0
Texas	49.9	12.6	6.5	12.6	12.6	2.0	1.6	2.1	100.0
Utah	54.2	13.5	*	10.0	16.2	*	*	*	100.0
Vermont	*	*	*	*	*	*	*	*	100.0
Virginia	57.0	12.4	6.2	9.5	10.4	*	*	*	100.0
Washington	60.6	8.2	6.0	8.5	10.5	*	*	*	100.0
West Virginia	43.8	*	*	*	*	*	*	*	100.0
Wisconsin	47.1	10.6	6.3	11.9	16.9	*	*	*	100.0
Wyoming	52.5	*	*	*	*	*	*	*	100.0

* Figure does not meet standards of reliability or precision; based on fewer than 20 events in the numerator.

– Quantity zero.

Fetal Death Documentation Table 14B

Fetal deaths by period of gestation (in weeks): U.S. territories, 2012

[Fetal deaths include only those with stated or presumed period of gestation of 20 weeks or more.]

Territory	20-27	28-31	32-33	34-36	37-39	40	41	42 or more	Unknown	Total
TOTAL	232	52	23	51	39	8	5	3	3	416
American Samoa	-	1	-	2	1	1	-	-	-	5
Guam	7	6	1	4	5	1	2	-	1	27
Northern Marianas	1	-	-	1	3	-	-	-	-	5
Puerto Rico	224	45	22	44	30	6	3	3	2	379

- Quantity zero.

Fetal Death Documentation Table 15A

Fetal deaths and percent distribution by birthweight (in grams): United States and each reporting area, 2012

[Fetal deaths include only those with stated or presumed period of gestation of 20 weeks or more.]

State	<0500	0500-0999	1000-1499	1500-1999	2000-2499	2500-2999	Number					Unknown	Total
							3000-3499	3500-3999	4000-4499	4500-4999	5000-8165		
Total	8,119	4,245	2,005	1,734	1,775	1,600	1,275	670	236	99	72	2,243	24,073
Alabama	201	90	38	47	60	27	35	11	4	4	1	9	527
Alaska	12	13	6	2	6	5	2	-	2	-	-	19	67
Arizona	195	70	36	35	39	38	27	18	6	5	2	10	481
Arkansas	97	64	28	23	28	22	13	9	2	1	-	11	298
California	792	492	247	231	217	187	147	75	30	9	6	52	2,485
Colorado	121	56	30	26	30	28	30	12	3	1	-	20	357
Connecticut	62	39	18	12	9	6	9	9	-	1	-	21	186
Delaware	22	15	7	4	2	5	6	2	1	1	-	2	67
District of Columbia	47	13	4	9	2	4	4	-	-	-	-	1	84
Florida	545	316	131	106	118	102	77	39	20	8	8	48	1,518
Georgia	393	154	71	70	75	54	49	23	7	8	5	217	1,126
Hawaii	22	9	2	3	5	10	2	1	2	-	-	44	100
Idaho	37	19	11	9	9	9	8	1	-	-	2	10	115
Illinois	366	175	81	56	45	58	39	15	9	4	1	162	1,011
Indiana	159	66	48	37	31	38	25	14	2	3	3	15	441
Iowa	57	30	20	15	14	18	12	6	1	2	-	6	181
Kansas	35	33	31	23	17	23	14	15	2	3	3	-	199
Kentucky	126	63	37	37	33	27	23	15	2	3	2	2	370
Louisiana	109	38	30	23	25	21	14	6	3	1	-	12	282
Maine	14	9	2	2	11	3	-	2	-	-	-	14	57
Maryland	229	108	39	35	40	28	30	15	7	1	1	25	558
Massachusetts	118	45	24	20	28	22	23	13	1	3	2	14	313
Michigan	215	91	43	42	41	43	39	13	5	-	2	33	567
Minnesota	111	53	39	24	25	27	32	15	3	1	2	19	351
Mississippi	141	80	23	28	38	19	14	7	3	1	-	13	367
Missouri	157	79	41	25	30	30	17	17	2	-	6	18	422
Montana	10	14	7	8	8	6	1	2	-	-	-	2	58
Nebraska	43	23	17	13	8	18	12	6	-	1	1	7	149
Nevada	69	53	19	23	14	21	13	7	1	5	2	14	241
New Hampshire	21	9	5	3	4	3	7	2	1	-	-	-	55
New Jersey	249	158	66	29	32	50	36	11	10	4	-	48	693
New Mexico	23	21	8	10	11	9	11	4	1	-	-	2	100
New York	214	77	41	22	23	11	11	11	6	1	1	301	719
New York City	349	187	49	58	64	61	44	21	13	1	3	305	1,155
North Carolina	267	147	63	73	70	59	45	27	11	2	1	32	797
North Dakota	33	13	2	7	8	3	1	2	-	-	-	2	71
Ohio	318	160	75	69	75	62	49	35	15	-	1	50	909
Oklahoma	99	33	25	26	17	9	16	5	-	3	1	43	277
Oregon	76	52	17	16	25	23	17	14	4	1	-	5	250
Pennsylvania	297	166	65	64	77	80	66	35	8	2	2	141	1,003
Rhode Island	14	12	5	6	7	1	4	1	1	1	-	17	69
South Carolina	195	101	60	40	37	31	25	10	1	4	1	12	517
South Dakota	23	11	10	11	4	5	1	3	-	1	2	-	71
Tennessee	247	110	72	45	51	41	36	12	7	2	1	9	633
Texas	569	384	174	138	139	120	94	57	23	5	5	92	1,800
Utah	96	40	27	14	15	24	12	5	2	-	1	24	260
Vermont	5	2	3	6	1	1	5	2	-	-	-	-	25
Virginia	183	79	40	30	43	30	22	15	2	1	-	223	668
Washington	163	90	23	26	30	33	26	13	5	2	-	95	506
West Virginia	20	23	6	10	8	8	4	2	2	-	1	15	99
Wisconsin	142	46	37	39	24	35	24	15	6	2	3	5	378
Wyoming	11	14	2	4	2	2	2	-	-	1	-	2	40

8,119 4,245 2,005 1,734 1,775 1,600 1,275 670 236 99 72 2,243 24,073

State	<0500	0500-0999	1000-1499	1500-1999	2000-2499	2500-2999	3000-3499	3500-3999	4000-4499	4500-4999	5000-8165	Total
	Percent											
Total	37.2	19.4	9.2	7.9	8.1	7.3	5.8	3.1	1.1	0.5	0.3	100.0
Alabama	38.8	17.4	7.3	9.1	11.6	5.2	6.8	*	*	*	*	100.0
Alaska	*	*	*	*	*	*	*	*	*	*	*	100.0
Arizona	41.4	14.9	7.6	7.4	8.3	8.1	5.7	*	*	*	*	100.0
Arkansas	33.8	22.3	9.8	8.0	9.8	7.7	*	*	*	*	*	100.0
California	32.6	20.2	10.2	9.5	8.9	7.7	6.0	3.1	1.2	*	*	100.0
Colorado	35.9	16.6	8.9	7.7	8.9	8.3	8.9	*	*	*	*	100.0
Connecticut	37.6	23.6	*	*	*	*	*	*	*	*	*	100.0
Delaware	33.8	*	*	*	*	*	*	*	*	*	*	100.0
District of Columbia	56.6	*	*	*	*	*	*	*	*	*	*	100.0
Florida	37.1	21.5	8.9	7.2	8.0	6.9	5.2	2.7	1.4	*	*	100.0
Georgia	43.2	16.9	7.8	7.7	8.3	5.9	5.4	2.5	*	*	*	100.0
Hawaii	39.3	*	*	*	*	*	*	*	*	*	*	100.0
Idaho	35.2	*	*	*	*	*	*	*	*	*	*	100.0
Illinois	43.1	20.6	9.5	6.6	5.3	6.8	4.6	*	*	*	*	100.0
Indiana	37.3	15.5	11.3	8.7	7.3	8.9	5.9	*	*	*	*	100.0
Iowa	32.6	17.1	11.4	*	*	*	*	*	*	*	*	100.0
Kansas	17.6	16.6	15.6	11.6	*	11.6	*	*	*	*	*	100.0
Kentucky	34.2	17.1	10.1	10.1	9.0	7.3	6.3	*	*	*	*	100.0
Louisiana	40.4	14.1	11.1	8.5	9.3	7.8	*	*	*	*	*	100.0
Maine	*	*	*	*	*	*	*	*	*	*	*	100.0
Maryland	43.0	20.3	7.3	6.6	7.5	5.3	5.6	*	*	*	*	100.0
Massachusetts	39.5	15.1	8.0	6.7	9.4	7.4	7.7	*	*	*	*	100.0
Michigan	40.3	17.0	8.1	7.9	7.7	8.1	7.3	*	*	*	*	100.0
Minnesota	33.4	16.0	11.7	7.2	7.5	8.1	9.6	*	*	*	*	100.0
Mississippi	39.8	22.6	6.5	7.9	10.7	*	*	*	*	*	*	100.0
Missouri	38.9	19.6	10.1	6.2	7.4	7.4	*	*	*	*	*	100.0
Montana	*	*	*	*	*	*	*	*	*	*	*	100.0
Nebraska	30.3	16.2	*	*	*	*	*	*	*	*	*	100.0
Nevada	30.4	23.3	*	10.1	*	9.3	*	*	*	*	*	100.0
New Hampshire	38.2	*	*	*	*	*	*	*	*	*	*	100.0
New Jersey	38.6	24.5	10.2	4.5	5.0	7.8	5.6	*	*	*	*	100.0
New Mexico	23.5	21.4	*	*	*	*	*	*	*	*	*	100.0
New York	51.2	18.4	9.8	5.3	5.5	*	*	*	*	*	*	100.0
New York City	41.1	22.0	5.8	6.8	7.5	7.2	5.2	2.5	*	*	*	100.0
North Carolina	34.9	19.2	8.2	9.5	9.2	7.7	5.9	3.5	*	*	*	100.0
North Dakota	47.8	*	*	*	*	*	*	*	*	*	*	100.0
Ohio	37.0	18.6	8.7	8.0	8.7	7.2	5.7	4.1	*	*	*	100.0
Oklahoma	42.3	14.1	10.7	11.1	*	*	*	*	*	*	*	100.0
Oregon	31.0	21.2	*	*	10.2	9.4	*	*	*	*	*	100.0
Pennsylvania	34.5	19.3	7.5	7.4	8.9	9.3	7.7	4.1	*	*	*	100.0
Rhode Island	*	*	*	*	*	*	*	*	*	*	*	100.0
South Carolina	38.6	20.0	11.9	7.9	7.3	6.1	5.0	*	*	*	*	100.0
South Dakota	32.4	*	*	*	*	*	*	*	*	*	*	100.0
Tennessee	39.6	17.6	11.5	7.2	8.2	6.6	5.8	*	*	*	*	100.0
Texas	33.3	22.5	10.2	8.1	8.1	7.0	5.5	3.3	1.3	*	*	100.0
Utah	40.7	16.9	11.4	*	*	10.2	*	*	*	*	*	100.0
Vermont	*	*	*	*	*	*	*	*	*	*	*	100.0
Virginia	41.1	17.8	9.0	6.7	9.7	6.7	4.9	*	*	*	*	100.0
Washington	39.7	21.9	5.6	6.3	7.3	8.0	6.3	*	*	*	*	100.0
West Virginia	23.8	27.4	*	*	*	*	*	*	*	*	*	100.0
Wisconsin	38.1	12.3	9.9	10.5	6.4	9.4	6.4	*	*	*	*	100.0
Wyoming	*	*	*	*	*	*	*	*	*	*	*	100.0

* Figure does not meet standards of reliability or precision; based on fewer than 20 events in the numerator.

- Quantity zero.

Fetal Death Documentation Table 15B

Fetal deaths by birthweight (in grams): U.S. territories, 2012

[Fetal deaths include only those with stated or presumed period of gestation of 20 weeks or more.]

Territory	<0500	0500-0999	1000-1499	1500-1999	2000-2499	2500-2999	3000-3499	3500-3999	4000-4499	4500-4999	5000-8165	Unknown	Total
Total	148	98	34	38	30	27	17	11	2	1	-	10	416
American Samoa	1	-	-	-	1	-	2	1	-	-	-	-	5
Guam	2	7	1	4	3	4	3	2	-	-	-	1	27
Northern Marianas	1	-	-	1	-	1	1	-	-	-	-	1	5
Puerto Rico	144	91	33	33	26	22	11	8	2	1	-	8	379

- Quantity zero.

Fetal Death Documentation Table 16A

Fetal deaths by place of delivery: United States and each reporting area, 2012

[Fetal deaths include only those with stated or presumed period of gestation of 20 weeks or more.]

State	Hospital	Freestanding Birth Center	Clinic or Doctors Office	Residence	Other	Unknown	Total
TOTAL	23,595	107	47	197	88	39	24,073
Alabama	514	12	1	-	-	-	527
Alaska	66	1	-	-	-	-	67
Arizona	476	5	-	-	-	-	481
Arkansas	296	2	-	-	-	-	298
California	2,456	1	-	21	7	-	2,485
Colorado	352	5	-	-	-	-	357
Connecticut	184	1	1	-	-	-	186
Delaware	66	-	-	-	1	-	67
District of Columbia	84	-	-	-	-	-	84
Florida	1,457	-	9	17	35	-	1,518
Georgia	1,113	-	-	10	3	-	1,126
Hawaii	97	-	-	-	-	3	100
Idaho	111	-	1	3	-	-	115
Illinois	999	9	-	-	1	2	1,011
Indiana	433	1	2	5	-	-	441
Iowa	179	-	-	2	-	-	181
Kansas	196	-	-	2	1	-	199
Kentucky	365	-	-	3	2	-	370
Louisiana	280	2	-	-	-	-	282
Maine	57	-	-	-	-	-	57
Maryland	553	1	-	3	1	-	558
Massachusetts	309	3	-	-	1	-	313
Michigan	557	-	-	7	2	1	567
Minnesota	339	-	-	7	5	-	351
Mississippi	359	7	-	-	1	-	367
Missouri	410	-	1	10	1	-	422
Montana	57	-	-	1	-	-	58
Nebraska	148	-	-	1	-	-	149
Nevada	234	-	-	5	1	1	241
New Hampshire	55	-	-	-	-	-	55
New Jersey	678	13	1	-	1	-	693
New Mexico	98	-	-	2	-	-	100
New York	708	9	1	-	-	1	719
New York City	1,129	-	12	14	-	-	1,155
North Carolina	791	6	-	-	-	-	797
North Dakota	69	-	1	-	1	-	71
Ohio	885	1	-	10	7	6	909
Oklahoma	272	-	-	4	1	-	277
Oregon	245	-	-	5	-	-	250
Pennsylvania	966	10	-	23	3	1	1,003
Rhode Island	66	3	-	-	-	-	69
South Carolina	501	1	-	13	2	-	517
South Dakota	70	-	-	1	-	-	71
Tennessee	624	-	-	6	3	-	633
Texas	1,753	6	1	12	4	24	1,800
Utah	257	-	-	-	3	-	260
Vermont	25	-	-	-	-	-	25
Virginia	661	7	-	-	-	-	668
Washington	482	-	15	8	1	-	506
West Virginia	98	1	-	-	-	-	99
Wisconsin	375	-	1	2	-	-	378
Wyoming	40	-	-	-	-	-	40

- Quantity zero.

Fetal Death Documentation Table 16B

Fetal deaths by place of delivery: U.S. territories, 2012

[Fetal deaths include only those with stated or presumed period of gestation of 20 weeks or more.]

Territory	Hospital	Freestanding Birth Center	Clinic / Doctors Office	Residence	Other	Unknown	Total
TOTAL	407	5	2	2	-	-	416
American Samoa	5	-	-	-	-	-	5
Guam	25	-	-	2	-	-	27
Northern Marianas	5	-	-	-	-	-	5
Puerto Rico	372	5	2	-	-	-	379

- Quantity zero.

Fetal Death Documentation Table 17A

Fetal deaths by attendant: Total of 49 states and the District of Columbia, and each reporting area, 2012

[Fetal deaths include only those with stated or presumed period of gestation of 20 weeks or more.]

State	Doctor of Medicine	Doctor of Osteopathy	Certified Nurse Midwife	Other Midwife	Other	Unknown	Total
TOTAL 1	21,168	1,401	498	43	516	332	23,958
Alabama	492	11	2	-	22	-	527
Alaska	47	7	12	-	1	-	67
Arizona	404	46	14	-	-	17	481
Arkansas	275	15	1	-	1	6	298
California	2,237	133	2	-	112	1	2,485
Colorado	315	24	13	-	5	-	357
Connecticut	167	9	4	-	-	6	186
Delaware	56	10	1	-	-	-	67
District of Columbia	83	1	-	-	-	-	84
Florida	1,388	109	11	-	4	6	1,518
Georgia	993	29	15	-	89	-	1,126
Hawaii	93	3	-	1	-	3	100
Illinois	895	78	-	3	28	7	1,011
Indiana	247	19	8	2	2	163	441
Iowa	134	36	8	-	3	-	181
Kansas	169	18	8	-	4	-	199
Kentucky	343	10	12	-	-	5	370
Louisiana	243	14	4	1	20	-	282
Maine	38	10	6	-	-	3	57
Maryland	499	26	30	-	1	2	558
Massachusetts	287	13	12	-	-	1	313
Michigan	421	106	18	-	21	1	567
Minnesota	321	7	12	1	5	5	351
Mississippi	336	6	5	-	19	1	367
Missouri	333	62	14	4	8	1	422
Montana	54	2	-	-	1	1	58
Nebraska	137	10	-	-	1	1	149
Nevada	196	3	-	-	41	1	241
New Hampshire	37	6	11	-	1	-	55
New Jersey	689	1	1	-	-	2	693
New Mexico	88	2	9	-	1	-	100
New York	648	21	14	13	4	19	719
New York City	1,087	33	21	2	7	5	1,155
North Carolina	792	3	-	-	-	2	797
North Dakota	71	-	-	-	-	-	71
Ohio	732	128	19	1	8	21	909
Oklahoma	219	44	12	-	1	1	277
Oregon	202	8	19	-	18	3	250
Pennsylvania	750	166	61	6	18	2	1,003
Rhode Island	62	3	3	-	1	-	69
South Carolina	472	8	13	1	23	-	517
South Dakota	64	3	2	-	2	-	71
Tennessee	581	19	24	-	7	2	633
Texas	1,653	83	15	1	10	38	1,800
Utah	242	4	6	6	1	1	260
Vermont	21	-	3	-	1	-	25
Virginia	663	2	1	-	2	-	668
Washington	444	19	20	-	22	1	506
West Virginia	79	8	8	-	-	4	99
Wisconsin	337	22	17	1	1	-	378
Wyoming	32	1	7	-	-	-	40

- Quantity zero.

1 Idaho does not report attendant.

Fetal Death Documentation Table 17B

Fetal deaths by attendant: U.S. territories, 2012

[Fetal deaths include only those with stated or presumed period of gestation of 20 weeks or more.]

Territory	Doctor of Medicine	Doctor of Osteopathy	Certified Nurse Midwife	Other Midwife	Other	Unknown	Total
Total	406	2	2	-	6	-	416
American Samoa	5	-	-	-	-	-	5
Guam	23	2	-	-	2	-	27
Northern Marianas	3	-	2	-	-	-	5
Puerto Rico	375	-	-	-	4	-	379

- Quantity zero.

Table 18. Fetal deaths by method of delivery and age of mother: 49 reporting states and the District of Columbia, 2012

[Fetal deaths include only those with stated or presumed period of gestation of 20 weeks or more.]

Method of delivery	All fetal deaths ¹	Method of Delivery Reported							
		Age of mother (years)							
		All ages	Under 20	20-24	25-29	30-34	35-39	40-54	Not stated ²
Vaginal delivery									
Total vaginal	23,973	19,063	1,887	4,619	4,930	4,239	2,477	911	1,280
Vaginal with forceps	19,063	110	8	18	27	29	21	7	3,827
Vaginal with vacuum	19,063	95	7	26	27	19	10	6	3,822
Cesarean delivery	23,973	3,352	157	651	888	904	555	197	1,280
Hysterectomy/hysterotomy ³	22,791	273	23	39	70	59	62	20	2,629

¹ Total for total vaginal, cesarean delivery, and hysterectomy/hysterotomy is the number of fetal deaths to residents of areas reporting respective method of delivery. Total for vaginal with forceps and vaginal with vacuum is the total number of fetal deaths to women delivering vaginally.

² No response reported for method of delivery.

³ Excludes data for Connecticut, New York State (not NYC), and Oklahoma which do not report hysterectomy or hysterotomy.

Note: Hawaii does not report method of delivery.

Fetal Death Documentation Table 19A

**Fetal deaths and percent distribution by weight gain during pregnancy (in pounds):
49 states and the District of Columbia and each reporting area, 2012**

[Fetal deaths include only those with stated or presumed period of gestation of 20 weeks or more.]

	<10	10-14	15-19	20-24	25-29	30-34	35+	Not stated	Total
	Number								
TOTAL 1	6,028	3,100	2,376	2,178	1,583	1,303	2,327	5,078	23,973
Alabama	86	84	66	69	50	43	60	69	527
Alaska	5	5	3	4	3	1	4	42	67
Arizona	112	90	45	55	50	39	46	44	481
Arkansas	44	48	28	39	21	17	25	76	298
California	704	342	304	249	188	149	271	278	2,485
Colorado	54	33	25	30	22	21	26	146	357
Connecticut	37	34	19	17	8	10	6	55	186
Delaware	15	8	10	8	8	7	6	5	67
District of Columbia	19	11	13	5	6	4	7	19	84
Florida	410	185	149	129	110	94	183	258	1,518
Georgia	307	96	65	50	53	35	67	453	1,126
Idaho	32	19	12	20	5	6	16	5	115
Illinois	164	154	66	82	43	53	60	389	1,011
Indiana	146	79	46	48	28	28	49	17	441
Iowa	55	36	19	25	9	8	20	9	181
Kansas	47	26	28	25	20	9	37	7	199
Kentucky	121	45	38	35	28	29	57	17	370
Louisiana	76	44	25	24	23	17	20	53	282
Maine	19	8	2	1	3	1	2	21	57
Maryland	161	69	59	58	35	33	57	86	558
Massachusetts	52	36	37	22	24	14	29	99	313
Michigan	141	80	64	62	33	31	78	78	567
Minnesota	102	46	32	38	30	17	33	53	351
Mississippi	75	46	33	21	11	15	20	146	367
Missouri	103	46	48	35	26	26	69	69	422
Montana	19	5	11	9	7	1	4	2	58
Nebraska	44	20	16	14	15	4	19	17	149
Nevada	76	31	30	20	18	18	31	17	241
New Hampshire	11	9	5	5	7	4	9	5	55
New Jersey	162	144	82	67	43	33	68	94	693
New Mexico	21	8	8	12	4	6	10	31	100
New York	142	54	57	37	32	31	54	312	719
New York City	244	134	113	99	51	57	65	392	1,155
North Carolina	170	139	89	88	60	45	81	125	797
North Dakota	38	10	4	1	6	3	5	4	71
Ohio	268	102	103	80	69	66	115	106	909
Oklahoma	48	34	35	30	19	14	33	64	277
Oregon	58	40	26	22	20	16	35	33	250
Pennsylvania	225	126	95	103	85	54	99	216	1,003
Rhode Island	1	-	1	-	-	-	-	67	69
South Carolina	168	89	50	49	26	29	48	58	517
South Dakota	26	13	4	6	5	4	11	2	71
Tennessee	157	57	59	62	40	42	59	157	633
Texas	644	215	164	178	133	78	153	235	1,800
Utah	49	39	52	29	20	17	36	18	260
Vermont	6	3	1	4	2	2	-	7	25
Virginia	72	59	32	42	24	23	25	391	668
Washington	138	49	50	29	16	21	59	144	506
West Virginia	16	8	7	7	4	2	6	49	99
Wisconsin	128	32	40	31	39	22	52	34	378
Wyoming	10	10	6	3	1	4	2	4	40

	<10	10-14	15-19	20-24	25-29	30-34	35+	Total
	Percent							
TOTAL 1	31.9	16.4	12.6	11.5	8.4	6.9	12.3	100.0
Alabama	18.8	18.3	14.4	15.1	10.9	9.4	13.1	100.0
Alaska	*	*	*	*	*	*	*	100.0
Arizona	25.6	20.6	10.3	12.6	11.4	8.9	10.5	100.0
Arkansas	19.8	21.6	12.6	17.6	9.5	*	11.3	100.0
California	31.9	15.5	13.8	11.3	8.5	6.8	12.3	100.0
Colorado	25.6	15.6	11.8	14.2	10.4	10.0	12.3	100.0
Connecticut	28.2	26.0	*	*	*	*	*	100.0
Delaware	*	*	*	*	*	*	*	100.0
District of Columbia	*	*	*	*	*	*	*	100.0
Florida	32.5	14.7	11.8	10.2	8.7	7.5	14.5	100.0
Georgia	45.6	14.3	9.7	7.4	7.9	5.2	10.0	100.0
Idaho	29.1	*	*	18.2	*	*	*	100.0
Illinois	26.4	24.8	10.6	13.2	6.9	8.5	9.6	100.0
Indiana	34.4	18.6	10.8	11.3	6.6	6.6	11.6	100.0
Iowa	32.0	20.9	*	14.5	*	*	11.6	100.0
Kansas	24.5	13.5	14.6	13.0	10.4	*	19.3	100.0
Kentucky	34.3	12.7	10.8	9.9	7.9	8.2	16.1	100.0
Louisiana	33.2	19.2	10.9	10.5	10.0	*	8.7	100.0
Maine	*	*	*	*	*	*	*	100.0
Maryland	34.1	14.6	12.5	12.3	7.4	7.0	12.1	100.0
Massachusetts	24.3	16.8	17.3	10.3	11.2	*	13.6	100.0
Michigan	28.8	16.4	13.1	12.7	6.7	6.3	16.0	100.0
Minnesota	34.2	15.4	10.7	12.8	10.1	*	11.1	100.0
Mississippi	33.9	20.8	14.9	9.5	*	*	9.0	100.0
Missouri	29.2	13.0	13.6	9.9	7.4	7.4	19.5	100.0
Montana	*	*	*	*	*	*	*	100.0
Nebraska	33.3	15.2	*	*	*	*	*	100.0
Nevada	33.9	13.8	13.4	8.9	*	*	13.8	100.0
New Hampshire	*	*	*	*	*	*	*	100.0
New Jersey	27.0	24.0	13.7	11.2	7.2	5.5	11.4	100.0
New Mexico	30.4	*	*	*	*	*	*	100.0
New York	34.9	13.3	14.0	9.1	7.9	7.6	13.3	100.0
New York City	32.0	17.6	14.8	13.0	6.7	7.5	8.5	101.0
North Carolina	25.3	20.7	13.2	13.1	8.9	6.7	12.1	100.0
North Dakota	56.7	*	*	*	*	*	*	100.0
Ohio	33.4	12.7	12.8	10.0	8.6	8.2	14.3	100.0
Oklahoma	22.5	16.0	16.4	14.1	*	*	15.5	100.0
Oregon	26.7	18.4	12.0	10.1	9.2	*	16.1	100.0
Pennsylvania	28.6	16.0	12.1	13.1	10.8	6.9	12.6	100.0
Rhode Island	*	*	*	*	*	*	*	100.0
South Carolina	36.6	19.4	10.9	10.7	5.7	6.3	10.5	100.0
South Dakota	37.7	*	*	*	*	*	*	100.0
Tennessee	33.0	12.0	12.4	13.0	8.4	8.8	12.4	100.0
Texas	41.2	13.7	10.5	11.4	8.5	5.0	9.8	100.0
Utah	20.2	16.1	21.5	12.0	8.3	*	14.9	100.0
Vermont	*	*	*	*	*	*	*	100.0
Virginia	26.0	21.3	11.6	15.2	8.7	8.3	9.0	100.0
Washington	38.1	13.5	13.8	8.0	*	5.8	16.3	100.0
West Virginia	*	*	*	*	*	*	*	100.0
Wisconsin	37.2	9.3	11.6	9.0	11.3	6.4	15.1	100.0
Wyoming	*	*	*	*	*	*	*	100.0

* Figure does not meet standards of reliability or precision; based on fewer than 20 events in the numerator.

– Quantity zero.

1Hawaii does not report weight gain during pregnancy.

Fetal Death Documentation Table 19B

Fetal deaths by weight gain during pregnancy (in pounds): U.S. territories, 2012

[Fetal deaths include only those with stated or presumed period of gestation of 20 weeks or more.]

Territory	<10	10-14	15-19	20-24	25-29	30-34	35+	Not stated	Total
TOTAL 1	202	54	32	35	18	14	20	36	411
Guam	2	1	1	-	1	2	1	19	27
Northern Marianas	2	-	1	-	-	-	1	1	5
Puerto Rico	198	53	30	35	17	12	18	16	379

- Quantity zero.

1 American Samoa does not report weight gain during pregnancy.

Table 20. Fetal deaths by risk factors: Total of 49 reporting states and the District of Columbia, 2012

[Fetal deaths include only those with stated or presumed period of gestation of 20 weeks or more.]

State	Diabetes				Hypertension, chronic				Hypertension, pregnancy-associated			
	yes	no	unknown	total	yes	no	unknown	total	yes	no	unknown	total
Total 1	1,739	20,576	1,658	23,973	1,099	21,216	1,658	23,973	1,095	21,220	1,658	23,973
Alabama	23	491	13	527	31	483	13	527	26	488	13	527
Alaska	2	48	17	67	6	44	17	67	3	47	17	67
Arizona	34	430	17	481	9	455	17	481	25	439	17	481
Arkansas	22	274	2	298	22	274	2	298	12	284	2	298
California	168	2,298	19	2,485	57	2,409	19	2,485	76	2,390	19	2,485
Colorado	27	290	40	357	24	293	40	357	16	301	40	357
Connecticut	10	163	13	186	6	167	13	186	7	166	13	186
Delaware	6	61	-	67	2	65	-	67	3	64	-	67
District of Columbia	3	80	1	84	4	79	1	84	5	78	1	84
Florida	116	1,329	73	1,518	100	1,345	73	1,518	80	1,365	73	1,518
Georgia	65	897	164	1,126	60	902	164	1,126	48	914	164	1,126
Idaho	9	104	2	115	2	111	2	115	7	106	2	115
Illinois	63	834	114	1,011	39	858	114	1,011	43	854	114	1,011
Indiana	40	377	24	441	21	396	24	441	16	401	24	441
Iowa	18	162	1	181	7	173	1	181	3	177	1	181
Kansas	21	178	-	199	5	194	-	199	12	187	-	199
Kentucky	36	334	-	370	16	354	-	370	16	354	-	370
Louisiana	22	259	1	282	18	263	1	282	12	269	1	282
Maine	9	23	25	57	1	31	25	57	3	29	25	57
Maryland	47	511	-	558	37	521	-	558	28	530	-	558
Massachusetts	21	249	43	313	10	260	43	313	6	264	43	313
Michigan	44	500	23	567	24	520	23	567	28	516	23	567
Minnesota	29	310	12	351	9	330	12	351	16	323	12	351
Mississippi	30	314	23	367	41	303	23	367	19	325	23	367
Missouri	33	389	-	422	17	405	-	422	28	394	-	422
Montana	3	55	-	58	1	57	-	58	-	58	-	58
Nebraska	11	136	2	149	11	136	2	149	10	137	2	149
Nevada	17	224	-	241	12	229	-	241	10	231	-	241
New Hampshire	2	53	-	55	1	54	-	55	3	52	-	55
New Jersey	44	618	31	693	36	626	31	693	13	649	31	693
New Mexico	8	92	-	100	2	98	-	100	7	93	-	100
New York	48	437	234	719	32	453	234	719	27	458	234	719
New York City	53	632	470	1,155	27	658	470	1,155	23	662	470	1,155
North Carolina	86	708	3	797	53	741	3	797	60	734	3	797
North Dakota	-	71	-	71	1	70	-	71	2	69	-	71
Ohio	61	826	22	909	40	847	22	909	48	839	22	909
Oklahoma	18	258	1	277	8	268	1	277	16	260	1	277
Oregon	23	227	-	250	6	244	-	250	13	237	-	250
Pennsylvania	76	836	91	1,003	50	862	91	1,003	55	857	91	1,003
Rhode Island	-	3	66	69	-	3	66	69	-	3	66	69
South Carolina	41	459	17	517	43	457	17	517	28	472	17	517
South Dakota	9	62	-	71	2	69	-	71	2	69	-	71
Tennessee	50	581	2	633	28	603	2	633	42	589	2	633
Texas	171	1,627	2	1,800	88	1,710	2	1,800	99	1,699	2	1,800
Utah	14	246	-	260	4	256	-	260	15	245	-	260
Vermont	1	22	2	25	-	23	2	25	-	23	2	25
Virginia	29	598	41	668	43	584	41	668	24	603	41	668
Washington	37	429	40	506	24	442	40	506	34	432	40	506
West Virginia	7	92	-	99	3	96	-	99	6	93	-	99
Wisconsin	28	343	7	378	16	355	7	378	16	355	7	378
Wyoming	4	36	-	40	-	40	-	40	4	36	-	40

- Quantity zero.

1 Total number of fetal deaths to residents of areas reporting respective risk factors.

Note: Hawaii does not report these items.

Table 21. Fetal deaths to mothers with selected risk factors during pregnancy, characteristics of delivery, and congenital anomalies by age of mother: Total of 49 reporting states and the District of Columbia, 2012

[Fetal deaths include only those with stated or presumed period of gestation of 20 weeks or more.]

Risk factors, characteristics, and anomalies	All fetal deaths ¹	Risk factor, characteristic or anomaly reported							Factor not reported	Not stated ²
		Age of mother (years)								
		All ages	Under 20	20-24	25-29	30-34	35-39	40-54		
Risk factors in this pregnancy										
Diabetes	23,973	1,739	66	254	360	491	402	166	20,576	1,658
Hypertension, chronic	23,973	1,099	21	128	242	325	272	111	21,216	1,658
Hypertension, pregnancy-associated	23,973	1,095	91	264	271	249	150	70	21,220	1,658
Eclampsia ³	22,359	143	16	39	28	31	21	8	20,626	1,590
Characteristics of delivery										
Breech or malpresentation	23,973	5,367	535	1,197	1,301	1,252	787	295	15,237	3,369
Congenital anomalies										
Anencephaly	23,973	246	40	75	63	48	11	9	21,534	2,193
Meningomyelocele or spina bifida	23,973	71	6	17	18	16	6	8	21,709	2,193
Omphalocele or gastroschisis	23,973	129	10	30	25	34	17	13	21,651	2,193
Cleft lip or palate	23,973	181	13	34	41	41	34	18	21,599	2,193
Down's syndrome	23,973	249	17	28	42	57	60	45	21,531	2,193

¹ Total number of fetal deaths to residents of areas reporting respective risk factors, characteristics, and anomalies.

² No response reported for specific item.

³ Idaho, Michigan, Nebraska, Oklahoma, and Washington do not report eclampsia.

Note: Hawaii does not report these items.

Fetal Death Documentation Table 22A

Fetal deaths with selected congenital anomalies:

49 states and the District of Columbia and each reporting area, 2012

[Fetal deaths include only those with stated or presumed period of gestation of 20 weeks or more.]

State	Anencephaly	Spina bifida	Omphalocele	Cleft Lip	Downs syndrome	Total
Total 1	246	71	129	181	249	23,973
Alabama	4	-	2	-	3	527
Alaska	3	-	-	1	1	67
Arizona	7	1	4	2	8	481
Arkansas	2	-	4	1	4	298
California	16	8	3	16	14	2,485
Colorado	3	1	3	5	6	357
Connecticut	1	1	2	1	2	186
Delaware	2	-	-	-	1	67
District of Columbia	-	-	-	2	-	84
Florida	8	3	2	9	16	1,518
Georgia	8	1	-	7	6	1,126
Idaho	2	1	1	-	2	115
Illinois	14	2	9	11	13	1,011
Indiana	7	2	2	4	7	441
Iowa	4	2	2	1	-	181
Kansas	2	-	-	-	5	199
Kentucky	3	-	2	6	2	370
Louisiana	4	-	5	2	4	282
Maine	-	-	1	-	-	57
Maryland	1	2	3	3	6	558
Massachusetts	-	-	1	1	2	313
Michigan	10	2	1	6	12	567
Minnesota	9	1	2	3	2	351
Mississippi	4	-	-	2	-	367
Missouri	8	1	2	4	3	422
Montana	1	-	-	4	1	58
Nebraska	2	-	1	2	2	149
Nevada	1	1	2	3	3	241
New Hampshire	-	1	1	-	-	55
New Jersey	6	1	5	6	8	693
New Mexico	1	-	1	3	1	100
New York	-	2	-	2	3	719
New York City	4	2	1	2	8	1,155
North Carolina	8	-	6	4	8	797
North Dakota	-	-	-	1	-	71
Ohio	13	3	7	7	4	909
Oklahoma	4	-	1	3	3	277
Oregon	2	2	2	3	3	250
Pennsylvania	11	7	4	8	12	1,003
Rhode Island	-	-	-	-	-	69
South Carolina	5	1	1	2	3	517
South Dakota	2	-	-	1	3	71
Tennessee	4	3	3	5	14	633
Texas	36	13	26	23	26	1,800
Utah	2	1	7	5	3	260
Vermont	1	1	-	-	-	25
Virginia	3	2	5	3	4	668
Washington	11	3	-	3	18	506
West Virginia	-	-	2	1	-	99
Wisconsin	7	-	2	3	3	378
Wyoming	-	-	1	-	-	40

- Quantity zero.

1 Hawaii does not report congenital anomalies.

Fetal Death Documentation Table 22B
Fetal deaths with selected congenital anomalies: U.S. territories, 2012

[Fetal deaths include only those with stated or presumed period of gestation of 20 weeks or more.]

Territory	Anencephaly	Spina bifida	Omphalocele	Cleft Lip	Downs Syndrome	Total
Total 1	5	4	2	1	2	411
Guam	-	-	-	-	-	27
Northern Marianas	-	-	-	-	-	5
Puerto Rico	5	4	2	1	2	379

- Quantity zero.

1 American Samoa does not report congenital anomalies.