

PERSON - 1
 1998 NATIONAL HEALTH INTERVIEW SURVEY
 SAMPLE CHILD PREVENTION - PUBLIC USE
 PERSON
 13,645 RECORDS

Variable Name	Question	Date last modified 05/15/00
Question No.	Variable Universe	
Location	Universe Description	
Freq.	Variable Label	
	Value / Value Labels	

RECTYPE	Generated variable	
Generated	CSTATFLG = 1	
	Sample children 0 - 17	
1-2	Record Type	
13,645	45 Prevention Sample Child	

Sources: None
 Recodes: None
 Keywords: record type
 Notes: None

SRVY_YR	Generated variable	
Generated	CSTATFLG = 1	
	Sample children 0 - 17	
3-6	Survey Year	
13,645	1998 1998	

Sources: None
 Recodes: None
 Keywords: survey year
 Notes: None

PERSON - 2
 1998 NATIONAL HEALTH INTERVIEW SURVEY
 SAMPLE CHILD PREVENTION - PUBLIC USE
 PERSON
 13,645 RECORDS

Variable Name	Question	Date last modified 05/15/00
Question No.	Variable Universe	
Location	Universe Description	
Freq.	Variable Label	
	Value / Value Labels	

HHX		Generated variable
Generated		CSTATFLG = 1
		Sample children 0 - 17
7-12		Household Serial Number

Sources: None
 Recodes: None
 Keywords: household number
 Notes: Use this variable to identify individual households.

FMX		Generated variable
Generated		CSTATFLG = 1
		Sample children 0 - 17
13-14		Family Serial Number
	13,645	01-30 Family number 1-30

Sources: None
 Recodes: None
 Keywords: family number
 Notes: Use this variable in combination with HHX to identify individual families.

PERSON - 3
 1998 NATIONAL HEALTH INTERVIEW SURVEY
 SAMPLE CHILD PREVENTION - PUBLIC USE
 PERSON
 13,645 RECORDS

Variable Name	Question	Date last modified
Question No.	Variable Universe	05/15/00
Location	Universe Description	
Freq.	Variable Label	
	Value / Value Labels	

PX		Generated variable			
Generated		CSTATFLG = 1			
		Sample children 0 - 17			
	15-16	Person Number			
		01-30	Person number 1 thru 30		
		13,645			

Sources: None
 Recodes: None
 Keywords: person number
 Notes: Use this variable in combination with HHX and FMX to identify individual persons.

CSRESPNO		Enter the person number of the respondent			
CID.020		CSTATFLG = 1			
		Sample children 0 - 17			
	17-18	Sample child respondent's person number			
		01-30	Person number (of respondent)		
		2	99 Unknown		
		13,643			

Sources: None
 Recodes: None
 Keywords: respondent person number
 Notes: None

PERSON - 4
 1998 NATIONAL HEALTH INTERVIEW SURVEY
 SAMPLE CHILD PREVENTION - PUBLIC USE
 PERSON
 13,645 RECORDS

Variable Name	Question	Date last modified
Question No.	Variable Universe	
Location	Universe Description	
Freq.	Variable Label	
	Value / Value Labels	
CSRELTIV	What is {CRESPNO name}'s relationship to {child name}?	05/15/00
CID.050	CSTATFLG = 1	
	Sample Children <18 years	
19-20	Person's relationship to child	
12,620	01 Parent (Biological, adoptive, or step)	
594	02 Grandparent	
114	03 Aunt/Uncle	
172	04 Brother/Sister	
44	05 Other relative	
30	06 Legal guardian	
38	07 Foster parent	
29	08 Other non-relative	
2	97 Refused	
0	98 Not ascertained	
2	99 Don't know	

Sources: None
 Recodes: None
 Keywords: relationship
 Notes: None

PERSON - 5
 1998 NATIONAL HEALTH INTERVIEW SURVEY
 SAMPLE CHILD PREVENTION - PUBLIC USE
 PERSON
 13,645 RECORDS

Variable Name	Question	Date last modified 05/15/00
Question No.	Variable Universe	
	Universe Description	
Location	Variable Label	
Freq.	Value / Value Labels	

INTV_QRT	Generated variable	
Generated	CSTATFLG = 1	
	Sample children 0 - 17	
21	Interview Quarter	
	2,984 1 Quarter 1	
	3,678 2 Quarter 2	
	3,549 3 Quarter 3	
	3,434 4 Quarter 4	

Sources: None
 Recodes: None
 Keywords: interview quarter
 Notes: None

SEX	(If not apparent) Is {Person} male or female?	
HHC.110	CSTATFLG = 1	
	Sample children 0 - 17	
22	Sex	
	7,028 1 Male	
	6,617 2 Female	

Sources: None
 Recodes: None
 Keywords: None
 Notes: None

PERSON - 6
 1998 NATIONAL HEALTH INTERVIEW SURVEY
 SAMPLE CHILD PREVENTION - PUBLIC USE
 PERSON
 13,645 RECORDS

Variable Name	Question	Date last modified 05/15/00
Question No.	Variable Universe	
Location	Universe Description	
Freq.	Variable Label	
	Value / Value Labels	

AGE_P		Recode	
HHC Recode		CSTATFLG = 1	
		Sample children 0 - 17	
23-24		Age	
	837	00 Under 1 year	
	12,808	01-17 1-17 years	

Sources: AGE
 Recodes: None
 Keywords: age

Notes: In most cases, data on age came from HHC.120. Because age is an important variable for instrument check items and in developing the weights, all respondents must have data on age. A series of questions in the instrument from HHC.124 through HHC.165 attempted to collect data on age when age was not given in HHC.120.

R_AGE1		Recode	
HHC Recode		CSTATFLG = 1	
		Sample children 0 - 17	
25		Age Recode #1	
	4,081	1 Under 5 years	
	9,564	2 5-17 years	

Sources: AGE
 Recodes: None
 Keywords: age recode
 Notes: None

PERSON - 7
 1998 NATIONAL HEALTH INTERVIEW SURVEY
 SAMPLE CHILD PREVENTION - PUBLIC USE
 PERSON
 13,645 RECORDS

Variable Name	Question	Date last modified 05/15/00
Question No.	Variable Universe	
Location	Universe Description	
Freq.	Variable Label	
	Value / Value Labels	

R_AGE2	Recode	
HHC Recode		
	CSTATFLG = 1	
	Sample children 0 - 17	
26	Age Recode #2	
	1 Under 6 years	4,814
	2 6-16 years	8,024
	3 17 years	807

Sources: AGE
 Recodes: None
 Keywords: age recode
 Notes: None

ORIGIN	Do any of these groups represent {Person}'s national origin or ancestry?	
HHC.170		
	CSTATFLG = 1	
	Sample children 0 - 17	
27	Hispanic Ethnicity	
	1 Yes	3,639
	2 No	9,994
	7 Refused	4
	8 Not ascertained	2
	9 Don't know	6

Sources: None
 Recodes: HISPANIC
 Keywords: ethnicity; national origin; ancestry
 Notes: This variable contains edited data from NATOR (HHC.170).

PERSON - 8
 1998 NATIONAL HEALTH INTERVIEW SURVEY
 SAMPLE CHILD PREVENTION - PUBLIC USE
 PERSON
 13,645 RECORDS

Variable Name	Question	Date last modified 05/15/00
Question No.	Variable Universe	
Location	Universe Description	
Freq.	Variable Label	
	Value / Value Labels	
HISPAN_P	Please give me the number of the (national origin) group.	
HHC Recode	CSTATFLG = 1	
	Sample children 0 - 17	
28-29	Hispanic subgroup detail	
	107 00 Multiple Hispanic	
	342 01 Puerto Rican	
	575 03 Mexican-Mexicano	
	1,374 04 Mexican-American (includes Chicano)	
	119 05 Cuban/Cuban-American	
	303 06 Other Latin American	
	42 07 Other Spanish	
	746 08 Hispanic/Spanish, non-specific type	
	4 09 Hispanic/Spanish, type refused	
	4 10 Hispanic/Spanish, type not ascertained	
	23 11 Hispanic/Spanish, type don't know	
	10,006 12 Not Hispanic/Spanish origin	

Sources: HISPANIC

Recodes: None

Keywords: ethnicity; national origin; ancestry

Notes: "Other-specify" responses were assigned to specific groups where possible. Respondents who selected the generic "Hispanic/Spanish" response category were assigned "08", and in cases where the respondent refused to answer Hispanic origin or didn't know it, this variable was assigned "09" and "11", respectively. When Hispanic origin was not ascertained, this variable was assigned "10". In cases where "Other-specify" responses were determined to be non-Hispanic, this variable was assigned "12" for not Hispanic/Spanish origin, and ORIGIN was back coded to "2" or "No" (no group represented respondent's national origin). Respondents coded as "12" answered 2,7,8, or 9 in ORIGIN. Data came from HHC.170 & HHC.180.

PERSON - 9
 1998 NATIONAL HEALTH INTERVIEW SURVEY
 SAMPLE CHILD PREVENTION - PUBLIC USE
 PERSON
 13,645 RECORDS

Variable Name	Question	Date last modified
Question No.	Variable Universe	05/15/00
Location	Universe Description	
	Variable Label	
	Freq. Value / Value Labels	
MRACE_P	Recode	
HHC Recode	CSTATFLG = 1	
	Sample children 0 - 17	
30-31	Race coded to a single race group	
	10,103 01 White	
	2,187 02 Black/African American	
	122 03 Indian (American) (includes Eskimo, Aleut)	
	80 06 Chinese	
	85 07 Filipino	
	72 12 Asian Indian	
	174 15 Other API*	
	677 16 Other race	
	101 17 Multiple race	
	13 97 Refused	
	2 98 Not ascertained	
	29 99 Don't know	

Sources: MAINRACE

Recodes: None

Keywords: race

Notes: * Asian Pacific Islander - this category includes the following:
 Korean, Vietnamese, Japanese, Hawaiian, Samoan, Guamanian, and other
 API. Data came from HHC.200 and HHC.220. Where there was only one
 race given, that answer was copied from RACE1 to here. Those
 respondents with more than one race mentioned had their response copied
 from MULTRAC (HHC.220). For those respondents who indicated more than
 one race, but did not select a main race (see MULTRAC), they were
 assigned "17" or "Multiple race". Respondents who indicated a verbatim
 response of non-specific multiracial heritage (e.g.: multiracial,
 biracial, Mestizo, Mulatto, etc.) were also coded "17" or "Multiple
 race".

PERSON - 10
 1998 NATIONAL HEALTH INTERVIEW SURVEY
 SAMPLE CHILD PREVENTION - PUBLIC USE
 PERSON
 13,645 RECORDS

Variable Name	Question	Date last modified
Question No.	Variable Universe	
Location	Universe Description	
Freq.	Variable Label	
	Value / Value Labels	

RACEREC	Recode	
HHC Recode	CSTATFLG = 1	
	Sample children 0 - 17	
32	Race Recode	
	1 White	10,167
	2 Black	2,216
	3 Other	1,262

Sources: MAINRACE; MULTRAC; RACE1; RACE2; RACE3; RACE4; RACE5; HISPANIC
 Recodes: None
 Keywords: race recode
 Notes: None

RACE	Recode of full detail race groups	
HHC Recode	CSTATFLG = 1	
	Sample children 0 - 17	
33	OMB groups w/multiple race	
	1 White	9,980
	2 Black	2,127
	3 AIAN*	103
	4 API*	388
	5 Other	676
	6 Multiple race	327
	7 Refused	13
	8 Not ascertained	2
	9 Don't know	29

Sources: RACEFULL
 Recodes: None
 Keywords: race
 Notes: * AIAN is American Indian/Alaskan Native; API is Asian Pacific Islander. This recode contains detail for the 4 OMB race groups, "Other" race, and a single multiple race category; detailed subgroups have been collapsed into a single category. This recode does not include the information provided in MULTRAC (HHC.220) for multiple race mentions (the "main" race). Subgroups included in the categories "AIAN" and "API" can be found by crossing this variable with MRACE_P.

PERSON - 11
 1998 NATIONAL HEALTH INTERVIEW SURVEY
 SAMPLE CHILD PREVENTION - PUBLIC USE
 PERSON
 13,645 RECORDS

Variable Name	Question	Date last modified
Question No.	Variable Universe	05/15/00
	Universe Description	
Location	Variable Label	
Freq.	Value / Value Labels	
<hr/>		
HISPCODE	Recode	
HHC Recode	CSTATFLG = 1	
	Sample children 0 - 17	
34	Combined race/ethnicity recode	
3,639	1 Hispanic	
7,343	2 Non-Hispanic White	
2,141	3 Non-Hispanic Black	
522	4 Non-Hispanic Other	

Sources: ORIGIN; RACEREC

Recodes: None

Keywords: race, ethnicity, national origin

Notes: None

PERSON - 12
 1998 NATIONAL HEALTH INTERVIEW SURVEY
 SAMPLE CHILD PREVENTION - PUBLIC USE
 PERSON
 13,645 RECORDS

Variable Name	Question	Date last modified 05/15/00
Question No.	Variable Universe	
Location	Universe Description	
Freq.	Variable Label	
	Value / Value Labels	
RRP	What is {Person}'s relationship to {(household) reference person}?	
HHC.260	AGE = ALL	
	All persons	
35-36	Relationship to HH reference person	
	01 Household reference person	8
	02 Spouse (husband/wife)	0
	03 Unmarried Partner	0
	04 Child (biological/adoptive/in-law/step/foster)	12,313
	05 Child of partner	97
	06 Grandchild	847
	07 Parent (bio./adoptive/in-law/step/foster)	0
	08 Brother/sister (bio./adop./in-law/step/foster)	106
	09 Grandparent (Grandmother/Grandfather)	0
	10 Aunt/Uncle	0
	11 Niece/Nephew	154
	12 Other relative	69
	13 Housemate/roommate	16
	14 Roomer/Boarder	5
	15 Other nonrelative	12
	16 Legal guardian	10
	17 Ward	2
	97 Refused	4
	99 Don't know	2

Sources: None
 Recodes: None
 Keywords: relationship; reference person
 Notes: None

PERSON - 13
 1998 NATIONAL HEALTH INTERVIEW SURVEY
 SAMPLE CHILD PREVENTION - PUBLIC USE
 PERSON
 13,645 RECORDS

Variable Name	Question	Date last modified
Question No.	Variable Universe	05/15/00
	Universe Description	
Location	Variable Label	
Freq.	Value / Value Labels	

HH_REF	Generated variable	
Generated	AGE = ALL	
	All persons	
37-38	Person # of HH reference person	
	13,637	01-30 Person number 1 thru 30
	8	98 Not ascertained

Sources: None
 Recodes: None
 Keywords: None

Notes: This variable contains the household reference person's number (PX).

PERSON - 14
 1998 NATIONAL HEALTH INTERVIEW SURVEY
 SAMPLE CHILD PREVENTION - PUBLIC USE
 PERSON
 13,645 RECORDS

Variable Name	Question	Date last modified 05/15/00
Question No.	Variable Universe	
Location	Universe Description	
Freq.	Variable Label	
	Value / Value Labels	
FRRP	What is {Person}'s relationship to {(family) reference person}?	
FID.060	AGE = ALL	
	All persons	
39-40	Rel to family ref person	
	01 Family reference person	8
	02 Spouse (husband/wife)	0
	03 Unmarried Partner	0
	04 Child (biological/adoptive/in-law/step/foster)	12,345
	05 Child of partner	98
	06 Grandchild	847
	07 Parent (bio./adoptive/in-law/step/foster)	0
	08 Brother/sister (bio./adop./in-law/step/foster)	106
	09 Grandparent (Grandmother/Grandfather)	0
	10 Aunt/Uncle	0
	11 Niece/Nephew	154
	12 Other relative	69
	13 Housemate/roommate	0
	14 Roomer/Boarder	0
	15 Other nonrelative	0
	16 Legal guardian	10
	17 Ward	2
	97 Refused	4
	99 Don't know	2

Sources: None
 Recodes: None
 Keywords: relationship; reference person
 Notes: None

PERSON - 15
 1998 NATIONAL HEALTH INTERVIEW SURVEY
 SAMPLE CHILD PREVENTION - PUBLIC USE
 PERSON
 13,645 RECORDS

Variable Name	Question	Date last modified 05/15/00
Question No.	Variable Universe	
Location	Universe Description	
Freq.	Variable Label	
	Value / Value Labels	

FM_REF				Generated variable
Generated				AGE = ALL
				All persons
				41-42 Person # of family reference person
		13,645		01-30 Person number 1 thru 30
				98 Not ascertained

Sources: None
 Recodes: None
 Keywords: None
 Notes: This variable contains the family reference person's number (PX).

MOTHER				Is {subject's name's} mother a household member? (Include mother-in-law)
HHC.530				CSTATFLG = 1
				Sample children 0 - 17
				43-44 Mother's person number
		910		00 No mother in household
		12,716		01-30 Person number (of mother)
		3		96 Has legal guardian
		0		97 Refused
		14		98 Not ascertained
		2		99 Don't know

Sources: None
 Recodes: None
 Keywords: mother; mother-in-law
 Notes: Modified valid code check

PERSON - 16
 1998 NATIONAL HEALTH INTERVIEW SURVEY
 SAMPLE CHILD PREVENTION - PUBLIC USE
 PERSON
 13,645 RECORDS

Variable Name	Question	Date last modified 05/15/00
Question No.	Variable Universe	
	Universe Description	
Location	Variable Label	
Freq.	Value / Value Labels	

MOM_DEG	Recode	
FID Recode		AGE = ALL and MOTHER = 01-30, 97-99
		All persons living with Mother in household
45	Type of relationship with Mother	
12,205	1 Biological	
172	2 Step	
147	3 Adoptive	
49	4 Foster	
7	5 In-law	
2	7 Refused	
148	8 Not ascertained	
2	9 Don't know	
913	<Blank: Not in Universe>	

Sources: DEGREE1; DEGREE2; DEGREE5; DEGREE6; MOTHER

Recodes: None

Keywords: mother; parent; biological mother; adoptive mother; foster mother;
 step mother; mother-in-law

Notes: None

PERSON - 17
 1998 NATIONAL HEALTH INTERVIEW SURVEY
 SAMPLE CHILD PREVENTION - PUBLIC USE
 PERSON
 13,645 RECORDS

Variable Name	Question	Date last modified
Question No.	Variable Universe	05/15/00
Location	Universe Description	
	Variable Label	
	Freq.	Value / Value Labels

FATHER Is {subject's name's} father a household member?
 (Include father -in-law)

HHC.550

CSTATFLG = 1

Sample children 0 - 17

46-47

Father's person number

3,725	00	No father in household
9,898	01-30	Person number (of father)
2	96	Has legal guardian
1	97	Refused
15	98	Not ascertained
4	99	Don't know

Sources: None

Recodes: None

Keywords: father; father-in-law

Notes: Modified valid code check

DAD_DEG	Recode
FID Recode	

AGE = ALL and FATHER = 01-30, 97-99

All persons living with Father in household

48

Type of relationship with Father

8,747	1	Biological
196	2	Step
770	3	Adoptive
47	4	Foster
3	5	In-law
4	7	Refused
145	8	Not ascertained
6	9	Don't know
3,727		<Blank: Not in Universe>

Sources: DEGREE1; DEGREE2; DEGREE5; DEGREE6; FATHER

Recodes: None

Keywords: father; parent; biological father; adoptive father; foster father;
 step father; father-in-law

Notes: None

PERSON - 18
 1998 NATIONAL HEALTH INTERVIEW SURVEY
 SAMPLE CHILD PREVENTION - PUBLIC USE
 PERSON
 13,645 RECORDS

Variable Name	Question	Date last modified 05/15/00
Question No.	Variable Universe	
	Universe Description	
Location	Variable Label	
Freq.	Value / Value Labels	

PARENTS	Recode
HHC Recode	CSTATFLG = 1
	Sample children 0 - 17
49	Parent(s) present in the family
3,297	1 Mother, no father
479	2 Father, no mother
9,419	3 Mother and father
429	4 Neither mother nor father
21	9 Unknown

Sources: MOTHER, FATHER

Recodes: None

Keywords: father; mother; parents

Notes: Mother and father can include biological, adoptive, step, and foster relationships. This recode does not classify legal guardians as parents. The category "Unknown" includes all Refused, Don't know, or not ascertained responses. In 1997, this category was indicated with an "8".

PERSON - 19
 1998 NATIONAL HEALTH INTERVIEW SURVEY
 SAMPLE CHILD PREVENTION - PUBLIC USE
 PERSON
 13,645 RECORDS

Variable Name	Question	Date last modified
Question No.	Variable Universe	
Location	Universe Description	
Freq.	Variable Label	
	Value / Value Labels	
GUARD	Probe as necessary and enter the line number of {px- name's} guardian. If the guardian is not a household member, enter "00".	05/15/00
FID.360	AGE lt 90 years and MOTHER = 96 or FATHER = 96	
	All persons less than 90 years with a legal guardian (instead of parent) present in household	
50-51	Person number of guardian	
	0 00 Guardian is not a household member	
	5 01-30 Person number of guardian	
	0 97 Refused	
	0 98 Not ascertained	
	0 99 Don't know	
13,640	<Blank: Not in Universe>	

Sources: None
 Recodes: None
 Keywords: guardian
 Notes: Valid code check.

PERSON - 20
 1998 NATIONAL HEALTH INTERVIEW SURVEY
 SAMPLE CHILD PREVENTION - PUBLIC USE
 PERSON
 13,645 RECORDS

Variable Name	Question	Date last modified 05/15/00
Question No.	Variable Universe	
Location	Universe Description	
Freq.	Variable Label	
	Value / Value Labels	

FM_SIZE		Generated variable	
Generated		AGE = ALL	
		All persons	
52-53		Number of persons in family	
	13,645	01-30	Number of persons

Sources: None
 Recodes: None
 Keywords: family size
 Notes: None

FM_TYPE		Recode	
Recode		AGE = ALL	
		All persons	
54		Family Type (on the person-level)	
	0	1	One adult, no child(ren) under 18
	0	2	Multiple adults, no child(ren) under 18
	2,447	3	One adult, 1+ child(ren) under 18
	11,198	4	Multiple adults, 1+ child(ren) under 18
	0	9	Unknown

Sources: AGE; FM_SIZE
 Recodes: FM_STRUC
 Keywords: family type; living arrangements
 Notes: This is a family level variable that is attached to each person's record.

PERSON - 21
 1998 NATIONAL HEALTH INTERVIEW SURVEY
 SAMPLE CHILD PREVENTION - PUBLIC USE
 PERSON
 13,645 RECORDS

Variable Name	Question	Date last modified 05/15/00
Question No.	Variable Universe	
	Universe Description	
Location	Variable Label	
Freq.	Value / Value Labels	

FM_STRCP	Recode
FID Recode	
	AGE = ALL
	All persons
55-56	Family Structure (at the person-level)
	See Family Structure - PU Appendix for values
	See Family Structure - PU Appendix for value label

Sources: FM_STRUC

Recodes: None

Keywords: family structure; parent; single parent; step parent; unmarried;
 cohabiting; same-sex

Notes: This is essentially a family level variable that is attached to each family member's record. Categories 11 and 12 are based on FM_TYPE=1; 21-23 are based on FM_TYPE=2; 31-33 are based on FM_TYPE=3; and 41-45 are based on FM_TYPE = 4. Families that could not be classified are coded "99".

PERSON - 22
 1998 NATIONAL HEALTH INTERVIEW SURVEY
 SAMPLE CHILD PREVENTION - PUBLIC USE
 PERSON
 13,645 RECORDS

Variable Name	Question	Date last modified
Question No.	Variable Universe	
Location	Universe Description	
Freq.	Variable Label	
	Value / Value Labels	
EDUC	What is the HIGHEST level of school {person} {have/has} completed or the highest degree {person} {have/has} received? Please tell me the number from the card. Enter highest level of school:	05/15/00
FSD.010	CSTATFLG = 1 Sample children 0 - 17	
57-58	Highest level of school completed	
	00 Never attended/ kindergarten only	
	01-11 Grades 1 - 11	
	12 12th grade, no diploma	
	13 HIGH SCHOOL GRADUATE	
	14 GED or equivalent	
	15 Some college, no degree	
	16 AA degree: technical or vocational	
	17 AA degree: academic program	
	18 Bachelor's degree (BA, AB, BS, BBA)	
	19 Master's degree (MA, MS, MEng, MEd, MBA)	
	20 Professional degree (MD, DDS, DVM, JD)	
	21 Doctoral degree (PhD, EdD)	
	96 Child under 5 years old	
	97 Refused	
	98 Not Ascertained	
	99 Don't know	

Sources: None

Recodes: None

Keywords: education; level of education completed

Notes: A consistency check between age and years of education was carried out for respondents aged 5-17. Unlikely education values [eg. a 17 year-old with a college degree) were reclassified as "Not ascertained."

PERSON - 23
 1998 NATIONAL HEALTH INTERVIEW SURVEY
 SAMPLE CHILD PREVENTION - PUBLIC USE
 PERSON
 13,645 RECORDS

Variable Name	Question	Date last modified
Question No.	Variable Universe	
Location	Universe Description	
Freq.	Variable Label	
	Value / Value Labels	
MOM_ED	Recode	05/15/00
Recode	AGE lt 18	
	All persons aged 17 or younger	
59-60	Education of Mother	
	01 Less/equal to 8th grade	
	02 9-12th grade, no high school diploma	
	03 High school graduate/GED recipient	
	04 Some college, no degree	
	05 AA degree, technical or vocational	
	06 AA degree, academic program	
	07 Bachelor's degree	
	08 Master's, professional, or doctoral degree	
	97 Refused	
	98 Not ascertained	
	99 Don't know	
	<Blank: Not in Universe>	

Sources: EDUC; MOTHER

Recodes: None

Keywords: mother; step-mother; mother figure; education

Notes: All persons 17 years and younger receive a code on this variable. If a mother was present in the household (i.e., MOTHER is equivalent to a valid person number), then MOM_ED equals the mother's value on EDUC. All other values on MOTHER (00, 96-99) result in a code of 98 on MOM_ED.

PERSON - 24
 1998 NATIONAL HEALTH INTERVIEW SURVEY
 SAMPLE CHILD PREVENTION - PUBLIC USE
 PERSON
 13,645 RECORDS

Variable Name	Question	Date last modified 05/15/00
Question No.	Variable Universe	
Location	Universe Description	
Freq.	Variable Label	
	Value / Value Labels	
DAD_ED	Recode	
Recode	AGE lt 18	
	All persons aged 17 or younger	
61-62	Education of Father	
	01 Less/equal to 8th grade	819
	02 9-12th grade, no high school diploma	1,081
	03 High school graduate/GED recipient	2,808
	04 Some college, no degree	1,655
	05 AA degree, technical or vocational	629
	06 AA degree, academic program	241
	07 Bachelor's degree	1,584
	08 Master's, professional, or doctoral degree	929
	97 Refused	56
	98 Not ascertained	3,747
	99 Don't know	96
	<Blank: Not in Universe>	0

Sources: EDUC; FATHER

Recodes: None

Keywords: father; step-father; father figure; education

Notes: All persons 17 years and younger receive a code on this variable. If a father was present in the household (i.e., FATHER is equivalent to a valid person number), then DAD_ED equals the father's value on EDUC. All other values on FATHER (00, 96-99) result in a code of 98 on DAD_ED.

PERSON - 25
 1998 NATIONAL HEALTH INTERVIEW SURVEY
 SAMPLE CHILD PREVENTION - PUBLIC USE
 PERSON
 13,645 RECORDS

Variable Name	Question	Date last modified
Question No.	Variable Universe	05/15/00
Location	Universe Description	
Freq.	Variable Label	
	Value / Value Labels	
<hr/>		
AB_BL20K	Recode	
FIN Recode	CSTATFLG = 1	
	Sample children 0 - 17	
63-64	Fam inc at/above vs. below \$20,000	
	9,808 01 \$20,000 or more	
	3,189 02 Less than \$20,000	
	351 97 Refused	
	0 98 Not ascertained	
	297 99 Don't know	

Sources: FAMINC; FINC20; FINCCAT

Recodes: INCGRP

Keywords: income; poverty

Notes: The family's value for this variable is assigned to each member of the family, thus making it a person-level variable.

PERSON - 26
 1998 NATIONAL HEALTH INTERVIEW SURVEY
 SAMPLE CHILD PREVENTION - PUBLIC USE
 PERSON
 13,645 RECORDS

Variable Name	Question	Date last modified 05/15/00
Question No.	Variable Universe	
	Universe Description	
Location	Variable Label	
Freq.	Value / Value Labels	

RAT_CAT	Recode
FIN Recode	CSTATFLG = 1
	Sample children 0 - 17
65-66	Ratio of fam inc to poverty threshold
768	01 Under .50
598	02 .50 to .74
621	03 .75 to .99
672	04 1.00 to 1.24
573	05 1.25 to 1.49
590	06 1.50 to 1.74
623	07 1.75 to 1.99
1,126	08 2.00 to 2.49
908	09 2.50 to 2.99
880	10 3.00 to 3.49
786	11 3.50 to 3.99
545	12 4.00 to 4.49
516	13 4.50 to 4.99
1,753	14 5.00 and over
2	96 Undefinable
2,684	99 Unknown

Sources: FAMINC; FINC20; FINCCAT; FM_SIZE; NUM_KIDS
 Recodes: INCGRP
 Keywords: income; poverty

Notes: The family's value for this variable is assigned to each member of the family, thus making it a person-level variable. The "Undefinable" cases consist of families where the number of children under age 18 in the family is equivalent to the number of family members. Published 1997 poverty thresholds from the Census Bureau are used in these calculations.

PERSON - 27
 1998 NATIONAL HEALTH INTERVIEW SURVEY
 SAMPLE CHILD PREVENTION - PUBLIC USE
 PERSON
 13,645 RECORDS

Variable Name	Question	Date last modified 05/15/00
Question No.	Variable Universe	
	Universe Description	
Location	Variable Label	
Freq.	Value / Value Labels	

REGION
 UCF

ALL

All records

67

Region

2,466	1	Northeast
2,911	2	Midwest
4,819	3	South
3,449	4	West

Sources: None

Recodes: None

Keywords: united states; region

Notes: Data from Unit Control File.

MSASIZEP
 UCF Recode

Recode

ALL

All records

68

Geographic Distribution - MSA size

1,769	1	5,000,000 or more
1,722	2	2,500,000 - 4,999,999
3,336	3	1,000,000 - 2,499,999
1,567	4	500,000 - 999,999
1,534	5	250,000 - 499,999
1,102	6	Under 250,000
2,615	7	Non-MSA

Sources: MSA_SIZE

Recodes: None

Keywords: msa size

Notes: Data from Unit Control File.

PERSON - 28
 1998 NATIONAL HEALTH INTERVIEW SURVEY
 SAMPLE CHILD PREVENTION - PUBLIC USE
 PERSON
 13,645 RECORDS

Variable Name	Question	Date last modified
Question No.	Variable Universe	
Location	Universe Description	
Freq.	Variable Label	
	Value / Value Labels	

WTIA_CP	Generated variable
Generated	CSTATFLG = 1
	Sample children 0 - 17
69-74	Weight - Interim Annual

Sources: None
 Recodes: None
 Keywords: interim weight
 Notes: Format of data has an implied decimal (XXXXX.X). This weight does not include post-stratification adjustments (age, race/ethnicity, sex) to the civilian, non-institutionalized U.S. population of children (age 0 - 17) using Census population controls.

WTFA_CP	Generated variable
Generated	CSTATFLG = 1
	Sample children 0 - 17
75-80	Weight - Final Annual

Sources: None
 Recodes: None
 Keywords: final weight; annual; person weight
 Notes: This weight should be used for most analyses at the person level when using a full year of data. This weight includes post-stratification adjustments (age, race/ethnicity, sex) using Census population controls. The sum of these weights is equal to the 1998 civilian, non-institutionalized U.S. population of children age 0 - 17.

PERSON - 29
 1998 NATIONAL HEALTH INTERVIEW SURVEY
 SAMPLE CHILD PREVENTION - PUBLIC USE
 PERSON
 13,645 RECORDS

Variable Name	Question	Date last modified 05/15/00
Question No.	Variable Universe	
	Universe Description	
Location	Variable Label	
Freq.	Value / Value Labels	

STRATUM	Generated variable	
Generated	ALL	
	All records	
81-83	Stratum for variance estimation	

Sources: None
 Recodes: None
 Keywords: variance estimation
 Notes: Variable used in variance estimation; consult appendix on variance estimation using NHIS data for specific information.

PSU	Generated variable	
Generated	ALL	
	All records	
84	PSU for variance estimation	

Sources: None
 Recodes: None
 Keywords: variance estimation
 Notes: Variable used in variance estimation; consult appendix on variance estimation using NHIS data for specific information.

PERSON - 30
 1998 NATIONAL HEALTH INTERVIEW SURVEY
 SAMPLE CHILD PREVENTION - PUBLIC USE
 PERSON
 13,645 RECORDS

Variable Name	Question	Date last modified
Question No.	Variable Universe	05/15/00
Location	Universe Description	
Freq.	Variable Label	
	Value / Value Labels	
<hr/>		
DUMMY_CP	Generated variable	
Generated	ALL	
	All Records	
85	Dummy Record Flag for Prevention Child	
	35 1 Dummy record	
	13,610 0 Not a dummy record	

Sources: None
 Recodes: None
 Keywords: prevention dummy record flag
 Notes: None

PCA - 1
 1998 NATIONAL HEALTH INTERVIEW SURVEY
 SAMPLE CHILD PREVENTION - PUBLIC USE
 CONDITIONS
 13,645 RECORDS

Variable Name	Question	Date last modified
Question No.	Variable Universe	
Location	Universe Description	
Freq.	Variable Label	
	Value / Value Labels	
CKHEAR	How old was {child's name} when {he/she} {fill FILL1}?	04/12/00
PCA.010	CSTATFLG = 1, AGE = <18, and CHEARST = 2,3,4	
	Sample children <18 yrs who have trouble hearing; who are deaf	
86-87	Age when began having hearing prob	
	60 00 At birth	
	88 01 Less than or equal to 1 year old	
	250 02-17 2-17 years old	
	1 97 Refused	
	0 98 Not ascertained	
	24 99 Don't know	
	13,222 <Blank: Not in Universe>	

Sources: None

Recodes: None

Keywords: deaf; hard of hearing; trouble hearing

Notes: None

PCA - 2
 1998 NATIONAL HEALTH INTERVIEW SURVEY
 SAMPLE CHILD PREVENTION - PUBLIC USE
 CONDITIONS
 13,645 RECORDS

Variable Name	Question	Date last modified
Question No.	Variable Universe	
Location	Universe Description	
Freq.	Variable Label	
	Value / Value Labels	
BIR03	Was it before or after {child's name} 3rd birthday?	04/12/00
PCA.020	CSTATFLG = 1, CHEARST = 2,3, 4 and CKHEAR = '97' OR '99'	
	Sample children with hearing problems whose parents Ref/DK age when child began to have hearing problems	
88	Hearing prob start before/after 3rd birt	
	5 1 Before	
	13 2 After	
	1 7 Refused	
	0 8 Not ascertained	
	6 9 Don't know	
	13,620 <Blank: Not in Universe>	

Sources: None
 Recodes: None
 Keywords: hard of hearing; hearing problems; deaf
 Notes: None

PCA - 3
 1998 NATIONAL HEALTH INTERVIEW SURVEY
 SAMPLE CHILD PREVENTION - PUBLIC USE
 CONDITIONS
 13,645 RECORDS

Variable Name	Question	Date last modified
Question No.	Variable Universe	
Location	Universe Description	
Freq.	Variable Label	
	Value / Value Labels	
DIAG_NUM	How old was {child's name} when {his/her} {hearing problem/deafness} was diagnosed by a doctor or other health professional?	04/12/00
PCA.030	CSTATFLG = 1 and AGE <18	
	Sample children <18 with hearing problems	
89-90	Age hearing prob diag by Dr: # units	
	341 01-94 01-94	
	0 95 95+	
	21 96 Since birth	
	4 97 Refused	
	1 98 Not ascertained	
	56 99 Don't know	
	13,222 <Blank: Not in Universe>	

Sources: None
 Recodes: None
 Keywords: deaf; hearing loss
 Notes: None

PCA - 4
 1998 NATIONAL HEALTH INTERVIEW SURVEY
 SAMPLE CHILD PREVENTION - PUBLIC USE
 CONDITIONS
 13,645 RECORDS

Variable Name	Question	Date last modified
Question No.	Variable Universe	
Location	Universe Description	
Freq.	Variable Label	
	Value / Value Labels	
DIAG_TP	How old was {child's name} when {his/her} {hearing problem/deafness} was diagnosed by a doctor or other health professional?	04/12/00
PCA.030	CSTATFLG = 1 and AGE <18	
	Sample children <18 with hearing problems	
91	Age hearing prob diag by Dr: Time units	
	1 Day(s)	
	2 Week(s)	
	3 Month(s)	
	4 Year(s)	
	6 Since birth	
	7 Refused	
	8 Not Ascertained	
	9 Don't Know	
	<Blank: Not in Universe>	

Sources: None
 Recodes: None
 Keywords: deaf; hearing loss
 Notes: None

PCA - 5
 1998 NATIONAL HEALTH INTERVIEW SURVEY
 SAMPLE CHILD PREVENTION - PUBLIC USE
 CONDITIONS
 13,645 RECORDS

Variable Name	Question	Date last modified
Question No.	Variable Universe	
Location	Universe Description	
Freq.	Variable Label	
	Value / Value Labels	
DIAG_YR	How old was {child's name} when {his/her} {hearing problem/deafness} was diagnosed by a doctor or other health professional?	04/12/00
PCA.030	CSTATFLG = 1 and AGE <18	
	Sample children <18 with hearing problems	
92-93	Age hearing prob diag by Dr: # units	
	40 00 Less than 1 year	
	322 01-17 01-17	
	4 97 Refused	
	1 98 Not ascertained	
	56 99 Don't know	
	13,222 <Blank: Not in Universe>	

Sources: None

Recodes: None

Keywords: deaf; hearing loss

Notes: Since birth was converted to person's age

PCA - 6
 1998 NATIONAL HEALTH INTERVIEW SURVEY
 SAMPLE CHILD PREVENTION - PUBLIC USE
 CONDITIONS
 13,645 RECORDS

Variable Name	Question	Date last modified
Question No.	Variable Universe	
Location	Universe Description	
Freq.	Variable Label	
	Value / Value Labels	
DIAR	During the past 12 months, how many time has {child's name} had diarrhea severe enough that {he/she} had to cut down for more than a half a day on the things {he/she} usually does?	04/12/00
PCA.040	CSTATFLG = 1 and AGE <6 Sample children <6 yrs	
94-95	Times cut act due to diarrhea, past 12 m	
3,659	00 None	
1,098	01-95 01-95 Times	
2	97 Refused	
17	98 Not Ascertained	
38	99 Don't know	
8,831	<Blank: Not in Universe>	

Sources: None

Recodes: None

Keywords: diarrhea; loose bowels; stomach/bowel trouble

Notes: None

PCA - 7
 1998 NATIONAL HEALTH INTERVIEW SURVEY
 SAMPLE CHILD PREVENTION - PUBLIC USE
 CONDITIONS
 13,645 RECORDS

Variable Name	Question	Date last modified
Question No.	Variable Universe	
Location	Universe Description	
Freq.	Variable Label	
	Value / Value Labels	
CARE	During the past 12 months, did {child's name} ever receive child care in a place that cares for more than 6 children? This includes day care centers, preschool, nursery school, religious school, kindergarten, but does not include child care provided in this home.	04/12/00
PCA.050	CSTATFLG = 1 and AGE <6	
	Sample children <6	
96	Had child care w/GT 6 kids, past 12 m	
	1 Yes	
	2 No	
	7 Refused	
	8 Not ascertained	
	9 Don't know	
	<Blank: Not in Universe>	

Sources: None

Recodes: None

Keywords: child/day care; preschool; kindergarten; nursery school; sitter

Notes: None

PCA - 8
 1998 NATIONAL HEALTH INTERVIEW SURVEY
 SAMPLE CHILD PREVENTION - PUBLIC USE
 CONDITIONS
 13,645 RECORDS

Variable Name	Question	Date last modified
Question No.	Variable Universe	
Location	Universe Description	
Freq.	Variable Label	
	Value / Value Labels	
CCAREMON	In how many of the past 12 months did {child's name} receive such child care?	04/12/00
PCA.060	CSTATFLG = 1, AGE <6 and CARE = 1	
	Sample children <6 yrs who received child care in a place with more than 6 children	
97-98	Length of child care	
65	00 Less than one full month	
1,471	01-12 01-12 months	
0	97 Refused	
0	98 Not ascertained	
7	99 Don't know	
12,102	<Blank: Not in Universe>	

Sources: None

Recodes: None

Keywords: child/day care; child care provider; preschool; nursery school;
 sitter

Notes: None

PCB - 1
 1998 NATIONAL HEALTH INTERVIEW SURVEY
 SAMPLE CHILD PREVENTION - PUBLIC USE
 DENTAL
 13,645 RECORDS

Variable Name	Question	Date last modified 04/12/00
Question No.	Variable Universe	
Location	Universe Description	
Freq.	Variable Label	
	Value / Value Labels	

BTLFD1	Has {child name} ever been fed with a bottle? Do not include bottles with plain water.	
PCB.010	CSTATFLG = 1 and AGE <6	
	Sample children <6	
99	Ever been bottle fed	
	1 Yes	4,315
	2 No	447
	7 Refused	14
	8 Not ascertained	17
	9 Don't know	21
	<Blank: Not in Universe>	8,831

Sources: None
 Recodes: None
 Keywords: bottle feeding; feeding bottle
 Notes: None

BTLFD2	Does {child name} still use a bottle? Do not include bottles with plain water.	
PCB.020	CSTATFLG = 1 and AGE GE 2 and <6; BTLFD1 = 1	
	Sample children GE 2 and <6 who were bottle fed	
100	Still use a bottle	
	1 Yes	258
	2 No	2,490
	7 Refused	1
	8 Not ascertained	0
	9 Don't know	0
	<Blank: Not in Universe>	10,896

Sources: None
 Recodes: None
 Keywords: bottle feeding; feeding bottle
 Notes: None

PCB - 2
 1998 NATIONAL HEALTH INTERVIEW SURVEY
 SAMPLE CHILD PREVENTION - PUBLIC USE
 DENTAL
 13,645 RECORDS

Variable Name	Question	Date last modified
Question No.	Variable Universe	
Location	Universe Description	
	Variable Label	
Freq.	Value / Value Labels	
BTLFD2W	During the past 2 weeks, on how many days was {child name} put to bed with a bottle at bedtime or naptime? Do not include bottles with plain water.	04/12/00
PCB.030	CSTATFLG = 1, AGE <2 and BTLFD1 = 1; AGE GE 2 and <6, BTLFD1 = 1 and BTLFD2 = 1 Sample children <2 who were bottle fed; Sample children GE 2 and <6 who still use a feeding bottle	
101-102	# days put to bed w/bottle, past 2 wks	
	00 None	
	01-14 01-14 days	
	97 Refused	
	98 Not ascertained	
	99 Don't know	
	<Blank: Not in Universe>	

Sources: None
 Recodes: None
 Keywords: bottle feeding; feeding bottle
 Notes: None

PCB - 3
 1998 NATIONAL HEALTH INTERVIEW SURVEY
 SAMPLE CHILD PREVENTION - PUBLIC USE
 DENTAL
 13,645 RECORDS

Variable Name	Question	Date last modified
Question No.	Variable Universe	
Location	Universe Description	
Freq.	Variable Label	
	Value / Value Labels	
DENSL	Dental sealants are special plastic coatings that are painted on the tops of the back teeth to prevent tooth decay. They are different from fillings, caps, crowns, and fluoride treatments. Has {child's name} had dental sealants painted on {his/her} teeth?	04/12/00
PCB.040	CSTATFLG = 1 and AGE <18 Sample children <18	
103	Had dental sealants painted on teeth	
	1 Yes	2,640
	2 No	10,703
	7 Refused	25
	8 Not ascertained	35
	9 Don't know	242

Sources: None

Recodes: None

Keywords: dental care, dental sealants, oral health

Notes: None

PCB - 4
 1998 NATIONAL HEALTH INTERVIEW SURVEY
 SAMPLE CHILD PREVENTION - PUBLIC USE
 DENTAL
 13,645 RECORDS

Variable Name	Question	Date last modified
Question No.	Variable Universe	04/12/00
Location	Universe Description	
	Variable Label	
	Freq.	Value / Value Labels
CORW	In the past two weeks, has {child name} used a mouthwash or mouthrinse at home?	
PCB.050	CSTATFLG = 1 and AGE <18	
	Sample children <18	
104	Used mouthwash/rinse, past 2 wks	
	4,025 1 Yes	
	9,326 2 No	
	26 7 Refused	
	35 8 Not ascertained	
	233 9 Don't know	

Sources: None
 Recodes: None
 Keywords: dental care, oral health, mouthwash, mouthrinse
 Notes: None

CORWB_R1	Type of mouthwash/rinse used most often during the past two weeks?
PCB. 060	CSTATFLG = 1, AGE = 18+ and CORW = 1
	Sample children <18 who have used mouthwash/rinse in the past two weeks
105	Type of mouthwash/rinse past 2 wks
	75 0 Fluoride prescription
	476 1 Fluoride non-prescription
	8 2 Prescription non-fluoride/DK fluoride
	2,773 3 Non-fluoride non-prescription brand name
	311 4 Non-fluoride non-prescription generic store bra
	10 5 Non-fluoride homemade rinse
	67 6 Other
	4 7 Refused
	32 8 Not ascertained
	269 9 Don't know
	9,620 <Blank: Not in Universe>

Sources: None
 Recodes: None
 Keywords: dental care, oral health, mouthwash, mouthrinse
 Notes: This recode is based on the name of the mouthrinse used that was reported by the respondent.

PCB - 5
 1998 NATIONAL HEALTH INTERVIEW SURVEY
 SAMPLE CHILD PREVENTION - PUBLIC USE
 DENTAL
 13,645 RECORDS

Variable Name	Question	Date last modified
Question No.	Variable Universe	
Location	Universe Description	
Freq.	Variable Label	
	Value / Value Labels	

CORWFL PCB.080	Does this mouthrinse contain fluoride?	
	CSTATFLG = 1, AGE <18, and CORW = 1	
	Sample children <18 who used mouthwash/rinse in past 2 wks	
106	Respondent report mouthwash w/fluoride	
	2,316 1 Yes	
	962 2 No	
	0 7 Refused	
	0 8 Not ascertained	
	747 9 Don't know	
	9,620 <Blank: Not in Universe>	

Sources: None
 Recodes: None
 Keywords: dental care, oral health, mouthwash, mouthrinse, fluoride
 Notes: None

CORWPG PCB.090	Does {child name} now take part in a fluoride mouthrinse program at school?	
	CSTATFLG = 1, AGE >= 2	
	Sample children GE 2	
107	In fluoride mouthrinse pgm at school	
	802 1 Yes	
	10,503 2 No	
	23 7 Refused	
	30 8 Not ascertained	
	546 9 Don't know	
	1,741 <Blank: Not in Universe>	

Sources: None
 Recodes: None
 Keywords: dental care, oral health, mouthrinse, fluoride
 Notes: None

PCB - 6
 1998 NATIONAL HEALTH INTERVIEW SURVEY
 SAMPLE CHILD PREVENTION - PUBLIC USE
 DENTAL
 13,645 RECORDS

Variable Name	Question	Date last modified
Question No.	Variable Universe	
Location	Universe Description	
Freq.	Variable Label	
	Value / Value Labels	
CORVTM	Does {child's name} now take vitamins with FLUORIDE in them or any other kind of FLUORIDE tablets, drops, or supplements?	04/12/00
PCB.100	CSTATFLG = 1, AGE <18 Sample children <18	
108	Take Fluoride supplements	
	1 Yes	
	2 No	
	7 Refused	
	8 Not ascertained	
	9 Don't know	

Sources: None

Recodes: None

Keywords: dental care, oral health, mouthrinse, fluoride

Notes: None

PCC - 1
 1998 NATIONAL HEALTH INTERVIEW SURVEY
 SAMPLE CHILD PREVENTION - PUBLIC USE
 INJURY PREVENTION
 13,645 RECORDS

Variable Name	Question	Date last modified
Question No.	Variable Universe	
Location	Universe Description	
Freq.	Variable Label	
	Value / Value Labels	
<hr/>		
SEAT PCC.010	Does {child's name} now have a child safety seat?	04/12/00
	CSTATFLG = 1 and AGE <5 years	
	Sample children <5 years	
109	Have child safety seat now	
3,522	1 Yes	
527	2 No	
6	7 Refused	
14	8 Not ascertained	
12	9 Don't know	
9,564	<Blank: Not in Universe>	

Sources: None
 Recodes: None
 Keywords: child safety seat
 Notes: None

BUC1	When riding in a car, is {child's name} buckled in {a child safety seat or} a seat belt all or most of the time, some of the time, once in a while, or never?	
PCC.020	CSTATFLG = 1 and AGE <5 years	
	Sample children <5 years	
110	How often secured in safety seat/belt	
3,875	1 All or most of the time	
89	2 Some of the time	
13	3 Once in a while	
15	4 Never	
62	5 Doesn't ride in a car	
6	7 Refused	
14	8 Not ascertained	
7	9 Don't know	
9,564	<Blank: Not in Universe>	

Sources: None
 Recodes: None
 Keywords: child safety seat; seat belt
 Notes: None

PCC - 2
 1998 NATIONAL HEALTH INTERVIEW SURVEY
 SAMPLE CHILD PREVENTION - PUBLIC USE
 INJURY PREVENTION
 13,645 RECORDS

Variable Name	Question	Date last modified
Question No.	Variable Universe	
Location	Universe Description	
Freq.	Variable Label	
	Value / Value Labels	
BUC2	When riding in a car, does {child's name} wear a seat belt all or most of the time, some of the time, once in a while, or never?	04/12/00
PCC.030	CSTATFLG = 1 and AGE = 5-15 years	
	Sample children 5-15 years	
111	How often wear seat belt	
6,873	1 All or most of the time	
673	2 Some of the time	
176	3 Once in a while	
89	4 Never	
50	5 Doesn't ride in a car	
14	7 Refused	
24	8 Not ascertained	
15	9 Don't know	
5,731	<Blank: Not in Universe>	

Sources: None
 Recodes: None
 Keywords: seat belt
 Notes: None

PCC - 3
 1998 NATIONAL HEALTH INTERVIEW SURVEY
 SAMPLE CHILD PREVENTION - PUBLIC USE
 INJURY PREVENTION
 13,645 RECORDS

Variable Name	Question	Date last modified
Question No.	Variable Universe	
Location	Universe Description	
Freq.	Variable Label	
	Value / Value Labels	
BUC3	When driving or riding in a car, does {child's name} wear a seat belt all or most of the time, some of the time, once in a while, or never?	04/12/00
PCC.040	CSTATFLG = 1 and AGE = 16-17 years	
	Sample children 16-17 years	
112	How often wear seat belt	
	1 All or most of the time	
1,382	2 Some of the time	
157	3 Once in a while	
43	4 Never	
31	5 Doesn't ride in a car	
15	7 Refused	
0	8 Not ascertained	
5	9 Don't know	
17	<Blank: Not in Universe>	
11,995		

Sources: None
 Recodes: None
 Keywords: seat belt
 Notes: None

PCC - 4
 1998 NATIONAL HEALTH INTERVIEW SURVEY
 SAMPLE CHILD PREVENTION - PUBLIC USE
 INJURY PREVENTION
 13,645 RECORDS

Variable Name	Question	Date last modified 04/12/00
Question No.	Variable Universe	
Location	Universe Description	
Freq.	Variable Label	
	Value / Value Labels	

PLAY		During the past 12 months, did {child's name} play any of these ORGANIZED sports?
PCC.050		CSTATFLG = 1 and AGE = 7-15 years
		Sample children 7-15 years
113		Play any organized sports, past 12 m
	2,968	1 Yes
	3,424	2 No
	25	7 Refused
	20	8 Not ascertained
	34	9 Don't know
	7,174	<Blank: Not in Universe>

Sources: None
 Recodes: None
 Keywords: organized sports
 Notes: None

SPRT_FTB		Which ones did {child's name} play...football?
PCC.060		CSTATFLG = 1 and AGE = 7-15 years and PLAY = 1
		Sample children 7-15 years who have played listed organized sports
114		Played football
	640	1 Yes
	2,325	2 No
	2	7 Refused
	0	8 Not ascertained
	1	9 Don't know
	10,677	<Blank: Not in Universe>

Sources: None
 Recodes: None
 Keywords: organized sports; football
 Notes: None

PCC - 5
 1998 NATIONAL HEALTH INTERVIEW SURVEY
 SAMPLE CHILD PREVENTION - PUBLIC USE
 INJURY PREVENTION
 13,645 RECORDS

Variable Name	Question	Date last modified
Question No.	Variable Universe	
Location	Universe Description	
Freq.	Variable Label	
	Value / Value Labels	
SPRT_BAS	Which ones did {child's name} play...baseball or softball?	04/12/00
PCC.060	CSTATFLG = 1 and AGE = 7-15 years and PLAY = 1	
	Sample children 7-15 years who have played listed organized sports	
115	Played baseball	
	1 Yes	1,428
	2 No	1,537
	7 Refused	2
	8 Not ascertained	0
	9 Don't know	1
	<Blank: Not in Universe>	10,677

Sources: None
 Recodes: None
 Keywords: organized sports; baseball; softball
 Notes: None

PCC - 6
 1998 NATIONAL HEALTH INTERVIEW SURVEY
 SAMPLE CHILD PREVENTION - PUBLIC USE
 INJURY PREVENTION
 13,645 RECORDS

Variable Name	Question	Date last modified 04/12/00
Question No.	Variable Universe	
Location	Universe Description	
Freq.	Variable Label	
	Value / Value Labels	

SPRT_SOC PCC.060		Which ones did {child's name} play...soccer?
		CSTATFLG = 1 and AGE = 7-15 years and PLAY = 1
		Sample children 7-15 years who have played listed organized sports
116		Played soccer
	1,021	1 Yes
	1,943	2 No
	2	7 Refused
	0	8 Not ascertained
	2	9 Don't know
	10,677	<Blank: Not in Universe>

Sources: None
 Recodes: None
 Keywords: organized sports; soccer
 Notes: None

SPRT_RUG PCC.060		Which ones did {child's name} play...rugby?
		CSTATFLG = 1 and AGE = 7-15 years and PLAY = 1
		Sample children 7-15 years who have played listed organized sports
117		Played rugby
	7	1 Yes
	2,958	2 No
	2	7 Refused
	0	8 Not ascertained
	1	9 Don't know
	10,677	<Blank: Not in Universe>

Sources: None
 Recodes: None
 Keywords: organized sports; rugby
 Notes: None

PCC - 7
 1998 NATIONAL HEALTH INTERVIEW SURVEY
 SAMPLE CHILD PREVENTION - PUBLIC USE
 INJURY PREVENTION
 13,645 RECORDS

Variable Name	Question	Date last modified 04/12/00
Question No.	Variable Universe	
	Universe Description	
Location	Variable Label	
Freq.	Value / Value Labels	

SPRT_HOC PCC.060	Which ones did {child's name} play...hockey?	
	CSTATFLG = 1 and AGE = 7-15 years and PLAY = 1	
	Sample children 7-15 years who have played listed organized sports	
118	Played hockey	
122	1 Yes	
2,843	2 No	
2	7 Refused	
0	8 Not ascertained	
1	9 Don't know	
10,677	<Blank: Not in Universe>	

Sources: None
 Recodes: None
 Keywords: organized sports; field hockey; ice hockey
 Notes: None

SPRT_LAC PCC.060	Which ones did {child's name} play...lacrosse?	
	CSTATFLG = 1 and AGE = 7-15 years and PLAY = 1	
	Sample children 7-15 years who have played listed organized sports	
119	Played lacrosse	
26	1 Yes	
2,939	2 No	
2	7 Refused	
0	8 Not ascertained	
1	9 Don't know	
10,677	<Blank: Not in Universe>	

Sources: None
 Recodes: None
 Keywords: organized sports; lacrosse
 Notes: None

PCC - 8
 1998 NATIONAL HEALTH INTERVIEW SURVEY
 SAMPLE CHILD PREVENTION - PUBLIC USE
 INJURY PREVENTION
 13,645 RECORDS

Variable Name	Question	Date last modified 04/12/00
Question No.	Variable Universe	
Location	Universe Description	
Freq.	Variable Label	
	Value / Value Labels	

SPRT_WRE PCC.060		Which ones did {child's name} play...wrestling?
		CSTATFLG = 1 and AGE = 7-15 years and PLAY = 1
		Sample children 7-15 years who have played listed organized sports
120		Played wrestling
	109	1 Yes
	2,856	2 No
	2	7 Refused
	0	8 Not ascertained
	1	9 Don't know
	10,677	<Blank: Not in Universe>

Sources: None
 Recodes: None
 Keywords: organized sports; wrestling
 Notes: None

SPRT_BOX PCC.060		Which ones did {child's name} play...boxing?
		CSTATFLG = 1 and AGE = 7-15 years and PLAY = 1
		Sample children 7-15 years who have played listed organized sports
121		Played boxing
	17	1 Yes
	2,948	2 No
	2	7 Refused
	0	8 Not ascertained
	1	9 Don't know
	10,677	<Blank: Not in Universe>

Sources: None
 Recodes: None
 Keywords: organized sports; boxing
 Notes: None

PCC - 9
 1998 NATIONAL HEALTH INTERVIEW SURVEY
 SAMPLE CHILD PREVENTION - PUBLIC USE
 INJURY PREVENTION
 13,645 RECORDS

Variable Name	Question	Date last modified
Question No.	Variable Universe	
Location	Universe Description	
Freq.	Variable Label	
	Value / Value Labels	
SPRT_KAR	Which ones did {child's name} play...karate or judo?	04/12/00
PCC.060	CSTATFLG = 1 and AGE = 7-15 years and PLAY = 1	
	Sample children 7-15 years who have played listed organized sports	
122	Played karate/judo	
203	1 Yes	
2,762	2 No	
2	7 Refused	
0	8 Not ascertained	
1	9 Don't know	
10,677	<Blank: Not in Universe>	

Sources: None
 Recodes: None
 Keywords: organized sports; karate; judo
 Notes: None

PCC - 10
 1998 NATIONAL HEALTH INTERVIEW SURVEY
 SAMPLE CHILD PREVENTION - PUBLIC USE
 INJURY PREVENTION
 13,645 RECORDS

Variable Name	Question	Date last modified
Question No.	Variable Universe	
Location	Universe Description	
Freq.	Variable Label	
	Value / Value Labels	
FOOT_M	During the past 12 months when playing football, how often did {child's name} wear a mouth guard to protect {his/her} mouth and teeth-all or most of the time, some of the time, once in a while, or never?	04/12/00
PCC.110	CSTATFLG = 1 and AGE 7-15 years and SPRT_FTB = 1 Sample children 7-15 years who have played football	
123	How often wore mouth guard, past 12 m	
	1 All or most or the time	
	2 Some of the time	
	3 Once in a while	
	4 Never	
	7 Refused	
	8 Not ascertained	
	9 Don't know	
	<Blank: Not in Universe>	

Sources: None
 Recodes: None
 Keywords: organized sports; football; mouth guard
 Notes: None

PCC - 11
 1998 NATIONAL HEALTH INTERVIEW SURVEY
 SAMPLE CHILD PREVENTION - PUBLIC USE
 INJURY PREVENTION
 13,645 RECORDS

Variable Name	Question	Date last modified
Question No.	Variable Universe	
Location	Universe Description	
Freq.	Variable Label	
	Value / Value Labels	
FOOT_H	During the past 12 months when playing football, how often did {child's name} wear protective head gear-all or most of the time, some of the time, once in a while, or never?	04/12/00
PCC.110	CSTATFLG = 1 and AGE 7-15 years and SPRT_FTB = 1 Sample children 7-15 years who have played football	
124	How often wore head gear, past 12 m	
	477 1 All or most of the time	
	27 2 Some of the time	
	3 3 Once in a while	
	127 4 Never	
	0 7 Refused	
	0 8 Not ascertained	
	6 9 Don't know	
	13,005 <Blank: Not in Universe>	

Sources: None
 Recodes: None
 Keywords: organized sports; football; head gear
 Notes: None

PCC - 12
 1998 NATIONAL HEALTH INTERVIEW SURVEY
 SAMPLE CHILD PREVENTION - PUBLIC USE
 INJURY PREVENTION
 13,645 RECORDS

Variable Name	Question	Date last modified
Question No.	Variable Universe	
Location	Universe Description	
Freq.	Variable Label	
	Value / Value Labels	
BASE_M	During the past 12 months when playing baseball or softball, how often did {child's name} wear a mouth guard to protect {his/her} mouth and teeth-all or most of the time, some of the time, once in a while, or never?	04/12/00
PCC.120	CSTATFLG = 1 and AGE 7-15 years and SPRT_BAS = 1 Sample children 7-15 years who have played baseball or softball	
125	How often wore mouth guard, past 12 m	
	202 1 All or most of the time	
	241 2 Some of the time	
	20 3 Once in a while	
	953 4 Never	
	0 7 Refused	
	0 8 Not ascertained	
	12 9 Don't know	
	12,217 <Blank: Not in Universe>	

Sources: None

Recodes: None

Keywords: organized sports; baseball; softball; mouth guard

Notes: None

PCC - 13
 1998 NATIONAL HEALTH INTERVIEW SURVEY
 SAMPLE CHILD PREVENTION - PUBLIC USE
 INJURY PREVENTION
 13,645 RECORDS

Variable Name	Question	Date last modified
Question No.	Variable Universe	
Location	Universe Description	
Freq.	Variable Label	
	Value / Value Labels	
BASE_H	During the past 12 months when playing baseball or softball, how often did {child's name} wear protective head gear-all or most of the time, some of the time, once in a while, or never?	04/12/00
PCC.120	CSTATFLG = 1 and AGE 7-15 years and SPRT_BAS = 1 Sample children 7-15 years who have played baseball or softball	
126	How often wore head gear, past 12 m	
	675 1 All or most of the time	
	471 2 Some of the time	
	43 3 Once in a while	
	225 4 Never	
	0 7 Refused	
	0 8 Not ascertained	
	14 9 Don't know	
	12,217 <Blank: Not in Universe>	

Sources: None

Recodes: None

Keywords: organized sports; baseball; softball; head gear

Notes: None

PCC - 14
 1998 NATIONAL HEALTH INTERVIEW SURVEY
 SAMPLE CHILD PREVENTION - PUBLIC USE
 INJURY PREVENTION
 13,645 RECORDS

Variable Name	Question	Date last modified 04/12/00
Question No.	Variable Universe	
Location	Universe Description	
Freq.	Variable Label	
	Value / Value Labels	
SOCC_M	During the past 12 months when playing soccer, how often did {child's name} wear a mouth guard to protect {his/her} mouth and teeth-all or most of the time, some of the time, once in a while, or never?	
PCC.130	CSTATFLG = 1 and AGE 7-15 years and SPRT_SOC = 1 Sample children 7-15 years who have played soccer	
127	How often wore mouth guard, past 12 m	
	1 All or most of the time	133
	2 Some of the time	122
	3 Once in a while	15
	4 Never	738
	7 Refused	0
	8 Not ascertained	0
	9 Don't know	13
	<Blank: Not in Universe>	12,624

Sources: None

Recodes: None

Keywords: organized sports; soccer; mouth guard

Notes: None

PCC - 15
 1998 NATIONAL HEALTH INTERVIEW SURVEY
 SAMPLE CHILD PREVENTION - PUBLIC USE
 INJURY PREVENTION
 13,645 RECORDS

Variable Name	Question	Date last modified
Question No.	Variable Universe	
Location	Universe Description	
Freq.	Variable Label	
	Value / Value Labels	
SOCC_H	During the past 12 months when playing soccer, how often did {child's name} wear protective head gear-all or most of the time, some of the time, once in a while, or never?	04/12/00
PCC.130	CSTATFLG = 1 and AGE 7-15 years and SPRT_SOC = 1 Sample children 7-15 years who have played soccer	
128	How often wore head gear, past 12 m	
	1 All or most of the time	
	2 Some of the time	
	3 Once in a while	
	4 Never	
	7 Refused	
	8 Not ascertained	
	9 Don't know	
	<Blank: Not in Universe>	

Sources: None
 Recodes: None
 Keywords: organized sports; soccer; head gear
 Notes: None

PCC - 16
 1998 NATIONAL HEALTH INTERVIEW SURVEY
 SAMPLE CHILD PREVENTION - PUBLIC USE
 INJURY PREVENTION
 13,645 RECORDS

Variable Name	Question	Date last modified
Question No.	Variable Universe	
Location	Universe Description	
Freq.	Variable Label	
	Value / Value Labels	
RUGB_M	During the past 12 months when playing rugby, how often did {child's name} wear a mouth guard to protect {his/her} mouth and teeth-all or most of the time, some of the time, once in a while, or never?	04/12/00
PCC.140	CSTATFLG = 1 and AGE 7-15 years and SPRT_RUG = 1 Sample children 7-15 years who have played rugby	
129	How often wore mouth guard, past 12 m	
	2 1 All or most of the time	
	2 2 Some of the time	
	0 3 Once in a while	
	3 4 Never	
	0 7 Refused	
	0 8 Not ascertained	
	0 9 Don't know	
13,638	<Blank: Not in Universe>	

Sources: None

Recodes: None

Keywords: organized sports; rugby; mouth guard

Notes: None

PCC - 17
 1998 NATIONAL HEALTH INTERVIEW SURVEY
 SAMPLE CHILD PREVENTION - PUBLIC USE
 INJURY PREVENTION
 13,645 RECORDS

Variable Name	Question	Date last modified
Question No.	Variable Universe	
Location	Universe Description	
Freq.	Variable Label	
	Value / Value Labels	
RUGB_H	During the past 12 months when playing rugby, how often did {child's name} wear protective head gear-all or most of the time, some of the time, once in a while, or never?	04/12/00
PCC.140	CSTATFLG = 1 and AGE 7-15 years and SPRT_RUG = 1 Sample children 7-15 years who have played rugby	
130	How often wore head gear, past 12 m	
	2 1 All or most of the time	
	1 2 Some of the time	
	0 3 Once in a while	
	4 4 Never	
	0 7 Refused	
	0 8 Not ascertained	
	0 9 Don't know	
13,638	<Blank: Not in Universe>	

Sources: None
 Recodes: None
 Keywords: organized sports; rugby; head gear
 Notes: None

PCC - 18
 1998 NATIONAL HEALTH INTERVIEW SURVEY
 SAMPLE CHILD PREVENTION - PUBLIC USE
 INJURY PREVENTION
 13,645 RECORDS

Variable Name	Question	Date last modified 04/12/00
Question No.	Variable Universe	
Location	Universe Description	
Freq.	Variable Label	
	Value / Value Labels	
HOCK_M	During the past 12 months when playing hockey, how often did {child's name} wear a mouth guard to protect {his/her} mouth and teeth-all or most of the time, some of the time, once in a while, or never?	
PCC.150	CSTATFLG = 1 and AGE 7-15 years and SPRT_HOC = 1 Sample children 7-15 years who have played hockey	
131	How often wore mouth guard, past 12 m	
	81 1 All or most or the time	
	5 2 Some of the time	
	2 3 Once in a while	
	33 4 Never	
	0 7 Refused	
	0 8 Not ascertained	
	1 9 Don't know	
	13,523 <Blank: Not in Universe>	

Sources: None

Recodes: None

Keywords: organized sports; field hockey; ice hockey; mouth guard

Notes: None

PCC - 19
 1998 NATIONAL HEALTH INTERVIEW SURVEY
 SAMPLE CHILD PREVENTION - PUBLIC USE
 INJURY PREVENTION
 13,645 RECORDS

Variable Name	Question	Date last modified
Question No.	Variable Universe	
Location	Universe Description	
Freq.	Variable Label	
	Value / Value Labels	
HOCK_H	During the past 12 months when playing hockey, how often did {child's name} wear protective head gear-all or most of the time, some of the time, once in a while, or never?	04/12/00
PCC.150	CSTATFLG = 1 and AGE 7-15 years and SPRT_HOC = 1 Sample children 7-15 years who have played hockey	
132	How often wore head gear, past 12 m	
	81 1 All or most or the time	
	5 2 Some of the time	
	0 3 Once in a while	
	35 4 Never	
	0 7 Refused	
	0 8 Not ascertained	
	1 9 Don't know	
	13,523 <Blank: Not in Universe>	

Sources: None

Recodes: None

Keywords: organized sports; field hockey; ice hockey; head gear

Notes: None

PCC - 20
 1998 NATIONAL HEALTH INTERVIEW SURVEY
 SAMPLE CHILD PREVENTION - PUBLIC USE
 INJURY PREVENTION
 13,645 RECORDS

Variable Name	Question	Date last modified
Question No.	Variable Universe	
Location	Universe Description	
Freq.	Variable Label	
	Value / Value Labels	
LACR_M	During the past 12 months when playing lacrosse, how often did {child's name} wear a mouth guard to protect {his/her} mouth and teeth-all or most of the time, some of the time, once in a while, or never?	04/12/00
PCC.160	CSTATFLG = 1 and AGE 7-15 years and SPRT_LAC = 1 Sample children 7-15 years who have played lacrosse	
133	How often wore mouth guard, past 12 m	
	22 1 All or most or the time	
	1 2 Some of the time	
	1 3 Once in a while	
	2 4 Never	
	0 7 Refused	
	0 8 Not ascertained	
	0 9 Don't know	
	13,619 <Blank: Not in Universe>	

Sources: None
 Recodes: None
 Keywords: organized sports; lacrosse; mouth guard
 Notes: None

PCC - 21
 1998 NATIONAL HEALTH INTERVIEW SURVEY
 SAMPLE CHILD PREVENTION - PUBLIC USE
 INJURY PREVENTION
 13,645 RECORDS

Variable Name	Question	Date last modified
Question No.	Variable Universe	
Location	Universe Description	
Freq.	Variable Label	
	Value / Value Labels	
LACR_H	During the past 12 months when playing lacrosse, how often did {child's name} wear protective head gear-all or most of the time, some of the time, once in a while, or never?	04/12/00
PCC.160	CSTATFLG = 1 and AGE 7-15 years and SPRT_LAC = 1 Sample children 7-15 years who have played lacrosse	
134	How often wore head gear, past 12 m	
	1 All or most of the time	
	3 2 Some of the time	
	0 3 Once in a while	
	6 4 Never	
	0 7 Refused	
	0 8 Not ascertained	
	0 9 Don't know	
13,619	<Blank: Not in Universe>	

Sources: None
 Recodes: None
 Keywords: organized sports; lacrosse; head gear
 Notes: None

PCC - 22
 1998 NATIONAL HEALTH INTERVIEW SURVEY
 SAMPLE CHILD PREVENTION - PUBLIC USE
 INJURY PREVENTION
 13,645 RECORDS

Variable Name	Question	Date last modified
Question No.	Variable Universe	
Location	Universe Description	
Freq.	Variable Label	
	Value / Value Labels	
WRES_M	During the past 12 months when wrestling, how often did {child's name} wear a mouth guard to protect {his/her} mouth and teeth-all or most of the time, some of the time, once in a while, or never?	04/12/00
PCC.170	CSTATFLG = 1 and AGE 7-15 years and SPRT_WRE = 1 Sample children 7-15 years who have wrestled	
135	How often wore mouth guard, past 12 m	
	1 All or most of the time	
	2 Some of the time	
	3 Once in a while	
	4 Never	
	7 Refused	
	8 Not ascertained	
	9 Don't know	
13,536	<Blank: Not in Universe>	

Sources: None

Recodes: None

Keywords: organized sports; wrestling; mouth guard

Notes: None

PCC - 23
 1998 NATIONAL HEALTH INTERVIEW SURVEY
 SAMPLE CHILD PREVENTION - PUBLIC USE
 INJURY PREVENTION
 13,645 RECORDS

Variable Name	Question	Date last modified
Question No.	Variable Universe	
Location	Universe Description	
Freq.	Variable Label	
	Value / Value Labels	
WRES_H	During the past 12 months when wrestling, how often did {child's name} wear protective head gear-all or most of the time, some of the time, once in a while, or never?	04/12/00
PCC.170	CSTATFLG = 1 and AGE 7-15 years and SPRT_WRE = 1 Sample children 7-15 years who have wrestled	
136	How often wore head gear, past 12 m	
	1 All or most of the time	
	2 Some of the time	
	3 Once in a while	
	4 Never	
	7 Refused	
	8 Not ascertained	
	9 Don't know	
13,536	<Blank: Not in Universe>	

Sources: None

Recodes: None

Keywords: organized sports; wrestling; head gear

Notes: None

PCC - 24
 1998 NATIONAL HEALTH INTERVIEW SURVEY
 SAMPLE CHILD PREVENTION - PUBLIC USE
 INJURY PREVENTION
 13,645 RECORDS

Variable Name	Question	Date last modified
Question No.	Variable Universe	
Location	Universe Description	
Freq.	Variable Label	
	Value / Value Labels	
BOX_M	During the past 12 months when boxing, how often did {child's name} wear a mouth guard to protect {his/her} mouth and teeth-all or most of the time, some of the time, once in a while, or never?	04/12/00
PCC.180	CSTATFLG = 1 and AGE 7-15 years and SPRT_BOX = 1 Sample children 7-15 years who have boxed	
137	How often wore mouth guard, past 12 m	
	1 All or most of the time	
	2 Some of the time	
	3 Once in a while	
	4 Never	
	7 Refused	
	8 Not ascertained	
	9 Don't know	
13,628	<Blank: Not in Universe>	

Sources: None

Recodes: None

Keywords: organized sports; boxing; mouth guard

Notes: None

PCC - 25
 1998 NATIONAL HEALTH INTERVIEW SURVEY
 SAMPLE CHILD PREVENTION - PUBLIC USE
 INJURY PREVENTION
 13,645 RECORDS

Variable Name	Question	Date last modified
Question No.	Variable Universe	
Location	Universe Description	
Freq.	Variable Label	
	Value / Value Labels	
BOX_H	During the past 12 months when boxing, how often did {child's name} wear protective head gear-all or most of the time, some of the time, once in a while, or never?	04/12/00
PCC.180	CSTATFLG = 1 and AGE 7-15 years and SPRT_BOX = 1 Sample children 7-15 years who have boxed	
138	How often wore head gear, past 12 m	
	1 All or most of the time	
	2 Some of the time	
	3 Once in a while	
	4 Never	
	7 Refused	
	8 Not ascertained	
	9 Don't know	
13,628	<Blank: Not in Universe>	

Sources: None

Recodes: None

Keywords: organized sports; boxing; head gear

Notes: None

PCC - 26
 1998 NATIONAL HEALTH INTERVIEW SURVEY
 SAMPLE CHILD PREVENTION - PUBLIC USE
 INJURY PREVENTION
 13,645 RECORDS

Variable Name	Question	Date last modified
Question No.	Variable Universe	
Location	Universe Description	
Freq.	Variable Label	
	Value / Value Labels	
KAR_M	During the past 12 months when practicing karate or judo, how often did {child's name} wear a mouth guard to protect {his/her} mouth and teeth-all or most of the time, some of the time, once in a while, or never?	04/12/00
PCC.190	CSTATFLG = 1 and AGE 7-15 years and SPRT_KAR = 1 Sample children 7-15 years who have practiced karate or judo	
139	How often wore mouth guard, past 12 m	
	1 All or most of the time	
	2 Some of the time	
	3 Once in a while	
	4 Never	
	7 Refused	
	8 Not ascertained	
	9 Don't know	
13,442	<Blank: Not in Universe>	

Sources: None

Recodes: None

Keywords: organized sports; karate; judo; mouth guard

Notes: None

PCC - 27
 1998 NATIONAL HEALTH INTERVIEW SURVEY
 SAMPLE CHILD PREVENTION - PUBLIC USE
 INJURY PREVENTION
 13,645 RECORDS

Variable Name	Question	Date last modified
Question No.	Variable Universe	
Location	Universe Description	
Freq.	Variable Label	
	Value / Value Labels	
KAR_H	During the past 12 months when practicing karate or judo, how often did {child's name} wear protective head gear-all or most of the time, some of the time, once in a while, or never?	04/12/00
PCC.190	CSTATFLG = 1 and AGE 7-15 years and SPRT_KAR = 1	
	Sample children 7-15 years who have practiced karate or judo	
140	How often wore head gear, past 12 m	
	1 All or most of the time	
	2 Some of the time	
	3 Once in a while	
	4 Never	
	7 Refused	
	8 Not ascertained	
	9 Don't know	
13,442	<Blank: Not in Universe>	

Sources: None

Recodes: None

Keywords: organized sports; karate; judo; head gear

Notes: None

Family Structure - PU Appendix - 1

1998 National Health Interview Survey
Public Use File Version
Person Section

FM_STRCP
FID Recode

(Family Structure)

- 11 Living alone
 - 12 Living with roommate(s)
 - 21 Married couples
 - 22 Unmarried couples
 - 23 All other adult-only families
 - 31 Mother & biological or non-biological
child(ren) only
 - 32 Father & biological or non-biological
child(ren) only
 - 33 All other single-adult & child(ren) families
 - 41 Married or unmarried parents w/
biological/adoptive child(ren) only
 - 42 Parent, step parent, & child(ren)
 - 43 Parent, cohabiting partner, & child(ren)
 - 44 At least 1 (biological/adoptive) parent, 1+
child(ren), & other related adults
 - 45 Other related &/or unrelated adults, 1+
child(ren), no biological/adoptive parent(s)
 - 99 Unknown
-