

2011 National Health Interview Survey (NHIS) 1  
 Functioning and Disability Public Use File (funcdisb)  
 IDN Variables Tuesday, May 29, 2012  
 Unweighted Frequencies

Continuous variables in the frequency  
 report only show the range of valid numbers

IDN.000\_00.000: File type identifier

RECTYPE	Frequency	Percent
10 Household	0	0.00
20 Person	0	0.00
25 Income Imputation	0	0.00
30 Sample Adult	0	0.00
31 Sample Adult Cancer	0	0.00
38 Functioning and Disability	16540	100.00
39 Adult Disability Questions Test	0	0.00
40 Sample Child	0	0.00
49 Child Disability Questions Test	0	0.00
60 Family	0	0.00
63 Family Disability Questions Test	0	0.00
65 Paradata	0	0.00
70 Injury/Poisoning Episode	0	0.00
75 Injury/Poisoning Verbatim	0	0.00

IDN.000\_02.000: Year of National Health Interview Survey

SRVY_YR	Frequency	Percent
Survey Year	16540	100.00

IDN.000\_04.000: Household Number

HHX	Frequency	Percent
Range of Values	16540	100.00

IDN.000\_25.000: Interview Quarter

INTV_QRT	Frequency	Percent
1 Quarter 1	4027	24.35
2 Quarter 2	4462	26.98
3 Quarter 3	4063	24.56
4 Quarter 4	3988	24.11

2011 National Health Interview Survey (NHIS)  
 Functioning and Disability Public Use File (funcdisb)  
 IDN Variables                      Tuesday, May 29, 2012  
 Unweighted Frequencies

IDN.000\_30.000: Interview Month

INTV_MON	Frequency	Percent
01 January	1322	7.99
02 February	1311	7.93
03 March	1394	8.43
04 April	1509	9.12
05 May	1484	8.97
06 June	1469	8.88
07 July	1299	7.85
08 August	1395	8.43
09 September	1369	8.28
10 October	1354	8.19
11 November	1327	8.02
12 December	1307	7.90

IDN.000\_35.000: Family Number

FMX	Frequency	Percent
01-25 Family number 1 - 25	16540	100.00

IDN.000\_40.000: Person Number (Within family)

FPX	Frequency	Percent
01-25 Person number 1 thru 25	16540	100.00

IDN.000\_70.000: Weight - Final Annual Functioning and Disability file

WTFA_AFD	Frequency	Percent
Range of Values	16540	100.00

2011 National Health Interview Survey (NHIS)  
Functioning and Disability Public Use File (funcdisb)  
UCF Variables Tuesday, May 29, 2012  
Unweighted Frequencies

3

UCF.000\_00.000: Pseudo-stratum for public-use file variance estimation

STRAT_P	Frequency	Percent
001-300	16540	100.00

UCF.000\_00.000: Pseudo-PSU for public-use file variance estimation

PSU_P	Frequency	Percent
01-02	16540	100.00

2011 National Health Interview Survey (NHIS)  
 Functioning and Disability Public Use File (funcdisb)  
 AFD Variables Tuesday, May 29, 2012  
 Unweighted Frequencies

AFD.100\_00.000: Degree of difficulty seeing

VIS_SS	Frequency	Percent
1 No difficulty	14312	86.53
2 Some difficulty	1711	10.34
3 A lot of difficulty	208	1.26
4 Cannot do at all/unable to do	32	0.19
7 Refused	27	0.16
8 Not ascertained	237	1.43
9 Don't know	13	0.08

AFD.150\_00.000: Degree of difficulty hearing

HEAR_SS	Frequency	Percent
1 No difficulty	14268	86.26
2 Some difficulty	1690	10.22
3 A lot of difficulty	279	1.69
4 Cannot do at all/unable to do	25	0.15
7 Refused	26	0.16
8 Not ascertained	240	1.45
9 Don't know	12	0.07

AFD.160\_00.000: Do you use a hearing aid?

HEAR_1	Frequency	Percent
1 Yes	677	4.16
2 No	15571	95.67
7 Refused	24	0.15
8 Not ascertained	1	0.01
9 Don't know	2	0.01

Frequency Missing = 265

AFD.160\_00.001: How often do you use a hearing aid?

HEAR_2	Frequency	Percent
1 All of the time	333	49.19
2 Some of the time	170	25.11
3 Rarely	53	7.83
4 Never	120	17.73
7 Refused	1	0.15
8 Not ascertained	0	0.00
9 Don't know	0	0.00

Frequency Missing = 15863

2011 National Health Interview Survey (NHIS)  
 Functioning and Disability Public Use File (funcdisb)  
 AFD Variables                      Tuesday, May 29, 2012  
 Unweighted Frequencies

AFD.170\_00.000: Degree of difficulty hearing  
 conversation with one person in quiet room

HEAR_3	Frequency	Percent
1 No difficulty	14887	91.47
2 Some difficulty	1188	7.30
3 A lot of difficulty	141	0.87
4 Cannot do at all/unable to do	11	0.07
7 Refused	30	0.18
8 Not ascertained	5	0.03
9 Don't know	13	0.08

Frequency Missing = 265

AFD.170\_00.001: Degree of difficulty hearing conversation with  
 one person in noisier room even when wearing hearing aid

HEAR_4	Frequency	Percent
1 No difficulty	11936	73.41
2 Some difficulty	3594	22.10
3 A lot of difficulty	624	3.84
4 Cannot do at all/unable to do	39	0.24
7 Refused	31	0.19
8 Not ascertained	4	0.02
9 Don't know	31	0.19

Frequency Missing = 281

AFD.180\_00.000: Degree of difficulty walking or climbing steps

MOB_SS	Frequency	Percent
1 No difficulty	13222	79.94
2 Some difficulty	1937	11.71
3 A lot of difficulty	776	4.69
4 Cannot do at all/unable to do	319	1.93
7 Refused	28	0.17
8 Not ascertained	249	1.51
9 Don't know	9	0.05

AFD.200\_00.000: Use equipment to help walk, climb stairs, or move around?

MOB_2	Frequency	Percent
1 Yes	1623	9.81
2 No	14639	88.51
7 Refused	26	0.16
8 Not ascertained	249	1.51
9 Don't know	3	0.02

2011 National Health Interview Survey (NHIS)  
 Functioning and Disability Public Use File (funcdisb)  
 AFD Variables Tuesday, May 29, 2012  
 Unweighted Frequencies

AFD.200\_00.001: Use cane or walking stick?

MOB_3A	Frequency	Percent
1 Yes	934	57.55
2 No	688	42.39
7 Refused	0	0.00
8 Not ascertained	1	0.06
9 Don't know	0	0.00

Frequency Missing = 14917

AFD.200\_00.002: Use a walker?

MOB_3B	Frequency	Percent
1 Yes	565	34.81
2 No	1057	65.13
7 Refused	0	0.00
8 Not ascertained	1	0.06
9 Don't know	0	0.00

Frequency Missing = 14917

AFD.200\_00.003: Use crutches?

MOB_3C	Frequency	Percent
1 Yes	133	8.19
2 No	1489	91.74
7 Refused	0	0.00
8 Not ascertained	1	0.06
9 Don't know	0	0.00

Frequency Missing = 14917

AFD.200\_00.004: Use a wheelchair or scooter?

MOB_3D2	Frequency	Percent
1 Yes	344	21.20
2 No	1278	78.74
7 Refused	0	0.00
8 Not ascertained	1	0.06
9 Don't know	0	0.00

Frequency Missing = 14917

2011 National Health Interview Survey (NHIS)  
 Functioning and Disability Public Use File (funcdisb)  
 AFD Variables Tuesday, May 29, 2012  
 Unweighted Frequencies

AFD.200\_00.005: Use prosthesis?

MOB_3E	Frequency	Percent
1 Yes	102	6.28
2 No	1519	93.59
7 Refused	0	0.00
8 Not ascertained	1	0.06
9 Don't know	1	0.06

Frequency Missing = 14917

AFD.200\_00.006: Use someone's assistance?

MOB_3F	Frequency	Percent
1 Yes	572	35.24
2 No	1050	64.70
7 Refused	0	0.00
8 Not ascertained	1	0.06
9 Don't know	0	0.00

Frequency Missing = 14917

AFD.200\_00.007: Use other type of equipment or help?

MOB_3G	Frequency	Percent
1 Yes	175	10.78
2 No	1446	89.09
7 Refused	0	0.00
8 Not ascertained	1	0.06
9 Don't know	1	0.06

Frequency Missing = 14917

AFD.210\_00.000: Degree of difficulty walking 100 yards  
 on level ground without the use of aid or equipment

MOB_4	Frequency	Percent
1 No difficulty	13605	85.32
2 Some difficulty	1284	8.05
3 A lot of difficulty	493	3.09
4 Cannot do at all/unable to do	517	3.24
7 Refused	29	0.18
8 Not ascertained	0	0.00
9 Don't know	18	0.11

Frequency Missing = 594

2011 National Health Interview Survey (NHIS)  
 Functioning and Disability Public Use File (funcdisb)  
 AFD Variables Tuesday, May 29, 2012  
 Unweighted Frequencies

AFD.220\_00.000: Degree of difficulty walking a third of a mile on level ground without the use of aid or equipment

MOB_5	Frequency	Percent
1 No difficulty	12727	82.49
2 Some difficulty	1512	9.80
3 A lot of difficulty	692	4.49
4 Cannot do at all/unable to do	414	2.68
7 Refused	29	0.19
8 Not ascertained	1	0.01
9 Don't know	54	0.35

Frequency Missing = 1111

AFD.230\_00.000: Degree of difficulty walking up or down 12 steps without the use of aid or equipment

MOB_6	Frequency	Percent
1 No difficulty	13284	83.31
2 Some difficulty	1598	10.02
3 A lot of difficulty	564	3.54
4 Cannot do at all/unable to do	451	2.83
7 Refused	28	0.18
8 Not ascertained	5	0.03
9 Don't know	16	0.10

Frequency Missing = 594

AFD.240\_00.000: Degree of difficulty walking 100 yards on level ground when using aid or equipment

MOB_7	Frequency	Percent
1 No difficulty	535	41.83
2 Some difficulty	281	21.97
3 A lot of difficulty	184	14.39
4 Cannot do at all/unable to do	274	21.42
7 Refused	1	0.08
8 Not ascertained	1	0.08
9 Don't know	3	0.23

Frequency Missing = 15261



2011 National Health Interview Survey (NHIS)  
 Functioning and Disability Public Use File (funcdisb)  
 AFD Variables Tuesday, May 29, 2012  
 Unweighted Frequencies

AFD.250\_00.000: Degree of difficulty walking a third of a mile on level ground when using aid or equipment

MOB_8	Frequency	Percent
1 No difficulty	468	46.61
2 Some difficulty	219	21.81
3 A lot of difficulty	187	18.63
4 Cannot do at all/unable to do	123	12.25
7 Refused	1	0.10
8 Not ascertained	0	0.00
9 Don't know	6	0.60

Frequency Missing = 15536

AFD.260\_00.000: Degree of difficulty walking up or down 12 steps using aid

MOB_9	Frequency	Percent
1 No difficulty	539	42.14
2 Some difficulty	278	21.74
3 A lot of difficulty	243	19.00
4 Cannot do at all/unable to do	216	16.89
7 Refused	1	0.08
8 Not ascertained	1	0.08
9 Don't know	1	0.08

Frequency Missing = 15261

AFD.270\_00.000: Degree of difficulty communicating using usual language

COM_SS	Frequency	Percent
1 No difficulty	15418	93.22
2 Some difficulty	700	4.23
3 A lot of difficulty	110	0.67
4 Cannot do at all/unable to do	28	0.17
7 Refused	21	0.13
8 Not ascertained	256	1.55
9 Don't know	7	0.04

AFD.290\_00.000: Use sign language?

COM_2	Frequency	Percent
1 Yes	437	2.64
2 No	15817	95.63
7 Refused	25	0.15
8 Not ascertained	257	1.55
9 Don't know	4	0.02

2011 National Health Interview Survey (NHIS)  
 Functioning and Disability Public Use File (funcdisb)  
 AFD Variables                      Tuesday, May 29, 2012  
 Unweighted Frequencies

AFD.300\_00.000: Degree of difficulty remembering or concentrating

COG_SS	Frequency	Percent
1 No difficulty	14051	84.95
2 Some difficulty	1884	11.39
3 A lot of difficulty	299	1.81
4 Cannot do at all/unable to do	18	0.11
7 Refused	24	0.15
8 Not ascertained	259	1.57
9 Don't know	5	0.03

AFD.310\_00.000: Difficulty remembering, concentrating, or both?

COG_1	Frequency	Percent
1 Difficulty remembering only	636	28.52
2 Difficulty concentrating only	281	12.60
3 Difficulty with both remembering and concentrating	1269	56.91
7 Refused	27	1.21
8 Not ascertained	0	0.00
9 Don't know	17	0.76

Frequency Missing = 14310

AFD.320\_00.000: How often have difficulty remembering?

COG_2	Frequency	Percent
1 Sometimes	1314	67.42
2 Often	383	19.65
3 All of the time	211	10.83
7 Refused	26	1.33
8 Not ascertained	1	0.05
9 Don't know	14	0.72

Frequency Missing = 14591

AFD.330\_00.000: Amount of things you have difficulty remembering?

COG_3	Frequency	Percent
1 A few things	1438	73.78
2 A lot of things	333	17.09
3 Almost everything	133	6.82
7 Refused	28	1.44
8 Not ascertained	2	0.10
9 Don't know	15	0.77

Frequency Missing = 14591

2011 National Health Interview Survey (NHIS)  
 Functioning and Disability Public Use File (funcdisb)  
 AFD Variables Tuesday, May 29, 2012  
 Unweighted Frequencies

AFD.360\_00.000: Degree of difficulty with self-care

UB_SS	Frequency	Percent
1 No difficulty	15523	93.85
2 Some difficulty	540	3.26
3 A lot of difficulty	111	0.67
4 Cannot do at all/unable to do	72	0.44
7 Refused	28	0.17
8 Not ascertained	262	1.58
9 Don't know	4	0.02

AFD.370\_00.000: Degree of difficulty raising 2 liter  
 bottle of water or soda from waist to eye level

UB_1	Frequency	Percent
1 No difficulty	15257	92.24
2 Some difficulty	686	4.15
3 A lot of difficulty	128	0.77
4 Cannot do at all/unable to do	159	0.96
7 Refused	27	0.16
8 Not ascertained	264	1.60
9 Don't know	19	0.11

AFD.380\_00.000: Degree of difficulty using hands and fingers

UB_2	Frequency	Percent
1 No difficulty	14860	89.84
2 Some difficulty	1105	6.68
3 A lot of difficulty	222	1.34
4 Cannot do at all/unable to do	51	0.31
7 Refused	30	0.18
8 Not ascertained	267	1.61
9 Don't know	5	0.03

AFD.410\_00.000: How often feel worried, nervous, or anxious?

ANX_1	Frequency	Percent
1 Daily	1504	9.09
2 Weekly	1589	9.61
3 Monthly	1400	8.46
4 A few times a year	4628	27.98
5 Never	7018	42.43
7 Refused	51	0.31
8 Not ascertained	275	1.66
9 Don't know	75	0.45

2011 National Health Interview Survey (NHIS) 12  
 Functioning and Disability Public Use File (funcdisb)  
 AFD Variables Tuesday, May 29, 2012  
 Unweighted Frequencies

AFD.420\_00.000: Take medication for worried, nervous, or anxious feelings?

ANX_2	Frequency	Percent
1 Yes	1569	9.49
2 No	14619	88.39
7 Refused	52	0.31
8 Not ascertained	277	1.67
9 Don't know	23	0.14

AFD.430\_00.000: Level of feelings when you last felt worried, nervous, or anxious?

ANX_3	Frequency	Percent
1 A little	2195	43.89
2 A lot	994	19.88
3 Somewhere in between a little and a lot	1690	33.79
7 Refused	56	1.12
8 Not ascertained	3	0.06
9 Don't know	63	1.26

Frequency Missing = 11539

AFD.440\_00.000: Last worried, nervous, or anxious feelings were closer to a little, closer to a lot, or exactly in the middle?

ANX_4	Frequency	Percent
1 Closer to a little	499	29.53
2 Closer to a lot	346	20.47
3 Exactly in the middle	832	49.23
7 Refused	1	0.06
8 Not ascertained	0	0.00
9 Don't know	12	0.71

Frequency Missing = 14850

AFD.445\_03.000: Worried, nervous, or anxious feelings help me to accomplish goals and be productive

P_ANX_4C	Frequency	Percent
1 Yes	2214	44.27
2 No	2580	51.59
7 Refused	60	1.20
8 Not ascertained	3	0.06
9 Don't know	144	2.88

Frequency Missing = 11539

2011 National Health Interview Survey (NHIS) 13  
 Functioning and Disability Public Use File (funcdisb)  
 AFD Variables Tuesday, May 29, 2012  
 Unweighted Frequencies

AFD.445\_04.000: Worried, nervous, or anxious feelings sometimes interfere with my life and I wish I did not have them

P_ANX_4D	Frequency	Percent
1 Yes	2693	53.85
2 No	2166	43.31
7 Refused	55	1.10
8 Not ascertained	3	0.06
9 Don't know	84	1.68

Frequency Missing = 11539

AFD.450\_00.000: How often do you feel depressed?

DEP_1	Frequency	Percent
1 Daily	789	4.77
2 Weekly	830	5.02
3 Monthly	913	5.52
4 A few times a year	3950	23.88
5 Never	9640	58.28
7 Refused	63	0.38
8 Not ascertained	284	1.72
9 Don't know	71	0.43

AFD.460\_00.000: Take medication for depression?

DEP_2	Frequency	Percent
1 Yes	1418	8.57
2 No	14753	89.20
7 Refused	59	0.36
8 Not ascertained	284	1.72
9 Don't know	26	0.16

AFD.470\_00.000: How depressed you felt last time you were depressed?

DEP_3	Frequency	Percent
1 A little	1205	38.42
2 A lot	809	25.80
3 Somewhere in between a little and a lot	991	31.60
7 Refused	66	2.10
8 Not ascertained	1	0.03
9 Don't know	64	2.04

Frequency Missing = 13404

2011 National Health Interview Survey (NHIS)  
 Functioning and Disability Public Use File (funcdisb)  
 AFD Variables                      Tuesday, May 29, 2012  
 Unweighted Frequencies

AFD.480\_00.000: Was the level of most recent depression closer to a little, closer to a lot, or exactly in the middle?

DEP_4	Frequency	Percent
1 Closer to a little	245	24.72
2 Closer to a lot	209	21.09
3 Exactly in the middle	521	52.57
7 Refused	1	0.10
8 Not ascertained	0	0.00
9 Don't know	15	1.51

Frequency Missing = 15549

AFD.485\_03.000: Feelings of depression sometimes interfere with my life and I wish I did not have them

P_DEP_4C	Frequency	Percent
1 Yes	2029	64.70
2 No	970	30.93
7 Refused	65	2.07
8 Not ascertained	2	0.06
9 Don't know	70	2.23

Frequency Missing = 13404

AFD.500\_00.000: Frequency of pain in past 3 months

PAIN_2	Frequency	Percent
1 Never	6806	41.15
2 Some days	6199	37.48
3 Most days	1233	7.45
4 Every day	1902	11.50
7 Refused	62	0.37
8 Not ascertained	290	1.75
9 Don't know	48	0.29

AFD.510\_00.000: How long pain lasted last time you had it?

PAIN_3	Frequency	Percent
1 Some of the day	5761	61.00
2 Most of the day	1813	19.20
3 All of the day	1740	18.42
7 Refused	61	0.65
8 Not ascertained	5	0.05
9 Don't know	64	0.68

Frequency Missing = 7096

2011 National Health Interview Survey (NHIS)  
 Functioning and Disability Public Use File (funcdisb)  
 AFD Variables Tuesday, May 29, 2012  
 Unweighted Frequencies

AFD.520\_00.000: How much pain you had last time you had pain?

PAIN_4	Frequency	Percent
1 A little	4198	44.45
2 A lot	1911	20.24
3 Somewhere in between a little and a lot	3210	33.99
7 Refused	61	0.65
8 Not ascertained	10	0.11
9 Don't know	54	0.57

Frequency Missing = 7096

AFD.530\_00.000: Was level of most recent pain closer to a little, closer to a lot, or exactly in the middle?

PAIN_5	Frequency	Percent
1 Closer to a little	705	21.96
2 Closer to a lot	716	22.31
3 Exactly in the middle	1752	54.58
7 Refused	2	0.06
8 Not ascertained	2	0.06
9 Don't know	33	1.03

Frequency Missing = 13330

AFD.540\_00.000: How often felt very tired or exhausted in past 3 months

TIRED_1	Frequency	Percent
1 Never	5803	35.08
2 Some days	7931	47.95
3 Most days	1480	8.95
4 Every day	916	5.54
7 Refused	61	0.37
8 Not ascertained	305	1.84
9 Don't know	44	0.27

AFD.550\_00.000: How long most recent tired or exhausted feelings lasted?

TIRED_2	Frequency	Percent
1 Some of the day	7289	69.87
2 Most of the day	1995	19.12
3 All of the day	1020	9.78
7 Refused	63	0.60
8 Not ascertained	0	0.00
9 Don't know	65	0.62

Frequency Missing = 6108

2011 National Health Interview Survey (NHIS) 16  
 Functioning and Disability Public Use File (funcdisb)  
 AFD Variables Tuesday, May 29, 2012  
 Unweighted Frequencies

AFD.560\_00.000: Level of tiredness last time felt very tired or exhausted

TIRED_3	Frequency	Percent
1 A little	4684	44.90
2 A lot	2259	21.65
3 Somewhere in between a little and a lot	3350	32.11
7 Refused	66	0.63
8 Not ascertained	2	0.02
9 Don't know	71	0.68

Frequency Missing = 6108

AFD.570\_00.000: Level of tiredness closer to a little,  
 closer to a lot, or exactly in the middle

TIRED_4	Frequency	Percent
1 Closer to a little	862	25.73
2 Closer to a lot	581	17.34
3 Exactly in the middle	1878	56.06
7 Refused	4	0.12
8 Not ascertained	0	0.00
9 Don't know	25	0.75

Frequency Missing = 13190

AFD.580\_00.000: How limited are you in carrying out daily activities?

QOL_1	Frequency	Percent
1 Not at all	13024	78.74
2 A little	1965	11.88
3 A lot	783	4.73
4 Completely	396	2.39
7 Refused	42	0.25
8 Not ascertained	310	1.87
9 Don't know	20	0.12

AFD.590\_00.002: Working outside the home to earn an income?

QOL_2B	Frequency	Percent
1 Do the activity	9745	58.92
2 Don't do the activity	5199	31.43
3 Unable to do the activity	1227	7.42
7 Refused	43	0.26
8 Not ascertained	315	1.90
9 Don't know	11	0.07



2011 National Health Interview Survey (NHIS)  
 Functioning and Disability Public Use File (funcdisb)  
 AFD Variables Tuesday, May 29, 2012  
 Unweighted Frequencies

AFD.590\_00.003: Going to school or achieving your education goals?

QOL_2C	Frequency	Percent
1 Do the activity	2768	16.74
2 Don't do the activity	12709	76.84
3 Unable to do the activity	694	4.20
7 Refused	43	0.26
8 Not ascertained	315	1.90
9 Don't know	11	0.07

AFD.590\_00.004: Participating in leisure or social activities?

QOL_2D	Frequency	Percent
1 Do the activity	13354	80.74
2 Don't do the activity	2415	14.60
3 Unable to do the activity	397	2.40
7 Refused	46	0.28
8 Not ascertained	315	1.90
9 Don't know	13	0.08

AFD.590\_00.005: Getting out with friends or family?

QOL_2E	Frequency	Percent
1 Do the activity	14776	89.33
2 Don't do the activity	1109	6.70
3 Unable to do the activity	280	1.69
7 Refused	45	0.27
8 Not ascertained	318	1.92
9 Don't know	12	0.07

AFD.590\_00.006: Doing household chores such as cooking and cleaning?

QOL_2F	Frequency	Percent
1 Do the activity	15048	90.98
2 Don't do the activity	786	4.75
3 Unable to do the activity	334	2.02
7 Refused	42	0.25
8 Not ascertained	318	1.92
9 Don't know	12	0.07

2011 National Health Interview Survey (NHIS)  
 Functioning and Disability Public Use File (funcdisb)  
 AFD Variables Tuesday, May 29, 2012  
 Unweighted Frequencies

AFD.590\_00.007: Using transportation to get to places you want to go?

QOL_2G	Frequency	Percent
1 Do the activity	14822	89.61
2 Don't do the activity	915	5.53
3 Unable to do the activity	430	2.60
7 Refused	44	0.27
8 Not ascertained	319	1.93
9 Don't know	10	0.06

AFD.590\_00.008: Participating in religious activities?

QOL_2H	Frequency	Percent
1 Do the activity	10148	61.35
2 Don't do the activity	5764	34.85
3 Unable to do the activity	198	1.20
7 Refused	88	0.53
8 Not ascertained	321	1.94
9 Don't know	21	0.13

AFD.590\_00.009: Participating in community gatherings?

QOL_2I	Frequency	Percent
1 Do the activity	9127	55.18
2 Don't do the activity	6719	40.62
3 Unable to do the activity	285	1.72
7 Refused	64	0.39
8 Not ascertained	321	1.94
9 Don't know	24	0.15

AFD.000\_00.000: Record completion status

RCS_AFD	Frequency	Percent
1 Not ascertained answers only	237	1.43
2 Refused and don't know answers only	15	0.09
3 Refused, DK, and not ascertained answers only	3	0.02
4 At least one valid answer	16285	98.46