

2012 NHIS Public Use Variable Summary

Child Alternative Medicine

Filename - Section: childcam - IDN

Document Version Date: June 12, 2013

| Question # | Recode | Instrument Variable Name | FinalDocName | Processing Variable Label | Location | Length |
|----------------|--------|--------------------------|--------------|--|----------|--------|
| IDN.000_00.000 | | | RECTYPE | File type identifier | 1 - 2 | 2 |
| IDN.000_02.000 | | | SRVY_YR | Year of National Health Interview Survey | 3 - 6 | 4 |
| IDN.000_04.000 | | | HHX | Household Number | 7 - 12 | 6 |
| IDN.000_35.000 | | | FMX | Family Number | 13 - 14 | 2 |
| IDN.000_40.000 | | FPX | FPX | Person Number (Within family) | 15 - 16 | 2 |
| IDN.000_70.000 | | | WTFA_SC | Weight - Final Annual | 17 - 22 | 6 |
| UCF.000_00.000 | R15 | RECODE | STRAT_P | Pseudo-stratum for public-use file variance estimation | 23 - 25 | 3 |
| UCF.000_00.000 | R16 | RECODE | PSU_P | Pseudo-PSU for public-use file variance estimation | 26 - 27 | 2 |
| CAL.001_00.000 | | CPROV1 | CPROV1 | Has a personal health care provider | 28 | 1 |
| CAL.002_01.000 | | CPROVTY1-CPROVTY4 | CPROVTY1 | Personal health care provider is a medical doctor (M.D., D.O.), including specialists | 29 | 1 |
| CAL.002_02.000 | | CPROVTY1-CPROVTY4 | CPROVTY2 | Personal health care provider is a nurse, nurse practitioner, or physician's assistant | 30 | 1 |
| CAL.002_03.000 | | CPROVTY1-CPROVTY4 | CPROVTY3 | Personal health care provider is a chiropractor, acupuncturist, or naturopath | 31 | 1 |
| CAL.002_04.000 | | CPROVTY1-CPROVTY4 | CPROVTY4 | Personal health care provider is 'other' | 32 | 1 |
| CAL.003_01.000 | | CPRVUSP1-CPRVUSP4 | CPRVUSP1 | Sees a medical doctor (M.D., D.O.) at usual place of care | 33 | 1 |
| CAL.003_02.000 | | CPRVUSP1-CPRVUSP4 | CPRVUSP2 | Sees a nurse, nurse practitioner, or physician assistant at usual place of care | 34 | 1 |
| CAL.003_03.000 | | CPRVUSP1-CPRVUSP4 | CPRVUSP3 | Sees a chiropractor, acupuncturist, or naturopath at usual place of care | 35 | 1 |
| CAL.003_04.000 | | CPRVUSP1-CPRVUSP4 | CPRVUSP4 | Sees another type of provider at usual place of care | 36 | 1 |
| CAL.004_01.000 | | CPRVRTN1-CPRVRTN4 | CPRVRTN1 | Sees a medical doctor (M.D., D.O.) for routine care | 37 | 1 |
| CAL.004_02.000 | | CPRVRTN1-CPRVRTN4 | CPRVRTN2 | Sees a nurse, nurse practitioner, or physician assistant for routine care | 38 | 1 |
| CAL.004_03.000 | | CPRVRTN1-CPRVRTN4 | CPRVRTN3 | Sees a chiropractor, acupuncturist, or naturopath for routine care | 39 | 1 |
| CAL.004_04.000 | | CPRVRTN1-CPRVRTN4 | CPRVRTN4 | Sees other type of provider for routine care | 40 | 1 |
| CAL.010_00.000 | | CCO_USE | CCO_USE | Used chiropractic or osteopathic manipulation, ever | 41 | 1 |
| CAL.011_00.000 | | CCO_EVER | CCO_EVER | Saw a practitioner for chiropractic or osteopathic manipulation, ever | 42 | 1 |

2012 NHIS Public Use Variable Summary

Child Alternative Medicine

Filename - Section: childcam - CAL

Document Version Date: June 12, 2013

| Question # | Recode | Instrument Variable Name | FinalDocName | Processing Variable Label | Location | Length |
|----------------|--------|--------------------------|--------------|--|----------|--------|
| CAL.012_00.000 | | CCO_USEM | CCO_USEM | Saw a practitioner for chiropractic or osteopathic manipulation, past 12 months | 43 | 1 |
| CAL.013_00.000 | | CCO_USM | CCO_USM | Used chiropractic or osteopathic manipulation, past 12 months | 44 | 1 |
| CAL.014_00.000 | | CCO_TYPE | CCO_TYPE | Type of provider seen for chiropractic or osteopathic manipulation | 45 | 1 |
| CAL.015_00.000 | | CCO_PMST | CCO_PMST | Type of practitioner seen the most for chiropractic or osteopathic manipulation, past 12 months | 46 | 1 |
| CAL.016_00.000 | | CCO_PHCP | CCO_PHCP | Provider seen for chiropractic manipulation is also personal healthcare provider | 47 | 1 |
| CAL.017_00.000 | | CCO_PTIM | CCO_PTIM | Knows exact number of times saw a practitioner of chiropractic or osteopathic manipulation, past 12 months | 48 | 1 |
| CAL.018_00.000 | | CCO_TMNO | CCO_TMNO | Exact number of times saw a practitioner for chiropractic or osteopathic manipulation, past 12 months | 49 - 50 | 2 |
| CAL.019_00.000 | | CCO_TMCT | CCO_TMCT | Approximate number of times saw practitioner for chiropractic or osteopathic manipulation, past 12 months | 51 - 52 | 2 |
| CAL.021_00.000 | | CCO_HIC | CCO_HIC | Any cost of seeing practitioner for chiropractic/osteopathic manipulation was covered by insurance | 53 | 1 |
| CAL.022_00.000 | | CCO_HICA | CCO_HICA | Portion of the cost of seeing practitioner for chiropractic/osteopathic manipulation covered by health insurance | 54 | 1 |
| CAL.023_00.000 | | CCO_HIT | CCO_HIT | Knows total amount paid out-of-pocket for seeing a practitioner for chiropractic/osteopathic manipulation | 55 | 1 |
| CAL.024_00.000 | | CCO_HITS | CCO_HITS | Total amount paid out-of-pocket for seeing a practitioner for chiropractic/osteopathic manipulation | 56 - 60 | 5 |
| CAL.025_00.010 | | CCO_AVGC | CCO_AVGC | Knows average amount paid out-of-pocket for each visit for chiropractic/osteopathic manipulation | 61 | 1 |
| CAL.026_00.000 | | CCO_AVGS | CCO_AVGS | Average out-of-pocket cost paid for each visit to practitioner for chiropractic/osteopathic manipulation | 62 - 64 | 3 |
| CAL.027_00.000 | | CCO_MAT | CCO_MAT | Bought self-help book or other materials to learn about chiropractic/osteopathic manipulation | 65 | 1 |
| CAL.028_00.000 | | CCO_MATC | CCO_MATC | Amount paid for self-help book or other materials to learn about chiropractic/osteopathic manipulation | 66 - 68 | 3 |
| CAL.037_00.000 | | CMS_USE | CMS_USE | Used massage for health, ever | 69 | 1 |
| CAL.038_00.000 | | CMS_EVER | CMS_EVER | Saw a provider for massage, ever | 70 | 1 |
| CAL.039_00.000 | | CMS_USEM | CMS_USEM | Saw a practitioner for massage, past 12 months | 71 | 1 |

2012 NHIS Public Use Variable Summary

Child Alternative Medicine

Filename - Section: childcam - CAL

Document Version Date: June 12, 2013

| Question # | Recode | Instrument Variable Name | FinalDocName | Processing Variable Label | Location | Length |
|----------------|--------|--------------------------|--------------|--|-----------|--------|
| CAL.040_00.000 | | CMS_USM | CMS_USM | Used massage, past 12 months | 72 | 1 |
| CAL.041_00.000 | | CMS_PTIM | CMS_PTIM | Knows exact number of times saw a practitioner for massage, past 12 months | 73 | 1 |
| CAL.042_00.000 | | CMS_TMNO | CMS_TMNO | Exact number of times saw a practitioner for massage, past 12 months | 74 - 75 | 2 |
| CAL.043_00.000 | | CMS_TMCT | CMS_TMCT | Approximate number of times saw a practitioner for massage, past 12 months | 76 - 77 | 2 |
| CAL.044_00.000 | | CMS_HIC | CMS_HIC | Any cost of seeing practitioner for massage was covered by insurance | 78 | 1 |
| CAL.045_00.000 | | CMS_HICA | CMS_HICA | Portion of the cost of seeing practitioner for massage covered by health insurance | 79 | 1 |
| CAL.046_00.000 | | CMS_HIT | CMS_HIT | Knows total amount paid out-of-pocket for seeing a practitioner for massage | 80 | 1 |
| CAL.047_00.000 | | CMS_HITS | CMS_HITS | Total amount paid out-of-pocket for seeing a practitioner for massage | 81 - 85 | 5 |
| CAL.048_00.000 | | CMS_AVGC | CMS_AVGC | Knows average amount paid out-of-pocket for each visit for massage | 86 | 1 |
| CAL.049_00.000 | | CMS_AVGS | CMS_AVGS | Average out-of-pocket cost paid for each massage visit | 87 - 89 | 3 |
| CAL.050_00.000 | | CMS_MAT | CMS_MAT | Bought self-help book or other materials to learn about massage | 90 | 1 |
| CAL.051_00.000 | | CMS_MATC | CMS_MATC | Amount paid for self-help book or other materials to learn about massage | 91 - 93 | 3 |
| CAL.061_00.000 | | CAC_USE | CAC_USE | Used acupuncture for health, ever | 94 | 1 |
| CAL.062_00.000 | | CAC_EVER | CAC_EVER | Saw a practitioner for acupuncture, ever | 95 | 1 |
| CAL.063_00.000 | | CAC_USEM | CAC_USEM | Saw a practitioner for acupuncture, past 12 months | 96 | 1 |
| CAL.064_00.000 | | CAC_USM | CAC_USM | Used acupuncture, past 12 months | 97 | 1 |
| CAL.065_00.000 | | CAC_PTIM | CAC_PTIM | Knows exact number of times saw a practitioner for acupuncture, past 12 months | 98 | 1 |
| CAL.066_00.000 | | CAC_TMNO | CAC_TMNO | Exact number of times saw a practitioner for acupuncture, past 12 months | 99 - 100 | 2 |
| CAL.067_00.000 | | CAC_TMCT | CAC_TMCT | Approximate number of times saw a practitioner for acupuncture, past 12 months | 101 - 102 | 2 |
| CAL.068_00.000 | | CAC_HIC | CAC_HIC | Any cost of seeing practitioner for acupuncture was covered by insurance | 103 | 1 |
| CAL.069_00.000 | | CAC_HICA | CAC_HICA | Portion of the cost of seeing practitioner for acupuncture covered by health insurance | 104 | 1 |
| CAL.070_00.000 | | CAC_HIT | CAC_HIT | Knows total amount paid out-of-pocket for seeing a practitioner for acupuncture | 105 | 1 |

2012 NHIS Public Use Variable Summary

Child Alternative Medicine

Filename - Section: childcam - CAL

Document Version Date: June 12, 2013

| Question # | Recode | Instrument Variable Name | FinalDocName | Processing Variable Label | Location | Length |
|----------------|--------|--------------------------|--------------|---|-----------|--------|
| CAL.071_00.000 | | CAC_HITS | CAC_HITS | Total amount paid out-of-pocket for seeing a practitioner for acupuncture | 106 - 110 | 5 |
| CAL.072_00.000 | | CAC_AVGC | CAC_AVGC | Knows average amount paid out-of-pocket per visit for acupuncture | 111 | 1 |
| CAL.073_00.000 | | CAC_AVGS | CAC_AVGS | Average out-of-pocket cost paid for each acupuncture visit | 112 - 114 | 3 |
| CAL.074_00.000 | | CAC_MAT | CAC_MAT | Bought self-help book or other materials to learn about acupuncture | 115 | 1 |
| CAL.075_00.000 | | CAC_MATC | CAC_MATC | Amount paid for self-help book or other materials to learn about acupuncture | 116 - 118 | 3 |
| CAL.085_00.000 | | CEH_USE | CEH_USE | Used energy healing therapy for health, ever | 119 | 1 |
| CAL.086_00.000 | | CEH_EVER | CEH_EVER | Saw a practitioner for energy healing therapy, ever | 120 | 1 |
| CAL.087_00.000 | | CEH_USEM | CEH_USEM | Saw a practitioner for energy healing therapy, past 12 months | 121 | 1 |
| CAL.088_00.000 | | CEH_USM | CEH_USM | Used energy healing therapy, past 12 months | 122 | 1 |
| CAL.089_00.000 | | CEH_PTIM | CEH_PTIM | Knows exact number of times saw a practitioner for energy healing therapy, past 12 months | 123 | 1 |
| CAL.090_00.000 | | CEH_TMNO | CEH_TMNO | Exact number of times saw a practitioner for energy healing therapy, past 12 months | 124 - 125 | 2 |
| CAL.091_00.000 | | CEH_TMCT | CEH_TMCT | Approximate number of times saw a practitioner for energy healing therapy, past 12 months | 126 - 127 | 2 |
| CAL.092_00.000 | | CEH_HIC | CEH_HIC | Any cost of seeing a practitioner for energy healing therapy was covered by insurance | 128 | 1 |
| CAL.093_00.000 | | CEH_HICA | CEH_HICA | Portion of the cost of seeing a practitioner for energy healing therapy covered by health insurance | 129 | 1 |
| CAL.094_00.000 | | CEH_HIT | CEH_HIT | Knows total amount paid out-of-pocket for seeing a practitioner for energy healing therapy | 130 | 1 |
| CAL.095_00.000 | | CEH_HITS | CEH_HITS | Total amount paid for seeing a practitioner for energy healing therapy | 131 - 135 | 5 |
| CAL.096_00.000 | | CEH_AVGC | CEH_AVGC | Knows average amount paid out-of-pocket per visit for energy healing therapy | 136 | 1 |
| CAL.097_00.000 | | CEH_AVGS | CEH_AVGS | Average out-of-pocket cost paid for each energy healing therapy visit | 137 - 139 | 3 |
| CAL.098_00.000 | | CEH_MAT | CEH_MAT | Bought self-help book or other materials to learn about energy healing therapy | 140 | 1 |
| CAL.099_00.000 | | CEH_MATC | CEH_MATC | Amount paid for self-help book or other materials to learn about energy healing therapy | 141 - 143 | 3 |
| CAL.109_00.000 | | CNT_USE | CNT_USE | Used naturopathy for health, ever | 144 | 1 |

2012 NHIS Public Use Variable Summary

Child Alternative Medicine

Filename - Section: childcam - CAL

Document Version Date: June 12, 2013

| Question # | Recode | Instrument Variable Name | FinalDocName | Processing Variable Label | Location | Length |
|----------------|--------|--------------------------|--------------|---|-----------|--------|
| CAL.110_00.000 | | CNT_EVER | CNT_EVER | Saw a practitioner for naturopathy, ever | 145 | 1 |
| CAL.111_00.000 | | CNT_USEM | CNT_USEM | Saw a practitioner for naturopathy, past 12 months | 146 | 1 |
| CAL.112_00.000 | | CNT_USM | CNT_USM | Used naturopathy, past 12 months | 147 | 1 |
| CAL.113_00.000 | | CNT_PTIM | CNT_PTIM | Knows exact number of times saw a practitioner for naturopathy, past 12 months | 148 | 1 |
| CAL.114_00.000 | | CNT_TMNO | CNT_TMNO | Exact number of times saw a practitioner for naturopathy, past 12 months | 149 - 150 | 2 |
| CAL.115_00.000 | | CNT_TMCT | CNT_TMCT | Approximate number of times saw a practitioner for naturopathy, past 12 months | 151 - 152 | 2 |
| CAL.116_00.000 | | CNT_HIC | CNT_HIC | Any cost of seeing practitioner for naturopathy was covered by insurance | 153 | 1 |
| CAL.117_00.000 | | CNT_HICA | CNT_HICA | Portion of the cost of seeing practitioner for naturopathy covered by insurance | 154 | 1 |
| CAL.118_00.000 | | CNT_HIT | CNT_HIT | Knows total amount paid out-of-pocket for seeing a practitioner for naturopathy | 155 | 1 |
| CAL.119_00.000 | | CNT_HITS | CNT_HITS | Total amount paid out-of-pocket for seeing a practitioner for naturopathy | 156 - 160 | 5 |
| CAL.120_00.000 | | CNT_AVGC | CNT_AVGC | Knows average amount paid out-of-pocket per visit for seeing a practitioner for naturopathy | 161 | 1 |
| CAL.121_00.000 | | CNT_AVGS | CNT_AVGS | Average out-of-pocket cost paid for each naturopathy visit | 162 - 164 | 3 |
| CAL.122_00.000 | | CNT_MAT | CNT_MAT | Bought self-help book or other materials to learn about naturopathy | 165 | 1 |
| CAL.123_00.000 | | CNT_MATC | CNT_MATC | Amount paid for self-help book or other materials to learn about naturopathy | 166 - 168 | 3 |
| CAL.133_00.000 | | CHY_USE | CHY_USE | Used hypnosis for health, ever | 169 | 1 |
| CAL.134_00.000 | | CHY_EVER | CHY_EVER | Saw a practitioner for hypnosis, ever | 170 | 1 |
| CAL.135_00.000 | | CHY_USEM | CHY_USEM | Saw a practitioner for hypnosis, past 12 months | 171 | 1 |
| CAL.136_00.000 | | CHY_BRTH | CHY_BRTH | Did breathing exercises as part of hypnosis | 172 | 1 |
| CAL.137_00.000 | | CHY_USM | CHY_USM | Used hypnosis, past 12 months | 173 | 1 |
| CAL.138_00.000 | | CHY_PTIM | CHY_PTIM | Knows exact number of times saw a practitioner for hypnosis, past 12 months | 174 | 1 |
| CAL.139_00.000 | | CHY_TMNO | CHY_TMNO | Exact number of times saw a practitioner for hypnosis, past 12 months | 175 - 176 | 2 |
| CAL.140_00.000 | | CHY_TMCT | CHY_TMCT | Approximate number of times saw a practitioner for hypnosis, past 12 months | 177 - 178 | 2 |
| CAL.141_00.000 | | CHY_HIC | CHY_HIC | Any cost of seeing practitioner for hypnosis was covered by insurance | 179 | 1 |

2012 NHIS Public Use Variable Summary

Child Alternative Medicine

Filename - Section: childcam - CAL

Document Version Date: June 12, 2013

| Question # | Recode | Instrument Variable Name | FinalDocName | Processing Variable Label | Location | Length |
|----------------|--------|--------------------------|--------------|---|-----------|--------|
| CAL.142_00.000 | | CHY_HICA | CHY_HICA | Portion of the cost of seeing practitioner for hypnosis covered by insurance | 180 | 1 |
| CAL.143_00.000 | | CHY_HIT | CHY_HIT | Knows total amount paid out-of-pocket for seeing a practitioner for hypnosis | 181 | 1 |
| CAL.144_00.000 | | CHY_HITS | CHY_HITS | Total amount paid out-of-pocket for seeing a practitioner for hypnosis | 182 - 186 | 5 |
| CAL.145_00.000 | | CHY_AVGC | CHY_AVGC | Knows average amount paid out-of-pocket per visit for seeing a practitioner for hypnosis | 187 | 1 |
| CAL.146_00.000 | | CHY_AVGS | CHY_AVGS | Average amount paid out-of-pocket per visit for seeing a practitioner for hypnosis | 188 - 190 | 3 |
| CAL.147_00.000 | | CHY_MAT | CHY_MAT | Bought self-help book or other materials to learn about hypnosis | 191 | 1 |
| CAL.148_00.000 | | CHY_MATC | CHY_MATC | Amount paid for self-help book or other materials to learn about hypnosis | 192 - 194 | 3 |
| CAL.158_00.000 | | CBI_USE | CBI_USE | Used biofeedback for health, ever | 195 | 1 |
| CAL.159_00.000 | | CBI_EVER | CBI_EVER | Saw a practitioner for biofeedback, ever | 196 | 1 |
| CAL.160_00.000 | | CBI_USEM | CBI_USEM | Saw a practitioner for biofeedback, past 12 months | 197 | 1 |
| CAL.161_00.000 | | CBI_BRTH | CBI_BRTH | Did breathing exercises as part of biofeedback | 198 | 1 |
| CAL.162_00.000 | | CBI_USM | CBI_USM | Used biofeedback, past 12 months | 199 | 1 |
| CAL.163_00.000 | | CBI_PTIM | CBI_PTIM | Knows exact number of times saw a practitioner for biofeedback, past 12 months | 200 | 1 |
| CAL.164_00.000 | | CBI_TMNO | CBI_TMNO | Exact number of times saw a practitioner for biofeedback, past 12 months | 201 - 202 | 2 |
| CAL.165_00.000 | | CBI_TMCT | CBI_TMCT | Approximate number of times saw a practitioner for biofeedback, past 12 months | 203 - 204 | 2 |
| CAL.166_00.000 | | CBI_HIC | CBI_HIC | Any cost of seeing practitioner for biofeedback was covered by insurance | 205 | 1 |
| CAL.167_00.000 | | CBI_HICA | CBI_HICA | Portion of the cost of seeing practitioner for biofeedback covered by insurance | 206 | 1 |
| CAL.168_00.000 | | CBI_HIT | CBI_HIT | Knows total amount paid out-of-pocket for seeing a practitioner for | 207 | 1 |
| CAL.169_00.000 | | CBI_HITS | CBI_HITS | Total amount paid out-of-pocket for seeing a practitioner for biofeedback | 208 - 212 | 5 |
| CAL.170_00.000 | | CBI_AVGC | CBI_AVGC | Knows average amount paid out-of-pocket per visit for seeing a practitioner for biofeedback | 213 | 1 |
| CAL.171_00.000 | | CBI_AVGS | CBI_AVGS | Average amount paid out-of-pocket per visit for biofeedback | 214 - 216 | 3 |
| CAL.172_00.000 | | CBI_MAT | CBI_MAT | Bought self-help book or other materials to learn about biofeedback | 217 | 1 |

2012 NHIS Public Use Variable Summary

Child Alternative Medicine

Filename - Section: childcam - CAL

Document Version Date: June 12, 2013

| Question # | Recode | Instrument Variable Name | FinalDocName | Processing Variable Label | Location | Length |
|----------------|--------|--------------------------|--------------|--|-----------|--------|
| CAL.173_00.000 | | CBI_MATC | CBI_MATC | Amount paid for self-help book or other materials to learn about biofeedback | 218 - 220 | 3 |
| CAL.183_00.000 | | CAY_USE | CAY_USE | Used ayurveda for health, ever | 221 | 1 |
| CAL.184_00.000 | | CAY_EVER | CAY_EVER | Saw a practitioner for ayurveda, ever | 222 | 1 |
| CAL.185_00.000 | | CAY_USEM | CAY_USEM | Saw a practitioner for ayurveda, past 12 months | 223 | 1 |
| CAL.186_00.000 | | CAY_USM | CAY_USM | Used ayurveda, past 12 months | 224 | 1 |
| CAL.187_00.000 | | CAY_PTIM | CAY_PTIM | Knows exact number of times saw a practitioner for ayurveda, past 12 months | 225 | 1 |
| CAL.188_00.000 | | CAY_TMNO | CAY_TMNO | Exact number of times saw a practitioner for ayurveda, past 12 months | 226 - 227 | 2 |
| CAL.189_00.000 | | CAY_TMCT | CAY_TMCT | Approximate number of times saw a practitioner for ayurveda, past 12 months | 228 - 229 | 2 |
| CAL.190_00.000 | | CAY_HIC | CAY_HIC | Any cost of seeing practitioner for ayurveda was covered by insurance | 230 | 1 |
| CAL.191_00.000 | | CAY_HICA | CAY_HICA | Portion of the cost of seeing practitioner for ayurveda covered by insurance | 231 | 1 |
| CAL.192_00.000 | | CAY_HIT | CAY_HIT | Knows total amount paid out-of-pocket for seeing a practitioner for ayurveda | 232 | 1 |
| CAL.193_00.000 | | CAY_HITS | CAY_HITS | Total amount paid out-of-pocket for seeing a practitioner for ayurveda | 233 - 237 | 5 |
| CAL.194_00.000 | | CAY_AVGC | CAY_AVGC | Knows average amount paid out-of-pocket per visit for ayurveda | 238 | 1 |
| CAL.195_00.000 | | CAY_AVGS | CAY_AVGS | Average out-of-pocket cost paid for each ayurveda visit | 239 - 241 | 3 |
| CAL.196_00.000 | | CAY_MAT | CAY_MAT | Bought self-help book or other materials to learn about ayurveda | 242 | 1 |
| CAL.197_00.000 | | CAY_MATC | CAY_MATC | Amount paid for self-help book or other materials to learn about ayurveda | 243 - 245 | 3 |
| CAL.207_00.000 | | CCH_USE | CCH_USE | Used chelation therapy for health, ever | 246 | 1 |
| CAL.208_00.000 | | CCH_EVER | CCH_EVER | Saw a practitioner for chelation therapy, ever | 247 | 1 |
| CAL.209_00.000 | | CCH_USEM | CCH_USEM | Saw a practitioner for chelation therapy, past 12 months | 248 | 1 |
| CAL.210_00.000 | | CCH_USM | CCH_USM | Used chelation therapy, past 12 months | 249 | 1 |
| CAL.211_00.000 | | CCH_PTIM | CCH_PTIM | Knows exact number of times saw a practitioner for chelation therapy, past 12 months | 250 | 1 |
| CAL.212_00.000 | | CCH_TMNO | CCH_TMNO | Exact number of times saw a practitioner for chelation therapy, past 12 months | 251 - 252 | 2 |
| CAL.213_00.000 | | CCH_TMCT | CCH_TMCT | Approximate number of times saw a practitioner for chelation therapy, past 12 months | 253 - 254 | 2 |

2012 NHIS Public Use Variable Summary

Child Alternative Medicine

Filename - Section: childcam - CAL

Document Version Date: June 12, 2013

| Question # | Recode | Instrument Variable Name | FinalDocName | Processing Variable Label | Location | Length |
|----------------|--------|--------------------------|--------------|--|-----------|--------|
| CAL.214_00.000 | | CCH_HIC | CCH_HIC | Any cost of seeing practitioner for chelation therapy was covered by insurance | 255 | 1 |
| CAL.215_00.000 | | CCH_HICA | CCH_HICA | Portion of the cost of seeing practitioner for chelation therapy covered by insurance | 256 | 1 |
| CAL.216_00.000 | | CCH_HIT | CCH_HIT | Knows total amount paid out-of-pocket for seeing a practitioner for chelation therapy | 257 | 1 |
| CAL.217_00.000 | | CCH_HITS | CCH_HITS | Total amount paid out-of-pocket for seeing a practitioner for chelation therapy | 258 - 262 | 5 |
| CAL.218_00.000 | | CCH_AVGC | CCH_AVGC | Knows average amount paid out-of-pocket per visit for chelation therapy | 263 | 1 |
| CAL.219_00.000 | | CCH_AVGS | CCH_AVGS | Average amount out-of-pocket cost paid for each chelation therapy visit | 264 - 266 | 3 |
| CAL.220_00.000 | | CCH_MAT | CCH_MAT | Bought self-help book or other materials to learn about chelation therapy | 267 | 1 |
| CAL.221_00.000 | | CCH_MATC | CCH_MATC | Amount paid for self-help book or other materials to learn about chelation therapy | 268 - 270 | 3 |
| CAL.231_00.000 | | CCS_USE | CCS_USE | Used craniosacral therapy for health, ever | 271 | 1 |
| CAL.232_00.000 | | CCS_EVER | CCS_EVER | Saw a practitioner for craniosacral therapy, ever | 272 | 1 |
| CAL.233_00.000 | | CCS_USEM | CCS_USEM | Saw a practitioner for craniosacral therapy, past 12 months | 273 | 1 |
| CAL.234_00.000 | | CCS_USM | CCS_USM | Used craniosacral therapy, past 12 months | 274 | 1 |
| CAL.235_00.000 | | CCS_PTIM | CCS_PTIM | Knows exact number of times saw a practitioner for craniosacral therapy, past 12 months | 275 | 1 |
| CAL.236_00.000 | | CCS_TMNO | CCS_TMNO | Exact number of times saw a practitioner for craniosacral therapy, past 12 months | 276 - 277 | 2 |
| CAL.237_00.000 | | CCS_TMCT | CCS_TMCT | Approximate number of times saw a practitioner for craniosacral therapy, past 12 months | 278 - 279 | 2 |
| CAL.238_00.000 | | CCS_HIC | CCS_HIC | Any cost of seeing practitioner for craniosacral therapy was covered by insurance | 280 | 1 |
| CAL.239_00.000 | | CCS_HICA | CCS_HICA | Portion of the cost of seeing practitioner for craniosacral therapy covered by insurance | 281 | 1 |
| CAL.240_00.000 | | CCS_HIT | CCS_HIT | Knows total amount paid out-of-pocket for seeing a practitioner for craniosacral therapy | 282 | 1 |
| CAL.241_00.000 | | CCS_HITS | CCS_HITS | Total amount paid out-of-pocket for seeing a practitioner for craniosacral therapy | 283 - 287 | 5 |

2012 NHIS Public Use Variable Summary

Child Alternative Medicine

Filename - Section: childcam - CAL

Document Version Date: June 12, 2013

| Question # | Recode | Instrument Variable Name | FinalDocName | Processing Variable Label | Location | Length |
|----------------|--------|--------------------------|--------------|---|-----------|--------|
| CAL.242_00.000 | | CCS_AVGC | CCS_AVGC | Knows average amount paid out-of-pocket per visit for craniosacral therapy | 288 | 1 |
| CAL.243_00.000 | | CCS_AVGS | CCS_AVGS | Average out-of-pocket cost paid for each craniosacral therapy visit | 289 - 291 | 3 |
| CAL.244_00.000 | | CCS_MAT | CCS_MAT | Bought self-help book or other materials to learn about craniosacral therapy | 292 | 1 |
| CAL.245_00.000 | | CCS_MATC | CCS_MATC | Amount paid for self-help book or other materials to learn about craniosacral therapy | 293 - 295 | 3 |
| CAL.255_00.000 | | CTR_EVR | CTR_EVR | Ever seen a traditional healer | 296 | 1 |
| CAL.256_01.010 | | CTREVR1-CTREVR6 | CTREVR1 | Ever seen a Native American Healer or Medicine Man | 297 | 1 |
| CAL.256_02.010 | | CTREVR1-CTREVR6 | CTREVR2 | Ever seen a Shaman | 298 | 1 |
| CAL.256_03.010 | | CTREVR1-CTREVR6 | CTREVR3 | Ever seen a Curandero or Parchero | 299 | 1 |
| CAL.256_04.010 | | CTREVR1-CTREVR6 | CTREVR4 | Ever seen a Yerbero or Hierbista | 300 | 1 |
| CAL.256_05.010 | | CTREVR1-CTREVR6 | CTREVR5 | Ever seen a Sobador | 301 | 1 |
| CAL.256_06.010 | | CTREVR1-CTREVR6 | CTREVR6 | Ever seen a Huesero | 302 | 1 |
| CAL.257_00.000 | | CTRU_NAH | CTRU_NAH | Saw a Native American Healer or Medicine Man, past 12 months | 303 | 1 |
| CAL.258_00.000 | | CTRU_SHA | CTRU_SHA | Saw a Shaman, past 12 months | 304 | 1 |
| CAL.259_00.000 | | CTRU_CUR | CTRU_CUR | Saw a Curandero or Parchero, past 12 months | 305 | 1 |
| CAL.260_00.000 | | CTRU_YER | CTRU_YER | Saw a Yerbero or Hierbista, past 12 months | 306 | 1 |
| CAL.261_00.000 | | CTRU_SOB | CTRU_SOB | Saw a Sobador, past 12 months | 307 | 1 |
| CAL.262_00.000 | | CTRU_HUE | CTRU_HUE | Saw a Huesero, past 12 months | 308 | 1 |
| CAL.263_00.000 | | CTR_PTIM | CTR_PTIM | Knows exact number of times saw a traditional healer, past 12 months | 309 | 1 |
| CAL.264_00.000 | | CTR_TMNO | CTR_TMNO | Exact number of times saw a traditional healer, past 12 months | 310 - 311 | 2 |
| CAL.265_00.000 | | CTR_TMCT | CTR_TMCT | Approximate number of times saw a traditional healer, past 12 months | 312 - 313 | 2 |
| CAL.266_00.000 | | CTR_HIC | CTR_HIC | Any cost of seeing traditional healer was covered by insurance | 314 | 1 |
| CAL.267_00.000 | | CTR_HICA | CTR_HICA | Portion of the cost of seeing traditional healer covered by insurance | 315 | 1 |
| CAL.268_00.000 | | CTR_HIT | CTR_HIT | Knows total amount paid out-of-pocket for seeing a traditional healer | 316 | 1 |

2012 NHIS Public Use Variable Summary

Child Alternative Medicine

Filename - Section: childcam - CAL

Document Version Date: June 12, 2013

| Question # | Recode | Instrument Variable Name | FinalDocName | Processing Variable Label | Location | Length |
|----------------|--------|--------------------------|--------------|--|-----------|--------|
| CAL.269_00.000 | | CTR_HITS | CTR_HITS | Total amount paid out-of-pocket for seeing a traditional healer | 317 - 321 | 5 |
| CAL.270_00.000 | | CTR_AVGC | CTR_AVGC | Knows average amount paid out-of-pocket per visit to traditional healer | 322 | 1 |
| CAL.271_00.000 | | CTR_AVGS | CTR_AVGS | Average out-of-pocket cost paid for each traditional healer visit | 323 - 325 | 3 |
| CAL.272_00.000 | | CTR_MAT | CTR_MAT | Bought self-help book or other materials to learn about traditional healers | 326 | 1 |
| CAL.273_00.000 | | CTR_MATC | CTR_MATC | Amount paid for self-help book or other materials to learn about traditional healers | 327 - 329 | 3 |
| CAL.283_00.000 | | CVT_USE | CVT_USE | Ever taken multi-vitamins or multi-minerals | 330 | 1 |
| CAL.284_00.000 | | CVT_USM | CVT_USM | Taken multi-vitamins or multi-minerals in past 12 months | 331 | 1 |
| CAL.285_00.000 | | CVT_ABEV | CVT_ABEV | Ever taken vitamins A, B, C, D, E, H, or K | 332 | 1 |
| CAL.286_00.000 | | CVT_ABUM | CVT_ABUM | Taken vitamins A,B,C,D,E,H, or K in past 12 months | 333 | 1 |
| CAL.287_00.000 | | CVT_CAEV | CVT_CAEV | Ever taken calcium, magnesium, iron, chromium, zinc, selenium, or potassium | 334 | 1 |
| CAL.288_00.000 | | CVT_CAUM | CVT_CAUM | Taken calcium, magnesium, iron, chromium, zinc, selenium, or potassium in past 12 months | 335 | 1 |
| CAL.298_00.000 | | CHB_EVR | CHB_EVR | Ever taken any herbal or other non-vitamin supplements | 336 | 1 |
| CAL.299_00.000 | | CHB_USM | CHB_USM | Taken any herbal or other non-vitamin supplements in past 12 months | 337 | 1 |
| CAL.300_01.000 | | CHBLST01-CHBLST22 | CHBLST01 | Taken combination herb pill, past 12 months | 338 | 1 |
| CAL.300_02.000 | | CHBLST01-CHBLST22 | CHBLST02 | Taken acai pills or gencaps, past 12 months | 339 | 1 |
| CAL.300_03.000 | | CHBLST01-CHBLST22 | CHBLST03 | Taken bee pollen (or other bee products), past 12 months | 340 | 1 |
| CAL.300_04.000 | | CHBLST01-CHBLST22 | CHBLST04 | Taken chondroitin, past 12 months | 341 | 1 |
| CAL.300_05.000 | | CHBLST01-CHBLST22 | CHBLST05 | Taken Co-enzyme Q10 (CoQ10), past 12 months | 342 | 1 |
| CAL.300_06.000 | | CHBLST01-CHBLST22 | CHBLST06 | Taken cranberry pills or capsules, past 12 months | 343 | 1 |
| CAL.300_07.000 | | CHBLST01-CHBLST22 | CHBLST07 | Taken digestive enzymes (lactaid), past 12 months | 344 | 1 |
| CAL.300_08.000 | | CHBLST01-CHBLST22 | CHBLST08 | Taken echinacea, past 12 months | 345 | 1 |
| CAL.300_09.000 | | CHBLST01-CHBLST22 | CHBLST09 | Taken fish oil (or omega 3, DHA, or EPA fatty acid) supplements, past 12 months | 346 | 1 |
| CAL.300_10.000 | | CHBLST01-CHBLST22 | CHBLST10 | Taken garlic supplements, past 12 months | 347 | 1 |

2012 NHIS Public Use Variable Summary

Child Alternative Medicine

Filename - Section: childcam - CAL

Document Version Date: June 12, 2013

| Question # | Recode | Instrument Variable Name | FinalDocName | Processing Variable Label | Location | Length |
|----------------|--------|--------------------------|--------------|---|----------|--------|
| CAL.300_11.000 | | CHBLST01-CHBLST22 | CHBLST11 | Taken Ginkgo Biloba, past 12 months | 348 | 1 |
| CAL.300_12.000 | | CHBLST01-CHBLST22 | CHBLST12 | Taken Ginseng, past 12 months | 349 | 1 |
| CAL.300_13.000 | | CHBLST01-CHBLST22 | CHBLST13 | Taken glucosamine, past 12 months | 350 | 1 |
| CAL.300_14.000 | | CHBLST01-CHBLST22 | CHBLST14 | Taken green tea pills or EGCG pills, past 12 months | 351 | 1 |
| CAL.300_15.000 | | CHBLST01-CHBLST22 | CHBLST15 | Taken melatonin, past 12 months | 352 | 1 |
| CAL.300_16.000 | | CHBLST01-CHBLST22 | CHBLST16 | Taken milk thistle (silymarin), past 12 months | 353 | 1 |
| CAL.300_17.000 | | CHBLST01-CHBLST22 | CHBLST17 | Taken MSM (Methylsulfonylmethane), past 12 months | 354 | 1 |
| CAL.300_18.000 | | CHBLST01-CHBLST22 | CHBLST18 | Taken probiotics or prebiotics, past 12 months | 355 | 1 |
| CAL.300_19.000 | | CHBLST01-CHBLST22 | CHBLST19 | Taken SAM-e, past 12 months | 356 | 1 |
| CAL.300_20.000 | | CHBLST01-CHBLST22 | CHBLST20 | Taken saw palmetto, past 12 months | 357 | 1 |
| CAL.300_21.000 | | CHBLST01-CHBLST22 | CHBLST21 | Taken valerian, past 12 months | 358 | 1 |
| CAL.300_22.000 | | CHBLST01-CHBLST22 | CHBLST22 | Taken other herbs or non-vitamin supplements, past 12 months | 359 | 1 |
| CAL.301_00.000 | | CHB_MON | CHB_MON | Has taken any specific herbs or other non-vitamin supplements in past 30 days | 360 | 1 |
| CAL.302_01.000 | | CHBLSM01-CHBLSM22 | CHBLSM01 | Taken combination herb pill, past 30 days | 361 | 1 |
| CAL.302_02.000 | | CHBLSM01-CHBLSM22 | CHBLSM02 | Taken acai pills or gelpcaps, past 30 days | 362 | 1 |
| CAL.302_03.000 | | CHBLSM01-CHBLSM22 | CHBLSM03 | Taken bee pollen (or other bee products), past 30 days | 363 | 1 |
| CAL.302_04.000 | | CHBLSM01-CHBLSM22 | CHBLSM04 | Taken chondroitin, past 30 days | 364 | 1 |
| CAL.302_05.000 | | CHBLSM01-CHBLSM22 | CHBLSM05 | Taken co-enzyme Q10 (CoQ10), past 30 days | 365 | 1 |
| CAL.302_06.000 | | CHBLSM01-CHBLSM22 | CHBLSM06 | Taken cranberry pills or capsules, past 30 days | 366 | 1 |
| CAL.302_07.000 | | CHBLSM01-CHBLSM22 | CHBLSM07 | Taken digestive enzymes (lactaid), past 30 days | 367 | 1 |
| CAL.302_08.000 | | CHBLSM01-CHBLSM22 | CHBLSM08 | Taken echinacea, past 30 days | 368 | 1 |
| CAL.302_09.000 | | CHBLSM01-CHBLSM22 | CHBLSM09 | Taken fish oil (or omega 3, DHA, or EPA fatty acid) supplements, past 30 days | 369 | 1 |
| CAL.302_10.000 | | CHBLSM01-CHBLSM22 | CHBLSM10 | Taken garlic supplements, past 30 days | 370 | 1 |
| CAL.302_11.000 | | CHBLSM01-CHBLSM22 | CHBLSM11 | Taken ginkgo biloba, past 30 days | 371 | 1 |

2012 NHIS Public Use Variable Summary

Child Alternative Medicine

Filename - Section: childcam - CAL

Document Version Date: June 12, 2013

| Question # | Recode | Instrument Variable Name | FinalDocName | Processing Variable Label | Location | Length |
|----------------|--------|--------------------------|--------------|---|-----------|--------|
| CAL.302_12.000 | | CHBLSM01-CHBLSM22 | CHBLSM12 | Taken ginseng, past 30 days | 372 | 1 |
| CAL.302_13.000 | | CHBLSM01-CHBLSM22 | CHBLSM13 | Taken glucosamine, past 30 days | 373 | 1 |
| CAL.302_14.000 | | CHBLSM01-CHBLSM22 | CHBLSM14 | Taken green tea pills or EGCG pills, past 30 days | 374 | 1 |
| CAL.302_15.000 | | CHBLSM01-CHBLSM22 | CHBLSM15 | Taken melatonin, past 30 days | 375 | 1 |
| CAL.302_16.000 | | CHBLSM01-CHBLSM22 | CHBLSM16 | Taken milk thistle (silymarin), past 30 days | 376 | 1 |
| CAL.302_17.000 | | CHBLSM01-CHBLSM22 | CHBLSM17 | Taken MSM (methylsulfonylmethane), past 30 days | 377 | 1 |
| CAL.302_18.000 | | CHBLSM01-CHBLSM22 | CHBLSM18 | Taken probiotics or prebiotics, past 30 days | 378 | 1 |
| CAL.302_19.000 | | CHBLSM01-CHBLSM22 | CHBLSM19 | Taken SAM-e, past 30 days | 379 | 1 |
| CAL.302_20.000 | | CHBLSM01-CHBLSM22 | CHBLSM20 | Taken saw palmetto, past 30 days | 380 | 1 |
| CAL.302_21.000 | | CHBLSM01-CHBLSM22 | CHBLSM21 | Taken valerian, past 30 days | 381 | 1 |
| CAL.302_22.000 | | CHBLSM01-CHBLSM22 | CHBLSM22 | Taken other herb or other non-vitamin supplement, past 30 days | 382 | 1 |
| CAL.303_00.000 | | CHB_CHPN | CHB_CHPN | Number of different combination herb pills taken | 383 - 384 | 2 |
| CAL.304_02.000 | | CHBCP102-CHBCP122 | CHBCP102 | First combination herb pill taken included: acai | 385 | 1 |
| CAL.304_03.000 | | CHBCP102-CHBCP122 | CHBCP103 | First combination herb pill taken included: bee pollen or other bee products | 386 | 1 |
| CAL.304_04.000 | | CHBCP102-CHBCP122 | CHBCP104 | First combination herb pill taken included: chondroitin | 387 | 1 |
| CAL.304_05.000 | | CHBCP102-CHBCP122 | CHBCP105 | First combination herb pill taken included: co-enzyme Q10 (CoQ10) | 388 | 1 |
| CAL.304_06.000 | | CHBCP102-CHBCP122 | CHBCP106 | First combination herb pill taken included: cranberry | 389 | 1 |
| CAL.304_07.000 | | CHBCP102-CHBCP122 | CHBCP107 | First combination herb pill taken included: digestive enzymes | 390 | 1 |
| CAL.304_08.000 | | CHBCP102-CHBCP122 | CHBCP108 | First combination herb pill taken included: echinacea | 391 | 1 |
| CAL.304_09.000 | | CHBCP102-CHBCP122 | CHBCP109 | First combination herb pill taken included: fish oil (or omega 3, DHA, or EPA fatty acid) | 392 | 1 |
| CAL.304_10.000 | | CHBCP102-CHBCP122 | CHBCP110 | First combination herb pill taken included: garlic | 393 | 1 |
| CAL.304_11.000 | | CHBCP102-CHBCP122 | CHBCP111 | First combination herb pill taken included: ginkgo biloba | 394 | 1 |
| CAL.304_12.000 | | CHBCP102-CHBCP122 | CHBCP112 | First combination herb pill taken included: ginseng | 395 | 1 |

2012 NHIS Public Use Variable Summary

Child Alternative Medicine

Filename - Section: childcam - CAL

Document Version Date: June 12, 2013

| Question # | Recode | Instrument Variable Name | FinalDocName | Processing Variable Label | Location | Length |
|----------------|--------|--------------------------|--------------|--|----------|--------|
| CAL.304_13.000 | | CHBCP102-CHBCP122 | CHBCP113 | First combination herb pill taken included: glucosamine | 396 | 1 |
| CAL.304_14.000 | | CHBCP102-CHBCP122 | CHBCP114 | First combination herb pill taken included: green tea or EGCG | 397 | 1 |
| CAL.304_15.000 | | CHBCP102-CHBCP122 | CHBCP115 | First combination herb pill taken included: melatonin | 398 | 1 |
| CAL.304_16.000 | | CHBCP102-CHBCP122 | CHBCP116 | First combination herb pill taken included: milk thistle (silymarin) | 399 | 1 |
| CAL.304_17.000 | | CHBCP102-CHBCP122 | CHBCP117 | First combination herb pill taken included: MSM (methylsulfonylmethane) | 400 | 1 |
| CAL.304_18.000 | | CHBCP102-CHBCP122 | CHBCP118 | First combination herb pill taken included: probiotics or prebiotics | 401 | 1 |
| CAL.304_19.000 | | CHBCP102-CHBCP122 | CHBCP119 | First combination herb pill taken included: SAM-e | 402 | 1 |
| CAL.304_20.000 | | CHBCP102-CHBCP122 | CHBCP120 | First combination herb pill taken included: saw palmetto | 403 | 1 |
| CAL.304_21.000 | | CHBCP102-CHBCP122 | CHBCP121 | First combination herb pill taken included: valerian | 404 | 1 |
| CAL.304_22.000 | | CHBCP102-CHBCP122 | CHBCP122 | First combination herb pill taken included: other herbs or non-vitamin supplements | 405 | 1 |
| CAL.305_02.000 | | CHBCP202-CHBCP222 | CHBCP202 | Second combination herb pill taken included: acai | 406 | 1 |
| CAL.305_03.000 | | CHBCP202-CHBCP222 | CHBCP203 | Second combination herb pill taken included: bee pollen or other bee products | 407 | 1 |
| CAL.305_04.000 | | CHBCP202-CHBCP222 | CHBCP204 | Second combination herb pill taken included: chondroitin | 408 | 1 |
| CAL.305_05.000 | | CHBCP202-CHBCP222 | CHBCP205 | Second combination herb pill taken included: co-enzyme Q10 (CoQ10) | 409 | 1 |
| CAL.305_06.000 | | CHBCP202-CHBCP222 | CHBCP206 | Second combination herb pill taken included: cranberry | 410 | 1 |
| CAL.305_07.000 | | CHBCP202-CHBCP222 | CHBCP207 | Second combination herb pill taken included: digestive enzymes | 411 | 1 |
| CAL.305_08.000 | | CHBCP202-CHBCP222 | CHBCP208 | Second combination herb pill taken included: echinacea | 412 | 1 |
| CAL.305_09.000 | | CHBCP202-CHBCP222 | CHBCP209 | Second combination herb pill taken included: fish oil (or omega 3, DHA, or EPA fatty acid) | 413 | 1 |
| CAL.305_10.000 | | CHBCP202-CHBCP222 | CHBCP210 | Second combination herb pill taken included: garlic | 414 | 1 |
| CAL.305_11.000 | | CHBCP202-CHBCP222 | CHBCP211 | Second combination herb pill taken included: ginkgo biloba | 415 | 1 |
| CAL.305_12.000 | | CHBCP202-CHBCP222 | CHBCP212 | Second combination herb pill taken included: ginseng | 416 | 1 |
| CAL.305_13.000 | | CHBCP202-CHBCP222 | CHBCP213 | Second combination herb pill taken included: glucosamine | 417 | 1 |
| CAL.305_14.000 | | CHBCP202-CHBCP222 | CHBCP214 | Second combination herb pill taken included: green tea or EGCG | 418 | 1 |

2012 NHIS Public Use Variable Summary

Child Alternative Medicine

Filename - Section: childcam - CAL

Document Version Date: June 12, 2013

| Question # | Recode | Instrument Variable Name | FinalDocName | Processing Variable Label | Location | Length |
|----------------|--------|--------------------------|--------------|---|-----------|--------|
| CAL.305_15.000 | | CHBCP202-CHBCP222 | CHBCP215 | Second combination herb pill taken included: melatonin | 419 | 1 |
| CAL.305_16.000 | | CHBCP202-CHBCP222 | CHBCP216 | Second combination herb pill taken included: milk thistle (silymarin) | 420 | 1 |
| CAL.305_17.000 | | CHBCP202-CHBCP222 | CHBCP217 | Second combination herb pill taken included: MSM (methylsulfonylmethane) | 421 | 1 |
| CAL.305_18.000 | | CHBCP202-CHBCP222 | CHBCP218 | Second combination herb pill taken included: probiotics or prebiotics | 422 | 1 |
| CAL.305_19.000 | | CHBCP202-CHBCP222 | CHBCP219 | Second combination herb pill taken included: SAM-e | 423 | 1 |
| CAL.305_20.000 | | CHBCP202-CHBCP222 | CHBCP220 | Second combination herb pill taken included: saw palmetto | 424 | 1 |
| CAL.305_21.000 | | CHBCP202-CHBCP222 | CHBCP221 | Second combination herb pill taken included: valerian | 425 | 1 |
| CAL.305_22.000 | | CHBCP202-CHBCP222 | CHBCP222 | Second combination herb pill taken included: other herbs or non-vitamin supplements | 426 | 1 |
| CAL.306_00.000 | | CHB_MOTH | CHB_MOTH | Number of other herbs or non-vitamin supplements taken, past 30 days | 427 - 428 | 2 |
| CAL.307_01.000 | | CHB_LU1C | CHB_LU1C | First herb or non-vitamin supplement taken, past 30 days | 429 - 431 | 3 |
| CAL.308_01.000 | | CHB_LU2C | CHB_LU2C | Second herb or non-vitamin supplement taken, past 30 days | 432 - 434 | 3 |
| CAL.310_00.000 | | CHB_TP21 | CHB_TP21 | First of the top two herbal supplements taken most often | 435 - 436 | 2 |
| CAL.311_00.000 | | CHB_TP22 | CHB_TP22 | Second of the top two herbal supplements taken most often | 437 - 438 | 2 |
| CAL.312_00.000 | | CHB_EVR1 | CHB_EVR1 | Ever seen a practitioner for herbs or other non-vitamin supplements | 439 | 1 |
| CAL.313_00.000 | | CHB_USE1 | CHB_USE1 | Saw a practitioner for herbs or other non-vitamin supplements, past 12 months | 440 | 1 |
| CAL.314_00.000 | | CVT_BOFN | CVT_BOFN | Number of times per week, month, or year bought vitamins and minerals | 441 - 443 | 3 |
| CAL.315_00.000 | | CVT_BOFT | CVT_BOFT | Time period for how often vitamins and minerals were bought | 444 | 1 |
| CAL.316_00.000 | | CVT_CST1 | CVT_CST1 | Approximate cost paid for last purchase of vitamins or minerals | 445 - 448 | 4 |
| CAL.317_00.000 | | CHB_BOFN | CHB_BOFN | Number of times per week, month, or year bought herbs or other non-vitamin supplements | 449 - 451 | 3 |
| CAL.318_00.000 | | CHB_BOFT | CHB_BOFT | Time period for how often herbs or other non-vitamin supplements were bought | 452 | 1 |
| CAL.319_00.000 | | CHB_CST1 | CHB_CST1 | Approximate cost paid for last purchase of vitamins or minerals | 453 - 456 | 4 |
| CAL.320_00.000 | | CHB_PTIM | CHB_PTIM | Knows exact number of times saw a practitioner for herbs or other non-vitamin supplements, past 12 months | 457 | 1 |

2012 NHIS Public Use Variable Summary

Child Alternative Medicine

Filename - Section: childcam - CAL

Document Version Date: June 12, 2013

| Question # | Recode | Instrument Variable Name | FinalDocName | Processing Variable Label | Location | Length |
|----------------|--------|--------------------------|--------------|--|-----------|--------|
| CAL.321_00.000 | | CHB_TMNO | CHB_TMNO | Exact number of times saw a practitioner for herbs or other non-vitamin supplements, past 12 months | 458 - 459 | 2 |
| CAL.322_00.000 | | CHB_TMCT | CHB_TMCT | Approximate number of times saw a practitioner for herbs or other non-vitamin supplements, past 12 months | 460 - 461 | 2 |
| CAL.323_00.000 | | CHB_HIC | CHB_HIC | Any cost of seeing a practitioner for herbs or other non-vitamin supplements was covered by insurance | 462 | 1 |
| CAL.324_00.000 | | CHB_HICA | CHB_HICA | Portion of the cost of seeing practitioner for herbs or other non-vitamin supplements covered by insurance | 463 | 1 |
| CAL.325_00.000 | | CHB_HIT | CHB_HIT | Knows total amount paid out-of-pocket for seeing a practitioner for herbs or other non-vitamin supplements | 464 | 1 |
| CAL.326_00.000 | | CHB_HITS | CHB_HITS | Total amount paid out-of-pocket for seeing a practitioner for herbs or other non-vitamin supplements | 465 - 469 | 5 |
| CAL.327_00.000 | | CHB_AVGC | CHB_AVGC | Knows average amount paid out-of-pocket per visit for herbs or other non-vitamin supplements | 470 | 1 |
| CAL.328_00.000 | | CHB_AVGS | CHB_AVGS | Average out-of-pocket cost paid for each visit for herbs or other non-vitamin supplements | 471 - 473 | 3 |
| CAL.329_00.000 | | CHB_MAT | CHB_MAT | Bought self-help book or other materials to learn about herbs or other non-vitamin supplements | 474 | 1 |
| CAL.330_00.000 | | CHB_MATC | CHB_MATC | Amount paid for self-help book or other materials to learn about herbs or other non-vitamin supplements | 475 - 477 | 3 |
| CAL.340_00.000 | | CHM_USE | CHM_USE | Used homeopathy for health, ever | 478 | 1 |
| CAL.341_00.000 | | CHM_USM | CHM_USM | Used homeopathy for health, past 12 months | 479 | 1 |
| CAL.342_00.000 | | CHM_OFTN | CHM_OFTN | Number of times per week, month, or year bought homeopathic medicine | 480 - 482 | 3 |
| CAL.343_00.000 | | CHM_OFTT | CHM_OFTT | Time period for how often homeopathic medicine was bought | 483 | 1 |
| CAL.344_00.000 | | CHM_COST | CHM_COST | Approximate cost paid for last purchase of homeopathic medicine | 484 - 487 | 4 |
| CAL.345_00.000 | | CHM_EVER | CHM_EVER | Saw a practitioner for homeopathy, ever | 488 | 1 |
| CAL.346_00.000 | | CHM_USEM | CHM_USEM | Saw a practitioner for homeopathy, past 12 months | 489 | 1 |
| CAL.347_00.000 | | CHM_PTIM | CHM_PTIM | Knows exact number of times saw a practitioner for homeopathy, past 12 months | 490 | 1 |
| CAL.348_00.000 | | CHM_TMNO | CHM_TMNO | Exact number of times saw a practitioner for homeopathy, past 12 months | 491 - 492 | 2 |

2012 NHIS Public Use Variable Summary

Child Alternative Medicine

Filename - Section: childcam - CAL

Document Version Date: June 12, 2013

| Question # | Recode | Instrument Variable Name | FinalDocName | Processing Variable Label | Location | Length |
|----------------|--------|--------------------------|--------------|--|-----------|--------|
| CAL.349_00.000 | | CHM_TMCT | CHM_TMCT | Approximate number of times saw a practitioner for homeopathy, past 12 months | 493 - 494 | 2 |
| CAL.350_00.000 | | CHM_HIC | CHM_HIC | Any cost of seeing practitioner for homeopathy was covered by insurance | 495 | 1 |
| CAL.351_00.000 | | CHM_HICA | CHM_HICA | Portion of the cost of seeing practitioner for homeopathy covered by insurance | 496 | 1 |
| CAL.352_00.000 | | CHM_HIT | CHM_HIT | Knows total amount paid out-of-pocket for seeing a practitioner for homeopathy | 497 | 1 |
| CAL.353_00.000 | | CHM_HITS | CHM_HITS | Total amount paid out-of-pocket for seeing a practitioner for homeopathy | 498 - 502 | 5 |
| CAL.354_00.000 | | CHM_AVGC | CHM_AVGC | Knows average amount paid out-of-pocket per visit for homeopathy | 503 | 1 |
| CAL.355_00.000 | | CHM_AVGS | CHM_AVGS | Average out-of-pocket cost paid for each homeopathy visit | 504 - 506 | 3 |
| CAL.356_00.000 | | CHM_MAT | CHM_MAT | Bought self-help book or other materials to learn about homeopathy | 507 | 1 |
| CAL.357_00.000 | | CHM_MATC | CHM_MATC | Amount paid for self-help book or other materials to learn about homeopathy | 508 - 510 | 3 |
| CAL.367_00.000 | | CMB_USE | CMB_USE | Used meditation, guided imagery, or progressive relaxation for health, ever | 511 | 1 |
| CAL.368_00.000 | | CMBE_MAN | CMBE_MAN | Ever used mantra meditation | 512 | 1 |
| CAL.369_00.000 | | CMBE_MND | CMBE_MND | Ever used mindfulness meditation | 513 | 1 |
| CAL.370_00.000 | | CMBE_SPR | CMBE_SPR | Ever used spiritual meditation | 514 | 1 |
| CAL.371_00.000 | | CMBE_IMG | CMBE_IMG | Ever used guided imagery | 515 | 1 |
| CAL.372_00.000 | | CMBE_PRO | CMBE_PRO | Ever used progressive relaxation | 516 | 1 |
| CAL.373_00.000 | | CMBU_MAN | CMBU_MAN | Used mantra meditation, past 12 months | 517 | 1 |
| CAL.374_00.000 | | CMBU_MND | CMBU_MND | Used mindfulness meditation, past 12 months | 518 | 1 |
| CAL.375_00.000 | | CMBU_SPR | CMBU_SPR | Used spiritual meditation, past 12 months | 519 | 1 |
| CAL.376_00.000 | | CMBU_IMG | CMBU_IMG | Used guided imagery, past 12 months | 520 | 1 |
| CAL.377_00.000 | | CMBU_PRO | CMBU_PRO | Used progressive relaxation, past 12 months | 521 | 1 |
| CAL.377_00.010 | | CMB_CNT | CMB_CNT | Count variable for number of mind-body therapies used | 522 - 524 | 3 |
| CAL.378_00.000 | | CMB_MST1 | CMB_MST1 | Type of mind-body therapy used the most, past 12 months | 525 | 1 |
| CAL.379_00.000 | | CMB_BRTH | CMB_BRTH | Did breathing exercises as part of mind-body therapy | 526 | 1 |

2012 NHIS Public Use Variable Summary

Child Alternative Medicine

Filename - Section: childcam - CAL

Document Version Date: June 12, 2013

| Question # | Recode | Instrument Variable Name | FinalDocName | Processing Variable Label | Location | Length |
|----------------|--------|--------------------------|--------------|---|-----------|--------|
| CAL.380_00.000 | | CMB_USEM | CMB_USEM | Saw a practitioner for mind-body therapy, past 12 months | 527 | 1 |
| CAL.381_00.000 | | CMB_PTIM | CMB_PTIM | Knows exact number of times saw practitioner for mind-body therapy, past 12 months | 528 | 1 |
| CAL.382_00.000 | | CMB_TMNO | CMB_TMNO | Exact number of times saw practitioner for mind-body therapy, past 12 months | 529 - 530 | 2 |
| CAL.383_00.000 | | CMB_TMCT | CMB_TMCT | Approximate number of times saw practitioner for mind-body therapy, past 12 months | 531 - 532 | 2 |
| CAL.384_00.000 | | CMB_HIC | CMB_HIC | Any cost of seeing a practitioner or taking a class for mind-body therapy was covered by insurance | 533 | 1 |
| CAL.385_00.000 | | CMB_HICA | CMB_HICA | Portion of the cost of seeing a practitioner or taking a class for mind-body therapy covered by insurance | 534 | 1 |
| CAL.386_00.000 | | CMB_HIT | CMB_HIT | Knows total amount paid out-of-pocket for seeing a practitioner or taking a class for mind-body therapy | 535 | 1 |
| CAL.387_00.000 | | CMB_HITS | CMB_HITS | Total amount paid out-of-pocket for seeing a practitioner or taking a class for mind-body therapy | 536 - 540 | 5 |
| CAL.388_00.000 | | CMB_AVGC | CMB_AVGC | Knows average amount paid out-of-pocket per visit or class for mind-body therapy | 541 | 1 |
| CAL.389_00.000 | | CMB_AVGS | CMB_AVGS | Average amount paid out-of-pocket per visit or class for mind-body therapy | 542 - 544 | 3 |
| CAL.390_00.000 | | CMB_MAT | CMB_MAT | Bought self-help book or other material to learn about mind-body therapy | 545 | 1 |
| CAL.391_00.000 | | CMB_MATC | CMB_MATC | Amount paid for self-help book or other material to learn about mind-body therapy | 546 - 548 | 3 |
| CAL.401_00.000 | | CYGE_YOG | CYGE_YOG | Ever practiced yoga | 549 | 1 |
| CAL.402_00.000 | | CYGE_TAI | CYGE_TAI | Ever practiced tai chi | 550 | 1 |
| CAL.403_00.000 | | CYGE_QIG | CYGE_QIG | Ever practiced qi gong | 551 | 1 |
| CAL.404_00.000 | | CYGU_YOG | CYGU_YOG | Practiced yoga, past 12 months | 552 | 1 |
| CAL.405_00.000 | | CYGU_TAI | CYGU_TAI | Practiced tai chi, past 12 months | 553 | 1 |
| CAL.406_00.000 | | CYGU_QIG | CYGU_QIG | Practiced qi gong, past 12 months | 554 | 1 |
| CAL.407_00.010 | | CYG_BTHY | CYG_BTHY | Does breathing exercises as part of yoga | 555 | 1 |
| CAL.408_00.020 | | CYG_BTHT | CYG_BTHT | Does breathing exercises as part of tai chi | 556 | 1 |

2012 NHIS Public Use Variable Summary

Child Alternative Medicine

Filename - Section: childcam - CAL

Document Version Date: June 12, 2013

| Question # | Recode | Instrument Variable Name | FinalDocName | Processing Variable Label | Location | Length |
|----------------|--------|--------------------------|--------------|---|-----------|--------|
| CAL.409_00.030 | | CYG_BTHQ | CYG_BTHQ | Does breathing exercises as part of qi gong | 557 | 1 |
| CAL.410_00.010 | | CYG_MEDY | CYG_MEDY | Does meditation as part of yoga | 558 | 1 |
| CAL.411_00.020 | | CYG_MEDT | CYG_MEDT | Does meditation as part of tai chi | 559 | 1 |
| CAL.412_00.030 | | CYG_MEDQ | CYG_MEDQ | Does meditation as part of qi gong | 560 | 1 |
| CAL.412_00.040 | | CYG_CNT | CYG_CNT | Count variable for yoga/tai chi/qi gong | 561 - 563 | 3 |
| CAL.413_00.000 | | CYG_MOST | CYG_MOST | Type of exercise practiced the most, past 12 months | 564 | 1 |
| CAL.414_00.000 | | CYG_USEM | CYG_USEM | Took a class or received formal training for yoga/tai chi/qi gong, past 12 months | 565 | 1 |
| CAL.415_00.000 | | CYG_PTIM | CYG_PTIM | Knows exact number of times saw an instructor for yoga/tai chi/qi gong, past 12 months | 566 | 1 |
| CAL.416_00.000 | | CYG_TMNO | CYG_TMNO | Exact number of times saw an instructor for yoga/tai chi/qi gong, past 12 months | 567 - 568 | 2 |
| CAL.417_00.000 | | CYG_TMCT | CYG_TMCT | Approximate number of times saw an instructor for yoga/tai chi/qi gong, past 12 months | 569 - 570 | 2 |
| CAL.418_00.000 | | CYG_HIC | CYG_HIC | Any cost of seeing an instructor for yoga/tai chi/qi gong was covered by insurance | 571 | 1 |
| CAL.419_00.000 | | CYG_HICA | CYG_HICA | Portion of the cost of seeing an instructor for yoga/tai chi/qi gong covered by insurance | 572 | 1 |
| CAL.420_00.000 | | CYG_HIT | CYG_HIT | Knows total amount paid out-of-pocket for seeing an instructor for yoga/tai chi/qi gong | 573 | 1 |
| CAL.421_00.000 | | CYG_HITS | CYG_HITS | Total amount paid out-of-pocket for seeing an instructor for yoga/tai chi/qi gong | 574 - 578 | 5 |
| CAL.422_00.000 | | CYG_AVGC | CYG_AVGC | Knows average amount paid out-of-pocket per visit for seeing an instructor for yoga/tai chi/qi gong | 579 | 1 |
| CAL.423_00.000 | | CYG_AVGS | CYG_AVGS | Average amount paid out-of-pocket per visit for seeing an instructor for yoga/tai chi/qi gong | 580 - 582 | 3 |
| CAL.424_00.000 | | CYG_MAT | CYG_MAT | Bought self-help book or other material to learn about yoga/tai chi/qi gong | 583 | 1 |
| CAL.425_00.000 | | CYG_MATC | CYG_MATC | Amount paid for self-help book or other material to learn about yoga/tai chi/qi gong | 584 - 586 | 3 |
| CAL.435_00.000 | | CDTE_VEG | CDTEVER1 | Ever used vegetarian (including vegan) diet for two weeks or more for health reasons | 587 | 1 |

2012 NHIS Public Use Variable Summary

Child Alternative Medicine

Filename - Section: childcam - CAL

Document Version Date: June 12, 2013

| Question # | Recode | Instrument Variable Name | FinalDocName | Processing Variable Label | Location | Length |
|----------------|--------|--------------------------|--------------|---|-----------|--------|
| CAL.436_00.000 | | CDTEVER2 | CDTEVER2 | Ever used macrobiotic diet for two weeks or more for health reasons | 588 | 1 |
| CAL.437_00.000 | | CDTEVER3 | CDTEVER3 | Ever used atkins diet for two weeks or more for health reasons | 589 | 1 |
| CAL.438_00.000 | | CDTEVER4 | CDTEVER4 | Ever used pritikin diet for two weeks or more for health reasons | 590 | 1 |
| CAL.439_00.000 | | CDTEVER5 | CDTEVER5 | Ever used ornish diet for two weeks or more for health reasons | 591 | 1 |
| CAL.440_00.000 | | CDT_USM1 | CDT_USM1 | Used vegetarian diet for two weeks or more for health reasons, past 12 months | 592 | 1 |
| CAL.441_00.000 | | CDT_USM2 | CDT_USM2 | Used macrobiotic diet for two weeks or more for health reasons, past 12 months | 593 | 1 |
| CAL.442_00.000 | | CDT_USM3 | CDT_USM3 | Used atkins diet for two weeks or more for health reasons, past 12 months | 594 | 1 |
| CAL.443_00.000 | | CDT_USM4 | CDT_USM4 | Used pritikin diet for two weeks or more for health reasons, past 12 months | 595 | 1 |
| CAL.444_00.000 | | CDT_USM5 | CDT_USM5 | Used ornish diet for two weeks or more for health reasons, past 12 months | 596 | 1 |
| CAL.445_00.000 | | CDT_WGT1 | CDT_WGT1 | Used special diets for weight control or weight loss | 597 | 1 |
| CAL.446_00.000 | | CDT_PRE | CDT_PRE | Ever saw a practitioner for special diets | 598 | 1 |
| CAL.447_00.000 | | CDT_PRU | CDT_PRU | Saw a practitioner for special diets, past 12 months | 599 | 1 |
| CAL.448_00.000 | | CDT_PTIM | CDT_PTIM | Knows exact number of times saw a practitioner for special diets, past 12 months | 600 | 1 |
| CAL.449_00.000 | | CDT_TMNO | CDT_TMNO | Exact number of times saw a practitioner for special diets, past 12 months | 601 - 602 | 2 |
| CAL.450_00.000 | | CDT_TMCT | CDT_TMCT | Approximate number of times saw a practitioner for special diets, past 12 months | 603 - 604 | 2 |
| CAL.451_00.000 | | CDT_HIC | CDT_HIC | Any cost of seeing practitioner for special diets was covered by insurance | 605 | 1 |
| CAL.452_00.000 | | CDT_HICA | CDT_HICA | Portion of the cost of seeing practitioner for special diets covered by insurance | 606 | 1 |
| CAL.453_00.000 | | CDT_HIT | CDT_HIT | Knows total amount paid out-of-pocket for seeing a practitioner for special diets | 607 | 1 |
| CAL.454_00.000 | | CDT_HITS | CDT_HITS | Total amount paid out-of-pocket for seeing a practitioner for special diets | 608 - 612 | 5 |
| CAL.455_00.000 | | CDT_AVGC | CDT_AVGC | Knows average amount paid out-of-pocket per visit for seeing a practitioner for special diets | 613 | 1 |
| CAL.456_00.000 | | CDT_AVGS | CDT_AVGS | Average amount paid out-of-pocket per visit for seeing a practitioner for special diets | 614 - 616 | 3 |
| CAL.457_00.000 | | CDT_MAT | CDT_MAT | Bought self-help book or other materials to learn about special diets | 617 | 1 |

2012 NHIS Public Use Variable Summary

Child Alternative Medicine

Filename - Section: childcam - CAL

Document Version Date: June 12, 2013

| Question # | Recode | Instrument Variable Name | FinalDocName | Processing Variable Label | Location | Length |
|----------------|--------|--------------------------|--------------|--|-----------|--------|
| CAL.458_00.000 | | CDT_MATC | CDT_MATC | Amount paid for self-help book or other materials to learn about special diets | 618 - 620 | 3 |
| CAL.468_00.000 | | CMVE_FLD | CMVE_FLD | Ever practiced Feldenkrais | 621 | 1 |
| CAL.469_00.000 | | CMVE_ALX | CMVE_ALX | Ever practiced Alexander Technique | 622 | 1 |
| CAL.470_00.000 | | CMVE_PIL | CMVE_PIL | Ever practiced Pilates | 623 | 1 |
| CAL.471_00.000 | | CMVE_TPI | CMVE_TPI | Ever practiced Trager Psychophysical Integration | 624 | 1 |
| CAL.472_00.000 | | CMVP_FLD | CMVP_FLD | Ever seen a practitioner for Feldenkrais | 625 | 1 |
| CAL.473_00.000 | | CMVP_ALX | CMVP_ALX | Ever seen a practitioner for Alexander Technique | 626 | 1 |
| CAL.474_00.000 | | CMVP_PIL | CMVP_PIL | Ever seen a practitioner for Pilates | 627 | 1 |
| CAL.475_00.000 | | CMVP_TPI | CMVP_TPI | Ever seen a practitioner for Trager Psychophysical Integration | 628 | 1 |
| CAL.476_00.000 | | CMV_FLD | CMV_FLD | Saw a practitioner for Feldnekrais, past 12 months | 629 | 1 |
| CAL.477_00.000 | | CMV_ALX | CMV_ALX | Saw a practitioner for Alexander Technique, past 12 months | 630 | 1 |
| CAL.478_00.000 | | CMV_PIL | CMV_PIL | Saw a practitioner for Pilates, past 12 months | 631 | 1 |
| CAL.479_00.000 | | CMV_TPI | CMV_TPI | Saw a practitioner for Trager Psychophysical Integration, past 12 months | 632 | 1 |
| CAL.480_00.000 | | CMVU_FLD | CMVU_FLD | Used Feldenkrais, past 12 months | 633 | 1 |
| CAL.481_00.000 | | CMVU_ALX | CMVU_ALX | Used Alexander Technique, past 12 months | 634 | 1 |
| CAL.482_00.000 | | CMVU_PIL | CMVU_PIL | Used Pilates, past 12 months | 635 | 1 |
| CAL.483_00.000 | | CMVU_TPI | CMVU_TPI | Used Trager Psychophysical Integration, past 12 months | 636 | 1 |
| CAL.484_00.000 | | CMV_PTIM | CMV_PTIM | Knows exact number of times saw practitioner/teacher for movement and exercise techniques, past 12 months | 637 | 1 |
| CAL.485_00.000 | | CMV_TMNO | CMV_TMNO | Exact number of times saw practitioner/teacher for movement and exercise techniques, past 12 months | 638 - 639 | 2 |
| CAL.486_00.000 | | CMV_TMCT | CMV_TMCT | Approximate number of times saw practitioner/teacher for movement and exercise techniques, past 12 months | 640 - 641 | 2 |
| CAL.487_00.000 | | CMV_HIC | CMV_HIC | Any cost of seeing a practitioner/teacher for movement and exercise techniques was covered by insurance | 642 | 1 |
| CAL.488_00.000 | | CMV_HICA | CMV_HICA | Portion of the cost of seeing a practitioner/teacher for movement and exercise techniques covered by insurance | 643 | 1 |

2012 NHIS Public Use Variable Summary

Child Alternative Medicine

Filename - Section: childcam - CAL

Document Version Date: June 12, 2013

| Question # | Recode | Instrument Variable Name | FinalDocName | Processing Variable Label | Location | Length |
|----------------|--------|--------------------------|--------------|--|-----------|--------|
| CAL.489_00.000 | | CMV_HIT | CMV_HIT | Knows total amount paid out-of-pocket for seeing a practitioner/teacher for movement and exercise techniques | 644 | 1 |
| CAL.490_00.000 | | CMV_HITS | CMV_HITS | Total amount paid out-of-pocket for seeing a practitioner/teacher for movement and exercise techniques | 645 - 649 | 5 |
| CAL.491_00.000 | | CMV_AVGC | CMV_AVGC | Knows average amount paid out-of-pocket per visit for seeing a practitioner/teacher for movement and exercise techniques | 650 | 1 |
| CAL.492_00.000 | | CMV_AVGS | CMV_AVGS | Average amount paid out-of-pocket per visit for seeing a practitioner/teacher for movement and exercise techniques | 651 - 653 | 3 |
| CAL.493_00.000 | | CMV_MAT | CMV_MAT | Bought self-help book or other materials to learn about movement and exercise techniques | 654 | 1 |
| CAL.494_00.000 | | CMV_MATC | CMV_MATC | Amount paid for self-help book or other materials to learn about movement and exercise techniques | 655 - 657 | 3 |
| CAL.500_00.000 | | CAL_CNT | CAL_CNT | Count variable for number of alternative therapies used | 658 - 659 | 2 |
| CAL.505_00.000 | | CAL_TP31 | CAL_TP31 | First of top 3 most important therapies | 660 - 661 | 2 |
| CAL.506_00.000 | | CAL_TP32 | CAL_TP32 | Second of top 3 most important therapies | 662 - 663 | 2 |
| CAL.507_00.000 | | CAL_TP33 | CAL_TP33 | Third of top 3 most important therapies | 664 - 665 | 2 |
| CAL.510_00.000 | | CTP1REA1 | CTP1REA1 | Used/saw practitioner for first top therapy: for general wellness or general disease prevention | 666 | 1 |
| CAL.511_00.000 | | CTP1REA2 | CTP1REA2 | Used/saw practitioner for first top therapy: to improve energy | 667 | 1 |
| CAL.512_00.000 | | CTP1REA3 | CTP1REA3 | Used/saw practitioner for first top therapy: to improve immune function | 668 | 1 |
| CAL.513_00.000 | | CTP1REA4 | CTP1REA4 | Used/saw practitioner for first top therapy: to improve athletic or sports performance | 669 | 1 |
| CAL.514_00.000 | | CTP1REA5 | CTP1REA5 | Used/saw practitioner for first top therapy: to improve memory or concentration | 670 | 1 |
| CAL.515_00.000 | | CTP1MOT1 | CTP1MOT1 | Using/seeing practitioner for first top therapy was motivation to: eat healthier | 671 | 1 |
| CAL.516_00.000 | | CTP1MOT2 | CTP1MOT2 | Using/seeing practitioner for first top therapy was motivation to: eat more organic foods | 672 | 1 |
| CAL.517_00.000 | | CTP1MOT3 | CTP1MOT3 | Using/seeing practitioner for first top therapy was motivation to: exercise more regularly | 673 | 1 |
| CAL.520_00.000 | | CTP1OUT1 | CTP1OUT1 | Using/seeing practitioner for first top therapy: gave a sense of control over one's health | 674 | 1 |

2012 NHIS Public Use Variable Summary

Child Alternative Medicine

Filename - Section: childcam - CAL

Document Version Date: June 12, 2013

| Question # | Recode | Instrument Variable Name | FinalDocName | Processing Variable Label | Location | Length |
|----------------|--------|--------------------------|--------------|---|-----------|--------|
| CAL.521_00.000 | | CTP1OUT2 | CTP1OUT2 | Using/seeing practitioner for first top therapy led to: reduced stress level or relaxation | 675 | 1 |
| CAL.522_00.000 | | CTP1OUT3 | CTP1OUT3 | Using/seeing practitioner for first top therapy led to: better sleep | 676 | 1 |
| CAL.523_00.000 | | CTP1OUT4 | CTP1OUT4 | Using/seeing practitioner for first therapy led to: feeling better emotionally | 677 | 1 |
| CAL.524_00.000 | | CTP1OUT5 | CTP1OUT5 | Using/seeing practitioner for first top therapy led to: made it easier to cope with health problems | 678 | 1 |
| CAL.525_00.000 | | CTP1OUT6 | CTP1OUT6 | Using/seeing practitioner for first top therapy led to: improved overall health and feeling better | 679 | 1 |
| CAL.526_00.000 | | CTP1OUT7 | CTP1OUT7 | Using/seeing practitioner for first top therapy led to: improved relationships with others | 680 | 1 |
| CAL.527_00.000 | | CTP1OUT8 | CTP1OUT8 | Using/seeing practitioner for first top therapy led to: improved attendance at job or school | 681 | 1 |
| CAL.528_00.000 | | CTP1MOST | CTP1MOST | Most important reason for using first top therapy | 682 - 683 | 2 |
| CAL.529_00.000 | | CTP1HELP | CTP1HELP | How much first top therapy helped with the most important reason for its use | 684 | 1 |
| CAL.530_00.000 | | CTP1TRET | CTP1TRET | Used first top therapy for specific health problem(s) | 685 | 1 |
| CAL.531_01.000 | | CTP1CD01-CTP1CD56 | CTP1CD01 | Used first top therapy for treating: abdominal pain | 686 | 1 |
| CAL.531_02.000 | | CTP1CD01-CTP1CD56 | CTP1CD02 | Used first top therapy for treating: anemia | 687 | 1 |
| CAL.531_03.000 | | CTP1CD01-CTP1CD56 | CTP1CD03 | Used first top therapy for treating: feeling anxious, nervous, or worried | 688 | 1 |
| CAL.531_04.000 | | CTP1CD01-CTP1CD56 | CTP1CD04 | Used first top therapy for treating: arthritis | 689 | 1 |
| CAL.531_05.000 | | CTP1CD01-CTP1CD56 | CTP1CD05 | Used first top therapy for treating: asthma | 690 | 1 |
| CAL.531_06.000 | | CTP1CD01-CTP1CD56 | CTP1CD06 | Used first top therapy for treating: attention deficit hyperactivity disorder (ADHD)/attention deficit disorder (ADD) | 691 | 1 |
| CAL.531_07.000 | | CTP1CD01-CTP1CD56 | CTP1CD07 | Used first top therapy for treating: autism | 692 | 1 |
| CAL.531_08.000 | | CTP1CD01-CTP1CD56 | CTP1CD08 | Used first top therapy for treating: cerebral palsy | 693 | 1 |
| CAL.531_09.000 | | CTP1CD01-CTP1CD56 | CTP1CD09 | Used first top therapy for treating: chicken pox | 694 | 1 |
| CAL.531_10.000 | | CTP1CD01-CTP1CD56 | CTP1CD10 | Used first top therapy for treating: high cholesterol | 695 | 1 |
| CAL.531_11.000 | | CTP1CD01-CTP1CD56 | CTP1CD11 | Used first top therapy for treating: congenital heart disease | 696 | 1 |

2012 NHIS Public Use Variable Summary

Child Alternative Medicine

Filename - Section: childcam - CAL

Document Version Date: June 12, 2013

| Question # | Recode | Instrument Variable Name | FinalDocName | Processing Variable Label | Location | Length |
|----------------|--------|--------------------------|--------------|--|----------|--------|
| CAL.531_12.000 | | CTP1CD01-CTP1CD56 | CTP1CD12 | Used first top therapy for treating: constipation | 697 | 1 |
| CAL.531_13.000 | | CTP1CD01-CTP1CD56 | CTP1CD13 | Used first top therapy for treating: cystic fibrosis | 698 | 1 |
| CAL.531_14.000 | | CTP1CD01-CTP1CD56 | CTP1CD14 | Used first top therapy for treating: depression | 699 | 1 |
| CAL.531_15.000 | | CTP1CD01-CTP1CD56 | CTP1CD15 | Used first top therapy for treating: dental pain | 700 | 1 |
| CAL.531_16.000 | | CTP1CD01-CTP1CD56 | CTP1CD16 | Used first top therapy for treating: diabetes | 701 | 1 |
| CAL.531_17.000 | | CTP1CD01-CTP1CD56 | CTP1CD17 | Used first top therapy for treating: down syndrome | 702 | 1 |
| CAL.531_18.000 | | CTP1CD01-CTP1CD56 | CTP1CD18 | Used first top therapy for treating: eczema or skin allergy | 703 | 1 |
| CAL.531_19.000 | | CTP1CD01-CTP1CD56 | CTP1CD19 | Used first top therapy for treating: excessive sleepiness during the day | 704 | 1 |
| CAL.531_20.000 | | CTP1CD01-CTP1CD56 | CTP1CD20 | Used first top therapy for treating: fatigue or lack of energy more than 3 days | 705 | 1 |
| CAL.531_21.000 | | CTP1CD01-CTP1CD56 | CTP1CD21 | Used first top therapy for treating: fever more than 1 day | 706 | 1 |
| CAL.531_22.000 | | CTP1CD01-CTP1CD56 | CTP1CD22 | Used first top therapy for treating: food or digestive allergy | 707 | 1 |
| CAL.531_23.000 | | CTP1CD01-CTP1CD56 | CTP1CD23 | Used first top therapy for treating: frequent or repeated diarrhea or colitis | 708 | 1 |
| CAL.531_24.000 | | CTP1CD01-CTP1CD56 | CTP1CD24 | Used first top therapy for treating: gynecologic problem | 709 | 1 |
| CAL.531_25.000 | | CTP1CD01-CTP1CD56 | CTP1CD25 | Used first top therapy for treating: hay fever | 710 | 1 |
| CAL.531_26.000 | | CTP1CD01-CTP1CD56 | CTP1CD26 | Used first top therapy for treating: head or chest cold | 711 | 1 |
| CAL.531_27.000 | | CTP1CD01-CTP1CD56 | CTP1CD27 | Used first top therapy for treating: hearing problem | 712 | 1 |
| CAL.531_28.000 | | CTP1CD01-CTP1CD56 | CTP1CD28 | Used first top therapy for treating: hypertension | 713 | 1 |
| CAL.531_29.000 | | CTP1CD01-CTP1CD56 | CTP1CD29 | Used first top therapy for treating: influenza or pneumonia | 714 | 1 |
| CAL.531_30.000 | | CTP1CD01-CTP1CD56 | CTP1CD30 | Used first top therapy for treating: insomnia or trouble sleeping | 715 | 1 |
| CAL.531_31.000 | | CTP1CD01-CTP1CD56 | CTP1CD31 | Used first top therapy for treating: joint pain or stiffness | 716 | 1 |
| CAL.531_32.000 | | CTP1CD01-CTP1CD56 | CTP1CD32 | Used first top therapy for treating: low back pain | 717 | 1 |
| CAL.531_33.000 | | CTP1CD01-CTP1CD56 | CTP1CD33 | Used first top therapy for treating: intellectual disability, also known as mental retardation | 718 | 1 |
| CAL.531_34.000 | | CTP1CD01-CTP1CD56 | CTP1CD34 | Used first top therapy for treating: menstrual problems | 719 | 1 |

2012 NHIS Public Use Variable Summary

Child Alternative Medicine

Filename - Section: childcam - CAL

Document Version Date: June 12, 2013

| Question # | Recode | Instrument Variable Name | FinalDocName | Processing Variable Label | Location | Length |
|----------------|--------|--------------------------|--------------|--|-----------|--------|
| CAL.531_35.000 | | CTP1CD01-CTP1CD56 | CTP1CD35 | Used first top therapy for treating: migraine headaches | 720 | 1 |
| CAL.531_36.000 | | CTP1CD01-CTP1CD56 | CTP1CD36 | Used first top therapy for treating: muscular dystrophy | 721 | 1 |
| CAL.531_37.000 | | CTP1CD01-CTP1CD56 | CTP1CD37 | Used first top therapy for treating: nausea and/or vomiting | 722 | 1 |
| CAL.531_38.000 | | CTP1CD01-CTP1CD56 | CTP1CD38 | Used first top therapy for treating: neck pain | 723 | 1 |
| CAL.531_39.000 | | CTP1CD01-CTP1CD56 | CTP1CD39 | Used first top therapy for treating: other chronic pain | 724 | 1 |
| CAL.531_40.000 | | CTP1CD01-CTP1CD56 | CTP1CD40 | Used first top therapy for treating: other muscle or joint pain | 725 | 1 |
| CAL.531_41.000 | | CTP1CD01-CTP1CD56 | CTP1CD41 | Used first top therapy for treating: other developmental delay | 726 | 1 |
| CAL.531_42.000 | | CTP1CD01-CTP1CD56 | CTP1CD42 | Used first top therapy for treating: other heart condition | 727 | 1 |
| CAL.531_43.000 | | CTP1CD01-CTP1CD56 | CTP1CD43 | Used first top therapy for treating: problems with being overweight | 728 | 1 |
| CAL.531_44.000 | | CTP1CD01-CTP1CD56 | CTP1CD44 | Used first top therapy for treating: non-migraine headaches | 729 | 1 |
| CAL.531_45.000 | | CTP1CD01-CTP1CD56 | CTP1CD45 | Used first top therapy for treating: respiratory allergy | 730 | 1 |
| CAL.531_46.000 | | CTP1CD01-CTP1CD56 | CTP1CD46 | Used first top therapy for treating: seizures | 731 | 1 |
| CAL.531_47.000 | | CTP1CD01-CTP1CD56 | CTP1CD47 | Used first top therapy for treating: sickle cell anemia | 732 | 1 |
| CAL.531_48.000 | | CTP1CD01-CTP1CD56 | CTP1CD48 | Used first top therapy for treating: sinusitis | 733 | 1 |
| CAL.531_49.000 | | CTP1CD01-CTP1CD56 | CTP1CD49 | Used first top therapy for treating: sore throat other than strep or tonsillitis | 734 | 1 |
| CAL.531_50.000 | | CTP1CD01-CTP1CD56 | CTP1CD50 | Used first top therapy for treating: sprain or strain | 735 | 1 |
| CAL.531_51.000 | | CTP1CD01-CTP1CD56 | CTP1CD51 | Used first top therapy for treating: strep throat or tonsillitis | 736 | 1 |
| CAL.531_52.000 | | CTP1CD01-CTP1CD56 | CTP1CD52 | Used first top therapy for treating: frequent stress | 737 | 1 |
| CAL.531_53.000 | | CTP1CD01-CTP1CD56 | CTP1CD53 | Used first top therapy for treating: stuttering or stammering | 738 | 1 |
| CAL.531_54.000 | | CTP1CD01-CTP1CD56 | CTP1CD54 | Used first top therapy for treating: three or more ear infections | 739 | 1 |
| CAL.531_55.000 | | CTP1CD01-CTP1CD56 | CTP1CD55 | Used first top therapy for treating: vision problems | 740 | 1 |
| CAL.531_56.000 | | CTP1CD01-CTP1CD56 | CTP1CD56 | Used first top therapy for treating: other specify | 741 | 1 |
| CAL.531_57.000 | RECODE | | CTP1CD57 | Used first top therapy for: condition not elsewhere classified | 742 | 1 |
| CAL.532_00.000 | | CTP1CMST | CTP1CMST | Most important health problem for which first top therapy was used | 743 - 744 | 2 |

2012 NHIS Public Use Variable Summary

Child Alternative Medicine

Filename - Section: childcam - CAL

Document Version Date: June 12, 2013

| Question # | Recode | Instrument Variable Name | FinalDocName | Processing Variable Label | Location | Length |
|----------------|--------|--------------------------|--------------|--|----------|--------|
| CAL.533_00.000 | | CTP1CHLP | CTP1CHLP | How much first top therapy helped with the most important reason for its use | 745 | 1 |
| CAL.534_00.000 | | CTP1MTR1 | CTP1MTR1 | Received prescription medication for most important health condition treated by first top therapy | 746 | 1 |
| CAL.535_00.000 | | CTP1MTR2 | CTP1MTR2 | Received over-the-counter medication for most important health condition treated by first top therapy | 747 | 1 |
| CAL.536_00.000 | | CTP1MTR3 | CTP1MTR3 | Received surgery for most important health condition treated by first top therapy | 748 | 1 |
| CAL.537_00.000 | | CTP1MTR4 | CTP1MTR4 | Received physical therapy for most important health condition treated by first top therapy | 749 | 1 |
| CAL.538_00.000 | | CTP1MTR5 | CTP1MTR5 | Received mental health counseling for most important health condition treated by first top therapy | 750 | 1 |
| CAL.539_00.000 | | CTP1RS1 | CTP1RS1 | Used/saw practitioner for first top therapy because: medical treatments were too expensive | 751 | 1 |
| CAL.540_00.000 | | CTP1RS2 | CTP1RS2 | Used/saw practitioner for first top therapy because: therapy combined with medical treatment would help | 752 | 1 |
| CAL.541_00.000 | | CTP1RS3 | CTP1RS3 | Used/saw practitioner for first top therapy because: medical treatments do not work for your specific health problem | 753 | 1 |
| CAL.542_00.000 | | CTP1RS4 | CTP1RS4 | Used/saw practitioner for first top therapy because: medications cause side effects | 754 | 1 |
| CAL.543_00.000 | | CTP1RS5 | CTP1RS5 | Used/saw practitioner for first top therapy because: it can be practiced/done on your own | 755 | 1 |
| CAL.544_00.000 | | CTP1RS6 | CTP1RS6 | Used/saw practitioner for first top therapy because: it is natural | 756 | 1 |
| CAL.545_00.000 | | CTP1RS7 | CTP1RS7 | Used/saw practitioner for first top therapy because: it focuses on the whole person, mind, body, and spirit | 757 | 1 |
| CAL.546_00.000 | | CTP1RS8 | CTP1RS8 | Used/saw practitioner for first top therapy because: it treats the cause and not just the symptoms | 758 | 1 |
| CAL.547_00.000 | | CTP1RS9 | CTP1RS9 | Used/saw practitioner for first top therapy because: it was part of your upbringing | 759 | 1 |
| CAL.548_00.000 | | CTP1REC1 | CTP1REC1 | Used/saw practitioner for first top therapy because it was recommended by: a medical doctor | 760 | 1 |
| CAL.549_00.000 | | CTP1REC2 | CTP1REC2 | Used/saw practitioner for first top therapy because it was recommended by: a family member | 761 | 1 |

2012 NHIS Public Use Variable Summary

Child Alternative Medicine

Filename - Section: childcam - CAL

Document Version Date: June 12, 2013

| Question # | Recode | Instrument Variable Name | FinalDocName | Processing Variable Label | Location | Length |
|----------------|--------|--------------------------|--------------|---|----------|--------|
| CAL.550_00.000 | | CTP1REC3 | CTP1REC3 | Used/saw practitioner for first top therapy because it was recommended by: a friend | 762 | 1 |
| CAL.551_00.000 | | CTP1REC4 | CTP1REC4 | Used/saw practitioner for first top therapy because it was recommended by: a co-worker | 763 | 1 |
| CAL.552_00.000 | | CTP1IMP | CTP1IMP | How important use of first top therapy was in maintaining health and well-being | 764 | 1 |
| CAL.553_00.000 | | CTP1DS1 | CTP1DS1 | Told personal health care provider about use of first top therapy | 765 | 1 |
| CAL.554_00.000 | | CTP1DS2 | CTP1DS2 | Didn't tell personal health care provider about use of first top therapy because: weren't using therapy at the time | 766 | 1 |
| CAL.555_00.000 | | CTP1DS3 | CTP1DS3 | Didn't tell personal health care provider about use of first top therapy because: they discouraged use of therapy in the past | 767 | 1 |
| CAL.556_00.000 | | CTP1DS4 | CTP1DS4 | Didn't tell personal health care provider about use of first top therapy because: worried they would discourage it | 768 | 1 |
| CAL.557_00.000 | | CTP1DS5 | CTP1DS5 | Didn't tell personal health care provider about use of first top therapy because: concerned about a negative reaction | 769 | 1 |
| CAL.558_00.000 | | CTP1DS6 | CTP1DS6 | Didn't tell personal health care provider about use of first top therapy because: didn't think they needed to know | 770 | 1 |
| CAL.559_00.000 | | CTP1DS7 | CTP1DS7 | Didn't tell personal health care provider about use of first top therapy because: they didn't ask | 771 | 1 |
| CAL.560_00.000 | | CTP1DS8 | CTP1DS8 | Didn't tell health care provider about use of first top therapy because: didn't think they knew as much about therapy as you do | 772 | 1 |
| CAL.561_00.000 | | CTP1DS9 | CTP1DS9 | Didn't tell personal health care provider about use of first top therapy because: they didn't give you enough time to tell them | 773 | 1 |
| CAL.580_00.000 | | CTP1INF1 | CTP1INF1 | Got information about first top therapy from: the internet | 774 | 1 |
| CAL.581_00.000 | | CTP1INF2 | CTP1INF2 | Got information about first top therapy from: books, magazines, or newspapers | 775 | 1 |
| CAL.582_00.000 | | CTP1INF3 | CTP1INF3 | Got information about first top therapy from: DVDs, videos, or CDs | 776 | 1 |
| CAL.583_00.000 | | CTP1INF4 | CTP1INF4 | Got information about first top therapy from: television or radio | 777 | 1 |
| CAL.584_00.000 | | CTP1INF5 | CTP1INF5 | Got information about first top therapy from: scientific articles | 778 | 1 |
| CAL.585_00.000 | | CTP1INF6 | CTP1INF6 | Got information about first top therapy from: health food stores | 779 | 1 |
| CAL.595_00.000 | | CTP2REA1 | CTP2REA1 | Used/saw practitioner for second top therapy: for general wellness or general disease prevention | 780 | 1 |

2012 NHIS Public Use Variable Summary

Child Alternative Medicine

Filename - Section: childcam - CAL

Document Version Date: June 12, 2013

| Question # | Recode | Instrument Variable Name | FinalDocName | Processing Variable Label | Location | Length |
|----------------|--------|--------------------------|--------------|--|-----------|--------|
| CAL.596_00.000 | | CTP2REA2 | CTP2REA2 | Used/saw practitioner for second top therapy: to improve energy | 781 | 1 |
| CAL.597_00.000 | | CTP2REA3 | CTP2REA3 | Used/saw practitioner for second top therapy: to improve immune function | 782 | 1 |
| CAL.598_00.000 | | CTP2REA4 | CTP2REA4 | Used/saw practitioner for second top therapy: to improve athletic or sports performance | 783 | 1 |
| CAL.599_00.000 | | CTP2REA5 | CTP2REA5 | Used/saw practitioner for second top therapy: to improve memory or concentration | 784 | 1 |
| CAL.600_00.000 | | CTP2MOT1 | CTP2MOT1 | Using/seeing practitioner for second top therapy was motivation to: eat healthier | 785 | 1 |
| CAL.601_00.000 | | CTP2MOT2 | CTP2MOT2 | Using/seeing practitioner for second top therapy was motivation to: eat more organic foods | 786 | 1 |
| CAL.602_00.000 | | CTP2MOT3 | CTP2MOT3 | Using/seeing practitioner for second top therapy was motivation to: exercise more regularly | 787 | 1 |
| CAL.605_00.000 | | CTP2OUT1 | CTP2OUT1 | Using/seeing practitioner for second top therapy: gave a sense of control over one's health | 788 | 1 |
| CAL.606_00.000 | | CTP2OUT2 | CTP2OUT2 | Using/seeing practitioner for second top therapy led to: reduced stress level or relaxation | 789 | 1 |
| CAL.607_00.000 | | CTP2OUT3 | CTP2OUT3 | Using/seeing practitioner for second top therapy led to: better sleep | 790 | 1 |
| CAL.608_00.000 | | CTP2OUT4 | CTP2OUT4 | Using/seeing practitioner for second therapy led to: feeling better emotionally | 791 | 1 |
| CAL.609_00.000 | | CTP2OUT5 | CTP2OUT5 | Using/seeing practitioner for second top therapy led to: made it easier to cope with health problems | 792 | 1 |
| CAL.610_00.000 | | CTP2OUT6 | CTP2OUT6 | Using/seeing practitioner for second top therapy led to: improved overall health and feeling better | 793 | 1 |
| CAL.611_00.000 | | CTP2OUT7 | CTP2OUT7 | Using/seeing practitioner for second top therapy led to: improved relationships with others | 794 | 1 |
| CAL.612_00.000 | | CTP2OUT8 | CTP2OUT8 | Using/seeing practitioner for second top therapy led to: improved attendance at job or school | 795 | 1 |
| CAL.613_00.000 | | CTP2MOST | CTP2MOST | Most important reason for using second top therapy | 796 - 797 | 2 |
| CAL.614_00.000 | | CTP2HELP | CTP2HELP | How much second top therapy helped with the most important reason for its use | 798 | 1 |
| CAL.615_00.000 | | CTP2TRET | CTP2TRET | Used second top therapy for specific health problem(s) | 799 | 1 |
| CAL.616_01.000 | | CTP2CD01-CTP2CD56 | CTP2CD01 | Used second top therapy for treating: abdominal pain | 800 | 1 |

2012 NHIS Public Use Variable Summary

Child Alternative Medicine

Filename - Section: childcam - CAL

Document Version Date: June 12, 2013

| Question # | Recode | Instrument Variable Name | FinalDocName | Processing Variable Label | Location | Length |
|----------------|--------|--------------------------|--------------|--|----------|--------|
| CAL.616_02.000 | | CTP2CD01-CTP2CD56 | CTP2CD02 | Used second top therapy for treating: anemia | 801 | 1 |
| CAL.616_03.000 | | CTP2CD01-CTP2CD56 | CTP2CD03 | Used second top therapy for treating: feeling anxious, nervous, or worried | 802 | 1 |
| CAL.616_04.000 | | CTP2CD01-CTP2CD56 | CTP2CD04 | Used second top therapy for treating: arthritis | 803 | 1 |
| CAL.616_05.000 | | CTP2CD01-CTP2CD56 | CTP2CD05 | Used second top therapy for treating: asthma | 804 | 1 |
| CAL.616_06.000 | | CTP2CD01-CTP2CD56 | CTP2CD06 | Used second top therapy for treating: attention deficit hyperactivity disorder (ADHD)/attention deficit disorder (ADD) | 805 | 1 |
| CAL.616_07.000 | | CTP2CD01-CTP2CD56 | CTP2CD07 | Used second top therapy for treating: autism | 806 | 1 |
| CAL.616_08.000 | | CTP2CD01-CTP2CD56 | CTP2CD08 | Used second top therapy for treating: cerebral palsy | 807 | 1 |
| CAL.616_09.000 | | CTP2CD01-CTP2CD56 | CTP2CD09 | Used second top therapy for treating: chicken pox | 808 | 1 |
| CAL.616_10.000 | | CTP2CD01-CTP2CD56 | CTP2CD10 | Used second top therapy for treating: high cholesterol | 809 | 1 |
| CAL.616_11.000 | | CTP2CD01-CTP2CD56 | CTP2CD11 | Used second top therapy for treating: congenital heart disease | 810 | 1 |
| CAL.616_12.000 | | CTP2CD01-CTP2CD56 | CTP2CD12 | Used second top therapy for treating: constipation | 811 | 1 |
| CAL.616_13.000 | | CTP2CD01-CTP2CD56 | CTP2CD13 | Used second top therapy for treating: cystic fibrosis | 812 | 1 |
| CAL.616_14.000 | | CTP2CD01-CTP2CD56 | CTP2CD14 | Used second top therapy for treating: depression | 813 | 1 |
| CAL.616_15.000 | | CTP2CD01-CTP2CD56 | CTP2CD15 | Used second top therapy for treating: dental pain | 814 | 1 |
| CAL.616_16.000 | | CTP2CD01-CTP2CD56 | CTP2CD16 | Used second top therapy for treating: diabetes | 815 | 1 |
| CAL.616_17.000 | | CTP2CD01-CTP2CD56 | CTP2CD17 | Used second top therapy for treating: down syndrome | 816 | 1 |
| CAL.616_18.000 | | CTP2CD01-CTP2CD56 | CTP2CD18 | Used second top therapy for treating: eczema or skin allergy | 817 | 1 |
| CAL.616_19.000 | | CTP2CD01-CTP2CD56 | CTP2CD19 | Used second top therapy for treating: excessive sleepiness during the day | 818 | 1 |
| CAL.616_20.000 | | CTP2CD01-CTP2CD56 | CTP2CD20 | Used second top therapy for treating: fatigue or lack of energy more than 3 days | 819 | 1 |
| CAL.616_21.000 | | CTP2CD01-CTP2CD56 | CTP2CD21 | Used second top therapy for treating: fever more than 1 day | 820 | 1 |
| CAL.616_22.000 | | CTP2CD01-CTP2CD56 | CTP2CD22 | Used second top therapy for treating: food or digestive allergy | 821 | 1 |
| CAL.616_23.000 | | CTP2CD01-CTP2CD56 | CTP2CD23 | Used second top therapy for treating: frequent or repeated diarrhea or colitis | 822 | 1 |
| CAL.616_24.000 | | CTP2CD01-CTP2CD56 | CTP2CD24 | Used second top therapy for treating: gynecologic problem | 823 | 1 |

2012 NHIS Public Use Variable Summary

Child Alternative Medicine

Filename - Section: childcam - CAL

Document Version Date: June 12, 2013

| Question # | Recode | Instrument Variable Name | FinalDocName | Processing Variable Label | Location | Length |
|----------------|--------|--------------------------|--------------|---|----------|--------|
| CAL.616_25.000 | | CTP2CD01-CTP2CD56 | CTP2CD25 | Used second top therapy for treating: hay fever | 824 | 1 |
| CAL.616_26.000 | | CTP2CD01-CTP2CD56 | CTP2CD26 | Used second top therapy for treating: head or chest cold | 825 | 1 |
| CAL.616_27.000 | | CTP2CD01-CTP2CD56 | CTP2CD27 | Used second top therapy for treating: hearing problem | 826 | 1 |
| CAL.616_28.000 | | CTP2CD01-CTP2CD56 | CTP2CD28 | Used second top therapy for treating: hypertension | 827 | 1 |
| CAL.616_29.000 | | CTP2CD01-CTP2CD56 | CTP2CD29 | Used second top therapy for treating: influenza or pneumonia | 828 | 1 |
| CAL.616_30.000 | | CTP2CD01-CTP2CD56 | CTP2CD30 | Used second top therapy for treating: insomnia or trouble sleeping | 829 | 1 |
| CAL.616_31.000 | | CTP2CD01-CTP2CD56 | CTP2CD31 | Used second top therapy for treating: joint pain or stiffness | 830 | 1 |
| CAL.616_32.000 | | CTP2CD01-CTP2CD56 | CTP2CD32 | Used second top therapy for treating: low back pain | 831 | 1 |
| CAL.616_33.000 | | CTP2CD01-CTP2CD56 | CTP2CD33 | Used second top therapy for treating: intellectual disability, also known as mental retardation | 832 | 1 |
| CAL.616_34.000 | | CTP2CD01-CTP2CD56 | CTP2CD34 | Used second top therapy for treating: menstrual problems | 833 | 1 |
| CAL.616_35.000 | | CTP2CD01-CTP2CD56 | CTP2CD35 | Used second top therapy for treating: migraine headaches | 834 | 1 |
| CAL.616_36.000 | | CTP2CD01-CTP2CD56 | CTP2CD36 | Used second top therapy for treating: muscular dystrophy | 835 | 1 |
| CAL.616_37.000 | | CTP2CD01-CTP2CD56 | CTP2CD37 | Used second top therapy for treating: nausea and/or vomiting | 836 | 1 |
| CAL.616_38.000 | | CTP2CD01-CTP2CD56 | CTP2CD38 | Used second top therapy for treating: neck pain | 837 | 1 |
| CAL.616_39.000 | | CTP2CD01-CTP2CD56 | CTP2CD39 | Used second top therapy for treating: other chronic pain | 838 | 1 |
| CAL.616_40.000 | | CTP2CD01-CTP2CD56 | CTP2CD40 | Used second top therapy for treating: other muscle or joint pain | 839 | 1 |
| CAL.616_41.000 | | CTP2CD01-CTP2CD56 | CTP2CD41 | Used second top therapy for treating: other developmental delay | 840 | 1 |
| CAL.616_42.000 | | CTP2CD01-CTP2CD56 | CTP2CD42 | Used second top therapy for treating: other heart condition | 841 | 1 |
| CAL.616_43.000 | | CTP2CD01-CTP2CD56 | CTP2CD43 | Used second top therapy for treating: problems with being overweight | 842 | 1 |
| CAL.616_44.000 | | CTP2CD01-CTP2CD56 | CTP2CD44 | Used second top therapy for treating: non-migraine headaches | 843 | 1 |
| CAL.616_45.000 | | CTP2CD01-CTP2CD56 | CTP2CD45 | Used second top therapy for treating: respiratory allergy | 844 | 1 |
| CAL.616_46.000 | | CTP2CD01-CTP2CD56 | CTP2CD46 | Used second top therapy for treating: seizures | 845 | 1 |
| CAL.616_47.000 | | CTP2CD01-CTP2CD56 | CTP2CD47 | Used second top therapy for treating: sickle cell anemia | 846 | 1 |

2012 NHIS Public Use Variable Summary

Child Alternative Medicine

Filename - Section: childcam - CAL

Document Version Date: June 12, 2013

| Question # | Recode | Instrument Variable Name | FinalDocName | Processing Variable Label | Location | Length |
|----------------|--------|--------------------------|--------------|---|-----------|--------|
| CAL.616_48.000 | | CTP2CD01-CTP2CD56 | CTP2CD48 | Used second top therapy for treating: sinusitis | 847 | 1 |
| CAL.616_49.000 | | CTP2CD01-CTP2CD56 | CTP2CD49 | Used second top therapy for treating: sore throat other than strep or tonsillitis | 848 | 1 |
| CAL.616_50.000 | | CTP2CD01-CTP2CD56 | CTP2CD50 | Used second top therapy for treating: sprain or strain | 849 | 1 |
| CAL.616_51.000 | | CTP2CD01-CTP2CD56 | CTP2CD51 | Used second top therapy for treating: strep throat or tonsillitis | 850 | 1 |
| CAL.616_52.000 | | CTP2CD01-CTP2CD56 | CTP2CD52 | Used second top therapy for treating: frequent stress | 851 | 1 |
| CAL.616_53.000 | | CTP2CD01-CTP2CD56 | CTP2CD53 | Used second top therapy for treating: stuttering or stammering | 852 | 1 |
| CAL.616_54.000 | | CTP2CD01-CTP2CD56 | CTP2CD54 | Used second top therapy for treating: three or more ear infections | 853 | 1 |
| CAL.616_55.000 | | CTP2CD01-CTP2CD56 | CTP2CD55 | Used second top therapy for treating: vision problems | 854 | 1 |
| CAL.616_56.000 | | CTP2CD01-CTP2CD56 | CTP2CD56 | Used second top therapy for treating: other specify | 855 | 1 |
| CAL.616_57.000 | RECODE | | CTP2CD57 | Used second top therapy for: condition not elsewhere classified | 856 | 1 |
| CAL.617_00.000 | | CTP2CMST | CTP2CMST | Most important health problem for which second top therapy was used | 857 - 858 | 2 |
| CAL.618_00.000 | | CTP2CHLP | CTP2CHLP | How much second top therapy helped with the most important reason for its use | 859 | 1 |
| CAL.619_00.000 | | CTP2MTR1 | CTP2MTR1 | Received prescription medication for most important health condition treated by second top therapy | 860 | 1 |
| CAL.620_00.000 | | CTP2MTR2 | CTP2MTR2 | Received over-the-counter medication for most important health condition treated by second top therapy | 861 | 1 |
| CAL.621_00.000 | | CTP2MTR3 | CTP2MTR3 | Received surgery for most important health condition treated by second top therapy | 862 | 1 |
| CAL.622_00.000 | | CTP2MTR4 | CTP2MTR4 | Received physical therapy for most important health condition treated by second top therapy | 863 | 1 |
| CAL.623_00.000 | | CTP2MTR5 | CTP2MTR5 | Received mental health counseling for most important health condition treated by second top therapy | 864 | 1 |
| CAL.624_00.000 | | CTP2RS1 | CTP2RS1 | Used/saw practitioner for second top therapy because: medical treatments were too expensive | 865 | 1 |
| CAL.625_00.000 | | CTP2RS2 | CTP2RS2 | Used/saw practitioner for second top therapy because: therapy combined with medical treatment would help | 866 | 1 |
| CAL.626_00.000 | | CTP2RS3 | CTP2RS3 | Used/saw practitioner for second top therapy because: medical treatments do not work for your specific health problem | 867 | 1 |

2012 NHIS Public Use Variable Summary

Child Alternative Medicine

Filename - Section: childcam - CAL

Document Version Date: June 12, 2013

| Question # | Recode | Instrument Variable Name | FinalDocName | Processing Variable Label | Location | Length |
|----------------|--------|--------------------------|--------------|--|----------|--------|
| CAL.627_00.000 | | CTP2RS4 | CTP2RS4 | Used/saw practitioner for second top therapy because: medications cause side effects | 868 | 1 |
| CAL.628_00.000 | | CTP2RS5 | CTP2RS5 | Used/saw practitioner for second top therapy because: it can be practiced/done on your own | 869 | 1 |
| CAL.629_00.000 | | CTP2RS6 | CTP2RS6 | Used/saw practitioner for second top therapy because: it is natural | 870 | 1 |
| CAL.630_00.000 | | CTP2RS7 | CTP2RS7 | Used/saw practitioner for second top therapy because: it focuses on the whole person, mind, body, and spirit | 871 | 1 |
| CAL.631_00.000 | | CTP2RS8 | CTP2RS8 | Used/saw practitioner for second top therapy because: it treats the cause and not just the symptoms | 872 | 1 |
| CAL.632_00.000 | | CTP2RS9 | CTP2RS9 | Used/saw practitioner for second top therapy because: it was part of your upbringing | 873 | 1 |
| CAL.633_00.000 | | CTP2REC1 | CTP2REC1 | Used/saw practitioner for second top therapy because it was recommended by: a medical doctor | 874 | 1 |
| CAL.634_00.000 | | CTP2REC2 | CTP2REC2 | Used/saw practitioner for second top therapy because it was recommended by: a family member | 875 | 1 |
| CAL.635_00.000 | | CTP2REC3 | CTP2REC3 | Used/saw practitioner for second top therapy because it was recommended by: a friend | 876 | 1 |
| CAL.636_00.000 | | CTP2REC4 | CTP2REC4 | Used/saw practitioner for second top therapy because it was recommended by: a co-worker | 877 | 1 |
| CAL.637_00.000 | | CTP2IMP | CTP2IMP | How important use of second top therapy was in maintaining health and well-being | 878 | 1 |
| CAL.638_00.000 | | CTP2DS1 | CTP2DS1 | Told personal health care provider about use of second top therapy | 879 | 1 |
| CAL.639_00.000 | | CTP2DS2 | CTP2DS2 | Didn't tell personal health care provider about use of second top therapy because: weren't using therapy at the time | 880 | 1 |
| CAL.640_00.000 | | CTP2DS3 | CTP2DS3 | Didn't tell personal health care provider about use of second top therapy because: they discouraged use of therapy in the past | 881 | 1 |
| CAL.641_00.000 | | CTP2DS4 | CTP2DS4 | Didn't tell personal health care provider about use of second top therapy because: worried they would discourage it | 882 | 1 |
| CAL.642_00.000 | | CTP2DS5 | CTP2DS5 | Didn't tell personal health care provider about use of second top therapy because: concerned about a negative reaction | 883 | 1 |
| CAL.643_00.000 | | CTP2DS6 | CTP2DS6 | Didn't tell personal health care provider about use of second top therapy because: didn't think they needed to know | 884 | 1 |

2012 NHIS Public Use Variable Summary

Child Alternative Medicine

Filename - Section: childcam - CAL

Document Version Date: June 12, 2013

| Question # | Recode | Instrument Variable Name | FinalDocName | Processing Variable Label | Location | Length |
|----------------|--------|--------------------------|--------------|--|----------|--------|
| CAL.644_00.000 | | CTP2DS7 | CTP2DS7 | Didn't tell personal health care provider about use of second top therapy because: they didn't ask | 885 | 1 |
| CAL.645_00.000 | | CTP2DS8 | CTP2DS8 | Didn't tell health care provider about use of second top therapy because: didn't think they knew as much about therapy as you do | 886 | 1 |
| CAL.646_00.000 | | CTP2DS9 | CTP2DS9 | Didn't tell personal health care provider about use of second top therapy because: they didn't give you enough time to tell them | 887 | 1 |
| CAL.675_00.000 | | CTP2INF1 | CTP2INF1 | Got information about second top therapy from: the internet | 888 | 1 |
| CAL.676_00.000 | | CTP2INF2 | CTP2INF2 | Got information about second top therapy from: books, magazines, or newspapers | 889 | 1 |
| CAL.677_00.000 | | CTP2INF3 | CTP2INF3 | Got information about second top therapy from: DVDs, videos, or CDs | 890 | 1 |
| CAL.678_00.000 | | CTP2INF4 | CTP2INF4 | Got information about second top therapy from: television or radio | 891 | 1 |
| CAL.679_00.000 | | CTP2INF5 | CTP2INF5 | Got information about second top therapy from: scientific articles | 892 | 1 |
| CAL.680_00.000 | | CTP2INF6 | CTP2INF6 | Got information about second top therapy from: health food stores | 893 | 1 |
| CAL.690_00.000 | | CTP3REA1 | CTP3REA1 | Used/saw practitioner for third top therapy: for general wellness or general disease prevention | 894 | 1 |
| CAL.691_00.000 | | CTP3REA2 | CTP3REA2 | Used/saw practitioner for third top therapy: to improve energy | 895 | 1 |
| CAL.692_00.000 | | CTP3REA3 | CTP3REA3 | Used/saw practitioner for third top therapy: to improve immune function | 896 | 1 |
| CAL.693_00.000 | | CTP3REA4 | CTP3REA4 | Used/saw practitioner for third top therapy: to improve athletic or sports performance | 897 | 1 |
| CAL.694_00.000 | | CTP3REA5 | CTP3REA5 | Used/saw practitioner for third top therapy: to improve memory or concentration | 898 | 1 |
| CAL.695_00.000 | | CTP3MOT1 | CTP3MOT1 | Using/seeing practitioner for third top therapy was motivation to: eat healthier | 899 | 1 |
| CAL.696_00.000 | | CTP3MOT2 | CTP3MOT2 | Using/seeing practitioner for third top therapy was motivation to: eat more organic foods | 900 | 1 |
| CAL.697_00.000 | | CTP3MOT3 | CTP3MOT3 | Using/seeing practitioner for third top therapy was motivation to: exercise more regularly | 901 | 1 |
| CAL.700_00.000 | | CTP3OUT1 | CTP3OUT1 | Using/seeing practitioner for third top therapy: gave a sense of control over one's health | 902 | 1 |
| CAL.701_00.000 | | CTP3OUT2 | CTP3OUT2 | Using/seeing practitioner for third top therapy led to: reduced stress level or relaxation | 903 | 1 |

2012 NHIS Public Use Variable Summary

Child Alternative Medicine

Filename - Section: childcam - CAL

Document Version Date: June 12, 2013

| Question # | Recode | Instrument Variable Name | FinalDocName | Processing Variable Label | Location | Length |
|----------------|--------|--------------------------|--------------|---|-----------|--------|
| CAL.702_00.000 | | CTP3OUT3 | CTP3OUT3 | Using/seeing practitioner for third top therapy led to: better sleep | 904 | 1 |
| CAL.703_00.000 | | CTP3OUT4 | CTP3OUT4 | Using/seeing practitioner for third therapy led to: feeling better emotionally | 905 | 1 |
| CAL.704_00.000 | | CTP3OUT5 | CTP3OUT5 | Using/seeing practitioner for third top therapy led to: made it easier to cope with health problems | 906 | 1 |
| CAL.705_00.000 | | CTP3OUT6 | CTP3OUT6 | Using/seeing practitioner for third top therapy led to: improved overall health and feeling better | 907 | 1 |
| CAL.706_00.000 | | CTP3OUT7 | CTP3OUT7 | Using/seeing practitioner for third top therapy led to: improved relationships with others | 908 | 1 |
| CAL.707_00.000 | | CTP3OUT8 | CTP3OUT8 | Using/seeing practitioner for third top therapy led to: improved attendance at job or school | 909 | 1 |
| CAL.708_00.000 | | CTP3MOST | CTP3MOST | Most important reason for using third top therapy | 910 - 911 | 2 |
| CAL.709_00.000 | | CTP3HELP | CTP3HELP | How much third top therapy helped with the most important reason for its use | 912 | 1 |
| CAL.710_00.000 | | CTP3TRET | CTP3TRET | Used third top therapy for specific health problem(s) | 913 | 1 |
| CAL.711_01.000 | | CTP3CD01-CTP3CD56 | CTP3CD01 | Used third top therapy for treating: abdominal pain | 914 | 1 |
| CAL.711_02.000 | | CTP3CD01-CTP3CD56 | CTP3CD02 | Used third top therapy for treating: anemia | 915 | 1 |
| CAL.711_03.000 | | CTP3CD01-CTP3CD56 | CTP3CD03 | Used third top therapy for treating: feeling anxious, nervous, or worried | 916 | 1 |
| CAL.711_04.000 | | CTP3CD01-CTP3CD56 | CTP3CD04 | Used third top therapy for treating: arthritis | 917 | 1 |
| CAL.711_05.000 | | CTP3CD01-CTP3CD56 | CTP3CD05 | Used third top therapy for treating: asthma | 918 | 1 |
| CAL.711_06.000 | | CTP3CD01-CTP3CD56 | CTP3CD06 | Used third top therapy for treating: attention deficit hyperactivity disorder (ADHD)/attention deficit disorder (ADD) | 919 | 1 |
| CAL.711_07.000 | | CTP3CD01-CTP3CD56 | CTP3CD07 | Used third top therapy for treating: autism | 920 | 1 |
| CAL.711_08.000 | | CTP3CD01-CTP3CD56 | CTP3CD08 | Used third top therapy for treating: cerebral palsy | 921 | 1 |
| CAL.711_09.000 | | CTP3CD01-CTP3CD56 | CTP3CD09 | Used third top therapy for treating: chicken pox | 922 | 1 |
| CAL.711_10.000 | | CTP3CD01-CTP3CD56 | CTP3CD10 | Used third top therapy for treating: high cholesterol | 923 | 1 |
| CAL.711_11.000 | | CTP3CD01-CTP3CD56 | CTP3CD11 | Used third top therapy for treating: congenital heart disease | 924 | 1 |
| CAL.711_12.000 | | CTP3CD01-CTP3CD56 | CTP3CD12 | Used third top therapy for treating: constipation | 925 | 1 |
| CAL.711_13.000 | | CTP3CD01-CTP3CD56 | CTP3CD13 | Used third top therapy for treating: cystic fibrosis | 926 | 1 |

2012 NHIS Public Use Variable Summary

Child Alternative Medicine

Filename - Section: childcam - CAL

Document Version Date: June 12, 2013

| Question # | Recode | Instrument Variable Name | FinalDocName | Processing Variable Label | Location | Length |
|----------------|--------|--------------------------|--------------|--|----------|--------|
| CAL.711_14.000 | | CTP3CD01-CTP3CD56 | CTP3CD14 | Used third top therapy for treating: depression | 927 | 1 |
| CAL.711_15.000 | | CTP3CD01-CTP3CD56 | CTP3CD15 | Used third top therapy for treating: dental pain | 928 | 1 |
| CAL.711_16.000 | | CTP3CD01-CTP3CD56 | CTP3CD16 | Used third top therapy for treating: diabetes | 929 | 1 |
| CAL.711_17.000 | | CTP3CD01-CTP3CD56 | CTP3CD17 | Used third top therapy for treating: down syndrome | 930 | 1 |
| CAL.711_18.000 | | CTP3CD01-CTP3CD56 | CTP3CD18 | Used third top therapy for treating: eczema or skin allergy | 931 | 1 |
| CAL.711_19.000 | | CTP3CD01-CTP3CD56 | CTP3CD19 | Used third top therapy for treating: excessive sleepiness during the day | 932 | 1 |
| CAL.711_20.000 | | CTP3CD01-CTP3CD56 | CTP3CD20 | Used third top therapy for treating: fatigue or lack of energy more than 3 days | 933 | 1 |
| CAL.711_21.000 | | CTP3CD01-CTP3CD56 | CTP3CD21 | Used third top therapy for treating: fever more than 1 day | 934 | 1 |
| CAL.711_22.000 | | CTP3CD01-CTP3CD56 | CTP3CD22 | Used third top therapy for treating: food or digestive allergy | 935 | 1 |
| CAL.711_23.000 | | CTP3CD01-CTP3CD56 | CTP3CD23 | Used third top therapy for treating: frequent or repeated diarrhea or colitis | 936 | 1 |
| CAL.711_24.000 | | CTP3CD01-CTP3CD56 | CTP3CD24 | Used third top therapy for treating: gynecologic problem | 937 | 1 |
| CAL.711_25.000 | | CTP3CD01-CTP3CD56 | CTP3CD25 | Used third top therapy for treating: hay fever | 938 | 1 |
| CAL.711_26.000 | | CTP3CD01-CTP3CD56 | CTP3CD26 | Used third top therapy for treating: head or chest cold | 939 | 1 |
| CAL.711_27.000 | | CTP3CD01-CTP3CD56 | CTP3CD27 | Used third top therapy for treating: hearing problem | 940 | 1 |
| CAL.711_28.000 | | CTP3CD01-CTP3CD56 | CTP3CD28 | Used third top therapy for treating: hypertension | 941 | 1 |
| CAL.711_29.000 | | CTP3CD01-CTP3CD56 | CTP3CD29 | Used third top therapy for treating: influenza or pneumonia | 942 | 1 |
| CAL.711_30.000 | | CTP3CD01-CTP3CD56 | CTP3CD30 | Used third top therapy for treating: insomnia or trouble sleeping | 943 | 1 |
| CAL.711_31.000 | | CTP3CD01-CTP3CD56 | CTP3CD31 | Used third top therapy for treating: joint pain or stiffness | 944 | 1 |
| CAL.711_32.000 | | CTP3CD01-CTP3CD56 | CTP3CD32 | Used third top therapy for treating: low back pain | 945 | 1 |
| CAL.711_33.000 | | CTP3CD01-CTP3CD56 | CTP3CD33 | Used third top therapy for treating: intellectual disability, also known as mental retardation | 946 | 1 |
| CAL.711_34.000 | | CTP3CD01-CTP3CD56 | CTP3CD34 | Used third top therapy for treating: menstrual problems | 947 | 1 |
| CAL.711_35.000 | | CTP3CD01-CTP3CD56 | CTP3CD35 | Used third top therapy for treating: migraine headaches | 948 | 1 |
| CAL.711_36.000 | | CTP3CD01-CTP3CD56 | CTP3CD36 | Used third top therapy for treating: muscular dystrophy | 949 | 1 |

2012 NHIS Public Use Variable Summary

Child Alternative Medicine

Filename - Section: childcam - CAL

Document Version Date: June 12, 2013

| Question # | Recode | Instrument Variable Name | FinalDocName | Processing Variable Label | Location | Length |
|----------------|--------|--------------------------|--------------|--|-----------|--------|
| CAL.711_37.000 | | CTP3CD01-CTP3CD56 | CTP3CD37 | Used third top therapy for treating: nausea and/or vomiting | 950 | 1 |
| CAL.711_38.000 | | CTP3CD01-CTP3CD56 | CTP3CD38 | Used third top therapy for treating: neck pain | 951 | 1 |
| CAL.711_39.000 | | CTP3CD01-CTP3CD56 | CTP3CD39 | Used third top therapy for treating: other chronic pain | 952 | 1 |
| CAL.711_40.000 | | CTP3CD01-CTP3CD56 | CTP3CD40 | Used third top therapy for treating: other muscle or joint pain | 953 | 1 |
| CAL.711_41.000 | | CTP3CD01-CTP3CD56 | CTP3CD41 | Used third top therapy for treating: other developmental delay | 954 | 1 |
| CAL.711_42.000 | | CTP3CD01-CTP3CD56 | CTP3CD42 | Used third top therapy for treating: other heart condition | 955 | 1 |
| CAL.711_43.000 | | CTP3CD01-CTP3CD56 | CTP3CD43 | Used third top therapy for treating: problems with being overweight | 956 | 1 |
| CAL.711_44.000 | | CTP3CD01-CTP3CD56 | CTP3CD44 | Used third top therapy for treating: non-migraine headaches | 957 | 1 |
| CAL.711_45.000 | | CTP3CD01-CTP3CD56 | CTP3CD45 | Used third top therapy for treating: respiratory allergy | 958 | 1 |
| CAL.711_46.000 | | CTP3CD01-CTP3CD56 | CTP3CD46 | Used third top therapy for treating: seizures | 959 | 1 |
| CAL.711_47.000 | | CTP3CD01-CTP3CD56 | CTP3CD47 | Used third top therapy for treating: sickle cell anemia | 960 | 1 |
| CAL.711_48.000 | | CTP3CD01-CTP3CD56 | CTP3CD48 | Used third top therapy for treating: sinusitis | 961 | 1 |
| CAL.711_49.000 | | CTP3CD01-CTP3CD56 | CTP3CD49 | Used third top therapy for treating: sore throat other than strep or tonsillitis | 962 | 1 |
| CAL.711_50.000 | | CTP3CD01-CTP3CD56 | CTP3CD50 | Used third top therapy for treating: sprain or strain | 963 | 1 |
| CAL.711_51.000 | | CTP3CD01-CTP3CD56 | CTP3CD51 | Used third top therapy for treating: strep throat or tonsillitis | 964 | 1 |
| CAL.711_52.000 | | CTP3CD01-CTP3CD56 | CTP3CD52 | Used third top therapy for treating: frequent stress | 965 | 1 |
| CAL.711_53.000 | | CTP3CD01-CTP3CD56 | CTP3CD53 | Used third top therapy for treating: stuttering or stammering | 966 | 1 |
| CAL.711_54.000 | | CTP3CD01-CTP3CD56 | CTP3CD54 | Used third top therapy for treating: three or more ear infections | 967 | 1 |
| CAL.711_55.000 | | CTP3CD01-CTP3CD56 | CTP3CD55 | Used third top therapy for treating: vision problems | 968 | 1 |
| CAL.711_56.000 | | CTP3CD01-CTP3CD56 | CTP3CD56 | Used third top therapy for treating: other specify | 969 | 1 |
| CAL.711_57.000 | RECODE | | CTP3CD57 | Used third top therapy for: condition not elsewhere classified | 970 | 1 |
| CAL.712_00.000 | | CTP3CMST | CTP3CMST | Most important health problem for which third top therapy was used | 971 - 972 | 2 |
| CAL.713_00.000 | | CTP3CHLP | CTP3CHLP | How much third top therapy helped with the most important reason for its use | 973 | 1 |

2012 NHIS Public Use Variable Summary

Child Alternative Medicine

Filename - Section: childcam - CAL

Document Version Date: June 12, 2013

| Question # | Recode | Instrument Variable Name | FinalDocName | Processing Variable Label | Location | Length |
|----------------|--------|--------------------------|--------------|--|----------|--------|
| CAL.714_00.000 | | CTP3MTR1 | CTP3MTR1 | Received prescription medication for most important health condition treated by third top therapy | 974 | 1 |
| CAL.715_00.000 | | CTP3MTR2 | CTP3MTR2 | Received over-the-counter medication for most important health condition treated by third top therapy | 975 | 1 |
| CAL.716_00.000 | | CTP3MTR3 | CTP3MTR3 | Received surgery for most important health condition treated by third top therapy | 976 | 1 |
| CAL.717_00.000 | | CTP3MTR4 | CTP3MTR4 | Received physical therapy for most important health condition treated by third top therapy | 977 | 1 |
| CAL.718_00.000 | | CTP3MTR5 | CTP3MTR5 | Received mental health counseling for most important health condition treated by third top therapy | 978 | 1 |
| CAL.719_00.000 | | CTP3RS1 | CTP3RS1 | Used/saw practitioner for third top therapy because: medical treatments were too expensive | 979 | 1 |
| CAL.720_00.000 | | CTP3RS2 | CTP3RS2 | Used/saw practitioner for third top therapy because: therapy combined with medical treatment would help | 980 | 1 |
| CAL.721_00.000 | | CTP3RS3 | CTP3RS3 | Used/saw practitioner for third top therapy because: medical treatments do not work for your specific health problem | 981 | 1 |
| CAL.722_00.000 | | CTP3RS4 | CTP3RS4 | Used/saw practitioner for third top therapy because: medications cause side effects | 982 | 1 |
| CAL.723_00.000 | | CTP3RS5 | CTP3RS5 | Used/saw practitioner for third top therapy because: it can be practiced/done on your own | 983 | 1 |
| CAL.724_00.000 | | CTP3RS6 | CTP3RS6 | Used/saw practitioner for third top therapy because: it is natural | 984 | 1 |
| CAL.725_00.000 | | CTP3RS7 | CTP3RS7 | Used/saw practitioner for third top therapy because: it focuses on the whole person, mind, body, and spirit | 985 | 1 |
| CAL.726_00.000 | | CTP3RS8 | CTP3RS8 | Used/saw practitioner for third top therapy because: it treats the cause and not just the symptoms | 986 | 1 |
| CAL.727_00.000 | | CTP3RS9 | CTP3RS9 | Used/saw practitioner for third top therapy because: it was part of your upbringing | 987 | 1 |
| CAL.728_00.000 | | CTP3REC1 | CTP3REC1 | Used/saw practitioner for third top therapy because it was recommended by: a medical doctor | 988 | 1 |
| CAL.729_00.000 | | CTP3REC2 | CTP3REC2 | Used/saw practitioner for third top therapy because it was recommended by: a family member | 989 | 1 |
| CAL.730_00.000 | | CTP3REC3 | CTP3REC3 | Used/saw practitioner for third top therapy because it was recommended by: a friend | 990 | 1 |

2012 NHIS Public Use Variable Summary

Child Alternative Medicine

Filename - Section: childcam - CAL

Document Version Date: June 12, 2013

| Question # | Recode | Instrument Variable Name | FinalDocName | Processing Variable Label | Location | Length |
|----------------|--------|--------------------------|--------------|---|----------|--------|
| CAL.731_00.000 | | CTP3REC4 | CTP3REC4 | Used/saw practitioner for third top therapy because it was recommended by: a co-worker | 991 | 1 |
| CAL.732_00.000 | | CTP3IMP | CTP3IMP | How important use of third top therapy was in maintaining health and well-being | 992 | 1 |
| CAL.733_00.000 | | CTP3DS1 | CTP3DS1 | Told personal health care provider about use of third top therapy | 993 | 1 |
| CAL.734_00.000 | | CTP3DS2 | CTP3DS2 | Didn't tell personal health care provider about use of third top therapy because: weren't using therapy at the time | 994 | 1 |
| CAL.735_00.000 | | CTP3DS3 | CTP3DS3 | Didn't tell personal health care provider about use of third top therapy because: they discouraged use of therapy in the past | 995 | 1 |
| CAL.736_00.000 | | CTP3DS4 | CTP3DS4 | Didn't tell personal health care provider about use of third top therapy because: worried they would discourage it | 996 | 1 |
| CAL.737_00.000 | | CTP3DS5 | CTP3DS5 | Didn't tell personal health care provider about use of third top therapy because: concerned about a negative reaction | 997 | 1 |
| CAL.738_00.000 | | CTP3DS6 | CTP3DS6 | Didn't tell personal health care provider about use of third top therapy because: didn't think they needed to know | 998 | 1 |
| CAL.739_00.000 | | CTP3DS7 | CTP3DS7 | Didn't tell personal health care provider about use of third top therapy because: they didn't ask | 999 | 1 |
| CAL.740_00.000 | | CTP3DS8 | CTP3DS8 | Didn't tell health care provider about use of third top therapy because: didn't think they knew as much about therapy as you do | 1000 | 1 |
| CAL.741_00.000 | | CTP3DS9 | CTP3DS9 | Didn't tell personal health care provider about use of third top therapy because: they didn't give you enough time to tell them | 1001 | 1 |
| CAL.760_00.000 | | CTP3INF1 | CTP3INF1 | Got information about third top therapy from: the internet | 1002 | 1 |
| CAL.761_00.000 | | CTP3INF2 | CTP3INF2 | Got information about third top therapy from: books, magazines, or newspapers | 1003 | 1 |
| CAL.762_00.000 | | CTP3INF3 | CTP3INF3 | Got information about third top therapy from: DVDs, videos, or CDs | 1004 | 1 |
| CAL.763_00.000 | | CTP3INF4 | CTP3INF4 | Got information about third top therapy from: television or radio | 1005 | 1 |
| CAL.764_00.000 | | CTP3INF5 | CTP3INF5 | Got information about third top therapy from: scientific articles | 1006 | 1 |
| CAL.765_00.000 | | CTP3INF6 | CTP3INF6 | Got information about third top therapy from: health food stores | 1007 | 1 |

Number of variables for Public Use file: Child Alternative Medicine 781