

2016 National Health Interview Survey (NHIS)
 Sample Adult Public Use File (samadult)
 IDN Variables Tuesday, June 6, 2017
 Unweighted Frequencies

1

**Continuous variables in the frequency
 Report only show the range of valid numbers**

IDN.000_00.000: File type identifier

RECTYPE	Frequency	Percent
10 Household	0	0.00
20 Person	0	0.00
25 Income Imputation	0	0.00
30 Sample Adult	33028	100.00
38 Functioning and Disability	0	0.00
40 Sample Child	0	0.00
60 Family	0	0.00
63 Family Disability Questions	0	0.00
65 Paradata	0	0.00
70 Injury/Poisoning Episode	0	0.00
75 Injury/Poisoning Verbatim	0	0.00

IDN.000_02.000: Year of National Health Interview Survey

SRVY_YR	Frequency	Percent
Survey Year	33028	100.00

IDN.000_04.000: Household Number

HHX	Frequency	Percent
Range of Values	33028	100.00

IDN.000_25.000: Interview Quarter

INTV_QRT	Frequency	Percent
1 Quarter 1	8227	24.91
2 Quarter 2	8256	25.00
3 Quarter 3	8351	25.28
4 Quarter 4	8194	24.81

IDN.000_30.000: Interview Month

INTV_MON	Frequency	Percent
01 January	2478	7.50
02 February	2756	8.34
03 March	2993	9.06
04 April	2896	8.77
05 May	2627	7.95
06 June	2733	8.27
07 July	2707	8.20
08 August	2742	8.30
09 September	2902	8.79
10 October	2835	8.58
11 November	2799	8.47
12 December	2560	7.75

2016 National Health Interview Survey (NHIS) 2
 Sample Adult Public Use File (samadult)
 IDN Variables Tuesday, June 6, 2017
 Unweighted Frequencies

IDN.000_35.000: Family Number

FMX	Frequency	Percent
01-25 Family number 1 - 25	33028	100.00

IDN.000_40.000: Person Number (Within family)

FPX	Frequency	Percent
01-25 Person number 1 thru 25	33028	100.00

IDN.000_65.000: Weight - Interim Annual

WTIA_SA	Frequency	Percent
Range of Values	33028	100.00

IDN.000_70.000: Weight - Final Annual

WTFA_SA	Frequency	Percent
Range of Values	33028	100.00

UCF Variables Tuesday, June 6, 2017
Unweighted Frequencies

UCF.000_00.000: Region

REGION	Frequency	Percent
1 Northeast	5590	16.93
2 Midwest	7345	22.24
3 South	11487	34.78
4 West	8606	26.06

UCF.000_00.000: Pseudo-stratum for public-use file variance estimation

PSTRAT	Frequency	Percent
100-151	33028	100.00

UCF.000_00.000: Pseudo-PSU for public-use file variance estimation

PPSU	Frequency	Percent
001-164 (with some gaps)	33028	100.00

2016 National Health Interview Survey (NHIS)
 Sample Adult Public Use File (samadult)
 HHC Variables Tuesday, June 6, 2017
 Unweighted Frequencies

HHC.110_00.000: Sex

SEX	Frequency	Percent
1 Male	14991	45.39
2 Female	18037	54.61

HHC.180_00.000: Hispanic subgroup detail

HISPAN_I	Frequency	Percent
00 Multiple Hispanic	67	0.20
01 Puerto Rico	442	1.34
02 Mexican	1296	3.92
03 Mexican-American	935	2.83
04 Cuban/Cuban American	188	0.57
05 Dominican (Republic)	138	0.42
06 Central or South American	589	1.78
07 Other Latin American, type not specified	14	0.04
08 Other Spanish	137	0.41
09 Hispanic/Latino/Spanish, non-specific type	0	0.00
10 Hispanic/Latino/Spanish, type refused	0	0.00
11 Hispanic/Latino/Spanish, type not ascertained	0	0.00
12 Not Hispanic/Spanish origin	29222	88.48

HHC.200_01.000: OMB groups w/multiple race

RACERPI2	Frequency	Percent
01 White only	26524	80.31
02 Black/African American only	3685	11.16
03 AIAN only	357	1.08
04 Asian only	1670	5.06
05 Race group not releasable (See file layout)	105	0.32
06 Multiple race	687	2.08

HHC.200_01.000: Race coded to single/multiple race group

MRACRPI2	Frequency	Percent
01 White	26836	81.25
02 Black/African American	3777	11.44
03 Indian (American), Alaska Native	433	1.31
09 Asian Indian	351	1.06
10 Chinese	337	1.02
11 Filipino	411	1.24
15 Other Asian (See file layout)	613	1.86
16 Primary race not releasable (See file layout)	165	0.50
17 Multiple race, no primary race selected	105	0.32

2016 National Health Interview Survey (NHIS)
 Sample Adult Public Use File (samadult)
 HHC Variables Tuesday, June 6, 2017
 Unweighted Frequencies

HHC.200_01.000: Race coded to single/multiple race group

MRACBPI2	Frequency	Percent
01 White	25711	77.85
02 Black/African American	3716	11.25
03 Indian (American) (includes Eskimo, Aleut)	408	1.24
06 Chinese	335	1.01
07 Filipino	400	1.21
12 Asian Indian	351	1.06
16 Other race (See file layout)	1971	5.97
17 Multiple race, no primary race selected	136	0.41

HHC.420_00.000: Age

AGE_P	Frequency	Percent
00 Under 1 year	0	0.00
01-84 1-84 years	31880	96.52
85 85+ years	1148	3.48

FID.250_00.000: Marital Status

R_MARITL	Frequency	Percent
0 Under 14 years	0	0.00
1 Married - spouse in household	14160	42.87
2 Married - spouse not in household	576	1.74
3 Married - spouse in household unknown	0	0.00
4 Widowed	3276	9.92
5 Divorced	4676	14.16
6 Separated	856	2.59
7 Never married	7463	22.60
8 Living with partner	1953	5.91
9 Unknown marital status	68	0.21

FID: Sample adult is parent to 1+ minor child(ren) in the family

PAR_STAT	Frequency	Percent
1 Yes, the Sample Adult is a parent of a child residing in the family	7632	23.11
2 There are minor children residing in the family but the Sample Adult is not their parent	1261	3.82
3 There are no minor children residing in the family	24135	73.07
9 Unknown	0	0.00

2016 National Health Interview Survey (NHIS)
 Sample Adult Public Use File (samadult)
 AID Variables Tuesday, June 6, 2017
 Unweighted Frequencies

AID.005_00.000: Sample adult status

PROXYSA	Frequency	Percent
<hr/>		
1 Physical or mental condition prohibits responding	511	1.55
2 Sample adult is able to respond	31876	96.51
3 Unknown	641	1.94

AID.010_00.000: Knowledgeable proxy for Sample Adult available

PROX1	Frequency	Percent
<hr/>		
1 Yes	511	100.00
2 No	0	0.00

Frequency Missing = 32517

AID.015_00.000: Relationship of SA proxy to SA

PROX2	Frequency	Percent
<hr/>		
1 Relative who lives in household	415	81.21
2 Relative who doesn't live in household	64	12.52
3 Other caregiver	20	3.91
4 Other	12	2.35
7 Refused	0	0.00
8 Not ascertained	0	0.00
9 Don't know	0	0.00

Frequency Missing = 32517

AID.550_00.000: Late Sample Adult interviews

LATEINTA

-
- 1 Started Sample Adult Core 2+ weeks after the initial interview
 - 2 Started Sample Adult Core less than 2 weeks after the initial interview

AID.550_00.000: Late Sample Adult interviews

Frequency	Percent
<hr/>	
2792	8.45
30236	91.55

2016 National Health Interview Survey (NHIS)
Sample Adult Public Use File (samadult)
FDB Variables Tuesday, June 6, 2017
Unweighted Frequencies

FDB.001_00.000: Disability Questions flag

FDRN_FLG

- 1 Families selected to receive AFD (sample adults) section
2 Families selected to receive FDB (all persons 1 year and older) section

FDB.001_00.000: Disability Questions flag

Frequency	Percent

16478	49.89
16550	50.11

2016 National Health Interview Survey (NHIS)
Sample Adult Public Use File (samadult)
ASD Variables Tuesday, June 6, 2017
Unweighted Frequencies

ASD.062_00.000: Corrected employment status last week

DOINGLWA	Frequency
1 Working for pay at a job or business	17818
2 With a job or business but not at work	690
3 Looking for work	1098
4 Working, but not for pay, at a family-owned job or business	306
5 Not working at a job or business and not looking for work	13099
7 Refused	15
8 Not ascertained	0
9 Don't know	2

ASD.062_00.000: Corrected employment status last week

DOINGLWA	Percent
1 Working for pay at a job or business	53.95
2 With a job or business but not at work	2.09
3 Looking for work	3.32
4 Working, but not for pay, at a family-owned job or business	0.93
5 Not working at a job or business and not looking for work	39.66
7 Refused	0.05
8 Not ascertained	0.00
9 Don't know	0.01

ASD.065_00.000: Main reason for not working last week

WHYNOWKA	Frequency	Percent
01 Taking care of house or family	1536	11.14
02 Going to school	982	7.12
03 Retired	7707	55.89
04 On a planned vacation from work	299	2.17
05 On family or maternity leave	54	0.39
06 Temporarily unable to work for health reasons	280	2.03
07 Have job or contract and off-season	163	1.18
08 On layoff	95	0.69
09 Disabled	2338	16.96
10 Other	328	2.38
97 Refused	5	0.04
98 Not ascertained	0	0.00
99 Don't know	2	0.01

Frequency Missing = 19239

ASD.066_00.000: Ever worked

EVERWRK	Frequency	Percent
1 Yes	12725	89.52
2 No	1476	10.38
7 Refused	12	0.08
8 Not ascertained	0	0.00
9 Don't know	1	0.01

Frequency Missing = 18814

ASD.080_00.000: Detailed industry classification based on 2012 Census codes

INDSTRN1	Frequency	Percent
See Industry Appendix in file layout at the end of the Sample Adult Documentation	31539	100.00

Frequency Missing = 1489

ASD.080_00.000: Simple industry classification based on 2012 Census codes

INDSTRN2	Frequency	Percent
See Industry Appendix in file layout at the end of the Sample Adult Documentation	31539	100.00

Frequency Missing = 1489

ASD.090_00.000: Detailed occupation classification based on 2010 Census Codes

OCCUPN1	Frequency	Percent
See Occupation Appendix in file layout at the end of the Sample Adult documentation	31539	100.00

Frequency Missing = 1489

ASD.090_00.000: Simple occupation classification based on 2010 Census codes

OCCUPN2	Frequency	Percent
See Occupation Appendix in file layout at the end of the Sample Adult documentation	31539	100.00

Frequency Missing = 1489

2016 National Health Interview Survey (NHIS)
 Sample Adult Public Use File (samadult)
 ASD Variables Tuesday, June 6, 2017
 Unweighted Frequencies

ASD.105_00.010: Supervise other employees as part of job

SUPERVIS	Frequency	Percent
1 Yes	10897	34.55
2 No	20601	65.32
7 Refused	27	0.09
8 Not ascertained	0	0.00
9 Don't know	14	0.04

Frequency Missing = 1489

ASD.110_00.000: Class of worker

WRKCATA	Frequency
1 Employee of a PRIVATE company for wages	22657
2 A FEDERAL government employee	1333
3 A STATE government employee	2418
4 A LOCAL government employee	2185
5 Self-employed in OWN business, professional practice or farm	2673
6 Working WITHOUT PAY in a family-owned business or farm	113
7 Refused	52
8 Not ascertained	0
9 Don't know	108

Frequency Missing = 1489

ASD.110_00.000: Class of worker

WRKCATA	Percent
1 Employee of a PRIVATE company for wages	71.84
2 A FEDERAL government employee	4.23
3 A STATE government employee	7.67
4 A LOCAL government employee	6.93
5 Self-employed in OWN business, professional practice or farm	8.48
6 Working WITHOUT PAY in a family-owned business or farm	0.36
7 Refused	0.16
8 Not ascertained	0.00
9 Don't know	0.34

Frequency Missing = 1489

ASD.112_00.000: Current job an incorporated business

BUSINC1A	Frequency	Percent
1 Yes	824	30.83
2 No	1819	68.05
7 Refused	4	0.15
8 Not ascertained	0	0.00
9 Don't know	26	0.97

Frequency Missing = 30355

Sample Adult Public Use File (samadult)

ASD Variables

Tuesday, June 6, 2017

Unweighted Frequencies

ASD.120_00.000: Number of employees at work

LOCALL1B	Frequency	Percent
01 1 employee	2346	7.44
02 2-9 employees	5407	17.14
03 10-24 employees	4613	14.63
04 25-49 employees	3540	11.22
05 50-99 employees	3205	10.16
06 100-249 employees	3678	11.66
07 250-499 employees	2077	6.59
08 500-999 employees	1805	5.72
09 1000 employees or more	3604	11.43
97 Refused	95	0.30
98 Not ascertained	0	0.00
99 Don't know	1169	3.71

Frequency Missing = 1489

ASD.140_02.000: Number of years on the job

YRSWRKPA	Frequency	Percent
00 Less than 1 year	4475	14.19
01-34 years	25014	79.31
35 35 or more years	1753	5.56
97 Refused	118	0.37
98 Not ascertained	4	0.01
99 Don't know	175	0.55

Frequency Missing = 1489

ASD.146_00.000: Current/most recent job also longest held job

WRKLONGH	Frequency	Percent
1 Yes	13936	59.01
2 No	9600	40.65
7 Refused	43	0.18
8 Not ascertained	0	0.00
9 Don't know	37	0.16

Frequency Missing = 9412

2016 National Health Interview Survey (NHIS)
Sample Adult Public Use File (samadult)
ASD Variables Tuesday, June 6, 2017
Unweighted Frequencies

ASD.150_00.000: Paid by the hour at current or most recent job

HOORPDA	Frequency	Percent
1 Yes	18472	58.57
2 No	12923	40.97
7 Refused	75	0.24
8 Not ascertained	0	0.00
9 Don't know	69	0.22

Frequency Missing = 1489

ASD.160_00.000: Paid sick leave at current or most recent job

PDSICKA	Frequency	Percent
1 Yes	17585	55.76
2 No	13525	42.88
7 Refused	59	0.19
8 Not ascertained	0	0.00
9 Don't know	370	1.17

Frequency Missing = 1489

ASD.170_00.000: Have more than one job

ONEJOB	Frequency	Percent
1 Yes	1844	9.80
2 No	16941	90.04
7 Refused	25	0.13
8 Not ascertained	1	0.01
9 Don't know	3	0.02

Frequency Missing = 14214

ASD.210_00.000: Work status: last week, past 12 months

WRKLYR4	Frequency	Percent
0 Had job last week	18814	56.96
1 No job last week, had job past 12 months	2139	6.48
2 No job last week, no job past 12 months	10553	31.95
3 Never worked	1476	4.47
7 Refused	33	0.10
8 Not ascertained	0	0.00
9 Don't know	13	0.04

2016 National Health Interview Survey (NHIS)
Sample Adult Public Use File (samadult)
ACN Variables Tuesday, June 6, 2017
Unweighted Frequencies

ACN.010_00.000: Ever been told you have hypertension

HYPEV	Frequency	Percent
1 Yes	11664	35.32
2 No	21315	64.54
7 Refused	21	0.06
8 Not ascertained	0	0.00
9 Don't know	28	0.08

ACN.020_00.000: Ever had hypertension on 2+ visits

HYPDIFV	Frequency	Percent
1 Yes	10216	87.59
2 No	1422	12.19
7 Refused	1	0.01
8 Not ascertained	0	0.00
9 Don't know	25	0.21

Frequency Missing = 21364

ACN.020_00.010: Had hypertension, past 12 months

HYPYR1	Frequency	Percent
1 Yes	8850	86.63
2 No	1333	13.05
7 Refused	0	0.00
8 Not ascertained	0	0.00
9 Don't know	33	0.32

Frequency Missing = 22812

ACN.022_02.020: Ever prescribed medicine for high blood pressure

HYPMDEV2	Frequency	Percent
1 Yes	10428	89.40
2 No	1225	10.50
7 Refused	1	0.01
8 Not ascertained	0	0.00
9 Don't know	10	0.09

Frequency Missing = 21364

ACN.022_03.030: Now taking prescribed medicine for high blood pressure

HYPMED2	Frequency	Percent
1 Yes	9362	89.78
2 No	1062	10.18
7 Refused	0	0.00
8 Not ascertained	0	0.00
9 Don't know	4	0.04

Frequency Missing = 22600

ACN.023_00.010: Ever told you had high cholesterol

CHLEV	Frequency	Percent
1 Yes	10009	30.30
2 No	22930	69.43
7 Refused	24	0.07
8 Not ascertained	0	0.00
9 Don't know	65	0.20

ACN.023_00.020: Had high cholesterol, past 12 months

CHLYR	Frequency	Percent
1 Yes	7328	73.21
2 No	2506	25.04
7 Refused	0	0.00
8 Not ascertained	0	0.00
9 Don't know	175	1.75

Frequency Missing = 23019

ACN.023_03.030: Ever prescribed medicine to lower cholesterol

CHLMDEV2	Frequency	Percent
1 Yes	7664	76.57
2 No	2331	23.29
7 Refused	1	0.01
8 Not ascertained	0	0.00
9 Don't know	13	0.13

Frequency Missing = 23019

2016 National Health Interview Survey (NHIS)
Sample Adult Public Use File (samadult)
ACN Variables Tuesday, June 6, 2017
Unweighted Frequencies

ACN.023_04.040: Now taking prescribed medicine to lower cholesterol

CHLMDNW2	Frequency	Percent
1 Yes	6385	83.31
2 No	1271	16.58
7 Refused	0	0.00
8 Not ascertained	0	0.00
9 Don't know	8	0.10

Frequency Missing = 25364

ACN.031_01.000: Ever been told you had coronary heart disease

CHDEV	Frequency	Percent
1 Yes	1805	5.47
2 No	31148	94.31
7 Refused	16	0.05
8 Not ascertained	0	0.00
9 Don't know	59	0.18

ACN.031_02.000: Ever been told you had angina pectoris

ANGEV	Frequency	Percent
1 Yes	776	2.35
2 No	32185	97.45
7 Refused	16	0.05
8 Not ascertained	0	0.00
9 Don't know	51	0.15

ACN.031_03.000: Ever been told you had a heart attack

MIEV	Frequency	Percent
1 Yes	1286	3.89
2 No	31710	96.01
7 Refused	18	0.05
8 Not ascertained	0	0.00
9 Don't know	14	0.04

ACN.031_04.000: Ever been told you had a heart condition/disease

HRTEV	Frequency	Percent
1 Yes	2938	8.90
2 No	30045	90.97
7 Refused	18	0.05
8 Not ascertained	0	0.00
9 Don't know	27	0.08

2016 National Health Interview Survey (NHIS)

Sample Adult Public Use File (samadult)

ACN Variables Tuesday, June 6, 2017

Unweighted Frequencies

ACN.031_05.000: Ever been told you had a stroke

STREV	Frequency	Percent
1 Yes	1220	3.69
2 No	31778	96.22
7 Refused	15	0.05
8 Not ascertained	0	0.00
9 Don't know	15	0.05

ACN.031_06.000: Ever been told you had emphysema

EPHEV	Frequency	Percent
1 Yes	661	2.00
2 No	32333	97.90
7 Refused	16	0.05
8 Not ascertained	0	0.00
9 Don't know	18	0.05

ACN.035_00.000: Ever been told you had COPD

COPDEV	Frequency	Percent
1 Yes	1400	4.24
2 No	31583	95.62
7 Refused	17	0.05
8 Not ascertained	0	0.00
9 Don't know	28	0.08

ACN.040_00.010: Ever been told to take low-dose aspirin

ASPMEDV	Frequency	Percent
1 Yes	7615	34.04
2 No	14719	65.80
7 Refused	10	0.04
8 Not ascertained	1	0.00
9 Don't know	26	0.12

Frequency Missing = 10657

ACN.040_00.020: Following low-dose aspirin advice

ASPMEDAD	Frequency	Percent
1 Yes	6065	79.65
2 No	1547	20.32
7 Refused	0	0.00
8 Not ascertained	0	0.00
9 Don't know	3	0.04

Frequency Missing = 25413

ACN.040_00.030: Advised to stop taking low-dose aspirin

ASPMDMED	Frequency	Percent
1 Yes	587	37.94
2 No	959	61.99
7 Refused	0	0.00
8 Not ascertained	0	0.00
9 Don't know	1	0.06

Frequency Missing = 31481

ACN.040_00.040: Taking low-dose aspirin on own

ASPONOWN	Frequency	Percent
1 Yes	1220	8.27
2 No	13521	91.64
7 Refused	7	0.05
8 Not ascertained	0	0.00
9 Don't know	7	0.05

Frequency Missing = 18273

ACN.080_00.000: Ever been told you had asthma

AASMEV	Frequency	Percent
1 Yes	4509	13.65
2 No	28498	86.28
7 Refused	11	0.03
8 Not ascertained	0	0.00
9 Don't know	10	0.03

ACN.085_00.000: Still have asthma

AASSTILL	Frequency	Percent
1 Yes	2806	62.23
2 No	1655	36.70
7 Refused	0	0.00
8 Not ascertained	0	0.00
9 Don't know	48	1.06

Frequency Missing = 28519

ACN.090_00.000: Had an asthma episode/attack past 12 m

AASMYR	Frequency	Percent
1 Yes	1338	29.67
2 No	3165	70.19
7 Refused	0	0.00
8 Not ascertained	0	0.00
9 Don't know	6	0.13

Frequency Missing = 28519

ACN.100_00.000: Had visit to ER due to asthma past 12 m

AASERYR1	Frequency	Percent
1 Yes	330	7.32
2 No	4176	92.61
7 Refused	1	0.02
8 Not ascertained	0	0.00
9 Don't know	2	0.04

Frequency Missing = 28519

ACN.110_00.000: Ever been told you have an ulcer

ULCEV	Frequency	Percent
1 Yes	2314	7.01
2 No	30685	92.91
7 Refused	11	0.03
8 Not ascertained	0	0.00
9 Don't know	18	0.05

ACN.120_00.000: Had ulcer in past 12 m

ULCYR	Frequency	Percent
1 Yes	575	24.85
2 No	1730	74.76
7 Refused	0	0.00
8 Not ascertained	0	0.00
9 Don't know	9	0.39

Frequency Missing = 30714

2016 National Health Interview Survey (NHIS)
 Sample Adult Public Use File (samadult)
 ACN Variables
 Unweighted Frequencies

Tuesday, June 6, 2017

ACN.120_00.010: Ever been told you had Crohn's disease/ulcerative colitis

ULCCOLEV	Frequency	Percent
1 Yes	497	1.50
2 No	32487	98.36
7 Refused	12	0.04
8 Not ascertained	0	0.00
9 Don't know	32	0.10

ACN.130_00.000: Ever told by a doctor you had cancer

CANEV	Frequency	Percent
1 Yes	3687	11.16
2 No	29311	88.75
7 Refused	17	0.05
8 Not ascertained	0	0.00
9 Don't know	13	0.04

ACN.140_01.000: What kind of cancer ... Bladder

CNKIND1	Frequency	Percent
1 Mentioned	94	2.55
2 Not mentioned	3580	97.10
7 Refused	4	0.11
8 Not ascertained	0	0.00
9 Don't know	9	0.24

Frequency Missing = 29341

ACN.140_02.000: What kind of cancer ... Blood

CNKIND2	Frequency	Percent
1 Mentioned	22	0.60
2 Not mentioned	3652	99.05
7 Refused	4	0.11
8 Not ascertained	0	0.00
9 Don't know	9	0.24

Frequency Missing = 29341

ACN.140_03.000: What kind of cancer ... Bone

CNKIND3	Frequency	Percent
1 Mentioned	33	0.90
2 Not mentioned	3641	98.75
7 Refused	4	0.11
8 Not ascertained	0	0.00
9 Don't know	9	0.24

Frequency Missing = 29341

ACN.140_04.000: What kind of cancer ... Brain

CNKIND4	Frequency	Percent
1 Mentioned	31	0.84
2 Not mentioned	3643	98.81
7 Refused	4	0.11
8 Not ascertained	0	0.00
9 Don't know	9	0.24

Frequency Missing = 29341

ACN.140_05.000: What kind of cancer ... Breast

CNKIND5	Frequency	Percent
1 Mentioned	671	18.20
2 Not mentioned	3003	81.45
7 Refused	4	0.11
8 Not ascertained	0	0.00
9 Don't know	9	0.24

Frequency Missing = 29341

ACN.140_06.000: What kind of cancer ... Cervix

CNKIND6	Frequency	Percent
1 Mentioned	204	9.66
2 Not mentioned	1901	90.01
7 Refused	3	0.14
8 Not ascertained	0	0.00
9 Don't know	4	0.19

Frequency Missing = 30916

ACN.140_07.000: What kind of cancer ... Colon

CNKIND7	Frequency	Percent
1 Mentioned	227	6.16
2 Not mentioned	3447	93.49
7 Refused	4	0.11
8 Not ascertained	0	0.00
9 Don't know	9	0.24

Frequency Missing = 29341

ACN.140_08.000: What kind of cancer ... Esophagus

CNKIND8	Frequency	Percent
1 Mentioned	27	0.73
2 Not mentioned	3647	98.92
7 Refused	4	0.11
8 Not ascertained	0	0.00
9 Don't know	9	0.24

Frequency Missing = 29341

ACN.140_09.000: What kind of cancer ... Gallbladder

CNKIND9	Frequency	Percent
1 Mentioned	5	0.14
2 Not mentioned	3669	99.51
7 Refused	4	0.11
8 Not ascertained	0	0.00
9 Don't know	9	0.24

Frequency Missing = 29341

ACN.140_10.000: What kind of cancer ... Kidney

CNKIND10	Frequency	Percent
1 Mentioned	79	2.14
2 Not mentioned	3595	97.50
7 Refused	4	0.11
8 Not ascertained	0	0.00
9 Don't know	9	0.24

Frequency Missing = 29341

ACN.140_11.000: What kind of cancer ... larynx-windpipe

CNKIND11	Frequency	Percent
1 Mentioned	7	0.19
2 Not mentioned	3667	99.46
7 Refused	4	0.11
8 Not ascertained	0	0.00
9 Don't know	9	0.24

Frequency Missing = 29341

ACN.140_12.000: What kind of cancer ... Leukemia

CNKIND12	Frequency	Percent
1 Mentioned	55	1.49
2 Not mentioned	3619	98.16
7 Refused	4	0.11
8 Not ascertained	0	0.00
9 Don't know	9	0.24

Frequency Missing = 29341

ACN.140_13.000: What kind of cancer ... Liver

CNKIND13	Frequency	Percent
1 Mentioned	40	1.08
2 Not mentioned	3634	98.56
7 Refused	4	0.11
8 Not ascertained	0	0.00
9 Don't know	9	0.24

Frequency Missing = 29341

ACN.140_14.000: What kind of cancer ... Lung

CNKIND14	Frequency	Percent
1 Mentioned	129	3.50
2 Not mentioned	3545	96.15
7 Refused	4	0.11
8 Not ascertained	0	0.00
9 Don't know	9	0.24

Frequency Missing = 29341

ACN.140_15.000: What kind of cancer ... Lymphoma

CNKIND15	Frequency	Percent
1 Mentioned	106	2.87
2 Not mentioned	3568	96.77
7 Refused	4	0.11
8 Not ascertained	0	0.00
9 Don't know	9	0.24

Frequency Missing = 29341

ACN.140_16.000: What kind of cancer ... Melanoma

CNKIND16	Frequency	Percent
1 Mentioned	277	7.51
2 Not mentioned	3397	92.13
7 Refused	4	0.11
8 Not ascertained	0	0.00
9 Don't know	9	0.24

Frequency Missing = 29341

ACN.140_17.000: What kind of cancer ... mouth/tongue/lip

CNKIND17	Frequency	Percent
1 Mentioned	15	0.41
2 Not mentioned	3659	99.24
7 Refused	4	0.11
8 Not ascertained	0	0.00
9 Don't know	9	0.24

Frequency Missing = 29341

ACN.140_18.000: What kind of cancer ... Ovary

CNKIND18	Frequency	Percent
1 Mentioned	86	4.07
2 Not mentioned	2019	95.60
7 Refused	3	0.14
8 Not ascertained	0	0.00
9 Don't know	4	0.19

Frequency Missing = 30916

ACN.140_19.000: What kind of cancer ... Pancreas

CNKIND19	Frequency	Percent
1 Mentioned	21	0.57
2 Not mentioned	3653	99.08
7 Refused	4	0.11
8 Not ascertained	0	0.00
9 Don't know	9	0.24

Frequency Missing = 29341

ACN.140_20.000: What kind of cancer ... Prostate

CNKIND20	Frequency	Percent
1 Mentioned	432	27.43
2 Not mentioned	1137	72.19
7 Refused	1	0.06
8 Not ascertained	0	0.00
9 Don't know	5	0.32

Frequency Missing = 31453

ACN.140_21.000: What kind of cancer ... Rectum

CNKIND21	Frequency	Percent
1 Mentioned	27	0.73
2 Not mentioned	3647	98.92
7 Refused	4	0.11
8 Not ascertained	0	0.00
9 Don't know	9	0.24

Frequency Missing = 29341

ACN.140_22.000: What kind of cancer ... skin (non-melanoma)

CNKIND22	Frequency	Percent
1 Mentioned	792	21.48
2 Not mentioned	2882	78.17
7 Refused	4	0.11
8 Not ascertained	0	0.00
9 Don't know	9	0.24

Frequency Missing = 29341

ACN.140_23.000: What kind of cancer ... skin (DK kind)

CNKIND23	Frequency	Percent
1 Mentioned	346	9.38
2 Not mentioned	3328	90.26
7 Refused	4	0.11
8 Not ascertained	0	0.00
9 Don't know	9	0.24

Frequency Missing = 29341

ACN.140_24.000: What kind of cancer ... soft tissue (muscle or fat)

CNKIND24	Frequency	Percent
1 Mentioned	12	0.33
2 Not mentioned	3662	99.32
7 Refused	4	0.11
8 Not ascertained	0	0.00
9 Don't know	9	0.24

Frequency Missing = 29341

ACN.140_25.000: What kind of cancer ... Stomach

CNKIND25	Frequency	Percent
1 Mentioned	19	0.52
2 Not mentioned	3655	99.13
7 Refused	4	0.11
8 Not ascertained	0	0.00
9 Don't know	9	0.24

Frequency Missing = 29341

ACN.140_26.000: What kind of cancer ... Testis

CNKIND26	Frequency	Percent
1 Mentioned	29	1.84
2 Not mentioned	1540	97.78
7 Refused	1	0.06
8 Not ascertained	0	0.00
9 Don't know	5	0.32

Frequency Missing = 31453

2016 National Health Interview Survey (NHIS) 27
 Sample Adult Public Use File (samadult)
 ACN Variables Tuesday, June 6, 2017
 Unweighted Frequencies

ACN.140_27.000: What kind of cancer ... throat - pharynx

CNKIND27	Frequency	Percent
1 Mentioned	28	0.76
2 Not mentioned	3646	98.89
7 Refused	4	0.11
8 Not ascertained	0	0.00
9 Don't know	9	0.24

Frequency Missing = 29341

ACN.140_28.000: What kind of cancer ... Thyroid

CNKIND28	Frequency	Percent
1 Mentioned	105	2.85
2 Not mentioned	3569	96.80
7 Refused	4	0.11
8 Not ascertained	0	0.00
9 Don't know	9	0.24

Frequency Missing = 29341

ACN.140_29.000: What kind of cancer ... Uterus

CNKIND29	Frequency	Percent
1 Mentioned	153	7.24
2 Not mentioned	1952	92.42
7 Refused	3	0.14
8 Not ascertained	0	0.00
9 Don't know	4	0.19

Frequency Missing = 30916

ACN.140_30.000: What kind of cancer ... Other

CNKIND30	Frequency	Percent
1 Mentioned	187	5.07
2 Not mentioned	3487	94.58
7 Refused	4	0.11
8 Not ascertained	0	0.00
9 Don't know	9	0.24

Frequency Missing = 29341

ACN.140_31.000: What kind of cancer ... more than 3 kinds

CNKIND31	Frequency	Percent
1 Mentioned	16	20.78
2 Not mentioned	61	79.22
7 Refused	0	0.00
8 Not ascertained	0	0.00
9 Don't know	0	0.00

Frequency Missing = 32951

ACN.150_01.000: Age first diagnosed w/bladder cancer

CANAGE1	Frequency	Percent
01-84 1-84 years	87	92.55
85 85+ years	6	6.38
97 Refused	0	0.00
98 Not ascertained	0	0.00
99 Don't know	1	1.06

Frequency Missing = 32934

ACN.150_02.000: Age first diagnosed w/blood cancer

CANAGE2	Frequency	Percent
01-84 1-84 years	21	95.45
85 85+ years	0	0.00
97 Refused	0	0.00
98 Not ascertained	0	0.00
99 Don't know	1	4.55

Frequency Missing = 33006

ACN.150_03.000: Age first diagnosed w/bone cancer

CANAGE3	Frequency	Percent
01-84 1-84 years	33	100.00
85 85+ years	0	0.00
97 Refused	0	0.00
98 Not ascertained	0	0.00
99 Don't know	0	0.00

Frequency Missing = 32995

ACN.150_04.000: Age first diagnosed w/brain cancer

CANAGE4	Frequency	Percent
01-84 1-84 years	31	100.00
85 85+ years	0	0.00
97 Refused	0	0.00
98 Not ascertained	0	0.00
99 Don't know	0	0.00

Frequency Missing = 32997

ACN.150_05.000: Age first diagnosed w/breast cancer

CANAGE5	Frequency	Percent
01-84 1-84 years	656	97.76
85 85+ years	9	1.34
97 Refused	1	0.15
98 Not ascertained	0	0.00
99 Don't know	5	0.75

Frequency Missing = 32357

ACN.150_06.000: Age first diagnosed w/cervical cancer

CANAGE6	Frequency	Percent
01-84 1-84 years	202	99.02
85 85+ years	1	0.49
97 Refused	0	0.00
98 Not ascertained	0	0.00
99 Don't know	1	0.49

Frequency Missing = 32824

ACN.150_07.000: Age first diagnosed w/colon cancer

CANAGE7	Frequency	Percent
01-84 1-84 years	220	96.92
85 85+ years	5	2.20
97 Refused	1	0.44
98 Not ascertained	0	0.00
99 Don't know	1	0.44

Frequency Missing = 32801

ACN.150_08.000: Age first diagnosed w/esophageal cancer

CANAGE8	Frequency	Percent
01-84 1-84 years	27	100.00
85 85+ years	0	0.00
97 Refused	0	0.00
98 Not ascertained	0	0.00
99 Don't know	0	0.00

Frequency Missing = 33001

ACN.150_09.000: Age first diagnosed w/gallbladder cancer

CANAGE9	Frequency	Percent
01-84 1-84 years	5	100.00
85 85+ years	0	0.00
97 Refused	0	0.00
98 Not ascertained	0	0.00
99 Don't know	0	0.00

Frequency Missing = 33023

ACN.150_10.000: Age first diagnosed w/kidney cancer

CANAGE10	Frequency	Percent
01-84 1-84 years	77	97.47
85 85+ years	0	0.00
97 Refused	0	0.00
98 Not ascertained	1	1.27
99 Don't know	1	1.27

Frequency Missing = 32949

ACN.150_11.000: Age first diagnosed w/larynx-windpipe cancer

CANAGE11	Frequency	Percent
01-84 1-84 years	7	100.00
85 85+ years	0	0.00
97 Refused	0	0.00
98 Not ascertained	0	0.00
99 Don't know	0	0.00

Frequency Missing = 33021

2016 National Health Interview Survey (NHIS)

Sample Adult Public Use File (samadult)

ACN Variables Tuesday, June 6, 2017

Unweighted Frequencies

ACN.150_12.000: Age first diagnosed w/leukemia

CANAGE12	Frequency	Percent
01-84 1-84 years	48	87.27
85 85+ years	3	5.45
97 Refused	0	0.00
98 Not ascertained	1	1.82
99 Don't know	3	5.45

Frequency Missing = 32973

ACN.150_13.000: Age first diagnosed w/liver cancer

CANAGE13	Frequency	Percent
01-84 1-84 years	38	95.00
85 85+ years	2	5.00
97 Refused	0	0.00
98 Not ascertained	0	0.00
99 Don't know	0	0.00

Frequency Missing = 32988

ACN.150_14.000: Age first diagnosed w/lung cancer

CANAGE14	Frequency	Percent
01-84 1-84 years	125	96.90
85 85+ years	2	1.55
97 Refused	0	0.00
98 Not ascertained	0	0.00
99 Don't know	2	1.55

Frequency Missing = 32899

ACN.150_15.000: Age first diagnosed w/lymphoma

CANAGE15	Frequency	Percent
01-84 1-84 years	101	95.28
85 85+ years	1	0.94
97 Refused	1	0.94
98 Not ascertained	0	0.00
99 Don't know	3	2.83

Frequency Missing = 32922

ACN.150_16.000: Age first diagnosed w/melanoma

CANAGE16	Frequency	Percent
01-84 1-84 years	266	96.03
85 85+ years	8	2.89
97 Refused	0	0.00
98 Not ascertained	0	0.00
99 Don't know	3	1.08

Frequency Missing = 32751

ACN.150_17.000: Age first diagnosed w/mouth/tongue/lip cancer

CANAGE17	Frequency	Percent
01-84 1-84 years	15	100.00
85 85+ years	0	0.00
97 Refused	0	0.00
98 Not ascertained	0	0.00
99 Don't know	0	0.00

Frequency Missing = 33013

ACN.150_18.000: Age first diagnosed w/ovarian cancer

CANAGE18	Frequency	Percent
01-84 1-84 years	84	97.67
85 85+ years	1	1.16
97 Refused	0	0.00
98 Not ascertained	0	0.00
99 Don't know	1	1.16

Frequency Missing = 32942

ACN.150_19.000: Age first diagnosed w/pancreatic cancer

CANAGE19	Frequency	Percent
01-84 1-84 years	20	95.24
85 85+ years	1	4.76
97 Refused	0	0.00
98 Not ascertained	0	0.00
99 Don't know	0	0.00

Frequency Missing = 33007

ACN.150_20.000: Age first diagnosed w/prostate cancer

CANAGE20	Frequency	Percent
01-84 1-84 years	424	98.15
85 85+ years	3	0.69
97 Refused	0	0.00
98 Not ascertained	0	0.00
99 Don't know	5	1.16

Frequency Missing = 32596

ACN.150_21.000: Age first diagnosed w/rectal cancer

CANAGE21	Frequency	Percent
01-84 1-84 years	27	100.00
85 85+ years	0	0.00
97 Refused	0	0.00
98 Not ascertained	0	0.00
99 Don't know	0	0.00

Frequency Missing = 33001

ACN.150_22.000: Age first diagnosed w/skin (non-melanoma) cancer

CANAGE22	Frequency	Percent
01-84 1-84 years	766	96.72
85 85+ years	15	1.89
97 Refused	2	0.25
98 Not ascertained	1	0.13
99 Don't know	8	1.01

Frequency Missing = 32236

ACN.150_23.000: Age first diagnosed w/skin (DK kind) cancer

CANAGE23	Frequency	Percent
01-84 1-84 years	324	93.64
85 85+ years	17	4.91
97 Refused	1	0.29
98 Not ascertained	0	0.00
99 Don't know	4	1.16

Frequency Missing = 32682

ACN.150_24.000: Age first diagnosed w/soft tissue cancer

CANAGE24	Frequency	Percent
01-84 1-84 years	12	100.00
85 85+ years	0	0.00
97 Refused	0	0.00
98 Not ascertained	0	0.00
99 Don't know	0	0.00

Frequency Missing = 33016

ACN.150_25.000: Age first diagnosed w/stomach cancer

CANAGE25	Frequency	Percent
01-84 1-84 years	19	100.00
85 85+ years	0	0.00
97 Refused	0	0.00
98 Not ascertained	0	0.00
99 Don't know	0	0.00

Frequency Missing = 33009

ACN.150_26.000: Age first diagnosed w/testicular cancer

CANAGE26	Frequency	Percent
01-84 1-84 years	29	100.00
85 85+ years	0	0.00
97 Refused	0	0.00
98 Not ascertained	0	0.00
99 Don't know	0	0.00

Frequency Missing = 32999

ACN.150_27.000: Age first diagnosed w/throat/pharynx cancer

CANAGE27	Frequency	Percent
01-84 1-84 years	27	96.43
85 85+ years	1	3.57
97 Refused	0	0.00
98 Not ascertained	0	0.00
99 Don't know	0	0.00

Frequency Missing = 33000

ACN.150_28.000: Age first diagnosed w/thyroid cancer

CANAGE28	Frequency	Percent
01-84 1-84 years	105	100.00
85 85+ years	0	0.00
97 Refused	0	0.00
98 Not ascertained	0	0.00
99 Don't know	0	0.00

Frequency Missing = 32923

ACN.150_29.000: Age first diagnosed w/uterine cancer

CANAGE29	Frequency	Percent
01-84 1-84 years	151	98.69
85 85+ years	1	0.65
97 Refused	1	0.65
98 Not ascertained	0	0.00
99 Don't know	0	0.00

Frequency Missing = 32875

ACN.150_30.000: Age first diagnosed w/other cancer

CANAGE30	Frequency	Percent
01-84 1-84 years	175	93.58
85 85+ years	3	1.60
97 Refused	0	0.00
98 Not ascertained	1	0.53
99 Don't know	8	4.28

Frequency Missing = 32841

ACN.154_00.010: Ever been pregnant

PREGEVER	Frequency	Percent
1 Yes	13650	75.68
2 No	4362	24.18
7 Refused	16	0.09
8 Not ascertained	5	0.03
9 Don't know	4	0.02

Frequency Missing = 14991

2016 National Health Interview Survey (NHIS)
Sample Adult Public Use File (samadult)
ACN Variables Tuesday, June 6, 2017
Unweighted Frequencies

ACN.155_00.010: Told to increase physical activity, past 12 m

DBHVPAY	Frequency	Percent
1 Yes	9933	30.07
2 No	23076	69.87
7 Refused	5	0.02
8 Not ascertained	0	0.00
9 Don't know	14	0.04

ACN.155_00.020: Told to reduce fat/calories in diet, past 12 m

DBHVCLY	Frequency	Percent
1 Yes	7816	23.66
2 No	25189	76.27
7 Refused	6	0.02
8 Not ascertained	0	0.00
9 Don't know	17	0.05

ACN.155_00.030: Told to participate in weight loss program, past 12 m

DBHVWLY	Frequency	Percent
1 Yes	2319	7.02
2 No	30694	92.93
7 Refused	6	0.02
8 Not ascertained	0	0.00
9 Don't know	9	0.03

ACN.155_00.040: Currently increasing physical activity

DBHVPAN	Frequency	Percent
1 Yes	16821	50.93
2 No	16190	49.02
7 Refused	7	0.02
8 Not ascertained	0	0.00
9 Don't know	10	0.03

ACN.155_00.050: Currently reducing fat/calories in diet

DBHVCLN	Frequency	Percent
1 Yes	14664	44.40
2 No	18328	55.49
7 Refused	10	0.03
8 Not ascertained	0	0.00
9 Don't know	26	0.08

ACN.155_00.060: Currently participating in weight loss program

DBHVWLN	Frequency	Percent
1 Yes	2170	6.57
2 No	30846	93.39
7 Refused	7	0.02
8 Not ascertained	0	0.00
9 Don't know	5	0.02

ACN.155_00.070: Blood relative ever had diabetes

DIBREL	Frequency	Percent
1 Yes	11656	35.29
2 No	20902	63.29
7 Refused	27	0.08
8 Not ascertained	0	0.00
9 Don't know	443	1.34

ACN.160_00.000: Ever been told that you have diabetes

DIBEV1	Frequency	Percent
1 Yes	3519	10.65
2 No	28587	86.55
3 Borderline or prediabetes	888	2.69
7 Refused	17	0.05
8 Not ascertained	0	0.00
9 Don't know	17	0.05

ACN.165_00.000: Ever had prediabetes or other symptoms

DIBPRE2	Frequency	Percent
1 Yes	2342	7.94
2 No	27130	91.94
7 Refused	17	0.06
8 Not ascertained	0	0.00
9 Don't know	20	0.07

Frequency Missing = 3519

2016 National Health Interview Survey (NHIS)
 Sample Adult Public Use File (samadult)
 ACN Variables
 Unweighted Frequencies

38

Tuesday, June 6, 2017

ACN.167_00.010: Time since last had blood test for high blood sugar/diabetes

DIBTEST	Frequency	Percent
1 year ago or less	16376	55.49
2 More than 1 year, but not more than 2 years ago	3861	13.08
3 More than 2 years, but not more than 3 years ago	1585	5.37
4 More than 3 years ago	2957	10.02
5 Never	3950	13.39
7 Refused	20	0.07
8 Not ascertained	0	0.00
9 Don't know	760	2.58

Frequency Missing = 3519

ACN.170_00.000: Age first diagnosed w/diabetes

DIBAGE1	Frequency	Percent
01-84 1-84 years	3440	97.76
85 85+ years	11	0.31
97 Refused	1	0.03
98 Not ascertained	0	0.00
99 Don't know	67	1.90

Frequency Missing = 29509

ACN.170_00.000: Years since first diagnosed w/diabetes

DIFAGE2	Frequency	Percent
00 Within past year	119	3.38
01-84 1-84 years	3320	94.34
85 85+ years	0	0.00
96 1+ year(s) with diabetes and age is 85+	12	0.34
97 Refused	1	0.03
98 Not ascertained	0	0.00
99 Don't know	67	1.90

Frequency Missing = 29509

ACN.175_00.010: Type of diabetes

DIBTYPE	Frequency	Percent
1 Type 1	393	11.17
2 Type 2	2897	82.32
3 Other	98	2.78
7 Refused	1	0.03
8 Not ascertained	0	0.00
9 Don't know	130	3.69

Frequency Missing = 29509

Sample Adult Public Use File (samadult)

ACN Variables

Tuesday, June 6, 2017

Unweighted Frequencies

ACN.180_00.000: NOW taking diabetic pills

DIBPILL1	Frequency	Percent
1 Yes	2887	49.26
2 No	2968	50.64
7 Refused	1	0.02
8 Not ascertained	0	0.00
9 Don't know	5	0.09

Frequency Missing = 27167

ACN.190_00.000: NOW taking insulin

INSLN1	Frequency	Percent
1 Yes	1100	18.77
2 No	4754	81.11
7 Refused	2	0.03
8 Not ascertained	0	0.00
9 Don't know	5	0.09

Frequency Missing = 27167

ACN.190_00.010: Length of time before started
insulin after diagnosed w/ diabetes

DIBINS2	Frequency	Percent
1 Less than 1 month	268	24.36
2 1 month to less than 6 months	55	5.00
3 6 months to less than 1 year	62	5.64
4 1 year or more	698	63.45
7 Refused	0	0.00
8 Not ascertained	0	0.00
9 Don't know	17	1.55

Frequency Missing = 31928

ACN.190_00.020: Ever stopped taking insulin for more than 6 m

DIBINS3	Frequency	Percent
1 Yes	71	6.45
2 No	1029	93.55
7 Refused	0	0.00
8 Not ascertained	0	0.00
9 Don't know	0	0.00

Frequency Missing = 31928

2016 National Health Interview Survey (NHIS)
 Sample Adult Public Use File (samadult)
 ACN Variables
 Unweighted Frequencies

40

Tuesday, June 6, 2017

ACN.190_00.030: Stopped taking insulin first year after diagnosed w/ diabetes

DIBINS4	Frequency	Percent
1 Yes	14	40.00
2 No	20	57.14
7 Refused	0	0.00
8 Not ascertained	0	0.00
9 Don't know	1	2.86

Frequency Missing = 32993

ACN.195_00.010: First told you had diabetes during pregnancy

DIBGDM	Frequency	Percent
1 Yes	974	7.14
2 No	12638	92.59
7 Refused	5	0.04
8 Not ascertained	0	0.00
9 Don't know	33	0.24

Frequency Missing = 19378

ACN.197_00.010: Ever had a baby that weighed 9 lbs. or more

DIBBABY	Frequency	Percent
1 Yes	2083	15.26
2 No	11530	84.47
7 Refused	5	0.04
8 Not ascertained	0	0.00
9 Don't know	32	0.23

Frequency Missing = 19378

ACN.198_00.010: Ever participated in year-long program to prevent Type 2 diabetes

DIBPRGM	Frequency	Percent
1 Yes	193	0.65
2 No	29297	99.28
7 Refused	9	0.03
8 Not ascertained	0	0.00
9 Don't know	10	0.03

Frequency Missing = 3519

ACN.198_00.020: Ever referred to program to prevent Type 2 diabetes

DIBREFER	Frequency	Percent
1 Yes	196	0.66
2 No	29291	99.26
7 Refused	9	0.03
8 Not ascertained	0	0.00
9 Don't know	13	0.04

Frequency Missing = 3519

ACN.198_00.030: Interested in beginning year-long program to prevent Type 2 diabetes

DIBBEGIN	Frequency	Percent
1 Very interested	552	1.89
2 Somewhat interested	2964	10.15
3 Not interested	25633	87.78
7 Refused	7	0.02
8 Not ascertained	0	0.00
9 Don't know	44	0.15

Frequency Missing = 3828

ACN.201_01.000: Told that you had hay fever, past 12 m

AHAYFYR	Frequency	Percent
1 Yes	2415	7.31
2 No	30589	92.62
7 Refused	12	0.04
8 Not ascertained	0	0.00
9 Don't know	12	0.04

ACN.201_02.000: Told that you had sinusitis, past 12 m

SINYR	Frequency	Percent
1 Yes	4016	12.16
2 No	28978	87.74
7 Refused	13	0.04
8 Not ascertained	0	0.00
9 Don't know	21	0.06

2016 National Health Interview Survey (NHIS) 42
 Sample Adult Public Use File (samadult)
 ACN Variables Tuesday, June 6, 2017
 Unweighted Frequencies

ACN.201_03.000: Told you had chronic bronchitis, 12 m

CBRCHYR	Frequency	Percent
1 Yes	1421	4.30
2 No	31577	95.61
7 Refused	11	0.03
8 Not ascertained	0	0.00
9 Don't know	19	0.06

ACN.201_04.000: Told you had weak/failing kidneys, 12 m

KIDWKYR	Frequency	Percent
1 Yes	804	2.43
2 No	32199	97.49
7 Refused	14	0.04
8 Not ascertained	0	0.00
9 Don't know	11	0.03

ACN.201_05.000: Told you had liver condition, past 12 m

LIVYR	Frequency	Percent
1 Yes	678	2.05
2 No	32320	97.86
7 Refused	11	0.03
8 Not ascertained	0	0.00
9 Don't know	19	0.06

ACN.250_00.000: Symptoms of joint pain/aching/stiffness past 30 d

JNTSYMP	Frequency	Percent
1 Yes	12444	37.68
2 No	20561	62.25
7 Refused	12	0.04
8 Not ascertained	0	0.00
9 Don't know	11	0.03

ACN.260_01.000: Which joint affected...shoulder-right

JMTHP1	Frequency	Percent
1 Mentioned	3165	25.43
2 Not mentioned	9264	74.45
7 Refused	2	0.02
8 Not ascertained	0	0.00
9 Don't know	13	0.10

Frequency Missing = 20584

ACN.260_02.000: Which joint affected...shoulder-left

JMTHP2	Frequency	Percent
1 Mentioned	2857	22.96
2 Not mentioned	9572	76.92
7 Refused	2	0.02
8 Not ascertained	0	0.00
9 Don't know	13	0.10

Frequency Missing = 20584

ACN.260_03.000: Which joint affected...elbow-right

JMTHP3	Frequency	Percent
1 Mentioned	1562	12.55
2 Not mentioned	10867	87.33
7 Refused	2	0.02
8 Not ascertained	0	0.00
9 Don't know	13	0.10

Frequency Missing = 20584

ACN.260_04.000: Which joint affected...elbow-left

JMTHP4	Frequency	Percent
1 Mentioned	1471	11.82
2 Not mentioned	10958	88.06
7 Refused	2	0.02
8 Not ascertained	0	0.00
9 Don't know	13	0.10

Frequency Missing = 20584

ACN.260_05.000: Which joint affected...hip-right

JMTHP5	Frequency	Percent
1 Mentioned	2684	21.57
2 Not mentioned	9745	78.31
7 Refused	2	0.02
8 Not ascertained	0	0.00
9 Don't know	13	0.10

Frequency Missing = 20584

ACN.260_06.000: Which joint affected...hip-left

JMTHP6	Frequency	Percent
1 Mentioned	2472	19.86
2 Not mentioned	9957	80.01
7 Refused	2	0.02
8 Not ascertained	0	0.00
9 Don't know	13	0.10

Frequency Missing = 20584

ACN.260_07.000: Which joint affected...wrist-right

JMTHP7	Frequency	Percent
1 Mentioned	1928	15.49
2 Not mentioned	10501	84.39
7 Refused	2	0.02
8 Not ascertained	0	0.00
9 Don't know	13	0.10

Frequency Missing = 20584

ACN.260_08.000: Which joint affected...wrist-left

JMTHP8	Frequency	Percent
1 Mentioned	1800	14.46
2 Not mentioned	10629	85.41
7 Refused	2	0.02
8 Not ascertained	0	0.00
9 Don't know	13	0.10

Frequency Missing = 20584

ACN.260_09.000: Which joint affected...knee-right

JMTHP9	Frequency	Percent
1 Mentioned	6535	52.52
2 Not mentioned	5894	47.36
7 Refused	2	0.02
8 Not ascertained	0	0.00
9 Don't know	13	0.10

Frequency Missing = 20584

2016 National Health Interview Survey (NHIS) 45
 Sample Adult Public Use File (samadult)
 ACN Variables Tuesday, June 6, 2017
 Unweighted Frequencies

ACN.260_10.000: Which joint affected...knee-left

JMTHP10	Frequency	Percent
1 Mentioned	6465	51.95
2 Not mentioned	5964	47.93
7 Refused	2	0.02
8 Not ascertained	0	0.00
9 Don't know	13	0.10

Frequency Missing = 20584

ACN.260_11.000: Which joint affected...ankle-right

JMTHP11	Frequency	Percent
1 Mentioned	2077	16.69
2 Not mentioned	10352	83.19
7 Refused	2	0.02
8 Not ascertained	0	0.00
9 Don't know	13	0.10

Frequency Missing = 20584

ACN.260_12.000: Which joint affected...ankle-left

JMTHP12	Frequency	Percent
1 Mentioned	1984	15.94
2 Not mentioned	10445	83.94
7 Refused	2	0.02
8 Not ascertained	0	0.00
9 Don't know	13	0.10

Frequency Missing = 20584

ACN.260_13.000: Which joint affected...toes-right

JMTHP13	Frequency	Percent
1 Mentioned	1115	8.96
2 Not mentioned	11314	90.92
7 Refused	2	0.02
8 Not ascertained	0	0.00
9 Don't know	13	0.10

Frequency Missing = 20584

ACN.260_14.000: Which joint affected...toes-left

JMTHP14	Frequency	Percent
1 Mentioned	1039	8.35
2 Not mentioned	11390	91.53
7 Refused	2	0.02
8 Not ascertained	0	0.00
9 Don't know	13	0.10

Frequency Missing = 20584

ACN.260_15.000: Which joint affected...fingers/thumb-right

JMTHP15	Frequency	Percent
1 Mentioned	2988	24.01
2 Not mentioned	9441	75.87
7 Refused	2	0.02
8 Not ascertained	0	0.00
9 Don't know	13	0.10

Frequency Missing = 20584

ACN.260_16.000: Which joint affected...fingers/thumb-left

JMTHP16	Frequency	Percent
1 Mentioned	2750	22.10
2 Not mentioned	9679	77.78
7 Refused	2	0.02
8 Not ascertained	0	0.00
9 Don't know	13	0.10

Frequency Missing = 20584

ACN.260_17.000: Which joint affected...other joint not listed

JMTHP17	Frequency	Percent
1 Mentioned	717	5.76
2 Not mentioned	11712	94.12
7 Refused	2	0.02
8 Not ascertained	0	0.00
9 Don't know	13	0.10

Frequency Missing = 20584

ACN.270_00.000: Joint symptoms begin more than 3 months ago

JNTCHR	Frequency	Percent
1 Yes	11108	89.26
2 No	1326	10.66
7 Refused	0	0.00
8 Not ascertained	0	0.00
9 Don't know	10	0.08

Frequency Missing = 20584

ACN.280_00.000: Ever seen doctor or health professional for joint symptoms

JNTHP	Frequency	Percent
1 Yes	9110	73.21
2 No	3331	26.77
7 Refused	0	0.00
8 Not ascertained	0	0.00
9 Don't know	3	0.02

Frequency Missing = 20584

ACN.290_00.000: Ever been told you had arthritis

ARTH1	Frequency	Percent
1 Yes	9170	27.76
2 No	23820	72.12
7 Refused	13	0.04
8 Not ascertained	0	0.00
9 Don't know	25	0.08

ACN.295_00.000: Limited due to arthritis or joint symptoms

ARTHLMT	Frequency	Percent
1 Yes	5321	36.14
2 No	9397	63.82
7 Refused	0	0.00
8 Not ascertained	0	0.00
9 Don't know	6	0.04

Frequency Missing = 18304

2016 National Health Interview Survey (NHIS) 48
 Sample Adult Public Use File (samadult)
 ACN Variables Tuesday, June 6, 2017
 Unweighted Frequencies

ACN.300_00.000: Had neck pain, past 3 months

PAINNECK	Frequency	Percent
1 Yes	5490	16.62
2 No	27514	83.31
7 Refused	11	0.03
8 Not ascertained	0	0.00
9 Don't know	13	0.04

ACN.310_00.000: Had low back pain, past 3 months

PAINLB	Frequency	Percent
1 Yes	10217	30.93
2 No	22782	68.98
7 Refused	14	0.04
8 Not ascertained	0	0.00
9 Don't know	15	0.05

ACN.320_00.000: Pain spread down leg/below knees

PAINLEG	Frequency	Percent
1 Yes	3845	37.63
2 No	6350	62.15
7 Refused	2	0.02
8 Not ascertained	0	0.00
9 Don't know	20	0.20

Frequency Missing = 22811

ACN.331_01.000: Had pain in jaw/front of ear, past 3 months

PAINFACE	Frequency	Percent
1 Yes	1727	5.23
2 No	31279	94.70
7 Refused	12	0.04
8 Not ascertained	0	0.00
9 Don't know	10	0.03

ACN.331_02.000: Had severe headache/migraine, past 3 m

AMIGR	Frequency	Percent
1 Yes	4991	15.11
2 No	28018	84.83
7 Refused	11	0.03
8 Not ascertained	0	0.00
9 Don't know	8	0.02

2016 National Health Interview Survey (NHIS) 49
 Sample Adult Public Use File (samadult)
 ACN Variables Tuesday, June 6, 2017
 Unweighted Frequencies

ACN.350_00.000: Had a head/chest cold past 2 w

ACOLD2W	Frequency	Percent
1 Yes	3366	10.19
2 No	29646	89.76
7 Refused	8	0.02
8 Not ascertained	0	0.00
9 Don't know	8	0.02

ACN.360_00.000: Had stomach prob w/vomit/diarrhea, 2 w

AINTIL2W	Frequency	Percent
1 Yes	1491	4.51
2 No	31521	95.44
7 Refused	10	0.03
8 Not ascertained	0	0.00
9 Don't know	6	0.02

ACN.370_00.000: Currently pregnant

PREGNOW	Frequency	Percent
1 Yes	255	3.08
2 No	8004	96.80
7 Refused	2	0.02
8 Not ascertained	3	0.04
9 Don't know	5	0.06

Frequency Missing = 24759

ACN.370_00.010: Recently pregnant

PREGFLYR	Frequency	Percent
1 Yes	363	4.48
2 No	7727	95.47
7 Refused	2	0.02
8 Not ascertained	0	0.00
9 Don't know	2	0.02

Frequency Missing = 24934

ACN.400_00.000: Now use a hearing aid

HRAIDNOW	Frequency	Percent
1 Yes	1534	4.64
2 No	31489	95.34
7 Refused	4	0.01
8 Not ascertained	0	0.00
9 Don't know	1	0.00

ACN.410_00.000: Ever used a hearing aid if not now using

HRAIDEV	Frequency	Percent
1 Yes	352	1.12
2 No	31136	98.86
7 Refused	4	0.01
8 Not ascertained	0	0.00
9 Don't know	2	0.01

Frequency Missing = 1534

ACN.420_00.000: Hearing w/o hearing aid

AHEARST1	Frequency	Percent
1 Excellent	15200	46.02
2 Good	11599	35.12
3 A little trouble hearing	3757	11.38
4 Moderate trouble	1460	4.42
5 A lot of trouble	907	2.75
6 Deaf	96	0.29
7 Refused	5	0.02
8 Not ascertained	0	0.00
9 Don't know	4	0.01

ACN.430_00.000: Trouble seeing even w/glasses/lenses

AVISION	Frequency	Percent
1 Yes	3861	11.69
2 No	29157	88.28
7 Refused	3	0.01
8 Not ascertained	0	0.00
9 Don't know	7	0.02

ACN.440_00.000: Blind or unable to see at all

ABLIND	Frequency	Percent
1 Yes	142	3.68
2 No	3719	96.32
7 Refused	0	0.00
8 Not ascertained	0	0.00
9 Don't know	0	0.00

Frequency Missing = 29167

2016 National Health Interview Survey (NHIS)

Sample Adult Public Use File (samadult)

ACN Variables Tuesday, June 6, 2017

Unweighted Frequencies

ACN.440_00.010: EVER been told you had diabetic retinopathy

VIM_DREV	Frequency	Percent
1 Yes	347	1.05
2 No	32634	98.81
7 Refused	7	0.02
8 Not ascertained	0	0.00
9 Don't know	40	0.12

ACN.440_00.020: Lost vision because of diabetic retinopathy

VIMLS_DR	Frequency	Percent
1 Yes	159	45.82
2 No	184	53.03
7 Refused	0	0.00
8 Not ascertained	0	0.00
9 Don't know	4	1.15

Frequency Missing = 32681

ACN.440_00.030: EVER been told you had cataracts

VIM_CAEV	Frequency	Percent
1 Yes	5847	17.70
2 No	27150	82.20
7 Refused	6	0.02
8 Not ascertained	0	0.00
9 Don't know	25	0.08

ACN.440_00.040: Lost vision because of cataracts

VIMLS_CA	Frequency	Percent
1 Yes	1460	24.97
2 No	4339	74.21
7 Refused	0	0.00
8 Not ascertained	0	0.00
9 Don't know	48	0.82

Frequency Missing = 27181

ACN.440_00.045: Ever had cataract surgery

VIMCSURG	Frequency	Percent
1 Yes	3506	59.96
2 No	2338	39.99
7 Refused	1	0.02
8 Not ascertained	0	0.00
9 Don't know	2	0.03

Frequency Missing = 27181

ACN.440_00.050: EVER been told you had glaucoma

VIM_GLEV	Frequency	Percent
1 Yes	1116	3.38
2 No	31871	96.50
7 Refused	8	0.02
8 Not ascertained	0	0.00
9 Don't know	33	0.10

ACN.440_00.060: Lost vision because of glaucoma

VIMLS_GL	Frequency	Percent
1 Yes	368	32.97
2 No	732	65.59
7 Refused	0	0.00
8 Not ascertained	0	0.00
9 Don't know	16	1.43

Frequency Missing = 31912

ACN.440_00.070: EVER been told you had macular degeneration

VIM_MDEV	Frequency	Percent
1 Yes	771	2.33
2 No	32194	97.47
7 Refused	7	0.02
8 Not ascertained	0	0.00
9 Don't know	56	0.17

ACN.440_00.080: Lost vision because of macular degeneration

VIMLS_MD	Frequency	Percent
1 Yes	369	47.86
2 No	390	50.58
7 Refused	0	0.00
8 Not ascertained	0	0.00
9 Don't know	12	1.56

Frequency Missing = 32257

ACN.440_00.100: Currently wear eyeglasses or contact lenses?

VIMGLASS	Frequency	Percent
1 Yes	22111	67.24
2 No	10771	32.75
7 Refused	3	0.01
8 Not ascertained	0	0.00
9 Don't know	1	0.00

Frequency Missing = 142

ACN.440_00.110: Wear eyeglasses or contact lenses to read/write/cook/sew?

VIMREAD	Frequency	Percent
1 Yes	17074	77.22
2 No	5026	22.73
7 Refused	2	0.01
8 Not ascertained	0	0.00
9 Don't know	9	0.04

Frequency Missing = 10917

ACN.440_00.120: Wear eyeglasses or contact lenses to drive/read signs/watch TV?

VIMDRIVE	Frequency	Percent
1 Yes	16020	72.45
2 No	6083	27.51
7 Refused	1	0.00
8 Not ascertained	0	0.00
9 Don't know	7	0.03

Frequency Missing = 10917

ACN.440_00.130: Use any vision rehabilitation services

AVISREH	Frequency	Percent
1 Yes	119	3.08
2 No	3738	96.81
7 Refused	0	0.00
8 Not ascertained	0	0.00
9 Don't know	4	0.10

Frequency Missing = 29167

ACN.440_00.140: Use any adaptive devices such as magnifiers, talking materials

AVISDEV	Frequency	Percent
1 Yes	619	16.03
2 No	3240	83.92
7 Refused	0	0.00
8 Not ascertained	0	0.00
9 Don't know	2	0.05

Frequency Missing = 29167

ACN.441_00.010: Even when wearing glasses difficult for you to read newspapers

AVDF_NWS	Frequency	Percent
0 Not at all difficult	26177	79.60
1 Only a little difficult	3760	11.43
2 Somewhat difficult	1807	5.49
3 Very difficult	747	2.27
4 Can't do at all because of eyesight	188	0.57
6 Do not do this activity for other reasons	192	0.58
7 Refused	4	0.01
8 Not ascertained	0	0.00
9 Don't know	11	0.03

Frequency Missing = 142

2016 National Health Interview Survey (NHIS)
Sample Adult Public Use File (samadult)
ACN Variables Tuesday, June 6, 2017
Unweighted Frequencies

55

ACN.441_00.020: Even when wearing glasses
difficult for you to see up close/cook/sew

AVDF_CLS	Frequency	Percent
0 Not at all difficult	27904	84.85
1 Only a little difficult	2713	8.25
2 Somewhat difficult	1343	4.08
3 Very difficult	479	1.46
4 Can't do at all because of eyesight	120	0.36
6 Do not do this activity for other reasons	309	0.94
7 Refused	4	0.01
8 Not ascertained	0	0.00
9 Don't know	14	0.04

Frequency Missing = 142

ACN.441_00.030: Even when wearing glasses difficult
for you to go down stairs in dim light

AVDF_NIT	Frequency	Percent
0 Not at all difficult	28831	87.67
1 Only a little difficult	1705	5.18
2 Somewhat difficult	1120	3.41
3 Very difficult	521	1.58
4 Can't do at all because of eyesight	121	0.37
6 Do not do this activity for other reasons	572	1.74
7 Refused	6	0.02
8 Not ascertained	0	0.00
9 Don't know	10	0.03

Frequency Missing = 142

ACN.441_00.040: Even when wearing glasses
difficult for you to drive during daytime

AVDF_DRV	Frequency	Percent
0 Not at all difficult	29528	89.79
1 Only a little difficult	671	2.04
2 Somewhat difficult	314	0.95
3 Very difficult	117	0.36
4 Can't do at all because of eyesight	160	0.49
6 Do not do this activity for other reasons	2080	6.32
7 Refused	6	0.02
8 Not ascertained	0	0.00
9 Don't know	10	0.03

Frequency Missing = 142

2016 National Health Interview Survey (NHIS)
Sample Adult Public Use File (samadult)
ACN Variables Tuesday, June 6, 2017
Unweighted Frequencies

ACN.441_00.050: Even when wearing glasses difficult
for you to notice objects while walking

AVDF_PER	Frequency	Percent
0 Not at all difficult	30793	93.64
1 Only a little difficult	926	2.82
2 Somewhat difficult	577	1.75
3 Very difficult	219	0.67
4 Can't do at all because of eyesight	93	0.28
6 Do not do this activity for other reasons	241	0.73
7 Refused	6	0.02
8 Not ascertained	0	0.00
9 Don't know	31	0.09

Frequency Missing = 142

ACN.441_00.060: Even when wearing glasses difficult
for you to find something on a crowded shelf

AVDF_CRD	Frequency	Percent
0 Not at all difficult	30706	93.37
1 Only a little difficult	1130	3.44
2 Somewhat difficult	607	1.85
3 Very difficult	210	0.64
4 Can't do at all because of eyesight	48	0.15
6 Do not do this activity for other reasons	166	0.50
7 Refused	7	0.02
8 Not ascertained	0	0.00
9 Don't know	12	0.04

Frequency Missing = 142

ACN.442_00.010: Last time you had an eye exam (pupils dilated)

AVISEXAM	Frequency	Percent
1 Less than one month	1873	5.67
2 1-12 months	12819	38.81
3 13-24 months	5373	16.27
4 More than 2 years	8564	25.93
5 Never	4008	12.14
7 Refused	12	0.04
8 Not ascertained	0	0.00
9 Don't know	379	1.15

2016 National Health Interview Survey (NHIS)
 Sample Adult Public Use File (samadult)
 ACN Variables
 Unweighted Frequencies

57

Tuesday, June 6, 2017

ACN.442_00.020: Participate in sports/other activities that can cause eye injury

AVISACT	Frequency	Percent
1 Yes	8200	24.83
2 No	24821	75.15
7 Refused	4	0.01
8 Not ascertained	0	0.00
9 Don't know	3	0.01

ACN.442_00.030: When doing these activities,
 on average, do you wear eye protection

AVISPROT	Frequency	Percent
1 Always	2618	31.93
2 Most of the time	1238	15.10
3 Some of the time	1642	20.02
4 None of the time	2701	32.94
7 Refused	0	0.00
8 Not ascertained	0	0.00
9 Don't know	1	0.01

Frequency Missing = 24828

ACN.451_00.000: Lost all upper & lower natural teeth

LUPPRT	Frequency	Percent
1 Yes	3148	9.53
2 No	29865	90.42
7 Refused	15	0.05
8 Not ascertained	0	0.00
9 Don't know	0	0.00

ACN.460_00.010: How often did you have pain, past 6 m

CHPAIN6M	Frequency	Percent
1 Never	11203	33.92
2 Some days	14260	43.18
3 Most days	2655	8.04
4 Every day	4862	14.72
7 Refused	15	0.05
8 Not ascertained	0	0.00
9 Don't know	33	0.10

2016 National Health Interview Survey (NHIS)
Sample Adult Public Use File (samadult)
ACN Variables
Unweighted Frequencies

Tuesday, June 6, 2017

ACN.460_00.020: How often did pain limit life/work activities, past 6 m

PAINLMT	Frequency	Percent
1 Never	11528	52.94
2 Some days	7126	32.72
3 Most days	1333	6.12
4 Every day	1774	8.15
7 Refused	1	0.00
8 Not ascertained	1	0.00
9 Don't know	14	0.06

Frequency Missing = 11251

2016 National Health Interview Survey (NHIS) 59
Sample Adult Public Use File (samadult)
AHS Variables Tuesday, June 6, 2017
Unweighted Frequencies

AHS.040_00.000: Number of work loss days, past 12 months

WKDAYR	Frequency	Percent
000 None	12645	60.35
001-366 1-366 days	8232	39.29
997 Refused	13	0.06
998 Not ascertained	0	0.00
999 Don't know	63	0.30

Frequency Missing = 12075

AHS.050_00.000: Number of bed days, past 12 months

BEDDAYR	Frequency	Percent
000 None	21909	66.33
001-366 1-366 days	10891	32.98
997 Refused	20	0.06
998 Not ascertained	1	0.00
999 Don't know	207	0.63

AHS.060_00.000: Health better/worse/same, compared w/ 12 months ago

AHSTATYR	Frequency	Percent
1 Better	6119	18.53
2 Worse	3019	9.14
3 About the same	23871	72.28
7 Refused	5	0.02
8 Not ascertained	1	0.00
9 Don't know	13	0.04

AHS.070_00.000: Have health problem that requires special equipment

SPECEQ	Frequency	Percent
1 Yes	3155	9.55
2 No	29868	90.43
7 Refused	3	0.01
8 Not ascertained	1	0.00
9 Don't know	1	0.00

2016 National Health Interview Survey (NHIS)
 Sample Adult Public Use File (samadult)
 AHS Variables
 Unweighted Frequencies

Tuesday, June 6, 2017

AHS.091_01.000: How difficult to walk 1/4 mile without special equipment

FLWALK	Frequency	Percent
0 Not at all difficult	25834	78.22
1 Only a little difficult	1783	5.40
2 Somewhat difficult	1592	4.82
3 Very difficult	1172	3.55
4 Can't do at all	1721	5.21
6 Do not do this activity	907	2.75
7 Refused	6	0.02
8 Not ascertained	4	0.01
9 Don't know	9	0.03

AHS.091_02.000: How difficult to climb 10 steps without special equipment

FLCLIMB	Frequency	Percent
0 Not at all difficult	27725	83.94
1 Only a little difficult	1492	4.52
2 Somewhat difficult	1228	3.72
3 Very difficult	992	3.00
4 Can't do at all	1063	3.22
6 Do not do this activity	503	1.52
7 Refused	5	0.02
8 Not ascertained	4	0.01
9 Don't know	16	0.05

AHS.091_03.000: How difficult to stand 2 hours without special equipment

FLSTAND	Frequency	Percent
0 Not at all difficult	24341	73.70
1 Only a little difficult	2207	6.68
2 Somewhat difficult	1829	5.54
3 Very difficult	1567	4.74
4 Can't do at all	2278	6.90
6 Do not do this activity	767	2.32
7 Refused	6	0.02
8 Not ascertained	4	0.01
9 Don't know	29	0.09

AHS.091_04.000: How difficult to sit 2 hours without special equipment

FLSIT	Frequency	Percent
0 Not at all difficult	28391	85.96
1 Only a little difficult	1729	5.23
2 Somewhat difficult	1455	4.41
3 Very difficult	767	2.32
4 Can't do at all	493	1.49
6 Do not do this activity	177	0.54
7 Refused	6	0.02
8 Not ascertained	4	0.01
9 Don't know	6	0.02

AHS.091_05.000: How difficult to stoop, bend or kneel without special equipment

FLSTOOP	Frequency	Percent
0 Not at all difficult	22497	68.11
1 Only a little difficult	3474	10.52
2 Somewhat difficult	2864	8.67
3 Very difficult	2083	6.31
4 Can't do at all	1683	5.10
6 Do not do this activity	409	1.24
7 Refused	6	0.02
8 Not ascertained	4	0.01
9 Don't know	8	0.02

AHS.091_06.000: How difficult to reach over head without special equipment

FLREACH	Frequency	Percent
0 Not at all difficult	29513	89.36
1 Only a little difficult	1269	3.84
2 Somewhat difficult	1147	3.47
3 Very difficult	645	1.95
4 Can't do at all	327	0.99
6 Do not do this activity	112	0.34
7 Refused	4	0.01
8 Not ascertained	4	0.01
9 Don't know	7	0.02

AHS.141_01.000: How difficult to grasp small objects without special equipment

FLGRASP	Frequency	Percent
0 Not at all difficult	29597	89.61
1 Only a little difficult	1466	4.44
2 Somewhat difficult	1191	3.61
3 Very difficult	581	1.76
4 Can't do at all	140	0.42
6 Do not do this activity	39	0.12
7 Refused	4	0.01
8 Not ascertained	4	0.01
9 Don't know	6	0.02

AHS.141_02.000: How difficult to lift/carry 10 lbs without special equipment

FLCARRY	Frequency	Percent
0 Not at all difficult	28502	86.30
1 Only a little difficult	1286	3.89
2 Somewhat difficult	1163	3.52
3 Very difficult	743	2.25
4 Can't do at all	909	2.75
6 Do not do this activity	407	1.23
7 Refused	6	0.02
8 Not ascertained	4	0.01
9 Don't know	8	0.02

AHS.141_03.000: How difficult to push large objects without special equipment

FLPUSH	Frequency	Percent
0 Not at all difficult	26459	80.11
1 Only a little difficult	1691	5.12
2 Somewhat difficult	1414	4.28
3 Very difficult	863	2.61
4 Can't do at all	1588	4.81
6 Do not do this activity	990	3.00
7 Refused	5	0.02
8 Not ascertained	4	0.01
9 Don't know	14	0.04

AHS.171_01.000: How difficult to go out to events without special equipment

FLSHOP	Frequency	Percent
0 Not at all difficult	28575	86.52
1 Only a little difficult	1131	3.42
2 Somewhat difficult	1292	3.91
3 Very difficult	751	2.27
4 Can't do at all	590	1.79
6 Do not do this activity	672	2.03
7 Refused	7	0.02
8 Not ascertained	4	0.01
9 Don't know	6	0.02

AHS.171_02.000: How difficult to participate in social activities without special equipment

FLSOCL	Frequency	Percent
0 Not at all difficult	28862	87.39
1 Only a little difficult	947	2.87
2 Somewhat difficult	1021	3.09
3 Very difficult	602	1.82
4 Can't do at all	490	1.48
6 Do not do this activity	1089	3.30
7 Refused	6	0.02
8 Not ascertained	4	0.01
9 Don't know	7	0.02

AHS.171_03.000: How difficult to relax at home without special equipment

FLRELAX	Frequency	Percent
0 Not at all difficult	31434	95.17
1 Only a little difficult	726	2.20
2 Somewhat difficult	542	1.64
3 Very difficult	197	0.60
4 Can't do at all	57	0.17
6 Do not do this activity	54	0.16
7 Refused	6	0.02
8 Not ascertained	5	0.02
9 Don't know	7	0.02

AHS.171_00.000: Any functional limitation, all conditions

FLA1AR	Frequency	Percent
1 Limited in any way	13911	42.12
2 Not limited in any way	19084	57.78
3 Unknown if limited	33	0.10

2016 National Health Interview Survey (NHIS)
Sample Adult Public Use File (samadult)
AHS Variables Tuesday, June 6, 2017
Unweighted Frequencies

AHS.200_01.000: Vision/problem seeing causes difficulty with activity

AFLHCA1	Frequency	Percent
1 Mentioned	640	4.60
2 Not mentioned	13124	94.34
7 Refused	18	0.13
8 Not ascertained	20	0.14
9 Don't know	109	0.78

Frequency Missing = 19117

AHS.200_02.000: Hearing problem causes difficulty with activity

AFLHCA2	Frequency	Percent
1 Mentioned	316	2.27
2 Not mentioned	13448	96.67
7 Refused	18	0.13
8 Not ascertained	20	0.14
9 Don't know	109	0.78

Frequency Missing = 19117

AHS.200_03.000: Arthritis/rheumatism causes difficulty with activity

AFLHCA3	Frequency	Percent
1 Mentioned	4753	34.17
2 Not mentioned	9011	64.78
7 Refused	18	0.13
8 Not ascertained	20	0.14
9 Don't know	109	0.78

Frequency Missing = 19117

AHS.200_04.000: Back or neck problem causes difficulty with activity

AFLHCA4	Frequency	Percent
1 Mentioned	4075	29.29
2 Not mentioned	9689	69.65
7 Refused	18	0.13
8 Not ascertained	20	0.14
9 Don't know	109	0.78

Frequency Missing = 19117

2016 National Health Interview Survey (NHIS)
Sample Adult Public Use File (samadult)
AHS Variables
Unweighted Frequencies

65

Tuesday, June 6, 2017

AHS.200_05.000: Fracture, bone/joint injury causes difficulty with activity

AFLHCA5	Frequency	Percent
1 Mentioned	1352	9.72
2 Not mentioned	12412	89.22
7 Refused	18	0.13
8 Not ascertained	20	0.14
9 Don't know	109	0.78

Frequency Missing = 19117

AHS.200_06.000: Other injury causes difficulty with activity

AFLHCA6	Frequency	Percent
1 Mentioned	497	3.57
2 Not mentioned	13267	95.37
7 Refused	18	0.13
8 Not ascertained	20	0.14
9 Don't know	109	0.78

Frequency Missing = 19117

AHS.200_07.000: Heart problem causes difficulty with activity

AFLHCA7	Frequency	Percent
1 Mentioned	637	4.58
2 Not mentioned	13127	94.36
7 Refused	18	0.13
8 Not ascertained	20	0.14
9 Don't know	109	0.78

Frequency Missing = 19117

AHS.200_08.000: Stroke problem causes difficulty with activity

AFLHCA8	Frequency	Percent
1 Mentioned	284	2.04
2 Not mentioned	13480	96.90
7 Refused	18	0.13
8 Not ascertained	20	0.14
9 Don't know	109	0.78

Frequency Missing = 19117

2016 National Health Interview Survey (NHIS)
Sample Adult Public Use File (samadult)
AHS Variables
Unweighted Frequencies

66

Tuesday, June 6, 2017

AHS.200_09.000: Hypertension/high blood pressure causes difficulty with activity

AFLHCA9	Frequency	Percent
1 Mentioned	660	4.74
2 Not mentioned	13104	94.20
7 Refused	18	0.13
8 Not ascertained	20	0.14
9 Don't know	109	0.78

Frequency Missing = 19117

AHS.200_10.000: Diabetes causes difficulty with activity

AFLHCA10	Frequency	Percent
1 Mentioned	623	4.48
2 Not mentioned	13141	94.46
7 Refused	18	0.13
8 Not ascertained	20	0.14
9 Don't know	109	0.78

Frequency Missing = 19117

AHS.200_11.000: Lung/breathing problem (e.g.,
asthma) causes difficulty with activity

AFLHCA11	Frequency	Percent
1 Mentioned	792	5.69
2 Not mentioned	12972	93.25
7 Refused	18	0.13
8 Not ascertained	20	0.14
9 Don't know	109	0.78

Frequency Missing = 19117

AHS.200_12.000: Cancer causes difficulty with activity

AFLHCA12	Frequency	Percent
1 Mentioned	249	1.79
2 Not mentioned	13515	97.15
7 Refused	18	0.13
8 Not ascertained	20	0.14
9 Don't know	109	0.78

Frequency Missing = 19117

2016 National Health Interview Survey (NHIS)
Sample Adult Public Use File (samadult)
AHS Variables Tuesday, June 6, 2017
Unweighted Frequencies

67

AHS.200_13.000: Birth defect causes difficulty with activity

AFLHCA13	Frequency	Percent
1 Mentioned	53	0.38
2 Not mentioned	13711	98.56
7 Refused	18	0.13
8 Not ascertained	20	0.14
9 Don't know	109	0.78

Frequency Missing = 19117

AHS.200_14.000: Intellectual disability, AKA mental retardation causes difficulty with activity

ALHCA14A	Frequency	Percent
1 Mentioned	56	0.40
2 Not mentioned	13708	98.54
7 Refused	18	0.13
8 Not ascertained	20	0.14
9 Don't know	109	0.78

Frequency Missing = 19117

AHS.200_15.000: Other developmental problem (eg, cerebral palsy) causes difficulty with activity

AFLHCA15	Frequency	Percent
1 Mentioned	43	0.31
2 Not mentioned	13721	98.63
7 Refused	18	0.13
8 Not ascertained	20	0.14
9 Don't know	109	0.78

Frequency Missing = 19117

AHS.200_16.000: Senility causes difficulty with activity

AFLHCA16	Frequency	Percent
1 Mentioned	119	0.86
2 Not mentioned	13645	98.09
7 Refused	18	0.13
8 Not ascertained	20	0.14
9 Don't know	109	0.78

Frequency Missing = 19117

AHS.200_17.000: Depression/anxiety/emotional
 problem causes difficulty with activity

AFLHCA17	Frequency	Percent
1 Mentioned	914	6.57
2 Not mentioned	12850	92.37
7 Refused	18	0.13
8 Not ascertained	20	0.14
9 Don't know	109	0.78

Frequency Missing = 19117

AHS.200_18.000: Weight problem causes difficulty with activity

AFLHCA18	Frequency	Percent
1 Mentioned	549	3.95
2 Not mentioned	13215	95.00
7 Refused	18	0.13
8 Not ascertained	20	0.14
9 Don't know	109	0.78

Frequency Missing = 19117

AHS.200_00.000: Missing or amputated limb/finger/digit
 causes difficulty with activity

AFLHC19_	Frequency	Percent
1 Mentioned	56	0.40
2 Not mentioned	13708	98.54
7 Refused	18	0.13
8 Not ascertained	20	0.14
9 Don't know	109	0.78

Frequency Missing = 19117

AHS.200_00.000: Musculoskeletal/connective tissue
 problem causes difficulty with activity

AFLHC20_	Frequency	Percent
1 Mentioned	3141	22.58
2 Not mentioned	10623	76.36
7 Refused	18	0.13
8 Not ascertained	20	0.14
9 Don't know	109	0.78

Frequency Missing = 19117

AHS.200_00.000: Circulation problems (including blood clots) cause difficulty with activity

AFLHC21_	Frequency	Percent
1 Mentioned	247	1.78
2 Not mentioned	13517	97.17
7 Refused	18	0.13
8 Not ascertained	20	0.14
9 Don't know	109	0.78

Frequency Missing = 19117

AHS.200_00.000: Endocrine/nutritional/metabolic problem causes difficulty with activity

AFLHC22_	Frequency	Percent
1 Mentioned	152	1.09
2 Not mentioned	13612	97.85
7 Refused	18	0.13
8 Not ascertained	20	0.14
9 Don't know	109	0.78

Frequency Missing = 19117

AHS.200_00.000: Nervous system/sensory organ condition causes difficulty with activity

AFLHC23_	Frequency	Percent
1 Mentioned	786	5.65
2 Not mentioned	12978	93.29
7 Refused	18	0.13
8 Not ascertained	20	0.14
9 Don't know	109	0.78

Frequency Missing = 19117

AHS.200_00.000: Digestive system problem causes difficulty with activity

AFLHC24_	Frequency	Percent
1 Mentioned	185	1.33
2 Not mentioned	13579	97.61
7 Refused	18	0.13
8 Not ascertained	20	0.14
9 Don't know	109	0.78

Frequency Missing = 19117

2016 National Health Interview Survey (NHIS)
Sample Adult Public Use File (samadult)
AHS Variables
Unweighted Frequencies

70

Tuesday, June 6, 2017

AHS.200_00.000: Genitourinary system problem causes difficulty with activity

AFLHC25_	Frequency	Percent
1 Mentioned	155	1.11
2 Not mentioned	13609	97.83
7 Refused	18	0.13
8 Not ascertained	20	0.14
9 Don't know	109	0.78

Frequency Missing = 19117

AHS.200_00.000: Skin/subcutaneous system problem causes difficulty with activity

AFLHC26_	Frequency	Percent
1 Mentioned	8	0.06
2 Not mentioned	13756	98.89
7 Refused	18	0.13
8 Not ascertained	20	0.14
9 Don't know	109	0.78

Frequency Missing = 19117

AHS.200_00.000: Blood or blood-forming organ
problem causes difficulty with activity

AFLHC27_	Frequency	Percent
1 Mentioned	11	0.08
2 Not mentioned	13753	98.86
7 Refused	18	0.13
8 Not ascertained	20	0.14
9 Don't know	109	0.78

Frequency Missing = 19117

AHS.200_00.000: Benign tumor/cyst causes difficulty with activity

AFLHC28_	Frequency	Percent
1 Mentioned	31	0.22
2 Not mentioned	13733	98.72
7 Refused	18	0.13
8 Not ascertained	20	0.14
9 Don't know	109	0.78

Frequency Missing = 19117

AHS.200_00.000: Alcohol/drug/substance abuse
 problem causes difficulty with activity

AFLHC29_	Frequency	Percent
1 Mentioned	4	0.03
2 Not mentioned	13760	98.91
7 Refused	18	0.13
8 Not ascertained	20	0.14
9 Don't know	109	0.78

Frequency Missing = 19117

AHS.200_00.000: Other mental problem/ADD/Bipolar/Schizophrenia
 causes difficulty with activity

AFLHC30_	Frequency	Percent
1 Mentioned	61	0.44
2 Not mentioned	13703	98.50
7 Refused	18	0.13
8 Not ascertained	20	0.14
9 Don't know	109	0.78

Frequency Missing = 19117

AHS.200_00.000: Surgical after-effects/medical
 treatment causes difficulty with activity

AFLHC31_	Frequency	Percent
1 Mentioned	86	0.62
2 Not mentioned	13678	98.33
7 Refused	18	0.13
8 Not ascertained	20	0.14
9 Don't know	109	0.78

Frequency Missing = 19117

AHS.200_00.000: "Old age"/elderly/aging-related
 problem causes difficulty with activity

AFLHC32_	Frequency	Percent
1 Mentioned	350	2.52
2 Not mentioned	13414	96.43
7 Refused	18	0.13
8 Not ascertained	20	0.14
9 Don't know	109	0.78

Frequency Missing = 19117

2016 National Health Interview Survey (NHIS)
Sample Adult Public Use File (samadult)
AHS Variables
Unweighted Frequencies

72

Tuesday, June 6, 2017

AHS.200_00.000: Fatigue/tiredness/weakness causes difficulty with activity

AFLHC33_	Frequency	Percent
1 Mentioned	125	0.90
2 Not mentioned	13639	98.04
7 Refused	18	0.13
8 Not ascertained	20	0.14
9 Don't know	109	0.78

Frequency Missing = 19117

AHS.200_00.000: Pregnancy-related problem causes difficulty with activity

AFLHC34_	Frequency	Percent
1 Mentioned	35	0.25
2 Not mentioned	13729	98.69
7 Refused	18	0.13
8 Not ascertained	20	0.14
9 Don't know	109	0.78

Frequency Missing = 19117

AHS.200_90.000: Other impairment/problem (1) causes difficulty with activity

AFLHCA90	Frequency	Percent
1 Mentioned	336	2.42
2 Not mentioned	13428	96.53
7 Refused	18	0.13
8 Not ascertained	20	0.14
9 Don't know	109	0.78

Frequency Missing = 19117

AHS.200_91.000: Other impairment/problem (2) causes difficulty with activity

AFLHCA91	Frequency	Percent
1 Mentioned	2	0.01
2 Not mentioned	13762	98.93
7 Refused	18	0.13
8 Not ascertained	20	0.14
9 Don't know	109	0.78

Frequency Missing = 19117

2016 National Health Interview Survey (NHIS)
Sample Adult Public Use File (samadult)
AHS Variables Tuesday, June 6, 2017
Unweighted Frequencies

AHS.300_01.000: Duration of vision problem: Number of units

ALTIME1	Frequency	Percent
01-94 1-94	600	93.75
95 95+	1	0.16
96 Since birth	24	3.75
97 Refused	0	0.00
98 Not ascertained	0	0.00
99 Don't know	15	2.34

Frequency Missing = 32388

AHS.300_02.000: Duration of vision problem: Time unit

ALUNIT1	Frequency	Percent
1 Day(s)	0	0.00
2 Week(s)	2	0.31
3 Month(s)	24	3.75
4 Year(s)	583	91.09
6 Since birth	24	3.75
7 Refused	0	0.00
8 Not ascertained	0	0.00
9 Don't know	7	1.09

Frequency Missing = 32388

AHS.300_02.000: Duration (in years) of vision problem, recode 1

ALDURA1	Frequency	Percent
00 Less than 1 year	20	3.13
01-84 years	602	94.06
85 85+ years	3	0.47
96 Unknown number of years	8	1.25
97 Refused	0	0.00
98 Not ascertained	0	0.00
99 Don't know	7	1.09

Frequency Missing = 32388

2016 National Health Interview Survey (NHIS)
Sample Adult Public Use File (samadult)
AHS Variables Tuesday, June 6, 2017
Unweighted Frequencies

AHS.300_02.000: Duration of vision problem, recode 2

ALDURB1	Frequency	Percent
1 Less than 3 months	5	0.78
2 3-5 months	6	0.94
3 6-12 months	42	6.56
4 More than 1 year	580	90.63
7 Refused	0	0.00
8 Not ascertained	0	0.00
9 Don't know	7	1.09

Frequency Missing = 32388

AHS.300_02.000: Vision problem condition status recode

ALCHRC1	Frequency	Percent
1 Chronic	628	98.13
2 Not chronic	5	0.78
9 Unknown if chronic	7	1.09

Frequency Missing = 32388

AHS.301_01.000: Duration of hearing problem: Number of units

ALTIME2	Frequency	Percent
01-94 1-94	296	93.67
95 95+	2	0.63
96 Since birth	10	3.16
97 Refused	0	0.00
98 Not ascertained	0	0.00
99 Don't know	8	2.53

Frequency Missing = 32712

AHS.301_02.000: Duration of hearing problem: Time unit

ALUNIT2	Frequency	Percent
1 Day(s)	2	0.63
2 Week(s)	0	0.00
3 Month(s)	7	2.22
4 Year(s)	293	92.72
6 Since birth	10	3.16
7 Refused	0	0.00
8 Not ascertained	0	0.00
9 Don't know	4	1.27

Frequency Missing = 32712

2016 National Health Interview Survey (NHIS)
Sample Adult Public Use File (samadult)
AHS Variables Tuesday, June 6, 2017
Unweighted Frequencies

AHS.301_02.000: Duration (in years) of hearing problem, recode 1

ALDURA2	Frequency	Percent
00 Less than 1 year	7	2.22
01-84 years	301	95.25
85 85+ years	0	0.00
96 Unknown number of years	4	1.27
97 Refused	0	0.00
98 Not ascertained	0	0.00
99 Don't know	4	1.27

Frequency Missing = 32712

AHS.301_02.000: Duration of hearing problem, recode 2

ALDURB2	Frequency	Percent
1 Less than 3 months	3	0.95
2 3-5 months	2	0.63
3 6-12 months	19	6.01
4 More than 1 year	288	91.14
7 Refused	0	0.00
8 Not ascertained	0	0.00
9 Don't know	4	1.27

Frequency Missing = 32712

AHS.301_02.000: Hearing problem condition status recode

ALCHRC2	Frequency	Percent
1 Chronic	309	97.78
2 Not chronic	3	0.95
9 Unknown if chronic	4	1.27

Frequency Missing = 32712

AHS.302_01.000: Duration of arthritis/rheumatism: Number of units

ALTIME3	Frequency	Percent
01-94 1-94	4646	97.75
95 95+	3	0.06
96 Since birth	18	0.38
97 Refused	1	0.02
98 Not ascertained	3	0.06
99 Don't know	82	1.73

Frequency Missing = 28275

2016 National Health Interview Survey (NHIS)
Sample Adult Public Use File (samadult)
AHS Variables Tuesday, June 6, 2017
Unweighted Frequencies

AHS.302_02.000: Duration of arthritis/rheumatism: Time unit

ALUNIT3	Frequency	Percent
1 Day(s)	1	0.02
2 Week(s)	6	0.13
3 Month(s)	151	3.18
4 Year(s)	4545	95.62
6 Since birth	18	0.38
7 Refused	1	0.02
8 Not ascertained	3	0.06
9 Don't know	28	0.59

Frequency Missing = 28275

AHS.302_02.000: Duration (in years) of arthritis/rheumatism, recode 1

ALDURA3	Frequency	Percent
00 Less than 1 year	134	2.82
01-84 years	4532	95.35
85 85+ years	1	0.02
96 Unknown number of years	54	1.14
97 Refused	1	0.02
98 Not ascertained	3	0.06
99 Don't know	28	0.59

Frequency Missing = 28275

AHS.302_02.000: Duration of arthritis/rheumatism, recode 2

ALDURB3	Frequency	Percent
1 Less than 3 months	30	0.63
2 3-5 months	39	0.82
3 6-12 months	225	4.73
4 More than 1 year	4427	93.14
7 Refused	1	0.02
8 Not ascertained	3	0.06
9 Don't know	28	0.59

Frequency Missing = 28275

AHS.302_02.000: Arthritis/rheumatism condition status recode

ALCHRC3	Frequency	Percent
1 Chronic	4753	100.00
2 Not chronic	0	0.00
9 Unknown if chronic	0	0.00

Frequency Missing = 28275

AHS.303_01.000: Duration of back or neck problem: Number of units

ALTIME4	Frequency	Percent
01-94 1-94	3975	97.55
95 95+	3	0.07
96 Since birth	43	1.06
97 Refused	2	0.05
98 Not ascertained	5	0.12
99 Don't know	47	1.15

Frequency Missing = 28953

AHS.303_02.000: Duration of back or neck problem: Time unit

ALUNIT4	Frequency	Percent
1 Day(s)	10	0.25
2 Week(s)	22	0.54
3 Month(s)	224	5.50
4 Year(s)	3750	92.02
6 Since birth	43	1.06
7 Refused	2	0.05
8 Not ascertained	5	0.12
9 Don't know	19	0.47

Frequency Missing = 28953

AHS.303_02.000: Duration (in years) of back or neck problem, recode 1

ALDURA4	Frequency	Percent
00 Less than 1 year	222	5.45
01-84 years	3796	93.15
85 85+ years	3	0.07
96 Unknown number of years	28	0.69
97 Refused	2	0.05
98 Not ascertained	5	0.12
99 Don't know	19	0.47

Frequency Missing = 28953

AHS.303_02.000: Duration of back or neck problem, recode 2

ALDURB4	Frequency	Percent
1 Less than 3 months	63	1.55
2 3-5 months	63	1.55
3 6-12 months	241	5.91
4 More than 1 year	3682	90.36
7 Refused	2	0.05
8 Not ascertained	5	0.12
9 Don't know	19	0.47

Frequency Missing = 28953

AHS.303_02.000: Back or neck problem condition status recode

ALCHRC4	Frequency	Percent
1 Chronic	3986	97.82
2 Not chronic	63	1.55
9 Unknown if chronic	26	0.64

Frequency Missing = 28953

AHS.304_01.000: Duration of fracture, bone/joint injury: Number of units

ALTIME5	Frequency	Percent
01-94 1-94	1338	98.96
95 95+	1	0.07
96 Since birth	4	0.30
97 Refused	0	0.00
98 Not ascertained	1	0.07
99 Don't know	8	0.59

Frequency Missing = 31676

AHS.304_02.000: Duration of fracture, bone/joint injury: Time unit

ALUNIT5	Frequency	Percent
1 Day(s)	11	0.81
2 Week(s)	26	1.92
3 Month(s)	215	15.90
4 Year(s)	1090	80.62
6 Since birth	4	0.30
7 Refused	0	0.00
8 Not ascertained	1	0.07
9 Don't know	5	0.37

Frequency Missing = 31676

AHS.304_02.000: Duration (in years) of fracture, bone/joint injury, recode 1

ALDURA5	Frequency	Percent
00 Less than 1 year	220	16.27
01-84 years	1123	83.06
85 85+ years	0	0.00
96 Unknown number of years	3	0.22
97 Refused	0	0.00
98 Not ascertained	1	0.07
99 Don't know	5	0.37

Frequency Missing = 31676

AHS.304_02.000: Duration of fracture, bone/joint injury, recode 2

ALDURB5	Frequency	Percent
1 Less than 3 months	83	6.14
2 3-5 months	58	4.29
3 6-12 months	159	11.76
4 More than 1 year	1046	77.37
7 Refused	0	0.00
8 Not ascertained	1	0.07
9 Don't know	5	0.37

Frequency Missing = 31676

AHS.304_02.000: Fracture, bone/joint injury condition status recode

ALCHRC5	Frequency	Percent
1 Chronic	1263	93.42
2 Not chronic	83	6.14
9 Unknown if chronic	6	0.44

Frequency Missing = 31676

AHS.305_01.000: Duration of other injury: Number of units

ALTIME6	Frequency	Percent
01-94 1-94	490	98.59
95 95+	1	0.20
96 Since birth	1	0.20
97 Refused	0	0.00
98 Not ascertained	0	0.00
99 Don't know	5	1.01

Frequency Missing = 32531

2016 National Health Interview Survey (NHIS)
Sample Adult Public Use File (samadult)
AHS Variables Tuesday, June 6, 2017
Unweighted Frequencies

AHS.305_02.000: Duration of other injury: Time unit

ALUNIT6	Frequency	Percent
1 Day(s)	5	1.01
2 Week(s)	11	2.21
3 Month(s)	91	18.31
4 Year(s)	386	77.67
6 Since birth	1	0.20
7 Refused	0	0.00
8 Not ascertained	0	0.00
9 Don't know	3	0.60

Frequency Missing = 32531

AHS.305_02.000: Duration (in years) of other injury, recode 1

ALDURA6	Frequency	Percent
00 Less than 1 year	90	18.11
01-84 years	402	80.89
85 85+ years	0	0.00
96 Unknown number of years	2	0.40
97 Refused	0	0.00
98 Not ascertained	0	0.00
99 Don't know	3	0.60

Frequency Missing = 32531

AHS.305_02.000: Duration of other injury, recode 2

ALDURB6	Frequency	Percent
1 Less than 3 months	37	7.44
2 3-5 months	22	4.43
3 6-12 months	66	13.28
4 More than 1 year	369	74.25
7 Refused	0	0.00
8 Not ascertained	0	0.00
9 Don't know	3	0.60

Frequency Missing = 32531

AHS.305_02.000: Other injury condition status recode

ALCHRC6	Frequency	Percent
1 Chronic	457	91.95
2 Not chronic	37	7.44
9 Unknown if chronic	3	0.60

Frequency Missing = 32531

2016 National Health Interview Survey (NHIS)
Sample Adult Public Use File (samadult)
AHS Variables Tuesday, June 6, 2017
Unweighted Frequencies

AHS.306_01.000: Duration of heart problem: Number of units

ALTIME7	Frequency	Percent
01-94 1-94	605	94.98
95 95+	1	0.16
96 Since birth	18	2.83
97 Refused	0	0.00
98 Not ascertained	1	0.16
99 Don't know	12	1.88

Frequency Missing = 32391

AHS.306_02.000: Duration of heart problem: Time unit

ALUNIT7	Frequency	Percent
1 Day(s)	1	0.16
2 Week(s)	4	0.63
3 Month(s)	35	5.49
4 Year(s)	574	90.11
6 Since birth	18	2.83
7 Refused	0	0.00
8 Not ascertained	1	0.16
9 Don't know	4	0.63

Frequency Missing = 32391

AHS.306_02.000: Duration (in years) of heart problem, recode 1

ALDURA7	Frequency	Percent
00 Less than 1 year	33	5.18
01-84 years	591	92.78
85 85+ years	0	0.00
96 Unknown number of years	8	1.26
97 Refused	0	0.00
98 Not ascertained	1	0.16
99 Don't know	4	0.63

Frequency Missing = 32391

2016 National Health Interview Survey (NHIS)
Sample Adult Public Use File (samadult)
AHS Variables Tuesday, June 6, 2017
Unweighted Frequencies

AHS.306_02.000: Duration of heart problem, recode 2

ALDURB7	Frequency	Percent
1 Less than 3 months	16	2.51
2 3-5 months	5	0.78
3 6-12 months	44	6.91
4 More than 1 year	567	89.01
7 Refused	0	0.00
8 Not ascertained	1	0.16
9 Don't know	4	0.63

Frequency Missing = 32391

AHS.306_02.000: Heart problem condition status recode

ALCHRC7	Frequency	Percent
1 Chronic	637	100.00
2 Not chronic	0	0.00
9 Unknown if chronic	0	0.00

Frequency Missing = 32391

AHS.307_01.000: Duration of stroke problem: Number of units

ALTIME8	Frequency	Percent
01-94 1-94	282	99.30
95 95+	0	0.00
96 Since birth	0	0.00
97 Refused	0	0.00
98 Not ascertained	0	0.00
99 Don't know	2	0.70

Frequency Missing = 32744

AHS.307_02.000: Duration of stroke problem: Time unit

ALUNIT8	Frequency	Percent
1 Day(s)	1	0.35
2 Week(s)	1	0.35
3 Month(s)	31	10.92
4 Year(s)	249	87.68
6 Since birth	0	0.00
7 Refused	0	0.00
8 Not ascertained	0	0.00
9 Don't know	2	0.70

Frequency Missing = 32744

AHS.307_02.000: Duration (in years) of stroke problem, recode 1

ALDURA8	Frequency	Percent
00 Less than 1 year	28	9.86
01-84 years	254	89.44
85 85+ years	0	0.00
96 Unknown number of years	0	0.00
97 Refused	0	0.00
98 Not ascertained	0	0.00
99 Don't know	2	0.70

Frequency Missing = 32744

AHS.307_02.000: Duration of stroke problem, recode 2

ALDURB8	Frequency	Percent
1 Less than 3 months	8	2.82
2 3-5 months	6	2.11
3 6-12 months	38	13.38
4 More than 1 year	230	80.99
7 Refused	0	0.00
8 Not ascertained	0	0.00
9 Don't know	2	0.70

Frequency Missing = 32744

AHS.307_02.000: Stroke problem condition status recode

ALCHRC8	Frequency	Percent
1 Chronic	284	100.00
2 Not chronic	0	0.00
9 Unknown if chronic	0	0.00

Frequency Missing = 32744

AHS.308_01.000: Duration of hypertension or high blood pressure: Number of units

ALTIME9	Frequency	Percent
01-94 1-94	630	95.45
95 95+	2	0.30
96 Since birth	9	1.36
97 Refused	0	0.00
98 Not ascertained	1	0.15
99 Don't know	18	2.73

Frequency Missing = 32368

2016 National Health Interview Survey (NHIS)
 Sample Adult Public Use File (samadult)
 AHS Variables
 Unweighted Frequencies

Tuesday, June 6, 2017

AHS.308_02.000: Duration of hypertension or high blood pressure: Time unit

ALUNIT9	Frequency	Percent
1 Day(s)	1	0.15
2 Week(s)	1	0.15
3 Month(s)	13	1.97
4 Year(s)	628	95.15
6 Since birth	9	1.36
7 Refused	0	0.00
8 Not ascertained	1	0.15
9 Don't know	7	1.06

Frequency Missing = 32368

AHS.308_02.000: Duration (in years) of hypertension or high blood pressure: recode 1

ALDURA9	Frequency	Percent
00 Less than 1 year	10	1.52
01-84 years	630	95.45
85 85+ years	1	0.15
96 Unknown number of years	11	1.67
97 Refused	0	0.00
98 Not ascertained	1	0.15
99 Don't know	7	1.06

Frequency Missing = 32368

AHS.308_02.000: Duration of hypertension or high blood pressure: recode 2

ALDURB9	Frequency	Percent
1 Less than 3 months	3	0.45
2 3-5 months	2	0.30
3 6-12 months	18	2.73
4 More than 1 year	629	95.30
7 Refused	0	0.00
8 Not ascertained	1	0.15
9 Don't know	7	1.06

Frequency Missing = 32368

AHS.308_02.000: Hypertension or high blood pressure condition status recode

ALCHRC9	Frequency	Percent
1 Chronic	660	100.00
2 Not chronic	0	0.00
9 Unknown if chronic	0	0.00

Frequency Missing = 32368

2016 National Health Interview Survey (NHIS) 85
 Sample Adult Public Use File (samadult)
 AHS Variables Tuesday, June 6, 2017
 Unweighted Frequencies

AHS.309_01.000: Duration of diabetes: Number of units

ALTIME10	Frequency	Percent
01-94 1-94	609	97.75
95 95+	0	0.00
96 Since birth	3	0.48
97 Refused	0	0.00
98 Not ascertained	0	0.00
99 Don't know	11	1.77

Frequency Missing = 32405

AHS.309_02.000: Duration of diabetes: Time unit

ALUNIT10	Frequency	Percent
1 Day(s)	0	0.00
2 Week(s)	2	0.32
3 Month(s)	15	2.41
4 Year(s)	601	96.47
6 Since birth	3	0.48
7 Refused	0	0.00
8 Not ascertained	0	0.00
9 Don't know	2	0.32

Frequency Missing = 32405

AHS.309_02.000: Duration (in years) of diabetes, recode 1

ALDURA10	Frequency	Percent
00 Less than 1 year	16	2.57
01-84 years	596	95.67
85 85+ years	0	0.00
96 Unknown number of years	9	1.44
97 Refused	0	0.00
98 Not ascertained	0	0.00
99 Don't know	2	0.32

Frequency Missing = 32405

2016 National Health Interview Survey (NHIS) 86
 Sample Adult Public Use File (samadult)
 AHS Variables Tuesday, June 6, 2017
 Unweighted Frequencies

AHS.309_02.000: Duration of diabetes, recode 2

ALDURB10	Frequency	Percent
1 Less than 3 months	5	0.80
2 3-5 months	7	1.12
3 6-12 months	23	3.69
4 More than 1 year	586	94.06
7 Refused	0	0.00
8 Not ascertained	0	0.00
9 Don't know	2	0.32

Frequency Missing = 32405

AHS.309_02.000: Diabetes condition status recode

ALCHRC10	Frequency	Percent
1 Chronic	623	100.00
2 Not chronic	0	0.00
9 Unknown if chronic	0	0.00

Frequency Missing = 32405

AHS.310_01.000: Duration of lung/breathing problem
 (e.g., asthma and emphysema): Number of units

ALTIME11	Frequency	Percent
01-94 1-94	743	93.81
95 95+	0	0.00
96 Since birth	37	4.67
97 Refused	0	0.00
98 Not ascertained	1	0.13
99 Don't know	11	1.39

Frequency Missing = 32236

AHS.310_02.000: Duration of lung/breathing problem:
 (e.g., asthma and emphysema) Time unit

ALUNIT11	Frequency	Percent
1 Day(s)	1	0.13
2 Week(s)	0	0.00
3 Month(s)	30	3.79
4 Year(s)	716	90.40
6 Since birth	37	4.67
7 Refused	0	0.00
8 Not ascertained	1	0.13
9 Don't know	7	0.88

Frequency Missing = 32236

2016 National Health Interview Survey (NHIS) 87
 Sample Adult Public Use File (samadult)
 AHS Variables Tuesday, June 6, 2017
 Unweighted Frequencies

AHS.310_02.000: Duration (in years) of lung/breathing problem (e.g., asthma), recode 1

ALDURA11	Frequency	Percent
00 Less than 1 year	28	3.54
01-84 years	752	94.95
85 85+ years	0	0.00
96 Unknown number of years	4	0.51
97 Refused	0	0.00
98 Not ascertained	1	0.13
99 Don't know	7	0.88

Frequency Missing = 32236

AHS.310_02.000: Duration of lung/breathing problem (e.g., asthma and emphysema), recode 2

ALDURB11	Frequency	Percent
1 Less than 3 months	9	1.14
2 3-5 months	4	0.51
3 6-12 months	56	7.07
4 More than 1 year	715	90.28
7 Refused	0	0.00
8 Not ascertained	1	0.13
9 Don't know	7	0.88

Frequency Missing = 32236

AHS.310_02.000: Lung/breathing problem (e.g., asthma and emphysema) condition status recode

ALCHRC11	Frequency	Percent
1 Chronic	775	97.85
2 Not chronic	9	1.14
9 Unknown if chronic	8	1.01

Frequency Missing = 32236

AHS.311_01.000: Duration of cancer: Number of units

ALTIME12	Frequency	Percent
01-94 1-94	245	98.39
95 95+	0	0.00
96 Since birth	0	0.00
97 Refused	1	0.40
98 Not ascertained	0	0.00
99 Don't know	3	1.20

Frequency Missing = 32779

2016 National Health Interview Survey (NHIS) 88
 Sample Adult Public Use File (samadult)
 AHS Variables Tuesday, June 6, 2017
 Unweighted Frequencies

AHS.311_02.000: Duration of cancer: Time unit

ALUNIT12	Frequency	Percent
1 Day(s)	0	0.00
2 Week(s)	6	2.41
3 Month(s)	50	20.08
4 Year(s)	190	76.31
6 Since birth	0	0.00
7 Refused	1	0.40
8 Not ascertained	0	0.00
9 Don't know	2	0.80

Frequency Missing = 32779

AHS.311_02.000: Duration (in years) of cancer, recode 1

ALDURA12	Frequency	Percent
00 Less than 1 year	46	18.47
01-84 years	199	79.92
85 85+ years	0	0.00
96 Unknown number of years	1	0.40
97 Refused	1	0.40
98 Not ascertained	0	0.00
99 Don't know	2	0.80

Frequency Missing = 32779

AHS.311_02.000: Duration of cancer, recode 2

ALDURB12	Frequency	Percent
1 Less than 3 months	14	5.62
2 3-5 months	10	4.02
3 6-12 months	46	18.47
4 More than 1 year	176	70.68
7 Refused	1	0.40
8 Not ascertained	0	0.00
9 Don't know	2	0.80

Frequency Missing = 32779

AHS.311_02.000: Cancer condition status recode

ALCHRC12	Frequency	Percent
1 Chronic	249	100.00
2 Not chronic	0	0.00
9 Unknown if chronic	0	0.00

Frequency Missing = 32779

AHS.312_01.000: Duration of birth defect: Number of units

ALTIME13	Frequency	Percent
01-94 1-94	0	0.00
95 95+	0	0.00
96 Since birth	53	100.00
97 Refused	0	0.00
98 Not ascertained	0	0.00
99 Don't know	0	0.00

Frequency Missing = 32975

AHS.312_02.000: Duration of birth defect: Time unit

ALUNIT13	Frequency	Percent
1 Day(s)	0	0.00
2 Week(s)	0	0.00
3 Month(s)	0	0.00
4 Year(s)	0	0.00
6 Since birth	53	100.00
7 Refused	0	0.00
8 Not ascertained	0	0.00
9 Don't know	0	0.00

Frequency Missing = 32975

AHS.312_02.000: Duration (in years) of birth defect, recode 1

ALDURA13	Frequency	Percent
00 Less than 1 year	0	0.00
01-84 years	53	100.00
85 85+ years	0	0.00
96 Unknown number of years	0	0.00
97 Refused	0	0.00
98 Not ascertained	0	0.00
99 Don't know	0	0.00

Frequency Missing = 32975

2016 National Health Interview Survey (NHIS)
 Sample Adult Public Use File (samadult)
 AHS Variables Tuesday, June 6, 2017
 Unweighted Frequencies

AHS.312_02.000: Duration of birth defect, recode 2

ALDURB13	Frequency	Percent
1 Less than 3 months	0	0.00
2 3-5 months	0	0.00
3 6-12 months	0	0.00
4 More than 1 year	53	100.00
7 Refused	0	0.00
8 Not ascertained	0	0.00
9 Don't know	0	0.00

Frequency Missing = 32975

AHS.312_02.000: Birth defect condition status recode

ALCHRC13	Frequency	Percent
1 Chronic	53	100.00
2 Not chronic	0	0.00
9 Unknown if chronic	0	0.00

Frequency Missing = 32975

AHS.313_01.000: Duration of intellectual disability,
 AKA mental retardation: Number of units

ATIME14A	Frequency	Percent
01-94 1-94	27	48.21
95 95+	0	0.00
96 Since birth	26	46.43
97 Refused	0	0.00
98 Not ascertained	0	0.00
99 Don't know	3	5.36

Frequency Missing = 32972

AHS.313_02.000: Duration of intellectual disability,
 also know as mental retardation: Time unit

AUNIT14A	Frequency	Percent
1 Day(s)	0	0.00
2 Week(s)	0	0.00
3 Month(s)	1	1.79
4 Year(s)	29	51.79
6 Since birth	26	46.43
7 Refused	0	0.00
8 Not ascertained	0	0.00
9 Don't know	0	0.00

Frequency Missing = 32972

2016 National Health Interview Survey (NHIS)
Sample Adult Public Use File (samadult)
AHS Variables Tuesday, June 6, 2017
Unweighted Frequencies

AHS.313_02.000: Duration (in years) of intellectual disability, AKA mental retardation, recode 1

ADURA14A	Frequency	Percent
00 Less than 1 year	0	0.00
01-84 years	53	94.64
85 85+ years	0	0.00
96 Unknown number of years	3	5.36
97 Refused	0	0.00
98 Not ascertained	0	0.00
99 Don't know	0	0.00

Frequency Missing = 32972

AHS.313_02.000: Duration of intellectual disability, also known as mental retardation, recode 2

ADURB14A	Frequency	Percent
1 Less than 3 months	0	0.00
2 3-5 months	0	0.00
3 6-12 months	1	1.79
4 More than 1 year	55	98.21
7 Refused	0	0.00
8 Not ascertained	0	0.00
9 Don't know	0	0.00

Frequency Missing = 32972

AHS.313_02.000: Intellectual disability, AKA mental retardation condition status recode

ACHRC14A	Frequency	Percent
1 Chronic	56	100.00
2 Not chronic	0	0.00
9 Unknown if chronic	0	0.00

Frequency Missing = 32972

AHS.314_01.000: Duration of other developmental problem (e.g., cerebral palsy): Number of units

ALTIME15	Frequency	Percent
01-94 1-94	25	58.14
95 95+	0	0.00
96 Since birth	18	41.86
97 Refused	0	0.00
98 Not ascertained	0	0.00
99 Don't know	0	0.00

Frequency Missing = 32985

2016 National Health Interview Survey (NHIS) 92
 Sample Adult Public Use File (samadult)
 AHS Variables Tuesday, June 6, 2017
 Unweighted Frequencies

AHS.314_02.000: Duration of other developmental
 problem (e.g., cerebral palsy): Time unit

ALUNIT15	Frequency	Percent
1 Day(s)	0	0.00
2 Week(s)	0	0.00
3 Month(s)	0	0.00
4 Year(s)	25	58.14
6 Since birth	18	41.86
7 Refused	0	0.00
8 Not ascertained	0	0.00
9 Don't know	0	0.00

Frequency Missing = 32985

AHS.314_02.000: Duration (in years) of other developmental
 problem (eg cerebral palsy), recode 1

ALDURA15	Frequency	Percent
00 Less than 1 year	0	0.00
01-84 years	43	100.00
85 85+ years	0	0.00
96 Unknown number of years	0	0.00
97 Refused	0	0.00
98 Not ascertained	0	0.00
99 Don't know	0	0.00

Frequency Missing = 32985

AHS.314_02.000: Duration of other developmental
 problem (e.g., cerebral palsy), recode 2

ALDURB15	Frequency	Percent
1 Less than 3 months	0	0.00
2 3-5 months	0	0.00
3 6-12 months	1	2.33
4 More than 1 year	42	97.67
7 Refused	0	0.00
8 Not ascertained	0	0.00
9 Don't know	0	0.00

Frequency Missing = 32985

2016 National Health Interview Survey (NHIS)
Sample Adult Public Use File (samadult)
AHS Variables Tuesday, June 6, 2017
Unweighted Frequencies

AHS.314_02.000: Other developmental problem (e.g.,
cerebral palsy) condition status recode

ALCHRC15	Frequency	Percent
1 Chronic	43	100.00
2 Not chronic	0	0.00
9 Unknown if chronic	0	0.00

Frequency Missing = 32985

AHS.315_01.000: Duration of senility: Number of units

ALTIME16	Frequency	Percent
01-94 1-94	114	95.80
95 95+	0	0.00
96 Since birth	0	0.00
97 Refused	0	0.00
98 Not ascertained	0	0.00
99 Don't know	5	4.20

Frequency Missing = 32909

AHS.315_02.000: Duration of senility: Time unit

ALUNIT16	Frequency	Percent
1 Day(s)	0	0.00
2 Week(s)	1	0.84
3 Month(s)	3	2.52
4 Year(s)	112	94.12
6 Since birth	0	0.00
7 Refused	0	0.00
8 Not ascertained	0	0.00
9 Don't know	3	2.52

Frequency Missing = 32909

AHS.315_02.000: Duration (in years) of senility, recode 1

ALDURA16	Frequency	Percent
00 Less than 1 year	3	2.52
01-84 years	111	93.28
85 85+ years	0	0.00
96 Unknown number of years	2	1.68
97 Refused	0	0.00
98 Not ascertained	0	0.00
99 Don't know	3	2.52

Frequency Missing = 32909

2016 National Health Interview Survey (NHIS) 94
 Sample Adult Public Use File (samadult)
 AHS Variables Tuesday, June 6, 2017
 Unweighted Frequencies

AHS.315_02.000: Duration of senility, recode 2

ALDURB16	Frequency	Percent
1 Less than 3 months	1	0.84
2 3-5 months	1	0.84
3 6-12 months	9	7.56
4 More than 1 year	105	88.24
7 Refused	0	0.00
8 Not ascertained	0	0.00
9 Don't know	3	2.52

Frequency Missing = 32909

AHS.315_02.000: Senility condition status recode

ALCHRC16	Frequency	Percent
1 Chronic	119	100.00
2 Not chronic	0	0.00
9 Unknown if chronic	0	0.00

Frequency Missing = 32909

AHS.316_01.000: Duration of depression/anxiety/emotional problem: Number of units

ALTIME17	Frequency	Percent
01-94 1-94	823	90.04
95 95+	0	0.00
96 Since birth	77	8.42
97 Refused	1	0.11
98 Not ascertained	3	0.33
99 Don't know	10	1.09

Frequency Missing = 32114

AHS.316_02.000: Duration of depression/anxiety/emotional problem: Time unit

ALUNIT17	Frequency	Percent
1 Day(s)	0	0.00
2 Week(s)	1	0.11
3 Month(s)	26	2.84
4 Year(s)	800	87.53
6 Since birth	77	8.42
7 Refused	1	0.11
8 Not ascertained	3	0.33
9 Don't know	6	0.66

Frequency Missing = 32114

AHS.316_02.000: Duration (in years) of depression/anxiety/emotional problem, recode 1

ALDURA17	Frequency	Percent
00 Less than 1 year	18	1.97
01-84 years	882	96.50
85 85+ years	0	0.00
96 Unknown number of years	4	0.44
97 Refused	1	0.11
98 Not ascertained	3	0.33
99 Don't know	6	0.66

Frequency Missing = 32114

AHS.316_02.000: Duration of depression/anxiety/emotional problem, recode 2

ALDURB17	Frequency	Percent
1 Less than 3 months	5	0.55
2 3-5 months	4	0.44
3 6-12 months	41	4.49
4 More than 1 year	854	93.44
7 Refused	1	0.11
8 Not ascertained	3	0.33
9 Don't know	6	0.66

Frequency Missing = 32114

AHS.316_02.000: Depression/anxiety/emotional problem condition status recode

ALCHRC17	Frequency	Percent
1 Chronic	899	98.36
2 Not chronic	5	0.55
9 Unknown if chronic	10	1.09

Frequency Missing = 32114

AHS.317_01.000: Duration of weight problem: Number of units

ALTIME18	Frequency	Percent
01-94 1-94	502	91.44
95 95+	0	0.00
96 Since birth	34	6.19
97 Refused	0	0.00
98 Not ascertained	1	0.18
99 Don't know	12	2.19

Frequency Missing = 32479

2016 National Health Interview Survey (NHIS)
Sample Adult Public Use File (samadult)
AHS Variables Tuesday, June 6, 2017
Unweighted Frequencies

AHS.317_02.000: Duration of weight problem: Time unit

ALUNIT18	Frequency	Percent
1 Day(s)	2	0.36
2 Week(s)	0	0.00
3 Month(s)	4	0.73
4 Year(s)	503	91.62
6 Since birth	34	6.19
7 Refused	0	0.00
8 Not ascertained	1	0.18
9 Don't know	5	0.91

Frequency Missing = 32479

AHS.317_02.000: Duration (in years) of weight problem, recode 1

ALDURA18	Frequency	Percent
00 Less than 1 year	4	0.73
01-84 years	532	96.90
85 85+ years	0	0.00
96 Unknown number of years	7	1.28
97 Refused	0	0.00
98 Not ascertained	1	0.18
99 Don't know	5	0.91

Frequency Missing = 32479

AHS.317_02.000: Duration of weight problem, recode 2

ALDURB18	Frequency	Percent
1 Less than 3 months	2	0.36
2 3-5 months	1	0.18
3 6-12 months	13	2.37
4 More than 1 year	527	95.99
7 Refused	0	0.00
8 Not ascertained	1	0.18
9 Don't know	5	0.91

Frequency Missing = 32479

AHS.317_02.000: Weight problem condition status recode

ALCHRC18	Frequency	Percent
1 Chronic	541	98.54
2 Not chronic	2	0.36
9 Unknown if chronic	6	1.09

Frequency Missing = 32479

2016 National Health Interview Survey (NHIS) 97
 Sample Adult Public Use File (samadult)
 AHS Variables Tuesday, June 6, 2017
 Unweighted Frequencies

AHS.318_01.000 RECOD: Duration of missing limbs
 (fingers, toes); amputation: Number of units

ALTIME19	Frequency	Percent
01-94 1-94	55	98.21
95 95+	0	0.00
96 Since birth	1	1.79
97 Refused	0	0.00
98 Not ascertained	0	0.00
99 Don't know	0	0.00

Frequency Missing = 32972

AHS.318_02.000 RECOD: Duration of missing limbs (fingers,
 toes, or digits); amputation: Time unit

ALUNIT19	Frequency	Percent
1 Day(s)	0	0.00
2 Week(s)	1	1.79
3 Month(s)	6	10.71
4 Year(s)	48	85.71
6 Since birth	1	1.79
7 Refused	0	0.00
8 Not ascertained	0	0.00
9 Don't know	0	0.00

Frequency Missing = 32972

AHS.318_02.000: Duration (in years) of missing
 limbs (fingers, toes); amputation, recode 1

ALDURA19	Frequency	Percent
00 Less than 1 year	5	8.93
01-84 years	51	91.07
85 85+ years	0	0.00
96 Unknown number of years	0	0.00
97 Refused	0	0.00
98 Not ascertained	0	0.00
99 Don't know	0	0.00

Frequency Missing = 32972

2016 National Health Interview Survey (NHIS) 98
 Sample Adult Public Use File (samadult)
 AHS Variables Tuesday, June 6, 2017
 Unweighted Frequencies

AHS.318_02.000: Duration of missing limbs (fingers, toes, or digits); amputation, recode 2

ALDURB19	Frequency	Percent
1 Less than 3 months	1	1.79
2 3-5 months	1	1.79
3 6-12 months	5	8.93
4 More than 1 year	49	87.50
7 Refused	0	0.00
8 Not ascertained	0	0.00
9 Don't know	0	0.00

Frequency Missing = 32972

AHS.318_02.000: Missing limbs (fingers, toes, or digits); amputation condition status recode

ALCHRC19	Frequency	Percent
1 Chronic	56	100.00
2 Not chronic	0	0.00
9 Unknown if chronic	0	0.00

Frequency Missing = 32972

AHS.319_01.000 RECOD: Duration of musculoskeletal/connective tissue problem: Number of units

ALTIME20	Frequency	Percent
01-94 1-94	3049	97.07
95 95+	3	0.10
96 Since birth	39	1.24
97 Refused	1	0.03
98 Not ascertained	0	0.00
99 Don't know	49	1.56

Frequency Missing = 29887

AHS.319_02.000 RECOD: Duration of musculoskeletal/connective tissue problem: Time unit

ALUNIT20	Frequency	Percent
1 Day(s)	11	0.35
2 Week(s)	30	0.96
3 Month(s)	284	9.04
4 Year(s)	2754	87.68
6 Since birth	39	1.24
7 Refused	1	0.03
8 Not ascertained	0	0.00
9 Don't know	22	0.70

Frequency Missing = 29887

AHS.319_02.000: Duration (in years) of musculoskeletal/connective tissue problem, recode 1

ALDURA20	Frequency	Percent
00 Less than 1 year	275	8.76
01-84 years	2814	89.59
85 85+ years	2	0.06
96 Unknown number of years	27	0.86
97 Refused	1	0.03
98 Not ascertained	0	0.00
99 Don't know	22	0.70

Frequency Missing = 29887

AHS.319_02.000: Duration of musculoskeletal/connective tissue problem, recode 2

ALDURB20	Frequency	Percent
1 Less than 3 months	87	2.77
2 3-5 months	87	2.77
3 6-12 months	336	10.70
4 More than 1 year	2608	83.03
7 Refused	1	0.03
8 Not ascertained	0	0.00
9 Don't know	22	0.70

Frequency Missing = 29887

AHS.319_02.000: Musculoskeletal/connective
 tissue problem condition status recode

ALCHRC20	Frequency	Percent
1 Chronic	3031	96.50
2 Not chronic	87	2.77
9 Unknown if chronic	23	0.73

Frequency Missing = 29887

AHS.320_01.000 RECOD: Duration of circulation problems
 (including blood clots): Number of units

ALTIME21	Frequency	Percent
01-94 1-94	239	96.76
95 95+	0	0.00
96 Since birth	4	1.62
97 Refused	0	0.00
98 Not ascertained	0	0.00
99 Don't know	4	1.62

Frequency Missing = 32781

AHS.320_02.000 RECOD: Duration of circulation
 problems (including blood clots): Time unit

ALUNIT21	Frequency	Percent
1 Day(s)	0	0.00
2 Week(s)	1	0.40
3 Month(s)	12	4.86
4 Year(s)	228	92.31
6 Since birth	4	1.62
7 Refused	0	0.00
8 Not ascertained	0	0.00
9 Don't know	2	0.81

Frequency Missing = 32781

2016 National Health Interview Survey (NHIS)
Sample Adult Public Use File (samadult)
AHS Variables Tuesday, June 6, 2017
Unweighted Frequencies

101

AHS.320_02.000: Duration (in years) of circulation problems (including blood clots), recode 1

ALDURA21	Frequency	Percent
00 Less than 1 year	11	4.45
01-84 years	232	93.93
85 85+ years	0	0.00
96 Unknown number of years	2	0.81
97 Refused	0	0.00
98 Not ascertained	0	0.00
99 Don't know	2	0.81

Frequency Missing = 32781

AHS.320_02.000: Duration of circulation problems (including blood clots), recode 2

ALDURB21	Frequency	Percent
1 Less than 3 months	5	2.02
2 3-5 months	1	0.40
3 6-12 months	22	8.91
4 More than 1 year	217	87.85
7 Refused	0	0.00
8 Not ascertained	0	0.00
9 Don't know	2	0.81

Frequency Missing = 32781

AHS.320_02.000: Circulation problems (including blood clots) condition status recode

ALCHRC21	Frequency	Percent
1 Chronic	240	97.17
2 Not chronic	5	2.02
9 Unknown if chronic	2	0.81

Frequency Missing = 32781

AHS.321_01.000 RECOD: Duration of endocrine/nutritional/metabolic problem: Number of units

ALTIME22	Frequency	Percent
01-94 1-94	146	96.05
95 95+	0	0.00
96 Since birth	4	2.63
97 Refused	0	0.00
98 Not ascertained	1	0.66
99 Don't know	1	0.66

Frequency Missing = 32876

AHS.321_02.000 RECOD: Duration of endocrine/nutritional/metabolic
problem: Time unit

ALUNIT22	Frequency	Percent
1 Day(s)	0	0.00
2 Week(s)	2	1.32
3 Month(s)	7	4.61
4 Year(s)	138	90.79
6 Since birth	4	2.63
7 Refused	0	0.00
8 Not ascertained	1	0.66
9 Don't know	0	0.00

Frequency Missing = 32876

AHS.321_02.000: Duration (in years) of endocrine/nutritional/metabolic
problem, recode 1

ALDURA22	Frequency	Percent
00 Less than 1 year	7	4.61
01-84 years	143	94.08
85 85+ years	0	0.00
96 Unknown number of years	1	0.66
97 Refused	0	0.00
98 Not ascertained	1	0.66
99 Don't know	0	0.00

Frequency Missing = 32876

AHS.321_02.000: Duration of endocrine/nutritional/metabolic problem, recode 2

ALDURB22	Frequency	Percent
1 Less than 3 months	5	3.29
2 3-5 months	0	0.00
3 6-12 months	7	4.61
4 More than 1 year	139	91.45
7 Refused	0	0.00
8 Not ascertained	1	0.66
9 Don't know	0	0.00

Frequency Missing = 32876

AHS.321_02.000: Endocrine/nutritional/metabolic problem condition status recode

ALCHRC22	Frequency	Percent
1 Chronic	146	96.05
2 Not chronic	5	3.29
9 Unknown if chronic	1	0.66

Frequency Missing = 32876

AHS.322_01.000 RECOD: Duration of nervous system/sensory
organ condition: Number of units

ALTIME23	Frequency	Percent
01-94 1-94	760	96.69
95 95+	0	0.00
96 Since birth	18	2.29
97 Refused	0	0.00
98 Not ascertained	1	0.13
99 Don't know	7	0.89

Frequency Missing = 32242

AHS.322_02.000 RECOD: Duration of nervous
system/sensory organ condition: Time unit

ALUNIT23	Frequency	Percent
1 Day(s)	0	0.00
2 Week(s)	4	0.51
3 Month(s)	43	5.47
4 Year(s)	718	91.35
6 Since birth	18	2.29
7 Refused	0	0.00
8 Not ascertained	1	0.13
9 Don't know	2	0.25

Frequency Missing = 32242

AHS.322_02.000: Duration (in years) of nervous
system/sensory organ condition, recode 1

ALDURA23	Frequency	Percent
00 Less than 1 year	38	4.83
01-84 years	740	94.15
85 85+ years	0	0.00
96 Unknown number of years	5	0.64
97 Refused	0	0.00
98 Not ascertained	1	0.13
99 Don't know	2	0.25

Frequency Missing = 32242

2016 National Health Interview Survey (NHIS)
 Sample Adult Public Use File (samadult)
 AHS Variables
 Unweighted Frequencies

104

Tuesday, June 6, 2017

AHS.322_02.000: Duration of nervous system/sensory organ condition, recode 2

ALDURB23	Frequency	Percent
1 Less than 3 months	12	1.53
2 3-5 months	10	1.27
3 6-12 months	50	6.36
4 More than 1 year	711	90.46
7 Refused	0	0.00
8 Not ascertained	1	0.13
9 Don't know	2	0.25

Frequency Missing = 32242

AHS.322_02.000: Nervous system/sensory organ condition status recode

ALCHRC23	Frequency	Percent
1 Chronic	771	98.09
2 Not chronic	12	1.53
9 Unknown if chronic	3	0.38

Frequency Missing = 32242

AHS.323_01.000 RECOD: Duration of digestive system problems: Number of units

ALTIME24	Frequency	Percent
01-94 1-94	182	98.38
95 95+	0	0.00
96 Since birth	1	0.54
97 Refused	0	0.00
98 Not ascertained	0	0.00
99 Don't know	2	1.08

Frequency Missing = 32843

AHS.323_02.000 RECOD: Duration of digestive system problems: Time unit

ALUNIT24	Frequency	Percent
1 Day(s)	0	0.00
2 Week(s)	5	2.70
3 Month(s)	19	10.27
4 Year(s)	159	85.95
6 Since birth	1	0.54
7 Refused	0	0.00
8 Not ascertained	0	0.00
9 Don't know	1	0.54

Frequency Missing = 32843

AHS.323_02.000: Duration (in years) of digestive system problems, recode 1

ALDURA24	Frequency	Percent
00 Less than 1 year	21	11.35
01-84 years	162	87.57
85 85+ years	0	0.00
96 Unknown number of years	1	0.54
97 Refused	0	0.00
98 Not ascertained	0	0.00
99 Don't know	1	0.54

Frequency Missing = 32843

AHS.323_02.000: Duration of digestive system problems, recode 2

ALDURB24	Frequency	Percent
1 Less than 3 months	8	4.32
2 3-5 months	3	1.62
3 6-12 months	24	12.97
4 More than 1 year	149	80.54
7 Refused	0	0.00
8 Not ascertained	0	0.00
9 Don't know	1	0.54

Frequency Missing = 32843

AHS.323_02.000: Digestive system problems condition status recode

ALCHRC24	Frequency	Percent
1 Chronic	176	95.14
2 Not chronic	8	4.32
9 Unknown if chronic	1	0.54

Frequency Missing = 32843

AHS.324_01.000 RECOD: Duration of genitourinary system problem: Number of units

ALTIME25	Frequency	Percent
01-94 1-94	148	95.48
95 95+	0	0.00
96 Since birth	4	2.58
97 Refused	0	0.00
98 Not ascertained	0	0.00
99 Don't know	3	1.94

Frequency Missing = 32873

2016 National Health Interview Survey (NHIS)
 Sample Adult Public Use File (samadult)
 AHS Variables
 Unweighted Frequencies

106

Tuesday, June 6, 2017

AHS.324_02.000 RECOD: Duration of genitourinary system problem: Time unit

ALUNIT25	Frequency	Percent
1 Day(s)	0	0.00
2 Week(s)	1	0.65
3 Month(s)	11	7.10
4 Year(s)	138	89.03
6 Since birth	4	2.58
7 Refused	0	0.00
8 Not ascertained	0	0.00
9 Don't know	1	0.65

Frequency Missing = 32873

AHS.324_02.000: Duration (in years) of genitourinary system problem, recode 1

ALDURA25	Frequency	Percent
00 Less than 1 year	9	5.81
01-84 years	143	92.26
85 85+ years	0	0.00
96 Unknown number of years	2	1.29
97 Refused	0	0.00
98 Not ascertained	0	0.00
99 Don't know	1	0.65

Frequency Missing = 32873

AHS.324_02.000: Duration of genitourinary system problem, recode 2

ALDURB25	Frequency	Percent
1 Less than 3 months	2	1.29
2 3-5 months	4	2.58
3 6-12 months	13	8.39
4 More than 1 year	135	87.10
7 Refused	0	0.00
8 Not ascertained	0	0.00
9 Don't know	1	0.65

Frequency Missing = 32873

AHS.324_02.000: Genitourinary system problem condition status recode

ALCHRC25	Frequency	Percent
1 Chronic	152	98.06
2 Not chronic	2	1.29
9 Unknown if chronic	1	0.65

Frequency Missing = 32873

Unweighted Frequencies

AHS.325_01.000 RECOD: Duration of skin/subcutaneous
system problems: Number of units

ALTIME26	Frequency	Percent
01-94 1-94	7	87.50
95 95+	0	0.00
96 Since birth	1	12.50
97 Refused	0	0.00
98 Not ascertained	0	0.00
99 Don't know	0	0.00

Frequency Missing = 33020

AHS.325_02.000 RECOD: Duration of skin/subcutaneous system problems: Time unit

ALUNIT26	Frequency	Percent
1 Day(s)	0	0.00
2 Week(s)	0	0.00
3 Month(s)	1	12.50
4 Year(s)	6	75.00
6 Since birth	1	12.50
7 Refused	0	0.00
8 Not ascertained	0	0.00
9 Don't know	0	0.00

Frequency Missing = 33020

AHS.325_02.000: Duration (in years) of skin/subcutaneous
system problems, recode 1

ALDURA26	Frequency	Percent
00 Less than 1 year	1	12.50
01-84 years	7	87.50
85 85+ years	0	0.00
96 Unknown number of years	0	0.00
97 Refused	0	0.00
98 Not ascertained	0	0.00
99 Don't know	0	0.00

Frequency Missing = 33020

2016 National Health Interview Survey (NHIS)

Sample Adult Public Use File (samadult)

AHS Variables Tuesday, June 6, 2017

Unweighted Frequencies

108

AHS.325_02.000: Duration of skin/subcutaneous system problems, recode 2

ALDURB26	Frequency	Percent
1 Less than 3 months	0	0.00
2 3-5 months	0	0.00
3 6-12 months	1	12.50
4 More than 1 year	7	87.50
7 Refused	0	0.00
8 Not ascertained	0	0.00
9 Don't know	0	0.00

Frequency Missing = 33020

AHS.325_02.000: Skin/subcutaneous system problems condition status recode

ALCHRC26	Frequency	Percent
1 Chronic	8	100.00
2 Not chronic	0	0.00
9 Unknown if chronic	0	0.00

Frequency Missing = 33020

AHS.326_01.000 RECOD: Duration of blood or blood-forming organ problem: Number of units

ALTIME27	Frequency	Percent
01-94 1-94	10	90.91
95 95+	0	0.00
96 Since birth	1	9.09
97 Refused	0	0.00
98 Not ascertained	0	0.00
99 Don't know	0	0.00

Frequency Missing = 33017

AHS.326_02.000 RECOD: Duration of blood or blood-forming organ problem: Time unit

ALUNIT27	Frequency	Percent
1 Day(s)	1	9.09
2 Week(s)	0	0.00
3 Month(s)	2	18.18
4 Year(s)	7	63.64
6 Since birth	1	9.09
7 Refused	0	0.00
8 Not ascertained	0	0.00
9 Don't know	0	0.00

Frequency Missing = 33017

2016 National Health Interview Survey (NHIS) 109
 Sample Adult Public Use File (samadult)
 AHS Variables Tuesday, June 6, 2017
 Unweighted Frequencies

AHS.326_02.000: Duration (in years) of blood
 or blood-forming organ problem, recode 1

ALDURA27	Frequency	Percent
00 Less than 1 year	3	27.27
01-84 years	8	72.73
85 85+ years	0	0.00
96 Unknown number of years	0	0.00
97 Refused	0	0.00
98 Not ascertained	0	0.00
99 Don't know	0	0.00

Frequency Missing = 33017

AHS.326_02.000: Duration of blood or blood-forming organ problem, recode 2

ALDURB27	Frequency	Percent
1 Less than 3 months	1	9.09
2 3-5 months	0	0.00
3 6-12 months	2	18.18
4 More than 1 year	8	72.73
7 Refused	0	0.00
8 Not ascertained	0	0.00
9 Don't know	0	0.00

Frequency Missing = 33017

AHS.326_02.000: Blood or blood-forming organ problem condition status recode

ALCHRC27	Frequency	Percent
1 Chronic	10	90.91
2 Not chronic	1	9.09
9 Unknown if chronic	0	0.00

Frequency Missing = 33017

AHS.327_01.000 RECOD: Duration of benign tumor/cyst: Number of units

ALTIME28	Frequency	Percent
01-94 1-94	30	96.77
95 95+	0	0.00
96 Since birth	1	3.23
97 Refused	0	0.00
98 Not ascertained	0	0.00
99 Don't know	0	0.00

Frequency Missing = 32997

2016 National Health Interview Survey (NHIS)

Sample Adult Public Use File (samadult)

AHS Variables Tuesday, June 6, 2017

Unweighted Frequencies

110

AHS.327_02.000 RECOD: Duration of benign tumor/cyst: Time unit

ALUNIT28	Frequency	Percent
1 Day(s)	0	0.00
2 Week(s)	2	6.45
3 Month(s)	5	16.13
4 Year(s)	23	74.19
6 Since birth	1	3.23
7 Refused	0	0.00
8 Not ascertained	0	0.00
9 Don't know	0	0.00

Frequency Missing = 32997

AHS.327_02.000: Duration (in years) of benign tumor/cyst, recode 1

ALDURA28	Frequency	Percent
00 Less than 1 year	7	22.58
01-84 years	24	77.42
85 85+ years	0	0.00
96 Unknown number of years	0	0.00
97 Refused	0	0.00
98 Not ascertained	0	0.00
99 Don't know	0	0.00

Frequency Missing = 32997

AHS.327_02.000: Duration of benign tumor/cyst, recode 2

ALDURB28	Frequency	Percent
1 Less than 3 months	4	12.90
2 3-5 months	0	0.00
3 6-12 months	4	12.90
4 More than 1 year	23	74.19
7 Refused	0	0.00
8 Not ascertained	0	0.00
9 Don't know	0	0.00

Frequency Missing = 32997

AHS.327_02.000: Benign tumor/cyst condition status recode

ALCHRC28	Frequency	Percent
1 Chronic	27	87.10
2 Not chronic	4	12.90
9 Unknown if chronic	0	0.00

Frequency Missing = 32997

AHS.328_01.000 RECOD: Duration of alcohol /drug/substance
abuse problem: Number of units

ALTIME29	Frequency	Percent
01-94 1-94	4	100.00
95 95+	0	0.00
96 Since birth	0	0.00
97 Refused	0	0.00
98 Not ascertained	0	0.00
99 Don't know	0	0.00

Frequency Missing = 33024

AHS.328_02.000 RECOD: Duration of alcohol/drug/substance
abuse problem: Time unit

ALUNIT29	Frequency	Percent
1 Day(s)	0	0.00
2 Week(s)	0	0.00
3 Month(s)	1	25.00
4 Year(s)	3	75.00
6 Since birth	0	0.00
7 Refused	0	0.00
8 Not ascertained	0	0.00
9 Don't know	0	0.00

Frequency Missing = 33024

AHS.328_02.000: Duration (in years) of alcohol/drug/substance
abuse problem, recode 1

ALDURA29	Frequency	Percent
00 Less than 1 year	0	0.00
01-84 years	4	100.00
85 85+ years	0	0.00
96 Unknown number of years	0	0.00
97 Refused	0	0.00
98 Not ascertained	0	0.00
99 Don't know	0	0.00

Frequency Missing = 33024

2016 National Health Interview Survey (NHIS)
Sample Adult Public Use File (samadult)
AHS Variables
Unweighted Frequencies

112

Tuesday, June 6, 2017

AHS.328_02.000: Duration of alcohol/drug/substance abuse problem, recode 2

ALDURB29	Frequency	Percent
1 Less than 3 months	0	0.00
2 3-5 months	0	0.00
3 6-12 months	0	0.00
4 More than 1 year	4	100.00
7 Refused	0	0.00
8 Not ascertained	0	0.00
9 Don't know	0	0.00

Frequency Missing = 33024

AHS.328_02.000: Alcohol /drug/substance abuse problem condition status recode

ALCHRC29	Frequency	Percent
1 Chronic	4	100.00
2 Not chronic	0	0.00
9 Unknown if chronic	0	0.00

Frequency Missing = 33024

AHS.329_01.000 RECOD: Duration of other mental problem/ADD/Bipolar/Schizophrenia: Number of units

ALTIME30	Frequency	Percent
01-94 1-94	48	78.69
95 95+	0	0.00
96 Since birth	12	19.67
97 Refused	0	0.00
98 Not ascertained	0	0.00
99 Don't know	1	1.64

Frequency Missing = 32967

AHS.329_02.000 RECOD: Duration of other mental problem/ADD/Bipolar/Schizophrenia: Time unit

ALUNIT30	Frequency	Percent
1 Day(s)	0	0.00
2 Week(s)	0	0.00
3 Month(s)	0	0.00
4 Year(s)	49	80.33
6 Since birth	12	19.67
7 Refused	0	0.00
8 Not ascertained	0	0.00
9 Don't know	0	0.00

Frequency Missing = 32967

AHS.329_02.000: Duration (in years) of other mental
 problem/ADD/Bipolar/Schizophrenia, recode 1

ALDURA30	Frequency	Percent
00 Less than 1 year	0	0.00
01-84 years	60	98.36
85 85+ years	0	0.00
96 Unknown number of years	1	1.64
97 Refused	0	0.00
98 Not ascertained	0	0.00
99 Don't know	0	0.00

Frequency Missing = 32967

AHS.329_02.000: Duration of other mental problem/ADD/Bipolar/Schizophrenia,
 recode 2

ALDURB30	Frequency	Percent
1 Less than 3 months	0	0.00
2 3-5 months	0	0.00
3 6-12 months	1	1.64
4 More than 1 year	60	98.36
7 Refused	0	0.00
8 Not ascertained	0	0.00
9 Don't know	0	0.00

Frequency Missing = 32967

AHS.329_02.000: Other mental problem/ADD/Bipolar/Schizophrenia
 condition status recode

ALCHRC30	Frequency	Percent
1 Chronic	61	100.00
2 Not chronic	0	0.00
9 Unknown if chronic	0	0.00

Frequency Missing = 32967

AHS.330_01.000 RECOD: Duration of surgical after-effects/medical
 treatment problems: Number of units

ALTIME31	Frequency	Percent
01-94 1-94	85	98.84
95 95+	0	0.00
96 Since birth	0	0.00
97 Refused	0	0.00
98 Not ascertained	0	0.00
99 Don't know	1	1.16

Frequency Missing = 32942

AHS.330_02.000 RECOD: Duration of surgical after-effects/medical
treatment problems: Time unit

ALUNIT31	Frequency	Percent
1 Day(s)	1	1.16
2 Week(s)	9	10.47
3 Month(s)	31	36.05
4 Year(s)	45	52.33
6 Since birth	0	0.00
7 Refused	0	0.00
8 Not ascertained	0	0.00
9 Don't know	0	0.00

Frequency Missing = 32942

AHS.330_02.000: Duration (in years) of surgical
after-effects/medical treatment prob, recode 1

ALDURA31	Frequency	Percent
00 Less than 1 year	40	46.51
01-84 years	45	52.33
85 85+ years	0	0.00
96 Unknown number of years	1	1.16
97 Refused	0	0.00
98 Not ascertained	0	0.00
99 Don't know	0	0.00

Frequency Missing = 32942

AHS.330_02.000: Duration of surgical after-effects/medical
treatment problems, recode 2

ALDURB31	Frequency	Percent
1 Less than 3 months	15	17.44
2 3-5 months	11	12.79
3 6-12 months	17	19.77
4 More than 1 year	43	50.00
7 Refused	0	0.00
8 Not ascertained	0	0.00
9 Don't know	0	0.00

Frequency Missing = 32942

2016 National Health Interview Survey (NHIS) 115
 Sample Adult Public Use File (samadult)
 AHS Variables Tuesday, June 6, 2017
 Unweighted Frequencies

AHS.330_02.000: Surgical after-effects/medical
 treatment problems condition status recode

ALCHRC31	Frequency	Percent
1 Chronic	71	82.56
2 Not chronic	15	17.44
9 Unknown if chronic	0	0.00

Frequency Missing = 32942

AHS.331_01.000 RECOD: Duration of "old age"/elderly/aging-related
 problems: Number of units

ALTIME32	Frequency	Percent
01-94 1-94	280	80.00
95 95+	0	0.00
96 Since birth	0	0.00
97 Refused	10	2.86
98 Not ascertained	7	2.00
99 Don't know	53	15.14

Frequency Missing = 32678

AHS.331_02.000 RECOD: Duration of "old age"/elderly/aging-related
 problems: Time unit

ALUNIT32	Frequency	Percent
1 Day(s)	1	0.29
2 Week(s)	0	0.00
3 Month(s)	14	4.00
4 Year(s)	290	82.86
6 Since birth	0	0.00
7 Refused	10	2.86
8 Not ascertained	7	2.00
9 Don't know	28	8.00

Frequency Missing = 32678

AHS.331_02.000: Duration (in years) of "old age"/elderly/aging-related problems, recode 1

ALDURA32	Frequency	Percent
00 Less than 1 year	13	3.71
01-84 years	263	75.14
85 85+ years	4	1.14
96 Unknown number of years	25	7.14
97 Refused	10	2.86
98 Not ascertained	7	2.00
99 Don't know	28	8.00

Frequency Missing = 32678

AHS.331_02.000: Duration of "old age"/elderly/aging-related problems, recode 2

ALDURB32	Frequency	Percent
1 Less than 3 months	6	1.71
2 3-5 months	2	0.57
3 6-12 months	36	10.29
4 More than 1 year	261	74.57
7 Refused	10	2.86
8 Not ascertained	7	2.00
9 Don't know	28	8.00

Frequency Missing = 32678

AHS.331_02.000: "Old age"/elderly/aging-related problems condition status recode

ALCHRC32	Frequency	Percent
1 Chronic	350	100.00
2 Not chronic	0	0.00
9 Unknown if chronic	0	0.00

Frequency Missing = 32678

AHS.332_01.000 RECOD: Duration of fatigue/tiredness/weakness problem: Number of units

ALTIME33	Frequency	Percent
01-94 1-94	107	85.60
95 95+	0	0.00
96 Since birth	4	3.20
97 Refused	0	0.00
98 Not ascertained	0	0.00
99 Don't know	14	11.20

Frequency Missing = 32903

2016 National Health Interview Survey (NHIS)
 Sample Adult Public Use File (samadult)
 AHS Variables
 Unweighted Frequencies

117

Tuesday, June 6, 2017

AHS.332_02.000 RECOD: Duration of fatigue/tiredness/weakness problem: Time unit

ALUNIT33	Frequency	Percent
1 Day(s)	2	1.60
2 Week(s)	1	0.80
3 Month(s)	8	6.40
4 Year(s)	100	80.00
6 Since birth	4	3.20
7 Refused	0	0.00
8 Not ascertained	0	0.00
9 Don't know	10	8.00

Frequency Missing = 32903

AHS.332_02.000: Duration (in years) of fatigue/tiredness/weakness problem, recode 1

ALDURA33	Frequency	Percent
00 Less than 1 year	11	8.80
01-84 years	100	80.00
85 85+ years	0	0.00
96 Unknown number of years	4	3.20
97 Refused	0	0.00
98 Not ascertained	0	0.00
99 Don't know	10	8.00

Frequency Missing = 32903

AHS.332_02.000: Duration of fatigue/tiredness/weakness problem, recode 2

ALDURB33	Frequency	Percent
1 Less than 3 months	8	6.40
2 3-5 months	1	0.80
3 6-12 months	16	12.80
4 More than 1 year	90	72.00
7 Refused	0	0.00
8 Not ascertained	0	0.00
9 Don't know	10	8.00

Frequency Missing = 32903

AHS.332_02.000: Fatigue/tiredness/weakness problem condition status recode

ALCHRC33	Frequency	Percent
1 Chronic	107	85.60
2 Not chronic	8	6.40
9 Unknown if chronic	10	8.00

Frequency Missing = 32903

2016 National Health Interview Survey (NHIS)
 Sample Adult Public Use File (samadult)
 AHS Variables
 Unweighted Frequencies

118

Tuesday, June 6, 2017

AHS.333_01.000 RECOD: Duration of pregnancy-related problem: Number of units

ALTIME34	Frequency	Percent
01-94 1-94	35	100.00
95 95+	0	0.00
96 Since birth	0	0.00
97 Refused	0	0.00
98 Not ascertained	0	0.00
99 Don't know	0	0.00

Frequency Missing = 32993

AHS.333_02.000 RECOD: Duration of pregnancy-related problem: Time unit

ALUNIT34	Frequency	Percent
1 Day(s)	1	2.86
2 Week(s)	3	8.57
3 Month(s)	30	85.71
4 Year(s)	1	2.86
6 Since birth	0	0.00
7 Refused	0	0.00
8 Not ascertained	0	0.00
9 Don't know	0	0.00

Frequency Missing = 32993

AHS.333_02.000: Duration (in years) of pregnancy-related problem, recode 1

ALDURA34	Frequency	Percent
00 Less than 1 year	33	94.29
01-84 years	2	5.71
85 85+ years	0	0.00
96 Unknown number of years	0	0.00
97 Refused	0	0.00
98 Not ascertained	0	0.00
99 Don't know	0	0.00

Frequency Missing = 32993

2016 National Health Interview Survey (NHIS)
 Sample Adult Public Use File (samadult)
 AHS Variables
 Unweighted Frequencies

119

Tuesday, June 6, 2017

AHS.333_02.000: Duration of pregnancy-related problem, recode 2

ALDURB34	Frequency	Percent
1 Less than 3 months	6	17.14
2 3-5 months	7	20.00
3 6-12 months	20	57.14
4 More than 1 year	2	5.71
7 Refused	0	0.00
8 Not ascertained	0	0.00
9 Don't know	0	0.00

Frequency Missing = 32993

AHS.333_02.000: Pregnancy-related condition status recode

ALCHRC34	Frequency	Percent
1 Chronic	0	0.00
2 Not chronic	35	100.00
9 Unknown if chronic	0	0.00

Frequency Missing = 32993

AHS.335_01.000: Duration of other impairment/problem N.E.C. (1): Number of units

ALTIME90	Frequency	Percent
01-94 1-94	300	89.29
95 95+	2	0.60
96 Since birth	21	6.25
97 Refused	1	0.30
98 Not ascertained	0	0.00
99 Don't know	12	3.57

Frequency Missing = 32692

AHS.335_02.000: Duration of other impairment/problem N.E.C. (1): Time unit

ALUNIT90	Frequency	Percent
1 Day(s)	11	3.27
2 Week(s)	3	0.89
3 Month(s)	25	7.44
4 Year(s)	267	79.46
6 Since birth	21	6.25
7 Refused	1	0.30
8 Not ascertained	0	0.00
9 Don't know	8	2.38

Frequency Missing = 32692

AHS.335_02.000: Duration (in years) of other
 impairment/problem N.E.C. (1), recode 1

ALDURA90	Frequency	Percent
00 Less than 1 year	31	9.23
01-84 years	291	86.61
85 85+ years	1	0.30
96 Unknown number of years	4	1.19
97 Refused	1	0.30
98 Not ascertained	0	0.00
99 Don't know	8	2.38

Frequency Missing = 32692

AHS.335_02.000: Duration of other impairment/problem N.E.C. (1), recode 2

ALDURB90	Frequency	Percent
1 Less than 3 months	14	4.17
2 3-5 months	9	2.68
3 6-12 months	34	10.12
4 More than 1 year	270	80.36
7 Refused	1	0.30
8 Not ascertained	0	0.00
9 Don't know	8	2.38

Frequency Missing = 32692

AHS.335_02.000: Other impairment/problem N.E.C. (1) condition status recode

ALCHRC90	Frequency	Percent
1 Chronic	313	93.15
2 Not chronic	14	4.17
9 Unknown if chronic	9	2.68

Frequency Missing = 32692

AHS.336_01.000: Duration of other impairment/problem N.E.C. (2): Number of units

ALTIME91	Frequency	Percent
01-94 1-94	2	100.00
95 95+	0	0.00
96 Since birth	0	0.00
97 Refused	0	0.00
98 Not ascertained	0	0.00
99 Don't know	0	0.00

Frequency Missing = 33026

2016 National Health Interview Survey (NHIS)
 Sample Adult Public Use File (samadult)
 AHS Variables
 Unweighted Frequencies

121

Tuesday, June 6, 2017

AHS.336_02.000: Duration of other impairment/problem N.E.C. (2): Time unit

ALUNIT91	Frequency	Percent
1 Day(s)	0	0.00
2 Week(s)	0	0.00
3 Month(s)	0	0.00
4 Year(s)	2	100.00
6 Since birth	0	0.00
7 Refused	0	0.00
8 Not ascertained	0	0.00
9 Don't know	0	0.00

Frequency Missing = 33026

AHS.336_02.000: Duration (in years) of other
 impairment/ problem N.E.C. (2), recode 1

ALDURA91	Frequency	Percent
00 Less than 1 year	0	0.00
01-84 years	2	100.00
85 85+ years	0	0.00
96 Unknown number of years	0	0.00
97 Refused	0	0.00
98 Not ascertained	0	0.00
99 Don't know	0	0.00

Frequency Missing = 33026

AHS.336_02.000: Duration of other impairment/problem N.E.C. (2), recode 2

ALDURB91	Frequency	Percent
1 Less than 3 months	0	0.00
2 3-5 months	0	0.00
3 6-12 months	0	0.00
4 More than 1 year	2	100.00
7 Refused	0	0.00
8 Not ascertained	0	0.00
9 Don't know	0	0.00

Frequency Missing = 33026

AHS.336_02.000: Other impairment/problem N.E.C. (2) condition status recode

ALCHRC91	Frequency	Percent
1 Chronic	2	100.00
2 Not chronic	0	0.00
9 Unknown if chronic	0	0.00

Frequency Missing = 33026

2016 National Health Interview Survey (NHIS) 122
 Sample Adult Public Use File (samadult)
 AHS Variables Tuesday, June 6, 2017
 Unweighted Frequencies

AHS.336_02.000: Chronic condition recode
 for individual with functional limitation

ALCNDRT	Frequency
1 At least one condition causing functional limitation is chronic	13398
2 No condition causing functional limitation	291
9 Unknown if any condition causing functional limitation is chronic	222

Frequency Missing = 19117

AHS.336_02.000: Chronic condition recode
 for individual with functional limitation

ALCNDRT	Percent
1 At least one condition causing functional limitation is chronic	96.31
2 No condition causing functional limitation	2.09
9 Unknown if any condition causing functional limitation is chronic	1.60

Frequency Missing = 19117

AHS.336_02.000: Overall functional limitation recode by condition status

ALCHRONR	Frequency	Percent
0 Not limited in any way (including unknown if limited)	19117	57.88
1 Limited; caused by at least one chronic condition	13398	40.57
2 Limited; not caused by chronic condition	291	0.88
3 Limited; unknown if condition is chronic	222	0.67

AHB.010_00.000: Ever smoked 100 cigarettes

SMKEV	Frequency	Percent
1 Yes	13501	40.88
2 No	19423	58.81
7 Refused	23	0.07
8 Not ascertained	60	0.18
9 Don't know	21	0.06

AHB.020_00.000: Age first smoked fairly regularly

SMKREG	Frequency	Percent
06-84 6 - 84 years	13121	97.19
85 85 years or older	0	0.00
96 Never smoked regularly	201	1.49
97 Refused	14	0.10
98 Not ascertained	4	0.03
99 Don't know	161	1.19

Frequency Missing = 19527

AHB.030_00.000: Smoke freq: every day/some days/not at all

SMKNOW	Frequency	Percent
1 Every day	4111	30.45
2 Some days	1229	9.10
3 Not at all	8154	60.40
7 Refused	3	0.02
8 Not ascertained	3	0.02
9 Don't know	1	0.01

Frequency Missing = 19527

AHB.030_00.000: Smoking Status: Recode

SMKSTAT2	Frequency	Percent
1 Current every day smoker	4111	12.45
2 Current some day smoker	1229	3.72
3 Former smoker	8154	24.69
4 Never smoker	19423	58.81
5 Smoker, current status unknown	7	0.02
9 Unknown if ever smoked	104	0.31

2016 National Health Interview Survey (NHIS)
 Sample Adult Public Use File (samadult)
 AHB Variables
 Unweighted Frequencies

124

Tuesday, June 6, 2017

AHB.040_01.000: Time since quit: # of units

SMKQTNO	Frequency	Percent
01-94 1 - 94	8098	99.31
95 95+	0	0.00
97 Refused	2	0.02
98 Not ascertained	0	0.00
99 Don't know	54	0.66

Frequency Missing = 24874

AHB.040_02.000: Time since quit: time period

SMKQTTP	Frequency	Percent
1 Day(s)	33	0.40
2 Week(s)	53	0.65
3 Month(s)	523	6.41
4 Year(s)	7489	91.84
7 Refused	2	0.02
8 Not ascertained	0	0.00
9 Don't know	54	0.66

Frequency Missing = 24874

AHB.040_02.000: Time since quit smoking (in years)

SMKQTY	Frequency	Percent
00 Less than 1 year	496	6.08
01-69 1-69 years	7593	93.12
70 70+ years	9	0.11
97 Refused	2	0.02
98 Not ascertained	0	0.00
99 Don't know	54	0.66

Frequency Missing = 24874

AHB.050_00.000: Number cigs per day (daily smokers)

CIGSDA1	Frequency	Percent
01-94 1 - 94 cigarettes	4075	99.12
95 95+ cigarettes	3	0.07
97 Refused	8	0.19
98 Not ascertained	0	0.00
99 Don't know	25	0.61

Frequency Missing = 28917

AHB.060_00.000: Number days smoked in past 30 days

CIGDAMO	Frequency	Percent
00 None	47	3.82
01-30 1-30 days	1156	94.06
97 Refused	2	0.16
98 Not ascertained	1	0.08
99 Don't know	23	1.87

Frequency Missing = 31799

AHB.070_00.000: Number cigs per day (some day smokers)

CIGSDA2	Frequency	Percent
01-94 1 - 94 cigarettes	1156	97.88
95 95+ cigarettes	5	0.42
97 Refused	2	0.17
98 Not ascertained	0	0.00
99 Don't know	18	1.52

Frequency Missing = 31847

AHB.070_00.000: Number of cigarettes a day (all current smokers)

CIGSDAY	Frequency	Percent
01-94 1 - 94 cigarettes	5231	98.83
95 95+ cigarettes	8	0.15
97 Refused	10	0.19
98 Not ascertained	1	0.02
99 Don't know	43	0.81

Frequency Missing = 27735

AHB.080_00.000: Tried quit smoking 1+ days, past 12 m

CIGQTYR	Frequency	Percent
1 Yes	2577	48.26
2 No	2756	51.61
7 Refused	1	0.02
8 Not ascertained	3	0.06
9 Don't know	3	0.06

Frequency Missing = 27688

AHB.085_00.010: Ever used electronic cigarettes (e-cig), even once

ECIGEV2	Frequency	Percent
1 Yes	4900	14.84
2 No	28031	84.87
7 Refused	14	0.04
8 Not ascertained	75	0.23
9 Don't know	8	0.02

AHB.085_00.020: E-cig freq: every day/some days/not at all

ECIGCUR2	Frequency	Percent
1 Every day	392	8.00
2 Some days	591	12.06
3 Not at all	3917	79.94
7 Refused	0	0.00
8 Not ascertained	0	0.00
9 Don't know	0	0.00

Frequency Missing = 28128

AHB.085_00.030: Number of days used e-cigarettes, past 30 days

ECIG30D2	Frequency	Percent
00-30 0-30	4494	99.69
97 Refused	0	0.00
98 Not ascertained	0	0.00
99 Don't know	14	0.31

Frequency Missing = 28520

AHB.085_00.040: Ever smoked a regular cigar, cigarillo,
or little filtered cigar, even once

CIGAREV2	Frequency	Percent
1 Yes	9428	28.55
2 No	23482	71.10
7 Refused	17	0.05
8 Not ascertained	80	0.24
9 Don't know	21	0.06

Sample Adult Public Use File (samadult)

AHB Variables

Tuesday, June 6, 2017

Unweighted Frequencies

AHB.085_00.050: Smoke freq:every day/some days/not
at all-cigars,cigarillos,or lil' filtered cig

CIGCUR2	Frequency	Percent
1 Every day	183	1.94
2 Some days	1003	10.64
3 Not at all	8241	87.41
7 Refused	0	0.00
8 Not ascertained	0	0.00
9 Don't know	1	0.01

Frequency Missing = 23600

AHB.085_00.060: Number of days smoked cigar, cigarillo,
or little filtered cigar, past 30 days

CIG30D2	Frequency	Percent
00-30 0-30	9237	99.92
97 Refused	1	0.01
98 Not ascertained	0	0.00
99 Don't know	6	0.06

Frequency Missing = 23784

AHB.085_00.070: Ever smoked pipe filled w/tobacco
- either pipe,water pipe,or hookah,even once

PIPEV2	Frequency	Percent
1 Yes	4569	13.83
2 No	28341	85.81
7 Refused	16	0.05
8 Not ascertained	82	0.25
9 Don't know	20	0.06

AHB.085_00.080: Smoke freq: every day/some days/not
at all - either pipes,water pipes,or hookahs

PIPECUR2	Frequency	Percent
1 Every day	45	0.98
2 Some days	362	7.92
3 Not at all	4160	91.05
7 Refused	0	0.00
8 Not ascertained	1	0.02
9 Don't know	1	0.02

Frequency Missing = 28459

AHB.085_00.090: Ever used smokeless tobacco products, even once

SMKLSTB1	Frequency	Percent
1 Yes	3609	10.93
2 No	29303	88.72
7 Refused	17	0.05
8 Not ascertained	84	0.25
9 Don't know	15	0.05

AHB.085_00.100: Smokeless tobacco freq: every day/some days/not at all

SMKLSCR2	Frequency	Percent
1 Every day	538	14.91
2 Some days	311	8.62
3 Not at all	2760	76.48
7 Refused	0	0.00
8 Not ascertained	0	0.00
9 Don't know	0	0.00

Frequency Missing = 29419

AHB.090_01.000: Freq vigorous activity: # of units

VIGNO	Frequency	Percent
000 Never	16338	49.47
001-995 1-995 time(s)	15555	47.10
996 Unable to do this type activity	769	2.33
997 Refused	28	0.08
998 Not ascertained	277	0.84
999 Don't know	61	0.18

AHB.090_02.000: Freq vigorous activity: Time units

VIGTP	Frequency	Percent
0 Never	16338	49.47
1 Per day	2288	6.93
2 Per week	11876	35.96
3 Per month	1097	3.32
4 Per year	294	0.89
6 Unable to do this activity	769	2.33
7 Refused	28	0.08
8 Not ascertained	277	0.84
9 Don't know	61	0.18

2016 National Health Interview Survey (NHIS) 129
 Sample Adult Public Use File (samadult)
 AHB Variables Tuesday, June 6, 2017
 Unweighted Frequencies

AHB.090_02.000: Freq vigorous activity (times per wk)

VIGFREQW	Frequency	Percent
00 Less than once per week	1005	3.04
01-28 1-28 times per week	14550	44.05
95 Never	16338	49.47
96 Unable to do vigorous activity	769	2.33
97 Refused	28	0.08
98 Not ascertained	277	0.84
99 Don't know	61	0.18

AHB.100_01.000: Duration vigorous activity: # units

VIGLNGNO	Frequency	Percent
001-995 1-995	15476	99.49
997 Refused	1	0.01
998 Not ascertained	22	0.14
999 Don't know	56	0.36

Frequency Missing = 17473

AHB.100_02.000: Duration vigorous activity: Time unit

VIGLNGTP	Frequency	Percent
1 Minutes	10365	66.63
2 Hours	5111	32.86
7 Refused	1	0.01
8 Not ascertained	22	0.14
9 Don't know	56	0.36

Frequency Missing = 17473

AHB.100_02.000: Duration vigorous activity (in minutes)

VIGMIN	Frequency	Percent
010-720 10-720 minutes	15476	99.49
997 Refused	1	0.01
998 Not ascertained	22	0.14
999 Don't know	56	0.36

Frequency Missing = 17473

AHB.110_01.000: Freq moderate activity: # of units

MODNO	Frequency	Percent
000 Never	11248	34.06
001-995 1-995 time(s)	20693	62.65
996 Unable to do this type activity	490	1.48
997 Refused	24	0.07
998 Not ascertained	422	1.28
999 Don't know	151	0.46

AHB.110_02.000: Freq moderate activity: Time units

MODTP	Frequency	Percent
0 Never	11248	34.06
1 Per day	5495	16.64
2 Per week	14125	42.77
3 Per month	881	2.67
4 Per year	192	0.58
6 Unable to do this activity	490	1.48
7 Refused	24	0.07
8 Not ascertained	422	1.28
9 Don't know	151	0.46

AHB.110_02.000: Freq light/moderate activity (times per wk)

MODFREQW	Frequency	Percent
00 Less than once per week	672	2.03
01-28 1-28 times per week	20021	60.62
95 Never	11248	34.06
96 Unable to do light or moderate activity	490	1.48
97 Refused	24	0.07
98 Not ascertained	422	1.28
99 Don't know	151	0.46

AHB.120_01.000: Duration moderate activity: # of units

MODLNGNO	Frequency	Percent
001-995 1-995	20546	99.29
997 Refused	3	0.01
998 Not ascertained	23	0.11
999 Don't know	121	0.58

Frequency Missing = 12335

AHB.120_02.000: Duration moderate activity: Time unit

MODLNGTP	Frequency	Percent
1 Minutes	15325	74.06
2 Hours	5221	25.23
7 Refused	3	0.01
8 Not ascertained	23	0.11
9 Don't know	121	0.58

Frequency Missing = 12335

AHB.120_02.000: Duration light/moderate activity (in minutes)

MODMIN	Frequency	Percent
010-720 10-720 minutes	20546	99.29
997 Refused	3	0.01
998 Not ascertained	23	0.11
999 Don't know	121	0.58

Frequency Missing = 12335

AHB.130_01.000: Strength activity freq: # of units

STRNGNO	Frequency	Percent
000 Never	22326	67.60
001-995 1-995 time(s)	9817	29.72
996 Unable to do this type activity	599	1.81
997 Refused	24	0.07
998 Not ascertained	201	0.61
999 Don't know	61	0.18

AHB.130_02.000: Strength activity freq: Time units

STRNGTP	Frequency	Percent
0 Never	22326	67.60
1 Per day	1343	4.07
2 Per week	7809	23.64
3 Per month	559	1.69
4 Per year	106	0.32
6 Unable to do this activity	599	1.81
7 Refused	24	0.07
8 Not ascertained	201	0.61
9 Don't know	61	0.18

2016 National Health Interview Survey (NHIS) 132
 Sample Adult Public Use File (samadult)
 AHB Variables Tuesday, June 6, 2017
 Unweighted Frequencies

AHB.130_02.000: Freq strength activity (times per wk)

STRFREQW	Frequency	Percent
00 Less than once per week	491	1.49
01-28 1-28 times per week	9326	28.24
95 Never	22326	67.60
96 Unable to do strength activity	599	1.81
97 Refused	24	0.07
98 Not ascertained	201	0.61
99 Don't know	61	0.18

AHB.140_00.000: Ever had 12+ drinks in any one year

ALC1YR	Frequency	Percent
1 Yes	21564	65.29
2 No	11239	34.03
7 Refused	47	0.14
8 Not ascertained	158	0.48
9 Don't know	20	0.06

AHB.150_00.000: Had 12+ drinks in ENTIRE LIFE

ALCLIFE	Frequency	Percent
1 Yes	5207	45.42
2 No	6022	52.53
7 Refused	43	0.38
8 Not ascertained	161	1.40
9 Don't know	31	0.27

Frequency Missing = 21564

AHB.160_01.000: Freq drank alcohol pst yr: # of units

ALC12MNO	Frequency	Percent
000 Never	5054	18.88
001-365 1-365 days	21489	80.27
997 Refused	43	0.16
998 Not ascertained	4	0.01
999 Don't know	181	0.68

Frequency Missing = 6257

AHB.160_02.000: Freq drank alcohol pst yr: Time unit

ALC12MTP	Frequency	Percent
0 Never/None	5054	18.88
1 Week	9905	37.00
2 Month	5345	19.97
3 Year	6239	23.31
7 Refused	43	0.16
8 Not ascertained	4	0.01
9 Don't know	181	0.68

Frequency Missing = 6257

AHB.160_02.000: Freq drank alcohol: Days per week

ALC12MWK	Frequency	Percent
00 Less than one day per week	9760	36.46
01-07 1-7 days per week	11729	43.81
95 Did not drink in past year	5054	18.88
97 Refused	43	0.16
98 Not ascertained	4	0.01
99 Don't know	181	0.68

Frequency Missing = 6257

AHB.160_02.000: Freq drank alcohol: Days in past year

ALC12MYR	Frequency	Percent
000 Never/none	5054	18.88
001-365 1-365 days	21489	80.27
997 Refused	43	0.16
998 Not ascertained	4	0.01
999 Don't know	181	0.68

Frequency Missing = 6257

AHB.170_00.000: Average # drinks on days drank

ALCAMT	Frequency	Percent
01-94 1-94 drinks	21394	99.56
95 95+ drinks	4	0.02
97 Refused	11	0.05
98 Not ascertained	2	0.01
99 Don't know	78	0.36

Frequency Missing = 11539

2016 National Health Interview Survey (NHIS) 134
 Sample Adult Public Use File (samadult)
 AHB Variables Tuesday, June 6, 2017
 Unweighted Frequencies

AHB.170_00.000: Alcohol drinking status: Recode

ALCSTAT	Frequency	Percent
01 Lifetime abstainer	6022	18.23
02 Former infrequent	2957	8.95
03 Former regular	2095	6.34
04 Former, unknown frequency	2	0.01
05 Current infrequent	4115	12.46
06 Current light	10071	30.49
07 Current moderate	5320	16.11
08 Current heavier	1892	5.73
09 Current drinker, frequency/level unknown	91	0.28
10 Drinking status unknown	463	1.40

AHB.180_01.000: Days 5+/4+ drinks, past yr: # days

ALC5UPN1	Frequency	Percent
000 Never/none	13268	61.74
001-365 1-365 days	7941	36.95
997 Refused	20	0.09
998 Not ascertained	2	0.01
999 Don't know	258	1.20

Frequency Missing = 11539

AHB.180_02.000: Days 5+/4+ drinks, past yr: Time unit

ALC5UPT1	Frequency	Percent
0 Never/None	13268	61.74
1 Per week	637	2.96
2 Per month	587	2.73
3 Per year	6716	31.25
7 Refused	20	0.09
8 Not ascertained	3	0.01
9 Don't know	258	1.20

Frequency Missing = 11539

AHB.180_02.000: Number of days had 5+/4+ drinks past year

ALC5UPY1	Frequency	Percent
000 Never/none	13268	61.74
001-365 1-365 days	7941	36.95
997 Refused	20	0.09
998 Not ascertained	2	0.01
999 Don't know	258	1.20

Frequency Missing = 11539

AHB.181_00.000: Number of times had 5+/4+ drinks on AN OCCASION, past 30 days

BINGE1	Frequency	Percent
00-60 0-60	7914	99.66
97 Refused	2	0.03
98 Not ascertained	2	0.03
99 Don't know	23	0.29

Frequency Missing = 25087

AHB.190_04.000: Total height in inches

AHEIGHT	Frequency	Percent
59-76 59-76 inches	30699	92.95
96 Not available	1986	6.01
97 Refused	53	0.16
98 Not ascertained	205	0.62
99 Don't know	85	0.26

AHB.200_02.000: Weight without shoes (pounds)

AWEIGHTP	Frequency	Percent
100-299 100-299 pounds	29995	90.82
996 Not available	1986	6.01
997 Refused	507	1.54
998 Not ascertained	187	0.57
999 Don't know	353	1.07

AHB.200_02.000: Body Mass Index (BMI)

BMI	Frequency	Percent
0001-9994 00.01-99.94	31897	96.58
9995 99.95+	0	0.00
9999 Unknown	1131	3.42

Sample Adult Public Use File (samadult)

AAU Variables

Tuesday, June 6, 2017

Unweighted Frequencies

AAU.020_00.000: Place USUALLY go when sick

AUSUALPL	Frequency	Percent
1 Yes	28404	86.00
2 There is NO place	3923	11.88
3 There is MORE THAN ONE place	463	1.40
7 Refused	9	0.03
8 Not ascertained	220	0.67
9 Don't know	9	0.03

AAU.030_00.000: Place to go when sick (most often)

APLKIND	Frequency	Percent
1 Clinic or health center	7435	25.76
2 Doctor's office or HMO	20322	70.40
3 Hospital emergency room	270	0.94
4 Hospital outpatient department	343	1.19
5 Some other place	305	1.06
6 Doesn't go to one place most often	180	0.62
7 Refused	2	0.01
8 Not ascertained	2	0.01
9 Don't know	8	0.03

Frequency Missing = 4161

AAU.035_00.000: USUALLY go there for routine/preventive care

AHCPLROU	Frequency	Percent
1 Yes	27128	94.61
2 No	1526	5.32
7 Refused	0	0.00
8 Not ascertained	7	0.02
9 Don't know	14	0.05

Frequency Missing = 4353

2016 National Health Interview Survey (NHIS)
 Sample Adult Public Use File (samadult)
 AAU Variables Tuesday, June 6, 2017
 Unweighted Frequencies

137

AAU.037_00.000: Place USUALLY go for routine/preventive care

AHCPLKND	Frequency	Percent
0 Doesn't get preventive care anywhere	2144	36.34
1 Clinic or health center	911	15.44
2 Doctor's office or HMO	1729	29.31
3 Hospital emergency room	123	2.08
4 Hospital outpatient department	76	1.29
5 Some other place	181	3.07
6 Doesn't go to one place most often	488	8.27
7 Refused	9	0.15
8 Not ascertained	229	3.88
9 Don't know	10	0.17

Frequency Missing = 27128

AAU.040_00.000: Change health care place, past 12 m

AHCCHGYR	Frequency	Percent
1 Yes	2631	9.11
2 No	26216	90.82
7 Refused	0	0.00
8 Not ascertained	13	0.05
9 Don't know	7	0.02

Frequency Missing = 4161

AAU.050_00.000: Change related to health insurance

AHCCHGHI	Frequency	Percent
1 Yes	655	24.90
2 No	1974	75.03
7 Refused	0	0.00
8 Not ascertained	0	0.00
9 Don't know	2	0.08

Frequency Missing = 30397

AAU.051_00.010: Trouble finding a doctor/provider, past 12 m

APRVTRYR	Frequency	Percent
1 Yes	1047	3.17
2 No	31725	96.05
7 Refused	5	0.02
8 Not ascertained	238	0.72
9 Don't know	13	0.04

AAU.053_00.010: Able to find doctor/provider, past 12 m

APRVTRFD	Frequency	Percent
1 Yes	756	72.21
2 No	288	27.51
7 Refused	0	0.00
8 Not ascertained	1	0.10
9 Don't know	2	0.19

Frequency Missing = 31981

AAU.057_00.010: Doctor's office not accept you as new patient, past 12 m

ADRNANP	Frequency	Percent
1 Yes	917	2.78
2 No	31848	96.43
7 Refused	5	0.02
8 Not ascertained	241	0.73
9 Don't know	17	0.05

AAU.059_00.010: Doctor's office not accept your health insurance, past 12 m

ADRNAI	Frequency	Percent
1 Yes	1175	3.56
2 No	31581	95.62
7 Refused	7	0.02
8 Not ascertained	244	0.74
9 Don't know	21	0.06

AAU.061_01.000: Couldn't get through on phone, past 12 m

AHCDLYR1	Frequency	Percent
1 Yes	919	2.78
2 No	31833	96.38
7 Refused	6	0.02
8 Not ascertained	258	0.78
9 Don't know	12	0.04

AAU.061_02.000: Couldn't get appointment soon enough, past 12 m

AHCDLYR2	Frequency	Percent
1 Yes	2170	6.57
2 No	30576	92.58
7 Refused	7	0.02
8 Not ascertained	262	0.79
9 Don't know	13	0.04

AAU.061_03.000: Wait too long in doctor's office, past 12 m

AHCDLYR3	Frequency	Percent
1 Yes	1470	4.45
2 No	31276	94.70
7 Refused	7	0.02
8 Not ascertained	263	0.80
9 Don't know	12	0.04

AAU.061_04.000: Not open when you could go, past 12 m

AHCDLYR4	Frequency	Percent
1 Yes	906	2.74
2 No	31837	96.39
7 Refused	7	0.02
8 Not ascertained	267	0.81
9 Don't know	11	0.03

AAU.061_05.000: No transportation, past 12 m

AHCDLYR5	Frequency	Percent
1 Yes	738	2.23
2 No	32010	96.92
7 Refused	7	0.02
8 Not ascertained	267	0.81
9 Don't know	6	0.02

AAU.111_01.000: Couldn't afford prescription medicine, past 12 m

AHCAFYR1	Frequency	Percent
1 Yes	2151	6.51
2 No	30584	92.60
7 Refused	7	0.02
8 Not ascertained	280	0.85
9 Don't know	6	0.02

AAU.111_02.000: Couldn't afford mental health care/counseling, past 12 m

AHCAFYR2	Frequency	Percent
1 Yes	686	2.08
2 No	32040	97.01
7 Refused	11	0.03
8 Not ascertained	285	0.86
9 Don't know	6	0.02

AAU.111_03.000: Couldn't afford dental care, past 12 m

AHCAFYR3	Frequency	Percent
1 Yes	3498	10.59
2 No	29224	88.48
7 Refused	11	0.03
8 Not ascertained	285	0.86
9 Don't know	10	0.03

AAU.111_04.000: Couldn't afford eyeglasses, past 12 m

AHCAFYR4	Frequency	Percent
1 Yes	1971	5.97
2 No	30752	93.11
7 Refused	8	0.02
8 Not ascertained	288	0.87
9 Don't know	9	0.03

AAU.111_05.010: Couldn't afford to see a specialist, past 12 m

AHCAFYR5	Frequency	Percent
1 Yes	1318	3.99
2 No	31398	95.06
7 Refused	8	0.02
8 Not ascertained	290	0.88
9 Don't know	14	0.04

AAU.111_06.010: Couldn't afford follow-up care, past 12 m

AHCAFYR6	Frequency	Percent
1 Yes	1012	3.06
2 No	31714	96.02
7 Refused	8	0.02
8 Not ascertained	290	0.88
9 Don't know	4	0.01

AAU.113_00.010: Get sick or have accident, worried about paying medical bills

AWORPAY	Frequency	Percent
1 Very worried	4204	12.73
2 Somewhat worried	9612	29.10
3 Not at all worried	18850	57.07
7 Refused	15	0.05
8 Not ascertained	300	0.91
9 Don't know	47	0.14

AAU.113_00.020: Health insurance coverage compared to a year ago

AHICOMP	Frequency	Percent
1 Better	2779	8.41
2 Worse	4005	12.13
3 About the same	25738	77.93
7 Refused	26	0.08
8 Not ascertained	304	0.92
9 Don't know	176	0.53

AAU.126_01.010: Prescribed medication by doctor/health professional, past 12 m

ARX12MO	Frequency	Percent
1 Yes	22208	67.24
2 No	10463	31.68
7 Refused	21	0.06
8 Not ascertained	321	0.97
9 Don't know	15	0.05

AAU.127_01.010: Skipped medication doses to save money, past 12 m

ARX12_1	Frequency	Percent
1 Yes	1340	6.03
2 No	20861	93.93
7 Refused	1	0.00
8 Not ascertained	1	0.00
9 Don't know	5	0.02

Frequency Missing = 10820

AAU.127_02.010: Took less medicine to save money, past 12 m

ARX12_2	Frequency	Percent
1 Yes	1390	6.26
2 No	20813	93.72
7 Refused	1	0.00
8 Not ascertained	2	0.01
9 Don't know	2	0.01

Frequency Missing = 10820

2016 National Health Interview Survey (NHIS)
Sample Adult Public Use File (samadult)
AAU Variables
Unweighted Frequencies

142

Tuesday, June 6, 2017

AAU.127_03.010: Delayed filling a prescription to save money, past 12 m

ARX12_3	Frequency	Percent
1 Yes	1732	7.80
2 No	20471	92.18
7 Refused	1	0.00
8 Not ascertained	2	0.01
9 Don't know	2	0.01

Frequency Missing = 10820

AAU.127_04.010: Asked doctor for lower cost medication to save money, past 12 m

ARX12_4	Frequency	Percent
1 Yes	4460	20.08
2 No	17740	79.88
7 Refused	2	0.01
8 Not ascertained	2	0.01
9 Don't know	4	0.02

Frequency Missing = 10820

AAU.127_05.010: Bought prescription drugs from another country to save money, past 12 m

ARX12_5	Frequency	Percent
1 Yes	477	1.44
2 No	32210	97.52
7 Refused	12	0.04
8 Not ascertained	325	0.98
9 Don't know	4	0.01

AAU.127_06.010: Used alternative therapies to save money, past 12 m

ARX12_6	Frequency	Percent
1 Yes	1411	4.27
2 No	31273	94.69
7 Refused	9	0.03
8 Not ascertained	327	0.99
9 Don't know	8	0.02

2016 National Health Interview Survey (NHIS)
Sample Adult Public Use File (samadult)
AAU Variables Tuesday, June 6, 2017
Unweighted Frequencies

143

AAU.135_00.000: Time since last saw a dentist

ADNLONG2	Frequency	Percent
0 Never	228	0.69
1 6 months or less	15219	46.08
2 More than 6 mos, but not more than 1 yr ago	5409	16.38
3 More than 1 yr, but not more than 2 yrs ago	3938	11.92
4 More than 2 yrs, but not more than 5 yrs ago	3746	11.34
5 More than 5 years ago	4036	12.22
7 Refused	18	0.05
8 Not ascertained	338	1.02
9 Don't know	96	0.29

AAU.141_01.000: Seen/talked to mental health professional, past 12 m

AHCSYR1	Frequency	Percent
1 Yes	2999	9.08
2 No	29650	89.77
7 Refused	26	0.08
8 Not ascertained	345	1.04
9 Don't know	8	0.02

AAU.141_02.000: Seen/talked to eye doctor, past 12 m

AHCSYR2	Frequency	Percent
1 Yes	14523	43.97
2 No	18119	54.86
7 Refused	13	0.04
8 Not ascertained	348	1.05
9 Don't know	25	0.08

AAU.141_03.000: Seen/talked to foot doctor, past 12 m

AHCSYR3	Frequency	Percent
1 Yes	2718	8.23
2 No	29934	90.63
7 Refused	13	0.04
8 Not ascertained	351	1.06
9 Don't know	12	0.04

AAU.141_04.000: Seen/talked to a chiropractor, past 12 m

AHCSYR4	Frequency	Percent
1 Yes	3628	10.98
2 No	29028	87.89
7 Refused	13	0.04
8 Not ascertained	353	1.07
9 Don't know	6	0.02

2016 National Health Interview Survey (NHIS) 144
 Sample Adult Public Use File (samadult)
 AAU Variables Tuesday, June 6, 2017
 Unweighted Frequencies

AAU.141_05.000: Seen/talked to therapist (PT/OT/etc.), past 12 m

AHCSYR5	Frequency	Percent
1 Yes	3850	11.66
2 No	28803	87.21
7 Refused	14	0.04
8 Not ascertained	354	1.07
9 Don't know	7	0.02

AAU.141_06.000: Seen/talked to a NP/PA/midwife, past 12 m

AHCSYR6	Frequency	Percent
1 Yes	8688	26.30
2 No	23894	72.34
7 Refused	13	0.04
8 Not ascertained	354	1.07
9 Don't know	79	0.24

AAU.200_00.000: Seen/talked to OB/GYN, past 12 m

AHCSYR7	Frequency	Percent
1 Yes	6321	35.04
2 No	11501	63.76
7 Refused	7	0.04
8 Not ascertained	195	1.08
9 Don't know	13	0.07

Frequency Missing = 14991

AAU.211_01.000: Seen/talked to a medical specialist, past 12 m

AHCSYR8	Frequency	Percent
1 Yes	9641	29.19
2 No	22990	69.61
7 Refused	14	0.04
8 Not ascertained	359	1.09
9 Don't know	24	0.07

AAU.211_02.000: Seen/talked to a general doctor, past 12 m

AHCSYR9	Frequency	Percent
1 Yes	23540	71.27
2 No	9088	27.52
7 Refused	11	0.03
8 Not ascertained	361	1.09
9 Don't know	28	0.08

AAU.230_00.000: Doctor treats both kids and adults

AHCSYR10	Frequency	Percent
1 Yes	12041	51.15
2 No	9253	39.31
7 Refused	6	0.03
8 Not ascertained	2	0.01
9 Don't know	2238	9.51

Frequency Missing = 9488

AAU.240_00.000: # times in ER/ED, past 12 m

AHERNOY2	Frequency	Percent
00 None	25911	78.45
01 1	4317	13.07
02 2-3	1718	5.20
03 4-5	387	1.17
04 6-7	150	0.45
05 8-9	36	0.11
06 10-12	52	0.16
07 13-15	12	0.04
08 16 or more	40	0.12
97 Refused	10	0.03
98 Not ascertained	373	1.13
99 Don't know	22	0.07

AAU.243_00.010: ER visit at night or on weekend

AERVISND	Frequency	Percent
1 Yes	4105	61.16
2 No	2515	37.47
7 Refused	1	0.01
8 Not ascertained	0	0.00
9 Don't know	91	1.36

Frequency Missing = 26316

AAU.245_00.010: ER visit resulted in hospital admission

AERHOS	Frequency	Percent
1 Yes	2141	31.90
2 No	4565	68.01
7 Refused	0	0.00
8 Not ascertained	1	0.01
9 Don't know	5	0.07

Frequency Missing = 26316

AAU.248_01.010: ER visit because didn't have another place to go

AERREA1R	Frequency	Percent
1 Yes	2638	39.30
2 No	4051	60.35
7 Refused	1	0.01
8 Not ascertained	2	0.03
9 Don't know	20	0.30

Frequency Missing = 26316

AAU.248_02.020: ER visit because doctors office or clinic was not open

AERREA2R	Frequency	Percent
1 Yes	2997	44.65
2 No	3686	54.92
7 Refused	0	0.00
8 Not ascertained	3	0.04
9 Don't know	26	0.39

Frequency Missing = 26316

AAU.248_03.030: ER visit because advised by health provider to go

AERREA3R	Frequency	Percent
1 Yes	1725	25.70
2 No	4974	74.11
7 Refused	0	0.00
8 Not ascertained	3	0.04
9 Don't know	10	0.15

Frequency Missing = 26316

AAU.248_04.040: ER visit because problem too serious for doctor's office/clinic

AERREA4R	Frequency	Percent
1 Yes	3962	59.03
2 No	2710	40.38
7 Refused	0	0.00
8 Not ascertained	3	0.04
9 Don't know	37	0.55

Frequency Missing = 26316

AAU.248_05.050: ER visit because only hospital could help

AERREA5R	Frequency	Percent
1 Yes	4627	68.94
2 No	2058	30.66
7 Refused	0	0.00
8 Not ascertained	4	0.06
9 Don't know	23	0.34

Frequency Missing = 26316

AAU.248_06.060: ER visit because it is closest provider

AERREA6R	Frequency	Percent
1 Yes	2327	34.67
2 No	4364	65.02
7 Refused	0	0.00
8 Not ascertained	4	0.06
9 Don't know	17	0.25

Frequency Missing = 26316

AAU.248_07.070: ER visit because it is usual place to get care

AERREA7R	Frequency	Percent
1 Yes	693	10.32
2 No	6008	89.51
7 Refused	0	0.00
8 Not ascertained	5	0.07
9 Don't know	6	0.09

Frequency Missing = 26316

AAU.248_08.080: Arrived at ER by ambulance/other emergency vehicle

AERREA8R	Frequency	Percent
1 Yes	1316	19.61
2 No	5385	80.23
7 Refused	1	0.01
8 Not ascertained	5	0.07
9 Don't know	5	0.07

Frequency Missing = 26316

AAU.250_00.000: Received home care from health professional, past 12 m

AHCHYR	Frequency	Percent
1 Yes	1218	3.69
2 No	31408	95.10
7 Refused	7	0.02
8 Not ascertained	384	1.16
9 Don't know	11	0.03

AAU.260_00.000: # months of home care, past 12 m

AHCHMOYR	Frequency	Percent
01-12 months	1195	98.11
97 Refused	0	0.00
98 Not ascertained	0	0.00
99 Don't know	23	1.89

Frequency Missing = 31810

AAU.270_00.000: Total number of home visits

AHCHNOY2	Frequency	Percent
01 1	158	12.97
02 2-3	135	11.08
03 4-5	119	9.77
04 6-7	85	6.98
05 8-9	77	6.32
06 10-12	145	11.90
07 13-15	31	2.55
08 16 or more	445	36.54
97 Refused	0	0.00
98 Not ascertained	0	0.00
99 Don't know	23	1.89

Frequency Missing = 31810

2016 National Health Interview Survey (NHIS)
 Sample Adult Public Use File (samadult)

149

AAU Variables Tuesday, June 6, 2017
 Unweighted Frequencies

AAU.280_00.000: Total number of office visits, past 12 m

AHCNOYR2	Frequency	Percent
00 None	5037	15.25
01 1	5583	16.90
02 2-3	8822	26.71
03 4-5	4717	14.28
04 6-7	2267	6.86
05 8-9	1203	3.64
06 10-12	2034	6.16
07 13-15	764	2.31
08 16 or more	2074	6.28
97 Refused	23	0.07
98 Not ascertained	393	1.19
99 Don't know	111	0.34

AAU.290_00.000: Surgery/surgical procedure, past 12 m

ASRGYR	Frequency	Percent
1 Yes	4485	13.58
2 No	28128	85.16
7 Refused	9	0.03
8 Not ascertained	397	1.20
9 Don't know	9	0.03

AAU.300_00.000: # of surgeries, past 12 m

ASRGNOPY	Frequency	Percent
01-06 1-6 times	4456	99.35
07 7+ times	27	0.60
97 Refused	0	0.00
98 Not ascertained	0	0.00
99 Don't know	2	0.04

Frequency Missing = 28543

AAU.305_00.000: Time since last seen/talked to health professional

AMDLONGR	Frequency	Percent
0 Never	374	1.13
1 6 months or less	23342	70.67
2 More than 6 mos, but not more than 1 yr ago	4640	14.05
3 More than 1 yr, but not more than 2 yrs ago	2174	6.58
4 More than 2 yrs, but not more than 5 yrs ago	1295	3.92
5 More than 5 years ago	733	2.22
7 Refused	15	0.05
8 Not ascertained	406	1.23
9 Don't know	49	0.15

2016 National Health Interview Survey (NHIS)
Sample Adult Public Use File (samadult)
AAU Variables Tuesday, June 6, 2017
Unweighted Frequencies

150

AAU.309_00.010: Looked up health information on Internet, past 12 m

HIT1A	Frequency	Percent
1 Yes	16543	50.09
2 No	16040	48.56
7 Refused	14	0.04
8 Not ascertained	416	1.26
9 Don't know	15	0.05

AAU.309_00.020: Filled a prescription on Internet, past 12 m

HIT2A	Frequency	Percent
1 Yes	3006	9.10
2 No	29582	89.57
7 Refused	14	0.04
8 Not ascertained	420	1.27
9 Don't know	6	0.02

AAU.309_00.030: Scheduled medical appointment on Internet, past 12 m

HIT3A	Frequency	Percent
1 Yes	3542	10.72
2 No	29039	87.92
7 Refused	14	0.04
8 Not ascertained	420	1.27
9 Don't know	13	0.04

AAU.309_00.040: Communicated with health care provider by email, past 12 m

HIT4A	Frequency	Percent
1 Yes	3994	12.09
2 No	28591	86.57
7 Refused	14	0.04
8 Not ascertained	420	1.27
9 Don't know	9	0.03

AAU.309_00.050: Used chat groups to learn about health topics, past 12 m

HIT5A	Frequency	Percent
1 Yes	1177	3.56
2 No	31411	95.10
7 Refused	14	0.04
8 Not ascertained	420	1.27
9 Don't know	6	0.02

AAU.310_00.000: Flu vaccination, past 12 m

FLUVACYR	Frequency	Percent
1 Yes	14781	44.75
2 No	17690	53.56
7 Refused	20	0.06
8 Not ascertained	430	1.30
9 Don't know	107	0.32

AAU.311_00.000: Administration method of most recent flu vaccine

FLUVACTP	Frequency	Percent
1 Flu shot	14600	98.78
2 Flu nasal spray (spray, mist or drop in nose)	168	1.14
7 Refused	1	0.01
8 Not ascertained	0	0.00
9 Don't know	12	0.08

Frequency Missing = 18247

AAU.312_01.000: Month of most recent flu vaccine

FLUVAC_M	Frequency	Percent
01 January	495	3.35
02 February	322	2.18
03 March	168	1.14
04 April	80	0.54
05 May	74	0.50
06 June	76	0.51
07 July	90	0.61
08 August	369	2.50
09 September	2583	17.48
10 October	6560	44.38
11 November	2703	18.29
12 December	712	4.82
97 Refused	5	0.03
98 Not ascertained	2	0.01
99 Don't know	542	3.67

Frequency Missing = 18247

AAU.312_02.000: Year of most recent flu vaccine

FLUVAC_Y	Frequency	Percent
Year	14739	99.72
9997 Refused	5	0.03
9998 Not ascertained	2	0.01
9999 Don't know	35	0.24

Frequency Missing = 18247

AAU.313_00.000: Flu shot before/during current pregnancy, interviewed Jan-Mar or Aug-Dec, 2016

FLUSHPG1	Frequency	Percent
1 Before this pregnancy	24	30.38
2 During this pregnancy	53	67.09
7 Refused	1	1.27
8 Not ascertained	0	0.00
9 Don't know	1	1.27

Frequency Missing = 32949

AAU.314_00.000: Flu shot before/during/after a pregnancy

FLUSHPG2	Frequency	Percent
1 Before this pregnancy	22	12.36
2 During this pregnancy	116	65.17
3 After this pregnancy	39	21.91
7 Refused	0	0.00
8 Not ascertained	0	0.00
9 Don't know	1	0.56

Frequency Missing = 32850

AAU.320_00.000: Pneumonia shot (EVER)

SHTPNUYR	Frequency	Percent
1 Yes	9489	28.73
2 No	22074	66.83
7 Refused	21	0.06
8 Not ascertained	448	1.36
9 Don't know	996	3.02

AAU.330_00.000: Ever had chickenpox

APOX	Frequency	Percent
1 Yes	24332	73.67
2 No	6817	20.64
7 Refused	27	0.08
8 Not ascertained	454	1.37
9 Don't know	1398	4.23

AAU.340_00.000: Chickenpox, past 12 m

APOX12MO	Frequency	Percent
1 Yes	90	0.37
2 No	24241	99.63
7 Refused	0	0.00
8 Not ascertained	0	0.00
9 Don't know	1	0.00

Frequency Missing = 8696

AAU.350_00.000: Ever had hepatitis

AHEP	Frequency	Percent
1 Yes	970	2.94
2 No	31507	95.39
7 Refused	16	0.05
8 Not ascertained	459	1.39
9 Don't know	76	0.23

AAU.360_00.000: Ever lived w/ someone w/ hepatitis

AHEPLIV	Frequency	Percent
1 Yes	1314	4.10
2 No	30088	93.85
7 Refused	17	0.05
8 Not ascertained	461	1.44
9 Don't know	178	0.56

Frequency Missing = 970

AAU.365_00.010: Ever had a blood test for hepatitis B

AHEPBTST	Frequency	Percent
1 Yes	8245	24.96
2 No	21602	65.41
7 Refused	25	0.08
8 Not ascertained	466	1.41
9 Don't know	2690	8.14

AAU.370_00.000: Hepatitis B vaccine (EVER)

SHTHEPB	Frequency	Percent
1 Yes	8815	26.69
2 No	21337	64.60
7 Refused	24	0.07
8 Not ascertained	468	1.42
9 Don't know	2384	7.22

AAU.380_00.000: # doses of hepatitis B vaccine received

SHEPDOS	Frequency	Percent
1 Received at least 3 doses	7124	80.82
2 Received less than 3 doses	939	10.65
7 Refused	1	0.01
8 Not ascertained	1	0.01
9 Don't know	750	8.51

Frequency Missing = 24213

AAU.390_00.010: Hepatitis A vaccine (EVER)

SHTHEPA	Frequency	Percent
1 Yes	4368	13.23
2 No	25015	75.74
7 Refused	21	0.06
8 Not ascertained	475	1.44
9 Don't know	3149	9.53

AAU.400_00.010: # shots of hepatitis A vaccine received

SHEPANUM	Frequency	Percent
01-95 shots	2504	57.33
96 Received all shots	789	18.06
97 Refused	3	0.07
98 Not ascertained	0	0.00
99 Don't know	1072	24.54

Frequency Missing = 28660

AAU.405_00.010: Ever had a blood test for hepatitis C

AHEPCTST	Frequency	Percent
1 Yes	4017	12.16
2 No	25765	78.01
7 Refused	23	0.07
8 Not ascertained	482	1.46
9 Don't know	2741	8.30

AAU.405_00.020: Main reason tested for Hepatitis C

AHEPCRES	Frequency	Percent
1 You or your doctor thought you were at risk of having hepatitis C because a blood test or symptoms like fatigue, nausea, stomach pain, yellowing of the eyes or skin indicated you might have liver disease	557	13.87
2 You were born from 1945 through 1965	352	8.76
3 You were at risk of hepatitis C infection due to exposure to blood on your job, injection drug use or receipt of transfusion before 1992	835	20.79
4 Some other reason	2183	54.34
7 Refused	0	0.00
8 Not ascertained	1	0.02
9 Don't know	89	2.22

Frequency Missing = 29011

AAU.410_00.010: Ever had the Zoster or Shingles vaccine

SHINGLES	Frequency	Percent
1 Yes	4324	24.54
2 No	12815	72.73
7 Refused	11	0.06
8 Not ascertained	260	1.48
9 Don't know	211	1.20

Frequency Missing = 15407

AAU.420_00.010: Tetanus shot in the past 10 years

SHTTD	Frequency	Percent
1 Yes	19726	59.73
2 No	11518	34.87
7 Refused	21	0.06
8 Not ascertained	488	1.48
9 Don't know	1275	3.86

AAU.430_00.010: Tetanus shot given in 2005 or later

SHTTD05	Frequency	Percent
1 Yes	18107	91.79
2 No	1154	5.85
7 Refused	0	0.00
8 Not ascertained	0	0.00
9 Don't know	465	2.36

Frequency Missing = 13302

2016 National Health Interview Survey (NHIS)
 Sample Adult Public Use File (samadult)
 AAU Variables Tuesday, June 6, 2017
 Unweighted Frequencies

156

AAU.440_00.010: Vaccine included pertussis/whooping cough

SHTTDAP2	Frequency	Percent
1 Yes-included pertussis	5571	30.77
2 No-did not include pertussis	2004	11.07
3 Doctor did not say	8208	45.33
7 Refused	4	0.02
8 Not ascertained	1	0.01
9 Don't know	2319	12.81

Frequency Missing = 14921

AAU.446_00.010: Ever received HPV shot/vaccine

SHTHPV2	Frequency	Percent
1 Yes	2149	8.91
2 No	20636	85.53
3 Doctor refused when asked	29	0.12
7 Refused	21	0.09
8 Not ascertained	373	1.55
9 Don't know	918	3.81

Frequency Missing = 8902

AAU.448_00.010: Number of HPV shots received

SHHPVDOS	Frequency	Percent
01-49 1-49 shots	1624	75.57
50 50+ shots	1	0.05
96 All shots	202	9.40
97 Refused	1	0.05
98 Not ascertained	0	0.00
99 Don't know	321	14.94

Frequency Missing = 30879

AAU.449_00.010: Age at first HPV shot

AHPVAGE	Frequency	Percent
008-064 8-64 years	1880	87.48
997 Refused	1	0.05
998 Not ascertained	1	0.05
999 Don't know	267	12.42

Frequency Missing = 30879

2016 National Health Interview Survey (NHIS)
 Sample Adult Public Use File (samadult)
 AAU Variables
 Unweighted Frequencies

157

Tuesday, June 6, 2017

AAU.450_00.010: Ever told you had any kind of chronic/long-term liver condition

LIVEV	Frequency	Percent
1 Yes	499	1.51
2 No	31982	96.83
7 Refused	22	0.07
8 Not ascertained	499	1.51
9 Don't know	26	0.08

AAU.460_00.010: Ever traveled outside USA since 1995 (Excluding EUR, JPN, AUS, NZL, and CAN)

TRAVEL	Frequency	Percent
1 Yes	11248	34.06
2 No	21219	64.25
7 Refused	34	0.10
8 Not ascertained	505	1.53
9 Don't know	22	0.07

AAU.465_00.010: Work or volunteer in a health care setting

WRKHLTH2	Frequency	Percent
1 Yes	2727	8.26
2 No	29773	90.14
7 Refused	22	0.07
8 Not ascertained	505	1.53
9 Don't know	1	0.00

AAU.470_00.010: Direct contact with patients

WRKDIR	Frequency	Percent
1 Yes	1705	62.52
2 No	1022	37.48
7 Refused	0	0.00
8 Not ascertained	0	0.00
9 Don't know	0	0.00

Frequency Missing = 30301

AAU.500_00.010: Blood pressure checked by doctor/nurse/health professional, past 12 m

APSBPCHK	Frequency	Percent
1 Yes	27961	84.66
2 No	4521	13.69
7 Refused	17	0.05
8 Not ascertained	512	1.55
9 Don't know	17	0.05

AAU.510_00.010: Cholesterol checked by doctor/nurse/health professional, past 12 m

APSCHCHK	Frequency	Percent
1 Yes	21982	66.56
2 No	10133	30.68
7 Refused	20	0.06
8 Not ascertained	516	1.56
9 Don't know	377	1.14

AAU.520_00.010: Fasting test for high blood sugar/diabetes, past 12 m

APSBCHK	Frequency	Percent
1 Yes	16616	50.31
2 No	15471	46.84
7 Refused	16	0.05
8 Not ascertained	517	1.57
9 Don't know	408	1.24

AAU.530_00.010: Pap smear/test, past 12 m

APSPAP	Frequency	Percent
1 Yes	7450	41.30
2 No	10209	56.60
7 Refused	18	0.10
8 Not ascertained	289	1.60
9 Don't know	71	0.39

Frequency Missing = 14991

AAU.540_00.010: Mammogram, past 12 m

APSMAM	Frequency	Percent
1 Yes	6909	45.85
2 No	7856	52.13
7 Refused	15	0.10
8 Not ascertained	246	1.63
9 Don't know	43	0.29

Frequency Missing = 17959

Sample Adult Public Use File (samadult)

AAU Variables

Tuesday, June 6, 2017

Unweighted Frequencies

AAU.550_00.010: Test for colon cancer, past 12 m

APSCOL	Frequency	Percent
1 Yes	4372	19.54
2 No	17545	78.43
7 Refused	22	0.10
8 Not ascertained	366	1.64
9 Don't know	66	0.30

Frequency Missing = 10657

AAU.560_00.010: Doctor/health professional talked to you about diet, past 12 m

APSDIET	Frequency	Percent
1 Yes	9202	27.86
2 No	23255	70.41
7 Refused	20	0.06
8 Not ascertained	529	1.60
9 Don't know	22	0.07

AAU.570_00.010: Doctor/health professional
talked to you about smoking, past 12 m

APSSMKC	Frequency	Percent
1 Yes	2951	55.26
2 No	2299	43.05
7 Refused	4	0.07
8 Not ascertained	83	1.55
9 Don't know	3	0.06

Frequency Missing = 27688

AAU.600_00.010: Tried to purchase health insurance directly, past 3 yrs

AINDINS2	Frequency	Percent
1 Yes	4221	12.78
2 No	28224	85.45
7 Refused	21	0.06
8 Not ascertained	536	1.62
9 Don't know	26	0.08

AAU.600_00.020: Purchased health insurance directly, past 3 yrs

AINDPRCH	Frequency	Percent
1 Yes	3001	71.10
2 No	1220	28.90
7 Refused	0	0.00
8 Not ascertained	0	0.00
9 Don't know	0	0.00

Frequency Missing = 28807

AAU.600_00.030: For whom was health insurance purchased, past 3 yrs

AINDWHO	Frequency	Percent
1 Self	1924	64.11
2 Someone else in family	86	2.87
3 Both	991	33.02
7 Refused	0	0.00
8 Not ascertained	0	0.00
9 Don't know	0	0.00

Frequency Missing = 30027

AAU.600_00.040: How difficult to find health insurance for coverage needed, past 3 yrs

AINDDIF1	Frequency	Percent
1 Very difficult	505	16.83
2 Somewhat difficult	795	26.49
3 Not at all difficult	1690	56.31
7 Refused	0	0.00
8 Not ascertained	1	0.03
9 Don't know	10	0.33

Frequency Missing = 30027

AAU.600_00.050: How difficult to find affordable health insurance, past 3 yrs

AINDDIF2	Frequency	Percent
1 Very difficult	715	23.83
2 Somewhat difficult	823	27.42
3 Not at all difficult	1456	48.52
7 Refused	0	0.00
8 Not ascertained	1	0.03
9 Don't know	6	0.20

Frequency Missing = 30027

Sample Adult Public Use File (samadult)

AAU Variables

Tuesday, June 6, 2017

Unweighted Frequencies

AAU.605_00.010: Looked into purchasing health insurance
through Healthcare.gov or Marketplace

AEXCHNG	Frequency	Percent
1 Yes	4320	17.91
2 No	19364	80.26
7 Refused	14	0.06
8 Not ascertained	404	1.67
9 Don't know	24	0.10

Frequency Missing = 8902

ASI.130_00.000: How often do you use a computer

ASICPUSE	Frequency	Percent
1 Never or almost never	7410	22.44
2 Some days	3536	10.71
3 Most days	1957	5.93
4 Every day	19500	59.04
7 Refused	26	0.08
8 Not ascertained	593	1.80
9 Don't know	6	0.02

ASI.140_00.000: How satisfied with health care, past 12 mo

ASISATHC	Frequency	Percent
1 Very satisfied	20011	60.59
2 Somewhat satisfied	7813	23.66
3 Somewhat dissatisfied	1096	3.32
4 Very dissatisfied	570	1.73
5 You haven't had health care in the past 12 months	2858	8.65
7 Refused	30	0.09
8 Not ascertained	608	1.84
9 Don't know	42	0.13

ASI.150_00.000: Length of time living in neighborhood

ASITENUR	Frequency	Percent
1 Less than 1 year	4537	13.74
2 1-3 years	6806	20.61
3 4-10 years	7560	22.89
4 11-20 years	5808	17.59
5 More than 20 years	7633	23.11
7 Refused	46	0.14
8 Not ascertained	621	1.88
9 Don't know	17	0.05

ASI.160_00.000: Agree/disagree...people in neighborhood help each other

ASINHELP	Frequency	Percent
1 Definitely agree	13240	40.09
2 Somewhat agree	12926	39.14
3 Somewhat disagree	3018	9.14
4 Definitely disagree	2180	6.60
7 Refused	56	0.17
8 Not ascertained	634	1.92
9 Don't know	974	2.95

ASI.170_00.000: Agree/disagree...people I count on in neighborhood

ASINCNT0	Frequency	Percent
1 Definitely agree	16412	49.69
2 Somewhat agree	9831	29.77
3 Somewhat disagree	2792	8.45
4 Definitely disagree	2493	7.55
7 Refused	50	0.15
8 Not ascertained	636	1.93
9 Don't know	814	2.46

ASI.180_00.000: Agree/disagree...people in neighborhood can be trusted

ASINTRU	Frequency	Percent
1 Definitely agree	15314	46.37
2 Somewhat agree	11083	33.56
3 Somewhat disagree	2788	8.44
4 Definitely disagree	2132	6.46
7 Refused	52	0.16
8 Not ascertained	637	1.93
9 Don't know	1022	3.09

ASI.190_00.000: Agree/disagree...close-knit neighborhood

ASINKNT	Frequency	Percent
1 Definitely agree	9622	29.13
2 Somewhat agree	10925	33.08
3 Somewhat disagree	6499	19.68
4 Definitely disagree	4434	13.42
7 Refused	52	0.16
8 Not ascertained	638	1.93
9 Don't know	858	2.60

ASI.220_00.000: How you think of yourself (sexual orientation; male)

ASISIM	Frequency	Percent
1 Gay	284	1.89
2 Straight, that is, not gay	14071	93.86
3 Bisexual	98	0.65
4 Something else	47	0.31
5 I don't know the answer	108	0.72
7 Refused	96	0.64
8 Not ascertained	287	1.91

Frequency Missing = 18037

ASI.240_00.000: How do you think of yourself (sexual orientation; female)

ASISIF	Frequency	Percent
1 Lesbian or gay	242	1.34
2 Straight, that is, not lesbian or gay	16881	93.59
3 Bisexual	226	1.25
4 Something else	77	0.43
5 I don't know the answer	148	0.82
7 Refused	98	0.54
8 Not ascertained	365	2.02

Frequency Missing = 14991

ASI.260_00.000: How worried are you about...money for retirement

ASIRETR	Frequency	Percent
1 Very worried	5448	16.50
2 Moderately worried	8449	25.58
3 Not too worried	8031	24.32
4 Not worried at all	10310	31.22
7 Refused	64	0.19
8 Not ascertained	679	2.06
9 Don't know	47	0.14

ASI.270_00.000: How worried are you about...medical costs of illness/accident

ASIMEDC	Frequency	Percent
1 Very worried	5559	16.83
2 Moderately worried	7339	22.22
3 Not too worried	7881	23.86
4 Not worried at all	11476	34.75
7 Refused	53	0.16
8 Not ascertained	687	2.08
9 Don't know	33	0.10

ASI.280_00.000: How worried are you about...maintaining standard of living

ASISTLV	Frequency	Percent
1 Very worried	4018	12.17
2 Moderately worried	7462	22.59
3 Not too worried	9273	28.08
4 Not worried at all	11485	34.77
7 Refused	52	0.16
8 Not ascertained	693	2.10
9 Don't know	45	0.14

ASI.290_00.000: How worried are you about...medical costs of healthcare

ASICNHC	Frequency	Percent
1 Very worried	3360	10.17
2 Moderately worried	5093	15.42
3 Not too worried	8457	25.61
4 Not worried at all	15347	46.47
7 Refused	50	0.15
8 Not ascertained	697	2.11
9 Don't know	24	0.07

ASI.300_00.000: How worried are you about...paying for children's college

ASICCOLL	Frequency	Percent
1 Very worried	3072	9.30
2 Moderately worried	3147	9.53
3 Not too worried	2182	6.61
4 Not worried at all	3167	9.59
5 This does not apply to me	20697	62.67
7 Refused	38	0.12
8 Not ascertained	702	2.13
9 Don't know	23	0.07

ASI.310_00.000: How worried are you about...paying monthly bills

ASINBILL	Frequency	Percent
1 Very worried	2861	8.66
2 Moderately worried	5565	16.85
3 Not too worried	8240	24.95
4 Not worried at all	15592	47.21
7 Refused	49	0.15
8 Not ascertained	705	2.13
9 Don't know	16	0.05

ASI.320_00.000: How worried are you about...paying rent/mortgage/housing costs

ASIH CST	Frequency	Percent
1 Very worried	2418	7.32
2 Moderately worried	4162	12.60
3 Not too worried	7737	23.43
4 Not worried at all	17932	54.29
7 Refused	52	0.16
8 Not ascertained	708	2.14
9 Don't know	19	0.06

ASI.330_00.000: How worried are you about...credit card payments

ASICCMP	Frequency	Percent
1 Very worried	1137	3.44
2 Moderately worried	2237	6.77
3 Not too worried	4854	14.70
4 Not worried at all	15302	46.33
5 I don't have credit cards	8696	26.33
7 Refused	67	0.20
8 Not ascertained	711	2.15
9 Don't know	24	0.07

ASI.340_00.000: Hours of sleep

ASISLEEP	Frequency	Percent
01-24 1-24 hours	32095	97.18
97 Refused	48	0.15
98 Not ascertained	745	2.26
99 Don't know	140	0.42

ASI.350_00.000: # times having trouble falling asleep, past week

ASISLPFL	Frequency	Percent
00 Did not have trouble falling asleep in the past week	20216	61.21
01-06 1-6 times	8499	25.73
07 7 or more times	3430	10.39
97 Refused	44	0.13
98 Not ascertained	750	2.27
99 Don't know	89	0.27

ASI.360_00.000: # times having trouble staying asleep, past week

ASISLPST	Frequency	Percent
00 Did not have trouble staying asleep in the past week	18987	57.49
01-06 1-6 times	7669	23.22
07 7 or more times	5469	16.56
97 Refused	42	0.13
98 Not ascertained	753	2.28
99 Don't know	108	0.33

ASI.370_00.000: # times taking medication for sleep, past week

ASISLPMD	Frequency	Percent
00 Did not take medication to help sleep in the past week	27309	82.68
01-06 1-6 times	2423	7.34
07 7 or more times	2459	7.45
97 Refused	47	0.14
98 Not ascertained	754	2.28
99 Don't know	36	0.11

ASI.380_00.000: Days woke up feeling rested, past week

ASIREST	Frequency	Percent
00 Never felt rested in the past week	5648	17.10
01-07 1-7 days	26404	79.94
97 Refused	43	0.13
98 Not ascertained	756	2.29
99 Don't know	177	0.54

ASI.390_01.000: So sad nothing cheers you up, past 30 days

ASISAD	Frequency	Percent
1 ALL of the time	340	1.03
2 MOST of the time	759	2.30
3 SOME of the time	2727	8.26
4 A LITTLE of the time	4435	13.43
5 NONE of the time	23752	71.91
7 Refused	86	0.26
8 Not ascertained	859	2.60
9 Don't know	70	0.21

ASI.390_02.000: How often felt nervous, past 30 days

ASINERV	Frequency	Percent
1 ALL of the time	797	2.41
2 MOST of the time	973	2.95
3 SOME of the time	4357	13.19
4 A LITTLE of the time	5967	18.07
5 NONE of the time	19926	60.33
7 Refused	83	0.25
8 Not ascertained	867	2.63
9 Don't know	58	0.18

ASI.390_03.000: How often restless/fidgety, past 30 days

ASIRSTLS	Frequency	Percent
1 ALL of the time	1025	3.10
2 MOST of the time	1204	3.65
3 SOME of the time	4390	13.29
4 A LITTLE of the time	5186	15.70
5 NONE of the time	20211	61.19
7 Refused	82	0.25
8 Not ascertained	873	2.64
9 Don't know	57	0.17

ASI.390_04.000: How often felt hopeless, past 30 days

ASIHOPLS	Frequency	Percent
1 ALL of the time	296	0.90
2 MOST of the time	457	1.38
3 SOME of the time	1673	5.07
4 A LITTLE of the time	2018	6.11
5 NONE of the time	27549	83.41
7 Refused	84	0.25
8 Not ascertained	878	2.66
9 Don't know	73	0.22

ASI.390_05.000: How often felt everything was an effort, past 30 days

ASIEFFRT	Frequency	Percent
1 ALL of the time	986	2.99
2 MOST of the time	1125	3.41
3 SOME of the time	3334	10.09
4 A LITTLE of the time	3712	11.24
5 NONE of the time	22815	69.08
7 Refused	85	0.26
8 Not ascertained	886	2.68
9 Don't know	85	0.26

ASI.390_06.000: How often felt worthless, past 30 days

ASIWTHLS	Frequency	Percent
1 ALL of the time	318	0.96
2 MOST of the time	412	1.25
3 SOME of the time	1298	3.93
4 A LITTLE of the time	1447	4.38
5 NONE of the time	28494	86.27
7 Refused	93	0.28
8 Not ascertained	888	2.69
9 Don't know	78	0.24

ASI.400_00.000: Feelings interfered w/ life, past 30 days

ASIMUCH	Frequency	Percent
1 A lot	1209	10.84
2 Some	2243	20.11
3 A little	3247	29.11
4 Not at all	4425	39.67
7 Refused	4	0.04
8 Not ascertained	10	0.09
9 Don't know	16	0.14

Frequency Missing = 21874

ASI.405_00.000: Donated blood, past 12 months

ACIBLD12	Frequency	Percent
1 Yes	1843	5.58
2 No	30214	91.48
7 Refused	49	0.15
8 Not ascertained	903	2.73
9 Don't know	19	0.06

ASI.410_00.000: Ever been tested for HIV

ASIHIVT	Frequency	Percent
1 Yes	12402	37.55
2 No	19020	57.59
7 Refused	58	0.18
8 Not ascertained	909	2.75
9 Don't know	639	1.93

ASI.420_00.000: Main reason not tested for HIV

ASIHIVWN	Frequency	Percent
01 It's unlikely you've been exposed to HIV	16022	84.24
02 You were afraid to find out if you were HIV positive (that you had HIV)	34	0.18
03 You didn't want to think about HIV or about being HIV positive	51	0.27
04 You were worried your name would be reported to the government if you tested positive	5	0.03
05 You didn't know where to get tested	21	0.11
06 You don't like needles	77	0.40
07 You were afraid of losing job, insurance, housing, friends, family, if people knew you were positive for AIDS infection	7	0.04
08 Some other reason	108	0.57
09 No particular reason	2641	13.89
97 Refused	11	0.06
98 Not ascertained	2	0.01

Frequency Missing = 14008

2016 National Health Interview Survey (NHIS) 170
Sample Adult Public Use File (samadult)
ASI Variables Tuesday, June 6, 2017
Unweighted Frequencies

ASI.420_00.000: Main reason not tested for HIV

ASIHIVWN	Frequency	Percent
99 Don't know	41	0.22

Frequency Missing = 14008

BAL Variables Tuesday, June 6, 2017
Unweighted Frequencies

BAL.010_00.000: Ever had problem with dizziness,
lightheadedness, passing out, feel faint

BALEV	Frequency	Percent
1 Yes	8698	26.34
2 No	23332	70.64
7 Refused	39	0.12
8 Not ascertained	942	2.85
9 Don't know	17	0.05

BAL.020_00.000: Age first had problem with dizziness,
lightheadedness, passing out, etc.

BALAGE_P	Frequency	Percent
01-84 1-84 years	8090	93.01
85 85+ years	152	1.75
96 Since birth	63	0.72
97 Refused	8	0.09
98 Not ascertained	2	0.02
99 Don't know	383	4.40

Frequency Missing = 24330

BAL.040_00.000: Had dizziness or balance problem, past 12 months

BDIZZ1	Frequency	Percent
1 Yes	5562	63.95
2 No	3116	35.82
7 Refused	3	0.03
8 Not ascertained	4	0.05
9 Don't know	13	0.15

Frequency Missing = 24330

BAL.050_01.000: Had severe fatigue, past 12 months

BRPROB1	Frequency	Percent
1 Yes	4353	13.18
2 No	27639	83.68
7 Refused	43	0.13
8 Not ascertained	956	2.89
9 Don't know	37	0.11

BAL.050_02.000: Had problem with drifting to side
when trying to walk straight, past 12 months

BRPROB2	Frequency	Percent
1 Yes	3252	9.85
2 No	28751	87.05
7 Refused	45	0.14
8 Not ascertained	958	2.90
9 Don't know	22	0.07

BAL.050_03.000: Had prob bumping into one side
or other when walking thru doorway, past 12 mos

BRPROB3	Frequency	Percent
1 Yes	3138	9.50
2 No	28864	87.39
7 Refused	41	0.12
8 Not ascertained	967	2.93
9 Don't know	18	0.05

BAL.050_04.000: Had difficulty walking in the
dark without using support, past 12 months

BRPROB4	Frequency	Percent
1 Yes	2480	7.51
2 No	29499	89.32
7 Refused	42	0.13
8 Not ascertained	969	2.93
9 Don't know	38	0.12

BAL.050_05.000: Had difficulty walking on
uneven ground or surfaces, past 12 months

BRPROB5	Frequency	Percent
1 Yes	4063	12.30
2 No	27930	84.56
7 Refused	43	0.13
8 Not ascertained	970	2.94
9 Don't know	22	0.07

BAL.050_06.000: Had a problem with fear of heights, past 12 months

BRPROB6	Frequency	Percent
1 Yes	7907	23.94
2 No	24055	72.83
7 Refused	45	0.14
8 Not ascertained	973	2.95
9 Don't know	48	0.15

BAL.050_07.000: Had difficulty riding an escalator
or moving walkway, past 12 months

BRPROB7	Frequency	Percent
1 Yes	1696	5.14
2 No	30247	91.58
7 Refused	42	0.13
8 Not ascertained	974	2.95
9 Don't know	69	0.21

BAL Recode: Counter for the number of balance problems

BPROB_CT	Frequency	Percent
0-7 Number of dizziness/balance symptoms	33028	100.00

BAL.060_01.000: Symptom: spinning/ vertigo sensation/
other illusion of motion, past 12 mos

BTYPE_1	Frequency	Percent
1 Yes	3107	22.62
2 No	10589	77.09
7 Refused	0	0.00
8 Not ascertained	9	0.07
9 Don't know	31	0.23

Frequency Missing = 19292

BAL.060_02.000: Symptom: a floating, spacey,
or disconnected sensation, past 12 months

BTYPE_2	Frequency	Percent
1 Yes	2100	15.29
2 No	11577	84.28
7 Refused	1	0.01
8 Not ascertained	13	0.09
9 Don't know	45	0.33

Frequency Missing = 19292

BAL Variables Tuesday, June 6, 2017
Unweighted Frequencies

BAL.060_03.000: Symptom: felt lightheaded
without a sense of motion, past 12 months

BTYP3_3	Frequency	Percent
1 Yes	3893	28.34
2 No	9783	71.22
7 Refused	2	0.01
8 Not ascertained	13	0.09
9 Don't know	45	0.33

Frequency Missing = 19292

BAL.060_04.000: Symptom: felt would pass out or faint, past 12 months

BTYP4_4	Frequency	Percent
1 Yes	3201	23.30
2 No	10494	76.40
7 Refused	2	0.01
8 Not ascertained	14	0.10
9 Don't know	25	0.18

Frequency Missing = 19292

BAL.060_05.000: Symptom: blurring of vision when moving head, past 12 months

BTYP5_5	Frequency	Percent
1 Yes	1980	14.41
2 No	11703	85.20
7 Refused	2	0.01
8 Not ascertained	15	0.11
9 Don't know	36	0.26

Frequency Missing = 19292

BAL.060_06.000: Symptom: feeling off-balance or unsteady, past 12 months

BTYP6_6	Frequency	Percent
1 Yes	5070	36.91
2 No	8629	62.82
7 Refused	3	0.02
8 Not ascertained	15	0.11
9 Don't know	19	0.14

Frequency Missing = 19292

BAL.060_07.000: Symptom: other dizziness or balance problem, past 12 months

BTYPE_7	Frequency	Percent
1 Yes	1297	9.44
2 No	12395	90.24
7 Refused	3	0.02
8 Not ascertained	15	0.11
9 Don't know	26	0.19

Frequency Missing = 19292

BAL Recode: Counter for the number of balance symptoms

BTYPE_CT	Frequency	Percent
0-7 Number of dizziness/balance problems	33028	100.00

BAL.070_00.000: Which one of these bothered the most, past 12 months

BBOTH1	Frequency	Percent
01 the spinning, vertigo, or motion sensation	1387	18.24
02 the floating, spacey, or disconnected feeling	420	5.52
03 the feeling of lightheadedness	1296	17.04
04 the feeling like you are about to pass out	1184	15.57
05 Blurred vision	394	5.18
06 Unsteadiness	2103	27.66
07 Other dizziness or balance problem	747	9.82
97 Refused	5	0.07
98 Not ascertained	26	0.34
99 Don't know	42	0.55

Frequency Missing = 25424

BAL.080_00.000: How old when most bothersome thing first happened?

BAGE1_P	Frequency	Percent
01-84 1-84 years	6947	91.44
85 85+ years	181	2.38
96 Since birth	57	0.75
97 Refused	11	0.14
98 Not ascertained	10	0.13
99 Don't know	391	5.15

Frequency Missing = 25431

BAL.100_01.000: How often had most bothersome thing, past 12 months

BOFTN	Frequency	Percent
001-995 1-995	6862	90.33
996 Constantly or almost always	376	4.95
997 Refused	9	0.12
998 Not ascertained	11	0.14
999 Don't know	339	4.46

Frequency Missing = 25431

BAL.100_02.000: Time period of most bothersome thing

BOFTT	Frequency	Percent
1 Day(s)	930	12.24
2 Week(s)	720	9.48
3 Month(s)	810	10.66
4 Year	2646	34.83
6 Constantly or almost always	263	3.46
7 Refused	4	0.05
8 Not ascertained	1764	23.22
9 Don't know	460	6.06

Frequency Missing = 25431

BAL.110_00.000: How long does each episode
of most bothersome thing usually last?

BLAST1	Frequency	Percent
01 Momentary, or less than two minutes	4354	57.31
02 Two minutes to less than 20 minutes	1745	22.97
03 20 minutes to less than 8 hours	805	10.60
04 8 hours to less than 24 hours	209	2.75
05 1 day to less than 14 days	215	2.83
06 2 weeks to less than 3 months	28	0.37
07 3 months or longer	114	1.50
97 Refused	4	0.05
98 Not ascertained	54	0.71
99 Don't know	69	0.91

Frequency Missing = 25431

BAL Variables Tuesday, June 6, 2017
Unweighted Frequencies

BAL.120_01.000: Does looking up or down lean forward or back trigger balance/dizz problem?

BTRG_01	Frequency	Percent
1 Yes	2842	37.41
2 No	4654	61.26
7 Refused	5	0.07
8 Not ascertained	21	0.28
9 Don't know	75	0.99

Frequency Missing = 25431

BAL.120_02.000: Does rolling over in bed trigger balance/dizz problem?

BTRG_02	Frequency	Percent
1 Yes	958	12.61
2 No	6568	86.46
7 Refused	5	0.07
8 Not ascertained	21	0.28
9 Don't know	45	0.59

Frequency Missing = 25431

BAL.120_03.000: Does getting up after sitting or lying down trigger balance/dizz problem?

BTRG_03	Frequency	Percent
1 Yes	4324	56.92
2 No	3224	42.44
7 Refused	5	0.07
8 Not ascertained	21	0.28
9 Don't know	23	0.30

Frequency Missing = 25431

BAL.120_04.000: Does headache, including migraine, trigger balance/dizz problem?

BTRG_04	Frequency	Percent
1 Yes	2092	27.54
2 No	5437	71.57
7 Refused	5	0.07
8 Not ascertained	21	0.28
9 Don't know	42	0.55

Frequency Missing = 25431

BAL Variables Tuesday, June 6, 2017
Unweighted Frequencies

BAL.120_05.000: Does a visual problem such as
double vision trigger balance/dizz problem?

BTRG_05	Frequency	Percent
1 Yes	1056	13.90
2 No	6468	85.14
7 Refused	5	0.07
8 Not ascertained	22	0.29
9 Don't know	46	0.61

Frequency Missing = 25431

BAL.120_06.000: Does riding in a car/bus/airplane/boat/train
trigger balance/dizz problem?

BTRG_06	Frequency	Percent
1 Yes	1149	15.12
2 No	6385	84.05
7 Refused	5	0.07
8 Not ascertained	24	0.32
9 Don't know	34	0.45

Frequency Missing = 25431

BAL.120_07.000: Does walking down a grocery
store aisle trigger balance/dizz problem?

BTRG_07	Frequency	Percent
1 Yes	759	9.99
2 No	6775	89.18
7 Refused	5	0.07
8 Not ascertained	24	0.32
9 Don't know	34	0.45

Frequency Missing = 25431

BAL.120_08.000: Does hearing loud sounds trigger balance/dizz problem?

BTRG_08	Frequency	Percent
1 Yes	588	7.74
2 No	6946	91.43
7 Refused	5	0.07
8 Not ascertained	24	0.32
9 Don't know	34	0.45

Frequency Missing = 25431

BAL.120_09.000: Does blowing nose trigger balance/dizz problem?

BTRG_09	Frequency	Percent
1 Yes	720	9.48
2 No	6813	89.68
7 Refused	5	0.07
8 Not ascertained	24	0.32
9 Don't know	35	0.46

Frequency Missing = 25431

BAL.120_10.000: Does taking prescription or
OTC meds trigger balance/dizz problems?

BTRG_10	Frequency	Percent
1 Yes	1386	18.24
2 No	6088	80.14
7 Refused	6	0.08
8 Not ascertained	25	0.33
9 Don't know	92	1.21

Frequency Missing = 25431

BAL.130_01.000: Does nausea or vomiting happen
at the same time as balance/dizz problem?

BSAME_1	Frequency	Percent
1 Yes	1781	23.44
2 No	5771	75.96
7 Refused	4	0.05
8 Not ascertained	26	0.34
9 Don't know	15	0.20

Frequency Missing = 25431

BAL.130_02.000: Does hearing loss in only one
ear happen same time as balance/dizz problem?

BSAME_2	Frequency	Percent
1 Yes	740	9.74
2 No	6778	89.22
7 Refused	3	0.04
8 Not ascertained	27	0.36
9 Don't know	49	0.64

Frequency Missing = 25431

BAL.130_03.000: Does ringing/buzzing/roaring in one ear happen same time as balance/dizz prob?

BSAME_3	Frequency	Percent
1 Yes	2005	26.39
2 No	5534	72.84
7 Refused	3	0.04
8 Not ascertained	28	0.37
9 Don't know	27	0.36

Frequency Missing = 25431

BAL.130_04.000: Does fullness/pressure/stuffiness in ear happen same time as balance/dizz prob?

BSAME_4	Frequency	Percent
1 Yes	1155	15.20
2 No	6368	83.82
7 Refused	3	0.04
8 Not ascertained	30	0.39
9 Don't know	41	0.54

Frequency Missing = 25431

BAL.130_05.000: Does sinus congestion happen same time as balance/dizz problem?

BSAME_5	Frequency	Percent
1 Yes	1723	22.68
2 No	5797	76.31
7 Refused	3	0.04
8 Not ascertained	31	0.41
9 Don't know	43	0.57

Frequency Missing = 25431

BAL.130_06.000: Does anxiety happen same time as balance/dizz problem?

BSAME_6	Frequency	Percent
1 Yes	2069	27.23
2 No	5453	71.78
7 Refused	4	0.05
8 Not ascertained	32	0.42
9 Don't know	39	0.51

Frequency Missing = 25431

2016 National Health Interview Survey (NHIS)
Sample Adult Public Use File (samadult)
BAL Variables
Unweighted Frequencies

181

Tuesday, June 6, 2017

BAL.130_07.000: Does depression happen same time as balance/dizz problem?

BSAME_7	Frequency	Percent
1 Yes	1159	15.26
2 No	6360	83.72
7 Refused	6	0.08
8 Not ascertained	32	0.42
9 Don't know	40	0.53

Frequency Missing = 25431

BAL.140_01.000: Have nausea or vomiting only with balance/dizz problem?

BONLY_1	Frequency	Percent
1 Only	1104	61.99
2 Regardless	665	37.34
7 Refused	0	0.00
8 Not ascertained	0	0.00
9 Don't know	12	0.67

Frequency Missing = 31247

BAL.140_02.000: Have hearing loss only with balance/dizz problem?

BONLY_2	Frequency	Percent
1 Only	311	42.03
2 Regardless	423	57.16
7 Refused	0	0.00
8 Not ascertained	0	0.00
9 Don't know	6	0.81

Frequency Missing = 32288

BAL.140_03.000: Have ringing in ear/tinnitus only with balance/dizz problem?

BONLY_3	Frequency	Percent
1 Only	647	32.27
2 Regardless	1341	66.88
7 Refused	0	0.00
8 Not ascertained	1	0.05
9 Don't know	16	0.80

Frequency Missing = 31023

BAL.140_04.000: Have fullness, pressure, stuffiness
only with balance/dizz problem?

BONLY_4	Frequency	Percent
1 Only	406	35.15
2 Regardless	733	63.46
7 Refused	0	0.00
8 Not ascertained	0	0.00
9 Don't know	16	1.39

Frequency Missing = 31873

BAL.140_05.000: Have sinus congestion only with balance/dizz problem?

BONLY_5	Frequency	Percent
1 Only	271	15.73
2 Regardless	1439	83.52
7 Refused	0	0.00
8 Not ascertained	0	0.00
9 Don't know	13	0.75

Frequency Missing = 31305

BAL.140_06.000: Have anxiety only with balance/dizz problem?

BONLY_6	Frequency	Percent
1 Only	453	21.89
2 Regardless	1604	77.53
7 Refused	0	0.00
8 Not ascertained	0	0.00
9 Don't know	12	0.58

Frequency Missing = 30959

BAL.140_07.000: Have depression only with balance/dizz problem?

BONLY_7	Frequency	Percent
1 Only	129	11.13
2 Regardless	1027	88.61
7 Refused	2	0.17
8 Not ascertained	0	0.00
9 Don't know	1	0.09

Frequency Missing = 31869

BAL.150_00.000: Ever gone to hospital/ER for dizz/balance problem?

BHOSP2	Frequency	Percent
1 Yes	1520	15.35
2 No	8333	84.15
7 Refused	6	0.06
8 Not ascertained	39	0.39
9 Don't know	5	0.05

Frequency Missing = 23125

BAL.160_00.000: Number of times gone to hospital/ER
for dizz/balance problem, past 5 years

BHOSPN01	Frequency	Percent
0 None	442	29.08
1 1 time	603	39.67
2 2 times	214	14.08
3 3-4 times	140	9.21
4 5-9 times	64	4.21
5 10-14 times	23	1.51
6 15 or more times	26	1.71
7 Refused	0	0.00
8 Not ascertained	0	0.00
9 Don't know	8	0.53

Frequency Missing = 31508

BAL.170_00.000: Ever seen doctor/health professional about dizz/balance problem?

BHP1	Frequency	Percent
1 Yes	4001	40.40
2 No	5848	59.05
7 Refused	6	0.06
8 Not ascertained	40	0.40
9 Don't know	8	0.08

Frequency Missing = 23125

BAL.180_01.000: Seen fam MD/internal medicine MD/family
practitioner about dizz/balance prob?

BHP1_01	Frequency	Percent
1 Yes	2670	66.63
2 No	608	15.17
7 Refused	1	0.02
8 Not ascertained	725	18.09
9 Don't know	3	0.07

Frequency Missing = 29021

BAL Variables Tuesday, June 6, 2017
Unweighted Frequencies

BAL.180_02.000: Seen cardiologist or heart
specialist about dizz/balance problem?

BHP1_02	Frequency	Percent
1 Yes	671	16.75
2 No	2605	65.01
7 Refused	1	0.02
8 Not ascertained	726	18.12
9 Don't know	4	0.10

Frequency Missing = 29021

BAL.180_03.000: Seen ear, nose, throat doctor about dizz/balance problem?

BHP1_03	Frequency	Percent
1 Yes	659	16.45
2 No	2616	65.29
7 Refused	2	0.05
8 Not ascertained	726	18.12
9 Don't know	4	0.10

Frequency Missing = 29021

BAL.180_04.000: Seen neurologist about dizz/balance problem?

BHP1_04	Frequency	Percent
1 Yes	811	20.24
2 No	2462	61.44
7 Refused	2	0.05
8 Not ascertained	726	18.12
9 Don't know	6	0.15

Frequency Missing = 29021

BAL.180_05.000: Seen eye doctor, optometrist,
ophthalmologist about dizz/balance problem?

BHP1_05	Frequency	Percent
1 Yes	705	17.59
2 No	2569	64.11
7 Refused	2	0.05
8 Not ascertained	726	18.12
9 Don't know	5	0.12

Frequency Missing = 29021

BAL Variables Tuesday, June 6, 2017
Unweighted Frequencies

BAL.180_06.000: Seen dentist, orthodontist,
or oral surgeon about dizz/balance problem?

BHP1_06	Frequency	Percent
1 Yes	226	5.64
2 No	3051	76.14
7 Refused	2	0.05
8 Not ascertained	726	18.12
9 Don't know	2	0.05

Frequency Missing = 29021

BAL.180_07.000: Seen gynecologist, OB/GYN about dizz/balance problem?

BHP1_07	Frequency	Percent
1 Yes	118	4.05
2 No	2101	72.05
7 Refused	1	0.03
8 Not ascertained	696	23.87
9 Don't know	0	0.00

Frequency Missing = 30112

BAL.180_08.000: See psychiatrist, psychologist,
or social worker about dizz/balance problem?

BHP1_08	Frequency	Percent
1 Yes	294	7.34
2 No	2980	74.37
7 Refused	3	0.07
8 Not ascertained	726	18.12
9 Don't know	4	0.10

Frequency Missing = 29021

BAL.180_09.000: Seen osteopath, doctor of osteopathy about dizz/balance problem?

BHP1_09	Frequency	Percent
1 Yes	87	2.17
2 No	3178	79.31
7 Refused	3	0.07
8 Not ascertained	726	18.12
9 Don't know	13	0.32

Frequency Missing = 29021

BAL.180_10.000: Seen occup/physical therapist,
rehab specialist/MD about dizz/balance prob?

BHP1_10	Frequency	Percent
1 Yes	419	10.46
2 No	2857	71.30
7 Refused	3	0.07
8 Not ascertained	726	18.12
9 Don't know	2	0.05

Frequency Missing = 29021

BAL.180_11.000: Seen physician asst or nurse
practitioner about dizz/balance problem?

BHP1_11	Frequency	Percent
1 Yes	690	17.22
2 No	2582	64.44
7 Refused	2	0.05
8 Not ascertained	727	18.14
9 Don't know	6	0.15

Frequency Missing = 29021

BAL.180_12.000: See nutritionist or dietician about dizz/balance problem?

BHP1_12	Frequency	Percent
1 Yes	115	2.87
2 No	3161	78.89
7 Refused	2	0.05
8 Not ascertained	727	18.14
9 Don't know	2	0.05

Frequency Missing = 29021

BAL.180_13.000: Seen audiologist about dizz/balance problem?

BHP1_13	Frequency	Percent
1 Yes	273	6.81
2 No	3002	74.92
7 Refused	2	0.05
8 Not ascertained	727	18.14
9 Don't know	3	0.07

Frequency Missing = 29021

BAL.180_14.000: Seen foot doctor about dizz/balance problem?

BHP1_14	Frequency	Percent
1 Yes	157	3.92
2 No	3122	77.91
7 Refused	1	0.02
8 Not ascertained	727	18.14
9 Don't know	0	0.00

Frequency Missing = 29021

BAL.180_15.000: Seen some other health professional about dizz/balance problem?

BHP1_15	Frequency	Percent
1 Yes	345	8.61
2 No	2931	73.15
7 Refused	1	0.02
8 Not ascertained	727	18.14
9 Don't know	3	0.07

Frequency Missing = 29021

BAL.190_00.000: How many times seen MD/oth health
prof about dizz/balance prob, past 5 years?

B5YRS1	Frequency	Percent
0 None	416	10.38
1 1 time	790	19.72
2 2 times	643	16.05
3 3-4 times	579	14.45
4 5-9 times	381	9.51
5 10-14 times	166	4.14
6 15 or more times	251	6.26
7 Refused	2	0.05
8 Not ascertained	728	18.17
9 Don't know	51	1.27

Frequency Missing = 29021

BAL.200_00.000: How long ago first saw MD/ other
health professional about dizz/balance problem?

BFIRST1	Frequency	Percent
1 Less than 12 months	933	22.13
2 12 months to less than 3 years	648	15.37
3 years to less than 5 years	525	12.45
4 5 years to less than 10 years	516	12.24
5 10 years to less than 15 years	277	6.57
6 15 years or more	590	13.99
7 Refused	3	0.07
8 Not ascertained	672	15.94
9 Don't know	52	1.23

Frequency Missing = 28812

BAL.220_00.000: How much did these doctors/other
health professionals help dizz/balance prob?

BHELP1	Frequency	Percent
1 No help at all	914	21.68
2 A little help	763	18.10
3 Moderate help	666	15.80
4 A lot of help	885	20.99
5 Problem was cured or no longer exists	281	6.67
7 Refused	2	0.05
8 Not ascertained	674	15.99
9 Don't know	31	0.74

Frequency Missing = 28812

BAL.230_01.000: # of days/wks/yrs btwn 1st time
saw MD for dizz/bal prob & helped by treatment

BTHLP_N	Frequency	Percent
001-365 1-365	2205	84.97
997 Refused	7	0.27
998 Not ascertained	1	0.04
999 Don't know	382	14.72

Frequency Missing = 30433

BAL.230_02.000: Time period btwn 1st time saw
MD for dizz/balance prob & helped by treatment

BTHLP_T	Frequency	Percent
1 Day(s)	748	28.82
2 Week(s)	439	16.92
3 Month(s)	603	23.24
4 Year(s)	545	21.00
7 Refused	7	0.27
8 Not ascertained	1	0.04
9 Don't know	252	9.71

Frequency Missing = 30433

BAL.240_00.000: Did doctor/health professionals
give diagnosis for dizz/balance problem?

BDIAG1	Frequency	Percent
1 Yes	2086	49.48
2 No	1434	34.01
7 Refused	3	0.07
8 Not ascertained	675	16.01
9 Don't know	18	0.43

Frequency Missing = 28812

BAL.250_01.000: Allergies cause of dizz/balance problem?

BCAUS101	Frequency	Percent
1 Mentioned	100	4.79
2 Not mentioned	1951	93.53
7 Refused	3	0.14
8 Not ascertained	0	0.00
9 Don't know	32	1.53

Frequency Missing = 30942

BAL.250_02.000: Anxiety or depression cause of dizz/balance problem?

BCAUS102	Frequency	Percent
1 Mentioned	162	7.77
2 Not mentioned	1889	90.56
7 Refused	3	0.14
8 Not ascertained	0	0.00
9 Don't know	32	1.53

Frequency Missing = 30942

2016 National Health Interview Survey (NHIS)
Sample Adult Public Use File (samadult)
BAL Variables
Unweighted Frequencies

190

Tuesday, June 6, 2017

BAL.250_03.000: Benign positional vertigo (BPV) cause of dizz/balance problem?

BCAUS103	Frequency	Percent
1 Mentioned	132	6.33
2 Not mentioned	1919	91.99
7 Refused	3	0.14
8 Not ascertained	0	0.00
9 Don't know	32	1.53

Frequency Missing = 30942

BAL.250_04.000: Crystals-loose or dislodged
in ear cause of dizz/balance problem?

BCAUS104	Frequency	Percent
1 Mentioned	95	4.55
2 Not mentioned	1956	93.77
7 Refused	3	0.14
8 Not ascertained	0	0.00
9 Don't know	32	1.53

Frequency Missing = 30942

BAL.250_05.000: Diabetes cause of balance problem?

BCAUS105	Frequency	Percent
1 Mentioned	68	3.26
2 Not mentioned	1983	95.06
7 Refused	3	0.14
8 Not ascertained	0	0.00
9 Don't know	32	1.53

Frequency Missing = 30942

BAL.250_06.000: Headache or migraine cause of dizz/balance problem?

BCAUS106	Frequency	Percent
1 Mentioned	123	5.90
2 Not mentioned	1928	92.43
7 Refused	3	0.14
8 Not ascertained	0	0.00
9 Don't know	32	1.53

Frequency Missing = 30942

2016 National Health Interview Survey (NHIS)
Sample Adult Public Use File (samadult)
BAL Variables
Unweighted Frequencies

191

Tuesday, June 6, 2017

BAL.250_07.000: Head or neck trauma/concussion cause of dizz/balance problem?

BCAUS107	Frequency	Percent
1 Mentioned	105	5.03
2 Not mentioned	1946	93.29
7 Refused	3	0.14
8 Not ascertained	0	0.00
9 Don't know	32	1.53

Frequency Missing = 30942

BAL.250_08.000: Heart disease cause of dizz/balance problem?

BCAUS108	Frequency	Percent
1 Mentioned	79	3.79
2 Not mentioned	1972	94.53
7 Refused	3	0.14
8 Not ascertained	0	0.00
9 Don't know	32	1.53

Frequency Missing = 30942

BAL.250_09.000: Inner ear infection/viral labyrinthitis
cause of dizz/balance problem?

BCAUS109	Frequency	Percent
1 Mentioned	184	8.82
2 Not mentioned	1867	89.50
7 Refused	3	0.14
8 Not ascertained	0	0.00
9 Don't know	32	1.53

Frequency Missing = 30942

BAL.250_10.000: Meniere's (Men-e-AIRZ) disease cause of dizz/balance problem?

BCAUS110	Frequency	Percent
1 Mentioned	71	3.40
2 Not mentioned	1980	94.92
7 Refused	3	0.14
8 Not ascertained	0	0.00
9 Don't know	32	1.53

Frequency Missing = 30942

BAL.250_11.000: Neurological-multiple sclerosis (MS), seizures, etc. cause of dizz/balance prob?

BCAUS111	Frequency	Percent
1 Mentioned	85	4.07
2 Not mentioned	1966	94.25
7 Refused	3	0.14
8 Not ascertained	0	0.00
9 Don't know	32	1.53

Frequency Missing = 30942

BAL.250_12.000: Side effects from medications cause of dizz/balance problem?

BCAUS112	Frequency	Percent
1 Mentioned	200	9.59
2 Not mentioned	1851	88.73
7 Refused	3	0.14
8 Not ascertained	0	0.00
9 Don't know	32	1.53

Frequency Missing = 30942

BAL.250_13.000: Stroke cause of dizz/balance problem?

BCAUS113	Frequency	Percent
1 Mentioned	65	3.12
2 Not mentioned	1986	95.21
7 Refused	3	0.14
8 Not ascertained	0	0.00
9 Don't know	32	1.53

Frequency Missing = 30942

BAL.250_14.000: Other health problem(s) cause of dizz/balance problem?

BCAUS114	Frequency	Percent
1 Mentioned	993	47.60
2 Not mentioned	1058	50.72
7 Refused	3	0.14
8 Not ascertained	0	0.00
9 Don't know	32	1.53

Frequency Missing = 30942

BAL.260_00.000: Ever tried anything to treat dizz/balance problem?

BTR1	Frequency	Percent
1 Yes	2023	26.60
2 No	5518	72.57
7 Refused	8	0.11
8 Not ascertained	47	0.62
9 Don't know	8	0.11

Frequency Missing = 25424

BAL.270_01.000: Ever tried exercises or physical therapy to treat dizz/balance problem?

BTR1_01	Frequency	Percent
1 Yes	947	46.81
2 No	1071	52.94
7 Refused	1	0.05
8 Not ascertained	1	0.05
9 Don't know	3	0.15

Frequency Missing = 31005

BAL.270_02.000: Ever tried bed rest for several hours/days to treat dizz/balance problem?

BTR1_02	Frequency	Percent
1 Yes	775	38.31
2 No	1244	61.49
7 Refused	1	0.05
8 Not ascertained	1	0.05
9 Don't know	2	0.10

Frequency Missing = 31005

BAL.270_03.000: Ever tried head rolling/Epley maneuver by MD/therapist to treat dizz/bal prob?

BTR1_03	Frequency	Percent
1 Yes	457	22.59
2 No	1555	76.87
7 Refused	2	0.10
8 Not ascertained	2	0.10
9 Don't know	7	0.35

Frequency Missing = 31005

BAL.270_04.000: Ever tried steroid injections
to the ear to treat dizz/balance problem?

BTRT1_04	Frequency	Percent
1 Yes	40	1.98
2 No	1976	97.68
7 Refused	2	0.10
8 Not ascertained	2	0.10
9 Don't know	3	0.15

Frequency Missing = 31005

BAL.270_06.000: Ever tried surgery to treat dizz/balance problem?

BTRT1_06	Frequency	Percent
1 Yes	111	5.49
2 No	1907	94.27
7 Refused	2	0.10
8 Not ascertained	2	0.10
9 Don't know	1	0.05

Frequency Missing = 31005

BAL.270_07.000: Ever tried low salt diet to treat dizz/balance problem?

BTRT1_07	Frequency	Percent
1 Yes	350	17.30
2 No	1666	82.35
7 Refused	2	0.10
8 Not ascertained	2	0.10
9 Don't know	3	0.15

Frequency Missing = 31005

BAL.270_08.000: Ever cut back/avoided certain
food or drinks to treat dizz/balance problem?

BTRT1_08	Frequency	Percent
1 Yes	585	28.92
2 No	1429	70.64
7 Refused	2	0.10
8 Not ascertained	2	0.10
9 Don't know	5	0.25

Frequency Missing = 31005

BAL.270_09.000: Ever tried quit/reduce use of tobacco/cigarettes
to treat dizz/balance problem?

BTRT1_09	Frequency	Percent
1 Yes	180	19.27
2 No	748	80.09
7 Refused	2	0.21
8 Not ascertained	2	0.21
9 Don't know	2	0.21

Frequency Missing = 32094

BAL.270_10.000: Ever tried prescription medicine/drugs
to treat dizz/balance problem?

BTRT1_10	Frequency	Percent
1 Yes	1031	50.96
2 No	985	48.69
7 Refused	2	0.10
8 Not ascertained	2	0.10
9 Don't know	3	0.15

Frequency Missing = 31005

BAL.270_11.000: Ever tried OTC meds (allergy meds,
sleep aids) to treat dizz/balance problem?

BTRT1_11	Frequency	Percent
1 Yes	580	28.67
2 No	1436	70.98
7 Refused	2	0.10
8 Not ascertained	2	0.10
9 Don't know	3	0.15

Frequency Missing = 31005

BAL.270_12.000: Ever tried psychiatric treatment?

BTRT1_12	Frequency	Percent
1 Yes	157	7.76
2 No	1859	91.89
7 Refused	3	0.15
8 Not ascertained	3	0.15
9 Don't know	1	0.05

Frequency Missing = 31005

BAL.270_13.000: Ever tried massage therapy
or chiropractic treatment or manipulation

BTRT1_13	Frequency	Percent
1 Yes	351	17.35
2 No	1666	82.35
7 Refused	2	0.10
8 Not ascertained	3	0.15
9 Don't know	1	0.05

Frequency Missing = 31005

BAL.270_14.000: Ever tried acupuncture?

BTRT1_14	Frequency	Percent
1 Yes	121	5.98
2 No	1894	93.62
7 Refused	2	0.10
8 Not ascertained	3	0.15
9 Don't know	3	0.15

Frequency Missing = 31005

BAL.270_15.000: Ever tried herbal remedies such
as feverfew tea, ginger, or ginkgo biloba?

BTRT1_15	Frequency	Percent
1 Yes	248	12.26
2 No	1766	87.30
7 Refused	2	0.10
8 Not ascertained	4	0.20
9 Don't know	3	0.15

Frequency Missing = 31005

BAL.270_16.000: Ever tried wearing magnets or acupressure wristband?

BTRT1_16	Frequency	Percent
1 Yes	194	9.59
2 No	1822	90.06
7 Refused	2	0.10
8 Not ascertained	4	0.20
9 Don't know	1	0.05

Frequency Missing = 31005

BAL.280_00.000: In past 12 mos, are dizz/bal probs worse, same, imprv some, or imprv greatly?

BSTAT1	Frequency	Percent
1 Gotten worse	597	7.85
2 Stayed the same	4092	53.81
3 Improved somewhat	1438	18.91
4 Improved greatly	1363	17.92
7 Refused	11	0.14
8 Not ascertained	53	0.70
9 Don't know	50	0.66

Frequency Missing = 25424

BAL.300_00.000: Do you regularly take any medicine that makes your dizz/bal prob(s) worse?

BMEDIC1	Frequency	Percent
1 Yes	785	10.32
2 No	6664	87.64
7 Refused	7	0.09
8 Not ascertained	54	0.71
9 Don't know	94	1.24

Frequency Missing = 25424

BAL.310_00.000: Do dizziness or balance probs prevent from doing things you otherwise could do?

BCHNG1	Frequency	Percent
1 Yes	1774	23.33
2 No	5747	75.58
7 Refused	9	0.12
8 Not ascertained	55	0.72
9 Don't know	19	0.25

Frequency Missing = 25424

BAL.320_01.000: Have dizz/bal probs caused changes or cut back on driving a motor vehicle?

BCHG1_01	Frequency	Percent
1 Yes	804	45.32
2 No	968	54.57
7 Refused	0	0.00
8 Not ascertained	1	0.06
9 Don't know	1	0.06

Frequency Missing = 31254

BAL.320_02.000: Dizz/bal probs caused changes/cut
back on riding in car/bus/plane/boat/train?

BCHG1_02	Frequency	Percent
1 Yes	453	25.54
2 No	1318	74.30
7 Refused	0	0.00
8 Not ascertained	1	0.06
9 Don't know	2	0.11

Frequency Missing = 31254

BAL.320_03.000: Dizz/bal probs caused changes
or cut back on exercising or taking walks?

BCHG1_03	Frequency	Percent
1 Yes	981	55.30
2 No	789	44.48
7 Refused	0	0.00
8 Not ascertained	2	0.11
9 Don't know	2	0.11

Frequency Missing = 31254

BAL.320_04.000: Dizz/bal probs caused changes or
cut back on walking down a flight of stairs?

BCHG1_04	Frequency	Percent
1 Yes	881	49.66
2 No	886	49.94
7 Refused	0	0.00
8 Not ascertained	3	0.17
9 Don't know	4	0.23

Frequency Missing = 31254

BAL.320_05.000: Dizz/bal probs caused changes/cut
back on social activities outside home?

BCHG1_05	Frequency	Percent
1 Yes	831	46.84
2 No	939	52.93
7 Refused	0	0.00
8 Not ascertained	3	0.17
9 Don't know	1	0.06

Frequency Missing = 31254

BAL.320_06.000: Dizz/bal probs caused changes/cut
back on chores, like cleaning or laundry?

BCHG1_06	Frequency	Percent
1 Yes	886	49.94
2 No	881	49.66
7 Refused	2	0.11
8 Not ascertained	4	0.23
9 Don't know	1	0.06

Frequency Missing = 31254

BAL.320_07.000: Dizz/bal probs caused changes
or cut back on going to the toilet?

BCHG1_07	Frequency	Percent
1 Yes	240	13.53
2 No	1527	86.08
7 Refused	2	0.11
8 Not ascertained	4	0.23
9 Don't know	1	0.06

Frequency Missing = 31254

BAL.350_00.000: In past 12 mos, how many days of
work/school missed because of dizz/bal problem?

BM12WS	Frequency	Percent
000-365 days	7483	98.41
997 Refused	12	0.16
998 Not ascertained	60	0.79
999 Don't know	49	0.64

Frequency Missing = 25424

BAL.355_00.000: In past 12 mos how many days of
oth activities missed bec of dizz/bal problem?

BM12RA	Frequency	Percent
000-365 days	7414	97.50
997 Refused	11	0.14
998 Not ascertained	66	0.87
999 Don't know	113	1.49

Frequency Missing = 25424

BAL.360_00.000: In the past 12 mos, how much of a problem was your dizziness/balance condition?

BPROB1	Frequency	Percent
1 No problem	2487	32.71
2 A small problem	3142	41.32
3 A moderate problem	1274	16.75
4 A big problem	360	4.73
5 A very big problem	248	3.26
7 Refused	12	0.16
8 Not ascertained	66	0.87
9 Don't know	15	0.20

Frequency Missing = 25424

BAL.370_01.000: Ever taken or had Meclizine or Antivert for dizziness, nausea, or vomiting?

BMED_1	Frequency	Percent
1 Yes	725	9.53
2 No	6723	88.41
7 Refused	14	0.18
8 Not ascertained	70	0.92
9 Don't know	72	0.95

Frequency Missing = 25424

BAL.370_02.000: Ever taken/had other medicine or patches for motion sickness/nausea/vomiting?

BMED_2	Frequency	Percent
1 Yes	733	9.64
2 No	6759	88.89
7 Refused	12	0.16
8 Not ascertained	70	0.92
9 Don't know	30	0.39

Frequency Missing = 25424

BAL.370_03.000: Have you ever taken or had medicines for anxiety or depression?

BMED_3	Frequency	Percent
1 Yes	2322	30.54
2 No	5175	68.06
7 Refused	17	0.22
8 Not ascertained	70	0.92
9 Don't know	20	0.26

Frequency Missing = 25424

BAL.370_04.000: Have you ever taken or had chemotherapy?

BMED_4	Frequency	Percent
1 Yes	267	3.51
2 No	7244	95.27
7 Refused	9	0.12
8 Not ascertained	70	0.92
9 Don't know	14	0.18

Frequency Missing = 25424

BAL.380_00.000: Any of your bio relatives had prob
with dizz/bal/falling, not related to aging?

BBIO1	Frequency	Percent
1 Yes	3184	9.64
2 No	28004	84.79
7 Refused	56	0.17
8 Not ascertained	1059	3.21
9 Don't know	725	2.20

BAL.385_00.000: In the past year, have you fallen at least one time?

BFALL12M	Frequency	Percent
1 Yes	2180	8.57
2 No	22188	87.27
7 Refused	37	0.15
8 Not ascertained	993	3.91
9 Don't know	26	0.10

Frequency Missing = 7604

BAL.390_00.000: In the past 5 years, have you fallen at least one time?

BFALL5Y	Frequency	Percent
1 Yes	3236	42.56
2 No	4265	56.09
7 Refused	8	0.11
8 Not ascertained	85	1.12
9 Don't know	10	0.13

Frequency Missing = 25424

BAL.400_01.000: In past 5 yrs, any falls just before
a sense of spinning/oth movement sensation?

BFL1_01	Frequency	Percent
1 Yes	663	46.40
2 No	746	52.20
7 Refused	0	0.00
8 Not ascertained	0	0.00
9 Don't know	20	1.40

Frequency Missing = 31599

BAL.400_02.000: In past 5 yrs, any falls occur
before a floating/spacey/disconnected feeling?

BFL1_02	Frequency	Percent
1 Yes	453	44.15
2 No	551	53.70
7 Refused	0	0.00
8 Not ascertained	0	0.00
9 Don't know	22	2.14

Frequency Missing = 32002

BAL.400_03.000: In past 5 yrs, did any of your
falls occur just before you felt lightheaded?

BFL1_03	Frequency	Percent
1 Yes	848	46.52
2 No	938	51.45
7 Refused	1	0.05
8 Not ascertained	1	0.05
9 Don't know	35	1.92

Frequency Missing = 31205

BAL.400_04.000: In past 5 yrs, any falls
occur just before felt like passing out?

BFL1_04	Frequency	Percent
1 Yes	749	47.14
2 No	813	51.16
7 Refused	0	0.00
8 Not ascertained	2	0.13
9 Don't know	25	1.57

Frequency Missing = 31439

BAL.400_05.000: In past 5 yrs, did any falls occur
just before you were having blurred vision?

BFL1_05	Frequency	Percent
1 Yes	361	35.25
2 No	639	62.40
7 Refused	0	0.00
8 Not ascertained	1	0.10
9 Don't know	23	2.25

Frequency Missing = 32004

BAL.400_06.000: In past 5 yrs, did any falls occur
just before you felt unsteady or off-balance?

BFL1_06	Frequency	Percent
1 Yes	1300	50.76
2 No	1208	47.17
7 Refused	0	0.00
8 Not ascertained	3	0.12
9 Don't know	50	1.95

Frequency Missing = 30467

BAL.400_07.000: In past 5 yrs, did any falls occur
before other/general prob with dizz/imbal?

BFL1_07	Frequency	Percent
1 Yes	324	43.61
2 No	399	53.70
7 Refused	1	0.13
8 Not ascertained	2	0.27
9 Don't know	17	2.29

Frequency Missing = 32285

BAL.410_00.000: In the past 12 months, have
you fallen at least once a month on average?

BFALL12A	Frequency	Percent
1 Yes	402	12.42
2 No	2820	87.14
7 Refused	0	0.00
8 Not ascertained	4	0.12
9 Don't know	10	0.31

Frequency Missing = 29792

BAL.420_01.000: In the past 12 months, about how many times per day/week/month have you fallen?

BF12M_NO	Frequency	Percent
001-365	392	97.51
997 Refused	0	0.00
998 Not ascertained	0	0.00
999 Don't know	10	2.49

Frequency Missing = 32626

BAL.420_02.000: Time period for time fallen

BF12M_TP	Frequency	Percent
1 Day(s)	31	7.71
2 Week(s)	75	18.66
3 Month(s)	288	71.64
7 Refused	0	0.00
8 Not ascertained	0	0.00
9 Don't know	8	1.99

Frequency Missing = 32626

BAL.430_00.000: In the past 12 months, how many times have you fallen?

BFTIME1	Frequency	Percent
0 None	673	23.78
1 1 time	928	32.79
2 2 times	561	19.82
3 3-4 times	438	15.48
4 5-7 times	171	6.04
5 8 or more times	41	1.45
7 Refused	2	0.07
8 Not ascertained	1	0.04
9 Don't know	15	0.53

Frequency Missing = 30198

BAL.440_00.000: In the past 12 months, did you have an injury as a result of a fall?

BINJ1	Frequency	Percent
1 Yes	1201	48.62
2 No	1264	51.17
7 Refused	0	0.00
8 Not ascertained	2	0.08
9 Don't know	3	0.12

Frequency Missing = 30558

2016 National Health Interview Survey (NHIS) 205
Sample Adult Public Use File (samadult)
BAL Variables Tuesday, June 6, 2017
Unweighted Frequencies

BAL.450_00.000: In past 12 mos, how many days of
work/school missed bec of injury from falls?

BINJWS	Frequency	Percent
000-995 days	1069	89.01
996 Doesn't work or go to school	125	10.41
997 Refused	0	0.00
998 Not ascertained	0	0.00
999 Don't know	7	0.58

Frequency Missing = 31827

BAL.455_00.000: In past 12 mos, did you talk to/see
MD/health prof about injuries from a fall?

BINJHP	Frequency	Percent
1 Yes	652	54.29
2 No	546	45.46
7 Refused	0	0.00
8 Not ascertained	0	0.00
9 Don't know	3	0.25

Frequency Missing = 31827

BAL.457_00.000: In past 12 mos # times you talk
to/saw medical prof about worst inj from a fall?

BINJHPN	Frequency	Percent
0 None	18	2.76
1 1 time	262	40.18
2 2 times	122	18.71
3 3-4 times	117	17.94
4 5-9 times	75	11.50
5 10-14 times	18	2.76
6 15 or more times	33	5.06
7 Refused	0	0.00
8 Not ascertained	0	0.00
9 Don't know	7	1.07

Frequency Missing = 32376

BAL.460_01.000: Have you fallen in the past 12 months
because you tripped, stumbled, or slipped?

BFWH_01	Frequency	Percent
1 Yes	1706	66.69
2 No	830	32.45
7 Refused	1	0.04
8 Not ascertained	3	0.12
9 Don't know	18	0.70

Frequency Missing = 30470

BAL.460_02.000: Have you fallen in the past 12
months because you blacked out or fainted?

BFWH_02	Frequency	Percent
1 Yes	499	19.51
2 No	2043	79.87
7 Refused	0	0.00
8 Not ascertained	3	0.12
9 Don't know	13	0.51

Frequency Missing = 30470

BAL.460_03.000: Have you fallen in the past 12
mos because you were playing sports/exercising?

BFWH_03	Frequency	Percent
1 Yes	152	5.94
2 No	2398	93.75
7 Refused	0	0.00
8 Not ascertained	3	0.12
9 Don't know	5	0.20

Frequency Missing = 30470

BAL.460_04.000: Have you fallen in the past 12
months because you had a problem with vision?

BFWH_04	Frequency	Percent
1 Yes	279	10.91
2 No	2257	88.23
7 Refused	0	0.00
8 Not ascertained	3	0.12
9 Don't know	19	0.74

Frequency Missing = 30470

BAL.460_05.000: Have you fallen in past 12 mos
bec you had weakness/numbness in one/both legs?

BFWH_05	Frequency	Percent
1 Yes	761	29.75
2 No	1770	69.19
7 Refused	0	0.00
8 Not ascertained	3	0.12
9 Don't know	24	0.94

Frequency Missing = 30470

BAL.460_06.000: Have you fallen in the past 12
mos bec you hadn't eaten/had low blood sugar?

BFWH_06	Frequency	Percent
1 Yes	340	13.29
2 No	2164	84.60
7 Refused	0	0.00
8 Not ascertained	4	0.16
9 Don't know	50	1.95

Frequency Missing = 30470

BAL.460_07.000: Have you fallen in the past 12
months because you drank too much alcohol?

BFWH_07	Frequency	Percent
1 Yes	60	2.35
2 No	2489	97.30
7 Refused	0	0.00
8 Not ascertained	4	0.16
9 Don't know	5	0.20

Frequency Missing = 30470

BAL.460_08.000: Have you fallen in past 12 mos bec
you had a prob using a walker/cane/other aid?

BFWH_08	Frequency	Percent
1 Yes	146	5.71
2 No	2402	93.90
7 Refused	0	0.00
8 Not ascertained	4	0.16
9 Don't know	6	0.23

Frequency Missing = 30470

BAL.460_09.000: Have you fallen in past 12 mos
because had a problem with shoes/sandals/socks?

BFWH_09	Frequency	Percent
1 Yes	255	9.97
2 No	2287	89.41
7 Refused	0	0.00
8 Not ascertained	4	0.16
9 Don't know	12	0.47

Frequency Missing = 30470

BAL.460_10.000: Have you fallen in the past
12 months because of some other reason?

BFWH_10	Frequency	Percent
1 Yes	675	26.39
2 No	1865	72.91
7 Refused	0	0.00
8 Not ascertained	5	0.20
9 Don't know	13	0.51

Frequency Missing = 30470

BAL.470_00.000: In past 12 mos # times you slipped/lost
balance and caught self without falling?

BNRFALL	Frequency	Percent
0 None	3389	44.57
1 1 time	768	10.10
2 2 times	1062	13.97
3 3 to 4 times	823	10.82
4 5 to 7 times	470	6.18
5 8 or more times	838	11.02
7 Refused	10	0.13
8 Not ascertained	99	1.30
9 Don't know	145	1.91

Frequency Missing = 25424

BAL.475_01.000: In past 12 mos have you used the
Internet to get health info on dizz/bal probs?

BINTHI	Frequency	Percent
1 Yes	1218	16.02
2 No	6274	82.51
7 Refused	8	0.11
8 Not ascertained	101	1.33
9 Don't know	3	0.04

Frequency Missing = 25424

BAL.475_02.000: In past 12 mos use Internet to research
medical/other dizz/bal prob treatments?

BINTTR	Frequency	Percent
1 Yes	972	12.78
2 No	6518	85.72
7 Refused	9	0.12
8 Not ascertained	102	1.34
9 Don't know	3	0.04

Frequency Missing = 25424

BAL.475_03.000: In past 12 mos use Internet to find
rehab/intervention progs for dizz/bal probs?

BINTRS	Frequency	Percent
1 Yes	287	3.77
2 No	7204	94.74
7 Refused	9	0.12
8 Not ascertained	103	1.35
9 Don't know	1	0.01

Frequency Missing = 25424

AWB.010_00.000: Internet use

AWEBUSE	Frequency	Percent
1 Yes	24263	73.46
2 No	7558	22.88
7 Refused	41	0.12
8 Not ascertained	1165	3.53
9 Don't know	1	0.00

AWB.020_01.000: Frequency internet use: # of units

AWEBOFNO	Frequency	Percent
001-995 1-995	24083	99.26
997 Refused	15	0.06
998 Not ascertained	4	0.02
999 Don't know	161	0.66

Frequency Missing = 8765

AWB.020_02.000: Frequency internet use: Time units

AWEBOFTP	Frequency	Percent
1 Per day	18573	76.56
2 Per week	5000	20.61
3 Per month	376	1.55
4 Per year	130	0.54
7 Refused	16	0.07
8 Not ascertained	1	0.00
9 Don't know	163	0.67

Frequency Missing = 8769

AWB.030_00.000: Email use

AWEBEML	Frequency	Percent
1 Yes	21873	66.23
2 No	9913	30.01
7 Refused	63	0.19
8 Not ascertained	1172	3.55
9 Don't know	7	0.02

AWB.050_01.000: Frequency email use: # of units

AWEBMNO	Frequency	Percent
001-995 1-995	12640	99.77
997 Refused	6	0.05
998 Not ascertained	1	0.01
999 Don't know	22	0.17

Frequency Missing = 20359

AWB.050_02.000: Frequency email use: Time units

AWEBMTP	Frequency	Percent
1 Per day	10081	79.57
2 Per week	2295	18.12
3 Per month	221	1.74
4 Per year	42	0.33
7 Refused	6	0.05
8 Not ascertained	1	0.01
9 Don't know	23	0.18

Frequency Missing = 20359