

Table P-4a. Age-adjusted percent distribution (with standard errors) of limitation in work activity due to health problems among persons aged 18-69, by selected characteristics: United States, 2014

Selected characteristic	All persons aged 18-69	Unable to work ¹	Limited in work ¹	Not limited in work ¹
Total	100.0	6.2 (0.13)	2.8 (0.08)	91.0 (0.16)
Sex				
Male	100.0	6.0 (0.18)	2.7 (0.11)	91.2 (0.21)
Female	100.0	6.3 (0.16)	2.9 (0.11)	90.7 (0.19)
Age				
18-44 years	100.0	3.2 (0.12)	1.7 (0.08)	95.1 (0.14)
45-64 years	100.0	10.6 (0.27)	4.0 (0.15)	85.3 (0.31)
65-69 years	100.0	11.6 (0.55)	7.9 (0.48)	80.5 (0.73)
Race				
One race ²	100.0	6.1 (0.13)	2.8 (0.08)	91.1 (0.16)
White	100.0	5.8 (0.15)	2.8 (0.09)	91.4 (0.18)
Black or African American	100.0	10.1 (0.35)	3.2 (0.20)	86.7 (0.40)
American Indian or Alaska Native	100.0	11.0 (1.31)	3.0 (0.76)	86.0 (1.62)
Asian	100.0	2.1 (0.22)	1.2 (0.20)	96.6 (0.31)
Native Hawaiian or Other Pacific Islander	100.0	*6.0 (2.17)	*	89.9 (3.70)
Two or more races ³	100.0	10.0 (1.11)	5.2 (0.85)	84.8 (1.36)
Black or African American, white	100.0	7.7 (2.18)	*	91.5 (2.24)
American Indian or Alaska Native, white	100.0	15.3 (2.18)	7.4 (1.88)	77.3 (2.76)
Hispanic or Latino origin ⁴ and race				
Hispanic or Latino	100.0	5.2 (0.22)	2.1 (0.14)	92.7 (0.26)
Mexican or Mexican American	100.0	4.5 (0.28)	2.0 (0.18)	93.4 (0.33)
Not Hispanic or Latino	100.0	6.4 (0.15)	3.0 (0.09)	90.6 (0.18)
White, single race	100.0	6.0 (0.17)	3.0 (0.11)	91.0 (0.22)
Black or African American, single race	100.0	10.2 (0.36)	3.3 (0.20)	86.5 (0.42)
Education ⁵				
Less than a high school diploma	100.0	14.2 (0.48)	4.4 (0.27)	81.4 (0.56)
High school diploma or GED ⁶	100.0	9.4 (0.30)	3.7 (0.18)	86.9 (0.35)
Some college	100.0	7.1 (0.24)	3.5 (0.17)	89.3 (0.29)
Bachelor's degree or higher	100.0	2.1 (0.13)	1.8 (0.11)	96.1 (0.17)

Table P-4a. Age-adjusted percent distribution (with standard errors) of limitation in work activity due to health problems among persons aged 18-69, by selected characteristics: United States, 2014

Selected characteristic	All persons aged 18-69	Unable to work ¹	Limited in work ¹	Not limited in work ¹
Family income ⁷				
Less than \$35,000	100.0	15.4 (0.33)	5.1 (0.19)	79.5 (0.40)
\$35,000 or more	100.0	3.0 (0.10)	2.1 (0.09)	94.8 (0.14)
\$35,000–\$49,999	100.0	6.1 (0.33)	3.1 (0.23)	90.8 (0.42)
\$50,000–\$74,999	100.0	3.8 (0.23)	2.7 (0.19)	93.5 (0.30)
\$75,000–\$99,999	100.0	2.6 (0.20)	2.2 (0.20)	95.3 (0.29)
\$100,000 or more	100.0	1.6 (0.12)	1.4 (0.14)	97.0 (0.18)
Poverty status ⁸				
Poor	100.0	18.6 (0.53)	5.3 (0.28)	76.1 (0.59)
Near poor	100.0	11.4 (0.37)	4.5 (0.23)	84.1 (0.44)
Not poor	100.0	3.1 (0.10)	2.1 (0.09)	94.8 (0.14)
Health insurance coverage ⁹				
Under 65:				
Private	100.0	2.2 (0.08)	1.7 (0.08)	96.2 (0.12)
Medicaid	100.0	23.4 (0.56)	6.4 (0.35)	70.2 (0.62)
Other	100.0	23.7 (1.15)	6.1 (0.80)	70.2 (1.31)
Uninsured	100.0	4.0 (0.24)	2.9 (0.21)	93.1 (0.32)
65 and over:				
Private	100.0	6.6 (0.61)	6.9 (0.65)	86.4 (0.86)
Medicare and Medicaid	100.0	37.7 (3.26)	12.2 (2.09)	50.0 (3.38)
Medicare only	100.0	12.3 (0.94)	8.4 (0.81)	79.2 (1.17)
Other	100.0	19.9 (2.20)	8.6 (1.59)	71.5 (2.54)
Uninsured	100.0	*	*	86.4 (4.91)
Place of residence ¹⁰				
Large MSA	100.0	4.9 (0.16)	2.4 (0.10)	92.6 (0.19)
Small MSA	100.0	6.9 (0.24)	3.1 (0.16)	90.0 (0.30)
Not in MSA	100.0	9.5 (0.46)	3.8 (0.23)	86.7 (0.55)
Region				
Northeast	100.0	5.6 (0.29)	2.2 (0.17)	92.1 (0.38)
Midwest	100.0	6.7 (0.30)	3.2 (0.18)	90.2 (0.36)
South	100.0	6.6 (0.23)	3.1 (0.14)	90.4 (0.28)
West	100.0	5.5 (0.22)	2.6 (0.15)	91.9 (0.28)

Table P-4a. Age-adjusted percent distribution (with standard errors) of limitation in work activity due to health problems among persons aged 18-69, by selected characteristics: United States, 2014

Selected characteristic	All persons aged 18-69	Unable to work ¹	Limited in work ¹	Not limited in work ¹
Hispanic or Latino origin ⁴ , race, and sex				
Hispanic or Latino, male	100.0	4.8 (0.28)	1.9 (0.21)	93.3 (0.34)
Hispanic or Latina, female	100.0	5.5 (0.32)	2.2 (0.19)	92.2 (0.37)
Not Hispanic or Latino:				
White, single race, male	100.0	5.9 (0.23)	3.0 (0.14)	91.2 (0.28)
White, single race, female	100.0	6.0 (0.20)	3.1 (0.16)	90.9 (0.25)
Black or African American, single race, male	100.0	10.2 (0.53)	3.1 (0.28)	86.7 (0.59)
Black or African American, single race, female	100.0	10.2 (0.46)	3.4 (0.28)	86.4 (0.52)
Hispanic or Latino origin ⁴ , race, and poverty status				
Hispanic or Latino:				
Poor	100.0	11.1 (0.71)	3.2 (0.39)	85.7 (0.83)
Near poor	100.0	5.9 (0.46)	2.3 (0.30)	91.8 (0.56)
Not poor	100.0	2.6 (0.24)	1.6 (0.19)	95.9 (0.31)
Not Hispanic or Latino:				
White, single race:				
Poor	100.0	22.1 (0.89)	6.5 (0.49)	71.4 (0.96)
Near poor	100.0	13.6 (0.57)	5.9 (0.37)	80.6 (0.69)
Not poor	100.0	3.1 (0.13)	2.2 (0.12)	94.6 (0.17)
Black or African American, single race:				
Poor	100.0	20.3 (0.92)	5.5 (0.49)	74.2 (1.02)
Near poor	100.0	14.9 (0.89)	4.1 (0.52)	81.0 (0.97)
Not poor	100.0	4.1 (0.40)	2.1 (0.26)	93.8 (0.48)

* Estimates are considered unreliable. Data preceded by an asterisk have a relative standard error (RSE) greater than 30% and less than or equal to 50% and should be used with caution. Data not shown have an RSE great than 50%.

¹Based on the questions, "Does a physical, mental, or emotional problem now keep [family members 18 years of age or older] from working at a job or business?" and for persons not kept from working, "Are [family members 18 years of age and older] limited in the kind or amount of work they can do because of a physical, mental, or emotional problem?"

²Refers to persons who indicated only a single race group, including those of Hispanic or Latino origin.

³Refers to persons who indicated more than one race group, including those of Hispanic or Latino origin. Only two combinations of multiple race groups are shown due to small sample sizes for other combinations.

⁴Refers to persons who are of Hispanic or Latino origin and may be of any race or combination of races. "Not Hispanic or Latino" refers to persons who are not of Hispanic or Latino origin, regardless of race.

⁵Shown only for persons aged 25 and over. Estimates are age adjusted using the projected 2000 U.S. population as the standard population and using three age groups: 25-44, 45-64, and 65-69.

⁶GED is General Educational Development high school equivalency diploma.

⁷Includes persons who reported a dollar amount or who would not provide a dollar amount but provided an income interval.

⁸"Poor" persons are defined as having income below the poverty threshold. "Near poor" persons have incomes of 100% to less than 200% of the poverty threshold. "Not poor" persons have incomes that are 200% of the poverty threshold or greater.

⁹Based on a hierarchy of mutually exclusive categories. Persons with more than one type of health insurance were assigned to the first appropriate category in the hierarchy. "Uninsured" includes persons who had no coverage as well as those who had only Indian Health Service coverage or had only a private plan that paid for one type of service such as accidents or dental care.

¹⁰MSA is metropolitan statistical area. Large MSAs have a population of 1 million or more; small MSAs have a population of less than 1 million. "Not in MSA" consists of persons not living in a metropolitan statistical area.

NOTES: Estimates are based on household interviews of a sample of the civilian noninstitutionalized population. This table is based on responses about persons aged 18-69 in the family. Data came from the Person file and were weighted using the Person weight. Unknowns for the columns were not included in the denominators when calculating percentages. Percentages may not add to totals due to rounding. "Total" includes other races not shown separately and persons with unknown education, family income, poverty status, and health insurance characteristics. Unless otherwise specified, estimates are age adjusted using the projected 2000 U.S. population as the standard population and using three age groups: 18-44, 45-64, and 65-69. Estimates for age groups are not age-adjusted. For more information on the data source, methods, and definitions used for this table, refer to Technical Notes for Summary Health Statistics Tables: National Health Interview Survey (available from <http://www.cdc.gov/nchs/nhis/SHS/tables.htm>). Suggested citation: Adams PF, Benson V. Tables of Summary Health Statistics for the U.S. Population: 2014 National Health Interview Survey, 2015. Available from: <http://www.cdc.gov/nchs/nhis/SHS/tables.htm>.

SOURCE: CDC/NCHS, National Health Interview Survey, 2014.

Table P-4b. Frequency distribution (number in thousands) of limitation in work activity due to health problems among persons aged 18-69, by selected characteristics: United States, 2014

Selected characteristic	All persons aged 18-69	Unable to work ¹	Limited in work ¹	Not limited in work ¹
Total	209,792	14,132	6,442	189,108
Sex				
Male	102,631	6,672	3,026	92,881
Female	107,162	7,460	3,416	96,227
Age				
18-44 years	112,146	3,599	1,929	106,580
45-64 years	82,604	8,791	3,329	70,429
65-69 years	15,042	1,743	1,185	12,099
Race				
One race ²	206,454	13,832	6,281	186,246
White	164,828	10,531	5,167	149,049
Black or African American	26,923	2,793	889	23,233
American Indian or Alaska Native	1,923	220	58	1,640
Asian	12,476	270	154	12,052
Native Hawaiian or Other Pacific Islander	304	*18	*	273
Two or more races ³	3,338	301	162	2,862
Black or African American, white	754	40	*	705
American Indian or Alaska Native, white	1,300	202	100	992
Hispanic or Latino origin ⁴ and race				
Hispanic or Latino	34,297	1,610	640	32,029
Mexican or Mexican American	21,466	848	369	20,240
Not Hispanic or Latino	175,495	12,522	5,803	157,079
White, single race	133,875	9,112	4,609	120,087
Black or African American, single race	25,461	2,699	858	21,897
Education ⁵				
Less than a high school diploma	21,224	3,296	1,023	16,900
High school diploma or GED ⁶	45,123	4,612	1,828	38,649
Some college	50,966	3,923	1,944	45,072
Bachelor's degree or higher	59,021	1,378	1,116	56,510

Table P-4b. Frequency distribution (number in thousands) of limitation in work activity due to health problems among persons aged 18-69, by selected characteristics: United States, 2014

Selected characteristic	All persons aged 18-69	Unable to work ¹	Limited in work ¹	Not limited in work ¹
Family income ⁷				
Less than \$35,000	53,692	8,450	2,855	42,354
\$35,000 or more	125,760	4,180	2,911	118,664
\$35,000–\$49,999	22,425	1,399	730	20,295
\$50,000–\$74,999	30,154	1,252	901	27,999
\$75,000–\$99,999	23,729	671	553	22,502
\$100,000 or more	49,453	857	728	47,868
Poverty status ⁸				
Poor	26,802	4,600	1,331	20,852
Near poor	34,967	3,994	1,616	29,344
Not poor	129,610	4,586	3,042	121,958
Health insurance coverage ⁹				
Under 65:				
Private	129,633	3,153	2,362	124,071
Medicaid	22,740	5,226	1,441	16,048
Other	8,497	2,721	582	5,180
Uninsured	31,333	1,151	834	29,345
65 and over:				
Private	7,576	501	526	6,540
Medicare and Medicaid	920	347	113	461
Medicare only	4,903	605	414	3,879
Other	1,377	273	119	985
Uninsured	193	*	*	167
Place of residence ¹⁰				
Large MSA	115,856	6,111	2,994	106,677
Small MSA	64,322	4,827	2,150	57,318
Not in MSA	29,614	3,195	1,298	25,113
Region				
Northeast	36,422	2,297	894	33,194
Midwest	47,316	3,435	1,604	42,248
South	78,438	5,657	2,622	70,132
West	47,617	2,743	1,322	43,535

Table P-4b. Frequency distribution (number in thousands) of limitation in work activity due to health problems among persons aged 18-69, by selected characteristics: United States, 2014

Selected characteristic	All persons aged 18-69	Unable to work ¹	Limited in work ¹	Not limited in work ¹
Hispanic or Latino origin ⁴ , race, and sex				
Hispanic or Latino, male	17,359	743	297	16,311
Hispanic or Latina, female	16,938	867	342	15,718
Not Hispanic or Latino:				
White, single race, male	65,961	4,386	2,212	59,330
White, single race, female	67,914	4,726	2,397	60,758
Black or African American, single race, male	11,620	1,219	367	10,029
Black or African American, single race, female	13,841	1,480	491	11,867
Hispanic or Latino origin ⁴ , race, and poverty status				
Hispanic or Latino:				
Poor	7,203	650	191	6,359
Near poor	9,613	486	187	8,941
Not poor	14,639	368	215	14,055
Not Hispanic or Latino:				
White, single race:				
Poor	11,768	2,579	761	8,412
Near poor	17,273	2,497	1,105	13,661
Not poor	93,516	3,451	2,437	87,610
Black or African American, single race:				
Poor	5,797	1,107	303	4,386
Near poor	5,705	849	234	4,618
Not poor	11,299	511	255	10,534

* Estimates are considered unreliable. Data preceded by an asterisk have a relative standard error (RSE) greater than 30% and less than or equal to 50% and should be used with caution. Data not shown have an RSE greater than 50%.

¹Based on the questions, "Does a physical, mental, or emotional problem now keep [family members 18 years of age or older] from working at a job or business?" and for persons not kept from working, "Are [family members 18 years of age and older] limited in the kind or amount of work they can do because of a physical, mental, or emotional problem?"

²Refers to persons who indicated only a single race group, including those of Hispanic or Latino origin.

³Refers to persons who indicated more than one race group, including those of Hispanic or Latino origin. Only two combinations of multiple race groups are shown due to small sample sizes for other combinations.

⁴Refers to persons who are of Hispanic or Latino origin and may be of any race or combination of races. "Not Hispanic or Latino" refers to persons who are not of Hispanic or Latino origin, regardless of race.

⁵Shown only for persons aged 25 and over.

⁶GED is General Educational Development high school equivalency diploma.

⁷Includes persons who reported a dollar amount or who would not provide a dollar amount but provided an income interval.

⁸"Poor" persons are defined as having income below the poverty threshold. "Near poor" persons have incomes of 100% to less than 200% of the poverty threshold. "Not poor" persons have incomes that are 200% of the poverty threshold or greater.

⁹Based on a hierarchy of mutually exclusive categories. Persons with more than one type of health insurance were assigned to the first appropriate category in the hierarchy. "Uninsured" includes persons who had no coverage as well as those who had only Indian Health Service coverage or had only a private plan that paid for one type of service such as accidents or dental care.

¹⁰MSA is metropolitan statistical area. Large MSAs have a population of 1 million or more; small MSAs have a population of less than 1 million. "Not in MSA" consists of persons not living in a metropolitan statistical area.

NOTES: Estimates are based on household interviews of a sample of the civilian noninstitutionalized population. This table is based on responses about persons aged 18-69 in the family. Data came from the Person file and were weighted using the Person weight. Unknowns for the columns were not included in the frequencies, but they were included in the "All persons aged 18-69" column. "Total" includes other races not shown separately and persons with unknown education, family income, poverty status, and health insurance characteristics. For more information on the data source, methods, and definitions used for this table, refer to Technical Notes for Summary Health Statistics Tables: National Health Interview Survey (available from <http://www.cdc.gov/nchs/nhis/SHS/tables.htm>).

Suggested citation: Adams PF, Benson V. Tables of Summary Health Statistics for the U.S. Population: 2014 National Health Interview Survey. 2015. Available from: <http://www.cdc.gov/nchs/nhis/SHS/tables.htm>.

SOURCE: CDC/NCHS, National Health Interview Survey, 2014.

Table P-4c. Crude percent distribution (with standard errors) of limitation in work activity due to health problems among persons aged 18-69, by selected characteristics: United States, 2014

Selected characteristic	All persons aged 18-69	Unable to work ¹	Limited in work ¹	Not limited in work ¹
Total	100.0	6.7 (0.15)	3.1 (0.09)	90.2 (0.18)
Sex				
Male	100.0	6.5 (0.19)	2.9 (0.12)	90.5 (0.22)
Female	100.0	7.0 (0.17)	3.2 (0.12)	89.8 (0.21)
Age				
18-44 years	100.0	3.2 (0.12)	1.7 (0.08)	95.1 (0.14)
45-64 years	100.0	10.6 (0.27)	4.0 (0.15)	85.3 (0.31)
65-69 years	100.0	11.6 (0.55)	7.9 (0.48)	80.5 (0.73)
Race				
One race ²	100.0	6.7 (0.14)	3.0 (0.09)	90.3 (0.18)
White	100.0	6.4 (0.16)	3.1 (0.10)	90.5 (0.21)
Black or African American	100.0	10.4 (0.37)	3.3 (0.20)	86.3 (0.43)
American Indian or Alaska Native	100.0	11.5 (1.44)	3.0 (0.74)	85.5 (1.77)
Asian	100.0	2.2 (0.23)	1.2 (0.21)	96.6 (0.32)
Native Hawaiian or Other Pacific Islander	100.0	*6.0 (2.26)	*	89.8 (4.08)
Two or more races ³	100.0	9.0 (1.03)	4.9 (0.84)	86.1 (1.29)
Black or African American, white	100.0	5.3 (1.37)	*	93.4 (1.56)
American Indian or Alaska Native, white	100.0	15.6 (2.21)	7.7 (1.86)	76.7 (2.76)
Hispanic or Latino origin ⁴ and race				
Hispanic or Latino	100.0	4.7 (0.21)	1.9 (0.13)	93.4 (0.25)
Mexican or Mexican American	100.0	4.0 (0.25)	1.7 (0.15)	94.3 (0.29)
Not Hispanic or Latino	100.0	7.1 (0.17)	3.3 (0.10)	89.6 (0.20)
White, single race	100.0	6.8 (0.19)	3.4 (0.12)	89.7 (0.24)
Black or African American, single race	100.0	10.6 (0.39)	3.4 (0.21)	86.0 (0.44)
Education ⁵				
Less than a high school diploma	100.0	15.5 (0.55)	4.8 (0.30)	79.6 (0.63)
High school diploma or GED ⁶	100.0	10.2 (0.32)	4.1 (0.19)	85.7 (0.37)
Some college	100.0	7.7 (0.27)	3.8 (0.19)	88.5 (0.32)
Bachelor's degree or higher	100.0	2.3 (0.14)	1.9 (0.12)	95.8 (0.19)

Table P-4c. Crude percent distribution (with standard errors) of limitation in work activity due to health problems among persons aged 18-69, by selected characteristics: United States, 2014

Selected characteristic	All persons aged 18-69	Unable to work ¹	Limited in work ¹	Not limited in work ¹
Family income ⁷				
Less than \$35,000	100.0	15.7 (0.39)	5.3 (0.20)	78.9 (0.47)
\$35,000 or more	100.0	3.3 (0.11)	2.3 (0.10)	94.4 (0.15)
\$35,000–\$49,999	100.0	6.2 (0.35)	3.3 (0.24)	90.5 (0.44)
\$50,000–\$74,999	100.0	4.2 (0.25)	3.0 (0.22)	92.9 (0.34)
\$75,000–\$99,999	100.0	2.8 (0.22)	2.3 (0.22)	94.8 (0.33)
\$100,000 or more	100.0	1.7 (0.13)	1.5 (0.14)	96.8 (0.19)
Poverty status ⁸				
Poor	100.0	17.2 (0.58)	5.0 (0.27)	77.9 (0.66)
Near poor	100.0	11.4 (0.40)	4.6 (0.24)	83.9 (0.49)
Not poor	100.0	3.5 (0.12)	2.3 (0.10)	94.1 (0.15)
Health insurance coverage ⁹				
Under 65:				
Private	100.0	2.4 (0.09)	1.8 (0.08)	95.7 (0.13)
Medicaid	100.0	23.0 (0.59)	6.3 (0.35)	70.7 (0.67)
Other	100.0	32.1 (1.42)	6.9 (0.64)	61.1 (1.49)
Uninsured	100.0	3.7 (0.23)	2.7 (0.19)	93.7 (0.30)
65 and over:				
Private	100.0	6.6 (0.61)	6.9 (0.65)	86.4 (0.86)
Medicare and Medicaid	100.0	37.7 (3.26)	12.2 (2.09)	50.0 (3.38)
Medicare only	100.0	12.3 (0.94)	8.4 (0.81)	79.2 (1.17)
Other	100.0	19.9 (2.20)	8.6 (1.59)	71.5 (2.54)
Uninsured	100.0	*	*	86.4 (4.91)
Place of residence ¹⁰				
Large MSA	100.0	5.3 (0.17)	2.6 (0.11)	92.1 (0.21)
Small MSA	100.0	7.5 (0.26)	3.3 (0.17)	89.1 (0.33)
Not in MSA	100.0	10.8 (0.51)	4.4 (0.26)	84.8 (0.62)
Region				
Northeast	100.0	6.3 (0.32)	2.5 (0.19)	91.2 (0.40)
Midwest	100.0	7.3 (0.34)	3.4 (0.19)	89.3 (0.40)
South	100.0	7.2 (0.26)	3.3 (0.15)	89.4 (0.32)
West	100.0	5.8 (0.24)	2.8 (0.16)	91.5 (0.30)

Table P-4c. Crude percent distribution (with standard errors) of limitation in work activity due to health problems among persons aged 18-69, by selected characteristics: United States, 2014

Selected characteristic	All persons aged 18-69	Unable to work ¹	Limited in work ¹	Not limited in work ¹
Hispanic or Latino origin ⁴ , race, and sex				
Hispanic or Latino, male	100.0	4.3 (0.26)	1.7 (0.18)	94.0 (0.30)
Hispanic or Latina, female	100.0	5.1 (0.30)	2.0 (0.18)	92.9 (0.35)
Not Hispanic or Latino:				
White, single race, male	100.0	6.7 (0.25)	3.4 (0.16)	90.0 (0.31)
White, single race, female	100.0	7.0 (0.23)	3.5 (0.17)	89.5 (0.28)
Black or African American, single race, male	100.0	10.5 (0.56)	3.2 (0.28)	86.3 (0.63)
Black or African American, single race, female	100.0	10.7 (0.49)	3.5 (0.29)	85.8 (0.56)
Hispanic or Latino origin ⁴ , race, and poverty status				
Hispanic or Latino:				
Poor	100.0	9.0 (0.62)	2.6 (0.33)	88.3 (0.74)
Near poor	100.0	5.1 (0.40)	1.9 (0.25)	93.0 (0.49)
Not poor	100.0	2.5 (0.24)	1.5 (0.17)	96.0 (0.30)
Not Hispanic or Latino:				
White, single race:				
Poor	100.0	21.9 (1.02)	6.5 (0.50)	71.6 (1.13)
Near poor	100.0	14.5 (0.65)	6.4 (0.40)	79.1 (0.81)
Not poor	100.0	3.7 (0.15)	2.6 (0.13)	93.7 (0.19)
Black or African American, single race:				
Poor	100.0	19.1 (0.96)	5.2 (0.48)	75.7 (1.10)
Near poor	100.0	14.9 (0.94)	4.1 (0.52)	81.0 (1.05)
Not poor	100.0	4.5 (0.43)	2.3 (0.26)	93.2 (0.51)

* Estimates are considered unreliable. Data preceded by an asterisk have a relative standard error (RSE) greater than 30% and less than or equal to 50% and should be used with caution. Data not shown have an RSE greater than 50%.

¹Based on the questions, "Does a physical, mental, or emotional problem now keep [family members 18 years of age or older] from working at a job or business?" and for persons not kept from working, "Are [family members 18 years of age and older] limited in the kind or amount of work they can do because of a physical, mental, or emotional problem?"

²Refers to persons who indicated only a single race group, including those of Hispanic or Latino origin.

³Refers to persons who indicated more than one race group, including those of Hispanic or Latino origin. Only two combinations of multiple race groups are shown due to small sample sizes for other combinations.

⁴Refers to persons who are of Hispanic or Latino origin and may be of any race or combination of races. "Not Hispanic or Latino" refers to persons who are not of Hispanic or Latino origin, regardless of race.

⁵Shown only for persons aged 25 and over.

⁶GED is General Educational Development high school equivalency diploma.

⁷Includes persons who reported a dollar amount or who would not provide a dollar amount but provided an income interval.

⁸"Poor" persons are defined as having income below the poverty threshold. "Near poor" persons have incomes of 100% to less than 200% of the poverty threshold. "Not poor" persons have incomes that are 200% of the poverty threshold or greater.

⁹Based on a hierarchy of mutually exclusive categories. Persons with more than one type of health insurance were assigned to the first appropriate category in the hierarchy. "Uninsured" includes persons who had no coverage as well as those who had only Indian Health Service coverage or had only a private plan that paid for one type of service such as accidents or dental care.

¹⁰MSA is metropolitan statistical area. Large MSAs have a population of 1 million or more; small MSAs have a population of less than 1 million. "Not in MSA" consists of persons not living in a metropolitan statistical area.

NOTES: Estimates are based on household interviews of a sample of the civilian noninstitutionalized population. This table is based on responses about persons aged 18-69 in the family. Data came from the Person file and were weighted using the Person weight. Unknowns for the columns were not included in the denominators when calculating percentages. Percentages may not add to totals due to rounding. "Total" includes other races not shown separately and persons with unknown education, family income, poverty status, and health insurance characteristics. For more information on the data source, methods, and definitions used for this table, refer to Technical Notes for Summary Health Statistics Tables: National Health Interview Survey (available from <http://www.cdc.gov/nchs/nhis/SHS/tables.htm>). Suggested citation: Adams PF, Benson V. Tables of Summary Health Statistics for the U.S. Population: 2014 National Health Interview Survey. 2015. Available from: <http://www.cdc.gov/nchs/nhis/SHS/tables.htm>.

SOURCE: CDC/NCHS, National Health Interview Survey, 2014.