

Table A-16a. Age-adjusted percent distributions (with standard errors) of having a usual place of health care and of type of place, among adults aged 18 and over, by selected characteristics: United States, 2016

Selected characteristic	All adults aged 18 and over	Does not have a usual place of health care ¹	Has a usual place of health care ¹	All adults aged 18 and over with a usual place of health care	Doctor's office or HMO ¹	Clinic or health center ¹	Hospital emergency room ¹	Hospital outpatient department ¹	Some other place ¹	
Total	100.0	13.9 (0.30)	86.1 (0.30)	100.0	72.9 (0.53)	23.8 (0.51)	1.1 (0.11)	1.1 (0.10)	1.0 (0.08)	
Sex										
Male	100.0	17.6 (0.48)	82.4 (0.48)	100.0	71.8 (0.69)	24.3 (0.66)	1.4 (0.18)	1.4 (0.15)	1.1 (0.12)	
Female	100.0	10.3 (0.34)	89.7 (0.34)	100.0	73.8 (0.61)	23.5 (0.59)	0.9 (0.13)	1.0 (0.12)	0.9 (0.11)	
Age (years)										
18–44	100.0	20.2 (0.51)	79.8 (0.51)	100.0	68.3 (0.73)	27.7 (0.70)	1.5 (0.19)	1.2 (0.16)	1.3 (0.14)	
45–64	100.0	8.7 (0.35)	91.3 (0.35)	100.0	76.8 (0.68)	20.7 (0.66)	0.8 (0.12)	1.0 (0.13)	0.7 (0.09)	
65–74	100.0	4.0 (0.37)	96.0 (0.37)	100.0	79.2 (0.84)	18.1 (0.78)	0.6 (0.14)	1.4 (0.22)	0.7 (0.17)	
75 and over	100.0	2.8 (0.34)	97.2 (0.34)	100.0	81.7 (0.93)	16.6 (0.91)	0.2 (0.07)	0.8 (0.18)	0.7 (0.15)	
Race										
One race ²	100.0	13.8 (0.30)	86.2 (0.30)	100.0	73.0 (0.53)	23.9 (0.52)	1.1 (0.11)	1.1 (0.09)	1.0 (0.08)	
White	100.0	13.9 (0.34)	86.1 (0.34)	100.0	73.3 (0.60)	24.0 (0.59)	0.8 (0.11)	0.9 (0.10)	1.0 (0.09)	
Black or African American	100.0	12.8 (0.84)	87.2 (0.84)	100.0	71.1 (1.18)	22.7 (1.07)	3.1 (0.45)	2.1 (0.31)	1.0 (0.24)	
American Indian or Alaska Native	100.0	11.0 (2.01)	89.0 (2.01)	100.0	36.4 (4.35)	58.0 (4.60)	0.9 (0.50)	*	1.4 (0.66)	
Asian	100.0	14.6 (1.18)	85.4 (1.18)	100.0	77.9 (1.51)	19.7 (1.44)	0.5 (0.26)	1.0 (0.39)	0.9 (0.27)	
Native Hawaiian or Other Pacific Islander	100.0	14.4 (4.18)	85.6 (4.18)	100.0	*	36.6 (7.16)	*	*	*	
Two or more races ³	100.0	19.9 (2.18)	80.1 (2.18)	100.0	67.0 (2.43)	25.4 (2.27)	2.8 (0.98)	3.3 (1.05)	1.6 (0.62)	
Black or African American, white	100.0	25.7 (6.29)	74.3 (6.29)	100.0	*	*	*	*	*	
American Indian or Alaska Native, white	100.0	19.6 (3.44)	80.4 (3.44)	100.0	68.0 (4.28)	26.0 (3.88)	*	2.0 (0.97)	0.9 (0.68)	
Hispanic or Latino origin ⁴ and race										
Hispanic or Latino	100.0	19.1 (0.81)	80.9 (0.81)	100.0	61.0 (1.38)	35.4 (1.38)	1.3 (0.29)	1.7 (0.33)	0.6 (0.20)	
Mexican or Mexican American	100.0	20.6 (1.11)	79.4 (1.11)	100.0	58.7 (1.84)	38.0 (1.89)	1.2 (0.38)	1.5 (0.41)	0.7 (0.31)	
Not Hispanic or Latino	100.0	12.7 (0.32)	87.3 (0.32)	100.0	75.1 (0.52)	21.7 (0.50)	1.1 (0.12)	1.1 (0.10)	1.1 (0.09)	
White, single race	100.0	12.5 (0.35)	87.5 (0.35)	100.0	76.0 (0.60)	21.5 (0.58)	0.6 (0.11)	0.8 (0.09)	1.0 (0.10)	
Black or African American, single race	100.0	12.6 (0.85)	87.4 (0.85)	100.0	71.7 (1.19)	22.0 (1.06)	3.2 (0.47)	2.0 (0.32)	1.1 (0.25)	

Table A-16a. Age-adjusted percent distributions (with standard errors) of having a usual place of health care and of type of place, among adults aged 18 and over, by selected characteristics: United States, 2016

Selected characteristic	All adults aged 18 and over	Does not have a usual place of health care ¹	Has a usual place of health care ¹	All adults aged 18 and over with a usual place of health care	Doctor's office or HMO ¹	Clinic or health center ¹	Hospital emergency room ¹	Hospital outpatient department ¹	Some other place ¹
Education⁵									
Less than a high school diploma	100.0	20.1 (1.09)	79.9 (1.09)	100.0	54.0 (1.60)	40.7 (1.62)	2.9 (0.42)	1.7 (0.33)	0.7 (0.23)
High school diploma or GED ⁶	100.0	14.9 (0.66)	85.1 (0.66)	100.0	70.2 (0.96)	25.9 (0.94)	1.7 (0.32)	1.5 (0.23)	0.8 (0.15)
Some college	100.0	11.4 (0.46)	88.6 (0.46)	100.0	74.2 (0.78)	22.7 (0.73)	0.9 (0.18)	1.2 (0.17)	1.0 (0.14)
Bachelor's degree or higher	100.0	9.8 (0.42)	90.2 (0.42)	100.0	82.2 (0.59)	16.1 (0.57)	0.3 (0.09)	0.6 (0.10)	0.8 (0.11)
Current employment status⁷									
Employed	100.0	14.1 (0.38)	85.9 (0.38)	100.0	74.8 (0.61)	22.3 (0.58)	0.9 (0.14)	0.9 (0.11)	1.1 (0.12)
Full-time	100.0	14.4 (0.42)	85.6 (0.42)	100.0	74.5 (0.79)	22.4 (0.76)	1.1 (0.24)	0.7 (0.09)	1.4 (0.22)
Part-time	100.0	12.6 (0.79)	87.4 (0.79)	100.0	73.6 (1.19)	23.5 (1.12)	0.9 (0.26)	1.2 (0.34)	0.8 (0.17)
Not employed but has worked previously	100.0	13.1 (0.63)	86.9 (0.63)	100.0	69.0 (0.95)	26.7 (0.93)	1.6 (0.25)	1.8 (0.25)	0.9 (0.14)
Not employed and has never worked	100.0	16.3 (1.44)	83.7 (1.44)	100.0	65.7 (2.00)	29.3 (1.92)	2.0 (0.63)	1.7 (0.55)	1.2 (0.41)
Family income⁸									
Less than \$35,000	100.0	19.1 (0.59)	80.9 (0.59)	100.0	60.1 (0.87)	34.1 (0.84)	2.4 (0.26)	1.8 (0.23)	1.5 (0.20)
\$35,000 or more	100.0	11.6 (0.35)	88.4 (0.35)	100.0	77.5 (0.59)	20.2 (0.57)	0.6 (0.10)	0.9 (0.10)	0.8 (0.09)
\$35,000–\$49,999	100.0	17.7 (0.93)	82.3 (0.93)	100.0	66.5 (1.35)	28.9 (1.32)	1.4 (0.39)	1.9 (0.38)	1.3 (0.28)
\$50,000–\$74,999	100.0	13.7 (0.70)	86.3 (0.70)	100.0	74.5 (0.97)	22.7 (0.95)	0.9 (0.30)	1.0 (0.22)	0.9 (0.16)
\$75,000–\$99,999	100.0	10.1 (0.72)	89.9 (0.72)	100.0	76.9 (1.12)	21.2 (1.09)	0.5 (0.21)	0.6 (0.17)	0.8 (0.24)
\$100,000 or more	100.0	8.4 (0.51)	91.6 (0.51)	100.0	83.4 (0.74)	15.2 (0.71)	0.2 (0.07)	0.6 (0.13)	0.6 (0.13)
Poverty status⁹									
Poor	100.0	19.1 (0.82)	80.9 (0.82)	100.0	56.0 (1.21)	37.3 (1.20)	3.1 (0.41)	2.2 (0.35)	1.4 (0.24)
Near poor	100.0	19.0 (0.80)	81.0 (0.80)	100.0	60.9 (1.10)	34.0 (1.09)	2.1 (0.34)	1.9 (0.32)	1.2 (0.25)
Not poor	100.0	11.4 (0.35)	88.6 (0.35)	100.0	78.5 (0.54)	19.3 (0.53)	0.5 (0.09)	0.8 (0.09)	0.9 (0.09)

Table A-16a. Age-adjusted percent distributions (with standard errors) of having a usual place of health care and of type of place, among adults aged 18 and over, by selected characteristics: United States, 2016

Selected characteristic	All adults aged 18 and over	Does not have a usual place of health care ¹	Has a usual place of health care ¹	All adults aged 18 and over with a usual place of health care	Doctor's office or HMO ¹	Clinic or health center ¹	Hospital emergency room ¹	Hospital outpatient department ¹	Some other place ¹
Health insurance coverage ¹⁰									
Under 65:									
Private	100.0	12.0 (0.38)	88.0 (0.38)	100.0	77.7 (0.56)	20.2 (0.55)	0.6 (0.11)	0.6 (0.10)	0.9 (0.10)
Medicaid	100.0	11.2 (0.78)	88.8 (0.78)	100.0	60.3 (1.41)	34.5 (1.39)	2.6 (0.39)	1.8 (0.34)	0.9 (0.26)
Other coverage	100.0	9.7 (1.69)	90.3 (1.69)	100.0	53.4 (2.66)	36.7 (2.50)	2.5 (0.90)	5.6 (1.22)	1.7 (0.49)
Uninsured	100.0	46.1 (1.25)	53.9 (1.25)	100.0	41.8 (1.90)	48.1 (2.00)	4.9 (0.77)	2.5 (0.52)	2.7 (0.47)
65 and over:									
Private	100.0	2.2 (0.30)	97.8 (0.30)	100.0	82.6 (0.88)	15.5 (0.83)	0.5 (0.14)	0.9 (0.19)	0.5 (0.15)
Medicare and Medicaid	100.0	4.3 (0.93)	95.7 (0.93)	100.0	71.0 (2.42)	25.9 (2.33)	0.9 (0.30)	1.9 (0.79)	0.3 (0.23)
Medicare Advantage	100.0	1.6 (0.30)	98.4 (0.30)	100.0	85.9 (1.00)	13.4 (0.98)	0.1 (0.09)	0.1 (0.06)	0.4 (0.21)
Medicare only	100.0	7.2 (0.91)	92.8 (0.91)	100.0	79.2 (1.50)	17.9 (1.42)	0.4 (0.23)	1.4 (0.47)	1.1 (0.30)
Other coverage	100.0	3.5 (0.91)	96.5 (0.91)	100.0	63.4 (2.35)	29.4 (2.26)	0.6 (0.33)	4.0 (0.82)	2.5 (0.71)
Uninsured	100.0	26.8 (7.05)	73.2 (7.05)	100.0	*	*	*	*	*
Marital status									
Married	100.0	11.6 (0.42)	88.4 (0.42)	100.0	75.9 (0.67)	22.1 (0.65)	0.5 (0.08)	0.9 (0.12)	0.7 (0.10)
Widowed	100.0	8.6 (2.60)	91.4 (2.60)	100.0	71.7 (4.68)	21.0 (4.11)	0.5 (0.31)	1.9 (0.96)	*
Divorced or separated	100.0	16.0 (1.02)	84.0 (1.02)	100.0	70.1 (1.18)	25.5 (1.10)	1.6 (0.50)	1.9 (0.35)	1.0 (0.19)
Never married	100.0	16.1 (0.60)	83.9 (0.60)	100.0	69.1 (0.91)	26.4 (0.86)	1.9 (0.26)	1.3 (0.21)	1.4 (0.21)
Living with a partner	100.0	19.4 (1.05)	80.6 (1.05)	100.0	67.4 (1.52)	27.2 (1.42)	2.5 (0.64)	1.7 (0.44)	1.3 (0.31)
Place of residence ¹¹									
Large MSA	100.0	14.1 (0.41)	85.9 (0.41)	100.0	77.7 (0.62)	19.2 (0.59)	1.0 (0.15)	1.2 (0.14)	1.0 (0.12)
Small MSA	100.0	13.6 (0.55)	86.4 (0.55)	100.0	71.1 (1.17)	25.4 (1.14)	1.3 (0.21)	1.1 (0.15)	1.1 (0.13)
Not in MSA	100.0	13.5 (0.76)	86.5 (0.76)	100.0	57.3 (2.19)	39.8 (2.21)	1.1 (0.27)	0.9 (0.18)	0.8 (0.15)
Region									
Northeast	100.0	9.7 (0.72)	90.3 (0.72)	100.0	83.2 (0.91)	13.2 (0.84)	0.8 (0.24)	1.6 (0.29)	1.1 (0.18)
Midwest	100.0	12.9 (0.55)	87.1 (0.55)	100.0	64.4 (1.22)	32.7 (1.24)	0.9 (0.21)	1.0 (0.17)	1.0 (0.16)
South	100.0	16.1 (0.52)	83.9 (0.52)	100.0	75.6 (0.85)	20.6 (0.78)	1.7 (0.24)	1.0 (0.13)	1.1 (0.14)
West	100.0	14.6 (0.64)	85.4 (0.64)	100.0	68.6 (1.16)	28.6 (1.15)	0.8 (0.17)	1.1 (0.22)	0.9 (0.17)

Table A-16a. Age-adjusted percent distributions (with standard errors) of having a usual place of health care and of type of place, among adults aged 18 and over, by selected characteristics: United States, 2016

Selected characteristic	All adults aged 18 and over	Does not have a usual place of health care ¹	Has a usual place of health care ¹	All adults aged 18 and over with a usual place of health care	Doctor's office or HMO ¹	Clinic or health center ¹	Hospital emergency room ¹	Hospital outpatient department ¹	Some other place ¹
Hispanic or Latino origin ⁴ , race, and sex									
Hispanic or Latino, male	100.0	23.1 (1.22)	76.9 (1.22)	100.0	61.6 (1.94)	34.5 (1.96)	1.5 (0.43)	1.8 (0.51)	0.7 (0.19)
Hispanic or Latina, female	100.0	14.9 (1.01)	85.1 (1.01)	100.0	60.5 (1.64)	36.3 (1.63)	1.1 (0.40)	1.6 (0.42)	0.6 (0.34)
Not Hispanic or Latino:									
White, single race, male	100.0	15.8 (0.56)	84.2 (0.56)	100.0	74.9 (0.74)	22.2 (0.72)	0.9 (0.16)	0.9 (0.12)	1.1 (0.15)
White, single race, female	100.0	9.2 (0.41)	90.8 (0.41)	100.0	77.0 (0.74)	20.8 (0.71)	0.4 (0.12)	0.7 (0.14)	1.0 (0.13)
Black or African American, single race, male	100.0	18.0 (1.57)	82.0 (1.57)	100.0	69.8 (1.97)	21.3 (1.66)	4.3 (0.92)	3.2 (0.62)	1.5 (0.47)
Black or African American, single race, female	100.0	8.1 (0.76)	91.9 (0.76)	100.0	73.2 (1.35)	22.3 (1.24)	2.5 (0.47)	1.2 (0.29)	0.8 (0.27)

* Estimate is considered unreliable, as specified in National Center for Health Statistics Data Presentation Standards for Proportions (available from: https://www.cdc.gov/nchs/data/series/sr_02/sr02_175.pdf), and is not shown.

** Complement of the estimate is considered unreliable, as specified in National Center for Health Statistics Data Presentation Standards for Proportions (available from: https://www.cdc.gov/nchs/data/series/sr_02/sr02_175.pdf).

- Quantity zero.

¹Based on a survey question that asked respondents, "Is there a place that you usually go to when you are sick or need advice about your health?" and if there was at least one such place, a follow-up question was asked: "What kind of place [is it/do you go to most often] -- a clinic, a doctor's office, an emergency room, or some other place?" The response categories for this second question were: "clinic or health center," "doctor's office or HMO," "hospital emergency room," "hospital outpatient department," "some other place," and "doesn't go to one place most often." For this table, persons who report that they do not know the kind of place, do not go to one place most often, or refuse to answer the follow-up question are defined as having an unknown usual place of care and are not shown. Persons who report the emergency department as their usual place of care are defined as having a usual place of care. Readers should be aware that estimates in this table may differ from tabular results in both NCHS' Health United States and the National Health Interview Survey Early Release reports because in those reports persons who identify the emergency department as their usual place of care are defined as having no usual place of care. Note that in this table, data for hospital emergency room and hospital outpatient department are shown in separate categories; Adult Summary Health Statistics tables for 2013 and earlier combined these into a single category.

HMO is health maintenance organization.

²Refers to persons who indicated only a single race group, including those of Hispanic or Latino origin.

³Refers to persons who indicated more than one race group, including those of Hispanic or Latino origin. Only two combinations of multiple race groups are shown due to small sample sizes for other combinations.

⁴Refers to persons who are of Hispanic or Latino origin and may be of any race or combination of races. "Not Hispanic or Latino" refers to persons who are not of Hispanic or Latino origin, regardless of race.

⁵Shown only for adults aged 25 and over. Estimates are age adjusted to the projected 2000 U.S. population as the standard population using four age groups: 25-44, 45-64, 65-74, and 75 and over.

⁶GED is General Educational Development high school equivalency diploma.

⁷"Full-time" employment is 35 or more hours per week. "Part-time" employment is 34 or fewer hours per week.

⁸Includes persons in families that reported either a dollar amount or would not provide a dollar amount but provided an income interval.

⁹"Poor" persons live in families defined as below the poverty threshold. "Near poor" persons live in families with incomes of 100% to less than 200% of the poverty threshold. "Not poor" persons live in families with incomes that are 200% of the poverty threshold or greater.

¹⁰Based on a hierarchy of mutually exclusive categories. Adults with more than one type of health insurance were assigned to the first appropriate category in the hierarchy. "Uninsured" includes adults who had no coverage as well as those who had only Indian Health Service coverage or had only a private plan that paid for one type of service such as accidents or dental care.

¹¹MSA is metropolitan statistical area. Large MSAs have a population size of 1 million or more; small MSAs have a population size of less than 1 million. "Not in MSA" consists of persons not living in a metropolitan statistical area.

NOTES: Estimates are based on household interviews of a sample of the civilian noninstitutionalized population. This table is based on data from the Sample Adult file and was weighted using the Sample Adult weight. Unknowns for the columns were not included in the denominators when calculating percentages. Percentages may not add to totals due to rounding. "Total" includes other races not shown separately and persons with unknown education, family income, poverty status, and health insurance characteristics. Unless otherwise specified, estimates are age-adjusted using the projected 2000 U.S. population as the standard population and using four age groups: 18-44, 45-64, 65-74, and 75 and over. Estimates for age groups are not age-adjusted. For more information on the data source, methods, and definitions used for this table, refer to Technical Notes for Summary Health Statistics Tables: National Health Interview Survey (available from <http://www.cdc.gov/nchs/nhis/SHS/tables.htm>). Suggested citation: Blackwell DL, Villarreal MA. Tables of Summary Health Statistics for U.S. Adults: 2016 National Health Interview Survey. National Center for Health Statistics. 2018 Available from: <http://www.cdc.gov/nchs/nhis/SHS/tables.htm>.

SOURCE: NCHS, National Health Interview Survey, 2016.

Table A-16b. Frequency distributions (in thousands) of having a usual place of health care and of type of place, among adults aged 18 and over, by selected characteristics: United States, 2016

Selected characteristic	All adults aged 18 and over	Does not have usual place of health care ¹	Has usual place of health care ¹	Doctor's office or HMO ¹	Clinic or health center ¹	Hospital emergency room ¹	Hospital outpatient department ¹	Some other place ¹
Total	245,142	31,610	211,601	155,368	48,245	2,172	2,383	1,989
Sex								
Male	118,223	19,612	97,620	70,243	22,746	1,256	1,340	1,004
Female	126,920	11,997	113,981	85,125	25,500	916	1,042	985
Age (years)								
18–44	113,401	22,677	89,734	60,674	24,592	1,365	1,104	1,142
45–64	83,703	7,261	75,799	57,858	15,618	610	744	517
65–74	28,532	1,124	27,211	21,478	4,911	159	384	200
75 and over	19,507	547	18,857	15,358	3,124	37	150	131
Race								
One race ²	240,410	30,574	207,950	152,938	47,329	2,065	2,261	1,922
White	192,455	24,231	166,738	123,734	37,638	1,192	1,513	1,512
Black or African American	30,105	3,786	26,013	18,363	5,871	780	545	264
American Indian or Alaska Native	2,460	279	2,172	768	1,253	21	*	32
Asian	14,853	2,195	12,571	9,809	2,398	61	126	111
Native Hawaiian or Other Pacific Islander	538	83	455	*	*	*	*	*
Two or more races ³	4,732	1,035	3,651	2,430	917	107	122	67
Black or African American, white	816	263	542	*	*	*	*	*
American Indian or Alaska Native, white	1,763	338	1,398	943	371	*	27	12
Hispanic or Latino origin ⁴ and race								
Hispanic or Latino	38,782	8,037	30,529	18,268	10,866	403	512	201
Mexican or Mexican American	23,240	5,307	17,775	10,033	6,904	214	265	133
Not Hispanic or Latino	206,360	23,573	181,072	137,100	37,379	1,768	1,870	1,788
White, single race	157,505	16,959	139,275	107,247	27,919	816	1,071	1,321
Black or African American, single race	28,757	3,551	24,901	17,722	5,437	771	517	264

Table A-16b. Frequency distributions (in thousands) of having a usual place of health care and of type of place, among adults aged 18 and over, by selected characteristics: United States, 2016

Selected characteristic	All adults aged 18 and over	Does not have usual place of health care ¹	Has usual place of health care ¹	Doctor's office or HMO ¹	Clinic or health center ¹	Hospital emergency room ¹	Hospital outpatient department ¹	Some other place ¹
Education ⁵								
Less than a high school diploma	26,459	4,393	21,843	12,844	7,794	524	373	165
High school diploma or GED ⁶	51,932	6,610	44,884	32,418	10,589	617	629	327
Some college	61,937	6,692	54,762	40,741	12,075	432	634	519
Bachelor's degree or higher	74,100	7,109	66,558	54,569	10,553	203	391	516
Current employment status ⁷								
Employed	150,236	22,437	126,573	93,372	28,653	1,156	1,023	1,310
Full-time	120,071	18,421	100,655	74,718	22,364	908	715	1,089
Part-time	27,966	3,619	24,120	17,473	5,750	235	286	196
Not employed but has worked previously	81,641	6,940	74,159	54,833	16,482	805	1,175	569
Not employed and has never worked	13,099	2,208	10,746	7,066	3,086	212	184	110
Family income ⁸								
Less than \$35,000	66,236	11,757	53,933	33,212	17,350	1,176	952	759
\$35,000 or more	153,049	16,742	135,257	104,980	26,496	722	1,178	1,052
\$35,000–\$49,999	24,929	4,133	20,520	13,926	5,582	252	380	241
\$50,000–\$74,999	38,167	5,014	33,000	24,590	7,281	259	336	290
\$75,000–\$99,999	27,484	2,679	24,679	18,994	5,091	124	138	183
\$100,000 or more	62,469	4,916	57,057	47,471	8,542	86	324	338
Poverty status ⁹								
Poor	28,852	5,904	22,683	12,480	8,458	703	483	335
Near poor	40,911	7,410	33,169	20,545	10,772	643	601	377
Not poor	162,870	16,800	144,991	114,281	26,860	666	1,128	1,138

Table A-16b. Frequency distributions (in thousands) of having a usual place of health care and of type of place, among adults aged 18 and over, by selected characteristics: United States, 2016

Selected characteristic	All adults aged 18 and over	Does not have usual place of health care ¹	Has usual place of health care ¹	Doctor's office or HMO ¹	Clinic or health center ¹	Hospital emergency room ¹	Hospital outpatient department ¹	Some other place ¹
Health insurance coverage ¹⁰								
Under 65:								
Private	136,020	15,137	119,733	93,519	23,171	605	711	1,016
Medicaid	28,037	3,129	24,716	14,832	8,468	626	449	206
Other coverage	8,873	649	8,117	4,696	2,740	169	386	118
Uninsured	22,734	10,547	12,025	4,864	5,559	572	283	314
65 and over:								
Private	20,020	449	19,397	15,956	3,035	95	166	95
Medicare and Medicaid	3,360	145	3,200	2,257	824	28	61	9
Medicare Advantage	12,135	196	11,889	10,222	1,589	11	16	51
Medicare only	8,167	595	7,541	5,913	1,346	34	109	85
Other coverage	3,891	137	3,731	2,310	1,123	28	167	90
Uninsured	336	*	210	*	*	*	*	*
Marital status								
Married	130,447	12,851	116,748	89,899	24,062	538	978	754
Widowed	14,066	661	13,285	10,535	2,387	42	153	131
Divorced or separated	27,343	3,434	23,692	16,902	5,565	335	477	238
Never married	54,432	10,486	43,372	28,705	12,147	860	544	619
Living with a partner	18,527	4,120	14,249	9,157	4,034	397	230	235
Place of residence ¹¹								
Large MSA	137,266	18,436	117,790	91,627	21,732	1,126	1,382	1,067
Small MSA	73,222	9,070	63,574	46,088	14,979	709	695	673
Not in MSA	34,654	4,103	30,237	17,653	11,535	337	306	249
Region								
Northeast	44,851	3,848	40,662	34,000	5,078	287	650	416
Midwest	54,359	6,509	47,364	30,715	14,992	394	472	414
South	87,402	13,069	73,581	56,200	14,245	1,147	708	718
West	58,531	8,184	49,994	34,452	13,931	344	552	440

Table A-16b. Frequency distributions (in thousands) of having a usual place of health care and of type of place, among adults aged 18 and over, by selected characteristics: United States, 2016

Selected characteristic	All adults aged 18 and over	Does not have usual place of health care ¹	Has usual place of health care ¹	Doctor's office or HMO ¹	Clinic or health center ¹	Hospital emergency room ¹	Hospital outpatient department ¹	Some other place ¹
Hispanic or Latino origin ⁴ , race, and sex								
Hispanic or Latino, male	19,292	4,959	14,239	8,582	4,889	214	245	98
Hispanic or Latina, female	19,489	3,078	16,290	9,686	5,977	189	268	103
Not Hispanic or Latino:								
White, single race, male	76,525	10,561	65,338	49,217	13,727	538	580	649
White, single race, female	80,980	6,398	73,937	58,030	14,192	278	490	672
Black or African American, single race, male	12,928	2,302	10,444	7,154	2,230	425	336	142
Black or African American, single race, female	15,829	1,249	14,457	10,569	3,207	346	181	122

* Corresponding crude percentage for the frequency is considered unreliable, as specified in National Center for Health Statistics Data Presentation Standards for Proportions (available from: https://www.cdc.gov/nchs/data/series/sr_02/sr02_175.pdf), so the frequency is not shown.

** Complement of the corresponding crude percentage for the frequency is considered unreliable, as specified in National Center for Health Statistics Data Presentation Standards for Proportions (available from: https://www.cdc.gov/nchs/data/series/sr_02/sr02_175.pdf).

- Quantity zero.

¹Based on a survey question that asked respondents, "Is there a place that you usually go to when you are sick or need advice about your health?" and if there was at least one such place, a follow-up question was asked: "What kind of place [is it/do you go to most often] -- a clinic, a doctor's office, an emergency room, or some other place?" The response categories for this second question were: "clinic or health center," "doctor's office or HMO," "hospital emergency room," "hospital outpatient department," "some other place," and "doesn't go to one place most often." For this table, persons who report that they do not know the kind of place, do not go to one place most often, or refuse to answer the follow-up question are defined as having an unknown usual place of care and are not shown. Persons who report the emergency department as their usual place of care are defined as having a usual place of care. Readers should be aware that estimates in this table may differ from tabular results in both NCHS' Health United States and the National Health Interview Survey Early Release reports because in those reports persons who identify the emergency department as their usual place of care are defined as having no usual place of care. Note that in this table, data for hospital emergency room and hospital outpatient department are shown in separate categories; Adult Summary Health Statistics tables for 2013 and earlier combined these into a single category.

HMO is health maintenance organization.

²Refers to persons who indicated only a single race group, including those of Hispanic or Latino origin.

³Refers to persons who indicated more than one race group, including those of Hispanic or Latino origin. Only two combinations of multiple race groups are shown due to small sample sizes for other combinations.

⁴Refers to persons who are of Hispanic or Latino origin and may be of any race or combination of races. "Not Hispanic or Latino" refers to persons who are not of Hispanic or Latino origin, regardless of race.

⁵Shown only for adults aged 25 and over.

⁶GED is General Educational Development high school equivalency diploma.

⁷"Full-time" employment is 35 or more hours per week. "Part-time" employment is 34 or fewer hours per week.

⁸Includes persons in families that reported either a dollar amount or would not provide a dollar amount but provided an income interval.

⁹"Poor" persons live in families defined as below the poverty threshold. "Near poor" persons live in families with incomes of 100% to less than 200% of the poverty threshold. "Not poor" persons live in families with incomes that are 200% of the poverty threshold or greater.

¹⁰Based on a hierarchy of mutually exclusive categories. Adults with more than one type of health insurance were assigned to the first appropriate category in the hierarchy. "Uninsured" includes adults who had no coverage as well as those who had only Indian Health Service coverage or had only a private plan that paid for one type of service such as accidents or dental care.

¹¹MSA is metropolitan statistical area. Large MSAs have a population size of 1 million or more; small MSAs have a population size of less than 1 million. "Not in MSA" consists of persons not living in a metropolitan statistical area.

NOTES: Estimates are based on household interviews of a sample of the civilian noninstitutionalized population. This table is based on data from the Sample Adult file and was weighted using the Sample Adult weight. Unknowns for the columns were not included in the frequencies, but they are included in the "All adults aged 18 and over" column. "Total" includes other races not shown separately and persons with unknown education, family income, poverty status, and health insurance characteristics. For more information on the data source, methods, and definitions used for this table, refer to Technical Notes for Summary Health Statistics Tables: National Health Interview Survey (available from <http://www.cdc.gov/nchs/nhis/SHS/tables.htm>). Suggested citation: Blackwell DL, Villarreal MA. Tables of Summary Health Statistics for U.S. Adults: 2016 National Health Interview Survey. National Center for Health Statistics. 2018. Available from: <http://www.cdc.gov/nchs/nhis/SHS/tables.htm>.

SOURCE: NCHS, National Health Interview Survey, 2016.

Table A-16c. Crude percent distributions (with standard errors) of having a usual place of health care and of type of place, among adults aged 18 and over, by selected characteristics: United States, 2016

Selected characteristic	All adults aged 18 and over	Does not have a usual place of health care ¹	Has a usual place of health care ¹	All adults aged 18 and over with a usual place of health care	Doctor's office or HMO ¹	Clinic or health center ¹	Hospital emergency room ¹	Hospital outpatient department ¹	Some other place ¹	
Total	100.0	13.0 (0.29)	87.0 (0.29)	100.0	73.9 (0.51)	23.0 (0.49)	1.0 (0.10)	1.1 (0.09)	0.9 (0.07)	
Sex										
Male	100.0	16.7 (0.48)	83.3 (0.48)	100.0	72.7 (0.65)	23.5 (0.63)	1.3 (0.16)	1.4 (0.14)	1.0 (0.10)	
Female	100.0	9.5 (0.32)	90.5 (0.32)	100.0	75.0 (0.58)	22.5 (0.56)	0.8 (0.11)	0.9 (0.11)	0.9 (0.10)	
Age (years)										
18–44	100.0	20.2 (0.51)	79.8 (0.51)	100.0	68.3 (0.73)	27.7 (0.70)	1.5 (0.19)	1.2 (0.16)	1.3 (0.14)	
45–64	100.0	8.7 (0.35)	91.3 (0.35)	100.0	76.8 (0.68)	20.7 (0.66)	0.8 (0.12)	1.0 (0.13)	0.7 (0.09)	
65–74	100.0	4.0 (0.37)	96.0 (0.37)	100.0	79.2 (0.84)	18.1 (0.78)	0.6 (0.14)	1.4 (0.22)	0.7 (0.17)	
75 and over	100.0	2.8 (0.34)	97.2 (0.34)	100.0	81.7 (0.93)	16.6 (0.91)	0.2 (0.07)	0.8 (0.18)	0.7 (0.15)	
Race										
One race ²	100.0	12.8 (0.29)	87.2 (0.29)	100.0	74.1 (0.51)	22.9 (0.50)	1.0 (0.10)	1.1 (0.09)	0.9 (0.07)	
White	100.0	12.7 (0.32)	87.3 (0.32)	100.0	74.7 (0.57)	22.7 (0.56)	0.7 (0.09)	0.9 (0.09)	0.9 (0.08)	
Black or African American	100.0	12.7 (0.84)	87.3 (0.84)	100.0	71.1 (1.16)	22.7 (1.05)	3.0 (0.44)	2.1 (0.31)	1.0 (0.23)	
American Indian or Alaska Native	100.0	11.4 (2.17)	88.6 (2.17)	100.0	35.8 (4.31)	58.4 (4.57)	1.0 (0.55)	*	1.5 (0.69)	
Asian	100.0	14.9 (1.24)	85.1 (1.24)	100.0	78.4 (1.50)	19.2 (1.43)	0.5 (0.25)	1.0 (0.39)	0.9 (0.27)	
Native Hawaiian or Other Pacific Islander	100.0	15.4 (4.39)	84.6 (4.39)	100.0	*	*	*	*	*	
Two or more races ³	100.0	22.1 (2.42)	77.9 (2.42)	100.0	66.7 (2.57)	25.2 (2.31)	2.9 (1.09)	3.3 (1.14)	1.9 (0.72)	
Black or African American, white	100.0	32.6 (6.78)	67.4 (6.78)	100.0	*	*	*	*	*	
American Indian or Alaska Native, white	100.0	19.5 (3.42)	80.5 (3.42)	100.0	67.6 (4.08)	26.6 (3.80)	*	1.9 (0.93)	0.8 (0.62)	
Hispanic or Latino origin ⁴ and race										
Hispanic or Latino	100.0	20.8 (0.91)	79.2 (0.91)	100.0	60.4 (1.40)	35.9 (1.40)	1.3 (0.31)	1.7 (0.34)	0.7 (0.21)	
Mexican or Mexican American	100.0	23.0 (1.25)	77.0 (1.25)	100.0	57.2 (1.91)	39.3 (1.96)	1.2 (0.41)	1.5 (0.43)	0.8 (0.34)	
Not Hispanic or Latino	100.0	11.5 (0.29)	88.5 (0.29)	100.0	76.2 (0.50)	20.8 (0.48)	1.0 (0.10)	1.0 (0.09)	1.0 (0.08)	
White, single race	100.0	10.9 (0.31)	89.1 (0.31)	100.0	77.5 (0.56)	20.2 (0.55)	0.6 (0.08)	0.8 (0.08)	1.0 (0.08)	
Black or African American, single race	100.0	12.5 (0.86)	87.5 (0.86)	100.0	71.7 (1.17)	22.0 (1.05)	3.1 (0.45)	2.1 (0.32)	1.1 (0.24)	

Table A-16c. Crude percent distributions (with standard errors) of having a usual place of health care and of type of place, among adults aged 18 and over, by selected characteristics: United States, 2016

Selected characteristic	All adults aged 18 and over	Does not have a usual place of health care ¹	Has a usual place of health care ¹	All adults aged 18 and over with a usual place of health care	Doctor's office or HMO ¹	Clinic or health center ¹	Hospital emergency room ¹	Hospital outpatient department ¹	Some other place ¹
Education⁵									
Less than a high school diploma	100.0	16.7 (0.91)	83.3 (0.91)	100.0	59.2 (1.37)	35.9 (1.38)	2.4 (0.33)	1.7 (0.30)	0.8 (0.20)
High school diploma or GED ⁶	100.0	12.8 (0.56)	87.2 (0.56)	100.0	72.7 (0.88)	23.8 (0.84)	1.4 (0.24)	1.4 (0.20)	0.7 (0.13)
Some college	100.0	10.9 (0.45)	89.1 (0.45)	100.0	74.9 (0.74)	22.2 (0.70)	0.8 (0.15)	1.2 (0.17)	1.0 (0.13)
Bachelor's degree or higher	100.0	9.7 (0.42)	90.3 (0.42)	100.0	82.4 (0.58)	15.9 (0.56)	0.3 (0.09)	0.6 (0.09)	0.8 (0.10)
Current employment status⁷									
Employed	100.0	15.1 (0.39)	84.9 (0.39)	100.0	74.4 (0.58)	22.8 (0.57)	0.9 (0.12)	0.8 (0.10)	1.0 (0.10)
Full-time	100.0	15.5 (0.44)	84.5 (0.44)	100.0	74.9 (0.62)	22.4 (0.60)	0.9 (0.13)	0.7 (0.09)	1.1 (0.12)
Part-time	100.0	13.0 (0.82)	87.0 (0.82)	100.0	73.0 (1.24)	24.0 (1.17)	1.0 (0.26)	1.2 (0.34)	0.8 (0.17)
Not employed but has worked previously	100.0	8.6 (0.38)	91.4 (0.38)	100.0	74.2 (0.68)	22.3 (0.66)	1.1 (0.14)	1.6 (0.17)	0.8 (0.10)
Not employed and has never worked	100.0	17.0 (1.54)	83.0 (1.54)	100.0	66.3 (1.92)	29.0 (1.85)	2.0 (0.65)	1.7 (0.56)	1.0 (0.33)
Family income⁸									
Less than \$35,000	100.0	17.9 (0.56)	82.1 (0.56)	100.0	62.1 (0.82)	32.5 (0.80)	2.2 (0.23)	1.8 (0.21)	1.4 (0.17)
\$35,000 or more	100.0	11.0 (0.34)	89.0 (0.34)	100.0	78.1 (0.57)	19.7 (0.55)	0.5 (0.09)	0.9 (0.09)	0.8 (0.08)
\$35,000–\$49,999	100.0	16.8 (0.91)	83.2 (0.91)	100.0	68.3 (1.29)	27.4 (1.25)	1.2 (0.33)	1.9 (0.36)	1.2 (0.25)
\$50,000–\$74,999	100.0	13.2 (0.68)	86.8 (0.68)	100.0	75.1 (0.94)	22.2 (0.93)	0.8 (0.26)	1.0 (0.20)	0.9 (0.17)
\$75,000–\$99,999	100.0	9.8 (0.70)	90.2 (0.70)	100.0	77.4 (1.08)	20.8 (1.06)	0.5 (0.19)	0.6 (0.15)	0.7 (0.21)
\$100,000 or more	100.0	7.9 (0.46)	92.1 (0.46)	100.0	83.6 (0.67)	15.0 (0.65)	0.2 (0.06)	0.6 (0.12)	0.6 (0.12)
Poverty status⁹									
Poor	100.0	20.7 (0.93)	79.3 (0.93)	100.0	55.6 (1.23)	37.7 (1.22)	3.1 (0.42)	2.2 (0.35)	1.5 (0.25)
Near poor	100.0	18.3 (0.79)	81.7 (0.79)	100.0	62.4 (1.06)	32.7 (1.03)	2.0 (0.31)	1.8 (0.32)	1.1 (0.23)
Not poor	100.0	10.4 (0.32)	89.6 (0.32)	100.0	79.3 (0.52)	18.6 (0.51)	0.5 (0.07)	0.8 (0.08)	0.8 (0.08)

Table A-16c. Crude percent distributions (with standard errors) of having a usual place of health care and of type of place, among adults aged 18 and over, by selected characteristics: United States, 2016

Selected characteristic	All adults aged 18 and over	Does not have a usual place of health care ¹	Has a usual place of health care ¹	All adults aged 18 and over with a usual place of health care	Doctor's office or HMO ¹	Clinic or health center ¹	Hospital emergency room ¹	Hospital outpatient department ¹	Some other place ¹
Health insurance coverage¹⁰									
Under 65:									
Private	100.0	11.2 (0.35)	88.8 (0.35)	100.0	78.6 (0.54)	19.5 (0.53)	0.5 (0.10)	0.6 (0.09)	0.9 (0.09)
Medicaid	100.0	11.2 (0.78)	88.8 (0.78)	100.0	60.3 (1.40)	34.4 (1.39)	2.5 (0.39)	1.8 (0.34)	0.8 (0.26)
Other coverage	100.0	7.4 (1.14)	92.6 (1.14)	100.0	57.9 (2.07)	33.8 (1.96)	2.1 (0.72)	4.8 (0.83)	1.5 (0.38)
Uninsured	100.0	46.7 (1.30)	53.3 (1.30)	100.0	42.0 (1.91)	48.0 (2.02)	4.9 (0.77)	2.4 (0.52)	2.7 (0.47)
65 and over:									
Private	100.0	2.3 (0.32)	97.7 (0.32)	100.0	82.5 (0.88)	15.7 (0.82)	0.5 (0.15)	0.9 (0.19)	0.5 (0.15)
Medicare and Medicaid	100.0	4.3 (0.93)	95.7 (0.93)	100.0	71.0 (2.41)	25.9 (2.32)	0.9 (0.30)	1.9 (0.81)	0.3 (0.22)
Medicare Advantage	100.0	1.6 (0.30)	98.4 (0.30)	100.0	86.0 (0.99)	13.4 (0.97)	0.1 (0.09)	0.1 (0.06)	0.4 (0.21)
Medicare only	100.0	7.3 (0.93)	92.7 (0.93)	100.0	79.0 (1.50)	18.0 (1.41)	0.4 (0.25)	1.5 (0.49)	1.1 (0.32)
Other coverage	100.0	3.5 (0.94)	96.5 (0.94)	100.0	62.1 (2.38)	30.2 (2.26)	0.7 (0.40)	4.5 (0.94)	2.4 (0.73)
Uninsured	100.0	*	*	100.0	*	*	*	*	*
Marital status									
Married	100.0	9.9 (0.36)	90.1 (0.36)	100.0	77.3 (0.61)	20.7 (0.60)	0.5 (0.07)	0.8 (0.10)	0.6 (0.08)
Widowed	100.0	4.7 (0.61)	95.3 (0.61)	100.0	79.5 (1.04)	18.0 (1.00)	0.3 (0.12)	1.2 (0.31)	1.0 (0.24)
Divorced or separated	100.0	12.7 (0.68)	87.3 (0.68)	100.0	71.9 (0.91)	23.7 (0.84)	1.4 (0.27)	2.0 (0.31)	1.0 (0.18)
Never married	100.0	19.5 (0.71)	80.5 (0.71)	100.0	67.0 (0.96)	28.3 (0.91)	2.0 (0.29)	1.3 (0.22)	1.4 (0.22)
Living with a partner	100.0	22.4 (1.19)	77.6 (1.19)	100.0	65.2 (1.56)	28.7 (1.46)	2.8 (0.75)	1.6 (0.44)	1.7 (0.39)
Place of residence¹¹									
Large MSA	100.0	13.5 (0.41)	86.5 (0.41)	100.0	78.4 (0.60)	18.6 (0.58)	1.0 (0.13)	1.2 (0.13)	0.9 (0.11)
Small MSA	100.0	12.5 (0.52)	87.5 (0.52)	100.0	73.0 (1.13)	23.7 (1.10)	1.1 (0.18)	1.1 (0.14)	1.1 (0.11)
Not in MSA	100.0	11.9 (0.71)	88.1 (0.71)	100.0	58.7 (2.16)	38.3 (2.18)	1.1 (0.25)	1.0 (0.19)	0.8 (0.15)
Region									
Northeast	100.0	8.6 (0.63)	91.4 (0.63)	100.0	84.1 (0.84)	12.6 (0.78)	0.7 (0.19)	1.6 (0.25)	1.0 (0.17)
Midwest	100.0	12.1 (0.53)	87.9 (0.53)	100.0	65.4 (1.20)	31.9 (1.23)	0.8 (0.18)	1.0 (0.16)	0.9 (0.14)
South	100.0	15.1 (0.51)	84.9 (0.51)	100.0	77.0 (0.81)	19.5 (0.74)	1.6 (0.21)	1.0 (0.12)	1.0 (0.12)
West	100.0	14.1 (0.64)	85.9 (0.64)	100.0	69.3 (1.14)	28.0 (1.14)	0.7 (0.15)	1.1 (0.22)	0.9 (0.15)

Table A-16c. Crude percent distributions (with standard errors) of having a usual place of health care and of type of place, among adults aged 18 and over, by selected characteristics: United States, 2016

Selected characteristic	All adults aged 18 and over	Does not have a usual place of health care ¹	Has a usual place of health care ¹	All adults aged 18 and over with a usual place of health care	Doctor's office or HMO ¹	Clinic or health center ¹	Hospital emergency room ¹	Hospital outpatient department ¹	Some other place ¹	
Hispanic or Latino origin ⁴ , race, and sex										
Hispanic or Latino, male	100.0	25.8 (1.41)	74.2 (1.41)	100.0	61.2 (1.96)	34.9 (1.98)	1.5 (0.45)	1.7 (0.52)	0.7 (0.20)	
Hispanic or Latina, female	100.0	15.9 (1.09)	84.1 (1.09)	100.0	59.7 (1.71)	36.8 (1.68)	1.2 (0.42)	1.6 (0.44)	0.6 (0.36)	
Not Hispanic or Latino:										
White, single race, male	100.0	13.9 (0.50)	86.1 (0.50)	100.0	76.1 (0.67)	21.2 (0.65)	0.8 (0.13)	0.9 (0.12)	1.0 (0.12)	
White, single race, female	100.0	8.0 (0.35)	92.0 (0.35)	100.0	78.8 (0.68)	19.3 (0.66)	0.4 (0.09)	0.7 (0.11)	0.9 (0.11)	
Black or African American, single race, male	100.0	18.1 (1.62)	81.9 (1.62)	100.0	69.5 (1.95)	21.7 (1.65)	4.1 (0.90)	3.3 (0.59)	1.4 (0.44)	
Black or African American, single race, female	100.0	8.0 (0.74)	92.0 (0.74)	100.0	73.3 (1.33)	22.2 (1.22)	2.4 (0.45)	1.3 (0.30)	0.8 (0.27)	

* Estimate is considered unreliable, as specified in National Center for Health Statistics Data Presentation Standards for Proportions (available from: https://www.cdc.gov/nchs/data/series/sr_02/sr02_175.pdf), and is not shown.

** Complement of the estimate is considered unreliable, as specified in National Center for Health Statistics Data Presentation Standards for Proportions (available from: https://www.cdc.gov/nchs/data/series/sr_02/sr02_175.pdf).

- Quantity zero.

¹Based on a survey question that asked respondents, "Is there a place that you usually go to when you are sick or need advice about your health?" and if there was at least one such place, a follow-up question was asked: "What kind of place [is it] do you go to most often? -- a clinic, a doctor's office, an emergency room, or some other place?" The response categories for this second question were: "clinic or health center," "doctor's office or HMO," "hospital emergency room," "hospital outpatient department," "some other place," and "doesn't go to one place most often." For this table, persons who report that they do not know the kind of place, do not go to one place most often, or refuse to answer the follow-up question are defined as having an unknown usual place of care and are not shown. Persons who report the emergency department as their usual place of care are defined as having a usual place of care. Readers should be aware that estimates in this table may differ from tabular results in both NCHS' Health United States and the National Health Interview Survey Early Release reports because in those reports persons who identify the emergency department as their usual place of care are defined as having no usual place of care. Note that in this table, data for hospital emergency room and hospital outpatient department are shown in separate categories; Adult Summary Health Statistics tables for 2013 and earlier combined these into a single category.

HMO is health maintenance organization.

²Refers to persons who indicated only a single race group, including those of Hispanic or Latino origin.

³Refers to persons who indicated more than one race group, including those of Hispanic or Latino origin. Only two combinations of multiple race groups are shown due to small sample sizes for other combinations.

⁴Refers to persons who are of Hispanic or Latino origin and may be of any race or combination of races. "Not Hispanic or Latino" refers to persons who are not of Hispanic or Latino origin, regardless of race.

⁵Shown only for adults aged 25 and over.

⁶GED is General Educational Development high school equivalency diploma.

⁷"Full-time" employment is 35 or more hours per week. "Part-time" employment is 34 or fewer hours per week.

⁸Includes persons in families that reported either a dollar amount or would not provide a dollar amount but provided an income interval.

⁹"Poor" persons live in families defined as below the poverty threshold. "Near poor" persons live in families with incomes of 100% to less than 200% of the poverty threshold. "Not poor" persons live in families with incomes that are 200% of the poverty threshold or greater.

¹⁰Based on a hierarchy of mutually exclusive categories. Adults with more than one type of health insurance were assigned to the first appropriate category in the hierarchy. "Uninsured" includes adults who had no coverage as well as those who had only Indian Health Service coverage or had only a private plan that paid for one type of service such as accidents or dental care.

¹¹MSA is metropolitan statistical area. Large MSAs have a population size of 1 million or more; small MSAs have a population size of less than 1 million. "Not in MSA" consists of persons not living in a metropolitan statistical area.

NOTES: Estimates are based on household interviews of a sample of the civilian noninstitutionalized population. This table is based on data from the Sample Adult file and was weighted using the Sample Adult weight. Unknowns for the columns were not included in the denominators when calculating percentages. Percentages may not add to totals due to rounding. "Total" includes other races not shown separately and persons with unknown education, family income, poverty status, and health insurance characteristics. For more information on the data source, methods, and definitions used for this table, refer to Technical Notes for Summary Health Statistics Tables: National Health Interview Survey (available from <http://www.cdc.gov/nchs/nhis/SHS/tables.htm>). Suggested citation: Blackwell DL, Villarroel MA. Tables of Summary Health Statistics for U.S. Adults: 2016 National Health Interview Survey. National Center for Health Statistics. 2018. Available from: <http://www.cdc.gov/nchs/nhis/SHS/tables.htm>.

SOURCE: NCHS, National Health Interview Survey, 2016.