

Table A-3a. Age-adjusted percentages (with standard errors) of cancer among adults aged 18 and over, by selected characteristics: United States, 2018

Selected characteristic	Any cancer ¹	Breast cancer ¹	Cervical cancer ¹	Prostate cancer ¹
Total	8.3 (0.17)	1.6 (0.09)	0.9 (0.09)	2.1 (0.13)
Sex				
Male	7.6 (0.23)	0.0 (0.02)	-	2.1 (0.13)
Female	9.1 (0.25)	3.0 (0.16)	0.9 (0.09)	-
Age (years)				
18-44	1.8 (0.15)	0.2 (0.06)	0.8 (0.13)	-
45-64	9.6 (0.37)	1.7 (0.16)	1.2 (0.18)	1.4 (0.21)
65-74	22.2 (0.75)	4.7 (0.39)	1.2 (0.23)	7.4 (0.68)
75 and over	31.3 (1.01)	7.0 (0.56)	0.7 (0.24)	12.3 (1.05)
Race				
One race ²	8.4 (0.17)	1.6 (0.09)	0.9 (0.09)	2.1 (0.13)
White	9.1 (0.19)	1.6 (0.09)	1.0 (0.11)	2.0 (0.13)
Black or African American	5.1 (0.42)	1.7 (0.25)	0.9 (0.25)	2.8 (0.43)
American Indian or Alaska Native	7.1 (1.68)	1.0 (0.52)	*	-
Asian	3.9 (0.53)	1.1 (0.27)	0.1 (0.07)	1.7 (0.59)
Native Hawaiian or Other Pacific Islander	*	*	*	*
Two or more races ³	8.8 (1.19)	1.3 (0.56)	1.2 (0.56)	2.1 (0.89)
Black or African American, white	*	0.6 (0.60)	*	*
American Indian or Alaska Native, white	9.9 (1.60)	1.0 (0.48)	*	*
Hispanic or Latino origin ⁴ and race				
Hispanic or Latino	4.2 (0.39)	0.7 (0.16)	0.4 (0.15)	1.5 (0.40)
Mexican or Mexican American	4.0 (0.49)	0.8 (0.25)	0.6 (0.24)	2.2 (0.64)
Not Hispanic or Latino	8.9 (0.19)	1.7 (0.10)	1.0 (0.11)	2.2 (0.14)
White, single race	9.9 (0.22)	1.8 (0.11)	1.1 (0.13)	2.1 (0.15)
Black or African American, single race	5.1 (0.43)	1.7 (0.25)	0.8 (0.26)	2.9 (0.45)
Education ⁵				
Less than a high school diploma	6.8 (0.49)	1.3 (0.21)	1.4 (0.32)	1.6 (0.30)
High school diploma or GED ⁶	8.7 (0.39)	1.9 (0.20)	1.4 (0.30)	2.3 (0.28)
Some college	10.5 (0.39)	2.1 (0.20)	1.4 (0.22)	1.9 (0.25)
Bachelor's degree or higher	10.5 (0.33)	1.9 (0.16)	0.6 (0.13)	3.1 (0.29)
Current employment status ⁷				
Employed	7.5 (0.37)	1.2 (0.17)	1.0 (0.26)	1.9 (0.29)
Full-time	6.6 (0.49)	1.0 (0.14)	0.8 (0.12)	1.4 (0.34)
Part-time	8.7 (0.61)	1.5 (0.30)	1.0 (0.40)	2.0 (0.45)
Not employed but has worked previously	10.7 (0.38)	1.9 (0.18)	1.3 (0.22)	2.2 (0.19)
Not employed and has never worked	3.8 (0.65)	1.3 (0.41)	0.8 (0.52)	2.0 (1.06)

Table A-3a. Age-adjusted percentages (with standard errors) of cancer among adults aged 18 and over, by selected characteristics: United States, 2018

Selected characteristic	Any cancer ¹	Breast cancer ¹	Cervical cancer ¹	Prostate cancer ¹
Family income ⁸				
Less than \$35,000	7.6 (0.33)	1.5 (0.14)	1.3 (0.20)	1.6 (0.19)
\$35,000 or more	8.8 (0.23)	1.6 (0.11)	0.8 (0.12)	2.3 (0.17)
\$35,000–\$49,999	8.6 (0.53)	1.2 (0.20)	1.3 (0.40)	2.1 (0.35)
\$50,000–\$74,999	8.3 (0.42)	1.7 (0.21)	1.1 (0.26)	2.4 (0.31)
\$75,000–\$99,999	9.3 (0.55)	2.0 (0.28)	1.2 (0.37)	2.5 (0.43)
\$100,000 or more	9.0 (0.39)	1.5 (0.19)	0.5 (0.13)	2.1 (0.29)
Poverty status ⁹				
Poor	7.3 (0.53)	1.5 (0.24)	1.7 (0.36)	1.6 (0.41)
Near poor	7.2 (0.42)	1.4 (0.20)	1.2 (0.23)	1.6 (0.25)
Not poor	8.8 (0.21)	1.7 (0.10)	0.7 (0.11)	2.3 (0.16)
Health insurance coverage ¹⁰				
Under 65:				
Private	4.8 (0.20)	0.9 (0.09)	0.7 (0.12)	0.5 (0.10)
Medicaid	5.7 (0.52)	0.6 (0.19)	1.9 (0.38)	0.8 (0.31)
Other coverage	5.6 (0.74)	0.5 (0.17)	1.3 (0.54)	0.5 (0.25)
Uninsured	2.2 (0.31)	0.3 (0.10)	0.9 (0.29)	0.1 (0.09)
65 and over:				
Private	30.9 (1.00)	6.9 (0.60)	0.9 (0.22)	10.3 (0.98)
Medicare and Medicaid	18.2 (1.83)	3.8 (0.99)	1.1 (0.52)	8.3 (2.31)
Medicare Advantage	25.4 (1.18)	6.6 (0.72)	0.7 (0.23)	11.3 (1.42)
Medicare only	21.1 (1.51)	5.0 (0.76)	0.8 (0.41)	5.2 (1.13)
Other coverage	26.9 (1.90)	2.4 (0.54)	*	10.7 (1.79)
Uninsured	*	*	*	*
Marital status				
Married	9.0 (0.25)	1.4 (0.12)	0.9 (0.15)	2.2 (0.17)
Widowed	7.8 (0.74)	2.1 (0.25)	0.6 (0.21)	2.0 (0.38)
Divorced or separated	8.8 (0.46)	1.9 (0.25)	1.6 (0.31)	2.3 (0.31)
Never married	6.3 (0.50)	1.2 (0.21)	0.5 (0.21)	1.1 (0.29)
Living with a partner	5.7 (0.73)	0.7 (0.24)	1.1 (0.40)	0.7 (0.34)
Place of residence ¹¹				
Large MSA	7.9 (0.23)	1.6 (0.11)	0.7 (0.10)	2.0 (0.18)
Small MSA	8.8 (0.30)	1.8 (0.17)	1.1 (0.18)	2.1 (0.22)
Not in MSA	9.5 (0.54)	1.5 (0.23)	1.5 (0.34)	2.2 (0.30)
Region				
Northeast	8.6 (0.41)	1.8 (0.22)	1.0 (0.22)	2.4 (0.32)
Midwest	8.7 (0.37)	1.5 (0.17)	0.8 (0.19)	2.1 (0.26)
South	8.5 (0.28)	1.8 (0.16)	1.0 (0.15)	2.0 (0.20)
West	7.5 (0.35)	1.4 (0.12)	0.9 (0.18)	2.1 (0.28)

Table A-3a. Age-adjusted percentages (with standard errors) of cancer among adults aged 18 and over, by selected characteristics: United States, 2018

Selected characteristic	Any cancer ¹	Breast cancer ¹	Cervical cancer ¹	Prostate cancer ¹
Hispanic or Latino origin ⁴ , race, and sex				
Hispanic or Latino, male	4.5 (0.61)	0.1 (0.13)	-	1.5 (0.40)
Hispanic or Latina, female	4.2 (0.50)	1.2 (0.27)	0.4 (0.15)	-
Not Hispanic or Latino:				
White, single race, male	8.7 (0.30)	0.0 (0.01)	-	2.1 (0.15)
White, single race, female	11.1 (0.33)	3.3 (0.20)	1.1 (0.13)	-
Black or African American, single race, male	5.3 (0.71)	0.1 (0.06)	-	2.9 (0.45)
Black or African American, single race, female	5.1 (0.59)	2.9 (0.45)	0.8 (0.26)	-

* Estimate does not meet NCHS standards of reliability.

0.0 Quantity more than zero but less than 0.05.

- Quantity zero.

¹Respondents were asked if they had ever been told by a doctor or other health professional that they had a cancer or malignancy of any kind. They were then asked to name the kind of cancer they had. A person may be represented in more than one column.

²Refers to persons who indicated only a single race group, including those of Hispanic or Latino origin.

³Refers to persons who indicated more than one race group, including those of Hispanic or Latino origin. Only two combinations of multiple race groups are shown due to small sample sizes for other combinations.

⁴Refers to persons who are of Hispanic or Latino origin and may be of any race or combination of races. "Not Hispanic or Latino" refers to persons who are not of Hispanic or Latino origin, regardless of race.

⁵Shown only for adults aged 25 and over. Estimates are age adjusted to the projected 2000 U.S. population as the standard population using four age groups: 25-44, 45-64, 65-74, and 75 and over.

⁶GED is General Educational Development high school equivalency diploma.

⁷"Full-time" employment is 35 or more hours per week. "Part-time" employment is 34 or fewer hours per week.

⁸Includes persons who reported a dollar amount or who would not provide a dollar amount but provided an income interval.

⁹"Poor" persons are defined as having income below the poverty threshold. "Near poor" persons have incomes of 100% to less than 200% of the poverty threshold. "Not poor" persons have incomes that are 200% of the poverty threshold or greater.

¹⁰Based on a hierarchy of mutually exclusive categories. Adults with more than one type of health insurance were assigned to the first appropriate category in the hierarchy. "Uninsured" includes adults who had no coverage as well as those who had only Indian Health Service coverage or had only a private plan that paid for one type of service such as accidents or dental care.

¹¹MSA is metropolitan statistical area. Large MSAs have a population size of 1 million or more; small MSAs have a population size of less than 1 million. "Not in MSA" consists of persons not living in a metropolitan statistical area.

NOTES: Estimates are based on household interviews of a sample of the civilian noninstitutionalized population. This table is based on data from the Sample Adult file and was weighted using the Sample Adult weight. Unknowns for the columns were not included in the denominators when calculating percentages. Percentages may not add to totals due to rounding. "Total" includes other races not shown separately and persons with unknown education, family income, poverty status, and health insurance characteristics. Unless otherwise specified, estimates are age-adjusted using the projected 2000 U.S. population as the standard population and using four age groups: 18-44, 45-64, 65-74, and 75 and over. Estimates for age groups are not age-adjusted. For more information on the data source, methods, and definitions used for this table, refer to Technical Notes for Summary Health Statistics Tables: National Health Interview Survey (available from <http://www.cdc.gov/nchs/nhis/SHS/tables.htm>).

Suggested citation: Villarreal MA, Blackwell DL, Jen A. Tables of Summary Health Statistics for U.S. Adults: 2018 National Health Interview Survey. National Center for Health Statistics. 2019.

Available from: <http://www.cdc.gov/nchs/nhis/SHS/tables.htm>.

SOURCE: NCHS, National Health Interview Survey, 2018.

Table A-3b. Frequencies (in thousands) of cancer among adults aged 18 and over, by selected characteristics: United States, 2018

Selected characteristic	All adults aged 18 and over	Males aged 18 and over	Females aged 18 and over	Any cancer ¹	Breast cancer ¹	Cervical cancer ¹	Prostate cancer ¹
Total	249,456	120,442	129,014	23,310	4,575	1,240	2,690
Sex							
Male	120,442	120,442		9,818	43	-	2,690
Female	129,014		129,014	13,492	4,532	1,240	-
Age (years)							
18–44	115,008	57,223	57,785	2,079	245	445	-
45–64	83,038	40,086	42,952	7,964	1,438	504	558
65–74	30,809	14,518	16,291	6,826	1,444	203	1,075
75 and over	20,601	8,615	11,986	6,441	1,448	88	1,057
Race							
One race ²	243,677	117,680	125,996	22,940	4,523	1,209	2,649
White	193,454	94,179	99,274	20,577	3,810	1,021	2,191
Black or African American	30,813	14,108	16,705	1,533	503	147	339
American Indian or Alaska Native	2,810	1,425	1,384	196	29	*	-
Asian	15,960	7,603	8,357	605	171	10	118
Native Hawaiian or Other Pacific Islander	640	364	275	*	*	*	*
Two or more races ³	5,779	2,761	3,018	371	52	32	41
Black or African American, white	1,567	662	905	*	*	*	*
American Indian or Alaska Native, white	1,879	908	971	210	23	*	*
Hispanic or Latino origin ⁴ and race							
Hispanic or Latino	40,749	20,279	20,470	1,279	212	93	142
Mexican or Mexican American	24,415	12,332	12,083	659	113	81	105
Not Hispanic or Latino	208,706	100,163	108,543	22,032	4,363	1,147	2,549
White, single race	157,289	76,416	80,872	19,468	3,621	955	2,051
Black or African American, single race	29,089	13,250	15,840	1,480	483	134	339
Education ⁵							
Less than a high school diploma	24,710	11,948	12,762	2,270	443	157	264
High school diploma or GED ⁶	52,455	26,135	26,320	5,479	1,236	325	598
Some college	62,770	29,154	33,617	7,150	1,433	492	584
Bachelor's degree or higher	78,964	37,755	41,209	8,198	1,455	258	1,228
Current employment status ⁷							
Employed	158,301	83,604	74,697	8,418	1,450	633	779
Full-time	129,152	72,350	56,803	6,228	1,061	504	522
Part-time	27,087	10,360	16,727	2,046	362	128	204
Not employed but has worked previously	78,269	32,801	45,468	14,354	2,952	551	1,867
Not employed and has never worked	12,669	3,931	8,737	525	173	57	44

Table A-3b. Frequencies (in thousands) of cancer among adults aged 18 and over, by selected characteristics: United States, 2018

Selected characteristic	All adults aged 18 and over	Males aged 18 and over	Females aged 18 and over	Any cancer ¹	Breast cancer ¹	Cervical cancer ¹	Prostate cancer ¹
Family income⁸							
Less than \$35,000	58,573	25,565	33,009	5,567	1,187	412	494
\$35,000 or more	166,985	84,462	82,524	15,015	2,688	706	1,897
\$35,000–\$49,999	24,817	12,738	12,079	2,443	341	147	324
\$50,000–\$74,999	38,139	18,672	19,467	3,622	735	225	543
\$75,000–\$99,999	30,794	15,867	14,926	2,914	615	168	374
\$100,000 or more	73,236	37,184	36,051	6,036	998	166	656
Poverty status⁹							
Poor	24,028	9,885	14,143	1,644	316	234	122
Near poor	40,315	18,725	21,590	3,305	638	256	313
Not poor	173,576	87,006	86,570	17,035	3,269	663	2,147
Health insurance coverage¹⁰							
Under 65:							
Private	136,568	67,233	69,335	7,376	1,388	517	417
Medicaid	24,908	9,689	15,219	1,384	151	288	78
Other coverage	9,857	5,578	4,280	721	77	44	48
Uninsured	25,525	14,277	11,247	533	67	99	14
65 and over:							
Private	21,274	9,739	11,535	6,381	1,416	103	969
Medicare and Medicaid	3,529	1,198	2,332	632	130	27	92
Medicare Advantage	13,113	5,331	7,782	3,242	842	58	545
Medicare only	7,945	3,307	4,638	1,632	384	39	164
Other coverage	5,181	3,364	1,817	1,366	121	*	357
Uninsured	274	126	148	*	*	*	*
Marital status							
Married	130,518	64,859	65,659	14,214	2,368	586	1,942
Widowed	14,263	3,479	10,784	3,358	1,086	139	248
Divorced or separated	27,100	10,957	16,143	3,334	769	300	354
Never married	58,300	31,321	26,978	1,531	216	103	99
Living with a partner	18,856	9,647	9,208	848	136	112	47
Place of residence¹¹							
Large MSA	142,041	68,464	73,577	11,993	2,491	542	1,388
Small MSA	75,044	36,775	38,270	7,493	1,507	435	829
Not in MSA	32,370	15,203	17,167	3,823	577	263	473
Region							
Northeast	43,262	19,888	23,374	4,473	929	254	553
Midwest	54,818	26,774	28,044	5,299	918	239	583
South	92,043	44,383	47,660	8,841	1,857	488	986
West	59,333	29,397	29,936	4,697	871	259	568

Table A-3b. Frequencies (in thousands) of cancer among adults aged 18 and over, by selected characteristics: United States, 2018

Selected characteristic	All adults aged 18 and over	Males aged 18 and over	Females aged 18 and over	Any cancer ¹	Breast cancer ¹	Cervical cancer ¹	Prostate cancer ¹
Hispanic or Latino origin ⁴ , race, and sex							
Hispanic or Latino, male	20,279	20,279		553	9	-	142
Hispanic or Latina, female	20,470		20,470	726	203	93	-
Not Hispanic or Latino:							
White, single race, male	76,416	76,416		8,190	27	-	2,051
White, single race, female	80,872		80,872	11,278	3,595	955	-
Black or African American, single race, male	13,250	13,250		648	8	-	339
Black or African American, single race, female	15,840		15,840	831	476	134	-

* Corresponding crude percentage for the frequency does not meet NCHS standards of reliability, so the frequency is not shown.

- Quantity zero.

¹ Respondents were asked if they had ever been told by a doctor or other health professional that they had a cancer or malignancy of any kind. They were then asked to name the kind of cancer they had. A person may be represented in more than one column.

² Refers to persons who indicated only a single race group, including those of Hispanic or Latino origin.

³ Refers to persons who indicated more than one race group, including those of Hispanic or Latino origin. Only two combinations of multiple race groups are shown due to small sample sizes for other combinations.

⁴ Refers to persons who are of Hispanic or Latino origin and may be of any race or combination of races. "Not Hispanic or Latino" refers to persons who are not of Hispanic or Latino origin, regardless of race.

⁵ Shown only for adults aged 25 and over.

⁶ GED is General Educational Development high school equivalency diploma.

⁷ "Full-time" employment is 35 or more hours per week. "Part-time" employment is 34 or fewer hours per week.

⁸ Includes persons in families that reported either a dollar amount or would not provide a dollar amount but provided an income interval.

⁹ "Poor" persons live in families defined as below the poverty threshold. "Near poor" persons live in families with incomes of 100% to less than 200% of the poverty threshold. "Not poor" persons live in families with incomes that are 200% of the poverty threshold or greater.

¹⁰ Based on a hierarchy of mutually exclusive categories. Adults with more than one type of health insurance were assigned to the first appropriate category in the hierarchy. "Uninsured" includes adults who had no coverage as well as those who had only Indian Health Service coverage or had only a private plan that paid for one type of service such as accidents or dental care.

¹¹ MSA is metropolitan statistical area. Large MSAs have a population size of 1 million or more; small MSAs have a population size of less than 1 million. "Not in MSA" consists of persons not living in a metropolitan statistical area.

NOTES: Estimates are based on household interviews of a sample of the civilian noninstitutionalized population. This table is based on data from the Sample Adult file and was weighted using the Sample Adult weight. Unknowns for the columns were not included in the frequencies, but they are included in the "All adults aged 18 and over," "Males aged 18 and over," and "Females aged 18 and over" columns. "Total" includes other races not shown separately and persons with unknown education, family income, poverty status, and health insurance characteristics. For more information on the data source, methods, and definitions used for this table, refer to Technical Notes for Summary Health Statistics Tables: National Health Interview Survey (available from <http://www.cdc.gov/nchs/nhis/SHS/tables.htm>).

Suggested citation: Villarreal MA, Blackwell DL, Jen A. Tables of Summary Health Statistics for U.S. Adults: 2018 National Health Interview Survey. National Center for Health Statistics. 2019. Available from: <http://www.cdc.gov/nchs/nhis/SHS/tables.htm>.

SOURCE: NCHS, National Health Interview Survey, 2018.

Table A-3c. Crude percentages (with standard errors) of cancer among adults aged 18 and over, by selected characteristics: United States, 2018

Selected characteristic	Any cancer ¹	Breast cancer ¹	Cervical cancer ¹	Prostate cancer ¹
Total	9.4 (0.21)	1.8 (0.10)	1.0 (0.09)	2.2 (0.14)
Sex				
Male	8.2 (0.27)	0.0 (0.02)	-	2.2 (0.14)
Female	10.5 (0.30)	3.5 (0.19)	1.0 (0.09)	-
Age (years)				
18–44	1.8 (0.15)	0.2 (0.06)	0.8 (0.13)	-
45–64	9.6 (0.37)	1.7 (0.16)	1.2 (0.18)	1.4 (0.21)
65–74	22.2 (0.75)	4.7 (0.39)	1.2 (0.23)	7.4 (0.68)
75 and over	31.3 (1.01)	7.0 (0.56)	0.7 (0.24)	12.3 (1.05)
Race				
One race ²	9.4 (0.21)	1.9 (0.10)	1.0 (0.09)	2.3 (0.15)
White	10.6 (0.24)	2.0 (0.11)	1.0 (0.10)	2.3 (0.16)
Black or African American	5.0 (0.44)	1.6 (0.25)	0.9 (0.26)	2.4 (0.40)
American Indian or Alaska Native	7.0 (1.83)	1.0 (0.56)	*	-
Asian	3.8 (0.53)	1.1 (0.28)	0.1 (0.07)	1.5 (0.54)
Native Hawaiian or Other Pacific Islander	*	*	*	*
Two or more races ³	6.4 (1.02)	0.9 (0.36)	1.0 (0.51)	1.5 (0.58)
Black or African American, white	*	*	*	*
American Indian or Alaska Native, white	11.2 (1.97)	1.2 (0.50)	*	*
Hispanic or Latino origin ⁴ and race				
Hispanic or Latino	3.1 (0.32)	0.5 (0.12)	0.5 (0.16)	0.7 (0.20)
Mexican or Mexican American	2.7 (0.37)	0.5 (0.17)	0.7 (0.25)	0.8 (0.28)
Not Hispanic or Latino	10.6 (0.24)	2.1 (0.11)	1.1 (0.10)	2.5 (0.17)
White, single race	12.4 (0.28)	2.3 (0.13)	1.2 (0.12)	2.7 (0.19)
Black or African American, single race	5.1 (0.46)	1.7 (0.26)	0.8 (0.26)	2.6 (0.43)
Education ⁵				
Less than a high school diploma	9.2 (0.65)	1.8 (0.29)	1.2 (0.26)	2.2 (0.40)
High school diploma or GED ⁶	10.5 (0.47)	2.4 (0.23)	1.2 (0.25)	2.3 (0.30)
Some college	11.4 (0.45)	2.3 (0.22)	1.5 (0.22)	2.0 (0.26)
Bachelor's degree or higher	10.4 (0.37)	1.8 (0.15)	0.6 (0.14)	3.3 (0.32)
Current employment status ⁷				
Employed	5.3 (0.21)	0.9 (0.09)	0.8 (0.12)	0.9 (0.12)
Full-time	4.8 (0.22)	0.8 (0.09)	0.9 (0.14)	0.7 (0.11)
Part-time	7.6 (0.54)	1.3 (0.24)	0.8 (0.24)	2.0 (0.45)
Not employed but has worked previously	18.4 (0.45)	3.8 (0.22)	1.2 (0.15)	5.7 (0.42)
Not employed and has never worked	4.2 (0.60)	1.4 (0.34)	0.6 (0.37)	1.1 (0.58)

Table A-3c. Crude percentages (with standard errors) of cancer among adults aged 18 and over, by selected characteristics: United States, 2018

Selected characteristic	Any cancer ¹	Breast cancer ¹	Cervical cancer ¹	Prostate cancer ¹
Family income ⁸				
Less than \$35,000	9.5 (0.40)	2.0 (0.17)	1.3 (0.18)	1.9 (0.24)
\$35,000 or more	9.0 (0.25)	1.6 (0.11)	0.9 (0.12)	2.2 (0.17)
\$35,000–\$49,999	9.9 (0.61)	1.4 (0.23)	1.2 (0.37)	2.5 (0.43)
\$50,000–\$74,999	9.5 (0.49)	1.9 (0.24)	1.2 (0.25)	2.9 (0.38)
\$75,000–\$99,999	9.5 (0.61)	2.0 (0.27)	1.1 (0.33)	2.4 (0.41)
\$100,000 or more	8.2 (0.38)	1.4 (0.16)	0.5 (0.14)	1.8 (0.25)
Poverty status ⁹				
Poor	6.8 (0.53)	1.3 (0.21)	1.7 (0.36)	1.2 (0.34)
Near poor	8.2 (0.47)	1.6 (0.21)	1.2 (0.22)	1.7 (0.28)
Not poor	9.8 (0.25)	1.9 (0.12)	0.8 (0.10)	2.5 (0.18)
Health insurance coverage ¹⁰				
Under 65:				
Private	5.4 (0.23)	1.0 (0.10)	0.7 (0.12)	0.6 (0.11)
Medicaid	5.6 (0.51)	0.6 (0.18)	1.9 (0.37)	0.8 (0.32)
Other coverage	7.3 (0.90)	0.8 (0.27)	1.0 (0.42)	0.9 (0.42)
Uninsured	2.1 (0.30)	0.3 (0.09)	0.9 (0.29)	0.1 (0.08)
65 and over:				
Private	30.0 (0.98)	6.7 (0.58)	0.9 (0.22)	10.0 (0.94)
Medicare and Medicaid	17.9 (1.80)	3.7 (0.99)	1.2 (0.52)	7.7 (2.16)
Medicare Advantage	24.7 (1.17)	6.4 (0.70)	0.7 (0.24)	10.3 (1.30)
Medicare only	20.6 (1.44)	4.8 (0.72)	0.8 (0.44)	5.0 (1.06)
Other coverage	26.4 (1.90)	2.3 (0.53)	*	10.6 (1.77)
Uninsured	*	*	*	*
Marital status				
Married	10.9 (0.32)	1.8 (0.15)	0.9 (0.14)	3.0 (0.24)
Widowed	23.6 (1.03)	7.6 (0.64)	1.3 (0.29)	7.1 (1.06)
Divorced or separated	12.3 (0.57)	2.8 (0.30)	1.9 (0.31)	3.2 (0.44)
Never married	2.6 (0.20)	0.4 (0.06)	0.4 (0.12)	0.3 (0.08)
Living with a partner	4.5 (0.58)	0.7 (0.28)	1.2 (0.41)	0.5 (0.25)
Place of residence ¹¹				
Large MSA	8.5 (0.26)	1.8 (0.12)	0.7 (0.11)	2.0 (0.19)
Small MSA	10.0 (0.37)	2.0 (0.20)	1.1 (0.17)	2.3 (0.25)
Not in MSA	11.8 (0.66)	1.8 (0.23)	1.5 (0.30)	3.1 (0.45)
Region				
Northeast	10.4 (0.50)	2.2 (0.24)	1.1 (0.24)	2.8 (0.38)
Midwest	9.7 (0.43)	1.7 (0.19)	0.9 (0.19)	2.2 (0.30)
South	9.6 (0.35)	2.0 (0.19)	1.0 (0.15)	2.2 (0.24)
West	7.9 (0.42)	1.5 (0.14)	0.9 (0.17)	1.9 (0.29)

Table A-3c. Crude percentages (with standard errors) of cancer among adults aged 18 and over, by selected characteristics: United States, 2018

Selected characteristic	Any cancer ¹	Breast cancer ¹	Cervical cancer ¹	Prostate cancer ¹
Hispanic or Latino origin ⁴ , race, and sex				
Hispanic or Latino, male	2.7 (0.44)	0.0 (0.04)	-	0.7 (0.20)
Hispanic or Latina, female	3.5 (0.46)	1.0 (0.24)	0.5 (0.16)	-
Not Hispanic or Latino:				
White, single race, male	10.7 (0.38)	0.0 (0.02)	-	2.7 (0.19)
White, single race, female	14.0 (0.40)	4.5 (0.25)	1.2 (0.12)	-
Black or African American, single race, male	4.9 (0.71)	0.1 (0.06)	-	2.6 (0.43)
Black or African American, single race, female	5.3 (0.62)	3.0 (0.47)	0.8 (0.26)	-

* Estimate does not meet NCHS standards of reliability.

0.0 Quantity more than zero but less than 0.05.

- Quantity zero.

¹ Respondents were asked if they had ever been told by a doctor or other health professional that they had a cancer or malignancy of any kind. They were then asked to name the kind of cancer they had. A person may be represented in more than one column.

² Refers to persons who indicated only a single race group, including those of Hispanic or Latino origin.

³ Refers to persons who indicated more than one race group, including those of Hispanic or Latino origin. Only two combinations of multiple race groups are shown due to small sample sizes for other combinations.

⁴ Refers to persons who are of Hispanic or Latino origin and may be of any race or combination of races. "Not Hispanic or Latino" refers to persons who are not of Hispanic or Latino origin, regardless of race.

⁵ Shown only for adults aged 25 and over.

⁶ GED is General Educational Development high school equivalency diploma.

⁷ "Full-time" employment is 35 or more hours per week. "Part-time" employment is 34 or fewer hours per week.

⁸ Includes persons in families that reported either a dollar amount or would not provide a dollar amount but provided an income interval.

⁹ "Poor" persons live in families defined as below the poverty threshold. "Near poor" persons live in families with incomes of 100% to less than 200% of the poverty threshold. "Not poor" persons live in families with incomes that are 200% of the poverty threshold or greater.

¹⁰ Based on a hierarchy of mutually exclusive categories. Adults with more than one type of health insurance were assigned to the first appropriate category in the hierarchy.

"Uninsured" includes adults who had no coverage as well as those who had only Indian Health Service coverage or had only a private plan that paid for one type of service such as accidents or dental care.

¹¹ MSA is metropolitan statistical area. Large MSAs have a population size of 1 million or more; small MSAs have a population size of less than 1 million. "Not in MSA" consists of persons not living in a metropolitan statistical area.

NOTES: Estimates are based on household interviews of a sample of the civilian noninstitutionalized population. This table is based on data from the Sample Adult file and was weighted using the Sample Adult weight. Unknowns for the columns were not included in the denominators when calculating percentages. Percentages may not add to totals due to rounding. "Total" includes other races not shown separately and persons with unknown education, family income, poverty status, and health insurance characteristics. For more information on the data source, methods, and definitions used for this table, refer to Technical Notes for Summary Health Statistics Tables: National Health Interview Survey (available from <http://www.cdc.gov/nchs/nhis/SHS/tables.htm>).

Suggested citation: Villarreal MA, Blackwell DL, Jen A. Tables of Summary Health Statistics for U.S. Adults: 2018 National Health Interview Survey. National Center for Health Statistics. 2019. Available from: <http://www.cdc.gov/nchs/nhis/SHS/tables.htm>.

SOURCE: NCHS, National Health Interview Survey, 2018.