

FEDERAL SECURITY AGENCY
OSCAR R. EWING, ADMINISTRATOR



PUBLIC HEALTH SERVICE
LEONARD A. SCHEELE, SURGEON GENERAL

VITAL STATISTICS OF THE UNITED STATES

1949

PART II
NATALITY AND MORTALITY DATA
FOR THE UNITED STATES
TABULATED BY PLACE OF RESIDENCE

PREPARED UNDER THE SUPERVISION OF
HALBERT L. DUNN, M. D.
Chief, National Office of Vital Statistics

UNITED STATES GOVERNMENT PRINTING OFFICE
WASHINGTON : 1951

NATIONAL OFFICE OF VITAL STATISTICS

HALBERT L. DUNN, M. D., *Chief*

ROBERT D. GROVE, *Principal Analyst*

IWAO M. MORIYAMA, *Mortality Analysis*

SAM SHAPIRO, *Natality Analysis*

THOMAS N. E. GREVILLE, *Actuarial Analysis*

SARAH LEWIT, *Marriage and Divorce Analysis*

CARL C. DAUER, M. D., *Medical Adviser*

HAZEL V. AUNE, *National Consulting Service*

FRANK S. MORRISON, *International Vital Statistics Cooperation*

HOWARD WEST, *Statistical Processing*

CONTENTS

INTRODUCTION

	Page
The value of vital statistics tabulated by place of residence-----	V
Previous tabulations by place of residence-----	VI
Nonresident tabulations by State offices-----	VI
Definition of residence-----	VI
Relation of geographic code to the identification of nonresidents-----	VII
Allocation of deaths to place of residence-----	VIII
Special residence instructions for members of the armed forces-----	VIII
Changes in allocation of deaths to place of residence-----	VIII
Allocation of births to place of residence-----	IX

GENERAL NATALITY AND MORTALITY TABLES

LIVE BIRTHS

Table

1. Live births by person in attendance; total deaths; deaths under 1 year and infant mortality rates; and fetal deaths and ratios: United States, each State and county, and each urban place having, in 1940, a population of 10,000 or more, 1949-----	2
2. Live births by specified race and sex: United States and each State, 1949-----	94
3. Live births by month, race, and sex: United States and each State, 1949-----	95
4. Live births by age of mother, race, nativity of white mother, and population-size group: United States and each State, 1949-----	100
5. Live births by race, nativity of white parents, and sex, and age of mother for the U. S. only: United States and each State, 1949-----	124
6A. Live births by age of mother, birth order, sex of child, race, and nativity of white mother: United States, 1949-----	126
6B. Live births by age of mother, birth order, race, and nativity of white mother: Each State, 1949-----	129
7. Live births by single year of age of mother, birth order, race, and nativity of white mother: United States, 1949-----	165
8. Live births by age of father, race, and sex, and age of mother for the U. S. only: United States and each State, 1949-----	168
9. Live births by person in attendance, race, and population-size group: United States and each State, 1949-----	175
10. Cases of plural births classified by number of children born alive and born dead, by race, and age of mother for the U. S. only: United States and each State, 1949-----	182

FETAL DEATHS

11. Fetal deaths by age of mother, race, and population-size group: United States, 1949-----	184
12. Fetal deaths by age of mother, birth order, race, and sex of child: United States, 1949-----	185
13. Fetal deaths by age of mother and race: United States and each State, 1949-----	186
14. Fetal deaths by birth order and race: United States and each State, 1949-----	188
15. Fetal deaths by person in attendance and race: United States and each State, 1949-----	190
16. Fetal deaths by race and population-size group: United States and each State, 1949-----	191

TOTAL DEATHS (EXCLUSIVE OF FETAL DEATHS)

17. Deaths by specified race and sex: United States and each State, 1949-----	192
18. Deaths by month, race, and sex: United States and each State, 1949-----	193
19. Deaths by population-size group and race: United States and each State, 1949-----	198
20. Deaths by race, in institutions by type of institution: United States and each State, 1949-----	200
21. Deaths from 64 selected causes, by month: United States and each State, 1949-----	202
22. Deaths from 64 selected causes, by age, race, and sex: United States and each State, 1949-----	252
23. Deaths from 254 selected causes, by race and sex: United States and each State, 1949-----	458
24. Deaths from 32 selected causes: United States, each State and county, and each urban place having, in 1940, a population of 10,000 or more, 1949:-----	526

CONTENTS

INFANT DEATHS

Table

25. Deaths under 1 year and under 28 days, by population-size group and race: United States and each State, 1949-----	Page 636
26. Deaths under 1 year and under 28 days, by month and race, and detailed age for the U. S. only: United States and each State, 1949-----	639
27. Deaths under 1 year and under 28 days, by race and sex: United States and each State, 1949-----	644
28. Deaths under 1 year by detailed age, race, and sex: United States and each State, 1949-----	646
29. Deaths under 1 year and under 28 days, from 45 selected causes, by population-size group and race: United States, 1949-----	656
30. Deaths under 1 year and under 28 days, from 45 selected causes, by race: United States and each State, 1949-----	662
31. Deaths under 1 year and under 28 days, from 45 selected causes, by month: United States, 1949-----	679
32. Deaths under 1 year, from 45 selected causes, by detailed age, race, and sex: United States, 1949-----	682
33. Deaths under 1 year of age, in institutions, by age and race: United States and each State, 1949-----	706

SYMBOLS USED

	Symbol
Class or item not applicable (3 dots)-----	...
Data not available (3 dashes)-----	---
Quantity is zero, in frequency tables (1 dash)-----	-
Quantity is zero, in rate or percent tables (1 cipher)-----	0
If rate or percent is more than 0, but less than 0.05-----	0.0
If both frequency and population base are zero in rate or percent tables (1 dash)-----	-

VITAL STATISTICS OF THE UNITED STATES

PART II. GEOGRAPHIC CLASSIFICATION BY PLACE OF RESIDENCE

INTRODUCTION

This volume—Vital Statistics of the United States, Part II—contains official natality and mortality statistics for the calendar year 1949, tabulated according to the place of residence of the mother of the child, or the place of residence of the decedent. Data compiled on a place-of-occurrence basis and text tables containing data tabulated by place of residence are published in a volume entitled "Vital Statistics of the United States, Part I." That volume also contains data on marriages and divorces which are available only on a place-of-occurrence basis. The birth and death tabulations published in both part I and part II are compiled from the same source material, being derived from transcripts or microfilm copies of original birth and death certificates received from registration officials of States and cities, and of the outlying territories and possessions of the United States.

The tables given in this volume should be interpreted with some caution since several factors enter into the determination of the place of residence. The place of birth or death, in most cases, is clear-cut and definitely determinable. To determine the place of residence is more difficult because it is dependent upon definitions of residence as well as the completeness of the information given on the certificate. It has, therefore, been necessary to adopt a set of arbitrary rules for the proper coding in each instance. The data obtained by a reallocation of nonresidents are obviously dependent upon these rules and cannot be correctly interpreted unless the rules are exactly and clearly stated.

THE VALUE OF VITAL STATISTICS TABULATED BY PLACE OF RESIDENCE

Tabulated vital statistics may be used for many purposes, each requiring data classified by different groupings or according to different definitions. Many of these uses relate to public health work, such as an evaluation of the problems confronting public health agencies or the measurement of the results of public health programs. Other uses relate to maternal- and infant-welfare activities, problems of population research, analysis of fertility trends, actuarial investigations, medical research, et cetera. For some purposes, such as a study of the hospital load carried by a given community, the proportion of births attended by physicians, or the simple ranking of causes of death, it is possible to use tabulated natality and mortality data without relating them to other statistical data. But for the most part, they take on their full value only when related to population figures by the computation of birth or death rates. For deaths, these rates, in their simplest form, consist of ratios of the number of deaths occurring in a specified place during a specified time to the number of persons exposed to the risk of death at that place and time. It is obvious that such a rate can be correctly computed and interpreted only when the population figure in the denominator and the mortality figure in the numerator are compiled on a comparable basis. In other words, the population figure must represent a certain group that is exposed to the risk of death, and the death figure must include all of this group that died. Although the birth rate is interpreted in a different manner, similar considerations apply to it.

For the United States, as a unit, there is little difficulty in securing adequate comparability between vital statistics and population figures. However, for individual cities or counties

or for population-size groups, there are several disturbing factors. In the population census, each person is counted as a part of the population of the geographic unit in which he has his "usual place of residence." Therefore, the enumerated population of a city is a count of all the persons who usually live in that city, excluding persons who are temporarily in the city at the time of the census and including residents of the city who are at some other place during the time of the population enumeration.

The crude death rate for the residents of any area must be based on the total resident population of that area and the total number of deaths occurring in this total resident population. It is essential to include the deaths of residents no matter where the deaths occurred, and to exclude deaths of nonresidents occurring in that area.

The occurrence of a large number of births and deaths "away from home" results from the movement of the people, facilitated by convenient methods of transportation, and from the increasing use of hospitals during confinements and illness. Seasonal movement to and from resort States, seasonal migration in search of employment, and the movement of people to some other area for hospital facilities not available in their usual place of residence, are several of the factors that contribute to the number of nonresident births and deaths.

Inasmuch as the registration laws of each State specify that births and deaths be registered at the place of birth or death, the compilation of statistics according to place of occurrence is the most direct and usual method. Rates computed on this basis may be called recorded rates, since all the births or deaths recorded in each area are included in the computation. The compilation of natality and mortality data on the same geographic basis as the population census requires a complete reallocation of births and deaths to the place of residence. When this reallocation has been made, it is then possible to compute resident rates. Since resident death rates are ratios of the number of deaths to the number of persons exposed to the risk of death, they indicate more accurately the force of mortality affecting a given population and can therefore be interpreted in terms of relative health conditions. Resident birth rates are interpreted somewhat differently, but similar considerations apply to them. Of course, in such interpretations, cognizance must be taken of other factors, such as the age, sex, and race distributions of the exposed populations.

From some points of view it may seem incorrect to allocate deaths purely on a place-of-residence basis without taking into account the city or county responsible for the causes resulting in death. For example, a resident of one city may be killed in an automobile accident in another city. In such a case, it may seem unreasonable to allocate that death to the city of residence if the accident was caused by traffic hazards of the city where the death occurred. However, even if desirable, the reallocations of deaths from most causes to the area responsible for the conditions resulting in death would be a highly speculative and difficult task. Furthermore, admitting the possibility of making such an assignment of deaths; it then becomes necessary to devise an "exposed-to-risk" figure quite different from an enumerated population.

Tabulations of vital statistics by place of occurrence are valuable and necessary for certain purposes. Tabulations by place of residence and the computation of resident rates provide data of greater value and meaning for many uses. How-

ever, resident data cannot be directly interpreted for every purpose. No single method of tabulation could be devised that would provide statistics compiled in the manner necessary for all possible problems.

PREVIOUS TABULATIONS BY PLACE OF RESIDENCE¹

The first nonresident tabulations made by the Bureau of the Census were published in the volume of "Mortality Statistics" for 1914. These tabulations included deaths, but not births, and consisted merely of a separation of nonresident deaths from the total deaths for each area. However, discovery of serious deficiencies in the place-of-residence information given on the death certificates resulted in the omission of nonresident tabulations from the published volumes from 1915 to 1917, inclusive. By 1918, it was believed that sufficient progress had been made with the basic data to resume publication of nonresident statistics.

In 1918 the nonresident mortality tabulations were revised so as to provide a complete allocation of deaths by place of residence within the limits of the then incomplete registration area. A decedent in the registration area whose place of residence was outside the registration area could not be reallocated to his place of residence. Similarly, deaths of residents of the registration area could not be included in the figures for this area if the deaths had occurred outside the registration area.

Tables showing the number of deaths by place of residence were published for each year from 1918 to 1930, inclusive. The rules for residence allocation remained essentially unchanged during this period. In 1931, the tabulation of nonresident deaths was discontinued as an economy measure, and for the years 1931 to 1934, inclusive, no data on this important subject are available.

The completion of the birth- and death-registration areas in 1933 made possible, for the first time, a Nation-wide reallocation of nonresidents to the place of residence. When the nonresident reallocation was resumed in 1935, the definition of a nonresident was revised and more detailed rules for allocation were formulated. In addition, compilation by place of residence was extended to birth statistics. Previous to 1935, no reallocation of births to place of residence of the child's mother had been made by the Bureau of the Census.

Resident tabulations for 1935 and 1936 were made but were not published in the annual volumes—"Birth, Stillbirth, and Infant Mortality Statistics" or "Mortality Statistics." However, they were released in the series of "Vital Statistics—Special Reports."²

The publication in 1937 of a combined volume of natality and mortality data tabulated by place of residence marked an important change in the compilation of national vital statistics. Since then, the tabulations by place of residence have been expanded considerably.

NONRESIDENT TABULATIONS BY STATE OFFICES

Since tabulations by place of residence are important in public health administration, many State departments of health compile natality and mortality data on this basis.

In some States the resident tabulations are based solely on a reallocation of nonresidents within the State. In other words, these States do not include in their tabulations the deaths (or

¹For a more detailed account of previous resident tabulations, see "Vital Statistics of the United States, 1937, Part II," p. 2, Bureau of the Census, Washington, D. C., 1939.

²For a list of these reports containing resident tabulations for 1935 and 1936, *ibid.*, p. 2.

births) of residents of that State occurring in other States. For State totals, the allocation of interstate nonresidents is, in most cases, numerically unimportant. However, for areas near a State border, interstate reallocation may be very important since many deaths (or births) of residents of the area may occur in the adjacent State.

To assist the States in obtaining records of births or deaths of their residents in other States, the Vital Statistics Section of the American Public Health Association adopted, in 1931, a resolution requesting the Bureau of the Census to act as a clearing house in the exchange of such records. Since 1933, most States have sent to the National Office of Vital Statistics copies of birth and death certificates for out-of-State nonresidents and these have been forwarded to the State of residence. Although this interstate exchange has been of considerable value to the individual States, it has not solved all of the difficulties met by State agencies in making a complete reallocation.

Differences of opinion exist regarding the principles on which the definition of a nonresident and the rules used for coding should be based. For this reason the interstate transfer is not on a strictly uniform basis for all States. Some indication of the amount of variation among States can be seen in the following table. In this table the number of nonresidents of each State, according to the definitions of the National Office of Vital Statistics, is compared with those identified by the separate State offices. These comparisons are based upon transcripts which have been cleared through the National Office of Vital Statistics. Since some interchange of nonresident transcripts is still made directly, these ratios may not completely represent the differences in State procedures. However, copies of certificates reported to the National Office of Vital Statistics as having been exchanged directly between States are included in the table. The table shows for both births and deaths the number of nonresident transcripts to be subtracted from the tabulations of each State, and the number of resident transcripts to be added. A study of the figures in this table, and particularly of the ratios between Federal and State figures, will indicate the existence of many differences in State procedures. While State tabulations fulfill an important need, it is obviously desirable that Nation-wide tabulations be made according to uniform rules.

One significant comment should be made regarding the differences between resident tabulations made by State agencies and those made by the National Office of Vital Statistics. Because of the large number of transcripts involved in national tabulations, the coding rules used by the National Office of Vital Statistics must be designed and simplified to facilitate mass production. Furthermore, it does not have access to the detailed local information necessary for certain types of allocation. For these reasons, it is not practicable to introduce all possible coding refinements or to use different sets of rules for various causes of death. Many State offices, having special local problems or interests to meet, wish to use special coding rules for certain groups of data. For example, some States prefer to allocate deaths from infectious diseases to the area where the infection presumably originated, deaths from accidents to the place of accident, deaths from homicide to the place of homicide, et cetera.

The desirability of these special types of tabulation should be emphasized, but they often require detailed information available only in local offices and involve operating rules feasible only for a relatively small volume of work. Therefore, while it is desirable to have uniform national tabulations, they do not replace those made by the separate State agencies.

DEFINITION OF RESIDENCE

The reallocation of births and deaths to place of residence is based on information somewhat different and collected in a

INTRODUCTION

FEDERAL AND STATE INTERCHANGE OF COPIES OF BIRTH AND DEATH CERTIFICATES FOR NONRESIDENTS: 1949

(Exclusive of fetal deaths. Includes transcripts distributed both through the National Office of Vital Statistics and directly between States)

AREA	BIRTHS						DEATHS					
	To nonresidents in the State			To residents in other States			Of nonresidents in the State			Of residents in other States		
	Federal allocation	State interchange	Ratio of State interchange to Federal allocation	Federal allocation	State interchange	Ratio of State interchange to Federal allocation	Federal allocation	State interchange	Ratio of State interchange to Federal allocation	Federal allocation	State interchange	Ratio of State interchange to Federal allocation
UNITED STATES	86,059	¹ 82,069	0.95	86,059	80,941	0.94	43,656	¹ 44,104	1.01	43,656	43,178	0.99
Alabama	1,201	1,038	0.86	1,661	1,616	0.97	527	532	1.01	796	760	0.95
Arizona	537	591	1.10	300	273	0.91	760	827	1.09	285	266	0.93
Arkansas	1,511	1,517	1.00	1,368	1,353	0.99	746	760	1.02	878	847	0.96
California	376	448	1.19	1,514	1,448	0.96	1,362	1,305	0.96	1,335	1,379	1.02
Colorado	1,012	1,028	1.02	523	495	0.95	700	658	0.94	399	390	0.98
Connecticut	610	537	0.88	1,530	1,137	0.74	487	452	0.93	681	675	0.99
Delaware	493	458	0.93	297	305	1.03	215	221	1.03	158	160	1.01
District of Columbia	9,173	9,589	1.05	1,315	1,267	0.96	1,209	1,095	0.91	975	949	0.97
Florida	851	852	0.99	1,219	1,138	0.93	2,234	2,220	0.99	974	974	1.02
Georgia	2,027	1,990	0.98	1,611	1,490	0.92	926	963	1.04	830	808	0.97
Idaho	626	585	0.93	853	456	0.53	249	230	0.92	378	256	0.68
Illinois	2,012	2,036	1.01	5,667	3,845	0.68	1,649	1,666	1.02	3,188	2,529	0.79
Indiana	3,085	2,017	0.65	2,241	2,212	0.98	1,246	1,092	0.88	1,373	1,358	0.99
Iowa	2,503	2,430	0.97	1,477	1,432	0.97	1,107	1,017	0.92	905	897	0.99
Kansas	1,712	1,594	0.93	2,990	3,017	1.01	1,077	1,261	1.17	951	991	1.04
Kentucky	2,454	2,478	1.01	2,239	2,225	0.99	882	887	1.01	1,164	1,157	0.98
Louisiana	636	630	0.99	830	783	0.94	600	596	0.99	437	408	0.93
Maine	209	258	1.23	540	646	1.20	280	288	1.03	249	249	1.00
Maryland	3,409	2,946	0.86	6,330	6,551	1.03	1,616	1,588	0.98	1,068	1,012	0.95
Massachusetts	1,977	945	0.48	1,317	1,280	0.97	1,207	1,176	0.97	985	1,019	1.03
Michigan	1,205	1,156	0.96	1,694	1,755	1.04	873	976	1.12	1,145	1,324	1.16
Minnesota	1,958	1,876	0.96	1,860	1,842	0.99	1,248	1,319	1.06	747	752	1.01
Mississippi	1,524	1,336	0.88	892	819	0.92	525	394	0.75	664	679	1.02
Missouri	4,622	3,986	0.86	2,573	2,465	0.96	1,877	1,582	0.84	1,695	1,817	1.07
Montana	204	212	1.04	433	435	1.00	266	263	0.99	277	300	1.08
Nebraska	1,049	1,067	1.02	1,178	1,132	0.96	440	460	1.05	577	567	0.98
Nevada	257	257	0.99	135	119	0.88	192	183	0.95	146	128	0.88
New Hampshire	1,110	1,069	0.96	853	478	0.56	402	425	1.06	419	431	1.03
New Jersey	1,153	1,154	1.00	4,088	4,073	1.00	1,332	1,430	1.07	2,358	2,389	1.01
New Mexico	739	628	0.85	1,067	1,080	0.99	557	498	0.89	409	387	0.95
New York	3,604	3,667	1.02	2,363	2,184	0.92	2,631	2,716	1.03	2,725	2,830	1.04
North Carolina	1,702	1,552	0.91	1,492	1,348	0.90	918	920	1.00	842	846	1.00
North Dakota	1,159	1,199	1.03	1,113	1,167	1.05	310	324	1.05	384	407	1.06
Ohio	3,582	3,527	0.98	3,614	3,152	0.87	1,692	1,560	0.92	1,872	1,900	1.01
Oklahoma	1,551	1,390	0.90	1,705	1,658	0.97	473	466	0.99	1,013	1,017	1.00
Oregon	1,014	924	0.91	1,063	1,030	0.97	553	602	1.09	495	487	0.98
Pennsylvania	3,932	3,898	0.99	3,698	3,606	0.98	1,828	1,828	1.00	2,351	2,380	1.01
Rhode Island	1,367	1,356	0.99	653	547	0.84	292	304	1.04	366	368	1.01
South Carolina	1,230	958	0.78	991	967	0.98	389	368	0.95	483	476	0.98
South Dakota	985	958	0.97	857	795	0.93	334	302	0.90	347	343	0.99
Tennessee	3,268	3,324	1.02	2,184	2,077	0.95	1,755	1,740	0.99	793	798	0.99
Texas	2,429	2,867	1.18	2,511	2,417	0.96	1,293	1,376	1.06	1,282	1,241	0.97
Utah	438	405	0.92	252	243	0.96	251	241	0.96	158	160	1.01
Vermont	363	369	1.02	763	713	0.93	229	256	1.12	237	248	1.05
Virginia	2,336	2,348	1.01	6,390	6,356	1.00	1,216	1,276	1.05	1,299	1,229	0.95
Washington	2,090	1,784	0.85	1,051	790	0.75	689	610	0.88	620	642	1.04
West Virginia	2,914	2,869	0.98	2,347	2,321	0.99	938	935	1.00	812	792	0.98
Wisconsin	1,415	1,142	0.81	1,922	1,879	0.98	857	740	0.86	863	864	1.02
Wyoming	445	436	0.98	575	563	0.98	247	274	1.11	227	222	0.98

¹Includes allocations outside of continental United States.

manner different from that obtained in the enumerated population census. It is obviously not possible to use identical rules for both compilations. The tabulation of vital statistics on a place-of-residence basis requires that the information given on the certificate be interpreted in such a way as to result in classifications comparable, in so far as practicable, with the population census figures. The necessity for such interpretation introduces arbitrary and controversial factors into the procedure of allocation. It can hardly be expected that the geographic classification by place of residence can be as direct and simple as the classification by place of occurrence.

In addition to difficulties in the definition of residence, there are several factors in the original collection of birth and death information that may produce errors or discrepancies in residence tabulations. The place of birth or death is usually obvious or easily learned by the person filling out the original certificate. On the other hand, the original informant or the

State office may have to make an inquiry to determine the place of residence, particularly in the case of nonresident births or deaths. Since it is sometimes difficult to ascertain the precise geographic location of the place of residence, errors may be made in residence designation, and the residence information may be omitted or incompletely reported on some birth and death certificates.

Relation of geographic code to the identification of nonresidents

Whether or not a person is classified as a nonresident depends somewhat upon the size of the area under consideration. A resident of Maine may die in California, yet this fact may be ignored when only totals for the United States are concerned. For State totals, only those persons who cross State lines need be considered in a reallocation by place of residence, since any

movement within the State is irrelevant. On the other hand, for the study of mortality conditions within a city (for individual census tracts or wards), it is necessary to use a much finer definition of a nonresident. In such cases it may be necessary, for example, to define as a nonresident a person who lived on one side of a street and died in a hospital on the other side of the same street.

In whatever way the place of residence may be defined, the size of the tabulation or coding unit will partially determine the number of identified nonresidents. If the coding unit—assuming the use of a punch-card system in which geographic areas are given numerical codes—is a whole county, obviously it is impossible to determine, from a tabulation of the cards, the number of persons who moved about within the county. If the coding unit is a single registration district, it will be possible to identify persons moving from one district to another within the county, but it will not be possible to measure the movement within districts.

The tabulations given in this volume are based on a geographic code that identifies each city or other urban place having a population of over 10,000 in 1940 and each county excluding these cities or urban places. The code for the county (exclusive of the cities or urban places of 10,000 or more) is subdivided into two codes, one for all urban places of 2,500 to 10,000 as a group, and another for all villages under 2,500 and rural areas as a group. In coding the place of residence, movement from an urban place or city of 2,500 or more to another place or city of 2,500 or more, in the same or a different county, is identified. Similarly, any population movement from one county to another is identified, including movement to or from rural areas in different counties. However, movement from a village under 2,500 or from a rural area to another village under 2,500 or rural area within the same county is not identified.

Another limitation should be mentioned. If, for example, the nonresident deaths for each urban place and county within a State are tabulated, it is not possible to add these figures together and obtain the number of nonresidents of the whole State. Such addition will give the number of persons in the State who died in a tabulation-unit area other than the area of their residence, but it will not give the number of nonresidents of the State since a nonresident in an urban place may be a resident of some rural area or some other urban place in the same State. Therefore, the term "nonresident" may have one or two meanings. In reference to the smallest unit of tabulation (in this report an urban place or county), a nonresident is a person who died within that unit but whose usual place of residence was in some other unit. In reference to a consolidation of separate geographic units (for example, a whole State), the term refers to the number of persons dying therein who are nonresidents of the particular place of death but are not necessarily nonresidents of the consolidated area. Furthermore, since the nonresidents of one area are necessarily residents of some other area, it is necessary to apply both terms to the same data when considered in different aspects. In order to avoid confusion, the tables given in this volume include headnotes or footnotes when additional explanation seems necessary.

Allocation of deaths to place of residence

The allocation of deaths to the place of residence is based on the following general principles and rules.

1. Mortality data should be compiled so as to correspond, in so far as practicable, with enumerated populations on which rates are to be based. Each death should be assigned to the area which was the "usual place of residence" of the decedent.

2. A decedent is defined as a nonresident if the place of residence stated on the certificate is different from the place

of death. However, decedents who at the time of death had been living more than 1 year in a community and did not die in an institution are considered residents of that community even though some other place of residence is stated.

3. Decedents in all types of institutions are reallocated to the place of prior residence, regardless of length of stay in the institution.

4. Decedents whose usual place of residence is a foreign country or a United States possession outside the United States are not reallocated to the usual place of residence.

5. Infants born at other than the place of residence of the mother, who died in that same place, are reallocated to the place of residence of the mother.

For the purpose of coding mortality transcripts or microfilm copies, these rules have been expanded into definite coding instructions which state the procedure followed in each case. These instructions have been published in an Instruction Manual.³

Special residence instructions for members of the armed forces

1. The decedent is considered a resident of the reported place of residence only if the length of stay in the place of death is omitted or is given as less than 1 year. In such cases, the place of residence is taken as the decedent's home residence (abode before entering service) if stated, in preference to any military or naval station which may be mentioned on the transcript.

2. The decedent is considered a resident of the place of death if length of stay in that place is given as 1 year or more, regardless of the entry for place of residence.

Changes in allocation of deaths to place of residence

Serious methodological problems arise in the process of (1) allocating vital events, particularly deaths, on the same basis as the enumerated population, and (2) allocating them so as to describe accurately the mortality conditions of a particular area. Differences in the manner of collection of vital statistics data and of population data introduce inconsistencies in their allocation by place of residence. In addition, a strict application of population enumeration definitions to deaths distorts the description of mortality conditions in certain areas. This is particularly true for areas in which large resident-type institutions, such as mental and tuberculosis hospitals, are located. In the population census the patients or inmates of these institutions are counted as residents of the institution. The death rate among these people is usually very high, because of the illness or infirmity which caused them to enter the institution. If these deaths are allocated to the city or county in which the hospital or institution is located, the death rate of the area is likely to be much higher than it would be if they were allocated to the area of residence prior to hospitalization. Nevertheless, the residence allocation rules used by the National Office of Vital Statistics from 1935 to 1948, inclusive, correspond closely to those of the population census.

In response to increasing dissatisfaction among public health agencies with these definitions, the National Office of Vital Statistics made a careful study of the problem. Three different crude death rates were computed for each of 188 counties for which in 1940 the deaths in resident-type hospitals or other institutions constituted 10 percent or more of total

³National Office of Vital Statistics, "Vital Statistics Instruction Manual, Part I, Coding and Punching Geographic and Personal Particulars of Births, Deaths, and Stillbirths Occurring During 1949," Washington, D. C., 1949.

resident deaths. In method (1) the rates were computed using total resident deaths and total enumerated population, the institutional population being included in both the numerator and denominator of the rate formula. In method (2) the rates were computed using total resident deaths minus deaths in resident-type institutions and the total enumerated population including the institutional population. In method (3) the rates were computed using total resident deaths minus deaths in resident-type institutions and the total enumerated population minus the population living in such institutions. Method (1) was used by the National Office of Vital Statistics with minor changes from 1935 through 1948. Method (2) gives the rate which results when the institutional population is deducted from the deaths but included in the population base. Method (3) gives the rate which is obtained when the institutional population is excluded from both the deaths and the population base. Of the three rates computed the third method can be regarded as the rate which describes most accurately the mortality experience in the counties uninfluenced by the special factor of institution location.

The average crude resident death rates per 1,000 population obtained for the 188 counties were as follows:

Method (1)-----	14.0
Method (2)-----	10.0
Method (3)-----	10.7

The average rate by method (1) was 30.8 percent above the average rate by method (3), while the average rate by method (2) was 6.5 percent below the average rate obtained by method (3).

This study led to the conclusion that allocation of deaths according to the rules of the population census resulted in serious distortion of mortality statistics for counties and cities in which the population in resident-type institutions is a significant proportion of the total population. Therefore, beginning with data for 1949, the National Office of Vital Statistics introduced a major change into its rules for residence allocation of deaths occurring in resident-type institutions. The crude death rates which will be obtained under the revised rules will be comparable with those obtained by method (3) when the institutional population can be deducted from the

population base and with those obtained by method (2) when it cannot be deducted. Under the revised rule, all deaths which occur in institutions of all types are allocated to the reported place of usual residence, regardless of the length of time spent by the decedent in the institution. In actual practice, the new rules differ significantly from the previous definitions only with respect to deaths occurring in resident-type institutions (mental hospitals, homes for the aged, penitentiaries, etc.) and in tuberculosis hospitals. Under the old rules all deaths in resident institutions regardless of length of stay and all deaths in tuberculosis hospitals where the decedent had lived in the hospital more than 1 year were allocated to the place of death. Beginning with 1949, they are allocated to the place of usual residence. A complete statement of the residence-allocation rules used in classifying 1949 data is given in an Instruction Manual.³

Beginning with data for 1949, a change was also made in the rules for allocation of deaths of military personnel. For the years 1943 through 1948, the post or port at which the deceased was stationed was considered to be the usual place of residence. Under the new rule, these cases are classified as residents of the place of death if length of stay in that place is stated to be 1 year or more. If length of stay in place of death is stated to have been less than 1 year, the death is allocated to the deceased's home residence, if stated.

Allocation of births to place of residence

The allocation of live births and fetal deaths (stillbirths) is made according to the same general principles as the allocation of deaths. In the case of births, however, the residence of the mother is considered to be the place of residence of the child, and the allocation is not affected by the mother's length of stay in the community in which the birth occurs.

For the purpose of coding natality transcripts or microfilm copies, these rules have been expanded into definite coding instructions which state the procedure followed in each case. These instructions have been published in an Instruction Manual.³

³See footnote on p. VIII.

GENERAL NATALITY AND MORTALITY TABLES

(1)

VITAL STATISTICS OF THE UNITED STATES

TABLE 1.—LIVE BIRTHS BY PERSON IN ATTENDANCE; TOTAL DEATHS; DEATHS UNDER 1 YEAR AND INFANT MORTALITY RATES; AND FETAL DEATHS AND RATIOS: UNITED STATES, EACH STATE AND COUNTY, AND EACH URBAN PLACE HAVING, IN 1940, A POPULATION OF 10,000 OR MORE, 1949

(By place of residence. Deaths exclusive of fetal deaths and of deaths among armed forces overseas. Fetal deaths include only those for which the period of gestation was stated to be 2½ weeks (or 5 months) or more, or was not stated. Infant mortality rates and fetal death ratios per 1,000 live births in each specified group. White and nonwhite are shown separately for those counties and urban places in which the 1940 populations for nonwhite races formed 10 percent or more of the total, or numbered 15,000 or more.)

AREA AND RACE	LIVE BIRTHS					Deaths (all ages)	DEATHS UNDER 1 YEAR		FETAL DEATHS	
	Total	Attended by—					Number	Rate	Number	Ratio
		Physician in hospital ¹	Physician not in hospital	Midwife	Other and not specified					
UNITED STATES	3,559,529	3,097,095	289,981	166,166	14,302	1,443,607	111,531	31.3	70,584	19.6
White	3,085,721	2,825,078	214,198	36,777	7,668	1,266,848	89,007	28.9	54,114	17.5
Nonwhite	475,808	262,032	75,783	131,589	6,634	174,759	22,524	47.3	16,470	34.6
ALABAMA	64,416	49,301	15,926	18,673	518	26,753	3,345	39.6	2,305	27.3
White	52,213	40,211	10,293	1,562	147	15,395	1,704	32.6	1,055	20.2
Nonwhite	32,205	9,099	5,633	17,111	371	11,358	1,641	51.0	1,250	38.8
Autauga	491	199	38	253	1	187	20	40.7	12	24.4
White	200	177	12	11	-	97	11	55.0	2	10.0
Nonwhite	291	22	26	242	1	90	9	30.9	10	34.4
Baldwin	1,164	549	332	281	2	322	44	37.8	27	23.2
White	814	517	259	36	2	253	27	33.2	13	16.0
Nonwhite	350	32	73	245	-	92	17	46.6	14	40.0
Barbour	915	230	242	441	2	325	54	59.0	30	32.8
White	348	207	133	8	-	129	20	57.5	6	17.2
Nonwhite	567	23	109	433	2	196	34	60.0	24	42.3
Bibb	525	176	168	177	4	171	22	41.9	21	40.0
White	305	184	105	36	-	108	15	49.2	8	26.2
Nonwhite	220	12	63	141	4	65	7	31.8	13	59.1
Blount	722	429	277	15	1	207	32	44.3	20	27.7
Bullock	539	91	51	397	-	206	27	50.1	20	37.1
White	81	50	26	5	-	42	1	12.3	3	37.0
Nonwhite	458	41	25	392	-	164	26	56.8	17	37.1
Butler	898	376	170	350	2	260	32	35.6	15	16.7
White	404	322	75	6	1	135	16	39.6	7	17.3
Nonwhite	494	54	95	344	1	125	16	32.4	8	16.2
Calhoun	2,122	1,356	575	189	2	628	89	41.9	57	26.9
White	1,673	1,230	423	16	2	453	59	34.7	39	23.3
Nonwhite	449	126	152	171	-	175	31	69.0	18	40.1
Anniston	975	700	145	129	1	309	49	50.3	26	26.7
White	679	589	74	5	1	167	28	41.2	15	22.1
Nonwhite	296	101	71	124	-	122	21	70.9	11	37.2
Balance of county	1,147	656	430	60	1	319	40	34.9	31	27.0
White	994	631	349	13	1	266	30	30.2	24	24.1
Nonwhite	153	25	81	47	-	53	10	65.4	7	45.8
Chambers	938	556	125	255	2	326	40	42.6	26	27.7
White	517	498	15	4	-	181	15	29.0	9	17.4
Nonwhite	421	58	110	251	2	145	25	59.4	17	40.4
Cherokee	477	301	107	66	3	125	8	16.8	16	33.5
Chilton	635	291	256	87	1	216	28	44.1	18	26.3
White	521	287	220	13	1	171	25	44.1	12	23.0
Nonwhite	114	4	36	74	-	45	5	43.9	6	52.6
Choctaw	601	228	29	342	2	138	21	34.9	20	33.3
White	244	206	19	17	2	42	8	32.8	8	32.8
Nonwhite	357	22	10	325	-	96	13	36.4	12	33.6
Clarke	779	254	154	371	-	238	29	37.2	28	35.9
White	319	233	70	16	-	91	9	28.2	5	15.7
Nonwhite	460	21	84	355	-	147	20	43.6	23	50.0
Clay	373	273	45	54	1	142	19	50.9	10	26.8
White	301	247	40	13	1	122	14	46.5	9	29.9
Nonwhite	72	26	5	41	-	20	5	69.4	1	13.9
Cleburne	288	111	165	12	-	102	13	45.1	1	3.5
Coffee	795	252	503	40	-	221	26	32.7	9	11.3
White	612	244	358	10	-	169	22	35.9	4	6.5
Nonwhite	183	8	145	30	-	52	4	21.9	5	27.3
Colbert	1,143	766	186	169	2	344	51	44.6	34	29.7
White	816	895	99	21	1	232	34	41.7	18	22.1
Nonwhite	327	91	87	148	1	112	17	52.0	16	46.9
Conecuh	658	162	158	333	5	211	22	35.4	17	25.8
White	285	145	120	20	2	95	4	14.0	4	14.0
Nonwhite	373	19	38	313	3	116	18	45.3	13	34.9
Coosa	287	115	66	85	1	109	9	33.7	11	41.2
White	136	89	43	4	-	72	4	29.4	2	14.7
Nonwhite	151	26	23	81	2	37	5	38.2	9	68.7
Covington	978	595	239	152	2	326	34	34.8	12	12.3
White	774	554	194	25	1	247	24	31.0	8	10.3
Nonwhite	204	31	45	127	1	79	10	49.0	4	19.6
Crenshaw	498	198	164	131	5	171	16	36.1	12	24.1
White	303	189	99	14	1	109	11	36.3	5	16.5
Nonwhite	195	9	65	117	4	62	7	35.9	7	35.9
Cullman	1,279	1,114	139	22	4	351	42	32.8	29	22.7
Dale	565	212	201	151	1	198	22	36.9	3	5.3
White	393	207	165	21	-	111	12	30.5	3	7.6
Nonwhite	172	5	36	130	1	47	10	58.1	-	0
Dallas	1,745	655	95	1,34	1	660	77	43.1	54	30.3
White	505	492	3	9	1	178	13	25.7	6	11.0
Nonwhite	1,240	163	92	1,025	-	482	64	50.0	48	37.5
Delaware	766	422	86	257	1	310	38	49.6	16	20.9
White	322	319	2	-	-	126	11	34.2	8	9.3
Nonwhite	444	103	84	257	-	184	27	60.8	13	29.3
Balance of county	1,119	233	9	777	-	360	39	38.3	38	37.3
White	143	173	1	9	-	5	2	10.9	3	16.4
Nonwhite	636	60	8	768	-	355	37	44.3	35	41.9
De Kalb	1,175	681	442	43	9	262	36	30.6	33	28.1

See footnotes on p. 93.

GENERAL TABLES—BIRTHS, DEATHS, AND FETAL DEATHS

3

TABLE 1.—LIVE BIRTHS BY PERSON IN ATTENDANCE; TOTAL DEATHS; DEATHS UNDER 1 YEAR AND INFANT MORTALITY RATES; AND FETAL DEATHS AND RATIOS: UNITED STATES, EACH STATE AND COUNTY, AND EACH URBAN PLACE HAVING, IN 1940, A POPULATION OF 10,000 OR MORE, 1949—Continued

(See headnote on p. 2)

AREA AND RACE	LIVE BIRTHS					Deaths (all ages)	DEATHS UNDER 1 YEAR		FETAL DEATHS	
	Total	Attended by—					Number	Rate	Number	Ratio
		Physi- cian in hos- pital ^a	Physi- cian not in hos- pital	Midwife	Other and not speci- fied					
ALABAMA—Continued										
Elmore-----	815	461	99	252	4	308	31	39.0	13	16.0
White-----	454	389	57	6	2	168	10	22.0	3	6.6
Nonwhite--	361	72	41	246	2	140	21	58.2	10	27.7
Escambia-----	878	508	156	232	2	294	49	55.8	27	30.8
White-----	537	414	101	20	2	174	26	48.4	14	26.1
Nonwhite--	341	94	35	212	-	120	23	67.4	13	38.1
Etowah-----	2,704	1,584	978	139	3	705	95	35.1	63	23.3
White-----	2,245	1,502	693	47	3	545	71	31.6	45	20.0
Nonwhite--	458	82	285	92	-	160	24	52.3	18	39.2
Cadsden-----	1,428	958	411	58	-	581	55	38.5	37	25.9
White-----	1,098	885	200	3	-	268	36	32.8	22	20.0
Nonwhite--	330	63	211	56	-	113	19	57.6	15	45.5
Balance of county-----	1,276	626	567	80	3	324	40	31.3	26	20.4
Fayette-----	552	224	231	92	5	146	26	47.1	8	14.5
White-----	454	217	181	42	4	121	22	49.5	7	15.4
Nonwhite--	98	7	40	50	1	25	4	40.8	1	10.2
Franklin-----	676	437	218	21	-	200	26	38.5	9	13.3
Geneva-----	665	296	275	91	1	184	20	30.1	17	25.6
White-----	554	289	246	18	1	148	14	25.3	13	23.5
Nonwhite--	111	9	29	73	-	36	6	54.1	4	36.0
Greene-----	468	36	77	375	-	232	30	61.5	27	55.3
White-----	48	29	17	2	-	42	2	41.7	1	20.8
Nonwhite--	440	7	60	373	-	190	28	63.6	26	58.1
Hale-----	691	111	53	527	-	219	27	39.1	18	26.0
White-----	146	96	34	17	-	55	5	34.2	1	6.8
Nonwhite--	545	15	19	510	-	164	22	40.4	17	31.2
Henry-----	586	181	97	305	3	160	21	35.8	11	18.8
White-----	254	160	49	25	-	78	2	6.5	4	17.1
Nonwhite--	352	21	48	280	3	82	19	54.0	7	19.9
Houston-----	1,214	717	208	283	6	387	39	32.1	38	29.7
White-----	829	680	108	39	2	244	20	24.1	16	19.3
Nonwhite--	395	37	100	244	4	143	19	49.4	20	51.9
Dothan-----	533	365	80	85	3	191	23	43.2	18	33.8
White-----	362	348	12	2	-	103	12	33.1	8	22.1
Nonwhite--	171	17	68	83	3	88	11	64.3	10	59.5
Balance of county-----	681	352	128	198	3	196	16	23.5	18	26.4
White-----	467	332	96	37	2	141	8	17.1	8	17.1
Nonwhite--	214	20	32	161	1	55	8	37.4	10	46.7
Jackson-----	1,093	339	547	147	50	302	42	36.8	27	24.9
Jefferson-----	14,694	11,966	2,583	39	306	5,164	552	37.6	435	29.6
White-----	8,321	7,637	656	6	22	2,665	243	29.2	173	20.8
Nonwhite--	6,373	4,329	1,727	33	284	2,501	309	48.5	262	41.1
Birmingham-----	8,159	7,068	796	10	295	3,167	296	38.1	239	29.3
White-----	4,540	4,442	63	-	15	1,628	121	28.7	91	20.0
Nonwhite--	3,619	2,626	713	10	270	1,539	165	48.6	148	40.9
Bessemer-----	1,043	781	254	6	2	336	54	51.8	36	34.5
White-----	436	398	38	-	-	116	13	29.8	13	29.8
Nonwhite--	607	383	216	6	2	220	41	67.5	23	37.9
Fairfield-----	495	431	64	-	-	128	22	44.4	16	32.3
White-----	180	187	3	-	-	45	3	15.8	5	26.5
Nonwhite--	305	244	61	-	-	83	19	62.3	11	36.1
Balance of county-----	4,997	3,686	1,289	23	19	1,533	190	39.0	144	28.8
White-----	3,155	2,610	532	6	7	874	108	33.6	64	20.3
Nonwhite--	1,842	1,076	737	17	12	659	84	45.6	80	43.4
Lamar-----	394	184	135	68	7	132	6	15.2	9	22.8
White-----	315	173	115	23	4	113	4	12.7	5	15.9
Nonwhite--	79	11	20	45	3	19	2	25.3	4	30.6
Lauderdale-----	1,400	1,083	170	147	-	405	43	30.7	32	22.9
White-----	1,187	993	144	50	-	305	29	24.4	26	21.9
Nonwhite--	213	90	26	97	-	100	14	63.7	6	26.2
Florence-----	688	598	13	57	-	211	22	32.9	14	21.0
White-----	544	532	7	5	-	145	11	20.2	10	18.4
Nonwhite--	124	66	6	52	-	66	11	68.7	4	32.3
Balance of county-----	732	485	157	80	-	194	21	29.7	18	24.6
White-----	645	461	137	45	-	160	18	28.0	16	34.9
Nonwhite--	89	24	20	45	-	34	3	33.7	2	22.5
Lawrence-----	690	484	271	135	-	190	33	37.1	18	23.2
White-----	651	474	163	14	-	128	27	41.5	11	16.9
Nonwhite--	239	10	108	121	-	62	6	25.1	7	29.3
Lee-----	1,254	752	117	383	2	326	44	35.1	45	35.9
White-----	643	615	21	12	-	136	15	23.1	18	27.8
Nonwhite--	606	137	96	371	2	200	29	47.9	27	46.6
Limestone-----	1,054	601	266	186	1	313	44	41.7	20	19.0
White-----	780	594	172	175	-	215	27	34.6	15	19.2
Nonwhite--	274	7	95	171	-	98	17	62.0	5	18.2
Lowndes-----	608	60	13	514	1	166	38	62.5	29	47.7
White-----	73	66	1	6	-	25	2	27.4	-	0
Nonwhite--	535	14	12	508	1	171	36	67.3	29	54.2
Macon-----	862	498	58	306	-	261	45	52.2	29	33.6
White-----	106	71	28	7	-	53	1	8.4	5	47.2
Nonwhite--	756	427	50	299	-	228	44	58.2	24	31.7
Madison-----	2,124	1,184	467	472	1	605	84	39.5	47	22.1
White-----	1,435	1,061	319	35	-	380	54	37.6	24	16.7
Nonwhite--	689	103	148	437	1	225	30	43.5	23	33.4
Huntsville-----	909	705	90	114	-	254	33	36.3	20	22.0
White-----	672	539	29	4	-	154	24	35.7	8	11.9
Nonwhite--	237	66	61	110	-	100	9	38.0	12	50.6
Balance of county-----	1,215	479	377	358	1	351	51	42.0	27	22.0
White-----	763	442	290	31	-	226	30	39.3	16	21.0
Nonwhite--	452	37	87	327	1	125	21	46.5	11	24.3

See footnotes on p. 93.

VITAL STATISTICS OF THE UNITED STATES

TABLE 1.—LIVE BIRTHS BY PERSON IN ATTENDANCE; TOTAL DEATHS; DEATHS UNDER 1 YEAR AND INFANT MORTALITY RATES; AND FETAL DEATHS AND RATIOS: UNITED STATES, EACH STATE AND COUNTY, AND EACH URBAN PLACE HAVING, IN 1940, A POPULATION OF 10,000 OR MORE, 1949—Continued

(See headnote on p. 2)

AREA AND RACE	LIVE BIRTHS					Deaths (all ages)	DEATHS UNDER 1 YEAR		FETAL DEATHS	
	Total	Attended by—					Number	Rate	Number	Ratio
		Physi- cian in hos- pital ¹	Physi- cian not in hos- pital	Midwife	Other and not speci- fied					
ALABAMA—Continued										
Marengo-----	845	168	57	818	2	374	44	52.1	20	23.7
White-----	183	137	55	9	2	97	3	16.4	4	21.9
Nonwhite-----	662	31	22	809	-	277	41	61.9	16	24.2
Marion-----	734	433	178	120	3	181	23	31.3	10	13.6
Marshall-----	1,253	865	336	51	1	321	56	43.9	34	27.1
Mobile-----	7,037	5,706	110	1,196	25	1,990	281	59.8	177	25.2
White-----	4,336	4,136	88	112	-	1,120	133	30.7	58	15.6
Nonwhite-----	2,701	1,570	22	1,084	25	870	148	54.8	118	43.7
Balance of county-----	3,752	5,219	24	503	6	1,209	150	40.0	103	27.5
White-----	2,232	2,213	9	10	-	680	61	27.3	27	12.1
Nonwhite-----	1,520	1,006	15	493	6	523	89	58.6	76	30.0
Balance of county-----	3,285	2,487	66	693	19	781	131	39.9	74	22.5
White-----	2,104	1,925	79	102	-	440	72	34.2	32	15.2
Nonwhite-----	1,181	864	7	591	19	341	59	50.0	42	35.6
Monroe-----	778	116	217	444	1	251	36	45.3	20	25.7
White-----	284	102	136	26	-	97	11	41.7	7	26.5
Nonwhite-----	514	14	81	418	1	154	25	45.6	13	25.3
Montgomery-----	3,568	2,119	73	1,372	4	1,290	103	29.9	96	26.9
White-----	1,785	1,742	36	-	-	601	33	18.5	21	11.8
Nonwhite-----	1,783	377	37	1,365	4	689	70	39.3	75	42.1
Balance of county-----	2,709	1,810	32	864	3	1,028	82	30.3	63	23.3
White-----	1,506	1,485	16	5	-	528	31	20.6	16	10.6
Nonwhite-----	1,203	325	16	859	3	497	51	42.4	47	38.1
Balance of county-----	859	309	41	508	1	267	21	24.4	33	38.4
White-----	279	257	20	2	-	75	2	7.2	5	17.9
Nonwhite-----	580	52	21	506	1	192	19	32.8	28	48.3
Morgan-----	1,369	1,046	214	103	2	420	37	27.0	45	32.9
White-----	1,170	999	143	26	2	329	33	28.2	35	29.9
Nonwhite-----	199	49	71	79	-	91	4	20.1	10	50.3
Decatur-----	437	410	44	43	-	169	9	16.1	18	36.2
White-----	404	383	12	9	-	114	7	17.3	12	29.7
Nonwhite-----	93	27	32	34	-	55	2	21.5	6	64.5
Balance of county-----	872	838	170	62	2	261	28	32.1	27	31.0
White-----	768	616	131	17	2	215	28	33.9	23	30.0
Nonwhite-----	106	22	39	45	-	36	2	18.9	4	37.7
Perry-----	807	118	28	460	1	235	28	46.1	30	49.4
White-----	134	100	15	19	-	72	5	37.3	5	37.3
Nonwhite-----	473	18	13	441	1	163	23	48.6	25	52.9
Pickens-----	684	154	195	331	4	224	25	36.5	14	20.6
White-----	290	146	127	14	3	95	3	10.3	7	24.1
Nonwhite-----	394	9	68	317	1	129	22	55.8	7	17.8
Pike-----	899	352	158	388	1	305	38	42.3	33	36.7
White-----	432	324	77	31	-	153	10	23.1	15	34.7
Nonwhite-----	467	28	81	357	1	152	28	60.0	18	38.5
Randolph-----	536	287	90	158	1	194	30	56.0	17	31.7
White-----	353	264	62	26	1	133	14	39.7	12	34.0
Nonwhite-----	183	23	28	132	-	61	16	67.4	5	27.3
Russell-----	1,221	590	40	590	1	429	50	41.0	48	39.3
White-----	502	484	11	7	-	171	10	19.9	11	21.8
Nonwhite-----	719	106	29	583	1	258	40	55.6	37	51.5
Balance of county-----	562	402	25	135	-	185	17	30.2	16	32.0
White-----	350	345	3	2	-	111	6	17.1	7	20.0
Nonwhite-----	212	57	22	133	-	74	11	51.9	11	51.9
Balance of county-----	659	188	15	455	1	244	33	50.1	30	45.5
White-----	152	139	8	5	-	60	4	28.3	4	26.3
Nonwhite-----	507	49	7	450	1	184	29	57.2	26	51.3
St. Clair-----	668	335	265	63	5	210	22	32.9	16	26.9
White-----	509	314	185	8	2	150	16	31.4	13	25.5
Nonwhite-----	159	21	80	55	3	60	6	37.7	5	51.4
Shelby-----	734	238	386	108	2	279	40	54.5	14	19.1
White-----	520	224	289	8	1	189	18	34.6	8	15.4
Nonwhite-----	214	14	87	102	1	90	22	102.8	6	28.0
Sumter-----	704	147	63	493	1	249	32	45.5	21	29.8
White-----	123	101	16	6	-	51	8	65.0	1	8.1
Nonwhite-----	581	46	47	487	1	198	24	41.3	20	34.4
Talladega-----	1,818	1,054	335	426	3	562	88	48.4	49	27.0
White-----	1,120	928	182	30	-	349	50	44.6	32	28.6
Nonwhite-----	696	126	173	396	3	203	38	54.4	17	24.4
Tallegoosa-----	941	831	172	138	-	308	33	35.1	23	24.4
White-----	850	586	76	8	-	160	18	27.7	13	20.0
Nonwhite-----	291	65	96	130	-	128	15	51.5	10	34.4
Tuscaloosa-----	2,331	1,635	226	469	2	706	93	59.9	63	27.0
White-----	1,545	1,418	104	22	1	406	47	30.4	30	19.4
Nonwhite-----	788	217	122	446	1	300	46	58.5	33	42.0
Balance of county-----	1,191	946	67	177	1	325	46	36.6	29	24.2
White-----	843	833	9	1	1	185	26	30.8	12	14.2
Nonwhite-----	348	113	59	176	-	142	20	57.5	17	48.9
Balance of county-----	1,140	689	159	291	1	381	47	41.2	34	29.8
White-----	702	585	96	21	-	225	21	29.9	16	25.6
Nonwhite-----	438	104	63	270	1	158	26	59.4	18	36.5
Walker-----	1,594	784	746	58	6	514	79	49.6	52	32.6
White-----	1,438	751	655	28	4	407	71	49.4	46	29.2
Nonwhite-----	156	33	91	30	2	107	8	51.5	10	64.1
Washington-----	492	125	150	215	2	120	22	49.0	9	40.7
White-----	286	121	114	50	1	67	14	38.8	11	53.4
Nonwhite-----	206	4	36	165	1	53	8	59.2	54	40.3
Wilcox-----	844	113	66	674	1	301	50	28.6	2	19.0
White-----	105	81	19	5	-	49	3	63.6	32	43.3
Nonwhite-----	739	32	37	669	1	252	47	50.1	1.2	23.1
Winston-----	519	375	106	33	5	142	26			

GENERAL TABLES—BIRTHS, DEATHS, AND FETAL DEATHS

5

TABLE 1.—LIVE BIRTHS BY PERSON IN ATTENDANCE; TOTAL DEATHS; DEATHS UNDER 1 YEAR AND INFANT MORTALITY RATES; AND FETAL DEATHS AND RATIOS: UNITED STATES, EACH STATE AND COUNTY, AND EACH URBAN PLACE HAVING, IN 1940, A POPULATION OF 10,000 OR MORE, 1949—Continued

(See headnote on p. 2)

AREA AND RACE	LIVE BIRTHS					Deaths (all ages)	DEATHS UNDER 1 YEAR		FETAL DEATHS	
	Total	Attended by—					Number	Rate	Number	Ratio
		Physi- cian in hos- pital ¹	Physi- cian not in hos- pital	Midwife	Other and not speci- fied					
ARIZONA	20,275	18,505	788	659	323	6,397	1,034	51.0	354	17.5
White	17,520	16,214	670	486	150	5,384	723	41.3	293	16.7
Nonwhite	2,755	2,291	118	173	173	1,013	311	112.9	61	22.1
Apache	782	627	31	45	79	228	83	106.1	9	11.5
White	186	174	10	1	1	30	5	26.9	5	26.9
Nonwhite	596	453	21	44	78	198	78	130.9	4	6.7
Cochise	875	767	44	58	6	341	38	43.4	19	21.7
Cocouino	685	631	31	10	13	207	62	90.5	17	24.8
White	405	373	27	3	2	94	16	39.5	8	19.8
Nonwhite	280	258	4	7	11	113	46	164.3	9	32.1
Gila	699	653	35	1	10	222	42	60.1	7	10.0
White	571	538	32	1	-	180	27	47.3	6	10.5
Nonwhite	128	115	3	-	10	42	15	117.2	1	7.8
Graham	328	270	41	2	5	103	14	44.0	6	16.9
Greenlee	438	417	15	6	-	92	22	50.2	5	11.4
Maricopa	8,656	8,276	136	215	29	2,732	363	41.9	154	17.8
Phoenix	5,163	5,042	38	74	9	1,514	189	36.6	96	18.6
Balance of county	3,493	3,234	98	141	20	1,218	174	49.8	58	16.6
Mohave	255	239	4	-	12	107	17	66.7	1	3.9
Navajo	801	714	29	24	34	251	81	101.1	9	11.2
White	441	426	2	12	1	116	27	61.2	5	11.3
Nonwhite	360	288	27	12	33	135	54	150.0	4	11.1
Pima	3,775	3,332	249	93	101	1,084	139	36.8	64	17.0
White	3,467	3,099	214	80	75	929	96	27.7	60	17.3
Nonwhite	308	233	35	13	26	155	43	139.6	4	13.0
Tucson	3,210	2,878	200	72	60	393	24	7.5	46	14.3
Balance of county	565	454	49	21	41	691	115	203.5	18	31.9
White	435	367	31	17	20	574	74	170.1	16	36.8
Nonwhite	130	87	18	4	21	117	41	315.4	2	15.4
Pinal	1,302	1,076	90	120	16	415	96	73.7	37	28.4
White	1,076	905	68	72	11	356	60	74.3	27	25.1
Nonwhite	226	171	2	48	5	79	16	70.8	10	44.2
Santa Cruz	304	221	47	28	8	76	13	42.8	3	9.9
Yavapai	577	544	22	5	6	295	24	41.6	10	17.3
Yuma	808	738	14	52	4	244	40	49.5	13	16.1
White	686	626	12	44	4	225	33	48.1	9	13.1
Nonwhite	122	112	2	8	-	19	7	57.4	4	32.8
ARKANSAS	45,609	28,917	9,547	6,929	316	15,680	1,539	33.7	789	17.3
White	34,215	26,511	6,950	608	146	11,372	1,085	31.7	510	14.9
Nonwhite	11,394	2,406	2,597	6,221	170	4,308	454	59.8	279	24.5
Arkansas	614	345	149	113	7	171	11	17.9	7	11.4
White	429	339	73	14	3	133	8	18.6	2	4.7
Nonwhite	185	6	76	99	4	38	3	16.2	5	27.0
Ashley	774	367	220	172	15	200	28	36.2	15	19.4
White	453	303	120	6	4	115	16	37.0	8	18.5
Nonwhite	341	64	100	166	11	85	12	35.2	7	20.5
Baxter	304	249	44	2	9	90	8	26.3	5	16.4
Benton	754	639	109	4	2	357	20	26.5	7	9.3
Boone	373	324	44	4	1	130	7	18.8	4	10.7
Bradley	373	214	123	29	7	153	13	34.9	4	10.7
White	228	205	22	1	-	122	10	43.9	2	8.8
Nonwhite	145	9	101	28	7	31	3	20.7	2	13.8
Calhoun	125	41	63	21	-	65	1	8.0	3	24.0
White	75	41	34	-	-	43	1	13.3	2	26.7
Nonwhite	50	-	29	21	-	22	-	0	1	20.0
Carroll	247	183	54	4	6	126	6	24.3	11	44.5
Chicot	605	274	45	280	6	206	19	51.4	11	18.2
White	296	247	21	29	1	79	8	26.8	3	10.1
Nonwhite	307	27	24	251	5	127	11	35.8	8	26.1
Clark	490	266	91	127	6	200	11	22.4	6	12.2
White	329	258	65	5	1	144	8	24.3	3	9.1
Nonwhite	161	8	26	122	5	56	3	18.6	3	18.6
Clay	579	273	291	15	-	218	28	46.4	6	10.4
Cleburne	270	219	39	9	4	99	7	25.9	4	14.8
Cleveland	190	76	93	21	-	78	-	0	2	10.5
White	131	75	55	1	-	61	-	0	-	0
Nonwhite	59	1	38	20	-	17	-	0	2	33.9
Columbia	591	378	78	131	4	180	20	33.8	16	27.1
White	337	314	21	2	-	100	11	32.6	10	28.7
Nonwhite	254	64	57	129	4	80	9	35.4	6	23.6
Conway	443	251	94	91	7	167	13	29.3	14	31.6
White	314	242	65	6	1	124	12	38.2	9	28.7
Nonwhite	129	9	29	85	6	43	1	7.8	5	38.8
Craighead	1,201	966	188	33	14	393	58	48.3	32	26.6
Jonesboro	363	319	7	28	9	162	17	45.8	11	30.3
White	326	317	7	1	1	133	14	42.9	7	21.5
Nonwhite	37	2	-	27	8	29	3	81.1	4	108.1
Balance of county	638	647	181	5	5	231	41	48.9	21	25.1
Crawford	518	404	100	10	4	208	18	34.7	8	15.4
Crittenden	1,393	286	329	757	11	444	73	52.4	30	21.5
White	465	282	163	20	-	107	21	45.2	6	12.9
Nonwhite	928	14	166	737	11	337	52	56.0	24	25.9
Cross	749	363	193	169	4	153	19	23.4	14	18.7
White	526	351	159	14	2	102	15	28.5	9	17.1
Nonwhite	223	12	34	175	2	51	4	17.9	5	22.4

See footnotes on p. 83.

VITAL STATISTICS OF THE UNITED STATES

TABLE 1.—LIVE BIRTHS BY PERSON IN ATTENDANCE; TOTAL DEATHS; DEATHS UNDER 1 YEAR AND INFANT MORTALITY RATES; AND FETAL DEATHS AND RATIOS: UNITED STATES, EACH STATE AND COUNTY, AND EACH URBAN PLACE HAVING, IN 1940, A POPULATION OF 10,000 OR MORE, 1949—Continued

(See headnote on p. 2)

AREA AND RACE	LIVE BIRTHS					Deaths (all ages)	DEATHS UNDER 1 YEAR		FETAL DEATHS	
	Total	Attended by—					Number	Rate	Number	Ratio
		Physi- cian in hos- pital ¹	Physi- cian not in hos- pital	Midwife	Other and not speci- fied					
ARKANSAS—Continued										
Dallas	304	96	159	47	2	109	8	26.3	8	26.3
White	145	82	63	—	—	66	3	20.7	4	27.6
Nonwhite	159	14	96	47	2	43	5	31.4	4	25.2
Desha	613	289	53	266	5	212	33	53.8	10	16.3
White	341	279	33	26	3	93	14	41.1	4	11.7
Nonwhite	272	10	20	240	2	119	19	69.9	6	22.1
Drew	436	245	43	141	7	170	9	20.6	7	16.1
White	260	233	17	6	4	97	3	11.5	3	11.5
Nonwhite	176	12	26	138	3	73	6	34.1	4	22.7
Faulkner	534	435	39	59	1	173	12	22.5	6	11.2
White	435	400	30	4	1	144	8	18.4	3	6.9
Nonwhite	99	35	9	55	—	29	4	40.4	3	30.3
Franklin	242	185	46	—	1	90	6	24.8	3	12.4
Fulton	166	67	97	2	2	63	9	53.6	1	6.0
Garland	1,081	934	65	61	1	554	42	39.6	19	17.9
White	983	922	30	31	—	446	38	38.7	18	18.3
Nonwhite	78	12	35	30	1	108	4	51.3	1	12.8
Hot Springs	718	645	56	55	—	449	37	51.5	10	13.9
White	647	634	5	6	—	346	33	51.0	9	13.9
Nonwhite	71	11	33	27	—	103	4	56.3	1	14.1
Balance of county	343	289	27	26	1	105	5	14.6	9	26.2
Grant	174	115	43	13	3	61	5	28.7	3	17.2
Greene	676	460	212	3	1	221	27	39.9	12	17.6
Hempstead	594	272	105	210	7	241	30	50.5	12	20.2
White	281	249	19	10	3	133	14	49.8	4	14.2
Nonwhite	313	23	86	200	4	109	16	51.1	8	25.6
Hot Spring	406	285	77	43	3	133	11	27.0	5	12.3
White	345	282	61	1	1	111	7	20.3	5	14.5
Nonwhite	63	3	16	42	2	22	4	63.6	—	0
Howard	334	221	71	35	7	99	7	21.0	4	12.0
White	254	197	57	—	—	82	6	23.8	3	11.8
Nonwhite	80	24	14	35	7	17	1	12.5	1	12.5
Independence	512	455	39	7	11	190	10	19.5	5	9.8
Isard	204	114	68	2	—	69	4	18.8	1	4.9
Jackson	802	657	114	23	8	225	27	33.7	1	1.2
White	677	574	68	8	7	168	23	34.0	1	1.5
Nonwhite	125	83	26	15	1	57	4	32.0	—	0
Jefferson	1,832	954	268	605	5	636	44	24.0	34	18.6
White	936	947	79	12	—	292	16	17.1	15	16.0
Nonwhite	894	107	189	593	5	344	28	51.3	19	21.3
Pine Bluff	746	571	65	90	—	362	20	26.8	12	16.1
White	506	497	7	2	—	192	7	13.8	6	11.9
Nonwhite	240	74	78	69	—	170	13	54.2	6	25.0
Balance of county	1,086	583	163	515	5	274	24	22.1	22	20.3
White	432	350	72	10	—	100	9	20.8	9	20.6
Nonwhite	654	33	111	505	5	174	15	22.9	13	19.9
Johnson	300	255	40	4	1	144	6	20.0	6	20.0
Lafayette	277	64	69	104	—	100	6	21.7	6	28.9
White	107	61	20	6	—	30	1	9.3	1	9.3
Nonwhite	170	3	69	98	—	70	5	29.4	7	41.2
Lawrence	647	519	125	1	2	182	26	40.2	15	23.2
Lee	536	91	168	273	4	204	30	56.0	20	37.3
White	206	78	119	9	—	62	11	53.4	8	38.8
Nonwhite	330	13	49	264	4	142	19	57.6	12	36.4
Lincoln	294	111	33	145	5	120	9	30.6	4	13.6
White	122	99	1.6	5	2	41	5	41.0	—	0
Nonwhite	172	12	17	140	3	79	4	23.3	4	23.3
Little River	270	139	44	84	3	92	8	29.6	5	18.5
White	169	130	34	5	—	56	4	23.7	2	11.8
Nonwhite	101	9	10	79	3	36	4	39.6	3	29.7
Logan	417	313	103	1	—	159	7	16.8	6	14.4
Lonoke	754	338	246	145	5	231	29	39.5	19	25.9
White	531	302	215	11	3	162	18	33.9	12	22.6
Nonwhite	203	36	31	134	2	69	11	54.2	7	34.5
Madison	235	159	43	29	4	96	7	29.8	2	8.5
Marion	196	138	47	—	1	62	3	16.1	3	15.1
Miller	718	487	68	163	2	286	26	36.2	16	22.3
White	499	439	1.9	30	1	181	13	26.6	10	20.4
Nonwhite	229	48	47	133	1	105	13	56.8	6	26.2
Texasiana ²	348	269	25	54	—	168	13	37.4	6	17.2
White	248	242	8	8	—	104	5	13.4	3	11.6
Nonwhite	90	27	17	46	—	64	8	69.9	3	33.3
Balance of county	370	218	41	109	2	118	13	35.1	10	27.0
White	231	197	11	22	1	77	8	34.6	7	30.3
Nonwhite	139	21	30	87	1	41	5	56.0	3	21.6
Mississippi	2,299	1,043	932	310	14	609	139	60.5	29	12.6
White	1,673	1,027	600	40	6	445	113	67.5	21	12.6
Nonwhite	626	16	332	270	8	164	26	41.5	8	12.8
Blytheville	398	220	114	61	3	142	17	42.7	11	27.6
White	270	214	54	1	1	104	14	51.9	9	33.3
Nonwhite	128	6	60	60	2	38	3	23.4	2	15.6
Balance of county	1,901	823	618	249	11	467	122	64.2	18	9.5
White	1,403	813	546	39	5	341	99	70.6	12	8.6
Nonwhite	498	10	272	210	6	126	23	46.2	6	12.0
Monroe	490	135	190	150	5	170	18	37.5	10	20.8
White	245	123	116	6	—	60	8	32.7	3	12.2
Nonwhite	235	12	74	144	5	110	10	42.6	7	29.8
Montgomery	131	54	56	20	1	60	4	30.5	3	22.9

See footnotes on p. 93.

GENERAL TABLES—BIRTHS, DEATHS, AND FETAL DEATHS

7

TABLE 1.—LIVE BIRTHS BY PERSON IN ATTENDANCE; TOTAL DEATHS; DEATHS UNDER 1 YEAR AND INFANT MORTALITY RATES; AND FETAL DEATHS AND RATIOS: UNITED STATES, EACH STATE AND COUNTY, AND EACH URBAN PLACE HAVING, IN 1940; A POPULATION OF 10,000 OR MORE, 1949—Continued

(See headnote on p. 2)

AREA AND RACE	LIVE BIRTHS					Deaths (all ages)	DEATHS UNDER 1 YEAR		FETAL DEATHS	
	Total	Attended by—					Number	Rate	Number	Ratio
		Physi- cian in hos- pital ¹	Physi- cian not in hos- pital	Midwife	Other and not speci- fied					
ARKANSAS—Continued										
Nevada	332	156	100	75	1	130	11	35.1	6	18.1
White	192	141	50	1	—	87	11	57.5	2	10.4
Nonwhite	140	15	50	74	1	43	—	0	4	26.6
Newton	165	121	28	10	5	39	3	16.2	5	30.5
Osage	748	411	91	239	7	263	33	44.1	12	16.0
White	424	391	30	3	—	149	19	44.8	6	14.2
Nonwhite	324	20	61	236	7	114	14	45.2	6	18.5
Perry	114	48	60	4	2	36	5	45.5	—	0
Phillips	1,402	486	295	600	21	483	48	34.7	41	29.2
White	570	389	136	31	4	142	24	25.8	9	15.8
Nonwhite	832	87	158	569	17	341	24	23.7	32	38.5
Pike	169	91	65	10	3	66	4	39.8	1	19.8
Poinsett	1,311	689	589	44	9	264	51	39.4	26	19.7
White	1,218	666	534	11	7	225	48	32.3	24	21.5
Nonwhite	93	3	55	33	2	39	3	17.4	2	2.9
Polk	344	260	81	3	—	123	6	30.2	10	21.6
Pope	463	298	153	10	2	170	14	4.3	1	4.3
White	235	84	123	28	—	76	1	5.2	1	5.2
Nonwhite	191	82	106	3	—	65	1	0	—	0
Polk	44	2	17	25	—	11	—	—	—	—
Polk	4,415	4,415	239	188	5	1,785	153	31.6	91	18.8
White	3,448	3,285	154	8	1	1,220	83	24.1	54	15.7
Nonwhite	1,399	1,130	65	180	4	565	70	50.0	37	26.4
Little Rock	2,519	2,407	87	45	1	1,031	66	26.2	36	14.3
White	1,827	1,795	30	—	—	744	32	17.5	20	10.9
Nonwhite	692	611	37	44	1	287	34	49.1	16	23.1
North Little Rock	1,093	995	45	54	1	353	35	32.0	16	14.6
White	770	747	21	2	—	233	17	22.1	11	14.3
Nonwhite	323	248	22	52	1	120	18	55.7	5	15.5
Balance of county	1,235	1,015	129	89	4	401	52	42.1	39	31.8
White	851	742	103	5	1	243	34	40.0	23	27.0
Nonwhite	384	271	26	84	3	158	18	46.9	16	41.7
Randolph	326	151	170	3	2	129	10	30.7	—	0
St. Francis	960	482	211	283	4	304	43	43.9	12	12.2
White	457	330	101	23	3	104	16	35.0	3	6.6
Nonwhite	523	152	110	260	1	200	27	51.6	9	17.2
Saline	416	214	195	7	—	153	16	38.5	13	31.3
Scott	170	103	66	1	—	72	8	47.1	6	35.3
Searcy	225	191	12	17	5	63	4	17.8	1	4.4
Sebastian	1,792	1,672	69	31	—	543	47	26.2	29	16.2
White	1,408	1,362	16	30	—	424	39	27.7	22	15.6
Nonwhite	1,295	1,283	9	3	—	353	32	24.7	15	11.6
Nonwhite	113	79	7	27	—	71	7	61.9	7	61.9
Balance of county	394	310	73	1	—	119	8	20.8	7	18.2
Sevier	266	243	26	16	1	125	7	24.5	5	17.5
White	250	231	18	1	—	110	6	24.0	4	16.0
Nonwhite	36	12	8	15	1	15	1	27.8	1	27.8
Sharp	154	90	61	2	1	51	5	32.5	2	13.0
Stone	130	89	33	5	3	55	1	7.7	1	7.7
Union	1,132	789	94	231	8	318	20	17.7	13	11.5
White	777	721	45	11	—	185	13	16.7	5	6.4
Nonwhite	355	78	49	220	8	130	7	19.7	8	22.5
El Dorado	561	456	14	91	—	157	14	25.0	5	8.9
White	419	414	5	—	—	98	9	21.5	2	4.8
Nonwhite	142	42	9	91	—	59	5	35.2	3	21.1
Balance of county	571	343	60	140	6	158	6	10.5	8	14.0
White	358	307	40	11	—	87	4	11.2	3	8.4
Nonwhite	213	36	40	129	6	71	2	9.4	5	23.5
Van Buren	189	60	123	3	3	68	6	31.7	5	26.5
Washington	1,046	956	72	13	5	433	36	34.4	16	15.3
White	870	624	230	12	4	271	21	24.1	9	10.3
Nonwhite	447	203	203	35	6	166	19	42.5	2	4.5
Woodruff	263	139	116	7	1	71	9	34.2	1	3.8
White	184	64	87	28	5	75	10	54.3	1	5.4
Nonwhite	305	213	90	1	1	118	5	16.4	5	16.4
CALIFORNIA	245,199	240,774	3,437	345	643	100,354	6,574	26.8	3,753	15.3
White	224,785	221,101	2,851	318	515	95,088	5,879	26.2	3,325	14.8
Nonwhite	20,414	19,673	586	27	128	5,266	695	34.0	428	21.0
Alameda	17,607	17,407	181	2	17	7,277	425	24.1	290	16.5
Oakland	8,862	8,748	100	2	12	4,286	214	24.1	154	17.4
White	7,136	7,079	47	1	9	3,884	159	22.3	118	16.5
Nonwhite	1,726	1,669	53	1	3	402	55	31.9	36	20.9
Alameda	2,002	1,992	9	—	—	560	50	25.0	27	15.9
Berkeley	2,430	2,421	9	—	—	1,057	51	21.0	41	15.9
Albany	398	396	2	—	—	117	8	12.9	8	23.2
San Leandro	1,083	1,080	2	—	—	271	17	15.7	15	15.8
Balance of county	2,842	2,760	59	—	3	986	89	31.0	44	15.5
Alpine	7	6	—	—	1	5	1	142.9	—	0
White	4	3	—	—	—	3	—	0	—	0
Nonwhite	3	3	—	—	—	2	1	333.3	—	0
Amador	190	169	21	—	—	136	5	28.3	3	15.6
Butte	1,471	1,453	16	—	2	762	54	36.7	22	15.0
Calaveras	184	143	40	—	—	119	2	10.9	2	10.9
Colusa	262	260	1	—	1	159	7	26.7	7	26.7

See footnotes on p. 95.

VITAL STATISTICS OF THE UNITED STATES

TABLE 1.—LIVE BIRTHS BY PERSON IN ATTENDANCE; TOTAL DEATHS; DEATHS UNDER 1 YEAR AND INFANT MORTALITY RATES; AND FETAL DEATHS AND RATIOS: UNITED STATES, EACH STATE AND COUNTY, AND EACH URBAN PLACE HAVING, IN 1940, A POPULATION OF 10,000 OR MORE, 1949—Continued

(See headnote on p. 2)

AREA AND RACE	LIVE BIRTHS					Deaths (all ages)	DEATHS UNDER 1 YEAR		FETAL DEATHS	
	Total	Attended by—					Number	Rate	Number	Ratio
		Physi- cian in hos- pital ¹	Physi- cian not in hos- pital	Midwife	Other and not speci- fied					
CALIFORNIA—Continued										
Contra Costa-----	6,248	6,105	129	1	13	1,670	201	24.4	116	14.1
Richmond-----	3,909	3,717	92	-	10	599	94	24.7	53	13.9
Balance of county-----	4,459	4,388	47	1	3	1,092	107	24.1	63	14.2
Del Norte-----	199	197	1	-	-	76	6	30.2	2	10.1
El Dorado-----	572	545	26	1	-	213	7	18.8	5	13.4
Fresno-----	7,263	7,053	187	1	22	2,470	261	35.9	135	18.6
Fresno-----	2,157	2,109	42	-	6	1,153	71	32.9	35	16.2
Balance of county-----	5,106	4,944	145	1	16	1,317	190	37.2	100	19.6
Glenn-----	361	355	6	-	-	151	3	6.3	4	11.1
Humboldt-----	1,705	1,684	36	-	5	770	31	18.2	15	8.9
Eureka-----	648	648	2	-	-	370	10	15.4	5	7.7
Balance of county-----	1,057	1,018	34	-	5	400	21	19.9	10	9.5
Imperial-----	2,088	1,653	343	39	54	522	107	51.2	30	14.4
White-----	1,980	1,473	316	39	53	465	99	52.7	26	13.8
Nonwhite-----	208	180	27	-	1	57	6	36.5	4	19.2
Brawley-----	509	369	104	24	12	123	31	60.9	8	15.7
El Centro-----	446	379	55	7	7	111	24	53.6	8	17.9
White-----	366	329	43	7	7	94	23	59.6	7	18.1
Nonwhite-----	62	50	12	-	-	17	1	16.1	1	16.1
Balance of county-----	1,131	905	194	7	35	298	52	46.0	14	12.4
White-----	1,009	794	174	7	34	253	46	45.6	12	11.9
Nonwhite-----	122	111	10	-	1	35	6	49.2	2	16.4
Inyo-----	254	243	5	2	4	112	9	35.4	3	11.8
White-----	213	209	3	-	1	94	6	28.2	2	4.7
Nonwhite-----	41	34	2	2	3	18	3	73.2	1	49.9
Kern-----	6,634	6,505	113	1	15	1,695	229	34.5	102	15.4
Bakersfield-----	2,885	2,866	25	1	3	672	86	29.7	34	11.7
Balance of county-----	3,739	3,639	88	-	12	1,023	143	38.2	68	18.2
Kings-----	1,433	1,364	62	3	4	418	65	45.4	29	20.2
Lake-----	184	179	4	-	1	164	6	32.6	1	5.4
Laassen-----	525	521	3	-	1	121	12	22.9	9	15.2
Los Angeles-----	89,255	87,696	994	251	314	40,017	2,152	23.9	1,322	14.6
Long Beach-----	5,581	5,581	11	-	9	2,551	125	22.4	80	14.3
Los Angeles-----	41,377	40,571	523	155	128	21,070	1,064	25.7	634	15.3
White-----	35,487	34,889	378	147	93	19,428	875	24.7	506	14.3
Nonwhite-----	5,890	5,702	145	8	35	1,642	189	32.1	128	21.7
Alhambra-----	926	920	2	3	1	467	11	11.9	7	7.6
Belvedere (twp.) ² -----	256	182	16	52	6	173	15	58.6	3	11.7
Beverly Hills-----	68	65	3	-	-	205	-	0	3	44.1
Burbank-----	1,682	1,682	6	-	-	542	35	20.7	24	14.2
Glendale-----	1,596	1,590	3	-	3	970	40	25.1	19	11.3
Huntington Park-----	561	559	3	-	-	304	10	17.8	7	12.5
Inglewood-----	1,122	1,115	4	-	3	474	27	24.1	12	10.7
Pasadena-----	1,998	1,967	19	2	-	1,381	38	19.1	26	13.1
Santa Monica-----	1,460	1,436	9	-	15	795	45	29.5	21	14.4
South Gate-----	1,023	1,023	3	-	-	336	20	19.5	21	20.5
Bell-----	405	400	5	-	-	155	8	19.8	5	7.4
Compton-----	1,396	1,395	10	-	3	334	21	15.0	19	13.6
Lynwood-----	633	629	4	-	12	185	12	19.0	4	6.3
Maywood-----	263	261	1	1	-	118	9	34.2	4	15.2
Monrovia-----	419	399	20	-	-	240	11	26.3	4	9.5
Pomona-----	771	762	8	-	4	374	19	24.6	12	15.6
Redondo Beach-----	598	587	8	-	3	223	14	23.4	9	15.1
San Gabriel-----	490	479	2	-	-	203	15	31.3	8	16.7
South Pasadena-----	229	229	-	-	-	217	7	30.6	6	26.2
Whittier-----	535	532	3	-	-	254	11	20.6	3	5.6
Balance of county-----	25,677	25,366	534	38	139	8,445	577	22.3	394	15.2
White-----	24,624	24,370	291	35	128	8,229	550	22.2	375	15.1
Nonwhite-----	1,053	996	43	3	11	216	27	25.6	19	18.0
Madera-----	1,067	1,043	22	-	2	341	55	51.5	19	17.8
Marin-----	1,739	1,734	3	-	2	692	46	26.5	21	12.1
Mariposa-----	104	102	1	-	1	57	4	38.5	2	18.2
Mendocino-----	686	665	19	1	3	412	28	31.6	15	16.9
Merced-----	2,090	2,077	9	1	5	574	63	30.1	34	16.3
Merced-----	594	595	-	1	-	161	18	30.3	11	18.5
Balance of county-----	1,496	1,484	9	-	3	413	45	30.1	23	15.4
Modoc-----	225	223	2	-	-	91	5	22.2	4	17.6
Mono-----	39	36	2	-	1	18	-	0	1	25.6
White-----	30	29	1	-	-	15	-	0	1	33.3
Nonwhite-----	7	1	-	-	1	3	-	0	-	0
Monterey-----	3,493	3,440	49	-	4	1,000	125	35.8	65	18.6
Monterey-----	554	550	4	-	12	142	12	21.7	6	10.6
Salinas-----	522	518	3	-	1	180	19	34.5	10	19.2
White-----	466	466	1	-	1	171	17	36.3	7	15.0
Nonwhite-----	54	52	2	-	-	9	1	18.5	3	55.6
Balance of county-----	2,417	2,372	42	-	3	678	95	39.3	49	20.3
Napa-----	780	777	3	-	-	434	18	23.1	10	12.8
Nevada-----	383	376	7	-	-	272	12	31.3	2	5.2
Orange-----	4,880	4,664	109	2	5	1,965	119	23.9	98	17.7
Santa Ana-----	1,189	1,171	17	1	-	505	26	21.9	26	21.9
Anaheim-----	379	369	10	-	-	137	5	13.2	7	18.5
Fullerton-----	267	264	3	-	-	137	2	7.5	4	15.0
Balance of county-----	3,145	3,060	79	1	5	1,186	86	27.3	61	18.2
Placer-----	930	883	14	3	-	475	27	30.0	14	15.6
Plumas-----	352	351	-	-	1	140	19	54.0	5	14.2

See footnotes on p. 95.

GENERAL TABLES—BIRTHS, DEATHS, AND FETAL DEATHS

9

TABLE 1.—LIVE BIRTHS BY PERSON IN ATTENDANCE; TOTAL DEATHS; DEATHS UNDER 1 YEAR AND INFANT MORTALITY RATES; AND FETAL DEATHS AND RATIOS: UNITED STATES, EACH STATE AND COUNTY, AND EACH URBAN PLACE HAVING, IN 1940, A POPULATION OF 10,000 OR MORE, 1949—Continued

(See headnote on p. 2)

AREA AND RACE	LIVE BIRTHS					Deaths (all ages)	DEATHS UNDER 1 YEAR		FETAL DEATHS	
	Total	Attended by—					Number	Rate	Number	Ratio
		Physi- cian in hos- pital ¹	Physi- cian not in hos- pital	Midwife	Other and not speci- fied					
CALIFORNIA—Continued										
Riverside	3,993	3,880	99	5	9	1,743	151	37.8	52	13.0
Riverside	1,425	1,407	16	5	9	587	36	25.3	17	11.9
Balance of county	2,568	2,473	83	1	0	1,156	115	44.8	35	13.6
Sacramento	6,776	6,722	45	1	8	2,943	198	29.2	108	15.9
Sacramento	3,195	3,192	11	1	2	1,389	80	25.0	40	12.5
Balance of county	3,581	3,530	34	1	6	1,554	118	33.0	68	19.0
	White	3,345	3,311	25	1	1,400	108	32.3	64	19.1
	Nonwhite	236	219	9	1	154	10	42.0	4	16.8
San Benito	335	339	12	1	1	54	16	45.3	5	14.2
San Bernardino	6,477	6,296	168	2	11	2,435	215	33.2	102	15.7
San Bernardino	2,054	2,011	43	-	-	788	65	31.6	34	16.6
Ontario	532	530	2	-	-	205	15	25.3	7	11.8
Redlands	400	360	19	-	-	209	13	32.5	6	15.0
Balance of county	3,431	3,315	104	2	10	1,253	122	35.6	55	16.0
San Diego	14,106	13,976	97	4	31	4,682	357	25.3	215	15.2
San Diego	6,688	6,623	51	-	15	2,981	207	23.8	127	14.6
National City	670	656	8	-	6	202	21	24.1	20	23.0
Balance of county	4,549	4,497	38	4	10	1,499	129	28.4	68	14.9
San Francisco, coextensive with San Francisco (city)	16,221	16,134	49	13	25	9,559	396	24.4	238	15.9
	White	15,252	15,206	21	13	8,960	309	23.3	204	15.4
	Nonwhite	2,969	2,928	28	-	1,599	87	29.3	54	18.2
San Joaquin	4,985	4,940	31	2	12	2,027	121	24.3	75	15.0
Stockton	1,752	1,752	7	-	3	1,018	58	33.5	27	15.3
Yuba	327	327	-	-	-	150	5	15.3	6	18.3
Balance of county	2,696	2,661	24	2	9	859	57	19.7	42	14.6
	White	2,602	2,577	19	-	800	53	20.4	38	14.6
	Nonwhite	294	284	5	2	59	4	13.6	4	13.6
San Luis Obispo	1,204	1,175	26	-	1	503	36	29.9	19	15.8
San Mateo	5,495	5,477	12	2	4	1,581	105	19.1	69	12.6
Burlingame	322	322	-	-	-	174	3	9.3	1	3.1
Redwood City	616	617	-	-	1	239	16	19.6	12	14.7
San Mateo	966	964	2	-	-	301	14	14.5	12	12.4
Balance of county	3,389	3,374	10	2	3	867	72	21.2	44	13.0
Santa Barbara	2,390	2,361	27	-	2	968	82	34.3	29	12.1
Santa Barbara	981	968	11	-	2	564	25	25.5	14	14.3
Balance of county	1,409	1,393	16	-	-	404	57	40.5	15	10.6
Santa Clara	6,853	6,805	42	-	6	2,570	161	23.5	117	17.1
San Jose	2,658	2,642	15	-	1	1,066	57	21.4	23	8.7
Palo Alto	587	566	-	-	1	239	8	14.1	9	15.9
Balance of county	3,628	3,597	27	-	4	1,265	96	26.5	85	23.4
Santa Cruz	1,288	1,280	7	-	1	925	40	31.1	20	15.5
Santa Cruz	516	516	-	-	-	446	15	29.1	8	17.4
Balance of county	772	764	7	-	1	479	25	32.4	11	14.2
Shasta	857	828	29	-	-	369	28	32.7	10	11.7
Sierra	50	49	1	-	1	24	1	20.0	-	0
Siskiyou	794	757	33	1	3	329	22	27.7	8	10.1
Solano	2,913	2,885	24	-	4	772	80	27.5	49	16.8
Vallejo	1,627	1,627	5	-	-	345	47	26.7	24	13.1
Balance of county	1,081	1,059	19	-	4	427	33	30.5	25	23.1
Sonoma	2,011	2,004	5	1	1	1,120	53	26.4	31	18.4
Santa Rosa	748	748	-	-	-	288	13	17.4	12	16.0
Balance of county	1,263	1,256	5	1	1	832	40	31.7	19	15.0
Stanislaus	3,100	3,060	38	2	-	1,043	91	29.4	52	16.8
Modesto	399	396	3	-	-	280	10	25.1	10	25.1
Balance of county	2,701	2,664	35	2	-	803	61	30.0	42	15.5
Sutter	647	643	2	1	1	241	14	21.6	16	24.7
Tehama	431	428	3	-	-	230	16	37.1	4	9.3
Trinity	101	95	6	-	-	59	1	9.9	-	0
Tulare	3,962	3,797	148	3	34	1,134	164	41.2	62	15.6
Tuolumne	253	251	2	-	-	153	7	27.7	2	7.9
Ventura	2,944	2,819	121	-	4	792	92	31.3	42	14.3
San Buenaventura	466	460	6	-	-	162	14	30.0	4	6.6
Balance of county	2,478	2,359	115	-	4	630	78	31.5	38	15.3
Yolo	1,021	1,002	14	-	5	421	23	22.5	18	17.6
Yuba	672	665	6	-	1	291	20	29.8	14	20.8
COLORADO										
	32,894	32,754	1,625	160	155	12,415	1,153	35.1	545	16.6
	White	32,137	32,040	1,785	160	12,124	1,121	34.8	531	16.5
	Nonwhite	757	714	40	3	291	32	42.3	14	18.5
Adams	1,053	977	84	6	6	228	32	30.4	16	15.2
Alamosa	267	257	2	4	4	84	21	28.7	5	18.7
Arapahoe	1,850	1,840	8	1	1	373	37	20.8	20	12.9
Archuleta	93	32	55	2	4	39	8	42.0	3	32.3
Baca	240	194	45	-	1	50	6	25.0	3	12.5
Bent	214	211	3	-	-	68	8	37.4	2	9.3
Boulder	1,171	1,109	58	2	2	444	36	30.7	19	16.2
Boulder	617	616	1	-	-	205	13	21.1	8	13.0
Balance of county	554	493	57	2	2	241	23	41.5	11	19.9
Chaffee	150	147	2	1	-	82	2	13.3	3	20.0
Cheyenne	98	98	1	-	-	36	3	30.3	2	20.2
Clear Creek	62	59	3	-	-	42	4	64.5	1	16.1
Conejos	260	173	80	1	6	77	14	53.8	4	15.4
Costilla	152	70	66	2	14	44	7	46.1	1	6.6

See footnotes on p. 83.

VITAL STATISTICS OF THE UNITED STATES

TABLE 1.—LIVE BIRTHS BY PERSON IN ATTENDANCE; TOTAL DEATHS; DEATHS UNDER 1 YEAR AND INFANT MORTALITY RATES; AND FETAL DEATHS AND RATIOS: UNITED STATES, EACH STATE AND COUNTY, AND EACH URBAN PLACE HAVING, IN 1940, A POPULATION OF 10,000 OR MORE, 1949—Continued

(See headnote on p. 2)

AREA AND RACE	LIVE BIRTHS					Deaths (all ages)	DEATHS UNDER 1 YEAR		FETAL DEATHS	
	Total	Attended by—					Number	Rate	Number	Ratio
		Physi- cian in hos- pital ¹	Physi- cian not in hos- pital	Midwife	Other and not speci- fied					
COLORADO—Continued										
Crowley	145	115	29	-	1	52	6	41.4	1	6.9
Custer	32	32	-	-	-	13	-	0	1	31.3
Delta	400	287	109	2	2	200	19	47.5	6	15.0
Denver, coextensive with Denver (city)	10,143	9,968	134	16	25	4,297	279	27.5	164	16.2
Dolores	73	73	-	-	-	13	2	27.4	1	13.7
Douglas	70	70	-	-	-	29	2	28.8	-	0
Eagle	124	122	2	-	-	39	8	64.5	7	56.5
Elbert	73	65	8	-	-	24	2	27.4	1	13.7
El Paso	1,641	1,622	16	-	3	744	53	32.3	18	11.0
Colorado Springs	1,318	1,307	9	-	2	610	37	28.1	15	11.4
Balance of county	323	315	7	-	1	134	16	49.5	3	9.3
Fremont	315	307	7	1	-	246	8	25.1	3	9.5
Garfield	247	226	21	-	-	123	11	44.5	5	20.2
Gilpin	8	8	-	-	-	11	-	0	1	125.0
Grand	119	106	12	-	1	30	5	42.0	1	8.4
Gunnison	143	136	7	-	-	41	3	21.0	7	49.0
Hinsdale	1	1	-	-	-	1	-	0	1	1,000.0
Huerfano	264	141	66	52	5	121	12	45.5	6	22.7
Jackson	35	34	-	1	-	11	3	85.7	1	28.6
Jefferson	1,301	1,267	13	-	1	362	37	28.4	21	16.1
Kiowa	90	68	2	-	-	22	2	22.2	1	11.1
Kit Carson	230	217	13	-	-	65	7	30.4	6	26.1
Lake	226	225	1	-	-	102	27	119.5	5	22.1
La Plata	402	361	40	1	-	139	14	34.8	12	29.9
Larimer	1,012	981	27	1	3	369	24	23.7	15	14.8
Fort Collins	466	466	-	-	-	157	6	12.6	-	0
Balance of county	544	513	27	1	3	212	18	33.1	15	27.6
Las Animas	719	569	142	2	6	266	41	57.0	14	19.5
Trinidad	417	344	72	-	1	166	23	55.2	9	21.6
Balance of county	302	225	70	2	5	100	18	59.6	5	16.6
Lincoln	139	129	10	-	-	53	3	21.6	-	0
Logan	420	412	6	1	1	141	12	26.6	9	21.4
Mesa	894	832	47	1	4	410	29	32.8	14	15.8
Grand Junction	410	397	11	-	2	174	10	24.4	6	14.6
Balance of county	474	435	36	1	2	236	19	40.1	8	16.9
Mineral	32	32	-	-	-	7	-	0	1	31.3
Moffat	167	149	18	-	1	43	3	16.0	1	6.0
Montezuma	270	259	10	-	1	98	23	85.2	12	44.4
Montrose	351	322	23	-	6	171	25	71.2	6	17.1
Morgan	492	473	16	1	2	172	16	32.5	5	10.2
Otero	712	630	59	13	10	240	37	52.0	16	22.5
Ouray	44	44	-	-	-	21	-	0	-	0
Park	50	50	-	-	-	22	1	20.0	-	0
Phillips	144	139	5	-	-	54	1	6.9	2	13.9
Pitkin	37	36	1	-	-	16	1	27.0	-	0
Prowers	467	446	19	-	2	139	16	34.3	8	17.1
Pueblo	2,255	1,944	254	37	20	814	96	42.6	42	18.6
Pueblo	1,923	1,645	157	16	7	667	64	35.1	31	17.0
Balance of county	432	301	97	21	13	147	32	74.1	11	25.5
Rio Blanco	137	128	9	-	-	35	3	21.9	2	14.6
Rio Grande	324	263	55	-	6	142	39	120.4	6	18.5
Routt	210	206	4	-	-	78	9	42.9	4	19.0
Saguache	168	158	1	6	3	65	12	71.4	1	6.0
San Juan	35	34	1	-	-	10	1	28.6	1	28.6
San Miguel	71	66	5	-	-	35	7	98.6	-	0
Sedwick	134	127	7	-	-	48	9	67.2	2	14.9
Summit	24	22	2	-	-	14	4	186.7	3	125.0
Teller	55	54	1	-	-	38	-	0	-	0
Washington	180	178	2	-	-	65	8	44.4	4	22.2
Weld	1,711	1,461	230	6	14	504	51	29.8	25	14.6
Greeley	488	469	13	3	3	179	11	22.5	5	10.2
Balance of county	1,223	992	217	3	11	325	40	32.7	20	16.4
Yuma	257	253	4	-	-	93	4	15.6	4	15.6
CONNECTICUT										
	40,687	40,623	247	12	5	18,829	943	23.1	565	13.8
White	39,595	39,357	222	11	5	18,267	884	22.3	538	13.6
Nonwhite	1,292	1,266	25	1	-	562	59	45.7	27	21.0
Fairfield	10,016	9,964	46	6	-	4,596	207	20.7	184	18.4
Bridgeport	3,403	3,386	14	3	-	1,602	84	24.7	71	20.9
Norwalk	1,007	993	12	2	-	457	16	15.9	11	10.9
Stamford	1,365	1,362	3	-	-	620	34	24.9	21	15.4
Danbury	590	589	1	-	-	321	16	27.1	23	39.0
Shelton	179	179	-	-	-	114	4	22.3	-	0
Stratford (town)	636	633	3	-	-	225	13	20.4	13	20.4
Balance of county	2,836	2,822	13	1	-	1,277	40	14.1	45	13.9
Hartford	11,323	11,286	37	-	-	4,734	262	23.1	132	11.7
Hartford	3,934	3,926	8	-	-	1,769	94	28.9	50	12.7
Bristol	795	793	2	-	-	264	20	25.2	5	6.3
New Britain	1,440	1,436	4	-	-	671	37	25.7	19	13.2
West Hartford (town)	726	725	1	-	-	376	17	23.4	6	6.3
East Hartford (town)	752	751	1	-	-	199	16	21.3	9	10.6
Balance of county	3,676	3,655	1	-	-	1,454	76	21.2	44	12.0
Hitchcock	1,951	1,935	15	-	-	976	53	27.2	25	12.6
Horsington	459	456	3	-	-	237	6	13.1	7	15.3
Balance of county	1,492	1,479	12	-	1	741	47	31.5	18	12.1

See footnotes on p. 95.

GENERAL TABLES—BIRTHS, DEATHS, AND FETAL DEATHS

11

TABLE 1.—LIVE BIRTHS BY PERSON IN ATTENDANCE; TOTAL DEATHS; DEATHS UNDER 1 YEAR AND INFANT MORTALITY RATES; AND FETAL DEATHS AND RATIOS: UNITED STATES, EACH STATE AND COUNTY, AND EACH URBAN PLACE HAVING, IN 1940, A POPULATION OF 10,000 OR MORE, 1949—Continued

(See headnote on p. 2)

AREA AND RACE	LIVE BIRTHS					Deaths (all ages)	DEATHS UNDER 1 YEAR		FETAL DEATHS	
	Total	Attended by—					Number	Rate	Number	Ratio
		Physi- cian in hos- pital ¹	Physi- cian not in hos- pital	Midwife	Other and not speci- fied					
CONNECTICUT—Continued										
Middlesex	1,304	1,297	7	-	-	624	54	26.1	13	10.0
Middletown	526	524	2	-	-	240	16	30.4	5	9.5
Balance of county	778	773	5	-	-	384	18	23.1	8	10.3
New Haven	11,036	10,963	69	6	-	5,470	255	23.1	147	13.3
New Haven	3,304	3,280	21	3	-	1,848	67	20.3	40	12.1
Meriden	909	906	2	1	-	425	19	20.9	12	13.2
Waterbury	2,116	2,106	10	-	-	1,034	46	21.7	33	15.6
West Haven (town)	649	647	2	-	-	354	14	21.6	6	9.2
Ansonia	366	364	2	-	-	209	14	38.3	5	13.7
Derby	134	134	-	-	-	111	8	45.5	4	21.7
Naugatuck	339	338	1	-	-	171	17	50.1	8	25.6
Wallingford	237	234	3	-	-	174	3	10.1	1	5.4
Balance of county	2,874	2,844	28	2	-	1,144	67	23.3	38	15.2
New London	3,025	2,998	24	-	3	1,426	79	26.1	40	13.2
New London	836	804	1	-	1	325	14	23.1	8	13.2
Norwich	898	892	4	-	-	536	14	20.1	12	17.2
Balance of county	1,723	1,702	19	-	2	765	51	29.6	20	11.6
Tolland	892	889	3	-	-	358	23	25.8	9	10.1
Windham	1,338	1,291	46	-	1	643	30	22.4	15	11.2
Willimantic	351	348	3	-	-	126	6	17.1	2	5.7
Balance of county	987	943	43	-	1	517	24	24.5	13	15.2
DELAWARE	7,369	6,648	280	414	27	3,330	224	30.4	169	22.9
White	6,103	5,839	200	56	8	2,735	183	26.7	127	20.8
Nonwhite	1,266	809	80	358	19	597	61	48.2	42	33.2
Kent	848	647	69	125	8	426	22	25.9	17	20.0
White	662	593	43	25	1	341	16	24.2	15	22.7
Nonwhite	186	54	26	100	7	85	6	32.3	2	10.8
New Castle	5,013	4,907	42	59	5	2,161	137	27.3	103	20.5
White	4,268	4,248	33	14	3	1,835	106	24.7	79	18.4
Nonwhite	715	659	9	45	2	346	31	43.4	24	33.6
Wilmington	2,940	2,907	12	21	-	1,336	84	28.6	64	21.3
White	2,431	2,418	9	4	-	1,129	62	25.6	46	18.9
Nonwhite	509	489	3	17	-	207	22	43.2	18	35.4
Balance of county	2,073	2,000	30	38	5	785	53	25.6	39	18.8
Sussex	1,508	1,094	170	230	14	723	65	43.1	49	32.5
White	1,143	998	124	17	4	557	41	35.9	33	28.9
Nonwhite	365	96	46	213	10	166	24	65.8	16	43.8
DISTRICT OF COLUMBIA	19,814	19,474	332	7	1	8,448	576	29.1	440	22.2
White	11,624	11,557	66	1	-	5,335	327	28.1	205	17.6
Nonwhite	8,190	7,917	266	6	1	3,113	249	30.4	235	28.7
FLORIDA	61,743	47,696	4,922	6,641	222	23,376	2,098	33.8	1,585	25.6
White	44,496	40,993	2,546	663	94	18,307	1,227	27.6	866	19.5
Nonwhite	17,247	6,705	2,436	7,978	128	7,069	871	49.9	717	41.6
Alachua	1,486	976	196	308	6	418	31	20.9	46	31.0
White	995	909	76	11	-	207	11	11.0	18	18.1
Nonwhite	490	67	120	297	6	211	20	40.8	28	57.1
Gainesville	743	603	33	105	2	168	18	24.2	20	26.9
White	570	567	2	1	-	90	7	12.3	9	15.8
Nonwhite	173	36	31	104	2	78	11	65.6	11	63.6
Balance of county	745	375	163	203	4	250	15	17.5	26	35.0
White	426	342	74	10	-	117	4	9.4	9	21.1
Nonwhite	317	31	89	193	4	133	9	28.4	17	53.6
Baker	180	53	63	64	-	48	3	16.7	2	11.1
White	124	52	52	20	-	40	2	16.1	1	8.1
Nonwhite	56	1	11	44	-	8	1	17.9	1	17.9
Bay	1,165	942	70	151	2	245	33	28.3	30	25.8
White	953	887	10	55	1	180	23	24.1	20	21.0
Nonwhite	212	55	60	96	1	65	10	47.2	10	47.2
Panama City	865	699	59	104	1	173	27	31.3	18	20.9
White	673	647	6	20	-	112	17	25.3	11	16.3
Nonwhite	190	52	53	84	1	61	10	52.6	7	36.8
Balance of county	302	243	11	47	1	72	6	19.9	12	39.7
White	280	240	4	35	1	68	6	21.4	9	32.1
Nonwhite	22	3	7	12	-	4	-	0	3	136.4
Bradford	295	167	16	110	3	106	15	50.7	8	27.0
White	211	159	14	37	1	79	12	36.9	4	19.0
Nonwhite	85	8	2	73	2	27	3	33.3	4	47.1
Brevard	425	253	18	152	2	229	13	30.6	10	23.5
White	258	229	10	18	1	168	4	15.5	2	7.8
Nonwhite	167	24	8	134	1	61	9	53.9	8	47.9
Broward	1,795	1,216	293	283	3	685	80	44.6	38	21.2
White	1,083	1,050	30	2	1	478	36	35.1	18	16.6
Nonwhite	712	166	263	281	2	207	42	59.0	20	28.1
Fort Lauderdale	763	590	136	36	1	355	28	36.7	14	18.3
White	508	501	6	-	1	270	15	29.5	8	15.7
Nonwhite	255	89	130	36	-	85	13	51.0	6	23.5
Balance of county	1,032	628	157	247	2	330	32	30.4	24	25.3
White	573	549	24	2	-	208	23	40.0	10	17.4
Nonwhite	457	77	133	245	2	122	29	63.5	14	30.6
Calhoun	211	58	134	17	2	46	6	28.4	7	33.2
White	177	57	108	11	1	38	5	28.2	5	28.2
Nonwhite	34	1	26	6	1	8	1	29.4	2	58.8

See footnotes on p. 93.

VITAL STATISTICS OF THE UNITED STATES

TABLE 1.—LIVE BIRTHS BY PERSON IN ATTENDANCE; TOTAL DEATHS; DEATHS UNDER 1 YEAR AND INFANT MORTALITY RATES; AND FETAL DEATHS AND RATIOS: UNITED STATES, EACH STATE AND COUNTY, AND EACH URBAN PLACE HAVING, IN 1940, A POPULATION OF 10,000 OR MORE, 1949—Continued

(See headnote on p. 2)

AREA AND RACE	LIVE BIRTHS					Deaths (all ages)	DEATHS UNDER 1 YEAR		FETAL DEATHS	
	Total	Attended by—					Number	Rate	Number	Ratio
		Physi- cian in hos- pital ¹	Physi- cian not in hos- pital	Midwife	Other and not speci- fied					
FLORIDA—Continued										
Charlotte	71	55	3	13	-	55	2	28.2	1	14.1
White	57	53	2	2	-	42	2	55.1	-	0
Nonwhite	14	2	1	11	-	13	-	0	1	71.4
Citrus	138	59	33	44	2	84	3	21.7	1	7.2
White	96	59	31	4	2	57	1	10.4	1	10.4
Nonwhite	42	-	2	40	-	27	2	47.8	-	0
Clay	399	298	45	55	1	83	13	32.8	4	10.0
White	335	289	38	8	-	50	4	13.9	4	11.8
Nonwhite	64	9	7	47	1	33	9	140.6	-	0
Collier	141	97	12	31	7	60	7	49.6	7	49.8
White	114	96	7	10	1	26	4	35.1	1	8.8
Nonwhite	27	1	5	21	6	34	3	111.1	6	222.2
Columbia	508	290	5	160	-	191	14	27.6	12	23.6
White	316	261	42	13	-	102	7	22.2	8	25.3
Nonwhite	192	29	16	147	-	89	7	56.5	4	20.8
Dade	9,711	8,815	363	492	21	3,946	291	29.9	225	23.2
White	7,721	7,620	86	3	12	3,283	182	23.6	159	18.0
Nonwhite	1,990	1,195	297	489	9	665	99	49.7	86	43.2
Miami	5,308	4,734	246	314	12	2,450	152	28.6	131	24.7
White	4,048	4,010	29	2	7	1,996	95	23.5	70	17.3
Nonwhite	1,260	724	219	312	5	454	67	45.2	61	48.4
Miami Beach	493	492	1	-	-	341	8	16.2	4	8.1
Balance of county	3,910	3,589	134	176	9	1,157	121	30.9	90	23.0
White	3,181	3,119	56	1	5	946	79	24.8	65	20.4
Nonwhite	729	470	76	177	4	211	42	57.6	25	34.3
De Soto	185	182	3	-	-	107	9	48.8	3	16.2
White	126	126	-	-	-	79	4	31.3	2	15.6
Nonwhite	57	54	3	-	-	28	5	87.7	1	17.5
Dixie	110	13	74	22	1	44	7	63.6	3	27.3
White	95	13	69	12	1	35	5	52.6	2	21.1
Nonwhite	15	-	5	10	-	9	2	133.3	1	66.7
Duval	7,596	6,958	146	472	18	2,785	246	32.4	200	26.3
White	5,379	5,226	89	58	6	1,694	138	25.7	117	21.8
Nonwhite	2,217	1,732	59	414	12	1,091	108	48.7	83	37.4
Jacksonville	6,056	5,613	97	333	13	2,324	201	33.2	153	25.3
White	4,056	4,056	47	10	3	1,323	102	24.9	80	19.5
Nonwhite	1,961	1,578	50	323	10	1,001	99	50.5	73	37.2
Balance of county	1,540	1,545	51	139	5	461	45	29.2	47	30.5
White	1,284	1,191	42	48	3	371	36	28.0	37	28.8
Nonwhite	256	154	9	91	2	90	9	35.2	10	39.1
Escambia	3,473	3,030	224	212	7	966	102	29.4	76	21.9
White	2,743	2,645	82	14	2	586	67	24.4	41	14.9
Nonwhite	730	385	142	198	5	290	35	47.9	35	47.9
Pensacola	1,716	1,484	121	108	3	459	45	26.2	37	21.6
White	1,199	1,174	23	-	1	265	24	20.0	12	10.0
Nonwhite	518	310	98	108	2	193	21	40.5	25	46.3
Balance of county	1,757	1,546	103	104	4	409	47	32.4	30	22.2
White	1,545	1,471	59	14	1	321	43	27.3	29	18.8
Nonwhite	212	75	44	90	3	87	14	66.0	10	47.2
Flagler	83	36	13	34	-	40	5	60.2	9	106.4
White	32	29	2	1	-	17	-	0	2	62.5
Nonwhite	51	7	11	33	-	23	5	98.0	7	137.3
Franklin	155	100	16	38	1	48	4	25.8	4	25.8
White	110	86	14	10	-	33	3	27.3	3	27.3
Nonwhite	45	14	2	28	1	15	1	22.2	1	22.2
Gadsden	970	296	65	606	3	319	45	46.4	40	41.2
White	314	280	12	21	1	85	8	25.5	9	28.7
Nonwhite	656	16	53	585	2	233	37	58.4	31	47.3
Gilchrist	87	54	24	7	2	23	2	25.0	1	11.5
White	79	53	23	1	2	20	2	25.3	1	12.7
Nonwhite	8	1	1	6	-	3	-	0	-	0
Glades	36	15	14	6	1	18	-	0	1	27.8
White	24	14	10	-	-	12	-	0	-	0
Nonwhite	12	1	4	6	1	6	-	0	1	83.3
Gulf	171	140	4	19	-	59	7	40.9	4	23.4
White	136	124	3	9	-	25	4	29.4	3	22.1
Nonwhite	35	24	1	10	-	34	3	65.7	1	28.6
Hamilton	273	69	126	77	1	91	9	33.0	9	35.0
White	132	65	59	8	-	49	7	53.0	-	0
Nonwhite	141	4	67	69	1	42	2	14.2	9	63.8
Hardee	205	170	22	13	-	117	10	48.8	2	9.8
Hendry	148	120	11	14	3	49	7	47.3	5	35.8
White	106	102	2	1	1	28	3	28.5	2	18.9
Nonwhite	42	18	9	13	2	21	4	95.2	3	71.4
Hernando	186	111	40	7	-	64	6	38.0	5	31.6
White	111	99	12	-	-	49	3	27.0	3	27.0
Nonwhite	47	12	28	7	-	15	3	65.9	2	42.6
Highlands	312	278	16	17	-	151	15	41.7	11	36.3
White	228	222	5	-	1	104	5	21.9	6	28.3
Nonwhite	84	56	11	17	-	47	8	85.2	5	59.5
Hillborough	5,455	4,988	88	352	17	2,365	196	35.9	132	24.2
White	4,501	4,416	44	31	10	1,818	149	32.9	85	18.4
Nonwhite	954	582	44	321	7	547	49	50.3	49	51.4
Tampa	3,912	3,804	30	268	10	1,659	123	31.4	89	22.8
White	3,186	3,127	15	21	3	1,239	91	28.7	51	18.1
Nonwhite	746	477	15	247	7	420	32	42.9	38	50.9
Balance of county	1,543	1,394	58	84	7	706	73	47.3	45	27.9
White	1,335	1,289	29	10	7	579	57	42.7	32	24.0
Nonwhite	208	105	29	74	-	127	16	76.9	11	52.9

See footnotes on p. 93.

GENERAL TABLES—BIRTHS, DEATHS, AND FETAL DEATHS

TABLE 1.—LIVE BIRTHS BY PERSON IN ATTENDANCE; TOTAL DEATHS; DEATHS UNDER 1 YEAR AND INFANT MORTALITY RATES; AND FETAL DEATHS AND RATIOS: UNITED STATES, EACH STATE AND COUNTY, AND EACH URBAN PLACE HAVING, IN 1940, A POPULATION OF 10,000 OR MORE, 1949—Continued

(See headnote on p. 2)

AREA AND RACE	LIVE BIRTHS					Deaths (all ages)	DEATHS UNDER 1 YEAR		FETAL DEATHS	
	Total	Attended by—					Number	Rate	Number	Ratio
		Physi- cian in hos- pital ¹	Physi- cian not in hos- pital	Midwife	Other and not speci- fied					
FLORIDA—Continued										
Holmes	341	204	109	28	-	99	10	29.3	7	20.5
Indian River	278	181	57	50	-	115	7	25.2	3	10.8
	176	159	15	4	-	91	4	22.7	-	0
	102	32	24	46	-	22	3	29.4	3	28.4
Jackson	349	459	164	318	7	305	21	22.4	35	36.9
	616	416	146	53	2	169	12	19.5	18	29.2
	332	43	18	266	5	134	9	27.1	17	51.2
Jefferson	294	43	65	176	-	134	14	47.6	14	47.6
	72	37	34	1	-	38	4	55.6	1	15.9
	222	16	31	175	-	96	10	45.0	13	35.0
Lafayette	87	18	61	8	-	33	2	23.0	1	11.5
Lake	814	610	33	167	4	372	29	35.6	19	23.3
	569	531	21	14	2	275	15	26.4	10	17.6
	246	79	12	153	2	97	14	56.9	9	36.6
Lee	424	335	11	76	2	242	12	28.3	15	35.4
	329	316	-11	-	2	177	7	21.3	5	15.2
	95	19	-	76	-	65	5	52.6	10	105.3
Fort Myers	281	225	1	65	-	171	11	37.8	11	37.8
	208	207	1	-	-	116	6	28.8	3	14.4
	83	18	-	65	-	55	5	60.2	8	96.4
Balance of county	133	110	-10	11	2	71	1	7.5	4	30.1
	121	109	10	-	2	61	1	8.3	2	18.5
	12	1	-	11	-	10	-	0	2	166.7
Leon	1,232	745	33	427	27	319	41	33.3	35	28.4
	653	632	7	13	1	167	17	26.0	15	23.0
	579	113	26	414	26	152	24	41.5	20	34.5
Tallahassee	783	524	17	223	19	186	17	21.7	19	24.3
	456	449	4	3	-	100	4	8.8	11	24.1
	327	75	13	220	19	86	13	39.8	8	24.5
Balance of county	449	221	16	204	8	133	24	53.5	16	35.6
	197	183	3	10	1	67	13	66.0	4	20.3
	252	38	13	194	7	66	11	43.7	12	47.6
Levy	285	138	59	87	1	117	8	28.1	4	14.0
	168	120	41	7	-	87	7	41.7	1	6.0
	117	18	18	80	1	50	1	8.5	3	25.6
Liberty	79	44	18	13	4	30	4	50.8	5	63.3
	65	44	13	6	2	25	4	61.5	3	46.2
	14	-	5	7	2	5	-	0	2	142.9
Madison	450	174	29	244	3	173	23	51.1	15	33.3
	160	137	14	9	-	85	5	31.3	5	31.3
	290	37	15	235	3	88	18	62.1	10	34.5
Manatee	672	472	17	181	2	360	13	19.3	28	41.7
	428	415	11	1	1	290	5	11.7	12	28.0
	244	57	6	180	1	70	8	32.8	16	65.6
Marion	836	517	72	243	4	450	33	39.5	31	37.1
	473	441	26	3	3	239	13	27.3	9	19.0
	363	76	46	240	1	211	20	55.1	22	60.6
Martin	159	137	2	20	-	90	5	31.4	3	16.9
	112	111	1	-	-	54	1	8.9	-	0
	47	26	1	20	-	36	4	85.1	3	63.8
Monroe	644	541	16	88	1	186	25	38.8	17	26.4
	560	518	10	31	1	141	20	35.7	16	28.6
	84	23	6	55	-	45	5	59.5	1	11.9
Key West	612	509	16	88	1	171	24	39.2	17	27.8
	530	488	10	31	1	127	19	35.8	16	30.2
	82	21	6	55	-	44	5	61.0	1	12.2
Balance of county	32	32	-	-	-	15	1	31.3	-	0
	30	30	-	-	-	14	1	33.3	-	0
	2	2	-	-	-	1	-	0	-	0
Nassau	365	247	16	102	-	126	17	46.6	11	30.1
	228	212	9	7	-	70	11	48.2	7	30.7
	137	35	7	95	-	56	6	43.8	4	29.2
Ocala	836	729	46	60	1	160	27	32.3	12	14.4
Okeechobee	86	65	6	14	1	33	6	69.8	3	34.9
	69	57	4	7	1	24	5	72.5	2	28.0
	17	8	2	7	-	9	1	58.8	1	58.8
Orange	2,481	1,883	254	340	4	1,032	78	31.4	53	21.4
	1,841	1,783	39	17	2	818	52	28.2	32	17.4
	640	100	215	323	2	214	26	40.6	21	32.8
Orlando	1,312	1,012	150	149	1	646	37	28.2	30	22.9
	955	953	2	-	-	508	20	20.9	18	16.8
	357	59	148	149	1	138	17	47.6	12	33.6
Balance of county	1,169	871	104	191	3	366	41	35.1	23	19.7
	886	830	37	17	2	310	32	36.1	14	15.8
	283	41	67	174	1	76	9	31.8	9	31.8
Osceola	186	138	12	36	-	179	6	32.3	6	32.3
	141	131	7	3	-	151	6	42.6	3	21.3
	45	7	5	33	-	28	-	0	3	66.7
Palm Beach	2,264	1,769	132	357	6	1,120	97	42.8	68	30.0
	1,354	1,333	15	5	1	777	43	31.8	27	19.9
	910	436	117	352	5	343	54	59.3	41	45.1
West Palm Beach	875	756	11	107	1	466	29	33.1	30	34.3
	555	551	3	-	1	327	17	30.6	16	28.8
	320	205	8	107	-	139	12	37.5	14	43.8
Balance of county	1,399	1,013	121	250	5	634	68	49.0	38	27.4
	799	782	12	5	-	450	26	32.5	11	13.8
	590	231	109	245	5	204	42	71.2	27	45.8

See footnotes on p. 93.

VITAL STATISTICS OF THE UNITED STATES

TABLE 1.—LIVE BIRTHS BY PERSON IN ATTENDANCE; TOTAL DEATHS; DEATHS UNDER 1 YEAR AND INFANT MORTALITY RATES; AND FETAL DEATHS AND RATIOS: UNITED STATES, EACH STATE AND COUNTY, AND EACH URBAN PLACE HAVING, IN 1940, A POPULATION OF 10,000 OR MORE, 1949—Continued

(See headnote on p. 2)

AREA AND RACE	LIVE BIRTHS					Deaths (all ages)	DEATHS UNDER 1 YEAR		FETAL DEATHS	
	Total	Attended by—					Number	Rate	Number	Ratio
		Physi- cian in hos- pital ¹	Physi- cian not in hos- pital	Midwife	Other and not speci- fied					
FLORIDA—Continued										
Pasco-----	401	257	118	24	2	217	15	37.4	8	20.0
White-----	329	253	74	1	1	174	10	30.4	8	24.3
Nonwhite--	72	4	44	23	1	43	5	68.4	-	0
Pinellas-----	2,347	2,022	97	222	6	1,971	63	25.8	51	21.7
White-----	1,856	1,611	39	3	3	1,771	41	22.1	36	19.4
Nonwhite--	491	211	58	219	3	200	22	44.8	15	30.5
St. Petersburg-----	1,390	1,167	44	176	3	1,367	33	23.7	30	21.6
White-----	1,034	1,026	7	1	1	1,225	22	21.3	18	17.4
Nonwhite--	356	141	37	175	2	142	11	30.9	12	33.7
Clearwater-----	305	274	3	25	1	147	5	13.6	1	4.5
White-----	221	219	1	-	1	39	9	109.0	2	24.4
Nonwhite--	82	55	2	25	2	418	18	27.5	18	27.5
Balance of county-----	654	581	50	-	-	-	-	-	-	-
Polk-----	2,720	1,751	564	392	13	1,118	105	37.9	66	24.3
White-----	2,025	1,684	337	69	11	839	40	33.6	40	19.8
Nonwhite--	695	117	227	339	2	279	35	50.4	26	37.4
Lakeland-----	641	506	17	112	6	340	20	31.2	17	26.5
White-----	467	463	6	13	5	263	14	28.7	8	16.4
Nonwhite--	154	43	11	99	1	77	6	39.0	9	58.4
Balance of county-----	2,079	1,245	547	280	7	778	83	39.9	49	23.6
White-----	1,538	1,171	321	40	6	576	54	35.1	32	20.8
Nonwhite--	541	74	226	240	1	202	29	53.6	17	31.4
Putnam-----	870	302	125	142	1	265	33	37.9	17	29.8
White-----	528	280	25	21	-	163	12	36.8	10	30.7
Nonwhite--	244	22	100	121	1	102	21	86.1	7	29.7
St. Johns-----	564	489	1	72	2	288	23	40.8	18	31.9
White-----	348	344	-	3	1	175	8	23.0	7	20.1
Nonwhite--	216	145	1	69	1	113	15	69.4	11	50.9
St. Augustine-----	393	382	1	9	1	199	15	38.2	8	20.4
White-----	261	261	-	-	-	129	7	26.8	5	19.2
Nonwhite--	132	121	1	9	1	70	8	60.6	3	22.7
Balance of county-----	171	107	-	63	1	89	9	46.8	10	53.5
White-----	87	83	-	3	1	46	1	11.5	2	23.0
Nonwhite--	84	24	-	60	-	43	7	83.3	8	95.2
St. Lucia-----	519	312	6	201	-	204	29	55.9	11	21.2
White-----	269	254	4	10	-	119	12	44.8	5	18.7
Nonwhite--	251	58	2	191	-	85	17	67.7	6	23.9
Santa Rosa-----	512	310	162	37	3	161	25	48.8	10	19.5
White-----	466	306	145	12	3	124	20	42.9	9	19.3
Nonwhite--	46	4	17	25	-	37	5	108.7	1	21.7
Sarasota-----	494	435	23	13	13	293	18	37.2	13	26.9
White-----	366	355	7	2	2	245	13	35.5	7	19.1
Nonwhite--	118	80	16	11	11	48	5	42.4	6	50.8
Sarasota-----	357	322	18	8	9	202	10	28.0	10	29.0
White-----	253	248	4	1	-	166	7	27.7	4	15.8
Nonwhite--	104	74	14	7	9	36	3	28.8	6	37.7
Balance of county-----	127	113	5	5	4	91	8	63.0	3	23.6
White-----	113	107	3	1	2	79	6	53.1	3	26.5
Nonwhite--	14	6	2	4	2	12	2	142.9	-	0
Seminole-----	653	429	17	207	-	261	24	36.8	24	36.8
White-----	268	255	6	7	-	149	11	41.0	7	26.1
Nonwhite--	385	174	11	200	-	113	13	33.8	17	44.2
Sanford-----	333	228	2	103	-	129	10	30.0	12	36.0
White-----	132	131	-	1	-	72	6	45.5	4	30.3
Nonwhite--	201	97	2	102	-	56	4	19.9	8	39.8
Balance of county-----	320	201	15	104	-	133	14	43.8	12	37.5
White-----	136	124	6	6	-	76	5	36.8	3	22.1
Nonwhite--	184	77	9	98	-	57	9	48.9	9	46.9
Sumter-----	250	150	21	79	-	92	13	32.0	3	12.0
White-----	157	139	15	3	-	48	2	12.7	2	12.7
Nonwhite--	93	11	6	76	-	34	11	118.3	1	10.8
Suwannee-----	491	212	141	136	2	175	29	59.1	12	24.4
White-----	326	192	104	29	1	114	19	58.3	7	21.5
Nonwhite--	165	20	37	107	1	61	10	60.6	5	30.3
Taylor-----	205	30	109	67	-	102	3	14.6	8	39.0
White-----	139	30	96	13	-	62	3	21.6	7	50.4
Nonwhite--	66	-	12	54	-	40	-	0	1	15.2
Union-----	124	49	32	41	3	56	1	8.1	3	24.2
White-----	81	45	30	5	1	33	-	0	2	24.7
Nonwhite--	43	3	2	36	2	23	1	23.3	1	23.3
Volusia-----	1,402	1,170	62	189	1	909	41	29.2	37	26.4
White-----	991	946	33	11	1	696	26	26.2	20	20.2
Nonwhite--	411	224	29	158	-	213	15	36.5	17	41.4
Daytona Beach-----	612	564	24	24	-	396	18	29.4	9	14.7
White-----	392	398	4	-	-	282	10	25.5	4	10.2
Nonwhite--	220	176	20	24	-	114	8	36.4	5	22.7
Balance of county-----	790	606	38	145	1	513	23	29.1	28	35.4
White-----	599	558	29	11	1	414	16	26.7	16	26.7
Nonwhite--	191	48	9	134	-	99	7	36.6	12	62.8
Wakulla-----	141	62	-	75	4	44	5	35.5	2	14.2
White-----	92	57	-	34	1	22	4	43.5	1	10.9
Nonwhite--	49	5	-	41	3	22	1	20.4	1	20.4
Walton-----	391	264	51	71	3	136	7	17.9	9	23.0
White-----	324	248	44	27	5	103	4	12.3	8	24.7
Nonwhite--	67	16	7	44	-	28	3	44.8	1	14.9
Washington-----	265	129	50	84	2	90	9	34.0	10	37.7
White-----	201	129	37	34	1	67	6	29.9	8	39.8
Nonwhite--	64	-	13	50	1	23	3	46.9	2	31.3

See footnotes on p. 93.

GENERAL TABLES—BIRTHS, DEATHS, AND FETAL DEATHS

TABLE 1.—LIVE BIRTHS BY PERSON IN ATTENDANCE; TOTAL DEATHS; DEATHS UNDER 1 YEAR AND INFANT MORTALITY RATES; AND FETAL DEATHS AND RATIOS: UNITED STATES, EACH STATE AND COUNTY, AND EACH URBAN PLACE HAVING, IN 1940, A POPULATION OF 10,000 OR MORE, 1949—Continued

(See headnote on p. 2)

AREA AND RACE	LIVE BIRTHS					Deaths (all ages)	DEATHS UNDER 1 YEAR		FETAL DEATHS	
	Total	Attended by—					Number	Rate	Number	Ratio
		Physi- cian in hos- pital ¹	Physi- cian not in hos- pital	Midwife	Other and not speci- fied					
GEORGIA	93,259	62,651	10,120	19,029	1,459	29,608	3,101	33.3	2,198	23.6
White	59,518	51,593	5,400	1,270	265	17,414	1,676	28.6	990	16.9
Nonwhite	34,741	11,058	4,720	17,759	1,194	12,194	1,425	41.0	1,208	34.8
Appling	427	164	165	90	8	85	9	21.1	5	7.0
White	310	161	135	12	2	64	5	16.1	5	9.7
Nonwhite	117	3	30	78	6	19	4	34.2	-	0
Atkinson	227	101	67	54	5	54	3	22.0	3	13.2
White	162	97	52	13	-	35	3	18.5	-	0
Nonwhite	65	4	15	41	5	19	2	30.8	3	46.2
Bacon	264	160	61	36	7	62	10	37.9	-	0
White	226	160	51	9	1	50	6	26.5	-	0
Nonwhite	38	-	10	27	6	12	4	105.3	-	0
Baker	218	76	4	112	2	26	4	19.5	6	27.5
White	87	60	1	4	2	12	2	29.9	1	14.9
Nonwhite	131	16	3	108	2	14	2	13.2	5	33.1
Baldwin	419	162	35	199	24	165	11	26.5	18	43.0
White	183	159	11	13	-	70	4	21.9	8	43.7
Nonwhite	236	3	24	185	24	95	7	29.7	10	42.4
Banks	149	87	39	17	6	33	4	26.8	3	20.1
Barrow	327	220	55	50	2	114	11	33.6	10	30.6
White	254	212	35	7	-	91	6	23.6	7	27.6
Nonwhite	73	8	20	43	2	23	5	68.5	3	41.1
Bartow	726	605	71	42	8	212	33	45.5	17	23.4
White	608	533	57	10	9	164	25	41.1	14	23.0
Nonwhite	118	72	14	32	-	48	8	67.8	3	25.4
Ben Hill	410	272	7	129	2	117	10	24.4	4	9.8
White	254	247	6	1	-	70	7	27.6	-	0
Nonwhite	156	25	1	128	2	47	3	19.2	4	25.6
Berrien	384	259	76	43	6	124	15	33.9	9	23.4
White	324	245	67	9	3	100	11	34.0	8	24.7
Nonwhite	60	14	9	34	3	24	2	33.3	1	16.7
Bibb	3,128	2,949	41	98	40	1,105	84	26.9	80	25.6
White	1,808	1,801	5	1	1	611	51	28.2	39	21.6
Nonwhite	1,320	1,148	36	97	39	494	33	25.0	41	31.1
Macon	2,676	2,558	34	60	24	964	74	27.7	75	28.0
White	1,561	1,556	4	-	1	527	48	30.7	35	22.4
Nonwhite	1,115	1,002	30	60	23	437	26	23.3	40	35.9
Balance of county	452	391	7	38	16	141	10	22.1	5	11.1
White	247	245	1	1	-	84	3	12.1	4	16.2
Nonwhite	205	146	6	37	16	57	7	34.1	1	4.9
Bleckley	237	77	55	104	1	77	6	25.3	8	33.8
White	133	75	51	6	1	44	3	22.6	6	45.1
Nonwhite	104	2	4	98	-	33	3	26.8	2	19.2
Brantley	207	73	102	29	3	61	10	46.3	7	33.8
White	167	73	61	13	-	45	8	47.9	5	29.9
Nonwhite	40	-	21	16	3	16	2	50.0	2	50.0
Brooks	569	261	25	297	6	177	18	30.6	6	10.2
White	231	212	11	8	-	74	6	26.0	-	0
Nonwhite	338	49	14	289	6	103	12	33.5	6	16.8
Bryan	174	85	44	59	6	69	8	46.0	5	28.7
White	87	63	19	4	1	36	6	69.0	1	11.5
Nonwhite	87	2	25	55	5	33	2	23.0	4	46.0
Bulloch	648	346	83	215	4	139	19	29.3	10	15.4
White	351	305	11	-	-	92	10	28.5	1	2.8
Nonwhite	297	41	48	204	4	47	9	30.3	9	30.3
Burke	805	148	76	568	13	263	23	28.6	26	32.3
White	171	130	26	14	1	85	6	35.1	2	11.7
Nonwhite	634	18	50	554	12	208	17	26.8	24	37.9
Butts	223	87	82	51	3	97	9	40.4	3	13.5
White	113	84	29	-	-	49	-	0	-	0
Nonwhite	110	3	53	51	3	48	9	61.8	3	27.3
Calhoun	331	113	7	200	11	102	9	27.2	13	39.3
White	78	70	2	4	-	35	1	13.2	3	39.5
Nonwhite	255	43	5	196	11	67	8	31.4	10	39.2
Camden	206	86	6	98	16	51	5	24.3	11	53.4
White	78	72	2	3	1	16	3	38.5	2	25.6
Nonwhite	128	14	4	95	15	35	2	15.6	9	70.3
Candler	216	92	51	72	1	51	3	13.9	2	9.3
White	108	74	27	6	1	34	1	9.3	2	18.5
Nonwhite	108	18	24	66	-	17	2	18.5	-	0
Carroll	822	530	200	83	9	281	25	30.4	18	21.9
White	635	509	118	5	3	227	17	26.8	12	18.9
Nonwhite	187	21	82	78	6	54	8	42.8	6	32.1
Catoosa	358	342	11	1	2	87	13	36.5	8	22.5
Charlton	140	69	6	61	4	41	4	28.6	3	21.4
White	94	68	6	18	2	22	4	42.6	3	31.9
Nonwhite	46	1	-	43	2	19	-	0	-	0
Chatham	3,814	2,965	699	119	31	1,590	151	39.6	121	31.7
White	2,280	2,224	31	4	1	721	70	31.0	29	12.8
Nonwhite	1,534	741	668	115	30	869	81	52.1	92	59.2
Savannah	3,198	2,520	598	73	17	1,339	123	38.5	107	33.5
White	1,917	1,896	27	3	1	603	56	29.2	26	13.6
Nonwhite	1,281	634	561	70	16	736	67	52.3	81	63.2
Balance of county	616	445	111	46	14	251	29	45.5	14	22.7
White	343	339	4	1	-	118	14	40.8	3	8.7
Nonwhite	273	107	107	45	14	133	14	51.3	11	40.3

See footnotes on p. 93.

VITAL STATISTICS OF THE UNITED STATES

TABLE 1.—LIVE BIRTHS BY PERSON IN ATTENDANCE; TOTAL DEATHS; DEATHS UNDER 1 YEAR AND INFANT MORTALITY RATES; AND FETAL DEATHS AND RATIOS: UNITED STATES, EACH STATE AND COUNTY, AND EACH URBAN PLACE HAVING, IN 1940, A POPULATION OF 10,000 OR MORE, 1949—Continued

(See headnote on p. 2)

AREA AND RACE	LIVE BIRTHS					Deaths (all ages)	DEATHS UNDER 1 YEAR		FETAL DEATHS	
	Total	Attended by—					Number	Rate	Number	Ratio
		Physi- cian in hos- pital ¹	Physi- cian not in hos- pital	Midwife	Other and not speci- fied					
GEORGIA—Continued										
Chattahoochee	222	200	3	19	-	31	6	27.0	6	27.0
White	179	178	1	3	-	21	2	11.2	6	33.5
Nonwhite	43	25	2	16	-	10	4	93.0	-	0
Chattooga	590	461	75	35	9	147	20	34.5	3	5.2
Cherokee	525	374	127	17	7	161	20	38.1	4	7.6
Clarke	903	703	49	150	1	351	30	33.2	17	18.8
White	643	629	11	3	-	197	18	28.0	3	4.7
Nonwhite	260	74	38	147	1	154	12	46.2	14	53.8
Athens	723	578	36	108	1	268	25	34.6	12	16.6
White	522	515	7	-	-	149	16	30.7	-	0
Nonwhite	201	63	29	108	1	119	9	44.8	12	59.7
Balance of county	180	125	13	42	-	83	5	27.8	5	27.8
White	121	114	4	3	-	49	2	16.5	3	24.8
Nonwhite	59	11	9	39	-	35	3	50.8	2	33.9
Clay	197	55	1	136	5	63	5	25.4	4	20.3
White	39	37	1	1	-	12	-	0	1	25.6
Nonwhite	158	18	-	135	5	51	5	31.6	3	19.0
Clayton	533	405	66	57	5	122	16	30.0	10	18.8
White	435	399	33	2	1	91	12	27.6	3	6.9
Nonwhite	98	6	33	55	4	31	4	40.8	7	71.4
Clinch	182	100	9	69	4	43	11	60.4	3	16.5
White	105	96	2	7	-	27	5	47.6	2	19.0
Nonwhite	77	4	7	62	4	16	6	77.9	1	13.0
Cobb	1,851	1,466	122	57	6	445	58	35.1	22	13.3
White	1,465	1,381	80	3	1	354	47	32.1	18	12.3
Nonwhite	186	85	42	54	5	91	11	59.1	4	21.5
Coffee	733	455	99	177	2	191	39	53.2	18	24.6
White	522	433	89	19	1	125	25	47.9	12	23.0
Nonwhite	211	22	30	158	1	66	14	66.4	6	28.4
Colquitt	1,030	742	61	210	17	286	33	32.0	32	31.1
White	739	685	41	10	2	187	18	24.4	22	29.8
Nonwhite	292	57	20	200	15	99	15	51.4	10	34.2
Moultrie	416	307	6	93	10	133	15	36.1	13	31.3
White	277	274	1	2	-	88	8	28.9	8	28.9
Nonwhite	139	33	5	91	10	65	7	30.4	5	36.0
Balance of county	614	435	55	117	7	123	18	29.3	19	30.9
White	461	411	40	8	2	99	10	21.7	14	30.4
Nonwhite	153	24	15	109	5	24	8	52.3	5	32.7
Columbia	286	124	28	128	6	74	10	35.0	10	35.0
White	130	115	8	7	-	40	5	39.5	1	7.7
Nonwhite	156	9	20	121	6	34	5	32.1	9	57.7
Cook	317	199	91	52	15	107	11	34.7	5	15.8
White	211	135	41	9	6	72	7	33.2	4	19.0
Nonwhite	106	4	50	43	9	35	4	37.7	1	9.4
Coweta	754	435	91	186	42	231	26	34.5	13	17.2
White	383	342	40	7	4	143	12	30.5	5	12.7
Nonwhite	361	93	51	179	38	88	14	38.8	8	22.2
Crawford	171	48	2	114	7	53	3	17.5	12	70.2
White	47	42	-	5	-	22	1	21.3	3	63.6
Nonwhite	124	6	2	109	7	31	2	16.1	9	72.6
Crisp	523	236	17	230	20	161	18	34.4	17	32.5
White	283	222	13	25	3	78	7	26.6	8	30.4
Nonwhite	280	14	4	225	17	103	11	42.3	9	54.6
Dade	229	128	95	7	1	51	6	26.2	4	17.5
Dawson	96	59	23	10	4	24	1	10.4	1	10.4
Decatur	688	354	51	234	29	194	23	34.4	20	29.3
White	302	261	15	6	-	90	4	15.2	6	13.9
Nonwhite	366	73	36	228	29	124	19	51.9	14	38.3
De Kalb	3,471	3,293	46	124	8	824	75	21.6	63	18.2
White	2,980	2,948	28	2	2	665	53	17.8	46	15.4
Nonwhite	491	345	18	122	6	159	22	44.8	17	34.6
Atlanta (part)	846	837	1	4	2	270	23	(4)	18	(4)
White	763	762	1	-	-	246	18	(4)	16	(4)
Nonwhite	83	75	2	4	2	26	5	(4)	2	(4)
Decatur	753	726	5	21	1	183	16	21.2	13	17.3
White	616	615	1	-	-	142	10	18.2	9	14.8
Nonwhite	137	111	4	21	1	41	6	43.8	4	29.2
Balance of county	1,672	1,730	38	99	5	371	36	19.2	32	17.1
White	1,601	1,571	26	2	2	279	25	15.6	21	13.1
Nonwhite	271	159	12	97	3	92	11	40.6	11	40.6
Dodge	492	191	93	191	17	124	8	16.3	16	32.5
White	235	188	75	25	7	80	7	23.7	11	37.3
Nonwhite	137	3	18	166	10	34	1	5.1	5	25.4
Dooly	423	119	103	195	7	110	11	26.0	9	21.3
White	157	109	39	9	-	49	4	25.5	-	0
Nonwhite	266	9	64	186	7	61	7	26.3	9	33.8
Dougherty	1,350	876	250	191	33	371	34	25.2	40	29.6
White	721	715	5	1	-	161	13	18.0	8	11.1
Nonwhite	629	161	245	190	33	210	21	33.4	32	50.9
Albany	1,116	783	199	112	23	317	27	24.2	32	28.7
White	636	633	3	-	-	146	12	18.9	5	7.9
Nonwhite	480	150	195	112	23	171	15	31.3	27	56.3
Balance of county	234	93	52	79	10	54	7	29.9	8	34.2
White	85	82	2	1	-	15	1	11.8	3	35.3
Nonwhite	149	11	50	78	10	39	6	40.3	5	33.6
Douglas	293	197	45	50	1	74	7	23.9	6	27.3
White	235	195	34	6	-	54	5	21.3	4	17.0
Nonwhite	58	2	11	44	1	20	2	34.5	4	69.0

See footnotes on p. 93.

GENERAL TABLES—BIRTHS, DEATHS, AND FETAL DEATHS

TABLE 1.—LIVE BIRTHS BY PERSON IN ATTENDANCE; TOTAL DEATHS; DEATHS UNDER 1 YEAR AND INFANT MORTALITY RATES; AND FETAL DEATHS AND RATIOS: UNITED STATES, EACH STATE AND COUNTY, AND EACH URBAN PLACE HAVING, IN 1940, A POPULATION OF 10,000 OR MORE, 1949—Continued

(See headnote on p. 2)

AREA AND RACE	LIVE BIRTHS					Deaths (all ages)	DEATHS UNDER 1 YEAR		FETAL DEATHS	
	Total	Attended by—					Number	Rate	Number	Ratio
		Physi- cian in hos- pital ¹	Physi- cian not in hos- pital	Midwife	Other and not speci- fied					
GEORGIA—Continued										
Early	582	262	7	288	25	179	26	44.7	10	17.2
White	256	232	4	17	3	89	11	43.0	5	19.5
Nonwhite	326	30	3	271	22	90	15	46.0	5	15.3
Echols	77	29	20	29	-	15	2	26.0	2	26.0
White	48	29	16	4	-	10	1	20.8	2	41.7
Nonwhite	29	-	4	25	-	5	1	34.5	-	0
Effingham	267	149	6	130	2	91	9	51.4	10	34.8
White	133	126	2	5	-	43	4	50.1	4	30.1
Nonwhite	134	23	4	125	2	48	5	33.5	6	39.0
Elbert	455	273	20	152	10	192	24	52.7	10	22.0
White	258	241	3	14	-	95	12	46.5	3	11.6
Nonwhite	197	32	17	159	10	97	12	50.9	7	35.5
Emanuel	585	328	41	210	6	171	10	17.1	9	15.4
White	335	288	24	19	-	108	6	14.9	1	3.0
Nonwhite	250	40	17	191	6	63	5	20.0	8	52.0
Evans	178	81	50	44	3	40	6	33.7	5	28.1
White	101	74	26	-	-	21	3	29.7	4	39.6
Nonwhite	77	7	24	44	2	19	3	39.0	1	13.0
Fannin	389	213	155	19	2	104	9	23.1	8	20.6
White	180	85	25	66	6	60	4	22.2	6	33.3
Nonwhite	110	30	22	6	2	36	2	19.2	4	36.4
Fayette	70	3	3	60	4	24	2	29.6	2	28.6
Floyd	1,471	1,296	78	86	11	507	44	29.9	20	13.6
White	1,209	1,139	56	12	3	379	34	29.1	9	7.4
Nonwhite	262	156	22	74	8	128	10	59.2	11	42.0
None	613	743	19	46	5	270	23	29.3	12	14.6
White	635	622	12	1	-	186	20	31.5	5	7.9
Nonwhite	178	121	7	45	5	82	3	16.8	7	39.3
Balance of county	568	583	59	40	6	237	21	31.9	8	12.2
White	374	516	44	11	3	191	14	24.4	4	7.0
Nonwhite	84	37	15	29	3	46	7	63.3	4	47.6
Forsyth	284	235	46	5	8	72	6	20.4	6	20.4
Franklin	369	216	119	32	2	108	12	32.5	11	29.8
White	316	212	99	13	2	89	11	34.8	7	22.2
Nonwhite	53	4	30	19	-	19	1	16.9	4	75.5
Fulton	12,371	11,993	315	50	23	4,687	393	31.8	255	20.6
White	8,050	7,946	96	5	3	2,695	178	22.1	123	15.3
Nonwhite	4,321	4,037	219	45	20	1,992	215	49.8	132	30.5
Atlanta (part) ²	7,658	7,423	204	20	11	3,745	309	(4)	212	(4)
White ³	4,254	4,226	39	-	-	1,969	126	(4)	95	(4)
Nonwhite ³	3,394	3,197	166	20	11	1,776	183	(4)	117	(4)
Atlanta (total) ²	8,504	8,260	207	24	13	4,015	332	39.0	230	27.0
White ³	5,027	4,998	39	-	-	2,213	144	28.6	111	22.1
Nonwhite ³	3,477	3,272	168	24	13	1,802	188	54.1	119	34.2
Dist. 1511, Center Hill ⁵	-	-	-	-	-	-	-	-	-	-
White ⁵	-	-	-	-	-	-	-	-	-	-
Nonwhite ⁵	-	-	-	-	-	-	-	-	-	-
East Point	561	570	8	3	-	127	12	20.7	8	13.8
White	479	475	5	1	-	103	8	16.7	4	8.4
Nonwhite	102	97	3	2	-	24	4	39.2	4	39.2
Balance of county	4,132	3,990	103	27	12	815	72	17.4	35	8.5
White	3,307	3,247	53	4	3	623	44	13.3	24	7.3
Nonwhite	825	743	50	23	9	192	28	33.9	11	15.3
Gilmer	282	245	7	25	5	75	10	35.5	6	21.3
Glascock	83	24	19	36	4	29	2	24.1	1	12.0
White	49	24	17	7	1	17	-	0	-	0
Nonwhite	34	-	2	29	3	11	2	58.8	1	29.4
Glynn	792	520	36	232	4	298	47	59.3	15	18.9
White	522	487	9	26	-	156	25	47.9	6	11.5
Nonwhite	270	33	27	206	4	142	22	81.5	9	33.3
Brunswick	566	378	28	181	1	216	37	63.1	13	22.2
White	369	351	6	12	-	102	17	46.1	6	16.3
Nonwhite	217	25	22	169	1	114	20	92.2	7	32.3
Balance of county	206	144	8	51	3	82	10	48.5	2	9.7
White	153	136	3	14	-	54	8	52.3	-	0
Nonwhite	53	8	5	37	3	28	2	37.7	2	37.7
Gordon	428	345	72	7	4	140	22	51.4	3	7.0
Grady	540	214	240	80	6	161	22	40.7	10	18.5
White	299	206	86	5	2	103	13	43.5	5	16.7
Nonwhite	241	8	154	75	4	58	9	37.3	5	20.7
Greene	340	115	88	115	22	118	10	29.4	11	32.4
White	140	99	35	5	1	47	4	28.6	1	7.1
Nonwhite	200	16	53	110	21	71	6	30.0	10	50.0
Gwinnett	794	702	64	22	6	242	30	37.8	11	13.9
White	708	643	57	6	2	204	24	33.9	10	14.1
Nonwhite	86	59	7	16	4	38	6	69.8	1	11.6
Habersham	392	363	14	8	7	119	16	40.8	7	17.9
Hall	1,039	767	186	69	17	250	39	37.5	19	18.3
Gainesville	393	270	94	29	-	118	20	50.9	11	28.0
White	230	267	20	3	-	76	12	41.4	5	17.2
Nonwhite	103	3	74	26	-	42	8	77.7	6	50.3
Balance of county	646	497	92	40	17	132	19	29.4	8	12.4
Hancock	345	66	19	237	23	93	2	5.8	5	14.5
White	55	44	6	5	-	22	-	0	-	0
Nonwhite	290	22	13	232	23	71	2	6.9	5	17.2

See footnotes on p. 93.

VITAL STATISTICS OF THE UNITED STATES

TABLE 1.—LIVE BIRTHS BY PERSON IN ATTENDANCE; TOTAL DEATHS; DEATHS UNDER 1 YEAR AND INFANT MORTALITY RATES; AND FETAL DEATHS AND RATIOS: UNITED STATES, EACH STATE AND COUNTY, AND EACH URBAN PLACE HAVING, IN 1940, A POPULATION OF 10,000 OR MORE, 1949—Continued

(See headnote on p. 2)

AREA AND RACE	LIVE BIRTHS				Deaths (all ages)	DEATHS UNDER 1 YEAR		FETAL DEATHS		
	Total	Attended by—				Number	Rate	Number	Ratio	
		Physi- cian in hos- pital ¹	Physi- cian not in hos- pital	Midwife						Other and not speci- fied
GEORGIA—Continued										
Haralson-----	313	217	66	27	3	104	7	22.4	8	25.6
White-----	278	212	46	17	3	90	5	19.0	7	25.2
Nonwhite--	35	5	20	10	-	14	2	57.1	1	28.6
Harris-----	501	93	33	163	12	94	14	46.5	6	19.9
White-----	85	74	4	-	-	33	2	23.8	4	47.1
Nonwhite--	216	19	29	156	12	61	12	27.9	2	9.3
Hart-----	287	176	56	56	-	104	8	20.3	12	41.8
White-----	197	170	21	6	-	64	4	20.3	4	20.3
Nonwhite--	90	3	35	49	-	40	4	44.4	8	88.9
Heard-----	152	69	43	39	3	59	4	26.3	3	19.7
White-----	104	67	34	3	-	41	2	18.2	2	19.2
Nonwhite--	48	1	9	35	3	18	2	41.7	1	20.8
Henry-----	448	134	82	215	17	147	18	35.7	19	42.4
White-----	196	129	57	10	-	88	2	10.2	6	30.6
Nonwhite--	252	5	25	205	17	81	14	55.6	13	51.6
Houston-----	663	481	25	149	9	156	19	28.7	22	33.2
White-----	391	363	12	6	-	87	9	23.6	11	29.9
Nonwhite--	282	118	13	142	9	89	10	35.5	11	39.0
Irwin-----	321	170	5	145	1	91	14	43.6	9	28.0
White-----	166	161	3	2	-	64	12	72.3	4	24.1
Nonwhite--	155	9	2	143	1	27	2	12.9	5	32.3
Jackson-----	533	301	210	19	3	163	20	37.5	9	16.9
White-----	431	287	138	5	1	139	14	32.5	7	16.2
Nonwhite--	102	14	72	14	2	25	6	56.8	2	19.6
Jasper-----	235	48	80	105	2	72	6	25.5	9	33.3
White-----	78	47	29	2	-	30	1	12.6	2	25.6
Nonwhite--	157	1	51	103	2	42	5	51.8	7	44.6
Jeff Davis-----	258	86	124	63	3	66	12	46.5	9	34.9
White-----	186	87	114	3	2	47	8	43.0	5	26.9
Nonwhite--	72	1	10	60	1	19	4	55.6	4	55.6
Jefferson-----	562	174	40	324	24	151	15	26.7	16	28.5
White-----	180	148	20	10	2	71	5	27.8	4	22.2
Nonwhite--	382	26	20	314	22	80	10	26.2	12	31.4
Jenkins-----	359	152	12	171	4	121	12	35.4	6	17.7
White-----	114	103	6	4	1	48	4	35.1	1	8.8
Nonwhite--	225	49	6	167	3	73	8	35.6	5	22.2
Johnson-----	292	76	96	117	3	70	9	30.8	9	30.8
White-----	139	72	52	14	-	46	7	50.7	5	36.2
Nonwhite--	154	4	44	103	3	24	2	13.0	4	26.0
Jones-----	203	48	29	118	6	86	6	29.6	5	24.6
White-----	66	43	20	2	1	31	1	15.2	1	15.2
Nonwhite--	137	5	9	116	7	35	5	36.5	4	29.2
Lamar-----	309	70	100	134	5	86	10	32.4	2	6.5
White-----	130	70	59	-	1	56	5	38.5	-	0
Nonwhite--	179	-	41	134	4	40	5	27.9	2	11.2
Lanier-----	120	52	42	25	1	38	5	41.7	4	33.3
White-----	79	49	25	4	1	29	4	50.6	2	25.3
Nonwhite--	41	3	17	21	-	9	1	24.4	2	48.8
Laurens-----	914	465	83	351	15	380	54	59.1	23	25.2
White-----	477	411	45	20	1	188	25	52.4	7	14.7
Nonwhite--	437	54	38	331	14	174	29	66.4	16	36.6
Lee-----	215	44	10	160	1	65	10	46.5	3	14.0
White-----	45	36	3	6	-	13	1	22.2	-	0
Nonwhite--	170	8	7	154	1	52	9	52.9	3	17.6
Liberty-----	260	73	75	106	6	86	5	19.2	6	25.1
White-----	88	58	28	1	1	27	-	0	-	0
Nonwhite--	172	15	47	105	5	59	5	29.1	6	34.9
Lincoln-----	167	37	93	33	4	34	1	6.0	5	29.9
White-----	72	36	35	-	1	16	-	0	1	13.9
Nonwhite--	95	1	58	33	3	18	1	10.5	4	42.1
Long-----	116	20	73	21	2	37	2	17.2	3	25.9
White-----	86	17	46	1	2	16	-	0	-	0
Nonwhite--	48	3	25	20	-	21	2	41.7	3	62.5
Lowndes-----	1,022	573	63	361	25	274	24	23.5	19	18.6
White-----	583	539	30	11	3	153	14	24.0	6	10.3
Nonwhite--	439	34	33	350	22	121	10	22.8	13	29.6
Valdosta-----	603	350	19	217	17	177	19	31.5	11	18.2
White-----	342	328	10	1	3	83	11	32.2	4	11.7
Nonwhite--	261	22	9	216	14	94	8	30.7	7	26.8
Balance of county-----	419	223	44	144	8	97	5	11.9	8	19.1
White-----	241	211	20	10	-	70	3	12.4	2	8.3
Nonwhite--	178	12	24	134	8	27	2	11.2	6	33.7
Lumpkin-----	156	106	20	29	1	50	6	38.8	1	6.4
McDuffie-----	330	140	37	152	1	101	15	45.5	11	33.3
White-----	153	131	18	4	-	41	3	19.6	5	32.7
Nonwhite--	177	9	19	149	1	60	12	67.8	6	33.9
McIntosh-----	194	41	5	142	6	66	15	77.3	10	51.5
White-----	53	34	3	15	1	25	7	132.1	1	18.9
Nonwhite--	141	7	2	127	5	41	8	66.7	9	63.8
Macon-----	423	132	60	225	6	139	17	40.2	8	18.9
White-----	120	102	16	2	-	25	1	8.3	2	16.7
Nonwhite--	303	30	44	223	6	114	16	52.6	6	19.8
Madison-----	347	205	37	99	6	108	16	46.1	7	20.2
White-----	250	193	34	23	-	80	11	44.0	5	20.0
Nonwhite--	97	12	3	76	6	28	5	51.5	2	20.6

See footnotes on p. 93.

GENERAL TABLES—BIRTHS, DEATHS, AND FETAL DEATHS

TABLE 1.—LIVE BIRTHS BY PERSON IN ATTENDANCE; TOTAL DEATHS; DEATHS UNDER 1 YEAR AND INFANT MORTALITY RATES; AND FETAL DEATHS AND RATIOS: UNITED STATES, EACH STATE AND COUNTY, AND EACH URBAN PLACE HAVING, IN 1940, A POPULATION OF 10,000 OR MORE, 1949—Continued

(See headnote on p. 2)

AREA AND RACE	LIVE BIRTHS					Deaths (all ages)	DEATHS UNDER 1 YEAR		FETAL DEATHS	
	Total	Attended by—					Number	Rate	Number	Ratio
		Physi- cian in hos- pital ¹	Physi- cian not in hos- pital	Midwife	Other and not speci- fied					
GEORGIA—Continued										
Marion	211	35	56	142	-	77	11	52.1	5	23.7
White	54	29	24	1	-	30	1	18.5	-	0
Nonwhite	157	4	12	141	-	47	10	63.7	5	31.6
Maricoweth	579	177	139	230	34	179	25	43.2	9	15.5
White	226	170	55	-	1	79	10	44.2	2	8.8
Nonwhite	553	7	83	230	53	100	15	42.5	7	19.8
Miller	255	171	7	75	2	65	9	35.3	6	23.5
White	154	146	5	3	-	45	6	39.0	3	19.5
Nonwhite	101	25	2	72	2	20	3	29.7	3	29.7
Mitchell	714	319	108	282	5	228	32	44.8	50	42.0
White	276	217	49	9	1	97	9	32.6	5	16.1
Nonwhite	438	102	59	273	4	131	23	52.5	25	57.1
Monroe	276	120	10	154	12	88	14	50.7	10	36.2
White	118	112	4	2	-	37	5	42.4	6	50.8
Nonwhite	158	8	6	132	12	51	9	57.0	4	25.3
Montgomery	161	65	28	65	5	44	5	31.1	1	6.2
White	83	62	19	1	1	31	1	12.0	-	0
Nonwhite	78	3	9	62	4	13	4	51.3	1	12.8
Morgan	327	108	41	159	9	122	8	24.5	5	15.3
White	131	103	16	11	1	53	2	15.3	1	7.6
Nonwhite	196	5	25	158	8	69	6	30.6	4	20.4
Murray	268	155	75	38	-	65	10	37.3	9	33.6
Muscogee	3,506	3,067	121	314	4	898	96	27.4	73	20.8
White	2,508	2,476	28	2	2	536	63	25.1	46	16.3
Nonwhite	998	591	93	312	2	360	33	35.1	27	27.1
Columbus	2,928	2,536	99	191	2	770	60	28.3	66	23.3
White	2,023	2,004	17	1	1	468	55	27.2	44	21.7
Nonwhite	805	532	82	190	1	302	25	31.1	22	27.3
Balance of county	678	551	22	125	2	128	16	23.6	7	10.3
White	485	472	11	1	1	70	8	16.5	2	4.1
Nonwhite	193	59	11	122	1	58	8	41.5	5	25.9
Newton	587	298	70	217	2	197	30	51.1	15	25.6
White	326	297	25	4	-	109	10	30.7	8	24.5
Nonwhite	261	1	45	213	2	88	20	76.6	7	28.8
Oconee	168	74	51	42	1	61	7	41.7	6	35.7
White	104	71	30	3	-	45	4	38.5	3	28.8
Nonwhite	64	3	21	39	1	16	3	46.9	3	46.9
Oglethorpe	266	133	8	118	7	89	13	48.9	8	30.1
White	127	119	2	6	-	39	5	39.4	5	39.4
Nonwhite	139	14	6	112	7	51	8	57.6	3	21.6
Paulding	307	211	76	16	4	112	12	39.1	3	9.8
White	264	206	52	3	3	96	9	34.1	3	11.4
Nonwhite	43	5	24	13	1	16	3	69.9	-	0
Peach	515	132	22	154	7	108	10	31.7	8	25.4
White	104	99	4	-	1	33	4	39.5	-	0
Nonwhite	211	33	18	154	6	75	6	29.4	8	37.9
Pickens	196	169	14	11	2	80	13	66.3	2	10.2
Pierce	327	190	58	78	1	104	8	24.5	8	24.5
White	250	161	51	18	-	75	6	24.0	6	24.0
Nonwhite	77	9	60	1	1	31	2	26.0	2	26.0
Pike	234	53	77	90	14	87	8	34.2	8	34.2
White	92	49	42	2	-	46	4	43.5	-	0
Nonwhite	142	5	35	88	14	41	4	28.2	8	56.3
Polk	786	578	109	95	4	230	31	39.4	12	15.3
White	624	528	62	12	2	185	24	38.5	10	16.0
Nonwhite	162	50	27	85	2	47	7	43.2	2	12.3
Polk	271	114	9	147	1	87	7	25.8	5	16.6
White	111	101	7	3	-	45	4	36.0	-	0
Nonwhite	160	13	2	144	1	42	3	18.8	5	31.3
Putnam	236	77	21	130	8	94	16	67.8	12	50.8
White	92	77	11	4	-	34	5	54.3	4	43.5
Nonwhite	144	-	10	126	8	60	11	76.4	8	55.6
Quitman	102	23	6	60	13	31	3	29.4	6	58.8
White	29	4	3	3	1	9	-	0	-	0
Nonwhite	73	2	2	57	12	22	3	41.1	6	82.2
Rabun	227	189	3	23	2	36	4	17.6	7	30.8
Randolph	434	121	5	291	17	145	10	23.0	13	30.0
White	116	108	3	4	1	50	1	8.6	1	8.6
Nonwhite	318	13	2	287	16	95	9	28.3	12	37.7
Richmond	2,888	2,775	30	65	20	1,033	66	22.9	72	24.9
White	1,766	1,752	8	4	2	550	48	26.0	35	18.7
Nonwhite	1,122	1,021	22	61	18	483	20	17.8	39	34.8
Augusta	2,358	2,309	23	10	16	897	53	23.3	62	26.3
White	1,599	1,591	7	-	1	471	36	27.2	30	21.4
Nonwhite	959	418	16	10	15	416	17	17.7	32	33.4
Balance of county	530	484	7	53	4	148	11	20.8	10	16.9
White	367	361	1	4	1	79	8	21.8	7	8.2
Nonwhite	163	103	6	51	3	67	3	16.4	3	42.9
Rockdale	202	98	6	89	3	75	11	54.5	5	24.8
White	126	98	25	3	-	59	6	47.6	2	15.9
Nonwhite	76	-	10	66	-	16	5	65.8	3	39.5
Schley	99	27	26	38	-	32	4	40.4	2	20.2
White	34	24	10	3	-	14	4	0	1	29.4
Nonwhite	65	3	16	38	-	18	4	61.5	1	15.4
Screven	571	154	45	354	36	112	8	14.0	11	19.3
White	178	143	18	13	4	42	1	5.6	2	11.2
Nonwhite	393	11	27	321	34	70	7	17.8	9	22.9

See footnotes on p. 93.

VITAL STATISTICS OF THE UNITED STATES

TABLE 1.—LIVE BIRTHS BY PERSON IN ATTENDANCE; TOTAL DEATHS; DEATHS UNDER 1 YEAR AND INFANT MORTALITY RATES; AND FETAL DEATHS AND RATIOS: UNITED STATES, EACH STATE AND COUNTY, AND EACH URBAN PLACE HAVING, IN 1940, A POPULATION OF 10,000 OR MORE, 1949—Continued

(See headnote on p. 2)

AREA AND RACE	LIVE BIRTHS					Deaths (all ages)	DEATHS UNDER 1 YEAR		FETAL DEATHS	
	Total	Attended by—					Number	Rate	Number	Ratio
		Physi- cian in hos- pital ¹	Physi- cian not in hos- pital	Midwife	Other and not speci- fied					
GEORGIA—Continued										
Seminole	265	186	1	63	15	79	8	30.2	5	18.9
White	144	144	-	-	-	48	8	55.6	3	20.8
Nonwhite	121	42	1	63	15	31	-	0	2	16.5
Spalding	776	513	90	181	2	274	32	41.2	16	20.6
White	501	472	26	3	-	178	16	31.9	10	20.0
Nonwhite	275	41	64	178	2	96	16	58.2	6	21.8
Griffin	459	309	44	105	1	171	22	47.9	13	28.3
White	287	283	3	1	-	104	12	41.8	8	27.9
Nonwhite	172	26	41	104	1	67	10	58.1	5	29.1
Balance of county	317	204	36	76	1	103	10	31.5	3	9.5
White	214	169	23	2	-	74	4	18.7	2	9.3
Nonwhite	103	15	13	74	1	29	6	58.3	1	9.7
Stephens	408	339	17	50	2	98	12	29.4	16	39.2
White	334	309	9	14	2	75	10	29.9	14	41.9
Nonwhite	74	30	8	36	-	23	2	27.0	2	27.0
Stewart	283	27	23	208	5	86	13	49.4	7	26.6
White	44	26	14	4	-	29	4	90.9	1	22.7
Nonwhite	219	1	9	204	5	57	9	41.1	6	27.4
Sumter	726	311	47	362	6	243	27	37.2	27	37.2
White	255	246	9	-	-	100	6	25.5	5	19.6
Nonwhite	471	65	38	362	6	143	21	44.6	22	46.7
Talbot	245	54	15	168	8	94	9	36.7	9	36.7
White	49	44	3	2	-	31	-	0	-	20.4
Nonwhite	196	10	12	166	8	63	9	45.9	8	40.8
Taliaferro	121	44	11	61	5	59	7	57.9	4	33.1
White	35	33	2	-	-	21	-	0	-	0
Nonwhite	86	11	9	61	5	38	7	81.4	4	46.5
Tattnall	412	243	130	39	-	87	16	38.8	15	36.4
White	295	219	64	2	-	57	7	24.6	10	35.1
Nonwhite	127	24	66	37	-	30	9	70.9	5	39.4
Taylor	221	93	27	95	6	83	6	27.1	6	27.1
White	95	78	12	1	4	58	1	10.5	1	10.5
Nonwhite	126	15	15	94	2	45	5	39.7	5	39.7
Telfair	340	135	89	107	9	118	8	23.5	5	14.7
White	198	126	60	10	2	71	4	20.2	3	15.2
Nonwhite	142	9	29	97	7	47	4	28.2	2	14.1
Terrell	454	96	47	280	1	163	10	23.0	15	34.6
White	98	87	10	1	-	37	1	10.2	-	0
Nonwhite	356	9	37	289	1	126	9	26.8	15	44.6
Thomas	910	481	43	285	101	313	32	35.2	27	29.7
White	484	450	23	14	17	145	18	37.2	8	16.5
Nonwhite	426	51	20	271	84	168	14	32.9	19	44.6
Thomasville	439	289	9	121	40	165	20	45.6	13	29.6
White	249	240	1	3	5	77	12	48.2	3	12.0
Nonwhite	190	29	8	118	35	109	8	42.1	10	52.6
Balance of county	471	212	34	164	61	128	12	25.5	14	29.7
White	236	180	22	11	12	68	6	25.5	5	21.3
Nonwhite	236	22	12	153	49	60	6	25.4	9	38.1
Tift	670	410	46	204	8	214	43	64.2	26	36.8
White	428	388	32	6	3	133	23	53.6	12	28.0
Nonwhite	241	22	16	198	5	81	20	83.0	14	59.3
Toombs	484	247	107	118	12	161	18	37.2	6	12.4
White	325	241	73	9	2	89	10	30.8	4	12.3
Nonwhite	159	6	34	109	10	72	8	50.3	2	12.6
Towns	104	62	38	3	1	31	2	19.2	2	19.2
Treutlen	184	51	60	66	7	43	4	21.7	3	16.3
White	113	50	54	8	1	30	2	17.7	3	26.5
Nonwhite	71	1	6	58	6	13	2	28.2	-	0
Troup	1,424	1,034	50	323	17	421	52	36.5	33	23.2
White	868	842	17	7	2	237	27	31.1	17	19.6
Nonwhite	556	192	33	316	15	184	25	45.0	16	28.8
La Grange	638	517	22	110	9	212	33	50.2	20	30.4
White	412	406	4	2	-	123	15	36.4	10	24.3
Nonwhite	246	111	18	108	9	89	18	73.2	10	40.7
Balance of county	788	517	28	213	8	209	19	24.8	13	17.0
White	456	436	13	5	2	114	12	26.3	7	15.4
Nonwhite	310	81	15	208	6	85	7	22.6	6	19.4
Turner	307	127	65	69	6	77	9	29.3	5	16.3
White	167	125	41	-	1	44	4	24.0	3	18.0
Nonwhite	140	2	44	69	5	33	5	35.7	2	14.3
Twiggs	278	79	3	178	18	83	17	61.2	9	32.4
White	81	69	1	11	-	29	6	74.1	-	0
Nonwhite	197	10	2	167	18	54	11	55.8	9	45.7
Union	186	70	84	30	2	40	6	32.3	7	37.6
Upson	683	216	303	186	8	211	29	42.5	20	29.3
White	455	212	234	7	2	129	14	30.9	12	26.4
Nonwhite	228	4	69	149	6	82	15	65.9	8	35.1
Walker	911	861	38	8	4	236	27	29.6	14	15.4
Walton	559	462	33	72	2	208	23	41.1	17	30.4
White	342	310	22	10	-	142	11	32.2	5	14.6
Nonwhite	217	142	11	82	2	66	12	55.3	12	55.3
Ware	886	591	165	84	16	302	27	30.5	13	14.7
White	670	544	110	11	5	202	19	28.4	7	10.4
Nonwhite	216	47	75	83	11	100	8	37.0	6	27.8
Waycross	509	411	95	72	11	218	17	28.9	8	13.6
White	406	367	33	4	2	131	10	24.6	3	7.4
Nonwhite	183	44	62	68	9	87	7	38.3	5	27.3
Balance of county	297	180	80	22	3	84	10	33.7	5	16.8
White	264	177	77	7	3	71	9	34.1	4	15.2
Nonwhite	33	3	13	15	2	13	1	30.3	1	30.3

See footnotes on p. 93.

GENERAL TABLES—BIRTHS, DEATHS, AND FETAL DEATHS

TABLE 1.—LIVE BIRTHS BY PERSON IN ATTENDANCE; TOTAL DEATHS; DEATHS UNDER 1 YEAR AND INFANT MORTALITY RATES; AND FETAL DEATHS AND RATIOS: UNITED STATES, EACH STATE AND COUNTY, AND EACH URBAN PLACE HAVING, IN 1940, A POPULATION OF 10,000 OR MORE, 1949—Continued

(See footnotes on p. 2)

AREA AND RACE	LIVE BIRTHS					Deaths (all ages)	DEATHS UNDER 1 YEAR		FETAL DEATHS	
	Total	Attended by—					Number	Rate	Number	Ratio
		Physician in hospital	Physician not in hospital	Midwife	Other and not specified					
GEORGIA—Continued										
Warren	264	50	28	184	2	63	7	26.5	9	34.1
	50	38	10	2	—	22	—	0	2	40.0
	214	12	18	182	2	61	7	32.7	7	32.7
Washington	627	210	36	373	8	221	24	33.5	23	44.7
	213	184	16	13	—	94	3	14.1	5	23.5
	414	26	20	360	8	127	21	50.7	28	65.6
Wayne	414	335	34	41	4	131	15	36.2	9	21.7
	326	290	22	13	1	97	12	36.8	5	15.3
	88	45	12	28	3	34	3	34.1	4	45.5
Webster	127	20	19	85	3	24	4	31.6	2	15.7
	33	18	12	2	1	10	—	0	—	0
	94	2	7	83	2	14	4	42.6	2	21.3
Wheeler	154	74	31	44	5	60	5	32.5	3	19.5
	94	68	20	4	2	27	1	10.6	2	21.3
	60	6	11	40	3	33	4	66.7	1	16.7
White	142	122	6	12	2	48	9	63.4	3	21.1
Whitfield	938	823	70	37	8	265	41	43.7	15	16.0
Dalton	471	411	48	10	2	144	24	51.0	7	14.9
	423	407	8	7	1	119	22	52.0	6	14.2
	48	4	40	3	1	25	2	41.7	1	20.8
Balance of county	467	412	22	27	6	121	17	36.4	8	17.1
Wilcox	264	86	82	76	20	87	5	18.9	7	26.5
	148	85	58	2	4	54	1	6.7	2	13.4
	115	1	24	74	16	33	4	34.8	5	45.5
Wilkes	317	117	63	123	14	116	8	25.2	14	44.2
	111	97	11	1	2	55	4	36.0	1	9.0
	206	20	52	122	12	61	4	19.4	13	65.1
Wilkinson	261	94	19	144	14	100	7	26.8	9	34.5
	97	78	8	10	1	41	2	20.6	2	20.6
	164	6	11	134	13	59	5	30.5	7	42.7
Worth	612	211	98	262	41	169	13	21.2	26	42.5
	247	190	47	7	3	77	3	12.1	7	28.3
	365	21	51	255	38	92	10	27.4	19	52.1
IDAHO	15,984	15,624	300	15	45	4,701	431	27.0	282	16.4
	15,752	15,405	296	12	39	4,604	414	26.3	257	16.3
	232	219	4	3	6	97	17	73.3	5	21.6
Ada	1,639	1,624	6	1	8	945	47	26.6	37	20.1
Boise City	1,241	1,234	4	—	3	356	32	25.8	22	17.7
Balance of county	598	590	2	1	5	189	15	25.1	15	25.1
Adams	79	79	—	—	—	25	2	25.3	—	0
Bannock	1,264	1,250	12	1	1	272	35	27.7	15	11.9
Pocatello	968	961	7	—	—	198	25	25.8	15	15.5
Balance of county	296	289	5	1	1	74	10	33.8	—	0
Bear Lake	173	169	4	—	—	49	6	34.7	4	23.1
Benevol	143	131	9	2	1	67	4	28.0	6	42.0
Bingham	702	689	11	—	2	171	28	39.9	16	22.8
Blaine	137	132	3	—	2	48	2	14.6	7	51.1
Boise	44	41	1	1	1	14	—	0	—	0
Bonner	328	312	14	—	2	145	10	30.5	11	33.5
Bonneville	959	954	5	—	—	197	29	30.2	14	14.6
Idaho Falls	610	609	1	—	—	136	20	32.8	9	14.8
Balance of county	349	345	4	—	—	61	9	25.6	5	14.3
Boundary	142	140	1	—	1	77	6	42.3	1	7.0
Butte	79	63	16	—	—	10	—	0	—	0
Cama	21	16	3	—	—	7	1	47.6	1	47.6
Canyon	1,350	1,336	13	5	6	455	31	22.8	21	15.4
Nampa	407	402	4	1	—	158	9	22.1	6	14.7
Balance of county	953	934	9	4	6	297	22	23.1	15	15.7
Caribou	155	154	—	—	1	35	3	19.4	5	32.3
Cassia	428	410	16	—	2	92	10	23.4	3	7.0
Clark	21	20	1	—	—	5	—	0	—	95.2
Clearwater	205	200	5	—	—	71	6	29.3	5	24.4
Custer	90	73	15	—	2	29	—	0	—	22.2
Elmore	192	179	13	—	—	61	6	31.3	6	31.3
Franklin	303	289	14	—	—	60	5	16.5	—	0
Fremont	296	293	3	—	—	84	12	40.5	2	6.8
Gem	185	184	1	—	—	75	4	21.6	3	16.2
Gooding	291	284	5	—	2	77	13	44.7	8	27.5
Idaho	274	251	23	—	—	106	11	40.1	5	18.2
Jefferson	316	316	—	—	—	84	12	38.0	8	25.3
Jerome	394	376	17	—	1	80	10	25.4	8	20.3
Kootenai	584	575	9	—	—	271	16	27.4	5	8.6
Coeur d'Alene	277	273	4	—	—	160	9	32.5	1	3.8
Balance of county	307	302	5	—	—	111	7	22.8	4	13.0
Latah	555	548	6	—	1	183	17	30.6	5	9.0
Lemhi	153	156	17	—	—	55	4	26.1	4	26.1
Lewis	108	107	1	—	—	38	1	9.3	—	0
Linn	115	110	5	—	—	30	3	26.1	5	43.5
Madison	308	300	8	—	—	83	12	39.0	4	13.0
Mindock	257	246	11	—	—	66	6	23.3	3	11.7
Nez Perce	556	548	2	3	3	207	10	28.0	12	21.6
Leviston	342	340	1	—	1	144	7	20.5	3	26.3
Balance of county	214	208	1	3	2	65	3	14.0	3	14.0

See footnotes on p. 93.

VITAL STATISTICS OF THE UNITED STATES

TABLE 1.—LIVE BIRTHS BY PERSON IN ATTENDANCE; TOTAL DEATHS; DEATHS UNDER 1 YEAR AND INFANT MORTALITY RATES; AND FETAL DEATHS AND RATIOS: UNITED STATES, EACH STATE AND COUNTY, AND EACH URBAN PLACE HAVING, IN 1940, A POPULATION OF 10,000 OR MORE, 1949—Continued

(See headnote on p. 2)

AREA AND RACE	LIVE BIRTHS					Deaths (all ages)	DEATHS UNDER 1 YEAR		FETAL DEATHS	
	Total	Attended by—					Number	Rate	Number	Ratio
		Physi- cian in hos- pital ¹	Physi- cian not in hos- pital	Midwife	Other and not speci- fied					
IDAHO—Continued										
Oneida	135	132	2	1	-	22	-	0	2	14.8
Owyhee	159	152	6	1	-	52	6	37.7	2	12.6
Payette	313	310	3	-	-	95	11	35.1	2	6.4
Power	115	108	2	-	5	36	4	34.8	3	26.1
Shoshone	667	666	-	1	-	215	19	28.5	12	18.0
Teton	111	110	1	-	-	14	1	9.0	1	9.0
Twin Falls	1,102	1,091	9	-	2	301	22	20.0	11	10.0
Twin Falls	502	498	3	-	1	156	13	25.9	6	12.0
Balance of county	600	593	6	-	1	145	9	15.0	5	8.3
Valley	124	121	3	-	-	31	3	24.2	1	8.1
Washington	202	197	4	-	1	83	3	14.9	-	0
Yellowstone Nat. Park (part)	-	-	-	-	-	-	-	(4)	-	(4)
ILLINOIS	189,313	179,496	9,545	84	188	92,568	5,195	27.4	3,274	17.3
White	170,376	164,645	5,575	54	102	84,865	4,428	26.0	2,755	16.2
Nonwhite	18,937	14,851	3,970	30	86	7,703	767	40.5	519	27.4
Adams	1,322	1,300	22	-	-	915	34	25.7	30	22.7
Quincy	899	897	2	-	-	622	23	25.6	19	21.1
Balance of county	423	403	20	-	-	293	11	26.0	11	26.0
Alexander	404	294	61	1	48	263	15	37.1	15	37.1
White	299	273	24	-	2	160	10	33.4	9	30.1
Nonwhite	105	21	37	1	46	103	5	47.6	6	57.1
Cairo	225	158	28	1	38	176	6	26.7	7	31.1
White	157	152	4	-	1	100	5	31.8	2	12.7
Nonwhite	68	6	24	1	37	76	1	14.7	5	73.5
Balance of county	179	136	33	-	10	87	9	50.3	8	44.7
White	142	121	20	-	1	60	5	35.2	7	49.3
Nonwhite	37	15	13	-	9	27	4	108.1	1	27.0
Fond	296	283	12	1	-	163	3	10.1	3	10.1
Boone	411	408	3	-	-	210	15	36.5	6	14.6
Brown	145	115	28	1	1	99	6	41.4	-	0
Bureau	778	767	11	-	-	474	30	38.6	12	15.4
Calhoun	129	81	36	-	-	74	7	54.3	3	23.3
Carroll	452	422	10	-	-	226	7	16.2	10	23.1
Cass	321	306	14	-	1	193	8	24.9	6	18.7
Champaign	2,595	2,576	19	-	-	760	71	27.4	34	13.1
Champaign	966	969	7	-	-	284	27	27.1	12	12.0
Urbana	618	615	3	-	-	155	20	32.4	8	12.9
Balance of county	961	972	9	-	-	311	24	24.5	14	14.3
Christian	916	897	19	-	-	419	22	24.0	14	15.3
Clark	358	292	66	-	-	237	13	36.3	5	14.0
Clay	358	177	160	-	1	159	7	20.7	5	14.6
Clinton	551	517	32	-	2	252	15	27.2	11	20.0
Centralia (part)	6	6	-	-	-	3	-	(4)	-	(4)
Balance of county	545	511	32	-	2	249	15	27.5	11	20.2
Coles	910	857	53	-	-	490	26	26.6	14	15.4
Mattoon	428	411	15	-	-	230	9	21.1	6	14.1
Balance of county	484	446	38	-	-	260	17	35.1	8	16.5
Cook	87,117	92,299	4,731	47	40	46,773	2,667	27.5	1,780	18.3
Chicago	79,136	74,518	4,546	39	33	41,418	2,246	28.4	1,488	18.8
White	64,056	62,852	1,155	31	18	35,556	1,655	25.8	1,095	17.1
Nonwhite	15,080	11,666	3,391	8	15	5,862	593	39.3	393	26.1
Berwyn	936	934	2	-	-	485	19	20.3	17	18.2
Cicero	1,226	1,214	10	-	2	611	31	25.3	20	18.3
Elgin (part)	13	13	-	-	-	11	1	(4)	1	(4)
Evanston	1,434	1,432	2	-	-	761	42	29.3	15	10.5
Maywood	549	545	4	-	-	300	17	31.0	6	10.9
Oak Park	1,048	1,047	1	-	-	750	17	16.2	18	17.2
Blue Island	512	509	3	-	-	192	11	21.5	14	27.3
Brookfield	274	274	-	-	-	107	8	29.2	3	10.9
Calumet City	389	383	5	1	-	107	11	28.3	2	5.1
Chicago Heights	759	718	42	-	1	229	16	21.1	15	19.8
Elmwood Park	357	355	2	-	-	113	7	19.6	5	14.0
Forest Park	304	303	1	-	-	195	8	19.7	20	65.8
Harvey	630	625	4	1	-	193	23	36.5	7	11.1
La Grange	357	356	-	1	-	147	8	22.4	6	15.8
Melrose Park	545	544	1	-	-	122	6	11.0	7	12.8
Park Ridge	309	308	1	-	-	145	6	19.4	4	12.9
Wilmette	277	277	-	-	-	156	14	50.5	5	19.1
Winnetka	172	171	1	-	-	110	1	5.8	1	5.8
Balance of county	7,890	7,775	106	5	4	2,823	175	22.2	126	16.0
Crawford	431	361	65	-	5	259	14	32.5	12	27.8
Cumberland	228	154	72	-	2	133	8	35.1	3	13.2
De Kalb	901	893	6	-	-	409	21	23.3	14	15.5
De Witt	354	344	10	-	-	228	7	19.9	4	11.3
Douglas	370	346	24	-	-	169	7	18.9	6	16.2
Du Page	3,222	3,207	15	-	-	1,165	71	22.0	46	14.3
Elmhurst	508	506	2	-	-	136	8	15.7	9	17.7
Balance of county	2,714	2,701	13	-	-	1,029	63	23.2	37	13.6
Edgar	467	457	10	-	-	309	17	36.4	3	6.4
Edwards	166	167	59	-	-	104	3	18.1	2	12.0
Effingham	546	537	206	-	3	252	14	25.6	13	23.8
Fayette	507	447	57	-	3	246	19	37.5	13	25.6
Ford	353	343	10	-	-	161	3	8.5	6	17.0

See footnotes on p. 93.

GENERAL TABLES—BIRTHS, DEATHS, AND FETAL DEATHS

TABLE 1.—LIVE BIRTHS BY PERSON IN ATTENDANCE; TOTAL DEATHS; DEATHS UNDER 1 YEAR AND INFANT MORTALITY RATES; AND FETAL DEATHS AND RATIOS: UNITED STATES, EACH STATE AND COUNTY, AND EACH URBAN PLACE HAVING, IN 1940, A POPULATION OF 10,000 OR MORE, 1949—Continued

(See headnote on p. 2)

AREA AND RACE	LIVE BIRTHS					Deaths (all ages)	DEATHS UNDER 1 YEAR		FETAL DEATHS	
	Total	Attended by—					Number	Rate	Number	Ratio
		Physi- cian in hos- pital ¹	Physi- cian not in hos- pital	Midwife	Other and not speci- fied					
ILLINOIS—Continued										
Franklin	954	807	146	-	1	518	52	53.5	10	10.5
West Frankfort	262	250	11	-	1	139	7	25.7	2	7.6
Balance of county	692	557	135	-	-	379	25	36.1	8	11.6
Fulton	902	870	32	-	-	506	23	25.5	17	18.6
Carleton	226	226	-	-	-	158	7	31.0	8	35.4
Balance of county	676	644	32	-	-	348	16	23.7	9	13.3
Gallatin	227	188	39	-	-	129	9	39.6	3	13.2
Greene	415	384	31	-	-	245	12	28.9	10	24.1
Grundy	438	425	11	1	1	187	8	18.5	4	9.1
Hamilton	231	193	36	-	2	134	9	39.0	4	17.3
Hancock	532	503	27	-	2	343	12	22.5	10	18.8
Hardin	171	127	44	-	-	70	13	75.0	8	46.8
Henderson	163	149	14	-	-	101	5	30.7	2	12.3
Henry	1,027	1,009	18	-	-	545	23	22.4	13	12.7
Kewanee	365	354	11	-	-	206	11	30.1	3	9.2
Balance of county	662	655	7	-	-	339	12	18.1	10	15.1
Iroquois	726	699	26	1	-	342	18	24.8	12	16.5
Jackson	857	761	75	-	1	403	30	35.8	13	15.5
Jasper	297	214	82	1	1	130	6	20.2	4	13.5
Jefferson	807	681	125	-	1	421	30	37.2	13	15.1
Mount Vernon	431	386	44	-	1	240	22	51.0	10	23.2
Balance of county	376	295	81	-	-	181	8	21.5	5	8.0
Jerney	322	268	52	-	2	153	8	24.8	4	12.4
Jo Daviess	504	468	36	-	-	256	5	9.9	3	8.0
Johnson	180	85	106	-	1	106	10	32.6	1	5.3
Kane	3,342	3,326	16	-	-	1,502	93	27.8	51	15.3
Aurora	1,340	1,338	2	-	-	558	34	25.4	25	18.7
Elgin (part)	832	830	2	-	-	440	24	(4)	(4)	(4)
Elgin (total)	945	943	2	-	-	451	25	29.6	17	20.1
Balance of county	1,170	1,158	12	-	-	504	35	29.9	19	13.5
Manatee	1,507	1,338	64	2	3	627	41	27.2	10	12.6
Manatee	640	618	22	-	-	307	18	23.1	9	14.1
Balance of county	867	820	42	2	3	320	23	26.5	10	11.5
Mendall	258	256	2	-	-	109	8	31.0	1	3.9
Monroe	1,127	1,114	10	-	3	630	35	31.1	16	14.2
Coltenburg	696	694	-	-	2	399	19	27.3	6	8.6
Balance of county	431	420	10	-	1	231	16	37.1	10	23.2
Polk	4,059	4,009	28	2	19	1,376	100	24.6	57	14.0
Waukegan	869	864	4	1	-	378	33	34.1	21	21.7
Highland Park	316	316	-	-	-	133	3	9.5	4	12.7
Balance of county	2,774	2,729	25	1	19	885	64	23.1	32	11.5
Ia Salle	2,158	2,131	24	1	2	1,117	48	22.2	38	17.6
Ia Salle	229	229	-	-	-	145	6	26.2	5	21.6
Ottawa	395	395	-	-	-	202	7	18.2	5	13.0
Stratford	392	386	5	-	1	208	9	23.0	8	20.4
Balance of county	1,182	1,131	19	1	1	582	26	22.6	20	17.4
Lawrence	393	319	74	-	-	189	13	33.1	12	30.5
Lee	681	656	13	-	2	436	18	26.4	9	13.2
Dixon	275	275	-	-	-	148	8	28.1	4	14.5
Balance of county	406	391	13	-	2	238	10	24.6	5	12.3
Livingston	807	792	15	-	-	434	23	29.5	9	11.2
Logan	513	502	10	-	1	307	20	39.0	8	15.6
Lincoln	236	235	-	-	-	142	9	39.1	4	16.9
Balance of county	277	266	10	-	1	165	11	39.7	4	14.4
McDonough	632	612	20	-	-	349	16	25.3	11	17.4
McHenry	1,209	1,203	6	-	-	553	34	29.1	20	16.5
McLean	1,658	1,643	14	-	1	941	50	30.2	23	13.9
Bloomington	765	763	2	-	-	511	27	35.3	14	18.3
Balance of county	893	880	12	-	1	430	23	25.8	9	10.1
Macoupin	2,297	2,280	17	-	-	977	72	31.3	33	14.4
DeSoto	1,588	1,580	8	-	-	741	52	32.7	22	13.9
Balance of county	709	700	9	-	-	236	20	26.2	11	15.5
Macoupin	872	827	45	-	-	566	19	21.6	11	12.6
Madison	4,181	3,981	194	-	6	1,573	98	23.4	67	16.0
Alton	902	892	47	-	3	362	26	26.8	11	12.2
Granite City	710	703	7	-	-	224	16	25.4	12	16.9
Balance of county	2,569	2,426	140	-	3	987	54	21.0	44	17.1
Marion	902	856	46	-	-	498	29	32.2	14	15.5
Centralia (part)	321	299	22	-	-	208	14	(4)	(4)	(4)
Centralia (total)	327	305	22	-	-	211	14	42.8	5	15.3
Balance of county	581	557	24	-	-	290	15	25.8	9	15.5
Marshall	270	262	8	-	-	158	5	18.5	4	14.8
Mason	522	280	41	1	-	181	7	21.7	5	15.5
Massac	219	116	102	1	-	189	13	39.4	1	4.6
White	195	112	82	1	-	163	11	36.4	1	5.1
Nonwhite	24	4	20	-	-	26	2	85.3	-	0
Menard	212	179	33	-	-	119	4	18.9	4	18.9
Mercer	578	359	18	1	-	185	10	26.5	3	7.9
Monroe	254	249	5	-	-	150	6	25.6	1	3.9
Montgomery	662	645	17	-	-	432	19	28.7	11	16.6
Morgan	639	621	17	-	1	416	12	18.8	8	12.5
Jacksonville	326	326	-	-	-	237	7	21.5	5	15.3
Balance of county	313	295	17	-	1	179	5	18.0	3	9.6
Moultrie	300	284	16	-	-	160	11	36.7	3	10.0
Ogle	760	722	37	-	1	347	21	27.6	10	13.2

See footnotes on p. 93.
981192 O - 52 - 3

VITAL STATISTICS OF THE UNITED STATES

TABLE 1.—LIVE BIRTHS BY PERSON IN ATTENDANCE; TOTAL DEATHS; DEATHS UNDER 1 YEAR AND INFANT MORTALITY RATES; AND FETAL DEATHS AND RATIOS: UNITED STATES, EACH STATE AND COUNTY, AND EACH URBAN PLACE HAVING, IN 1940, A POPULATION OF 10,000 OR MORE, 1949—Continued

(See headnote on p. 2)

AREA AND RACE	LIVE BIRTHS					Deaths (all ages)	DEATHS UNDER 1 YEAR		FETAL DEATHS		
	Total	Attended by—					Number	Rate	Number	Ratio	
		Physi- cian in hos- pital ¹	Physi- cian not in hos- pital	Midwife	Other and not speci- fied						
ILLINOIS—Continued											
Peoria	3,913	3,046	63	-	2	1,636	104	26.6	65	16.6	
Peoria	2,437	2,418	18	-	1	1,224	70	28.7	45	16.5	
Balance of county	1,476	1,430	45	-	1	414	34	23.0	20	13.6	
Perry	419	396	30	3	-	237	17	40.6	4	9.5	
Piatt	291	285	6	-	-	116	8	27.5	4	13.7	
Pike	418	397	19	-	2	306	13	31.1	4	9.6	
Pope	106	47	59	-	-	89	2	18.9	3	28.3	
Pulaski	246	114	108	10	-	207	14	56.9	8	32.5	
		White	160	50	-	106	5	31.3	3	16.8	
		Nonwhite	86	58	10	101	9	104.7	5	58.1	
Pulnam	82	81	-	-	1	66	3	36.6	1	12.2	
Randolph	615	588	47	-	1	298	13	21.1	10	16.2	
Richland	381	347	34	-	-	160	10	26.2	5	13.1	
Rock Island	3,198	3,168	28	-	2	1,257	87	27.2	53	16.6	
Moline	1,017	1,011	6	-	-	407	24	23.6	20	19.7	
Rock Island	1,180	1,148	10	-	2	525	34	29.3	13	11.2	
East Moline	293	290	3	-	-	124	8	27.3	10	34.1	
Balance of county	726	719	7	-	-	203	21	28.9	10	13.6	
St. Clair	4,742	4,487	254	1	-	2,116	135	32.3	119	25.1	
		White	3,848	32	1	1,712	112	29.1	85	22.1	
		Nonwhite	894	222	-	404	41	45.9	34	36.0	
Belleville	926	825	3	-	-	401	20	21.8	21	22.6	
East St. Louis	1,997	1,810	187	-	-	1,023	77	38.8	63	31.5	
		White	1,218	10	-	690	41	33.7	37	30.4	
		Nonwhite	779	177	-	333	36	46.2	26	33.4	
Balance of county	1,817	1,752	64	1	-	692	56	30.8	35	19.3	
Salline	629	553	75	-	-	439	21	33.4	12	19.1	
Harrisburg	222	209	13	-	-	158	7	31.5	3	13.5	
Balance of county	407	344	62	-	1	281	14	34.4	9	22.1	
Sangamon	2,935	2,951	40	2	2	1,470	75	25.6	49	16.7	
Springfield	1,720	1,714	3	2	1	1,101	60	34.9	39	22.7	
Balance of county	1,215	1,177	37	-	-	369	15	12.3	10	6.2	
Schuyler	217	186	21	-	-	127	9	41.5	-	0	
Scott	148	134	13	-	-	82	3	20.3	2	13.5	
Shelby	491	431	57	-	3	286	15	30.5	4	6.1	
Stark	199	186	3	-	-	80	1	5.3	4	21.2	
Stephenson	869	862	7	-	-	479	17	19.6	19	21.9	
Freeport	442	442	-	-	-	269	9	20.4	10	22.6	
Balance of county	427	420	7	-	-	190	8	18.7	9	21.1	
Tazewell	1,352	1,326	26	-	-	624	59	30.2	31	15.9	
Pekin	564	561	3	-	-	237	19	33.7	3	5.3	
Balance of county	1,398	1,365	23	-	-	387	40	28.8	28	20.2	
Union	399	350	47	1	1	217	17	42.6	9	22.6	
Vermilion	1,939	1,891	47	-	1	1,013	48	24.8	32	16.5	
Danville	903	866	17	-	-	547	27	29.9	17	18.8	
Balance of county	1,036	1,025	30	-	1	466	21	20.3	15	14.5	
Wabash	345	215	130	-	-	161	10	29.0	5	14.5	
Warren	474	470	4	-	-	255	15	31.6	11	23.2	
Washington	250	217	33	-	-	138	4	18.0	4	16.0	
Wayne	449	260	189	-	-	229	11	24.6	6	13.4	
White	448	287	181	-	-	217	12	26.8	10	22.3	
Whiteaide	1,224	1,125	99	-	-	492	34	27.8	17	13.9	
Sterling	319	302	17	-	-	154	14	43.9	7	21.9	
Balance of county	905	823	82	-	-	338	20	22.1	10	11.0	
Will	2,828	2,785	40	3	-	1,304	88	31.1	52	18.4	
Joliet	1,702	1,693	8	1	-	708	48	28.2	35	20.6	
Balance of county	1,126	1,092	32	2	-	596	40	35.5	17	15.1	
Williamson	826	721	174	-	1	568	30	33.5	14	15.6	
Winnobago	3,770	3,715	52	3	-	1,405	91	24.1	60	15.9	
Rockford	2,063	2,050	12	1	-	997	48	23.3	25	12.1	
Balance of county	1,707	1,665	40	2	-	408	43	25.2	35	20.5	
Woodford	529	505	24	-	-	208	5	5.7	7	13.2	
INDIANA											
	94,214	86,389	7,105	92	628	40,026	2,746	29.1	1,330	16.2	
		White	88,231	5,822	87	273	37,887	2,514	28.2	1,376	15.4
		Nonwhite	4,983	1,283	5	355	2,139	232	46.6	154	30.9
Adams	633	557	76	-	-	215	17	26.9	11	17.4	
Allen	4,784	4,680	101	-	3	1,711	146	30.5	78	16.3	
Port Wayne	3,583	3,553	27	-	3	1,356	116	32.4	64	17.9	
Balance of county	1,201	1,127	74	-	-	355	30	25.0	14	11.7	
Bartholomew	847	825	21	1	-	365	13	15.3	15	17.7	
Columbus	458	456	2	-	-	181	5	10.9	12	26.2	
Balance of county	389	369	19	1	-	184	8	20.6	3	7.7	
Benton	314	288	26	-	-	116	8	25.5	6	19.1	
Blackford	299	294	5	-	-	159	9	30.1	5	16.7	
Boone	501	486	15	-	-	291	10	20.0	4	8.0	
Brown	104	65	20	17	2	64	6	57.7	1	9.6	
Carroll	367	346	21	-	-	194	9	24.5	7	19.1	
Cass	914	802	112	-	-	466	31	38.1	13	16.0	
Logansport	469	462	7	-	-	299	19	40.5	7	14.9	
Balance of county	345	340	5	-	-	170	12	34.8	6	17.4	
Clark	1,367	1,263	103	-	1	416	49	35.8	20	14.6	
Jeffersonville	490	474	15	-	1	176	21	42.9	9	19.4	
		White	437	10	-	142	18	41.2	6	18.3	
		Nonwhite	53	47	-	34	3	56.6	1	18.9	
Balance of county	977	789	98	-	-	240	28	31.9	11	12.5	

See footnotes on p. 93.

GENERAL TABLES—BIRTHS, DEATHS, AND FETAL DEATHS

25

TABLE 1.—LIVE BIRTHS BY PERSON IN ATTENDANCE; TOTAL DEATHS; DEATHS UNDER 1 YEAR AND INFANT MORTALITY RATES; AND FETAL DEATHS AND RATIOS; UNITED STATES, EACH STATE AND COUNTY, AND EACH URBAN PLACE HAVING, IN 1940, A POPULATION OF 10,000 OR MORE, 1949—Continued

(See headnote on p. 2)

AREA AND RACE	LIVE BIRTHS					Deaths (all ages)	DEATHS UNDER 1 YEAR		FETAL DEATHS	
	Total	Attended by—					Number	Rate	Number	Ratio
		Physi- cian in hos- pital ¹	Physi- cian not in hos- pital	Midwife	Other and not speci- fied					
INDIANA—Continued										
Clay	498	468	30	-	-	288	12	24.1	13	26.1
Clinton	649	636	13	-	-	339	17	26.2	15	23.1
Frankfort	360	357	3	-	-	187	13	36.1	9	25.0
Balance of county	299	279	10	-	-	152	4	13.8	6	20.8
Crawford	205	76	128	-	1	116	14	68.3	5	24.4
Davies	599	504	91	2	2	311	21	35.1	7	11.7
Dearborn	593	512	71	-	-	281	23	39.5	10	17.2
Decatur	450	423	26	-	1	240	19	42.2	7	15.6
De Kalb	620	607	13	-	-	298	12	19.4	17	27.4
Delaware	2,205	2,155	50	-	-	898	75	34.0	43	19.5
Muncie	1,649	1,608	41	-	-	601	57	34.6	34	20.6
Balance of county	556	547	9	-	-	297	16	32.4	9	16.2
Dubois	658	517	140	-	1	216	21	31.9	8	12.2
Elkhart	2,128	2,080	47	-	1	813	42	19.7	26	13.2
Elkhart	843	839	4	-	-	349	19	22.5	17	20.2
Coshen	326	325	1	-	-	163	8	24.5	3	9.2
Balance of county	989	916	42	-	1	301	15	15.6	8	8.3
Fayette	608	592	15	1	-	220	19	31.3	8	13.2
Connersville	415	411	4	-	-	165	14	33.7	4	9.6
Balance of county	193	181	11	1	-	55	5	25.9	4	20.7
Floyd	1,071	991	90	-	-	466	36	35.5	23	21.5
New Albany	815	765	50	-	-	335	32	39.3	17	20.9
Balance of county	256	216	40	-	-	111	8	23.4	8	23.4
Fountain	371	316	55	-	-	218	7	18.9	4	10.8
Franklin	401	345	55	-	1	155	10	24.9	2	5.0
Fulton	328	307	21	-	-	211	8	24.4	8	24.4
Gibson	641	540	99	-	2	370	24	37.4	12	18.7
Grant	1,459	1,377	81	-	1	621	41	28.1	23	15.9
Marion	844	805	39	-	-	340	21	24.9	13	15.4
Balance of county	615	572	42	-	1	281	20	32.5	10	16.3
Greene	599	538	51	-	-	365	23	39.0	1	1.7
Hamilton	642	622	16	1	3	303	15	23.4	12	18.7
Hancock	440	394	46	-	-	253	10	22.7	6	13.6
Harrison	414	179	229	2	4	218	12	29.0	7	16.9
Hendricks	530	486	44	-	-	259	8	15.1	6	11.3
Henry	1,048	1,019	26	-	1	472	27	25.8	19	18.1
New Castle	536	527	9	-	-	200	15	28.0	9	16.8
Balance of county	512	492	19	-	1	272	12	25.4	10	19.5
Howard	1,427	1,366	59	-	2	568	62	43.4	29	20.3
Kokomo	1,100	1,050	49	-	1	422	52	47.3	27	24.5
Balance of county	327	318	10	-	1	146	10	30.8	2	6.1
Huntington	728	687	41	-	-	323	15	20.6	11	15.1
Huntington	373	360	13	-	-	182	7	18.8	8	16.1
Balance of county	355	327	28	-	-	141	8	22.5	5	14.1
Jackson	677	590	85	-	2	314	18	26.8	15	22.2
Jasper	401	375	24	1	1	157	19	47.4	7	17.5
Jay	494	472	22	-	-	238	11	22.3	6	12.1
Jefferson	450	358	85	-	7	251	16	35.6	6	13.3
Jennings	300	178	121	1	-	155	13	43.3	2	6.7
Johnson	801	569	30	-	2	301	21	34.9	9	15.0
Knox	891	847	44	-	-	470	34	38.2	13	14.6
Vincennes	437	432	5	-	-	213	19	43.5	9	20.6
Balance of county	454	415	39	-	-	257	15	35.0	4	8.8
Kosciusko	757	736	21	-	-	385	23	30.4	8	10.6
Lagrange	455	357	98	-	-	175	14	30.8	4	8.8
Lake	10,025	9,429	525	50	21	2,959	305	30.5	159	13.9
Gary	4,207	3,809	393	2	13	1,186	137	32.6	59	13.8
White	3,003	2,962	35	-	6	821	76	25.3	34	11.3
Nonwhite	1,204	847	348	2	7	365	61	50.7	24	19.9
East Chicago	1,525	1,413	74	34	4	500	47	30.8	26	17.0
White	1,154	1,092	25	34	3	419	31	26.9	16	13.9
Nonwhite	371	321	49	-	1	81	16	43.1	10	27.0
Hammond	2,012	1,971	31	7	-	683	66	32.6	30	14.9
Whiting	520	511	9	-	-	61	8	15.4	8	15.4
Balance of county	1,761	1,725	28	7	1	509	48	27.3	17	9.7
La Porte	1,765	1,713	52	-	-	711	52	29.5	22	12.5
Michigan City	651	607	14	-	-	254	16	25.6	10	16.1
La Porte	908	808	98	-	-	225	17	33.6	11	21.7
Balance of county	636	606	30	-	-	232	19	29.9	1	1.6
Lawrence	906	661	141	2	2	352	23	28.5	16	18.9
Bedford	323	309	15	-	-	139	8	24.6	10	31.0
Balance of county	483	353	126	2	2	213	15	31.1	6	12.4
Madison	2,392	2,357	30	1	4	939	66	27.6	40	16.7
Anderson	1,372	1,253	17	-	2	472	36	28.3	22	17.3
Elwood	281	279	2	-	-	154	6	28.5	5	17.8
Balance of county	839	825	11	1	2	333	22	26.2	13	15.5
Marion	13,840	12,445	959	1	536	5,874	373	27.0	255	18.4
White	12,041	11,439	409	1	193	4,887	305	25.3	192	15.9
Nonwhite	1,799	1,005	450	-	343	917	68	37.8	63	35.0
Indianapolis	11,562	10,112	741	1	528	5,179	341	30.3	217	19.1
White	9,603	9,118	288	1	186	4,260	274	28.5	154	16.0
Nonwhite	1,779	994	443	-	342	899	67	37.7	63	35.4
Balance of county	2,458	2,333	117	-	8	625	32	13.0	38	15.5
Marshall	714	696	17	-	1	340	19	26.6	9	12.6
Martin	509	203	104	1	1	90	9	29.1	7	22.7

See footnotes on p. 35.

VITAL STATISTICS OF THE UNITED STATES

TABLE 1.—LIVE BIRTHS BY PERSON IN ATTENDANCE; TOTAL DEATHS; DEATHS UNDER 1 YEAR AND INFANT MORTALITY RATES; AND FETAL DEATHS AND RATIOS: UNITED STATES, EACH STATE AND COUNTY, AND EACH URBAN PLACE HAVING, IN 1940, A POPULATION OF 10,000 OR MORE, 1949—Continued

(See headnote on p. 2)

AREA AND RACE	LIVE BIRTHS					Deaths (all ages)	DEATHS UNDER 1 YEAR		FETAL DEATHS	
	Total	Attended by—					Number	Rate	Number	Ratio
		Physi- cian in hos- pital ¹	Physi- cian not in hos- pital	Midwife	Other and not speci- fied					
INDIANA—Continued										
Miami	665	658	25	-	-	370	26	39.2	9	13.6
Peru	308	301	7	-	-	202	10	32.5	6	19.5
Balance of county	355	357	18	-	-	188	16	45.1	5	6.5
Monroe	1,059	987	84	7	-	593	27	25.5	14	15.2
Bloomington	591	578	12	1	-	215	17	28.8	6	20.2
Balance of county	467	409	52	6	-	188	10	21.4	6	17.1
Montgomery	639	617	22	-	-	366	12	18.8	11	17.2
Crawfordsville	296	286	10	-	-	187	6	20.3	5	16.9
Balance of county	345	351	12	-	-	209	6	17.8	6	17.5
Morgan	529	494	54	-	1	247	14	26.5	6	11.5
Newton	185	174	11	-	-	114	5	27.0	2	10.8
Noble	573	552	20	-	1	303	8	14.0	11	19.2
Ohio	86	72	14	-	-	51	3	34.9	3	54.9
Orange	590	192	198	-	-	193	14	35.9	6	15.4
Owen	199	186	63	-	-	135	4	20.1	2	10.1
Parke	313	255	63	-	-	200	5	15.7	5	15.7
Perry	467	294	178	1	4	171	17	36.4	8	17.1
Pike	285	216	48	-	1	152	8	30.2	3	11.3
Porter	749	756	12	-	1	336	24	32.0	8	12.0
Posey	453	282	171	-	-	212	12	26.5	8	19.9
Pulaski	281	218	75	-	-	118	8	27.5	6	20.6
Pulnam	398	388	10	-	-	210	11	27.6	3	7.5
Randolph	815	601	13	-	1	316	15	24.4	10	16.3
Ripley	468	405	62	-	1	211	7	15.0	8	19.2
Rush	439	428	11	-	-	203	15	34.2	13	29.6
St. Joseph	5,130	5,071	57	-	2	1,697	131	25.5	76	14.8
South Bend	3,130	3,108	31	-	1	1,048	71	22.6	50	15.9
Nishawaka	946	938	8	-	-	231	24	25.4	12	12.7
Balance of county	1,044	1,025	18	-	1	369	36	34.5	14	13.4
Scott	314	212	102	-	-	105	13	41.4	4	12.7
Shelby	561	555	25	-	1	314	15	25.8	12	20.7
Shelbyville	259	252	7	-	-	148	7	27.0	3	11.6
Balance of county	322	303	18	-	1	166	6	24.8	9	28.0
Spencer	350	187	163	-	-	179	4	11.4	8	22.9
Starke	546	211	132	1	2	174	17	49.1	5	14.5
Steuben	406	400	6	-	-	191	11	27.1	9	22.2
Sullivan	448	416	31	1	-	344	20	44.6	5	11.2
Switzerland	142	98	44	-	-	121	9	63.4	5	35.2
Tippecanoe	1,864	1,845	19	-	-	612	36	19.3	24	12.9
Lafayette	962	871	11	-	-	395	26	26.5	14	14.3
Balance of county	862	874	8	-	-	217	10	11.3	10	11.3
Tipton	565	346	18	-	1	163	9	24.7	6	13.7
Union	126	121	5	-	-	73	7	55.6	6	47.8
Vanderburgh	3,870	3,345	520	-	5	1,688	129	33.3	69	17.8
Evansville	3,195	2,868	323	-	4	1,360	110	34.4	57	17.8
Balance of county	675	477	197	-	1	228	19	26.1	12	17.8
Vermillion	365	324	41	-	-	244	8	21.9	5	13.7
Vigo	2,285	2,094	168	1	2	1,298	87	38.1	46	20.1
Terre Haute	1,686	1,551	115	1	1	818	61	36.6	35	21.0
Balance of county	617	543	73	-	1	378	28	42.1	11	17.8
Wabash	659	651	8	-	-	288	9	13.7	8	12.1
Warren	170	153	16	-	1	86	1	5.9	2	11.8
Warrick	448	323	124	-	1	230	9	20.1	4	8.9
Washington	403	187	216	-	-	197	14	34.7	2	5.0
Wayne	1,842	1,810	32	-	-	752	60	36.5	27	16.4
Richmond	1,082	1,055	7	-	-	458	36	33.9	21	19.8
Balance of county	580	555	25	-	-	286	24	41.4	6	10.3
Wells	454	439	15	-	-	211	8	17.6	12	26.4
White	421	377	44	-	-	181	10	23.8	7	16.6
Whitley	441	430	11	-	-	209	14	31.7	8	18.1
IOWA										
	61,871	58,457	2,363	22	29	26,106	1,591	25.7	966	15.6
White	61,308	58,917	2,344	19	28	25,837	1,562	25.5	952	15.5
Nonwhite	563	540	19	3	1	269	29	51.5	14	24.9
Adair	256	185	69	-	2	122	7	27.3	2	7.8
Adams	178	165	13	-	-	96	7	39.3	5	28.1
Allamakee	414	406	6	-	2	192	4	9.7	6	14.5
Appanoose	304	297	6	-	1	254	13	42.8	7	23.0
Audubon	251	224	27	-	-	113	8	31.9	8	31.9
Benton	514	490	24	-	-	245	11	21.4	11	21.4
Black Hawk	2,620	2,582	37	-	1	969	72	27.5	41	15.6
Waterloo	1,649	1,635	15	-	1	560	53	32.1	26	15.8
Balance of county	971	947	24	-	-	309	19	19.6	15	15.4
Boone	539	535	4	-	-	311	17	31.5	6	11.1
Boone	260	260	-	-	-	160	7	26.9	2	7.7
Balance of county	279	275	4	-	-	131	10	35.8	4	14.3
Bremer	430	404	26	-	-	162	13	30.2	3	7.0
Buchanan	539	509	15	11	5	203	9	16.7	12	22.3
Buena Vista	523	515	8	-	-	168	8	15.3	9	17.2
Butler	420	410	10	-	-	168	7	16.7	8	18.0
Calhoun	403	399	4	-	-	176	10	24.8	3	7.4
Carroll	644	623	21	-	-	190	12	18.6	8	12.4
Cass	392	365	27	-	-	179	6	15.3	7	17.9
Cedar	385	382	12	-	1	178	7	17.7	5	12.7

See footnotes on p. 93.

GENERAL TABLES—BIRTHS, DEATHS, AND FETAL DEATHS

27

TABLE 1.—LIVE BIRTHS BY PERSON IN ATTENDANCE; TOTAL DEATHS; DEATHS UNDER 1 YEAR AND INFANT MORTALITY RATES; AND FETAL DEATHS AND RATIOS: UNITED STATES, EACH STATE AND COUNTY, AND EACH URBAN PLACE HAVING, IN 1940, A POPULATION OF 10,000 OR MORE, 1949—Continued

(See headnote on p. 2)

AREA AND RACE	LIVE BIRTHS					Deaths (all ages)	DEATHS UNDER 1 YEAR		FETAL DEATHS	
	Total	Attended by—					Number	Rate	Number	Ratio
		Physi- cian in hos- pital ¹	Physi- cian not in hos- pital	Midwife	Other and not speci- fied					
IOWA—Continued										
Cerro Gordo	1,104	1,081	13	-	-	421	39	35.3	20	18.1
Mason City	685	681	4	-	-	250	24	35.0	18	26.5
Balance of county	419	410	9	-	-	171	15	35.8	2	4.8
Cherokee	451	455	6	-	-	165	5	10.8	7	15.2
Chickasaw	383	374	9	-	-	139	9	23.5	5	13.1
Clarke	175	167	8	-	-	124	4	22.3	4	22.9
Clay	451	423	1	-	2	174	11	23.5	4	9.5
Clayton	524	424	99	1	-	238	16	30.5	12	22.9
Clinton	1,111	1,000	21	-	1	396	36	32.4	18	16.2
Clinton	672	669	2	-	1	381	22	32.7	13	19.5
Balance of county	439	420	19	-	-	205	14	31.9	5	11.4
Crawford	474	451	23	-	-	189	11	23.2	8	16.9
Dallas	502	479	23	-	-	257	7	13.9	6	12.0
Davis	194	146	48	-	2	113	7	36.1	1	5.2
Decatur	245	241	4	-	-	189	6	24.5	7	28.6
Delaware	466	437	29	-	-	190	16	34.3	10	21.5
Des Moines	953	945	8	-	-	488	21	22.0	13	13.6
Burlington	694	690	4	-	-	368	13	18.7	11	15.9
Balance of county	259	255	4	-	-	120	8	30.9	2	7.7
Dickinson	281	255	26	-	-	130	7	24.8	6	21.4
Dubuque	1,920	1,893	27	-	-	767	59	30.7	40	20.8
Dubuque	1,319	1,313	6	-	-	577	39	29.6	23	17.4
Balance of county	601	580	21	-	-	190	20	33.3	17	28.3
Emmet	421	421	-	-	-	119	10	23.8	2	4.8
Payette	632	587	45	-	-	299	20	31.6	8	12.7
Floyd	504	498	6	-	-	202	13	25.8	7	15.9
Franklin	372	359	10	1	2	152	7	18.8	4	10.8
Freemont	280	273	7	-	-	150	6	21.4	1	3.6
Greene	394	389	5	-	-	172	13	33.0	7	17.8
Grundy	290	272	18	-	-	112	1	3.4	5	17.2
Guthrie	308	253	55	-	-	174	5	16.2	2	6.5
Hamilton	481	478	3	-	-	165	6	12.5	4	8.3
Hancock	362	360	22	-	-	125	7	18.3	3	7.9
Harlin	511	511	8	-	-	239	11	21.2	5	9.6
Harrison	459	390	69	-	-	190	13	26.3	8	17.4
Henry	408	401	5	-	-	215	13	32.0	7	17.2
Howard	307	292	15	-	-	119	12	39.1	5	16.3
Humboldt	325	308	17	-	-	118	5	15.4	1	3.1
Ia	253	246	7	-	-	99	2	7.9	5	18.8
Iowa	357	328	29	-	-	170	9	25.2	5	14.0
Jackson	417	406	11	-	-	223	12	28.8	7	16.8
Jasper	745	706	38	1	-	295	19	25.5	13	17.4
Newton	295	290	5	-	-	120	7	23.7	2	6.8
Balance of county	450	416	33	1	-	175	12	26.7	11	24.4
Jefferson	306	294	11	-	1	194	7	22.9	11	35.9
Johnson	1,298	1,277	21	-	-	333	22	16.9	15	11.6
Iowa City	872	870	2	-	-	198	18	20.6	6	6.9
Balance of county	426	407	19	-	-	135	4	9.4	9	21.1
Jones	480	474	6	-	-	200	10	20.8	7	14.6
Keokuk	377	344	33	-	-	188	10	26.5	5	13.3
Kossuth	701	634	67	-	-	235	21	30.0	17	24.3
Lee	1,001	997	4	-	-	497	30	30.0	24	24.0
Fort Madison	326	324	2	-	-	153	10	30.7	7	21.5
Keokuk	369	369	-	-	-	207	12	30.8	11	28.3
Balance of county	286	284	2	-	-	137	8	28.0	6	21.0
Linn	2,384	2,349	34	-	1	1,014	58	24.3	26	10.3
Cedar Rapids	1,678	1,669	7	-	-	721	44	26.3	14	8.4
Balance of county	706	680	27	-	1	293	14	19.6	12	16.9
Louisa	225	212	13	-	-	99	6	26.7	3	13.3
Lucas	194	183	11	-	-	155	7	36.1	4	20.6
Lyon	347	324	23	-	-	105	9	25.9	4	11.5
Madison	285	214	41	-	-	131	7	27.5	2	7.9
Mahaska	519	508	11	-	-	285	16	30.8	10	19.3
Cedarloosa	215	213	2	-	-	155	9	37.2	9	41.9
Balance of county	304	295	9	-	-	130	8	26.3	1	3.3
Marion	512	483	29	-	-	259	12	23.4	5	11.7
Marshall	817	815	2	-	-	362	20	24.5	11	13.5
Marshalltown	455	455	-	-	-	231	9	19.8	5	11.0
Balance of county	362	360	2	-	-	151	11	30.4	6	16.6
Mills	292	283	29	-	-	124	7	24.0	4	13.7
Mitchell	353	346	7	-	-	159	5	14.2	3	8.5
Monona	352	309	43	-	-	159	13	36.9	3	8.5
Monroe	222	182	40	-	-	145	5	22.5	4	18.0
Montgomery	364	360	4	-	-	161	6	16.5	2	5.5
Muscatine	699	685	14	-	-	373	16	22.9	13	18.6
Muscatine	428	418	10	-	-	247	11	25.7	7	16.4
Balance of county	271	267	4	-	-	126	5	18.5	6	22.1
O'Brien	475	434	41	-	-	205	11	23.2	7	14.7
Osceola	250	236	14	-	-	61	6	24.0	2	6.0
Page	495	484	11	-	-	223	7	14.1	8	16.2
Palo Alto	429	414	15	-	-	128	7	16.3	12	26.0
Plymouth	602	590	12	-	-	197	18	29.9	8	13.3
Pocahontas	391	369	22	-	-	144	7	17.9	7	17.9
Polk	5,319	5,229	86	2	2	2,105	155	29.1	94	17.7
Des Moines	4,648	4,578	66	2	2	1,812	141	30.3	79	17.0
Balance of county	671	651	20	-	-	293	14	20.9	15	22.4

See footnotes on p. 93.

VITAL STATISTICS OF THE UNITED STATES

TABLE 1.—LIVE BIRTHS BY PERSON IN ATTENDANCE; TOTAL DEATHS; DEATHS UNDER 1 YEAR AND INFANT MORTALITY RATES; AND FETAL DEATHS AND RATIOS: UNITED STATES, EACH STATE AND COUNTY, AND EACH URBAN PLACE HAVING, IN 1940, A POPULATION OF 10,000 OR MORE, 1949—Continued

(See headnote on p. 2)

AREA AND RACE	LIVE BIRTHS					Deaths (all ages)	DEATHS UNDER 1 YEAR		FETAL DEATHS	
	Total	Attended by—					Number	Rate	Number	Ratio
		Physi- cian in hos- pital ¹	Physi- cian not in hos- pital	Midwife	Other and not speci- fied					
IOWA—Continued										
Pottawattamie	1,663	1,655	26	-	2	701	50	29.7	33	19.6
Council Bluffs	1,095	1,082	12	-	1	511	37	33.8	22	20.1
Balance of county	568	573	14	-	1	190	13	22.1	11	16.7
Poweshiek	429	415	14	-	-	227	10	23.3	-	0
Ringgold	189	148	21	-	-	102	7	41.4	2	11.8
Sac	409	395	12	2	-	165	3	7.3	6	14.7
Scott	2,480	2,456	24	-	-	974	67	27.0	53	21.4
Davenport	1,768	1,754	14	-	-	778	53	30.0	33	16.7
Balance of county	712	702	10	-	-	196	14	19.7	20	26.1
Shelby	415	358	78	-	1	144	12	28.9	4	9.6
Sioux	703	662	40	-	1	189	7	10.0	15	21.3
Story	1,214	1,201	13	-	-	328	26	21.4	15	12.4
Ames	785	754	1	-	-	133	13	17.2	5	6.6
Balance of county	459	447	12	-	-	195	13	26.3	10	21.6
Tama	481	438	18	3	2	239	9	19.5	10	21.7
Taylor	234	205	28	-	-	154	7	29.9	4	17.1
Union	338	328	9	1	-	190	8	23.7	4	11.8
Van Buren	217	185	32	-	-	146	7	32.3	3	13.8
Wapello	1,098	1,001	97	-	-	503	37	35.7	15	13.7
Ottumwa	817	756	61	-	-	369	32	39.2	9	11.0
Balance of county	281	245	36	-	-	154	5	17.8	8	21.4
Warren	416	344	72	-	-	184	10	24.0	3	7.2
Washington	458	440	18	-	-	191	14	30.6	1	2.2
Wayne	216	192	24	-	-	153	8	37.0	2	9.3
Webster	1,121	1,099	22	-	-	410	45	40.1	24	21.4
Fort Dodge	676	672	4	-	-	239	36	33.3	17	23.1
Balance of county	445	427	18	-	-	171	9	20.2	7	15.7
Winnebago	339	325	13	-	-	120	6	17.8	4	11.8
Winneshek	499	484	14	-	-	239	10	20.1	11	22.1
Woodbury	2,660	2,574	86	-	-	1,099	78	29.7	37	13.9
Sioux City	2,141	2,114	27	-	-	894	66	30.8	32	14.9
Balance of county	519	460	59	-	-	205	13	35.0	5	9.6
Worth	247	230	17	-	-	97	3	12.1	2	8.1
Wright	510	492	18	-	-	184	19	37.3	5	9.6
KANSAS	43,781	41,596	2,189	19	27	18,814	1,136	25.9	721	16.5
White	41,674	40,079	1,798	14	22	17,800	1,063	25.4	665	15.9
Nonwhite	1,907	1,517	380	5	5	1,014	73	36.3	56	29.4
Allen	352	342	10	-	-	252	11	31.3	12	34.1
Anderson	239	218	21	-	-	142	5	20.9	3	12.6
Atchison	436	430	6	-	-	267	13	29.8	10	22.9
Atchison	289	285	4	-	-	187	9	31.1	4	13.6
White	274	271	3	-	-	166	9	32.8	3	10.9
Nonwhite	15	14	1	-	-	21	-	0	1	66.7
Balance of county	147	145	2	-	-	90	4	27.2	6	40.8
Barber	204	189	15	-	-	90	11	53.9	5	24.5
Barton	663	658	5	-	-	223	14	18.2	16	18.5
Bourbon	384	385	21	-	-	254	8	20.8	8	20.6
Fort Scott	213	208	4	-	-	174	4	18.8	5	23.5
Balance of county	171	154	17	-	-	90	4	23.4	3	17.5
Brown	316	302	13	-	1	187	10	31.8	5	15.6
Butler	702	693	9	-	-	285	20	28.5	13	18.5
El Dorado	285	284	1	-	-	109	8	28.1	9	31.6
Balance of county	417	409	8	-	-	178	12	28.8	4	9.6
Cherokee	104	93	11	-	-	64	3	28.8	1	9.6
Chautauque	124	81	42	1	-	86	6	48.4	1	8.1
Cherokee	500	424	74	1	1	271	10	20.0	11	22.0
Cheyenne	145	144	1	-	-	34	4	27.6	2	13.8
Clark	79	76	3	-	-	36	1	12.7	-	0
Clay	263	259	3	-	1	159	7	26.6	5	19.0
Cloud	359	337	22	-	-	180	15	41.8	6	16.7
Goffey	193	132	61	-	-	136	5	25.9	3	15.5
Comanche	84	80	4	-	-	35	-	0	-	0
Cowley	701	687	14	-	-	413	19	27.1	8	11.4
Arkansas City	508	297	11	-	-	147	8	26.0	5	16.2
Balance of county	393	390	3	-	-	266	11	28.0	3	7.6
Crawford	728	659	67	1	1	527	24	33.0	15	20.6
Pittsburg	406	387	19	-	-	222	9	22.2	2	4.9
Balance of county	322	272	48	1	1	305	15	46.6	13	40.4
DeSoto	129	125	4	-	-	71	5	38.8	3	23.3
Dickinson	459	442	17	-	-	247	11	24.0	4	6.7
Doniphan	233	182	80	-	1	145	5	21.5	8	34.3
Douglas	690	680	8	-	2	318	14	20.3	19	26.1
Lawrence	516	513	2	-	1	210	10	19.4	12	23.3
Balance of county	174	167	6	-	1	105	4	23.0	6	34.5
Edwards	184	129	3	-	2	52	5	37.3	3	22.4
Ellis	108	97	11	-	-	73	7	64.8	3	27.6
Ellsworth	569	566	3	-	-	118	20	35.1	5	8.8
Ellsworth	180	171	9	-	-	94	4	22.2	3	16.7
Finney	502	500	2	-	-	125	20	38.8	7	13.9
Ford	534	526	7	-	1	160	19	35.6	16	30.0
Franklin	401	382	19	-	-	233	11	27.4	6	15.0
Ottawa	231	223	8	-	-	120	10	43.3	5	21.6
Balance of county	170	158	11	-	-	113	1	5.9	1	5.9

See footnotes on p. 93.

GENERAL TABLES—BIRTHS, DEATHS, AND FETAL DEATHS

TABLE 1.—LIVE BIRTHS BY PERSON IN ATTENDANCE; TOTAL DEATHS; DEATHS UNDER 1 YEAR AND INFANT MORTALITY RATES; AND FETAL DEATHS AND RATIOS: UNITED STATES, EACH STATE AND COUNTY, AND EACH URBAN PLACE HAVING, IN 1940, A POPULATION OF 10,000 OR MORE, 1949—Continued

(See headnote on p. 2)

AREA AND RACE	LIVE BIRTHS				Deaths (all ages)	DEATHS UNDER 1 YEAR		FETAL DEATHS		
	Total	Attended by—				Number	Rate	Number	Ratio	
		Physi- cian in hos- pital ¹	Physi- cian not in hos- pital	Midwife						Other and not speci- fied
KANSAS—Continued										
Geary	710	708	4	-	175	26	36.6	19	26.8	
Gove	129	125	4	-	26	5	39.9	2	15.5	
Graham	111	101	9	1	33	3	27.0	1	9.0	
Grant	156	129	9	-	25	1	7.2	1	7.2	
Gray	155	148	7	-	34	2	12.9	1	6.5	
Grealey	75	71	4	-	19	2	26.7	1	13.3	
Greenwood	302	282	20	-	154	12	59.7	5	16.6	
Hamilton	128	126	1	1	22	3	23.4	-	0	
Harper	222	217	5	-	124	4	18.0	12	54.1	
Harvey	472	470	2	-	219	9	19.1	6	12.7	
Newton	276	275	1	-	154	7	25.4	1	3.6	
Balance of county	196	195	1	-	65	2	10.2	5	25.5	
Haskell	86	85	1	-	15	3	34.9	2	25.3	
Hodgeman	89	86	2	-	36	6	69.2	3	34.1	
Jackson	207	191	16	-	143	5	24.2	3	14.5	
Jefferson	201	184	16	-	130	2	10.0	6	29.9	
Jewell	167	145	22	-	105	1	6.0	2	12.0	
Johnson	1,598	1,588	29	1	407	23	14.4	13	8.1	
Kearny	86	86	-	-	19	3	34.9	4	46.5	
Kingman	262	258	6	-	79	3	11.3	6	22.9	
Kiowa	110	102	8	-	44	6	54.5	1	9.1	
Labelle	556	481	75	-	320	12	21.6	12	21.6	
Parsons	281	270	11	-	172	6	21.4	5	17.8	
Balance of county	275	214	64	-	148	6	21.8	7	25.5	
Lane	80	78	2	-	30	1	12.5	-	0	
Leavenworth	947	926	18	3	417	25	26.4	10	10.6	
White	869	850	16	3	372	22	25.3	10	11.5	
Nonwhite	78	76	2	-	45	3	38.5	-	0	
Balance of county	586	563	5	-	281	13	22.1	8	13.6	
White	521	517	4	-	244	11	21.1	8	15.4	
Nonwhite	67	66	1	-	37	2	29.9	-	0	
Balance of county	359	343	13	3	136	12	33.4	2	5.6	
Lincoln	145	125	20	-	69	4	27.6	2	13.8	
Linn	156	100	56	-	140	1	6.4	2	12.8	
Logan	114	107	7	-	32	1	8.8	4	35.1	
Lyon	574	553	20	-	287	15	26.1	9	15.7	
Emporia	410	403	6	1	181	11	26.8	3	7.3	
Balance of county	164	150	14	-	106	4	24.4	6	36.6	
McPherson	514	509	5	-	245	12	23.3	9	17.5	
Marion	335	316	18	-	158	7	20.9	5	14.9	
Marshall	366	328	39	-	217	11	30.1	11	30.1	
Mende	161	156	5	-	51	1	6.2	1	6.2	
Miami	738	291	47	-	195	9	26.6	12	35.5	
Mitchell	270	287	3	-	125	5	16.3	4	14.8	
Montgomery	975	881	93	1	574	31	31.8	17	17.4	
Coffeyville	258	319	39	-	233	13	36.3	11	30.7	
White	311	293	18	-	188	11	35.4	8	25.7	
Nonwhite	47	26	21	-	44	2	42.6	3	63.6	
Independence	278	268	10	-	142	11	39.6	2	7.2	
White	244	239	5	-	128	10	41.0	1	4.1	
Nonwhite	34	29	5	-	14	1	29.4	1	29.4	
Balance of county	559	294	44	1	199	7	20.6	4	11.8	
Morris	182	176	6	-	113	1	5.5	-	0	
Morton	89	87	2	-	23	4	44.9	2	22.5	
Memphs	333	306	27	-	137	4	12.0	2	6.0	
Neosho	375	314	59	-	231	10	26.8	6	16.1	
Chanute	197	187	10	-	133	7	35.5	2	10.2	
Balance of county	176	127	49	-	98	3	17.0	4	22.7	
Ness	154	150	4	-	48	4	26.0	5	32.5	
Norton	180	180	-	-	95	7	38.9	5	27.8	
Osage	206	152	54	-	167	1	4.9	3	14.6	
Osborne	149	137	12	-	96	5	33.6	1	6.7	
Ottawa	140	129	11	-	85	2	14.3	-	0	
Pawnee	221	214	7	-	72	3	13.6	4	18.1	
Phillips	195	177	18	-	94	7	35.9	3	15.4	
Pottawatomie	243	239	4	-	145	5	20.6	6	24.7	
Pratt	503	505	-	-	106	10	33.0	3	9.9	
Ravens	182	151	1	-	49	3	19.7	3	19.7	
Renos	1,210	1,169	21	-	599	40	33.1	18	14.9	
Hitchinson	843	636	7	-	366	29	34.4	14	16.6	
Balance of county	367	353	14	-	193	11	30.0	4	10.9	
Republic	218	207	10	-	134	5	22.9	1	4.6	
Rice	360	355	5	-	132	9	25.0	4	11.1	
Riley	793	790	3	-	223	16	20.2	9	11.3	
Manhattan	624	621	3	-	129	14	22.4	7	11.2	
Balance of county	169	169	-	-	94	2	11.8	2	11.8	
Rooks	246	231	15	-	68	4	16.3	6	24.4	
Rush	195	190	5	-	76	8	41.0	4	20.5	
Russell	344	337	7	-	116	6	17.4	6	17.4	
Saline	541	527	13	-	344	37	39.3	14	14.9	
Salina	765	752	12	-	264	30	39.2	10	13.1	
Balance of county	176	175	1	-	80	7	39.8	4	22.7	
Scott	141	141	-	-	41	2	14.2	3	21.3	
Sedwick	3,543	5,423	123	4	1,784	166	29.9	78	14.1	
Wichita	5,071	4,980	86	4	1,558	152	30.0	72	14.2	
Balance of county	474	433	37	4	226	14	29.5	6	12.7	

See footnotes on p. 93.

VITAL STATISTICS OF THE UNITED STATES

TABLE 1.—LIVE BIRTHS BY PERSON IN ATTENDANCE; TOTAL DEATHS; DEATHS UNDER 1 YEAR AND INFANT MORTALITY RATES; AND FETAL DEATHS AND RATIOS: UNITED STATES, EACH STATE AND COUNTY, AND EACH URBAN PLACE HAVING, IN 1940, A POPULATION OF 10,000 OR MORE, 1949—Continued

(See headnote on p. 2)

AREA AND RACE	LIVE BIRTHS					Deaths (all ages)	DEATHS UNDER 1 YEAR		FETAL DEATHS	
	Total	Attended by—					Number	Rate	Number	Ratio
		Physi- cian in hos- pital ¹	Physi- cian not in hos- pital	Midwife	Other and not speci- fied					
KANSAS—Continued										
Beward	288	287	-	1	-	91	10	34.7	7	24.3
Shawnee	2,474	2,352	120	1	1	1,045	54	21.8	44	17.8
Topeka	2,208	2,129	77	1	1	846	44	19.9	40	16.1
Balance of county	266	223	43	-	-	199	10	37.6	4	15.0
Sheridan	140	136	4	-	-	42	1	7.1	2	14.3
Sherman	186	186	-	-	-	54	3	16.1	1	5.4
Smith	161	147	14	-	-	112	1	6.2	2	12.4
Stafford	189	184	5	-	-	67	6	31.7	2	10.6
Stanton	62	54	8	-	-	10	-	0	1	16.1
Stevens	130	124	5	-	1	28	5	38.5	1	7.7
Sumner	468	477	10	-	1	264	12	24.6	10	20.5
Thomas	196	193	3	-	-	63	4	20.4	2	10.2
Trigo	139	131	8	-	-	37	-	0	1	7.2
Wabunsee	121	107	14	-	-	90	1	8.3	1	6.3
Wallace	90	90	-	-	-	18	4	44.4	1	11.1
Washington	245	229	16	-	-	153	5	20.4	4	18.3
Wichita	84	80	4	-	-	18	2	23.8	1	11.9
Wilson	292	231	61	-	-	196	14	47.9	4	13.7
Woodson	121	74	47	-	-	90	1	8.3	3	24.8
Wyandotte	3,969	3,678	285	3	3	1,572	93	23.4	62	15.6
White	3,179	3,082	96	-	1	1,196	74	23.3	36	11.3
Nonwhite	790	596	189	3	2	376	19	24.1	26	32.9
Kansas City	3,526	3,264	256	3	3	1,385	81	23.0	59	16.7
White	2,769	2,688	80	-	1	1,032	63	22.8	33	11.9
Nonwhite	757	576	176	3	2	353	18	23.8	26	34.3
Balance of county	443	414	29	-	-	187	12	27.1	3	6.8
KENTUCKY										
	76,197	47,422	23,322	4,670	783	26,046	3,139	41.2	1,484	19.5
White	71,218	44,846	21,127	4,490	755	24,700	2,845	39.9	1,344	18.9
Nonwhite	4,979	2,576	2,195	180	28	3,346	294	59.0	140	28.1
Adair	400	98	261	19	22	162	19	47.5	8	20.0
Allen	306	126	176	3	1	141	12	39.2	4	13.1
Anderson	203	101	102	-	-	97	6	39.4	4	19.7
Ballard	165	109	56	-	-	105	6	36.4	4	24.2
Barren	679	506	147	19	7	301	38	53.0	16	23.6
Bath	240	103	134	3	-	104	11	45.8	4	16.7
Bell	1,339	741	480	103	15	404	91	68.0	48	35.8
Middlesborough	306	258	47	-	1	116	13	42.5	12	39.2
Balance of county	1,033	483	433	103	14	288	78	75.5	36	34.8
Boone	319	220	98	1	-	151	8	25.1	4	12.5
Bourbon	400	282	117	1	-	202	26	65.0	3	7.5
White	349	252	96	1	-	142	25	71.6	3	6.6
Nonwhite	51	30	21	-	-	60	1	18.6	-	0
Boyd	1,285	1,201	70	10	4	442	47	36.6	28	21.8
Ashland	963	619	40	3	1	293	28	32.4	19	22.0
Balance of county	422	382	30	7	3	149	19	45.0	9	21.3
Boyle	424	335	91	-	-	204	25	59.0	10	23.6
White	362	311	71	-	-	145	17	44.5	7	18.3
Nonwhite	42	22	20	-	-	59	8	190.5	3	71.4
Bracken	185	78	107	-	-	99	5	27.0	3	16.2
Breathitt	546	171	70	270	35	101	16	33.0	12	22.0
Breckinridge	399	98	294	6	1	180	16	40.1	7	17.5
Bullitt	266	133	127	4	2	112	9	33.8	5	18.8
Butler	277	55	154	65	3	105	8	28.9	4	14.4
Caldwell	282	153	129	-	-	153	6	21.3	4	14.2
White	268	152	114	-	-	133	5	18.9	4	15.0
Nonwhite	16	1	15	-	-	20	1	62.5	-	0
Calloway	409	354	54	-	1	181	20	48.9	9	22.0
Campbell	1,747	1,695	51	-	1	639	81	46.4	37	21.2
Newport	823	602	20	-	1	371	47	57.1	15	15.8
Port Thomas	187	185	2	-	-	103	10	53.5	7	37.4
Balance of county	737	708	29	-	-	365	24	32.6	17	23.1
Carlisle	113	67	46	-	-	76	2	17.7	1	8.8
Carroll	201	92	108	1	-	122	11	54.7	7	34.8
Carter	667	256	288	103	20	173	30	45.0	19	28.5
Casey	524	164	295	50	15	124	13	24.8	5	9.5
Christian	1,053	762	214	68	9	493	45	42.7	20	19.0
White	794	690	98	11	6	330	27	34.0	10	12.8
Nonwhite	259	72	126	57	4	163	18	69.5	10	36.6
Hopkinsville	333	223	78	29	3	219	16	48.0	11	33.0
White	221	197	21	2	1	133	9	40.7	6	27.1
Nonwhite	112	26	57	27	2	86	7	62.5	5	44.6
Balance of county	720	539	136	39	6	264	29	40.3	9	12.5
White	573	493	67	9	4	187	18	31.4	4	7.0
Nonwhite	147	46	69	30	2	77	11	74.8	5	34.0
Clark	442	288	151	1	2	215	22	49.8	8	18.1
White	413	275	135	1	2	174	21	50.8	6	14.5
Nonwhite	29	13	16	-	-	41	1	54.5	2	69.0
Clay	845	632	28	127	38	121	32	37.9	11	13.0
Clinton	267	50	175	34	8	70	4	15.0	6	30.0
Crittenden	223	142	82	1	-	119	5	22.2	1	4.4
Cumberland	236	82	87	62	5	81	15	63.6	7	29.7

See footnotes on p. 93.

GENERAL TABLES—BIRTHS, DEATHS, AND FETAL DEATHS

TABLE 1.—LIVE BIRTHS BY PERSON IN ATTENDANCE; TOTAL DEATHS; DEATHS UNDER 1 YEAR AND INFANT MORTALITY RATES; AND FETAL DEATHS AND RATIOS: UNITED STATES, EACH STATE AND COUNTY, AND EACH URBAN PLACE HAVING, IN 1940, A POPULATION OF 10,000 OR MORE, 1949—Continued

(See headnote on p. 2)

AREA AND RACE	LIVE BIRTHS					Deaths (all ages)	DEATHS UNDER 1 YEAR		FETAL DEATHS	
	Total	Attended by—					Number	Rate	Number	Ratio
		Physi- cian in hos- pital ¹	Physi- cian not in hos- pital	Midwife	Other and not speci- fied					
KENTUCKY—Continued										
Davless	1,591	1,266	315	9	1	599	64	40.2	37	23.3
Owensboro	886	872	112	2	-	322	40	40.3	25	25.4
Balance of county	605	394	203	7	1	137	24	39.7	12	19.8
Edmonson	229	77	124	27	1	70	11	48.0	5	21.8
Elliott	196	45	95	31	25	42	8	40.8	4	20.4
Estill	413	113	226	71	3	121	15	36.3	2	4.8
Fayette	2,212	1,956	255	1	-	990	74	33.5	24	10.8
White	1,721	1,644	122	1	-	675	48	24.9	12	9.8
Nonwhite	368	235	133	-	-	315	28	76.1	6	16.3
Lexington	1,290	1,104	186	-	-	898	50	38.8	15	11.6
White	1,004	924	80	-	-	435	28	27.9	11	11.0
Nonwhite	286	180	106	-	-	264	22	76.9	4	14.0
Balance of county	922	852	69	1	-	291	24	26.0	9	9.8
White	840	737	42	1	-	240	18	21.4	7	8.3
Nonwhite	82	55	27	-	-	51	6	73.2	2	24.4
Fleming	295	121	164	7	3	160	12	40.7	2	6.8
Floyd	1,787	873	668	182	64	344	81	46.1	29	16.5
Franklin	585	565	13	-	-	263	19	33.6	7	12.4
Frankfort	235	291	4	-	-	151	12	40.7	3	10.2
White	258	256	2	-	-	133	12	46.5	3	11.6
Nonwhite	37	35	2	-	-	18	-	0	-	0
Balance of county	270	261	9	-	-	112	7	25.9	4	14.8
Fulton	380	232	92	55	1	144	20	52.6	11	28.9
White	282	215	51	28	-	106	14	47.9	8	27.4
Nonwhite	88	17	41	29	1	38	6	68.2	3	34.1
Gallatin	91	47	43	1	-	59	3	33.0	1	11.0
Garrard	270	172	92	4	2	117	17	63.0	3	11.1
White	239	169	64	4	2	96	12	50.2	3	12.6
Nonwhite	31	3	28	-	-	21	5	161.3	-	0
Grant	231	87	144	-	-	103	9	39.0	3	13.0
Graves	589	492	96	-	1	317	17	28.9	11	18.7
Grayson	425	45	318	47	15	174	16	37.6	15	33.3
Green	269	50	205	13	1	105	10	37.2	2	7.4
Greenup	657	353	250	42	12	202	30	45.7	12	18.3
Hancock	143	80	63	-	-	72	4	28.0	1	7.0
Hardin	854	375	474	2	3	295	44	51.5	13	15.2
Harlan	2,285	879	1,358	33	15	553	141	61.7	66	28.9
White	2,105	766	1,274	30	18	487	130	61.6	55	26.1
Nonwhite	180	95	84	3	-	66	11	61.1	11	61.1
Harrison	264	240	24	-	-	191	8	30.3	5	18.9
Hart	419	91	320	8	-	155	17	40.6	9	21.5
Henderson	735	549	173	13	-	337	23	31.3	20	27.2
White	645	542	90	13	-	272	16	24.8	14	21.7
Nonwhite	90	7	83	-	-	65	7	77.8	6	66.7
Henderson	416	335	81	-	-	208	18	43.3	13	31.3
White	356	331	25	-	-	157	13	36.5	7	19.7
Nonwhite	60	4	56	-	-	51	5	83.3	6	100.0
Balance of county	319	214	92	13	-	129	5	15.7	7	21.9
White	289	211	65	13	-	115	3	10.4	7	24.2
Nonwhite	30	3	27	-	-	14	2	66.7	-	0
Henry	306	227	74	1	4	124	3	9.8	9	29.4
Hickman	136	101	34	1	-	91	9	66.2	7	51.5
White	115	97	18	-	-	75	7	60.9	3	26.1
Nonwhite	21	4	16	-	-	16	2	95.2	4	190.5
Hopkins	868	561	292	12	3	387	30	34.6	15	17.3
White	792	544	233	12	3	337	26	32.8	11	13.9
Nonwhite	76	17	59	-	-	50	4	52.6	4	52.6
Jackson	409	199	141	67	12	91	20	48.9	8	19.6
Jefferson	12,528	11,619	901	3	5	4,901	424	33.8	202	16.1
White	10,849	10,239	604	2	4	3,971	338	31.2	178	16.4
Nonwhite	1,679	1,380	297	1	1	1,010	66	51.2	24	14.3
Louisville	10,667	10,008	674	-	5	4,355	378	35.4	166	15.7
White	9,098	8,702	392	-	4	3,417	295	32.4	144	15.8
Nonwhite	1,569	1,306	282	-	1	938	83	52.2	24	15.1
Balance of county	1,941	1,611	227	3	-	626	46	25.0	34	18.5
Jessamine	279	162	116	1	-	120	10	35.8	3	10.8
White	262	160	101	1	-	98	10	38.2	3	11.5
Nonwhite	17	2	15	-	-	22	-	0	-	0
Johnson	716	573	62	74	7	182	27	37.7	16	22.3
Kenton	2,650	2,577	71	2	-	1,155	62	30.9	50	18.9
Covington	1,774	1,740	33	1	-	797	57	32.1	35	19.7
Balance of county	876	837	38	1	-	358	25	28.5	15	17.1
Knott	600	75	328	184	13	116	15	25.0	5	8.3
Knox	881	206	477	146	32	270	55	63.9	26	30.2
Larue	251	159	90	2	-	114	7	27.9	3	12.0
Laurel	747	303	330	101	13	189	28	37.5	11	14.7
Lawrence	397	203	87	102	5	146	18	45.3	5	12.6
Lee	255	124	24	98	9	90	10	39.2	2	7.8
Leslie	575	262	28	248	37	83	26	45.2	17	29.6
Letcher	1,339	287	857	186	9	299	76	36.8	34	25.4
Lewis	417	70	253	81	13	140	24	37.6	7	16.8
Lincoln	495	229	225	27	14	185	16	32.3	8	16.2
Livingston	150	80	64	5	1	98	6	53.3	4	26.7
Logan	518	270	243	4	1	265	22	42.5	12	25.2
White	452	254	195	2	1	229	20	44.2	11	24.3
Nonwhite	66	16	48	2	-	36	2	30.3	1	15.2

See footnotes on p. 93.

VITAL STATISTICS OF THE UNITED STATES

TABLE 1.—LIVE BIRTHS BY PERSON IN ATTENDANCE; TOTAL DEATHS; DEATHS UNDER 1 YEAR AND INFANT MORTALITY RATES; AND FETAL DEATHS AND RATIOS: UNITED STATES, EACH STATE AND COUNTY, AND EACH URBAN PLACE HAVING, IN 1940, A POPULATION OF 10,000 OR MORE, 1949—Continued

(See headnote on p. 2)

AREA AND RACE	LIVE BIRTHS					Deaths (all ages)	DEATHS UNDER 1 YEAR		FETAL DEATHS	
	Total	Attended by—					Number	Rate	Number	Ratio
		Physi- cian in hos- pital ¹	Physi- cian not in hos- pital	Midwife	Other and not speci- fied					
KENTUCKY—Continued										
Lyon-----	100	48	50	2	-	70	7	70.0	4	40.0
White-----	96	48	47	1	-	67	7	72.9	4	41.7
Nonwhite--	4	-	3	1	-	3	-	0	-	0
McCracken-----	975	722	248	3	2	626	56	56.9	22	22.6
White-----	949	697	151	-	1	493	30	35.3	17	20.0
Nonwhite--	126	25	97	3	1	133	6	47.6	5	39.7
Paducah-----	665	503	157	3	2	463	29	43.6	19	28.6
White-----	553	481	71	-	1	344	24	43.4	14	25.3
Nonwhite--	112	22	86	3	1	119	5	44.6	5	44.6
Balance of county-----	310	219	91	-	-	165	7	22.6	3	9.7
McCreary-----	490	193	80	210	7	126	22	44.9	11	22.4
McLean-----	201	90	103	4	4	98	9	44.8	1	5.0
Madison-----	723	648	52	21	2	306	32	44.3	13	18.0
White-----	656	603	32	30	2	245	27	41.2	12	18.3
Nonwhite--	67	46	20	1	-	61	5	74.6	1	14.9
Magoffin-----	415	56	233	124	2	81	12	28.9	5	12.0
Marion-----	562	345	203	13	1	191	31	55.2	11	19.6
Marshall-----	244	109	135	-	-	140	1	4.1	1	8.2
Martin-----	407	76	226	103	2	72	13	31.9	15	31.9
Mason-----	425	298	124	2	1	224	28	65.8	12	28.2
White-----	385	291	91	2	1	183	23	59.7	10	26.0
Nonwhite--	40	7	33	-	-	41	5	125.0	2	50.0
Meade-----	239	154	104	1	-	73	6	25.1	2	8.4
Menifee-----	175	120	32	21	2	34	5	26.6	3	17.1
Mercer-----	284	272	12	19	-	164	9	51.7	6	21.1
Metcalfe-----	224	56	143	19	4	80	8	35.7	5	22.3
Monroe-----	366	86	249	27	2	136	19	51.9	16	43.7
Montgomery-----	540	223	111	7	1	145	15	44.1	6	17.6
White-----	312	218	87	6	1	125	15	46.1	5	16.0
Nonwhite--	228	5	24	1	-	20	0	0	1	35.7
Morgan-----	384	146	187	43	28	115	14	36.5	14	36.5
Muhlenberg-----	864	597	263	22	2	302	41	46.4	32	36.2
Nelson-----	615	180	424	-	1	166	17	27.6	11	17.9
Nicholas-----	139	100	38	1	-	93	6	43.2	8	57.6
Ohio-----	472	190	270	9	3	200	13	27.5	8	16.9
Oldham-----	217	168	44	3	2	91	7	32.3	3	13.8
White-----	196	165	26	3	2	80	5	25.5	2	10.2
Nonwhite--	21	3	18	-	-	11	2	95.2	1	47.6
Owen-----	174	116	57	-	1	93	4	23.0	5	28.7
Owsley-----	198	100	5	87	6	41	5	25.3	4	20.2
Pendleton-----	202	98	104	-	-	109	7	34.7	1	5.0
Perry-----	1,739	396	1,056	229	55	306	71	40.9	38	21.9
Pike-----	2,744	1,376	902	368	76	580	166	60.5	50	18.2
Powell-----	242	52	160	29	1	63	10	41.3	2	8.3
Pulaski-----	990	405	485	95	5	299	30	30.3	20	20.2
Robertson-----	65	36	25	-	-	36	1	15.9	1	15.9
Rockcastle-----	363	143	187	69	14	102	12	31.3	14	36.6
Rowan-----	329	61	223	33	12	80	13	39.5	11	33.4
Russell-----	317	135	168	13	1	100	12	37.9	6	18.9
Scott-----	333	260	73	-	-	151	9	27.0	7	21.0
White-----	297	256	41	-	-	121	7	23.6	7	23.6
Nonwhite--	36	4	32	-	-	30	2	55.6	-	0
Shelby-----	406	331	74	1	-	180	15	36.9	3	7.4
White-----	343	290	52	1	-	140	12	35.0	3	8.7
Nonwhite--	63	41	22	-	-	40	3	47.6	-	0
Simpson-----	267	189	76	1	1	133	14	52.4	6	22.5
White-----	218	176	41	1	-	109	7	32.1	6	27.5
Nonwhite--	49	13	35	-	1	24	7	142.9	-	0
Spencer-----	176	57	119	-	-	62	8	45.5	2	11.4
Taylor-----	369	168	177	4	-	137	21	56.9	9	24.4
Todd-----	308	140	163	5	-	160	17	55.2	8	26.0
White-----	252	129	119	4	-	125	14	55.6	6	23.8
Nonwhite--	56	11	44	1	-	35	3	53.6	2	35.7
Trigg-----	233	153	60	19	1	95	6	25.8	4	17.2
White-----	190	144	45	1	-	69	6	31.6	2	10.5
Nonwhite--	43	9	15	18	1	26	-	0	2	46.5
Trimble-----	116	79	37	-	-	50	5	43.1	2	17.2
Union-----	403	247	155	1	-	182	13	32.3	10	24.8
White-----	367	239	127	1	-	153	13	35.4	8	21.8
Nonwhite--	36	8	28	-	-	29	-	0	2	55.6
Warren-----	1,035	779	237	15	4	415	54	52.9	13	12.6
White-----	921	766	143	7	3	341	26	26.2	8	8.7
Nonwhite--	114	11	94	8	1	74	8	70.2	5	43.9
Bowling Green-----	545	456	85	3	1	214	22	40.4	3	5.5
White-----	487	446	38	-	1	164	15	30.8	-	0
Nonwhite--	58	8	47	3	-	50	7	120.7	3	51.7
Balance of county-----	490	323	152	12	3	201	12	24.5	10	20.4
Washington-----	341	254	86	-	1	112	14	41.1	4	11.7
Wayne-----	514	55	374	73	12	125	19	37.0	9	17.9
Webster-----	296	152	144	-	-	204	16	60.8	3	10.1
White-----	268	150	118	-	-	174	17	63.4	2	7.5
Nonwhite--	28	2	26	-	-	30	1	35.7	1	35.7
Whitley-----	839	361	408	62	8	315	47	56.0	14	16.7
Wolfe-----	230	56	69	99	5	60	19	82.6	-	0

See footnotes on p. 93.

GENERAL TABLES—BIRTHS, DEATHS, AND FETAL DEATHS

TABLE 1.—LIVE BIRTHS BY PERSON IN ATTENDANCE; TOTAL DEATHS; DEATHS UNDER 1 YEAR AND INFANT MORTALITY RATES; AND FETAL DEATHS AND RATIOS: UNITED STATES, EACH STATE AND COUNTY, AND EACH URBAN PLACE HAVING, IN 1940, A POPULATION OF 10,000 OR MORE, 1949—Continued

(See headnote on p. 2.)

AREA AND RACE	LIVE BIRTHS					Deaths (all ages)	DEATHS UNDER 1 YEAR		FETAL DEATHS	
	Total	Attended by—					Number	Rate	Number	Ratio
		Physi- cian in hos- pital ¹	Physi- cian not in hos- pital	Midwife	Other and not speci- fied					
KENTUCKY—Continued										
Woodford	259	244	14	1	-	131	14	54.1	3	11.6
White	219	208	10	1	-	104	12	54.8	1	4.6
Nonwhite	40	36	4	-	-	27	2	50.0	2	50.0
LOUISIANA	75,487	60,620	4,767	10,037	83	23,400	2,810	37.2	1,814	24.0
White	45,312	41,534	2,747	1,011	20	13,489	1,231	27.2	764	16.9
Nonwhite	30,175	19,086	2,020	9,026	43	9,911	1,579	52.3	1,050	34.8
Acadia	1,446	1,070	122	253	1	411	73	50.5	44	30.4
White	1,065	871	100	94	-	299	40	37.6	28	26.3
Nonwhite	381	199	22	159	1	112	33	86.6	16	42.0
Allen	563	487	30	46	-	149	20	35.5	17	30.2
White	406	385	18	3	-	101	9	22.2	12	29.6
Nonwhite	157	102	12	43	-	48	11	70.1	5	31.8
Ascension	701	482	105	112	2	208	30	42.8	18	25.7
White	456	349	74	13	-	98	9	20.6	7	16.1
Nonwhite	245	133	31	99	2	110	21	79.2	11	41.5
Assumption	524	501	61	142	-	186	26	49.6	16	30.5
White	247	191	21	55	-	91	11	44.5	4	16.2
Nonwhite	277	110	60	107	-	95	15	54.2	12	43.3
Avoyelles	985	658	103	244	-	275	33	33.5	27	27.4
White	634	498	82	44	-	180	19	30.0	8	12.6
Nonwhite	351	140	11	200	-	95	14	39.9	19	54.1
Beauregard	445	321	85	39	-	166	29	65.2	12	27.0
White	385	302	47	4	-	141	26	73.7	10	26.3
Nonwhite	92	19	38	35	-	25	3	32.6	2	21.7
Bienville	459	267	77	114	-	149	14	30.6	7	15.3
White	170	141	28	1	-	76	3	17.6	-	0
Nonwhite	289	126	49	113	-	73	11	38.2	7	24.3
Bossier	1,197	1,068	6	122	1	249	38	31.7	22	18.4
White	738	733	5	-	-	113	18	24.4	12	16.3
Nonwhite	459	335	1	122	1	136	20	43.6	10	21.8
Caddo	5,005	4,712	46	244	3	1,544	216	43.2	116	23.2
White	2,677	2,652	20	5	-	756	83	31.0	37	13.8
Nonwhite	2,328	2,060	26	239	3	788	133	57.1	79	33.9
Shreveport	3,844	3,712	32	99	2	1,175	163	42.4	86	22.4
White	2,217	2,200	16	1	-	604	68	30.7	35	15.8
Nonwhite	1,627	1,512	16	97	2	571	95	58.4	51	31.3
Balance of parish	1,161	1,000	14	146	1	369	53	45.7	30	25.8
White	460	452	4	4	-	152	15	32.6	2	4.3
Nonwhite	701	548	10	142	1	217	38	54.2	28	39.9
Calcasieu	2,617	2,153	177	287	-	652	98	37.4	56	21.4
White	1,948	1,784	141	23	-	423	60	30.8	29	14.9
Nonwhite	669	369	36	264	-	229	38	56.8	27	40.4
Lake Charles	1,441	1,240	12	189	-	338	53	36.8	35	24.3
White	981	972	5	4	-	163	27	27.5	14	14.3
Nonwhite	460	268	7	185	-	175	26	56.5	21	45.7
Balance of parish	1,176	913	169	99	-	314	45	39.3	21	17.9
White	967	812	138	19	-	240	33	34.1	15	15.5
Nonwhite	209	101	29	79	-	74	12	57.4	6	28.7
CalDWell	271	239	5	27	-	96	6	22.1	9	33.2
White	188	183	4	1	-	70	6	31.8	3	16.0
Nonwhite	83	56	1	26	-	26	-	0	6	72.3
Cameron	123	82	39	2	-	37	5	40.7	2	16.3
Catahoula	339	249	2	88	-	89	8	23.6	11	32.4
White	203	192	2	9	-	50	5	24.6	5	24.6
Nonwhite	136	57	-	79	-	39	3	22.1	6	44.1
Claiborne	617	318	35	264	-	186	19	30.8	22	35.7
White	233	214	17	2	-	80	3	12.9	4	17.2
Nonwhite	384	104	18	262	-	106	16	41.7	18	46.9
Concordia	443	285	4	174	-	167	24	54.2	10	22.6
White	174	165	3	6	-	42	3	17.2	2	11.5
Nonwhite	269	100	1	168	-	125	21	78.1	8	29.7
De Soto	743	442	19	281	1	238	32	43.1	30	40.4
White	225	217	4	2	-	102	10	44.4	6	26.7
Nonwhite	518	225	15	277	1	137	22	42.3	24	46.3
East Baton Rouge	4,662	3,949	73	637	3	1,119	122	28.2	117	25.1
White	3,001	2,965	27	6	2	363	61	20.3	53	17.7
Nonwhite	1,661	983	46	631	1	556	61	36.7	64	38.5
Baton Rouge	3,789	3,789	44	369	2	670	95	24.7	95	25.3
White	2,633	2,613	14	5	1	494	52	19.7	47	17.9
Nonwhite	1,125	730	30	364	1	396	43	36.4	48	42.7
Balance of parish	904	608	29	269	1	249	29	32.1	22	24.3
White	368	353	13	1	1	79	9	24.5	6	16.3
Nonwhite	536	253	16	267	-	170	20	37.3	16	29.9
East Carroll	577	133	143	301	-	195	20	34.7	10	17.3
White	211	120	77	14	-	39	7	33.2	4	19.0
Nonwhite	366	13	66	287	-	156	13	38.5	6	16.4
East Feliciana	412	193	27	191	1	153	11	26.7	12	29.1
White	110	108	2	2	-	53	2	18.2	1	9.1
Nonwhite	302	87	25	189	1	100	9	29.8	11	36.4
Evangeline	787	519	75	173	-	243	41	35.5	15	19.6
White	502	439	52	11	-	175	14	27.5	8	15.9
Nonwhite	285	80	23	162	-	74	27	101.5	7	26.4

See footnotes on p. 93.

VITAL STATISTICS OF THE UNITED STATES

TABLE 1.—LIVE BIRTHS BY PERSON IN ATTENDANCE; TOTAL DEATHS; DEATHS UNDER 1 YEAR AND INFANT MORTALITY RATES; AND FETAL DEATHS AND RATIOS: UNITED STATES, EACH STATE AND COUNTY, AND EACH URBAN PLACE HAVING, IN 1940, A POPULATION OF 10,000 OR MORE, 1949—Continued

(See headnote on p. 2)

AREA AND RACE	LIVE BIRTHS					Deaths (all ages)	DEATHS UNDER 1 YEAR		FETAL DEATHS	
	Total	Attended by—					Number	Rate	Number	Ratio
		Physi- cian in hos- pital ¹	Physi- cian not in hos- pital	Midwife	Other and not speci- fied					
LOUISIANA—Continued										
Franklin-----	913	513	80	319	2	229	39	42.7	25	27.4
White-----	502	429	46	27	-	120	15	25.9	10	19.9
Nonwhite--	411	84	34	291	2	109	26	63.3	15	36.5
Grant-----	357	337	8	12	-	130	9	25.2	12	33.6
White-----	237	229	6	2	-	92	5	21.1	6	25.3
Nonwhite--	120	108	2	10	-	38	4	33.3	6	50.0
Iberia-----	1,056	774	173	107	4	320	50	47.3	34	32.1
White-----	854	572	78	4	-	188	23	35.2	18	27.5
Nonwhite--	404	202	95	103	4	132	27	66.8	16	39.6
New Iberia-----	494	440	17	35	2	162	22	44.5	23	46.6
White-----	359	351	6	2	-	100	10	27.9	14	39.0
Nonwhite--	135	89	11	33	2	62	12	68.9	9	66.7
Balance of parish-----	564	334	156	72	2	158	26	49.6	11	19.5
White-----	295	221	72	2	-	88	13	44.1	4	13.6
Nonwhite--	269	113	84	70	2	70	15	55.8	7	26.0
Iberville-----	798	486	52	256	2	307	38	47.7	22	27.6
White-----	357	316	13	28	-	107	14	39.2	5	14.0
Nonwhite--	439	170	39	228	2	200	24	54.7	17	39.7
Jackson-----	427	334	10	83	-	127	20	46.8	13	30.4
White-----	239	232	6	1	-	72	5	20.9	3	12.6
Nonwhite--	188	102	4	82	-	55	15	79.8	10	53.2
Jefferson-----	2,783	2,630	99	52	2	603	60	21.6	58	20.8
White-----	2,281	2,180	77	42	2	469	42	18.4	35	15.3
Nonwhite--	502	470	22	10	-	134	18	35.9	23	45.8
Cretina-----	291	274	7	10	-	115	6	27.5	8	27.5
White-----	206	198	2	8	-	75	3	14.6	3	14.6
Nonwhite--	85	78	5	2	-	40	5	58.8	5	58.8
Balance of parish-----	2,492	2,356	92	42	2	486	52	20.9	50	20.1
White-----	2,075	1,964	75	34	2	394	39	18.8	32	15.4
Nonwhite--	417	392	17	8	-	94	13	31.2	18	43.2
Jefferson Davis-----	768	528	125	115	-	221	33	43.0	17	22.1
White-----	560	438	94	26	-	157	19	33.9	11	19.6
Nonwhite--	208	90	31	87	-	64	14	67.3	6	28.8
Lafayette-----	1,709	1,509	80	120	-	453	85	49.7	32	18.7
White-----	1,022	937	58	27	-	254	28	27.4	9	8.8
Nonwhite--	687	572	22	93	-	199	57	63.0	23	33.5
Lafayette-----	985	695	29	61	-	290	35	35.6	20	20.3
White-----	618	594	19	5	-	164	18	29.1	5	8.1
Nonwhite--	367	301	10	56	-	116	37	100.8	15	40.9
Balance of parish-----	724	614	51	59	-	173	30	41.4	12	16.6
White-----	404	343	39	22	-	100	10	24.8	4	9.9
Nonwhite--	320	271	12	37	-	73	20	62.5	8	25.0
Lafourche-----	1,220	655	147	216	2	304	48	37.7	21	17.2
White-----	1,022	762	134	125	1	233	33	32.3	16	15.7
Nonwhite--	198	93	13	91	1	71	13	65.7	5	25.3
La Salle-----	303	270	22	11	-	88	5	16.5	5	16.5
White-----	264	245	17	2	-	57	5	18.9	3	11.4
Nonwhite--	39	25	5	9	-	11	-	0	2	51.3
Lincoln-----	705	501	51	152	1	233	24	34.0	15	21.3
White-----	361	341	19	1	-	135	6	16.6	5	13.9
Nonwhite--	344	160	32	151	1	98	18	52.3	10	29.1
Livingston-----	605	433	121	47	4	138	16	26.4	11	16.2
White-----	505	379	116	6	4	104	9	17.8	9	17.8
Nonwhite--	100	54	5	41	-	34	7	70.0	2	20.0
Madison-----	522	192	13	317	-	200	25	47.9	15	28.7
White-----	139	124	5	10	-	41	1	7.2	2	14.4
Nonwhite--	383	68	8	307	-	159	24	62.7	13	33.9
Morehouse-----	1,019	610	169	240	-	292	41	40.2	31	30.4
White-----	472	445	25	2	-	107	13	27.5	3	6.4
Nonwhite--	547	165	144	238	-	175	28	51.2	28	51.2
Natchitoches-----	1,104	586	103	415	-	351	55	49.8	33	29.9
White-----	505	430	50	25	-	150	19	37.6	13	25.7
Nonwhite--	599	156	53	390	-	191	36	60.1	20	33.4
Orleans, coextensive with New Orleans-----	14,879	14,526	217	131	5	6,156	428	28.8	330	22.2
White-----	8,800	8,712	50	37	1	4,039	232	26.4	149	16.8
Nonwhite--	6,079	5,814	167	94	4	2,118	196	32.2	182	29.9
Ouachita-----	2,090	1,975	57	147	1	679	81	38.9	57	27.4
White-----	1,255	1,224	23	8	-	366	31	24.7	24	19.1
Nonwhite--	825	651	34	139	1	313	50	60.6	33	40.0
Monroe-----	1,031	953	24	54	-	401	37	35.9	31	30.1
White-----	599	583	5	1	-	205	11	18.7	11	18.7
Nonwhite--	442	370	19	53	-	196	26	59.8	20	45.2
Balance of parish-----	1,049	922	33	95	1	278	44	41.9	26	24.8
White-----	666	641	18	7	-	161	20	30.0	13	19.5
Nonwhite--	383	281	15	86	1	117	24	62.7	13	33.9
Plaquemine-----	437	342	24	70	1	89	10	22.9	18	41.2
White-----	241	232	1	8	-	48	6	24.9	5	20.7
Nonwhite--	196	110	23	62	1	41	4	20.4	13	66.3
Pointe Coupee-----	605	310	111	184	-	215	37	61.2	25	41.3
White-----	237	201	29	7	-	69	5	21.1	5	21.1
Nonwhite--	368	109	82	177	-	146	32	87.0	20	54.3

See footnotes on p. 93.

GENERAL TABLES—BIRTHS, DEATHS, AND FETAL DEATHS

35

TABLE 1.—LIVE BIRTHS BY PERSON IN ATTENDANCE; TOTAL DEATHS; DEATHS UNDER 1 YEAR AND INFANT MORTALITY RATES; AND FETAL DEATHS AND RATIOS; UNITED STATES, EACH STATE AND COUNTY, AND EACH URBAN PLACE HAVING, IN 1940, A POPULATION OF 10,000 OR MORE, 1949—Continued

(See headnote on p. 2)

AREA AND RACE	LIVE BIRTHS					Deaths (all ages)	DEATHS UNDER 1 YEAR		FETAL DEATHS	
	Total	Attended by—					Number	Rate	Number	Ratio
		Physi- cian in hos- pital ¹	Physi- cian not in hos- pital	Midwife	Other and not speci- fied					
LOUISIANA—Continued										
Rapides	2,451	2,289	41	120	1	766	92	37.5	53	21.6
White	1,508	1,485	18	24	1	428	38	25.2	22	14.6
Nonwhite	945	806	23	96	—	338	54	57.1	31	32.8
Alexandria	1,064	1,005	18	25	—	341	37	35.4	19	18.2
White	566	562	3	1	—	170	15	25.5	5	8.8
Nonwhite	498	441	15	22	—	171	22	46.0	14	29.5
Balance of parish	1,407	1,285	23	97	1	425	55	39.1	34	24.2
White	940	931	15	25	1	258	23	24.5	17	18.1
Nonwhite	467	355	8	74	—	167	32	60.5	17	36.4
Red River	343	207	40	95	—	104	31	90.4	11	32.1
White	148	120	24	4	—	38	9	60.8	4	27.0
Nonwhite	195	87	16	92	—	66	22	112.8	7	35.8
Richland	915	492	263	158	2	257	55	60.1	19	20.8
White	513	354	155	4	—	101	19	37.0	8	15.6
Nonwhite	402	138	108	154	2	156	36	89.6	11	27.4
Sabine	571	408	53	111	1	161	21	36.8	15	26.3
White	406	354	39	12	1	118	11	27.1	9	22.2
Nonwhite	165	52	14	99	—	43	10	60.6	6	36.4
St. Bernard	297	298	—	1	—	67	9	30.3	9	30.3
White	233	232	—	1	—	49	7	30.0	6	25.8
Nonwhite	64	64	—	—	—	18	2	51.3	3	46.9
St. Charles	409	378	14	17	—	104	8	19.6	11	26.9
White	245	237	7	1	—	53	3	12.2	5	20.4
Nonwhite	164	141	7	16	—	51	5	30.5	6	36.8
St. Helena	199	145	14	40	—	62	2	10.1	6	30.2
White	79	66	9	4	—	20	—	0	4	50.6
Nonwhite	120	79	5	36	—	34	2	16.7	2	16.7
St. James	509	229	125	155	—	170	24	47.2	13	25.5
White	220	141	75	4	—	67	8	38.4	3	13.6
Nonwhite	289	88	50	151	—	103	16	55.4	10	34.8
St. John the Baptist	468	326	100	62	—	141	28	57.4	11	22.5
White	211	130	78	3	—	57	12	58.9	4	19.0
Nonwhite	277	196	22	59	—	84	16	57.8	7	25.3
St. Landry	2,474	1,633	179	650	2	666	149	60.2	66	26.7
White	1,200	1,015	123	62	—	291	40	35.3	24	20.0
Nonwhite	1,274	618	56	598	2	375	109	85.6	42	33.0
St. Martin	848	672	50	126	—	207	38	44.8	20	23.6
White	449	412	19	18	—	107	9	20.0	4	8.9
Nonwhite	399	260	31	108	—	100	29	72.7	16	40.1
St. Mary	1,116	588	264	263	1	356	53	47.5	33	29.6
White	674	500	109	65	—	167	19	26.2	13	19.3
Nonwhite	442	88	155	198	1	189	34	76.9	20	45.2
St. Tammany	869	522	51	95	1	256	22	32.9	16	25.9
White	393	345	35	13	—	168	7	17.8	7	17.8
Nonwhite	276	177	16	82	1	88	15	54.3	9	32.6
Tangipahoa	1,565	1,346	69	126	2	450	52	33.3	28	17.9
White	896	805	77	14	—	274	21	23.4	14	15.6
Nonwhite	667	541	12	112	2	176	31	46.5	14	21.0
Tensas	397	156	9	251	1	126	9	22.7	13	32.7
White	138	129	5	3	1	24	—	0	2	14.5
Nonwhite	259	27	4	228	—	102	9	54.7	11	42.5
Terrebonne	1,507	1,324	70	110	3	325	60	39.8	26	17.3
White	1,117	1,027	47	43	—	210	32	28.6	19	17.0
Nonwhite	390	297	23	67	3	115	28	71.8	7	17.9
Union	419	239	63	114	3	168	11	26.3	10	23.9
White	231	180	48	2	1	105	7	30.3	3	13.0
Nonwhite	188	59	15	112	2	63	4	21.3	7	37.2
Vermilion	963	853	59	50	1	266	51	32.2	16	16.6
White	615	744	46	24	1	222	25	30.7	13	16.0
Nonwhite	348	109	13	26	—	36	6	40.5	3	20.3
Vernon	431	342	29	60	—	151	6	13.9	13	30.2
White	365	326	26	13	—	125	6	16.4	12	32.9
Nonwhite	66	16	3	47	—	26	—	0	1	15.2
Washington	1,237	935	106	198	—	323	49	39.6	25	20.2
White	738	674	57	7	—	191	19	25.7	9	12.2
Nonwhite	499	259	49	191	—	132	30	60.1	16	32.1
Bogalusa	589	489	23	77	—	176	29	49.2	13	22.1
White	361	346	13	2	—	105	12	33.2	5	13.9
Nonwhite	228	143	10	75	—	73	17	74.6	8	35.1
Balance of parish	648	444	83	121	—	147	20	30.9	12	16.5
White	377	328	44	5	—	68	7	18.6	4	10.6
Nonwhite	271	116	39	116	—	79	13	48.0	8	29.5
Webster	1,014	644	49	121	—	277	35	34.5	12	11.6
White	606	593	21	2	—	153	18	29.7	2	3.3
Nonwhite	408	261	28	119	—	124	17	41.7	10	24.9
West Baton Rouge	305	193	27	94	1	105	15	49.2	8	26.2
White	130	124	5	1	—	31	2	15.4	3	23.1
Nonwhite	175	69	22	93	1	72	13	74.5	5	28.6
West Carroll	550	505	129	86	—	125	17	32.1	15	28.3
White	409	289	103	17	—	92	11	26.8	4	9.8
Nonwhite	121	14	26	69	—	33	6	49.6	11	90.9
West Feliciana	250	85	19	139	7	80	14	56.0	8	32.0
White	56	28	3	—	5	22	1	27.8	—	0
Nonwhite	214	57	16	139	2	58	13	60.7	8	37.4
Winn	397	330	8	58	—	114	12	30.2	10	25.2
White	262	258	2	2	—	71	5	19.1	5	19.1
Nonwhite	135	72	6	56	1	43	7	51.9	5	37.0

See footnotes on p. 93.

VITAL STATISTICS OF THE UNITED STATES

TABLE 1.—LIVE BIRTHS BY PERSON IN ATTENDANCE; TOTAL DEATHS; DEATHS UNDER 1 YEAR AND INFANT MORTALITY RATES; AND FETAL DEATHS AND RATIOS: UNITED STATES, EACH STATE AND COUNTY, AND EACH URBAN PLACE HAVING, IN 1940, A POPULATION OF 10,000 OR MORE, 1949—Continued

(See headnote on p. 2)

AREA AND RACE	LIVE BIRTHS					Deaths (all ages)	DEATHS UNDER 1 YEAR		FETAL DEATHS	
	Total	Attended by—					Number	Rate	Number	Ratio
		Physi- cian in hos- pital ¹	Physi- cian not in hos- pital	Midwife	Other and not speci- fied					
MAINE-----	21,939	20,004	1,919	6	10	10,099	713	32.5	375	17.1
White-----	21,904	19,973	1,915	6	10	10,057	709	32.4	373	17.0
Nonwhite--	35	31	4	-	-	42	4	114.3	2	57.1
Androscoggin-----	2,018	1,932	86	-	-	946	72	35.7	37	18.3
Lewiston-----	1,030	1,004	26	-	-	430	54	33.0	14	13.6
Auburn-----	394	385	9	-	-	191	10	25.4	9	22.8
Balance of county-----	594	542	52	-	-	325	28	47.1	14	23.6
Aroostook-----	2,041	2,063	77	2	1	830	140	49.3	45	15.8
Cumberland-----	3,740	3,680	77	-	3	1,851	31	24.3	65	17.4
Portland-----	1,690	1,679	9	-	2	937	35	20.7	32	18.9
South Portland-----	502	497	4	-	-	189	14	27.9	6	12.0
Westbrook-----	259	250	9	-	1	104	3	11.6	1	3.9
Balance of county-----	1,289	1,234	55	-	-	621	39	30.3	26	20.2
Franklin-----	497	446	50	-	1	237	17	34.2	15	30.2
Hancock-----	891	837	52	1	1	423	20	28.9	9	11.6
Kennebec-----	1,921	1,846	74	-	1	878	52	27.1	42	21.9
Augusta-----	340	338	1	-	1	174	9	26.5	14	41.2
Waterville-----	414	400	14	-	-	180	12	29.0	6	14.5
Balance of county-----	1,167	1,108	59	-	-	525	31	28.6	22	18.9
Knox-----	585	535	50	-	-	398	20	34.2	6	10.3
Lincoln-----	345	317	28	-	-	277	18	52.2	8	23.2
Oxford-----	1,137	1,086	49	-	2	463	39	34.3	12	10.8
Penobscot-----	2,861	2,636	223	-	-	1,183	92	32.2	40	14.0
Bangor-----	804	780	14	-	-	410	21	26.1	11	13.7
Balance of county-----	2,057	1,848	209	-	-	773	71	34.5	29	14.1
Piscataquis-----	439	410	29	-	-	218	11	25.1	7	15.9
Sagadahoc-----	424	395	29	-	-	271	9	21.2	11	25.9
Bath-----	201	190	11	-	-	144	6	29.9	4	19.9
Balance of county-----	223	205	18	-	-	127	3	13.5	7	31.4
Somerset-----	917	851	62	3	1	410	25	27.3	16	19.6
Waldo-----	519	396	121	-	-	291	16	30.8	10	19.3
Washington-----	670	503	167	-	-	404	24	35.8	12	17.9
York-----	2,334	2,287	47	-	-	1,020	67	28.7	39	16.7
Biddeford-----	541	533	8	-	-	181	9	16.6	9	16.6
Balance of county-----	1,793	1,754	39	-	-	839	56	32.3	30	18.7
MARYLAND-----	53,597	45,862	5,693	1,971	71	22,110	1,656	30.5	1,202	22.4
White-----	41,949	38,325	3,140	342	42	17,453	1,107	26.5	813	19.4
Nonwhite--	11,748	7,537	2,553	1,629	29	4,657	529	45.0	389	33.1
Allegany-----	2,013	1,691	127	4	1	907	57	23.3	34	16.9
Cumberland-----	792	770	22	-	-	441	21	26.5	15	18.9
Balance of county-----	1,221	1,111	105	4	1	466	36	29.5	19	15.6
Anne Arundel-----	2,410	1,916	296	199	7	801	78	32.4	56	23.2
White-----	1,612	1,621	144	43	4	572	47	25.9	42	23.2
Nonwhite--	599	297	142	156	3	229	31	51.8	14	23.4
Annapolis-----	398	331	26	40	1	180	10	25.1	10	23.1
White-----	244	232	3	9	-	79	4	16.4	6	24.6
Nonwhite--	154	99	23	31	1	71	6	39.0	4	26.0
Balance of county-----	2,012	1,587	260	159	6	651	68	33.8	46	22.9
White-----	1,568	1,369	141	34	4	493	43	27.4	36	23.0
Nonwhite--	444	198	119	125	2	158	25	56.3	10	22.5
Baltimore-----	6,131	5,398	725	5	3	1,879	153	25.0	95	15.5
District 12 ² -----	487	293	172	2	-	188	30	64.2	16	14.3
District 13 ³ -----	112	99	13	-	-	125	5	44.6	1	8.9
Balance of county-----	5,532	5,006	540	3	3	1,566	118	21.3	78	14.0
White-----	5,149	4,694	452	101	2	1,446	101	19.6	70	13.6
Nonwhite--	403	312	88	2	1	120	17	42.2	8	19.9
Baltimore (city)-----	21,631	19,099	2,243	494	5	10,832	695	31.3	499	22.9
White-----	14,840	14,042	697	99	2	8,045	396	26.7	292	19.7
Nonwhite--	6,991	5,057	1,546	395	3	2,807	297	41.1	207	29.6
Calvert-----	351	229	56	72	4	127	21	38.2	14	38.8
White-----	165	136	28	-	1	61	6	36.4	5	30.3
Nonwhite--	196	93	28	72	3	66	15	76.5	9	45.9
Caroline-----	383	242	81	59	1	194	21	54.8	5	13.1
White-----	287	226	45	15	1	160	15	52.3	2	7.0
Nonwhite--	96	16	36	44	-	34	6	62.5	3	51.3
Carroll-----	842	631	204	2	5	427	23	27.3	19	22.6
Cecil-----	773	670	102	-	1	326	25	32.3	15	19.4
Charles-----	719	407	32	275	5	195	19	26.4	26	36.2
White-----	398	335	22	30	1	105	5	12.9	6	15.5
Nonwhite--	331	72	10	245	4	90	14	42.3	20	60.4
Dorchester-----	554	368	49	135	2	315	36	68.6	15	27.1
White-----	323	298	21	4	-	191	13	40.2	8	24.8
Nonwhite--	231	70	28	131	2	124	23	108.2	7	30.3
Cambridge-----	255	176	12	66	1	130	18	70.6	6	23.5
White-----	146	138	7	1	-	71	2	13.7	3	20.5
Nonwhite--	109	38	5	65	1	59	16	146.8	3	27.5
Balance of county-----	299	192	37	69	1	185	20	66.9	9	30.1
White-----	177	160	14	3	-	120	11	62.1	5	26.2
Nonwhite--	122	32	23	66	1	65	9	73.8	4	32.8
Frederick-----	1,362	1,146	210	3	3	678	48	35.2	36	26.4
Frederick-----	469	452	17	-	-	224	11	23.5	12	32.0
White-----	410	394	16	-	-	192	8	19.5	12	29.3
Nonwhite--	59	58	1	-	-	32	3	50.8	3	50.8
Balance of county-----	893	694	193	5	3	454	37	41.4	21	23.5

See footnotes on p. 93.

GENERAL TABLES—BIRTHS, DEATHS, AND FETAL DEATHS

TABLE 1.—LIVE BIRTHS BY PERSON IN ATTENDANCE; TOTAL DEATHS; DEATHS UNDER 1 YEAR AND INFANT MORTALITY RATES; AND FETAL DEATHS AND RATIOS: UNITED STATES, EACH STATE AND COUNTY, AND EACH URBAN PLACE HAVING, IN 1940, A POPULATION OF 10,000 OR MORE, 1949—Continued

(See headnote on p. 2)

AREA AND RACE	LIVE BIRTHS					Deaths (all ages)	DEATHS UNDER 1 YEAR		FETAL DEATHS	
	Total	Attended by—					Number	Rate	Number	Ratio
		Physi- cian in hos- pital ¹	Physi- cian not in hos- pital	Midwife	Other and not speci- fied					
MARYLAND—Continued										
Garrett	541	253	198	84	6	173	16	29.6	13	24.0
Harford	1,391	1,228	160	-	3	422	50	35.9	31	22.3
	1,222	1,109	112	-	2	354	39	31.9	25	18.8
	169	120	48	-	1	68	11	65.1	8	47.3
Howard	514	392	118	4	-	198	15	29.2	13	25.3
	426	351	75	-	-	158	14	32.9	9	21.1
	88	41	43	4	-	35	1	11.4	4	45.5
Kent	322	229	82	29	2	172	8	24.8	8	24.8
	234	200	32	-	2	128	4	17.1	4	17.1
	88	29	30	29	-	46	4	45.5	4	45.5
Montgomery	3,982	3,849	128	13	2	1,060	98	22.0	73	18.3
	3,534	3,589	87	1	1	846	78	21.5	63	17.2
	427	260	61	12	1	114	10	29.9	10	29.9
Prince Georges	4,427	4,225	94	104	4	990	99	22.4	89	19.9
	3,831	3,773	44	11	3	809	83	21.7	70	18.3
	596	452	50	93	1	181	16	28.8	18	30.2
Queen Anne's	310	180	101	47	2	147	10	32.3	10	32.3
	195	135	55	4	-	108	7	35.9	8	41.0
	115	24	46	43	2	39	3	26.1	2	17.4
St. Marys	664	439	77	147	1	198	26	39.2	26	39.2
	463	410	29	24	-	128	21	45.4	14	30.2
	201	29	48	123	1	70	5	24.9	12	59.7
Somerset	426	256	57	109	4	303	27	63.4	23	54.0
	226	202	20	3	1	178	9	39.8	10	44.2
	200	54	37	106	3	125	18	90.0	13	85.0
Talbot	418	323	65	30	-	257	19	45.5	24	57.4
	276	265	11	2	-	171	9	38.4	10	36.0
	140	58	54	28	-	86	10	71.4	14	100.0
Washington	1,782	1,464	308	2	8	785	60	33.7	44	24.7
Hagerstown	664	786	74	-	4	422	37	42.8	18	20.8
Balance of county	918	678	234	2	4	363	23	25.1	26	28.3
Wicomico	669	769	87	13	-	458	29	33.4	23	26.5
	641	591	48	2	-	345	23	35.9	13	20.3
	228	178	39	11	-	111	6	26.3	10	43.9
Salisbury	481	457	22	2	-	186	16	33.3	10	20.8
	385	376	9	-	-	149	14	36.4	5	13.0
	96	81	13	2	-	37	2	20.8	5	52.1
Balance of county	388	312	65	11	-	270	15	33.5	13	33.5
	256	215	39	2	-	196	9	35.2	8	31.3
	132	97	26	9	-	74	4	30.3	5	37.9
Worcester	562	286	123	151	2	253	25	40.9	12	21.4
	330	238	90	11	1	164	7	21.2	4	12.1
	232	48	43	140	1	89	16	69.0	8	34.5
MASSACHUSETTS										
	95,615	94,460	1,139	1	15	50,767	2,347	24.5	1,646	71.2
	93,565	92,473	1,077	-	15	49,984	2,269	24.3	1,589	17.0
	2,050	1,987	62	1	-	883	78	36.0	57	27.8
Barnstable	989	942	47	-	-	605	39	39.4	15	15.2
Berkshire	2,833	2,799	33	-	1	1,470	75	25.8	47	16.6
Pittsfield	1,261	1,250	10	-	1	593	34	27.0	20	15.9
Adams (town)	243	242	1	-	-	121	6	24.7	3	12.3
North Adams	442	436	6	-	-	266	10	22.6	9	20.4
Balance of county	887	871	16	-	-	485	23	25.9	15	16.9
Bristol	7,608	7,321	283	-	4	4,288	189	24.8	122	16.0
Fall River	2,321	2,147	172	-	2	1,360	62	26.7	33	14.2
New Bedford	2,146	2,056	79	-	1	1,325	47	21.9	45	21.0
Taunton	900	784	15	-	1	456	30	37.5	8	10.0
Attleboro	541	537	4	-	-	255	11	20.3	9	16.6
Fairhaven (town)	201	201	-	-	-	133	8	39.8	5	24.9
North Attleborough (town)	208	206	2	-	-	126	5	24.0	-	0
Balance of county	1,391	1,360	11	-	-	633	26	18.7	22	15.8
Dukes	78	78	-	-	-	77	-	0	-	0
Essex	10,705	10,560	138	1	6	5,897	218	20.4	184	17.2
Beverly	661	660	1	-	-	286	14	21.2	10	35.1
Haverhill	919	894	24	-	1	600	23	25.0	14	15.2
Lawrence	1,718	1,703	13	-	-	1,017	53	30.9	32	18.6
Tyngs	2,078	2,028	47	1	2	1,196	27	13.0	27	13.0
Salem	903	886	17	-	-	521	14	15.5	23	25.5
Amesbury (town)	274	273	1	-	-	114	4	14.6	5	18.2
Andover (town)	227	227	-	-	-	124	7	30.8	6	26.4
Danvers (town)	261	261	-	-	-	132	3	11.5	9	34.5
Gloucester	582	558	4	-	-	300	6	10.7	8	14.2
Marblehead (town)	268	265	3	-	-	124	2	7.5	4	14.9
Methuen (town)	491	488	3	-	-	232	11	22.4	8	16.3
Newburyport	307	304	3	-	-	165	12	39.1	6	19.5
Peabody	475	470	3	-	-	219	11	23.3	6	12.7
Saugus (town)	303	303	-	-	-	144	5	16.5	2	6.6
Somerville (town)	174	174	-	-	-	117	3	17.2	4	23.0
Balance of county	1,088	1,086	19	-	3	586	23	21.1	20	18.4
Franklin	1,230	1,194	36	-	-	640	37	30.1	21	17.1
Greenfield (town)	422	422	-	-	-	204	9	21.3	6	14.2
Balance of county	808	772	36	-	-	436	28	34.7	15	18.6

See footnotes on p. 95.

VITAL STATISTICS OF THE UNITED STATES

TABLE 1.—LIVE BIRTHS BY PERSON IN ATTENDANCE; TOTAL DEATHS; DEATHS UNDER 1 YEAR AND INFANT MORTALITY RATES; AND FETAL DEATHS AND RATIOS: UNITED STATES, EACH STATE AND COUNTY, AND EACH URBAN PLACE HAVING, IN 1940, A POPULATION OF 10,000 OR MORE, 1949—Continued

(See headnote on p. 2)

AREA AND RACE	LIVE BIRTHS					Deaths (all ages)	DEATHS UNDER 1 YEAR		FETAL DEATHS	
	Total	Attended by—					Number	Rate	Number	Ratio
		Physi- cian in hos- pital ¹	Physi- cian not in hos- pital	Midwife	Other and not speci- fied					
MASSACHUSETTS—Continued										
Hampden-----	8,029	7,997	42	-	-	3,773	215	26.8	146	18.2
Springfield-----	4,040	4,028	12	-	-	1,828	105	26.0	65	16.1
Chicopee-----	1,065	1,059	4	-	-	396	21	19.8	24	22.6
Holyoke-----	1,162	1,162	-	-	-	678	31	26.7	27	23.2
Westfield-----	455	454	1	-	-	208	15	33.0	4	8.8
West Springfield (town)-----	49	47	1	-	-	179	6	125.0	2	41.7
Balance of county-----	1,261	1,257	24	-	-	495	37	29.3	24	19.0
Hampshire-----	1,627	1,614	13	-	-	812	46	28.3	29	17.8
Bathampton (town)-----	195	196	7	-	-	89	7	35.9	4	20.5
Northampton-----	479	475	4	-	-	285	14	29.2	11	23.0
Balance of county-----	953	951	2	-	-	438	25	26.2	14	14.7
Middlesex-----	22,548	22,444	103	-	1	10,789	543	24.1	357	15.8
Cambridge-----	2,747	2,731	15	-	1	1,311	68	24.8	62	22.6
Lowell-----	2,222	2,222	15	-	-	1,273	61	27.3	31	15.8
Somerville-----	2,209	2,204	5	-	-	1,094	54	24.4	50	22.6
Arlington (town)-----	737	736	1	-	-	419	17	23.1	13	17.6
Belmont (town)-----	396	393	3	-	-	261	10	25.3	11	27.8
Everett-----	1,033	1,023	10	-	-	402	25	24.2	14	13.6
Malden-----	1,220	1,220	-	-	-	648	33	27.0	24	19.7
Medford-----	1,347	1,347	-	-	-	593	37	27.5	24	17.0
Melrose-----	522	521	1	-	-	301	10	19.2	12	23.0
Newton-----	1,484	1,489	5	-	-	792	35	23.4	19	12.7
Waltham-----	1,103	1,103	1	-	-	436	23	20.8	15	13.6
Watertown (town)-----	742	737	5	-	-	320	11	14.8	7	9.4
Frammingham (town)-----	657	653	4	-	-	291	10	15.2	9	13.7
Lexington (town)-----	287	295	2	-	-	133	9	30.3	2	6.7
Marlborough-----	334	332	2	-	-	198	11	32.9	7	21.0
Natick (town)-----	478	477	1	-	-	180	14	28.3	6	12.6
Reading (town)-----	313	313	-	-	-	156	4	12.8	2	6.4
Stoneham (town)-----	279	279	-	-	-	119	7	25.1	6	21.5
Wakefield (town)-----	383	383	-	-	-	152	7	18.3	15	38.2
Winchester (town)-----	247	247	-	-	-	167	7	28.3	2	8.1
Woburn-----	530	529	2	-	-	215	12	22.6	12	22.6
Balance of county-----	3,242	3,211	31	-	1	1,328	78	24.1	44	13.6
Nantucket-----	76	76	-	-	-	53	2	26.3	-	0
Norfolk-----	7,310	7,268	41	-	1	3,899	146	20.0	139	18.9
Brookline (town)-----	666	662	4	-	-	721	20	22.6	12	13.5
Quincy-----	1,742	1,742	2	-	-	854	37	21.2	45	25.8
Braintree (town)-----	456	456	-	-	-	180	11	24.1	3	6.6
Dedham (town)-----	355	355	-	-	-	179	4	11.3	9	25.4
Milton (town)-----	280	280	-	-	-	238	3	10.7	2	7.1
Needham (town)-----	287	286	1	-	-	139	1	3.5	4	15.9
Norwood (town)-----	337	335	2	-	-	165	5	14.8	7	20.8
Wellesley (town)-----	297	297	-	-	-	146	9	30.3	5	16.8
Weymouth (town)-----	721	718	3	-	-	277	15	20.8	14	19.4
Balance of county-----	1,947	1,917	29	-	1	1,021	41	21.1	37	19.0
Plymouth-----	3,787	3,694	92	-	1	2,124	71	18.7	79	20.9
Brockton-----	1,218	1,197	21	-	-	761	26	21.3	23	18.9
Plymouth (town)-----	290	283	7	-	-	158	7	24.1	9	31.0
Balance of county-----	2,279	2,214	64	-	1	1,165	38	16.7	47	20.6
Suffolk-----	17,606	17,426	179	-	1	10,608	470	26.7	331	18.8
Boston-----	15,707	15,560	146	-	1	9,621	420	26.7	308	19.6
White-----	14,559	14,429	129	-	1	9,113	374	25.7	274	18.8
Nonwhite-----	1,148	1,131	17	-	-	508	46	40.1	34	29.6
Chelsea-----	780	783	27	-	-	432	19	24.4	18	15.4
Revere-----	738	732	6	-	-	365	24	32.5	8	10.8
Winthrop (town)-----	381	381	-	-	-	190	7	18.4	3	7.9
Worcester-----	11,189	11,057	132	-	-	5,734	298	26.6	177	15.8
Worcester-----	4,142	4,117	25	-	-	2,244	92	22.2	68	18.4
Pitchburg-----	940	934	6	-	-	463	23	24.5	16	17.0
Athol (town)-----	265	247	18	-	-	140	13	49.1	7	28.4
Clinton (town)-----	286	286	-	-	-	170	9	33.8	4	15.0
Gardner-----	394	385	9	-	-	188	16	40.6	3	7.6
Leominster-----	537	530	7	-	-	254	16	28.8	9	16.8
Milford (town)-----	336	334	2	-	-	170	16	47.6	4	11.9
Northbridge (town)-----	195	195	-	-	-	107	5	25.6	4	20.5
Southbridge (town)-----	390	378	2	-	-	160	8	21.1	6	15.8
Webster (town)-----	298	284	4	-	-	127	6	20.8	2	6.9
Balance of county-----	3,446	3,387	59	-	-	1,708	94	27.3	54	15.7
MICHIGAN-----	157,178	151,223	5,693	120	142	57,422	4,545	28.9	2,957	18.8
White-----	144,052	139,553	4,314	67	118	53,365	4,009	27.8	2,582	17.9
Nonwhite-----	13,126	11,670	1,379	53	24	4,057	537	40.9	375	28.6
Alcona-----	115	67	48	-	-	62	3	26.1	1	8.7
Alger-----	297	285	10	-	2	109	10	33.7	8	26.9
Allegan-----	1,232	1,138	63	1	-	494	32	26.6	18	15.0
Alpena-----	595	577	8	-	-	208	11	18.8	6	10.3
Alpena-----	354	351	3	-	-	136	6	16.9	4	11.3
Balance of county-----	231	226	5	-	-	72	5	21.6	2	9.7
Antrim-----	237	162	74	-	1	149	12	50.6	3	12.7
Arethusa-----	219	195	20	1	3	113	12	54.8	2	9.1
Baraga-----	184	143	35	1	5	99	7	38.0	1	5.4
Barry-----	608	601	7	-	1	313	18	29.6	6	9.9

GENERAL TABLES—BIRTHS, DEATHS, AND FETAL DEATHS

TABLE 1.—LIVE BIRTHS BY PERSON IN ATTENDANCE; TOTAL DEATHS; DEATHS UNDER 1 YEAR AND INFANT MORTALITY RATES; AND FETAL DEATHS AND RATIOS: UNITED STATES, EACH STATE AND COUNTY, AND EACH URBAN PLACE HAVING, IN 1940, A POPULATION OF 10,000 OR MORE, 1949—Continued

(See headnote on p. 2)

AREA AND RACE	LIVE BIRTHS					Deaths (all ages)	DEATHS UNDER 1 YEAR		FETAL DEATHS	
	Total	Attended by—					Number	Rate	Number	Ratio
		Physi- cian in hos- pital*	Physi- cian not in hos- pital	Midwife	Other and not speci- fied					
MICHIGAN—Continued										
Bay	2,297	2,148	149	-	-	877	55	23.9	43	18.7
Bay City	1,387	1,344	43	-	-	602	40	28.8	28	20.2
Balance of county	910	804	106	-	-	275	15	16.5	15	16.5
Benzie	198	184	13	-	-	97	5	25.3	2	10.1
Berrien	2,998	2,794	175	26	3	1,078	80	26.7	59	19.7
Benton Harbor	779	757	18	4	-	244	18	25.1	18	23.1
Niles	367	367	-	-	-	121	6	16.3	11	30.0
Balance of county	1,852	1,670	157	22	3	713	56	30.2	30	16.2
Branch	662	650	11	-	1	361	11	16.6	12	18.1
Calhoun	2,981	2,948	32	-	1	1,130	91	27.2	52	17.4
Battle Creek	1,421	1,407	13	-	1	544	49	34.5	29	20.4
Balance of county	1,560	1,541	19	-	-	586	32	20.5	23	14.7
Cass	599	570	28	-	1	343	22	36.7	10	16.7
Charlevoix	327	284	43	-	-	170	14	42.8	5	15.3
Cheboygan	409	285	123	-	1	184	10	24.4	6	14.7
Chippewa	797	762	16	12	7	271	28	35.1	21	26.3
Sault Ste. Marie	509	504	4	-	-	184	21	41.3	14	27.6
Balance of county	289	258	12	12	7	87	7	24.2	7	24.2
Clare	236	201	34	-	1	108	5	21.2	8	33.9
Clinton	818	795	22	-	1	323	26	31.8	13	15.9
Crawford	99	99	-	-	-	54	9	90.9	5	50.5
Delta	894	841	30	3	20	368	28	31.3	18	20.1
Escanaba	433	417	10	-	6	178	19	43.9	9	20.8
Balance of county	461	424	20	3	14	190	9	19.5	9	19.5
Dickinson	562	544	16	1	1	269	11	19.6	13	23.1
Iron Mountain	232	224	8	-	-	116	7	30.2	4	17.2
Balance of county	330	320	8	1	1	153	4	12.1	9	27.3
Eaton	993	965	28	-	-	432	30	30.2	12	12.1
Emmet	454	444	7	2	1	219	16	35.2	8	17.6
Genesee	7,014	6,849	159	3	3	2,174	204	29.1	138	19.7
Pilot	4,280	4,204	73	2	1	1,416	124	29.0	66	20.1
Balance of county	2,734	2,645	86	2	2	758	80	29.3	52	19.0
Gladwin	256	207	46	1	2	84	7	27.3	4	15.6
Gogebic	530	513	16	-	1	304	24	45.3	8	15.1
Ironwood	226	222	4	-	-	129	6	28.5	3	13.3
Balance of county	304	291	12	-	1	175	18	59.2	5	16.4
Grand Traverse	656	632	24	-	-	255	24	36.6	10	15.2
Traverse City	331	329	2	-	-	153	15	45.3	5	15.1
Balance of county	325	303	22	-	-	102	9	27.7	5	15.4
Gratiot	678	635	37	2	4	383	40	45.6	17	19.4
Hillsdale	679	667	12	-	-	406	20	29.5	20	29.5
Houghton	794	769	23	1	1	651	38	47.8	13	16.4
Huron	855	818	37	-	-	366	31	36.3	15	17.5
Ingham	4,478	4,437	40	1	-	1,356	94	21.0	51	11.4
Lansing	2,143	2,134	9	-	-	809	53	24.7	30	14.0
Balance of county	2,335	2,303	31	1	-	547	41	17.6	21	9.0
Ionia	930	883	34	-	3	392	25	26.9	27	29.0
Iosco	241	183	51	6	1	111	8	33.2	3	12.4
Iron	369	354	15	-	-	235	16	43.4	4	10.8
Isabella	757	713	39	2	3	318	28	37.0	14	18.5
Jackson	2,545	2,529	16	-	-	1,134	82	32.2	48	18.9
Jackson	1,272	1,268	4	-	-	660	44	34.6	33	25.9
Balance of county	1,273	1,261	12	-	-	474	38	29.9	15	11.6
Kalamazoo	3,302	3,179	21	1	1	1,162	79	24.7	50	16.6
Kalamazoo	1,462	1,453	7	1	1	680	44	30.1	29	19.8
Balance of county	1,740	1,726	14	-	-	482	35	20.1	21	12.1
Kalamazoo	100	67	32	-	1	52	3	30.0	4	40.0
Kent	7,422	7,175	239	-	9	2,755	163	22.0	122	16.4
Grand Rapids	4,903	4,815	87	-	1	1,956	108	22.0	87	17.7
Balance of county	2,519	2,360	151	-	8	797	55	21.8	35	13.9
Keweenaw	50	-	-	-	-	44	3	60.0	3	60.0
Lake	112	106	6	-	-	75	1	8.9	-	0
White	89	86	3	-	-	55	1	11.2	-	0
Nonwhite	23	20	3	-	-	20	-	0	-	0
Lapeer	694	589	103	3	-	361	31	44.7	19	27.4
Leelanau	243	236	4	1	2	92	5	20.6	5	20.6
Lenawee	1,757	1,675	82	-	-	670	54	30.7	24	13.7
Adrian	554	520	34	-	-	170	13	23.5	7	12.6
Balance of county	1,203	1,155	48	-	-	500	41	34.1	17	14.1
Livingston	569	589	20	-	-	288	14	23.8	12	20.4
Luce	181	177	3	-	1	65	5	27.8	4	22.1
Mackinac	225	153	71	1	-	94	9	40.0	6	26.7
Macomb	5,015	4,820	192	1	2	1,252	122	24.3	101	20.1
Mount Clemens	673	638	35	-	-	196	24	35.7	20	29.7
St. Clair Shores	564	583	11	-	-	85	2	3.5	9	18.0
Balance of county	3,778	3,629	146	1	2	970	96	25.4	72	19.1
Manistee	407	382	25	-	-	245	12	29.5	7	17.2
Marquette	1,089	1,072	13	1	3	586	24	22.0	23	21.1
Marquette	403	401	2	1	-	189	12	29.8	10	24.8
Balance of county	686	671	11	1	3	377	12	17.5	13	19.0
Mason	479	466	11	2	-	261	15	31.3	1	2.1
Mecon	451	401	50	-	-	222	15	33.3	15	33.3
Menominee	624	591	4	-	9	250	12	19.9	8	9.9
Menominee	284	263	4	-	1	122	5	18.9	3	11.4
Balance of county	340	328	-	-	8	128	7	20.6	5	8.8

See footnotes on p. 93.

VITAL STATISTICS OF THE UNITED STATES

TABLE 1.—LIVE BIRTHS BY PERSON IN ATTENDANCE; TOTAL DEATHS; DEATHS UNDER 1 YEAR AND INFANT MORTALITY RATES; AND FETAL DEATHS AND RATIOS: UNITED STATES, EACH STATE AND COUNTY, AND EACH URBAN PLACE HAVING, IN 1940, A POPULATION OF 10,000 OR MORE, 1949—Continued

(See headnote on p. 2)

AREA AND RACE	LIVE BIRTHS					Deaths (all ages)	DEATHS UNDER 1 YEAR		FETAL DEATHS	
	Total	Attended by—					Number	Rate	Number	Ratio
		Physi- cian in hos- pital ¹	Physi- cian not in hos- pital	Midwife	Other and not speci- fied					
MICHIGAN—Continued										
Midland-----	1,026	981	39	3	3	252	20	19.5	17	16.6
Midland-----	437	431	6	-	-	98	7	16.0	10	22.9
Balance of county-----	589	550	33	3	3	154	13	22.1	7	11.9
Missaukee-----	171	132	39	-	-	68	8	46.8	4	23.4
Monroe-----	1,898	1,826	71	1	-	656	78	41.1	32	16.9
Monroe-----	812	793	18	1	-	233	33	40.8	16	22.2
Balance of county-----	1,086	1,033	53	-	-	425	45	41.4	14	12.9
Montcalm-----	776	756	39	-	2	351	24	50.9	11	14.2
Montmorency-----	91	78	16	-	-	27	3	33.0	2	22.0
Muskegon-----	3,512	3,463	46	1	-	1,048	127	56.2	78	22.2
Muskegon-----	1,648	1,640	8	-	-	506	56	54.0	49	29.7
Muskegon Heights-----	588	584	4	-	-	155	20	54.0	12	20.4
Balance of county-----	1,276	1,259	36	1	-	387	51	40.0	17	13.3
Newaygo-----	545	474	70	-	1	219	20	56.7	5	9.2
Oakland-----	10,195	9,686	304	1	4	2,604	246	24.1	191	16.7
Oakland-----	1,952	1,932	30	-	1	577	49	25.0	51	26.0
Royal Oak-----	1,376	1,365	11	-	-	258	19	13.8	22	16.0
Birmingham-----	474	473	1	-	-	135	10	21.1	6	12.7
Ferndale-----	693	686	6	-	1	224	20	22.4	22	24.6
Balance of county-----	5,489	5,230	256	1	2	1,410	148	27.0	90	16.4
Oceana-----	372	360	11	-	1	194	19	51.1	10	26.9
Ogemaw-----	224	211	11	1	1	93	5	13.4	1	4.5
Ontonagon-----	227	191	33	2	1	148	5	22.0	7	30.8
Oscoda-----	331	269	41	-	1	157	16	48.3	5	15.1
Oscoda-----	89	82	7	-	-	28	1	14.5	-	0
Otsego-----	144	126	17	-	1	48	-	0	3	20.8
Ottawa-----	2,079	1,996	83	-	-	631	58	27.9	31	14.9
Holland-----	420	419	1	-	-	175	14	33.3	9	21.4
Balance of county-----	1,659	1,577	82	-	-	456	44	28.5	22	13.3
Presque Isle-----	368	311	56	-	1	120	13	55.5	4	10.9
Roscommon-----	139	131	8	-	-	52	7	50.4	-	0
Saginaw-----	4,046	3,946	95	1	4	1,344	99	24.5	74	18.3
Saginaw-----	2,392	2,367	24	1	-	875	62	23.9	45	18.0
Balance of county-----	1,654	1,579	71	-	4	469	37	22.4	31	19.7
St. Clair-----	2,224	2,074	149	-	1	1,025	118	53.1	46	21.6
Fort Huron-----	933	895	47	-	1	423	49	52.5	21	22.5
Balance of county-----	1,291	1,189	102	-	-	602	69	53.4	27	20.9
St. Joseph-----	775	751	24	-	-	430	19	24.5	7	9.0
Saukville-----	756	665	92	-	1	368	20	26.5	19	25.1
Schoolcraft-----	243	235	8	2	-	118	10	41.2	5	20.6
Shiawassee-----	1,172	1,132	40	-	-	479	29	24.7	16	15.4
Owosso-----	452	428	24	-	-	171	12	26.5	4	8.8
Balance of county-----	720	704	16	-	-	308	17	23.6	14	19.4
Tuscola-----	816	745	70	1	-	396	21	25.7	10	12.3
Van Buren-----	900	871	27	-	2	513	31	34.4	6	6.7
Washtenaw-----	3,596	3,342	52	-	2	947	105	30.9	57	16.8
Ann Arbor-----	1,037	1,030	7	-	-	330	22	21.2	21	20.3
Ypsilanti-----	722	717	5	-	-	176	26	36.0	11	15.2
White-----	624	623	1	-	-	131	7	30.4	8	12.8
Nonwhite-----	98	94	4	-	-	45	7	71.4	3	30.6
Balance of county-----	1,637	1,595	40	-	2	441	57	34.8	25	15.3
Wayne-----	57,636	55,997	1,786	54	19	20,435	1,636	29.2	1,139	20.7
Detroit-----	44,063	42,641	1,393	13	11	16,635	1,273	28.9	925	21.0
White-----	35,165	34,618	561	4	2	13,651	945	26.8	657	18.7
Nonwhite-----	8,878	8,023	837	9	9	2,784	330	37.2	266	30.2
Dearborn-----	2,820	2,608	14	-	-	599	80	30.5	45	17.2
Hastings-----	1,023	979	43	-	-	399	39	36.1	21	20.5
Highland Park-----	814	692	22	-	1	475	25	27.4	20	21.9
Wyandotte-----	1,339	1,330	9	-	1	286	24	17.9	27	20.2
Ecorse-----	542	469	73	-	-	142	25	46.1	13	24.0
White-----	327	320	7	-	-	85	9	27.5	9	27.5
Nonwhite-----	215	149	66	-	-	49	16	74.4	4	18.6
Grosse Pointe Park-----	108	106	2	-	-	92	3	27.8	1	9.3
Lincoln Park-----	718	713	5	-	-	115	12	16.7	13	18.1
River Rouge-----	525	525	58	-	-	158	25	42.9	10	17.2
White-----	398	387	11	-	-	105	14	35.2	3	7.5
Nonwhite-----	185	138	47	-	-	53	11	59.5	7	37.8
Balance of county-----	5,928	5,736	183	21	6	1,534	180	30.4	124	20.9
Westford-----	473	432	41	-	-	218	15	31.7	7	14.8
MINNESOTA-----										
White-----	73,929	72,058	1,693	112	66	27,719	1,693	25.6	1,197	16.2
Nonwhite-----	610	754	30	8	18	334	56	69.1	24	29.6
Aitkin-----	303	293	10	-	-	159	5	16.5	7	23.1
Anoka-----	879	846	19	12	2	223	19	21.6	11	12.5
Becker-----	639	617	10	3	9	227	19	29.7	15	23.5
Beltrami-----	697	620	33	24	10	243	18	26.2	19	27.7
Benton-----	421	410	6	4	1	125	7	16.6	5	11.9
St. Cloud (part)-----	55	53	2	-	-	21	-	(*)	2	(*)
Balance of county-----	366	357	4	4	1	104	7	19.1	3	8.2
Big Stone-----	250	235	15	-	-	71	2	8.0	3	12.0
Blue Earth-----	1,039	1,034	5	-	-	403	26	25.0	12	11.5
Mankato-----	529	523	1	-	-	206	17	32.1	6	11.3
Balance of county-----	510	506	4	-	-	197	9	17.6	6	11.8

See footnotes on p. 93.

VITAL STATISTICS OF THE UNITED STATES

TABLE 1.—LIVE BIRTHS BY PERSON IN ATTENDANCE; TOTAL DEATHS; DEATHS UNDER 1 YEAR AND INFANT MORTALITY RATES; AND FETAL DEATHS AND RATIOS: UNITED STATES, EACH STATE AND COUNTY, AND EACH URBAN PLACE HAVING, IN 1940, A POPULATION OF 10,000 OR MORE, 1949—Continued

(See headnote on p. 2)

AREA AND RACE	LIVE BIRTHS					Deaths (all ages)	DEATHS UNDER 1 YEAR		FETAL DEATHS	
	Total	Attended by—					Number	Rate	Number	Ratio
		Physi- cian in hos- pital ¹	Physi- cian not in hos- pital	Midwife	Other and not speci- fied					
MINNESOTA—Continued										
St. Louis	4,739	4,668	50	-	1	2,182	141	29.8	78	16.5
Duluth	2,384	2,371	13	-	-	1,155	69	28.5	41	17.2
Hibbing	480	466	4	-	-	163	15	30.6	4	8.2
Virginia	299	299	-	-	-	134	9	30.1	7	23.4
Balance of county	1,586	1,532	33	-	1	730	49	31.3	26	16.6
Scott	411	402	9	-	-	169	13	31.6	3	7.3
Sherburne	219	216	3	-	-	102	5	13.7	6	22.8
St. Cloud (part)	27	27	-	-	-	11	-	(4)	-	(4)
Balance of county	192	189	3	-	-	91	3	15.6	5	26.0
Sibley	375	356	19	-	-	148	1	2.7	6	16.0
Stearns	2,108	1,999	107	-	2	617	79	37.5	51	14.7
St. Cloud (part)	865	861	4	-	-	235	39	(4)	11	(4)
St. Cloud (total)	967	961	6	-	-	267	39	40.3	13	13.4
Balance of county	1,223	1,118	103	-	2	382	40	32.7	20	16.4
Steele	518	506	10	-	-	171	9	17.4	8	15.4
Stevens	299	292	7	-	-	82	5	16.7	5	16.7
Swift	425	414	11	-	-	129	11	25.9	7	16.5
Todd	610	556	54	-	-	239	16	26.2	5	8.2
Traverse	210	205	4	-	-	56	2	8.5	3	14.3
Wabasha	456	437	19	-	-	160	17	37.3	7	15.4
Wadena	346	320	28	-	-	129	15	43.1	6	17.2
Waseca	346	340	6	-	-	161	5	14.5	7	20.2
Washington	894	880	14	-	-	269	22	24.6	13	14.5
Watowan	299	295	4	-	-	141	6	20.1	5	16.7
Wilkin	294	292	2	-	-	90	15	51.0	2	17.0
Winona	893	876	16	1	-	361	16	17.9	27	30.2
Winona	584	577	7	-	-	228	8	13.7	16	27.4
Balance of county	309	299	9	1	-	133	8	25.9	11	35.6
Wright	857	820	37	-	-	267	22	33.5	14	21.3
Yellow Medicine	400	388	12	-	-	158	11	27.5	4	10.0
MISSISSIPPI	66,415	29,464	12,829	23,327	795	20,661	2,631	39.6	1,989	29.9
White	29,097	23,177	5,141	630	149	9,381	923	31.7	548	16.8
Nonwhite	37,318	6,287	7,688	22,687	646	11,280	1,708	45.8	1,441	36.6
Adams	951	770	19	158	4	340	47	49.4	25	26.3
White	363	377	6	-	-	95	13	33.9	6	15.7
Nonwhite	568	393	13	158	4	245	34	59.9	19	33.5
Natchez	689	565	10	84	-	235	23	34.9	15	22.8
White	326	324	2	-	-	85	13	39.9	6	16.4
Nonwhite	363	241	8	84	-	150	10	30.0	9	27.0
Balance of county	292	205	9	74	4	105	24	82.2	10	34.2
White	57	53	4	-	-	10	-	0	-	0
Nonwhite	235	152	5	74	4	95	24	102.1	10	42.6
Alcorn	712	595	266	46	5	247	27	37.9	10	14.0
White	625	395	204	12	4	194	23	38.0	7	11.6
Nonwhite	107	10	62	34	1	53	4	37.4	3	28.0
Amite	593	171	108	301	15	144	12	20.2	15	25.3
White	193	145	44	4	-	66	4	20.7	4	20.7
Nonwhite	400	26	64	297	13	78	8	20.0	11	27.5
Attala	813	364	172	272	5	298	37	45.5	16	19.7
White	377	301	66	10	-	139	14	37.1	5	13.3
Nonwhite	436	63	106	262	5	149	23	52.8	11	25.2
Benton	290	92	43	151	4	66	3	10.3	7	24.1
White	118	65	27	6	-	39	1	9.6	1	8.5
Nonwhite	172	7	16	145	4	29	2	11.6	6	34.9
Bolivar	2,359	736	508	1,091	34	760	100	42.4	68	37.3
White	601	377	186	37	1	169	24	39.9	16	26.6
Nonwhite	1,758	359	322	1,044	33	592	76	43.2	72	41.0
Calhoun	528	260	200	51	5	157	21	39.9	22	41.8
White	340	215	121	1	3	115	10	29.4	10	29.4
Nonwhite	188	45	79	60	2	42	11	59.1	12	64.5
Carroll	455	94	90	265	4	142	15	33.1	26	57.4
White	131	86	31	11	1	65	4	30.5	6	45.6
Nonwhite	322	6	59	254	3	77	11	34.2	20	62.1
Chickasaw	590	177	228	180	7	191	20	33.9	22	37.3
White	278	159	117	1	1	103	10	36.0	7	25.2
Nonwhite	312	18	109	179	6	86	10	32.1	15	48.1
Choctaw	322	109	117	78	18	94	12	37.3	11	34.2
White	189	101	64	3	-	56	7	37.2	1	5.3
Nonwhite	134	8	33	75	18	38	5	37.3	10	74.6
Claiborne	326	74	16	235	1	136	10	30.7	7	21.5
White	62	50	5	7	-	32	-	0	1	15.1
Nonwhite	264	24	11	228	1	104	10	37.9	6	22.7
Clarke	600	246	121	223	10	195	21	35.0	18	30.0
White	281	201	75	5	-	100	12	42.7	8	28.5
Nonwhite	319	45	46	218	10	95	9	29.2	10	31.3
Clay	557	215	84	256	2	202	20	35.9	15	26.9
White	190	155	20	5	-	62	4	22.2	5	27.8
Nonwhite	377	60	64	251	2	120	16	42.4	10	26.5

See footnotes on p. 93.

GENERAL TABLES—BIRTHS, DEATHS, AND FETAL DEATHS

TABLE 1.—LIVE BIRTHS BY PERSON IN ATTENDANCE; TOTAL DEATHS; DEATHS UNDER 1 YEAR AND INFANT MORTALITY RATES; AND FETAL DEATHS AND RATIOS; UNITED STATES, EACH STATE AND COUNTY, AND EACH URBAN PLACE HAVING, IN 1940, A POPULATION OF 10,000 OR MORE, 1949—Continued

(See headnote on p. 2)

AREA AND RACE	LIVE BIRTHS					Deaths (all ages)	DEATHS UNDER 1 YEAR		FETAL DEATHS	
	Total	Attended by—					Number*	Rate	Number	Ratio
		Physi- cian in hos- pital ¹	Physi- cian not in hos- pital	Midwife	Other and not speci- fied					
MISSISSIPPI—Continued										
Coshong	1,589	388	486	671	44	554	78	49.1	47	29.6
White	348	279	60	7	2	105	11	31.6	6	17.2
Nonwhite	1,241	1,09	426	664	42	451	67	54.0	41	33.0
Clarksdale	476	223	182	70	1	191	25	52.5	10	21.0
White	183	180	2	1	-	54	7	38.3	6	32.8
Nonwhite	293	43	180	69	1	137	18	61.4	4	13.7
Balance of county	1,113	165	304	601	43	363	55	47.6	37	33.2
White	165	99	58	6	2	49	4	24.2	-	0
Nonwhite	948	66	246	595	41	314	48	51.7	37	39.0
Copiah	937	249	368	315	5	310	36	38.4	24	25.6
White	308	219	87	1	1	123	6	19.5	5	16.2
Nonwhite	629	30	281	314	4	187	30	47.7	19	30.2
Covington	478	221	129	114	14	141	14	29.3	6	12.6
White	244	168	63	6	7	99	5	20.5	1	4.1
Nonwhite	234	53	66	108	7	42	9	36.5	5	21.4
De Soto	816	290	131	387	8	249	32	39.2	33	40.4
White	196	166	28	2	-	73	7	35.7	5	25.5
Nonwhite	620	124	103	385	8	176	25	40.3	28	45.2
Forrest	1,309	957	92	254	6	424	50	38.2	30	22.9
White	823	798	17	7	1	259	30	36.5	8	9.7
Nonwhite	486	159	75	247	5	165	20	41.2	22	45.3
Hattiesburg	881	636	62	180	3	283	35	37.5	23	28.1
White	575	506	9	-	-	165	19	36.9	6	17.7
Nonwhite	306	130	53	180	3	118	14	38.3	17	46.4
Balance of county	428	321	30	74	3	141	17	39.7	7	16.4
White	308	292	8	7	1	94	11	35.7	2	6.5
Nonwhite	120	29	22	67	2	47	6	50.0	5	41.7
Franklin	291	156	32	100	3	106	11	37.8	14	48.1
White	146	132	11	3	-	43	5	34.2	3	20.5
Nonwhite	145	24	21	97	3	63	6	41.4	11	75.9
George	291	151	104	34	2	71	5	17.2	9	30.9
White	239	151	78	8	2	55	5	20.9	8	33.5
Nonwhite	52	-	26	26	-	16	-	0	1	19.2
Greene	275	77	122	64	12	79	14	50.9	5	18.2
White	194	73	100	16	5	61	10	51.5	4	20.6
Nonwhite	81	4	22	48	7	18	4	49.4	1	12.3
Grenada	545	197	69	269	10	205	29	51.4	25	45.9
White	212	186	23	3	-	76	9	37.7	6	28.3
Nonwhite	333	11	46	266	10	129	20	60.1	19	57.1
Hancock	282	188	46	47	1	104	7	24.8	8	28.4
White	238	187	40	11	-	84	6	25.2	6	25.2
Nonwhite	44	1	6	36	1	20	1	22.7	2	45.5
Harrison	1,457	1,457	85	297	11	598	70	37.8	38	19.5
White	1,423	1,319	54	47	3	441	49	34.4	19	13.4
Nonwhite	427	138	31	250	8	147	21	49.2	17	39.8
Biloxi	676	585	14	69	3	189	25	37.0	15	22.2
White	547	525	3	16	2	147	16	29.3	8	14.6
Nonwhite	129	59	11	53	6	42	9	69.8	7	54.3
Gulfport	602	486	20	95	1	207	26	43.2	9	15.0
White	451	435	15	1	-	152	21	46.6	2	4.4
Nonwhite	151	51	5	94	1	55	5	33.1	7	46.4
Balance of county	572	395	51	133	2	192	19	33.2	12	21.0
White	425	358	36	30	1	142	12	28.2	9	21.2
Nonwhite	147	28	15	103	1	50	7	47.6	3	20.4
Hinds	4,078	2,236	547	1,289	6	1,207	147	36.0	115	28.2
White	1,612	1,731	70	6	3	543	40	22.1	22	12.1
Nonwhite	2,266	805	477	1,281	3	664	107	47.2	93	41.0
Jackson	2,540	1,673	349	514	4	792	105	41.3	66	26.0
White	1,271	1,253	12	4	2	400	33	26.0	12	9.4
Nonwhite	1,269	420	337	510	2	392	72	56.7	54	42.6
Balance of county	1,538	583	198	775	2	415	42	27.3	49	31.9
White	541	478	58	4	1	143	7	12.9	10	18.5
Nonwhite	997	85	140	771	1	272	35	35.1	39	39.1
Holmes	1,118	201	153	733	31	395	54	48.3	34	30.4
White	207	168	28	8	3	104	3	14.5	1	4.8
Nonwhite	911	33	125	725	28	291	51	56.0	33	38.2
Humphreys	906	115	187	590	14	250	47	51.8	38	41.9
White	214	88	119	6	1	56	6	28.0	8	37.4
Nonwhite	692	29	68	582	13	194	41	59.2	30	43.4
Issaquena	158	52	12	91	3	64	5	31.6	5	31.6
White	47	39	5	2	1	13	2	42.6	2	42.6
Nonwhite	111	13	7	89	2	51	3	27.0	3	27.0
Itawamba	402	167	213	17	5	112	15	37.3	10	24.9
Jackson	844	655	56	150	3	229	29	34.4	16	19.0
White	610	559	32	17	2	171	20	32.8	6	9.8
Nonwhite	234	76	24	133	1	58	9	38.5	10	42.7
Jasper	617	330	78	197	12	191	22	35.7	17	27.6
White	208	193	14	1	-	83	6	28.8	6	28.8
Nonwhite	409	137	64	196	12	108	16	39.1	11	26.9
Jefferson	317	76	34	203	4	126	16	50.5	23	72.6
White	56	38	18	-	-	27	1	17.9	3	53.6
Nonwhite	261	38	16	203	4	99	15	57.5	20	76.6
Jefferson Davis	541	77	336	113	15	123	22	40.7	11	20.3
White	181	65	115	-	1	51	3	16.6	-	0
Nonwhite	360	12	221	113	14	72	19	52.8	11	30.6

See footnotes on p. 95.

VITAL STATISTICS OF THE UNITED STATES

TABLE 1.—LIVE BIRTHS BY PERSON IN ATTENDANCE; TOTAL DEATHS; DEATHS UNDER 1 YEAR AND INFANT MORTALITY RATES; AND FETAL DEATHS AND RATIOS: UNITED STATES, EACH STATE AND COUNTY, AND EACH URBAN PLACE HAVING, IN 1940, A POPULATION OF 10,000 OR MORE, 1949—Continued

(See headnote on p. 2)

AREA AND RACE	LIVE BIRTHS					Deaths (all ages)	DEATHS UNDER 1 YEAR		FETAL DEATHS	
	Total	Attended by—					Number	Rate	Number	Ratio
		Physi- cian in hos- pital ¹	Physi- cian not in hos- pital	Midwife	Other and not speci- fied					
MISSISSIPPI—Continued										
Jones	1,676	1,467	34	168	7	443	60	35.3	32	19.1
White	1,149	1,118	20	7	4	275	29	25.2	20	17.4
Nonwhite	527	349	14	161	3	168	31	59.9	12	22.8
Laurel	768	682	11	70	5	258	36	46.9	15	19.5
White	451	443	4	-	4	128	12	26.6	8	17.7
Nonwhite	317	239	7	70	1	110	24	75.7	7	22.1
Balance of county	906	785	23	98	2	205	24	26.4	17	18.7
White	698	675	16	7	7	147	17	24.4	12	17.2
Nonwhite	210	110	7	91	2	58	7	33.5	5	23.8
Kemper	497	104	140	248	5	138	13	26.2	24	48.3
White	128	81	42	5	-	5	4	31.3	5	39.1
Nonwhite	369	23	98	243	5	88	9	24.4	19	51.5
Lafayette	588	260	82	242	4	173	27	45.9	15	25.5
White	301	248	48	3	2	89	13	43.2	4	15.3
Nonwhite	287	12	34	239	2	84	14	46.6	11	38.3
Lamar	359	226	88	44	1	102	8	22.3	5	13.9
White	265	209	69	7	-	77	6	21.1	2	7.0
Nonwhite	74	17	19	37	1	25	2	27.0	3	40.5
Lauderdale	1,849	1,208	133	418	10	667	85	44.9	53	28.7
White	968	948	31	2	5	360	36	38.5	20	20.3
Nonwhite	883	340	102	416	5	307	45	52.1	33	38.2
Meridian	1,250	951	82	210	7	451	63	50.4	31	24.8
White	733	719	7	2	5	232	31	42.3	12	16.4
Nonwhite	517	232	75	208	2	199	32	61.9	19	36.8
Balance of county	599	337	51	208	3	216	20	33.4	22	36.7
White	283	229	24	-	-	108	7	27.7	8	31.6
Nonwhite	346	108	27	208	3	108	13	37.6	14	40.5
Lawrence	362	182	76	143	11	125	17	44.5	12	31.4
White	176	130	32	11	5	70	6	33.7	7	39.3
Nonwhite	204	22	44	132	6	55	11	53.9	5	24.5
Leake	678	212	259	200	7	175	27	39.0	20	29.5
White	295	179	112	4	1	93	7	25.7	4	13.6
Nonwhite	383	34	147	196	6	82	20	52.2	16	41.6
Lee	1,078	853	361	64	-	347	49	45.5	19	17.6
White	696	607	86	3	-	221	24	34.5	12	17.2
Nonwhite	382	46	275	61	-	126	25	65.4	7	18.3
Leflore	1,640	436	270	1,102	32	541	95	51.6	59	32.1
White	437	377	54	6	-	132	9	20.6	8	18.3
Nonwhite	1,403	59	216	1,086	32	419	86	61.5	51	36.4
Greenwood	524	318	9	185	2	178	18	34.2	18	34.4
White	286	283	2	1	2	70	5	17.5	4	14.0
Nonwhite	238	35	7	194	2	109	13	54.6	14	59.8
Balance of county	1,316	118	261	907	30	363	77	58.5	41	31.2
White	151	94	52	5	-	52	4	26.5	4	26.5
Nonwhite	1,165	24	209	902	30	311	73	62.7	37	31.8
Lincoln	834	542	78	208	6	295	35	42.0	32	38.4
White	496	466	15	10	5	169	17	34.3	10	20.2
Nonwhite	338	76	63	198	1	126	18	53.3	22	65.1
Lowndes	1,013	358	235	382	36	374	36	36.5	41	40.5
White	415	318	87	5	5	149	7	16.9	18	43.4
Nonwhite	598	40	148	377	33	225	29	48.5	23	39.5
Columbus	462	220	103	129	10	211	23	49.8	22	47.6
White	243	210	30	2	1	85	4	16.5	13	53.5
Nonwhite	219	10	73	127	9	126	19	86.8	9	41.1
Balance of county	551	138	132	253	28	163	13	23.6	19	34.5
White	172	108	57	3	4	64	3	17.4	5	29.1
Nonwhite	379	30	75	250	24	99	10	26.4	14	36.9
Madison	1,250	291	92	867	6	338	49	39.0	35	27.6
White	201	168	9	7	-	84	9	44.8	1	5.0
Nonwhite	1,057	106	83	860	6	254	40	37.8	34	32.2
Marion	715	343	139	218	15	190	20	28.0	23	32.2
White	411	317	67	5	2	104	10	24.3	12	29.2
Nonwhite	304	26	52	213	13	86	10	32.9	11	36.2
Marshall	923	204	110	602	7	209	28	30.3	28	30.3
White	189	144	28	17	-	64	3	15.9	-	0
Nonwhite	734	60	82	585	7	145	25	34.1	28	39.1
Monroe	1,103	567	261	270	7	333	49	44.4	19	17.2
White	568	452	100	13	3	179	24	42.3	7	12.3
Nonwhite	535	105	161	265	4	154	25	46.7	12	22.4
Montgomery	393	143	43	185	12	161	19	49.6	17	44.4
White	169	135	25	9	-	76	7	41.4	3	17.8
Nonwhite	214	8	18	176	12	85	12	56.1	14	65.4
Neshoba	708	437	148	111	12	214	33	46.6	24	33.9
White	456	375	73	5	3	155	15	32.9	10	21.9
Nonwhite	252	62	75	106	9	59	18	71.4	14	55.6
Newton	685	442	118	114	11	201	30	43.8	23	33.6
White	397	334	49	2	2	117	12	31.0	8	15.5
Nonwhite	288	108	69	112	9	84	18	60.4	17	57.0
Noxubee	670	139	55	463	13	240	28	41.8	18	26.9
White	110	87	18	5	-	41	2	18.2	1	9.1
Nonwhite	560	52	37	458	13	199	26	46.4	17	30.4
Oktibbeha	781	405	67	287	22	187	26	33.3	20	25.6
White	303	259	42	2	-	78	11	36.3	8	26.4
Nonwhite	478	146	25	285	22	109	15	31.4	12	25.1

See footnotes on p. 93.

GENERAL TABLES—BIRTHS, DEATHS, AND FETAL DEATHS

TABLE 1.—LIVE BIRTHS BY PERSON IN ATTENDANCE; TOTAL DEATHS; DEATHS UNDER 1 YEAR AND INFANT MORTALITY RATES; AND FETAL DEATHS AND RATIOS: UNITED STATES, EACH STATE AND COUNTY, AND EACH URBAN PLACE HAVING, IN 1940, A POPULATION OF 10,000 OR MORE, 1949—Continued

(See headnote on p. 2)

AREA AND RACE	LIVE BIRTHS					Deaths (all ages)	DEATHS UNDER 1 YEAR		FETAL DEATHS	
	Total	Attended by—					Number	Rate	Number	Ratio
		Physi- cian in hos- pital ¹	Physi- cian not in hos- pital	Midwife	Other and not spec- ified					
MISSISSIPPI—Continued										
Panola	1,002	395	200	397	12	305	35	32.9	35	32.9
White	509	254	50	5	-	128	15	48.5	5	16.2
Nonwhite	493	139	150	392	12	177	18	26.0	28	40.4
Pearl River	573	359	185	27	1	172	22	36.4	22	39.4
White	412	312	99	1	-	129	18	43.7	12	29.1
Nonwhite	161	47	87	26	1	43	4	24.8	10	62.1
Perry	279	125	42	89	22	72	6	21.5	10	55.8
White	192	118	37	22	15	47	5	26.0	6	51.3
Nonwhite	87	8	5	67	7	25	1	11.5	4	46.0
Pike	1,085	561	245	276	5	391	41	37.8	35	32.3
White	478	422	55	1	-	210	15	51.4	8	16.7
Nonwhite	607	139	188	275	5	181	26	42.8	27	44.5
Pontotoc	504	289	150	62	3	146	16	31.7	7	13.9
White	397	279	104	12	2	109	13	32.7	5	12.6
Nonwhite	107	10	46	50	1	37	3	28.0	2	16.7
Prentiss	528	364	110	47	7	190	22	41.7	10	16.9
White	457	340	87	5	5	170	20	45.8	9	20.6
Nonwhite	91	24	23	42	2	20	2	22.0	1	11.0
Quitman	1,090	345	327	350	8	229	50	48.5	36	35.0
White	584	232	135	14	3	78	24	62.5	12	31.3
Nonwhite	646	113	192	336	5	151	26	40.2	24	37.2
Rankin	710	371	117	210	12	205	16	22.5	27	36.0
White	297	242	50	4	1	86	9	30.3	10	33.7
Nonwhite	413	129	67	205	11	119	7	16.9	17	41.2
Scott	706	294	190	202	20	177	27	38.2	21	29.7
White	298	228	67	1	2	95	5	16.8	8	26.8
Nonwhite	408	66	123	201	18	82	22	53.9	13	31.9
Sharkey	451	112	50	288	1	153	30	66.5	18	39.8
White	88	68	16	4	-	31	5	56.8	2	22.7
Nonwhite	363	44	34	284	1	122	25	68.9	16	44.1
Simpson	600	398	89	101	2	163	17	28.3	23	36.3
White	332	279	48	5	-	104	7	21.1	8	24.1
Nonwhite	268	119	51	96	2	59	10	37.3	15	56.0
Smith	471	281	132	50	8	129	12	25.5	11	23.4
White	350	260	85	2	3	102	4	11.4	5	14.3
Nonwhite	121	21	47	49	5	27	8	66.1	6	49.6
Stone	174	116	31	26	1	52	6	34.5	3	17.2
White	123	104	15	4	-	34	2	16.3	2	16.3
Nonwhite	51	12	16	22	1	18	4	78.4	1	19.6
Sunflower	1,974	514	685	768	7	512	87	44.1	78	39.5
White	545	355	166	24	-	126	20	36.7	16	29.4
Nonwhite	1,429	159	519	744	7	386	67	46.9	62	43.4
Tallahatchie	1,171	191	384	588	8	281	50	42.7	23	19.6
White	306	168	127	8	3	73	12	59.2	2	8.5
Nonwhite	865	23	257	580	5	208	38	43.9	21	24.3
Tate	624	96	201	317	10	164	19	30.4	29	45.5
White	172	78	92	1	1	61	3	17.4	6	34.8
Nonwhite	452	18	109	316	9	103	16	35.4	23	50.9
Tippah	448	265	121	54	8	141	10	22.3	10	22.3
White	356	239	82	9	6	104	7	20.8	7	20.8
Nonwhite	112	26	39	45	2	37	3	26.8	3	26.8
Tishomingo	410	105	299	1	5	137	16	39.0	5	12.2
Tunica	780	84	128	564	4	243	31	39.7	29	37.2
White	134	62	52	18	2	43	5	37.3	1	7.5
Nonwhite	646	22	76	546	2	200	26	40.2	28	45.3
Union	512	380	44	83	3	178	14	27.3	13	26.4
White	383	345	30	9	-	131	10	26.1	8	20.9
Nonwhite	129	35	14	75	3	47	4	31.0	5	56.8
Walthall	479	297	36	140	6	160	36	75.2	9	18.8
White	198	182	7	9	-	80	11	55.6	2	10.1
Nonwhite	281	115	29	131	6	80	25	89.0	7	24.9
Warren	1,144	704	24	408	8	531	54	47.2	26	24.5
White	506	496	2	7	1	198	21	41.5	10	19.8
Nonwhite	638	208	22	401	7	333	33	51.7	16	28.2
Vicksburg	945	550	21	289	5	393	46	54.4	19	22.5
White	407	402	1	4	-	150	19	46.7	8	19.7
Nonwhite	438	148	20	285	5	243	27	61.6	11	25.1
Balance of county	299	154	3	139	3	138	8	26.8	9	30.1
White	99	94	1	3	1	48	2	20.2	2	20.2
Nonwhite	200	60	2	136	2	90	6	30.0	7	35.0
Washington	2,368	918	414	1,009	27	636	89	37.6	83	35.1
White	853	601	38	11	3	194	17	26.0	10	15.3
Nonwhite	1,715	317	376	998	24	642	72	42.0	73	42.8
Greenville	926	447	215	257	7	355	31	33.5	34	36.7
White	366	359	1	5	1	114	9	24.6	5	13.7
Nonwhite	560	88	214	252	6	242	22	39.3	29	51.8
Balance of county	1,442	471	199	752	20	490	58	40.2	49	34.0
White	287	242	37	6	2	80	8	27.9	5	17.4
Nonwhite	1,155	228	162	746	18	400	50	43.3	44	36.1
Wayne	361	305	70	175	11	149	27	48.1	13	23.2
White	309	254	37	14	4	85	14	45.3	2	8.5
Nonwhite	252	51	33	161	7	64	13	51.6	11	43.7
Webster	296	161	72	58	5	94	9	30.4	9	30.4
White	178	127	48	1	2	68	5	28.1	2	11.2
Nonwhite	118	34	24	57	3	26	4	33.9	7	59.3

See footnotes on p. 95.

VITAL STATISTICS OF THE UNITED STATES

TABLE 1.—LIVE BIRTHS BY PERSON IN ATTENDANCE; TOTAL DEATHS; DEATHS UNDER 1 YEAR AND INFANT MORTALITY RATES; AND FETAL DEATHS AND RATIOS: UNITED STATES, EACH STATE AND COUNTY, AND EACH URBAN PLACE HAVING, IN 1940, A POPULATION OF 10,000 OR MORE, 1949—Continued

(See headnote on p. 2)

AREA AND RACE	LIVE BIRTHS					Deaths (all ages)	DEATHS UNDER 1 YEAR		FETAL DEATHS	
	Total	Attended by—					Number	Rate	Number	Ratio
		Physi- cian in hos- pital ¹	Physi- cian not in hos- pital	Midwife	Other and not speci- fied					
MISSISSIPPI—Continued										
Wilkinson	495	122	56	308	7	151	19	36.5	22	44.6
White	106	89	12	5	-	50	2	18.9	5	47.2
Nonwhite	387	33	44	303	7	101	17	43.9	17	43.9
Winston	667	286	122	267	12	187	32	46.6	19	27.7
White	306	256	42	4	4	104	11	35.9	10	32.7
Nonwhite	361	30	80	263	8	83	21	55.1	9	25.6
Yalobusha	408	113	163	124	8	161	21	51.5	13	31.9
White	180	100	54	4	2	67	7	43.8	3	18.9
Nonwhite	228	13	109	120	6	94	14	56.5	10	40.3
Yazoo	1,191	332	84	752	13	399	40	33.6	43	36.1
White	349	254	54	39	2	134	6	22.9	6	17.2
Nonwhite	842	78	40	713	11	265	32	58.0	37	43.9
MISSOURI										
	65,302	71,548	12,275	1,101	377	43,625	2,563	30.0	1,704	20.0
White	77,288	65,316	11,163	461	323	39,536	2,226	26.8	1,402	18.1
Nonwhite	6,014	6,233	1,112	620	49	4,289	335	41.8	302	37.7
Adair	414	340	66	7	1	251	15	36.2	3	7.2
Kirksville	270	230	36	4	-	160	12	44.4	2	7.4
Balance of county	144	110	30	3	1	91	3	20.8	1	6.9
Andrew	195	173	20	-	2	123	-	0	2	10.3
Atchison	257	238	19	-	-	127	9	35.0	6	23.3
Audrain	541	476	62	1	2	272	15	27.7	14	25.9
Barry	421	316	103	1	1	207	14	33.3	4	9.5
Barton	235	201	34	-	-	150	6	25.5	3	12.8
Bates	311	252	59	-	-	203	13	41.6	3	9.6
Beaumont	152	143	8	1	-	124	7	46.1	5	32.9
Bollinger	193	98	84	3	13	114	6	30.3	2	10.1
Boone	1,029	956	70	1	2	397	24	23.3	11	10.7
Columbia	723	699	29	-	-	216	19	26.1	6	8.2
White	647	634	13	-	-	173	14	21.6	5	7.7
Nonwhite	81	65	16	-	-	45	5	61.7	1	12.3
Balance of county	301	257	41	1	2	179	5	16.6	5	16.6
Buchanan	1,770	1,584	183	3	-	1,134	64	36.2	25	14.1
St. Joseph	1,448	1,289	156	3	-	962	48	33.1	14	9.7
Balance of county	322	295	27	-	-	172	16	49.7	11	34.2
Butler	948	549	319	58	22	366	56	39.1	32	33.8
Poplar Bluff	401	305	82	13	1	149	20	69.6	12	29.9
Balance of county	547	244	237	45	21	219	28	51.2	20	36.6
Caldwell	162	114	48	-	-	153	4	24.7	1	6.2
Callaway	437	353	81	3	-	270	19	43.5	12	27.5
White	406	335	69	2	-	244	17	41.9	9	22.2
Nonwhite	31	18	12	1	-	26	2	64.5	3	96.8
Camden	158	84	72	-	2	80	3	19.0	1	6.3
Cape Girardeau	864	786	74	4	-	377	29	33.6	15	17.4
Cape Girardeau	468	453	13	2	-	210	18	39.5	8	17.1
Balance of county	396	333	61	2	-	167	11	27.8	7	17.7
Carroll	282	255	26	-	1	189	8	28.4	8	28.4
Carter	105	74	24	5	2	60	4	38.1	4	38.1
Cass	347	274	70	-	3	249	13	37.5	6	17.3
Cedar	187	112	75	-	-	141	5	26.7	1	5.3
Chariton	265	175	89	1	-	190	6	22.6	5	18.9
Christian	237	163	68	3	3	142	5	21.1	3	12.7
Clark	162	142	20	-	-	109	7	43.2	3	18.5
Clay	1,002	917	84	-	1	420	25	25.0	24	24.0
Clinton	221	162	56	-	1	180	6	27.1	2	9.0
Cole	665	553	112	-	-	274	8	12.0	17	25.6
Jefferson City	457	398	59	-	-	189	7	15.3	11	24.1
Balance of county	208	155	53	-	-	85	1	4.8	6	28.8
Cooper	219	276	21	1	1	209	6	18.8	9	28.2
White	393	277	15	-	1	180	5	20.5	8	27.3
Nonwhite	26	19	6	1	-	29	-	0	1	36.5
Crawford	261	105	149	1	7	126	7	26.8	5	19.2
Dade	137	107	30	-	-	125	5	36.5	4	29.2
Dallas	170	61	108	1	-	119	7	41.2	6	35.3
Daviess	180	78	102	-	-	180	9	50.0	7	36.9
De Kalb	148	96	52	-	-	86	1	6.8	3	20.3
Dent	105	105	40	37	3	123	5	27.0	2	10.8
Douglas	261	53	186	5	17	96	7	26.8	3	11.5
Dunklin	1,168	465	655	41	7	410	67	57.4	32	27.4
Franklin	828	694	132	1	1	384	30	36.2	16	19.3
Gaasconade	281	210	40	-	1	146	14	55.8	1	4.0
Gentry	176	110	66	-	-	163	6	34.1	8	45.5
Greene	2,282	2,120	84	1	3	1,120	64	28.0	37	18.2
Springfield	1,454	1,438	15	-	1	777	34	23.4	20	15.8
Balance of county	828	756	69	1	2	343	30	36.2	17	20.5
Grundy	254	239	15	-	-	224	9	36.4	5	19.7
Harrison	231	147	84	-	-	166	2	8.7	6	26.0
Henry	370	354	12	-	4	290	14	37.8	9	24.3
Hickory	102	69	33	-	-	64	2	19.6	-	0
Holt	178	93	84	-	1	125	7	39.3	2	11.2
Howard	235	183	51	1	-	154	6	25.5	7	29.8
White	200	177	23	-	-	130	3	15.0	5	25.0
Nonwhite	35	6	28	1	-	24	3	85.7	2	57.1

See footnotes on p. 93.

GENERAL TABLES—BIRTHS, DEATHS, AND FETAL DEATHS

47

TABLE 1.—LIVE BIRTHS BY PERSON IN ATTENDANCE; TOTAL DEATHS; DEATHS UNDER 1 YEAR AND INFANT MORTALITY RATES; AND FETAL DEATHS AND RATIOS: UNITED STATES, EACH STATE AND COUNTY, AND EACH URBAN PLACE HAVING, IN 1940, A POPULATION OF 10,000 OR MORE, 1949—Continued

(See headnote on p. 2)

AREA AND RACE	LIVE BIRTHS					Deaths (all ages)	DEATHS UNDER 1 YEAR		FETAL DEATHS	
	Total	Attended by—					Number	Rate	Number	Ratio
		Physi- cian in hos- pital ¹	Physi- cian not in hos- pital	Midwife	Other and not speci- fied					
MISSOURI—Continued										
Howell	518	242	252	6	18	238	16	30.9	12	23.2
Iron	234	122	77	12	23	111	16	68.4	4	17.1
Jackson	12,162	11,769	303	4	6	6,135	362	29.8	235	19.3
Kansas City	9,972	9,656	306	4	4	5,346	311	31.2	194	19.5
White	8,591	8,459	129	2	3	4,483	269	31.3	155	18.0
Nonwhite	1,381	1,199	177	2	1	863	42	30.4	39	28.2
Independence	857	845	13	-	-	305	18	21.0	14	16.3
Balance of county	1,333	1,268	64	-	1	494	33	24.8	27	20.3
Jasper	1,673	1,592	76	3	2	972	38	22.7	25	14.9
Joplin (part)	840	819	19	2	-	459	19	(*)	16	(*)
Joplin (total)	843	821	20	2	-	464	20	23.7	16	19.0
Carthage	230	226	3	1	-	142	5	21.7	5	21.7
Balance of county	603	547	54	-	2	371	14	23.2	4	6.6
Jefferson	832	539	297	4	2	348	26	31.3	21	25.2
Johnson	343	318	22	-	2	243	13	37.9	13	37.9
Knox	106	83	23	-	-	93	1	9.4	2	18.9
Laclede	369	305	60	1	3	194	15	40.7	12	32.5
Lafayette	507	397	110	-	-	321	17	33.5	11	21.7
Lawrence	436	357	75	-	4	240	18	34.4	10	22.2
Levi	195	128	67	-	-	159	7	35.9	2	10.3
Lincoln	256	200	56	-	-	154	3	11.7	6	23.4
Linn	354	292	62	-	-	261	16	45.2	3	8.5
Livingston	354	279	54	-	1	207	11	32.9	-	0
McDonald	244	163	73	7	1	159	6	24.6	4	16.4
Macon	271	201	70	-	-	259	8	29.5	6	22.1
Madison	233	108	120	1	4	95	5	25.8	8	34.3
Marion	155	65	89	1	-	55	2	12.9	2	12.9
Marion	649	612	35	1	1	423	17	26.2	23	30.8
Hannibal	418	409	8	1	-	299	13	31.1	12	28.7
Balance of county	231	203	27	-	1	129	4	17.3	8	34.6
Mercer	104	78	26	-	-	79	1	9.6	2	19.2
Miller	294	227	67	-	-	122	9	30.6	4	13.6
Mississippi	788	219	390	144	7	256	29	37.8	10	13.0
White	555	215	328	9	3	164	16	26.8	6	10.8
Nonwhite	213	4	70	135	4	92	13	61.0	4	18.8
Moniteau	200	152	48	-	-	149	9	45.0	3	15.0
Monroe	168	118	49	-	1	157	6	35.7	6	35.7
Montgomery	193	131	61	1	-	161	6	31.1	6	31.1
Morgan	187	124	59	3	1	128	5	26.7	2	10.7
New Madrid	1,237	465	557	179	16	350	75	60.6	31	25.1
White	981	476	475	20	12	253	45	45.9	26	26.5
Nonwhite	256	9	84	159	4	97	30	117.3	5	19.5
Newton	554	456	95	5	-	305	20	36.1	7	12.6
Joplin (part)	3	2	1	-	-	5	1	(*)	-	(*)
Balance of county	551	454	92	5	-	300	19	34.5	7	12.7
Odaway	516	480	34	1	1	258	12	23.3	4	7.6
Oregon	219	86	123	4	6	109	4	18.3	3	13.7
Ozage	216	151	63	-	2	111	3	13.9	3	13.9
Ozark	198	138	40	6	14	66	4	20.2	1	5.1
Pemiscot	1,240	362	844	196	38	441	95	76.6	31	25.0
White	923	359	505	41	18	310	73	79.1	25	27.1
Nonwhite	317	3	139	155	20	131	22	69.4	6	18.9
Perry	361	197	164	-	-	125	12	33.2	3	8.3
Pettis	598	520	67	1	-	447	26	44.2	12	20.4
Sedalia	396	349	46	1	-	308	21	53.0	7	17.7
Balance of county	192	171	21	-	-	139	5	26.0	5	26.0
Phelps	503	350	141	9	3	212	14	27.8	6	11.9
Pike	365	283	73	7	2	253	14	36.4	8	21.9
White	336	269	59	7	1	220	12	35.7	8	23.8
Nonwhite	29	14	14	-	1	33	2	69.0	-	0
Platte	270	261	9	-	-	140	9	33.3	5	18.5
Polk	321	201	119	1	-	196	5	15.6	7	21.9
Pulaski	237	134	103	-	-	113	5	21.1	6	33.8
Putnam	166	131	35	-	-	126	5	30.1	2	12.0
Ralls	150	130	20	-	-	112	4	26.7	3	20.0
Randolph	406	310	94	1	1	303	9	22.2	7	17.2
Moberly	226	194	32	-	-	173	4	17.7	5	22.1
Balance of county	180	116	62	1	1	130	5	27.8	2	11.1
Ray	256	163	93	-	-	201	13	50.8	7	27.3
Reynolds	147	45	65	9	8	61	2	13.6	2	13.6
Ripley	244	149	78	6	11	109	7	28.7	9	36.9
St. Charles	682	632	50	-	-	299	14	20.5	13	19.1
St. Charles	339	331	8	-	-	154	8	23.6	9	26.6
Balance of county	343	301	42	-	-	145	6	17.5	4	11.7
St. Clair	159	94	65	-	-	108	2	12.6	2	12.6
St. Francois	820	546	242	28	4	387	37	45.1	13	15.9
St. Louis	8,782	8,579	178	21	3	3,047	162	18.4	165	18.8
University City	733	729	4	-	-	347	9	12.3	7	9.5
Clayton	311	311	-	-	-	475	2	6.4	6	19.3
Kirkwood	491	484	7	-	-	193	10	20.4	8	16.3
Maplewood	278	276	2	-	-	137	7	25.2	3	10.8
Richmond Heights	324	323	1	-	-	109	7	21.6	6	18.5
Webster Groves	436	435	1	-	-	216	7	16.1	8	18.3
Balance of county	6,209	6,021	164	21	3	1,870	120	19.3	127	20.5
St. Louis (city)	19,686	19,215	379	87	5	10,534	510	25.9	451	22.9
White	15,418	15,082	264	68	3	8,494	364	23.6	262	17.0
Nonwhite	4,268	4,133	114	19	2	2,040	146	34.2	189	44.3

See footnotes on p. 93.

VITAL STATISTICS OF THE UNITED STATES

TABLE 1.—LIVE BIRTHS BY PERSON IN ATTENDANCE; TOTAL DEATHS; DEATHS UNDER 1 YEAR AND INFANT MORTALITY RATES; AND FETAL DEATHS AND RATIOS: UNITED STATES, EACH STATE AND COUNTY, AND EACH URBAN PLACE HAVING, IN 1940, A POPULATION OF 10,000 OR MORE, 1949—Continued

(See headnote on p. 2)

AREA AND RACE	LIVE BIRTHS					Deaths (all ages)	DEATHS UNDER 1 YEAR		FETAL DEATHS	
	Total	Attended by—					Number	Rate	Number	Ratio
		Physi- cian in hon- pital ¹	Physi- cian not in hos- pital	Midwife	Other and not speci- fied					
MISSOURI—Continued										
St. Genevieve	298	146	150	2	-	99	11	36.9	3	10.1
Saline	492	407	85	-	-	359	22	44.7	8	16.3
Schuyler	108	78	30	-	-	76	2	18.5	1	9.3
Scotland	116	100	16	-	-	131	6	51.7	1	8.6
Scott	894	642	173	76	3	289	28	31.3	14	15.7
Shannon	155	64	70	9	12	62	2	12.9	-	0
Shelby	203	157	46	-	-	144	2	9.8	4	19.7
Stoddard	894	447	406	22	9	333	42	47.5	19	21.5
Stone	190	94	83	6	7	82	4	21.1	7	36.9
Sullivan	189	132	57	-	-	167	10	52.9	2	10.6
Taney	167	70	80	2	5	99	3	18.0	2	12.0
Texas	398	97	285	4	12	228	14	35.2	5	12.6
Vernon	350	322	26	-	2	268	11	31.4	8	22.9
Warren	116	96	20	-	-	86	2	17.2	1	8.6
Washington	363	95	231	42	15	157	13	33.9	8	20.9
Wayne	200	103	92	-	5	88	4	20.0	3	15.0
Webster	317	238	67	3	9	182	10	31.5	2	6.3
Worth	97	60	37	-	-	69	2	20.6	1	10.3
Wright	336	132	191	6	7	172	13	38.7	9	28.8
MONTANA	15,366	14,893	401	43	29	5,978	457	29.7	231	15.0
White	14,556	14,164	361	21	10	5,618	389	27.4	220	15.1
Nonwhite	810	729	40	22	19	280	58	71.6	11	13.6
Beaverhead	170	160	10	-	-	101	6	35.3	2	11.8
Big Horn	319	296	12	4	7	83	9	26.2	3	9.4
White	193	183	10	-	-	50	3	15.5	2	10.4
Nonwhite	126	113	2	4	7	33	6	47.6	1	7.9
Blaine	254	241	10	3	-	95	6	31.5	4	15.7
White	175	170	5	-	-	62	5	29.6	2	11.4
Nonwhite	79	71	5	3	-	23	3	38.0	2	25.3
Broadwater	64	61	3	-	-	36	4	62.5	2	31.3
Carbon	207	109	18	-	-	107	4	19.3	2	9.7
Carter	71	71	-	-	-	21	2	28.2	2	28.2
Cascade	1,465	1,454	7	2	2	535	48	32.8	27	18.4
Great Falls	1,152	1,145	7	-	-	427	36	33.0	24	20.8
Balance of county	313	309	-	2	2	108	10	31.9	3	9.6
Chouteau	169	167	1	-	1	55	2	11.8	1	5.9
Custer	336	329	6	1	-	117	8	23.8	4	11.9
Daniels	88	86	2	-	-	28	2	22.7	2	22.7
Dawson	260	255	5	-	-	75	5	19.2	6	23.1
Deer Lodge	360	352	8	-	-	176	13	36.1	5	13.9
Anaconda	318	311	7	-	-	158	11	34.6	5	15.7
Balance of county	42	41	1	-	-	18	2	47.6	-	0
Fallon	117	116	-	-	1	33	1	8.5	1	8.5
Fergus	395	386	7	2	-	150	11	27.8	4	10.1
Flathead	814	789	25	-	-	268	26	31.9	15	18.4
Gallatin	595	575	13	-	-	202	13	22.2	12	20.5
Garfield	51	50	1	-	-	14	3	58.9	-	0
Glacier	302	291	10	1	-	74	7	25.2	3	9.9
White	156	151	5	-	-	45	2	12.9	2	12.9
Nonwhite	146	140	5	1	-	29	5	34.2	1	6.8
Golden Valley	29	29	-	-	-	13	1	34.5	-	0
Granite	53	51	2	-	-	30	-	0	-	0
Hill	454	438	10	5	1	139	18	39.6	3	6.6
Jefferson	69	65	4	-	-	42	1	14.5	1	14.5
Judith Basin	72	70	2	-	-	33	2	27.8	1	13.9
Lake	353	334	19	-	-	139	15	42.5	5	14.2
White	285	270	15	-	-	116	12	42.1	5	17.5
Nonwhite	68	64	4	-	-	22	3	44.1	-	0
Lewis and Clark	599	586	13	-	-	267	18	30.1	11	18.4
Helena	471	466	5	-	-	208	15	31.9	6	17.0
Balance of county	128	120	9	-	-	59	3	23.4	3	23.4
Liberty	52	50	-	-	-	12	4	76.9	2	38.5
Lincoln	200	177	22	1	-	90	2	10.0	3	15.0
McCone	113	108	5	-	-	29	1	8.8	1	8.8
Madison	98	94	4	-	-	76	-	0	1	10.2
Meagher	53	47	6	-	-	26	-	0	4	75.5
Mineral	57	55	2	-	-	33	-	0	3	52.6
Missoula	908	896	12	-	-	303	15	16.5	10	11.0
Missoula	740	735	5	-	-	247	13	17.6	9	12.2
Balance of county	168	161	7	-	-	56	2	11.9	1	6.0
Musselshell	147	136	11	-	-	49	2	13.6	2	13.6
Park	281	274	7	-	-	127	6	21.4	2	7.1
Petroleum	24	22	2	-	-	12	-	0	-	0
Phillips	175	161	13	1	-	71	3	17.1	2	11.4
Pondera	204	193	4	7	-	68	13	63.7	5	24.5
Powder River	69	69	-	-	-	20	1	14.5	1	14.5
Powell	139	138	1	-	-	72	5	36.0	5	36.0
Prairie	65	65	-	-	-	22	2	30.8	-	0
Ravalli	293	287	6	-	-	113	6	20.5	1	3.4
Richland	329	324	5	-	-	86	11	33.4	2	6.1
Roosevelt	337	329	5	3	-	109	10	29.7	8	23.7
White	233	230	3	-	-	76	5	21.5	5	21.5
Nonwhite	104	99	2	3	-	33	5	48.1	5	28.6

See footnotes on p. 93.

GENERAL TABLES—BIRTHS, DEATHS, AND FETAL DEATHS

TABLE 1.—LIVE BIRTHS BY PERSON IN ATTENDANCE; TOTAL DEATHS; DEATHS UNDER 1 YEAR AND INFANT MORTALITY RATES; AND FETAL DEATHS AND RATIOS: UNITED STATES, EACH STATE AND COUNTY, AND EACH URBAN PLACE HAVING, IN 1940, A POPULATION OF 10,000 OR MORE, 1949—Continued

(See headnote on p. 2)

AREA AND RACE	LIVE BIRTHS					Deaths (all ages)	DEATHS UNDER 1 YEAR		FETAL DEATHS	
	Total	Attended by—					Number	Rate	Number	Ratio
		Physi- cian in hos- pital ¹	Physi- cian not in hos- pital	Midwife	Other and not speci- fied					
MONTANA—Continued										
Rosebud	207	181	15	2	9	66	12	58.0	3	14.5
White	138	132	6	—	—	37	2	14.5	2	14.5
Nonwhite	69	49	9	2	9	29	10	144.9	1	14.5
Sanders	157	143	10	1	3	80	3	19.1	4	25.5
Sheridan	168	168	—	—	—	66	9	47.6	1	6.0
Silver Bow	1,083	1,074	8	1	—	704	40	36.9	21	19.4
Butte	1,025	1,016	8	1	—	644	37	36.1	21	20.5
Balance of county	58	58	—	—	—	60	3	51.7	—	0
Stillwater	130	125	4	—	—	61	5	59.5	1	7.7
Sweet Grass	67	57	10	—	—	29	—	0	1	14.9
Teton	176	159	11	7	—	54	2	11.4	3	17.0
Toole	173	166	7	—	—	55	6	34.7	2	11.6
Treasure	45	40	5	—	—	7	2	44.4	1	22.2
Valley	314	306	6	—	—	100	13	41.4	9	28.7
Westland	73	73	—	—	—	34	—	0	—	0
Wibaux	73	72	1	—	—	23	1	13.7	—	0
Yellowstone	1,499	1,462	29	2	5	460	57	36.1	17	11.3
Billings	1,096	1,086	5	1	4	341	39	35.6	9	8.2
Balance of county	402	376	24	1	1	119	18	44.8	8	19.9
Yellowstone National Park (part)	1	1	—	—	—	—	—	(*)	—	(*)
NEBRASKA										
	31,547	30,302	1,202	6	37	12,644	761	24.1	498	15.8
White	30,873	29,670	1,165	5	35	12,322	730	23.6	481	15.6
Nonwhite	674	632	37	1	4	322	31	46.0	17	25.2
Adams	688	689	8	—	1	245	12	17.2	11	15.8
Hastings	552	549	3	—	—	179	9	16.3	9	16.3
Balance of county	146	140	5	—	1	66	3	20.5	2	13.7
Antelope	257	223	29	—	—	99	4	15.6	4	15.6
Arthur	16	16	—	—	—	5	—	0	1	62.5
Banner	30	27	2	—	1	2	—	0	—	0
Blaine	29	24	5	—	—	6	—	0	—	0
Boone	294	283	9	—	2	95	7	23.8	4	13.5
Box Butte	362	355	7	—	—	111	16	44.2	6	18.8
Boyd	142	134	8	—	—	62	3	21.1	—	0
Brown	133	131	2	—	—	60	3	22.6	1	7.5
Buffalo	661	631	20	—	—	268	16	24.6	5	9.2
Burt	276	262	13	—	3	113	3	10.8	3	10.8
Butler	253	251	2	—	—	105	5	19.8	2	7.9
Cass	332	312	20	—	—	171	8	24.1	6	18.1
Cedar	374	338	35	—	1	118	11	29.4	5	13.4
Chase	148	137	10	—	1	55	6	40.5	2	13.5
Cherry	232	218	14	—	—	61	5	21.6	1	4.3
Cheyenne	337	333	3	—	1	98	9	26.7	4	11.9
Clay	175	170	5	—	—	123	5	23.6	1	5.7
Colfax	203	200	3	—	—	80	2	9.3	2	9.9
Cuming	313	309	4	—	—	120	5	16.0	4	12.6
Custer	416	343	73	—	—	189	7	16.8	7	16.8
Dakota	271	265	6	—	—	95	9	29.5	3	11.1
Dawes	248	238	7	1	2	107	2	9.1	5	20.2
Dawson	534	515	19	1	1	154	14	26.2	8	15.0
Deuel	81	77	3	—	1	39	2	24.7	4	49.4
Dixon	219	157	62	—	—	97	4	18.5	5	22.8
Dodge	613	605	7	—	1	242	12	19.6	9	13.1
Fremont	354	351	3	—	—	156	8	22.6	5	14.1
Balance of county	259	254	4	—	1	86	4	15.4	3	11.6
Douglas	6,600	6,720	79	1	—	2,777	179	26.3	116	17.4
Omaha	6,049	5,985	65	1	—	2,536	164	27.1	106	17.5
White	5,584	5,544	39	1	—	2,523	153	27.4	92	16.5
Nonwhite	465	439	26	—	—	213	11	23.7	14	30.1
Balance of county	751	757	14	—	—	241	15	20.0	12	16.0
Dundy	116	116	2	—	—	41	—	0	2	16.9
Fillmore	186	180	6	—	—	104	2	10.6	5	26.9
Franklin	159	128	30	—	—	61	3	19.0	5	31.6
Frontier	111	93	28	—	—	45	2	18.0	3	27.0
Furnas	247	245	2	—	—	120	6	24.3	3	12.1
Gege	591	575	16	—	—	272	10	16.9	7	11.8
Beatrice	280	276	2	—	—	124	2	7.1	4	14.3
Balance of county	311	297	14	—	—	148	8	25.7	3	9.6
Garden	93	91	2	—	—	37	3	32.3	2	21.5
Garfield	70	64	6	—	—	28	1	14.3	3	42.9
Goepfer	59	59	—	—	—	25	—	0	1	16.9
Grant	51	28	3	—	—	13	—	0	—	0
Greeley	132	127	5	—	—	44	3	22.7	1	7.6
Hall	763	713	49	—	1	343	22	28.8	19	24.9
Grand Island	587	561	25	—	1	267	19	32.4	12	20.4
Balance of county	176	152	24	—	—	76	3	17.0	7	39.8
Hamilton	190	182	8	—	—	108	2	10.5	1	5.3
Harlan	176	165	10	—	1	53	4	22.7	7	39.8
Hayes	59	53	6	—	—	18	—	0	—	0
Hitchcock	132	125	7	—	—	42	—	0	1	7.6
Holt	369	338	59	—	2	135	3	8.1	6	16.3
Hooker	28	22	6	—	—	5	—	0	—	0
Howard	158	152	5	—	1	75	3	19.0	2	12.7

See footnotes on p. 93.

VITAL STATISTICS OF THE UNITED STATES

TABLE 1.—LIVE BIRTHS BY PERSON IN ATTENDANCE; TOTAL DEATHS; DEATHS UNDER 1 YEAR AND INFANT MORTALITY RATES; AND FETAL DEATHS AND RATIOS: UNITED STATES, EACH STATE AND COUNTY, AND EACH URBAN PLACE HAVING, IN 1940, A POPULATION OF 10,000 OR MORE, 1949—Continued

(See headnote on p. 2)

AREA AND RACE	LIVE BIRTHS					Deaths (all ages)	DEATHS UNDER 1 YEAR		FETAL DEATHS	
	Total	Attended by—					Number	Rate	Number	Ratio
		Physi- cian in hos- pital ¹	Physi- cian not in hos- pital	Midwife	Other and not speci- fied					
NEBRASKA—Continued										
Jefferson-----	273	263	10	-	-	136	4	14.7	2	7.3
Johnson-----	184	158	9	-	-	75	3	18.3	3	18.3
Kearney-----	135	135	2	-	-	79	7	51.9	2	14.6
Keith-----	228	207	21	-	-	73	9	39.5	3	13.2
Kearney Paha-----	39	38	1	-	-	12	1	25.6	2	51.3
Kimball-----	108	85	20	-	2	34	4	37.0	-	0
Knox-----	353	318	32	1	2	152	10	26.3	6	17.0
Lincoln-----	2,724	2,678	43	-	3	1,019	61	22.4	31	11.4
Lincoln-----	2,439	2,404	32	-	3	898	58	23.6	29	11.9
Balance of county-----	285	274	11	-	-	121	3	10.5	2	7.0
Lincoln-----	696	634	61	-	1	250	25	35.9	17	24.4
North Platte-----	466	423	43	-	-	172	18	36.6	12	25.8
Balance of county-----	230	211	18	-	1	76	7	30.4	5	21.7
Logan-----	39	35	6	-	-	8	1	25.6	-	0
Loup-----	29	22	6	-	1	9	1	34.5	-	0
McPherson-----	22	22	-	-	-	6	1	45.5	-	0
Madison-----	557	552	5	-	-	240	16	28.7	3	5.4
Norfolk-----	280	290	-	-	-	126	14	50.0	3	10.7
Balance of county-----	277	272	5	-	-	114	2	7.2	-	0
Merrick-----	175	170	5	-	-	113	2	11.4	5	28.6
Morrill-----	210	196	20	1	1	72	11	52.4	2	9.5
Nance-----	150	149	1	-	-	74	6	40.0	1	6.7
Nemaha-----	256	252	4	-	-	125	2	7.8	2	7.8
Nuckolls-----	215	211	4	-	-	96	6	27.9	1	4.7
Otoe-----	365	372	13	-	-	163	9	23.4	4	10.4
Pawnee-----	119	116	3	-	-	96	2	16.8	1	8.4
Perkins-----	133	127	6	-	-	41	2	15.0	3	22.6
Phelps-----	194	193	1	-	-	91	3	15.5	7	36.1
Pierce-----	224	214	10	-	-	97	4	17.9	4	17.9
Platte-----	522	518	4	-	-	159	17	32.6	8	15.3
Polk-----	165	164	1	-	-	95	8	48.5	1	6.1
Red Willow-----	348	337	10	1	-	124	4	11.5	9	25.9
Richardson-----	365	373	11	-	1	168	9	23.4	9	23.4
Rock-----	73	73	-	-	-	33	1	13.7	1	13.7
Saline-----	280	269	11	-	-	143	6	21.4	2	7.1
Sarpy-----	355	349	5	-	1	104	8	22.5	8	22.5
Saunders-----	351	340	11	-	-	169	8	22.8	6	17.1
Scott Bluff-----	1,007	983	22	-	2	258	35	34.8	23	22.8
Scottbluff-----	385	384	1	-	-	120	17	44.2	13	33.8
Balance of county-----	622	599	21	-	2	138	18	28.9	10	16.1
Seward-----	294	264	20	-	-	139	8	28.2	4	14.1
Sheridan-----	251	250	-	-	1	93	8	31.9	6	23.9
Sherman-----	170	163	7	-	-	58	5	29.4	1	5.9
Sioux-----	32	30	2	-	-	14	-	0	3	93.8
Stanton-----	134	122	11	-	1	50	4	29.9	2	14.9
Thayer-----	239	222	17	-	-	108	6	25.1	3	12.6
Thomas-----	23	15	8	-	-	11	-	0	-	0
Thurston-----	257	239	18	-	1	96	9	35.0	3	11.7
White-----	176	159	17	-	-	63	4	22.7	3	17.0
Nonwhite-----	81	79	1	-	1	33	5	61.7	-	0
Valley-----	164	130	34	-	-	62	5	30.5	3	18.3
Washington-----	248	248	-	-	-	92	4	16.1	3	12.1
Wayne-----	213	209	4	-	-	81	5	23.5	3	14.1
Webster-----	159	145	14	-	-	85	3	18.9	6	37.7
Wheeler-----	33	31	2	-	-	12	-	0	-	0
York-----	316	316	-	-	-	174	6	19.0	6	19.0
NEVADA-----										
White-----	3,384	3,337	57	2	8	1,490	105	31.0	54	16.0
Nonwhite-----	269	280	17	6	16	120	13	45.0	9	27.7
Churchill-----	148	147	1	-	-	88	6	40.5	4	27.0
Clark-----	1,059	1,032	27	1	2	321	32	30.2	14	13.2
Douglas-----	53	51	1	-	1	25	3	56.6	-	0
White-----	40	39	1	-	-	22	3	75.0	-	0
Nonwhite-----	13	12	-	-	1	3	-	0	-	0
Elko-----	255	246	3	3	3	133	9	35.3	7	27.5
White-----	226	221	1	1	3	115	8	35.4	4	17.7
Nonwhite-----	29	25	2	2	-	18	1	34.5	3	103.4
Esmeralda-----	15	14	-	-	1	7	-	0	-	0
Eureka-----	15	13	2	-	-	12	-	0	-	0
Humboldt-----	93	81	6	3	5	79	9	96.8	2	21.5
Lander-----	43	43	-	-	-	19	1	23.3	-	0
White-----	39	39	-	-	-	17	1	25.6	-	0
Nonwhite-----	4	4	-	-	-	2	-	0	-	0
Lincoln-----	111	110	-	-	1	36	3	27.0	2	18.0
Lyon-----	63	60	2	-	1	49	3	47.6	-	0
Mineral-----	169	165	2	-	1	46	5	29.8	2	11.9
White-----	137	134	2	-	1	32	4	29.2	1	7.3
Nonwhite-----	31	31	-	-	-	14	1	32.3	1	32.3
Nye-----	66	59	1	-	6	60	1	15.2	2	30.3
White-----	45	45	-	-	-	55	-	0	2	44.4
Nonwhite-----	21	14	1	-	6	7	1	47.6	-	0
Ormsby-----	75	72	3	-	-	46	1	13.3	1	13.3

See footnotes on p. 93.

GENERAL TABLES—BIRTHS, DEATHS, AND FETAL DEATHS

TABLE 1.—LIVE BIRTHS BY PERSON IN ATTENDANCE; TOTAL DEATHS; DEATHS UNDER 1 YEAR AND INFANT MORTALITY RATES; AND FETAL DEATHS AND RATIOS: UNITED STATES, EACH STATE AND COUNTY, AND EACH URBAN PLACE HAVING, IN 1940, A POPULATION OF 10,000 OR MORE, 1949—Continued

(See headnote on p. 2)

AREA AND RACE	LIVE BIRTHS					Deaths (all ages)	DEATHS UNDER 1 YEAR		FETAL DEATHS	
	Total	Attended by—					Number	Rate	Number	Ratio
		Physi- cian in hos- pital ²	Physi- cian not in hos- pital	Midwife	Other and not speci- fied					
NEVADA—Continued										
Perahing	64	63	1	-	-	33	2	31.3	1	15.6
Storey	11	11	-	-	-	15	-	0	-	0.
Washoe	1,185	1,176	5	1	3	525	29	24.5	25	21.1
Reno	814	813	1	-	-	379	19	23.3	17	20.9
Balance of county	371	363	4	1	3	146	10	27.0	9	21.6
White Pine	249	244	5	-	-	116	14	56.2	2	8.0
NEW HAMPSHIRE	11,940	11,754	181	2	3	6,109	355	27.9	218	16.3
White	11,920	11,735	180	2	3	6,099	352	27.9	218	16.3
Nonwhite	20	19	1	-	-	10	1	50.0	-	0
Bellmap	644	637	7	-	-	340	20	31.1	10	15.5
Laconia	328	327	1	-	-	184	10	30.5	6	18.3
Balance of county	316	310	6	-	-	176	10	31.6	4	12.7
Carrroll	311	303	7	-	-	215	6	19.3	11	35.4
Cheshire	860	828	32	-	-	467	26	30.2	8	9.3
Keene	342	340	2	-	-	182	7	20.5	4	11.7
Balance of county	518	488	30	-	-	285	19	36.7	4	7.7
Cook	855	828	27	1	1	569	23	26.9	15	17.5
Berlin	424	422	2	-	1	149	12	26.3	6	18.9
Balance of county	431	404	26	1	-	220	11	25.5	7	16.2
Grafton	1,131	1,110	21	-	-	497	28	24.6	27	23.3
Hillsborough	3,576	3,565	21	-	-	1,829	98	27.4	64	17.9
Manchester	1,940	1,936	4	-	-	1,003	51	26.3	34	17.5
Nashua	783	781	2	-	-	395	30	38.3	18	23.0
Balance of county	853	838	15	-	-	431	17	19.9	12	14.1
Merrimack	1,285	1,252	29	1	1	697	43	33.5	30	23.4
Concord	520	528	1	-	1	302	15	28.3	12	22.6
Balance of county	753	724	28	-	-	395	28	37.2	16	23.9
Rockingham	1,607	1,562	23	1	-	852	41	25.5	21	13.1
Portsmouth	497	489	8	-	-	223	15	30.2	6	16.1
Balance of county	1,110	1,085	15	-	-	629	26	23.4	13	11.7
Stratford	1,061	1,054	7	-	-	552	29	27.3	19	17.9
Dover	332	332	-	-	-	174	9	27.1	7	21.1
Rochester	255	255	-	-	-	168	13	51.0	4	15.7
Balance of county	474	467	7	-	-	210	7	14.8	8	16.9
Sullivan	612	605	7	-	-	301	19	31.0	13	21.2
Claremont (town)	291	289	2	-	-	136	9	30.9	6	20.6
Balance of county	321	316	5	-	-	163	10	31.2	7	21.8
NEW JERSEY	97,606	94,993	2,200	316	97	47,890	2,534	26.0	1,933	19.8
White	88,393	86,551	1,494	289	59	44,226	2,091	23.5	1,654	18.7
Nonwhite	8,213	8,442	706	27	38	3,662	453	49.2	279	30.3
Atlantic	2,378	2,382	174	10	10	1,614	97	37.7	55	21.4
White	2,080	1,961	106	5	8	1,476	71	34.1	36	17.3
Nonwhite	496	421	68	5	2	338	26	52.4	19	39.3
Atlantic City	1,189	1,125	56	2	6	974	56	47.1	30	25.2
White	799	783	9	2	5	700	35	43.8	14	17.5
Nonwhite	390	342	47	-	1	274	21	53.8	16	41.0
Pleasantville	262	243	19	-	-	149	4	15.3	3	11.5
White	204	189	15	-	-	125	3	14.7	2	9.8
Nonwhite	58	54	4	-	-	24	1	17.2	1	17.2
Balance of county	1,125	1,014	99	8	4	691	37	32.9	22	19.6
Bergen	10,402	10,324	68	8	2	4,320	213	20.5	213	20.5
Garfield	564	559	3	2	-	192	9	16.0	16	28.4
Hackensack	561	557	3	1	-	272	14	25.0	9	16.0
White	496	493	2	1	-	236	12	24.2	8	16.1
Nonwhite	65	64	1	-	-	36	2	30.6	1	15.4
Teaneck (twp.) ³	556	554	1	1	-	249	12	21.6	10	18.0
Bergenfield	353	354	1	-	-	129	10	26.2	9	25.4
Cliffside Park	291	288	3	-	-	132	1	3.4	7	24.1
Englewood	456	452	4	-	-	216	11	24.1	13	28.5
White	360	357	3	-	-	175	7	19.4	12	33.3
Nonwhite	96	95	1	-	-	41	4	41.7	1	10.4
Lodi	326	323	1	1	1	115	4	12.3	9	27.6
Lyndhurst (twp.) ³	415	413	1	-	1	156	8	19.3	7	16.9
Ridgefield Park	228	225	3	-	-	121	3	13.2	3	13.2
Ridgewood	243	240	3	-	-	164	4	16.5	5	20.6
Rutherford	330	329	1	-	-	203	7	21.2	5	15.2
Balance of county	6,077	6,030	44	3	-	2,371	130	21.4	120	19.7
Burlington	2,718	2,555	160	1	2	1,198	82	30.2	54	19.9
White	327	296	31	-	-	143	12	36.7	5	15.3
Nonwhite	266	257	9	-	-	121	10	37.6	5	18.8
Balance of county	61	39	22	-	-	22	2	32.8	-	0
Camden	2,591	2,259	129	1	2	1,035	70	29.3	49	20.5
Camden	6,333	5,964	319	47	3	3,127	180	23.7	119	18.8
White	2,631	2,637	133	40	1	1,395	66	23.3	67	23.7
Nonwhite	2,335	2,214	81	39	1	1,198	48	20.6	55	23.6
Collingswood	496	443	52	1	-	197	18	36.3	12	24.2
Gloucester City	259	257	2	-	-	155	2	7.7	4	15.4
Gloucester City	302	287	15	-	-	164	7	23.2	7	23.2
Fernsaken (twp.) ³	305	284	20	1	-	170	8	26.2	6	19.7
Balance of county	2,636	2,479	149	6	2	1,243	67	25.4	35	13.5

See footnotes on p. 93.

VITAL STATISTICS OF THE UNITED STATES

TABLE 1.—LIVE BIRTHS BY PERSON IN ATTENDANCE; TOTAL DEATHS; DEATHS UNDER 1 YEAR AND INFANT MORTALITY RATES; AND FETAL DEATHS AND RATIOS: UNITED STATES, EACH STATE AND COUNTY, AND EACH URBAN PLACE HAVING, IN 1940, A POPULATION OF 10,000 OR MORE, 1949—Continued

(See headnote on p. 2)

AREA AND RACE	LIVE BIRTHS					Deaths (all ages)	DEATHS UNDER 1 YEAR		FETAL DEATHS	
	Total	Attended by—					Number	Rate	Number	Ratio
		Physi- cian in hos- pital ¹	Physi- cian not in hos- pital	Midwife	Other and not speci- fied					
NEW JERSEY—Continued										
Cape May	639	578	60	-	1	513	20	31.3	17	26.6
Cumberland	1,855	1,735	117	4	1	976	54	34.5	39	21.0
Bridgeton	439	418	20	-	1	249	25	52.4	9	20.5
White	340	332	8	-	-	220	16	47.1	7	20.6
Nonwhite	99	86	12	-	1	29	7	70.7	2	20.2
Millville	267	263	4	-	-	150	11	41.2	6	22.5
Balance of county	1,149	1,052	93	4	-	539	30	26.1	24	20.9
Essex	17,799	17,479	252	45	25	9,420	488	27.4	352	19.4
Newark	9,399	9,136	199	32	20	4,964	311	33.1	211	22.5
White	7,075	6,951	83	29	12	4,067	176	24.9	137	19.4
Nonwhite	2,314	2,187	116	3	8	897	135	58.3	74	32.0
Belleville	662	654	4	4	-	257	14	21.1	11	16.6
Bloomfield	936	931	5	2	-	422	22	23.5	9	9.6
East Orange	1,439	1,418	15	5	1	808	28	19.5	28	19.5
Irvington	1,063	1,059	3	-	1	548	28	26.3	19	17.9
Montclair	669	658	10	-	1	486	19	21.9	16	18.4
White	639	636	3	-	-	393	11	17.2	12	18.8
Nonwhite	230	222	7	-	1	93	8	34.8	4	17.4
Orange	831	823	7	-	1	405	18	21.7	15	18.1
White	675	673	1	-	1	334	15	22.2	11	16.3
Nonwhite	156	150	6	-	-	71	3	19.2	4	25.6
West Orange	495	495	-	-	-	255	8	16.2	4	8.1
Maplewood (twp.) ²	301	300	1	-	-	235	6	30.9	5	16.6
Millburn (twp.) ²	180	178	2	-	-	115	5	27.8	3	16.7
Rutley	519	514	4	-	1	217	9	17.3	9	17.3
South Orange	205	203	2	-	-	149	3	14.6	3	14.8
Balance of county	809	807	2	-	-	459	17	18.7	19	20.9
Gloucester	1,862	1,824	133	1	4	922	45	21.9	43	21.9
Hudson	13,354	13,198	126	25	5	6,955	331	24.8	243	18.2
Jersey City	6,578	6,500	72	5	1	3,385	189	28.7	104	15.8
White	5,844	5,784	54	5	1	3,149	151	25.8	92	15.7
Nonwhite	734	716	18	-	-	236	38	51.8	12	16.3
Bayonne	1,617	1,600	12	5	-	707	43	26.6	35	21.6
Hoboken	1,005	966	16	2	1	624	26	25.9	19	18.9
Kearny	799	796	2	1	-	376	13	16.3	24	30.0
North Bergen (twp.) ³	761	756	2	3	-	401	11	14.5	17	22.3
Union City	1,059	1,044	12	2	1	605	14	13.2	14	13.2
West New York	768	759	3	5	1	414	16	20.8	8	10.4
Harrison	303	297	4	1	1	127	10	33.0	4	13.2
Weehawken (twp.) ³	198	198	-	-	-	155	4	20.2	9	45.5
Balance of county	266	262	3	1	-	161	5	18.8	9	33.8
Burlington	628	778	49	1	-	497	24	29.0	21	25.4
Mercer	4,551	4,448	100	1	2	2,313	148	32.5	95	20.9
Trenton	2,516	2,447	68	9	1	1,449	90	35.8	57	22.7
Balance of county	2,035	2,001	32	1	1	864	58	28.5	38	18.7
Middlesex	5,655	5,475	89	86	5	2,289	151	26.7	126	22.3
New Brunswick	693	664	8	1	-	412	16	17.9	31	34.7
Perth Amboy	794	752	10	31	1	384	16	20.2	15	18.9
Woodbridge (twp.) ³	687	659	7	19	2	269	21	30.6	12	17.5
Carteret	247	227	3	17	-	98	8	32.4	2	8.1
South River	219	217	-	2	-	80	4	18.3	9	41.1
Balance of county	2,815	2,736	61	16	2	1,046	86	30.6	57	20.2
Monmouth	4,718	4,634	73	3	8	2,416	127	26.9	86	18.2
Asbury Park	387	379	7	-	1	240	11	29.4	10	26.8
White	240	237	3	-	-	175	5	20.8	7	29.2
Nonwhite	147	142	4	-	1	75	6	40.8	3	20.4
Long Branch	546	544	2	-	-	244	16	29.3	6	11.0
Neptune (twp.) ³	284	278	6	-	-	141	5	17.6	8	28.2
White	200	195	5	-	-	117	4	20.0	5	25.0
Nonwhite	84	83	1	-	-	24	1	11.9	3	35.7
Red Bank	309	307	2	-	-	189	10	32.4	9	29.1
White	253	253	-	-	-	166	9	35.8	7	27.7
Nonwhite	56	54	2	-	-	22	1	17.9	2	35.7
Balance of county	3,192	3,126	56	3	7	1,595	85	26.6	53	16.6
Morris	3,209	3,161	44	3	1	1,478	84	26.2	60	18.7
Dover	226	222	2	2	-	119	11	48.7	4	17.7
Morristown	444	440	4	-	-	233	8	18.0	9	20.3
Balance of county	2,539	2,499	38	1	1	1,126	65	25.6	47	18.5
Ocean	1,218	1,194	22	1	1	680	30	24.6	32	26.3
Passaic	6,460	6,370	62	11	17	3,204	160	24.8	141	21.8
Paterson	2,708	2,683	20	4	1	1,606	72	28.6	62	28.9
Clifton	1,248	1,240	3	3	-	443	27	21.7	25	20.1
Passaic	1,098	1,022	4	1	1	554	37	33.7	24	21.8
Hawthorne	257	252	5	-	-	123	5	19.5	6	23.3
Balance of county	1,151	1,103	30	5	15	472	19	16.5	24	20.9
Salmon	1,093	1,039	55	-	-	495	29	26.5	30	27.4
White	920	885	34	-	-	417	22	23.9	23	25.0
Nonwhite	173	152	21	-	-	78	7	40.5	7	40.5
Somerset	2,142	2,091	29	21	2	855	43	20.1	36	16.9
North Plainfield	228	223	5	-	-	115	4	17.5	5	21.9
Balance of county	1,914	1,869	23	21	2	739	39	20.4	31	16.2
Sussex	792	744	47	-	1	374	17	21.5	17	21.5

GENERAL TABLES—BIRTHS, DEATHS, AND FETAL DEATHS

TABLE 1.—LIVE BIRTHS BY PERSON IN ATTENDANCE; TOTAL DEATHS; DEATHS UNDER 1 YEAR AND INFANT MORTALITY RATES; AND FETAL DEATHS AND RATIOS: UNITED STATES, EACH STATE AND COUNTY, AND EACH URBAN PLACE HAVING, IN 1940, A POPULATION OF 10,000 OR MORE, 1949—Continued

(See footnote on p. 2)

AREA AND RACE	LIVE BIRTHS					Deaths (all ages)	DEATHS UNDER 1 YEAR		FETAL DEATHS	
	Total	Attended by—					Number	Rate	Number	Ratio
		Physi- cian in hos- pital ¹	Physi- cian not in hos- pital	Midwife	Other and not speci- fied					
NEW JERSEY—Continued										
Union	8,169	7,970	142	50	7	3,445	203	24.9	134	16.4
Elizabeth	2,383	2,303	37	39	5	1,143	57	23.9	51	21.4
Plainfield	974	943	31	-	-	439	27	27.7	19	19.5
White	897	820	7	-	-	394	18	21.8	10	12.1
Nonwhite	147	123	24	-	-	55	9	61.2	9	61.2
Cranford (twp.) ²	425	417	8	-	-	120	13	30.6	3	7.1
Hillside (twp.) ²	339	335	3	-	1	157	10	29.5	5	14.7
Linden	630	615	9	5	1	205	16	25.4	9	14.3
Belmont	438	431	5	2	-	208	12	27.4	10	22.8
Roselle	398	377	10	1	-	140	12	30.9	4	10.5
White	325	323	1	1	-	122	9	27.7	3	9.2
Nonwhite	63	54	9	-	-	18	3	47.6	1	15.3
Summit	340	340	-	-	-	175	4	11.8	2	5.9
Union (twp.) ²	697	689	7	1	-	255	16	23.0	9	12.9
Westfield	392	391	10	1	-	218	15	40.8	6	15.3
Balance of county	1,163	1,139	22	2	-	387	20	17.2	16	13.8
Warren	1,134	1,054	80	-	-	607	30	26.5	20	17.6
Phillipsburg	423	408	17	-	-	220	16	37.8	10	23.6
Balance of county	711	646	63	-	-	387	14	19.7	10	14.1
NEW MEXICO	21,620	15,142	3,327	2,530	621	5,576	1,408	65.1	362	17.7
White	20,118	14,095	3,274	2,326	422	5,059	1,228	61.0	342	17.0
Nonwhite	1,502	1,046	53	204	199	507	180	119.8	40	26.6
Bernalillo	4,410	3,587	565	209	50	1,039	244	55.3	93	21.1
Albuquerque	2,747	2,445	212	77	13	661	117	42.6	69	24.8
Balance of county	1,663	1,142	353	131	37	378	127	76.4	25	15.0
Catron	98	34	43	10	11	35	8	81.6	2	20.4
Chaves	1,142	1,035	39	61	7	270	61	53.4	18	15.8
Roswell	775	727	10	37	1	200	46	59.4	11	14.2
Balance of county	367	308	29	24	6	70	15	40.9	7	19.1
Golfax	507	440	15	40	12	170	22	43.4	8	15.8
Gurry	674	622	10	40	2	187	33	49.0	15	22.3
Clovis	507	463	5	38	1	152	27	53.3	12	23.7
Balance of county	167	159	5	2	1	35	6	35.9	3	18.0
De Baca	80	54	5	11	-	26	5	62.5	2	25.0
Dona Ana	1,501	713	551	204	33	329	99	66.0	27	18.0
Eddy	1,426	1,296	49	70	11	306	96	67.3	21	14.7
Grant	691	581	85	16	9	179	33	47.8	6	8.7
Guadalupe	220	53	122	40	5	72	16	72.7	8	36.4
Harding	75	21	40	11	3	24	6	80.0	1	13.3
Hidalgo	147	113	10	21	3	42	6	40.8	-	0
Lea	922	908	11	2	1	183	45	48.8	19	20.6
Hobbs	469	464	5	-	-	92	26	59.7	13	27.7
Balance of county	453	444	6	2	1	91	17	37.5	6	15.2
Lincoln	203	97	68	32	6	78	11	54.2	8	39.4
Los Alamos ³	231	228	3	-	-	17	7	30.3	3	13.0
Luna	260	214	63	3	-	82	15	53.6	15	55.6
McKinley	976	731	62	102	81	267	102	104.5	14	14.3
White	371	290	51	25	5	99	30	30.9	7	18.9
Nonwhite	605	441	11	77	76	168	72	119.0	7	11.6
Mora	321	75	71	141	34	90	32	99.7	2	6.2
Otero	434	230	194	3	7	111	25	57.6	7	16.1
Quay	398	378	8	6	6	120	19	47.7	1	2.5
Rio Arriba	916	445	299	152	60	225	76	83.0	16	17.6
Roosevelt	393	356	36	-	1	103	19	48.3	9	22.9
Sandoval	549	246	124	144	35	148	42	76.5	8	14.6
White	411	209	124	70	8	82	27	65.7	4	9.7
Nonwhite	138	37	-	74	27	66	15	108.7	4	29.0
San Juan	459	421	13	5	20	156	33	71.9	10	21.8
White	269	253	10	2	4	84	9	33.5	6	22.3
Nonwhite	190	168	3	3	16	72	24	126.3	4	21.1
San Miguel	1,017	477	70	432	38	319	104	102.3	19	18.7
Santa Fe	1,248	788	146	276	38	296	61	48.9	10	8.0
Santa Fe	922	641	69	199	13	212	43	46.6	6	6.5
Balance of county	326	147	77	77	25	84	18	55.2	4	12.3
Sierra	150	93	36	10	11	89	13	86.7	3	20.0
Socorro	338	65	193	53	27	116	41	121.3	7	20.7
Taos	629	273	66	296	34	134	32	50.9	7	11.1
Torrance	245	109	73	55	8	78	13	53.1	8	32.7
Union	202	117	55	22	8	78	14	69.3	5	24.8
Valencia	738	332	242	104	60	207	75	101.6	10	13.6
White	625	275	239	93	18	163	56	89.6	6	9.6
Nonwhite	113	57	3	11	42	44	19	168.1	4	35.4
NEW YORK	301,287	295,658	5,038	250	345	155,020	7,878	26.1	6,864	22.8
White	274,783	270,116	4,238	192	237	145,809	6,864	25.0	5,751	20.9
Nonwhite	26,504	25,540	798	58	108	9,211	1,014	38.3	1,113	42.0
Albany	5,042	4,944	54	38	6	3,033	158	27.4	80	15.9
Albany	2,948	2,881	28	36	3	1,928	98	33.2	49	16.6
Cohoes	475	468	7	-	-	295	9	18.9	7	21.1
Watervliet	341	333	7	1	-	198	4	11.7	7	20.5
Balance of county	1,278	1,262	12	1	3	664	27	121.1	14	11.0

See footnotes on p. 93.

VITAL STATISTICS OF THE UNITED STATES

TABLE 1.—LIVE BIRTHS BY PERSON IN ATTENDANCE; TOTAL DEATHS; DEATHS UNDER 1 YEAR AND INFANT MORTALITY RATES; AND FETAL DEATHS AND RATIOS: UNITED STATES, EACH STATE AND COUNTY, AND EACH URBAN PLACE HAVING, IN 1940, A POPULATION OF 10,000 OR MORE, 1949—Continued

(See headnote on p. 2)

AREA AND RACE	LIVE BIRTHS					Deaths (all ages)	DEATHS UNDER 1 YEAR		FETAL DEATHS	
	Total	Attended by—					Number	Rate	Number	Ratio
		Physi- cian in hos- pital ¹	Physi- cian not in hos- pital	Midwife	Other and not speci- fied					
NEW YORK—Continued										
Allegany-----	1,036	1,010	26	-	-	516	35	33.8	14	15.5
Broome-----	4,247	4,203	41	-	3	1,831	124	29.2	96	22.6
Binghamton-----	1,808	1,796	10	-	-	916	57	31.6	36	21.0
Endicott-----	585	584	1	-	-	211	18	30.8	11	18.8
Johnson City-----	501	499	1	-	1	192	13	25.9	13	25.9
Balance of county-----	1,355	1,324	29	-	2	512	38	26.6	34	25.1
Cattaraugus-----	1,855	1,807	46	-	2	837	53	28.6	34	16.3
Olean-----	615	613	2	-	-	217	12	19.5	12	19.5
Balance of county-----	1,240	1,194	44	-	2	620	41	33.1	22	17.7
Cayuga-----	1,613	1,500	13	-	-	855	36	23.0	22	14.5
Auburn-----	776	772	4	-	-	437	25	32.2	10	12.9
Balance of county-----	737	728	9	-	-	418	11	14.9	12	16.3
Chautauque-----	2,929	2,893	32	-	4	1,495	81	27.7	47	16.0
Jamestown-----	924	922	1	-	1	409	22	23.8	13	14.1
Dunkirk-----	394	393	1	-	-	192	9	22.6	5	12.7
Balance of county-----	1,611	1,578	30	-	3	815	50	31.0	29	18.0
Chemung-----	2,069	2,053	14	-	2	976	53	25.6	29	14.0
Elmira-----	1,138	1,129	8	-	1	627	31	27.2	17	14.9
Balance of county-----	931	924	6	-	1	349	22	25.6	12	12.9
Chenango-----	910	876	34	-	-	500	26	28.6	12	13.2
Clinton-----	1,337	1,210	124	-	3	545	37	27.7	21	15.7
Plattsburgh-----	482	478	4	-	-	188	10	20.7	6	12.4
Balance of county-----	855	732	120	-	3	357	27	31.6	15	17.5
Columbia-----	793	771	21	-	1	381	16	20.2	19	24.0
Hudson-----	228	224	4	-	-	155	5	21.9	5	21.9
Balance of county-----	565	547	17	-	1	226	11	19.5	14	24.8
Cortland-----	845	829	12	-	2	447	29	34.3	12	14.2
Cortland-----	387	383	1	2	1	221	13	33.6	4	10.3
Balance of county-----	458	445	11	1	1	226	16	34.9	8	17.5
Delaware-----	1,036	944	89	-	3	504	25	24.1	14	13.5
Dutchess-----	2,294	2,234	37	7	6	1,422	65	28.5	40	17.5
Poughkeepsie-----	832	835	12	5	-	541	22	25.8	11	12.9
Beacon-----	237	234	1	-	2	150	10	42.2	4	16.9
Balance of county-----	1,135	1,165	24	2	4	731	33	27.6	25	20.9
Erie-----	19,804	19,202	564	19	19	9,327	529	27.0	363	18.5
Buffalo-----	12,463	12,285	152	14	12	6,667	345	27.7	230	18.5
White-----	11,348	11,210	117	13	8	6,310	299	26.3	199	17.5
Nonwhite-----	1,115	1,075	35	4	4	357	46	41.3	31	27.8
Kemora-----	349	348	1	-	-	207	14	40.1	6	17.2
Lackawanna-----	676	647	26	3	-	234	21	31.1	15	22.2
Tonawanda-----	361	356	4	-	1	174	11	30.5	4	11.1
Balance of county-----	5,755	5,566	181	2	6	2,045	139	24.0	108	18.8
Essex-----	925	835	87	-	3	483	30	32.4	24	25.9
Franklin-----	1,089	810	287	3	9	529	36	33.1	29	26.6
Fulton-----	1,091	1,069	21	1	1	683	34	31.2	16	14.7
Gloversville-----	519	516	3	-	-	327	16	30.8	9	17.3
Johnstown-----	227	226	1	-	-	158	4	17.6	4	17.6
Balance of county-----	345	326	17	1	1	196	14	40.6	3	8.7
Genesee-----	1,080	1,066	13	-	1	477	29	25.9	19	17.6
Batavia-----	389	388	1	-	-	176	12	30.8	9	25.1
Balance of county-----	691	678	12	-	1	301	16	23.2	10	14.5
Greene-----	561	540	20	1	-	430	19	33.9	11	18.6
Hamilton-----	89	82	7	-	-	54	3	33.7	1	11.2
Herkimer-----	1,408	1,375	33	-	-	748	55	39.1	26	15.5
Little Falls-----	208	206	2	-	-	136	8	38.5	2	9.6
Balance of county-----	1,200	1,169	31	-	-	612	47	39.2	24	20.0
Jefferson-----	2,097	1,974	123	-	-	1,075	53	25.3	39	16.1
Watertown-----	840	835	7	-	-	436	27	32.1	11	13.1
Balance of county-----	1,257	1,141	116	-	-	639	26	20.7	27	21.5
Lewis-----	625	576	47	-	2	309	17	27.2	10	16.0
Livingston-----	898	876	21	-	1	439	22	24.5	20	22.3
Madison-----	1,133	1,060	49	-	4	505	30	26.5	23	20.3
Oneida-----	265	264	1	-	-	120	9	34.0	2	7.5
Balance of county-----	868	816	48	-	4	385	21	24.2	21	24.2
Monroe-----	10,790	10,709	71	1	9	5,121	282	26.1	172	15.9
Rochester-----	7,445	7,394	43	1	7	3,665	181	24.3	120	16.1
Irondequoit (town)-----	14	11	3	-	-	162	12	67.1	2	142.9
Balance of county-----	3,331	3,304	25	-	2	1,094	89	26.7	50	18.0
Montgomery-----	1,228	1,213	11	-	1	602	31	41.5	24	19.5
Amsterdam-----	651	647	2	2	-	438	30	46.1	15	23.0
Balance of county-----	577	566	9	1	1	364	21	36.4	9	15.6
Nassau-----	14,274	14,136	131	1	6	5,037	309	21.6	237	16.6
Floral Park-----	266	263	3	-	-	141	3	11.3	5	18.8
Freeport-----	485	482	3	-	-	278	14	28.9	5	10.3
Garden City-----	228	228	1	-	-	123	7	31.0	4	17.7
Glen Cove-----	328	313	15	-	1	128	12	36.5	4	12.2
Hempstead-----	699	694	5	-	-	295	19	27.2	20	28.6
Lynbrook-----	340	337	3	-	-	174	4	11.6	6	17.6
Mineola-----	264	262	2	-	-	112	9	31.7	5	17.6
Rockville Centre-----	381	356	3	-	-	226	10	27.7	5	13.9
Valley Stream-----	698	695	3	-	-	221	13	18.6	12	17.2
Balance of county-----	10,568	10,487	95	1	3	3,336	206	20.6	171	16.2
New York City ² -----	152,268	150,220	1,704	150	194	81,527	3,667	25.4	4,196	27.6
White-----	130,336	129,201	1,117	104	117	74,007	3,049	23.4	3,222	24.7
Nonwhite-----	21,733	21,019	591	46	77	7,520	618	37.6	874	44.8

See footnotes on p. 93.

GENERAL TABLES—BIRTHS, DEATHS, AND FETAL DEATHS

55

TABLE 1.—LIVE BIRTHS BY PERSON IN ATTENDANCE; TOTAL DEATHS; DEATHS UNDER 1 YEAR AND INFANT MORTALITY RATES; AND FETAL DEATHS AND RATIOS: UNITED STATES, EACH STATE AND COUNTY, AND EACH URBAN PLACE HAVING, IN 1940, A POPULATION OF 10,000 OR MORE, 1949—Continued

(See headnote on p. 2)

AREA AND RACE	LIVE BIRTHS					Deaths (all ages)	DEATHS UNDER 1 YEAR		FETAL DEATHS	
	Total	Attended by—					Number	Rate	Number	Ratio
		Physi- cian in hos- pital ¹	Physi- cian not in hos- pital	Midwife	Other and not speci- fied					
NEW YORK—Continued										
Niagara	4,524	4,489	32	-	3	1,798	123	27.2	75	16.6
Niagara Falls	2,252	2,241	11	-	-	768	64	28.4	40	17.8
Lockport	521	516	3	-	-	296	17	32.6	9	17.5
North Tonawanda	600	594	4	-	2	264	14	23.3	6	10.0
Balance of county	1,151	1,136	14	-	1	470	28	24.3	20	17.4
Oneida	4,857	4,715	137	1	4	2,515	157	32.3	94	19.4
Utica	2,109	2,094	14	1	-	1,231	66	31.3	48	22.8
Rome	989	982	7	-	-	357	27	27.3	13	13.1
Balance of county	1,759	1,639	116	-	4	927	64	36.4	33	18.6
Ontario	7,723	7,664	55	-	4	3,621	199	25.6	132	17.1
Syracuse	4,731	4,710	18	-	3	2,566	128	27.1	74	15.6
Balance of county	2,992	2,954	37	-	1	1,055	71	23.7	58	19.4
Geneva	1,342	1,315	25	-	2	719	36	26.8	20	14.9
Balance of county	425	421	3	-	1	209	7	16.5	7	16.5
Orangetown	917	894	22	-	1	510	29	31.6	13	14.2
Orange	3,036	2,949	86	-	2	1,813	75	24.7	58	19.1
Newburgh	725	700	22	-	1	441	17	23.5	7	9.7
Middletown	414	407	7	-	-	280	8	19.3	5	12.1
Balance of county	1,899	1,841	57	-	1	1,092	50	26.3	46	24.2
Orleans	664	656	8	-	-	393	16	24.1	14	21.1
Cayuga	1,761	1,647	111	-	3	902	59	32.9	43	24.4
Fulton	342	338	4	-	-	150	14	40.9	13	38.0
Cayuga	518	518	-	-	-	268	14	27.0	8	15.4
Balance of county	901	791	107	-	3	494	30	33.3	22	24.4
Otsego	1,051	1,001	46	2	2	637	25	23.6	16	15.2
Oneonta	279	276	3	-	-	177	8	28.7	5	17.9
Balance of county	772	725	43	2	2	460	17	22.0	11	14.2
Putnam	337	324	13	-	-	237	10	29.7	4	11.9
Rensselaer	2,531	2,683	40	6	2	1,811	89	30.4	50	17.1
Troy	1,635	1,595	9	1	-	1,066	56	34.9	31	19.3
Rensselaer	236	278	4	4	-	183	9	31.5	5	17.5
Balance of county	1,040	1,010	27	1	2	570	24	23.1	14	13.5
Rockland	1,776	1,753	24	-	2	792	41	23.1	25	14.1
St. Lawrence	2,531	2,417	129	2	4	1,170	85	33.3	55	21.6
Massena	391	366	5	-	-	120	11	28.1	9	23.0
Ogdensburg	362	358	3	-	1	192	9	24.9	10	27.6
Balance of county	1,798	1,673	120	2	3	858	65	36.2	36	20.0
Saratoga	1,615	1,565	47	-	3	874	42	26.0	31	19.2
Saratoga Springs	316	311	5	-	-	185	10	31.6	9	28.5
Balance of county	1,299	1,254	42	-	3	689	32	24.6	22	16.9
Schenectady	2,996	2,872	20	1	3	1,451	80	26.7	47	15.7
Schenectady	2,075	2,056	15	1	3	1,079	60	28.9	35	16.9
Balance of county	921	816	5	-	-	372	20	21.7	12	13.0
Schoharie	467	399	64	1	3	306	19	40.7	5	10.7
Schuyler	302	291	11	-	-	189	9	29.6	5	16.6
Seneca	556	545	6	-	5	324	13	23.4	7	12.6
Steuben	2,222	2,132	86	-	4	987	56	26.2	36	17.1
Corning	476	472	4	-	-	185	9	16.9	6	12.6
Hornell	356	351	5	-	-	150	8	22.5	10	28.1
Balance of county	1,390	1,309	77	-	4	652	39	28.1	22	15.8
Suffolk	4,875	4,721	145	4	5	2,479	105	21.5	105	21.5
Sullivan	820	743	76	-	1	485	27	32.9	15	18.3
Tioga	742	703	30	-	9	376	16	21.6	14	18.9
Tompkins	1,364	1,339	24	1	-	519	29	21.3	20	14.7
Ithaca	627	623	4	-	-	260	10	15.9	11	17.5
Balance of county	737	716	20	1	-	259	19	25.8	9	12.2
Ulster	1,747	1,714	33	-	-	1,239	56	32.1	33	18.9
Kingston	591	587	4	-	-	394	20	33.8	10	16.9
Balance of county	1,156	1,127	29	-	-	845	36	31.1	23	19.9
Warren	922	866	35	1	-	549	43	46.6	17	18.4
Glens Falls	472	471	1	-	-	295	16	33.9	7	14.8
Balance of county	450	415	34	1	-	254	27	60.0	10	22.2
Washington	1,055	950	104	-	1	602	33	31.3	27	25.6
Wayne	1,203	1,173	29	1	-	651	36	29.9	17	14.1
Westchester	11,636	11,553	78	3	2	5,869	299	24.8	223	19.2
Yonkers	2,868	2,850	18	-	-	1,497	75	26.2	62	21.6
Mount Vernon	1,428	1,410	17	1	-	668	32	22.4	19	13.3
New Rochelle	1,108	1,089	8	-	1	556	19	17.1	24	21.7
White	932	930	2	-	-	493	14	15.0	19	20.4
Nonwhite	176	159	6	-	1	73	5	28.4	5	28.4
White Plains	834	830	3	1	-	442	30	36.0	14	16.8
Mamaroneck	299	298	-	1	-	153	9	30.1	9	30.1
Ossining	288	267	1	-	-	172	5	17.4	7	24.3
White	162	156	1	-	-	100	5	19.5	6	23.3
Nonwhite	31	31	-	-	-	10	-	0	1	32.3
Peekskill	373	365	8	-	-	207	12	32.2	6	16.1
Port Chester	557	554	3	-	-	255	8	14.4	7	12.6
Scarsdale	196	196	-	-	-	143	7	35.7	5	25.5
Balance of county	3,685	3,664	20	-	1	1,826	92	25.0	70	19.0
Wyoming	735	712	23	-	-	369	18	24.5	18	24.5
Yates	419	411	6	-	-	235	10	23.9	7	16.7

See footnotes on p. 93.
981192 O - 52 - 5

VITAL STATISTICS OF THE UNITED STATES

TABLE 1.—LIVE BIRTHS BY PERSON IN ATTENDANCE; TOTAL DEATHS; DEATHS UNDER 1 YEAR AND INFANT MORTALITY RATES; AND FETAL DEATHS AND RATIOS: UNITED STATES, EACH STATE AND COUNTY, AND EACH URBAN PLACE HAVING, IN 1940, A POPULATION OF 10,000 OR MORE, 1949—Continued

(See headnote on p. 2)

AREA AND RACE	LIVE BIRTHS					Deaths (all ages)	DEATHS UNDER 1 YEAR		FETAL DEATHS	
	Total	Attended by—					Number	Rate	Number	Ratio
		Physi- cian in hos- pital ¹	Physi- cian not in hos- pital	Midwife	Other and not speci- fied					
NORTH CAROLINA-----	107,970	73,546	20,404	13,797	223	51,009	4,113	38.1	2,766	25.6
White-----	72,415	61,114	9,608	1,583	110	20,201	2,185	30.2	1,377	19.0
Nonwhite--	35,555	12,432	10,796	12,214	113	10,808	1,928	54.2	1,389	39.1
Alamance-----	1,799	1,420	373	6	-	456	40	22.2	42	23.3
White-----	1,387	1,285	102	-	-	352	26	18.7	25	18.0
Nonwhite--	412	135	271	6	-	104	14	34.0	17	41.3
Burlington-----	625	524	101	-	-	172	15	24.0	20	32.0
Balance of county-----	1,174	896	272	6	-	284	25	21.3	22	18.7
White-----	856	777	79	-	-	209	18	21.0	11	12.9
Nonwhite--	318	119	193	6	-	75	7	22.0	11	34.6
Alexander-----	584	275	107	4	-	127	9	23.4	8	20.8
Alleghany-----	158	75	80	1	2	80	4	25.3	4	25.3
Anson-----	822	312	171	335	4	212	36	43.8	17	20.7
White-----	318	245	60	12	1	95	13	40.9	3	9.4
Nonwhite--	504	67	111	323	3	117	23	45.6	14	27.8
Ashe-----	595	448	104	40	3	171	21	35.3	15	25.2
Avery-----	402	339	15	47	1	111	13	32.3	12	29.9
Beaufort-----	1,056	691	113	251	1	362	69	64.4	26	24.6
White-----	592	522	55	15	-	187	23	39.9	9	15.2
Nonwhite--	464	169	58	236	1	175	45	97.0	17	56.6
Bertie-----	777	394	130	263	-	244	44	56.6	23	29.6
White-----	236	211	21	4	-	88	5	21.2	7	29.7
Nonwhite--	541	173	109	259	-	156	39	72.1	16	29.6
Bladen-----	904	243	443	218	-	221	51	56.4	20	22.1
White-----	451	204	231	16	-	112	26	57.6	3	6.7
Nonwhite--	453	39	212	202	-	109	25	55.2	17	37.5
Brunswick-----	521	311	16	191	3	139	18	34.5	18	34.5
White-----	315	263	8	44	-	75	9	28.6	2	6.3
Nonwhite--	206	48	8	147	3	64	9	43.7	16	77.7
Buncombe-----	2,848	2,477	203	159	9	1,003	94	33.0	56	19.7
White-----	2,445	2,265	153	22	5	794	78	31.9	41	16.8
Nonwhite--	403	212	50	137	4	209	16	39.7	15	57.2
Asheville-----	1,397	1,228	55	129	5	551	45	32.2	27	19.3
White-----	1,052	1,044	5	2	1	361	29	27.6	13	12.4
Nonwhite--	345	184	50	127	4	190	16	46.4	14	40.6
Balance of county-----	1,451	1,249	168	30	4	452	49	33.8	29	20.0
Burke-----	1,104	1,004	31	64	5	271	21	19.0	15	13.6
Cabarrus-----	1,528	1,462	47	19	-	444	46	30.1	37	24.2
White-----	1,233	1,209	20	4	-	342	39	31.6	26	21.1
Nonwhite--	295	253	27	15	-	102	7	25.7	11	37.3
Concord-----	447	454	8	5	-	173	17	39.0	9	20.1
White-----	449	349	-	1	-	129	16	45.8	8	22.9
Nonwhite--	98	86	8	4	-	44	1	10.2	1	10.2
Balance of county-----	1,081	1,028	39	14	-	271	29	26.8	28	25.9
White-----	884	861	20	3	-	213	23	26.0	18	20.4
Nonwhite--	197	167	19	11	-	58	6	30.5	10	50.6
Caldwell-----	1,230	941	269	20	-	297	48	39.0	26	21.1
Camden-----	143	58	27	58	-	45	9	62.9	4	28.0
White-----	74	35	15	4	-	30	3	40.5	1	13.5
Nonwhite--	69	3	12	54	-	15	6	97.0	3	43.5
Carteret-----	586	468	45	73	-	172	17	29.0	12	20.5
White-----	474	443	22	9	-	158	13	27.4	8	16.9
Nonwhite--	112	25	23	64	-	34	4	55.7	4	55.7
Caswell-----	595	228	199	170	-	153	21	35.3	11	18.3
White-----	210	145	60	5	-	94	8	36.1	3	14.3
Nonwhite--	385	81	139	165	-	59	13	35.8	8	20.8
Catawba-----	1,681	1,551	54	75	3	403	61	36.3	35	20.8
White-----	1,501	1,432	36	31	2	357	56	37.3	25	16.7
Nonwhite--	180	119	18	42	1	46	5	27.8	10	55.6
Rickory-----	581	566	4	11	-	122	20	34.4	12	20.7
White-----	510	506	2	2	-	102	17	33.3	10	19.6
Nonwhite--	71	60	2	9	-	20	3	42.3	2	28.2
Balance of county-----	1,100	995	50	62	3	291	41	37.3	23	20.9
Chatham-----	667	406	207	53	1	217	20	30.0	12	18.0
White-----	379	321	36	1	1	150	8	21.1	3	7.9
Nonwhite--	288	85	171	52	-	67	12	41.7	9	31.3
Cherokee-----	497	329	42	118	8	148	27	54.3	10	20.1
Chowan-----	587	146	172	68	1	141	26	67.2	20	51.7
White-----	161	114	45	1	1	85	7	43.5	6	37.3
Nonwhite--	226	32	127	67	-	78	19	84.1	14	61.9
Clay-----	155	49	69	34	3	30	4	25.8	2	12.9
Cleveland-----	1,849	1,264	362	220	3	390	58	31.4	39	21.1
White-----	1,298	1,061	209	26	2	293	40	30.8	19	14.6
Nonwhite--	551	203	153	194	1	97	18	32.7	20	36.3
Shelby-----	362	345	9	38	-	97	8	20.4	6	15.3
White-----	281	276	4	1	-	72	7	24.9	3	10.7
Nonwhite--	111	69	5	37	-	25	1	9.0	3	27.0
Balance of county-----	1,457	919	353	182	3	293	50	34.3	33	22.6
White-----	1,017	785	205	25	2	221	33	32.4	16	15.7
Nonwhite--	440	134	148	157	1	72	17	38.6	17	38.6
Columbus-----	1,618	928	234	452	4	419	89	55.0	57	35.2
White-----	988	739	142	107	1	249	42	42.5	24	24.3
Nonwhite--	629	189	92	345	3	170	47	74.7	33	52.5

See footnotes on p. 95.

GENERAL TABLES—BIRTHS, DEATHS, AND FETAL DEATHS

TABLE 1.—LIVE BIRTHS BY PERSON IN ATTENDANCE; TOTAL DEATHS; DEATHS UNDER 1 YEAR AND INFANT MORTALITY RATES; AND FETAL DEATHS AND RATIOS: UNITED STATES, EACH STATE AND COUNTY, AND EACH URBAN PLACE HAVING, IN 1940, A POPULATION OF 10,000 OR MORE, 1949—Continued

(See headnote on p. 2)

AREA AND RACE	LIVE BIRTHS					Deaths (all ages)	DEATHS UNDER 1 YEAR		FETAL DEATHS	
	Total	Attended by—					Number	Rate	Number	Ratio
		Physi- cian in hos- pital ¹	Physi- cian not in hos- pital	Midwife	Other and not spec- ified					
NORTH CAROLINA—Continued										
Craven	1,455	1,057	53	345	-	422	57	39.2	45	30.9
White	953	917	24	12	-	203	26	27.3	12	12.6
Nonwhite	502	140	29	333	-	219	31	61.8	33	65.7
New Bern	506	352	3	151	-	189	18	35.6	17	33.6
White	303	300	2	1	-	78	4	13.2	4	13.2
Nonwhite	203	52	1	150	-	111	14	69.0	13	64.0
Balance of county	949	705	50	194	-	233	39	41.1	28	29.5
White	650	617	22	11	-	125	22	33.8	8	12.3
Nonwhite	299	88	28	185	-	108	17	56.9	20	66.9
Cumberland	3,317	2,631	165	519	2	639	124	37.4	74	22.3
White	2,858	2,269	67	32	-	387	69	29.1	37	15.6
Nonwhite	949	362	98	487	2	252	55	58.0	37	39.0
Fayetteville	1,554	1,269	58	206	1	299	59	38.0	40	29.7
White	1,105	1,074	22	9	-	161	31	28.1	24	21.7
Nonwhite	449	215	36	197	1	138	28	62.4	16	35.6
Balance of county	1,763	1,342	107	313	1	340	65	36.9	34	19.3
White	1,263	1,195	45	25	-	226	38	30.1	13	10.3
Nonwhite	500	147	62	290	1	114	27	54.0	21	42.0
Currituck	115	59	21	35	-	63	3	26.1	6	52.2
White	64	35	6	8	-	45	2	31.3	4	62.5
Nonwhite	51	4	15	32	-	17	1	19.6	2	39.2
Dare	108	61	42	4	1	45	4	37.0	8	74.1
Davidson	1,460	1,348	98	14	-	398	55	37.7	29	19.9
White	1,284	1,243	41	-	-	338	46	35.8	18	14.0
Nonwhite	176	105	57	14	-	62	9	51.1	11	62.5
Lexington	392	368	24	-	-	91	22	55.1	4	10.2
White	323	326	2	-	-	64	17	51.6	2	6.1
Nonwhite	64	42	22	-	-	27	5	78.1	2	31.5
Thomasville	235	221	5	9	-	80	9	38.3	7	29.8
White	190	190	-	-	-	62	9	47.4	3	15.8
Nonwhite	45	31	5	9	-	18	0	0	4	88.9
Balance of county	833	759	69	5	-	227	24	28.8	18	21.6
Davie	350	213	150	6	1	121	16	45.7	11	31.4
White	292	201	90	-	1	95	14	47.9	6	20.5
Nonwhite	58	12	40	6	-	26	2	34.5	5	86.2
Duplin	1,195	479	607	109	-	330	42	35.1	40	33.5
White	656	385	262	9	-	194	20	30.5	15	22.9
Nonwhite	539	94	345	100	-	136	22	40.8	25	46.4
Durham	2,372	2,272	51	69	1	796	73	30.8	41	17.3
White	1,475	1,461	12	1	1	444	29	19.7	23	15.6
Nonwhite	896	611	19	68	-	352	44	49.0	18	20.0
Durham	1,934	1,881	8	44	1	608	55	28.4	35	18.1
White	1,171	1,169	1	-	1	321	18	15.4	22	18.8
Nonwhite	763	712	7	44	-	287	37	48.5	13	17.0
Balance of county	439	391	23	25	-	188	18	41.0	6	13.7
White	304	292	11	1	-	123	11	36.2	1	3.3
Nonwhite	135	99	12	24	-	65	7	51.9	5	37.0
Edgecombe	1,592	612	521	456	1	470	79	49.6	33	20.7
White	583	491	81	11	-	184	23	39.5	11	18.9
Nonwhite	1,009	121	440	447	1	286	56	55.5	22	21.6
Rocky Mount (part)	315	212	95	8	-	105	12	(+)	7	(+)
White	174	174	-	-	-	52	4	(+)	3	(+)
Nonwhite	141	38	95	8	-	53	8	(+)	4	(+)
Balance of county	1,277	400	426	450	1	365	67	52.5	26	20.4
White	409	317	81	11	-	132	19	46.5	8	19.6
Nonwhite	868	83	345	439	1	233	48	55.3	18	20.7
Forsyth	3,587	3,356	222	7	2	1,157	119	33.2	93	25.9
White	2,485	2,398	85	2	-	668	46	19.5	43	17.4
Nonwhite	1,122	958	157	5	2	489	71	63.3	50	44.6
Winston-Salem	2,563	2,415	143	4	1	857	91	35.5	73	28.5
White	1,528	1,523	3	2	-	417	28	18.3	27	17.7
Nonwhite	1,035	892	140	2	1	440	63	60.9	46	44.4
Balance of county	1,024	941	79	3	1	300	28	27.3	20	19.5
White	937	875	62	-	-	251	20	21.3	16	17.1
Nonwhite	87	66	17	3	1	49	8	92.0	4	46.0
Franklin	731	328	182	220	1	232	21	26.7	30	41.0
White	295	236	54	5	-	116	4	13.6	8	27.1
Nonwhite	436	92	128	215	1	117	17	39.0	22	50.5
Gaston	2,900	2,413	384	103	-	679	61	27.9	69	23.8
White	2,517	2,220	293	4	-	586	72	28.6	64	25.4
Nonwhite	383	193	91	99	-	93	9	23.5	5	13.1
Gastonia	1,012	971	29	12	-	196	27	26.7	21	20.8
White	885	864	20	1	-	161	25	28.2	21	23.7
Nonwhite	127	107	9	11	-	35	2	15.7	-	0
Balance of county	1,888	1,442	355	91	-	483	54	28.6	48	25.4
White	1,632	1,356	273	3	-	425	47	28.8	43	26.3
Nonwhite	256	86	82	88	-	58	7	27.3	5	19.5
Gates	232	110	36	84	2	90	14	60.3	8	34.5
White	79	70	9	-	-	35	2	25.3	1	12.7
Nonwhite	153	40	27	84	2	55	12	78.4	7	45.8
Crabon	209	156	37	13	2	51	7	33.7	3	14.4
Granville	825	444	333	49	-	287	41	49.7	26	31.5
White	346	280	63	3	-	142	15	43.4	8	23.1
Nonwhite	479	164	270	46	-	145	26	54.3	18	37.6

See footnotes on p. 93.

VITAL STATISTICS OF THE UNITED STATES

TABLE 1.—LIVE BIRTHS BY PERSON IN ATTENDANCE; TOTAL DEATHS; DEATHS UNDER 1 YEAR AND INFANT MORTALITY RATES; AND FETAL DEATHS AND RATIOS: UNITED STATES, EACH STATE AND COUNTY, AND EACH URBAN PLACE HAVING, IN 1940, A POPULATION OF 10,000 OR MORE, 1949—Continued

(See headnote on p. 2)

AREA AND RACE	LIVE BIRTHS					Deaths (all ages)	DEATHS UNDER 1 YEAR		FETAL DEATHS	
	Total	Attended by—					Number	Rate	Number	Ratio
		Physi- cian in hos- pital ¹	Physi- cian not in hos- pital	Midwife	Other and not speci- fied					
NORTH CAROLINA—Continued										
Greene-----	583	114	429	39	1	122	18	30.9	18	30.9
White-----	356	103	151	2	-	48	5	19.5	3	11.7
Nonwhite--	327	11	278	37	1	74	13	39.8	15	45.9
Guilford-----	4,351	3,997	270	80	4	1,348	123	28.3	109	25.1
White-----	3,386	3,286	89	8	3	960	82	24.2	66	19.5
Nonwhite--	865	711	181	72	1	388	41	42.5	43	44.6
Greensboro-----	1,874	1,951	11	11	1	575	54	27.4	46	23.3
White-----	1,470	1,463	7	-	-	355	29	19.7	23	15.6
Nonwhite--	504	488	4	11	1	220	25	49.6	23	45.6
High Point-----	1,007	893	89	25	-	301	26	25.8	22	21.8
White-----	807	806	1	-	-	210	18	22.3	15	18.6
Nonwhite--	200	87	88	25	-	91	8	40.0	7	35.0
Balance of county-----	1,370	1,153	170	44	3	472	43	31.4	41	29.9
White-----	1,109	1,017	81	8	3	395	35	31.6	28	25.2
Nonwhite--	261	136	89	36	-	77	8	30.7	13	49.8
Halifax-----	1,963	667	299	995	2	532	87	44.3	86	33.8
White-----	833	530	93	10	-	211	19	30.0	9	14.2
Nonwhite--	1,330	137	206	985	2	321	68	51.1	57	42.9
Harnett-----	1,271	910	197	161	3	344	39	30.7	28	22.0
White-----	833	742	84	6	1	231	20	24.0	17	20.4
Nonwhite--	438	168	113	155	2	113	19	43.4	11	25.1
Haywood-----	1,032	998	28	3	3	289	36	34.9	29	28.1
Henderson-----	756	689	59	6	2	300	27	35.7	9	11.9
Hertford-----	531	187	255	79	-	162	29	54.6	17	32.0
White-----	177	129	47	1	-	50	4	22.6	5	28.2
Nonwhite--	354	86	208	78	-	112	25	70.6	12	33.9
Hoke-----	443	89	178	178	-	132	32	72.2	12	27.1
White-----	128	59	66	3	-	42	6	46.9	3	23.4
Nonwhite--	315	30	110	175	-	90	26	82.5	9	28.6
Hyde-----	166	83	19	82	2	60	3	18.1	3	18.1
White-----	70	56	9	3	2	44	2	28.6	3	42.9
Nonwhite--	96	7	10	79	-	16	1	10.4	-	0
Iredell-----	1,443	1,220	157	66	-	423	54	37.4	30	20.8
White-----	1,109	1,009	96	4	-	312	32	28.9	16	14.4
Nonwhite--	334	211	61	62	-	111	22	85.9	14	41.9
Statesville-----	402	359	27	16	-	144	13	32.3	13	32.3
White-----	340	320	20	-	-	105	8	23.5	3	8.8
Nonwhite--	62	39	7	16	-	39	5	80.6	10	181.3
Balance of county-----	1,041	861	130	50	-	279	41	39.4	17	16.3
White-----	769	689	76	4	-	207	24	31.2	13	16.9
Nonwhite--	272	172	54	46	-	72	17	82.5	4	14.7
Jackson-----	445	234	179	27	5	122	15	33.7	12	27.0
Johnston-----	1,802	656	205	5	5	484	75	41.6	61	33.9
White-----	1,305	677	401	24	3	346	40	30.7	36	27.6
Nonwhite--	497	59	255	181	2	138	35	70.4	25	50.3
Jones-----	364	181	47	136	-	91	17	46.7	11	30.2
White-----	171	145	21	5	-	46	9	52.6	3	17.5
Nonwhite--	193	36	26	131	-	45	8	41.5	8	41.5
Lee-----	708	622	31	55	-	174	24	33.9	16	25.4
White-----	468	447	17	2	-	119	12	25.8	4	8.6
Nonwhite--	242	175	14	53	-	55	12	49.6	14	57.9
Lenoir-----	1,277	656	235	381	5	418	60	47.0	36	28.2
White-----	807	551	44	12	-	239	26	42.8	6	9.9
Nonwhite--	870	105	191	369	5	179	34	50.7	30	44.8
Kinston-----	510	300	40	167	3	196	22	43.1	13	25.5
White-----	265	259	7	-	-	101	7	26.4	4	15.1
Nonwhite--	245	42	33	167	3	95	15	61.2	9	36.7
Balance of county-----	767	356	195	214	2	222	38	49.5	23	30.0
White-----	342	295	37	12	-	119	19	55.8	2	5.8
Nonwhite--	425	63	158	202	2	104	19	44.7	21	49.4
Lincoln-----	715	558	93	64	-	177	21	29.4	14	19.6
White-----	588	522	55	6	-	149	18	30.6	11	18.7
Nonwhite--	127	29	40	59	-	29	3	23.6	3	23.6
McDowell-----	844	528	112	3	1	169	13	20.2	5	7.8
Macon-----	378	173	156	66	3	112	16	42.3	12	31.7
Mauion-----	457	237	167	59	15	156	23	50.3	8	17.5
Martin-----	786	171	416	196	3	228	32	40.7	21	28.7
White-----	322	139	179	6	-	103	9	28.0	2	6.2
Nonwhite--	464	33	239	190	3	125	23	49.6	19	40.9
Mecklenburg-----	5,239	4,989	119	159	3	1,452	181	34.5	124	23.7
White-----	3,693	3,659	33	2	-	886	82	22.2	57	15.4
Nonwhite--	1,546	1,301	86	156	3	566	99	64.0	67	43.3
Charlotte-----	3,649	3,525	46	78	3	1,096	142	38.9	77	21.1
White-----	2,521	2,516	4	1	-	647	63	25.0	35	13.9
Nonwhite--	1,128	1,009	42	74	3	449	79	70.0	42	37.2
Balance of county-----	1,590	1,434	73	83	-	356	39	24.5	47	29.6
White-----	1,172	1,142	29	1	-	239	19	16.2	22	18.8
Nonwhite--	418	292	44	82	-	117	20	47.8	25	59.8
Mitchell-----	397	233	108	54	2	95	12	30.2	9	22.7
Montgomery-----	441	269	116	55	1	145	11	24.9	6	18.1
White-----	303	240	56	7	-	101	6	19.8	3	9.9
Nonwhite--	138	29	60	48	1	44	5	36.2	5	36.2
Noore-----	864	730	86	47	1	241	23	26.6	21	24.3
White-----	590	534	45	11	-	161	9	15.3	12	20.3
Nonwhite--	274	196	41	36	1	80	14	51.1	9	32.8

See footnotes on p. 93.

GENERAL TABLES—BIRTHS, DEATHS, AND FETAL DEATHS

TABLE 1.—LIVE BIRTHS BY PERSON IN ATTENDANCE; TOTAL DEATHS; DEATHS UNDER 1 YEAR AND INFANT MORTALITY RATES; AND FETAL DEATHS AND RATIOS: UNITED STATES, EACH STATE AND COUNTY, AND EACH URBAN PLACE HAVING, IN 1940, A POPULATION OF 10,000 OR MORE, 1949—Continued

(See headnote on p. 2)

AREA AND RACE	LIVE BIRTHS					Deaths (all ages)	DEATHS UNDER 1 YEAR		FETAL DEATHS	
	Total	Attended by—					Number	Rate	Number	Ratio
		Physi- cian in hos- pital ¹	Physi- cian not in hos- pital	Midwife	Other and not speci- fied					
NORTH CAROLINA—Continued										
Nash	1,733	780	859	283	1	510	93	53.7	46	26.5
White	829	686	129	14	-	278	41	49.5	22	26.5
Nonwhite	904	94	550	279	1	232	52	57.5	24	26.5
Rocky Mount (part)	389	292	89	17	1	137	12	(4)	9	(4)
White	251	251	-	-	-	78	4	(4)	5	(4)
Nonwhite	138	31	89	17	1	59	8	(4)	4	(4)
Rocky Mount (total)	704	494	134	25	1	242	24	34.1	16	22.7
White	425	425	-	-	-	130	8	18.8	8	18.8
Nonwhite	279	69	134	25	1	112	16	57.3	8	28.7
Balance of county	1,344	488	570	276	-	373	61	60.3	37	27.5
White	576	455	129	14	-	200	37	64.0	17	29.4
Nonwhite	768	63	441	262	-	173	44	57.4	20	26.1
New Hanover	1,577	1,511	18	46	2	604	60	39.0	39	24.7
White	987	992	4	-	1	344	20	20.1	13	13.0
Nonwhite	580	519	14	46	1	260	40	69.0	26	44.8
Wilmington	1,159	1,099	15	44	1	473	48	41.4	35	30.2
White	691	688	3	-	-	255	17	24.6	11	15.9
Nonwhite	468	411	12	44	1	218	31	66.2	24	51.5
Balance of county	418	412	3	2	1	131	12	28.7	4	9.6
White	306	304	1	-	1	89	3	9.8	2	6.5
Nonwhite	112	108	2	2	-	42	9	80.4	2	17.8
Northampton	854	195	306	341	12	234	28	32.8	33	38.6
White	183	133	43	5	2	80	1	5.5	7	38.3
Nonwhite	671	62	263	336	10	154	27	40.2	26	38.7
Onslow	780	624	74	78	4	194	33	42.3	20	25.6
White	593	523	52	9	4	135	23	38.8	10	16.9
Nonwhite	187	98	22	69	-	59	10	53.5	10	53.5
Orange	830	651	119	60	-	197	17	20.5	25	30.1
White	521	474	45	2	-	120	9	17.3	11	21.1
Nonwhite	309	177	74	58	-	67	8	25.9	14	45.3
Pamlico	267	41	153	72	1	96	14	52.4	8	30.0
White	140	36	102	1	1	46	5	35.7	4	28.6
Nonwhite	127	5	51	71	-	50	9	70.9	4	31.5
Pasquotank	714	415	88	228	3	247	30	42.0	16	22.4
White	418	391	22	3	2	148	14	33.5	8	19.1
Nonwhite	296	24	46	225	1	99	16	54.1	8	27.0
Elizabeth City	446	313	12	120	1	167	17	38.1	11	24.7
White	301	294	4	2	1	104	10	33.2	6	19.9
Nonwhite	145	19	8	118	-	63	7	48.3	5	34.5
Balance of county	269	102	56	108	2	80	13	48.5	5	18.7
White	117	97	18	1	1	44	4	34.2	2	17.1
Nonwhite	151	5	38	107	1	36	9	59.6	3	19.9
Pender	536	159	142	229	6	169	26	48.5	10	16.7
White	239	112	109	18	-	60	10	41.8	2	8.4
Nonwhite	297	47	33	211	6	89	16	53.9	8	26.9
Perquimans	219	57	51	108	3	100	7	32.0	6	27.4
White	91	52	29	8	2	46	2	22.0	1	11.0
Nonwhite	128	5	22	100	1	54	5	39.1	5	39.1
Person	762	374	313	73	2	159	20	26.2	19	24.9
White	417	334	80	3	-	99	10	24.0	7	16.6
Nonwhite	345	40	233	70	2	60	10	29.0	12	34.8
Pitt	1,890	828	703	350	1	497	61	42.9	50	26.5
White	838	597	241	-	-	233	21	25.1	6	7.2
Nonwhite	1,052	239	462	350	1	264	60	57.0	44	41.8
Greenville	387	299	17	71	-	133	18	46.5	16	41.3
White	234	227	7	-	-	57	5	21.4	3	12.8
Nonwhite	153	72	10	71	-	76	13	85.0	13	85.0
Balance of county	1,503	537	686	279	1	364	63	41.9	34	22.6
White	804	370	234	-	-	176	16	26.5	3	5.0
Nonwhite	899	167	452	279	1	188	47	52.3	31	34.5
Folk	228	184	59	5	-	89	7	30.7	7	30.7
White	198	142	45	1	-	66	4	21.3	4	21.3
Nonwhite	40	22	14	4	-	23	3	75.0	3	75.0
Randolph	1,205	1,096	84	23	2	322	30	24.9	25	23.2
Richmond	1,146	686	257	197	8	300	45	39.3	28	24.4
White	765	632	122	10	1	181	32	41.8	15	19.6
Nonwhite	381	54	135	187	5	119	13	34.1	13	34.1
Robeson	2,916	1,161	1,261	503	11	797	158	54.2	104	35.7
White	1,031	715	3	16	3	323	38	36.9	23	22.3
Nonwhite	1,885	446	944	487	8	474	120	63.7	81	43.0
Rockingham	1,608	1,119	437	52	-	512	52	32.3	43	26.7
White	1,191	963	219	9	-	377	28	23.5	25	19.3
Nonwhite	417	156	218	43	-	135	24	57.8	20	48.0
Saidville	303	242	65	2	-	115	14	45.3	13	42.1
White	200	195	3	2	-	72	5	25.0	3	15.0
Nonwhite	109	47	62	-	-	41	9	82.6	10	91.7
Balance of county	1,289	877	372	50	7	399	38	29.3	30	23.1
White	991	768	216	7	-	305	23	23.2	20	20.2
Nonwhite	303	109	156	43	-	94	15	48.7	10	32.5

See footnotes on p. 35.

VITAL STATISTICS OF THE UNITED STATES

TABLE 1.—LIVE BIRTHS BY PERSON IN ATTENDANCE; TOTAL DEATHS; DEATHS UNDER 1 YEAR AND INFANT MORTALITY RATES; AND FETAL DEATHS AND RATIOS: UNITED STATES, EACH STATE AND COUNTY, AND EACH URBAN PLACE HAVING, IN 1940, A POPULATION OF 10,000 OR MORE, 1949—Continued

(See headnote on p. 2)

AREA AND RACE	LIVE BIRTHS					Deaths (all ages)	DEATHS UNDER 1 YEAR		FETAL DEATHS	
	Total	Attended by—					Number	Rate	Number	Ratio
		Physi- cian in hosp- ital ¹	Physi- cian not in hosp- ital	Midwife	Other and not spec- ified					
NORTH CAROLINA—Continued										
Rowan-----	1,627	1,379	181	64	3	591	63	36.7	41	25.2
White-----	1,279	1,162	110	6	1	462	44	34.4	27	21.1
Nonwhite--	348	217	71	58	2	129	19	54.6	14	40.2
Salisbury-----	447	409	33	14	-	207	20	44.7	10	22.4
White-----	324	320	4	-	-	145	12	37.0	6	18.5
Nonwhite--	123	89	29	14	-	62	8	65.0	4	32.5
Balance of county-----	1,160	979	148	50	3	384	43	36.4	31	26.3
White-----	955	842	108	6	1	317	32	33.5	21	22.0
Nonwhite--	225	137	42	44	2	67	11	48.9	10	44.4
Rutherford-----	1,201	612	524	64	1	295	33	27.5	27	22.5
White-----	1,008	575	417	15	1	250	30	29.9	17	16.9
Nonwhite--	193	37	107	49	-	45	3	15.5	10	51.8
Sampson-----	1,377	454	608	313	2	408	58	42.1	33	24.0
White-----	730	421	276	32	1	258	26	36.4	16	21.9
Nonwhite--	647	33	332	281	1	150	30	46.4	17	26.3
Scotland-----	867	397	151	318	1	245	54	62.3	28	32.3
White-----	416	323	74	19	-	115	22	52.9	11	26.4
Nonwhite--	451	74	77	299	1	130	32	71.0	17	37.7
Stanly-----	913	796	118	5	-	259	33	35.9	18	19.6
White-----	795	726	69	-	-	210	28	35.2	14	17.6
Nonwhite--	124	70	49	5	-	49	5	40.3	4	32.3
Stokes-----	474	263	201	9	1	165	14	29.5	12	25.3
White-----	418	229	188	-	1	140	11	26.3	8	19.1
Nonwhite--	56	34	13	9	-	25	3	53.6	4	71.4
Surry-----	1,266	698	353	43	2	320	47	36.5	30	23.3
Swain-----	293	105	124	56	3	81	9	31.3	11	36.2
White-----	223	46	121	53	3	64	4	17.9	11	49.3
Nonwhite--	65	59	3	3	-	17	5	76.9	-	0
Transylvania-----	404	264	131	8	1	101	6	14.9	8	19.8
Tyrrell-----	141	92	4	44	1	67	14	39.3	6	42.6
White-----	88	64	3	1	-	36	7	102.9	1	14.7
Nonwhite--	73	28	1	43	1	31	7	95.9	5	68.5
Union-----	1,098	757	243	96	2	320	48	43.7	24	21.9
White-----	776	709	63	4	-	241	31	39.9	15	19.3
Nonwhite--	322	48	180	92	2	79	17	52.8	9	28.0
Vance-----	864	521	58	272	13	308	52	60.2	26	30.1
White-----	394	379	9	5	1	154	15	38.1	4	10.2
Nonwhite--	470	142	49	267	12	174	37	78.7	22	46.8
Wake-----	3,360	2,467	607	282	4	1,041	132	39.3	108	31.5
White-----	2,163	1,926	229	7	1	607	68	31.4	55	25.4
Nonwhite--	1,197	541	378	275	3	434	64	53.5	51	42.6
Raleigh-----	1,599	1,487	19	80	3	527	66	41.3	36	22.5
White-----	1,148	1,143	5	-	1	293	35	30.5	15	13.1
Nonwhite--	450	354	14	80	2	234	31	68.9	21	46.7
Balance of county-----	1,761	970	588	202	1	514	66	37.5	70	39.8
White-----	1,014	783	224	7	-	314	33	32.5	40	39.4
Nonwhite--	747	187	364	195	1	200	33	44.2	30	40.2
Warren-----	747	190	71	484	2	237	40	53.5	43	57.6
White-----	175	155	13	7	-	73	6	34.3	7	40.0
Nonwhite--	572	35	58	477	2	164	34	59.4	36	52.9
Washington-----	376	141	82	153	-	130	18	47.9	15	42.6
White-----	196	130	61	5	-	65	5	25.5	4	20.4
Nonwhite--	180	11	21	148	-	65	13	72.2	11	66.7
Watauga-----	503	462	12	26	3	111	10	19.9	10	19.9
Wayne-----	1,659	832	609	218	-	484	69	41.6	38	22.9
White-----	864	626	229	9	-	241	21	24.3	20	23.1
Nonwhite--	795	206	380	209	-	243	48	60.4	18	22.6
Goldsboro-----	613	379	146	88	-	224	29	47.3	14	22.8
White-----	315	292	23	-	-	88	5	15.9	6	25.4
Nonwhite--	298	87	123	88	-	126	24	60.5	8	20.1
Balance of county-----	1,048	453	463	130	-	270	40	38.2	24	22.9
White-----	548	334	206	9	-	153	16	29.1	12	21.9
Nonwhite--	497	119	257	121	-	117	24	48.3	12	24.1
Wilkes-----	1,148	786	238	120	2	312	43	37.5	24	20.9
Wilson-----	1,585	812	496	276	1	526	91	57.4	46	29.0
White-----	755	638	113	4	-	251	29	38.4	18	23.8
Nonwhite--	830	174	383	272	1	275	62	74.7	28	33.7
Wilson-----	622	407	72	142	1	261	39	62.7	24	38.6
White-----	309	301	6	-	-	96	13	42.1	8	25.9
Nonwhite--	313	106	64	142	1	155	26	83.1	16	51.1
Balance of county-----	963	405	424	134	-	275	52	54.0	22	22.8
White-----	448	337	105	4	-	155	18	35.9	10	22.4
Nonwhite--	517	68	319	130	-	120	38	69.6	12	23.2
Yadkin-----	523	488	63	1	1	132	9	17.2	12	22.8
Yancey-----	450	246	81	122	1	98	17	37.8	7	15.6
NORTH DAKOTA-----	16,846	16,049	705	46	46	5,222	517	30.7	270	16.0
White-----	16,475	15,711	698	30	36	5,090	482	29.3	255	15.5
Nonwhite--	371	338	7	16	10	132	35	94.3	15	40.4
Adams-----	125	119	6	-	-	36	5	40.0	4	52.0
Barnes-----	487	485	2	-	-	165	12	24.6	6	10.3
Benson-----	301	289	7	2	4	80	9	29.9	3	10.0
White-----	244	236	7	-	1	70	6	32.8	1	4.1
Nonwhite--	57	52	-	2	3	10	1	17.5	2	35.1

See footnotes on p. 93.

GENERAL TABLES—BIRTHS, DEATHS, AND FETAL DEATHS

TABLE 1.—LIVE BIRTHS BY PERSON IN ATTENDANCE; TOTAL DEATHS; DEATHS UNDER 1 YEAR AND INFANT MORTALITY RATES; AND FETAL DEATHS AND RATIOS: UNITED STATES, EACH STATE AND COUNTY, AND EACH URBAN PLACE HAVING, IN 1940, A POPULATION OF 10,000 OR MORE, 1949—Continued

(See headnote on p. 2)

AREA AND RACE	LIVE BIRTHS					Deaths (all ages)	DEATHS UNDER 1 YEAR		FETAL DEATHS	
	Total	Attended by—					Number	Rate	Number	Ratio
		Physi- cian in hos- pital ¹	Physi- cian not in hos- pital	Midwife	Other and not speci- fied					
OKLAHOMA—Continued										
Creek	971	732	165	56	18	460	32	33.0	13	15.4
White	819	670	134	5	10	391	27	35.0	12	14.7
Nonwhite	152	62	31	51	8	69	5	32.9	1	8.6
Sapulpa	315	278	6	29	2	156	14	44.4	4	12.7
White	252	247	4	1	-	123	12	47.6	4	15.9
Nonwhite	63	31	2	28	2	33	2	51.7	-	0
Balance of county	586	454	159	27	16	304	18	27.4	9	15.7
White	587	423	130	4	10	288	15	26.5	8	14.1
Nonwhite	89	31	29	23	6	36	3	33.7	1	11.2
Custer	444	428	11	1	4	204	20	45.0	9	18.0
Delaware	277	178	83	8	10	153	10	56.1	5	18.1
White	209	129	76	2	2	128	6	28.7	5	23.9
Nonwhite	68	47	7	6	8	25	4	58.8	-	0
Dewey	170	132	28	8	2	82	3	17.6	1	5.9
Ellis	139	134	5	-	-	66	1	7.2	1	7.2
Garfield	1,169	1,162	25	-	2	461	32	26.9	20	16.8
Mid	950	938	10	-	2	329	25	26.3	16	16.8
Balance of county	239	224	15	-	-	132	7	29.3	4	16.7
Garvin	723	660	59	2	2	222	17	23.5	8	11.1
Grady	736	549	186	2	-	330	31	42.1	9	12.2
Chickasha	370	290	78	2	-	178	19	51.4	4	10.8
White	326	284	42	-	-	155	17	52.1	1	3.1
Nonwhite	44	6	36	2	-	23	2	45.5	3	69.2
Balance of county	366	259	109	-	-	152	12	32.8	5	13.7
Grant	178	176	2	-	-	126	3	16.9	2	11.2
Greer	207	184	23	-	-	90	5	24.2	1	4.8
Harmon	165	153	32	-	-	53	6	32.4	2	10.8
Harper	121	101	18	1	1	47	2	16.5	1	8.3
Haskell	246	59	184	2	1	89	5	20.3	1	4.1
Hughes	447	341	91	11	4	212	16	40.3	12	26.8
White	362	290	70	-	2	164	12	33.1	11	30.4
Nonwhite	85	51	21	11	2	48	6	70.6	1	11.8
Jackson	404	358	46	-	-	190	20	49.5	11	27.2
Jefferson	234	180	51	2	1	91	15	64.1	-	0
Johnston	218	150	65	2	1	94	10	45.9	7	32.1
Key	1,121	1,089	31	2	-	466	28	25.0	22	19.6
Ponca City	511	501	10	-	-	164	8	15.7	7	13.7
Balance of county	610	587	21	2	-	322	20	32.6	15	24.6
Kingfisher	242	216	21	5	-	107	6	33.1	6	24.8
White	225	213	12	-	-	95	6	26.7	5	22.2
Nonwhite	17	5	9	3	-	14	2	117.6	1	58.8
Latimer	425	367	89	-	-	177	11	35.9	5	11.8
LeFlore	174	74	97	1	2	83	3	17.2	3	17.2
Lincoln	795	434	324	15	20	306	31	39.1	20	25.2
Logan	399	321	64	11	3	234	12	30.1	7	17.5
White	479	375	64	38	4	281	13	27.1	4	8.4
Nonwhite	368	329	36	-	1	219	8	21.9	4	10.9
Guthrie	113	46	28	36	3	62	5	44.2	-	0
White	221	188	19	11	3	158	7	31.7	2	9.0
Nonwhite	165	161	4	-	-	121	3	18.2	2	12.1
Balance of county	56	27	15	11	3	37	4	71.4	-	0
White	258	187	45	25	1	123	6	23.3	2	7.8
Nonwhite	201	168	32	-	1	98	5	24.9	2	10.0
White	57	19	13	25	-	25	1	17.5	-	0
Love	159	53	104	2	-	81	-	0	1	6.3
McCain	273	212	59	1	1	111	6	22.0	5	18.3
McCurain	727	261	360	71	35	308	31	42.6	15	20.6
White	524	205	302	8	9	211	17	32.4	11	21.0
Nonwhite	203	56	58	63	26	97	14	69.0	4	19.7
McIntosh	434	229	124	49	32	176	21	49.4	9	20.7
White	299	198	95	10	5	116	13	45.6	4	13.4
Nonwhite	136	41	29	39	27	60	8	58.8	5	36.8
Major	217	197	19	1	-	91	7	32.3	3	13.8
Marshall	160	129	29	-	2	79	4	25.0	2	12.5
Mayer	371	311	52	7	1	165	4	10.8	9	21.6
Murray	222	191	30	1	-	115	3	13.5	4	18.0
Muskogee	1,403	1,048	220	115	20	657	38	27.1	51	22.1
White	1,117	968	133	8	6	447	22	19.7	19	16.1
Nonwhite	286	80	87	107	12	210	16	55.9	13	45.5
Muskogee	831	701	53	66	11	424	22	26.5	17	20.5
White	663	643	12	6	2	283	9	13.6	11	16.6
Nonwhite	168	58	41	60	9	141	13	77.4	6	35.7
Balance of county	572	347	167	49	9	233	16	28.0	14	24.5
White	454	325	121	2	6	164	13	29.6	7	15.4
Nonwhite	118	22	46	47	3	69	3	25.4	7	59.3
Noble	226	146	60	-	-	119	6	22.1	2	8.8
Nowata	242	209	25	6	2	148	10	41.3	2	8.3
White	222	199	20	1	2	127	9	40.5	2	9.0
Nonwhite	20	10	5	5	-	21	1	50.0	-	0
Oklfuskee	369	252	94	16	7	202	17	46.1	3	8.1
White	256	201	53	-	2	138	12	46.9	1	3.9
Nonwhite	113	51	41	16	5	64	5	44.2	2	17.7

See footnotes on p. 93.

VITAL STATISTICS OF THE UNITED STATES

TABLE 1.—LIVE BIRTHS BY PERSON IN ATTENDANCE; TOTAL DEATHS; DEATHS UNDER 1 YEAR AND INFANT MORTALITY RATES; AND FETAL DEATHS AND RATIOS: UNITED STATES, EACH STATE AND COUNTY, AND EACH URBAN PLACE HAVING, IN 1940, A POPULATION OF 10,000 OR MORE, 1949—Continued

(See headnote on p. 2)

AREA AND RACE	LIVE BIRTHS					Deaths (all ages)	DEATHS UNDER 1 YEAR		FETAL DEATHS	
	Total	Attended by—					Number	Rate	Number	Ratio
		Physi- cian in hos- pital ¹	Physi- cian not in hos- pital	Midwife	Other and not speci- fied					
OKLAHOMA—Continued										
Oklahoma-----	8,069	7,894	125	42	10	2,475	236	29.5	120	14.9
Oklahoma City-----	5,843	5,548	82	8	7	1,939	199	34.2	99	17.5
White-----	4,324	4,822	49	8	5	1,780	185	33.5	80	16.2
Nonwhite--	719	684	33	-	2	179	28	38.9	19	26.4
Balance of county-----	2,426	2,348	41	34	3	536	45	18.5	21	9.7
Okmulgee-----	928	729	135	52	12	457	47	50.5	22	23.7
White-----	759	671	85	1	2	359	36	50.1	17	22.4
Nonwhite--	169	59	50	51	10	98	9	63.3	6	29.6
Okmulgee-----	74	291	25	23	-	199	18	52.8	5	17.6
White-----	267	282	5	-	-	145	16	59.9	5	18.7
Nonwhite--	74	29	20	23	2	44	2	27.0	1	13.5
Balance of county-----	587	438	110	29	10	268	29	49.4	16	27.3
White-----	492	408	80	1	2	214	22	44.7	12	24.4
Nonwhite--	95	29	30	28	8	54	7	73.7	4	42.1
Osage-----	629	548	74	6	3	308	16	25.4	13	20.7
Ottawa-----	787	622	144	-	1	368	25	32.5	12	15.6
Pawnee-----	327	302	24	-	-	139	10	30.8	4	12.2
Pawnee-----	1,162	1,162	12	9	1	321	32	27.0	10	9.4
Stillwater-----	690	689	-	-	-	121	14	20.3	4	5.8
Balance of county-----	494	473	12	9	-	200	18	35.4	6	12.1
Pittsburg-----	881	886	139	46	10	347	17	19.3	11	12.5
White-----	784	632	120	26	6	306	16	20.4	5	6.4
Nonwhite--	97	54	19	20	4	41	1	10.3	6	61.9
McAlester-----	401	354	17	25	5	140	6	15.0	3	7.5
White-----	340	319	11	8	2	118	6	17.6	2	5.9
Nonwhite--	61	35	6	17	3	25	-	0	1	16.4
Balance of county-----	480	332	122	21	5	207	11	22.9	6	16.7
White-----	444	313	109	18	4	191	10	22.5	3	6.8
Nonwhite--	36	19	13	3	1	16	1	27.8	3	138.9
Pontotoc-----	702	617	85	-	-	284	22	31.3	13	18.5
Ada-----	385	364	21	-	-	146	12	31.2	9	23.4
Balance of county-----	317	253	64	-	-	138	10	31.5	4	12.6
Pottawatomie-----	897	943	46	7	1	415	23	25.6	17	19.0
Shawnee-----	535	526	3	6	-	244	17	31.8	10	18.7
Balance of county-----	362	317	43	1	1	171	6	16.6	7	19.3
Pushmataha-----	260	103	150	4	3	91	7	26.9	8	30.8
Roger Mills-----	168	138	27	-	-	56	6	36.4	2	12.1
Rogers-----	378	311	60	4	3	200	12	31.7	11	29.1
Seminole-----	833	721	47	57	8	321	37	44.4	21	25.2
White-----	650	617	29	2	2	236	26	40.0	15	23.1
Nonwhite--	183	104	18	55	6	85	11	60.1	6	32.8
Seminole-----	233	222	9	2	-	76	12	51.5	4	17.2
Wewoka-----	153	132	6	15	-	53	7	45.8	5	32.7
White-----	113	109	4	-	-	30	4	35.4	3	26.5
Nonwhite--	40	23	2	15	-	23	3	75.0	2	50.0
Balance of county-----	447	367	32	40	8	192	18	40.3	12	26.8
White-----	320	297	19	2	2	140	11	34.4	9	28.1
Nonwhite--	127	70	13	38	6	52	7	55.1	3	23.6
Sequoyah-----	523	256	219	29	19	168	15	28.7	9	17.2
White-----	442	219	202	11	10	140	14	31.7	8	18.1
Nonwhite--	81	37	17	18	9	28	1	12.3	1	12.3
Stephens-----	785	755	25	4	1	256	17	21.7	16	20.4
Texas-----	349	315	33	1	-	87	8	22.9	6	17.2
Tillman-----	331	286	37	7	1	186	13	39.3	13	39.3
White-----	284	267	15	2	-	159	9	31.7	7	24.6
Nonwhite--	47	19	22	5	1	27	4	65.1	6	127.7
Tulsa-----	5,745	5,360	265	101	21	2,037	177	30.8	104	18.1
White-----	5,125	4,921	191	8	5	1,766	139	26.9	77	15.0
Nonwhite--	620	439	72	93	16	251	39	62.9	27	43.5
Tulsa-----	4,585	4,199	101	69	16	1,574	142	32.4	80	18.2
White-----	3,854	3,654	47	1	2	1,364	109	28.0	59	15.3
Nonwhite--	531	395	54	68	14	210	34	64.0	21	39.5
Balance of county-----	1,360	1,161	162	32	5	463	35	25.7	24	17.6
Wagoner-----	401	191	172	36	2	121	9	22.4	9	22.4
White-----	317	180	131	5	1	80	4	12.6	1	3.2
Nonwhite--	84	11	41	31	1	41	5	59.5	8	95.2
Washington-----	755	723	31	1	-	284	18	23.8	7	9.3
Bartlesville-----	475	466	7	-	-	169	14	29.6	3	6.3
Balance of county-----	282	257	24	1	-	115	4	14.2	4	14.2
Washita-----	351	339	7	2	3	120	8	22.8	9	25.6
Woods-----	354	350	4	-	-	121	10	28.2	8	22.6
Woodward-----	304	294	8	1	1	119	9	29.6	4	13.2
OREGON-----										
	35,316	34,686	534	22	74	13,891	869	24.6	492	13.9
White-----	34,801	34,005	516	16	64	13,631	831	24.0	475	13.7
Nonwhite--	715	681	18	6	10	260	38	53.1	17	23.8
Baker-----	365	350	12	1	-	195	17	46.8	4	11.0
Benton-----	894	879	15	-	-	207	21	23.5	5	5.6
Clackamas-----	1,852	1,808	22	7	15	670	33	17.8	21	11.3
Clatsop-----	805	799	6	-	-	293	19	23.6	16	19.9
Astoria-----	374	373	1	-	-	135	7	18.7	6	16.0
Balance of county-----	431	426	5	-	-	158	12	27.8	10	23.2

See footnotes on p. 95.

GENERAL TABLES—BIRTHS, DEATHS, AND FETAL DEATHS

67

TABLE 1.—LIVE BIRTHS BY PERSON IN ATTENDANCE; TOTAL DEATHS; DEATHS UNDER 1 YEAR AND INFANT MORTALITY RATES; AND FETAL DEATHS AND RATIOS: UNITED STATES, EACH STATE AND COUNTY, AND EACH URBAN PLACE HAVING, IN 1940, A POPULATION OF 10,000 OR MORE, 1949—Continued

(See headnote on p. 2)

AREA AND RACE	LIVE BIRTHS					Deaths (all ages)	DEATHS UNDER 1 YEAR		FETAL DEATHS	
	Total	Attended by—					Number	Rate	Number	Ratio
		Physi- cian in hos- pital ¹	Physi- cian not in hos- pital	Midwife	Other and not speci- fied					
OREGON—Continued										
Columbia-----	549	512	35	1	1	208	12	21.9	9	16.4
Coos-----	1,045	1,032	10	-	3	383	18	17.2	12	11.5
Crook-----	224	223	1	-	-	61	2	8.9	1	4.5
Curry-----	120	114	5	-	1	60	-	0	1	8.3
Deschutes-----	558	556	1	-	1	163	16	28.7	10	17.9
Bend-----	308	307	-	-	1	110	11	35.7	4	13.0
Balance of county-----	250	249	1	-	-	73	5	20.0	6	24.0
Douglas-----	1,374	1,322	51	-	1	418	37	26.9	29	21.1
Filliam-----	54	51	3	-	-	23	-	0	1	18.5
Grant-----	223	218	3	-	2	70	2	9.0	3	13.5
Harney-----	174	170	4	-	-	79	11	63.2	2	11.5
Hood River-----	288	283	3	1	1	122	11	38.2	2	6.9
Jackson-----	1,334	1,328	4	1	1	519	33	24.7	22	16.5
Medford-----	563	561	1	1	-	206	19	33.7	8	14.2
Balance of county-----	771	767	3	-	1	313	14	18.2	14	18.2
Jefferson-----	177	165	9	1	2	50	9	50.8	3	16.9
White-----	129	120	9	-	-	30	3	23.3	2	15.5
Nonwhite-----	48	45	-	1	2	20	6	125.0	1	20.8
Josephine-----	587	524	58	-	5	263	19	32.4	10	17.0
Klamath-----	1,142	1,115	20	5	2	302	37	32.4	12	10.5
Klamath Falls-----	724	720	4	-	-	178	22	30.4	7	9.7
Balance of county-----	418	395	16	5	2	124	15	35.9	5	12.0
Lake-----	201	188	2	-	1	77	7	34.8	4	18.9
Lane-----	3,035	2,938	91	1	5	908	65	26.0	53	17.5
Eugene-----	1,238	1,229	9	-	-	423	34	27.5	25	20.2
Balance of county-----	1,797	1,709	82	1	5	485	51	29.4	28	15.6
Lincoln-----	462	448	11	-	3	192	9	19.5	5	10.8
Linn-----	1,412	1,392	16	1	3	455	29	20.5	22	15.6
Malheur-----	683	680	2	-	1	153	19	27.8	6	8.8
Marion-----	2,172	2,139	29	1	3	828	46	21.2	36	16.6
Salem-----	1,014	1,011	2	-	1	433	16	15.8	18	17.8
Balance of county-----	1,158	1,128	27	1	2	395	30	25.9	18	15.5
Morrow-----	103	91	12	-	-	39	2	19.4	1	9.7
Multnomah-----	10,419	10,359	42	-	18	5,076	219	21.0	134	12.9
Portland-----	9,891	9,840	37	-	14	4,547	197	19.9	121	12.2
Balance of county-----	528	519	5	-	4	529	22	41.7	13	24.6
Polk-----	583	605	6	-	2	230	15	24.8	8	13.2
Sherman-----	59	59	-	-	-	24	2	33.9	-	0
Tillamook-----	457	440	17	-	-	178	12	26.3	9	19.7
Umatilla-----	953	936	16	-	1	325	29	30.4	12	12.6
Union-----	397	394	3	-	-	164	11	27.7	7	17.6
Wallowa-----	171	171	-	-	-	81	5	29.2	3	17.5
Wasco-----	343	340	1	-	-	180	17	49.6	6	17.5
Washington-----	1,232	1,219	12	1	1	501	37	30.0	15	12.2
Wheeler-----	82	77	5	-	-	30	3	36.6	-	0
Yamhill-----	767	759	7	1	-	340	25	32.6	8	10.4
PENNSYLVANIA-----	224,581	208,063	16,274	124	120	108,363	6,567	29.2	4,374	19.5
White-----	207,720	192,746	14,778	90	104	101,082	5,771	27.8	3,818	18.4
Nonwhite-----	16,861	15,315	1,496	34	16	7,281	796	47.2	556	33.0
Adams-----	999	652	147	-	-	375	28	28.0	13	13.0
Allegheny-----	33,027	32,073	924	21	9	15,122	905	27.4	725	22.0
Pittsburgh-----	18,421	18,073	336	5	7	8,115	484	26.2	429	23.3
White-----	16,156	15,698	248	4	6	7,095	368	23.9	349	21.6
Nonwhite-----	2,265	2,175	88	1	1	1,020	78	34.4	60	35.3
McKeesport-----	1,456	1,377	67	11	1	576	27	18.5	31	21.3
Wilkinsburg-----	301	296	5	-	-	288	10	33.2	6	19.9
Bellefonte-----	154	153	1	-	-	131	5	32.5	3	19.5
Braddock-----	414	403	11	-	-	186	21	50.7	14	33.8
White-----	340	332	9	-	-	161	16	47.1	9	26.5
Nonwhite-----	74	71	3	-	-	35	5	67.6	5	67.6
Carnegie-----	430	421	9	-	-	152	8	18.6	8	18.6
Clariton-----	478	418	57	1	-	140	14	28.4	8	18.8
White-----	378	357	21	-	-	112	7	18.5	7	18.5
Nonwhite-----	98	61	36	1	-	28	7	71.4	1	10.2
Coraopolis-----	338	333	5	-	-	103	12	35.5	8	23.7
Dormont-----	30	29	1	-	-	118	6	200.0	2	68.7
Duquesne-----	463	445	16	2	-	208	10	21.6	8	17.3
Harrison (twp.) ³ -----	805	205	-	-	-	87	7	34.1	5	24.4
Homestead-----	309	307	2	-	-	166	7	22.7	8	25.9
White-----	276	276	2	-	-	132	7	25.2	6	21.6
Nonwhite-----	31	31	-	-	-	34	-	0	2	54.5
McKees Rocks-----	592	587	5	-	-	284	23	38.9	11	18.6
Mount Lebanon (twp.) ³ -----	49	47	1	-	-	139	4	83.3	1	20.8
Muhall-----	235	232	3	-	-	152	13	55.3	5	21.3
North Braddock-----	294	281	13	-	-	132	6	20.4	10	34.0
Shaler (twp.) ³ -----	240	231	9	-	-	66	7	29.2	4	16.7
Stowe (twp.) ³ -----	20	20	-	-	-	24	-	0	-	0
Swinsvale-----	271	263	8	-	-	134	6	22.1	9	33.2
Balance of county-----	8,330	7,952	375	2	1	3,902	255	30.6	155	18.6
White-----	8,060	7,718	339	2	1	3,784	243	30.1	143	17.7
Nonwhite-----	270	234	36	-	-	118	12	44.4	12	44.4

See footnotes on p. 93.

VITAL STATISTICS OF THE UNITED STATES

TABLE 1.—LIVE BIRTHS BY PERSON IN ATTENDANCE; TOTAL DEATHS; DEATHS UNDER 1 YEAR AND INFANT MORTALITY RATES; AND FETAL DEATHS AND RATIOS: UNITED STATES, EACH STATE AND COUNTY, AND EACH URBAN PLACE HAVING, IN 1940, A POPULATION OF 10,000 OR MORE, 1949—Continued

(See headnote on p. 2)

AREA AND RACE	LIVE BIRTHS					Deaths (all ages)	DEATHS UNDER 1 YEAR		FETAL DEATHS	
	Total	Attended by—					Number	Rate	Number	Ratio
		Physi- cian in hos- pital ¹	Physi- cian not in hos- pital	Midwife	Other and not speci- fied					
PENNSYLVANIA—Continued										
Armstrong-----	1,984	1,508	472	1	3	747	66	33.3	27	13.6
Beaver-----	4,114	3,929	170	14	1	1,512	138	33.5	108	26.3
Alliquippa-----	683	593	76	14	-	260	11	16.1	15	22.0
White-----	564	537	23	4	-	214	6	10.6	10	17.7
Nonwhite-----	119	56	53	10	-	46	5	42.0	5	42.0
Ambridge-----	522	515	7	-	-	133	8	15.3	9	17.2
Beaver Falls-----	508	493	15	-	-	231	25	49.2	12	23.6
Ellwood City (part)-----	16	16	-	-	-	11	2	(*)	2	(*)
Balance of county-----	2,395	2,312	72	-	1	877	92	36.6	70	29.4
Bedford-----	920	595	316	5	4	428	31	33.7	15	16.3
Berk-----	4,778	4,297	398	-	3	2,752	134	28.6	96	20.5
Reading-----	2,061	2,003	58	-	-	1,387	63	30.6	47	22.8
Balance of county-----	2,617	2,294	330	-	3	1,365	71	27.1	49	18.7
Blair-----	3,163	2,604	354	2	3	1,496	92	25.9	49	15.5
Altoona-----	1,753	1,665	86	2	2	689	49	28.0	21	12.0
Balance of county-----	1,410	1,139	268	-	3	607	33	23.4	28	19.3
Bradford-----	1,180	1,126	54	-	-	647	34	28.8	26	22.0
Bucks-----	2,850	2,775	75	-	-	1,327	90	31.6	48	16.8
Bristol-----	465	454	11	-	-	137	7	15.1	6	12.9
Balance of county-----	2,385	2,321	64	-	-	1,190	83	34.8	42	17.6
Butler-----	2,287	2,081	205	-	1	919	55	24.0	31	13.6
Butler-----	616	598	18	-	-	256	17	27.6	7	11.4
Balance of county-----	1,671	1,483	187	-	1	663	38	22.7	24	14.4
Cambria-----	5,203	4,533	864	3	3	1,991	179	34.4	133	25.6
Johnstown-----	2,102	2,045	57	-	-	698	77	36.6	45	21.4
Balance of county-----	3,101	2,488	807	3	3	1,093	102	32.9	68	28.4
Cameron-----	184	178	6	-	-	68	6	32.6	1	5.4
Carbon-----	1,155	899	255	-	3	633	22	19.0	25	21.6
Centre-----	1,527	1,431	94	-	2	524	36	23.6	23	15.1
Chester-----	3,355	3,190	164	1	1	1,582	119	35.5	69	20.3
Coatesville-----	420	406	14	-	-	167	16	38.1	10	23.8
White-----	326	321	5	-	-	133	12	36.8	8	24.5
Nonwhite-----	94	85	9	-	-	34	4	42.6	2	21.3
Phoenixville-----	292	297	5	-	-	149	11	37.7	5	17.1
West Chester-----	324	321	3	-	-	268	20	61.7	9	27.6
White-----	256	254	2	-	-	221	16	62.5	7	27.3
Nonwhite-----	68	67	1	-	-	47	4	58.8	2	29.4
Balance of county-----	2,319	2,176	142	1	1	998	72	31.0	44	19.0
Clarion-----	965	839	423	1	2	394	29	30.1	17	17.6
Clearfield-----	1,997	1,704	291	-	2	866	73	36.6	40	20.0
Du Bois-----	290	268	22	-	-	175	13	44.8	4	13.8
Balance of county-----	1,707	1,416	269	-	2	691	60	28.1	36	21.1
Clyde-----	965	870	13	-	-	357	24	27.2	10	20.4
Lock Haven-----	306	305	1	-	-	124	4	15.1	7	22.9
Balance of county-----	577	565	12	-	-	233	20	34.7	11	19.1
Columbia-----	1,111	1,050	61	-	-	570	30	27.0	21	18.9
Berwick-----	326	319	7	-	-	150	11	33.7	8	24.5
Balance of county-----	785	731	54	-	-	420	19	24.2	13	16.6
Crawford-----	1,844	1,787	57	-	-	670	40	21.7	28	15.2
Headville-----	503	503	2	-	-	252	14	27.7	6	11.9
Balance of county-----	1,339	1,284	55	-	-	618	26	19.4	22	16.4
Cumberland-----	2,256	2,009	245	1	1	930	69	30.6	35	15.5
Carlisle-----	418	392	26	-	-	187	14	33.5	3	7.2
Balance of county-----	1,838	1,617	219	1	1	743	55	29.9	32	17.4
Dauphin-----	4,216	3,603	405	5	3	2,179	123	29.2	98	23.2
Harrisburg-----	2,120	2,025	94	-	1	1,199	71	33.5	58	27.4
Steelton-----	311	280	31	-	-	130	9	28.9	5	16.1
White-----	217	205	12	-	-	94	5	23.0	3	13.8
Nonwhite-----	94	75	19	-	-	36	4	42.6	2	21.3
Balance of county-----	1,785	1,498	280	5	2	850	43	24.1	35	19.6
Delaware-----	8,566	8,374	207	4	1	3,602	220	25.6	147	17.1
Chester-----	2,027	1,917	107	2	1	768	68	33.5	44	21.7
White-----	1,478	1,437	39	1	1	563	40	27.1	22	14.9
Nonwhite-----	549	480	68	1	-	205	28	51.0	22	40.1
Haverford (twp.) ³ -----	268	264	4	-	-	187	9	33.6	4	14.9
Upper Darby (twp.) ³ -----	1,480	1,473	6	1	-	622	30	20.3	14	9.5
Darby-----	308	307	1	-	-	127	11	35.7	1	3.2
White-----	273	273	-	-	-	106	11	40.3	-	0
Nonwhite-----	35	34	1	-	-	21	-	0	1	28.6
Lansdowne-----	276	275	1	-	-	150	6	21.7	4	14.5
Balance of county-----	4,227	4,138	88	1	-	1,748	96	22.7	80	18.9
Elk-----	800	779	21	-	-	328	17	21.3	10	12.5
Erie-----	5,389	5,245	143	-	1	2,157	146	27.1	88	16.3
Erie-----	3,502	3,449	52	-	1	1,386	90	25.7	59	16.8
Balance of county-----	1,887	1,796	91	-	-	771	56	29.7	29	15.4
Fayette-----	4,444	3,662	764	13	5	1,918	196	44.1	114	25.7
Comellsville-----	367	358	28	1	-	186	24	65.4	14	38.1
Uniontown-----	666	629	39	-	-	309	19	26.9	5	7.5
Balance of county-----	3,409	2,695	697	12	5	1,424	154	45.2	95	27.9
Forest-----	114	89	25	-	-	50	2	17.5	6	52.6
Franklin-----	1,790	1,605	180	-	5	750	42	23.5	33	18.4
Chambersburg-----	374	369	5	-	-	200	5	13.4	4	10.7
Waynesboro-----	199	193	5	-	1	128	5	25.1	3	15.1
Balance of county-----	1,217	1,043	170	-	4	422	32	26.3	26	21.4

See footnotes on p. 95.

GENERAL TABLES—BIRTHS, DEATHS, AND FETAL DEATHS

69

TABLE 1.—LIVE BIRTHS BY PERSON IN ATTENDANCE; TOTAL DEATHS; DEATHS UNDER 1 YEAR AND INFANT MORTALITY RATES; AND FETAL DEATHS AND RATIOS: UNITED STATES, EACH STATE AND COUNTY, AND EACH URBAN PLACE HAVING, IN 1940, A POPULATION OF 10,000 OR MORE, 1949—Continued

(See headnote on p. 2)

AREA AND RACE	LIVE BIRTHS					Deaths (all ages)	DEATHS UNDER 1 YEAR		FETAL DEATHS	
	Total	Attended by—					Number	Rate	Number	Ratio
		Physi- cian in hos- pital ¹	Physi- cian not in hos- pital	Midwife	Other and not speci- fied					
PENNSYLVANIA—Continued										
Fulton	250	148	102	-	-	108	8	32.0	5	20.0
Greene	1,126	958	166	-	2	405	30	26.6	20	17.8
Huntingdon	974	628	345	-	1	411	23	25.6	22	22.6
Indians	1,801	1,466	332	-	3	738	60	35.3	32	17.6
Indians	242	239	5	-	-	114	5	20.7	8	33.1
Balance of county	1,559	1,227	329	-	3	624	55	35.3	24	15.4
Jefferson	1,113	1,023	99	1	-	535	29	26.1	25	20.7
Juniata	356	204	152	-	-	160	9	25.3	5	14.0
Lackawanna	4,999	4,793	167	13	1	3,091	157	31.4	101	20.2
Scranton	2,536	2,456	74	6	-	1,639	95	37.5	54	21.3
Carbondale	348	332	17	-	-	228	10	28.7	3	9.6
Dickson City	173	171	2	-	-	85	4	25.1	4	25.1
Dunmore	335	324	10	-	1	220	7	20.9	7	20.9
Old Forge	191	176	13	2	-	90	7	35.6	4	20.9
Balance of county	1,415	1,339	71	5	-	829	34	24.0	29	20.5
Lebanon	5,333	4,458	872	-	3	2,367	128	24.0	100	18.8
Lebanon	1,513	1,473	45	-	-	931	45	29.6	28	18.4
Columbia	275	268	7	-	1	176	10	35.4	5	18.2
Balance of county	3,539	2,717	820	-	2	1,560	75	20.6	67	18.9
Lawrence	2,487	2,409	71	6	1	1,014	62	24.3	48	19.3
New Castle	1,179	1,151	24	4	-	564	29	24.6	21	17.6
Ellwood City (part)	322	318	4	-	-	103	11	(*)	8	(*)
Ellwood City (total)	336	334	4	-	-	114	13	38.5	10	29.6
Balance of county	986	940	43	2	1	347	22	22.5	19	19.3
Lebanon	1,886	1,640	245	-	1	782	52	27.6	31	16.4
Lebanon	741	696	45	-	-	381	28	37.8	13	17.5
Balance of county	1,145	944	200	-	1	401	24	21.0	18	15.7
Lehigh	3,741	3,453	287	1	-	1,938	91	24.3	70	18.7
Allentown	2,088	2,020	68	-	-	1,097	49	25.5	41	19.6
Bethlehem (part)	320	317	3	-	-	158	8	(*)	1	(*)
Balance of county	1,333	1,118	216	1	-	681	34	25.5	28	21.0
Luzerne	7,444	7,177	260	2	5	4,319	242	32.5	146	19.6
Hazleton	676	675	1	-	-	366	27	39.9	10	14.8
Wilkes-Barre	1,710	1,663	44	-	3	1,035	58	33.9	39	22.8
Hummer (twp.) ³	60	58	2	-	-	35	1	16.7	1	16.7
Kingston	375	373	2	-	-	234	13	34.7	9	24.0
Nanticoke	348	338	10	-	-	226	4	11.5	12	34.5
Pittston	392	383	9	-	-	186	16	40.8	5	12.8
Plains (twp.) ³	164	162	2	-	-	66	3	18.3	2	12.2
Plymouth	282	270	12	-	-	139	9	31.9	4	14.2
Balance of county	3,437	3,255	178	2	2	2,012	111	32.3	64	18.6
Lycoming	2,201	2,067	111	1	2	1,083	58	26.4	39	17.7
Williamsport	1,010	979	31	-	-	517	23	22.8	19	18.8
Balance of county	1,191	1,108	80	1	2	566	35	29.4	20	16.8
McKean	1,370	1,344	26	-	-	610	40	29.2	23	16.8
Bradford	498	497	1	-	-	200	19	39.2	8	16.1
Balance of county	872	847	25	-	-	410	21	24.1	15	17.2
Mercer	2,607	2,521	86	-	1	1,173	65	32.6	42	16.1
Sharon	890	684	6	-	-	275	24	34.8	10	14.5
Farrell	308	301	7	-	-	168	13	42.2	9	29.2
White	255	251	4	-	-	128	5	19.6	6	23.5
Nonwhite	53	50	3	-	-	40	8	150.9	3	56.6
Balance of county	1,609	1,536	73	-	1	730	48	29.6	23	14.3
Mifflin	1,017	817	199	-	1	407	29	26.5	26	25.6
Lewistown	364	350	14	-	-	169	10	27.5	7	19.2
Balance of county	653	467	185	-	1	238	19	29.1	19	29.1
Montour	673	607	64	-	2	348	20	29.7	11	16.3
Montgomery	6,770	6,604	166	-	-	3,251	194	27.2	121	17.9
Lower Merion (twp.) ³	736	732	4	-	-	401	10	13.6	7	9.5
Norristown	836	825	11	-	-	411	36	43.1	22	26.3
Abington (twp.) ³	309	307	2	-	-	224	9	29.1	2	6.5
Cheltenham (twp.) ³	213	212	1	-	-	169	5	23.5	3	14.1
Conohocken	301	285	16	-	-	140	7	23.3	9	29.9
Fottstown	536	528	8	-	-	224	19	35.4	6	11.2
Balance of county	3,939	3,715	124	-	-	1,662	98	25.5	72	18.8
Montour	273	245	28	-	-	159	5	18.3	4	14.7
Northampton	3,659	3,659	207	1	1	1,816	94	24.3	77	19.9
Bethlehem (part)	1,126	1,108	16	1	1	490	33	(*)	20	(*)
Bethlehem (total)	1,446	1,425	19	1	1	648	41	28.4	21	14.5
Barton	1,031	1,007	24	-	-	517	21	20.4	27	26.2
Balance of county	1,711	1,544	167	-	-	809	40	23.4	30	17.5
Northumberland	2,555	2,112	242	-	1	1,285	80	34.0	44	18.7
Mount Carmel	261	248	12	-	-	158	6	23.0	4	15.3
Shanklin	585	540	45	-	-	323	19	32.6	11	18.9
Sunbury	298	269	19	-	-	205	11	38.2	4	13.9
Balance of county	1,223	1,055	168	-	-	599	44	36.0	25	20.4
Perry	542	390	161	-	1	268	15	27.7	12	22.1
Philadelphia, coextensive with Philadelphia (city)	42,344	41,076	1,224	24	20	23,689	1,316	51.1	804	19.0
White	32,593	31,925	448	13	9	19,738	817	25.2	530	16.4
Nonwhite	9,851	9,151	776	11	11	4,151	499	50.1	274	27.5
Pike	152	139	13	-	1	99	2	15.2	5	19.7
Potter	408	382	26	-	-	188	14	34.3	8	19.6

See footnotes on p. 93.

VITAL STATISTICS OF THE UNITED STATES

TABLE 1.—LIVE BIRTHS BY PERSON IN ATTENDANCE; TOTAL DEATHS; DEATHS UNDER 1 YEAR AND INFANT MORTALITY RATES; AND FETAL DEATHS AND RATIOS: UNITED STATES, EACH STATE AND COUNTY, AND EACH URBAN PLACE HAVING, IN 1940, A POPULATION OF 10,000 OR MORE, 1949—Continued

(See headnote on p. 2)

AREA AND RACE	LIVE BIRTHS					Deaths (all ages)	DEATHS UNDER 1 YEAR		FETAL DEATHS	
	Total	Attended by—					Number	Rate	Number	Ratio
		Physi- cian in hos- pital ¹	Physi- cian not in hos- pital	Midwife	Other and not speci- fied					
PENNSYLVANIA—Continued										
Schuylkill	3,772	3,355	432	2	3	2,310	141	57.4	66	17.5
Hahancy City	216	185	31	-	-	153	10	46.3	4	18.5
Pottsville	478	467	11	-	-	305	32	66.9	5	10.5
Shenandoah	305	273	32	-	-	219	9	29.5	4	13.1
Tamques	220	203	17	-	-	182	4	16.2	4	18.2
Balance of county	2,553	2,207	341	2	3	1,481	86	33.7	49	19.2
Snyder	484	367	116	-	1	203	16	33.1	9	18.6
Somerset	1,902	1,539	362	-	1	790	46	24.2	31	16.3
Sullivan	150	122	27	-	1	75	2	13.3	-	0
Susquehanna	669	542	125	-	2	368	18	26.9	9	13.5
Tioga	948	723	123	-	2	430	27	31.8	17	20.0
Union	446	395	51	-	-	213	11	24.7	9	20.2
Venango	1,447	1,376	69	-	2	708	44	30.4	30	20.7
Oil City	525	516	9	-	-	283	18	34.3	9	17.1
Balance of county	922	860	60	-	2	445	26	26.2	21	22.8
Warren	955	794	60	-	1	468	25	29.2	14	16.4
Warren	329	325	4	-	-	185	10	30.4	4	12.2
Balance of county	526	469	56	-	1	283	15	28.5	10	19.0
Washington	4,633	4,201	429	-	3	2,002	121	26.1	97	20.9
Washington	921	798	23	-	-	380	25	30.5	19	23.1
Canonsburg	308	302	6	-	-	128	10	32.5	6	19.5
Charleroi	233	230	2	-	1	96	1	4.3	1	4.3
Donora	283	275	8	-	-	111	7	24.7	5	17.7
Balance of county	2,988	2,596	390	-	2	1,297	78	26.1	66	22.1
Wayne	513	432	85	1	-	343	16	30.9	6	11.6
Westmoreland	7,069	6,558	506	1	3	2,800	193	27.3	147	20.8
Arnold	199	193	5	-	-	81	7	35.4	4	20.2
Greensburg	516	500	16	-	-	202	12	23.3	13	25.2
Jeanette	363	351	17	-	-	141	11	29.9	8	21.7
Jarrobe	279	273	6	-	-	116	9	32.3	3	10.8
Monesen	410	373	37	-	-	177	11	26.8	3	7.3
New Kensington	655	647	8	-	-	285	23	35.1	15	22.9
Vandergrift	255	210	24	-	1	102	7	29.8	3	12.8
Balance of county	4,407	4,011	393	1	2	1,726	113	25.6	98	22.2
Wyoming	382	325	58	-	1	209	17	44.5	12	31.4
York	4,296	3,243	1,052	-	1	1,975	121	28.2	67	15.6
York	1,644	1,361	283	-	-	776	49	29.8	30	18.2
Hanover	370	335	35	-	-	194	19	51.4	4	10.8
Balance of county	2,282	1,547	734	-	1	1,005	53	23.2	33	14.5
RHODE ISLAND										
	16,492	16,268	213	4	7	8,071	395	24.0	291	17.6
White	16,070	15,855	204	4	7	7,868	376	23.4	285	17.7
Nonwhite	422	413	9	-	-	203	19	45.0	6	14.2
Bristol	601	593	5	3	-	271	8	13.3	10	16.6
Bristol (town)	265	259	4	2	-	110	5	11.3	5	18.9
Balance of county	336	334	1	1	-	161	5	14.9	5	14.9
Kent	1,687	1,646	19	-	2	746	39	23.4	24	14.4
Warwick	807	799	6	-	2	410	20	24.8	8	9.9
West Warwick (town)	507	503	4	-	-	181	9	17.8	10	19.7
Balance of county	353	344	9	-	-	155	10	28.3	6	17.0
Newport	1,528	1,513	15	-	-	570	41	26.8	28	18.3
Newport	958	951	7	-	-	365	26	27.1	19	19.8
Balance of county	570	562	8	-	-	205	15	26.3	9	18.8
Providence	11,747	11,575	169	1	4	6,064	279	23.8	222	18.9
Providence	5,188	5,133	55	-	2	2,223	151	25.3	80	15.4
Central Falls	500	481	19	-	-	242	15	30.0	6	12.0
Cranston	956	931	4	1	-	461	27	28.8	14	15.0
East Providence (town)	670	664	6	-	-	373	10	14.9	10	14.9
Fall River	1,652	1,617	35	-	-	910	58	23.0	40	24.2
Woonsocket	1,157	1,155	20	-	2	500	24	20.7	27	23.3
Cumberland (town)	252	249	4	-	-	127	9	35.7	5	18.8
Johnston (town)	264	262	2	-	-	98	6	22.7	8	30.3
Lincoln (town)	212	207	5	-	-	122	3	9.4	6	28.3
North Providence (town)	275	273	2	-	-	127	5	18.2	3	10.9
Balance of county	641	622	19	-	-	276	12	18.7	23	35.9
Washington	949	943	5	-	1	400	29	29.5	7	7.4
Westerly (town)	298	298	-	-	-	125	5	16.8	5	16.8
Balance of county	651	645	5	-	1	275	23	35.3	2	3.1
SOUTH CAROLINA										
	56,516	51,726	10,103	16,536	151	17,494	2,283	39.0	1,621	27.7
White	31,649	26,682	4,357	584	26	8,982	935	29.5	523	16.5
Nonwhite	28,867	5,044	5,746	15,952	125	8,512	1,348	50.2	1,098	40.9
Abbeville	328	114	106	106	2	202	18	54.9	8	24.4
White	174	109	56	9	-	103	9	51.7	8	46.0
Nonwhite	154	5	50	97	2	99	9	58.4	-	0
Aiken	1,381	789	339	240	3	480	35	25.3	30	21.7
White	832	704	119	9	-	261	19	22.8	10	12.0
Nonwhite	549	95	220	231	3	219	16	23.1	20	36.4
Allendale	266	54	63	189	-	118	15	52.4	15	52.4
White	92	28	22	2	-	31	-	0	3	57.7
Nonwhite	234	6	41	187	-	88	15	64.1	12	51.3

See footnotes on p. 93.

GENERAL TABLES—BIRTHS, DEATHS, AND FETAL DEATHS

TABLE 1.—LIVE BIRTHS BY PERSON IN ATTENDANCE; TOTAL DEATHS; DEATHS UNDER 1 YEAR AND INFANT MORTALITY RATES; AND FETAL DEATHS AND RATIOS: UNITED STATES, EACH STATE AND COUNTY, AND EACH URBAN PLACE HAVING, IN 1940, A POPULATION OF 10,000 OR MORE, 1949—Continued

(See headnote on p. 2)

AREA AND RACE	LIVE BIRTHS					Deaths (all ages)	DEATHS UNDER 1 YEAR		FETAL DEATHS	
	Total	Attended by—					Number	Rate	Number	Ratio
		Physi- cian in hos- pital ¹	Physi- cian not in hos- pital	Midwife	Other and not speci- fied					
SOUTH CAROLINA—Continued										
Anderson	2,189	1,590	445	152	2	716	76	34.7	37	16.9
White	1,663	1,451	206	6	-	462	44	26.5	22	15.2
Nonwhite	526	139	239	146	2	254	32	60.8	15	28.5
Anderson	841	754	76	11	-	292	29	34.5	11	15.1
White	697	684	13	-	-	194	19	27.3	7	10.0
Nonwhite	144	70	63	11	-	88	10	69.4	4	27.8
Balance of county	1,348	836	369	141	2	434	47	34.9	26	19.3
White	986	767	183	6	-	288	25	25.9	15	15.5
Nonwhite	382	69	176	135	2	146	22	57.6	11	28.8
Bomburg	401	78	71	250	2	161	20	49.9	13	52.4
White	137	71	58	7	1	58	3	21.9	2	14.6
Nonwhite	264	7	13	243	1	103	17	64.4	11	41.7
Barnwell	518	78	112	328	-	180	15	29.0	24	46.3
White	147	71	68	8	-	64	3	20.4	1	6.8
Nonwhite	371	7	44	320	-	116	12	32.3	23	62.0
Bemifort	768	244	46	475	1	232	24	31.3	18	25.4
White	187	161	5	1	-	46	9	48.1	1	5.3
Nonwhite	581	63	43	474	1	186	15	25.8	17	29.3
Berkeley	905	264	23	613	3	259	37	41.0	36	39.9
White	250	208	15	26	1	47	5	20.0	3	12.0
Nonwhite	655	56	8	587	2	212	32	49.0	33	50.5
Calhoun	440	75	7	357	1	181	23	52.3	13	29.5
White	76	69	4	3	-	38	-	0	1	15.2
Nonwhite	364	6	3	354	1	123	23	65.2	12	33.0
Charleston	5,015	3,091	850	1,088	6	1,517	203	40.5	143	28.5
White	2,428	2,328	80	21	1	645	85	34.2	36	14.8
Nonwhite	2,587	763	770	1,067	5	872	120	46.4	107	41.4
Charleston	2,435	1,633	686	112	2	737	61	33.3	51	20.8
White	1,375	1,345	26	2	-	374	35	25.5	11	8.0
Nonwhite	1,062	290	660	110	2	423	46	43.3	40	37.7
Balance of county	2,580	1,456	164	956	4	720	122	47.3	92	35.7
White	1,053	981	54	19	1	271	49	45.5	25	25.7
Nonwhite	1,525	475	110	937	3	449	74	49.5	67	43.9
Cherokee	931	691	185	54	1	241	31	33.3	27	29.0
White	637	539	94	5	-	177	19	28.9	11	16.7
Nonwhite	274	133	91	49	1	64	12	43.8	16	59.4
Chester	697	429	119	348	1	256	35	39.0	18	20.1
White	440	395	40	5	-	139	13	29.5	8	18.2
Nonwhite	457	34	79	343	1	117	22	48.1	10	21.9
Chesterfield	1,068	279	676	105	3	256	34	32.0	34	32.0
White	539	261	289	8	1	127	10	17.9	14	25.0
Nonwhite	504	18	387	97	2	129	24	47.6	20	39.7
Clarendon	995	160	98	735	2	259	47	47.2	47	47.2
White	213	135	67	11	-	58	5	23.5	3	14.1
Nonwhite	782	25	31	724	2	200	42	53.7	44	56.3
Colleton	843	378	58	404	3	262	32	38.0	31	36.8
White	340	308	17	15	-	121	8	23.5	9	26.5
Nonwhite	503	70	41	389	3	141	24	47.7	22	43.7
Darlington	1,547	690	430	436	1	444	82	53.0	31	20.0
White	759	565	194	10	-	296	36	47.4	9	11.9
Nonwhite	788	125	236	426	1	218	46	58.4	22	27.9
Dillon	926	547	56	320	3	275	47	50.8	36	38.9
White	454	402	23	28	1	120	15	33.0	12	26.4
Nonwhite	472	145	33	292	2	155	32	67.8	24	80.8
Dorchester	665	211	100	354	-	193	20	30.1	11	16.5
White	249	184	51	14	-	72	3	12.0	-	0
Nonwhite	416	27	49	340	-	121	17	40.9	11	26.4
Edgefield	518	122	296	99	1	151	21	40.6	10	19.3
White	151	107	43	-	1	60	5	33.1	3	19.9
Nonwhite	367	15	253	99	-	91	16	43.6	7	19.1
Fairfield	649	120	206	321	2	183	16	24.7	15	23.1
White	197	95	99	3	-	57	5	25.4	3	15.2
Nonwhite	452	25	107	316	2	126	11	24.3	12	26.5
Florence	2,456	1,070	533	652	1	685	100	40.7	55	22.4
White	1,276	941	310	27	-	337	38	29.7	29	22.7
Nonwhite	1,178	129	223	625	1	348	62	52.6	26	22.1
Florence	790	520	46	214	-	237	23	29.5	15	19.2
White	481	459	19	3	-	117	9	18.7	8	16.6
Nonwhite	299	61	27	211	-	120	14	46.8	7	23.4
Balance of county	1,676	550	467	638	1	448	77	45.9	40	23.9
White	797	462	291	24	-	220	29	36.4	21	26.3
Nonwhite	679	68	196	614	1	228	48	54.6	19	21.6
Georgetown	962	177	242	539	4	213	34	35.3	25	26.0
White	374	164	193	16	1	81	12	32.1	6	16.0
Nonwhite	588	13	49	523	3	132	22	37.4	19	32.3
Greenville	4,306	3,698	347	261	5	1,287	146	33.9	91	21.1
White	3,349	3,189	139	17	4	925	94	27.5	65	19.4
Nonwhite	959	506	208	244	1	362	54	56.3	26	27.1
Greenville	2,327	2,105	58	164	-	615	77	33.1	49	21.1
White	1,738	1,718	18	2	-	378	43	24.7	31	17.8
Nonwhite	589	387	40	162	-	237	34	57.7	18	30.6
Balance of county	1,981	1,590	229	97	5	672	69	34.8	42	21.2
White	1,611	1,471	121	15	4	547	49	30.4	34	21.1
Nonwhite	370	119	168	82	1	125	20	54.1	8	21.6

VITAL STATISTICS OF THE UNITED STATES

TABLE 1.—LIVE BIRTHS BY PERSON IN ATTENDANCE; TOTAL DEATHS; DEATHS UNDER 1 YEAR AND INFANT MORTALITY RATES; AND FETAL DEATHS AND RATIOS: UNITED STATES, EACH STATE AND COUNTY, AND EACH URBAN PLACE HAVING, IN 1940, A POPULATION OF 10,000 OR MORE, 1949—Continued

(See headnote on p. 2)

AREA AND RACE	LIVE BIRTHS				Deaths (all ages)	DEATHS UNDER 1 YEAR		FETAL DEATHS		
	Total	Attended by—				Number	Rate	Number	Ratio	
		Physi- cian in hos- pital ¹	Physi- cian not in hos- pital	Midwife						Other and not speci- fied
SOUTH CAROLINA—Continued										
Greenwood-----	1,079	788	118	173	-	354	35	32.4	31	28.7
White-----	699	631	62	6	-	195	20	28.6	13	18.6
Nonwhite--	380	157	56	167	-	141	15	59.5	18	47.4
Greenwood-----	454	408	10	38	-	181	20	44.1	13	28.6
White-----	325	320	2	1	-	96	17	52.6	6	18.6
Nonwhite--	131	88	8	37	-	85	3	22.9	7	53.4
Balance of county-----	625	582	108	135	-	185	18	24.0	18	28.8
White-----	376	311	60	5	-	97	5	8.0	7	18.6
Nonwhite--	249	71	48	130	-	88	12	48.2	11	44.2
Hampton-----	502	114	117	271	-	164	18	35.9	25	45.8
White-----	157	93	53	11	-	57	5	31.8	3	19.1
Nonwhite--	345	21	64	260	-	107	13	37.7	20	58.0
Horry-----	1,872	1,356	250	266	-	396	77	41.1	80	26.7
White-----	1,324	1,185	126	15	-	251	38	28.7	16	12.1
Nonwhite--	548	151	124	273	-	145	39	71.2	34	62.0
Jasper-----	292	116	31	145	-	109	15	51.4	5	17.1
White-----	79	78	4	-	-	31	5	63.5	1	12.7
Nonwhite--	213	41	27	145	-	78	10	48.9	4	18.8
Kershaw-----	848	359	86	422	1	278	31	36.6	34	40.1
White-----	358	295	35	25	-	95	6	16.9	6	16.9
Nonwhite--	490	44	51	397	1	183	25	50.7	28	56.8
Lancaster-----	1,002	763	73	165	1	261	40	39.9	35	32.9
White-----	872	640	20	12	-	181	25	34.2	23	34.2
Nonwhite--	330	123	53	153	1	100	17	51.5	10	30.3
Laurens-----	823	412	126	285	-	372	38	46.2	19	25.1
White-----	470	372	83	15	-	215	22	46.8	12	25.5
Nonwhite--	353	40	43	270	-	157	16	45.3	7	19.8
Lee-----	727	87	158	479	3	181	24	33.0	30	41.3
White-----	130	74	53	2	1	85	3	23.1	1	7.7
Nonwhite--	597	13	105	477	2	126	21	35.2	29	48.6
Lexington-----	1,145	867	277	198	3	350	39	34.1	35	30.6
White-----	825	651	173	17	2	285	26	30.4	20	24.3
Nonwhite--	322	36	104	181	1	95	14	43.8	15	46.6
McCormick-----	293	29	238	26	-	110	21	71.7	12	41.0
White-----	67	25	42	-	-	35	4	59.7	4	59.7
Nonwhite--	226	4	196	26	-	75	17	75.2	8	55.4
Marion-----	993	627	177	187	2	303	54	54.4	22	22.2
White-----	414	401	6	7	-	118	24	58.0	7	16.9
Nonwhite--	579	226	171	180	2	185	30	51.8	15	26.9
Marlboro-----	994	418	389	187	-	360	70	70.4	59	39.2
White-----	442	297	138	7	-	147	19	43.0	13	29.4
Nonwhite--	552	121	251	180	-	213	51	92.4	26	47.1
Newberry-----	695	394	48	252	1	251	22	31.7	29	41.7
White-----	362	369	5	7	1	159	11	28.8	11	28.8
Nonwhite--	313	25	43	245	-	92	11	35.1	18	57.8
Oconee-----	985	700	168	111	6	287	35	35.5	17	17.3
White-----	874	656	180	93	5	237	30	34.3	13	14.9
Nonwhite--	111	44	48	18	1	50	5	45.0	4	36.0
Orangeburg-----	2,083	588	245	1,271	9	635	100	48.0	93	44.6
White-----	643	491	114	37	1	219	10	15.6	8	12.4
Nonwhite--	1,440	67	131	1,234	8	416	80	62.5	85	58.0
Orangeburg-----	448	282	25	139	2	132	13	29.0	11	24.6
White-----	270	255	9	6	-	60	5	18.5	3	11.1
Nonwhite--	178	27	16	133	2	72	8	44.9	8	44.9
Balance of county-----	1,635	276	220	1,132	7	503	87	53.2	82	50.2
White-----	373	256	105	31	1	159	5	13.4	5	13.4
Nonwhite--	1,262	40	115	1,101	6	344	82	68.0	77	61.0
Pickens-----	985	534	404	27	-	304	47	48.7	17	17.6
White-----	857	521	330	6	-	252	39	45.5	11	12.8
Nonwhite--	108	13	74	21	-	52	8	74.1	6	55.8
Richland-----	3,781	2,909	159	703	10	1,208	157	41.5	103	27.2
White-----	2,375	2,268	56	30	1	661	75	31.6	35	14.7
Nonwhite--	1,406	621	103	673	9	547	82	58.3	68	48.4
Columbia-----	2,921	2,561	94	260	6	901	107	36.6	77	36.4
White-----	2,081	2,051	34	15	1	524	57	27.4	31	14.9
Nonwhite--	840	550	60	245	5	377	50	59.8	46	54.8
Balance of county-----	860	348	65	443	4	307	50	58.1	26	30.2
White-----	294	257	22	15	-	137	18	61.2	4	13.6
Nonwhite--	566	91	43	428	4	170	32	56.5	22	36.9
Saluda-----	389	73	189	125	2	138	18	46.3	8	20.6
White-----	154	70	70	14	-	70	4	26.0	1	6.5
Nonwhite--	235	3	119	111	2	68	14	59.6	7	29.8
Spartanburg-----	3,798	2,769	876	147	6	1,067	105	27.6	77	20.3
White-----	2,826	2,414	407	3	2	744	60	21.2	39	13.9
Nonwhite--	972	355	469	144	4	323	45	46.3	38	39.1
Spartanburg-----	1,207	992	163	49	3	360	40	33.1	24	19.9
White-----	798	784	13	1	-	221	16	20.1	6	7.5
Nonwhite--	409	208	150	48	3	139	24	59.7	18	44.0
Balance of county-----	2,591	1,777	713	98	3	707	65	25.1	53	20.5
White-----	2,028	1,630	394	2	2	523	44	21.7	33	16.3
Nonwhite--	563	147	319	96	1	184	21	37.3	20	35.5

See footnotes on p. 93.

GENERAL TABLES—BIRTHS, DEATHS, AND FETAL DEATHS

TABLE 1.—LIVE BIRTHS BY PERSON IN ATTENDANCE; TOTAL DEATHS; DEATHS UNDER 1 YEAR AND INFANT MORTALITY RATES; AND FETAL DEATHS AND RATIOS: UNITED STATES, EACH STATE AND COUNTY, AND EACH URBAN PLACE HAVING, IN 1940, A POPULATION OF 10,000 OR MORE, 1949—Continued

(See headnote on p. 2)

AREA AND RACE	LIVE BIRTHS					Deaths (all ages)	DEATHS UNDER 1 YEAR		FETAL DEATHS	
	Total	Attended by—					Number	Rate	Number	Ratio
		Physi- cian in hos- pital ¹	Physi- cian not in hos- pital	Midwife	Other and not speci- fied					
SOUTH CAROLINA—Continued										
Sumter	1,923	836	67	963	57	515	54	28.1	64	35.5
White	715	695	11	8	1	188	14	19.6	5	7.0
Nonwhite	1,210	145	56	955	56	327	40	33.1	59	48.8
Sumter	608	537	8	62	1	170	17	28.0	9	14.8
White	482	458	3	1	1	102	12	26.0	3	6.5
Nonwhite	146	79	5	61	0	68	5	34.2	6	41.1
Balance of county	1,515	299	59	901	56	337	37	28.1	55	41.8
White	251	255	8	7	1	86	2	8.0	2	8.0
Nonwhite	1,064	64	51	894	55	251	35	33.9	53	49.8
Union	753	448	139	171	-	245	34	44.9	14	18.5
White	487	440	47	-	-	158	20	41.1	9	18.5
Nonwhite	271	8	92	171	-	87	14	51.7	5	18.5
Williamsburg	1,558	308	197	1,050	3	373	72	46.2	66	42.4
White	422	259	145	17	1	103	9	21.3	7	16.6
Nonwhite	1,136	49	52	1,033	2	270	63	55.5	59	51.9
York	2,022	1,575	181	286	-	522	66	32.6	32	15.8
White	1,518	1,250	65	3	-	303	33	25.0	6	4.6
Nonwhite	704	325	96	283	-	219	33	46.9	26	36.9
Rock Hill	898	667	9	20	-	170	17	24.4	9	12.9
White	552	550	2	-	-	124	10	18.1	2	3.6
Nonwhite	144	117	7	20	-	46	7	48.6	7	48.6
Balance of county	1,528	908	152	266	-	352	49	37.0	23	17.3
White	766	700	63	3	-	179	23	30.0	4	5.2
Nonwhite	560	208	89	263	-	173	26	46.4	19	33.9
SOUTH DAKOTA	17,211	16,557	506	67	79	5,687	448	26.0	251	14.6
White	16,486	15,945	479	30	32	5,400	397	24.1	238	14.4
Nonwhite	725	612	29	37	47	287	51	70.3	13	17.9
Armstrong	-	-	-	-	-	-	-	-	-	-
White	-	-	-	-	-	-	-	-	-	-
Nonwhite	-	-	-	-	-	-	-	-	-	-
Aurora	132	117	14	-	1	40	6	45.5	2	15.2
Beadle	540	521	14	4	1	178	14	25.9	7	13.0
Buron	348	343	4	-	1	123	10	28.7	4	11.5
Balance of county	182	178	10	4	-	55	4	20.8	3	15.6
Bennett	102	96	1	1	4	29	2	19.6	3	29.4
White	76	75	-	-	1	13	1	13.2	1	13.2
Nonwhite	26	21	1	1	3	16	1	36.5	2	76.9
Bon Homme	228	196	31	2	-	93	5	21.9	3	13.2
Brookings	458	453	4	-	1	139	14	30.6	5	10.9
Brown	849	843	6	-	-	302	20	23.6	11	13.0
Aberdeen	542	537	5	-	-	191	13	24.0	6	11.1
Balance of county	307	306	1	-	-	111	7	22.8	5	16.3
Brule	169	167	2	-	-	67	2	11.8	3	17.8
Buffalo	49	47	-	-	2	18	-	0	2	40.8
White	22	22	-	-	-	7	-	0	2	90.9
Nonwhite	27	25	-	-	2	11	-	0	-	0
Butte	211	199	11	-	1	79	7	33.2	4	19.0
Campbell	98	95	3	-	2	31	4	40.8	3	30.6
Charles Mix	390	366	21	1	2	123	14	35.9	4	10.3
White	345	324	21	-	-	106	9	26.1	3	8.7
Nonwhite	45	42	-	1	2	17	5	111.1	1	22.2
Clark	185	188	9	-	-	84	5	25.6	-	0
Clay	286	280	6	-	-	66	4	14.0	5	17.5
Codington	512	505	7	-	-	177	11	21.5	10	19.5
Watertown	332	329	3	-	-	135	9	27.1	7	21.1
Balance of county	180	176	4	-	-	42	2	11.1	3	16.7
Corson	154	145	6	3	2	46	-	0	2	13.0
White	120	116	3	-	1	32	-	0	1	8.3
Nonwhite	34	27	3	3	1	14	-	0	1	29.4
Custer	102	86	16	-	-	68	9	88.2	6	58.8
Davison	469	464	5	-	-	183	16	34.1	6	12.8
Mitchell	365	364	1	-	-	160	15	41.1	5	13.7
Balance of county	104	100	4	-	-	33	1	9.6	1	9.6
Day	286	285	7	1	3	118	9	30.4	7	23.6
Deuel	175	165	12	-	-	54	2	11.4	2	11.4
DeWey	186	169	12	1	4	45	7	37.6	2	10.8
White	119	116	3	-	-	26	4	33.6	1	8.4
Nonwhite	67	53	9	1	4	19	3	44.9	1	14.9
Douglas	161	157	4	-	-	48	3	18.6	3	18.6
Edmunds	200	195	4	1	-	37	6	30.0	5	25.0
Fall River	287	283	3	1	-	110	20	69.7	3	10.8
Faulk	145	141	4	-	-	39	-	0	4	27.6
Grant	273	268	4	4	1	78	3	11.0	5	18.3
Gregory	224	227	4	3	-	83	5	21.4	4	17.1
Hankson	87	85	2	-	-	29	1	11.5	-	0
Hamlin	137	134	3	-	-	68	1	7.3	4	29.2
Hand	176	172	4	-	-	57	7	39.8	-	0
Hanson	145	131	9	4	1	30	1	6.9	2	13.8
Harding	52	49	3	-	-	27	2	38.5	1	19.2
Rogers	253	245	5	2	1	79	15	59.3	1	4.0
Hutchinson	289	252	28	8	1	103	4	13.8	4	13.8
Hyde	82	76	6	-	-	30	-	0	1	12.2

See footnotes on p. 53.

VITAL STATISTICS OF THE UNITED STATES

TABLE 1.—LIVE BIRTHS BY PERSON IN ATTENDANCE; TOTAL DEATHS; DEATHS UNDER 1 YEAR AND INFANT MORTALITY RATES; AND FETAL DEATHS AND RATIOS: UNITED STATES, EACH STATE AND COUNTY, AND EACH URBAN PLACE HAVING, IN 1940, A POPULATION OF 10,000 OR MORE, 1949—Continued

(See headnote on p. 2)

AREA AND RACE	LIVE BIRTHS					Deaths (all ages)	DEATHS UNDER 1 YEAR		FETAL DEATHS	
	Total	Attended by—					Number	Rate	Number	Ratio
		Physi- cian in hos- pital ¹	Physi- cian not in hos- pital	Midwife	Other and not speci- fied					
SOUTH DAKOTA—Continued										
Jackson-----	51	51	-	-	-	21	-	0	2	39.2
Jerauld-----	123	123	-	-	-	43	1	8.1	-	0
Jones-----	63	63	-	-	-	27	4	63.5	1	15.9
Kingsbury-----	237	218	19	-	-	109	6	25.3	6	25.3
Lake-----	288	282	6	-	-	109	8	27.8	2	6.9
Lawrence-----	430	414	15	-	1	160	11	25.6	6	14.0
Lincoln-----	302	298	4	-	-	98	3	9.9	5	15.6
Lyman-----	128	120	4	3	1	29	2	15.6	-2	15.6
McCook-----	261	248	13	-	-	75	4	15.3	1	5.8
McPherson-----	167	177	6	-	4	40	4	21.4	2	10.7
Marshall-----	197	191	4	1	1	89	7	35.5	4	20.3
Meade-----	229	205	24	-	-	95	11	48.0	4	17.5
Mellesta-----	71	58	-	2	11	27	1	14.1	1	14.1
White-----	43	42	-	1	-	9	-	0	-	0
Nonwhite--	28	16	-	2	10	18	1	35.7	1	35.7
Miner-----	175	163	12	-	-	51	1	5.7	3	17.1
Minnehaha-----	1,887	1,873	14	-	-	536	39	20.7	25	13.2
Sioux Falls-----	1,472	1,468	4	-	-	410	31	21.1	19	12.9
Balance of county--	415	405	10	-	-	126	8	19.3	6	14.5
Moody-----	201	196	4	-	1	78	3	14.3	5	24.9
Pennington-----	1,058	1,042	13	1	2	277	24	22.7	16	15.1
Rapid City-----	821	813	6	1	1	204	18	21.9	13	15.8
Balance of county--	237	229	7	-	1	73	-6	25.3	3	12.7
Perkins-----	211	190	21	-	-	46	4	19.0	3	14.2
Potter-----	150	147	3	-	-	46	3	20.0	3	20.0
Roberts-----	426	406	11	-	7	161	18	42.3	4	9.4
Sanborn-----	140	137	3	-	-	50	2	14.3	2	14.3
Shannon-----	171	164	1	3	3	55	11	64.3	2	11.7
White-----	26	26	-	-	-	6	1	36.5	-	0
Nonwhite--	145	138	1	3	3	49	10	69.0	2	13.8
Spink-----	327	315	7	5	-	121	10	30.6	6	16.3
Stanley-----	45	45	-	-	-	20	1	22.2	-	0
Sully-----	73	73	-	-	-	16	1	13.7	1	13.7
Todd-----	138	112	7	6	13	45	11	79.7	2	14.5
White-----	43	40	2	-	1	7	-	0	1	23.3
Nonwhite--	95	72	5	6	12	38	11	115.8	1	10.5
Tripp-----	247	238	2	3	4	78	12	48.6	6	24.3
Turner-----	239	291	8	-	-	120	7	23.4	4	13.4
Union-----	255	245	10	-	-	94	3	11.8	2	7.8
Walworth-----	226	225	1	-	-	64	6	26.5	4	17.7
Washabaugh-----	35	31	1	3	-	10	1	28.6	-	0
White-----	20	20	-	-	-	1	-	0	-	0
Nonwhite--	15	11	1	3	-	9	1	66.7	-	0
Washington-----	1	1	-	-	-	-	-	0	-	0
White-----	1	1	-	-	-	-	-	0	-	0
Nonwhite--	-	-	-	-	-	-	-	0	-	0
Yankton-----	399	384	12	2	1	120	9	22.6	3	7.5
Ziebach-----	58	56	13	6	3	19	1	17.2	-	0
White-----	37	24	11	-	2	9	-	0	-	0
Nonwhite--	21	12	2	6	1	10	1	47.6	-	0
TENNESSEE-----										
White-----	67,573	51,920	12,954	2,215	484	22,257	2,557	37.8	1,268	18.8
Nonwhite--	15,261	7,233	3,758	2,647	1,643	6,736	774	50.7	455	29.8
Anderson-----	1,817	1,409	360	45	3	342	61	33.6	26	15.4
Bedford-----	462	366	106	4	4	248	23	47.7	12	24.9
White-----	416	356	54	3	3	199	19	45.7	11	26.4
Nonwhite--	66	12	52	1	1	49	4	60.8	1	15.2
Benton-----	245	162	40	35	-	109	4	16.3	2	8.2
Bledsoe-----	259	107	123	24	5	77	17	65.6	5	19.3
Blount-----	1,438	1,259	139	26	14	339	48	33.4	22	15.3
Bradley-----	815	568	190	47	10	303	35	42.9	26	31.9
Cleveland-----	408	307	66	28	7	148	18	44.1	15	36.8
White-----	369	299	62	6	2	121	16	43.3	15	40.7
Nonwhite--	39	8	4	22	5	27	2	51.3	-	0
Balance of county--	407	261	124	19	3	156	17	41.8	11	27.0
Campbell-----	1,040	520	461	55	4	321	60	76.9	21	20.2
Cannon-----	184	157	13	9	5	89	8	43.5	5	27.2
Carroll-----	534	326	193	15	-	252	21	39.3	7	13.1
White-----	440	317	122	1	-	212	17	38.6	6	13.6
Nonwhite--	94	9	71	14	-	40	4	42.6	1	10.6
Carter-----	1,118	891	157	63	7	270	48	42.9	19	17.0
Cheatham-----	204	117	78	9	-	74	8	39.2	4	19.6
Chester-----	263	135	115	11	2	81	11	41.8	5	19.0
White-----	223	124	94	3	2	63	9	40.4	4	17.8
Nonwhite--	40	11	21	8	-	18	2	50.0	1	25.0
Claborn-----	611	327	166	101	17	213	33	54.0	10	16.4
Clay-----	226	26	157	36	7	57	7	31.0	6	26.5
Cooke-----	671	240	365	58	6	232	43	64.1	23	34.3
Coffee-----	571	467	83	20	1	179	17	29.6	10	17.5
Crockett-----	441	151	264	25	1	156	18	40.8	8	18.1
White-----	311	142	169	-	-	120	10	32.2	6	19.3
Nonwhite--	130	9	95	25	1	36	8	61.5	2	15.4

See footnotes on p. 93.

GENERAL TABLES—BIRTHS, DEATHS, AND FETAL DEATHS

TABLE 1.—LIVE BIRTHS BY PERSON IN ATTENDANCE; TOTAL DEATHS; DEATHS UNDER 1 YEAR AND INFANT MORTALITY RATES; AND FETAL DEATHS AND RATIOS: UNITED STATES, EACH STATE AND COUNTY, AND EACH URBAN PLACE HAVING, IN 1940, A POPULATION OF 10,000 OR MORE, 1949—Continued

(See footnotes on p. 2)

AREA AND RACE	LIVE BIRTHS					Deaths (all ages)	DEATHS UNDER 1 YEAR		FETAL DEATHS	
	Total	Attended by—					Number	Rate	Number	Ratio
		Physi- cian in hos- pital ¹	Physi- cian not in hos- pital	Midwife	Other and not speci- fied					
TENNESSEE—Continued										
Cumberland-----	514	210	210	81	3	154	23	44.7	10	19.5
Davidson-----	7,540	7,143	277	23	97	2,095	270	35.8	152	20.2
White-----	5,961	5,615	126	13	7	1,999	171	28.7	94	15.8
Nonwhite-----	1,579	1,528	151	10	90	896	99	62.7	58	36.7
Nashville-----	6,368	6,073	194	10	91	2,226	233	36.6	97	15.2
White-----	4,900	4,820	69	5	6	1,419	138	28.2	50	10.2
Nonwhite-----	1,468	1,253	125	5	85	807	95	64.7	47	32.0
Balance of county-----	1,172	1,070	83	13	6	669	37	31.6	55	46.9
White-----	1,061	995	57	8	1	580	33	31.1	44	41.5
Nonwhite-----	111	75	26	5	5	89	4	36.0	11	99.1
Decatur-----	226	116	94	10	6	76	7	31.0	2	8.8
De Kalb-----	254	193	47	14	-	119	12	47.2	3	11.8
Dickson-----	436	197	234	3	4	194	23	52.5	10	22.8
Dyer-----	618	466	304	46	2	325	36	44.0	20	24.4
White-----	708	451	242	14	1	266	27	36.1	18	25.4
Nonwhite-----	110	15	62	32	1	59	9	81.8	2	18.2
Dyersburg-----	289	179	71	19	-	136	16	59.5	8	29.7
White-----	205	169	33	3	-	101	12	58.5	7	54.1
Nonwhite-----	84	10	38	16	-	35	4	62.5	1	15.6
Balance of county-----	549	287	233	27	2	189	20	36.4	12	21.9
Fayette-----	905	125	155	589	36	246	38	42.0	17	18.6
White-----	178	106	62	9	1	65	8	44.9	5	28.1
Nonwhite-----	727	19	93	580	35	181	30	41.3	12	16.5
Fentress-----	457	323	48	83	3	87	21	46.0	9	19.7
Franklin-----	660	569	41	42	8	234	21	31.8	10	15.2
White-----	614	551	23	32	8	211	18	29.3	10	16.3
Nonwhite-----	46	18	18	10	-	23	3	65.2	-	0
Gibson-----	1,108	782	295	15	16	451	48	43.3	19	17.1
White-----	822	666	155	-	-	320	31	37.7	13	15.8
Nonwhite-----	286	116	140	15	15	131	17	59.4	6	21.0
Giles-----	535	329	153	44	9	275	19	35.5	13	24.3
White-----	397	297	85	11	4	206	11	27.7	8	20.2
Nonwhite-----	138	32	68	33	5	69	8	58.0	5	36.2
Grainger-----	321	135	158	27	1	103	19	59.2	3	9.3
Greene-----	1,000	804	131	58	7	393	55	55.0	16	18.0
Grundy-----	348	201	100	39	6	88	14	40.5	10	28.9
Hamblen-----	586	490	76	15	5	198	29	49.5	10	17.1
Hamilton-----	5,478	4,745	559	133	41	2,018	223	40.7	103	18.8
White-----	4,229	3,749	424	38	18	1,380	162	38.3	57	13.5
Nonwhite-----	1,249	996	135	95	23	638	61	49.8	46	36.8
Chattanooga-----	4,060	3,700	244	89	27	1,518	155	38.2	86	21.2
White-----	2,671	2,757	124	3	7	920	96	35.4	42	14.6
Nonwhite-----	1,389	943	120	86	20	598	59	49.6	44	37.0
Balance of county-----	1,418	1,045	315	44	14	500	68	48.0	17	12.0
Emcock-----	234	58	66	86	24	71	9	39.5	2	8.5
Hardeman-----	676	175	312	173	16	205	24	35.5	15	19.2
White-----	366	166	167	12	1	117	12	32.8	6	16.4
Nonwhite-----	310	9	125	161	15	88	12	38.7	7	22.6
Hardin-----	361	127	166	50	18	142	16	44.3	10	27.7
Hawkins-----	744	415	268	58	3	253	29	39.0	12	15.1
Haywood-----	811	206	205	367	12	230	33	40.7	17	21.0
White-----	239	158	76	2	3	81	10	41.8	6	25.1
Nonwhite-----	572	48	130	365	9	149	23	40.2	11	19.2
Henderson-----	440	341	85	9	7	160	13	29.5	11	25.0
Henry-----	833	265	268	2	4	278	18	33.8	11	20.6
White-----	427	280	162	2	3	233	14	32.8	9	21.1
Nonwhite-----	105	5	94	6	1	45	4	37.7	2	18.9
Hickman-----	320	210	81	23	6	104	19	59.4	2	6.3
Houston-----	114	35	66	11	2	41	6	52.6	3	26.5
Humphreys-----	258	160	75	4	1	104	6	25.2	2	8.4
Jackson-----	313	72	191	47	3	100	8	25.6	5	16.0
Jefferson-----	415	298	110	5	2	168	13	31.3	6	14.5
Johnson-----	300	254	43	21	2	78	8	20.0	7	23.3
Knox-----	5,303	4,578	662	54	9	1,922	210	39.6	116	21.8
White-----	4,771	4,206	515	45	5	1,601	181	37.9	82	18.3
Nonwhite-----	532	372	147	9	4	321	29	54.5	34	45.1
Knoxville-----	3,104	2,795	288	14	7	1,278	128	41.2	74	23.8
White-----	2,617	2,445	161	7	4	949	104	39.7	53	20.3
Nonwhite-----	487	350	127	7	3	329	24	49.3	21	43.1
Balance of county-----	2,199	1,783	374	40	2	693	82	37.3	42	19.1
Lake-----	427	94	285	46	2	107	25	59.5	11	25.8
White-----	324	92	203	28	1	72	16	49.4	9	27.8
Nonwhite-----	103	2	82	18	1	35	9	87.4	2	15.4
Lauderdale-----	708	240	325	137	6	258	41	57.9	17	24.0
White-----	438	226	201	10	1	139	21	47.9	5	11.4
Nonwhite-----	270	14	124	127	5	119	20	74.1	12	44.4
Lawrence-----	804	499	352	21	2	223	22	27.4	11	13.7
Lewis-----	188	140	40	8	1	39	6	37.7	5	26.5
Lincoln-----	652	515	122	14	1	275	32	49.1	14	21.5
White-----	549	464	83	1	1	233	29	52.8	10	18.2
Nonwhite-----	103	51	39	13	-	42	3	29.1	4	38.8
Loudon-----	617	397	209	10	1	196	24	38.9	20	32.4
McKinn-----	688	689	132	15	2	266	40	47.7	9	10.7
McNairy-----	535	307	172	43	11	165	12	22.5	16	30.0
Meason-----	324	143	165	12	4	128	11	34.0	10	30.3

See footnotes on p. 25.

VITAL STATISTICS OF THE UNITED STATES

TABLE 1.—LIVE BIRTHS BY PERSON IN ATTENDANCE; TOTAL DEATHS; DEATHS UNDER 1 YEAR AND INFANT MORTALITY RATES; AND FETAL DEATHS AND RATIOS: UNITED STATES, EACH STATE AND COUNTY, AND EACH URBAN PLACE HAVING, IN 1940, A POPULATION OF 10,000 OR MORE, 1949—Continued

(See headnote on p. 2)

AREA AND RACE	LIVE BIRTHS					Deaths (all ages)	DEATHS UNDER 1 YEAR		FETAL DEATHS	
	Total	Attended by—					Number	Rate	Number	Ratio
		Physi- cian in hos- pital ¹	Physi- cian not in hos- pital	Midwife	Other and not speci- fied					
TENNESSEE—Continued										
Madison	1,503	873	216	405	9	622	68	45.2	41	27.3
White	855	782	64	7	-	355	32	37.5	21	24.6
Nonwhite	650	91	152	398	9	267	36	55.4	20	30.9
Jackson	726	499	85	142	2	568	26	55.8	21	28.9
White	455	459	15	1	-	206	11	24.2	6	13.2
Nonwhite	271	60	68	141	2	162	15	58.4	15	55.4
Balance of county	777	374	155	265	7	254	42	54.1	20	25.7
White	398	345	49	6	-	149	21	52.8	15	37.7
Nonwhite	379	31	84	257	7	105	21	55.4	5	15.2
Marion	565	317	225	15	10	176	24	42.5	12	21.2
Marshall	372	305	61	8	-	191	17	45.7	6	15.1
White	351	284	47	-	-	161	16	49.3	5	15.1
Nonwhite	41	19	14	8	-	30	1	24.4	1	24.4
Maury	968	604	289	67	8	418	38	39.3	20	20.7
White	789	571	162	24	2	287	29	39.2	17	22.4
Nonwhite	209	55	127	43	6	131	9	43.1	3	14.4
Columbia	304	237	50	15	2	146	19	62.5	6	19.7
White	245	228	15	4	-	98	14	57.1	5	20.4
Nonwhite	59	9	37	11	2	48	5	84.7	1	18.9
Balance of county	664	367	239	52	6	272	19	28.6	14	21.1
White	514	345	149	20	2	189	15	29.2	12	25.3
Nonwhite	150	24	90	32	4	83	4	26.7	2	15.5
Meigs	190	117	35	34	4	47	4	21.1	2	10.5
Monroe	717	429	213	72	3	209	32	44.6	21	29.5
Montgomery	850	480	308	57	5	339	40	47.1	20	25.5
White	647	470	170	5	1	217	24	37.1	11	17.0
Nonwhite	203	10	138	52	4	122	16	79.9	9	44.5
Clarksville	406	260	121	25	4	154	26	64.0	11	27.1
White	302	253	47	2	-	64	14	45.4	5	15.6
Nonwhite	104	7	74	23	-	70	12	115.4	6	57.7
Balance of county	444	220	167	32	5	184	14	51.5	9	20.3
White	345	217	125	4	1	133	10	29.0	6	17.4
Nonwhite	99	3	64	28	4	51	4	40.4	3	30.3
Moore	73	50	23	-	-	32	-	0	1	15.7
Morgan	426	158	211	55	2	109	15	35.2	3	7.0
Orion	582	370	201	10	1	312	26	44.7	16	27.5
White	516	360	154	1	1	259	18	34.9	15	28.1
Nonwhite	66	10	47	9	-	54	8	121.2	1	15.2
Overton	406	171	161	46	8	144	21	51.7	9	22.2
Perry	163	98	59	4	2	54	11	67.5	8	49.1
Pickett	124	55	64	7	-	26	3	24.2	-	0
Polk	427	306	106	13	2	120	16	37.5	5	11.7
Putnam	756	555	151	46	6	246	31	41.0	11	14.6
Rhea	436	225	153	55	23	161	23	52.8	8	18.3
Rome	857	684	127	44	2	253	42	49.0	28	32.7
Robertson	840	393	229	15	3	259	22	34.4	18	28.1
White	510	364	143	1	2	206	15	29.4	16	31.4
Nonwhite	130	29	86	14	1	53	7	53.8	2	15.4
Rutherford	1,083	977	65	35	6	346	42	38.6	28	25.9
White	877	822	41	9	5	276	33	37.0	22	25.1
Nonwhite	206	155	24	26	1	70	9	43.7	6	29.1
Scott	596	553	131	107	5	125	30	50.3	10	16.8
Sequatchie	138	21	105	12	-	33	4	29.0	4	29.0
Sevier	606	448	85	38	35	166	31	51.2	22	36.3
Shelby	12,395	10,006	763	205	1,421	4,369	427	34.4	264	21.3
White	6,971	6,812	89	-	70	2,217	181	26.0	96	15.8
Nonwhite	5,424	3,194	674	205	1,351	2,152	246	45.4	168	31.0
Memphis	9,355	7,762	566	30	997	3,590	328	35.1	190	20.3
White	5,289	5,221	40	-	38	1,874	144	27.2	60	11.3
Nonwhite	4,066	2,541	526	30	959	1,716	184	45.4	130	32.1
Balance of county	3,040	2,244	197	175	424	779	99	32.6	74	24.3
White	1,672	1,591	49	-	32	343	37	22.1	36	21.5
Nonwhite	1,368	653	148	175	392	436	62	45.3	38	27.8
Smith	276	147	124	4	1	155	9	32.6	7	25.4
Stewart	210	76	122	10	2	93	6	28.6	4	19.0
Sullivan	2,457	2,070	316	52	19	623	96	39.1	45	18.3
Bristol ¹⁰	464	369	61	8	6	127	20	43.1	8	17.2
Kingsport	782	743	35	-	4	165	23	29.4	14	17.9
Balance of county	1,211	958	220	44	9	331	53	43.8	23	19.0
Sumner	745	532	195	13	5	303	30	40.3	20	26.8
White	656	518	121	13	4	248	25	38.1	18	27.4
Nonwhite	89	14	74	-	1	55	5	86.2	2	22.5
Tipton	880	194	458	203	25	284	39	44.3	22	25.0
White	494	171	310	11	2	170	23	46.6	14	28.3
Nonwhite	386	23	148	192	23	114	16	41.5	8	20.7
Trousdale	127	56	66	2	1	53	9	70.9	3	23.6
White	104	48	54	1	1	38	7	67.3	1	9.6
Nonwhite	23	8	14	1	-	15	2	87.0	2	87.0
Union	404	338	37	27	2	109	15	39.6	7	17.3
Union	202	105	61	28	8	67	8	39.6	3	14.9
Van Buren	100	51	32	17	-	23	7	70.0	7	70.0
Warren	542	403	129	7	3	213	21	38.7	14	25.8

See footnotes on p. 93.

GENERAL TABLES—BIRTHS, DEATHS, AND FETAL DEATHS

TABLE 1.—LIVE BIRTHS BY PERSON IN ATTENDANCE; TOTAL DEATHS; DEATHS UNDER 1 YEAR AND INFANT MORTALITY RATES; AND FETAL DEATHS AND RATIOS: UNITED STATES, EACH STATE AND COUNTY, AND EACH URBAN PLACE HAVING, IN 1940, A POPULATION OF 10,000 OR MORE, 1949—Continued

(See headnote on p. 2)

AREA AND RACE	LIVE BIRTHS					Deaths (all ages)	DEATHS UNDER 1 YEAR		FETAL DEATHS	
	Total	Attended by—					Number	Rate	Number	Ratio
		Physi- cian in hos- pital ¹	Physi- cian not in hos- pital	Midwife	Other and not speci- fied					
TENNESSEE—Continued										
Washington	1,472	1,132	308	31	1	489	42	28.5	21	14.3
Johnson City	640	557	74	8	1	230	28	43.8	10	15.6
	592	530	53	8	1	194	25	42.2	9	15.2
White	48	27	21	-	-	36	5	62.5	1	20.8
Nonwhite	832	575	254	23	-	259	14	16.8	11	13.2
Balance of county	546	191	114	34	7	118	12	34.7	11	31.8
Wayne	569	433	129	-	7	322	29	51.0	15	26.4
Weakley	457	255	178	19	4	186	34	74.4	16	36.0
White	589	522	44	17	5	229	22	37.4	10	17.0
Williamson	434	333	24	9	3	163	19	43.8	6	15.8
White	154	124	20	8	2	66	3	19.5	4	28.0
Nonwhite	807	472	111	13	11	261	21	34.6	11	18.1
Wilson	501	451	39	4	7	216	14	27.9	8	16.0
White	106	21	72	9	4	45	7	66.0	3	28.3
Nonwhite	202,297	157,384	22,873	19,991	2,049	63,337	8,628	42.7	4,273	21.1
TEXAS										
	175,709	142,044	18,399	13,639	1,628	52,743	7,277	41.4	3,320	18.9
White	26,588	15,340	4,474	6,853	421	10,594	1,351	50.8	953	35.8
Nonwhite	696	456	109	128	3	342	19	27.3	16	23.0
Anderson	447	405	39	3	-	209	6	17.9	12	26.8
White	249	51	70	125	3	133	11	44.2	4	16.1
Nonwhite	272	199	46	27	-	174	13	47.8	4	14.7
Palastine	162	177	3	2	-	109	4	22.0	4	22.0
White	90	22	43	25	-	65	9	100.0	-	0
Nonwhite	424	257	63	101	3	168	6	14.2	12	28.3
Balance of county	265	228	36	1	-	100	4	15.1	8	30.2
White	159	29	27	100	3	68	2	12.6	4	25.2
Nonwhite	165	163	20	2	-	20	8	43.2	1	5.4
Andrews	824	740	65	17	2	295	14	17.0	29	35.2
Angelina	656	614	41	1	-	224	9	13.7	21	32.0
White	168	128	24	16	2	61	5	29.8	8	47.6
Nonwhite	82	48	32	1	1	42	3	36.6	-	0
Aranas	129	128	3	-	-	44	-	0	3	23.3
Archer	46	45	-	1	-	14	-	0	-	0
Armstrong	598	260	239	85	14	159	30	50.2	7	11.7
Atascosa	286	195	48	45	-	163	7	24.3	3	10.4
Austin	206	176	29	1	-	116	5	24.3	2	9.7
White	82	19	19	44	-	47	2	24.4	1	12.2
Nonwhite	216	215	-	-	1	39	5	23.1	7	32.4
Bailey	81	74	5	-	2	44	2	24.7	2	24.7
Bandera	493	299	105	84	5	198	17	34.5	10	20.5
Bastrop	302	254	34	13	1	126	12	39.7	7	23.2
White	191	45	71	71	4	72	5	26.2	3	15.7
Nonwhite	155	154	1	-	-	47	4	25.8	1	6.5
Baylor	529	247	144	127	11	179	43	61.3	14	26.5
Bee	1,748	1,454	282	40	2	496	58	33.2	38	21.7
Bell	1,541	1,375	152	13	1	417	50	32.4	31	20.1
White	207	79	100	27	1	79	8	38.6	7	35.8
Nonwhite	592	448	111	33	-	198	20	33.8	18	27.0
Temple	461	419	33	9	-	150	17	36.9	11	23.9
White	131	29	78	24	-	48	3	22.9	5	36.2
Nonwhite	1,156	1,006	141	7	2	298	38	32.9	22	19.0
Balance of county	14,932	10,964	1,043	2,784	141	4,246	684	43.8	354	23.7
Bexar	13,743	10,048	939	2,633	121	3,851	628	45.7	329	23.9
San Antonio	12,913	9,370	802	2,621	120	3,555	599	46.4	310	24.0
White	830	678	137	14	1	296	29	34.9	19	22.9
Nonwhite	1,189	916	104	149	20	395	56	47.1	25	21.0
Balance of county	80	72	7	-	1	38	2	25.0	-	0
Blanco	6	5	1	-	-	1	-	0	-	0
Borden	220	204	13	2	1	133	6	27.3	4	18.2
Bosque	1,413	952	174	272	15	541	56	39.6	27	19.1
Bowie	1,033	898	101	31	3	372	36	34.8	12	11.6
White	380	54	73	241	12	169	20	52.6	15	39.5
Nonwhite	578	441	46	87	4	257	23	39.8	10	17.3
Texarkana ¹¹	424	414	5	5	-	174	12	28.3	4	9.4
White	154	27	41	82	4	83	11	71.4	6	39.0
Nonwhite	835	511	128	185	11	264	33	39.5	17	20.4
Balance of county	609	484	96	26	3	198	24	39.4	8	13.1
White	226	27	32	159	8	86	9	39.8	9	39.8
Nonwhite	1,240	1,133	33	66	4	294	38	30.6	28	22.6
Draxton	1,088	1,052	24	10	2	225	25	23.0	19	17.5
White	152	63	11	56	2	68	13	85.5	9	59.2
Nonwhite	1,038	762	34	238	4	272	39	37.6	18	17.3
Brazos	771	700	18	51	2	163	30	38.9	7	9.1
White	267	62	16	187	2	109	9	33.7	11	41.2
Nonwhite	585	416	27	141	1	176	25	42.7	9	15.4
Bryan	438	386	16	35	1	110	21	47.9	2	4.6
White	147	30	11	106	-	66	4	27.2	7	47.6
Nonwhite	453	346	7	97	3	96	14	30.9	9	19.9
Balance of county	833	514	2	16	1	53	9	27.0	5	15.0
White	120	32	9	81	2	43	5	41.7	4	33.3
Nonwhite	222	93	97	17	15	49	12	54.1	6	27.0

See footnotes on p. 93.

VITAL STATISTICS OF THE UNITED STATES

TABLE 1.—LIVE BIRTHS BY PERSON IN ATTENDANCE; TOTAL DEATHS; DEATHS UNDER 1 YEAR AND INFANT MORTALITY RATES; AND FETAL DEATHS AND RATIOS: UNITED STATES, EACH STATE AND COUNTY, AND EACH URBAN PLACE HAVING, IN 1940, A POPULATION OF 10,000 OR MORE, 1949—Continued

(See headnote on p. 2)

AREA AND RACE	LIVE BIRTHS					Deaths (all ages)	DEATHS UNDER 1 YEAR		FETAL DEATHS	
	Total	Attended by—					Number	Rate	Number	Ratio
		Physi- cian in hos- pital ¹	Physi- cian not in hos- pital	Midwife	Other and not speci- fied					
TEXAS—Continued										
Briscoe-----	77	72	5	-	-	22	1	13.0	3	39.0
Brooks-----	373	306	15	38	14	70	22	59.0	6	16.1
Brown-----	602	570	24	8	-	272	14	25.3	15	21.6
Brownwood-----	450	424	18	8	-	198	15	29.9	11	24.4
Balance of county-----	152	146	6	-	-	74	1	6.6	2	13.2
Burleson-----	296	118	73	95	12	138	17	57.4	8	27.0
White-----	187	107	55	20	5	87	9	45.1	5	26.7
Nonwhite-----	109	11	18	73	7	51	8	75.4	3	27.5
Burnet-----	198	166	27	2	3	81	4	20.2	3	15.2
Caldwell-----	506	241	197	42	26	235	33	65.2	15	29.6
White-----	435	215	167	29	24	194	26	59.8	10	25.0
Nonwhite-----	71	26	30	13	2	49	7	98.6	5	70.4
Calhoun-----	244	108	117	18	1	59	10	41.0	6	24.6
Callahan-----	150	146	3	-	1	71	6	53.3	2	13.3
Camaron-----	5,346	1,611	1,298	2,271	171	1,369	499	95.3	147	27.5
Brownsville-----	1,419	596	146	647	30	373	125	96.1	44	31.0
Hearlingen-----	690	406	201	69	4	242	87	127.9	18	26.5
Balance of county-----	3,247	609	946	1,558	137	754	297	69.4	65	26.2
Camp-----	234	158	13	59	4	88	6	34.2	4	17.1
White-----	129	127	2	2	-	55	5	39.8	3	7.8
Nonwhite-----	105	31	11	59	4	33	3	28.8	3	28.8
Carson-----	156	153	3	-	-	47	5	32.1	-	0
Cass-----	627	368	73	159	7	239	18	28.7	13	20.7
White-----	377	332	42	2	1	160	10	28.5	7	18.8
Nonwhite-----	250	56	31	157	6	79	8	32.0	6	24.0
Castro-----	134	130	3	1	-	22	5	37.3	4	29.9
Chambers-----	227	178	32	17	-	55	6	25.4	4	17.6
White-----	179	170	7	2	-	45	5	27.9	3	16.8
Nonwhite-----	48	8	25	15	-	10	1	20.8	1	20.8
Cherokee-----	807	502	153	93	11	10	15	18.6	15	18.6
White-----	581	377	77	1	1	235	11	16.9	8	13.8
Nonwhite-----	226	43	76	92	10	79	4	17.7	7	31.0
Childress-----	264	256	4	2	2	115	5	30.3	1	5.8
Clay-----	170	160	10	-	-	72	7	41.2	3	17.6
Cochran-----	170	164	2	1	3	25	3	17.6	6	35.3
Coke-----	89	78	11	-	-	19	3	33.7	2	22.5
Coleman-----	281	246	30	2	3	138	8	28.5	6	21.4
Collin-----	940	794	130	14	2	357	27	28.7	14	14.9
Collingsworth-----	208	200	8	-	-	67	6	28.8	3	14.4
Colorado-----	419	237	23	93	6	159	15	35.8	6	19.1
White-----	298	266	15	16	1	97	9	30.2	5	16.8
Nonwhite-----	121	31	77	77	5	61	6	45.6	3	24.8
Comal-----	429	265	122	39	3	139	15	35.0	6	14.0
Comanche-----	268	256	12	-	-	159	7	26.1	5	18.7
Concho-----	95	71	17	5	-	32	3	32.3	3	32.3
Cooke-----	499	469	21	2	6	214	11	22.1	8	16.1
Coryell-----	296	287	6	2	1	134	6	20.3	7	23.6
Cottle-----	189	139	17	3	-	61	14	86.1	2	12.6
Crane-----	113	107	5	1	-	20	3	26.5	3	26.5
Cronkett-----	96	42	46	8	-	21	1	10.4	1	10.4
Crosby-----	249	217	29	2	1	72	10	40.2	7	29.1
Chilberson-----	49	15	31	3	-	13	2	40.8	3	61.2
Dallas-----	205	195	10	-	-	60	6	29.5	5	24.4
Dallas-----	15,184	14,422	699	50	13	4,449	367	25.5	265	17.5
White-----	12,973	12,627	298	41	7	3,585	294	22.7	193	14.9
Nonwhite-----	2,211	1,795	401	9	6	864	93	42.1	72	32.6
Dallas-----	10,815	10,346	428	33	8	3,374	267	24.7	185	16.9
White-----	9,271	9,098	151	28	4	2,899	207	22.3	139	14.9
Nonwhite-----	1,544	1,258	277	5	4	475	60	39.9	45	29.1
Highland Park-----	111	111	-	-	-	81	4	36.0	2	18.0
White-----	107	107	-	-	-	77	2	18.7	1	9.3
Nonwhite-----	4	-	-	-	-	4	2	500.0	1	250.0
University Park-----	306	306	-	-	-	116	6	19.6	2	6.5
Balance of county-----	3,952	3,659	271	17	5	676	110	27.6	76	19.7
White-----	3,290	3,127	147	13	3	693	79	24.0	52	15.9
Nonwhite-----	682	532	124	4	2	183	31	46.8	26	39.3
Dawson-----	600	483	61	49	7	164	51	85.0	18	30.0
Deaf Smith-----	240	215	23	1	1	57	13	54.2	3	12.5
Delta-----	187	142	6	3	-	79	6	35.9	3	18.0
Denton-----	734	648	65	1	2	339	23	32.2	10	14.0
White-----	395	379	15	1	-	152	13	32.9	6	15.2
Nonwhite-----	380	352	6	-	-	132	11	30.6	6	16.7
Balance of county-----	35	27	4	1	-	20	2	57.1	4	0
De Witt-----	319	269	49	-	2	187	10	31.3	4	12.5
White-----	542	334	104	94	10	264	35	64.6	14	25.8
Nonwhite-----	463	299	82	76	6	197	27	58.3	10	21.6
De Witt-----	79	35	22	18	4	67	8	101.5	4	50.6
Dickens-----	175	144	25	6	-	49	7	40.0	1	5.7
Dimmit-----	357	67	199	64	7	121	46	128.9	5	14.0
Donley-----	134	111	15	8	-	66	8	59.7	2	14.9
Duval-----	465	161	175	124	5	129	19	40.9	11	23.7
Eastland-----	524	434	30	-	-	269	14	26.7	9	17.2
Ector-----	1,256	1,108	126	16	4	183	39	51.1	20	15.9

See footnotes on p. 95.

GENERAL TABLES—BIRTHS, DEATHS, AND FETAL DEATHS

79

TABLE 1.—LIVE BIRTHS BY PERSON IN ATTENDANCE; TOTAL DEATHS; DEATHS UNDER 1 YEAR AND INFANT MORTALITY RATES; AND FETAL DEATHS AND RATIOS; UNITED STATES, EACH STATE AND COUNTY, AND EACH URBAN PLACE HAVING, IN 1940, A POPULATION OF 10,000 OR MORE, 1949—Continued

(See headnote on p. 2)

AREA AND RACE	LIVE BIRTHS					Deaths (all ages)	DEATHS UNDER 1 YEAR		FETAL DEATHS	
	Total	Attended by—					Number	Rate	Number	Ratio
		Physi- cian in hos- pital ¹	Physi- cian not in hos- pital	Midwife	Other and not speci- fied					
TEXAS—Continued										
Edwards	65	21	32	7	3	23	5	79.4	1	15.9
Ellie	914	756	112	39	7	445	43	47.0	20	21.9
White	705	652	48	1	4	341	28	36.9	11	15.6
Nonwhite	209	104	64	38	3	104	17	81.3	9	43.1
El Paso	6,688	5,606	429	574	79	1,802	334	49.9	126	18.8
El Paso	4,716	4,097	153	456	30	1,150	187	39.7	95	20.1
Balance of county	1,972	1,509	296	118	49	452	147	74.5	31	15.7
Erath	372	358	12	1	1	194	7	18.8	5	15.4
Falls	551	524	19	156	12	277	33	59.9	18	32.7
White	369	299	26	39	5	162	10	48.8	8	21.7
Nonwhite	182	25	33	117	7	95	15	82.4	10	54.9
Fannin	588	510	55	18	5	354	16	27.2	10	17.0
White	528	482	33	1	2	304	12	22.7	7	13.3
Nonwhite	60	18	22	17	3	50	4	66.7	3	50.0
Fayette	451	330	52	60	9	255	24	53.2	11	24.4
White	329	295	27	2	5	198	16	48.6	6	18.2
Nonwhite	122	35	25	58	4	57	8	65.6	5	41.0
Fisher	195	187	2	5	1	90	5	25.6	5	25.6
Floyd	224	216	6	2	—	79	9	40.2	3	15.4
Foard	95	87	2	4	—	42	5	53.8	5	53.8
Fort Bend	774	497	169	69	19	300	62	80.1	18	23.3
White	590	415	138	22	15	209	44	74.6	15	25.4
Nonwhite	184	82	31	67	4	92	18	97.8	3	16.3
Franklin	84	67	14	3	—	49	1	11.9	—	0
Freestone	326	171	60	95	2	165	10	30.7	6	18.4
White	145	150	13	2	—	97	4	27.6	2	15.8
Nonwhite	181	41	47	91	2	66	6	33.1	4	22.1
Frio	399	148	88	141	12	114	22	56.6	6	18.4
Gaines	276	273	2	—	1	54	13	47.1	5	18.1
Galveston	3,236	3,138	94	3	1	986	86	26.6	59	16.2
White	2,481	2,412	68	—	1	759	59	23.8	54	13.7
Nonwhite	755	726	26	3	—	227	27	36.8	25	33.1
Galveston	2,063	1,997	63	3	—	752	64	31.0	41	19.9
White	1,492	1,445	47	—	—	532	40	26.8	23	15.4
Nonwhite	571	552	16	3	—	220	24	42.0	18	31.5
Balance of county	1,173	1,141	31	—	1	236	22	18.8	18	15.3
White	989	967	21	—	1	167	19	19.2	11	11.1
Nonwhite	184	174	10	—	—	49	3	16.3	7	38.0
Garza	139	68	61	8	1	50	5	36.2	3	21.7
Gillespie	233	222	6	5	—	102	8	34.3	6	25.8
Glasscock	12	12	—	—	—	4	1	33.3	—	0
Goliad	158	46	80	18	14	69	10	63.3	5	31.6
White	143	45	71	14	13	62	9	62.9	4	28.0
Nonwhite	15	1	9	4	1	7	1	66.7	1	66.7
Gonzales	513	217	222	56	13	217	30	56.5	21	40.9
White	409	198	184	13	13	165	22	53.8	15	36.7
Nonwhite	104	18	38	43	5	52	8	76.9	6	57.7
Gray	644	628	14	—	1	188	28	45.0	11	17.1
Comanche	517	505	11	—	1	140	25	48.4	7	13.5
Balance of county	127	124	3	—	—	46	4	31.5	4	31.5
Grayson	1,572	1,446	97	25	4	703	42	28.7	34	21.6
Denison	551	528	14	9	—	216	17	30.8	12	21.8
White	488	480	8	—	—	170	15	30.7	9	18.4
Nonwhite	63	48	6	9	—	46	2	31.7	3	47.6
Sherman	504	470	20	11	3	218	10	19.8	5	9.9
White	444	439	4	1	—	173	7	15.8	4	9.0
Nonwhite	60	31	16	10	3	45	3	50.0	1	16.7
Balance of county	517	448	63	5	1	269	15	29.0	17	32.9
Gregg	1,660	1,513	35	103	9	497	82	37.3	32	19.3
White	1,214	1,192	20	2	—	346	32	26.4	17	14.0
Nonwhite	446	321	15	101	9	151	30	67.5	15	35.6
Longview	671	615	15	34	7	209	35	32.2	12	17.9
White	466	461	5	—	—	139	16	34.3	8	17.2
Nonwhite	205	154	10	34	7	70	19	82.7	4	19.3
Balance of county	989	898	20	69	2	288	27	27.3	20	20.2
White	748	731	15	2	—	207	16	21.4	9	12.0
Nonwhite	241	167	5	67	2	81	11	45.6	11	45.6
Griscom	365	224	29	110	2	147	15	41.1	17	46.6
White	176	157	9	9	—	84	5	29.6	9	45.7
Nonwhite	190	67	20	101	2	63	10	52.6	9	47.4
Gusdalupe	748	396	294	57	11	237	45	60.2	11	14.7
White	650	369	223	49	10	179	31	47.7	5	7.7
Nonwhite	98	18	71	8	1	58	14	142.9	6	61.2
Hale	753	634	98	17	4	190	37	49.1	6	8.0
Hall	267	237	22	8	—	103	15	56.2	7	26.2
Hamilton	163	155	8	—	—	120	7	42.9	5	30.7
Hansford	109	107	2	—	—	26	3	27.5	1	9.2
Hardeman	208	189	8	—	1	85	4	19.2	6	28.8
Hardin	461	346	112	14	9	167	13	27.0	18	37.4
White	409	336	69	1	3	133	12	29.3	10	24.4
Nonwhite	72	10	43	13	6	34	1	13.9	8	111.1

See footnotes on p. 95.

VITAL STATISTICS OF THE UNITED STATES

TABLE 1.—LIVE BIRTHS BY PERSON IN ATTENDANCE; TOTAL DEATHS; DEATHS UNDER 1 YEAR AND INFANT MORTALITY RATES; AND FETAL DEATHS AND RATIOS: UNITED STATES, EACH STATE AND COUNTY, AND EACH URBAN PLACE HAVING, IN 1940, A POPULATION OF 10,000 OR MORE, 1949—Continued

(See headnote on p. 2)

AREA AND RACE	LIVE BIRTHS					Deaths (all ages)	DEATHS UNDER 1 YEAR		FETAL DEATHS	
	Total	Attended by—					Number	Rate	Number	Ratio
		Physi- cien in hos- pital ¹	Physi- cien not in hos- pital	Midwife	Other and not speci- fied					
TEXAS—Continued										
Harris	21,047	19,985	449	569	34	5,745	695	33.0	410	19.5
White	16,720	16,186	327	488	19	4,276	486	29.1	275	16.4
Nonwhite	4,327	3,809	122	361	15	1,469	209	48.3	135	31.2
Houston	17,327	16,548	292	460	27	4,871	575	33.2	345	19.9
White	13,369	12,968	209	376	16	3,565	368	28.6	223	16.7
Nonwhite	3,958	3,580	85	284	11	1,306	190	48.0	122	30.8
Balance of county	3,720	3,447	157	109	7	874	120	32.3	65	17.5
White	3,351	3,218	118	12	5	711	101	30.1	62	15.5
Nonwhite	369	229	39	97	4	163	19	51.5	13	35.2
Harrison	1,179	551	90	512	25	435	32	27.2	25	19.5
White	467	445	17	4	1	196	11	23.6	4	8.6
Nonwhite	711	106	73	508	24	239	21	29.5	19	26.7
Marshall	552	349	39	155	9	221	10	18.1	9	16.3
White	276	270	5	1	—	117	5	18.1	4	14.5
Nonwhite	276	79	34	154	9	104	5	18.1	5	18.1
Balance of county	626	202	51	357	16	214	22	35.1	14	0
White	191	175	12	3	1	79	6	31.4	—	0
Nonwhite	435	27	39	354	15	135	16	36.8	14	32.2
Hartley	37	37	—	—	—	22	2	54.1	—	0
Haskell	311	299	4	7	1	108	13	41.8	5	9.6
Byers	486	314	116	46	10	160	25	51.4	11	22.6
Hemphill	97	95	2	—	—	21	—	0	1	10.3
Henderson	474	360	58	49	7	207	14	29.5	13	27.4
White	369	338	30	1	—	161	12	32.5	6	15.3
Nonwhite	105	22	28	48	7	46	2	19.0	7	66.7
Hidalgo	7,442	2,020	2,514	2,548	360	1,870	742	99.7	219	29.4
McAllen	883	324	250	263	26	200	71	60.4	31	35.1
Balance of county	6,559	1,696	2,264	2,285	334	1,670	671	102.3	188	28.7
Hill	610	440	130	35	5	312	22	36.1	15	24.6
White	485	419	85	1	—	241	9	18.6	12	24.7
Nonwhite	125	21	65	34	5	71	13	104.0	3	24.0
Hockley	675	633	31	8	3	130	43	63.7	7	10.4
Hood	114	101	12	1	—	58	1	8.8	4	35.1
Hopkins	404	446	30	8	—	292	13	26.9	9	18.6
White	414	397	17	—	—	177	11	26.6	4	9.7
Nonwhite	70	49	13	8	—	25	2	28.6	5	71.4
Houston	466	278	72	106	10	233	17	36.5	5	10.7
White	252	224	26	1	1	125	6	23.8	2	7.9
Nonwhite	214	54	46	105	9	108	11	51.4	3	14.0
Howard	701	654	17	21	9	172	34	48.5	21	30.0
Big Spring	549	515	15	15	4	124	23	41.9	15	27.3
Balance of county	152	139	2	6	5	48	11	72.4	6	39.5
Budapest	221	51	146	16	8	22	6	27.1	3	15.6
Hunt	909	659	217	25	9	487	45	49.5	16	17.6
White	731	624	103	4	—	415	31	42.4	8	10.9
Nonwhite	178	35	114	21	9	72	14	78.7	8	44.9
Greenville	385	278	90	13	4	196	19	49.4	6	20.8
White	285	258	27	—	—	156	9	31.6	3	10.5
Nonwhite	100	20	63	13	4	40	10	100.0	3	50.0
Balance of county	524	381	127	12	4	291	26	49.6	8	15.3
White	446	366	76	4	—	259	22	49.3	5	11.2
Nonwhite	78	15	51	8	4	32	4	51.3	3	38.5
Hutchinson	1,030	1,015	14	—	1	143	23	22.3	16	15.5
Burger	604	792	11	—	1	108	21	26.1	11	13.7
Balance of county	226	223	3	—	—	35	2	87.8	5	22.1
Irion	45	31	12	—	2	15	1	22.2	4	86.9
Jack	141	137	4	—	—	69	2	14.2	3	21.3
Jackson	331	164	142	23	2	107	14	42.3	7	21.1
White	283	162	110	10	1	68	13	45.9	5	17.7
Nonwhite	48	2	32	13	1	19	1	20.8	2	41.7
Jasper	508	311	143	51	3	169	21	41.3	6	11.8
White	366	280	104	2	—	121	15	41.0	3	8.2
Nonwhite	142	51	39	49	3	48	6	42.3	3	21.2
Jeff Davis	62	15	45	1	1	13	4	64.5	1	16.1
Jefferson	5,336	4,812	255	244	25	1,419	157	29.4	136	25.5
White	3,976	3,848	118	8	2	949	88	22.1	53	13.3
Nonwhite	1,360	964	137	236	23	470	69	50.7	83	61.0
Beaumont	2,483	2,217	102	160	4	783	85	34.2	84	33.8
White	1,660	1,640	16	3	1	450	35	21.1	21	12.7
Nonwhite	823	577	86	157	3	333	50	60.8	63	76.5
Port Arthur	1,765	1,614	79	55	17	418	42	23.8	32	19.1
White	1,342	1,289	51	2	—	305	28	20.9	18	13.4
Nonwhite	423	325	28	53	17	113	14	33.1	14	33.1
Balance of county	1,098	981	74	29	4	218	30	27.6	20	18.4
White	974	919	51	3	1	194	25	25.7	14	14.4
Nonwhite	114	62	23	26	3	24	5	43.9	6	52.6
Jim Hogg	184	43	44	73	4	38	11	67.1	2	12.2
Jim Wells	942	591	268	79	4	188	50	53.1	26	27.6
Johnson	625	559	60	5	1	301	18	28.8	10	16.0
Cleburne	313	287	23	3	—	148	11	35.1	5	16.0
Balance of county	312	272	37	2	1	153	7	22.4	5	16.0
Jones	503	466	21	9	4	182	23	46.0	6	12.0
Karnes	521	232	224	59	6	173	33	63.3	12	23.0

See footnotes on p. 93.

GENERAL TABLES—BIRTHS, DEATHS, AND FETAL DEATHS

TABLE 1.—LIVE BIRTHS BY PERSON IN ATTENDANCE; TOTAL DEATHS; DEATHS UNDER 1 YEAR AND INFANT MORTALITY RATES; AND FETAL DEATHS AND RATIOS; UNITED STATES, EACH STATE AND COUNTY, AND EACH URBAN PLACE HAVING, IN 1940, A POPULATION OF 10,000 OR MORE, 1949—Continued

(See headnote on p. 2)

AREA AND RACE	LIVE BIRTHS					Deaths (all ages)	DEATHS UNDER 1 YEAR		FETAL DEATHS	
	Total	Attended by—					Number	Rate	Number	Ratio
		Physi- cian in hos- pital ¹	Physi- cian not in hos- pital	Midwife	Other and not speci- fied					
TEXAS—Continued										
Kaufman	622	417	127	72	6	325	42	67.5	14	22.5
White	399	341	52	2	4	228	23	57.6	8	20.1
Nonwhite	223	76	75	70	2	97	19	85.2	6	26.9
Terrell	184	129	31	24	-	109	17	92.4	4	21.7
White	111	105	5	-	-	73	9	81.1	2	18.0
Nonwhite	73	23	26	24	-	36	8	109.6	2	27.4
Balance of county	438	289	96	48	6	216	25	57.1	10	22.8
White	268	235	47	2	4	155	14	48.6	6	20.8
Nonwhite	170	53	49	46	2	61	11	73.3	4	25.7
Kendall	125	102	15	6	2	58	2	16.0	-	0
Kenedy	21	12	2	4	3	5	2	95.2	1	47.6
Kent	39	33	5	1	-	28	3	76.9	-	0
Kerr	310	226	80	4	-	137	10	32.3	8	25.8
Kimble	94	49	42	3	-	41	5	53.2	1	10.6
King	8	8	1	-	-	1	-	0	1	111.1
Kinney	28	37	10	-	-	18	3	40.0	-	0
Kleberg	677	519	127	27	4	124	25	36.9	21	31.0
Knox	282	229	32	20	1	87	27	95.7	6	21.3
Lamar	1,015	661	262	85	7	435	42	41.4	22	21.7
White	779	636	130	9	4	329	26	33.4	13	16.7
Nonwhite	236	25	132	76	3	106	16	67.8	9	39.1
Paris	547	379	149	18	1	258	27	49.4	13	25.8
White	411	361	46	3	1	190	15	36.5	8	19.5
Nonwhite	136	18	103	15	-	68	12	88.2	5	36.8
Balance of county	468	292	113	67	6	177	15	32.1	9	19.2
White	368	275	84	6	3	139	11	29.9	5	13.6
Nonwhite	100	7	29	61	3	38	4	40.0	4	40.0
Lamb	566	509	19	37	2	118	22	38.9	10	17.7
Lampasas	201	159	41	1	1	95	1	5.0	4	19.9
La Salle	231	112	57	53	9	78	13	56.3	5	21.6
Lavaca	516	430	54	26	6	230	9	17.4	11	21.3
White	457	419	30	3	5	190	8	17.5	8	17.5
Nonwhite	59	11	24	23	1	40	1	18.9	3	30.8
Lee	197	150	19	25	3	110	6	30.5	2	10.2
White	151	136	11	3	2	73	2	13.2	1	5.6
Nonwhite	46	14	8	22	1	37	4	37.0	1	21.7
Leon	273	190	60	109	4	114	8	29.3	7	25.6
White	151	95	53	3	2	72	4	26.5	2	13.2
Nonwhite	122	7	7	106	2	42	4	32.8	5	41.0
Liberty	765	687	29	47	2	241	39	49.7	15	19.6
White	589	563	29	5	1	175	23	39.0	6	10.2
Nonwhite	176	124	9	42	1	66	15	85.2	9	51.1
Limestone	483	233	163	76	11	269	26	53.8	15	31.1
White	275	217	55	1	2	161	11	40.0	6	29.1
Nonwhite	208	16	108	75	9	108	15	72.1	7	33.7
Lipscomb	98	95	3	-	-	30	1	10.2	-	0
Live Oak	238	130	79	29	1	92	24	100.8	4	16.8
Llano	105	94	6	5	-	60	3	28.6	2	19.0
Loving	7	7	-	-	-	2	1	142.9	-	0
Imboden	2,569	2,018	469	66	16	588	156	60.7	60	23.4
White	1,739	1,427	301	10	-	389	100	57.5	41	23.6
Nonwhite	831	591	168	56	16	199	56	67.4	19	22.9
Balance of county	261	223	14	18	6	81	18	69.0	6	23.0
Ignace	273	254	11	4	4	106	11	40.3	2	7.3
McCulloch	3,080	2,656	192	219	13	1,096	90	29.2	78	25.3
White	2,586	2,254	96	33	3	945	60	25.1	46	19.3
Nonwhite	694	402	96	186	10	251	30	43.2	32	46.1
Waco	2,163	1,984	86	88	5	702	53	29.1	56	25.9
White	1,693	1,637	37	17	2	522	43	25.4	33	19.5
Nonwhite	470	347	49	71	3	180	20	42.6	23	46.9
Balance of county	917	672	106	131	8	394	27	29.4	22	24.0
White	693	617	59	16	1	323	17	24.5	13	18.8
Nonwhite	224	55	47	115	7	71	10	44.6	9	40.2
McMillen	21	12	4	4	1	4	-	0	-	0
Madison	135	75	27	31	2	75	3	22.2	2	14.8
White	84	66	14	4	-	46	1	11.9	-	0
Nonwhite	51	9	13	27	2	29	2	39.2	2	39.2
Marion	284	111	67	48	7	105	7	29.9	7	29.9
White	87	58	28	1	-	34	1	11.5	2	23.0
Nonwhite	147	53	39	48	7	71	6	40.8	5	34.0
Martin	134	84	4	3	43	38	9	67.2	1	7.5
Mason	122	89	31	1	1	49	6	49.2	4	32.8
Matagorda	637	441	127	64	5	204	35	54.9	10	15.7
White	500	398	86	13	2	149	25	50.0	8	16.0
Nonwhite	137	42	41	51	3	55	10	73.0	2	14.6
Maverick	459	137	125	171	26	101	23	50.1	14	30.5
Medina	532	309	124	90	9	162	33	62.0	9	16.9
Menard	61	36	37	8	-	30	3	37.0	2	24.7
Midland	669	614	15	18	22	139	26	38.9	10	14.9
Millam	462	307	112	61	2	248	14	29.0	12	24.9
White	350	277	65	7	1	188	7	20.0	5	14.3
Nonwhite	132	30	47	54	1	60	7	53.0	7	53.0
Mills	105	102	3	-	-	63	2	19.0	-	0
Mitchell	364	337	14	5	8	103	16	44.0	9	24.7
Montague	318	294	23	1	-	173	7	22.0	9	28.3

See footnotes on p. 95.

VITAL STATISTICS OF THE UNITED STATES

TABLE 1.—LIVE BIRTHS BY PERSON IN ATTENDANCE; TOTAL DEATHS; DEATHS UNDER 1 YEAR AND INFANT MORTALITY RATES; AND FETAL DEATHS AND RATIOS: UNITED STATES, EACH STATE AND COUNTY, AND EACH URBAN PLACE HAVING, IN 1940, A POPULATION OF 10,000 OR MORE, 1949—Continued

(See headnote on p. 2)

AREA AND RACE	LIVE BIRTHS					Deaths (all ages)	DEATHS UNDER 1 YEAR		FETAL DEATHS	
	Total	Attended by—					Number	Rate	Number	Ratio
		Physi- cian in hos- pital ¹	Physi- cian not in hos- pital	Midwife	Other and not speci- fied					
TEXAS—Continued										
Montgomery	596	451	54	86	5	284	32	53.7	19	31.9
White	445	405	34	6	-	194	24	53.9	12	27.0
Nonwhite	151	46	20	80	5	70	8	53.0	7	46.4
Moore	429	416	13	-	-	48	7	16.3	5	11.7
Morris	201	134	22	32	13	77	6	29.9	4	19.9
White	124	113	7	3	-	47	2	16.1	2	16.1
Nonwhite	77	21	15	29	12	30	4	51.8	2	28.0
Motley	110	103	7	-	-	38	5	45.5	2	18.2
Nacogdoches	751	582	122	73	4	263	15	20.0	17	22.6
White	471	449	21	2	-	179	6	12.7	8	17.0
Nonwhite	280	104	101	71	4	84	9	32.1	9	32.1
Navarro	612	627	101	79	5	440	39	48.0	28	34.5
White	572	536	32	3	1	300	21	36.7	15	26.2
Nonwhite	240	91	69	76	4	140	18	75.0	13	54.2
Corsicana	410	350	42	15	3	239	29	70.7	15	36.6
White	318	306	10	1	-	164	18	56.6	7	22.0
Nonwhite	92	44	32	14	2	75	11	119.6	8	67.0
Balance of county	402	277	59	64	2	201	10	24.9	13	32.3
White	254	230	22	2	-	136	3	11.8	8	31.5
Nonwhite	148	47	37	62	2	65	7	47.3	5	35.8
Newton	266	112	83	69	2	89	5	19.8	9	33.8
White	150	95	48	6	1	47	2	13.3	4	28.7
Nonwhite	116	17	35	63	1	41	3	25.9	5	43.1
Nolan	443	440	3	-	-	149	14	31.6	8	18.1
Sweetwater	292	289	3	-	-	106	9	30.8	5	17.1
Balance of county	151	151	-	-	-	43	5	33.1	3	19.9
Nueces	5,185	3,645	615	873	52	1,085	268	51.7	147	28.4
Corpus Christi	3,742	2,999	184	526	33	722	150	40.1	98	26.2
Balance of county	1,443	646	431	347	19	363	118	81.8	49	34.0
Ochiltree	170	162	5	3	-	43	8	47.1	2	11.8
Oldham	40	38	2	-	-	11	-	0	-	0
Orange	1,287	1,188	20	96	3	232	25	19.4	23	17.9
White	1,139	1,114	9	13	3	186	17	14.9	12	10.5
Nonwhite	148	54	11	83	-	46	8	54.1	11	74.3
Palo Pinto	347	338	9	-	-	204	16	46.1	12	34.6
Panola	349	202	75	64	8	127	5	14.3	4	11.5
White	250	193	50	7	-	70	3	12.0	3	12.0
Nonwhite	99	9	25	57	8	57	2	20.2	1	10.1
Parker	433	418	14	1	-	189	10	23.1	7	16.2
Farmer	106	104	2	-	-	45	6	56.6	1	9.4
Pecos	270	141	84	41	4	76	10	37.0	2	7.4
Polk	389	285	38	60	6	175	13	46.3	5	13.9
White	251	235	13	3	-	111	9	35.9	1	4.0
Nonwhite	138	50	25	57	6	64	9	65.2	4	29.0
Potter	1,939	1,909	26	2	2	542	67	34.6	38	19.6
Amarillo (part)	1,669	1,641	24	2	2	531	66	(*)	36	(*)
Amarillo (total)	1,691	1,653	24	2	2	549	68	36.2	36	19.1
Balance of county	70	68	2	-	-	11	1	14.3	2	28.6
Presidio	260	68	122	66	4	49	11	42.3	8	30.8
Rains	86	46	17	5	-	38	-	0	1	14.7
Randall	142	142	-	-	-	58	6	42.3	2	14.1
Amarillo (part)	12	12	-	-	-	17	2	(*)	-	(*)
Balance of county	130	130	-	-	-	41	4	30.8	2	15.4
Reagan	109	93	15	1	-	15	5	45.9	1	9.2
Real	88	50	14	3	22	24	2	29.0	1	14.5
Red River	432	313	55	117	7	228	5	10.2	6	12.2
White	346	300	33	10	3	158	3	8.7	4	11.6
Nonwhite	146	13	22	107	4	70	2	13.7	2	13.7
Reeves	475	247	195	18	17	104	31	65.3	8	16.8
Refugio	284	229	32	20	3	80	14	49.3	10	35.2
White	248	204	30	11	3	67	12	48.4	10	40.3
Nonwhite	36	25	2	9	-	13	2	55.6	-	0
Roberts	20	20	-	-	-	6	-	0	1	50.0
Robertson	524	234	103	181	6	280	31	59.2	17	32.4
White	284	194	57	31	2	151	13	45.8	6	21.1
Nonwhite	240	40	46	150	4	129	18	75.0	11	45.8
Rockwall	123	70	51	1	1	70	5	40.7	4	38.5
White	88	68	19	1	-	53	3	34.1	2	22.7
Nonwhite	35	2	32	-	1	17	2	57.1	2	57.1
Runnels	337	289	34	4	-	137	10	29.7	6	17.8
Rusk	924	610	187	111	16	354	29	31.4	18	19.5
White	623	520	100	2	1	238	20	32.1	10	16.1
Nonwhite	301	90	87	109	15	116	9	29.9	8	26.6
Sabine	175	109	47	17	2	75	4	22.9	3	17.1
White	111	74	34	1	2	59	4	36.0	1	9.0
Nonwhite	64	35	13	16	-	16	-	0	2	31.3
San Augustine	232	143	17	71	1	94	10	43.1	5	21.6
White	126	114	9	2	1	61	3	23.8	1	7.9
Nonwhite	106	29	8	69	-	33	7	66.0	4	37.7
San Jacinto	119	51	26	36	6	50	7	58.8	6	50.4
White	45	36	7	2	-	20	1	22.2	1	22.2
Nonwhite	74	15	19	34	6	30	6	81.1	5	67.6
San Patricio	1,353	593	606	139	16	379	120	88.7	21	15.5
San Saba	176	118	57	-	1	77	5	28.4	7	39.8

See footnotes on p. 93.

GENERAL TABLES—BIRTHS, DEATHS, AND FETAL DEATHS

TABLE 1.—LIVE BIRTHS BY PERSON IN ATTENDANCE; TOTAL DEATHS; DEATHS UNDER 1 YEAR AND INFANT MORTALITY RATES; AND FETAL DEATHS AND RATIOS; UNITED STATES, EACH STATE AND COUNTY, AND EACH URBAN PLACE HAVING, IN 1940, A POPULATION OF 10,000 OR MORE, 1949—Continued

(See footnote on p. 2)

AREA AND RACE	LIVE BIRTHS					Deaths (all ages)	DEATHS UNDER 1 YEAR		FETAL DEATHS	
	Total	Attended by—					Number	Rate	Number	Ratio
		Physi- cian in hos- pital ¹	Physi- cian not in hos- pital	Midwife	Other and not speci- fied					
TEXAS—Continued										
Schleicher	68	42	14	12	-	21	8	86.2	1	14.7
Scurry	322	295	20	5	2	98	14	43.5	4	12.4
Shackelford	110	97	13	-	-	36	4	36.4	1	9.1
Shelby	473	353	78	42	2	210	20	42.3	7	14.8
	White	342	316	24	1	162	11	32.2	4	11.7
	Nonwhite	131	37	52	41	48	9	68.7	3	22.9
Sherman	47	47	-	-	-	10	3	63.8	3	63.8
Smith	1,796	1,283	94	408	11	600	56	51.2	51	28.4
	White	1,153	1,109	35	6	367	28	24.3	18	15.6
	Nonwhite	643	174	59	402	233	28	43.5	33	51.3
Tyler	973	799	23	149	3	294	35	36.0	28	29.8
	White	689	681	5	1	187	20	29.0	10	14.5
	Nonwhite	284	118	18	147	107	15	52.8	18	65.4
Balance of county	623	494	71	260	8	306	21	25.5	23	27.9
	White	464	429	30	8	189	8	17.2	8	17.2
	Nonwhite	359	56	41	255	126	13	56.2	15	41.8
Bomervell	53	52	1	-	-	28	-	0	-	0
Stary	595	57	389	124	13	119	30	50.5	5	8.4
Stephens	219	209	7	1	1	104	8	36.7	4	18.3
Sterling	27	15	9	5	-	14	2	74.1	1	37.0
Stonewall	66	65	1	-	-	22	1	15.2	2	30.3
Sutton	131	45	87	1	1	29	7	52.4	2	15.3
Swisher	187	182	4	1	-	57	4	21.4	1	37.4
Tarrant	8,581	8,444	110	19	8	2,922	262	30.5	154	17.9
	White	7,481	7,404	82	19	2,461	204	27.2	115	15.4
	Nonwhite	1,099	1,040	28	1	461	58	53.2	39	35.8
Fort Worth	6,983	6,881	84	17	6	2,422	235	35.6	126	18.0
	White	5,950	5,892	59	-	1,980	180	30.3	91	15.3
	Nonwhite	1,033	989	25	17	442	55	55.0	35	33.7
Balance of county	1,593	1,563	26	2	3	500	27	18.9	28	17.6
Taylor	1,459	1,407	33	12	6	448	45	30.9	22	15.1
Abilene	1,199	1,163	23	10	3	527	38	31.7	19	15.8
Balance of county	259	244	10	2	3	121	7	27.0	3	11.6
Terrill	97	9	87	1	-	24	8	61.9	1	10.3
Terry	379	243	123	9	4	87	17	44.9	1	2.6
Throckmorton	77	76	1	-	-	25	-	0	3	39.0
Titus	378	311	80	15	2	144	13	34.4	8	15.9
	White	306	283	23	-	113	8	26.1	5	16.3
	Nonwhite	72	28	15	2	31	5	69.4	1	13.9
Tom Green	1,562	1,387	30	137	8	432	73	46.7	21	13.4
San Angelo	1,395	1,242	25	120	8	374	69	49.5	19	13.6
Balance of county	167	145	5	17	-	58	4	24.0	2	12.0
Travis	4,104	3,858	124	116	9	1,149	170	41.4	73	17.8
	White	3,472	3,274	101	88	919	129	37.2	62	17.8
	Nonwhite	632	581	23	28	230	41	64.9	11	17.4
Austin	3,466	3,300	96	63	7	982	142	41.0	60	17.3
	White	2,871	2,826	80	58	783	108	36.4	55	18.5
	Nonwhite	495	474	16	5	199	34	68.7	5	10.1
Balance of county	638	555	28	53	2	167	29	43.9	13	20.4
	White	501	448	21	30	136	21	41.9	7	14.0
	Nonwhite	137	107	7	23	31	7	51.1	6	45.8
Trinity	206	109	45	49	4	99	2	9.7	4	19.4
	White	135	89	37	9	58	1	7.4	2	14.8
	Nonwhite	71	19	8	40	41	1	14.1	2	28.2
Tyler	222	119	67	33	3	81	8	36.0	8	36.0
	White	166	112	40	13	55	5	30.1	7	42.2
	Nonwhite	56	7	27	20	26	3	53.8	1	17.9
Upshur	418	327	17	68	6	143	8	19.1	10	23.9
	White	251	243	6	1	99	4	15.9	6	28.9
	Nonwhite	167	84	11	67	44	4	24.0	4	24.0
Upton	127	117	9	-	1	28	3	23.6	1	7.9
Uvalde	492	275	173	58	6	154	32	65.0	9	18.3
Val Verde	558	279	247	25	7	151	25	44.8	17	30.5
Del Rio	533	259	244	24	6	142	24	45.0	16	30.0
Balance of county	25	20	3	1	1	9	1	40.0	1	40.0
Van Zandt	400	265	129	3	3	214	13	32.5	8	20.0
Victoria	667	553	159	148	7	266	36	41.5	27	31.1
	White	784	517	136	125	222	34	43.4	20	25.5
	Nonwhite	83	36	23	23	44	2	24.1	7	84.3
Victoria	582	408	91	79	4	176	28	48.1	23	39.5
	White	545	389	81	72	148	27	49.5	17	31.2
	Nonwhite	37	19	10	7	28	1	27.0	6	162.2
Balance of county	265	145	68	69	3	90	8	28.1	4	14.0
	White	239	128	55	53	74	7	29.3	3	12.6
	Nonwhite	46	17	13	16	16	1	21.7	1	21.7
Walker	363	319	13	47	4	185	6	15.7	3	7.8
	White	215	209	4	2	101	4	18.6	-	0
	Nonwhite	168	110	9	45	84	2	11.9	3	17.9
Waller	226	126	20	21	9	79	8	35.4	3	13.3
	White	105	85	11	7	41	1	9.5	2	19.0
	Nonwhite	121	41	9	64	38	7	57.9	1	8.3
Ward	421	358	49	5	8	90	19	45.1	9	21.4
Washington	430	231	79	114	6	235	16	37.2	7	16.3
	White	219	198	22	1	122	9	36.5	1	4.6
	Nonwhite	211	33	57	113	113	8	37.9	6	28.4

See footnotes on p. 93.

VITAL STATISTICS OF THE UNITED STATES

TABLE 1.—LIVE BIRTHS BY PERSON IN ATTENDANCE; TOTAL DEATHS; DEATHS UNDER 1 YEAR AND INFANT MORTALITY RATES; AND FETAL DEATHS AND RATIOS: UNITED STATES, EACH STATE AND COUNTY, AND EACH URBAN PLACE HAVING, IN 1940, A POPULATION OF 10,000 OR MORE, 1949—Continued

(See headnote on p. 2)

AREA AND RACE	LIVE BIRTHS					Deaths (all ages)	DEATHS UNDER 1 YEAR		FETAL DEATHS	
	Total	Attended by—					Number	Rate	Number	Ratio
		Physi- cian in hos- pital ¹	Physi- cian not in hos- pital	Midwife	Other and not speci- fied					
TEXAS—Continued										
Webb-----	1,981	998	375	538	70	533	136	68.7	60	30.3
Laredo-----	1,890	947	362	526	63	508	133	70.1	57	30.0
Balance of county-----	83	51	13	12	7	28	3	36.1	3	36.1
Wharton-----	1,021	854	84	64	19	312	45	44.1	16	15.7
White-----	776	699	49	14	14	225	34	43.8	13	16.8
Nonwhite-----	245	155	35	50	5	87	11	44.9	3	12.2
Wheeler-----	237	234	3	-	-	73	7	29.5	3	12.7
Wichita-----	2,070	2,028	39	1	2	806	68	32.9	50	14.5
Wichita Falls-----	1,531	1,498	30	1	1	444	58	37.9	23	15.0
Balance of county-----	539	529	9	-	1	182	10	18.8	7	13.0
Willbarger-----	416	402	6	7	1	118	14	33.7	14	33.7
Willacy-----	1,014	352	116	521	25	212	84	82.8	27	26.6
Williamson-----	941	771	133	31	8	385	46	48.9	22	23.4
White-----	750	628	108	8	6	304	31	41.3	14	18.7
Nonwhite-----	191	143	25	23	-	81	15	78.5	8	41.9
Wilson-----	401	356	115	12	18	126	19	47.4	9	22.4
Winkler-----	504	285	10	3	6	58	14	46.1	7	23.0
Wise-----	333	315	18	-	-	161	15	45.0	3	9.0
Wood-----	422	333	77	9	3	181	8	19.0	7	16.6
White-----	372	316	58	-	1	164	8	21.5	6	16.1
Nonwhite-----	50	17	22	9	2	27	-	0	1	20.0
Yoakum-----	117	113	4	-	-	17	3	25.6	2	17.1
Young-----	371	361	10	-	-	146	10	27.0	7	18.9
Zapala-----	118	24	74	19	1	18	5	42.4	4	33.9
Zavala-----	387	148	89	142	8	118	37	95.6	10	25.8
UTAH-----	21,164	20,757	346	29	32	4,929	535	25.3	297	14.0
White-----	20,888	20,501	336	28	23	4,797	516	24.7	285	13.8
Nonwhite-----	276	256	10	1	9	132	19	68.8	12	43.5
Beaver-----	137	140	16	1	-	44	1	6.4	4	25.5
Box Elder-----	561	579	2	-	-	155	18	31.0	5	8.6
Cache-----	1,086	1,070	18	-	-	234	24	22.1	13	11.9
Logan-----	613	612	1	-	-	107	13	21.2	5	8.2
Balance of county-----	475	458	17	-	-	127	11	23.2	8	16.8
Carbon-----	630	617	13	-	-	183	30	36.1	15	18.1
Daggett-----	7	6	1	-	-	-	-	0	-	0
Davis-----	966	957	10	-	1	159	26	26.9	13	13.4
Duchesne-----	243	238	5	-	-	64	12	49.4	1	4.1
Emery-----	136	128	7	-	1	46	3	22.1	5	36.8
Garfield-----	137	132	1	1	3	37	4	29.2	2	14.6
Grand-----	80	59	1	-	-	14	1	16.7	-	0
Iron-----	330	345	3	1	1	73	15	42.3	3	8.6
Juab-----	173	172	1	-	-	43	3	17.3	3	17.3
Kane-----	73	67	6	-	-	16	3	41.1	2	27.4
Millard-----	287	281	6	-	-	75	8	27.9	7	24.4
Morgan-----	70	69	1	-	-	18	1	14.3	1	14.3
Piute-----	80	49	10	1	-	14	-	0	1	15.7
Rich-----	43	41	2	-	-	11	1	23.3	-	0
Salt Lake-----	8,185	8,044	91	12	8	2,002	176	21.6	119	14.6
Salt Lake City-----	5,484	5,438	33	9	4	1,342	117	21.3	81	14.8
Balance of county-----	2,671	2,606	58	3	4	460	59	22.1	36	14.2
San Juan-----	140	123	10	-	7	33	2	35.7	4	28.6
White-----	119	117	2	-	-	20	2	16.8	4	33.6
Nonwhite-----	21	6	8	-	7	13	3	142.9	-	0
Sampete-----	393	326	67	-	-	127	12	30.5	4	10.2
Sevier-----	372	361	9	1	1	90	15	40.3	6	21.5
Summit-----	200	195	7	-	-	45	4	20.0	4	20.0
Tooele-----	534	520	13	-	1	88	12	22.5	5	9.4
Uintah-----	350	349	-	-	1	74	7	20.0	2	5.7
White-----	307	306	-	-	1	54	5	16.3	2	6.5
Nonwhite-----	43	43	-	-	-	20	2	46.5	-	0
Utah-----	2,542	2,513	21	4	4	516	68	28.9	31	12.2
Provo-----	832	825	4	-	3	153	22	26.4	12	14.4
Balance of county-----	1,710	1,688	17	4	1	363	46	26.9	19	11.1
Wasatch-----	154	151	3	-	-	46	8	32.5	3	19.3
Washington-----	315	305	5	2	3	67	8	25.4	2	6.3
Wayne-----	75	69	2	4	2	22	4	53.3	1	13.3
Weber-----	2,671	2,653	15	2	1	613	69	25.8	39	14.6
Ogden-----	1,867	1,852	12	2	1	484	52	27.9	26	13.9
Balance of county-----	804	601	3	-	-	129	17	21.1	13	16.2
VERMONT-----	9,297	8,553	750	2	4	4,162	301	32.4	156	16.9
White-----	9,293	8,550	737	2	4	4,159	300	32.3	155	16.7
Nonwhite-----	4	3	1	-	-	3	1	250.0	1	250.0
Addison-----	455	397	57	1	-	169	12	26.4	7	15.4
Bennington-----	371	329	42	-	-	288	15	26.3	13	22.8
Caledonia-----	600	531	69	-	-	292	32	53.3	3	5.0
Chittenden-----	1,673	1,649	24	-	-	602	50	29.9	27	16.1
Burlington-----	642	639	3	-	-	328	23	27.3	17	20.2
Balance of county-----	631	610	21	-	-	274	27	32.5	10	12.0
Essex-----	154	113	40	-	1	82	5	32.5	1	6.5

See footnotes on p. 93.

GENERAL TABLES—BIRTHS, DEATHS, AND FETAL DEATHS

TABLE 1.—LIVE BIRTHS BY PERSON IN ATTENDANCE; TOTAL DEATHS; DEATHS UNDER 1 YEAR AND INFANT MORTALITY RATES; AND FETAL DEATHS AND RATIOS: UNITED STATES, EACH STATE AND COUNTY, AND EACH URBAN PLACE HAVING, IN 1940, A POPULATION OF 10,000 OR MORE, 1949—Continued

(See headnote on p. 2)

AREA AND RACE	LIVE BIRTHS					Deaths (all ages)	DEATHS UNDER 1 YEAR		FETAL DEATHS	
	Total	Attended by—					Number	Rate	Number	Ratio
		Physician in hos- pital ¹	Physician not in hos- pital	Midwife	Other and not speci- fied.					
VERMONT—Continued										
Franklin	775	616	159	-	-	330	32	41.3	15	19.4
Grand Isle	83	66	17	-	-	58	5	60.2	1	12.0
Lamoille	280	268	12	-	-	108	7	25.0	4	14.3
Orange	421	396	25	-	-	206	8	19.0	4	9.5
Orleans	622	520	102	-	2	219	30	48.2	15	24.1
Rutland	1,044	991	63	-	-	564	29	27.8	20	19.2
Rutland	408	405	5	-	-	232	15	36.8	8	19.6
Balance of county	636	579	56	-	-	332	14	22.0	12	16.9
Washington	980	977	13	-	-	448	21	21.2	17	17.2
Barre	292	290	2	-	-	132	4	13.7	5	17.1
Balance of county	688	687	11	-	-	316	17	24.4	12	17.2
Windham	680	635	44	1	-	350	15	22.1	14	20.6
Windsor	949	875	75	-	1	446	40	42.1	15	15.6
VIRGINIA ¹²	82,980	58,988	13,194	10,507	271	29,245	3,162	39.1	2,038	24.2
White	61,351	50,556	9,076	1,539	180	20,164	2,005	32.7	1,127	18.4
Nonwhite	21,609	8,432	4,118	8,968	91	9,181	1,157	53.5	682	40.8
Accomack	749	384	77	285	5	418	49	65.4	30	40.1
White	418	359	52	7	-	251	18	43.1	5	12.0
Nonwhite	331	25	25	278	5	167	31	93.7	25	75.5
Albemarle	593	539	26	29	-	236	31	82.3	15	25.3
White	446	424	13	9	-	180	28	58.3	9	20.2
Nonwhite	147	114	13	20	-	56	5	34.0	6	40.8
Alleghany	551	395	145	8	5	189	18	32.7	12	21.8
Amelia	232	60	60	92	-	94	8	34.5	11	47.4
White	96	51	45	2	-	58	-	0	2	20.8
Nonwhite	136	9	37	90	-	55	8	58.8	9	66.2
Amherst	419	258	105	51	5	174	13	31.0	6	14.3
White	255	180	65	10	-	115	6	23.5	2	7.8
Nonwhite	164	68	50	41	5	59	7	42.7	4	24.4
Appomattox	173	101	37	31	4	96	7	65.6	4	25.1
White	115	89	26	-	-	56	2	17.4	1	8.7
Nonwhite	58	12	11	31	4	40	9	155.2	3	51.7
Arlington ¹³	3,712	3,694	14	5	1	624	73	19.7	52	14.0
Augusta	1,121	918	182	20	1	426	35	31.2	14	12.5
Bath	119	103	11	4	1	60	4	33.6	9	75.6
White	111	96	10	4	1	55	3	27.0	7	33.1
Nonwhite	8	7	1	-	-	5	1	125.0	2	250.0
Bedford	677	491	145	38	3	309	27	39.9	13	18.2
White	515	424	80	10	1	254	21	40.8	9	17.5
Nonwhite	162	67	65	28	2	75	6	37.0	4	24.7
Blind	154	95	53	2	4	39	4	26.0	3	19.5
Botetourt	340	228	90	18	4	165	14	41.2	9	26.5
White	304	218	79	4	3	135	11	38.2	7	23.0
Nonwhite	36	10	11	14	1	30	3	83.3	2	55.6
Brunswick	591	161	151	269	10	197	28	47.4	21	35.5
White	192	133	44	15	-	83	11	57.3	3	15.6
Nonwhite	389	28	107	254	10	114	17	42.6	18	45.1
Buchanan	1,237	421	589	217	10	254	75	60.6	28	22.6
Buckingham	354	158	43	151	2	135	17	48.0	12	33.9
White	182	125	26	29	2	73	7	39.5	3	16.5
Nonwhite	172	33	17	122	-	62	10	59.1	9	52.3
Campbell	706	487	152	66	1	248	23	32.6	15	21.2
White	496	403	76	7	-	163	9	18.5	9	18.5
Nonwhite	220	84	76	59	1	85	14	63.6	6	27.3
Caroline	339	107	164	68	-	133	14	41.3	6	17.7
White	132	84	43	5	-	58	2	15.2	3	22.7
Nonwhite	207	23	121	63	-	75	12	58.0	3	14.5
Carroll	560	190	333	29	8	170	19	33.9	12	21.4
Charles City	160	45	20	94	1	72	7	43.8	5	31.3
White	33	19	13	-	1	20	1	30.3	1	30.3
Nonwhite	127	26	7	94	-	52	6	47.2	4	31.5
Charlotte	356	134	74	147	1	156	8	22.5	7	19.7
White	159	119	34	6	-	68	3	18.9	3	18.8
Nonwhite	197	15	40	141	1	68	5	25.4	4	20.3
Chesterfield	1,083	912	30	138	3	320	31	28.6	21	19.4
White	860	840	11	8	1	241	21	24.4	8	9.3
Nonwhite	223	72	19	130	2	79	10	44.8	13	58.3
Clarke	183	142	40	1	-	76	8	43.7	4	21.9
White	150	116	33	1	-	56	4	26.7	3	20.0
Nonwhite	33	26	7	-	-	20	4	121.2	1	30.3
Craig	75	42	29	3	1	42	5	40.0	2	26.7
Culpeper	308	148	139	21	-	144	6	19.5	9	29.2
White	180	120	55	5	-	100	2	11.1	6	33.3
Nonwhite	128	28	84	16	-	44	4	31.3	3	23.4
Cumberland	212	69	24	118	1	87	7	33.0	-	0
White	70	56	14	7	1	41	3	38.5	-	0
Nonwhite	134	13	10	111	-	46	4	29.9	-	0
Dickenson	797	379	319	93	6	154	35	43.8	18	22.6
Dividie	438	160	87	190	3	160	15	34.2	10	22.8
White	182	131	28	2	1	70	3	18.5	2	12.3
Nonwhite	276	19	59	196	2	90	12	43.5	8	29.0

See footnotes on p. 93.

VITAL STATISTICS OF THE UNITED STATES

TABLE 1.—LIVE BIRTHS BY PERSON IN ATTENDANCE; TOTAL DEATHS; DEATHS UNDER 1 YEAR AND INFANT MORTALITY RATES; AND FETAL DEATHS AND RATIOS: UNITED STATES, EACH STATE AND COUNTY, AND EACH URBAN PLACE HAVING, IN 1940, A POPULATION OF 10,000 OR MORE, 1949—Continued

(See headnote on p. 2)

AREA AND RACE	LIVE BIRTHS					Deaths (all ages)	DEATHS UNDER 1 YEAR		FETAL DEATHS	
	Total	Attended by—					Number	Rate	Number	Ratio
		Physi- cian in hos- pital ¹	Physi- cian not in hos- pital	Midwife	Other and not speci- fied					
VIRGINIA ¹² —Continued										
Elizabeth City-----	1,427	1,337	35	55	-	302	44	30.8	25	17.5
White-----	1,184	1,167	16	1	-	208	30	25.3	12	10.1
Nonwhite--	243	170	19	54	-	94	14	57.6	13	53.5
Essex-----	150	56	72	20	-	80	5	33.3	9	80.0
White-----	70	47	19	4	-	32	1	14.3	1	14.3
Nonwhite--	80	11	53	16	-	48	4	50.0	8	100.0
Fairfax-----	2,483	2,356	87	36	4	449	43	17.3	41	16.5
White-----	2,269	2,192	70	6	1	372	37	16.3	37	16.3
Nonwhite--	214	164	17	30	3	77	6	28.0	4	18.7
Fauquier-----	497	357	87	51	2	234	31	62.4	5	10.1
White-----	349	289	46	12	2	158	18	51.6	1	2.9
Nonwhite--	148	68	41	39	-	76	13	67.8	4	27.0
Lloyd-----	239	132	84	21	2	119	8	33.5	3	12.6
Fluvanna-----	147	78	31	38	-	83	5	34.0	5	34.0
White-----	73	53	17	3	-	50	2	27.4	1	13.7
Nonwhite--	74	25	14	35	-	33	3	40.5	4	54.1
Franklin-----	806	308	225	70	5	203	27	44.6	6	9.9
White-----	482	288	167	26	1	175	23	47.7	4	8.3
Nonwhite--	124	18	58	44	4	29	4	32.5	2	16.1
Frederick-----	406	366	10	9	1	124	9	22.2	12	29.6
Giles-----	557	367	174	10	6	165	10	32.3	12	21.5
Gloucester-----	213	95	110	6	2	116	6	28.2	4	18.9
White-----	154	66	45	-	1	63	4	29.9	3	22.4
Nonwhite--	79	7	65	6	1	53	2	25.3	1	12.7
Goochland-----	162	55	29	97	1	79	6	33.0	3	16.5
White-----	59	42	14	3	-	32	1	16.9	-	0
Nonwhite--	123	13	15	94	1	47	5	40.7	3	24.4
Grayson-----	515	238	245	25	7	169	23	44.7	8	15.5
Greene-----	117	66	24	4	3	57	4	34.2	3	25.6
White-----	103	81	16	4	2	40	4	38.8	3	29.1
Nonwhite--	14	5	8	-	1	17	-	0	-	0
Greensville-----	519	161	174	164	-	172	44	64.8	9	17.3
White-----	146	125	5	16	-	41	4	27.4	1	6.9
Nonwhite--	373	36	169	168	-	131	40	107.2	8	21.4
Halifax-----	1,074	472	301	300	1	367	40	37.2	35	32.6
White-----	452	365	75	11	1	170	15	35.2	11	24.3
Nonwhite--	622	107	226	289	-	197	25	40.2	24	38.6
Hanover-----	446	242	120	74	2	203	24	53.0	3	6.7
White-----	272	213	56	3	-	124	12	44.1	2	7.4
Nonwhite--	174	29	72	71	2	79	12	69.0	1	5.7
Henrico-----	1,308	1,225	29	52	2	332	36	27.5	25	19.1
White-----	1,148	1,134	10	3	1	271	30	26.1	23	20.0
Nonwhite--	160	81	19	49	1	61	6	37.5	2	12.5
Henry-----	923	470	272	179	2	231	40	43.3	25	27.1
White-----	549	326	188	24	1	125	13	23.7	16	29.1
Nonwhite--	374	134	84	155	1	106	27	72.2	9	24.1
Highland-----	83	30	53	-	-	37	1	12.0	1	12.0
Isle of Wight-----	387	140	45	202	-	169	22	56.8	10	25.9
White-----	140	111	15	14	-	70	7	30.0	3	21.4
Nonwhite--	247	29	30	188	-	99	15	60.7	7	28.5
James City-----	176	109	4	64	1	53	6	33.7	4	22.5
White-----	81	78	1	2	-	26	1	12.3	-	0
Nonwhite--	97	31	3	62	1	27	5	51.5	4	41.2
King and Queen-----	131	47	56	27	1	78	6	45.8	4	30.5
White-----	46	28	16	2	-	37	-	0	-	0
Nonwhite--	85	19	40	25	1	41	6	70.6	4	47.1
King George-----	130	76	41	11	2	52	5	38.5	3	23.1
White-----	81	64	15	1	1	30	1	12.3	2	24.7
Nonwhite--	49	12	26	10	1	22	4	81.6	1	20.4
King William-----	183	86	52	35	-	98	10	54.6	3	16.4
White-----	89	71	17	1	-	37	-	0	1	11.2
Nonwhite--	94	25	35	34	-	61	10	106.4	2	21.3
Lancaster-----	193	50	130	12	1	114	10	51.8	8	41.5
White-----	93	44	49	-	-	57	4	45.0	2	21.8
Nonwhite--	100	5	81	12	1	57	6	60.0	6	60.0
Lee-----	897	230	574	81	12	313	66	73.6	30	35.4
Loudoun-----	541	446	78	13	4	252	28	51.8	14	25.9
White-----	403	350	48	4	1	194	17	42.2	10	24.8
Nonwhite--	138	96	30	9	3	58	11	79.7	4	29.0
Louisa-----	333	209	45	78	1	140	9	27.0	16	48.0
White-----	164	133	19	12	-	77	4	24.4	10	61.0
Nonwhite--	169	76	26	66	1	63	5	29.6	6	35.8
Lunenburg-----	352	104	99	150	-	148	12	34.0	12	34.0
White-----	164	80	72	2	-	87	8	48.8	5	30.5
Nonwhite--	189	14	27	148	-	59	4	21.2	7	37.0
Madison-----	184	133	49	-	2	92	1	5.4	5	27.2
White-----	132	110	20	-	2	69	1	7.6	4	30.3
Nonwhite--	52	23	29	-	-	23	-	0	1	19.2
Mathews-----	122	75	47	-	-	103	3	24.6	2	15.4
White-----	83	6	14	-	-	68	1	12.0	1	12.0
Nonwhite--	39	6	33	-	-	35	2	51.3	1	25.6
Mecklenburg-----	921	283	211	417	-	351	42	45.6	33	35.9
White-----	346	243	87	15	-	134	12	34.7	5	14.5
Nonwhite--	575	50	124	401	-	197	30	52.2	28	48.7

See footnotes on p. 93.

GENERAL TABLES—BIRTHS, DEATHS, AND FETAL DEATHS

TABLE 1.—LIVE BIRTHS BY PERSON IN ATTENDANCE; TOTAL DEATHS; DEATHS UNDER 1 YEAR AND INFANT MORTALITY RATES; AND FETAL DEATHS AND RATIOS: UNITED STATES, EACH STATE AND COUNTY, AND EACH URBAN PLACE HAVING, IN 1940, A POPULATION OF 10,000 OR MORE, 1949—Continued.

(See heading on p. 2)

AREA AND RACE	LIVE BIRTHS					Deaths (all ages)	DEATHS UNDER 1 YEAR		FETAL DEATHS		
	Total	Attended by—					Number	Rate	Number	Ratio	
		Physi- cian in hos- pital ¹	Physi- cian not in hos- pital	Midwife	Other and not speci- fied						
VIRGINIA ¹² —Continued											
Middlesex	137	74	13	50	-	97	11	60.5	5	21.9	
White	58	48	5	5	-	46	3	51.7	1	17.2	
Nonwhite	79	26	8	45	-	51	8	101.5	2	25.3	
Montgomery	622	622	52	17	1	234	23	35.2	16	26.0	
White	577	211	71	294	1	263	39	65.9	25	43.3	
Nonwhite	179	148	16	15	-	74	4	22.5	6	33.5	
Nelson	398	298	63	55	279	1	189	34	85.4	19	47.7
White	359	255	20	73	11	148	13	36.2	6	16.7	
Nonwhite	232	190	16	19	7	110	9	59.8	5	12.9	
New Kent	127	65	4	54	4	36	4	31.5	3	23.6	
White	87	43	12	32	-	51	2	23.0	2	23.0	
Nonwhite	30	26	4	-	-	21	1	33.3	-	0	
Norfolk	57	17	8	32	-	30	1	17.5	2	35.1	
White	2,859	2,432	57	368	2	553	79	27.6	62	21.7	
Nonwhite	2,393	2,344	28	21	-	356	47	19.6	29	12.1	
Northampton	466	88	29	347	2	197	32	69.7	33	70.8	
White	430	144	20	265	1	224	19	44.2	16	41.9	
Nonwhite	116	105	4	7	-	103	7	60.3	1	8.6	
Northumberland	314	39	16	259	1	121	12	38.2	17	54.1	
White	177	46	78	53	-	113	11	62.1	4	22.6	
Nonwhite	92	40	37	5	-	72	4	49.6	1	12.2	
Nottoway	95	6	41	48	-	41	7	73.7	3	31.6	
White	398	185	83	127	1	194	13	32.8	6	20.2	
Nonwhite	198	157	38	3	1	95	4	20.1	6	30.2	
Orange	197	28	45	124	-	99	9	45.7	2	10.2	
White	341	288	38	12	3	156	16	46.9	5	14.7	
Nonwhite	236	224	10	1	1	106	7	29.7	5	21.2	
Page	105	64	28	11	2	50	9	85.7	-	0	
White	357	234	105	14	4	181	12	33.6	8	22.4	
Nonwhite	414	180	212	40	2	131	20	48.3	9	21.7	
Patrick	1,828	947	403	470	8	554	68	37.2	51	27.9	
Pittsylvania	1,033	931	166	33	3	331	30	29.0	27	26.1	
White	795	116	237	437	5	223	38	47.8	24	30.2	
Powhatan	134	61	19	54	-	75	3	22.4	2	14.9	
White	71	54	13	4	-	29	2	28.2	-	0	
Nonwhite	63	7	6	50	-	46	1	15.9	2	31.7	
Prince Edward	334	162	30	142	-	184	19	56.9	8	24.0	
White	140	123	9	8	-	79	7	90.0	1	7.1	
Nonwhite	194	39	21	134	-	105	12	61.9	7	36.1	
Prince George	376	238	25	111	2	96	12	51.9	12	31.9	
White	227	220	6	1	-	54	7	30.8	7	30.8	
Nonwhite	149	18	19	110	2	41	5	33.6	5	33.6	
Prince William	493	342	59	92	1	160	17	34.5	10	20.3	
White	401	310	45	45	1	130	13	32.4	7	17.5	
Nonwhite	92	32	13	47	-	30	4	43.5	3	32.6	
Princess Anne	988	714	74	198	-	264	30	30.4	24	24.5	
White	705	662	39	4	-	174	16	25.5	9	12.8	
Nonwhite	281	52	35	194	-	90	12	42.7	15	65.4	
Pulaski	695	587	46	58	4	217	26	37.4	18	25.9	
Rappahannock	125	78	46	1	-	65	6	48.0	5	40.0	
White	103	66	36	1	-	47	4	38.8	5	49.5	
Nonwhite	22	12	10	-	-	16	2	90.9	-	0	
Richmond	139	31	95	13	-	73	4	28.8	2	14.4	
White	87	22	44	1	-	42	3	44.8	1	14.9	
Nonwhite	72	9	51	12	-	31	1	13.9	1	13.9	
Roanoke	1,072	1,004	44	21	3	338	35	32.6	24	22.4	
Rockbridge	541	382	133	21	5	260	27	49.9	13	24.0	
White	436	365	95	21	5	228	27	55.6	12	24.7	
Nonwhite	55	17	38	-	-	32	-	0	1	18.2	
Rockingham	977	822	152	1	2	299	39	39.9	8	8.2	
Russell	607	330	413	47	17	219	29	34.7	11	13.6	
White	675	426	93	145	11	219	40	59.3	23	34.1	
Nonwhite	464	403	48	13	-	233	16	34.5	8	17.2	
Stafford	723	418	296	12	3	235	42	57.6	16	21.9	
White	755	290	80	384	1	257	46	60.9	30	39.7	
Nonwhite	213	199	8	11	-	89	5	22.9	3	13.8	
Nonwhite	537	91	72	373	1	168	41	76.4	27	50.3	
Spotsylvania	257	211	12	34	-	118	7	27.2	5	19.5	
White	193	175	5	8	-	78	5	25.6	3	15.0	
Nonwhite	69	36	7	26	-	40	2	29.0	2	29.0	
Stafford	294	235	18	30	1	86	6	21.1	5	17.6	
White	239	218	15	6	-	64	5	20.9	5	20.9	
Nonwhite	45	17	3	24	1	22	1	22.2	-	0	
Surry	185	63	11	110	1	75	6	32.4	1	5.4	
White	52	48	2	2	-	31	0	0	-	0	
Nonwhite	133	15	9	108	1	44	6	45.1	1	7.5	
Sussex	329	81	42	205	1	116	15	45.6	21	63.8	
White	78	70	2	6	-	44	3	39.5	1	12.8	
Nonwhite	251	11	40	199	-	72	12	47.8	20	79.7	
Tazewell	1,534	807	710	11	6	400	63	54.1	39	25.4	
Warren	373	326	41	4	2	130	9	24.1	10	26.8	
Warwick	1,312	1,124	40	148	-	171	36	27.4	31	23.6	
White	834	823	9	2	-	98	21	25.2	11	13.2	
Nonwhite	476	301	31	146	-	73	15	31.4	20	41.8	

See footnotes on p. 93.

VITAL STATISTICS OF THE UNITED STATES

TABLE 1.—LIVE BIRTHS BY PERSON IN ATTENDANCE; TOTAL DEATHS; DEATHS UNDER 1 YEAR AND INFANT MORTALITY RATES; AND FETAL DEATHS AND RATIOS: UNITED STATES, EACH STATE AND COUNTY, AND EACH URBAN PLACE HAVING, IN 1940, A POPULATION OF 10,000 OR MORE, 1949—Continued

(See headnote on p. 2)

AREA AND RACE	LIVE BIRTHS					Deaths (all ages)	DEATHS UNDER 1 YEAR		FETAL DEATHS	
	Total	Attended by—					Number	Rate	Number	Ratio
		Physi- cian in hos- pital ¹	Physi- cian not in hos- pital	Midwife	Other and not speci- fied					
VIRGINIA ¹² —Continued										
Washington-----	944	485	418	74	9	332	46	46.3	14	14.1
Westmoreland-----	242	55	72	115	-	111	9	37.2	9	37.2
White-----	93	51	35	7	-	64	3	32.3	3	32.3
Nonwhite-----	149	4	37	108	-	47	6	40.3	6	40.3
Wise-----	1,670	675	918	68	11	445	92	55.1	55	32.9
Wythe-----	628	378	249	1	-	198	14	22.3	14	22.3
York-----	281	212	9	59	1	79	1	3.6	3	10.7
White-----	195	188	3	3	1	39	-	0	2	10.3
Nonwhite-----	86	24	6	56	-	40	1	11.6	1	11.6
Independent Cities ¹⁴ .										
Alexandria-----	1,991	1,953	8	30	-	465	41	20.6	35	17.6
White-----	1,749	1,739	6	4	-	369	37	21.2	30	17.2
Nonwhite-----	242	214	2	26	-	96	4	16.5	5	20.7
Bristol ¹⁵ -----	352	292	59	1	-	131	17	46.3	6	17.0
White-----	326	275	50	1	-	118	14	42.9	5	15.3
Nonwhite-----	26	17	9	-	-	13	3	115.4	1	38.5
Buena Vista-----	126	87	22	17	-	42	8	63.5	1	7.9
Charlottesville-----	710	688	12	-	-	242	17	23.9	10	14.1
White-----	567	563	4	-	-	185	12	21.2	6	10.6
Nonwhite-----	143	135	8	-	-	57	5	35.0	4	28.0
Clifton Forge-----	121	105	14	2	-	67	1	8.3	3	24.8
White-----	89	87	2	-	-	57	1	11.2	2	22.5
Nonwhite-----	32	18	12	2	-	10	-	0	1	31.3
Danville-----	845	656	15	174	-	335	33	39.1	17	20.1
White-----	566	560	5	1	-	196	10	17.7	4	7.1
Nonwhite-----	279	96	10	173	-	149	23	82.4	13	46.6
Fredericksburg-----	246	222	3	21	-	98	12	48.8	8	32.5
White-----	196	196	-	-	-	72	8	40.8	5	25.5
Nonwhite-----	50	26	3	21	-	26	4	80.0	3	80.0
Hampton-----	182	169	4	9	-	107	13	71.4	7	38.5
White-----	127	124	3	-	-	70	9	70.9	2	15.7
Nonwhite-----	55	45	1	9	-	37	4	72.7	5	90.9
Harrisonburg-----	252	247	4	-	1	116	8	51.7	2	7.9
Hopewell-----	262	237	6	19	-	69	6	22.9	6	22.9
White-----	235	228	5	-	-	57	4	17.2	5	21.5
Nonwhite-----	29	9	1	19	-	12	2	69.0	1	34.5
Lynchburg-----	1,066	1,003	54	5	1	469	28	26.3	21	19.7
White-----	795	789	5	-	-	354	20	25.2	10	12.6
Nonwhite-----	271	217	49	5	-	135	6	29.5	11	40.6
Martinsville-----	446	331	98	17	-	101	7	15.7	8	17.9
White-----	312	274	36	-	-	62	4	12.8	2	6.4
Nonwhite-----	134	57	60	17	-	39	3	22.4	6	44.8
Newport News-----	1,052	936	32	81	1	529	67	63.7	41	59.0
White-----	568	560	8	-	-	276	32	36.3	15	26.4
Nonwhite-----	484	378	24	81	1	253	35	72.3	26	53.7
Norfolk-----	5,051	4,232	284	533	2	2,016	103	39.2	174	34.4
White-----	3,337	3,288	43	4	2	1,137	101	30.3	79	23.7
Nonwhite-----	1,714	944	241	529	-	879	92	53.7	95	55.4
Petersburg-----	899	547	34	305	1	479	45	50.7	28	31.5
White-----	497	469	11	17	-	215	18	36.2	4	8.0
Nonwhite-----	392	78	23	289	1	263	27	69.1	24	61.4
Portsmouth-----	2,007	1,304	124	578	1	754	89	44.3	69	34.4
White-----	1,097	1,097	4	6	-	350	39	35.6	15	13.7
Nonwhite-----	910	217	120	572	1	404	50	54.9	54	59.3
Radford-----	202	201	1	-	-	74	6	29.7	3	14.9
Richmond-----	5,280	5,053	179	42	6	2,791	195	36.9	142	28.9
White-----	3,282	3,252	28	2	-	1,771	96	29.3	62	18.9
Nonwhite-----	1,998	1,801	151	40	6	1,020	99	49.5	80	40.0
Roanoke-----	1,959	1,860	58	-	1	845	66	34.0	39	19.6
White-----	1,517	1,496	21	-	-	623	41	27.0	28	18.5
Nonwhite-----	422	364	37	-	1	220	25	59.2	10	23.7
South Norfolk-----	229	168	10	51	-	97	12	52.4	3	13.1
White-----	175	164	7	4	-	62	5	28.6	-	0
Nonwhite-----	54	4	3	47	-	35	7	129.6	3	55.6
Staunton-----	286	227	27	12	-	199	21	78.9	9	33.8
White-----	226	211	17	-	-	164	16	70.2	8	35.1
Nonwhite-----	36	16	10	12	-	35	5	131.6	1	28.3
Suffolk-----	299	173	27	99	-	171	12	40.1	8	26.8
White-----	133	133	-	-	-	80	4	30.1	2	15.0
Nonwhite-----	166	40	27	99	-	91	8	48.2	6	36.1
Williamsburg-----	92	80	3	9	-	32	3	32.6	-	0
White-----	61	61	-	-	-	19	1	16.4	-	0
Nonwhite-----	31	19	3	9	-	13	2	64.5	-	0
Winchester-----	327	324	2	1	-	146	7	21.4	4	12.2
WASHINGTON-----										
White-----	54,631	54,095	472	11	55	21,850	1,419	26.0	905	14.7
Nonwhite-----	1,911	1,867	27	8	9	641	111	59.1	53	27.7
Adams-----	145	144	1	-	-	65	6	41.4	2	15.6
Asotin-----	235	234	-	-	1	130	6	25.5	3	12.8
Benton-----	1,586	1,579	6	-	1	265	43	27.1	22	13.9

See footnotes on p. 95.

GENERAL TABLES—BIRTHS, DEATHS, AND FETAL DEATHS

TABLE 1.—LIVE BIRTHS BY PERSON IN ATTENDANCE; TOTAL DEATHS; DEATHS UNDER 1 YEAR AND INFANT MORTALITY RATES; AND FETAL DEATHS AND RATIOS: UNITED STATES, EACH STATE AND COUNTY, AND EACH URBAN PLACE HAVING, IN 1940, A POPULATION OF 10,000 OR MORE, 1949—Continued

(See headnote on p. 2)

AREA AND RACE	LIVE BIRTHS					Deaths (all ages)	DEATHS UNDER 1 YEAR		FETAL DEATHS		
	Total	Attended by—					Number	Rate	Number	Ratio	
		Physi- cian in hos- pital ¹	Physi- cian not in hos- pital	Midwife	Other and not speci- fied						
WASHINGTON—Continued											
Chelan	1,102	1,088	14	-	-	345	28	25.6	20	18.1	
Wenatchee	416	414	2	-	-	154	12	28.8	9	21.6	
Balance of county	686	674	12	-	-	211	14	29.4	11	16.0	
Clallam	678	671	4	-	-	214	17	25.1	2	5.0	
Clark	2,208	2,196	11	-	-	674	46	20.8	59	17.7	
Vancouver	895	894	1	-	-	323	28	31.3	21	23.5	
Balance of county	1,313	1,302	10	-	-	351	16	13.7	18	13.7	
Columbia	114	114	-	-	-	52	3	26.3	1	8.8	
Cowlitz	1,421	1,415	5	-	-	424	53	37.3	15	10.6	
Longview	712	712	-	-	-	183	26	36.5	10	14.0	
Balance of county	709	703	5	-	-	271	27	39.1	5	7.1	
Douglas	226	225	1	-	-	65	4	17.7	5	22.1	
Ferry	77	73	3	-	-	46	4	51.9	-	0	
		White	65	63	2	-	39	3	46.2	-	0
		Nonwhite	12	10	1	-	7	1	83.3	-	0
Franklin	447	447	-	-	-	91	12	26.8	10	22.4	
Garfield	83	83	-	-	-	37	2	24.1	3	36.1	
Grant	563	555	8	-	-	127	12	21.3	8	14.2	
Grays Harbor	1,290	1,278	6	4	2	639	34	26.4	17	13.2	
Aberdeen	460	456	4	-	-	258	16	34.8	7	15.2	
Hogium	273	273	-	-	-	140	5	18.3	6	22.0	
Balance of county	557	549	2	4	2	241	13	23.3	4	7.2	
Island	178	174	4	-	-	96	5	28.1	6	33.7	
Jefferson	353	355	2	1	1	112	7	19.5	3	8.4	
King	16,970	16,888	95	1	16	7,309	447	26.3	284	18.7	
Seattle	13,608	13,548	50	-	-	5,721	340	25.0	224	16.5	
		White	12,803	12,780	45	-	5,458	305	23.8	202	15.8
		Nonwhite	805	798	5	-	263	35	43.5	22	27.3
Balance of county	3,362	3,310	45	1	6	1,568	107	31.8	60	17.8	
Kitsap	1,686	1,674	11	-	-	627	43	22.8	27	14.3	
Bremerton	963	961	2	-	-	238	24	24.9	15	15.6	
Balance of county	923	913	9	-	-	389	19	20.6	12	13.0	
Kittitas	545	537	6	-	-	201	17	31.2	8	14.7	
Klickitat	305	304	1	-	-	121	11	36.1	2	6.6	
Lewis	1,025	1,019	5	1	-	487	28	28.3	10	9.8	
Lincoln	302	284	18	-	-	96	8	26.5	3	9.9	
Mason	351	350	1	-	-	131	10	28.5	8	22.8	
Okanogan	747	720	23	2	-	222	27	36.1	15	20.1	
Pacific	386	319	37	-	-	161	5	14.0	6	18.9	
Pend Oreille	171	169	1	-	-	67	3	17.5	3	17.5	
Pierce	5,733	5,684	41	1	7	2,478	157	27.4	88	15.3	
Tacoma	3,720	3,695	20	-	-	1,597	93	25.0	58	15.9	
Balance of county	2,013	1,989	21	1	2	981	64	31.8	39	14.4	
San Juan	53	50	3	-	-	31	2	37.7	1	18.9	
Skagit	911	905	5	-	-	453	35	38.4	6	6.6	
Skanania	87	86	1	-	-	35	1	11.5	-	0	
Shoshone	2,445	2,393	48	1	3	1,119	56	22.9	29	11.9	
Everett	987	984	3	-	-	464	25	25.3	12	12.2	
Balance of county	1,458	1,409	45	1	3	655	31	21.3	17	11.7	
Spokane	5,255	5,216	28	3	8	2,402	153	29.1	77	14.7	
Spokane	4,066	4,040	18	2	6	1,941	118	29.0	58	14.3	
Balance of county	1,189	1,176	10	2	2	461	35	29.4	19	16.0	
Stevens	447	437	7	1	2	207	15	33.6	11	24.6	
Thurston	1,033	994	38	1	-	420	21	20.3	18	17.4	
Olympia	403	390	13	-	-	165	11	27.3	6	14.9	
Balance of county	630	604	25	1	-	255	10	15.9	12	19.0	
Wahkiakum	95	93	2	-	-	34	2	21.1	1	10.5	
Walla Walla	945	940	4	-	-	396	22	23.3	14	14.8	
Walla Walla	586	582	3	-	-	266	14	23.9	10	17.1	
Balance of county	359	358	1	-	-	130	8	22.3	4	11.1	
Whatcom	1,602	1,595	7	-	-	715	35	20.6	23	14.4	
Bellingham	955	852	3	-	-	443	21	24.6	7	8.2	
Balance of county	747	743	4	-	-	272	12	16.1	16	21.4	
Whitman	801	792	8	-	-	231	21	26.2	13	16.2	
Yakima	3,767	3,710	14	3	10	1,766	132	35.0	55	14.6	
Yakima	1,450	1,445	5	-	-	801	34	23.4	24	16.6	
Balance of county	2,317	2,265	39	3	10	965	98	42.3	31	13.4	
WEST VIRGINIA											
	52,586	33,898	17,066	1,246	376	17,305	2,082	39.6	1,258	23.9	
	White	49,684	32,908	15,241	1,183	15,940	1,940	39.0	1,169	23.5	
	Nonwhite	2,902	990	1,825	63	1,365	142	48.9	89	30.7	
Barbour	449	267	131	19	32	170	18	40.1	10	22.3	
Berkeley	690	665	15	8	1	320	28	40.6	11	15.9	
Martinsburg	386	376	5	5	-	190	18	46.6	6	15.5	
Balance of county	304	290	10	3	1	130	10	32.9	5	16.4	
Boone	943	642	297	11	3	207	37	39.2	20	21.2	
Braxton	459	341	87	23	8	178	23	50.1	7	15.3	
Brooks	594	552	32	-	-	224	12	20.5	13	22.3	
Cabell	2,632	2,580	67	4	1	1,047	105	39.9	52	19.8	
Huntington (part)	2,079	2,057	19	2	1	682	85	(*)	37	(*)	
Huntington (total)	2,131	2,128	20	2	1	917	88	40.9	38	17.7	
Balance of county	553	503	48	2	-	165	20	36.2	15	27.1	

See footnotes on p. 83.

VITAL STATISTICS OF THE UNITED STATES

TABLE 1.—LIVE BIRTHS BY PERSON IN ATTENDANCE; TOTAL DEATHS; DEATHS UNDER 1 YEAR AND INFANT MORTALITY RATES; AND FETAL DEATHS AND RATIOS: UNITED STATES, EACH STATE AND COUNTY, AND EACH URBAN PLACE HAVING, IN 1940, A POPULATION OF 10,000 OR MORE, 1949—Continued

(See headnote on p. 2)

AREA AND PLACE	LIVE BIRTHS					Deaths (all ages)	DEATHS UNDER 1 YEAR		FETAL DEATHS	
	Total	Attended by—					Number	Rate	Number	Ratio
		Physician in hospital ¹	Physician not in hospital	Midwife	Other and not specified					
WEST VIRGINIA—Continued										
Calhoun-----	245	83	148	11	3	77	10	40.8	7	28.6
Clay-----	456	169	222	56	9	91	17	37.3	7	15.4
Doddridge-----	153	52	99	1	1	102	6	39.2	5	32.7
Fayette-----	2,389	856	1,712	36	13	640	82	34.2	57	23.8
White-----	2,107	595	1,475	29	8	506	68	31.3	43	20.4
Nonwhite--	282	43	237	7	5	134	16	54.8	14	47.9
Gilmer-----	205	69	131	2	3	67	7	34.1	3	14.6
Grant-----	237	164	13	56	4	88	6	25.3	8	35.8
Greenbrier-----	1,037	340	682	9	6	327	42	40.5	29	28.0
Hampshire-----	256	134	125	4	3	105	12	45.1	9	35.8
Hancock-----	909	356	70	1	2	275	54	37.4	14	15.4
Hardy-----	231	131	96	3	1	84	8	34.6	6	26.0
Harrison-----	2,108	1,755	366	3	4	816	71	33.7	47	22.3
Clarksburg-----	680	807	42	-	1	370	36	41.2	19	22.4
Balance of county-----	1,258	928	324	3	3	446	36	28.6	28	22.3
Jackson-----	339	154	188	11	6	134	13	36.3	8	23.6
Jefferson-----	441	371	52	17	1	194	19	43.1	13	29.5
White-----	370	317	45	8	-	153	15	40.5	7	16.9
Nonwhite--	71	54	7	9	1	31	4	56.3	6	84.5
Kanawha-----	6,593	5,525	377	63	27	1,793	209	31.7	177	26.8
Charleston-----	2,120	2,058	74	1	7	746	62	29.2	62	29.2
White-----	2,025	1,946	52	1	6	658	60	29.9	58	26.9
Nonwhite--	115	92	22	-	1	108	2	17.4	4	34.8
South Charleston-----	418	402	15	-	1	102	13	31.1	10	23.9
Balance of county-----	4,055	3,086	869	62	19	945	134	33.0	105	25.9
Lewis-----	415	268	124	1	2	205	17	41.0	12	28.9
Lincoln-----	665	535	73	56	3	174	33	49.6	24	36.1
Logan-----	2,502	979	1,458	46	19	808	187	34.7	80	32.0
White-----	2,293	935	1,295	44	19	543	177	34.7	72	31.4
Nonwhite--	209	44	163	2	-	65	10	47.8	8	38.3
McDowell-----	3,141	998	2,040	64	19	732	134	42.7	82	26.1
White-----	2,459	915	1,448	62	16	538	107	43.5	67	27.2
Nonwhite--	682	85	592	2	3	214	27	39.8	15	22.0
Marion-----	1,706	1,356	350	-	-	664	58	34.0	40	23.4
Fairmont-----	645	615	30	-	-	291	30	46.5	16	24.8
Balance of county-----	1,061	741	320	-	-	373	28	26.4	24	22.6
Marshall-----	757	694	80	-	3	362	25	33.0	8	10.6
Moundsville-----	328	318	9	-	1	140	11	33.5	2	6.1
Balance of county-----	429	376	51	-	2	222	14	32.6	6	14.0
Mason-----	574	299	262	11	2	222	22	38.3	12	20.9
Mercer-----	2,049	1,311	709	19	10	850	83	40.5	56	27.3
White-----	1,825	1,249	548	18	10	532	67	36.7	49	26.8
Nonwhite--	224	62	161	1	-	118	16	71.4	7	31.3
Bluefield ^{1a} -----	613	480	133	-	-	229	25	40.8	10	15.3
White-----	465	443	42	-	-	161	18	37.1	9	18.6
Nonwhite--	148	37	91	-	-	68	7	54.7	1	7.8
Balance of county-----	1,436	831	576	19	10	421	58	40.4	46	32.0
Mineral-----	596	455	80	45	6	220	32	54.6	11	16.6
Mingo-----	1,556	560	858	121	17	361	95	55.3	31	20.2
Monongalia-----	1,420	1,279	110	29	3	534	44	31.0	30	21.1
Morgantown-----	642	629	10	3	-	241	13	20.2	10	15.6
Balance of county-----	778	649	100	26	3	293	31	39.8	20	25.7
Monroe-----	292	121	167	4	-	151	12	41.1	10	34.2
Morgan-----	233	175	58	20	2	100	13	55.8	5	12.9
Nicholas-----	617	517	275	21	4	222	47	57.5	20	24.5
Ohio-----	1,611	1,500	22	-	9	600	43	26.7	30	18.6
Wheeling-----	1,361	1,343	10	-	6	699	38	24.2	24	17.6
Balance of county-----	250	237	12	-	1	101	10	40.0	6	24.0
Pendleton-----	202	95	95	5	7	66	3	14.9	4	19.8
Pleasants-----	137	63	69	-	-	87	6	43.8	2	14.6
Pocahontas-----	302	221	79	-	2	109	12	39.7	12	39.7
Preston-----	747	363	298	74	22	263	20	28.8	22	28.5
Putnam-----	469	278	170	18	23	143	11	22.5	6	12.3
Raleigh-----	2,607	1,133	1,608	58	8	711	115	41.0	69	24.6
White-----	2,429	1,075	1,319	27	6	564	97	39.9	59	21.6
Nonwhite--	378	58	289	31	2	147	18	47.6	16	42.3
Beckley-----	464	367	93	3	1	209	30	64.7	11	23.7
White-----	393	349	43	-	-	165	28	66.2	7	17.8
Nonwhite--	71	18	50	3	1	44	4	56.3	4	56.3
Balance of county-----	2,343	766	1,515	55	7	502	85	36.3	58	24.8
White-----	2,036	726	1,276	27	7	399	71	34.9	46	22.6
Nonwhite--	307	40	239	28	-	103	14	45.6	12	39.1
Randolph-----	768	593	135	20	15	300	31	40.4	29	37.8
Ritchie-----	263	154	128	1	-	143	11	38.9	6	21.2
Roane-----	390	192	170	20	8	171	13	33.3	10	25.6
Summers-----	487	157	318	9	3	191	25	51.3	7	14.4
Taylor-----	414	283	115	14	2	193	19	45.9	13	31.4
Tucker-----	269	195	39	30	5	115	8	29.7	1	3.7
Tyler-----	190	120	69	-	1	104	1	5.3	2	10.5
Upshur-----	526	379	122	15	10	188	24	45.6	7	13.3
Wayne-----	935	532	348	46	9	275	32	34.2	16	17.1
Huntington (part)-----	72	71	1	-	-	35	3	(⁴)	1	(⁴)
Balance of county-----	663	461	347	46	9	240	29	33.6	15	17.4

See footnotes on p. 93.

GENERAL TABLES—BIRTHS, DEATHS, AND FETAL DEATHS

TABLE 1.—LIVE BIRTHS BY PERSON IN ATTENDANCE; TOTAL DEATHS; DEATHS UNDER 1 YEAR AND INFANT MORTALITY RATES; AND FETAL DEATHS AND RATIOS; UNITED STATES, EACH STATE AND COUNTY, AND EACH URBAN PLACE HAVING, IN 1940, A POPULATION OF 10,000 OR MORE, 1949—Continued

(See headnote on p. 2)

AREA AND RACE	LIVE BIRTHS					Deaths (all ages)	DEATHS UNDER 1 YEAR		FETAL DEATHS		
	Total	Attended by—					Number	Rate	Number	Ratio	
		Physi- cian in hos- pital	Physi- cian not in hos- pital	Midwife	Other and not speci- fied						
WEST VIRGINIA—Continued											
Webster	566	325	179	57	7	137	23	40.5	8	14.1	
Wetzel	517	362	150	2	3	221	20	36.7	11	21.3	
Wirt	100	67	16	15	2	50	3	80.0	2	20.0	
Wood	1,664	1,568	81	8	7	687	66	39.7	57	34.3	
Parkersburg	882	810	38	1	3	425	41	46.1	36	42.3	
Balance of county	812	758	43	7	4	264	25	30.8	21	25.9	
Wyoming	1,111	256	761	59	15	215	40	36.0	22	19.6	
WISCONSIN											
	82,948	80,533	2,310	50	56	32,993	2,202	26.5	1,286	15.5	
	White	81,513	79,216	2,214	39	44	32,549	2,116	26.0	1,250	15.3
	Nonwhite	1,436	1,317	96	11	12	444	86	59.9	36	25.1
Adams	151	129	21	-	1	92	6	39.7	1	6.6	
Ashland	535	494	36	4	1	219	10	18.7	6	11.2	
Ashland	264	259	5	-	-	132	5	18.9	4	15.2	
Balance of county	271	235	31	4	1	87	5	18.5	2	7.4	
	White	259	209	28	1	81	4	16.7	1	4.2	
	Nonwhite	52	26	3	3	6	1	31.3	1	31.3	
Barron	913	885	27	-	1	341	27	29.6	14	15.3	
Bayfield	259	252	5	2	-	158	13	50.2	3	11.6	
Brown	2,737	2,699	37	-	1	838	91	33.2	49	17.9	
Green Bay	1,415	1,415	7	-	-	466	48	33.8	27	19.0	
Balance of county	1,321	1,286	30	-	1	372	43	32.6	22	16.7	
Buffalo	322	315	6	-	1	146	5	15.5	6	18.6	
Burnett	225	205	18	-	-	134	12	53.8	2	9.0	
Calumet	467	450	17	-	-	163	6	12.8	4	8.6	
Chippewa	1,122	1,075	47	1	1	394	35	31.2	19	16.9	
Chippewa Falls	303	300	3	-	-	156	13	42.9	4	13.2	
Balance of county	819	775	44	1	1	238	22	26.9	15	16.3	
Clark	771	661	109	1	1	318	23	29.8	9	11.7	
Colombia	766	749	17	-	1	385	17	22.2	10	26.1	
Crawford	488	307	50	-	1	209	18	41.1	20	22.8	
Dane	4,115	4,080	33	-	2	1,339	103	25.0	61	14.8	
Madison	2,286	2,280	6	-	-	730	58	25.4	33	14.4	
Balance of county	1,829	1,800	27	-	2	609	45	24.6	28	15.3	
Dodge	1,321	1,296	24	-	1	568	25	22.0	12	9.1	
Beaver Dam	782	281	1	-	-	151	7	24.6	3	10.8	
Watertown (part)	23	75	-	-	-	26	1	(4)	-	(4)	
Balance of county	966	942	23	-	1	389	21	21.7	9	9.3	
Door	504	458	45	-	1	198	9	17.9	11	21.8	
Douglas	1,030	1,008	20	-	2	593	37	35.9	24	25.5	
Superior	618	609	9	-	-	465	28	56.2	4	24.4	
Balance of county	412	399	11	-	2	128	9	42.5	4	18.9	
Dunn	673	650	42	1	-	311	21	31.2	14	20.8	
Eau Claire	1,549	1,543	3	1	2	485	35	25.9	22	16.3	
Eau Claire	854	833	1	-	-	308	21	25.2	12	14.4	
Balance of county	515	510	2	1	2	179	14	27.2	10	19.4	
Florence	82	79	3	-	-	37	1	12.2	-	0	
Fond du Lac	1,633	1,598	45	-	-	760	48	29.4	25	15.3	
Fond du Lac	717	712	5	-	-	385	24	33.5	10	13.9	
Balance of county	916	876	40	-	-	375	24	26.2	15	16.4	
Forest	265	192	67	4	2	101	12	45.3	4	15.1	
Grant	1,090	960	99	1	1	489	24	22.2	12	11.1	
Green	607	596	11	-	-	236	8	13.2	8	13.2	
Green Lake	300	288	12	-	-	162	5	16.7	8	26.7	
Iowa	488	476	12	-	-	218	17	34.8	12	24.6	
Iron	189	174	15	-	-	89	7	37.0	-	0	
Jackson	348	343	5	-	-	163	7	20.1	7	20.1	
Jefferson	905	879	27	-	-	482	20	22.1	18	19.9	
Watertown (part)	182	181	1	-	-	137	6	(4)	8	(4)	
Watertown (total)	255	254	1	-	-	165	7	27.5	8	31.4	
Balance of county	724	698	26	-	-	345	14	19.3	10	13.8	
Juneau	451	378	71	2	-	206	13	28.8	8	17.7	
Kenosha	1,413	1,404	9	-	-	633	34	18.8	29	16.0	
Kenosha	1,323	1,322	1	-	-	473	23	17.4	19	14.4	
Balance of county	490	482	8	-	-	160	11	22.4	10	20.4	
Kewaunee	476	427	48	1	1	164	17	35.7	4	8.4	
La Crosse	1,729	1,709	20	-	-	617	37	21.4	29	16.8	
La Crosse	1,196	1,187	9	-	-	465	28	23.4	15	12.5	
Balance of county	533	522	11	-	-	154	9	16.9	14	28.3	
Lafayette	441	420	21	-	-	190	8	18.1	10	22.7	
Langlade	593	573	16	1	3	211	25	42.2	10	18.9	
Lincoln	524	519	5	-	-	232	18	34.4	11	21.0	
Manitowoc	1,674	1,655	19	-	-	566	38	22.7	34	20.3	
Manitowoc	692	689	3	-	-	247	19	27.5	14	20.2	
Two Rivers	271	267	4	-	-	96	4	14.8	3	11.1	
Balance of county	711	699	12	-	-	223	15	21.1	17	23.9	
Marathon	2,047	1,925	116	3	3	632	61	29.8	24	11.7	
Wausau	772	769	2	1	1	276	19	24.6	6	7.8	
Balance of county	1,275	1,156	114	2	3	356	42	32.9	18	14.1	
Marinette	801	863	18	-	-	392	25	27.7	13	14.4	
Marinette	397	366	1	-	-	184	12	31.0	3	7.8	
Balance of county	504	497	17	-	-	208	13	25.3	10	19.5	

See footnotes on p. 93.

VITAL STATISTICS OF THE UNITED STATES

TABLE 1.—LIVE BIRTHS BY PERSON IN ATTENDANCE; TOTAL DEATHS; DEATHS UNDER 1 YEAR AND INFANT MORTALITY RATES; AND FETAL DEATHS AND RATIOS: UNITED STATES, EACH STATE AND COUNTY, AND EACH URBAN PLACE HAVING, IN 1940, A POPULATION OF 10,000 OR MORE, 1949—Continued

(See headnote on p. 2)

AREA AND RACE	LIVE BIRTHS					Deaths (all ages)	DEATHS UNDER 1 YEAR		FETAL DEATHS	
	Total	Attended by—					Number	Rate	Number	Ratio
		Physi- cian in hos- pital ¹	Physi- cian not in hos- pital	Midwife	Other and not speci- fied					
WISCONSIN—Continued										
Marquette-----	177	168	8	-	1	114	5	16.9	1	5.8
Milwaukee-----	19,861	19,545	300	9	7	8,091	490	24.7	276	13.9
Milwaukee-----	14,814	14,561	239	9	5	6,356	371	25.0	207	14.0
Manitowish-----	562	559	3	-	-	354	17	30.2	13	25.1
West Allis-----	953	937	16	-	-	535	15	15.7	7	7.5
Cudahy-----	364	360	4	-	-	101	16	41.7	7	18.2
Shorewood-----	279	278	1	-	-	145	5	17.9	7	25.1
South Milwaukee-----	316	310	6	-	-	94	11	34.8	7	22.2
Balance of county-----	2,553	2,520	31	-	2	710	55	21.5	29	11.0
Monroe-----	785	759	24	-	2	294	24	30.6	7	6.9
Monroeville-----	604	582	21	-	1	257	21	34.8	9	14.9
Onesida-----	522	509	11	1	1	207	16	30.7	5	9.6
Outagamie-----	2,371	2,322	49	-	1	673	65	26.6	44	16.6
Appleton-----	966	962	4	-	-	322	22	22.3	15	15.2
Balance of county-----	1,365	1,340	44	-	1	351	41	29.8	29	20.9
Ozaukee-----	656	655	5	-	-	214	15	20.4	4	6.5
Pepin-----	252	250	2	-	-	94	6	25.9	1	4.5
Pierce-----	562	553	28	-	1	256	13	35.1	11	15.6
Folk-----	565	545	17	1	2	285	16	28.3	11	19.5
Portage-----	825	800	23	-	2	327	33	40.0	8	9.7
Stevens Point-----	389	385	4	-	-	160	21	54.0	5	12.9
Balance of county-----	456	415	18	-	2	167	12	27.5	3	6.9
Price-----	389	372	16	-	-	171	8	20.6	5	12.8
Racine-----	2,694	2,682	11	-	1	961	52	18.3	35	13.0
Racine-----	1,604	1,600	3	-	1	688	35	18.4	24	13.3
Balance of county-----	690	682	8	-	-	273	17	19.1	11	12.4
Richland-----	515	477	38	-	-	195	17	33.0	2	5.9
Rock-----	2,242	2,215	27	-	-	868	56	25.0	45	20.1
Beloit-----	704	779	5	-	-	264	18	24.2	14	17.8
Janesville-----	655	652	3	-	-	239	18	27.5	15	22.9
Balance of county-----	803	784	18	-	-	363	19	23.7	16	19.9
Rusk-----	421	412	8	-	1	161	11	26.1	5	11.9
St. Croix-----	629	600	29	-	-	271	16	25.4	13	20.7
Sauk-----	1,026	1,008	20	-	-	415	21	20.4	16	15.6
Sawyer-----	253	181	44	7	14	111	7	29.3	4	4.4
White-----	189	132	43	14	-	105	3	15.9	3	15.9
Nonwhite-----	50	49	1	-	-	12	4	60.0	1	20.0
Shawano-----	642	609	30	1	2	352	55	65.3	13	15.4
Shoeboggon-----	1,663	1,645	17	-	-	601	47	25.2	26	14.0
Shoeboggon-----	841	839	3	-	-	441	29	30.6	16	17.0
Balance of county-----	822	909	14	-	-	360	18	19.5	10	10.6
Taylor-----	510	429	82	-	-	166	17	33.3	10	19.6
Trumpealeau-----	555	545	10	-	-	264	20	36.0	10	18.0
Vernon-----	660	602	58	-	-	293	14	21.2	14	21.2
Vilas-----	217	184	18	3	2	96	8	36.9	7	32.3
White-----	180	166	14	-	-	82	5	27.8	6	33.3
Nonwhite-----	37	28	4	3	2	14	3	81.1	1	27.0
Walworth-----	940	928	12	-	2	465	29	30.9	16	17.0
Washburn-----	290	254	34	1	1	142	7	24.1	2	6.9
Washington-----	887	865	20	-	2	306	23	25.9	12	13.5
Waushara-----	2,005	1,984	41	-	-	802	43	21.4	37	18.5
Waushara-----	553	552	1	-	-	194	13	23.5	10	18.1
Balance of county-----	1,452	1,412	40	-	-	608	30	20.7	27	18.6
Waupaca-----	718	704	14	-	-	392	23	32.0	11	15.3
Waushara-----	239	218	21	-	-	172	8	33.5	1	4.2
Winnebago-----	2,211	2,179	32	-	-	881	49	22.2	44	19.9
Oshkosh-----	963	951	12	-	-	473	22	22.8	19	19.7
Menasha-----	339	335	4	-	-	100	10	29.5	9	26.5
Keeshau-----	290	289	1	-	-	110	5	17.2	4	13.8
Balance of county-----	619	604	15	-	-	198	12	19.4	12	19.4
Wood-----	1,471	1,425	45	1	-	442	51	34.7	28	19.0
Marshfield-----	343	335	8	-	-	107	5	14.6	7	20.4
Wisconsin Rapids-----	447	444	3	-	-	143	27	60.4	8	17.9
Balance of county-----	681	646	34	1	-	192	19	27.9	13	19.1
WYOMING-----										
White-----	7,310	7,075	221	7	7	2,315	261	35.7	119	16.3
Nonwhite-----	180	151	18	8	3	70	19	105.6	6	27.8
Albany-----	514	513	-	-	1	142	21	40.9	6	11.7
Laramie-----	453	453	-	-	-	116	16	35.3	5	11.0
Balance of county-----	791	80	-	-	1	26	5	62.0	1	16.4
Big Horn-----	345	332	12	-	1	126	13	37.7	5	14.5
Campbell-----	124	124	-	-	-	46	4	32.3	1	8.1
Carbon-----	376	371	3	2	-	123	13	34.6	7	18.6
Converse-----	131	130	1	-	-	86	1	7.6	4	30.5
Crook-----	123	119	3	-	1	35	1	8.1	2	16.5
Premont-----	546	496	46	8	4	182	24	44.0	11	20.1
White-----	426	394	31	-	1	151	12	28.2	8	18.8
Nonwhite-----	120	94	15	8	3	31	12	100.0	3	25.0

See footnotes on p. 93.

GENERAL TABLES—BIRTHS, DEATHS, AND FETAL DEATHS

TABLE 1.—LIVE BIRTHS BY PERSON IN ATTENDANCE; TOTAL DEATHS; DEATHS UNDER 1 YEAR AND INFANT MORTALITY RATES; AND FETAL DEATHS AND RATIOS; UNITED STATES, EACH STATE AND COUNTY, AND EACH URBAN PLACE HAVING, IN 1940, A POPULATION OF 10,000 OR MORE, 1949—Continued

(See headnote on p. 2)

AREA AND RACE	LIVE BIRTHS				Deaths (all ages)	DEATHS UNDER 1 YEAR		FETAL DEATHS	
	Total	Attended by—				Number	Rate	Number	Ratio
		Physi- cian in hos- pital ¹	Physi- cian not in hos- pital	Midwife					
WYOMING—Continued									
Goshan	303	296	7	-	104	12	39.6	2	6.6
Hot Springs	183	183	-	-	64	12	62.2	5	25.9
Johnson	109	106	3	-	46	2	13.3	2	18.3
Laramie	1,024	983	40	-	324	41	40.0	19	18.6
Cheyenne	826	806	20	-	257	33	40.0	18	21.8
Balance of county	198	177	20	-	67	8	40.4	1	5.1
Lincoln	325	324	1	-	73	7	21.5	4	12.3
Madison	832	831	-	-	311	41	49.3	16	19.2
Casper	722	721	-	-	245	33	45.7	10	13.9
Balance of county	110	110	-	-	66	8	72.7	6	54.5
Niobrara	107	105	2	-	44	2	18.7	4	37.4
Park	467	459	8	-	91	14	30.0	7	15.0
Platte	214	198	15	1	56	7	32.7	3	14.0
Sheridan	457	453	4	-	190	18	39.4	4	8.6
Sheridan	292	289	3	-	136	11	37.7	4	13.7
Balance of county	165	164	1	-	54	7	42.4	-	0
Sublette	40	40	-	-	12	1	25.0	-	0
Sweetwater	556	525	31	2	187	19	34.2	12	21.8
Teton	77	77	-	-	18	3	39.0	-	0
Uinta	195	156	39	-	46	5	25.6	2	10.3
Washakie	239	216	21	2	48	11	46.0	6	25.1
Weston	165	162	3	-	58	8	43.2	2	10.8
Yellowstone Nat. Park (part)	8	8	-	-	1	-	(*)	-	(*)
Yellowstone Nat. Park (total)	9	9	-	-	1	-	0	-	0

¹It is assumed that all births in hospitals or institutions are attended by physicians.
²Includes data for Texarkana, Ark., only.
³Since this area is difficult to identify from the information given on the birth and death transcripts, data may be understated or overstated.
⁴Rate or ratio not computed for part of an area.
⁵Figures for District 1511, Center Hill, are included in those for Atlanta.
⁶No statistical transcripts for fetal deaths (stillbirths) occurring in Lowell were received in the National Office of Vital Statistics. In 1949, there were 50 fetal deaths to residents of Lowell.
⁷Ratio computed on the basis of reported fetal deaths. See footnote No. 6.
⁸This county was established by the New Mexico Legislature, effective June 10, 1949.
⁹Comprising Bronx, Kings, New York, Queens, and Richmond Counties, treated as a unit.
¹⁰Includes data for Bristol, Tenn., only.
¹¹Includes data for Texarkana, Tex., only.
¹²Cities of Virginia are independent, each having the same status as a county. See list of independent cities following counties of the State.
¹³Classified as urban under a special rule in the 1940 census.
¹⁴Those having populations of 10,000 or more include: Alexandria, Charlottesville, Danville, Fredericksburg, Lynchburg, Martinsville, Newport News, Norfolk, Petersburg, Portsmouth, Richmond, Roanoke, Suffolk, and Winchester.
¹⁵Includes data for Bristol, Va., only.
¹⁶Includes data for Bluefield, W. Va., only.

NOTES:
 Infant mortality rates and fetal death ratios are shown for all counties and cities for which resident births were reported. Caution should be exercised in the interpretation of those computed from small numbers since they are subject to relatively large sampling variation. (See section on Interpretation Factors in Introduction of Part I.)
 Certain cities listed in this table are located in more than one county. In these cases, figures for the county include only the figures for that part of the city in the county. Total figures for each of these cities are shown under the county containing the larger proportion of the city's population. Totals for Amarillo, Tex., are shown under Potter County; Atlanta, Ga., under Fulton County; Bethlehem, Pa., under Northampton County; Centralia, Ill., under Marion County; Elgin, Ill., under Kane County; Ellwood City, Pa., under Lawrence County; Postoria, Ohio, under Seneca County; Huntington, W. Va., under Cabell County; Joplin, Mo., under Jasper County; Rocky Mount, N. C., under Nash County; St. Cloud, Minn., under Stearns County; Watertown, Wis., under Jefferson County; and Youngstown, Ohio, under Mahoning County. Likewise, total figures for Yellowstone National Park are shown under Wyoming.

VITAL STATISTICS OF THE UNITED STATES

TABLE 2.—LIVE BIRTHS BY SPECIFIED RACE AND SEX: UNITED STATES AND EACH STATE, 1949

(By place of residence)

AREA	Total	ALL RACES		WHITE		NEGRO		INDIAN		CHINESE		JAPANESE		ALL OTHER	
		Male	Female	Male	Female	Male	Female	Male	Female	Male	Female	Male	Female	Male	Female
UNITED STATES-----	3,559,529	1,826,352	1,733,177	1,585,854	1,497,867	229,078	224,157	6,231	6,101	2,581	2,481	1,623	1,614	985	957
Alabama-----	84,418	43,263	41,135	26,923	25,290	16,342	15,835	11	6	6	4	-	-	1	-
Arizona-----	20,275	10,341	9,934	8,934	8,586	353	362	1,000	904	41	60	9	7	4	15
Arkansas-----	45,609	23,063	22,526	17,412	16,803	5,659	5,701	7	7	3	13	2	1	1	1
California-----	245,199	125,744	119,455	115,355	109,450	7,041	6,768	588	359	1,285	1,218	962	977	713	703
Colorado-----	32,894	17,000	15,894	16,578	15,559	316	235	25	21	12	9	67	65	2	7
Connecticut-----	40,867	21,107	19,780	20,459	19,136	634	625	3	-	5	14	3	2	3	3
Delaware-----	7,369	3,770	3,598	3,150	2,953	611	635	2	3	-	-	-	-	-	8
District of Columbia-----	19,814	9,944	9,870	5,905	5,719	3,977	4,091	3	1	39	43	10	7	10	9
Florida-----	61,743	31,787	29,858	23,094	21,402	8,666	8,530	12	12	8	6	1	3	6	3
Georgia-----	95,259	47,600	45,659	30,126	28,392	17,462	17,253	1	2	9	12	2	-	-	-
Ideho-----	15,964	8,077	7,907	7,972	7,780	5	11	53	66	11	4	33	39	3	7
Illinois-----	189,313	97,128	92,185	87,726	82,650	9,090	9,247	19	19	102	104	165	146	26	19
Indiana-----	94,214	49,401	45,813	45,965	43,546	2,502	2,447	2	1	10	13	1	2	1	4
Iowa-----	51,871	31,983	29,998	31,685	29,623	269	245	17	11	7	6	2	3	3	-
Kansas-----	43,761	22,596	21,168	21,501	20,273	942	868	31	34	13	7	1	2	8	1
Kentucky-----	76,197	39,219	36,978	36,688	34,530	2,522	2,439	2	2	5	6	1	1	1	-
Louisiana-----	75,487	38,550	36,937	23,140	22,172	15,367	14,724	27	27	11	10	-	-	5	4
Maine-----	11,203	11,203	10,736	11,193	10,711	5	5	3	17	1	1	1	1	-	1
Maryland-----	53,597	27,414	26,183	21,551	20,296	5,639	5,859	1	1	15	18	5	4	4	3
Massachusetts-----	95,615	49,104	46,511	49,061	45,504	947	915	4	7	82	81	3	2	7	2
Michigan-----	157,178	81,128	76,050	74,391	69,681	6,615	6,248	62	60	37	35	19	17	4	9
Minnesota-----	73,929	38,122	35,807	37,729	35,580	127	129	236	257	13	17	12	7	5	7
Mississippi-----	66,415	33,853	32,562	15,056	14,081	18,757	18,432	39	46	21	20	-	1	-	2
Missouri-----	85,302	43,826	41,478	39,839	37,449	3,964	3,993	5	10	7	13	9	3	2	8
Montana-----	15,366	7,637	7,729	7,244	7,312	8	11	378	393	5	5	2	7	-	1
Nebraska-----	31,547	16,039	15,509	15,696	15,187	258	235	80	72	3	5	7	9	4	2
Nevada-----	3,673	1,899	1,774	1,751	1,633	62	48	79	75	3	8	3	7	1	3
New Hampshire-----	11,940	6,125	5,815	6,117	5,803	4	7	2	-	1	4	-	-	1	1
New Jersey-----	97,606	50,440	47,166	45,718	42,675	4,653	4,427	4	2	42	48	16	12	7	2
New Mexico-----	21,620	11,207	10,413	10,392	9,726	70	77	734	694	6	7	3	4	2	5
New York-----	301,287	154,565	146,722	141,046	133,737	12,958	12,353	137	137	477	447	29	37	18	11
North Carolina-----	107,970	55,291	52,679	37,394	35,021	17,284	17,068	604	584	6	4	2	2	1	-
North Dakota-----	16,846	8,727	8,119	8,525	7,950	-	-	198	167	2	2	1	-	1	-
Ohio-----	189,428	97,257	92,171	89,943	85,118	7,252	6,997	3	3	33	30	21	17	5	6
Oklahoma-----	49,702	25,443	24,259	22,699	21,415	1,801	1,816	938	1,016	1	4	-	-	4	6
Oregon-----	35,316	18,047	17,269	17,636	16,915	169	159	75	112	41	33	53	39	23	11
Pennsylvania-----	224,581	115,486	109,095	106,909	100,811	8,529	8,234	2	10	39	28	3	4	4	8
Rhode Island-----	16,492	8,504	7,998	8,295	7,785	204	168	5	3	9	11	1	-	-	1
South Carolina-----	58,516	30,027	28,498	16,448	15,201	13,569	13,271	8	12	1	2	1	1	-	2
South Dakota-----	17,211	8,862	8,329	8,533	7,953	4	5	343	366	1	1	-	1	1	1
Tennessee-----	82,854	42,433	40,421	34,692	32,891	7,746	7,521	3	2	2	5	-	1	-	1
Texas-----	202,297	103,315	98,992	90,003	85,706	13,222	13,221	23	14	62	35	3	5	2	1
Utah-----	21,164	11,021	10,143	10,890	9,999	35	28	45	46	3	7	46	59	2	3
Vermont-----	9,297	4,807	4,490	4,807	4,486	-	2	-	-	-	1	-	-	-	1
Virginia-----	82,960	42,541	40,419	31,546	29,805	10,971	10,586	2	1	18	13	1	3	3	9
Washington-----	56,542	28,817	27,725	27,839	26,792	295	437	319	263	70	58	112	111	83	64
West Virginia-----	52,566	26,925	25,661	25,436	24,249	1,465	1,410	1	-	2	2	-	1	1	-
Wisconsin-----	82,949	42,763	40,186	42,045	39,468	470	441	229	265	7	6	8	4	4	2
Wyoming-----	7,490	3,892	3,598	3,797	3,513	19	16	67	65	4	1	3	3	2	-

GENERAL TABLES—LIVE BIRTHS

TABLE 4.—LIVE BIRTHS BY AGE OF MOTHER, RACE, NATIVITY OF WHITE MOTHER, AND POPULATION-SIZE GROUP: UNITED STATES AND EACH STATE, 1949—Continued

(By place of residence)

AREA, RACE, NATIVITY OF WHITE MOTHER, AND POPULATION-SIZE GROUP	Total	AGE OF MOTHER									
		Under 15 years	15-19 years	20-24 years	25-29 years	30-34 years	35-39 years	40-44 years	45-49 years	50 years and over	Not stated
ARIZONA	20,275	24	2,819	6,673	5,428	3,153	1,671	443	47	2	15
White, mother native	16,435	10	2,300	5,540	4,492	2,534	1,238	292	22	1	6
White, mother foreign	1,059	-	53	259	274	220	187	61	1	-	4
White, mother's nativity not stated	26	-	5	15	5	2	2	-	-	-	1
Negro	715	6	169	211	181	90	46	9	-	-	1
Other	2,040	6	294	650	476	307	199	81	24	1	3
Urban	11,765	13	1,415	3,910	3,341	1,930	923	213	11	-	9
White, mother native	10,343	4	1,252	3,500	2,976	1,677	757	163	10	-	3
White, mother foreign	700	-	36	173	197	135	114	42	-	-	4
White, mother's nativity not stated	12	-	2	7	1	1	-	-	-	-	1
Negro	474	8	107	148	116	59	51	4	-	-	1
Other	236	1	18	82	51	58	20	4	1	-	1
Places of 25,000 to 100,000	8,373	11	944	2,728	2,461	1,420	650	146	9	-	6
White, mother native	7,426	4	828	2,458	2,209	1,258	544	116	9	-	2
White, mother foreign	389	-	12	84	125	79	63	24	-	-	3
White, mother's nativity not stated	10	-	2	6	1	1	-	-	-	-	1
Negro	404	7	95	125	99	49	26	4	-	-	2
Other	144	-	11	53	27	34	16	2	-	-	1
Places of 2,500 to 10,000	3,392	2	471	1,194	890	510	273	67	2	-	3
White, mother native	2,917	-	426	1,042	767	419	213	47	1	-	2
White, mother foreign	311	-	24	89	72	56	51	18	-	-	1
White, mother's nativity not stated	2	-	1	1	-	-	-	-	-	-	-
Negro	70	1	14	25	17	10	5	-	-	-	-
Other	92	1	7	29	24	24	4	2	1	-	-
Rural	8,510	11	1,404	2,763	2,967	1,223	749	230	36	2	6
White, mother native	6,092	6	1,049	2,040	1,516	857	481	129	12	1	2
White, mother foreign	359	-	17	86	77	65	73	19	1	-	1
White, mother's nativity not stated	14	-	1	6	4	1	-	-	-	-	1
Negro	241	-	62	63	65	31	15	5	-	-	-
Other	1,804	5	276	569	425	249	178	77	23	1	2
ARKANSAS	45,609	170	8,996	14,637	10,353	6,076	3,819	1,200	93	7	259
White, mother native	34,010	36	6,265	11,234	8,069	4,506	2,752	897	67	5	159
White, mother foreign	197	-	8	73	64	21	25	4	-	-	2
White, mother's nativity not stated	8	-	-	2	3	-	-	-	-	-	3
Negro	11,359	134	2,716	3,316	2,185	1,548	1,038	298	26	2	94
Other	35	-	5	12	12	1	4	1	-	-	-
Urban	14,747	37	2,492	5,167	3,786	1,973	996	220	13	2	61
White, mother native	11,412	6	1,765	4,108	3,061	1,521	721	163	10	2	37
White, mother foreign	91	-	2	36	35	11	4	-	-	-	2
White, mother's nativity not stated	2	-	-	-	1	-	-	-	-	-	1
Negro	3,229	31	725	1,018	686	441	268	56	5	-	21
Other	13	-	2	5	3	-	3	-	-	-	-
Places of 25,000 to 100,000	3,927	8	588	1,389	1,092	553	255	52	2	-	6
White, mother native	3,072	2	401	1,093	884	444	180	42	1	-	5
White, mother foreign	49	-	-	24	18	5	2	-	-	-	-
White, mother's nativity not stated	1	-	-	-	-	-	-	-	-	-	1
Negro	801	6	165	272	178	106	62	10	1	-	-
Other	4	-	1	-	2	-	1	-	-	-	-
Places of 10,000 to 25,000	4,227	8	729	1,480	1,068	592	274	58	3	-	15
White, mother native	3,177	1	492	1,165	834	441	193	40	2	-	9
White, mother foreign	19	-	1	4	9	4	1	-	-	-	-
White, mother's nativity not stated	-	-	-	-	-	-	-	-	-	-	-
Negro	1,030	7	236	311	225	147	79	18	1	-	6
Other	1	-	-	-	-	-	1	-	-	-	-
Places of 2,500 to 10,000	6,593	21	1,195	2,298	1,626	826	467	110	8	2	40
White, mother native	5,163	3	870	1,650	1,353	636	338	81	7	2	23
White, mother foreign	25	-	1	8	8	2	1	1	-	-	2
White, mother's nativity not stated	1	-	-	-	1	-	-	-	-	-	-
Negro	1,398	18	323	435	263	188	127	28	1	-	15
Other	8	-	1	5	1	-	1	-	-	-	-
Rural	30,862	133	6,504	9,470	6,567	4,103	2,823	980	80	5	197
White, mother native	22,598	30	4,502	7,126	5,006	2,995	2,031	734	57	3	122
White, mother foreign	106	-	6	37	29	10	21	3	-	-	-
White, mother's nativity not stated	6	-	-	2	2	-	-	-	-	-	2
Negro	8,130	103	1,993	2,298	1,519	1,107	770	242	23	2	73
Other	22	-	3	7	9	1	1	1	-	-	-
CALIFORNIA	245,199	197	26,513	80,904	73,599	39,515	18,151	4,060	226	6	28
White, mother native	211,233	129	25,111	70,786	63,493	33,718	14,731	3,097	150	2	16
White, mother foreign	15,552	3	467	3,075	4,378	2,787	2,117	647	53	3	2
White, mother's nativity not stated	20	1	4	2	2	1	3	1	-	-	6
Negro	13,809	60	2,414	4,836	3,649	1,850	804	187	7	-	2
Other	6,606	4	517	2,205	2,077	1,159	496	128	16	1	2
Urban	166,767	139	17,513	54,637	51,473	27,741	12,496	2,622	128	4	15
White, mother native	140,662	94	14,849	46,749	43,688	23,283	9,985	1,944	85	2	5
White, mother foreign	9,622	1	326	2,173	3,196	2,019	1,454	436	24	1	2
White, mother's nativity not stated	13	-	1	2	1	1	2	-	-	-	6
Negro	11,761	50	2,053	4,117	3,123	1,632	668	145	7	-	1
Other	4,709	3	264	1,596	1,430	846	377	97	14	1	1
Places of 100,000 or more	85,925	76	8,181	27,238	26,292	14,312	6,422	1,327	68	-	9
White, mother native	66,728	39	6,381	21,831	21,220	11,413	4,836	904	42	-	2
White, mother foreign	5,393	-	184	1,224	1,795	1,146	732	242	10	-	-
White, mother's nativity not stated	7	-	1	1	1	-	-	-	-	-	5
Negro	8,510	37	1,448	3,027	2,261	1,158	464	108	6	-	1
Other	3,287	-	189	1,155	1,015	595	270	73	10	-	1

VITAL STATISTICS OF THE UNITED STATES

TABLE 4.—LIVE BIRTHS BY AGE OF MOTHER, RACE, NATIVITY OF WHITE MOTHER, AND POPULATION-SIZE GROUP: UNITED STATES AND EACH STATE, 1949—Continued

(By place of residence)

AREA, RACE, NATIVITY OF WHITE MOTHER, AND POPULATION-SIZE GROUP	Total	AGE OF MOTHER									
		Under 15 years	15-19 years	20-24 years	25-29 years	30-34 years	35-39 years	40-44 years	45-49 years	50 years and over	Not stated
CALIFORNIA—Continued											
Places of 25,000 to 100,000-----	30,244	18	3,241	9,999	9,252	4,994	2,237	465	15	2	1
White, mother native-----	26,507	11	2,823	8,946	8,144	4,337	1,845	389	10	1	1
White, mother foreign-----	1,418	1	42	299	465	308	231	66	3	-	-
White, mother's nativity not stated-----	2	-	-	-	-	1	1	-	-	-	-
Negro-----	1,740	5	339	575	456	239	107	20	1	-	-
Other-----	579	1	37	181	186	109	53	10	1	1	-
Places of 10,000 to 25,000-----	23,753	23	2,634	7,804	7,369	3,882	1,676	344	19	1	2
White, mother native-----	20,988	16	2,384	6,995	6,497	3,433	1,401	280	12	-	1
White, mother foreign-----	1,138	-	43	282	408	233	175	49	6	1	-
White, mother's nativity not stated-----	3	-	-	1	-	-	-	-	-	-	1
Negro-----	1,158	7	205	394	318	151	74	9	-	-	-
Other-----	405	-	32	132	145	65	25	6	-	-	-
Places of 2,500 to 10,000-----	28,845	21	3,487	9,596	8,560	4,553	2,161	466	27	1	3
White, mother native-----	26,438	18	3,231	8,977	7,807	4,100	1,653	371	19	1	1
White, mother foreign-----	1,615	-	57	368	516	332	256	79	5	-	2
White, mother's nativity not stated-----	1	-	1	-	-	-	-	-	-	-	-
Negro-----	353	1	61	123	93	44	23	8	-	-	-
Other-----	458	2	47	128	144	77	29	8	3	-	-
Rural-----	78,432	58	11,000	26,267	22,126	11,774	5,655	1,458	98	2	13
White, mother native-----	70,571	45	10,262	24,037	19,825	10,435	4,736	1,153	67	2	11
White, mother foreign-----	3,910	2	141	902	1,192	768	663	211	28	2	-
White, mother's nativity not stated-----	7	1	3	-	1	-	1	1	-	-	-
Negro-----	2,048	10	361	719	521	258	136	42	-	-	1
Other-----	1,896	1	233	608	587	313	119	31	2	-	1
COLORADO-----											
White, mother native-----	32,894	19	3,914	11,274	9,444	5,055	2,482	649	44	1	12
White, mother foreign-----	31,462	15	3,769	10,854	8,999	4,847	2,327	604	38	1	8
White, mother's nativity not stated-----	662	-	21	175	214	109	100	38	5	-	-
Negro-----	13	-	3	3	-	3	2	-	-	-	2
Other-----	551	3	105	190	142	69	38	4	-	-	-
Urban-----	20,149	12	2,257	6,971	6,049	3,091	1,411	332	21	1	4
White, mother native-----	18,093	9	2,136	6,655	5,707	2,936	1,318	311	17	1	3
White, mother foreign-----	422	-	13	112	155	76	48	15	3	-	-
White, mother's nativity not stated-----	5	-	1	1	-	1	1	-	-	-	1
Negro-----	525	3	102	178	137	67	34	4	-	-	-
Other-----	104	-	5	25	50	11	10	2	1	-	-
Places of 100,000 or more-----	10,143	6	1,015	3,450	3,180	1,613	711	157	11	-	-
White, mother native-----	9,418	3	921	3,232	2,954	1,504	651	144	9	-	-
White, mother foreign-----	207	-	6	44	75	46	26	9	1	-	-
White, mother's nativity not stated-----	-	-	-	-	-	-	-	-	-	-	-
Negro-----	437	3	84	154	111	55	27	3	-	-	-
Other-----	81	-	4	20	40	8	7	1	1	-	-
Places of 25,000 to 100,000-----	3,141	1	417	1,077	880	495	220	48	2	-	1
White, mother native-----	2,930	1	397	1,026	829	470	207	47	2	-	1
White, mother foreign-----	80	-	4	28	29	14	5	-	-	-	-
White, mother's nativity not stated-----	1	-	-	-	-	1	-	-	-	-	-
Negro-----	73	-	16	20	19	10	7	1	1	-	-
Other-----	7	-	3	3	3	1	-	-	-	-	-
Places of 10,000 to 25,000-----	2,400	1	255	906	711	331	156	37	1	1	1
White, mother native-----	2,343	1	254	888	689	325	148	36	1	1	-
White, mother foreign-----	46	-	-	16	16	6	7	1	-	-	-
White, mother's nativity not stated-----	1	-	-	-	-	-	-	-	-	-	1
Negro-----	5	-	-	2	3	-	-	-	-	-	-
Other-----	5	-	1	-	3	-	1	-	-	-	-
Places of 2,500 to 10,000-----	4,465	4	570	1,538	1,278	652	324	90	7	-	2
White, mother native-----	4,352	4	564	1,509	1,235	637	312	84	5	-	2
White, mother foreign-----	89	-	3	24	35	10	10	5	2	-	-
White, mother's nativity not stated-----	5	-	1	1	-	-	1	-	-	-	-
Negro-----	10	-	2	2	4	2	-	-	-	-	-
Other-----	11	-	2	2	4	3	1	1	-	-	-
Rural-----	12,745	7	1,657	4,303	3,385	1,984	1,071	317	23	-	8
White, mother native-----	12,369	6	1,635	4,199	3,292	1,911	1,009	293	21	-	5
White, mother foreign-----	240	-	8	63	59	33	52	23	2	-	-
White, mother's nativity not stated-----	8	-	2	2	-	2	1	-	-	-	1
Negro-----	26	-	3	12	5	2	4	-	-	-	-
Other-----	102	1	11	27	39	16	5	1	-	-	2
CONNECTICUT-----											
White, mother native-----	40,887	10	2,083	11,364	13,836	8,898	3,807	820	45	3	21
White, mother foreign-----	37,159	2	1,824	10,350	12,674	8,305	3,292	660	31	3	18
White, mother's nativity not stated-----	2,427	-	48	519	816	445	443	141	14	-	1
Negro-----	9	-	-	-	1	2	2	2	-	-	2
Other-----	1,259	8	208	481	336	142	68	16	-	-	-
Urban-----	33	-	3	14	9	4	2	1	-	-	-
Places of 100,000 or more-----	27,123	9	1,399	7,662	9,254	5,776	2,448	528	32	2	14
White, mother native-----	24,218	2	1,179	6,838	8,368	5,334	2,057	404	22	2	12
White, mother foreign-----	1,712	-	32	362	568	307	326	106	10	-	1
White, mother's nativity not stated-----	7	-	-	-	1	1	2	2	-	-	1
Negro-----	1,159	7	186	450	310	130	62	14	-	-	-
Other-----	27	-	2	12	7	4	2	-	-	-	-
Places of 25,000 to 100,000-----	10,641	7	605	3,049	3,593	2,220	940	206	12	2	7
White, mother native-----	9,165	1	461	2,597	3,148	2,008	761	153	7	2	7
White, mother foreign-----	734	-	16	158	244	127	143	43	5	-	-
White, mother's nativity not stated-----	1	-	-	-	-	-	-	1	-	-	-
Negro-----	749	6	127	288	200	84	35	9	-	-	-
Other-----	12	-	1	8	1	1	1	-	-	-	-

GENERAL TABLES—LIVE BIRTHS

TABLE 4.—LIVE BIRTHS BY AGE OF MOTHER, RACE, NATIVITY OF WHITE MOTHER, AND POPULATION-SIZE GROUP: UNITED STATES AND EACH STATE, 1949—Continued

(By place of residence)

AREA, RACE, NATIVITY OF WHITE MOTHER, AND POPULATION-SIZE GROUP	Total	AGE OF MOTHER									
		Under 15 years	15-19 years	20-24 years	25-29 years	30-34 years	35-39 years	40-44 years	45-49 years	50 years and over	Not stated
CONNECTICUT—Continued											
Places of 25,000 to 100,000	10,598	-	458	2,928	5,611	2,342	1,021	218	14	-	6
White, mother native	9,587	-	401	2,659	5,301	2,179	860	172	11	-	4
White, mother foreign	689	-	10	133	220	123	136	43	3	-	1
White, mother's nativity not stated	5	-	-	-	1	2	1	-	-	-	1
Negro	327	-	47	133	86	36	23	2	-	-	-
Other	10	-	-	3	4	3	-	-	-	-	-
Places of 10,000 to 25,000	4,590	1	240	1,246	1,519	922	375	84	3	-	-
White, mother native	4,068	-	223	1,159	1,412	874	331	67	2	-	-
White, mother foreign	238	-	5	58	85	38	39	14	1	-	-
White, mother's nativity not stated	-	-	-	-	-	-	-	-	-	-	-
Negro	80	1	11	29	23	10	4	3	-	-	-
Other	4	-	1	1	1	1	1	-	-	-	-
Places of 2,500 to 10,000	1,494	1	96	439	531	292	113	18	3	-	1
White, mother native	1,418	1	94	423	507	273	105	12	2	-	1
White, mother foreign	71	-	1	15	21	19	8	6	1	-	-
White, mother's nativity not stated	1	-	-	-	1	-	-	-	-	-	-
Negro	3	-	1	1	1	-	-	-	-	-	-
Other	1	-	-	-	1	-	-	-	-	-	-
Rural	13,764	1	684	3,702	4,582	3,122	1,358	294	13	1	7
White, mother native	12,941	-	645	3,512	4,305	2,971	1,235	256	9	1	6
White, mother foreign	715	-	16	157	248	138	117	35	4	-	-
White, mother's nativity not stated	2	-	-	-	1	-	-	-	-	-	1
Negro	100	1	22	31	26	12	6	2	-	-	-
Other	6	-	1	2	2	-	-	1	-	-	-
DELAWARE											
	7,369	18	883	2,333	2,140	1,267	561	152	10	-	5
White, mother native	5,970	1	569	1,875	1,799	1,117	482	114	9	-	4
White, mother foreign	133	-	2	38	54	15	18	6	-	-	-
White, mother's nativity not stated	-	-	-	-	-	-	-	-	-	-	-
Negro	1,248	17	308	410	294	134	61	30	1	-	1
Other	20	-	4	10	3	1	-	2	-	-	-
Urban	3,958	7	405	1,266	1,184	710	302	78	4	-	3
White, mother native	3,195	1	254	1,015	975	627	259	57	4	-	3
White, mother foreign	91	-	2	26	39	8	11	5	-	-	-
White, mother's nativity not stated	-	-	-	-	-	-	-	-	-	-	-
Negro	673	6	149	225	170	75	32	16	-	-	-
Other	-	-	-	-	-	-	-	-	-	-	-
Places of 100,000 or more	2,940	4	277	946	877	540	233	80	2	-	1
White, mother native	2,360	-	164	749	729	470	200	45	2	-	1
White, mother foreign	71	-	-	20	31	6	9	5	-	-	-
White, mother's nativity not stated	-	-	-	-	-	-	-	-	-	-	-
Negro	509	4	113	177	117	84	24	10	-	-	-
Other	-	-	-	-	-	-	-	-	-	-	-
Places of 2,500 to 10,000	1,019	3	128	320	307	170	69	18	2	-	2
White, mother native	835	1	90	266	246	157	59	12	2	-	2
White, mother foreign	20	-	2	6	6	2	-	-	-	-	-
White, mother's nativity not stated	-	-	-	-	-	-	-	-	-	-	-
Negro	164	2	36	48	53	11	8	6	-	-	-
Other	-	-	-	-	-	-	-	-	-	-	-
Rural	3,410	11	478	1,067	956	557	259	74	6	-	2
White, mother native	2,775	-	315	880	824	490	223	57	5	-	1
White, mother foreign	42	-	-	12	15	7	1	-	-	-	-
White, mother's nativity not stated	-	-	-	-	-	-	-	-	-	-	-
Negro	573	11	159	185	114	59	29	14	1	-	1
Other	20	-	4	10	3	1	-	2	-	-	-
DISTRICT OF COLUMBIA											
	19,814	51	2,439	6,330	5,879	3,221	1,420	343	12	-	120
White, mother native	10,911	2	887	3,413	3,572	1,952	856	197	6	-	28
White, mother foreign	637	-	13	147	236	141	80	18	1	-	1
White, mother's nativity not stated	76	-	1	3	3	-	1	-	-	-	88
Negro	8,068	49	1,525	2,729	2,038	1,102	473	123	4	-	25
Other	122	-	12	38	30	26	10	5	1	-	-
FLORIDA											
	61,743	208	9,712	20,198	16,194	9,185	4,916	1,154	60	2	116
White, mother native	43,303	43	5,754	14,405	12,029	6,745	3,460	783	34	-	50
White, mother foreign	1,163	-	53	304	406	228	140	29	2	-	1
White, mother's nativity not stated	30	-	9	8	4	3	-	-	-	-	6
Negro	17,196	163	3,892	5,468	3,738	2,198	1,311	341	23	2	58
Other	51	-	4	13	16	11	5	1	-	-	-
Urban	35,875	107	5,210	12,025	9,847	5,420	2,652	534	21	2	57
White, mother native	24,813	20	2,925	8,430	7,290	3,843	1,833	344	11	-	17
White, mother foreign	849	-	40	212	296	169	107	23	2	-	-
White, mother's nativity not stated	17	-	6	5	1	1	-	-	-	-	4
Negro	10,168	87	2,238	3,369	2,251	1,300	708	167	8	2	36
Other	50	-	1	9	9	7	4	-	-	-	-
Places of 100,000 or more	15,276	31	2,145	5,083	4,324	2,302	1,134	218	10	1	28
White, mother native	10,817	6	1,267	3,650	3,229	1,704	805	145	5	-	6
White, mother foreign	482	-	17	123	164	100	67	10	1	-	-
White, mother's nativity not stated	10	-	4	2	1	-	-	-	-	-	3
Negro	3,945	25	856	1,299	923	496	259	63	4	1	19
Other	22	-	1	9	7	2	3	-	-	-	-
Places of 25,000 to 100,000	5,786	12	725	1,930	1,656	933	431	93	4	-	2
White, mother native	4,090	3	410	1,371	1,251	680	308	64	3	-	-
White, mother foreign	143	-	6	36	45	36	15	8	-	-	-
White, mother's nativity not stated	1	-	-	1	-	-	-	-	-	-	-
Negro	1,549	9	309	522	360	215	107	24	1	-	2
Other	3	-	-	-	-	2	1	-	-	-	-

VITAL STATISTICS OF THE UNITED STATES

TABLE 4.—LIVE BIRTHS BY AGE OF MOTHER, RACE, NATIVITY OF WHITE MOTHER, AND POPULATION-SIZE GROUP: UNITED STATES AND EACH STATE, 1949—Continued

(By place of residence)

AREA, RACE, NATIVITY OF WHITE MOTHER, AND POPULATION-SIZE GROUP	Total	AGE OF MOTHER									
		Under 15 years	15-19 years	20-24 years	25-29 years	30-34 years	35-39 years	40-44 years	45-49 years	50 years and over	Not stated
FLORIDA—Continued											
Places of 10,000 to 25,000-----	6,694	27	996	2,306	1,607	964	477	85	3	-	9
White, mother native-----	4,571	4	528	1,591	1,541	715	329	57	1	-	5
White, mother foreign-----	120	-	12	30	50	13	9	5	1	-	-
White, mother's nativity not stated-----	-	-	-	-	-	-	-	-	-	-	-
Negro-----	2,002	23	458	685	415	256	139	23	1	-	4
Other-----	1	-	-	-	1	-	-	-	-	-	-
Places of 2,500 to 10,000-----	9,119	37	1,344	2,706	2,060	1,201	610	138	4	1	16
White, mother native-----	5,335	7	720	1,618	1,489	844	391	78	2	-	6
White, mother foreign-----	104	-	5	23	37	20	15	3	-	-	-
White, mother's nativity not stated-----	6	-	2	2	-	1	-	-	-	-	1
Negro-----	2,670	30	617	863	553	333	203	57	2	1	11
Other-----	4	-	-	-	1	3	-	-	-	-	-
Rural-----	25,866	99	4,502	8,173	6,347	3,785	2,284	620	99	-	59
White, mother native-----	18,490	23	2,829	5,975	4,739	2,802	1,627	439	23	-	33
White, mother foreign-----	314	-	13	82	110	59	33	6	-	-	1
White, mother's nativity not stated-----	13	-	3	3	3	2	-	-	-	-	2
Negro-----	7,030	76	1,654	2,099	1,488	898	603	174	15	-	23
Other-----	21	-	3	4	7	4	1	1	1	-	-
GEORGIA-----											
	93,259	358	17,127	29,414	22,392	12,974	7,513	1,966	164	5	1,339
White, mother native-----	57,852	75	8,965	16,664	15,143	8,649	4,615	1,289	102	2	326
White, mother foreign-----	468	-	19	197	175	51	25	-	-	-	1
White, mother's nativity not stated-----	196	-	2	3	2	1	2	2	-	-	186
Negro-----	34,715	283	8,118	10,537	7,066	4,289	2,876	677	62	3	824
Other-----	26	-	3	13	6	4	-	-	-	-	-
Urban-----	37,704	145	6,693	12,696	9,816	5,111	2,469	474	33	2	275
White, mother native-----	23,919	23	3,419	8,188	6,838	3,482	1,578	301	20	1	69
White, mother foreign-----	298	-	19	120	106	31	16	-	-	-	-
White, mother's nativity not stated-----	41	-	-	-	-	-	1	1	-	-	59
Negro-----	13,456	122	3,257	4,367	2,867	1,596	874	172	13	1	167
Other-----	20	-	2	11	5	2	-	-	-	-	-
Places of 100,000 or more-----	8,504	38	1,546	2,868	2,183	1,136	619	99	6	1	6
White, mother native-----	4,950	6	723	1,707	1,404	708	377	59	4	1	2
White, mother foreign-----	55	-	3	10	17	4	1	-	-	-	-
White, mother's nativity not stated-----	2	-	-	-	-	-	1	-	-	-	1
Negro-----	3,473	32	820	1,148	761	426	240	41	2	-	3
Other-----	4	-	-	3	1	-	-	-	-	-	-
Places of 25,000 to 100,000-----	11,973	56	2,199	4,080	3,179	1,527	691	122	7	-	22
White, mother native-----	7,351	10	1,061	2,593	2,187	1,000	428	78	4	-	10
White, mother foreign-----	161	-	9	81	65	15	11	-	-	-	-
White, mother's nativity not stated-----	3	-	-	-	-	-	-	-	-	-	3
Negro-----	4,323	46	1,117	1,399	943	510	232	44	3	-	9
Other-----	15	-	2	7	4	2	-	-	-	-	-
Places of 10,000 to 25,000-----	7,787	22	1,259	2,605	2,042	1,123	521	113	10	1	72
White, mother native-----	5,253	5	632	1,772	1,534	810	350	70	7	-	23
White, mother foreign-----	49	-	1	19	17	9	3	-	-	-	-
White, mother's nativity not stated-----	6	-	-	-	-	-	-	-	-	-	6
Negro-----	2,478	17	558	815	531	304	166	43	3	1	43
Other-----	1	-	-	1	-	-	-	-	-	-	-
Places of 2,500 to 10,000-----	9,540	29	1,720	3,193	2,372	1,323	636	140	10	-	175
White, mother native-----	6,325	2	953	2,116	1,733	964	423	95	5	-	34
White, mother foreign-----	23	-	2	10	7	3	1	-	-	-	-
White, mother's nativity not stated-----	30	-	-	-	-	-	-	1	-	-	29
Negro-----	3,162	27	765	1,007	632	356	214	44	5	-	112
Other-----	-	-	-	-	-	-	-	-	-	-	-
Rural-----	55,555	213	10,434	16,728	12,576	7,663	5,049	1,494	131	3	1,064
White, mother native-----	33,833	52	5,566	10,476	8,305	5,167	3,037	988	92	1	259
White, mother foreign-----	180	-	4	77	69	20	9	-	-	-	1
White, mother's nativity not stated-----	157	-	2	3	2	1	1	-	-	-	147
Negro-----	21,279	161	4,861	6,170	4,199	2,673	2,002	505	49	2	657
Other-----	6	-	1	2	1	2	-	-	-	-	-
IDAHO-----											
	15,984	6	2,239	5,372	4,226	2,444	1,206	341	32	3	109
White, mother native-----	15,417	8	2,197	5,206	4,053	2,346	1,160	324	30	3	90
White, mother foreign-----	302	-	11	80	101	62	33	12	2	-	1
White, mother's nativity not stated-----	33	-	1	7	1	5	2	2	-	-	15
Negro-----	16	-	5	3	4	2	2	-	-	-	-
Other-----	216	-	25	78	69	29	11	3	-	-	3
Urban-----	7,015	5	967	2,506	1,878	1,023	458	121	14	3	40
White, mother native-----	6,768	5	953	2,434	1,805	975	438	111	13	3	31
White, mother foreign-----	157	-	4	43	55	33	14	7	1	-	-
White, mother's nativity not stated-----	19	-	-	4	1	5	1	1	-	-	7
Negro-----	16	-	5	3	4	2	2	2	-	-	-
Other-----	55	-	5	22	13	8	3	2	-	-	2
Places of 25,000 to 100,000-----	1,241	2	126	411	348	219	112	22	1	-	-
White, mother native-----	1,212	2	125	404	337	211	110	22	1	-	-
White, mother foreign-----	23	-	-	3	10	7	1	-	-	-	-
White, mother's nativity not stated-----	1	-	-	-	-	-	-	-	-	-	-
Negro-----	1	-	1	1	-	-	-	-	-	-	-
Other-----	5	-	1	1	1	1	1	-	-	-	-
Places of 10,000 to 25,000-----	3,106	3	456	1,137	826	435	177	51	8	1	12
White, mother native-----	2,964	3	449	1,103	792	409	167	47	7	1	6
White, mother foreign-----	76	-	2	24	26	14	8	1	1	-	-
White, mother's nativity not stated-----	16	-	-	3	1	4	1	1	-	-	6
Negro-----	13	-	5	1	4	2	1	-	-	-	-
Other-----	17	-	-	6	3	6	-	2	-	-	-

VITAL STATISTICS OF THE UNITED STATES

TABLE 4.—LIVE BIRTHS BY AGE OF MOTHER, RACE, NATIVITY OF WHITE MOTHER, AND POPULATION-SIZE GROUP: UNITED STATES AND EACH STATE, 1949—Continued

(By place of residence)

AREA, RACE, NATIVITY OF WHITE MOTHER, AND POPULATION-SIZE GROUP	Total	AGE OF MOTHER									
		Under 15 years	15-19 years	20-24 years	25-29 years	30-34 years	35-39 years	40-44 years	45-49 years	50 years and over	Not stated
INDIANA—Continued											
Places of 2,500 to 10,000-----	8,824	5	1,148	3,222	2,476	1,259	561	135	4	-	15
White, mother native-----	8,641	5	1,131	3,149	2,425	1,235	547	133	3	-	15
White, mother foreign-----	104	-	17	73	51	24	10	2	1	-	-
White, mother's nativity not stated-----	1	-	1	1	1	-	-	-	-	-	-
Negro-----	76	-	14	28	14	12	6	2	-	-	-
Other-----	2	-	-	-	1	1	-	-	-	-	-
Rural-----	37,594	13	4,725	12,682	10,250	5,858	3,066	877	69	-	74
White, mother native-----	37,133	12	4,677	12,507	10,100	5,798	3,032	868	68	-	73
White, mother foreign-----	303	-	16	109	111	38	23	5	1	-	-
White, mother's nativity not stated-----	10	-	5	3	2	-	-	-	-	-	-
Negro-----	143	1	27	41	34	24	11	4	-	-	1
Other-----	5	-	-	2	3	-	-	-	-	-	-
IOWA-----	61,871	20	6,308	21,147	17,641	10,161	5,115	1,283	82	1	93
White, mother native-----	60,606	15	6,170	20,734	17,268	9,993	5,012	1,254	79	1	82
White, mother foreign-----	678	1	21	202	248	114	67	22	2	-	1
White, mother's nativity not stated-----	22	-	2	2	7	-	1	-	-	-	10
Negro-----	514	4	113	195	102	62	30	7	1	-	-
Other-----	49	-	2	14	16	12	5	-	-	-	-
Urban-----	29,978	14	3,360	10,708	8,476	4,691	2,198	479	19	1	32
White, mother native-----	29,055	9	3,235	10,403	8,214	4,550	2,131	463	19	1	30
White, mother foreign-----	378	1	10	104	148	72	34	9	-	-	-
White, mother's nativity not stated-----	8	-	2	1	3	-	-	-	-	-	2
Negro-----	495	4	111	187	98	60	28	7	-	-	-
Other-----	42	-	2	13	13	9	5	-	-	-	-
Places of 100,000 or more-----	4,648	4	534	1,663	1,280	781	301	78	3	-	4
White, mother native-----	4,330	3	477	1,558	1,209	730	274	72	3	-	4
White, mother foreign-----	71	-	1	16	25	17	11	1	-	-	-
White, mother's nativity not stated-----	-	-	-	-	-	-	-	-	-	-	-
Negro-----	239	1	56	89	44	30	14	5	-	-	-
Other-----	8	-	-	-	2	4	2	-	-	-	-
Places of 25,000 to 100,000-----	12,516	7	1,432	4,549	3,535	1,999	983	198	7	-	6
White, mother native-----	12,125	3	1,577	4,220	3,426	1,936	959	192	7	-	6
White, mother foreign-----	155	1	7	35	62	38	10	5	-	-	-
White, mother's nativity not stated-----	5	-	1	1	3	-	-	-	-	-	-
Negro-----	205	3	45	81	37	25	13	1	-	-	-
Other-----	26	-	2	12	7	3	-	-	-	-	-
Places of 10,000 to 25,000-----	4,671	-	446	1,782	1,407	659	295	74	3	1	4
White, mother native-----	4,556	-	436	1,745	1,362	643	289	73	3	1	4
White, mother foreign-----	74	-	1	24	32	11	5	1	-	-	-
White, mother's nativity not stated-----	1	-	1	-	-	-	-	-	-	-	-
Negro-----	33	-	8	12	9	3	1	-	-	-	-
Other-----	7	-	-	1	4	2	-	-	-	-	-
Places of 2,500 to 10,000-----	8,143	3	948	2,914	2,254	1,252	619	129	6	-	16
White, mother native-----	8,044	3	945	2,880	2,217	1,241	610	126	6	-	16
White, mother foreign-----	78	-	1	29	29	9	8	2	-	-	-
White, mother's nativity not stated-----	2	-	-	-	-	-	-	-	-	-	2
Negro-----	18	-	2	5	8	2	1	-	-	-	-
Other-----	1	-	-	-	-	-	1	-	-	-	-
Rural-----	31,893	6	2,948	10,439	9,165	5,490	2,917	804	63	-	61
White, mother native-----	31,353	6	2,935	10,331	9,054	5,443	2,881	791	60	-	52
White, mother foreign-----	300	-	11	88	100	42	33	13	2	-	1
White, mother's nativity not stated-----	14	-	-	1	4	-	1	-	-	-	8
Negro-----	19	-	2	8	4	2	2	-	1	-	-
Other-----	7	-	-	1	3	3	-	-	-	-	-
KANSAS-----	43,781	27	5,225	15,138	12,305	6,873	3,274	851	58	-	140
White, mother native-----	41,348	16	4,828	14,301	11,788	6,356	3,089	789	52	-	116
White, mother foreign-----	510	-	16	181	156	61	46	19	4	-	5
White, mother's nativity not stated-----	16	1	4	3	-	2	2	-	-	-	4
Negro-----	1,810	10	367	612	432	216	116	43	2	-	12
Other-----	97	-	9	41	19	18	9	-	-	-	1
Urban-----	25,982	20	3,067	8,742	6,863	3,350	1,509	343	18	-	80
White, mother native-----	21,937	11	2,716	8,026	6,356	3,088	1,367	296	13	-	64
White, mother foreign-----	337	-	7	119	107	53	30	14	3	-	4
White, mother's nativity not stated-----	7	-	2	1	-	1	2	-	-	-	1
Negro-----	1,636	9	337	580	394	194	106	33	2	-	11
Other-----	75	-	5	36	16	14	4	-	-	-	-
Places of 100,000 or more-----	8,597	6	1,128	2,928	2,566	1,263	569	114	4	-	19
White, mother native-----	7,485	2	913	2,564	2,283	1,119	501	88	2	-	13
White, mother foreign-----	103	-	2	32	32	18	8	9	1	-	1
White, mother's nativity not stated-----	-	-	-	-	-	-	-	-	-	-	-
Negro-----	987	4	213	322	243	122	60	17	1	-	5
Other-----	22	-	-	10	8	4	-	-	-	-	-
Places of 25,000 to 100,000-----	3,051	1	374	1,154	858	402	193	37	2	-	30
White, mother native-----	2,812	-	335	1,069	799	374	173	35	2	-	25
White, mother foreign-----	52	-	-	14	20	11	7	-	-	-	-
White, mother's nativity not stated-----	2	-	-	1	-	-	1	-	-	-	-
Negro-----	153	1	37	58	36	14	10	2	-	-	5
Other-----	22	-	2	12	3	3	2	-	-	-	-
Places of 10,000 to 25,000-----	6,025	6	736	2,270	1,736	820	337	94	10	-	16
White, mother native-----	5,593	3	669	2,101	1,635	767	308	60	8	-	13
White, mother foreign-----	96	-	2	35	29	11	2	4	1	-	2
White, mother's nativity not stated-----	3	-	2	-	-	-	-	-	-	-	1
Negro-----	341	3	63	129	70	39	26	10	1	-	-
Other-----	12	-	1	5	2	3	1	-	-	-	-

VITAL STATISTICS OF THE UNITED STATES

TABLE 4.—LIVE BIRTHS BY AGE OF MOTHER, RACE, NATIVITY OF WHITE MOTHER, AND POPULATION-SIZE GROUP: UNITED STATES AND EACH STATE, 1949—Continued

(By place of residence)

AREA, RACE, NATIVITY OF WHITE MOTHER, AND POPULATION-SIZE GROUP	Total	AGE OF MOTHER									
		Under 15 years	15-19 years	20-24 years	25-29 years	30-34 years	35-39 years	40-44 years	45-49 years	50 years and over	Not stated
LOUISIANA—Continued											
Places of 2,500 to 10,000-----	10,594	28	1,891	3,582	2,508	1,441	736	178	10	1	21
White, mother native-----	7,128	3	1,155	2,504	1,817	1,038	466	128	5	-	10
White, mother foreign-----	35	-	2	14	9	6	2	-	-	-	-
White, mother's nativity not stated-----	-	-	-	-	-	-	-	-	-	-	-
Negro-----	3,250	23	734	1,061	681	397	267	50	5	1	11
Other-----	5	-	-	3	1	-	1	-	-	-	-
Rural-----	36,737	124	6,950	11,346	8,467	5,303	3,479	1,006	72	1	69
White, mother native-----	20,764	16	3,486	6,563	5,112	3,167	1,639	517	26	-	38
White, mother foreign-----	58	-	-	27	14	7	7	2	-	-	1
White, mother's nativity not stated-----	1	-	-	-	-	-	-	-	-	-	1
Negro-----	15,859	108	3,354	4,740	3,330	2,120	1,629	483	46	1	49
Other-----	55	-	10	16	11	9	5	4	-	-	-
MAINE-----	21,939	13	2,946	7,587	5,922	3,333	1,558	479	37	3	61
White, mother native-----	20,547	12	2,862	7,180	5,531	3,063	1,405	415	29	3	47
White, mother foreign-----	1,329	1	80	393	379	259	151	63	7	-	6
White, mother's nativity not stated-----	28	-	1	7	6	4	2	-	-	-	6
Negro-----	10	-	1	8	-	2	-	1	-	-	-
Other-----	25	-	2	11	6	5	-	1	-	-	-
Urban-----	8,462	4	666	2,959	2,454	1,372	600	171	10	2	22
White, mother native-----	7,813	4	642	2,798	2,259	1,224	528	158	5	2	13
White, mother foreign-----	615	-	25	149	187	142	70	33	5	-	4
White, mother's nativity not stated-----	14	-	2	4	4	1	2	-	-	-	5
Negro-----	8	-	1	5	-	2	-	-	-	-	-
Other-----	12	-	-	5	4	3	-	-	-	-	-
Places of 25,000 to 100,000-----	3,524	2	350	1,225	1,000	596	259	80	4	1	8
White, mother native-----	3,266	2	342	1,164	927	531	224	67	2	1	6
White, mother foreign-----	245	-	7	56	72	60	35	13	2	-	-
White, mother's nativity not stated-----	3	-	-	-	-	1	-	-	-	-	2
Negro-----	8	-	1	5	-	2	-	-	-	-	-
Other-----	2	-	-	-	1	1	-	-	-	-	-
Places of 10,000 to 25,000-----	2,851	1	233	931	801	430	190	53	3	-	8
White, mother native-----	2,450	1	229	895	732	382	165	39	2	-	5
White, mother foreign-----	191	-	4	33	85	48	23	14	1	-	3
White, mother's nativity not stated-----	9	-	-	2	4	-	2	-	-	-	1
Negro-----	1	-	-	-	-	-	-	-	-	-	-
Other-----	1	-	-	1	-	-	-	-	-	-	-
Places of 2,500 to 10,000-----	2,287	1	285	803	653	347	151	38	3	1	5
White, mother native-----	2,097	1	271	739	600	311	139	32	1	1	2
White, mother foreign-----	179	-	14	60	50	34	12	6	2	-	1
White, mother's nativity not stated-----	2	-	-	-	-	-	-	-	-	-	2
Negro-----	9	-	-	4	3	2	-	-	-	-	-
Other-----	9	-	-	4	3	2	-	-	-	-	-
Rural-----	13,477	9	2,078	4,628	3,468	1,961	958	308	27	1	39
White, mother native-----	12,734	8	2,020	4,382	3,272	1,839	877	277	24	1	34
White, mother foreign-----	714	1	55	234	192	117	61	30	2	-	2
White, mother's nativity not stated-----	14	-	1	5	2	3	-	-	-	-	3
Negro-----	2	-	1	1	-	-	-	1	-	-	-
Other-----	13	-	2	6	2	2	-	1	-	-	-
MARYLAND-----	53,897	148	7,080	17,021	15,426	8,661	4,165	959	58	2	77
White, mother native-----	40,696	21	4,182	12,979	12,365	7,073	3,289	729	41	2	35
White, mother foreign-----	1,089	-	32	298	415	189	123	29	3	-	-
White, mother's nativity not stated-----	64	-	8	9	20	4	4	3	-	-	16
Negro-----	11,697	127	2,659	5,717	2,608	1,368	764	197	14	-	26
Other-----	51	-	-	18	18	9	5	1	-	-	-
Urban-----	28,974	97	3,944	9,541	8,367	4,429	2,088	465	28	1	36
White, mother native-----	20,456	8	2,014	6,817	6,321	3,430	1,497	342	15	1	11
White, mother foreign-----	556	-	11	148	211	96	74	14	2	-	-
White, mother's nativity not stated-----	33	-	5	6	2	3	2	2	-	-	9
Negro-----	7,895	69	1,914	2,560	1,817	895	491	106	9	-	16
Other-----	34	-	-	10	12	8	3	1	-	-	-
Places of 100,000 or more-----	21,831	63	3,096	7,220	6,251	3,265	1,535	337	17	1	28
White, mother native-----	14,428	6	1,894	4,841	4,509	2,395	1,037	233	7	1	6
White, mother foreign-----	396	-	10	104	141	62	66	11	2	-	-
White, mother's nativity not stated-----	15	-	1	3	1	2	1	-	-	-	7
Negro-----	6,958	77	1,691	2,262	1,580	796	428	92	8	-	15
Other-----	32	-	-	10	10	8	3	1	-	-	-
Places of 25,000 to 100,000-----	1,656	1	227	572	435	253	129	33	4	-	2
White, mother native-----	1,579	1	214	549	409	245	124	32	4	-	1
White, mother foreign-----	14	-	6	7	7	1	-	-	-	-	-
White, mother's nativity not stated-----	10	-	2	2	4	-	-	1	-	-	1
Negro-----	53	-	11	15	15	7	5	-	-	-	-
Other-----	-	-	-	-	-	-	-	-	-	-	-
Places of 10,000 to 25,000-----	2,182	10	295	754	613	331	144	28	3	-	4
White, mother native-----	1,521	1	156	533	446	258	104	19	2	-	2
White, mother foreign-----	30	-	-	11	11	7	1	-	-	-	-
White, mother's nativity not stated-----	7	-	1	1	1	-	2	1	-	-	1
Negro-----	624	9	138	209	155	66	37	8	1	-	1
Other-----	-	-	-	-	-	-	-	-	-	-	-
Places of 2,500 to 10,000-----	3,305	3	326	895	1,068	582	260	67	2	-	2
White, mother native-----	2,927	-	250	894	957	532	232	58	2	-	2
White, mother foreign-----	116	-	1	27	52	26	7	3	-	-	-
White, mother's nativity not stated-----	1	-	1	-	-	-	-	-	-	-	-
Negro-----	259	3	74	74	57	24	21	6	-	-	-
Other-----	2	-	-	-	2	-	-	-	-	-	-

VITAL STATISTICS OF THE UNITED STATES

TABLE 4.—LIVE BIRTHS BY AGE OF MOTHER, RACE, NATIVITY OF WHITE MOTHER, AND POPULATION-SIZE GROUP: UNITED STATES AND EACH STATE, 1949—Continued
(By place of residence)

AREA, RACE, NATIVITY OF WHITE MOTHER, AND POPULATION-SIZE GROUP	Total	AGE OF MOTHER									Not stated
		Under 15 years	15-19 years	20-24 years	25-29 years	30-34 years	35-39 years	40-44 years	45-49 years	50 years and over	
MICHIGAN—Continued											
Rural-----	53,040	28	5,829	18,184	15,140	8,462	4,145	1,160	89	1	22
White, mother native-----	50,951	27	5,683	17,608	14,528	8,063	3,900	1,059	65	-	19
White, mother foreign-----	1,385	-	37	340	432	268	194	69	3	1	1
White, mother's nativity not stated-----	4	-	2	1	-	1	-	-	-	-	-
Negro-----	594	1	90	201	155	89	43	13	1	-	1
Other-----	106	-	17	34	25	21	8	-	-	-	1
MINNESOTA-----											
Total	73,929	17	5,637	23,329	21,891	13,848	7,004	1,921	133	2	147
White, mother native-----	71,747	14	5,476	22,689	21,274	13,449	6,752	1,835	126	2	130
White, mother foreign-----	1,345	-	37	352	417	272	194	62	6	-	5
White, mother's nativity not stated-----	27	-	4	5	5	1	4	2	-	-	6
Negro-----	258	2	33	108	60	33	17	2	-	-	1
Other-----	554	1	87	175	135	93	37	20	1	-	5
Urban-----	41,756	11	3,007	13,483	12,834	7,762	3,677	842	59	1	61
White, mother native-----	40,568	9	2,942	13,127	12,481	7,536	3,543	803	54	1	72
White, mother foreign-----	828	-	20	213	259	179	115	34	4	-	4
White, mother's nativity not stated-----	18	-	3	5	4	1	1	-	-	-	5
Negro-----	246	2	33	103	58	31	16	2	-	-	1
Other-----	96	-	9	35	32	15	2	2	-	-	1
Places of 100,000 or more-----	24,202	9	1,608	7,841	7,609	4,511	2,099	458	30	-	37
White, mother native-----	23,337	7	1,554	7,580	7,356	4,354	1,997	430	28	-	31
White, mother foreign-----	535	-	11	131	167	113	63	25	2	-	3
White, mother's nativity not stated-----	8	-	2	2	1	-	1	-	-	-	2
Negro-----	246	2	33	103	58	31	16	2	-	-	1
Other-----	76	-	8	25	27	13	2	1	-	-	-
Places of 25,000 to 100,000-----	957	-	65	250	269	172	87	11	1	-	2
White, mother native-----	931	-	65	246	259	166	85	11	1	-	1
White, mother foreign-----	26	-	-	4	11	6	4	-	-	-	1
White, mother's nativity not stated-----	-	-	-	-	-	-	-	-	-	-	-
Negro-----	-	-	-	-	-	-	-	-	-	-	-
Other-----	-	-	-	-	-	-	-	-	-	-	-
Places of 10,000 to 25,000-----	5,591	-	469	1,870	1,642	977	494	118	9	1	21
White, mother native-----	5,500	-	469	1,859	1,619	955	471	116	9	1	21
White, mother foreign-----	84	-	-	27	22	20	13	2	-	-	-
White, mother's nativity not stated-----	2	-	-	1	-	1	-	-	-	-	-
Negro-----	-	-	-	-	-	-	-	-	-	-	-
Other-----	5	-	-	3	1	-	-	-	-	-	-
Places of 2,500 to 10,000-----	11,106	2	885	3,522	3,314	2,102	1,007	255	18	-	21
White, mother native-----	10,900	2	854	3,462	3,248	2,061	992	246	16	-	19
White, mother foreign-----	163	-	9	51	59	40	15	7	2	-	-
White, mother's nativity not stated-----	8	-	1	2	3	-	-	1	-	-	1
Negro-----	-	-	-	-	-	-	-	-	-	-	-
Other-----	15	-	1	7	4	1	-	1	-	-	1
Rural-----	32,173	6	2,630	9,846	9,057	6,086	3,327	1,079	75	1	66
White, mother native-----	31,179	5	2,534	9,562	8,793	5,913	3,209	1,032	72	1	58
White, mother foreign-----	517	-	17	139	158	93	79	28	2	-	1
White, mother's nativity not stated-----	9	-	1	-	1	-	3	1	-	-	3
Negro-----	10	-	-	5	2	2	1	-	-	-	-
Other-----	458	1	78	140	103	76	35	16	1	-	4
MISSISSIPPI-----											
Total	66,415	441	13,467	20,779	14,635	8,806	5,864	1,730	146	9	538
White, mother native-----	28,896	45	4,660	9,528	7,114	4,187	2,513	703	57	2	97
White, mother foreign-----	170	-	9	75	42	24	13	6	-	-	1
White, mother's nativity not stated-----	31	-	3	6	2	2	1	-	-	-	17
Negro-----	37,189	393	8,777	11,138	7,450	4,576	3,319	1,018	89	7	422
Other-----	129	3	28	32	27	17	18	3	-	-	1
Urban-----	18,706	58	2,923	5,765	4,272	2,219	1,158	235	12	1	63
White, mother native-----	9,151	8	1,175	3,259	2,612	1,324	638	115	3	-	17
White, mother foreign-----	85	-	3	40	25	13	2	2	-	-	-
White, mother's nativity not stated-----	1	-	-	-	-	-	-	-	-	-	1
Negro-----	7,439	50	1,743	2,454	1,628	679	513	117	9	1	45
Other-----	30	-	2	12	7	3	5	1	-	-	-
Places of 25,000 to 100,000-----	3,790	15	621	1,343	1,009	512	243	37	4	1	5
White, mother native-----	1,989	-	219	674	599	327	147	21	2	-	-
White, mother foreign-----	14	-	-	7	5	1	1	-	-	-	-
White, mother's nativity not stated-----	1	-	-	-	-	-	-	-	-	-	1
Negro-----	1,785	15	401	662	405	184	95	16	2	1	4
Other-----	1	-	1	-	-	-	-	-	-	-	-
Places of 10,000 to 25,000-----	6,819	20	1,165	2,377	1,735	901	469	102	2	-	29
White, mother native-----	3,730	2	499	1,375	1,036	512	247	49	-	-	10
White, mother foreign-----	45	-	3	23	12	5	1	1	-	-	-
White, mother's nativity not stated-----	-	-	-	-	-	-	-	-	-	-	-
Negro-----	3,030	18	683	972	685	382	218	52	2	-	19
Other-----	14	-	-	7	2	2	3	-	-	-	-
Places of 2,500 to 10,000-----	6,097	23	1,117	2,045	1,528	806	446	96	6	-	30
White, mother native-----	3,432	6	457	1,210	977	485	244	45	1	-	7
White, mother foreign-----	26	-	-	10	8	7	-	1	-	-	-
White, mother's nativity not stated-----	-	-	-	-	-	-	-	-	-	-	-
Negro-----	2,624	17	659	820	538	313	200	49	5	-	23
Other-----	15	-	1	5	5	1	2	1	-	-	-
Rural-----	48,709	383	10,544	15,014	10,363	6,587	4,706	1,495	134	8	475
White, mother native-----	19,745	37	3,475	6,269	4,502	2,863	1,675	588	54	2	80
White, mother foreign-----	85	-	6	35	17	11	11	4	-	-	1
White, mother's nativity not stated-----	30	-	3	6	2	2	1	-	-	-	16
Negro-----	29,750	343	7,034	6,684	5,822	3,697	2,606	901	80	6	377
Other-----	99	3	26	20	20	14	13	2	-	-	1

VITAL STATISTICS OF THE UNITED STATES

TABLE 4.—LIVE BIRTHS BY AGE OF MOTHER, RACE, NATIVITY OF WHITE MOTHER, AND POPULATION-SIZE GROUP: UNITED STATES AND EACH STATE, 1949—Continued

(By place of residence)

AREA, RACE, NATIVITY OF WHITE MOTHER, AND POPULATION-SIZE GROUP	Total	AGE OF MOTHER									
		Under 15 years	15-19 years	20-24 years	25-29 years	30-34 years	35-39 years	40-44 years	45-49 years	50 years and over	Not stated
NEBRASKA—Continued											
Urban-----	15,011	13	1,657	5,425	4,392	2,262	1,017	230	12	-	3
White, mother native-----	14,219	10	1,523	5,157	4,184	2,165	959	207	11	-	3
White, mother foreign-----	238	-	8	69	84	33	27	16	1	-	-
White, mother's nativity not stated-----	4	-	-	3	1	-	-	-	-	-	-
Negro-----	464	3	116	170	106	55	29	5	-	-	-
Other-----	66	-	10	26	17	9	2	2	-	-	-
Places of 100,000 or more-----	6,049	5	603	2,122	1,617	964	457	98	3	-	-
White, mother native-----	5,457	2	487	1,923	1,670	891	394	87	3	-	-
White, mother foreign-----	125	-	6	35	43	18	17	6	-	-	-
White, mother's nativity not stated-----	2	-	-	1	-	-	-	-	-	-	-
Negro-----	432	3	106	153	93	47	26	4	-	-	-
Other-----	35	-	4	10	10	8	-	1	-	-	-
Places of 25,000 to 100,000-----	2,439	1	221	972	694	359	159	32	2	-	-
White, mother native-----	2,378	1	215	950	674	352	156	29	2	-	-
White, mother foreign-----	23	-	-	7	7	4	2	3	-	-	-
White, mother's nativity not stated-----	-	-	-	-	-	-	-	-	-	-	-
Negro-----	33	-	5	12	12	2	1	1	-	-	-
Other-----	5	-	1	3	1	-	-	-	-	-	-
Places of 10,000 to 25,000-----	2,604	6	574	1,054	816	426	193	32	2	-	1
White, mother native-----	2,540	6	568	1,033	796	417	189	28	2	-	1
White, mother foreign-----	41	-	2	12	16	5	3	3	-	-	-
White, mother's nativity not stated-----	-	-	-	-	-	-	-	-	-	-	-
Negro-----	8	-	2	3	-	3	-	-	-	-	-
Other-----	15	-	2	6	4	1	1	1	-	-	-
Places of 2,500 to 10,000-----	3,619	1	459	1,277	1,065	514	228	68	5	-	2
White, mother native-----	3,544	1	453	1,251	1,044	505	220	64	4	-	2
White, mother foreign-----	49	-	-	15	18	6	5	4	1	-	-
White, mother's nativity not stated-----	2	-	-	2	-	-	-	-	-	-	-
Negro-----	11	-	3	2	1	3	2	-	-	-	-
Other-----	13	-	3	7	2	-	1	-	-	-	-
Rural-----	16,536	6	1,689	5,411	4,711	2,746	1,451	488	31	-	23
White, mother native-----	16,246	6	1,666	5,327	4,640	2,701	1,404	451	28	-	23
White, mother foreign-----	163	-	4	46	49	19	29	13	3	-	-
White, mother's nativity not stated-----	3	-	-	-	1	-	2	-	-	-	-
Negro-----	9	-	2	6	-	1	-	-	-	-	-
Other-----	115	-	17	32	21	25	16	4	-	-	-
NEVADA-----											
White, mother native-----	3,277	1	396	1,089	950	524	243	70	1	-	3
White, mother foreign-----	107	-	2	25	41	18	17	4	-	-	-
White, mother's nativity not stated-----	-	-	-	-	-	-	-	-	-	-	-
Negro-----	110	2	20	39	27	13	9	-	-	-	-
Other-----	179	2	27	48	45	28	25	3	-	-	1
Urban-----	1,685	3	189	614	578	313	148	39	1	-	-
White, mother native-----	1,706	-	171	560	522	290	128	36	1	-	-
White, mother foreign-----	55	-	1	11	25	11	5	2	-	-	-
White, mother's nativity not stated-----	-	-	-	-	-	-	-	-	-	-	-
Negro-----	87	2	14	34	21	9	7	-	-	-	-
Other-----	35	1	3	9	10	3	8	1	-	-	-
Places of 10,000 to 25,000-----	614	1	72	269	246	155	58	13	-	-	-
White, mother native-----	765	-	69	255	225	150	53	13	-	-	-
White, mother foreign-----	26	-	1	4	16	3	2	-	-	-	-
White, mother's nativity not stated-----	-	-	-	-	-	-	-	-	-	-	-
Negro-----	8	-	-	7	-	1	-	-	-	-	-
Other-----	15	1	2	3	5	1	3	-	-	-	-
Places of 2,500 to 10,000-----	1,071	2	117	345	332	156	90	26	1	-	-
White, mother native-----	943	-	102	305	297	140	75	23	1	-	-
White, mother foreign-----	29	-	-	7	9	8	3	2	-	-	-
White, mother's nativity not stated-----	-	-	-	-	-	-	-	-	-	-	-
Negro-----	79	2	14	27	21	8	7	-	-	-	-
Other-----	20	-	1	6	5	2	5	1	-	-	-
Rural-----	1,788	2	258	597	485	270	146	39	-	-	4
White, mother native-----	1,589	1	225	529	428	234	115	34	-	-	3
White, mother foreign-----	52	-	1	14	16	7	12	2	-	-	-
White, mother's nativity not stated-----	-	-	-	-	-	-	-	-	-	-	-
Negro-----	23	-	6	5	6	4	2	-	-	-	-
Other-----	144	1	24	39	35	25	17	2	-	-	1
NEW HAMPSHIRE-----											
White, mother native-----	11,265	4	1,091	3,831	3,354	1,913	858	201	7	1	5
White, mother foreign-----	648	-	9	143	224	137	93	40	2	-	-
White, mother's nativity not stated-----	7	-	-	-	4	1	-	1	-	-	-
Negro-----	11	-	1	4	3	2	1	-	-	-	-
Other-----	9	-	1	5	2	1	-	-	-	-	-
Urban-----	6,798	1	545	2,272	2,072	1,216	555	132	4	-	1
White, mother native-----	6,368	1	536	2,163	1,916	1,119	495	114	3	-	1
White, mother foreign-----	416	-	7	63	151	96	60	18	1	-	-
White, mother's nativity not stated-----	2	-	1	-	1	-	-	-	-	-	-
Negro-----	6	-	1	2	2	1	-	-	-	-	-
Other-----	6	-	-	4	2	-	-	-	-	-	-
Places of 25,000 to 100,000-----	3,253	-	199	1,042	1,045	610	294	60	3	-	-
White, mother native-----	3,033	-	195	996	965	567	257	51	2	-	-
White, mother foreign-----	213	-	3	43	76	42	37	9	1	-	-
White, mother's nativity not stated-----	-	-	-	-	-	-	-	-	-	-	-
Negro-----	4	-	1	-	2	1	-	-	-	-	-
Other-----	3	-	-	3	-	-	-	-	-	-	-

GENERAL TABLES—LIVE BIRTHS

TABLE 4.—LIVE BIRTHS BY AGE OF MOTHER, RACE, NATIVITY OF WHITE MOTHER, AND POPULATION-SIZE GROUP: UNITED STATES AND EACH STATE, 1949—Continued

(By place of residence)

AREA, RACE, NATIVITY OF WHITE MOTHER, AND POPULATION-SIZE GROUP	Total	AGE OF MOTHER									
		Under 15 years	15-19 years	20-24 years	25-29 years	30-34 years	35-39 years	40-44 years	45-49 years	50 years and over	Not stated
NEW HAMPSHIRE—Continued											
Places of 10,000 to 25,000	2,469	-	217	666	737	421	177	49	-	-	-
White, mother native	2,306	-	214	634	678	381	160	41	-	-	-
White, mother foreign	156	-	2	31	58	40	17	8	-	-	-
White, mother's nativity not stated	2	-	1	-	1	-	-	-	-	-	-
Negro	2	-	-	2	-	-	-	-	-	-	-
Other	5	-	-	1	2	-	-	-	-	-	-
Places of 2,500 to 10,000	1,078	1	129	382	290	185	84	23	1	-	1
White, mother native	1,029	1	127	353	275	171	79	22	1	-	1
White, mother foreign	47	-	2	9	15	14	6	1	-	-	-
White, mother's nativity not stated	-	-	-	-	-	-	-	-	-	-	-
Negro	-	-	-	-	-	-	-	-	-	-	-
Other	-	-	-	-	-	-	-	-	-	-	-
Rural	5,142	3	559	1,711	1,515	838	397	110	5	1	4
White, mother native	4,937	3	555	1,643	1,433	794	363	87	4	1	4
White, mother foreign	232	-	2	60	73	41	33	22	1	-	-
White, mother's nativity not stated	-	-	-	-	3	2	-	1	-	-	-
Negro	5	-	-	2	1	1	1	-	-	-	-
Other	3	-	1	1	-	1	-	-	-	-	-
NEW JERSEY											
White, mother native	83,741	17	4,356	24,083	28,504	17,843	7,457	1,419	61	-	21
White, mother foreign	4,638	-	95	1,030	1,710	829	682	272	18	-	2
White, mother's nativity not stated	14	-	-	4	2	3	-	1	-	-	4
Negro	9,080	35	1,832	3,318	2,173	1,046	529	129	13	-	5
Other	133	-	5	51	45	20	8	3	1	-	-
Urban	76,279	40	4,596	22,168	25,580	15,546	6,847	1,410	68	-	22
White, mother native	64,660	9	2,962	18,439	22,316	13,976	5,827	1,077	39	-	15
White, mother foreign	3,793	-	77	925	1,378	689	583	224	16	-	1
White, mother's nativity not stated	12	-	-	4	2	3	-	-	-	-	5
Negro	7,724	31	1,556	2,859	1,859	867	431	106	12	-	3
Other	90	-	3	41	25	11	6	3	1	-	-
Places of 100,000 or more	28,405	28	2,079	8,076	8,503	5,012	2,224	449	26	-	8
White, mother native	20,612	7	1,102	6,110	7,024	4,277	1,788	315	14	-	5
White, mother foreign	1,276	-	33	289	452	214	207	74	7	-	-
White, mother's nativity not stated	9	-	-	4	1	3	-	-	-	-	1
Negro	4,466	21	943	1,653	1,014	514	256	59	5	-	2
Other	42	-	1	20	12	4	3	2	-	-	-
Places of 25,000 to 100,000	20,866	6	1,022	5,914	7,176	4,466	1,980	379	16	-	7
White, mother native	18,054	1	717	5,024	6,341	4,063	1,615	283	7	-	5
White, mother foreign	1,163	-	20	250	412	221	179	75	5	-	1
White, mother's nativity not stated	1	-	-	-	-	-	-	-	-	-	1
Negro	1,622	5	293	629	415	178	87	21	4	-	1
Other	26	-	2	11	8	4	1	-	-	-	-
Places of 10,000 to 25,000	13,730	3	709	3,893	4,898	2,976	1,262	277	12	-	2
White, mother native	12,009	1	496	3,357	4,185	2,636	1,120	225	8	-	1
White, mother foreign	661	-	12	157	249	118	91	35	2	-	-
White, mother's nativity not stated	-	-	-	-	-	-	-	-	-	-	-
Negro	1,051	2	201	373	280	124	51	17	2	-	1
Other	9	-	-	6	2	1	-	-	-	-	-
Places of 2,500 to 10,000	15,278	3	788	4,265	5,205	3,192	1,481	305	14	-	5
White, mother native	13,985	-	647	3,948	4,786	3,000	1,336	254	10	-	4
White, mother foreign	693	-	12	129	265	139	106	40	2	-	-
White, mother's nativity not stated	2	-	-	-	1	-	-	-	-	-	1
Negro	585	3	129	204	150	51	37	10	1	-	1
Other	13	-	-	4	3	2	2	1	1	-	-
Rural	21,327	12	1,670	6,318	6,854	4,195	1,829	414	25	-	10
White, mother native	19,081	8	1,374	5,644	6,188	3,867	1,630	342	22	-	6
White, mother foreign	845	-	18	205	332	140	99	48	2	-	1
White, mother's nativity not stated	2	-	-	-	-	-	-	1	-	-	1
Negro	1,356	4	276	459	314	179	98	23	1	-	2
Other	43	-	2	10	20	9	2	-	-	-	-
NEW MEXICO											
White, mother native	19,532	17	2,942	6,418	8,063	2,841	1,704	493	35	1	20
White, mother foreign	534	-	47	180	140	61	74	30	2	-	-
White, mother's nativity not stated	32	-	6	11	2	6	2	-	-	-	5
Negro	1,471	5	36	49	38	10	12	2	-	-	-
Other	1,355	2	193	390	333	213	154	82	8	4	4
Urban	10,032	11	1,530	3,435	2,648	1,431	757	193	9	3	15
White, mother native	9,521	8	1,472	3,276	2,517	1,351	701	176	9	1	12
White, mother foreign	232	-	17	60	58	36	32	12	-	-	-
White, mother's nativity not stated	16	-	3	5	-	4	1	-	-	-	3
Negro	115	5	27	34	27	10	2	2	-	-	-
Other	149	-	11	40	49	30	13	3	-	2	-
Places of 25,000 to 100,000	2,747	3	342	953	608	408	187	41	1	2	4
White, mother native	2,539	3	329	900	766	390	172	34	1	1	3
White, mother foreign	77	-	3	32	21	8	7	6	-	-	-
White, mother's nativity not stated	3	-	-	1	-	-	1	-	-	-	1
Negro	20	-	4	4	5	3	2	-	-	-	-
Other	50	-	8	16	16	5	5	1	1	-	-
Places of 10,000 to 25,000	2,673	5	455	912	670	377	220	49	2	-	3
White, mother native	2,559	2	416	876	645	359	211	45	2	-	3
White, mother foreign	35	-	4	14	7	5	3	2	-	-	-
White, mother's nativity not stated	3	-	1	1	-	1	-	-	-	-	-
Negro	52	3	13	15	11	4	5	1	-	-	-
Other	24	-	1	6	7	6	1	1	-	-	-

VITAL STATISTICS OF THE UNITED STATES

TABLE 4.—LIVE BIRTHS BY AGE OF MOTHER, RACE, NATIVITY OF WHITE MOTHER, AND POPULATION-SIZE GROUP: UNITED STATES AND EACH STATE, 1949—Continued

(By place of residence)

AREA, RACE, NATIVITY OF WHITE MOTHER, AND POPULATION-SIZE GROUP	Total	AGE OF MOTHER									Not stated
		Under 15 years	15-19 years	20-24 years	25-29 years	30-34 years	35-39 years	40-44 years	45-49 years	50 years and over	
NEW MEXICO—Continued											
Places of 2,500 to 10,000—Continued	4,612	3	753	1,570	1,170	648	350	103	6	1	8
White, mother native	4,363	1	727	1,500	1,106	602	318	97	6	-	6
White, mother foreign	120	-	10	34	27	23	22	4	-	-	-
White, mother's nativity not stated	10	-	2	3	-	3	-	-	-	-	2
Negro	45	2	10	15	11	3	3	1	-	-	-
Other	74	-	4	18	26	17	7	1	-	1	-
Rural	11,588	13	1,694	3,611	2,923	1,722	1,189	384	36	2	14
White, mother native	10,011	11	1,470	3,140	2,546	1,490	1,003	317	26	-	8
White, mother foreign	322	-	30	100	85	45	42	18	2	-	-
White, mother's nativity not stated	16	-	3	6	2	2	1	-	-	-	2
Negro	32	-	9	15	6	-	2	-	-	-	-
Other	1,207	2	182	350	284	185	141	49	8	2	4
NEW YORK											
Total	301,287	149	19,817	90,019	97,133	59,672	27,901	6,205	280	6	105
White, mother native	253,539	66	15,225	75,010	83,085	52,052	22,451	4,625	165	3	57
White, mother foreign	21,217	-	376	4,371	7,169	4,065	3,913	1,286	89	2	7
White, mother's nativity not stated	27	-	3	1	4	1	1	-	-	-	17
Negro	25,211	82	4,121	9,389	6,518	3,313	1,417	314	23	1	23
Other	1,293	1	93	438	357	241	119	40	3	-	1
Urban	239,482	122	14,926	70,915	77,465	47,726	22,260	4,761	202	4	61
White, mother native	194,306	45	10,559	57,642	64,563	40,708	17,269	3,362	100	1	38
White, mother foreign	18,626	-	330	3,767	6,240	3,606	3,516	1,077	90	2	6
White, mother's nativity not stated	17	-	2	-	1	-	1	-	-	-	13
Negro	24,444	76	3,968	9,131	6,348	3,204	1,367	306	20	1	23
Other	1,089	1	67	375	283	206	106	36	2	-	1
Places of 100,000 or more	184,832	109	11,156	54,104	60,563	37,456	17,553	3,661	156	4	70
White, mother native	145,171	36	7,196	42,110	49,065	31,187	13,058	2,410	69	1	50
White, mother foreign	15,975	-	266	3,152	5,306	3,104	3,139	935	66	2	5
White, mother's nativity not stated	14	-	1	-	-	-	1	-	-	-	12
Negro	22,642	73	5,632	8,462	5,920	2,860	1,253	280	19	1	22
Other	1,030	1	61	360	272	195	102	36	2	-	1
Places of 25,000 to 100,000	18,592	8	1,568	5,919	5,903	3,477	1,523	374	17	-	3
White, mother native	16,635	6	1,144	5,333	5,345	3,167	1,322	306	10	-	2
White, mother foreign	973	-	50	241	328	181	139	50	7	-	-
White, mother's nativity not stated	2	-	1	-	-	-	-	-	-	-	1
Negro	962	2	192	341	222	124	63	18	-	-	-
Other	20	-	1	4	10	5	-	-	-	-	-
Places of 10,000 to 25,000	19,039	2	1,300	6,027	5,951	3,618	1,729	416	12	-	4
White, mother native	17,513	1	1,182	5,593	5,429	3,373	1,561	363	8	-	3
White, mother foreign	938	-	21	208	356	167	133	47	3	-	-
White, mother's nativity not stated	-	-	-	-	-	-	-	-	-	-	-
Negro	571	1	93	220	143	73	33	6	1	-	1
Other	20	-	4	6	3	5	2	-	-	-	-
Places of 2,500 to 10,000	16,019	3	1,102	4,865	5,068	3,175	1,455	330	17	-	4
White, mother native	14,987	3	1,037	4,606	4,744	2,971	1,327	283	13	-	3
White, mother foreign	743	-	13	166	252	154	108	45	4	-	1
White, mother's nativity not stated	1	-	-	-	1	-	-	-	-	-	-
Negro	269	-	51	86	63	47	16	2	-	-	-
Other	19	-	1	5	8	3	2	-	-	-	-
Rural	62,805	27	4,091	19,104	19,668	11,946	5,641	1,424	78	2	24
White, mother native	59,235	21	4,066	16,166	16,502	11,344	5,183	1,283	65	2	19
White, mother foreign	2,591	-	45	604	929	459	395	149	9	-	1
White, mother's nativity not stated	10	-	1	1	3	1	-	-	-	-	4
Negro	767	6	153	266	170	109	50	8	3	-	-
Other	204	-	26	63	64	33	13	4	1	-	-
NORTH CAROLINA											
Total	107,970	315	18,768	35,609	26,599	15,179	8,481	2,502	207	7	303
White, mother native	71,931	62	10,896	23,895	18,740	10,665	5,694	1,701	137	6	135
White, mother foreign	459	-	20	205	159	43	26	6	-	-	-
White, mother's nativity not stated	25	-	4	5	3	3	-	-	-	-	9
Negro	34,352	246	7,636	11,131	7,429	4,305	2,623	760	66	1	154
Other	1,203	7	212	373	269	163	137	35	2	-	5
Urban	34,173	61	5,437	11,886	9,223	4,755	2,227	493	31	-	50
White, mother native	23,980	9	3,126	8,384	6,940	3,531	1,613	332	23	-	22
White, mother foreign	238	-	8	105	83	19	20	3	-	-	-
White, mother's nativity not stated	3	-	-	1	-	-	-	-	-	-	2
Negro	9,923	72	2,300	3,382	2,197	1,200	592	146	6	-	26
Other	29	-	3	14	3	5	2	2	-	-	-
Places of 100,000 or more	5,649	12	554	1,185	1,047	528	262	60	1	-	-
White, mother native	2,493	2	293	806	785	379	182	46	-	-	-
White, mother foreign	28	-	-	8	12	3	5	-	-	-	-
White, mother's nativity not stated	-	-	-	-	-	-	-	-	-	-	-
Negro	1,126	10	261	369	250	146	75	14	1	-	-
Other	2	-	-	2	-	-	-	-	-	-	-
Places of 25,000 to 100,000	12,337	27	1,886	4,333	3,419	1,725	774	152	10	-	11
White, mother native	9,217	1	934	2,906	2,498	1,240	532	97	5	-	4
White, mother foreign	75	-	2	22	33	7	9	2	-	-	-
White, mother's nativity not stated	1	-	-	1	-	-	-	-	-	-	-
Negro	4,033	26	947	1,401	898	476	231	52	5	-	7
Other	11	-	3	3	-	2	2	1	-	-	-
Places of 10,000 to 25,000	9,480	25	1,635	3,353	2,469	1,261	571	134	9	-	23
White, mother native	6,671	3	991	2,373	1,843	937	411	92	9	-	12
White, mother foreign	88	-	6	56	27	6	3	-	-	-	-
White, mother's nativity not stated	1	-	-	-	-	-	-	-	-	-	1
Negro	2,703	22	638	919	599	316	157	42	-	-	10
Other	7	-	-	5	-	2	-	-	-	-	-

TABLE 4.—LIVE BIRTHS BY AGE OF MOTHER, RACE, NATIVITY OF WHITE MOTHER, AND POPULATION-SIZE GROUP: UNITED STATES AND EACH STATE, 1949—Continued

(By place of residence)

AREA, RACE, NATIVITY OF WHITE MOTHER, AND POPULATION-SIZE GROUP	Total	AGE OF MOTHER									
		Under 15 years	15-19 years	20-24 years	25-29 years	30-34 years	35-39 years	40-44 years	45-49 years	50 years and over	Not stated
OHIO—Continued											
Rural-----	59,050	40	6,607	19,469	16,875	9,717	4,844	1,357	91	4	46
White, mother native-----	57,351	33	6,612	18,913	16,197	9,498	4,683	1,301	85	4	45
White, mother foreign-----	700	-	19	238	231	82	89	29	2	-	-
White, mother's nativity not stated-----	10	-	1	4	2	1	1	-	-	-	1
Negro-----	982	7	174	311	242	126	91	27	4	-	-
Other-----	7	-	1	3	3	-	-	-	-	-	-
OKLAHOMA-----											
White, mother native-----	43,806	45	7,418	15,501	10,876	5,798	3,222	897	89	-	160
White, mother foreign-----	302	-	13	128	96	43	16	5	1	-	-
White, mother's nativity not stated-----	6	-	1	1	-	-	1	-	-	-	3
Negro-----	3,617	39	864	1,085	714	454	333	80	5	-	35
Other-----	1,871	9	357	607	447	274	195	84	3	-	15
Urban-----											
White, mother native-----	25,141	49	4,157	9,242	6,456	3,228	1,568	330	23	-	68
White, mother foreign-----	22,199	24	3,538	8,276	5,807	2,848	1,370	270	19	-	47
White, mother's nativity not stated-----	212	-	8	89	70	29	11	4	1	-	-
Negro-----	2,238	25	535	700	454	295	165	45	2	-	18
Other-----	490	-	76	177	125	56	42	11	1	-	2
Places of 100,000 or more-----											
White, mother native-----	10,028	17	1,575	3,629	2,721	1,314	623	124	9	-	16
White, mother foreign-----	8,690	8	1,262	3,171	2,425	1,147	546	97	8	-	6
White, mother's nativity not stated-----	87	-	4	33	27	15	5	3	-	-	-
Negro-----	1,151	9	274	365	239	145	66	23	1	-	9
Other-----	99	-	15	40	30	7	6	-	-	-	-
Places of 25,000 to 100,000-----											
White, mother native-----	1,781	4	279	681	449	217	124	21	2	-	4
White, mother foreign-----	1,531	-	258	601	394	179	99	17	1	-	2
White, mother's nativity not stated-----	24	-	-	12	10	1	1	-	-	-	-
Negro-----	205	4	38	55	41	36	24	4	1	-	2
Other-----	21	-	3	13	4	1	-	-	-	-	-
Places of 10,000 to 25,000-----											
White, mother native-----	6,936	11	1,114	2,675	1,758	880	397	78	4	-	21
White, mother foreign-----	6,218	4	963	2,443	1,603	782	338	66	4	-	15
White, mother's nativity not stated-----	65	-	3	23	23	11	5	-	-	-	-
Negro-----	489	7	126	151	89	63	40	9	-	-	4
Other-----	166	-	22	58	43	24	14	3	-	-	2
Places of 2,500 to 10,000-----											
White, mother native-----	6,394	17	1,189	2,257	1,528	817	444	107	8	-	27
White, mother foreign-----	5,760	12	1,055	2,061	1,385	740	387	80	6	-	24
White, mother's nativity not stated-----	36	-	1	21	10	2	-	1	1	-	-
Negro-----	394	5	97	109	85	51	35	9	-	-	3
Other-----	204	-	36	66	48	24	22	7	1	-	-
Rural-----											
White, mother native-----	24,561	44	4,476	7,880	5,677	3,341	2,179	744	75	-	145
White, mother foreign-----	21,607	21	3,880	7,025	5,069	2,950	1,852	627	70	-	113
White, mother's nativity not stated-----	90	-	5	39	26	14	5	1	-	-	-
Negro-----	1,378	14	329	385	260	159	168	43	3	-	17
Other-----	1,481	9	261	430	322	218	153	73	2	-	13
OREGON-----											
White, mother native-----	35,316	17	4,460	12,005	9,882	5,703	2,585	616	39	-	9
White, mother foreign-----	33,536	15	4,530	11,530	9,292	5,362	2,392	570	36	-	9
White, mother's nativity not stated-----	1,060	1	49	255	376	221	120	35	3	-	-
Negro-----	328	1	41	93	100	59	31	3	-	-	-
Other-----	387	-	39	126	112	60	42	8	-	-	-
Urban-----											
White, mother native-----	19,507	8	2,100	6,540	5,707	3,229	1,411	297	14	-	1
White, mother foreign-----	18,145	6	2,025	6,232	5,502	3,003	1,296	266	12	-	1
White, mother's nativity not stated-----	689	1	28	156	251	149	62	20	2	-	-
Negro-----	319	1	59	92	99	55	30	3	-	-	-
Other-----	172	-	7	60	54	22	23	6	-	-	-
Places of 100,000 or more-----											
White, mother native-----	9,881	5	872	3,124	3,064	1,849	810	163	4	-	-
White, mother foreign-----	9,026	3	812	2,900	2,763	1,674	725	145	4	-	-
White, mother's nativity not stated-----	430	1	14	88	165	103	42	11	-	-	-
Negro-----	508	1	39	91	92	52	30	5	-	-	-
Other-----	126	-	7	45	43	14	13	4	-	-	-
Places of 25,000 to 100,000-----											
White, mother native-----	1,014	-	108	365	307	157	67	10	2	-	-
White, mother foreign-----	986	-	107	354	295	153	66	10	1	-	-
White, mother's nativity not stated-----	26	-	-	9	11	4	1	-	-	-	-
Negro-----	1	-	1	-	-	-	-	-	-	-	-
Other-----	1	-	-	-	1	-	-	-	-	-	-
Places of 10,000 to 25,000-----											
White, mother native-----	3,207	2	391	1,150	910	489	215	45	4	-	1
White, mother foreign-----	3,106	2	386	1,127	870	471	208	37	4	-	-
White, mother's nativity not stated-----	79	-	5	19	29	13	6	7	-	-	-
Negro-----	9	-	-	-	7	2	-	-	-	-	-
Other-----	13	-	-	4	4	3	1	1	-	-	-
Places of 2,500 to 10,000-----											
White, mother native-----	5,195	1	729	1,903	1,426	734	319	79	4	-	-
White, mother foreign-----	5,027	1	720	1,851	1,374	705	297	76	3	-	-
White, mother's nativity not stated-----	134	-	9	40	46	23	13	2	1	-	-
Negro-----	2	-	-	1	-	1	-	-	-	-	-
Other-----	32	-	-	11	6	5	9	1	-	-	-

GENERAL TABLES—LIVE BIRTHS

119

TABLE 4.—LIVE BIRTHS BY AGE OF MOTHER, RACE, NATIVITY OF WHITE MOTHER, AND POPULATION-SIZE GROUP: UNITED STATES AND EACH STATE, 1949—Continued

(By place of residence)

Table with columns: AREA, RACE, NATIVITY OF WHITE MOTHER, AND POPULATION-SIZE GROUP; Total; AGE OF MOTHER (Under 15, 15-19, 20-24, 25-29, 30-34, 35-39, 40-44, 45-49, 50 years and over, Not stated). Rows include Tennessee (Urban/Rural, Place of residence) and Texas (Urban/Rural, Place of residence).

VITAL STATISTICS OF THE UNITED STATES

TABLE 4.—LIVE BIRTHS BY AGE OF MOTHER, RACE, NATIVITY OF WHITE MOTHER, AND POPULATION-SIZE GROUP: UNITED STATES AND EACH STATE, 1949—Continued

(By place of residence)

AREA, RACE, NATIVITY OF WHITE MOTHER, AND POPULATION-SIZE GROUP	Total	AGE OF MOTHER									Not stated
		Under 15 years	15-19 years	20-24 years	25-29 years	30-34 years	35-39 years	40-44 years	45-49 years	50 years and over	
UTAH—Continued											
Urban-----	12,366	4	1,498	4,276	3,452	1,915	947	232	18	-	24
White, mother native-----	11,921	4	1,484	4,157	3,317	1,827	886	203	16	-	17
White, mother foreign-----	281	-	1	72	84	61	44	27	2	-	-
White, mother's nativity not stated-----	20	-	-	4	5	3	-	1	-	-	7
Negro-----	51	-	6	18	15	12	-	-	-	-	-
Other-----	85	-	7	25	51	12	7	1	-	-	-
Places of 100,000 or more-----	5,484	1	568	1,900	1,607	892	408	93	6	-	9
White, mother native-----	5,235	1	565	1,831	1,525	846	378	77	5	-	7
White, mother foreign-----	166	-	-	41	46	37	28	15	1	-	-
White, mother's nativity not stated-----	7	-	-	1	5	-	-	1	-	-	2
Negro-----	28	-	1	11	11	5	-	-	-	-	-
Other-----	48	-	2	18	22	4	4	-	-	-	-
Places of 25,000 to 100,000-----	1,867	2	250	846	500	297	130	28	5	-	-
White, mother native-----	1,806	2	252	833	479	282	128	27	5	-	-
White, mother foreign-----	29	-	-	5	12	6	4	2	-	-	-
White, mother's nativity not stated-----	-	-	-	-	-	-	-	-	-	-	-
Negro-----	20	-	5	6	3	6	-	-	-	-	-
Other-----	12	-	1	2	6	3	-	-	-	-	-
Places of 10,000 to 25,000-----	1,445	-	142	592	402	196	91	20	2	-	-
White, mother native-----	1,404	-	141	577	395	189	84	16	2	-	-
White, mother foreign-----	41	-	1	15	7	7	4	-	-	-	-
White, mother's nativity not stated-----	-	-	-	-	-	-	-	-	-	-	-
Negro-----	-	-	-	-	-	-	-	-	-	-	-
Other-----	-	-	-	-	-	-	-	-	-	-	-
Places of 2,500 to 10,000-----	3,570	1	530	1,158	943	530	318	90	6	-	15
White, mother native-----	3,476	1	526	1,116	918	510	308	83	4	-	10
White, mother foreign-----	55	-	-	11	19	11	7	6	1	-	-
White, mother's nativity not stated-----	13	-	-	3	2	3	-	-	-	-	5
Negro-----	3	-	-	1	1	1	-	-	-	-	-
Other-----	23	-	4	7	3	5	3	1	-	-	-
Rural-----	8,798	6	1,092	2,821	2,319	1,455	794	265	28	-	38
White, mother native-----	8,479	4	1,069	2,731	2,224	1,397	772	240	23	-	19
White, mother foreign-----	138	-	3	36	44	26	17	8	4	-	-
White, mother's nativity not stated-----	39	-	1	6	7	4	1	2	-	-	18
Negro-----	12	-	-	6	4	1	1	-	-	-	-
Other-----	130	2	9	42	40	27	3	5	1	-	1
VERMONT-----											
White, mother native-----	8,600	6	972	2,891	2,470	1,393	651	195	18	-	4
White, mother foreign-----	684	-	29	156	231	132	90	42	2	-	2
White, mother's nativity not stated-----	9	-	1	2	1	1	2	-	-	-	2
Negro-----	2	-	-	1	1	1	-	-	-	-	-
Other-----	2	-	-	1	1	1	-	-	-	-	-
Urban-----	3,439	2	332	1,178	1,076	560	254	78	8	-	3
White, mother native-----	3,204	2	318	1,107	975	514	217	62	7	-	2
White, mother foreign-----	278	-	13	69	100	44	37	14	1	-	-
White, mother's nativity not stated-----	5	-	1	2	-	1	-	-	-	-	1
Negro-----	1	-	-	-	1	-	-	-	-	-	-
Other-----	1	-	-	-	-	1	-	-	-	-	-
Places of 25,000 to 100,000-----	842	-	86	292	262	125	62	14	-	-	1
White, mother native-----	786	-	86	280	236	114	57	12	-	-	-
White, mother foreign-----	33	-	-	11	25	10	5	2	-	-	-
White, mother's nativity not stated-----	3	-	-	1	1	1	-	-	-	-	1
Negro-----	1	-	-	-	-	-	-	-	-	-	-
Other-----	-	-	-	-	-	-	-	-	-	-	-
Places of 10,000 to 25,000-----	700	-	55	228	219	122	54	20	2	-	-
White, mother native-----	657	-	55	221	201	117	45	16	2	-	-
White, mother foreign-----	42	-	-	7	18	4	9	4	-	-	-
White, mother's nativity not stated-----	-	-	-	-	-	-	-	-	-	-	-
Negro-----	-	-	-	-	-	-	-	-	-	-	-
Other-----	1	-	-	1	1	1	-	-	-	-	-
Places of 2,500 to 10,000-----	1,947	2	191	659	695	313	138	42	6	-	2
White, mother native-----	1,782	2	177	606	638	283	115	34	5	-	2
White, mother foreign-----	183	-	13	51	57	30	23	8	1	-	-
White, mother's nativity not stated-----	2	-	1	1	-	-	-	-	-	-	-
Negro-----	-	-	-	-	-	-	-	-	-	-	-
Other-----	-	-	-	-	-	-	-	-	-	-	-
Rural-----	5,809	4	670	1,872	1,628	967	489	161	12	-	5
White, mother native-----	5,596	4	654	1,784	1,495	879	434	133	11	-	2
White, mother foreign-----	408	-	16	87	131	88	53	28	1	-	2
White, mother's nativity not stated-----	4	-	-	-	1	-	2	-	-	-	1
Negro-----	1	-	-	1	-	-	-	-	-	-	-
Other-----	1	-	-	-	1	-	-	-	-	-	-
VIRGINIA-----											
White, mother native-----	60,240	46	7,902	19,127	17,148	9,539	4,879	1,405	102	4	88
White, mother foreign-----	1,083	-	29	370	413	172	82	16	1	-	-
White, mother's nativity not stated-----	28	-	2	7	5	4	1	-	-	-	11
Negro-----	21,559	172	4,916	6,875	4,833	2,857	1,500	446	46	5	109
Other-----	50	-	6	17	10	12	4	1	-	-	-
Urban-----	31,594	74	4,365	10,185	9,291	4,619	2,258	507	20	3	74
White, mother native-----	22,716	14	2,448	7,264	7,111	3,780	1,736	350	10	1	52
White, mother foreign-----	612	-	12	189	235	113	53	10	-	-	-
White, mother's nativity not stated-----	6	-	-	1	1	1	1	-	-	-	2
Negro-----	8,226	60	1,900	2,718	1,939	943	463	146	10	2	40
Other-----	34	-	5	13	5	7	3	1	-	-	-

VITAL STATISTICS OF THE UNITED STATES

TABLE 4.—LIVE BIRTHS BY AGE OF MOTHER, RACE, NATIVITY OF WHITE MOTHER, AND POPULATION-SIZE GROUP: UNITED STATES AND EACH STATE, 1949—Continued

(By place of residence)

AREA, RACE, NATIVITY OF WHITE MOTHER, AND POPULATION-SIZE GROUP	Total	AGE OF MOTHER									
		Under 15 years	15-19 years	20-24 years	25-29 years	30-34 years	35-39 years	40-44 years	45-49 years	50 years and over	Not stated
WEST VIRGINIA—Continued											
Places of 25,000 to 100,000-----	7,534	7	991	2,686	2,009	1,058	464	109	5	-	25
White, mother native-----	6,953	3	914	2,854	1,921	1,003	455	102	5	-	16
White, mother foreign-----	71	-	-	25	24	6	13	3	-	-	-
White, mother's nativity not stated-----	9	-	-	-	-	-	-	-	-	-	9
Negro-----	286	4	76	106	62	29	15	4	-	-	-
Other-----	5	-	1	1	2	-	1	-	-	-	-
Places of 10,000 to 25,000-----	3,496	1	459	1,265	956	495	285	52	5	-	8
White, mother native-----	3,159	1	409	1,156	876	443	237	47	5	-	7
White, mother foreign-----	51	-	5	17	15	5	8	-	1	-	-
White, mother's nativity not stated-----	-	-	-	-	-	-	-	-	-	-	-
Negro-----	286	-	45	112	85	37	20	5	1	-	1
Other-----	-	-	-	-	-	-	-	-	-	-	-
Places of 2,500 to 10,000-----	5,291	6	760	1,902	1,392	787	338	87	11	-	8
White, mother native-----	4,853	4	702	1,800	1,299	744	308	79	11	-	6
White, mother foreign-----	61	-	7	15	21	10	6	2	-	-	-
White, mother's nativity not stated-----	2	-	-	1	-	-	-	-	-	-	1
Negro-----	274	2	51	86	71	33	24	6	-	-	1
Other-----	1	-	-	-	1	-	-	-	-	-	-
Rural-----	36,465	45	6,520	12,269	9,487	4,869	3,000	1,056	113	1	103
White, mother native-----	34,235	31	6,101	11,515	7,959	4,596	2,827	1,004	107	1	94
White, mother foreign-----	181	-	13	74	59	15	13	6	1	-	-
White, mother's nativity not stated-----	9	-	-	2	-	1	-	-	-	-	4
Negro-----	2,039	14	405	678	467	257	160	48	5	-	5
Other-----	1	-	-	-	1	-	-	-	-	-	-
WISCONSIN-----											
	82,949	19	6,199	26,665	24,984	15,244	7,474	1,932	151	1	61
White, mother native-----	80,031	16	5,907	25,964	24,110	14,861	7,152	1,806	138	1	76
White, mother foreign-----	1,470	-	29	366	516	218	208	100	11	-	-
White, mother's nativity not stated-----	12	-	2	3	2	1	2	-	-	-	2
Negro-----	911	2	165	342	221	106	44	8	2	-	1
Other-----	525	1	75	170	133	58	68	18	-	-	2
Urban-----	44,699	12	2,909	14,776	14,062	8,243	3,698	898	61	-	23
White, mother native-----	42,740	9	2,700	14,161	13,466	7,999	3,498	825	54	-	26
White, mother foreign-----	962	-	18	247	354	134	141	63	5	-	-
White, mother's nativity not stated-----	4	-	-	-	1	-	2	-	-	-	1
Negro-----	893	2	161	337	214	105	44	7	2	-	1
Other-----	90	1	10	33	25	5	13	3	-	-	-
Places of 100,000 or more-----	14,814	4	820	5,002	4,776	2,693	1,137	259	16	-	7
White, mother native-----	13,625	2	787	4,608	4,429	2,556	1,025	221	12	-	5
White, mother foreign-----	389	-	3	83	150	44	67	30	2	-	-
White, mother's nativity not stated-----	3	-	-	-	1	-	1	-	-	-	1
Negro-----	766	2	149	290	186	91	39	6	2	-	1
Other-----	31	-	1	11	10	2	5	2	-	-	-
Places of 25,000 to 100,000-----	16,359	6	1,061	5,340	5,196	2,975	1,401	350	17	-	13
White, mother native-----	15,646	6	1,013	5,183	5,054	2,904	1,342	327	14	-	13
White, mother foreign-----	350	-	7	90	124	57	46	21	3	-	-
White, mother's nativity not stated-----	-	-	-	-	-	-	-	-	-	-	-
Negro-----	122	-	32	44	28	12	5	1	-	-	-
Other-----	41	-	9	13	10	2	6	1	-	-	-
Places of 10,000 to 25,000-----	6,449	1	395	2,099	1,998	1,210	592	143	9	-	2
White, mother native-----	6,319	-	391	2,061	1,960	1,188	571	137	9	-	2
White, mother foreign-----	117	-	4	32	34	21	20	6	-	-	-
White, mother's nativity not stated-----	2	-	-	-	-	-	-	-	-	-	-
Negro-----	2	-	-	1	-	-	-	-	-	-	-
Other-----	11	1	-	5	4	-	1	-	-	-	-
Places of 2,500 to 10,000-----	7,067	1	533	2,337	2,092	1,365	563	146	19	-	6
White, mother native-----	6,950	1	529	2,299	2,045	1,351	560	140	19	-	6
White, mother foreign-----	106	-	4	32	46	12	6	6	-	-	-
White, mother's nativity not stated-----	1	-	-	-	-	-	1	-	-	-	-
Negro-----	3	-	-	2	-	1	-	-	-	-	-
Other-----	7	-	-	4	1	1	1	-	-	-	-
Rural-----	38,260	7	3,289	12,087	10,322	7,001	3,776	1,034	90	1	53
White, mother native-----	37,291	7	3,207	11,803	10,642	6,662	3,654	961	84	1	50
White, mother foreign-----	509	-	11	139	164	84	67	37	6	-	-
White, mother's nativity not stated-----	9	-	2	3	7	1	-	-	-	-	1
Negro-----	18	-	4	5	7	1	-	1	-	-	-
Other-----	435	-	65	137	108	53	55	15	-	-	2
WYOMING-----											
	7,490	4	1,033	2,665	2,019	1,102	522	132	11	-	2
White, mother native-----	7,174	2	997	2,577	1,926	1,046	495	119	9	-	1
White, mother foreign-----	135	-	6	34	47	19	19	10	1	-	-
White, mother's nativity not stated-----	1	-	-	-	-	-	-	-	-	-	1
Negro-----	35	-	5	8	5	13	3	1	-	-	-
Other-----	145	2	25	46	41	22	6	2	1	-	-
Urban-----	3,569	2	463	1,327	982	531	245	58	1	-	-
White, mother native-----	3,466	2	452	1,302	930	512	234	53	1	-	-
White, mother foreign-----	60	-	1	13	25	8	8	5	-	-	-
White, mother's nativity not stated-----	-	-	-	-	-	-	-	-	-	-	-
Negro-----	25	-	3	5	3	9	3	-	-	-	-
Other-----	20	-	7	7	4	2	-	-	-	-	-

GENERAL TABLES—LIVE BIRTHS

TABLE 4.—LIVE BIRTHS BY AGE OF MOTHER, RACE, NATIVITY OF WHITE MOTHER, AND POPULATION-SIZE GROUP: UNITED STATES AND EACH STATE, 1949—Continued

(By place of residence)

AREA, RACE, NATIVITY OF WHITE MOTHER, AND POPULATION-SIZE GROUP	Total	AGE OF MOTHER									
		Under 15 years	15-19 years	20-24 years	25-29 years	30-34 years	35-39 years	40-44 years	45-49 years	50 years and over	Not stated
WYOMING—Continued											
Places of 10,000 to 25,000-----	2,293	2	275	841	631	345	156	42	1	-	-
White, mother native-----	2,235	2	272	825	615	332	150	37	1	-	-
White, mother foreign-----	56	-	-	11	12	5	3	5	-	-	-
White, mother's nativity not stated-----	-	-	-	-	-	-	-	-	-	-	-
Negro-----	15	-	1	3	2	6	3	-	-	-	-
Other-----	7	-	2	2	1	2	-	-	-	-	-
Places of 2,500 to 10,000-----	1,296	-	198	486	331	186	89	16	-	-	-
White, mother native-----	1,251	-	180	477	314	180	84	16	-	-	-
White, mother foreign-----	24	-	1	2	13	3	5	-	-	-	-
White, mother's nativity not stated-----	-	-	-	-	-	-	-	-	-	-	-
Negro-----	8	-	2	2	1	3	-	-	-	-	-
Other-----	13	-	5	5	3	-	-	-	-	-	-
Rural-----	3,901	2	570	1,358	1,057	571	277	74	10	-	2
White, mother native-----	3,698	-	545	1,275	996	536	261	66	8	-	1
White, mother foreign-----	75	-	5	21	22	11	10	5	1	-	-
White, mother's nativity not stated-----	1	-	-	-	-	-	-	-	-	-	1
Negro-----	12	-	2	3	2	4	-	1	-	-	-
Other-----	125	2	18	39	37	20	6	2	1	-	-

VITAL STATISTICS OF THE UNITED STATES

TABLE 6A.—LIVE BIRTHS BY AGE OF MOTHER, BIRTH ORDER, SEX OF CHILD, RACE, AND NATIVITY OF WHITE MOTHER: UNITED STATES, 1949

(Birth order refers to number of children born alive to mother. Births occurring in Massachusetts are included in the "Total" and "Not stated" classifications; they are not given by birth order because this State does not require the reporting of birth order)

Table with columns for AGE OF MOTHER, SEX OF CHILD, RACE, AND NATIVITY OF WHITE MOTHER; BIRTH ORDER (1-17+); and Not stated. Rows include categories like TOTAL, Male, Female, Whites, Native Whites, and specific age groups (e.g., Under 15 years, 15-19 years).

VITAL STATISTICS OF THE UNITED STATES

TABLE 6A.—LIVE BIRTHS BY AGE OF MOTHER, BIRTH ORDER, SEX OF CHILD, RACE, AND NATIVITY OF WHITE MOTHER: UNITED STATES, 1949—Continued

(See footnote on p. 126)

Table with columns for Birth Order (1-17+) and Not stated, and rows for Total, Male, Female, and various age groups (Under 15 years, 15-19 years, etc.) for Nonwhite, Negro, and Other races.

VITAL STATISTICS OF THE UNITED STATES

TABLE 6B.—LIVE BIRTHS BY AGE OF MOTHER, BIRTH ORDER, RACE, AND NATIVITY OF WHITE MOTHER: EACH STATE, 1949—Continued

(See headnote on p. 129)

AREA, AGE OF MOTHER, RACE, AND NATIVITY OF WHITE MOTHER	Total	BIRTH ORDER										
		First	Second	Third	Fourth	Fifth	Sixth	Seventh	Eighth	Ninth	Tenth and over	Not stated
COLORADO	32,894	11,206	10,095	5,463	2,500	1,308	754	473	351	258	475	11
Under 15 years	19	19	-	-	-	-	-	-	-	-	-	-
15 to 19 years	3,914	2,929	849	114	17	3	-	-	-	-	-	3
20 to 24 years	11,274	4,947	4,103	1,564	461	141	39	12	4	-	-	1
25 to 29 years	9,444	2,232	3,327	2,049	897	498	243	113	61	18	11	5
30 to 34 years	5,055	706	1,515	1,168	696	414	257	169	129	79	100	-
35 to 39 years	2,482	307	433	457	340	206	175	128	114	111	216	-
40 to 44 years	649	55	66	86	85	51	45	48	39	45	135	-
45 to 49 years	44	5	2	2	3	3	-	6	3	6	14	-
50 years and over	1	-	-	-	-	-	-	-	-	1	-	-
Not stated	12	4	1	3	1	2	-	-	1	-	-	-
White	32,137	10,872	9,891	5,322	2,418	1,271	729	459	348	252	466	11
Under 15 years	15	15	-	-	-	-	-	-	-	-	-	-
15 to 19 years	3,793	2,862	805	102	17	3	-	-	-	-	-	3
20 to 24 years	11,032	4,855	4,035	1,519	451	135	37	12	4	-	1	3
25 to 29 years	9,213	2,171	3,261	2,003	865	474	232	113	61	17	11	5
30 to 34 years	4,958	702	1,297	1,162	663	403	250	160	126	78	98	-
35 to 39 years	2,429	303	425	447	334	202	168	121	112	107	210	-
40 to 44 years	642	55	65	84	84	51	42	47	39	43	132	-
45 to 49 years	43	5	2	2	3	2	-	6	3	6	14	-
50 years and over	1	-	-	-	-	-	-	-	-	1	-	-
Not stated	10	4	-	3	1	1	-	-	1	-	-	-
Native white	31,462	10,783	9,678	5,220	2,375	1,246	717	446	334	235	415	11
Under 15 years	15	15	-	-	-	-	-	-	-	-	-	-
15 to 19 years	3,789	2,845	799	102	18	3	-	-	-	-	-	3
20 to 24 years	10,854	4,781	3,955	1,500	427	134	37	12	4	-	1	3
25 to 29 years	8,989	2,108	3,182	1,957	852	470	227	112	60	17	11	5
30 to 34 years	4,847	683	1,267	1,147	673	393	247	155	123	75	84	-
35 to 39 years	2,327	291	413	433	321	194	164	119	107	98	187	-
40 to 44 years	604	52	61	76	63	49	42	44	37	40	120	-
45 to 49 years	38	5	1	2	3	2	-	6	3	4	12	-
50 years and over	1	-	-	-	-	-	-	-	-	1	-	-
Not stated	8	4	-	3	-	1	-	-	-	-	-	-
Foreign-born white	682	166	210	100	41	25	12	11	9	17	51	-
Under 15 years	-	-	-	-	-	-	-	-	-	-	-	-
15 to 19 years	21	13	7	-	1	-	-	-	-	-	-	-
20 to 24 years	175	74	79	18	4	1	-	-	-	-	-	-
25 to 29 years	214	65	79	46	13	4	5	1	1	1	-	-
30 to 34 years	109	19	28	15	9	10	3	5	2	3	14	-
35 to 39 years	100	12	12	13	13	8	4	2	4	9	23	-
40 to 44 years	38	3	4	8	1	2	-	3	2	3	12	-
45 to 49 years	5	-	1	1	1	-	-	-	2	2	2	-
50 years and over	-	-	-	-	-	-	-	-	-	-	-	-
Not stated	-	-	-	-	-	-	-	-	-	-	-	-
Nonwhite	757	234	204	141	82	37	25	14	5	6	9	-
Under 15 years	4	4	-	-	-	-	-	-	-	-	-	-
15 to 19 years	121	67	42	12	-	-	-	-	-	-	-	-
20 to 24 years	242	92	69	45	30	6	1	-	-	-	-	-
25 to 29 years	231	61	66	46	32	14	11	-	-	1	-	-
30 to 34 years	96	6	19	26	13	11	7	9	3	1	2	-
35 to 39 years	55	4	9	10	6	4	5	4	2	4	6	-
40 to 44 years	7	-	1	2	1	1	1	1	-	1	1	-
45 to 49 years	1	-	-	-	-	-	-	-	-	-	-	-
50 years and over	2	-	-	-	-	-	-	-	-	-	-	-
Not stated	1	-	1	-	-	1	-	-	-	-	-	-
Negro	551	160	142	109	69	30	20	8	3	4	7	-
Under 15 years	3	3	-	-	-	-	-	-	-	-	-	-
15 to 19 years	105	59	35	11	-	-	-	-	-	-	-	-
20 to 24 years	190	65	53	37	29	5	1	-	-	-	-	-
25 to 29 years	142	26	36	33	25	13	9	-	-	-	-	-
30 to 34 years	69	5	12	21	9	8	6	5	1	1	1	-
35 to 39 years	36	2	5	7	4	4	4	2	2	3	5	-
40 to 44 years	4	-	1	-	1	-	-	1	-	-	1	-
45 to 49 years	-	-	-	-	-	-	-	-	-	-	-	-
50 years and over	-	-	-	-	-	-	-	-	-	-	-	-
Not stated	-	-	-	-	-	-	-	-	-	-	-	-
CONNECTICUT	40,887	15,511	13,557	6,348	2,708	1,118	511	243	147	77	124	543
Under 15 years	10	10	-	-	-	-	-	-	-	-	-	-
15 to 19 years	2,083	1,709	299	36	3	-	-	-	-	-	-	37
20 to 24 years	11,364	6,559	3,543	825	226	83	9	1	1	-	-	137
25 to 29 years	13,836	4,682	5,455	2,339	742	278	117	35	14	5	4	185
30 to 34 years	8,898	1,840	3,067	2,073	1,025	404	182	96	46	22	20	123
35 to 39 years	3,807	804	1,029	905	565	279	146	81	54	34	57	53
40 to 44 years	820	111	153	162	139	88	53	26	29	14	40	5
45 to 49 years	45	7	4	7	6	6	3	3	3	2	3	1
50 years and over	3	-	2	-	-	-	-	-	-	-	-	1
Not stated	21	9	6	1	2	1	1	1	-	-	-	1
White	39,595	15,111	13,173	6,136	2,590	1,053	470	226	132	60	105	539
Under 15 years	2	2	-	-	-	-	-	-	-	-	-	-
15 to 19 years	1,872	1,565	249	23	1	-	-	-	-	-	-	36
20 to 24 years	10,866	6,400	3,351	737	190	46	7	-	1	-	-	137
25 to 29 years	13,491	4,601	5,369	2,257	661	251	94	31	11	2	2	183
30 to 34 years	8,752	1,817	3,025	2,055	1,005	392	171	91	40	17	16	123
35 to 39 years	3,737	599	1,017	897	556	271	142	74	50	27	51	53
40 to 44 years	603	111	152	159	139	87	52	26	27	12	33	5
45 to 49 years	45	7	4	7	6	6	3	3	3	2	3	1
50 years and over	3	-	2	-	-	-	-	-	-	-	-	1
Not stated	21	9	6	1	2	1	1	1	-	-	-	1

VITAL STATISTICS OF THE UNITED STATES

TABLE 6B.—LIVE BIRTHS BY AGE OF MOTHER, BIRTH ORDER, RACE, AND NATIVITY OF WHITE MOTHER: EACH STATE, 1949—Continued

(See headnote, on p. 129)

AREA, AGE OF MOTHER, RACE, AND NATIVITY OF WHITE MOTHER	Total	BIRTH ORDER										
		First	Second	Third	Fourth	Fifth	Sixth	Seventh	Eighth	Ninth	Tenth and over	Not stated
DELAWARE—Continued												
Nonwhite-----	1,266	314	314	216	109	94	61	55	30	15	46	15
Under 15 years-----	17	16	1	-	-	-	-	-	-	-	-	-
15 to 19 years-----	312	172	91	39	4	-	1	-	-	-	-	-
20 to 24 years-----	420	84	136	94	54	28	12	6	1	-	1	4
25 to 29 years-----	287	29	59	51	35	36	31	23	11	4	5	3
30 to 34 years-----	135	9	18	24	11	23	9	15	7	7	10	2
35 to 39 years-----	61	3	7	7	2	5	6	5	7	3	16	-
40 to 44 years-----	32	-	2	1	1	2	2	4	4	1	14	1
45 to 49 years-----	1	-	-	-	1	-	-	-	-	-	-	-
50 years and over-----	-	-	-	-	-	-	-	-	-	-	-	-
Not stated-----	1	1	-	-	-	-	-	-	-	-	-	-
Negro-----	1,246	307	306	215	107	94	61	55	28	15	45	15
Under 15 years-----	17	16	1	-	-	-	-	-	-	-	-	-
15 to 19 years-----	306	170	89	39	4	-	1	-	-	-	-	5
20 to 24 years-----	410	82	130	95	53	28	12	6	1	-	1	4
25 to 29 years-----	284	26	59	51	35	36	31	23	11	4	5	3
30 to 34 years-----	134	9	18	24	11	23	9	15	6	7	10	2
35 to 39 years-----	61	3	7	7	2	5	6	5	7	3	16	-
40 to 44 years-----	30	-	2	1	1	2	2	4	3	1	13	1
45 to 49 years-----	1	-	-	-	1	-	-	-	-	-	-	-
50 years and over-----	-	-	-	-	-	-	-	-	-	-	-	-
Not stated-----	1	1	-	-	-	-	-	-	-	-	-	-
DISTRICT OF COLUMBIA-----												
Under 15 years-----	51	49	2	-	-	-	-	-	-	-	-	-
15 to 19 years-----	2,438	1,737	552	126	16	4	-	1	-	-	-	2
20 to 24 years-----	6,330	3,009	1,984	870	305	107	35	9	9	-	-	2
25 to 29 years-----	5,879	2,048	1,915	965	475	224	135	54	41	14	8	4
30 to 34 years-----	3,221	855	929	592	334	168	124	77	67	29	46	2
35 to 39 years-----	1,420	296	344	235	174	95	64	46	28	24	56	2
40 to 44 years-----	343	69	70	59	41	22	16	13	12	12	28	1
45 to 49 years-----	12	4	1	2	1	-	-	1	-	1	2	-
50 years and over-----	-	-	-	-	-	-	-	-	-	-	-	-
Not stated-----	120	101	9	2	1	2	-	2	-	-	-	3
White-----	11,624	5,225	3,749	1,575	612	204	121	41	42	12	29	14
Under 15 years-----	2	2	-	-	-	-	-	-	-	-	-	-
15 to 19 years-----	901	738	149	10	1	1	-	-	-	-	-	2
20 to 24 years-----	3,563	2,035	1,139	301	62	17	4	2	4	-	-	2
25 to 29 years-----	3,811	1,487	1,414	591	210	58	31	1	12	1	2	4
30 to 34 years-----	2,093	616	711	409	190	74	47	20	13	5	6	2
35 to 39 years-----	957	216	275	216	119	40	32	15	10	2	11	1
40 to 44 years-----	215	46	56	44	29	14	7	3	3	4	8	1
45 to 49 years-----	7	2	-	2	1	-	-	-	-	-	2	-
50 years and over-----	-	-	-	-	-	-	-	-	-	-	-	-
Not stated-----	95	85	6	2	-	-	-	-	-	-	-	2
Native white-----	10,911	4,877	3,526	1,485	586	195	115	39	39	12	27	12
Under 15 years-----	2	2	-	-	-	-	-	-	-	-	-	-
15 to 19 years-----	897	723	146	9	1	1	-	-	-	-	-	2
20 to 24 years-----	3,413	1,942	1,093	291	59	17	3	2	4	-	-	2
25 to 29 years-----	3,572	1,388	1,314	564	201	57	29	1	11	1	2	4
30 to 34 years-----	1,952	562	661	385	186	70	45	20	13	5	5	2
35 to 39 years-----	856	195	256	195	111	36	31	13	9	2	11	1
40 to 44 years-----	197	41	50	40	27	14	7	3	2	4	8	1
45 to 49 years-----	6	2	-	2	1	-	-	-	-	-	1	-
50 years and over-----	-	-	-	-	-	-	-	-	-	-	-	-
Not stated-----	26	19	6	1	-	-	-	-	-	-	-	-
Foreign-born white-----	637	276	223	90	26	9	6	2	3	-	2	-
Under 15 years-----	-	-	-	-	-	-	-	-	-	-	-	-
15 to 19 years-----	13	9	3	1	-	-	-	-	-	-	-	-
20 to 24 years-----	147	89	45	9	3	-	1	-	-	-	-	-
25 to 29 years-----	236	97	100	26	9	1	2	-	1	-	-	-
30 to 34 years-----	141	54	50	26	4	4	2	-	-	-	1	-
35 to 39 years-----	80	22	19	23	8	4	1	2	1	-	-	-
40 to 44 years-----	18	5	6	4	2	-	-	-	1	-	-	-
45 to 49 years-----	1	-	-	-	-	-	-	-	-	-	1	-
50 years and over-----	-	-	-	-	-	-	-	-	-	-	-	-
Not stated-----	1	-	-	1	-	-	-	-	-	-	-	-
Nonwhite-----	8,190	2,941	2,055	1,334	735	416	251	162	115	68	111	2
Under 15 years-----	49	47	2	-	-	-	-	-	-	-	-	-
15 to 19 years-----	1,537	999	403	116	15	3	-	1	-	-	-	-
20 to 24 years-----	2,767	976	846	569	243	90	31	7	5	-	-	-
25 to 29 years-----	2,066	561	499	374	265	166	102	53	29	13	6	-
30 to 34 years-----	1,128	237	218	183	144	94	77	57	54	24	40	-
35 to 39 years-----	483	80	69	77	55	32	31	18	22	45	1	-
40 to 44 years-----	128	23	14	15	12	8	9	10	9	8	20	-
45 to 49 years-----	5	2	1	-	-	-	-	1	-	1	-	-
50 years and over-----	-	-	-	-	-	-	-	-	-	-	-	-
Not stated-----	25	16	3	-	1	2	-	2	-	-	-	1
Negro-----	8,068	2,884	2,025	1,317	729	411	249	158	114	66	111	2
Under 15 years-----	49	47	2	-	-	-	-	-	-	-	-	-
15 to 19 years-----	1,525	990	401	115	15	3	-	1	-	-	-	-
20 to 24 years-----	2,729	953	636	566	242	90	30	7	5	-	-	-
25 to 29 years-----	2,038	545	490	371	264	166	101	53	29	13	6	-
30 to 34 years-----	1,102	232	210	179	141	90	77	56	54	24	40	-
35 to 39 years-----	473	77	68	74	54	32	31	17	22	45	1	-
40 to 44 years-----	123	22	14	13	12	8	9	6	9	8	20	-
45 to 49 years-----	4	2	1	-	-	-	-	-	-	1	-	-
50 years and over-----	-	-	-	-	-	-	-	-	-	-	-	-
Not stated-----	25	16	3	-	1	2	-	2	-	-	-	1

VITAL STATISTICS OF THE UNITED STATES

TABLE 6B.—LIVE BIRTHS BY AGE OF MOTHER, BIRTH ORDER, RACE, AND NATIVITY OF WHITE MOTHER: EACH STATE, 1949—Continued

(See headnote on p. 129)

AREA, AGE OF MOTHER, RACE, AND NATIVITY OF WHITE MOTHER	Total	BIRTH ORDER										
		First	Second	Third	Fourth	Fifth	Sixth	Seventh	Eighth	Ninth	Tenth and over	Not stated
GEORGIA—Continued												
White—Continued												
Native white	57,852	19,680	16,800	9,034	4,604	2,844	1,649	1,140	708	471	783	539
Under 15 years	75	75	-	-	-	-	-	-	-	-	-	-
15 to 19 years	8,945	6,785	1,861	276	21	2	-	2	1	-	-	37
20 to 24 years	18,664	7,620	6,851	2,833	950	255	87	18	2	2	1	67
25 to 29 years	15,143	3,279	4,981	3,209	1,806	994	479	210	78	81	18	59
30 to 34 years	8,649	1,182	2,178	1,799	1,178	818	601	450	211	111	96	24
35 to 39 years	4,615	497	790	783	557	444	383	358	279	202	352	20
40 to 44 years	1,289	79	124	120	85	128	111	116	123	116	285	6
45 to 49 years	102	5	4	6	2	7	5	5	11	7	50	-
50 years and over	2	-	1	-	-	-	-	-	-	1	-	-
Not stated	326	159	20	8	6	-	3	1	3	1	1	127
Foreign-born white	468	172	189	77	22	4	3	-	-	-	-	1
Under 15 years	-	-	-	-	-	-	-	-	-	-	-	-
15 to 19 years	19	15	6	-	-	-	-	-	-	-	-	-
20 to 24 years	197	90	84	19	4	-	-	-	-	-	-	-
25 to 29 years	175	50	75	36	13	-	-	-	-	-	-	1
30 to 34 years	51	13	17	13	3	3	2	-	-	-	-	-
35 to 39 years	25	6	6	9	2	1	1	-	-	-	-	-
40 to 44 years	-	-	-	-	-	-	-	-	-	-	-	-
45 to 49 years	-	-	-	-	-	-	-	-	-	-	-	-
50 years and over	-	-	-	-	-	-	-	-	-	-	-	-
Not stated	1	-	1	-	-	-	-	-	-	-	-	-
Nonwhite	34,741	8,293	7,132	5,047	3,435	2,638	1,987	1,538	1,121	839	1,689	1,044
Under 15 years	263	255	22	3	-	-	-	-	-	-	-	3
15 to 19 years	8,121	4,572	2,445	751	157	30	9	3	-	1	-	195
20 to 24 years	10,550	2,114	3,024	2,447	1,504	719	309	121	33	28	5	236
25 to 29 years	7,072	618	1,057	1,168	1,124	1,090	611	552	305	143	109	125
30 to 34 years	4,273	261	396	467	420	500	511	507	453	309	402	77
35 to 39 years	2,876	114	154	185	203	256	272	296	294	294	785	51
40 to 44 years	677	13	21	27	25	37	44	54	46	56	345	9
45 to 49 years	62	2	2	4	1	5	1	2	4	4	35	2
50 years and over	3	-	-	-	1	-	-	2	-	-	-	-
Not stated	824	344	33	17	18	11	10	9	4	4	8	366
Negro	34,715	8,285	7,117	5,047	3,435	2,638	1,967	1,538	1,121	839	1,689	1,044
Under 15 years	263	255	22	3	-	-	-	-	-	-	-	3
15 to 19 years	8,118	4,569	2,445	751	157	30	9	3	-	1	-	195
20 to 24 years	10,537	2,111	3,024	2,447	1,504	719	309	121	33	28	5	236
25 to 29 years	7,088	616	1,053	1,168	1,124	1,090	611	552	305	143	109	125
30 to 34 years	4,289	261	385	467	420	497	511	507	453	309	402	77
35 to 39 years	2,876	114	154	185	203	256	272	296	294	294	785	51
40 to 44 years	677	13	21	27	25	37	44	54	46	56	345	9
45 to 49 years	62	2	2	4	1	5	1	2	4	4	35	2
50 years and over	3	-	-	-	1	-	-	2	-	-	-	-
Not stated	824	344	33	17	18	11	10	9	4	4	8	366
IDAHO												
Under 15 years	8	7	1	-	-	-	-	-	-	-	-	-
15 to 19 years	2,239	1,638	497	65	7	2	-	-	-	-	-	32
20 to 24 years	5,372	2,044	2,125	822	276	60	13	4	1	1	1	25
25 to 29 years	4,228	717	1,315	1,110	608	269	110	54	17	10	5	15
30 to 34 years	2,444	242	519	595	503	262	180	72	32	17	21	1
35 to 39 years	1,208	110	180	207	203	156	136	82	60	30	43	1
40 to 44 years	341	23	23	41	41	44	44	30	28	16	51	-
45 to 49 years	32	1	2	2	3	3	3	4	4	1	9	-
50 years and over	3	1	-	-	-	-	-	-	1	-	1	-
Not stated	109	31	27	27	13	5	2	-	2	1	-	1
White	15,752	4,768	4,615	2,827	1,626	787	479	239	141	74	124	72
Under 15 years	8	7	1	-	-	-	-	-	-	-	-	-
15 to 19 years	2,209	1,624	487	59	6	2	-	-	-	-	-	31
20 to 24 years	5,293	2,022	2,098	804	265	60	12	4	1	1	1	25
25 to 29 years	4,155	710	1,298	1,099	599	260	107	51	15	9	4	13
30 to 34 years	2,413	240	511	592	498	260	177	68	31	16	19	1
35 to 39 years	1,195	110	180	203	201	154	134	82	59	30	41	1
40 to 44 years	358	25	23	41	41	43	44	30	28	16	49	-
45 to 49 years	32	1	2	2	3	3	3	4	4	1	9	-
50 years and over	3	1	-	-	-	-	-	-	1	-	1	-
Not stated	106	30	25	27	13	5	2	-	2	1	-	1
Native white	15,417	4,664	4,498	2,774	1,595	778	473	235	138	70	121	71
Under 15 years	8	7	1	-	-	-	-	-	-	-	-	-
15 to 19 years	2,197	1,615	484	59	6	2	-	-	-	-	-	31
20 to 24 years	5,206	1,979	2,066	797	280	60	12	4	1	1	1	25
25 to 29 years	4,053	683	1,240	1,084	580	258	107	50	15	9	4	13
30 to 34 years	2,346	229	494	575	486	255	174	68	31	14	19	1
35 to 39 years	1,160	103	168	197	199	153	132	82	58	28	39	1
40 to 44 years	324	19	22	39	39	43	44	27	27	16	48	-
45 to 49 years	30	1	2	2	2	3	3	4	3	1	9	-
50 years and over	3	1	-	-	-	-	-	-	1	-	1	-
Not stated	90	27	21	21	13	4	1	-	2	1	-	-
Foreign-born white	302	97	107	42	31	7	5	5	3	4	3	-
Under 15 years	-	-	-	-	-	-	-	-	-	-	-	-
15 to 19 years	11	8	3	-	-	-	-	-	-	-	-	-
20 to 24 years	80	41	28	6	5	-	-	-	-	-	-	-
25 to 29 years	101	27	47	15	9	2	-	1	-	-	-	-
30 to 34 years	62	11	17	13	12	4	3	-	-	2	-	-
35 to 39 years	33	7	11	6	2	1	1	-	1	2	2	-
40 to 44 years	12	3	1	2	2	-	-	2	1	1	1	-
45 to 49 years	2	-	-	-	1	-	-	-	1	-	-	-
50 years and over	-	-	-	-	-	-	-	-	-	-	-	-
Not stated	1	-	-	-	-	-	1	-	-	-	-	-

VITAL STATISTICS OF THE UNITED STATES

TABLE 6B.—LIVE BIRTHS BY AGE OF MOTHER, BIRTH ORDER, RACE, AND NATIVITY OF WHITE MOTHER: EACH STATE, 1949—Continued

(See headnote on p. 129)

AREA, AGE OF MOTHER, RACE, AND NATIVITY OF WHITE MOTHER	Total	BIRTH ORDER										
		First	Second	Third	Fourth	Fifth	Sixth	Seventh	Eighth	Ninth	Tenth and over	Not stated
INDIANA—Continued												
White-----	69,231	31,181	27,686	14,610	6,963	3,417	1,925	1,164	601	473	799	192
Under 15 years-----	39	37	1	-	-	-	-	-	-	-	-	-
15 to 19 years-----	10,905	8,432	2,127	289	17	2	2	1	1	-	-	36
20 to 24 years-----	31,066	13,761	11,602	4,083	1,152	286	54	22	3	2	1	80
25 to 29 years-----	25,347	5,975	9,025	5,549	2,637	1,139	565	244	104	41	22	46
30 to 34 years-----	15,664	2,050	3,592	3,186	2,006	1,141	654	431	299	150	132	16
35 to 39 years-----	6,316	736	1,106	1,254	943	646	473	333	282	197	334	12
40 to 44 years-----	1,656	119	201	211	208	185	160	123	105	74	269	1
45 to 49 years-----	114	5	2	16	7	11	12	8	5	8	40	-
50 years and over-----	-	-	-	-	-	-	-	-	-	-	-	-
Not stated-----	124	38	30	23	14	7	5	2	2	1	1	1
Native white-----	68,049	30,778	27,256	14,418	6,913	3,396	1,909	1,157	796	466	781	187
Under 15 years-----	38	37	1	-	-	-	-	-	-	-	-	-
15 to 19 years-----	10,861	8,399	2,116	287	17	2	2	1	1	-	-	36
20 to 24 years-----	30,660	13,587	11,452	4,033	1,146	283	54	22	3	2	1	77
25 to 29 years-----	24,920	5,858	8,841	5,464	2,610	1,132	562	244	103	41	21	44
30 to 34 years-----	13,512	2,022	3,541	3,156	1,990	1,132	650	428	297	148	132	16
35 to 39 years-----	6,201	715	1,076	1,234	929	636	464	330	281	196	329	12
40 to 44 years-----	1,630	117	198	208	201	184	160	122	105	72	262	1
45 to 49 years-----	104	5	2	13	7	10	12	8	4	8	36	-
50 years and over-----	-	-	-	-	-	-	-	-	-	-	-	-
Not stated-----	123	38	29	23	14	7	5	2	2	1	1	1
Foreign-born white-----	1,185	394	427	190	67	31	16	7	5	5	18	5
Under 15 years-----	-	-	-	-	-	-	-	-	-	-	-	-
15 to 19 years-----	39	27	10	1	-	-	-	-	-	-	-	-
20 to 24 years-----	402	191	150	50	5	3	-	-	-	-	-	3
25 to 29 years-----	422	117	162	83	26	7	3	-	1	-	1	2
30 to 34 years-----	151	36	51	30	14	9	4	3	2	2	-	-
35 to 39 years-----	115	21	30	20	15	10	9	3	1	1	5	-
40 to 44 years-----	26	2	3	3	7	1	-	1	-	2	7	-
45 to 49 years-----	10	-	-	3	-	1	-	-	1	-	5	-
50 years and over-----	-	-	-	-	-	-	-	-	-	-	-	-
Not stated-----	1	-	1	-	-	-	-	-	-	-	-	-
Nonwhite-----	4,993	1,467	1,283	905	512	266	189	126	95	59	116	27
Under 15 years-----	33	29	2	1	-	-	-	-	-	-	-	1
15 to 19 years-----	1,119	969	343	85	13	2	-	-	-	-	-	7
20 to 24 years-----	1,754	511	589	373	188	65	17	4	1	-	1	5
25 to 29 years-----	1,109	156	225	226	199	121	85	52	25	8	3	9
30 to 34 years-----	590	72	89	81	70	67	54	50	40	26	29	3
35 to 39 years-----	286	35	32	32	32	24	30	17	22	19	44	1
40 to 44 years-----	63	10	3	5	9	6	2	7	4	3	3	-
45 to 49 years-----	6	-	1	-	-	-	1	-	1	3	-	-
50 years and over-----	1	-	-	-	1	-	-	-	-	-	-	-
Not stated-----	10	5	-	2	-	1	-	-	-	-	1	1
Negro-----	4,849	1,475	1,272	799	509	265	189	126	95	59	116	27
Under 15 years-----	33	29	2	1	-	-	-	-	-	-	-	1
15 to 19 years-----	1,118	868	343	85	13	2	-	-	-	-	-	7
20 to 24 years-----	1,742	505	586	371	187	65	17	4	1	-	1	5
25 to 29 years-----	1,094	152	218	223	199	120	85	52	25	8	3	9
30 to 34 years-----	576	71	87	80	69	67	54	50	40	26	29	3
35 to 39 years-----	287	35	32	32	31	24	30	17	22	19	44	1
40 to 44 years-----	62	10	3	5	9	6	2	7	4	3	3	-
45 to 49 years-----	6	-	1	-	-	-	1	-	1	3	-	-
50 years and over-----	1	-	-	-	1	-	-	-	-	-	-	-
Not stated-----	10	5	-	2	-	1	-	-	-	-	1	1
IOWA-----												
Under 15 years-----	20	19	1	-	-	-	-	-	-	-	-	-
15 to 19 years-----	6,308	5,018	1,165	108	8	2	-	-	-	-	-	7
20 to 24 years-----	21,147	9,713	7,910	2,607	699	149	35	7	2	-	-	25
25 to 29 years-----	17,641	3,952	6,461	4,042	1,864	766	333	142	43	22	5	9
30 to 34 years-----	10,161	1,320	2,659	2,566	1,611	920	506	280	153	91	65	10
35 to 39 years-----	5,115	507	869	1,025	888	646	371	294	195	132	186	2
40 to 44 years-----	1,283	93	145	173	189	151	124	85	71	73	156	3
45 to 49 years-----	82	5	4	9	10	6	6	7	3	6	28	-
50 years and over-----	1	-	-	-	-	-	1	-	-	-	-	-
Not stated-----	95	19	35	20	9	6	2	-	-	-	2	-
White-----	61,309	20,490	19,100	10,451	5,216	2,618	1,357	813	461	320	427	55
Under 15 years-----	16	15	1	-	-	-	-	-	-	-	-	-
15 to 19 years-----	6,193	4,944	1,132	102	7	2	-	-	-	-	-	6
20 to 24 years-----	20,938	9,656	7,832	2,555	677	142	33	8	2	-	-	25
25 to 29 years-----	17,523	3,937	6,437	4,014	1,838	752	328	139	43	22	4	9
30 to 34 years-----	10,107	1,316	2,648	2,548	1,604	910	489	275	149	87	61	10
35 to 39 years-----	5,090	505	866	1,022	882	642	366	291	193	132	179	2
40 to 44 years-----	1,276	93	145	171	189	158	122	85	71	73	156	3
45 to 49 years-----	81	5	4	9	10	6	6	7	3	6	25	-
50 years and over-----	1	-	-	-	-	-	1	-	-	-	-	-
Not stated-----	95	19	35	20	9	6	2	-	-	-	2	-
Native white-----	60,609	20,298	18,821	10,327	5,172	2,596	1,343	806	458	316	417	54
Under 15 years-----	15	14	1	-	-	-	-	-	-	-	-	-
15 to 19 years-----	6,170	4,926	1,127	102	7	2	-	-	-	-	-	6
20 to 24 years-----	20,734	9,573	7,741	2,540	673	142	33	6	2	-	-	24
25 to 29 years-----	17,263	3,879	6,310	3,963	1,828	746	325	139	43	22	4	9
30 to 34 years-----	9,993	1,296	2,514	2,520	1,590	901	494	274	148	87	59	10
35 to 39 years-----	5,012	495	853	1,007	871	637	364	286	191	130	176	2
40 to 44 years-----	1,254	93	141	168	185	158	118	94	71	72	151	3
45 to 49 years-----	79	5	4	9	10	6	6	7	3	6	25	-
50 years and over-----	1	-	-	-	-	-	1	-	-	-	-	-
Not stated-----	82	17	30	18	8	5	2	-	-	-	2	-

GENERAL TABLES—LIVE BIRTHS

TABLE 6B.—LIVE BIRTHS BY AGE OF MOTHER, BIRTH ORDER, RACE, AND NATIVITY OF WHITE MOTHER: EACH STATE, 1949—Continued.

(See headnote on p. 129)

AREA, AGE OF MOTHER, RACE, AND NATIVITY OF WHITE MOTHER	Total	BIRTH ORDER										
		First	Second	Third	Fourth	Fifth	Sixth	Seventh	Eighth	Ninth	Tenth and over	Not stated
LOUISIANA—Continued												
White	45,312	15,475	13,366	7,488	3,619	2,019	1,182	791	517	315	536	34
Under 15 years	28	28	-	-	-	-	-	-	-	-	-	-
15 to 19 years	6,488	5,004	1,280	179	18	1	-	-	-	-	-	8
20 to 24 years	15,397	6,627	5,700	2,169	638	197	42	11	1	-	2	10
25 to 29 years	12,089	2,536	4,040	2,634	1,360	712	331	172	54	33	7	10
30 to 34 years	6,868	856	1,687	1,565	1,068	634	405	281	189	92	88	3
35 to 39 years	3,461	343	544	630	452	385	232	255	186	131	241	2
40 to 44 years	980	68	95	95	78	82	74	69	86	55	176	1
45 to 49 years	40	-	1	1	2	5	5	2	-	2	20	-
50 years and over	-	-	-	-	-	-	-	-	-	-	-	-
Not stated	61	13	18	15	5	2	2	1	1	2	2	-
Native white	45,075	15,382	13,281	7,465	3,607	2,018	1,149	790	516	314	531	34
Under 15 years	28	28	-	-	-	-	-	-	-	-	-	-
15 to 19 years	6,477	4,995	1,276	179	16	1	-	-	-	-	-	8
20 to 24 years	15,300	6,580	5,665	2,158	637	197	41	11	1	-	1	10
25 to 29 years	12,022	2,510	4,018	2,623	1,353	712	330	172	54	33	7	10
30 to 34 years	6,854	851	1,670	1,555	1,067	634	405	281	189	91	89	3
35 to 39 years	3,442	338	541	626	480	384	232	254	185	131	239	2
40 to 44 years	973	67	94	95	77	82	75	69	86	55	174	1
45 to 49 years	40	-	1	1	2	6	6	2	-	2	20	-
50 years and over	-	-	-	-	-	-	-	-	-	-	-	-
Not stated	59	13	18	15	5	2	2	1	1	2	2	-
Foreign-born white	235	92	84	35	12	1	3	1	1	1	5	-
Under 15 years	-	-	-	-	-	-	-	-	-	-	-	-
15 to 19 years	11	9	2	-	-	-	-	-	-	-	-	8
20 to 24 years	96	46	37	10	1	-	1	-	-	-	1	10
25 to 29 years	67	26	22	11	7	-	1	-	-	-	-	7
30 to 34 years	34	5	17	10	1	-	-	-	-	1	-	3
35 to 39 years	19	5	3	4	2	1	-	1	1	-	2	2
40 to 44 years	7	1	1	1	1	-	1	-	-	-	2	-
45 to 49 years	-	-	-	-	-	-	-	-	-	-	-	-
50 years and over	-	-	-	-	-	-	-	-	-	-	-	-
Not stated	1	-	1	-	-	-	-	-	-	-	-	-
Nonwhite	30,175	7,227	6,257	4,631	3,309	2,380	1,785	1,377	985	749	1,459	36
Under 15 years	192	191	9	1	-	-	-	-	-	-	-	1
15 to 19 years	6,359	3,650	1,871	517	98	18	2	1	-	-	-	11
20 to 24 years	9,725	2,272	2,695	2,306	1,334	584	226	72	24	9	4	9
25 to 29 years	6,628	530	1,016	1,187	1,153	1,013	610	449	230	119	82	7
30 to 34 years	3,071	211	312	416	481	490	472	312	395	259	316	5
35 to 39 years	2,571	106	153	181	200	228	224	218	265	293	365	5
40 to 44 years	677	15	19	32	32	37	40	52	64	58	329	1
45 to 49 years	67	-	1	1	2	5	6	4	4	6	34	1
50 years and over	2	-	-	-	-	-	-	-	-	-	2	-
Not stated	74	12	12	8	7	5	5	6	5	5	7	2
Negro	30,091	7,216	6,258	4,621	3,297	2,374	1,779	1,371	980	745	1,435	36
Under 15 years	192	191	9	1	-	-	-	-	-	-	-	1
15 to 19 years	6,359	3,648	1,865	515	98	18	2	1	-	-	-	11
20 to 24 years	9,693	2,265	2,875	2,302	1,327	592	225	72	23	9	4	9
25 to 29 years	6,614	579	1,016	1,165	1,152	1,011	608	447	229	119	92	7
30 to 34 years	3,058	210	311	417	480	470	470	310	394	256	315	5
35 to 39 years	2,582	108	131	180	200	226	223	217	263	292	364	5
40 to 44 years	672	15	18	32	31	37	39	51	63	59	328	1
45 to 49 years	66	-	1	1	2	5	6	4	4	6	33	1
50 years and over	2	-	-	-	-	-	-	-	-	-	2	-
Not stated	74	12	12	8	7	5	5	6	5	5	7	2
MAINE												
White	21,939	7,110	6,426	3,667	1,875	995	584	365	242	191	340	144
Under 15 years	13	13	-	-	-	-	-	-	-	-	-	-
15 to 19 years	2,946	2,190	630	80	11	-	-	-	-	-	-	35
20 to 24 years	7,587	3,097	2,762	1,151	373	109	32	7	3	-	2	51
25 to 29 years	5,922	1,204	1,901	1,333	708	371	209	92	44	16	17	27
30 to 34 years	3,335	430	761	753	477	302	197	142	83	67	82	19
35 to 39 years	1,558	124	277	275	221	162	108	89	77	72	143	10
40 to 44 years	479	36	50	65	72	44	33	32	30	34	81	2
45 to 49 years	37	-	1	1	4	3	5	3	5	1	14	-
50 years and over	3	-	-	1	1	1	-	-	-	-	-	-
Not stated	61	16	24	8	8	3	-	-	-	1	1	-
Native white	20,547	6,714	6,037	3,440	1,744	918	541	327	215	176	297	140
Under 15 years	12	12	-	-	-	-	-	-	-	-	-	-
15 to 19 years	2,862	2,126	612	79	11	-	-	-	-	-	-	35
20 to 24 years	7,180	2,930	2,789	1,145	372	108	31	7	3	-	2	48
25 to 29 years	5,551	1,107	1,775	1,247	670	347	201	84	42	14	17	27
30 to 34 years	3,063	395	721	704	441	277	182	121	76	64	74	18
35 to 39 years	1,405	114	282	282	194	147	96	83	64	66	127	10
40 to 44 years	415	31	45	60	59	39	27	29	25	31	67	2
45 to 49 years	29	-	1	1	4	1	4	3	3	1	10	-
50 years and over	3	-	-	1	1	1	-	-	-	-	-	-
Not stated	47	9	21	8	6	3	-	-	-	-	-	-

VITAL STATISTICS OF THE UNITED STATES

TABLE 6B.—LIVE BIRTHS BY AGE OF MOTHER, BIRTH ORDER, RACE, AND NATIVITY OF WHITE MOTHER: EACH STATE, 1949—Continued

(See headnote on p. 129)

AREA, AGE OF MOTHER, RACE, AND NATIVITY OF WHITE MOTHER	Total	BIRTH ORDER										
		First	Second	Third	Fourth	Fifth	Sixth	Seventh	Eighth	Ninth	Tenth and over	Not stated
MAINE—Continued												
White—Continued												
Foreign-born white	1,329	377	580	211	126	73	42	36	28	14	38	4
Under 15 years	1	1	-	-	-	-	-	-	-	-	-	-
15 to 19 years	80	60	18	2	-	-	-	-	-	-	-	-
20 to 24 years	383	159	146	55	14	6	-	-	-	-	-	3
25 to 29 years	379	96	128	83	36	21	8	6	2	1	-	-
30 to 34 years	259	43	59	44	35	25	15	21	6	3	7	1
35 to 39 years	151	10	25	22	27	15	12	6	13	6	15	-
40 to 44 years	63	5	5	2	13	5	6	3	5	3	13	-
45 to 49 years	7	-	-	-	-	1	-	-	2	-	3	-
50 years and over	-	-	-	-	-	-	-	-	-	-	-	-
Not stated	6	3	1	-	1	-	-	-	-	1	-	-
Nonwhite	35	6	4	9	4	3	1	1	1	1	3	-
Under 15 years	-	-	-	-	-	-	-	-	-	-	-	-
15 to 19 years	3	3	-	-	-	-	-	-	-	-	-	-
20 to 24 years	17	4	4	6	1	1	1	-	-	-	-	-
25 to 29 years	6	-	-	-	2	2	-	1	-	1	-	-
30 to 34 years	7	1	-	3	1	-	-	-	1	-	1	-
35 to 39 years	-	-	-	-	-	-	-	-	-	-	-	-
40 to 44 years	1	-	-	-	-	-	-	-	-	-	1	-
45 to 49 years	1	-	-	-	-	-	-	-	-	-	1	-
50 years and over	-	-	-	-	-	-	-	-	-	-	-	-
Not stated	-	-	-	-	-	-	-	-	-	-	-	-
MARYLAND												
Total	55,597	18,038	16,421	8,578	4,328	2,417	1,400	825	601	364	576	49
White												
Under 15 years	148	143	4	-	-	-	-	-	-	-	-	1
15 to 19 years	7,080	5,000	1,681	338	56	7	3	-	-	-	-	15
20 to 24 years	17,021	7,177	5,924	2,413	973	377	97	35	7	2	2	14
25 to 29 years	15,426	3,718	5,410	3,011	1,478	856	486	227	139	49	42	11
30 to 34 years	5,661	1,368	2,433	1,838	1,120	672	443	230	228	142	123	4
35 to 39 years	4,165	503	847	812	573	389	282	212	167	132	247	1
40 to 44 years	959	105	116	142	115	110	78	60	51	39	144	-
45 to 49 years	58	6	3	8	8	2	7	1	7	7	16	-
50 years and over	2	-	-	-	-	-	-	-	1	-	1	-
Not stated	77	18	23	16	5	4	4	-	2	1	1	3
Native white	41,849	14,781	13,706	6,701	3,105	1,525	814	428	299	172	275	43
Under 15 years	21	19	1	-	-	-	-	-	-	-	-	1
15 to 19 years	4,222	3,291	811	97	11	1	-	-	-	-	-	11
20 to 24 years	13,286	6,274	4,793	1,558	482	130	23	8	2	2	1	13
25 to 29 years	12,800	3,394	4,947	2,512	1,062	494	231	82	46	15	9	11
30 to 34 years	7,266	1,228	2,265	1,659	942	503	281	166	107	60	51	4
35 to 39 years	5,396	456	767	726	494	305	213	131	105	75	123	1
40 to 44 years	761	101	103	130	103	89	61	40	31	22	81	-
45 to 49 years	44	6	2	7	8	2	4	1	5	-	9	-
50 years and over	2	-	-	-	-	-	-	-	1	-	1	-
Not stated	51	12	17	12	3	1	1	-	2	-	1	2
Foreign-born white	1,089	385	420	185	89	12	14	2	2	1	2	1
Under 15 years	-	-	-	-	-	-	-	-	-	-	-	-
15 to 19 years	32	25	6	1	-	-	-	-	-	-	-	-
20 to 24 years	298	144	115	35	4	-	-	-	-	-	-	-
25 to 29 years	415	141	175	75	17	2	3	-	1	-	-	1
30 to 34 years	189	47	74	42	22	2	2	2	-	-	-	-
35 to 39 years	123	22	44	25	17	5	6	2	1	1	-	-
40 to 44 years	29	4	6	4	6	3	2	-	-	-	2	-
45 to 49 years	3	-	-	1	1	-	1	-	-	-	-	-
50 years and over	-	-	-	-	-	-	-	-	-	-	-	-
Not stated	-	-	-	-	-	-	-	-	-	-	-	-
Nonwhite	11,748	3,257	2,715	1,877	1,223	892	586	397	302	192	301	6
Under 15 years	127	124	3	-	-	-	-	-	-	-	-	-
15 to 19 years	2,858	1,709	850	241	45	6	3	-	-	-	-	4
20 to 24 years	3,735	903	1,131	855	491	247	74	27	5	-	1	1
25 to 29 years	2,626	324	463	499	416	362	255	145	92	36	34	-
30 to 34 years	1,385	140	168	179	178	169	162	124	121	82	72	-
35 to 39 years	769	47	80	86	79	84	69	81	62	57	124	-
40 to 44 years	186	4	13	12	12	21	17	20	20	16	63	-
45 to 49 years	14	-	1	1	-	-	3	-	2	-	7	-
50 years and over	-	-	-	-	-	-	-	-	-	-	-	-
Not stated	26	6	6	4	2	3	3	-	-	1	-	1
Negro												
Total	11,897	3,242	2,694	1,869	1,221	889	586	395	302	192	301	6
Under 15 years	127	124	3	-	-	-	-	-	-	-	-	-
15 to 19 years	2,858	1,709	850	241	45	6	3	-	-	-	-	4
20 to 24 years	3,717	894	1,122	855	491	247	74	27	5	-	1	1
25 to 29 years	2,608	319	455	496	415	361	255	145	92	36	34	-
30 to 34 years	1,366	139	165	176	177	168	162	124	121	82	72	-
35 to 39 years	764	47	79	84	79	84	69	79	62	57	124	-
40 to 44 years	197	4	13	12	12	20	17	20	20	16	63	-
45 to 49 years	14	-	1	1	-	-	3	-	2	-	7	-
50 years and over	-	-	-	-	-	-	-	-	-	-	-	-
Not stated	26	6	6	4	2	3	3	-	-	1	-	1

GENERAL TABLES—LIVE BIRTHS

143

TABLE 6B.—LIVE BIRTHS BY AGE OF MOTHER, BIRTH ORDER, RACE, AND NATIVITY OF WHITE MOTHER:
EACH STATE, 1949—Continued

(See headnote on p. 129)

AREA, AGE OF MOTHER, RACE, AND NATIVITY OF WHITE MOTHER	Total	BIRTH ORDER										
		First	Second	Third	Fourth	Fifth	Sixth	Seventh	Eighth	Ninth	Tenth and over	Not stated
MASSACHUSETTS ¹	95,615	519	447	193	85	32	19	8	2	3	9	94,500
Under 15 years	20	-	-	-	-	-	-	-	-	-	-	20
15 to 19 years	5,055	86	15	-	-	-	-	-	-	-	-	4,952
20 to 24 years	27,329	230	154	27	5	-	1	-	-	-	-	26,932
25 to 29 years	31,245	131	192	84	29	2	2	2	-	-	1	30,802
30 to 34 years	19,589	55	70	60	27	17	8	2	1	1	1	19,347
35 to 39 years	9,580	13	30	19	18	9	4	3	1	1	5	9,478
40 to 44 years	2,324	4	5	2	4	3	4	1	-	2	2	2,297
45 to 49 years	135	-	-	-	-	1	-	-	-	-	-	135
50 years and over	8	-	-	-	-	-	-	-	-	-	-	8
Not stated	332	-	1	1	-	-	-	-	-	-	-	330
White	95,565	516	444	192	83	32	19	8	2	3	9	92,257
Under 15 years	14	-	-	-	-	-	-	-	-	-	-	14
15 to 19 years	4,789	86	14	-	-	-	-	-	-	-	-	4,689
20 to 24 years	26,594	228	154	26	5	-	1	-	-	-	-	26,190
25 to 29 years	30,666	130	190	84	29	2	2	2	-	-	1	30,226
30 to 34 years	19,304	55	70	60	27	17	8	2	1	1	1	19,062
35 to 39 years	9,447	13	30	19	18	9	4	3	1	1	5	9,345
40 to 44 years	2,296	4	5	2	4	3	4	1	-	2	2	2,269
45 to 49 years	133	-	-	-	-	1	-	-	-	-	-	132
50 years and over	8	-	-	-	-	-	-	-	-	-	-	8
Not stated	324	-	1	1	-	-	-	-	-	-	-	322
Native white	87,960	498	423	181	77	31	16	8	2	2	8	86,714
Under 15 years	14	-	-	-	-	-	-	-	-	-	-	14
15 to 19 years	4,689	85	14	-	-	-	-	-	-	-	-	4,590
20 to 24 years	25,554	221	128	25	5	-	1	-	-	-	-	25,174
25 to 29 years	29,911	124	184	79	28	2	2	2	-	-	1	29,480
30 to 34 years	18,114	52	64	57	24	17	8	2	1	1	1	17,867
35 to 39 years	8,395	12	27	18	17	9	2	3	1	1	4	8,300
40 to 44 years	1,874	4	5	2	3	3	3	1	-	1	2	1,850
45 to 49 years	104	-	-	-	-	-	-	-	-	-	-	104
50 years and over	6	-	-	-	-	-	-	-	-	-	-	6
Not stated	301	-	1	1	-	-	-	-	-	-	-	299
Foreign-born white	5,278	18	21	11	6	1	3	-	-	1	1	5,216
Under 15 years	-	-	-	-	-	-	-	-	-	-	-	-
15 to 19 years	85	1	-	-	-	-	-	-	-	-	-	84
20 to 24 years	929	7	6	1	-	-	-	-	-	-	-	915
25 to 29 years	1,666	6	6	6	1	-	-	-	-	-	-	1,649
30 to 34 years	1,125	3	6	3	3	-	-	-	-	-	-	1,110
35 to 39 years	1,008	1	3	1	1	-	2	-	-	-	1	999
40 to 44 years	411	-	-	-	1	-	1	-	-	1	-	408
45 to 49 years	29	-	-	-	-	1	-	-	-	-	-	28
50 years and over	2	-	-	-	-	-	-	-	-	-	-	2
Not stated	21	-	-	-	-	-	-	-	-	-	-	21
Nonwhite	2,050	3	3	1	-	-	-	-	-	-	-	2,045
Under 15 years	6	-	-	-	-	-	-	-	-	-	-	6
15 to 19 years	264	-	1	-	-	-	-	-	-	-	-	263
20 to 24 years	745	2	-	1	-	-	-	-	-	-	-	742
25 to 29 years	579	1	2	-	-	-	-	-	-	-	-	576
30 to 34 years	285	-	-	-	-	-	-	-	-	-	-	285
35 to 39 years	133	-	-	-	-	-	-	-	-	-	-	133
40 to 44 years	28	-	-	-	-	-	-	-	-	-	-	28
45 to 49 years	2	-	-	-	-	-	-	-	-	-	-	2
50 years and over	-	-	-	-	-	-	-	-	-	-	-	-
Not stated	8	-	-	-	-	-	-	-	-	-	-	8
Negro	1,662	3	3	1	-	-	-	-	-	-	-	1,655
Under 15 years	6	-	-	-	-	-	-	-	-	-	-	6
15 to 19 years	256	-	1	-	-	-	-	-	-	-	-	255
20 to 24 years	669	2	-	1	-	-	-	-	-	-	-	666
25 to 29 years	535	1	2	-	-	-	-	-	-	-	-	532
30 to 34 years	232	-	-	-	-	-	-	-	-	-	-	232
35 to 39 years	114	-	-	-	-	-	-	-	-	-	-	114
40 to 44 years	23	-	-	-	-	-	-	-	-	-	-	23
45 to 49 years	1	-	-	-	-	-	-	-	-	-	-	1
50 years and over	-	-	-	-	-	-	-	-	-	-	-	-
Not stated	6	-	-	-	-	-	-	-	-	-	-	6
MICHIGAN	157,178	52,717	48,645	26,979	13,175	6,594	3,503	1,981	1,194	732	1,203	285
Under 15 years	117	113	4	-	-	-	-	-	-	-	-	-
15 to 19 years	16,404	12,394	3,379	503	71	10	-	2	-	-	-	45
20 to 24 years	83,606	24,062	19,559	6,930	2,117	623	175	36	7	4	1	94
25 to 29 years	46,365	10,985	18,558	10,158	4,710	2,166	965	410	209	68	41	73
30 to 34 years	25,971	5,642	8,853	6,476	3,927	2,174	1,224	777	375	244	256	23
35 to 39 years	11,565	1,241	2,121	2,434	1,882	947	542	423	269	494	14	14
40 to 44 years	2,906	251	345	442	440	305	251	197	163	137	370	5
45 to 49 years	177	5	16	25	20	16	19	16	14	8	38	-
50 years and over	4	-	-	-	1	1	-	-	-	-	2	-
Not stated	63	24	10	11	7	1	2	1	3	2	1	1
White	144,052	48,883	45,438	24,714	11,794	5,774	2,974	1,664	991	600	1,019	221
Under 15 years	49	45	3	-	-	-	-	-	-	-	-	-
15 to 19 years	13,949	10,831	2,714	324	34	4	-	2	-	-	-	40
20 to 24 years	49,878	22,717	17,932	5,953	1,610	445	109	24	4	1	-	83
25 to 29 years	43,089	10,423	15,814	9,481	4,217	1,803	764	305	148	44	29	61
30 to 34 years	24,264	5,415	6,577	6,157	3,689	1,987	1,071	657	296	196	201	18
35 to 39 years	10,865	1,173	2,047	2,338	1,792	1,223	778	479	374	224	424	13
40 to 44 years	2,739	233	327	427	426	296	232	181	155	126	331	5
45 to 49 years	165	5	15	25	19	15	18	15	14	8	31	-
50 years and over	4	-	-	-	1	1	-	-	-	-	2	-
Not stated	51	21	9	9	6	-	2	1	-	1	1	1

¹Massachusetts does not require the reporting of birth order. Birth order data for Massachusetts are for births to residents of the State occurring in other States.

TABLE 6B.—LIVE BIRTHS BY AGE OF MOTHER, BIRTH ORDER, RACE, AND NATIVITY OF WHITE MOTHER: EACH STATE, 1949—Continued

(See headnote on p. 129)

Table with columns: AREA, AGE OF MOTHER, RACE, AND NATIVITY OF WHITE MOTHER; Total; BIRTH ORDER (First through Tenth and over); Not stated. Rows include Michigan (White and Nonwhite) and Minnesota (White and Foreign-born white) with various age groups.

GENERAL TABLES—LIVE BIRTHS

149

TABLE 6B—LIVE BIRTHS BY AGE OF MOTHER, BIRTH ORDER, RACE, AND NATIVITY OF WHITE MOTHER:
EACH STATE, 1949—Continued

(See headnote on p. 129)

AREA, AGE OF MOTHER, RACE, AND NATIVITY OF WHITE MOTHER	Total	BIRTH ORDER										
		First	Second	Third	Fourth	Fifth	Sixth	Seventh	Eighth	Ninth	Tenth and over	*Not stated
NEW HAMPSHIRE—Continued												
White—Continued												
Native white	11,265	3,742	3,372	1,860	872	447	250	124	68	38	71	421
Under 15 years	4	4	-	-	-	-	-	-	-	-	-	-
15 to 19 years	1,091	841	184	23	3	-	-	-	-	-	-	40
20 to 24 years	3,831	1,731	1,310	497	103	34	10	2	1	-	-	143
25 to 29 years	3,354	778	1,170	707	302	163	67	16	13	8	2	130
30 to 34 years	1,913	281	511	438	290	131	94	51	28	6	22	63
35 to 39 years	858	89	170	167	144	86	58	41	19	16	51	37
40 to 44 years	201	18	26	27	30	32	20	12	8	10	14	4
45 to 49 years	7	-	1	-	-	1	-	2	1	-	2	-
50 years and over	1	-	-	-	-	-	1	-	-	-	-	-
Not stated	5	-	-	1	-	-	-	-	-	-	-	4
Foreign-born white	648	162	185	121	58	37	22	11	10	3	5	34
Under 15 years	-	-	-	-	-	-	-	-	-	-	-	-
15 to 19 years	9	6	3	-	-	-	-	-	-	-	-	-
20 to 24 years	143	63	47	21	4	9	-	-	-	-	-	8
25 to 29 years	224	60	78	39	18	9	5	1	-	-	-	14
30 to 34 years	137	23	32	33	19	10	7	4	3	-	-	6
35 to 39 years	93	7	22	21	12	9	8	3	2	2	2	5
40 to 44 years	40	3	3	7	4	9	2	3	5	1	2	1
45 to 49 years	2	-	-	-	1	-	-	-	-	-	1	-
50 years and over	-	-	-	-	-	-	-	-	-	-	-	-
Not stated	-	-	-	-	-	-	-	-	-	-	-	-
Nonwhite	20	4	7	4	2	2	-	-	-	1	-	-
Under 15 years	-	-	-	-	-	-	-	-	-	-	-	-
15 to 19 years	2	1	-	1	-	-	-	-	-	-	-	-
20 to 24 years	9	2	5	-	2	-	-	-	-	-	-	-
25 to 29 years	5	1	1	2	1	-	-	-	-	-	-	-
30 to 34 years	3	-	1	1	-	1	-	-	-	-	-	-
35 to 39 years	1	-	-	-	-	-	-	-	-	1	-	-
40 to 44 years	-	-	-	-	-	-	-	-	-	-	-	-
45 to 49 years	-	-	-	-	-	-	-	-	-	-	-	-
50 years and over	-	-	-	-	-	-	-	-	-	-	-	-
Not stated	-	-	-	-	-	-	-	-	-	-	-	-
NEW JERSEY												
Under 15 years	52	49	2	-	-	-	-	-	-	-	-	1
15 to 19 years	6,286	4,910	1,151	170	24	1	-	-	-	-	-	12
20 to 24 years	28,486	16,316	8,861	2,354	851	193	48	18	2	-	-	43
25 to 29 years	32,434	11,121	12,806	5,305	1,795	728	335	159	70	42	17	56
30 to 34 years	19,741	4,256	6,977	4,591	2,032	856	458	221	129	94	98	29
35 to 39 years	8,676	1,390	2,348	2,011	1,237	623	356	242	152	103	195	19
40 to 44 years	1,624	257	354	339	264	174	124	83	50	47	127	5
45 to 49 years	93	10	9	11	12	6	9	5	8	10	13	-
50 years and over	-	-	-	-	-	-	-	-	-	-	-	-
Not stated	32	13	5	4	2	4	-	1	-	-	1	2
White												
Under 15 years	17	17	-	-	-	-	-	-	-	-	-	-
15 to 19 years	4,451	3,723	634	59	6	-	-	-	-	-	-	9
20 to 24 years	25,117	15,229	7,685	1,678	383	79	14	8	1	-	-	41
25 to 29 years	30,216	10,721	12,235	4,096	1,465	508	199	82	33	19	5	53
30 to 34 years	18,675	4,115	6,782	4,417	1,882	756	364	153	73	60	46	27
35 to 39 years	8,139	1,337	2,282	1,951	1,170	573	306	199	113	75	115	18
40 to 44 years	1,682	245	344	327	259	161	108	75	43	39	86	5
45 to 49 years	79	10	8	10	12	6	4	4	7	8	10	-
50 years and over	-	-	-	-	-	-	-	-	-	-	-	-
Not stated	27	12	4	4	1	2	-	1	-	-	1	2
Native white												
Under 15 years	63,741	33,624	28,364	12,651	4,879	1,962	954	481	245	184	243	144
15 to 19 years	17	17	-	-	-	-	-	-	-	-	-	-
20 to 24 years	4,336	3,655	612	55	5	-	-	-	-	-	-	8
25 to 29 years	24,085	14,605	7,351	1,615	373	78	14	7	1	-	-	39
30 to 34 years	28,504	10,003	11,532	4,664	1,408	493	194	82	32	19	5	52
35 to 39 years	17,845	3,905	6,483	4,231	1,792	724	359	148	71	60	45	25
40 to 44 years	7,457	1,218	2,071	1,780	1,072	531	280	189	105	69	108	14
45 to 49 years	1,419	203	286	283	217	129	95	61	32	31	77	5
50 years and over	61	8	7	9	11	5	2	3	4	5	7	-
Not stated	21	10	2	4	1	2	-	1	-	-	1	-
Foreign-born white												
Under 15 years	4,638	1,778	1,606	690	299	122	41	31	25	17	20	9
15 to 19 years	-	-	-	-	-	-	-	-	-	-	-	-
20 to 24 years	85	68	22	4	1	-	-	-	-	-	-	-
25 to 29 years	1,030	619	334	63	10	1	-	1	-	-	-	2
30 to 34 years	1,710	718	682	231	57	15	5	1	-	-	-	1
35 to 39 years	829	209	297	186	90	32	5	5	2	1	1	2
40 to 44 years	682	119	211	161	98	42	16	10	8	6	7	4
45 to 49 years	272	42	58	42	31	13	14	11	8	9	9	-
50 years and over	18	2	1	1	1	2	1	3	3	3	3	-
Not stated	2	1	1	-	-	-	-	-	-	-	-	-
Nonwhite												
Under 15 years	9,213	2,914	2,539	1,443	839	500	335	207	141	85	189	12
15 to 19 years	85	32	2	-	-	-	-	-	-	-	-	1
20 to 24 years	1,837	1,187	517	111	18	1	-	-	-	-	-	3
25 to 29 years	3,369	1,088	1,176	676	268	114	34	10	1	-	-	2
30 to 34 years	2,212	400	571	409	330	220	136	77	37	23	12	3
35 to 39 years	1,066	141	195	174	150	100	94	68	56	34	52	2
40 to 44 years	537	55	66	60	67	50	50	43	39	29	60	1
45 to 49 years	132	12	10	12	5	13	16	6	7	8	41	-
50 years and over	14	-	1	1	-	-	5	1	1	2	3	-
Not stated	5	1	1	-	1	2	-	-	-	-	-	-

VITAL STATISTICS OF THE UNITED STATES

TABLE 6B.—LIVE BIRTHS BY AGE OF MOTHER, BIRTH ORDER, RACE, AND NATIVITY OF WHITE MOTHER: EACH STATE, 1949—Continued

(See headnote on p. 129)

AREA, AGE OF MOTHER, RACE, AND NATIVITY OF WHITE MOTHER	Total	BIRTH ORDER										
		First	Second	Third	Fourth	Fifth	Sixth	Seventh	Eighth	Ninth	Tenth and over	Not stated
NEW JERSEY—Continued												
Nonwhite—Continued												
Negro	9,080	2,866	2,485	1,430	828	485	335	205	141	95	198	12
Under 15 years	35	32	2	-	-	-	-	-	-	-	-	1
15 to 19 years	1,832	1,184	515	111	18	1	-	-	-	-	-	3
20 to 24 years	3,318	1,063	1,152	674	268	114	34	10	1	-	-	2
25 to 29 years	2,173	385	555	403	324	218	136	77	37	23	12	3
30 to 34 years	1,046	139	189	169	146	98	94	67	58	34	52	2
35 to 39 years	529	50	62	60	66	50	50	43	39	28	80	1
40 to 44 years	129	12	8	12	5	12	16	8	7	8	41	-
45 to 49 years	13	-	1	1	-	-	5	-	1	2	3	-
50 years and over	-	-	-	-	-	-	-	-	-	-	-	-
Not stated	5	1	1	-	1	2	-	-	-	-	-	-
NEW MEXICO												
Under 15 years	24	24	-	-	-	-	-	-	-	-	-	-
15 to 19 years	3,224	2,248	774	152	20	1	1	1	-	-	-	27
20 to 24 years	7,046	2,399	2,493	1,308	533	203	44	17	5	7	2	35
25 to 29 years	5,571	903	1,532	1,174	779	493	329	170	93	40	21	37
30 to 34 years	3,153	289	547	528	422	350	276	283	179	120	133	26
35 to 39 years	1,946	112	195	190	191	182	174	195	190	165	331	21
40 to 44 years	577	25	26	42	37	37	45	47	41	49	221	7
45 to 49 years	45	4	3	2	1	1	2	6	4	4	18	-
50 years and over	5	-	-	-	1	-	-	1	3	-	-	-
Not stated	29	8	2	5	5	1	1	2	-	1	2	2
White												
Under 15 years	17	17	-	-	-	-	-	-	-	-	-	-
15 to 19 years	2,995	2,097	716	143	19	1	1	1	-	-	-	17
20 to 24 years	6,607	2,275	2,357	1,217	481	178	40	15	5	7	2	30
25 to 29 years	5,205	865	1,467	1,101	714	443	294	151	86	58	20	26
30 to 34 years	2,928	281	531	510	391	311	247	253	149	106	128	21
35 to 39 years	1,780	107	169	184	176	172	156	163	166	141	307	20
40 to 44 years	523	24	25	42	34	36	41	43	36	36	200	6
45 to 49 years	37	4	3	1	1	1	1	5	3	4	14	-
50 years and over	1	-	-	-	-	-	-	-	1	-	-	-
Not stated	25	7	2	5	4	1	1	2	-	-	2	1
Native white												
Under 15 years	17	17	-	-	-	-	-	-	-	-	-	-
15 to 19 years	2,942	2,064	699	140	19	1	1	1	-	-	-	17
20 to 24 years	6,416	2,216	2,292	1,180	465	171	37	15	5	7	2	26
25 to 29 years	5,063	840	1,435	1,075	696	421	284	147	86	56	17	26
30 to 34 years	2,841	275	518	500	388	302	236	243	138	100	119	20
35 to 39 years	1,704	102	186	178	170	162	152	156	159	134	286	19
40 to 44 years	493	24	24	40	32	35	39	43	35	32	183	6
45 to 49 years	35	4	3	1	1	1	1	5	2	4	13	-
50 years and over	1	-	-	-	-	-	-	-	1	-	-	-
Not stated	20	6	2	4	3	1	1	2	-	-	-	1
Foreign-born white												
Under 15 years	554	125	122	79	42	47	26	20	19	19	51	4
15 to 19 years	-	-	-	-	-	-	-	-	-	-	-	-
20 to 24 years	47	30	14	3	-	-	-	-	-	-	-	-
25 to 29 years	180	59	61	35	14	7	2	-	-	-	-	2
30 to 34 years	140	25	31	25	18	22	10	4	-	2	3	-
35 to 39 years	81	6	12	9	2	9	8	9	10	6	9	1
40 to 44 years	74	5	3	5	6	8	4	7	7	7	21	1
45 to 49 years	30	-	1	2	2	1	2	-	1	4	17	-
50 years and over	2	-	-	-	-	-	-	-	1	-	1	-
Not stated	-	-	-	-	-	-	-	-	-	-	-	-
Nonwhite												
Under 15 years	1,502	353	282	198	169	126	91	89	69	54	55	34
15 to 19 years	7	7	-	-	-	-	-	-	-	-	-	-
20 to 24 years	229	151	58	9	1	-	-	-	-	-	-	10
25 to 29 years	439	124	136	91	52	25	4	2	-	-	-	5
30 to 34 years	366	39	65	73	65	50	35	19	7	2	1	11
35 to 39 years	225	8	16	18	31	39	29	30	30	14	5	5
40 to 44 years	166	5	6	6	15	11	18	32	24	24	24	1
45 to 49 years	54	1	1	-	3	1	4	4	5	13	21	1
50 years and over	8	-	-	1	-	-	1	1	1	-	4	-
Not stated	4	1	-	-	1	-	-	1	2	-	-	-
Negro												
Under 15 years	147	42	26	28	12	19	6	6	3	4	3	-
15 to 19 years	5	5	-	-	-	-	-	-	-	-	-	-
20 to 24 years	36	23	10	2	1	-	-	-	-	-	-	-
25 to 29 years	49	10	12	13	4	8	2	-	-	-	-	-
30 to 34 years	33	3	2	10	3	6	3	5	1	-	-	-
35 to 39 years	10	1	1	1	2	3	-	-	1	1	-	-
40 to 44 years	12	-	1	-	2	2	-	1	1	3	2	-
45 to 49 years	2	-	-	-	-	-	-	1	-	-	1	-
50 years and over	-	-	-	-	-	-	-	-	-	-	-	-
Not stated	-	-	-	-	-	-	-	-	-	-	-	-
NEW YORK												
Under 15 years	149	145	4	-	-	-	-	-	-	-	-	-
15 to 19 years	19,817	15,747	3,487	464	68	7	1	-	-	-	-	43
20 to 24 years	90,019	50,992	27,780	8,034	2,265	626	153	38	8	1	2	122
25 to 29 years	97,133	34,057	37,330	15,548	5,830	2,316	1,105	507	203	101	29	107
30 to 34 years	59,672	13,049	21,040	13,472	6,040	2,751	1,433	794	504	270	269	60
35 to 39 years	27,901	4,856	7,660	6,273	3,882	2,007	1,146	695	480	320	553	29
40 to 44 years	6,205	891	1,167	1,218	904	624	375	291	188	149	385	13
45 to 49 years	280	38	36	40	32	27	20	22	7	17	38	3
50 years and over	6	-	2	-	2	-	1	-	-	-	-	1
Not stated	105	24	21	11	5	2	-	-	-	-	1	41

VITAL STATISTICS OF THE UNITED STATES

TABLE 6B.—LIVE BIRTHS BY AGE OF MOTHER, BIRTH ORDER, RACE, AND NATIVITY OF WHITE MOTHER: EACH STATE, 1949—Continued

(See headnote on p. 129)

AREA, AGE OF MOTHER, RACE, AND NATIVITY OF WHITE MOTHER	Total	BIRTH ORDER										
		First	Second	Third	Fourth	Fifth	Sixth	Seventh	Eighth	Ninth	Tenth and over	Not stated
NORTH CAROLINA—Continued												
White—Continued												
Foreign-born white	459	178	172	66	26	7	3	-	1	-	2	4
Under 15 years	-	-	7	-	-	-	-	-	-	-	-	-
15 to 19 years	20	12	-	-	-	-	-	-	-	-	-	1
20 to 24 years	205	94	80	22	6	-	-	-	-	-	-	5
25 to 29 years	159	57	61	30	8	3	-	-	-	-	-	-
30 to 34 years	43	10	14	7	8	2	1	-	-	-	1	-
35 to 39 years	26	4	10	6	4	2	-	-	-	-	-	-
40 to 44 years	6	1	-	1	-	-	2	-	1	-	1	-
45 to 49 years	-	-	-	-	-	-	-	-	-	-	-	-
50 years and over	-	-	-	-	-	-	-	-	-	-	-	-
Not stated	-	-	-	-	-	-	-	-	-	-	-	-
Nonwhite	35,555	8,419	7,344	5,340	3,832	2,808	2,174	1,580	1,215	925	1,736	182
Under 15 years	253	230	15	1	1	-	-	-	-	-	-	6
15 to 19 years	7,848	4,613	2,289	877	143	34	4	1	-	-	-	77
20 to 24 years	11,504	2,442	3,346	2,738	1,665	806	298	100	33	15	12	49
25 to 29 years	7,897	713	1,164	1,289	1,254	1,153	985	573	306	149	87	24
30 to 34 years	4,468	259	349	419	528	533	567	547	485	352	423	6
35 to 39 years	2,760	110	123	167	185	233	259	284	292	330	784	13
40 to 44 years	795	17	16	26	37	34	46	65	86	72	395	1
45 to 49 years	70	1	1	3	1	-	5	3	2	2	52	-
50 years and over	1	-	-	-	-	-	1	-	-	-	-	-
Not stated	159	34	31	20	18	13	9	7	11	5	5	6
Negro	34,352	8,197	7,092	5,179	3,706	2,697	2,096	1,510	1,166	677	1,661	181
Under 15 years	246	246	15	1	1	-	-	-	-	-	-	6
15 to 19 years	7,636	4,405	2,227	670	156	34	4	1	-	-	-	77
20 to 24 years	11,131	2,378	3,216	2,654	1,606	778	290	97	33	15	11	49
25 to 29 years	7,428	698	1,131	1,254	1,220	1,099	946	552	296	145	85	24
30 to 34 years	4,305	253	358	412	510	514	541	520	463	337	411	6
35 to 39 years	2,623	109	116	161	176	226	248	266	280	303	725	13
40 to 44 years	760	16	15	24	35	33	44	65	82	71	375	-
45 to 49 years	68	1	1	3	1	-	4	3	2	2	51	-
50 years and over	1	-	-	-	-	-	1	-	-	-	-	-
Not stated	154	34	31	20	17	13	8	6	10	4	5	6
NORTH DAKOTA												
Under 15 years	5	5	-	-	-	-	-	-	-	-	-	-
15 to 19 years	1,617	1,279	299	27	2	-	-	-	-	-	-	10
20 to 24 years	5,665	2,551	2,061	904	207	44	16	6	6	-	-	14
25 to 29 years	4,528	891	1,471	1,127	582	259	121	46	16	7	3	5
30 to 34 years	2,813	323	704	662	486	283	188	116	67	31	28	3
35 to 39 years	1,607	101	200	272	271	201	145	121	94	74	128	-
40 to 44 years	502	29	48	54	51	53	48	42	35	32	112	-
45 to 49 years	44	1	3	1	5	1	2	5	2	7	17	-
50 years and over	-	-	-	-	-	-	-	-	-	-	-	-
Not stated	47	25	10	4	1	3	1	1	1	1	1	-
White	16,475	5,102	4,630	2,921	1,577	915	487	315	199	135	265	35
Under 15 years	5	5	-	-	-	-	-	-	-	-	-	-
15 to 19 years	1,550	1,234	286	26	2	-	-	-	-	-	-	10
20 to 24 years	5,532	2,506	2,022	777	202	42	14	6	-	-	-	13
25 to 29 years	4,443	661	1,464	1,112	571	245	104	41	14	5	1	5
30 to 34 years	2,751	321	601	678	477	273	179	108	56	26	27	3
35 to 39 years	1,562	101	199	269	260	197	140	114	90	67	117	-
40 to 44 years	491	29	46	54	51	53	47	41	35	31	104	-
45 to 49 years	41	1	3	1	5	-	2	5	2	6	16	-
50 years and over	-	-	-	-	-	-	-	-	-	-	-	-
Not stated	42	24	9	4	1	3	1	-	-	-	-	-
Native white	16,119	5,004	4,529	2,872	1,544	792	476	302	195	129	248	30
Under 15 years	5	5	-	-	-	-	-	-	-	-	-	-
15 to 19 years	1,547	1,224	285	26	2	-	-	-	-	-	-	10
20 to 24 years	5,483	2,461	1,986	762	199	42	14	6	-	-	-	13
25 to 29 years	4,340	656	1,420	1,037	561	240	104	39	14	4	1	4
30 to 34 years	2,686	313	567	667	472	265	176	105	55	25	27	3
35 to 39 years	1,513	98	196	262	253	191	136	111	68	65	113	-
40 to 44 years	467	25	45	53	51	51	43	37	35	31	96	-
45 to 49 years	31	-	3	1	5	-	2	4	1	4	11	-
50 years and over	-	-	-	-	-	-	-	-	-	-	-	-
Not stated	37	22	7	4	1	2	1	-	-	-	-	-
Foreign-born white	356	89	95	40	33	19	11	12	6	6	17	-
Under 15 years	-	-	-	-	-	-	-	-	-	-	-	-
15 to 19 years	8	7	1	-	-	-	-	-	-	-	-	-
20 to 24 years	93	40	35	15	3	-	-	-	-	-	-	-
25 to 29 years	96	25	41	14	10	4	-	1	-	1	-	-
30 to 34 years	55	8	14	11	5	7	3	3	3	1	-	-
35 to 39 years	49	3	3	7	15	6	4	3	2	2	4	-
40 to 44 years	24	4	1	1	-	2	4	4	-	-	8	-
45 to 49 years	10	1	-	-	-	-	-	1	1	2	5	-
50 years and over	-	-	-	-	-	-	-	-	-	-	-	-
Not stated	1	1	-	-	-	-	-	-	-	-	-	-
Nonwhite	371	83	64	50	28	31	34	23	16	17	24	1
Under 15 years	-	-	-	-	-	-	-	-	-	-	-	-
15 to 19 years	59	45	13	1	-	-	-	-	-	-	-	-
20 to 24 years	101	25	39	27	5	2	2	-	-	-	-	1
25 to 29 years	85	10	7	15	11	14	17	5	2	2	2	-
30 to 34 years	62	2	3	4	9	10	9	10	9	5	1	-
35 to 39 years	45	1	3	3	3	4	5	7	4	7	11	-
40 to 44 years	11	-	-	-	-	-	1	1	-	1	8	-
45 to 49 years	3	-	-	-	-	1	-	-	-	1	1	-
50 years and over	-	-	-	-	-	-	-	-	-	-	-	-
Not stated	5	1	1	-	-	-	-	-	1	1	1	-

VITAL STATISTICS OF THE UNITED STATES

TABLE 6B.—LIVE BIRTHS BY AGE OF MOTHER, BIRTH ORDER, RACE, AND NATIVITY OF WHITE MOTHER: EACH STATE, 1949—Continued

(See headnote on p. 129)

AREA, AGE OF MOTHER, RACE, AND NATIVITY OF WHITE MOTHER	Total	BIRTH ORDER										
		First	Second	Third	Fourth	Fifth	Sixth	Seventh	Eighth	Ninth	Tenth and over	Not stated
RHODE ISLAND	16,492	6,087	5,172	2,577	1,050	482	231	125	65	49	87	567
Under 15 years	2	2	-	-	-	-	-	-	-	-	-	-
15 to 19 years	1,022	902	169	15	2	1	-	-	-	-	-	38
20 to 24 years	5,002	2,759	1,533	424	64	24	3	2	-	-	-	173
25 to 29 years	5,332	1,650	2,013	931	349	132	54	22	2	1	2	176
30 to 34 years	3,235	578	1,042	795	350	172	79	42	27	17	16	118
35 to 39 years	1,529	241	356	257	210	115	74	39	24	19	44	50
40 to 44 years	342	52	55	52	54	35	19	19	11	8	25	12
45 to 49 years	18	1	2	2	1	3	3	1	1	4	-	-
50 years and over	-	-	-	-	-	-	-	-	-	-	-	-
Not stated	10	2	2	1	-	-	-	-	-	-	-	5
White	16,070	5,983	5,065	2,485	1,010	449	216	113	59	42	75	565
Under 15 years	1	1	-	-	-	-	-	-	-	-	-	-
15 to 19 years	958	754	156	14	-	1	-	-	-	-	-	33
20 to 24 years	4,860	2,721	1,479	368	76	19	3	2	-	-	-	172
25 to 29 years	5,220	1,639	1,988	905	332	114	44	18	2	-	2	176
30 to 34 years	3,170	572	1,033	782	338	164	76	37	24	13	12	118
35 to 39 years	1,502	241	351	251	209	114	71	39	21	18	38	48
40 to 44 years	332	52	54	51	54	33	19	17	10	7	23	12
45 to 49 years	17	1	2	2	1	3	3	-	1	4	-	-
50 years and over	-	-	-	-	-	-	-	-	-	-	-	-
Not stated	10	2	2	1	-	-	-	-	-	-	-	5
Native white	15,291	5,739	4,853	2,349	942	424	196	103	55	36	67	527
Under 15 years	1	1	-	-	-	-	-	-	-	-	-	-
15 to 19 years	946	745	154	14	-	1	-	-	-	-	-	32
20 to 24 years	4,720	2,642	1,447	371	76	19	3	2	-	-	-	166
25 to 29 years	4,955	1,536	1,897	865	313	112	44	18	2	-	2	166
30 to 34 years	3,021	547	984	740	325	160	71	56	24	13	12	109
35 to 39 years	1,349	218	322	218	165	105	61	32	20	15	34	39
40 to 44 years	272	47	46	39	42	24	16	15	9	4	19	11
45 to 49 years	12	1	1	1	1	3	1	-	-	4	-	-
50 years and over	-	-	-	-	-	-	-	-	-	-	-	-
Not stated	9	2	2	1	-	-	-	-	-	-	-	4
Foreign-born white	778	244	212	146	69	24	20	10	3	6	8	37
Under 15 years	-	-	-	-	-	-	-	-	-	-	-	-
15 to 19 years	17	9	2	-	-	-	-	-	-	-	-	1
20 to 24 years	134	79	32	17	-	-	-	-	-	-	-	6
25 to 29 years	265	103	91	40	19	2	-	-	-	-	-	10
30 to 34 years	149	25	43	13	4	5	1	-	-	-	-	9
35 to 39 years	153	23	29	33	24	9	10	7	1	3	4	10
40 to 44 years	60	5	6	12	12	9	3	2	1	3	4	1
45 to 49 years	5	-	1	1	-	-	2	-	1	-	-	-
50 years and over	-	-	-	-	-	-	-	-	-	-	-	-
Not stated	-	-	-	-	-	-	-	-	-	-	-	-
Nonwhite	422	104	117	82	40	34	14	12	7	7	12	2
Under 15 years	1	1	-	-	-	-	-	-	-	-	-	-
15 to 19 years	64	49	13	1	2	-	-	-	-	-	-	-
20 to 24 years	142	58	54	36	8	5	-	-	-	-	-	1
25 to 29 years	112	11	25	26	17	18	10	4	-	1	-	-
30 to 34 years	65	6	9	12	12	8	2	5	3	4	4	1
35 to 39 years	27	-	6	6	1	3	-	3	1	6	1	-
40 to 44 years	10	-	1	1	-	2	-	2	1	1	2	-
45 to 49 years	1	-	-	-	-	-	-	1	-	-	-	-
50 years and over	-	-	-	-	-	-	-	-	-	-	-	-
Not stated	-	-	-	-	-	-	-	-	-	-	-	-
Negro	392	100	96	76	38	31	14	10	7	7	11	2
Under 15 years	1	1	-	-	-	-	-	-	-	-	-	-
15 to 19 years	61	47	11	1	2	-	-	-	-	-	-	-
20 to 24 years	123	36	48	36	7	5	-	-	-	-	-	1
25 to 29 years	104	10	22	23	17	17	10	4	-	1	-	-
30 to 34 years	59	6	9	10	11	7	2	3	3	4	4	-
35 to 39 years	25	-	5	5	1	2	-	3	1	6	1	-
40 to 44 years	8	-	1	1	-	1	-	2	1	1	1	-
45 to 49 years	1	-	-	-	-	-	-	1	-	-	-	-
50 years and over	-	-	-	-	-	-	-	-	-	-	-	-
Not stated	-	-	-	-	-	-	-	-	-	-	-	-
SOUTH CAROLINA	56,516	16,488	14,248	9,070	5,627	3,766	2,829	2,041	1,482	1,019	1,905	41
Under 15 years	223	186	34	3	-	-	-	-	-	-	-	-
15 to 19 years	10,953	6,786	3,062	843	204	31	5	6	-	1	-	15
20 to 24 years	19,356	5,878	6,016	3,771	2,016	892	433	151	48	19	16	15
25 to 29 years	14,147	2,319	3,321	2,576	1,846	1,475	1,116	702	391	168	129	4
30 to 34 years	7,703	786	1,233	1,245	841	768	759	680	494	351	445	1
35 to 39 years	4,491	347	432	496	405	381	400	381	439	365	843	2
40 to 44 years	1,110	74	62	73	65	61	61	89	86	99	400	-
45 to 49 years	112	7	2	4	6	6	9	9	8	7	54	-
50 years and over	4	-	-	1	1	-	-	1	-	-	1	-
Not stated	417	104	86	58	43	32	26	22	16	9	17	4
White	31,649	10,501	9,168	5,084	2,653	1,440	1,010	630	435	293	418	17
Under 15 years	41	39	2	-	-	-	-	-	-	-	-	-
15 to 19 years	4,953	3,547	1,169	191	35	4	-	2	-	1	-	4
20 to 24 years	10,541	4,198	5,007	1,661	596	196	59	11	2	1	3	7
25 to 29 years	8,406	1,765	2,684	1,787	1,037	566	344	133	64	18	6	2
30 to 34 years	4,509	619	1,047	879	632	373	343	239	140	75	63	1
35 to 39 years	2,390	253	368	384	279	230	195	185	170	140	186	-
40 to 44 years	626	43	55	65	51	61	57	55	52	51	136	-
45 to 49 years	54	5	2	2	4	2	6	3	5	3	22	-
50 years and over	-	-	-	-	-	-	-	-	-	-	-	-
Not stated	129	32	34	16	19	8	6	5	2	4	2	3

GENERAL TABLES—LIVE BIRTHS

157

TABLE 6B.—LIVE BIRTHS BY AGE OF MOTHER, BIRTH ORDER, RACE, AND NATIVITY OF WHITE MOTHER: EACH STATE, 1949—Continued

(See headnote on p. 129)

AREA, AGE OF MOTHER, RACE, AND NATIVITY OF WHITE MOTHER	Total	BIRTH ORDER										
		First	Second	Third	Fourth	Fifth	Sixth	Seventh	Eighth	Ninth	Tenth and over	Not stated
SOUTH CAROLINA—Continued												
White—Continued												
Native white	31,345	10,385	9,052	5,044	2,638	1,432	1,008	628	434	291	416	16
Under 15 years	41	39	2	-	-	-	-	-	-	-	-	-
15 to 19 years	4,938	3,536	1,186	190	35	4	-	2	-	1	-	4
20 to 24 years	10,404	4,133	3,754	1,647	592	195	59	11	2	1	3	7
25 to 29 years	8,310	1,733	2,637	1,777	1,034	565	343	151	64	18	6	2
30 to 34 years	4,472	612	1,037	964	628	371	345	238	139	75	63	1
35 to 39 years	2,379	252	365	383	276	228	195	185	170	139	186	-
40 to 44 years	624	43	55	85	51	60	56	55	52	51	136	-
45 to 49 years	53	5	2	2	4	1	6	3	5	3	22	-
50 years and over	-	-	-	-	-	-	-	-	-	-	-	-
Not stated	124	30	34	16	8	6	3	2	3	2	2	2
Foreign-born white	261	107	112	39	12	8	2	1	-	1	-	-
Under 15 years	-	-	-	-	-	-	-	-	-	-	-	-
15 to 19 years	8	5	2	1	-	-	-	-	-	-	-	-
20 to 24 years	134	65	52	13	3	1	-	-	-	-	-	-
25 to 29 years	92	30	46	10	3	1	1	1	-	-	-	-
30 to 34 years	34	6	9	14	3	2	-	-	-	-	-	-
35 to 39 years	10	1	3	-	3	2	-	-	-	1	-	-
40 to 44 years	2	-	-	-	-	1	-	-	-	-	-	-
45 to 49 years	1	-	-	-	-	1	-	-	-	-	-	-
50 years and over	-	-	-	-	-	-	-	-	-	-	-	-
Not stated	-	-	-	-	-	-	-	-	-	-	-	-
Nonwhite	26,867	5,997	5,090	3,986	2,974	2,326	1,819	1,411	1,047	726	1,467	24
Under 15 years	182	147	32	3	-	-	-	-	-	-	-	-
15 to 19 years	6,000	3,239	1,695	632	169	27	5	4	-	-	-	11
20 to 24 years	8,615	1,641	2,209	2,110	1,420	796	374	140	46	18	15	8
25 to 29 years	5,741	584	789	637	909	909	772	569	327	150	123	2
30 to 34 years	3,194	167	186	267	309	385	416	442	354	276	382	-
35 to 39 years	2,101	94	64	112	126	151	205	196	269	225	657	2
40 to 44 years	484	31	7	8	14	20	24	34	34	48	264	-
45 to 49 years	58	2	-	2	2	4	3	6	3	4	32	-
50 years and over	4	-	-	1	1	-	-	1	-	-	1	-
Not stated	288	72	52	42	24	24	20	19	14	5	15	1
Negro	26,640	5,980	5,075	3,982	2,973	2,323	1,819	1,409	1,044	726	1,485	24
Under 15 years	182	147	32	3	-	-	-	-	-	-	-	-
15 to 19 years	6,000	3,237	1,691	631	169	27	5	4	-	-	-	11
20 to 24 years	8,609	1,640	2,207	2,107	1,420	785	374	140	46	18	13	8
25 to 29 years	5,733	550	738	637	908	907	772	569	327	150	123	2
30 to 34 years	3,192	167	186	267	309	385	416	441	353	276	382	-
35 to 39 years	2,098	94	64	112	126	151	205	195	268	225	656	2
40 to 44 years	482	31	7	8	14	20	24	34	33	48	263	-
45 to 49 years	58	2	-	2	2	4	3	6	3	4	32	-
50 years and over	4	-	-	1	1	-	-	1	-	-	1	-
Not stated	287	72	51	42	24	24	20	19	14	5	15	1
SOUTH DAKOTA												
Under 15 years	11	11	-	-	-	-	-	-	-	-	-	-
15 to 19 years	1,792	1,425	305	43	2	-	-	-	-	-	-	6
20 to 24 years	5,742	2,539	2,156	770	204	46	5	-	1	-	-	21
25 to 29 years	4,822	962	1,698	1,149	569	244	101	45	16	8	3	7
30 to 34 years	2,899	316	698	705	477	293	171	121	65	31	7	5
35 to 39 years	1,461	118	213	266	259	164	126	114	67	51	61	2
40 to 44 years	454	26	38	52	50	66	47	31	29	19	76	-
45 to 49 years	29	1	2	1	1	5	5	4	2	1	7	-
50 years and over	-	-	-	-	-	-	-	-	-	-	-	-
Not stated	51	6	10	4	5	2	1	1	1	-	-	1
White	16,486	5,253	4,985	2,885	1,494	757	399	276	155	88	155	39
Under 15 years	8	8	-	-	-	-	-	-	-	-	-	-
15 to 19 years	1,675	1,339	286	40	2	-	-	-	-	-	-	6
20 to 24 years	5,548	2,479	2,082	728	192	43	4	-	1	-	-	19
25 to 29 years	4,639	967	1,666	1,110	537	213	78	37	14	7	3	7
30 to 34 years	2,775	312	691	693	458	274	144	101	57	26	13	4
35 to 39 years	1,398	117	212	259	232	157	121	104	57	39	68	2
40 to 44 years	401	25	36	50	47	63	47	30	24	14	65	-
45 to 49 years	27	1	2	1	1	5	4	4	2	1	6	-
50 years and over	-	-	-	-	-	-	-	-	-	-	-	-
Not stated	29	5	10	4	5	2	1	1	1	-	-	1
Native white	16,257	5,195	4,900	2,845	1,479	745	394	274	154	84	154	35
Under 15 years	8	8	-	-	-	-	-	-	-	-	-	-
15 to 19 years	1,668	1,336	283	40	2	-	-	-	-	-	-	6
20 to 24 years	5,477	2,452	2,050	719	192	41	4	-	1	7	-	18
25 to 29 years	4,557	953	1,633	1,081	532	207	77	37	14	7	3	6
30 to 34 years	2,734	306	676	667	453	273	142	99	57	25	13	3
35 to 39 years	1,369	115	209	254	248	157	119	104	56	38	67	2
40 to 44 years	394	23	36	50	46	60	47	30	24	13	65	-
45 to 49 years	25	1	2	1	1	4	4	4	2	-	6	-
50 years and over	-	-	-	-	-	-	-	-	-	-	-	-
Not stated	24	4	9	3	5	1	1	1	-	-	-	-
Foreign-born white	223	56	83	39	15	14	5	2	1	4	1	3
Under 15 years	-	-	-	-	-	-	-	-	-	-	-	-
15 to 19 years	3	2	1	-	-	-	-	-	-	-	-	-
20 to 24 years	71	27	32	9	-	2	-	-	-	-	-	1
25 to 29 years	61	17	32	19	5	6	1	-	-	-	-	1
30 to 34 years	39	6	15	6	5	1	2	2	-	1	-	1
35 to 39 years	19	2	3	5	4	-	2	-	1	1	-	1
40 to 44 years	7	2	-	-	1	3	-	-	-	1	-	-
45 to 49 years	2	-	-	-	1	1	-	-	-	1	-	-
50 years and over	-	-	-	-	-	-	-	-	-	-	-	-
Not stated	1	-	-	-	-	1	-	-	-	-	-	-

TABLE 6B.—LIVE BIRTHS BY AGE OF MOTHER, BIRTH ORDER, RACE, AND NATIVITY OF WHITE MOTHER: EACH STATE, 1949—Continued

(See headnote on p. 129)

Table with columns for AREA, AGE OF MOTHER, RACE, AND NATIVITY OF WHITE MOTHER; Total; BIRTH ORDER (First through Tenth and over); and Not stated. Rows include states like SOUTH DAKOTA, TENNESSEE, and TEXAS, with sub-rows for age groups (e.g., Under 15 years, 15 to 19 years) and race (Nonwhite, White, Native white, Foreign-born white, Negro).

VITAL STATISTICS OF THE UNITED STATES

TABLE 6B.—LIVE BIRTHS BY AGE OF MOTHER, BIRTH ORDER, RACE, AND NATIVITY OF WHITE MOTHER: EACH STATE, 1949—Continued

(See headnote on p. 129)

AREA, AGE OF MOTHER, RACE, AND NATIVITY OF WHITE MOTHER	Total	BIRTH ORDER										
		First	Second	Third	Fourth	Fifth	Sixth	Seventh	Eighth	Ninth	Tenth and over	Not stated
UTAH—Continued												
White—Continued												
Foreign-born white	429	102	125	86	39	34	16	9	6	6	8	-
Under 15 years	-	-	-	-	-	-	-	-	-	-	-	-
15 to 19 years	4	3	1	-	-	-	-	-	-	-	-	-
20 to 24 years	108	49	43	13	3	-	-	-	-	-	-	-
25 to 29 years	128	29	48	36	9	3	5	-	-	-	-	-
30 to 34 years	87	13	22	19	15	11	5	-	-	1	1	-
35 to 39 years	61	7	7	13	9	10	4	5	4	-	2	-
40 to 44 years	35	1	2	4	2	9	4	4	2	3	4	-
45 to 49 years	6	-	-	1	1	1	-	-	-	2	1	-
50 years and over	-	-	-	-	-	-	-	-	-	-	-	-
Not stated	-	-	-	-	-	-	-	-	-	-	-	-
Nonwhite	276	71	61	46	31	21	18	8	7	2	8	3
Under 15 years	2	2	-	-	-	-	-	-	-	-	-	-
15 to 19 years	22	14	5	2	1	-	-	-	-	-	-	-
20 to 24 years	91	34	26	16	6	4	2	1	-	-	-	2
25 to 29 years	90	16	27	17	14	8	4	1	3	-	-	-
30 to 34 years	52	4	3	11	6	6	10	6	3	1	2	-
35 to 39 years	11	1	-	-	4	2	-	-	1	1	2	-
40 to 44 years	6	-	-	-	-	1	2	-	-	-	5	-
45 to 49 years	1	-	-	-	-	-	-	-	-	-	1	-
50 years and over	-	-	-	-	-	-	-	-	-	-	-	-
Not stated	1	-	-	-	-	-	-	-	-	-	-	1
VERMONT												
	9,297	2,860	2,686	1,574	909	478	267	166	96	72	108	81
Under 15 years	6	6	-	-	-	-	-	-	-	-	-	-
15 to 19 years	1,002	768	196	22	4	-	-	-	-	-	-	12
20 to 24 years	3,050	1,272	1,092	441	163	38	20	4	-	-	-	20
25 to 29 years	2,704	559	688	603	328	151	78	46	15	5	1	30
30 to 34 years	1,527	157	366	341	237	169	89	58	46	27	24	13
35 to 39 years	745	77	117	135	130	95	57	37	20	27	45	3
40 to 44 years	257	18	23	29	44	22	21	20	13	12	34	1
45 to 49 years	20	1	1	2	2	3	2	1	2	1	4	1
50 years and over	-	-	-	-	-	-	-	-	-	-	-	-
Not stated	8	2	3	1	1	-	-	-	-	-	-	1
White	9,293	2,860	2,685	1,572	909	477	267	166	96	72	108	81
Under 15 years	6	6	-	-	-	-	-	-	-	-	-	-
15 to 19 years	1,002	768	196	22	4	-	-	-	-	-	-	12
20 to 24 years	3,049	1,272	1,092	440	163	38	20	4	-	-	-	20
25 to 29 years	2,702	559	688	602	328	150	78	46	15	5	1	30
30 to 34 years	1,526	157	365	341	237	169	89	58	46	27	24	13
35 to 39 years	745	77	117	135	130	95	57	37	20	27	45	3
40 to 44 years	257	18	23	29	44	22	21	20	13	12	34	1
45 to 49 years	20	1	1	2	2	3	2	1	2	1	4	1
50 years and over	-	-	-	-	-	-	-	-	-	-	-	-
Not stated	8	2	3	1	1	-	-	-	-	-	-	1
Native white	8,600	2,667	2,493	1,454	825	434	245	149	82	60	92	79
Under 15 years	6	6	-	-	-	-	-	-	-	-	-	-
15 to 19 years	972	746	191	19	4	-	-	-	-	-	-	12
20 to 24 years	2,891	1,207	1,028	421	155	36	20	4	-	-	-	20
25 to 29 years	2,470	495	616	550	300	143	74	43	15	4	1	29
30 to 34 years	1,393	146	333	316	214	151	79	53	41	26	22	12
35 to 39 years	651	67	102	122	114	83	53	33	15	19	40	3
40 to 44 years	195	17	21	24	36	18	17	15	10	11	25	1
45 to 49 years	16	1	1	2	2	3	2	1	1	1	4	1
50 years and over	-	-	-	-	-	-	-	-	-	-	-	-
Not stated	4	2	1	-	-	-	-	-	-	-	-	1
Foreign-born white	684	172	189	115	83	43	22	17	13	12	16	2
Under 15 years	-	-	-	-	-	-	-	-	-	-	-	-
15 to 19 years	29	21	5	3	-	-	-	-	-	-	-	-
20 to 24 years	156	85	64	17	8	2	-	-	-	-	-	-
25 to 29 years	231	64	72	52	27	7	4	3	-	1	-	1
30 to 34 years	132	11	32	25	23	19	10	5	4	1	2	1
35 to 39 years	90	10	13	13	16	12	4	4	5	8	5	-
40 to 44 years	42	1	2	5	8	4	4	5	5	1	9	-
45 to 49 years	2	-	-	-	-	-	-	-	1	1	-	-
50 years and over	-	-	-	-	-	-	-	-	-	-	-	-
Not stated	2	-	1	-	1	-	-	-	-	-	-	-
Nonwhite	4	-	1	2	-	1	-	-	-	-	-	-
Under 15 years	-	-	-	-	-	-	-	-	-	-	-	-
15 to 19 years	-	-	-	-	-	-	-	-	-	-	-	-
20 to 24 years	1	-	-	1	-	-	-	-	-	-	-	-
25 to 29 years	2	-	-	1	-	1	-	-	-	-	-	-
30 to 34 years	1	-	1	-	-	-	-	-	-	-	-	-
35 to 39 years	-	-	-	-	-	-	-	-	-	-	-	-
40 to 44 years	-	-	-	-	-	-	-	-	-	-	-	-
45 to 49 years	-	-	-	-	-	-	-	-	-	-	-	-
50 years and over	-	-	-	-	-	-	-	-	-	-	-	-
Not stated	-	-	-	-	-	-	-	-	-	-	-	-
VIRGINIA												
	82,960	27,371	23,449	12,810	6,660	3,908	2,744	1,909	1,309	976	1,756	88
Under 15 years	218	194	20	4	-	-	-	-	-	-	-	-
15 to 19 years	12,855	8,928	3,157	627	95	16	5	2	-	-	-	25
20 to 24 years	25,396	10,428	8,938	4,253	1,745	652	230	79	24	115	9	25
25 to 29 years	22,407	5,120	6,998	4,371	2,391	1,541	1,012	523	238	115	77	21
30 to 34 years	12,584	1,839	3,054	2,320	1,454	1,006	646	708	492	321	334	10
35 to 39 years	5,465	646	1,063	961	770	545	486	458	392	379	744	2
40 to 44 years	1,868	139	173	212	170	121	150	128	146	136	491	2
45 to 49 years	149	8	7	6	7	10	10	8	10	9	74	-
50 years and over	9	1	-	1	1	1	-	-	-	-	3	-
Not stated	208	68	39	35	27	15	5	3	6	3	4	5

GENERAL TABLES—LIVE BIRTHS

TABLE 7.—LIVE BIRTHS BY SINGLE YEAR OF AGE OF MOTHER, BIRTH ORDER, RACE, AND NATIVITY OF WHITE MOTHER: UNITED STATES, 1949—Continued

(See heading on p. 165)

RACE, AGE OF MOTHER, AND NATIVITY OF WHITE MOTHER	Total	BIRTH ORDER																	Not stated
		1	2	3	4	5	6	7	8	9	10	11	12	13	14	15	16	17+	
NONWHITE-----	475,808	125,430	108,305	75,935	48,414	33,511	24,122	17,489	12,701	9,247	6,454	4,395	2,749	1,832	1,063	636	290	591	4,634
Under 15 years-----	5,285	2,941	282	10	4	-	-	-	-	-	-	-	-	-	-	-	-	-	40
15 years-----	6,880	5,618	892	89	6	4	-	-	-	-	-	-	-	-	-	-	-	-	72
16 years-----	15,611	10,693	2,599	517	34	8	2	-	-	-	-	-	-	-	-	-	-	-	168
17 years-----	20,646	13,638	5,670	954	109	25	5	1	-	-	-	-	-	-	-	-	-	-	246
18 years-----	27,650	15,249	9,208	2,628	415	77	15	2	4	-	-	-	-	-	-	-	-	-	254
19 years-----	31,622	15,901	11,412	4,607	1,100	240	38	14	2	2	-	-	-	-	-	-	-	-	306
20 years-----	32,657	11,409	11,779	6,284	2,114	578	119	38	15	8	2	1	-	-	-	-	-	-	292
21 years-----	32,291	9,188	10,728	7,355	3,231	1,057	284	87	24	18	3	3	-	-	-	-	-	-	315
22 years-----	31,618	7,586	9,677	7,587	4,240	1,711	508	135	39	21	8	3	3	-	-	-	-	-	300
23 years-----	30,668	6,221	8,277	7,116	4,829	2,381	1,052	339	77	41	10	6	3	2	-	-	-	-	314
24 years-----	28,698	5,087	6,986	6,326	4,799	2,971	1,416	541	201	63	24	15	2	2	-	-	-	-	285
25 years-----	25,357	4,054	5,461	5,159	4,306	3,061	1,796	786	323	138	39	16	5	6	1	1	-	-	225
26 years-----	22,821	3,325	4,408	4,300	3,688	2,983	2,084	1,028	465	185	74	32	9	7	2	2	1	-	220
27 years-----	20,746	2,614	3,878	3,660	3,152	2,705	2,004	1,283	623	270	108	45	13	9	1	3	-	-	180
28 years-----	20,047	2,430	3,587	3,235	2,974	2,621	2,155	1,817	880	379	164	73	34	16	8	3	-	-	181
29 years-----	17,915	1,992	2,753	2,741	2,393	2,328	2,053	1,540	995	506	262	101	44	15	5	9	5	2	171
30 years-----	15,985	1,690	2,142	2,265	2,121	1,943	1,754	1,559	1,096	651	342	149	69	36	16	7	3	8	146
31 years-----	11,654	1,170	1,481	1,574	1,441	1,349	1,287	1,159	913	625	299	155	55	26	12	4	2	5	111
32 years-----	11,972	1,100	1,417	1,517	1,420	1,331	1,297	1,130	1,036	709	452	204	117	41	24	12	5	11	89
33 years-----	10,460	816	1,153	1,230	1,151	1,122	1,123	1,064	910	726	409	233	142	63	28	15	5	9	81
34 years-----	9,940	791	1,068	1,099	1,024	1,035	1,030	1,006	895	734	564	288	154	79	37	22	14	14	78
35 years-----	8,893	613	841	943	876	899	846	878	826	744	571	361	207	124	53	28	6	23	64
36 years-----	7,784	531	642	690	632	745	739	750	728	731	589	419	212	141	68	24	16	17	60
37 years-----	6,754	366	539	585	531	593	645	627	623	630	530	410	261	156	84	43	24	25	52
38 years-----	6,886	401	485	510	534	555	597	617	647	632	581	485	329	217	128	76	38	41	42
39 years-----	5,164	236	302	348	388	398	424	457	505	478	426	409	308	212	121	77	26	39	39
40 years-----	3,532	206	191	201	224	274	262	306	293	296	322	321	216	210	125	78	35	42	30
41 years-----	2,035	96	102	115	127	125	150	136	158	175	178	192	151	119	90	47	22	36	16
42 years-----	1,807	70	89	101	105	110	111	149	161	164	162	189	146	122	78	64	24	36	7
43 years-----	1,250	52	47	51	83	66	86	87	94	100	114	111	106	82	66	50	27	37	11
44 years-----	705	16	26	20	39	24	32	43	55	74	66	78	66	71	45	25	11	15	3
45 years-----	354	10	5	15	11	22	25	26	25	28	25	28	29	31	30	18	12	11	3
46 years-----	194	4	5	5	4	12	15	11	10	16	16	19	19	15	15	12	5	10	1
47 years-----	122	1	5	4	5	5	7	5	10	7	14	10	19	9	7	6	2	5	1
48 years-----	83	3	4	7	5	1	8	8	3	5	5	3	7	10	3	5	4	2	-
49 years-----	63	3	2	1	2	8	7	4	4	1	8	5	6	2	5	2	-	3	-
50 years and over-----	42	-	1	3	5	-	1	11	5	2	1	2	2	1	4	1	1	1	1
Not stated-----	2,805	619	390	306	225	166	125	97	80	60	36	23	15	8	7	2	-	3	453

VITAL STATISTICS OF THE UNITED STATES

TABLE 8.—LIVE BIRTHS BY AGE OF FATHER, RACE, AND SEX, AND AGE OF MOTHER FOR THE U. S. ONLY: UNITED STATES AND EACH STATE, 1949—Continued

(By place of residence)

AREA, RACE, AND SEX	Total	AGE OF FATHER										Not stated
		Under 15 years	15-19 years	20-24 years	25-29 years	30-34 years	35-39 years	40-44 years	45-49 years	50-54 years	55 years and over	
MONTANA	15,566	2	226	3,193	4,635	3,456	1,993	950	440	153	113	205
Male	7,657	1	116	1,623	2,316	1,691	990	459	212	66	55	108
Female	7,729	1	110	1,570	2,319	1,765	1,003	491	228	87	58	97
White	14,556	2	210	3,014	4,432	3,317	1,891	897	408	137	101	147
Male	7,244	1	109	1,541	2,215	1,625	958	432	199	58	49	81
Female	7,312	1	101	1,473	2,219	1,694	953	465	209	79	52	66
Nonwhite	810	-	16	179	203	138	102	53	32	16	12	27
Male	393	-	7	82	103	68	52	27	13	8	6	27
Female	417	-	9	97	100	71	50	26	19	8	6	31
NEBRASKA	31,547	-	451	7,145	10,038	6,732	3,849	1,834	685	234	114	465
Male	15,038	-	238	3,691	5,087	3,370	1,978	957	332	117	54	214
Female	15,509	-	213	3,454	4,951	3,362	1,871	877	353	117	60	251
White	30,873	-	437	6,967	9,869	6,654	3,771	1,793	667	225	110	380
Male	15,686	-	232	3,589	5,000	3,328	1,939	933	323	112	54	176
Female	15,187	-	205	3,378	4,869	3,326	1,832	860	344	113	56	204
Nonwhite	674	-	14	178	169	78	41	18	9	4	4	85
Male	352	-	6	102	87	42	39	24	9	5	-	38
Female	322	-	8	76	82	36	39	17	9	4	4	47
NEVADA	3,673	-	74	721	1,089	821	507	225	113	42	25	58
Male	1,899	-	30	380	556	421	260	123	59	26	15	29
Female	1,774	-	44	341	533	400	247	102	54	16	10	27
White	3,364	-	66	661	1,019	767	464	204	109	37	23	34
Male	1,751	-	26	350	515	395	244	113	57	21	14	16
Female	1,613	-	40	311	504	372	220	91	52	16	9	18
Nonwhite	289	-	8	60	70	54	43	21	4	5	2	22
Male	148	-	4	30	41	26	16	10	2	5	1	13
Female	141	-	4	30	29	28	27	11	2	-	1	9
NEW HAMPSHIRE	11,940	-	169	2,638	3,738	2,607	1,507	656	215	95	42	273
Male	6,125	-	92	1,348	1,905	1,350	770	335	121	48	21	133
Female	5,815	-	77	1,289	1,833	1,257	737	320	94	47	21	140
White	11,920	-	168	2,636	3,732	2,603	1,503	656	214	94	42	272
Male	6,117	-	91	1,349	1,902	1,349	768	336	121	47	21	133
Female	5,803	-	77	1,287	1,830	1,254	735	320	93	47	21	139
Nonwhite	20	-	1	2	6	4	4	-	1	1	-	1
Male	8	-	1	-	3	1	2	-	-	-	-	-
Female	12	-	-	2	3	3	-	-	1	-	-	1
NEW JERSEY	97,606	1	866	15,867	30,812	25,032	14,411	6,006	1,966	579	240	1,806
Male	50,440	-	471	8,253	15,836	13,027	7,446	3,087	998	283	124	915
Female	47,166	1	395	7,614	14,976	12,005	6,965	2,919	968	296	116	891
White	88,393	-	574	13,464	28,303	23,611	13,500	5,555	1,759	510	197	920
Male	45,718	-	309	7,010	14,574	12,303	6,976	2,845	990	249	99	464
Female	42,675	-	266	6,454	13,729	11,308	6,524	2,710	869	261	98	456
Nonwhite	9,213	1	292	2,403	2,509	1,421	911	451	227	69	43	286
Male	4,722	-	165	1,245	1,262	724	470	242	108	34	25	451
Female	4,491	1	129	1,160	1,247	697	441	209	119	35	18	435
NEW MEXICO	21,620	-	443	4,910	5,966	4,138	2,653	1,460	725	253	207	865
Male	11,207	-	226	2,469	3,192	2,105	1,397	765	360	158	112	443
Female	10,413	-	217	2,441	2,774	2,033	1,256	695	365	115	95	422
White	20,118	-	422	4,683	5,648	3,673	2,457	1,357	650	226	172	630
Male	10,392	-	214	2,352	3,019	1,953	1,293	707	324	121	93	316
Female	9,726	-	208	2,331	2,629	1,920	1,164	650	326	105	79	314
Nonwhite	1,502	-	21	227	318	265	196	103	75	27	35	235
Male	815	-	12	117	173	152	104	58	36	17	19	127
Female	687	-	9	110	145	113	92	45	39	10	16	108
NEW YORK	301,287	2	2,610	49,161	92,033	73,547	44,949	20,695	7,062	2,041	828	8,359
Male	154,565	1	1,341	25,339	47,392	37,686	22,765	10,593	3,614	1,079	425	4,330
Female	146,722	1	1,269	23,822	44,641	35,861	22,184	10,102	3,448	962	403	4,029
White	274,763	1	1,960	43,376	84,675	69,342	42,243	19,330	6,453	1,865	732	4,606
Male	141,046	1	999	22,397	43,771	35,476	21,421	9,899	3,307	983	381	2,421
Female	133,717	-	961	20,989	41,104	33,866	20,822	9,431	3,146	882	351	2,185
Nonwhite	26,504	1	650	5,785	7,159	4,205	2,706	1,365	609	176	96	3,733
Male	13,319	-	342	2,932	3,621	2,210	1,344	694	307	96	44	1,909
Female	12,985	1	308	2,853	3,537	1,995	1,362	671	302	80	52	1,844
NORTH CAROLINA	107,970	5	3,311	26,211	30,202	19,785	12,698	6,161	2,650	898	723	5,356
Male	55,291	2	1,737	13,430	15,450	10,102	6,492	3,126	1,390	419	403	2,740
Female	52,679	3	1,574	12,781	14,752	9,683	6,206	3,035	1,260	479	320	2,616
White	72,415	-	1,724	17,619	21,617	14,287	8,735	4,229	1,684	585	457	1,478
Male	37,394	-	911	9,121	11,151	7,337	4,515	2,150	905	282	269	755
Female	35,021	-	813	8,498	10,466	6,950	4,222	2,079	779	303	188	723
Nonwhite	35,555	5	1,587	8,592	8,585	5,468	3,963	1,932	966	313	266	3,878
Male	17,897	2	826	4,309	4,299	2,765	1,979	976	485	137	134	1,985
Female	17,658	3	761	4,283	4,286	2,705	1,984	956	481	176	132	1,893
NORTH DAKOTA	16,846	-	161	3,190	4,968	3,720	2,438	1,269	496	158	98	348
Male	8,727	-	82	1,656	2,554	1,913	1,287	645	266	81	50	193
Female	8,119	-	79	1,534	2,414	1,807	1,151	624	230	77	48	155

VITAL STATISTICS OF THE UNITED STATES

TABLE 8.—LIVE BIRTHS BY AGE OF FATHER, RACE, AND SEX, AND AGE OF MOTHER FOR THE U. S. ONLY: UNITED STATES AND EACH STATE, 1949—Continued

(By place of residence)

AREA, RACE, AND SEX	Total	AGE OF FATHER										
		Under 15 years	15-19 years	20-24 years	25-29 years	30-34 years	35-39 years	40-44 years	45-49 years	50-54 years	55 years and over	Not stated
TEXAS	202,297	1	5,121	47,450	58,532	38,062	25,311	12,584	5,666	1,789	1,186	6,615
Male	103,315	-	2,629	24,192	30,155	19,416	12,083	6,323	2,891	689	622	3,335
Female	98,982	1	2,492	23,258	28,377	18,646	12,428	6,261	2,775	900	564	3,280
White	175,709	1	4,204	41,467	52,616	34,296	22,427	10,916	4,711	1,434	931	2,704
Male	90,003	-	2,172	21,203	27,140	17,643	11,437	5,491	2,426	712	495	1,394
Female	85,706	1	2,032	20,264	25,476	16,755	10,980	5,425	2,285	722	436	1,320
Nonwhite	26,588	-	917	6,983	6,916	3,764	2,884	1,668	955	355	255	3,911
Male	13,312	-	457	2,989	3,015	1,873	1,446	832	465	157	127	1,951
Female	13,276	-	460	2,994	2,901	1,891	1,438	836	490	178	128	1,960
UTAH	21,164	-	450	5,066	6,497	4,580	2,576	1,222	448	117	51	153
Male	11,021	-	257	2,669	3,350	2,404	1,342	642	212	61	24	80
Female	10,143	-	193	2,399	3,167	2,176	1,236	580	236	56	27	73
White	20,868	-	445	5,029	6,411	4,527	2,542	1,204	425	114	47	144
Male	10,890	-	253	2,649	3,289	2,379	1,325	653	201	60	24	77
Female	9,998	-	192	2,380	3,122	2,148	1,217	571	224	54	23	67
Nonwhite	276	-	5	39	86	53	38	18	23	3	4	9
Male	131	-	4	20	41	25	17	9	11	1	-	3
Female	145	-	1	19	45	28	19	9	12	2	4	6
VERMONT	9,297	-	149	2,007	2,760	2,014	1,190	593	241	65	39	259
Male	4,607	-	78	1,039	1,425	1,024	623	318	123	38	14	125
Female	4,490	-	71	968	1,335	990	567	275	118	27	25	114
White	9,293	-	149	2,005	2,760	2,013	1,189	593	241	65	39	259
Male	4,607	-	78	1,039	1,425	1,024	623	318	123	38	14	125
Female	4,486	-	71	966	1,335	989	566	275	118	27	25	114
Nonwhite	4	-	-	2	-	1	1	-	-	-	-	-
Male	-	-	-	-	-	-	-	-	-	-	-	-
Female	4	-	-	2	-	1	1	-	-	-	-	-
VIRGINIA	82,960	1	1,866	17,891	23,701	16,427	10,054	4,815	1,940	661	501	5,083
Male	42,541	1	979	9,190	12,200	8,415	5,156	2,444	967	327	256	2,586
Female	40,419	-	887	8,701	11,501	8,012	4,898	2,371	953	354	245	2,497
White	61,351	-	1,126	13,222	18,632	13,250	7,827	3,655	1,427	492	343	1,377
Male	31,546	-	592	6,903	9,635	6,789	4,006	1,865	732	230	179	715
Female	29,805	-	534	6,419	8,997	6,461	3,821	1,790	695	262	164	662
Nonwhite	21,609	1	740	4,669	5,069	3,177	2,227	1,160	513	189	158	3,706
Male	10,995	1	387	2,387	2,565	1,626	1,150	579	255	97	77	1,071
Female	10,614	-	353	2,282	2,504	1,551	1,077	581	258	92	81	1,835
WASHINGTON	56,542	-	975	12,521	18,030	12,521	6,960	2,962	1,025	369	164	1,015
Male	28,817	-	498	6,376	9,092	6,454	3,345	1,323	543	182	90	514
Female	27,725	-	477	6,145	8,938	6,067	3,415	1,439	482	187	74	501
White	54,631	-	941	12,214	17,478	12,131	6,768	2,934	965	350	150	984
Male	27,839	-	482	6,212	8,610	6,259	3,418	1,464	509	171	83	425
Female	26,792	-	459	5,995	8,868	5,673	3,288	1,370	456	179	67	439
Nonwhite	1,911	-	34	307	554	390	254	128	60	19	14	151
Male	978	-	16	157	282	196	127	59	34	11	7	89
Female	933	-	18	150	272	194	127	69	26	8	7	62
WEST VIRGINIA	52,586	-	837	12,450	14,808	9,652	6,254	3,431	1,566	569	426	2,483
Male	26,925	-	484	6,568	7,522	5,009	3,210	1,758	781	272	237	1,286
Female	25,661	-	453	6,082	7,286	4,643	3,044	1,675	785	297	189	1,207
White	49,684	-	891	11,682	14,184	9,261	5,989	3,209	1,418	500	385	1,985
Male	25,436	-	462	6,090	7,207	4,786	3,060	1,639	720	237	219	1,026
Female	24,248	-	429	5,802	6,977	4,475	2,909	1,570	698	263	156	959
Nonwhite	2,902	-	46	568	624	391	285	222	148	69	41	508
Male	1,489	-	22	288	315	223	150	117	61	35	18	260
Female	1,413	-	24	280	309	168	135	105	87	34	23	248
WISCONSIN	82,949	-	753	15,882	25,671	19,479	11,509	5,278	1,933	598	274	1,572
Male	42,763	-	416	8,237	13,178	10,048	5,695	2,760	947	320	144	618
Female	40,186	-	337	7,645	12,493	9,431	5,814	2,518	986	278	130	754
White	81,513	-	727	15,571	25,290	19,355	11,358	5,190	1,893	586	269	1,377
Male	42,045	-	402	8,074	12,879	9,851	5,619	2,717	930	310	142	721
Female	39,468	-	325	7,497	12,411	9,502	5,539	2,473	963	276	126	656
Nonwhite	1,436	-	26	311	381	226	151	68	40	12	6	195
Male	718	-	14	165	199	97	76	43	17	10	2	97
Female	718	-	12	148	182	129	75	45	23	2	4	98
WYOMING	7,490	-	138	1,807	2,329	1,550	900	434	170	60	46	56
Male	3,692	-	69	519	1,234	790	481	221	91	34	25	28
Female	3,598	-	69	888	1,095	760	419	213	79	26	21	28
White	7,310	-	136	1,772	2,284	1,518	876	421	161	58	43	41
Male	3,797	-	68	901	1,212	773	469	212	87	32	23	20
Female	3,513	-	68	871	1,072	745	407	209	74	26	20	21
Nonwhite	180	-	2	35	45	32	24	13	9	2	3	15
Male	95	-	1	18	22	17	12	9	4	2	2	8
Female	85	-	1	17	23	15	12	4	5	-	1	7

VITAL STATISTICS OF THE UNITED STATES

TABLE 9.—LIVE BIRTHS BY PERSON IN ATTENDANCE, RACE, AND POPULATION-SIZE GROUP: UNITED STATES AND EACH STATE, 1949—Continued

(By place of residence)

Table with columns for AREA, RACE, AND POPULATION-SIZE GROUP; Total; BIRTHS ATTENDED BY (Physician in hospital, Physician not in hospital, Midwife, Other and not specified); and BIRTHS ATTENDED BY (Physician in hospital, Physician not in hospital, Midwife, Other and not specified). Rows are organized by state (FLORIDA, GEORGIA, IDAHO, ILLINOIS, INDIANA, IOWA, KANSAS, KENTUCKY) and then by race and population-size group.

¹It is assumed that all births in hospitals or institutions are attended by physicians.

GENERAL TABLES—LIVE BIRTHS

TABLE 9.—LIVE BIRTHS BY PERSON IN ATTENDANCE, RACE, AND POPULATION-SIZE GROUP: UNITED STATES AND EACH STATE, 1949—Continued

(By place of residence)

AREA, RACE, AND POPULATION-SIZE GROUP	Total	BIRTHS ATTENDED BY—				Total	AREA, RACE, AND POPULATION-SIZE GROUP	Total	BIRTHS ATTENDED BY—			
		Physician in hospital ¹	Physician not in hospital	Midwife	Other and not specified				Physician in hospital ¹	Physician not in hospital	Midwife	Other and not specified
WEST VIRGINIA—Con.						WISCONSIN—Con.						
Urban—Continued						Urban—Continued						
Places of 25,000 to 100,000—	7,334	7,126	184	4	20	Places of 10,000 to 25,000—	6,449	6,396	53	-	-	
White—	7,035	6,880	150	4	19	White—	6,436	6,383	53	-	-	
Nonwhite—	301	286	34	-	1	Nonwhite—	13	13	-	-	-	
Places of 10,000 to 25,000—	3,496	3,187	285	11	3	Places of 2,500 to 10,000—	7,067	6,960	106	-	1	
White—	3,210	3,057	144	7	2	White—	7,057	6,950	106	-	1	
Nonwhite—	286	130	151	4	1	Nonwhite—	10	10	-	-	-	
Places of 2,500 to 10,000—	5,291	4,397	865	18	13	Rural—	38,260	35,345	1,826	40	49	
White—	5,016	4,249	741	15	11	White—	37,807	35,838	1,800	30	41	
Nonwhite—	275	148	122	3	2	Nonwhite—	453	408	26	10	8	
Rural—	36,465	19,188	15,724	1,213	340	WYOMING						
White—	34,425	18,742	14,206	1,157	320	White—	7,310	7,075	221	7	7	
Nonwhite—	2,040	446	1,518	56	20	Nonwhite—	180	151	18	8	3	
WISCONSIN						Urban						
White—	81,513	79,216	2,214	39	44	White—	5,589	5,484	97	5	3	
Nonwhite—	1,436	1,317	96	11	12	Nonwhite—	45	40	2	-	1	
Urban—	44,689	44,188	484	10	7	Places of 10,000 to 25,000—	2,293	2,269	23	-	1	
White—	43,706	43,280	414	9	3	White—	2,271	2,247	23	-	1	
Nonwhite—	983	908	70	1	4	Nonwhite—	22	22	-	-	2	
Places of 100,000 or more—	14,814	14,561	239	9	5	Places of 2,500 to 10,000—	1,296	1,215	74	5	2	
White—	14,017	13,839	169	6	1	White—	1,275	1,197	72	5	1	
Nonwhite—	797	722	70	1	4	Nonwhite—	21	18	2	-	1	
Places of 25,000 to 100,000—	16,359	16,271	86	1	1	Rural—	3,901	3,742	142	10	7	
White—	16,196	16,108	86	1	1	White—	3,764	3,631	126	2	5	
Nonwhite—	163	163	-	-	-	Nonwhite—	137	111	16	8	2	

¹It is assumed that all births in hospitals or institutions are attended by physicians.

GENERAL TABLES-PLURAL BIRTHS

TABLE 10.-CASES OF PLURAL BIRTHS CLASSIFIED BY NUMBER OF CHILDREN BORN ALIVE AND BORN DEAD, BY RACE, AND AGE OF MOTHER FOR THE U. S. ONLY: UNITED STATES AND EACH STATE, 1949-Con.

(By place of residence. Includes only fetal deaths for which the period of gestation was stated to be 20 weeks (or 5 months) or more, or was not stated.)

AREA	PLURAL BIRTHS				AREA	PLURAL BIRTHS				AREA	PLURAL BIRTHS			
	Total	White	Negro	Other		Total	White	Negro	Other		Total	White	Negro	Other
Washington-----	552	522	12	18	Florida-----	7	5	2	-	North Dakota-----	1	1	-	-
Both living-----	511	483	11	17	All living-----	7	5	2	-	All living-----	1	1	-	-
1 living-----	29	29	-	-	Georgia-----	10	7	3	-	Ohio-----	15	15	2	-
Both born dead-----	12	10	1	1	All living-----	7	5	2	-	All living-----	15	12	1	-
West Virginia-----	582	548	34	-	1 living-----	2	2	-	-	1 living-----	2	1	1	-
Both living-----	535	505	30	-	All born dead-----	1	-	1	-	Oklahoma-----	7	5	2	-
1 living-----	27	25	2	-	Idaho-----	1	1	-	-	All living-----	7	5	2	-
Both born dead-----	22	20	2	-	All living-----	1	1	-	-	Oregon-----	2	1	1	-
Wisconsin-----	678	656	11	11	Illinois-----	21	19	1	1	All living-----	2	1	1	-
Both living-----	625	605	11	11	All living-----	18	17	-	1	Pennsylvania-----	20	18	2	-
1 living-----	37	37	-	-	2 living-----	3	2	1	-	All living-----	17	15	2	-
Both born dead-----	16	16	-	-	1 living-----	1	1	-	-	2 living-----	2	2	-	-
Wyoming-----	55	52	2	1	Indiana-----	4	3	1	-	All born dead-----	1	1	-	-
Both living-----	53	50	2	1	All living-----	3	2	1	-	Rhode Island-----	2	2	-	-
1 living-----	1	1	-	-	2 living-----	1	1	-	-	All living-----	2	2	-	-
Both born dead-----	1	1	-	-	Iowa-----	10	9	1	-	South Carolina-----	9	3	6	-
CASES OF TRIPLETS					All living-----	7	6	1	-	All living-----	7	3	4	-
UNITED STATES-----	2552	280	69	3	2 living-----	2	2	-	-	1 living-----	1	-	1	-
All living-----	287	285	50	2	1 living-----	1	1	-	-	All born dead-----	1	1	1	-
Under 20 years-----	15	14	2	-	Kansas-----	1	1	-	-	South Dakota-----	1	1	-	-
20-24 years-----	43	37	5	1	All living-----	1	1	-	-	All born dead-----	1	1	-	-
25-29 years-----	84	67	16	1	Kentucky-----	10	10	-	-	Tennessee-----	9	5	4	-
30-34 years-----	81	66	15	-	All living-----	7	7	-	-	All living-----	7	5	2	-
35-39 years-----	49	40	9	-	2 living-----	1	1	-	-	2 living-----	2	-	2	-
40-44 years-----	14	11	3	-	1 living-----	1	1	-	-	Texas-----	17	13	4	-
45 years and over-----	-	-	-	-	All born dead-----	1	1	-	-	All living-----	12	8	4	-
2 living-----	34	22	11	1	Louisiana-----	12	8	4	-	2 living-----	1	1	-	-
Under 20 years-----	2	1	1	-	All living-----	6	5	1	-	1 living-----	2	2	-	-
20-24 years-----	8	2	5	1	2 living-----	3	2	1	-	All born dead-----	2	2	-	-
25-29 years-----	9	8	1	-	1 living-----	2	1	1	-	Utah-----	3	3	-	-
30-34 years-----	9	7	2	-	All born dead-----	1	-	1	-	All living-----	5	3	-	-
35-39 years-----	4	3	1	-	Maine-----	2	2	-	-	Vermont-----	1	1	-	-
40-44 years-----	1	-	1	-	All living-----	2	2	-	-	All living-----	1	1	-	-
45 years and over-----	1	1	-	-	Maryland-----	4	4	-	-	Virginia-----	9	4	5	-
1 living-----	16	12	4	-	All living-----	4	4	-	-	All living-----	9	4	5	-
Under 20 years-----	-	-	-	-	Massachusetts-----	6	6	-	-	Washington-----	6	6	-	-
20-24 years-----	5	3	2	-	All living-----	5	5	-	-	All living-----	6	6	-	-
25-29 years-----	2	2	-	-	2 living-----	1	1	-	-	All living-----	6	6	-	-
30-34 years-----	7	6	1	-	Michigan-----	19	19	-	-	West Virginia-----	3	2	1	-
35-39 years-----	2	-	-	-	All living-----	14	14	-	-	All living-----	1	1	1	-
40-44 years-----	2	1	1	-	2 living-----	3	3	-	-	1 living-----	1	1	-	-
45 years and over-----	-	-	-	-	1 living-----	2	2	-	-	All born dead-----	1	1	-	-
All born dead-----	15	11	4	-	Minnesota-----	8	8	-	-	Wisconsin-----	8	8	-	-
Under 20 years-----	1	1	-	-	All living-----	5	5	-	-	All living-----	7	7	-	-
20-24 years-----	5	5	-	-	2 living-----	1	1	-	-	All born dead-----	1	1	-	-
25-29 years-----	4	1	3	-	1 living-----	1	1	-	-	Wyoming-----	2	2	-	-
30-34 years-----	4	3	1	-	All born dead-----	1	1	-	-	All living-----	2	2	-	-
35-39 years-----	1	1	-	-	Mississippi-----	5	1	4	-	CASES OF QUADRETS				
40-44 years-----	-	-	-	-	All living-----	3	1	2	-	UNITED STATES-----	3	3	-	-
45 years and over-----	-	-	-	-	2 living-----	2	-	2	-	All living-----	2	2	-	-
Alabama-----	11	4	7	-	Missouri-----	9	7	2	-	Under 20 years-----	-	-	-	-
All living-----	8	4	4	-	All living-----	9	7	2	-	20-24 years-----	-	-	-	-
2 living-----	2	-	2	-	Montana-----	2	2	-	-	25-29 years-----	2	2	-	-
1 living-----	1	-	1	-	All living-----	1	1	-	-	30-34 years-----	-	-	-	-
Arizona-----	2	2	-	-	2 living-----	1	1	-	-	35-39 years-----	-	-	-	-
All living-----	2	2	-	-	Nebraska-----	1	1	-	-	40-44 years-----	-	-	-	-
Arkansas-----	5	3	2	-	All living-----	1	1	-	-	45 years and over-----	-	-	-	-
All living-----	5	3	2	-	New Jersey-----	9	7	2	-	3 living-----	1	1	-	-
California-----	23	19	3	1	All living-----	7	5	2	-	Under 20 years-----	-	-	-	-
All living-----	18	16	2	-	2 living-----	2	2	-	-	20-24 years-----	-	-	-	-
2 living-----	3	1	1	1	1 living-----	1	1	-	-	25-29 years-----	1	1	-	-
All born dead-----	2	2	-	-	All born dead-----	1	1	-	-	30-34 years-----	-	-	-	-
Colorado-----	5	5	-	-	New Mexico-----	5	5	-	-	35-39 years-----	-	-	-	-
All living-----	4	4	-	-	All living-----	5	5	-	-	40-44 years-----	-	-	-	-
2 living-----	1	1	-	-	New York-----	28	21	5	-	45 years and over-----	-	-	-	-
Connecticut-----	7	6	1	-	All living-----	25	21	4	-	Illinois-----	1	1	-	-
All living-----	6	5	1	-	2 living-----	1	-	1	-	3 living-----	1	1	-	-
All born dead-----	1	1	-	-	North Carolina-----	10	6	3	1	New Jersey-----	1	1	-	-
Delaware-----	1	1	-	-	All living-----	7	5	1	1	All living-----	1	1	-	-
All living-----	1	1	-	-	2 living-----	2	1	1	-	New York-----	1	1	-	-
District of Columbia-----	1	-	1	-	All born dead-----	1	-	1	-	All living-----	1	1	-	-
All living-----	1	-	1	-										

²Excludes 6 cases in which only one or two mates were reported.

VITAL STATISTICS OF THE UNITED STATES

TABLE 11.—FETAL DEATHS BY AGE OF MOTHER, RACE, AND POPULATION-SIZE GROUP:
UNITED STATES, 1949

(By place of residence. Includes only fetal deaths for which the period of gestation was stated to be 20 weeks (or 5 months) or more, or was not stated)

AREA AND RACE	Total	AGE OF MOTHER									
		Under 15 years	15-19 years	20-24 years	25-29 years	30-34 years	35-39 years	40-44 years	45-49 years	50 years and over	Not stated
TOTAL-----	70,584	155	7,741	17,440	17,053	12,907	9,310	3,439	370	14	2,158
White-----	54,114	36	4,950	13,263	13,580	10,413	7,207	2,745	290	9	1,621
Negro-----	16,048	117	2,738	4,093	3,365	2,429	2,035	674	73	4	620
Other-----	422	2	53	84	108	65	68	19	7	1	15
URBAN-----	40,928	65	4,019	10,355	10,538	7,813	5,149	1,692	157	7	1,133
White-----	31,840	9	2,557	7,805	8,526	6,448	4,123	1,412	130	7	843
Negro-----	8,950	56	1,471	2,519	1,968	1,342	1,010	276	28	-	282
Other-----	138	-	11	31	44	23	16	4	1	-	8
Places of 100,000 or more-----	20,060	31	1,778	4,995	5,302	4,011	2,614	806	68	2	453
White-----	14,804	3	1,005	3,536	4,072	3,211	2,062	646	52	2	315
Negro-----	5,079	28	766	1,439	1,207	786	546	158	15	-	135
Other-----	77	-	7	21	23	14	6	2	1	-	3
Places of 25,000 to 100,000-----	8,154	11	849	2,067	2,117	1,470	1,030	325	28	1	238
White-----	6,428	2	546	1,591	1,772	1,210	837	276	23	1	170
Negro-----	1,706	9	302	494	336	259	189	48	3	-	66
Other-----	20	-	1	2	9	1	4	1	-	-	2
Places of 10,000 to 25,000-----	5,619	10	587	1,497	1,383	1,044	654	232	26	2	174
White-----	4,569	2	384	1,185	1,176	911	530	201	21	2	137
Negro-----	1,035	8	200	300	203	131	122	31	5	-	35
Other-----	15	-	3	2	4	2	2	-	-	-	2
Places of 2,500 to 10,000-----	7,095	13	795	1,776	1,736	1,288	851	329	37	2	268
White-----	5,939	2	592	1,485	1,506	1,116	694	289	34	2	221
Negro-----	1,130	11	205	287	222	166	153	39	3	-	49
Other-----	26	-	-	6	8	6	4	1	-	-	1
RURAL-----	29,656	90	3,722	7,085	6,515	5,094	4,161	1,746	213	7	1,023
White-----	22,274	27	2,413	5,458	5,054	3,965	3,084	1,333	160	2	778
Negro-----	7,098	61	1,267	1,574	1,397	1,087	1,025	396	47	4	238
Other-----	284	2	42	53	64	42	52	15	6	1	7

VITAL STATISTICS OF THE UNITED STATES

TABLE 13.—FETAL DEATHS BY AGE OF MOTHER AND RACE: UNITED STATES AND EACH STATE, 1949

(By place of residence. Includes only fetal deaths for which the period of gestation was stated to be 20 weeks (or 5 months) or more, or was not stated)

AREA AND RACE	Total	AGE OF MOTHER									
		Under 15 years	15-19 years	20-24 years	25-29 years	30-34 years	35-39 years	40-44 years	45-49 years	50 years and over	Not stated
UNITED STATES-----	70,584	155	7,741	17,440	17,053	12,907	9,310	5,438	370	14	2,156
White-----	54,114	36	4,850	13,263	13,580	10,413	7,207	2,745	290	9	1,621
Nonwhite---	16,470	119	2,791	4,177	3,473	2,494	2,103	693	80	5	535
Alabama-----	2,305	11	398	567	463	366	300	115	11	-	86
White-----	1,055	3	147	271	224	173	128	56	3	-	50
Nonwhite---	1,250	8	239	296	239	193	172	59	8	-	36
Arizona-----	354	-	42	76	101	51	61	11	2	-	10
White-----	293	-	32	61	87	45	47	11	2	-	8
Nonwhite---	61	-	10	15	14	6	14	-	-	-	2
Arkansas-----	789	6	123	179	134	127	122	53	1	-	44
White-----	510	2	66	121	91	77	73	41	1	-	38
Nonwhite---	279	4	57	58	43	50	49	12	-	-	6
California-----	3,753	-	393	956	1,008	735	469	145	20	-	27
White-----	3,325	-	332	836	903	659	424	132	17	-	20
Nonwhite---	428	-	61	118	105	76	45	13	3	-	7
Colorado-----	545	-	57	142	120	103	81	34	5	1	2
White-----	531	-	55	135	118	101	80	34	5	1	2
Nonwhite---	14	-	2	7	2	2	-	-	-	-	-
Connecticut-----	585	-	21	116	176	146	72	25	2	-	7
White-----	538	-	18	105	172	145	69	23	2	-	4
Nonwhite---	27	-	3	11	4	1	3	2	-	-	3
Delaware-----	189	1	24	36	43	38	17	6	2	-	2
White-----	127	-	13	28	33	30	15	5	1	-	2
Nonwhite---	42	1	11	8	10	8	2	1	1	-	-
District of Columbia-----	440	2	47	101	114	92	58	10	2	-	14
White-----	205	-	16	39	64	39	34	7	1	-	5
Nonwhite---	235	2	31	62	50	53	24	3	1	-	9
Florida-----	1,583	9	217	403	346	272	231	62	7	1	35
White-----	866	2	104	227	204	146	124	34	5	-	20
Nonwhite---	717	7	113	176	142	126	107	28	2	1	15
Georgia-----	2,198	9	346	503	456	368	321	95	14	-	66
White-----	990	1	152	225	236	180	127	43	5	-	41
Nonwhite---	1,208	8	214	278	220	188	194	52	9	-	45
Idaho-----	262	-	25	58	71	44	32	18	1	-	13
White-----	257	-	25	57	68	43	32	18	1	-	13
Nonwhite---	5	-	-	1	3	1	-	-	-	-	-
Illinois-----	3,274	2	256	833	877	675	448	145	11	-	27
White-----	2,755	2	177	687	754	595	391	123	11	-	15
Nonwhite---	519	-	79	146	123	80	57	22	-	-	12
Indiana-----	1,530	3	167	410	373	253	192	61	6	-	53
White-----	1,376	2	142	369	335	243	175	55	7	-	48
Nonwhite---	154	1	25	41	38	20	17	6	1	-	5
Iowa-----	966	1	114	269	236	155	109	56	5	-	21
White-----	952	1	111	266	231	153	109	56	5	-	20
Nonwhite---	14	-	3	3	5	2	-	-	-	-	1
Kansas-----	721	1	77	184	150	147	92	36	5	-	29
White-----	685	-	66	171	139	140	86	34	6	-	24
Nonwhite---	56	1	11	13	11	7	6	2	-	-	5
Kentucky-----	1,494	8	225	357	331	225	214	86	13	-	25
White-----	1,344	4	203	324	295	207	199	79	13	-	21
Nonwhite---	140	4	22	33	36	18	16	7	-	-	4
Louisiana-----	1,814	3	271	458	426	268	252	65	6	1	44
White-----	764	-	92	209	189	111	99	36	1	-	27
Nonwhite---	1,050	3	179	249	237	157	153	49	5	1	17
Maine-----	375	-	42	93	92	59	54	22	3	-	10
White-----	373	-	41	93	91	59	54	22	3	-	10
Nonwhite---	2	-	1	-	1	-	-	-	-	-	-
Maryland-----	1,202	2	156	274	309	229	119	57	4	-	52
White-----	813	-	73	193	229	160	76	41	3	-	39
Nonwhite---	389	2	83	81	61	69	43	16	1	-	13
Massachusetts-----	1,646	-	74	356	445	366	231	108	9	-	37
White-----	1,689	-	70	342	429	375	222	106	9	-	36
Nonwhite---	57	-	4	14	16	11	9	2	-	-	1
Michigan-----	2,957	3	281	800	746	569	340	141	13	1	83
White-----	2,582	1	229	697	661	511	308	126	12	1	36
Nonwhite---	375	2	52	103	85	58	32	15	1	-	27
Minnesota-----	1,197	-	78	264	285	285	190	69	13	1	12
White-----	1,173	-	72	262	283	282	185	66	11	1	11
Nonwhite---	24	-	6	2	2	3	5	3	2	-	1
Mississippi-----	1,889	17	317	483	422	303	289	129	11	-	18
White-----	548	-	60	128	147	97	77	32	3	-	6
Nonwhite---	1,441	17	257	357	275	206	212	97	8	-	12
Missouri-----	1,704	8	201	450	385	288	243	85	11	-	35
White-----	1,402	1	146	372	336	235	200	67	11	-	33
Nonwhite---	302	7	55	78	49	50	43	18	-	-	2

GENERAL TABLES—FETAL DEATHS

TABLE 13.—FETAL DEATHS BY AGE OF MOTHER AND RACE: UNITED STATES AND EACH STATE, 1949—Con.

(By place of residence. Includes only fetal deaths for which the period of gestation was stated to be 20 weeks (or 5 months) or more, or was not stated.)

AREA AND RACE	Total	AGE OF MOTHER									
		Under 15 years	15-19 years	20-24 years	25-29 years	30-34 years	35-39 years	40-44 years	45-49 years	50 years and over	Not stated
Montana	231	-	24	70	49	41	32	9	2	-	4
White	220	-	21	69	46	39	30	9	2	-	4
Nonwhite	11	-	3	1	3	2	2	-	-	-	-
Nebraska	498	1	41	127	126	78	51	28	-	-	46
White	481	-	35	128	124	73	50	28	-	-	45
Nonwhite	17	1	8	1	2	5	1	-	-	-	1
Nevada	82	-	7	15	13	10	9	4	-	-	4
White	54	-	5	14	12	9	7	3	-	-	4
Nonwhite	8	-	2	1	1	1	2	1	-	-	-
New Hampshire	218	-	10	43	62	48	42	9	2	-	2
White	218	-	10	43	62	48	42	9	2	-	2
Nonwhite	-	-	-	-	-	-	-	-	-	-	-
New Jersey	1,935	4	113	425	535	448	281	87	10	-	30
White	1,654	-	67	353	462	408	255	78	9	-	24
Nonwhite	279	4	46	72	73	40	28	9	1	-	6
New Mexico	382	-	49	95	102	57	53	20	1	-	5
White	342	-	44	86	95	49	47	17	-	-	4
Nonwhite	40	-	5	9	7	8	6	3	1	-	1
New York	6,964	3	425	1,597	1,852	1,508	1,000	322	51	-	128
White	5,751	-	292	1,258	1,580	1,325	903	295	27	-	90
Nonwhite	1,115	3	133	339	292	182	97	27	4	-	36
North Carolina	2,766	14	387	750	615	429	366	148	22	1	34
White	1,577	1	159	367	323	257	176	78	12	-	24
Nonwhite	1,389	13	228	383	292	192	190	70	10	1	10
North Dakota	270	-	19	64	53	47	51	19	2	-	15
White	255	-	17	61	47	46	49	19	2	-	15
Nonwhite	15	-	2	3	6	1	3	-	-	-	-
Ohio	3,661	4	342	975	895	698	461	173	24	1	88
White	3,202	2	268	821	793	637	421	156	24	1	79
Nonwhite	459	2	74	154	102	61	40	17	-	-	9
Oklahoma	864	3	130	192	188	131	121	32	7	-	60
White	630	2	92	164	142	112	96	28	7	-	47
Nonwhite	174	1	38	28	46	19	25	4	-	-	13
Oregon	492	-	63	125	138	72	53	29	3	-	9
White	475	-	63	120	133	68	50	29	3	-	9
Nonwhite	17	-	-	5	5	4	3	-	-	-	-
Pennsylvania	4,374	5	393	1,149	1,137	863	567	238	19	2	3
White	3,818	-	308	960	1,020	772	500	217	16	2	3
Nonwhite	556	5	85	189	117	91	67	19	3	-	-
Rhode Island	291	-	17	53	69	70	39	24	1	-	1
White	285	-	16	53	86	70	34	24	1	-	1
Nonwhite	6	-	1	-	3	-	2	-	-	-	-
South Carolina	1,621	9	258	389	358	230	207	52	7	1	130
White	523	3	64	115	109	85	62	15	3	-	67
Nonwhite	1,098	6	194	274	229	145	145	37	4	1	63
South Dakota	251	-	24	71	62	36	30	15	-	1	12
White	238	-	24	67	60	33	28	14	-	-	12
Nonwhite	13	-	-	4	2	3	2	1	-	1	-
Tennessee	1,723	7	270	433	382	291	207	85	13	1	34
White	1,268	-	182	321	287	218	151	69	9	1	30
Nonwhite	455	7	88	112	95	73	56	16	4	-	4
Texas	4,273	8	541	1,043	898	679	518	181	16	2	387
White	3,320	4	378	815	712	547	404	140	12	2	306
Nonwhite	953	4	163	228	186	132	114	41	4	-	81
Utah	297	-	33	75	70	54	32	18	-	-	15
White	285	-	33	72	68	49	31	18	-	-	14
Nonwhite	12	-	-	3	2	5	1	-	-	-	1
Vermont	156	-	13	39	39	27	23	12	1	-	3
White	155	-	13	38	39	26	23	12	1	-	3
Nonwhite	1	-	-	-	-	1	-	-	-	-	-
Virginia	2,009	7	288	479	462	311	207	102	7	-	146
White	1,127	1	125	269	283	190	112	66	1	-	80
Nonwhite	882	6	163	210	179	121	95	36	6	-	66
Washington	858	1	103	219	243	155	87	36	3	-	9
White	805	1	87	210	230	150	82	37	3	-	5
Nonwhite	53	-	16	9	13	5	5	1	-	-	4
West Virginia	1,258	2	141	284	247	163	118	65	10	-	218
White	1,189	2	122	261	232	149	109	65	10	-	201
Nonwhite	89	-	19	13	15	14	9	2	-	-	17
Wisconsin	1,298	1	92	315	323	245	208	73	9	-	20
White	1,250	1	87	307	313	241	202	71	8	-	20
Nonwhite	36	-	5	8	10	4	6	2	1	-	-
Wyoming	124	-	18	36	26	24	13	5	1	-	3
White	119	-	18	35	24	24	13	5	1	-	3
Nonwhite	5	-	2	1	2	-	-	-	-	-	-

VITAL STATISTICS OF THE UNITED STATES

TABLE 14.—FETAL DEATHS BY BIRTH ORDER AND RACE: UNITED STATES AND EACH STATE, 1949

(By place of residence. Includes only fetal deaths for which the period of gestation was stated to be 20 weeks (or 5 months) or more, or was not stated. Birth order refers to number of children ever born to mother, including fetal deaths. Fetal deaths occurring in Massachusetts are included only in "Total" and "Not stated" classifications because this State does not require the reporting of birth order.)

AREA AND RACE	Total	BIRTH ORDER										
		1	2	3	4	5	6	7	8	9	10 and over	Not stated
UNITED STATES	70,584	23,394	14,149	9,771	6,041	4,036	2,757	1,970	1,586	1,190	2,693	2,795
White	54,114	18,784	11,471	7,785	4,800	2,881	1,799	1,257	917	655	1,481	2,484
Nonwhite	16,470	4,610	2,678	1,986	1,241	1,155	958	713	671	535	1,412	311
Alabama	2,305	780	401	269	179	162	119	112	76	66	173	8
White	1,053	387	209	140	84	68	39	43	27	20	36	2
Nonwhite	1,250	393	192	129	95	94	80	69	49	36	137	6
Arizona	354	97	70	46	39	29	20	14	8	3	18	10
White	293	83	60	41	34	21	14	11	5	2	14	8
Nonwhite	61	14	10	5	5	8	6	3	3	1	4	2
Arkansas	789	250	106	93	61	63	42	37	23	21	69	34
White	510	173	75	73	39	45	18	13	14	12	23	20
Nonwhite	279	77	31	20	22	18	24	19	9	9	36	14
California	3,753	1,328	942	608	330	174	106	62	49	31	81	42
White	3,325	1,204	840	540	294	148	85	54	39	29	70	33
Nonwhite	428	124	102	68	46	26	21	8	10	3	11	9
Colorado	545	154	113	69	58	39	19	17	14	5	34	3
White	531	149	109	67	57	38	18	17	14	5	34	3
Nonwhite	14	5	4	2	1	1	1	1	1	1	1	1
Connecticut	565	228	128	96	41	26	11	17	2	1	5	11
White	539	218	121	92	40	25	10	15	2	1	5	10
Nonwhite	27	10	7	4	1	1	1	2	1	1	1	1
Delaware	169	59	43	30	15	9	4	1	1	1	6	1
White	127	46	33	21	10	8	3	1	1	1	4	1
Nonwhite	42	12	10	9	5	1	1	1	1	1	2	1
District of Columbia	440	219	95	57	27	15	12	7	8	6	1	3
White	205	105	49	28	7	7	3	2	2	1	1	2
Nonwhite	235	114	36	29	20	8	9	5	6	6	1	1
Florida	1,583	493	284	227	159	88	79	69	55	36	83	10
White	866	316	187	140	78	35	33	26	18	11	20	2
Nonwhite	717	177	97	87	81	53	46	43	37	25	63	8
Georgia	2,199	610	397	261	182	154	136	85	99	65	173	28
White	990	332	205	141	88	56	46	29	25	22	35	12
Nonwhite	1,208	278	182	120	94	98	90	57	74	63	138	14
Idaho	282	55	60	40	25	13	16	12	6	6	12	17
White	257	53	59	39	24	13	16	12	6	6	12	17
Nonwhite	5	2	1	1	1	1	1	1	1	1	1	1
Illinois	3,274	1,204	738	528	291	165	90	66	51	38	65	40
White	2,765	1,045	644	449	246	126	72	50	32	23	44	24
Nonwhite	519	159	94	79	45	37	18	16	19	15	21	16
Indiana	1,530	504	323	216	149	80	52	44	22	19	35	86
White	1,376	465	290	196	129	69	46	40	19	14	30	80
Nonwhite	154	39	33	20	20	12	6	4	4	5	5	6
Iowa	966	343	204	147	84	54	33	13	20	7	21	40
White	952	341	200	144	82	52	32	13	20	7	21	40
Nonwhite	14	2	4	3	2	2	1	1	1	1	1	1
Kansas	721	258	173	107	62	38	20	12	17	12	12	30
White	685	225	159	100	52	34	18	10	17	11	12	29
Nonwhite	56	13	14	7	10	4	4	2	1	1	1	1
Kentucky	1,484	418	247	160	114	106	90	67	39	31	126	86
White	1,344	378	225	147	101	95	80	60	37	27	115	79
Nonwhite	140	40	22	13	13	11	10	7	2	4	11	7
Louisiana	1,814	477	301	239	162	126	103	77	72	57	133	67
White	764	261	146	105	65	52	27	24	11	8	23	42
Nonwhite	1,050	216	155	134	97	74	76	53	61	49	110	25
Maine	375	134	72	46	41	16	15	10	8	7	17	9
White	373	132	72	46	41	16	15	10	8	7	17	9
Nonwhite	2	2	1	1	1	1	1	1	1	1	1	1
Maryland	1,202	460	259	146	86	66	49	37	18	16	38	29
White	813	336	202	99	58	32	22	17	8	6	12	23
Nonwhite	389	124	57	47	30	34	27	20	10	10	24	6
Massachusetts ¹	1,646	11	1	4	1	1	1	1	1	1	1	1,628
White	1,589	11	1	4	1	1	1	1	1	1	1	1,569
Nonwhite	57	1	1	1	1	1	1	1	1	1	1	57
Michigan	2,957	998	637	473	266	194	112	64	53	40	64	36
White	2,592	857	567	429	251	169	95	58	44	30	51	31
Nonwhite	375	141	70	44	35	25	17	6	9	10	13	5
Minnesota	1,197	407	279	182	107	65	41	26	23	17	27	3
White	1,173	397	277	182	107	63	39	25	22	15	23	3
Nonwhite	24	10	2	1	1	2	2	1	1	2	4	1
Mississippi	1,989	500	298	229	168	154	108	92	101	64	238	17
White	548	175	101	77	48	38	32	16	23	15	23	1
Nonwhite	1,441	325	197	152	120	116	76	76	78	69	215	17
Missouri	1,704	591	340	241	160	101	84	58	44	31	62	12
White	1,402	508	284	204	127	84	60	36	26	20	43	10
Nonwhite	302	83	56	37	33	17	24	12	8	11	19	2

¹Massachusetts does not require the reporting of birth order. Birth order data for Massachusetts are for fetal deaths to residents of the State occurring in other States.

VITAL STATISTICS OF THE UNITED STATES

TABLE 17.—DEATHS BY SPECIFIED RACE AND SEX: UNITED STATES AND EACH STATE, 1949

(By place of residence. Exclusive of fetal deaths and of deaths among armed forces overseas)

AREA	Total	ALL RACES		WHITE		NEGRO		INDIAN		CHINESE		JAPANESE		ALL OTHER	
		Male	Female	Male	Female	Male	Female	Male	Female	Male	Female	Male	Female	Male	Female
UNITED STATES-----	1,443,607	821,291	622,316	726,169	542,679	90,765	77,302	2,405	1,979	978	184	676	216	298	56
Alabama-----	26,780	14,932	11,818	8,989	6,406	5,941	5,411	1	1	1	-	-	-	-	-
Arizona-----	6,337	4,025	2,372	3,453	1,866	172	118	596	300	9	6	7	2	3	-
Arkansas-----	15,680	8,997	6,665	6,690	4,682	2,301	1,999	5	2	2	-	1	-	-	-
California-----	100,534	59,739	41,595	53,506	39,392	2,021	1,576	214	149	406	107	401	139	211	32
Colorado-----	12,415	7,281	5,154	7,120	5,004	122	110	14	9	4	1	21	10	-	-
Connecticut-----	18,829	10,366	8,463	10,079	6,198	277	272	1	2	7	-	2	1	-	-
Delaware-----	3,330	1,825	1,505	1,486	1,247	335	255	2	1	1	-	1	-	-	2
District of Columbia-----	8,448	4,858	3,732	2,968	2,367	1,656	1,424	2	-	25	1	1	-	4	-
Florida-----	25,376	15,012	10,364	11,104	7,203	3,899	3,153	5	7	1	1	1	-	2	-
Georgia-----	29,608	16,551	13,057	10,132	7,262	6,412	5,775	3	-	4	-	-	-	-	-
Idaho-----	4,701	2,982	1,719	2,925	1,679	7	3	37	32	1	-	10	5	2	-
Illinois-----	92,568	52,818	39,750	46,575	36,290	4,133	3,441	5	3	56	7	46	7	3	2
Indiana-----	40,026	22,745	17,281	21,541	15,346	1,199	931	2	4	2	-	-	-	1	-
Iowa-----	26,106	14,933	11,173	14,785	11,054	144	114	5	3	1	-	-	1	-	1
Kansas-----	18,814	10,759	8,055	10,218	7,532	525	466	13	7	1	-	2	-	-	-
Kentucky-----	28,046	15,865	12,181	14,086	10,614	1,778	1,587	-	-	-	-	1	-	-	-
Louisiana-----	25,400	13,056	10,344	7,919	5,570	5,122	4,768	8	6	6	-	1	-	-	-
Maine-----	10,099	5,593	4,506	5,572	4,495	11	9	10	12	-	-	-	-	-	-
Maryland-----	22,110	12,206	9,904	9,810	7,843	2,585	2,057	2	-	9	4	-	-	-	-
Massachusetts-----	50,767	27,049	23,718	26,562	23,322	441	591	2	6	34	7	7	-	3	2
Michigan-----	57,422	33,224	24,198	31,013	22,352	2,127	1,805	55	40	20	1	5	-	4	-
Minnesota-----	27,719	16,158	11,581	15,939	11,445	120	66	71	65	5	1	2	1	1	2
Mississippi-----	20,661	11,433	9,228	5,515	3,868	5,902	5,544	12	18	4	-	-	-	-	-
Missouri-----	43,885	24,675	19,150	22,319	17,217	2,347	1,829	3	3	2	-	2	-	2	1
Montana-----	5,878	3,820	2,058	3,671	1,947	6	6	123	101	9	1	9	2	-	1
Nebraska-----	12,644	7,434	5,210	7,250	5,072	152	107	29	30	2	-	1	1	-	-
Nevada-----	1,610	1,150	480	1,068	422	15	10	43	46	-	-	3	2	1	1
New Hampshire-----	6,109	3,404	2,705	3,396	2,701	5	4	1	-	-	-	-	-	-	-
New Jersey-----	47,880	26,359	21,521	24,339	19,869	1,996	1,623	3	3	13	3	5	-	3	3
New Mexico-----	5,576	3,224	2,352	2,922	2,147	40	34	258	170	3	-	1	1	-	-
New York-----	155,020	85,809	69,211	80,814	64,995	4,666	4,142	67	44	203	23	25	4	14	3
North Carolina-----	31,009	17,687	13,322	11,790	8,411	5,754	4,815	139	96	5	-	-	-	-	-
North Dakota-----	5,222	3,265	1,957	3,189	1,901	5	-	70	56	1	-	-	-	-	-
Ohio-----	80,368	45,188	35,180	41,859	32,536	3,298	2,638	5	-	16	4	7	2	3	-
Oklahoma-----	19,394	11,669	7,725	10,381	6,737	963	725	31.8	262	5	1	-	-	2	-
Oregon-----	13,891	8,514	5,377	8,358	5,273	58	45	56	45	19	5	19	9	5	-
Pennsylvania-----	108,365	60,048	48,315	56,099	44,983	3,915	3,328	2	-	30	2	1	1	1	1
Rhode Island-----	8,071	4,334	3,737	4,228	3,640	100	91	4	6	2	-	-	-	-	-
South Carolina-----	17,494	9,873	7,621	5,360	3,622	4,513	3,999	-	-	-	-	-	-	-	-
South Dakota-----	5,687	3,455	2,232	3,306	2,094	2	1	146	137	-	-	1	-	-	-
Tennessee-----	28,993	16,247	12,746	12,716	9,541	3,530	3,205	1	-	-	-	-	-	-	-
Texas-----	65,337	37,343	25,994	31,500	21,243	5,821	4,746	3	4	13	1	5	-	1	-
Utah-----	4,929	2,968	1,961	2,979	1,918	24	15	30	19	4	-	31	8	-	1
Vermont-----	4,162	2,308	1,854	2,305	1,854	3	-	-	-	-	-	-	-	-	-
Virginia-----	29,345	16,949	12,396	11,905	8,359	5,140	4,035	2	1	2	-	-	-	-	-
Washington-----	22,491	13,918	8,573	13,506	8,344	155	95	133	102	39	8	53	21	32	3
West Virginia-----	17,305	10,193	7,112	9,361	6,579	631	533	-	-	1	-	-	-	-	-
Wisconsin-----	32,993	18,724	14,269	18,471	14,078	154	120	90	71	8	-	1	-	-	-
Wyoming-----	2,385	1,548	837	1,505	810	20	11	17	16	2	-	4	-	-	-

VITAL STATISTICS OF THE UNITED STATES

TABLE 19.—DEATHS BY POPULATION-SIZE GROUP AND RACE: UNITED STATES AND EACH STATE, 1949

(By place of residence. Exclusive of fetal deaths and of deaths among armed forces overseas)

AREA AND RACE	Total	URBAN					Rural
		All urban places	Places of 100,000 or more	Places of 25,000 to 100,000	Places of 10,000 to 25,000	Places of 2,500 to 10,000	
UNITED STATES-----	1,443,607	914,658	459,877	179,330	121,696	153,755	528,949
White-----	1,268,848	806,862	397,999	160,378	109,371	139,114	461,986
Nonwhite--	174,759	107,796	61,878	18,952	12,325	14,641	66,963
Alabama-----	28,750	10,988	3,167	3,247	1,784	2,790	15,762
White-----	15,395	6,112	1,628	1,844	914	1,726	9,283
Nonwhite--	11,355	4,876	1,539	1,403	870	1,064	6,479
Arizona-----	8,397	2,883	...	1,907	...	976	3,514
White-----	5,364	2,682	...	1,750	...	932	2,702
Nonwhite--	1,013	201	...	157	...	44	612
Arkansas-----	15,860	5,942	...	1,455	1,793	2,694	9,738
White-----	11,372	4,311	...	1,097	1,210	2,004	7,061
Nonwhite--	4,308	1,631	...	358	583	690	2,677
California-----	100,354	73,774	42,336	13,620	7,856	9,962	26,580
White-----	85,098	69,684	39,413	12,947	7,562	9,742	25,414
Nonwhite--	5,256	4,090	2,923	673	274	220	1,166
Colorado-----	12,415	8,149	4,297	1,277	879	1,696	4,266
White-----	12,124	7,909	4,122	1,226	876	1,686	4,216
Nonwhite--	291	240	175	52	3	10	51
Connecticut-----	18,829	12,783	5,218	4,986	1,986	604	6,036
White-----	18,267	12,295	4,890	4,849	1,967	599	5,972
Nonwhite--	562	488	328	136	29	5	84
Delaware-----	3,330	1,789	1,396	393	1,541
White-----	2,733	1,439	1,129	310	1,294
Nonwhite--	597	350	267	83	247
District of Columbia-----	8,448	8,448	8,448
White-----	5,335	5,335	5,335
Nonwhite--	3,113	3,113	3,113
Florida-----	25,376	16,032	6,433	3,278	2,675	3,646	9,344
White-----	18,307	11,619	4,558	2,666	1,874	2,521	6,698
Nonwhite--	7,069	4,413	1,875	612	801	1,125	2,646
Georgia-----	29,608	14,281	4,015	4,230	2,469	3,567	15,327
White-----	17,414	7,951	2,213	2,257	1,423	2,056	9,453
Nonwhite--	12,194	6,330	1,802	1,973	1,046	1,509	5,864
Idaho-----	4,701	2,183	...	356	952	875	2,518
White-----	4,604	2,165	...	351	942	872	2,439
Nonwhite--	97	18	...	5	10	3	79
Illinois-----	92,568	71,710	42,642	12,634	6,489	9,965	20,588
White-----	84,865	64,432	36,716	11,815	6,127	9,774	20,433
Nonwhite--	7,703	7,278	5,926	819	342	191	425
Indiana-----	40,026	23,594	8,769	7,396	3,056	4,383	16,432
White-----	37,887	21,568	7,376	6,885	2,970	4,337	16,319
Nonwhite--	2,139	2,026	1,393	501	86	46	113
Iowa-----	26,106	13,239	1,812	5,409	1,863	4,155	12,967
White-----	25,837	12,996	1,714	5,307	1,839	4,137	12,841
Nonwhite--	269	243	99	102	25	18	26
Kansas-----	19,014	9,741	2,943	1,212	2,839	2,746	9,703
White-----	17,800	8,868	2,512	1,097	2,596	2,663	8,932
Nonwhite--	1,014	873	431	115	242	85	141
Kentucky-----	28,046	11,473	4,355	3,015	1,011	3,092	16,573
White-----	24,700	9,213	3,417	2,467	780	2,549	15,487
Nonwhite--	3,346	2,260	938	548	231	543	1,086
Louisiana-----	23,400	13,046	6,156	2,787	1,071	3,082	10,354
White-----	13,489	7,878	4,039	1,463	625	1,752	5,611
Nonwhite--	9,911	5,168	2,116	1,324	446	1,280	4,743
Maine-----	10,099	3,964	...	1,777	1,183	1,024	6,135
White-----	10,057	3,944	...	1,765	1,161	1,016	6,113
Nonwhite--	42	20	...	12	2	6	22
Maryland-----	22,110	13,719	10,852	863	1,003	1,001	6,391
White-----	17,453	10,501	8,045	830	763	863	6,962
Nonwhite--	4,657	3,218	2,807	33	240	138	1,439
Massachusetts-----	50,767	45,122	20,054	13,512	8,132	3,424	5,645
White-----	49,984	44,281	19,343	13,439	8,098	3,401	5,603
Nonwhite--	683	841	711	73	34	23	42
Michigan-----	57,422	37,375	20,009	8,023	3,896	5,445	20,047
White-----	53,365	33,656	17,032	7,666	3,616	5,342	19,709
Nonwhite--	4,057	3,719	2,977	357	282	103	338
Minnesota-----	27,719	15,616	9,724	315	1,816	3,761	12,103
White-----	27,395	15,413	9,534	314	1,811	3,754	11,972
Nonwhite--	334	203	190	1	5	7	131
Mississippi-----	20,661	6,170	...	1,243	2,481	2,446	14,491
White-----	9,391	3,054	...	652	1,150	1,232	6,347
Nonwhite--	11,280	3,136	...	591	1,331	1,214	8,144
Missouri-----	43,825	25,840	15,880	2,550	3,137	4,273	17,965
White-----	39,536	22,238	12,977	2,437	2,865	3,959	17,298
Nonwhite--	4,289	3,602	2,903	113	272	314	667

GENERAL TABLES—TOTAL DEATHS

TABLE 19.—DEATHS BY POPULATION-SIZE GROUP AND RACE: UNITED STATES AND EACH STATE, 1949—Con.

(By place of residence. Exclusive of fetal deaths and of deaths among armed forces overseas)

AREA AND RACE	Total	URBAN					Rural
		All urban places	Places of 100,000 or more	Places of 25,000 to 100,000	Places of 10,000 to 25,000	Places of 2,500 to 10,000	
Montana	5,878	3,080	...	1,071	954	1,055	2,788
White	5,818	3,034	...	1,062	959	1,035	2,584
Nonwhite	260	46	...	9	15	22	214
Nebraska	12,644	6,085	2,536	898	1,144	1,507	6,559
White	12,322	5,829	2,323	879	1,131	1,495	6,493
Nonwhite	322	256	213	19	13	11	66
Nevada	1,610	755	379	395	845
White	1,490	729	370	359	761
Nonwhite	120	26	9	27	84
New Hampshire	6,109	3,464	...	1,700	1,198	586	2,645
White	6,099	3,459	...	1,696	1,197	586	2,640
Nonwhite	10	5	...	4	1	-	5
New Jersey	47,890	39,217	13,942	10,802	6,789	8,934	9,683
White	44,228	35,132	12,332	9,841	6,311	8,848	9,086
Nonwhite	3,652	3,085	1,610	761	428	286	587
New Mexico	5,576	2,617	...	661	656	1,300	2,959
White	5,069	2,522	...	644	622	1,258	2,547
Nonwhite	507	95	...	17	34	44	412
New York	155,020	126,655	99,271	9,674	9,486	8,224	28,365
White	145,809	117,831	91,129	9,315	9,276	8,111	27,978
Nonwhite	9,211	8,824	8,142	359	210	113	387
North Carolina	31,009	10,653	1,098	4,134	2,844	2,579	20,356
White	20,201	6,458	647	2,342	1,740	1,729	13,745
Nonwhite	10,808	4,195	449	1,792	1,104	850	6,615
North Dakota	5,222	1,442	...	340	532	570	3,780
White	5,090	1,429	...	337	527	565	3,661
Nonwhite	132	13	...	3	5	5	119
Ohio	80,368	55,815	32,177	8,771	6,506	8,361	24,563
White	74,395	50,347	27,724	8,283	6,259	8,081	24,048
Nonwhite	5,973	5,468	4,453	488	247	280	505
Oklahoma	19,391	9,983	3,513	753	2,562	3,155	9,411
White	17,118	8,835	3,124	595	2,249	2,869	8,283
Nonwhite	2,276	1,148	389	150	313	286	1,128
Oregon	13,891	8,123	4,547	435	1,052	2,091	5,768
White	13,631	7,976	4,451	431	1,041	2,075	5,655
Nonwhite	260	147	116	2	11	18	113
Pennsylvania	108,363	76,704	36,416	13,896	12,482	13,910	31,659
White	101,082	69,819	31,186	13,140	11,954	13,679	31,163
Nonwhite	7,281	6,785	5,250	756	548	231	496
Rhode Island	8,071	7,296	2,928	3,281	890	297	775
White	7,888	7,105	2,889	3,229	881	296	763
Nonwhite	203	191	129	52	9	1	12
South Carolina	17,494	5,982	...	2,673	1,150	2,139	11,532
White	8,892	3,555	...	1,497	693	1,165	5,627
Nonwhite	8,512	2,607	...	1,176	457	974	5,905
South Dakota	5,697	1,977	...	410	813	654	3,810
White	5,400	1,845	...	409	799	637	3,555
Nonwhite	297	32	...	1	14	17	255
Tennessee	28,983	12,761	8,563	230	1,244	2,724	16,252
White	22,257	8,364	5,162	194	875	2,133	13,893
Nonwhite	6,736	4,397	3,401	36	369	591	2,359
Texas	63,337	37,968	14,518	8,393	4,777	10,280	25,369
White	52,743	31,388	11,799	6,947	3,904	8,738	21,385
Nonwhite	10,594	6,580	2,719	1,446	873	1,542	4,014
Utah	4,929	3,078	1,542	484	260	792	1,851
White	4,797	3,001	1,508	459	260	776	1,796
Nonwhite	132	77	38	25	-	16	55
Vermont	4,162	1,589	...	328	364	877	2,593
White	4,159	1,567	...	327	363	877	2,592
Nonwhite	3	2	...	1	1	-	1
Virginia	29,345	12,274	4,807	4,497	957	2,013	17,071
White	20,164	8,124	2,908	2,923	695	1,598	12,040
Nonwhite	9,181	4,150	1,899	1,574	262	415	5,031
Washington	22,491	14,082	9,259	1,408	1,677	1,738	8,409
White	21,850	13,676	8,928	1,390	1,652	1,706	8,174
Nonwhite	641	406	331	18	25	32	235
West Virginia	17,305	6,399	...	3,155	1,402	1,842	10,906
White	15,940	5,806	...	2,902	1,289	1,675	10,154
Nonwhite	1,365	593	...	253	173	167	772
Wisconsin	32,993	18,777	6,356	6,457	2,522	3,442	14,216
White	32,549	18,497	6,129	6,415	2,515	3,438	14,052
Nonwhite	444	280	227	42	7	4	164
Wyoming	2,365	1,141	754	387	1,244
White	2,315	1,110	731	379	1,205
Nonwhite	70	31	23	8	39

GENERAL TABLES—TOTAL DEATHS

201

TABLE 20.—DEATHS BY RACE, IN INSTITUTIONS BY TYPE OF INSTITUTION: UNITED STATES AND EACH STATE, 1949—Continued

(By place of residence. Exclusive of fetal deaths and of deaths among armed forces overseas)

AREA AND RACE	Total	Deaths not in institutions	DEATHS IN INSTITUTIONS									
			All institutions	General hospitals	Maternity hospitals	Children's hospitals	Tuber-culosis hospitals	Special and other hospitals (except mental)	Mental institutions	Conva-lescent, etc., homes	Other insti-tutions	Insti-tutions of un-specified type
Montana	5,878	2,370	3,508	3,101	5	2	67	4	173	34	94	26
White	5,618	2,265	3,353	2,961	5	2	59	4	169	34	92	26
Nonwhite	260	105	155	140	-	-	9	-	4	-	2	-
Nebraska	12,644	6,232	6,412	5,558	17	46	16	57	316	204	300	68
White	12,322	6,114	6,208	5,181	17	43	39	57	305	204	296	66
Nonwhite	322	118	204	177	-	3	7	-	11	-	4	2
Nevada	1,610	642	968	909	-	1	13	2	22	6	20	96
White	1,490	595	895	745	-	1	6	2	22	6	20	93
Nonwhite	120	47	73	63	-	-	7	-	-	-	-	3
New Hampshire	6,109	2,808	3,301	2,429	8	16	25	8	332	194	293	7
White	6,099	2,806	3,293	2,421	8	16	25	8	331	194	293	7
Nonwhite	10	2	8	7	-	-	-	-	1	-	-	-
New Jersey	47,880	23,024	24,856	19,097	178	45	887	336	2,089	662	1,306	56
White	44,228	21,595	22,633	17,401	183	36	890	320	1,907	652	1,220	54
Nonwhite	3,652	1,429	2,223	1,696	25	9	197	16	182	10	86	2
New Mexico	5,576	3,095	2,481	2,118	11	2	85	8	81	28	45	95
White	5,069	2,873	2,196	1,875	11	2	80	8	77	28	45	92
Nonwhite	507	222	285	243	-	-	35	-	4	-	-	3
New York	155,020	66,697	68,123	65,888	313	170	1,626	3,486	7,484	3,335	5,614	209
White	145,809	64,460	61,349	60,536	278	160	1,311	3,155	6,933	3,308	5,469	209
Nonwhite	9,211	2,437	6,774	5,352	35	10	315	331	551	25	155	-
North Carolina	31,009	16,802	12,207	10,301	18	26	438	26	604	132	480	182
White	20,201	11,623	8,578	7,362	12	25	179	24	399	116	324	137
Nonwhite	10,808	7,179	3,629	2,939	6	1	259	2	205	16	156	45
North Dakota	5,222	2,207	3,015	2,620	5	1	22	3	180	35	100	49
White	5,090	2,180	2,950	2,540	5	1	21	3	177	34	100	49
Nonwhite	132	47	65	80	-	-	1	-	3	1	-	-
Ohio	80,368	41,719	38,649	29,697	159	592	733	384	1,880	1,715	2,987	192
White	74,395	39,045	35,352	27,326	144	499	509	384	1,784	1,678	2,834	184
Nonwhite	5,973	2,674	3,297	2,571	15	93	224	-	196	37	153	8
Oklahoma	19,394	10,895	8,499	7,050	8	5	171	36	593	188	228	220
White	17,118	9,462	7,656	6,393	8	5	122	36	523	184	219	167
Nonwhite	2,276	1,433	843	657	-	-	49	-	71	4	9	53
Oregon	15,891	6,223	7,668	5,802	30	69	93	59	575	543	449	58
White	15,631	6,120	7,511	5,683	27	66	75	58	560	542	445	57
Nonwhite	260	103	157	119	3	3	8	1	15	1	6	1
Pennsylvania	108,363	55,612	52,751	42,782	91	294	638	368	2,722	1,252	4,547	57
White	101,082	53,240	47,842	38,667	79	252	496	306	2,506	1,182	4,302	52
Nonwhite	7,281	2,372	4,909	4,115	12	42	142	62	216	70	245	5
Rhode Island	8,071	4,104	3,967	2,897	109	14	78	60	388	171	246	13
White	7,868	4,018	3,850	2,807	102	13	65	59	378	171	245	12
Nonwhite	203	86	117	80	7	1	13	1	11	-	3	1
South Carolina	17,494	10,970	6,524	5,695	3	2	263	5	445	12	61	49
White	8,992	4,884	4,098	3,690	3	2	85	4	245	12	59	19
Nonwhite	8,502	6,086	2,426	1,995	-	-	178	1	200	-	23	29
South Dakota	5,697	2,617	3,070	2,571	-	3	30	1	179	58	153	75
White	5,400	2,477	2,923	2,450	-	3	14	1	173	58	151	75
Nonwhite	297	140	147	121	-	-	16	-	6	-	2	2
Tennessee	28,993	18,259	10,734	8,808	41	125	278	39	729	215	365	134
White	22,257	14,051	6,781	5,761	40	101	149	36	542	213	247	118
Nonwhite	6,736	4,208	2,508	2,027	1	24	130	3	187	2	116	16
Texas	63,337	35,449	27,889	24,032	110	96	415	88	1,381	305	546	855
White	52,743	28,584	24,159	20,964	108	81	298	87	1,156	292	469	684
Nonwhite	10,594	6,865	3,730	3,128	2	15	117	1	225	15	57	171
Utah	4,925	2,497	2,452	2,195	5	19	18	19	89	15	49	23
White	4,797	2,453	2,344	2,118	5	19	12	19	86	15	47	23
Nonwhite	128	44	88	77	-	-	6	-	3	-	2	-
Vermont	4,162	2,208	1,958	1,528	2	2	24	3	189	131	69	8
White	4,159	2,206	1,953	1,523	2	2	24	3	189	131	69	8
Nonwhite	3	-	3	3	-	-	-	-	-	-	-	-
Virginia	29,345	17,453	11,892	9,689	84	64	235	30	989	278	435	88
White	20,164	11,593	8,571	7,119	49	30	110	25	621	263	282	73
Nonwhite	9,181	5,860	3,321	2,571	35	34	125	5	368	15	153	15
Washington	22,491	8,893	13,798	10,988	11	5	246	127	816	523	823	159
White	21,850	8,484	13,386	10,639	10	5	222	125	798	519	812	156
Nonwhite	641	229	412	349	1	1	24	2	18	4	11	3
West Virginia	17,305	10,032	7,273	6,239	3	4	159	24	424	129	187	104
White	15,940	9,256	6,694	5,779	3	4	120	21	373	121	162	101
Nonwhite	1,365	776	589	460	-	-	39	3	51	8	25	3
Wisconsin	32,983	14,886	16,107	15,075	37	100	286	85	761	372	1,195	200
White	32,549	14,763	17,786	14,796	37	94	276	81	744	372	1,189	197
Nonwhite	444	123	321	277	-	6	10	2	17	-	6	3
Wyoming	2,385	950	1,435	1,219	-	9	9	1	95	30	29	43
White	2,315	922	1,393	1,182	-	9	8	1	93	29	27	42
Nonwhite	70	28	42	37	-	-	1	-	2	1	-	1

TABLE 21.—DEATHS FROM 64 SELECTED CAUSES, BY MONTH: UNITED STATES AND EACH STATE, 1949—Con.

(See footnote on p. 202)

Table with 14 columns: AREA AND CAUSE OF DEATH, Total, Jan., Feb., Mar., Apr., May, June, July, Aug., Sept., Oct., Nov., Dec. Rows include categories like GEORGIA, Tuberculosis, Syphilis, Malignant neoplasms, etc.

VITAL STATISTICS OF THE UNITED STATES

TABLE 21.-DEATHS FROM 64 SELECTED CAUSES, BY MONTH: UNITED STATES AND EACH STATE, 1949-Con.

(See headnote on p. 202)

Table with 14 columns: AREA AND CAUSE OF DEATH, Total, Jan., Feb., Mar., Apr., May, June, July, Aug., Sept., Oct., Nov., Dec. Rows list various causes of death such as Malignant neoplasms, Diabetes mellitus, and Accidents.

GENERAL TABLES-DEATHS FROM SELECTED CAUSES

TABLE 21.-DEATHS FROM 64 SELECTED CAUSES, BY MONTH: UNITED STATES AND EACH STATE, 1949-Con.

(See headnote on p. 202)

Table with columns: AREA AND CAUSE OF DEATH, Total, Jan., Feb., Mar., Apr., May, June, July, Aug., Sept., Oct., Nov., Dec. Includes categories like MONTANA-All causes, Tuberculosis, Syphilis, and various cardiovascular and infectious diseases.

TABLE 21.-DEATHS FROM 64 SELECTED CAUSES, BY MONTH: UNITED STATES AND EACH STATE, 1949-Con.

(See headnote on p. 202)

Table with 14 columns: AREA AND CAUSE OF DEATH, Total, Jan., Feb., Mar., Apr., May, June, July, Aug., Sept., Oct., Nov., Dec. Rows include various causes of death such as Tuberculosis, Syphilis, Malignant neoplasms, Diabetes mellitus, etc.

TABLE 21.-DEATHS FROM 64 SELECTED CAUSES, BY MONTH: UNITED STATES AND EACH STATE, 1949--Con.

(See headnote on p. 202)

Table with columns for AREA AND CAUSE OF DEATH, Total, and months (Jan. through Dec.). Rows include categories like Tuberculosis, Syphilis, Malignant neoplasms, Diabetes mellitus, and various heart diseases, with corresponding monthly and total counts.

TABLE 21.—DEATHS FROM 64 SELECTED CAUSES, BY MONTH: UNITED STATES AND EACH STATE, 1949—Con.

(See headnote on p. 202)

Table with 14 columns: AREA AND CAUSE OF DEATH, Total, Jan., Feb., Mar., Apr., May, June, July, Aug., Sept., Oct., Nov., Dec. Rows list various causes of death such as Tuberculosis, Malignant neoplasms, Diabetes mellitus, etc.

GENERAL TABLES—DEATHS FROM SELECTED CAUSES

TABLE 21.—DEATHS FROM 64 SELECTED CAUSES, BY MONTH: UNITED STATES AND EACH STATE, 1949—Con.

(See headnote on p. 202)

AREA AND CAUSE OF DEATH	Total	Jan.	Feb.	Mar.	Apr.	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.
VIRGINIA—All causes	29,345	2,807	2,518	2,656	2,397	2,307	2,433	2,500	2,584	2,184	2,395	2,485	2,689
Tuberculosis, all forms—001-019	976	79	73	84	83	80	79	90	67	88	90	72	81
Tuberculosis of respiratory system—001-008	905	77	64	79	76	77	74	79	63	85	82	66	85
Tuberculosis, other forms—010-019	71	2	9	5	7	3	5	11	4	5	8	6	6
Syphilis and its sequelae—020-029	231	19	18	23	24	20	16	18	14	18	20	19	22
Typhoid fever—040	8	—	—	—	—	1	—	1	2	—	3	—	—
Cholera—043	—	—	—	—	—	—	—	—	—	—	—	—	—
Dysentery, all forms—045-048	47	1	—	—	1	—	1	16	13	2	6	3	3
Scarlet fever and streptococcal sore throat—050,051	5	—	1	—	—	—	—	—	1	—	2	—	1
Diphtheria—055	12	—	2	1	—	—	—	—	1	2	2	2	2
Whooping cough—056	34	8	1	5	—	5	3	1	3	1	2	2	3
Meningococcal infections—057	41	8	—	6	4	5	3	1	2	1	2	1	8
Plague—058	—	—	—	—	—	—	—	—	—	—	—	—	—
Acute poliomyelitis—080	17	2	—	—	—	—	—	1	9	3	1	1	—
Smallpox—084	—	—	—	—	—	—	—	—	—	—	—	—	—
Measles—085	42	4	8	6	8	6	6	3	—	—	—	1	—
Typhus and other rickettsial diseases—100-108	4	—	—	—	—	1	—	—	3	—	—	—	—
Malaria—110-117	1	—	—	—	—	—	—	—	—	—	—	1	—
All other infective and parasitic diseases—Residual	101	12	3	14	8	8	6	15	9	7	5	6	6
Malignant neoplasms, including neoplasms of lymphatic and hematopoietic tissues—140-205	3,328	280	259	280	277	273	273	294	307	256	266	294	267
Malignant neoplasm of buccal cavity and pharynx—140-148	69	2	7	9	7	7	6	4	9	5	3	7	5
Malignant neoplasm of digestive organs and peritoneum—150-156A,157-159	1,179	97	99	89	105	106	80	103	113	89	78	122	86
Malignant neoplasm of respiratory system—160-164	332	31	34	24	21	25	23	28	31	23	28	36	28
Malignant neoplasm of breast—170	298	19	13	30	23	18	30	33	34	22	34	20	22
Malignant neoplasm of genital organs—171-179	635	59	55	53	53	50	56	62	57	49	53	37	51
Malignant neoplasm of urinary organs—180,181	147	16	7	12	12	10	9	9	15	14	16	16	12
Malignant neoplasm of other and unspecified sites—156B,165,190-199	396	28	28	33	40	34	35	36	28	34	28	32	40
Leukemia and aleukemia—204	129	10	7	18	10	6	11	10	11	10	14	15	7
Lymphosarcoma and other neoplasms of lymphatic and hematopoietic tissues—200-203,205	143	16	9	12	6	14	12	9	15	13	14	9	14
Benign neoplasms and neoplasms of unspecified nature—210-239	128	11	9	17	4	9	14	13	9	11	11	13	7
Diabetes mellitus—260	388	45	38	42	36	25	37	31	33	15	28	28	30
Anemias—280-283	82	5	6	6	11	7	9	5	1	8	7	11	6
Meningitis, except meningococcal and tuberculous—340	52	3	5	7	3	3	4	6	1	4	5	4	7
Major cardiovascular-renal diseases—330-334,400-469,592-594	14,018	1,331	1,178	1,363	1,215	1,152	1,236	1,199	1,181	1,071	1,195	1,285	1,432
Diseases of cardiovascular system—330-334,400-469	14,135	1,299	1,128	1,300	1,171	1,090	1,196	1,162	1,132	1,016	1,124	1,194	1,363
Vascular lesions affecting central nervous system—330-334	3,336	277	271	321	289	253	289	281	275	228	270	304	338
Rheumatic fever—400-402	64	9	8	9	7	5	6	3	3	2	5	4	3
Diseases of heart—410-443	9,674	875	777	885	785	749	823	764	784	708	771	908	925
Chronic rheumatic heart disease—410-416	388	39	41	37	25	33	34	28	23	33	26	30	39
Arteriosclerotic heart disease, including coronary disease—420	4,872	443	353	421	397	375	407	388	428	361	406	431	462
Nonrheumatic chronic endocarditis and other myocardial degeneration—421,422	1,950	173	176	195	162	148	175	190	131	149	150	148	155
Other diseases of heart—430-434	434	39	49	40	42	28	32	47	31	24	30	25	46
Hypertension with heart disease—440-443	2,030	181	158	192	158	165	175	171	171	141	159	173	165
Hypertension without mention of heart—444-447	289	27	18	23	22	32	23	32	17	24	27	20	24
General arteriosclerosis—450	554	57	38	50	57	42	48	45	44	38	43	37	54
Other diseases of circulatory system—451-466	158	14	16	12	11	9	7	17	9	15	8	21	19
Chronic and unspecified nephritis and other renal sclerosis—592-594	683	72	50	63	44	82	40	37	49	55	71	71	69
Influenza and pneumonia, except pneumonia of newborn—480-493	1,093	144	143	112	100	85	64	48	52	62	78	77	128
Influenza—480-483	156	29	17	16	20	15	10	3	4	4	9	10	19
Pneumonia, except pneumonia of newborn—490-493	937	115	126	96	80	70	54	45	48	58	69	67	109
Bronchitis—500-502	85	16	16	13	5	3	3	2	4	5	8	4	6
Ulcer of stomach and duodenum—540,541	134	9	7	11	13	8	16	13	6	12	10	13	16
Appendicitis—550-553	70	6	8	7	4	3	6	9	7	2	7	6	5
Hernia and intestinal obstruction—560,561,570	202	11	15	24	16	17	18	20	18	18	14	17	16
Gastritis, duodenitis, enteritis, and colitis, except diarrhea of newborn—543,571,572	269	16	7	10	13	8	23	43	47	39	36	18	9
Cirrhosis of liver—581	169	17	11	13	13	23	11	13	18	10	16	10	14
Acute nephritis and nephritis with edema, including nephrosis—590,591	86	7	9	8	7	5	9	4	8	5	9	4	11
Hyperplasia of prostate—610	116	4	12	14	13	9	11	8	6	9	14	5	11
Deliveries and complications of pregnancy, childbirth, and the puerperium—640-689	85	9	6	12	5	5	5	8	10	7	4	9	5
Abortions—650-652	12	2	1	1	—	2	1	1	1	—	—	1	1
All other complications—640-649,680-689	73	7	5	11	5	3	7	9	9	7	4	8	4
Congenital malformations—750-759	411	36	34	36	34	25	30	40	32	34	34	33	43
Certain diseases of early infancy—760-776	1,633	132	126	162	156	169	173	159	150	149	173	158	126
Birth injuries, postnatal asphyxia, and atelectasis—760-762	670	47	36	57	71	65	72	61	60	42	63	57	39
Infections of newborn—763-768	124	4	11	22	7	5	8	7	11	15	7	15	12
Other diseases peculiar to early infancy, and immaturity unqualified—769-776	1,039	81	79	83	78	99	93	91	79	92	103	86	75
Symptoms, senility, and ill-defined conditions—780-795	436	47	41	41	37	25	38	45	37	34	31	36	24
All other diseases—Residual	1,385	123	105	124	119	115	108	130	124	100	84	126	127
Accidents—E800-E862	1,980	171	131	172	142	168	176	202	154	158	145	171	180
Motor-vehicle accidents—E810-E835	714	54	42	61	57	55	48	47	50	63	72	68	77
All other accidents—E800-E802,E840-E862	1,266	117	89	111	85	113	128	155	104	75	73	103	113
Suicide—E963,E970-E979	373	33	30	22	22	26	29	30	30	25	45	42	39
Homicide—E864,E880-E885	302	18	15	21	24	18	26	23	25	27	31	33	32
Injury resulting from operations of war—E965,E990-E999	1	—	—	—	—	—	—	—	—	—	1	—	—

TABLE 21.-DEATHS FROM 64 SELECTED CAUSES, BY MONTH: UNITED STATES AND EACH STATE, 1949-Con.

(See headnote on p. 202)

Table with 14 columns: AREA AND CAUSE OF DEATH, Total, Jan., Feb., Mar., Apr., May, June, July, Aug., Sept., Oct., Nov., Dec. Rows include categories like WISCONSIN-All causes, Tuberculosis, Syphilis, Malignant neoplasms, Diabetes mellitus, and Major cardiovascular-renal diseases.

VITAL STATISTICS OF THE UNITED STATES

TABLE 22.—DEATHS FROM 64 SELECTED CAUSES, BY AGE.

(By place of residence. Exclusive of fetal)

Sixth Revision No.	AREA, CAUSE OF DEATH, RACE, AND SEX	Total	Under 1 year	1 year	2 years	3 years	4 years	Under 5 years	5-9 years	10-14 years	15-19 years
1	UNITED STATES ALL CAUSES-----	1,445,607	111,531	8,106	5,020	3,139	2,422	130,216	8,738	6,979	11,988
2	White-----M--	726,169	51,530	3,452	2,352	1,409	1,142	59,895	4,403	3,582	6,223
3	F--	542,679	37,477	2,329	1,768	1,103	849	44,126	2,867	2,131	3,078
4	Nonwhite-----M--	95,122	12,631	847	492	335	235	14,858	804	754	1,471
5	F--	79,637	9,893	778	408	294	198	11,568	644	512	1,216
6	001-019 Tuberculosis, all forms-----	39,100	279	375	254	134	68	1,110	248	223	1,064
7	White-----M--	18,694	96	113	71	41	38	558	84	47	169
8	F--	8,634	62	135	80	42	29	568	69	56	256
9	Nonwhite-----M--	6,654	52	69	37	23	11	192	43	40	247
10	F--	4,728	49	59	46	28	10	181	47	70	392
11	001-006 Tuberculosis of respiratory system-----	35,988	123	115	72	48	29	397	91	151	929
12	White-----M--	17,773	41	31	19	18	12	121	22	24	143
13	F--	7,977	30	34	24	10	8	106	22	43	232
14	Nonwhite-----M--	6,017	29	24	16	11	6	66	26	28	206
15	F--	4,221	23	26	13	9	3	74	21	56	348
16	010-019 Tuberculosis, other forms-----	3,112	156	260	162	66	59	725	157	72	135
17	White-----M--	1,111	55	82	52	23	26	238	62	23	26
18	F--	857	52	101	56	32	21	262	47	23	24
19	Nonwhite-----M--	637	23	45	21	12	5	106	22	12	41
20	F--	507	26	32	33	19	7	117	26	14	44
21	020-029 Syphilis and its sequelae-----	8,581	300	7	2	5	-	314	4	5	27
22	White-----M--	4,221	57	1	-	-	-	59	1	-	9
23	F--	1,342	33	-	-	1	-	34	1	2	3
24	Nonwhite-----M--	2,080	111	3	-	3	-	118	2	2	8
25	F--	958	99	3	-	1	-	103	-	1	7
26	040 Typhoid fever-----	161	9	4	3	4	-	20	8	7	11
27	White-----M--	66	4	3	1	2	-	10	1	1	4
28	F--	49	4	-	2	1	-	7	2	1	1
29	Nonwhite-----M--	26	1	-	-	-	-	1	2	4	4
30	F--	20	-	1	-	1	-	2	3	1	2
31	045-048 Dysentery, all forms-----	1,440	892	125	28	24	8	1,067	21	9	8
32	White-----M--	611	370	51	12	11	4	448	15	5	5
33	F--	531	330	53	12	7	2	404	3	3	3
34	Nonwhite-----M--	168	95	9	3	5	-	112	1	1	-
35	F--	130	87	12	1	1	2	103	2	-	-
36	050,051 Scarlet fever and streptococcal sore throat-----	486	61	31	20	14	16	144	51	35	29
37	White-----M--	205	23	15	11	7	7	63	25	13	11
38	F--	203	23	13	7	6	5	54	17	18	12
39	Nonwhite-----M--	34	5	2	1	1	4	13	5	-	5
40	F--	44	10	1	1	-	2	14	4	4	1
41	055 Diphtheria-----	574	41	65	75	75	69	325	130	21	7
42	White-----M--	248	17	25	33	30	26	131	46	8	3
43	F--	217	14	22	30	28	31	125	53	8	4
44	Nonwhite-----M--	56	7	8	5	11	7	38	14	1	-
45	F--	53	3	10	7	6	5	31	17	4	-
46	056 Whooping cough-----	727	524	114	36	27	10	711	10	2	-
47	White-----M--	230	131	24	8	8	4	225	2	1	-
48	F--	269	186	46	16	10	4	262	5	1	-
49	Nonwhite-----M--	109	85	15	5	3	1	109	-	-	-
50	F--	119	72	29	7	6	1	115	3	-	-
51	057 Meningococcal infections-----	917	237	151	102	34	25	529	76	46	40
52	White-----M--	459	129	68	58	18	11	265	31	18	22
53	F--	331	73	52	38	12	12	187	37	22	9
54	Nonwhite-----M--	79	23	7	2	3	1	36	7	5	7
55	F--	48	12	3	4	1	1	21	1	1	2
56	080 Acute poliomyelitis-----	2,720	118	79	109	75	70	459	526	415	309
57	White-----M--	1,627	66	39	57	48	46	256	334	246	192
58	F--	1,004	40	36	42	21	29	168	181	159	106
59	Nonwhite-----M--	46	4	4	4	4	2	18	6	8	5
60	F--	43	8	-	6	2	1	17	5	2	6
61	084 Smallpox-----	2	1	-	-	-	-	1	-	-	-
62	White-----M--	1	1	-	-	-	-	1	-	-	-
63	F--	1	-	-	-	-	-	-	-	-	-
64	Nonwhite-----M--	-	-	-	-	-	-	-	-	-	-
65	F--	-	-	-	-	-	-	-	-	-	-
66	085 Measles-----	949	256	193	78	44	41	612	170	44	26
67	White-----M--	367	106	75	26	14	17	238	75	14	8
68	F--	396	89	74	39	22	19	243	70	17	10
69	Nonwhite-----M--	98	29	30	9	4	3	75	14	5	1
70	F--	88	32	14	4	4	2	58	11	8	7
71	100-106 Typhus and other rickettsial diseases-----	73	-	3	1	-	3	7	7	5	-
72	White-----M--	39	-	1	-	-	1	2	2	3	-
73	F--	17	-	1	1	-	1	3	2	1	-
74	Nonwhite-----M--	11	-	1	-	-	-	1	1	-	-
75	F--	6	-	-	-	-	1	1	2	1	-
76	110-117 Malaria-----	116	15	1	1	2	1	20	3	1	3
77	White-----M--	41	6	-	1	-	-	7	2	-	-
78	F--	22	4	1	-	1	-	6	1	-	1
79	Nonwhite-----M--	31	3	-	-	1	1	5	-	1	1
80	F--	24	2	-	-	-	-	2	-	-	1
81	Residual All other infective and parasitic diseases-----	3,930	617	142	113	62	47	981	169	113	93
82	White-----M--	1,770	260	65	47	25	19	416	76	49	42
83	F--	1,341	198	49	37	25	17	316	53	38	25
84	Nonwhite-----M--	432	100	16	16	4	6	142	20	15	9
85	F--	387	69	12	13	8	5	107	20	11	17

GENERAL TABLES-DEATHS FROM SELECTED CAUSES

RACE, AND SEX: UNITED STATES AND EACH STATE, 1949

(Deaths and of deaths among armed forces overseas)

Table with 18 columns representing age groups (20-24 years to 100 and over) and a 'Not stated' column. Rows list various causes of death, such as tuberculosis, cancer, heart disease, and pneumonia. Each cell contains a numerical value representing the number of deaths.

VITAL STATISTICS OF THE UNITED STATES

TABLE 22.—DEATHS FROM 64 SELECTED CAUSES, BY AGE,

(By place of residence. Exclusive of fetal)

Sixth Revision No.	AREA, CAUSE OF DEATH, RACE, AND SEX	Total	Under 1 year	1 year	2 years	3 years	4 years	Under 5 years	5-9 years	10-14 years	15-19 years
UNITED STATES—Continued											
86	140-205 Malignant neoplasms, etc.*-----	206,325	282	317	430	344	277	1,650	875	621	851
87	White-----M--	96,459	143	160	230	177	146	856	467	326	459
88	F--	93,827	110	125	179	145	114	673	340	225	278
89	Nonwhite-----M--	7,573	16	24	13	9	9	71	55	48	55
90	F--	8,466	15	8	8	13	8	50	35	22	41
91	140-148 Of buccal cavity and pharynx-----	5,074	-	1	2	2	3	8	1	4	6
92	White-----M--	3,792	-	-	1	1	2	4	-	4	4
93	F--	940	-	-	1	1	1	3	1	-	-
94	Nonwhite-----M--	240	-	1	-	-	-	1	-	-	1
95	F--	102	-	-	-	-	-	-	-	-	1
96	150-156A, Of digestive organs and peritoneum-----	82,281	30	19	10	6	8	73	20	25	60
97	White-----M--	41,616	15	9	6	3	4	37	10	11	34
98	F--	54,535	11	8	3	2	3	27	7	8	16
99	Nonwhite-----M--	3,664	2	1	1	1	1	6	1	3	6
100	F--	2,466	2	1	-	-	-	3	2	3	4
101	160-164 Of respiratory system-----	19,516	3	3	3	-	2	11	8	14	26
102	White-----M--	14,844	3	1	-	-	1	5	6	6	14
103	F--	3,454	-	2	3	-	1	6	1	6	8
104	Nonwhite-----M--	978	-	-	-	-	-	-	-	2	4
105	F--	242	-	-	-	-	-	-	1	-	-
106	170 Of breast-----	18,553	-	-	-	-	-	-	-	-	1
107	White-----M--	217	-	-	-	-	-	-	-	-	1
108	F--	17,157	-	-	-	-	-	-	-	-	-
109	Nonwhite-----M--	16	-	-	-	-	-	-	-	-	-
110	F--	1,183	-	-	-	-	-	-	-	-	-
111	171-179 Of genital organs-----	34,545	-	6	3	5	2	16	12	20	63
112	White-----M--	10,985	-	6	2	3	2	13	2	2	24
113	F--	19,359	-	-	1	2	-	3	10	15	27
114	Nonwhite-----M--	1,070	-	-	-	-	-	-	-	2	2
115	F--	3,131	-	-	-	-	-	-	-	1	10
116	180,181 Of urinary organs-----	9,859	18	34	59	34	33	178	51	15	14
117	White-----M--	6,096	12	10	32	14	15	83	17	6	10
118	F--	3,204	3	17	25	14	14	73	25	5	3
119	Nonwhite-----M--	320	1	6	-	1	1	9	3	4	-
120	F--	239	2	1	2	5	3	13	6	-	1
121	156B, 165, Of other and unspecified sites-----	21,065	69	94	118	85	79	443	267	219	284
122	White-----M--	10,360	35	47	64	34	34	214	150	109	144
123	F--	9,219	31	39	44	40	38	191	91	86	113
124	Nonwhite-----M--	724	2	6	5	5	2	18	13	17	14
125	F--	762	2	3	5	6	4	20	13	7	13
126	204 Leukemia and aleukemia-----	8,102	139	137	210	194	131	811	426	225	234
127	White-----M--	4,453	67	73	115	109	77	441	228	125	151
128	F--	3,226	54	53	68	81	50	326	178	81	62
129	Nonwhite-----M--	282	11	8	6	2	3	30	11	10	13
130	F--	171	7	3	1	2	1	14	9	9	8
131	200-203,205 Lymphosarcoma and other neoplasms, etc.*-----	7,328	24	25	25	18	20	110	88	99	143
132	White-----M--	4,096	11	14	10	13	11	59	54	63	77
133	F--	2,755	11	7	14	5	7	44	27	24	49
134	Nonwhite-----M--	309	2	2	1	-	2	7	5	10	13
135	F--	166	-	-	-	-	-	-	2	2	4
136	210-239 Benign neoplasms and neoplasms of unspecified nature-----	5,861	152	64	37	24	21	298	100	90	100
137	White-----M--	2,104	69	24	20	14	7	134	42	42	37
138	F--	2,836	61	32	10	8	8	119	47	33	47
139	Nonwhite-----M--	234	11	3	3	2	2	21	4	10	7
140	F--	687	11	5	4	-	4	24	7	5	9
141	260 Diabetes mellitus-----	25,099	10	17	12	6	5	50	43	79	131
142	White-----M--	8,717	5	6	6	4	3	24	15	28	40
143	F--	14,158	5	8	5	2	2	22	25	37	56
144	Nonwhite-----M--	714	-	1	-	-	-	1	1	7	16
145	F--	1,500	-	2	1	-	-	3	2	7	17
146	290-293 Anemias-----	4,446	122	67	25	18	8	241	82	40	53
147	White-----M--	1,855	47	24	9	4	2	86	27	15	12
148	F--	2,164	37	26	4	7	4	78	25	15	19
149	Nonwhite-----M--	183	18	7	4	1	4	42	9	4	7
150	F--	244	20	5	5	3	2	35	11	8	15
151	340 Meningitis, except meningococcal and tuberculous-----	2,147	722	191	116	68	39	1,136	109	61	36
152	White-----M--	939	284	86	58	31	14	475	47	29	18
153	F--	644	217	59	33	21	17	347	44	18	9
154	Nonwhite-----M--	320	127	26	18	8	5	182	9	6	7
155	F--	244	94	20	9	8	3	134	9	8	2
156	330-334, Major cardiovascular-renal diseases-----	746,434	360	151	131	119	114	875	653	915	1,233
157	White-----M--	381,303	182	66	52	47	51	398	255	367	534
158	F--	289,098	108	50	48	49	40	235	245	353	442
159	Nonwhite-----M--	38,065	40	23	20	18	13	112	77	92	124
160	F--	36,968	30	12	13	7	10	72	76	103	133
161	330-334, Diseases of cardiovascular system-----	720,499	338	135	93	61	79	725	537	773	1,012
162	White-----M--	370,088	174	61	32	27	30	324	203	296	439
163	F--	279,214	101	45	30	25	27	238	199	296	351
164	Nonwhite-----M--	36,639	36	19	18	12	13	88	66	65	109
165	F--	34,557	27	10	13	7	8	85	69	96	113
166	330-334 Vascular lesions affecting central nervous system-----	149,933	158	49	24	19	12	260	57	61	99
167	White-----M--	64,490	85	30	12	7	7	141	32	27	46
168	F--	66,900	39	10	8	7	5	89	22	20	35
169	Nonwhite-----M--	8,702	18	4	1	1	-	24	2	5	10
170	F--	9,861	16	4	3	3	-	26	1	9	7

*For complete category title, refer to table XIII, Part I.

VITAL STATISTICS OF THE UNITED STATES

TABLE 22.—DEATHS FROM 64 SELECTED CAUSES, BY AGE,

(By place of residence. Exclusive of fetal

Sixth Revision No.	AREA, CAUSE OF DEATH, RACE, AND SEX	Total	Under 1 year	1 year	2 years	3 years	4 years	Under 5 years	5-9 years	10-14 years	15-19 years	
UNITED STATES—Continued												
Major cardiovascular-renal diseases—Continued												
Diseases of cardiovascular system—Continued												
171	400-402	Rheumatic fever-----	2,504	16	12	10	19	30	87	252	350	224
172		White-----M--	985	5	3	2	5	8	24	91	118	84
173		F--	904	9	4	5	9	7	34	89	135	78
174		Nonwhite-----M--	186	1	3	2	4	7	16	35	32	30
175		F--	239	1	2	1	1	7	13	37	45	32
176	410-445	Diseases of heart-----	518,588	103	64	51	37	32	287	208	348	619
177		White-----M--	281,716	52	25	14	12	12	115	75	139	287
178		F--	189,708	35	26	14	15	13	103	76	125	203
179		Nonwhite-----M--	25,141	11	10	7	7	6	49	27	46	64
180		F--	22,002	5	3	8	3	1	20	30	38	65
181	410-416	Chronic rheumatic heart disease-----	20,454	...	5	9	7	11	32	117	223	329
182		White-----M--	9,326	...	2	2	1	5	10	43	86	160
183		F--	9,104	...	1	2	1	5	9	44	81	116
184		Nonwhite-----M--	1,044	...	2	5	2	1	10	15	31	30
185		F--	960	3	...	3	15	25	23
186	420	Arteriosclerotic heart disease, etc.*-----	289,109	21	3	1	4	2	31	15	13	64
187		White-----M--	185,324	6	2	...	1	1	10	8	4	32
188		F--	97,482	9	1	...	1	...	11	6	5	23
189		Nonwhite-----M--	9,542	4	2	1	7	1	2	4
190		F--	6,761	2	...	1	3	...	2	5
191	421,422	Nonrheumatic chronic endocarditis, etc.*-----	91,401	...	24	22	6	5	57	24	44	79
192		White-----M--	42,992	...	12	6	2	2	22	7	16	39
193		F--	38,863	...	9	7	2	1	19	10	17	21
194		Nonwhite-----M--	5,069	...	1	4	2	1	8	4	6	12
195		F--	4,487	...	2	5	...	1	8	3	5	7
196	430-434	Other diseases of heart-----	23,816	82	32	18	19	14	165	51	60	133
197		White-----M--	12,172	46	9	6	7	4	72	18	29	52
198		F--	7,516	26	15	5	11	7	64	16	20	40
199		Nonwhite-----M--	2,287	7	7	5	1	3	25	7	5	15
200		F--	1,841	3	1	2	6	12	6	26
201	440-443	Hypertension with heart disease-----	65,808	1	1	...	2	1	8	14
202		White-----M--	31,912	1	...	1	1	4	4
203		F--	36,744	2	3
204		Nonwhite-----M--	7,139	1	1	...	2	3
205		F--	7,955	4
206	444-447	Hypertension without mention of heart-----	12,199	1	1	...	2	3	2	8
207		White-----M--	4,931	1	...	1	...	1	1
208		F--	5,057	3	...	3
209		Nonwhite-----M--	1,078	1	1	4
210		F--	1,155
211	450	General arteriosclerosis-----	50,426
212		White-----M--	14,374
213		F--	14,002
214		Nonwhite-----M--	1,124
215		F--	926
216	451-468	Other diseases of circulatory system-----	7,049	61	11	7	6	4	89	17	32	63
217		White-----M--	3,613	32	3	4	2	2	45	5	11	21
218		F--	2,642	18	5	3	4	2	32	9	15	32
219		Nonwhite-----M--	398	6	2	8	2	2	1
220		F--	396	5	1	6	1	4	9
221	598-594	Chronic and unspecified nephritis and other renal sclerosis--	25,835	22	16	38	38	36	150	116	142	281
222		White-----M--	11,214	8	5	20	20	21	74	52	71	95
223		F--	9,864	7	5	16	14	13	55	46	57	91
224		Nonwhite-----M--	2,426	4	4	2	4	...	14	11	7	15
225		F--	2,411	3	2	2	7	7	7	20
226	480-493	Influenza and pneumonia, except pneumonia of newborn-----	44,640	9,141	1,418	598	271	170	11,598	498	268	531
227		White-----M--	20,383	3,479	528	230	92	64	4,393	220	105	134
228		F--	15,403	2,779	482	204	86	62	3,623	160	98	97
229		Nonwhite-----M--	4,914	1,557	216	80	40	24	1,917	73	37	55
230		F--	3,940	1,326	192	84	43	20	1,665	45	28	45
231	480-483	Influenza-----	4,602	786	126	50	23	19	1,006	65	33	56
232		White-----M--	1,704	244	50	21	7	11	533	24	8	27
233		F--	1,656	217	39	15	8	6	295	21	12	13
234		Nonwhite-----M--	646	189	19	7	3	2	220	14	5	8
235		F--	596	136	18	7	5	...	168	6	8	8
236	490-493	Pneumonia, except pneumonia of newborn-----	40,058	8,353	1,292	548	248	151	10,592	433	235	275
237		White-----M--	18,679	3,235	478	209	85	53	4,080	196	97	107
238		F--	15,747	2,562	443	189	68	56	3,338	139	86	64
239		Nonwhite-----M--	4,268	1,368	197	73	37	22	1,697	59	32	47
240		F--	3,344	1,188	174	77	38	20	1,497	39	20	37
241	500-502	Bronchitis-----	3,284	675	176	86	44	31	1,012	52	14	12
242		White-----M--	1,731	293	83	46	20	18	460	28	8	7
243		F--	1,140	219	61	28	19	9	336	21	6	2
244		Nonwhite-----M--	189	77	12	8	3	2	102	1	...	1
245		F--	214	86	20	4	2	2	114	2	...	2
246	540,541	Ulcer of stomach and duodenum-----	7,809	34	1	2	1	2	40	4	4	14
247		White-----M--	5,948	16	1	17	2	3	6
248		F--	1,275	7	...	2	...	1	10	2	...	2
249		Nonwhite-----M--	531	5	1	...	1	...	7	5
250		F--	155	6	6	...	1	1
251	550-553	Appendicitis-----	3,744	19	32	71	52	45	219	168	191	160
252		White-----M--	2,002	5	19	43	22	23	112	65	91	78
253		F--	1,191	13	10	23	21	15	62	46	63	50
254		Nonwhite-----M--	323	...	3	4	3	4	14	18	21	18
255		F--	228	1	...	1	6	3	11	17	16	14

*For complete category title, refer to table XIII, Part I.

VITAL STATISTICS OF THE UNITED STATES

TABLE 22.—DEATHS FROM 64 SELECTED CAUSES, BY AGE,

(By place of residence. Exclusive of fetal

Sixth Revision No.	AREA, CAUSE OF DEATH, RACE, AND SEX	Total	Under 1 year	1 year	2 years	3 years	4 years	Under 5 years	5-9 years	10-14 years	15-19 years
UNITED STATES—Continued											
338	E965,E970- Suicide-----	16,993	-	-	-	-	-	-	2	54	268
339	E979 White-----M--	12,666	-	-	-	-	-	-	1	39	177
340	F--	3,662	-	-	-	-	-	-	1	11	70
341	Nonwhite-----M--	541	-	-	-	-	-	-	-	1	15
342	F--	122	-	-	-	-	-	-	-	3	8
343	E984,E990- Homicide-----	8,033	128	25	18	17	16	204	75	50	431
344	E985 White-----M--	2,729	55	9	11	9	10	94	35	17	122
345	F--	914	48	9	3	3	3	66	22	8	52
346	Nonwhite-----M--	3,485	14	4	-	5	1	24	12	19	192
347	F--	905	11	3	4	-	2	20	6	6	85
348	E965,E990- Injury resulting from operations of war-----	16	-	-	-	-	-	-	-	-	-
349	E999 White-----M--	14	-	-	-	-	-	-	-	-	-
350	F--	1	-	-	-	-	-	-	-	-	-
351	Nonwhite-----M--	-	-	-	-	-	-	-	-	-	-
352	F--	1	-	-	-	-	-	-	-	-	-

NOTE.—The 64 selected causes include cholera (043) and plague (059). There were no deaths reported from cholera, and 1 death from plague was reported in New Mexico—a white male between 5 and 9 years of age—which is included in all totals.

VITAL STATISTICS OF THE UNITED STATES

TABLE 22.-DEATHS FROM 64 SELECTED CAUSES, BY AGE, RACE, (By place of residence. Exclusive of fetal

Table with columns for Sixth Revision No., AREA, CAUSE OF DEATH, RACE, AND SEX, Total, and age groups (Under 1, 1 to 4, 5 to 9, 10 to 14, 15 to 19, 20 to 24, 25 to 29, 30 to 34, 35 to 39, 40 to 44, 45 to 49, 50 to 54, 55 to 59, 60 to 64, 65 to 69, 70 to 74, 75 to 79, 80 to 84, 85 to 89, 90 to 94, 95 to 99, 100 & over & not stated). Rows include Alabama, Tuberculosis, Syphilis, Typhoid fever, Dysentery, Scarlet fever, Diphtheria, Whooping cough, Meningococcal infections, Acute poliomyelitis, Smallpox, Measles, Typhus and other rickettsial diseases, Malaria, and All other infectious diseases.

*For complete category title, refer to table XIII, Part I.

VITAL STATISTICS OF THE UNITED STATES

TABLE 22.-DEATHS FROM 64 SELECTED CAUSES, BY AGE, RACE, (By place of residence. Exclusive of fetal

Table with columns for Sixth Revision No., AREA, CAUSE OF DEATH, RACE, AND SEX, Total, and age groups (Under 1 to 100 & over & not stated). Rows include ARIZONA, ALL CAUSES, Tuberculosis, Syphilis, Typhoid fever, etc.

*For complete category title, refer to table XIII, Part I.

VITAL STATISTICS OF THE UNITED STATES

TABLE 22.-DEATHS FROM 64 SELECTED CAUSES, BY AGE, RACE,

(By place of residence. Exclusive of fetal)

Table with columns for Sixth Revision No., AREA, CAUSE OF DEATH, RACE, AND SEX, Total, and age groups (Under 1 to 85+), plus a column for 100% over & not stated.

*For complete category title, refer to table XIII, Part I.

VITAL STATISTICS OF THE UNITED STATES

TABLE 22.—DEATHS FROM 64 SELECTED CAUSES, BY AGE, RACE

(By place of residence. Exclusive of fetal)

Table with columns for Sixth Revision No., AREA, CAUSE OF DEATH, RACE, AND SEX, Total, and age groups from Under 1 to 95 to 99, plus 100 & over & not stated.

*For complete category title, refer to table XIII, Part I.

VITAL STATISTICS OF THE UNITED STATES

TABLE 22.-DEATHS FROM 64 SELECTED CAUSES, BY AGE, RACE,

(By place of residence. Exclusive of fetal)

Table with columns for Sixth Revision No., AREA, CAUSE OF DEATH, RACE, AND SEX, Total, and age groups (Under 1, 1-4, 5-9, etc., up to 100 & over). Rows include causes like Tuberculosis, Syphilis, Typhoid fever, etc., and their breakdown by race and sex.

*For complete category title, refer to table XIII, Part I.

GENERAL TABLES—DEATHS FROM SELECTED CAUSES

AND SEX: UNITED STATES AND EACH STATE, 1949—Continued

(Deaths and of deaths among armed forces overseas)

Table with columns for birth revision No., area/cause of death, sex, total, and age groups from 1 to 100+.

*For complete category title, refer to table XIII, Part I.

VITAL STATISTICS OF THE UNITED STATES

TABLE 22.—DEATHS FROM 64 SELECTED CAUSES, BY AGE, RACE,

(By place of residence. Exclusive of fetal

Table with columns for Sixth Revision No., AREA, CAUSE OF DEATH, RACE, AND SEX, Total, and age groups (Under 1 to 100 & over & not stated). Rows include Delaware, Tuberculosis, Syphilis, Typhoid Fever, Dysentery, Scarlet Fever, Diphtheria, Whooping cough, Meningococcal infections, Acute poliomyelitis, Smallpox, Measles, Typhus, Malaria, and All other infectious diseases.

*For complete category title, refer to table XIII, Part I.

VITAL STATISTICS OF THE UNITED STATES

TABLE 22.—DEATHS FROM 64 SELECTED CAUSES, BY AGE, RACE,

(By place of residence. Exclusive of fetal

Table with columns for Sixth Revision No., AREA, CAUSE OF DEATH, RACE, AND SEX, Total, and age groups (Under 1 to 95+), plus a column for 100 & over & not stated. Rows include categories like Delaware--Con., Diseases of heart, Chronic rheumatic heart disease, etc., and various other causes of death.

*For complete category title, refer to table III, Part I.

GENERAL TABLES-DEATHS FROM SELECTED CAUSES

AND SEX: UNITED STATES AND EACH STATE, 1949-Continued

(Deaths and of deaths among armed forces overseas)

Statistical revision No.	AREA, CAUSE OF DEATH, RACE, AND SEX	Total	Under 1	1 2	2 3	3 4	4 5	5 to 9	10 to 14	15 to 19	20 to 24	25 to 29	30 to 34	35 to 39	40 to 44	45 to 49	50 to 54	55 to 59	60 to 64	65 to 69	70 to 74	75 to 79	80 to 84	85 to 89	90 to 94	95 to 99	100 & over & not stated			
DELAWARE-Cont.																														
545, 571, 572	Gastritis, etc.* White-M F Nonwhite-M F	21 5 7 3 6	9 4 3 2 2	1 1 1 1 1				1 1 1 1 1	1 1 1 1 1	1 1 1 1 1	2 1 1 1 1				1 1 1 1 1	1 1 1 1 1		1 1 1 1 1	1 1 1 1 1											
581	Cirrhosis of liver White-M F Nonwhite-M F	23 15 8 1 1																												
580, 581	Acute nephritis, etc.* White-M F Nonwhite-M F	6 3 3 1 1										1 1 1 1 1							1 1 1 1 1											
610	Hyperplasia of prostate White-M F Nonwhite-M F	13 11 2 1 1																												
640- 689	Complications of pregnancy, etc.* White-F F Nonwhite-F F	4 3 1 1 1																												
650- 652	Abortion White-F F Nonwhite-F F	1 1 1 1 1																												
640- 649, 660- 669	All other com- plications White-F F Nonwhite-F F	3 2 1 1 1																												
750- 759	Congenital mal- formations White-M F Nonwhite-M F	41 18 15 3 5	36 16 15 2 3	1 1 1 1 1	1 1 1 1 1																									
760- 776	Certain diseases of early infancy White-M F Nonwhite-M F	132 58 41 21 12	132 58 41 21 12																											
780- 762	Birth injuries, etc.* White-M F Nonwhite-M F	61 30 18 8 5	61 30 18 8 5																											
783- 768	Infections of newborn White-M F Nonwhite-M F																													
769- 776	Other diseases of infancy, and im- maturity unquali- fied White-M F Nonwhite-M F	71 28 23 13 7	71 28 23 13 7																											
780- 795	Senility, etc.* White-M F Nonwhite-M F	21 7 9 2 3	21 7 9 2 3																											
Re- sid- ual	All other diseases White-M F Nonwhite-M F	140 56 44 14 14	10 3 4 2 2	2 1 1 1 1	1 1 1 1 1	1 1 1 1 1	1 1 1 1 1	4 1 1 1 1	1 1 1 1 1	1 1 1 1 1	1 1 1 1 1	6 2 2 2 2	1 1 1 1 1	10 2 2 2 2	1 1 1 1 1	14 8 3 3 3	15 4 7 3 3	13 5 7 3 3	12 9 9 7 7	11 7 7 5 5	14 5 5 4 4	9 7 7 7 7	9 7 7 7 7	4 3 3 3 3	4 3 3 3 3	4 3 3 3 3				
E800- E862	Accidents White-M F Nonwhite-M F	188 98 41 45 4	5 3 1 1 1	1 1 1 1 1	4 1 1 1 1	1 1 1 1 1	6 3 2 2 2	10 3 2 2 2	10 3 2 2 2	11 8 7 7 7	11 8 7 7 7	16 8 7 7 7	13 8 7 7 7	13 8 7 7 7	13 8 7 7 7	15 10 9 9 9	15 7 7 7 7	12 7 7 7 7	11 7 7 7 7	14 7 7 7 7	9 7 7 7 7	9 7 7 7 7	4 3 3 3 3	4 3 3 3 3	4 3 3 3 3	1 1 1 1 1				
E810- E835	Motor-vehicle accidents White-M F Nonwhite-M F	76 52 9 15 4		1 1 1 1 1	1 1 1 1 1	2 2 2 2 2	2 2 2 2 2	7 4 2 2 2	7 4 2 2 2	9 6 5 5 5	9 6 5 5 5	4 3 3 3 3	11 7 7 7 7	6 5 5 5 5	6 5 5 5 5	5 4 4 4 4	5 4 4 4 4	3 2 2 2 2	3 2 2 2 2	3 2 2 2 2	3 2 2 2 2	3 2 2 2 2	3 2 2 2 2	3 2 2 2 2	3 2 2 2 2	1 1 1 1 1				
E800- E802, E840- E862	All ot. accidents White-M F Nonwhite-M F	112 46 32 30 4	5 3 1 1 1	1 1 1 1 1	3 1 1 1 1	1 1 1 1 1	4 1 1 1 1	4 1 1 1 1	3 2 2 2 2	3 2 2 2 2	2 2 2 2 2	5 3 3 3 3	5 3 3 3 3	5 3 3 3 3	7 2 2 2 2	8 5 5 5 5	8 5 5 5 5	12 7 7 7 7	12 7 7 7 7	11 7 7 7 7	14 5 5 5 5	9 7 7 7 7	9 7 7 7 7	4 3 3 3 3	4 3 3 3 3	4 3 3 3 3	1 1 1 1 1			
E865, E870- E879	Suicide White-M F Nonwhite-M F	41 19 13 4 4																												
E864, E890- E885	Homicide White-M F Nonwhite-M F	25 4 1 14 6																												
E865, E890- E899	Operations of war White-M F Nonwhite-M F	1 1 1 1 1																												

*For complete category title, refer to table XIII, Part I.

GENERAL TABLES—DEATHS FROM SELECTED CAUSES

AND SEX: UNITED STATES AND EACH STATE, 1949—Continued

Deaths and of deaths among armed forces overseas

Birth Revision No.	AREA, CAUSE OF DEATH, RACE, AND SEX.	Total	Un- der 1	1 2	3	4	5 to 9	10 to 14	15 to 19	20 to 24	25 to 29	30 to 34	35 to 39	40 to 44	45 to 49	50 to 54	55 to 59	60 to 64	65 to 69	70 to 74	75 to 79	80 to 84	85 to 89	90 to 94	95 to 99	100 & over & not stated	
	FLORIDA—Con.																										
140- 205	Malignant neo- plasms, etc.— White—M— F— Nonwhite—M— F—	5,259 1,427 1,263 255 314	2 1 1 1 1	8 4 4 1 1	6 4 1 1 1	7 1 2 1 1	4 1 3 4 1	18 9 4 4 1	7 4 2 1 2	14 6 5 2 1	8 5 2 1 1	38 13 12 1 10	59 10 24 44 22	99 24 35 74 113	156 74 113 126 27	268 117 152 126 47	345 117 155 180 44	365 180 126 28 27	429 218 168 27 32	401 205 163 19 14	355 178 134 10 13	208 120 77 6 5	92 46 40 2 2	18 9 7 1 1	4 3 1 1 1	4 2 1 1 1	
140- 148	Of buccal cavity and pharynx— White—M— F— Nonwhite—M— F—	92 58 18 12 4																									
150- 156A, 157- 159	Of digestive organs and peritoneum— White—M— F— Nonwhite—M— F—	1,149 557 367 122 85																									
160- 164	Of respiratory system— White—M— F— Nonwhite—M— F—	529 241 47 31 10																									
170	Of breast— White—M— F— Nonwhite—M— F—	257 3 202 1 31																									
171- 179	Of genital organs— White—M— F— Nonwhite—M— F—	665 170 555 33 125																									
180- 181	Of urinary organs— White—M— F— Nonwhite—M— F—	162 90 47 14 10																									
186B, 185- 190- 199	Of other sites, etc.— White—M— F— Nonwhite—M— F—	405 185 148 29 45																									
204	Leukemia and elon- gated White—M— F— Nonwhite—M— F—	114 66 36 9 4																									
200- 203, 205	Lymphomas, etc.— White—M— F— Nonwhite—M— F—	89 57 25 5 4																									
210- 239	Benign and unspes- ified neoplasms— White—M— F— Nonwhite—M— F—	111 22 44 8 37																									
260	Diabetes mellitus— White—M— F— Nonwhite—M— F—	356 124 151 28 55																									
290- 293	Arteriosclerosis— White—M— F— Nonwhite—M— F—	79 25 29 12 13																									
340	Nonmeningococcal meningitis— White—M— F— Nonwhite—M— F—	51 16 8 15 12																									
350- 354, 400- 468, 592- 594	Major cardiovascu- lar-renal disease— White—M— F— Nonwhite—M— F—	12,471 5,757 3,718 1,625 1,391																									
350- 354, 400- 468	Diseases of cardi- ovascular system— White—M— F— Nonwhite—M— F—	11,988 5,558 3,550 1,497 1,285																									
350- 354	Vascular lesions, etc.— White—M— F— Nonwhite—M— F—	2,795 925 223 461 448																									
400- 402	Rheumatic fever— White—M— F— Nonwhite—M— F—	55 10 10 7 8																									

*For complete category title, refer to table XIII, Part I.

VITAL STATISTICS OF THE UNITED STATES

TABLE 22.-DEATHS FROM 64 SELECTED CAUSES, BY AGE, RACE, (By place of residence. Exclusive of fetal)

Table with columns for State (Georgia), Cause of Death (e.g., Tuberculosis, Syphilis, Typhoid fever, etc.), Age (Under 1 to 100 & over), Race (White, Nonwhite), and Sex (M, F). Includes sub-totals for 'ALL CAUSES' and various specific diseases.

*For complete category title, refer to table XIII, Part I.

GENERAL TABLES—DEATHS FROM SELECTED CAUSES

AND SEX: UNITED STATES AND EACH STATE, 1949—Continued

deaths and of deaths among armed forces overseas)

Table with columns for birth revision no., cause of death, race, sex, total, and 100 age groups (1-100+).

*For complete category title, refer to table XIII, Part I.

VITAL STATISTICS OF THE UNITED STATES

TABLE 22.-DEATHS FROM 64 SELECTED CAUSES, BY AGE, RACE, (By place of residence. Exclusive of fetal

Table with 26 columns (Age groups and race) and multiple rows for causes of death in Idaho. Includes categories like ALL CAUSES, Tuberculosis, Syphilis, Typhoid fever, etc., with counts for Males and Females.

*For complete category title, refer to table XIII, Part I.

VITAL STATISTICS OF THE UNITED STATES

TABLE 22.—DEATHS FROM 64 SELECTED CAUSES, BY AGE, RACE,

(By place of residence. Exclusive of fetal)

Table with columns for Sixth Revision No., AREA, CAUSE OF DEATH, RACE, AND SEX, Total, and age groups from 1 to 95+, plus 100 & over & not stated. Rows list various causes of death such as Diseases of heart, Chronic rheumatic heart disease, Arteriosclerotic heart dis., etc., Nonrheumatic chronic endocarditis, etc., Other diseases of heart, Hypertension with heart dis., Hypertension without mention of heart, General arteriosclerosis, Other diseases of circulatory system, Chronic nephritis, etc., Influenza and pneumonia, etc., Influenza, Pneumonia, etc., Bronchitis, Ulcer of stomach and duodenum, Appendicitis, and Hernia, intestinal obstruction.

*For complete category title, refer to table XIII, Part I.

GENERAL TABLES—DEATHS FROM SELECTED CAUSES

AND SEX: UNITED STATES AND EACH STATE, 1949—Continued

Deaths and of Deaths among Armed Forces Overseas)

Table with columns: Sixth Revision No., AREA, CAUSE OF DEATH, RACE, AND SEX, Total, and age groups (1-99+). Rows include various causes of death like Gastritis, Cirrhosis of liver, Acute nephritis, etc., and all other causes.

*For complete category title, refer to table XIII, Part I.

GENERAL TABLES-DEATHS FROM SELECTED CAUSES

315

AND SEX: UNITED STATES AND EACH STATE, 1949-Continued

Deaths and of deaths among armed forces overseas)

Table with columns for Birth Revision No., AREA, CAUSE OF DEATH, RACE, AND SEX, Total, and 46 age groups (Under 1 to 95+). Rows list various causes of death such as Malignant neoplasms, Digestive organs, Respiratory system, etc., broken down by race and sex.

*For complete category title refer to table XIII, Part I.

VITAL STATISTICS OF THE UNITED STATES

TABLE 22.-DEATHS FROM 64 SELECTED CAUSES, BY AGE, RACE, (By place of residence. Exclusive of fetal)

Table with columns for Sixth Revision No., AREA, CAUSE OF DEATH, RACE, AND SEX, Total, and age groups from Under 1 to 100 & over. Rows include causes like Tuberculosis, Syphilis, Typhoid fever, etc., with gender-specific data.

*For complete category title, refer to table XIII, Part I.

GENERAL TABLES-DEATHS FROM SELECTED CAUSES

AND SEX: UNITED STATES AND EACH STATE, 1949-Continued

Deaths and of deaths among armed forces overseas

Table with columns: Sixth Revision No., AREA, CAUSE OF DEATH, RACE, AND SEX, Total, and 100+ age groups (Under 1, 1-4, 5-9, 10-14, 15-19, 20-24, 25-29, 30-34, 35-39, 40-44, 45-49, 50-54, 55-59, 60-64, 65-69, 70-74, 75-79, 80-84, 85-89, 90-94, 95-99, 100 & over & not stated).

*For complete category title, refer to table XIII, Part I.

VITAL STATISTICS OF THE UNITED STATES

TABLE 22.—DEATHS FROM 64 SELECTED CAUSES, BY AGE, RACE, (By place of residence. Exclusive of fetal

Table with columns for Sixth Revision No., AREA, CAUSE OF DEATH, RACE, AND SEX, Total, and age groups from 1 to 99+, plus a 100+ over & not stated category. Rows include Louisiana totals and various causes of death like Tuberculosis, Syphilis, Typhoid fever, etc.

*For complete category title, refer to table XIII, Part I.

VITAL STATISTICS OF THE UNITED STATES

TABLE 22.—DEATHS FROM 64 SELECTED CAUSES, BY AGE, RACE,

(By place of residence. Exclusive of fetal

Table with columns: Sixth Revision No., AREA, CAUSE OF DEATH, RACE, AND SEX, Total, and age groups (Under 1, 1-4, 5-9, 10-14, 15-19, 20-24, 25-29, 30-34, 35-39, 40-44, 45-49, 50-54, 55-59, 60-64, 65-69, 70-74, 75-79, 80-84, 85-89, 90-94, 95-99, 100 & over & not stated).

*For complete category title, refer to table XIII, Part I.

VITAL STATISTICS OF THE UNITED STATES

TABLE 22.-DEATHS FROM 64 SELECTED CAUSES, BY AGE, RACE,

(By place of residence. Exclusive of fetal

Table with columns for Sixth Revision No., AREA, CAUSE OF DEATH, RACE, AND SEX, Total, and age groups (Under 1, 1, 2, 3, 4, 5 to 9, 10 to 14, 15 to 19, 20 to 24, 25 to 29, 30 to 34, 35 to 39, 40 to 44, 45 to 49, 50 to 54, 55 to 59, 60 to 64, 65 to 69, 70 to 74, 75 to 79, 80 to 84, 85 to 89, 90 to 94, 95 to 99, 100 & over & not stated). Rows include categories like MARIAND, ALL CAUSES, Tuberculosis, etc.

*For complete category titles, refer to table XIII, Part I.

GENERAL TABLES—DEATHS FROM SELECTED CAUSES

335

AND SEX: UNITED STATES AND EACH STATE, 1949—Continued

deaths and of deaths among armed forces overseas

Birth Revision No.	AREA, CAUSE OF DEATH, RACE, AND SEX	Total	Under 1	1 to 4	5 to 9	10 to 14	15 to 19	20 to 24	25 to 29	30 to 34	35 to 39	40 to 44	45 to 49	50 to 54	55 to 59	60 to 64	65 to 69	70 to 74	75 to 79	80 to 84	85 to 89	90 to 94	95 to 99	100 & over & not stated
140-205	MARYLAND—Con. Malignant neoplasms, etc.— White—M— F— Nonwhite—M— F—	3,205 1,381 1,349 230 245	4 1 2 1	8 3 3 1	11 5 6 1	5 2 2 1	15 6 7 1	11 10 11 1	18 9 13 2	30 15 20 4	59 20 32 11	70 27 32 15	156 69 122 32	233 106 185 27	369 159 145 28	406 193 151 24	459 226 180 23	373 184 139 19	329 164 144 10	200 96 93 6	89 42 45 1	22 9 13 1	3 1 1 1	3 2 1 1
140-148	Of buccal cavity and pharynx— White—M— F— Nonwhite—M— F—	78 54 14 8 2	-	-	-	-	-	-	-	2 2	1 1	2 2	7 4	14 5	8 2	7 1	9 2	9 3	7 3	7 1	4 1	5 1	-	-
150-156A, 157-159	Of digestive organs and peritoneum— White—M— F— Nonwhite—M— F—	1,151 521 453 98 69	-	-	-	-	2	1	7	10	15	37	64	95	130	159	190	159	139	90	44	10	2	1
160-164	Of respiratory system— White—M— F— Nonwhite—M— F—	344 252 46 41 5	-	-	-	1	-	1	3	3	2	14	23	43	52	54	66	46	23	11	5	-	-	-
170	Of breast— White—M— F— Nonwhite—M— F—	297 266 1 30	-	-	-	-	-	-	1	4	15	24	35	39	40	36	36	28	25	9	7	-	-	-
171-179	Of genital organs— White—M— F— Nonwhite—M— F—	572 165 277 35 95	-	-	1	-	-	5	6	16	22	52	46	56	56	50	74	65	67	41	13	4	-	-
180, 181	Of urinary organs— White—M— F— Nonwhite—M— F—	184 103 64 10 7	2	3	1	1	1	1	1	1	1	1	3	12	10	20	29	27	28	17	6	2	1	-
185B, 185, 190-199	Of other sites, etc.— White—M— F— Nonwhite—M— F—	343 154 136 25 28	1	1	1	1	3	3	4	2	4	6	9	14	10	11	18	15	10	16	13	4	-	-
204	Leukemia and leukemia— White—M— F— Nonwhite—M— F—	119 61 46 6 6	3	5	5	2	3	6	5	7	5	5	3	3	5	10	13	12	9	4	1	1	-	-
200-203, 205	Lymphomas, etc.— White—M— F— Nonwhite—M— F—	117 61 47 6 3	-	-	-	-	2	2	2	2	2	2	2	2	2	3	4	13	14	19	15	10	5	5
210-239	Benign and unspecified neoplasms— White—M— F— Nonwhite—M— F—	94 32 39 5 18	7	1	1	1	2	1	2	4	6	7	9	7	6	13	10	7	5	1	1	2	-	-
260	Diabetes mellitus— White—M— F— Nonwhite—M— F—	427 119 287 14 37	-	-	-	-	-	1	4	5	5	9	25	48	64	85	75	62	30	12	1	1	-	-
290-293	Anemias— White—M— F— Nonwhite—M— F—	44 12 27 2 3	1	1	1	1	2	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	-	-
340	Nonmeningococcal meningitis— White—M— F— Nonwhite—M— F—	41 18 12 8 3	11	3	6	2	2	1	1	2	1	1	1	7	1	1	1	1	1	-	-	-	-	-
330-354, 400-408, 532-534	Major cardiovascular-renal diseases— White—M— F— Nonwhite—M— F—	11,737 5,163 4,408 1,103 1,063	5	6	2	4	3	9	15	12	33	44	72	157	302	536	741	1,032	1,298	1,569	1,717	1,708	1,307	788
330-334, 400-408, 468	Diseases of cardiovascular system— White—M— F— Nonwhite—M— F—	11,382 5,037 4,296 1,047 1,002	5	6	4	3	4	14	11	27	33	65	145	290	515	721	996	1,265	1,529	1,685	1,672	1,267	776	274
330-334	Vascular lesions, etc.— White—M— F— Nonwhite—M— F—	1,929 659 858 292 223	2	3	2	1	2	3	3	6	7	8	27	30	69	109	143	184	291	305	301	260	138	55
400-402	Rheumatic fever— White—M— F— Nonwhite—M— F—	32 11 9 5 7	-	-	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1

*For complete category title, refer to table XIII, Part I.

VITAL STATISTICS OF THE UNITED STATES

TABLE 22.—DEATHS FROM 64 SELECTED CAUSES, BY AGE, RACE,

(By place of residence. Exclusive of fetal)

Table with columns for Sixth Revision No., AREA, CAUSE OF DEATH, RACE, AND SEX, Total, and age groups (Under 1 to 100 & over). Rows include various causes of death like Diseases of heart, Chronic rheumatic heart disease, Arteriosclerotic heart dis., etc., Nonrheumatic chronic endocarditis, etc., Other diseases of heart, Hypertension with heart dis., Hypertension without mention of heart, General arteriosclerosis, Chronic nephritis, etc., Influenza and pneumonia, etc., Bronchitis, Ulcer of stomach and duodenum, Appendicitis, and Hernia, intestinal obstruction.

*For complete category title, refer to table XIII, Part I.

GENERAL TABLES-DEATHS FROM SELECTED CAUSES

343

AND SEX: UNITED STATES AND EACH STATE, 1949-Continued

deaths (and of deaths among armed forces overseas)

Table with columns for Sixth Revision No., AREA, CAUSE OF DEATH, RACE, AND SEX, Total, and 100+ age groups (1-99+). Rows include Michigan-Conn., Malignant neoplasms, etc., Of buccal cavity and pharynx, etc., Of digestive organs and peritoneum, etc., Of respiratory system, etc., Of breast, etc., Of genital organs, etc., Of urinary organs, etc., Of other sites, etc., Leukemia and leukemia, etc., Lymphomas, etc., Benign and unspecified neoplasms, etc., Diabetes mellitus, etc., Anemias, etc., Meningococcal meningitis, etc., Major cardiovascular-renal diseases, etc., Diseases of cardiovascular system, etc., Vascular lesions, etc., Rheumatic fever.

*For complete category title, refer to table XIII, Part I.

VITAL STATISTICS OF THE UNITED STATES

TABLE 22.-DEATHS FROM 64 SELECTED CAUSES, BY AGE, RACE, (By place of residence. Exclusive of fetal)

Table with columns for Sixth Revision No., AREA, CAUSE OF DEATH, RACE, AND SEX, Total, and age groups from Under 1 to 100 & over & not stated. Rows include causes like MICHIGAN-Cons., Diseases of heart, Chronic rheumatic heart disease, Arteriosclerotic heart disease, etc., Nonrheumatic chronic endocarditis, etc., Other diseases of heart, Hypertension, Hypertension without mention of heart, General arteriosclerosis, Other diseases of circulatory system, Chronic nephritis, etc., Influenza and pneumonia, etc., Influenza, Pneumonia, etc., Bronchitis, Ulcer of stomach and duodenum, Appendicitis, Hernia, intestinal obstruction.

*For complete category title, refer to table XIII, Part I.

VITAL STATISTICS OF THE UNITED STATES

TABLE 22.—DEATHS FROM 64 SELECTED CAUSES, BY AGE, RACE,

(By place of residence. Exclusive of fetal

Table with columns for Sixth Revision No., AREA, CAUSE OF DEATH, RACE, AND SEX, Total, and age groups (Under 1 to 95+), plus a column for 100 & over & not stated.

*For complete category title, refer to table XIII, Part I.

VITAL STATISTICS OF THE UNITED STATES

TABLE 22.-DEATHS FROM 64 SELECTED CAUSES, BY AGE, RACE,

(By place of residence. Exclusive of fetal)

Table with columns for Cause of Death, Race, and Age Groups (1-95+). Rows include Missouri (All causes, Tuberculosis, etc.), and various age groups (001-100) with specific diseases (Tuberculosis, Syphilis, Typhoid fever, etc.).

*For complete category title, refer to table XIII, Part I.

VITAL STATISTICS OF THE UNITED STATES

TABLE 22.—DEATHS FROM 64 SELECTED CAUSES, BY AGE, RACE,

(By place of residence. Exclusive of fetal

Table with columns for Sixth Revision No., AREA, CAUSE OF DEATH, RACE, AND SEX, Total, and age groups from 1 to 100 & over. Rows include Missouri-Cont. with various causes like Diseases of heart, Chronic rheumatic heart disease, etc.

*For complete category title, refer to table XIII, Part I.

VITAL STATISTICS OF THE UNITED STATES

TABLE 22.—DEATHS FROM 64 SELECTED CAUSES, BY AGE, RACE,

(By place of residence. Exclusive of fetal)

Table with columns: Sixth Revision No., AREA, CAUSE OF DEATH, RACE, AND SEX, Total, and age groups (Under 1 to 95+), plus a 100 & over % not stated column. Rows include NEBRASKA totals and various causes of death like Tuberculosis, Erythema, Typhoid fever, etc.

*For complete category title, refer to table XIII, Part I.

GENERAL TABLES-DEATHS FROM SELECTED CAUSES

AND SEX: UNITED STATES AND EACH STATE, 1949-Continued

deaths and of deaths among armed forces overseas)

Table with columns for birth revision No., AREA, CAUSE OF DEATH, RACE, AND SEX, Total, and age groups (Under 1, 1-4, 5-9, 10-14, 15-19, 20-24, 25-29, 30-34, 35-39, 40-44, 45-49, 50-54, 55-59, 60-64, 65-69, 70-74, 75-79, 80-84, 85-89, 90-94, 95-99, 100 & over & not stated).

*For complete category title, refer to table XIII, Part I.

GENERAL TABLES-DEATHS FROM SELECTED CAUSES

AND SEX: UNITED STATES AND EACH STATE, 1949-Continued

Deaths and of deaths among armed forces overseas)

Table with columns: Birth Revision No., AREA, CAUSE OF DEATH, RACE, AND SEX, Total, and age groups (1 to 100+).

*For complete category title, refer to table XIII, Part I.

GENERAL TABLES-DEATHS FROM SELECTED CAUSES

375

AND SEX: UNITED STATES AND EACH STATE, 1949-Continued

(Deaths and of deaths among armed forces overseas)

Table with columns for Sixth Revision No., AREA, CAUSE OF DEATH, RACE, AND SEX, Total, and ages 1-100+. Rows include causes like Malignant neoplasms, Of buccal cavity, Of digestive organs, etc.

*For complete category title, refer to table XIII, Part I.

VITAL STATISTICS OF THE UNITED STATES

TABLE 22.—DEATHS FROM 64 SELECTED CAUSES, BY AGE, RACE,

(By place of residence. Exclusive of fetal

Table with columns for Sixth Revision No., AGE, CAUSE OF DEATH, RACE, AND SEX, Total, and age groups (Under 1 to 95+). Rows include various causes like Diseases of heart, Chronic rheumatic heart disease, Arteriosclerotic heart disease, etc., Hypertension, etc.

*For complete category titles, refer to table XIII, Part I.

GENERAL TABLES—DEATHS FROM SELECTED CAUSES

AND SEX: UNITED STATES AND EACH STATE, 1949—Continued

(Deaths and of deaths among armed forces overseas)

Table with columns for Sixth Revision No., AREA, CAUSE OF DEATH, RACE, AND SEX, Total, and 19 age groups (1-19) plus 100 & over & not stated. Rows include categories like Malignant neoplasms, Of buccal cavity and pharynx, etc., and various diseases.

*For complete category title, refer to table XIII, Part I.

VITAL STATISTICS OF THE UNITED STATES

TABLE 22.--DEATHS FROM 64 SELECTED CAUSES, BY AGE, RACE,

(By place of residence. Exclusive of fetal)

Table with columns for Birth Revision No., Area, Cause of Death, Race, and Sex, followed by a grid of death counts for age groups from Under 1 to 95+ and 100 & over.

*For complete category title, refer to table XIII, Part I.

VITAL STATISTICS OF THE UNITED STATES

TABLE 22.—DEATHS FROM 64 SELECTED CAUSES, BY AGE, RACE,

(By place of residence. Exclusive of fetal)

Table with columns for State Revision No., Area/Cause of Death/Race/Sex, Total, and age groups (Under 1 to 95+). Rows include categories like Tuberculosis, Syphilis, Typhoid fever, Dysentery, etc., with sub-rows for White and Nonwhite populations and sexes (M/F).

*For complete category title, refer to table XIII, Part I.

GENERAL TABLES—DEATHS FROM SELECTED CAUSES

387

AND SEX: UNITED STATES AND EACH STATE, 1949—Continued

(Deaths and of deaths among armed forces overseas)

Sixth Revi- sion No.	AREA, CAUSE OF DEATH, RACE, AND SEX	Total	Under 1	1	2	3	4	5 to 9	10 to 14	15 to 19	20 to 24	25 to 29	30 to 34	35 to 39	40 to 44	45 to 49	50 to 54	55 to 59	60 to 64	65 to 69	70 to 74	75 to 79	80 to 84	85 to 89	90 to 94	95 to 99	100 & over & not stated	
140- 205	NORTH CAROLINA— Continued Malignant neo- plasms, etc.— White—M— F— Nonwhite— M— F—	3,261 1,153 1,352 318 433	8 4 1 1	7 4 1	9 3 1	6 3 1	8 2 1	24 14 7	21 9 7	26 11 3	37 17 4	49 17 6	81 18 4	144 59 6	169 89 29	232 99 5	300 109 51	362 148 48	410 158 51	431 162 44	381 151 36	295 127 17	150 72 10	77 35 2	24 13 1	6 4 1	4 2 1	
140- 148	Of buccal cavity and pharynx— White—M— F— Nonwhite— M— F—	61 41 20 15 7	-	-	-	-	-	-	-	1 1 1	1 1 1	1 1 1	1 1 1	1 1 1	2 2 1	4 2 4	6 3 -	5 2 -	5 2 -	4 2 -	13 7 5	9 5 1	8 2 -	2 1 -	2 1 -	-	-	
150- 156B, 157- 159	Of digestive organs and peritoneum— White—M— F— Nonwhite— M— F—	1,102 424 410 157 111	-	-	-	-	-	-	3 1 1	2 1 1	6 4 2	7 2 3	12 4 4	20 7 9	36 12 12	70 20 31	92 37 24	133 51 46	153 83 50	183 66 74	151 64 59	145 65 68	55 24 18	34 12 3	7 4 3	1 1 -	2 1 1	
160- 164	Of respiratory system— White—M— F— Nonwhite— M— F—	254 143 58 50 5	-	-	-	-	-	-	-	-	-	3 2 1	2 2 1	9 5 1	16 11 4	15 9 1	31 18 4	30 19 8	49 31 7	29 19 11	26 14 6	26 15 10	5 3 1	3 1 2	2 1 1	1 1 -	-	
170	Of breast— White—M— F— Nonwhite— M— F—	272 1 208 63	-	-	-	-	-	-	-	2 1 1	5 1 1	15 7 8	20 5 12	28 1 16	23 8 15	32 1 21	37 1 26	36 1 35	27 1 26	36 1 35	19 1 18	11 1 10	9 1 8	4 1 3	4 1 3	-	-	
171- 178	Of genital organs— White—M— F— Nonwhite— M— F—	729 149 335 88 181	-	1 1	-	-	-	-	1 1	1 1	4 3	13 5	29 2	51 2	41 2	61 1	84 5	70 5	69 5	90 20	84 30	60 29	43 25	14 10	4 3	4 3	1 1	-
180- 181	Of urinary organs— White—M— F— Nonwhite— M— F—	141 69 48 12	1 1	2 1	1 1	1 1	4 1	2 1	2 1	1 1	1 1	1 1	1 1	2 2	2 2	3 3	5 3	4 3	3 3	5 4	4 3	11 7	10 6	11 6	10 2	2 2	-	-
156B, 185, 190- 199	Of other sites, etc.— White—M— F— Nonwhite— M— F—	450 198 191 33 38	-	1 2	3 1	2 1	1 3	9 3	5 3	11 8	11 6	9 5	12 11	22 14	31 16	30 15	36 17	46 19	53 28	48 28	45 17	35 15	16 8	16 7	6 4	2 2	-	-
204	Leukemia and alou- kemia— White—M— F— Nonwhite— M— F—	154 78 55 10 11	2 1 1	2 1	3 2	5 2	12 4	9 6	6 2	9 6	5 4	4 2	4 6	7 2	11 5	7 3	7 5	12 10	13 6	12 4	4 4	7 4	6 3	1 3	1 3	-	1	
200- 205 205	Lymphomas, etc.— White—M— F— Nonwhite— M— F—	107 55 37 8	1 1	1 1	-	-	1 1	3 1	2 3	6 3	3 2	3 4	7 5	9 5	5 3	7 4	9 3	16 7	9 4	16 7	9 7	11 6	2 5	1 1	-	1 1	1 1	-
210- 239	Benign and unsp- cified neoplasms— White—M— F— Nonwhite— M— F—	158 39 52 7 40	2 1	3 2	-	-	2 1	8 5	3 2	2 2	5 4	4 3	14 8	12 8	16 5	23 9	12 6	10 5	4 4	4 2	4 2	6 3	4 2	4 3	1 3	1 3	-	-
260	Diabetes mellitus— White—M— F— Nonwhite— M— F—	402 141 145 57 79	-	1 1	-	-	1 1	2 1	6 1	5 2	5 2	4 1	11 7	7 6	14 7	24 14	28 9	33 14	57 26	67 20	70 22	52 15	40 10	21 4	11 4	1 1	1 1	-
290- 293	Anemias— White—M— F— Nonwhite— M— F—	75 29 21 19 18	5 1	5 1	-	1 1	2 1	1 2	2 2	4 4	4 1	1 1	1 1	1 1	1 1	2 2	4 2	5 3	5 3	8 3	11 7	6 4	1 1	2 1	-	-	-	-
340	Meningococcal meningitis— White—M— F— Nonwhite— M— F—	45 15 8 12 10	16 2	4 2	2 1	-	1 1	3 1	1 1	2 2	1 1	1 1	1 1	1 1	1 1	3 2	1 1	1 1	2 2	1 1	2 2	-	-	-	-	-	-	-
330- 334, 400- 468, 492- 534	Major cardiovas- cular-renal diseases— White—M— F— Nonwhite— M— F—	15,163 6,051 4,232 2,222 2,358	14 3	-	1 1	3 2	4 4	23 10	35 8	47 21	73 21	113 30	190 50	336 102	556 198	776 301	1,050 420	1,413 592	1,804 765	2,208 889	2,191 947	1,901 805	1,276 507	723 280	288 85	78 23	60 9	-
350- 354, 400- 468	Diseases of cardi- ovascular system— White—M— F— Nonwhite— M— F—	14,392 5,213 4,041 2,353 2,180	14 4	-	1 1	2 2	4 4	21 9	34 16	44 18	62 24	95 18	168 41	304 107	517 207	733 252	988 372	1,344 579	1,732 746	2,106 882	2,110 813	1,814 775	1,215 483	694 264	288 79	78 23	58 9	-
350- 354	Vascular lesions, etc.— White—M— F— Nonwhite— M— F—	3,810 1,325 1,175 647 653	6 2	-	-	-	1 1	5 3	1 1	4 3	12 5	9 5	28 10	67 37	110 51	165 58	254 119	332 161	505 212	585 228	616 229	585 228	337 129	163 67	98 21	18 5	12 8	-
400- 402	Rheumatic fever— White—M— F— Nonwhite— M— F—	107 23 36 28 22	1 1	-	-	1 1	3 1	15 2	14 2	16 2	11 4	10 5	10 2	10 3	10 3	10 1	10 1	8 2	7 2	5 1	10 2	5 1	5 1	4 1	5 1	5 1	6 1	8 1

*For complete category title, refer to table XIII, Part I.

VITAL STATISTICS OF THE UNITED STATES

TABLE 22.—DEATHS FROM 64 SELECTED CAUSES, BY AGE, RACE,

(By place of residence. Exclusive of fetal

Table with columns for Birth Revision No., AREA, CAUSE OF DEATH, RACE, AND SEX, Total, and age groups (Under 1, 1, 2, 3, 4, 5 to 9, 10 to 14, 15 to 19, 20 to 24, 25 to 29, 30 to 34, 35 to 39, 40 to 44, 45 to 49, 50 to 54, 55 to 59, 60 to 64, 65 to 69, 70 to 74, 75 to 79, 80 to 84, 85 to 89, 90 to 94, 95 to 99, 100 & over & not stated). Rows include categories like Diseases of heart, Chronic rheumatic heart disease, Arteriosclerotic heart disease, etc., Nonrheumatic chronic endocarditis, etc., Other diseases of heart, Hypertension, General arteriosclerosis, Other diseases of circulatory system, Chronic nephritis, etc., Influenza and pneumonia, etc., Bronchitis, Ulcer of stomach and duodenum, Appendicitis, and Hernia, intestinal obstruction.

*For complete category title, refer to table XIII, Part I.

GENERAL TABLES—DEATHS FROM SELECTED CAUSES

AND SEX: UNITED STATES AND EACH STATE, 1949—Continued

deaths and of deaths among armed forces overseas)

Table with columns for Death Revision No., Area, Cause of Death, Race, and Sex, Total, and age groups (Under 1 to 95+). Rows include various medical conditions like Gastritis, Cirrhosis of Liver, Acute Nephritis, and External causes like Motor Vehicle Accidents and Homicide.

*For complete category title, refer to table XIII, Part I.

GENERAL TABLES—DEATHS FROM SELECTED CAUSES

AND SEX: UNITED STATES AND EACH STATE, 1949—Continued

(Deaths and of deaths among armed forces overseas)

Table with columns for Sixth Revision No., AREA, CAUSE OF DEATH, RACE, AND SEX, Total, and 20 age groups (1 to 85+). Rows include causes such as Malignant neoplasms, Of buccal cavity and pharynx, Of digestive organs, etc.

*For complete category title, refer to table XIII, Part I.

GENERAL TABLES-DEATHS FROM SELECTED CAUSES

AND SEX: UNITED STATES AND EACH STATE, 1949-Continued

Deaths and of deaths among armed forces overseas

Table with columns: Death No., Area, Cause of Death, Race, and Sex, and 36 numbered columns representing different states or regions. Rows include causes like Malignant neoplasms, Of buccal cavity, etc.

*For complete category title, refer to table XIII, Part I.

VITAL STATISTICS OF THE UNITED STATES

TABLE 22.—DEATHS FROM 64 SELECTED CAUSES, BY AGE, RACE,

(By place of residence. Exclusive of total)

Table with columns for Sixth Revision No., AREA, CAUSE OF DEATH, RACE, AND SEX, Total, and age groups from Under 1 to 100 & over & not stated. Rows include categories like CHIC-Continued, Diseases of heart, Chronic rheumatic heart disease, Arteriosclerotic heart dis., etc., Nonrheumatic chronic endocarditis, etc., Other diseases of heart, Hypertension with heart dis., Hypertension without mention of heart, General arterio-sclerosis, Other diseases of circulatory sys., Chronic nephritis, etc., Influenza and pneumonia, etc., Pneumonia, etc., Bronchitis, Ulcer of stomach and duodenum, Appendicitis, and Hernia, intestinal obstruction.

*For complete category title, refer to table XIII, Part I.

VITAL STATISTICS OF THE UNITED STATES

TABLE 22.—DEATHS FROM 64 SELECTED CAUSES, BY AGE, RACE,

(By place of residence. Exclusive of fetal)

Table with columns for Sixth Revision No., AREA, CAUSE OF DEATH, RACE, AND SEX, Total, and age groups from Under 1 to 100 & over. Rows include Oregon, ALL CAUSES, Tuberculosis, Respiratory system, Syphilis, Typhoid fever, Dysentery, Scarlet fever, Diphtheria, Whooping cough, Meningococcal infections, Acute poliomyelitis, Smallpox, Measles, Typhus, Malaria, and All other infectious diseases.

*For complete category title, refer to table XIII, Part I.

GENERAL TABLES-DEATHS FROM SELECTED CAUSES

AND SEX: UNITED STATES AND EACH STATE, 1949-Continued

(Deaths and of deaths among armed forces overseas)

Table with columns for Birth Revision No., AREA, CAUSE OF DEATH, RACE, AND SEX, Total, and age groups (Under 1 to 100+ over & not stated). Rows include various causes of death like Malignant neoplasms, Of buccal cavity and pharynx, Of digestive organs and peritoneum, etc.

*For complete category title, refer to table XIII, Part I.

VITAL STATISTICS OF THE UNITED STATES

TABLE 22.—DEATHS FROM 64 SELECTED CAUSES, BY AGE, RACE,

(By place of residence. Exclusive of fetal)

Table with columns for Sixth Revision No., AREA, CAUSE OF DEATH, RACE, AND SEX, Total, and age groups (Under 1, 1-4, 5-9, 10-14, 15-19, 20-24, 25-29, 30-34, 35-39, 40-44, 45-49, 50-54, 55-59, 60-64, 65-69, 70-74, 75-79, 80-84, 85-89, 90-94, 95-99, 100 & over & not stated).

*For complete category title, refer to table XIII, Part I.

VITAL STATISTICS OF THE UNITED STATES

TABLE 22.—DEATHS FROM 64 SELECTED CAUSES, BY AGE, RACE,

(By place of residence. Exclusive of fetal

Table with columns for Birth Revision No., AREA, CAUSE OF DEATH, RACE, AND SEX, Total, and age groups (Under 1 to 95 to 99) plus 100 & over & not stated. Rows include causes like Diseases of heart, Chronic rheumatic heart disease, Arteriosclerotic heart disease, etc., Hypertension, and Influenza.

*For complete category title, refer to table XIII, Part I.

VITAL STATISTICS OF THE UNITED STATES

TABLE 22.—DEATHS FROM 64 SELECTED CAUSES, BY AGE, RACE,

(By place of residence. Exclusive of fetal)

Table with columns for Sixth Revision No., AREA, CAUSE OF DEATH, RACE, AND SEX, Total, and age groups (Under 1 to 95+). Rows include causes like Diseases of heart, Chronic rheumatic heart disease, Arteriosclerotic heart disease, etc., Nonrheumatic chronic endocarditis, etc., Other diseases of heart, Hypertension with heart disease, etc., General arteriosclerosis, Other diseases of circulatory system, etc., Chronic nephritis, etc., Influenza and pneumonia, etc., Bronchitis, Ulcer of stomach and duodenum, Appendicitis, Hernia, intestinal obstruction.

*For complete category title, refer to table XIII, Part I.

TABLE 22.-DEATHS FROM 64 SELECTED CAUSES, BY AGE, RACE,

(By place of residence. Exclusive of fetal)

Table with columns: Birth Revision No., AREA, CAUSE OF DEATH, RACE, AND SEX, Total, and 100+ over & not stated. Rows include causes like Diseases of heart, Chronic rheumatic heart disease, Arteriosclerotic heart dis., etc., Nonrheumatic chronic endocarditis, etc., Other diseases of heart, Hypertension with heart dis., etc., General arteriosclerosis, etc., Influenza and pneumonia, etc., etc.

*For complete category title, refer to table III, Part I.

GENERAL TABLES—DEATHS FROM SELECTED CAUSES

AND SEX: UNITED STATES AND EACH STATE, 1949—Continued

(Deaths and of deaths among armed forces overseas)

Sixth Revision No.	AREA, CAUSE OF DEATH, RACE, AND SEX	Total	Under 1	1	2	3	4	5 to 9	10 to 14	15 to 19	20 to 24	25 to 29	30 to 34	35 to 39	40 to 44	45 to 49	50 to 54	55 to 59	60 to 64	65 to 69	70 to 74	75 to 79	80 to 84	85 to 89	90 to 94	95 to 99	100 & over & not stated	
TEXAS—Con.																												
140-205	Malignant neo- plasma, etc.— White—M— F— Nonwhite—M— F—	7,700 3,443 3,519 427 511	25 14 7 1 1	14 6 7 1 1	20 8 9 3 1	20 14 6 1 1	15 9 5 2 1	45 26 16 4 1	55 14 11 4 1	40 26 10 3 1	55 39 32 3 3	80 36 67 3 6	130 56 77 12 24	240 70 118 18 38	394 111 202 27 56	606 277 339 42 85	707 267 376 49 62	820 402 576 75 69	889 478 412 50 43	980 494 380 49 39	982 430 356 29 16	781 430 284 29 5	458 111 126 13 5	220 31 104 2 3	61 27 10 1 2	17 4 5 1 2	10 2 5 1 1	
140-148	Of buccal cavity and pharynx— White—M— F— Nonwhite—M— F—	235 154 42 10 7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
150-156A-157-158	Of digestive organs and peritoneum— White—M— F— Nonwhite—M— F—	2,632 1,235 1,046 203 148	2	-	1	-	1	-	1	3	6	10	25	57	100	165	207	301	357	377	410	334	175	61	27	7	5	
160-164	Of respiratory system— White—M— F— Nonwhite—M— F—	724 514 146 45 19	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
170	Of breast— White—M— F— Nonwhite—M— F—	582 10 507 74	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
171-179	Of genital organs— White—M— F— Nonwhite—M— F—	1,424 436 762 84 162	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
180-181	Of urinary organs— White—M— F— Nonwhite—M— F—	307 187 100 12 8	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
190-199	Of other sites, etc.— White—M— F— Nonwhite—M— F—	1,185 560 499 56 70	5	3	2	7	2	11	14	16	15	14	20	44	69	87	117	129	138	149	117	102	71	47	15	4	2	
204	Leukemia and aleu- kemia— White—M— F— Nonwhite—M— F—	342 185 126 17 14	15	8	5	10	10	29	12	9	9	10	17	13	18	15	15	24	30	36	20	25	7	7	4	-	-	
205-205	Lymphomas, etc.— White—M— F— Nonwhite—M— F—	281 162 91 19 9	3	3	3	3	3	3	3	3	3	3	3	3	3	3	3	3	3	3	3	3	3	3	3	3	3	3
210-239	Benign and unspes- ified neoplasms— White—M— F— Nonwhite—M— F—	345 125 158 19 63	10	4	3	1	6	9	4	4	15	17	30	38	40	35	25	26	20	22	15	13	3	2	-	-	-	
250	Diabetes mellitus— White—M— F— Nonwhite—M— F—	811 309 598 37 57	2	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1
290-293	Anemias— White—M— F— Nonwhite—M— F—	181 84 85 11 23	15	2	2	1	2	5	1	3	3	4	2	7	6	7	13	7	11	14	26	29	15	9	2	-	-	
340	Meningococcal meningitis— White—M— F— Nonwhite—M— F—	135 50 52 18 15	52	19	6	3	9	7	4	3	4	4	1	5	2	4	1	3	4	1	2	2	1	1	1	1	1	
330-354	Major cardiovas- cular-renal diseases— White—M— F— Nonwhite—M— F—	26,507 15,593 9,428 2,357 2,151	30	15	12	8	7	33	42	69	86	119	205	395	794	1,289	1,769	2,546	2,901	3,350	3,979	3,644	2,684	1,569	575	155	55	
350-354	Diseases of cardi- ovascular system— White—M— F— Nonwhite—M— F—	25,210 15,058 8,059 2,171 1,962	26	15	5	8	5	24	34	53	72	108	185	359	746	1,232	1,701	2,255	2,772	3,401	3,804	3,651	2,551	1,489	550	124	50	
330-334	Vascular lesions, etc.— White—M— F— Nonwhite—M— F—	5,665 2,388 2,186 502 611	9	7	1	1	1	6	5	9	10	15	33	66	130	240	352	433	573	763	919	923	659	335	131	35	12	
400-402	Rheumatic fever— White—M— F— Nonwhite—M— F—	85 33 30 8 14	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1

*For complete category title, refer to table XIII, Part I.

VITAL STATISTICS OF THE UNITED STATES

TABLE 22.—DEATHS FROM 64 SELECTED CAUSES, BY AGE, RACE,

(By place of residence. Exclusive of fetal

Table with columns: Sixth Revision No., AREA, CAUSE OF DEATH, RACE, AND SEX, Total, and age groups (Under 1, 1-4, 5-9, 10-14, 15-19, 20-24, 25-29, 30-34, 35-39, 40-44, 45-49, 50-54, 55-59, 60-64, 65-69, 70-74, 75-79, 80-84, 85-89, 90-94, 95-99, 100 & over & not stated). Rows include Utah state totals and various causes of death like Tuberculosis, Syphilis, Typhoid Fever, etc.

*For complete category title, refer to table XIII, Part I.

VITAL STATISTICS OF THE UNITED STATES

TABLE 22.—DEATHS FROM 64 SELECTED CAUSES, BY AGE, RACE, (By place of residence. Exclusive of fetal

Sixth Revision No.	AREA, CAUSE OF DEATH, RACE, AND SEX	Total	(By place of residence. Exclusive of fetal)																								100 & over & not stated
			Under 1	1	2	3	4	5 to 9	10 to 14	15 to 19	20 to 24	25 to 29	30 to 34	35 to 39	40 to 44	45 to 49	50 to 54	55 to 59	60 to 64	65 to 69	70 to 74	75 to 79	80 to 84	85 to 89	90 to 94	95 to 99	
410-443	VIRGINIA—Con. Diseases of heart White—M— F— Nonwhite—M— F—	9,674 4,324 2,693 1,497 1,180	1	2	2	-	-	5	9	13	24	41	83	142	283	474	862	940	1,118	1,315	1,457	1,255	998	495	219	51	65
410-416	Chronic rheumatic heart disease White—M— F— Nonwhite—M— F—	588 145 132 59 51	3	6	10	8	7	23	19	20	37	35	36	33	34	35	31	32	12	8	4	
420	Arteriosclerotic heart dis., etc.* White—M— F— Nonwhite—M— F—	4,972 2,702 1,263 566 341	-	-	-	-	1	-	-	-	5	16	32	66	157	282	402	520	628	699	771	610	397	182	57	19	
421, 422	Nonrheumatic chronic endocarditis, etc.* White—M— F— Nonwhite—M— F—	1,950 691 565 381 313	...	1	-	-	-	1	2	2	4	5	7	19	29	47	61	134	169	237	304	287	235	177	98	22	
430-434	Other diseases of heart White—M— F— Nonwhite—M— F—	434 169 125 71 70	1	1	2	-	-	1	1	1	6	3	5	7	15	20	32	50	42	51	53	52	39	29	17	4	
440-443	Hypertension with heart dis. White—M— F— Nonwhite—M— F—	2,030 617 608 420 385	-	-	-	-	-	1	10	16	32	62	88	134	200	226	294	296	275	238	96	39	15	6	18		
444-447	Hypertension without mention of heart White—M— F— Nonwhite—M— F—	289 85 72 60 74	-	-	-	-	-	1	4	5	12	19	15	30	25	27	33	34	29	29	16	8	2	-	-		
450	General arterio-sclerosis White—M— F— Nonwhite—M— F—	554 214 175 98 67	-	-	-	-	-	-	-	-	-	-	-	3	5	22	29	60	90	87	116	75	53	11	3		
451-468	Other diseases of circulatory sys. White—M— F— Nonwhite—M— F—	158 68 47 22 25	2	-	-	-	-	1	2	2	3	4	7	10	12	14	18	19	21	15	12	8	7	2	-		
482-494	Chronic nephritis, etc.* White—M— F— Nonwhite—M— F—	685 211 185 136 151	-	1	2	2	2	3	2	9	3	15	13	24	30	42	34	56	69	81	72	32	18	5	2		
460-493	Influenza and pneumonia, etc.* White—M— F— Nonwhite—M— F—	1,093 334 310 240 209	308	38	18	9	4	13	14	12	14	14	27	21	20	41	34	40	56	64	77	90	76	52	34	7	
480-483	Influenza White—M— F— Nonwhite—M— F—	156 37 49 31 39	24	4	2	1	-	3	1	2	1	4	9	2	4	5	11	10	13	12	17	11	6	4	1	4	
490-493	Pneumonia, etc.* White—M— F— Nonwhite—M— F—	937 297 281 209 170	204	54	16	8	4	10	13	10	13	10	18	12	16	36	29	29	46	51	65	73	65	46	30	6	
500-502	Bronchitis White—M— F— Nonwhite—M— F—	65 30 26 15	21	4	1	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
540, 541	Ulcer of stomach and duodenum White—M— F— Nonwhite—M— F—	134 85 18 21 10	1	-	-	-	-	-	2	1	7	1	6	6	13	13	11	19	22	17	8	6	1	-	-		
550-553	Appendicitis White—M— F— Nonwhite—M— F—	70 27 15 16 14	-	1	3	-	2	5	4	1	2	3	4	3	3	5	5	7	9	5	3	-	1	-	-		
560, 561, 570	Hernia, intestinal obstruction White—M— F— Nonwhite—M— F—	202 79 57 34 32	30	5	1	1	-	-	4	3	3	5	5	7	12	19	12	15	19	21	16	12	9	2	1		

*For complete category title, refer to table XIII, Part I.

TABLE 22.—DEATHS FROM 64 SELECTED CAUSES, BY AGE, RACE, (By place of residence. Exclusive of fetal

Table with columns for cause of death, sex, age group (Under 1 to 95+), race, and total. Rows include categories like Tuberculosis, Syphilis, Typhoid fever, etc., with sub-rows for White and Nonwhite males and females.

*For complete category title, refer to table XIII, Part I.

VITAL STATISTICS OF THE UNITED STATES

TABLE 22.—DEATHS FROM 64 SELECTED CAUSES, BY AGE, RACE,

(By place of residence. Exclusive of fetal)

Table with columns for Sixth Revision No., AREA, CAUSE OF DEATH, RACE, AND SEX, Total, and 20 age groups (1-19, 20-29, 30-34, 35-39, 40-44, 45-49, 50-54, 55-59, 60-64, 65-69, 70-74, 75-79, 80-84, 85-89, 90-94, 95-99, 100 & over & not stated). Rows include causes like Diseases of heart, Chronic rheumatic heart disease, Artionoclerotic heart dis., etc., Nonrheumatic chronic endocarditis, etc., Other diseases of heart, Hypertension with heart dis., Hypertension without mention of heart, General arterio-sclerosis, Other diseases of circulatory sys., Chronic nephritis, etc., Influenza and pneumonia, etc., Pneumonia, etc., Bronchitis, Ulcer of stomach and duodenum, Appendicitis, Hernia, intestinal obstruction.

*For complete category title, refer to table XIII, Part I.

VITAL STATISTICS OF THE UNITED STATES

TABLE 22.—DEATHS FROM 64 SELECTED CAUSES, BY AGE, RACE, (By place of residence. Exclusive of fetal

Table with columns for Sixth Revision No., AREA, CAUSE OF DEATH, RACE, AND SEX, Total, and age groups (Under 1 to 95+), plus a column for 100 & over & not stated. Rows include categories like Tuberculosis, Syphilis, Typhoid fever, etc., with sub-rows for White and Nonwhite males and females.

*For complete category title, refer to table XIII, Part I.

VITAL STATISTICS OF THE UNITED STATES

TABLE 22.—DEATHS FROM 64 SELECTED CAUSES, BY AGE, RACE,

(By place of residence. Exclusive of fetal

Table with columns for Birth Revision No., Area/Cause of Death, Race, Sex, Total, and age groups (Under 1 to 95+). Rows include categories like Diseases of heart, Chronic rheumatic heart disease, Arteriosclerotic heart disease, Nonrheumatic chronic endocarditis, etc., Hypertension, and others.

*For complete category title, refer to table XIII, Part I.

GENERAL TABLES—DEATHS FROM SELECTED CAUSES

AND SEX: UNITED STATES AND EACH STATE, 1949—Continued

deaths and of deaths among armed forces overseas)

Birth Revision No.	AREA, CAUSE OF DEATH, RACE, AND SEX	Total	Under 1	1 to 2	2 to 3	3 to 4	4 to 5	5 to 9	10 to 14	15 to 19	20 to 24	25 to 29	30 to 34	35 to 39	40 to 44	45 to 49	50 to 54	55 to 59	60 to 64	65 to 69	70 to 74	75 to 79	80 to 84	85 to 89	90 to 94	95 to 99	100 & over & not stated	
	WYOMING—Con.																											
543, 571, 572	Gastritis, etc.—M— White—M— F—	19 13 3	11 6 2	1 1 2									1 1	2 2						2 1	1 1					1 1		
	Nonwhite—M— F—	2 1	2 1																	1 1								
581	Cirrhosis of liver—M— White—M— F— Nonwhite—M— F—	19 11 8											1 1	2 1	3 2	2 2	2 2	1 1	1 1	3 1	1 1	2 1						
590, 591	Acute nephritis, etc.—M— White—M— F— Nonwhite—M— F—	7 3 3 1	1 1 1												1 1													
610	Hyperplasia of prostate—M— White—M— Nonwhite—M—	9 9																	2 2	2 2	2 2	1 1	2 2					
840-689	Complications of pregnancy, etc.—M— White—M— F— Nonwhite—M— F—	3 3 3 1										1 1	1 1	1 1														
650-652	Abortion—M— White—M— Nonwhite—M—																											
640-643, 660-689	All other complications—M— White—M— F— Nonwhite—M— F—	3 3										1 1	1 1	1 1														
750-759	Congenital malformations—M— White—M— F— Nonwhite—M— F—	46 27 19	37 24 13	2 2 2			2 1 1	1					1 1						2 2	1 1								
760-776	Certain diseases of early infancy—M— White—M— F— Nonwhite—M— F—	169 95 66	169 95 66																									
760-762	Birth injuries, etc.—M— White—M— F— Nonwhite—M— F—	54 31 19 4	54 31 19 4																									
765-768	Infections of newborn—M— White—M— F— Nonwhite—M— F—	11 7 3 1	11 7 3 1																									
769-776	Other diseases of infancy, and immaturity unqualified—M— White—M— F— Nonwhite—M— F—	104 57 44	104 57 44																									
780-795	Senility, etc.—M— White—M— F— Nonwhite—M— F—	37 31 6	2 2 2					1 1																				
Residual	All other diseases—M— White—M— F— Nonwhite—M— F—	156 79 55	7 7 1	1 1	1 1	1 1	2 2	2 2	1 1	5 5	2 2	2 2	4 4	6 6	8 8	10 10	10 10	12 12	12 12	6 6	16 13	7 3	7 3	4 4	4 4	1 1	2 2	
E800-E862	Accidents—M— White—M— F— Nonwhite—M— F—	296 218 68	21 10 8	5 4 1	8 6 2	2 2	9 7	14 12	24 18	22 20	22 18	23 20	19 15	18 12	15 12	14 11	8 7	13 11	10 7	15 12	15 6	10 6	12 5	6 3	6 5	4 3	4 3	
E810-E835	Motor-vehicle accidents—M— White—M— F— Nonwhite—M— F—	123 82 30	5 1 2	1 1	2 1	1 1	4 4	5 4	17 12	16 14	12 9	12 9	6 4	5 4	5 3	3 3	3 5	5 6	5 3	8 7	3 2	3 2	2 2	2 1	2 1	1 1	1 1	
E800-E802, E840-E862	All ot. accidents—M— White—M— F— Nonwhite—M— F—	173 128 38	18 9	4 3	6 5	2 2	1 1	5 3	9 6	9 6	10 9	11 11	13 12	13 11	9 9	5 4	5 6	7 4	5 4	10 7	7 4	7 4	6 5	2 2	3 3	5 3	3 3	
E865-E879	Suicide—M— White—M— F— Nonwhite—M— F—	43 36 7																										
E884-E885	Homicide—M— White—M— F— Nonwhite—M— F—	13 8 3																										
E865-E899	Operations of war—M— White—M— F— Nonwhite—M— F—																											

*For complete category title, refer to table XIII, Part I.

TABLE 23.—DEATHS FROM 254 SELECTED CAUSES, BY RACE
(By place of residence. Exclusive of fetal deaths and of deaths among armed forces overseas. Numbers

CAUSE OF DEATH	UNITED STATES					ALABAMA				
	Total	White		Nonwhite		Total	White		Nonwhite	
		Male	Female	Male	Female		Male	Female	Male	Female
1 XIII.—Diseases of the bones and organs of movement-----	2,964	1,157	1,517	129	151	73	23	29	9	12
2 Arthritis and spondylitis-----720-725	1,771	545	1,054	64	108	50	14	22	7	7
3 Muscular rheumatism and rheumatism unspecified-----726-727	97	45	41	3	10	5	3	1	-	1
4 Osteomyelitis and periostitis-----730	219	123	54	27	15	10	3	2	2	3
5 Ankylosis and acquired musculoskeletal deformities-----737,745-749	77	37	26	9	5	-	-	-	-	-
6 All other diseases of musculoskeletal system-----731-736,738-744	600	409	342	26	23	8	3	4	-	1
7 XIV.—Congenital malformations-----	18,664	9,438	7,742	939	745	351	146	109	48	48
8 Spina bifida and meningocele-----751	1,960	637	1,036	52	55	36	12	20	4	-
9 Congenital hydrocephalus, etc.*-----752,753	1,951	687	913	101	60	43	11	10	10	12
10 Congenital malformations of circulatory system-----754	8,568	4,410	3,354	430	374	155	68	42	25	20
11 Other congenital malformations-----750,755-759	6,385	3,334	2,439	356	256	117	58	37	9	16
12 XV.—Certain diseases of early infancy-----	64,179	31,115	21,460	6,545	5,059	1,798	633	386	421	356
13 Birth injuries-----760,761	12,314	6,551	4,062	1,002	699	312	143	57	66	46
14 Postnatal asphyxia and atelectasis-----762	15,239	6,789	4,424	1,156	870	309	121	78	54	56
15 Infections of newborn-----763-768	4,471	1,938	1,350	674	509	142	35	23	47	37
16 Hemolytic disease of newborn (erythroblastosis)-----770	2,519	1,391	944	110	74	49	27	13	8	1
17 All other defined diseases of early infancy-----769,771,772	3,466	1,504	1,065	521	376	131	46	28	30	27
18 Ill-defined diseases peculiar to early infancy, and immaturity unqualified-----773-776	28,170	12,942	9,615	3,082	2,531	853	261	187	216	189
19 XVI.—Symptoms, senility, and ill-defined conditions-----	23,520	8,859	6,330	4,515	3,916	1,561	307	185	531	538
20 Senility without mention of psychosis-----794	6,359	2,340	2,078	549	593	206	36	42	60	69
21 Symptoms, ill-defined and unknown causes-----780-793,795	17,161	6,519	3,452	3,967	3,223	1,355	271	143	471	470
22 XVII.—Accidents, poisonings, and violence-----	115,148	70,287	29,379	11,826	3,856	2,403	1,071	360	743	229
23 Accidents-----E800-E922	90,106	54,876	24,802	7,600	2,828	1,779	834	312	468	165
24 Railway accidents-----E800-E802	2,119	1,561	191	342	25	76	42	1	31	2
25 Motor-vehicle accidents-----E810-E835	31,701	21,642	6,700	2,650	709	716	400	103	170	43
26 Motor-vehicle traffic accidents-----E810-E825	30,863	21,051	6,527	2,582	683	699	387	101	168	43
27 Motor-vehicle traffic accident with railway train*-----E810	1,452	1,048	317	61	26	16	11	2	-	3
28 Motor-vehicle traffic accident to pedestrian-----E812	8,288	5,453	1,731	848	256	146	62	23	41	20
29 Other motor-vehicle traffic accidents, etc.*-----E811,E813-E819	9,064	6,142	2,149	809	164	186	114	24	43	5
30 Motor-vehicle noncollision traffic accidents-----E820-E824	6,897	4,987	1,167	627	146	186	109	17	52	8
31 Motor-vehicle traffic accident of unspecified nature-----E825	5,162	3,451	1,163	447	101	185	91	35	32	7
32 Motor-vehicle nontraffic accidents-----E830-E835	838	591	173	58	16	17	13	2	2	-
33 Other road-vehicle accidents-----E840-E845	599	396	97	68	18	16	6	3	7	-
34 Water-transport accidents-----E850-E858	1,484	1,213	101	155	15	63	48	3	10	2
35 Aircraft accidents-----E860-E866	1,549	1,407	132	8	2	16	14	1	1	-
36 Accidental poisoning by solid and liquid substances-----E870-E888	1,634	612	540	160	102	43	13	8	15	7
37 Accidental poisoning by gases and vapors-----E890-E895	1,617	1,028	468	95	26	10	6	3	1	-
38 Accidental falls-----E900-E904	22,308	9,072	11,251	722	463	217	59	112	23	23
39 Fall from one level to another-----E900-E902	7,456	4,260	2,636	366	174	77	27	27	10	13
40 Fall on same level-----E903	4,300	1,725	2,430	79	66	64	16	35	6	7
41 Unspecified falls-----E904	10,552	3,087	6,185	257	223	76	16	50	7	3
42 Blow from falling object-----E910	1,604	1,327	69	202	6	53	33	-	18	2
43 Accident caused by machinery-----E912	1,669	1,455	69	139	6	28	21	1	6	-
44 Accident caused by electric current-----E914	1,045	919	65	57	5	22	17	2	3	-
45 Accident caused by fire and explosion, etc.*-----E916	5,982	2,862	1,878	782	680	138	54	25	45	34
46 Accident caused by hot substance, etc.*-----E917,E918	950	427	294	135	94	33	8	2	15	8
47 Accident caused by firearm-----E919	2,326	1,704	201	339	82	73	37	4	27	5
48 Inhalation and ingestion of food or other object, etc.*-----E921,E922	1,341	702	416	128	95	19	3	4	6	6
49 Accidental drowning-----E929	5,330	3,802	724	748	56	77	31	5	38	3
50 Excessive heat and insolation-----E931	488	307	93	64	24	6	3	-	2	1
51 Complications due to nontherapeutic medical and surgical procedures, therapeutic misadventure, etc.*-----E940-E959	252	112	62	17	21	3	-	1	1	1
52 All other accidents-----Residual	6,127	3,528	1,431	769	399	170	59	34	49	28
53 Suicide-----E963,E970-E979	16,995	12,668	3,662	541	122	195	146	29	18	2
54 Suicide by poisoning-----E970-E973	3,834	2,264	1,472	63	35	25	14	11	-	-
55 Suicide by hanging and strangulation-----E974	3,641	2,751	783	89	19	15	10	1	4	-
56 Suicide by firearms and explosives-----E976	7,215	6,154	741	287	33	140	109	15	14	2
57 Suicide by all other means-----E963,E975,E977-E979	2,305	1,499	666	103	35	15	13	2	-	-
58 Homicide-----E984,E980-E985	8,033	2,729	914	3,485	905	429	81	19	257	62
59 Assault by firearms and explosives-----E981	4,235	1,460	541	1,788	446	235	62	14	126	33
60 Assault by cutting and piercing instruments-----E982	1,869	388	88	1,083	280	125	7	3	93	22
61 Assault by other means-----E964,E980,E983	1,534	703	275	389	167	43	15	2	20	6
62 Injury by intervention of police-----E984	277	128	-	147	2	19	5	-	13	1
63 Execution-----E985	118	50	-	68	-	7	2	-	5	-
64 Injury resulting from operations of war-----E965,E990-E999	16	14	1	-	1	-	-	-	-	-

*For complete category title, refer to table XIII, Part I.

VITAL STATISTICS OF THE UNITED STATES

TABLE 23.—DEATHS FROM 254 SELECTED CAUSES, BY RACE
(By place of residence. Exclusive of fetal deaths and of deaths among armed forces overseas. Numbers

CAUSE OF DEATH	CONNECTICUT					DELAWARE				
	Total	White		Nonwhite		Total	White		Nonwhite	
		Male	Female	Male	Female		Male	Female	Male	Female
1 ALL CAUSES-----	18,829	10,079	8,188	287	275	3,350	1,486	1,247	359	258
2 I.—Infective and parasitic diseases-----	597	373	153	45	26	161	57	53	38	33
3 Tuberculosis, all forms-----001-019	418	259	104	33	22	115	45	23	26	21
4 Tuberculosis of respiratory system-----001-008	391	248	95	29	19	104	41	20	23	20
5 Tuberculosis of meninges and central nervous system-----010	6	3	2	-	1	6	2	1	2	1
6 Tuberculosis of intestines, peritoneum, and mesenteric glands-----011	3	-	2	1	-	-	-	-	-	-
7 Tuberculosis of vertebral column-----012.0,013.0	2	2	-	-	-	1	-	-	1	-
8 Tuberculosis of other bones and joints-----012.1-012.3,015.1-015.3	6	2	-	-	-	-	-	-	-	-
9 Tuberculosis of genito-urinary system-----016	2	2	5	-	1	1	-	1	-	-
10 Tuberculosis of lymphatic system and other organs-----014,015,017,018	1	1	-	-	-	-	-	-	-	-
11 Disseminated tuberculosis-----019	9	3	2	3	1	1	-	1	-	-
12 Syphilis and its sequelae-----020-029	78	53	12	11	2	27	6	2	10	9
13 Congenital syphilis-----020	2	1	1	-	-	2	-	-	-	2
14 Early syphilis-----021	1	-	-	-	-	-	-	-	-	-
15 Aneurysm of aorta-----022	36	26	9	2	-	11	5	1	3	4
16 Other cardiovascular syphilis-----023	21	15	2	3	1	6	2	1	3	1
17 Tabes dorsalis-----024	1	-	-	-	-	-	-	-	-	-
18 General paralysis of insane-----025	8	5	1	2	-	6	1	1	3	1
19 Other syphilis of central nervous system-----026	6	4	-	2	-	1	-	-	1	-
20 Other syphilis-----027-029	5	2	-	2	1	1	-	-	-	1
21 Gonococcal infection-----030-035	-	-	-	-	-	-	-	-	-	-
22 Typhoid fever-----040	1	-	1	-	-	-	-	-	-	-
23 Paratyphoid fever-----041	-	-	-	-	-	-	-	-	-	-
24 Other Salmonella infections-----042	-	-	-	-	-	-	-	-	-	-
25 Cholera-----043	-	-	-	-	-	-	-	-	-	-
26 Brucellosis (undulant fever)-----044	-	-	-	-	-	-	-	-	-	-
27 Dysentery, all forms-----045-048	3	2	1	-	-	1	-	-	1	-
28 Scarlet fever-----050	1	1	-	-	-	-	-	-	-	-
29 Streptococcal sore throat-----051	2	-	2	-	-	-	-	-	-	-
30 Erysipelas-----052	2	-	2	-	-	-	-	-	-	-
31 Septicemia and pyemia-----053	5	4	1	-	-	-	-	-	-	-
32 Diphtheria-----055	3	3	-	-	-	2	1	-	1	-
33 Whooping cough-----056	2	1	1	-	-	-	-	-	-	-
34 Meningococcal infections-----057	11	7	3	-	1	5	3	2	-	-
35 Plague-----058	-	-	-	-	-	-	-	-	-	-
36 Tularemia-----059	-	-	-	-	-	-	-	-	-	-
37 Leprosy-----060	-	-	-	-	-	-	-	-	-	-
38 Tetanus-----061	-	-	-	-	-	2	1	-	-	1
39 Anthrax-----062	-	-	-	-	-	-	-	-	-	-
40 Acute poliomyelitis-----080	51	20	10	-	1	1	1	-	-	-
41 Late effects of acute poliomyelitis-----081	1	-	1	-	-	-	-	-	-	-
42 Acute infectious encephalitis-----082	3	-	2	1	-	2	-	2	-	-
43 Late effects of acute infectious encephalitis-----083	7	5	2	-	-	1	-	1	-	-
44 Smallpox-----084	-	-	-	-	-	-	-	-	-	-
45 Measles-----085	8	2	4	-	-	-	-	-	-	-
46 Yellow fever-----091	-	-	-	-	-	-	-	-	-	-
47 Infectious hepatitis-----092	9	5	4	-	-	4	1	3	-	-
48 Rabies-----094	-	-	-	-	-	-	-	-	-	-
49 Tick-borne typhus-----104	-	-	-	-	-	-	-	-	-	-
50 Typhus, etc.,* and other rickettsial diseases-----100-103,105-108	-	-	-	-	-	-	-	-	-	-
51 Malaria-----110-117	2	2	-	-	-	-	-	-	-	-
52 Schistosomiasis-----123	-	-	-	-	-	-	-	-	-	-
53 Hydatid disease-----125	1	1	-	-	-	-	-	-	-	-
54 Filariasis-----127	-	-	-	-	-	-	-	-	-	-
55 Ankylostomiasis-----129	-	-	-	-	-	-	-	-	-	-
56 Other diseases due to helminths-----124,126,128,130	-	-	-	-	-	-	-	-	-	-
57 All other infective and parasitic diseases-----Residual	11	8	3	-	-	3	1	-	-	2
58 II.—Neoplasms-----	5,517	1,775	1,669	37	36	467	199	216	27	25
59 Malignant neoplasms, including neoplasms of lymphatic and hematopoietic tissues-----140-205	5,428	1,735	1,625	36	32	451	195	210	26	22
60 Malignant neoplasm of buccal cavity and pharynx-----140-148	100	82	17	1	-	12	9	2	-	1
61 Of lip-----140	9	8	1	-	-	4	4	-	-	-
62 Of tongue-----141	27	22	5	-	-	4	2	2	-	-
63 Of other and unspecified parts of buccal cavity-----142-144	34	25	9	1	-	2	1	-	-	1
64 Of pharynx-----145-148	30	27	3	-	-	2	2	-	-	-
65 Malignant neoplasm of digestive organs and peritoneum-----150-156A,157-159	1,451	795	633	16	5	172	81	71	14	6
66 Of esophagus-----150	85	78	13	3	1	15	9	2	4	2
67 Of stomach-----151	411	245	160	6	-	52	32	13	5	2
68 Of intestine, except rectum-----152,153	429	191	232	2	4	46	19	24	2	1
69 Of rectum-----154	204	119	94	2	-	28	10	14	1	1
70 Of biliary passages and of liver (stated to be primary site)-----155	65	26	39	-	-	11	1	9	1	-
71 Of liver not specified whether primary or secondary-----156A	70	34	34	2	-	9	4	4	-	1
72 Of pancreas-----157	155	90	63	2	-	12	6	4	1	1
73 Of peritoneum and of unspecified digestive organs-----158,159	22	13	8	1	-	1	-	1	-	-
74 Malignant neoplasm of respiratory system-----160-164	533	274	56	3	-	49	39	8	3	-
75 Of larynx-----161	51	46	5	-	-	4	3	1	-	-
76 Of trachea, and of bronchus and lung specified as primary-----162	72	62	9	1	-	30	24	5	1	-
77 Of lung and bronchus, unspecified as primary or secondary-----163	197	160	35	2	-	14	10	2	2	-
78 Of other parts of respiratory system-----160,164	13	6	-	-	-	1	1	-	-	-
79 Malignant neoplasm of breast-----170	302	1	297	-	4	44	1	40	-	3
80 Malignant neoplasm of genital organs-----171-179	515	174	320	4	17	78	16	45	5	12
81 Of cervix uteri-----171	87	...	80	...	7	20	...	14	...	6
82 Of other and unspecified parts of uterus-----172-174	101	...	94	...	7	17	...	12	...	5
83 Of ovary, fallopian tube, and broad ligament-----175	140	...	137	...	3	18	...	17	...	1
84 Of other and unspecified female genital organs-----176	9	...	9	...	-	2	...	2	...	-
85 Of prostate-----177	162	159	...	3	...	20	15	...	5	...
86 Of testis, and of other and unspecified male genital organs-----178,179	16	15	...	1	...	1	1	...	-	...

*For complete category title, refer to table XIII, Part I.

VITAL STATISTICS OF THE UNITED STATES

TABLE 23.—DEATHS FROM 254 SELECTED CAUSES, BY RACE
(By place of residence. Exclusive of fetal deaths and of deaths among armed forces overseas. Numbers

CAUSE OF DEATH	CONNECTICUT					DELAWARE				
	Total	White		Nonwhite		Total	White		Nonwhite	
		Male	Female	Male	Female		Male	Female	Male	Female
II.—Neoplasms—Continued										
Malignant neoplasms, including neoplasms of lymphatic and hematopoietic tissues—Continued										
1 Malignant neoplasm of urinary organs-----180,181	183	110	69	2	2	24	13	10	1	-
2 Of kidney-----180	71	36	33	1	1	5	1	4	-	-
3 Of bladder and other urinary organs-----181	112	74	36	1	1	19	12	6	1	-
4 Malignant neoplasm of other and unspecified sites-----156B,165,190-199	278	140	131	4	3	45	20	21	2	-
5 Of skin-----190,191	39	23	15	1	-	6	2	4	-	-
6 Of eye-----192	4	2	2	-	-	1	1	-	-	-
7 Of brain and other parts of nervous system-----193	47	25	21	1	-	13	7	6	-	-
8 Of thyroid gland-----194	15	2	11	-	-	2	1	1	-	-
9 Of bone (including jaw bone)-----196	30	22	8	-	-	5	2	3	-	-
10 Of connective tissue-----197	14	3	11	-	-	-	-	-	-	-
11 Of other specified sites, not stated to be secondary-----195,198A,199A	41	21	19	-	1	4	2	2	-	-
12 Of unspecified sites-----156B,165,190B,199B-H	90	42	44	2	2	12	6	4	2	-
13 Leukemia and aleukemia-----204	124	74	48	2	-	16	10	5	1	-
14 Lymphosarcoma, etc.*-----200-203,205	142	65	54	2	1	13	5	6	-	-
15 Lymphosarcoma and reticulosarcoma-----200	58	28	28	1	1	7	3	4	-	-
16 Hodgkin's disease-----201	44	31	13	-	-	4	1	3	-	-
17 Other neoplasms of lymphatic and hematopoietic tissues-----202,203,205	40	28	13	1	-	2	1	1	-	-
18 Benign neoplasms and neoplasms of unspecified nature-----210-239	69	40	44	1	4	16	6	6	1	3
19 Benign neoplasm of female genital organs-----214-217	10	-	7	-	3	5	-	2	-	3
20 Benign neoplasm of brain and other parts of nervous system-----223	12	5	7	-	-	4	3	-	1	-
21 Other benign neoplasms-----210-213,218-222,224-229	14	8	6	-	-	1	-	1	-	-
22 Neoplasm of unspecified nature of female genital organs-----233-235	-	-	-	-	-	-	-	-	-	-
23 Neoplasm of unspecified nature of brain, etc.*-----237	38	17	19	1	1	4	2	2	-	-
24 Other neoplasms of unspecified nature-----230-232,236,238,239	15	10	5	-	-	2	1	1	-	-
III.—Allergic, endocrine system, metabolic, and nutritional diseases-----										
25 Allergic, endocrine system, metabolic, and nutritional diseases-----474	474	164	298	2	10	107	28	55	8	16
26 Asthma-----241	45	38	6	-	1	13	6	5	1	1
27 Nontoxic goiter-----250,251	-	-	-	-	-	1	-	-	-	1
28 Thyrototoxicosis with or without goiter-----252	13	-	11	-	2	2	-	2	-	-
29 Myxedema, cretinism, and other diseases of thyroid gland-----253,254	3	-	3	-	-	-	-	-	-	-
30 Diabetes mellitus-----260	389	117	262	2	7	85	16	46	6	13
31 Diseases of thymus gland-----273	1	-	1	-	-	4	2	1	-	1
32 Diseases of adrenal glands-----274	9	1	8	-	-	-	-	1	-	-
33 Pellagra-----281	-	-	-	-	-	-	-	-	-	-
34 All other avitaminoses and nutritional deficiency states-----280,282-286	4	3	1	-	-	2	1	-	1	-
35 Other allergic, endocrine, and metabolic diseases-----Residual	11	5	6	-	-	1	1	-	-	-
IV.—Diseases of the blood and blood-forming organs-----										
36 Diseases of the blood and blood-forming organs-----59	59	29	28	1	1	14	6	6	1	1
37 Anemias-----290-293	43	21	21	1	-	12	5	6	1	-
38 Pernicious and other hyperchromic anemias-----290	23	7	16	-	-	8	4	3	1	-
39 Anemias of other and unspecified type-----291-293	20	3	14	1	-	4	1	3	-	-
40 Purpura and other hemorrhagic conditions-----296	10	4	5	-	1	1	-	-	-	1
41 All other diseases of blood and blood-forming organs-----294,295,297-299	6	4	2	-	-	1	1	-	-	-
V.—Mental, psychoneurotic, and personality disorders-----										
42 Mental, psychoneurotic, and personality disorders-----73	73	47	24	1	1	16	9	2	4	1
43 Senile psychosis-----304	10	3	7	-	-	-	-	-	-	-
44 Alcoholic psychosis-----307	6	6	-	-	-	-	-	-	-	-
45 Other psychoses-----300-307,308,309,309	9	3	6	-	-	1	1	-	-	-
46 Alcoholism-----322	43	33	8	1	1	15	8	2	4	1
47 Mental deficiency-----325	2	2	-	-	-	-	-	-	-	-
48 Psychoneuroses and other disorders of personality-----310-321,323,324,326	3	-	3	-	-	-	-	-	-	-
VI.—Diseases of the nervous system and sense organs-----										
49 Diseases of the nervous system and sense organs-----1,993	1,993	905	1,041	24	23	308	120	140	16	32
50 Vascular lesions affecting central nervous system-----330-334	1,654	829	983	22	20	276	108	126	14	28
51 Subarachnoid hemorrhage-----330	50	19	29	2	-	4	2	2	-	-
52 Cerebral hemorrhage-----331	1,249	544	679	14	12	169	74	67	12	18
53 Cerebral embolism and thrombosis-----332	406	197	201	3	5	57	15	36	1	7
54 Other vascular lesions affecting central nervous system-----333,334	149	69	74	3	3	46	19	21	1	5
55 Meningitis, except meningococcal and tuberculous-----340	13	8	4	1	-	6	1	4	-	1
56 Multiple sclerosis-----345	17	9	7	-	1	4	1	1	-	2
57 Paralysis agitans-----350	26	13	15	-	-	7	3	3	1	-
58 Cerebral organic infantile paralysis-----351	6	5	1	-	-	2	1	1	-	-
59 Epilepsy-----353	14	7	6	-	1	2	1	1	-	1
60 Inflammatory diseases of eye-----370-379	-	-	-	-	-	-	-	-	-	-
61 Cataract-----365	-	-	-	-	-	-	-	-	-	-
62 Glaucoma-----367	-	-	-	-	-	-	-	-	-	-
63 Otitis media and mastoiditis-----391-393	5	2	3	-	-	1	-	1	-	-
64 Other diseases of nervous system and sense organs-----Residual	56	32	22	1	1	10	5	4	1	-
VII.—Diseases of the circulatory system-----										
65 Diseases of the circulatory system-----8,233	8,233	4,496	3,532	107	99	1,440	700	542	112	66
66 Rheumatic fever-----400-402	23	13	10	-	-	8	2	4	1	1
67 Diseases of heart-----410-443	7,564	4,199	3,200	100	85	1,324	658	492	99	75
68 Chronic rheumatic heart disease-----410-416	277	126	140	6	5	45	23	21	-	1
69 Diseases of mitral valve-----410	100	45	52	2	1	16	6	9	-	1
70 Diseases of aortic valve specified as rheumatic-----411	9	7	1	1	-	-	-	-	-	-
71 Diseases of tricuspid valve-----412	-	-	-	-	-	-	-	-	-	-
72 Diseases of pulmonary valve, etc.* specified as rheumatic-----413,414	12	3	9	-	-	6	3	3	-	-
73 Other diseases of heart specified as rheumatic-----415,416	156	71	78	3	4	23	14	9	-	-
74 Arteriosclerotic heart disease, including coronary disease-----420	5,169	3,085	1,981	63	40	676	392	251	36	19
75 Arteriosclerotic heart disease so described-----420.0	2,170	1,114	1,009	25	22	221	111	86	14	10
76 Heart disease specified as involving coronary arteries-----420.1	2,996	1,965	967	38	18	450	275	144	22	9
77 Angina pectoris without mention of coronary disease-----420.2	15	8	5	-	-	7	6	1	-	-

*For complete category title, refer to table XIII, Part I.

VITAL STATISTICS OF THE UNITED STATES

TABLE 23.—DEATHS FROM 254 SELECTED CAUSES, BY RACE
(By place of residence. Exclusive of fetal deaths and of deaths among armed forces overseas. Numbers

CAUSE OF DEATH	CONNECTICUT					DELAWARE				
	Total	White		Nonwhite		Total	White		Nonwhite	
		Male	Female	Male	Female		Male	Female	Male	Female
VII.—Diseases of the circulatory system—Continued										
Diseases of heart—Continued										
1 Chronic endocarditis not specified as rheumatic-----421	62	34	28	-	-	39	16	13	6	4
2 Of mitral valve, specified as nonrheumatic-----421.0	4	2	2	-	-	1	-	-	1	-
3 Of aortic valve, not specified as rheumatic-----421.1	14	9	5	-	-	1	-	1	-	-
4 Of other valves, not specified as rheumatic-----421.2-421.4	44	23	21	-	-	37	16	12	5	4
5 Other myocardial degeneration-----422	885	414	436	5	10	248	105	101	21	21
6 With arteriosclerosis-----422.1	563	280	294	2	7	123	56	57	6	4
7 Without mention of arteriosclerosis-----422.0,422.2	302	154	142	3	3	125	49	44	15	17
8 Other diseases of heart-----430-434	123	71	48	2	2	34	16	11	5	2
9 Acute and subacute endocarditis-----430	15	6	9	-	-	3	1	1	1	-
10 Acute myocarditis not specified as rheumatic-----431	21	16	5	-	-	4	2	2	-	-
11 Acute pericarditis specified as nonrheumatic-----432	-	-	-	-	-	-	-	-	-	-
12 Functional disease of heart-----433	13	4	9	-	-	5	2	3	-	-
13 Other and unspecified diseases of heart-----434	74	45	25	2	2	22	11	5	4	2
14 Hypertension with heart disease-----440-443	1,098	469	567	24	28	280	106	115	31	28
15 Hypertensive heart disease with arteriolar nephrosclerosis-----442	267	126	128	4	9	122	50	51	12	9
16 Essential hypertension with heart disease, etc.*-----440,441,443	821	343	439	20	19	158	56	64	19	19
17 Hypertension without mention of heart-----444-447	154	66	81	-	7	19	6	6	3	1
18 Hypertension with arteriolar nephrosclerosis, etc.*-----446	102	44	54	-	4	16	7	6	2	1
19 Essential hypertension, other hypertensive disease, etc.*-----444,445,447	52	22	27	-	3	2	1	-	1	-
20 Diseases of arteries-----450-456	421	192	216	7	6	83	30	37	9	7
21 General arteriosclerosis-----450	364	159	194	5	6	78	27	36	8	7
22 Aortic aneurysm specified as nonsyphilitic, etc.*-----451	27	18	9	-	-	1	-	-	1	-
23 Gangrene of unspecified cause-----455	5	2	3	-	-	1	1	1	-	-
24 Other arterial diseases-----452-454,456	25	14	10	1	-	3	2	1	-	-
25 Diseases of veins and other diseases of circulatory system-----460-468	51	25	25	-	1	7	2	3	-	2
26 VIII.—Diseases of the respiratory system-----	536	321	200	6	9	123	61	31	20	11
27 Acute upper respiratory infections-----470-475	10	6	3	-	1	-	-	-	-	-
28 Influenza-----480-483	19	12	6	-	1	8	3	3	2	-
29 Pneumonia, except pneumonia of newborn-----490-493	362	203	150	4	5	84	40	21	15	8
30 Lobar pneumonia-----490	141	89	50	1	1	41	21	7	6	7
31 Bronchopneumonia-----491	144	75	64	3	2	29	12	9	7	1
32 Primary atypical pneumonia-----492	39	22	17	-	-	6	3	3	-	-
33 Pneumonia, other and unspecified-----493	38	17	19	-	2	8	4	2	2	-
34 Acute bronchitis-----500	16	7	8	1	-	4	2	-	-	2
35 Bronchitis, chronic and unqualified-----501-502	23	14	8	-	1	2	2	-	-	-
36 Hypertrophy of tonsils and adenoids-----510	2	1	1	-	-	-	-	-	-	-
37 Empyema and abscess of lung-----518,521	9	8	1	-	-	2	-	1	1	-
38 Pleurisy-----519	5	4	1	-	-	1	-	1	-	-
39 All other respiratory diseases-----Residual	90	66	22	1	1	22	14	5	2	1
40 IX.—Diseases of the digestive system-----	768	440	306	10	12	119	51	47	11	10
41 Diseases of teeth and supporting structures-----530-535	1	-	1	-	-	-	-	-	-	-
42 Ulcer of stomach-----540	43	35	8	-	-	7	4	-	2	1
43 Ulcer of duodenum-----541	56	42	12	1	1	5	4	1	-	-
44 Gastritis and duodenitis-----543	1	1	-	-	-	3	-	1	1	1
45 Appendicitis-----550-553	31	20	9	1	1	10	5	4	1	-
46 Hernia and intestinal obstruction-----560,561,570	146	78	61	2	5	28	10	14	3	1
47 Gastro-enteritis and colitis, except diarrhea of newborn-----571,572	67	27	38	1	1	19	5	6	2	5
48 Cirrhosis of liver-----581	241	150	86	2	3	23	15	8	-	-
49 Without mention of alcoholism-----581.0	184	113	69	-	2	20	13	7	-	-
50 With alcoholism-----581.1	57	37	17	2	1	3	2	1	-	-
51 Cholelithiasis and cholecystitis-----584,585	82	37	44	1	-	11	4	7	-	-
52 Other diseases of digestive system-----Residual	100	50	47	2	1	14	4	6	2	2
53 X.—Diseases of the genito-urinary system-----	418	238	162	6	12	114	47	48	12	6
54 Nephritis and nephrosis-----590-594	252	122	116	4	10	87	34	39	9	5
55 Acute nephritis-----590	11	6	5	-	-	3	1	1	1	-
56 Nephritis with edema, including nephrosis-----591	13	9	3	1	-	3	2	-	-	1
57 Chronic and unspecified nephritis and other renal sclerosis-----592-594	228	107	108	3	10	81	31	38	8	4
58 Infections of kidney-----600	45	18	26	-	1	4	1	2	-	1
59 Calculi of urinary system-----602,604	19	11	8	-	-	4	-	4	-	-
60 Other diseases of urinary system-----601,603,605-609	15	11	3	1	-	4	1	2	1	-
61 Hyperplasia of prostate-----610	60	60	...	-	...	13	11	...	2	...
62 Other diseases of male genital organs-----611-617	17	16	...	1	1
63 Diseases of breast-----620,621	1	-	1	-	-	1	-	-	-	-
64 Diseases of female genital organs-----622-637	9	...	8	...	1	1	...	1	...	-
65 XII.—Deliveries and complications of pregnancy, childbirth, and the puerperium-----	26	...	21	...	5	4	...	3	...	1
66 Sepsis of pregnancy, childbirth, and puerperium-----640,641,681,682,684	1	...	1	...	-	1	...	1	...	-
67 Toxemia of pregnancy and puerperium, etc.*-----642,685,686	6	...	6	...	-	1	...	1	...	-
68 Hemorrhage of pregnancy and childbirth-----643,644,670-672	7	...	6	...	1	-
69 Ectopic pregnancy-----645	3	...	2	...	1	1	1
70 Abortion without mention of sepsis or toxemia-----650	-	1	...	1	...	-
71 Abortion with sepsis-----651	3	...	1	...	2	-
72 Abortion with toxemia, without mention of sepsis-----652	-	-
73 Other complications of pregnancy, childbirth, and puerperium-- Residual	6	...	5	...	1	-
74 XIII.—Diseases of the skin and cellular tissue-----	24	11	12	1	-	2	-	2	-	-
75 Infections of skin and subcutaneous tissue-----690-698	3	1	2	-	-	1	-	1	-	-
76 Other diseases of skin and subcutaneous tissue-----703-716	21	10	10	1	-	1	-	1	-	-

*For complete category title, refer to table XIII, Part I.

VITAL STATISTICS OF THE UNITED STATES

TABLE 23.—DEATHS FROM 254 SELECTED CAUSES, BY RACE
(By place of residence. Exclusive of fetal deaths and of deaths among armed forces overseas. Numbers

CAUSE OF DEATH	CONNECTICUT					DELAWARE				
	Total	White		Nonwhite		Total	White		Nonwhite	
		Male	Female	Male	Female		Male	Female	Male	Female
XIII.—Diseases of the bones and organs of movement-----	57	16	21	-	-	6	1	3	-	2
1 Arthritis and spondylitis-----720-725	24	8	16	-	-	4	-	3	-	1
2 Muscular rheumatism and rheumatism unspecified-----726,727	-	-	-	-	-	1	1	-	-	-
3 Osteomyelitis and periostitis-----730	4	2	2	-	-	-	-	-	-	-
4 Ankylosis and acquired musculoskeletal deformities-----737,745-749	1	1	-	-	-	1	-	-	-	1
5 All other diseases of musculoskeletal system-----751-756,758-744	8	5	3	-	-	1	-	-	-	-
7 XIV.—Congenital malformations-----	244	137	98	7	2	41	18	15	3	5
8 Spina bifida and meningocele-----751	23	9	13	1	-	4	1	3	-	-
9 Congenital hydrocephalus, etc.*-----752,755	20	8	12	-	-	4	1	2	-	1
10 Congenital malformations of circulatory system-----754	109	64	39	4	2	18	9	5	2	2
11 All other congenital malformations-----750,755-759	92	56	34	2	-	15	7	5	1	2
12 XV.—Certain diseases of early infancy-----	610	338	233	16	23	132	58	41	21	12
13 Birth injuries-----760,761	134	80	49	2	3	24	12	9	1	2
14 Postnatal asphyxia and atelectasis-----762	177	104	64	4	5	37	18	9	7	3
15 Infections of newborn-----765-768	30	11	17	-	2	-	-	-	-	-
16 Hemolytic disease of newborn (erythroblastosis)-----770	27	20	6	-	1	3	1	1	1	-
17 All other defined diseases of early infancy-----769,771,772	21	8	11	-	2	6	3	1	1	1
18 Ill-defined diseases peculiar to early infancy, and immaturity unqualified-----773-776	221	115	86	10	10	62	24	21	11	6
19 XVI.—Symptoms, senility, and ill-defined conditions-----	77	46	28	3	-	21	9	7	2	3
20 Senility without mention of psychosis-----794	24	8	16	-	-	15	7	5	-	3
21 Symptoms, ill-defined and unknown causes-----780-793,795	53	38	12	3	-	6	2	2	2	-
22 XVII.—Accidents, poisonings, and violence-----	1,143	744	362	21	16	255	122	55	64	14
23 Accidents-----E800-E862	871	547	295	17	12	189	98	41	45	4
24 Railway accidents-----E800-E802	8	8	-	-	-	3	2	-	1	-
25 Motor-vehicle accidents-----E810-E835	224	161	57	3	3	75	52	9	15	-
26 Motor-vehicle traffic accidents-----E810-E828	215	155	54	3	3	74	51	9	14	-
27 Motor-vehicle traffic accident with railway train*-----E810	7	3	4	-	-	1	1	-	-	-
28 Motor-vehicle traffic accident to pedestrian-----E812	84	61	21	-	2	24	16	3	5	-
29 Other motor-vehicle traffic accidents, etc.*-----E811,E813,E815	50	31	16	2	1	23	16	3	4	-
30 Motor-vehicle noncollision traffic accidents-----E820-E824	52	41	10	1	-	22	14	3	5	-
31 Motor-vehicle traffic accident of unspecified nature-----E825	22	19	3	-	-	4	4	-	-	-
32 Motor-vehicle nontraffic accidents-----E830-E835	9	6	3	-	-	2	1	-	1	-
33 Other road-vehicle accidents-----E840-E845	3	2	1	-	-	1	-	-	1	-
34 Water-transport accidents-----E850-E858	9	8	-	1	-	6	4	-	2	-
35 Aircraft accidents-----E860-E868	20	13	7	-	-	3	3	-	-	-
36 Accidental poisoning by solid and liquid substances-----E870-E898	20	10	8	2	-	2	2	-	-	-
37 Accidental poisoning by gases and vapors-----E890-E895	46	29	16	1	-	4	3	1	-	-
38 Accidental falls-----E900-E904	313	153	154	4	2	45	14	26	5	1
39 Fall from one level to another-----E900-E902	119	73	42	3	1	24	7	13	4	-
40 Fall on same level-----E903	58	28	30	-	-	8	2	5	1	-
41 Unspecified falls-----E904	136	52	82	1	1	13	5	7	-	1
42 Blow from falling object-----E910	3	3	-	-	-	1	-	-	1	-
43 Accident caused by machinery-----E912	8	8	-	-	-	3	3	-	-	-
44 Accident caused by electric current-----E914	5	5	-	-	-	1	1	-	-	-
45 Accident caused by fire and explosion, etc.*-----E918	51	28	18	2	3	19	3	5	8	3
46 Accident caused by hot substance, etc.*-----E917,E918	12	7	4	1	-	3	-	-	2	-
47 Accident caused by firearm-----E919	7	5	2	-	-	3	-	1	2	-
48 Inhalation and ingestion of food or other object, etc.*-----E921,E922	9	4	4	1	-	1	-	-	1	-
49 Accidental drowning-----E929	61	47	12	2	-	12	5	-	7	-
50 Excessive heat and insulation-----E931	3	3	-	-	-	1	-	-	1	-
51 Complications due to nontherapeutic medical and surgical procedures, therapeutic misadventure, etc.*-----E940-E959	6	5	-	-	1	1	1	-	-	-
52 All other accidents-----Residual	63	48	12	-	3	6	5	-	1	-
53 Suicide-----E963,E970-E979	236	178	55	2	1	41	19	13	5	4
54 Suicide by poisoning-----E970-E975	77	50	25	2	-	19	8	11	2	2
55 Suicide by hanging and strangulation-----E974	82	64	17	-	1	8	2	2	2	-
56 Suicide by firearms and explosives-----E976	44	40	4	-	-	11	8	-	3	1
57 Suicide by all other means-----E963,E975,E977-E979	33	24	9	-	-	5	3	-	1	1
58 Homicide-----E964,E980-E985	36	19	12	2	3	25	4	1	14	6
59 Assault by firearms and explosives-----E981	14	9	5	-	-	18	3	1	10	4
60 Assault by cutting and piercing instruments-----E982	8	4	-	2	2	4	1	-	2	1
61 Assault by other means-----E964,E980,E983	13	5	7	-	1	3	-	-	2	1
62 Injury by intervention of police-----E984	-	-	-	-	-	-	-	-	-	-
63 Execution-----E985	1	1	-	-	-	-	-	-	-	-
64 Injury resulting from operations of war-----E985,E990-E999	-	-	-	-	-	1	1	-	-	-

*For complete category title, refer to table XIII, Part I.

VITAL STATISTICS OF THE UNITED STATES

TABLE 23.—DEATHS FROM 254 SELECTED CAUSES, BY RACE (By place of residence. Exclusive of fetal deaths and of deaths among armed forces overseas. Numbers

Table with columns for CAUSE OF DEATH, ILLINOIS (Total, White Male/Female, Nonwhite Male/Female), and INDIANA (Total, White Male/Female, Nonwhite Male/Female). Rows list various causes of death from ALL CAUSES to Malignant neoplasm of testis, and of other and unspecified male genital organs.

*For complete category title, refer to table XIII, Part I.

VITAL STATISTICS OF THE UNITED STATES

TABLE 23.-DEATHS FROM 254 SELECTED CAUSES, BY RACE (By place of residence. Exclusive of fetal deaths and of deaths among armed forces overseas. Numbers

Table with columns for Cause of Death, State (Illinois, Indiana), Race (White, Nonwhite), and Sex (Male, Female). Rows list various medical conditions such as Neoplasms, Allergic diseases, Blood disorders, Nervous system disorders, and Circulatory system disorders.

*For complete category title, refer to table XIII, Part I.

TABLE 23.—DEATHS FROM 254 SELECTED CAUSES, BY RACE
 (By place of residence. Exclusive of fetal deaths and of deaths among armed forces overseas. Numbers

CAUSE OF DEATH	ILLINOIS					INDIANA				
	Total	White		Nonwhite		Total	White		Nonwhite	
		Male	Female	Male	Female		Male	Female	Male	Female
VII.—Diseases of the circulatory system—Continued										
Diseases of heart—Continued										
1 Chronic endocarditis not specified as rheumatic-----421	579	284	252	18	25	324	174	132	9	9
2 Of mitral valve, specified as nonrheumatic-----421.0	15	6	9	-	-	6	3	3	-	-
3 Of aortic valve, not specified as rheumatic-----421.1	119	66	39	7	7	49	29	15	3	2
4 Of other valves, not specified as rheumatic-----421.2-421.4	445	212	204	11	18	269	142	114	6	7
5 Other myocardial degeneration-----422	9,952	5,106	4,008	430	568	2,362	1,186	1,112	45	39
6 With arteriosclerosis-----422.1	3,232	1,612	1,529	44	47	927	459	439	13	14
7 Without mention of arteriosclerosis-----422.0,422.2	6,700	3,577	2,396	386	341	1,455	729	673	28	25
8 Other diseases of heart-----430-434	1,721	939	582	103	97	769	405	329	17	18
9 Acute and subacute endocarditis-----430	92	49	28	9	6	29	14	11	3	1
10 Acute myocarditis not specified as rheumatic-----431	304	158	132	5	9	129	73	49	3	4
11 Acute pericarditis specified as nonrheumatic-----432	2	2	-	-	-	1	-	1	-	-
12 Functional disease of heart-----433	103	53	50	-	-	99	38	57	2	2
13 Other and unspecified diseases of heart-----434	1,220	677	372	89	82	511	260	211	9	11
14 Hypertension with heart disease-----440-443	5,259	2,036	2,594	268	361	2,582	1,185	1,191	91	115
15 Hypertensive heart disease with arteriolar nephrosclerosis-----442	1,244	554	577	47	66	1,450	750	616	41	43
16 Essential hypertension with heart disease, etc.*-440,441,443	4,015	1,482	2,017	221	295	1,132	435	575	50	72
17 Hypertension without mention of heart-----444-447	657	289	285	36	47	347	154	159	15	19
18 Hypertension with arteriolar nephrosclerosis, etc.*-446	375	175	137	26	37	139	73	54	4	8
19 Essential hypertension, other hypertensive disease, etc.*-444,445,447	282	114	148	10	10	208	81	106	11	11
20 Diseases of arteries-----450-456	1,931	1,001	841	53	56	1,279	671	577	17	14
21 General arteriosclerosis-----450	1,740	886	781	47	26	1,201	630	543	15	13
22 Aortic aneurysm specified as nonsyphilitic, etc.*-451	83	62	24	4	5	23	16	5	1	1
23 Gangrene of unspecified cause-----455	17	9	6	2	-	7	3	3	1	-
24 Other arterial diseases-----452-454,456	81	44	30	-	7	48	22	26	-	-
25 Diseases of veins and other diseases of circulatory system-----460-468	181	90	78	5	8	81	42	37	-	2
26 VIII.—Diseases of the respiratory system-----	2,690	1,645	655	243	149	1,445	749	561	82	53
27 Acute upper respiratory infections-----470-475	36	16	18	2	-	25	15	8	1	1
28 Influenza-----480-483	123	54	56	5	8	141	61	72	2	6
29 Pneumonia, except pneumonia of newborn-----490-495	1,978	1,085	573	200	113	957	481	368	69	39
30 Lobar pneumonia-----490	794	468	198	97	41	350	164	115	35	16
31 Bronchopneumonia-----491	1,024	556	308	106	74	430	224	157	27	22
32 Primary atypical pneumonia-----492	116	62	51	2	1	117	52	61	3	1
33 Pneumonia, other and unspecified-----493	42	19	16	5	2	80	41	35	4	-
34 Acute bronchitis-----500	73	31	27	7	8	18	10	6	2	-
35 Bronchitis, chronic and unqualified-----501,502	195	120	67	4	4	55	30	19	4	2
36 Hypertrophy of tonsils and adenoids-----510	25	15	6	2	-	11	5	5	-	1
37 Empyema and abscess of lung-----518,521	78	58	11	6	3	27	17	10	-	-
38 Pleurisy-----519	17	11	5	-	-	7	5	2	-	-
39 All other respiratory diseases-----Residual	367	255	88	16	8	204	125	71	4	4
40 IX.—Diseases of the digestive system-----	3,804	2,085	1,476	153	80	1,507	815	607	49	36
41 Diseases of teeth and supporting structures-----530-535	5	3	1	1	-	11	8	3	-	-
42 Ulcer of stomach-----540	318	230	65	19	6	95	71	17	5	-
43 Ulcer of duodenum-----541	259	211	36	9	3	97	72	21	4	-
44 Gastritis and duodenitis-----543	11	9	2	-	-	9	4	4	1	-
45 Appendicitis-----550-553	244	143	84	10	7	107	73	30	2	2
46 Hernia and intestinal obstruction-----560,561,570	665	331	320	19	15	261	128	117	6	8
47 Gastro-enteritis and colitis, except diarrhea of newborn-----571,572	404	167	180	34	23	263	138	96	13	16
48 Cirrhosis of liver-----581	969	620	303	30	16	294	193	84	12	5
49 Without mention of alcoholism-----581.0	694	435	232	17	10	252	164	75	9	4
50 With alcoholism-----581.1	275	185	71	13	6	42	29	9	3	1
51 Cholelithiasis and cholecystitis-----584,585	622	174	354	5	9	195	45	147	1	2
52 Other diseases of digestive system-----Residual	387	197	155	26	11	177	85	68	3	3
53 X.—Diseases of the genito-urinary system-----	3,374	1,851	1,219	163	141	1,250	714	452	45	39
54 Nephritis and nephrosis-----590-594	2,307	1,077	1,012	101	117	844	417	365	32	30
55 Acute nephritis-----590	115	59	44	8	4	65	30	31	3	1
56 Nephritis with edema, including nephrosis-----591	93	48	35	6	4	31	16	14	1	-
57 Chronic and unspecified nephritis and other renal sclerosis-----592-594	2,099	970	933	87	109	749	371	320	28	29
58 Infections of kidney-----600	237	116	94	20	7	70	31	32	3	4
59 Calculi of urinary system-----602,604	75	44	26	1	2	33	13	13	1	-
60 Other diseases of urinary system-----601,603,605-609	109	67	27	9	6	34	18	15	-	1
61 Hyperplasia of prostate-----610	523	493	-	30	-	197	189	-	8	-
62 Other diseases of male genital organs-----611-617	56	54	-	2	-	41	40	-	1	-
63 Diseases of breast-----620,621	-	-	-	-	-	1	-	1	-	-
64 Diseases of female genital organs-----622-637	69	-	60	-	9	30	-	26	-	4
65 XI.—Deliveries and complications of pregnancy, childbirth, and the puerperium-----	132	-	108	-	23	57	-	48	-	9
66 Sepsis of pregnancy, childbirth, and puerperium-----640,641,681,682,684	31	-	26	-	5	10	-	10	-	3
67 Toxemia of pregnancy and puerperium, etc.*-----642,685,686	39	-	33	-	6	14	-	11	-	3
68 Hemorrhage of pregnancy and childbirth-----643,644,670-672	20	-	18	-	2	9	-	8	-	1
69 Ectopic pregnancy-----645	9	-	4	-	4	6	-	4	-	2
70 Abortion without mention of sepsis or toxemia-----650	2	-	2	-	-	3	-	2	-	1
71 Abortion with sepsis-----651	13	-	10	-	3	5	-	5	-	-
72 Abortion with toxemia, without mention of sepsis-----652	-	-	-	-	-	-	-	-	-	-
73 Other complications of pregnancy, childbirth, and puerperium-----Residual	19	-	16	-	3	10	-	8	-	2
74 XII.—Diseases of the skin and cellular tissue-----	49	26	17	1	5	22	9	13	-	-
75 Infections of skin and subcutaneous tissue-----690-698	18	12	2	-	2	7	4	3	-	-
76 Other diseases of skin and subcutaneous tissue-----700-716	33	14	15	1	3	15	5	10	-	-

*For complete category titles, refer to table XIII, Part I.

VITAL STATISTICS OF THE UNITED STATES

TABLE 23.—DEATHS FROM 254 SELECTED CAUSES, BY RACE

(By place of residence. Exclusive of fetal deaths and of deaths among armed forces overseas. Numbers

CAUSE OF DEATH	ILLINOIS					INDIANA				
	Total	White		Nonwhite		Total	White		Nonwhite	
		Male	Female	Male	Female		Male	Female	Male	Female
XIII.—Diseases of the bones and organs of movement-----	138	61	59	4	2	93	40	50	2	1
1 Arthritis and spondylitis-----720-725	72	25	43	3	1	54	19	34	-	1
2 Muscular rheumatism and rheumatism unspecified-----726,727	3	1	2	-	-	6	3	2	-	-
4 Osteomyelitis and periostitis-----730	10	7	2	-	1	5	3	2	-	-
5 Ankylosis and acquired musculoskeletal deformities-----737,745-749	2	1	1	-	-	3	2	1	-	-
6 All other diseases of musculoskeletal system-----731-736,739-744	49	27	21	1	-	25	13	11	1	-
XIV.—Congenital malformations-----	1,113	559	475	45	34	533	278	239	10	6
8 Spina bifida and meningocele-----751	114	48	60	4	2	85	31	32	1	1
9 Congenital hydrocephalus, etc.*-----752,753	128	64	59	2	3	49	29	19	1	-
10 Congenital malformations of circulatory system-----754	505	254	205	27	19	223	125	91	3	4
11 Other congenital malformations-----750,755-759	366	193	151	12	10	196	95	97	5	1
XV.—Certain diseases of early infancy-----	3,227	1,601	1,155	255	216	1,566	852	574	85	55
13 Birth injuries-----760,761	611	341	194	46	28	279	157	97	16	9
14 Postnatal asphyxia and atelectasis-----762	1,170	561	592	126	101	343	202	111	18	12
15 Infections of newborn-----763-766	203	91	67	23	22	92	41	35	11	5
16 Hemolytic disease of newborn (erythroblastosis)-----770	147	78	63	4	6	67	43	23	1	-
17 All other defined diseases of early infancy-----769,771,772	89	47	36	-	2	67	28	37	2	-
18 Ill-defined diseases peculiar to early infancy, and immaturity unqualified-----773-776	1,007	483	411	56	57	716	361	271	37	29
XVI.—Symptoms, senility, and ill-defined conditions-----	325	186	115	15	11	260	122	118	12	8
20 Senility without mention of psychosis-----794	120	50	65	2	5	112	46	61	2	3
21 Symptoms, ill-defined and unknown causes-----780-793,795	205	136	50	13	6	148	76	57	10	5
XVII.—Accidents, poisonings, and violence-----	6,770	4,214	1,896	497	161	3,358	2,154	1,020	141	45
23 Accidents-----E800-E862	5,336	3,330	1,639	263	104	2,709	1,715	874	93	29
24 Railway accidents-----E800-E802	166	124	19	12	1	72	62	6	3	1
25 Motor-vehicle accidents-----E810-E835	1,826	1,270	438	93	25	1,088	796	257	35	10
26 Motor-vehicle traffic accidents-----E810-E825	1,605	1,253	434	93	25	1,079	780	254	35	10
27 Motor-vehicle traffic accident with railway train*-----E810	119	86	32	-	1	92	69	23	-	-
28 Motor-vehicle traffic accident to pedestrian-----E812	589	408	121	47	12	245	175	60	9	1
29 Other motor-vehicle traffic accidents, etc.*-----E811, E815-E819	688	464	187	31	6	452	321	112	14	5
30 Motor-vehicle noncollision traffic accidents-----E820-E824	341	250	70	15	6	235	175	49	8	3
31 Motor-vehicle traffic accident of unspecified nature-----E825	68	44	24	-	-	55	40	10	4	1
32 Motor-vehicle nontraffic accidents-----E830-E835	21	17	4	-	-	19	16	3	-	-
33 Other road-vehicle accidents-----E840-E845	59	34	14	8	3	14	11	2	-	1
34 Water-transport accidents-----E850-E858	59	53	6	-	-	21	15	6	-	-
35 Aircraft accidents-----E860-E866	61	56	5	-	-	22	19	3	-	-
36 Accidental poisoning by solid and liquid substances-----E870-E888	96	46	36	6	8	41	23	15	2	1
37 Accidental poisoning by gases and vapors-----E890-E895	73	49	16	7	1	25	20	2	3	-
38 Accidental falls-----E900-E904	1,681	800	803	52	26	743	290	436	10	7
39 Fall from one level to another-----E900-E902	546	316	197	24	9	183	95	82	5	1
40 Fall on same level-----E903	385	200	170	13	2	110	39	68	2	1
41 Unspecified falls-----E904	750	284	436	15	15	450	156	296	3	5
42 Blow from falling object-----E910	80	74	2	4	-	36	33	1	2	-
43 Accident caused by machinery-----E912	95	84	3	8	-	57	52	3	2	-
44 Accident caused by electric current-----E914	53	46	6	1	-	39	38	1	-	-
45 Accident caused by fire and explosion, etc.*-----E916	317	142	129	28	19	128	70	42	14	2
46 Accident caused by hot substance, etc.*-----E917, E918	45	21	15	6	2	36	22	10	2	2
47 Accident caused by firearms-----E919	109	92	5	11	1	42	35	4	3	-
48 Inhalation and ingestion of food or other object, etc.*-----E921, E922	53	30	19	2	2	33	19	9	4	1
49 Accidental drowning-----E929	265	214	39	11	2	120	97	15	8	-
50 Excessive heat and insolation-----E931	39	26	8	2	3	12	6	4	1	1
51 Complications due to nontherapeutic medical and surgical procedures, therapeutic misadventure, etc.*-----E940-E959	5	2	3	-	-	8	2	5	-	1
52 All other accidents-----Residual	264	167	73	12	12	162	103	53	4	2
53 Suicide-----E963, E970-E979	1,007	756	207	36	8	526	391	126	6	1
54 Suicide by poisoning-----E970-E973	142	90	50	1	1	120	71	48	-	1
55 Suicide by hanging and strangulation-----E974	326	254	63	8	1	110	65	25	-	-
56 Suicide by firearms and explosives-----E976	382	330	32	18	2	242	206	33	4	-
57 Suicide by all other means-----E963, E975, E977-E979	157	82	62	9	4	54	30	20	4	-
58 Homicide-----E984, E980-E985	425	126	52	199	49	123	50	20	40	13
59 Assault by firearms and explosives-----E981	216	63	32	98	23	67	31	8	22	6
60 Assault by cutting and piercing instruments-----E982	99	18	4	65	12	25	4	6	11	4
61 Assault by other means-----E964, E980, E983	90	35	16	25	14	26	12	6	5	3
62 Injury by intervention of police-----E984	18	8	-	10	-	1	-	-	-	-
63 Execution-----E985	2	2	-	-	-	4	3	-	1	-
64 Injury resulting from operations of war-----E965, E990-E999	2	2	-	-	-	-	-	-	-	-

*For complete category title, refer to table XIII, Part I.

VITAL STATISTICS OF THE UNITED STATES

TABLE 23.—DEATHS FROM 254 SELECTED CAUSES, BY RACE
(By place of residence. Exclusive of fetal deaths and of deaths among armed forces overseas. Numbers

CAUSE OF DEATH	MAINE					MARYLAND				
	Total	White		Nonwhite		Total	White		Nonwhite	
		Male	Female	Male	Female		Male	Female	Male	Female
1 ALL CAUSES-----	10,099	5,572	4,485	21	21	22,110	9,610	7,643	2,596	2,061
2 I.—Infective and parasitic diseases-----	267	180	104	1	2	1,229	428	205	377	219
3 Tuberculosis, all forms-----001-019	169	116	72	1	-	622	318	143	291	170
4 Tuberculosis of respiratory system-----001-008	163	104	65	1	-	645	299	129	267	150
5 Tuberculosis of meninges and central nervous system-----010	9	6	3	-	-	27	8	5	7	7
6 Tuberculosis of intestines, peritoneum, and mesenteric glands-----011	2	1	1	-	-	2	1	1	1	-
7 Tuberculosis of vertebral column-----012,0,013,0	2	1	1	-	-	5	-	1	1	3
8 Tuberculosis of other bones and joints-----012,1-012,3,013,1-013,3	-	-	-	-	-	2	1	-	-	1
9 Tuberculosis of genito-urinary system-----016	4	2	2	-	-	7	4	1	1	1
10 Tuberculosis of lymphatic system and other organs-----014,015,017,018	-	-	-	-	-	5	2	2	1	-
11 Disseminated tuberculosis-----019	4	2	2	-	-	29	4	4	13	8
12 Syphilis and its sequelae-----020-029	51	21	8	-	2	186	58	19	73	36
13 Congenital syphilis-----020	1	-	-	-	1	10	-	1	6	3
14 Early syphilis-----021	-	-	-	-	-	-	-	-	-	-
15 Aneurysm of aorta-----022	12	9	3	-	-	56	24	8	15	9
16 Other cardiovascular syphilis-----023	9	7	2	-	-	61	16	5	26	14
17 Tabes dorsalis-----024	-	-	-	-	-	4	1	2	1	-
18 General paralysis of insane-----025	3	2	1	-	-	36	11	1	18	6
19 Other syphilis of central nervous system-----026	2	1	1	-	-	15	6	1	6	2
20 Other syphilis-----027-029	4	2	1	-	1	4	-	1	1	2
21 Gonococcal infection-----030-035	-	-	-	-	-	1	-	-	1	-
22 Typhoid fever-----040	-	-	-	-	-	-	-	-	-	-
23 Paratyphoid fever-----041	-	-	-	-	-	-	-	-	-	-
24 Other Salmonella infections-----042	-	-	-	-	-	-	-	-	-	-
25 Cholera-----043	-	-	-	-	-	-	-	-	-	-
26 Brucellosis (undulant fever)-----044	-	-	-	-	-	1	1	-	-	-
27 Dysentery, all forms-----045-048	-	-	-	-	-	7	1	1	3	2
28 Scarlet fever-----050	1	-	1	-	-	1	-	-	-	1
29 Streptococcal sore throat-----051	4	4	-	-	-	3	1	1	1	1
30 Erysipelas-----052	-	-	-	-	-	1	1	-	-	-
31 Septicemia and pyemia-----053	4	3	1	-	-	16	5	3	5	3
32 Diphtheria-----055	-	-	-	-	-	6	1	3	-	2
33 Whooping cough-----056	9	6	3	-	-	5	1	3	1	-
34 Meningococcal infections-----057	9	5	4	-	-	11	7	4	-	-
35 Plague-----058	-	-	-	-	-	-	-	-	-	-
36 Tularemia-----059	-	-	-	-	-	-	-	-	-	-
37 Leprosy-----060	-	-	-	-	-	-	-	-	-	-
38 Tetanus-----061	-	-	-	-	-	5	3	-	2	-
39 Anthrax-----062	-	-	-	-	-	-	-	-	-	-
40 Acute poliomyelitis-----060	10	7	3	-	-	13	8	5	-	-
41 Late effects of acute poliomyelitis-----061	-	-	-	-	-	4	-	4	-	-
42 Acute infectious encephalitis-----062	3	1	2	-	-	5	2	2	-	1
43 Late effects of acute infectious encephalitis-----063	1	-	1	-	-	4	2	2	-	-
44 Smallpox-----084	-	-	-	-	-	-	-	-	-	-
45 Measles-----085	12	7	5	-	-	17	7	8	1	1
46 Yellow fever-----091	-	-	-	-	-	-	-	-	-	-
47 Infectious hepatitis-----092	5	3	2	-	-	7	4	2	-	1
48 Rabies-----094	-	-	-	-	-	-	-	-	-	-
49 Tick-borne typhus-----104	-	-	-	-	-	-	-	-	-	-
50 Typhus, etc.,* and other rickettsial diseases-----100-103,105-108	-	-	-	-	-	1	1	-	-	-
51 Malaria-----110-117	2	1	1	-	-	-	-	-	-	-
52 Schistosomiasis-----123	-	-	-	-	-	-	-	-	-	-
53 Hydatid disease-----125	-	-	-	-	-	-	-	-	-	-
54 Filariasis-----127	-	-	-	-	-	-	-	-	-	-
55 Ankylostomiasis-----129	-	-	-	-	-	-	-	-	-	-
56 Other diseases due to helminths-----124,126,128,130	-	-	-	-	-	1	1	-	-	-
57 All other infective and parasitic diseases-----Residual	7	6	1	-	-	12	6	5	-	1
58 II.—Neoplasms-----	1,550	777	758	2	3	3,299	1,413	1,388	235	263
59 Malignant neoplasms, including neoplasms of lymphatic and hematopoietic tissues-----140-205	1,507	758	744	2	3	3,205	1,381	1,349	230	245
60 Malignant neoplasm of buccal cavity and pharynx-----140-148	45	32	13	-	-	78	54	14	8	2
61 Of lip-----140	9	8	1	-	-	7	7	-	-	-
62 Of tongue-----141	11	9	2	-	-	17	14	3	-	-
63 Of other and unspecified parts of buccal cavity-----142-144	13	10	3	-	-	29	18	7	4	7
64 Of pharynx-----145-148	12	5	7	-	-	25	15	4	4	2
65 Malignant neoplasm of digestive organs and peritoneum-----150-156A,157-159	666	384	301	-	1	1,151	531	435	98	69
66 Of esophagus-----150	30	20	10	-	-	51	34	7	9	1
67 Of stomach-----151	202	136	66	-	-	325	174	91	42	16
68 Of intestine, except rectum-----152,153	224	99	124	-	1	332	132	158	15	27
69 Of rectum-----154	84	45	39	-	-	143	64	82	11	6
70 Of biliary passages and of liver (stated to be primary site)-----155	33	14	19	-	-	63	18	37	3	5
71 Of liver not specified whether primary or secondary-----156A	45	27	18	-	-	76	50	34	6	6
72 Of pancreas-----157	61	36	25	-	-	137	73	51	10	3
73 Of peritoneum and of unspecified digestive organs-----158,159	7	7	-	-	-	24	6	13	2	3
74 Malignant neoplasm of respiratory system-----160-164	100	78	21	-	1	344	232	46	41	5
75 Of larynx-----161	7	7	-	-	-	38	31	1	6	-
76 Of trachea, and of bronchus and lung specified as primary-----162	33	28	5	-	-	98	74	13	11	-
77 Of lung and bronchus, unspecified as primary or secondary-----163	59	43	15	-	1	192	138	27	24	3
78 Of other parts of respiratory system-----160,164	1	-	1	-	-	16	9	5	-	2
79 Malignant neoplasm of breast-----170	119	3	116	-	-	297	-	266	1	30
80 Malignant neoplasm of genital organs-----171-179	281	113	167	-	1	572	165	277	35	95
81 Of cervix uteri-----171	71	...	70	...	1	153	...	107	...	46
82 Of other and unspecified parts of uterus-----172-174	57	...	57	...	-	139	...	104	...	35
83 Of ovary, fallopian tube, and broad ligament-----175	35	...	33	...	-	76	...	84	...	12
84 Of other and unspecified female genital organs-----176	7	...	7	...	-	4	...	2	...	2
85 Of prostate-----177	108	108	178	148	...	32	...
86 Of testis, and of other and unspecified male genital organs-----178,179	5	5	22	18	...	3	...

*For complete category title, refer to table XIII, Part I.

TABLE 23.—DEATHS FROM 254 SELECTED CAUSES, BY RACE
(By place of residence. Exclusive of fetal deaths and of deaths among armed forces overseas. Numbers

CAUSE OF DEATH	MAINE					MARYLAND				
	Total	White		Nonwhite		Total	White		Nonwhite	
		Male	Female	Male	Female		Male	Female	Male	Female
II.—Neoplasms—Continued										
Malignant neoplasms, including neoplasms of lymphatic and hematopoietic tissues—Continued										
1 Malignant neoplasm of urinary organs-----180,181	79	50	29	-	-	184	103	64	10	7
2 Of kidney-----180	22	14	8	-	-	58	27	25	3	3
3 Of bladder and other urinary organs-----181	57	36	21	-	-	126	76	39	7	4
4 Malignant neoplasm of other and unspecified sites-----156B,165,190-199	110	50	59	1	-	343	154	136	25	28
5 Of skin-----190,191	19	11	8	-	-	45	24	18	2	1
6 Of eye-----192	4	3	1	-	-	3	-	2	1	-
7 Of brain and other parts of nervous system-----193	21	14	7	-	-	64	33	21	3	7
8 Of thyroid gland-----194	5	3	2	-	-	8	3	4	-	1
9 Of bone (including jaw bone)-----196	14	5	8	1	-	32	17	11	-	4
10 Of connective tissue-----197	3	1	2	-	-	7	3	3	1	-
11 Of other specified sites, not stated to be secondary-----195,198A,198A	22	7	15	-	-	71	27	31	8	5
12 Of unspecified sites-----156B,165,198B,199B-H	22	6	16	-	-	113	47	46	10	10
13 Leukemia and aleukemia-----204	46	25	20	1	-	119	61	46	6	6
14 Lymphosarcoma, etc.*-----200-205,205	41	23	18	-	-	117	61	47	6	3
15 Lymphosarcoma and reticulosarcoma-----200	11	6	5	-	-	60	36	21	2	1
16 Hodgkin's disease-----201	20	12	8	-	-	31	14	15	2	-
17 Other neoplasms of lymphatic and hematopoietic tissues-----202,203,205	10	5	5	-	-	26	11	11	2	2
18 Benign neoplasms and neoplasms of unspecified nature-----210-239	43	19	24	-	-	94	32	39	5	18
19 Benign neoplasms of female genital organs-----214-217	11	...	11	...	-	20	...	11	...	9
20 Benign neoplasm of brain and other parts of nervous system-----223	7	3	4	-	-	15	7	8	-	-
21 Other benign neoplasms-----210-213,216-222,224-229	5	3	2	-	-	12	5	6	1	-
22 Neoplasm of unspecified nature of female genital organs-----233-235	1	...	1	...	-	1	...	1	...	-
23 Neoplasm of unspecified nature of brain, etc.*-----237	11	10	1	-	-	32	13	11	2	6
24 Other neoplasms of unspecified nature-----230-232,236,238,239	8	3	5	-	-	16	7	4	2	3
25 III.—Allergic, endocrine system, metabolic, and nutritional diseases-----	243	101	141	-	1	561	176	314	26	45
26 Asthma-----241	32	18	14	-	-	57	31	19	5	2
27 Nontoxic goiter-----250,251	2	-	2	-	-	2	-	2	-	-
28 Thyrotoxicosis with or without goiter-----252	7	2	5	-	-	26	4	20	-	2
29 Myxedema, cretinism, and other diseases of thyroid gland-----253,254	2	-	2	-	-	3	1	2	-	-
30 Diabetes mellitus-----260	173	62	110	-	1	427	119	257	14	37
31 Diseases of thymus gland-----273	6	5	1	-	-	16	8	4	2	2
32 Diseases of adrenal glands-----274	3	1	2	-	-	6	6	2	-	-
33 Pellagra-----281	1	1	-	-	-	1	-	1	-	-
34 All other avitaminoses and nutritional deficiency states-----260,262-286	6	5	3	-	-	15	5	4	4	2
35 Other allergic, endocrine, and metabolic diseases-----Residual	9	7	2	-	-	6	2	3	1	-
36 IV.—Diseases of the blood and blood-forming organs-----	44	28	16	-	-	66	23	35	3	5
37 Anemia-----290-293	33	20	13	-	-	44	12	27	2	3
38 Pernicious and other hyperchromic anemias-----290	10	13	7	-	-	17	5	10	-	2
39 Anemias of other and unspecified type-----291-293	15	7	6	-	-	27	7	17	2	1
40 Purpura and other hemorrhagic conditions-----296	3	3	-	-	-	7	4	2	-	1
41 All other diseases of blood and blood-forming organs-----294,295,297-299	6	5	3	-	-	15	7	6	1	1
42 V.—Mental, psychoneurotic, and personality disorders-----	51	36	15	-	-	99	46	22	19	12
43 Senile psychosis-----304	5	4	1	-	-	8	5	3	-	-
44 Alcoholic psychosis-----307	4	4	-	-	-	8	6	-	-	-
45 Other psychoses-----300-301,305,308,309	13	8	5	-	-	16	2	6	2	6
46 Alcoholism-----322	23	16	7	-	-	62	30	10	18	6
47 Mental deficiency-----325	4	3	1	-	-	6	2	3	1	-
48 Psychoneuroses and other disorders of personality-----310-321,323,324,326	2	1	1	-	-	1	1	-	-	-
49 VI.—Diseases of the nervous system and sense organs-----	1,340	620	714	2	4	2,149	752	932	227	258
50 Vascular lesions affecting central nervous system-----330-334	1,226	567	656	1	2	1,929	658	856	192	223
51 Subarachnoid hemorrhage-----330	12	4	8	-	-	67	23	22	12	10
52 Cerebral hemorrhage-----331	886	401	484	-	1	1,345	435	606	136	169
53 Cerebral embolism and thrombosis-----332	212	107	103	1	1	304	128	133	27	16
54 Other vascular lesions affecting central nervous system-----333,334	116	55	61	-	-	213	72	95	17	29
55 Meningitis, except meningococcal and tuberculous-----340	12	4	7	1	-	41	18	12	8	3
56 Multiple sclerosis-----345	22	8	14	-	-	14	5	8	1	-
57 Paralysis agitans-----350	16	9	9	-	-	27	15	12	-	-
58 Cerebral spastic infantile paralysis-----351	3	2	1	-	-	16	5	4	3	4
59 Epilepsy-----353	21	8	13	-	-	33	17	6	8	2
60 Inflammatory diseases of eye-----370-379	1	-	1	-	-	-	-	-	-	-
61 Cataract-----385	-	-	-	-	-	-	-	-	-	-
62 Glaucoma-----387	-	-	-	-	-	2	2	-	-	-
63 Otitis media and mastoiditis-----391-393	1	1	-	-	-	9	3	3	2	1
64 Other diseases of nervous system and sense organs-----Residual	36	21	13	-	2	78	29	31	13	5
65 VII.—Diseases of the circulatory system-----	4,086	2,315	1,759	7	5	9,453	4,379	3,440	855	779
66 Rheumatic fever-----400-402	13	10	3	-	-	32	11	9	5	7
67 Diseases of heart-----410-443	3,649	2,102	1,537	5	5	6,756	4,092	3,165	782	699
68 Chronic rheumatic heart disease-----410-416	135	65	70	-	-	295	115	139	20	21
69 Diseases of mitral valve-----410	56	30	28	-	-	113	39	59	8	7
70 Diseases of aortic valve specified as rheumatic-----411	7	7	-	-	-	10	9	1	-	-
71 Diseases of tricuspid valve-----412	-	-	-	-	-	-	-	-	-	-
72 Diseases of pulmonary valve, etc.,* specified as rheumatic-----413,414	8	4	4	-	-	12	6	5	1	-
73 Other diseases of heart specified as rheumatic-----415,416	62	24	38	-	-	160	61	74	11	14
74 Arteriosclerotic heart disease, including coronary disease-----420	2,196	1,401	789	3	3	3,981	2,364	1,204	241	172
75 Arteriosclerotic heart disease so described-----420.0	529	289	239	1	-	860	410	305	73	72
76 Heart disease specified as involving coronary arteries-----420.1	1,822	1,085	532	2	3	3,083	1,834	896	166	97
77 Angina pectoris without mention of coronary disease-----420.2	45	27	18	-	-	58	20	13	2	3

*For complete category title, refer to table XIII, Part I.

VITAL STATISTICS OF THE UNITED STATES

TABLE 23.—DEATHS FROM 254 SELECTED CAUSES, BY RACE
(By place of residence. Exclusive of fetal deaths and of deaths among armed forces overseas. Numbers

CAUSE OF DEATH	MAINE					MARYLAND				
	Total	White		Nonwhite		Total	White		Nonwhite	
		Male	Female	Male	Female		Male	Female	Male	Female
VII.—Diseases of the circulatory system—Continued										
Diseases of heart—Continued										
1 Chronic endocarditis not specified as rheumatic-----421	146	72	73	1	-	178	52	65	37	24
2 Of mitral valve, specified as nonrheumatic-----421.0	3	1	2	-	-	8	2	2	2	2
3 Of aortic valve, not specified as rheumatic-----421.1	13	8	4	1	-	35	11	13	7	4
4 Of other valves, not specified as rheumatic-----421.2-421.4	130	53	67	-	-	135	39	50	28	18
5 Other myocardial degeneration-----422	594	305	289	-	-	1,949	792	817	182	158
6 With arteriosclerosis-----422.1	297	140	157	-	-	1,385	582	600	106	97
7 Without mention of arteriosclerosis-----422.0,422.2	297	165	132	-	-	564	210	217	76	61
8 Other diseases of heart-----430-434	109	65	45	-	1	239	95	68	45	35
9 Acute and subacute endocarditis-----430	4	1	3	-	-	17	5	2	6	4
10 Acute myocarditis not specified as rheumatic-----431	25	14	11	-	-	54	25	15	5	9
11 Acute pericarditis specified as nonrheumatic-----432	-	-	-	-	-	1	-	-	-	1
12 Functional disease of heart-----433	14	8	6	-	-	18	7	10	1	-
13 Other and unspecified diseases of heart-----434	66	40	25	-	1	149	56	41	33	19
14 Hypertension with heart disease-----440-443	469	196	271	1	1	2,096	676	872	257	291
15 Hypertensive heart disease with arteriolar nephrosclerosis-----442	141	65	75	1	-	711	239	247	104	121
16 Essential hypertension with heart disease, etc.*-----440,441,443	328	131	196	-	1	1,385	437	625	153	170
17 Hypertension without mention of heart-----444-447	87	45	42	-	-	174	68	55	25	26
18 Hypertension with arteriolar nephrosclerosis, etc.*-----446	47	27	20	-	-	106	46	27	16	17
19 Essential hypertension, other hypertensive disease, etc.*-----444,445,447	40	18	22	-	-	68	22	28	9	9
20 Diseases of arteries-----450-456	309	140	167	2	-	459	187	192	38	42
21 General arteriosclerosis-----450	287	132	153	2	-	412	163	163	34	32
22 Aortic aneurysm specified as nonpythritic, etc.*-----451	8	2	6	-	-	23	17	3	1	2
23 Gangrene of unspecified cause-----455	1	1	-	-	-	4	2	-	1	1
24 Other arterial diseases-----452-454,456	13	5	8	-	-	20	5	6	2	7
25 Diseases of veins and other diseases of circulatory system-----460-468	28	18	10	-	-	60	21	19	5	5
26 VIII.—Diseases of the respiratory system-----	599	230	166	5	-	764	299	207	147	111
27 Acute upper respiratory infections-----470-475	7	3	4	-	-	28	8	5	9	6
28 Influenza-----480-483	33	17	16	-	-	32	12	8	7	5
29 Pneumonia, except pneumonia of newborn-----490-493	275	150	123	2	-	526	191	147	102	86
30 Lobar pneumonia-----490	106	62	43	1	-	224	74	57	33	40
31 Bronchopneumonia-----491	131	68	62	1	-	220	85	63	37	35
32 Primary atypical pneumonia-----492	22	12	10	-	-	50	21	20	2	7
33 Pneumonia, other and unspecified-----493	16	8	8	-	-	32	11	7	10	4
34 Acute bronchitis-----500	10	8	2	-	-	31	12	10	4	5
35 Bronchitis, chronic and unqualified-----501,502	24	18	5	1	-	27	15	10	1	1
36 Hypertrophy of tonsils and adenoids-----510	1	1	-	-	-	4	1	2	-	1
37 Empyema and abscess of lung-----518,521	7	4	3	-	-	18	9	2	5	2
38 Pleurisy-----519	4	2	2	-	-	3	1	1	1	1
39 All other respiratory diseases-----Residual	38	27	11	-	-	95	50	22	18	5
40 IX.—Diseases of the digestive system-----	337	200	136	1	-	793	368	270	99	56
41 Diseases of teeth and supporting structures-----530-535	-	-	-	-	-	2	1	-	1	-
42 Ulcer of stomach-----540	24	20	4	-	-	52	38	9	4	1
43 Ulcer of duodenum-----541	24	19	5	-	-	40	31	4	4	1
44 Gastritis and duodenitis-----543	-	-	-	-	-	4	-	2	1	1
45 Appendicitis-----550-553	27	18	9	-	-	48	12	24	9	3
46 Hernia and intestinal obstruction-----560,561,570	61	37	24	-	-	147	52	56	23	18
47 Gastro-enteritis and colitis, except diarrhea of newborn-----571,572	49	27	22	-	-	115	39	37	28	12
48 Cirrhosis of liver-----581	68	44	24	-	-	212	131	58	16	7
49 Without mention of alcoholism-----581.0	54	35	19	-	-	174	105	49	14	6
50 With alcoholism-----581.1	14	9	5	-	-	38	26	9	2	1
51 Cholelithiasis and cholecystitis-----584,585	39	14	24	1	-	68	17	46	-	5
52 Other diseases of digestive system-----Residual	45	21	24	-	-	104	47	34	13	10
53 X.—Diseases of the genito-urinary system-----	507	174	151	1	1	610	269	162	101	78
54 Nephritis and nephrosis-----590-594	209	102	105	1	1	412	143	126	70	73
55 Acute nephritis-----590	18	8	10	-	-	27	7	7	5	8
56 Nephritis with edema, including nephrosis-----591	6	6	-	-	-	30	10	7	9	4
57 Chronic and unspecified nephritis and other renal sclerosis-----592-594	185	88	95	1	1	355	126	112	56	61
58 Infections of kidney-----600	22	8	14	-	-	44	25	16	2	1
59 Calculi of urinary system-----602,604	2	2	-	-	-	24	10	9	3	2
60 Other diseases of urinary system-----601,603,605-609	13	11	2	-	-	24	11	4	9	-
61 Hyperplasia of prostate-----610	45	45	-	-	-	85	70	-	15	-
62 Other diseases of male genital organs-----611-617	6	6	-	-	-	12	10	-	2	-
63 Diseases of breast-----620,621	-	-	-	-	-	-	-	-	-	-
64 Diseases of female genital organs-----622-637	10	-	10	-	-	9	-	7	-	2
65 XI.—Deliveries and complications of pregnancy, childbirth, and the puerperium-----	19	-	18	-	1	35	-	15	-	20
66 Sepsis of pregnancy, childbirth, and puerperium-----640,641,661,662,664	6	-	6	-	-	3	-	2	-	1
67 Toxemia of pregnancy and puerperium, etc.*-----642,665,666	6	-	5	-	1	12	-	6	-	6
68 Hemorrhage of pregnancy and childbirth-----643,644,670-672	4	-	4	-	-	5	-	3	-	2
69 Ectopic pregnancy-----645	-	-	-	-	-	1	-	-	-	1
70 Abortion without mention of sepsis or toxemia-----650	-	-	-	-	-	2	-	-	-	2
71 Abortion with sepsis-----651	-	-	-	-	-	3	-	-	-	3
72 Abortion with toxemia, without mention of sepsis-----652	-	-	-	-	-	2	-	1	-	1
73 Other complications of pregnancy, childbirth, and puerperium--Residual	3	-	3	-	-	7	-	3	-	4
74 XII.—Diseases of the skin and cellular tissue-----	8	5	3	-	-	21	4	7	7	3
75 Infections of skin and subcutaneous tissue-----680-688	6	5	1	-	-	6	2	1	3	3
76 Other diseases of skin and subcutaneous tissue-----700-716	2	-	2	-	-	15	2	6	4	3

*For complete category title, refer to table XIII, Part I.

VITAL STATISTICS OF THE UNITED STATES

TABLE 28.—DEATHS FROM 254 SELECTED CAUSES, BY RACE
(By place of residence. Exclusive of fetal deaths and of deaths among armed forces overseas. Numbers

CAUSE OF DEATH	MAINE					MARYLAND				
	Total	White		Nonwhite		Total	White		Nonwhite	
		Male	Female	Male	Female		Male	Female	Male	Female
XIII.—Diseases of the bones and organs of movement-----	22	13	9	-	-	45	14	20	5	6
1 Arthritis and spondylitis-----720-725	14	8	6	-	-	24	1	15	5	5
2 Muscular rheumatism and rheumatism unspecified-----726,727	1	-	1	-	-	-	-	-	-	-
3 Osteomyelitis and periostitis-----730	2	1	1	-	-	3	5	-	-	-
4 Ankylosis and acquired musculoskeletal deformities-----737,745-749	-	-	-	-	-	3	1	2	-	-
5 All other diseases of musculoskeletal system-----751-756,758-744	5	4	1	-	-	15	9	5	2	1
XIV.—Congenital malformations-----	141	68	72	-	1	322	142	126	54	20
8 Spina bifida and meningocele-----751	16	8	10	-	-	41	17	19	5	2
9 Congenital hydrocephalus, etc.*-----752,753	10	5	4	-	1	27	12	10	1	4
10 Congenital malformations of circulatory system-----754	61	29	33	-	-	148	62	61	16	9
11 Other congenital malformations-----750,755-759	54	29	25	-	-	106	51	36	14	5
IV.—Certain diseases of early infancy-----	419	251	166	-	1	901	370	252	166	115
13 Birth injuries-----760,761	103	59	45	-	-	205	96	52	32	25
14 Postnatal asphyxia and stercorasis-----762	89	57	32	-	-	195	61	57	35	22
15 Infections of newborn-----763-768	18	12	6	-	-	56	19	11	16	10
16 Hemolytic disease of newborn (erythroblastosis)-----770	23	16	7	-	-	47	14	21	7	5
17 All other defined diseases of early infancy-----769,771,772	22	13	8	-	1	59	16	8	10	5
18 Ill-defined diseases peculiar to early infancy, and immaturity unqualified-----773-776	163	95	68	-	-	359	144	103	66	46
XVI.—Symptoms, senility, and ill-defined conditions-----	100	60	40	-	-	59	23	23	11	2
20 Senility without mention of psychosis-----794	56	28	28	-	-	17	6	11	-	-
21 Symptoms, ill-defined and unknown causes-----780-785,795	44	32	12	-	-	42	17	12	11	2
XVII.—Accidents, poisonings, and violence-----	747	514	227	4	2	1,704	904	425	284	91
23 Accidents-----E800-E862	586	394	186	4	2	1,264	567	356	193	68
24 Railway accidents-----E800-E802	4	4	-	-	-	16	12	1	4	1
25 Motor-vehicle accidents-----E810-E835	158	116	40	1	2	409	255	61	68	25
26 Motor-vehicle traffic accidents-----E810-E825	150	110	37	1	2	405	251	61	68	25
27 Motor-vehicle traffic accident with railway train*-----E810	10	7	5	-	-	5	5	-	-	-
28 Motor-vehicle traffic accident to pedestrian-----E812	47	33	15	-	1	170	102	23	32	13
29 Other motor-vehicle traffic accidents, etc.*-----E811,E813-E819	44	26	16	1	1	97	61	15	17	4
30 Motor-vehicle noncollision traffic accidents-----E820-E824	42	37	5	-	-	70	42	9	12	7
31 Motor-vehicle traffic accident of unspecified nature-----E825	7	7	-	-	-	63	41	14	7	1
32 Motor-vehicle nontraffic accidents-----E830-E835	9	6	3	-	-	4	4	-	-	-
33 Other road-vehicle accidents-----E840-E845	3	3	-	-	-	12	6	5	1	-
34 Water-transport accidents-----E850-E856	23	23	-	-	-	41	29	3	9	-
35 Aircraft accidents-----E860-E866	11	8	3	-	-	19	17	2	-	-
36 Accidental poisoning by solid and liquid substances-----E870-E896	9	6	2	1	-	28	13	6	4	5
37 Accidental poisoning by gases and vapors-----E890-E895	10	5	5	-	-	31	20	7	4	-
38 Accidental falls-----E900-E904	173	79	94	-	-	303	97	183	15	8
39 Fall from one level to another-----E900-E902	59	33	26	-	-	137	55	67	11	4
40 Fall on same level-----E903	62	21	41	-	-	81	20	56	2	3
41 Unspecified falls-----E904	52	25	27	-	-	85	22	60	2	1
42 Blow from falling object-----E910	14	14	-	-	-	10	5	1	4	-
43 Accident caused by machinery-----E912	6	5	1	-	-	23	17	-	6	-
44 Accident caused by electric current-----E914	11	11	-	-	-	15	13	1	1	-
45 Accident caused by fire and explosion, etc.*-----E916	46	31	14	1	-	102	44	23	27	8
46 Accident caused by hot substance, etc.*-----E917,E918	2	1	1	-	-	12	5	4	1	2
47 Accident caused by firearm-----E919	17	15	2	-	-	23	17	2	3	1
48 Inhalation and ingestion of food or other object, etc.*-----E921,E922	21	11	10	-	-	41	18	8	8	7
49 Accidental drowning-----E929	48	39	8	1	-	79	45	11	23	-
50 Excessive heat and insolation-----E931	1	1	-	-	-	14	11	1	2	-
51 Complications due to nontherapeutic medical and surgical procedures, therapeutic misadventure, etc.*-----E940-E959	1	-	1	-	-	4	3	1	-	-
52 All other accidents-----Residual	27	22	5	-	-	90	40	16	13	11
53 Suicide-----E963,E970-E979	145	108	37	-	-	288	198	70	16	4
54 Suicide by poisoning-----E970-E973	29	16	13	-	-	88	50	34	1	3
55 Suicide by hanging and strangulation-----E974	32	27	5	-	-	66	47	17	2	-
56 Suicide by firearms and explosives-----E976	61	50	11	-	-	91	78	6	7	-
57 Suicide by all other means-----E965,E975,E977-E979	23	15	8	-	-	43	23	13	6	1
58 Homicide-----E964,E980-E985	15	11	4	-	-	151	39	19	75	18
59 Assault by firearms and explosives-----E981	5	5	-	-	-	65	12	11	35	7
60 Assault by cutting and piercing instruments-----E982	1	1	-	-	-	33	6	-	21	6
61 Assault by other means-----E964,E980,E983	8	4	4	-	-	47	16	8	16	5
62 Injury by intervention of police-----E984	1	1	-	-	-	3	2	-	1	-
63 Execution-----E985	-	-	-	-	-	3	1	-	2	-
64 Injury resulting from operations of war-----E965,E990-E999	1	1	-	-	-	1	-	-	-	1

*For complete category title, refer to table XIII, Part I.

VITAL STATISTICS OF THE UNITED STATES

TABLE 23.—DEATHS FROM 254 SELECTED CAUSES, BY RACE
(By place of residence. Exclusive of fetal deaths and of deaths among armed forces overseas. Numbers

CAUSE OF DEATH	MISSOURI					MONTANA				
	Total	White		Nonwhite		Total	White		Nonwhite	
		Male	Female	Male	Female		Male	Female	Male	Female
VII.—Diseases of the circulatory system—Continued										
Diseases of heart—Continued										
1 Chronic endocarditis not specified as rheumatic-----421	520	239	231	26	24	58	41	16	1	-
2 Of mitral valve, specified as nonrheumatic-----421.0	8	3	4	-	1	5	4	1	-	-
3 Of aortic valve, not specified as rheumatic-----421.1	124	66	40	12	6	7	5	2	-	-
4 Of other valves, not specified as rheumatic-----421.2-421.4	388	170	187	14	17	46	32	15	1	-
5 Other myocardial degeneration-----422	3,211	1,537	1,478	106	90	296	186	100	8	2
6 With arteriosclerosis-----422.1	1,189	559	562	28	22	104	65	40	1	-
7 Without mention of arteriosclerosis-----422.0,422.2	2,042	978	916	80	68	192	125	60	7	2
8 Other diseases of heart-----430-434	653	445	287	72	49	179	130	40	8	1
9 Acute and subacute endocarditis-----430	56	29	16	3	8	6	5	1	-	-
10 Acute myocarditis not specified as rheumatic-----431	188	81	76	13	18	12	7	5	-	-
11 Acute pericarditis specified as nonrheumatic-----432	1	-	1	-	-	-	-	-	-	-
12 Functional disease of heart-----433	107	57	48	2	-	8	5	3	-	-
13 Other and unspecified diseases of heart-----434	501	278	146	54	25	153	113	31	8	1
14 Hypertension with heart disease-----440-443	2,583	1,007	1,140	224	214	228	111	109	9	1
15 Hypertensive heart disease with arteriolar nephrosclerosis-----442	899	408	407	47	37	84	43	36	5	-
16 Essential hypertension with heart disease, etc.*-----440,441,443	1,686	599	733	177	177	144	68	72	3	1
17 Hypertension without mention of heart-----444-447	380	162	159	32	37	57	27	30	-	-
18 Hypertension with arteriolar nephrosclerosis, etc.*-----446	178	86	60	20	12	24	13	11	-	-
19 Essential hypertension, other hypertensive disease, etc.*-----444,445,447	212	76	99	12	25	33	14	19	-	-
20 Diseases of arteries-----450-456	991	478	449	41	25	165	109	54	2	-
21 General arteriosclerosis-----450	876	428	403	30	15	154	100	52	2	-
22 Aortic aneurysm specified as nonsyphilitic, etc.*-----451	40	21	8	8	3	4	4	-	-	-
23 Gangrene of unspecified cause-----455	15	7	5	1	2	-	-	-	-	-
24 Other arterial diseases-----452-454,456	60	22	33	2	3	7	3	2	-	-
25 Diseases of veins and other diseases of circulatory system-----460-468	123	55	59	6	3	20	15	7	-	-
26 VIII.—Diseases of the respiratory system-----	1,961	953	750	147	111	252	154	58	9	11
27 Acute upper respiratory infections-----470-475	19	7	6	4	2	2	1	1	-	-
28 Influenza-----480-483	175	92	70	10	3	13	5	6	1	1
29 Pneumonia, except pneumonia of newborn-----490-493	1,361	651	540	102	68	144	88	43	8	10
30 Lobar pneumonia-----490	626	293	228	65	40	40	31	15	2	2
31 Bronchopneumonia-----491	573	273	250	29	41	50	22	18	5	5
32 Primary atypical pneumonia-----492	101	48	44	7	2	13	9	3	1	-
33 Pneumonia, other and unspecified-----493	81	35	38	3	5	33	21	9	-	3
34 Acute bronchitis-----500	28	13	10	3	2	2	2	-	-	-
35 Bronchitis, chronic and unqualified-----501,502	79	39	36	2	3	2	1	1	-	-
36 Hypertrophy of tonsils and adenoids-----510	5	3	2	-	-	1	1	-	-	-
37 Empyema and abscess of lung-----513,521	50	12	6	6	6	1	1	-	-	-
38 Pleurisy-----519	5	5	-	-	-	3	1	2	-	-
39 All other respiratory diseases-----Residual	239	132	60	20	7	64	59	5	-	-
40 IX.—Diseases of the digestive system-----	1,718	913	644	89	72	237	137	87	9	4
41 Diseases of teeth and supporting structures-----530-535	11	8	2	1	-	3	1	2	-	-
42 Ulcer of stomach-----540	116	76	26	13	1	12	11	1	-	-
43 Ulcer of duodenum-----541	73	61	7	3	2	20	18	1	-	-
44 Gastritis and duodenitis-----543	15	8	7	-	-	2	2	-	-	-
45 Appendicitis-----550-553	124	69	39	9	8	24	15	6	3	-
46 Hernia and intestinal obstruction-----560,561,570	321	145	156	9	11	55	31	23	1	-
47 Gastro-enteritis and colitis, except diarrhea of newborn-----571,572	205	86	89	13	18	24	12	5	4	3
48 Cirrhosis of liver-----580	435	254	103	24	18	40	25	15	-	-
49 Without mention of alcoholism-----581.0	350	217	95	22	18	35	21	12	-	-
50 With alcoholism-----581.1	53	41	10	2	-	7	4	3	-	-
51 Cholelithiasis and cholecystitis-----584,585	213	87	122	1	3	30	10	18	1	1
52 Other diseases of digestive system-----Residual	237	115	95	16	11	27	11	16	-	-
53 X.—Diseases of the genito-urinary system-----	1,721	878	629	125	89	170	104	58	2	6
54 Nephritis and nephrosis-----590-594	1,262	569	538	80	75	131	75	49	1	6
55 Acute nephritis-----590	93	50	31	6	6	12	8	1	-	3
56 Nephritis with edema, including nephrosis-----591	53	24	21	4	4	15	8	7	-	-
57 Chronic and unspecified nephritis and other renal scleroses-----592-594	1,116	495	496	70	65	104	59	41	1	3
58 Infections of kidney-----600	111	47	48	11	5	3	-	3	-	-
59 Calculi of urinary system-----602,604	28	20	5	2	1	1	-	1	-	-
60 Other diseases of urinary system-----601,603,605-609	54	25	15	10	4	4	3	1	-	-
61 Hyperplasia of prostate-----610	198	182	...	16	...	24	23	...	1	...
62 Other diseases of male genital organs-----611-617	41	35	...	6	...	3	3
63 Diseases of breast-----620,621	1	-	1	-	-	-	-	-	-	-
64 Diseases of female genital organs-----622-637	26	...	22	...	4	4	...	4	...	-
65 XI.—Deliveries and complications of pregnancy, childbirth, and the puerperium-----	76	...	59	...	17	14	...	13	...	1
66 Sepsis of pregnancy, childbirth, and puerperium-----640,641,681,682,684	10	...	7	...	3	4	...	4	...	-
67 Toxemia of pregnancy and puerperium, etc.*-----642,685,686	28	...	21	...	5	4	...	4	...	-
68 Hemorrhage of pregnancy and childbirth-----643,644,670-672	18	...	14	...	2	2	...	2	...	-
69 Ectopic pregnancy-----645	8	...	6	...	2	2	...	1	...	1
70 Abortion without mention of sepsis or toxemia-----650	2	...	1	...	1	-
71 Abortion with sepsis-----651	6	...	3	...	3	-	...	-	...	-
72 Abortion with toxemia, without mention of sepsis-----652	6	...	-	...	-	-	...	-	...	-
73 Other complications of pregnancy, childbirth, and puerperium-----Residual	6	...	7	...	1	2	...	2	...	-
74 XII.—Diseases of the skin and cellular tissue-----	36	15	16	3	2	6	5	1	-	-
75 Infections of skin and subcutaneous tissue-----690-698	11	4	4	3	-	-	-	-	-	-
76 Other diseases of skin and subcutaneous tissue-----700-716	25	11	12	-	2	6	5	1	-	-

*For complete category title, refer to table XIII, Part I.

VITAL STATISTICS OF THE UNITED STATES

TABLE 23.—DEATHS FROM 254 SELECTED CAUSES, BY RACE
(By place of residence. Exclusive of fetal deaths and of deaths among armed forces overseas. Numbers

CAUSE OF DEATH	MISSOURI					MONTANA				
	Total	White		Nonwhite		Total	White		Nonwhite	
		Male	Female	Male	Female		Male	Female	Male	Female
XIII.—Diseases of the bones and organs of movement-----	92	41	46	1	4	12	6	6	-	-
1 Arthritis and spondylitis-----720-725	57	22	32	-	3	11	5	6	-	-
2 Muscular rheumatism and rheumatism unspecified-----726,727	5	2	2	-	1	-	-	-	-	-
4 Osteomyelitis and periostitis-----730	6	5	1	-	-	-	-	-	-	-
5 Ankylosis and acquired musculoskeletal deformities-----737,745-749	3	3	-	-	-	1	1	-	-	-
6 All other diseases of musculoskeletal system-----731-736,738-744	21	9	11	1	-	-	-	-	-	-
XIV.—Congenital malformations-----	467	279	180	14	14	88	46	36	2	4
8 Spina bifida and meningocele-----751	37	17	18	-	2	8	5	5	-	-
9 Congenital hydrocephalus, etc.*-----752,753	45	24	18	1	2	10	3	6	-	1
10 Congenital malformations of circulatory system-----754	246	148	87	5	8	41	19	18	2	2
11 Other congenital malformations-----750,755-759	157	90	57	8	2	29	18	9	-	1
XV.—Certain diseases of early infancy-----	1,500	759	543	123	75	255	142	95	10	8
13 Birth injuries-----760,761	309	155	117	23	14	52	33	18	1	-
14 Postnatal asphyxia and atelectasis-----762	289	171	94	17	7	43	25	17	1	-
15 Infections of newborn-----763-768	108	55	39	7	7	8	2	5	-	1
16 Hemolytic disease of newborn (erythroblastosis)-----770	64	36	25	1	2	16	12	4	-	-
17 All other defined diseases of early infancy-----769,771,772	97	55	32	7	3	16	9	5	2	-
18 Ill-defined diseases peculiar to early infancy, and immaturity unqualified-----773-778	633	287	236	68	42	120	61	46	6	7
XVI.—Symptoms, senility, and ill-defined conditions-----	581	301	228	29	33	140	86	34	11	9
20 Senility without mention of psychosis-----794	224	95	120	1	8	42	19	13	6	4
21 Symptoms, ill-defined and unknown causes-----780-793,795	367	206	108	28	25	98	67	21	5	5
XVII.—Accidents, poisonings, and violence-----	3,399	2,032	999	263	105	664	481	139	31	13
23 Accidents-----E800-E862	2,699	1,605	867	160	67	552	397	119	26	10
24 Railway accidents-----E800-E802	54	40	2	12	-	17	15	-	2	-
25 Motor-vehicle accidents-----E810-E835	852	603	197	44	8	152	112	25	11	4
26 Motor-vehicle traffic accidents-----E810-E825	831	590	189	44	8	150	111	24	11	4
27 Motor-vehicle traffic accident with railway train*-----E810	47	36	9	1	1	6	4	2	-	-
28 Motor-vehicle traffic accident to pedestrian-----E812	186	120	41	21	4	21	17	2	1	1
29 Other motor-vehicle traffic accidents, etc.*-----E811,E813-E819	276	188	74	12	2	37	32	5	-	-
30 Motor-vehicle noncollision traffic accidents-----E820-E824	185	155	20	9	1	67	47	10	8	2
31 Motor-vehicle traffic accident of unspecified nature-----E825	137	91	45	1	-	19	11	5	2	1
32 Motor-vehicle nontraffic accidents-----E830-E835	21	13	8	-	-	2	1	1	-	-
33 Other road-vehicle accidents-----E840-E845	24	22	1	-	1	4	4	-	-	-
34 Water-transport accidents-----E850-E858	37	30	5	2	-	5	4	-	1	-
35 Aircraft accidents-----E860-E866	31	27	3	1	-	10	9	1	-	-
36 Accidental poisoning by solid and liquid substances-----E870-E888	37	22	10	3	2	9	4	4	-	1
37 Accidental poisoning by gases and vapors-----E890-E895	27	20	7	-	-	15	11	4	-	-
38 Accidental falls-----E900-E904	822	319	454	30	19	115	80	53	1	1
39 Fall from one level to another-----E900-E902	237	125	90	16	6	30	25	4	-	1
40 Fall on same level-----E903	165	56	99	5	5	22	8	13	1	-
41 Unspecified falls-----E904	420	138	265	9	8	63	27	36	-	-
42 Blow from falling object-----E910	26	24	1	1	-	18	16	-	-	-
43 Accident caused by machinery-----E912	52	48	2	-	-	19	16	2	1	-
44 Accident caused by electric current-----E914	28	24	4	-	-	6	6	-	-	-
45 Accident caused by fire and explosion, etc.*-----E916	205	104	60	21	20	37	27	9	-	1
46 Accident caused by hot substance, etc.*-----E917,E918	30	16	14	-	-	4	3	-	1	-
47 Accident caused by firearm-----E919	84	66	6	9	3	18	14	2	1	1
48 Inhalation and ingestion of food or other object, etc.*-----E921,E922	22	11	10	1	-	9	6	2	-	1
49 Accidental drowning-----E929	118	89	20	8	1	35	30	4	1	-
50 Excessive heat and insulation-----E931	34	22	5	5	2	2	1	-	1	-
51 Complications due to nontherapeutic medical and surgical procedures, therapeutic misadventure, etc.*-----E940-E959	3	3	-	-	-	-	-	-	-	-
52 All other accidents-----Residual	213	115	66	21	11	77	57	13	6	1
53 Suicide-----E963,E970-E979	478	352	108	13	4	69	74	11	2	2
54 Suicide by poisoning-----E970-E973	84	45	35	4	2	8	4	4	-	-
55 Suicide by hanging and strangulation-----E974	90	58	31	1	-	5	3	2	-	-
56 Suicide by firearms and explosives-----E976	238	207	24	7	-	63	56	3	2	2
57 Suicide by all other means-----E963,E975,E977-E979	66	42	21	1	2	13	11	2	-	-
58 Homicide-----E984,E980-E985	221	74	23	90	34	21	8	9	3	1
59 Assault by firearms and explosives-----E981	116	37	10	51	16	10	5	5	-	-
60 Assault by cutting and piercing instruments-----E982	34	6	1	19	8	3	-	2	1	-
61 Assault by other means-----E984,E980,E983	57	24	12	13	6	7	3	2	1	1
62 Injury by intervention of police-----E984	12	8	-	8	-	1	-	-	1	-
63 Execution-----E985	2	1	-	1	-	-	-	-	-	-
64 Injury resulting from operations of war-----E965,E990-E999	1	1	-	-	-	2	2	-	-	-

*For complete category title, refer to table XIII, Part I.

VITAL STATISTICS OF THE UNITED STATES

TABLE 23.—DEATHS FROM 254 SELECTED CAUSES, BY RACE
(By place of residence. Exclusive of fetal deaths and of deaths among armed forces overseas. Numbers

CAUSE OF DEATH	NEW MEXICO					NEW YORK				
	Total	White		Nonwhite		Total	White		Nonwhite	
		Male	Female	Male	Female		Male	Female	Male	Female
1 ALL CAUSES	5,576	2,922	2,147	302	205	155,020	80,814	64,985	4,895	4,216
2 I.—Infective and parasitic diseases	447	199	151	50	47	5,929	3,267	1,341	822	499
3 Tuberculosis, all forms	282	124	89	34	35	4,580	2,586	899	657	418
4 Tuberculosis of respiratory system	248	107	79	28	34	4,058	2,285	810	599	364
5 Tuberculosis of meninges and central nervous system	13	5	3	5	—	109	25	35	19	30
6 Tuberculosis of intestines, peritoneum, and mesenteric glands	3	2	—	—	1	27	11	6	6	4
7 Tuberculosis of vertebral column	2	1	—	1	—	20	9	4	4	3
8 Tuberculosis of other bones and joints	—	—	—	—	—	10	6	3	1	—
9 Tuberculosis of genito-urinary system	6	4	2	—	—	34	17	14	3	—
10 Tuberculosis of lymphatic system and other organs	—	—	—	—	—	23	7	12	2	2
11 Disseminated tuberculosis	10	5	5	—	—	79	26	15	23	15
12 Syphilis and its sequelae	43	24	10	7	2	757	455	114	150	56
13 Congenital syphilis	9	2	2	3	2	10	2	2	3	3
14 Early syphilis	—	—	—	—	—	—	—	—	—	—
15 Aneurysm of aorta	10	6	3	1	—	215	142	44	25	4
16 Other cardiovascular syphilis	11	11	—	—	—	217	118	32	45	21
17 Tabes dorsalis	2	1	—	1	—	21	17	3	1	—
18 General paralysis of insane	4	—	3	1	—	161	113	21	51	16
19 Other syphilis of central nervous system	4	3	1	1	—	87	48	10	19	12
20 Other syphilis	3	1	1	1	—	28	16	2	6	2
21 Gonococcal infection	—	—	—	—	—	6	2	1	2	1
22 Typhoid fever	4	—	2	2	—	5	4	1	—	—
23 Paratyphoid fever	—	—	—	—	—	2	—	1	1	—
24 Other Salmonella infections	—	—	—	—	—	1	—	1	—	—
25 Cholera	—	—	—	—	—	—	—	—	—	—
26 Brucellosis (undulant fever)	1	1	—	—	—	3	2	1	—	—
27 Dysentery, all forms	46	17	24	1	4	26	16	5	4	1
28 Scarlet fever	—	—	—	—	—	3	—	2	—	1
29 Streptococcal sore throat	1	1	—	—	—	34	18	15	1	—
30 Erysipelas	—	—	—	—	—	2	—	2	—	—
31 Septicemia and pyemia	5	1	1	2	1	43	21	19	2	1
32 Diphtheria	2	1	1	—	—	12	7	3	2	—
33 Whooping cough	12	4	7	1	—	27	14	7	4	2
34 Meningococcal infections	1	—	1	—	—	70	30	29	5	6
35 Plague	1	1	—	—	—	—	—	—	—	—
36 Tularemia	—	—	—	—	—	—	—	—	—	—
37 Leprosy	—	—	—	—	—	—	—	—	—	—
38 Tetanus	1	1	—	—	—	7	6	1	—	—
39 Anthrax	—	—	—	—	—	—	—	—	—	—
40 Acute poliomyelitis	19	8	11	—	—	320	181	131	5	3
41 Late effects of acute poliomyelitis	—	—	—	—	—	2	2	—	—	—
42 Acute infectious encephalitis	6	3	1	2	—	36	18	17	2	1
43 Late effects of acute infectious encephalitis	—	—	—	—	—	32	16	15	1	—
44 Smallpox	—	—	—	—	—	—	—	—	—	—
45 Measles	16	9	2	1	4	37	18	19	—	—
46 Yellow fever	—	—	—	—	—	—	—	—	—	—
47 Infectious hepatitis	2	1	1	—	—	69	58	28	3	—
48 Rabies	—	—	—	—	—	—	—	—	—	—
49 Tick-borne typhus	—	—	—	—	—	—	—	—	—	—
50 Typhus, etc.,* and other rickettsial diseases	—	—	—	—	—	—	—	—	—	—
51 Malaria	—	—	—	—	—	3	3	—	—	—
52 Schistosomiasis	—	—	—	—	—	1	—	1	—	—
53 Hydatid disease	—	—	—	—	—	—	—	—	—	—
54 Filariasis	—	—	—	—	—	—	—	—	—	—
55 Ankylostomiasis	—	—	—	—	—	1	—	1	—	—
56 Other diseases due to helminths	—	—	—	—	—	3	3	—	—	—
57 All other infective and parasitic diseases—Residual	5	3	1	—	1	67	29	28	3	7
58 II.—Neoplasms	549	242	285	10	12	28,520	13,060	12,246	565	629
59 Malignant neoplasms, including neoplasms of lymphatic and hematopoietic tissues	531	237	274	10	10	25,862	12,813	11,687	570	592
60 Malignant neoplasm of buccal cavity and pharynx	7	5	2	—	—	865	526	109	25	5
61 Of lip	3	3	—	—	—	49	45	4	—	—
62 Of tongue	—	—	—	—	—	210	175	26	8	1
63 Of other and unspecified parts of buccal cavity	3	1	2	—	—	169	124	39	5	1
64 Of pharynx	1	1	—	—	—	237	162	40	12	3
65 Malignant neoplasm of digestive organs and peritoneum	202	102	90	6	4	10,721	5,624	4,618	282	197
66 Of esophagus	9	4	—	1	—	539	446	134	46	11
67 Of stomach	78	46	28	2	2	3,038	1,767	1,897	106	68
68 Of intestine, except rectum	49	17	32	—	—	3,117	1,407	1,808	49	53
69 Of rectum	14	7	7	—	—	1,668	929	675	29	27
70 Of biliary passages and of liver (stated to be primary site)	10	1	6	1	—	549	180	350	11	8
71 Of liver not specified whether primary or secondary	23	13	9	—	1	425	207	203	8	7
72 Of pancreas	17	10	4	2	—	1,063	586	447	21	14
73 Of peritoneum and of unspecified digestive organs	2	—	2	—	—	225	100	104	12	9
74 Malignant neoplasm of respiratory system	30	20	8	2	—	3,078	2,494	454	102	28
75 Of larynx	3	3	—	—	—	316	275	17	19	5
76 Of trachea, and of bronchus and lung specified as primary	12	10	1	1	—	1,093	916	132	38	7
77 Of lung and bronchus, unspecified as primary or secondary	11	5	6	—	—	1,557	1,231	271	40	15
78 Of other parts of respiratory system	4	2	1	1	—	112	72	34	5	1
79 Malignant neoplasm of breast	44	—	43	—	1	2,498	41	2,374	—	85
80 Malignant neoplasm of genital organs	97	28	65	1	3	3,524	1,059	2,218	56	169
81 Of cervix uteri	25	—	24	—	1	656	—	725	—	111
82 Of other and unspecified parts of uterus	28	—	27	—	2	671	—	636	—	35
83 Of ovary, fallopian tube, and broad ligament	15	—	13	—	—	806	—	768	—	38
84 Of other and unspecified female genital organs	1	—	1	—	—	94	—	89	—	5
85 Of prostate	27	—	—	—	—	1,086	955	—	51	—
86 Of testis, and of other and unspecified male genital organs	2	2	—	—	—	111	104	—	7	—

*For complete category-title, refer to table XIII, Part I.

GENERAL TABLES-DEATHS FROM SELECTED CAUSES

AND SEX: UNITED STATES AND EACH STATE, 1949-Continued

after causes of death are category numbers of the Sixth Revision of the International Lists, 1948)

Table with columns for State (North Carolina, North Dakota, Ohio, Oklahoma) and Sex (Male, Female), and rows for various death categories. Includes a 'Total' column for each state and a final column with sequential numbers 1-86.

VITAL STATISTICS OF THE UNITED STATES

TABLE 23.—DEATHS FROM 254 SELECTED CAUSES, BY RACE
(By place of residence. Exclusive of fetal deaths and of deaths among armed forces overseas. Numbers

CAUSE OF DEATH	NEW MEXICO					NEW YORK				
	Total	White		Nonwhite		Total	White		Nonwhite	
		Male	Female	Male	Female		Male	Female	Male	Female
II.—Neoplasms—Continued										
Malignant neoplasms, including neoplasms of lymphatic and hematopoietic tissues—Continued										
1 Malignant neoplasm of urinary organs-----180,181	26	13	13	-	-	1,293	885	373	19	18
2 Of kidney-----180	12	6	6	-	-	467	300	152	10	5
3 Of bladder and other urinary organs-----181	14	7	7	-	-	826	585	221	9	13
4 Malignant neoplasm of other and unspecified sites-----156B,165,190-189	73	39	32	1	1	2,165	1,152	934	43	36
5 Of skin-----190,191	14	11	3	-	-	302	173	122	3	4
6 Of eye-----192	4	-	4	-	-	32	14	18	-	-
7 Of brain and other parts of nervous system-----193	8	4	4	-	-	514	313	185	7	9
8 Of thyroid gland-----194	3	1	2	-	-	118	41	70	4	3
9 Of bone (including jaw bone)-----196	9	5	3	1	-	217	131	75	7	4
10 Of connective tissue-----187	5	4	1	-	-	68	38	24	4	2
11 Of other specified sites, not stated to be secondary-----195,198A,199A	7	3	4	-	-	292	152	134	5	1
12 Of unspecified sites-----156B,165,198B,199B-H	23	11	11	-	1	622	290	306	13	13
13 Leukemia and leukemias-----204	31	15	15	-	1	964	511	422	18	13
14 Lymphosarcoma, etc.*-----200-203,205	21	15	6	-	-	954	523	385	23	23
15 Lymphosarcoma and reticulosarcoma-----200	10	7	3	-	-	411	223	169	8	11
16 Hodgkin's disease-----201	7	6	1	-	-	316	176	127	8	5
17 Other neoplasms of lymphatic and hematopoietic tissues-----202,203,205	4	2	2	-	-	227	124	89	7	7
18 Benign neoplasms and neoplasms of unspecified nature-----210-239	18	5	11	-	2	658	247	359	15	37
19 Benign neoplasms of female genital organs-----214-217	7	...	5	...	2	155	...	129	...	26
20 Benign neoplasm of brain and other parts of nervous system-----223	4	3	1	-	-	109	54	49	4	2
21 Other benign neoplasms-----210-213,218-222,224-229	5	1	2	-	-	103	57	41	4	1
22 Neoplasm of unspecified nature of female genital organs-----233-235	-	...	-	...	-	2	...	2	...	-
23 Neoplasm of unspecified nature of brain, etc.*-----237	2	-	2	-	-	183	90	85	5	6
24 Other neoplasms of unspecified nature-----230-232,236,238,239	2	1	1	-	-	108	46	55	2	3
III.—Allergic, endocrine system, metabolic, and nutritional diseases-----										
25	103	39	60	1	3	3,661	1,358	2,119	60	124
26 Asthma-----241	29	17	12	-	-	365	204	135	17	11
27 Nonbacterial goiter-----250,251	2	-	2	-	-	16	6	6	-	2
28 Thyrotoxicosis with or without goiter-----252	11	2	9	-	-	149	20	125	1	3
29 Myxedema, cretinism, and other diseases of thyroid gland-----253,254	-	-	-	-	-	14	2	12	-	-
30 Diabetes mellitus-----260	43	14	25	1	3	2,920	1,019	1,761	37	103
31 Diseases of thymus gland-----273	9	3	6	-	-	72	43	26	1	2
32 Diseases of adrenal glands-----274	1	-	1	-	-	26	12	16	-	-
33 Pellagra-----281	3	1	2	-	-	4	1	3	-	-
34 All other avitaminoses and nutritional deficiency states-----280,282-286	3	1	2	-	-	32	22	7	3	-
35 Other allergic, endocrine, and metabolic diseases-----Residual	2	1	1	-	-	61	29	28	1	3
IV.—Diseases of the blood and blood-forming organs-----										
36	14	8	6	-	-	513	208	279	8	18
37 Anemias-----290-293	9	7	2	-	-	370	144	207	6	13
38 Pernicious and other hyperchromic anemias-----290	5	5	-	-	-	232	89	140	2	1
39 Anemias of other and unspecified type-----291-293	4	2	2	-	-	158	55	67	4	12
40 Purpura and other hemorrhagic conditions-----286	3	-	3	-	-	59	17	37	1	4
41 All other diseases of blood and blood-forming organs-----294,295,297-289	2	1	1	-	-	94	47	35	1	1
V.—Mental, psychoneurotic, and personality disorders-----										
42	30	14	12	3	1	533	317	151	56	29
43 Senile psychosis-----304	11	4	5	1	1	37	14	22	-	1
44 Alcoholic psychosis-----307	-	-	-	-	-	42	33	2	4	3
45 Other psychoses-----300-307,305,306,308,309	1	-	1	-	-	125	41	68	4	12
46 Alcoholism-----322	15	9	2	2	-	277	203	40	24	10
47 Mental deficiency-----325	4	1	3	-	-	39	20	16	1	2
48 Psychoneuroses and other disorders of personality-----310-321,323,324,326	1	-	1	-	-	13	6	3	3	1
VI.—Diseases of the nervous system and sense organs-----										
49	344	173	154	14	3	14,666	8,476	7,498	324	567
50 Vascular lesions affecting central nervous system-----330-334	285	143	137	4	1	13,469	5,854	7,022	263	330
51 Subarachnoid hemorrhage-----330	6	2	4	-	-	363	139	182	11	31
52 Cerebral hemorrhage-----331	205	103	96	3	1	8,486	3,610	4,492	154	210
53 Cerebral embolism and thrombosis-----332	28	13	14	1	-	3,139	1,414	1,619	50	56
54 Other vascular lesions affecting central nervous system-----333,334	46	25	21	-	-	1,501	691	729	48	33
55 Meningitis, except meningococcal and tuberculous-----340	14	4	4	5	1	196	95	70	20	11
56 Multiple sclerosis-----345	1	1	-	-	-	140	70	68	2	-
57 Paralysis agitans-----350	6	5	1	-	-	204	115	87	2	-
58 Cerebral spastic infantile paralysis-----351	1	-	1	-	-	53	30	18	3	2
59 Epilepsy-----355	5	2	3	-	-	190	100	83	20	7
60 Inflammatory diseases of eye-----370-379	-	-	-	-	-	3	1	2	-	-
61 Cataract-----385	-	-	-	-	-	5	3	2	-	-
62 Glaucoma-----387	-	-	-	-	-	1	-	1	-	-
63 Otitis media and mastoiditis-----381-383	8	2	2	4	-	58	37	16	2	4
64 Other diseases of nervous system and sense organs-----Residual	24	16	6	1	1	346	171	150	12	13
VII.—Diseases of the circulatory system-----										
65	1,177	699	459	21	18	70,283	37,677	29,680	1,439	1,467
66 Rheumatic fever-----400-402	24	7	15	2	-	281	123	131	11	16
67 Diseases of heart-----410-443	1,047	636	375	18	16	65,088	35,305	27,147	1,313	1,333
68 Chronic rheumatic heart disease-----410-416	98	57	39	-	2	1,078	1,819	74	90	90
69 Diseases of mitral valve-----410	44	31	13	-	-	744	329	366	13	16
70 Diseases of aortic valve specified as rheumatic-----411	4	3	1	-	-	73	56	13	1	1
71 Diseases of tricuspid valve-----412	1	-	1	-	-	-	-	-	-	-
72 Diseases of pulmonary valve, etc.* specified as rheumatic-----413,414	7	4	3	-	-	198	90	101	3	4
73 Other diseases of heart specified as rheumatic-----415,416	42	19	21	-	2	1,546	611	819	57	59
74 Arteriosclerotic heart disease, including coronary disease-----420	491	341	139	7	4	44,594	26,610	16,692	707	585
75 Arteriosclerotic heart disease so described-----420.0	92	51	37	3	1	20,497	10,545	9,171	399	362
76 Heart disease specified as involving coronary arteries-----420.1	396	289	101	3	3	23,992	16,005	7,476	308	203
77 Angina pectoris without mention of coronary disease-----420.2	3	1	1	1	-	105	60	45	-	-

*For complete category title, refer to table XIII, Part I.

GENERAL TABLES—DEATHS FROM SELECTED CAUSES

AND SEX: UNITED STATES AND EACH STATE, 1949—Continued

after causes of death are category numbers of the Sixth Revision of the International Lists, (1948)

Table with columns for North Carolina, North Dakota, Ohio, and Oklahoma. Each state column includes 'Total', 'White' (Male/Female), and 'Nonwhite' (Male/Female) counts. Rows list various death categories with their respective counts for each state and sex.

VITAL STATISTICS OF THE UNITED STATES

TABLE 23.—DEATHS FROM 254 SELECTED CAUSES, BY RACE
(By place of residence. Exclusive of fetal deaths and of deaths among armed forces overseas. Numbers

CAUSE OF DEATH	NEW MEXICO					NEW YORK				
	Total	White		Nonwhite		Total	White		Nonwhite	
		Male	Female	Male	Female		Male	Female	Male	Female
VII.—Diseases of the circulatory system—Continued										
Diseases of heart—Continued										
1 Chronic endocarditis not specified as rheumatic-----421	55	27	26	1	1	868	415	441	16	16
2 Of mitral valve, specified as nonrheumatic-----421.0	2	2	-	-	-	24	11	11	2	-
3 Of aortic valve, not specified as rheumatic-----421.1	6	5	-	-	1	118	69	43	5	1
4 Of other valves, not specified as rheumatic-----421.2-421.4	47	20	26	1	-	746	335	367	11	15
5 Other myocardial degeneration-----422	162	86	74	-	2	7,650	3,485	3,821	176	168
6 With arteriosclerosis-----422.1	39	20	18	-	1	5,042	2,196	2,570	142	152
7 Without mention of arteriosclerosis-----422.0,422.2	123	66	56	-	1	2,608	1,285	1,251	36	56
8 Other diseases of heart-----430-434	97	57	26	7	5	920	459	331	22	8
9 Acute and subacute endocarditis-----430	8	4	4	-	-	79	43	29	6	1
10 Acute myocarditis not specified as rheumatic-----431	4	4	-	-	-	237	123	111	2	1
11 Acute pericarditis specified as nonrheumatic-----432	-	-	-	-	-	5	4	1	-	-
12 Functional disease of heart-----433	9	6	3	-	-	105	58	43	1	1
13 Other and unspecified diseases of heart-----434	76	43	21	7	5	396	231	147	13	5
14 Hypertension with heart disease-----440-443	144	70	69	3	2	8,595	3,262	4,543	314	476
15 Hypertensive heart disease with arteriolar nephrosclerosis-----442	29	28	22	1	2	1,342	594	656	47	45
16 Essential hypertension with heart disease, etc.*-----440,441,443	91	42	47	2	-	7,253	2,668	3,887	267	431
17 Hypertension without mention of heart-----444-447	29	14	13	1	1	1,169	496	562	46	65
18 Hypertension with arteriolar nephrosclerosis, etc.*-----446	16	9	7	-	-	762	354	347	25	38
19 Essential hypertension, other hypertensive disease, etc.*-----444,445,447	13	5	6	1	1	407	142	215	21	29
20 Diseases of arteries-----450-456	72	38	33	-	1	3,413	1,612	1,673	61	67
21 General arteriosclerosis-----450	64	32	31	-	1	3,096	1,437	1,557	50	52
22 Aortic aneurysm specified as nonsyphilitic, etc.*-----451	2	2	-	-	-	150	98	41	9	2
23 Gangrene of unspecified cause-----455	2	2	-	-	-	150	10	5	-	1
24 Other arterial diseases-----452-454,456	4	2	2	-	-	151	67	70	2	12
25 Diseases of veins and other diseases of circulatory system-----460-468	5	2	3	-	-	322	141	167	8	6
26 VIII.—Diseases of the respiratory system-----	385	180	165	21	19	5,344	2,974	1,880	302	188
27 Acute upper respiratory infections-----470-475	8	2	6	-	-	84	43	39	1	1
28 Influenza-----480-483	24	12	9	-	3	157	81	73	3	-
29 Pneumonia, except pneumonia of newborn-----490-493	281	133	124	16	16	4,023	2,098	1,492	261	172
30 Lobar pneumonia-----490	105	53	40	7	5	1,614	819	503	133	59
31 Bronchopneumonia-----491	131	59	50	11	11	2,169	1,047	890	124	106
32 Primary atypical pneumonia-----492	18	7	11	-	-	161	85	66	3	5
33 Pneumonia, other and unspecified-----493	37	14	23	-	-	79	47	31	1	-
34 Acute bronchitis-----500	11	7	3	1	-	90	51	29	5	5
35 Bronchitis, chronic and unqualified-----501,502	13	4	9	-	-	203	140	54	7	2
36 Hypertrophy of tonsils and adenoids-----510	2	1	1	-	-	25	10	13	-	2
37 Empyema and abscess of lung-----516,521	4	3	1	-	-	63	60	15	4	4
38 Pleurisy-----519	1	1	-	-	-	17	10	7	-	-
39 All other respiratory diseases-----Residual	31	17	12	2	-	662	481	158	21	2
40 IX.—Diseases of the digestive system-----	397	183	169	28	17	6,275	3,572	2,357	221	125
41 Diseases of teeth and supporting structures-----530-535	1	1	-	-	-	11	5	5	-	1
42 Ulcer of stomach-----540	9	7	2	-	-	598	433	116	56	13
43 Ulcer of duodenum-----541	4	4	-	-	-	448	355	76	16	2
44 Gastritis and duodenitis-----543	2	1	1	-	-	25	13	10	2	-
45 Appendicitis-----550-553	30	16	11	3	-	392	218	142	21	11
46 Hernia and intestinal obstruction-----560,561,570	42	15	22	1	4	971	472	449	29	21
47 Gastro-enteritis and colitis, except diarrhea of newborn-----571,572	222	89	98	24	11	504	245	220	25	14
48 Cirrhosis of liver-----581	35	24	11	-	-	2,081	1,305	677	61	38
49 Without mention of alcoholism-----581.0	27	18	9	-	-	1,457	897	491	41	28
50 With alcoholism-----581.1	8	6	2	-	-	624	408	186	20	10
51 Cholelithiasis and cholecystitis-----584,585	29	12	16	-	1	691	245	429	7	10
52 Other diseases of digestive system-----Residual	23	14	8	-	1	553	261	235	24	15
53 X.—Diseases of the genito-urinary system-----	146	90	51	4	3	3,567	2,066	1,293	112	96
54 Nephritis and nephrosis-----590-594	101	56	41	2	2	2,122	1,040	957	60	65
55 Acute nephritis-----590	5	3	-	1	1	113	63	48	-	2
56 Nephritis with edema, including nephrosis-----591	7	6	1	-	-	63	47	31	1	4
57 Chronic and unspecified nephritis and other renal sclerosis-----592-594	89	47	40	1	1	1,926	950	878	58	58
58 Infections of kidney-----600	9	4	5	-	-	337	146	168	13	10
59 Calculi of urinary system-----602,604	2	2	-	-	-	124	71	48	3	2
60 Other diseases of urinary system-----601,603,605-609	6	3	2	1	-	124	65	49	7	3
61 Hyperplasia of prostate-----610	24	23	...	1	...	740	714	...	26	...
62 Other diseases of male genital organs-----611-617	2	2	...	-	...	51	49	...	3	...
63 Diseases of breast-----620,621	-	-	-	-	-	3	2	1	-	-
64 Diseases of female genital organs-----622-637	4	...	3	...	1	86	...	70	...	16
65 XII.—Deliveries and complications of pregnancy, childbirth, and the puerperium-----	30	...	27	...	3	200	...	145	...	55
66 Sepsis of pregnancy, childbirth, and puerperium-----640,641,681,682,684	7	...	5	...	2	30	...	25	...	5
67 Toxemia of pregnancy and puerperium, etc.*-----642,685,686	7	...	7	...	-	47	...	39	...	8
68 Hemorrhage of pregnancy and childbirth-----643,644,670-672	6	...	5	...	1	31	...	22	...	9
69 Ectopic pregnancy-----645	1	-	13	...	8	...	5
70 Abortion without mention of sepsis or toxemia-----650	-	...	1	...	-	6	...	5	...	-
71 Abortion with sepsis-----651	3	...	3	...	-	24	...	6	...	18
72 Abortion with toxemia, without mention of sepsis-----652	-	...	-	...	-	2	...	-	...	2
73 Other complications of pregnancy, childbirth, and puerperium-----Residual	6	...	6	...	-	47	...	39	...	8
74 XIII.—Diseases of the skin and cellular tissue-----	6	1	4	1	-	150	68	72	2	8
75 Infections of skin and subcutaneous tissue-----690-698	3	-	2	1	-	28	17	9	-	3
76 Other diseases of skin and subcutaneous tissue-----700-716	3	1	2	-	-	122	51	64	2	5

*For complete category title, refer to table XIII, Part I.

VITAL STATISTICS OF THE UNITED STATES

TABLE 23.—DEATHS FROM 254 SELECTED CAUSES, BY RACE
(By place of residence. Exclusive of fetal deaths and of deaths among armed forces overseas. Numbers

CAUSE OF DEATH	NEW MEXICO					NEW YORK				
	Total	White		Nonwhite		Total	White		Nonwhite	
		Male	Female	Male	Female		Male	Female	Male	Female
1 XIII.—Diseases of the bones and organs of movement-----	9	3	6	-	-	212	77	122	8	5
2 Arthritis and spondylitis-----720-725	7	3	4	-	-	95	21	70	1	3
3 Muscular rheumatism and rheumatism unspecified-----726,727	-	-	-	-	-	4	1	3	-	-
4 Osteomyelitis and periostitis-----730	1	-	1	-	-	14	6	4	3	1
5 Ankylosis and acquired musculoskeletal deformities-----737,745-749	-	-	-	-	-	10	3	5	2	-
6 All other diseases of musculoskeletal system-----731-736,738-744	1	-	1	-	-	39	46	40	2	1
7 XIV.—Congenital malformations-----	117	55	52	4	6	1,790	874	802	58	56
8 Spina bifida and meningocele-----751	10	3	7	-	-	210	93	111	3	3
9 Congenital hydrocephalus, etc.*-----752,753	10	1	7	-	2	220	94	119	4	3
10 Congenital malformations of circulatory system-----754	53	27	20	3	3	723	374	292	29	28
11 Other congenital malformations-----750,755-759	44	24	18	1	1	637	313	280	22	22
12 XV.—Certain diseases of early infancy-----	571	317	215	27	12	5,008	2,582	1,746	383	287
13 Birth injuries-----760,761	98	62	33	-	3	1,071	600	388	47	36
14 Postnatal asphyxia and atelectasis-----762	69	41	23	3	2	1,349	685	465	114	85
15 Infections of newborn-----763-766	65	34	20	10	1	326	184	86	28	28
16 Hemolytic disease of newborn (erythroblastosis)-----770	17	12	5	-	-	206	117	83	3	3
17 All other defined diseases of early infancy-----769,771,772	48	29	18	-	1	160	88	54	15	3
18 Ill-defined diseases peculiar to early infancy, and immaturity unqualified-----773-776	274	139	116	14	5	1,896	918	670	176	152
19 XVI.—Symptoms, senility, and ill-defined conditions-----	650	305	222	71	52	697	359	252	57	29
20 Senility without mention of psychosis-----794	42	22	18	1	1	104	33	69	-	2
21 Symptoms, ill-defined and unknown causes-----780-793,795	608	283	204	70	51	593	326	183	57	27
22 XVII.—Accidents, poisonings, and violence-----	599	414	128	47	9	9,652	5,849	3,011	578	214
23 Accidents-----E800-E862	504	349	107	43	5	7,541	4,499	2,513	370	159
24 Railway accidents-----E800-E802	12	9	1	2	-	174	141	18	13	2
25 Motor-vehicle accidents-----E810-E835	223	165	45	12	1	2,067	1,449	482	94	32
26 Motor-vehicle traffic accidents-----E810-E825	215	160	42	12	1	2,022	1,413	484	93	32
27 Motor-vehicle traffic accident with railway train*-----E810	11	11	-	-	-	52	38	12	1	1
28 Motor-vehicle traffic accident to pedestrian-----E812	53	37	12	4	-	884	601	214	54	15
29 Other motor-vehicle traffic accidents, etc.*-----E811, E813-E819	63	47	13	3	-	415	287	116	6	6
30 Motor-vehicle noncollision traffic accidents-----E820-E824	71	55	13	2	1	448	321	91	28	8
31 Motor-vehicle traffic accident of unspecified nature-----E825	17	10	4	3	-	223	166	51	4	2
32 Motor-vehicle nontraffic accidents-----E830-E835	9	5	3	-	-	45	36	8	1	-
33 Other road-vehicle accidents-----E840-E845	8	2	3	3	-	35	28	6	1	-
34 Water-transport accidents-----E850-E856	3	2	1	-	-	117	104	6	2	5
35 Aircraft accidents-----E860-E866	10	10	-	-	-	85	71	11	2	1
36 Accidental poisoning by solid and liquid substances-----E870-E886	7	4	2	1	-	107	63	40	2	2
37 Accidental poisoning by gases and vapors-----E890-E895	9	4	5	-	-	320	189	119	8	4
38 Accidental falls-----E900-E904	42	20	20	1	1	2,886	1,317	1,418	102	49
39 Fall from one level to another-----E900-E902	15	12	1	1	1	1,112	609	414	60	29
40 Fall on same level-----E903	7	1	6	-	-	495	222	267	4	2
41 Unspecified falls-----E904	20	7	13	-	-	1,279	486	737	38	18
42 Blow from falling object-----E910	18	16	-	2	-	60	49	7	3	1
43 Accident caused by machinery-----E912	15	12	2	1	-	65	74	3	5	1
44 Accident caused by electric current-----E914	4	4	-	-	-	42	39	2	-	1
45 Accident caused by fire and explosion, etc.*-----E916	29	12	11	4	2	380	186	134	28	32
46 Accident caused by hot substance, etc.*-----E917, E918	7	3	3	1	-	70	31	29	7	3
47 Accident caused by firearm-----E919	23	18	1	3	1	69	62	6	1	-
48 Inhalation and ingestion of food or other object, etc.*-----E921, E922	9	6	2	1	-	107	62	34	8	5
49 Accidental drowning-----E929	36	26	7	3	-	493	369	68	53	3
50 Excessive heat and insolation-----E931	1	1	-	-	-	16	12	3	1	-
51 Complications due to nontherapeutic medical and surgical procedures, therapeutic misadventure, etc.*-----E940-E959	1	1	-	-	-	28	11	13	1	3
52 All other accidents-----Residual	47	34	4	9	-	402	262	104	41	15
53 Suicide-----E963, E970-E979	50	38	11	-	1	1,672	1,190	459	34	9
54 Suicide by poisoning-----E970-E973	8	2	5	-	1	523	299	213	7	4
55 Suicide by hanging and strangulation-----E974	4	4	-	-	-	517	412	93	10	2
56 Suicide by firearms and explosives-----E976	35	29	6	-	-	354	303	26	5	-
57 Suicide by all other means-----E963, E975, E977-E979	3	3	-	-	-	298	176	107	12	3
58 Homicide-----E984, E980-E985	45	27	11	4	3	439	160	59	174	46
59 Assault by firearms and explosives-----E981	26	17	5	2	2	110	48	23	28	11
60 Assault by cutting and piercing instruments-----E982	7	4	2	1	-	164	34	15	96	19
61 Assault by other means-----E984, E980, E983	11	5	4	1	1	125	81	21	27	16
62 Injury by intervention of police-----E984	1	1	-	-	-	27	14	-	13	-
63 Execution-----E985	-	-	-	-	-	15	3	-	10	-
64 Injury resulting from operations of war-----E985, E990-E999	-	-	-	-	-	-	-	-	-	-

*For complete category title, refer to table XIII, Part I.

VITAL STATISTICS OF THE UNITED STATES

TABLE 23.—DEATHS FROM 254 SELECTED CAUSES, BY RACE
(By place of residence. Exclusive of fetal deaths and of deaths among armed forces overseas. Numbers)

CAUSE OF DEATH	OREGON					PENNSYLVANIA				
	Total	White		Nonwhite		Total	White		Nonwhite	
		Male	Female	Male	Female		Male	Female	Male	Female
1 ALL CAUSES-----	13,891	8,538	5,275	158	104	108,383	56,099	44,983	3,949	3,352
2 I.—Infective and parasitic diseases-----	401	257	116	16	12	5,728	1,961	831	517	319
3 Tuberculosis, all forms-----001-019	228	145	65	9	8	2,685	1,445	595	586	255
4 Tuberculosis of respiratory system-----001-008	202	133	53	8	8	2,459	1,366	533	350	210
5 Tuberculosis of meninges and central nervous system-----010	5	2	3	-	-	75	21	26	11	15
6 Tuberculosis of intestines, peritoneum, and mesenteric glands-----011	4	1	3	-	-	18	7	5	2	4
7 Tuberculosis of vertebral column-----012.0,013.0	2	-	1	1	-	18	7	5	5	3
8 Tuberculosis of other bones and joints-----012.1-012.3,013.1-013.3	6	5	1	-	-	5	2	2	1	-
9 Tuberculosis of genito-urinary system-----016	-	5	1	-	-	19	11	6	1	-
10 Tuberculosis of lymphatic system and other organs-----014,015,017,018	-	-	-	-	-	7	4	2	1	-
11 Disseminated tuberculosis-----019	6	4	2	-	-	85	27	16	17	25
12 Syphilis and its sequelae-----020-029	80	58	16	6	-	487	234	100	106	47
13 Congenital syphilis-----020	-	-	-	-	-	14	6	-	5	3
14 Early syphilis-----021	-	-	-	-	-	83	46	23	11	3
15 Aneurysm of aorta-----022	33	28	5	-	-	46	23	11	4	3
16 Other cardiovascular syphilis-----023	24	17	3	4	-	161	69	31	47	14
17 Tabes dorsalis-----024	1	1	-	-	-	14	10	1	3	-
18 General paralysis of insane-----025	14	8	5	1	-	130	65	25	29	15
19 Other syphilis of central nervous system-----026	6	3	2	1	-	55	30	9	7	9
20 Other syphilis-----027-029	2	1	1	-	-	30	10	11	4	5
21 Gonococcal infection-----030-035	-	-	-	-	-	4	3	-	1	-
22 Typhoid fever-----040	1	-	-	1	-	4	1	2	1	-
23 Paratyphoid fever-----041	-	-	-	-	-	-	-	-	-	-
24 Other Salmonella infections-----042	1	1	-	-	-	-	-	-	-	-
25 Cholera-----043	-	-	-	-	-	5	4	1	-	-
26 Brucellosis (undulant fever)-----044	-	-	-	-	-	4	1	-	-	-
27 Dysentery, all forms-----045-048	11	7	3	-	1	19	6	12	1	-
28 Scarlet fever-----050	-	-	-	-	-	1	1	-	-	-
29 Streptococcal sore throat-----051	4	1	2	-	1	17	9	7	1	-
30 Erysipelas-----052	1	-	1	-	-	2	1	1	-	-
31 Septicemia and pyemia-----053	4	1	3	-	-	45	27	16	1	1
32 Diphtheria-----055	8	2	6	-	-	14	4	9	1	-
33 Whooping cough-----056	5	2	2	-	1	44	13	25	2	4
34 Meningococcal infections-----057	7	4	3	-	-	65	27	31	4	3
35 Flague-----058	-	-	-	-	-	-	-	-	-	-
36 Tularemia-----059	-	-	-	-	-	1	1	-	-	-
37 Leprosy-----060	-	-	-	-	-	1	1	-	-	-
38 Tetanus-----061	3	3	-	-	-	13	8	2	3	-
39 Anthrax-----062	-	-	-	-	-	-	-	-	-	-
40 Acute poliomyelitis-----080	23	17	6	-	-	77	44	32	-	1
41 Late effects of acute poliomyelitis-----081	1	1	-	-	-	4	2	2	-	-
42 Acute infectious encephalitis-----082	-	-	-	-	-	43	27	10	2	4
43 Late effects of acute infectious encephalitis-----083	2	1	1	-	-	25	10	12	1	-
44 Smallpox-----084	-	-	-	-	-	-	-	-	-	-
45 Measles-----085	6	2	3	-	1	57	30	24	1	2
46 Yellow fever-----091	-	-	-	-	-	-	-	-	-	-
47 Infectious hepatitis-----092	5	2	3	-	-	41	20	19	1	1
48 Rabies-----084	-	-	-	-	-	-	-	-	-	-
49 Tick-borne typhus-----104	1	1	-	-	-	2	1	1	-	-
50 Typhus, etc.,* and other rickettsial diseases-----100-103,105-108	1	1	-	-	-	-	-	-	-	-
51 Malaria-----110-117	-	-	-	-	-	3	3	-	-	-
52 Schistosomiasis-----123	-	-	-	-	-	-	-	-	-	-
53 Hydatid disease-----125	-	-	-	-	-	1	-	1	-	-
54 Filariasis-----127	-	-	-	-	-	-	-	-	-	-
55 Ankylostomiasis-----129	-	-	-	-	-	-	-	-	-	-
56 Other diseases due to helminths-----124,126,128,130	-	-	-	-	-	2	1	1	-	-
57 All other infective and parasitic diseases-----Residual	12	8	4	-	-	70	38	28	3	1
58 II.—Neoplasms-----	2,064	1,076	968	14	6	16,343	7,666	7,798	444	414
59 Malignant neoplasms, including neoplasms of lymphatic and hemopoietic tissues-----140 5	2,009	1,046	945	13	5	15,900	7,504	7,589	421	386
60 Malignant neoplasm of buccal cavity and pharynx-----140-148	42	33	9	-	-	560	271	66	15	6
61 Of lip-----140	5	5	-	-	-	27	23	4	-	-
62 Of tongue-----141	13	9	4	-	-	103	66	25	6	4
63 Of other and unspecified parts of buccal cavity-----142-144	11	9	2	-	-	91	74	14	2	1
64 Of pharynx-----145-148	13	10	3	-	-	139	106	25	7	1
65 Malignant neoplasm of digestive organs and peritoneum-----150-156A,157-159	739	429	302	7	1	6,876	3,532	3,030	198	116
66 Of esophagus-----150	20	16	4	-	-	324	230	55	36	3
67 Of stomach-----151	221	152	65	3	1	1,986	1,182	709	62	33
68 Of intestine, except rectum-----152,153	195	91	103	1	-	2,041	889	1,076	33	43
69 Of rectum-----154	101	67	34	-	-	831	508	381	23	19
70 Of biliary passages and of liver (stated to be primary site)-----155	42	17	25	-	-	364	132	223	6	3
71 Of liver not specified whether primary or secondary-----156A	48	19	29	-	-	459	189	242	14	4
72 Of pancreas-----157	96	58	35	3	-	628	321	277	22	8
73 Of peritoneum and of unspecified digestive organs-----158,159	16	9	7	-	-	145	71	67	2	5
74 Malignant neoplasm of respiratory system-----160-164	190	154	35	1	-	1,506	1,150	269	75	12
75 Of larynx-----161	7	6	1	-	-	152	131	15	5	1
76 Of trachea, and of bronchus and lung specified as primary-----162	107	86	19	-	-	520	407	77	34	2
77 Of lung and bronchus, unspecified as primary or secondary-----163	66	53	14	1	-	763	568	151	35	9
78 Of other parts of respiratory system-----160,164	8	7	1	-	-	71	44	26	1	-
79 Malignant neoplasm of breast-----170	165	2	182	-	1	1,420	18	1,350	4	48
80 Malignant neoplasm of genital organs-----171-179	332	134	195	2	1	2,512	778	1,565	40	129
81 Of cervix uteri-----171	65	...	64	...	1	584	...	536	...	48
82 Of other and unspecified parts of uterus-----172-174	64	...	64	...	-	855	...	599	...	58
83 Of ovary, fallopian tube, and broad ligament-----175	64	...	64	...	-	406	...	363	...	23
84 Of other and unspecified female genital organs-----176	3	...	3	...	-	49	...	47	...	2
85 Of prostate-----177	128	127	...	1	...	740	705	...	37	...
86 Of testis, and of other and unspecified male genital organs-----178,179	8	7	...	1	...	78	75	...	3	...

*For complete category title, refer to table XIII, Part I.

VITAL STATISTICS OF THE UNITED STATES

TABLE 23.—DEATHS FROM 254 SELECTED CAUSES, BY RACE

(By place of residence. Exclusive of fetal deaths and of deaths among armed forces overseas. Numbers

CAUSE OF DEATH	OREGON					PENNSYLVANIA				
	Total	White		Nonwhite		Total	White		Nonwhite	
		Male	Female	Male	Female		Male	Female	Male	Female
II.—Neoplasms—Continued										
Malignant neoplasms, including neoplasms of lymphatic and hematopoietic tissues—Continued										
1 Malignant neoplasm of urinary organs-----180,181	108	71	35	-	-	722	475	221	14	12
2 Of kidney-----180	35	15	20	-	-	251	158	75	11	7
3 Of bladder and other urinary organs-----181	71	56	15	-	-	491	337	146	3	5
4 Malignant neoplasm of other and unspecified sites-----156B,165,190-199	243	119	123	1	-	1,453	705	671	40	37
5 Of skin-----190,191	42	22	20	-	-	215	111	96	4	4
6 Of eye-----192	5	3	2	-	-	22	14	8	-	-
7 Of brain and other parts of nervous system-----193	49	29	19	1	-	245	139	99	7	1
8 Of thyroid gland-----194	9	2	7	-	-	59	19	35	1	4
9 Of bone (including jaw bone)-----196	19	8	11	-	-	187	111	67	5	4
10 Of connective tissue-----197	4	2	2	-	-	39	19	18	2	-
11 Of other specified sites, not stated to be secondary-----195,199A,199B	46	22	24	-	-	321	132	173	8	8
12 Of unspecified sites-----156B,165,190B,199B-E	69	31	38	-	-	366	162	175	13	16
13 Leukemia and leukemia-----204	62	48	32	1	1	530	265	220	17	8
14 Lymphosarcoma, etc.*-----200-203,205	90	56	32	1	1	519	290	195	18	16
15 Lymphosarcoma and reticulosarcoma-----200	43	29	13	-	1	226	136	60	5	5
16 Hodgkin's disease-----201	26	16	10	-	-	176	99	71	4	2
17 Other neoplasms of lymphatic and hematopoietic tissues-----202,203,205	21	11	9	1	-	117	58	44	9	9
18 Benign neoplasms and neoplasms of unspecified nature-----210-239	55	30	25	1	1	443	162	210	23	29
19 Benign neoplasms of female genital organs-----214-217	13	...	12	...	1	79	...	65	...	13
20 Benign neoplasm of brain and other parts of nervous system-----223	11	8	3	-	-	61	25	27	3	6
21 Other benign neoplasms-----210-213,218-222,224-229	11	8	3	-	-	51	27	17	5	2
22 Neoplasm of unspecified nature of female genital organs-----233-235	-	...	-	...	-	2	...	2	...	-
23 Neoplasm of unspecified nature of brain, etc.*-----237	15	10	5	-	-	176	95	65	10	6
24 Other neoplasms of unspecified nature-----230-232,236,238,239	5	4	-	1	-	75	35	34	5	1
25 III.—Allergic, endocrine system, metabolic, and nutritional diseases-----	280	136	141	-	3	2,790	911	1,730	55	84
26 Asthma-----241	47	37	10	-	-	328	184	124	10	10
27 Nontoxic goiter-----250,251	5	3	2	-	-	6	4	6	-	-
28 Thyrotoxicosis with or without goiter-----252	12	1	11	-	-	114	19	86	-	7
29 Myxedema, cretinism, and other diseases of thyroid gland-----253,254	1	-	1	-	-	19	4	15	-	-
30 Diabetes mellitus-----260	167	75	109	-	3	2,104	598	1,406	31	69
31 Diseases of thymus gland-----275	5	2	3	-	-	82	42	31	4	5
32 Diseases of adrenal glands-----274	3	2	1	-	-	33	9	22	2	-
33 Pellagra-----281	1	1	-	-	-	2	1	1	-	-
34 All other avitaminoses and nutritional deficiency states-----280,282-286	13	10	3	-	-	69	56	22	7	2
35 Other allergic, endocrine, and metabolic diseases-----Residual	8	5	3	-	-	33	16	15	1	1
36 IV.—Diseases of the blood and blood-forming organs-----	53	29	24	1	-	394	167	214	5	8
37 Anemias-----290-293	37	19	19	-	-	293	123	161	4	5
38 Pernicious and other hyperchromic anemias-----290	21	13	8	-	-	164	69	95	-	-
39 Anemias of other and unspecified type-----291-293	16	5	11	-	-	129	54	66	4	5
40 Purpura and other hemorrhagic conditions-----296	7	4	3	-	-	44	15	26	-	3
41 All other diseases of blood and blood-forming organs-----294,295,297-299	9	6	2	1	-	57	29	27	1	-
42 V.—Mental, psychoneurotic, and personality disorders-----	84	62	17	5	-	325	201	94	16	14
43 Senile psychosis-----304	25	21	4	-	-	73	31	37	2	3
44 Alcoholic psychosis-----307	4	4	-	-	-	29	25	2	1	1
45 Other psychoses-----300-303,305,308,309,309	6	2	4	-	-	69	27	33	1	7
46 Alcoholism-----322	41	31	5	5	-	125	97	13	12	3
47 Mental deficiency-----325	7	4	3	-	-	22	19	3	-	-
48 Psychoneuroses and other disorders of personality-----310-321,323,324,326	1	-	1	-	-	8	3	3	-	-
49 VII.—Diseases of the nervous system and sense organs-----	1,620	835	758	14	13	11,668	5,249	5,727	296	396
50 Vascular lesions affecting central nervous system-----330-334	1,473	748	701	12	12	10,616	4,718	5,279	259	360
51 Subarachnoid hemorrhage-----330	31	16	15	-	-	200	94	82	15	19
52 Cerebral hemorrhage-----331	1,019	524	476	7	10	7,022	3,121	5,514	156	229
53 Cerebral embolism and thrombosis-----332	240	118	117	4	1	1,900	887	895	54	64
54 Other vascular lesions affecting central nervous system-----333,334	183	90	91	1	1	1,494	626	788	32	48
55 Meningitis, except meningococcal and tuberculous-----340	21	15	5	1	-	155	68	47	11	8
56 Multiple sclerosis-----345	22	11	11	-	-	113	55	56	-	2
57 Paralysis agitans-----350	19	13	6	-	-	168	93	72	2	1
58 Cerebral apastic infantile paralysis-----351	7	5	2	-	-	59	22	13	2	2
59 Epilepsy-----353	23	13	8	1	1	180	85	82	10	3
60 Inflammatory diseases of eye-----370-379	-	-	-	-	-	1	-	-	-	1
61 Cataract-----385	-	-	-	-	-	4	2	2	-	-
62 Glaucoma-----367	-	-	-	-	-	1	-	1	-	-
63 Otitis media and mastoiditis-----391-393	6	2	4	-	-	31	11	18	1	1
64 Other diseases of nervous system and sense organs-----Residual	49	28	21	-	-	360	174	157	11	18
65 VII.—Diseases of the circulatory system-----	5,653	3,510	2,077	37	29	47,699	25,514	19,809	1,347	1,229
66 Rheumatic fever-----400-402	16	5	11	-	-	221	102	90	15	14
67 Diseases of heart-----410-443	5,093	3,207	1,629	34	23	43,574	23,485	17,603	1,202	1,076
68 Chronic rheumatic heart disease-----410-416	223	117	105	1	2	1,659	745	618	53	45
69 Diseases of mitral valve-----410	90	48	40	1	1	670	282	358	11	19
70 Diseases of aortic valve specified as rheumatic-----411	20	14	6	-	-	32	21	11	-	-
71 Diseases of tricuspid valve-----412	-	-	-	-	-	-	-	-	-	-
72 Diseases of pulmonary valve, etc.,* specified as rheumatic-----413,414	17	9	6	-	-	118	50	63	4	1
73 Other diseases of heart specified as rheumatic-----415,416	96	46	49	-	1	839	390	386	38	25
74 Arteriosclerotic heart disease, including coronary disease-----420	3,096	2,168	899	24	5	23,972	14,589	8,445	539	379
75 Arteriosclerotic heart disease so described-----420.0	757	473	278	6	-	6,693	3,365	3,037	164	127
76 Heart disease specified as involving coronary arteries-----420.1	2,324	1,685	616	18	5	17,145	11,133	5,366	395	251
77 Angina pectoris without mention of coronary disease-----420.2	15	10	5	-	-	134	91	42	-	1

*For complete category titles, refer to table XIII, Part I.

VITAL STATISTICS OF THE UNITED STATES

TABLE 23.—DEATHS FROM 254 SELECTED CAUSES, BY RACE

(By place of residence. Exclusive of fetal deaths, and of deaths among armed forces overseas. Numbers

CAUSE OF DEATH	OREGON					PENNSYLVANIA				
	Total	White		Nonwhite		Total	White		Nonwhite	
		Male	Female	Male	Female		Male	Female	Male	Female
1 XIII.—Diseases of the bones and organs of movement-----	52	17	15	-	-	218	86	115	8	9
2 Arthritis and spondylitis-----720-725	19	10	9	-	-	129	40	84	1	4
3 Muscular rheumatism and rheumatism unspecified-----726,727	4	1	3	-	-	3	1	2	-	-
4 Osteomyelitis and periostitis-----730	4	3	1	-	-	26	17	3	5	1
5 Ankylosis and acquired musculoskeletal deformities-----737,745-749	-	-	-	-	-	1	-	-	1	-
6 All other diseases of musculoskeletal system-----731-736,738-744	5	3	2	-	-	59	28	26	1	4
7 XIV.—Congenital malformations-----	192	112	71	6	3	1,261	682	507	39	33
8 Spina bifida and meningocele-----751	13	3	9	1	-	147	65	78	3	1
9 Congenital hydrocephalus, etc.*-----752,753	24	17	6	-	1	146	72	62	8	6
10 Congenital malformations of circulatory system-----754	86	50	33	2	1	584	332	218	15	19
11 Other congenital malformations-----750,755-759	69	42	23	5	1	364	213	149	15	7
12 XV.—Certain diseases of early infancy-----	549	329	202	11	7	4,068	2,032	1,501	297	258
13 Birth injuries-----760,761	124	76	47	1	-	726	406	259	32	30
14 Postnatal asphyxia and atelectasis-----762	133	90	40	2	1	704	398	236	49	34
15 Infections of newborn-----763-768	19	12	6	-	1	228	98	100	19	11
16 Hemolytic disease of newborn (erythroblastosis)-----770	31	19	11	-	1	162	91	64	5	2
17 All other defined diseases of early infancy-----769,771,772	27	17	7	2	1	172	93	62	12	5
18 Ill-defined diseases peculiar to early infancy, and immaturity unqualified-----773-776	215	115	91	6	3	2,076	956	761	181	156
19 XVI.—Symptoms, senility, and ill-defined conditions-----	246	154	89	-	5	1,051	529	421	65	36
20 Senility without mention of psychosis-----794	139	76	61	-	2	322	99	209	6	8
21 Symptoms, ill-defined and unknown causes-----780-793,795	109	78	28	-	3	729	430	212	59	28
22 XVII.—Accidents, poisonings, and violence-----	1,381	1,034	315	27	5	7,016	4,620	1,918	357	121
23 Accidents-----E800-E862	1,103	819	259	20	5	5,532	3,653	1,644	245	90
24 Railway accidents-----E800-E802	17	16	1	-	-	160	135	19	5	1
25 Motor-vehicle accidents-----E810-E835	321	296	81	11	3	1,730	1,296	360	61	13
26 Motor-vehicle traffic accidents-----E810-E825	370	276	80	11	3	1,703	1,273	356	61	13
27 Motor-vehicle traffic accident with railway train*-----E810	9	8	1	-	-	39	31	7	1	-
28 Motor-vehicle traffic accident to pedestrian-----E812	60	39	20	1	-	607	434	142	25	6
29 Other motor-vehicle traffic accidents, etc.*-----E811, E813-E819	108	61	22	3	2	372	280	72	18	2
30 Motor-vehicle noncollision traffic accidents-----E820-E824	116	89	21	5	1	267	214	39	12	2
31 Motor-vehicle traffic accident of unspecified nature-----E825	77	59	16	2	-	418	314	96	5	3
32 Motor-vehicle nontraffic accidents-----E830-E835	21	20	1	-	-	27	23	4	-	-
33 Other road-vehicle accidents-----E840-E845	3	2	-	1	-	58	33	15	6	4
34 Water-transport accidents-----E850-E859	36	31	5	2	-	36	32	3	1	-
35 Aircraft accidents-----E860-E866	20	20	-	-	-	68	64	4	-	-
36 Accidental poisoning by solid and liquid substances-----E870-E888	11	7	4	-	-	80	36	34	7	3
37 Accidental poisoning by gases and vapors-----E890-E895	19	14	5	-	-	142	90	36	11	5
38 Accidental falls-----E900-E904	180	94	94	2	-	1,770	846	868	41	15
39 Fall from one level to another-----E900-E902	66	37	27	2	-	658	397	235	22	4
40 Fall on same level-----E903	37	16	21	-	-	250	92	150	4	4
41 Unspecified falls-----E904	77	31	46	-	-	862	357	483	15	7
42 Blow from falling object-----E910	70	67	3	-	-	163	151	5	7	-
43 Accident caused by machinery-----E912	42	41	1	-	-	93	85	5	5	-
44 Accident caused by electric current-----E914	16	15	1	-	-	44	42	2	-	-
45 Accident caused by fire and explosion, etc.*-----E916	51	30	21	-	-	355	181	120	26	28
46 Accident caused by hot substance, etc.*-----E917, E919	6	5	1	-	-	64	37	21	5	1
47 Accident caused by firearm-----E919	44	40	4	-	-	98	83	9	5	1
48 Inhalation and ingestion of food or other object, etc.*-----E921, E922	34	17	16	1	-	83	50	25	1	7
49 Accidental drowning-----E929	92	79	10	3	-	282	225	30	26	1
50 Excessive heat and insulation-----E931	-	-	-	-	-	64	41	19	2	2
51 Complications due to nontherapeutic medical and surgical procedures, therapeutic misadventure, etc.*-----E940-E959	3	2	1	-	-	13	7	4	2	-
52 All other accidents-----Residual	66	52	12	-	2	329	221	65	34	9
53 Suicide-----E963, E970-E979	239	189	47	3	-	1,109	861	220	24	4
54 Suicide by poisoning-----E970-E973	55	36	19	-	-	229	141	85	2	1
55 Suicide by hanging and strangulation-----E974	32	26	6	-	-	300	241	55	3	1
56 Suicide by firearms and explosives-----E976	128	110	15	3	-	457	366	39	12	1
57 Suicide by all other means-----E965, E975, E977-E979	24	17	7	-	-	143	93	42	7	1
58 Homicide-----E964, E990-E965	39	26	9	4	-	273	105	53	88	27
59 Assault by firearms and explosives-----E981	23	15	5	3	-	123	41	29	39	14
60 Assault by cutting and piercing instruments-----E982	4	2	1	1	-	66	16	10	32	8
61 Assault by other means-----E964, E980, E983	11	8	3	-	-	78	42	14	15	5
62 Injury by intervention of police-----E984	1	1	-	-	-	4	3	-	1	-
63 Execution-----E985	-	-	-	-	-	4	3	-	1	-
64 Injury resulting from operations of war-----E965, E990-E999	-	-	-	-	-	2	1	1	-	-

*For complete category title, refer to table XIII, Part I.

GENERAL TABLES—DEATHS FROM SELECTED CAUSES

AND SEX: UNITED STATES AND EACH STATE, 1949—Continued

after causes of death are category numbers of the Sixth Revision of the International Lists, 1948)

Table with columns for Rhode Island, South Carolina, South Dakota, and Tennessee, each subdivided by sex (Total, Male, Female) and race (White, Nonwhite). Rows list categories 1 through 64.

VITAL STATISTICS OF THE UNITED STATES

TABLE 23.—DEATHS FROM 254 SELECTED CAUSES, BY RACE

(By place of residence. Exclusive of fetal deaths and of deaths among armed forces overseas. Numbers

CAUSE OF DEATH	TEXAS					UTAH				
	Total	White		Nonwhite		Total	White		Nonwhite	
		Male	Female	Male	Female		Male	Female	Male	Female
VII.—Diseases of the circulatory system—Continued										
Diseases of heart—Continued										
1 Chronic endocarditis not specified as rheumatic-----421	328	141	89	43	53	51	18	11	1	1
2 Of mitral valve, specified as nonrheumatic-----421.0	5	2	1	-	2	-	-	-	-	-
3 Of aortic valve, not specified as rheumatic-----421.1	87	35	24	16	12	1	1	-	-	-
4 Of other valves, not specified as rheumatic-----421.2-421.4	234	104	64	27	39	50	18	10	1	1
5 Other myocardial degeneration-----422	2,061	959	755	202	145	269	149	115	3	2
6 With arteriosclerosis-----422.1	524	252	202	46	24	77	41	35	1	2
7 Without mention of arteriosclerosis-----422.0,422.2	1,537	707	553	156	121	192	108	82	2	-
8 Other diseases of heart-----430-434	1,956	946	501	276	213	76	43	32	1	-
9 Acute and subacute endocarditis-----430	61	24	15	10	12	6	4	2	-	-
10 Acute myocarditis not specified as rheumatic-----431	149	45	41	32	31	15	7	8	-	-
11 Acute pericarditis specified as nonrheumatic-----432	3	2	-	-	1	-	-	-	-	-
12 Functional disease of heart-----433	144	85	46	8	5	9	3	6	-	-
13 Other and unspecified diseases of heart-----434	1,579	790	399	226	164	46	29	16	1	-
14 Hypertension with heart disease-----440-443	2,860	1,130	1,032	351	347	256	111	119	5	2
15 Hypertensive heart disease with arteriolar nephrosclerosis-----442	772	345	239	102	87	87	50	34	2	1
16 Essential hypertension with heart disease, etc.*-----440,441,443	2,088	785	794	249	260	149	61	84	3	1
17 Hypertension without mention of heart-----444-447	614	242	209	76	88	32	15	17	-	-
18 Hypertension with arteriolar nephrosclerosis, etc.*-----446	166	68	68	43	16	10	6	4	-	-
19 Essential hypertension, other hypertensive disease, etc.*-----444,445,447	448	154	165	57	72	22	9	13	-	-
20 Diseases of arteries-----450-456	946	466	353	82	45	93	41	52	-	-
21 General arteriosclerosis-----450	804	392	310	70	32	80	33	47	-	-
22 Aortic aneurysm specified as nonsyphilitic, etc.*-----451	39	24	9	4	2	5	5	2	-	-
23 Gangrene of unspecified cause-----455	24	11	4	5	4	2	-	-	-	-
24 Other arterial diseases-----452-454,456	79	39	30	3	7	6	3	3	-	-
25 Diseases of veins and other diseases of circulatory system-----460-468	156	84	59	15	18	16	10	6	-	-
26 VIII.—Diseases of the respiratory system-----	3,048	1,342	1,106	334	268	177	105	86	4	2
27 Acute upper respiratory infections-----470-475	81	22	23	8	8	6	5	1	-	-
28 Influenza-----480-483	350	123	142	48	39	9	2	7	-	-
29 Pneumonia, except pneumonia of newborn-----490-493	2,048	894	756	233	185	103	57	40	4	2
30 Lobar pneumonia-----490	558	260	181	70	47	33	20	11	1	1
31 Bronchopneumonia-----491	702	297	283	86	56	24	27	15	1	1
32 Primary atypical pneumonia-----492	157	69	57	14	17	9	5	3	1	-
33 Pneumonia, other and unspecified-----493	631	268	215	83	65	17	5	11	1	-
34 Acute bronchitis-----500	44	17	17	4	6	11	7	4	-	-
35 Bronchitis, chronic and unqualified-----501,502	98	48	41	6	4	6	2	3	-	-
36 Hypertrophy of tonsils and adenoids-----510	54	36	9	7	2	2	2	3	-	-
37 Empyema and abscess of lung-----518,521	54	36	9	7	2	2	2	2	-	-
38 Pleurisy-----519	7	3	3	1	7	-	-	-	-	-
39 All other respiratory diseases-----Residual	363	187	131	25	20	34	27	7	-	-
40 IX.—Diseases of the digestive system-----	3,594	1,723	1,384	256	221	210	108	94	4	4
41 Diseases of teeth and supporting structures-----530-535	19	7	4	6	2	1	1	-	-	-
42 Ulcer of stomach-----540	151	114	13	15	9	25	18	7	-	-
43 Ulcer of duodenum-----541	89	71	10	7	1	22	17	5	-	-
44 Gastritis and duodenitis-----543	32	6	12	5	9	-	-	-	-	-
45 Appendicitis-----550-553	194	92	62	24	19	11	6	3	2	-
46 Hernia and intestinal obstruction-----560,561,570	416	167	174	34	41	36	21	14	2	1
47 Gastro-enteritis and colitis, except diarrhea of newborn-----571,572	1,443	648	647	87	61	15	6	9	-	-
48 Cirrhosis of liver-----581	475	303	135	22	15	36	19	16	1	-
49 Without mention of alcoholism-----581.0	418	281	125	18	14	31	15	15	1	-
50 With alcoholism-----581.1	57	47	10	4	1	5	4	1	-	-
51 Cholelithiasis and cholecystitis-----584,585	250	77	156	3	12	37	8	29	-	-
52 Other diseases of digestive system-----Residual	515	238	169	53	55	27	12	11	1	3
53 X.—Diseases of the genito-urinary system-----	2,253	1,100	570	352	231	156	80	54	2	-
54 Nephritis and nephrosis-----590-594	1,501	641	442	219	199	91	49	41	1	-
55 Acute nephritis-----590	154	82	44	24	24	7	5	2	-	-
56 Nephritis with edema, including nephrosis-----591	50	24	11	9	6	9	5	4	-	-
57 Chronic and unspecified nephritis and other renal sclerosis-----592-594	1,297	555	387	186	169	75	39	35	1	-
58 Infections of kidney-----600	127	46	53	17	11	12	9	3	-	-
59 Calculi of urinary system-----602,604	40	23	17	-	-	5	2	3	-	-
60 Other diseases of urinary system-----601,603,605-609	100	49	19	25	7	3	3	-	-	-
61 Hyperplasia of prostate-----610	352	284	...	68	...	18	17	...	1	...
62 Other diseases of male genital organs-----611-617	80	37	...	23
63 Diseases of breast-----620,621	1	-	1	-	-	-	-	-	-	-
64 Diseases of female genital organs-----622-637	52	...	38	...	14	7	...	7	...	-
65 XI.—Deliveries and complications of pregnancy, childbirth, and the puerperium-----	240	...	168	...	72	5	...	5	...	-
66 Sepsis of pregnancy, childbirth, and puerperium-----640,641,681,682,684	42	...	28	...	14	1	...	-
67 Toxemias of pregnancy and puerperium, etc.*-----642,688,686	69	...	45	...	24	5	...	3	...	-
68 Hemorrhage of pregnancy and childbirth-----643,644,670-672	39	...	30	...	9	1	...	1	...	-
69 Ectopic pregnancy-----645	10	...	3	...	7	-	...	-	...	-
70 Abortion without mention of sepsis or toxemia-----650	5	...	3	...	2	-	...	-	...	-
71 Abortion with sepsis-----651	2	...	15	...	7	-	...	-	...	-
72 Abortion with toxemia, without mention of sepsis-----652	4	...	4	...	-	-	...	-	...	-
73 Other complications of pregnancy, childbirth, and puerperium-- Residual	48	...	40	...	9	-	...	-	...	-
74 XII.—Diseases of the skin and cellular tissue-----	79	31	32	9	7	4	3	1	-	-
75 Infections of skin and subcutaneous tissue-----690-698	27	11	10	4	2	1	1	-	-	-
76 Other diseases of skin and subcutaneous tissue-----700-718	52	20	22	5	5	3	2	1	-	-

*For complete category title, refer to table XIII, Part I.

VITAL STATISTICS OF THE UNITED STATES

TABLE 23.—DEATHS FROM 254 SELECTED CAUSES, BY RACE

(By place of residence. Exclusive of fetal deaths and of deaths among armed forces overseas. Numbers

CAUSE OF DEATH	TEXAS					UTAH				
	Total	White		Nonwhite		Total	White		Nonwhite	
		Male	Female	Male	Female		Male	Female	Male	Female
1 XIII.—Diseases of the bones and organs of movement-----	141	54	71	4	12	7	5	2	-	-
2 Arthritis and spondylitis-----720-725	91	24	58	2	7	-	-	-	-	-
3 Muscular rheumatism and rheumatism unspecified-----726,727	11	7	4	-	-	-	-	-	-	-
4 Osteomyelitis and periostitis-----730	11	7	1	1	2	-	-	-	-	-
5 Ankylosis and acquired musculoskeletal deformities-----737,745-749	1	1	-	-	-	1	1	-	-	-
6 All other diseases of musculoskeletal system-----751-756,758-744	27	15	9	1	3	6	4	2	-	-
7 XIV.—Congenital malformations-----	890	433	385	47	25	118	72	44	1	1
8 Spina bifida and meningocele-----751	96	43	47	5	1	3	1	2	-	-
9 Congenital hydrocephalus, etc.*-----75E,753	67	33	30	3	1	17	9	6	1	1
10 Congenital malformations of circulatory system-----754	408	197	174	23	14	63	38	25	-	-
11 Other congenital malformations-----750,755-759	319	160	154	16	9	35	24	11	-	-
12 XV.—Certain diseases of early infancy-----	4,274	2,051	1,510	412	301	353	202	141	5	5
13 Birth injuries-----760,761	647	330	221	64	32	97	61	33	2	1
14 Postnatal asphyxia and atelectasis-----762	569	298	199	41	31	73	44	29	1	2
15 Infections of newborn-----763-768	408	173	157	42	36	15	9	4	1	1
16 Hemolytic disease of newborn (erythroblastosis)-----770	127	67	51	6	3	29	14	15	-	-
17 All other defined diseases of early infancy-----769,771,772	335	156	123	33	23	16	9	7	-	-
18 Ill-defined diseases peculiar to early infancy, and immaturity unqualified-----773-776	2,188	1,027	759	226	176	123	65	56	1	1
19 XVI.—Symptoms, senility, and ill-defined conditions-----	2,062	934	617	285	248	187	105	72	8	4
20 Senility without mention of psychosis-----794	697	259	277	77	84	98	50	45	2	1
21 Symptoms, ill-defined and unknown causes-----790-793,795	1,365	675	340	206	164	89	53	27	6	3
22 XVII.—Accidents, poisonings, and violence-----	6,629	4,032	1,465	851	281	553	391	150	9	3
23 Accidents-----E800-E862	5,160	3,211	1,245	497	207	480	335	136	6	3
24 Railway accidents-----E800-E802	136	91	12	32	1	10	9	1	-	-
25 Motor-vehicle accidents-----E810-E835	1,977	1,360	402	158	57	178	120	53	5	-
26 Motor-vehicle traffic accidents-----E810-E825	1,934	1,333	392	155	54	170	115	50	5	-
27 Motor-vehicle traffic accident with railway train*-----E810	95	58	23	7	7	9	7	2	-	-
28 Motor-vehicle traffic accident to pedestrian-----E812	387	266	66	41	14	39	26	13	1	-
29 Other motor-vehicle traffic accidents, etc.*-----E811, E813-E819	468	328	107	24	9	45	32	12	1	-
30 Motor-vehicle noncollision traffic accidents-----E820-E824	354	252	67	27	8	46	34	12	-	-
31 Motor-vehicle traffic accident of unspecified nature-----E825	630	429	129	56	16	31	17	11	3	-
32 Motor-vehicle nontraffic accidents-----E830-E835	45	27	10	3	3	8	5	3	-	-
33 Other road-vehicle accidents-----E840-E845	18	11	5	4	-	4	3	1	-	-
34 Water-transport accidents-----E850-E856	56	46	4	5	1	4	3	1	-	-
35 Aircraft accidents-----E860-E866	150	135	15	-	-	18	18	1	-	-
36 Accidental poisoning by solid and liquid substances-----E870-E888	97	41	36	11	7	13	2	2	-	-
37 Accidental poisoning by gases and vapors-----E890-E895	53	36	10	5	2	3	3	-	-	-
38 Accidental falls-----E900-E904	791	542	395	22	52	90	45	42	-	3
39 Fall from one level to another-----E900-E902	180	107	66	10	7	38	23	15	-	-
40 Fall on same level-----E903	101	36	56	4	3	25	14	10	-	1
41 Unspecified falls-----E904	510	199	261	8	22	27	8	17	-	2
42 Blow from falling object-----E910	59	45	5	8	1	18	15	2	1	-
43 Accident caused by machinery-----E912	98	87	2	9	-	15	15	-	-	-
44 Accident caused by electric current-----E914	104	86	11	4	1	3	3	-	-	-
45 Accident caused by fire and explosion, etc.*-----E916	383	144	132	57	50	19	9	10	-	-
46 Accident caused by hot substance, etc.*-----E917, E918	35	37	16	25	7	1	1	-	-	-
47 Accident caused by firearm-----E919	207	140	19	41	7	19	17	2	-	-
48 Inhalation and ingestion of food or other object, etc.*-----E921, E922	65	31	23	6	5	9	2	7	-	-
49 Accidental drowning-----E923	403	311	45	44	3	37	30	7	-	-
50 Excessive heat and insulation-----E951	34	27	-	7	-	-	-	-	-	-
51 Complications due to nontherapeutic medical and surgical procedures, therapeutic misadventure, etc.*-----E940-E959	26	14	7	3	2	3	3	-	-	-
52 All other accidents-----Residual	418	225	106	58	31	44	37	7	-	-
53 Suicide-----E963, E970-E979	700	517	151	26	6	58	46	10	2	-
54 Suicide by poisoning-----E970-E973	150	74	53	3	-	11	4	6	1	-
55 Suicide by hanging and strangulation-----E974	91	59	26	3	3	7	6	1	-	-
56 Suicide by firearms and explosives-----E976	394	323	54	15	2	38	34	3	1	-
57 Suicide by all other means-----E963, E975, E977-E979	85	61	18	5	1	2	2	-	-	-
58 Homicide-----E964, E980-E985	768	303	69	328	68	15	10	4	1	-
59 Assault by firearms and explosives-----E981	445	173	50	187	35	9	6	3	-	-
60 Assault by cutting and piercing instruments-----E982	212	75	7	107	25	1	1	-	-	-
61 Assault by other means-----E964, E980, E983	95	47	12	20	7	5	3	1	-	-
62 Injury by intervention of police-----E984	17	7	-	9	1	-	-	-	-	-
63 Execution-----E985	9	3	-	5	-	-	-	-	-	-
64 Injury resulting from operations of war-----E965, E990-E999	1	1	-	-	-	-	-	-	-	-

*For complete category title, refer to table XIII, Part I.

VITAL STATISTICS OF THE UNITED STATES

TABLE 23.—DEATHS FROM 254 SELECTED CAUSES, BY RACE
(By place of residence. Exclusive of fetal deaths and of deaths among armed forces overseas. Numbers

CAUSE OF DEATH	WISCONSIN					WYOMING				
	Total	White		Nonwhite		Total	White		Nonwhite	
		Male	Female	Male	Female		Male	Female	Male	Female
1 ALL CAUSES	52,995	18,471	14,078	253	191	2,385	1,505	810	43	27
2 I.—Infective and parasitic diseases	601	484	279	24	14	72	41	24	2	5
3 Tuberculosis, all forms	451	281	147	15	8	29	17	7	2	3
4 Tuberculosis of respiratory system	416	266	130	13	7	27	17	7	1	2
5 Tuberculosis of meninges and central nervous system	9	6	3	-	-	-	-	-	-	-
6 Tuberculosis of intestines, peritoneum, and mesenteric glands	1	-	1	-	-	-	-	-	-	-
7 Tuberculosis of vertebral column	5	3	2	-	-	-	-	-	-	-
8 Tuberculosis of other bones and joints	1	-	1	-	-	1	-	-	-	1
9 Tuberculosis of genito-urinary system	9	3	4	1	-	-	-	-	-	-
10 Tuberculosis of lymphatic system and other organs	6	2	4	-	-	-	-	-	-	-
11 Disseminated tuberculosis	5	1	2	1	1	1	-	-	1	-
12 Syphilis and its sequelae	118	88	24	5	1	19	11	7	-	1
13 Congenital syphilis	4	2	1	1	-	-	-	-	-	-
14 Early syphilis	-	-	-	-	-	-	-	-	-	-
15 Aneurysm of aorta	34	29	5	2	-	11	8	3	-	-
16 Other cardiovascular syphilis	47	33	12	1	1	3	1	2	-	-
17 Tabes dorsalis	4	2	2	-	-	-	-	-	-	-
18 General paralysis of insane	15	9	5	1	-	4	1	2	-	1
19 Other syphilis of central nervous system	11	10	1	-	-	1	1	-	-	-
20 Other syphilis	3	-	-	-	-	-	-	-	-	-
21 Gonococcal infection	-	-	-	-	-	-	-	-	-	-
22 Typhoid fever	1	-	-	-	1	-	-	-	-	-
23 Paratyphoid fever	-	-	-	-	-	-	-	-	-	-
24 Other Salmonella infections	-	-	-	-	-	-	-	-	-	-
25 Cholera	-	-	-	-	-	-	-	-	-	-
26 Brucellosis (undulant fever)	2	2	-	-	-	1	1	-	-	-
27 Dysentery, all forms	8	3	4	-	1	-	-	-	-	-
28 Scarlet fever	-	-	-	-	-	-	-	-	-	-
29 Streptococcal sore throat	11	5	8	-	-	3	1	2	-	-
30 Erysipelas	3	1	2	-	-	-	-	-	-	-
31 Septicemia and pyemia	13	5	7	1	-	-	-	-	-	-
32 Diphtheria	1	-	1	-	-	-	-	-	-	-
33 Whooping cough	2	1	1	-	-	1	1	-	-	-
34 Meningococcal infections	15	11	4	-	-	3	1	1	-	1
35 Plague	-	-	-	-	-	-	-	-	-	-
36 Tularemia	-	-	-	-	-	-	-	-	-	-
37 Leprosy	-	-	-	-	-	-	-	-	-	-
38 Tetanus	4	3	1	-	-	-	-	-	-	-
39 Anthrax	-	-	-	-	-	-	-	-	-	-
40 Acute poliomyelitis	73	38	33	2	-	10	8	2	-	-
41 Late effects of acute poliomyelitis	-	-	-	-	-	-	-	-	-	-
42 Acute infectious encephalitis	10	2	8	-	-	2	-	2	-	-
43 Late effects of acute infectious encephalitis	15	10	5	-	-	-	-	-	-	-
44 Smallpox	-	-	-	-	-	-	-	-	-	-
45 Measles	32	14	15	-	3	-	-	-	-	-
46 Yellow fever	-	-	-	-	-	-	-	-	-	-
47 Infectious hepatitis	13	6	7	-	-	-	-	-	-	-
48 Rabies	-	-	-	-	-	-	-	-	-	-
49 Tick-borne typhus	-	-	-	-	-	1	1	-	-	-
50 Typhus, etc.,* and other rickettsial diseases	-	-	-	-	-	-	-	-	-	-
51 Malaria	-	-	-	-	-	-	-	-	-	-
52 Schistosomiasis	-	-	-	-	-	-	-	-	-	-
53 Hydatid disease	-	-	-	-	-	-	-	-	-	-
54 Filariasis	-	-	-	-	-	-	-	-	-	-
55 Ankylostomiasis	-	-	-	-	-	-	-	-	-	-
56 Other diseases due to helminths	1	-	1	-	-	-	-	-	-	-
57 All other infective and parasitic diseases	28	14	13	1	-	3	1	2	-	-
58 II.—Neoplasms	5,271	2,679	2,541	23	28	296	150	139	3	5
59 Malignant neoplasms, including neoplasms of lymphatic and hematopoietic tissues	5,148	2,628	2,475	23	24	261	147	126	3	5
60 Malignant neoplasm of buccal cavity and pharynx	132	94	36	2	-	8	7	1	-	-
61 Of lip	18	15	3	-	-	2	1	1	-	-
62 Of tongue	26	20	6	-	-	-	-	-	-	-
63 Of other and unspecified parts of buccal cavity	29	14	13	1	-	1	1	-	-	-
64 Of pharynx	60	45	14	1	-	5	5	-	-	-
65 Malignant neoplasm of digestive organs and peritoneum	2,251	1,253	977	10	11	110	60	45	2	3
66 Of esophagus	108	91	16	-	1	3	2	1	-	-
67 Of stomach	735	452	272	7	4	39	23	14	2	-
68 Of intestine, except rectum	625	296	324	2	3	36	14	20	-	2
69 Of rectum	262	169	111	4	2	4	3	1	-	-
70 Of biliary passages and of liver (stated to be primary site)	126	42	84	1	1	5	4	1	-	-
71 Of liver not specified whether primary or secondary	121	54	67	-	-	13	8	5	-	-
72 Of pancreas	214	124	90	-	-	9	6	2	-	1
73 Of peritoneum and of unspecified digestive organs	38	25	13	-	-	1	-	1	-	-
74 Malignant neoplasm of respiratory system	360	276	82	2	-	15	14	1	-	-
75 Of larynx	41	36	4	1	-	1	1	-	-	-
76 Of trachea, and of bronchus and lung specified as primary	111	89	21	1	-	7	7	-	-	-
77 Of lung and bronchus, unspecified as primary or secondary	186	136	50	-	-	7	6	1	-	-
78 Of other parts of respiratory system	22	15	7	-	-	-	-	-	-	-
79 Malignant neoplasm of breast	485	6	479	-	-	19	-	19	-	-
80 Malignant neoplasm of genital organs	803	324	466	4	9	49	24	25	-	-
81 Of cervix uteri	183	...	181	...	2	8	...	8
82 Of other and unspecified parts of uterus	130	...	127	...	3	8	...	8
83 Of ovary, fallopian tube, and broad ligament	138	...	135	...	3	8	...	8
84 Of other and unspecified female genital organs	24	...	23	...	1	1	...	1
85 Of prostate	305	301	...	4	...	21	21
86 Of testis, and of other and unspecified male genital organs	23	23	3	3

*For complete category title, refer to table XIII, Part I.

GENERAL TABLES—DEATHS FROM SELECTED CAUSES

523

AND SEX: UNITED STATES AND EACH STATE, 1949—Continued

after causes of death are category numbers of the Sixth Revision of the International Lists, 1949)

CAUSE OF DEATH	WISCONSIN					WYOMING				
	Total	White		Nonwhite		Total	White		Nonwhite	
		Male	Female	Male	Female		Male	Female	Male	Female
II.—Neoplasms—Continued										
Malignant neoplasms, including neoplasms of lymphatic and hematopoietic tissues—Continued										
1 Malignant neoplasm of urinary organs.....180,181	271	199	72	-	-	11	8	5	-	-
2 Of kidney.....180	106	69	37	-	-	6	4	2	-	-
3 Of bladder and other urinary organs.....181	165	130	35	-	-	5	4	1	-	-
4 Malignant neoplasm of other and unspecified sites.....156B,165,190-199	449	243	201	2	3	45	23	22	-	-
5 Of skin.....190,191	60	30	30	-	-	6	3	3	-	-
6 Of eye.....192	10	9	-	1	-	1	1	-	-	-
7 Of brain and other parts of nervous system.....193	116	71	43	1	1	6	4	2	-	-
8 Of thyroid gland.....194	21	4	17	-	-	1	1	-	-	-
9 Of bone (including jaw bone).....196	59	42	17	-	-	6	3	3	-	-
10 Of connective tissue.....197	15	6	-	-	-	-	-	-	-	-
11 Of other specified sites, not stated to be secondary.....195,198A,199A	78	37	39	1	1	13	6	7	-	-
12 Of unspecified sites.....156B,165,196B,199B-II	92	44	48	-	-	12	6	6	-	-
13 Leukemia and aleukemia.....204	214	127	87	-	-	11	4	5	1	1
14 Lymphosarcoma, etc.*.....200-203,205	183	104	75	3	1	13	7	5	-	1
15 Lymphosarcoma and reticulosarcoma.....200	77	43	33	1	-	6	4	2	-	-
16 Hodgkin's disease.....201	68	41	25	2	-	5	2	2	-	1
17 Other neoplasms of lymphatic and hematopoietic tissues.....202,203,205	38	20	17	-	1	2	1	1	-	-
18 Benign neoplasms and neoplasms of unspecified nature.....210-239	123	53	66	-	4	15	3	12	-	-
19 Benign neoplasms of female genital organs.....214-217	28	24	4	-	4	4	3	1	-	-
20 Benign neoplasm of brain and other parts of nervous system.....223	23	12	11	-	-	3	2	1	-	-
21 Other benign neoplasms.....210-213,218-222,224-229	25	15	10	-	-	2	-	2	-	-
22 Neoplasm of unspecified nature of female genital organs.....233-235	1	-	1	-	-	-	-	-	-	-
23 Neoplasm of unspecified nature of brain, etc.*.....237	25	14	11	-	-	5	1	4	-	-
24 Other neoplasms of unspecified nature.....230-232,236,238,239	21	12	9	-	-	1	-	1	-	-
III.—Allergic, endocrine system, metabolic, and nutritional diseases										
25	852	344	496	3	9	58	27	30	-	1
26 Asthma.....241	86	54	31	2	1	11	7	4	-	-
27 Nontoxic goiter.....250,251	4	-	4	-	-	-	-	1	-	-
28 Thyrotoxicosis with or without goiter.....252	55	14	40	-	1	1	-	1	-	-
29 Myxedema, cretinism, and other diseases of thyroid gland.....253,254	6	1	5	-	-	1	-	1	-	-
30 Diabetes mellitus.....260	627	238	385	-	4	31	11	19	-	1
31 Diseases of thymus gland.....273	31	18	10	1	2	7	6	1	-	-
32 Diseases of adrenal glands.....274	15	3	10	-	-	2	2	-	-	-
33 Pellagra.....281	1	-	1	-	-	-	-	-	-	-
34 All other avitaminoses and nutritional deficiency states.....280,282-286	7	3	3	-	1	4	1	3	-	-
35 Other allergic, endocrine, and metabolic diseases.....Residual	20	13	7	-	-	-	-	-	-	-
IV.—Diseases of the blood and blood-forming organs										
36	164	81	83	-	-	9	2	7	-	-
37 Anemias.....290-293	123	60	63	-	-	6	2	4	-	-
38 Pernicious and other hyperchromic anemias.....290	92	44	48	-	-	2	1	1	-	-
39 Anemias of other and unspecified types.....291-293	31	16	15	-	-	4	1	3	-	-
40 Purpura and other hemorrhagic conditions.....296	15	9	6	-	-	1	-	1	-	-
41 All other diseases of blood and blood-forming organs.....294,295,297-299	26	12	14	-	-	2	-	2	-	-
V.—Mental, psychoneurotic, and personality disorders										
42	104	62	40	1	1	18	10	7	-	1
43 Senile psychosis.....304	26	8	17	1	-	3	1	2	-	-
44 Alcoholic psychosis.....307	8	8	-	-	-	1	1	-	-	-
45 Other psychoses.....300-303,305,306,308,309	24	10	13	-	1	1	-	1	-	-
46 Alcoholism.....322	34	30	4	-	-	13	8	4	-	1
47 Mental deficiency.....325	9	5	4	-	-	-	-	-	-	-
48 Psychoneuroses and other disorders of personality.....310-321,323,324,326	3	1	2	-	-	-	-	-	-	-
VI.—Diseases of the nervous system and sense organs										
49	4,276	2,063	2,174	17	22	240	138	96	3	1
50 Vascular lesions affecting central nervous system.....330-334	3,911	1,854	2,023	14	20	213	122	86	5	-
51 Subarachnoid hemorrhage.....330	56	27	28	1	-	1	-	-	-	-
52 Cerebral hemorrhage.....331	2,736	1,291	1,422	9	14	148	82	63	5	-
53 Cerebral embolism and thrombosis.....332	454	224	223	-	2	30	17	13	-	-
54 Other vascular lesions affecting central nervous system.....333,334	665	312	345	4	4	34	22	12	-	-
55 Meningitis, except meningococcal and tuberculous.....340	50	30	19	-	1	3	-	3	-	-
56 Multiple sclerosis.....345	62	29	33	-	-	2	2	-	-	-
57 Paralysis agitans.....350	73	47	25	-	1	1	-	1	-	-
58 Cerebral spastic infantile paralysis.....351	23	12	11	-	-	1	1	-	-	-
59 Epilepsy.....353	48	29	19	-	-	11	8	2	-	1
60 Inflammatory diseases of eye.....370-378	1	-	-	-	-	-	-	-	-	-
61 Cataract.....385	1	-	1	-	-	-	-	-	-	-
62 Glaucoma.....387	1	-	1	-	-	-	-	-	-	-
63 Otitis media and mastoiditis.....391-393	14	9	5	-	-	1	-	1	-	-
64 Other diseases of nervous system and sense organs.....Residual	92	52	37	3	-	8	5	3	-	-
VII.—Diseases of the circulatory system										
65	13,648	7,943	5,563	71	51	793	546	234	9	4
66 Rheumatic fever.....400-402	49	21	26	1	1	6	2	4	-	-
67 Diseases of heart.....410-443	12,391	7,332	4,947	85	47	745	518	216	7	4
68 Chronic rheumatic heart disease.....410-416	525	280	237	4	4	39	24	15	-	-
69 Diseases of mitral valve.....410	198	104	93	1	-	22	14	8	-	-
70 Diseases of aortic valve specified as rheumatic.....411	12	8	3	-	1	3	-	-	-	-
71 Diseases of tricuspid valve.....412	2	2	-	-	-	-	-	-	-	-
72 Diseases of pulmonary valve, etc.,* specified as rheumatic.....413,414	60	28	29	-	3	1	-	1	-	-
73 Other diseases of heart specified as rheumatic.....415,416	253	138	112	3	-	15	7	6	-	-
74 Arteriosclerotic heart disease, including coronary disease.....420	7,369	4,766	2,546	37	20	399	308	88	2	1
75 Arteriosclerotic heart disease so described.....420.0	2,194	1,170	992	21	11	53	31	20	1	1
76 Heart disease specified as involving coronary arteries.....420.1	5,154	3,581	1,548	16	9	342	274	67	1	-
77 Angina pectoris without mention of coronary disease.....420.2	21	15	6	-	-	4	3	1	-	-

*For complete category title, refer to table XIII, Part I.

TABLE 23.—DEATHS FROM 254 SELECTED CAUSES, BY RACE
(By place of residence. Exclusive of fetal deaths and of deaths among armed forces overseas. Numbers

CAUSE OF DEATH	WISCONSIN					WYOMING				
	Total	White		Nonwhite		Total	White		Nonwhite	
		Male	Female	Male	Female		Male	Female	Male	Female
VII.—Diseases of the circulatory system—Continued										
Diseases of heart—Continued										
1 Chronic endocarditis not specified as rheumatic-----421	269	141	125	2	1	17	10	7	-	-
2 Of mitral valve, specified as nonrheumatic-----421.0	3	2	1	-	-	-	-	-	-	-
3 Of aortic valve, not specified as rheumatic-----421.1	31	20	10	-	1	1	1	-	-	-
4 Of other valves, not specified as rheumatic-----421.2-421.4	235	119	114	2	-	16	9	7	-	-
5 Other myocardial degeneration-----422	2,380	1,212	1,149	7	12	151	99	48	3	1
6 With arteriosclerosis-----422.1	1,139	562	571	2	4	38	20	17	1	-
7 Without mention of arteriosclerosis-----422.0,422.2	1,241	650	578	5	8	113	79	31	2	1
8 Other diseases of heart-----430-434	342	206	134	1	1	48	31	14	2	1
9 Acute and subacute endocarditis-----430	28	17	10	1	-	4	3	1	-	-
10 Acute myocarditis not specified as rheumatic-----431	59	31	28	-	-	2	1	1	-	-
11 Acute pericarditis specified as nonrheumatic-----432	1	1	-	-	-	-	-	-	-	-
12 Functional disease of heart-----433	54	31	23	-	-	3	2	1	-	-
13 Other and unspecified diseases of heart-----434	200	126	73	-	1	39	25	11	2	1
14 Hypertension with heart disease-----440-443	1,506	727	756	14	9	91	46	44	-	1
15 Hypertensive heart disease with arteriolar nephrosclerosis-----442	492	252	234	3	3	45	25	19	-	1
16 Essential hypertension with heart disease, etc.*-440,441,443	1,014	+ 475	522	11	6	46	21	25	-	-
17 Hypertension without mention of heart-----444-447	270	111	154	2	3	6	3	3	-	-
18 Hypertension with arteriolar nephrosclerosis, etc.*-446	92	40	46	2	2	2	1	1	-	-
19 Essential hypertension, other hypertensive disease, etc.*-444,445,447	178	71	106	-	1	4	2	2	-	-
20 Diseases of arteries-----450-456	656	432	422	2	-	33	21	10	2	-
21 General arteriosclerosis-----450	704	391	391	2	-	31	19	10	2	-
22 Aortic aneurysm specified as nonsyphilitic, etc.*-451	30	20	10	-	-	1	1	-	-	-
23 Gangrene of unspecified cause-----455	12	8	4	-	-	1	1	-	-	-
24 Other arterial diseases-----452-454,456	30	13	17	-	-	1	-	-	-	-
25 Diseases of veins and other diseases of circulatory system-----460-468	82	47	34	1	-	3	2	1	-	-
VIII.—Diseases of the respiratory system-----										
26	997	608	562	17	10	94	63	25	4	2
27 Acute upper respiratory infections-----470-475	19	9	7	2	1	1	1	-	-	-
28 Influenza-----480-483	106	56	48	1	1	7	3	4	-	-
29 Pneumonia, except pneumonia of newborn-----490-493	662	410	233	12	7	61	39	16	4	2
30 Lobar pneumonia-----490	243	161	74	5	3	23	16	7	1	1
31 Bronchopneumonia-----491	419	317	119	7	4	20	13	6	-	1
32 Primary atypical pneumonia-----492	69	40	28	-	-	7	5	1	1	-
33 Pneumonia, other and unspecified-----493	33	22	11	-	-	9	5	2	2	-
34 Acute bronchitis-----500	27	16	10	-	1	2	1	1	-	-
35 Bronchitis, chronic and unqualified-----501,502	29	19	10	-	-	7	6	1	-	-
36 Hypertrophy of tonsils and adenoids-----510	6	5	1	-	-	-	-	-	-	-
37 Empyema and abscess of lung-----518,521	4	3	-	1	-	1	1	-	-	-
38 Pleurisy-----519	2	-	2	-	-	-	-	-	-	-
39 All other respiratory diseases-----Residual	142	90	51	1	-	15	12	3	-	-
IX.—Diseases of the digestive system-----										
40	1,212	672	508	18	14	117	68	41	5	3
41 Diseases of teeth and supporting structures-----530-535	6	4	2	-	-	2	2	-	-	-
42 Ulcer of stomach-----540	84	68	15	-	1	10	9	1	-	-
43 Ulcer of duodenum-----541	73	59	13	-	1	5	4	1	-	-
44 Gastritis and duodenitis-----543	2	1	1	-	-	-	-	-	-	-
45 Appendicitis-----550-553	76	45	29	2	-	9	6	3	-	-
46 Hernia and intestinal obstruction-----560,561,570	240	122	112	5	1	29	13	10	3	2
47 Gastro-enteritis and colitis, except diarrhea of newborn-----571,572	67	67	57	6	8	19	13	3	2	1
48 Cirrhosis of liver-----581	250	156	91	3	-	19	11	8	-	-
49 Without mention of alcoholism-----581.0	208	122	83	3	-	16	9	7	-	-
50 With alcoholism-----581.1	42	34	8	-	-	3	2	1	-	-
51 Cholelithiasis and cholecystitis-----584,585	211	75	134	-	2	13	4	9	-	-
52 Other diseases of digestive system-----Residual	132	75	54	2	1	12	6	6	-	-
X.—Diseases of the genito-urinary system-----										
53	870	559	298	6	7	78	42	34	1	1
54 Nephritis and nephrosis-----590-594	519	280	235	3	3	52	25	25	1	1
55 Acute nephritis-----590	27	15	10	-	2	4	1	2	1	-
56 Nephritis with edema, including nephrosis-----591	21	15	5	1	-	3	2	1	-	-
57 Chronic and unspecified nephritis and other renal sclerosis-----592-594	471	250	218	2	1	45	22	22	-	1
58 Infections of kidney-----600	72	35	34	2	1	6	2	4	-	-
59 Calculi of urinary system-----602,604	22	12	9	-	1	1	1	-	-	-
60 Other diseases of urinary system-----601,603,605-609	24	18	5	-	1	1	1	-	-	-
61 Hyperplasia of prostate-----610	206	206	...	1	...	9	9
62 Other diseases of male genital organs-----611-617	9	9	...	-	...	4	4
63 Diseases of breast-----620,621	1	-	-	-	1	-	-	-	-	-
64 Diseases of female genital organs-----622-637	17	...	17	...	-	5	...	5	...	-
XI.—Deliveries and complications of pregnancy, childbirth, and the puerperium-----										
65	49	...	43	...	6	3	...	3	...	-
66 Sepsis of pregnancy, childbirth, and puerperium-----640,641,681,682,684	9	...	9	...	-	1	...	1	...	-
67 Toxemia of pregnancy and puerperium, etc.*-----642,685,686	12	...	10	...	2	-	...	-	...	-
68 Hemorrhage of pregnancy and childbirth-----643,644,670-672	12	...	11	...	1	-	...	-	...	-
69 Ectopic pregnancy-----645	1	...	1	...	-	1	...	1	...	-
70 Abortion without mention of sepsis or toxemia-----650	-	...	-	...	-	-	...	-	...	-
71 Abortion with sepsis-----651	3	...	2	...	1	-	...	-	...	-
72 Abortion with toxemia, without mention of sepsis-----652	2	...	2	...	-	-	...	-	...	-
73 Other complications of pregnancy, childbirth, and puerperium-----Residual	10	...	8	...	2	1	...	1	...	-
XII.—Diseases of the skin and cellular tissue-----										
74	24	10	14	-	-	-	-	-	-	-
75 Infections of skin and subcutaneous tissue-----680-696	5	3	2	-	-	-	-	-	-	-
76 Other diseases of skin and subcutaneous tissue-----700-716	19	7	12	-	-	-	-	-	-	-

*For complete category title, refer to table XIII, Part I.

GENERAL TABLES-DEATHS FROM SELECTED CAUSES

AND EACH URBAN PLACE HAVING, IN 1940, A POPULATION OF 10,000 OR MORE, 1949-Continued

under causes of death are category numbers of the Sixth Revision of the International Lists, 1948)

Table with 23 columns representing causes of death and 19 rows of data. Columns include: Vascular lesions affecting central nervous system, Rheumatic fever, Diseases of heart, Hypertension without mention of heart and general arteriosclerosis, Other diseases of circulatory system, Chronic and unspecified nephritis and other renal scleroses, Influenza and pneumonia except pneumonia of newborn, Ulcer of stomach and duodenum, Gastritis, duodenitis, enteritis, and colitis, except diarrhea of newborn, Cirrhosis of liver, Acute nephritis and nephritis with edema, including nephrosis, Deliveries and complications of pregnancy, childbirth, and the puerperium, Congenital malformations, Symptoms, semilitary, and ill-defined conditions, Motor-vehicle accidents, All other accidents, Suicide, Homicide, All other causes. Rows include category numbers and corresponding death counts.

VITAL STATISTICS OF THE UNITED STATES

TABLE 24.—DEATHS FROM 32 SELECTED CAUSES: UNITED STATES, EACH STATE AND COUNTY,

(By place of residence. Exclusive of fetal deaths and of deaths among armed forces overseas. Numbers

Table with columns for AREA, Total, and various causes of death (Tuberculosis, Syphilis, Typhoid fever, Dysentery, Diphtheria, Whooping cough, Meningococcal infections, Acute poliomyelitis, Measles, All other infective and parasitic diseases, Malignant neoplasms, Diabetes mellitus, Meningitis, Major cardiovascular diseases, Diseases of cardiovascular system). Rows include states like Colorado and Connecticut with their respective counties and cities.

GENERAL TABLES—DEATHS FROM SELECTED CAUSES

AND EACH URBAN PLACE HAVING, IN 1940, A POPULATION OF 10,000 OR MORE, 1949—Continued.

under causes of death are category numbers of the Sixth Revision of the International Lists, 1948)

Table with columns for various causes of death and their corresponding counts. The columns include: Vascular lesions affecting central nervous system, Rheumatic fever, Diseases of heart, Hypertension without mention of heart and general arteriosclerosis, Other diseases of circulatory system, Chronic and unspecified nephritis and other renal sclerosis, Influenza and pneumonia except pneumonia of newborn, Ulcer of stomach and duodenum, Gastritis, duodenitis, and colitis, except diarrhea of newborn, Cirrhosis of liver, Acute nephritis and nephritis with edema, including nephrosis, Deliveries and complications of pregnancy, childbirth, and the puerperium, Congenital malformations, Symptoms, sentimentality, and ill-defined conditions, Motor-vehicle accidents, All other accidents, Suicide, Homicide, and All other causes. Each column also has a sub-column with category numbers (e.g., 350-354, 400-402, etc.). The table contains numerous rows of data and a final summary row.

VITAL STATISTICS OF THE UNITED STATES

TABLE 24.—DEATHS FROM 32 SELECTED CAUSES: UNITED STATES, EACH STATE AND COUNTY,

(By place of residence. Exclusive of fetal deaths and of deaths among armed forces overseas. Numbers

Table with columns: AREA, Total, Tuberculosis, Syphilis, Typhoid fever, Dysentery, Diphtheria, Whooping cough, Meningococcal infections, Acute poliomyelitis, Measles, All other infective and parasitic diseases, Malignant neoplasms, Diabetes mellitus, Meningitis, Major cardiovascular diseases, Diseases of cardiovascular system. Rows list states like Connecticut, Delaware, District of Columbia, Florida and various counties within them.

GENERAL TABLES—DEATHS FROM SELECTED CAUSES

AND EACH URBAN PLACE HAVING, IN 1940, A POPULATION OF 10,000 OR MORE, 1949—Continued

under causes of death are category numbers of the Sixth Revision of the International Lists, 1948)

Table with 18 columns and 100 rows of data. Columns include: Vascular lesions of heart, Rheumatic fever, Diseases of heart, Hypertension without mention of heart, Other diseases of circulatory system, Chronic and unspecified nephritis, Influenza and pneumonia except nephritis, Ulcer of stomach and duodenum, Gastritis, duodenitis, enteritis, and colitis, Cirrhosis of liver, Acute nephritis and nephritis with edema, Deliveries and complications of pregnancy, Congenital malformations, Symptoms, senility, and ill-defined conditions, Motor-vehicle accidents, All other accidents, Suicide, Homicide, All other causes. Rows contain numerical data for each category.

VITAL STATISTICS OF THE UNITED STATES

TABLE 24.—DEATHS FROM 32 SELECTED CAUSES: UNITED STATES, EACH STATE AND COUNTY,

(By place of residence. Exclusive of fetal deaths and of deaths among armed forces overseas. Numbers

Table with columns: AREA, Total, Tuberculosis, Syphilis, Typhoid, Dysentery, Diphtheria, Whooping cough, Meningococcal infections, Acute poliomyelitis, Measles, All other infectious diseases, Malignant neoplasms, Diabetes mellitus, Meningitis, Major cardiovascular diseases, Diseases of cardiovascular system. Rows include states like IDAHO and ILLINOIS with various counties.

VITAL STATISTICS OF THE UNITED STATES

TABLE 24.—DEATHS FROM 32 SELECTED CAUSES: UNITED STATES, EACH STATE AND COUNTY,

(By place of residence. Exclusive of fetal deaths and of deaths among armed forces overseas. Numbers

Table with 14 columns: AREA, Total, Tuberculosis, Syphilis, Typhoid fever, Dysentery, Diphtheria, Whooping cough, Meningococcal infections, Acute poliomyelitis, Measles, All other infective and parasitic diseases, Malignant neoplasms, Diabetes mellitus, Meningitis, Major cardiovascular diseases, Diseases of cardiovascular system. Rows list various counties in Indiana (e.g., Floyd, New Albany, Balance of county, etc.) with corresponding death counts for each category.

VITAL STATISTICS OF THE UNITED STATES

TABLE 24.—DEATHS FROM 32 SELECTED CAUSES: UNITED STATES, EACH STATE AND COUNTY,

(By place of residence. Exclusive of fetal deaths and of deaths among armed forces overseas. Numbers

Table with columns: AREA, Total, Tuberculosis, Syphilis, Typhoid fever, Dysentery, Diphtheria, Whooping cough, Meningococcal infections, Acute poliomyelitis, Measles, All other infective and parasitic diseases, Malignant neoplasms, Diabetes mellitus, Meningitis, Major cardiovascular diseases, Diseases of cardiovascular system. Includes rows for Indiana and Iowa counties.

GENERAL TABLES-DEATHS FROM SELECTED CAUSES

AND EACH URBAN PLACE HAVING, IN 1940, A POPULATION OF 10,000 OR MORE, 1949-Continued

under causes of death are category numbers of the Sixth Revision of the International Lists, 1948)

Table with multiple columns for causes of death (e.g., Vascular lesions of heart, Rheumatic fever, Hypertension without mention of heart and general arteriosclerosis) and corresponding counts. Includes a total row at the bottom showing 2,428 deaths from various causes.

VITAL STATISTICS OF THE UNITED STATES

TABLE 24.—DEATHS FROM 32 SELECTED CAUSES: UNITED STATES, EACH STATE AND COUNTY, (By place of residence. Exclusive of fetal deaths and of deaths among armed forces overseas. Numbers

Table with columns for ARRA, Total, Tuberculosis, Syphilis, Typhoid fever, Dysentery, Diphtheria, Whooping cough, Meningococcal infections, Acute poliomyelitis, Measles, All other infective and parasitic diseases, Malignant neoplasms, Diabetes mellitus, Hemiplegia, Major cardiovascular diseases, and Diseases of cardiovascular system. Includes a section for KANSAS—Continued with rows for Cherokee, Cheyenne, Clark, etc.

GENERAL TABLES-DEATHS FROM SELECTED CAUSES

AND EACH URBAN PLACE HAVING, IN 1940, A POPULATION OF 10,000 OR MORE, 1949-Continued

under causes of death are category numbers of the Sixth Revision of the International Lists, 1948)

Table with 18 columns: Vascular lesions affecting central nervous system, Rheumatic fever, Diseases of heart, Hypertension without mention of heart and general arterio-sclerosis, Other diseases of circulatory system, Chronic and unspecified nephritis and other renal sclerosis, Influenza and pneumonia except pneumonia of newborn, Ulcer of stomach and duodenum, Gastritis, duodenitis, enteritis, and colitis, except diarrhea of newborn, Cirrhosis of liver, Acute nephritis and nephritis with edema, including nephrosis, Deliveries and complications of pregnancy, childbirth, and the puerperium, Congenital malformations, Symptoms, semi-fatality, and ill-defined conditions, Motor-vehicle accidents, All other accidents, Suicide, Hemorrhage, All other causes, and Residual. Rows include numerical data for each category and a final summary row.

GENERAL TABLES-DEATHS FROM SELECTED CAUSES

AND EACH URBAN PLACE HAVING, IN 1940, A POPULATION OF 10,000 OR MORE, 1949-Continued

under causes of death are category numbers of the Sixth Revision of the International Lists, 1948)

Table with 17 columns: Vascular lesions of affecting central nervous system, Rheumatic fever, Diseases of heart, Hypertension without mention of heart and general arteriosclerosis, Other diseases of circulatory system, Chronic and unspecified nephritis and other renal sclerosis, Influenza and pneumonia except pneumonia of newborn, Ulcer of stomach and duodenum, Gastritis, duodenitis, and colitis, except diarrhea of newborn, Cirrhosis of liver, Acute nephritis and nephritis with edema, including nephrosis, Deliveries and complications of pregnancy, childbirth, and the puerperium, Congenital malformations, Symptoms, semilitary, and ill-defined conditions, Motor-vehicle accidents, All other accidents, Suicide, Homicide, All other causes. Rows include numerical data for each category, with a final row showing totals for each column.

VITAL STATISTICS OF THE UNITED STATES

TABLE 24.-DEATHS FROM 32 SELECTED CAUSES: UNITED STATES, EACH STATE AND COUNTY,

(By place of residence. Exclusive of fetal deaths and of deaths among armed forces overseas. Numbers

Table with columns for AREA, Total, Tuberculosis, Syphilis, Typhoid fever, Dysentery, Diphtheria, Whooping cough, Meningococcal infections, Acute poliomyelitis, Measles, All other infective and parasitic diseases, Malignant neoplasms, Diabetes mellitus, Meningitis, Major cardiovascular diseases, and Diseases of cardiovascular system. Rows include Montana (e.g., Dawson, Dear Lodge) and Nebraska (e.g., Adams, Hastings).

VITAL STATISTICS OF THE UNITED STATES

TABLE 24.—DEATHS FROM 32 SELECTED CAUSES: UNITED STATES, EACH STATE AND COUNTY,

(By place of residence. Exclusive of fetal deaths and of deaths among armed forces overseas. Numbers

Table with columns: AREA, Total, Tuberculosis, Syphilis, Typhoid fever, Dysentery, Diphtheria, Whooping cough, Meningococcal infections, Acute poliomyelitis, Measles, All other infectious diseases, Malignant neoplasms, Diabetes mellitus, Meningitis, Major cardiovascular diseases, Diseases of cardiovascular system. Rows list counties in Ohio, such as Fulton, Gallia, Geauga, etc.

VITAL STATISTICS OF THE UNITED STATES

TABLE 24.—DEATHS FROM 32 SELECTED CAUSES: UNITED STATES, EACH STATE AND COUNTY,

(By place of residence. Exclusive of fetal deaths and of deaths among armed forces overseas. Numbers

Table with columns: AREA, Total, Tuberculosis, Syphilis, Typhoid fever, Dysentery, Diphtheria, Whooping cough, Meningococcal infections, Acute poliomyelitis, Measles, All other infective and parasitic diseases, Malignant neoplasms, Diabetes mellitus, Meningitis, Major cardiovascular diseases, Diseases of cardiovascular system. Rows include OHIO (Scioto, Portsmouth, Seneca, etc.) and OKLAHOMA (Adair, Alfalfa, Atoka, etc.).

VITAL STATISTICS OF THE UNITED STATES

TABLE 24.—DEATHS FROM 32 SELECTED CAUSES: UNITED STATES, EACH STATE AND COUNTY, (By place of residence. Exclusive of fetal deaths and of deaths among armed forces overseas. Numbers

Table with columns: AREA, Total, Tuberculosis, Syphilis, Typhoid fever, Dysentery, Diphtheria, Whooping cough, Meningococcal infections, Acute poliomyelitis, Measles, All other infective and parasitic diseases, Malignant neoplasms, Diabetes mellitus, Meningitis, Major cardiovascular diseases, Diseases of cardiovascular system. Includes sections for OREGON and PENNSYLVANIA.

*Since this area is difficult to identify from the information given on the transcripts, data may be understated or overstated.

VITAL STATISTICS OF THE UNITED STATES

TABLE 24.—DEATHS FROM 32 SELECTED CAUSES: UNITED STATES, EACH STATE AND COUNTY,

(By place of residence. Exclusive of fetal deaths and of deaths among armed forces overseas. Numbers

Table with columns for AREA, Total, Tuberculosis, Syphilis, Typhoid fever, Dysentery, Diphtheria, Whooping cough, Meningococcal infections, Acute poliomyelitis, Measles, All other infective and parasitic diseases, Malignant neoplasms, Diabetes mellitus, Meningitis, Major cardiovascular disease, and Diseases of cardiovascular system. Rows are categorized by state, including South Dakota and Tennessee.

VITAL STATISTICS OF THE UNITED STATES

TABLE 24.—DEATHS FROM 32 SELECTED CAUSES: UNITED STATES, EACH STATE AND COUNTY,

(By place of residence. Exclusive of fetal deaths and of deaths among armed forces overseas. Numbers

Table with columns: AREA, Total, Tuberculosis, Syphilis, Typhoid fever, Dysentery, Diphtheria, Whooping cough, Meningococcal infections, Acute poliomyelitis, Measles, All other infective and parasitic diseases, Malignant neoplasms, Diabetes mellitus, Meningitis, Major cardiovascular diseases, Diseases of cardiovascular system. Rows include Washington, West Virginia, and various counties.

12 Includes data for Bluefield, W. Va., only.

GENERAL TABLES-DEATHS FROM SELECTED CAUSES

631

AND EACH URBAN PLACE HAVING, IN 1940, A POPULATION OF 10,000 OR MORE, 1949-Continued

under causes of death are category numbers of the Sixth Revision of the International Lists, 1949)

Table with multiple columns: Vascular lesions of central nervous system, Rheumatic fever, Diseases of heart, Hypertension without mention of heart and general arteriosclerosis, Other diseases of circulatory system, Chronic and unspecified nephritis and other renal sclerosis, Influenza and pneumonia except pneumonia of newborn, Ulcer of stomach and duodenum, Gastritis, duodenitis, enteritis, and colitis, except diarrhea of newborn, Cirrhosis of liver, Acute nephritis and nephritis with edema, including nephrosis, Deliveries and complications of pregnancy, childbirth, and the puerperium, Congenital malformations, Symptoms, senility, and ill-defined conditions, Motor-vehicle accidents, All other accidents, Suicide, Homicide, All other causes. Rows include numerical data and category codes (e.g., 350-354, 400-402, 410-443).

VITAL STATISTICS OF THE UNITED STATES

TABLE 24.—DEATHS FROM 32 SELECTED CAUSES; UNITED STATES, EACH STATE AND COUNTY,

(By place of residence. Exclusive of fetal deaths and of deaths among armed forces overseas. Numbers

Table with columns: AREA, Total, Tuberculosis, Syphilis, Typhoid fever, Dysentery, Diphtheria, Whooping cough, Meningococcal infections, Acute poliomyelitis, Measles, All other infective and parasitic diseases, Malignant neoplasms, Diabetes mellitus, Meningitis, Major cardiovascular diseases, Diseases of cardiovascular system. Rows include Wisconsin (continued) and Wyoming counties.

VITAL STATISTICS OF THE UNITED STATES

TABLE 24.—DEATHS FROM 32 SELECTED CAUSES: UNITED STATES, EACH STATE AND COUNTY,

(By place of residence. Exclusive of fetal deaths and of deaths among armed forces overseas. Numbers

AREA	Total	Tuber- culo- sis, all forms	Syph- illis and its seque- lae	Ty- phoid fever	Dysen- tery, all forms	Diph- the- ria	Whoop- ing cough	Menin- gococ- cal infec- tions	Acute polio- mye- litis	Mea- sles	All other infective and para- sitic diseases	Malignant neoplasms, including neoplasms of lym- phatic and hemo- poietic tissues	Diab- etes meli- litus	Menin- gitis, except menin- gococ- cal and tuber- culous	Major cardio- vascular diseases	Diseases of cardio- vascular system
		001- 019	020- 029	040	045- 049	055	056	057	080	085	030-039, 041-044, 049-054, 058-074, 081-084, 086-138	140-205	260	340	330-334, 400-468, 592-594	330-334, 400-468
WYOMING—Continued																
4867	Laramie-----	324	2	3	-	-	-	1	1	-	2	47	5	-	131	124
4868	Cheyenne-----	257	2	3	-	-	-	1	1	-	1	40	4	-	110	104
4869	Balance of county-----	67	-	-	-	-	-	-	-	-	1	7	1	-	21	20
4870	Lincoln-----	73	1	-	-	-	-	-	-	-	-	10	1	-	32	31
4871	Natrona-----	311	6	4	-	-	-	-	1	-	1	38	4	-	132	122
4872	Casper-----	245	6	2	-	-	-	-	1	-	1	32	4	-	102	94
4873	Balance of county-----	66	-	2	-	-	-	-	-	-	-	6	-	-	30	28
4874	Niobrara-----	44	-	1	-	-	-	-	-	-	1	6	2	-	19	19
4875	Park-----	91	-	1	-	-	-	-	2	-	1	9	-	1	40	40
4876	Platte-----	56	1	-	-	-	-	-	-	-	-	7	-	-	28	25
4877	Sheridan-----	190	2	1	-	-	-	-	-	-	1	23	1	-	108	107
4878	Sheridan-----	136	2	1	-	-	-	-	-	-	1	16	1	-	82	81
4879	Balance of county-----	54	-	-	-	-	-	-	-	-	-	7	-	-	26	26
4880	Sublette-----	12	-	-	-	-	-	-	-	-	-	1	-	-	7	7
4881	Sweetwater-----	167	3	-	-	-	-	-	1	-	-	20	1	-	75	69
4882	Teton-----	18	-	1	-	-	-	-	-	-	-	2	-	-	1	1
4883	Ulster-----	46	-	-	-	-	-	-	-	-	-	6	1	-	25	25
4884	Washakie-----	49	1	1	-	-	-	-	-	-	1	6	-	-	14	14
4885	Weston-----	59	-	-	-	-	-	-	1	-	-	3	1	-	29	29
4886	Yellowstone Nat. Pk. (part)	1	-	-	-	-	-	-	-	-	-	-	1	-	-	-
4887	Yellowstone Nat. Pk. (total)	1	-	-	-	-	-	-	-	-	-	-	1	-	-	-

NOTE.—Certain cities listed in this table are located in more than one county. In these cases, figures for the county include only the figures for that part of the city in the county. Total figures for each of these cities are shown under the county containing the larger proportion of the city's population. Totals for Amarillo, Tex., are shown under Potter County; Atlanta, Ga., under Fulton County; Bethlehem, Pa., under Northampton County; Centralia, Ill., under Marion County; Elgin, Ill., under Kane

GENERAL TABLES—DEATHS FROM SELECTED CAUSES

635

AND EACH URBAN PLACE HAVING, IN 1940, A POPULATION OF 10,000 OR MORE, 1949—Continued

under causes of death are category numbers of the Sixth Revision of the International Lists, 1948)

Vas- cular lesions af- fecting central nervous system	Rheu- matic fever	Dis- eases of heart	Hyper- tension without men- tion of heart and gen- eral arteri- oscle- rosis	Other dis- eases of cir- cu- la- tory system	Chronic and un- spec- ified nephri- tis and other renal sclero- sis	Influen- za and pneu- monia except pneu- monia of newborn	Ulcer of stom- ach and duo- denum	Gastritis, duo- denitis, and colitis, except diarrhea of newborn	Cir- rhosis of liver	Acute nephri- tis and nephri- tis with edema, includ- ing ne- phrosis	Deliveries and complic- ations of pregnancy, childbirth, and the puerperium	Con- geni- tal mal- for- ma- tions	Sym- ptoms, seni- lity, and ill- defined con- ditions	Motor- ve- hicle acci- dents	All other acci- dents	Suicide	Homi- cide	All other causes
330-334	400- 402	410-443	444-450	451-468	592-594	460-493	540, 541	543, 571,572	881	590,591	640-689	750-759	780-795	E810- E835	E800- E802, E840- E862	E863, E870- E879	E864, E880- E885	Resid- ual
30	-	93	2	2	7	12	4	4	3	-	-	8	4	24	13	4	2	49
25	-	76	2	1	6	9	3	2	3	-	-	7	3	12	13	2	2	39
5	-	14	-	1	1	3	1	2	-	-	-	1	1	12	5	2	-	10
7	1	23	-	-	1	1	1	1	-	-	-	4	1	4	3	-	1	12
19	-	97	5	1	10	8	1	4	4	-	-	6	4	11	15	6	5	62
14	-	78	1	1	8	4	1	2	4	-	-	6	3	9	12	4	2	49
5	-	19	4	-	2	4	-	2	-	-	-	1	1	2	3	2	1	15
2	-	18	-	-	-	1	-	-	-	-	-	1	-	3	1	-	-	9
7	-	31	2	-	-	2	1	-	1	-	-	2	2	3	3	3	-	15
5	-	20	-	-	3	1	-	-	-	-	-	5	-	4	4	3	-	7
25	-	74	8	-	1	2	1	1	1	-	-	-	1	4	15	2	-	22
19	-	57	5	-	1	2	1	-	-	1	-	4	1	2	8	1	-	12
6	-	17	3	-	-	-	-	-	-	-	-	1	-	2	7	1	-	10
1	-	6	-	-	-	1	-	-	-	-	-	-	-	2	1	-	-	4
11	3	54	1	-	4	7	1	-	2	3	-	1	-	2	27	4	3	31
-	-	1	-	-	-	-	-	-	-	1	-	2	-	1	4	2	-	4
5	-	18	-	-	-	2	-	-	-	1	-	1	-	2	1	-	1	7
3	-	9	2	-	-	4	-	-	-	-	-	1	-	2	1	-	-	13
11	-	16	2	-	-	1	1	1	1	-	1	2	2	3	4	1	-	9
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-

County; Ellwood City, Pa., under Lawrence County; Fostoria, Ohio, under Seneca County; Huntington, W. Va., under Cabell County; Joplin, Mo., under Jasper County; Rocky Mount, N. C., under Nash County; St. Cloud, Minn., under Stearns County; Watertown, Wis., under Jefferson County; and Youngstown, Ohio, under Mahoning County. Idkewise, total figures for Yellowstone National Park are shown under Wyoming.

VITAL STATISTICS OF THE UNITED STATES

TABLE 25.—DEATHS UNDER 1 YEAR AND UNDER 28 DAYS, BY POPULATION-SIZE GROUP AND RACE: UNITED STATES AND EACH STATE, 1949

(By place of residence. Exclusive of fetal deaths)

Table with 13 main columns: AREA, AGE, AND RACE; Total; URBAN (All urban places, Places of 100,000 or more, Places of 25,000 to 100,000, Places of 10,000 to 25,000, Places of 2,500 to 10,000); Rural; AREA, AGE, AND RACE; Total; URBAN (All urban places, Places of 100,000 or more, Places of 25,000 to 100,000, Places of 10,000 to 25,000, Places of 2,500 to 10,000); Rural. Rows include states like ALABAMA, ARIZONA, ARKANSAS, CALIFORNIA, COLORADO, CONNECTICUT, DELAWARE, DISTRICT OF COLUMBIA, FLORIDA, GEORGIA, ILLINOIS, INDIANA, IOWA, KANSAS, KENTUCKY, LOUISIANA, MAINE, MARYLAND, MASSACHUSETTS, MICHIGAN, and UNITED STATES.

VITAL STATISTICS OF THE UNITED STATES

TABLE 25.—DEATHS UNDER 1 YEAR AND UNDER 28 DAYS, BY POPULATION-SIZE GROUP AND RACE: UNITED STATES AND EACH STATE, 1949—Continued

(By place of residence. Exclusive of fetal deaths)

AREA, AGE, AND RACE	Total	URBAN					Rural	AREA, AGE, AND RACE	Total	URBAN					Rural
		All urban places	Places of 100,000 or more	Places of 25,000 to 100,000	Places of 10,000 to 25,000	Places of 2,500 to 10,000				All urban places	Places of 100,000 or more	Places of 25,000 to 100,000	Places of 10,000 to 25,000	Places of 2,500 to 10,000	
VERMONT							WEST VIRGINIA								
Under 1 year	301	107	...	23	19	65	194	Under 1 year	2,082	581	...	259	140	182	1,501
White	300	108	...	22	19	65	194	White	1,940	541	...	250	121	170	1,399
Nonwhite	1	1	...	1	-	-	-	Nonwhite	142	40	...	9	19	12	102
Under 28 days	225	81	...	15	17	49	144	Under 28 days	1,295	417	...	175	111	131	878
White	225	81	...	15	17	49	144	White	1,209	390	...	168	98	124	819
Nonwhite	-	-	...	-	-	-	-	Nonwhite	86	27	...	7	13	7	59
VIRGINIA							WISCONSIN								
Under 1 year	3,162	1,124	388	442	76	218	2,038	Under 1 year	2,202	1,197	372	408	198	220	1,005
White	2,005	688	197	263	51	157	1,337	White	2,116	1,158	337	405	196	220	858
Nonwhite	1,157	456	191	179	25	61	701	Nonwhite	86	39	34	3	2	-	47
Under 28 days	2,095	829	282	319	58	160	1,264	Under 28 days	1,602	811	291	298	155	169	691
White	1,587	525	164	207	37	117	862	White	1,556	882	263	297	153	169	674
Nonwhite	706	304	128	112	21	45	402	Nonwhite	46	29	28	1	-	17	
WASHINGTON							WYOMING								
Under 1 year	1,530	912	551	60	136	145	618	Under 1 year	280	139	83	46	141
White	1,419	855	509	75	131	140	564	White	261	135	80	45	126
Nonwhite	111	57	42	5	5	5	54	Nonwhite	19	4	3	1	15
Under 28 days	1,128	715	459	55	115	106	413	Under 28 days	206	115	78	35	83
White	1,073	675	405	54	109	107	398	White	197	111	76	35	86
Nonwhite	55	40	54	1	4	1	15	Nonwhite	9	2	2	-	7

VITAL STATISTICS OF THE UNITED STATES

TABLE 26.—DEATHS UNDER 1 YEAR AND UNDER 28 DAYS, BY MONTH AND RACE, AND DETAILED AGE FOR THE U. S. ONLY: UNITED STATES AND EACH STATE, 1949—Continued

(By place of residence. Exclusive of fetal deaths)

AREA, AGE, AND RACE	Total	Jan.	Feb.	Mar.	Apr.	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.
CALIFORNIA													
Under 1 year	6,574	656	547	534	480	509	528	570	560	494	571	532	603
White	5,879	598	477	488	422	457	473	518	499	437	499	479	541
Nonwhite	685	58	70	46	58	52	55	52	60	57	72	53	62
Under 28 days	4,765	419	372	391	377	392	415	436	438	367	395	351	414
White	4,286	376	336	357	337	358	375	399	390	325	346	317	371
Nonwhite	477	41	37	34	40	34	40	37	48	42	47	34	43
COLORADO													
Under 1 year	1,153	118	104	90	66	100	80	80	102	98	112	101	102
White	1,121	114	103	88	62	99	79	77	101	92	110	97	99
Nonwhite	32	4	1	2	4	1	1	3	1	6	2	4	3
Under 28 days	794	64	68	63	50	78	65	70	75	56	78	61	88
White	772	60	68	62	47	78	65	87	75	52	77	58	85
Nonwhite	22	4	-	1	3	-	-	3	-	4	1	3	3
CONNECTICUT													
Under 1 year	943	94	84	99	70	70	75	78	83	71	72	67	80
White	884	81	82	94	68	64	74	75	73	67	64	63	68
Nonwhite	59	3	2	5	2	6	1	2	10	4	8	4	12
Under 28 days	741	76	67	66	57	58	65	71	65	55	59	50	52
White	696	73	65	62	55	53	64	69	59	51	53	47	45
Nonwhite	45	3	2	4	2	5	1	2	6	4	6	3	7
DELAWARE													
Under 1 year	224	26	17	20	20	10	21	20	20	11	15	25	19
White	153	16	11	16	15	10	17	13	13	7	13	17	15
Nonwhite	61	10	6	4	5	-	4	7	7	4	2	8	4
Under 28 days	158	21	9	17	14	6	14	16	15	7	12	17	10
White	121	13	6	15	11	6	13	11	10	6	11	11	9
Nonwhite	37	8	4	2	3	-	1	5	5	1	1	6	1
DISTRICT OF COLUMBIA													
Under 1 year	576	45	54	49	47	50	42	48	54	46	47	44	50
White	527	22	29	29	26	32	25	27	33	25	22	27	30
Nonwhite	249	23	25	20	21	18	17	21	21	21	25	17	20
Under 28 days	452	35	35	41	40	44	35	41	39	36	34	34	36
White	267	16	19	23	24	28	22	23	27	21	19	24	21
Nonwhite	165	19	16	18	16	16	13	18	12	15	17	10	15
FLORIDA													
Under 1 year	2,068	214	177	189	154	170	158	168	165	161	176	185	161
White	1,227	120	103	109	95	94	90	103	103	103	104	109	96
Nonwhite	841	94	74	80	61	76	68	65	62	58	72	86	65
Under 28 days	1,457	133	122	102	94	111	121	121	135	126	136	140	117
White	935	82	75	68	66	70	77	82	90	85	83	77	78
Nonwhite	524	51	47	34	28	41	44	39	45	41	52	63	39
GEORGIA													
Under 1 year	3,101	296	249	269	216	228	248	276	284	237	260	256	260
White	1,676	138	135	133	113	137	136	168	163	138	137	135	141
Nonwhite	1,425	160	114	136	103	91	110	109	121	99	123	121	139
Under 28 days	2,047	172	143	162	137	163	187	177	214	180	182	167	163
White	1,188	85	90	91	77	104	109	117	122	113	94	96	88
Nonwhite	861	87	53	71	60	59	78	60	92	67	88	71	75
IDAHO													
Under 1 year	431	36	32	28	44	34	34	33	36	29	46	23	56
White	414	33	31	26	43	31	34	32	35	29	44	22	54
Nonwhite	17	3	1	2	1	3	-	1	1	-	2	1	2
Under 28 days	320	26	25	21	32	27	28	20	29	25	35	14	37
White	318	26	25	20	32	26	28	20	29	25	35	14	37
Nonwhite	2	-	-	1	-	1	-	-	-	-	-	-	-
ILLINOIS													
Under 1 year	5,195	466	430	441	397	429	422	403	452	464	461	436	404
White	4,428	396	363	384	327	368	339	348	396	401	398	377	344
Nonwhite	767	70	67	57	60	61	84	57	66	63	63	59	60
Under 28 days	3,812	313	281	308	292	336	335	316	346	345	339	306	293
White	3,309	271	241	273	253	294	279	274	303	301	302	288	250
Nonwhite	503	42	40	35	39	44	56	42	43	44	37	38	43
INDIANA													
Under 1 year	2,746	263	247	223	193	196	171	241	262	258	240	237	215
White	2,514	236	226	204	174	185	160	229	238	229	220	216	199
Nonwhite	232	27	21	19	19	11	11	12	24	31	20	21	16
Under 28 days	1,855	154	138	145	150	144	141	177	190	160	156	162	138
White	1,707	138	127	133	135	135	131	169	175	144	144	148	128
Nonwhite	148	16	11	12	15	9	10	8	15	16	12	14	10
IOWA													
Under 1 year	1,591	147	151	152	114	121	119	137	129	131	110	145	135
White	1,562	146	150	148	111	118	118	135	127	129	109	138	132
Nonwhite	29	1	1	4	3	3	-	2	2	2	1	7	3
Under 28 days	1,243	106	108	113	81	97	100	111	111	109	83	122	103
White	1,227	105	107	110	80	95	100	111	109	107	83	119	101
Nonwhite	16	1	1	3	1	2	-	-	2	1	-	3	2
KANSAS													
Under 1 year	1,136	116	95	86	74	95	81	104	100	96	82	95	112
White	1,063	108	93	78	70	89	76	98	93	92	73	89	103
Nonwhite	73	7	2	8	4	6	5	6	7	4	9	6	9
Under 28 days	850	74	60	60	56	80	64	83	81	78	68	72	74
White	807	71	59	54	54	76	61	81	77	74	62	68	70
Nonwhite	43	3	1	6	2	4	3	2	4	4	6	4	4

GENERAL TABLES—INFANT DEATHS

643

TABLE 26.—DEATHS UNDER 1 YEAR AND UNDER 28 DAYS, BY MONTH AND RACE, AND DETAILED AGE FOR THE U. S. ONLY: UNITED STATES AND EACH STATE, 1949—Continued

(By place of residence. Exclusive of fetal deaths)

AREA, AGE, AND RACE	Total	Jan.	Feb.	Mar.	Apr.	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.
SOUTH DAKOTA													
Under 1 year	448	45	26	34	35	43	40	31	39	32	38	42	43
White	397	41	23	33	33	39	37	27	31	23	35	38	37
Nonwhite	51	4	3	1	2	4	3	4	8	9	3	4	6
Under 28 days	307	30	15	20	25	32	32	25	29	23	27	25	24
White	291	29	15	20	24	31	30	25	27	19	26	25	22
Nonwhite	16	1	-	-	1	1	2	2	2	4	1	-	2
TENNESSEE													
Under 1 year	3,331	274	264	286	256	271	268	345	305	286	245	278	271
White	2,557	212	215	227	181	208	204	255	234	221	186	215	199
Nonwhite	774	62	49	59	55	63	64	90	71	67	59	63	72
Under 28 days	2,088	168	159	176	167	195	165	183	198	191	148	169	169
White	1,651	133	136	147	131	157	130	152	149	152	106	131	127
Nonwhite	427	35	23	29	36	38	35	31	49	39	42	38	42
TEXAS													
Under 1 year	8,628	782	659	659	740	835	765	787	723	619	666	699	704
White	7,277	658	552	563	628	740	652	667	597	514	551	583	572
Nonwhite	1,351	124	107	96	112	95	113	120	126	105	115	106	132
Under 28 days	4,950	392	351	342	386	434	437	473	467	417	427	396	418
White	4,153	336	295	288	322	367	382	397	398	346	356	319	345
Nonwhite	797	56	56	54	64	67	55	76	69	69	71	67	73
UTAH													
Under 1 year	555	72	38	40	46	41	27	62	46	39	31	43	50
White	516	70	38	39	47	38	26	59	46	35	29	42	49
Nonwhite	19	2	-	1	1	3	1	3	-	4	2	1	1
Under 28 days	416	51	26	35	38	31	23	48	39	29	25	32	39
White	403	49	26	34	37	28	23	45	39	28	24	31	39
Nonwhite	13	2	-	1	1	3	-	3	-	1	1	-	-
VERMONT													
Under 1 year	301	33	26	26	29	29	16	35	27	15	21	24	21
White	300	33	26	26	28	29	16	35	27	15	21	24	20
Nonwhite	1	-	-	-	-	-	-	-	-	-	-	-	1
Under 28 days	225	24	19	19	19	23	11	32	21	13	12	19	13
White	225	24	19	19	19	23	11	32	21	13	12	19	13
Nonwhite	-	-	-	-	-	-	-	-	-	-	-	-	-
VIRGINIA													
Under 1 year	3,162	266	266	297	257	249	255	299	257	256	279	265	257
White	2,005	169	162	196	160	151	155	186	161	170	165	171	157
Nonwhite	1,157	97	104	99	77	98	100	103	96	86	113	94	100
Under 28 days	2,093	152	158	183	178	162	190	189	180	169	165	174	153
White	1,387	103	101	143	121	119	127	128	111	112	113	114	95
Nonwhite	706	49	57	40	57	63	63	61	69	57	72	60	58
WASHINGTON													
Under 1 year	1,530	151	125	127	118	138	114	129	132	114	135	114	133
White	1,419	135	116	116	106	131	108	122	123	107	124	107	124
Nonwhite	111	16	9	11	12	7	6	7	9	7	11	7	9
Under 28 days	1,128	96	66	92	96	111	85	99	109	93	94	87	81
White	1,073	90	61	85	89	107	83	95	104	90	89	81	79
Nonwhite	55	6	5	7	7	4	2	4	4	3	5	6	2
WEST VIRGINIA													
Under 1 year	2,082	210	167	176	155	136	158	158	222	227	181	159	133
White	1,940	197	157	158	145	131	143	147	214	209	167	147	125
Nonwhite	142	13	10	18	10	5	15	11	8	18	14	12	8
Under 28 days	1,295	117	99	116	110	106	125	98	123	114	97	104	84
White	1,209	107	90	104	105	103	115	91	122	105	86	98	83
Nonwhite	86	10	9	14	5	3	10	7	1	9	11	6	1
WISCONSIN													
Under 1 year	2,202	205	195	201	183	184	170	178	180	158	191	160	199
White	2,116	197	185	195	174	178	166	173	177	149	181	152	189
Nonwhite	86	8	10	6	9	6	4	5	3	7	10	6	10
Under 28 days	1,602	149	116	126	124	142	136	140	147	126	147	114	136
White	1,556	146	113	122	120	137	133	136	145	123	144	109	128
Nonwhite	46	3	3	3	4	5	3	4	2	3	3	5	8
WYOMING													
Under 1 year	260	29	17	26	22	19	30	15	17	22	34	25	22
White	261	25	15	27	21	19	28	13	16	20	32	24	21
Nonwhite	19	4	2	1	1	-	2	2	1	2	2	1	1
Under 28 days	206	16	14	20	20	17	24	9	16	15	21	19	15
White	197	14	13	19	19	17	23	9	15	13	21	19	15
Nonwhite	9	2	1	1	1	-	1	-	1	2	-	-	-

VITAL STATISTICS OF THE UNITED STATES

TABLE 27.—DEATHS UNDER 1 YEAR AND UNDER 28 DAYS, BY RACE AND SEX: UNITED STATES AND EACH STATE, 1949

(By place of residence. Exclusive of fetal deaths)

AREA AND AGE	Total	WHITE			NEGRO			OTHER		
		Both sexes	Male	Female	Both sexes	Male	Female	Both sexes	Male	Female
UNITED STATES										
Under 1 year-----	111,531	89,007	51,530	37,477	21,213	11,904	9,809	1,311	727	584
Under 28 days-----	76,326	62,728	36,944	25,784	13,031	7,403	5,628	567	321	246
Alabama										
Under 1 year-----	3,345	1,704	1,038	666	1,840	893	747	1	1	-
Under 28 days-----	2,266	1,209	760	449	1,058	593	463	1	1	-
Arizona										
Under 1 year-----	1,034	723	432	291	52	28	24	259	148	111
Under 28 days-----	563	449	270	179	29	15	14	85	46	39
Arkansas										
Under 1 year-----	1,539	1,085	604	481	453	251	202	1	1	-
Under 28 days-----	923	677	400	277	245	139	106	1	1	-
California										
Under 1 year-----	6,574	5,879	3,448	2,431	524	290	234	171	95	76
Under 28 days-----	4,765	4,286	2,549	1,759	371	208	163	106	59	47
Colorado										
Under 1 year-----	1,153	1,121	660	461	25	18	7	7	2	5
Under 28 days-----	794	772	465	307	20	15	5	2	-	2
Connecticut										
Under 1 year-----	943	684	525	359	59	27	32	-	-	-
Under 28 days-----	741	696	411	285	45	20	25	-	-	-
Delaware										
Under 1 year-----	224	163	93	70	60	34	26	1	-	1
Under 28 days-----	159	121	69	52	36	22	14	1	-	1
District of Columbia										
Under 1 year-----	576	327	193	134	246	122	124	3	3	-
Under 28 days-----	452	267	159	109	183	90	93	2	2	-
Florida										
Under 1 year-----	2,068	1,227	718	509	856	452	404	5	2	3
Under 28 days-----	1,457	933	551	382	521	293	228	3	-	3
Georgia										
Under 1 year-----	3,101	1,676	980	696	1,425	797	638	-	-	-
Under 28 days-----	2,047	1,186	701	485	861	476	383	-	-	-
Idaho										
Under 1 year-----	431	414	246	168	-	-	-	17	10	7
Under 28 days-----	320	318	186	132	-	-	-	2	1	1
Illinois										
Under 1 year-----	5,195	4,428	2,521	1,907	755	417	338	12	8	4
Under 28 days-----	3,612	3,309	1,911	1,398	494	277	217	9	6	3
Indiana										
Under 1 year-----	2,746	2,614	1,480	1,034	231	134	97	1	-	1
Under 28 days-----	1,855	1,707	1,010	697	148	90	58	-	-	-
Iowa										
Under 1 year-----	1,591	1,562	920	642	27	14	13	2	-	2
Under 28 days-----	1,245	1,227	728	498	14	8	6	2	-	2
Kansas										
Under 1 year-----	1,136	1,063	627	436	69	44	25	4	3	1
Under 28 days-----	850	807	481	326	40	25	15	3	3	-
Kentucky										
Under 1 year-----	3,139	2,645	1,595	1,250	294	160	134	-	-	-
Under 28 days-----	1,907	1,645	968	677	162	87	75	-	-	-
Louisiana										
Under 1 year-----	2,810	1,231	712	519	1,571	860	711	6	4	4
Under 28 days-----	1,818	699	529	370	917	502	415	2	1	1
Maine										
Under 1 year-----	713	709	417	292	1	-	1	3	1	2
Under 28 days-----	478	476	279	197	1	-	1	1	-	1
Maryland										
Under 1 year-----	1,636	1,107	624	463	528	317	211	1	-	1
Under 28 days-----	1,083	770	441	329	312	179	133	1	-	1
Massachusetts										
Under 1 year-----	2,347	2,269	1,307	962	68	42	26	10	4	6
Under 28 days-----	1,789	1,723	1,001	722	58	36	22	8	4	4
Michigan										
Under 1 year-----	4,545	4,008	2,339	1,669	522	289	233	15	9	6
Under 28 days-----	3,221	2,828	1,655	1,173	386	221	165	7	5	2
Minnesota										
Under 1 year-----	1,893	1,637	1,046	791	22	14	8	34	17	17
Under 28 days-----	1,413	1,383	803	580	18	12	6	12	5	7
Mississippi										
Under 1 year-----	2,631	923	545	378	1,696	991	717	10	5	5
Under 28 days-----	1,805	672	401	271	929	526	403	4	2	2
Missouri										
Under 1 year-----	2,563	2,228	1,270	958	335	184	151	-	-	-
Under 28 days-----	1,798	1,582	937	645	216	133	83	-	-	-

GENERAL TABLES—INFANT DEATHS

645

TABLE 27.—DEATHS UNDER 1 YEAR AND UNDER 28 DAYS, BY RACE AND SEX: UNITED STATES AND EACH STATE, 1949—Continued

(By place of residence. Exclusive of fetal deaths)

AREA AND AGE	Total	WHITE			NEGRO			OTHER		
		Both sexes	Male	Female	Both sexes	Male	Female	Both sexes	Male	Female
Montana										
Under 1 year	457	399	236	163	-	-	-	58	26	32
Under 28 days	312	289	169	120	-	-	-	23	11	12
Nebraska										
Under 1 year	761	730	433	297	14	8	6	17	7	10
Under 28 days	586	547	324	223	11	7	4	8	5	3
Nevada										
Under 1 year	118	105	61	44	1	1	-	12	6	6
Under 28 days	92	87	52	35	1	1	-	4	3	1
New Hampshire										
Under 1 year	333	332	197	135	1	-	1	-	-	-
Under 28 days	258	257	149	108	1	-	1	-	-	-
New Jersey										
Under 1 year	2,534	2,081	1,158	923	447	254	193	6	2	4
Under 28 days	1,910	1,597	895	702	307	177	130	6	2	4
New Mexico										
Under 1 year	1,408	1,228	686	542	18	9	9	162	104	58
Under 28 days	697	638	379	259	7	5	2	52	34	18
New York										
Under 1 year	7,678	6,864	3,988	2,876	983	554	429	31	19	12
Under 28 days	6,004	5,273	3,058	2,215	711	398	315	20	13	7
North Carolina										
Under 1 year	4,115	2,185	1,250	935	1,855	1,068	787	73	38	35
Under 28 days	2,478	1,457	852	605	981	576	415	31	16	15
North Dakota										
Under 1 year	517	482	304	178	1	1	-	34	20	14
Under 28 days	383	370	230	140	1	1	-	12	9	3
Ohio										
Under 1 year	5,315	4,726	2,717	2,009	596	318	268	5	3	-
Under 28 days	3,783	3,401	1,964	1,437	379	200	179	3	3	-
Oklahoma										
Under 1 year	1,531	1,247	732	515	180	109	71	104	52	52
Under 28 days	1,088	926	555	371	106	63	43	56	29	27
Oregon										
Under 1 year	669	631	514	317	12	7	5	26	14	12
Under 28 days	661	637	402	255	10	6	4	14	8	6
Pennsylvania										
Under 1 year	6,587	5,771	3,328	2,443	792	436	356	4	4	-
Under 28 days	4,791	4,224	2,437	1,787	585	316	249	2	2	-
Rhode Island										
Under 1 year	395	376	214	162	18	9	10	1	1	-
Under 28 days	315	301	178	123	13	6	7	1	1	-
South Carolina										
Under 1 year	2,283	935	576	359	1,348	759	590	-	-	-
Under 28 days	1,419	655	421	254	764	452	312	-	-	-
South Dakota										
Under 1 year	449	397	236	161	-	-	-	51	24	27
Under 28 days	307	231	177	114	-	-	-	16	8	8
Tennessee										
Under 1 year	3,331	2,557	1,460	1,097	774	457	317	-	-	-
Under 28 days	2,088	1,631	959	672	457	269	189	-	-	-
Texas										
Under 1 year	8,628	7,277	4,080	3,217	1,348	774	574	3	2	1
Under 28 days	4,950	4,153	2,413	1,740	785	466	329	2	2	-
Utah										
Under 1 year	535	516	298	218	3	1	2	15	10	6
Under 28 days	416	403	239	164	2	1	1	11	7	4
Vermont										
Under 1 year	301	300	185	115	1	1	-	-	-	-
Under 28 days	225	225	147	78	-	-	-	-	-	-
Virginia										
Under 1 year	3,162	2,005	1,180	815	1,155	665	490	2	1	1
Under 28 days	2,093	1,387	842	545	704	411	293	2	1	1
Washington										
Under 1 year	1,530	1,419	848	571	33	20	13	78	46	32
Under 28 days	1,128	1,073	641	432	27	17	10	28	16	12
West Virginia										
Under 1 year	2,082	1,940	1,103	837	142	71	71	-	-	-
Under 28 days	1,295	1,209	736	473	86	43	45	-	-	-
Wisconsin										
Under 1 year	2,202	2,116	1,258	858	37	24	13	49	26	23
Under 28 days	1,602	1,556	940	616	29	19	10	17	9	8
Wyoming										
Under 1 year	280	261	158	103	3	2	1	16	9	7
Under 28 days	206	197	119	78	2	1	1	7	6	1

VITAL STATISTICS OF THE UNITED STATES

TABLE 28.—DEATHS UNDER 1 YEAR, BY DETAILED AGE,

(By place of residence.)

AREA, RACE, AND SEX		Total deaths under 1 year	Under 1 day	1 day	2 days	3 days	4 days	5 days	6 days	7-13 days
1	UNITED STATES-----	111,551	37,259	11,152	7,388	3,953	2,320	1,780	1,324	5,471
2	Male----	64,161	21,696	6,589	4,404	2,422	1,369	1,009	779	3,092
3	Female--	47,370	15,573	4,563	2,902	1,531	952	771	545	2,379
4	White-----	89,007	31,168	9,350	6,250	3,270	1,845	1,390	1,028	4,195
5	Male----	51,530	18,251	5,536	3,823	2,011	1,086	780	616	2,394
6	Female--	37,477	12,917	3,814	2,427	1,259	759	610	412	1,801
7	Nonwhite---	22,524	6,091	1,802	1,136	683	475	390	296	1,276
8	Male----	12,631	3,435	1,053	661	411	282	229	163	698
9	Female--	9,893	2,656	749	475	272	193	161	133	578
10	ALABAMA-----	3,345	1,045	310	192	118	93	55	45	202
11	Male----	1,932	612	179	127	79	52	34	22	121
12	Female--	1,413	433	131	65	39	41	21	23	81
13	White-----	1,704	609	182	108	59	39	27	20	76
14	Male----	1,039	360	109	74	39	21	18	13	48
15	Female--	666	229	73	34	21	18	9	7	28
16	Nonwhite---	1,641	436	128	83	59	54	28	25	126
17	Male----	894	232	70	53	41	31	18	9	75
18	Female--	747	204	58	31	18	23	12	16	53
19	ARIZONA-----	1,054	273	69	46	19	25	26	10	43
20	Male----	608	157	39	31	15	17	16	6	24
21	Female--	426	116	30	15	6	8	10	4	19
22	White-----	723	237	60	36	14	18	17	8	26
23	Male----	432	140	32	26	12	14	10	5	15
24	Female--	291	97	28	12	2	4	7	3	11
25	Nonwhite---	311	36	9	8	5	7	9	2	17
26	Male----	176	17	7	5	1	3	6	1	9
27	Female--	135	19	2	3	4	4	3	1	8
28	ARKANSAS-----	1,559	332	181	90	43	33	26	16	95
29	Male----	856	196	107	57	25	22	12	11	50
30	Female--	683	136	74	33	18	11	14	5	45
31	White-----	1,085	244	152	69	32	16	17	11	66
32	Male----	604	149	87	42	20	10	8	7	36
33	Female--	481	95	65	27	12	6	9	4	30
34	Nonwhite---	454	88	29	21	11	15	9	5	29
35	Male----	252	47	20	15	5	12	4	4	14
36	Female--	202	41	9	6	3	3	5	1	15
37	CALIFORNIA-----	6,574	2,528	682	491	230	133	87	69	286
38	Male----	3,633	1,478	414	298	144	72	45	44	162
39	Female--	2,741	1,050	268	193	86	61	42	25	124
40	White-----	5,879	2,277	617	438	215	117	77	62	257
41	Male----	3,448	1,338	376	271	133	67	38	39	146
42	Female--	2,431	939	241	167	82	50	39	23	111
43	Nonwhite---	695	251	65	53	15	16	10	7	129
44	Male----	385	140	38	27	11	5	7	5	16
45	Female--	310	111	27	26	4	11	3	2	13
46	COLORADO-----	1,153	584	124	80	49	25	13	16	48
47	Male----	680	238	71	55	28	12	9	10	29
48	Female--	473	146	53	25	21	13	4	6	19
49	White-----	1,121	372	121	80	48	25	12	16	45
50	Male----	660	229	70	55	28	12	8	10	27
51	Female--	461	143	51	25	20	13	4	6	18
52	Nonwhite---	32	12	3	-	1	-	1	-	3
53	Male----	20	9	1	-	-	-	1	-	2
54	Female--	12	3	2	-	1	-	-	-	1
55	CONNECTICUT-----	943	354	136	86	34	22	15	12	44
56	Male----	552	201	78	61	22	13	9	6	21
57	Female--	391	153	58	25	12	9	6	6	23
58	White-----	884	330	128	82	33	21	14	11	42
59	Male----	525	192	75	58	21	13	9	5	20
60	Female--	359	138	53	24	12	8	5	6	22
61	Nonwhite---	59	24	8	4	1	1	1	1	2
62	Male----	27	9	3	3	1	-	-	1	1
63	Female--	32	15	5	1	-	1	1	-	1
64	DELAWARE-----	224	87	25	16	5	4	6	2	8
65	Male----	127	53	14	-	-	2	3	2	2
66	Female--	97	34	11	4	5	2	3	-	6
67	White-----	163	65	23	11	4	4	3	2	4
68	Male----	95	39	13	8	-	2	1	2	1
69	Female--	70	26	10	3	4	2	2	-	3
70	Nonwhite---	61	22	2	5	1	-	3	-	4
71	Male----	34	14	1	4	-	-	2	-	1
72	Female--	27	8	1	1	1	-	1	-	3
73	DISTRICT OF COLUMBIA-----	576	232	70	49	24	11	6	4	35
74	Male----	318	124	42	29	16	5	4	2	15
75	Female--	258	108	28	20	8	6	2	2	17
76	White-----	327	139	42	35	13	6	2	3	17
77	Male----	195	79	29	21	10	3	1	2	9
78	Female--	134	60	13	14	3	3	1	1	8
79	Nonwhite---	249	93	28	14	11	5	4	1	16
80	Male----	125	45	15	8	6	2	3	-	7
81	Female--	124	48	13	6	5	3	1	1	9
82	FLORIDA-----	2,088	741	219	132	62	42	35	26	100
83	Male----	1,172	432	140	73	34	25	17	12	54
84	Female--	916	309	79	59	28	17	18	14	46
85	White-----	1,227	506	139	82	41	28	24	10	58
86	Male----	716	284	93	47	25	16	12	5	29
87	Female--	509	212	45	35	16	12	12	5	29
88	Nonwhite---	861	235	81	50	21	14	11	16	42
89	Male----	454	138	47	26	9	5	5	7	25
90	Female--	407	97	34	24	12	5	6	9	17

VITAL STATISTICS OF THE UNITED STATES

TABLE 28.—DEATHS UNDER 1 YEAR, BY DETAILED AGE, RACE,
(By place of residence.)

AREA, RACE, AND SEX		Total deaths under 1 year	Under 1 day	1 day	2 days	3 days	4 days	5 days	6 days	7-15 days
1	GEORGIA-----	3,101	980	271	175	111	69	50	44	180
2	Male----	1,767	550	167	102	70	32	27	25	103
3	Female--	1,334	410	104	73	41	37	23	19	77
4	White-----	1,676	563	178	118	71	31	26	20	70
5	Male----	980	346	106	69	47	14	17	14	41
6	Female--	696	237	72	49	24	17	9	6	29
7	Nonwhite-----	1,425	377	93	57	40	38	24	24	110
8	Male----	787	204	61	33	23	18	10	11	62
9	Female--	638	173	32	24	17	20	14	13	48
10	IDAHO-----	431	171	55	27	13	11	2	3	18
11	Male----	256	105	28	13	8	6	1	2	13
12	Female--	175	66	27	14	5	5	1	1	5
13	White-----	414	169	55	27	13	11	2	3	18
14	Male----	246	104	28	13	8	6	1	2	13
15	Female--	168	65	27	14	5	5	1	1	5
16	Nonwhite-----	17	2	-	-	-	-	-	-	-
17	Male----	10	1	-	-	-	-	-	-	-
18	Female--	7	1	-	-	-	-	-	-	-
19	ILLINOIS-----	5,195	2,008	408	446	211	129	91	55	225
20	Male----	2,946	1,155	229	231	127	74	44	30	128
21	Female--	2,249	853	179	165	84	54	47	25	99
22	White-----	4,428	1,753	369	396	180	109	76	49	190
23	Male----	2,521	1,007	209	250	109	67	34	27	111
24	Female--	1,907	746	161	146	71	42	42	22	79
25	Nonwhite-----	767	255	39	50	31	19	15	6	35
26	Male----	425	149	21	31	18	7	10	3	15
27	Female--	342	107	18	19	13	12	5	3	20
28	INDIANA-----	2,746	905	262	178	107	56	28	31	133
29	Male----	1,614	533	166	94	74	31	19	20	75
30	Female--	1,132	372	96	84	33	25	9	11	58
31	White-----	2,514	837	239	166	98	53	27	28	124
32	Male----	1,480	497	150	89	67	29	19	17	69
33	Female--	1,034	340	89	77	31	24	8	11	55
34	Nonwhite-----	232	68	23	12	9	3	1	3	9
35	Male----	134	36	16	5	7	2	1	3	6
36	Female--	98	32	7	7	2	1	1	1	3
37	IOWA-----	1,591	613	164	115	82	48	24	20	72
38	Male----	934	354	111	69	56	32	13	13	43
39	Female--	657	259	73	46	26	16	11	7	29
40	White-----	1,562	607	181	113	81	47	24	20	70
41	Male----	920	352	109	69	55	32	13	13	42
42	Female--	642	255	72	45	26	15	11	7	28
43	Nonwhite-----	29	6	3	2	1	1	-	-	2
44	Male----	14	2	2	1	1	-	-	-	1
45	Female--	15	4	1	1	-	1	-	-	1
46	KANSAS-----	1,136	444	123	84	43	36	17	11	59
47	Male----	674	264	73	53	26	24	11	10	36
48	Female--	462	180	50	31	17	12	6	1	23
49	White-----	1,063	421	119	63	40	32	15	11	59
50	Male----	627	249	69	52	23	22	9	10	36
51	Female--	436	172	49	31	17	10	6	1	23
52	Nonwhite-----	73	23	5	1	3	4	2	-	-
53	Male----	47	15	4	1	3	2	2	-	-
54	Female--	26	8	1	-	-	2	-	-	-
55	KENTUCKY-----	3,139	750	260	193	89	43	45	39	178
56	Male----	1,755	422	151	117	62	29	25	26	104
57	Female--	1,384	328	109	76	27	14	20	13	74
58	White-----	2,945	698	229	171	77	39	44	38	159
59	Male----	1,595	400	136	104	51	25	25	26	91
60	Female--	1,250	298	93	67	26	14	19	12	68
61	Nonwhite-----	294	52	31	22	12	4	1	1	19
62	Male----	160	22	15	13	11	4	-	-	13
63	Female--	134	30	16	9	1	-	1	1	6
64	LOUISIANA-----	2,810	949	217	107	64	57	42	42	167
65	Male----	1,576	529	132	66	46	37	19	22	92
66	Female--	1,234	420	85	41	36	20	23	20	75
67	White-----	1,231	523	120	53	41	28	16	14	63
68	Male----	712	300	77	34	25	19	9	8	31
69	Female--	519	223	43	19	16	9	7	6	32
70	Nonwhite-----	1,579	426	97	54	43	29	26	29	104
71	Male----	864	229	55	32	23	18	10	14	61
72	Female--	715	197	42	22	20	11	16	14	43
73	MAINE-----	713	234	70	48	24	19	15	7	27
74	Male----	419	123	43	36	14	13	8	4	16
75	Female--	295	111	27	12	10	6	7	3	11
76	White-----	709	232	70	48	24	19	15	7	27
77	Male----	417	123	43	36	14	13	8	4	16
78	Female--	292	109	27	12	10	6	7	3	11
79	Nonwhite-----	4	2	-	-	-	-	-	-	-
80	Male----	1	-	-	-	-	-	-	-	-
81	Female--	3	2	-	-	-	-	-	-	-
82	MARYLAND-----	1,636	523	165	89	57	28	38	16	84
83	Male----	941	299	95	55	36	12	24	9	50
84	Female--	695	224	70	34	21	16	14	7	34
85	White-----	1,107	397	116	65	37	20	20	9	59
86	Male----	624	226	66	39	24	7	10	5	34
87	Female--	483	161	50	26	13	13	10	4	25
88	Nonwhite-----	529	136	49	24	20	8	18	7	25
89	Male----	317	73	29	16	12	5	14	4	16
90	Female--	212	63	20	8	8	3	4	3	9

VITAL STATISTICS OF THE UNITED STATES

TABLE 28.—DEATHS UNDER 1 YEAR, BY DETAILED AGE, RACE,

(By place of residence.)

AREA, RACE, AND SEX		Total deaths under 1 year	Under 1 day	1 day	2 days	3 days	4 days	5 days	6 days	7-13 days
1	MASSACHUSETTS-----	2,347	926	267	186	109	43	40	26	108
2	Male----	1,353	532	148	109	73	28	24	18	60
3	Female--	994	394	119	77	36	15	16	8	48
4	White-----	2,269	889	259	183	104	42	39	25	104
5	Male----	1,307	510	144	107	88	27	24	17	59
6	Female--	962	379	114	76	38	15	14	8	45
7	Nonwhite-----	78	37	9	3	5	1	2	1	4
8	Male----	46	22	4	2	5	1	-	1	1
9	Female--	32	15	5	1	-	-	2	-	3
10	MICHIGAN-----	4,545	1,544	525	318	160	96	74	52	216
11	Male----	2,637	897	309	183	87	59	41	34	126
12	Female--	1,908	651	214	135	73	37	33	18	88
13	White-----	4,008	1,362	450	288	142	87	63	45	194
14	Male----	2,339	792	262	168	76	54	33	29	119
15	Female--	1,669	570	188	122	66	33	30	16	75
16	Nonwhite-----	537	186	75	30	18	9	11	7	22
17	Male----	298	105	47	17	11	5	8	5	9
18	Female--	239	81	28	13	7	4	3	2	13
19	MINNESOTA-----	1,895	705	258	147	72	28	19	20	74
20	Male----	1,077	389	160	90	38	16	8	15	43
21	Female--	816	314	98	57	34	12	11	5	31
22	White-----	1,837	688	253	143	70	28	19	19	73
23	Male----	1,046	380	157	90	37	16	8	14	42
24	Female--	791	308	96	53	33	12	11	5	31
25	Nonwhite-----	56	15	5	4	2	-	-	1	1
26	Male----	31	9	3	-	1	-	-	1	1
27	Female--	25	6	2	4	1	-	-	-	-
28	MISSISSIPPI-----	2,651	733	209	150	89	66	36	32	145
29	Male----	1,531	459	114	101	51	46	20	16	70
30	Female--	1,100	294	95	49	38	20	16	16	75
31	White-----	923	334	97	72	41	20	15	11	45
32	Male----	545	208	50	50	22	12	11	4	25
33	Female--	378	126	47	22	19	8	4	7	20
34	Nonwhite-----	1,708	399	112	78	48	46	21	21	100
35	Male----	986	231	64	51	29	34	9	12	45
36	Female--	722	168	48	27	19	12	12	9	55
37	MISSOURI-----	2,563	924	248	154	85	47	41	31	123
38	Male----	1,454	544	153	88	51	34	25	15	71
39	Female--	1,109	380	95	66	34	13	16	16	52
40	White-----	2,228	805	225	144	72	42	35	27	110
41	Male----	1,270	467	159	85	43	30	21	12	63
42	Female--	958	336	96	59	29	12	14	15	47
43	Nonwhite-----	335	121	23	10	13	5	6	4	13
44	Male----	184	77	14	3	8	4	4	3	8
45	Female--	151	44	9	7	5	1	2	1	5
46	MONTANA-----	457	167	45	31	17	7	7	5	14
47	Male----	262	97	31	16	9	5	2	3	8
48	Female--	195	70	14	15	8	2	5	2	6
49	White-----	399	156	43	29	15	6	6	4	11
50	Male----	236	82	29	16	8	4	2	3	6
51	Female--	163	74	14	13	7	2	4	1	5
52	Nonwhite-----	59	11	2	2	2	1	1	1	3
53	Male----	26	5	2	-	1	1	-	-	2
54	Female--	32	6	-	2	1	-	1	1	1
55	NEBRASKA-----	761	279	92	60	22	21	13	11	40
56	Male----	449	186	61	34	13	11	5	6	21
57	Female--	313	113	31	26	9	10	8	5	19
58	White-----	730	270	91	57	20	21	13	11	37
59	Male----	433	160	60	32	13	11	5	6	18
60	Female--	297	110	31	25	7	10	8	5	19
61	Nonwhite-----	31	9	1	3	2	-	-	-	3
62	Male----	15	6	1	2	-	-	-	-	3
63	Female--	16	3	-	1	2	-	-	-	-
64	NEVADA-----	118	54	11	6	2	5	5	1	8
65	Male----	68	29	8	4	2	4	4	-	1
66	Female--	50	25	3	2	-	1	1	1	1
67	White-----	105	51	10	6	2	5	5	1	1
68	Male----	61	27	7	4	2	4	4	-	-
69	Female--	44	24	3	2	-	1	1	1	1
70	Nonwhite-----	13	3	1	-	-	-	-	-	1
71	Male----	7	2	1	-	-	-	-	-	1
72	Female--	6	1	-	-	-	-	-	-	-
73	NEW HAMPSHIRE-----	533	157	32	32	13	5	6	5	19
74	Male----	197	77	21	20	7	5	3	3	9
75	Female--	136	60	11	12	6	-	3	2	10
76	White-----	332	137	32	32	13	5	6	4	19
77	Male----	197	77	21	20	7	5	3	3	9
78	Female--	135	60	11	12	6	-	3	1	10
79	Nonwhite-----	1	-	-	-	-	-	-	1	-
80	Male----	-	-	-	-	-	-	-	-	-
81	Female--	1	-	-	-	-	-	-	1	-
82	NEW JERSEY-----	2,534	989	258	191	89	72	53	39	124
83	Male----	1,414	550	152	114	55	33	32	17	70
84	Female--	1,120	439	106	77	33	39	21	21	54
85	White-----	2,081	828	222	160	80	64	40	23	105
86	Male----	1,158	462	129	92	51	31	22	11	58
87	Female--	923	366	93	68	29	33	18	12	47
88	Nonwhite-----	453	161	36	31	8	8	13	15	19
89	Male----	256	98	23	22	4	2	10	6	12
90	Female--	197	73	13	9	4	6	3	9	7

GENERAL TABLES—INFANT DEATHS

AND SEX: UNITED STATES AND EACH STATE, 1949—Continued

(Exclusive of fetal deaths)

Table with columns: 14-20 days, 21-27 days, Under 28 days, 28-59 days, 2 months, 3 months, 4 months, 5 months, 6 months, 7 months, 8 months, 9 months, 10 months, 11 months. The table contains numerical data for various age categories and states.

VITAL STATISTICS OF THE UNITED STATES

TABLE 28.—DEATHS UNDER 1 YEAR, BY DETAILED AGE, RACE,

(By place of residence.)

AREA, RACE, AND SEX		Total deaths under 1 year	Under 1 day	1 day	2 days	3 days	4 days	5 days	6 days	7-15 days
1	NEW MEXICO-----	1,408	292	85	65	40	28	13	8	84
2	Male-----	799	182	54	40	24	15	10	3	58
3	Female--	609	110	29	25	16	13	3	5	48
4	White-----	1,228	280	71	58	38	23	12	7	75
5	Male-----	886	176	46	34	22	12	9	2	32
6	Female--	542	104	25	24	16	11	3	5	43
7	Nonwhite-----	180	12	12	7	2	5	1	1	9
8	Male-----	115	6	8	8	2	3	1	1	4
9	Female--	67	6	4	1	2	2	1	-	5
10	NEW YORK-----	7,878	3,212	891	531	306	156	122	90	347
11	Male-----	4,561	1,840	525	313	173	85	69	50	196
12	Female--	3,317	1,372	366	218	133	71	53	40	151
13	White-----	6,864	2,805	794	476	274	139	101	79	307
14	Male-----	3,988	1,611	455	267	154	74	58	47	174
15	Female--	2,876	1,194	329	169	120	65	43	32	133
16	Nonwhite-----	1,014	407	107	55	32	17	21	11	40
17	Male-----	573	229	70	26	19	11	11	3	22
18	Female--	441	178	37	29	13	6	10	8	18
19	NORTH CAROLINA-----	4,113	1,065	390	253	130	66	68	49	186
20	Male-----	2,356	608	225	149	77	41	40	34	106
21	Female--	1,757	457	165	104	53	25	28	15	80
22	White-----	2,185	656	248	161	90	32	35	24	91
23	Male-----	1,280	390	141	99	58	20	18	16	51
24	Female--	955	276	107	62	34	12	17	8	40
25	Nonwhite-----	1,928	409	142	92	40	34	33	25	95
26	Male-----	1,106	228	84	50	21	21	22	18	55
27	Female--	822	181	58	42	19	13	11	7	40
28	NORTH DAKOTA-----	517	185	65	38	20	10	7	6	27
29	Male-----	325	125	39	21	13	6	3	4	14
30	Female--	192	60	26	15	7	4	4	2	13
31	White-----	462	177	65	35	19	9	7	5	26
32	Male-----	304	118	39	21	13	5	3	3	13
33	Female--	178	59	26	14	6	4	4	2	13
34	Nonwhite-----	55	8	-	1	1	1	-	1	1
35	Male-----	21	7	-	-	-	-	-	1	1
36	Female--	14	1	-	1	1	-	-	-	-
37	OHIO-----	5,315	1,894	539	354	188	121	77	61	267
38	Male-----	3,038	1,074	293	230	105	75	48	31	150
39	Female--	2,277	820	246	124	83	46	29	30	117
40	White-----	4,728	1,715	486	316	166	105	70	54	248
41	Male-----	2,717	974	268	209	98	64	43	28	142
42	Female--	2,009	741	220	107	68	41	27	26	106
43	Nonwhite-----	589	179	53	38	22	16	7	7	19
44	Male-----	321	100	27	21	7	11	5	3	8
45	Female--	268	79	26	17	15	5	2	4	11
46	OKLAHOMA-----	1,531	548	186	84	58	26	26	21	65
47	Male-----	895	339	114	49	32	10	18	12	50
48	Female--	638	210	72	35	26	16	8	9	33
49	White-----	1,247	492	165	67	46	21	23	13	43
50	Male-----	732	302	102	41	24	8	16	7	24
51	Female--	515	190	63	26	22	13	7	6	19
52	Nonwhite-----	284	57	21	17	12	5	5	8	20
53	Male-----	161	37	12	8	8	2	2	5	6
54	Female--	123	20	9	9	4	3	1	3	14
55	OREGON-----	869	364	82	54	32	16	11	7	37
56	Male-----	535	234	54	36	25	13	7	6	23
57	Female--	334	150	28	18	7	3	4	1	14
58	White-----	831	372	78	54	31	16	10	6	35
59	Male-----	514	228	50	36	24	13	6	6	21
60	Female--	317	144	28	18	7	3	4	-	14
61	Nonwhite-----	38	12	4	-	1	-	1	1	2
62	Male-----	21	6	4	-	-	-	-	-	2
63	Female--	17	6	-	-	-	-	-	1	-
64	PENNSYLVANIA-----	6,567	2,276	696	507	296	182	113	85	351
65	Male-----	3,788	1,302	400	295	195	85	64	42	199
66	Female--	2,799	974	296	212	101	69	49	43	152
67	White-----	5,771	2,015	602	456	259	139	102	77	315
68	Male-----	3,328	1,160	349	268	169	78	56	37	181
69	Female--	2,443	855	253	188	90	61	46	40	134
70	Nonwhite-----	796	261	94	51	37	23	11	6	36
71	Male-----	440	142	51	27	26	15	8	5	18
72	Female--	356	119	43	24	11	8	3	3	18
73	RHODE ISLAND-----	395	155	53	33	20	9	5	6	17
74	Male-----	223	88	34	16	12	4	3	4	13
75	Female--	172	67	19	17	8	5	2	2	4
76	White-----	376	150	50	32	18	9	5	6	16
77	Male-----	214	88	33	15	12	4	3	4	12
78	Female--	162	65	17	17	6	5	2	2	4
79	Nonwhite-----	19	5	3	1	2	-	-	-	1
80	Male-----	9	3	1	1	-	-	-	-	1
81	Female--	10	2	-	2	-	-	-	-	-
82	SOUTH CAROLINA-----	2,283	591	232	136	85	55	35	20	146
83	Male-----	1,334	361	145	91	36	38	20	15	89
84	Female--	949	250	87	45	29	15	15	5	57
85	White-----	935	301	114	73	32	23	8	5	54
86	Male-----	578	193	71	51	18	4	3	3	35
87	Female--	358	108	43	22	17	5	4	2	19
88	Nonwhite-----	1,348	290	118	63	33	30	27	15	92
89	Male-----	758	168	74	40	21	20	16	12	54
90	Female--	590	122	44	23	12	10	11	3	38

VITAL STATISTICS OF THE UNITED STATES

TABLE 28.—DEATHS UNDER 1 YEAR, BY DETAILED AGE, RACE,

(By place of residence.)

AREA, RACE, AND SEX		Total deaths under 1 year	Under 1 day	1 day	2 days	3 days	4 days	5 days	6 days	7-15 days
1	SOUTH DAKOTA-----	448	147	45	30	18	6	6	6	26
2	Male-----	260	91	27	21	14	2	4	2	11
3	Female--	188	56	18	9	4	4	2	4	15
4	White-----	397	142	44	28	17	6	6	5	24
5	Male-----	236	87	26	19	14	2	4	2	11
6	Female--	161	55	18	9	3	4	2	3	13
7	Nonwhite-----	51	5	2	1	1	-	-	1	2
8	Male-----	24	4	1	2	-	-	-	-	-
9	Female--	27	1	-	-	1	-	-	1	2
10	TENNESSEE-----	3,331	919	296	183	112	77	66	44	183
11	Male-----	1,917	546	174	108	68	40	32	29	108
12	Female--	1,414	373	122	75	44	37	34	15	75
13	White-----	2,557	717	232	150	90	58	47	34	142
14	Male-----	1,460	429	137	86	52	29	21	22	85
15	Female--	1,097	288	95	64	38	29	26	12	57
16	Nonwhite-----	774	202	64	33	22	19	19	10	41
17	Male-----	457	117	37	22	16	11	11	7	23
18	Female--	317	85	27	11	6	8	8	3	18
19	TEXAS-----	8,628	2,140	801	505	262	118	152	122	413
20	Male-----	4,836	1,267	463	289	154	64	86	77	232
21	Female--	3,792	873	338	206	108	54	66	45	181
22	White-----	7,277	1,800	673	436	213	110	138	105	320
23	Male-----	4,060	1,053	338	257	124	59	70	67	186
24	Female--	3,217	747	275	179	89	51	58	38	140
25	Nonwhite-----	1,351	340	128	69	49	8	24	17	87
26	Male-----	776	214	65	42	30	5	16	10	46
27	Female--	575	126	63	27	19	3	8	7	41
28	UTAH-----	535	184	76	55	21	20	14	8	19
29	Male-----	309	114	46	29	12	15	8	6	9
30	Female--	226	70	30	26	9	5	6	2	10
31	White-----	516	177	75	55	21	20	12	8	19
32	Male-----	298	111	45	29	12	15	6	6	9
33	Female--	218	66	30	26	9	5	6	2	10
34	Nonwhite-----	19	7	1	-	-	-	2	-	-
35	Male-----	11	3	1	-	-	-	2	-	-
36	Female--	8	4	-	-	-	-	-	-	-
37	VERMONT-----	301	127	34	15	10	4	5	-	13
38	Male-----	186	83	25	9	9	1	3	-	5
39	Female--	115	44	9	6	1	3	2	-	8
40	White-----	300	127	34	15	10	4	5	-	13
41	Male-----	185	83	25	9	9	1	3	-	5
42	Female--	115	44	9	6	1	3	2	-	8
43	Nonwhite-----	1	-	-	-	-	-	-	-	-
44	Male-----	1	-	-	-	-	-	-	-	-
45	Female--	-	-	-	-	-	-	-	-	-
46	VIRGINIA-----	5,162	1,028	274	177	109	71	38	32	180
47	Male-----	1,856	614	186	106	75	45	20	17	107
48	Female--	1,306	414	108	71	34	26	18	15	73
49	White-----	2,005	702	204	118	75	47	20	22	101
50	Male-----	1,190	416	128	76	53	29	12	12	60
51	Female--	815	286	76	42	22	18	8	10	41
52	Nonwhite-----	1,157	326	70	59	34	24	18	10	79
53	Male-----	666	199	38	30	22	16	8	5	47
54	Female--	491	128	32	29	12	8	10	5	32
55	WASHINGTON-----	1,530	614	162	130	62	22	19	20	42
56	Male-----	914	374	93	80	39	13	12	13	25
57	Female--	616	240	69	50	23	9	7	7	17
58	White-----	1,419	588	156	119	58	21	16	18	39
59	Male-----	848	360	89	73	37	13	11	11	22
60	Female--	571	228	67	46	21	8	7	7	17
61	Nonwhite-----	111	26	6	11	4	1	1	2	3
62	Male-----	66	14	4	7	2	-	1	2	3
63	Female--	45	12	2	4	2	1	-	-	-
64	WEST VIRGINIA-----	2,092	552	213	125	70	32	40	24	110
65	Male-----	1,174	324	132	76	44	22	27	15	64
66	Female--	909	228	81	47	26	10	13	9	46
67	White-----	1,940	517	199	114	62	30	37	23	105
68	Male-----	1,103	308	123	73	40	21	24	15	63
69	Female--	837	209	76	41	22	9	13	8	42
70	Nonwhite-----	142	35	14	11	8	2	3	1	5
71	Male-----	71	16	9	5	4	1	3	-	1
72	Female--	71	19	5	6	4	1	-	1	4
73	WISCONSIN-----	2,202	838	236	172	64	45	44	24	81
74	Male-----	1,308	506	128	112	41	33	29	14	48
75	Female--	894	332	108	60	23	12	15	10	33
76	White-----	2,116	620	227	168	64	43	42	23	76
77	Male-----	1,258	434	123	108	41	33	28	13	46
78	Female--	858	326	104	60	23	10	14	10	30
79	Nonwhite-----	86	18	9	4	-	2	2	1	5
80	Male-----	30	12	5	4	-	1	1	1	2
81	Female--	36	6	4	-	-	3	1	-	3
82	WYOMING-----	280	114	24	22	8	5	4	2	12
83	Male-----	169	69	16	14	6	2	2	2	9
84	Female--	111	45	8	8	2	3	2	-	3
85	White-----	261	106	24	22	7	5	4	2	11
86	Male-----	158	64	16	14	5	2	2	2	8
87	Female--	103	44	8	8	2	3	2	-	3
88	Nonwhite-----	19	6	-	-	1	-	-	-	1
89	Male-----	11	5	-	-	1	-	-	-	1
90	Female--	8	1	-	-	-	-	-	-	-

VITAL STATISTICS OF THE UNITED STATES

TABLE 29.—DEATHS UNDER 1 YEAR AND UNDER 28 DAYS, FROM 45 SELECTED CAUSES, BY POPULATION-SIZE GROUP AND RACE: UNITED STATES, 1949

(By place of residence. Exclusive of fetal deaths. Numbers after causes of death are category numbers of the Sixth Revision of the International Lists, 1948)

AGE, RACE, AND CAUSE OF DEATH	Total	URBAN					Rural
		All urban places	Places of 100,000 or more	Places of 25,000 to 100,000	Places of 10,000 to 25,000	Places of 2,500 to 10,000	
UNDER 1 YEAR							
ALL RACES—All causes	111,531	62,997	27,651	12,703	9,374	15,269	48,534
Tuberculosis, all forms-----001-019	279	148	87	20	16	25	131
Syphilis and its sequelae-----020-029	300	135	49	27	23	36	165
Dysentery, all forms-----045-048	882	300	33	51	56	160	582
Whooping cough-----056	524	185	68	37	23	57	339
All other infective and parasitic diseases-----030-044,049-055,057-138	1,355	596	211	133	86	166	759
Diseases of thymus gland-----273	683	379	144	74	53	108	304
Meningitis, except meningococcal and tuberculous-----340	722	383	181	65	65	72	339
All other diseases of nervous system and sense organs-----330-334,341-398	994	573	263	102	96	112	421
Influenza and pneumonia, except pneumonia of newborn-----480-483	9,141	4,079	1,565	851	652	1,011	5,082
Influenza-----480-483	798	269	44	55	69	102	519
Pneumonia, except pneumonia of newborn-----480-483	8,353	3,810	1,521	796	584	909	4,543
All other diseases of respiratory system-----470-475,500-527	1,397	744	342	169	110	123	643
Hernia and intestinal obstruction-----560,561,570	1,001	594	262	134	96	102	407
Gastritis, duodenitis, enteritis, and colitis, except diarrhea of newborn-----543,571,572	5,667	2,616	952	547	381	756	3,051
All other diseases of digestive system-----530-542,544-553,573-587	808	302	114	63	51	74	306
Congenital malformations-----750-759	14,504	6,841	4,008	1,807	1,305	1,721	5,663
Spina bifida and meningocele-----751	1,813	1,159	534	172	237	215	655
Congenital malformations of circulatory system-----754	6,443	3,776	1,737	727	540	772	2,667
All other congenital malformations-----750,752,753,755-759	6,248	3,907	1,737	843	598	734	2,541
Certain diseases of early infancy-----760-776	84,158	39,263	17,857	7,964	5,714	7,828	24,895
Birth injuries-----760,761	12,312	7,709	3,416	1,496	1,185	1,612	4,605
Without mention of immaturity (.0)-----	6,682	4,051	1,726	633	482	631	2,631
With immaturity (.5)-----	5,630	3,658	1,690	866	552	730	1,972
Intracranial and spinal injury at birth-----760	5,574	3,552	1,776	839	468	670	2,022
Without mention of immaturity (.0)-----	4,112	2,553	1,146	485	364	559	1,559
With immaturity (.5)-----	1,462	999	630	153	104	112	463
Other birth injury-----761	6,738	4,157	1,640	858	717	942	2,581
Without mention of immaturity (.0)-----	2,570	1,498	580	325	269	324	1,072
With immaturity (.5)-----	4,168	2,659	1,060	533	448	618	1,509
Postnatal asphyxia and steleotaxis-----762	13,239	8,031	4,675	1,753	1,158	1,445	4,208
Without mention of immaturity (.0)-----	5,106	3,223	1,468	642	472	641	1,883
With immaturity (.5)-----	8,133	5,808	3,207	1,111	686	804	2,325
Pneumonia of newborn-----763	2,986	1,577	782	294	190	311	1,369
Without mention of immaturity (.0)-----	2,089	1,011	479	180	127	225	1,058
With immaturity (.5)-----	897	566	303	114	83	86	331
Diarrhea of newborn-----764	1,142	646	268	153	89	136	496
Without mention of immaturity (.0)-----	826	429	160	104	61	104	397
With immaturity (.5)-----	316	217	108	49	28	32	99
Other infections of newborn-----765-768	363	226	111	45	25	45	137
Without mention of immaturity (.0)-----	252	144	64	26	16	38	108
With immaturity (.5)-----	111	82	47	19	9	7	29
Neonatal disorders arising from maternal toxemia-----769	1,129	575	206	115	106	140	554
Without mention of immaturity (.0-.4)-----	266	134	47	24	27	36	132
With immaturity (.5-.9)-----	863	441	159	91	79	112	422
Hemolytic disease of newborn (erythroblastosis)-----770	2,503	1,545	670	354	227	314	858
Without mention of immaturity (.0-.2)-----	2,031	1,238	544	273	160	241	793
With immaturity (.5-.7)-----	472	307	126	61	47	73	185
Hemorrhagic disease of newborn-----771	1,019	621	286	122	95	119	398
Without mention of immaturity (.0)-----	709	404	189	75	60	80	305
With immaturity (.5)-----	310	217	96	47	35	39	83
Ill-defined diseases peculiar to early infancy, including nutritional maladjustment-----772,773	4,541	2,173	821	436	338	578	2,388
Without mention of immaturity (.0)-----	1,791	696	193	147	124	232	1,085
With immaturity (.5)-----	2,750	1,477	628	289	214	346	1,273
Immaturity with mention of any other subsidiary condition-----774	1,424	807	364	168	115	180	617
Immaturity unqualified-----776	23,520	14,353	6,259	2,948	2,186	2,980	9,167
Symptoms and ill-defined conditions-----780-795	3,811	976	270	168	205	333	2,835
All other diseases-----Residual	1,657	914	411	184	143	176	743
Accidents-----E800-E962	3,730	1,881	778	394	292	417	1,849
Inhalation and ingestion of food or other object causing obstruction or suffocation-----E921,E922	932	513	211	107	89	106	419
Accidental mechanical suffocation in bed and cradle-----E924	1,372	706	344	136	82	144	866
All other accidental causes-----E800-E920,E925,E925-E962	1,426	662	223	151	121	167	764
Homicide-----E964,E990-E999	128	88	56	13	7	12	40

GENERAL TABLES—INFANT DEATHS

657

TABLE 29.—DEATHS UNDER 1 YEAR AND UNDER 28 DAYS, FROM 45 SELECTED CAUSES, BY POPULATION-SIZE GROUP AND RACE: UNITED STATES, 1949—Continued

(By place of residence. Exclusive of fetal deaths. Numbers after causes of death are category numbers of the Sixth Revision of the International Lists, 1948)

AGE, RACE, AND CAUSE OF DEATH	Total	URBAN					Rural
		All urban places	Places of 100,000 or more	Places of 25,000 to 100,000	Places of 10,000 to 25,000	Places of 2,500 to 10,000	
UNDER 1 YEAR							
WHITE—All causes	89,007	50,742	21,129	10,476	7,838	11,502	38,263
Tuberculosis, all forms—001-019	178	94	50	15	12	16	84
Syphilis and its sequelae—020-029	90	42	15	9	7	13	48
Dysentery, all forms—045-048	700	225	21	37	43	124	475
Whooping cough—058	367	129	42	27	18	42	288
All other infective and parasitic diseases—030-044, 049-055, 057-138	1,047	451	158	105	68	124	596
Diseases of thymus gland—273	586	327	118	62	49	98	299
Meningitis, except meningococcal and tuberculous—340	501	268	122	50	44	52	235
All other diseases of nervous system and sense organs—330-334, 341-398	814	457	200	82	80	95	357
Influenza and pneumonia, except pneumonia of newborn—480-493	6,258	2,779	1,039	569	446	725	3,479
Influenza—480-483	461	165	34	34	33	62	299
Pneumonia, except pneumonia of newborn—490-493	5,797	2,616	1,005	535	415	663	3,181
All other diseases of respiratory system—470-475, 500-527	1,029	588	244	137	76	99	473
Hernia and intestinal obstruction—560, 561, 570	844	503	213	116	84	90	341
Gastritis, duodenitis, enteritis, and colitis, except diarrhea of newborn—543, 571, 572	4,182	1,909	631	415	281	584	2,273
All other diseases of digestive system—530-542, 544-553, 573-587	489	239	82	51	40	66	250
Congenital malformations—750-759	13,241	8,028	3,519	1,694	1,207	1,618	5,213
Spina bifida and meningocele—751	1,729	1,105	503	227	167	208	624
Congenital malformations of circulatory system—754	5,895	3,387	1,493	669	493	732	2,468
All other congenital malformations—750, 752, 753, 755-759	5,617	3,536	1,523	768	547	678	2,121
Certain diseases of early infancy—760-776	52,539	31,326	13,596	8,551	4,919	6,860	20,633
Birth injuries—760, 761	10,611	6,584	2,784	1,279	1,066	1,475	4,027
Without mention of immaturity (.0)	5,560	3,343	1,345	686	547	791	2,211
With immaturity (.5)	5,051	3,241	1,439	593	519	684	1,816
Intracranial and spinal injury at birth—760	4,631	2,885	1,326	543	409	607	1,746
Without mention of immaturity (.0)	3,444	2,110	874	419	312	505	1,334
With immaturity (.5)	1,187	775	452	124	97	102	412
Other birth injury—761	5,980	3,699	1,438	736	657	868	2,281
Without mention of immaturity (.0)	2,116	1,239	471	247	235	286	977
With immaturity (.5)	3,864	2,460	967	489	422	582	1,404
Postnatal asphyxia and atelectasis—762	11,213	7,467	3,580	1,537	1,021	1,319	3,746
Without mention of immaturity (.0)	4,286	2,851	1,099	557	420	575	1,635
With immaturity (.5)	6,927	4,616	2,481	980	601	744	2,111
Pneumonia of newborn—763	2,206	1,173	569	219	148	239	1,033
Without mention of immaturity (.0)	1,498	729	341	129	93	166	766
With immaturity (.5)	711	444	227	90	55	72	267
Diarrhea of newborn—764	830	468	172	119	70	107	362
Without mention of immaturity (.0)	608	316	108	81	45	62	292
With immaturity (.5)	222	152	64	38	25	25	70
Other infections of newborn—765-768	252	163	72	37	20	34	89
Without mention of immaturity (.0)	178	106	45	20	14	29	72
With immaturity (.5)	74	57	29	17	6	5	17
Neonatal disorders arising from maternal toxemia—769	917	476	167	95	95	121	441
Without mention of immaturity (.0-.4)	201	107	35	15	25	32	94
With immaturity (.5-.9)	716	369	132	78	70	89	347
Hemolytic disease of newborn (erythroblastosis)—770	2,322	1,429	605	314	217	233	835
Without mention of immaturity (.0-.2)	1,890	1,149	498	257	170	224	741
With immaturity (.5-.7)	432	280	107	57	47	69	152
Hemorrhagic disease of newborn—771	799	504	218	101	79	106	295
Without mention of immaturity (.0)	540	319	145	57	47	70	221
With immaturity (.5)	259	185	73	44	32	36	74
Ill-defined diseases peculiar to early infancy, including nutritional maladjustment—772, 773	3,332	1,573	550	299	287	457	1,769
Without mention of immaturity (.0)	1,208	474	125	96	89	164	734
With immaturity (.5)	2,124	1,099	425	203	178	293	1,025
Immaturity with mention of any other subsidiary condition—774	1,122	626	263	131	97	135	496
Immaturity unqualified—775	18,865	11,463	4,627	2,422	1,836	2,575	7,482
Symptoms and ill-defined conditions—780-795	1,780	559	165	92	100	201	1,222
All other diseases—Residual	1,382	768	341	158	122	147	614
Accidents—E800-E962	2,857	1,416	535	307	237	337	1,441
Inhalation and ingestion of food or other object causing obstruction or suffocation—E921, E922	761	402	148	85	77	92	359
Accidental mechanical suffocation in bed and cradle—E924	1,051	520	232	109	65	114	531
All other accidental causes—E800-E920, E923, E925-E962	1,045	494	155	113	95	131	551
Homicide—E964, E960-E999	103	69	42	9	7	11	34

VITAL STATISTICS OF THE UNITED STATES

TABLE 29.—DEATHS UNDER 1 YEAR AND UNDER 28 DAYS, FROM 45 SELECTED CAUSES, BY POPULATION-SIZE GROUP AND RACE: UNITED STATES, 1949—Continued

(By place of residence. Exclusive of fetal deaths. Numbers after causes of death are category numbers of the Sixth Revision of the International Lists, 1948)

AGE, RACE, AND CAUSE OF DEATH	Total	URBAN				Rural	
		All urban places	Places of 100,000 or more	Places of 25,000 to 100,000	Places of 10,000 to 25,000		
UNDER 1 YEAR							
NONWHITE-----All causes	22,524	12,253	6,522	2,228	1,556	1,967	10,271
Tuberculosis, all forms-----001-019	101	54	37	4	4	9	47
Syphilis and its sequelae-----020-029	210	93	36	18	16	23	117
Dysentery, all forms-----045-048	182	75	12	14	13	36	107
Whooping cough-----056	157	56	26	10	5	15	101
All other infective and parasitic diseases-----050-044, 049-055, 057-138	308	145	55	28	20	42	163
Diseases of thymus gland-----273	97	52	28	12	4	10	45
Meningitis, except meningococcal and tuberculous-----340	221	115	59	15	21	20	106
All other diseases of nervous system and sense organs-----330-334, 341-338	190	116	63	20	16	17	64
Influenza and pneumonia, except pneumonia of newborn-----480-493	2,683	1,300	526	282	208	286	1,583
Influenza-----480-483	327	106	40	21	35	40	221
Pneumonia, except pneumonia of newborn-----490-493	2,556	1,194	516	261	171	246	1,362
All other diseases of respiratory system-----470-475, 500-527	358	186	98	32	34	24	170
Hernia and intestinal obstruction-----560, 561, 570	157	91	49	19	12	12	66
Gastritis, duodenitis, enteritis, and colitis, except							
diarrhea of newborn-----543, 571, 572	1,485	707	321	134	100	152	778
All other diseases of digestive system-----530-542, 544-553, 573-567	119	63	32	12	11	8	56
Congenital malformations-----750-759	1,263	613	489	123	98	108	450
Spina bifida and meningocele-----751	54	31	10	5	7	31	31
Congenital malformations of circulatory system-----754	588	399	244	58	47	40	199
All other congenital malformations-----750, 752, 753, 755-759	591	371	214	55	46	56	220
Certain diseases of early infancy-----760-776	11,599	7,337	4,261	1,313	795	968	4,262
Birth injuries-----760, 761	1,701	1,125	652	217	119	137	576
Without mention of immaturity (.0)-----	1,122	702	381	144	86	91	420
With immaturity (.5)-----	579	423	271	73	33	46	156
Intracranial and spinal injury at birth-----760	943	667	450	95	59	63	276
Without mention of immaturity (.0)-----	689	443	272	66	52	53	225
With immaturity (.5)-----	275	224	178	29	7	10	51
Other birth injury-----761	758	458	202	122	60	74	300
Without mention of immaturity (.0)-----	454	268	109	78	34	30	195
With immaturity (.5)-----	304	199	93	44	26	36	105
Postnatal asphyxia and atelectasis-----762	2,026	1,564	1,085	216	137	126	462
Without mention of immaturity (.0)-----	820	572	369	85	52	66	249
With immaturity (.5)-----	1,206	992	716	131	85	60	214
Pneumonia of newborn-----763	760	404	214	75	42	73	356
Without mention of immaturity (.0)-----	574	282	136	51	34	59	292
With immaturity (.5)-----	186	122	76	24	8	14	64
Diarrhea of newborn-----764	312	178	96	34	19	29	134
Without mention of immaturity (.0)-----	218	113	52	23	16	22	105
With immaturity (.5)-----	94	65	44	11	3	7	29
Other infectious of newborn-----765-768	111	63	38	6	5	11	48
Without mention of immaturity (.0)-----	74	38	21	6	2	9	36
With immaturity (.5)-----	37	25	16	2	3	2	12
Neonatal disorders arising from maternal toxemia-----769	212	99	39	22	11	27	113
Without mention of immaturity (.0, .4)-----	65	27	12	9	2	4	38
With immaturity (.5, .9)-----	147	72	27	13	9	23	75
Hemolytic disease of newborn (erythroblastosis)-----770	161	116	65	20	10	21	65
Without mention of immaturity (.0, .2)-----	141	89	46	16	10	17	52
With immaturity (.5, .7)-----	40	27	19	4	-	4	13
Hemorrhagic disease of newborn-----771	220	117	67	21	16	13	103
Without mention of immaturity (.0)-----	169	85	44	18	13	10	84
With immaturity (.5)-----	51	32	23	3	3	3	19
Ill-defined diseases peculiar to early infancy, including							
nutritional maladjustment-----772, 773	1,209	600	271	137	71	121	609
Without mention of immaturity (.0)-----	583	222	69	51	35	68	361
With immaturity (.5)-----	626	378	203	86	36	53	248
Immaturity with mention of any other subsidiary condition-----774	302	181	101	37	18	25	121
Immaturity unqualified-----776	4,565	2,890	1,632	528	347	385	1,675
Symptoms and ill-defined conditions-----780-785	2,051	418	105	76	105	132	1,613
All other diseases-----Residual	275	146	70	26	21	29	129
Accidents-----E800-E862	873	465	243	87	55	80	408
Inhalation and ingestion of food or other object causing							
obstruction or suffocation-----E921, E922	171	111	63	22	12	14	60
Accidental mechanical suffocation in bed and cradle-----E924	321	186	112	27	17	30	135
All other accidental causes-----E800-E920, E923, E925-E962	361	168	88	38	26	36	213
Homicide-----E964, E960-E999	25	19	14	4	-	1	6

GENERAL TABLES—INFANT DEATHS

659

TABLE 29.—DEATHS UNDER 1 YEAR AND UNDER 28 DAYS, FROM 45 SELECTED CAUSES, BY POPULATION-SIZE GROUP AND RACE: UNITED STATES, 1949—Continued

(By place of residence. Exclusive of fetal deaths. Numbers after causes of death are category numbers of the Sixth Revision of the International Lists, 1948)

AGE, RACE, AND CAUSE OF DEATH	Total	URBAN					Rural
		All urban places	Places of 100,000 or more	Places of 25,000 to 100,000	Places of 10,000 to 25,000	Places of 2,500 to 10,000	
UNDER 28 DAYS							
ALL RACES—All causes	76,326	46,075	20,728	9,206	6,822	9,319	30,251
Tuberculosis, all forms—001-019	7	2	1	1	-	-	5
Syphilis and its sequelae—020-029	194	81	37	16	15	23	103
Dysentery, all forms—045-049	79	26	-	6	6	14	52
Whooping cough—056	17	1	-	-	-	1	16
All other infective and parasitic diseases—030-044, 049-055, 057-139	239	82	24	15	15	28	157
Diseases of thymus gland—273	217	119	38	18	20	43	98
Meningitis, except meningococcal and tuberculous—340	115	76	46	14	8	8	39
All other diseases of nervous system and sense organs—330-334, 341-398	213	136	68	18	26	24	77
Influenza and pneumonia, except pneumonia of newborn—480-493	93	20	1	10	6	3	73
Influenza—480-483	93	20	1	10	6	3	73
Pneumonia, except pneumonia of newborn—490-493
All other diseases of respiratory system—470-475, 500-527	199	94	37	25	10	22	105
Hernia and intestinal obstruction—560, 561, 570	535	356	168	79	56	55	179
Gastritis, duodenitis, enteritis, and colitis, except diarrhea of newborn—545, 571, 572	10	6	1	-	2	3	4
All other diseases of digestive system—530-542, 544-553, 573-587	173	99	50	17	14	18	74
Congenital malformations—750-759	9,375	5,754	2,468	1,162	919	1,205	3,621
Spina bifida and meningocele—751	1,006	653	287	141	102	123	353
Congenital malformations of circulatory system—754	4,030	2,329	984	440	370	535	1,701
All other congenital malformations—750, 752, 753, 755-759	4,339	2,772	1,197	581	447	547	1,567
Certain diseases of early infancy—760-776	61,502	38,033	17,373	7,600	5,513	7,547	23,469
Birth injuries—760, 761	12,187	7,638	3,392	1,483	1,176	1,597	4,549
Without mention of immaturity (.0)	6,573	3,987	1,694	800	625	868	2,596
With immaturity (.5)	5,614	3,651	1,698	683	551	729	1,953
Intracranial and spinal injury at birth—760	5,489	3,499	1,750	628	465	658	1,990
Without mention of immaturity (.0)	4,032	2,502	1,122	475	359	546	1,530
With immaturity (.5)	1,457	997	628	153	104	112	460
Other birth injury—761	6,698	4,139	1,632	855	713	939	2,559
Without mention of immaturity (.0)	2,541	1,485	572	325	266	322	1,056
With immaturity (.5)	4,157	2,654	1,060	530	447	617	1,503
Postnatal asphyxia and stelectasis—762	12,931	8,835	4,562	1,723	1,132	1,418	4,096
Without mention of immaturity (.0)	4,866	3,089	1,397	622	454	616	1,797
With immaturity (.5)	8,065	5,746	3,165	1,101	678	802	2,299
Pneumonia of newborn—763	2,966	1,577	782	294	190	311	1,369
Without mention of immaturity (.0)	2,069	1,011	479	180	127	225	1,056
With immaturity (.5)	897	566	303	114	63	86	313
Diarrhea of newborn—764	1,114	622	255	148	86	133	492
Without mention of immaturity (.0)	607	414	152	103	58	101	393
With immaturity (.5)	307	208	103	45	28	32	99
Other infections of newborn—765-768	349	218	105	44	24	45	131
Without mention of immaturity (.0)	241	136	58	25	15	38	105
With immaturity (.5)	108	82	47	19	9	7	26
Neonatal disorders arising from maternal toxemia—769	1,118	573	206	114	106	147	545
Without mention of immaturity (.0-.4)	265	134	47	24	27	36	131
With immaturity (.5-.9)	853	439	159	90	79	111	414
Hemolytic disease of newborn (erythroblastosis)—770	2,420	1,498	652	324	215	307	922
Without mention of immaturity (.0-.2)	1,957	1,195	528	264	189	234	762
With immaturity (.5-.7)	463	303	124	60	46	73	160
Hemorrhagic disease of newborn—771	997	612	283	118	93	118	365
Without mention of immaturity (.0)	699	396	187	71	59	79	293
With immaturity (.5)	308	216	96	47	34	39	92
Ill-defined diseases peculiar to early infancy, including nutritional maladjustment—772, 773	3,367	1,746	716	333	259	439	1,621
Without mention of immaturity (.0)	915	384	120	73	64	127	531
With immaturity (.5)	2,452	1,362	596	260	195	311	1,090
Immaturity with mention of any other subsidiary condition—774	849	522	241	102	75	104	327
Immaturity unqualified—775	25,204	14,192	6,189	2,917	2,157	2,929	9,012
Symptoms and ill-defined conditions—780-795	2,148	534	134	95	120	185	1,614
All other diseases—Residual	389	230	101	50	38	41	159
Accidents—E800-E962	730	355	142	71	50	92	375
Inhalation and ingestion of food or other object causing obstruction or suffocation—E921, E922	274	159	67	34	22	36	115
Accidental mechanical suffocation in bed and cradle—E924	191	80	42	9	12	17	111
All other accidental causes—E800-E920, E923, E925-E962	265	116	33	28	16	39	149
Homicide—E964, E980-E999	92	61	39	9	4	9	31

VITAL STATISTICS OF THE UNITED STATES

TABLE 29.—DEATHS UNDER 1 YEAR AND UNDER 28 DAYS, FROM 45 SELECTED CAUSES, BY POPULATION-SIZE GROUP AND RACE: UNITED STATES, 1949—Continued

(By place of residence. Exclusive of fetal deaths. Numbers after causes of death are category numbers of the Sixth Revision of the International Lists, 1948)

AGE, RACE, AND CAUSE OF DEATH	Total	URBAN					Rural
		All urban places	Places of 100,000 or more	Places of 25,000 to 100,000	Places of 10,000 to 25,000	Places of 2,500 to 10,000	
UNDER 28 DAYS							
WHITE-----All causes	62,728	37,982	16,104	7,767	5,692	8,319	24,748
Tuberculosis, all forms-----001-019	7	2	1	1	-	-	5
Syphilis and its sequelae-----020-029	58	28	12	7	3	6	30
Dysentery, all forms-----045-048	66	19	-	3	4	12	47
Whooping cough-----056	9	-	-	-	-	-	9
All other infective and parasitic diseases-----030-044,049-065,057-138	134	41	10	9	9	13	95
Diseases of thymus gland-----273	185	103	32	15	18	38	82
Meningitis, except meningococcal and tuberculous-----340	81	53	34	9	3	7	28
All other diseases of nervous system and sense organs-----330-334,341-398	192	123	59	17	24	23	89
Influenza and pneumonia, except pneumonia of newborn-----480-493	51	10	1	5	3	1	41
Influenza-----490-493	51	10	1	5	3	1	41
Pneumonia, except pneumonia of newborn-----490-493
All other diseases of respiratory system-----470-475,500-527	125	64	23	17	7	17	61
Hernia and intestinal obstruction-----560,561,570	478	315	144	71	51	49	161
Gastritis, duodenitis, enteritis, and colitis, except diarrhea of newborn-----543,571,572	9	6	1	-	2	3	3
All other diseases of digestive system-----530-542,544-553,573-587	145	80	37	14	12	17	65
Congenital malformations-----750-759	8,619	5,265	2,180	1,094	856	1,145	3,554
Spina bifida and meningocele-----751	961	626	272	135	99	120	335
Congenital malformations of circulatory system-----754	3,688	2,109	850	405	342	512	1,578
All other congenital malformations-----750,752,753,755-759	3,970	2,530	1,058	544	415	513	1,440
Certain diseases of early infancy-----760-776	50,730	31,083	13,286	6,366	4,769	6,662	19,647
Birth injuries-----760,761	10,516	6,528	2,736	1,269	1,058	1,483	3,990
Without mention of immaturity (.0)-----	5,474	3,293	1,317	657	540	779	2,181
With immaturity (.5)-----	5,042	3,233	1,419	612	518	684	1,809
Intracranial and spinal injury at birth-----760	4,565	2,840	1,306	534	404	596	1,725
Without mention of immaturity (.0)-----	3,380	2,065	854	410	307	494	1,315
With immaturity (.5)-----	1,185	775	452	124	97	102	410
Other birth injury-----761	5,951	3,686	1,430	735	654	867	2,265
Without mention of immaturity (.0)-----	2,094	1,228	483	247	233	265	866
With immaturity (.5)-----	3,857	2,458	947	488	421	562	1,399
Postnatal asphyxia and atelectasis-----762	10,966	7,311	3,506	1,510	997	1,298	3,655
Without mention of immaturity (.0)-----	4,112	2,548	1,049	539	404	556	1,564
With immaturity (.5)-----	6,854	4,763	2,457	971	593	742	2,091
Pneumonia of newborn-----763	2,206	1,173	568	219	148	238	1,033
Without mention of immaturity (.0)-----	1,495	729	341	129	93	166	766
With immaturity (.5)-----	711	444	227	90	55	72	267
Diarrhea of newborn-----764	805	447	162	114	87	104	358
Without mention of immaturity (.0)-----	591	303	102	80	42	79	288
With immaturity (.5)-----	214	144	60	34	25	25	70
Other infections of newborn-----765-769	240	156	67	36	19	34	84
Without mention of immaturity (.0)-----	169	99	38	19	13	29	70
With immaturity (.5)-----	71	57	29	17	6	5	14
Neonatal disorders arising from maternal toxemia-----769	910	474	167	92	95	120	436
Without mention of immaturity (.0-.4)-----	201	107	35	15	25	32	94
With immaturity (.5-.9)-----	709	367	132	77	70	88	342
Hemolytic disease of newborn (erythroblastosis)-----770	2,246	1,369	589	304	209	287	889
Without mention of immaturity (.0-.2)-----	1,824	1,113	434	248	163	218	711
With immaturity (.5-.7)-----	424	276	105	58	46	69	148
Hemorrhagic disease of newborn-----771	786	498	217	98	78	105	288
Without mention of immaturity (.0)-----	528	314	144	54	47	69	214
With immaturity (.5)-----	258	184	73	44	31	36	74
Ill-defined diseases peculiar to early infancy, including nutritional maladjustment-----772,773	2,571	1,303	496	237	211	359	1,268
Without mention of immaturity (.0)-----	815	268	82	50	46	90	347
With immaturity (.5)-----	1,956	1,035	414	187	165	269	921
Immaturity with mention of any other subsidiary condition-----774	723	439	189	85	67	98	284
Immaturity unqualified-----776	18,759	11,367	4,589	2,402	1,820	2,556	7,592
Symptoms and ill-defined conditions-----780-795	912	290	76	50	54	110	622
All other diseases-----Residual	334	198	86	43	32	37	136
Accidents-----E800-E962	521	256	94	50	41	71	265
Inhalation and ingestion of food or other object causing obstruction or suffocation-----E921,E922	216	124	47	28	19	30	92
Accidental mechanical suffocation in bed and cradle-----E924	131	53	26	6	9	12	78
All other accidental causes-----E800-E920,E923,E925-E962	174	79	21	16	13	29	95
Homicide-----E964,E980-E999	74	46	28	6	4	8	28

GENERAL TABLES—INFANT DEATHS

661

TABLE 29. DEATHS UNDER 1 YEAR AND UNDER 28 DAYS, FROM 45 SELECTED CAUSES, BY POPULATION-SIZE GROUP AND RACE: UNITED STATES, 1949—Continued

(By place of residence. Exclusive of fetal deaths. Numbers after causes of death are category numbers of the Sixth Revision of the International Lists, 1948)

AGE, RACE, AND CAUSE OF DEATH	Total	URBAN					Rural
		All urban places	Places of 100,000 or more	Places of 25,000 to 100,000	Places of 10,000 to 25,000	Places of 2,500 to 10,000	
UNDER 28 DAYS							
NONWHITE—All causes	15,598	8,095	4,624	1,459	930	1,100	5,505
Tuberculosis, all forms—001-019	-	-	-	-	-	-	-
Syphilis and its sequelae—020-029	136	63	25	9	12	17	73
Dysentery, all forms—045-049	12	7	-	3	2	2	5
Whooping cough—056	9	1	-	-	-	1	7
All other infective and parasitic diseases—030-044, 049-055, 057-139	105	41	14	6	6	15	64
Diseases of thymus gland—273	32	16	6	3	2	5	16
Meningitis, except meningococcal and tuberculous—340	34	23	12	5	5	1	11
All other diseases of nervous system and sense organs—330-334, 341-399	21	13	9	1	2	1	8
Influenza and pneumonia, except pneumonia of newborn—490-493	42	10	-	5	3	2	32
Influenza—490-493	42	10	-	5	3	2	32
Pneumonia, except pneumonia of newborn—490-493
All other diseases of respiratory system—470-475, 500-527	74	30	14	8	3	5	44
Hernia and intestinal obstruction—560, 561, 570	59	41	24	8	5	4	18
Gastritis, duodenitis, enteritis, and colitis, except diarrhea of newborn—543, 571, 572	1	-	-	-	-	-	1
All other diseases of digestive system—530-542, 544-553, 573-587	28	19	13	3	2	1	9
Congenital malformations—750-759	756	489	288	78	63	60	267
Spina bifida and meningocele—751	45	27	15	6	3	3	18
Congenital malformations of circulatory system—754	342	220	134	35	28	23	122
All other congenital malformations—750, 752, 753, 755-759	369	242	139	37	32	34	127
Certain diseases of early infancy—760-776	10,772	6,950	4,087	1,234	744	685	3,822
Birth injuries—760, 761	1,671	1,112	646	214	118	134	559
Without mention of immaturity (.0)	1,089	684	377	143	85	89	405
With immaturity (.5)	572	418	269	71	33	45	154
Intracranial and spinal injury at birth—760	924	659	444	94	59	62	265
Without mention of immaturity (.0)	652	437	268	65	52	52	215
With immaturity (.5)	272	176	109	29	7	10	50
Other birth injury—761	747	453	202	120	59	72	294
Without mention of immaturity (.0)	447	257	109	78	33	37	190
With immaturity (.5)	300	196	93	42	26	35	104
Postnatal asphyxia and stelectasis—762	1,965	1,524	1,056	213	135	120	441
Without mention of immaturity (.0)	774	541	348	83	50	60	233
With immaturity (.5)	1,191	983	708	130	85	60	208
Pneumonia of newborn—763	760	404	214	75	42	73	356
Without mention of immaturity (.0)	574	282	158	51	34	59	292
With immaturity (.5)	186	122	76	24	8	14	64
Diarrhea of newborn—764	309	175	93	34	19	29	134
Without mention of immaturity (.0)	216	111	50	23	16	22	105
With immaturity (.5)	93	64	43	11	3	7	29
Other infections of newborn—765-768	109	62	38	8	5	11	47
Without mention of immaturity (.0)	72	37	20	6	2	9	35
With immaturity (.5)	37	25	18	2	3	2	12
Neonatal disorders arising from maternal toxemia—769	208	99	39	22	11	27	109
Without mention of immaturity (.0-.4)	84	27	12	9	2	4	37
With immaturity (.5-.9)	144	72	27	13	9	23	72
Hemolytic disease of newborn (erythroblastosis)—770	172	109	63	20	6	20	63
Without mention of immaturity (.0-.2)	153	82	44	16	6	16	51
With immaturity (.5-.7)	39	27	19	4	-	4	12
Hemorrhagic disease of newborn—771	211	114	66	20	15	13	97
Without mention of immaturity (.0)	161	82	43	17	12	10	79
With immaturity (.5)	50	32	23	3	3	3	18
Ill-defined diseases peculiar to early infancy, including nutritional maladjustment—772, 773	796	443	220	96	48	79	353
Without mention of immaturity (.0)	300	116	38	23	18	37	184
With immaturity (.5)	496	327	182	73	30	42	169
Immaturity with mention of any other subsidiary condition—774	126	83	52	17	8	6	43
Immaturity unqualified—776	4,445	2,825	1,600	515	337	373	1,620
Symptoms and ill-defined conditions—780-795	1,256	244	58	45	66	75	992
All other diseases—Residual	55	32	15	7	6	4	23
Accidents—E800-E862	209	99	48	21	9	21	110
Inhalation and ingestion of food or other object causing obstruction or suffocation—E921, E922	53	35	20	6	3	6	23
Accidental mechanical suffocation in bed and cradle—E924	60	27	16	3	3	5	33
All other accidental causes—E800-E920, E923, E925-E962	91	37	12	12	3	10	54
Homicide—E964, E960-E999	13	15	11	3	-	1	3

VITAL STATISTICS OF THE UNITED STATES

TABLE 30.—DEATHS UNDER 1 YEAR AND UNDER 28 DAYS, FROM 45 SELECTED

(By place of residence. Exclusive of fetal deaths. Numbers after causes of

CAUSE OF DEATH	UNITED STATES					ALABAMA				
	Total deaths under 1 year	Under 28 days		28 days-11 months		Total deaths under 1 year	Under 28 days		28 days-11 months	
		White	Non-white	White	Non-white		White	Non-white	White	Non-white
1 ALL CAUSES-----	111,531	62,728	13,598	26,279	8,926	3,345	1,209	1,057	495	584
2 Tuberculosis, all forms-----001-019	279	7	-	171	101	5	-	-	-	5
3 Syphilis and its sequelae-----020-029	300	59	136	32	74	27	1	18	2	6
4 Dysentery, all forms-----045-048	982	68	12	634	170	15	2	-	9	4
5 Whooping cough-----056	524	9	8	358	149	14	-	1	7	6
6 All other infective and parasitic diseases-----030-044,049-055,057-138	1,355	134	105	913	203	51	2	13	19	17
7 Diseases of thymus gland-----273	663	185	32	401	65	19	6	2	6	5
8 Meningitis, except meningococcal and tuberculous-----340	722	81	34	420	187	23	-	1	10	12
9 All other diseases of nervous system and sense organs-----350-354,341-398	994	192	21	622	159	25	4	2	8	11
10 Influenza and pneumonia, except pneumonia of newborn-----480-493	9,141	51	42	6,207	2,941	294	1	5	121	167
11 Influenza-----480-483	788	51	42	410	285	40	1	5	9	25
12 Pneumonia, except pneumonia of newborn-----490-493	8,353	5,797	2,556	254	112	142
13 All other diseases of respiratory system-----470-475,500-527	1,387	125	74	904	284	50	1	3	12	14
14 Hernia and intestinal obstruction-----560,561,570	1,001	478	59	368	98	19	6	2	3	6
15 Gastritis, duodenitis, enteritis, and colitis, except diarrhoea of newborn-----543,571,572	5,667	9	1	4,173	1,484	157	-	-	80	77
16 All other diseases of digestive system-----530-542,544-553,573-587	608	145	28	344	91	18	2	1	8	7
17 Congenital malformations-----750-759	14,504	8,619	756	4,622	507	283	142	54	64	23
18 Spina bifida and meningocele-----751	1,913	961	45	768	39	35	19	4	12	-
19 Congenital malformations of circulatory system-----754	6,443	3,688	342	2,167	246	123	61	25	26	11
20 All other congenital malformations-----750,752,753,755-759	6,248	3,970	369	1,837	222	125	62	25	26	12
21 Certain diseases of early infancy-----760-776	64,158	50,730	10,772	1,829	827	1,796	966	725	53	52
22 Birth injuries-----760,761	12,312	10,516	1,671	95	30	312	199	111	1	1
23 Without mention of immaturity (.0)-----	6,682	5,474	1,098	86	23	206	118	85	1	1
24 With immaturity (.5)-----	5,630	5,042	572	9	7	106	80	26	-	-
25 Intracranial and spinal injury at birth-----760	5,574	4,565	924	66	19	185	118	66	1	-
26 Without mention of immaturity (.0)-----	4,112	3,380	652	64	16	139	87	51	1	-
27 With immaturity (.5)-----	1,462	1,185	272	2	3	46	31	15	-	-
28 Other birth injury-----761	6,738	5,951	747	29	11	127	81	45	-	1
29 Without mention of immaturity (.0)-----	2,570	2,094	447	22	7	67	32	34	-	1
30 With immaturity (.5)-----	4,168	3,857	300	7	4	60	49	11	-	-
31 Postnatal asphyxia and stelectasis-----762	13,239	10,985	1,965	247	61	309	193	108	6	2
32 Without mention of immaturity (.0)-----	5,106	4,112	774	174	46	103	61	42	5	1
33 With immaturity (.5)-----	8,133	6,873	1,191	73	15	206	132	66	1	1
34 Pneumonia of newborn-----763	2,988	2,206	780	101	45	56
35 Without mention of immaturity (.0)-----	2,069	1,433	574	66	31	35
36 With immaturity (.5)-----	897	711	186	35	14	21
37 Diarrhoea of newborn-----764	1,142	805	309	25	3	26	9	17	-	-
38 Without mention of immaturity (.0)-----	826	591	216	17	2	20	6	14	-	-
39 With immaturity (.5)-----	316	214	93	8	1	6	3	3	-	-
40 Other infections of newborn-----785-788	383	240	109	12	2	15	4	11	-	-
41 Without mention of immaturity (.0)-----	252	169	72	9	2	14	4	10	-	-
42 With immaturity (.5)-----	131	71	37	3	-	1	-	1	-	-
43 Neonatal disorders arising from maternal toxemia-----769	1,129	910	208	7	4	35	21	14	-	-
44 Without mention of immaturity (.0-.4)-----	266	201	64	-	1	15	9	6	-	-
45 With immaturity (.5-.9)-----	863	709	144	7	3	20	12	8	-	-
46 Hemolytic disease of newborn (erythroblastosis)-----770	2,503	2,248	172	74	9	49	40	9	-	-
47 Without mention of immaturity (.0-.2)-----	2,031	1,824	133	66	8	40	33	7	-	-
48 With immaturity (.5-.7)-----	472	424	39	8	1	9	7	2	-	-
49 Hemorrhagic disease of newborn-----771	1,019	796	211	13	9	37	17	18	2	-
50 Without mention of immaturity (.0)-----	709	528	161	12	8	23	11	10	2	-
51 With immaturity (.5)-----	310	268	50	1	1	14	6	8	-	-
52 Ill-defined diseases peculiar to early infancy, including nutritional maladjustment-----772,773	4,541	2,571	796	761	413	164	58	50	28	28
53 Without mention of immaturity (.0)-----	1,791	615	300	593	283	74	16	23	15	20
54 With immaturity (.5)-----	2,750	1,956	496	168	130	90	42	27	13	8
55 Immaturity with mention of any other subsidiary condition-----774	1,424	723	126	399	176	51	19	10	14	9
56 Immaturity unqualified-----776	23,520	18,759	4,445	196	120	697	361	321	2	13
57 Symptoms and ill-defined conditions-----780-795	3,811	912	1,236	869	795	426	61	203	41	121
58 All other diseases-----Residual	1,657	354	55	1,048	220	47	2	7	27	11
59 Accidents-----E900-E962	3,730	521	209	2,336	664	93	11	17	25	40
60 Inhalation and ingestion of food or other object causing obstruction or suffocation-----E921,E922	932	216	58	545	113	11	2	6	1	2
61 Accidental mechanical suffocation in bed and cradle-----E924	1,372	131	60	920	261	25	3	5	10	7
62 All other accidental causes-----E900-E920,E923,E925-E962	1,426	174	91	871	290	57	6	6	14	31
63 Homicide-----E964,E980-E999	128	74	18	29	7	3	-	3	-	-

VITAL STATISTICS OF THE UNITED STATES

TABLE 30.—DEATHS UNDER 1 YEAR AND UNDER 28 DAYS, FROM 45 SELECTED

(By place of residence. Exclusive of fetal deaths. Numbers after causes of

CAUSE OF DEATH	ILLINOIS					INDIANA				
	Total deaths under 1 year	Under 28 days		28 days-11 months		Total deaths under 1 year	Under 28 days		28 days-11 months	
		White	Non-white	White	Non-white		White	Non-white	White	Non-white
1 ALL CAUSES -----	5,195	3,309	508	1,119	284	2,746	1,707	148	807	84
2 Tuberculosis, all forms-----001-019	15	2	-	8	3	7	-	-	6	1
3 Syphilis and its sequelae-----020-029	2	1	-	1	-	1	-	-	-	-
4 Dysentery, all forms-----045-048	3	-	-	3	-	3	-	-	6	-
5 Whooping cough-----058	21	-	-	17	4	15	-	-	13	2
6 All other infective and parasitic diseases-----030-044,049-055,057-136	52	2	-	43	7	40	1	-	35	4
7 Diseases of thymus gland-----273	36	7	-	28	1	8	5	-	5	-
8 Meningitis, except meningococcal and tuberculous-----340	35	6	1	20	8	15	4	-	10	1
9 All other diseases of nervous system and sense organs-330-334,341-398	42	6	1	25	10	29	6	-	22	1
10 Influenza and pneumonia, except pneumonia of newborn-----480-493	325	-	-	233	92	230	2	-	199	29
11 Influenza-----480-483	8	-	-	7	1	24	2	-	19	3
12 Pneumonia, except pneumonia of newborn-----490-493	317	-	-	226	91	206	-	-	180	26
13 All other diseases of respiratory system-----470-475,500-527	73	4	3	50	16	37	3	1	30	3
14 Hernia and intestinal obstruction-----580,561,570	56	33	1	16	4	20	11	-	8	1
15 Gastritis, duodenitis, enteritis, and colitis, except diarrhea of newborn-----543,571,572	179	-	-	134	45	157	1	-	135	21
16 All other diseases of digestive system-----530-542,544-553,573-587	29	8	2	14	4	15	1	-	13	1
17 Congenital malformations-----750-759	870	512	45	293	20	433	280	7	142	4
18 Spina bifida and meningocele-----751	106	52	3	48	3	62	55	1	27	1
19 Congenital malformations of circulatory system-----754	390	218	24	134	14	178	104	3	70	2
20 All other congenital malformations-----750,752,753,755-759	374	242	18	111	3	192	143	3	45	1
21 Certain diseases of early infancy-----760-776	3,227	2,679	446	77	25	1,565	1,371	138	54	2
22 Birth injuries-----760,761	311	530	73	7	1	279	253	25	1	-
23 Without mention of immaturity (.0)-----	350	299	43	7	1	154	138	15	1	-
24 With immaturity (.5)-----	261	231	30	-	-	125	115	10	-	-
25 Intracranial and spinal injury at birth-----760	396	326	63	6	1	109	396	8	1	-
26 Without mention of immaturity (.0)-----	288	224	38	6	1	86	79	6	1	-
27 With immaturity (.5)-----	127	102	25	-	-	23	21	2	4	-
28 Other birth injury-----761	215	204	10	1	-	170	153	17	-	-
29 Without mention of immaturity (.0)-----	81	75	5	1	-	68	59	8	-	-
30 With immaturity (.5)-----	134	129	5	-	-	102	94	6	-	-
31 Postnatal asphyxia and atelectasis-----762	1,170	920	221	23	6	343	304	29	9	1
32 Without mention of immaturity (.0)-----	342	267	56	16	3	170	143	20	6	1
33 With immaturity (.5)-----	828	653	165	7	3	173	161	9	3	-
34 Pneumonia of newborn-----763	150	118	32	-	-	44	42	2	-	-
35 Without mention of immaturity (.0)-----	99	75	24	-	-	36	37	1	-	-
36 With immaturity (.5)-----	51	43	8	-	-	6	5	1	-	-
37 Diarrhea of newborn-----764	45	31	12	-	-	42	29	12	1	-
38 Without mention of immaturity (.0)-----	30	20	10	-	-	24	18	6	-	-
39 With immaturity (.5)-----	13	11	2	-	-	18	11	6	1	-
40 Other infections of newborn-----765-768	10	6	1	1	-	6	2	2	2	-
41 Without mention of immaturity (.0)-----	7	5	1	1	-	5	2	1	2	-
42 With immaturity (.5)-----	3	1	-	-	-	1	-	1	-	-
43 Neonatal disorders arising from maternal toxemia-----769	28	26	1	1	-	27	26	1	-	-
44 Without mention of immaturity (.0-.4)-----	2	2	-	-	-	9	8	1	-	-
45 With immaturity (.5-.9)-----	26	24	1	1	-	18	18	-	-	-
46 Hemolytic disease of newborn (erythroblastosis)-----770	147	138	8	3	-	66	63	1	2	-
47 Without mention of immaturity (.0-.2)-----	111	106	2	3	-	59	57	-	2	-
48 With immaturity (.5-.7)-----	36	32	4	-	-	7	6	1	-	-
49 Hemorrhagic disease of newborn-----771	42	36	4	-	-	21	20	1	-	-
50 Without mention of immaturity (.0)-----	28	24	4	-	-	14	13	1	-	-
51 With immaturity (.5)-----	14	14	-	-	-	7	7	-	-	-
52 Ill-defined diseases peculiar to early infancy, including nutritional maladjustment-----772,773	97	71	4	20	2	71	43	6	22	-
53 Without mention of immaturity (.0)-----	34	16	2	15	1	29	10	1	18	-
54 With immaturity (.5)-----	63	55	2	5	1	42	33	5	4	-
55 Immaturity with mention of any other subsidiary condition-----774	74	36	5	21	12	42	24	4	13	1
56 Immaturity unqualified-----776	855	763	87	1	4	624	565	55	4	-
57 Symptoms and ill-defined conditions-----780-795	16	10	-	5	1	17	3	1	12	1
58 All other diseases-----Residual	77	14	2	53	8	46	10	-	35	3
59 Accidents-----E800-E962	139	24	2	96	16	99	10	-	80	9
60 Inhalation and ingestion of food or other object causing obstruction or suffocation-----E921,E922	31	7	-	22	2	24	3	-	16	5
61 Accidental mechanical suffocation in bed and cradle-----E924	51	4	2	37	8	36	3	-	30	3
62 All other accidental causes-----E800-E920,E923,E925-E962	56	13	-	37	6	39	4	-	34	1
63 Homicide-----E964,E960-E999	2	1	-	1	-	4	1	1	2	-

VITAL STATISTICS OF THE UNITED STATES

TABLE 30.—DEATHS UNDER 1 YEAR AND UNDER 28 DAYS, FROM 45 SELECTED

(By place of residence. Exclusive of fetal deaths. Numbers after census of

CAUSE OF DEATH	MAINE				MARYLAND					
	Total deaths under 1 year	Under 28 days		28 days-11 months		Total deaths under 1 year	Under 28 days		28 days-11 months	
		White	Non-white	White	Non-white		White	Non-white	White	Non-white
1 ALL CAUSES -----	713	476	2	253	2	1,636	770	313	337	216
2 Tuberculosis, all forms-----001-019	2	-	-	2	-	6	-	-	4	2
3 Syphilis and its sequelae-----020-029	1	-	1	-	-	9	1	7	-	1
4 Dysentery, all forms-----045-048	4	-	-	-	-	4	-	1	1	2
5 Whooping cough-----056	8	-	-	8	-	5	-	-	4	1
6 All other infective and parasitic diseases-----030-044,049-055,057-138	10	-	-	10	-	28	-	1	19	8
7 Diseases of thymus gland-----273	4	-	-	4	-	14	1	1	9	3
8 Meningitis, except meningococcal and tuberculous-----340	5	-	-	4	1	11	2	-	5	4
9 All other diseases of nervous system and sense organs-350-354,361-398	6	2	-	4	-	17	4	1	7	5
10 Influenza and pneumonia, except pneumonia of newborn-----480-483	63	-	-	63	-	125	-	-	66	59
11 Influenza-----480-483	6	-	-	6	-	4	-	-	3	1
12 Pneumonia, except pneumonia of newborn-----490-493	57	57	-	121	63	58
13 All other diseases of respiratory system-----470-475,500-527	9	1	-	8	-	55	1	3	28	23
14 Hernia and intestinal obstruction-----560,561,570	6	-	-	6	-	12	5	1	5	1
15 Gastritis, duodenitis, enteritis, and colitis, except diarrhea of newborn-----543,571,572	24	-	-	24	-	73	1	-	36	36
16 All other diseases of digestive system-----530-542,544-553,573-587	2	-	-	2	-	8	4	1	3	-
17 Congenital malformations-----750-759	102	67	1	34	-	242	128	28	75	11
18 Spina bifida and meningocele-----751	16	5	-	11	-	40	21	2	14	3
19 Congenital malformations of circulatory system-----754	35	22	-	13	-	104	51	12	36	5
20 All other congenital malformations-----750,752,753,755-759	51	40	1	10	-	98	56	14	25	3
21 Certain diseases of early infancy-----760-776	417	396	-	20	1	900	604	257	18	21
22 Birth injuries-----780,781	103	101	-	2	-	205	147	57	1	-
23 Without mention of immaturity (.0)-----	50	48	-	2	-	92	66	25	1	-
24 With immaturity (.5)-----	53	53	-	-	-	113	81	32	-	-
25 Intracranial and spinal injury at birth-----780	39	38	-	1	-	125	79	45	1	-
26 Without mention of immaturity (.0)-----	23	22	-	1	-	66	46	19	1	-
27 With immaturity (.5)-----	16	16	-	-	-	59	33	26	-	-
28 Other birth injury-----781	54	53	-	1	-	80	68	12	-	-
29 Without mention of immaturity (.0)-----	27	26	-	1	-	26	20	6	-	-
30 With immaturity (.5)-----	37	37	-	-	-	54	48	6	-	-
31 Postnatal asphyxia and atelectasis-----782	89	68	-	1	-	185	136	54	2	3
32 Without mention of immaturity (.0)-----	37	36	-	1	-	72	42	25	2	3
33 With immaturity (.5)-----	52	52	-	-	-	123	94	29	-	-
34 Pneumonia of newborn-----783	11	11	-	37	22	15
35 Without mention of immaturity (.0)-----	6	6	-	24	13	11
36 With immaturity (.5)-----	5	5	-	13	9	4
37 Diarrhea of newborn-----784	5	5	-	-	-	9	3	6	-	-
38 Without mention of immaturity (.0)-----	4	4	-	-	-	6	2	4	-	-
39 With immaturity (.5)-----	1	1	-	-	-	3	1	2	-	-
40 Other infections of newborn-----785-788	2	2	-	-	-	10	5	5	-	-
41 Without mention of immaturity (.0)-----	1	1	-	-	-	5	1	4	-	-
42 With immaturity (.5)-----	1	1	-	-	-	5	4	1	-	-
43 Neonatal disorders arising from maternal toxemia-----789	7	7	-	-	-	11	8	3	-	-
44 Without mention of immaturity (.0-.4)-----	7	7	-	-	-	11	8	3	-	-
45 With immaturity (.5-.9)-----	7	7	-	-	-	11	8	3	-	-
46 Hemolytic disease of newborn (erythroblastosis)-----770	23	22	-	1	-	46	35	10	-	1
47 Without mention of immaturity (.0-.2)-----	20	19	-	1	-	39	31	7	-	1
48 With immaturity (.5-.7)-----	3	3	-	-	-	7	4	3	-	-
49 Hemorrhagic disease of newborn-----771	3	3	-	-	-	8	5	3	-	-
50 Without mention of immaturity (.0)-----	2	2	-	-	-	4	1	3	-	-
51 With immaturity (.5)-----	1	1	-	-	-	4	4	-	-	-
52 Ill-defined diseases peculiar to early infancy, including nutritional maladjustment-----772,773	35	24	-	10	1	66	37	12	10	9
53 Without mention of immaturity (.0)-----	14	6	-	7	1	22	4	3	10	5
54 With immaturity (.5)-----	21	18	-	3	-	46	33	9	-	4
55 Immaturity with mention of any other subsidiary condition-----774	5	2	-	3	-	31	12	7	4	8
56 Immaturity unqualified-----776	134	131	-	3	-	280	194	65	1	-
57 Symptoms and ill-defined conditions-----780-795	11	3	-	8	-	10	4	1	-	5
58 All other diseases-----Residual	9	3	-	6	-	30	3	-	18	9
59 Accidents-----E900-E962	31	2	-	29	-	83	10	9	39	25
60 Inhalation and ingestion of food or other object causing obstruction or suffocation-----E921,E922	15	2	-	13	-	37	7	6	15	9
61 Accidental mechanical suffocation in bed and cradle-----E924	9	-	-	9	-	29	1	2	16	10
62 All other accidental causes-----E900-E920,E923,E925-E962	7	-	-	7	-	17	2	1	8	6
63 Homicide-----E964,E980-E999	5	2	-	1	-	4	2	2	-	-

GENERAL TABLES—INFANT DEATHS

669

CAUSES, BY RACE: UNITED STATES AND EACH STATE, 1949—Continued

(death are category numbers of the Sixth Revision of the International Lists, 1948)

MASSACHUSETTS					MICHIGAN				MINNESOTA				MISSISSIPPI						
Total deaths under 1 year	Under 28 days		28 days-11 months		Total deaths under 1 year	Under 28 days		28 days-11 months		Total deaths under 1 year	Under 28 days		28 days-11 months		Total deaths under 1 year	Under 28 days		28 days-11 months	
	White	Non-white	White	Non-white		White	Non-white	White	Non-white		White	Non-white	White	Non-white		White	Non-white	White	Non-white
2,547	1,725	86	546	12	4,545	2,828	595	1,180	144	1,695	1,535	50	454	26	2,631	672	933	251	775
4	-	-	4	-	8	1	-	7	-	2	-	-	2	-	3	-	-	-	3

VITAL STATISTICS OF THE UNITED STATES

TABLE 30.—DEATHS UNDER 1 YEAR AND UNDER 28 DAYS, FROM 45 SELECTED

(By place of residence. Exclusive of fetal deaths. Numbers after causes of

CAUSE OF DEATH	MISSOURI				MONTANA					
	Total deaths under 1 year	Under 28 days		28 days-11 months		Total deaths under 1 year	Under 28 days		28 days-11 months	
		White	Non-white	White	Non-white		White	Non-white	White	Non-white
1 ALL CAUSES -----	2,563	1,562	216	646	119	457	269	23	110	35
2 Tuberculosis, all forms-----001-019	5	-	-	3	2	4	-	-	1	3
3 Syphilis and its sequelae-----020-029	3	2	1	-	-	2	-	2	-	-
4 Dysentery, all forms-----043-048	10	4	1	4	1	3	-	-	2	1
5 Whooping cough-----056	15	-	-	13	2	1	-	-	-	1
6 All other infective and parasitic diseases-----030-044,049-055,057-138	40	5	1	32	4	4	1	-	-	3
7 Diseases of thymus gland-----273	30	10	1	16	3	6	2	1	3	-
8 Meningitis, except meningococcal and tuberculous-----340	13	1	1	13	3	2	-	-	2	-
9 All other diseases of nervous system and sense organs-330-334,341-398	15	4	2	9	-	6	-	-	6	-
10 Influenza and pneumonia, except pneumonia of newborn-----480-493	214	1	-	174	39	34	-	-	20	14
11 Influenza-----480-483	9	1	-	7	1	3	-	-	1	2
12 Pneumonia, except pneumonia of newborn-----490-493	205	167	38	31	19	12
13 All other diseases of respiratory system-----470-475,500-527	29	4	2	19	4	3	-	-	3	-
14 Hernia and intestinal obstruction-----560,561,570	26	13	-	12	1	6	5	-	1	-
15 Gastritis, duodenitis, enteritis, and colitis, except diarrhea of newborn-----543,571,572	102	-	-	79	23	11	-	-	6	5
16 All other diseases of digestive system-----530-542,544-553,573-587	22	5	2	12	3	4	2	-	2	-
17 Congenital malformations-----750-759	571	250	11	97	13	68	40	2	25	1
18 Spina bifida and meningocele-----751	35	18	2	15	-	8	4	-	4	-
19 Congenital malformations of circulatory system-----754	197	131	4	55	7	33	18	1	13	1
20 All other congenital malformations-----750,752,753,755-759	139	101	5	27	6	27	18	1	9	-
21 Certain diseases of early infancy-----760-778	1,500	1,243	189	59	9	255	230	16	7	2
22 Birth injuries-----760,761	309	269	37	3	-	52	51	1	-	-
23 Without mention of immaturity (.0)-----	161	134	24	3	-	21	20	1	-	-
24 With immaturity (.5)-----	148	135	13	-	-	31	31	-	-	-
25 Intracranial and spinal injury at birth-----760	125	99	23	3	-	19	18	1	-	-
26 Without mention of immaturity (.0)-----	95	75	17	3	-	12	11	1	-	-
27 With immaturity (.5)-----	30	24	6	-	-	7	7	-	-	-
28 Other birth injury-----761	184	170	14	-	-	33	33	-	-	-
29 Without mention of immaturity (.0)-----	66	59	7	-	-	9	9	-	-	-
30 With immaturity (.5)-----	118	111	7	-	-	24	24	-	-	-
31 Postnatal asphyxia and steletoesin-----762	289	256	21	6	3	43	41	1	1	-
32 Without mention of immaturity (.0)-----	96	80	7	6	3	18	15	-	1	-
33 With immaturity (.5)-----	193	179	14	-	-	27	26	1	-	-
34 Pneumonia of newborn-----763	74	64	10	5	4	1
35 Without mention of immaturity (.0)-----	57	46	9	4	3	1
36 With immaturity (.5)-----	17	16	1	1	1	-
37 Diarrhea of newborn-----764	32	27	4	1	-	3	3	-	-	-
38 Without mention of immaturity (.0)-----	25	19	3	1	-	-	-	-	-	-
39 With immaturity (.5)-----	9	8	1	-	-	3	3	-	-	-
40 Other infections of newborn-----765-768	2	2	-	-	-	-	-	-	-	-
41 Without mention of immaturity (.0)-----	2	2	-	-	-	-	-	-	-	-
42 With immaturity (.5)-----	-	-	-	-	-	-	-	-	-	-
43 Neonatal disorders arising from maternal toxemia-----769	33	32	1	-	-	7	6	1	-	-
44 Without mention of immaturity (.0-.4)-----	9	8	1	-	-	2	2	-	-	-
45 With immaturity (.5-.9)-----	24	24	-	-	-	5	4	1	-	-
46 Hemolytic disease of newborn (erythroblastosis)-----770	64	58	2	3	1	16	15	-	1	-
47 Without mention of immaturity (.0-.2)-----	33	48	1	3	1	14	13	-	1	-
48 With immaturity (.5-.7)-----	11	10	1	-	-	2	2	-	-	-
49 Hemorrhagic disease of newborn-----771	30	28	1	1	-	4	4	-	-	-
50 Without mention of immaturity (.0)-----	22	20	1	1	-	1	1	-	-	-
51 With immaturity (.5)-----	8	8	-	-	-	3	3	-	-	-
52 Ill-defined diseases peculiar to early infancy, including nutritional maladjustment-----772,773	123	76	17	25	5	14	7	3	3	1
53 Without mention of immaturity (.0)-----	48	20	8	17	3	7	1	2	3	1
54 With immaturity (.5)-----	75	56	9	8	2	7	6	1	-	-
55 Immaturity with mention of any other subsidiary condition-----774	35	21	2	12	-	6	3	-	2	1
56 Immaturity unqualified-----776	509	407	94	8	-	105	96	9	-	-
57 Symptoms and ill-defined conditions-----780-795	31	13	3	14	1	7	1	2	3	1
58 All other diseases-----Residual	34	8	1	24	1	12	4	-	7	1
59 Accidents-----E800-E962	88	15	-	63	10	24	2	-	19	3
60 Inhalation and ingestion of food or other object causing obstruction or suffocation-----E921,E922	13	5	-	8	-	6	2	-	3	1
61 Accidental mechanical suffocation in bed and cradle-----E924	35	6	-	23	6	12	-	-	10	2
62 All other accidental causes-----E900-E920,E923,E925-E962	40	4	-	32	4	6	-	-	6	-
63 Homicide-----E964,E990-E999	10	6	1	3	-	5	2	-	1	-

GENERAL TABLES—INFANT DEATHS

671

CAUSES, BY RACE: UNITED STATES AND EACH STATE, 1949—Continued

death arc category numbers of the Sixth Revision of the International Lists, 1948)

Total deaths under 1 year	NEBRASKA				Total deaths under 1 year	NEVADA				Total deaths under 1 year	NEW HAMPSHIRE				Total deaths under 1 year	NEW JERSEY				
	Under 28 days		28 days-11 months			Under 28 days		28 days-11 months			Under 28 days		28 days-11 months			Under 28 days		28 days-11 months		
	White	Non-white	White	Non-white		White	Non-white	White	Non-white		White	Non-white	White	Non-white		White	Non-white	White	Non-white	
761	547	19	183	12	118	87	5	18	8	333	257	1	75	-	2,534	1,597	515	494	140	1
1	-	-	1	-	1	-	-	-	1	1	-	-	1	-	3	-	-	1	-	2
5	-	-	-	-	1	1	-	-	-	-	-	-	-	-	5	-	2	-	-	3
3	-	-	3	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	4
9	2	-	7	-	2	-	-	1	1	3	-	-	3	-	16	-	1	10	-	5
4	1	-	5	-	1	-	1	-	-	-	-	-	-	26	5	-	16	-	5	7
5	-	-	5	-	-	-	-	-	-	5	1	-	4	-	11	2	-	6	-	8
12	-	-	10	2	1	1	-	-	-	2	-	-	2	-	25	7	-	16	-	9
45	2	-	42	1	8	-	-	5	3	15	-	-	15	-	135	-	-	100	-	35
6	2	-	4	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	11
39	38	1	8	5	3	15	15	-	154	100	-	34
6	-	-	8	-	-	-	-	-	-	5	1	-	4	-	26	3	1	16	-	15
11	6	-	5	-	3	5	-	-	-	6	5	-	1	-	51	12	2	16	-	14
18	-	-	14	4	4	-	-	2	2	6	-	-	6	-	64	-	-	58	-	15
3	1	-	2	-	-	-	-	-	-	1	-	-	1	-	13	4	1	6	-	16
136	90	1	45	-	12	10	-	2	-	64	44	-	20	-	386	216	19	140	-	17
17	13	-	4	-	1	1	-	-	-	5	3	-	2	-	49	25	1	22	-	18
59	33	1	25	-	7	7	-	-	-	27	19	-	8	-	146	72	8	61	-	19
60	44	-	16	-	4	2	-	2	-	32	22	-	10	-	191	119	9	57	-	20
462	432	18	11	1	77	71	4	1	1	203	201	-	2	-	1,635	1,318	278	32	-	22
105	99	3	3	-	13	12	-	1	-	61	61	-	-	-	303	259	41	3	-	22
59	55	1	3	-	7	6	-	1	-	32	32	-	-	-	184	154	27	5	-	23
46	44	2	-	-	6	6	-	-	-	29	29	-	-	-	119	105	14	-	-	24
52	47	2	3	-	8	7	-	1	-	23	23	-	-	-	143	122	19	2	-	25
36	32	1	3	-	6	5	-	1	-	17	17	-	-	-	108	93	13	2	-	26
16	15	1	-	-	2	2	-	-	-	6	6	-	-	-	35	29	6	-	-	27
53	52	1	-	-	5	5	-	-	-	38	38	-	-	-	160	137	22	1	-	28
23	23	-	-	-	1	1	-	-	-	15	15	-	-	-	76	61	14	1	-	29
30	29	1	-	-	4	4	-	-	-	23	23	-	-	-	84	76	8	-	-	30
63	57	3	3	-	25	20	2	1	1	35	35	-	-	-	422	352	61	8	-	31
35	28	3	2	-	5	3	1	-	1	19	19	-	-	-	154	129	17	7	-	32
30	29	-	1	-	18	17	1	-	-	16	16	-	-	-	268	223	44	1	-	33
13	12	1	-	-	-	-	-	-	-	8	8	-	-	-	73	56	17	-	-	34
5	5	-	-	-	-	-	-	-	-	4	4	-	-	-	51	40	11	-	-	35
6	7	1	-	-	-	-	-	-	-	7	7	-	-	-	22	16	6	-	-	36
6	6	-	-	-	2	1	1	-	-	1	1	-	-	-	9	6	3	-	-	37
2	2	-	-	-	1	1	-	-	-	1	1	-	-	-	7	4	3	-	-	38
4	4	-	-	-	1	1	1	-	-	-	-	-	-	-	2	2	-	-	-	39
-	-	-	-	-	2	1	1	-	-	2	2	-	-	-	4	3	1	-	-	40
-	-	-	-	-	2	1	1	-	-	1	1	-	-	-	3	2	1	-	-	41
-	-	-	-	-	1	1	-	-	-	1	1	-	-	-	1	1	-	-	-	42
7	7	-	-	-	1	1	-	-	-	2	2	-	-	-	21	19	2	-	-	43
2	2	-	-	-	1	1	-	-	-	-	-	-	-	-	3	3	-	-	-	44
5	5	-	-	-	1	1	-	-	-	2	2	-	-	-	16	16	2	-	-	45
29	25	3	1	-	2	2	-	-	-	8	8	-	-	-	86	80	4	2	-	46
24	20	3	1	-	2	2	-	-	-	8	8	-	-	-	71	66	5	2	-	47
5	5	-	-	-	-	-	-	-	-	-	-	-	-	-	15	14	1	-	-	48
7	7	-	-	-	2	2	-	-	-	1	1	-	-	-	52	23	9	-	-	49
7	7	-	-	-	1	1	-	-	-	1	1	-	-	-	25	17	6	3	-	50
-	-	-	-	-	1	1	-	-	-	-	-	-	-	-	9	6	3	-	-	51
24	22	-	1	1	5	3	-	-	-	5	5	-	-	-	91	60	21	7	-	52
6	5	-	1	1	1	1	-	-	-	1	1	-	-	-	28	16	3	5	-	53
18	17	-	1	-	2	2	-	-	-	4	4	-	-	-	65	44	18	2	-	54
3	2	-	1	-	2	-	-	-	-	7	5	-	2	-	31	21	1	7	-	55
205	195	8	2	-	27	27	-	-	-	73	73	-	-	-	563	439	118	3	-	56
10	5	-	3	2	2	1	-	1	-	4	1	1	2	-	17	4	2	8	-	57
8	2	-	6	-	1	-	-	1	-	6	2	-	4	-	39	10	2	26	-	58
28	6	-	20	2	5	-	-	5	-	12	2	-	10	-	92	12	5	52	-	59
4	1	-	3	-	1	-	-	1	-	6	1	-	5	-	26	8	1	13	-	60
14	3	-	11	-	2	-	-	2	-	4	1	-	3	-	47	3	2	26	-	61
10	2	-	6	2	2	-	-	2	-	2	-	-	2	-	19	1	2	13	-	62
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	6	3	1	-	-	63

VITAL STATISTICS OF THE UNITED STATES

TABLE 30.—DEATHS UNDER 1 YEAR AND UNDER 28 DAYS, FROM 45 SELECTED

(By place of residence. Exclusive of fetal deaths. Numbers after causes of

CAUSE OF DEATH	NEW MEXICO					NEW YORK				
	Total deaths under 1 year	Under 28 days		28 days-11 months		Total deaths under 1 year	Under 28 days		28 days-11 months	
		White	Non-white	White	Non-white		White	Non-white	White	Non-white
1 ALL CAUSES -----	1,408	658	59	590	121	7,878	5,275	731	1,591	285
2 Tuberculosis, all forms-----001-019	6	-	-	4	2	14	-	-	8	6
3 Syphilis and its sequelae-----020-029	8	-	2	5	3	8	2	3	1	2
4 Dysentery, all forms-----045-048	39	4	-	31	4	2	-	-	-	2
5 Whooping cough-----056	7	-	-	6	1	18	-	-	15	3
6 All other infective and parasitic diseases-----030-044,049-055,057-138	11	-	-	5	6	56	5	1	46	4
7 Diseases of thymus gland-----273	8	4	-	4	-	53	15	1	55	2
8 Meningitis, except meningococcal and tuberculous-----340	4	-	-	2	2	55	17	3	29	6
9 All other diseases of nervous system and sense organs-----330-334,341-396	6	1	-	3	2	80	24	2	47	7
10 Influenza and pneumonia, except pneumonia of newborn-----480-493	157	4	1	152	20	498	2	-	392	112
11 Influenza-----480-483	13	4	1	6	2	10	2	-	8	-
12 Pneumonia, except pneumonia of newborn-----490-493	144	-	-	126	18	488	-	-	374	112
13 All other diseases of respiratory system-----470-475,500-527	16	-	-	15	1	119	12	-	96	11
14 Hernia and intestinal obstruction-----560,581,570	5	-	-	3	2	74	39	5	23	7
15 Gastritis, duodenitis, enteritis, and colitis, except diarrhea of newborn-----543,571,572	197	1	-	185	31	133	-	-	105	28
16 All other diseases of digestive system-----530-542,544-553,573-587	7	1	-	6	-	23	6	3	10	4
17 Congenital malformations-----750-759	100	70	3	21	6	1,299	798	41	429	33
18 Spina bifida and meningocele-----751	9	5	-	4	-	193	109	2	78	4
19 Congenital malformations of circulatory system-----754	45	27	1	12	5	484	264	14	187	19
20 All other congenital malformations-----750,752,753,755-759	46	38	2	5	1	622	423	25	164	10
21 Certain diseases of early infancy-----760-776	571	484	30	48	9	5,006	4,258	653	78	17
22 Birth injuries-----760,761	98	95	2	-	1	1,071	981	81	7	2
23 Without mention of immaturity (.0)-----	45	42	2	-	1	562	506	49	6	1
24 With immaturity (.5)-----	53	53	-	-	-	509	475	32	1	1
25 Intracranial and spinal injury at birth-----760	26	27	-	-	1	519	458	55	4	2
26 Without mention of immaturity (.0)-----	22	21	-	-	1	358	316	37	4	1
27 With immaturity (.5)-----	6	6	-	-	-	161	142	18	-	1
28 Other birth injury-----761	70	69	2	-	-	552	525	26	3	-
29 Without mention of immaturity (.0)-----	23	21	2	-	-	204	190	12	2	-
30 With immaturity (.5)-----	47	47	-	-	-	348	333	14	1	-
31 Postnatal asphyxia and atelectasis-----762	69	64	5	-	-	1,349	1,133	197	17	2
32 Without mention of immaturity (.0)-----	32	31	1	-	-	473	362	76	13	2
33 With immaturity (.5)-----	37	33	4	-	-	876	751	121	4	-
34 Pneumonia of newborn-----763	39	34	5	-	-	255	213	42	-	-
35 Without mention of immaturity (.0)-----	29	26	3	-	-	158	132	26	-	-
36 With immaturity (.5)-----	10	8	2	-	-	97	81	16	-	-
37 Diarrhea of newborn-----764	26	20	6	-	-	53	42	9	2	-
38 Without mention of immaturity (.0)-----	18	14	4	-	-	37	31	5	1	-
39 With immaturity (.5)-----	8	6	2	-	-	16	11	4	1	-
40 Other infections of newborn-----765-769	-	-	-	-	-	18	12	5	1	-
41 Without mention of immaturity (.0)-----	-	-	-	-	-	12	8	3	1	-
42 With immaturity (.5)-----	-	-	-	-	-	6	4	2	-	-
43 Neonatal disorders arising from maternal toxemia-----789	8	8	-	-	-	60	54	6	-	-
44 Without mention of immaturity (.0-.4)-----	1	1	-	-	-	10	6	4	-	-
45 With immaturity (.5-.9)-----	7	7	-	-	-	50	48	2	-	-
46 Hemolytic disease of newborn (erythroblastosis)-----770	17	16	-	1	-	204	189	6	9	-
47 Without mention of immaturity (.0-.2)-----	12	11	-	1	-	156	141	6	9	-
48 With immaturity (.5-.7)-----	5	5	-	-	-	48	48	-	-	-
49 Hemorrhagic disease of newborn-----771	10	9	1	-	-	70	60	10	-	-
50 Without mention of immaturity (.0)-----	6	5	1	-	-	50	44	6	-	-
51 With immaturity (.5)-----	4	4	-	-	-	20	16	4	-	-
52 Ill-defined diseases peculiar to early infancy, including nutritional maladjustment-----772,773	64	33	3	28	-	179	149	9	20	1
53 Without mention of immaturity (.0)-----	30	10	1	19	-	59	21	-	17	1
54 With immaturity (.5)-----	34	23	2	9	-	140	128	9	3	-
55 Immaturity with mention of any other subsidiary condition-----774	20	10	-	6	4	71	44	3	19	6
56 Immaturity unqualified-----776	20	195	8	13	4	1,676	1,581	285	4	6
57 Symptoms and ill-defined conditions-----780-795	231	62	22	119	28	64	19	3	37	5
58 All other diseases-----Residual	12	3	-	8	1	128	32	7	88	3
59 Accidents-----E800-E962	23	4	1	15	3	233	37	4	162	30
60 Inhalation and ingestion of food or other object causing obstruction or suffocation-----E921,E922	6	2	1	3	-	63	25	-	51	7
61 Accidental mechanical suffocation in bed and cradle-----E924	2	-	-	2	-	88	6	5	67	12
62 All other accidental causes-----E900-E920,E923,E925-E962	15	2	-	10	3	62	6	1	44	11
63 Homicide-----E964,E980-E999	-	-	-	-	-	17	9	5	2	-

VITAL STATISTICS OF THE UNITED STATES

TABLE 30.—DEATHS UNDER 1 YEAR AND UNDER 28 DAYS, FROM 45 SELECTED

(By place of residence. Exclusive of fetal deaths. Numbers after causes of

CAUSE OF DEATH	OREGON					PENNSYLVANIA				
	Total deaths under 1 year	Under 28 days		28 days-11 months		Total deaths under 1 year	Under 28 days		28 days-11 months	
		White	Non-white	White	Non-white		White	Non-white	White	Non-white
1 ALL CAUSES-----	869	637	24	194	14	6,567	4,224	567	1,547	229
2 Tuberculosis, all forms-----001-019	1	-	-	-	1	12	-	-	9	3
3 Syphilis and its sequelae-----020-029	-	-	-	-	-	14	5	6	1	2
4 Dysentery, all forms-----045-048	6	-	-	6	-	3	-	-	8	-
5 Whooping cough-----056	3	-	-	3	-	29	-	-	25	4
6 All other infective and parasitic diseases-----050-044,049-055,057-138	9	-	-	8	1	68	7	2	55	4
7 Diseases of thyroid gland-----273	3	-	-	3	-	66	19	1	42	5
8 Meningitis, except meningococcal and tuberculous-----340	7	-	1	6	-	44	5	-	32	7
9 All other diseases of nervous system and sense organs-----330-334,341-399	8	1	-	7	-	58	14	-	39	5
10 Influenza and pneumonia, except pneumonia of newborn-----480-493	49	1	-	43	5	490	2	-	424	64
11 Influenza-----480-483	7	1	-	5	1	29	2	-	25	2
12 Pneumonia, except pneumonia of newborn-----490-493	42	38	4	461	399	62
13 All other diseases of respiratory system-----470-475,500-527	6	1	-	5	-	65	9	3	48	5
14 Hernia and intestinal obstruction-----560,561,570	9	6	-	3	-	74	35	2	33	4
15 Gastritis, duodenitis, enteritis, and colitis, except diarrhea of newborn-----543,571,572	17	-	-	15	2	167	-	-	136	31
16 All other diseases of digestive system-----530-542,544-553,573-587	3	3	-	-	-	46	16	-	29	1
17 Congenital malformations-----750-759	127	93	4	27	3	992	605	26	535	29
18 Spina bifida and meningocele-----751	12	8	-	3	1	132	76	3	52	1
19 Congenital malformations of circulatory system-----754	55	38	1	14	2	457	265	15	164	15
20 All other congenital malformations-----750,752,753,755-759	60	47	3	10	-	405	262	10	119	12
21 Certain diseases of early infancy-----760-776	549	522	17	9	1	4,067	3,429	512	103	23
22 Birth injuries-----760,761	124	121	1	2	-	726	657	62	7	-
23 Without mention of immaturity (.0)-----	56	54	1	1	-	435	395	34	6	-
24 With immaturity (.5)-----	68	67	-	1	-	291	262	28	1	-
25 Intracranial and spinal injury at birth-----760	34	31	1	2	-	372	333	33	6	-
26 Without mention of immaturity (.0)-----	29	27	1	1	-	309	280	23	6	-
27 With immaturity (.5)-----	5	4	-	1	-	63	53	10	-	-
28 Other birth injury-----761	90	90	-	-	-	354	324	29	1	-
29 Without mention of immaturity (.0)-----	27	27	-	-	-	126	115	11	-	-
30 With immaturity (.5)-----	63	63	-	-	-	228	209	18	1	-
31 Postnatal asphyxia and steletoctasis-----762	133	127	3	3	-	704	603	79	19	3
32 Without mention of immaturity (.0)-----	59	54	2	3	-	324	280	28	14	2
33 With immaturity (.5)-----	74	73	1	-	-	380	323	51	5	1
34 Pneumonia of newborn-----763	14	15	1	160	140	20
35 Without mention of immaturity (.0)-----	10	9	1	119	105	16
36 With immaturity (.5)-----	4	4	-	41	37	4
37 Diarrhea of newborn-----764	4	4	-	-	-	50	39	7	2	2
38 Without mention of immaturity (.0)-----	3	3	-	-	-	37	30	4	1	2
39 With immaturity (.5)-----	1	1	-	-	-	13	9	3	1	-
40 Other infections of newborn-----765-769	1	1	-	-	-	16	15	1	2	-
41 Without mention of immaturity (.0)-----	1	1	-	-	-	13	11	1	1	-
42 With immaturity (.5)-----	-	-	-	-	-	5	4	-	1	-
43 Neonatal disorders arising from maternal toxemia-----769	14	14	-	-	-	51	48	2	1	-
44 Without mention of immaturity (.0-.4)-----	3	3	-	-	-	13	13	-	-	-
45 With immaturity (.5-.9)-----	11	11	-	-	-	38	35	2	1	-
46 Hemolytic disease of newborn (erythroblastosis)-----770	31	30	1	-	-	161	146	6	6	1
47 Without mention of immaturity (.0-.2)-----	24	23	1	-	-	129	117	4	7	1
48 With immaturity (.5-.7)-----	7	7	-	-	-	32	29	2	1	-
49 Hemorrhagic disease of newborn-----771	12	9	2	-	1	76	72	6	-	-
50 Without mention of immaturity (.0)-----	10	7	2	-	1	53	48	5	-	-
51 With immaturity (.5)-----	2	2	-	-	-	23	24	1	-	-
52 Ill-defined diseases peculiar to early infancy, including nutritional maladjustment-----772,773	19	18	-	1	-	336	226	66	36	8
53 Without mention of immaturity (.0)-----	8	7	-	1	-	105	66	6	26	7
54 With immaturity (.5)-----	11	11	-	-	-	231	160	60	10	1
55 Immaturity with mention of any other subsidiary condition-----774	8	7	-	1	-	84	54	6	18	6
56 Immaturity unqualified-----776	189	178	9	2	-	1,699	1,429	257	10	3
57 Symptoms and ill-defined conditions-----780-795	6	2	1	4	1	58	22	6	27	3
58 All other diseases-----Residual	10	2	-	8	-	99	24	2	65	8
59 Accidents-----E800-E962	54	6	1	47	-	201	27	6	136	32
60 Inhalation and ingestion of food or other object causing obstruction or suffocation-----E921,E922	26	4	-	22	-	59	18	1	35	5
61 Accidental mechanical suffocation in bed and cradle-----E924	16	1	1	14	-	87	5	2	59	21
62 All other accidental causes-----E800-E920,E923,E925-E962	12	1	-	11	-	55	4	3	42	6
63 Homicide-----E964,E980-E999	-	-	-	-	-	9	8	1	-	-

GENERAL TABLES—INFANT DEATHS

675

CAUSES, BY RACE: UNITED STATES AND EACH STATE, 1949—Continued

death are category numbers of the Sixth Revision of the International Lists, 1948)

Total deaths under 1 year	RHODE ISLAND				Total deaths under 1 year	SOUTH CAROLINA				Total deaths under 1 year	SOUTH DAKOTA				Total deaths under 1 year	TENNESSEE				1
	Under 28 days		28 days-11 months			Under 28 days		28 days-11 months			Under 28 days		28 days-11 months			Under 28 days		28 days-11 months		
	White	Non-white	White	Non-white		White	Non-white	White	Non-white		White	Non-white	White	Non-white		White	Non-white	White	Non-white	
395	301	14	75	5	2,285	655	764	280	584	446	291	16	106	35	3,331	1,631	457	926	517	1
1	-	-	1	-	6	-	-	1	5	2	-	-	-	2	15	1	-	9	5	2
-	-	-	-	-	9	-	5	-	3	-	-	-	-	7	7	3	2	-	-	3
-	-	-	-	-	8	1	-	-	3	4	-	-	-	1	47	5	2	53	9	4
1	-	-	1	-	21	-	-	-	3	18	1	1	1	30	4	4	1	21	4	5
1	-	-	-	-	19	1	3	7	8	7	-	-	6	55	7	8	37	3	6	
1	1	-	-	-	14	-	-	-	5	5	2	-	-	-	4	-	-	3	1	7
1	1	-	-	-	28	1	3	5	18	4	2	-	2	1	23	3	-	15	7	8
4	1	-	-	-	20	-	-	10	10	8	1	-	5	-	26	5	-	18	3	9
12	-	-	11	1	258	1	2	68	183	28	-	-	18	10	292	4	-	198	88	10
12	-	-	11	1	32	1	2	10	19	-	-	-	18	10	36	4	-	20	12	11
2	-	-	2	-	227	58	189	28	18	10	256	179	77	12
2	-	-	2	-	29	4	4	7	14	2	-	-	2	-	40	8	2	19	11	13
5	2	-	3	-	17	4	3	3	7	2	1	-	1	-	15	5	1	8	1	14
2	-	-	1	1	136	-	-	46	90	13	-	-	9	4	288	-	-	208	80	15
1	-	-	1	-	14	1	-	6	7	5	2	-	3	-	12	1	-	9	2	16
72	42	1	28	1	157	76	25	35	21	59	31	3	23	2	326	184	18	112	11	17
18	10	-	8	-	16	9	1	5	1	10	5	-	5	-	37	13	3	19	2	18
24	10	-	13	1	85	26	10	18	11	27	12	3	2	159	92	9	53	5	19	5
30	22	1	7	-	76	41	14	12	9	22	14	-	8	-	130	79	7	40	4	20
265	242	13	7	1	1,131	547	509	19	56	271	247	11	10	5	1,702	1,275	356	51	20	21
68	65	3	-	-	182	98	62	1	1	48	47	1	-	-	278	232	45	1	-	22
42	40	2	-	-	115	84	49	1	1	25	22	1	-	-	178	145	33	-	-	23
26	25	1	-	-	47	34	13	-	-	25	25	-	-	-	100	87	12	1	-	24
30	28	2	-	-	84	49	34	-	1	23	23	-	-	-	146	118	28	-	-	25
34	23	1	-	-	73	44	28	-	1	12	12	-	-	-	123	100	23	-	-	26
6	5	1	-	-	11	5	6	-	-	11	11	-	-	-	23	18	5	-	-	27
36	37	1	-	-	78	49	28	1	-	25	24	1	-	-	132	114	17	1	-	28
18	17	1	-	-	42	20	21	1	-	11	10	1	-	-	55	45	10	-	-	29
20	20	-	-	-	36	29	7	-	-	14	14	-	-	-	77	69	7	1	-	30
47	38	6	3	-	166	101	59	1	6	56	50	2	4	-	233	229	59	3	2	31
22	18	3	1	-	78	42	29	1	6	18	13	1	4	-	127	85	37	3	2	32
25	20	3	2	-	88	59	29	-	3	39	37	1	-	-	166	144	22	-	-	33
4	4	-	68	18	50	8	6	2	102	88	14	34
3	3	-	54	12	42	5	3	2	71	61	10	35
1	1	-	14	6	8	3	3	-	31	27	4	36
4	2	2	-	-	19	6	13	-	-	8	8	-	-	-	62	48	13	1	-	37
3	1	2	-	-	15	4	11	-	-	7	7	-	-	-	50	38	11	1	-	38
1	1	-	-	-	4	2	2	-	-	1	1	-	-	-	12	10	2	-	-	39
1	1	-	-	-	4	4	-	-	-	1	-	1	-	-	12	7	5	-	-	40
1	1	-	-	-	3	5	-	-	-	1	-	1	-	-	3	3	-	-	-	41
-	-	-	-	-	1	3	-	-	-	-	-	-	-	-	9	4	5	-	-	42
3	3	-	-	-	31	12	18	-	1	6	6	-	-	-	43	41	2	-	-	43
1	1	-	-	-	6	3	3	-	-	2	2	-	-	-	9	7	2	-	-	44
2	2	-	-	-	25	9	15	-	1	4	4	-	-	-	34	34	-	-	-	45
14	12	-	2	-	37	24	12	-	1	22	21	-	1	-	49	47	2	-	-	46
13	11	-	2	-	30	23	6	-	1	15	14	-	-	-	42	40	2	-	-	47
1	1	-	-	-	7	1	6	-	-	7	7	-	-	-	7	7	-	-	-	48
5	4	1	-	-	29	14	13	-	2	3	2	1	-	-	32	24	7	1	-	49
3	2	1	-	-	21	8	12	-	1	3	2	1	-	-	18	12	5	1	-	50
2	2	-	-	-	8	6	1	-	1	-	-	-	-	-	14	12	2	-	-	51
7	5	-	1	1	109	33	38	12	26	13	7	1	2	3	128	77	18	20	13	52
2	-	-	1	1	55	8	16	10	21	5	1	1	1	2	64	20	9	20	5	53
5	5	-	-	-	54	25	22	2	5	8	6	-	-	-	74	57	9	-	8	54
4	3	-	1	-	25	8	2	5	10	3	1	-	2	-	33	16	1	13	3	55
106	105	1	-	-	481	229	243	-	9	103	99	3	1	-	670	466	190	12	2	56
5	3	-	2	-	292	15	185	19	73	9	1	2	1	5	324	109	63	103	48	57
7	3	-	4	-	37	1	4	16	16	5	1	-	2	2	49	11	-	35	3	58
18	6	-	12	-	87	2	18	26	41	29	5	-	21	3	75	8	3	47	17	59
9	4	-	5	-	11	-	3	3	5	3	1	-	2	-	10	1	1	6	2	60
5	-	-	5	-	29	2	2	14	15	9	-	-	9	-	31	4	-	23	4	61
4	-	-	2	-	47	2	13	9	23	17	4	-	10	3	34	3	2	18	11	62
-	-	-	-	-	1	-	-	1	-	-	-	-	-	1	-	-	-	1	-	63

VITAL STATISTICS OF THE UNITED STATES

TABLE 30.—DEATHS UNDER 1 YEAR AND UNDER 28 DAYS, FROM 45 SELECTED

(By place of residence. Exclusive of fetal deaths. Numbers after causes of

CAUSE OF DEATH	TEXAS					UTAH				
	Total deaths under 1 year	Under 28 days		28 days-11 months		Total deaths under 1 year	Under 28 days		28 days-11 months	
		White	Non-white	White	Non-white		White	Non-white	White	Non-white
1 ALL CAUSES -----	8,628	4,153	797	3,124	554	535	405	15	115	6
2 Tuberculosis, all forms-----001-019	45	-	-	41	4	2	1	-	-	1
3 Syphilis and its sequelae-----020-029	31	12	7	4	8	-	-	-	-	-
4 Dysentery, all forms-----045-048	388	25	-	341	22	1	-	-	-	1
5 Whooping cough-----056	39	1	1	31	6	1	-	-	1	-
6 All other infective and parasitic diseases-----030-044,049-055,057-138	175	54	6	92	21	8	-	-	6	-
7 Diseases of thymus gland-----273	30	14	3	11	2	-	-	-	-	-
8 Meningitis, except meningococcal and tuberculous-----340	52	2	2	41	7	5	-	-	5	-
9 All other diseases of nervous system and sense organs-330-334,341-398	80	13	-	53	14	2	1	-	1	-
10 Influenza and pneumonia, except pneumonia of newborn-----480-493	770	6	3	600	161	20	-	-	17	3
11 Influenza-----480-483	77	8	3	58	10	2	-	-	2	-
12 Pneumonia, except pneumonia of newborn-----490-495	693	542	151	18	15	3
13 All other diseases of respiratory system-----470-475,500-527	94	12	9	54	19	10	1	-	9	-
14 Hernia and intestinal obstruction-----560,561,570	56	27	3	22	4	4	3	-	1	-
15 Gastritis, duodenitis, enteritis, and colitis, except										
diarrhea of newborn-----543,571,572	1,117	1	-	996	120	5	-	-	5	-
16 All other diseases of digestive system-----530-542,544-553,573-587	94	22	5	58	8	2	-	-	2	-
17 Congenital malformations-----750-759	703	441	29	209	24	69	54	1	53	-
Spina bifida and meningocele-----761	91	54	2	31	4	2	1	-	1	-
18 Congenital malformations of circulatory system-----754	308	180	10	104	14	52	29	-	25	-
19 All other congenital malformations-----750,752,755,758-759	304	207	17	74	6	34	24	1	9	-
20 Certain diseases of early infancy-----760-776	4,275	3,311	652	249	61	353	337	10	6	-
21 Birth injuries-----760,761	847	546	96	5	-	97	94	3	-	-
22 Without mention of immaturity (.0)-----	415	344	66	5	-	43	41	2	-	-
23 With immaturity (.5)-----	232	202	30	-	-	54	53	1	-	-
24 Intracranial and spinal injury at birth-----760	306	256	45	5	-	27	26	1	-	-
25 Without mention of immaturity (.0)-----	250	214	31	5	-	23	22	1	-	-
26 With immaturity (.5)-----	56	42	14	-	-	4	4	-	-	-
27 Other birth injury-----761	341	290	51	-	-	70	68	2	-	-
28 Without mention of immaturity (.0)-----	165	150	35	-	-	20	19	1	-	-
29 With immaturity (.5)-----	176	160	16	-	-	50	49	1	-	-
30 Postnatal asphyxia and stelectasis-----762	589	465	69	12	3	73	68	3	2	-
31 Without mention of immaturity (.0)-----	253	211	32	7	3	23	21	1	2	-
32 With immaturity (.5)-----	316	274	37	5	-	50	47	3	-	-
33 Pneumonia of newborn-----763	260	209	51	10	10
34 Without mention of immaturity (.0)-----	214	173	41	9	8
35 With immaturity (.5)-----	46	36	10	2	2
36 Diarrhea of newborn-----764	104	83	19	2	-	3	1	2	-	-
37 Without mention of immaturity (.0)-----	78	69	8	1	-	3	1	2	-	-
38 With immaturity (.5)-----	26	14	11	1	-	-	-	-	-	-
39 Other infections of newborn-----765-768	44	35	7	1	1	2	2	-	-	-
40 Without mention of immaturity (.0)-----	35	27	6	1	1	2	2	-	-	-
41 With immaturity (.5)-----	9	8	1	-	-	-	-	-	-	-
42 Neonatal disorders arising from maternal toxemia-----769	70	57	13	-	-	11	11	-	-	-
43 Without mention of immaturity (.0-.4)-----	20	16	4	-	-	-	-	-	-	-
44 With immaturity (.5-.9)-----	50	41	9	-	-	11	11	-	-	-
45 Hemolytic disease of newborn (erythroblastosis)-----770	126	108	8	9	1	29	28	-	-	-
46 Without mention of immaturity (.0-.2)-----	104	88	8	7	1	22	22	-	-	-
47 With immaturity (.5-.7)-----	22	20	-	2	-	7	7	-	-	-
48 Hemorrhagic disease of newborn-----771	58	48	9	1	-	4	4	-	-	-
49 Without mention of immaturity (.0)-----	47	40	6	1	-	3	3	-	-	-
50 With immaturity (.5)-----	11	8	3	-	-	1	1	-	-	-
51 Ill-defined diseases peculiar to early infancy, including										
nutritional maladjustment-----772,773	428	204	49	146	29	18	15	-	3	-
52 Without mention of immaturity (.0)-----	252	83	22	126	21	6	4	-	2	-
53 With immaturity (.5)-----	176	121	27	20	8	12	11	-	1	-
54 Immaturity with mention of any other subsidiary condition-----774	107	36	5	54	12	5	5	-	-	-
55 Immaturity unqualified-----776	1,660	1,500	326	19	15	101	98	2	1	-
56 Symptoms and ill-defined conditions-----780-785	325	143	61	99	22	13	4	2	7	-
57 All other diseases-----Residual	125	26	3	84	12	4	-	-	3	1
58 Accidents-----E800-E922	226	41	9	139	39	17	2	-	15	-
59 Inhalation and ingestion of food or other object causing										
obstruction or suffocation-----E821,E922	44	14	4	21	5	2	-	-	2	-
60 Accidental mechanical suffocation in bed and cradle-----E924	68	12	-	41	15	6	-	-	6	-
61 All other accidental causes-----E800-E920,E923,E925-E962	116	15	5	77	19	9	2	-	7	-
62 Homicide-----E964,E980-E999	3	2	1	-	-	-	-	-	-	-

GENERAL TABLES—INFANT DEATHS

677

CAUSES, BY RACE: UNITED STATES AND EACH STATE, 1949—Continued

death are category numbers of the Sixth Revision of the International Lists, 1948)

VERMONT					VIRGINIA				WASHINGTON				WEST VIRGINIA							
Total deaths under 1 year	Under 28 days		28 days-11 months		Total deaths under 1 year	Under 28 days		28 days-11 months		Total deaths under 1 year	Under 28 days		28 days-11 months		Total deaths under 1 year	Under 28 days		28 days-11 months		
	White	Non-white	White	Non-white		White	Non-white	White	Non-white		White	Non-white	White	Non-white		White	Non-white	White	Non-white	
501	225		75	1	3,162	1,387	706	618	451	1,530	1,075	55	346	56	2,082	1,209	86	731	56	1
					7			2	5	5	1		1	3	5			2	3	2
					14	1	4	2	7	7				7	7					3
					27	1	2	12	12	2	1			1	25	1	1	21	2	4
					27		1	10	16	1				1	33			33		5
3	1		2		38	4	2	24	8	12				8	4	4	19		6	
					12	2	1	6	3	17	4	1			10	4	1	4	1	7
1	1		4		16	1	1	6	8	13	1			2	15	2		13		8
4			4		30	6		17	5	10	2			7	19	4		13	2	9
					15			15	1	308					67	27		190	24	10
16			1		24	1	1	15	9	2				2	23	2		18	3	11
15	14	1	294	141	145	92	65	27	193	172	21	12
4	2		2		36	1	4	14	17	15	5			10	22	2		18	2	13
3	2		1		30	14	4	8	4	20	6	1	10	1	11	3	1	7		14
					174			97	77	23				17	168			159	10	15
1			1		8			6	2	7	2		.5	6	14	3		11		16
					314	170	43	69	12	235	145	6	81	3	244	151	7	81	5	17
40	50		10		44	24	1	19		16	7			9	35	20		15		18
3	2		4		143	75	29	33	6	114	64	3	47		108	68	4	34	2	19
16	12		4		127	71	13	37	6	105	74	3	25	3	101	65	3	32	3	20
21	16		5		189	181		7		1,835	1,133	592	55	53	945	880	45	18	2	1,035
189	181		7		306	211	94		1	195	166	8	1		185	173	12			22
39	39				174	114	60			84	79	4	1		106	98	8			23
24	24				132	97	34		1	111	107	4			79	75	4			24
15	15				139	98	40			62	59	3			85	77	8			25
13	13				107	77	30		1	47	44	3			67	60	7			26
11	11				32	21	10			15	15				18	17	1			27
2	2				167	113	54			133	127	5	1		100	96	4			28
26	26				67	37	30			37	35	1	1		39	38	1			29
13	13				100	76	24			96	92	4			61	58	3			30
					364	268	90	5	1	233	215	12	6		179	163	12	4		31
42	42				154	103	47	3	1	107	92	10	5		94	78	6	2		32
20	20				210	165	43	2		125	123	2	1		95	87	6	2		33
22	22				82	38	44			28	24	4			58	55	2			34
6	6				61	28	33			23	19	4			43	42	1			35
2	2				21	10	11			5	5				15	14	1			36
4	4				32	17	15			3	3				42	40	1	1		37
					24	15	9			1	1				31	29	1	1		38
					8	2	6			2	2				11	11				39
					10	5	5								2			2		40
1	1				7	4	3								1			1		41
1	1				3	1	2								1			1		42
					46	25	20			15	14	1			14	13		1		43
5	5				13	5	8			4	4				2	2				44
5	5				33	21	12			11	10	1			12	11		1		45
					60	52	6	1	1	47	45	1	3		35	33	1	1		46
7	7				52	45	5	1	1	42	39	1			29	27	1	1		47
5	5				8	7	1			5	4				6	6				48
2	2				31	17	13	1		18	18				13	11	1	1		49
3	3				22	11	10	1		13	13				10	9	1	1		50
1	1				9	6	3			5	5				3	2		1		51
2	2				12	8	69	28	31	29	20	5	2	2	108	66	10	30		52
					80	23	19	15	23	8	4	1		1	51	22	2	27		53
5	7		1		132	61	50	13	8	21	16	4		1	57	46	8	3		54
					51	12	11	14	14	22	16	2	4		35	14	1	18	2	55
5	65		2		639	403	225	6	5	355	341	12	2		422	388	26	6		56
7	7		5		103	27	32	21	23	15	7	2	4	2	101	51	5	45	2	57
8	3		5		44	11	5	23	5	25	7		15	1	30	8	5	20	2	58
					138	11	13	72	42	90	8		79	3	44	8	2	33	1	59
3	2		1		31	3	8	14	8	46	7		38	1	9	4		5		60
6					63	6	5	33	19	21					16	3	2	10	1	61
5	1		4		44	2	2	25	15	23	1				19	1		18		62
					3	2	1			3	2				1	1				63

VITAL STATISTICS OF THE UNITED STATES

TABLE 31.—DEATHS UNDER 1 YEAR AND UNDER 28 DAYS, FROM 45 SELECTED CAUSES, BY MONTH:
UNITED STATES, 1949—Continued

(Exclusive of fetal deaths. Numbers after causes of death are category numbers of the Sixth Revision of the International Lists, 1948)

AGE AND CAUSE OF DEATH	Total	Jan.	Feb.	Mar.	Apr.	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.
UNDER 28 DAYS—Continued													
All other diseases of digestive system—530-542,544-553,573-587	173	12	15	11	12	16	10	19	22	12	15	14	14
Congenital malformations—750-759	9,375	809	713	815	718	725	740	811	886	777	788	802	791
Spina bifida and meningocoele—751	1,006	98	72	81	86	90	80	76	84	78	85	86	94
Congenital malformations of circulatory system—754	4,050	339	327	364	315	296	316	334	387	323	352	357	320
All other congenital malformations—750,752,753,755-759	4,339	372	314	370	317	339	344	401	415	378	353	359	377
Certain diseases of early infancy—760-776	61,502	5,132	4,521	4,941	4,855	5,360	5,186	5,555	5,691	5,189	5,245	4,878	4,948
Birth injuries—760,761	12,187	1,050	975	1,013	941	994	1,005	1,109	1,131	991	999	991	988
Without mention of immaturity (.0)-----	6,573	582	550	555	489	526	513	605	602	502	569	536	544
With immaturity (.5)-----	5,614	468	425	458	452	468	492	504	529	489	430	455	444
Intracranial and spinal injury at birth—760	5,489	500	441	466	410	417	442	517	484	444	449	454	465
Without mention of immaturity (.0)-----	4,032	378	334	332	294	304	316	378	365	311	350	339	331
With immaturity (.5)-----	1,457	122	107	134	116	113	126	139	119	133	99	115	134
Other birth injury—761	6,699	550	534	547	531	577	563	592	647	547	550	537	525
Without mention of immaturity (.0)-----	2,541	204	216	223	195	222	197	227	237	191	219	197	213
With immaturity (.5)-----	4,157	346	318	324	336	355	366	365	410	356	331	340	310
Postnatal asphyxia and atelectasis—762	12,931	1,021	831	1,003	995	1,210	1,153	1,228	1,218	1,058	1,076	991	1,147
Without mention of immaturity (.0)-----	4,886	398	310	384	362	431	419	454	462	410	442	367	427
With immaturity (.5)-----	8,045	623	521	619	613	779	734	774	756	648	634	624	720
Pneumonia of newborn—763	2,986	331	313	311	227	199	174	214	223	249	229	245	253
Without mention of immaturity (.0)-----	2,889	229	245	232	162	135	102	137	152	165	155	164	191
With immaturity (.5)-----	897	102	68	79	65	64	72	77	71	84	74	79	62
Diarrhea of newborn—764	1,114	73	73	55	59	66	67	109	162	170	126	80	74
Without mention of immaturity (.0)-----	807	48	45	38	34	46	48	86	122	150	98	61	50
With immaturity (.5)-----	307	25	28	17	25	20	18	23	40	40	28	19	24
Other infections of newborn—765-768	349	27	29	25	15	28	35	38	33	33	29	34	23
Without mention of immaturity (.0)-----	241	15	19	20	10	20	25	26	22	22	25	19	18
With immaturity (.5)-----	108	12	10	5	5	8	10	12	11	11	4	15	5
Neonatal disorders arising from maternal toxemia—769	1,118	121	85	94	96	100	109	85	98	94	79	79	88
Without mention of immaturity (.0;4)-----	265	32	21	21	20	27	16	23	25	29	19	16	16
With immaturity (.5;3)-----	853	89	64	63	76	73	93	62	73	65	60	63	72
Hemolytic disease of newborn (erythroblastosis)—770	2,420	211	205	194	187	197	195	214	225	197	196	189	210
Without mention of immaturity (.0;2)-----	1,957	177	171	161	155	145	159	167	184	160	158	148	172
With immaturity (.5;7)-----	463	34	34	33	32	52	36	47	41	37	38	41	38
Hemorrhagic disease of newborn—771	997	80	66	97	82	84	74	75	115	93	89	71	71
Without mention of immaturity (.0)-----	689	51	49	66	62	64	41	53	84	62	66	49	42
With immaturity (.5)-----	308	29	17	31	20	20	33	22	31	31	23	22	29
Ill-defined diseases peculiar to early infancy, including nutritional maladjustment—772,773	3,367	296	267	278	256	281	300	280	307	279	311	261	251
Without mention of immaturity (.0)-----	615	88	80	77	62	71	59	72	79	88	81	86	71
With immaturity (.5)-----	2,452	208	187	201	194	210	241	208	228	190	230	175	180
Immaturity with mention of any other subsidiary condition—774	849	86	74	74	50	68	70	69	69	63	73	70	83
Immaturity unqualified—776	23,204	1,636	1,603	1,907	1,947	2,133	2,004	2,134	2,110	1,962	2,058	1,870	1,760
Symptoms and ill-defined conditions—780-795	2,148	215	179	195	168	166	178	169	185	178	132	175	189
All other diseases—Residual	369	37	24	32	36	26	24	37	34	43	36	25	33
Accidents—E800-E962	750	75	58	79	71	56	67	62	49	53	52	60	69
Inhalation and ingestion of food or other object causing obstruction or suffocation—E921,E922	274	23	23	24	24	19	16	26	19	24	21	29	26
Accidental mechanical suffocation in bed and cradle—E924	181	27	20	23	11	5	17	10	11	12	17	16	22
All other accidental causes—E900-E920,E923,E925-E962	265	25	15	31	36	12	34	26	19	17	14	15	21
Homicide—E964,E980-E998	92	15	6	8	11	7	8	8	5	4	5	7	10
28 DAYS-11 MONTHS													
ALL CAUSES	35,205	3,974	3,521	3,426	2,502	2,332	2,263	2,776	2,701	2,603	2,851	2,958	3,236
Tuberculosis, all forms—001-019	272	32	17	21	28	22	25	25	23	23	17	20	19
Syphilis and its sequelae—020-029	106	10	11	7	15	8	12	5	9	5	12	5	7
Dysentery, all forms—045-048	604	42	25	40	62	83	81	127	93	79	67	59	46
Whooping cough—056	507	45	39	34	28	43	35	63	63	40	41	33	43
All other infective and parasitic diseases—030-044,049-055,057-138	1,116	124	116	120	104	101	72	96	61	56	71	63	93
Diseases of thymus gland—273	466	64	45	45	31	40	28	34	31	25	41	41	41
Meningitis, except meningococcal and tuberculous—340	607	73	59	70	54	42	45	37	34	39	40	52	62
All other diseases of nervous system and sense organs—330-334,341-398	781	101	68	94	57	42	45	59	59	54	66	56	90
Influenza and pneumonia, except pneumonia of newborn—480-493	9,048	1,471	1,438	1,186	884	473	368	378	394	415	573	725	933
Influenza—480-483	895	137	146	109	64	50	12	14	15	23	24	49	72
Pneumonia, except pneumonia of newborn—490-493	2,353	1,334	1,292	1,087	820	443	356	364	379	392	549	676	861
All other diseases of respiratory system—470-475,500-527	1,188	178	171	171	99	71	57	46	40	51	72	97	135
Herms and intestinal obstruction—560,581,570	466	46	33	30	25	47	36	46	57	27	27	39	53
Gastritis, duodenitis, enteritis, and colitis, except diarrhea of newborn—543,571,572	5,657	336	251	260	285	387	550	771	751	736	595	413	332
All other diseases of digestive system—530-542,344-553,573-587	435	39	29	39	27	30	40	41	37	36	49	31	38
Congenital malformations—750-759	5,129	497	406	474	378	376	359	378	397	362	444	493	545
Spina bifida and meningocoele—751	807	70	74	67	67	62	49	66	71	53	62	82	84
Congenital malformations of circulatory system—754	2,413	240	201	220	174	179	173	177	165	172	204	228	279
All other congenital malformations—750,752,753,755-759	1,909	187	131	187	137	135	137	135	161	157	178	182	182
Certain diseases of early infancy—760-776	2,856	240	252	227	186	176	168	218	241	227	265	236	220
Birth injuries—760,761	125	13	12	12	12	8	8	11	11	10	12	10	6
Without mention of immaturity (.0)-----	109	12	10	10	11	6	6	9	9	9	11	10	4
With immaturity (.5)-----	16	1	2	2	1	2	-	2	2	1	1	-	2
Intracranial and spinal injury at birth—760	85	8	10	9	6	6	8	6	7	8	9	6	4
Without mention of immaturity (.0)-----	60	8	10	9	6	4	6	6	6	8	9	6	3
With immaturity (.5)-----	5	-	-	-	-	-	-	-	-	-	-	-	-
Other birth injury—761	40	5	-	1	-	2	-	-	1	-	-	-	1
Without mention of immaturity (.0)-----	29	4	-	3	6	2	2	5	4	2	3	4	2
With immaturity (.5)-----	11	1	-	2	5	2	2	3	3	1	2	4	1
Postnatal asphyxia and atelectasis—762	308	28	23	25	25	30	14	23	24	22	24	26	43
Without mention of immaturity (.0)-----	220	19	15	21	25	20	8	18	15	16	18	19	36
With immaturity (.5)-----	88	9	8	5	10	10	6	5	9	6	6	7	7

GENERAL TABLES—INFANT DEATHS

681

**TABLE 31.—DEATHS UNDER 1 YEAR AND UNDER 28 DAYS, FROM 45 SELECTED CAUSES, BY MONTH:
UNITED STATES, 1949—Continued**

(Exclusive of fetal deaths. Numbers after causes of death are category numbers of the Sixth Revision of the International Lists, 1948)

AGE AND CAUSE OF DEATH	Total	Jan.	Feb.	Mar.	Apr.	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.
28 DAYS—11 MONTHS—Continued													
Certain diseases of early infancy—Continued													
Pneumonia of newborn.....763
Without mention of immaturity (.0).....
With immaturity (.5).....	1
Diarrhea of newborn.....764	28	3	2	3	-	-	1	2	4	6	5	1	-
Without mention of immaturity (.0).....	19	1	1	3	-	-	-	2	3	4	4	1	-
With immaturity (.5).....	9	2	1	-	-	-	1	1	1	2	1	-	1
Other infections of newborn.....765-768	14	1	2	1	3	-	2	-	-	2	-	3	-
Without mention of immaturity (.0).....	11	1	2	1	3	-	2	-	-	1	-	1	-
With immaturity (.5).....	3	-	-	-	-	-	-	-	-	1	-	2	-
Neonatal disorders arising from maternal toxemia.....769	11	1	-	-	1	-	1	1	2	2	-	2	1
Without mention of immaturity (.0-.4).....	1	-	-	-	-	-	-	-	-	-	-	1	-
With immaturity (.5-.9).....	10	1	-	-	1	-	1	1	2	2	-	1	1
Hemolytic disease of newborn (erythroblastosis).....770	85	3	10	9	10	7	9	6	3	4	12	5	5
Without mention of immaturity (.0-.2).....	74	3	10	9	7	5	7	5	2	4	12	4	5
With immaturity (.5-.7).....	9	-	-	-	3	1	2	1	1	1	-	1	-
Hemorrhagic disease of newborn.....771	22	2	2	1	-	-	4	3	3	2	-	3	2
Without mention of immaturity (.0).....	20	2	2	1	-	-	3	3	2	2	-	3	-
With immaturity (.5).....	2	-	-	-	-	-	1	-	1	-	-	-	-
Ill-defined diseases peculiar to early infancy, including													
nutritional maladjustment.....772, 773	1,174	107	107	88	78	73	69	89	105	102	157	120	91
Without mention of immaturity (.0).....	876	81	77	58	61	62	48	71	77	72	105	96	68
With immaturity (.5).....	298	26	30	30	17	11	21	28	26	30	32	24	23
Immaturity with mention of any other subsidiary condition.....774	575	56	63	55	34	34	42	49	65	54	44	39	44
Immaturity unqualified.....776	316	26	31	32	23	24	18	25	28	23	31	29	27
Symptoms and ill-defined conditions.....780-795	1,655	221	154	171	100	87	78	134	127	122	129	157	183
All other diseases—Residual.....	1,268	120	122	152	98	102	100	105	89	88	102	104	108
Accidents.....E800-E962	3,000	350	284	305	256	201	162	210	173	195	248	312	346
Inhalation and ingestion of food or other object													
causing obstruction or suffocation.....E921, E922	658	79	64	69	52	44	38	39	29	41	52	70	82
Accidental mechanical suffocation in bed and cradle.....E924	1,181	151	118	136	92	71	54	65	51	60	100	126	139
All other accidental causes.....E800-E920, E923, E925-E962	1,161	100	102	99	92	86	70	109	93	74	96	116	125
Homicide.....E984, E980-E989	36	5	2	2	7	1	2	7	2	4	2	2	2

VITAL STATISTICS OF THE UNITED STATES

TABLE 32.—DEATHS UNDER 1 YEAR, FROM 45 SELECTED CAUSES, BY

(Exclusive of fetal deaths. Numbers after causes of death are

RACE, SEX, AND CAUSE OF DEATH		Total deaths under 1 year	Under 1 day	1 day	2 days	3 days	4 days	5 days	6 days	7-13 days
1	ALL RACES, BOTH SEXES-----All causes	111,531	37,259	11,152	7,366	5,953	2,520	1,780	1,324	5,471
2	Tuberculosis, all forms-----001-019	279	1	-	-	1	1	-	-	1
3	Syphilis and its sequelae-----020-029	300	89	23	13	8	3	7	4	20
4	Dysentery, all forms-----045-048	882	4	2	1	-	1	2	3	18
5	Whooping cough-----056	524	-	-	-	-	-	-	-	3
6	All other infective and parasitic diseases---030-044,049-055,057-139	1,355	3	2	4	5	11	23	20	100
7	Diseases of thyroid gland-----273	683	55	33	35	14	7	4	2	23
8	Meningitis, except meningococcal and tuberculous---340	722	3	4	7	3	3	4	1	45
9	All other diseases of nervous system and sense organs-330-334,341-399	994	101	19	11	11	11	8	8	15
10	Influenza and pneumonia, except pneumonia of newborn-----480-493	9,141	-	2	3	3	5	3	3	18
11	Influenza-----480-483	788	-	2	3	3	5	3	3	18
12	Pneumonia, except pneumonia of newborn-----490-493	8,353
13	All other diseases of respiratory system-----470-475,500-527	1,387	26	12	16	14	8	5	6	31
14	Hernia and intestinal obstruction-----560,561,570	1,001	183	49	56	39	22	27	21	61
15	Gastritis, duodenitis, enteritis, and colitis, except diarrhea of newborn-----543,571,572	5,667	2	1	-	-	-	1	1	1
16	All other diseases of digestive system-----530-542,544-553,573-587	608	9	10	11	24	16	8	10	44
17	Congenital malformations-----750-759	14,504	3,314	1,034	963	646	440	319	229	1,233
18	Spina bifida and meningocele-----751	1,813	344	57	55	44	28	35	23	171
19	Congenital malformations of circulatory system-----754	6,443	1,107	619	588	358	187	126	84	498
20	All other congenital malformations-----750,752,753,755-759	6,248	1,863	358	320	244	225	157	122	574
21	Certain diseases of early infancy-----760-776	64,159	32,446	9,607	5,940	2,966	1,632	1,236	923	3,420
22	Birth injuries-----760,761	12,312	7,014	2,006	1,391	656	305	169	139	358
23	Without mention of immaturity (.0)-----	6,662	3,336	1,171	906	436	196	125	84	218
24	With immaturity (.5)-----	5,650	3,678	834	486	200	109	63	55	137
25	Intracranial and spinal injury at birth-----760	5,574	2,139	1,080	946	463	228	144	105	269
26	Without mention of immaturity (.0)-----	4,112	1,547	786	723	354	186	108	71	185
27	With immaturity (.5)-----	1,462	591	294	223	109	60	36	34	84
28	Other birth injury-----761	6,739	4,876	925	445	173	77	44	34	87
29	Without mention of immaturity (.0)-----	2,570	1,789	385	182	82	28	17	13	34
30	With immaturity (.5)-----	4,168	3,087	540	263	91	49	27	21	53
31	Postnatal asphyxia and atelectasis-----762	13,239	6,717	2,812	1,533	631	286	205	119	392
32	Without mention of immaturity (.0)-----	5,106	2,358	1,118	653	298	113	75	36	142
33	With immaturity (.5)-----	8,133	4,359	1,694	880	333	173	130	83	250
34	Pneumonia of newborn-----763	2,966	198	233	260	201	153	134	133	683
35	Without mention of immaturity (.0)-----	2,069	127	143	181	143	107	91	87	467
36	With immaturity (.5)-----	887	71	90	79	58	46	43	46	216
37	Diarrhea of newborn-----764	1,142	6	5	11	5	15	16	17	340
38	Without mention of immaturity (.0)-----	826	5	3	10	4	10	14	11	255
39	With immaturity (.5)-----	316	1	2	1	1	5	2	6	85
40	Other infections of newborn-----765-768	383	27	14	15	21	30	25	26	100
41	Without mention of immaturity (.0)-----	252	15	9	13	14	21	21	19	71
42	With immaturity (.5)-----	131	12	5	2	7	9	4	7	29
43	Neonatal disorders arising from maternal toxemia-----769	1,129	608	194	143	62	32	19	11	37
44	Without mention of immaturity (.0-.4)-----	266	146	57	26	16	5	4	3	6
45	With immaturity (.5-.9)-----	863	462	137	117	46	27	15	8	31
46	Hemolytic disease of newborn (erythroblastosis)-----770	2,503	894	266	332	356	189	90	77	154
47	Without mention of immaturity (.0-.2)-----	2,031	676	209	285	306	168	78	63	122
48	With immaturity (.5-.7)-----	472	216	59	47	50	21	12	14	32
49	Hemorrhagic disease of newborn-----771	1,019	279	160	182	100	61	54	28	98
50	Without mention of immaturity (.0)-----	709	196	121	131	73	42	37	18	50
51	With immaturity (.5)-----	310	83	39	51	27	19	17	13	43
52	Ill-defined diseases peculiar to early infancy, including nutritional maladjustment-----772,773	4,541	1,508	443	282	150	77	79	50	273
53	Without mention of immaturity (.0)-----	1,791	309	111	81	57	24	22	17	100
54	With immaturity (.5)-----	2,750	1,296	332	201	93	53	57	33	173
55	Immaturity with mention of any other subsidiary condition-----774	1,424	396	104	60	39	21	32	17	87
56	Immaturity unqualified-----775	23,520	14,702	3,371	1,731	766	463	394	306	905
57	Symptoms and ill-defined conditions-----700-795	5,811	725	269	223	140	108	92	62	272
58	All other diseases-----Residual	1,657	103	34	35	30	14	14	8	57
59	Accidents-----E800-E962	5,730	116	44	66	48	37	22	22	111
60	Inhalation and ingestion of food or other object causing obstruction or suffocation-----E921,E922	932	11	24	38	27	16	13	17	47
61	Accidental mechanical suffocation in bed and cradle-----E924	1,372	10	5	4	5	8	2	1	35
62	All other accidental causes-----E800-E920,E923,E925-E962	1,426	95	15	24	16	13	7	4	31
63	Homicide-----E964,E980-E996	129	79	7	2	1	1	1	1	-

GENERAL TABLES—INFANT DEATHS

DETAILED AGE, RACE, AND SEX: UNITED STATES, 1949

category numbers of the Sixth Revision of the International Lists, 1948)

14-20 days	21-27 days	Under 28 days	28-59 days	2 months	3 months	4 months	5 months	6 months	7 months	8 months	9 months	10 months	11 months	1
3,328	2,353	76,326	7,501	5,702	4,792	3,809	3,138	2,530	2,076	1,825	1,467	1,247	1,119	1
1	2	7	6	12	14	29	16	35	32	30	30	34	34	2
15	12	194	42	26	14	6	5	2	4	1	-	5	1	3
29	16	78	90	113	110	101	96	62	68	57	56	26	25	4
5	9	17	81	82	76	51	38	39	34	32	22	19	33	5
48	23	239	99	110	125	121	113	97	103	92	85	82	91	6
25	14	217	116	99	73	54	47	27	14	10	14	6	4	7
28	20	115	69	84	61	61	68	49	52	50	41	28	44	8
13	18	213	101	90	102	89	78	78	67	46	51	43	37	9
31	25	95	1,613	1,431	1,366	1,118	907	706	540	445	373	303	246	10
31	25	95	100	84	101	106	71	66	44	42	37	22	22	11
...	1,513	1,347	1,285	1,012	836	640	496	403	336	281	224	12
44	37	199	180	169	182	136	135	95	87	71	47	45	43	13
46	31	535	106	83	40	51	40	32	34	33	15	14	18	14
3	1	10	1,014	848	778	663	570	463	398	329	242	195	157	15
50	11	173	103	70	49	40	38	23	21	19	28	26	16	16
689	509	9,375	1,376	877	688	528	369	341	237	244	152	176	141	17
150	99	1,006	227	118	120	95	59	63	28	36	23	20	18	18
263	210	4,030	592	443	335	280	180	155	107	102	67	87	65	19
276	200	4,339	557	316	233	153	130	123	102	106	62	69	58	20
1,989	1,343	61,502	1,272	541	285	152	102	86	57	47	50	30	34	21
108	47	12,187	39	26	13	8	5	11	8	2	7	4	2	22
69	32	6,573	29	23	13	7	4	11	8	1	7	4	2	23
37	15	5,614	10	3	-	1	1	-	-	1	-	-	-	24
80	36	5,489	21	22	10	5	3	5	6	-	7	4	2	25
62	28	4,032	19	20	10	4	3	5	6	-	7	4	2	26
18	8	1,457	2	2	-	1	-	-	-	-	-	-	-	27
26	11	6,898	18	4	3	3	2	6	2	2	-	-	-	28
7	4	2,541	10	3	3	3	1	6	2	1	-	-	-	29
19	7	4,157	8	1	-	-	1	-	-	1	-	-	-	30
165	71	12,931	143	65	38	15	13	10	3	7	5	5	4	31
57	26	4,886	75	52	34	14	12	9	3	7	5	5	4	32
108	35	8,045	68	13	4	1	1	1	-	-	-	-	-	33
524	447	2,966	34
382	341	2,069	35
142	106	897	36
394	305	1,114	20	6	2	-	-	-	-	-	-	-	-	37
280	215	807	13	5	1	-	-	-	-	-	-	-	-	38
114	80	307	7	1	1	-	-	-	-	-	-	-	-	39
62	28	349	11	1	-	-	1	1	-	-	-	-	-	40
43	16	241	8	1	-	-	1	1	-	-	-	-	-	41
19	14	108	3	-	-	-	-	-	-	-	-	-	-	42
6	6	1,118	9	1	1	-	-	-	-	-	-	-	-	43
2	-	265	1	-	-	-	-	-	-	-	-	-	-	44
4	6	653	8	1	1	-	-	-	-	-	-	-	-	45
40	22	2,420	32	14	6	4	7	6	2	3	2	4	3	46
34	17	1,957	26	12	6	4	7	6	2	3	2	4	2	47
6	5	463	6	2	-	-	-	-	-	-	-	-	1	48
26	14	997	13	5	1	2	-	-	-	-	1	-	-	49
14	10	689	11	5	1	2	-	-	-	-	1	-	-	50
12	4	308	2	-	-	-	-	-	-	-	-	-	-	51
239	169	3,367	442	258	145	88	56	49	39	30	32	16	19	52
108	86	915	283	185	110	73	53	46	34	27	32	14	19	53
131	83	2,452	159	73	35	15	3	3	5	3	-	2	-	54
56	38	849	339	117	62	24	13	8	2	5	2	-	3	55
371	195	23,204	224	48	17	11	7	1	3	-	1	1	3	56
139	118	2,148	422	313	250	171	131	116	77	65	60	36	22	57
54	40	389	169	168	146	125	138	98	89	87	93	77	68	58
142	122	730	636	582	426	310	245	179	159	156	106	101	100	59
46	35	274	152	160	92	80	59	24	28	30	8	13	12	60
63	60	181	328	282	211	138	80	50	39	23	11	10	9	61
33	27	265	156	140	123	92	106	105	92	103	87	76	79	62
-	-	92	6	4	8	2	2	2	3	1	4	1	3	63

VITAL STATISTICS OF THE UNITED STATES

TABLE 32.—DEATHS UNDER 1 YEAR, FROM 45 SELECTED CAUSES, BY

(Exclusive of fetal deaths. Numbers after causes of death are

RACE, SEX, AND CAUSE OF DEATH		Total deaths under 1 year	Under 1 day	1 day	2 days	3 days	4 days	5 days	6 days	7-15 days
1	ALL RACES, MALE-----All causes	64,161	21,666	6,589	4,484	2,422	1,368	1,009	779	3,092
2	Tuberculosis, all forms-----001-019	148	1	-	-	1	1	-	-	-
3	Syphilis and its sequelae-----020-029	168	46	14	9	7	2	4	2	15
4	Dysentery, all forms-----045-048	465	1	1	1	-	-	2	2	11
5	Whooping cough-----066	266	-	-	-	-	-	-	-	3
6	All other infective and parasitic diseases--030-044,049-055,057-138	704	3	2	2	4	8	13	13	59
7	Diseases of thymus gland-----273	423	31	23	24	7	5	4	1	16
8	Meningitis, except meningococcal and tuberculous--340	411	3	1	5	1	3	3	-	25
9	All other diseases of nervous system and sense organs--330-334,341-398	569	52	9	8	5	5	5	5	10
10	Influenza and pneumonia, except pneumonia of newborn-----480-493	5,036	-	1	2	1	3	1	2	9
11	Influenza-----480-483	433	-	1	2	1	3	1	2	9
12	Pneumonia, except pneumonia of newborn-----490-493	4,603
13	All other diseases of respiratory system-----470-475,500-527	780	17	12	5	12	7	1	4	18
14	Hernia and intestinal obstruction-----560,561,570	630	107	27	39	21	11	14	14	41
15	Gastritis, duodenitis, enteritis, and colitis, except diarrhea of newborn-----543,571,572	3,134	1	1	-	-	-	-	-	1
16	All other diseases of digestive system-----530-542,544-553,573-587	349	5	8	7	12	12	5	6	29
17	Congenital malformations-----750-759	7,989	1,723	606	600	385	251	187	137	717
18	Spina bifida and meningocele-----751	823	150	18	24	23	10	14	15	81
19	Congenital malformations of circulatory system-----754	3,883	651	382	370	230	106	88	50	278
20	All other congenital malformations-----750,752,753,755-759	3,483	922	206	206	132	135	85	74	358
21	Certain diseases of early infancy-----760-776	37,646	19,090	5,668	3,375	1,634	955	715	547	1,908
22	Birth injuries-----780,761	7,552	4,210	1,845	920	416	174	104	94	214
23	Without mention of immaturity (.0)-----	4,135	1,982	739	607	294	122	87	53	135
24	With immaturity (.5)-----	3,417	2,228	506	313	122	52	37	41	79
25	Intracranial and spinal injury at birth-----760	3,574	1,331	695	644	313	137	82	72	166
26	Without mention of immaturity (.0)-----	2,660	966	504	500	248	106	59	45	115
27	With immaturity (.5)-----	914	365	191	144	65	31	23	27	51
28	Other birth injury-----761	3,978	2,879	550	276	103	37	22	22	48
29	Without mention of immaturity (.0)-----	1,475	1,016	235	107	46	16	8	8	20
30	With immaturity (.5)-----	2,503	1,863	315	169	57	21	14	14	28
31	Postnatal asphyxia and atelectasis-----762	7,945	4,044	1,639	924	395	186	118	65	226
32	Without mention of immaturity (.0)-----	3,082	1,409	690	406	199	78	46	19	82
33	With immaturity (.5)-----	4,863	2,635	1,009	516	196	108	72	46	144
34	Pneumonia of newborn-----763	1,718	124	143	161	119	91	82	77	368
35	Without mention of immaturity (.0)-----	1,209	76	90	109	90	66	56	53	247
36	With immaturity (.5)-----	509	48	53	52	29	25	26	24	121
37	Diarrhea of newborn-----764	675	2	3	7	4	6	13	15	203
38	Without mention of immaturity (.0)-----	492	2	2	7	4	5	11	9	154
39	With immaturity (.5)-----	183	-	1	-	-	1	2	6	49
40	Other infections of newborn-----765-768	219	14	7	9	9	22	19	12	63
41	Without mention of immaturity (.0)-----	158	8	5	8	6	15	15	8	47
42	With immaturity (.5)-----	61	6	2	1	3	7	4	4	16
43	Neonatal disorders arising from maternal toxemia-----769	635	340	114	80	41	10	12	8	16
44	Without mention of immaturity (.0-.4)-----	154	79	40	13	11	1	3	2	4
45	With immaturity (.5-.9)-----	481	261	74	67	30	9	9	6	12
46	Hemolytic disease of newborn (erythroblastosis)-----770	1,490	473	155	223	240	129	51	47	90
47	Without mention of immaturity (.0-.2)-----	1,246	363	132	195	210	114	45	38	76
48	With immaturity (.5-.7)-----	244	110	23	28	30	15	6	9	14
49	Hemorrhagic disease of newborn-----771	631	166	91	120	68	45	33	13	58
50	Without mention of immaturity (.0)-----	432	113	64	87	55	31	22	3	31
51	With immaturity (.5)-----	199	53	27	33	13	14	11	10	27
52	Ill-defined diseases peculiar to early infancy, including nutritional maladjustment-----772,773	2,617	948	260	153	89	37	46	32	163
53	Without mention of immaturity (.0)-----	1,041	177	64	47	38	12	11	11	64
54	With immaturity (.5)-----	1,576	771	196	106	51	25	35	21	99
55	Immaturity with mention of any other subsidiary condition-----774	806	246	51	38	23	14	17	10	45
56	Immaturity unqualified-----776	13,356	6,521	1,910	940	430	241	220	174	462
57	Symptoms and ill-defined conditions-----780-795	2,187	439	169	139	90	75	54	31	144
58	All other diseases-----Residual	949	58	18	22	16	9	6	5	31
59	Accidents-----E800-E962	2,158	65	26	46	25	21	14	10	57
60	Inhalation and ingestion of food or other object causing obstruction or suffocation-----E921,E922	566	7	16	26	13	12	8	7	28
61	Accidental mechanical suffocation in bed and cradle-----E924	792	6	3	4	3	4	1	-	14
62	All other accidental causes-----E800-E920,E923-E962	800	52	7	16	9	5	5	3	15
63	Homicide-----E964,E960-E999	69	44	3	-	1	-	1	-	-

GENERAL TABLES—INFANT DEATHS

685

DETAILED AGE, RACE, AND SEX: UNITED STATES, 1949—Continued

category numbers of the Sixth Revision of the International Lists, 1948)

14-20 days	21-27 days	Under 28 days	28-59 days	2 months	3 months	4 months	5 months	6 months	7 months	8 months	9 months	10 months	11 months		
1,895	1,344	44,668	4,330	5,251	2,568	2,095	1,716	1,394	1,129	932	792	679	599	1	
1	-	4	5	11	3	17	9	21	13	13	13	21	18	2	
6	6	111	22	13	8	4	4	1	2	1	-	1	1	3	
19	7	44	55	64	58	56	50	28	36	24	27	12	13	4	
3	3	9	37	38	42	22	26	21	20	16	12	13	10	5	
31	12	147	60	69	75	75	62	59	69	36	43	41	48	6	
15	9	135	75	62	40	30	28	22	10	7	9	4	1	7	
16	9	64	36	46	31	38	37	31	27	32	24	17	28	8	
5	10	114	64	55	59	49	37	46	40	29	28	24	24	9	
21	12	52	951	785	766	621	507	394	280	225	194	162	129	10	
21	12	52	80	40	62	55	41	34	22	25	19	10	13	11	
...	871	745	704	566	466	350	258	200	175	152	116	12	
25	26	127	103	95	102	71	76	53	51	33	24	23	22	13	
27	17	538	75	58	22	33	28	20	24	24	11	8	9	14	
-	1	4	589	494	408	366	294	260	216	163	139	110	91	15	
15	5	104	57	44	22	27	16	16	11	12	19	15	6	16	
390	292	5,268	769	486	347	273	197	161	113	120	74	95	66	17	
69	51	453	94	63	54	42	30	30	15	16	8	12	8	18	
163	121	2,419	323	240	169	152	96	81	44	51	32	47	29	19	
158	120	2,396	322	183	124	79	71	70	56	53	34	36	29	20	
1,125	772	36,189	714	315	133	71	50	47	36	24	28	18	21	21	
74	28	7,479	21	16	9	6	2	5	4	1	5	3	1	22	
50	21	4,070	18	15	9	5	5	5	4	-	5	3	1	23	
24	7	3,409	5	1	-	1	-	-	-	1	-	-	-	24	
57	22	3,519	11	13	7	5	2	5	3	-	5	3	1	25	
46	18	2,607	10	13	7	4	2	5	3	-	5	3	1	26	
11	4	912	1	-	-	1	-	-	-	-	-	-	-	27	
17	6	3,980	10	3	2	1	-	-	1	1	-	-	-	28	
4	3	1,465	6	2	2	1	-	-	1	-	-	-	-	29	
13	3	2,487	4	1	-	-	-	-	-	1	-	-	-	30	
95	43	7,785	78	36	21	7	3	4	1	1	3	3	3	31	
28	24	2,973	43	32	21	6	3	3	1	1	3	3	3	32	
67	19	4,812	36	4	-	1	-	1	-	-	-	-	-	33	
301	252	1,718	34	
221	201	1,209	35	
80	51	509	36	
233	174	660	13	1	1	-	-	-	-	-	-	-	-	37	
163	123	460	10	1	1	-	-	-	-	-	-	-	-	38	
70	51	180	3	-	-	-	-	-	-	-	-	-	-	39	
37	20	212	5	1	-	-	-	1	-	-	-	-	-	40	
29	11	152	4	1	-	-	-	1	-	-	-	-	-	41	
8	9	60	1	-	-	-	-	-	-	-	-	-	-	42	
4	5	630	4	-	1	-	-	-	-	-	-	-	-	43	
1	-	154	-	-	-	-	-	-	-	-	-	-	-	44	
3	5	476	4	-	1	-	-	-	-	-	-	-	-	45	
15	13	1,436	22	7	4	2	5	4	1	2	1	4	2	46	
14	10	1,197	18	6	4	2	5	4	1	2	1	4	2	47	
1	3	239	4	1	-	-	-	-	-	-	-	-	-	48	
15	9	618	6	4	1	1	-	-	-	-	1	-	-	49	
9	6	421	4	4	1	1	-	-	-	-	1	-	-	50	
6	3	197	2	-	-	-	-	-	-	-	-	-	-	51	
131	98	1,955	289	161	58	41	27	28	26	16	17	8	11	52	
68	50	542	180	117	42	36	25	26	23	15	17	7	11	53	
63	46	1,413	89	44	16	5	2	2	3	1	-	1	-	54	
31	18	495	191	64	30	10	7	4	1	4	-	-	2	55	
189	114	13,201	105	25	8	4	6	3	3	-	1	-	2	56	
80	69	1,290	240	160	132	86	82	64	38	32	29	22	12	57	
42	24	231	112	90	79	74	77	47	53	54	52	41	39	58	
74	70	408	393	364	237	180	134	92	89	87	64	51	59	59	
26	21	164	96	109	52	45	29	17	17	18	6	5	8	60	
32	39	106	109	165	123	85	44	21	18	13	8	5	7	61	
16	10	138	98	90	62	50	61	54	56	56	50	41	44	62	
-	-	49	3	2	4	2	2	1	1	-	2	1	2	63	

VITAL STATISTICS OF THE UNITED STATES

TABLE 32.—DEATHS UNDER 1 YEAR, FROM 45 SELECTED CAUSES, BY

(Exclusive of fetal deaths. Numbers after causes of death are

RACE, SEX, AND CAUSE OF DEATH		Total deaths under 1 year	Under 1 day	1 day	2 days	3 days	4 days	5 days	6 days	7-13 days
1	ALL RACES, FEMALE—All causes	47,370	15,573	4,563	2,902	1,531	952	771	545	2,379
2	Tuberculosis, all forms-----001-019	131	-	-	-	-	-	-	-	1
3	Syphilis and its sequelae-----020-029	132	43	9	4	1	1	3	2	5
4	Dysentery, all forms-----045-048	417	3	1	-	-	1	-	1	7
5	Whooping cough-----056	258	-	-	-	-	-	-	-	-
6	All other infective and parasitic diseases--030-044,049-055,057-138	571	-	-	2	1	3	10	7	41
7	Diseases of thymus gland-----273	260	24	10	11	7	2	5	1	7
8	Meningitis, except meningococcal and tuberculous-----340	311	-	3	2	2	-	1	1	22
9	All other diseases of nervous system and sense organs-330-334,341-398	425	49	10	5	6	6	3	3	3
10	Influenza and pneumonia, except pneumonia of newborn-----480-493	4,105	-	1	1	2	2	2	1	9
11	Influenza-----480-483	352	-	1	1	2	2	2	1	9
12	Pneumonia, except pneumonia of newborn-----490-493	3,750
13	All other diseases of respiratory system-----470-475,500-527	607	9	-	11	2	1	4	2	13
14	Hernia and intestinal obstruction-----560,561,570	371	76	22	17	18	11	13	7	20
15	Gastritis, duodenitis, enteritis, and colitis, except diarrhea of newborn-----543,571,572	2,533	1	-	-	-	-	1	1	-
16	All other diseases of digestive system-----530-542,544-553,573-587	259	4	2	4	12	4	3	4	15
17	Congenital malformations-----750-759	6,515	1,591	428	363	261	189	151	92	516
18	Spina bifida and meningocele-----751	890	194	59	31	21	18	21	10	90
19	Congenital malformations of circulatory system-----754	2,760	456	237	218	128	81	58	34	210
20	All other congenital malformations-----750,752,753,755-759	2,765	941	152	114	112	90	72	48	216
21	Certain diseases of early infancy-----760-776	28,512	13,358	3,939	2,365	1,132	677	521	376	1,512
22	Birth injuries-----760,761	4,760	2,804	760	471	220	131	84	45	142
23	Without mention of immaturity (.0)-----	1,354	432	296	142	74	50	31	84	84
24	With immaturity (.5)-----	2,213	1,450	328	173	78	57	26	14	58
25	Intracranial and spinal injury at birth-----760	2,000	807	385	302	150	91	62	33	103
26	Without mention of immaturity (.0)-----	1,452	581	282	223	106	62	49	26	70
27	With immaturity (.5)-----	548	226	103	79	44	29	13	7	33
28	Other birth injury-----761	2,760	1,997	375	169	70	40	22	12	59
29	Without mention of immaturity (.0)-----	1,095	150	75	36	12	9	5	5	14
30	With immaturity (.5)-----	1,665	1,224	225	94	34	28	13	7	25
31	Postnatal asphyxia and atelectasis-----762	5,294	2,673	1,123	609	236	100	87	54	166
32	Without mention of immaturity (.0)-----	2,014	949	438	245	99	35	29	17	60
33	With immaturity (.5)-----	3,280	1,724	685	364	137	65	58	37	106
34	Pneumonia of newborn-----763	1,248	74	90	99	82	62	52	56	315
35	Without mention of immaturity (.0)-----	860	51	53	72	55	41	35	34	220
36	With immaturity (.5)-----	368	23	37	27	29	21	17	22	95
37	Diarrhea of newborn-----764	467	4	2	4	1	9	3	2	137
38	Without mention of immaturity (.0)-----	334	3	1	3	-	5	3	2	101
39	With immaturity (.5)-----	133	1	1	1	1	4	-	-	36
40	Other infections of newborn-----765-768	144	13	7	6	12	8	6	14	37
41	Without mention of immaturity (.0)-----	94	7	4	5	8	6	6	11	24
42	With immaturity (.5)-----	50	6	3	1	4	2	-	3	13
43	Neonatal disorders arising from maternal toxemia-----769	494	268	80	63	21	22	7	3	21
44	Without mention of immaturity (.0-.4)-----	112	67	17	13	5	4	1	1	2
45	With immaturity (.5-.9)-----	382	201	63	50	16	18	6	2	19
46	Hemolytic disease of newborn (erythroblastosis)-----770	1,013	421	111	109	116	60	39	30	64
47	Without mention of immaturity (.0-.2)-----	785	313	78	90	96	54	33	25	46
48	With immaturity (.5-.7)-----	228	108	35	19	20	6	6	5	18
49	Hemorrhagic disease of newborn-----771	398	113	69	62	32	16	21	15	35
50	Without mention of immaturity (.0)-----	277	93	57	44	18	11	15	12	19
51	With immaturity (.5)-----	111	30	12	16	14	5	6	3	16
52	Ill-defined diseases peculiar to early infancy, including nutritional maladjustment-----772,773	1,924	657	183	129	61	40	33	18	110
53	Without mention of immaturity (.0)-----	750	132	47	34	19	12	11	6	56
54	With immaturity (.5)-----	1,174	525	136	95	42	28	22	12	74
55	Immaturity with mention of any other subsidiary condition-----774	616	146	53	22	15	7	15	7	42
56	Immaturity unqualified-----776	10,184	6,181	1,461	791	336	222	174	132	443
57	Symptoms and ill-defined conditions-----760-795	1,624	286	100	84	50	33	38	31	129
58	All other diseases-----Residual	708	45	16	13	14	5	8	3	26
59	Accidents-----E800-E862	1,572	51	18	20	23	16	8	12	54
60	Inhalation and ingestion of food or other object causing obstruction or suffocation-----E921,E922	366	4	8	12	14	4	5	10	19
61	Accidental mechanical suffocation in bed and cradle-----E924	580	4	2	-	2	4	1	1	19
62	All other accidental causes-----E800-E920,E923,E925-E962	626	43	8	6	7	8	2	1	16
63	Homicide-----E964,E980-E999	89	35	4	2	-	1	-	1	-

GENERAL TABLES—INFANT DEATHS

687

DETAILED AGE, RACE, AND SEX: UNITED STATES, 1949—Continued

category numbers of the Sixth Revision of the International Lists, 1948)

14-20 days	21-27 days	Under 28 days	28-59 days	2 months	3 months	4 months	5 months	6 months	7 months	8 months	9 months	10 months	11 months	
1,433	1,009	51,658	3,163	2,451	2,224	1,713	1,422	1,156	947	893	675	568	520	1
-	2	3	1	1	11	12	7	14	19	17	17	15	16	2
9	6	83	20	13	8	2	1	1	2	-	-	4	-	3
10	11	34	37	49	52	45	46	34	32	33	29	14	12	4
2	6	8	44	44	34	29	12	18	14	16	10	6	23	5
17	11	92	39	41	50	46	51	39	34	56	40	41	43	6
10	5	82	41	37	33	24	19	5	4	3	5	4	3	7
9	11	51	33	38	30	23	31	18	25	18	17	11	16	8
8	8	99	37	35	42	40	41	32	27	17	23	19	13	9
10	13	41	882	646	600	497	400	322	260	220	179	141	117	10
10	13	41	40	44	39	51	30	52	22	17	18	12	9	11
...	642	602	561	446	370	290	239	203	161	129	108	12
19	11	72	77	74	80	65	59	42	36	58	23	20	21	13
19	14	217	31	25	18	18	12	12	10	9	4	6	9	14
3	-	6	425	354	370	297	276	203	192	166	103	65	66	15
15	6	69	46	26	27	13	22	7	10	7	9	11	12	16
299	217	4,107	607	391	341	255	172	160	124	124	78	61	75	17
81	48	553	153	55	66	53	29	33	15	20	15	8	10	18
100	89	1,611	289	203	166	128	94	74	63	51	35	40	36	19
118	80	1,943	205	133	109	74	59	53	46	53	28	33	29	20
664	571	25,313	558	226	152	81	52	39	21	23	22	12	13	21
32	19	4,708	18	10	4	2	3	6	4	1	2	1	1	22
19	11	2,503	13	8	4	2	2	6	4	1	2	1	1	23
13	8	2,205	5	2	-	-	1	-	-	-	-	-	-	24
23	14	1,970	10	9	3	-	-	-	3	-	-	1	1	25
16	10	1,425	9	7	3	-	1	-	3	-	2	1	1	26
7	4	545	1	2	-	-	-	-	-	-	-	-	-	27
9	5	2,738	8	1	1	2	2	6	1	1	-	-	-	28
3	1	1,078	4	1	1	2	1	6	1	1	-	-	-	29
6	4	1,660	4	-	-	-	1	-	-	-	-	-	-	30
70	28	5,146	65	29	17	8	10	6	2	6	2	2	1	31
29	12	1,813	32	20	13	9	9	6	2	6	2	2	1	32
41	16	3,233	33	9	4	-	1	-	-	-	-	-	-	33
223	195	1,248	34
161	140	860	35
62	55	308	36
161	131	454	7	5	1	-	-	-	-	-	-	-	-	37
117	92	327	3	4	-	-	-	-	-	-	-	-	-	38
44	39	127	4	1	1	-	-	-	-	-	-	-	-	39
25	9	137	6	-	-	-	1	-	-	-	-	-	-	40
14	4	89	4	-	-	-	1	-	-	-	-	-	-	41
11	5	48	2	-	-	-	-	-	-	-	-	-	-	42
2	1	488	5	1	-	-	-	-	-	-	-	-	-	43
1	1	111	1	-	-	-	-	-	-	-	-	-	-	44
1	1	377	4	1	-	-	-	-	-	-	-	-	-	45
25	9	984	10	7	2	2	2	2	1	1	1	-	1	46
20	7	760	8	6	2	2	2	2	1	1	1	-	-	47
5	2	224	2	1	-	-	-	-	-	-	-	-	1	48
11	5	378	7	1	-	1	-	-	-	-	-	-	-	49
5	4	268	7	1	-	1	-	-	-	-	-	-	-	50
6	1	111	-	-	-	-	-	-	-	-	-	-	-	51
108	73	1,412	173	97	87	47	29	21	13	14	15	8	8	52
40	36	373	103	66	68	37	28	20	11	12	15	7	8	53
68	37	1,059	70	29	19	10	1	1	2	2	-	1	-	54
25	20	354	148	53	32	14	6	4	1	1	2	-	1	55
182	61	10,003	119	23	9	7	1	-	-	-	-	1	1	56
59	49	858	182	153	118	85	49	52	39	33	31	14	10	57
12	16	158	57	78	67	51	61	51	36	43	41	36	29	58
68	52	322	243	218	189	130	111	87	70	69	42	50	41	59
20	14	110	56	51	40	35	30	7	11	12	2	8	4	60
31	21	85	129	117	88	53	36	29	23	10	3	5	2	61
17	17	127	58	50	61	42	45	51	36	47	37	37	35	62
-	-	43	3	2	4	-	-	1	2	1	2	-	1	63

VITAL STATISTICS OF THE UNITED STATES

TABLE 32.—DEATHS UNDER 1 YEAR, FROM 45 SELECTED CAUSES, BY

(Exclusive of fetal deaths. Numbers after causes of death are

RACE, SEX, AND CAUSE OF DEATH		Total deaths under 1 year	Under 1 day	1 day	2 days	3 days	4 days	5 days	6 days	7-13 days
1	WHITE, BOTH SEXES-----All causes	89,007	31,168	9,350	6,250	3,270	1,845	1,390	1,020	4,195
2	Tuberculosis, all forms-----001-019	178	1	-	-	1	1	-	-	1
3	Syphilis and its sequelae-----020-029	90	30	9	2	3	-	1	2	4
4	Dysentery, all forms-----045-048	700	3	1	1	-	-	2	3	16
5	Whooping cough-----058	367	-	-	-	-	-	-	-	1
6	All other infective and parasitic diseases---030-044,049-055,057-138	1,047	2	2	3	5	6	13	10	48
7	Diseases of thymus gland-----273	586	46	32	29	11	6	8	2	18
8	Meningitis, except meningococcal and tuberculous---340	501	1	3	5	3	1	4	1	31
9	All other diseases of nervous system and sense organs-330-334,341-399	614	90	17	11	9	10	8	6	11
10	Influenza and pneumonia, except pneumonia of newborn-----480-483	6,258	-	2	2	2	3	-	1	11
11	Influenza-----483	461	-	2	2	2	3	-	1	11
12	Pneumonia, except pneumonia of newborn-----480-483	5,797
13	All other diseases of respiratory system-----470-475,500-527	1,029	17	9	12	6	6	4	3	16
14	Hernia and intestinal obstruction-----560,561,570	844	109	47	52	34	18	24	17	54
15	Gastritis, duodenitis, enteritis, and colitis, except diarrhea of newborn-----543,571,572	4,182	2	1	-	-	-	1	1	1
16	All other diseases of digestive system-----530-542,544-553,573-597	409	7	10	8	19	15	7	7	38
17	Congenital malformations-----750-759	15,241	3,109	948	885	585	399	285	210	1,114
18	Spina bifida and meningocele-----751	1,729	338	54	53	40	27	54	21	160
19	Congenital malformations of circulatory system-----754	5,855	1,020	568	547	320	171	106	80	444
20	All other congenital malformations-----750,752,753,755-759	5,657	1,751	328	283	225	201	145	109	510
21	Certain diseases of early infancy-----760-776	52,559	27,168	8,094	5,061	2,467	1,299	963	714	2,587
22	Birth injuries-----760,761	10,611	6,108	1,735	1,216	547	254	160	107	280
23	Without mention of immaturity (.0)-----	5,580	2,779	984	770	359	162	104	63	171
24	With immaturity (.5)-----	5,051	3,329	749	446	178	92	56	44	109
25	Intracranial and spinal injury at birth-----760	4,631	1,759	907	820	398	186	118	81	213
26	Without mention of immaturity (.0)-----	3,444	1,286	657	626	302	140	88	56	149
27	With immaturity (.5)-----	1,187	463	250	194	96	46	30	25	64
28	Other birth injury-----761	5,980	4,349	826	396	149	68	42	26	67
29	Without mention of immaturity (.0)-----	2,116	1,483	327	144	67	22	14	7	22
30	With immaturity (.5)-----	3,864	2,866	499	252	82	46	26	19	45
31	Postnatal asphyxia and atelectasis-----762	11,213	5,638	2,440	1,352	536	231	159	104	323
32	Without mention of immaturity (.0)-----	4,296	1,969	947	570	248	93	58	31	120
33	With immaturity (.5)-----	6,927	3,669	1,493	782	288	138	101	73	203
34	Pneumonia of newborn-----763	2,206	158	185	205	160	113	92	93	504
35	Without mention of immaturity (.0)-----	1,495	97	108	136	109	77	60	56	338
36	With immaturity (.5)-----	711	61	77	69	51	36	32	37	166
37	Diarrhea of newborn-----764	830	4	2	6	2	8	8	9	255
38	Without mention of immaturity (.0)-----	508	3	1	5	2	5	8	6	195
39	With immaturity (.5)-----	222	1	1	1	-	3	-	3	60
40	Other infections of newborn-----765-768	252	14	11	10	13	20	19	19	72
41	Without mention of immaturity (.0)-----	178	8	7	9	8	13	14	14	51
42	With immaturity (.5)-----	74	6	4	1	5	7	4	5	21
43	Neonatal disorders arising from maternal toxemia-----769	917	499	158	121	48	24	15	9	27
44	Without mention of immaturity (.0-.4)-----	201	111	44	23	8	4	2	3	5
45	With immaturity (.5-.9)-----	716	387	114	96	40	20	13	6	22
46	Hemolytic disease of newborn (erythroblastosis)-----770	2,322	841	256	311	337	173	79	69	132
47	Without mention of immaturity (.0-.2)-----	1,890	638	202	268	290	154	71	54	104
48	With immaturity (.5-.7)-----	432	203	54	43	47	19	8	14	28
49	Hemorrhagic disease of newborn-----771	799	228	127	144	70	47	44	26	73
50	Without mention of immaturity (.0)-----	540	154	95	104	50	32	27	14	39
51	With immaturity (.5)-----	259	74	32	40	20	15	17	12	35
52	Ill-defined diseases peculiar to early infancy, including nutritional maladjustment-----772,773	3,332	1,285	345	215	120	56	59	35	162
53	Without mention of immaturity (.0)-----	1,208	228	69	50	41	14	14	10	61
54	With immaturity (.5)-----	2,124	1,057	276	165	79	42	44	25	121
55	Immaturity with mention of any other subsidiary condition-----774	1,122	339	92	51	34	18	26	14	77
56	Immaturity unqualified-----776	18,955	12,045	2,745	1,430	600	355	304	230	662
57	Symptoms and ill-defined conditions-----780-795	1,780	298	111	104	70	40	40	26	115
58	All other diseases-----Residual	1,382	91	29	32	26	12	11	7	47
59	Accidents-----E800-E962	2,857	70	31	44	28	30	18	17	82
60	Inhalation and ingestion of food or other object causing obstruction or suffocation-----E921,E922	761	8	19	27	18	15	9	15	39
61	Accidental mechanical suffocation in bed and cradle-----E924	1,051	4	3	2	3	5	2	1	24
62	All other accidental causes-----E800-E920,E923,E925-E962	1,045	58	9	15	7	10	7	1	19
63	Homicide-----E964,E980-E999	103	64	5	1	1	1	1	1	-

GENERAL TABLES—INFANT DEATHS

689

DETAILED AGE, RACE, AND SEX: UNITED STATES, 1949—Continued

category numbers of the Sixth Revision of the International Lists, 1948)

14-20 days	21-27 days	Under 28 days	28-59 days	2 months	3 months	4 months	5 months	6 months	7 months	8 months	9 months	10 months	11 months	
2,488	1,744	62,728	5,526	4,271	3,593	2,819	2,305	1,853	1,587	1,381	1,109	951	884	1
1	2	7	4	6	10	18	9	23	21	19	15	20	26	2
3	4	58	15	8	3	2	1	-	1	1	-	1	-	3
26	14	66	66	90	89	76	72	45	59	48	48	22	19	4
4	4	9	67	64	50	29	24	24	24	21	15	16	24	5
29	16	134	61	92	103	95	88	72	91	73	72	69	77	6
23	10	185	101	91	58	47	37	22	11	9	13	8	4	7
14	18	61	57	61	42	42	50	35	32	31	24	18	28	8
15	17	192	77	71	81	72	64	66	56	59	39	26	31	9
18	14	51	1,104	1,004	957	768	619	478	375	296	250	204	172	10
16	14	51	48	51	59	66	45	48	30	18	23	15	10	11
...	1,056	955	879	702	576	450	345	278	227	189	162	12
28	24	125	150	153	142	104	97	69	71	49	34	37	38	13
36	25	476	90	66	29	43	27	23	29	26	13	6	16	14
2	1	9	714	600	585	470	413	335	316	262	193	157	128	15
27	9	145	61	55	41	29	27	18	18	14	24	21	16	16
633	453	8,619	1,241	787	619	462	330	306	212	219	140	158	128	17
142	92	961	212	112	113	92	55	60	47	36	23	20	18	18
240	192	3,688	538	399	301	254	157	138	94	92	61	76	57	19
251	169	3,970	491	276	205	136	118	107	91	91	58	63	53	20
1,429	946	50,730	866	370	202	95	73	61	39	37	41	22	23	21
60	31	10,516	29	16	9	6	3	11	7	2	6	4	2	22
51	21	5,474	21	16	9	6	3	11	7	1	6	4	2	23
29	10	5,042	8	-	-	-	-	-	-	1	-	-	-	24
61	22	4,565	15	14	8	4	3	5	5	5	6	4	2	25
48	18	3,380	13	14	8	4	3	5	5	-	6	4	2	26
13	4	1,185	2	-	-	-	-	-	-	-	-	-	-	27
19	9	5,951	14	2	1	2	2	6	2	2	-	-	-	28
3	3	2,094	8	2	1	2	-	6	2	1	-	-	-	29
16	6	3,857	6	-	-	-	-	-	-	1	-	-	-	30
125	59	10,966	121	55	25	11	9	8	2	6	5	3	2	31
49	27	4,112	65	44	22	10	8	7	2	6	5	3	2	32
76	31	6,854	56	11	3	1	1	1	1	7	-	-	-	33
365	331	2,206	34
265	249	1,495	35
100	82	711	36
304	207	805	18	5	2	-	-	-	-	-	-	-	-	37
214	152	591	12	4	1	-	-	-	-	-	-	-	-	38
90	55	214	5	1	1	-	-	-	-	-	-	-	-	39
43	20	240	9	1	-	-	1	1	-	-	-	-	-	40
33	12	169	6	-	-	-	1	1	-	-	-	-	-	41
10	8	71	3	-	-	-	-	-	-	-	-	-	-	42
5	5	910	5	1	1	-	-	-	-	-	-	-	-	43
1	-	201	-	-	-	-	-	-	-	-	-	-	-	44
4	5	708	5	1	1	-	-	-	-	-	-	-	-	45
31	20	2,248	28	12	6	3	7	5	2	3	2	4	2	46
27	15	1,824	22	10	6	3	7	5	2	3	2	4	2	47
4	4	424	6	2	-	-	-	-	-	-	-	-	-	48
16	9	786	7	3	1	1	-	-	-	-	1	-	-	49
8	6	528	6	3	1	1	-	-	-	-	1	-	-	50
10	3	258	1	-	-	-	-	-	-	-	-	-	-	51
157	108	2,571	279	169	100	55	36	29	24	21	25	10	13	52
78	50	615	184	127	83	47	36	28	22	19	25	8	13	53
79	58	1,956	85	42	17	8	-	1	2	2	-	1	-	54
42	30	723	238	79	44	12	11	6	2	5	1	1	1	55
259	129	18,759	132	29	14	7	6	1	2	-	1	1	3	56
57	51	912	207	167	135	92	74	59	35	39	35	12	13	57
44	36	334	142	139	123	107	108	81	70	81	74	67	59	58
103	98	521	478	464	338	247	193	136	124	116	77	85	80	59
35	31	216	128	140	77	63	46	19	22	23	6	10	11	60
42	45	131	240	223	164	115	66	38	30	18	10	9	7	61
26	22	174	110	101	95	69	81	79	72	75	61	66	62	62
-	-	74	5	3	8	1	1	1	3	1	2	1	3	63

VITAL STATISTICS OF THE UNITED STATES

TABLE 32.—DEATHS UNDER 1 YEAR, FROM 45 SELECTED CAUSES, BY

(Exclusive of fetal deaths. Numbers after causes of death are

RACE, SEX, AND CAUSE OF DEATH		Total deaths under 1 year	Under 1 day	1 day	2 days	3 days	4 days	5 days	6 days	7-13 days
1	WHITE, MALE-----All causes	51,530	18,251	5,536	3,823	2,011	1,086	780	616	2,894
2	Tuberculosis, all forms-----001-019	96	1	-	-	1	1	-	-	-
3	Syphilis and its sequelae-----020-029	57	19	6	2	2	-	1	1	3
4	Dysentery, all forms-----045-048	370	1	1	1	-	-	2	2	10
5	Whooping cough-----056	181	-	-	-	-	-	-	-	1
6	All other infective and parasitic diseases---030-044,049-055,057-136	612	2	2	1	4	5	7	6	33
7	Diseases of thymus gland-----273	372	28	23	20	6	5	4	1	14
8	Meningitis, except meningococcal and tuberculous---340	264	1	-	3	1	1	3	-	17
9	All other diseases of nervous system and sense organs-330-334,341-396	464	44	8	8	4	4	5	3	8
10	Influenza and pneumonia, except pneumonia of newborn-----480-493	3,479	-	1	1	1	2	-	1	5
11	Influenza-----480-483	244	-	1	1	1	-	-	1	5
12	Pneumonia, except pneumonia of newborn-----490-493	3,235
13	All other diseases of respiratory system-----470-475,500-527	599	9	9	4	5	5	1	1	9
14	Hernia and intestinal obstruction-----560,561,570	524	96	27	35	17	10	14	12	34
15	Gastritis, duodenitis, enteritis, and colitis, except diarrhea of newborn-----543,571,572	2,281	1	1	-	-	-	-	-	1
16	All other diseases of digestive system-----530-542,544-553,573-567	286	4	8	5	11	9	4	4	27
17	Congenital malformations-----750-759	7,269	1,613	558	553	346	227	148	127	644
18	Spina bifida and meningocele-----751	772	146	17	22	21	9	14	11	74
19	Congenital malformations of circulatory system-----754	3,361	595	351	349	203	97	57	48	251
20	All other congenital malformations-----750,752,753,755-759	3,136	872	180	182	122	121	77	68	319
21	Certain diseases of early infancy-----760-776	31,103	16,127	4,777	3,073	1,536	764	550	429	1,462
22	Birth injuries-----760,761	6,550	3,691	1,081	811	359	147	85	75	167
23	Without mention of immaturity (.0)-----3,472	1,670	629	522	248	101	53	41	103	64
24	With immaturity (.5)-----2,078	2,021	453	289	111	46	32	34	34	64
25	Intracranial and spinal injury at birth-----760	2,997	1,105	581	556	289	115	65	59	133
26	Without mention of immaturity (.0)-----2,243	820	421	432	212	89	46	37	92	32
27	With immaturity (.5)-----744	285	180	124	57	26	19	22	41	32
28	Other birth injury-----761	3,563	2,586	500	255	90	32	20	16	34
29	Without mention of immaturity (.0)-----1,229	850	207	90	86	12	7	4	11	11
30	With immaturity (.5)-----2,334	1,736	283	165	54	20	13	12	23	23
31	Postnatal asphyxia and atelectasis-----762	6,789	3,433	1,473	823	340	151	88	60	188
32	Without mention of immaturity (.0)-----2,617	1,193	576	360	167	66	35	17	68	68
33	With immaturity (.5)-----4,172	2,240	895	463	173	85	53	43	120	120
34	Pneumonia of newborn-----763	1,296	100	110	128	97	64	53	56	276
35	Without mention of immaturity (.0)-----985	59	67	82	70	45	35	36	183	183
36	With immaturity (.5)-----411	41	43	46	27	19	18	20	93	93
37	Diarrhea of newborn-----764	488	2	2	3	2	2	7	8	152
38	Without mention of immaturity (.0)-----357	2	1	3	2	2	7	5	120	120
39	With immaturity (.5)-----129	-	1	-	-	-	-	3	32	32
40	Other infections of newborn-----765-768	156	7	7	7	5	15	14	8	47
41	Without mention of immaturity (.0)-----118	4	5	6	3	10	10	6	36	36
42	With immaturity (.5)-----40	3	2	1	2	5	4	2	11	11
43	Neonatal disorders arising from maternal toxemia-----769	515	276	98	67	35	5	10	6	12
44	Without mention of immaturity (.0-4)-----113	55	30	13	6	1	1	2	4	4
45	With immaturity (.5-9)-----402	221	63	54	29	4	9	4	8	8
46	Hemolytic disease of newborn (erythroblastosis)-----770	1,381	445	153	207	224	120	43	41	75
47	Without mention of immaturity (.0-2)-----1,155	340	131	161	197	106	40	32	64	64
48	With immaturity (.5-7)-----226	105	22	26	27	14	3	9	11	11
49	Hemorrhagic disease of newborn-----771	491	136	73	96	46	35	25	12	44
50	Without mention of immaturity (.0)-----317	85	49	70	37	24	14	3	21	21
51	With immaturity (.5)-----174	51	25	26	9	11	11	9	25	25
52	Ill-defined diseases peculiar to early infancy, including nutritional maladjustment-----772,773	1,931	769	203	119	67	26	37	24	112
53	Without mention of immaturity (.0)-----705	131	43	31	24	5	9	6	59	59
54	With immaturity (.5)-----1,226	638	160	88	43	21	28	18	73	73
55	Immaturity with mention of any other subsidiary condition-----774	646	211	43	33	20	14	15	8	43
56	Immaturity unqualified-----776	10,862	7,057	1,539	779	341	185	173	131	346
57	Symptoms and ill-defined conditions-----780-795	1,042	184	74	66	46	27	24	17	62
58	All other diseases-----Residual	785	49	17	19	13	7	5	5	24
59	Accidents-----E800-E962	1,682	38	21	32	17	19	11	7	40
60	Inhalation and ingestion of food or other object causing obstruction or suffocation-----E921,E922	469	5	13	20	10	11	5	6	22
61	Accidental mechanical suffocation in bed and cradle-----E924	619	2	2	2	2	4	1	-	9
62	All other accidental causes-----E800-E920,E923,E925-E962	594	32	6	10	5	4	5	1	9
63	Homicide-----E964,E980-E999	55	35	3	-	1	-	1	-	-

GENERAL TABLES—INFANT DEATHS

691

DETAILED AGE, RACE, AND SEX: UNITED STATES, 1949—Continued

category numbers of the Sixth Revision of the International Lists, 1949)

14-20 days	21-27 days	Under 28 days	28-59 days	2 months	3 months	4 months	5 months	6 months	7 months	8 months	9 months	10 months	11 months	
1,436	1,011	36,944	3,214	2,444	1,935	1,564	1,282	1,027	883	689	597	506	465	1
-	-	4	3	5	2	10	5	15	9	9	5	15	14	2
1	3	39	8	4	2	1	1	-	1	-	-	-	-	3
16	5	38	42	51	48	36	39	20	31	19	23	12	8	4
3	2	6	28	30	29	11	15	12	15	10	8	10	8	5
21	7	88	49	58	62	57	48	49	64	27	37	32	41	6
14	5	118	65	60	30	30	23	18	9	6	8	4	1	7
7	9	42	29	32	22	28	27	23	16	18	16	12	19	8
5	10	99	51	44	48	42	33	36	34	23	22	12	18	9
8	7	26	646	539	529	432	358	269	201	151	151	101	86	10
8	7	26	29	23	38	30	26	27	14	10	11	6	4	11
...	617	526	491	402	332	242	187	141	120	95	62	12
19	18	80	74	77	83	57	57	39	41	24	17	19	20	13
21	13	279	66	44	15	28	17	16	20	19	9	3	8	14
-	1	4	408	343	315	266	216	184	162	122	110	67	72	15
14	4	90	45	35	19	19	13	13	10	10	15	11	6	15
360	256	4,832	693	436	309	244	177	154	104	107	67	66	60	17
65	45	422	88	58	50	41	29	27	13	16	8	12	8	18
153	108	2,212	297	220	156	135	86	70	39	47	30	43	26	19
144	103	2,198	306	158	103	88	62	57	52	44	29	31	26	20
618	580	30,096	466	211	96	49	36	34	24	18	24	14	15	21
58	17	6,491	16	11	6	5	2	5	4	1	5	3	1	22
38	13	3,417	13	11	6	5	2	5	4	-	5	3	1	23
20	4	3,074	3	-	-	-	-	-	-	1	-	-	-	24
45	12	2,940	10	9	5	4	2	5	3	-	5	3	1	25
37	11	2,197	9	9	5	4	2	5	3	-	5	3	1	26
8	1	745	1	-	-	-	-	-	-	-	-	-	-	27
13	5	3,551	6	2	1	1	-	-	1	1	-	-	-	28
1	2	1,220	4	-	1	1	-	-	1	-	-	-	-	29
12	3	2,331	2	-	-	-	-	-	-	1	-	-	-	30
73	38	6,685	63	30	13	6	2	2	1	1	3	1	2	31
24	18	2,826	35	27	13	5	2	1	1	1	3	1	2	32
49	18	4,159	28	3	-	1	-	1	-	-	-	-	-	33
216	198	1,298	34
157	151	885	35
59	45	411	36
175	119	472	12	1	1	-	-	-	-	-	-	-	-	37
120	84	346	9	1	1	-	-	-	-	-	-	-	-	38
55	35	126	3	-	-	-	-	-	-	-	-	-	-	39
26	14	150	4	1	-	-	-	1	-	-	-	-	-	40
22	9	111	3	1	-	-	-	1	-	-	-	-	-	41
4	5	39	1	-	-	-	-	-	-	-	-	-	-	42
4	4	512	2	-	1	-	-	-	-	-	-	-	-	43
1	-	113	-	-	-	-	-	-	-	-	-	-	-	44
5	4	399	2	-	1	-	-	-	-	-	-	-	-	45
11	12	1,331	20	5	4	2	5	4	1	2	1	4	2	46
10	9	1,110	16	4	4	2	5	4	1	2	1	4	2	47
1	3	221	4	1	-	-	-	-	-	-	-	-	-	48
10	6	483	2	3	1	1	-	-	-	-	1	-	-	49
4	4	310	1	3	1	1	-	-	-	-	1	-	-	50
6	2	173	1	-	-	-	-	-	-	-	-	-	-	51
88	66	1,511	168	98	41	27	17	17	15	10	13	6	8	52
47	34	369	119	75	34	25	17	16	14	10	13	5	8	53
41	32	1,142	49	23	7	2	-	1	1	-	-	1	-	54
24	15	426	131	46	24	5	5	4	1	4	-	-	-	55
133	75	10,759	68	16	5	3	5	2	2	-	1	-	2	56
37	33	570	122	88	73	47	46	33	16	16	16	7	7	57
35	21	195	94	75	67	63	59	38	39	43	41	25	36	58
55	57	298	302	300	182	149	111	71	68	66	47	45	45	59
22	19	133	84	101	41	34	24	12	12	13	4	4	7	60
20	30	72	148	130	100	76	35	19	12	7	5	5	5	61
15	8	93	70	69	41	39	52	40	44	43	36	36	31	62
-	-	40	2	1	4	1	1	1	1	-	1	1	2	63

VITAL STATISTICS OF THE UNITED STATES

TABLE 32.—DEATHS UNDER 1 YEAR, FROM 45 SELECTED CAUSES, BY

(Exclusive of fetal deaths. Numbers after causes of death are

RACE, SEX, AND CAUSE OF DEATH		Total deaths under 1 year	Under 1 day	1 day	2 days	3 days	4 days	5 days	6 days	7-13 days
1	WHITE, FEMALE-----All causes	37,477	12,917	3,614	2,427	1,259	759	610	412	1,601
2	Tuberculosis, all forms-----001-019	82	-	-	-	-	-	-	-	1
3	Syphilis and its sequelae-----020-029	33	11	3	-	1	-	-	-	1
4	Dysentery, all forms-----045-048	330	2	-	-	-	-	-	-	6
5	Whooping cough-----056	186	-	-	-	-	-	-	-	-
6	All other infective and parasitic diseases--030-044,049-055,057-138	435	-	-	2	1	1	6	4	15
7	Diseases of thymus gland-----273	214	20	9	9	5	1	4	1	4
8	Meningitis, except meningococcal and tuberculous--340	217	-	3	2	2	-	-	1	14
9	All other diseases of nervous system and sense organs-330-334,341-398	350	46	9	3	5	6	3	5	3
10	Influenza and pneumonia, except pneumonia of newborn--480-493	2,779	-	1	1	1	1	-	-	6
11	Influenza-----480-483	217	-	1	1	1	-	-	-	6
12	Pneumonia, except pneumonia of newborn-----490-493	2,562
13	All other diseases of respiratory system-----470-475,500-527	441	8	-	8	1	1	3	2	7
14	Hernia and intestinal obstruction-----560,561,570	320	73	20	17	17	8	10	5	20
15	Gastritis, duodenitis, enteritis, and colitis, except diarrhea of newborn-----543,571,572	1,901	1	-	-	-	-	1	1	-
16	All other diseases of digestive system-----530-542,544-553,573-587	203	3	2	3	8	4	3	3	11
17	Congenital malformations-----750-759	5,972	1,495	390	330	239	172	137	85	470
18	Spina bifida and meningocele-----751	957	192	37	31	19	18	20	10	86
19	Congenital malformations of circulatory system-----754	2,494	425	217	198	117	74	49	32	195
20	All other congenital malformations-----750,752,753,755-759	2,521	879	136	101	103	83	68	41	191
21	Certain diseases of early infancy-----760-776	21,456	11,041	3,317	1,988	931	535	413	285	1,125
22	Birth injuries-----760,761	4,061	2,417	652	405	188	107	75	32	113
23	Without mention of immaturity (.0)-----	2,086	1,109	356	248	121	61	51	22	68
24	With immaturity (.5)-----	1,975	1,306	296	157	67	46	24	10	45
25	Intracranial and spinal injury at birth-----760	1,644	654	326	264	129	71	53	22	80
26	Without mention of immaturity (.0)-----	1,201	476	236	134	80	51	42	19	57
27	With immaturity (.5)-----	443	178	90	70	39	20	11	3	23
28	Other birth injury-----761	2,417	1,763	326	141	69	36	22	10	33
29	Without mention of immaturity (.0)-----	897	633	120	54	31	10	9	3	11
30	With immaturity (.5)-----	1,530	1,130	206	87	28	26	13	7	22
31	Postnatal asphyxia and atelectasis-----762	4,424	2,205	967	529	196	80	71	44	135
32	Without mention of immaturity (.0)-----	1,669	776	369	210	81	27	23	14	52
33	With immaturity (.5)-----	2,755	1,429	598	319	115	53	48	30	83
34	Pneumonia of newborn-----763	910	59	75	77	65	49	39	37	228
35	Without mention of immaturity (.0)-----	610	39	41	54	39	32	25	20	155
36	With immaturity (.5)-----	300	20	34	23	24	17	14	17	73
37	Diarrhea of newborn-----764	344	2	-	3	-	6	1	1	103
38	Without mention of immaturity (.0)-----	251	1	-	2	-	3	1	1	75
39	With immaturity (.5)-----	93	1	-	1	-	3	-	-	28
40	Other infections of newborn-----765-768	98	7	4	3	8	5	4	11	25
41	Without mention of immaturity (.0)-----	82	4	2	3	5	3	4	8	15
42	With immaturity (.5)-----	34	3	2	-	3	2	-	3	10
43	Neonatal disorders arising from maternal toxemia-----769	402	222	65	54	13	19	5	3	15
44	Without mention of immaturity (.0-.4)-----	88	55	14	10	2	3	1	1	1
45	With immaturity (.5-.9)-----	314	166	51	44	11	16	4	2	14
46	Hemolytic disease of newborn (erythroblastosis)-----770	941	396	103	104	113	53	36	27	57
47	Without mention of immaturity (.0-.2)-----	735	298	71	87	93	46	31	22	40
48	With immaturity (.5-.7)-----	206	98	32	17	20	5	5	5	17
49	Hemorrhagic disease of newborn-----771	308	92	54	49	24	12	19	14	29
50	Without mention of immaturity (.0)-----	223	69	47	34	13	8	13	11	17
51	With immaturity (.5)-----	85	23	7	14	11	4	6	3	12
52	Ill-defined diseases peculiar to early infancy, including nutritional maladjustment-----772,773	1,401	526	142	96	53	30	21	11	70
53	Without mention of immaturity (.0)-----	503	97	26	19	17	9	5	4	22
54	With immaturity (.5)-----	898	429	116	77	36	21	16	7	48
55	Immaturity with mention of any other subsidiary condition-----774	476	128	49	18	14	4	11	6	34
56	Immaturity unqualified-----776	8,093	4,988	1,206	651	259	170	131	99	316
57	Symptoms and ill-defined conditions-----780-795	738	114	37	38	24	13	16	9	53
58	All other diseases-----Residual	597	42	11	15	13	5	6	2	23
59	Accidents-----E800-E962	1,175	31	10	12	11	11	7	10	42
60	Inhalation and ingestion of food or other object causing obstruction or suffocation-----E921-E922	292	3	6	7	8	4	4	9	17
61	Accidental mechanical suffocation in bed and cradles-----E924	432	2	1	-	1	1	1	1	15
62	All other accidental causes-----E900-E920,E923,E925-E962	451	26	3	5	2	6	2	-	10
63	Homicide-----E964,E980-E989	48	29	2	1	-	1	-	1	-

GENERAL TABLES—INFANT DEATHS

DETAILED AGE, RACE, AND SEX: UNITED STATES, 1949—Continued

category numbers of the Sixth Revision of the International Lists, 1948)

14-20 days	21-27 days	Under 28 days	28-59 days	2 months	3 months	4 months	5 months	6 months	7 months	8 months	9 months	10 months	11 months	
1,052	733	25,794	2,312	1,827	1,658	1,255	1,023	826	724	692	512	445	419	1
-	2	3	1	1	8	8	4	8	12	10	10	5	12	2
1	1	13	7	4	1	1	-	-	-	-	-	1	1	3
10	9	28	24	39	41	38	35	25	28	29	25	10	10	4
1	2	3	58	54	21	18	9	12	11	11	7	6	16	5
8	9	46	32	34	41	38	40	23	27	46	35	37	36	6
9	5	67	36	31	28	17	14	4	2	3	5	4	3	7
7	9	39	28	29	20	14	23	12	16	13	8	6	9	8
8	7	93	26	27	33	30	31	28	22	16	17	14	13	9
8	7	25	450	455	408	336	261	209	174	145	119	103	86	10
8	7	25	19	28	20	36	17	21	16	8	12	9	6	11
...	439	427	388	300	244	188	158	137	107	94	80	12
9	6	45	56	56	59	47	40	30	30	25	17	18	18	13
15	12	197	24	22	14	15	10	7	9	7	4	3	8	14
2	-	5	305	257	270	212	197	151	154	140	83	70	55	15
13	5	55	35	20	22	10	14	5	8	4	9	10	10	16
273	197	3,787	548	551	310	238	153	151	108	112	73	73	68	17
79	47	539	124	64	65	51	26	33	14	20	15	8	10	18
87	64	1,476	241	179	145	119	71	68	55	45	31	33	31	19
107	66	1,772	183	118	102	68	56	50	39	47	27	32	27	20
611	588	20,634	380	159	106	46	37	27	15	19	17	8	8	21
22	14	4,025	13	5	-	1	1	6	3	1	1	1	1	22
13	8	2,057	8	5	-	1	1	8	3	1	1	1	1	23
9	6	1,969	5	-	-	-	-	-	-	-	-	-	-	24
16	10	1,625	5	5	3	-	1	-	2	-	1	1	1	25
11	7	1,183	4	5	3	-	-	-	-	-	-	-	-	26
5	3	442	1	-	-	-	1	-	2	-	1	1	1	27
6	4	2,400	8	-	-	1	-	6	1	1	-	-	-	28
2	1	874	4	-	-	1	-	6	1	1	-	-	-	29
4	3	1,526	4	-	-	-	-	6	1	1	-	-	-	30
52	22	4,301	58	25	12	5	7	6	1	5	2	2	-	31
25	9	1,586	30	17	9	5	6	6	1	5	2	2	-	32
27	13	2,715	28	8	3	-	1	1	1	1	2	2	-	33
149	135	910	34
108	98	610	35
41	37	300	36
129	88	533	6	4	1	-	-	-	-	-	-	-	-	37
94	68	245	3	3	-	-	-	-	-	-	-	-	-	38
35	20	88	3	1	1	-	-	-	-	-	-	-	-	39
17	6	90	5	-	-	-	1	-	-	-	-	-	-	40
11	3	58	3	-	-	-	1	-	-	-	-	-	-	41
6	3	32	2	-	-	-	-	-	-	-	-	-	-	42
1	1	399	3	1	-	-	-	-	-	-	-	-	-	43
-	-	89	-	-	-	-	-	-	-	-	-	-	-	44
1	1	310	3	1	-	-	-	-	-	-	-	-	-	45
20	8	917	8	7	2	1	2	1	1	1	1	-	-	46
17	7	714	6	6	2	1	2	1	1	1	1	-	-	47
3	1	203	2	1	-	-	-	-	-	-	-	-	-	48
8	3	303	5	-	-	-	-	-	-	-	-	-	-	49
4	2	218	5	-	-	-	-	-	-	-	-	-	-	50
4	1	85	-	-	-	-	-	-	-	-	-	-	-	51
69	42	1,060	111	71	59	28	19	12	9	11	12	4	5	52
31	16	246	65	52	49	22	19	12	8	9	12	4	5	53
38	26	814	46	19	10	6	-	-	1	2	-	-	-	54
18	15	297	107	33	20	7	6	2	1	1	1	-	1	55
126	54	8,000	64	13	9	4	1	-	-	-	-	1	1	56
20	18	342	85	78	62	45	28	26	19	23	19	5	6	57
9	15	139	48	64	56	44	47	43	31	38	33	32	22	58
48	41	223	176	164	154	99	82	65	56	50	30	40	37	59
13	12	83	44	39	35	29	22	7	10	10	2	6	4	60
22	15	59	92	93	64	39	31	19	18	8	3	4	2	61
13	14	81	40	32	54	30	29	39	28	32	25	30	31	62
-	-	34	3	2	4	-	-	-	2	1	-	-	1	63

VITAL STATISTICS OF THE UNITED STATES

TABLE 32.—DEATHS UNDER 1 YEAR, FROM 45 SELECTED CAUSES, BY

(Exclusive of fetal deaths. Numbers after causes of death are

RACE, SEX, AND CAUSE OF DEATH	Total deaths under 1 year	Under 1 day	1 day	2 days	3 days	4 days	5 days	6 days	7-15 days
1 NEGRO, BOTH SEXES-----All causes	21,213	5,963	1,733	1,081	650	456	370	282	1,212
2 Tuberculosis, all forms-----001-019	76	-	-	-	-	-	-	-	-
3 Syphilis and its sequelae-----020-029	162	49	10	9	5	3	6	2	16
4 Dysentery, all forms-----045-048	167	1	1	-	-	1	-	-	2
5 Whooping cough-----056	149	-	-	-	-	-	-	-	2
6 All other infective and parasitic diseases--030-044,049-055,057-138	277	1	-	1	-	5	10	10	49
7 Diseases of thymus gland-----273	90	7	1	5	2	1	1	-	5
8 Meningitis, except meningococcal and tuberculous-----340	203	2	1	2	-	2	-	-	13
9 All other diseases of nervous system and sense organs-330-354,341-398	188	11	2	-	2	1	-	2	2
10 Influenza and pneumonia, except pneumonia of newborn-----480-483	2,654	-	-	1	1	1	3	2	7
11 Influenza-----480-483	317	-	-	1	1	1	3	2	7
12 Pneumonia, except pneumonia of newborn-----490-493	2,337
13 All other diseases of respiratory system-----470-475,500-527	338	9	3	4	8	2	1	3	14
14 Hernia and intestinal obstruction-----560,561,570	149	14	2	4	5	4	3	4	7
15 Gastritis, duodenitis, enteritis, and colitis, except diarrhea of newborn-----545,571,572	1,313	-	-	-	-	-	-	-	-
16 All other diseases of digestive system-----530-542,544-553,573-587	117	2	-	3	5	3	1	3	6
17 Congenital malformations-----750-759	1,173	190	80	73	55	40	29	18	115
18 Spina bifida and meningocele-----751	76	6	3	2	3	1	1	2	11
19 Congenital malformations of circulatory system-----754	548	82	46	37	36	16	18	3	41
20 All other congenital malformations-----750,752,753,755-759	549	102	29	34	16	23	10	13	63
21 Certain diseases of early infancy-----760-776	11,132	5,085	1,464	841	477	321	261	199	790
22 Birth injuries-----760,761	1,629	868	263	165	86	48	28	30	73
23 Without mention of immaturity (.0)-----	1,077	537	181	129	67	31	21	19	47
24 With immaturity (.5)-----	552	331	82	37	21	17	7	11	26
25 Intracranial and spinal injury at birth-----760	907	366	167	120	63	40	26	22	54
26 Without mention of immaturity (.0)-----	639	242	123	93	50	26	20	13	35
27 With immaturity (.5)-----	268	124	44	27	13	14	6	9	19
28 Other birth injury-----761	722	502	96	45	23	8	2	8	19
29 Without mention of immaturity (.0)-----	438	295	58	35	15	5	1	6	12
30 With immaturity (.5)-----	284	207	38	10	8	3	1	2	7
31 Postnatal asphyxia and atelectasis-----762	1,937	1,036	355	175	91	51	41	13	66
32 Without mention of immaturity (.0)-----	772	366	161	78	48	20	14	5	21
33 With immaturity (.5)-----	1,165	670	194	97	43	31	27	8	47
34 Pneumonia of newborn-----763	718	40	47	51	36	40	40	37	165
35 Without mention of immaturity (.0)-----	539	30	34	42	29	30	29	28	121
36 With immaturity (.5)-----	179	10	13	9	7	10	11	9	44
37 Diarrhea of newborn-----764	290	2	3	5	2	6	8	8	78
38 Without mention of immaturity (.0)-----	209	2	2	5	1	4	6	5	54
39 With immaturity (.5)-----	90	-	1	-	1	2	2	3	24
40 Other infections of newborn-----765-769	99	11	3	5	6	8	4	7	24
41 Without mention of immaturity (.0)-----	64	6	2	4	6	6	4	5	17
42 With immaturity (.5)-----	35	5	1	1	2	2	-	2	7
43 Neonatal disorders arising from maternal toxemia-----769	208	108	35	20	14	8	4	2	10
44 Without mention of immaturity (.0-.4)-----	64	34	13	3	8	1	2	-	1
45 With immaturity (.5-.9)-----	141	72	22	17	6	7	2	2	9
46 Hemolytic disease of newborn (erythroblastosis)-----770	174	50	10	21	18	16	11	9	19
47 Without mention of immaturity (.0-.2)-----	135	36	6	17	15	14	7	9	15
48 With immaturity (.5-.7)-----	39	14	4	4	3	2	4	-	4
49 Hemorrhagic disease of newborn-----771	206	49	31	33	28	13	10	2	20
50 Without mention of immaturity (.0)-----	157	40	24	23	21	10	10	1	12
51 With immaturity (.5)-----	49	9	7	10	7	3	-	1	8
52 Ill-defined diseases peculiar to early infancy, including nutritional readjustment-----772,773	1,151	295	96	64	29	20	21	15	87
53 Without mention of immaturity (.0)-----	544	76	41	26	16	9	6	7	36
54 With immaturity (.5)-----	607	217	55	36	13	11	13	8	51
55 Immaturity with mention of any other subsidiary condition-----774	290	55	12	6	4	3	6	3	9
56 Immaturity unqualified-----776	4,433	2,573	609	294	161	108	89	73	237
57 Symptoms and ill-defined conditions-----780-795	1,910	421	149	112	68	63	49	33	146
58 All other diseases-----Residual	254	12	6	3	2	2	3	1	9
59 Accidents-----E900-E962	636	44	12	22	20	7	4	5	29
60 Inhalation and ingestion of food or other object causing obstruction or suffocation-----E921,E922	163	3	4	11	9	1	4	2	6
61 Accidental mechanical suffocation in bed and cradle-----E924	309	6	2	2	2	3	-	-	9
62 All other accidental causes-----E900-E920,E923,E925-E962	364	35	6	9	9	3	-	3	12
63 Homicide-----E964,E965-E999	25	15	2	1	-	-	-	-	-

GENERAL TABLES—INFANT DEATHS

695

DETAILED AGE, RACE, AND SEX: UNITED STATES, 1949—Continued

category numbers of the Sixth Revision of the International Lists, 1948)

14-20 days	21-27 days	Under 28 days	28-59 days	2 months	3 months	4 months	5 months	6 months	7 months	8 months	9 months	10 months	11 months	
798	586	15,051	1,063	1,328	1,103	893	756	605	438	406	315	264	211	1
-	-	-	1	4	2	7	6	9	9	8	11	13	6	2
11	8	119	23	17	8	4	3	2	3	-	-	3	-	3
3	4	12	22	22	18	23	23	15	8	7	7	4	4	4
1	5	8	13	17	24	22	13	15	10	11	7	2	7	5
19	7	102	14	16	20	19	22	21	10	18	9	12	14	6
2	4	28	14	7	15	6	10	5	3	1	1	-	-	7
11	2	53	12	19	18	16	17	12	19	17	16	9	15	8
-	1	21	22	19	19	15	13	12	11	7	10	15	4	9
14	11	40	485	394	391	321	263	203	146	139	112	91	69	10
14	11	40	51	30	43	38	28	18	13	24	14	7	11	11
...	434	364	348	283	235	185	133	110	98	84	58	12
15	12	71	47	34	37	31	36	24	13	21	15	6	5	13
8	6	57	15	17	11	8	12	7	4	6	2	8	2	14
1	-	1	287	228	169	167	130	111	69	57	37	32	25	15
3	2	28	21	14	8	11	11	5	3	5	4	5	2	16
53	52	705	125	86	66	42	39	33	21	21	11	13	11	17
7	4	40	13	6	7	2	4	3	1	-	-	-	-	10
22	18	321	48	41	33	25	23	15	11	10	5	9	7	19
24	30	344	64	39	26	15	12	15	9	11	6	4	4	20
535	378	10,351	387	162	76	55	26	23	17	9	9	7	10	21
24	15	1,600	9	10	4	2	2	-	1	-	1	-	-	22
16	10	1,055	7	7	4	1	1	-	1	-	1	-	-	23
8	5	545	2	3	-	1	1	-	-	-	-	-	-	24
18	13	998	5	8	2	1	-	-	1	-	1	-	-	25
13	9	624	5	6	2	-	-	-	1	-	-	-	-	26
5	4	265	-	2	-	1	-	-	-	-	-	-	-	27
6	2	711	4	2	2	1	2	-	-	-	-	-	-	28
3	1	431	2	1	2	1	1	-	-	-	-	-	-	29
3	1	280	2	1	-	-	1	-	-	-	-	-	-	30
39	13	1,682	20	10	12	3	3	2	1	-	-	2	2	31
8	9	730	10	8	11	3	3	2	1	-	-	2	2	32
31	4	1,152	10	2	1	-	-	-	-	-	-	-	-	33
150	112	718	34
108	98	539	35
42	24	179	36
63	92	287	2	1	-	-	-	-	-	-	-	-	-	37
60	59	198	1	1	-	-	-	-	-	-	-	-	-	38
23	33	88	1	-	-	-	-	-	-	-	-	-	-	39
18	9	97	2	-	-	-	-	-	-	-	-	-	-	40
9	3	62	2	-	-	-	-	-	-	-	-	-	-	41
9	6	35	-	-	-	-	-	-	-	-	-	-	-	42
1	1	201	4	-	-	-	-	-	-	-	-	-	-	43
1	-	63	1	-	-	-	-	-	-	-	-	-	-	44
1	1	138	3	-	-	-	-	-	-	-	-	-	-	45
9	2	165	4	2	-	1	-	1	-	-	-	-	1	46
7	1	127	4	2	-	1	-	1	-	-	-	-	-	47
2	1	38	-	-	-	-	-	-	-	-	-	-	1	48
8	4	198	5	2	-	1	-	-	-	-	-	-	-	49
6	3	150	4	2	-	1	-	-	-	-	-	-	-	50
2	1	48	1	-	-	-	-	-	-	-	-	-	-	51
80	57	764	155	84	39	32	19	18	14	9	7	5	5	52
28	33	284	32	54	22	25	18	16	11	8	7	4	5	53
52	24	480	63	50	17	7	3	2	3	1	-	1	-	54
14	7	121	95	37	18	12	2	2	-	-	1	-	2	55
109	86	4,316	91	16	3	4	-	-	1	-	-	-	-	56
75	68	1,181	204	135	109	74	50	46	39	23	21	19	7	57
10	4	52	24	23	22	13	31	17	19	16	17	19	19	58
37	24	204	146	113	90	58	50	42	33	39	26	15	20	59
10	4	56	20	19	15	16	13	5	6	2	2	3	1	60
20	15	59	25	56	47	20	13	12	8	5	1	1	2	61
7	5	89	41	38	28	22	24	25	19	27	23	11	17	62
-	-	18	1	1	-	1	1	1	-	-	2	-	-	63

VITAL STATISTICS OF THE UNITED STATES

TABLE 32.—DEATHS UNDER 1 YEAR, FROM 45 SELECTED CAUSES, BY

(Exclusive of fetal deaths. Numbers after causes of death are

RACE, SEX, AND CAUSE OF DEATH		Total deaths under 1 year	Under 1 day	1 day	2 days	3 days	4 days	5 days	6 days	7-13 days
1	NEGRO, MALE-----All causes	11,004	3,309	1,008	628	391	274	216	157	666
2	Tuberculosis, all forms-----001-019	37	-	-	-	-	-	-	-	-
3	Syphilis and its sequelae-----020-029	98	24	5	5	5	2	3	1	12
4	Dysentery, all forms-----045-048	88	-	-	-	-	-	-	-	1
5	Whooping cough-----066	80	-	-	-	-	-	-	-	2
6	All other infective and parasitic diseases---030-044,049-055,057-138	162	1	-	1	-	3	6	7	25
7	Diseases of thymus gland-----273	50	5	-	4	1	-	-	-	2
8	Meningitis, except meningococcal and tuberculous---341	115	2	1	2	-	2	-	-	5
9	All other diseases of nervous system and sense organs-330-334,341-398	90	8	1	-	1	1	-	2	2
10	Influenza and pneumonia, except pneumonia of newborn-----480-483	1,437	-	-	1	-	1	1	1	4
11	Influenza-----480-483	165	-	-	1	-	1	1	1	4
12	Pneumonia, except pneumonia of newborn-----490-493	1,252
13	All other diseases of respiratory system-----470-475,500-527	165	8	3	1	7	2	-	3	9
14	Hernia and intestinal obstruction-----560,561,570	103	11	-	4	4	1	-	2	7
15	Gastritis, duodenitis, enteritis, and colitis, except diarrhea of newborn-----543,571,572	748	-	-	-	-	-	-	-	-
16	All other diseases of digestive system-----530-542,544-553,573-587	63	1	-	2	1	3	1	2	2
17	Congenital malformations-----750-759	667	104	44	43	35	24	16	10	70
18	Spina bifida and meningocele-----751	45	4	1	2	2	1	-	2	7
19	Congenital malformations of circulatory system-----754	300	55	29	17	25	9	10	2	25
20	All other congenital malformations-----750,752,753,755-759	322	45	14	24	8	14	6	6	38
21	Certain diseases of early infancy-----760-776	6,278	2,850	860	479	286	185	159	113	424
22	Birth injuries-----760,761	959	499	158	101	56	26	19	17	45
23	Without mention of immaturity (.0)-----	635	302	106	79	45	20	14	10	32
24	With immaturity (.5)-----	324	197	52	22	11	6	5	7	13
25	Intracranial and spinal injury at birth-----760	583	219	109	85	43	21	17	11	32
26	Without mention of immaturity (.0)-----	398	141	78	65	35	16	13	6	25
27	With immaturity (.5)-----	185	78	31	18	8	5	4	5	9
28	Other birth injury-----761	396	280	49	16	13	5	2	6	13
29	Without mention of immaturity (.0)-----	237	161	28	14	10	4	1	4	9
30	With immaturity (.5)-----	159	119	21	4	3	1	1	2	4
31	Postnatal asphyxia and atelectasis-----762	1,112	589	206	99	52	32	28	5	38
32	Without mention of immaturity (.0)-----	455	207	97	46	30	12	10	2	14
33	With immaturity (.5)-----	657	382	109	53	22	20	18	3	24
34	Pneumonia of newborn-----763	402	24	32	31	21	27	27	20	85
35	Without mention of immaturity (.0)-----	306	17	22	25	19	21	18	16	59
36	With immaturity (.5)-----	96	7	10	6	2	6	8	4	26
37	Diarrhea of newborn-----764	176	-	1	4	1	3	6	7	48
38	Without mention of immaturity (.0)-----	126	-	1	4	1	2	4	4	32
39	With immaturity (.5)-----	50	-	-	-	-	1	2	3	15
40	Other infections of newborn-----765-768	55	5	-	2	4	6	3	4	14
41	Without mention of immaturity (.0)-----	35	3	-	2	3	4	3	2	9
42	With immaturity (.5)-----	20	2	-	-	1	2	-	2	5
43	Neonatal disorders arising from maternal toxemia-----769	117	62	21	12	8	5	2	2	4
44	Without mention of immaturity (.0-4)-----	41	24	10	-	5	-	2	-	-
45	With immaturity (.5-9)-----	76	38	11	12	1	5	-	2	4
46	Hemolytic disease of newborn (erythroblastosis)-----770	102	25	2	16	15	9	8	6	12
47	Without mention of immaturity (.0-2)-----	85	21	1	14	12	8	5	6	9
48	With immaturity (.5-7)-----	17	4	1	2	3	1	3	-	3
49	Hemorrhagic disease of newborn-----771	132	29	18	20	20	10	8	1	14
50	Without mention of immaturity (.0)-----	108	27	16	14	16	7	8	-	10
51	With immaturity (.5)-----	24	2	2	6	4	3	-	1	4
52	Ill-defined diseases peculiar to early infancy, including nutritional maladjustment-----772,773	652	166	55	32	22	11	9	8	48
53	Without mention of immaturity (.0)-----	315	43	20	14	14	7	2	5	22
54	With immaturity (.5)-----	337	123	35	18	8	4	7	3	26
55	Immaturity with mention of any other subsidiary condition-----774	153	35	8	5	3	-	2	2	2
56	Immaturity unqualified-----776	2,418	1,418	359	157	86	56	47	41	114
57	Symptoms and ill-defined conditions-----780-795	1,072	252	89	69	42	46	26	13	79
58	All other diseases-----Residual	149	9	1	3	1	2	1	-	6
59	Accidents-----E800-E862	460	25	4	14	8	2	3	3	17
60	Inhalation and ingestion of food or other object causing obstruction or suffocation-----E821,E822	92	2	2	6	3	1	3	1	6
61	Accidental mechanical suffocation in bed and cradle-----E824	168	4	1	2	1	-	-	-	5
62	All other accidental causes-----E800-E820,E823,E825-E862	200	19	1	6	4	1	-	2	6
63	Homicide-----E864,E860-E899	14	9	-	-	-	-	-	-	-

GENERAL TABLES—INFANT DEATHS

697

DETAILED AGE, RACE, AND SEX: UNITED STATES, 1949—Continued

category numbers of the Sixth Revision of the International Lists, 1949)

14-20 days	21-27 days	Under 28 days	28-59 days	2 months	3 months	4 months	5 months	6 months	7 months	8 months	9 months	10 months	11 months	
436	318	7,405	1,058	747	581	477	391	328	242	225	179	154	119	1
-	-	-	1	4	1	4	3	3	4	2	6	6	3	2
4	3	64	15	8	5	3	2	1	1	-	-	1	-	3
3	2	6	11	12	8	16	11	8	5	5	3	4	5	4
-	1	3	7	7	12	11	10	9	7	6	4	2	1	5
10	5	58	9	10	12	15	14	9	5	9	6	8	7	6
1	4	17	9	2	10	-	5	4	1	.1	1	-	-	7
9	-	21	7	11	9	9	9	6	10	12	8	4	9	8
-	-	15	12	11	10	7	4	8	6	6	4	11	4	9
13	5	86	272	224	214	172	134	102	69	70	60	56	38	10
13	5	26	30	17	24	24	15	7	15	15	8	4	8	11
...	242	207	190	148	119	95	62	55	52	52	30	12
6	7	46	29	18	16	14	18	13	10	9	7	4	2	13
5	4	38	9	14	7	5	11	4	3	4	2	5	1	14
-	-	-	170	137	81	90	62	64	49	37	24	18	16	15
1	1	14	12	9	3	8	3	3	1	2	4	4	-	16
29	33	408	69	47	38	28	20	28	7	10	7	6	6	17
5	3	27	5	5	4	-	1	3	-	-	-	-	-	18
10	13	195	22	18	13	16	10	10	4	4	2	3	3	19
14	17	186	42	24	19	10	9	12	3	6	5	3	3	20
295	202	5,851	217	97	56	21	13	12	11	6	4	4	6	21
14	10	945	5	5	3	1	-	-	-	-	-	-	-	22
10	7	625	3	4	3	-	-	-	-	-	-	-	-	23
4	3	320	2	1	-	1	-	-	-	-	-	-	-	24
11	9	555	1	4	2	1	-	-	-	-	-	-	-	25
8	6	391	1	4	2	-	-	-	-	-	-	-	-	26
3	3	164	-	-	-	1	-	-	-	-	-	-	-	27
3	1	390	4	1	1	-	-	-	-	-	-	-	-	28
2	1	234	2	-	1	-	-	-	-	-	-	-	-	29
1	-	156	2	1	-	-	-	-	-	-	-	-	-	30
21	7	1,077	15	6	8	-	1	2	-	-	-	2	1	31
4	6	428	8	5	8	-	1	2	-	-	-	2	1	32
17	1	649	7	1	-	-	-	-	-	-	-	-	-	33
81	54	402	34
60	48	306	35
21	6	96	36
53	52	175	1	-	-	-	-	-	-	-	-	-	-	37
39	38	125	1	-	-	-	-	-	-	-	-	-	-	38
14	14	50	-	-	-	-	-	-	-	-	-	-	-	39
10	6	54	1	-	-	-	-	-	-	-	-	-	-	40
6	2	34	1	-	-	-	-	-	-	-	-	-	-	41
4	4	20	-	-	-	-	-	-	-	-	-	-	-	42
-	1	115	2	-	-	-	-	-	-	-	-	-	-	43
-	-	41	-	-	-	-	-	-	-	-	-	-	-	44
-	1	74	2	-	-	-	-	-	-	-	-	-	-	45
4	1	98	2	2	-	-	-	-	-	-	-	-	-	46
4	1	81	2	2	-	-	-	-	-	-	-	-	-	47
-	-	17	-	-	-	-	-	-	-	-	-	-	-	48
5	3	128	3	1	-	-	-	-	-	-	-	-	-	49
5	2	105	2	1	-	-	-	-	-	-	-	-	-	50
-	1	23	1	-	-	-	-	-	-	-	-	-	-	51
42	27	420	97	60	16	14	10	10	10	6	4	2	3	52
20	14	161	58	39	7	11	8	9	8	5	4	2	3	53
22	13	259	39	21	9	3	2	1	2	1	1	-	-	54
7	2	66	55	17	6	5	2	-	-	-	-	-	-	55
56	39	2,371	36	6	3	1	-	-	1	-	-	-	-	56
37	35	687	111	63	55	36	30	27	19	15	12	13	4	57
7	3	33	15	10	11	10	18	9	14	11	9	6	3	58
18	13	107	84	62	55	29	23	21	20	20	17	6	16	59
3	2	29	10	7	11	11	5	5	5	5	2	1	1	60
12	9	34	49	35	23	7	9	2	3	3	1	-	2	61
3	2	44	25	20	21	11	9	14	12	12	14	5	13	62
-	-	9	1	1	-	1	1	-	-	-	1	-	-	63

VITAL STATISTICS OF THE UNITED STATES

TABLE 32.—DEATHS UNDER 1 YEAR, FROM 45 SELECTED CAUSES, BY

(Exclusive of fetal deaths. Numbers after causes of death are

	RACE, SEX, AND CAUSE OF DEATH	Total deaths under 1 year	Under 1 year							7-13 days
			Under 1 day	1 day	2 days	3 days	4 days	5 days	6 days	
1	NEGRO, FEMALE-----All causes	9,309	2,584	725	453	259	182	154	125	546
2	Tuberculosis, all forms-----001-019	39	-	-	-	-	-	-	-	-
3	Syphilis and its sequelae-----020-029	84	25	5	4	-	1	5	1	4
4	Dysentery, all forms-----045-048	79	1	1	-	-	-	-	-	1
5	Whooping cough-----056	69	-	-	-	-	-	-	-	-
6	All other infective and parasitic diseases-----030-044, 049-055, 057-138	115	-	-	-	-	2	4	3	24
7	Diseases of thymus gland-----273	40	2	1	1	1	1	1	-	3
8	Meningitis, except meningococcal and tuberculous-----340	88	-	-	-	-	-	-	-	8
9	All other diseases of nervous system and sense organs-330-334, 341-398	70	3	1	-	-	-	-	-	-
10	Influenza and pneumonia, except pneumonia of newborn-----480-493	1,217	-	-	-	1	-	2	1	3
11	Influenza-----480-483	132	-	-	-	1	-	2	1	3
12	Pneumonia, except pneumonia of newborn-----490-493	1,085
13	All other diseases of respiratory system-----470-475, 500-527	153	1	-	3	1	-	1	-	5
14	Hernia and intestinal obstruction-----560, 561, 570	48	3	2	-	1	3	3	2	-
15	Gastritis, duodenitis, enteritis, and colitis, except diarrhea of newborn-----543, 571, 572	565	-	-	-	-	-	-	-	-
16	All other diseases of digestive system-----530-542, 544-553, 573-587	54	1	-	1	4	-	-	1	4
17	Congenital malformations-----750-759	506	86	36	30	20	16	13	8	45
18	Spina bifida and meningocele-----751	31	2	2	-	1	-	1	-	4
19	Congenital malformations of circulatory system-----754	248	27	19	20	11	7	8	1	16
20	All other congenital malformations-----750, 752, 753, 755-759	227	57	15	10	8	9	4	7	25
21	Certain diseases of early infancy-----760-776	4,854	2,235	604	362	191	136	102	86	366
22	Birth injuries-----760, 761	670	369	105	64	30	22	9	13	28
23	Without mention of immaturity (.0)-----	442	235	75	49	20	11	7	9	15
24	With immaturity (.5)-----	228	134	30	15	10	11	2	4	13
25	Intracranial and spinal injury at birth-----760	544	147	58	37	20	19	9	11	22
26	Without mention of immaturity (.0)-----	241	101	45	26	15	10	7	7	12
27	With immaturity (.5)-----	103	46	13	9	5	9	2	4	10
28	Other birth injury-----761	326	222	47	27	10	3	-	2	6
29	Without mention of immaturity (.0)-----	201	154	30	21	5	1	-	2	3
30	With immaturity (.5)-----	125	68	17	6	5	2	-	-	3
31	Postnatal asphyxia and atelectasis-----762	625	447	149	76	39	19	13	8	30
32	Without mention of immaturity (.0)-----	317	159	64	32	18	8	4	3	7
33	With immaturity (.5)-----	508	288	85	44	21	11	9	5	23
34	Pneumonia of newborn-----763	316	16	15	20	15	13	13	17	80
35	Without mention of immaturity (.0)-----	253	13	12	17	10	9	10	12	62
36	With immaturity (.5)-----	83	3	3	3	5	4	3	5	18
37	Diarrhea of newborn-----764	114	2	2	1	1	3	2	1	30
38	Without mention of immaturity (.0)-----	74	2	1	1	-	2	2	1	22
39	With immaturity (.5)-----	40	-	1	-	1	1	-	-	8
40	Other infections of newborn-----765-768	44	6	3	3	4	2	1	3	10
41	Without mention of immaturity (.0)-----	29	3	2	2	3	2	1	3	8
42	With immaturity (.5)-----	15	3	1	1	1	-	-	-	2
43	Neonatal disorders arising from maternal toxemia-----769	86	44	14	8	8	3	2	-	6
44	Without mention of immaturity (.0-4)-----	23	10	3	3	3	1	-	-	1
45	With immaturity (.5-9)-----	65	34	11	5	5	2	2	-	5
46	Hemolytic disease of newborn (erythroblastosis)-----770	72	25	8	5	3	7	3	3	7
47	Without mention of immaturity (.0-2)-----	50	15	5	3	3	6	2	3	6
48	With immaturity (.5-7)-----	22	10	3	2	-	1	1	-	1
49	Hemorrhagic disease of newborn-----771	74	20	13	13	8	3	2	1	6
50	Without mention of immaturity (.0)-----	49	13	8	9	5	3	2	1	2
51	With immaturity (.5)-----	25	7	5	4	3	-	-	-	4
52	Ill-defined diseases peculiar to early infancy, including nutritional maladjustment-----772, 773	499	129	41	32	7	9	12	7	39
53	Without mention of immaturity (.0)-----	229	35	21	14	2	2	6	2	14
54	With immaturity (.5)-----	270	94	20	18	5	7	6	5	25
55	Immaturity with mention of any other subsidiary condition-----774	157	20	4	3	1	3	4	1	7
56	Immaturity unqualified-----776	2,015	1,157	250	137	75	52	41	52	123
57	Symptoms and ill-defined conditions-----780-795	839	169	60	43	26	17	22	20	68
58	All other diseases-----Residual	105	3	5	-	1	-	2	1	3
59	Accidents-----E900-E962	376	19	8	8	12	5	1	2	12
60	Inhalation and ingestion of food or other object causing obstruction or suffocation-----E921, E922	71	1	2	5	6	-	1	1	2
61	Accidental mechanical suffocation in bed and cradle-----E924	141	2	-	-	1	3	-	-	4
62	All other accidental causes-----E900-E920, E923, E925-E962	164	16	5	3	5	2	-	1	6
63	Homicide-----E964, E960-E999	11	6	2	1	-	-	-	-	-

GENERAL TABLES—INFANT DEATHS.

DETAILED AGE, RACE, AND SEX: UNITED STATES, 1949—Continued

category numbers of the Sixth Revision of the International Lists, 1948)

14-20 days	21-27 days	Under 28 days	28-59 days	2 months	3 months	4 months	5 months	6 months	7 months	8 months	9 months	10 months	11 months	
362	268	5,628	805	581	522	416	365	277	196	181	136	110	92	1
-	-	-	-	-	1	3	3	6	5	6	5	7	3	2
7	5	55	10	9	3	1	1	2	2	1	-	2	-	3
-	2	8	11	10	10	7	12	7	4	3	4	4	1	4
1	4	5	8	10	12	11	3	6	3	5	3	4	6	5
9	2	44	5	6	8	4	9	12	5	9	3	4	7	6
1	-	11	5	5	5	6	5	1	2	-	-	-	-	7
2	2	12	5	8	9	7	8	6	9	5	8	5	5	8
-	1	6	10	8	9	8	9	4	5	1	8	4	-	9
1	8	14	213	170	177	149	129	101	77	69	52	35	31	10
1	8	14	21	13	19	14	13	11	8	8	6	3	5	11
...	192	157	158	135	116	90	71	60	46	32	28	12
9	5	25	19	18	21	17	18	11	3	12	6	2	3	13
3	2	19	8	3	4	3	1	3	1	2	-	5	1	14
1	-	1	117	91	98	77	69	47	20	20	13	14	9	15
2	1	14	9	5	5	3	8	2	2	3	-	1	2	16
24	19	297	58	39	30	16	19	8	14	11	4	7	5	17
2	1	13	8	1	3	2	3	-	1	-	-	-	-	18
12	8	126	26	23	20	9	13	5	7	6	3	6	4	19
10	13	158	22	15	7	5	3	3	6	5	1	1	1	20
242	176	4,500	170	85	40	34	13	11	6	5	5	3	4	21
10	5	655	4	5	1	1	2	1	1	-	1	-	-	22
6	3	430	4	3	1	1	-	-	1	-	-	-	-	23
4	2	225	-	2	-	-	1	-	-	-	-	-	-	24
7	4	334	4	4	-	-	-	-	1	-	-	-	-	25
5	3	253	4	2	-	-	-	-	1	-	-	-	-	26
2	1	101	2	2	-	-	-	-	1	-	-	-	-	27
3	1	321	-	1	1	1	2	-	-	-	-	-	-	28
1	1	197	-	1	1	1	1	-	-	-	-	-	-	29
2	1	124	-	-	-	-	1	-	-	-	-	-	-	30
18	6	805	5	4	4	3	2	-	1	-	-	-	1	31
4	3	302	2	3	3	3	2	-	1	-	-	-	1	32
14	3	503	3	1	1	-	-	-	-	-	-	-	-	33
69	58	516	34
48	40	255	35
21	18	85	36
30	40	112	1	1	-	-	-	-	-	-	-	-	-	37
21	21	73	-	1	-	-	-	-	-	-	-	-	-	38
9	19	39	1	-	-	-	-	-	-	-	-	-	-	39
8	3	43	1	-	-	-	-	-	-	-	-	-	-	40
3	1	29	1	-	-	-	-	-	-	-	-	-	-	41
5	2	15	-	-	-	-	-	-	-	-	-	-	-	42
1	-	86	2	-	-	-	-	-	-	-	-	-	-	43
1	-	22	1	-	-	-	-	-	-	-	-	-	-	44
1	-	64	1	-	-	-	-	-	-	-	-	-	-	45
5	1	87	2	-	-	1	-	1	-	-	-	-	1	46
2	-	46	2	-	-	1	-	1	-	-	-	-	-	47
3	1	21	-	-	-	-	-	-	-	-	-	-	1	48
3	1	70	2	1	-	1	-	-	-	-	-	-	-	49
1	1	45	2	1	-	1	-	-	-	-	-	-	-	50
2	-	25	-	-	-	-	-	-	-	-	-	-	-	51
58	50	344	58	24	23	18	9	8	4	3	3	3	2	52
8	19	123	34	15	15	14	8	7	3	3	3	3	2	53
30	11	221	24	9	8	4	1	1	1	-	-	1	-	54
7	5	55	40	20	12	7	-	2	-	-	1	-	-	55
53	27	1,947	55	10	-	3	-	-	-	-	-	-	-	56
38	31	494	93	72	54	38	20	21	20	8	9	8	3	57
3	1	19	9	13	11	3	13	9	5	5	8	4	7	58
19	11	97	62	51	35	29	27	21	13	19	9	9	4	59
7	2	27	10	12	4	5	8	-	1	2	-	2	-	60
6	6	26	36	21	24	13	4	10	5	2	-	1	-	61
4	3	45	16	18	7	11	15	11	7	15	9	6	4	62
-	-	9	-	-	-	-	-	1	-	-	1	-	-	63

VITAL STATISTICS OF THE UNITED STATES

TABLE 33.—DEATHS UNDER 1 YEAR OF AGE, IN INSTITUTIONS, BY AGE AND RACE: UNITED STATES AND EACH STATE, 1949

(By place of residence. Exclusive of fetal deaths)

AREA AND AGE	TOTAL			NOT IN INSTITUTIONS		GENERAL HOSPITALS		MATERNITY HOSPITALS		CHILDREN'S HOSPITALS		OTHER HOSPITALS AND INSTITUTIONS	
	All races	White	Nonwhite	White	Nonwhite	White	Nonwhite	White	Nonwhite	White	Nonwhite	White	Nonwhite
UNITED STATES													
Under 1 year-----	111,531	89,007	22,524	18,365	10,406	65,196	11,322	1,650	192	2,032	340	1,744	262
Under 1 day-----	37,259	31,168	6,091	2,981	2,001	26,535	3,862	926	99	170	50	544	79
1-6 days-----	27,915	23,133	4,782	1,905	1,686	19,887	2,905	558	55	438	85	344	41
7-13 days-----	5,471	4,195	1,276	813	593	3,071	641	69	3	189	54	73	5
14-27 days-----	5,681	4,232	1,449	1,234	718	2,686	675	32	7	180	32	78	17
28 days-11 months-----	35,205	28,279	6,926	11,451	5,400	13,005	3,239	53	28	1,085	139	705	120
ALABAMA													
Under 1 year-----	3,345	1,704	1,641	502	1,064	1,101	560	26	4	37	7	38	6
Under 1 day-----	1,045	609	436	130	275	450	153	13	1	1	3	15	4
1-6 days-----	813	435	378	79	201	384	169	12	3	10	4	10	2
7-13 days-----	202	76	126	27	76	45	48	-	-	3	-	1	-
14-27 days-----	206	89	117	27	67	57	50	-	-	4	-	1	-
28 days-11 months-----	1,079	495	584	239	443	225	141	1	-	19	-	11	-
ARIZONA													
Under 1 year-----	1,034	723	311	158	65	533	213	3	-	1	-	28	33
Under 1 day-----	273	237	36	19	2	209	28	3	-	-	-	6	6
1-6 days-----	195	155	40	24	10	122	27	-	-	-	-	9	3
7-13 days-----	43	26	17	5	6	20	10	-	-	-	-	1	1
14-27 days-----	52	31	21	8	5	22	13	-	-	-	-	1	3
28 days-11 months-----	471	274	197	102	42	160	135	-	-	1	-	11	20
ARKANSAS													
Under 1 year-----	1,539	1,095	454	384	342	619	107	8	1	33	-	41	4
Under 1 day-----	332	244	88	72	96	154	31	1	-	2	-	15	1
1-6 days-----	389	299	90	59	51	219	36	4	1	6	-	11	2
7-13 days-----	95	68	29	23	21	38	8	1	-	1	-	3	-
14-27 days-----	107	68	39	30	35	29	4	-	-	7	-	2	-
28 days-11 months-----	616	408	208	200	179	179	28	2	-	17	-	10	1
CALIFORNIA													
Under 1 year-----	6,574	5,879	695	775	127	4,685	543	145	9	138	7	126	9
Under 1 day-----	2,528	2,277	251	67	11	2,081	234	80	3	5	-	34	3
1-6 days-----	1,692	1,526	166	41	9	1,384	152	52	4	33	1	16	-
7-13 days-----	286	257	29	26	3	214	24	3	-	13	1	1	1
14-27 days-----	259	228	31	40	8	187	23	7	-	10	-	4	-
28 days-11 months-----	1,809	1,591	218	601	96	859	110	3	2	77	5	71	5
COLORADO													
Under 1 year-----	1,153	1,121	32	272	5	769	26	2	-	47	1	31	-
Under 1 day-----	384	372	12	27	1	316	11	1	-	9	-	19	-
1-6 days-----	307	302	5	29	-	259	5	1	-	8	-	5	-
7-13 days-----	48	45	3	11	-	31	3	-	-	3	-	-	-
14-27 days-----	55	53	2	30	1	21	1	-	-	2	-	-	-
28 days-11 months-----	359	349	10	175	3	142	6	-	-	25	1	7	-
CONNECTICUT													
Under 1 year-----	943	884	59	74	4	782	55	1	-	5	-	22	-
Under 1 day-----	354	330	24	12	1	314	23	-	-	-	-	4	-
1-6 days-----	305	299	6	-	-	285	16	1	-	1	-	2	-
7-13 days-----	44	42	2	3	-	37	2	-	-	-	-	2	-
14-27 days-----	38	35	3	2	-	31	3	-	-	1	-	1	-
28 days-11 months-----	202	188	14	57	3	115	11	-	-	3	-	13	-
DELAWARE													
Under 1 year-----	224	163	61	16	22	141	38	-	-	4	1	-	-
Under 1 day-----	87	65	22	3	6	82	16	-	-	-	-	-	-
1-6 days-----	58	47	11	2	2	44	9	-	-	1	-	-	-
7-13 days-----	8	4	4	-	-	4	4	-	-	-	-	-	-
14-27 days-----	5	5	-	-	-	4	-	-	-	1	-	-	-
28 days-11 months-----	66	42	24	13	14	27	9	-	-	2	1	-	-
DISTRICT OF COLUMBIA													
Under 1 year-----	576	327	249	25	36	250	179	23	10	27	24	2	-
Under 1 day-----	232	139	93	3	7	118	80	17	5	1	1	-	-
1-6 days-----	164	101	63	-	3	85	55	4	4	2	1	-	-
7-13 days-----	33	17	16	-	-	9	13	2	1	6	2	-	-
14-27 days-----	23	10	13	2	3	6	6	-	-	2	4	-	-
28 days-11 months-----	124	60	64	20	23	22	25	-	-	16	16	2	-
FLORIDA													
Under 1 year-----	2,088	1,427	861	333	416	925	421	20	6	1	-	48	18
Under 1 day-----	741	506	235	56	104	409	118	8	2	-	-	33	11
1-6 days-----	516	323	193	22	65	281	120	11	4	-	-	9	4
7-13 days-----	100	59	42	7	19	50	23	1	-	-	-	-	-
14-27 days-----	100	46	54	20	21	25	32	-	-	1	-	-	1
28 days-11 months-----	631	294	337	129	247	160	129	-	-	-	-	6	2

GENERAL TABLES—INFANT DEATHS

707

TABLE 33.—DEATHS UNDER 1 YEAR OF AGE, IN INSTITUTIONS, BY AGE AND RACE: UNITED STATES AND EACH STATE, 1949—Continued

(By place of residence. Exclusive of fetal deaths)

AREA AND AGE	TOTAL			NOT IN INSTITUTIONS		GENERAL HOSPITALS		MATERNITY HOSPITALS		CHILDREN'S HOSPITALS		OTHER HOSPITALS AND INSTITUTIONS	
	All races	White	Nonwhite	White	Nonwhite	White	Nonwhite	White	Nonwhite	White	Nonwhite	White	Nonwhite
GEORGIA													
Under 1 year	3,101	1,676	1,425	426	969	1,146	436	24	1	45	-	37	16
Under 1 day	960	583	377	109	205	454	163	14	-	4	-	22	11
1-6 days	720	444	276	49	183	369	90	2	-	15	-	9	5
7-13 days	180	70	110	16	75	48	35	2	-	3	-	1	-
14-27 days	187	89	98	33	70	53	28	1	-	2	-	-	-
28 days-11 months	1,054	490	564	219	437	242	122	5	1	19	-	5	4
IDAHO													
Under 1 year	431	414	17	45	9	335	8	11	-	1	-	22	-
Under 1 day	171	169	2	6	-	148	2	5	-	-	-	10	-
1-6 days	111	111	-	1	-	99	-	5	-	-	-	6	-
7-13 days	18	18	-	1	-	15	-	1	-	-	-	1	-
14-27 days	20	20	-	5	-	12	-	-	-	-	-	3	-
28 days-11 months	111	96	15	32	9	61	6	-	-	1	-	2	-
ILLINOIS													
Under 1 year	5,195	4,428	767	544	142	3,626	594	98	10	101	3	59	18
Under 1 day	2,008	1,753	255	77	39	1,612	207	56	7	2	-	6	2
1-6 days	1,339	1,179	160	33	17	1,090	139	31	3	22	-	3	1
7-13 days	225	190	35	17	1	158	34	6	-	9	-	-	-
14-27 days	240	187	53	34	8	135	44	2	-	14	-	2	1
28 days-11 months	1,383	1,119	264	383	77	631	170	3	-	54	3	48	14
INDIANA													
Under 1 year	2,746	2,514	232	466	73	1,909	186	35	-	96	3	8	-
Under 1 day	905	837	68	68	12	750	55	19	-	-	1	-	-
1-6 days	682	611	51	37	14	552	37	9	-	13	-	-	-
7-13 days	135	124	9	17	1	94	8	5	-	8	-	-	-
14-27 days	185	135	20	33	8	90	12	2	-	10	-	-	-
28 days-11 months	891	807	84	311	38	423	44	-	-	85	2	8	-
IOWA													
Under 1 year	1,591	1,562	29	185	5	1,282	21	3	-	33	-	49	3
Under 1 day	615	607	6	41	-	539	4	-	-	3	-	24	2
1-6 days	475	466	7	13	1	428	6	3	-	11	-	11	-
7-13 days	72	70	2	6	-	58	2	-	-	4	-	2	-
14-27 days	85	84	1	9	-	70	1	-	-	3	-	2	-
28 days-11 months	348	335	13	126	4	187	6	-	-	12	-	10	1
KANSAS													
Under 1 year	1,136	1,063	73	144	30	893	43	6	-	5	-	15	-
Under 1 day	444	421	23	26	6	394	17	2	-	-	-	9	-
1-6 days	314	299	15	6	2	286	13	3	-	-	-	4	-
7-13 days	59	59	-	7	-	52	-	-	-	-	-	-	-
14-27 days	33	28	5	9	1	18	4	-	-	-	-	1	-
28 days-11 months	286	256	30	96	21	153	9	1	-	5	-	1	-
KENTUCKY													
Under 1 year	3,139	2,845	294	1,227	152	1,521	136	23	1	99	1	15	4
Under 1 day	750	698	52	241	22	443	29	7	-	1	-	6	1
1-6 days	669	598	71	164	25	422	45	11	-	1	-	-	1
7-13 days	178	159	19	73	11	75	8	3	-	7	-	1	-
14-27 days	210	190	20	88	11	91	9	1	-	8	-	2	-
28 days-11 months	1,332	1,200	132	661	85	490	45	1	1	42	1	6	2
LOUISIANA													
Under 1 year	2,610	1,251	1,579	220	693	992	674	-	-	-	-	19	12
Under 1 day	949	523	426	61	132	452	292	-	-	-	-	10	2
1-6 days	549	272	277	35	101	231	172	-	-	-	-	6	4
7-13 days	167	63	104	9	36	54	68	-	-	-	-	-	-
14-27 days	153	41	112	7	47	34	64	-	-	-	-	-	1
28 days-11 months	992	332	660	106	377	221	276	-	-	-	-	3	5
MAINE													
Under 1 year	713	709	4	181	1	512	5	1	-	6	-	9	-
Under 1 day	234	232	2	26	-	202	2	1	-	-	-	3	-
1-6 days	183	183	-	11	-	167	-	-	-	3	-	2	-
7-13 days	27	27	-	8	-	19	-	-	-	-	-	-	-
14-27 days	34	34	-	11	-	20	-	-	-	1	-	2	-
28 days-11 months	235	233	2	125	1	104	1	-	-	2	-	2	-
MARYLAND													
Under 1 year	1,636	1,107	529	203	161	871	357	16	4	12	2	5	5
Under 1 day	523	387	136	28	27	347	108	12	2	-	-	-	1
1-6 days	393	267	126	17	19	245	104	3	2	-	-	-	1
7-13 days	84	58	25	8	8	48	17	-	-	2	-	-	-
14-27 days	83	57	26	16	4	38	21	1	-	1	-	1	1
28 days-11 months	553	337	216	134	103	192	109	-	-	7	2	4	2

VITAL STATISTICS OF THE UNITED STATES

TABLE 33.—DEATHS UNDER 1 YEAR OF AGE, IN INSTITUTIONS, BY AGE AND RACE: UNITED STATES AND EACH STATE, 1949—Continued

(By place of residence. Exclusive of fetal deaths)

AREA AND AGE	TOTAL			NOT IN INSTITUTIONS		GENERAL HOSPITALS		MATERNITY HOSPITALS		CHILDREN'S HOSPITALS		OTHER HOSPITALS AND INSTITUTIONS	
	All races	White	Nonwhite	White	Nonwhite	White	Nonwhite	White	Nonwhite	White	Nonwhite	White	Nonwhite
MASSACHUSETTS													
Under 1 year-----	2,347	2,269	78	268	5	1,721	66	102	6	169	1	9	-
Under 1 day-----	926	899	27	35	-	772	33	52	4	29	-	1	-
1-6 days-----	671	650	21	10	-	546	18	46	2	45	1	1	-
7-13 days-----	106	104	2	7	-	78	4	2	-	17	-	-	-
14-27 days-----	84	80	4	10	-	57	4	-	-	15	-	-	-
28 days-11 months-----	556	546	10	206	5	266	7	2	-	65	-	7	-
MICHIGAN													
Under 1 year-----	4,545	4,008	537	558	100	3,164	315	36	1	204	118	46	3
Under 1 day-----	1,548	1,362	186	54	15	1,259	144	25	1	15	26	9	-
1-6 days-----	1,225	1,075	148	54	9	972	103	10	-	61	36	8	-
7-13 days-----	216	194	22	13	3	164	7	-	-	17	12	-	-
14-27 days-----	234	197	37	36	7	139	15	1	-	19	14	2	1
28 days-11 months-----	1,324	1,180	144	421	66	630	46	-	-	102	30	27	2
MINNESOTA													
Under 1 year-----	1,893	1,837	56	258	9	1,489	44	34	2	22	1	34	-
Under 1 day-----	705	688	15	35	-	624	13	17	2	-	-	12	-
1-6 days-----	544	532	12	18	2	491	10	14	-	3	-	6	-
7-13 days-----	74	73	1	10	1	57	-	2	-	2	-	2	-
14-27 days-----	92	90	2	16	-	64	3	1	-	5	-	4	-
28 days-11 months-----	480	454	26	179	6	253	19	-	-	12	1	10	-
MISSISSIPPI													
Under 1 year-----	2,631	923	1,708	262	1,241	626	439	14	6	-	-	21	22
Under 1 day-----	733	334	399	71	280	244	129	5	2	-	-	14	8
1-6 days-----	582	256	326	42	223	202	98	6	3	-	-	6	2
7-13 days-----	145	45	100	18	70	26	30	1	-	-	-	-	-
14-27 days-----	145	37	108	11	73	26	32	-	-	-	-	-	3
28 days-11 months-----	1,026	251	775	120	615	128	150	2	1	-	-	1	9
MISSOURI													
Under 1 year-----	2,563	2,229	335	558	132	1,429	186	70	12	88	2	85	3
Under 1 day-----	924	803	121	100	19	639	93	37	9	2	-	25	-
1-6 days-----	606	545	61	74	21	415	36	25	3	13	-	18	1
7-13 days-----	123	110	13	30	6	57	7	4	-	9	-	10	-
14-27 days-----	145	124	21	36	11	65	9	2	-	12	-	9	1
28 days-11 months-----	785	646	119	316	75	253	41	2	-	52	2	23	1
MONTANA													
Under 1 year-----	457	399	58	58	14	332	44	1	-	-	-	8	-
Under 1 day-----	167	156	11	12	2	143	9	1	-	-	-	-	-
1-6 days-----	112	103	9	1	3	101	6	-	-	-	-	1	-
7-13 days-----	14	11	3	1	1	10	2	-	-	-	-	-	-
14-27 days-----	19	19	-	3	-	15	-	-	-	-	-	1	-
28 days-11 months-----	145	110	35	41	8	63	27	-	-	-	-	6	-
NEBRASKA													
Under 1 year-----	761	730	31	98	7	584	24	1	-	25	-	22	-
Under 1 day-----	279	270	9	14	2	246	7	-	-	-	-	10	-
1-6 days-----	219	213	6	15	-	193	6	1	-	1	-	3	-
7-13 days-----	40	37	3	4	1	31	2	-	-	2	-	-	-
14-27 days-----	28	27	1	5	-	15	1	-	-	4	-	3	-
28 days-11 months-----	195	185	10	60	4	99	8	-	-	18	-	6	-
NEVADA													
Under 1 year-----	118	105	13	13	1	84	11	-	-	1	-	7	1
Under 1 day-----	54	51	3	3	-	42	3	-	-	-	-	6	-
1-6 days-----	30	29	1	-	-	28	1	-	-	1	-	-	-
7-13 days-----	2	1	1	-	-	1	1	-	-	-	-	-	-
14-27 days-----	6	6	-	2	-	4	-	-	-	-	-	-	-
28 days-11 months-----	26	16	10	8	1	9	6	-	-	-	-	1	1
NEW HAMPSHIRE													
Under 1 year-----	333	332	1	38	1	272	-	7	-	10	-	5	-
Under 1 day-----	137	137	-	3	-	128	-	3	-	-	-	3	-
1-6 days-----	93	92	1	3	1	81	-	4	-	3	-	1	-
7-13 days-----	19	19	-	2	-	14	-	-	-	2	-	1	-
14-27 days-----	9	9	-	3	-	5	-	-	-	1	-	-	-
28 days-11 months-----	75	75	-	27	-	44	-	-	-	4	-	-	-
NEW JERSEY													
Under 1 year-----	2,534	2,061	453	192	88	1,681	331	146	25	25	6	37	5
Under 1 day-----	988	828	161	28	14	704	129	91	17	4	-	1	1
1-6 days-----	700	589	111	8	5	536	99	39	6	5	1	1	-
7-13 days-----	124	105	19	9	1	84	18	9	-	1	-	2	-
14-27 days-----	97	75	22	15	7	58	15	4	-	-	-	-	-
28 days-11 months-----	624	484	140	134	61	299	70	5	-	15	5	33	4

GENERAL TABLES—INFANT DEATHS

709

TABLE 33.—DEATHS UNDER 1 YEAR OF AGE, IN INSTITUTIONS, BY AGE AND RACE: UNITED STATES AND EACH STATE, 1949—Continued

(By place of residence. Exclusive of fetal deaths)

AREA AND AGE	TOTAL			NOT IN INSTITUTIONS		GENERAL HOSPITALS		MATERNITY HOSPITALS		CHILDREN'S HOSPITALS		OTHER HOSPITALS AND INSTITUTIONS	
	All races	White	Nonwhite	White	Nonwhite	White	Nonwhite	White	Nonwhite	White	Nonwhite	White	Nonwhite
NEW MEXICO													
Under 1 year	1,408	1,228	180	595	69	584	105	7	-	1	-	43	6
Under 1 day	292	260	12	77	1	385	10	5	-	-	-	13	1
1-6 days	237	209	28	62	18	157	10	1	-	-	-	9	-
7-13 days	84	75	9	34	4	37	5	-	-	-	-	4	-
14-27 days	84	74	10	39	3	35	6	-	-	-	-	-	1
28 days-11 months	711	590	121	381	43	190	74	1	-	1	-	17	4
NEW YORK													
Under 1 year	7,878	6,864	1,014	678	122	5,661	740	246	30	89	6	190	16
Under 1 day	3,212	2,805	407	85	14	2,531	388	188	19	25	1	28	-
1-6 days	2,098	1,853	245	25	1	1,690	226	9	9	23	2	51	5
7-13 days	347	307	40	19	1	257	38	1	3	-	-	17	-
14-27 days	349	308	41	45	8	248	31	1	6	-	-	5	1
28 days-11 months	1,874	1,591	283	508	98	935	172	9	-	32	3	109	10
NORTH CAROLINA													
Under 1 year	4,113	2,185	1,928	578	1,173	1,548	740	5	3	20	1	36	11
Under 1 day	1,065	656	409	97	180	542	215	4	1	3	-	10	3
1-6 days	958	590	368	51	159	519	204	-	-	5	-	15	3
7-13 days	186	91	95	19	64	70	31	-	-	1	-	1	-
14-27 days	272	120	152	50	89	68	53	-	-	2	-	-	-
28 days-11 months	1,634	728	906	359	661	349	237	1	2	9	1	10	5
NORTH DAKOTA													
Under 1 year	517	482	35	91	13	370	23	1	-	1	-	19	-
Under 1 day	185	177	8	19	1	144	7	-	-	-	-	14	-
1-6 days	144	140	4	12	3	125	1	1	-	-	-	2	-
7-13 days	27	26	1	6	-	20	1	-	-	-	-	-	-
14-27 days	27	27	-	11	-	14	-	-	-	-	-	2	-
28 days-11 months	134	112	22	43	8	87	14	-	-	1	-	1	-
OHIO													
Under 1 year	5,315	4,726	589	769	118	3,454	385	135	13	351	71	37	2
Under 1 day	1,894	1,735	179	97	13	1,485	148	89	10	34	8	10	-
1-6 days	1,340	1,197	143	51	8	1,008	108	42	2	84	24	12	1
7-13 days	267	248	19	24	3	182	8	2	-	29	8	1	-
14-27 days	232	241	41	86	12	144	22	1	-	23	7	2	-
28 days-11 months	1,532	1,325	207	521	82	635	99	1	1	165	24	12	1
OKLAHOMA													
Under 1 year	1,531	1,247	284	261	144	932	154	6	-	1	-	47	6
Under 1 day	549	492	57	70	14	394	45	1	-	-	-	27	-
1-6 days	401	335	66	36	35	284	30	4	-	-	-	11	1
7-13 days	63	43	20	15	14	30	5	-	-	-	-	-	1
14-27 days	75	56	19	23	8	53	10	-	-	-	-	-	1
28 days-11 months	443	321	122	119	73	191	46	1	-	1	-	9	3
OREGON													
Under 1 year	869	831	38	112	9	637	24	27	3	31	2	24	-
Under 1 day	394	372	12	15	2	351	9	15	1	5	-	6	-
1-6 days	202	195	7	4	1	175	4	9	2	8	-	1	-
7-13 days	37	35	2	4	-	27	-	2	-	1	2	1	-
14-27 days	38	35	3	6	2	24	1	-	-	4	-	1	-
28 days-11 months	208	194	14	85	4	82	10	1	-	13	-	15	-
PENNSYLVANIA													
Under 1 year	6,567	5,771	796	938	108	4,576	653	69	9	151	20	37	6
Under 1 day	2,276	2,015	261	200	19	1,761	257	45	4	3	-	8	1
1-6 days	1,859	1,635	224	74	9	1,508	215	17	1	30	1	6	-
7-13 days	351	315	36	37	2	257	31	5	1	12	2	4	-
14-27 days	305	259	46	55	5	131	36	-	2	11	3	2	-
28 days-11 months	1,776	1,547	229	572	73	659	136	4	1	95	14	17	5
RHODE ISLAND													
Under 1 year	395	376	19	36	2	224	10	99	7	4	-	13	-
Under 1 day	155	150	5	11	-	77	1	61	4	-	-	1	-
1-6 days	126	120	6	1	-	65	3	32	3	1	-	1	-
7-13 days	17	16	1	2	-	11	1	3	-	-	-	-	-
14-27 days	17	15	2	1	-	10	2	3	-	-	-	1	-
28 days-11 months	80	75	5	21	2	41	5	-	-	3	-	10	-
SOUTH CAROLINA													
Under 1 year	2,283	935	1,348	215	941	712	400	2	-	1	-	5	7
Under 1 day	591	301	290	37	191	261	97	2	-	-	-	1	2
1-6 days	561	255	306	22	186	231	99	-	-	-	-	2	1
7-13 days	146	54	92	14	59	40	33	-	-	-	-	-	-
14-27 days	141	45	96	12	71	33	25	-	-	-	-	-	-
28 days-11 months	864	280	584	130	454	147	146	-	-	1	-	2	4

VITAL STATISTICS OF THE UNITED STATES

TABLE 33.—DEATHS UNDER 1 YEAR OF AGE, IN INSTITUTIONS, BY AGE AND RACE: UNITED STATES AND EACH STATE, 1949—Continued

(By place of residence. Exclusive of fetal deaths)

AREA AND AGE	TOTAL			NOT IN INSTITUTIONS		GENERAL HOSPITALS		MATERNITY HOSPITALS		CHILDREN'S HOSPITALS		OTHER HOSPITALS AND INSTITUTIONS	
	All races	White	Nonwhite	White	Nonwhite	White	Nonwhite	White	Nonwhite	White	Nonwhite	White	Nonwhite
SOUTH DAKOTA													
Under 1 year-----	448	397	51	65	17	316	34	-	-	1	-	15	-
Under 1 day-----	147	142	5	10	1	127	4	-	-	-	-	5	-
1-6 days-----	111	106	5	7	2	92	3	-	-	-	-	7	-
7-13 days-----	26	24	2	2	1	22	1	-	-	-	-	-	-
14-27 days-----	23	19	4	1	1	18	3	-	-	-	-	-	-
28 days-11 months-----	141	108	35	45	12	57	23	-	-	1	-	3	-
TENNESSEE													
Under 1 year-----	5,351	2,557	774	935	373	1,476	378	9	-	75	21	62	2
Under 1 day-----	919	717	202	178	65	501	153	4	-	15	3	19	1
1-6 days-----	778	611	167	130	66	442	95	3	-	23	6	13	-
7-13 days-----	185	142	43	56	18	78	22	-	-	5	1	3	-
14-27 days-----	208	161	47	69	22	78	25	-	-	7	-	7	-
28 days-11 months-----	1,245	926	317	502	202	377	103	2	-	25	11	20	1
TEXAS													
Under 1 year-----	8,628	7,277	1,351	2,827	638	4,170	666	95	2	44	10	141	35
Under 1 day-----	2,140	1,800	340	281	102	1,420	220	51	2	2	1	46	15
1-6 days-----	1,960	1,665	295	404	109	1,169	179	41	-	4	2	47	5
7-13 days-----	415	326	87	132	40	180	45	1	-	4	-	9	2
14-27 days-----	437	352	75	183	47	169	25	1	-	5	1	4	2
28 days-11 months-----	3,678	3,124	554	1,827	340	1,232	197	1	-	29	6	35	11
UTAH													
Under 1 year-----	535	516	19	63	7	431	12	5	-	11	-	6	-
Under 1 day-----	184	177	7	11	-	154	7	4	-	4	-	4	-
1-6 days-----	194	191	3	4	1	182	2	1	-	3	-	1	-
7-13 days-----	19	19	-	3	-	16	-	-	-	-	-	-	-
14-27 days-----	19	16	3	2	2	14	1	-	-	-	-	-	-
28 days-11 months-----	119	113	6	43	4	65	2	-	-	4	-	1	-
VERMONT													
Under 1 year-----	301	300	1	60	-	235	1	2	-	1	-	2	-
Under 1 day-----	127	127	-	11	-	114	-	1	-	-	-	1	-
1-6 days-----	68	68	-	5	-	62	-	-	-	1	-	-	-
7-13 days-----	15	13	-	3	-	9	-	1	-	-	-	-	-
14-27 days-----	17	17	-	5	-	12	-	-	-	-	-	-	-
28 days-11 months-----	76	75	1	36	-	38	1	-	-	-	-	1	-
VIRGINIA													
Under 1 year-----	3,162	2,006	1,157	591	629	1,324	468	40	28	15	27	35	5
Under 1 day-----	1,028	702	326	147	147	535	167	16	3	1	6	3	3
1-6 days-----	701	486	215	62	106	402	101	16	2	-	5	6	1
7-13 days-----	180	101	79	22	41	76	33	-	-	2	5	1	-
14-27 days-----	184	96	86	49	44	46	35	1	4	2	3	-	-
28 days-11 months-----	1,069	618	451	311	291	285	132	9	19	10	8	25	1
WASHINGTON													
Under 1 year-----	1,530	1,419	111	179	31	1,152	78	10	1	3	-	75	1
Under 1 day-----	614	598	28	11	2	550	24	7	-	-	-	20	-
1-6 days-----	415	390	25	5	4	373	20	2	1	1	-	9	-
7-13 days-----	42	38	3	5	2	29	1	1	-	-	-	4	-
14-27 days-----	57	56	1	11	1	38	-	-	-	1	-	6	-
28 days-11 months-----	402	348	56	147	22	162	33	-	-	1	-	36	1
WEST VIRGINIA													
Under 1 year-----	2,082	1,940	142	699	81	1,200	61	2	-	2	-	37	-
Under 1 day-----	552	517	35	159	21	338	14	2	-	-	-	18	-
1-6 days-----	504	465	39	110	20	345	19	-	-	-	-	10	-
7-13 days-----	110	106	5	39	2	67	3	-	-	-	-	-	-
14-27 days-----	129	122	7	47	3	71	4	-	-	-	-	4	-
28 days-11 months-----	787	731	56	345	35	379	21	-	-	2	-	5	-
WISCONSIN													
Under 1 year-----	2,202	2,116	86	269	15	1,702	65	34	-	52	5	59	1
Under 1 day-----	838	820	18	38	2	748	16	25	-	-	-	9	-
1-6 days-----	585	567	18	30	-	538	17	8	-	3	1	8	-
7-13 days-----	81	76	5	11	-	61	4	1	-	3	1	-	-
14-27 days-----	98	93	5	19	3	70	2	-	-	2	-	2	-
28 days-11 months-----	600	560	40	191	10	285	26	-	-	44	3	40	1
WYOMING													
Under 1 year-----	280	261	19	35	6	208	13	-	-	5	-	13	-
Under 1 day-----	114	106	6	2	-	102	6	-	-	-	-	4	-
1-6 days-----	85	64	1	4	1	53	-	-	-	2	-	5	-
7-13 days-----	12	11	1	1	-	10	1	-	-	-	-	-	-
14-27 days-----	15	14	1	1	-	11	1	-	-	1	-	1	-
28 days-11 months-----	74	64	10	27	5	32	5	-	-	2	-	3	-